

TDMS No. 20005 - 06
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
Time Report Requested: 15:02:16
First Dose M/F: 02/10/04 / 02/09/04
Lab: BAT

F1_M3

C Number: C20005
Lock Date: 10/10/2006
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.0.0

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

DAY ON TEST	0																									
	6	7	7	4	7	7	7	7	7	7	7	6	7	7	7	6	6	7	7	7	6	7	5	7	6	
1	3	3	9	3	3	3	3	1	3	3	3	3	3	3	5	7	3	3	3	9	3	7	3	9		
7	2	2	2	0	2	2	2	4	0	2	7	1	1	0	3	3	2	1	1	5	1	1	1	6		
B6C3F1 MICE MALE 0 MG/KG	ANIMAL ID	0																								
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	
1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5		

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Gallbladder	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma																								
Hepatoblastoma																								
Hepatocellular Adenoma				X	X	X	X							X	X	X			X	X				X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6	7	7	4	7	7	7	7	7	7	6	7	7	7	6	6	7	7	7	6	7	5	7	6			
1	3	3	9	3	3	3	3	1	3	3	3	3	3	5	7	3	3	3	9	3	7	3	9			
7	2	2	2	0	2	2	2	4	0	2	7	1	1	0	3	3	2	1	1	5	1	1	1	6		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	

Hepatocellular Adenoma, Multiple		X	X		X		X					X												X	
Hepatocellular Carcinoma	X	X								X				X											
Hepatocellular Carcinoma, Multiple								X				X			X										
Histiocytic Sarcoma																									
Lymphoma Malignant													X												
Schwannoma Malignant, Metastatic, Skin																							X		
Mesentery																									
Hepatocellular Carcinoma, Metastatic, Liver														X											
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																									
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																									
Mast Cell Tumor Malignant															X										
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																									
Squamous Cell Papilloma																									
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

DAY ON TEST	0 0																								
	6 7 7 4 7 7 7 7 7 7 6 7 7 7 6 6 7 7 7 6 7 5 7 6																								
ANIMAL ID	1 3 3 9 3 3 3 3 1 3 3 3 3 3 5 7 3 3 3 9 3 7 3 9																								
	7 2 2 2 0 2 2 2 4 0 2 7 1 1 0 3 3 2 1 1 5 1 1 1 6																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

Tooth + + + + +

CARDIOVASCULAR SYSTEM

Blood Vessel +

Heart +

Hemangiosarcoma

Lymphoma Malignant

Sarcoma, Metastatic, Skeletal Muscle X

ENDOCRINE SYSTEM

Adrenal Cortex +

Lymphoma Malignant

Subcapsular, Adenoma

Adrenal Medulla +

Islets, Pancreatic +

Adenoma X

Carcinoma X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

DAY ON TEST	0 0																								
	6 7 7 4 7 7 7 7 7 7 6 7 7 7 6 6 7 7 7 6 7 5 7 6																								
ANIMAL ID	1 3 3 9 3 3 3 3 1 3 3 3 3 3 5 7 3 3 3 9 3 7 3 9																								
	7 2 2 2 0 2 2 2 4 0 2 7 1 1 0 3 3 2 1 1 5 1 1 1 6																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	2	3	4	5	6	7	8	9	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	
	1	2	3	4	5	6	7	8	9	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	

males
(cont...)

Parathyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pars Distalis, Adenoma																								X
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Follicular Cell, Adenoma																								

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

DAY ON TEST	0 0																								
	6 7 7 4 7 7 7 7 7 7 7 6 7 7 7 6 6 7 7 7 6 7 5 7 6																								
ANIMAL ID	1 3 3 9 3 3 3 3 1 3 3 3 3 3 3 5 7 3 3 3 9 3 7 3 9																								
	7 2 2 2 0 2 2 2 4 0 2 7 1 1 0 3 3 2 1 1 5 1 1 1 6																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

males
(cont...)

Lymphoma Malignant

X

Thymus

+ + + + + + + + + + + + M + + + + + + + + + + + + +

Lymphoma Malignant

Sarcoma, Metastatic, Skeletal Muscle

X

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

Subcutaneous Tissue, Fibrosarcoma

Subcutaneous Tissue, Hemangioma

Subcutaneous Tissue, Schwannoma Malignant

X

MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

+

Sarcoma

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 0617 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 | 0722 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0001 | 0002 | 0003 | 0004 | 0005 | 0006 | 0007 | 0008 | 0009 | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 |

males
(cont...)

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 4 7 7 7 7 7 7 6 7 7 7 6 6 7 7 7 6 7 5 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 3 3 9 3 3 3 3 1 3 3 3 3 3 5 7 3 3 3 9 3 7 3 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 2 2 2 0 2 2 2 4 0 2 7 1 1 0 3 3 2 1 1 5 1 1 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
0 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 0 | 0 |
| 6 | 0 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 6 | 6 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 0 |
| 6 | 8 | 1 | 1 | 1 | 1 | 9 | 8 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 6 | 2 | 1 | 0 | 7 | 1 | 2 | 0 | 1 | 0 |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | X | X | | | | X | X | X | | | X | X | | | X | | | X | | 15 |
| Hepatocellular Carcinoma | | | | | | | | | X | | | | | | | | | X | | | | | X | | 7 |
| Hepatocellular Carcinoma, Multiple | | X | | X | | | | | | | | | X | | | | | X | | | | | | | 7 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | X | | | 3 |
| Schwannoma Malignant, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | + | + | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Mast Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Squamous Cell Papilloma | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 6 7 7 7 7 7 3 5 7 7 7 7 5 5 7 7 6 7 7 7 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 0 3 3 3 3 3 7 3 3 3 3 6 6 3 3 9 3 3 3 3 3 3 1 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 8 1 1 1 1 9 8 2 1 2 1 2 2 2 2 6 2 1 0 7 1 2 0 1 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Tooth | + | | | | | + | | | | | | | | | | | | | | | | | | | 13 |
|-------|---|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcapsular, Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 6 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 0 | 0 | |
| 6 | 0 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 6 | 6 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 0 | 0 | |
| 6 | 8 | 1 | 1 | 1 | 1 | 9 | 8 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 6 | 2 | 1 | 0 | 7 | 1 | 2 | 0 | 1 | 0 | 0 | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 49 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 7 7 7 7 3 5 7 7 7 7 5 5 7 7 6 7 7 7 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Mediastinal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pancreatic, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Mast Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 0 |
| 6 | 0 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 6 | 6 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 0 |
| 6 | 8 | 1 | 1 | 1 | 1 | 9 | 8 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 6 | 2 | 1 | 0 | 7 | 1 | 2 | 0 | 1 | 0 |

B6C3F1 MICE MALE
0 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Thymus | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | | 47 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | + | M | M | M | M | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | 50 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Subcutaneous Tissue, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 0 |
| 6 | 0 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 6 | 6 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 0 |
| 6 | 8 | 1 | 1 | 1 | 1 | 9 | 8 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 6 | 2 | 1 | 0 | 7 | 1 | 2 | 0 | 1 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | X | | | X | X | | | | | | | | X | | X | X | | | | | 7 | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | X | | | | | | | | | | | | | | | | | | | | | 2 | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | X | | X | | | | | | | | | | | | 3 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | X | | | | | | | | | 1 | |
| Hemangiosarcoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 5 7 7 7 7 7 7 7 2 7 7 7 7 7 6 7 5 7 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
1250 MG/KG | 3 3 3 3 6 3 3 3 0 1 3 3 3 6 3 3 3 3 6 3 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 1 2 2 2 0 2 8 5 2 2 1 9 1 0 1 1 0 8 1 6 8 6 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 5 7 7 7 7 7 7 7 2 7 7 7 7 7 6 7 5 7 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 6 3 3 3 0 1 3 3 3 6 3 3 3 3 6 3 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 1 2 2 2 0 2 8 5 2 2 1 9 1 0 1 1 0 8 1 6 8 6 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Adenoma | X | | | | X | | X | | | | | | | | | | | | | | | | | | X | X |
| Hepatocellular Adenoma, Multiple | | | | | | | X | | X | | X | X | X | | X | X | X | X | | | | | | | | |
| Hepatocellular Carcinoma | | X | | | | | | | X | | X | | X | | X | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | X | | X | X | | | | |
| Mesentery | | | | | + | | | | | | | | | | | | | | | | | | | | | + |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | + | | | + | + | | | + | | | | | | | | + | | + | | | | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | | + | + | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 6 | 6 | |
| | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 0 | 1 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 7 | 2 | 7 | 3 | |
| | 2 | 2 | 1 | 2 | 2 | 2 | 0 | 2 | 8 | 5 | 2 | 2 | 1 | 9 | 1 | 0 | 1 | 1 | 0 | 8 | 1 | 6 | 8 | 6 | 3 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1250 MG/KG | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Cholangiocarcinoma, Metastatic, Liver
 Hemangiosarcoma

X

ENDOCRINE SYSTEM

Adrenal Cortex
 Subcapsular, Adenoma

+
 X

Adrenal Medulla
 Pheochromocytoma Benign

+ +

Islets, Pancreatic
 Adenoma

+
 X

Parathyroid Gland

+ M + +

Pituitary Gland

+ +

Thyroid Gland

+ +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 2 7 7 7 7 7 6 7 5 7 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
1250 MG/KG | 3 3 3 3 6 3 3 3 0 1 3 3 3 6 3 3 3 3 3 6 3 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 1 2 2 2 0 2 8 5 2 2 1 9 1 0 1 1 0 8 1 6 8 6 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | X |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inguinal, Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|
| | 7 7 7 7 5 7 7 7 7 7 7 7 2 7 7 7 7 6 7 5 7 6 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 6 3 3 3 0 1 3 3 3 6 3 3 3 3 3 6 3 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 1 2 2 2 0 2 8 5 2 2 1 9 1 0 1 1 0 8 1 6 8 6 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
| 1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | X |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 6 | 6 | |
| | 3 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 0 | 1 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 7 | 2 | 7 | 3 | |
| | 2 | 2 | 1 | 2 | 2 | 2 | 0 | 2 | 8 | 5 | 2 | 2 | 1 | 9 | 1 | 0 | 1 | 1 | 0 | 8 | 1 | 6 | 8 | 6 | 3 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1250 MG/KG | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | males (cont...) |

Cholangiocarcinoma, Metastatic, Liver

X

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Lung +

Alveolar/Bronchiolar Adenoma X

Alveolar/Bronchiolar Adenoma, Multiple

Alveolar/Bronchiolar Carcinoma X X X

Cholangiocarcinoma, Metastatic, Liver X

Hemangiosarcoma, Metastatic, Liver

Hepatocellular Carcinoma, Metastatic, Liver X X X X

Nose +

Trachea +

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|--------------------|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 7 5 6 7 4 5 7 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 3 3 3 3 3 3 3 2 3 3 3 3 3 5 3 3 8 4 3 3 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
| | 1 2 0 2 1 1 1 1 2 2 0 6 2 0 1 1 2 4 2 0 6 9 0 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 4 | 5 | 7 | 6 | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 8 | 4 | 3 | 3 | |
| | 1 | 2 | 0 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 0 | 6 | 2 | 0 | 1 | 1 | 2 | 4 | 2 | 0 | 6 | 9 | 0 | 7 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| Hepatocellular Adenoma | | | | | | X | | | | | X | X | | | | | | | | | X | X | | | |
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | | | X | X | | | X | | X | X | X | | | X | | | | | | |
| Hepatocellular Carcinoma | | | X | | X | X | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | X | X | | | | | X | | | | | | | | | | |
| Hepatocholangiocarcinoma | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Epididymis | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 7 5 6 7 4 5 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 3 3 3 3 3 3 3 2 3 3 3 3 3 5 3 3 8 4 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 0 2 1 1 1 1 2 2 0 6 2 0 1 1 2 2 4 2 0 6 9 0 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Thyroid Gland +

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Epididymis +
 Cholangiocarcinoma, Metastatic, Liver
 Hemangiosarcoma X

Preputial Gland +

Prostate +
 Cholangiocarcinoma, Metastatic, Liver

Seminal Vesicle +
 Cholangiocarcinoma, Metastatic, Liver

Testes +
 Interstitial Cell, Adenoma X

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|--|
| | 0
7
3
1 | 0
7
3
2 | 0
7
3
0 | 0
7
3
2 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
6
3
0 | 0
7
3
6 | 0
7
3
2 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
5
5
4 | 0
6
3
2 | 0
7
3
0 | 0
4
8
6 | 0
5
4
9 | 0
7
3
0 | 0
6
3
7 | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Mediastinal, Cholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 4 | 5 | 7 | 6 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 8 | 4 | 3 | 3 | |
| | 1 | 2 | 0 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 0 | 6 | 2 | 0 | 1 | 1 | 2 | 2 | 4 | 2 | 0 | 6 | 9 | 0 | 7 | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | males | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | (cont...) |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| | 0732 | 0734 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | 0753 | 0754 | 0755 | 0756 | 0757 | |
| B6C3F1 MICE MALE | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| 2500 MG/KG | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | |
| | 22 | 22 | 22 | 23 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 34 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | 44 | |
| | 67 | 78 | 89 | 90 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | 11 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | 00 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0732 | 0734 | 0736 | 0738 | 0740 | 0742 | 0744 | 0746 | 0748 | 0750 | 0752 | 0754 | 0756 | 0758 | 0760 | 0762 | 0764 | 0766 | 0768 | 0770 | 0772 | 0774 | 0776 | 0778 | 0780 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| Hepatocellular Adenoma | X | X | | | | X | X | X | | | | | | | | | | | | | | | X | | 11 | |
| Hepatocellular Adenoma, Multiple | | | | X | | | X | | | | X | X | X | X | X | | | X | X | X | | | X | | 22 | |
| Hepatocellular Carcinoma | X | | | | | X | | | X | | | | X | | | X | | | | X | | X | | | 10 | |
| Hepatocellular Carcinoma, Multiple | | | X | X | | | | | | | | | | | | | | | | | | | | | 5 | |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mesentery | | | | | | | | | | | + | + | | | | + | | | | | | | + | | 6 | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Hemangiosarcoma, Metastatic, Epididymis | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 7 7 7 7 7 6 7 7 7 7 7 7 6 7 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 MG/KG | 3 1 9 3 3 3 3 3 3 3 7 3 3 3 3 3 3 7 3 3 3 3 4 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 4 0 2 0 1 2 0 1 2 9 0 1 2 1 2 1 2 8 1 0 1 1 6 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2500 MG/KG | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

Thyroid Gland + 50

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | |
|---------------------------------------|---|----|
| Epididymis | + | 50 |
| Cholangiocarcinoma, Metastatic, Liver | | 1 |
| Hemangiosarcoma | | 1 |
| Preputial Gland | + | 50 |
| Prostate | + | 50 |
| Cholangiocarcinoma, Metastatic, Liver | | 1 |
| Seminal Vesicle | + | 50 |
| Cholangiocarcinoma, Metastatic, Liver | | 1 |
| Testes | + | 50 |
| Interstitial Cell, Adenoma | | 1 |

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16

First Dose M/F: 02/10/04 / 02/09/04

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----------|
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | | |
| ANIMAL ID | 3 | 1 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 4 | 3 | 4 | 3 | * TOTALS | |
| | 2 | 4 | 0 | 2 | 0 | 1 | 2 | 0 | 1 | 2 | 9 | 0 | 1 | 2 | 1 | 2 | 1 | 2 | 8 | 1 | 0 | 1 | 1 | 6 | 1 | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | + | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| | 0732 | 0734 | 0736 | 0738 | 0740 | 0742 | 0744 | 0746 | 0748 | 0750 | 0752 | 0754 | 0756 | 0758 | 0760 | 0762 | 0764 | 0766 | 0768 | 0770 | 0772 | 0774 | 0776 | 0778 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | X | | | | | | | | | X | | | | | | | | | | | | | 2 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | X | | | | | | | | | | | X | | | X | | | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| | 0732 | 0734 | 0736 | 0738 | 0740 | 0742 | 0744 | 0746 | 0748 | 0750 | 0752 | 0754 | 0756 | 0758 | 0760 | 0762 | 0764 | 0766 | 0768 | 0770 | 0772 | 0774 | 0776 | 0778 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|---|--|--|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|---|---|--|--|----------|
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | X | | | | | | | | | | | X | | | | | | | | X | | | | 6 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Serosa, Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | X | | X | X | 11 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| B6C3F1 MICE MALE
2500 MG/KG | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | | |
| | 3 | 1 | 9 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 4 | 3 | | |
| | 2 | 4 | 0 | 2 | 0 | 1 | 2 | 0 | 1 | 2 | 9 | 0 | 1 | 2 | 1 | 2 | 1 | 2 | 8 | 1 | 0 | 1 | 1 | 6 | 1 | |
| | ----- | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 5 | 0 | 6 | 7 | 7 | 6 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| 2 | 8 | 1 | 5 | 3 | 3 | 6 | 5 | 3 | 7 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 6 | |
| 9 | 0 | 8 | 1 | 2 | 2 | 6 | 8 | 2 | 8 | 1 | 0 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 8 | 1 | 0 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Uncertain
Primary Site | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 5 0 6 7 7 6 5 7 6 7 7 7 4 7 7 7 7 7 7 7 7 7 7 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 MG/KG | 2 8 1 5 3 3 6 5 3 7 3 3 3 3 8 3 3 3 3 3 3 3 1 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 8 1 2 2 6 8 2 8 1 0 2 2 3 0 0 0 0 2 1 0 8 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Carcinoma, Metastatic, Uncertain
 Primary Site
 Hemangioma

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Benign | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + + + + + + + M + + + + M + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 5 0 6 7 7 6 5 7 6 7 7 7 7 4 7 7 7 7 7 7 7 7 7 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 MG/KG | 2 8 1 5 3 3 6 5 3 7 3 3 3 3 8 3 3 3 3 3 3 3 1 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 8 1 2 2 6 8 2 8 1 0 2 2 3 0 0 0 0 2 1 0 8 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate
Carcinoma | +
X | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 4 5 0 6 7 7 6 5 7 6 7 7 7 4 7 7 7 7 7 7 7 7 7 7 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 8 1 5 3 3 6 5 3 7 3 3 3 3 8 3 3 3 3 3 3 3 1 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 8 1 2 2 6 8 2 8 1 0 2 2 3 0 0 0 0 2 1 0 8 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males
(cont...)

Hemangiosarcoma

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | X | | X | X | | X | X | X | | X | | X | | | X | | X | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 5 0 6 7 7 6 5 7 6 7 7 7 4 7 7 7 7 7 7 7 7 7 7 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 MG/KG | 2 8 1 5 3 3 6 5 3 7 3 3 3 3 8 3 3 3 3 3 3 3 1 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 8 1 2 2 6 8 2 8 1 0 2 2 3 0 0 0 0 2 1 0 8 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Alveolar/Bronchiolar Adenoma, Multiple
 Alveolar/Bronchiolar Carcinoma
 Carcinoma, Metastatic, Uncertain
 Primary Site
 Hemangiosarcoma, Metastatic, Liver
 Hepatocellular Carcinoma, Metastatic,
 Liver

X X

X

X X

Nose +

Trachea +

Carcinoma, Metastatic, Uncertain
 Primary Site

SPECIAL SENSES SYSTEM

Eye +

Harderian Gland
 Adenoma X X X X X X X X X X
 Bilateral, Adenoma X

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 5 | 0 | 6 | 7 | 7 | 6 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| | 2 | 8 | 1 | 5 | 3 | 3 | 6 | 5 | 3 | 7 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 6 | |
| | 9 | 0 | 8 | 1 | 2 | 2 | 6 | 8 | 2 | 8 | 1 | 0 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 8 | 1 | 0 | | |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 5000 MG/KG | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 3 | 6 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 7 | 1 | 1 | 3 | 3 | 3 | 3 | 2 | 3 |
| | 8 | 2 | 3 | 0 | 1 | 4 | 2 | 1 | 1 | 2 | 1 | 7 | 0 | 2 | 1 | 2 | 4 | 7 | 4 | 2 | 2 | 1 | 2 | 5 | 0 |
| B6C3F1 MICE MALE
5000 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|--|---|---|---|---|--|---|---|--|---|---|---|--|---|---|---|---|--|--|---|---|-----------|
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | | | | | | | X | | | | | | | X | X | | | | | | X | 12 |
| Hepatocellular Adenoma, Multiple | | X | X | | X | X | X | X | | | X | | X | | X | | X | X | X | X | | | | | 22 |
| Hepatocellular Carcinoma | X | | X | | | | | | | X | | | | X | | | | | | | | | X | X | 10 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | 13 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Aorta, Carcinoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----------|
| | 7 7 5 7 7 6 7 7 7 7 7 4 7 7 7 7 5 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 MG/KG | 2 3 6 3 3 9 3 3 3 3 3 1 3 3 3 3 7 1 1 3 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 0 1 4 2 1 1 2 1 7 0 2 1 2 4 7 4 2 2 1 2 5 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 0 | |

| | | |
|--|---|---|
| Carcinoma, Metastatic, Uncertain
Primary Site | X | 1 |
| Hemangioma | X | 1 |

ENDOCRINE SYSTEM

| | | |
|--------------------------|---|----|
| Adrenal Cortex | + | 50 |
| Subcapsular, Adenoma | | 2 |
| Adrenal Medulla | + | 50 |
| Pheochromocytoma Benign | | 1 |
| Islets, Pancreatic | + | 50 |
| Adenoma | | 1 |
| Parathyroid Gland | + | 48 |
| Pituitary Gland | + | 50 |
| Pars Intermedia, Adenoma | | 1 |
| Thyroid Gland | + | 50 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 5 7 7 6 7 7 7 7 7 4 7 7 7 7 5 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 MG/KG | 2 3 6 3 3 9 3 3 3 3 3 1 3 3 3 3 7 1 1 3 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 0 1 4 2 1 1 2 1 7 0 2 1 2 4 7 4 2 2 1 2 5 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 1 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 5 7 7 6 7 7 7 7 7 4 7 7 7 7 5 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 6 3 3 9 3 3 3 3 3 1 3 3 3 3 7 1 1 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 2 3 0 1 4 2 1 1 2 1 7 0 2 1 2 4 7 4 2 2 1 2 5 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Hemangiosarcoma

X

1

Thymus

+ + + M +

49

Carcinoma, Metastatic, Uncertain
 Primary Site

X

1

INTEGUMENTARY SYSTEM

Mammary Gland

M M

0

Skin

+ +

50

MUSCULOSKELETAL SYSTEM

Bone

+ +

50

NERVOUS SYSTEM

Brain

+ +

50

RESPIRATORY SYSTEM

Lung

+ +

50

Alveolar/Bronchiolar Adenoma

X X

15

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 5 7 7 6 7 7 7 7 7 4 7 7 7 7 5 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 6 3 3 9 3 3 3 3 3 1 3 3 3 3 7 1 1 3 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 8 2 3 0 1 4 2 1 1 2 1 7 0 2 1 2 4 7 4 2 2 1 2 5 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Alveolar/Bronchiolar Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Carcinoma, Metastatic, Uncertain
Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma, Metastatic, Uncertain
Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 14 |
| Bilateral, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 6 | 5 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 3 | 9 | 9 | 3 | 3 | 9 | 7 | 7 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 9 | 3 | 2 | 3 | 1 | 0 | |
| 0 | 1 | 7 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 9 | 9 | 9 | 6 | 1 | 1 | 9 | 9 | 0 | 1 | 0 | 0 | 9 | 0 | 9 | 0 | |

B6C3F1 MICE FEMALE
0 MG/KG

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | | | | | X | X | | | | | | X | X | X | | X | | | |
| Hepatocellular Adenoma, Multiple | X | X | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 6 | 5 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | |
| DAY ON TEST | | 3 | 3 | 9 | 9 | 3 | 3 | 9 | 7 | 7 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 9 | 3 | 2 | 3 | 1 |
| DAY ON TEST | | 0 | 1 | 7 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 9 | 9 | 9 | 6 | 1 | 1 | 9 | 9 | 0 | 1 | 0 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | | | | | | | X | X | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | | | | | + | + | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 6 5 7 7 6 6 6 7 7 7 7 5 7 7 7 7 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 9 9 3 3 9 7 7 2 2 2 2 3 3 3 2 2 3 3 9 3 2 3 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 1 7 6 1 1 2 3 7 9 9 9 9 6 1 1 9 9 0 1 0 0 9 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | M | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------------------------|----|
| | 0730 | 0776 | 0799 | 0793 | 0773 | 0766 | 0766 | 0777 | 0777 | 0777 | 0777 | 0757 | 0777 | 0777 | 0777 | 0777 | 0777 | 0757 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | |
| B6C3F1 MICE FEMALE | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | females
(cont...) | |
| 0 MG/KG | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| ANIMAL ID | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | 22 | | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| | 12 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | | 05 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | X | | | | | | | | | | | | | | | | | | | | X | X |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | |
| Bilateral, Adenoma | | | | | | | | | | | | | X | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | X |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | X | | X | | | | | | | X | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | |
| | 2 | 8 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 0 | 3 | 2 | 3 | 3 | 3 | 7 | |
| | 9 | 1 | 9 | 9 | 1 | 0 | 2 | 1 | 9 | 0 | 9 | 0 | 9 | 1 | 9 | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 0 | 8 | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | X | X | | | X | | X | | X | | X | | | | | | | X | | | | | | X | 14 |
| Hepatocellular Adenoma, Multiple | | | | | | X | | | | X | | | | | | | | | | | | X | X | | 7 |
| Hepatocellular Carcinoma | | | X | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 6 7 5 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 8 2 2 3 3 1 3 2 3 2 3 2 3 2 3 2 0 3 2 3 3 3 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 9 1 0 2 1 9 0 9 0 9 1 9 0 9 7 0 9 0 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Parathyroid Gland | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | M | + | + | M | 41 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Pars Intermedia, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 49 | |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 6 7 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 8 2 2 3 3 1 3 2 3 2 3 2 3 2 3 2 0 3 2 3 3 3 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 9 1 0 2 1 9 0 9 0 9 1 9 0 9 7 0 9 0 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---|--|--|--|--|--|--|--|--|---|--|----------|----------|----------|
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | X | X | | | | | | | | | | | X | X | 7 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | 2 | |
| Periovarian Tissue, Fibrous
Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|---|---|----------|----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | + | | | 4 |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | X | X | 6 | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 49 | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 6 7 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 8 2 2 3 3 1 3 2 3 2 3 2 3 2 3 2 0 3 2 3 3 3 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 9 9 1 0 2 1 9 0 9 0 9 1 9 0 9 7 0 9 0 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|---|---|---|----------|-----------|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | X | X | 7 | | | | | | | | |
| Thymus | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | X | X | 6 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | 3 | |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | | |
| | 2 | 8 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 0 | 3 | 2 | 3 | 3 | 3 | 3 | 7 | | | |
| | 9 | 1 | 9 | 9 | 1 | 0 | 2 | 1 | 9 | 0 | 9 | 0 | 9 | 1 | 9 | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 8 | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|---|--|--|---|--|--|--|--|--|--|---|--|--|---|--|---|--|---|---|--|---|----|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | X | | | | | | | X | | | | | | | X | 5 | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrous Histiocytoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | X | | | | | | | 3 | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | M | 49 |
|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | 0729 | 0728 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | |
| | 2 | 8 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 0 | 3 | 2 | 3 | 3 | 3 | 3 | 7 | |
| | 9 | 1 | 9 | 9 | 1 | 0 | 2 | 1 | 9 | 0 | 9 | 0 | 9 | 1 | 9 | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 0 | 0 | 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 49 |
| Adenoma | | | | X | | | | | | | | | | | | | | | | | | | | | X | 5 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Bilateral, Adenoma | | | | | | X | | | | | | | | | | | | | | | | | | | | 2 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | X | | | 3 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | X | | | X | X | | X | | | | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 5 7 7 7 7 7 7 7 7 7 7 6 7 7 6 7 7 7 7 5 4 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 3 0 0 2 3 2 2 3 2 3 3 3 1 3 2 2 3 0 3 3 8 4 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 4 9 0 9 9 0 9 1 0 0 8 1 9 6 0 4 0 0 8 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 MG/KG | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Periesophageal Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|----------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 0 | |
| 3 | 0 | 0 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 0 | 3 | 3 | 8 | 4 | 3 | 2 | 3 | 0 | |
| 0 | 8 | 4 | 9 | 0 | 9 | 9 | 0 | 9 | 1 | 0 | 0 | 8 | 1 | 9 | 6 | 0 | 4 | 0 | 0 | 8 | 9 | 0 | 1 | 0 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 0 |

Hepatocellular Adenoma, Multiple X X
 Hepatocellular Carcinoma X X
 Hepatocellular Carcinoma, Multiple X
 Histiocytic Sarcoma
 Lymphoma Malignant X X X
 Osteosarcoma, Metastatic, Bone X

Mesentery +
 Osteosarcoma, Metastatic, Bone X

Pancreas +
 Lymphoma Malignant

Salivary Glands +
 Lymphoma Malignant

Stomach, Forestomach +

Stomach, Glandular +

CARDIOVASCULAR SYSTEM

Blood Vessel +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 0 | |
| 3 | 0 | 0 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 0 | 3 | 3 | 8 | 4 | 3 | 2 | 3 | 0 | |
| 0 | 8 | 4 | 9 | 0 | 9 | 9 | 0 | 9 | 1 | 0 | 0 | 8 | 1 | 9 | 6 | 0 | 4 | 0 | 0 | 8 | 9 | 0 | 1 | 0 | 0 | |

B6C3F1 MICE FEMALE
1250 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | |
| Pericardium, Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | X | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | |
| Pars Distalis, Adenoma | | | | X | | | | | | | | | | | | | | | | X | | | | X |
| Pars Intermedia, Adenoma | | | | | | | X | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 5 7 7 7 7 7 7 7 7 7 7 6 7 7 6 7 7 7 7 5 4 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 3 0 0 2 3 2 2 3 2 3 3 3 1 3 2 2 3 0 3 3 8 4 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 4 9 0 9 9 0 9 1 0 0 8 1 9 6 0 4 0 0 8 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 MG/KG | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females
(cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cystadenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 5 7 7 7 7 7 7 7 7 7 7 6 7 7 6 7 7 7 7 5 4 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 3 0 0 2 3 2 2 3 2 3 3 3 1 3 2 2 3 0 3 3 8 4 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 4 9 0 9 9 0 9 1 0 0 8 1 9 6 0 4 0 0 8 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 MG/KG | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Bone | X | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 5 7 7 7 7 7 7 7 7 7 7 6 7 7 6 7 7 7 7 5 4 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 3 0 0 2 3 2 2 3 2 3 3 3 1 3 2 2 3 0 3 3 8 4 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 4 9 0 9 9 0 9 1 0 0 8 1 9 6 0 4 0 0 8 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1250 MG/KG | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females
(cont...)

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 0 | |
| | 3 | 0 | 0 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 1 | 3 | 2 | 2 | 3 | 0 | 3 | 3 | 8 | 4 | 3 | 2 | 3 | |
| | 0 | 8 | 4 | 9 | 0 | 9 | 9 | 0 | 9 | 1 | 0 | 0 | 8 | 1 | 9 | 6 | 0 | 4 | 0 | 0 | 8 | 9 | 0 | 1 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ +

Lymphoma Malignant

X

Harderian Gland

+ +

Adenoma

X X X

URINARY SYSTEM

Kidney

+ +

Lymphoma Malignant

X

X

X

X

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ

+ +

Histiocytic Sarcoma

Lymphoma Malignant

X

X

X

X

X

X

X

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 6 | 4 | 5 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | | |
| | 2 | 3 | 3 | 2 | 0 | 3 | 3 | 9 | 3 | 2 | 7 | 2 | 5 | 2 | 4 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 2 | 5 | 3 | |
| | 5 | 1 | 1 | 9 | 1 | 0 | 3 | 7 | 3 | 9 | 3 | 8 | 0 | 9 | 8 | 9 | 8 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Hepatocellular Adenoma, Multiple | X | | X | X | | | | | | X | | | | | X | | | | | X | X | X | | | | 10 |
| Hepatocellular Carcinoma | X | | | | | | | | X | | | | | | | | | | | | | | | | | 4 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 4 |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | + | | | | | | | | | | | | + | | | | | | + | | | | 9 |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 6 | 4 | 5 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | | |
| 2 | 3 | 3 | 2 | 0 | 3 | 3 | 9 | 3 | 2 | 7 | 2 | 5 | 2 | 4 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 2 | 5 | 3 | | |
| 5 | 1 | 1 | 9 | 1 | 0 | 3 | 7 | 3 | 9 | 3 | 8 | 0 | 9 | 8 | 9 | 8 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 0 | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pericardium, Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 44 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pars Distalis, Adenoma | | | | | X | | | | | | | | | | | | | | | | | | | | 4 |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 6 6 6 7 6 4 5 7 6 7 6 7 7 7 7 7 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 0 3 3 9 3 2 7 2 5 2 4 2 6 2 3 3 2 3 2 5 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 1 1 9 1 0 3 7 3 9 3 8 0 9 8 9 8 9 0 0 9 0 9 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + + + + + + + + + + + + + + + + M + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 6 | 4 | 5 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | |
| 2 | 3 | 3 | 2 | 0 | 3 | 3 | 9 | 3 | 2 | 7 | 2 | 5 | 2 | 4 | 2 | 6 | 2 | 3 | 3 | 2 | 3 | 2 | 5 | 3 | |
| 5 | 1 | 1 | 9 | 1 | 0 | 3 | 7 | 3 | 9 | 3 | 8 | 0 | 9 | 8 | 9 | 8 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1250 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | X | | | | | | | | | | | | | | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 6 6 6 7 6 4 5 7 6 7 6 7 7 7 7 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
1250 MG/KG | 2 3 3 2 0 3 3 9 3 2 7 2 5 2 4 2 6 2 3 3 2 3 2 5 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 5 1 1 9 1 0 3 7 3 9 3 8 0 9 8 9 8 9 0 0 9 0 9 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

Trachea + 50

SPECIAL SENSES SYSTEM

Eye + 50

Lymphoma Malignant 1

Harderian Gland + 50

Adenoma X X X X 7

URINARY SYSTEM

Kidney + 50

Lymphoma Malignant 4

Urinary Bladder + 50

SYSTEMIC LESIONS

Multiple Organ + 50

Histiocytic Sarcoma X 1

Lymphoma Malignant X X X 12

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 6 7 7 7 7 7 7 7 7 3 7 7 2 7 6 7 0 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 3 9 2 2 2 3 3 3 2 2 6 3 3 9 3 5 2 3 1 0 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 4 9 9 9 0 0 0 9 9 9 1 0 9 0 4 9 6 1 9 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| females (cont...) | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | | | | | | | | | X | X | | | | X | | | | | | X | | | X | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | X | | | | | | | X | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|----------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 6 | 7 | 0 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 9 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 6 | 3 | 3 | 9 | 3 | 5 | 2 | 3 | 1 | 0 | 3 | 2 | 3 | 3 | 3 | 3 | |
| 0 | 4 | 9 | 9 | 9 | 0 | 0 | 0 | 9 | 9 | 9 | 1 | 0 | 9 | 0 | 4 | 9 | 6 | 1 | 9 | 1 | 9 | 1 | 9 | 0 | 0 | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Lymphoma Malignant X

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |
| Parathyroid Gland | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | M | + | + | + |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | X |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | |
| C-cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 6 | 7 | 0 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 3 | 9 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 6 | 3 | 3 | 9 | 3 | 5 | 2 | 3 | 1 | 0 | 3 | 2 | 3 | 3 | 3 | 0 |
| 0 | 4 | 9 | 9 | 9 | 0 | 0 | 0 | 9 | 9 | 9 | 1 | 0 | 9 | 0 | 4 | 9 | 6 | 1 | 9 | 1 | 9 | 0 | 1 | 0 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | X |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | + | + | | | | | | | | | | | | | + |
| Iliac, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 6 | 7 | 0 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 3 | 9 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 6 | 3 | 3 | 9 | 3 | 5 | 2 | 3 | 1 | 0 | 3 | 2 | 3 | 3 | 3 | | |
| 0 | 4 | 9 | 9 | 9 | 0 | 0 | 0 | 9 | 9 | 9 | 1 | 0 | 9 | 0 | 4 | 9 | 6 | 1 | 9 | 1 | 9 | 0 | 1 | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | | |

Skin +
 Subcutaneous Tissue, Sarcoma
 Subcutaneous Tissue, Schwannoma Malignant X

MUSCULOSKELETAL SYSTEM

Bone +

NERVOUS SYSTEM

Brain +
 Peripheral Nerve
 Spinal Cord

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Adenoma X
 Alveolar/Bronchiolar Carcinoma, Multiple
 Carcinoma, Metastatic, Thyroid Gland

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 6 | 7 | 0 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 3 | 9 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 6 | 3 | 3 | 9 | 3 | 5 | 2 | 3 | 1 | 0 | 3 | 2 | 3 | 3 | 3 | | |
| 0 | 4 | 9 | 9 | 9 | 0 | 0 | 0 | 9 | 9 | 9 | 1 | 0 | 9 | 0 | 4 | 9 | 6 | 1 | 9 | 1 | 9 | 0 | 1 | 0 | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Hepatocellular Carcinoma, Metastatic, Liver
 Histiocytic Sarcoma
 Lymphoma Malignant
 Osteosarcoma, Metastatic, Uncertain Primary Site

X

X

X

X

Nose +
 Trachea +

SPECIAL SENSES SYSTEM

Eye +
 Harderian Gland +
 Adenoma X X X X
 Bilateral, Adenoma X

URINARY SYSTEM

Kidney +
 Histiocytic Sarcoma X
 Lymphoma Malignant X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|----------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 6 | 7 | 0 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 9 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 6 | 3 | 3 | 9 | 3 | 5 | 2 | 3 | 1 | 0 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | |
| 0 | 4 | 9 | 9 | 9 | 0 | 0 | 0 | 9 | 9 | 9 | 1 | 0 | 9 | 0 | 4 | 9 | 6 | 1 | 9 | 1 | 9 | 1 | 9 | 0 | 1 | 0 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 | 0 | |

Urinary Bladder +
 Lymphoma Malignant X

SYSTEMIC LESIONS

Multiple Organ +
 Histiocytic Sarcoma X X X X X
 Lymphoma Malignant X X X X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 7 7 7 7 7 0 7 7 7 7 7 5 4 7 7 7 7 6 7 6 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 3 3 3 2 2 2 3 2 4 2 2 1 3 3 6 2 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 1 8 9 0 7 0 9 5 9 0 1 4 9 9 5 0 0 1 9 3 9 8 1 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

Lymphoma Malignant

1

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Parathyroid Gland | + | + | M | + | M | + | + | + | + | + | + | M | + | + | M | + | + | M | M | + | + | M | + | + | 39 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | X | | | | | X | | | | | | | | | | 5 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| C-cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|----------|
| | 7 7 7 7 7 7 0 7 7 7 7 7 5 4 7 7 7 7 6 7 6 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 2 2 3 2 2 3 3 3 2 2 2 3 2 4 2 2 1 3 3 6 2 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 7 0 9 5 9 0 1 4 9 9 5 0 0 1 9 3 9 8 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | X | | | | | | X | | | | | | | | X | | | | | 3 | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Polyp Stromal | | | X | | | | | | | | | | | | | | | | | | | | | | 2 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 49 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | + | 6 |
| Iliac, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 7 0 7 7 7 7 7 5 4 7 7 7 7 6 7 6 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 3 3 3 2 2 2 3 2 4 2 2 1 3 3 6 2 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 7 0 9 5 9 0 1 4 9 9 5 0 0 1 9 3 9 8 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2500 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|---|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Carcinoma, Metastatic, Thyroid Gland | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 0 7 7 7 7 7 5 4 7 7 7 7 6 7 6 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 3 3 3 2 2 2 3 2 4 2 2 1 3 3 6 2 7 2 7 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 1 8 9 0 7 0 9 5 9 0 1 4 9 9 5 0 0 1 9 3 9 8 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|----------|
| Hepatocellular Carcinoma, Metastatic, Liver | 2 |
| Histiocytic Sarcoma | 1 |
| Lymphoma Malignant | 2 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | 1 |

| | |
|---------|-----------|
| Nose | 50 |
| Trachea | 50 |

SPECIAL SENSES SYSTEM

| | |
|--------------------|-----------|
| Eye | 50 |
| Harderian Gland | 50 |
| Adenoma | 8 |
| Bilateral, Adenoma | 1 |

URINARY SYSTEM

| | |
|---------------------|-----------|
| Kidney | 50 |
| Histiocytic Sarcoma | 1 |
| Lymphoma Malignant | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 0 | 7 | 7 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 5 | 7 | 0 | |
| 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 2 | 4 | 2 | 2 | 1 | 3 | 3 | 6 | 2 | 7 | 2 | 7 | 3 | 0 |
| 9 | 9 | 1 | 8 | 9 | 0 | 7 | 0 | 9 | 5 | 9 | 0 | 1 | 4 | 9 | 9 | 5 | 0 | 0 | 1 | 9 | 3 | 9 | 8 | 1 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | X | | | | | | | X | | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 6 | 2 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | | | |
| 2 | 3 | 3 | 6 | 3 | 2 | 3 | 3 | 0 | 2 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 9 | 3 | 3 | 3 | 1 | 5 | 1 | 2 | | |
| 9 | 0 | 0 | 8 | 0 | 9 | 0 | 1 | 9 | 5 | 0 | 1 | 7 | 2 | 1 | 7 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 9 | 9 | | |
| B6C3F1 MICE FEMALE
5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 6 | 2 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 0 | | |
| 2 | 3 | 3 | 6 | 3 | 2 | 3 | 3 | 0 | 2 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 9 | 3 | 3 | 3 | 1 | 5 | 1 | 2 | | |
| 9 | 0 | 0 | 8 | 0 | 9 | 0 | 1 | 9 | 5 | 0 | 1 | 7 | 2 | 1 | 7 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 9 | 9 | | |

B6C3F1 MICE FEMALE

5000 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|---|--|---|--|--|---|--|--|---|--|--|---|--|---|--|--|---|--|--|---|--|---|
| Hepatocellular Adenoma | | | | | X | | | | | | | | | X | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | | | | | | | X | | | | | | | | | | | X | | | | | X |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | X | | | | | | | | |
| Lymphoma Malignant | | | X | | X | | | | | | X | | | | | X | | | | | | X | | |

Mesentery

Pancreas

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | X | | | | | | X | | | | | | X | |

Salivary Glands

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | X | | | | | | | X | | | | | | |

Stomach, Forestomach

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | X | | | | | | | X | | | | | | |

Stomach, Glandular

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | X | | | | | | | X | | | | | | |

CARDIOVASCULAR SYSTEM

Blood Vessel

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| | 0729 | 0773 | 0776 | 0776 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females (cont...) |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | | | | | | | X | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | M | + | M | M | + | + | + | + | + | + | M | M | + | + | M | + | + | + | + | M | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 0729 | 0773 | 0773 | 0776 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | X | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Sarcoma Stromal | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008

Time Report Requested: 15:02:16

First Dose M/F: 02/10/04 / 02/09/04

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 6 | 2 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 0 | |
| 2 | 3 | 3 | 6 | 3 | 2 | 3 | 3 | 0 | 2 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 9 | 3 | 3 | 3 | 1 | 5 | 1 | 2 | 0 | |
| 9 | 0 | 0 | 8 | 0 | 9 | 0 | 1 | 9 | 5 | 0 | 1 | 7 | 2 | 1 | 7 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 9 | 9 | 0 | |

B6C3F1 MICE FEMALE

5000 MG/KG

Lymphoma Malignant

Iliac, Lymphoma Malignant

Inguinal, Lymphoma Malignant

Mediastinal, Lymphoma Malignant

Renal, Lymphoma Malignant

Lymph Node, Mandibular

Lymphoma Malignant

Lymph Node, Mesenteric

Lymphoma Malignant

Spleen

Hemangiosarcoma

Histiocytic Sarcoma

Lymphoma Malignant

Thymus

Lymphoma Malignant

INTEGUMENTARY SYSTEM

Mammary Gland

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng

CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 6 | 2 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 0 | |
| 2 | 3 | 3 | 6 | 3 | 2 | 3 | 3 | 0 | 2 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 9 | 3 | 3 | 3 | 1 | 5 | 1 | 2 | 0 | |
| 9 | 0 | 0 | 8 | 0 | 9 | 0 | 1 | 9 | 5 | 0 | 1 | 7 | 2 | 1 | 7 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 9 | 9 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trichoepithelioma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Subcutaneous Tissue, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 6 | 2 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 0 | |
| 2 | 3 | 3 | 6 | 3 | 2 | 3 | 3 | 0 | 2 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 9 | 3 | 3 | 3 | 1 | 5 | 1 | 2 | 0 | |
| 9 | 0 | 0 | 8 | 0 | 9 | 0 | 1 | 9 | 5 | 0 | 1 | 7 | 2 | 1 | 7 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 9 | 9 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | X | | | | | | X | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | X | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | X | | | | | | X | | |
| Bilateral, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 6 | 2 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 0 | |
| 2 | 3 | 3 | 6 | 3 | 2 | 3 | 3 | 0 | 2 | 3 | 3 | 4 | 3 | 3 | 7 | 3 | 9 | 3 | 3 | 3 | 1 | 5 | 1 | 2 | 0 | |
| 9 | 0 | 0 | 8 | 0 | 9 | 0 | 1 | 9 | 5 | 0 | 1 | 7 | 2 | 1 | 7 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 9 | 9 | 0 | |

B6C3F1 MICE FEMALE
5000 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | | X | | | | | X | | | | | | | | X |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | X | | X | | | | | | | X | | | | | | X | | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | |
| | 2 | 3 | 3 | 2 | 2 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 5 | 1 | 3 | 2 | 2 | 7 | 3 | 2 | 4 | |
| | 8 | 1 | 0 | 9 | 9 | 9 | 0 | 0 | 5 | 1 | 0 | 1 | 1 | 5 | 9 | 9 | 5 | 8 | 1 | 9 | 9 | 7 | 1 | 9 | 4 | |
| B6C3F1 MICE FEMALE
5000 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20005 - 06
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Ginseng
 CAS Number: 50647-08-0

Date Report Requested: 08/27/2008
 Time Report Requested: 15:02:16
 First Dose M/F: 02/10/04 / 02/09/04
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 4 7 7 7 7 7 7 7 2 7 7 7 7 6 7 7 5 4 7 7 7 6 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 MG/KG | 2 3 3 2 2 0 3 3 2 3 3 3 3 2 2 2 5 1 3 2 2 7 3 2 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 1 0 9 9 9 0 0 5 1 0 1 1 5 9 9 5 8 1 9 9 7 1 9 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 MG/KG | 3 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma Stromal | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

