

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

C Number: C93025

Lock Date: 03/22/2006

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.0.0

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|------------------------|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + + + + M + M + + + + + + + + + + + + + + + I + A | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + A | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum Necrosis | + A 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum Infiltration Cellular, Mixed Cell | + + + + + + + + + + + 2 + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum Inflammation, Suppurative | + A 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + + + + + + + + + + + 1 + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Tension Lipidosis | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Malformation | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE CONTROL | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | 2 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | 2 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Hyperplasia | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + + + + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + + + + + M M + M M M M + + + M + + + M + M M + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis Granuloma Sperm | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland Ectasia | + 3 + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle Inflammation, Chronic Active | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow Angiectasis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + + + M + + + + + + + M + + M + M M + + M M + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M + + M M M + + + M M + M + M M M + + + M M M + M | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + M M + + + + + + + + + + + M + + + + + M + + M M + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | 3 | | | | | | | | | | | | | | |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | 3 | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Depletion Cellular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | 3 | | | | | | | | | 2 | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | 2 | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Meninges, Infiltration Cellular, Mononuclear Cell | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 6

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 5 | |
| | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 2 | 2 | 3 | 9 | 3 | 2 | 2 | 2 | 2 | 2 | 0 | 3 | 3 | 9 | 3 | 1 | 1 | |
| | 0 | 0 | 9 | 1 | 0 | 9 | 0 | 9 | 9 | 0 | 7 | 5 | 9 | 9 | 9 | 9 | 9 | 4 | 0 | 0 | 3 | 0 | 8 | 6 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Peripheral Nerve | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Demyelination, Focal | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Gliosis | 3 | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolus, Infiltration Cellular, Histiocyte | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchiole, Hyperplasia | 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Olfactory Epithelium, Hyperplasia | 1 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Metaplasia, Respiratory | 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE CONTROL | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 1 1 1 3 1 3 4 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Tetralin
 CAS Number: 119-64-2

Date Report Requested: 05/22/2008
 Time Report Requested: 06:34:08
 First Dose M/F: 06/23/03 / 06/23/03
 Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-----------------------------|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|--|
| | 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 6 4 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 5 0 3 2 2 3 3 3 3 3 2 3 3 2 3 6 2 3 7 2 9 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 2 5 1 9 9 1 0 0 0 0 9 1 1 0 0 3 5 0 7 2 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE CONTROL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|-------|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Gallbladder | + + + M + + + + + + + + + + + + + + + + A + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 | |
| Intestine Large, Cecum | + + + + + + + + + + + + + + + + + + + A + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 | |
| Intestine Large, Colon | + + + + + + + + + + + + + + + + + + + A + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 | |
| Intestine Large, Rectum | + + M + + + + + + + + + + + + + + + + A + A I + + + | | | | | | | | | | | | | | | | | | | | | | | | 46 | |
| Intestine Small, Duodenum Necrosis | + + + + + + + + + + + + + + + + A + + A + A A + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 | 1 1.0 |
| Intestine Small, Ileum Infiltration Cellular, Mixed Cell | + + + + + + + + + 2 + + + + + + + + + + A + A A + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 | 2 2.0 |
| Intestine Small, Jejunum Inflammation, Suppurative | + + + + + + + + + + + + + + + + A + + A + A A + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 | 1 3.0 |
| Liver | + + + + + + + + + + + + + + + + + + A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 | |
| Angiectasis | 1 | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.0 |
| Basophilic Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | 4 | 2.0 |
| Clear Cell Focus | 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 16 | 2.1 |
| Eosinophilic Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 2.0 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 Page 9

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----------|
| | 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 6 4 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE CONTROL | 3 2 5 0 3 2 2 3 3 3 3 3 2 3 3 2 3 6 2 3 7 2 9 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 2 5 1 9 9 1 0 0 0 0 9 1 1 0 0 3 5 0 7 2 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 6 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|-----|
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 3.0 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 1.0 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 | 2 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Mast Cell | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Malformation | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 4 | 5 | 7 | 7 | | | |
| | | 3 | 2 | 5 | 0 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 6 | 2 | 3 | 7 | 2 | 9 | 2 | 3 | |
| | | 0 | 9 | 2 | 5 | 1 | 9 | 9 | 1 | 0 | 0 | 0 | 0 | 9 | 1 | 1 | 0 | 0 | 3 | 5 | 0 | 7 | 2 | 2 | 9 | 1 | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| CONTROL | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---------------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 49 |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Hyperplasia | | 2 | | | 2 | | | | | | 2 | 2 | | 2 | 2 | | | | | 3 | | | | | | | 17 2.1 |
| Hypertrophy | | | | | 2 | 3 | 1 | | | | | 2 | 2 | | | 2 | 2 | 1 | | 2 | 2 | | | 2 | 2 | | 24 2.0 |
| Capsule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Adrenal Medulla | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 47 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 49 | |
| Hyperplasia | | 1 | | | | | | | | | | | | | | | | 3 | | | | | | | | | 2 2.0 |
| Parathyroid Gland | + | M | M | + | M | + | + | + | + | M | + | + | + | + | M | M | M | M | M | + | + | + | M | + | M | 29 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 49 | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 6 4 5 7 7 3 2 5 0 3 2 2 3 3 3 3 3 2 3 3 2 3 6 2 3 7 2 9 2 3 0 9 2 5 1 9 9 1 0 0 0 0 0 0 1 1 0 0 3 5 0 7 2 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|---|---|----|-------|
| Epididymis Granuloma Sperm | + | 50 | 1 4.0 |
| Preputial Gland Ectasia | + | 50 | 1 3.0 |
| Prostate | + + + + + + + + + + + I + + + + + + + + + + + + + + | 49 | |
| Seminal Vesicle Inflammation, Chronic Active | + + + + + + + + + + + 4 + + + + + + + + + A + + + + | 49 | 1 4.0 |
| Testes | + | 50 | |

HEMATOPOIETIC SYSTEM

| | | | |
|----------------------------|--|----|-------|
| Bone Marrow Angiectasis | + | 50 | 1 2.0 |
| Lymph Node | + | 1 | |
| Lymph Node, Bronchial | + + M + + + M + + + M + + M + + + M + + M + + + 35 | | |
| Lymph Node, Mandibular | + M + M M M + + M M M + M M M + + + + M M + + + + 24 | | |
| Lymph Node, Mediastinal | M + + M + M + + + M + + + M M + M + + M M + + M + 34 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 12

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 6 4 5 7 7 3 2 5 0 3 2 2 3 3 3 3 3 2 3 3 2 3 6 2 3 7 2 9 2 3 0 9 2 5 1 9 9 1 0 0 0 0 0 9 1 1 0 0 3 5 0 7 2 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Lymph Node, Mesenteric | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 47 |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| Infiltration Cellular, Plasma Cell | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 49 |
| Depletion Cellular | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 2.8 |
| Thymus | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 47 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 3.3 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Infiltration Cellular, Mononuclear Cell | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 13

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 6 4 5 7 7 3 2 5 0 3 2 2 3 3 3 3 3 2 3 3 2 3 6 2 3 7 2 9 2 3 0 9 2 5 1 9 9 1 0 0 0 0 0 0 0 9 1 1 0 0 3 5 0 7 2 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Demyelination, Focal | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Gliosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Bronchiole, Hyperplasia | 1 1 | | | | | | | | | | | | | | | | | | | | | | | | 4 1.0 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Glands, Olfactory Epithelium, Hyperplasia | 1 1 | | | | | | | | | | | | | | | | | | | | | | | | 14 1.0 |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Olfactory Epithelium, Metaplasia, Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|-----|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 4 | 5 | 7 | 7 | 48 |
| 3 | 2 | 5 | 0 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 6 | 2 | 3 | 7 | 2 | 9 | 2 | 3 | 1.4 | |
| 0 | 9 | 2 | 5 | 1 | 9 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 5 | 0 | 7 | 2 | 2 | 9 | 1 | 3.0 |

B6C3F1 MICE MALE CONTROL

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | A | + | + | + | + | + | 48 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Cornea, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 49 | |
| Hyperplasia | | | | | | | | | | | | 2 | | | | | | | | | | | | | 1 | 3 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2.0 | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 49 |
| Nephropathy | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | 1 | 2 | 2 | 2 | 1 | 46 |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | 1 | | | | | | | | | | | | | | 1.4 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder Infiltration Cellular, Polymorphonuclear | + + + A + + + A + M M + + + M + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum Hemorrhage | + + + A + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + + + + + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + A + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum Peyer's Patch, Inflammation, Granulomatous | + + + A + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + + + A + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver Angiectasis Basophilic Focus Clear Cell Focus Eosinophilic Focus | + 2 2 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Hyperplasia, Squamous Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | | A |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Malformation | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Thrombosis 3

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adrenal Cortex Hypertrophy | | | | | | 2 | | | | | | | 2 | 2 | | | | | 2 | 3 | | | 2 | 2 | 2 | |
| Adrenal Medulla Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic Hyperplasia | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Parathyroid Gland | M | + | M | M | + | + | M | M | + | M | M | + | + | M | M | M | + | + | + | + | + | + | + | M | + | + |
| Pituitary Gland Pars Distalis, Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

Peritoneum +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + + + + + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + + + + + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + + + M + M + + M + + + + + + + + + + M M + + M M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M M + + M + M + M M + + + M M M M + M M M M + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | M + M + + + M + + + + M + M M + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric Hyperplasia, Lymphoid | + + + M + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hematopoietic Cell Proliferation Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Thymus | + | + | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + | M |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic Active Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperostosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | + | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 20

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosis | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar Epithelium, Metaplasia, Squamous | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchiole, Hyperplasia | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Olfactory Epithelium, Hyperplasia | 2 2 2 2 2 2 1 2 2 2 2 3 2 2 3 3 2 2 3 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | 3 3 2 3 2 3 2 3 2 2 2 3 2 3 3 3 3 2 3 3 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Metaplasia, Respiratory | 2 2 2 1 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + + + A + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cataract | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Inflammation, Chronic Active | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + + + + + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 05/22/2008
 Time Report Requested: 06:34:08
 First Dose M/F: 06/23/03 / 06/23/03
 Lab: BNW

Tetralin

CAS Number: 119-64-2

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE 30 PPM | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 2 | 3 | 4 | 3 | 3 | 7 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 0 | 9 | 0 | 5 | 1 | 0 | 6 | 4 | 9 | 0 | 0 | 1 | 0 | 1 | 5 | 0 | 0 | 9 | 9 | 0 | 1 | 9 | 0 | 1 | 9 | 0 | 1 | 9 | 0 | 1 | 9 | 0 | 1 | 9 | 0 | 1 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | | | | | | | | | | |

Hyperplasia 1

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelvis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | 1 | | | | | | | | |
| Urinary Bladder | + + + + + + + A + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 22

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 6 7 7 7 6 7 7 7 7 7 4 7 6 7 7 6 6 5 7 7 7 5 7 4 0 9 3 2 2 1 3 3 1 3 3 5 2 6 3 2 0 6 8 3 3 3 9 3 2 5 0 0 9 9 1 0 0 8 0 0 4 9 8 0 9 2 3 2 0 0 1 2 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder Infiltration Cellular, Polymorphonuclear | + + + + + + + + + + + + + A + A + + + + + A + + M + + | | | | | | | | | | | | | | | | | | | | | | | | 41 1 2.0 |
| Intestine Large, Cecum Hemorrhage | + + + + + + A + + + + + + A + + + + + 3 + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 1 3.0 |
| Intestine Large, Colon | + + + + + + A + + + + + + A + + + + + + + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Large, Rectum | + + + + + + + + + + + + + A + + + + + + + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Small, Duodenum | + + + + + + + + + + + + + A + A + + + + + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 |
| Intestine Small, Ileum Peyer's Patch, Inflammation, Granulomatous | + + + + + + A + + + + + + A + A + + + + + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 44 3 1 3.0 |
| Intestine Small, Jejunum | + + + + + + A + + + + + + A + A + + + + + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 44 |
| Liver Angiectasis Basophilic Focus Clear Cell Focus Eosinophilic Focus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 1 2 2 3 2 2 2 3 2 1 1.0 4 2.3 16 2.1 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|--|
| | 6 7 6 7 7 7 6 7 7 7 7 7 4 7 6 7 7 6 6 5 7 7 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 4 0 9 3 2 2 1 3 3 1 3 3 5 2 6 3 2 0 6 8 3 3 3 9 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 2 5 0 0 9 9 1 0 0 8 0 0 4 9 8 0 9 2 3 2 0 0 1 2 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 30 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|-----|-----|
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3.5 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Malformation | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|-----|
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|----------|
| | 6 7 6 7 7 7 6 7 7 7 7 7 4 7 6 7 7 6 6 5 7 7 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 4 0 9 3 2 2 1 3 3 1 3 3 5 2 6 3 2 0 6 8 3 3 3 9 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 5 0 0 9 9 1 0 0 8 0 0 4 9 8 0 9 2 3 2 0 0 1 2 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Prostate | + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Seminal Vesicle | + + + + + + + + + + + + + A + + + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|
| Bone Marrow | + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Lymph Node, Bronchial | + M + + + + + M M M + M M + M + M M + M M + M M + | | | | | | | | | | | | | | | | | | | | | | | | 30 |
| Lymph Node, Mandibular | M + + + + + M + + + + + + + M + + M + M A M M M M + | | | | | | | | | | | | | | | | | | | | | | | | 26 |
| Lymph Node, Mediastinal | + + + + M M + M + + M + + M + + M + + + + M M + + | | | | | | | | | | | | | | | | | | | | | | | | 36 |
| Lymph Node, Mesenteric Hyperplasia, Lymphoid | + + + + + + + + + + + + + + + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|----------|
| | 6 7 6 7 7 7 6 7 7 7 7 7 4 7 6 7 7 6 6 5 7 7 7 5 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 30 PPM | 4 0 9 3 2 2 1 3 3 1 3 3 5 2 6 3 2 0 6 8 3 3 3 9 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 5 0 0 9 9 1 0 0 8 0 0 4 9 8 0 9 2 3 2 0 0 1 2 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 2 2 2 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 49 |
| Hematopoietic Cell Proliferation | | | | 3 | | | | | | | | | 3 | | | | | | | 3 | | | | | | 5 3.0 |
| Hyperplasia, Lymphoid | | | | | | | | 3 | | | | | | | | | | | | | | | | | | 1 3.0 |
| Thymus | + | M | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + | M | M | M | + | + | + | 40 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Inflammation, Chronic Active | | | | 4 | | | | | | | | | | | | | | | | | | | | | | 4 3.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 1 3.0 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperostosis | | | | | 2 | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 27

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 7 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | |
| | 4 | 0 | 9 | 3 | 2 | 2 | 1 | 3 | 3 | 1 | 3 | 3 | 5 | 2 | 6 | 3 | 2 | 0 | 6 | 8 | 3 | 3 | 3 | 9 | 3 |
| | 2 | 5 | 0 | 0 | 9 | 9 | 1 | 0 | 0 | 8 | 0 | 0 | 4 | 9 | 8 | 0 | 9 | 2 | 3 | 2 | 0 | 0 | 1 | 2 | 0 |
| B6C3F1 MICE MALE 30 PPM ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

Hyperplasia

1 1.0

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 49 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Hemorrhage | | | | | | | 3 | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Metaplasia, Osseous | | | | | | | | | 1 | | | | | | | | | | | | | | | | | 1 1.0 |
| Nephropathy | 2 | 3 | | 1 | 2 | 1 | 3 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 1 | 3 | | 1 | 2 | 3 | 1 | 1 | 47 1.5 | |
| Thrombosis | | | | | | | 2 | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Pelvis, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | 2 | | | | | | | | | 1 2.0 |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 4 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | 47 |
| Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 47 0.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + + + + + + + + + + + A + M + + M + + A M + M + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + + + + + + + + + + + + A + I + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + + + + + + + + + + + + A + + + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + + + + + + + + + + + + A + A + + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + + + + + + + + + + A + A + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + + + + + + + + + + + + A + A + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + + + + + + + + + + + + A + A + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Mixed Cell Focus | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Fat, Necrosis | 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Acute | 4 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous | 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation | 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | A | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth Malformation | + 2 + 2 | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cardiomyopathy | 2 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | 2 | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 6 | 6 | 7 | | |
| | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 0 | 2 | 0 | 3 | 2 | 2 | 1 | 3 | 9 | 3 | 9 | 3 | 3 | 4 | 5 | 2 | | |
| | 9 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | 7 | 9 | 0 | 0 | 3 | 9 | 6 | 1 | 3 | 0 | 3 | 0 | 0 | 3 | 6 | 9 | | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | 2 | | | | | | | | | 2 | | 2 | | | | | | | | |
| Hypertrophy | | | | | | | 2 | | | 2 | | 2 | 2 | | | | | 2 | | 2 | | | | | 2 |
| Adrenal Medulla | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | 1 | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | M | M | + | M | + | + | + | + | M | + | + | M | + | + | + | M | M | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | M | + | + | + | + | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | |
| Follicular Cell, Hyperplasia | | | | | | 1 | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|--------------------|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males (cont...) |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Prostate Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| Testes Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Bronchial | M | + | + | + | M | + | + | M | + | M | M | M | + | + | + | + | M | + | M | + | M | M | M | M | + | |
| Lymph Node, Mandibular | + | + | + | M | + | + | M | M | M | M | M | + | + | + | M | + | + | M | + | + | + | M | M | + | + | |
| Lymph Node, Mediastinal | M | + | M | M | + | M | M | + | + | + | + | M | M | + | + | + | + | M | + | + | + | + | + | + | + | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Spleen Hematopoietic Cell Proliferation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | |
| Thymus | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 6 | 6 | 7 | | |
| 60 PPM | | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 0 | 2 | 0 | 3 | 2 | 2 | 1 | 3 | 9 | 3 | 9 | 3 | 3 | 4 | 5 | 2 | |
| | ANIMAL ID | 9 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | 7 | 9 | 0 | 0 | 3 | 9 | 6 | 1 | 3 | 0 | 3 | 0 | 0 | 3 | 6 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain Inflammation, Acute | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung Thrombosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchiole, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
Page 34
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| Glands, Olfactory Epithelium, Hyperplasia | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Olfactory Epithelium, Atrophy | 3 | 3 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 3 | 3 | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 3 |
| Olfactory Epithelium, Metaplasia, Respiratory | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | A | + | A | + | + | + | + | + | A | + | + | + | + | + |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | 1 | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 1 |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 6 | 6 | 7 | |
| 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 0 | 2 | 0 | 3 | 2 | 2 | 1 | 3 | 9 | 3 | 9 | 3 | 3 | 4 | 5 | 2 | |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | 7 | 9 | 0 | 0 | 3 | 9 | 6 | 1 | 3 | 0 | 3 | 0 | 0 | 3 | 6 | 9 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | males (cont...) |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 36

| | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|----------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|---|
| | | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | 7 | 7 | 7 | |
| B6C3F1 MICE MALE 60 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 43 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 45 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 46 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 46 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 45 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 45 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 45 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basophilic Focus | | | | | | | | | | | | | | 3 | | | | | | 2 | 2 | | | | | | 4 2.3 |
| Clear Cell Focus | | | | | | 2 | | | | | | | | 2 | | 2 | | | | | 2 | | | | | 3 | 14 2.1 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | 3 | | | 2 | | 4 2.3 |
| Mixed Cell Focus | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | 1 3.0 |
| Tension Lipidosis | | | | | | | | | | | | | | | | | 2 | | | | | | | 2 | | | 3 2.0 |
| Mesentery | | | | + | | | | | | + | + | | | + | | | | | | | | | | | | | 10 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 1 9 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|
| Fat, Necrosis | 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 10 2.0 |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hyperplasia, Squamous | 2 | | | | | | | | | | | | | | | | | | | | | | | | 4 2.8 |
| Inflammation | 2 | | | | | | | | | | | | | | | | | | | | | | | | 4 2.3 |
| Ulcer | 3 | | | | | | | | | | | | | | | | | | | | | | | | 3 2.3 |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Artery, Inflammation, Chronic Active | 4 | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Tooth Malformation | + + + | | | | | | | | | | | | | | | | | | | | | | | | 7 |
| | 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 7 2.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------|
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | 5 1.2 |
| Artery, Inflammation, Chronic Active | 1 1 3 | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 1 9 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 10 2.0 |
| Hypertrophy | 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 16 2.0 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hyperplasia | 2 3 | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Parathyroid Gland | + + + M + M + M M M + M I + + + M M + M + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 32 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Preputial Gland | + M + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 0 | |
| 2 | 3 | 3 | 2 | 9 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 0 | 9 | 3 | 2 | 3 | 0 |
| 9 | 1 | 1 | 9 | 3 | 1 | 9 | 0 | 0 | 0 | 0 | 1 | 9 | 9 | 9 | 9 | 0 | 1 | 9 | 1 | 9 | 7 | 4 | 0 | 9 | 0 | 0 |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Prostate Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 48 | |
| Testes Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 3.0 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node, Bronchial | M | M | + | + | M | + | M | + | M | + | M | M | + | M | + | M | M | M | M | M | M | + | + | M | 22 | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | M | + | M | + | + | M | M | + | + | M | M | M | M | M | M | M | M | M | 28 | |
| Lymph Node, Mediastinal | + | M | + | + | + | M | + | + | + | + | + | + | M | + | + | M | + | + | + | + | M | M | M | M | + | 34 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | 48 |
| Spleen Hematopoietic Cell Proliferation | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2 3.0 |
| Thymus | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | I | + | + | + | + | + | + | + | + | 45 | |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 40

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 0 1 9 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Chronic Active | 3 | | 4 | | | | | | | | | | | 4 | | | 3 | | | | | | 4 | | | 7 3.7 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Acute | | | | | | | | | | 2 | | | | | | | | | | | | | | | | 1 2.0 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | 1 | | | | | | 2 | | | | | | | | | | 8 1.9 |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 2 1.0 |
| Bronchiole, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 41

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 1 9 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Suppurative | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 45 1.3 |
| Glands, Olfactory Epithelium, Hyperplasia | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 50 3.0 |
| Olfactory Epithelium, Atrophy | 3 | 3 | 4 | 3 | 4 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 3 | 3 | 50 3.3 |
| Olfactory Epithelium, Metaplasia, Respiratory | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 50 2.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | 2 | | 1 2.0 |
| Cornea, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 |
| Nephropathy | 1 | 1 | 3 | 1 | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 48 1.3 |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 42

TDMS No. 93025 - 06

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 05/22/2008

Test Type: CHRONIC

Tetralin

Time Report Requested: 06:34:08

Route: RESPIRATORY EXPOSURE WHOLE BODY

CAS Number: 119-64-2

First Dose M/F: 06/23/03 / 06/23/03

Species/Strain: MICE/B6C3F1

Lab: BNW

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | DAY ON TEST | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | | |
| | | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 0 | 9 | 3 | 2 | 3 |
| | | 9 | 1 | 1 | 9 | 3 | 1 | 9 | 0 | 0 | 0 | 1 | 9 | 9 | 9 | 9 | 0 | 1 | 9 | 1 | 9 | 7 | 4 | 0 | 9 | 0 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 PPM | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 50 0.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 43

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 8 | 8 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 1 | 2 | 3 | |
| 7 | 6 | 0 | 9 | 9 | 9 | 1 | 9 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 1 | 2 | 9 | 1 | |
| B6C3F1 MICE MALE 120 PPM ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder Degeneration, Hyaline | + M + M + + + + + + + + + + + + + + + M + + + A + + 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | 2 2 2 2 2 X 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatodiaphragmatic Nodule Necrosis | 3 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | 1 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 120 PPM | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 PPM | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | + | | |
| Artery, Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | + | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hyperplasia, Squamous | | | | | | | | | | | 3 | | | | | | | | | | | 3 | | | | | | 2 |
| Inflammation | | | | | | | | | | | 2 | | | | | | | | | | | 2 | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | 3 | | | | | | 3 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Tooth Malformation | | | | | | | | | | | | | | | | | | | | | | | | | | | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Aorta, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males (cont...) | |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 8 | 8 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 1 | 2 | 3 | 3 | 0 | |
| 7 | 6 | 0 | 9 | 9 | 9 | 1 | 9 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 9 | 0 | 1 | 2 | 9 | 1 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|---|---|--|--|--|--|--|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Cardiomyopathy | 2 | | | | | | | 1 | | | | | | 1 | 1 | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | 1 | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | 2 | | | | 2 | | | | | | | | | | | | | 1 | | 2 | 2 | 2 | |
| Hypertrophy | | | 2 | 2 | | | | | 2 | 2 | | | | 2 | 2 | 2 | | | | | 1 | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | M | M | + | + | + | + | + | + | + | + | M | M | + | M | + | + | M | M | M | + | + | + | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicle, Cyst | | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 46

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE MALE 120 PPM | 8 | 8 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 1 | 2 | 3 |
| | 7 | 6 | 0 | 9 | 9 | 9 | 1 | 9 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 1 | 2 | 9 | 1 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 120 PPM | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Granuloma Sperm | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node, Bronchial | M | M | M | + | + | + | M | M | + | M | M | + | M | + | M | + | + | + | + | + | + | + | M | M | M | |
| Lymph Node, Mandibular | + | M | + | M | + | M | M | + | + | + | M | + | M | M | + | M | + | + | M | + | M | M | M | M | + | |
| Lymph Node, Mediastinal | M | + | + | M | M | + | M | M | + | + | + | + | + | + | + | + | M | + | M | M | M | + | + | M | M | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 120 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + M + + + + + + + + + + + M + + + + + + + M + M + + | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mammary Gland | M | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous Inflammation, Chronic Active | 4 2 | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | M + | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Epithelium, Polyp, Inflammatory | 2 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 120 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Lung
 Inflammation, Chronic Active
 Alveolar Epithelium, Hyperplasia
 Alveolus, Infiltration Cellular, Histiocyte
 Arteriole, Mineralization
 Bronchiole, Hyperplasia

Nose
 Inflammation
 Inflammation, Suppurative
 Glands, Olfactory Epithelium, Hyperplasia
 Glands, Olfactory Epithelium, Inflammation
 Olfactory Epithelium, Atrophy
 Olfactory Epithelium, Metaplasia, Respiratory

Trachea
 Inflammation, Suppurative

SPECIAL SENSES SYSTEM

Eye
 Degeneration
 Inflammation, Suppurative
 Cornea, Mineralization

Harderian Gland

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 120 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Hyperplasia

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 4 4 1 1 1 1 1 3 1 1 1 2 3 1 1 1 1 2 1 2 1 1 1 3 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Hyperplasia | 1 1 1 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Eosinophilic | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| Granules, Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 4 7 7 5 7 7 7 7 4 4 7 7 7 7 4 6 7 7 7 5 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 120 PPM | 3 3 9 2 3 9 0 0 2 3 9 7 3 2 3 3 4 4 0 3 2 6 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 6 9 0 2 5 4 9 0 8 8 0 9 0 0 4 9 5 1 9 3 1 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + + A + + + M + M + + A + + + + + + + + + + + + + M | | | | | | | | | | | | | | | | | | | | | | | | 41 |
| Degeneration, Hyaline | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Intestine Large, Cecum | + + A + + + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Large, Colon | + + A + + + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Large, Rectum | + + A + + + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Small, Duodenum | + + A + + + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Small, Ileum | + + A + + + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Small, Jejunum | + + A + + + + + + + + + + A + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | 3 1 3.0 |
| Clear Cell Focus | 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | 18 2.2 |
| Eosinophilic Focus | 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Hepatodiaphragmatic Nodule | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Necrosis | 2 | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Tension Lipidosis | 1 | | | | | | | | | | | | | | | | | | | | | | | | 3 1.3 |
| Vacuolization Cytoplasmic | 4 | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 4 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 5 | 7 | 7 |
| | | 3 | 3 | 9 | 2 | 3 | 9 | 0 | 0 | 2 | 3 | 9 | 7 | 3 | 2 | 3 | 3 | 4 | 4 | 0 | 3 | 2 | 6 | 3 | 2 |
| | | 1 | 1 | 6 | 9 | 0 | 2 | 5 | 4 | 9 | 0 | 8 | 8 | 0 | 9 | 0 | 0 | 4 | 9 | 5 | 1 | 9 | 3 | 1 | 9 |
| 120 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |
| Malformation | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aorta, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 93025 - 06

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 05/22/2008

Test Type: CHRONIC

Tetralin

Time Report Requested: 06:34:08

Route: RESPIRATORY EXPOSURE WHOLE BODY

CAS Number: 119-64-2

First Dose M/F: 06/23/03 / 06/23/03

Species/Strain: MICE/B6C3F1

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 4 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 |
| B6C3F1 MICE MALE 120 PPM | ANIMAL ID | 3 | 3 | 9 | 2 | 3 | 9 | 0 | 0 | 2 | 3 | 9 | 7 | 3 | 2 | 3 | 3 | 4 | 4 | 0 | 3 | 2 | 6 | 3 | 2 | 2 |
| | | 1 | 1 | 6 | 9 | 0 | 2 | 5 | 4 | 9 | 0 | 8 | 8 | 0 | 9 | 0 | 0 | 4 | 9 | 5 | 1 | 9 | 3 | 1 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|------------|
| Cardiomyopathy | 1 | | | | | | | | | | | | | | | | | | | | | | | | 5 | 1.2 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | 2 | | | | | | | | | | | | | 2 | 2 |
| Hypertrophy | | | 2 | | | | | | | | 2 | 2 | | | 2 | 2 | | | | | 2 | 2 | 2 | 2 | 2 | |
| Necrosis | | | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | 2 | | | | | | | | | | | | | | 2 | | | | 2 | | 2 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | M | M | + | M | M | + | + | M | + | + | I | M | + | M | + | + | + | + | M | + | M | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
Page 53
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 93025 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008
Time Report Requested: 06:34:08
First Dose M/F: 06/23/03 / 06/23/03
Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | DAY ON TEST | 0 7 3 1 | 0 7 3 1 | 0 4 9 6 | 0 7 2 9 | 0 7 3 0 | 0 5 9 2 | 0 7 0 5 | 0 7 0 4 | 0 7 2 9 | 0 7 0 0 | 0 7 2 9 | 0 7 3 0 | 0 7 7 0 | 0 7 7 0 | 0 4 9 8 | 0 4 7 8 | 0 7 3 0 | 0 7 3 0 | 0 4 4 4 | 0 6 4 9 | 0 7 7 5 | 0 7 2 9 | 0 7 6 3 | 0 7 3 1 | 0 7 2 9 | 0 7 2 9 |
| B6C3F1 MICE MALE 120 PPM | ANIMAL ID | 0 0 6 2 6 | 0 0 6 2 7 | 0 0 6 2 8 | 0 0 6 2 9 | 0 0 6 3 0 | 0 0 6 3 1 | 0 0 6 3 2 | 0 0 6 3 3 | 0 0 6 3 3 | 0 0 6 3 3 | 0 0 6 3 3 | 0 0 6 3 3 | 0 0 6 3 4 | 0 0 6 3 4 | 0 0 6 3 4 | 0 0 6 3 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 4 | 0 0 6 4 5 | 0 0 6 4 5 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Granuloma Sperm | | | | | | | | | | | | | 4 | | | | | | | | | | | | | | | 2 3.0 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Seminal Vesicle | + | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Lymph Node, Bronchial | + | M | M | + | + | M | M | + | + | + | + | + | M | + | + | + | M | M | + | + | M | M | M | + | M | | | 27 | |
| Lymph Node, Mandibular | M | M | + | M | + | + | M | + | + | M | + | + | M | M | + | + | + | M | M | + | + | M | M | + | M | | | 25 | |
| Lymph Node, Mediastinal | M | + | + | M | + | + | M | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | M | + | + | | 33 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 48 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| DAY ON TEST | 0 7 3 1 | 0 7 3 1 | 0 4 9 6 | 0 7 2 9 | 0 7 3 0 | 0 5 9 2 | 0 7 0 5 | 0 7 0 4 | 0 7 0 9 | 0 7 2 0 | 0 4 3 8 | 0 4 7 8 | 0 7 3 0 | 0 7 2 9 | 0 7 3 0 | 0 4 4 4 | 0 6 0 9 | 0 7 3 5 | 0 7 2 1 | 0 5 6 3 | 0 7 3 1 | 0 7 2 9 | 0 7 2 9 | * TOTALS | |
| B6C3F1 MICE MALE 120 PPM ANIMAL ID | 0 0 6 2 6 | 0 0 6 2 7 | 0 0 6 2 8 | 0 0 6 2 9 | 0 0 6 3 0 | 0 0 6 3 1 | 0 0 6 3 2 | 0 0 6 3 3 | 0 0 6 3 4 | 0 0 6 3 5 | 0 0 6 3 6 | 0 0 6 3 7 | 0 0 6 3 8 | 0 0 6 3 9 | 0 0 6 4 0 | 0 0 6 4 1 | 0 0 6 4 2 | 0 0 6 4 3 | 0 0 6 4 4 | 0 0 6 4 5 | 0 0 6 4 6 | 0 0 6 4 7 | 0 0 6 4 8 | 0 0 6 4 9 | 0 0 6 5 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Spleen Hematopoietic Cell Proliferation | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| | | | | | | 2 | 2 | | | | | 4 | | | | | | | | | | | | | | | 5 2.6 |
| Thymus | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | 43 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin Hyperplasia, Squamous Inflammation, Chronic Active | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| | 1 | | | | | 4 | 4 | | | | | | | | | 4 | | | | | | | | | | | 6 3.2 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Larynx Squamous Epithelium, Polyp, Inflammatory | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
Page 55
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 4 | 7 | 7 | 7 | 7 | 4 | 6 | 7 | 7 | 7 | 5 | 7 | 7 | 7 |
| ANIMAL ID | 3 | 3 | 9 | 2 | 3 | 9 | 0 | 0 | 2 | 3 | 9 | 7 | 3 | 2 | 3 | 3 | 4 | 4 | 0 | 3 | 2 | 6 | 3 | 2 | 2 |
| | 1 | 1 | 6 | 9 | 0 | 2 | 5 | 4 | 9 | 0 | 8 | 8 | 0 | 9 | 0 | 0 | 4 | 9 | 5 | 1 | 9 | 3 | 1 | 9 | 9 |
| B6C3F1 MICE MALE 120 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|-----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Inflammation, Chronic Active | | | | | | | | | 2 | | | | | | | | | | | | | | | | | 1 | 2.0 | | |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | 8 | 1.3 | |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Arteriole, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Bronchiole, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.3 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Inflammation, Suppurative | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 1 | | 45 | 1.6 | |
| Glands, Olfactory Epithelium, Hyperplasia | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | 49 | 3.1 | |
| Glands, Olfactory Epithelium, Inflammation | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| Olfactory Epithelium, Atrophy | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 3 | | 50 | 3.8 | |
| Olfactory Epithelium, Metaplasia, Respiratory | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 2 | | 2 | 2 | 3 | 2 | 3 | 3 | 3 | | 49 | 2.4 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|
| Eye | + | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |
| Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 4.0 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Cornea, Mineralization | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | 2 | 1.5 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

TDMS No. 93025 - 06

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 05/22/2008

Test Type: CHRONIC

Tetralin

Time Report Requested: 06:34:08

Route: RESPIRATORY EXPOSURE WHOLE BODY

CAS Number: 119-64-2

First Dose M/F: 06/23/03 / 06/23/03

Species/Strain: MICE/B6C3F1

Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 4 7 7 5 7 7 7 7 4 4 7 7 7 7 4 6 7 7 7 5 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE 120 PPM | 3 3 9 2 3 9 0 0 2 3 9 7 3 2 3 3 4 4 0 3 2 6 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 6 9 0 2 5 4 9 0 8 8 0 9 0 0 4 9 5 1 9 3 1 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

Hyperplasia

2 2

2 2.0

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|----|-----|
| Kidney | + + A + | | | | | | | | | | | | | | | | | | | | | | | | 49 | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 1.0 | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | | |
| Nephropathy | 1 | 1 | | 1 | 2 | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 47 | 1.4 | | |
| Renal Tubule, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 4 1.0 | | |
| Urinary Bladder | + + A + | | | | | | | | | | | | | | | | | | | | | | | | 48 | | | |
| Transitional Epithelium, Eosinophilic | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Granules, Cytoplasmic | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | 0.0 |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 0367 | 0477 | 0076 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 4 |
| Gallbladder | + | M | + | + | + | M | + | M | I | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum Necrosis | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + |
| Intestine Small, Ileum Infiltration Cellular, Polymorphonuclear | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | 2 |
| Intestine Small, Jejunum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + |
| Liver Basophilic Focus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|---|--|--|--|--|--|---|--|--|--|---|--|---|--|--|--|---|--|--|--|---|--|--|--|
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | 3 | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | |
| Tension Lipidosis | | | | | | | | | | | | | 2 | | | | | | 1 | | | | 2 | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | + | | | | | | + | | | | | | + | | | | + | | | | | | | |
| Fat, Necrosis | | | | | | | 2 | | | | | | 2 | | | | | | 2 | | | | 2 | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Acinus, Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | A | | | | + | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic Active | 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aorta, Mineralization | | | | | | | | | | | | | | | | | | | | | 2 | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 | |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 | |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | females (cont...) |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | 1 | 1 | | | | 1 | 1 | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | 2 | | | | | 2 | | | | | | | | | | 2 | | |
| Hypertrophy | | | | | | | | | | | | | 2 | | | | | 2 | | 2 | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | 2 | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | 2 | | | | | | | 2 | | | | |
| Parathyroid Gland | + | + | M | + | + | M | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | M | M | M | M |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + |
| Pars Distalis, Hyperplasia | | | | | | | 2 | | | | | | | | | | | | | | 2 | | 2 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | 2 | | 2 | 3 | 3 | | | | | 1 | | | | 1 | | | | | | | 2 | 2 | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Endometrium, Hyperplasia, Cystic | 3 | 1 | | | 4 | 2 | 1 | 4 | 2 | 1 | 2 | 4 | 1 | 1 | 2 | 4 | 2 | 3 | 2 | 3 | 1 | 4 | | 2 | 4 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | + | | | | | + | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Ectasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Hyperplasia, Lymphoid | 2 | | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| Renal, Hyperplasia, Lymphoid | 2 | | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | M | M | M | M | + | + | + | M | + | + | + | + | M | + | + | M | + | + | + | M | M | M | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular Hyperplasia, Lymphoid Necrosis, Lymphoid | + | + | + | + | M | + | + | I | M | + | M | + | M | M | I | + | + | + | + | + | + | M | + | M | M | |
| | | | | | | | | | | | 2 | | | | | | | | | | | 3 | | | | |
| Lymph Node, Mediastinal Infiltration Cellular, Mixed Cell | + | + | + | M | + | + | + | + | M | + | + | M | + | M | + | M | M | + | + | + | + | + | + | + | M | |
| Lymph Node, Mesenteric Ectasia Infiltration Cellular, Mixed Cell Necrosis, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + |
| | | | | | | | | | | | 3 | | | | | | | | | | | 3 | | | | |
| Spleen Hematopoietic Cell Proliferation Hyperplasia, Lymphoid Necrosis, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | 2 | | 1 | | | | | | | | | 3 | | 3 | | | | | 3 | | 3 | | 2 | | | |
| Thymus Necrosis, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | 3 | | | | | | | | | | | | | 3 | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland Inflammation, Chronic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 62

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Inflammation, Chronic Active 1 4
 Hair Follicle, Inflammation, Chronic 2

MUSCULOSKELETAL SYSTEM

Bone +
 Skeletal Muscle +

NERVOUS SYSTEM

Brain +
 Gliosis 1
 Inflammation, Chronic 3
 Necrosis
 Meninges, Infiltration Cellular, Mononuclear Cell 2

RESPIRATORY SYSTEM

Larynx +
 Lung +
 Inflammation, Suppurative 3
 Alveolar Epithelium, Hyperplasia 1
 Bronchiole, Hyperplasia 3

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Olfactory Epithelium, Hyperplasia | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | | 1 |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Metaplasia, Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pleura | | + | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cataract | | | 3 | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Nephropathy | | | | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 3 | 1 | | 2 | 1 | |
| Artery, Inflammation, Chronic Active | 3 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Tetralin
 CAS Number: 119-64-2

Date Report Requested: 05/22/2008
 Time Report Requested: 06:34:08
 First Dose M/F: 06/23/03 / 06/23/03
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 65

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 | | |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 | | |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | | |
| B6C3F1 MICE FEMALE CONTROL | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|--------------|
| Esophagus Inflammation, Suppurative | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | 1 4.0 |
| Gallbladder | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 42 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 1.0 |
| Intestine Small, Ileum Infiltration Cellular, Polymorphonuclear | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 2.0 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Liver Basophilic Focus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | 3 2.0 |
| Clear Cell Focus | | | | | | | | | | | | | | 2 | | | | | | | | | | | | 2 | 2 2.5 | |
| Eosinophilic Focus | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | 3 2.0 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 | |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|---------------|
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.5 | |
| Tension Lipidosis | | | | | | | | | | | | | | | | | | | | | | | | | 3 1.7 | |
| Mesentery | + | + | + | + | | | | | | | | | | | | | | | | | | | | | | 16 |
| Fat, Necrosis | 2 | 2 | | 2 | | | | | | 2 | 2 | 2 | | | | | | 2 | 2 | | | 2 | 2 | | | 14 2.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Acinus, Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Aorta, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 67

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 | |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 | |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cardiomyopathy | 1 | | | | | 1 | | | | | | | | | | | | | | | | | | | | 6 1.0 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | 2 | | | | | | | | | | | | | 1 2.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | 2 | | | 2 | | | | | | | | | | | | | | | | | 5 2.0 | |
| Hypertrophy | | | | | | | | | | 2 | | | | | | | | | 2 | | | | | | | 5 2.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | 2 | | | | | | | | | | | | | | | | | | 2 | | 2 2.0 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 | |
| Parathyroid Gland | + | M | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | M | + | M | M | M | M | + | 34 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pars Distalis, Hyperplasia | | 2 | | | | 2 | | 2 | | | | | | 3 | | 1 | | | | | | | | 2 | | 9 2.0 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 68

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Lymph Node, Mandibular | + | + | + | + | + | M | M | + | + | + | M | + | M | M | + | + | + | + | + | M | + | M | + | + | + | 33 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Necrosis, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lymph Node, Mediastinal | + | M | M | M | M | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | 35 |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Ectasia | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Necrosis, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 5 2.2 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 3 3.0 |
| Necrosis, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Thymus | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 48 |
| Necrosis, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

Inflammation, Chronic Active 2 3 2.3
 Hair Follicle, Inflammation, Chronic 1 2.0

MUSCULOSKELETAL SYSTEM

Bone + 50

Skeletal Muscle 1

NERVOUS SYSTEM

Brain + 50

 Gliosis 1 1.0

 Inflammation, Chronic 1 3.0

 Necrosis 1 2.0

 Meninges, Infiltration Cellular, Mononuclear Cell 1 2.0

2

RESPIRATORY SYSTEM

Larynx + 50

Lung + 50

 Inflammation, Suppurative 1 3.0

 Alveolar Epithelium, Hyperplasia 4 1.3

 Bronchiole, Hyperplasia 1 3.0

2 1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Page 71

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 | |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 | | |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----|-----|-----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | | |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1.0 | | |
| Glands, Olfactory Epithelium, Hyperplasia | | | 1 | | | 1 | | 1 | 1 | | | | 1 | 1 | 1 | 1 | | | 1 | | | 1 | | | 1 | | 17 | 1.0 | | |
| Olfactory Epithelium, Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1.0 | |
| Olfactory Epithelium, Metaplasia, Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | 1.0 |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2.5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Nephropathy | | | 1 | 1 | 1 | 1 | 1 | 1 | | | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 40 | 1.1 | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 72

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 | |
| | | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 | |
| | | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| Urinary Bladder | + + + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 49 | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE 30 PPM ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | |
| | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + |
| Intestine Small, Jejunum Inflammation, Acute | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Hemorrhage | | | | + | | | + | | | + | | | + | | | | + | | + | | + | + | | + |
| | | | | | | | | | | | | | | | | | 1 | | 2 | | | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | 0 | |
| 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | 0 | |

B6C3F1 MICE FEMALE

30 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Fat, Necrosis | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas Atrophy | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach Hyperplasia, Squamous Ulcer | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Tongue | + | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel Adventitia, Metaplasia, Respiratory | + 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart Cardiomyopathy | + | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | |
| DAY ON TEST | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | |
| DAY ON TEST | | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Hyperplasia Hypertrophy | 2 | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Adrenal Medulla Hyperplasia | + | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M + + + + M M + + + M + + + + + + + + + + + M + + M M | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland Hemorrhage Pars Distalis, Hyperplasia | + 2 2 2 2 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

Peritoneum

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Clitoral Gland | + + + + + M M + + + + + M + | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary Cyst | + 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 7 7 7 7 7 7 7 5 7 7 7 7 5 7 7 7 6 7 4 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 30 PPM | 3 3 3 3 3 3 3 3 8 3 0 3 3 1 3 3 3 3 3 0 6 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 1 3 3 3 2 3 6 1 6 1 3 4 3 3 2 9 2 1 3 2 2 4 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females (cont...)

Hemorrhage

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Angiectasis | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Suppurative | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Endometrium, Hyperplasia, Cystic | 2 2 2 3 4 2 3 2 2 1 2 2 4 2 3 4 2 2 2 2 2 3 2 2 4 | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Atrophy | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Ectasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + + + + M M + M + + + + + + + M M + M M + M M M M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + M M + + + + + + + + + + M + M + M M + M + + + M | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | M + + + M + M + + + + + + + + + M + + + + + + + M | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + + + + + + + + + + + + + M + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 |
| DAY ON TEST | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 |
| DAY ON TEST | | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 |
| B6C3F1 MICE FEMALE 30 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |

females (cont...)

Thymus +

INTEGUMENTARY SYSTEM

Mammary Gland +

Skin Inflammation, Chronic Active +
4 4

MUSCULOSKELETAL SYSTEM

Bone +

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Larynx +

Lung Alveolar Epithelium, Hyperplasia +
Bronchiole, Hyperplasia 2 1
Mediastinum, Hemorrhage

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 78

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | |
| DAY ON TEST | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | |
| DAY ON TEST | | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| 30 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | | | 1 | 1 | 1 | 1 | | | | 1 | | 1 | | | | 1 | 1 | | | | | | | | | 1 |
| Glands, Olfactory Epithelium, Hyperplasia | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 2 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Olfactory Epithelium, Atrophy | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 4 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 3 |
| Olfactory Epithelium, Metaplasia, Respiratory | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cataract | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornea, Hyperplasia, Squamous | | | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Cornea, Mineralization | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | 3 | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infarct | | | | | | | | | | 3 | | | | | | | | | | | | | | | | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | 1 | | | | | 1 | | | | |
| Nephropathy | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 |
| | | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 |
| B6C3F1 MICE FEMALE | | ----- | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Eosinophilic | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Granules, Cytoplasmic | | 0 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 80

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | 30 PPM | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 2 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 9 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 |
| | | 3 | 2 | 0 | 2 | 3 | 2 | 3 | 8 | 3 | 5 | 2 | 1 | 3 | 1 | 1 | 2 | 4 | 1 | 3 | 1 | 1 | 1 | 3 | 1 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------------|-----------|
| Fat, Necrosis | 2 | 3 | | | | | | | 2 | | | | | | | 2 | 2 | | | | | | | 2 | 2 | 2 | 14 2.1 | |
| Pancreas Atrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 1 3.0 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach Hyperplasia, Squamous Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 3 2.7 2 2.5 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 49 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| Blood Vessel Adventitia, Metaplasia, Respiratory | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1 2.0 |
| Heart Cardiomyopathy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 5 1.4 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 82

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|----------|
| | 7 7 6 7 7 7 7 2 7 6 7 7 7 7 7 6 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 30 PPM | 3 3 9 3 3 3 3 9 3 4 3 3 3 3 3 7 3 3 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 3 2 0 2 3 2 3 8 3 5 2 1 3 1 1 2 4 1 3 1 1 1 3 1 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | | 3 2.0 |
| Hypertrophy | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hyperplasia | 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Parathyroid Gland | + + M + + + M M M + M M + + + M + + M + M M + + + | | | | | | | | | | | | | | | | | | | | | | | | 33 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemorrhage | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Pars Distalis, Hyperplasia | 1 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | 11 2.1 |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Peritoneum | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
|------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Clitoral Gland | + + M + + M + M + + + + + + + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Cyst | 4 3 2 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | 11 2.5 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 83

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|-------|
| | 7 7 6 7 7 7 7 2 7 6 7 7 7 7 7 6 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 9 3 3 3 3 9 3 4 3 3 3 3 3 7 3 3 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 0 2 3 2 3 8 3 5 2 1 3 1 1 2 4 1 3 1 1 1 3 1 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + + | | | | | | | | | | | | | | | | | | | | | | | | 49 | |
| Skin Inflammation, Chronic Active | + + + + + + + + + + 4 + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 50 | 3 4.0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Alveolar Epithelium, Hyperplasia | 1 3 | | | | | | | | | | | | | | | | | | | | | | | | 6 1.5 | |
| Bronchiole, Hyperplasia | 3 | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Mediastinum, Hemorrhage | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 2 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 9 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 2 | 0 | 2 | 3 | 2 | 3 | 8 | 3 | 5 | 2 | 1 | 3 | 1 | 1 | 2 | 4 | 1 | 3 | 1 | 1 | 1 | 3 | 1 | 2 | 2 | 2 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Suppurative | 1 | 1 | 1 | 1 | 1 | | 1 | | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | | | 28 1.0 |
| Glands, Olfactory Epithelium, Hyperplasia | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | | | | 50 2.1 |
| Olfactory Epithelium, Atrophy | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | | | 50 2.8 |
| Olfactory Epithelium, Metaplasia, Respiratory | 1 | 1 | 2 | 1 | 2 | 2 | 1 | | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | | | 49 1.4 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--------------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 49 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Cornea, Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Cornea, Mineralization | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | 3 1.0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|--------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Infarct | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Metaplasia, Osseous | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | 3 1.0 |
| Nephropathy | 1 | | 1 | 1 | 1 | 1 | | | | | 1 | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | | | | | 40 1.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 2 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE 30 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Infiltration Cellular, Mixed Cell Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 2.0 50 0.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 5 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | | |
| 3 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | |
| B6C3F1 MICE FEMALE 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | A | + |
| Intestine Large, Cecum | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + |
| Intestine Large, Colon | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | A | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + |
| Intestine Small, Ileum | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | 4 | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| Mitotic Alteration | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tension Lipidosis | | | | | | | | | 1 | | | | | | | | | | | | | | | | |
| Mesentery | | + | + | | | + | | + | | + | + | + | | | | | + | | | | | | | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 3 3 3 3 0 3 3 3 3 3 0 3 0 3 3 3 3 3 3 3 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 2 2 2 4 1 3 2 3 3 4 1 5 3 3 2 1 1 3 2 1 1 2 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Fat, Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | | | 2 | | | 2 | | | 2 | | | 2 | | | 2 | | | 2 | | | 2 | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | A | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aorta, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 89

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------------|
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 60 PPM | 5 | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | 2 | 2 | | | | | | | 2 | | | | | | | | | | | | | 2 | | | |
| Hyper trophy | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | M | + | + | + | + | + | + | + | M | M | + | M | + | + | + | M | + | + | + | + | M | M | + | + | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pars Distalis, Hyperplasia | | | | | | | | 2 | | | | | | | | 1 | | | 3 | | | 2 | 3 | | | |
| Thyroid Gland | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 3 3 3 3 0 3 3 3 3 3 0 3 0 3 3 3 3 3 3 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 2 2 2 4 1 3 2 3 3 4 1 5 3 3 2 1 1 3 2 1 1 2 1 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 2 2 3 4 5 females (cont...) | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | |
| Endometrium, Hyperplasia, Cystic | 2 3 3 4 1 4 4 3 4 2 4 2 4 4 3 2 3 3 4 3 4 4 2 | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Angiectasis | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Angiectasis | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | M + + + + M + M + + + M M + + + + + + + M + + M + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M + M M + M + + + + + + M + + M M M + M M M + M + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | M + + M M + M + M + + + + + + + + + + + M M + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + I + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Angiectasis | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| Ectasia | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | 4 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
Page 91

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | 5 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | | |
| | 3 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 60 PPM | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

Thymus + + + + + + + + + + + + + + + + M + + + + + + + +
 Inflammation, Granulomatous

INTEGUMENTARY SYSTEM

Mammary Gland +
 Skin +
 Infiltration Cellular, Mixed Cell
 Inflammation, Chronic Active 2

MUSCULOSKELETAL SYSTEM

Bone +
 Skeletal Muscle
 Inflammation, Chronic Active

NERVOUS SYSTEM

Brain +
 Necrosis 2

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 Page 92
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 5 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 |
| 3 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | 0 | |

B6C3F1 MICE FEMALE

60 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar Epithelium, Hyperplasia | | | | | 1 | | | | | 1 | 1 | | | | | | | | | | | | | | |
| Alveolar Epithelium, Metaplasia, Squamous | | | | | | | | | | | | | | | | 2 | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Glands, Olfactory Epithelium, Hyperplasia | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Olfactory Epithelium, Atrophy | 4 | 3 | 4 | 4 | 3 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 4 | 3 | 3 | 4 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 |
| Olfactory Epithelium, Metaplasia, Respiratory | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cataract | | | | | | | | | | | | | | | | 2 | | | | | | | | | |
| Cornea, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 5 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 |
| 3 | 2 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | 0 |
| B6C3F1 MICE FEMALE 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 5 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nephropathy | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | |
| Urinary Bladder | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 1 3 3 3 3 3 3 3 3 3 3 3 3 5 3 3 3 3 3 9 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 4 2 3 1 1 3 3 3 1 3 2 1 3 6 2 2 2 1 2 0 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|
| Fat, Hemorrhage | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Fat, Necrosis | 2 | | | | | | | | | | | | | | | | | | | | | | | | 13 2.0 |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Atrophy | 3 | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Aorta, Mineralization | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Cardiomyopathy | 1 | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Mineralization | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Thrombosis | 3 | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Artery, Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 1 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 4 2 3 1 1 3 3 3 1 3 2 1 3 6 2 2 2 1 2 0 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | | 12 2.1 |
| Hypertrophy | 2 | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Parathyroid Gland | M M + + M M + + + M + + + + M M + + + + + M + M M | | | | | | | | | | | | | | | | | | | | | | | | 33 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Pars Distalis, Hyperplasia | 3 | | | | | | | | | | | | | | | | | | | | | | | | 10 2.2 |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|
| Clitoral Gland | + + M M + + + + + + + + + + + + + + + M + + + + M + | | | | | | | | | | | | | | | | | | | | | | | | 45 |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Angiectasis | 2 | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Cyst | 2 | | | | | | | | | | | | | | | | | | | | | | | | 6 2.5 |
| Thrombosis | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | |
| | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | |
| | 2 | 2 | 4 | 2 | 3 | 1 | 1 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 3 | 6 | 2 | 2 | 2 | 1 | 2 | 0 | 3 | 2 | 2 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Angiectasis | 3 | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Endometrium, Hyperplasia, Cystic | 2 | | 1 | 4 | 4 | 2 | 4 | 1 | 4 | 4 | 2 | 4 | 4 | 4 | 3 | 3 | 3 | 4 | 2 | 4 | 4 | 4 | 2 | 2 | 47 3.1 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Iliac, Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lumbar, Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Lymph Node, Bronchial | + | + | + | + | M | M | + | M | M | M | M | M | M | M | + | + | M | + | M | M | + | + | M | M | 28 | |
| Lymph Node, Mandibular | + | M | + | + | + | + | + | M | M | + | M | M | + | + | + | + | M | M | + | + | + | + | M | + | + | 30 |
| Lymph Node, Mediastinal | M | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | M | + | + | 38 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Ectasia | | | | | | | | | | | | | | | | 2 | | | | | | | | | | 1 2.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hematopoietic Cell Proliferation | | | | | | 2 | | | | | | | | | | | | | | | | | | | | 6 2.5 |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 98

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | 7 |
| | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 |
| | 2 | 2 | 4 | 2 | 3 | 1 | 1 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 3 | 6 | 2 | 2 | 2 | 1 | 2 | 0 | 3 | 2 | 2 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM B6C3F1 MICE FEMALE | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 2.0 | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 2.0 | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 99

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | 7 |
| | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 |
| | 2 | 2 | 4 | 2 | 3 | 1 | 1 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 3 | 6 | 2 | 2 | 2 | 1 | 2 | 0 | 3 | 2 | 2 | |
| B6C3F1 MICE FEMALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mineralization | | | 3 | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | 3 1.0 |
| Alveolar Epithelium, Metaplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Suppurative | 1 | 1 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 48 1.3 |
| Glands, Olfactory Epithelium, Hyperplasia | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 50 3.0 |
| Olfactory Epithelium, Atrophy | 3 | 3 | 4 | 3 | 4 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 4 | 3 | 3 | 4 | 3 | 3 | 4 | 3 | 3 | 4 | 3 | 4 | 3 | 50 3.4 |
| Olfactory Epithelium, Metaplasia, Respiratory | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 50 2.9 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Inflammation, Suppurative | | | 2 | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Mineralization | | | 3 | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Cornea, Mineralization | | | 1 | | | | 1 | | 1 | | | | | | | | | | | | | | | | | 3 1.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | 49 |
| Hyperplasia | | 3 | | | | | | 2 | | | | | | | | | | | | | | | 3 | | | 4 2.3 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | |
| | | 2 | 2 | 4 | 2 | 3 | 1 | 1 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 3 | 6 | 2 | 2 | 2 | 1 | 2 | 0 | 3 | 2 | 2 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 PPM | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|---------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | | 4 1.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Nephropathy | 1 | 1 | 3 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | | | | 1 | 1 | 43 1.1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Transitional Epithelium, Eosinophilic | | | | | | | | | | | | | | | | | | | | | | | | | | 49 0.0 |
| Granules, Cytoplasmic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
l .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Page 101

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 120 PPM | 3 0 3 3 3 3 3 2 3 3 3 3 3 3 3 8 3 3 3 3 2 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 5 2 1 3 3 2 1 2 1 2 1 2 1 3 5 3 2 3 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder Infiltration Cellular, Polymorphonuclear | + + + + + + + + + + I + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + + + + + + + + + + + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + + M + + + + + + + + + + + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + + + + + + + + + + + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + + + + + + + + + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + + + + + + + + + + + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + + + + + + + + + + + + + + + + A + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Angiectasis | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clear Cell Focus | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatodiaphragmatic Nodule | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mitotic Alteration | 2 | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 |
| 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | |
| 2 | 5 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 5 | 3 | 2 | 3 | 3 | 3 | 0 | 2 | 3 | |

| B6C3F1 MICE FEMALE 120 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 2 | 3 | 4 | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Mixed Cell Focus | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Necrosis | | | | | | | | | 3 | | | | | | | | | | | 2 | | | | | | | | |
| Tension Lipidosis | | | | | | | | | | | 1 | | | | | | | | | | | 2 | | | | | | |
| Mesentery | | | + | | | + | | | + | | | | | | | + | + | | | | | | | | | | | + |
| Fat, Necrosis | | | 2 | | | 2 | | | 2 | | | | | | | 2 | 3 | | | | | | | | | | | 2 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Atrophy | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Acute | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Atrophy | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hyperplasia, Squamous | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | 1 | 1 | | | | | | | | | | | 1 | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | 2 | | | | | | | | | | |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 0 | |
| 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | |
| 2 | 5 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 5 | 3 | 2 | 3 | 3 | 3 | 0 | 2 | 3 | 0 | |
| B6C3F1 MICE FEMALE 120 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Adrenal Cortex Hyperplasia Hypertrophy | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Adrenal Medulla Hyperplasia | + | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | + | + | + | 3 | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Parathyroid Gland | + | M | + | + | + | M | + | M | + | + | M | + | + | + | M | M | I | + | + | + | + | + | + | + | + | + | | |
| Pituitary Gland Pars Distalis, Hyperplasia | + | + | + | + | + | + | + | + | + | 1 | + | + | + | + | + | + | + | + | + | + | 2 | + | + | 2 | + | + | + | |
| Thyroid Gland | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM
Clitoral Gland
Ovary
Angiectasis

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 0 3 3 3 3 3 2 3 3 3 3 3 3 3 8 3 3 3 3 2 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 5 2 1 3 3 2 1 2 1 2 1 2 1 3 5 3 2 3 3 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 120 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| Cyst | 3 | | | | | | | | | | | | 2 | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | 4 | 4 | 2 | 4 | 4 | 4 | 1 | 4 | 3 | 2 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 2 | 3 | 3 | 4 | 2 |
| Endometrium, Hyperplasia, Cystic | 4 | 4 | 2 | 4 | 4 | 4 | 1 | 4 | 3 | 2 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 2 | 3 | 3 | 4 | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | |
| Lymph Node Angiectasis Renal, Ectasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | M | + | + | + | + | M | M | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | |
| Lymph Node, Mandibular | + | M | + | M | M | M | + | M | M | + | + | + | + | M | M | + | + | M | M | + | M | + | + | + | |
| Lymph Node, Mediastinal | + | + | + | + | + | M | M | + | + | + | + | M | + | + | M | + | M | + | + | + | + | + | M | M | M |
| Lymph Node, Mesenteric Ectasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | 3 | | | | | | | | | | | | | | | | | 4 | | |
| Spleen Hematopoietic Cell Proliferation Hyperplasia, Lymphoid | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | 3 | | | | | | | | | | 2 | | | 3 | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 120 PPM | 3 0 3 3 3 3 3 2 3 3 3 3 3 3 3 8 3 3 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 5 2 1 3 3 2 1 2 1 2 1 2 1 3 5 3 2 3 3 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

Thymus + + + M + + + M +

INTEGUMENTARY SYSTEM

Mammary Gland +

Skin +
 Inflammation, Chronic Active
 Subcutaneous Tissue, Inflammation,
 Granulomatous 3

MUSCULOSKELETAL SYSTEM

Bone +

Skeletal Muscle

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Larynx + + + + + + + + + + + + + + + + A + + + + + + + + + +

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 106

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 120 PPM | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| females (cont...) | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |

Lung +
 Thrombosis 2
 Alveolar Epithelium, Hyperplasia 1
 Alveolus, Infiltration Cellular, Histiocyte 2
 Bronchiole, Hyperplasia

Nose + + + + + + + + + + + + + + + + A + + + + + + + + + +
 Inflammation, Suppurative 2 1 1 1 1 2 2 2 1 2 1 1 1 1 1 2 1 1 1 1 1 2 1
 Glands, Olfactory Epithelium, Hyperplasia 4 3 3 3 3 3 3 3 3 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3
 Olfactory Epithelium, Atrophy 4 3 4 4 4 4 4 4 4 4 4 4 4 4 3 3 3 3 4 4 4 4 4 4
 Olfactory Epithelium, Metaplasia, Respiratory 3 3 3 3 2 3 3 2 4 4 4 3 3 3 3 3 3 3 4 3 3 3 3 3

Trachea + + + + + + + + + + + + + + + + A + + + + + + + + + +

SPECIAL SENSES SYSTEM

Eye + + + + + + + + + + + + + + + + A + + + + + + + + + +
 Cornea, Hyperplasia, Squamous
 Cornea, Inflammation, Chronic Active
 Cornea, Mineralization 1 1 1

Harderian Gland + + + + + + + + + + + + + + + + A + + + + + + + + + +
 Hyperplasia 2

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 107

| | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|---|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | |
| | | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | |
| | | 2 | 5 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 5 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | 2 | 3 | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 120 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Metaplasia, Osseous Nephropathy | | 1 | 1 | 1 | | 1 | 1 | 2 | | 1 | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | | 3 | 1 | 1 | 1 | 1 | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | |
| Transitional Epithelium, Eosinophilic Granules, Cytoplasmic | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 108

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | |
| 8 | 3 | 3 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 5 | 2 | 1 | 1 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 120 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|
| Mixed Cell Focus | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.5 |
| Tension Lipidosis | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | 3 | 1.7 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | 10 | |
| Fat, Necrosis | | | | | | | 2 | | | | | | | | | | 2 | 2 | | 2 | | | | | | | 10 | 2.1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Atrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia, Squamous | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 3.0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1.0 |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 50 |
| 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 |
| 8 | 3 | 3 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 5 | 2 | 1 | 1 | 3 |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 2.7 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 2.1 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 2.1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia | | | | | 2 | | | | 2 | | | | | | | 2 | | | | | | | | | 5 |
| Hypertrophy | | | | | | | | | 2 | | | | | | | | | | | | | | | | 3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia | | | | | | | | | 2 | | | | | | | 3 | | | | | | | | | 5 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | M | M | + | M | + | + | + | + | + | M | + | M | + | M | + | M | + | + | M | + | + | + | + | M | 34 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | 2 | | | | | 3 | | | 3 | 7 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | 48 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Angiectasis | | | | | | 2 | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 111

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 |
| 8 | 3 | 3 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 5 | 2 | 1 | 1 | 0 |

B6C3F1 MICE FEMALE
120 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|------------|---|---|---|-----------|------------|
| Cyst | 2 | | 3 | | | 2 | 3 | 3 | 2 | | | 4 | | | | 4 | 3 | | | 11 | 2.8 | | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Endometrium, Hyperplasia, Cystic | 2 | 4 | 4 | 3 | 3 | 2 | 4 | 3 | 4 | 2 | 4 | 4 | 3 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | 3 | 2 | 4 | 4 | 48 | 3.4 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|-----------|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 49 | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Renal, Ectasia | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Lymph Node, Bronchial | + | + | M | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 37 | | |
| Lymph Node, Mandibular | M | + | + | M | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | M | M | + | I | + | M | 31 |
| Lymph Node, Mediastinal | + | + | + | + | M | + | + | + | M | + | + | M | M | + | + | + | + | M | + | M | + | M | + | + | + | 35 | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Ectasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Hyperplasia, Lymphoid | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|----------|
| | 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 120 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Alveolar Epithelium, Hyperplasia | 1 1 | | | | | | | | | | | | | | | | | | | | | | | | 6 1.3 |
| Alveolus, Infiltration Cellular, Histocyte | | | | | | | | | | | | | | | | | | | | | | | | | 2 3.0 |
| Bronchiole, Hyperplasia | 3 | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Inflammation, Suppurative | 1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 1 1 2 1 | | | | | | | | | | | | | | | | | | | | | | | | 46 1.2 |
| Glands, Olfactory Epithelium, Hyperplasia | 4 3 | | | | | | | | | | | | | | | | | | | | | | | | 49 3.0 |
| Olfactory Epithelium, Atrophy | 4 4 3 4 4 4 4 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | 49 3.9 |
| Olfactory Epithelium, Metaplasia, Respiratory | 4 3 4 3 3 3 4 3 2 4 3 4 4 4 4 4 4 4 3 3 3 4 4 3 | | | | | | | | | | | | | | | | | | | | | | | | 49 3.3 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
|---------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Cornea, Hyperplasia, Squamous | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Cornea, Inflammation, Chronic Active | 2 | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Cornea, Mineralization | 1 2 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | | | | | | | | 12 1.1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Hyperplasia | 1 | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|----------|--------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 50 | |
| 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 2 1.0 |
| 8 | 3 | 3 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 1 | 3 | 2 | 5 | 2 | 1 | 1 | 38 1.1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE 120 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 2 1.0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | 38 1.1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | 49 0.0 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Metaplasia, Osseous | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.0 | |
| Nephropathy | | | 1 | | | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 38 1.1 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Transitional Epithelium, Eosinophilic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 49 0.0 | | |
| Granules, Cytoplasmic | | | | | | | | | | | | | | | | | | | | | | | | | | |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked