

TABLE 1—FINAL 2009 ABCs, TACS, AND OFLS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA

[Values are rounded to the nearest metric ton]

Species	Area/district ¹	ABC	TAC	OFL
Pollock ²	Shumagin (610)	15,249	15,249	n/a
	Chirikof (620)	14,098	14,098	n/a
	Kodiak (630)	11,058	11,058	n/a
	WYK (640)	1,215	1,215	n/a
Subtotal	W/C/WYK	41,620	41,620	58,590
Total	SEO (650)	8,280	8,280	11,040
		49,900	49,900	69,630
Pacific cod ³	W	21,567	16,175	n/a
	C	31,521	23,641	n/a
	E	2,212	1,991	n/a
Total		55,300	41,807	66,600
Flatfish ⁴ (deep-water)	W	706	706	n/a
	C	6,927	6,927	n/a
	WYK	997	997	n/a
	SEO	538	538	n/a
Total		9,168	9,168	11,578
Rex sole	W	1,007	1,007	n/a

TABLE 1—FINAL 2009 ABCs, TACs, AND OFLS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

Species	Area/district ¹	ABC	TAC	OFL
	C	6,630	6,630	n/a
	WYK	513	513	n/a
	SEO	846	846	n/a
Total		8,996	8,996	11,756
Flathead sole	W	13,010	2,000	n/a
	C	29,273	5,000	n/a
	WYK	3,531	3,531	n/a
	SEO	650	650	n/a
Total		46,464	11,181	57,911
Flatfish ⁵ (shallow-water)	W	26,360	4,500	n/a
	C	29,873	13,000	n/a
	WYK	3,333	3,333	n/a
	SEO	1,423	1,423	n/a
Total		60,989	22,256	74,364
Arrowtooth flounder	W	30,148	8,000	n/a
	C	164,251	30,000	n/a
	WYK	14,908	2,500	n/a
	SEO	12,205	2,500	n/a
Total		221,512	43,000	261,022
Sablefish ⁶	W	1,640	1,640	n/a
	C	4,990	4,990	n/a
	WYK	1,784	1,784	n/a
	SEO	2,746	2,746	n/a
Subtotal	E (WYK and SEO)	4,530	4,530	n/a
Total		11,160	11,160	13,190
Pacific ocean perch ⁷	W	3,713	3,713	4,409
	C	8,246	8,246	9,790
	WYK	1,108	1,108	n/a
	SEO	2,044	2,044	n/a
Subtotal	E (WYK and SEO)	3,152	3,152	3,741
Total		15,111	15,111	17,940
Shortraker rockfish ⁸	W	120	120	n/a
	C	315	315	n/a
	E	463	463	n/a
Total		898	898	1,197
Rougheye rockfish ⁹	W	125	125	n/a
	C	833	833	n/a
	E	326	326	n/a
Total		1,284	1,284	1,545
Other rockfish ^{10 11}	W	357	357	n/a
	C	569	569	n/a
	WYK	604	604	n/a
	SEO	2,767	200	n/a
Total		4,297	1,730	5,624
Northern rockfish ^{11 12}	W	2,054	2,054	n/a
	C	2,308	2,308	n/a
	E	0	0	n/a
Total		4,362	4,362	5,204

TABLE 1—FINAL 2009 ABCs, TACs, AND OFLS OF GROUND FISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT (W/C/WYK), WESTERN (W), CENTRAL (C), EASTERN (E) REGULATORY AREAS, AND IN THE WEST YAKUTAT (WYK), SOUTHEAST OUTSIDE (SEO), AND GULFWIDE (GW) DISTRICTS OF THE GULF OF ALASKA—Continued

[Values are rounded to the nearest metric ton]

Species	Area/district ¹	ABC	TAC	OFL
Pelagic shelf rockfish ¹³	W	819	819	n/a
	C	3,404	3,404	n/a
	WYK	234	234	n/a
	SEO	324	324	n/a
	Total	4,781	4,781	5,803
Thornyhead rockfish	W	267	267	n/a
	C	860	860	n/a
	E	783	783	n/a
	Total	1,910	1,910	2,540
Big skates ¹⁴	W	632	632	n/a
	C	2,065	2,065	n/a
	E	633	633	n/a
	Total	3,330	3,330	4,439
Longnose skates ¹⁵	W	78	78	n/a
	C	2,041	2,041	n/a
	E	768	768	n/a
	Total	2,887	2,887	3,849
Other skates ¹⁶	GW	2,104	2,104	2,806
	SEO	362	362	580
Demersal shelf rockfish ¹⁷	GW	4,700	2,000	6,200
Atka mackerel	GW	6,540	4,500	8,720
Other species ¹⁸				
Total		516,055	242,727	632,498

¹ Regulatory areas and districts are defined at 50 CFR 679.2. (W=Western Gulf of Alaska; C=Central Gulf of Alaska; E=Eastern Gulf of Alaska; WYK=West Yakutat District; SEO=Southeast Outside District; GW=Gulf-wide).

² Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is based on an adjusted estimate of the relative distribution of pollock biomass of approximately 32 percent, 43 percent, and 25 percent in Statistical Areas 610, 620, and 630, respectively. During the B season, the apportionment is based on the relative distribution of pollock biomass at 32 percent, 54 percent, and 14 percent in Statistical Areas 610, 620, and 630, respectively. During the C and D seasons, the apportionment is based on the relative distribution of pollock biomass at 43 percent, 21 percent, and 35 percent in Statistical Areas 610, 620, and 630, respectively. Tables 5 and 6 list the 2009 and 2010 seasonal apportionments of pollock. In the WYK District and SEO Districts of the Eastern Regulatory Area, pollock is not divided into seasonal allowances.

³ The annual Pacific cod TAC is apportioned 60 percent to an A season and 40 percent to a B season in the Western and Central Regulatory Areas of the GOA. Pacific cod is allocated 90 percent for processing by the inshore component and 10 percent for processing by the offshore component in the Western and Central Regulatory Areas of the GOA. Tables 7 and 8 list the 2009 and 2010 seasonal apportionments and component allocations of the Pacific cod TAC.

⁴ "Deep-water flatfish" means Dover sole, Greenland turbot, and deepsea sole.

⁵ "Shallow-water flatfish" means flatfish not including "deep water flatfish," flathead sole, rex sole, or arrowtooth flounder.

⁶ Sablefish is allocated to trawl and hook-and-line gears for 2008 and to trawl gear in 2009. Tables 3 and 4 list the 2008 and 2009 allocations of sablefish.

⁷ "Pacific ocean perch" means *Sebastes alutus*.

⁸ "Shortraker rockfish" means *Sebastes borealis*.

⁹ "Rougheye rockfish" means *Sebastes aleutianus* (rougheye) and *Sebastes melanostictus* (blackspotted).

¹⁰ "Other rockfish" in the Western and Central Regulatory Areas and in the WYK District means slope rockfish and demersal shelf rockfish. The category "other rockfish" in the SEO District means slope rockfish.

¹¹ "Slope rockfish" means *Sebastes aurora* (aurora), *S. melanostomus* (blackgill), *S. paucispinis* (bocaccio), *S. goodei* (chilipepper), *S. crameri* (darkblotch), *S. elongatus* (greenstriped), *S. variegatus* (harlequin), *S. wilsoni* (pygmy), *S. babcocki* (redbanded), *S. proriger* (redstripe), *S. zacentrus* (sharpchin), *S. jordani* (shortbelly), *S. brevispinis* (silvergry), *S. diploproa* (splitnose), *S. saxicola* (stripetail), *S. miniatus* (vermillion), and *S. reedi* (yellowmouth). In the Eastern Regulatory Area only, slope rockfish also includes northern rockfish, *S. polyspinis*.

¹² "Northern rockfish" means *Sebastes polyspinis*. The 2 mt ABC for northern rockfish in the Eastern Regulatory Area has been combined with the ABC for slope rockfish in the WYK District.

¹³ "Pelagic shelf rockfish" means *Sebastes variabilis* (dusky), *S. entomelas* (widow), and *S. flavidus* (yellowtail).

¹⁴ Big skate means *Raja binoculata*.

¹⁵ Longnose skate means *Raja rhina*.

¹⁶ Other skates means *Bathyraja* spp.

¹⁷ "Demersal shelf rockfish" means *Sebastes pinniger* (canary), *S. nebulosus* (china), *S. caurinus* (copper), *S. maliger* (quillback), *S. helvomaculatus* (rosethorn), *S. nigrocinctus* (tiger), and *S. ruberrimus* (yelloweye).

¹⁸ "Other species" means sculpins, sharks, squid, and octopus.