

## List of Chartbook Figures

### Population

1. Total population and older population: United States, 1950–2050 . . . . . 21
2. Population in selected race and Hispanic origin groups, by age: United States, 1980–2007 . . . . . 23
3. Children under 18 years of age living with a single parent, by race and Hispanic origin: United States, 1970–2006 . . . . . 25
4. Poverty by age: United States, 1966–2006 . . . . . 27
5. Low income by age, race and Hispanic origin: United States, 2006 . . . . . 29

### Health Risk Factors

6. Cigarette smoking among men, women, high school students, and mothers during pregnancy: United States, 1965–2007 . . . . . 31
7. Overweight and obese, by age: United States, 1971–1974 through 2005–2006 . . . . . 33
8. Regular leisure-time physical activity and strength training at least twice a week among adults 18 years of age and over, by age: United States, 1999–2006 . . . . . 35

### Morbidity and Limitation of Activity

9. Incidence of acute viral hepatitis, by type and year: United States, 1966–2006 . . . . . 37
10. Current asthma prevalence among adults 18 years of age and over, by sex, race and Hispanic origin, and percent of poverty level: United States, 2004–2006 . . . . . 39
11. Limitation of activity caused by selected chronic health conditions among children, by age: United States, 2005–2006 . . . . . 41
12. Limitation of activity caused by selected chronic health conditions among working-age adults, by age: United States, 2005–2006 . . . . . 43
13. Limitation of activity caused by selected chronic health conditions among older adults, by age: United States, 2005–2006 . . . . . 45

### Mortality

14. Life expectancy at birth and at 65 years of age, by race and sex: United States, 1970–2005 . . . . . 47
15. Infant, neonatal, and postneonatal mortality rates: United States, 1950–2005 . . . . . 49
16. Death rates for leading causes of death for all ages: United States, 1950–2005 . . . . . 51

### Health Insurance and Expenditures

17. Health insurance coverage at the time of interview among persons under 65 years of age: United States, 1984–2006 . . . . . 53
18. Uninsured for at least part of the 12 months prior to interview among persons under 65 years of age, by length of time uninsured and selected characteristics: United States, 2006 . . . . . 55
19. Personal health care expenditures, by source of funds and type of expenditures: United States, 2006 . . . . . 57
20. Per capita personal health care expenditures, by state of residence: United States, 2004 . . . . . 59

### Utilization of and Access to Health Care

21. Visits to physician offices and hospital outpatient departments for attention-deficit/hyperactivity disorder (ADHD) among children 4–17 years of age, by sex and age: United States, 1996–2006 . . . . . 61
22. Selected principal reasons for emergency department visits among adults 18 years of age and over, by age: United States, 2006 . . . . . 63
23. Dental visits for teeth cleaning by a dentist or dental hygienist in the past year among persons 2 years of age and over, by selected characteristics: United States, 2003–2004 . . . . . 65
24. Influenza and pneumococcal vaccination among middle-age and older adults, by age: United States, 1989–2006 . . . . . 67
25. Any-listed pneumonia discharges from nonfederal short-stay hospitals among persons 65 years of age and over, by age: United States, 1979–2006 . . . . . 69
26. Cesarean delivery rates by maternal age: United States, 1990–2005 . . . . . 71

**Special Feature: Young Adults Age 18–29 Years**

*Introduction:*

- 27. Selected characteristics of young adults 18–29 years of age, by age: United States, 2007 . . . . . 73
- 28. School enrollment of young adults 18–29 years of age, by age: United States, 1980–2005 . . . . . 75
- 29. Low income among young adults 18–29 years of age, by sex, race and Hispanic origin: United States, 2004–2006 . . . . . 79

*Health Risk Factors:*

- 30. Live birth rates for unmarried women 18–29 years of age, by age, race and Hispanic origin: United States, 1990–2005 . . . . . 83
- 31. Cigarette smoking and alcohol use among young adults 18–29 years of age, by sex: United States, 1997–2006 . . . . . 85
- 32. Illicit drug use among young adults 18–29 years of age, by age: United States, 2006 . . . . . 87
- 33. Prevalence of human papillomavirus (HPV) infection among women 20–29 years of age, by selected characteristics: United States, 2003–2004 . . . . . 89
- 34. Any report of forced sexual intercourse before age 30 among women 18–44 years of age at interview, by type of force, race and Hispanic origin, and percent of poverty level: United States, 2002 . . . . . 91

*Morbidity and Mortality:*

- 35. Selected physician-diagnosed health conditions, respondent-assessed fair or poor health, or activity limitation due to a chronic condition among young adults 18–29 years of age, by sex: United States, 2004–2006 . . . . . 93
- 36. Selected mental disorders in the past 12 months among young adults 20–29 years of age, by sex and age: United States, 1999–2004 . . . . . 95
- 37. Death rates for leading causes of death among young adults 18–29 years of age, by sex: United States, 1980–2005 . . . . . 97

*Access to Care and Health Care Utilization:*

- 38. Health insurance coverage at the time of interview among young adults 18–29 years of age, by age: United States, 2006 . . . . . 99
- 39. Young adults 18–29 years of age reporting they did not receive needed health-related services in the past 12 months because they could not afford them, by sex and health insurance status: United States, 2004–2006 . . . . . 101
- 40. Selected types of health care utilization among young adults 18–29 years of age, by sex: United States, 1999–2004 and 2006 . . . . . 103
- 41. Injury-related visits to hospital emergency departments among young adults 18–29 years of age, by sex and mechanism of injury: United States, 2005–2006 . . . . . 105