

Malignant mesothelioma: Number of deaths by state, U.S. residents age 15 and over, 1999–2005

| STATE | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | TOTAL |
|----------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|
| Alabama | 33 | 29 | 24 | 39 | 41 | 26 | 29 | 221 |
| Alaska | 8 | 4 | 3 | 5 | 5 | 5 | 4 | 34 |
| Arizona | 32 | 39 | 42 | 39 | 43 | 38 | 49 | 282 |
| Arkansas | 15 | 11 | 10 | 14 | 10 | 17 | 16 | 93 |
| California | 259 | 263 | 235 | 244 | 259 | 248 | 271 | 1,779 |
| Colorado | 17 | 29 | 32 | 29 | 29 | 27 | 26 | 189 |
| Connecticut | 33 | 18 | 36 | 36 | 46 | 42 | 50 | 261 |
| Delaware | 12 | 10 | 12 | 8 | 9 | 14 | 9 | 74 |
| District of Columbia | 5 | 2 | 2 | 3 | 3 | 3 | 1 | 19 |
| Florida | 163 | 173 | 184 | 165 | 198 | 177 | 153 | 1,213 |
| Georgia | 30 | 41 | 40 | 34 | 35 | 39 | 45 | 264 |
| Hawaii | 5 | 4 | 14 | 8 | 8 | 6 | 12 | 57 |
| Idaho | 14 | 13 | 9 | 13 | 11 | 8 | 13 | 81 |
| Illinois | 128 | 129 | 124 | 126 | 120 | 125 | 140 | 892 |
| Indiana | 58 | 51 | 49 | 53 | 63 | 58 | 70 | 402 |
| Iowa | 21 | 23 | 24 | 37 | 20 | 26 | 22 | 173 |
| Kansas | 27 | 29 | 24 | 22 | 19 | 17 | 21 | 159 |
| Kentucky | 24 | 32 | 38 | 25 | 23 | 27 | 28 | 197 |
| Louisiana | 47 | 54 | 39 | 38 | 50 | 50 | 37 | 315 |
| Maine | 28 | 23 | 22 | 23 | 29 | 26 | 22 | 173 |
| Maryland | 51 | 53 | 55 | 49 | 49 | 63 | 49 | 369 |
| Massachusetts | 81 | 96 | 76 | 77 | 68 | 85 | 84 | 567 |
| Michigan | 69 | 107 | 93 | 93 | 100 | 96 | 104 | 662 |
| Minnesota | 61 | 59 | 45 | 49 | 72 | 59 | 56 | 401 |
| Mississippi | 20 | 7 | 18 | 20 | 21 | 14 | 15 | 115 |
| Missouri | 49 | 50 | 37 | 56 | 38 | 48 | 31 | 309 |
| Montana | 10 | 13 | 13 | 12 | 13 | 10 | 12 | 83 |
| Nebraska | 15 | 16 | 17 | 19 | 16 | 15 | 17 | 115 |
| Nevada | 22 | 12 | 13 | 19 | 16 | 17 | 11 | 110 |
| New Hampshire | 11 | 15 | 18 | 13 | 15 | 14 | 10 | 96 |
| New Jersey | 111 | 102 | 103 | 133 | 112 | 113 | 140 | 814 |
| New Mexico | 17 | 20 | 7 | 13 | 10 | 14 | 17 | 98 |
| New York | 156 | 136 | 161 | 159 | 138 | 143 | 158 | 1,051 |
| North Carolina | 56 | 49 | 46 | 52 | 61 | 61 | 65 | 390 |
| North Dakota | 4 | 3 | 10 | 10 | 7 | 4 | 8 | 46 |
| Ohio | 131 | 105 | 111 | 121 | 136 | 122 | 108 | 834 |
| Oklahoma | 22 | 26 | 19 | 21 | 28 | 25 | 27 | 168 |
| Oregon | 32 | 50 | 59 | 30 | 51 | 42 | 39 | 303 |
| Pennsylvania | 161 | 161 | 159 | 156 | 180 | 193 | 201 | 1,211 |
| Rhode Island | 14 | 9 | 10 | 15 | 11 | 8 | 16 | 83 |
| South Carolina | 26 | 42 | 28 | 26 | 30 | 25 | 23 | 200 |
| South Dakota | 4 | 8 | 5 | 4 | 7 | 6 | 7 | 41 |
| Tennessee | 31 | 34 | 44 | 49 | 32 | 46 | 47 | 283 |
| Texas | 125 | 119 | 129 | 127 | 135 | 155 | 152 | 942 |
| Utah | 9 | 20 | 13 | 23 | 10 | 18 | 14 | 107 |
| Vermont | 7 | 2 | 6 | 7 | 3 | 4 | 5 | 34 |
| Virginia | 75 | 79 | 72 | 75 | 70 | 85 | 78 | 534 |
| Washington | 72 | 76 | 77 | 84 | 77 | 80 | 93 | 559 |
| West Virginia | 29 | 18 | 25 | 26 | 21 | 30 | 33 | 182 |
| Wisconsin | 49 | 60 | 73 | 66 | 71 | 69 | 60 | 448 |
| Wyoming | 5 | 7 | 4 | 8 | 6 | 14 | 6 | 50 |
| TOTAL | 2,484 | 2,531 | 2,509 | 2,573 | 2,625 | 2,657 | 2,704 | 18,083 |

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data.