
BIOTERRORISM 2001:

LESSONS LEARNED & REMAINING UNCERTAINTIES

Leonard A. Cole
Department of Political Science
Rutgers University--Newark, NJ





GRUINARD ISLAND THIS ISLAND IS GOVERNMENT PROPERTY UNDER EXPERIMENT. THE GROUND IS CONTAMINATED WITH ANTHRAX AND DANGEROUS LANDING IS PROHIBITED. BY ORDER 1983





9-11

10-4

2001 Press Releases FBI Homepage

FRANKLIN PARK NJ 08852

SENATOR LEARY
433 RUSSELL SENATE OFFICE
BUILDING
WASHINGTON D.C 20510-4502

GREENDALE SCHOOL


FRANKLIN SHAK NJ DOBSZ


SENATOR DASCHLE

SOR HART SENATE OFFICE

BUILDING

WASHINGTON DC 2052




















- Pre-Oct. 4: "About 8,000 to 10,000 spores are typically required to cause pulmonary anthrax." Jane's Chem-Bio Handbook (1998)
- Post-Oct. 4: "[T]he assumption of a threshold is untenable. It should be presumed that even one spore can initiate inhalation anthrax. . . ." M. Meselson (Oct. 29, 2001)

- Pre-Oct 4: After exposure to anthrax spores, ciprofloxacin is recommended by experts as the antibiotic of choice. JAMA (May 12, 1999)
- Post-Oct 4: CDC recommends doxycycline over ciprofloxacin--seen as less a problem with antibiotic resistance. NY Times (Oct. 30, 2001)

- Pre-Oct. 4: "[P]ost-exposure prophylaxis" should include "3 doses of vaccine before antibiotics are discontinued." Jane's Chem-Bio Handbook (1998)
- Post-Oct. 4: Reported treatments have not usually mentioned vaccinations.

- Pre-Oct. 4: Nothing in literature about ability of spores to leak through envelopes (paper) or about cross-contamination.
- Post-Oct. 4: "[C]ross-contamination of mail and the special vulnerability of postal workers are 2 of the most unexpected epidemiological findings thus far." JAMA (Nov. 28, 2001)

- Pre-Oct. 4: Decontamination of "a building following an exposure ... would be extremely difficult and is not indicated." JAMA (May 19, 1999)
- Post-Oct. 4: Anthrax in the mail "has spread readily to some 20 postal facilities.... Today, no one talks about leaving it in place. Offices are scrubbed and fumigated before they are deemed safe enough to enter." P. Boffey, NY Times (Dec. 7, 2001)

• "Chest X-ray examination usually shows the characteristic widening of the mediastinum." Textbook of Military Medicine [CBW] (1997)

 Mediastinal widening on chest X-rays was not evident in 4 of 11 inhalation anthrax cases (Oct./Nov. 2001) Emerg. Inf. Dis (2001); JAMA (2002)

- Pre-Oct. 4: Have anthrax cases occurred in the past and been misdiagnosed?
- Post-Oct. 4: Unlikely--The "overwhelming sepsis ... is tough to miss." [A. Fauci] Quite Possibly--Masked by antibiotics dispensed without clear diagnosis [J. Pagano], and decline in number of autopsies. NY Times (Dec. 4, 2001)

Past Army Germ Warfare Tests Included Releasing Simulant Agents from:

- boat off-shore (San Francisco)
- automobiles--fake exhaust pipes (Minneapolis, St. Louis)
- rooftop generators (Minneapolis)
- perforated suitcases (Wash. D.C. terminals)
- low flying airplanes (Midwest states)
- smashed light bulbs (New York subway)
- But Not via Mail

INVESTIGATORS ARE SEEKING INFORMATION

to identify all contacts and locations frequented by Mrs. Ottilie Lundgren (deceased) from

9/13/2001 - 11/21/2001

Anyone who observed, spoke to Mrs. Lundgren, or who has information about her activities during this time period, is requested to call:



AP PHOTO

(203) 777-6311

This number is staffed 8 a.m. to midnight daily by investigators from the Federal Bureau of Investigation, Connecticut State Police, U.S. Postal Service, Centers for Disease Control and/or state Department of Public Health.



- The Most Important Front Line Defender May Be the Emergency Room Physician
- Early Diagnosis and Treatment Are Important but Delayed Treatment May Be Successful
- No Single Early Diagnostic Method Is Foolproof
- Manner of Agent Delivery May Differ from Expectations



