

**Centers for Disease Control and Prevention
Division of STD Prevention**

2008 Performance Measures

CSPS - Medical and Lab Services:

1. Proportion of female admittees to large juvenile detention facilities that were tested for chlamydia.

CSPS - Partner Services:

1. Proportion of P&S syphilis cases interviewed within 7, 14, and 30 calendar days from the date of specimen collection, per P&S syphilis case.
2. Number of contacts prophylactically treated or newly diagnosed and treated within 7, 14 and 30 calendar days from day of interview of index case, per case of P & S syphilis.
3. Number of associates and suspects tested, per case of P&S syphilis.
4. Number of associates and suspects treated for newly diagnosed syphilis, per case of P&S syphilis.

For programs receiving syphilis elimination funding, reporting on the following measure is optional. For programs not receiving syphilis elimination funding, reporting on this measure is required.

5. Proportion of “priority” gonorrhea cases interviewed within 7, 14 and 30 days from the date of specimen collection. Priority population(s) are to be locally determined (e.g., pregnant women, women aged 15-19 years, women of child-bearing age, resistant GC, MSM, etc.)

CSPS - Surveillance and Data Management:

1. Proportion of reported cases of gonorrhea, chlamydia, P&S syphilis, EL syphilis, and congenital syphilis sent to CDC via NETSS that have complete data for age, race, sex, county, and date of specimen collection.
2. Proportion of reported cases of gonorrhea, chlamydia, P&S syphilis, EL syphilis, and congenital syphilis sent to CDC via NETSS within 30 and 60 days from the date of specimen collection.
3. Proportion of reported cases of P&S syphilis and EL syphilis sent to CDC via NETSS where sex of sex partners is known.

Note: Data for these performance measures will be uploaded into the PM database by CDC.

Clinical Services:

1. Among clients of IPP family planning clinics, the proportion of women with positive CT tests that are treated within 14 and 30 days of the date of specimen collection.
2. Among clients of IPP family planning clinics, the proportion of women with positive GC tests that are treated within 14 and 30 days of the date of specimen collection.
3. Among clients of STD clinics, the proportion of women with positive CT tests that are treated within 14 and 30 days of the date of specimen collection.
4. Among clients of STD clinics, the proportion of women with positive GC tests that are treated within 14 and 30 days of the date of specimen collection.

Syphilis Elimination- Enhanced Surveillance

1. Proportion of female admittees entering selected project area adult city and county jails that were tested for syphilis.

A list of required adult city and county jails, by project area, is provided in the 2008 Performance Measures Companion Guidance document.