Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

				Race and	Hispanic origi	n of mother	<u> </u>		
Years of school completed and age of mother, and selected		Race				Hispanic Origin(1)			
birthweight characteristics	Total 	 	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white 	Non-Hispanic black	
All Births									
All ages	3,952,767	3,121,004	636,391	37,740		665,026		619,198	
Median weight in grams	3,360	3,400	3,180	3,400		3,340	3,420	3,170	
Percent very low birthweight	1.3	1.0	3.0	1.1		1.1	1.0	3.0	
Percent low birthweight	7.3	6.1	13.2	6.4	6.8	6.2	6.1	13.3	
Under 15 years	12,901	5 , 978	6,465	211	247	3,147	2,858	6,365	
Median weight in grams	3,140	3,220	3,060	3,240	3,090	3,180	3,250	3,060	
Percent very low birthweight	3.4	2.7	4.2	*	*	2.4	2.8	4.2	
Percent low birthweight	13.7	11.1	16.3	10.0	13.5	10.8	11.1	16.3	
15 years	30,742	17,443	12,297	467	535	7,924	9,625	12,048	
Median weight in grams	3,180	3,240	3,090	3,310	3,100	3,210	3,270	3,090	
Percent very low birthweight	2.5	1.9	3.4	*	*	1.8	2.1	3.4	
Percent low birthweight	11.5	9.4	14.6	6.9	12.1	9.2	9.6	14.7	
16 years	63,125	40,198	20,853	1,046	1,028	15,740	24,509	20,409	
Median weight in grams	3,210	3,260	3,110	3,320	3,130	3,220	3,280	3,110	
Percent very low birthweight	2.1	1.7	2.9	2.0	*	1.4	1.9	2.9	
Percent low birthweight	10.3	8.8	13.3	8.0	10.2	8.6	9.0	13.3	
17 years	101,302	68,747	29,413	1,554	1,588	23,680	45,088	28 , 780	
Median weight in grams	3,230	3,280	3,120	3,330	3,150	3,250	3,290	3,120	
Percent very low birthweight	1.8	1.4	2.8	*		1.2	1.6	2.8	
Percent low birthweight	9.6	8.0	13.3	7.0	8.9	7.5	8.3	13.4	
18 years	137,547	96,605	36,489	2,079	2,374	30,538	65 , 975	35,695	
Median weight in grams	3,250	3,290	3,140	3,370		3,260	3,310	3,140	
Percent very low birthweight	1.6	1.3	2.6	*		1.1	1.3	2.6	
Percent low birthweight	9.1	7.7	13.0	5.4		7.3	7.9	13.1	
19 years	172,772	125,088	41,916	2,559	3,209	37,350	87,534	40,975	
Median weight in grams	3,270	3,310	3,150	3,380	•	3,280	3,320	3,150	
Percent very low birthweight	1.5	1.2	2.6	1.2		1.0	1.3	2.6	
Percent low birthweight	8.6	7.3	12.5	6.0		7.0	7.5	12.6	

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

į	į			Race and	Hispanic origi	n of mother			
Years of school completed and age of mother, and selected]		F	ace	I	Hispanic Origin(1)			
birthweight characteristics	i.				Asian/Pacific		Non-Hispanic	Non-Hispanio	
1	Total	White	Black 	Indian (2)	Islander 	Hispanic	white	black	
20-24 years	1,001,418	764,085	197,841	12,158		205,732	556,019	192,939	
Median weight in grams	3,320	3,360	3,180	3,400	3,220	3,330	3,380	3,180	
Percent very low birthweight	1.3	1.0	2.7	0.9	0.9	0.9	1.0	2.7	
Percent low birthweight	7.3	6.0	12.0	5.7	7.4	5.8	6.1	12.1	
25-29 years	1,088,845	889,581	142,355	9,010		176,031	708 , 577	137,891	
Median weight in grams	3,390	3,430	3,200	3,440	•	3,380	3,440	3,200	
Percent very low birthweight	1.2	0.9	3.0	0.9		1.0	0.9	3.0	
Percent low birthweight	6.4	5.4	12.8	6.0	6.0	5.5	5.4	12.9	
30-34 years	906,498	754 , 871	99,155	5,738	46,734	111,461	637,244	96,016	
Median weight in grams	3,410	3,450	3,200	3,440		3,410	3,460	3,200	
Percent very low birthweight	1.2	1.0	3.4	1.2		1.2	0.9	3.4	
Percent low birthweight	6.7	5.7	14.5	7.0	6.2	6.2	5.6	14.7	
35-39 years	371,608	305,291	42,029	2,435	21,853	44,370	257,984	40,733	
Median weight in grams	3,400	3,440	3,180	3,400		3,410	3,450	3,170	
Percent very low birthweight	1.5	1.2	3.8	1.7		1.6	1.2	3.8	
Percent low birthweight	7.9	6.8	16.4	9.4	7.4	7.5	6.7	16.5	
40-44 years	63,502	51,192	7,339	461	-,	8,686	41,917	7,115	
Median weight in grams	3,380	3,420	3,160	3,390	•	3,390	3,430	3,160	
Percent very low birthweight	1.9	1.6	4.3	*	± • /	1.8	1.5	4.4	
Percent low birthweight	9.3	8.1	18.1	10.7	9.1	8.7	8.0	18.1	
45-49 years	2,507	1,925	239	22		367	1,525	232	
Median weight in grams	3,310	3,340	3,120	3,300	3,290	3,370	3,330	3,120	
Percent very low birthweight	2.7	2.2	*	*	*	*	2.4	*	
Percent low birthweight	12.8	12.1	18.9	*	11.9	8.5	12.8	19.5	
8 years									
All ages	247,285	209,550	22,741	1,702		163,562	46,242	20,676	
Median weight in grams	3,320	3,350	3,130	3,290	3,250	3,360	3,290	3,120	
Percent very low birthweight	1.2	1.1	3.0	1.5		1.0	1.4	3.1	
Percent low birthweight	7.2	6.5	13.9	8.7	6.7	5.8	9.0	14.5	

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

	į			Race and	Hispanic origi	n of mother	?			
Years of school completed and	<u> </u>		R	ace		H	Hispanic Origin(1)			
age of mother, and selected birthweight characteristics	Total	White	Black	Indian	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanio		
l				(2)			I I			
Under 15 years	9,972	4,589	5,043	160	180	2,378	2,230	4,979		
Median weight in grams	3,140	3,220	3,070	3,260	3,070	3,180	3,260	3,070		
Percent very low birthweight	3.4	2.7	4.0	*	*	2.3	2.9	4.1		
Percent low birthweight	13.9	11.2	16.5	*	14.0	10.9	11.3	16.5		
15 years	10,431	6,297	3,854	158	122	3,120	3,212	3,782		
Median weight in grams	3,180	3,230	3,090	3,320	3,020	3,210	3 , 250	3,090		
Percent very low birthweight	2.3	1.9	3.0	*	*	1.7	2.2	3.0		
Percent low birthweight	11.2	9.5	14.1	*	*	9.0	10.0	14.2		
16 years	9,029	6,732	2,054	137	106	3,584	3,128	2,000		
Median weight in grams	3,210	3,230	3,100	3,270	3 , 150	3,230	3,240	3,100		
Percent very low birthweight	1.9	1.6	2.6	*	*	1.4	1.8	2.7		
Percent low birthweight	10.6	9.5	14.3	*	*	8.5	10.6	14.5		
17 years	8,694	7,329	1,152	102	111	4,501	2,832	1,092		
Median weight in grams	3,220	3,240	3,110	3,210	3,160	3,250	3,230	3,110		
Percent very low birthweight	1.4	1.2	3.2	*	*	1.0	1.4	3.4		
Percent low birthweight	8.7	8.0	13.4	*	*	7.1	9.8	13.1		
18 years	9,511	8,445	779	93	194	5 , 858	2,593	710		
Median weight in grams	3,240	3 , 260	3,100	3,220	3,200	3 , 260	3 , 230	3,080		
Percent very low birthweight	1.1	0.9	3.0	*	*	0.8	1.1	3.2		
Percent low birthweight	8.3	7.7	15.0	*	*	6.7	9.7	16.1		
19 years	11,558	10,440	766	99	253	7 , 655	2,755	677		
Median weight in grams	3 , 270	3,280	3,170	3,270	3,120	3,290	3,240	3,150		
Percent very low birthweight	1.1	1.0	*	*	*	1.0	1.2	*		
Percent low birthweight	7.6	7.4	10.3	*	10.3	6.5	9.6	10.9		
20-24 years	67,487	60,973	3,187	403	2,924	47,701	13,389	2,614		
Median weight in grams	3,310	3 , 320	3,160	3,280	3,210	3,340	3,270	3,130		
Percent very low birthweight	0.9	0.8	2.0	*	0.9	0.7	1.2	2.2		
Percent low birthweight	6.2	5.9	11.8	7.2	7.1	5.2	8.5	13.0		
25-29 years	56,049	49,709	2,412	259	3,669	41,927	7,924	1,892		
Median weight in grams	3,370	3 , 390	3,200	3,320	3,260	3,400	3,340	3,150		
Percent very low birthweight	1.0	1.0	2.4	*	0.8	0.9	1.4	2.7		
Percent low birthweight	5.8	5.6	11.7	*	5.2	5.0	8.4	13.5		

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

į	į			Race and	Hispanic origi	n of mother		
Years of school completed and age of mother, and selected	ļ		R	ace		Hispanic Origin(1)		
birthweight characteristics	Total	White	 Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispanio black
30-34 years	39,088	33,942	1,930	175	. , .	28,856	5,085	1,581
Median weight in grams	3,410	3,430	3,220	3,360	•	3,440	3,380	3,190
Percent very low birthweight	1.2	1.1	3.2	*	0.9	1.1	1.4	3.4
Percent low birthweight	6.4	6.0	13.4	*	6.5	5.6	8.3	14.8
35-39 years	19,782	16,702	1,166	90	1,824	14,267	2,412	995
Median weight in grams	3,420	3,450	3,240	3,340	3,290	3,450	3,450	3,230
Percent very low birthweight	1.4	1.3	3.3	*	*	1.4	1.3	2.9
Percent low birthweight	7.3	7.0	13.7	*	6.4	6.8	8.7	13.1
40-44 years	5,291	4,167	371	24	729	3,537	635	329
Median weight in grams	3,410	3,440	3,270	3,430		3,430	3,510	3,250
Percent very low birthweight	1.5	1.3	*	*	*	1.4	*	*
Percent low birthweight	7.7	7.0	13.5	*	8.8	7.1	6.5	14.3
45-49 years	393	225	27	2	139	178	47	25
Median weight in grams	3,390	3,430	3,160	*	3,380	3,400	3,600	3,160
Percent very low birthweight	*	*	*	*	*	*	*	*
Percent low birthweight	7.4	*	*	*	*	*	*	*
11 years								
All ages	644,894	460,295	160,197	10,865	13,537	180,870	280,124	156,394
Median weight in grams	3,250	3,300	3,110	3,360		3,310	3,290	3,110
Percent very low birthweight	1.7	1.3	2.9	1.1		1.1	1.4	3.0
Percent low birthweight	9.7	8.0	15.0	6.8	7.8	6.8	8.8	15.1
Under 15 years	2,530	1,205	1,227	40	58	676	547	1,206
Median weight in grams	3,140	3,230	3,060	3,200		3,210	3,250	3,060
Percent very low birthweight	3.2	2.3	4.2	*	*	*	*	4.2
Percent low birthweight	12.6	10.0	15.2	*	*	9.3	10.3	15.5
15 years	19,411	10,667	8,065	293	386	4,567	6,194	7,913
Median weight in grams	3,190	3,250	3,100	3,310		3,220	3,280	3,090
Percent very low birthweight	2.5	2.0	3.4	3,310	*	1.8	2.0	3.5
Percent low birthweight	11.6	9.4	14.7	6.8	11.3	9.2	9.4	14.9

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

	į			Race and	Hispanic origi	n of mother	?	
Years of school completed and			R	ace		H	Hispanic Origin	(1)
age of mother, and selected birthweight characteristics	Total	White	Black	American Indian	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanio
I	I	I	I	(2)				
16 years	51,389	31,757	17,892	870	870	11,476	20,401	17,578
Median weight in grams	3,210	3,260	3,120	3,330	3,120	3,230	3,290	3,120
Percent very low birthweight	2.1	1.7	2.8	*	*	1.4	1.9	2.8
Percent low birthweight	10.2	8.6	13.1	7.9	10.1	8.4	8.7	13.1
17 years	76,461	50,507	23,568	1,230	1,156	16,033	34,546	23,140
Median weight in grams	3,230	3,280	3,120	3 , 350	3,160	3,250	3,290	3,120
Percent very low birthweight	1.9	1.5	2.8	*	*	1.2	1.6	2.8
Percent low birthweight	9.7	8.2	13.3	7.1	8.2	7.8	8.4	13.3
18 years	66,755	46,448	18,234	1,138	935	14,967	31,467	17,869
Median weight in grams	3,230	3 , 270	3,130	3,370	3,130	3,260	3,280	3,130
Percent very low birthweight	1.7	1.3	2.6	*	*	1.3	1.4	2.6
Percent low birthweight	9.6	8.3	13.4	5.4	9.7	7.7	8.6	13.4
19 years	55 , 857	40,575	13,581	924	777	13,965	26,607	13,275
Median weight in grams	3,240	3,280	3,130	3,360	3,090	3 , 270	3,280	3,130
Percent very low birthweight	1.5	1.2	2.4	*	*	1.0	1.4	2.5
Percent low birthweight	9.3	8.0	13.2	6.7	11.3	6.7	8.7	13.3
20-24 years	197,468	148,713	42,134	3,165	3,456	58,739	90,027	41,088
Median weight in grams	3,270	3,310	3,140	3,380	3,200	3,320	3,300	3,140
Percent very low birthweight	1.3	1.0	2.5	0.9	0.9	0.9	1.1	2.5
Percent low birthweight	8.6	7.2	13.7	6.0	7.7	5.9	8.0	13.8
25-29 years	100,667	77,325	18,903	1,739	2,700	36,551	40,989	18,243
Median weight in grams	3,290	3,330	3,080	3,380	3,240	3 , 370	3,290	3,080
Percent very low birthweight	1.6	1.2	3.6	*	*	1.0	1.3	3.6
Percent low birthweight	9.5	7.6	18.1	6.3	6.1	5.8	9.1	18.4
30-34 years	52,201	38,071	11,117	1,000	2,013	17,095	21,067	10,761
Median weight in grams	3,260	3,320	3,020	3,380	3,290	3,390	3,270	3,010
Percent very low birthweight	2.0	1.5	4.1	*	*	1.4	1.5	4.2
Percent low birthweight	11.8	9.2	22.1	8.5	6.2	7.3	10.7	22.5
35-39 years	18,756	12,783	4,659	380	934	5,764	7,057	4,532
Median weight in grams	3,250	3,320	3,020	3,280	3,270	3,380	3,270	3,010
Percent very low birthweight	2.7	2.1	4.7	*	*	2.2	2.0	4.8
Percent low birthweight	13.7	10.7	23.0	10.8	8.2	8.8	12.2	23.4

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

		 		Race and	Hispanic origi	n of mother			
Years of school completed and age of mother, and selected		 	R	ace		Hispanic Origin(1)			
birthweight characteristics	Total	 	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispani black	
40-44 years	3,268	2,155	794	81	238	997	1,172	768	
Median weight in grams	3 , 270	3,330	3 , 050	3,440	3 , 270	3 , 360	3,310	3,050	
Percent very low birthweight	2.4	2.1	4.0	*	*	2.1	2.1	4.2	
Percent low birthweight	13.6	11.0	23.2	*	*	9.9	12.1	23.6	
45-49 years	131	89	23	5	14	40	50	21	
Median weight in grams	3 , 290	3,350	3,080	*	*	3 , 290	3,370	3,090	
Percent very low birthweight	*	*	*	*	*	*	*	*	
Percent low birthweight	*	*	*	*	*	*	*	*	
2 years									
All ages	1,364,436	1,052,684	253 , 759	15,013	42,980	189,984	858 , 623	248,102	
Median weight in grams	3,340	3,390	3,180	3,420	3 , 260	3,340	3,400	3,170	
Percent very low birthweight	1.4	1.1	2.9	1.0	1.0	1.1	1.1	2.9	
Percent low birthweight	7.6	6.4	13.1	6.1	6.8	6.3	6.4	13.2	
16 years	1,570	1,032	483	19	36	356	674	463	
Median weight in grams	3,240	3,280	3,120	*	3,230	3,220	3,320	3,120	
Percent very low birthweight	2.4	*	*	*	*	*	*	. *	
Percent low birthweight	10.3	8.5	14.7	*	*	9.6	8.3	14.0	
17 years	14,201	9,625	4,118	183	275	2,621	7,019	4,025	
Median weight in grams	3,250	3,310	3,130	3,320	3,150	3,250	3,330	3,130	
Percent very low birthweight	1.6	1.2	2.6	*	*	0.9	1.3	2.6	
Percent low birthweight	8.7	6.9	12.9	*	10.8	6.3	7.1	13.0	
18 years	55,541	37,960	15,741	745	1,095	8,627	29,349	15,462	
Median weight in grams	3,270	3,320	3,150	3,380	3,170	3,270	3,340	3,150	
Percent very low birthweight	1.6	1.3	2.5	*	*	1.1	1.3	2.5	
Percent low birthweight	8.6	7.1	12.5	4.7	9.3	6.9	7.2	12.5	
19 years	84,844	60,248	21,723	1,243	1,630	12,811	47,387	21,351	
Median weight in grams	3,280	3,330	3,160	3,390	3,200	3,280	3,340	3,160	
Percent very low birthweight	1.6	1.2	2.5	*	*	1.1	1.3	2.6	
Percent low birthweight	8.4	7.1	12.4	5.5	7.6	7.3	7.0	12.4	

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

	į			Race and	Hispanic origi	n of mother	:	
Years of school completed and age of mother, and selected]		F	Hispanic Origin(1)				
birthweight characteristics	Total	White	Black	American Indian	Asian/Pacific Islander	Hispanic	Non-Hispanic	Non-Hispanio
		WILLCE	Black	(2)	ISTANGEL	nispanic	WIII CE	DIACK
20-24 years	450,743	338,271	95,850	5,658		67,125	270,228	93,998
Median weight in grams	3,330	3,370	3,180	3,410	3,230	3,320	3,380	3,180
Percent very low birthweight	1.3	1.0	2.6	1.0	0.9	1.0	1.0	2.6
Percent low birthweight	7.3	6.1	11.8	5.6	7.1	6.1	6.1	11.9
25-29 years	386,327	307 , 889	61,499	3,829	13,110	54,494	252,033	59,944
Median weight in grams	3,370	3,410	3,200	3,450	3,270	3,380	3,420	3,190
Percent very low birthweight	1.2	0.9	2.9	0.8	0.8	1.0	0.9	2.9
Percent low birthweight	6.9	5.8	12.9	5.9	5.9	5.7	5.8	13.0
30-34 years	259,190	209,671	36,918	2,288	10,313	30,877	177,582	35 , 899
Median weight in grams	3,370	3,410	3,170	3,430	3,300	3,390	3,420	3,170
Percent very low birthweight	1.4	1.1	3.5	1.1	0.9	1.3	1.1	3.5
Percent low birthweight	7.9	6.6	15.4	7.0	6.5	6.5	6.6	15.6
35-39 years	96,496	76,235	14,781	881	4,599	11,047	64,713	14,377
Median weight in grams	3 , 350	3,400	3,140	3,410	3,280	3,390	3,400	3,140
Percent very low birthweight	1.7	1.4	3.6	*	1.5	1.7	1.3	3.7
Percent low birthweight	9.4	8.0	17.5	9.6	8.1	7.6	8.0	17.7
40-44 years	14,999	11,372	2,551	162	914	1,955	9,336	2,490
Median weight in grams	3,330	3,380	3,130	3,280	3 , 250	3,350	3,380	3,130
Percent very low birthweight	2.2	1.7	4.5	*	*	2.0	1.6	4.5
Percent low birthweight	11.1	9.3	19.5	14.2	8.8	9.7	9.2	19.7
45-49 years	525	381	95	5	44	71	302	93
Median weight in grams	3,280	3,330	3 , 150	*	3,180	3,340	3,330	3,140
Percent very low birthweight	*	*	*	*	*	*	*	*
Percent low birthweight	11.6	9.2	*	*	*	*	9.6	*
13-15 years								
All ages	845,172	673 , 546	132,460	7,253	31,913	81,089	589,389	129,665
Median weight in grams	3,400	3,440	3,220	3,460	3,270	3,370	3,450	3,220
Percent very low birthweight	1.2	0.9	2.9	1.1	0.9	1.0	0.9	2.9
Percent low birthweight	6.4	5.4	11.8	5.8	6.8	5.9	5.3	11.9

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

	į			Race and	Hispanic origi	n of mother	?			
Years of school completed and age of mother, and selected			R	ace	I	H	Hispanic Origin(1)			
birthweight characteristics	Total	White	Black	Indian	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanio black		
 		I	 	(2)						
17 years	306	226	70	3	7	64	166	66		
Median weight in grams	3,230	3,290	3,090	*	*	3,310	3,280	3,110		
Percent very low birthweight	*	*	*	*	*	*	*	*		
Percent low birthweight	11.1	*	*	*	*	*	*	*		
18 years	3,795	2,499	1,142	54	100	568	1,934	1,123		
Median weight in grams	3,280	3,340	3 , 150	3,500	3,020	3,270	3,360	3,150		
Percent very low birthweight	2.0	1.6	2.7	*	*	*	1.7	2.8		
Percent low birthweight	8.5	6.8	12.0	*	*	7.6	6.5	12.2		
19 years	18,111	12,272	5,132	241	466	2,289	9,985	5,034		
Median weight in grams	3,310	3 , 370	3 , 200	3,450	3,190	3,280	3,390	3,190		
Percent very low birthweight	1.5	1.0	2.8	*	*	*	1.0	2.8		
Percent low birthweight	7.6	6.0	11.3	*	9.0	7.1	5.7	11.4		
20-24 years	223,962	168,387	46,440	2,421	6,714	25,144	142,676	45,581		
Median weight in grams	3,360	3,410	3,210	3,450	3,220	3,340	3,420	3,210		
Percent very low birthweight	1.2	0.8	2.7	*	0.9	0.9	0.8	2.7		
Percent low birthweight	6.4	5.2	10.8	5.0	7.4	5.6	5.1	10.9		
25-29 years	280,173	228,103	39,077	2,279	10,714	27,146	199,897	38,190		
Median weight in grams	3,410	3 , 450	3,240	3,470	3 , 270	3,380	3,460	3,240		
Percent very low birthweight	1.1	0.8	2.7	0.9	0.8	1.0	0.8	2.7		
Percent low birthweight	5.9	5.0	11.0	5.5	6.3	5.7	4.9	11.1		
30-34 years	219,421	181,143	27 , 755	1,455	9,068	18,262	161,933	27 , 099		
Median weight in grams	3,430	3 , 470	3,240	3 , 490	3 , 290	3,410	3,480	3,240		
Percent very low birthweight	1.1	0.9	3.0	1.4	0.7	1.0	0.9	3.0		
Percent low birthweight	6.3	5.3	12.6	6.2	6.2	5.6	5.3	12.7		
35-39 years	85,542	69 , 722	11,033	682	4,105	6,534	62 , 772	10,788		
Median weight in grams	3,400	3,440	3,200	3,420	3,290	3 , 390	3,450	3,190		
Percent very low birthweight	1.5	1.1	3.8	*	1.3	1.5	1.1	3.8		
Percent low birthweight	7.9	6.7	15.8	8.7	7.6	7.5	6.6	15.9		
40-44 years	13,428	10,826	1,768	114	720	1,046	9,698	1,741		
Median weight in grams	3,390	3,430	3,160	3,410	3,250	3,390	3,440	3,160		
Percent very low birthweight	1.9	1.6	4.1	*	*	2.1	1.5	4.1		
Percent low birthweight	9.5	8.0	17.3	*	12.2	9.2	7.9	17.1		

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

				Race and	Hispanic origi	n of mother	:	
Years of school completed and age of mother, and selected			R	lace	I	H	Hispanic Origin	1(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispanic black
45-49 years	434 3,320 * 13.2	368 3,330 * 12.3	43 3,170 *	4 **	19	36 3,420 *	328 3,320 *	43 3,170 *
16 years and over	13.2	12.3					12.2	
All ages Median weight in grams Percent very low birthweight Percent low birthweight	793,827 3,450 1.0 5.4	685,328 3,480 0.8 4.9	54,312 3,270 2.8 10.7	2,092 3,450 * 5.9		37,751 3,390 1.0 5.7	641,322 3,490 0.8 4.8	53,084 3,270 2.9 10.8
20-24 years	48,078 3,390 1.1 5.8	38,509 3,430 0.8 4.8	6,834 3,230 2.6 11.3	272 3,390 *		3,420 3,340 * 4.6	34,877 3,440 0.9 4.8	6,705 3,230 2.6 11.3
25-29 years	250,713 3,440 0.9 5.0	216,033 3,470 0.7 4.5	17,424 3,270 2.6 9.6	725 3,410 * 6.5	16,531 3,250 0.6 6.1	12,881 3,380 0.7 5.1	201,519 3,480 0.7 4.4	16,993 3,270 2.6 9.7
30-34 years	323,809 3,460 0.9 5.1	282,651 3,490 0.8 4.7	19,125 3,290 2.8 10.6	685 3,480 * 5.4	21,348 3,280 0.8 6.0	14,500 3,400 1.1 5.6	265,397 3,500 0.8 4.6	18,684 3,290 2.8 10.7
35-39 years	145,132 3,450 1.2 6.2	125,616 3,480 1.0 5.7	9,274 3,270 3.2 11.8	336 3,510 * 7.1	.,	5,955 3,390 1.2 7.1	118,277 3,490 1.0 5.6	9,082 3,270 3.3 11.9
40-44 years	25,168 3,410 1.7 7.8	21,720 3,450 1.5 7.2	1,612 3,220 4.3 14.7	71 3,570 *	1,765 3,260 1.7 8.5	962 3,340 2.1 10.4	20,494 3,450 1.4 7.1	1,577 3,220 4.3 14.3

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

į	į			Race and	Hispanic origi	n of mother				
Years of school completed and age of mother, and selected	<u> </u>		R	ace	I	Hispanic Origin(1)				
birthweight characteristics	Total	White	Black	American Indian	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanio		
i	i		İ	(2)	İ	11.				
45-49 years	927	799	43	3	82	33	758	43		
Median weight in grams	3,290	3,330	3,020	*	3,090	3 , 520	3,330	3,020		
Percent very low birthweight	3.1	2.6	*	*	*	*	2.6	*		
Percent low birthweight	15.8	14.9	*	*	*	*	14.9	*		
t stated										
All ages	57 , 153	39,601	12,922	815	3,815	11,770	23,155	11,277		
Median weight in grams	3,290	3,340	3,120	3,340	3,240	3,300	3 , 370	3,100		
Percent very low birthweight	3.3	2.4	6.6	*	1.6	2.0	2.4	7.0		
Percent low birthweight	10.7	8.6	18.0	9.7	8.1	8.5	8.4	18.6		
Under 15 years	399	184	195	11	9	93	81	180		
Median weight in grams	3,040	3,100	2,950	*	*	2,950	3,180	2,960		
Percent very low birthweight	6.6	*	*	*	*	*	*	*		
Percent low birthweight	16.7	15.8	18.1	*	*	*	*	17.9		
15 years	900	479	378	16	27	237	219	353		
Median weight in grams	3,170	3,260	3,080	*	2,890	3,200	3,320	3,070		
Percent very low birthweight	4.1	*	6.1	*	*	*	*	5.7		
Percent low birthweight	12.3	8.8	16.5	*	*	10.2	*	16.1		
16 years	1,137	677	424	20	16	324	306	368		
Median weight in grams	3,160	3,210	3,080	3,190	*	3 , 150	3,240	3,040		
Percent very low birthweight	4.4	3.1	6.6	*	*	*	*	6.8		
Percent low birthweight	13.8	11.6	17.5	*	*	12.3	10.9	18.5		
17 years	1,640	1,060	505	36	39	461	525	457		
Median weight in grams	3,190	3,220	3,110	3,350	3,130	3,210	3,260	3,100		
Percent very low birthweight	3.4	2.7	5.4	*	*	*	*	5.9		
Percent low birthweight	13.7	11.6	18.5	*	*	10.0	12.8	19.5		
18 years	1,945	1,253	593	49	50	518	632	531		
Median weight in grams	3,220	3,270	3,130	3,360	3,160	3 , 250	3,290	3,120		
Percent very low birthweight	3.1	2.2	5.1	*	*	*	3.2	5.3		
Percent low birthweight	10.6	9.0	14.4	*	*	7.0	10.8	15.0		

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: United States, 1994

	ļ			Race and	Hispanic origi	n of mother		
Years of school completed and age of mother, and selected			Ra	ace	Hispanic Origin(1)			
birthweight characteristics	į.			American	Asian/Pacific		Non-Hispanic 1	Non-Hispani
1	Total	White	Black	Indian (2)	Islander 	Hispanic	white	black
19 years	2,402	1,553	714	52	83	630	800	638
Median weight in grams	3,220	3,260	3,110	3,290		3,220	3,300	3,110
Percent very low birthweight	3.3	2.6	5.1	3,230	J, ZIU	3,220	3,300	5.1
Percent low birthweight	11.7	9.9	16.1	*	*	11.6	8.7	16.4
20-24 years	13,680	9,232	3,396	239	813	3,603	4,822	2,953
Median weight in grams	3,260	3,310	3,140	3,330	3,190	3,290	3,330	3,130
Percent very low birthweight	3.2	2.0	6.8	*	*	1.7	2.0	7.4
Percent low birthweight	9.9	8.0	15.5	9.7	8.8	7.2	8.3	15.9
25-29 years	14,916	10,522	3,040	179	,	3,032	6,215	2,629
Median weight in grams	3,310	3,360	3,120	3,400	3 , 250	3 , 330	3,390	3,100
Percent very low birthweight	3.1	2.2	6.7	*	*	1.9	2.3	7.2
Percent low birthweight	10.1	7.9	18.9	*	6.6	7.9	7.4	19.6
30-34 years	12,789	9,393	2,310	135		1,871	6,180	1,992
Median weight in grams	3,340	3,400	3,100	3,400	•	3,360	3,420	3,080
Percent very low birthweight	3.3	2.4	7.5	*		2.0	2.3	8.2
Percent low birthweight	10.4	8.3	20.2	*	7.3	8.5	7.7	21.0
35-39 years	5,900	4,233	1,116	66		803	2,753	959
Median weight in grams	3,330	3,400	3,120	3,280	•	3,360	3,410	3,100
Percent very low birthweight	3.1	2.6	6.0	*	*	*	2.8	6.6
Percent low birthweight	11.4	9.1	21.4	*	8.7	9.8	9.2	22.8
40-44 years	1,348	952	243	9		189	582	210
Median weight in grams	3 , 290	3,340	3 , 070	*	3,300	3 , 380	3 , 350	3,040
Percent very low birthweight	4.1	3.8	*	*		*	4.1	7
Percent low birthweight	14.1	12.8	21.6	*	*	11.6	13.7	23.4
45-49 years	97	63	8	3		9	40	7
Median weight in grams	3,210	3,200	*	*	3,340	*	3,190	,
Percent very low birthweight	*	*	*	*	*	*	*	*
Percent low birthweight	*	*	*	*	*	*	*	:

⁻ Quantity zero.

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁽¹⁾ Data not shown for non-Hispanic births of other races and births with origin not stated.

⁽²⁾ Includes Aleuts and Eskimos.