

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1998

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of 196 cities of 100,000 or more								
Number								
Low birthweight	102,477	54,262	41,778	576	5,861	24,511	30,046	40,832
Care beginning in first trimester	915,444	635,920	213,464	5,385	60,675	263,323	374,689	206,605
Late or no care	58,679	32,805	22,209	623	3,042	21,164	11,969	21,484
Percent								
Low birthweight	8.5	6.7	13.4	7.1	7.5	6.7	6.8	13.6
Care beginning in first trimester	79.5	82.0	72.6	70.0	81.4	75.0	87.5	72.6
Late or no care	5.1	4.2	7.6	8.1	4.1	6.0	2.8	7.6
Abilene, Texas								
Number								
Low birthweight	145	115	24	-	6	33	82	24
Care beginning in first trimester	1,418	1,266	116	1	35	301	965	114
Late or no care	74	63	9	-	2	34	29	9
Percent								
Low birthweight	7.9	7.1	14.0	*	*	7.1	7.1	14.3
Care beginning in first trimester	77.0	78.0	67.4	*	83.3	64.7	83.2	67.5
Late or no care	4.0	3.9	*	*	*	7.3	2.5	*

Akron, Ohio

Number								
Low birthweight	361	203	149	1	8	7	196	148
Care beginning in first trimester	3,127	2,201	857	6	63	35	2,170	852
Late or no care	107	53	46	-	8	3	50	46
Percent								
Low birthweight	9.8	8.1	13.3	*	*	*	8.0	13.3
Care beginning in first trimester	84.4	88.0	76.6	*	76.8	77.8	88.3	76.5
Late or no care	2.9	2.1	4.1	*	*	*	2.0	4.1

Albany, New York

Number								
Low birthweight	116	43	73	-	-	7	13	71
Care beginning in first trimester	1,063	595	428	3	37	74	243	415
Late or no care	73	20	51	-	2	6	9	47
Percent								
Low birthweight	8.6	6.1	12.2	*	*	*	*	12.4
Care beginning in first trimester	79.2	85.2	72.1	*	80.4	74.0	85.0	72.7
Late or no care	5.4	2.9	8.6	*	*	*	*	8.2

Albuquerque, New Mexico

Number								
Low birthweight	611	532	27	40	12	302	239	24
Care beginning in first trimester	4,859	4,380	115	241	123	2,381	2,034	106
Late or no care	613	536	26	40	11	366	174	26
Percent								
Low birthweight	8.0	7.8	12.3	10.2	*	7.6	8.2	12.1
Care beginning in first trimester	67.8	68.1	55.3	66.0	72.8	63.9	73.8	56.1
Late or no care	8.6	8.3	12.5	11.0	*	9.8	6.3	13.8

Alexandria city, Virginia

Number

Low birthweight	179	87	86	1	5	21	67	84
Care beginning in first trimester	1,667	1,104	457	2	104	252	855	451
Late or no care	136	50	76	-	10	25	25	76

Percent

Low birthweight	8.0	6.3	12.1	*	*	5.4	6.8	11.9
Care beginning in first trimester	77.0	82.6	66.8	*	72.7	66.8	88.7	66.6
Late or no care	6.3	3.7	11.1	*	*	6.6	2.6	11.2

Allentown, Pennsylvania

Number

Low birthweight	173	141	26	-	6	65	79	22
Care beginning in first trimester	1,275	1,120	107	8	40	375	756	85
Late or no care	73	57	15	-	1	27	31	13

Percent

Low birthweight	9.9	9.4	14.4	*	*	11.4	8.4	15.1
Care beginning in first trimester	79.9	81.0	71.3	*	76.9	73.2	85.5	69.7
Late or no care	4.6	4.1	*	*	*	5.3	3.5	*

Amarillo, Texas

Number

Low birthweight	281	242	35	1	3	70	169	35
Care beginning in first trimester	2,307	2,125	124	9	49	637	1,482	123
Late or no care	109	91	17	1	-	51	40	17

Percent

Low birthweight	9.6	9.0	18.4	*	*	7.6	9.7	18.6
Care beginning in first trimester	78.5	79.4	64.9	*	83.1	69.4	84.7	65.1
Late or no care	3.7	3.4	*	*	*	5.6	2.3	*

Anaheim, California

Number

Low birthweight	377	319	17	1	40	232	88	16
Care beginning in first trimester	5,387	4,686	124	6	571	3,316	1,376	123
Late or no care	241	222	7	-	12	180	44	5

Percent

Low birthweight	5.6	5.4	*	*	5.8	5.3	5.5	*
Care beginning in first trimester	79.9	79.5	83.2	*	83.6	76.8	86.4	86.0
Late or no care	3.6	3.8	*	*	*	4.2	2.8	*

Anchorage, coext. with Anchorage city, Alaska

Number

Low birthweight	276	198	28	34	16	23	180	28
Care beginning in first trimester	3,640	2,732	226	459	223	322	2,485	219
Late or no care	94	60	3	18	13	9	54	2

Percent

Low birthweight	6.6	6.4	11.2	6.1	*	5.8	6.5	11.6
Care beginning in first trimester	87.8	89.3	91.5	83.0	77.7	82.8	89.9	92.4
Late or no care	2.3	2.0	*	*	*	*	2.0	*

Ann Arbor, Michigan

Number

Low birthweight	97	66	17	2	12	3	62	17
Care beginning in first trimester	1,204	922	101	11	170	45	838	100
Late or no care	21	11	7	-	3	1	10	7

Percent

Low birthweight	7.1	6.5	*	*	*	*	6.8	*
Care beginning in first trimester	92.8	94.4	80.2	*	92.9	91.8	94.5	80.0
Late or no care	1.6	*	*	*	*	*	*	*

Arlington, Texas

Number

Low birthweight	422	294	97	1	30	96	198	96
Care beginning in first trimester	4,358	3,436	601	15	306	893	2,543	594
Late or no care	347	270	54	4	19	164	106	54

Percent

Low birthweight	7.5	6.6	12.0	*	7.7	6.8	6.5	12.0
Care beginning in first trimester	77.9	78.1	75.6	*	81.8	64.2	84.5	75.6
Late or no care	6.2	6.1	6.8	*	*	11.8	3.5	6.9

Arlington, Virginia

Number									
Low birthweight	170	127	26	-	17	53	74	26	
Care beginning in first trimester	2,143	1,707	226	3	207	480	1,221	221	
Late or no care	150	109	30	-	11	67	42	29	
Percent									
Low birthweight	6.3	6.0	8.0	*	*	7.2	5.4	8.2	
Care beginning in first trimester	80.6	82.4	70.8	*	77.8	66.2	91.1	71.1	
Late or no care	5.6	5.3	9.4	*	*	9.2	3.1	9.3	

Atlanta, Georgia

Number									
Low birthweight	996	166	815	1	14	65	98	812	
Care beginning in first trimester	6,958	2,618	4,133	11	196	782	1,799	4,106	
Late or no care	352	78	271	-	3	55	19	268	
Percent									
Low birthweight	11.4	5.5	14.8	*	*	6.2	5.1	14.9	
Care beginning in first trimester	82.4	89.8	77.9	*	92.0	78.6	96.1	77.9	
Late or no care	4.2	2.7	5.1	*	*	5.5	*	5.1	

Aurora, Colorado

Number									
Low birthweight	447	315	96	8	28	90	231	95	
Care beginning in first trimester	3,828	3,065	551	35	177	697	2,403	532	
Late or no care	212	159	32	8	13	103	58	31	
Percent									
Low birthweight	9.4	8.4	13.5	*	12.2	8.2	8.5	13.8	
Care beginning in first trimester	83.5	84.8	78.8	72.9	79.0	68.9	90.8	78.8	
Late or no care	4.6	4.4	4.6	*	*	10.2	2.2	4.6	

Austin, Texas

Number									
Low birthweight	818	617	158	4	39	305	313	155	
Care beginning in first trimester	9,081	7,565	1,014	17	485	3,402	4,165	996	
Late or no care	490	395	79	1	15	325	70	78	
Percent									
Low birthweight	7.3	6.6	11.8	*	7.1	6.4	6.8	11.8	
Care beginning in first trimester	81.4	81.7	75.8	*	89.8	72.1	91.7	75.9	
Late or no care	4.4	4.3	5.9	*	*	6.9	1.5	5.9	

Bakersfield, California

Number									
Low birthweight	469	383	63	5	18	207	173	63	
Care beginning in first trimester	5,462	4,787	449	58	168	2,404	2,364	444	
Late or no care	202	177	19	2	4	105	72	19	
Percent									
Low birthweight	6.6	6.2	10.6	*	*	6.3	6.0	10.7	
Care beginning in first trimester	81.3	81.4	78.5	86.6	83.6	78.5	84.6	78.3	
Late or no care	3.0	3.0	*	*	*	3.4	2.6	*	

Baltimore city, Maryland

Number									
Low birthweight	1,392	201	1,178	1	12	7	191	1,172	
Care beginning in first trimester	7,022	2,052	4,858	15	97	67	1,980	4,832	
Late or no care	526	80	437	2	7	4	75	434	
Percent									
Low birthweight	14.2	8.1	16.4	*	*	*	8.1	16.5	
Care beginning in first trimester	78.1	87.0	74.9	*	80.8	77.0	87.4	74.9	
Late or no care	5.9	3.4	6.7	*	*	*	3.3	6.7	

Baton Rouge, Louisiana

Number									
Low birthweight	541	110	423	-	8	5	105	423	

Care beginning in first trimester	3,926	1,891	1,908	2	125	58	1,834	1,908
Late or no care	196	23	171	-	2	2	22	170

Percent

Low birthweight	10.8	5.3	15.3	*	*	*	5.2	15.3
Care beginning in first trimester	78.7	91.2	68.7	*	91.9	79.5	91.6	68.8
Late or no care	3.9	1.1	6.2	*	*	*	1.1	6.1

Beaumont, Texas

Number

Low birthweight	163	42	118	-	3	11	31	118
Care beginning in first trimester	1,547	786	706	2	53	154	634	704
Late or no care	61	20	39	-	2	10	10	39

Percent

Low birthweight	9.0	4.7	13.6	*	*	*	4.5	13.7
Care beginning in first trimester	85.0	88.7	81.3	*	84.1	80.2	91.1	81.4
Late or no care	3.4	2.3	4.5	*	*	*	*	4.5

Berkeley, California

Number

Low birthweight	83	46	22	-	15	6	33	17
Care beginning in first trimester	951	630	186	5	130	129	418	124
Late or no care	15	6	8	-	1	1	5	8

Percent

Low birthweight	8.1	6.9	10.2	*	*	*	7.4	*
Care beginning in first trimester	93.7	95.3	86.9	*	96.3	97.0	94.6	84.4
Late or no care	*	*	*	*	*	*	*	*

Birmingham, Alabama

Number

Low birthweight	538	88	447	1	2	6	83	447
Care beginning in first trimester	3,499	994	2,479	2	24	60	935	2,478
Late or no care	199	47	151	-	1	10	37	151

Percent

Low birthweight	12.1	7.6	13.7	*	*	*	7.8	13.7
Care beginning in first trimester	79.0	86.7	76.2	*	92.3	71.4	87.8	76.2
Late or no care	4.5	4.1	4.6	*	*	*	3.5	4.6

Boise City, Idaho

Number

Low birthweight	170	165	-	2	3	16	143	-
Care beginning in first trimester	2,404	2,312	19	21	52	121	2,096	18
Late or no care	101	93	1	3	4	15	74	1

Percent

Low birthweight	5.7	5.8	*	*	*	*	5.6	*
Care beginning in first trimester	81.3	81.8	*	56.8	77.6	62.4	83.1	*
Late or no care	3.4	3.3	*	*	*	*	2.9	*

Boston, Massachusetts

Number

Low birthweight	693	296	358	-	39	143	187	323
Care beginning in first trimester	6,780	3,661	2,664	12	443	1,493	2,594	2,236
Late or no care	269	105	146	1	17	59	53	138

Percent

Low birthweight	8.8	7.2	11.2	*	7.4	8.1	6.6	11.9
Care beginning in first trimester	86.4	88.9	83.7	*	83.9	85.1	91.9	82.2
Late or no care	3.4	2.6	4.6	*	*	3.4	1.9	5.1

Bridgeport, Connecticut

Number

Low birthweight	217	114	97	-	6	80	34	95
Care beginning in first trimester	1,538	943	511	7	77	600	343	499
Late or no care	70	38	28	-	4	27	11	28

Percent

Low birthweight	9.5	8.5	11.9	*	*	9.0	7.3	11.8
Care beginning in first trimester	79.0	81.7	74.3	*	80.2	79.7	85.5	73.9
Late or no care	3.6	3.3	4.1	*	*	3.6	*	4.1

Bronx borough, Bronx county, New York

Number

Low birthweight	2,254	1,059	1,134	1	60	1,077	134	968
Care beginning in first trimester	12,788	6,831	5,507	11	439	6,776	1,327	4,194
Late or no care	1,290	609	640	-	41	663	82	499

Percent

Low birthweight	9.9	8.8	11.3	*	8.4	8.9	6.9	12.3
Care beginning in first trimester	69.4	70.8	67.6	*	70.7	69.2	76.4	67.4
Late or no care	7.0	6.3	7.9	*	6.6	6.8	4.7	8.0

Brooklyn borough, Kings county, New York

Number

Low birthweight	3,553	1,467	1,875	-	211	778	752	1,766
Care beginning in first trimester	22,853	12,217	8,734	3	1,899	5,913	6,765	8,098
Late or no care	2,588	1,060	1,166	2	360	612	496	1,081

Percent

Low birthweight	8.9	7.0	11.8	*	7.0	8.4	6.0	12.0
Care beginning in first trimester	72.3	74.7	69.5	*	70.5	73.4	75.6	69.6
Late or no care	8.2	6.5	9.3	*	13.4	7.6	5.5	9.3

Buffalo, New York

Number

Low birthweight	475	192	275	-	8	38	119	266
Care beginning in first trimester	3,275	1,982	1,221	16	56	274	1,281	1,179
Late or no care	329	126	194	3	6	33	80	186

Percent

Low birthweight	10.1	7.6	13.3	*	*	9.6	7.4	13.4
Care beginning in first trimester	74.4	81.8	65.1	*	74.7	77.4	82.2	65.3
Late or no care	7.5	5.2	10.3	*	*	9.3	5.1	10.3

Cedar Rapids, Iowa

Number								
Low birthweight	104	95	7	-	2	8	87	7
Care beginning in first trimester	1,564	1,465	54	5	40	42	1,420	54
Late or no care	28	24	4	-	-	2	22	4
Percent								
Low birthweight	5.9	5.8	*	*	*	*	5.5	*
Care beginning in first trimester	89.0	89.7	79.4	*	83.3	76.4	90.0	79.4
Late or no care	1.6	1.5	*	*	*	*	1.4	*

Charlotte, North Carolina

Number								
Low birthweight	884	374	470	3	37	46	328	470
Care beginning in first trimester	8,259	5,162	2,697	19	381	621	4,546	2,689
Late or no care	231	87	139	1	4	27	60	138
Percent								
Low birthweight	9.5	6.7	14.5	*	8.7	5.9	6.8	14.5
Care beginning in first trimester	88.9	92.4	82.9	*	89.6	80.2	94.4	82.9
Late or no care	2.5	1.6	4.3	*	*	3.5	1.2	4.3

Chattanooga, Tennessee

Number								
Low birthweight	263	108	146	-	9	4	104	146
Care beginning in first trimester	1,858	1,150	665	1	42	34	1,117	664
Late or no care	112	45	65	-	2	7	38	65
Percent								
Low birthweight	11.1	8.0	15.1	*	*	*	8.0	15.1
Care beginning in first trimester	79.3	85.9	69.7	*	84.0	64.2	86.9	69.7
Late or no care	4.8	3.4	6.8	*	*	*	3.0	6.8

Chesapeake city, Virginia

Number								
Low birthweight	250	152	89	1	8	3	150	89

Care beginning in first trimester	2,438	1,728	643	2	65	37	1,696	641
Late or no care	79	33	43	2	1	3	31	43

Percent

Low birthweight	8.9	8.1	10.5	*	*	*	8.1	10.5
Care beginning in first trimester	86.5	91.6	75.7	*	87.8	84.1	91.7	75.8
Late or no care	2.8	1.7	5.1	*	*	*	1.7	5.1

Chicago, Illinois

Number

Low birthweight	5,353	1,915	3,245	8	185	1,197	729	3,232
Care beginning in first trimester	37,940	21,892	14,469	48	1,531	12,835	9,126	14,389
Late or no care	3,190	1,212	1,876	7	95	894	323	1,869

Percent

Low birthweight	10.4	6.8	15.2	*	9.4	6.8	6.9	15.2
Care beginning in first trimester	75.6	80.1	69.0	64.0	82.6	75.0	88.6	69.0
Late or no care	6.4	4.4	8.9	*	5.1	5.2	3.1	9.0

Chula Vista, California

Number

Low birthweight	188	137	19	1	31	98	39	19
Care beginning in first trimester	2,645	2,218	123	10	294	1,700	539	116
Late or no care	129	115	5	1	8	102	13	5

Percent

Low birthweight	5.9	5.1	*	*	9.5	4.6	6.4	*
Care beginning in first trimester	83.4	82.6	83.1	*	90.7	80.6	89.7	83.5
Late or no care	4.1	4.3	*	*	*	4.8	*	*

Cincinnati, Ohio

Number

Low birthweight	618	194	417	-	7	10	187	414
Care beginning in first trimester	4,812	2,456	2,234	4	118	49	2,413	2,229
Late or no care	341	71	264	-	6	6	67	262

Percent								
Low birthweight	10.7	7.2	14.3	*	*	*	7.1	14.3
Care beginning in first trimester	83.6	90.7	76.6	*	91.5	75.4	91.0	76.6
Late or no care	5.9	2.6	9.1	*	*	*	2.5	9.0
Cleveland, Ohio								
Number								
Low birthweight	1,005	308	682	2	13	56	255	645
Care beginning in first trimester	6,509	3,029	3,375	11	94	495	2,541	3,171
Late or no care	886	187	690	1	8	26	157	622
Percent								
Low birthweight	11.2	8.1	13.6	*	*	8.6	8.1	13.7
Care beginning in first trimester	74.2	80.0	69.6	*	75.2	76.4	80.9	69.8
Late or no care	10.1	4.9	14.2	*	*	4.0	5.0	13.7
Colorado Springs, Colorado								
Number								
Low birthweight	586	482	78	5	21	86	401	74
Care beginning in first trimester	5,244	4,557	471	51	165	712	3,878	459
Late or no care	271	211	47	5	8	58	157	43
Percent								
Low birthweight	9.2	8.8	12.1	*	10.4	9.1	8.8	12.0
Care beginning in first trimester	82.1	83.2	73.4	76.1	82.1	75.0	84.8	74.5
Late or no care	4.2	3.9	7.3	*	*	6.1	3.4	7.0
Columbus, Georgia								
Number								
Low birthweight	258	69	185	1	3	3	66	185
Care beginning in first trimester	1,872	901	939	5	27	60	844	935
Late or no care	138	36	100	-	2	4	32	100
Percent								
Low birthweight	9.8	6.0	12.9	*	*	*	6.1	13.0
Care beginning in first trimester	74.0	79.9	69.0	*	79.4	80.0	79.8	69.0
Late or no care	5.5	3.2	7.3	*	*	*	3.0	7.4

Columbus, Ohio

Number

Low birthweight	972	541	400	1	30	18	523	398
Care beginning in first trimester	8,922	6,315	2,242	26	339	212	6,110	2,218
Late or no care	1,291	686	554	5	46	43	635	539

Percent

Low birthweight	8.6	7.1	12.3	*	7.1	*	7.2	12.4
Care beginning in first trimester	80.2	84.3	70.3	76.5	81.9	69.5	85.0	70.4
Late or no care	11.6	9.2	17.4	*	11.1	14.1	8.8	17.1

Concord, California

Number

Low birthweight	96	79	9	-	8	33	44	9
Care beginning in first trimester	1,458	1,229	53	7	169	418	808	51
Late or no care	78	67	8	-	3	41	26	7

Percent

Low birthweight	5.4	5.3	*	*	*	5.8	4.8	*
Care beginning in first trimester	84.5	84.4	72.6	*	90.4	75.6	89.5	73.9
Late or no care	4.5	4.6	*	*	*	7.4	2.9	*

Corpus Christi, Texas

Number

Low birthweight	361	328	26	3	4	240	92	24
Care beginning in first trimester	3,822	3,602	151	14	55	2,389	1,224	144
Late or no care	169	155	11	2	1	121	35	10

Percent

Low birthweight	7.8	7.5	13.1	*	*	8.0	6.7	12.6
Care beginning in first trimester	82.9	83.1	76.3	*	91.7	79.9	89.7	76.2
Late or no care	3.7	3.6	*	*	*	4.0	2.6	*

Dallas, Texas

Number									
Low birthweight	1,961	1,134	761	4	62	788	341	739	
Care beginning in first trimester	18,341	13,542	4,247	29	523	8,806	4,695	4,123	
Late or no care	1,028	677	334	1	16	523	150	322	
Percent									
Low birthweight	8.4	6.7	13.5	*	9.7	6.8	6.4	13.6	
Care beginning in first trimester	81.0	82.0	77.6	70.7	84.4	78.7	89.1	77.8	
Late or no care	4.5	4.1	6.1	*	*	4.7	2.8	6.1	

Dayton, Ohio

Number									
Low birthweight	263	109	154	-	-	4	105	154	
Care beginning in first trimester	2,123	1,188	916	4	15	27	1,166	914	
Late or no care	154	44	109	-	1	2	41	109	
Percent									
Low birthweight	9.5	7.6	11.6	*	*	*	7.5	11.7	
Care beginning in first trimester	76.5	83.1	69.1	*	*	73.0	83.5	69.1	
Late or no care	5.6	3.1	8.2	*	*	*	2.9	8.2	

Denver, coext. with Denver city, Colorado

Number									
Low birthweight	941	727	162	16	36	375	361	155	
Care beginning in first trimester	7,463	6,320	814	90	239	3,011	3,362	791	
Late or no care	642	516	88	21	17	419	104	84	
Percent									
Low birthweight	9.6	8.8	14.8	*	11.1	8.2	9.5	14.6	
Care beginning in first trimester	76.7	77.1	75.1	65.7	75.2	66.7	89.7	75.3	
Late or no care	6.6	6.3	8.1	15.3	*	9.3	2.8	8.0	

Des Moines, Iowa

Number									
Low birthweight	245	194	43	1	7	20	168	39	

Care beginning in first trimester	2,771	2,416	231	10	114	222	2,102	200
Late or no care	124	91	26	2	5	24	68	24
Percent								
Low birthweight	7.2	6.7	13.0	*	*	5.9	6.8	13.4
Care beginning in first trimester	83.3	84.7	73.3	*	79.7	67.9	86.8	72.5
Late or no care	3.7	3.2	8.3	*	*	7.3	2.8	8.7
Detroit, Michigan								
Number								
Low birthweight	2,196	222	1,948	2	24	63	127	1,937
Care beginning in first trimester	10,074	1,692	8,246	6	130	519	1,055	8,191
Late or no care	1,272	174	1,087	2	9	63	76	1,081
Percent								
Low birthweight	13.4	8.5	14.4	*	12.5	6.9	8.8	14.4
Care beginning in first trimester	69.9	73.2	69.2	*	77.4	66.8	79.5	69.1
Late or no care	8.8	7.5	9.1	*	*	8.1	5.7	9.1
District of Columbia								
Number								
Low birthweight	1,003	120	865	2	16	43	75	861
Care beginning in first trimester	4,684	1,501	3,072	8	103	364	1,130	3,058
Late or no care	664	88	565	-	11	43	44	564
Percent								
Low birthweight	13.1	5.9	15.8	*	*	5.9	5.7	15.9
Care beginning in first trimester	72.0	84.8	66.9	*	74.1	69.5	91.0	66.9
Late or no care	10.2	5.0	12.3	*	*	8.2	3.5	12.3
Durham, North Carolina								
Number								
Low birthweight	340	85	247	-	8	22	64	246
Care beginning in first trimester	2,506	1,247	1,157	2	100	264	987	1,153
Late or no care	72	13	58	-	1	4	9	58

Percent								
Low birthweight	11.8	6.2	17.4	*	*	6.7	6.2	17.4
Care beginning in first trimester	87.9	93.8	81.7	*	97.1	88.3	95.5	81.7
Late or no care	2.5	*	4.1	*	*	*	*	4.1
El Monte, California								
Number								
Low birthweight	166	150	1	1	14	144	8	1
Care beginning in first trimester	2,315	2,059	10	5	241	1,988	75	8
Late or no care	72	68	2	-	2	63	5	2
Percent								
Low birthweight	6.1	6.1	*	*	*	6.1	*	*
Care beginning in first trimester	85.2	84.7	*	*	90.9	84.8	81.5	*
Late or no care	2.7	2.8	*	*	*	2.7	*	*
El Paso, Texas								
Number								
Low birthweight	948	886	48	3	11	754	137	43
Care beginning in first trimester	8,311	7,986	228	14	83	6,521	1,473	214
Late or no care	1,588	1,562	21	4	1	1,495	69	19
Percent								
Low birthweight	7.2	7.0	14.9	*	*	6.9	7.3	14.5
Care beginning in first trimester	65.5	65.2	72.8	*	81.4	62.5	80.4	73.8
Late or no care	12.5	12.8	6.7	*	*	14.3	3.8	*
Elizabeth, New Jersey								
Number								
Low birthweight	200	96	96	-	8	88	11	91
Care beginning in first trimester	1,375	980	353	2	40	743	273	313
Late or no care	165	86	76	1	2	72	14	75
Percent								
Low birthweight	9.7	6.8	16.2	*	*	8.0	*	16.9
Care beginning in first trimester	69.6	72.2	62.7	*	75.5	70.3	79.6	60.9
Late or no care	8.4	6.3	13.5	*	*	6.8	*	14.6

Erie, Pennsylvania

Number									
Low birthweight	147	99	48	-	-	11	88	48	
Care beginning in first trimester	1,326	1,105	211	2	8	57	1,044	211	
Late or no care	87	53	32	-	2	10	42	32	
Percent									
Low birthweight	8.5	7.2	14.2	*	*	*	6.9	14.2	
Care beginning in first trimester	78.1	81.3	65.5	*	*	62.6	82.7	65.5	
Late or no care	5.1	3.9	9.9	*	*	*	3.3	9.9	

Escondido, California

Number									
Low birthweight	178	163	4	-	11	106	57	4	
Care beginning in first trimester	2,127	1,973	48	12	94	1,005	976	47	
Late or no care	175	167	1	1	6	134	33	1	
Percent									
Low birthweight	6.4	6.3	*	*	*	7.2	5.1	*	
Care beginning in first trimester	76.9	76.5	81.4	*	81.7	68.1	87.8	82.5	
Late or no care	6.3	6.5	*	*	*	9.1	3.0	*	

Eugene, Oregon

Number									
Low birthweight	97	89	6	1	1	10	79	6	
Care beginning in first trimester	1,344	1,272	15	6	51	87	1,185	15	
Late or no care	86	75	3	1	7	5	70	2	
Percent									
Low birthweight	5.5	5.4	*	*	*	*	5.2	*	
Care beginning in first trimester	76.4	77.2	*	*	73.9	66.4	78.1	*	
Late or no care	4.9	4.6	*	*	*	*	4.6	*	

Evansville, Indiana

Number									
Low birthweight	151	121	28	-	2	-	121	28	
Care beginning in first trimester	1,634	1,420	187	2	25	13	1,408	186	
Late or no care	81	52	27	-	2	2	50	27	
Percent									
Low birthweight	7.6	7.2	10.1	*	*	*	7.3	10.2	
Care beginning in first trimester	82.6	85.0	68.0	*	80.6	*	85.1	67.9	
Late or no care	4.1	3.1	9.8	*	*	*	3.0	9.9	

Fayette, coext. with Lexington-Fayette, Kentucky

Number									
Low birthweight	295	201	88	-	6	6	195	88	
Care beginning in first trimester	3,099	2,556	469	5	69	48	2,510	468	
Late or no care	74	53	21	-	-	7	46	21	
Percent									
Low birthweight	8.3	7.0	14.8	*	*	*	6.9	14.8	
Care beginning in first trimester	89.5	90.9	82.0	*	92.0	65.8	91.6	82.0	
Late or no care	2.1	1.9	3.7	*	*	*	1.7	3.7	

Flint, Michigan

Number									
Low birthweight	327	103	224	-	-	1	101	223	
Care beginning in first trimester	2,288	1,072	1,198	2	16	37	1,031	1,197	
Late or no care	100	30	70	-	-	1	29	70	
Percent									
Low birthweight	11.7	8.2	14.7	*	*	*	8.4	14.7	
Care beginning in first trimester	81.5	84.8	78.6	*	*	78.7	85.1	78.6	
Late or no care	3.6	2.4	4.6	*	*	*	2.4	4.6	

Fort Lauderdale, Florida

Number									
Low birthweight	309	92	216	-	1	19	75	214	

Care beginning in first trimester	2,697	1,397	1,257	4	39	361	1,046	1,248
Late or no care	268	84	183	-	1	34	51	182
Percent								
Low birthweight	8.5	5.4	11.6	*	*	*	6.1	11.5
Care beginning in first trimester	75.2	82.5	68.1	*	84.8	73.8	86.1	68.0
Late or no care	7.5	5.0	9.9	*	*	7.0	4.2	9.9
Fort Wayne, Indiana								
Number								
Low birthweight	370	248	117	-	5	16	230	116
Care beginning in first trimester	2,912	2,388	456	6	62	167	2,211	452
Late or no care	136	76	58	1	1	13	63	56
Percent								
Low birthweight	9.9	8.5	15.7	*	*	*	8.6	15.7
Care beginning in first trimester	79.7	83.9	63.2	*	80.5	72.9	84.9	63.2
Late or no care	3.7	2.7	8.0	*	*	*	2.4	7.8
Fort Worth, Texas								
Number								
Low birthweight	794	496	273	4	21	262	233	272
Care beginning in first trimester	7,351	5,697	1,436	15	203	2,706	2,988	1,434
Late or no care	750	522	201	5	22	365	158	201
Percent								
Low birthweight	8.0	6.6	13.3	*	8.0	6.6	6.6	13.3
Care beginning in first trimester	75.4	76.5	71.2	*	77.8	68.7	85.1	71.5
Late or no care	7.7	7.0	10.0	*	8.4	9.3	4.5	10.0
Fremont, California								
Number								
Low birthweight	185	92	6	2	85	31	61	6
Care beginning in first trimester	2,736	1,417	102	11	1,206	457	955	100
Late or no care	56	28	1	1	26	11	17	-
Percent								

Low birthweight	6.0	5.8	*	*	6.3	5.8	5.8	*
Care beginning in first trimester	89.2	89.6	89.5	*	89.1	86.7	90.9	90.1
Late or no care	1.8	1.8	*	*	1.9	*	*	*

Fresno, California

Number

Low birthweight	639	463	88	7	81	316	151	86
Care beginning in first trimester	7,459	5,929	624	83	823	3,717	2,242	610
Late or no care	274	223	32	6	13	174	49	31

Percent

Low birthweight	7.0	6.4	11.3	*	7.6	6.8	5.9	11.3
Care beginning in first trimester	82.2	82.8	80.7	82.2	79.1	80.3	87.5	80.8
Late or no care	3.0	3.1	4.1	*	*	3.8	1.9	4.1

Fullerton, California

Number

Low birthweight	103	88	2	-	13	43	45	2
Care beginning in first trimester	1,596	1,344	44	5	203	731	620	41
Late or no care	53	41	2	2	8	30	13	1

Percent

Low birthweight	5.5	5.6	*	*	*	4.8	6.6	*
Care beginning in first trimester	85.5	85.3	80.0	*	89.0	81.1	90.5	82.0
Late or no care	2.8	2.6	*	*	*	3.3	*	*

Garden Grove, California

Number

Low birthweight	130	82	3	1	44	58	25	3
Care beginning in first trimester	2,283	1,572	23	6	682	1,073	505	22
Late or no care	71	53	3	1	14	39	14	3

Percent

Low birthweight	4.8	4.4	*	*	5.5	4.5	4.3	*
Care beginning in first trimester	84.4	84.0	79.3	*	86.0	82.6	86.9	81.5
Late or no care	2.6	2.8	*	*	*	3.0	*	*

Garland, Texas

Number									
Low birthweight	264	192	53	1	18	74	118	52	
Care beginning in first trimester	2,883	2,341	331	6	205	942	1,397	324	
Late or no care	142	106	27	1	8	58	48	27	
Percent									
Low birthweight	7.3	6.6	12.1	*	*	5.9	7.2	12.1	
Care beginning in first trimester	81.6	82.3	77.5	*	82.0	77.1	86.3	77.1	
Late or no care	4.0	3.7	6.3	*	*	4.7	3.0	6.4	

Gary, Indiana

Number									
Low birthweight	214	36	176	1	1	10	26	176	
Care beginning in first trimester	1,292	221	1,063	1	7	71	148	1,063	
Late or no care	191	28	163	-	-	12	16	162	
Percent									
Low birthweight	10.7	10.9	10.6	*	*	*	11.9	10.6	
Care beginning in first trimester	65.6	70.8	64.6	*	*	69.6	71.2	64.7	
Late or no care	9.7	9.0	9.9	*	*	*	*	9.9	

Glendale, Arizona

Number									
Low birthweight	325	288	15	4	18	76	214	14	
Care beginning in first trimester	3,607	3,263	171	43	130	889	2,377	166	
Late or no care	201	182	11	3	5	106	74	11	
Percent									
Low birthweight	7.2	7.0	*	*	*	5.8	7.7	*	
Care beginning in first trimester	81.5	81.4	84.7	60.6	89.0	70.3	86.5	84.7	
Late or no care	4.5	4.5	*	*	*	8.4	2.7	*	

Glendale, California

Number									
Low birthweight	148	122	3	-	23	53	69	3	

Care beginning in first trimester	2,052	1,621	25	1	405	669	959	24
Late or no care	44	34	1	-	9	17	17	1
Percent								
Low birthweight	6.3	6.6	*	*	5.1	6.6	6.5	*
Care beginning in first trimester	88.4	88.0	83.3	*	90.2	84.3	91.0	82.8
Late or no care	1.9	1.8	*	*	*	*	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	333	198	123	2	10	35	139	123
Care beginning in first trimester	2,583	2,035	464	10	74	376	1,561	455
Late or no care	209	119	83	2	5	45	61	82
Percent								
Low birthweight	8.5	6.8	13.9	*	*	5.5	6.7	14.1
Care beginning in first trimester	68.9	73.1	55.6	*	67.9	60.5	78.8	55.4
Late or no care	5.6	4.3	9.9	*	*	7.2	3.1	10.0
Greensboro, North Carolina								
Number								
Low birthweight	293	109	174	-	10	10	100	173
Care beginning in first trimester	2,716	1,482	1,111	19	104	146	1,342	1,106
Late or no care	66	22	41	-	3	4	18	41
Percent								
Low birthweight	9.5	6.8	13.0	*	*	*	7.0	13.0
Care beginning in first trimester	87.9	92.5	83.3	*	79.4	81.6	93.7	83.3
Late or no care	2.1	1.4	3.1	*	*	*	*	3.1
Hampton city, Virginia								
Number								
Low birthweight	173	66	100	-	7	2	64	100
Care beginning in first trimester	1,590	875	654	8	53	53	825	652
Late or no care	94	23	63	1	7	2	21	63

Percent									
Low birthweight	8.5	6.4	10.8	*	*	*	6.6	10.8	
Care beginning in first trimester	78.2	85.1	70.6	*	74.6	79.1	85.6	70.6	
Late or no care	4.6	2.2	6.8	*	*	*	2.2	6.8	
Hartford, Connecticut									
Number									
Low birthweight	305	164	138	1	2	141	20	132	
Care beginning in first trimester	1,627	870	736	4	17	740	127	720	
Late or no care	132	92	38	1	1	77	15	37	
Percent									
Low birthweight	13.4	12.4	15.0	*	*	12.5	10.7	14.8	
Care beginning in first trimester	83.2	79.7	87.9	*	*	80.1	77.0	88.3	
Late or no care	6.7	8.4	4.5	*	*	8.3	*	4.5	
Hayward, California									
Number									
Low birthweight	194	109	43	2	40	68	40	42	
Care beginning in first trimester	2,396	1,595	308	19	474	1,092	519	295	
Late or no care	97	72	8	-	17	44	28	8	
Percent									
Low birthweight	6.7	5.6	11.7	*	7.0	5.1	6.5	11.9	
Care beginning in first trimester	84.3	83.9	85.8	*	84.3	83.4	85.4	85.5	
Late or no care	3.4	3.8	*	*	*	3.4	4.6	*	
Hialeah, Florida									
Number									
Low birthweight	144	133	8	-	3	109	27	4	
Care beginning in first trimester	2,261	2,155	89	3	14	1,845	359	43	
Late or no care	31	30	-	-	1	26	4	-	
Percent									
Low birthweight	5.8	5.6	*	*	*	5.4	6.8	*	
Care beginning in first trimester	90.7	90.7	91.8	*	*	91.0	90.0	86.0	
Late or no care	1.2	1.3	*	*	*	1.3	*	*	

Hollywood, Florida

Number

Low birthweight	175	118	55	1	1	36	87	50
Care beginning in first trimester	1,583	1,164	362	24	33	386	798	343
Late or no care	117	60	52	3	2	21	41	51

Percent

Low birthweight	8.8	8.5	10.4	*	*	7.3	9.4	10.0
Care beginning in first trimester	79.7	84.1	69.1	75.0	73.3	79.1	86.4	68.9
Late or no care	5.9	4.3	9.9	*	*	4.3	4.4	10.2

Honolulu, Hawaii

Number

Low birthweight	330	60	19	-	251	31	47	18
Care beginning in first trimester	3,904	995	157	24	2,728	327	861	144
Late or no care	67	9	1	-	57	6	8	1

Percent

Low birthweight	7.2	5.7	*	*	7.5	8.0	5.2	*
Care beginning in first trimester	91.1	95.5	92.9	92.3	89.5	88.6	96.1	92.3
Late or no care	1.6	*	*	*	1.9	*	*	*

Houston, Texas

Number

Low birthweight	3,307	1,953	1,187	1	166	1,342	610	1,182
Care beginning in first trimester	32,169	22,850	7,357	31	1,931	15,400	7,467	7,321
Late or no care	1,636	1,140	453	1	42	943	194	453

Percent

Low birthweight	7.9	6.6	11.9	*	7.5	6.3	7.2	11.9
Care beginning in first trimester	80.4	80.6	77.7	86.1	89.2	76.9	89.6	77.7
Late or no care	4.1	4.0	4.8	*	1.9	4.7	2.3	4.8

Huntington Beach, California

Number								
Low birthweight	143	126	-	-	17	29	97	-
Care beginning in first trimester	2,329	2,063	15	16	235	520	1,552	13
Late or no care	41	36	2	-	3	14	21	2
Percent								
Low birthweight	5.5	5.5	*	*	*	4.6	5.8	*
Care beginning in first trimester	90.2	90.2	*	*	91.1	81.8	93.6	*
Late or no care	1.6	1.6	*	*	*	*	1.3	*

Huntsville, Alabama

Number								
Low birthweight	173	61	108	1	3	1	60	108
Care beginning in first trimester	1,815	1,129	643	5	38	41	1,090	641
Late or no care	63	21	42	-	-	2	19	42
Percent								
Low birthweight	8.0	4.9	12.5	*	*	*	5.0	12.5
Care beginning in first trimester	84.2	91.0	74.2	*	97.4	77.4	91.4	74.2
Late or no care	2.9	1.7	4.8	*	*	*	*	4.9

Independence, Missouri

Number								
Low birthweight	108	99	8	1	-	1	98	8
Care beginning in first trimester	1,336	1,266	35	11	24	49	1,217	33
Late or no care	54	43	3	-	8	-	43	3
Percent								
Low birthweight	6.7	6.6	*	*	*	*	6.8	*
Care beginning in first trimester	84.8	85.9	68.6	*	66.7	81.7	86.1	67.3
Late or no care	3.4	2.9	*	*	*	*	3.0	*

Indianapolis, Indiana

Number								
Low birthweight	1,294	745	534	3	12	33	712	532

Care beginning in first trimester	10,354	7,691	2,448	9	206	324	7,368	2,442
Late or no care	523	255	259	2	7	50	203	259
Percent								
Low birthweight	9.6	7.9	14.3	*	*	5.8	8.0	14.3
Care beginning in first trimester	78.5	82.9	67.1	*	81.4	58.3	84.5	67.1
Late or no care	4.0	2.7	7.1	*	*	9.0	2.3	7.1
Inglewood, California								
Number								
Low birthweight	173	84	85	-	4	76	6	84
Care beginning in first trimester	2,333	1,602	689	4	38	1,568	46	678
Late or no care	95	55	34	-	6	56	-	34
Percent								
Low birthweight	6.1	4.3	10.4	*	*	4.0	*	10.4
Care beginning in first trimester	83.8	83.8	84.4	*	74.5	83.8	86.8	84.3
Late or no care	3.4	2.9	4.2	*	*	3.0	*	4.2
Irvine, California								
Number								
Low birthweight	82	51	4	-	27	5	45	4
Care beginning in first trimester	1,493	1,042	27	3	421	139	903	25
Late or no care	12	8	2	-	2	3	4	2
Percent								
Low birthweight	5.1	4.6	*	*	5.9	*	4.7	*
Care beginning in first trimester	94.3	95.0	81.8	*	93.3	90.3	95.8	83.3
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	267	181	48	-	38	100	82	47
Care beginning in first trimester	2,797	2,200	321	5	271	1,122	1,071	315
Late or no care	146	115	22	1	8	74	41	22

Percent									
Low birthweight	7.6	6.5	11.6	*	11.8	6.7	6.4	11.6	
Care beginning in first trimester	80.8	80.6	78.7	*	85.2	77.2	84.5	78.8	
Late or no care	4.2	4.2	5.4	*	*	5.1	3.2	5.5	
Jackson, Mississippi									
Number									
Low birthweight	445	48	395	-	2	1	47	393	
Care beginning in first trimester	2,425	584	1,810	3	28	10	573	1,808	
Late or no care	155	15	140	-	-	1	14	140	
Percent									
Low birthweight	13.9	7.2	15.9	*	*	*	7.3	15.8	
Care beginning in first trimester	76.3	88.5	72.9	*	84.8	*	89.4	72.9	
Late or no care	4.9	*	5.6	*	*	*	*	5.6	
Jacksonville, Florida									
Number									
Low birthweight	1,130	529	560	5	36	28	502	556	
Care beginning in first trimester	8,935	6,010	2,586	22	317	349	5,666	2,578	
Late or no care	485	156	313	1	15	16	139	313	
Percent									
Low birthweight	9.9	7.5	14.1	*	9.4	6.6	7.6	14.1	
Care beginning in first trimester	83.2	88.9	72.0	75.9	88.1	85.5	89.2	71.9	
Late or no care	4.5	2.3	8.7	*	*	*	2.2	8.7	
Jersey City, New Jersey									
Number									
Low birthweight	448	151	232	-	65	117	54	210	
Care beginning in first trimester	2,694	1,183	979	5	527	827	481	847	
Late or no care	265	84	141	-	40	61	33	131	
Percent									
Low birthweight	11.4	9.2	14.7	*	9.2	9.8	8.6	15.2	
Care beginning in first trimester	71.7	75.2	65.4	*	77.5	71.4	80.8	64.7	
Late or no care	7.1	5.3	9.4	*	5.9	5.3	5.5	10.0	

Kansas City, Kansas

Number

Low birthweight	216	93	111	3	9	18	75	110
Care beginning in first trimester	1,980	1,333	596	10	41	392	936	592
Late or no care	131	69	54	1	7	25	44	53

Percent

Low birthweight	8.4	5.6	13.4	*	*	*	6.6	13.4
Care beginning in first trimester	77.8	81.0	72.6	*	62.1	76.3	83.0	72.6
Late or no care	5.1	4.2	6.6	*	*	4.9	3.9	6.5

Kansas City, Missouri

Number

Low birthweight	698	315	364	3	16	43	272	363
Care beginning in first trimester	5,881	3,752	1,969	23	137	460	3,294	1,960
Late or no care	282	112	156	6	8	26	88	154

Percent

Low birthweight	9.7	7.2	13.9	*	*	7.1	7.3	13.9
Care beginning in first trimester	84.6	88.4	78.7	67.6	80.6	80.8	89.5	78.7
Late or no care	4.1	2.6	6.2	*	*	4.6	2.4	6.2

Knoxville, Tennessee

Number

Low birthweight	274	184	83	-	7	3	181	83
Care beginning in first trimester	2,427	1,992	376	1	58	24	1,970	375
Late or no care	65	39	25	-	1	1	38	25

Percent

Low birthweight	10.0	8.3	17.8	*	*	*	8.3	17.8
Care beginning in first trimester	88.9	90.5	81.0	*	90.6	80.0	90.6	81.0
Late or no care	2.4	1.8	5.4	*	*	*	1.7	5.4

Lakewood, Colorado

Number								
Low birthweight	144	131	3	1	9	22	109	3
Care beginning in first trimester	1,527	1,431	21	14	61	261	1,177	20
Late or no care	52	49	-	2	1	25	24	-
Percent								
Low birthweight	8.2	8.0	*	*	*	6.4	8.4	*
Care beginning in first trimester	87.3	87.8	75.0	*	88.4	76.3	90.8	76.9
Late or no care	3.0	3.0	*	*	*	7.3	1.9	*

Lansing, Michigan

Number								
Low birthweight	196	127	62	2	5	16	106	61
Care beginning in first trimester	2,103	1,537	473	11	82	214	1,235	470
Late or no care	34	20	13	-	1	8	10	13
Percent								
Low birthweight	8.6	7.7	11.6	*	*	*	8.2	11.5
Care beginning in first trimester	94.0	95.1	91.3	*	91.1	91.5	96.6	91.3
Late or no care	1.5	1.2	*	*	*	*	*	*

Laredo, Texas

Number								
Low birthweight	328	328	-	-	-	326	2	-
Care beginning in first trimester	3,527	3,518	3	-	6	3,450	68	3
Late or no care	534	534	-	-	-	531	3	-
Percent								
Low birthweight	6.4	6.4	*	*	*	6.5	*	*
Care beginning in first trimester	68.7	68.7	*	*	*	68.4	86.1	*
Late or no care	10.4	10.4	*	*	*	10.5	*	*

Las Vegas, Nevada

Number								
Low birthweight	910	650	167	7	86	218	436	164

Care beginning in first trimester	8,800	7,234	829	81	656	2,318	4,923	804
Late or no care	675	526	92	14	43	381	147	87

Percent

Low birthweight	7.5	6.6	13.2	*	9.6	5.7	7.2	13.4
Care beginning in first trimester	77.4	78.3	70.5	68.6	79.3	65.5	86.1	70.7
Late or no care	5.9	5.7	7.8	*	5.2	10.8	2.6	7.6

Lincoln, Nebraska

Number

Low birthweight	215	186	13	2	14	15	168	13
Care beginning in first trimester	2,664	2,464	71	24	105	123	2,321	69
Late or no care	80	67	8	2	3	6	61	8

Percent

Low birthweight	6.7	6.4	*	*	*	*	6.2	*
Care beginning in first trimester	83.5	84.9	65.1	66.7	72.9	75.9	85.5	64.5
Late or no care	2.5	2.3	*	*	*	*	2.2	*

Little Rock, Arkansas

Number

Low birthweight	310	99	210	-	1	10	89	210
Care beginning in first trimester	2,262	1,179	1,037	2	44	50	1,128	1,037
Late or no care	118	27	90	-	1	10	17	90

Percent

Low birthweight	10.5	7.1	14.1	*	*	*	6.8	14.1
Care beginning in first trimester	81.7	89.4	74.3	*	89.8	62.5	91.0	74.3
Late or no care	4.3	2.0	6.5	*	*	*	*	6.5

Livonia, Michigan

Number

Low birthweight	67	65	1	-	1	1	58	1
Care beginning in first trimester	1,038	999	14	1	24	22	955	13
Late or no care	10	10	-	-	-	-	8	-

Percent

Low birthweight	6.0	6.1	*	*	*	*	5.7	*
Care beginning in first trimester	95.0	95.1	*	*	85.7	95.7	95.4	*
Late or no care	*	*	*	*	*	*	*	*

Long Beach, California

Number

Low birthweight	532	306	139	2	85	208	99	138
Care beginning in first trimester	6,660	4,668	1,118	24	850	3,175	1,528	1,101
Late or no care	400	270	69	1	60	216	56	66

Percent

Low birthweight	6.2	5.2	9.8	*	7.4	4.9	5.7	9.9
Care beginning in first trimester	79.3	79.8	80.6	72.7	75.6	76.4	87.9	80.8
Late or no care	4.8	4.6	5.0	*	5.3	5.2	3.2	4.8

Los Angeles, California

Number

Low birthweight	4,541	3,270	910	9	352	2,579	702	890
Care beginning in first trimester	54,612	45,021	5,624	108	3,859	35,474	9,662	5,459
Late or no care	2,009	1,633	281	5	90	1,469	168	277

Percent

Low birthweight	6.9	6.0	13.0	*	8.0	5.9	6.6	13.1
Care beginning in first trimester	83.7	83.7	81.4	80.0	87.9	81.7	92.0	81.3
Late or no care	3.1	3.0	4.1	*	2.1	3.4	1.6	4.1

Louisville, Kentucky

Number

Low birthweight	626	313	302	4	7	12	302	300
Care beginning in first trimester	5,941	4,163	1,619	20	139	100	4,063	1,614
Late or no care	152	67	81	1	3	6	62	81

Percent

Low birthweight	9.2	6.8	14.8	*	*	*	6.7	14.8
Care beginning in first trimester	87.1	90.6	79.4	76.9	86.9	81.3	90.8	79.4
Late or no care	2.2	1.5	4.0	*	*	*	1.4	4.0

Lowell, Massachusetts

Number								
Low birthweight	154	91	11	-	52	26	68	9
Care beginning in first trimester	1,324	985	63	1	275	231	773	41
Late or no care	72	51	4	-	17	16	36	2
Percent								
Low birthweight	9.2	7.7	*	*	12.7	8.8	7.5	*
Care beginning in first trimester	78.8	83.4	71.6	*	67.1	77.8	85.1	69.5
Late or no care	4.3	4.3	*	*	*	*	4.0	*

Lubbock, Texas

Number								
Low birthweight	300	228	69	-	3	114	114	69
Care beginning in first trimester	2,417	2,130	236	-	51	836	1,293	236
Late or no care	171	144	23	2	2	108	36	22
Percent								
Low birthweight	9.5	8.3	20.2	*	*	9.1	7.7	20.2
Care beginning in first trimester	79.4	80.4	70.7	*	86.4	69.6	89.5	70.9
Late or no care	5.6	5.4	6.9	*	*	9.0	2.5	6.6

Macon, Georgia

Number								
Low birthweight	227	46	180	-	1	2	44	179
Care beginning in first trimester	1,515	528	966	1	20	25	503	962
Late or no care	70	5	65	-	-	-	5	65
Percent								
Low birthweight	12.1	7.8	14.2	*	*	*	7.9	14.2
Care beginning in first trimester	82.3	90.7	78.3	*	87.0	80.6	91.3	78.2
Late or no care	3.8	*	5.3	*	*	*	*	5.3

Madison, Wisconsin

Number									
Low birthweight	185	131	43	2	9	19	113	43	
Care beginning in first trimester	2,288	1,877	228	24	159	127	1,755	227	
Late or no care	72	42	25	-	5	17	25	25	
Percent									
Low birthweight	6.9	6.2	13.1	*	*	*	5.9	13.2	
Care beginning in first trimester	85.6	89.6	69.7	75.0	72.6	70.6	91.4	69.6	
Late or no care	2.7	2.0	7.6	*	*	*	1.3	7.7	

Manhattan borough, New York county, New York

Number									
Low birthweight	1,653	967	568	1	117	548	494	455	
Care beginning in first trimester	11,999	7,782	2,703	7	1,507	3,879	4,622	1,793	
Late or no care	988	466	445	2	75	441	125	335	
Percent									
Low birthweight	8.5	7.8	11.5	*	5.3	7.8	7.5	13.5	
Care beginning in first trimester	76.3	79.6	67.1	*	78.8	68.7	88.9	65.7	
Late or no care	6.3	4.8	11.0	*	3.9	7.8	2.4	12.3	

Memphis, Tennessee

Number									
Low birthweight	1,454	247	1,192	-	15	22	225	1,192	
Care beginning in first trimester	8,198	2,515	5,528	5	150	150	2,369	5,524	
Late or no care	933	148	772	2	11	64	86	771	
Percent									
Low birthweight	12.8	8.2	14.6	*	*	7.3	8.3	14.6	
Care beginning in first trimester	73.0	84.4	68.5	*	83.8	51.5	87.9	68.5	
Late or no care	8.3	5.0	9.6	*	*	22.0	3.2	9.6	

Mesa, Arizona

Number									
Low birthweight	404	352	21	14	17	112	235	21	

Care beginning in first trimester	5,333	4,980	125	118	110	1,185	3,788	113
Late or no care	295	274	2	13	6	163	106	2

Percent

Low birthweight	5.9	5.6	12.4	*	*	6.0	5.3	13.6
Care beginning in first trimester	79.6	80.3	74.9	63.8	75.9	66.2	86.1	74.8
Late or no care	4.4	4.4	*	*	*	9.1	2.4	*

Mesquite, Texas

Number

Low birthweight	139	95	36	-	8	14	82	35
Care beginning in first trimester	1,600	1,332	203	5	60	290	1,041	199
Late or no care	59	49	9	-	1	14	35	9

Percent

Low birthweight	7.4	6.1	15.0	*	*	*	6.8	14.8
Care beginning in first trimester	85.7	85.7	85.7	*	85.7	82.9	86.5	85.4
Late or no care	3.2	3.2	*	*	*	*	2.9	*

Miami, Florida

Number

Low birthweight	1,258	497	744	11	6	446	78	723
Care beginning in first trimester	10,565	5,962	4,408	92	103	5,251	987	4,215
Late or no care	502	179	318	2	3	154	32	311

Percent

Low birthweight	9.5	7.0	12.6	*	*	7.1	6.9	12.7
Care beginning in first trimester	79.9	84.0	75.0	77.3	86.6	83.1	87.8	74.6
Late or no care	3.8	2.5	5.4	*	*	2.4	2.8	5.5

Milwaukee, Wisconsin

Number

Low birthweight	1,060	312	709	6	33	88	225	708
Care beginning in first trimester	8,410	4,474	3,556	83	297	1,209	3,298	3,530
Late or no care	622	178	417	12	15	88	90	417

Percent

Low birthweight	9.6	5.9	13.6	*	7.6	5.5	6.1	13.7
Care beginning in first trimester	76.5	85.2	68.4	74.1	68.8	74.8	89.6	68.3
Late or no care	5.7	3.4	8.0	*	*	5.4	2.4	8.1

Minneapolis, Minnesota

Number

Low birthweight	495	226	213	20	36	51	168	211
Care beginning in first trimester	4,110	2,710	1,008	97	295	370	1,979	993
Late or no care	382	162	143	32	45	75	82	143

Percent

Low birthweight	7.8	6.1	12.2	8.3	5.8	7.2	6.5	12.2
Care beginning in first trimester	71.3	78.8	64.2	45.5	54.5	54.7	83.3	64.0
Late or no care	6.6	4.7	9.1	15.0	8.3	11.1	3.4	9.2

Mobile, Alabama

Number

Low birthweight	379	123	254	-	2	1	122	254
Care beginning in first trimester	2,576	1,362	1,188	1	25	30	1,333	1,188
Late or no care	212	48	164	-	-	6	42	164

Percent

Low birthweight	11.0	7.8	13.9	*	*	*	7.9	13.9
Care beginning in first trimester	75.0	86.0	65.4	*	78.1	73.2	86.4	65.4
Late or no care	6.2	3.0	9.0	*	*	*	2.7	9.0

Modesto, California

Number

Low birthweight	249	201	24	2	22	104	101	22
Care beginning in first trimester	2,895	2,546	128	29	192	1,148	1,416	116
Late or no care	128	109	7	3	9	63	46	7

Percent

Low birthweight	6.8	6.3	14.2	*	8.2	6.8	6.0	14.1
Care beginning in first trimester	79.5	80.3	75.7	74.4	72.5	75.7	84.4	74.4
Late or no care	3.5	3.4	*	*	*	4.2	2.7	*

Montgomery, Alabama

Number

Low birthweight	324	74	244	-	6	-	74	244
Care beginning in first trimester	2,624	1,223	1,359	4	38	32	1,193	1,357
Late or no care	169	25	143	-	1	3	22	143

Percent

Low birthweight	9.9	5.6	12.7	*	*	*	5.8	12.7
Care beginning in first trimester	80.0	93.0	70.9	*	88.4	82.1	93.3	70.9
Late or no care	5.2	1.9	7.5	*	*	*	1.7	7.5

Moreno Valley, California

Number

Low birthweight	172	102	61	-	9	73	34	56
Care beginning in first trimester	1,844	1,335	388	11	110	858	496	378
Late or no care	113	84	23	2	4	57	29	22

Percent

Low birthweight	7.3	6.0	12.5	*	*	6.4	5.7	11.9
Care beginning in first trimester	80.3	81.0	80.3	*	75.3	78.9	83.9	81.3
Late or no care	4.9	5.1	4.8	*	*	5.2	4.9	4.7

Nashville-Davidson, Tennessee

Number

Low birthweight	806	392	386	2	26	28	364	386
Care beginning in first trimester	7,351	4,952	2,145	20	234	379	4,578	2,141
Late or no care	264	123	129	2	10	37	85	129

Percent

Low birthweight	9.7	7.2	15.2	*	9.6	5.2	7.4	15.2
Care beginning in first trimester	88.7	90.6	85.0	71.4	86.0	70.7	92.8	85.0
Late or no care	3.2	2.2	5.1	*	*	6.9	1.7	5.1

New Haven, Connecticut

Number									
Low birthweight	216	90	118	3	5	59	31	102	
Care beginning in first trimester	1,298	690	549	2	57	366	310	458	
Late or no care	61	28	30	1	2	17	9	22	
Percent									
Low birthweight	11.7	9.7	14.0	*	*	10.8	8.4	14.3	
Care beginning in first trimester	79.6	83.3	74.8	*	89.1	78.0	89.6	75.3	
Late or no care	3.7	3.4	4.1	*	*	*	*	3.6	

New York, New York

Number									
Low birthweight	10,530	5,029	4,540	7	954	3,188	2,128	4,125	
Care beginning in first trimester	73,302	42,100	22,742	58	8,402	23,061	21,465	19,599	
Late or no care	6,405	2,885	2,689	7	824	2,244	951	2,317	
Percent									
Low birthweight	8.8	7.5	11.6	*	7.3	8.0	6.7	12.1	
Care beginning in first trimester	74.8	77.3	70.6	77.3	74.6	71.1	83.5	70.9	
Late or no care	6.5	5.3	8.3	*	7.3	6.9	3.7	8.4	

Newark, New Jersey

Number									
Low birthweight	650	167	476	4	3	136	43	462	
Care beginning in first trimester	2,777	1,214	1,504	6	53	986	313	1,413	
Late or no care	636	130	505	1	-	105	32	497	
Percent									
Low birthweight	13.4	8.9	16.5	*	*	8.8	9.4	16.8	
Care beginning in first trimester	61.3	69.8	55.4	*	79.1	68.5	74.0	54.7	
Late or no care	14.0	7.5	18.6	*	*	7.3	7.6	19.2	

Newport News city, Virginia

Number									
Low birthweight	289	100	181	1	7	17	86	179	

Care beginning in first trimester	2,468	1,392	998	10	68	102	1,299	994
Late or no care	134	38	94	1	1	3	36	94
Percent								
Low birthweight	9.3	6.2	12.9	*	*	*	5.7	12.8
Care beginning in first trimester	79.1	85.9	71.0	*	82.9	77.9	86.5	70.9
Late or no care	4.3	2.3	6.7	*	*	*	2.4	6.7
Norfolk city, Virginia								
Number								
Low birthweight	452	129	313	1	9	12	119	312
Care beginning in first trimester	3,109	1,456	1,537	12	104	119	1,346	1,532
Late or no care	212	62	141	1	8	4	60	140
Percent								
Low birthweight	11.2	7.5	14.6	*	*	*	7.5	14.6
Care beginning in first trimester	77.6	85.0	71.8	*	75.9	79.9	85.2	71.8
Late or no care	5.3	3.6	6.6	*	*	*	3.8	6.6
Oakland, California								
Number								
Low birthweight	571	188	327	4	52	116	56	316
Care beginning in first trimester	5,342	2,561	1,988	28	765	1,595	817	1,855
Late or no care	162	67	76	-	19	45	20	73
Percent								
Low birthweight	9.0	6.2	13.5	*	5.8	6.0	6.2	13.9
Care beginning in first trimester	86.8	88.5	84.3	93.3	87.9	86.8	91.0	83.7
Late or no care	2.6	2.3	3.2	*	*	2.4	2.2	3.3
Oceanside, California								
Number								
Low birthweight	211	163	28	1	19	72	95	25
Care beginning in first trimester	2,283	1,925	185	15	158	785	1,157	178
Late or no care	249	220	17	1	11	172	49	16

Percent

Low birthweight	5.9	5.5	9.0	*	*	5.4	5.7	8.4
Care beginning in first trimester	71.4	71.4	71.2	*	70.9	61.7	80.1	71.5
Late or no care	7.8	8.2	*	*	*	13.5	3.4	*

Oklahoma City, Oklahoma

Number

Low birthweight	642	396	202	28	16	74	321	197
Care beginning in first trimester	4,547	3,367	825	182	173	354	3,013	809
Late or no care	359	237	76	34	12	80	158	75

Percent

Low birthweight	8.4	7.3	13.0	8.2	*	6.5	7.4	13.0
Care beginning in first trimester	78.6	80.8	72.2	66.9	84.4	64.4	83.4	72.0
Late or no care	6.2	5.7	6.7	12.5	*	14.5	4.4	6.7

Omaha, Nebraska

Number

Low birthweight	435	303	122	3	7	41	257	122
Care beginning in first trimester	4,787	3,946	675	46	120	496	3,419	673
Late or no care	234	159	68	5	2	65	94	68

Percent

Low birthweight	7.6	6.6	12.7	*	*	5.9	6.7	12.7
Care beginning in first trimester	83.5	86.4	70.2	67.6	88.9	71.3	89.1	70.3
Late or no care	4.1	3.5	7.1	*	*	9.3	2.4	7.1

Ontario, California

Number

Low birthweight	179	151	21	2	5	114	37	21
Care beginning in first trimester	2,361	2,117	161	8	75	1,671	453	157
Late or no care	183	166	13	1	3	146	20	13

Percent

Low birthweight	5.4	5.1	9.3	*	*	4.8	6.3	9.6
Care beginning in first trimester	72.2	72.2	72.2	*	72.8	70.8	77.4	72.7
Late or no care	5.6	5.7	*	*	*	6.2	3.4	*

Orange, California

Number

Low birthweight	107	93	2	-	12	57	36	2
Care beginning in first trimester	1,811	1,623	27	6	155	793	832	26
Late or no care	82	78	2	-	2	56	21	2

Percent

Low birthweight	5.0	4.8	*	*	*	5.5	4.0	*
Care beginning in first trimester	84.7	84.3	79.4	*	90.1	77.6	91.8	81.3
Late or no care	3.8	4.1	*	*	*	5.5	2.3	*

Orlando, Florida

Number

Low birthweight	591	322	249	2	18	129	192	249
Care beginning in first trimester	5,580	3,940	1,393	10	237	1,262	2,682	1,384
Late or no care	223	106	113	-	4	51	55	112

Percent

Low birthweight	8.7	7.1	12.6	*	*	8.3	6.4	12.7
Care beginning in first trimester	82.8	87.3	71.4	*	88.4	81.9	90.1	71.4
Late or no care	3.3	2.3	5.8	*	*	3.3	1.8	5.8

Orleans, coext. with New Orleans city, Louisiana

Number

Low birthweight	972	88	869	-	15	12	76	869
Care beginning in first trimester	5,944	1,224	4,555	5	160	144	1,098	4,544
Late or no care	427	18	401	-	8	3	15	401

Percent

Low birthweight	12.8	6.7	14.3	*	*	*	6.5	14.4
Care beginning in first trimester	78.5	92.9	75.2	*	85.1	87.3	93.7	75.1
Late or no care	5.6	*	6.6	*	*	*	*	6.6

Overland Park, Kansas

Number								
Low birthweight	126	113	5	-	8	1	109	5
Care beginning in first trimester	1,838	1,713	41	6	78	58	1,622	40
Late or no care	18	17	1	-	-	1	14	1
Percent								
Low birthweight	6.5	6.3	*	*	*	*	6.5	*
Care beginning in first trimester	95.6	95.9	89.1	*	94.0	84.1	96.5	88.9
Late or no care	*	*	*	*	*	*	*	*

Oxnard, California

Number								
Low birthweight	193	172	12	-	9	141	19	12
Care beginning in first trimester	3,147	2,901	75	9	162	2,366	357	66
Late or no care	104	92	6	-	6	83	6	6
Percent								
Low birthweight	5.2	5.0	*	*	*	5.0	*	*
Care beginning in first trimester	84.6	84.6	81.5	*	87.1	83.8	89.9	80.5
Late or no care	2.8	2.7	*	*	*	2.9	*	*

Pasadena, California

Number								
Low birthweight	159	110	36	-	13	66	44	33
Care beginning in first trimester	1,935	1,469	245	3	218	843	628	236
Late or no care	62	44	14	-	4	36	9	12
Percent								
Low birthweight	6.8	6.2	11.7	*	*	6.1	6.3	11.1
Care beginning in first trimester	85.1	85.2	81.4	*	90.1	80.6	92.1	81.4
Late or no care	2.7	2.6	*	*	*	3.4	*	*

Pasadena, Texas

Number								
Low birthweight	197	193	3	-	1	119	74	3

Care beginning in first trimester	2,132	2,066	30	5	31	1,318	744	30
Late or no care	100	98	1	-	1	67	31	1
Percent								
Low birthweight	7.2	7.2	*	*	*	6.8	8.1	*
Care beginning in first trimester	79.4	79.4	73.2	*	83.8	77.2	83.4	73.2
Late or no care	3.7	3.8	*	*	*	3.9	3.5	*
Paterson, New Jersey								
Number								
Low birthweight	277	122	146	1	8	129	20	115
Care beginning in first trimester	1,999	1,170	776	1	52	1,146	219	583
Late or no care	256	118	136	-	2	110	31	110
Percent								
Low birthweight	9.0	7.1	11.5	*	*	7.6	6.1	11.9
Care beginning in first trimester	68.0	70.5	64.5	*	69.3	70.1	69.1	64.1
Late or no care	8.7	7.1	11.3	*	*	6.7	9.8	12.1
Peoria, Illinois								
Number								
Low birthweight	184	95	82	-	7	2	93	82
Care beginning in first trimester	1,643	1,133	433	4	73	32	1,102	432
Late or no care	59	22	36	-	1	4	18	36
Percent								
Low birthweight	9.2	7.5	12.6	*	*	*	7.6	12.6
Care beginning in first trimester	81.8	89.0	66.4	*	92.4	69.6	89.7	66.4
Late or no care	2.9	1.7	5.5	*	*	*	*	5.5
Philadelphia, coext. with Phila. city, Pennsylvania								
Number								
Low birthweight	2,437	738	1,597	7	95	244	492	1,582
Care beginning in first trimester	15,501	7,359	7,356	65	721	1,693	5,714	7,198
Late or no care	1,546	404	1,066	7	69	127	273	1,047

Percent

Low birthweight	11.0	7.9	13.8	*	8.7	10.2	7.1	13.9
Care beginning in first trimester	74.1	82.2	67.8	70.7	70.3	73.1	85.6	67.7
Late or no care	7.4	4.5	9.8	*	6.7	5.5	4.1	9.8

Phoenix, Arizona

Number

Low birthweight	1,621	1,372	177	40	32	792	582	173
Care beginning in first trimester	16,029	14,334	895	401	399	6,860	7,533	858
Late or no care	1,892	1,703	96	73	20	1,396	313	90

Percent

Low birthweight	7.0	6.7	13.8	5.5	6.4	6.8	6.4	14.0
Care beginning in first trimester	71.7	71.9	72.4	57.4	82.1	61.5	85.1	72.1
Late or no care	8.5	8.5	7.8	10.5	4.1	12.5	3.5	7.6

Pittsburgh, Pennsylvania

Number

Low birthweight	438	192	236	2	8	2	184	233
Care beginning in first trimester	4,021	2,572	1,293	16	140	49	2,517	1,281
Late or no care	144	68	75	-	1	-	62	72

Percent

Low birthweight	9.3	6.7	14.1	*	*	*	6.6	14.1
Care beginning in first trimester	87.5	91.0	80.7	*	91.5	83.1	91.5	81.0
Late or no care	3.1	2.4	4.7	*	*	*	2.3	4.6

Plano, Texas

Number

Low birthweight	221	185	16	-	20	32	153	15
Care beginning in first trimester	3,016	2,523	113	9	371	347	2,172	111
Late or no care	64	57	2	-	5	24	33	2

Percent

Low birthweight	6.7	6.7	*	*	5.1	7.2	6.6	*
Care beginning in first trimester	92.0	91.8	89.0	*	94.4	80.3	93.9	89.5
Late or no care	2.0	2.1	*	*	*	5.6	1.4	*

Pomona, California

Number									
Low birthweight	203	161	30	-	12	143	18	30	
Care beginning in first trimester	2,446	2,124	196	7	119	1,928	209	188	
Late or no care	118	109	3	-	6	94	16	3	
Percent									
Low birthweight	6.5	5.9	12.2	*	*	5.8	*	12.8	
Care beginning in first trimester	78.9	78.7	79.7	*	83.8	78.5	80.7	79.7	
Late or no care	3.8	4.0	*	*	*	3.8	*	*	

Portland, Oregon

Number									
Low birthweight	467	348	71	5	43	62	289	70	
Care beginning in first trimester	5,911	4,775	547	64	525	568	4,214	542	
Late or no care	284	225	30	6	23	42	185	29	
Percent									
Low birthweight	6.3	5.9	10.3	*	6.2	7.7	5.7	10.3	
Care beginning in first trimester	80.4	81.1	79.7	70.3	76.5	70.4	82.7	80.1	
Late or no care	3.9	3.8	4.4	*	3.4	5.2	3.6	4.3	

Portsmouth city, Virginia

Number									
Low birthweight	181	42	137	-	2	-	42	137	
Care beginning in first trimester	1,225	582	628	4	11	19	564	627	
Late or no care	103	15	86	-	2	2	13	86	
Percent									
Low birthweight	11.0	6.2	14.5	*	*	*	6.4	14.5	
Care beginning in first trimester	74.5	86.4	66.2	*	*	*	86.6	66.2	
Late or no care	6.3	*	9.1	*	*	*	*	9.1	

Providence, Rhode Island

Number									
Low birthweight	252	170	59	5	18	97	54	52	
Care beginning in first trimester	1,768	1,325	296	36	111	723	492	245	
Late or no care	52	23	21	3	5	18	3	15	
Percent									
Low birthweight	9.5	8.9	12.1	*	*	8.5	9.0	12.8	
Care beginning in first trimester	83.6	85.8	77.5	73.5	79.3	82.4	89.5	78.8	
Late or no care	2.5	1.5	5.5	*	*	*	*	*	

Queens borough, Queens county, New York

Number									
Low birthweight	2,634	1,200	882	4	548	716	484	855	
Care beginning in first trimester	20,831	11,385	5,132	30	4,284	5,778	5,583	4,863	
Late or no care	1,372	658	375	2	337	499	186	341	
Percent									
Low birthweight	8.3	6.9	11.6	*	8.1	7.0	6.6	12.0	
Care beginning in first trimester	77.4	78.6	77.2	85.7	74.7	71.4	86.7	77.5	
Late or no care	5.1	4.5	5.6	*	5.9	6.2	2.9	5.4	

Raleigh, North Carolina

Number									
Low birthweight	340	150	176	2	12	25	125	176	
Care beginning in first trimester	3,727	2,425	1,121	6	175	244	2,184	1,117	
Late or no care	150	60	89	-	1	28	32	89	
Percent									
Low birthweight	7.6	5.4	11.9	*	*	5.8	5.3	11.9	
Care beginning in first trimester	83.4	86.9	75.9	*	91.1	57.5	92.2	75.8	
Late or no care	3.4	2.2	6.0	*	*	6.6	1.4	6.0	

Rancho Cucamonga, California

Number									
Low birthweight	59	44	10	-	5	22	22	10	

Care beginning in first trimester	800	684	67	3	46	321	366	64
Late or no care	43	32	4	-	7	26	7	3

Percent

Low birthweight	5.8	5.1	*	*	*	5.1	5.1	*
Care beginning in first trimester	78.6	79.2	75.3	*	74.2	74.0	84.3	76.2
Late or no care	4.2	3.7	*	*	*	6.0	*	*

Reno, Nevada

Number

Low birthweight	259	213	10	4	32	70	144	10
Care beginning in first trimester	2,397	2,124	67	29	177	665	1,464	65
Late or no care	91	78	2	2	9	41	37	1

Percent

Low birthweight	8.6	8.0	*	*	14.5	7.4	8.4	*
Care beginning in first trimester	83.5	83.8	79.8	67.4	85.5	76.5	87.5	80.2
Late or no care	3.2	3.1	*	*	*	4.7	2.2	*

Richmond city, Virginia

Number

Low birthweight	392	69	317	2	4	3	67	317
Care beginning in first trimester	2,196	786	1,372	5	33	36	753	1,370
Late or no care	153	20	129	1	3	7	13	128

Percent

Low birthweight	13.8	7.8	16.6	*	*	*	8.2	16.6
Care beginning in first trimester	77.3	88.9	72.0	*	73.3	52.2	91.7	72.0
Late or no care	5.4	2.3	6.8	*	*	*	*	6.7

Riverside, California

Number

Low birthweight	372	310	42	-	20	178	133	40
Care beginning in first trimester	4,493	3,950	307	33	203	2,254	1,725	295
Late or no care	304	266	22	5	11	185	84	22

Percent

Low birthweight	6.5	6.2	10.3	*	8.1	5.9	6.5	10.2
Care beginning in first trimester	79.1	79.3	75.6	70.2	82.5	75.7	84.4	75.4
Late or no care	5.3	5.3	5.4	*	*	6.2	4.1	5.6
Rochester, New York								
Number								
Low birthweight	434	156	268	2	8	51	104	265
Care beginning in first trimester	2,868	1,697	1,084	7	80	408	1,213	1,067
Late or no care	328	128	185	1	14	41	81	183
Percent								
Low birthweight	10.0	6.8	14.2	*	*	8.2	6.6	14.2
Care beginning in first trimester	76.4	82.5	69.0	*	70.2	76.5	84.8	68.9
Late or no care	8.7	6.2	11.8	*	*	7.7	5.7	11.8
Rockford, Illinois								
Number								
Low birthweight	247	168	73	-	6	24	145	72
Care beginning in first trimester	2,051	1,626	379	-	46	235	1,395	375
Late or no care	123	87	34	1	1	28	60	33
Percent								
Low birthweight	8.8	7.8	12.9	*	*	5.9	8.2	12.8
Care beginning in first trimester	77.9	79.3	71.9	*	85.2	64.4	82.5	72.0
Late or no care	4.7	4.2	6.5	*	*	7.7	3.5	6.3
Sacramento, California								
Number								
Low birthweight	771	396	231	4	140	172	231	223
Care beginning in first trimester	7,653	5,042	1,283	84	1,244	1,828	3,279	1,244
Late or no care	612	367	131	16	98	185	195	126
Percent								
Low birthweight	7.3	5.8	12.5	*	7.5	6.3	5.6	12.4
Care beginning in first trimester	73.4	75.8	70.6	64.1	68.1	68.7	80.2	70.5
Late or no care	5.9	5.5	7.2	*	5.4	7.0	4.8	7.1

Salem, Oregon

Number								
Low birthweight	132	121	1	4	6	37	86	1
Care beginning in first trimester	1,932	1,815	23	33	61	432	1,387	20
Late or no care	151	128	-	6	17	65	65	-
Percent								
Low birthweight	5.1	5.0	*	*	*	5.2	5.0	*
Care beginning in first trimester	75.2	75.8	88.5	66.0	62.2	61.2	81.6	87.0
Late or no care	5.9	5.3	*	*	*	9.2	3.8	*

Salinas, California

Number								
Low birthweight	191	170	1	1	19	136	36	-
Care beginning in first trimester	2,550	2,380	32	11	127	1,860	532	28
Late or no care	165	154	2	-	9	148	6	2
Percent								
Low birthweight	5.7	5.4	*	*	*	5.4	5.9	*
Care beginning in first trimester	76.8	76.8	78.0	*	77.0	74.3	87.5	77.8
Late or no care	5.0	5.0	*	*	*	5.9	*	*

Salt Lake City, Utah

Number								
Low birthweight	416	376	11	8	21	83	292	11
Care beginning in first trimester	4,411	4,103	52	55	201	707	3,399	47
Late or no care	335	273	11	17	34	130	142	11
Percent								
Low birthweight	7.1	7.0	*	*	6.7	6.7	7.0	*
Care beginning in first trimester	77.8	79.2	61.2	56.1	65.9	58.6	85.5	58.8
Late or no care	5.9	5.3	*	*	11.1	10.8	3.6	*

San Antonio, Texas

Number								
Low birthweight	1,616	1,424	175	-	17	1,042	382	170

Care beginning in first trimester	18,241	16,816	1,072	25	328	11,762	5,056	1,052
Late or no care	595	523	64	-	8	442	81	62

Percent

Low birthweight	7.4	7.1	12.6	*	*	7.3	6.7	12.6
Care beginning in first trimester	85.2	85.4	79.6	92.6	90.4	83.2	91.2	79.9
Late or no care	2.8	2.7	4.8	*	*	3.1	1.5	4.7

San Bernardino, California

Number

Low birthweight	321	215	93	2	11	145	69	92
Care beginning in first trimester	3,009	2,354	536	14	105	1,721	654	521
Late or no care	275	210	53	6	6	150	64	53

Percent

Low birthweight	7.5	6.4	12.0	*	*	5.9	7.6	12.1
Care beginning in first trimester	73.2	73.6	71.4	*	76.1	73.9	73.2	71.1
Late or no care	6.7	6.6	7.1	*	*	6.4	7.2	7.2

San Diego, California

Number

Low birthweight	1,130	721	189	6	214	339	387	186
Care beginning in first trimester	14,897	11,115	1,370	82	2,330	5,297	5,890	1,333
Late or no care	903	717	93	2	91	604	120	86

Percent

Low birthweight	6.1	5.2	10.4	*	7.8	4.5	6.0	10.6
Care beginning in first trimester	81.2	81.0	76.2	83.7	85.3	71.6	91.7	76.5
Late or no care	4.9	5.2	5.2	*	3.3	8.2	1.9	4.9

San Francisco, coext. with San Fran. city, Califor

Number

Low birthweight	584	275	113	-	196	105	170	112
Care beginning in first trimester	7,015	3,887	636	18	2,474	1,383	2,517	625
Late or no care	247	124	49	2	72	77	47	49

Percent								
Low birthweight	7.2	6.1	13.6	*	6.9	6.0	6.2	13.7
Care beginning in first trimester	86.2	87.0	77.6	*	87.4	78.8	92.5	77.3
Late or no care	3.0	2.8	6.0	*	2.5	4.4	1.7	6.1
San Jose, California								
Number								
Low birthweight	972	631	44	9	288	427	208	42
Care beginning in first trimester	13,259	9,182	394	59	3,624	5,189	3,997	377
Late or no care	487	356	22	6	103	301	60	20
Percent								
Low birthweight	6.0	5.6	8.4	*	6.6	6.1	4.7	8.4
Care beginning in first trimester	83.2	82.5	77.3	69.4	86.1	76.3	92.0	77.4
Late or no care	3.1	3.2	4.3	*	2.4	4.4	1.4	4.1
Santa Ana, California								
Number								
Low birthweight	481	442	7	3	29	409	36	7
Care beginning in first trimester	6,903	6,443	42	12	406	5,919	533	39
Late or no care	296	282	3	3	8	280	2	3
Percent								
Low birthweight	5.6	5.5	*	*	6.1	5.5	6.0	*
Care beginning in first trimester	80.6	80.3	76.4	*	86.8	79.5	90.3	75.0
Late or no care	3.5	3.5	*	*	*	3.8	*	*
Santa Clarita, California								
Number								
Low birthweight	15	13	-	-	2	2	11	-
Care beginning in first trimester	140	121	1	1	17	20	101	1
Late or no care	3	3	-	-	-	1	2	-
Percent								
Low birthweight	*	*	*	*	*	*	*	*
Care beginning in first trimester	89.7	90.3	*	*	*	83.3	91.8	*
Late or no care	*	*	*	*	*	*	*	*

Santa Rosa, California

Number

Low birthweight	141	118	6	5	12	44	73	6
Care beginning in first trimester	2,117	1,927	38	41	111	682	1,245	36
Late or no care	61	58	1	1	1	28	28	1

Percent

Low birthweight	5.7	5.3	*	*	*	5.1	5.3	*
Care beginning in first trimester	89.7	89.9	88.4	85.4	88.8	86.1	92.3	87.8
Late or no care	2.6	2.7	*	*	*	3.5	2.1	*

Savannah, Georgia

Number

Low birthweight	282	67	212	-	3	1	66	212
Care beginning in first trimester	1,990	790	1,169	2	29	26	764	1,166
Late or no care	90	20	69	1	-	4	17	68

Percent

Low birthweight	10.6	6.9	12.8	*	*	*	7.2	12.9
Care beginning in first trimester	77.5	84.7	73.1	*	90.6	53.1	86.1	73.2
Late or no care	3.5	2.1	4.3	*	*	*	*	4.3

Scottsdale, Arizona

Number

Low birthweight	147	131	2	11	3	18	108	2
Care beginning in first trimester	2,290	2,106	28	93	63	225	1,896	26
Late or no care	80	61	1	16	2	18	42	1

Percent

Low birthweight	5.6	5.5	*	*	*	*	5.2	*
Care beginning in first trimester	88.9	90.0	93.3	66.0	94.0	74.3	92.6	92.9
Late or no care	3.1	2.6	*	*	*	*	2.1	*

Seattle, Washington

Number									
Low birthweight	471	293	79	7	92	48	222	69	
Care beginning in first trimester	5,201	3,791	496	59	855	291	3,360	462	
Late or no care	161	85	30	4	42	26	55	28	
Percent									
Low birthweight	6.6	5.9	10.1	*	6.9	9.1	5.4	9.7	
Care beginning in first trimester	85.7	88.3	79.6	69.4	80.1	71.1	90.2	79.7	
Late or no care	2.7	2.0	4.8	*	3.9	6.4	1.5	4.8	

Shreveport, Louisiana

Number									
Low birthweight	352	90	260	-	2	3	87	260	
Care beginning in first trimester	2,431	1,113	1,285	5	28	33	1,079	1,285	
Late or no care	144	24	120	-	-	1	23	120	
Percent									
Low birthweight	11.4	7.4	14.1	*	*	*	7.5	14.1	
Care beginning in first trimester	78.7	91.9	69.8	*	93.3	76.7	92.5	69.8	
Late or no care	4.7	2.0	6.5	*	*	*	2.0	6.5	

Simi Valley, California

Number									
Low birthweight	85	73	-	1	11	18	49	-	
Care beginning in first trimester	1,453	1,319	20	5	109	283	888	13	
Late or no care	13	11	-	-	2	5	5	-	
Percent									
Low birthweight	5.4	5.1	*	*	*	*	5.3	*	
Care beginning in first trimester	92.5	92.5	87.0	*	94.0	86.0	95.5	*	
Late or no care	*	*	*	*	*	*	*	*	

Sioux Falls, South Dakota

Number									
Low birthweight	98	90	7	1	-	5	85	7	

Care beginning in first trimester	1,496	1,406	33	33	24	40	1,365	33
Late or no care	40	26	1	12	1	1	25	1
Percent								
Low birthweight	5.6	5.6	*	*	*	*	5.5	*
Care beginning in first trimester	85.9	88.4	67.3	48.5	70.6	71.4	89.0	68.8
Late or no care	2.3	1.6	*	*	*	*	1.6	*
South Bend, Indiana								
Number								
Low birthweight	205	125	76	-	4	18	107	76
Care beginning in first trimester	1,586	1,184	369	2	31	161	1,021	369
Late or no care	125	60	65	-	-	17	43	65
Percent								
Low birthweight	9.6	8.4	12.6	*	*	*	8.6	12.6
Care beginning in first trimester	74.9	80.3	61.1	*	88.6	68.8	82.4	61.1
Late or no care	5.9	4.1	10.8	*	*	*	3.5	10.8
Spokane, Washington								
Number								
Low birthweight	178	153	9	7	9	4	147	9
Care beginning in first trimester	2,691	2,500	49	70	72	71	2,428	48
Late or no care	63	57	2	3	1	-	57	2
Percent								
Low birthweight	5.6	5.2	*	*	*	*	5.2	*
Care beginning in first trimester	89.5	89.9	81.7	83.3	87.8	85.5	90.0	81.4
Late or no care	2.1	2.0	*	*	*	*	2.1	*
Springfield, Illinois								
Number								
Low birthweight	156	110	45	1	-	2	108	45
Care beginning in first trimester	1,553	1,288	234	1	30	16	1,272	234
Late or no care	48	23	25	-	-	-	23	25

Percent

Low birthweight	8.4	7.6	12.2	*	*	*	7.5	12.2
Care beginning in first trimester	85.0	89.4	66.3	*	96.8	*	89.5	66.3
Late or no care	2.6	1.6	7.1	*	*	*	1.6	7.1

Springfield, Massachusetts

Number

Low birthweight	238	171	62	1	4	101	70	62
Care beginning in first trimester	1,780	1,344	386	6	44	653	703	373
Late or no care	112	72	35	-	5	42	31	34

Percent

Low birthweight	10.1	9.8	11.2	*	*	11.1	8.3	11.5
Care beginning in first trimester	77.5	79.1	72.3	*	78.6	73.9	84.7	72.0
Late or no care	4.9	4.2	6.6	*	*	4.8	3.7	6.6

Springfield, Missouri

Number

Low birthweight	164	151	12	1	-	6	145	12
Care beginning in first trimester	1,907	1,799	58	15	35	64	1,738	58
Late or no care	51	40	6	2	3	7	33	6

Percent

Low birthweight	7.5	7.4	*	*	*	*	7.3	*
Care beginning in first trimester	86.7	87.7	74.4	*	72.9	76.2	88.2	74.4
Late or no care	2.3	1.9	*	*	*	*	1.7	*

St. Louis city, Missouri

Number

Low birthweight	706	142	555	-	9	9	133	555
Care beginning in first trimester	4,237	1,694	2,449	3	91	75	1,620	2,449
Late or no care	345	44	298	-	3	3	41	298

Percent

Low birthweight	12.6	7.4	15.5	*	*	*	7.3	15.5
Care beginning in first trimester	77.0	90.2	69.8	*	82.7	84.3	90.5	69.8
Late or no care	6.3	2.3	8.5	*	*	*	2.3	8.5

St. Paul, Minnesota

Number								
Low birthweight	345	185	91	7	62	38	151	88
Care beginning in first trimester	3,292	2,329	481	51	431	326	1,974	471
Late or no care	274	97	65	8	104	33	65	63
Percent								
Low birthweight	6.9	6.1	10.8	*	6.3	7.1	6.1	10.7
Care beginning in first trimester	72.6	82.3	63.9	65.4	49.2	67.9	84.9	63.9
Late or no care	6.0	3.4	8.6	*	11.9	6.9	2.8	8.5

St. Petersburg, Florida

Number								
Low birthweight	352	181	152	1	18	14	169	148
Care beginning in first trimester	2,820	1,950	750	6	114	122	1,831	746
Late or no care	126	67	52	-	7	4	63	52
Percent								
Low birthweight	10.1	8.0	14.4	*	*	*	8.0	14.1
Care beginning in first trimester	81.5	86.5	71.6	*	77.0	77.2	87.1	71.7
Late or no care	3.6	3.0	5.0	*	*	*	3.0	5.0

Stamford, Connecticut

Number								
Low birthweight	163	111	40	-	12	29	77	40
Care beginning in first trimester	1,522	1,167	253	1	101	302	788	247
Late or no care	46	25	21	-	-	19	6	21
Percent								
Low birthweight	9.1	8.3	11.3	*	*	7.0	9.2	11.5
Care beginning in first trimester	87.1	90.0	74.4	*	92.7	76.5	95.9	74.0
Late or no care	2.6	1.9	6.2	*	*	*	*	6.3

Staten Island borough, Richmond county, New York

Number								
Low birthweight	436	336	81	1	18	69	264	81
Care beginning in first trimester	4,831	3,885	666	7	273	715	3,168	651
Late or no care	167	92	63	1	11	29	62	61
Percent								
Low birthweight	7.6	7.4	9.1	*	*	7.5	7.3	9.4
Care beginning in first trimester	90.0	91.8	80.7	*	89.5	83.8	93.7	81.1
Late or no care	3.1	2.2	7.6	*	*	3.4	1.8	7.6

Sterling Heights, Michigan

Number								
Low birthweight	88	77	2	-	9	-	72	2
Care beginning in first trimester	1,324	1,218	18	3	85	27	1,138	16
Late or no care	17	15	-	-	2	-	12	-
Percent								
Low birthweight	5.8	5.5	*	*	*	*	5.6	*
Care beginning in first trimester	93.6	93.5	*	*	94.4	96.4	93.7	*
Late or no care	*	*	*	*	*	*	*	*

Stockton, California

Number								
Low birthweight	357	198	76	2	81	117	87	71
Care beginning in first trimester	3,382	2,353	367	31	631	1,374	1,030	358
Late or no care	352	224	59	2	67	163	65	56
Percent								
Low birthweight	7.0	5.8	13.4	*	8.0	5.3	6.6	13.0
Care beginning in first trimester	68.9	70.7	66.6	64.6	64.1	64.7	80.8	67.2
Late or no care	7.2	6.7	10.7	*	6.8	7.7	5.1	10.5

Sunnyvale, California

Number								
Low birthweight	128	65	12	1	50	23	43	10

Care beginning in first trimester	1,866	1,073	35	8	750	343	728	33
Late or no care	45	29	2	-	14	21	8	1
Percent								
Low birthweight	6.0	5.3	*	*	5.9	5.2	5.5	*
Care beginning in first trimester	89.7	89.0	77.8	*	91.2	79.2	94.1	82.5
Late or no care	2.2	2.4	*	*	*	4.8	*	*
Syracuse, New York								
Number								
Low birthweight	216	102	108	3	3	12	90	101
Care beginning in first trimester	1,743	1,105	547	25	66	118	946	513
Late or no care	104	48	52	1	3	7	43	48
Percent								
Low birthweight	9.4	7.6	13.3	*	*	*	7.8	13.2
Care beginning in first trimester	76.6	82.8	67.7	58.1	74.2	74.7	83.0	67.5
Late or no care	4.6	3.6	6.4	*	*	*	3.8	6.3
Tacoma, Washington								
Number								
Low birthweight	263	170	47	9	37	17	151	46
Care beginning in first trimester	2,515	1,958	268	71	218	222	1,737	259
Late or no care	156	98	23	14	21	18	82	23
Percent								
Low birthweight	6.5	5.7	9.5	*	9.1	*	5.8	9.6
Care beginning in first trimester	75.6	77.9	70.5	64.5	67.7	72.3	78.6	70.6
Late or no care	4.7	3.9	6.1	*	6.5	*	3.7	6.3
Tallahassee, Florida								
Number								
Low birthweight	209	72	132	-	5	7	63	132
Care beginning in first trimester	1,909	1,049	801	1	58	50	998	800
Late or no care	50	11	38	-	1	4	7	38

Percent									
Low birthweight	9.8	6.4	13.7	*	*	*	6.0	13.8	
Care beginning in first trimester	89.3	94.2	83.4	*	93.5	82.0	94.9	83.4	
Late or no care	2.3	*	4.0	*	*	*	*	4.0	
Tampa, Florida									
Number									
Low birthweight	688	388	276	10	14	146	248	271	
Care beginning in first trimester	6,644	4,694	1,738	24	188	1,433	3,287	1,710	
Late or no care	211	104	101	-	6	45	61	98	
Percent									
Low birthweight	8.7	7.3	12.0	*	*	8.6	6.8	12.0	
Care beginning in first trimester	85.1	89.0	76.2	88.9	85.8	85.6	90.4	76.2	
Late or no care	2.7	2.0	4.4	*	*	2.7	1.7	4.4	
Tempe, Arizona									
Number									
Low birthweight	170	143	12	6	9	55	90	11	
Care beginning in first trimester	1,846	1,602	62	73	109	454	1,146	58	
Late or no care	116	94	9	10	3	59	34	7	
Percent									
Low birthweight	7.4	7.2	*	*	*	8.0	6.9	*	
Care beginning in first trimester	81.0	81.7	74.7	67.0	87.2	68.6	88.3	78.4	
Late or no care	5.1	4.8	*	*	*	8.9	2.6	*	
Thousand Oaks, California									
Number									
Low birthweight	57	49	-	-	8	12	37	-	
Care beginning in first trimester	945	866	2	1	76	202	648	2	
Late or no care	17	16	-	-	1	12	4	-	
Percent									
Low birthweight	5.6	5.2	*	*	*	*	5.5	*	
Care beginning in first trimester	92.6	92.2	*	*	97.4	80.8	96.4	*	
Late or no care	*	*	*	*	*	*	*	*	

Toledo, Ohio

Number								
Low birthweight	515	301	204	2	8	33	270	203
Care beginning in first trimester	4,492	3,434	979	10	69	286	3,158	964
Late or no care	155	72	82	-	1	16	55	81
Percent								
Low birthweight	9.8	7.8	15.4	*	*	8.9	7.8	15.6
Care beginning in first trimester	85.5	89.5	73.9	*	89.6	77.5	90.7	74.0
Late or no care	3.0	1.9	6.2	*	*	*	1.6	6.2

Topeka, Kansas

Number								
Low birthweight	146	111	32	2	1	3	106	32
Care beginning in first trimester	1,762	1,472	241	25	24	171	1,279	235
Late or no care	56	39	13	3	1	15	25	13
Percent								
Low birthweight	7.3	6.8	10.8	*	*	*	7.5	11.0
Care beginning in first trimester	88.1	89.8	81.1	65.8	92.3	83.0	90.6	80.8
Late or no care	2.8	2.4	*	*	*	*	1.8	*

Torrance, California

Number								
Low birthweight	135	79	11	1	44	41	39	11
Care beginning in first trimester	1,956	1,274	100	7	575	567	717	98
Late or no care	50	44	-	-	6	31	13	-
Percent								
Low birthweight	6.2	5.4	*	*	7.2	6.0	5.0	*
Care beginning in first trimester	89.6	87.9	87.0	*	94.0	82.8	92.5	86.7
Late or no care	2.3	3.0	*	*	*	4.5	*	*

Tucson, Arizona

Number									
Low birthweight	761	677	40	21	23	357	319	37	
Care beginning in first trimester	8,165	7,459	239	244	223	3,418	4,023	213	
Late or no care	784	708	37	25	14	506	196	36	
Percent									
Low birthweight	7.0	6.9	11.1	6.2	8.2	7.1	6.6	11.5	
Care beginning in first trimester	75.9	76.2	66.9	73.7	80.2	69.1	83.5	66.4	
Late or no care	7.3	7.2	10.4	7.6	*	10.2	4.1	11.2	

Tulsa, Oklahoma

Number									
Low birthweight	520	310	181	22	7	30	275	176	
Care beginning in first trimester	4,846	3,614	845	282	105	371	3,181	815	
Late or no care	359	214	107	33	5	47	162	105	
Percent									
Low birthweight	7.8	6.5	13.6	5.2	*	5.0	6.8	13.7	
Care beginning in first trimester	75.1	78.0	66.4	68.9	76.6	64.2	80.0	66.3	
Late or no care	5.6	4.6	8.4	8.1	*	8.1	4.1	8.5	

Vallejo, California

Number									
Low birthweight	121	35	53	-	33	10	26	51	
Care beginning in first trimester	1,056	486	284	8	278	212	282	275	
Late or no care	87	32	32	1	22	10	22	32	
Percent									
Low birthweight	7.0	4.6	10.7	*	7.4	*	6.2	10.6	
Care beginning in first trimester	73.9	75.2	70.0	*	75.7	70.4	79.2	70.0	
Late or no care	6.1	5.0	7.9	*	6.0	*	6.2	8.1	

Virginia Beach city, Virginia

Number									
Low birthweight	501	296	168	-	37	28	271	165	

Care beginning in first trimester	5,474	4,097	1,077	15	285	262	3,852	1,070
Late or no care	193	97	87	-	9	8	90	87

Percent

Low birthweight	7.9	6.5	11.9	*	10.4	8.6	6.3	11.8
Care beginning in first trimester	86.3	89.8	76.4	*	80.7	80.4	90.3	76.6
Late or no care	3.0	2.1	6.2	*	*	*	2.1	6.2

Waco, Texas

Number

Low birthweight	201	128	70	1	2	52	76	70
Care beginning in first trimester	1,568	1,240	309	2	17	447	795	305
Late or no care	217	145	70	-	2	97	49	69

Percent

Low birthweight	8.1	6.8	12.3	*	*	6.4	7.0	12.4
Care beginning in first trimester	63.8	66.3	55.0	*	*	55.5	74.4	54.8
Late or no care	8.8	7.8	12.5	*	*	12.0	4.6	12.4

Warren, Michigan

Number

Low birthweight	125	109	6	2	8	3	97	6
Care beginning in first trimester	1,536	1,429	33	6	68	17	1,326	33
Late or no care	31	27	-	1	3	1	22	-

Percent

Low birthweight	7.1	6.7	*	*	*	*	6.6	*
Care beginning in first trimester	90.7	92.0	75.0	*	79.1	*	92.3	75.0
Late or no care	1.8	1.7	*	*	*	*	1.5	*

Waterbury, Connecticut

Number

Low birthweight	161	118	42	-	1	56	62	41
Care beginning in first trimester	1,166	932	202	6	26	298	631	192
Late or no care	94	72	20	-	2	44	31	17

Percent

Low birthweight	9.5	8.9	12.6	*	*	10.8	7.7	13.2
Care beginning in first trimester	72.8	74.4	65.6	*	76.5	62.7	81.0	66.0
Late or no care	5.9	5.8	6.5	*	*	9.3	4.0	*

Wichita, Kansas

Number

Low birthweight	500	352	117	3	28	43	309	117
Care beginning in first trimester	5,494	4,527	619	60	288	505	4,019	614
Late or no care	166	114	43	3	6	32	82	43

Percent

Low birthweight	7.8	6.7	14.5	*	8.3	5.9	6.9	14.6
Care beginning in first trimester	86.2	87.8	77.2	77.9	86.2	72.7	90.1	77.0
Late or no care	2.6	2.2	5.4	*	*	4.6	1.8	5.4

Winston-Salem, North Carolina

Number

Low birthweight	331	155	173	-	3	38	116	173
Care beginning in first trimester	2,515	1,589	878	3	45	312	1,272	878
Late or no care	98	52	45	-	1	35	17	45

Percent

Low birthweight	11.2	8.5	16.0	*	*	8.4	8.5	16.0
Care beginning in first trimester	85.3	87.1	82.2	*	88.2	68.9	93.1	82.2
Late or no care	3.3	2.8	4.2	*	*	7.7	*	4.2

Worcester, Massachusetts

Number

Low birthweight	188	141	37	-	10	56	91	31
Care beginning in first trimester	1,987	1,638	200	6	143	461	1,216	163
Late or no care	86	68	12	-	6	32	37	10

Percent

Low birthweight	7.8	7.2	13.8	*	*	9.3	6.5	14.0
Care beginning in first trimester	82.4	83.8	74.6	*	78.1	76.6	86.9	73.8
Late or no care	3.6	3.5	*	*	*	5.3	2.6	*

Yonkers, New York

Number									
Low birthweight	213	118	79	-	16	65	52	77	
Care beginning in first trimester	1,602	1,177	320	1	104	489	688	298	
Late or no care	559	372	160	-	27	263	114	154	
Percent									
Low birthweight	7.9	6.3	12.2	*	*	6.9	5.5	12.7	
Care beginning in first trimester	63.2	65.7	54.1	*	68.0	54.8	76.0	53.2	
Late or no care	22.0	20.8	27.1	*	17.6	29.5	12.6	27.5	

- Quantity zero.

* Figure does not meet standards of reliability or precision.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.