

Moriyama

ERRATA

1939

Page 11, table W, 1910, North Carolina, add footnote <sup>4</sup>.

- " 13, " AD, number of deaths under 1 year, 1921—Change 129,558 to 129,588.
- " " " AE, other races, 1929—Change 119.5 to 119.3.
- " " " AG, under 1 day, 1932—Change 14.9 to 15.0.
- " 21, " VIII, Michigan, 1927—Change 48.3 to 38.3.
- " " " " Wisconsin, 1931—Change 38.3 to 28.3.
- " " " " North Carolina, 1929—Change 47.9 to 47.1.
- " " " " Oklahoma, 1935—Change 39.0 to 29.0.
- " " " " New Mexico, 1931—Change 37.9 to 27.9.
- " 23, " X, Washington, 1921—Change 55.4 to 55.5.
- " 85, " I, United States—Change Cities of 10,000 or more to Cities of 100,000 or more.

U. S. DEPARTMENT OF COMMERCE

JESSE H. JONES  
SECRETARY



BUREAU OF THE CENSUS

J. C. CAPT  
DIRECTOR

# VITAL STATISTICS OF THE UNITED STATES

1939

## PART I

NATALITY AND MORTALITY DATA FOR THE  
UNITED STATES TABULATED BY PLACE OF OCCURRENCE  
WITH SUPPLEMENTAL TABLES FOR HAWAII  
PUERTO RICO, AND THE VIRGIN ISLANDS

PREPARED UNDER THE SUPERVISION OF  
HALBERT L. DUNN, M. D.  
*Chief Statistician for Vital Statistics*

UNITED STATES GOVERNMENT PRINTING OFFICE  
WASHINGTON : 1941



# CONTENTS

## INTRODUCTION

	Page		Page
Comparability of classification-----	1	Natality statistics—Continued	
Changes in the registration areas-----	1	Average number of children-----	8
Geographic classification-----	2	Birth rates by month-----	8
Classification by race-----	2	Illegitimate births-----	8
International List of Causes of Death-----	2	Reporting of stillbirths-----	10
Nativity classification-----	3	Illegitimate stillbirths-----	10
Qualifying factors in interpretation and use of data-----	3	Mortality statistics-----	10
Age, sex, race-----	3	Death-rate trend-----	10
Population estimates-----	3	Crude death rates by State-----	10
Place of residence-----	4	Deaths by age-----	11
Completeness of registration-----	4	Death rates by month-----	12
Interpretation of cause-of-death tables-----	4	Deaths by race-----	12
New Standard Certificate—Medical Certification-----	5	Death rates for selected causes of death-----	12
Old Standard Certificate—Medical Certificate of Death-----	5	Infant mortality statistics-----	12
Natality statistics-----	5	Trend of infant mortality-----	12
Birth-rate trend-----	6	Infant mortality by State-----	13
Crude birth rates by State-----	6	Infant death rates by age-----	13
Age of parents-----	6	Infant mortality by month-----	14
Plural births-----	7	Infant death rates by cause of death-----	14

## SUMMARY AND RATE TABLES

Table I.—Population, number of births and deaths, and crude rates: the registration areas, United States, 1900-1939-----			16
Table II.—Enumerated population by cities and rural areas, and by race: United States and each State, April 1, 1930-----			16
Table III.—Enumerated population by age, race, and sex: United States, April 1, 1930-----			17
Table IV.—Estimated midyear population: United States and each State, 1930-1939-----			18
Table V.—Population, number of births and deaths, and crude rates: specified foreign countries, 1937-----			18
Table VI.—Population, number of births and deaths, and crude rates: specified countries and selected years-----			19
Table VII.—Crude birth rates (number of live births per 1,000 estimated midyear population): United States, each division and State, 1915-1939-----			20
Table VIII.—Crude stillbirth rates (number of stillbirths per 1,000 live births): United States, each division and State, 1922-1939-----			21
Table IX.—Crude death rates (number of deaths per 1,000 estimated midyear population): United States, each division and State, 1915-1939			22
Table X.—Infant mortality rates (number of deaths under 1 year of age per 1,000 live births): United States, each division and State, 1915-1939-----			23
Table XI.—Deaths from each cause and crude death rates: United States, 1939-----			24
Table XII.—Crude death rates (number of deaths per 100,000 estimated midyear population) for selected causes of death: United States, each division and State, 1939-----			28
Table XIII.—Births, deaths, infant mortality, and stillbirths: United States, 1939-----			30
Section A.—Cities having populations of 10,000 or more in 1930, cities having populations of 2,500 to 10,000 in 1930, and rural districts, in the United States and each State-----			30
Section B.—Each county (including cities having populations of 10,000 or more in 1930)-----			33

## GENERAL NATALITY AND MORTALITY TABLES

### Live Births

Table 1.—Live births by month and by population groups: United States and each State, 1939-----			85
Table 2.—Live births by race, parent nativity of white, and population groups: United States and each State, 1939-----			88
Table 3.—Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1939-----			92

### Stillbirths

Table 4.—Stillbirths by month and by population groups: United States and each State, 1939-----			96
Table 5.—Stillbirths by race, parent nativity of white, and population groups: United States and each State, 1939-----			99
Table 6.—Stillbirths by number and sex of child, age of mother, and race, and for white by nativity of mother: United States, 1939-----			103

## GENERAL NATALITY AND MORTALITY TABLES--Continued

Total Deaths		Page
Table 7.—Deaths by month and by population groups: United States and each State, 1939-----		105
Table 8.—Deaths by specified race and by population groups: United States and each State, 1939-----		108
Table 9.—Deaths by age, sex, race, and population groups: United States and each State, 1939-----		110
Table 10.—Deaths from each cause, by age, race, and sex: United States, 1939-----		144
Table 11.—Deaths by specified race, nativity of white, sex, age, and population groups: United States and each State, 1939-----		188
Table 12.—Deaths from selected causes, by age, race, and sex: each State, 1939-----		202
Table 13.—Deaths from selected causes, by month: United States, 1939-----		349
Table 14.—Deaths from each cause, by race and sex: United States and each State, 1939-----		350
Table 15.—Deaths from each cause, by specified race and sex: United States, 1939-----		414
Infant Deaths		
Table 16.—Deaths under 1 year from selected causes, by age, sex, and race: United States and each State, 1939-----		417
Table 17.—Deaths under 1 year of age from selected causes, by population groups, and for all causes by race: United States and each State, 1939-----		456
Table 18.—Deaths under 1 year of age from selected causes, by month: each State, 1939-----		466
Table 19.—Deaths under 1 year, by age and by month: each State, 1939-----		491
SUPPLEMENT		
Hawaii-----		501,502
Puerto Rico-----		501,515
Virgin Islands-----		501,524

# VITAL STATISTICS OF THE UNITED STATES

## PART I. GEOGRAPHIC CLASSIFICATION BY PLACE OF OCCURRENCE

### Introduction

This volume—Vital Statistics of the United States, Part I—contains official statistical tabulations of natality and mortality data for the calendar year 1939. Tables are presented giving detailed statistics of live births, stillbirths, total deaths, and infant deaths in continental United States. Supplementary tabulations for Hawaii, Puerto Rico, and the Virgin Islands are also included. The natality data are classified by geographic area, race of child, nativity of parents, month, et cetera. Mortality data are classified by geographic area, cause of death, age, race, sex, month, et cetera. The geographic classification refers to the place of birth or death, irrespective of the usual place of residence of the mother of the child, or the usual place of residence of the decedent. The tabulations are derived from transcripts of original birth and death certificates that are received from registration officials of States, cities, and outlying possessions of the United States.

The present volume continues the new series of annual publications begun in 1937. It presents natality and mortality data based upon place of occurrence of the live birth, stillbirth, or death. Data compiled on a residence basis are published in a second volume entitled "Vital Statistics of the United States, Part II."

The tables in this volume correspond, with a few exceptions, to those published in the corresponding volumes for 1937 and 1938. However, a major change is involved in the transference of four general tables giving births by age of mother and number of child from part I to part II, where they are tabulated by place of residence of the mother instead of place of birth.

This volume was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, Dr. John Collinson, Assistant Chief Statistician for Vital Statistics, and Dr. Forrest E. Linder, Technical Expert for Vital Statistics. Tabulations and introductory material were prepared under the immediate supervision of Dr. Robert D. Grove, Associate Social Science Analyst.

### COMPARABILITY OF CLASSIFICATION

**Changes in the registration areas.**—The first vital statistics published by the Federal Government related to 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900. The interval between the occurrence of a birth or a death and the census enumeration resulted in inaccurate and incomplete reports on births and deaths. Since several States had developed efficient systems for the registration of vital statistics, the Bureau of the Census, in 1880, established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, and both birth and death figures for the entire country were compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902, the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an Act of Congress. This Act authorized the Director of the Bureau of the Census to obtain, annually, copies of records filed in the vital-statistics offices of those States and cities having adequate death-registration systems. At that time, not all the States had enacted laws requiring the registration of births and deaths,

and in many States the existing laws were poorly enforced. Important dates in the historical development of vital statistics in the various States and the year in which each State was admitted to the national registration areas, are given in table A.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of qualified cities in nonregistration States. The gradual growth of this area by the addition of more States is shown in table B, which gives for each year the estimated midyear population of the whole United States and the number of States and the estimated population included in the registration area.

Inasmuch as it is more difficult to obtain accurate and complete registration of births than of deaths, the national birth-registration area was not established until 1915. For this reason no birth statistics were published by the Bureau of the Census from 1900 to 1914. The original birth-registration area of 1915 consisted of 10 States and the District of Columbia, but other States were gradually added in the years following. The growth of this area is indicated also in tables A and B.

TABLE A.—IMPORTANT DATES IN THE HISTORY OF BIRTH AND DEATH REGISTRATION: UNITED STATES

STATE	FIRST STATE REGISTRATION LAW ENACTED		ENACTMENT OF PRESENT LAW (MODEL OR CONFORMING TO MODEL LAW)	RECORDS ON FILE FOR ENTIRE STATE		ADMITTED TO REGISTRATION AREA	
	Deaths	Births	Births and deaths	Deaths	Births	Deaths	Births
Alabama	1881	1881	1919	1908	1908	1925	1927
Arizona	1909	1909	1909	1909	1909	1926	1926
Arkansas	1881	1881	1913	1914	1914	1927	1927
California	1858	1877	1915	1905	1905	1906	1919
Colorado	1876	1876	1907	1907	1907	1906	1928
Connecticut	1852	1852	1905	1897	1897	1890	1915
Delaware	1861	1861	1913	1881	1881	1919	1921
District of Columbia	1874	1871	1907	1855	1871	1880	1915
Florida	1899	1899	1915	1877	1865	1919	1924
Georgia	1875	1823	1927	1919	1919	1928	1928
Idaho	1907	1907	1911	1911	1911	1922	1926
Illinois	1877	1877	1915	1916	1916	1918	1922
Indiana	1881	1907	1913	1900	1907	1900	1917
Iowa	1880	1880	1921	1880	1880	1923	1924
Kansas	1885	1885	1911	1911	1911	1914	1917
Kentucky	1851	1851	1911	1911	1911	1911	1917
Louisiana	1855	1855	1918	1869	1870	1918	1927
Maine	1821	1821	1892	1892	1892	1900	1915
Maryland	1880	1880	1912	1898	1898	1906	1916
Massachusetts	1840	1840	1903	1850	1850	1880	1915
Michigan	1867	1867	1925	1867	1867	1900	1915
Minnesota	1870	1870	1907	1900	1900	1910	1915
Mississippi	1878	1878	1912	1912	1912	1919	1921
Missouri	1891	1891	1909	1910	1910	1911	1927
Montana	1895	1895	1907	1907	1907	1910	1922
Nebraska	1905	1905	1927	1905	1905	1920	1920
Nevada	1911	1911	1929	1911	1911	1929	1929
New Hampshire	1850	1850	1891	1881	1881	1890	1915
New Jersey	1848	1848	1920	1848	1848	1880	1921
New Mexico	1907	1907	1929	1919	1919	1929	1929
New York	1847	1847	1913	1880	1880	1890	1915
North Carolina	1877	1877	1913	1914	1914	1916	1917
North Dakota	1899	1899	1907	1908	1908	1924	1924
Ohio	1867	1867	1908	1909	1909	1909	1917
Oklahoma	1907	1907	1917	1917	1917	1928	1928
Oregon	1903	1903	1915	1903	1903	1918	1919
Pennsylvania	1851	1851	1905	1906	1906	1906	1915
Rhode Island	1850	1850	1911	1852	1852	1890	1921
South Carolina	1878	1878	1914	1915	1915	1916	1928
South Dakota	1905	1905	1931	1905	1905	1930	1932
Tennessee	1881	1881	1913	1914	1914	1917	1927
Texas	1873	1873	1927	1903	1903	1933	1933
Utah	1898	1898	1905	1905	1905	1910	1917
Vermont	1856	1856	1906	1857	1857	1890	1915
Virginia	1853	1853	1912	1912	1912	1913	1917
Washington	1891	1891	1907	1907	1907	1908	1917
West Virginia	1866	1866	1921	1917	1917	1925	1925
Wisconsin	1852	1852	1907	1850	1840	1908	1917
Wyoming	1907	1907	1907	1909	1909	1922	1922

## VITAL STATISTICS OF THE UNITED STATES

TABLE B.—GROWTH OF THE VITAL STATISTICS REGISTRATION AREA: UNITED STATES

(Populations for 1930-1939 have been obtained by interpolation, using the provisional population figures from the 1940 census)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION AREA		BIRTH-REGISTRATION AREA			
		Number of States	Estimated midyear population		Number of States	Estimated midyear population	
			Number	Per cent of total		Number	Per cent of total
1939	130,600,617	48	130,600,617	100.0	48	130,600,617	100.0
1938	129,673,099	48	129,673,099	100.0	48	129,673,099	100.0
1937	128,746,626	48	128,746,626	100.0	48	128,746,626	100.0
1936	127,827,091	48	127,827,091	100.0	48	127,827,091	100.0
1935	126,902,980	48	126,902,980	100.0	48	126,902,980	100.0
1934	126,056,737	48	126,056,737	100.0	48	126,056,737	100.0
1933	125,271,770	48	125,271,770	100.0	48	125,271,770	100.0
1932	124,474,345	47	119,767,706	96.2	47	118,516,069	95.2
1931	123,686,803	47	119,022,689	96.2	46	117,099,407	94.7
1930	122,952,902	47	118,331,312	96.2	46	116,421,372	94.7
1929	121,526,429	46	116,317,515	95.7	46	115,097,972	94.7
1928	119,861,607	44	114,258,516	95.3	44	113,050,663	94.3
1927	118,196,785	42	108,177,568	91.5	40	103,575,656	87.6
1926	116,531,963	41	104,936,301	90.1	35	89,692,479	77.0
1925	114,867,141	40	102,951,999	89.6	33	87,486,096	76.2
1924	113,202,319	39	100,082,062	88.4	33	86,256,025	76.2
1923	111,537,497	38	97,816,104	87.7	30	80,694,406	72.3
1922	109,872,675	37	95,866,240	85.4	30	79,415,841	72.3
1921	108,207,853	34	89,102,434	82.3	27	70,738,177	65.4
1920	106,543,031	34	87,632,592	82.3	23	63,740,689	59.8
1919	105,005,065	33	85,166,043	81.1	22	61,483,423	58.6
1918	103,587,955	30	81,335,675	78.5	20	55,513,241	53.6
1917	102,172,845	27	74,984,498	73.4	20	54,771,415	53.6
1916	100,757,735	26	71,349,162	70.8	11	32,788,670	32.5
1915	99,342,625	25	67,095,681	67.5	10	30,936,179	31.1
1914	97,927,516	25	65,813,315	67.2			
1913	96,512,407	24	63,200,625	65.5			
1912	95,097,298	23	60,359,974	63.5			
1911	93,682,189	23	59,183,071	63.2			
1910	92,267,080	21	53,631,742	58.3			
1909	90,851,354	18	50,870,518	56.1			
1908	89,435,360	17	46,789,913	52.5			
1907	87,455,366	15	43,016,990	49.2			
1906	85,837,372	15	41,983,419	48.9			
1905	84,219,378	10	34,052,201	40.4			
1904	82,601,384	10	33,345,163	40.4			
1903	80,983,390	10	32,701,063	40.4			
1902	79,365,396	10	32,029,815	40.4			
1901	77,747,402	10	31,370,952	40.3			
1900	75,994,575	10	30,765,618	40.5			
1899 <sup>1</sup>	62,947,714	8	19,659,440	31.2			
1880 <sup>1</sup>	50,155,783	2	6,539,366	17.0			

<sup>1</sup>Figures are for census year ending May 31.

NOTE.—For every year the District of Columbia was in both areas, but is not included in the "number of States"; previous to 1933, the death area also included a varying number of registration cities in nonregistration States.

In 1933, for the first time, both the birth- and death-registration areas included all States, and since that year the annual publications have included data for the entire United States.

The change in areas for which data have been collected and tabulated makes it impossible to obtain a national series of geographically comparable data prior to 1933. However, rates for the expanding registration areas are an approximation to complete national rates, and general comparisons over a long period of years can be made. More exact trends for parts of the United States can be secured by use of some constant area, such as the original registration areas or the registration areas of 1920. Crude birth, stillbirth, and death rates for the registration areas of each year are given in table I, and crude rates for the geographic divisions and for the individual States are shown in tables VII, VIII, IX, and X.

**Geographic classification.**—The geographic code used in tabulating the data published in this report gives a separate identifying number to each city having a population of 10,000 or more in 1930, and to certain towns and townships each having a population of 10,000 or more and a population density of 1,000 or more per square mile. The code also gives a separate number to each county, exclusive of these cities. Although villages and cities having populations of less than 10,000 are not individually identified, each county is divided into two parts, one consisting of "incorporated places" of 2,500 to 10,000, and another consisting of the remainder of the county.

In this report most of the tables containing classifications by size-of-population groups show cities of 10,000 or more, cities of 2,500 to 10,000, and rural. Certain tables give a more detailed five-group classification, namely, cities having populations of 100,000 or more; cities of 25,000 to 100,000; cities of 10,000 to 25,000; cities of 2,500 to 10,000; and rural. This finer classification is given where feasible in order to break the heterogeneity of large population groupings.

The classification of cities used in the 1939 tabulations is based on population as enumerated in the 1930 census.

Prior to 1930 the annual vital-statistics data were tabulated in two general groups—urban and rural. In this classification the urban group included all cities of 10,000 inhabitants or more and a few densely populated towns and townships. The rural group included all remaining areas. Under the definitions used for the 1910, 1920, and 1930 population censuses, "urban" included all cities with populations in excess of 2,500, and "rural" included the remaining areas. To give annual vital-statistics data that could be more completely related to the population census, it was necessary, therefore, to divide into two groups the group previously defined as rural in vital statistics. Thus, by combining the areas of 2,500 to 10,000 with the urban, figures could be obtained that were comparable with those of the 1930 census. Also, by combining the areas of 2,500 to 10,000 with the rural, figures could likewise be obtained that were comparable with the rural as given in the vital-statistics reports prior to 1930.

Most natality and mortality tables published since 1930 show the three-way population classification: Cities in excess of 10,000, cities of 2,500 to 10,000, and rural; but in some tables the simple classifications "urban" and "rural" are used. In these instances, where the dichotomous classification is shown, the rural includes all areas except the cities of 10,000 or more. In the present volume the ambiguous terms "urban" and "rural" are avoided, and the table headings indicate the composition of each population group.

**Classification by race.**—The detailed racial classification given in this volume shows births and deaths classified by white, Negro, Indian, Chinese, Japanese, and a residual group of numerically minor races. In most tables such an extended classification is not justified and the racial divisions are "white," "Negro," and "other races"; in tables where the main purpose is to isolate the major group, the classifications are simply "white" and "all other." In any case where the racial designation on the birth or death certificate is Mexican, the birth or death is tabulated with "white." This allocation of Mexican births and deaths is consistent with that used prior to 1930 and for the years after 1934. In the annual reports for the years 1930 to 1934, the Mexicans were not classified with the "white" but were tabulated with "other races."

**International List of Causes of Death.**—The data in the mortality reports published by the Bureau of the Census are tabulated according to the numbers and titles of the detailed International List of Causes of Death. The International List is revised decennially in order that the terminology by which deaths are classified may be consistent with advances in medical science and changes in diagnostic practice. The tabulations for 1939 are classified according to the fifth revision of the International List of Causes of Death adopted by the International Commission, which met in Paris in October 1938.

Complete titles of this list, with the official numbers and subdivisions, are given in the stub of table XI.

The fifth revision of the International List as adopted by the conference in 1938 conforms in many respects to the fourth revision adopted in 1929. Among the changes made in the list, as adopted for use in the United States, the following seem to be of particular interest:

1. The titles included in the "Infectious and parasitic diseases" group have been arranged upon an etiological basis according to the organisms involved.
2. Title 13 (Tuberculosis of the respiratory system) has been divided so as to show, separately, deaths reported as involving occupational diseases of the lungs.
3. Numerous subdivisions were added in the "Cancer and other tumors" group.
4. Title 58 (Rheumatic fever) and titles 90, 91, 92, 93, and 95 (Diseases of the heart) were subdivided so as to provide, separately, information on the total number of deaths involving rheumatic affections of the heart.

5. Locomotor ataxia (tabes dorsalis), general paralysis of the insane, aneurysm of the aorta, and other diseases caused by syphilis were made subdivisions under title 30, Syphilis.

6. Title 131 (Chronic nephritis) has been divided into two parts to show deaths for which arteriosclerotic conditions are reported in conjunction with chronic nephritis.

7. Numerous subdivisions were created in titles 140-150 (Diseases of pregnancy, childbirth, and the puerperium). A major change introduced was to determine whether the maternal death occurred before or after delivery.

8. Title 157 (Congenital malformations) was subdivided into nine parts to indicate in more detail the various anatomical systems or parts of the body involved.

9. In the group, Diseases peculiar to the first year of life, titles 160 and 161 are limited to deaths "under 1 year of age," instead of "under 3 months of age" as in the 1929 list.<sup>1</sup>

In some tables it is necessary, on account of space limitations, to abbreviate cause-of-death titles or to indicate the composition of groups of causes by giving the list numbers. In such cases, reference may be made to table XI or to the Manual of the International List of Causes of Death for the complete titles. The manual gives, also, the main diseases or conditions included in each title.

**Nativity classification.**—Early mortality reports published by the Bureau of the Census contained extensive tables showing parent nativity as well as nativity of the decedent. Tables classifying deaths by the birthplace of the decedent and the nativity of parents were discontinued in 1933.

In preceding reports more emphasis has been placed upon country of birth of parents in the birth statistics. Detailed tables showing specific country of birth of mother and specific country of birth of father, as well as more abridged classifications, have been published for each year through 1936. The historical importance of these data in tracing the changing composition of the population of the United States must be recognized. However, in recent years the number of births to foreign-born parents has become a relatively small proportion of the total. Accordingly, since 1937, tables showing parent nativity for births have been eliminated or revised. A continued decrease in the proportion of births to foreign-born parents will justify decreased emphasis on this classification in future volumes.

TABLE C.—WHITE LIVE BIRTHS OF FOREIGN PARENTAGE: EXPANDING AND ORIGINAL BIRTH-REGISTRATION AREAS, UNITED STATES

YEAR	EXPANDING BIRTH-REGISTRATION AREA			ORIGINAL BIRTH-REGISTRATION AREA <sup>1</sup>		
	Total white live births	One or both parents foreign-born		Total white live births	One or both parents foreign-born	
		Number	Percent of total		Number	Percent of total
1939	1,982,671	202,573	10.2	594,257	105,534	17.8
1938	2,005,955	220,286	11.0	611,915	117,413	19.2
1937	1,928,437	230,381	11.9	595,225	124,447	20.9
1936	1,881,885	241,647	12.8	587,359	131,589	22.4
1935	1,888,012	259,615	13.8	589,409	141,957	24.1
1934	1,866,231	255,643	13.7	587,024	152,717	26.0
1933	1,794,946	267,426	14.9	578,841	161,375	27.9
1932	1,805,155	296,124	16.4	616,299	183,344	29.7
1931	1,848,293	330,772	17.9	641,636	204,288	31.8
1930	1,946,841	384,982	19.8	678,387	229,462	33.8
1929	1,924,475	407,022	21.1	678,482	241,070	35.5
1928	1,982,246	434,789	21.9	705,001	260,067	36.9
1927	1,925,585	458,088	23.8	726,931	277,949	38.2
1926	1,707,034	465,746	27.3	723,449	285,047	39.4
1925	1,731,669	487,707	28.2	746,083	305,025	40.6
1924	1,762,872	514,452	29.2	768,364	321,777	41.9
1923	1,644,034	501,124	30.5	752,860	323,070	42.9
1922	1,629,387	510,167	31.3	750,806	329,573	43.9
1921	1,565,446	496,815	31.7	769,173	352,443	44.7
1920	1,395,523	440,585	31.6	755,866	340,806	45.1
1919	1,269,363	439,135	34.6	714,815	346,200	48.4
1918	1,288,711	461,277	35.8	784,495	384,607	49.0
1917	1,280,288	482,211	37.7	788,214	405,616	51.2
1916	799,817	407,966	51.0	772,512	402,888	52.2
1915	763,899	405,014	53.0	763,899	405,014	53.0

<sup>1</sup>Exclusive of Rhode Island.

<sup>1</sup>For a more detailed comparison of the 1929 and 1938 International Lists, see Bureau of the Census, "Manual of the International List of Causes of Death (fifth revision) and Joint Causes of Death (fourth edition)," pp. 47-51, 1939.

Table C gives the total number of births of white children in the increasing birth-registration area for each year beginning with 1915, and the percent of these having one or both parents of foreign birth. The same data are given for the 10 original birth-registration States. For this original registration area, white births of foreign or mixed parentage were 53.0 percent of all white births in 1915, whereas in 1939 this group comprised only 17.8 percent of the total. For the whole United States, in 1939, white births of foreign or mixed parentage were only 10.2 percent of the total white births.

QUALIFYING FACTORS IN INTERPRETATION AND USE OF DATA

While the data in this volume are available for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless cognizance is taken of various qualifying factors. Obviously the factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to catalog all of the pertinent factors in the use of vital-statistics tabulations, but a few of the more important should be mentioned.

Most of the factors limiting the use of vital-statistics data arise from imperfections in the original material or from the impracticability of tabulating or using these data in very detailed categories. These defects should not be ignored, yet their existence does not destroy the value of the tables for most general purposes. Analysis of small differences or exact evaluation and interpretation of vital statistics may require careful study of many related elements. However, the trend of crude birth and death rates, the increase or decrease in the number of deaths from selected causes, and the major differences in rates among States, are all facts that will not be materially changed by finer analysis.

**Age, sex, race.**—If crude death rates are used as an index of the health conditions of a community, comparisons of rates for different States or cities are not strictly valid unless the age, sex, and racial composition of the population of each area is considered. It is obvious that, if the population in one State is generally older than that in another, the crude death rate will be higher, even though there is no essential difference in the age-specific death rates.

Similar considerations apply also to crude birth rates. For example, comparison of birth rates of one area having a certain proportion of women of child-bearing age with the rates of another community of a different population composition is erroneous if the rates are used as a measure of fertility.

Various methods have been devised to compensate for differences in the population composition of the areas to be compared. A necessary element of all such methods is the computation of specific birth or death rates for each of the factors to be considered. While the natality and mortality tables in this volume are sufficiently detailed for the most important of these computations, it is also essential to have population figures for each separate age, sex, and racial group. Since detailed population data for 1939 are not yet available, it is not possible, at this time, to present these specific rates. The crude rates given in the summary and rate tables are therefore subject to some limitations when used to compare health or fertility conditions in different areas.

**Population estimates.**—Since birth and death rates are ratios of the number of births and deaths to population figures, accurate rates are partially dependent upon accurate population figures. Tabulations showing the number and composition of the population for various areas are available only for the years when regular decennial population censuses are taken. For intervening years population estimates must be used.

In this volume, birth and death rates for the United States and individual States for the years 1930-1939 have been computed on the basis of provisional population estimates obtained by arithmetic interpolation between the populations of 1930 and 1940 as enumerated in the decennial censuses. These rates differ from those published previously for the period 1930-1939. The provisional population estimates will be revised later by the Bureau of the Census on the basis of the final

1940 enumerated populations and supplementary data for intercensal years from migration tabulations, local school censuses, and other sources. These final official estimates for 1939 and preceding years were not available in time for use in this volume. Rates computed later on the basis of the final population estimates may be expected to differ in some cases from the rates published here.

Birth and death rates for individual counties and cities for 1939 are not included, since accurate population estimates are not yet available for these areas.

**Place of residence.**— Official national vital statistics and those published by most State and city agencies have, for the most part, been compiled according to the place of birth or death. Under this system of tabulation, the data are tabulated by the city, county, or State in which the birth or death occurred, irrespective of the usual place of residence of the mother of the child, or the usual place of residence of the decedent.

The significance of this method of tabulation can be seen by considering the effect of population movement on death rates. For example, the hospital facilities in a city may attract patients from surrounding areas and, as a result, many of the deaths occurring in this city will not be deaths of residents of this city. The enumerated population of the city does not, under such conditions, represent the number of persons exposed to the risk of death; and the death rate does not accurately describe the mortality of this particular city. A more correct figure is obtained by reallocating all deaths to the place of residence. Since there are many causes contributing to the movement of patients to some area other than their usual place of residence, it cannot be assumed that the direction of the movement is always from rural to urban areas. Similar non-resident factors affect the interpretation of birth statistics based upon place of occurrence. In order to determine the direction or the magnitude of the differences between rates compiled according to place of occurrence and those compiled according to place of residence, it is necessary to examine tabulations compiled on both bases.

Since the data given in this volume are compiled according to place of occurrence, figures for individual cities and counties or for population groups do not always give an accurate indication of relative health and fertility conditions. Tabulations for States as a whole compiled on either basis are essentially the same. Detailed tabulations by place of residence are given in "Vital Statistics of the United States, Part II."

**Completeness of registration.**— Although every State has adopted a vital-statistics law requiring the registration of all births and deaths, these laws are not uniformly enforced. In most States where the registration organization is well established and where the persons responsible for filing certificates appreciate the value of registration to the individual as well as its value for statistical purposes, practically all births and deaths are registered. In other States, however, the underregistration is enough to affect the use of the tabulated data for certain purposes.

Accurate information on the completeness of registration in each State is not available. One condition required for admission to the national registration areas was that there exist a demonstrated completeness of registration of at least 90 percent. Using this as a criterion, all of the States were admitted to the registration areas by 1933, and although registration has become more complete in most States, it is likely that there has been regression in some States. Estimates of the completeness of registration in States, based on the comparison of vital-statistics reports and enumerated census data, have been published by several writers.

There is considerable evidence to show that birth registration is more incomplete than death registration. Especially incomplete is the registration of Negro births in isolated rural areas.

The most comprehensive Nation-wide test of completeness of birth registration ever made by the Bureau of the Census was made during 1940. All registered births occurring during the months—December 1939 and January, February, and March, 1940—were matched with the infants under 4 months enumerated in the census as of April 1, 1940. The results of this test, when

known, will provide very valuable evidence of the degree of completeness of birth registration in different parts of the country.

### INTERPRETATION OF CAUSE-OF-DEATH TABLES

Cause-of-death data given in this volume are classified by the fifth revision of the International List of Causes of Death. The use of this list in the tabulation of data by all States, and by various countries, results in similar cause-of-death titles for the various tables. Unfortunately, this use of a standard classification list, although essential for regional comparisons, does not assure strict comparability of the tabulated figures. At the present time, the type of statement given for the cause of death varies widely according to the care and consideration given to the certification of cause. A high degree of comparability could be attained only if the data on cause of death were reported with equal completeness and accuracy for every area. Table D gives, for 1939, the frequency distribution of States (including the District of Columbia) showing the percent of deaths coded International List numbers 199 and 200, namely, ill-defined causes of death. The variation in the accuracy of reporting throughout the country in 1939 is indicated by the fact that in 25 States less than 1 percent of all deaths were classified in this ill-defined group, while in 5 States over 5 percent, and in 2 States over 10 percent were so classified. For deaths under 1 year of age, the corresponding figures are 18, 11, and 6 States, respectively. Obviously, if a high proportion of deaths are included in this poorly defined cause-of-death class, it means that there is an unknown deficiency in the number of deaths classified in the more precisely defined groups.

TABLE D.—FREQUENCY DISTRIBUTION OF STATES SHOWING THE PERCENT OF TOTAL DEATHS AND OF INFANT DEATHS CODED INTERNATIONAL LIST NUMBERS 199 AND 200: 1939

PERCENT CODED 199 AND 200	NUMBER OF STATES	
	Total deaths	Deaths under 1 year
0.0 - 0.9	25	18
1.0 - 1.9	9	7
2.0 - 2.9	6	5
3.0 - 3.9	3	4
4.0 - 4.9	1	4
5.0 - 5.9	1	1
6.0 - 6.9	1	1
7.0 - 7.9	—	1
8.0 - 8.9	1	1
9.0 - 9.9	—	1
10.0 +	2	6

The form and content of the medical questions on the death certificate affect the type of certification and consequently the meaning of the cause-of-death statistics. The medical certification part of the new standard death certificate recommended in 1939 by the Bureau of the Census for adoption by the States differs from the corresponding part of the old standard certificate. Both forms are reproduced on the following page.

The new certificate asks for the immediate cause of death which is defined as "The last of a series of disease entities which contribute to a death." The underlying cause of death is defined as "The disease entity which initiates the series of disease entities resulting in death." In the new standard death certificate, the underlying cause or causes of death are stated in the spaces following the words "due to," in reverse order of occurrence from the immediate cause of death.<sup>1</sup>

The degree in which these principles are uniformly followed by physicians affects greatly the meaning and comparability of cause-of-death statistics.

The interpretation of data on cause of death is further qualified by the fact that, although in many instances the death is the result of a combination or sequence of causes, it is practicable to tabulate the death under one rubric only. This necessitates a choice of the primary cause from those

<sup>1</sup>For a more detailed statement, see Bureau of the Census, "Physicians' Handbook on Birth and Death Registration," pp. 11-17, 1939.

given on the certificate. This selection of a primary cause is made according to rules given in the Manual of Joint Causes of Death. It is evident, however, that the effect of any such rules on the classification of deaths for specific causes will vary according to the completeness with which all the factors contributory to the death are reported. If a death is the result of several causes but only a single cause of death is given on the certificate, the Manual of Joint Causes of Death cannot, of course, be used. For this reason the omission of pertinent complicating factors or conditions adding to the risk of death may result in an incorrect assignment of cause. Table E gives the frequency distribution of States (including the District of Columbia) showing the percent of death certificates on which only a single cause of death was stated in 1936, the latest year for which such data are available.

variation in the amount of information given on the death certificates must have an appreciable effect on the exact meaning of death rates for specific causes.

TABLE E.—FREQUENCY DISTRIBUTION OF STATES SHOWING PERCENT OF ALL DEATH CERTIFICATES HAVING A SINGLE CAUSE OF DEATH: 1936

PERCENT HAVING SINGLE CAUSE	Number of States
25.0 - 29.9	5
30.0 - 34.9	8
35.0 - 39.9	12
40.0 - 44.9	7
45.0 - 49.9	5
50.0 - 54.9	4
55.0 - 59.9	5
60.0 - 64.9	3

NEW STANDARD CERTIFICATE

MEDICAL CERTIFICATION

20. Date of death: Month \_\_\_\_\_ day \_\_\_\_\_  
 year \_\_\_\_\_ hour \_\_\_\_\_ minute \_\_\_\_\_

21. I hereby certify that I attended the deceased from \_\_\_\_\_, 19\_\_\_\_, to \_\_\_\_\_, 19\_\_\_\_; that I last saw h\_\_\_\_\_ alive on \_\_\_\_\_, 19\_\_\_\_; and that death occurred on the date and hour stated above.

Immediate cause of death \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 Due to \_\_\_\_\_  
 \_\_\_\_\_  
 Due to \_\_\_\_\_  
 \_\_\_\_\_

*Duration*

Other conditions \_\_\_\_\_  
(Include pregnancy within 3 months of death)  
 Major findings:  
 Of operations \_\_\_\_\_  
 \_\_\_\_\_  
 Of autopsy \_\_\_\_\_  
 \_\_\_\_\_

**PHYSICIAN**  
 \_\_\_\_\_  
 Underline the cause to which death should be charged statistically.

OLD STANDARD CERTIFICATE

MEDICAL CERTIFICATE OF DEATH

21. DATE OF DEATH (month, day, and year) \_\_\_\_\_ 193

22. I HEREBY CERTIFY, That I attended deceased from \_\_\_\_\_, 193 , to \_\_\_\_\_, 193

I last saw h\_\_\_\_\_ alive on \_\_\_\_\_, 193 ; death is said to have occurred on the date stated above, at \_\_\_\_\_ m.

The principal cause of death and related causes of importance were as follows:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 Other contributory causes of importance:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Date of onset**

Name of operation \_\_\_\_\_ Date of \_\_\_\_\_  
 What test confirmed diagnosis? \_\_\_\_\_ Was there an autopsy? \_\_\_\_\_

A detailed study now in progress involves the tabulation of relations between the primary cause of death and associated causes for all deaths reported in the United States in 1940. This study will provide very valuable information covering the effect of the joint-cause rules upon the statistical frequency of each cause when deaths are tabulated only by the primary cause.

The new standard certificate has been changed in two ways which should aid in solving the problems involved in interpreting and tabulating multiple causes of death. First, the immediate cause of death has been more clearly distinguished from the underlying cause or causes. Second, the attending physician is asked to "underline the cause to which death should be charged statistically." Comparison of statistics tabulated according to these two principles with statistics tabulated according to the arbitrary rules of the Manual of Joint Causes of Death will add much to the interpretation of mortality statistics.

Apart from the question of comparability between areas, there is the additional problem of comparability for a given area between years. To a certain extent, time-trend studies would be facilitated if the International List were maintained without change over a long period of years. However, if the list were rigidly fixed it would soon be inconsistent with current medical terminology. To obtain the advantages of frequent revision, and yet to retain a fixed list for a number of years, revisions of the list are made at an international conference every 10 years. In the process of revision, some causes of death included under one title may be transferred to other titles. Since it is difficult to evaluate the numerical importance of all such rearrangements, definite discontinuities are introduced into the time trends of death rates for specific causes of death.

The Bureau of the Census has begun a detailed study of the changes in the fifth revision of the International List of Causes of Death. The results of this study will assist greatly in evaluating the effect of the changes on the comparability of death rates for specific causes for the period 1930-1949 during which the fourth and fifth revisions of the International List will have been used.

Incomparability in cause-of-death statistics over a period of years may also result from changes in the rules for selecting the primary cause of death where more than one cause is specified.

Improvement of diagnostic procedure and development of medical knowledge and facilities are other important factors not to be overlooked in the study of changes in death rates for certain causes. For example, additional diagnostic cancer clinics located throughout the country may correctly diagnose many cancer deaths which might otherwise be classified in an unknown or ill-defined cause-group. Another example might be found in the case of syphilitic deaths. Deaths from syphilis are not always correctly reported, but the recent campaign to promote the treatment of this disease may influence the accuracy of the reporting of syphilis on the death certificate.

NATALITY STATISTICS

Detailed tabulations of the live births registered in the United States in 1939 are given in general natality tables, numbers 1 to 3, inclusive. In these tables the reported births

In 12 States more than 50 percent of all certificates had only a single cause of death. In contrast, it can be noted from table E, there were 5 States with less than 30 percent of the certificates reporting only a single cause. This wide



## VITAL STATISTICS OF THE UNITED STATES

are classified by place of birth, month of birth, race of child, nativity of parents, and other subjects. Additional information on birth statistics is included in the section containing summary and rate tables. The following paragraphs point out some of the more important facts for 1939 and give comparable figures for past years.

**Birth-rate trend.**—In 1939 there were 2,265,588 registered live births in the United States. With a provisional estimated midyear population of 130,600,617, the crude birth rate is 17.3 per 1,000. The number of births reported for the United States birth-registration area and the crude birth rate for each year since 1915 are given in table F. This table also gives the estimated midyear population of the United States and the estimated midyear population and percent of total included in the increasing birth-registration area.

An inspection of table F shows a rapid downward trend in the crude birth rate from 1915 to 1933. Since then the trend of the rate has been slowly and irregularly upward. However, the increase from 1933 to 1939 is so slight that it cannot be taken as an assurance that the direction of the trend has materially changed.

TABLE F.—CRUDE BIRTH RATES: BIRTH-REGISTRATION AREA, UNITED STATES

(Rates for 1930-1939 are based upon provisional population estimates obtained by interpolation, using the provisional population figures from the 1940 census. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population of continental United States	BIRTH-REGISTRATION AREA			
		Estimated midyear population		Live births	
		Number	Percent of total	Number	Rate per 1,000 population
1939	130,600,617	130,600,617	100.0	2,265,588	17.3
1938	129,673,099	129,673,099	100.0	2,266,962	17.6
1937	128,746,626	128,746,626	100.0	2,203,337	17.1
1936	127,827,091	127,827,091	100.0	2,144,790	16.8
1935	126,902,980	126,902,980	100.0	2,155,105	17.0
1934	126,056,737	126,056,737	100.0	2,167,636	17.2
1933	125,271,770	125,271,770	100.0	2,061,232	16.6
1932	124,474,345	118,516,069	95.2	2,074,042	17.5
1931	123,686,803	117,099,407	94.7	2,112,760	18.0
1930	122,952,902	116,421,372	94.7	2,203,958	18.9
1929	121,526,429	115,097,972	94.7	2,169,920	18.9
1928	119,861,607	113,050,665	94.3	2,233,149	19.8
1927	118,196,765	103,575,656	87.6	2,137,636	20.6
1926	116,531,963	89,682,479	77.0	1,856,068	20.7
1925	114,867,141	87,486,096	76.2	1,878,680	21.5
1924	113,202,319	86,256,025	76.2	1,930,614	22.4
1923	111,537,497	80,694,406	72.3	1,792,646	22.2
1922	109,872,675	79,415,841	72.3	1,774,911	22.3
1921	108,207,853	70,736,177	65.4	1,714,261	24.2
1920	106,543,031	63,740,689	59.8	1,506,874	23.7
1919	105,003,065	61,483,423	58.6	1,373,438	22.3
1918	103,587,955	55,515,241	53.6	1,363,649	24.6
1917	102,172,845	54,771,416	53.6	1,353,792	24.7
1916	100,757,735	32,788,670	32.5	816,963	25.0
1915	99,342,625	30,936,179	31.1	776,304	25.1

TABLE G.—YEAR IN WHICH EACH STATE WAS ADMITTED TO THE BIRTH-REGISTRATION AREA

YEAR	STATE	YEAR	STATE	YEAR	STATE
1915	Connecticut Maine Massachusetts Michigan Minnesota New Hampshire New York Pennsylvania Rhode Island <sup>1</sup> Vermont Dist. of Columbia <sup>2</sup>	1917	Virginia Washington Wisconsin	1925	West Virginia
1916	Maryland	1919	California Oregon South Carolina <sup>3</sup>	1926	Arizona Idaho
1917	Indiana Kansas Kentucky North Carolina Ohio Utah	1920	Nebraska	1927	Alabama Arkansas Louisiana Missouri Tennessee
		1921	Delaware Mississippi New Jersey	1928	Colorado Georgia Oklahoma
		1922	Illinois Montana Wyoming	1929	Nevada New Mexico
		1924	Florida Iowa North Dakota	1932	South Dakota
				1935	Texas

<sup>1</sup> Dropped from the birth-registration area in 1919; readmitted in 1921.

<sup>2</sup> Included in States.

<sup>3</sup> Dropped from the birth-registration area in 1925; readmitted in 1926.

The trend of the birth rate, as shown in table F, is affected somewhat by the fact that the registration area included additional States from year to year, and the more recently added States have, in general, higher birth rates than the original States. The additions to the area in various years are shown in table G. The effect of these newly added States on the rate for the area can be seen by comparing the trend of the rate for the original birth-registration area with the trend of the rate for the increasing area. The data for the original birth-registration area are given in table H. For this original area the rate decreased from 25.1 in 1915 to 15.8 in 1939, a decline of 37.1 percent. In the same period the rate for the whole area decreased from 25.1 to 17.3, a decline of 31.1 percent. The time trend of the rate for individual States is given in table VII in the section containing summary and rate tables.

TABLE H.—CRUDE BIRTH AND DEATH RATES: ORIGINAL BIRTH-REGISTRATION AREA,<sup>1</sup> UNITED STATES

(Rates for 1930-1939 are based upon provisional population estimates obtained by interpolation, using the provisional population figures for 1940. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population	Live births	Total deaths <sup>2</sup>	RATE PER 1,000 POPULATION	
				Live births	Deaths <sup>2</sup>
1939	39,479,969	623,732	434,876	15.8	11.0
1938	39,212,878	629,900	427,902	16.1	10.9
1937	38,945,789	612,423	450,939	15.7	11.6
1936	38,678,697	602,931	451,391	15.6	11.7
1935	38,411,604	605,062	433,026	15.8	11.3
1934	38,211,367	602,101	434,205	15.8	11.4
1933	38,065,494	594,117	426,747	15.6	11.2
1932	37,919,621	631,467	428,350	16.7	11.3
1931	37,773,750	657,074	430,069	17.4	11.4
1930	37,627,876	694,433	432,479	18.5	11.5
1929	37,211,173	693,545	433,976	18.6	12.2
1928	36,704,193	719,569	450,564	19.6	12.3
1927	36,197,212	741,102	422,679	20.5	11.7
1926	35,690,232	735,708	453,386	20.6	12.7
1925	35,183,251	757,082	432,006	21.5	12.3
1924	34,676,271	778,525	420,300	22.5	12.1
1923	34,169,292	760,130	437,137	22.2	12.8
1922	33,662,313	755,806	414,938	22.5	12.3
1921	33,155,334	794,229	399,176	24.0	12.0
1920	32,648,354	773,648	445,780	23.7	13.7
1919	32,168,814	730,752	428,782	22.7	13.3
1918	31,716,715	783,997	607,605	24.7	19.2
1917	31,264,615	786,890	461,647	25.2	14.8
1916	30,812,621	770,718	454,669	25.0	14.8
1915	30,360,423	762,399	427,671	25.1	14.1

<sup>1</sup> Exclusive of Rhode Island.

<sup>2</sup> Exclusive of stillbirths.

In spite of the declining birth rate as indicated in table F, there was still an excess of more than 877,000 births over deaths in the United States in 1939. Even in the original birth-registration area, where the death rate is higher and the birth rate is lower than for the whole United States, there are 623,732 births compared with 434,876 deaths. Data on deaths in the original birth-registration area are included in table H in order to facilitate the comparison of rate trends. As indicated in table J, each State also has a higher birth rate than death rate in 1939.

**Crude birth rates by State.**—Table J gives the 1939 crude birth and death rates for each State. The reported birth rates range from 13.6 for New Jersey to 27.3 for New Mexico. With a few exceptions, the crude birth rate is highest in the Southern, Southwestern, and Rocky Mountain States and lowest in the New England, Middle Atlantic, Midwestern, and far Western States. Variations in the age, race,<sup>1</sup> and marital composition of the population, as well as in other conditions affecting fertility, contribute to these differences in the crude birth rates.

**Age of parents.**—Careful analysis of the trend of birth rates or the comparison of rates between areas necessarily involves the consideration of age-specific birth rates. Such rates are not included in this volume, since accurate estimates of population by age, sex, and marital condition are not available for 1939.



# INTRODUCTION

TABLE J.—CRUDE BIRTH AND DEATH RATES: UNITED STATES  
AND EACH STATE, 1939

(Rates are based upon provisional estimates of population obtained by interpolation, using the provisional population figures from the 1940 census)

AREA	RATES PER 1,000 ESTIMATED MIDYEAR POPULATION		AREA	RATES PER 1,000 ESTIMATED MIDYEAR POPULATION	
	Live births	Deaths <sup>1</sup>		Live births	Deaths <sup>1</sup>
UNITED STATES	17.3	10.6	Missouri	15.6	11.3
Alabama	21.6	10.0	Montana	19.7	10.7
Arizona	22.2	11.9	Nebraska	16.9	9.2
Arkansas	18.3	8.5	Nevada	17.8	11.6
California	15.2	11.4	New Hampshire	16.3	12.9
Colorado	18.6	11.3	New Jersey	13.6	10.6
Connecticut	13.8	10.4	New Mexico	27.5	11.4
Delaware	16.6	12.0	New York	14.1	11.2
District of Columbia	21.6	12.8	North Carolina	22.4	9.0
Florida	17.5	11.5	North Dakota	20.5	8.4
Georgia	20.9	10.3	Ohio	15.9	11.2
Idaho	21.4	9.2	Oklahoma	18.6	8.7
Illinois	15.0	11.1	Oregon	15.5	10.9
Indiana	17.1	11.6	Pennsylvania	16.3	10.9
Iowa	17.3	10.5	Rhode Island	14.8	11.0
Kansas	16.1	10.2	South Carolina	22.6	10.2
Kentucky	21.5	10.5	South Dakota	18.0	8.5
Louisiana	20.9	10.5	Tennessee	18.5	9.9
Maine	17.8	12.9	Texas	19.0	9.4
Maryland	15.8	11.6	Utah	25.9	8.6
Massachusetts	14.7	11.8	Vermont	17.8	12.7
Michigan	18.3	10.1	Virginia	20.0	10.8
Minnesota	18.1	9.7	Washington	15.5	10.8
Mississippi	23.8	10.4	West Virginia	22.0	9.3
			Wisconsin	17.4	10.1
			Wyoming	20.0	9.0

<sup>1</sup>Exclusive of stillbirths.

Detailed statistics of births by age of mother, age of father, and number of child tabulated by place of residence are given in "Vital Statistics of the United States, Part II." In the present volume, the summaries of these tabulations for the total United States are given in several text tables.

Proportionate distributions of live births by age of mother for the years 1935 to 1939 are given in table K, and similar distributions by age of father are given in table L. Table M gives, for 1939, the proportionate distributions by age of father for each age-of-mother group. There is some evidence of an increasing tendency for a greater proportion of births to occur to parents in younger age groups. Such changes could arise from differences in the rate of change of age-specific

birth rates, from gradual changes in the age distribution of the population in the reproductive period of life, or from changes in the gross marriage rate or the distribution of age at marriage.

National statistics on marriage and divorce to which the birth statistics for 1939 could be related were not available in time for use in this volume. However, the Bureau of the Census has collected marriage data for 1939 from 27 States and the District of Columbia, and divorce data for 1939 from 14 States and the District of Columbia. Also, the 1940 population census will provide information concerning marital status and related facts. When these data are tabulated, the computation of many valuable measures of fertility will be possible.

TABLE K.—DISTRIBUTION OF LIVE BIRTHS, PER 1,000, BY AGE OF MOTHER: UNITED STATES

AGE OF MOTHER	1939	1938	1937	1936	1935
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	1.5	1.4	1.4	1.4	1.5
15 to 19 years	130.4	130.4	129.4	125.5	125.4
20 to 24 years	310.8	315.0	314.2	311.0	306.4
25 to 29 years	270.4	267.2	264.9	263.8	261.9
30 to 34 years	168.0	165.0	164.4	165.0	165.9
35 to 39 years	86.2	86.6	91.4	96.1	99.4
40 to 44 years	26.4	28.1	29.6	31.9	33.8
45 to 49 years	2.6	2.7	2.9	3.1	3.3
50 to 54 years	0.1	0.1	0.1	0.1	0.1
55 years and over	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )
Not stated	1.6	1.5	1.7	2.2	2.4

<sup>1</sup>Less than one-tenth of 1 per 1,000 live births.

TABLE L.—DISTRIBUTION OF LIVE BIRTHS, PER 1,000, BY AGE OF FATHER: UNITED STATES

AGE OF FATHER	1939	1938	1937	1936	1935
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )
15 to 19 years	16.3	15.9	15.0	14.4	14.8
20 to 24 years	191.4	194.6	193.6	190.1	188.6
25 to 29 years	284.3	282.4	279.4	276.6	271.0
30 to 34 years	219.4	216.2	212.2	209.9	207.9
35 to 39 years	136.8	135.7	136.2	142.8	146.3
40 to 44 years	70.0	72.3	76.6	80.3	82.4
45 to 49 years	32.4	35.4	35.0	36.5	38.2
50 to 54 years	12.0	12.4	12.5	13.1	13.9
55 years and over	6.9	7.3	7.4	7.8	8.0
Not stated	30.5	29.9	30.2	28.8	28.8

<sup>1</sup>Less than one-tenth of 1 per 1,000 live births.

TABLE M.—DISTRIBUTION OF LIVE BIRTHS, PER 1,000, BY AGE OF FATHER FOR EACH AGE-OF-MOTHER GROUP: UNITED STATES, 1939

AGE OF FATHER	AGE OF MOTHER									
	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	4.8	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )					
15 to 19 years	198.6	103.1	7.5	0.5	0.1	0.1	0.1	0.2		11.5
20 to 24 years	217.7	542.3	344.9	43.4	6.0	1.9	0.9	1.5	19.7	109.2
25 to 29 years	50.4	190.2	434.0	407.7	74.9	15.3	4.3	3.2	24.6	147.8
30 to 34 years	15.8	41.2	130.3	380.8	404.7	83.6	14.9	9.2	93.6	127.5
35 to 39 years	10.1	12.6	36.2	120.8	328.7	378.0	90.7	24.5	93.6	86.1
40 to 44 years	4.8	4.0	11.2	32.8	114.3	310.7	384.9	115.7	78.8	46.2
45 to 49 years	4.5	2.0	4.3	12.6	38.1	130.7	311.6	434.3	93.8	24.5
50 to 54 years	1.2	0.8	1.8	4.8	13.9	42.5	123.3	261.0	295.6	9.5
55 years and over	3.9	0.8	1.4	3.2	8.6	24.1	57.7	136.0	261.1	7.9
Not stated	488.2	103.0	28.3	13.2	10.7	13.1	11.7	14.4	39.4	429.9

<sup>1</sup>Less than one-tenth of 1 per 1,000 live births.

**Plural births.**—The great majority of births registered each year are single births. Of the total of 2,265,588 live births in 1939, there were 2,216,857 single births. In addition to these there were 24,908 cases of twins, 274 cases of triplets, and 2 cases of quadruplets, in each of which there was at least one live birth.

The proportion of plural-birth cases to the total number of cases of birth remains fairly constant from year to year. In 1939 there were 11.2 cases of plural births per 1,000 total

cases. The highest proportion of plural births was recorded in 1919 when the ratio was 12.2 cases per 1,000. Since 1920 the ratio has fluctuated between 11.2 and 11.9.

The total number of cases of live births; the cases of single births; and the cases of twins, triplets, and quadruplets, are given for the birth-registration area in table N. An authentic case of quintuplets in the United States has never been reported during the time that the Bureau of the Census has been compiling annual birth data.

## VITAL STATISTICS OF THE UNITED STATES

TABLE N.—CASES OF LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Total cases	Cases of single births	CASES <sup>1</sup> OF PLURAL BIRTHS				Cases <sup>1</sup> of plural births per 1,000 total cases
			Total	Twins	Triplets	Quad-ruplets	
1959	2,242,041	2,216,857	25,184	24,908	274	2	11.2
1958	2,262,770	2,236,863	25,907	25,644	262	1	11.4
1957	2,179,823	2,154,719	25,104	24,881	219	4	11.5
1956	2,121,519	2,095,667	24,852	24,569	277	6	11.7
1955	2,132,302	2,107,903	24,399	24,167	232	-----	11.4
1954	2,144,111	2,118,997	25,114	24,866	242	6	11.7
1953	2,056,696	2,034,466	24,220	23,995	220	5	11.8
1952	2,051,396	2,027,134	24,262	24,020	236	6	11.8
1951	2,090,086	2,065,803	24,283	24,049	232	2	11.6
1950	2,180,312	2,155,094	25,218	24,963	249	6	11.6
1929	2,146,016	2,120,415	25,601	25,358	240	3	11.9
1928	2,208,784	2,182,879	25,905	25,619	285	1	11.7
1927	2,114,405	2,089,508	24,897	24,658	233	6	11.8
1926	1,856,186	1,831,108	21,080	20,885	192	3	11.5
1925	1,859,174	1,833,296	20,878	20,645	230	3	11.2
1924	1,909,869	1,887,776	22,093	21,864	226	3	11.6
1923	1,775,106	1,752,331	20,775	20,594	179	2	11.7
1922	1,755,561	1,735,074	20,487	20,284	199	4	11.7
1921	1,695,127	1,674,875	20,252	20,021	230	1	11.9
1920	1,492,552	1,475,113	17,419	17,229	184	6	11.7
1919	1,357,737	1,341,234	16,503	16,316	186	1	12.2
1918	1,349,015	1,332,526	15,489	15,342	147	-----	11.5
1917	1,339,975	1,325,426	14,549	14,394	155	-----	10.9
1916	811,119	802,892	8,227	8,139	86	2	10.1
1915	768,887	761,150	7,737	7,673	64	-----	10.1

<sup>1</sup> Includes only those cases in which at least one was a live birth.

**Average number of children.**—Table O is a tabulation of the average number of children ever born to women who bore children, in each specified year. These averages are given for the years 1929 to 1939. In 1929 the average number of children ever born was 3.2. This figure has gradually declined to 2.7 in 1939. The decrease in the average number of children is probably an indication of declining fertility. This interpretation is strengthened by the fact that there is a decrease in the average number of children for almost every age-of-mother group. The figures given cannot be directly interpreted as the average size of family in the whole population, inasmuch as only those mothers who gave birth during the current year are included. Moreover, the average for all ages is affected by changes in the marriage rate or in the average age at marriage, as well as by other factors. Thus, if a rapid increase in the marriage rate increased the proportion of first births, the average number of children would be decreased. This decrease would then be occurring at the same time that the reproductive rate of certain age groups would be increasing.

TABLE O.—AVERAGE NUMBER OF CHILDREN EVER BORN TO WOMEN WHO BORE CHILDREN IN SPECIFIED YEARS: BIRTH-REGISTRATION AREA,<sup>1</sup> UNITED STATES

AGE OF MOTHER	AVERAGE NUMBER OF CHILDREN IN—										
	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929
All ages-----	2.7	2.8	2.8	2.9	3.0	3.1	3.1	3.1	3.1	3.1	3.2
Under 20 years-----	1.3	1.2	1.3	1.3	1.2	1.2	1.3	1.3	1.3	1.3	1.3
20 to 24 years-----	1.9	1.8	1.9	1.9	1.9	1.9	2.0	1.9	1.9	1.9	2.0
25 to 29 years-----	2.6	2.6	2.7	2.8	2.8	2.9	2.9	2.9	2.9	2.9	3.0
30 to 34 years-----	3.7	3.8	3.9	3.9	4.0	4.1	4.2	4.2	4.2	4.2	4.2
35 to 39 years-----	5.3	5.5	5.6	5.6	5.7	5.7	5.8	5.8	5.8	5.8	5.8
40 to 44 years-----	7.1	7.2	7.3	7.4	7.4	7.5	7.4	7.4	7.4	7.5	7.5
45 to 49 years-----	8.7	8.9	8.9	8.9	8.9	9.0	9.0	8.9	9.0	9.0	8.9
50 to 54 years-----	7.2	7.6	7.2	7.1	7.7	9.4	8.0	7.4	7.3	7.5	7.5
55 years and over-----	5.3	9.0	9.0	7.7	-----	-----	-----	-----	-----	-----	-----
Not stated-----	3.2	3.3	3.3	3.3	3.3	2.8	2.6	2.4	2.6	2.5	2.8

<sup>1</sup> Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island from 1929 to 1932; exclusive of Colorado, Massachusetts, and New Hampshire in 1933; exclusive of Massachusetts and New Hampshire from 1934 to 1939.

**Birth rates by month.**—The fluctuations of the crude birth rate from month to month are shown in table P for the years 1935 to 1939. In 1939 the highest rate, 18.4, occurred in August and September and the lowest, 16.2, in December.

TABLE P.—ANNUAL CRUDE BIRTH RATES<sup>1</sup> PER 1,000 ESTIMATED MIDYEAR POPULATION, BY MONTH: UNITED STATES

(Rates are based upon provisional population estimates obtained by interpolation, using the provisional figures from the 1940 census. They differ in some cases from rates previously published for these years)

MONTH	1939	1938	1937	1936	1935
	Total-----	17.5	17.6	17.1	16.8
January-----	17.5	17.7	16.7	16.8	17.3
February-----	17.7	18.1	17.3	17.4	17.6
March-----	17.7	17.8	17.5	17.4	17.2
April-----	17.0	17.5	16.6	16.2	16.5
May-----	16.5	17.1	16.6	15.7	16.2
June-----	16.9	17.2	16.8	16.8	17.1
July-----	18.1	18.4	17.9	17.6	17.8
August-----	18.4	18.7	18.4	17.5	17.9
September-----	18.4	18.5	18.2	17.5	17.8
October-----	17.4	17.4	16.8	16.5	16.5
November-----	18.5	16.9	16.3	15.8	16.1
December-----	16.2	16.6	16.5	15.6	15.9

<sup>1</sup> Exclusive of stillbirths.

**Illegitimate births.**—The number of illegitimate live births and the rate per 1,000 total live births are given in table Q. In 1939 there were 74,851 births in the United States (exclusive of California, Massachusetts, New York, and Texas) reported as illegitimate, and the rate was 41.8 per 1,000 live births. This rate is one of the highest illegitimacy rates recorded for the registration area since these data were first available in 1917. In that first year the rate was 20.2, and there was a steady increase in the years following. The trend of this rate is somewhat influenced by the changing character of the registration area from year to year. The rate for races other than white is very high, and the addition to the registration area of States with a high proportion of Negroes has accelerated the upward trend of the total rate. However, for the white group alone, there has been a marked increase in the proportion of recorded illegitimate births. In 1917 the rate for the white group in the registration area was 13.0, and in 1939 the rate was 20.3.

TABLE Q.—ILLEGITIMATE LIVE BIRTHS BY RACE: BIRTH-REGISTRATION AREA,<sup>1</sup> UNITED STATES

YEAR	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	Total	White	All other races	Total	White	All other races
1939	74,851	31,228	43,623	41.8	20.3	172.7
1938	74,462	32,043	42,419	41.1	20.5	169.1
1937	74,938	32,231	42,707	40.2	20.1	163.9
1936	72,358	31,850	40,488	39.8	20.3	162.4
1935	75,141	33,685	41,456	41.1	21.4	163.6
1934	75,352	32,682	42,670	41.0	20.9	154.0
1933	73,389	31,742	41,647	41.8	21.3	158.9
1932	70,811	31,607	39,204	41.0	21.3	160.9
1931	65,952	30,137	35,815	37.5	19.8	150.5
1930	63,567	29,490	34,077	34.7	18.6	141.1
1929	60,921	27,780	33,141	33.9	17.7	143.5
1928	60,661	27,745	32,916	32.8	17.2	139.5
1927	52,022	26,124	25,898	29.0	16.9	131.6
1926	37,576	21,316	16,260	25.6	16.0	121.3
1925	37,414	21,564	15,850	25.3	16.0	120.6
1924	39,332	20,523	18,809	25.9	15.0	123.5
1923	35,040	18,139	16,901	25.2	14.4	126.2
1922	35,605	18,471	17,134	25.8	14.8	130.0
1921	34,824	17,440	17,384	26.6	14.8	128.5
1920	27,749	15,170	12,579	24.9	15.0	125.0
1919	23,660	12,360	11,300	23.6	13.6	121.9
1918	19,906	12,000	7,906	19.4	12.5	113.8
1917	20,464	12,258	8,226	20.2	13.0	120.1

<sup>1</sup> Exclusive of California, Massachusetts, and New York for each year, and Texas for 1938 and 1939. These States do not require a statement concerning legitimacy of child.

NOTE.—Data not available for the years 1915 and 1916.

Data on illegitimate live births for 1937, 1938, and 1939 for individual States are given in table R. This table gives the number of illegitimate births and the rate for each State, for "white" and "all other races." California, Massachusetts,

# INTRODUCTION

and New York are not included for any year, and Texas has also been excluded for 1938 and 1939. The birth certificates for these States do not require a statement concerning legitimacy. It must be recognized that the reporting of the fact of illegitimacy in other States is probably incomplete and inaccurate.

TABLE R.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES<sup>1</sup>  
AND EACH STATE

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Per 1,000 total live births		
	1939	1938	1937	1939	1938	1937
UNITED STATES <sup>1</sup>	74,851	74,462	74,938	41.8	41.1	40.2
White	51,228	52,043	52,231	20.3	20.5	20.1
All other races	43,623	42,419	42,707	172.7	169.1	163.9
ALABAMA	5,347	5,178	5,015	87.1	83.5	81.4
White	652	702	649	17.2	18.1	17.0
All other races	4,695	4,476	4,366	199.8	192.8	186.6
ARIZONA	170	255	274	15.6	23.4	26.1
White	121	183	187	12.5	19.1	20.4
All other races	49	72	87	39.8	55.2	66.6
ARKANSAS	1,481	1,476	1,553	41.6	39.7	44.1
White	440	449	430	16.2	15.8	16.2
All other races	1,041	1,027	1,123	128.4	118.0	130.3
COLORADO	468	535	498	22.6	26.0	25.4
White	450	514	476	22.0	25.3	24.6
All other races	18	21	22	71.4	70.0	76.9
CONNECTICUT	479	479	409	20.4	20.1	18.0
White	412	423	357	18.0	18.3	16.1
All other races	67	56	52	107.9	90.5	84.3
DELAWARE	348	369	307	79.4	83.3	70.5
White	109	137	95	29.7	37.2	26.0
All other races	239	232	212	334.7	310.2	303.7
DISTRICT OF COLUMBIA	1,205	1,105	1,050	85.8	85.4	85.1
White	218	178	192	22.8	20.2	23.2
All other races	987	927	858	220.0	224.5	210.9
FLORIDA	2,134	2,119	2,056	66.0	68.1	69.7
White	391	392	319	17.3	18.0	15.5
All other races	1,743	1,727	1,737	180.3	184.9	194.2
GEORGIA	4,950	4,893	4,865	76.4	75.7	75.9
White	604	609	542	15.5	15.7	14.2
All other races	4,346	4,284	4,323	168.1	166.5	167.1
IDaho	132	150	114	11.9	13.3	11.0
White	125	140	108	11.4	12.5	10.5
All other races	7	10	6	70.7	100.0	69.0
ILLINOIS	3,409	3,270	2,856	28.9	26.7	24.8
White	2,219	2,241	2,094	19.9	19.3	19.1
All other races	1,190	1,029	762	183.8	163.4	130.0
INDIANA	1,039	1,069	984	17.8	17.8	17.5
White	793	863	772	14.1	14.8	14.2
All other races	246	206	212	123.0	109.3	116.3
IOWA	771	794	805	17.6	18.4	19.1
White	745	767	769	17.1	17.9	18.4
All other races	26	27	36	95.2	94.4	118.4
KANSAS	515	481	507	17.7	16.3	17.3
White	398	376	381	14.2	13.1	13.4
All other races	117	105	126	115.0	112.2	126.6
KENTUCKY	1,630	1,642	1,414	26.9	26.5	25.2
White	1,130	1,125	980	19.7	19.2	18.5
All other races	500	517	434	155.6	161.9	139.5
LOUISIANA	4,072	4,066	3,928	83.4	83.2	85.4
White	501	529	497	17.5	18.4	18.7
All other races	3,571	3,537	3,431	176.1	175.2	176.2
MAINE	497	510	510	33.2	33.5	33.5
White	489	505	507	32.7	33.2	33.3
All other races	8	5	3	153.8	172.4	76.9
MARYLAND	1,823	2,228	2,180	64.4	76.8	78.6
White	459	546	537	20.7	24.0	24.7
All other races	1,364	1,682	1,643	221.2	267.0	274.8
MICHIGAN	2,214	2,329	2,208	23.4	24.0	24.1
White	1,746	1,902	1,821	19.3	20.4	20.6
All other races	468	427	387	121.6	119.4	115.6
MINNESOTA	1,143	1,158	1,084	22.8	23.1	22.6
White	1,069	1,065	1,010	21.6	21.6	21.3
All other races	74	93	74	112.5	142.2	121.3
MISSISSIPPI	4,423	4,397	4,281	85.5	81.9	82.2
White	292	263	284	12.5	10.9	12.2
All other races	4,131	4,134	3,997	145.2	139.7	138.5
MISSOURI	1,952	1,952	1,818	33.3	33.3	31.9
White	1,294	1,337	1,223	23.5	24.4	22.9
All other races	658	615	595	171.4	165.7	168.4

TABLE R.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES<sup>1</sup>  
AND EACH STATE—Continued

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Per 1,000 total live births		
	1939	1938	1937	1939	1938	1937
MONTANA	203	213	197	18.6	20.0	19.2
White	153	140	151	14.9	14.0	15.7
All other races	50	73	46	78.9	113.0	70.8
NEBRASKA	240	210	223	10.7	9.4	10.0
White	211	200	213	9.6	9.1	9.7
All other races	29	10	10	90.3	51.3	54.4
NEVADA	25	55	25	12.9	18.5	15.2
White	14	19	14	6.0	10.9	8.9
All other races	11	16	9	60.6	115.1	52.9
NEW HAMPSHIRE	173	183	168	21.8	23.4	22.0
White	172	181	167	21.7	23.1	21.9
All other races	1	2	1	142.9	250.0	200.0
NEW JERSEY	1,392	1,419	1,300	24.7	25.3	23.8
White	770	836	791	14.8	16.2	15.7
All other races	622	583	509	139.6	133.6	119.5
NEW MEXICO	561	566	535	39.5	39.6	38.7
White	489	499	467	35.8	36.5	35.4
All other races	72	67	68	128.8	105.5	108.5
NORTH CAROLINA	6,882	6,090	6,189	83.2	76.2	78.3
White	1,494	1,445	1,502	28.0	26.5	28.0
All other races	5,088	4,645	4,687	197.9	182.3	184.4
NORTH DAKOTA	291	294	293	22.1	22.5	23.2
White	246	247	242	19.4	19.6	19.9
All other races	45	47	51	99.8	105.9	108.1
OHIO	2,458	2,628	2,533	22.5	23.3	23.5
White	1,739	1,878	1,852	16.8	17.6	18.2
All other races	719	750	681	122.8	125.6	122.6
OKLAHOMA	1,286	1,238	1,129	29.6	28.0	27.2
White	698	633	619	17.7	16.3	16.5
All other races	588	585	510	142.4	138.8	132.8
OREGON	262	227	239	15.7	14.0	15.5
White	240	212	229	14.6	13.2	15.0
All other races	22	15	10	96.5	68.2	51.8
PENNSYLVANIA	5,754	5,619	5,485	35.7	33.9	34.0
White	4,016	4,092	4,061	26.5	26.0	26.7
All other races	1,738	1,527	1,404	186.7	173.0	162.2
RHODE ISLAND	265	296	276	25.4	28.1	27.0
White	232	266	236	22.8	25.9	23.7
All other races	33	30	40	132.0	120.5	139.9
SOUTH CAROLINA	4,690	4,527	4,358	109.6	110.1	107.2
White	502	504	476	23.7	24.8	24.1
All other races	4,188	4,023	3,882	193.3	193.7	185.8
SOUTH DAKOTA	167	206	208	14.4	17.4	17.3
White	114	161	167	10.5	14.5	14.8
All other races	53	45	39	68.6	60.5	66.1
TENNESSEE	2,471	2,361	2,125	46.3	44.0	40.9
White	993	928	839	21.9	20.3	19.1
All other races	1,478	1,433	1,286	182.8	178.0	159.2
TEXAS	( <sup>2</sup> )	( <sup>2</sup> )	5,147	( <sup>2</sup> )	( <sup>2</sup> )	27.1
White	( <sup>2</sup> )	( <sup>2</sup> )	1,521	( <sup>2</sup> )	( <sup>2</sup> )	14.9
All other races	( <sup>2</sup> )	( <sup>2</sup> )	1,626	( <sup>2</sup> )	( <sup>2</sup> )	116.7
UTAH	116	128	140	8.9	9.7	11.0
White	107	121	130	8.3	9.2	10.4
All other races	9	7	10	72.0	61.4	68.5
VERMONT	186	198	194	29.2	31.4	30.7
White	184	198	193	28.9	31.4	30.5
All other races	2	1	1	666.7	—	333.3
VIRGINIA	3,900	3,997	3,923	73.7	74.7	75.5
White	1,035	1,072	995	27.3	27.9	27.0
All other races	2,865	2,925	2,928	190.5	194.6	193.7
WASHINGTON	477	532	517	18.0	19.9	20.7
White	438	466	453	16.9	17.9	18.6
All other races	39	66	64	61.8	98.5	96.1
WEST VIRGINIA	1,997	1,888	1,807	48.1	44.5	42.8
White	1,653	1,600	1,529	42.3	39.9	38.3
All other races	339	288	278	145.7	124.9	121.1
WISCONSIN	1,088	1,080	1,131	20.1	19.6	21.1
White	1,022	1,024	1,067	19.1	18.8	20.1
All other races	66	56	64	112.2	93.0	119.4
WYOMING	55	72	64	11.2	14.6	18.5
White	44	55	67	9.2	11.5	15.2
All other races	11	17	17	92.4	114.1	149.1

<sup>1</sup> Exclusive of California, Massachusetts, and New York for each year, and Texas for 1938 and 1939. These States do not require a statement concerning legitimacy of child.

<sup>2</sup> Texas did not require a statement in 1938 and 1939 concerning legitimacy of child.

VITAL STATISTICS OF THE UNITED STATES

**Reporting of stillbirths.**—Information on stillbirths was first collected by the Bureau of the Census in 1918. No data were collected or published for the years 1919 to 1921, inclusive, but since 1922 stillbirth tables have been compiled annually for the birth-registration area.

In some States stillbirths are reported on a single still-birth certificate, whereas in others, State laws require the physician or attendant at a stillbirth to file both a birth and a death certificate. Such basic differences in reporting procedure introduce some variation in the completeness of registration and in the information reported. More important, from a statistical standpoint, are differences in the legal definitions of a stillbirth used in the States. Variations in the definition make it impossible to compile strictly comparable data for all States, and confuse the interpretation of consolidated national figures. A list showing the various definitions used in reporting stillbirths has been published each year before 1937 in the volume entitled "Birth, Stillbirth, and Infant Mortality Statistics." More recent data on still-birth definitions for the States are given in Vital Statistics—Special Reports, vol. 3, No. 2, table 13. Neither of these sources of definitions can be considered up-to-date since changes may occasionally be made in State procedures. It is expected that general adoption of the new standard stillbirth certificate will make these data more complete and uniform.

Detailed tables classifying stillbirths by area, race, age of mother, nativity of parents, and other subjects, are given in tables 4, 5, and 6 in the section containing general natality tables.

The total number of stillbirths and the ratio of stillbirths to each 1,000 live births are given in table S for the birth-registration area for a series of years.

The ratio of stillbirths to live births for the first year that these data are available (1918) is 40.1. For the years 1922 to 1930 the ratio varied around 38, 39, and 40, without demonstrating any appreciable trend. However, since 1930 the ratio has been consistently decreasing; for 1939 it is 32.0, which is 18.4 percent below the ratio for 1930. This decrease in recent years must be due to factors other than changes in the registration area because the area has included the whole United States since 1933.

TABLE S.—RATIO OF STILLBIRTHS TO LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Live births	STILLBIRTHS	
		Number	Ratio per 1,000 live births
1939	2,265,586	72,598	32.0
1938	2,286,962	73,467	32.1
1937	2,205,337	73,609	33.4
1936	2,144,790	73,735	34.4
1935	2,155,105	77,119	35.8
1934	2,167,656	78,503	36.2
1933	2,081,232	77,059	37.0
1932	2,074,042	78,351	37.8
1931	2,112,760	80,616	38.2
1930	2,203,958	86,466	39.2
1929	2,169,920	85,678	39.5
1928	2,233,149	89,765	40.2
1927	2,137,636	82,931	38.8
1926	1,856,068	70,716	38.1
1925	1,878,880	71,519	38.1
1924	1,930,614	75,817	39.3
1923	1,792,646	69,757	38.9
1922	1,774,911	70,010	39.4
1918	1,211,685	48,634	40.1

<sup>1</sup>Exclusive of Massachusetts, Rhode Island, Washington, and Baltimore, Md. No transcripts of stillbirths were received from these areas.

NOTE.—Data relating to stillbirths were not collected for the years 1919 to 1921, inclusive.

**Illegitimate stillbirths.**—The number of stillbirths reported as legitimate or illegitimate is shown in table T. As may be expected, the stillbirth rate for illegitimate births, 64.2, is higher than the stillbirth rate for legitimate births, 29.7. Data in table T are for the years 1933 to 1939 for "white" and "all other races." California, Massachusetts, and New York are not included in this table for any year, and Texas has also been excluded in 1936 and 1939.

TABLE T.—STILLBIRTHS BY LEGITIMACY AND RACE: UNITED STATES<sup>1</sup>

YEAR AND RACE	STILLBIRTHS					
	Number			Rate per 1,000 live births		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1939						
Total	55,708	50,906	4,802	31.1	29.7	64.2
White	40,905	39,481	1,424	26.6	26.2	45.6
All other races	14,803	11,425	3,378	58.6	54.7	77.4
1938						
Total	58,387	53,127	5,260	32.2	30.6	70.6
White	43,069	41,434	1,635	27.6	27.1	51.6
All other races	15,298	11,693	3,605	61.0	56.1	85.0
1937						
Total	62,705	57,357	5,348	33.7	32.1	71.4
White	46,164	44,481	1,683	28.8	28.3	52.2
All other races	16,541	12,876	3,665	63.5	59.1	85.8
1936						
Total	62,694	57,330	5,364	34.5	32.9	74.2
White	45,964	44,327	1,637	29.3	28.9	51.4
All other races	16,730	13,003	3,727	67.1	62.3	92.1
1935						
Total	65,936	60,182	5,754	35.1	34.3	76.6
White	48,401	46,601	1,800	30.7	30.3	53.4
All other races	17,535	13,581	3,954	69.2	64.1	95.4
1934						
Total	66,996	60,896	6,100	36.4	34.5	81.0
White	(2)	(2)	(2)	(2)	(2)	(2)
All other races	(2)	(2)	(2)	(2)	(2)	(2)
1933						
Total	64,913	59,052	5,861	37.0	35.1	79.9
White	46,755	44,901	1,854	31.5	30.7	58.4
All other races	18,158	14,151	4,007	69.3	64.2	96.2

<sup>1</sup>Exclusive of California, Massachusetts, and New York for each year, and Texas for 1938 and 1939. These States do not require a statement concerning legitimacy of child.

<sup>2</sup>Data not available.

MORTALITY STATISTICS

Detailed tables classifying deaths in the United States for 1939, by place of death, age, race, sex, cause of death, and other subjects, are given in the section containing general mortality statistics, tables 7 to 15, inclusive. In addition to these detailed tables, selected data for deaths are included in the summary and rate tables. Special tables for deaths of infants are given in the section containing general natality and mortality tables.

**Death-rate trend.**—In 1939 there were 1,387,897 registered deaths in the United States. Using a provisional estimated midyear population of 130,600,617, the crude death rate is 10.6 per 1,000. This rate is 0.1 per 1,000 lower than the rate of 10.7 for 1938 and is the lowest rate recorded for the United States death-registration area since 1900. In 1900, the first year for which annual mortality statistics were compiled, the crude death rate was 17.6. The trend of the rate since that year has been generally downward, although 1918 was a year of high mortality and other years have shown small increases.

Table U, giving the number of deaths and the death rate for each year, shows also the estimated population of the United States and the proportion of it that is included in the death-registration area. The States that were added in various years are indicated in table W. Even though the succession of rates in table U does not refer to a strictly comparable geographic area, the consistent downward trend of the rate is not misleading. Essentially the same trend is evident in table H for a constant geographic area. Although there is considerable variation in the level of the rate, similar trends for individual States are shown in table IX.

**Crude death rates by State.**—The crude death rate for each State is given in table J. The reported rates range from 8.4 for North Dakota to 12.9 for both Maine and New Hampshire. This variation results in part from differences in age, sex, and racial composition of the population, and from variation in public-health and medical facilities.

# INTRODUCTION

TABLE U.—CRUDE DEATH RATES: DEATH-REGISTRATION AREA, UNITED STATES

(Rates for 1930-1939 are based upon provisional population estimates obtained by interpolation, using the provisional population figures from the 1940 census. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION AREA			
		Estimated midyear population		Total deaths <sup>1</sup>	
		Number	Per cent of total	Number	Rate per 1,000 population
1939	130,600,617	130,600,617	100.0	1,387,897	10.6
1938	129,675,099	129,675,099	100.0	1,361,351	10.7
1937	128,746,626	128,746,626	100.0	1,450,427	11.3
1936	127,827,081	127,827,081	100.0	1,479,228	11.6
1935	126,902,980	126,902,980	100.0	1,592,752	11.0
1934	126,056,737	126,056,737	100.0	1,396,903	11.1
1933	125,271,770	125,271,770	100.0	1,542,106	10.7
1932	124,474,345	119,767,706	96.2	1,308,529	10.9
1931	123,666,803	119,022,669	96.2	1,322,587	11.1
1930	122,952,902	118,351,312	96.2	1,545,356	11.4
1929	121,526,429	116,317,515	95.7	1,586,363	11.9
1928	119,861,607	114,258,516	95.3	1,378,675	12.1
1927	118,196,785	108,177,568	91.5	1,236,949	11.4
1926	116,531,965	104,938,301	90.1	1,285,927	12.3
1925	114,867,141	102,951,999	89.6	1,219,019	11.8
1924	113,202,319	100,082,062	88.4	1,173,990	11.7
1923	111,537,497	97,816,104	87.7	1,195,017	12.2
1922	109,872,675	95,866,240	85.4	1,101,863	11.7
1921	108,207,853	89,102,434	82.3	1,032,009	11.6
1920	106,543,031	87,632,592	82.3	1,142,558	13.0
1919	105,003,065	85,166,043	81.1	1,096,436	12.9
1918	103,567,955	81,333,675	78.5	1,471,367	18.1
1917	102,172,845	74,984,498	73.4	1,068,932	14.3
1916	100,737,735	71,349,162	70.8	1,001,921	14.0
1915	99,342,625	67,095,681	67.5	909,185	13.6
1914	97,927,516	65,813,315	67.2	898,059	13.6
1913	96,512,407	63,200,625	65.5	890,848	14.1
1912	95,097,298	60,359,974	63.5	839,251	13.9
1911	93,682,189	59,185,071	63.2	839,284	14.2
1910	92,267,080	56,851,742	58.5	805,412	15.0
1909	90,851,971	50,870,518	56.1	732,558	14.4
1908	89,436,862	46,769,913	52.5	691,574	14.8
1907	87,021,753	45,016,990	49.2	667,054	16.0
1906	85,606,644	41,965,419	48.9	659,105	15.7
1905	84,191,535	34,052,201	40.4	545,533	16.0
1904	82,776,426	33,345,163	40.4	551,354	16.5
1903	81,361,317	32,701,083	40.4	524,415	16.0
1902	79,946,208	32,029,815	40.4	508,640	15.9
1901	78,531,099	31,370,952	40.3	518,207	16.5
1900	77,116,000	30,765,618	40.5	539,989	17.6

<sup>1</sup>Exclusive of stillbirths.

<sup>2</sup>Population enumerated for census year ending May 31.

TABLE W.—YEAR IN WHICH EACH STATE WAS ADMITTED TO THE DEATH-REGISTRATION AREA

YEAR	STATE	YEAR	STATE	YEAR	STATE
1880	Massachusetts	1909	Ohio	1920	Nebraska
	New Jersey				
	Dist. of Columbia <sup>1</sup>	1910	Minnesota	1922	Georgia <sup>2</sup>
1890	Connecticut		Montana		Idaho
	Delaware <sup>2</sup>		North Carolina		Wyoming
	New Hampshire		Utah	1923	Iowa
	New York	1911	Kentucky		
	Rhode Island		Missouri	1924	North Dakota
	Vermont	1913	Virginia	1925	Alabama
1900	Maine	1914	Kansas		West Virginia
	Michigan			1926	Arizona
	Indiana	1916	South Carolina	1927	Arkansas
1906	California	1917	Tennessee	1928	Oklahoma
	Colorado			1929	Nevada
	Maryland	1918	Illinois		New Mexico
	Pennsylvania		Louisiana		
	South Dakota <sup>3</sup>		Oregon	1933	Texas
1908	Washington	1919	Florida		
	Wisconsin		Mississippi		

<sup>1</sup>Included in States.

<sup>2</sup>Dropped from the registration area in 1900; readmitted in 1919.

<sup>3</sup>Dropped from the registration area in 1910; readmitted in 1930.

<sup>4</sup>Included only municipalities with populations of 1,000 or more in 1900 (about 16 percent of the total population); the remainder of the State was added to the area in 1916.

<sup>5</sup>Dropped from the registration area in 1925; readmitted in 1928.

Deaths by age.—Age distributions by sex, race, and cause of death, are included in several of the general mortality tables. A brief summary of these distributions is given in table Y, which shows the total number of deaths in the United States in 1939, classified by age and sex. This table includes also the proportionate age distribution of deaths by sex. Similar distributions for total deaths are given in table Z for the years 1935 to 1939. It can be observed that a smaller proportion of deaths are occurring at younger ages. In each of the age groups under 50 years there was a smaller proportion of the total deaths in 1939 than in 1935, whereas in most of the groups over 50, the proportion increased. While, to a certain extent, this is an indication of changing age-specific death rates, such as the decrease in infant mortality, it is primarily a result of the gradual aging of the population exposed to the risk of death. Inasmuch as accurate population estimates for 1939 by age are not available, age-specific death rates have not been computed.

TABLE Y.—DISTRIBUTION OF DEATHS,<sup>1</sup> PER 1,000, BY AGE AND SEX: UNITED STATES, 1939

AGE	DEATHS <sup>1</sup>					
	Number			Distribution per 1,000		
	Total	Male	Female	Total	Male	Female
All ages	1,387,897	768,877	619,020	1,000.0	1,000.0	1,000.0
Under 1 year	108,846	61,985	46,861	78.4	80.6	75.7
1 year	12,713	6,849	5,864	9.2	8.9	9.5
2 years	6,193	3,416	2,777	4.5	4.4	4.5
3 years	4,452	2,465	1,987	3.2	3.2	3.2
4 years	3,529	1,929	1,600	2.5	2.5	2.6
Under 5 years	135,733	76,644	59,089	97.8	99.7	95.5
5 to 9 years	12,338	7,046	5,292	8.9	9.2	8.5
10 to 14 years	12,614	7,471	5,143	9.1	9.7	8.3
15 to 19 years	22,140	12,315	9,825	16.0	16.0	15.9
20 to 24 years	28,484	15,526	12,958	20.5	20.2	20.9
25 to 29 years	31,794	16,636	14,958	22.9	21.9	24.2
30 to 34 years	35,286	19,116	16,170	25.4	24.9	26.1
35 to 39 years	43,222	23,774	19,448	31.1	30.9	31.4
40 to 44 years	53,990	31,158	22,832	38.9	40.5	36.9
45 to 49 years	71,762	42,530	29,232	51.7	55.3	47.2
50 to 54 years	91,553	55,213	36,340	66.0	71.8	58.7
55 to 59 years	105,870	63,637	42,233	76.3	82.8	68.2
60 to 64 years	123,088	71,822	51,266	88.7	95.4	82.8
65 to 69 years	144,707	82,292	62,415	104.3	107.0	100.8
70 to 74 years	148,098	80,933	67,165	106.7	105.3	108.5
75 to 79 years	139,582	73,050	66,532	100.6	95.0	107.5
80 to 84 years	105,885	52,749	53,136	76.3	68.6	85.8
85 to 89 years	56,041	26,084	29,947	40.4	33.9	48.4
90 to 94 years	19,110	7,984	11,126	13.8	10.4	18.0
95 to 99 years	4,498	1,670	2,828	3.2	2.2	4.6
100 years and over	1,110	378	732	0.8	0.5	1.2
Not stated	992	639	353	0.7	0.8	0.6

<sup>1</sup>Exclusive of stillbirths.

TABLE Z.—DISTRIBUTION OF DEATHS,<sup>1</sup> PER 1,000, BY AGE: UNITED STATES

AGE	1939	1938	1937	1936	1935
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
Under 1 year	78.4	84.5	82.7	82.8	86.3
1 year	9.2	11.1	11.2	11.6	12.0
2 years	4.5	5.4	5.7	5.7	6.1
3 years	3.2	3.7	3.8	4.0	4.5
4 years	2.5	2.8	3.0	3.3	3.8
Under 5 years	97.8	107.5	106.4	107.4	112.7
5 to 9 years	8.9	10.5	11.3	12.3	13.9
10 to 14 years	9.1	9.8	10.6	11.4	12.4
15 to 19 years	16.0	17.1	18.4	18.9	19.3
20 to 24 years	20.5	22.1	24.4	25.3	26.2
25 to 29 years	22.9	24.4	26.4	27.5	28.3
30 to 34 years	25.4	26.3	28.5	28.9	29.7
35 to 39 years	31.1	32.6	34.8	35.9	36.7
40 to 44 years	38.9	40.8	43.1	43.7	43.8
45 to 49 years	51.7	52.5	54.0	53.7	54.2
50 to 54 years	66.0	65.7	65.8	64.6	64.5
55 to 59 years	76.3	74.2	73.8	72.5	72.6
60 to 64 years	88.7	87.1	86.4	85.1	84.5
65 to 69 years	104.3	102.6	99.2	97.1	95.2
70 to 74 years	106.7	102.7	98.1	97.8	97.6
75 to 79 years	100.6	98.6	96.4	95.6	91.8
80 to 84 years	76.3	70.9	68.5	67.5	64.2
85 to 89 years	40.4	37.4	36.6	36.8	35.1
90 to 94 years	13.8	12.7	12.7	13.1	12.5
95 to 99 years	3.2	2.9	3.0	3.1	2.8
100 years and over	0.8	0.8	0.8	0.9	0.9
Not stated	0.7	0.7	0.8	0.9	0.9

<sup>1</sup>Exclusive of stillbirths.

Table AA gives the total number of deaths in the United States and the proportionate age distribution of deaths by race for 1939. It is apparent that the proportion of deaths that occur at early ages is much higher for Negroes and other races than for the white race. Part of this difference is due to the relatively high proportion of the nonwhite population in the younger age groups, but it also reflects the higher age-specific mortality rates among nonwhite races.

TABLE AA.—DISTRIBUTION OF DEATHS,<sup>1</sup> PER 1,000, BY AGE AND RACE: UNITED STATES, 1939

AGE	DEATHS <sup>1</sup>							
	Number				Distribution per 1,000			
	Total	White	Negro	Other races	Total	White	Negro	Other races
All ages	1,387,897	1,207,078	173,510	7,309	1,000.0	1,000.0	1,000.0	1,000.0
Under 1 year	108,846	87,841	19,755	1,250	78.4	72.8	113.9	171.0
1 year	12,713	9,829	2,553	331	9.2	8.1	14.7	45.3
2 years	6,193	4,937	1,123	133	4.5	4.1	6.5	18.2
3 years	4,452	3,608	772	72	3.2	3.0	4.4	9.9
4 years	3,529	2,847	626	56	2.5	2.4	3.6	7.7
Under 5 years	135,733	109,062	24,829	1,842	97.8	90.4	143.1	252.0
5 to 9 years	12,338	10,271	1,917	150	8.9	8.5	11.0	20.5
10 to 14 years	12,614	10,182	2,278	154	9.1	8.4	13.1	21.1
15 to 19 years	22,140	16,548	5,333	259	16.0	13.7	30.7	35.4
20 to 24 years	28,484	20,748	7,399	337	20.5	17.2	42.6	46.1
25 to 29 years	31,794	22,880	8,618	296	22.9	19.0	49.7	40.5
30 to 34 years	35,286	26,021	9,007	258	25.4	21.6	51.9	35.3
35 to 39 years	43,222	32,068	10,941	313	31.1	26.6	62.5	42.8
40 to 44 years	53,990	41,830	11,832	328	38.9	34.7	68.2	44.9
45 to 49 years	71,762	58,278	13,134	350	51.7	46.3	75.7	47.9
50 to 54 years	91,553	76,253	14,904	396	66.0	63.2	85.9	54.2
55 to 59 years	105,870	92,091	13,324	455	76.3	76.3	76.8	62.3
60 to 64 years	123,088	110,542	12,063	483	88.7	91.6	69.5	66.1
65 to 69 years	144,707	131,896	12,361	450	104.3	109.3	71.2	61.6
70 to 74 years	148,098	138,181	9,563	354	106.7	114.5	55.1	48.4
75 to 79 years	139,582	132,985	6,243	354	100.6	110.2	36.0	48.4
80 to 84 years	105,885	101,467	4,170	248	76.3	84.1	24.0	33.9
85 to 89 years	56,041	53,138	2,764	139	40.4	44.0	15.9	19.0
90 to 94 years	19,110	17,702	1,339	69	13.8	14.7	7.7	9.4
95 to 99 years	4,498	3,820	649	29	3.2	3.2	3.7	4.0
100 years and over	1,110	517	564	29	0.8	0.4	3.3	4.0
Not stated	992	598	378	16	0.7	0.5	2.2	2.2

<sup>1</sup>Exclusive of stillbirths.

**Death rates by month.**—Table AB gives the crude death rates by month for the United States for the years 1935 to 1939. Death rates are consistently low in the months of August and September, whereas the highest rates are for the first 3 months of the year. For 1939, the highest rate occurred in March, when the rate was 12.4. This high rate, as well as the generally high rates for the winter months, results for the most part from an increase in the number of deaths from respiratory causes. A tabulation of deaths from selected causes, by month, is given in table 15.

TABLE AB.—ANNUAL CRUDE DEATH RATES,<sup>1</sup> PER 1,000 ESTIMATED MIDYEAR POPULATION, BY MONTH: UNITED STATES

(Rates are based upon provisional population estimates obtained by interpolation, using provisional figures from the 1940 census. They differ in some cases from rates previously published for these years)

MONTH	1939	1938	1937	1936	1935
Total	10.6	10.7	11.3	11.6	11.0
January	11.8	11.9	13.6	12.7	12.6
February	12.2	11.6	13.9	13.6	12.5
March	12.4	11.4	12.6	12.9	11.9
April	11.3	11.0	11.8	12.5	11.5
May	10.5	10.6	10.9	11.0	11.0
June	9.7	10.1	10.2	10.7	10.3
July	9.8	9.8	10.3	11.6	10.0
August	9.2	9.7	9.8	9.9	9.5
September	9.6	9.7	9.7	9.7	9.8
October	9.8	10.2	10.4	10.6	10.2
November	10.4	10.5	10.6	11.2	10.5
December	11.0	11.4	11.5	12.3	12.0

<sup>1</sup>Exclusive of stillbirths.

**Deaths by race.**—Table AC is a classification of deaths by race and sex. Out of the total of 1,387,897 deaths in 1939, 1,207,078 or 87.0 percent were classified as white. Negro deaths numbered 173,510 or 12.5 percent. The number of deaths reported for Indian, Chinese, Japanese, and other numerically minor races, totaled 7,309 or less than 1 percent of all deaths.

TABLE AC.—DISTRIBUTION OF DEATHS,<sup>1</sup> PER 1,000, BY RACE AND SEX: UNITED STATES, 1939

RACE	DEATHS <sup>1</sup>					
	Number			Distribution per 1,000		
	Total	Male	Female	Total	Male	Female
All races	1,387,897	768,877	619,020	1,000.0	1,000.0	1,000.0
White	1,207,078	672,047	535,031	869.7	874.1	864.3
Negro	173,510	92,276	81,234	125.0	120.0	131.2
Indian	5,042	2,618	2,424	3.6	3.4	3.9
Chinese	1,128	1,022	106	0.8	1.3	0.2
Japanese	780	591	189	0.6	0.8	0.3
All other races	359	323	36	0.3	0.4	0.1

<sup>1</sup>Exclusive of stillbirths.

**Death rates for selected causes of death.**—Tabulations of deaths by cause and other classifications are given in general mortality tables, numbers 10 and 12 to 15, inclusive. The number of deaths in the United States in 1939 and the crude death rate for each International List title and subdivision are given in table XI. Death rates for selected causes are tabulated in table XII for each State.

The volume for 1938 included a table showing the trends of the death rates for selected causes in the United States death-registration area from 1911 to 1938. This table has been omitted from the 1939 volume because of the lack of a complete list of causes that would be comparable from 1911 to 1939, inclusive. The deaths reported in 1939 were coded and tabulated according to the fifth revision of the International List, which differs in some cases from the fourth and preceding revisions. These differences will be analyzed on the basis of a dual tabulation of deaths in 1940 according to both the fourth and the fifth revisions of the International List. When the study is completed, it will be possible to tabulate comparable death rates for specific causes from 1900 to 1940 and succeeding years.

For a brief discussion of the trends of death rates by cause from 1911 to 1938, reference may be made to "Vital Statistics of the United States, Part I," 1938, pp. 11-13.

## INFANT MORTALITY STATISTICS

Detailed tables for infant mortality are given in the section containing general natality and mortality tables. Rates for individual States for a series of years are given in rate table X; and the number of infant deaths and death rates for each city and county are included in table XIII.

**Trend of infant mortality.**—In 1939 there were 108,846 infant deaths registered in the United States. This is the smallest number of infant deaths reported since the birth-registration area was completed in 1933. This number of deaths, taken with the number of births in 1939, results in an infant death rate of 48.0 (number of deaths under 1 year of age per 1,000 live births), which is the lowest infant death rate ever recorded for the registration area. Rates for each year, together with the number of infant deaths and the number of live births, are given in table AD. These data are presented for the birth-registration area, inasmuch as the infant mortality rate is computed on the number of live births. The number of infant deaths for the death-registration area can be found in general mortality tables in which the data are classified by age.

The infant mortality rate was 99.9 in 1915, and twice thereafter (in 1916 and 1918) the rate exceeded 100.0. Since 1918 there has been a steady and a rapid decrease in infant mortality. The rate of 48.0 for 1939 is only 48 percent of the rate for 1915.

# INTRODUCTION

TABLE AD.—INFANT MORTALITY: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Live births	DEATHS UNDER 1 YEAR <sup>1</sup>		YEAR	Live births	DEATHS UNDER 1 YEAR <sup>1</sup>	
		Number	Rate per 1,000 live births			Number	Rate per 1,000 live births
1939	2,265,588	108,846	48.0	1926	1,858,068	136,118	73.3
1938	2,286,962	116,702	51.0	1925	1,878,880	134,652	71.7
1937	2,205,557	119,951	54.4	1924	1,930,514	136,730	70.8
1936	2,144,790	122,555	57.1	1923	1,792,646	138,259	77.1
1935	2,155,105	120,158	55.7	1922	1,774,911	135,228	76.2
1934	2,167,656	130,185	60.1	1921	1,714,261	129,558	75.6
1933	2,081,252	120,887	58.1	1920	1,508,874	129,531	85.8
1932	2,074,042	119,431	57.6	1919	1,373,438	119,000	86.5
1931	2,112,760	130,154	61.6	1918	1,365,649	137,647	100.9
1930	2,205,958	142,415	64.6	1917	1,353,792	126,950	93.8
1929	2,169,920	146,661	67.6	1916	818,965	82,734	101.0
1928	2,235,149	155,492	69.7	1915	776,304	77,572	99.9
1927	2,137,856	138,017	64.6				

<sup>1</sup> Exclusive of stillbirths.

A reduction in infant mortality has occurred in both the "white" and "Negro" races as shown in table AE. The proportionate reduction over the last 24 years has been slightly greater for Negroes than for "whites." The data in table AE for "other races" is based on relatively few deaths and the rate is therefore quite variable.

TABLE AE.—INFANT MORTALITY RATES (DEATHS<sup>1</sup> UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY RACE: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Total	White	Negro	Other races	YEAR	Total	White	Negro	Other races
1938	51.0	47.1	77.9	102.4	1925	71.7	68.3	112.0	95.6
1937	54.4	50.3	82.0	108.9	1924	70.8	66.8	114.1	95.0
1936	57.1	52.9	86.1	120.0	1923	77.1	73.5	119.9	85.8
1935	55.7	51.9	81.9	110.8	1922	76.2	73.2	111.7	89.9
1934	60.1	54.5	91.0	114.5	1921	75.6	72.5	110.7	78.8
1933	58.1	52.8	85.4	127.5	1920	85.8	82.1	135.6	89.6
1932	57.6	53.5	84.1	103.5	1919	86.6	83.0	134.3	88.2
1931	61.6	56.7	92.7	117.8	1918	100.9	97.4	162.5	126.4
1930	64.6	59.6	99.5	141.1	1917	93.8	90.6	148.6	142.5
1929	67.6	65.2	101.5	119.5	1916	101.0	99.0	184.3	204.8
1928	69.7	64.0	105.9	111.8	1915	99.9	98.6	180.6	196.2
1927	64.6	60.8	99.9	103.4					

<sup>1</sup> Exclusive of stillbirths.

**Infant mortality by State.**—A comparison of the infant death rates of the various States is given in table AF. The lowest rate, 35.5, was reported for Oregon; and the highest rate, 109.0, for New Mexico. With a few exceptions the rate is highest in the southern and southwestern parts of the country. The comparability of infant death rates between States is affected by incomplete birth and death registration in some States. However, the indicated differences in infant mortality are much too large to be explained by this factor.

TABLE AF.—INFANT MORTALITY RATES: UNITED STATES AND EACH STATE: 1939

AREA	Deaths <sup>1</sup> under 1 year per 1,000 live births	AREA	Deaths <sup>1</sup> under 1 year per 1,000 live births
UNITED STATES	48.0	Missouri	45.1
Alabama	59.9	Montana	49.0
Arizona	94.3	Nebraska	36.5
Arkansas	46.0	Nevada	44.8
California	42.4	New Hampshire	45.8
Colorado	54.8	New Jersey	38.7
Connecticut	35.9	New Mexico	109.0
Delaware	44.0	New York	39.3
District of Columbia	47.7	North Carolina	59.2
Florida	56.4	North Dakota	49.0
Georgia	58.4	Ohio	42.9
Idaho	45.9	Oklahoma	49.7
Illinois	38.0	Oregon	35.5
Indiana	39.5	Pennsylvania	45.6
Iowa	38.8	Rhode Island	39.4
Kansas	39.4	South Carolina	66.2
Kentucky	52.6	South Dakota	41.4
Louisiana	63.0	Tennessee	53.9
Maine	52.4	Texas	67.0
Maryland	50.3	Utah	39.5
Massachusetts	37.0	Vermont	45.6
Michigan	41.9	Virginia	60.9
Minnesota	35.8	Washington	36.8
Mississippi	56.2	West Virginia	54.7
		Wisconsin	40.2
		Wyoming	45.5

<sup>1</sup> Exclusive of stillbirths.

**Infant death rates by age.**—Death rates for infants at various ages during the first year of life are given in table AG. These data are given for the birth-registration area for each year beginning with 1926. The most notable feature of this table is that, although reductions in rate have been made for almost every age group, little reduction has been made in the rate for deaths under 1 day. Since 1932, the rate for deaths under 1 day has been approximately 15.0 per 1,000 live births until 1938 and 1939, in which years it declined to 14.1. While this rate has decreased very little, the total infant death rate has decreased from 73.3 in 1926 to 48.0 in 1939, and the rate for infant deaths over 1 month has decreased from 35.4 to 18.7 in the same period.

TABLE AG.—INFANT MORTALITY RATES (DEATHS<sup>1</sup> UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY AGE: BIRTH-REGISTRATION AREA, UNITED STATES

AGE	1939	1938	1937	1936	1935	1934	1933
Under 1 year	48.0	51.0	54.4	57.1	55.7	60.1	58.1
Under 1 day	14.1	14.1	14.7	15.1	15.0	15.4	15.1
1 day	5.7	5.5	5.7	5.9	5.7	5.9	5.8
2 days	2.3	2.3	2.3	2.5	2.4	2.5	2.7
3 to 6 days	5.7	5.7	4.0	4.3	4.4	4.5	4.7
1 week	2.5	2.6	2.9	3.0	3.1	3.1	3.5
2 weeks	1.6	1.8	1.9	2.0	2.0	2.3	2.2
3 weeks	1.4	1.5	1.7	1.9	1.8	1.9	1.9
Under 1 month	29.3	29.6	31.3	32.6	32.4	34.1	34.0
1 month	5.5	5.9	4.3	4.4	4.4	4.8	4.5
2 months	2.8	3.2	3.5	3.6	3.5	3.8	3.5
3 to 5 months	5.9	6.7	7.2	7.7	7.1	7.8	7.2
6 to 8 months	5.8	4.4	4.8	5.1	4.8	5.4	5.0
9 to 11 months	2.8	3.2	3.4	3.5	3.5	4.2	3.9
Under 1 year	57.6	61.6	64.6	67.6	68.7	64.6	73.3
Under 1 day	14.9	15.0	15.0	15.3	15.3	15.1	15.2
1 day	5.8	4.0	4.2	4.4	4.4	4.1	4.2
2 days	2.6	2.7	2.9	3.0	3.1	3.0	3.2
3 to 6 days	4.7	4.7	5.1	5.5	5.4	5.3	5.7
1 week	3.4	3.6	3.9	3.9	4.1	3.9	4.3
2 weeks	2.2	2.4	2.5	2.6	2.6	2.6	3.0
3 weeks	1.8	2.0	2.1	2.3	2.3	2.2	2.4
Under 1 month	33.5	34.8	35.7	36.9	37.2	36.1	37.9
1 month	4.7	5.0	5.5	5.6	5.5	5.1	6.0
2 months	3.6	4.0	4.2	4.3	4.4	4.0	4.7
3 to 5 months	7.2	8.0	8.8	9.2	9.5	8.5	10.4
6 to 8 months	4.9	5.7	6.2	6.5	6.9	6.1	7.9
9 to 11 months	3.8	4.3	4.5	5.1	5.4	4.7	6.5

<sup>1</sup> Exclusive of stillbirths.

Infant death rates at various ages during the first year of life, by race, are shown in table AH for 1939. The difference between "white" and "Negro" infant mortality is proportionately greater during later infancy than during the first days of life. The rate for the "white" under 1 day is 13.8, or 84.1 percent of the rate of 16.4 for Negroes, while the rate for the "white" under 1 year is 44.3, only 60.5 percent as high as the rate of 73.2 for Negroes.

TABLE AH.—INFANT MORTALITY RATES (DEATHS<sup>1</sup> UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY AGE AND RACE: UNITED STATES, 1939

AGE	Total	White	Negro	Other races
Under 1 year	48.0	44.3	73.2	97.2
Under 1 day	14.1	13.8	16.4	12.1
1 day	5.7	5.6	4.5	3.6
2 days	2.3	2.2	3.2	2.5
3 to 6 days	5.7	5.3	5.8	6.5
1 week	2.5	2.2	4.5	5.0
2 weeks	1.6	1.5	2.8	3.1
3 weeks	1.4	1.2	2.5	3.3
Under 1 month	29.3	27.8	39.7	36.1
1 month	3.5	3.1	6.0	9.1
2 months	2.8	2.5	4.7	8.4
3 months	2.3	2.0	4.1	6.8
4 months	1.9	1.7	3.7	6.5
5 months	1.7	1.5	3.0	5.4
6 months	1.5	1.2	3.0	5.0
7 months	1.3	1.1	2.2	5.4
8 months	1.1	1.0	1.9	4.0
9 months	1.0	0.9	1.8	4.3
10 months	0.9	0.8	1.4	3.1
11 months	0.9	0.8	1.6	3.0

<sup>1</sup> Exclusive of stillbirths.



## VITAL STATISTICS OF THE UNITED STATES

**Infant mortality by month.**—Table AI shows the infant death rates of the United States, by month, for each year from 1935 to 1939. The rate for each month has declined during this period. From 1938 to 1939, all rates declined except those for January and February, the increases in the rates for these months being 3.3 and 2.3, respectively. The largest decrease (5.9) was in the rate for May.

TABLE AI.—INFANT MORTALITY RATES (DEATHS<sup>1</sup> UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY MONTH: UNITED STATES

MONTH	1939	1938	1937	1936	1935
Total	48.0	51.0	54.4	57.1	55.7
January	57.6	54.3	69.1	60.8	66.7
February	55.5	53.2	63.4	62.0	65.0
March	51.8	51.9	57.1	56.7	62.3
April	48.5	52.0	53.9	59.4	58.6
May	47.8	53.7	51.6	55.5	57.3
June	47.2	53.0	54.3	52.8	53.4
July	44.5	47.9	52.2	52.7	49.2
August	41.4	47.1	47.8	48.6	47.7
September	42.0	46.1	47.0	51.7	46.3
October	44.5	48.0	51.1	59.4	51.0
November	47.1	50.8	52.0	59.2	53.9
December	49.8	55.6	55.3	68.6	58.7

<sup>1</sup>Exclusive of stillbirths.

**Infant death rates by cause of death.**—Table AJ is a tabulation of infant death rates for selected causes. Rates are given for the United States for the years 1935 to 1939. Outstanding causes of infant deaths are premature birth; pneumonia (all forms); congenital malformations; injury at birth; and diarrhea, enteritis, and ulceration of the intestines.

TABLE AJ.—INFANT MORTALITY RATES (DEATHS<sup>1</sup> UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: UNITED STATES

CAUSE OF DEATH	1939	1938	1937	1936	1935
All causes	48.0	51.0	54.4	57.1	55.7
Cerebrospinal (meningococcus) meningitis	6	0.1	0.1	0.1	0.1
Scarlet fever	9	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
Whooping cough	9	0.9	1.4	1.4	0.8
Diphtheria (infection by <i>C. diphtheriae</i> )	10	0.1	0.1	0.1	0.1

See footnotes at end of table.

TABLE AJ.—INFANT MORTALITY RATES (DEATHS<sup>1</sup> UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: UNITED STATES—Continued

CAUSE OF DEATH	1939	1938	1937	1936	1935
Erysipelas	11	( <sup>2</sup> )	0.1	0.1	0.2
Tetanus	12	0.1	0.1	0.1	0.1
Tuberculosis of respiratory system, etc.*	13	0.1	0.1	0.1	0.1
Tuberculosis of meninges, etc.*	14	0.1	0.1	0.1	0.1
Tuberculosis (other forms)	15-22	( <sup>2</sup> )	0.1	0.1	0.1
Septicemia and purulent infection	24	( <sup>2</sup> )	0.1	( <sup>2</sup> )	0.1
Dysentery	27	0.4	0.5	0.5	0.4
Malaria	28	0.1	0.1	0.1	0.1
Syphilis	30	0.6	0.6	0.7	0.7
Influenza	33	1.0	0.9	1.7	1.6
Measles	35	0.1	0.3	0.2	0.1
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	0.1	0.1	0.1	0.1
Diseases of thymus gland	54	0.4	0.5	0.5	0.5
Ricketts	70	( <sup>2</sup> )	0.1	0.1	0.1
Hemorrhagic conditions	72	0.1	0.1	0.1	0.1
Anemias (except splenic anemia)	73	0.1	0.1	0.1	0.1
Encephalitis (nonepidemic)	80	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
Meningitis (not due to meningococcus)	81	0.2	0.2	0.3	0.3
Intracranial lesions of vascular origin	85	0.1	0.1	0.1	0.1
Convulsions	86	0.2	0.2	0.2	0.3
Diseases of ear and mastoid process	89	0.2	0.2	0.3	0.3
Other diseases, nervous system	82,84,85,87,88	0.1	0.1	0.1	0.1
Diseases of circulatory system	90-103	0.2	0.2	0.2	0.3
Pneumonia (all forms)	107-109	6.1	7.0	7.5	8.3
Other diseases of respiratory system	104-106,110-114	0.5	0.6	0.6	0.7
Diseases of buccal cavity, etc.*	115	0.1	0.1	0.1	0.1
Diseases of stomach	117,118	0.1	0.2	0.2	0.2
Diarrhea, enteritis, etc.*	119	4.0	5.0	5.3	5.7
Hernia	122a	0.1	0.1	0.1	0.1
Intestinal obstruction	122b	0.3	0.4	0.4	0.4
Peritonitis (cause not stated)	129	0.1	0.1	0.1	0.1
Other diseases, digestive system	116,121,123-128	0.1	0.1	0.1	0.1
Diseases, genito-urinary system	130,131,133-139	0.2	0.2	0.2	0.2
Diseases of skin and cellular tissue	151-155	0.1	0.1	0.1	0.1
Congenital malformations	157	4.6	4.5	4.6	4.8
Congenital debility	158	1.2	1.4	1.6	1.8
Premature birth	159	14.2	14.3	15.3	15.7
Injury at birth	160	4.5	4.4	4.4	4.5
Other diseases peculiar to first year	161	2.5	2.3	2.2	2.2
Accidental mechanical suffocation	162	0.4	0.4	0.4	0.5
Other violence or accident	166-181,183-195	0.6	0.6	0.6	0.7
Ill-defined and unknown causes	199,200	2.5	2.8	3.0	3.3
All other causes*		0.2	0.2	0.3	0.3

<sup>1</sup>Exclusive of stillbirths.

<sup>2</sup>Less than one-tenth of 1 per 1,000 live births.

\*Refer to complete International List titles, table XI.



---

---

**SUMMARY AND RATE TABLES**

---

---

# VITAL STATISTICS OF THE UNITED STATES

TABLE I.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: THE REGISTRATION AREAS, UNITED STATES, 1900-1939

(For a description of the growth of the registration areas and the year of admission of each State, see p. 1. Death and birth rates for 1930-1939 are based upon population estimates obtained by interpolation, using the provisional population figures from the 1940 census. They differ in some cases from rates previously published for these years)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION AREA IN CONTINENTAL UNITED STATES				BIRTH-REGISTRATION AREA IN CONTINENTAL UNITED STATES					
		Estimated midyear population		Total deaths <sup>1</sup>		Estimated midyear population		Live births		Stillbirths	
		Number	Percent of total	Number	Rate per 1,000 population	Number	Percent of total	Number	Rate per 1,000 population	Number	Rate per 1,000 live births
1939	150,600,617	130,600,617	100.0	1,387,897	10.6	150,600,617	100.0	2,265,588	17.3	72,598	52.0
1938	129,673,099	129,673,099	100.0	1,381,351	10.7	129,673,099	100.0	2,286,982	17.6	73,467	52.1
1937	128,746,626	128,746,626	100.0	1,450,427	11.3	128,746,626	100.0	2,205,337	17.1	73,609	53.4
1936	127,827,091	127,827,091	100.0	1,479,228	11.6	127,827,091	100.0	2,144,790	16.8	73,735	54.4
1935	126,902,980	126,902,980	100.0	1,592,752	11.0	126,902,980	100.0	2,155,105	17.0	77,119	55.8
1934	126,056,737	126,056,737	100.0	1,396,903	11.1	126,056,737	100.0	2,167,636	17.2	78,503	56.2
1933	125,271,770	125,271,770	100.0	1,342,106	10.7	125,271,770	100.0	2,061,232	16.6	77,059	57.0
1932	124,474,345	119,767,708	96.2	1,308,529	10.9	118,516,069	95.2	2,074,042	17.5	78,351	57.8
1931	123,686,803	119,022,689	96.2	1,322,587	11.1	117,099,407	94.7	2,112,760	18.0	80,616	58.2
1930	122,952,902	118,331,312	96.2	1,343,356	11.4	116,421,372	94.7	2,203,958	18.9	86,466	59.2
1929	121,526,429	116,317,515	95.7	1,386,363	11.9	115,097,972	94.7	2,169,920	18.9	85,678	59.5
1928	119,861,607	114,258,516	95.3	1,378,675	12.1	113,050,663	94.3	2,233,149	19.8	89,765	60.2
1927	118,196,785	108,177,568	91.5	1,236,949	11.4	103,575,656	87.6	2,137,856	20.6	82,951	58.8
1926	116,531,963	104,938,301	90.1	1,285,927	12.3	99,682,479	77.0	1,858,068	20.7	70,716	58.1
1925	114,867,141	102,951,999	89.6	1,219,019	11.8	87,486,086	76.2	1,878,980	21.5	71,519	58.1
1924	113,202,319	100,082,062	88.4	1,173,990	11.7	86,256,025	76.2	1,930,614	22.4	73,617	59.3
1923	111,537,497	97,816,104	87.7	1,193,017	12.2	80,694,406	72.3	1,792,646	22.2	69,757	58.9
1922	109,872,675	93,866,240	85.4	1,101,863	11.7	79,415,841	72.3	1,774,911	22.3	70,010	59.4
1921	108,207,853	89,102,434	82.3	1,032,009	11.6	70,738,177	65.4	1,714,261	24.2		
1920	106,543,081	87,632,592	82.3	1,142,558	13.0	63,740,689	59.8	1,508,874	23.7		
1919	105,003,065	85,166,043	81.1	1,096,436	12.9	61,483,423	58.6	1,573,438	22.3		
1918	103,587,955	81,333,675	78.5	1,471,367	18.1	55,515,241	53.6	1,363,649	24.6		
1917	102,172,845	74,984,488	73.4	1,068,932	14.3	54,771,416	53.6	1,353,792	24.7		
1916	100,757,735	71,349,162	70.8	1,001,921	14.0	52,788,670	52.5	1,318,983	25.0		
1915	99,342,625	67,095,681	67.5	908,155	13.6	50,836,179	51.1	1,276,304	25.1		
1914	97,927,516	65,813,315	67.2	898,059	13.6						
1913	96,512,407	63,200,625	65.5	890,848	14.1						
1912	95,097,298	60,359,974	63.5	838,251	13.9						
1911	93,682,189	59,183,071	63.2	859,284	14.2						
1910	92,267,080	53,831,742	58.3	805,412	15.0						
1909	90,691,354	50,870,518	56.1	732,536	14.4						
1908	89,073,360	46,789,913	52.5	691,574	14.8						
1907	87,455,366	43,016,990	49.2	687,054	16.0						
1906	85,837,372	41,993,419	48.9	658,105	15.7						
1905	84,219,378	34,052,201	40.4	545,533	16.0						
1904	82,601,384	33,345,163	40.4	551,354	16.5						
1903	80,983,390	32,701,083	40.4	524,415	16.0						
1902	79,365,396	32,029,815	40.4	508,840	15.9						
1901	77,747,402	31,370,952	40.3	518,207	16.5						
1900	<sup>2</sup> 75,994,575	30,765,618	40.5	539,939	17.6						

<sup>1</sup> Exclusive of stillbirths. <sup>2</sup> Population for census year ending May 31.

TABLE II.—ENUMERATED POPULATION BY CITIES AND RURAL AREAS, AND BY RACE: UNITED STATES AND EACH STATE, APRIL 1, 1930

AREA	Total	CITIES OF 2,500 OR MORE			RURAL		
		White	Negro	Other races <sup>1</sup>	White	Negro	Other races <sup>1</sup>
UNITED STATES	122,775,046	62,836,805	5,193,913	924,305	46,027,802	6,697,230	1,095,391
Alabama	2,646,249	475,660	269,450	163	1,225,115	676,384	476
Arizona	455,573	102,011	5,147	42,698	162,567	5,802	117,746
Arkansas	1,854,482	293,459	98,162	257	1,081,447	389,301	856
California	5,677,251	3,743,618	70,519	346,459	1,296,529	10,529	209,497
Colorado	1,035,791	489,947	10,471	19,464	471,170	1,857	45,382
Connecticut	1,606,903	1,106,612	24,531	627	470,061	4,823	249
Delaware	236,380	108,043	15,037	66	97,651	17,565	26
District of Columbia	486,669	355,914	132,066	897			
Florida	1,468,211	549,025	210,292	461	486,180	221,536	717
Georgia	2,908,506	578,550	516,637	305	1,258,424	754,468	102
Idaho	445,032	128,002	502	1,005	309,560	166	5,799
Illinois	7,650,654	5,500,343	304,036	31,348	1,966,018	24,956	3,973
Indiana	3,238,503	1,632,994	103,042	9,656	1,453,142	6,940	529
Iowa	2,470,939	980,517	15,185	5,590	1,487,865	2,195	1,587
Kansas	1,680,999	666,748	51,261	11,805	1,126,099	15,063	10,003
Kentucky	2,614,589	682,356	116,561	109	1,706,008	109,479	76
Louisiana	2,101,593	574,249	257,463	1,820	743,911	518,863	5,287
Maine	797,423	320,296	703	507	474,887	393	637
Maryland	1,631,526	814,348	159,654	867	539,822	116,725	110
Massachusetts	4,249,614	3,781,458	46,323	3,645	411,468	6,042	678
Michigan	4,842,325	3,128,763	159,704	15,608	1,523,408	9,749	7,093
Minnesota	2,563,953	1,245,518	9,110	2,988	1,293,455	335	12,547
Mississippi	2,009,821	204,618	133,987	245	792,238	875,731	3,002
Missouri	3,629,367	1,683,348	169,954	5,817	1,715,539	53,886	823
Montana	537,606	178,406	1,027	1,601	338,919	229	17,422

<sup>1</sup> Including Mexicans.

# SUMMARY AND RATE TABLES

17

TABLE II.—ENUMERATED POPULATION BY CITIES AND RURAL AREAS, AND BY RACE: UNITED STATES AND EACH STATE, APRIL 1, 1930—Continued

AREA	Total	CITIES OF 2,500 OR MORE			RURAL		
		White	Negro	Other races <sup>1</sup>	White	Negro	Other races <sup>1</sup>
Nebraska	1,377,963	469,679	13,112	3,316	884,023	640	7,195
Nevada	91,058	32,707	364	1,393	48,718	152	7,724
New Hampshire	465,293	272,376	594	109	191,974	195	44
New Jersey	4,041,334	3,161,384	174,885	2,875	667,825	33,843	422
New Mexico	423,317	93,171	1,718	11,927	238,584	1,132	76,785
New York	12,588,066	10,112,383	390,499	19,070	2,037,910	22,315	5,889
North Carolina	3,170,276	563,478	248,237	132	1,671,470	672,410	16,549
North Dakota	680,845	112,443	216	647	558,800	161	8,578
Ohio	6,646,697	4,229,950	271,972	5,469	2,101,206	57,332	788
Oklahoma	2,396,040	736,429	67,801	17,451	1,586,995	104,397	82,967
Oregon	953,786	482,374	1,890	5,482	454,655	344	9,041
Pennsylvania	9,681,350	6,153,181	373,580	6,750	3,039,421	57,677	741
Rhode Island	687,497	625,856	9,079	494	51,160	834	74
South Carolina	1,738,765	232,641	138,354	85	711,399	655,327	959
South Dakota	692,849	129,992	337	578	559,461	309	22,172
Tennessee	2,616,556	656,246	240,168	122	1,482,571	237,478	169
Texas	5,824,715	1,739,306	329,829	320,213	2,544,185	525,135	366,047
Utah	507,847	282,427	944	2,893	233,528	194	7,891
Vermont	359,611	118,510	213	43	240,455	355	35
Virginia	2,421,851	571,656	213,401	480	1,198,749	436,764	801
Washington	1,563,396	862,576	5,818	16,145	688,523	1,022	19,312
West Virginia	1,729,205	460,185	31,224	115	1,152,789	83,689	265
Wisconsin	2,939,006	1,540,278	9,873	3,692	1,378,581	866	10,716
Wyoming	225,565	66,610	859	2,628	147,457	391	7,820

<sup>1</sup> Including Mexicans.

TABLE III.—ENUMERATED POPULATION BY AGE, RACE, AND SEX: UNITED STATES, APRIL 1, 1930

AGE	Total	WHITE		NEGRO		OTHER RACES <sup>1</sup>	
		Male	Female	Male	Female	Male	Female
All ages	122,775,046	55,163,854	53,700,353	5,855,669	6,055,474	1,117,557	902,139
Under 1 year	2,180,791	965,946	930,784	115,398	116,990	30,837	30,846
1 year	2,164,565	961,905	925,547	110,294	112,252	27,454	27,125
2 years	2,326,016	1,025,780	991,925	125,695	126,890	26,140	27,588
3 years	2,394,463	1,050,500	1,020,349	130,378	133,936	29,485	29,817
4 years	2,568,555	1,047,002	1,007,662	129,486	128,907	27,898	27,600
5 to 9 years	12,607,609	5,558,599	5,397,545	679,748	688,635	142,761	140,323
10 to 14 years	12,004,977	5,339,968	5,206,314	623,228	629,314	105,581	101,472
15 to 19 years	11,552,115	5,065,975	5,047,609	595,646	654,882	96,204	91,799
20 to 24 years	10,870,378	4,666,016	4,800,139	553,622	649,569	117,177	83,855
25 to 29 years	9,833,608	4,246,957	4,326,739	500,520	571,267	112,708	75,422
30 to 34 years	9,120,421	4,059,179	4,050,587	416,869	447,645	85,738	60,403
35 to 39 years	9,208,645	4,171,206	4,012,414	430,472	460,428	76,182	55,943
40 to 44 years	7,990,195	3,733,591	3,464,916	339,329	349,094	63,539	40,726
45 to 49 years	7,042,279	3,293,779	3,029,210	322,162	306,903	54,983	34,242
50 to 54 years	5,975,804	2,815,281	2,593,775	277,532	227,058	38,832	23,326
55 to 59 years	4,645,677	2,225,068	2,068,039	174,397	135,030	26,557	16,616
60 to 64 years	3,751,221	1,789,010	1,687,983	133,349	108,820	19,149	12,910
65 to 69 years	2,770,605	1,322,825	1,272,017	82,843	72,334	12,146	8,442
70 to 74 years	1,950,004	933,348	904,702	50,896	46,200	7,403	5,455
75 to 79 years	1,106,390	512,926	525,936	29,219	29,492	4,459	3,358
80 to 84 years	534,676	233,462	263,341	15,343	18,034	2,333	2,163
85 to 89 years	205,489	82,988	105,426	6,864	8,064	1,041	1,066
90 to 94 years	51,664	17,534	26,919	2,516	3,816	381	498
95 to 99 years	11,033	3,001	4,980	1,073	1,538	209	232
100 years and over	3,964	503	677	776	1,691	124	193
Unknown	94,022	42,509	34,820	7,064	6,667	2,243	719

<sup>1</sup> Including Mexicans.

## VITAL STATISTICS OF THE UNITED STATES

TABLE IV.—ESTIMATED MIDYEAR POPULATION: UNITED STATES<sup>1</sup> AND EACH STATE, 1930-1939  
(Populations have been obtained by interpolation, using the provisional population figures from the 1940 census)

AREA	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
United States (death-registration area)	118,331,312	119,022,689	119,767,708	125,271,770	126,056,737	126,902,980	127,827,091	128,746,626	129,673,099	130,600,617
Alabama	2,650,849	2,669,253	2,687,658	2,706,060	2,724,464	2,742,867	2,761,271	2,779,675	2,798,079	2,816,482
Arizona	437,128	443,350	449,572	455,795	462,015	468,236	474,458	480,680	486,901	493,123
Arkansas	1,836,927	1,860,205	1,875,584	1,884,862	1,894,341	1,903,720	1,913,098	1,922,477	1,931,855	1,941,234
California	5,707,152	5,826,806	5,946,449	6,066,093	6,185,737	6,305,380	6,425,024	6,544,668	6,664,312	6,783,955
Colorado	1,037,867	1,046,170	1,054,473	1,062,775	1,071,078	1,079,381	1,087,684	1,095,987	1,104,290	1,112,593
Connecticut	1,609,488	1,619,804	1,630,120	1,640,446	1,650,767	1,661,088	1,671,409	1,681,730	1,692,050	1,702,371
Delaware	259,088	241,896	244,708	247,521	250,333	253,146	255,958	258,771	261,583	264,396
District of Columbia	491,276	508,905	526,535	544,161	561,790	579,418	597,047	614,675	632,303	649,932
Florida	1,475,112	1,502,715	1,530,319	1,557,921	1,585,525	1,613,129	1,640,732	1,668,335	1,695,938	1,723,541
Georgia	2,918,792	2,984,271	2,956,082	2,977,228	2,998,374	3,019,519	3,040,664	3,061,809	3,082,954	3,104,099
Idaho	446,992	454,833	462,674	470,515	478,355	486,196	494,037	501,878	509,719	517,559
Illinois	7,636,817	7,661,468	7,686,119	7,710,771	7,735,422	7,760,073	7,784,725	7,809,376	7,834,027	7,858,679
Indiana	3,242,944	3,260,709	3,278,474	3,296,239	3,314,004	3,331,769	3,349,534	3,367,299	3,385,063	3,402,828
Iowa	2,472,551	2,479,000	2,485,449	2,491,899	2,498,348	2,504,797	2,511,246	2,517,695	2,524,144	2,530,593
Kansas	1,866,385	1,815,405	1,821,073	1,826,741	1,832,409	1,838,077	1,843,745	1,849,413	1,855,081	1,860,749
Kentucky	2,520,222	2,642,756	2,665,290	2,687,824	2,710,358	2,732,891	2,755,425	2,777,959	2,800,493	2,823,027
Louisiana	2,108,070	2,133,977	2,159,883	2,185,790	2,211,697	2,237,604	2,263,511	2,289,417	2,315,324	2,341,231
Maine	798,618	803,388	808,159	812,931	817,702	822,474	827,246	832,017	836,789	841,560
Maryland	1,636,027	1,654,029	1,672,031	1,690,033	1,708,035	1,726,037	1,744,039	1,762,041	1,780,043	1,798,045
Massachusetts	4,254,945	4,276,271	4,297,596	4,318,922	4,340,247	4,361,573	4,382,898	4,404,224	4,425,549	4,446,875
Michigan	4,832,875	4,795,075	4,757,275	4,719,474	4,681,674	4,712,575	4,824,667	4,936,759	5,048,851	5,160,943
Minnesota	2,589,502	2,591,696	2,613,890	2,636,084	2,658,279	2,680,473	2,702,667	2,724,862	2,747,056	2,769,250
Mississippi	2,014,120	2,031,314	2,048,508	2,065,702	2,082,896	2,100,090	2,117,284	2,134,478	2,151,672	2,168,867
Missouri	3,635,026	3,647,663	3,662,300	3,676,937	3,691,574	3,706,211	3,720,848	3,735,485	3,750,122	3,764,759
Montana	538,019	539,672	541,325	542,978	544,631	546,284	547,937	549,590	551,243	552,896
Nebraska	1,376,351	1,369,901	1,363,452	1,357,002	1,350,553	1,344,103	1,337,654	1,331,204	1,324,755	1,318,305
Nevada	91,538	93,457	95,376	97,294	99,213	101,132	103,051	104,970	106,889	108,808
New Hampshire	465,904	468,346	470,788	473,230	475,673	478,115	480,557	482,999	485,442	487,884
New Jersey	4,044,015	4,054,738	4,065,460	4,076,183	4,086,906	4,097,629	4,108,352	4,119,074	4,129,797	4,140,520
New Mexico	425,951	436,488	447,025	457,562	468,099	478,636	489,173	499,710	510,247	520,784
New York	12,607,855	12,687,011	12,766,166	12,845,322	12,924,477	13,003,633	13,082,789	13,161,944	13,241,100	13,320,255
North Carolina	3,180,098	3,219,388	3,258,678	3,297,968	3,337,258	3,376,547	3,415,837	3,455,127	3,494,417	3,533,707
North Dakota	679,616	675,701	671,785	667,870	663,954	659,039	655,123	651,207	647,291	643,375
Ohio	6,652,770	6,677,063	6,701,355	6,725,648	6,749,941	6,774,233	6,798,526	6,822,818	6,847,111	6,871,404
Oklahoma	2,594,384	2,587,761	2,581,138	2,574,515	2,567,892	2,561,269	2,554,645	2,548,022	2,541,399	2,534,775
Oregon	957,134	970,527	983,920	997,314	1,010,707	1,024,100	1,037,493	1,050,886	1,064,279	1,077,672
Pennsylvania	9,637,859	9,663,895	9,689,931	9,715,967	9,742,003	9,768,038	9,794,074	9,820,110	9,846,146	9,872,182
Rhode Island	687,202	686,022	684,842	683,662	682,482	681,302	680,122	678,942	677,762	676,582
South Carolina	1,742,941	1,759,646	1,776,351	1,793,056	1,809,761	1,826,466	1,843,171	1,859,876	1,876,581	1,893,286
South Dakota	681,975	688,480	694,985	701,490	707,995	714,500	721,005	727,510	734,015	740,520
Tennessee	2,623,917	2,653,360	2,682,804	2,712,248	2,741,691	2,771,135	2,800,578	2,830,022	2,859,466	2,888,909
Texas	2,127,965	2,123,802	2,119,637	2,115,472	2,111,307	2,107,142	2,102,977	2,098,812	2,094,647	2,090,482
Utah	508,861	512,815	516,770	520,724	524,678	528,632	532,586	536,540	540,494	544,448
Vermont	359,561	359,559	359,557	359,555	359,553	359,551	359,549	359,547	359,545	359,543
Virginia	2,427,926	2,452,226	2,476,526	2,500,826	2,525,126	2,549,426	2,573,726	2,598,026	2,622,326	2,646,626
Washington	1,587,346	1,583,144	1,578,942	1,574,740	1,570,538	1,566,336	1,562,134	1,557,932	1,553,730	1,549,528
West Virginia	1,733,480	1,750,562	1,767,643	1,784,724	1,801,805	1,818,886	1,835,967	1,853,048	1,870,129	1,887,210
Wisconsin	2,943,678	2,962,365	2,981,053	2,999,740	3,018,428	3,037,115	3,055,803	3,074,490	3,093,178	3,111,865
Wyoming	226,095	228,215	230,335	232,455	234,575	236,695	238,815	240,935	243,055	245,175

<sup>1</sup> The totals from 1933 to 1939 are for the entire United States; totals from 1930 to 1932 are for the death-registration area. See note 2.<sup>2</sup> Population for 8 registration cities only.

TABLE V.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: SPECIFIED FOREIGN COUNTRIES, 1937

COUNTRY	Estimated population	LIVE BIRTHS		DEATHS <sup>1</sup>		COUNTRY	Estimated population	LIVE BIRTHS		DEATHS <sup>1</sup>	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population
United States	128,746,626	2,203,337	17.1	1,450,427	11.3	Jamaica	1,142,154	35,352	<sup>2</sup> 31.0	17,481	15.3
Australia	6,833,375	119,181	17.4	64,496	9.4	Japan	71,252,800	2,180,734	30.6	1,207,899	17.0
Belgium	8,361,220	127,506	<sup>2</sup> 15.2	109,140	13.1	Netherlands	8,598,258	170,220	19.8	75,516	8.8
British Guiana	337,039	11,227	33.3	7,567	21.9	New Zealand	1,495,335	26,014	<sup>2</sup> 17.4	13,658	9.1
Canada	11,106,000	220,235	19.8	113,824	10.2	Northern Ireland	1,281,000	25,412	19.8	19,282	15.1
Ceylon	5,712,000	216,072	37.8	124,210	21.7	Norway	2,906,072	45,808	15.1	30,217	10.4
Chile	4,572,147	153,354	33.5	109,795	24.0	Peru	<sup>3</sup> 6,500,000	189,465	<sup>2</sup> 29.1	94,354	<sup>2</sup> 14.5
Denmark	3,749,000	67,440	18.0	40,442	10.8	Poland	34,221,000	856,000	<sup>2</sup> 25.0	482,000	<sup>2</sup> 14.1
Egypt	15,952,000	694,086	43.5	434,208	27.2	Romania	19,535,398	601,302	30.8	377,812	19.3
Eire	2,948,000	56,488	19.2	45,086	15.3	Scotland	4,976,600	87,810	17.6	68,942	13.9
England and Wales	41,031,000	610,557	14.9	509,574	12.4	Sweden	6,275,805	90,373	14.4	75,392	12.0
Finland	3,820,913	72,319	18.9	47,150	12.3	Switzerland	4,176,400	62,480	15.0	47,274	11.3
France	41,930,000	616,865	<sup>2</sup> 14.7	623,503	<sup>2</sup> 14.9	Union of South Africa (European)	2,043,700	50,878	24.9	20,606	10.1
Germany	67,831,000	1,275,212	18.8	793,192	11.7	Uruguay	2,079,659	41,337	19.9	21,561	10.4
Hungary	9,014,684	182,449	20.2	128,049	14.2	Venezuela	3,392,247	114,922	33.9	61,827	18.2
Italy	43,534,000	991,667	<sup>2</sup> 22.8	615,420	<sup>2</sup> 14.1						

<sup>1</sup> Exclusive of stillbirths.<sup>2</sup> Rate computed.<sup>3</sup> Population estimated for 1936. No later estimate available.

NOTE.—These figures were taken from the latest official vital-statistics reports or yearbooks of each country unless otherwise specified.

# SUMMARY AND RATE TABLES

19

TABLE VI.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: SPECIFIED COUNTRIES AND SELECTED YEARS

COUNTRY AND YEAR	Estimated population	LIVE BIRTHS		TOTAL DEATHS <sup>1</sup>		DEATHS UNDER 1 YEAR <sup>2</sup>		STILLBIRTHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births
<b>United States (registration area):</b>									
1958	129,673,099	2,286,962	17.6	1,381,391	10.7	116,702	51.0	73,467	32.1
1957	128,746,626	2,203,337	17.1	1,450,427	11.3	119,951	54.4	73,609	33.4
1956	127,827,091	2,144,790	16.8	1,479,228	11.6	122,535	57.1	73,735	34.4
1955	126,802,980	2,155,105	17.0	1,392,752	11.0	120,138	55.7	77,119	35.8
1950	( <sup>3</sup> )	2,203,958	18.9	1,343,356	11.4	142,413	64.6	86,466	39.2
1925	( <sup>3</sup> )	1,876,880	21.5	1,219,019	11.8	134,652	71.7	71,519	38.1
1920	( <sup>4</sup> )	1,506,874	23.7	1,142,558	13.0	129,531	85.8	( <sup>5</sup> )	( <sup>5</sup> )
<b>Australia:</b>									
1958	6,894,847	120,415	17.5	66,451	9.6	4,607	38.3	( <sup>5</sup> )	( <sup>5</sup> )
1957	6,853,375	119,131	17.4	64,496	9.4	4,534	39.1	( <sup>5</sup> )	( <sup>5</sup> )
1956	6,777,744	116,073	17.1	63,532	9.4	4,776	41.2	( <sup>5</sup> )	( <sup>5</sup> )
1955	6,725,632	111,325	16.6	63,599	9.5	4,429	39.8	( <sup>5</sup> )	( <sup>5</sup> )
1950	6,466,019	128,399	19.9	55,331	8.6	6,065	47.2	( <sup>5</sup> )	( <sup>5</sup> )
1925	5,940,977	135,792	22.9	54,568	9.2	7,251	53.4	( <sup>5</sup> )	( <sup>5</sup> )
1920	5,359,142	136,406	25.5	56,289	10.5	9,451	69.1	( <sup>5</sup> )	( <sup>5</sup> )
<b>Canada:<sup>6</sup></b>									
1958	11,195,000	229,446	20.5	106,817	9.5	14,517	765.3	6,426	728.0
1957	11,106,000	220,235	19.8	113,824	10.2	16,693	775.8	6,275	728.5
1956	11,014,000	220,371	20.0	107,050	9.7	14,574	766.1	6,350	728.8
1955	10,921,000	221,451	20.3	105,587	9.7	15,790	771.0	6,449	729.1
1950	10,195,000	243,495	23.9	109,306	10.7	21,742	789.3	7,707	731.7
1925	6,737,000	154,861	23.0	66,477	9.9	12,169	78.6	5,296	734.2
1920	6,272,000	166,741	26.6	77,722	12.4	16,695	100.1	( <sup>5</sup> )	( <sup>5</sup> )
<b>Chile:</b>									
1958	4,618,609	154,927	33.5	113,719	24.6	36,512	725.7	8,259	753.2
1957	4,572,147	153,354	33.5	109,795	24.0	36,914	720.7	8,224	753.6
1956	4,530,051	156,917	34.6	114,392	25.3	39,599	752.2	7,787	749.6
1955	4,485,792	153,151	34.1	112,364	25.0	38,432	750.9	7,948	751.2
1950	4,287,445	169,395	39.8	105,140	24.7	39,706	754.4	5,866	734.6
1925	3,929,088	156,225	39.8	106,787	27.7	40,276	757.8	4,757	730.4
1920	3,753,799	146,725	39.4	115,428	31.0	38,654	763.4	4,122	728.1
<b>England, Scotland, Wales:</b>									
1958	46,208,100	709,831	15.4	541,782	11.7	36,687	754.8	( <sup>5</sup> )	( <sup>5</sup> )
1957	46,007,600	698,367	15.2	578,516	12.6	42,225	760.5	( <sup>5</sup> )	( <sup>5</sup> )
1956	45,805,300	694,220	15.2	562,515	12.3	42,740	761.6	( <sup>5</sup> )	( <sup>5</sup> )
1955	45,598,000	686,684	15.1	542,732	11.9	40,846	759.5	( <sup>5</sup> )	( <sup>5</sup> )
1950	44,629,000	743,360	16.7	519,712	11.6	46,760	762.9	( <sup>5</sup> )	( <sup>5</sup> )
1925	43,802,000	814,719	18.6	538,348	12.3	62,746	777.0	( <sup>5</sup> )	( <sup>5</sup> )
1920	42,111,366	1,094,328	26.0	534,309	12.7	89,117	781.4	( <sup>5</sup> )	( <sup>5</sup> )
<b>England and Wales:</b>									
1958	41,215,000	621,204	15.1	478,829	11.6	32,724	752.7	24,729	739.8
1957	41,051,000	610,557	14.9	509,574	12.4	35,175	757.6	24,806	740.6
1956	40,899,000	605,292	14.8	495,764	12.1	35,425	758.5	25,045	741.4
1955	40,645,000	598,756	14.7	477,401	11.7	34,092	756.9	25,435	742.5
1950	39,801,000	648,611	16.3	455,427	11.4	38,908	760.0	27,577	742.5
1925	38,955,000	710,582	18.3	472,841	12.1	55,316	754.0	( <sup>5</sup> )	( <sup>5</sup> )
1920	37,247,000	957,782	25.5	466,150	12.4	76,552	79.9	( <sup>5</sup> )	( <sup>5</sup> )
<b>Scotland:</b>									
1958	4,995,100	89,627	17.7	62,953	12.6	6,165	69.5	( <sup>5</sup> )	( <sup>5</sup> )
1957	4,976,600	87,810	17.6	68,942	13.9	7,050	80.3	( <sup>5</sup> )	( <sup>5</sup> )
1956	4,966,300	88,928	17.9	66,749	13.4	7,315	82.3	( <sup>5</sup> )	( <sup>5</sup> )
1955	4,935,000	87,928	17.8	65,331	13.2	6,754	76.8	( <sup>5</sup> )	( <sup>5</sup> )
1950	4,828,000	94,549	19.6	64,285	13.3	7,852	83.0	( <sup>5</sup> )	( <sup>5</sup> )
1925	4,687,000	104,137	21.4	65,507	13.5	9,430	90.6	( <sup>5</sup> )	( <sup>5</sup> )
1920	4,864,386	136,546	28.1	68,179	14.0	12,565	92.0	( <sup>5</sup> )	( <sup>5</sup> )
<b>France:</b>									
1958	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )
1957	41,950,000	616,863	14.7	623,503	14.9	40,084	765.0	25,006	737.3
1956	41,910,000	630,818	15.1	642,318	15.3	42,245	767.0	21,781	734.5
1955	41,940,000	640,527	15.3	658,579	15.7	44,137	768.9	21,929	734.2
1950	41,610,000	749,933	18.0	648,886	15.6	58,630	78.2	26,044	734.7
1925	40,610,000	770,060	19.0	707,816	17.4	68,529	79.0	26,986	737.6
1920	39,000,000	855,518	21.4	671,057	17.2	82,691	79.2	35,427	742.5
<b>Germany:<sup>8</sup></b>									
1958	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )
1957	67,831,000	1,275,212	18.8	793,192	11.7	81,596	764.0	31,362	724.6
1956	67,349,000	1,278,583	19.0	795,793	11.8	84,602	766.2	33,470	726.2
1955	66,871,000	1,263,976	18.9	792,018	11.8	86,649	768.6	33,099	728.2
1950	65,084,000	1,144,151	17.6	718,607	11.0	96,697	784.7	36,427	731.8
1925	63,166,000	1,311,259	20.8	753,017	11.9	137,927	7105.2	44,434	735.9
1920	61,794,000	1,599,287	25.9	932,929	15.1	209,723	7131.1	52,306	732.7
<b>Italy:</b>									
1958	43,778,534	1,037,180	23.7	612,229	14.0	110,221	106.3	34,205	733.0
1957	43,504,000	991,867	22.8	615,420	14.1	107,877	7108.8	32,586	732.9
1956	42,995,602	962,686	22.4	589,636	13.7	96,680	100.2	32,229	733.5
1955	42,631,062	995,708	23.4	595,933	13.9	100,876	101.2	33,849	734.0
1950	40,887,590	1,092,678	26.7	576,751	14.1	115,283	105.5	39,886	736.5
1925	39,112,440	1,109,761	28.4	670,296	17.1	132,405	119.8	48,117	743.4
1920	36,366,198	1,158,041	31.8	681,749	18.7	146,718	127.3	52,387	745.2
<b>Japan:</b>									
1958	72,222,700	1,928,321	26.7	1,259,805	17.4	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )
1957	71,252,800	2,180,734	30.6	1,207,899	17.0	230,701	7105.8	111,485	751.1
1956	70,258,200	2,101,969	29.9	1,250,278	17.5	245,557	7115.7	111,056	752.8
1955	69,254,148	2,190,704	31.6	1,161,936	16.8	233,706	7106.7	115,595	752.8
1950	64,453,005	2,085,101	32.4	1,170,867	18.2	258,703	7124.1	117,730	756.5
1925	59,786,822	2,086,091	34.9	1,210,706	20.3	297,008	7142.4	124,405	759.6
1920	55,963,053	2,025,564	36.2	1,422,096	25.4	335,613	7165.7	144,038	771.1

<sup>1</sup>Exclusive of stillbirths.

<sup>2</sup>For birth-registration area, 116,421,372; for death-registration area, 118,351,312.

<sup>3</sup>For birth-registration area, 87,486,095; for death-registration area, 102,951,899.

<sup>4</sup>For birth-registration area, 63,740,689; for death-registration area, 87,632,592.

<sup>5</sup>Not available.

<sup>6</sup>Excluding the Yukon and Northwest Territories. Registration area excluded the Province of Quebec in 1920 and 1925, but included it in 1950, 1955, 1956, 1957, and 1958.

<sup>7</sup>Rate computed.

<sup>8</sup>Including Saarland.

NOTE.—These figures were taken from the latest official vital-statistics reports or yearbooks of each country unless otherwise specified.

## VITAL STATISTICS OF THE UNITED STATES

TABLE VII.—CRUDE BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 ESTIMATED MIDYEAR POPULATION): UNITED STATES, EACH DIVISION AND STATE, 1915-1939

(For each State, rates are shown from the year of its admission to the birth-registration area; for each geographic division, rates are shown from the year when the division, as a whole, became a part of the birth-registration area. Rates for 1930-1939 are based upon population estimates obtained by interpolation, using the provisional figures from the 1940 census. They differ in some cases from rates previously published for these years)

DIVISION AND STATE	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
UNITED STATES (birth-reg. area)	25.1	25.0	24.7	24.6	22.3	23.7	24.2	22.3	22.2	22.4	21.5	20.7	20.6	19.8	18.9	18.9	18.0	17.5	16.6	17.2	17.0	16.8	17.1	17.6	17.3
<b>GEOGRAPHIC DIVISIONS:</b>																									
New England	24.8	24.9	25.4	25.0	( <sup>1</sup> )	( <sup>1</sup> )	23.5	22.2	22.0	22.5	21.1	20.1	19.7	19.0	17.8	17.7	16.7	16.2	15.1	15.2	15.0	14.8	14.8	14.9	15.1
Middle Atlantic	-----	-----	-----	-----	-----	-----	24.0	22.4	22.1	22.2	21.3	20.3	20.3	19.3	18.3	18.0	17.0	15.1	15.0	15.0	14.9	14.7	14.8	15.1	14.8
East North Central	-----	-----	-----	-----	-----	-----	-----	20.9	21.0	21.3	20.5	19.9	19.7	18.9	18.3	18.2	16.9	16.0	15.1	15.6	15.8	15.9	16.3	17.1	16.4
West North Central	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	17.4	16.7	17.4	16.8	16.9	16.6	17.0	17.0
South Atlantic	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	23.1	21.7	21.8	21.1	21.4	20.2	21.2	20.8	20.0	20.5	20.6	20.5
East South Central	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	24.3	22.8	22.0	22.6	21.7	21.9	20.6	21.8	21.4	20.7	21.1	21.8	21.2
West South Central	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	18.2	19.5	18.7	19.1	18.6	19.1	18.6	19.2
Mountain	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	20.6	21.3	20.4	19.4	18.9	20.2	20.8	21.7
Pacific	-----	-----	-----	-----	17.3	19.2	19.3	18.3	18.6	19.1	18.0	16.8	16.3	15.6	14.7	14.7	13.9	13.2	12.5	12.9	12.9	13.4	14.5	15.4	15.3
<b>NEW ENGLAND:</b>																									
Maine	21.4	21.1	21.9	22.0	20.2	22.5	22.9	22.6	22.6	23.7	22.3	20.9	20.7	20.8	20.0	20.3	20.3	20.0	19.6	19.3	19.1	18.5	18.3	18.2	17.6
New Hampshire	22.9	22.0	21.8	21.9	19.8	22.4	22.7	21.8	20.7	22.3	20.7	19.1	19.2	18.6	17.6	17.9	16.6	16.6	15.6	16.5	15.2	16.0	15.8	16.1	16.3
Vermont	22.1	22.0	21.4	21.3	19.9	21.0	22.4	21.2	20.7	20.9	21.1	20.0	18.6	18.6	18.7	19.3	18.6	18.8	17.1	18.4	18.4	18.0	17.7	17.6	17.8
Massachusetts	25.7	25.4	25.7	25.3	22.9	23.7	23.6	22.2	22.4	22.7	21.2	20.3	19.9	18.9	17.5	17.3	16.2	15.9	14.7	14.7	14.5	14.2	14.2	14.2	14.7
Rhode Island	24.2	25.1	26.0	26.1	( <sup>1</sup> )	( <sup>1</sup> )	23.5	22.9	22.8	23.4	22.2	20.7	20.6	19.3	18.0	17.7	16.5	16.3	15.1	15.2	15.0	14.9	14.6	15.1	14.6
Connecticut	25.9	27.5	28.6	27.6	24.8	24.5	24.1	21.7	21.1	21.4	19.8	19.1	18.7	18.0	17.1	17.2	15.8	14.6	13.7	13.5	13.4	13.3	13.5	14.1	13.8
<b>MIDDLE ATLANTIC:</b>																									
New York	24.7	24.3	24.5	23.8	21.9	22.4	22.4	21.2	20.7	20.5	19.9	18.9	19.0	18.3	17.5	17.1	16.2	15.5	14.6	14.4	14.2	13.9	14.1	14.3	14.1
New Jersey	-----	-----	-----	-----	-----	-----	23.8	22.1	21.6	21.6	20.4	19.5	19.1	18.0	17.2	16.9	15.8	15.1	13.8	13.3	13.3	13.1	13.3	13.6	13.6
Pennsylvania	26.5	26.1	26.3	25.7	24.0	25.2	25.9	24.0	24.1	24.5	23.4	22.3	22.4	21.2	19.8	19.7	18.5	17.4	16.2	15.3	15.3	16.5	16.3	16.4	16.9
<b>EAST NORTH CENTRAL:</b>																									
Ohio	-----	-----	22.0	22.2	19.8	21.3	22.0	20.5	21.2	21.4	20.3	19.6	19.3	18.5	17.7	17.8	16.2	15.2	14.2	14.8	14.9	15.3	15.8	16.5	15.9
Indiana	-----	-----	22.0	22.2	20.3	22.0	22.9	21.3	21.6	22.1	20.8	20.1	19.7	18.9	18.3	18.3	17.2	16.2	15.3	15.8	15.9	16.1	16.7	17.8	17.1
Illinois	-----	-----	-----	-----	-----	-----	-----	19.8	19.2	19.6	19.1	18.6	18.5	17.4	17.0	16.8	15.5	14.5	14.0	14.2	14.4	14.4	14.8	15.6	15.0
Michigan	24.6	25.9	25.9	25.7	23.2	24.9	25.1	22.8	22.9	23.4	23.1	22.4	22.1	21.1	20.8	20.6	19.0	18.0	17.1	17.9	18.6	18.3	18.5	19.2	18.3
Wisconsin	-----	-----	23.1	23.5	20.9	22.2	23.0	21.4	21.5	21.5	20.5	19.7	20.2	19.9	19.0	19.3	18.4	17.8	16.8	17.0	17.3	17.2	17.4	17.8	17.4
<b>WEST NORTH CENTRAL:</b>																									
Minnesota	24.6	24.4	23.8	23.9	21.9	23.3	23.8	23.5	23.0	22.6	21.7	21.0	20.2	19.5	18.3	18.5	18.1	17.7	16.9	17.3	17.1	17.6	17.6	18.2	18.1
Iowa	-----	-----	-----	-----	-----	-----	-----	-----	-----	20.2	19.6	18.7	18.2	17.6	17.1	17.3	16.9	16.3	15.9	16.0	16.4	17.0	16.7	17.1	17.3
Missouri	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	18.6	17.6	16.9	17.1	16.7	16.4	15.6	16.0	15.5	15.0	15.2	15.6	15.6
North Dakota	-----	-----	-----	-----	-----	-----	-----	-----	-----	21.5	21.8	22.3	21.9	22.2	21.6	21.7	21.3	20.9	19.8	21.9	20.7	20.7	19.4	20.2	20.5
South Dakota	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	19.3	18.9	19.4	19.1	19.3	18.0	18.1	18.0
Nebraska	-----	-----	-----	-----	-----	23.8	24.6	23.6	22.8	22.6	21.8	21.0	20.5	20.5	19.4	19.5	19.4	18.5	17.8	18.6	17.4	17.8	18.1	18.9	18.9
Kansas	-----	-----	22.1	22.3	20.6	22.3	23.3	21.6	21.7	20.9	20.1	19.1	18.8	18.2	17.4	18.1	18.1	17.4	16.7	17.8	16.5	16.3	16.1	16.4	16.1
<b>SOUTH ATLANTIC:</b>																									
Delaware	-----	-----	-----	-----	-----	-----	22.5	20.8	19.9	19.2	20.2	18.0	18.2	18.3	18.1	18.7	17.5	17.5	15.8	15.9	15.9	15.3	16.8	16.9	16.6
Maryland	-----	24.1	24.1	23.9	23.6	24.8	25.0	23.1	22.9	22.6	21.9	21.0	20.5	19.9	18.5	18.5	17.4	17.2	16.2	16.0	15.8	15.2	15.7	16.3	15.8
Dist. of Columbia	18.1	18.0	18.2	19.4	18.9	20.1	20.2	20.2	19.8	20.2	19.6	19.0	19.1	18.7	18.4	19.1	18.4	19.3	18.3	18.0	18.6	19.6	20.1	20.5	21.6
Virginia	-----	-----	27.1	27.8	26.5	28.4	30.2	27.7	27.4	27.3	25.8	24.3	24.3	23.5	22.4	22.5	22.0	20.5	20.7	20.2	19.9	20.0	20.4	20.4	20.0
West Virginia	-----	-----	-----	-----	-----	-----	-----	-----	-----	28.2	26.9	27.1	25.8	23.8	24.0	22.5	22.0	20.3	23.0	23.0	22.3	22.8	22.7	22.0	22.0
North Carolina	-----	30.9	30.2	29.1	31.4	33.4	30.2	30.4	31.0	29.0	27.9	27.7	26.4	24.7	24.1	23.2	23.9	23.9	23.5	23.0	23.3	22.8	22.9	22.9	22.4
South Carolina	-----	-----	-----	26.6	28.3	29.8	27.4	26.0	27.8	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	25.0	22.7	23.2	22.5	23.4	22.5	24.5	22.2	21.3	21.9	21.9	21.9	22.6
Georgia	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	20.3	20.1	20.8	21.0	21.6	20.0	20.3	20.9	21.0	20.9	20.9
Florida	-----	-----	-----	-----	-----	-----	-----	-----	22.5	23.8	27.1	25.6	21.5	18.8	18.3	18.0	17.9	16.5	16.8	17.3	16.8	17.0	17.4	17.5	17.5
<b>EAST SOUTH CENTRAL:</b>																									
Kentucky	-----	-----	25.9	26.0	24.0	25.9	27.5	25.2	26.1	26.6	25.2	23.9	24.5	23.0	21.7	22.6	21.6	22.3	20.6	22.1	21.1	20.2	20.2	22.1	21.5
Tennessee	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	21.5	19.6	19.5	20.1	19.7	19.6	18.5	19.1	19.2	18.1	18.4	18.6	16.5
Alabama	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	26.3	24.5	24.0	24.1	23.5	23.4	21.9	23.3	22.7	21.8	22.2	22.2	21.8
Mississippi	-----	-----	-----	-----	-----	25.3	23.6																		

# SUMMARY AND RATE TABLES

21

TABLE VIII.—CRUDE STILLBIRTH RATES (NUMBER OF STILLBIRTHS PER 1,000 LIVE BIRTHS): UNITED STATES, EACH DIVISION AND STATE, 1922-1939

(The annual collection of stillbirth statistics was begun in 1922. See headnote, table VII)

DIVISION AND STATE	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
UNITED STATES (birth-registration area)	39.4	38.9	39.3	38.1	38.1	38.8	40.2	39.5	39.2	38.2	37.8	37.0	36.2	35.8	34.4	33.4	32.1	32.0
<b>GEOGRAPHIC DIVISIONS:</b>																		
New England	37.4	37.7	37.2	36.7	36.5	36.0	35.0	33.8	33.9	33.3	33.2	32.7	30.9	30.0	28.9	28.4	27.3	26.6
Middle Atlantic	40.9	41.1	41.0	39.7	40.2	39.5	40.5	38.7	38.6	39.0	38.7	38.9	38.1	36.0	35.5	34.6	33.8	37.9
East North Central	36.7	36.4	36.1	35.3	35.5	35.0	35.2	34.7	34.0	33.2	31.7	31.0	30.0	29.4	27.8	27.1	25.9	25.3
West North Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Atlantic	—	—	—	—	—	—	—	53.9	53.7	54.2	51.5	51.8	49.4	49.1	47.3	46.2	43.9	41.3
East South Central	—	—	—	—	—	—	43.7	45.6	45.8	46.2	43.0	42.4	43.5	42.1	42.4	41.7	41.0	39.4
West South Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mountain	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pacific	30.6	29.9	29.7	28.5	29.2	27.6	28.3	28.4	27.9	27.8	28.1	27.2	26.6	25.4	25.9	23.9	23.7	23.1
<b>NEW ENGLAND:</b>																		
Maine	44.9	42.5	40.4	39.6	40.7	39.2	40.2	38.9	35.7	36.6	33.9	37.0	35.3	33.8	30.8	32.9	34.5	30.4
New Hampshire	41.9	45.9	41.4	41.4	40.2	42.9	38.6	37.5	41.7	40.2	38.4	36.3	30.8	34.1	29.7	31.3	31.3	27.6
Vermont	29.8	31.7	33.3	30.1	31.8	31.0	29.5	29.3	28.1	27.9	30.5	31.3	32.9	28.7	28.4	30.4	26.7	27.5
Massachusetts	36.5	37.3	37.9	36.2	35.6	35.8	35.4	33.8	34.9	34.8	34.0	33.9	30.9	30.2	29.5	28.1	27.1	27.5
Rhode Island	37.8	34.1	33.2	34.7	36.3	34.6	33.6	34.5	33.9	32.3	34.2	28.1	28.9	28.7	29.6	31.3	27.1	25.4
Connecticut	35.7	37.0	34.6	37.6	36.6	34.4	31.8	30.6	29.1	27.1	28.9	27.8	28.1	26.4	25.3	23.2	22.1	21.9
<b>MIDDLE ATLANTIC:</b>																		
New York	42.5	42.7	43.7	41.9	42.4	41.3	42.8	40.9	40.9	41.5	41.6	42.7	41.2	39.7	39.6	38.0	36.3	47.8
New Jersey	40.6	42.5	40.8	39.9	40.8	41.4	40.1	39.7	38.0	39.3	37.4	36.2	36.2	34.1	33.5	30.9	29.8	28.1
Pennsylvania	39.2	38.9	38.4	37.3	37.7	36.8	38.0	36.0	36.2	35.9	35.7	35.3	35.1	32.3	31.6	31.9	29.9	29.7
<b>EAST NORTH CENTRAL:</b>																		
Ohio	39.4	38.9	37.9	37.8	37.7	37.5	37.0	37.2	36.0	34.7	33.9	32.8	32.7	31.9	29.8	28.8	27.5	27.0
Indiana	30.7	31.0	31.8	31.4	30.6	31.1	31.1	29.4	29.6	29.1	28.6	26.9	26.7	27.0	23.8	24.0	21.4	22.1
Illinois	38.0	39.1	38.6	36.1	36.4	35.1	36.1	34.6	33.6	34.3	30.9	29.8	30.2	29.6	27.6	26.5	26.2	25.3
Michigan	44.1	39.1	37.7	37.0	38.3	36.3	37.8	37.8	36.9	35.5	34.7	34.4	31.3	31.1	30.0	29.6	28.3	27.1
Wisconsin	27.3	26.7	28.3	29.7	28.9	28.3	29.2	29.9	29.9	26.3	27.4	28.7	25.4	23.8	24.3	23.0	21.9	21.9
<b>WEST NORTH CENTRAL:</b>																		
Minnesota	30.1	30.6	30.7	30.3	31.5	29.7	29.5	29.5	29.2	29.9	28.7	27.2	28.2	27.5	26.2	24.6	24.9	24.3
Iowa	—	—	33.7	32.6	27.6	28.7	26.6	30.6	31.4	31.8	31.6	28.3	28.9	26.9	27.1	25.6	25.4	23.5
Missouri	—	—	—	—	—	45.6	44.7	43.8	43.1	41.9	41.3	37.9	36.4	38.5	36.0	34.7	35.0	31.3
North Dakota	—	—	29.9	25.5	27.2	29.0	28.8	28.5	27.8	28.2	25.8	27.9	24.0	25.6	27.0	24.0	21.2	22.9
South Dakota	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	30.7	30.2	30.1	30.6	32.7	31.9	31.7	30.1	27.7	28.8	27.5	26.5	25.5	27.6	22.2	23.2	22.9	20.2
Kansas	33.0	32.4	29.2	32.4	33.4	32.2	32.9	33.7	31.1	29.0	28.2	26.2	26.5	27.3	26.2	23.7	23.5	22.4
<b>SOUTH ATLANTIC:</b>																		
Delaware	39.3	38.1	43.7	40.0	44.8	38.0	34.1	41.8	43.4	41.1	33.8	39.0	33.9	36.7	36.5	32.8	30.2	28.5
Maryland	72.2	68.7	70.6	67.6	68.4	72.1	69.7	71.9	68.2	66.4	64.4	64.6	57.9	55.7	48.6	47.1	43.6	45.0
District of Columbia	54.5	52.0	45.7	49.8	49.8	49.5	48.6	47.8	49.7	46.0	43.0	43.5	37.9	37.9	36.9	34.0	34.1	28.7
Virginia	44.3	44.3	46.2	42.8	44.1	43.0	44.2	44.4	45.2	43.8	44.4	42.9	43.3	42.4	43.6	41.2	40.0	38.9
West Virginia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Carolina	42.2	40.9	43.0	46.4	44.9	42.8	48.4	47.9	46.8	45.3	46.7	41.4	41.4	41.3	40.9	39.7	38.5	36.3
South Carolina	62.4	58.4	63.6	<sup>(1)</sup>	<sup>(1)</sup>	<sup>(1)</sup>	67.8	67.2	65.8	62.0	65.9	58.9	56.4	60.9	58.2	55.1	50.6	45.7
Georgia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Florida	—	—	69.8	69.4	65.7	66.6	67.5	63.4	64.9	56.3	56.6	56.6	58.7	56.1	49.4	51.3	49.3	45.5
<b>EAST SOUTH CENTRAL:</b>																		
Kentucky	35.7	31.5	33.3	33.2	31.5	32.7	31.1	32.1	34.1	35.5	33.8	35.9	33.6	33.2	36.4	34.5	32.5	33.0
Tennessee	—	—	—	—	—	40.8	42.8	44.1	49.9	42.1	39.9	42.7	38.9	40.5	38.9	38.6	36.4	31.7
Alabama	—	—	—	—	—	49.2	52.0	53.0	52.7	48.9	49.1	47.4	49.7	48.2	44.2	42.5	41.8	40.5
Mississippi	54.4	53.7	52.7	53.8	51.8	53.2	57.7	54.5	48.6	45.6	47.3	48.5	46.4	47.8	47.5	46.6	47.5	51.1
<b>WEST SOUTH CENTRAL:</b>																		
Arkansas	—	—	—	—	—	46.0	45.9	43.3	43.2	38.9	39.8	38.9	35.7	37.8	38.0	36.0	33.5	35.3
Louisiana	—	—	—	—	—	53.9	58.4	53.4	52.3	49.5	50.5	50.2	48.2	49.4	47.4	45.5	42.5	43.2
Oklahoma	—	—	—	—	—	—	—	30.8	33.8	30.2	24.4	25.7	25.8	27.5	28.3	27.3	27.1	25.9
Texas	—	—	—	—	—	—	—	—	—	—	—	—	38.4	37.8	38.1	35.0	33.9	32.7
<b>MOUNTAIN:</b>																		
Montana	30.2	29.3	30.7	33.5	31.8	32.0	34.2	28.9	26.7	32.1	27.9	26.2	24.5	23.1	21.8	22.6	23.4	19.5
Idaho	—	—	—	—	26.3	24.0	25.5	26.3	22.2	19.8	27.0	23.6	22.5	22.9	24.7	23.3	20.3	21.6
Wyoming	34.7	33.3	34.4	30.2	31.2	28.3	28.5	22.6	30.0	26.0	26.4	20.0	19.5	19.7	14.3	21.2	18.6	17.6
Colorado	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Mexico	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arizona	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Utah	25.5	25.4	23.3	24.8	23.5	23.6	25.3	22.5	21.9	23.0	20.6	21.4	19.1	21.6	20.3	20.6	21.2	21.4
Nevada	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>PACIFIC:</b>																		
Washington	28.8	26.9	28.0	27.0	30.0	27.9	27.7	25.2	26.1	26.8	24.8	21.4	25.1	21.3	20.0	20.1	16.9	17.5
Oregon	31.5	32.4	31.6	30.5	31.9	30.4	28.8	31.2	28.5	27.2	25.1	26.6	23.9	22.4	21.3	21.9	21.5	19.5
California	31.1	30.4	29.9	28.6	28.5	27.0	26.4	28.9	28.5	26.6	27.3	26.8	24.0	24.4	23.7	22.4	21.5	21.1

<sup>1</sup> South Carolina was dropped from the birth-registration area in 1925, readmitted in 1928.

## VITAL STATISTICS OF THE UNITED STATES

TABLE IX.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 1,000 ESTIMATED MIDYEAR POPULATION): UNITED STATES, EACH DIVISION AND STATE, 1915-1939

(Exclusive of stillbirths. For each State, rates are shown from the year of its admission to the death-registration area; for each geographic division, rates are shown from the year when the division, as a whole, became a part of the death-registration area. Rates for 1930-1939 are based upon population estimates obtained by interpolation, using the provisional figures from the 1940 census. They differ in some cases from rates previously published for these years)

DIVISION AND STATE	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
UNITED STATES (death-reg. area)	13.6	14.0	14.3	13.1	12.9	13.0	11.6	11.7	12.2	11.7	11.8	12.3	11.4	12.1	11.9	11.4	11.1	10.9	10.7	11.1	11.0	11.6	11.5	10.7	10.6
GEOGRAPHIC DIVISIONS:																									
New England	14.9	15.7	15.5	20.3	13.8	14.2	12.5	13.1	13.4	12.5	12.8	15.1	12.1	12.4	12.6	11.8	11.5	11.7	11.9	11.8	11.7	12.0	12.1	11.5	11.7
Middle Atlantic	14.5	15.1	15.2	20.2	13.6	13.7	12.2	12.5	12.8	12.3	12.8	11.7	12.4	12.2	11.5	11.6	11.3	11.2	11.5	11.2	11.5	11.6	11.6	11.0	11.0
East North Central				15.6	12.2	12.8	11.2	11.2	12.0	11.2	11.6	12.1	11.3	12.1	11.9	11.1	11.0	10.9	10.7	11.2	11.1	11.8	11.3	10.7	10.9
West North Central																10.5	10.4	10.3	10.9	10.6	11.4	10.6	10.1	10.2	10.2
South Atlantic														12.6	12.5	12.1	11.6	11.1	10.8	11.7	11.3	11.9	11.3	10.8	10.4
East South Central												11.4	12.1	11.1	12.3	11.5	10.8	10.5	10.4	10.9	10.6	11.5	11.0	10.5	10.2
West South Central																			9.5	9.7	9.7	10.5	10.2	9.4	9.4
Mountain															12.0	12.0	11.1	10.8	10.5	10.9	11.5	11.8	11.7	10.6	10.5
Pacific				15.5	12.6	12.6	11.6	12.2	12.0	12.0	11.7	11.7	11.7	12.0	11.6	11.4	11.2	11.1	11.0	10.9	11.4	11.8	12.0	11.3	11.2
NEW ENGLAND:																									
Maine	15.9	16.0	15.4	19.1	14.6	15.4	14.0	14.7	15.0	13.8	13.8	14.4	13.9	13.9	14.3	13.9	13.1	13.3	13.7	13.4	13.4	13.7	13.8	12.6	12.9
New Hampshire	16.2	16.3	17.0	21.8	14.7	15.2	13.7	14.6	15.0	14.0	14.4	14.7	13.8	14.0	14.1	13.6	12.6	13.4	13.7	13.4	13.7	13.4	13.5	13.2	12.9
Vermont	15.0	16.1	15.5	19.4	14.4	15.7	14.1	14.6	15.1	13.7	14.4	14.6	13.6	13.6	14.7	13.0	12.5	13.2	12.9	13.6	13.3	13.2	13.9	12.8	12.7
Massachusetts	14.6	15.3	15.2	20.9	13.6	13.8	12.2	12.9	13.1	12.3	12.7	12.2	11.9	12.2	12.3	11.6	11.4	11.5	11.8	11.7	11.6	12.0	12.1	11.5	11.8
Rhode Island	15.5	16.3	16.3	20.9	14.2	14.3	12.6	13.0	13.6	13.0	12.7	13.4	11.9	12.5	13.1	11.7	11.6	11.8	11.5	11.3	11.5	11.9	12.0	11.8	11.0
Connecticut	14.5	15.8	15.9	20.4	13.3	13.6	11.4	12.1	12.2	11.5	11.8	12.0	10.8	11.4	11.5	10.7	10.6	10.4	10.6	10.6	10.6	10.7	10.6	10.4	10.4
MIDDLE ATLANTIC:																									
New York	15.0	15.3	15.3	19.0	13.9	13.8	12.2	12.7	12.7	12.4	12.3	12.8	11.7	12.4	12.4	11.7	11.8	11.6	11.8	11.5	11.4	11.7	11.7	11.1	11.2
New Jersey	13.9	15.1	14.6	20.6	13.1	12.9	11.5	12.0	12.0	11.5	11.6	12.1	11.1	11.6	11.6	10.8	11.0	10.6	10.7	10.7	10.6	10.9	10.9	10.6	10.6
Pennsylvania	14.0	14.9	15.2	22.1	13.4	13.8	12.4	13.4	12.4	12.4	12.6	13.0	11.9	12.6	12.3	11.6	11.3	10.9	11.3	11.1	11.5	11.7	10.9	10.9	10.9
EAST NORTH CENTRAL:																									
Ohio	12.5	13.8	14.0	16.8	12.7	12.8	11.4	11.4	12.4	11.4	11.8	12.4	11.5	12.3	12.4	11.5	11.3	11.4	10.9	11.4	11.4	11.9	11.8	10.9	11.2
Indiana	12.5	13.4	13.8	16.0	12.7	13.4	11.8	11.9	12.8	12.1	12.5	12.8	11.9	12.7	12.7	12.1	11.9	11.8	11.5	12.3	11.9	12.7	12.2	11.4	11.6
Illinois				16.2	12.0	12.6	11.0	11.2	11.9	11.0	11.5	11.8	11.3	12.1	11.6	10.9	11.2	10.8	10.7	11.3	11.0	11.9	11.2	10.8	11.1
Michigan	12.4	13.7	13.7	15.4	12.6	13.8	11.5	11.1	12.1	11.3	11.5	12.3	11.2	11.8	11.8	10.7	10.2	10.4	10.3	10.8	10.8	11.4	10.8	10.0	10.1
Wisconsin	10.7	11.7	11.4	13.6	10.7	11.2	10.3	10.1	10.7	10.2	10.5	10.7	10.4	11.0	10.7	10.4	10.2	10.2	9.8	10.1	10.1	10.9	10.4	9.9	10.1
WEST NORTH CENTRAL:																									
Minnesota	10.2	10.7	10.4	13.4	10.5	10.7	9.5	9.7	10.3	10.0	10.2	10.3	9.8	10.3	10.1	10.0	9.8	9.8	9.6	10.0	9.6	10.6	9.9	9.5	9.7
Iowa									10.5	9.8	10.0	10.4	10.0	10.3	10.4	10.6	10.4	10.4	10.3	10.7	10.5	11.3	10.5	10.2	10.5
Missouri	12.2	13.1	13.5	15.9	11.8	12.5	10.8	11.2	12.1	11.6	11.7	11.4	12.6	12.3	11.9	12.1	11.9	11.6	12.6	11.7	13.1	12.0	11.3	11.3	11.3
North Dakota									7.3	7.6	7.9	7.8	8.2	8.0	7.9	7.6	7.7	8.2	8.8	8.9	8.6	8.4	8.1	8.4	8.4
South Dakota															8.5	8.5	8.4	9.0	9.5	9.8	9.4	9.2	9.0	8.4	8.5
Nebraska					10.0	9.2	9.4	9.5	9.3	9.3	9.4	9.1	10.0	9.8	9.7	9.4	9.5	9.5	9.9	9.8	10.3	9.9	9.0	9.2	9.2
Kansas	10.5	11.5	11.9	15.1	10.8	11.4	10.1	10.5	10.9	9.8	10.2	10.4	10.0	11.2	10.4	10.5	10.5	10.7	10.7	11.0	11.8	10.6	10.3	10.3	10.2
SOUTH ATLANTIC:																									
Delaware					15.5	14.6	13.2	13.2	14.1	13.1	13.5	14.2	12.8	13.6	13.2	13.6	13.6	15.0	13.4	13.4	12.7	13.0	12.7	12.2	12.0
Maryland	15.5	16.1	16.7	23.6	15.3	14.6	13.5	13.6	14.6	13.7	14.0	14.5	13.3	13.6	13.2	13.2	13.2	12.6	12.2	12.3	12.3	12.6	12.5	11.7	11.6
Dist. of Columbia	16.8	16.3	16.3	22.7	14.7	14.7	13.6	14.0	15.6	14.3	15.1	15.8	14.7	15.1	15.4	15.0	15.2	15.1	14.5	14.7	14.6	15.2	14.2	12.6	12.8
Virginia	14.0	14.5	14.1	19.3	13.7	13.2	12.3	13.1	12.4	12.4	12.4	12.9	12.0	12.6	13.0	12.5	12.2	11.7	11.4	12.1	11.9	12.0	12.0	11.3	10.8
West Virginia													10.7	11.1	10.2	10.4	10.6	10.5	10.1	10.1	9.3	10.0	10.4	9.5	9.3
North Carolina		12.9	13.8	17.1	12.2	12.6	11.1	11.4	11.6	11.8	11.3	11.7	10.9	11.8	11.3	10.3	9.5	9.3	10.5	9.9	10.8	10.4	9.6	9.6	9.0
South Carolina		13.9	14.5	19.5	13.8	14.1	12.0	12.2	12.1	13.4	12.8	13.6	12.6	14.1	13.3	12.9	12.0	11.2	10.8	11.8	11.1	11.6	11.0	11.0	10.2
Georgia								10.7	11.7	12.0	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	12.4	12.2	12.1	11.2	10.9	10.5	11.9	11.4	12.3	11.3	11.0
Florida					12.4	12.8	11.3	11.5	12.4	13.4	13.6	15.6	13.6	13.7	12.7	12.4	12.0	12.0	12.0	12.8	12.4	12.5	12.1	11.8	11.5
EAST SOUTH CENTRAL:																									
Kentucky	12.3	12.7	13.8	17.0	12.8	11.8	10.5	10.7	11.8	10.7	11.3	11.8	10.6	11.8	12.0	11.3	10.9	10.9	10.6	11.1	10.7	11.8	11.1	10.5	10.5
Tennessee			13.4	16.1	12.2	12.1	10.6	10.7	11.7	11.4	11.2	12.5	11.4	12.2	12.2	11.4	10.8	10.7	10.4	11.1	10.8	11.6	10.7	10.2	9.9
Alabama													11.6	11.7	10.5	12.3	12.4	11.5	10.7	10.3	10.0	10.8	11.1	10.6	10.0
Mississippi					12.7	12.2	10.9	10.5	10.9	11.2	11.6	12.3	11.9	13.1	13.0	12.0	10.8	9.9	10.5	10.5	10.2	11.4	11.2	10.6	10.4





## VITAL STATISTICS OF THE UNITED STATES

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939

(Exclusive of stillbirths. Capital letters are used to distinguish subdivisions introduced by the Division of Vital Statistics, Bureau of the Census, U. S. A., from internationally approved subdivisions listed as small letters. Rates are based upon a provisional population estimate obtained by interpolation, using the provisional population figures from the 1940 census)

List No.	CAUSE OF DEATH	TOTAL DEATHS		List No.	CAUSE OF DEATH	TOTAL DEATHS	
		Number	Rate per 100,000 provisional estimated population			Number	Rate per 100,000 provisional estimated population
	All causes-----	1,387,697	1,062.7				
	I.—Infectious and parasitic diseases (Communicable diseases)	125,528	96.1				
	Diseases due to bacteria (1-26) <sup>1</sup>						
1	Typhoid fever-----	1,922	1.5				
2	Paratyphoid fever-----	79	0.1				
3	Plague-----						
4	Cholera-----						
5	Undulant fever (brucellosis)-----	97	0.1				
6	Cerebrospinal (meningococcus) meningitis-----	863	0.7				
7	Anthrax (infection by Bacillus anthracis)-----	9	( <sup>1</sup> )				
8	Scarlet fever-----	853	0.7				
9	Whooping cough-----	3,026	2.3				
10	Diphtheria (infection by C. diphtheriae)-----	1,997	1.5				
11	Erysipelas-----	635	0.5				
12	Tetanus-----	637	0.5				
13-22	Tuberculosis (all forms)-----	61,609	47.2				
	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)-----	56,398	43.2				
	(a) With mention of occupational disease of the lungs-----	682	0.5				
	(b) Without mention of occupational disease of the lungs-----	55,809	41.2				
	(c) Tuberculosis of unspecified site-----	1,907	1.5				
14	Tuberculosis of the meninges and central nervous system-----	1,468	1.1				
15	Tuberculosis of the intestines and peritoneum-----	971	0.7				
16	Tuberculosis of the vertebral column-----	641	0.5				
17	Tuberculosis of the bones and joints (except vertebral column)-----	274	0.2				
	(a) Bones-----	114	0.1				
	(b) Joints-----	160	0.1				
18	Tuberculosis of the skin and subcutaneous cellular tissue-----	38	( <sup>1</sup> )				
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes)-----	107	0.1				
20	Tuberculosis of the genito-urinary system-----	456	0.3				
21	Tuberculosis of other organs-----	104	0.1				
	(a) Tuberculosis of the adrenal glands-----	49	( <sup>1</sup> )				
	(b) Tuberculosis of other organs-----	55	( <sup>1</sup> )				
22	Disseminated tuberculosis-----	1,152	0.9				
	(a) Acute (generalized) miliary tuberculosis-----	1,035	0.8				
	(b) Other and unspecified generalized tuberculosis-----	117	0.1				
23	Leprosy-----	20	( <sup>1</sup> )				
24	Septicemia and purulent infection (nonpuerperal)-----	1,640	1.3				
	(a) Septicemia-----	1,547	1.2				
	(b) Pyemia-----	50	( <sup>1</sup> )				
	(c) Gas bacillus gangrene-----	36	( <sup>1</sup> )				
	(d) Generalized Bacillus coli infection-----	7	( <sup>1</sup> )				
25	Gonococcus infection-----	450	0.3				
26	Other diseases due to bacteria (except dysentery)-----	262	0.2				
	(a) Tularemia-----	261	0.2				
	(b) Other diseases due to bacteria-----	1	( <sup>1</sup> )				
	Dysentery (27)						
27	Dysentery-----	2,537	1.9				
	(a) Bacillary-----	1,049	0.8				
	(b) Amebic-----	270	0.2				
	(c) Other and unspecified forms of dysentery-----	1,218	0.9				
	Diseases due to protozoa (28,29)						
28	Malaria-----	1,761	1.3				
	(a) Benign tertian malaria-----	91	0.1				
	(b) Quartan malaria-----	15	( <sup>1</sup> )				
	(c) Malignant tertian (estivo-autumnal) malaria-----	229	0.2				
	(d) Malaria (unspecified form)-----	1,426	1.1				
29	Other diseases due to parasitic protozoa (except spirochetes)-----	5	( <sup>1</sup> )				
	Diseases due to spirochetes (30-32)						
30	Syphilis-----	19,604	15.0				
	(a) Locomotor ataxia (tabes dorsalis)-----	787	0.6				
	(b) General paralysis of the insane-----	4,508	3.5				
	(c) Other syphilis of the central nervous system-----	1,810	1.4				
	(d) Aneurysm of the aorta-----	3,917	3.0				
	(e) Other syphilis of the circulatory system-----	1,414	1.1				
	(f) Congenital syphilis-----	1,270	1.0				
	(g) Other and unspecified forms of syphilis-----	5,898	4.5				
31	Relapsing fever-----	2	( <sup>1</sup> )				
32	Other diseases due to spirochetes-----	372	0.3				
	(a) Spirochetosis icterohaemorrhagica (Weills' disease)-----	78	0.1				
	(b) Other diseases due to spirochetes-----	294	0.2				
	Diseases due to filtrable viruses (33-38)						
33	Influenza (grippe)-----	21,464	16.4				
	(a) With respiratory complications specified-----	13,526	10.4				
	(b) Without respiratory complications specified-----	7,938	6.1				
34	Smallpox-----	41	( <sup>1</sup> )				
35	Measles-----	1,174	0.9				
36	Acute poliomyelitis and acute poliomyelitis-----	773	0.6				
37	Acute infectious encephalitis (lethargic)-----	846	0.6				
	(a) Acute infectious encephalitis (lethargic)-----	139	0.1				
	(b) Sequelae of encephalitis lethargica-----	224	0.2				
	(c) Encephalitis lethargica (unqualified)-----	483	0.4				
	I.—Infectious and parasitic diseases—Continued						
	Diseases due to filtrable viruses (33-38)—Continued						
38	Other diseases due to filtrable viruses-----	200	0.2				
	(a) Yellow fever-----						
	(b) Rabies-----	40	( <sup>1</sup> )				
	(c) Herpes zoster-----	19	( <sup>1</sup> )				
	(d) German measles-----	11	( <sup>1</sup> )				
	(e) Chickenpox-----	124	0.1				
	(f) Other diseases ascribed to viruses-----	6	( <sup>1</sup> )				
	Diseases due to Rickettsia (39)						
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----	237	0.2				
	(a) Exanthematic typhus (epidemic form)-----						
	(b) Endemic typhus fever-----	90	0.1				
	(c) Rocky Mountain spotted fever-----	92	0.1				
	(d) Other typhus-like diseases-----	55	( <sup>1</sup> )				
	Diseases caused by helminths (40-42)						
40	Ankylostomiasis-----	16	( <sup>1</sup> )				
41	Hydatid disease-----	31	( <sup>1</sup> )				
42	Other diseases caused by helminths-----	61	( <sup>1</sup> )				
	Diseases due to fungi (43)						
43	Mycoses-----	325	0.2				
	Other infectious and parasitic diseases (44) (Communicable diseases)						
44	Other infectious and parasitic (communicable) diseases-----	1,980	1.5				
	(a) Venereal diseases (except gonorrhoea and syphilis)-----	153	0.1				
	(b) Lymphogranulomatosis (Hodgkin's disease)-----	1,705	1.3				
	(c) Mumps-----	118	0.1				
	(d) Other infectious and parasitic (communicable) diseases-----	4	( <sup>1</sup> )				
	II.—Cancer and other tumors-----	160,395	122.8				
	Cancer and other malignant tumors-----	153,946	117.8				
45-55	Cancer of the buccal cavity and pharynx-----	5,012	3.8				
45	(a) Lip-----	716	0.5				
	(b) Tongue-----	1,142	0.9				
	(c) Mouth-----	716	0.5				
	(d) Jaw bone-----	924	0.7				
	(e) Unspecified parts of the buccal cavity-----	53	( <sup>1</sup> )				
	(f) Pharynx-----	1,461	1.1				
46	Cancer of the digestive organs and peritoneum-----	71,690	54.9				
	(a) Esophagus-----	2,621	2.0				
	(b) Stomach-----	26,187	20.1				
	(c) Duodenum-----	403	0.3				
	(d) Rectum and anus-----	8,568	6.6				
	(e) Intestines (except duodenum and rectum)-----	17,181	13.2				
	(f) Liver and biliary passages-----	9,962	7.6				
	(g) Pancreas-----	5,283	4.0				
	(h) Mesentery and peritoneum-----	1,008	0.8				
	(m) Other and unspecified sites-----	479	0.4				
47	Cancer of the respiratory system-----	8,663	6.6				
	(a) Larynx-----	1,384	1.1				
	(b) Trachea-----	57	( <sup>1</sup> )				
	(c) Bronchus-----	1,516	1.2				
	(d) Lung-----	5,120	3.9				
	(e) Pleura-----	96	0.1				
	(f) Mediastinum and unspecified sites-----	490	0.4				
48	Cancer of the uterus-----	16,527	12.7				
	(a) Cervix-----	6,194	4.7				
	(b) Other and unspecified sites-----	10,333	7.9				
49	Cancer of other female genital organs-----	4,210	3.2				
	(a) Ovary-----	3,521	2.7				
	(b) Fallopian tube and parametrium-----	33	( <sup>1</sup> )				
	(c) Vagina-----	238	0.2				
	(d) Vulva-----	374	0.3				
	(e) Other and unspecified sites-----	44	( <sup>1</sup> )				
50	Cancer of the breast-----	14,868	11.4				
51	Cancer of the male genital organs-----	9,369	7.2				
	(a) Scrotum-----	35	( <sup>1</sup> )				
	(b) Prostate-----	8,514	6.5				
	(c) Testes-----	528	0.4				
	(d) Penis-----	272	0.2				
	(e) Other and unspecified sites-----	20	( <sup>1</sup> )				
52	Cancer of the urinary organs (male and female)-----	7,179	5.5				
	(a) Kidney-----	2,221	1.7				
	(b) Bladder-----	4,868	3.7				
	(c) Other and unspecified sites-----	90	0.1				
53	Cancer of the skin (except vulva and scrotum)-----	3,493	2.7				
54	Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign)-----	2,230	1.7				
	(a) Glioma-----	1,061	0.8				
	(b) Other and unspecified cancers of the brain and central nervous system-----	1,169	0.9				
55	Cancer of other and unspecified organs-----	10,605	8.1				
	(a) Adrenal gland-----	179	0.1				
	(b) Bone (except jaw bone and accessory sinuses)-----	1,966	1.5				
	(c) Thyroid gland-----	621	0.5				
	(d) Nasal cavity and accessory sinuses-----	378	0.3				
	(e) Other and unspecified organs-----	7,461	5.7				

<sup>1</sup> Less than one-tenth of 1 per 100,000 estimated population.

# SUMMARY AND RATE TABLES

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939—Continued

(See note at head of this table)

List No.	CAUSE OF DEATH	TOTAL DEATHS		List No.	CAUSE OF DEATH	TOTAL DEATHS	
		Number	Rate per 100,000 provisional estimated population			Number	Rate per 100,000 provisional estimated population
	II.—Cancer and other tumors—Continued				V.—Chronic poisoning and intoxication—Continued		
	Nonmalignant tumors and tumors of unspecified nature (56,57)			77	Alcoholism (ethylism)—Continued		
56	Nonmalignant tumors (including dermoid cysts)-----	4,415	3.4		(c) Acute alcoholism-----	925	0.7
	(a) Ovary-----	754	0.6		(d) Chronic alcoholism-----	904	0.7
	(b) Uterus-----	2,273	1.7	78	(e) Other and unspecified alcoholism-----	644	0.5
	(c) Other female genital organs-----	36	( <sup>1</sup> )		Lead poisoning-----	97	0.1
	(d) Brain and other parts of the central nervous system-----	791	0.6		(a) Specified as occupational-----	48	( <sup>1</sup> )
	(e) Other and unspecified organs-----	561	0.4		(b) Not specified as occupational-----	49	( <sup>1</sup> )
57	Tumors of unspecified nature-----	2,134	1.6	79	Chronic poisoning by other mineral or organic substances	116	0.1
	(a) Ovary-----	27	( <sup>1</sup> )		(a) Specified as occupational-----	14	( <sup>1</sup> )
	(b) Uterus-----	28	( <sup>1</sup> )		(b) Not specified as occupational-----	102	0.1
	(c) Other female genital organs-----	14	( <sup>1</sup> )		VI.—Diseases of the nervous system and sense organs	131,705	100.8
	(d) Brain and other parts of the central nervous system-----	1,473	1.1	80	Encephalitis (nonepidemic)-----	1,465	1.1
	(e) Other and unspecified organs-----	592	0.5		(a) Intracranial abscess-----	465	0.4
	III.—Rheumatism, diseases of nutrition and of the endocrine glands, other general diseases, and avitaminoses-----	45,973	35.2		(b) Other encephalitis (nonepidemic)-----	998	0.8
	Rheumatic diseases (58,59)			81	Meningitis (not due to meningococcus)-----	2,156	1.7
58	Acute rheumatic fever-----	1,733	1.3		(a) Simple meningitis-----	2,072	1.6
	(a) Acute rheumatic pericarditis-----	81	0.1		(b) Acute cerebrospinal meningitis (not due to meningococcus)-----	84	0.1
	(b) Acute rheumatic endocarditis-----	768	0.6	82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)-----	2,771	2.1
	(c) Acute rheumatic myocarditis-----	144	0.1	83	Intracranial lesions of vascular origin-----	114,967	88.0
	(d) Other acute rheumatic heart diseases-----	232	0.2		(a) Cerebral hemorrhage or effusion (excluding birth injuries)-----	101,259	77.5
	(e) Other forms of acute rheumatic fever-----	367	0.3		(b) Cerebral embolism and thrombosis-----	9,532	7.3
	(f) Rheumatism (not specified as acute or chronic)-----	141	0.1		(c) Cerebral softening-----	757	0.6
59	Chronic rheumatism and other rheumatic diseases-----	1,726	1.3		(d) Hemiplegia and other paralysis of unspecified origin-----	3,419	2.6
	(a) Rheumatoid arthritis-----	216	0.2	84	Mental diseases and deficiency (except general paralysis of the insane)-----	1,556	1.2
	(b) Other chronic articular rheumatism-----	1,438	1.1		(a) Mental deficiency-----	180	0.1
	(c) Other and unspecified forms of chronic rheumatism-----	72	0.1		(b) Schizophrenia (dementia praecox)-----	305	0.2
	Diseases of nutrition and of the endocrine glands and other general diseases (60-66)				(c) Manic-depressive psychosis-----	275	0.2
60	Gout-----	3	( <sup>1</sup> )		(d) Other mental diseases-----	798	0.6
61	Diabetes mellitus-----	33,395	25.6	85	Epilepsy-----	2,233	1.7
62	Diseases of the pituitary gland-----	150	0.1	86	Convulsions (under 5 years of age)-----	614	0.5
63	Diseases of the thyroid and parathyroid glands-----	4,256	3.3	87	Other diseases of the nervous system-----	3,333	2.6
	(a) Simple goiter-----	199	0.2		(a) Chorea-----	28	( <sup>1</sup> )
	(b) Exophthalmic goiter-----	3,676	2.8		(b) Neuritis (except rheumatic or alcoholic)-----	153	0.1
	(c) Myxedema and cretinism-----	266	0.2		(c) Paralysis agitans (except result of encephalitis)-----	1,282	1.0
	(d) Other diseases of the thyroid glands-----	90	0.1		(d) Disseminated sclerosis-----	1,141	0.9
	(e) Diseases of the parathyroid glands-----	25	( <sup>1</sup> )	88	Other diseases of the nervous system-----	729	0.6
64	Diseases of the thymus gland-----	1,182	0.9		Diseases of the organs of vision-----	81	0.1
65	Diseases of the adrenal glands (not specified as tuberculous)-----	382	0.3	89	Diseases of the ear and mastoid process-----	2,529	1.9
	(a) Addison's disease (not specified as tuberculous)-----	307	0.2		(a) Otitis and other diseases of the ear-----	1,737	1.3
	(b) Other diseases of the adrenal glands-----	75	0.1		(b) Diseases of the mastoid process-----	792	0.6
66	Other general diseases-----	456	0.3		VII.—Diseases of the circulatory system-----	388,456	297.4
	(a) Osteomalacia-----	25	( <sup>1</sup> )	90	Pericarditis (except acute rheumatic)-----	649	0.5
	(b) Other general diseases-----	431	0.3		(a) Chronic rheumatic pericarditis-----	29	( <sup>1</sup> )
	Avitaminoses (67-71)				(b) Other pericarditis-----	620	0.5
67	Scurvy-----	29	( <sup>1</sup> )		Acute endocarditis (except rheumatic)-----	2,952	2.3
68	Beriberi-----	40	( <sup>1</sup> )		(a) Bacterial endocarditis (acute, subacute, or unspecified)-----	1,895	1.5
69	Pellagra (except alcoholic)-----	2,419	1.9		(b) Other acute or subacute endocarditis-----	712	0.5
70	Rickets-----	143	0.1		(c) Endocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age)-----	345	0.3
71	Other avitaminoses-----	59	( <sup>1</sup> )	92	Chronic affections of the valves and endocardium-----	45,094	34.5
	IV.—Diseases of the blood and blood-forming organs	9,018	6.9		(a) Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)-----	3,887	3.0
72	Hemorrhagic conditions-----	639	0.5		(b) Diseases of the mitral valve (whether or not specified as rheumatic)-----	18,199	13.9
	(a) Primary purpuras-----	465	0.4		(c) Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic-----	1,937	1.5
	(b) Hemophilia-----	173	0.1		(d) Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic-----	18,351	14.1
	(c) Other hemorrhagic conditions-----	1	( <sup>1</sup> )		(e) Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over)-----	2,720	2.1
73	Anemias (except splenic anemia)-----	5,133	2.4	93	Diseases of the myocardium-----	190,341	145.7
	(a) Pernicious anemia-----	2,181	1.7		(a) Acute myocarditis (except rheumatic)-----	4,078	3.1
	(b) Other hyperchromic anemias-----	89	0.1		(b) Myocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age)-----	809	0.6
	(c) Hyperchromic anemias-----	18	( <sup>1</sup> )		(c) Chronic myocarditis and myocardial degeneration, specified as rheumatic-----	1,020	0.8
	(d) Other and unspecified anemias-----	845	0.6		(d) Chronic myocarditis and myocardial degeneration, not specified as rheumatic-----	165,141	126.4
74	Leukemias and aleukemias-----	4,495	3.4		(e) Other myocarditis (not specified as acute, chronic, or rheumatic)-----	19,293	14.8
	(a) Leukemias-----	4,280	3.3	94	Diseases of the coronary arteries and angina pectoris-----	89,423	68.5
	(b) Aleukemias-----	215	0.2		(a) Diseases of the coronary arteries-----	80,974	62.0
75	Diseases of the spleen-----	441	0.3		(b) Angina pectoris-----	8,449	6.5
	(a) Splenic anemia-----	97	0.1	95	Other diseases of the heart-----	32,175	24.6
	(b) Splenomegaly (of undetermined nature)-----	245	0.2		(a) Functional diseases of the heart (without mention of organic lesion)-----	1,041	0.8
	(c) Other diseases of the spleen-----	99	0.1		(b) Other diseases of the heart, specified as rheumatic-----	5,026	3.8
76	Other diseases of the blood and blood-forming organs-----	310	0.2		(c) Other diseases of the heart, not specified as rheumatic-----	26,108	20.0
	(a) Agranulocytosis-----	267	0.2				
	(b) Erythrocytosis-----	27	( <sup>1</sup> )				
	(c) Hemoglobinemia-----	2	( <sup>1</sup> )				
	(d) Other diseases of the blood and blood-forming organs-----	14	( <sup>1</sup> )				
	V.—Chronic poisoning and intoxication-----	2,771	2.1				
77	Alcoholism (ethylism)-----	2,558	2.0				
	(a) Alcoholic pellagra-----	7	( <sup>1</sup> )				
	(b) Other deficiency states associated with alcoholism-----	78	0.1				

<sup>1</sup> Less than one-tenth of 1 per 100,000 estimated population.

## VITAL STATISTICS OF THE UNITED STATES

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939—Continued

(See note at head of this table)

List No.	CAUSE OF DEATH	TOTAL DEATHS		List No.	CAUSE OF DEATH	TOTAL DEATHS	
		Number	Rate per 100,000 provisional estimated population			Number	Rate per 100,000 provisional estimated population
	VII.—Diseases of the circulatory system—Contd.				X.—Diseases of the genito-urinary system—Contd.		
96	Aneurysm (except of heart and aorta).....	746	0.6	135	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or the puerperium).....	3,877	3.0
97	Arteriosclerosis (except coronary or renal sclerosis).....	22,252	17.0		(a) Pyelitis pyelonephritis, and pyelocystitis.....	2,786	2.1
98	Gangrene.....	584	0.4		(b) Other diseases of the kidneys and ureters.....	1,091	0.8
99	Other diseases of the arteries.....	1,872	1.4	134	Calculi of the urinary passages.....	1,780	1.4
100	Diseases of the veins.....	847	0.6		(a) Kidneys and ureters.....	1,886	1.1
	(a) Varices.....	243	0.2		(b) Bladder.....	360	0.3
	(b) Other diseases of the veins.....	604	0.5		(c) Other and unspecified parts of the urinary passages.....	34	( <sup>1</sup> )
101	Diseases of the lymphatic system.....	118	0.1	135	Diseases of the urinary bladder.....	778	0.6
102	High blood pressure (idiopathic).....	1,234	0.9		(a) Cystitis.....	370	0.3
103	Other diseases of the circulatory system.....	169	0.1		(b) Other diseases of the bladder.....	408	0.3
	VIII.—Diseases of the respiratory system.....	91,808	70.3	136	Diseases of the urethra (except calculus).....	520	0.4
104	Diseases of the nasal fossae and accessory sinuses.....	1,141	0.9		(a) Stricture of the urethra.....	348	0.3
	(a) Diseases of the nasal fossae.....	314	0.2		(b) Others under this title.....	172	0.1
	(b) Diseases of the accessory sinuses.....	827	0.6	137	Diseases of the prostate.....	8,535	6.6
105	Diseases of the larynx.....	436	0.3		(a) Hypertrophy of the prostate.....	6,925	5.3
106	Bronchitis.....	3,808	2.9		(b) Other diseases of the prostate.....	1,710	1.3
	(a) Acute.....	1,158	0.9	138	Diseases of other male genital organs (not specified as venereal).....	67	0.1
	(b) Chronic.....	1,846	1.4		Diseases of the female genital organs.....	2,452	1.9
	(c) Unspecified.....	794	0.6		(a) Ovaries, fallopian tubes, and parametria.....	1,654	1.3
107	Bronchopneumonia (including capillary bronchitis).....	35,524	27.2		(b) Uterus.....	745	0.6
108	Lobar pneumonia.....	38,299	29.3		(c) Other and unspecified female genital organs.....	63	( <sup>1</sup> )
109	Pneumonia (unspecified).....	3,810	2.9	139	Abortion with mention of infection.....	1,593	1.1
110	Pleurisy (not specified as tuberculous).....	2,229	1.7		(a) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of pyelitis.....	23	( <sup>1</sup> )
	(a) Empyema.....	1,242	1.0		(b) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of other infection.....	1,019	0.6
	(b) Other and unspecified forms of pleurisy.....	987	0.8		(c) Self-induced abortion with mention of infection.....	209	0.2
111	Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs.....	2,729	2.1		(d) Abortion (induced for nontherapeutic reasons by persons other than the woman herself) with mention of infection.....	142	0.1
	(a) Hemorrhagic infarction and thrombosis of the lungs.....	875	0.7	140	Abortion without mention of infection.....	393	0.3
	(b) Acute edema of the lungs.....	124	0.1		(a) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of hemorrhage, trauma or shock, and toxemia.....	6	( <sup>1</sup> )
	(c) Chronic and unspecified congestion of the lungs.....	1,730	1.3		(b) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of hemorrhage, trauma or shock (but not toxemia).....	130	0.1
112	Asthma.....	2,032	1.6		(c) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of toxemia (but not hemorrhage, trauma or shock).....	87	0.1
113	Pulmonary emphysema.....	123	0.1		(d) Abortion (spontaneous, therapeutic, or of unspecified origin) (without mention of hemorrhage, trauma or shock, or toxemia).....	144	0.1
114	Other diseases of the respiratory system (except tuberculosis).....	1,577	1.3		(e) Self-induced abortion.....	11	( <sup>1</sup> )
	(a) Silicosis.....	176	0.1		(f) Abortion (induced for nontherapeutic reasons by persons other than the woman herself).....	15	( <sup>1</sup> )
	(b) Other and unspecified forms of pneumoconioses.....	124	0.1	142	Ectopic gestation.....	374	0.3
	(c) Gangrene of lung.....	151	0.1		(a) With mention of infection.....	88	0.1
	(d) Abscess of lung.....	845	0.6		(b) Without mention of infection.....	286	0.2
	(e) Other and unspecified diseases of the respiratory system.....	381	0.3	143	Hemorrhage of pregnancy (death before delivery).....	61	( <sup>1</sup> )
	IX.—Diseases of the digestive system.....	81,206	62.2		(a) Placenta praevia.....	17	( <sup>1</sup> )
115	Diseases of the buccal cavity, pharynx, tonsils, and adnexa.....	3,851	2.9		(b) Premature separation of placenta.....	22	( <sup>1</sup> )
	(a) Diseases of the teeth and gums.....	363	0.3		(c) Other or unspecified hemorrhage of pregnancy.....	22	( <sup>1</sup> )
	(b) Septic sore throat.....	1,687	1.3	144	Toxemias of pregnancy (death before delivery).....	990	0.8
	(c) Diseases of the pharynx and tonsils.....	1,505	1.2		(a) Eclampsia of pregnancy.....	429	0.3
	(d) Diseases of other and unspecified parts of the buccal cavity and adnexa.....	316	0.2		(b) Albuminuria and nephritis of pregnancy.....	258	0.2
116	Diseases of the esophagus.....	218	0.2		(c) Acute yellow atrophy of liver (during pregnancy).....	32	( <sup>1</sup> )
117	Ulcer of stomach or duodenum.....	8,875	6.8		(d) Other toxemias of pregnancy.....	271	0.2
	(a) Stomach.....	6,057	4.6	145	Other diseases and accidents of pregnancy (death before delivery).....	327	0.3
	(b) Duodenum.....	2,818	2.2		Hemorrhage of childbirth and the puerperium.....	1,042	0.8
118	Other diseases of the stomach (except cancer).....	2,229	1.7		(a) Placenta praevia (with childbirth).....	271	0.2
119	Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age).....	11,277	8.6		(b) Premature separation of placenta (with childbirth).....	174	0.1
	(a) Diarrhea and enteritis.....	11,199	8.6		(c) Other and unspecified hemorrhages of childbirth and the puerperium.....	597	0.5
	(b) Ulceration of the intestines (except duodenum).....	78	0.1	147	Infection during childbirth and the puerperium.....	2,353	1.8
120	Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over).....	3,851	2.9		(a) Puerperal pyelitis and pyelonephritis.....	89	0.1
	(a) Diarrhea and enteritis.....	3,103	2.4		(b) General or local puerperal infection (except pyelitis).....	1,549	1.2
	(b) Ulceration of the intestines (except duodenum).....	748	0.6		(c) Puerperal thrombophlebitis.....	165	0.1
121	Appendicitis.....	14,113	10.8		(d) Puerperal embolism and sudden death.....	550	0.4
122	Hernia and intestinal obstruction.....	12,267	9.4	148	Puerperal toxemias (excluding death before delivery).....	1,149	0.9
	(a) Hernia.....	5,155	3.9		(a) Puerperal eclampsia.....	706	0.5
	(b) Intestinal obstruction.....	7,112	5.4		(b) Puerperal albuminuria and nephritis.....	293	0.2
123	Other diseases of the intestines.....	1,596	1.2		(c) Acute yellow atrophy of the liver (puerperal).....	23	( <sup>1</sup> )
124	Cirrhosis of the liver.....	10,904	8.3		(d) Other puerperal toxemias.....	127	0.1
	(a) With mention of alcoholism.....	1,154	0.9	149	Other accidents and specified conditions of childbirth.....	575	0.4
	(b) Without mention of alcoholism.....	9,750	7.5		(a) Laceration, rupture, or other trauma of pelvic organs and tissue.....	139	0.1
125	Other diseases of the liver.....	1,687	1.3		(b) Other specified conditions of childbirth.....	436	0.3
	(a) Acute yellow atrophy of the liver (nonpuerperal).....	573	0.4				
	(b) Other diseases of the liver.....	1,114	0.9				
126	Biliary calculi.....	4,525	3.5				
127	Other diseases of the gallbladder and biliary ducts.....	3,562	2.7				
	(a) Cholecystitis (without mention of biliary calculus).....	2,687	2.1				
	(b) Other diseases of the gallbladder and biliary ducts.....	875	0.7				
128	Diseases of the pancreas (except diabetes mellitus).....	788	0.6				
129	Peritonitis (cause not stated).....	1,465	1.1				
	X.—Diseases of the genito-urinary system.....	126,631	97.0				
130	Acute nephritis.....	3,320	2.5				
131	Chronic nephritis.....	100,831	77.2				
	(a) Arteriosclerotic kidney.....	68,621	52.5				
	(b) Other chronic nephritis.....	32,210	24.7				
132	Nephritis unspecified (10 years of age and over).....	4,361	3.3				

<sup>1</sup> Less than one-tenth of 1 per 100,000 estimated population.

# SUMMARY AND RATE TABLES

27

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1939—Continued

(See note at head of this table)

List No.	CAUSE OF DEATH	TOTAL DEATHS		List No.	CAUSE OF DEATH	TOTAL DEATHS	
		Number	Rate per 100,000 provisional estimated population			Number	Rate per 100,000 provisional estimated population
150	XI.—Diseases of pregnancy, childbirth, and the puerperium—Continued			165-168	XVII.—Violent and accidental deaths—Continued		
	Other and unspecified conditions of childbirth and the puerperium	494	0.4	165	Homicide	8,394	6.4
	(a) Infection of breast during lactation	2	( <sup>1</sup> )	166	Infanticide (homicide of infants under 1 year of age)	2 (98)	(0.1)
	(b) Psychosis of the puerperium	13	( <sup>1</sup> )	166	Homicide by firearms	4,799	3.7
	(c) Other and unspecified conditions of childbirth and the puerperium	479	0.4	167	Homicide by cutting or piercing instruments	2,048	1.6
	XIII.—Diseases of the skin and cellular tissue	1,682	1.3	168	Homicide by other means	1,547	1.2
151	Carbuncle and furuncle	480	0.4	169-195	Accidental deaths	92,623	70.9
152	Phlegmon and acute abscess	519	0.4	169	Railway accidents (except collisions with motor vehicles)	3,394	2.6
153	Other diseases of the skin and cellular tissue	683	0.5	170	Motor-vehicle accidents	32,366	24.8
	XIII.—Diseases of the bones and organs of movement	1,369	1.0		(a) Collisions between automobiles and trains	1,329	1.0
154	Osteomyelitis and periostitis	913	0.7		(b) Collisions between automobiles and streetcars	150	0.1
	(a) Acute	185	0.1		(c) Automobile accidents (except collisions with trains or streetcars)	30,468	23.5
	(b) Chronic or unspecified	728	0.6		(d) Motorcycle accidents (except collisions with automobiles)	439	0.3
155	Other diseases of the bones (except tuberculosis)	126	0.1	171	Streetcar and other road-transport accidents	734	0.6
156	Diseases of the joints and other organs of movement	330	0.3		(a) Streetcar accidents (except collisions with trains or motor vehicles)	356	0.3
	(a) Diseases of the joints (except tuberculosis and rheumatism)	186	0.1		(b) Other and unspecified road-transport accidents	378	0.3
	(b) Diseases of other and unspecified organs of movement	144	0.1	172	Water-transport accidents	1,087	0.8
	XIV.—Congenital malformations	12,413	9.5	173	Air-transport accidents	396	0.3
157	Congenital malformations (stillbirths not included)	12,413	9.5	174	Accidents in mines and quarries	1,540	1.2
	(a-d) Congenital malformations of the central nervous system:			175	Agricultural and forestry accidents	1,900	1.5
	(a) Congenital hydrocephalus	1,714	1.3		(a) Accidents involving agricultural machinery and vehicles	769	0.6
	(b) Spina bifida and meningocele	1,155	0.9	176	(b) Injury by animals, in agriculture	436	0.3
	(c) Anencephalus	270	0.2	177	(c) Other agricultural accidents	399	0.3
	(d) Other congenital malformations of the central nervous system	447	0.3	178	(d) Accidents involving forestry machinery and vehicles	50	( <sup>1</sup> )
	(e,f) Congenital malformations of the cardiovascular system:				(e) Other forestry accidents	246	0.2
	(e) Congenital malformations of the heart	5,997	4.6	176	Other accidents involving machinery	1,083	0.8
	(f) Other congenital malformations of the cardiovascular system	70	0.1	177	Food poisoning	548	0.4
	(g,h,m) Other congenital malformations:			178	Accidental absorption of poisonous gas	1,396	1.1
	(g) Congenital malformations of the digestive system	1,883	1.4		(A) Illuminating gas	563	0.4
	(h) Congenital malformations of the genito-urinary system	181	0.1		(B) Motor-vehicle exhaust gas	302	0.2
	(m) Other and unspecified congenital malformations	696	0.5		(C) Other carbon monoxide gas	353	0.3
	XV.—Diseases peculiar to the first year of life	50,901	39.0		(X) Other poisonous gas	178	0.1
158	Congenital debility (cause not stated)	2,809	2.2	179	Acute accidental poisoning by solids or liquids	1,371	1.0
159	Premature birth (cause not stated)	32,251	24.7		(A) Arsenic and compounds	109	0.1
160	Injury at birth	10,164	7.8		(B) Barbituric acid and derivatives	201	0.2
	(a) Intracranial or spinal hemorrhage	4,693	3.6		(C) Cresol compounds	51	( <sup>1</sup> )
	(b) Other intracranial or spinal injuries	836	0.6		(D) Mercury and compounds	47	( <sup>1</sup> )
	(c) Other injuries at birth	4,635	3.5		(E) Nux vomica and strychnine	82	0.1
161	Other diseases peculiar to the first year of life	5,678	4.3		(F) Carbolic acid and phenol	51	( <sup>1</sup> )
	(a) Asphyxia (cause not specified), atelectasis	3,095	2.4		(G) Lye and potash	120	0.1
	(b) Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	168	0.1		(H) Tobacco and derivatives	7	( <sup>1</sup> )
	(c) Other specified diseases peculiar to the first year of life	2,417	1.9		(M) Narcotics	26	( <sup>1</sup> )
	XVI.—Senility	9,495	7.3		(O) Methanol and other alcohols	127	0.1
162	Senility	9,495	7.3		(X) Other and unspecified substances	590	0.5
	(a) Senility with mention of senile dementia	649	0.5	180	Conflagration	1,794	1.4
	(b) Senility without mention of senile dementia	8,846	6.8	181	Accidental burns (except conflagration)	4,831	3.7
	XVII.—Violent or accidental deaths	119,687	91.6	182	Accidental mechanical suffocation	1,226	0.9
163,164	Suicide	16,511	14.2	183	Accidental drowning	5,450	4.2
163	Suicide by poisoning	5,405	4.1	184	Accidental injury by firearms	2,582	2.0
	Suicide by solid or liquid poisons:			185	Accidental injury by cutting or piercing instruments	550	0.4
	(A) Arsenic and compounds	198	0.2	186	Accidental injury by fall or crushing	23,307	17.8
	(B) Barbituric acid and derivatives	222	0.2		(a) Fall	22,878	17.5
	(C) Cresol compounds	343	0.3		(b) Crushing	429	0.3
	(D) Mercury and compounds	238	0.2	187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	195	0.1
	(E) Nux vomica and strychnine	258	0.2	188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	279	0.2
	(F) Carbolic acid and phenol	425	0.3	189	Hunger or thirst	56	( <sup>1</sup> )
	(G) Other solid or liquid poisons	844	0.6	190	Excessive cold	190	0.1
	Suicide by poisonous gases:			191	Excessive heat	527	0.4
	(H) Illuminating gas	1,407	1.1	192	Lightning	390	0.3
	(M) Motor-vehicle exhaust gas	993	0.8	193	Accidents due to electric currents (except lightning)	674	0.5
	(O) Other carbon monoxide gas	354	0.3	194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	102	0.1
	(X) Other poisonous gases	123	0.1	195	Other accidents	4,655	3.6
164	Suicide by other means	13,106	10.0		(a) Sequelae of preventive immunization, inoculation, or vaccination	13	( <sup>1</sup> )
	(a) Suicide by hanging or strangulation	3,504	2.7		(b) Other accidents due to medical or surgical intervention	26	( <sup>1</sup> )
	(b) Suicide by drowning	928	0.7		(c) Lack of care of the newborn	37	( <sup>1</sup> )
	(c) Suicide by firearms and explosives	6,944	5.3		(d) Obstruction, suffocation, or puncture by ingested objects	812	0.6
	(d) Suicide by cutting or piercing instruments	724	0.6		(e) Other and unspecified accidents	3,767	2.9
	(e) Suicide by jumping from high places	661	0.5	196	Deaths of military personnel during operations of war	4	( <sup>1</sup> )
	(f) Suicide by crushing	165	0.1	197	Deaths of civilians due to operations of war	155	0.1
	(g) Suicide by other or unspecified means	180	0.1	198	Legal executions	155	0.1
					XVIII.—Ill-defined and unknown causes	19,710	15.1
				199	Sudden death	1,502	1.2
				200	Ill-defined and unknown causes	18,208	13.9
					(a) Ill-defined	5,976	4.6
					(b) Found dead (cause unknown)	759	0.6
					(c) Unknown or unspecified cause	11,471	8.8

<sup>1</sup> Less than one-tenth of 1 per 100,000 estimated population.

<sup>2</sup> Included in figures for homicide.

## VITAL STATISTICS OF THE UNITED STATES

TABLE XII.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 100,000 ESTIMATED MIDYEAR POPULATION)

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List. Rates

DIVISION AND STATE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis (all forms)	Polio-myelitis and poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pel-lagra (except alcoholic)	Intra-cranial lesions of vascular origin
		1,2	6	8	9	10	15	14-22	28	30	36	45-55	58	61	65b	69	85
UNITED STATES	1,062.7	1.5	0.7	0.7	2.3	1.5	43.2	4.0	1.3	15.0	0.6	117.8	1.3	25.6	2.8	1.9	88.0
GEOGRAPHIC DIVISIONS:																	
New England	1,165.3	0.5	0.5	0.4	1.7	0.4	33.4	3.1	( <sup>1</sup> )	9.9	0.2	158.1	1.0	33.6	1.6	0.2	104.0
Middle Atlantic	1,102.9	0.5	0.6	0.5	1.2	0.5	42.3	3.5	0.1	15.3	0.5	145.3	1.8	36.2	3.2	0.1	80.5
East North Central	1,066.4	0.9	0.3	1.1	1.7	1.0	36.9	3.8	0.2	13.1	0.4	132.0	1.3	28.9	4.7	0.2	95.4
West North Central	1,019.7	1.1	0.5	0.9	1.3	1.0	27.1	2.8	0.5	10.8	0.9	128.0	1.0	25.6	3.2	0.3	96.9
South Atlantic	1,036.9	2.3	0.9	0.4	4.5	3.2	49.2	4.5	2.5	19.4	0.6	80.1	1.4	17.7	1.6	4.4	77.7
East South Central	1,020.6	2.9	1.3	0.6	4.6	2.9	59.3	5.6	5.3	17.6	0.7	71.0	1.3	14.2	1.4	6.6	81.1
West South Central	936.4	4.4	0.7	0.4	3.3	3.1	53.1	3.6	4.6	15.9	0.6	74.8	1.1	13.5	1.4	5.5	70.8
Mountain	1,053.7	2.5	1.6	0.8	4.1	2.0	57.1	4.9	0.2	13.7	1.0	94.4	1.5	16.6	2.7	0.6	67.8
Pacific	1,122.6	0.8	0.5	0.5	0.6	0.8	45.9	5.7	( <sup>1</sup> )	18.1	0.9	140.4	0.7	24.4	2.7	0.5	92.0
NEW ENGLAND:																	
Maine	1,285.1	1.3	0.7	0.4	4.4	1.1	29.7	3.7	-----	8.7	-----	153.9	0.8	27.9	1.5	0.4	126.0
New Hampshire	1,291.5	0.6	0.6	0.2	1.6	-----	24.4	4.1	-----	11.7	-----	164.6	2.0	39.6	2.7	0.2	125.0
Vermont	1,270.2	0.8	1.1	1.4	5.0	0.6	34.4	3.9	-----	7.3	1.4	144.2	0.3	31.3	2.0	-----	116.8
Massachusetts	1,179.2	0.3	0.5	0.4	1.0	0.4	35.7	2.5	( <sup>1</sup> )	9.6	0.1	164.4	1.0	35.2	1.5	0.2	105.6
Rhode Island	1,101.0	0.1	0.6	-----	2.0	0.1	33.3	4.4	0.1	10.9	-----	151.7	1.0	36.8	1.1	0.3	89.2
Connecticut	1,039.5	0.4	0.2	0.3	1.3	0.2	32.0	3.2	-----	10.8	0.2	147.8	1.1	31.0	1.9	0.1	86.6
MIDDLE ATLANTIC:																	
New York	1,122.4	0.3	0.5	0.4	1.0	0.3	44.9	3.8	0.2	16.5	0.4	157.1	1.7	38.5	5.1	0.2	74.0
New Jersey	1,061.7	0.4	0.5	0.5	1.1	0.6	40.1	3.2	( <sup>1</sup> )	13.0	0.6	141.6	1.6	33.5	2.7	0.1	86.3
Pennsylvania	1,094.1	0.6	0.9	0.6	1.6	0.7	39.7	3.2	( <sup>1</sup> )	14.6	0.5	130.9	2.0	34.5	5.6	0.1	87.2
EAST NORTH CENTRAL:																	
Ohio	1,119.5	0.8	0.2	1.1	1.3	0.9	38.8	3.9	0.1	15.7	0.2	133.3	1.3	29.4	4.9	0.2	108.6
Indiana	1,161.1	1.3	0.6	1.5	2.1	1.6	37.1	4.4	0.2	14.0	0.1	120.8	1.9	27.2	5.0	0.1	116.2
Illinois	1,107.0	1.3	0.2	0.9	2.0	1.5	42.4	3.8	0.5	12.9	0.3	143.9	1.3	30.7	4.5	0.3	77.7
Michigan	1,007.9	0.6	0.5	1.3	1.5	0.5	32.5	4.4	0.1	13.1	0.8	118.6	1.2	26.3	3.6	( <sup>1</sup> )	86.0
Wisconsin	1,009.8	0.2	0.2	1.2	1.4	0.1	25.5	2.3	0.1	7.0	0.5	132.6	1.0	29.5	6.4	0.1	86.9
WEST NORTH CENTRAL:																	
Minnesota	957.2	0.3	0.2	0.6	0.8	0.4	26.5	2.7	-----	8.3	2.1	134.9	1.0	26.3	4.2	-----	94.2
Iowa	1,045.8	0.6	0.7	0.9	1.9	0.5	17.3	1.9	( <sup>1</sup> )	7.9	1.2	132.9	1.1	27.2	3.3	0.1	110.2
Missouri	1,131.1	2.5	0.4	0.9	1.6	2.0	43.1	3.9	1.8	16.8	0.5	134.1	1.0	24.8	3.0	0.6	95.0
North Dakota	843.8	0.6	0.5	1.2	2.0	0.8	19.0	3.1	-----	5.6	0.5	100.5	1.2	22.2	1.4	-----	76.9
South Dakota	855.6	1.2	0.9	1.4	0.5	2.5	25.7	3.7	-----	6.2	0.6	99.3	1.1	25.1	2.6	-----	74.7
Nebraska	925.0	0.4	0.6	1.3	1.1	0.9	14.6	2.0	-----	6.8	0.7	120.8	1.1	25.7	2.7	-----	90.3
Kansas	1,022.3	0.7	0.5	0.8	0.4	0.5	20.8	2.3	0.1	12.9	0.4	123.4	0.9	26.5	3.3	0.3	106.7
SOUTH ATLANTIC:																	
Delaware	1,198.6	2.6	1.9	0.4	3.0	0.8	53.7	4.9	-----	17.0	0.8	108.9	1.5	33.7	3.8	0.4	115.7
Maryland	1,164.4	1.0	0.6	0.3	1.2	1.2	67.9	4.2	-----	27.0	0.1	132.0	1.3	29.7	1.8	0.4	95.8
District of Columbia	1,275.8	0.6	0.9	0.2	2.3	0.8	54.3	10.2	0.2	27.7	0.3	159.2	1.5	27.4	3.2	0.2	85.7
Virginia	1,082.0	1.8	1.0	0.4	6.0	3.7	55.7	5.4	0.3	17.9	0.4	82.0	1.9	17.8	1.7	2.3	109.7
West Virginia	926.7	2.9	2.0	1.2	2.0	2.9	41.8	5.0	-----	15.3	0.5	78.2	1.3	17.6	2.5	0.3	78.7
North Carolina	899.7	1.4	0.8	0.3	6.5	4.7	46.9	4.1	1.4	12.4	0.4	56.6	1.4	13.8	1.3	5.8	87.3
South Carolina	1,019.2	5.1	0.9	0.2	6.5	4.3	41.8	3.1	8.9	19.0	2.2	55.4	1.6	13.5	0.7	7.9	97.7
Georgia	1,025.8	3.0	0.7	0.6	4.4	3.2	44.4	4.4	3.6	20.4	0.5	65.5	1.2	12.2	1.5	8.9	102.2
Florida	1,153.9	1.5	0.7	0.3	3.3	1.7	46.8	3.1	5.9	28.0	0.5	93.9	1.0	20.8	1.2	4.2	105.6
EAST SOUTH CENTRAL:																	
Kentucky	1,045.2	4.3	1.8	1.1	2.4	3.2	64.1	6.6	1.0	11.9	1.3	84.9	1.1	17.4	1.4	2.9	88.1
Tennessee	994.2	3.3	0.9	0.6	3.6	3.1	72.8	7.8	3.5	15.3	0.4	73.2	1.4	13.8	1.6	5.2	82.3
Alabama	1,004.8	1.7	1.3	0.5	5.9	2.7	50.6	4.3	7.1	20.7	0.6	60.3	1.3	12.3	1.5	10.0	75.4
Mississippi	1,044.1	2.2	1.0	( <sup>1</sup> )	7.2	2.7	46.6	3.2	10.7	24.3	0.6	63.7	1.4	12.8	0.9	9.0	77.5
WEST SOUTH CENTRAL:																	
Arkansas	850.7	3.4	0.3	0.2	3.2	3.8	48.0	3.2	13.4	16.5	0.7	58.7	1.3	11.4	0.9	7.2	64.7
Louisiana	1,047.4	5.6	0.9	0.2	4.7	2.9	55.5	3.6	4.8	27.3	0.3	82.6	0.6	16.3	1.9	3.4	67.0
Oklahoma	873.4	3.8	0.5	0.7	1.1	3.1	42.3	3.8	2.0	11.8	0.4	80.1	1.1	14.6	1.7	4.2	81.0
Texas	944.8	4.4	0.8	0.3	3.7	3.0	57.8	3.6	2.6	13.0	0.8	74.8	1.1	12.6	1.2	6.3	69.9
MOUNTAIN:																	
Montana	1,087.3	2.2	0.7	1.4	2.9	1.6	41.2	5.6	-----	13.2	0.2	116.5	1.3	20.3	3.3	0.2	81.6
Idaho	918.3	3.1	1.9	0.4	1.7	0.8	16.2	2.9	0.2	9.5	1.5	87.7	1.4	20.1	3.1	0.4	75.2
Wyoming	900.2	2.9	0.8	0.8	0.4	1.2	21.2	1.2	-----	14.3	1.2	79.1	1.6	16.3	1.6	0.4	60.0
Colorado	1,128.7	1.7	0.8	0.8	4.7	2.4	54.5	5.3	-----	14.6	0.8	115.1	1.9	18.3	3.1	0.2	85.9
New Mexico	1,136.2	3.5	3.5	0.4	7.5	2.7	76.0	6.1	1.0	17.3	1.5	55.3	1.3	8.3	1.5	2.9	39.4
Arizona	1,186.5	5.5	3.0	1.4	8.7	3.9	170.5	10.3	0.4	22.5	1.2	75.8	1.4	11.8	1.4	0.2	56.0
Utah	864.0	0.4	1.1	0.6	1.5	0.9	15.0	2.4	-----	5.3	1.3	93.3	1.8	18.5	3.7	0.2	54.1
Nevada	1,160.8	0.9	0.9	0.9	0.9	-----	47.8	6.4	-----	12.9	0.9	112.1	-----	16.5	1.8	0.9	52.4
PACIFIC:																	
Washington	1,083.1	1.0	0.5	0.7	0.2	0.7	36.3	5.2	-----	15.0	0.4	138.7	1.2	25.2	4.6	0.2	104.6
Oregon	1,094.7	1.8	0.7	0.6	0.8	0.2	26.2	3.8	0.1	14.8	0.4	132.4	0.9	26.1	3.7	0.2	107.7
California	1,136.9	0.6	0.5	0.4	0.7	0.9	51.5	6.1	-----	19.5	1.1	142.2	0.6	23.9	2.0	0.6	86.3

\* Refer to complete International List titles, table XI.

<sup>1</sup> Less than one-tenth of 1 per 100,000 estimated population.

# SUMMARY AND RATE TABLES

FOR SELECTED CAUSES OF DEATH: UNITED STATES, EACH DIVISION AND STATE, 1939

are based upon estimates of population obtained by interpolation, using the provisional population figures from the 1940 census)

Dis- eases of the ear, nose, and throat	Chronic rheu- matic dis- eases of heart	Dis- eases of coro- nary arter- ies, angina pec- toris	Dis- eases of the heart (other forms) 90b, 91,92a, d,e, 95a,b, d,e, 95a,c	Influen- za and pneu- monia (all forms)	Ulcer of stom- ach or duode- num	Diar- rhea, enter- itis,* etc.*	Ap- pen- dicit- is	Hern- ia and intes- tinal ob- struc- tion	Cir- rho- sis of the liver	Bili- ary cal- culi, etc.*	Nephri- tis	Puer- peral septic- emia	Other puer- peral causes	Con- genital malfor- mations	Pre- ma- ture birth	Sui- cide	Homi- cide	Motor- ve- hicle acci- dents	Other acci- dents	All other causes*
89, 104, 115	90a, 92b, 92c, 93c,95b	94	90b, 91,92a, d,e, 95a,b, d,e, 95a,c	33, 107- 109	117	119	121	122	124	126, 127	130- 132	140, 142a, 147	141, 142b- 146, 148- 150	157	159	165, 164	165- 168	170	169, 171- 195	All other causes*
5.8	20.1	68.5	187.6	75.9	6.8	8.6	10.8	9.4	8.3	6.2	83.1	2.9	4.1	9.5	24.7	14.2	6.4	24.8	46.1	130.7
5.1	22.6	101.1	250.6	72.1	6.3	2.8	10.5	10.0	10.0	7.4	85.3	2.1	3.0	11.3	19.6	14.4	1.4	17.7	46.8	114.4
5.0	23.3	80.2	246.5	61.8	7.4	4.2	10.5	9.6	10.6	7.1	81.6	2.4	2.7	9.4	19.7	14.9	2.9	19.9	44.4	106.0
5.9	21.9	72.2	212.6	72.3	6.7	4.6	11.2	10.0	9.2	7.5	83.5	2.5	2.9	10.6	21.3	15.3	4.1	28.6	45.7	117.7
5.9	21.5	75.7	158.6	77.8	7.2	4.8	12.4	9.5	7.1	8.1	78.8	2.7	3.0	10.3	22.4	15.1	3.2	21.4	46.9	127.0
6.2	16.0	49.9	141.6	88.6	5.6	14.1	8.6	8.5	5.4	3.6	103.0	3.6	6.6	8.9	34.4	11.3	12.6	26.4	45.0	147.6
6.2	17.9	37.0	120.2	100.9	5.3	14.7	10.0	7.6	4.9	3.7	83.8	4.6	6.9	7.3	51.7	8.8	16.8	21.9	46.3	187.5
6.1	13.1	46.8	115.4	86.9	4.9	19.5	12.4	9.3	5.5	4.1	72.1	3.6	6.2	7.8	29.4	10.1	10.4	22.5	42.5	151.3
8.7	19.7	57.3	142.2	88.2	7.9	18.8	14.5	10.7	5.9	6.9	63.7	4.0	4.7	11.4	33.8	16.8	4.9	35.2	60.6	166.0
5.0	21.0	92.2	213.2	54.7	9.5	6.9	10.0	9.5	14.1	6.6	75.9	2.0	2.7	8.9	20.0	23.2	4.0	38.3	51.3	119.3
6.9	22.7	115.5	227.1	93.5	5.9	5.6	11.6	9.6	7.7	6.3	99.8	2.7	4.3	13.2	34.5	16.8	1.2	22.9	51.6	165.5
4.5	21.9	120.9	255.2	86.7	7.6	2.5	10.2	12.3	6.6	6.8	107.6	2.7	2.9	13.9	24.8	18.4	2.3	22.3	59.6	124.4
6.4	34.1	95.9	252.1	97.0	9.8	5.6	15.1	14.0	3.9	7.3	87.5	2.8	3.6	15.9	25.4	15.1	0.8	22.9	54.2	152.1
5.0	25.0	102.1	265.1	74.7	8.8	2.1	10.1	9.9	11.4	7.7	77.9	2.3	2.9	10.7	17.0	13.2	1.4	15.2	47.6	109.8
4.0	14.0	99.8	238.6	62.6	10.2	4.0	12.6	10.9	8.5	6.8	107.3	1.7	3.3	12.5	17.8	11.5	1.6	11.0	40.2	90.5
4.8	18.0	87.8	226.4	49.6	7.2	2.3	9.1	8.9	10.6	7.5	80.7	1.2	2.3	9.6	16.9	16.2	1.3	22.0	40.2	99.9
5.1	25.5	84.5	265.4	59.8	8.3	4.3	10.8	9.7	11.6	7.4	70.1	2.2	2.3	9.1	17.3	16.5	3.0	18.7	44.2	102.7
4.0	18.7	79.8	241.6	53.8	7.4	2.8	11.2	8.8	10.3	6.4	81.8	1.8	2.6	7.8	18.1	13.8	2.2	20.6	40.5	102.0
5.2	22.2	74.8	222.9	67.9	6.1	4.6	9.8	9.9	9.3	6.9	97.1	2.9	3.3	10.6	23.7	13.1	5.1	21.3	46.3	112.1
5.9	21.6	81.4	192.2	79.1	6.4	5.4	11.4	9.6	9.3	7.5	80.1	3.1	3.1	10.4	21.3	16.6	4.8	28.6	51.2	129.3
6.3	22.9	87.2	197.4	88.3	6.0	5.8	10.8	10.3	7.2	6.4	116.0	3.0	3.2	9.6	20.5	16.9	3.8	32.2	50.0	123.1
5.8	22.7	57.3	256.3	65.6	7.4	3.1	11.7	10.2	11.1	8.0	96.4	2.1	2.6	10.0	17.2	14.8	5.4	28.4	42.0	106.7
6.2	20.8	75.6	189.2	69.9	6.5	5.0	11.1	10.3	7.4	6.4	59.6	2.4	3.2	12.2	25.8	13.1	3.1	29.7	42.1	119.2
4.9	21.0	70.5	205.0	65.9	6.5	4.8	10.5	9.3	9.6	8.9	62.7	2.2	2.7	11.5	24.8	15.2	1.4	23.4	44.4	111.9
5.8	19.4	90.0	140.1	71.2	7.5	2.9	11.2	9.6	7.6	9.3	42.9	2.4	3.0	10.2	25.1	14.9	1.6	21.9	45.8	124.4
6.6	21.9	95.0	154.2	79.9	7.2	2.8	12.7	11.1	5.4	7.5	66.5	2.6	2.6	12.6	22.1	17.0	1.8	21.5	49.9	137.0
5.9	29.9	58.6	189.9	95.5	7.5	8.2	12.2	9.3	9.3	7.8	117.3	3.1	3.3	9.0	21.5	15.1	6.2	21.7	46.8	121.2
6.2	12.1	55.1	133.3	72.2	4.5	6.8	13.1	8.6	5.3	7.5	45.7	1.9	3.1	12.1	30.0	10.1	1.2	15.6	37.2	126.6
6.0	9.4	56.3	121.5	72.1	6.0	6.0	11.4	8.7	5.6	7.9	46.6	3.6	1.7	8.7	23.5	11.3	2.8	18.7	33.1	147.1
5.3	17.8	61.6	141.5	68.3	6.0	3.0	12.3	9.0	7.1	8.6	72.3	2.4	3.5	10.5	20.6	16.2	2.1	20.9	48.1	118.8
5.4	17.2	71.8	162.7	63.3	8.4	3.9	14.2	8.9	5.2	7.4	99.0	2.9	3.0	9.6	22.0	15.3	3.5	22.9	47.6	127.8
5.3	22.7	70.0	240.5	85.5	7.6	5.7	12.1	11.0	5.7	3.4	127.1	2.3	4.5	6.1	20.0	16.6	6.4	29.9	51.8	115.4
4.8	22.1	73.8	218.2	77.1	5.1	9.6	8.0	9.3	6.1	4.6	125.9	2.9	3.0	10.2	23.0	14.6	7.3	22.4	47.0	106.6
5.7	21.4	74.3	211.4	80.5	7.7	11.5	12.6	15.1	12.9	5.8	131.4	5.7	5.5	9.4	40.2	25.8	10.6	23.8	48.2	143.4
7.0	19.4	54.4	161.1	91.9	5.3	11.4	7.6	8.4	4.5											



VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939

(White and all other races are shown separately for minor areas only when the populations of all other races in 1930 formed at least 10 percent of the total or numbered 10,000 or more)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
UNITED STATES	2,265,598	1,367,697	877,691	165	108,846	48.0	72,598	32.0	Sec. A (States)—Con.								
White	1,962,671	1,207,078	775,593	164	87,841	44.5	55,892	28.2	CONNECTICUT—Con.								
All other	282,917	160,619	102,098	155	21,005	74.2	16,706	59.0	Cities, 2,500-10,000								
Cities, 10,000 or more	1,127,403	733,958	393,445	154	51,068	45.3	37,305	33.1	White	1,312	932	380	141	31	23.6	34	25.9
White	1,024,753	648,668	376,085	158	43,282	42.2	30,860	30.1	All other	1,296	919	377	141	30	23.1	33	25.5
All other	102,650	85,290	17,360	120	7,786	75.8	6,445	62.8	Rural	16	13	3	( <sup>2</sup> )	1	62.5	1	62.5
Cities, 2,500-10,000	255,106	152,950	102,156	167	13,153	51.6	8,077	31.7	White	1,767	3,762	-1,975	48	76	42.5	41	22.9
White	238,237	137,340	100,897	173	11,558	48.5	6,918	29.0	All other	1,746	3,718	-1,972	47	74	42.4	39	22.3
All other	16,869	15,610	1,259	108	1,595	94.6	1,159	68.7	DELAWARE	4,384	3,169	1,215	138	193	44.0	125	28.5
Rural	883,079	500,989	382,090	176	44,625	50.5	27,216	30.8	White	3,670	2,589	1,081	142	145	39.5	94	25.6
White	719,681	421,070	298,611	171	33,001	45.9	18,114	25.2	All other	714	580	134	123	48	67.2	31	43.4
All other	163,398	79,919	83,479	204	11,624	71.1	9,102	55.7	Cities, 10,000 or more	2,551	1,487	1,064	172	93	36.5	77	30.2
Section A (States)									White	2,269	1,267	1,002	179	81	35.7	59	26.0
ALABAMA	61,385	28,301	33,084	217	3,675	59.9	2,487	40.5	All other	282	220	62	128	12	42.6	18	63.8
White	37,983	15,515	22,568	247	1,878	49.6	1,057	27.9	Cities, 2,500-10,000	475	393	82	121	46	96.8	16	33.7
All other	23,502	12,786	10,716	181	1,797	76.5	1,430	60.8	White	414	283	131	146	28	67.6	13	31.4
Cities, 10,000 or more	13,630	9,179	4,451	148	949	69.6	595	43.7	All other	61	110	-49	55	18	295.1	3	49.2
White	8,944	4,777	4,167	187	484	54.1	248	27.7	Rural	1,358	1,289	69	105	54	39.8	32	23.6
All other	4,686	4,402	284	106	465	99.2	347	74.1	White	987	1,039	-52	95	36	36.5	22	22.3
Cities, 2,500-10,000	4,408	2,484	1,924	177	271	61.5	183	41.5	All other	371	250	121	148	18	48.5	10	27.0
White	3,176	1,625	1,651	208	168	52.9	112	35.3	DIST. OF COLUMBIA	14,037	8,292	5,745	169	669	47.7	403	28.7
All other	1,232	959	273	128	103	83.6	71	57.6	White	9,551	5,259	4,292	162	320	33.5	238	24.9
Rural	43,847	16,638	26,708	261	2,455	56.6	1,709	39.4	All other	4,486	3,033	1,453	148	349	77.8	165	36.8
White	25,763	9,013	16,750	286	1,226	47.6	697	27.1	FLORIDA	32,328	21,295	11,033	152	1,822	56.4	1,470	45.5
All other	17,584	7,625	9,959	251	1,229	69.9	1,012	57.6	White	22,680	14,086	8,574	161	1,043	46.0	696	30.7
ARIZONA	10,928	5,851	5,077	187	1,031	94.3	254	23.2	All other	9,668	7,209	2,459	134	779	80.6	774	80.1
White	9,697	4,743	4,954	204	738	76.1	217	22.4	Cities, 10,000 or more	12,945	9,410	3,535	138	724	55.9	591	45.7
All other	1,231	1,108	123	111	293	236.0	37	30.1	White	9,635	6,468	3,167	149	440	45.7	284	29.5
Cities, 10,000 or more	4,047	2,372	1,675	171	316	78.1	91	22.5	All other	3,310	2,942	368	113	284	65.8	307	92.7
White	3,853	2,166	1,687	178	294	76.3	82	21.3	Cities, 2,500-10,000	5,562	4,254	1,328	151	324	58.3	260	46.7
All other	194	206	-12	94	22	113.4	9	46.4	White	4,156	2,906	1,250	142	166	45.0	139	35.6
Cities, 2,500-10,000	2,871	1,224	1,647	235	205	71.4	69	24.0	All other	1,426	1,328	98	107	138	96.8	121	84.9
White	2,793	1,176	1,617	238	195	68.8	65	23.3	Rural	15,821	7,651	6,170	181	774	56.0	619	44.8
All other	78	48	30	( <sup>2</sup> )	10	128.2	4	51.3	White	8,889	4,712	4,177	189	417	46.9	273	30.7
Rural	4,010	2,255	1,755	178	510	127.2	94	23.4	All other	4,932	2,939	1,993	168	357	72.4	346	70.2
White	3,051	1,401	1,650	218	249	81.6	70	22.9	GEORGIA	64,781	31,843	32,938	203	3,780	58.4	3,236	50.0
All other	959	854	105	112	261	272.2	24	25.0	White	38,935	17,559	21,376	222	1,951	50.1	1,354	34.8
ARKANSAS	35,565	16,514	19,051	215	1,637	46.0	1,294	35.3	All other	25,846	14,284	11,562	181	1,829	70.8	1,882	72.8
White	27,132	11,417	15,715	236	1,208	44.5	743	27.4	Cities, 10,000 or more	17,062	11,071	5,991	154	1,103	64.6	873	51.2
All other	8,433	5,097	3,336	165	429	50.9	511	60.6	White	11,120	5,752	5,368	193	577	51.9	402	36.2
Cities, 10,000 or more	5,056	4,134	922	122	280	55.4	193	38.2	All other	5,942	5,319	623	112	526	88.5	471	79.3
White	4,204	2,892	1,312	145	222	52.8	134	31.9	Cities, 2,500-10,000	6,422	3,792	2,630	169	401	62.4	321	50.0
All other	852	1,242	-390	69	58	68.1	59	69.2	White	4,654	2,239	2,415	208	233	50.1	185	39.8
Cities, 2,500-10,000	3,833	2,320	1,513	165	209	54.5	117	30.5	All other	1,768	1,553	215	114	168	95.0	136	76.9
White	3,133	1,644	1,489	191	157	50.1	81	25.9	Rural	41,297	16,980	24,317	243	2,276	55.1	2,042	49.4
All other	700	676	24	104	52	74.3	36	51.4	White	23,161	9,568	13,593	242	1,141	49.3	767	33.1
Rural	26,676	10,060	16,616	265	1,148	43.0	944	35.4	All other	18,136	7,412	10,724	245	1,135	62.6	1,275	70.3
White	19,795	6,881	12,914	288	829	41.9	528	26.7	IDAHO	11,068	4,753	6,315	233	508	45.9	239	21.6
All other	6,881	3,179	3,702	216	319	46.4	416	60.5	White	10,969	4,643	6,326	256	489	44.6	237	21.6
CALIFORNIA	103,453	77,130	26,323	134	4,385	42.4	2,186	21.1	All other	99	110	-11	90	19	181.9	2	20.2
White	98,559	73,793	24,766	134	4,157	42.2	2,064	20.9	Cities, 10,000 or more	1,644	599	1,045	274	61	37.1	27	16.4
All other	4,894	3,337	1,557	147	228	46.6	122	24.9	White	1,636	586	1,050	279	60	36.7	27	16.5
Cities, 10,000 or more	65,341	46,693	16,648	134	2,456	37.6	1,396	21.4	All other	8	13	-5	( <sup>2</sup> )	1	125.0		
White	61,997	46,738	15,259	133	2,349	37.9	1,303	21.0	Cities, 2,500-10,000	5,138	2,155	2,983	238	247	48.1	129	25.1
All other	3,344	1,955	1,389	171	107	32.0	93	27.8	White	5,122	2,131	2,991	240	242	47.2	129	25.2
Cities, 2,500-10,000	14,839	7,209	7,630	206	583	39.3	268	18.1	All other	16	24	-8	( <sup>2</sup> )	5	( <sup>3</sup> )		
White	14,446	7,008	7,438	206	561	38.8	263	18.2	Rural	4,286	1,999	2,287	214	200	46.7	83	19.4
All other	393	201	192	196	22	56.0	5	12.7	White	4,211	1,926	2,285	219	187	44.4	81	19.2
Rural	23,273	21,228	2,045	110	1,346	57.8	522	22.4	All other	75	73	2	( <sup>2</sup> )	13	173.3	2	26.7
White	22,116	20,047	2,069	110	1,247	56.4	498	22.5	ILLINOIS	117,841	86,994	30,847	135	4,474	38.0	2,976	25.3
All other	1,157	1,181	-24	98	99	85.6	24	20.7	White	111,368	80,635	30,733	138	4,073	36.6	2,731	24.5
COLORADO	20,692	12,558	8,134	165	1,134	54.8	546	26.4	All other	6,473	6,359	114	102	401	61.9	247	38.2
White	20,440	12,336	8,204	167	1,118	54.7	541	26.5	Cities, 10,000 or more	83,046	56,859	26,189	146	2,995	36.1	2,	



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Sec. A (States)—Con.								Sec. A (States)—Con.									
INDIANA—Contd.								MASSACHUSETTS									
Cities, 2,500-10,000	7,030	4,553	2,477	154	256	36.4	164	23.3	63,657	50,917	12,740	125	2,358	37.0	1,749	27.5	
White	6,986	4,492	2,494	156	256	36.6	160	22.9	62,696	50,043	12,653	125	2,315	36.9	1,703	27.2	
All other	44	61	-17	( <sup>2</sup> )			4	90.9	961	874	87	110	43	44.7	46	47.9	
Rural	20,479	15,887	4,592	129	704	34.4	411	20.1	57,725	42,107	15,618	137	2,140	37.1	1,604	27.8	
White	20,406	15,644	4,762	130	701	34.4	406	19.9	56,896	41,338	15,558	138	2,103	37.0	1,565	27.5	
All other	73	243	-170	30	3	41.1	5	68.5	829	769	60	108	37	44.6	39	47.0	
IOWA								CITIES, 2,500-10,000									
Cities, 10,000 or more	18,587	10,511	8,076	177	838	45.1	477	25.7	3,674	3,219	455	114	115	31.5	84	22.2	
White	18,553	10,275	8,078	179	824	44.9	461	25.1	3,645	3,190	455	114	115	31.0	81	22.2	
All other	254	236	-2	99	14	59.8	16	68.4	29	29		( <sup>2</sup> )	2	69.0	3	103.4	
Cities, 2,500-10,000	7,965	4,885	2,978	160	341	42.8	212	26.6	2,258	5,591	-3,333	40	103	45.6	61	27.0	
White	7,948	4,842	3,006	161	340	42.8	212	26.7	2,155	5,515	-3,360	39	99	45.9	57	26.5	
All other	15	43	-28	1	1	66.7			103	76	27	( <sup>2</sup> )	4	38.8	4	58.8	
Rural	17,215	10,969	6,246	157	518	30.1	340	19.8	94,418	52,019	42,399	182	3,955	41.9	2,559	27.1	
White	17,191	10,933	6,253	157	516	30.0	340	19.8	90,570	49,276	41,294	184	3,736	41.2	2,393	26.4	
All other	24	36	-12	( <sup>2</sup> )	2	83.5			3,848	2,743	1,105	140	219	56.9	166	43.1	
KANSAS								MICHIGAN									
Cities, 10,000 or more	11,502	6,811	4,691	169	492	42.8	285	24.8	61,257	28,851	32,306	212	2,650	45.3	1,700	27.8	
White	10,708	6,102	4,606	175	437	40.8	251	23.4	57,721	26,800	30,921	215	2,480	42.6	1,546	26.8	
All other	794	709	85	112	55	69.3	34	42.8	3,536	2,151	1,385	164	190	53.7	154	43.6	
Cities, 2,500-10,000	5,555	2,864	2,491	187	223	41.6	168	31.4	9,168	4,636	4,532	198	425	46.4	280	30.5	
White	5,265	2,773	2,492	190	213	40.5	164	31.1	9,085	4,593	4,492	196	421	46.3	276	30.4	
All other	90	91	-1	( <sup>2</sup> )	10	111.1	4	44.4	83	43	40	( <sup>2</sup> )	4	48.2	4	48.2	
Rural	12,238	8,794	3,464	139	431	35.2	198	16.2	25,993	18,432	5,561	130	680	36.7	579	24.1	
White	12,125	8,520	3,605	142	424	35.0	191	15.8	23,764	17,883	5,881	133	655	36.0	571	24.0	
All other	133	274	-141	49	7	52.6	7	52.6	229	549	-320	42	25	109.2	8	34.9	
KENTUCKY								MINNESOTA									
Cities, 10,000 or more	12,241	8,940	3,301	137	637	52.0	393	32.1	50,237	26,784	23,453	188	1,798	55.8	1,219	24.3	
White	11,044	7,123	3,921	155	554	50.2	331	30.0	49,579	26,411	23,168	188	1,747	55.2	1,209	24.4	
All other	1,197	1,817	-620	66	83	69.3	62	51.8	688	373	285	176	51	77.5	10	15.2	
Cities, 2,500-10,000	4,768	3,417	1,351	140	316	66.3	223	46.8	21,606	12,398	9,408	176	786	56.0	619	28.4	
White	4,360	2,797	1,563	156	258	59.2	197	45.2	21,665	12,268	9,397	177	779	56.0	615	28.4	
All other	408	620	-212	66	58	142.2	26	63.7	141	130	11	108	7	49.6	4	28.4	
Rural	43,578	17,150	26,428	254	2,254	51.3	1,381	31.7	8,057	4,095	3,962	197	313	38.8	205	25.4	
White	41,970	15,615	26,355	269	2,097	50.0	1,294	30.8	8,027	4,071	3,956	197	311	38.7	205	25.5	
All other	1,608	1,535	73	105	137	85.2	87	54.1	30	24	6	( <sup>2</sup> )	2	66.7			
LOUISIANA								MISSISSIPPI									
Cities, 10,000 or more	18,062	12,016	6,046	150	1,271	70.4	884	48.9	20,374	10,291	10,083	198	699	34.3	395	19.4	
White	11,177	6,893	4,284	162	604	54.0	407	36.4	19,887	10,072	9,815	197	657	33.0	389	19.6	
All other	6,885	5,123	1,762	134	667	96.9	477	69.5	487	219	268	222	42	86.2	6	12.3	
Cities, 2,500-10,000	4,892	2,896	2,296	188	290	59.3	208	42.5	51,721	22,646	29,075	228	2,907	56.2	2,642	51.1	
White	3,569	1,493	2,076	239	167	46.8	108	30.3	23,271	9,517	13,754	245	1,155	49.6	697	30.0	
All other	1,323	1,403	220	120	123	93.0	100	75.6	28,450	13,129	15,321	217	1,752	61.6	1,945	68.4	
Rural	25,890	9,909	15,981	261	1,516	58.6	1,018	39.5	4,955	4,257	1,698	140	454	76.2	367	61.6	
White	13,821	4,773	9,048	290	592	42.8	375	27.1	4,023	2,194	1,829	185	276	66.6	161	40.0	
All other	12,069	5,136	6,933	235	924	76.6	643	53.3	1,932	2,063	-131	94	178	92.1	206	106.6	
MAINE								MISSOURI									
Cities, 10,000 or more	5,019	3,779	1,240	133	263	52.4	142	28.3	56,876	42,585	16,291	138	2,655	45.1	1,843	31.3	
White	5,008	3,772	1,236	133	262	52.3	142	28.4	54,978	38,527	16,451	143	2,524	42.3	1,563	28.4	
All other	11	7	4	( <sup>2</sup> )	1	90.9			3,898	4,058	-160	96	331	84.9	260	71.8	
Cities, 2,500-10,000	2,267	1,484	783	153	106	46.8	84	37.1	26,736	20,692	6,044	129	1,127	42.2	904	33.8	
White	2,248	1,478	770	152	106	47.2	84	37.4	23,993	17,794	6,199	135	913	38.1	673	26.0	
All other	19	6	13	( <sup>2</sup> )					2,743	2,898	-155	95	214	76.0	231	84.2	
Rural	7,701	5,552	2,149	139	416	54.0	230	29.9	6,886	5,099	1,787	135	339	49.2	224	32.5	
White	7,679	5,542	2,137	139	413	53.8	229	29.8	6,482	4,650	1,832	139	306	47.2	205	31.0	
All other	22	10	12	( <sup>2</sup> )	3	136.4	1	45.5	404	449	-45	90	33	81.7	19	47.0	
MARYLAND								MONTANA									
Cities, 10,000 or more	17,722	12,565	5,157	141	829	46.8	794	44.8	10,897	5,901	4,996	185	534	49.0	212	19.5	
White	14,017	9,837	4,180	142	554	39.5	523	37.3	10,263	5,533	4,730	185	450	43.8	204	19.9	
All other	3,705	2,728	977	136	275	74.2	271	73.1	634	368	266	172	84	132.5	8	12.6	
Cities, 2,500-10,000	1,836	1,061	775	173	97	52.6	108	58.8	3,925	1,915	2,009	205	154	39.2	77	19.6	
White	1,627	860	767	189	73	44.9	80	49.2	3,903	1,881	2,022	207	153	39.2	76	19.5	
All other	209	201	8	104	24	114.8	28	134.0	22	35	-13	( <sup>2</sup> )	1	45.5	1	45.5	
Rural	8,733	7,205	1,528	121	496	56.8	370	42.4	2,136	929	1,207	230	84	39.3	35	16.4	
White	6,481	5,517	964	117	275	42.4	221	34.1	2,119	910	1,209	233	82	38.7	35	16.5	
All other	2,252	1,688	564	133	221	98.1	149	66.2	17	19	-2	( <sup>2</sup> )	2	117.6			
								NEBRASKA									
Cities, 10,000 or more	14,017	9,837	4,180	142	554	39.5	523	37.3	22,338	12,194	10,144	183	816	36.5	452	20.2	
White	13,836	9,661	4,180	142	554	39.5	523	37.3	22,017	11,944	10,075	184	796	36.2	439	19.9	
All other	181	176	5	( <sup>2</sup> )					321	250	71	128	20	62.3	13	40.5	
Cities, 2,500-10,000	1,836	1,061	775	173	97	52.6	108	58.8	8,027	4,756	3,271	169	334	41.6	186	23.2	
White	1,627	860	767	189	73	44.9	80	49.2	7,842	4,573	3,269	171	323	41.2	175	22.3	
All other	209	201	8	104	24	114.8											

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
Sec. A (States)—Con.									Sec. A (States)—Con.								
NEBRASKA—Contd.									NORTH DAKOTA	13,158	5,424	7,734	243	645	49.0	301	22.9
Cities, 2,500-10,000	3,254	1,743	1,511	187	126	38.7	65	20.0	White	12,707	5,215	7,492	244	608	47.5	287	22.6
White	3,246	1,731	1,515	188	126	38.8	65	20.0	All other	451	209	242	216	42	93.1	14	31.0
All other	8	12	-4	( <sup>2</sup> )					Cities, 10,000 or more	3,079	1,197	1,862	257	156	50.7	58	18.8
Rural	11,057	5,695	5,362	194	356	32.2	201	18.2	White	3,071	1,195	1,876	257	156	50.8	58	18.9
White	10,929	5,640	5,289	194	347	31.8	199	18.2	All other	8	2	6	( <sup>2</sup> )				
All other	128	55	73	( <sup>2</sup> )	9	70.3	2	15.6	Cities, 2,500-10,000	2,139	833	1,306	257	101	47.2	55	25.7
NEVADA	1,940	1,263	677	154	87	44.8	36	18.6	White	2,138	831	1,307	257	101	47.2	54	25.3
White	1,759	1,133	626	155	70	39.8	35	18.8	All other	1	2	-1	( <sup>2</sup> )			1	( <sup>3</sup> )
All other	181	130	51	139	17	93.9	3	16.6	Rural	7,940	3,394	4,546	234	388	48.9	168	23.7
Cities, 10,000 or more	280	186	104	156	8	27.6	5	17.2	White	7,498	3,189	4,309	235	346	46.1	175	23.3
White	264	183	101	155	7	24.6	5	17.6	All other	442	205	237	216	42	95.0	13	29.4
All other	6	3	3	( <sup>2</sup> )	1	166.7			OHIO	109,272	76,927	32,345	142	4,691	42.9	2,950	27.0
Cities, 2,500-10,000	491	287	204	171	19	38.7	9	18.3	White	103,418	71,821	31,597	144	4,310	41.7	2,678	25.9
White	472	275	197	172	18	38.1	9	19.1	All other	5,854	5,106	748	115	381	65.1	272	46.5
All other	19	12	7	( <sup>2</sup> )	1	52.6			Cities, 10,000 or more	72,454	47,128	25,326	154	3,102	42.8	2,083	28.7
Rural	1,159	790	369	147	60	51.8	22	19.0	White	67,301	42,975	24,326	157	2,768	41.1	1,849	27.5
White	1,003	675	328	149	45	44.9	19	18.9	All other	5,153	4,153	1,000	124	334	64.8	234	45.4
All other	156	115	41	136	15	96.2	3	19.2	Cities, 2,500-10,000	8,722	7,025	1,697	124	405	46.4	232	26.6
NEW HAMPSHIRE	7,934	6,301	1,633	126	363	45.8	219	27.6	White	8,485	6,801	1,684	125	397	45.6	224	26.4
White	7,927	6,292	1,635	126	362	45.7	218	27.5	All other	237	224	13	106	18	75.9	8	33.8
All other	7	9	-2	( <sup>2</sup> )	1	142.9	1	142.9	Rural	28,096	22,774	5,322	123	1,184	42.1	635	22.6
Cities, 10,000 or more	4,534	3,155	1,379	144	193	42.6	118	26.0	White	27,632	22,045	5,587	125	1,155	41.8	605	21.9
White	4,529	3,150	1,379	144	193	42.6	117	25.8	All other	464	729	-265	64	29	62.5	30	64.7
All other	5	5	0	( <sup>2</sup> )			1	200.0	OKLAHOMA	43,471	20,391	23,080	213	2,162	49.7	1,124	25.9
Cities, 2,500-10,000	955	548	407	174	39	39.8	29	30.4	White	39,343	17,523	21,820	225	1,820	46.3	983	25.0
White	954	547	407	174	38	39.8	29	30.4	All other	4,128	2,868	1,260	144	342	82.8	141	34.2
All other	1	1	0	( <sup>2</sup> )					Cities, 10,000 or more	13,047	7,289	5,758	179	693	53.1	546	26.5
Rural	2,445	2,598	-153	94	132	54.0	72	29.4	White	11,626	6,171	5,655	192	596	50.4	293	24.8
White	2,444	2,595	-151	94	131	53.6	72	29.5	All other	1,221	1,118	103	109	97	79.4	53	43.4
All other	1	3	-2	( <sup>2</sup> )	1	( <sup>3</sup> )			Cities, 2,500-10,000	8,584	4,772	3,812	180	476	55.5	250	29.1
NEW JERSEY	56,379	43,959	12,420	128	2,184	38.7	1,566	28.1	White	7,718	4,228	3,490	183	397	51.4	224	29.0
White	51,929	40,625	11,304	128	1,883	36.3	1,391	26.8	All other	866	544	322	159	79	91.2	26	30.0
All other	4,450	3,334	1,116	133	301	67.6	195	43.8	Rural	21,840	8,330	13,510	262	993	45.5	528	24.2
Cities, 10,000 or more	46,762	29,631	17,131	158	1,760	37.6	1,318	28.2	White	19,799	7,124	12,675	278	827	41.8	466	23.5
White	43,089	27,301	15,786	158	1,515	35.2	1,161	26.9	All other	2,041	1,206	835	169	166	81.3	62	30.4
All other	3,673	2,330	1,343	158	245	66.7	157	42.7	OREGON	16,715	11,797	4,918	142	593	35.5	322	19.3
Cities, 2,500-10,000	4,324	5,323	-999	81	1,749	41.4	140	32.4	White	16,487	11,571	4,916	142	561	34.0	316	19.2
White	4,001	4,948	-947	81	1,52	39.0	116	29.0	All other	228	226	2	101	32	140.4	6	26.3
All other	323	375	-52	86	27	83.6	24	74.3	Cities, 10,000 or more	8,360	5,735	2,625	146	262	33.7	166	19.9
Rural	5,293	9,005	-3,712	58	245	46.3	126	24.2	White	6,281	5,645	2,636	147	270	32.6	165	19.9
White	4,639	8,376	-3,537	58	216	44.6	114	23.6	All other	79	90	-11	( <sup>2</sup> )	12	151.9	1	12.7
All other	454	629	-175	72	29	63.9	14	30.8	Cities, 2,500-10,000	4,215	2,065	2,150	204	154	36.5	87	20.6
NEW MEXICO	14,215	5,917	8,298	240	1,549	109.0	371	26.1	White	4,192	2,045	2,147	205	149	35.5	85	20.3
White	13,656	5,442	8,214	251	1,421	104.1	368	26.9	All other	23	20	3	( <sup>2</sup> )	5	217.4	2	87.0
All other	559	475	84	118	128	229.0	3	5.4	Rural	4,140	3,997	143	104	157	37.9	69	16.7
Cities, 10,000 or more	2,014	1,089	925	185	194	96.3	68	35.8	White	4,014	3,881	133	103	142	35.4	66	16.4
White	2,007	1,081	976	195	181	90.2	67	35.4	All other	126	116	10	109	15	119.0	3	23.8
All other	7	8	-1	( <sup>2</sup> )	13	( <sup>3</sup> )	1	142.9	PENNSYLVANIA	161,049	108,007	53,042	149	7,343	45.6	4,768	29.7
Cities, 2,500-10,000	3,209	1,316	1,893	244	281	87.6	78	24.3	White	151,742	101,017	50,725	150	6,726	44.3	4,398	29.0
White	3,198	1,294	1,904	247	281	87.9	78	24.4	All other	9,307	6,990	2,317	133	617	66.3	390	41.9
All other	11	22	-11	( <sup>2</sup> )					Cities, 10,000 or more	95,691	63,850	32,041	150	4,465	46.6	2,994	31.1
Rural	8,992	3,512	5,480	256	1,074	119.4	225	25.0	White	87,565	59,049	29,516	151	3,934	44.9	2,627	30.0
White	8,451	3,117	5,334	271	959	113.5	223	26.4	All other	8,326	5,801	2,525	144	531	63.8	357	42.9
All other	541	395	146	137	115	212.6	2	5.7	Cities, 2,500-10,000	21,880	13,489	7,911	159	931	43.5	658	30.8
NEW YORK	187,575	149,501	38,074	125	7,370	39.3	8,960	47.8	White	21,097	13,220	7,877	160	892	42.3	643	30.5
White	178,023	141,900	36,123	125	6,769	38.0	8,176	45.9	All other	283	249	34	114	39	137.8	15	53.0
All other	9,552	7,601	1,951	126	601	62.9	782	81.9	Rural	43,778	30,688	13,090	143	1,947	44.5	1,146	26.2
Cities, 10,000 or more	157,957	113,739	44,218	139	6,078	38.5	8,177	51.8	White	43,080	29,748	13,332	145	1,800	44.1	1,128	26.2
White	149,218	107,098	42,130	139	5,540	37.1	7,422	49.7	All other	698	940	-242	74	47	67.3	18	25.8
All other	8,739	6,651	2,088	131	538	61.6	755	86.4	RHODE ISLAND	10,444	7,775	2,669	134	412	39.4	265	25.4
Cities, 2,500-10,000	10,078	7,816	2,262	129	497	48.3	269	26.7	White	10,194	7,590	2,604	134	396	39.0	256	25.1
White	9,842	7,677	2,165	128	466	47.3	259	26.3	All other	250	185	65	135	14	56.0	9	36.0
All other	236	139	97	170	21	89.0	10	42.4	Cities, 10,000 or more	9,824							

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Sec. A (States)—Con.									Sec. A (States)—Con.								
SOUTH CAROLINA— Continued									WASHINGTON—	26,538	18,516	8,022	143	976	36.8	465	17.5
Cities, 2,500-10,000	3,883	2,165	1,718	179	282	72.6	192	49.4	White	25,905	17,983	7,922	144	919	35.5	456	17.6
White	2,736	1,203	1,533	227	180	65.8	100	36.5	All other	633	533	100	119	57	90.0	9	14.2
All other	1,147	962	185	119	102	88.9	92	80.2	Cities, 10,000 or more	17,405	10,548	6,857	165	593	34.4	298	17.1
Rural	31,517	12,164	19,353	259	1,959	62.2	1,326	42.1	White	17,116	10,259	6,857	167	579	33.8	293	17.1
White	13,825	5,016	8,809	276	652	47.2	315	22.6	All other	289	289	0	100	19	65.7	5	17.3
All other	17,692	7,148	10,544	248	1,307	75.9	1,013	57.3	Cities, 2,500-10,000	2,794	1,408	1,386	198	127	45.5	56	20.0
SOUTH DAKOTA	11,616	5,517	6,099	211	481	41.4	237	20.4	White	2,749	1,362	1,387	199	118	42.9	56	20.4
White	10,843	5,093	5,750	213	406	37.4	217	20.0	All other	45	26	19	( <sup>2</sup> )	9	200.0	—	—
All other	773	424	349	182	75	97.0	20	25.9	Rural	6,339	6,560	-221	97	251	39.6	111	17.5
Cities, 10,000 or more	2,946	1,580	1,366	213	116	39.4	76	25.8	White	6,040	6,342	-302	95	222	36.8	107	17.7
White	2,936	1,558	1,378	216	115	39.2	76	25.9	All other	299	218	81	137	29	97.0	4	13.4
All other	10	22	-12	( <sup>2</sup> )	1	100.0	0	—	WEST VIRGINIA	41,545	17,490	24,055	238	2,272	54.7	1,503	36.2
Cities, 2,500-10,000	1,506	882	624	171	66	43.8	26	17.3	White	39,219	15,875	23,344	247	2,105	53.7	1,362	34.7
White	1,498	867	631	173	65	43.4	25	16.7	All other	2,326	1,615	711	144	167	71.8	141	60.6
All other	8	15	-7	( <sup>2</sup> )	1	125.0	1	125.0	Cities, 10,000 or more	8,108	5,155	2,953	157	481	59.3	342	42.2
Rural	7,164	3,255	3,909	220	299	41.7	135	18.8	White	7,761	4,729	3,032	164	460	59.3	316	40.7
White	6,409	2,868	3,541	223	226	35.3	116	18.1	All other	347	426	-79	81	21	60.5	26	74.9
All other	755	387	368	195	73	96.7	19	25.2	Cities, 2,500-10,000	3,839	2,898	941	132	348	90.6	210	54.7
TENNESSEE	55,355	28,722	24,831	186	2,874	53.9	1,691	51.7	White	3,644	2,558	1,086	142	320	87.8	190	52.1
White	45,266	21,122	24,144	214	2,245	49.6	1,275	28.2	All other	195	340	-145	57	28	145.6	20	102.6
All other	8,087	7,600	487	106	629	77.8	416	51.4	Rural	29,598	9,437	20,161	314	1,443	46.8	951	32.1
Cities, 10,000 or more	16,252	10,925	5,327	149	1,058	65.1	617	38.0	White	27,814	8,588	19,226	324	1,525	47.6	856	30.8
White	12,414	6,911	5,503	180	718	57.8	394	31.7	All other	1,784	849	935	210	118	66.1	95	53.3
All other	3,838	4,014	-176	96	340	88.6	223	58.1	WISCONSIN	54,168	31,424	22,744	172	2,179	40.2	1,186	21.9
Cities, 2,500-10,000	4,942	3,005	1,937	164	291	58.9	207	41.9	White	53,580	31,062	22,518	172	2,127	39.7	1,173	21.9
White	4,370	2,240	2,130	195	244	55.8	169	38.7	All other	588	362	226	162	52	86.4	13	22.1
All other	572	765	-193	75	47	82.2	38	66.4	Cities, 10,000 or more	26,645	13,875	12,770	192	994	37.3	570	21.4
Rural	32,159	14,792	17,367	217	1,525	47.4	867	27.0	White	26,535	13,779	12,756	195	989	37.3	566	21.3
White	28,482	11,971	16,511	238	1,285	45.0	712	25.0	All other	110	96	14	( <sup>2</sup> )	5	45.5	4	36.4
All other	3,677	2,821	856	130	242	65.8	155	42.2	Cities, 2,500-10,000	8,199	4,264	3,935	192	385	47.0	201	24.5
TEXAS	121,049	60,218	60,831	201	8,110	67.0	3,995	53.0	White	8,190	4,249	3,941	195	385	47.0	201	24.5
White	106,152	49,156	56,996	216	6,945	65.4	3,042	28.2	All other	9	15	-6	( <sup>2</sup> )	—	—	—	—
All other	14,897	11,062	3,835	135	1,164	78.1	953	64.0	Rural	19,324	13,285	6,039	145	800	41.4	415	21.5
Cities, 10,000 or more	47,168	24,984	22,184	189	3,340	70.8	1,610	54.1	White	18,855	13,034	5,821	145	755	39.9	406	21.5
White	41,921	20,253	21,668	207	2,886	68.8	1,233	29.4	All other	469	251	218	187	47	100.2	9	19.2
All other	5,247	4,731	516	111	454	86.5	377	71.9	WYOMING	4,897	2,207	2,690	222	223	45.5	86	17.6
Cities, 2,500-10,000	18,557	9,201	9,355	202	1,308	70.5	634	54.2	White	4,778	2,129	2,649	224	202	42.3	85	17.8
White	17,166	7,649	9,517	224	1,176	68.5	534	51.1	All other	119	78	41	( <sup>2</sup> )	21	176.5	1	8.4
All other	1,391	1,552	-161	90	132	94.9	100	71.9	Cities, 10,000 or more	940	447	495	210	48	51.1	20	21.3
Rural	55,324	26,033	29,291	213	3,462	62.6	1,751	51.6	White	932	433	499	215	47	50.4	19	20.4
White	47,085	21,254	25,811	221	2,884	61.3	1,275	27.1	All other	8	14	-6	( <sup>2</sup> )	1	125.0	1	125.0
All other	8,239	4,779	3,480	173	578	70.0	476	57.6	Cities, 2,500-10,000	1,213	606	607	200	47	38.7	25	20.6
UTAH	13,007	4,712	8,295	276	514	39.5	278	21.4	White	1,210	592	618	204	46	38.0	25	20.7
White	12,882	4,653	8,249	278	502	39.0	276	21.4	All other	3	14	-11	( <sup>2</sup> )	1	( <sup>2</sup> )	—	—
All other	125	79	46	( <sup>2</sup> )	12	96.0	2	16.0	Rural	2,744	1,154	1,590	238	128	46.6	41	14.9
Cities, 10,000 or more	5,777	2,395	3,382	241	213	36.9	135	23.4	White	2,656	1,104	1,552	239	109	41.4	41	15.6
White	5,739	2,361	3,378	243	212	36.9	135	23.5	All other	108	50	58	( <sup>2</sup> )	19	175.9	—	—
All other	38	34	4	( <sup>2</sup> )	1	26.3	—	—	Section B (Counties including cities of 10,000 or more in 1930)	61,385	28,301	33,084	217	3,675	59.9	2,487	40.5
Cities, 2,500-10,000	3,344	833	2,511	401	128	38.3	63	18.8	ALABAMA (total)								
White	3,332	830	2,502	401	128	38.4	63	18.9	Autauga	514	196	318	262	28	54.5	22	42.8
All other	12	3	9	( <sup>2</sup> )	—	—	—	—	White	215	70	145	( <sup>2</sup> )	9	41.9	3	14.0
Rural	3,886	1,484	2,402	262	173	44.5	80	20.6	All other	299	126	173	237	19	63.9	19	65.5
White	3,811	1,442	2,369	264	162	42.5	78	20.5	Baldwin	735	328	407	224	40	54.4	34	46.3
All other	75	42	33	( <sup>2</sup> )	11	146.7	2	26.7	White	492	216	276	228	21	42.7	18	36.6
VERMONT	6,375	4,544	1,831	140	291	45.6	175	27.5	All other	243	112	131	217	19	76.2	16	65.8
White	6,372	4,532	1,840	141	291	45.7	175	27.5	Barbour	808	327	481	247	37	45.8	35	43.3
All other	3	12	-9	( <sup>2</sup> )	—	—	—	—	White	320	144	176	222	14	43.8	6	18.8
Cities, 10,000 or more	1,764	864	900	204	68	38.5	51	28.9	All other	488	183	305	267	23	47.1	29	59.4
White	1,765	865	900	204	68	38.6	51	28.9	Bibb	463	144	319	322	23	49.7	10	21.6
All other	1	1	( <sup>2</sup> )	—	—	—	—	—	White	294	90	204	( <sup>2</sup> )	17	57.8	4	13.6
Cities, 2,500-10,000	1,789	1,137	652	157	105	58.7	51	28.5	All other	169	54	115	( <sup>2</sup> )	6	35.5	6	35.5
White	1,789	1,132	657	158	105	58.7	51	28.5	Blount	669	191	478	350	29	43.3	15	22.4
All other	—	5	-5	( <sup>2</sup> )	—	—	—	—	White	650	179	471	363	26	40.0	15	23.1
Rural	2,822	2,543	279	111	118	41.8	73	25.9	All other	19	12	7	( <sup>2</sup> )	3	157.9	—	—
White	2,820	2,537	283	111	118	41.8	73	25.9	Bullock	584	237	347	246	39	66.8	42	71.9
All other	2	6	-4	( <sup>2</sup> )	—	—	—	—	White	60	39	21	( <sup>2</sup> )	5	83.3	—	—
VIRGINIA	52,921	28,636	24,285	185	3,221	60.9	2,059	38.9	All other	524	198	326	265	34	64.9	42	80.2
White	37,885	18,688	19,197	205	1,958	51.7	1,128	29.8	Butler	706	319	387	221	35	49.6	46	65.2
All other	15,036	9,948	5,088	151	1,263	84.0	931	61.9	White	321	175	146	183	11	34.3	20	62.3
Cities, 10,000 or more	15,837	9,207	4,630	150	818												

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
ALABAMA—Con.								ALABAMA—Con.									
Chambers	675	368	287	174	57	84.4	25	37.0	Houston	695	457	438	196	51	57.0	27	30.2
White	292	190	102	154	17	56.2	14	47.9	Rural part	587	164	405	319	24	40.9	11	18.7
All other	383	198	185	195	40	104.4	11	28.7	White	393	152	261	298	16	40.7	3	7.6
Cherokee	443	159	284	279	35	79.0	10	22.6	All other	194	52	142	( <sup>2</sup> )	8	41.2	8	41.2
White	394	142	252	277	32	81.2	9	22.8	Dothan	308	275	35	113	27	87.7	16	51.9
All other	49	17	32	( <sup>2</sup> )	3	61.2	1	20.4	White	221	184	37	120	19	85.0	8	36.2
Chilton	671	231	440	290	34	50.7	23	34.3	All other	87	69	18	( <sup>2</sup> )	8	92.0	8	92.0
White	527	178	349	296	24	45.5	17	32.3	Jackson	1,026	295	741	360	50	45.7	36	35.1
All other	144	53	91	( <sup>2</sup> )	10	69.4	6	41.7	White	971	271	700	558	48	49.4	32	33.0
Choctaw	473	214	259	221	47	99.4	23	48.6	All other	55	14	41	( <sup>2</sup> )	2	35.4	4	72.7
White	181	88	93	( <sup>2</sup> )	14	77.3	8	44.2	Jefferson	8,749	5,260	3,489	166	518	59.2	337	56.5
All other	292	126	166	232	33	113.0	15	51.4	Rural part	2,103	1,156	967	185	96	45.6	60	28.5
Clarke	663	278	385	288	47	70.9	28	42.2	White	1,271	543	728	234	46	36.2	22	17.3
White	228	101	127	226	12	52.6	4	17.5	All other	852	593	239	140	50	60.1	38	45.7
All other	435	177	258	246	35	80.5	24	55.2	Bessemer	281	215	66	131	14	49.8	8	28.5
Clay	360	133	227	271	12	33.3	14	38.9	White	122	70	52	( <sup>2</sup> )	5	41.0	8	50.3
White	288	112	176	257	9	81.3	10	34.7	All other	159	145	14	110	9	56.6	8	50.3
All other	72	21	51	( <sup>2</sup> )	3	41.7	4	55.6	Birmingham	5,503	3,579	1,924	154	355	64.5	249	45.2
Cleburne	358	101	257	354	19	53.1	13	36.3	White	3,342	1,784	1,558	187	172	51.5	101	30.2
White	340	91	249	( <sup>2</sup> )	17	50.0	13	38.2	All other	2,161	1,795	366	120	183	84.7	148	68.5
All other	18	10	8	( <sup>2</sup> )	2	111.1	0		Fairfield	862	330	532	261	53	61.5	20	23.2
Coffee	657	204	453	522	23	35.0	25	38.1	White	576	116	460	497	19	33.0	8	13.9
White	534	147	387	363	16	30.0	23	43.1	All other	286	214	72	134	34	118.9	12	42.0
All other	123	57	66	( <sup>2</sup> )	7	56.9	2	18.3	Lamar	412	95	317	( <sup>2</sup> )	15	36.4	12	29.1
Colbert	754	365	389	207	55	72.9	29	38.5	White	340	75	265	( <sup>2</sup> )	11	32.4	11	32.4
White	574	241	333	238	37	64.5	14	24.4	All other	72	20	52	( <sup>2</sup> )	4	55.6	1	13.9
All other	180	124	56	145	18	100.0	15	83.3	Lauderdale	968	402	566	241	51	52.7	23	23.8
Conecuh	649	259	390	251	42	64.7	23	35.4	Rural part	675	191	484	353	29	43.0	14	20.7
White	299	124	175	241	21	70.2	7	23.4	White	594	165	429	360	28	47.1	7	11.8
All other	350	135	215	259	21	60.0	16	45.7	All other	81	26	55	( <sup>2</sup> )	1	12.3	7	86.4
Coosa	279	109	170	256	16	57.3	18	64.5	Florence	293	211	82	139	22	75.1	9	30.7
White	131	62	69	( <sup>2</sup> )	5	38.2	4	30.5	White	259	163	96	159	19	73.4	5	19.3
All other	146	47	101	( <sup>2</sup> )	11	74.3	14	94.6	All other	34	48	-14	( <sup>2</sup> )	3	68.2	4	117.6
Covington	952	369	583	258	46	48.3	31	32.6	Lawrence	661	234	427	282	33	49.9	21	31.8
White	779	287	492	271	35	44.9	24	30.8	White	557	156	401	357	28	50.3	15	26.9
All other	173	82	91	( <sup>2</sup> )	11	63.6	7	40.5	All other	104	78	26	( <sup>2</sup> )	5	48.1	6	57.7
Crenshaw	485	227	258	214	34	70.1	27	55.7	Lee	736	378	558	195	52	70.7	34	46.2
White	292	135	157	216	14	47.9	8	27.4	White	230	128	102	180	9	39.1	5	21.7
All other	193	92	101	( <sup>2</sup> )	20	103.6	19	96.4	All other	506	250	256	202	43	85.0	29	57.3
Cullman	1,136	299	837	380	45	39.6	33	29.0	Limestone	860	333	527	258	47	54.7	30	34.9
White	1,125	292	833	385	44	39.1	33	29.3	White	642	204	438	315	30	46.7	15	23.4
All other	11	7	4	( <sup>2</sup> )	1	90.9	0		All other	218	129	89	169	17	78.0	15	68.8
Dale	477	195	282	245	22	46.1	24	50.3	Lowndes	700	303	397	231	50	71.4	44	62.9
White	369	144	225	256	17	46.1	15	40.7	White	23	28	-5	( <sup>2</sup> )	3	130.4	4	65.0
All other	108	51	57	( <sup>2</sup> )	5	46.3	9	83.3	All other	677	275	402	246	47	69.4	44	54.7
Dallas	1,376	893	483	154	126	91.6	86	62.5	Macon	713	478	235	149	54	75.7	39	25.0
Rural part	936	418	518	224	76	81.2	61	65.2	White	80	48	32	( <sup>2</sup> )	6	75.0	2	25.0
White	33	49	-16	( <sup>2</sup> )	3	90.9	2	60.6	All other	633	430	203	147	48	75.8	37	58.5
All other	903	369	534	245	73	80.8	59	65.3	Madison	1,382	719	663	192	96	69.5	42	30.4
Selma	440	475	-35	93	50	113.6	25	56.8	Rural part	1,050	451	599	233	67	63.8	27	25.7
White	252	169	63	133	20	79.4	7	27.8	White	757	277	480	273	39	51.5	16	21.1
All other	188	286	-98	66	30	159.6	18	95.7	All other	293	174	119	168	28	95.6	11	37.5
De Kalb	813	280	533	290	45	55.4	29	35.7	Huntsville	332	266	64	124	29	87.3	15	45.2
White	795	275	520	289	45	56.6	28	35.2	White	256	137	119	187	15	58.6	10	39.1
All other	18	5	13	( <sup>2</sup> )	1	55.6	1	55.6	All other	76	131	-55	58	14	184.2	5	65.8
Elmore	666	302	364	221	36	54.1	17	25.5	Marengo	743	366	377	203	43	57.9	27	36.3
White	320	154	166	208	17	53.1	7	21.9	White	154	76	78	( <sup>2</sup> )	4	25.0	4	25.0
All other	346	148	198	234	19	54.9	10	28.9	All other	589	290	299	203	43	73.0	23	39.0
Escambia	761	331	430	230	48	63.1	20	26.3	Marion	611	119	492	513	23	37.6	17	27.8
White	499	204	295	240	28	57.3	12	24.5	White	590	112	478	527	19	32.2	16	27.1
All other	272	127	145	214	20	73.5	8	29.4	All other	21	7	14	( <sup>2</sup> )	4	190.5	1	47.6
Etowah	1,533	674	859	227	88	57.4	56	36.5	Marshall	955	315	640	303	46	48.2	29	30.4
Rural part	869	298	571	292	42	48.3	33	38.0	White	927	295	632	314	44	47.5	25	27.0
White	794	263	531	302	40	50.4	30	37.8	All other	28	20	8	( <sup>2</sup> )	2	71.4	4	142.9
All other	75	35	40	( <sup>2</sup> )	2	26.7	3	40.0	Mobile	2,885	1,936	949	149	174	60.3	117	40.6
Oadsden	664	376	288	177	46	69.3	23	34.6	Rural part	1,031	734	297	140	42	40.7	34	33.0
White	552	262	290	211	37	67.0	11	19.9	White	565	243	322	233	16	28.3	12	21.2
All other	112	114	-2	98	9	80.4	12	107.1	All other	466	491	-25	95	26	55.8	22	47.2
Fayette	447	154	293	290	20	44.7	13	29.1	Mobile	1,854	1,202	652	154	132	71.2	83	44.8
White	396	122	274	325	15	37.9	11	27.8	White	1,259	663</						

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)			INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)			INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS			
	Number	Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number	Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		
																Births	Deaths
Section B—Continued								Section B—Continued									
ALABAMA—Con.								ARKANSAS—Con.									
Ferry	715	269	446	266	46	64.3	44	61.5	Baxter	180	59	121	( <sup>2</sup> )	7	38.9	7	38.9
White	140	52	88	( <sup>2</sup> )	7	50.0	6	42.9	White	180	59	121	( <sup>2</sup> )	7	38.9	7	38.9
All other	575	217	358	265	39	67.8	38	66.1	All other								
Pickens	671	202	469	332	45	67.1	35	52.2	Benton	617	382	235	162	27	43.8	15	24.3
White	326	85	241	( <sup>2</sup> )	16	49.1	9	27.6	White	617	381	236	162	27	43.8	15	24.3
All other	345	117	228	295	29	84.1	26	75.4	All other		1	-1					
Pike	661	371	290	178	44	66.6	30	45.4	Boone	291	143	148	203	6	20.6	3	10.3
White	356	198	158	180	19	53.4	7	19.7	White	291	143	148	203	6	20.6	3	10.3
All other	305	173	132	176	25	82.0	23	75.4	All other								
Randolph	583	214	369	272	38	65.2	24	41.2	Bradley	348	123	225	283	8	23.0	15	43.1
White	408	162	246	252	27	66.2	13	31.9	White	244	84	160	( <sup>2</sup> )	6	24.6	7	28.7
All other	175	52	123	( <sup>2</sup> )	11	62.9	11	62.9	All other	104	39	65	( <sup>2</sup> )	2	19.2	8	76.9
Russell	697	361	326	190	54	76.8	42	61.1	Calhoun	186	82	104	( <sup>2</sup> )	10	53.8	4	21.5
Rural part	479	196	283	244	32	68.6	30	66.5	White	124	58	66	( <sup>2</sup> )	6	48.4	2	16.1
White	43	35	8	( <sup>2</sup> )			1	23.3	All other	62	24	38	( <sup>2</sup> )	4	64.5	2	32.3
All other	436	161	275	271	32	73.4	29	66.5	Carroll	257	158	99	163	7	27.2	13	50.6
Phoenix City	208	165	43	126	22	105.8	12	57.7	White	257	157	100	164	7	27.2	13	50.6
White	137	94	43	( <sup>2</sup> )	15	109.5	5	36.5	All other		1	-1					
All other	71	71		( <sup>2</sup> )	7	98.6	7	98.6	Chicot	450	185	265	243	22	48.9	25	55.6
St. Clair	598	217	381	276	34	56.9	19	31.8	White	196	59	137	( <sup>2</sup> )	16	81.6	10	51.0
White	458	172	286	265	24	52.4	12	26.2	All other	254	126	128	202	6	23.6	15	59.1
All other	140	45	95	( <sup>2</sup> )	10	71.4	7	50.0	Clark	363	154	209	236	9	24.8	12	33.1
Shelby	632	246	386	257	33	52.2	18	28.5	White	237	112	125	212	8	33.8	4	16.9
White	490	151	339	325	21	42.9	10	20.4	All other	126	42	84	( <sup>2</sup> )	1	7.9	8	63.5
All other	142	95	47	( <sup>2</sup> )	12	84.5	8	56.3	Clay	469	212	257	221	34	72.5	12	25.6
Sumter	691	320	371	216	58	83.9	60	86.8	White	469	210	259	223	34	72.5	12	25.6
White	77	42	35	( <sup>2</sup> )	4	51.9	2	26.0	All other		2	-2					
All other	614	278	336	221	54	87.9	58	94.5	Cleburne	285	96	187	( <sup>2</sup> )	6	21.2	6	21.2
Talladega	1,348	496	852	272	88	65.3	56	41.5	White	285	96	187	( <sup>2</sup> )	6	21.2	6	21.2
White	773	298	475	259	49	63.4	22	28.5	All other								
All other	575	198	377	290	39	67.8	34	59.1	Cleveland	161	82	79	( <sup>2</sup> )	11	68.3	6	37.3
Tallapoosa	787	341	446	231	59	75.0	36	45.7	White	108	57	51	( <sup>2</sup> )	7	64.8	3	27.8
White	524	215	309	244	37	70.6	14	26.7	All other	53	25	28	( <sup>2</sup> )	4	75.5	3	56.6
All other	263	126	137	209	22	83.7	22	83.7	Columbia	467	133	334	351	9	19.3	11	23.6
Tuscaloosa	1,337	927	410	144	73	54.6	50	37.4	White	278	68	210	( <sup>2</sup> )	4	14.4	4	14.4
Rural part	699	403	296	171	35	50.8	17	24.7	All other	189	65	124	( <sup>2</sup> )	5	26.5	7	37.0
White	455	276	159	158	16	36.8	8	18.4	Conway	502	193	309	260	26	51.8	14	27.9
All other	254	127	127	200	19	74.8	9	35.4	White	376	123	253	306	15	39.9	10	26.6
Tuscaloosa	648	524	124	124	38	58.6	33	50.9	All other	126	70	56	( <sup>2</sup> )	11	67.3	4	31.7
White	487	363	124	134	19	39.0	16	32.9	Craighead	1,045	488	555	214	79	75.7	49	47.0
All other	161	161		100	19	118.0	17	105.6	Rural part	779	256	523	304	48	61.6	29	37.2
Walker	1,544	543	1,001	284	90	58.3	56	36.3	White	778	253	525	308	48	61.7	29	37.3
White	1,425	475	950	300	79	55.4	49	34.4	All other	1	3	-2	( <sup>2</sup> )				
All other	119	68	51	( <sup>2</sup> )	11	92.4	7	58.8	Jonesboro	264	232	32	114	31	117.4	20	75.8
Washington	394	142	252	277	24	60.9	25	63.5	White	244	213	31	115	30	123.0	15	61.5
White	237	84	153	( <sup>2</sup> )	15	63.3	6	25.3	All other	20	19	1	( <sup>2</sup> )	1	50.0	5	250.0
All other	157	58	99	( <sup>2</sup> )	9	57.3	19	121.0	Crawford	460	165	295	279	17	37.0	7	15.2
Wilcox	787	305	482	258	64	81.3	43	54.6	White	441	152	289	290	17	38.5	6	13.6
White	74	51	23	( <sup>2</sup> )	7	94.6	2	27.0	All other	19	13	6	( <sup>2</sup> )	1	52.6	1	52.6
All other	713	254	459	281	57	79.9	41	57.5	Crittenden	716	327	389	219	31	43.3	59	82.4
Winston	408	89	319	( <sup>2</sup> )	16	39.2	15	36.8	White	94	50	44	( <sup>2</sup> )	31	49.8	3	31.9
White	407	87	320	( <sup>2</sup> )	15	36.9	15	36.9	All other	622	277	345	225	31	49.8	56	90.0
All other	1	2	-1	( <sup>2</sup> )	1	( <sup>2</sup> )			Cross	406	144	262	282	17	41.9	10	24.6
ARIZONA (total)	10,928	5,851	5,077	187	1,031	94.3	254	23.2	White	268	68	200	( <sup>2</sup> )	13	48.5	8	29.9
Apache	460	299	161	154	93	202.2	12	26.1	All other	138	76	62	( <sup>2</sup> )	4	29.0	2	14.5
Cochise	724	377	347	192	59	81.5	12	16.6	Dallas	263	98	165	( <sup>2</sup> )	8	30.4	6	22.8
Coconino	343	177	166	194	45	131.2	7	20.4	White	153	70	83	( <sup>2</sup> )	7	45.8	1	6.5
Gila	527	265	262	189	63	119.5	13	24.7	All other	110	28	82	( <sup>2</sup> )	1	9.1	5	45.5
Graham	331	127	204	261	22	66.5	10	30.2	Desha	414	226	188	163	18	43.5	41	99.0
Greenlee	215	62	153	( <sup>2</sup> )	8	37.2	2	9.3	White	165	63	102	( <sup>2</sup> )	9	54.5	10	60.6
Maricopa	4,345	2,123	2,222	205	322	74.1	98	22.6	All other	249	163	86	153	9	36.1	31	124.5
Rural part	1,630	628	1,002	280	106	65.0	30	18.4	Draw	425	186	239	228	17	40.0	9	21.2
Phoenix	2,715	1,495	1,220	182	216	79.6	68	25.0	White	237	93	144	( <sup>2</sup> )	13	54.9	3	12.7
White	2,582	1,355	1,227	191	202	78.2	60	23.2	All other	188	93	95	( <sup>2</sup> )	4	21.3	6	31.9
All other	133	140	-7	95	14	105.3	8	60.2	Faulkner	455	221	234	206	27	59.3	17	37.4
Mohave	168	101	67	166	13	77.4	2	11.9	White	381	172	209	222	16	42.0	15	39.4
Navajo	446	246	200	181	80	179.4	15	33.6	All other	74	49	25	( <sup>2</sup> )	11	148.6	2	27.0
Pima	1,584	1,032	552	153	132	83.3	31	19.6	Franklin	350	96	254	( <sup>2</sup> )	9	25.7	5	14.3
Rural part	252	155	97	163	32	127.0	8	31.7	White	347	93	254	( <sup>2</sup> )	9	25.9	5	14.4
Tucson	1,332	877	455	152	100	75.1											



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued	CALIFORNIA (total)								CALIFORNIA—Con.								
Alameda	7,220	5,843	1,377	124	239	33.1	174	24.1	San Diego	4,468	3,204	1,264	139	156	34.9	99	22.2
Rural part	604	1,099	-295	73	18	22.4	26	32.3	Rural part	781	715	66	109	29	37.1	10	12.8
Alameda	336	334	2	101	12	35.7	5	14.9	San Diego	3,687	2,489	1,198	148	127	34.4	89	24.1
Berkeley	862	778	84	111	23	26.7	16	18.6	San Francisco, co- extensive with								
Oakland	5,207	3,544	1,663	147	184	35.3	127	24.4	San Francisco (city)	8,746	8,750	-4	100	259	29.6	187	21.4
San Leandro	11	88	-77	(2)	2	181.8	(3)		White	8,309	8,404	-95	99	247	29.7	179	21.5
Alpine	1	2	-1	(2)	1				All other	437	346	91	126	12	27.5	8	18.3
Amador	76	84	-8	(2)	4	52.6	1	13.2	San Joaquin	2,113	1,798	315	118	125	59.2	52	24.6
Butte	888	539	349	165	37	41.7	19	21.4	Rural part	1,250	1,289	-39	97	97	77.6	38	30.4
Calaveras	78	109	-31	72	5	64.1	2	25.6	Stockton	863	509	354	170	28	32.4	14	16.2
Colusa	161	134	27	120	9	55.9	5	31.1	San Luis Obispo	513	369	144	139	20	39.0	15	25.3
Contra Costa	1,191	728	463	164	47	39.5	26	21.8	San Mateo	708	980	-272	72	17	24.0	10	14.1
Rural part	885	560	325	158	41	46.3	20	22.6	Rural part	153	554	-401	28	4	26.1	4	26.1
Richmond	306	168	138	182	6	19.6	6	19.6	Burlingame	2	49	-47	(2)				
Del Norte	82	80	2	(2)	3	56.6			San Mateo	553	377	176	147	15	23.5	6	10.8
El Dorado	145	148	-3	98	7	46.3	1	6.9	Santa Barbara	1,222	756	466	162	60	49.1	18	14.7
Fresno	3,280	1,703	1,577	193	169	51.5	76	23.2	Rural part	724	404	320	179	41	56.6	8	11.0
Rural part	2,341	1,294	1,047	181	142	60.7	56	23.9	Santa Barbara	498	352	146	141	19	38.2	10	20.1
Fresno	939	409	530	230	27	28.8	20	21.3	Santa Clara	2,761	2,338	423	118	144	52.2	59	21.4
Glenn	134	111	23	121	2	14.9	1	7.5	Rural part	1,613	1,481	132	109	106	65.7	34	21.1
Humboldt	724	541	183	134	26	35.9	15	20.7	Palo Alto	397	226	171	176	12	30.2	10	25.2
Rural part	272	195	77	139	14	51.5	2	7.4	San Jose	751	631	120	119	26	34.6	15	20.0
Eureka	452	346	106	131	12	26.5	13	28.8	Santa Cruz	655	673	-18	97	25	38.2	15	22.9
Imperial	1,430	514	916	278	115	80.4	28	19.6	Rural part	404	386	18	105	20	49.5	9	22.3
Rural part	995	410	585	243	81	81.4	23	23.1	Santa Cruz	251	287	-36	87	5	19.9	6	23.9
Brawley	435	104	331	418	34	78.2	5	11.5	Shasta	478	306	172	156	27	56.5	7	14.6
Thyo	104	85	19	(2)	3	28.8	4	38.5	Sierra	34	27	7	(2)			1	29.4
Kern	2,977	1,176	1,801	253	184	61.8	57	19.1	Siskiyou	417	277	140	151	15	36.0	13	31.2
Rural part	2,082	931	1,151	224	150	72.0	36	17.3	Solano	566	415	151	136	18	31.8	11	19.4
Bakersfield	895	245	650	365	34	38.0	21	25.5	Rural part	189	235	-46	60	9	47.6	7	37.0
Kings	705	296	407	238	32	45.5	17	24.2	Vallejo	377	180	197	209	9	23.9	4	10.6
Lake	107	115	-8	93	7	65.4	1	9.3	Sonoma	898	944	-46	95	30	33.4	18	20.0
Lassen	281	115	166	244	14	49.8	7	24.9	Rural part	643	780	-137	82	24	37.3	11	17.1
Los Angeles	38,876	30,055	8,821	129	1,434	36.9	814	20.9	Santa Rosa	255	164	91	155	6	23.5	7	27.5
Rural part	6,982	5,802	1,180	120	184	26.4	142	20.3	Stanislaus	1,489	739	750	201	75	50.4	26	17.5
Alhambra	418	312	106	134	6	14.4	9	21.5	Rural part	463	331	132	140	15	32.4	10	21.6
Belvedere (twp.)	557	157	400	355	10	18.0	12	21.5	Modesto	1,026	408	618	251	60	58.5	16	15.6
Beverly Hills	2	136	-134	1	9	25.9	4	11.5	Sutter	380	175	205	217	14	36.8	4	10.5
Burbank	347	162	185	214	9	25.9	4	11.5	Tehama	279	200	79	140	15	53.8	8	28.7
Compton	263	150	113	175	23	87.5	8	30.4	Trinity	34	45	-9	(2)			2	58.8
Gardena (twp.)	27	122	-95	22	4	148.1	1	37.0	Tulare	2,269	877	1,392	259	153	67.4	47	20.7
Glendale	1,694	918	776	165	46	27.2	36	21.3	Tuolumne	194	148	46	131	10	51.5	2	10.3
Huntington Park	334	180	154	186	9	26.9	9	26.9	Ventura	1,379	660	719	209	68	49.3	34	24.7
Inglewood	462	272	190	170	23	49.8	5	10.8	Rural part	1,088	573	515	180	65	59.7	30	27.6
Long Beach	2,870	1,755	1,115	164	77	26.8	57	19.9	San Buenaventura	291	87	204	(2)			3	10.3
Los Angeles	20,880	17,489	3,391	119	930	44.5	464	22.2	Yolo	381	328	53	116	25	65.6	5	13.1
White	19,258	16,570	2,688	116	880	45.7	409	21.2	Yuba	257	207	50	124	24	93.4	4	15.6
All other	1,622	919	703	176	50	30.8	55	33.9	COLORADO (total)	20,692	12,588	8,104	165	1,134	54.8	546	26.4
Monrovia	78	180	-102	43	3	38.5	4	51.3	Adams	223	315	-92	71	13	58.3	7	31.4
Pasadena	1,115	1,056	57	105	33	29.6	18	16.2	Alamosa	337	142	195	237	28	83.1	9	26.7
Pomona	463	236	227	196	17	36.7	12	25.9	Arapahoe	145	165	-40	78	6	41.4	4	27.6
Santa Monica	1,141	692	449	165	31	27.2	20	17.5	Archuleta	71	33	38	(2)			6	84.5
South Gate	747	140	607	534	14	18.7	10	13.4	Baca	104	17	87	(2)			5	48.1
South Pasadena	8	114	-106	7	15	30.6	3	6.1	Bent	161	108	53	149	14	87.0	8	49.7
Whittier	490	182	308	269	15	30.6	3	6.1	Boulder	728	440	288	165	39	53.6	16	22.0
Madera	513	269	244	191	57	111.1	9	17.5	Rural part	518	294	224	176	32	61.8	12	23.2
Martin	390	454	-64	86	12	30.8	4	10.3	Boulder	210	146	64	144	7	33.3	4	19.0
Mariposa	35	35		(2)	2	57.1			Chaffee	156	132	24	118	14	89.7	6	38.5
Mendocino	368	434	-66	85	20	54.3	9	24.5	Cheyenne	46	15	31	(2)			2	43.5
Merced	1,073	473	600	227	77	71.8	19	17.7	Clear Creek	37	15	22	(2)			1	27.0
Modoc	100	86	14	(3)	4	40.0	4	40.0	Conejos	128	62	66	(2)			10	78.1
Mono	13	17	-4	(2)	3	230.8			Costilla	96	52	44	(2)			8	83.3
Monterey	1,133	708	427	160	63	55.6	20	17.7	Crowley	112	41	71	(2)			7	62.5
Rural part	998	585	413	162	56	56.1	18	18.0	Custer	26	16	10	(2)			1	38.5
Salinas	135	91	44	(2)	7	51.9	2	14.8	Delta	386	161	225	240	13	33.7	16	41.5
Napa	365	737	-372	50	10	27.4	4	11.0	Denver, coextensive with								
Nevada	349	228	121	153	13	37.2	5	14.3	Denver (city)	6,432	4,363	2,069	147	291	45.2	153	23.8
Orange	2,147	1,447	700	148	98	45.6	47	21.9	White	6,304	4,193	2,111	150	284	45.1	150	23.8
Rural part	1,374	940	434	146	70	50.9	33	24.0	All other	128	170	-42	75	7	54.7	3	23.4
Anaheim	85	92	-7	(2)	2	23.5	2	23.5	Dolores	24	6	18	(2)			1	41.7
Fullerton	243	101	142	241	11	45.3	8	32.9	Douglas	9	24	-15	(2)			1	



VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS								
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births							
	Births	Deaths								Births	Deaths													
Section B—Continued								Section B—Continued																
COLORADO—Con.								DELAWARE (total)																
Huerfano	197	167	30	118	43	218.3	6	30.5	4,384	5,169	1,215	138	193	44.0	125	28.5								
Jackson	38	13	25	( <sup>2</sup> )	2	52.6	1	26.3	Kent	588	473	115	124	28	47.6	15	25.5							
Jefferson	177	235	-58	75	5	28.2	3	16.9	New Castle	2,817	2,043	774	138	102	36.2	88	31.2							
Kiowa	43	33	10	( <sup>2</sup> )	2	46.5	3	69.8	Rural part	266	556	-290	48	9	33.8	11	41.4							
Kit Carson	171	46	125	( <sup>2</sup> )	5	29.2	7	40.9	Wilmington	2,551	1,487	1,064	172	93	36.5	77	30.2							
Lake	126	88	38	( <sup>2</sup> )	7	55.6	4	31.7	White	2,269	1,267	1,002	179	81	35.7	59	26.0							
La Plata	408	178	230	229	30	73.5	12	29.4	All other	282	220	62	128	12	42.6	18	63.8							
Larimer	680	360	320	189	32	47.1	12	17.6	Sussex	979	653	326	180	63	64.4	22	22.5							
Rural part	618	277	341	223	26	42.1	10	16.2	DIST. OF COLUMBIA															
Fort Collins	62	83	-21	( <sup>2</sup> )	6	96.8	2	32.3	14,037	8,292	5,745	169	669	47.7	403	28.7								
Las Animas	787	385	352	191	69	93.6	18	24.4	Washington	14,037	8,292	5,745	169	669	47.7	403	28.7							
Rural part	446	256	190	174	42	94.2	9	20.2	White	9,551	5,259	4,292	182	320	33.5	238	24.9							
Trinidad	291	129	162	226	27	92.8	9	30.9	All other	4,486	3,033	1,453	148	349	77.8	165	36.8							
Lincoln	118	32	86	( <sup>2</sup> )	2	16.9	2	16.9	FLORIDA (total)															
Logan	456	130	326	351	23	50.4	7	15.4	32,328	21,295	11,033	152	1,822	56.4	1,470	45.5								
Mesa	674	335	339	201	33	49.0	22	32.6	Alachua	815	553	262	147	59	72.4	45	55.2							
Rural part	344	167	177	206	14	40.7	5	14.5	Rural part	444	282	162	157	31	69.8	20	45.0							
Grand Junction	330	168	162	196	19	57.6	17	51.5	White	167	117	70	160	10	53.5	4	21.4							
Mineral	15	5	10	( <sup>2</sup> )	1	12.8	1	12.8	All other	257	165	92	156	21	81.7	16	62.3							
Moffat	78	31	47	( <sup>2</sup> )	1	84.2	3	11.0	Gainesville	371	271	100	137	28	75.5	25	67.4							
Montezuma	273	114	159	239	23	100.9	7	22.1	White	260	165	95	158	19	73.1	16	61.5							
Montrose	317	161	156	197	32	100.9	7	22.1	All other	111	106	5	105	9	81.1	9	81.1							
Morgan	412	199	213	218	20	48.5	10	24.3	Baker	156	44	112	( <sup>2</sup> )	4	25.6	10	64.1							
Otero	598	221	368	267	39	66.2	21	35.7	White	116	26	90	( <sup>2</sup> )	3	25.9	6	51.7							
Ouray	48	35	14	( <sup>2</sup> )	4	81.6	1	20.4	All other	40	18	22	( <sup>2</sup> )	1	25.0	4	100.0							
Park	48	30	18	( <sup>2</sup> )	4	83.3	1	20.8	Bay	499	176	323	284	29	58.1	24	48.1							
Phillips	70	45	27	( <sup>2</sup> )	1	14.3	1	14.3	White	423	129	294	328	22	52.0	9	21.3							
Pitkin	17	15	2	( <sup>2</sup> )	10	35.3	7	24.7	All other	76	47	29	( <sup>2</sup> )	7	92.1	15	197.4							
Powers	283	139	144	204	43	37.5	42	36.6	Bradford	224	93	131	( <sup>2</sup> )	16	71.4	10	44.6							
Pueblo	1,147	989	158	116	7	22.8	8	26.1	White	172	74	98	( <sup>2</sup> )	15	87.2	3	17.4							
Rural part	307	517	-210	59	7	22.8	8	26.1	All other	52	19	33	( <sup>2</sup> )	1	19.2	7	134.6							
Pueblo	840	472	368	178	36	42.9	34	40.5	Brevard	252	188	64	134	12	47.6	16	63.5							
Rio Blanco	40	20	20	( <sup>2</sup> )	1	25.0	1	25.0	White	140	138	2	101	5	35.7	5	35.7							
Rio Grande	263	146	117	180	44	167.3	7	26.6	All other	112	50	62	( <sup>2</sup> )	7	62.5	11	98.2							
Routt	226	108	118	209	11	48.7	3	13.3	Broward	636	392	244	162	40	62.9	31	48.7							
Saguache	89	50	39	( <sup>2</sup> )	11	123.6	1	11.2	White	325	234	91	139	12	36.9	12	36.9							
San Juan	24	15	9	( <sup>2</sup> )	2	43.5	1	7.9	All other	311	158	153	197	28	90.0	19	61.1							
San Miguel	46	33	13	( <sup>2</sup> )	7	55.6	1	7.9	Calhoun	251	56	175	( <sup>2</sup> )	13	56.3	9	39.0							
Sedgwick	126	49	77	( <sup>2</sup> )	1	100.0	1	100.0	White	203	44	159	( <sup>2</sup> )	11	54.2	9	44.3							
Summit	10	15	-5	( <sup>2</sup> )	9	81.1	5	45.0	All other	28	12	16	( <sup>2</sup> )	2	71.4	1	24.4							
Teller	111	59	52	( <sup>2</sup> )	6	47.2	3	23.6	Charlotte	41	44	-3	( <sup>2</sup> )	---	---	1	24.4							
Washington	127	39	88	( <sup>2</sup> )	60	46.7	33	25.7	White	37	35	2	( <sup>2</sup> )	---	---	---	---							
Weld	1,284	457	827	281	24	35.9	17	25.4	All other	4	9	-5	( <sup>2</sup> )	---	---	1	250.0							
Rural part	669	214	455	313	36	58.5	16	26.0	Citrus	116	54	62	( <sup>2</sup> )	8	69.0	1	8.6							
Creely	615	243	372	253	12	67.0	6	33.5	White	75	28	49	( <sup>2</sup> )	4	53.3	1	13.3							
Yuma	179	103	76	174	12	67.0	6	33.5	All other	41	26	13	( <sup>2</sup> )	4	97.6	---	---							
CONNECTICUT (total)								23,463	17,696	5,767	133	842	35.9	513	21.9	Clay	89	73	16	( <sup>2</sup> )	1	11.2	7	78.7
Fairfield	5,777	4,051	1,726	143	214	37.0	135	23.4	White	63	55	8	( <sup>2</sup> )	---	---	3	47.6							
Rural part	480	777	-297	62	14	29.2	14	29.2	All other	26	18	8	( <sup>2</sup> )	1	38.5	4	153.8							
Bridgeport	2,860	1,623	1,237	176	89	31.1	61	21.3	Collier	68	29	39	( <sup>2</sup> )	---	---	4	58.8							
Danbury	550	349	201	158	24	43.6	18	32.7	White	49	9	40	( <sup>2</sup> )	---	---	2	40.8							
Norwalk	894	509	385	176	33	36.9	24	26.8	All other	19	20	-1	( <sup>2</sup> )	---	---	2	105.3							
Shelton	21	116	-95	18	1	47.6	1	47.6	Columbia	324	302	22	107	20	61.7	29	89.5							
Stamford	952	548	404	174	52	54.6	16	18.8	White	202	173	29	117	15	74.3	11	54.5							
Stratford (town)	20	129	-109	16	1	50.0	1	50.0	All other	122	129	-7	95	5	41.0	18	147.5							
Hartford	6,199	4,304	1,895	144	229	36.9	110	17.7	Dade	3,677	2,559	1,118	144	201	54.7	125	34.0							
Rural part	597	983	-386	61	24	40.2	7	11.7	Rural part	1,030	833	197	124	54	52.4	28	27.2							
Bristol	517	283	234	183	22	42.6	6	11.6	White	783	670	113	117	30	38.3	20	25.5							
East Hartford (town)	9	102	-93	9	40	42.3	24	25.4	All other	247	163	84	152	14	97.2	8	32.4							
Hartford	4,056	2,153	1,903	188	136	33.5	71	17.5	Miami	2,647	1,726	921	153	147	55.5	97	36.6							
New Britain	946	600	346	158	40	42.3	24	25.4	White	2,062	1,326	736	158	90	43.6	47	22.8							
West Hartford (town)	74	183	-109	40	7	94.6	2	27.0	All other	585	400	185	146	57	97.4	50	65.5							
Litchfield	1,134	864	270	131	34	30.0	20	17.6	De Soto	156	96	60	( <sup>2</sup> )	13	63.3	7	44.9							
Rural part	586	626	-40	94	15	25.6	12	20.5	White	122	72	50	( <sup>2</sup> )	9	73.8	4	32.8							
Torrington	548	238	310	230	19	34.7	8	14.6	All other	34	24	10	( <sup>2</sup> )	4	117.6	3	88.2							
Middlesex	635	870	-235	73	25	39.4	21	33.1	Dixie	151	56	95	( <sup>2</sup> )	7	46.4	7	46.4							
Rural part	46	248	-202	19	5	108.7	3	65.2	White	98	24	74	( <sup>2</sup> )	6	61.2	2	20.4							
Middletown	589	622	-33	95	20	34.0	18	30.6	All other	53	32	21	( <sup>2</sup> )	1	18.9	5	94.3							
New Haven	6,814	5,086	1,728	134	235	34.5	158	23.2	Duval	3,453	2,430	1,023	142	193	55.9	169	48.9							
Rural part	295	653	-358	45	13	44.1	10	33.9	Rural part	181	233	-52	78	10	55.2	11	60.8							
Ansonia	31	130	-99	24	3	96.8	2	64.5	White	111	187	-56	66	6	54.1	6								



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
FLORIDA—Con.								FLORIDA—Con.									
Franklin	143	63	80	( <sup>2</sup> )	6	42.0	9	62.9	Monroe	229	170	59	135	11	48.0	12	52.4
White	95	27	68	( <sup>2</sup> )	1	10.5	4	42.1	Rural part	—	—	—	—	—	—	—	—
All other	48	36	12	( <sup>2</sup> )	5	104.2	5	104.2	White	—	5	—	—	—	—	—	—
Gadsden	558	657	-79	88	39	69.9	36	64.5	All other	—	—	—	—	—	—	—	—
White	200	280	-80	69	10	50.0	7	35.0	Key West	229	165	64	139	11	46.0	12	52.4
All other	358	347	11	103	29	81.0	29	81.0	White	160	115	65	157	5	27.8	5	27.8
Gilchrist	107	45	62	( <sup>2</sup> )	9	84.1	9	84.1	All other	49	50	-1	( <sup>2</sup> )	6	122.4	7	142.9
White	90	33	57	( <sup>2</sup> )	7	77.8	4	44.4	Nassau	168	110	58	153	10	59.5	10	59.5
All other	17	12	5	( <sup>2</sup> )	2	117.6	5	294.1	White	105	63	42	( <sup>2</sup> )	4	38.1	5	47.6
Glades	39	11	28	( <sup>2</sup> )	2	51.3	3	76.9	All other	63	47	16	( <sup>2</sup> )	6	95.2	5	79.4
White	25	3	22	( <sup>2</sup> )	—	—	—	—	Okaloosa	265	119	166	239	14	49.1	17	59.6
All other	14	8	6	( <sup>2</sup> )	2	142.9	3	214.3	White	254	99	155	( <sup>2</sup> )	11	43.3	15	59.1
Gulf	124	44	80	( <sup>2</sup> )	7	56.5	5	40.3	All other	31	20	11	( <sup>2</sup> )	3	96.8	2	64.5
White	86	22	64	( <sup>2</sup> )	5	58.1	4	46.5	Okeechobee	56	20	36	( <sup>2</sup> )	1	17.9	5	89.3
All other	38	22	16	( <sup>2</sup> )	2	52.6	1	26.3	White	48	13	35	( <sup>2</sup> )	—	—	4	83.3
Hamilton	273	97	176	( <sup>2</sup> )	19	69.6	11	40.3	All other	8	7	1	( <sup>2</sup> )	1	125.0	1	125.0
White	141	48	93	( <sup>2</sup> )	8	56.7	2	14.2	Orange	1,045	841	204	124	53	50.7	53	50.7
All other	132	49	83	( <sup>2</sup> )	11	83.3	9	68.2	Rural part	349	287	62	122	13	37.2	12	34.4
Hardee	208	84	124	( <sup>2</sup> )	9	43.3	6	28.8	White	229	200	29	115	7	30.6	7	30.6
White	201	77	124	( <sup>2</sup> )	9	44.8	6	29.9	All other	120	87	33	( <sup>2</sup> )	6	50.0	5	41.7
All other	7	7	—	( <sup>2</sup> )	—	—	—	—	Orlando	696	554	142	126	40	57.5	41	58.9
Hendry	72	45	27	( <sup>2</sup> )	4	55.6	2	27.8	White	545	401	144	136	24	44.0	20	36.7
White	53	24	29	( <sup>2</sup> )	3	56.6	3	56.6	All other	151	153	-2	89	16	106.0	21	139.1
All other	19	21	-2	( <sup>2</sup> )	1	52.6	2	105.3	Osceola	147	169	-22	87	8	54.4	5	34.0
Hernando	124	69	55	( <sup>2</sup> )	8	64.5	2	16.1	White	119	138	-19	86	7	58.3	3	25.2
White	80	53	27	( <sup>2</sup> )	5	62.5	1	12.5	All other	28	31	-3	( <sup>2</sup> )	1	35.7	2	71.4
All other	44	16	28	( <sup>2</sup> )	3	66.2	1	22.7	Palm Beach	1,074	853	221	126	77	71.7	52	46.4
Highlands	212	123	89	172	15	70.8	7	33.0	Rural part	518	364	154	142	44	84.9	27	52.1
White	157	81	76	( <sup>2</sup> )	9	57.3	2	12.7	White	234	196	38	119	15	64.1	8	34.2
All other	55	42	13	( <sup>2</sup> )	6	109.1	5	90.9	All other	284	168	116	169	29	102.1	19	66.9
Hillsborough	2,877	1,877	995	153	149	51.9	99	34.5	West Palm Beach	556	489	67	114	93	59.4	25	45.0
Rural part	1,107	671	436	165	60	54.2	29	26.2	White	411	292	119	141	17	41.4	13	51.6
White	925	523	402	177	47	50.8	23	24.9	All other	145	197	-52	74	16	110.3	12	82.8
All other	182	148	34	123	13	71.4	6	33.0	Pasco	232	142	90	163	10	43.1	6	25.9
Tampa	1,765	1,206	559	146	89	50.4	70	39.7	White	190	116	74	164	9	47.4	6	51.6
White	1,400	907	493	154	53	37.9	46	32.9	All other	42	26	16	( <sup>2</sup> )	1	23.8	—	—
All other	365	299	66	122	36	98.6	24	65.8	Pinellas	1,075	1,485	-410	72	44	40.9	41	38.1
Holmes	341	90	251	( <sup>2</sup> )	10	29.3	9	26.4	Rural part	543	459	-116	75	12	35.0	10	29.2
White	322	73	249	( <sup>2</sup> )	9	28.0	8	24.8	White	271	401	-130	68	10	36.9	9	33.2
All other	19	17	2	( <sup>2</sup> )	1	52.6	1	52.6	All other	72	58	14	( <sup>2</sup> )	2	27.8	1	13.9
Indian River	148	89	59	( <sup>2</sup> )	5	33.8	10	67.6	St. Petersburg	732	1,025	-294	71	32	43.7	31	42.3
White	93	54	39	( <sup>2</sup> )	2	21.5	9	96.8	White	556	906	-350	61	25	45.0	12	21.6
All other	55	35	20	( <sup>2</sup> )	3	54.5	1	18.2	All other	176	120	56	147	7	39.8	19	108.0
Jackson	913	345	568	265	39	42.7	35	38.3	Polk	1,655	907	748	162	87	52.6	63	39.1
White	543	174	369	312	24	44.2	16	29.5	Rural part	1,222	593	629	206	63	51.6	40	32.7
All other	370	171	199	215	15	40.5	19	51.4	White	953	441	512	216	43	45.1	29	30.4
Jefferson	277	175	102	158	22	79.4	13	46.9	All other	269	152	117	177	20	74.3	11	40.9
White	64	35	29	( <sup>2</sup> )	2	31.3	1	15.6	Lakeland	433	314	119	138	24	55.4	23	53.1
All other	213	140	73	152	20	93.9	12	56.3	White	344	236	108	146	13	37.8	14	40.7
Lafayette	102	23	79	( <sup>2</sup> )	2	19.6	3	29.4	All other	89	78	11	( <sup>2</sup> )	11	123.6	9	101.1
White	94	15	79	( <sup>2</sup> )	1	10.6	3	31.9	Putnam	332	274	58	121	24	72.3	22	66.3
All other	8	8	—	( <sup>2</sup> )	1	125.0	—	—	White	186	137	49	136	15	80.6	9	48.4
Lake	545	371	174	147	30	55.0	27	49.5	All other	146	137	9	107	9	61.6	13	89.0
White	366	263	123	147	13	33.7	15	38.9	St. Johns	561	285	76	127	29	80.3	20	55.4
All other	159	108	51	147	17	106.9	12	75.5	Rural part	66	36	30	( <sup>2</sup> )	3	45.5	8	121.2
Lee	391	202	189	194	17	45.5	19	48.6	White	9	14	-5	( <sup>2</sup> )	—	—	—	—
White	335	156	179	215	13	38.8	14	41.8	All other	57	22	35	( <sup>2</sup> )	3	52.6	8	140.4
All other	56	46	10	( <sup>2</sup> )	4	71.4	5	89.3	St. Augustine	295	249	46	118	26	88.1	12	40.7
Leon	567	316	251	179	32	56.4	41	72.3	White	204	156	48	131	10	49.0	5	24.5
Rural part	249	167	82	149	20	80.3	24	96.4	All other	91	93	-2	( <sup>2</sup> )	16	175.8	7	76.9
White	41	23	18	( <sup>2</sup> )	2	48.8	—	—	St. Lucie	219	124	95	177	13	59.4	15	68.5
All other	208	144	64	144	18	86.5	24	115.4	White	130	81	49	( <sup>2</sup> )	6	46.2	10	76.9
Tallahassee	318	149	169	213	12	37.7	17	53.5	All other	89	43	46	( <sup>2</sup> )	7	78.7	5	56.2
White	189	77	112	( <sup>2</sup> )	9	47.6	8	42.3	Santa Rosa	367	139	228	264	22	59.9	14	39.1
All other	129	72	57	( <sup>2</sup> )	3	23.5	9	69.8	White	316	113	205	261	19	59.7	10	31.4
Levy	272	129	143	211	18	66.2	14	51.5	All other	49	26	23	( <sup>2</sup> )	3	61.2	4	81.6
White	181	65	116	( <sup>2</sup> )	12	66.3	2	11.0	Sarasota	225	233	-8	97	4	31.1	12	53.3
All other	91	64	27	( <sup>2</sup> )	6	65.9	12	131.9	White	170	177	-7	96	4	23.5	3	17.6
Liberty	86	38	48	( <sup>2</sup> )	9	104.7	4	46.5	All other	55	56	-1	( <sup>2</sup> )	3	54.5	9	163.6
White	56																

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
FLORIDA—Con.								GEORGIA—Con.									
Union	95	62	33	( <sup>2</sup> )	9	94.7	4	42.1	Candler	194	67	107	( <sup>2</sup> )	16	62.5	5	25.8
White	81	59	22	( <sup>2</sup> )	6	74.1	4	49.4	White	125	59	64	( <sup>2</sup> )	6	65.0	2	16.3
All other	14	3	11	( <sup>2</sup> )	3	214.3	—	—	All other	71	26	43	( <sup>2</sup> )	8	112.7	3	42.3
Volusia	689	698	-9	99	40	58.1	50	43.5	Carroll	773	283	490	( <sup>2</sup> )	44	56.9	36	46.6
Rural part	356	371	-15	96	25	70.2	17	47.8	White	569	206	363	( <sup>2</sup> )	30	52.7	26	45.7
White	226	243	-17	95	6	26.5	8	35.4	All other	204	77	127	( <sup>2</sup> )	14	66.6	10	49.0
All other	130	128	2	102	19	146.2	9	69.2	Catoosa	184	71	113	( <sup>2</sup> )	11	59.8	3	16.5
Daytona Beach	353	327	26	102	15	45.0	13	39.0	White	178	62	116	( <sup>2</sup> )	8	44.9	2	11.2
White	229	239	-10	96	11	48.0	3	13.1	All other	6	9	-3	( <sup>2</sup> )	3	( <sup>2</sup> )	1	166.7
All other	104	88	16	( <sup>2</sup> )	4	38.5	10	96.2	Charlton	166	54	112	( <sup>2</sup> )	10	60.2	12	72.3
Wakulla	120	32	88	( <sup>2</sup> )	7	58.3	6	50.0	White	115	33	80	( <sup>2</sup> )	2	17.7	6	53.1
White	64	17	47	( <sup>2</sup> )	3	46.9	1	15.6	All other	53	21	32	( <sup>2</sup> )	8	150.9	6	113.2
All other	56	15	41	( <sup>2</sup> )	4	71.4	5	89.3	Chatham	2,294	1,776	518	( <sup>2</sup> )	158	68.9	121	52.7
Walton	271	134	137	( <sup>2</sup> )	21	77.5	10	36.9	Rural part	164	228	-64	( <sup>2</sup> )	16	97.6	8	48.8
White	235	95	140	( <sup>2</sup> )	12	51.1	7	29.8	White	43	80	-37	( <sup>2</sup> )	1	23.3	2	46.5
All other	36	39	-3	( <sup>2</sup> )	9	250.0	3	85.3	All other	121	148	-27	( <sup>2</sup> )	15	124.0	6	49.6
Washington	260	109	151	( <sup>2</sup> )	14	53.8	6	23.1	Savannah	2,130	1,546	582	( <sup>2</sup> )	142	66.7	113	53.1
White	202	84	118	( <sup>2</sup> )	12	59.4	4	19.8	White	1,222	666	556	( <sup>2</sup> )	45	36.8	34	27.8
All other	58	25	33	( <sup>2</sup> )	2	34.5	2	34.5	All other	908	882	26	( <sup>2</sup> )	97	106.6	79	87.0
GEORGIA (total)	64,781	31,845	32,936	( <sup>2</sup> )	203	56.4	6,236	50.0	Chattahoochee	225	56	169	( <sup>2</sup> )	10	44.4	5	22.2
Appling	298	81	217	( <sup>2</sup> )	7	23.5	21	70.5	White	184	37	147	( <sup>2</sup> )	7	38.0	4	21.7
White	226	54	172	( <sup>2</sup> )	11	48.7	11	48.7	All other	41	19	22	( <sup>2</sup> )	3	73.2	1	24.4
All other	72	27	45	( <sup>2</sup> )	2	27.8	10	138.9	Chattooga	420	119	301	( <sup>2</sup> )	15	35.7	11	26.2
Atkinson	177	49	128	( <sup>2</sup> )	10	56.5	8	45.2	White	379	98	281	( <sup>2</sup> )	13	34.3	10	26.4
White	136	31	105	( <sup>2</sup> )	9	66.2	7	51.5	All other	41	21	20	( <sup>2</sup> )	2	48.8	1	24.4
All other	41	18	23	( <sup>2</sup> )	1	24.4	1	24.4	Cherokee	456	137	319	( <sup>2</sup> )	12	26.3	16	35.1
Bacon	230	81	149	( <sup>2</sup> )	16	69.0	10	43.5	White	438	122	316	( <sup>2</sup> )	12	27.4	15	34.2
White	196	66	130	( <sup>2</sup> )	12	61.2	5	25.5	All other	18	15	3	( <sup>2</sup> )	—	—	1	55.6
All other	34	15	19	( <sup>2</sup> )	4	117.6	5	147.1	Clarke	525	393	132	( <sup>2</sup> )	42	60.0	33	62.9
Baker	166	39	127	( <sup>2</sup> )	6	36.1	6	36.1	Rural part	122	59	63	( <sup>2</sup> )	7	57.4	6	49.2
White	49	11	38	( <sup>2</sup> )	1	20.4	—	—	White	51	32	19	( <sup>2</sup> )	4	78.4	4	78.4
All other	117	28	89	( <sup>2</sup> )	5	42.7	6	51.3	All other	71	27	44	( <sup>2</sup> )	3	42.3	2	28.2
Baldwin	260	648	-388	( <sup>2</sup> )	12	46.2	21	80.8	Athens	403	334	69	( <sup>2</sup> )	35	86.8	27	67.0
White	98	365	-265	( <sup>2</sup> )	4	40.8	4	40.8	White	259	181	78	( <sup>2</sup> )	16	61.8	14	54.1
All other	162	285	-123	( <sup>2</sup> )	8	49.4	17	104.9	All other	144	153	-9	( <sup>2</sup> )	19	131.9	13	90.3
Banks	184	98	86	( <sup>2</sup> )	12	65.2	4	21.7	Clay	149	71	78	( <sup>2</sup> )	8	53.7	9	60.4
White	158	69	89	( <sup>2</sup> )	8	50.6	4	25.3	White	22	24	-2	( <sup>2</sup> )	3	156.4	—	—
All other	26	29	-3	( <sup>2</sup> )	4	153.8	—	—	All other	127	47	80	( <sup>2</sup> )	5	39.4	9	70.9
Barrow	216	86	130	( <sup>2</sup> )	6	27.8	11	50.9	Clayton	134	101	33	( <sup>2</sup> )	11	82.1	4	29.9
White	162	67	95	( <sup>2</sup> )	4	24.7	6	37.0	White	76	52	24	( <sup>2</sup> )	2	26.3	—	—
All other	54	19	35	( <sup>2</sup> )	2	37.0	5	92.6	All other	58	49	9	( <sup>2</sup> )	9	155.2	4	69.0
Bartow	532	265	267	( <sup>2</sup> )	33	62.0	23	43.2	Clinch	135	44	91	( <sup>2</sup> )	3	22.2	3	22.2
White	451	209	242	( <sup>2</sup> )	27	59.9	17	37.7	White	84	20	64	( <sup>2</sup> )	1	11.9	1	11.9
All other	81	56	25	( <sup>2</sup> )	6	74.1	6	74.1	All other	51	24	27	( <sup>2</sup> )	2	39.2	2	39.2
Ben Hill	294	138	156	( <sup>2</sup> )	10	34.0	12	40.8	Cobb	637	317	320	( <sup>2</sup> )	41	64.4	24	37.7
White	151	81	70	( <sup>2</sup> )	8	53.0	3	19.9	White	530	235	295	( <sup>2</sup> )	50	56.6	14	26.4
All other	143	57	86	( <sup>2</sup> )	2	14.0	9	62.9	All other	107	82	25	( <sup>2</sup> )	11	102.8	10	93.5
Berrien	350	97	253	( <sup>2</sup> )	13	37.1	15	42.9	Coffee	644	227	417	( <sup>2</sup> )	36	55.9	48	74.5
White	299	61	238	( <sup>2</sup> )	11	36.8	14	46.8	White	499	146	353	( <sup>2</sup> )	25	50.1	30	60.1
All other	51	36	15	( <sup>2</sup> )	2	39.2	1	19.6	All other	145	79	66	( <sup>2</sup> )	11	75.9	18	124.1
Bibb	1,527	1,160	367	( <sup>2</sup> )	121	79.2	107	70.1	Colquitt	788	291	447	( <sup>2</sup> )	45	61.0	38	51.5
Rural part	214	174	40	( <sup>2</sup> )	11	51.4	11	51.4	White	560	180	377	( <sup>2</sup> )	28	50.0	21	37.5
White	35	75	-40	( <sup>2</sup> )	2	57.1	1	28.6	All other	178	101	77	( <sup>2</sup> )	17	95.8	17	95.8
All other	179	99	80	( <sup>2</sup> )	9	50.3	10	55.9	Columbia	223	60	163	( <sup>2</sup> )	12	53.8	8	35.9
Macon	1,313	966	327	( <sup>2</sup> )	110	83.8	96	73.1	White	64	17	47	( <sup>2</sup> )	1	15.6	—	—
White	847	465	382	( <sup>2</sup> )	54	63.8	35	41.3	All other	159	43	116	( <sup>2</sup> )	11	69.2	8	50.3
All other	466	521	-55	( <sup>2</sup> )	56	120.2	61	130.9	Cook	285	104	181	( <sup>2</sup> )	15	52.6	21	73.7
Eleckley	201	84	117	( <sup>2</sup> )	14	69.7	9	44.8	White	210	76	134	( <sup>2</sup> )	15	71.4	11	52.4
White	105	36	69	( <sup>2</sup> )	8	76.2	3	28.6	All other	75	28	47	( <sup>2</sup> )	—	—	10	133.3
All other	96	48	48	( <sup>2</sup> )	6	62.5	6	62.5	Coweta	454	196	258	( <sup>2</sup> )	25	55.1	23	50.7
Erantley	172	55	117	( <sup>2</sup> )	9	52.3	6	34.9	White	209	90	119	( <sup>2</sup> )	8	38.3	6	26.7
White	157	49	108	( <sup>2</sup> )	9	57.3	3	19.1	All other	245	106	139	( <sup>2</sup> )	17	69.4	17	69.4
All other	15	6	9	( <sup>2</sup> )	—	—	3	200.0	Crawford	152	68	84	( <sup>2</sup> )	9	55.6	16	111.1
Brooks	514	210	304	( <sup>2</sup> )	27	52.5	30	58.4	White	36	32	4	( <sup>2</sup> )	2	55.6	1	27.6
White	213	88	125	( <sup>2</sup> )	6	28.2	10	46.9	All other	126	36	90	( <sup>2</sup> )	7	55.6	17	134.9
All other	301	122	179	( <sup>2</sup> )	21	69.8	20	66.4	Crisp	351	218	133	( <sup>2</sup> )	28	79.8	24	68.4
Bryan	116	59	57	( <sup>2</sup> )	5	43.1	5	43.1	White	167	79	88	( <sup>2</sup> )	7	41.9	11	65.9
White	44	17	27	( <sup>2</sup> )	1	22.7	1	22.7	All other	184	139	45	( <sup>2</sup> )	21	114.1	13	70.7
All other	72	42	30	( <sup>2</sup> )	4	55.6	4	55.6	Dade	110	43	67	(<				

# SUMMARY AND RATE TABLES

41

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued																	
GEORGIA—Con.																	
Dodge	449	178	271	252	12	26.7	21	46.8	Gwinnett	546	224	322	244	27	49.5	28	51.3
White	271	112	159	242	6	22.1	9	33.2	White	473	190	283	249	25	52.9	22	46.5
All other	178	66	112	( <sup>2</sup> )	6	35.7	12	67.4	All other	73	34	39	( <sup>2</sup> )	2	27.4	6	82.2
Dooly	421	153	268	275	17	40.4	16	38.0	Habersham	329	112	217	294	14	42.6	9	27.4
White	130	63	67	( <sup>2</sup> )	3	23.1	4	30.8	White	315	104	211	303	13	41.3	8	25.4
All other	291	90	201	( <sup>2</sup> )	14	48.1	12	41.2	All other	14	8	6	( <sup>2</sup> )	1	71.4	1	71.4
Dougherty	551	346	205	159	34	61.7	40	72.6	Hall	635	337	298	188	45	70.9	27	42.5
Rural part	126	55	71	( <sup>2</sup> )	7	55.6	6	47.6	White	574	281	293	204	41	71.4	23	40.1
White	30	5	25	( <sup>2</sup> )	1	33.3	1	33.3	All other	61	56	5	( <sup>2</sup> )	4	65.6	4	65.6
All other	96	50	46	( <sup>2</sup> )	6	62.5	5	52.1	Hancock	310	100	210	310	9	29.0	15	48.4
All other	425	291	134	146	27	63.5	34	80.0	White	34	21	13	( <sup>2</sup> )	2	58.8	2	58.8
Albany	241	103	138	234	8	33.2	14	58.1	All other	276	79	197	( <sup>2</sup> )	7	25.4	13	47.1
White	184	188	-4	98	19	103.3	20	108.7	Haralson	264	88	176	( <sup>2</sup> )	16	60.6	10	37.9
All other	212	75	137	( <sup>2</sup> )	5	23.6	6	28.3	White	233	75	158	( <sup>2</sup> )	13	55.8	8	34.3
Douglas	148	50	98	( <sup>2</sup> )	3	20.3	3	20.3	All other	31	13	18	( <sup>2</sup> )	3	96.8	2	64.5
White	64	25	39	( <sup>2</sup> )	2	31.3	3	46.9	Harris	262	109	153	240	25	95.4	15	57.3
All other	455	180	275	253	24	52.7	17	37.4	White	51	33	18	( <sup>2</sup> )	5	98.0	1	19.6
White	176	77	99	( <sup>2</sup> )	12	68.2	2	11.4	All other	211	76	135	( <sup>2</sup> )	20	94.8	14	66.4
All other	279	103	176	271	12	43.0	15	53.8	Hart	304	110	194	276	13	42.8	17	55.9
Echols	50	18	32	( <sup>2</sup> )	—	—	—	—	White	216	77	139	( <sup>2</sup> )	10	46.3	5	23.1
White	34	12	22	( <sup>2</sup> )	—	—	—	—	All other	88	33	55	( <sup>2</sup> )	3	34.1	12	136.4
All other	16	6	10	( <sup>2</sup> )	—	—	—	—	Heard	170	61	109	( <sup>2</sup> )	14	82.4	2	11.8
Effingham	217	104	113	209	16	73.7	14	64.5	White	107	43	64	( <sup>2</sup> )	7	65.4	7	111.1
White	99	47	52	( <sup>2</sup> )	5	50.5	3	30.3	All other	63	18	45	( <sup>2</sup> )	7	111.1	2	51.7
All other	118	57	61	( <sup>2</sup> )	11	93.2	11	93.2	Henry	314	142	172	221	15	47.8	21	66.9
Elbert	423	172	251	246	12	28.4	17	40.2	White	83	60	23	( <sup>2</sup> )	4	48.2	4	48.2
White	235	97	138	( <sup>2</sup> )	9	38.3	3	12.8	All other	231	82	149	( <sup>2</sup> )	11	47.6	17	73.6
All other	188	75	113	( <sup>2</sup> )	3	16.0	14	74.5	Houston	206	108	98	191	9	43.7	24	116.5
Emanuel	503	218	285	231	33	65.6	32	63.6	White	45	28	17	( <sup>2</sup> )	9	55.9	21	130.4
White	258	120	138	215	17	65.9	6	23.3	All other	161	80	81	( <sup>2</sup> )	15	51.5	13	44.7
All other	245	98	147	( <sup>2</sup> )	16	63.3	26	106.1	Irwin	291	88	203	( <sup>2</sup> )	6	47.6	6	40.8
Evans	177	64	113	( <sup>2</sup> )	8	45.2	4	22.6	White	147	48	99	( <sup>2</sup> )	7	55.6	7	48.6
White	112	37	75	( <sup>2</sup> )	4	35.7	2	17.9	All other	144	40	104	( <sup>2</sup> )	8	49.5	16	33.0
All other	65	27	38	( <sup>2</sup> )	4	61.5	2	30.8	Jackson	465	189	276	257	24	46.8	12	29.6
Fannin	393	118	275	333	25	63.6	18	45.8	White	406	155	251	262	19	46.8	12	29.6
White	390	115	275	339	25	64.1	18	46.2	All other	79	34	45	( <sup>2</sup> )	5	63.3	4	50.6
All other	3	3	( <sup>2</sup> )	( <sup>2</sup> )	—	—	—	—	Jasper	168	117	51	144	14	83.3	19	113.1
Fayette	209	62	147	( <sup>2</sup> )	6	28.7	9	43.1	White	59	43	16	( <sup>2</sup> )	4	67.8	4	67.8
White	118	43	75	( <sup>2</sup> )	2	16.9	4	33.9	All other	109	74	35	( <sup>2</sup> )	10	91.7	15	137.6
All other	91	19	72	( <sup>2</sup> )	4	44.0	5	54.9	Jeff Davis	214	79	135	( <sup>2</sup> )	18	84.1	7	32.7
Floyd	1,152	565	587	204	71	61.6	52	45.1	White	170	63	107	( <sup>2</sup> )	15	88.2	4	23.5
Rural part	455	198	257	230	31	68.1	8	17.6	All other	44	16	28	( <sup>2</sup> )	3	68.2	3	68.2
White	387	159	228	243	23	59.4	5	12.9	Jefferson	486	160	326	304	29	59.7	30	61.7
All other	68	39	29	( <sup>2</sup> )	8	117.6	3	44.1	White	131	66	65	( <sup>2</sup> )	15	114.5	6	45.8
Rome	697	367	330	190	40	57.4	44	63.1	All other	355	94	261	( <sup>2</sup> )	14	39.4	24	67.6
White	580	256	324	227	33	56.9	31	53.4	Jenkins	266	175	91	152	11	41.4	7	26.3
All other	117	111	6	105	7	59.8	13	111.1	White	133	83	50	( <sup>2</sup> )	7	52.6	1	7.5
Forsyth	248	47	201	( <sup>2</sup> )	13	52.4	4	16.1	All other	133	92	41	( <sup>2</sup> )	4	30.1	6	45.1
White	248	46	202	( <sup>2</sup> )	12	48.4	4	16.1	Johnson	245	87	158	( <sup>2</sup> )	17	69.4	13	53.1
All other	1	1	-1	( <sup>2</sup> )	1	—	—	—	White	131	57	74	( <sup>2</sup> )	8	61.1	4	30.5
Franklin	271	141	130	192	17	62.7	17	62.7	All other	114	30	84	( <sup>2</sup> )	9	78.9	9	78.9
White	223	118	105	189	16	71.7	14	62.8	Jones	201	82	119	( <sup>2</sup> )	11	54.7	9	44.8
All other	48	23	25	( <sup>2</sup> )	1	20.8	3	62.5	White	55	26	29	( <sup>2</sup> )	2	36.4	1	18.2
Fulton	7,619	4,862	2,757	1,574	469	61.6	283	37.1	All other	146	56	90	( <sup>2</sup> )	9	61.6	8	54.8
Rural part	610	751	-141	81	42	68.9	36	59.0	Lamar	196	110	86	178	13	66.3	10	51.0
White	493	509	-16	97	26	52.7	20	40.6	White	88	41	47	( <sup>2</sup> )	4	45.5	3	34.1
All other	117	242	-125	48	16	136.8	16	136.8	All other	108	69	39	( <sup>2</sup> )	9	83.3	7	64.8
Atlanta (part)	7,009	4,111	2,898	( <sup>2</sup> )	427	( <sup>2</sup> )	247	( <sup>2</sup> )	Lanier	97	36	61	( <sup>2</sup> )	5	51.5	13	134.0
White	4,670	2,167	2,503	( <sup>2</sup> )	240	( <sup>2</sup> )	127	( <sup>2</sup> )	White	68	16	52	( <sup>2</sup> )	1	14.7	11	161.8
All other	2,339	1,944	395	( <sup>2</sup> )	187	( <sup>2</sup> )	120	( <sup>2</sup> )	All other	29	20	9	( <sup>2</sup> )	4	137.9	2	69.0
Atlanta (total)	7,052	4,258	2,796	166	429	60.8	250	35.5	Laurens	853	400	453	213	36	42.2	48	56.3
White	4,695	2,275	2,420	206	240	51.1	128	27.3	White	480	217	263	221	21	43.8	15	31.3
All other	2,357	1,981	376	119	189	80.2	122	51.8	All other	373	183	190	204	15	40.2	33	88.5
Gilmer	218	55	163	( <sup>2</sup> )	11	50.5	3	13.8	Lee	176	79	97	( <sup>2</sup> )	14	79.5	13	73.9
White	216	55	161	( <sup>2</sup> )	11	50.9	3	13.9	White	19	19	—	( <sup>2</sup> )	2	105.3	1	52.6
All other	2	—	—	( <sup>2</sup> )	—	—	—	—	All other	157	60	97	( <sup>2</sup> )	12	76.4	12	76.4
Glascock	113	29	84	( <sup>2</sup> )	3	26.5	5	44.2	Liberty	187	91	96	( <sup>2</sup> )	19	101.6	18	96.3
White	83	20	63	( <sup>2</sup> )	2	24.1	1	12.0	White	49	16	33	( <sup>2</sup> )	6	122.4	6	122.4
All other	30	9	21	( <sup>2</sup> )	1												

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
GEORGIA—Con.								GEORGIA—Con.									
McDuffie	201	98	103	( <sup>2</sup> )	11	54.7	14	68.7	Richmond	1,690	1,206	484	140	94	55.6	87	51.5
White	56	43	13	( <sup>2</sup> )	2	35.7	4	71.4	Rural part	156	123	33	127	6	38.5	6	38.5
All other	145	55	90	( <sup>2</sup> )	9	62.1	10	69.0	White	53	65	-12	( <sup>2</sup> )	2	37.7	1	18.9
McIntosh	144	57	87	( <sup>2</sup> )	12	85.3	9	62.5	All other	103	58	45	( <sup>2</sup> )	4	38.8	5	48.5
White	37	11	26	( <sup>2</sup> )	4	108.1	1	27.0	Augusta	1,534	1,083	451	142	88	57.4	81	52.8
All other	107	46	61	( <sup>2</sup> )	8	74.8	8	74.8	White	960	549	411	175	45	46.9	35	36.5
Macon	384	155	229	248	29	75.5	18	46.9	All other	574	534	40	107	43	74.9	46	80.1
White	88	46	42	( <sup>2</sup> )	7	79.5	1	11.4	Rockdale	153	63	90	( <sup>2</sup> )	5	32.7	11	71.9
All other	296	109	187	272	22	74.3	17	57.4	White	97	40	57	( <sup>2</sup> )	5	51.5	7	72.2
Madison	278	104	174	267	17	61.2	13	46.8	All other	56	23	33	( <sup>2</sup> )	—	—	4	71.4
White	212	82	130	( <sup>2</sup> )	12	56.6	9	42.5	Schley	131	53	78	( <sup>2</sup> )	6	45.8	6	45.8
All other	66	22	44	( <sup>2</sup> )	5	75.8	4	60.6	White	44	21	23	( <sup>2</sup> )	2	45.5	1	22.7
Marion	189	93	96	( <sup>2</sup> )	20	105.8	16	84.7	All other	87	32	55	( <sup>2</sup> )	4	46.0	5	57.5
White	62	38	24	( <sup>2</sup> )	6	96.8	2	32.3	Screven	488	173	315	282	29	59.4	39	79.9
All other	127	55	72	( <sup>2</sup> )	14	110.2	14	110.2	White	147	60	87	( <sup>2</sup> )	10	68.0	8	54.4
Meriwether	430	212	218	203	22	51.2	24	55.8	All other	341	113	228	302	19	55.7	31	90.9
White	173	80	93	( <sup>2</sup> )	4	23.1	6	34.7	Seminole	243	79	164	( <sup>2</sup> )	13	53.5	10	41.2
All other	257	132	125	195	18	70.0	18	70.0	White	159	33	126	( <sup>2</sup> )	9	56.6	1	6.3
Miller	173	47	126	( <sup>2</sup> )	6	34.7	7	40.5	All other	84	46	38	( <sup>2</sup> )	4	47.6	9	107.1
White	93	26	67	( <sup>2</sup> )	3	32.3	5	53.8	Spalding	443	314	129	141	41	92.6	50	112.9
All other	80	21	59	( <sup>2</sup> )	3	37.5	2	25.0	Rural part	210	115	95	163	22	104.8	15	71.4
Mitchell	634	223	411	284	49	77.3	32	50.5	White	114	52	62	( <sup>2</sup> )	7	61.4	5	43.9
White	254	89	165	( <sup>2</sup> )	14	55.1	7	27.6	All other	96	63	33	( <sup>2</sup> )	15	156.3	10	104.2
All other	380	134	246	284	35	92.1	25	65.8	Griffin	283	199	84	117	19	81.5	35	150.2
Monroe	226	119	107	190	14	61.9	17	75.2	White	164	115	49	143	12	73.2	18	109.8
White	67	52	15	( <sup>2</sup> )	3	44.8	2	29.9	All other	69	84	-15	( <sup>2</sup> )	7	101.4	17	246.4
All other	159	67	92	( <sup>2</sup> )	11	69.2	15	94.3	Stephens	316	114	202	277	19	60.1	12	38.0
Montgomery	193	50	143	( <sup>2</sup> )	4	20.7	12	62.2	White	269	88	181	( <sup>2</sup> )	16	59.5	9	33.5
White	85	23	62	( <sup>2</sup> )	1	11.8	6	70.6	All other	47	26	21	( <sup>2</sup> )	3	63.8	3	63.8
All other	108	27	81	( <sup>2</sup> )	3	27.8	6	55.6	Stewart	232	110	122	211	16	69.0	11	47.4
Morgan	279	129	150	216	10	35.8	20	71.7	White	37	24	13	( <sup>2</sup> )	1	27.0	1	27.0
White	99	47	52	( <sup>2</sup> )	4	40.4	6	60.6	All other	195	86	109	( <sup>2</sup> )	15	76.9	10	51.3
All other	160	82	78	( <sup>2</sup> )	6	33.3	14	77.8	Sumter	536	274	262	196	36	67.2	24	44.8
Murray	255	75	180	( <sup>2</sup> )	7	27.5	7	27.5	White	131	92	39	( <sup>2</sup> )	6	45.8	6	45.8
White	244	68	176	( <sup>2</sup> )	7	28.7	7	28.7	All other	405	182	223	223	30	74.1	18	44.4
All other	11	7	4	( <sup>2</sup> )	—	—	—	—	Talbot	200	90	110	( <sup>2</sup> )	14	70.0	15	75.0
Muscogee	1,308	739	567	177	81	62.0	66	50.5	White	34	31	3	( <sup>2</sup> )	4	117.6	—	—
Rural part	77	45	32	( <sup>2</sup> )	5	64.9	4	51.9	All other	166	59	107	( <sup>2</sup> )	10	60.2	15	90.4
White	45	28	17	( <sup>2</sup> )	2	44.4	2	44.4	Taliaferro	130	52	78	( <sup>2</sup> )	7	53.8	9	69.2
All other	32	17	15	( <sup>2</sup> )	3	93.8	2	62.5	White	19	23	-4	( <sup>2</sup> )	2	105.3	—	—
Columbus	1,229	694	535	177	76	61.8	62	50.4	All other	111	29	82	( <sup>2</sup> )	5	45.0	9	81.1
White	623	408	415	202	50	60.8	26	31.6	Tattnall	313	112	201	279	20	63.9	19	60.7
All other	406	286	120	142	26	64.0	36	88.7	White	244	65	179	( <sup>2</sup> )	12	49.2	9	36.9
Newton	406	163	243	249	27	66.5	22	54.2	All other	69	47	22	( <sup>2</sup> )	8	115.9	10	144.9
White	233	76	157	( <sup>2</sup> )	10	42.9	7	30.0	Taylor	237	72	165	( <sup>2</sup> )	7	29.5	14	59.1
All other	173	87	86	( <sup>2</sup> )	17	98.3	15	86.7	White	108	33	75	( <sup>2</sup> )	1	9.3	5	46.3
Oconee	98	51	47	( <sup>2</sup> )	3	30.6	14	142.9	All other	129	39	90	( <sup>2</sup> )	6	46.5	9	69.8
White	51	41	10	( <sup>2</sup> )	2	39.2	1	19.6	Telfair	295	142	153	208	19	64.4	15	50.8
All other	47	10	37	( <sup>2</sup> )	1	21.3	13	276.6	White	173	79	94	( <sup>2</sup> )	12	69.0	10	57.8
Oglethorpe	265	111	154	239	22	83.0	18	67.9	All other	122	63	59	( <sup>2</sup> )	7	57.4	5	41.0
White	96	54	42	( <sup>2</sup> )	3	31.3	8	83.3	Terrell	417	179	238	233	31	74.3	24	57.6
All other	169	57	112	( <sup>2</sup> )	19	112.4	10	59.2	White	55	46	9	( <sup>2</sup> )	2	36.4	—	—
Paulding	260	96	164	( <sup>2</sup> )	14	53.8	16	61.5	All other	362	133	229	272	29	80.1	24	66.3
White	229	90	139	( <sup>2</sup> )	12	52.4	14	61.1	Thomas	680	359	321	189	44	64.7	34	50.0
All other	31	6	25	( <sup>2</sup> )	2	64.5	2	64.5	Rural part	383	143	240	268	21	54.8	13	33.9
Peach	265	107	158	248	24	90.6	17	64.2	White	148	76	72	( <sup>2</sup> )	6	40.5	—	—
White	97	32	65	( <sup>2</sup> )	4	41.2	—	—	All other	235	67	168	( <sup>2</sup> )	15	63.8	13	55.3
All other	168	75	93	( <sup>2</sup> )	20	119.0	17	101.2	Thomasville	297	216	81	138	23	77.4	21	70.7
Pickens	223	65	158	( <sup>2</sup> )	20	89.7	6	26.9	White	162	111	51	146	12	74.1	12	74.1
White	213	62	151	( <sup>2</sup> )	19	89.2	6	28.2	All other	135	105	30	129	11	81.5	9	66.7
All other	10	3	7	( <sup>2</sup> )	1	100.0	—	—	Tift	407	202	205	201	37	90.9	16	39.3
Pierce	343	94	249	( <sup>2</sup> )	22	64.1	17	49.6	White	273	121	152	226	18	65.9	11	40.3
White	265	65	200	( <sup>2</sup> )	16	60.4	9	34.0	All other	134	81	53	( <sup>2</sup> )	19	141.8	5	37.3
All other	78	29	49	( <sup>2</sup> )	6	76.9	8	102.6	Toombs	303	125	178	242	10	33.0	16	52.8
Pike	228	101	127	226	13	57.0	10	43.9	White	180	81	99	( <sup>2</sup> )	4	22.2	6	33.3
White	75	44	31	( <sup>2</sup> )	8	106.7	4	53.3	All other	123	44	79	( <sup>2</sup> )	6	48.8	10	81.3
All other	153	57	96	( <sup>2</sup> )	5	32.7	6	39.2	Towns	110	33	77	( <sup>2</sup> )	5	45.5	5	45.5
Folk	564	210	354	269	21	37.2	18	31.9	White	110	33	77	( <sup>2</sup> )	5	45.5	5	45.5
White	476	155	321	307	12	25.2	14	29.4	All other	—	—	—	—	—	—	—	—
All other	88	55	33	( <sup>2</sup> )	9	102.3	4	45.5	Treutlen	152	42	110	(				

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
Section B—Continued								Section B—Continued									
GEORGIA—Con.								IDAHO—Continued									
Union	219	67	152	( <sup>2</sup> )	16	75.1	10	45.7	Kootenai	328	226	102	145	5	15.2	13	39.6
White	219	67	152	( <sup>2</sup> )	16	75.1	10	45.7	Latah	361	172	189	210	14	38.8	8	22.2
All other									Lemhi	123	52	71	( <sup>2</sup> )	3	24.4	1	8.1
Upson	506	227	279	223	35	69.2	15	29.6	Lewis	84	21	63	( <sup>2</sup> )	1	11.9	2	23.8
White	335	124	211	270	20	59.7	3	9.0	Lincoln	65	14	51	( <sup>2</sup> )	4	61.5	2	30.8
All other	171	103	68	166	15	87.7	12	79.2	Madison	277	91	186	( <sup>2</sup> )	19	68.6	8	28.9
Walker	544	193	351	282	36	66.2	16	29.4	Minidoka	179	66	113	( <sup>2</sup> )	11	61.5	3	16.8
White	512	172	340	298	32	62.5	13	25.4	Nez Perce	427	246	181	174	24	56.2	11	25.8
All other	32	21	11		4	125.0	3	93.8	Oneida	154	40	114	( <sup>2</sup> )	8	51.9	2	13.0
Walton	445	217	228	205	36	80.9	13	29.2	Owyhee	22	16	6	( <sup>2</sup> )				
White	256	115	141	223	13	50.8	3	11.7	Payette	153	78	75	( <sup>2</sup> )	8	52.3	1	6.5
All other	189	102	87	185	23	121.7	10	52.9	Power	113	55	60	( <sup>2</sup> )	5	44.2	1	8.8
Ware	613	378	234	162	39	63.6	48	78.3	Shoshone	421	205	216	205	14	33.3	10	23.8
Rural part	186	55	131	( <sup>2</sup> )	6	32.3	5	26.9	Teton	75	17	58	( <sup>2</sup> )	2	26.7	1	13.3
White	159	41	118	( <sup>2</sup> )	3	18.9	4	25.2	Twin Falls	889	512	577	285	55	39.4	24	27.0
All other	27	14	13	( <sup>2</sup> )	3	111.1	1	37.0	Valley	70	30	40	( <sup>2</sup> )	5	71.4	1	14.3
Waycross	427	324	103	132	33	77.3	43	100.7	Washington	183	87	96	( <sup>2</sup> )	14	76.5	2	10.9
White	309	204	105	151	25	80.9	28	90.6	Yellowstone National Park (part)								
All other	118	120	-2	98	8	67.8	15	127.1									
Warren	239	82	157	( <sup>2</sup> )	17	71.1	7	29.3	ILLINOIS (total)	117,841	86,994	30,847	135	4,474	38.0	2,978	25.3
White	54	20	34	( <sup>2</sup> )	2	37.0			Adams	1,071	873	198	123	48	44.8	22	20.5
All other	185	62	123	( <sup>2</sup> )	15	81.1	7	37.8	Rural part	136	228	-92	60	5	36.8	7	51.5
Washington	530	238	292	223	21	39.6	26	49.1	Quincy	935	645	290	145	43	46.0	15	16.0
White	181	121	60	150	7	38.7	8	44.2	Alexander	496	379	117	131	39	78.6	31	62.5
All other	349	117	232	298	14	40.1	18	51.6	Rural part	229	106	123	216	17	74.2	13	56.8
Wayne	358	98	260	( <sup>2</sup> )	19	53.1	15	41.8	Cairo	267	273	-6	98	22	82.4	18	67.4
White	301	78	223	( <sup>2</sup> )	17	56.5	8	26.6	White	193	161	32	120	11	57.0	9	46.6
All other	57	20	37	( <sup>2</sup> )	2	35.1	7	122.8	All other	74	112	-38	66	11	148.6	9	121.6
Webster	95	43	52	( <sup>2</sup> )	3	31.6	10	105.3	Bond	144	124	20	116	7	48.6	5	34.7
White	26	16	10	( <sup>2</sup> )	1	38.5			Boone	253	179	74	141	12	47.4	10	39.5
All other	69	27	42	( <sup>2</sup> )	2	29.0	10	144.9	Brown	100	85	15	( <sup>2</sup> )	6	60.0	2	20.0
Wheeler	171	49	122	( <sup>2</sup> )	8	46.8	5	29.2	Bureau	615	405	210	152	26	42.3	4	6.5
White	94	19	75	( <sup>2</sup> )	2	21.3	2	21.3	Calhoun	160	62	98	( <sup>2</sup> )	7	43.8	4	25.0
All other	77	30	47	( <sup>2</sup> )	6	77.9	3	39.0	Carroll	202	200	2	101	6	29.7	5	24.6
White	167	47	120	( <sup>2</sup> )	11	65.9	5	29.9	Cass	306	212	96	145	14	45.5	7	22.7
White	163	45	118	( <sup>2</sup> )	11	67.5	4	24.5	Champaign	1,175	721	454	163	52	44.3	24	20.4
All other	4	2	2	( <sup>2</sup> )	1	250.0			Rural part	512	283	29	110	13	41.7	8	25.6
Whitfield	548	224	324	245	23	42.0	25	45.6	Champaign	470	250	220	188	23	48.9	12	25.5
White	513	197	316	260	21	40.9	23	44.8	Urban	393	188	205	209	16	40.7	4	10.2
All other	35	27	8		2	57.1	2	57.1	Christian	699	392	307	178	31	44.3	18	25.8
Wilcox	274	82	192	( <sup>2</sup> )	8	29.2	10	36.5	Clark	254	211	43	120	9	35.4	6	23.6
White	148	46	102	( <sup>2</sup> )	5	33.8	5	33.8	Clay	365	212	153	172	19	52.1	4	11.0
All other	126	36	90	( <sup>2</sup> )	3	23.8	5	39.7	Clinton	389	185	204	210	12	30.8	6	15.4
Wilkes	384	189	195	203	21	54.7	20	52.1	Rural part	389	185	204	210	12	30.8	6	15.4
White	137	71	66	( <sup>2</sup> )	11	80.3	6	43.8	Centuria (part)								
All other	247	118	129	209	10	40.5	14	56.7	Coles	629	467	162	135	36	57.2	27	42.9
Willkinson	198	79	119	( <sup>2</sup> )	9	45.5	14	70.7	Rural part	331	223	108	148	18	54.4	14	42.3
White	80	35	45	( <sup>2</sup> )	4	50.0	3	37.5	Mattoon	298	244	54	122	18	60.4	13	43.6
All other	118	44	74	( <sup>2</sup> )	5	42.4	11	93.2	Cook	57,341	43,667	13,674	131	1,799	31.4	1,383	24.1
Worth	595	214	381	278	44	73.9	29	48.7	Rural part	1,867	3,912	-2,045	48	54	28.9	45	24.1
White	266	82	184	( <sup>2</sup> )	10	37.6	9	33.8	Berwyn	604	370	234	163	19	31.5	12	19.9
All other	329	132	197	249	34	103.3	20	60.8	Blue Island	463	183	300	264	15	31.1	14	29.0
IDAHO (total)	11,068	4,753	6,315	233	508	45.9	239	21.6	Brookfield	12	50	-38	( <sup>2</sup> )	2	166.7		
Ada	982	509	473	193	38	38.7	10	10.2	Calumet City	43	65	-22	( <sup>2</sup> )	5	116.3	1	23.3
Rural part	22	137	-115	16	6	272.7			Chicago	48,907	36,070	12,837	136	1,548	31.7	1,192	24.4
Boise City	960	372	588	258	32	33.3	10	10.4	White	43,777	31,741	12,036	138	1,296	29.6	1,040	23.8
Adams	62	26	36	( <sup>2</sup> )	4	64.5			All other	5,130	4,329	801	119	252	49.1	152	29.6
Bannock	618	269	349	304	35	42.8	19	23.2	Chicago Heights	527	210	317	251	20	38.0	17	32.3
Rural part	134	42	92	( <sup>2</sup> )	6	44.8	2	14.9	White	491	192	299	256	20	40.7	17	34.6
Postallo	684	227	457	301	29	42.4	17	24.9	All other	36	18	18	( <sup>2</sup> )				
Bear Lake	144	71	73	( <sup>2</sup> )	11	76.4	5	34.7	Cicero	61	297	-236	21	6	98.4		
Beneah	147	80	67	( <sup>2</sup> )	9	61.2	4	27.2	Elgin (part)								
Bingham	400	217	183	184	24	60.0	8	20.0	Elmwood Park	13	37	-24	( <sup>2</sup> )				
Blaine	105	49	56	4	4	38.1	6	57.1	Evansston	1,792	764	1,028	235	54	18.0	39	21.8
Boise	3	10	-7	( <sup>2</sup> )	1	( <sup>2</sup> )			Forest Park	12	138	-126	9	1	83.3	2	166.7
Bonner	301	136	165	221	12	39.9	6	19.9	Harvey	492	128	364	384	14	28.5	10	20.3
Bonnaville	852	258	594	330	43	50.5	22	25.8	La Grange	8	64	-56	( <sup>2</sup> )				
Boundary	126	41	85	( <sup>2</sup> )	4	31.7	3	23.8	Maywood	34	133	-99	26			3	88.2
Butte	37	13	24	( <sup>2</sup> )	2	54.1	1	27.0	Melrose Park	326	107	219	305	13	39.9	6	18.4
Cassia	22	4	18	( <sup>2</sup> )			1	45.5	Oak Park	2,157	910	1,247	237	67	31.1	39	18.1
Canyon	917	417	500	220	45	49.1	20	21.8	Park Ridge	1	65	-64	(				

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued																	
ILLINOIS—Con.																	
Fayette	559	324	235	173	29	51.9	14	25.0	Ferry	445	285	160	156	25	56.2	13	29.2
Ford	205	147	58	139	8	29.3	4	19.5	Piatt	158	95	63	( <sup>2</sup> )	6	38.0	6	38.0
Franklin	959	502	457	191	66	68.8	30	31.3	Pike	343	242	101	142	8	25.3	9	26.2
Rural part	619	349	270	177	43	69.5	15	24.2	Pope	122	82	30	( <sup>2</sup> )	6	49.2	5	41.0
West Frankfort	340	153	187	222	23	67.6	15	44.1	Pulaski	255	202	53	126	28	109.8	9	55.3
Fulton	677	453	224	149	32	47.3	16	23.6	Putnam	36	44	-8	( <sup>2</sup> )	2			
Rural part	308	248	60	124	10	32.5	7	22.7	Randolph	497	351	146	142	25	46.3	9	18.1
Canton	369	205	164	180	22	59.8	9	24.4	Richland	416	252	164	165	26	62.5	10	24.0
Gallatin	177	101	76	175	14	79.1	6	33.9	Rock Island	1,670	1,353	537	140	76	40.6	47	25.1
Greene	355	199	156	178	20	56.3	1	2.8	Rural part	114	126	-14	89	7	81.4	6	52.6
Grundy	324	201	123	161	9	27.8	11	34.0	East Moline	55	512	-277	11	3	85.7		
Hamilton	259	136	121	188	8	30.6	6	23.2	Moline	1,206	465	741	259	43	35.7	28	23.2
Hancock	309	261	28	110	11	35.6	8	25.9	Rock Island	515	426	87	120	23	44.7	15	25.2
Hardin	138	89	49	( <sup>2</sup> )	11	79.7	5	36.2	St. Clair	2,468	1,718	770	145	152	61.1	77	30.9
Henderson	121	66	55	( <sup>2</sup> )	3	24.8	1	8.3	Rural part	437	474	-37	92	34	77.8	5	11.4
Henry	689	466	203	142	16	23.2	25	36.3	Belleville	567	364	203	156	30	52.9	21	37.0
Rural part	250	235	15	106	4	16.0	13	52.0	East St. Louis	1,484	880	604	189	88	59.3	51	34.4
Kewanee	439	251	188	175	12	27.3	12	27.3	White	1,212	672	540	180	64	52.8	30	24.8
Iroquois	523	335	188	156	15	28.7	6	11.5	All other	272	208	64	131	24	88.2	21	77.2
Jackson	732	402	330	182	31	42.3	23	31.4	Saline	740	452	288	164	45	60.8	28	37.8
Jasper	191	126	65	152	4	20.9	2	10.5	Rural part	465	271	194	172	26	55.9	21	45.2
Jefferson	632	380	252	166	35	55.4	17	26.9	Harrisburg	275	181	94	152	19	69.1	7	25.5
Rural part	350	187	163	187	20	57.1	9	25.7	Sangamon	1,918	1,579	339	121	92	48.0	53	27.6
Mount Vernon	282	193	89	146	15	53.2	8	28.4	Rural part	513	510	3	101	3	9.6	4	12.8
Jersey	183	128	54	142	9	49.2	10	54.6	Springfield	1,605	1,269	336	126	89	55.5	49	30.5
Jo Daviess	222	215	7	103	6	36.0	8	36.0	Schuyler	137	82	55	( <sup>2</sup> )	7	51.1	4	29.2
Johnson	237	117	120	203	13	54.9	7	29.5	Scott	84	66	18	( <sup>2</sup> )	1	11.9	6	71.4
Kane	2,485	1,908	577	130	81	32.6	58	23.3	Shelby	413	300	113	138	24	58.1	11	26.6
Rural part	316	370	-54	85	7	22.2	2	6.3	Stark	72	63	9	( <sup>2</sup> )	2	27.8		
Aurora	1,281	650	631	203	45	33.6	34	26.5	Stephenson	792	577	215	137	36	45.5	23	29.0
Elgin (part)	888	908	-20	( <sup>5</sup> )	31	( <sup>5</sup> )	22	( <sup>5</sup> )	Rural part	125	165	-40	76	1	8.0	4	32.0
Elgin (total)	888	908	-20	98	31	54.9	24	27.0	Freeport	667	412	255	162	35	52.5	19	28.5
Kankakee	870	1,262	-392	68	42	48.4	19	21.8	Tazewell	655	452	203	145	27	41.2	15	22.9
Rural part	291	919	-626	32	7	24.1	4	13.7	Rural part	208	240	-32	87	10	48.1	4	19.2
Kankakee	579	343	236	169	35	60.4	15	25.9	Pekin	447	212	235	211	17	39.0	11	24.6
Kendall	34	88	-54	( <sup>2</sup> )			1	29.4	Union	383	451	-68	85	17	44.4	11	28.7
Knox	806	619	187	130	33	40.9	15	18.6	Vermilion	1,526	1,097	429	139	73	47.8	34	22.3
Rural part	131	161	-30	72	6	45.8	1	7.6	Rural part	510	469	41	109	17	33.3	8	15.7
Galesburg	675	438	237	154	27	40.0	14	20.7	Danville	1,016	628	388	162	56	55.1	26	25.6
Lake	1,576	1,066	480	145	66	41.9	53	53.6	Wabash	221	160	61	138	7	31.7	7	31.7
Rural part	1,014	763	251	133	43	42.4	35	34.5	Warren	371	299	72	124	20	53.9	16	43.1
Highland Park	208	125	83	166	7	33.7	5	24.0	Washington	166	141	25	118	9	54.2	3	18.1
Waukegan	354	198	156	179	16	45.2	13	36.7	Wayne	392	214	178	163	20	51.0	6	15.3
La Salle	1,628	1,140	488	143	51	51.3	36	23.3	White	295	222	73	133	13	44.1	8	27.1
Rural part	425	497	-72	88	10	25.5	11	25.9	Whiteside	744	432	312	172	33	44.4	18	24.2
La Salle	291	186	105	156	8	27.5	6	27.5	Rural part	321	251	70	124	14	43.6	8	24.9
Ottawa	421	227	194	185	10	23.8	8	19.0	Sterling	423	181	242	238	19	44.9	10	23.6
Streator	491	230	261	213	23	46.8	11	22.4	Will	1,642	1,160	482	142	55	33.5	45	27.4
Lawrence	363	199	164	162	13	35.8	11	30.3	Rural part	704	609	95	116	23	32.7	23	32.7
Lee	580	463	97	120	29	50.0	15	25.9	Joliet	938	551	387	170	32	34.1	22	23.5
Livingston	513	406	107	126	24	46.8	12	23.4	Williamson	841	539	282	150	55	65.4	28	33.3
Logan	451	369	82	122	25	55.4	19	42.1	Winnebago	1,793	1,202	591	149	75	41.8	46	25.7
Rural part	111	92	19	( <sup>2</sup> )	4	36.0	5	45.0	Rural part	288	356	-68	81	16	55.6	8	27.8
Lincoln	340	277	63	123	21	61.8	14	41.2	Rockford	1,505	846	659	178	59	39.2	38	25.2
McDonough	513	360	153	143	23	44.8	13	25.3	Woodford	182	171	11	106	7	38.5	4	22.0
McHenry	460	369	91	125	20	43.5	19	41.3	INDIANA (total)	58,349	39,510	18,839	148	2,302	39.5	1,291	22.1
McLean	1,308	925	383	141	51	39.0	25	19.1	Adams	421	236	185	178	16	36.0	13	30.9
Rural part	472	421	51	112	20	42.4	5	10.6	Allen	2,440	1,708	732	143	66	35.2	58	23.8
Bloomington	836	504	332	166	31	37.1	20	23.9	Rural part	342	317	25	108	11	32.2	5	14.6
Macon	1,463	980	483	149	59	40.3	33	22.6	Fort Wayne	2,098	1,391	707	151	75	35.7	53	25.3
Rural part	164	162	2	101	6	36.6	4	24.4	Bartholomew	546	301	245	181	21	38.5	14	25.6
Decatur	1,299	816	481	159	53	40.8	29	22.3	Benton	83	79	4	( <sup>2</sup> )	2	24.1	1	12.0
Macoupin	502	443	59	113	17	33.9	13	25.9	Blackford	284	166	118	171	5	17.6	5	17.6
Madison	2,407	1,532	875	157	92	38.2	73	30.3	Boone	318	314	4	101	11	34.6	4	12.6
Rural part	968	853	115	113	29	30.0	35	36.2	Brown	105	48	57	( <sup>2</sup> )	2	19.0	1	9.5
Alton	821	432	389	190	44	53.6	27	32.9	Carroll	160	138	22	116	7	43.8	2	12.5
Granite City	618	247	371	250	19	30.7	11	17.8	Cass	603	624	-21	97	26	43.1	12	19.9
Marion	970	481	489	202	50	51.5	27	27.8	Rural part	156	295	-139	53	2	12.8	2	12.8
Rural part	486	258	228	188	23	47.3	11	22.6	Logansport	447	329	118	136	24	53.7	10	22.4
Centralia (part)	484	223	261	( <sup>5</sup> )	27	( <sup>5</sup> )	16	( <sup>5</sup> )	Clark	495	340	155	146	17			

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued																	
INDIANA—Con.																	
Delaware	1,454	810	624	177	60	41.8	43	30.0	Noble	392	537	55	116	11	28.1	8	20.4
Rural part	211	237	-26	89	10	47.4	7	33.2	Ohio	51	43	8	( <sup>2</sup> )	4	78.4	1	19.6
Muncie	1,223	573	650	213	50	40.9	36	29.4	Orange	319	186	133	172	10	31.3	8	25.1
Dubois	459	208	251	221	17	37.0	8	17.4	Owan	174	132	42	182	5	28.7	2	11.5
Elkhart	1,224	758	466	261	43	35.1	23	18.8	Parke	237	240	-3	99	3	12.7	4	16.9
Rural part	325	264	64	124	14	42.7	8	24.4	Perry	329	153	176	215	11	33.4	5	15.2
Elkhart	594	358	236	163	23	39.4	9	15.4	Pike	315	192	123	164	16	50.8	9	28.6
Goshen	312	136	176	229	6	19.2	6	19.2	Porter	409	272	137	150	10	24.4	7	17.1
Fayette	407	246	161	165	23	56.5	6	14.7	Posey	261	165	96	158	7	26.8	5	19.2
Rural part	96	53	43	( <sup>2</sup> )	6	62.5	3	31.3	Pulaski	245	109	136	225	10	40.8	4	16.3
Connersville	311	193	118	161	17	54.7	3	9.6	Putnam	275	227	48	121	10	36.4	4	14.5
Floyd	642	459	183	140	29	45.2	8	12.5	Randolph	485	347	138	140	15	30.9	11	22.7
Rural part	109	78	31	( <sup>2</sup> )	6	55.0	1	9.2	Ripley	396	246	148	160	13	32.8	6	20.2
New Albany	553	361	192	140	23	43.2	7	15.1	Rush	294	201	93	146	8	27.2	10	34.0
Fountain	229	192	37	119	13	56.6	4	17.5	St. Joseph	2,568	1,497	1,071	172	123	47.9	46	17.9
Franklin	167	143	24	131	7	37.4	4	5.3	Rural part	239	290	-51	82	8	33.5	2	8.4
Fulton	277	192	85	144	8	28.9	5	18.1	Mishawaka	546	283	263	228	34	52.6	21	32.5
Gibson	505	346	159	146	22	43.6	23	45.5	South Bend	1,683	924	759	182	61	48.1	23	13.7
Grant	1,039	668	371	156	45	45.3	19	16.3	Scott	182	86	94	( <sup>2</sup> )	4	22.0	4	22.0
Rural part	402	318	84	126	15	37.3	8	19.9	Shelby	418	337	81	124	12	28.7	5	12.0
Marion	637	350	287	182	30	47.1	11	17.3	Rural part	183	153	30	120	3	16.4	2	10.9
Greene	378	346	32	136	16	35.5	9	16.8	Shelbyville	235	184	51	128	9	38.3	3	12.8
Hamilton	420	275	145	116	13	40.5	5	15.6	Spencer	274	176	96	154	9	32.8	11	40.1
Hancock	202	213	-11	95	10	49.5	5	24.8	Starke	178	106	72	168	10	56.2	10	40.1
Harrison	261	175	86	149	6	50.7	7	26.8	Steuben	260	192	68	135	10	38.5	5	19.2
Hendricks	169	213	-44	79	3	17.8	2	11.8	Sullivan	444	335	109	133	17	38.3	14	31.5
Henry	699	475	224	147	24	34.3	14	20.1	Switzerland	125	102	23	123	5	40.0	2	16.0
Rural part	465	369	94	125	19	41.0	9	19.4	Tipton	1,125	785	336	143	47	41.8	25	22.2
New Castle	236	106	130	223	5	21.2	5	21.2	Rural part	100	218	-118	46	2	20.0	1	10.0
Howard	945	527	418	179	40	42.3	26	27.5	Lafayette	1,025	571	454	180	45	43.9	24	23.4
Rural part	170	120	50	142	6	35.3	5	29.4	Tipton	269	178	91	151	8	29.7	6	22.3
Kokomo	775	407	368	190	34	43.9	21	27.1	Union	68	55	13	( <sup>2</sup> )	3	44.1	2	29.4
Huntington	498	348	150	143	15	26.1	10	20.1	Vanderburgh	2,457	1,728	741	143	129	52.3	53	21.5
Rural part	209	186	23	126	7	33.5	4	19.1	Rural part	369	374	-5	99	16	48.8	8	21.7
Huntington	289	182	107	159	6	20.8	6	20.8	Evansville	2,098	1,352	746	155	111	52.9	45	21.4
Jackson	511	318	193	161	27	52.8	6	11.7	Vermillion	361	295	66	123	10	27.9	13	36.0
Jasper	340	141	199	241	7	20.6	5	14.7	Vigo	1,648	1,352	296	162	65	39.4	37	22.5
Jay	515	248	267	126	9	28.2	5	16.0	Rural part	404	505	-99	132	10	24.8	10	24.8
Jefferson	358	393	-35	86	13	36.5	8	23.7	Terre Haute	1,244	1,047	197	119	55	44.2	27	21.7
Jennings	226	142	84	159	4	17.7	9	39.8	Wabash	418	347	71	120	16	43.1	6	14.4
Johnson	266	265	1	100	4	15.0	6	22.6	Warren	115	88	27	( <sup>2</sup> )	2	17.4	3	26.1
Knox	794	508	286	156	36	45.3	30	37.8	Warrick	297	167	130	178	9	30.3	6	20.2
Rural part	400	223	177	179	13	32.5	15	37.5	Washington	286	161	125	178	11	38.5	3	10.5
Vincennes	394	285	109	138	23	58.4	15	38.1	Wayne	981	645	336	116	36	36.7	21	21.4
Kosciusko	487	381	106	128	17	34.9	11	22.6	Rural part	636	529	107	120	24	37.7	13	20.4
Lagrange	243	154	89	158	5	20.6	3	12.3	Richmond	345	317	28	109	12	34.8	8	23.2
Lake	5,338	2,445	2,893	218	188	35.2	142	26.6	Wells	319	234	85	136	6	18.8	3	9.4
Rural part	359	287	72	79	19	66.7	7	24.6	White	219	145	74	151	6	27.4	4	18.3
East Chicago	1,172	437	735	268	29	24.7	36	30.7	Whitley	192	177	15	108	9	46.9	2	10.4
White	1,054	380	674	277	24	22.8	30	28.5	IOWA (total)	43,765	26,465	17,300	165	1,697	36.8	1,029	23.5
All other	118	57	61	( <sup>2</sup> )	5	42.4	6	50.8	Adair	218	117	101	166	6	27.5	14	64.2
Gary	2,387	1,034	1,353	231	97	40.6	68	28.5	Adams	144	83	61	( <sup>2</sup> )	4	27.8	3	20.8
White	2,026	750	1,276	270	77	38.0	54	26.7	Allamakee	293	174	119	168	15	51.2	8	27.3
All other	361	284	77	127	20	55.4	14	38.8	Appanoose	450	257	193	175	24	53.3	13	28.9
Hammond	1,443	574	869	251	41	28.4	31	21.5	Audubon	170	73	97	( <sup>2</sup> )	5	29.4	2	11.8
Whiting	51	41	10	( <sup>2</sup> )	2	39.2	2	39.2	Benton	365	193	172	189	16	43.8	5	15.7
La Porte	1,084	729	355	149	36	33.2	24	22.1	Black Hawk	1,449	755	694	192	57	39.3	31	21.4
Rural part	122	155	-33	79	3	24.6	3	24.6	Rural part	273	207	66	132	9	33.0	4	14.7
La Porte	492	256	236	192	14	26.5	10	20.3	Waterloo	1,176	548	628	215	48	40.8	27	23.0
Michigan City	470	318	152	148	19	40.4	11	23.4	Boone	404	349	55	116	10	24.8	5	12.4
Lawrence	687	406	281	169	36	52.4	18	26.2	Rural part	116	163	-47	71	3	25.9	1	8.6
Rural part	412	210	202	196	15	36.4	10	24.3	Boone	288	186	102	155	7	24.3	4	13.9
Bedford	275	196	79	140	21	76.4	8	29.1	Bremser	400	203	197	197	17	42.5	7	17.5
Madison	1,518	925	593	164	68	44.8	33	21.7	Euchanan	308	303	5	102	17	55.2	13	42.2
Rural part	432	323	109	134	13	30.1	12	27.8	Buena Vista	341	197	144	173	16	46.9	8	23.5
Anderson	782	439	343	178	42	53.7	18	23.0	Butler	196	138	58	142	9	45.9	6	30.6
Elwood	304	163	141	187	13	42.8	3	9.9	Calhoun	282	149	133	189	5	17.7	8	28.4
Marion	7,931	5,948	1,983	133	359	45.3	181	22.8	Carroll	626	256	370	245	28	44.7	8	12.8
Rural part	1,192	697	495	171	32	26.8	18	15.1	Cass	304	181	123	168	9	29.6	6	19.7
Indianapolis	6,739	5,251	1,488	128	327	48.5	163	24.2	Cedar	130	147	-17	86	6	46.2		



VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued	Section B—Continued																
IOWA—Continued	IOWA—Continued																
Decatur	243	153	90	159	10	41.2	5	20.6	Tama	237	185	52	128	7	29.5	10	42.2
Delaware	288	146	142	197	7	24.3	7	24.3	Taylor	193	125	68	154	10	51.8	5	25.9
Des Moines	633	477	156	133	16	25.3	26	41.1	Union	261	216	45	121	14	53.6	6	23.0
Rural part	36	71	-35	( <sup>2</sup> )			4	111.1	Van Buren	149	114	35	131	3	20.1	3	20.1
Burlington	597	406	191	147	16	26.8	22	36.9	Wapello	865	572	293	151	45	52.0	22	25.4
Dickinson	172	104	68	165	5	29.1	2	11.6	Rural part	151	154	-3	98	7	46.4	2	13.2
Dubuque	1,199	850	369	144	49	40.9	26	21.7	Ottumwa	714	418	296	171	38	55.2	20	26.0
Rural part	271	129	142	210	10	36.9	2	7.4	Warren	236	164	74	145	7	29.4	3	12.6
Dubuque	928	701	227	132	39	42.0	24	25.9	Washington	364	181	183	201	7	19.2	7	19.2
Emmet	336	106	230	317	8	23.8	6	17.9	Wayne	163	133	30	123	4	24.5	2	12.3
Fayette	487	305	182	160	12	24.6	5	10.3	Webster	952	486	466	196	53	55.7	22	23.1
Floyd	312	228	84	137	13	41.7	10	32.1	Rural part	151	112	39	135	4	26.5	4	26.5
Franklin	305	141	164	216	6	19.7	8	26.2	Fort Dodge	801	374	427	214	49	61.2	18	22.5
Fremont	247	148	99	167	8	32.4	2	8.1	Winnebago	358	109	249	328	11	30.7	5	14.0
Greene	269	123	146	219	6	22.3	2	7.4	Winneshek	389	255	134	153	19	48.8	14	36.0
Grundy	136	75	61	( <sup>2</sup> )	1	7.4			Woodbury	1,986	1,160	828	171	102	51.3	44	22.1
Guthrie	209	128	81	163	4	19.1	5	23.9	Rural part	296	172	124	172	6	20.3	2	6.8
Hamilton	317	175	142	181	18	56.8	9	28.4	Sioux City	1,692	988	704	171	96	56.7	42	24.8
Hancock	176	82	94	( <sup>2</sup> )	6	34.1	3	17.0	Worth	96	81	15	( <sup>2</sup> )	4	41.7	3	31.3
Hardin	377	210	167	180	14	37.1	12	31.8	Wright	362	177	185	205	15	41.4	7	19.3
Harrison	325	157	169	207	6	18.5	5	15.4	KANSAS (total)	29,115	18,469	10,646	158	1,146	39.4	651	22.4
Henry	207	269	-62	77	5	24.2	3	14.5	Allen	350	256	94	137	19	54.3	8	22.9
Howard	273	125	148	218	5	18.3	3	11.0	Anderson	173	108	65	160	8	46.2	4	23.1
Humboldt	151	94	57	( <sup>2</sup> )	5	33.1	3	19.9	Atchison	332	256	76	130	21	63.3	13	39.2
Ida	160	92	68	( <sup>2</sup> )	7	43.8	3	18.8	Rural part	45	83	-38	( <sup>2</sup> )	4	68.9	2	44.4
Iowa	218	139	79	157	5	22.9	5	22.9	Atchison	287	173	114	166	17	59.2	11	36.3
Jackson	328	208	120	158	8	24.4	7	21.3	White	269	143	126	188	15	55.8	9	33.5
Jasper	394	282	102	135	16	45.7	13	33.0	All other	18	30	-12	( <sup>2</sup> )	2	111.1	2	111.1
Rural part	209	178	31	117	10	47.6	6	26.7	Barber	83	52	31	37	4	48.2	4	48.2
Newton	185	114	71	162	8	43.2	7	37.6	Barton	600	234	366	256	25	41.7	9	15.0
Jefferson	228	166	62	137	10	43.9	9	39.5	Bourbon	344	304	40	113	19	55.2	13	37.8
Johnson	2,131	850	1,281	251	108	50.7	59	27.7	Rural part	79	81	-2	( <sup>2</sup> )	2	25.3	1	12.7
Rural part	104	165	-61	63	9	86.5	2	19.2	Fort Scott	265	223	42	119	17	64.2	12	45.3
Iowa City	2,027	685	1,342	286	99	48.8	57	28.1	Brown	240	185	55	130	10	41.7	4	16.7
Jones	385	178	207	216	6	15.6	8	20.8	Butler	414	222	192	186	6	14.5	5	12.1
Keokuk	214	172	42	124	5	23.4	5	23.4	Rural part	148	118	30	128	2	13.5	1	6.8
Kossuth	545	190	355	287	16	29.4	13	23.9	El Dorado	266	104	162	258	4	15.0	4	15.0
Lee	737	547	190	135	35	47.5	13	17.6	Chase	94	47	47	( <sup>2</sup> )	4	42.6	1	10.6
Rural part	122	116	6	105	5	41.0	2	16.4	Chautauqua	140	69	71	( <sup>2</sup> )	5	35.7	4	26.6
Fort Madison	213	157	56	138	5	37.6	1	4.7	Cherokee	485	319	166	152	16	33.0	14	26.9
Keokuk	402	274	128	147	22	54.7	10	24.9	Cheyenne	137	40	97	( <sup>2</sup> )	6	43.8	4	29.2
Lincoln	1,340	918	422	146	52	36.8	26	19.4	Clark	64	25	39	( <sup>2</sup> )	2	23.8	2	23.8
Rural part	180	245	-65	73	7	36.9	4	22.2	Clay	240	156	84	176	6	25.0	6	33.3
Cedar Rapids	1,160	673	487	172	45	36.8	22	19.0	Cloud	341	250	91	148	13	36.1	12	35.2
Louis	130	92	38	( <sup>2</sup> )	7	53.8	3	23.1	Coffey	173	115	58	150	2	11.6	2	11.6
Lucas	210	162	48	130	7	33.3	6	28.6	Comanche	46	42	4	( <sup>2</sup> )	2	45.5	2	43.5
Lyon	271	111	160	244	12	44.3	6	18.8	Cowley	652	447	205	146	27	41.4	22	33.7
Madison	213	155	58	137	3	14.1	4	18.8	Rural part	376	310	66	121	14	37.2	11	29.3
Mahaska	453	298	155	152	16	35.3	12	26.5	Arkansas City	276	137	139	201	13	47.1	11	39.9
Rural part	174	107	67	163	2	11.5	4	23.0	Crawford	643	498	145	129	18	28.0	13	20.2
Oskaloosa	279	191	88	146	14	50.2	8	28.7	Rural part	487	358	129	136	7	14.4	9	16.5
Marion	352	275	77	128	14	39.8	3	8.5	Pittsburg	156	140	16	111	11	70.5	4	25.6
Marshall	780	457	323	171	23	29.5	16	20.5	Decatur	101	75	26	( <sup>2</sup> )	4	39.6	2	19.8
Rural part	150	141	9	106	1	6.7	1	6.7	Dickinson	513	258	55	121	16	51.1	10	31.9
Marshalltown	630	316	314	199	22	34.9	15	23.8	Doniphan	187	100	87	187	3	16.0	3	16.0
Mills	184	150	34	123	3	16.3	4	21.7	Douglas	371	272	99	136	16	43.1	7	18.9
Mitchell	224	130	94	172	7	31.3	8	35.7	Rural part	55	100	-45	55	1	18.2	1	18.2
Monona	288	129	159	223	6	20.8	7	24.3	Lawrence	316	172	144	184	15	47.5	6	19.0
Monroe	199	177	22	112	10	50.3	2	10.1	White	297	149	148	199	12	40.4	6	20.2
Montgomery	265	197	68	135	6	22.6	7	26.4	All other	19	23	-4	( <sup>2</sup> )	3	157.9		
Muscatine	492	390	102	126	28	56.9	14	28.5	Edwards	93	52	41	( <sup>2</sup> )	3	32.3	4	43.0
Rural part	91	109	-18	83	4	44.0			Elk	96	78	18	( <sup>2</sup> )	2	20.8	1	10.4
Muscatine	401	281	120	143	24	59.9	14	34.9	Ellis	566	160	406	354	36	67.1	13	23.0
O'Brien	324	175	149	185	12	37.0	10	30.9	Ellsworth	186	89	97	( <sup>2</sup> )	4	21.5	3	16.1
Oscola	202	82	120	( <sup>2</sup> )	12	59.4	7	34.7	Finney	280	95	185	( <sup>2</sup> )	8	28.6	4	14.3
Page	372	347	25	107	14	37.6	15	40.3	Ford	410	201	209	204	25	61.0	5	12.2
Palo Alto	297	152	145	195	12	40.4	4	13.5	Rural part	106	57	49	( <sup>2</sup> )	8	75.5		
Plymouth	431	226	205	191	12	27.8	10	23.2	Dodge City	304	144	160	211	17	55.9	5	16.4
Pocahontas	222	97	125	( <sup>2</sup> )	9	40.5	5	22.5	Franklin	313	220	93	142	13	41.5	8	25.6
Polk	3,575	2,171	1,404	165	145	40.6	88	24.6	Ceary	294	154	140	191	12	4		



# SUMMARY AND RATE TABLES

47

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
KANSAS—Con.								KANSAS—Con.									
Jefferson	140	90	50	( <sup>2</sup> )	1	7.1	1	7.1	Wallace	29	16	13	( <sup>2</sup> )	2	69.0	—	—
Jewell	130	107	23	121	5	38.5	5	38.5	Washington	210	107	103	196	7	33.3	2	9.5
Johnson	200	230	-30	87	6	30.0	3	15.0	Wichita	20	10	10	( <sup>2</sup> )	2	100.0	1	100.0
Kearny	56	27	29	( <sup>2</sup> )	1	17.9	1	17.9	Wilson	252	167	85	135	8	31.7	7	27.8
Kingman	231	63	168	( <sup>2</sup> )	3	13.0	7	30.3	Woodson	110	73	37	( <sup>2</sup> )	5	45.5	1	9.1
Kiowa	62	27	35	( <sup>2</sup> )	1	16.1	3	48.4	Wyandotte	2,438	1,735	702	140	106	45.5	57	25.4
Labette	495	374	119	132	25	50.7	17	22.3	Rural part	92	174	-82	53	4	45.5	2	21.7
Rural part	352	212	140	166	21	59.7	10	28.4	Kansas City	2,346	1,562	784	180	102	45.5	55	25.4
Parsons	141	162	-21	87	4	28.4	1	7.1	White	1,971	1,239	732	159	85	45.1	46	25.3
White	118	144	-26	82	4	33.9	1	8.5	All other	375	523	-148	116	17	45.3	9	24.0
All other	23	18	5	( <sup>2</sup> )	—	—	—	—	KENTUCKY (total)								
Lane	47	14	33	( <sup>2</sup> )	2	42.6	1	21.3	Adair	437	165	272	265	12	27.5	10	22.9
Leavenworth	548	563	-15	97	18	52.8	16	29.2	White	427	142	285	301	11	25.8	9	21.1
Rural part	122	303	-181	40	3	24.6	1	8.2	All other	10	23	-13	( <sup>2</sup> )	1	100.0	1	100.0
Leavenworth	426	260	166	164	15	55.2	15	55.2	Allen	292	156	136	187	14	47.9	15	51.4
White	373	210	163	178	11	29.5	14	37.5	White	286	149	137	192	12	42.0	15	52.4
All other	53	50	3	( <sup>2</sup> )	4	75.5	1	18.9	All other	6	7	-1	( <sup>2</sup> )	2	( <sup>2</sup> )	—	—
Lincoln	100	65	35	( <sup>2</sup> )	2	20.0	1	10.0	Anderson	170	81	89	( <sup>2</sup> )	8	47.1	3	17.6
Lin	160	127	33	126	3	18.8	2	12.5	White	165	76	89	( <sup>2</sup> )	8	48.5	3	18.2
Logan	57	19	38	( <sup>2</sup> )	3	52.6	1	17.5	All other	5	5	—	( <sup>2</sup> )	—	—	—	—
Iyon	496	303	193	164	20	40.3	10	20.2	Ballard	178	68	90	( <sup>2</sup> )	5	28.1	6	33.7
Rural part	118	61	57	( <sup>2</sup> )	4	33.9	2	16.9	White	167	63	84	( <sup>2</sup> )	5	29.9	5	23.9
Emporia	378	222	156	170	16	42.3	8	21.2	All other	11	5	6	( <sup>2</sup> )	1	90.9	—	—
McPherson	331	197	134	168	10	30.2	7	21.1	Barren	619	246	373	166	44	71.1	26	42.0
Marion	250	148	102	169	15	60.0	1	4.0	White	570	313	257	182	36	65.2	20	35.1
Marshall	529	221	308	149	14	42.6	6	18.2	All other	49	60	-11	( <sup>2</sup> )	8	163.3	6	122.4
Meads	81	23	58	( <sup>2</sup> )	3	37.0	—	—	Bath	260	125	135	211	27	103.8	5	19.2
Miami	219	296	-77	74	7	32.0	4	18.3	White	248	111	137	223	26	104.8	5	20.2
Mitchell	230	140	90	164	7	30.4	4	17.4	All other	12	12	—	( <sup>2</sup> )	1	83.3	—	—
Montgomery	835	547	288	153	48	57.5	19	22.8	Bell	1,204	505	699	239	108	89.7	39	32.4
Rural part	251	165	86	125	9	39.0	7	30.3	Rural part	843	282	561	299	76	90.2	28	33.2
Coffeyville	362	181	181	200	21	58.0	6	16.6	White	835	270	565	309	75	89.8	28	33.5
White	327	152	175	215	16	48.9	4	12.2	All other	8	12	-4	( <sup>2</sup> )	1	125.0	—	—
All other	55	29	26	( <sup>2</sup> )	5	142.9	2	37.1	Middlesborough	361	223	138	162	32	88.6	11	30.5
Independence	242	181	61	154	18	74.4	6	24.8	White	336	188	148	179	28	83.3	10	29.8
Morris	156	98	58	( <sup>2</sup> )	3	19.2	2	12.8	All other	25	35	-10	( <sup>2</sup> )	4	160.0	1	40.0
Morton	46	14	32	( <sup>2</sup> )	2	43.5	1	21.7	Boone	156	114	42	137	5	32.1	5	32.1
Nemaha	613	179	434	175	12	38.3	6	19.2	White	154	110	44	140	5	32.5	5	32.5
Neosho	369	278	91	133	19	51.5	7	19.0	All other	2	4	-2	( <sup>2</sup> )	—	—	—	—
Rural part	183	96	87	( <sup>2</sup> )	5	27.3	4	21.9	Bourbon	375	212	163	177	18	48.0	11	29.3
Chanute	186	182	4	102	14	75.3	3	16.1	White	324	144	180	225	17	52.5	11	34.0
Ness	117	33	84	( <sup>2</sup> )	2	17.1	—	—	All other	51	68	-17	( <sup>2</sup> )	1	19.6	—	—
Norton	171	165	6	104	5	29.2	5	29.2	Boyd	1,032	468	564	221	61	59.1	30	29.1
Osage	197	146	51	135	5	25.4	6	30.5	Rural part	312	121	191	258	13	41.7	5	16.0
Osborne	131	74	57	( <sup>2</sup> )	3	22.9	1	7.6	White	312	117	195	267	13	41.7	5	16.0
Ottawa	132	82	50	( <sup>2</sup> )	10	75.8	1	7.6	All other	4	4	—	( <sup>2</sup> )	—	—	—	—
Pawnee	175	188	-13	95	4	22.9	1	5.7	Ashland	720	347	373	207	48	66.7	25	34.7
Phillips	165	89	76	( <sup>2</sup> )	8	48.5	2	12.1	White	709	335	374	212	48	67.7	24	33.9
Pottawatomie	170	109	62	157	5	28.4	2	11.8	All other	11	12	-1	( <sup>2</sup> )	1	90.9	—	—
Pratt	193	112	81	172	8	41.5	6	31.1	Boyle	274	245	29	112	20	73.0	10	36.5
Hawkins	77	52	25	( <sup>2</sup> )	6	77.9	—	—	White	259	188	71	138	16	61.8	8	30.9
Reno	951	466	485	204	31	32.6	11	11.6	All other	15	57	-42	( <sup>2</sup> )	4	266.7	2	133.3
Rural part	130	137	-7	95	2	15.4	1	7.7	Bracken	167	114	53	146	15	89.8	5	29.9
Hutchinson	821	329	492	250	29	35.3	10	12.2	White	164	108	56	152	15	91.5	5	30.5
Republic	150	125	25	120	6	40.0	4	26.7	All other	3	6	-3	( <sup>2</sup> )	—	—	—	—
Rice	299	149	150	201	10	33.4	6	20.1	Breathitt	726	213	513	341	33	45.5	20	27.5
Riley	348	169	179	206	10	28.7	13	37.4	White	725	212	513	342	33	45.5	20	27.6
Rural part	59	46	13	( <sup>2</sup> )	1	16.9	1	16.9	All other	1	1	—	( <sup>2</sup> )	—	—	—	—
Manhattan	289	123	166	235	9	31.1	12	41.5	Breckinridge	401	164	237	245	16	39.9	23	57.4
Rooks	144	65	79	( <sup>2</sup> )	4	27.8	—	—	White	385	155	230	248	16	41.6	22	57.1
Rush	142	64	78	( <sup>2</sup> )	9	63.4	7	49.3	All other	16	9	7	( <sup>2</sup> )	—	—	—	—
Russell	168	76	92	( <sup>2</sup> )	5	29.8	4	23.8	Bullitt	168	90	78	( <sup>2</sup> )	7	41.7	6	35.7
Salina	538	283	255	190	21	39.0	19	35.3	White	163	85	78	( <sup>2</sup> )	6	36.8	6	36.8
Rural part	36	49	-12	( <sup>2</sup> )	1	27.8	—	—	All other	5	5	—	( <sup>2</sup> )	1	200.0	—	—
Salina	502	235	267	214	20	39.8	19	37.8	Butler	290	101	189	287	14	48.3	10	34.5
Scott	99	45	54	( <sup>2</sup> )	4	40.4	3	30.3	White	286	97	189	( <sup>2</sup> )	13	45.5	10	35.0
Sedgwick	2,560	1,532	1,028	187	105	41.0	65	25.4	All other	4	4	—	( <sup>2</sup> )	1	250.0	—	—
Rural part	317	287	30	110	23	72.6	4	12.6	Caldwell	264	149	115	177	17	64.4	9	34.1
Wichita	2,243	1,245	998	180	82	36.6	61	27.2	White	244	124	120	197	11	45.1	8	32.8
Seward	162	68	94	( <sup>2</sup> )	8	49.4	12	74.1	All other	20	25	-5	( <sup>2</sup> )	6	300.0	1	50.0
Shawnee	1,507	1,202	305	125	63	41.8	29	19.2	Calloway	355	239	116	149	24	67.6	10	28.2
Rural part	176	331	-155	53	6	34.1	2	11.4	White	337	223	114	151	22	65.3	10	29.7
Topeka	1,331	871	460	153	57	42.8	27	20.3	All other	18	16	2	( <sup>2</sup> )	2	111.1	—	—
White	1,245	781	464	159	47	37.8	25	20.1	Campbell	786	697	89	113	21	26.7	20	25.4
All other	86	90	-4	( <sup>2</sup> )	10	116.3	2	23.3	Rural part	485	378	107	128	18	37.1	17	35.1
Sheridan	94	24	70	( <sup>2</sup> )	4	42.6	1	10.6	White	484	377	107	128	18	37.2	17	35.1
Sherman	143	56	87	( <sup>2</sup> )	6	42.0	2	14.0	All other	1	1	—	( <sup>2</sup> )	—	—	—	—
Smith	153	90	63	( <sup>2</sup> )	5	32.7	3	19.6	Fort Thomas	29	70	-41	( <sup>2</sup> )	—	—	—	—
Stafford	147	82	65	( <sup>2</sup> )	5	34.0	2	13.6	White	29	70	-41	( <sup>2</sup> )	—</			

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
KENTUCKY—Con.								KENTUCKY—Con.									
Carlisle	158	99	59	( <sup>2</sup> )	10	63.3	2	12.7	Grayson	443	169	274	262	15	33.9	25	56.4
White	154	93	61	( <sup>2</sup> )	9	58.4	2	13.0	White	442	168	274	263	15	33.9	25	56.6
All other	4	6	-2	( <sup>2</sup> )	1	250.0			All other	1	1		( <sup>2</sup> )				
Carroll	156	86	70	( <sup>2</sup> )	7	44.9	5	32.1	Green	298	109	189	218	9	37.8	7	29.4
White	153	78	75	( <sup>2</sup> )	6	39.2	4	26.1	White	225	102	123	221	7	31.1	6	28.7
All other	3	8	-5	( <sup>2</sup> )	1	( <sup>3</sup> )	1	( <sup>3</sup> )	All other	13	7	6	( <sup>2</sup> )	2	153.8	1	76.9
Carter	709	197	512		40	56.4	38	55.6	Greenup	586	200	386	293	43	73.4	21	35.8
White	708	197	511		40	56.5	38	53.7	White	582	199	383	292	42	72.2	21	36.1
All other	1		1						All other	4	1	3	( <sup>2</sup> )	1	250.0		
Casey	495	139	356		11	22.2	14	28.3	Hancock	124	76	48	( <sup>2</sup> )	11	88.7	8	64.5
White	493	136	357		11	22.3	14	28.4	White	122	69	53	( <sup>2</sup> )	11	90.2	8	65.6
All other	2	3	-1	( <sup>2</sup> )					All other	2	7	-5	( <sup>2</sup> )				
Christian	539	726	-187	( <sup>2</sup> )	35	64.9	20	37.1	Hardin	503	275	228	183	33	65.6	17	33.8
Rural part	376	459	-83	( <sup>2</sup> )	26	69.1	8	21.3	White	490	257	233	191	32	65.3	15	30.6
White	265	349	-64	( <sup>2</sup> )	19	66.7	5	17.5	All other	13	18	-5	( <sup>2</sup> )	1	76.9	2	153.8
All other	91	110	-19	( <sup>2</sup> )	7	76.9	3	33.0	Harlan	2,023	621	1,402	326	157	77.6	75	37.1
Hopkinsville	163	267	-104	( <sup>2</sup> )	9	55.2	12	73.6	White	1,853	542	1,311	342	146	78.8	68	36.7
White	125	156	-31	( <sup>2</sup> )	4	32.0	6	64.0	All other	170	79	91	( <sup>2</sup> )	11	64.7	7	41.2
All other	38	131	-93	( <sup>2</sup> )	5	131.6	4	105.5	Harrison	280	186	94	151	10	35.7	4	14.3
Clark	327	275	52		20	61.2	19	58.1	White	261	158	103	165	10	38.3	4	15.3
White	310	216	94		20	64.5	18	58.1	All other	19	28	-9	( <sup>2</sup> )				
All other	17	59	-42	( <sup>2</sup> )			1	58.8	Hart	353	151	202	234	16	45.3	4	11.3
Clay	705	90	615	( <sup>2</sup> )	20	28.4	25	35.5	White	318	131	187	243	13	40.9	2	6.3
White	697	66	631	( <sup>2</sup> )	20	28.7	24	34.4	All other	35	20	15	( <sup>2</sup> )	3	85.7	2	57.1
All other	8	4	4	( <sup>2</sup> )			1	125.0	Henderson	528	354	174	149	30	56.2	24	45.5
Clinton	277	78	199	( <sup>2</sup> )	17	61.4	3	10.8	Rural part	281	146	135	192	16	56.9	9	32.0
White	275	78	197	( <sup>2</sup> )	17	61.8	3	10.9	White	248	122	126	203	13	52.4	6	24.2
All other	2		2	( <sup>2</sup> )					All other	33	24	9	( <sup>2</sup> )	3	90.9	3	90.9
Crittenden	209	112	97		10	47.8	3	14.4	Henderson	247	208	39	119	14	56.7	15	60.7
White	208	108	100		10	48.1	3	14.4	White	206	154	52	134	9	43.7	13	63.1
All other	1	4	-3	( <sup>2</sup> )					All other	41	54	-13	( <sup>2</sup> )	5	122.0	2	48.8
Cumberland	262	100	162		14	49.6	11	39.0	Henry	220	115	105	191	7	31.8	3	13.6
White	262	85	177	( <sup>2</sup> )	13	49.6	10	38.2	White	201	101	100	199	5	24.9	3	14.9
All other	20	15	5	( <sup>2</sup> )	1	50.0	1	50.0	All other	19	14	5	( <sup>2</sup> )	2	105.3		
Davless	1,115	543	567		47	42.2	53	47.5	Hickman	138	83	55	( <sup>2</sup> )	9	65.2	2	14.5
Rural part	400	146	254		12	30.0	8	20.0	White	114	72	42	( <sup>2</sup> )	7	61.4		
White	395	141	254		12	30.4	8	20.3	All other	24	11	13	( <sup>2</sup> )	2	83.3	2	83.3
All other	5	5		( <sup>2</sup> )					Hopkins	744	413	331	180	45	60.5	38	51.1
Owensboro	715	402	313		35	49.0	45	62.9	White	671	334	337	201	36	53.7	30	44.7
White	872	340	532		32	47.6	42	62.5	All other	73	79	-6	( <sup>2</sup> )	9	123.3	8	109.6
All other	43	62	-19	( <sup>2</sup> )	3	69.8	3	69.8	Jackson	454	74	380	( <sup>2</sup> )	20	44.1	16	35.2
Edmonson	314	77	237	( <sup>2</sup> )	12	38.2	7	22.3	White	454	73	381	( <sup>2</sup> )	20	44.1	16	35.2
White	311	77	234	( <sup>2</sup> )	12	38.6	7	22.5	All other		1	-1					
All other	3		3	( <sup>2</sup> )					Jefferson	6,384	4,960	1,424	129	293	45.9	170	28.6
Elliott	181	48	133	( <sup>2</sup> )	9	49.7	1	5.5	Rural part	510	736	-226	69	14	27.5	14	27.5
White	181	48	133	( <sup>2</sup> )	9	49.7	1	5.5	White	467	591	-124	79	11	23.6	13	27.8
All other									All other	43	145	-102	30	3	66.8	1	23.3
Estill	463	132	331		17	36.7	16	34.6	Louisville	5,874	4,224	1,650	139	279	47.5	156	26.6
White	462	130	332		17	36.8	16	34.6	White	5,216	3,352	1,864	156	236	45.6	136	26.1
All other	1	2	-1	( <sup>2</sup> )					All other	658	872	-214	75	41	62.3	20	30.4
Fayette	1,448	1,344	104		78	53.9	43	29.7	Jessamine	1,665	132	34	126	10	60.2	4	24.1
Rural part	132	205	-73	( <sup>2</sup> )	3	22.7	1	7.6	White	152	103	49	148	8	52.8	3	19.7
White	108	163	-57	( <sup>2</sup> )	2	18.9	1	9.4	All other	14	29	-15	( <sup>2</sup> )	2	142.9	1	73.4
All other	26	42	-16	( <sup>2</sup> )	1	38.5			Johnson	780	224	556	348	39	50.0	22	28.2
Lexington	1,316	1,139	177		75	57.0	42	31.9	White	780	224	556	348	39	50.0	22	28.2
White	1,113	792	321		59	53.0	29	26.1	All other								
All other	203	347	-144	( <sup>2</sup> )	16	78.8	13	64.0	Kenton	1,743	1,225	518	142	85	48.6	47	27.0
Fleming	284	143	141		14	53.0	10	37.9	Rural part	239	245	-6	98	7	29.3	6	25.1
White	258	135	123		14	54.3	9	34.9	White	235	234	1	100	5	21.3	6	25.5
All other	6	10	-4	( <sup>2</sup> )			1	168.7	All other	4	11	-7	( <sup>2</sup> )	2	( <sup>3</sup> )		
Floyd	1,458	388	1,068		77	52.9	46	31.6	Covington	1,504	980	524	153	78	51.9	41	27.3
White	1,436	353	1,083		75	52.2	45	31.3	White	1,459	899	560	162	78	52.1	40	27.4
All other	20	15	5	( <sup>2</sup> )	2	100.0	1	50.0	All other	45	81	-36	( <sup>2</sup> )	2	44.4	1	22.2
Franklin	408	267	141		23	56.4	11	27.0	Knott	502	120	382	419	22	43.8	11	21.9
Rural part	172	80	92	( <sup>2</sup> )	6	34.9	6	34.9	White	495	120	375	413	22	44.4	11	22.2
White	167	77	90	( <sup>2</sup> )	6	35.9	6	35.9	All other	7		7					
All other	5	3	2	( <sup>2</sup> )					Knox	849	274	575	310	52	61.2	23	27.1
Frankfort	236	187	49		17	72.0	5	21.2	White	844	266	578	317	52	61.6	23	27.3
White	218	159	59		13	64.2	4	18.3	All other	5	8	-3	( <sup>2</sup> )				
All other	18	28	-10	( <sup>2</sup> )	4	166.7	1	55.6	Larue	186	70	116	( <sup>2</sup> )	2	10.8	6	32.3
Fulton	345	188	157		29	64.1	12	34.8	White	179	66	113	( <sup>2</sup> )	2	11.2	5	27.9
White	285	139	146		21	73.7	10	35.1	All other	7	4	3	( <sup>2</sup> )				
All other	60	49	11	( <sup>2</sup> )	8	133.3	2	33.3	Laurel	602	213	389	283	29	58.2	26	43.2
Gallatin	82	51	31		1	12.2	3	36.6</									

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
KENTUCKY—Con.								KENTUCKY—Con.									
Letcher	1,318	358	960	368	90	68.3	39	29.6	Owen	184	121	63	152	13	70.7	6	32.6
White	1,279	336	943	581	88	68.8	38	29.7	White	175	112	63	156	12	68.6	6	34.3
All other	39	22	17	( <sup>2</sup> )	2	51.5	1	25.6	All other	9	9	( <sup>2</sup> )	1	111.1	1	( <sup>2</sup> )	
Lewis	366	156	250	247	50	77.7	12	51.1	Owsley	166	47	119	( <sup>2</sup> )	7	42.2	6	36.1
White	366	155	251	249	50	77.7	12	51.1	White	166	46	120	( <sup>2</sup> )	7	42.2	5	30.1
All other	1	1	-1	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	All other	1	1	-1	( <sup>2</sup> )	1	( <sup>2</sup> )	1	( <sup>2</sup> )
Lincoln	426	216	210	197	25	61.0	14	32.9	Pendleton	163	100	83	183	11	60.1	3	16.4
White	400	189	211	212	22	55.0	12	30.0	White	178	95	83	( <sup>2</sup> )	10	56.2	3	16.9
All other	26	27	-1	( <sup>2</sup> )	4	153.8	2	76.9	All other	5	5	( <sup>2</sup> )	1	200.0	( <sup>2</sup> )	( <sup>2</sup> )	
Livingston	192	93	99	99	6	31.5	2	10.4	Perry	1,178	262	916	450	63	55.5	46	39.0
White	190	89	101	101	6	31.6	2	10.5	White	1,151	237	914	486	57	49.5	39	33.9
All other	2	4	-2	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	All other	27	25	2	( <sup>2</sup> )	6	222.2	7	239.3
Logan	460	283	177	163	52	69.6	14	30.4	Pike	2,097	453	1,644	465	106	50.5	58	27.7
White	391	225	166	174	24	61.4	10	25.6	White	2,078	440	1,638	472	105	50.5	57	27.4
All other	69	58	11	( <sup>2</sup> )	8	115.9	4	58.0	All other	19	13	6	( <sup>2</sup> )	1	52.6	1	52.6
Lyon	151	74	77	( <sup>2</sup> )	7	45.4	8	53.0	Powell	186	53	133	( <sup>2</sup> )	6	32.3	9	48.4
White	144	53	91	( <sup>2</sup> )	7	48.5	8	55.6	White	178	50	128	( <sup>2</sup> )	6	33.7	9	50.6
All other	7	21	-14	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	All other	8	3	5	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
McCracken	729	541	188	135	36	49.4	35	48.0	Pulaski	984	301	683	527	43	43.7	35	35.6
Rural part	230	115	115	200	9	39.1	10	43.5	White	973	285	688	341	40	41.1	34	34.9
White	214	99	115	( <sup>2</sup> )	8	37.4	6	28.0	All other	11	16	-5	( <sup>2</sup> )	3	272.7	1	90.9
All other	16	16	0	( <sup>2</sup> )	1	62.5	4	250.0	Robertson	63	39	24	( <sup>2</sup> )	2	31.7	2	31.7
Paducah	499	426	73	117	27	54.1	25	50.1	White	62	38	24	( <sup>2</sup> )	2	32.3	2	32.3
White	436	304	132	143	24	55.0	14	32.1	All other	1	1	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
All other	63	122	-59	52	3	47.5	11	174.6	Rockcastle	468	133	335	352	16	34.2	20	42.7
McCreary	573	123	450	466	36	62.8	11	19.2	White	466	133	333	350	16	34.3	20	42.9
White	573	121	452	474	36	62.8	11	19.2	All other	2	2	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
All other	2	2	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Rowan	320	145	175	221	29	90.6	14	43.8
McLean	186	104	82	179	11	59.1	6	32.3	White	320	145	175	221	29	90.6	14	43.8
White	184	96	88	( <sup>2</sup> )	10	54.3	6	32.6	All other	2	2	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
All other	2	8	-6	( <sup>2</sup> )	1	( <sup>3</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Russell	283	84	199	( <sup>2</sup> )	14	49.5	6	21.2
Madison	584	328	256	178	18	30.8	23	39.4	White	281	82	199	( <sup>2</sup> )	14	49.8	6	21.4
White	537	274	263	196	13	24.2	20	37.2	All other	2	2	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
All other	47	54	-7	( <sup>2</sup> )	5	106.4	3	63.8	Scott	241	149	92	162	12	49.8	6	24.9
Magoffin	521	81	440	( <sup>2</sup> )	12	23.0	10	19.2	White	212	123	89	172	10	47.2	5	23.6
White	521	81	440	( <sup>2</sup> )	12	23.0	10	19.2	All other	29	26	3	( <sup>2</sup> )	2	69.0	1	34.5
All other	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Shelby	337	250	87	135	22	65.3	10	29.7
Marion	472	207	265	228	27	57.2	20	42.4	White	294	199	95	148	19	64.6	8	27.2
White	440	180	260	244	24	54.5	18	40.9	All other	43	51	-8	( <sup>2</sup> )	3	69.8	2	46.5
All other	32	27	5	( <sup>2</sup> )	3	93.8	2	62.5	Simpson	219	167	52	131	18	82.2	5	22.8
Marshall	269	132	137	204	15	55.3	13	49.3	White	191	125	66	153	14	75.3	4	20.9
White	269	131	138	205	15	55.8	13	49.3	All other	28	42	-14	( <sup>2</sup> )	4	142.9	1	35.7
All other	1	1	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Spencer	151	68	83	( <sup>2</sup> )	10	66.2	3	19.9
Martin	330	83	247	( <sup>2</sup> )	15	45.5	9	27.3	White	138	59	79	( <sup>2</sup> )	8	58.0	3	21.7
White	330	83	247	( <sup>2</sup> )	15	45.5	9	27.3	All other	13	9	4	( <sup>2</sup> )	2	153.8	( <sup>2</sup> )	( <sup>2</sup> )
All other	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Taylor	314	170	144	185	21	66.9	6	19.1
Mason	361	260	101	139	23	63.7	17	47.1	White	291	146	145	199	16	55.0	4	13.7
White	325	220	105	148	20	61.5	17	52.3	All other	23	24	-1	( <sup>2</sup> )	5	217.4	2	87.0
All other	36	40	-4	( <sup>2</sup> )	3	83.3	( <sup>2</sup> )	( <sup>2</sup> )	Todd	266	177	89	150	16	60.2	7	26.5
Meade	209	67	142	( <sup>2</sup> )	6	29.7	5	23.9	White	198	114	84	174	11	55.6	3	15.2
White	199	64	135	( <sup>2</sup> )	6	30.2	5	25.1	All other	68	63	5	( <sup>2</sup> )	5	75.4	4	58.8
All other	10	3	7	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Trigg	213	117	96	182	8	37.6	9	42.3
Menifee	169	50	119	( <sup>2</sup> )	7	41.4	6	35.5	White	184	89	95	( <sup>2</sup> )	5	27.2	7	38.0
White	168	50	118	( <sup>2</sup> )	7	41.7	6	35.7	All other	29	28	1	( <sup>2</sup> )	3	103.4	2	69.0
All other	1	1	0	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Trimble	96	39	57	( <sup>2</sup> )	5	52.1	1	10.4
Mercer	290	164	126	177	16	55.2	10	34.5	White	96	39	57	( <sup>2</sup> )	5	52.1	1	10.4
White	271	140	131	194	10	36.9	8	29.5	All other	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
All other	19	24	-5	( <sup>2</sup> )	6	( <sup>3</sup> )	2	103.3	Union	368	171	197	215	17	46.2	14	38.0
Metcalfe	224	107	117	209	14	62.5	5	22.3	White	319	148	171	216	13	40.8	13	40.8
White	214	94	120	( <sup>2</sup> )	14	65.4	4	18.7	All other	49	23	26	( <sup>2</sup> )	4	81.6	1	20.4
All other	10	13	-3	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	Warren	684	434	250	158	36	52.6	30	43.9
Monroe	356	107	249	333	8	22.5	10	26.1	Rural part	379	216	163	175	16	42.2	17	44.9
White	350	103	247	340	8	22.9	10	28.6	White	339	184	155	184	13	38.3	13	38.3
All other	6	4	2	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	All other	40	32	8	( <sup>2</sup> )	3	75.0	4	100.0
Montgomery	272	147	125	185	13	47.8	13	47.8	Bowling Green	305	218	87	140	20	65.6	13	42.6
White	255	118	137	216	12	47.1	11	43.1	White	259	165	94	157	19	73.4	8	30.9
All other	17	29	-12	( <sup>2</sup> )	1	58.3	2	117.6	All other	46	53	-7	( <sup>2</sup> )	1	21.7	5	108.7

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS * (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
Section B—Continued									Section B—Continued								
LOUISIANA (total)	48,844	24,521	24,325	199	5,077	65.0	2,110	43.2	LOUISIANA—Con.								
Acadia	1,232	565	667	338	78	63.3	32	26.0	Jackson	349	93	256	(2)	7	20.1	13	37.2
White	918	265	653	346	52	56.6	15	18.3	White	246	66	180	(2)	6	24.4	7	28.5
All other	314	100	214	334	26	82.8	17	54.1	All other	103	27	76	(2)	1	9.7	6	58.3
Allen	411	138	273	298	26	63.3	13	31.6	Jefferson	206	268	-62	77	27	131.1	9	43.7
White	510	89	221	(2)	15	48.4	5	16.1	White	188	191	-3	98	20	106.4	5	26.6
All other	101	49	52	(3)	11	108.9	8	79.2	All other	18	77	-59	(2)	7	(3)	4	222.2
Ascension	482	195	287	250	31	64.3	27	56.0	Jefferson Davis	828	164	462	392	20	51.9	13	20.8
White	296	89	207	(2)	9	30.4	11	37.2	White	434	108	325	398	9	20.7	9	20.7
All other	186	104	82	179	22	118.3	16	86.0	All other	192	55	137	(2)	11	57.3	4	20.8
Assumption	465	167	298	277	55	77.8	24	51.8	Lafayette	1,307	841	666	204	100	76.5	86	65.8
White	234	65	169	(2)	12	51.3	8	34.2	Rural part	518	153	365	339	31	59.8	27	52.1
All other	229	102	127	225	24	104.8	16	69.2	White	264	92	172	(2)	15	56.8	7	26.5
Avoyelles	789	273	516	289	55	41.8	54	45.1	All other	254	61	193	(2)	16	63.0	20	78.7
White	518	185	335	283	18	30.9	19	36.7	Lafayette	789	488	301	182	69	87.5	59	74.8
All other	271	90	181	(2)	17	62.7	15	55.4	White	585	276	309	212	33	56.4	29	49.6
									All other	204	212	-8	96	36	176.5	30	147.1
Beauregard	319	125	194	255	10	51.3	10	31.3	Lafourche	941	318	623	296	70	74.4	25	26.6
White	266	94	172	(2)	7	28.3	9	35.8	White	782	227	555	344	55	70.3	16	20.5
All other	53	31	22	(2)	3	55.6	1	18.9	All other	159	91	68	(2)	15	94.3	9	56.6
Bienville	408	155	273	502	24	58.8	17	41.7	La Salle	200	60	140	(2)	7	35.0	6	30.0
White	161	65	96	(2)	6	37.3	6	37.3	White	176	46	130	(2)	3	17.0	5	28.4
All other	247	70	177	(2)	18	72.9	11	44.5	All other	24	14	10	(2)	4	166.7	1	41.7
Bossier	276	163	113	169	15	47.1	9	32.6	Lincoln	406	178	228	228	24	59.1	16	39.4
White	126	47	79	(2)	2	15.9	3	25.8	White	204	96	108	(2)	7	34.3	8	39.2
All other	150	116	34	129	11	73.3	6	40.0	All other	202	82	120	(2)	17	84.2	8	39.6
Caddo	4,232	2,475	1,807	173	539	79.2	218	50.9	Livingston	264	94	170	(2)	12	45.5	8	30.3
Rural part	534	299	235	179	39	73.0	53	61.8	White	223	71	152	(2)	10	44.8	5	22.4
White	151	92	59	(2)	8	53.0	4	26.5	All other	41	23	18	(2)	2	48.8	3	75.2
All other	383	207	176	185	31	80.9	29	75.7	Madison	542	200	142	171	25	75.1	23	67.3
Shreveport	5,748	2,176	1,572	172	300	80.0	185	49.4	White	106	47	59	(2)	8	75.3	4	37.7
White	2,067	953	1,114	217	122	59.0	66	31.9	All other	236	153	83	154	17	72.0	19	80.5
All other	1,681	1,223	458	178	178	105.9	119	70.8	Morehouse	555	251	304	221	42	75.7	37	66.7
									White	194	87	107	(2)	10	51.5	10	51.5
Calcasieu	1,064	481	583	221	60	56.4	49	46.1	All other	361	164	197	220	32	88.6	27	74.8
Rural part	527	180	347	293	19	56.1	14	26.6	Natchitoches	921	375	546	246	55	59.7	33	41.3
White	423	123	300	344	12	28.4	12	28.4	White	430	150	280	287	11	25.6	18	30.2
All other	104	57	47	(2)	7	67.3	2	19.2	All other	491	225	266	218	44	69.6	15	50.9
Lake Charles	537	301	236	178	41	76.4	35	65.2	Orleans, coextensive with								
White	387	173	214	224	24	62.0	12	31.0	New Orleans	10,805	7,820	2,985	138	745	68.9	492	45.5
All other	150	128	22	117	17	113.3	23	153.3	White	6,627	4,783	1,844	139	551	53.0	248	37.4
Caldwell	246	88	158	(2)	12	48.8	8	32.5	All other	4,178	3,037	1,141	158	394	94.3	244	58.4
White	160	52	108	(2)	7	43.8	6	37.5	Ouachita	1,091	608	483	179	51	46.7	54	49.5
All other	86	36	50	(2)	5	58.1	2	23.3	Rural part	374	152	222	246	9	24.1	14	37.4
Cameron	95	26	69	(2)	2	21.1	4	42.1	White	256	91	145	(2)	3	12.7	7	29.7
White	82	24	58	(2)	2	24.4	4	48.8	All other	118	61	77	(2)	6	43.5	7	50.7
All other	13	2	11	(2)					Monroe	717	456	261	157	42	58.6	40	55.8
									White	550	250	280	212	32	60.4	19	35.8
Catahoula	261	63	198	(2)	10	38.3	12	46.0	All other	187	206	-19	91	10	53.5	21	112.3
White	180	31	149	(2)	7	38.9	5	27.8	Plaquemines	189	79	110	(2)	10	52.9	4	21.2
All other	81	32	49	(2)	3	37.0	7	86.4	White	85	35	50	(2)	4	47.1	2	25.5
Claiborne	605	209	396	289	30	49.6	26	43.0	All other	104	44	60	(2)	6	57.7	2	19.2
White	173	91	82	(2)	7	40.5	8	46.2	Pointe Coupee	552	223	309	239	35	65.8	34	65.9
All other	432	118	314	366	23	53.2	18	41.7	White	169	75	94	(2)	8	47.3	5	29.6
Concordia	262	124	128	203	9	35.7	21	63.3	All other	383	148	215	245	27	74.4	29	79.9
White	107	29	78	(2)	5	46.7	4	37.4	Rapides	1,468	1,055	433	142	72	49.0	70	47.7
All other	145	95	50	(2)	4	27.6	17	117.2	Rural part	852	717	135	119	43	50.5	34	39.9
De Soto	847	215	432	301	27	41.7	27	41.7	White	510	390	120	131	21	41.2	15	29.4
White	177	96	81	(2)	8	45.2	8	45.2	All other	342	327	15	105	22	64.3	19	55.6
All other	470	119	351	395	19	40.4	19	40.4	Alexandria	616	518	298	194	29	47.1	36	58.4
									White	409	178	231	250	21	51.3	14	34.2
East Baton Rouge	1,595	880	715	181	94	58.9	91	57.1	All other	207	140	67	148	8	38.6	22	106.3
Rural part	1,143	569	574	201	65	56.9	69	60.4	Red River	269	106	163	254	20	74.3	11	40.9
White	763	285	478	268	29	38.0	34	44.6	White	99	51	68	(2)	6	60.6	3	30.3
All other	380	284	96	134	36	94.7	35	92.1	All other	170	75	95	(2)	14	82.8	8	47.1
Baton Rouge	452	311	141	145	29	64.2	22	48.7	Richland	693	210	483	330	38	54.8	30	43.3
White	300	187	113	160	13	45.3	11	36.7	White	391	78	313	(2)	16	40.9	12	30.7
All other	152	124	28	123	16	105.3	11	72.4	All other	302	132	170	229	22	72.8	18	59.6
East Carroll	413	152	261	272	19	46.0	17	41.2	Sabine	396	136	260	291	9	22.7	12	30.3
White	130	20	110	(2)	4	30.8	1	7.7	White	322	99	223	(2)	4	12.4	11	34.2
All other	283	132	151	214	15	53.0	16	56.5	All other	74	37	37	(2)	5	67.6	1	13.5
East Feliciana	296	456	-140	68	17	57.4	17	57.4	St. Bernard	15	47	-34	(2)	5	(3)	2	153.8
White	46	193	-147	24	4	87.0			White	7	32	-25	(2)	2	285.7	2	285.7
All other	250	243	7	103	13	52.0	17	68.0	All other	6	15	-9	(2)	3	(3)		
									St. Charles	158	75	83	(2)	8	50.6	5	31.6
Evangelins	545	129	416	422	20	36.7	15	27.5	White	94	29	65	(2)	1	10.6	4	42.6
White	348	91	257	(2)	10	28.7	10	28.7	All other	64	46	18	(2)	7	109.4	1	15.6
All other	197	38	159	(2)	10	50.8	5	25.4	St. Helena	139	47	92	(2)	7	50.4	5	21.6
Franklin	696	215	481	324	32	46.0	26	37.4	White	59	22	37	(2)	4	67.8		
White	396	111	285	357	15	37.9	9	22.7	All other	80	25	55	(2)	3	37.5	3	37.5

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
LOUISIANA—Con.								MARYLAND (total)—									
St. Landry	1,946	650	1,316	309	157	80.7	71	36.5	Allegany	1,857	887	970	209	105	56.5	73	39.3
White	763	267	496	286	49	64.2	14	18.3	Rural part	730	344	386	212	55	47.9	35	47.9
All other	1,183	383	800	326	108	91.3	57	48.2	White	726	341	385	213	55	48.2	35	48.2
St. Martin	591	197	394	500	45	76.1	21	35.5	All other	4	3	1	( <sup>2</sup> )				
White	296	96	200	( <sup>2</sup> )	19	64.2	9	30.4	Cumberland	1,127	543	584	208	70	62.1	38	33.7
All other	295	101	194	292	26	86.1	12	40.7	White	1,109	531	578	209	69	62.2	37	33.4
St. Mary	815	287	528	284	44	54.0	26	31.9	All other	18	12	6	( <sup>2</sup> )	1	55.6	1	55.6
White	400	118	282	339	17	42.5	6	15.0	Anne Arundel	936	694	244	135	63	67.2	49	52.2
All other	415	169	246	246	27	65.1	20	48.2	Rural part	579	519	60	112	40	69.1	31	53.5
St. Tammany	291	197	94	148	20	68.7	14	48.1	White	291	246	45	118	17	58.4	14	48.1
White	154	121	33	127	8	51.9	10	64.9	All other	288	273	15	105	23	79.9	17	59.0
All other	137	76	61	( <sup>2</sup> )	12	87.6	4	29.2	Annapolis	359	175	184	205	23	64.1	18	50.1
Tangipahoa	747	378	369	198	52	69.6	24	32.1	White	305	110	195	277	11	36.1	12	39.3
White	513	228	285	225	28	54.6	10	19.5	All other	54	65	-11	( <sup>2</sup> )	12	222.2	6	111.1
All other	234	150	84	156	24	102.6	14	59.8	Baltimore	922	1,292	-370	71	28	30.4	50	32.5
Tensas	329	155	174	212	21	65.8	15	39.5	White	823	1,221	-398	67	22	26.7	27	32.6
White	84	20	64	( <sup>2</sup> )	4	47.6			All other	99	71	28	( <sup>2</sup> )	6	60.6	3	30.3
All other	245	135	110	181	17	69.4	15	53.1	Baltimore (city)	14,888	10,879	4,009	137	641	43.1	680	45.7
Terrebonne	870	254	616	343	65	74.7	28	32.2	White	11,350	8,372	2,978	136	400	35.2	427	37.6
White	630	146	484	432	34	54.0	18	28.6	All other	3,538	2,507	1,031	141	241	68.1	253	71.5
All other	240	108	132	222	31	129.2	10	41.7	Calvert	271	106	165	256	27	99.6	12	44.3
Union	364	100	264	364	8	22.0	14	38.5	White	103	44	59	( <sup>2</sup> )	6	58.3	2	19.4
White	204	55	149	( <sup>2</sup> )	5	24.5	4	19.6	All other	168	62	106	( <sup>2</sup> )	21	125.0	10	59.5
All other	160	45	115	( <sup>2</sup> )	3	18.8	10	62.5	Caroline	301	189	112	159	11	36.5	12	39.9
Vermilion	756	262	494	289	41	54.2	17	22.5	White	223	132	91	169	5	22.4	10	44.6
White	632	207	425	305	28	44.3	12	19.0	All other	78	57	21	( <sup>2</sup> )	6	76.9	2	25.6
All other	124	55	69	( <sup>2</sup> )	13	104.9	5	40.3	Carroll	451	618	-167	73	21	46.8	17	37.7
Vernon	323	97	226	( <sup>2</sup> )	15	46.4	7	21.7	White	408	494	-86	63	17	41.7	13	31.9
White	287	80	207	( <sup>2</sup> )	11	38.3	4	13.9	All other	43	124	-81	35	4	93.0	4	95.0
All other	36	17	19	( <sup>2</sup> )	4	111.1	3	83.3	Cecil	422	540	82	124	27	64.0	17	40.3
Washington	744	258	486	288	49	65.9	33	44.4	White	374	297	77	128	22	58.8	15	40.1
Rural part	546	112	234	309	33	95.4	18	52.0	All other	48	43	5	( <sup>2</sup> )	5	104.2	2	41.7
White	215	77	138	( <sup>2</sup> )	18	83.7	15	69.8	Charles	402	154	248	261	24	59.7	20	49.8
All other	131	35	96	( <sup>2</sup> )	15	114.5	3	22.9	White	184	74	110	( <sup>2</sup> )	5	27.2	3	16.3
Bogalusa	398	146	252	273	16	40.2	15	37.7	All other	218	80	138	( <sup>2</sup> )	19	87.2	17	78.0
White	272	93	179	( <sup>2</sup> )	8	29.4	8	29.4	Dorchester	454	398	56	114	40	88.1	55	121.1
All other	126	53	73	( <sup>2</sup> )	8	65.5	7	55.6	White	294	262	32	112	20	68.0	29	98.6
Webster	492	179	313	275	20	40.7	9	18.3	All other	160	136	24	118	20	125.0	26	162.5
White	299	84	215	( <sup>2</sup> )	7	23.4	2	6.7	Frederick	957	723	234	132	67	70.0	23	24.0
All other	193	95	98	( <sup>2</sup> )	13	67.4	7	36.3	Rural part	697	499	198	140	44	63.1	15	21.5
West Baton Rouge	173	104	69	166	9	52.0	10	57.8	White	606	449	157	135	38	62.7	9	14.9
White	47	26	21	( <sup>2</sup> )	1	21.3			All other	91	50	41	( <sup>2</sup> )	6	65.9	6	65.9
All other	126	78	48	( <sup>2</sup> )	8	65.5	10	79.4	Frederick	260	224	36	116	23	88.5	8	50.8
West Carroll	439	96	343	( <sup>2</sup> )	22	50.1	16	36.4	White	253	203	50	125	18	71.1	7	27.7
White	337	46	291	( <sup>2</sup> )	11	32.6	4	11.9	All other	7	21	-14	( <sup>2</sup> )	5	( <sup>3</sup> )	1	142.9
All other	102	50	52	( <sup>2</sup> )	11	107.8	12	117.6	Garrett	465	170	295	274	27	58.1	15	32.3
West Feliciana	208	100	108	208	12	57.7	18	86.5	White	465	170	295	274	27	58.1	15	32.3
White	21	14	7	( <sup>2</sup> )					Harford	426	333	93	128	21	49.3	18	42.3
All other	187	86	101	( <sup>2</sup> )	12	64.2	18	96.3	White	368	271	97	136	15	40.8	13	33.3
Winn	155	73	82	( <sup>2</sup> )	8	51.6	6	38.7	All other	58	62	-4	( <sup>2</sup> )	6	103.4	5	86.2
White	106	40	66	( <sup>2</sup> )	4	37.7	4	37.7	Howard	188	118	70	159	5	26.6	11	58.5
All other	49	33	16	( <sup>2</sup> )	4	81.6	2	40.8	White	134	91	43	( <sup>2</sup> )	3	22.4	6	44.8
MAINE (total)	14,987	10,815	4,172	139	785	52.4	456	30.4	All other	54	27	27	( <sup>2</sup> )	2	37.0	5	92.6
Androscoggin	1,493	1,088	395	136	79	53.3	33	22.3	Kent	215	191	24	113	17	79.1	12	55.8
Rural part	197	186	11	106	8	40.6	2	10.2	White	139	125	14	111	6	43.2	4	28.8
Auburn	118	170	-52	69	5	42.4	4	33.9	All other	76	66	10	( <sup>2</sup> )	11	144.7	8	105.3
Lewiston	1,168	732	436	160	66	56.5	27	25.1	Montgomery	1,009	674	335	150	38	37.7	38	37.7
Aroostook	2,476	910	1,566	272	181	73.1	85	34.3	White	862	568	294	152	23	28.7	29	33.6
Cumberland	2,361	1,908	453	124	105	44.5	60	25.4	All other	147	106	41	139	15	102.0	9	61.2
Rural part	480	509	-29	94	9	18.8	10	20.8	Prince Georges	531	678	-147	73	42	79.1	25	47.1
Portland	1,724	1,198	526	144	87	50.5	45	26.1	White	344	444	-100	77	12	34.9	15	43.6
South Portland	10	108	-98	9	3	300.0			All other	187	234	-47	80	30	160.4	10	53.5
Westbrook	147	93	54	( <sup>2</sup> )	6	40.8	5	34.0	Queen Annes	195	150	45	130	13	66.7	10	51.3
Franklin	335	234	101	143	20	59.7	9	26.9	White	125	104	21	120	6	48.0	5	40.0
Hancock	465	442	23	105	14	30.1	17	36.6	All other	70	46	24	( <sup>2</sup> )	7	100.0	5	71.4
Kennebec	1,350	1,070	280	126	68	50.4	43	31.9	St. Marys	385	143	242	269	20	51.9	5	13.0
Rural part	568	517	51	110	29	51.1	16	28.2	White	254	88	166	( <sup>2</sup> )	14	55.1	1	3.9
Augusta	364	325	39	112	20	54.9	18	49.5	All other	131	55	76	( <sup>2</sup> )	6	45.8	4	30.5
Waterville	418	228	190	183	19	45.5	9										

## VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
MARYLAND—Con.								MASSACHUSETTS—Con.									
Wicomico	668	541	127	123	58	86.8	54	50.9	Norfolk	2,954	3,440	-486	86	86	29.1	77	26.1
Rural part	269	256	35	114	19	70.8	13	48.3	Rural part	465	1,090	-625	43	11	25.7	8	12.9
White	180	174	-14	92	10	62.5	8	50.0	Braintree (town)	11	170	-159	6	1	90.9		
All other	109	62	47	( <sup>2</sup> )	9	82.9	5	45.9	Brookline (town)	170	590	-420	29	4	25.5	7	41.2
Salisbury	399	305	94	131	39	97.7	21	52.6	Dedham (town)	45	123	-78	37	3	65.7	1	22.2
White	352	212	120	157	24	72.3	14	42.2	Milton (town)	87	155	-66	57	1	11.5	2	29.0
All other	67	93	-26	( <sup>2</sup> )	15	223.9	7	104.5	Needham (town)	154	92	42	( <sup>2</sup> )	4	29.3	3	22.4
Worcester	355	253	102	140	36	101.4	13	36.6	Norwood (town)	444	195	249	228	15	29.3	15	53.8
White	192	135	37	124	13	67.7	5	26.0	Quincy	955	668	287	145	29	50.4	25	26.2
All other	163	98	65	( <sup>2</sup> )	23	141.1	8	49.1	Wellesley (town)	16	82	-66	( <sup>2</sup> )				
									Weymouth (town)	627	277	350	226	20	31.9	18	28.7
MASSACHUSETTS (total)	68,657	50,917	12,740	125	2,358	37.0	1,749	27.5	Plymouth	2,242	2,069	173	108	75	35.5	54	24.1
Barnstable	515	530	-14	97	20	38.8	21	40.7	Rural part	558	1,058	-500	53	16	28.7	10	17.9
Berkshire	1,889	1,351	538	140	79	41.8	58	30.7	Brookton	1,474	855	619	177	52	35.3	38	25.8
Rural part	274	373	-99	73	11	40.1	5	16.2	Plymouth (town)	210	176	34	119	7	33.3	6	26.6
Adams (town)	184	156	48	135	11	59.8	6	32.6	Suffolk	17,267	12,163	5,104	142	709	41.1	366	22.4
North Adams	388	249	139	156	21	54.1	10	25.8	Boston	15,094	11,146	4,948	144	677	42.1	361	22.4
Pittsfield	1,043	595	450	176	36	34.5	37	35.5	White	15,625	10,727	4,898	146	657	42.0	347	22.2
									All other	469	419	50	112	20	42.6	14	29.9
Bristol	5,365	4,429	934	122	225	41.8	190	35.3	Chelsea	595	632	-37	94	26	45.7	10	16.8
Rural part	558	537	21	104	17	30.5	12	21.5	Revere	91	194	-103	47	4	44.0	2	22.0
Attleboro	601	324	277	185	20	33.3	12	20.0	Winthrop (town)	487	191	296	255	2	4.1	13	26.7
Fairhaven (town)	82	96	-14	( <sup>2</sup> )	1	16.1	2	32.3	Worcester	7,393	5,836	1,557	127	272	36.8	173	23.4
Pall River	2,050	1,518	532	135	109	53.2	78	39.0	Rural part	1,039	1,690	-651	61	38	36.8	22	21.2
New Bedford	1,583	1,294	289	122	55	34.7	61	38.5	Athol (town)	74	109	-35	68	2	27.0	1	13.5
North Attleborough (town)	36	61	-25	( <sup>2</sup> )	2	55.8			Clinton (town)	247	148	99	167	7	28.5	5	20.2
Taunton	493	599	-106	82	21	42.6	25	50.7	Fitchburg	692	397	295	174	32	46.2	22	31.8
Dukes	107	98	9	( <sup>2</sup> )	8	74.8	4	37.4	Gardner	476	294	182	162	14	29.4	12	25.2
Essex	6,542	5,748	794	114	234	35.8	230	35.2	Leominster	337	210	127	160	16	47.5	10	29.7
Rural part	351	693	-342	51	8	22.8	9	25.6	Milford (town)	463	190	273	244	11	23.8	8	13.0
Amesbury (town)	153	126	27	121	6	39.2	4	26.1	Southbridge (town)	289	130	159	222	7	24.2	12	41.5
Beverly	451	310	141	145	12	26.6	13	35.5	Webster (town)	293	112	181	262	8	27.3	4	13.7
Danvers (town)	83	399	-316	21	2	24.1	4	48.2	Worcester	3,463	2,556	927	156	137	39.3	79	22.7
Gloucester	373	325	48	115	12	32.2	12	32.2	MICHIGAN (total)	94,418	52,019	42,399	182	3,955	41.9	2,559	27.1
Haverhill	659	596	63	111	21	31.9	21	31.9	Alcona	96	47	49	( <sup>2</sup> )	4	41.7	3	31.3
Lawrence	1,275	928	347	137	53	41.6	57	44.7	Alger	192	94	98	( <sup>2</sup> )	8	41.7	1	5.2
Lynn	1,460	1,064	396	137	42	26.8	42	28.8	Allegan	656	497	159	132	29	44.2	18	27.4
Methuen (town)	289	182	107	159	7	24.2	13	45.0	Alpena	493	247	246	200	24	48.7	18	36.5
Newburyport	285	214	71	133	11	36.6	8	28.1	Rural part	135	67	66	6	4	30.1	6	45.1
Peabody	294	209	85	141	6	20.4	10	34.0	Alpena	360	180	180	200	20	55.6	12	33.3
Salem	731	527	204	139	48	65.7	30	41.0	Antrim	217	120	97	181	9	41.5	3	15.8
Saugus (town)	26	88	-62	( <sup>2</sup> )	1	36.5	1	36.5	Arenac	174	107	67	163	8	46.0	2	11.5
Swampscott (town)	112	87	25	( <sup>2</sup> )	5	44.8	3	26.8	Baraga	177	84	93	( <sup>2</sup> )	2	11.3	4	22.6
Franklin	617	608	9	101	34	55.1	18	29.2	Barry	386	265	121	146	10	25.9	10	25.9
Rural part	323	377	-54	86	18	55.7	10	31.0	Bay	1,661	851	810	195	85	51.2	54	32.5
Greenfield (town)	294	231	63	127	16	54.4	8	27.2	Rural part	452	212	240	213	15	35.2	10	22.1
Hampden	4,577	3,585	992	129	167	36.5	130	28.4	Bay City	1,209	639	570	189	70	57.9	44	36.4
Rural part	448	432	16	104	17	37.9	15	33.5	Benzie	201	107	94	188	6	29.9	4	19.9
Chicopee	188	222	-34	85	8	42.6	6	31.9	Berrien	1,464	1,002	462	148	66	44.5	27	18.2
Holyoke	997	713	284	140	32	32.1	32	32.1	Rural part	821	632	189	150	33	40.2	20	24.4
Springfield	2,556	1,811	745	141	89	54.8	66	25.8	Benton Harbor	426	243	183	175	29	66.1	4	9.4
Westfield	353	315	38	112	19	53.8	9	25.5	Niles	237	120	117	187	4	16.9	3	12.7
West Springfield (town)	35	92	-57	( <sup>2</sup> )	2	57.1	2	57.1	Branch	369	304	65	121	14	37.9	8	21.7
Hampshire	1,065	919	146	116	38	55.7	27	25.4	Calhoun	1,720	1,159	561	148	82	47.7	27	15.7
Rural part	386	322	64	120	14	36.3	13	33.7	Rural part	560	528	32	106	13	23.2	9	16.1
Easthampton (town)	41	64	-23	( <sup>2</sup> )					Battle Creek	1,160	631	529	184	69	59.5	18	15.5
Northampton	638	533	105	120	24	37.6	12	18.8	Cass	300	307	-7	98	19	63.3	6	20.0
Middlesex	13,083	10,088	2,975	129	411	31.5	379	29.0	Charlevoix	276	163	113	169	10	36.2	8	29.0
Rural part	865	1,557	-692	56	40	46.2	16	18.5	Cheboygan	297	165	132	180	15	50.5	10	33.7
Arlington (town)	296	337	-41	88	12	40.5	7	23.6	Chippewa	698	287	411	243	34	48.7	32	45.8
Belmont (town)	19	145	-126	13	2	105.3			Rural part	147	76	69	( <sup>2</sup> )	2	18.6	3	20.4
Cambridge	2,162	1,351	811	160	75	34.7	76	35.2	Sault Ste. Marie	551	209	342	264	32	58.1	29	52.6
Everett	687	374	293	178	6	9.0	18	27.0	Clare	218	121	97	180	13	59.6	12	55.0
Framingham (town)	555	268	267	200	24	44.9	15	24.3	Clinton	452	266	186	170	17	37.6	16	35.4
Lowell	1,850	1,372	478	135	68	36.8	52	26.1	Crawford	121	70	51	( <sup>2</sup> )	16	132.2	4	33.1
Malden	978	651	327	150	39	39.9	29	29.7	Delta	771	386	385	200	52	67.4	19	24.6
Marlborough	309	167	142	185	10	32.4	8	25.9	Rural part	207	142	65	148	15	72.5	6	29.0
Medford	825	466	359	170	18	21.8	19	25.0	Escanaba	564	244	320	251	37	65.6	13	23.0
Melrose	439	292	147	150	6	13.7	6	13.7	Dickinson	524	256	268	205	16	30.5	15	28.6
Natick (town)	240	170	70	141	5	20.8											

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
MICHIGAN—Con.								MICHIGAN—Con.									
Gratiot	680	378	304	181	30	44.1	14	20.6	Washtenaw	1,598	1,541	57	104	78	48.8	37	23.2
Hillsdale	507	346	161	147	19	37.5	16	31.6	Rural part	238	512	-274	46	6	25.2	3	12.6
Houghton	854	536	248	142	39	46.8	28	35.6	Ann Arbor	1,069	950	189	115	65	60.8	26	24.3
Huron	667	359	308	186	32	48.0	9	15.5	Ypsilanti	291	99	192	(2)	7	24.1	8	27.5
Ingham	2,679	1,293	1,386	207	107	39.9	50	18.7	White	284	86	198	(2)	7	24.6	8	28.2
Rural part	519	414	105	125	13	25.0	9	17.3	All other	7	13	-6	(2)				
Lansing	2,180	879	1,281	246	94	43.5	41	19.0	Wayne	34,522	16,896	17,426	203	1,328	39.7	983	28.6
Ionia	595	453	162	157	22	37.0	14	23.5	Rural part	1,589	2,051	-462	77	53	36.5	46	28.9
Iosco	155	84	71	(2)			5	32.3	Dearborn	721	243	478	297	21	29.1	23	31.9
Iron	345	169	176	204	7	20.3	6	17.4	Detroit	27,969	13,203	14,766	212	1,110	39.7	799	28.6
Isabella	532	235	297	225	27	50.8	8	15.0	White	25,197	11,499	13,698	219	958	38.0	678	26.9
Jackson	1,530	1,002	528	153	53	34.5	52	34.0	All other	2,772	1,704	1,068	163	152	54.8	121	43.7
Rural part	219	304	-85	72	5	22.8	6	27.4	Ecorse	158	42	116	(2)	4	25.3	6	38.0
Jackson	1,311	698	613	188	49	36.6	46	35.1	White	143	39	104	(2)	4	28.0	6	42.0
Kalamazoo	1,769	1,285	484	138	64	36.2	30	17.0	All other	15	3	12	(2)				
Rural part	287	353	-46	86	12	41.8	3	10.5	Grosse Pointe Park	8	55	-47	(2)			2	250.0
Kalamazoo	1,482	952	530	156	52	35.1	27	18.2	Hamtramck	789	298	490	264	38	48.2	20	25.3
Kalkaska	133	59	74	(2)			2	15.0	Highland Park	1,652	524	1,128	315	52	19.4	60	56.3
Kent	4,401	2,719	1,682	162	173	39.3	126	28.6	Lincoln Park	118	42	76	(2)	1	8.5		
Rural part	1,508	847	661	178	44	29.2	43	28.5	River Rouge	240	95	147	(2)	15	62.5	6	25.0
Grand Rapids	2,893	1,872	1,021	155	129	44.6	83	28.7	Wyandotte	1,078	344	734	513	49	45.5	21	19.5
Keweenaw	43	30	13	(2)	3	69.8	1	23.3	Westford	567	240	127	153	27	73.6	21	57.2
Lake	74	48	26	(2)			2	27.0	MINNESOTA (total)-----50,237 26,784 23,453 188 1,798 35.8 1,219 24.3								
Lapeer	518	459	59	113	33	63.7	19	36.7	Aitkin	349	121	228	288	15	43.0	6	17.2
Leelanau	137	68	69	(2)	5	35.5	2	14.6	Anoka	185	216	-31	86	7	37.8	2	10.8
Lenawee	944	685	259	138	42	44.5	20	21.2	Becker	615	253	362	264	32	52.0	14	22.8
Rural part	559	468	91	119	23	41.1	15	26.8	Beltrami	657	262	395	251	39	59.4	12	18.3
Adrian	385	217	168	177	19	49.4	5	13.0	Benton	213	90	123	(2)	7	32.9	7	32.9
Livingston	307	314	-7	98	11	35.8	11	35.8	Rural part	196	74	122	(2)	7	35.7	7	35.7
Luce	193	192	1	101	7	36.3	6	31.1	St. Cloud (part)	17	16	1	(2)				
Mackinac	150	90	60	(2)	3	20.0			Big Stone	296	100	196	296	9	30.4	7	25.6
Macomb	1,512	807	705	187	71	47.0	41	27.1	Blue Earth	781	368	413	212	26	33.3	11	14.1
Rural part	1,021	529	492	193	45	44.1	18	17.6	Rural part	110	120	-10	92	6	54.5	3	27.3
Mount Clemens	491	278	213	177	26	53.0	23	46.8	Mankato	671	248	423	271	20	29.8	8	11.9
Manistee	345	248	97	139	21	60.9	12	34.8	Brown	699	251	448	278	16	22.9	22	31.5
Marquette	856	537	319	159	46	53.7	23	26.9	Carlton	468	254	214	184	16	32.1	10	21.4
Rural part	491	297	194	165	16	32.2	11	22.4	Carver	262	127	135	206	11	42.0	7	26.7
Marquette	365	240	125	152	30	82.2	12	32.9	Cass	373	266	107	140	15	40.2	8	21.4
Mason	366	212	154	173	13	35.5	4	10.9	Chippewa	391	160	231	244	13	33.2	9	25.0
Mecosta	317	206	111	154	16	50.5	15	47.3	Chisago	115	103	12	112	3	26.1	3	26.1
Menominee	544	295	249	184	19	34.9	12	22.1	Clay	362	187	165	184	19	52.5	9	24.9
Rural part	218	117	101	166	5	22.9	4	18.3	Clearwater	248	60	188	(2)	5	20.2	5	20.2
Menominee	326	178	148	183	14	42.9	8	24.5	Cook	26	15	11	(2)	1	38.5	1	38.5
Midland	532	210	322	253	26	48.9	14	26.3	Cottonwood	328	114	214	288	12	36.6	8	24.4
Missaukee	189	70	119	(2)	14	74.1	7	37.0	Crow Wing	651	300	351	217	25	38.4	16	24.6
Monroe	1,159	531	628	218	46	39.7	24	20.7	Rural part	239	110	129	217	7	29.3	5	20.9
Rural part	474	276	198	172	12	25.3	9	19.0	Brainerd	412	190	222	217	18	43.7	11	26.7
Monroe	685	255	430	269	34	49.6	15	21.9	Dakota	516	259	57	122	8	25.3	6	19.0
Montcalm	606	357	249	170	25	41.3	15	24.6	Rural part	291	227	64	128	4	13.7	6	20.6
Montmorency	66	29	37	(2)	3	45.5	3	45.5	South St. Paul	25	32	-7	(2)	4	160.0		
Muskegon	1,908	894	1,014	213	108	56.6	41	21.5	Dodge	220	99	121	(2)	4	18.2	4	18.2
Rural part	243	194	49	125	7	28.9	2	8.2	Douglas	332	200	132	166	8	24.1	14	42.2
Muskegon	1,590	623	967	255	99	62.3	37	25.3	Faribault	454	184	270	247	12	26.4	2	4.4
Muskegon Heights	75	77	-2	(2)	2	26.7	2	26.7	Fillmore	371	208	163	175	12	32.3	8	21.6
Newaygo	365	224	141	163	9	24.7	14	38.4	Freeborn	679	248	431	274	26	38.3	25	36.8
Oakland	4,078	1,853	2,225	220	175	42.9	107	26.2	Rural part	182	115	67	158	6	33.0	2	11.0
Rural part	1,346	917	429	147	53	39.4	35	26.0	Albert Lea	497	133	364	374	20	40.2	23	46.3
Ferdale	302	73	229	(2)	5	16.6	8	26.5	Goodhue	516	380	136	136	18	34.9	14	27.1
Pontiac	2,121	730	1,391	281	111	52.3	57	26.9	Grant	148	55	93	(2)	3	20.3	3	20.3
Royal Oak	309	133	176	232	6	18.4	7	22.7	Hennepin	9,378	6,125	3,255	153	315	33.6	286	30.5
Oceana	263	204	59	129	12	45.6	6	22.8	Rural part	229	713	-484	32	7	30.6	6	26.2
Ogemaw	212	95	117	(2)	10	47.2	9	42.5	Minneapolis	9,149	5,410	3,739	169	308	33.7	280	30.6
Ontonagon	184	120	64	153	12	65.2	7	38.0	Houston	223	114	109	196	5	13.5	3	13.5
Osceola	253	160	93	158	14	55.3	10	39.5	Hubbard	227	92	135	(2)	7	30.8	12	52.9
Oscoda	52	26	26	(2)	3	57.7	1	19.2	Isanti	229	136	93	168	4	17.5	3	13.1
Otsego	108	62	46	(2)	4	37.0	4	37.0	Itasca	599	275	324	218	30	50.1	18	30.1
Ottawa	1,155	520	635	222	40	34.6	27	23.4	Jackson	253	79	174	(2)	7	27.7	7	27.7
Rural part	772	358	414	216	30	38.9	20	25.9	Kanabec	109	64	45	(2)	4	36.7	1	9.2
Holland	383	162	221	236	10	26.1	7	18.3	Kandiyohi	523	261	262	200	18	34.4	10	19.1
Presque Isle	251	104	147	241	10	38.8	9	35.9	Kittson	176	84	92	(2)	4	22.7	3	17.0
Roscommon	67	38	29	(2)	5	74.6			Koochiching	376	153	223	246	12	31.9	16	42.6
Saginaw	2,584	1,342	1,242	193	127	49.1	87	35.7	Lac qui Parle	255	120	115	196	13	55.3	3	12.8
Rural part	436	352	84	124	17	39.0	14	32.1	Lake	89	75	14	(2)	5	56.2	4	44.9
Saginaw	2,148	990	1,158	217	110	51.2	73	34.0	Lake of the Woods	102	33	69	(2)	3	29.4	2	19.6
St. Clair	1,427	865	562	165	55	38.5	35	24.5	Le Sueur	273	149	124	183	10	36.6	2	7.3
Rural part	718	420	298	171	22	30.6	16	22.3	Lincoln	280	92	188	(2)	11	37.9	7	24.1
Port Huron	709	445	264	159	33	46.5	19	26.6	Lyon	445	172	273	259	15	33.7	9	20.2
St. Joseph	622	392	230	159	20	32.2	24	38.6	McLeod	429	203	226	211	22	51.3	7	16.3
Sanilac	543	317	226	171	21	38.7	15	27.6									



VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
MINNESOTA—Con.									MISSISSIPPI—Con.								
Morrison	572	215	357	266	19	55.2	18	31.5	Carroll	526	188	368	333	24	45.6	8	15.2
Mower	845	291	554	290	28	29.6	26	30.8	White	199	63	136	( <sup>2</sup> )	6	30.2		
Rural part	262	128	134	220	5	17.7	4	14.2	All other	327	95	232	( <sup>2</sup> )	18	55.0	8	24.5
Austin	583	163	420	345	20	55.5	22	39.1	Chickasaw	532	281	271	204	30	56.4	31	58.3
Murray	316	91	225	( <sup>2</sup> )	17	55.8	3	9.5	White	252	112	140	225	11	43.7	5	18.8
Nicollet	227	340	-113	67	4	17.6	7	30.8	All other	280	149	131	188	19	67.9	26	92.9
Nobles	517	150	367	345	17	52.9	17	32.9	Choctaw	299	97	202	( <sup>2</sup> )	13	43.5	6	20.1
Norman	265	102	163	280	13	49.1	9	94.0	White	137	75	122	( <sup>2</sup> )	13	66.0	3	15.2
Olmsted	889	1,100	-232	79	39	44.9	22	25.3	All other	102	22	80	( <sup>2</sup> )	3	29.4		
Rural part	185	100	85	165	3	16.2	5	27.0	Claiborne	263	141	122	187	11	41.8	18	68.4
Rochester	683	1,000	-317	88	36	52.7	17	24.9	White	61	35	26	( <sup>2</sup> )	5	82.0		
Otter tail	992	609	383	163	27	27.2	21	21.2	All other	202	106	96	191	6	29.7	18	89.1
Pennington	353	150	203	279	11	30.3	14	38.6	Clarke	504	160	344	315	16	31.7	21	41.7
Pine	391	186	205	210	13	53.2	6	15.3	White	262	71	191	( <sup>2</sup> )	5	19.1	10	38.2
Pipestone	344	111	233	310	9	26.2	5	14.5	All other	242	89	153	( <sup>2</sup> )	11	45.5	11	45.5
Polk	653	350	303	187	29	44.4	15	23.0	Clay	503	208	295	242	26	51.7	39	77.5
Pope	240	105	135	229	8	53.3	5	20.8	White	138	59	79	( <sup>2</sup> )	5	36.2	4	29.0
Ramsey	5,487	5,142	2,345	175	185	53.7	145	26.4	All other	365	149	216	245	21	57.5	35	95.9
Rural part	87	114	-27	32	1	27.0			Coahoma	984	531	453	185	47	47.8	67	68.1
St. Paul	5,400	3,028	2,422	180	184	53.8	145	26.6	Rural part	769	402	367	191	34	44.2	54	70.2
Red Lake	99	41	58	( <sup>2</sup> )	5	50.5			White	72	35	39	( <sup>2</sup> )	3	41.7		
Redwood	338	155	205	234	16	44.7	8	22.3	All other	697	369	328	189	31	44.5	54	77.5
Renville	379	168	211	226	10	26.4	5	13.2	Clarksdale	215	129	86	167	13	60.5	13	60.5
Rice	625	328	297	191	13	20.8	19	30.4	White	96	55	41	( <sup>2</sup> )	4	41.7	1	10.4
Rural part	225	133	90	168	4	17.9	3	13.5	All other	119	74	45	( <sup>2</sup> )	9	75.6	12	100.8
Faribault	402	195	207	206	9	22.4	16	39.8	Copiah	783	298	485	283	55	44.7	40	51.1
Rock	156	87	69	( <sup>2</sup> )	5	32.1	4	25.6	White	249	124	125	201	8	32.1	5	20.1
Roseau	427	108	319	395	15	35.1	12	28.1	All other	534	174	360	307	27	50.6	35	85.5
St. Louis	5,421	1,908	1,513	179	137	40.0	75	21.9	Covington	441	106	335	416	25	56.7	15	34.0
Rural part	723	527	196	137	30	41.5	9	12.4	White	275	66	209	( <sup>2</sup> )	17	61.8	6	21.8
Duluth	1,987	1,131	856	176	88	44.3	49	24.7	All other	166	40	126	( <sup>2</sup> )	8	48.2	9	54.2
Hibbing	395	126	269	313	10	25.3	7	17.7	De Soto	613	223	390	275	30	48.9	37	60.4
Virginia	516	124	192	255	9	28.5	10	31.6	White	99	49	50	( <sup>2</sup> )	1	10.1	1	10.1
Scott	234	149	85	157	8	34.2	3	12.8	All other	514	174	340	295	29	56.4	36	70.0
Sherburne	138	96	42	( <sup>2</sup> )	5	36.2	3	21.7	Forrest	712	392	320	182	48	67.4	33	46.3
Rural part	131	66	65	( <sup>2</sup> )	4	30.5	3	22.9	Rural part	248	101	147	246	7	28.2	10	40.3
St. Cloud (part)	7	30	-23	( <sup>2</sup> )	1	( <sup>2</sup> )			White	162	70	92	( <sup>2</sup> )	7	43.2	6	37.0
Sibley	228	108	120	211	8	35.1	5	21.9	All other	86	31	55	( <sup>2</sup> )		4	46.5	
Stearns	1,734	596	1,138	291	76	43.8	29	16.7	Hattiesburg	464	291	173	189	41	88.4	23	49.6
Rural part	1,000	305	695	328	35	35.0	11	11.0	White	337	173	164	195	25	74.2	18	53.4
St. Cloud (part)	734	291	443	( <sup>2</sup> )	41	( <sup>2</sup> )	18	( <sup>2</sup> )	All other	127	118	9	108	16	126.0	5	39.4
St. Cloud (total)	758	337	421	225	42	55.4	18	23.7	Franklin	250	99	151	( <sup>2</sup> )	11	44.0	11	44.0
Steele	358	173	185	207	12	33.5	9	25.1	White	149	50	99	( <sup>2</sup> )	5	33.6	5	33.6
Stevens	239	85	154	( <sup>2</sup> )	9	37.7	7	29.3	All other	101	49	52	( <sup>2</sup> )	6	59.4	6	59.4
Swift	325	114	211	285	10	30.8	6	18.5	George	241	61	180	( <sup>2</sup> )	17	70.5	8	33.2
Todd	563	213	350	264	25	44.4	12	21.3	White	210	53	157	( <sup>2</sup> )	17	81.0	5	23.9
Traverse	118	58	60	( <sup>2</sup> )	1	8.5	2	15.9	All other	31	8	23	( <sup>2</sup> )		3	96.8	
Wabasha	279	195	84	143	7	25.1	1	3.6	Greene	242	69	173	( <sup>2</sup> )	15	62.0	8	33.1
Wadena	340	129	211	264	16	47.1	6	17.6	White	186	43	143	( <sup>2</sup> )	11	59.1	5	26.9
Waseca	261	180	131	201	8	30.7	5	19.2	All other	56	26	30	( <sup>2</sup> )	4	71.4	3	53.6
Washington	267	251	16	106	8	30.0	3	11.2	Grenada	481	247	234	195	31	64.4	32	66.5
Watsonwan	280	122	158	230	11	39.3	4	14.3	White	168	98	70	( <sup>2</sup> )	11	65.5	10	59.5
Wilkin	325	108	217	301	18	55.4	6	18.5	All other	313	149	164	210	20	63.9	22	70.3
Winona	654	395	259	166	24	36.7	14	21.4	Hancock	242	100	142	242	13	53.7	7	28.9
Rural part	156	114	42	137	6	38.5	1	6.4	White	190	70	120	( <sup>2</sup> )	7	36.8	4	21.1
Winona	498	281	217	177	18	36.1	13	26.1	All other	52	30	22	( <sup>2</sup> )	6	115.4	3	57.7
Wright	454	228	226	199	10	22.0	8	17.6	Harrison	994	592	402	188	54	54.3	42	42.3
Yellow Medicine	323	138	185	234	12	37.2	6	18.6	Rural part	248	212	36	117	16	64.5	12	48.4
MISSISSIPPI (total)	51,721	22,646	29,075	228	2,907	56.2	2,642	51.1	White	161	134	-3	98	15	93.2	7	43.5
Adams	789	402	337	184	39	52.3	52	70.4	All other	87	48	39	( <sup>2</sup> )	1	11.5	5	57.5
Rural part	533	225	308	237	27	50.7	44	82.6	Biloxi	391	195	196	201	24	61.4	12	30.7
White	162	54	108	( <sup>2</sup> )	9	55.6	9	55.6	White	343	155	188	221	20	58.3	10	29.2
All other	371	171	200	217	18	48.5	35	94.3	All other	48	40	8	( <sup>2</sup> )	4	83.3	2	41.7
Natchez	208	177	29	116	12	58.3	8	38.8	Gulfport	355	185	170	192	14	39.4	18	50.7
White	136	71	65	( <sup>2</sup> )	3	22.1	3	22.1	White	297	139	158	214	10	33.7	12	40.4
All other	70	106	-36	66	9	128.6	5	71.4	All other	58	46	12	( <sup>2</sup> )	4	69.0	6	103.4
Alcorn	560	278	282	201	30	53.6	19	33.9	Hinds	2,236	1,277	959	175	152	68.0	140	62.6
White	455	207	248	220	24	52.7	18	39.6	Rural part	1,022	454	568	225	64	62.6	70	68.5
All other	105	71	34	( <sup>2</sup> )	6	57.1	1	9.5	White	153	87	66	( <sup>2</sup> )				



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
MISSISSIPPI—Con.								MISSISSIPPI—Con.									
Jackson	426	188	238	227	19	44.6	11	25.6	Oktober	559	210	349	266	28	50.1	38	68.0
White	328	125	203	262	15	45.7	9	27.4	White	172	60	112	( <sup>2</sup> )	6	34.9	2	11.6
All other	98	63	35	( <sup>2</sup> )	4	40.8	2	20.4	All other	387	150	237	258	22	56.8	36	95.0
Jasper	465	144	339	335	20	41.4	24	49.7	Panola	856	304	552	282	57	66.6	45	52.6
White	192	69	123	( <sup>2</sup> )	4	20.8	9	46.9	White	292	96	196	( <sup>2</sup> )	14	47.9	7	24.0
All other	291	75	216	( <sup>2</sup> )	16	55.0	15	51.5	All other	564	208	356	271	43	76.2	38	67.4
Jefferson	328	111	217	295	7	21.3	28	85.4	Pearl River	433	163	270	266	28	64.7	23	55.1
White	39	23	16	( <sup>2</sup> )	1	25.6	1	25.6	White	352	114	238	309	23	65.3	19	54.0
All other	289	88	201	( <sup>2</sup> )	6	20.8	27	93.4	All other	81	49	32	( <sup>2</sup> )	5	61.7	4	49.4
Jefferson Davis	447	152	315	339	28	62.6	18	40.3	Perry	255	71	184	( <sup>2</sup> )	10	39.2	13	51.0
White	174	45	129	( <sup>2</sup> )	8	46.0	4	25.0	White	195	37	158	( <sup>2</sup> )	7	35.9	4	20.5
All other	273	87	186	( <sup>2</sup> )	20	73.3	14	51.3	All other	60	34	26	( <sup>2</sup> )	3	60.0	9	150.0
Jones	1,124	556	568	202	83	73.8	76	67.6	Pike	824	332	442	216	54	65.5	28	54.0
Rural part	564	193	371	292	32	56.7	20	35.5	Rural part	593	251	342	236	37	62.4	19	32.0
White	391	128	263	310	17	43.5	7	17.9	White	171	89	82	( <sup>2</sup> )	8	46.8	5	29.2
All other	173	67	106	( <sup>2</sup> )	15	86.7	13	75.1	All other	422	162	260	260	29	68.7	14	33.2
Laurel	560	363	197	154	51	91.1	56	100.0	McComb	231	131	100	176	17	73.6	9	39.0
White	405	217	186	186	37	91.8	31	76.9	White	193	90	103	( <sup>2</sup> )	12	62.2	8	41.5
All other	157	146	11	108	14	89.2	25	139.2	All other	38	41	-3	( <sup>2</sup> )	5	131.6	1	26.3
Kemper	581	208	373	279	40	68.8	34	58.5	Pontotoc	547	194	353	282	22	40.2	17	31.1
White	157	80	77	( <sup>2</sup> )	9	57.3	4	25.5	White	419	136	283	308	10	23.9	8	19.1
All other	424	148	276	236	31	73.1	30	70.8	All other	128	58	70	( <sup>2</sup> )	12	93.8	9	70.3
Lafayette	627	274	353	229	22	35.1	25	39.9	Prentiss	542	216	326	251	29	53.5	11	20.3
White	359	154	205	253	3	8.8	8	23.6	White	486	190	296	256	24	49.5	7	14.4
All other	268	140	149	206	19	66.0	17	59.0	All other	56	26	30	( <sup>2</sup> )	5	89.3	4	71.4
Lamar	290	112	178	259	14	48.3	8	27.6	Quitman	695	303	392	229	50	71.9	38	54.7
White	242	89	153	( <sup>2</sup> )	11	45.5	7	28.9	White	232	76	156	( <sup>2</sup> )	14	60.3	4	17.2
All other	48	23	25	( <sup>2</sup> )	3	62.5	1	20.8	All other	463	227	236	204	36	77.8	34	75.4
Lauderdale	1,184	907	277	151	100	84.5	75	63.3	Rankin	591	679	-88	87	24	40.6	24	40.5
Rural part	507	227	280	223	25	49.3	25	49.3	White	174	262	-88	66	6	34.5	2	11.5
White	182	102	80	178	4	22.0	6	35.0	All other	417	417	0	100	18	45.2	22	52.8
All other	325	125	200	280	21	64.6	19	58.5	Scott	536	186	350	288	28	52.2	39	72.8
Meridian	677	680	-3	100	75	110.8	50	73.9	White	255	86	169	( <sup>2</sup> )	8	31.4	11	45.1
White	479	411	68	117	52	108.2	20	41.8	All other	281	100	181	281	20	71.2	28	99.5
All other	198	269	-71	74	23	116.2	30	151.5	Sharkey	322	138	184	255	17	52.8	17	52.9
Lawrence	359	111	248	323	12	33.4	27	75.2	White	58	25	33	( <sup>2</sup> )	5	51.7	1	17.2
White	213	67	146	( <sup>2</sup> )	6	28.2	7	32.9	All other	264	113	151	234	14	53.0	16	60.6
All other	146	44	102	( <sup>2</sup> )	6	41.1	20	137.0	Simpson	531	188	343	287	18	33.9	16	30.1
Leake	632	168	444	336	32	50.6	26	41.1	White	325	112	213	290	8	24.6	6	18.5
White	315	90	225	( <sup>2</sup> )	9	28.6	10	31.7	All other	206	76	130	( <sup>2</sup> )	10	48.5	10	48.5
All other	317	98	219	( <sup>2</sup> )	23	72.6	16	50.5	Smith	451	91	360	( <sup>2</sup> )	13	28.8	10	22.2
Lee	916	340	576	269	37	40.4	31	33.8	White	355	74	281	( <sup>2</sup> )	10	28.2	5	14.1
White	615	193	422	319	25	40.7	17	27.6	All other	96	17	79	( <sup>2</sup> )	3	31.5	5	52.1
All other	301	147	154	205	12	39.9	14	46.5	Stones	122	63	59	( <sup>2</sup> )	10	82.0	8	65.6
Leflore	1,359	665	674	201	102	76.2	109	81.4	White	82	37	45	( <sup>2</sup> )	4	48.8	5	61.0
Rural part	1,087	488	599	223	77	70.8	83	76.4	All other	40	26	14	( <sup>2</sup> )	6	150.0	3	75.0
White	147	50	97	( <sup>2</sup> )	7	47.6	3	20.4	Sunflower	1,446	502	944	288	75	51.9	55	38.0
All other	940	438	502	215	70	74.5	80	85.1	White	306	87	219	( <sup>2</sup> )	16	52.3	3	9.8
Greenwood	252	177	75	142	25	99.2	26	103.2	All other	1,140	415	725	275	59	51.8	52	45.6
White	158	75	83	( <sup>2</sup> )	14	88.6	3	19.0	Tallahatchie	854	358	496	253	54	63.2	38	44.5
All other	94	102	-8	92	11	117.0	23	244.7	White	267	77	190	( <sup>2</sup> )	10	37.5	8	30.0
Lincoln	641	279	362	230	35	54.6	34	55.0	All other	587	261	326	225	44	75.0	30	51.1
White	356	153	203	233	20	56.2	14	39.3	Tate	482	162	320	298	19	39.4	17	35.3
All other	285	126	159	226	15	52.6	20	70.2	White	158	46	112	( <sup>2</sup> )	7	44.3	1	6.3
Lowndes	805	378	427	213	49	60.9	46	59.6	All other	324	116	208	279	12	37.0	16	49.4
Rural part	537	215	322	250	28	52.1	33	61.5	Tippah	460	122	338	377	13	28.3	10	21.7
White	142	63	79	( <sup>2</sup> )	10	70.4	1	7.0	White	384	96	288	( <sup>2</sup> )	10	26.0	10	26.0
All other	395	152	243	280	18	45.6	32	81.0	All other	76	26	50	( <sup>2</sup> )	3	39.5	—	—
Columbus	288	163	105	164	21	78.4	15	56.0	Tishomingo	387	114	273	339	10	25.8	9	23.3
White	140	76	64	( <sup>2</sup> )	8	57.1	6	42.9	White	368	110	258	335	10	27.2	9	24.5
All other	128	87	41	( <sup>2</sup> )	13	101.6	9	70.3	All other	19	4	15	( <sup>2</sup> )	—	—	—	—
Madison	1,071	423	648	253	68	63.5	59	55.1	Tunica	518	269	249	193	25	48.3	41	79.2
White	173	99	74	( <sup>2</sup> )	13	75.1	5	28.9	White	37	30	7	( <sup>2</sup> )	4	108.1	1	27.0
All other	898	324	574	277	55	61.2	54	60.1	All other	481	239	242	201	21	43.7	40	83.2
Marion	564	193	371	292	38	67.4	16	28.4	Union	500	205	295	244	16	32.0	26	52.0
White	328	110	218	298	21	64.0	6	18.3	White	394	158	236	249	12	30.5	17	43.1
All other	236	83	153	( <sup>2</sup> )	17	72.0	10	42.4	All other	106	47	59	( <sup>2</sup> )	4	37.7	9	84.9
Marshall	642	220	422	292	30	46.7	42	65.4	Walthall	596	163	433	366	37	62.1	32	53.7
White																	

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
Section B—Continued								Section B—Continued									
MISSISSIPPI—Con.								MISSOURI—Con.									
Wayne	422	126	296	355	18	42.7	18	42.7	Jackson	7,251	5,751	1,500	126	306	42.2	186	25.7
White	254	70	184	( <sup>2</sup> )	10	39.4	11	43.5	Rural part	466	577	-111	81	12	25.8	18	38.6
All other	168	56	112	( <sup>2</sup> )	8	47.6	7	41.7	Independence	360	206	154	175	10	27.8	23	65.9
Webster	368	126	242	292	27	75.4	13	35.5	Kansas City	6,425	4,968	1,457	129	284	44.2	145	22.6
White	255	88	167	( <sup>2</sup> )	18	70.6	7	27.5	White	5,848	4,279	1,569	137	240	41.0	127	21.7
All other	113	38	75	( <sup>2</sup> )	9	79.6	6	53.1	All other	577	689	-112	84	44	76.3	18	31.2
Wilkinson	474	168	306	282	34	71.7	10	21.1	Jasper	1,400	1,165	235	120	79	56.4	42	30.0
White	121	51	70	( <sup>2</sup> )	8	66.1	3	24.8	Rural part	726	585	141	124	27	37.2	26	35.8
All other	353	117	236	( <sup>2</sup> )	26	75.7	7	19.8	Joplin (part)	674	580	94	( <sup>5</sup> )	52	( <sup>5</sup> )	16	( <sup>5</sup> )
Winston	566	187	379	303	29	51.2	26	45.9	Joplin (total)	683	582	101	117	52	76.1	18	26.4
White	306	100	206	306	18	58.8	8	26.1	Jefferson	413	279	134	148	20	48.4	8	19.4
All other	260	87	173	( <sup>2</sup> )	11	42.3	18	69.2	Johnson	283	265	18	107	11	38.9	4	14.1
Yalobusha	447	173	274	258	22	49.2	15	33.6	Knox	93	93	( <sup>2</sup> )	4	4	43.0	2	21.5
White	200	95	105	( <sup>2</sup> )	14	70.0	2	10.0	Laclede	394	190	194	202	9	23.4	11	28.6
All other	247	78	169	( <sup>2</sup> )	8	32.4	13	52.6	Lafayette	382	288	94	133	13	34.0	13	34.0
Yazoo	977	451	526	217	66	67.6	77	78.8	Lawrence	430	370	60	116	14	32.6	9	20.9
White	245	141	104	174	22	89.8	15	61.2	Lewis	179	125	54	143	( <sup>2</sup> )	( <sup>2</sup> )	2	11.2
All other	732	310	422	256	44	60.1	62	84.7	Lincoln	183	146	37	125	6	32.8	2	10.9
MISSOURI (total)	58,876	42,585	16,291	188	2,655	45.1	1,843	51.3	Linn	327	258	69	127	14	42.8	10	30.6
Adair	469	290	179	162	17	36.2	15	32.0	Livingston	305	200	105	153	7	23.0	10	32.8
Andrew	142	151	-9	94	2	14.1	1	7.0	McDonald	193	94	99	( <sup>2</sup> )	5	25.9	5	25.9
Atchison	178	92	86	( <sup>2</sup> )	7	39.3	( <sup>2</sup> )	( <sup>2</sup> )	Macon	250	232	18	106	3	12.0	5	20.0
Audrain	396	284	132	150	20	50.5	5	12.6	Madison	190	99	91	( <sup>2</sup> )	13	68.4	7	36.8
Barry	427	203	224	210	13	30.4	8	18.7	Marion	129	66	62	( <sup>2</sup> )	7	54.7	3	23.4
Barton	237	134	103	177	9	58.0	2	8.4	Rural part	496	434	62	114	17	34.3	14	28.2
Bates	279	205	74	156	10	35.8	4	14.3	Hamball	71	109	-38	65	4	56.3	1	14.1
Benton	148	87	61	( <sup>2</sup> )	4	27.0	4	21.8	425	325	100	131	13	30.6	13	30.6	
Bollinger	185	70	115	( <sup>2</sup> )	6	32.4	4	21.8	Mercer	132	103	29	128	8	60.6	5	37.9
Boone	490	400	90	123	25	51.0	9	18.4	Miller	284	137	147	207	10	35.2	18	63.4
Rural part	195	179	16	109	7	35.9	5	25.6	Mississippi	504	199	305	253	36	71.4	13	25.8
Columbia	295	221	74	133	18	61.0	4	13.6	Moniteau	176	130	46	135	5	28.4	6	34.1
White	266	177	89	150	14	52.6	4	15.0	Monroe	143	149	-6	96	3	21.0	5	35.0
All other	29	44	-15	( <sup>2</sup> )	4	137.9	( <sup>2</sup> )	( <sup>2</sup> )	Montgomery	154	136	18	113	10	64.9	2	13.0
Buchanan	1,396	1,394	2	100	70	50.1	49	35.1	Morgan	181	105	76	172	10	55.2	2	11.0
Rural part	170	121	49	140	7	41.2	7	41.2	New Madrid	828	333	495	249	82	99.0	29	35.0
St. Joseph	1,226	1,273	-47	96	63	51.4	42	34.3	Newton	557	297	260	188	19	34.1	25	44.9
Butler	762	420	342	181	58	76.1	22	28.9	Rural part	548	295	253	186	19	34.7	23	42.0
Caldwell	121	125	-4	97	2	16.5	2	16.5	Joplin (part)	9	2	7	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	2	( <sup>5</sup> )
Callaway	305	423	-118	72	7	23.0	16	52.5	Nodaway	411	282	129	146	23	56.0	12	29.2
Camden	147	70	77	( <sup>2</sup> )	9	61.2	3	20.4	Oregon	193	77	116	( <sup>2</sup> )	7	36.3	9	46.6
Cape Girardeau	859	490	349	171	55	65.6	30	35.8	Osage	214	95	119	( <sup>2</sup> )	7	32.7	5	23.4
Rural part	260	98	162	( <sup>2</sup> )	3	11.5	5	19.2	Ozark	222	73	149	( <sup>2</sup> )	14	63.1	7	31.5
Cape Girardeau	579	392	187	148	52	89.8	25	43.2	Pemiscot	845	382	463	221	88	104.1	31	36.7
Carroll	274	272	2	101	14	51.1	5	18.2	Perry	280	101	179	277	10	35.7	5	17.9
Carter	130	44	86	( <sup>2</sup> )	9	69.2	2	15.4	Pettis	556	428	128	125	21	39.2	14	26.1
Cass	270	238	32	113	7	25.9	11	40.7	Rural part	157	113	44	139	6	38.2	3	19.1
Cedar	181	144	37	126	12	66.3	11	60.8	Sedalia	379	315	64	120	15	39.6	11	29.0
Chariton	247	181	66	136	13	52.6	6	24.3	White	342	273	69	125	12	35.1	7	20.5
Christian	188	131	57	144	10	53.2	12	63.8	All other	37	42	-5	( <sup>2</sup> )	3	81.1	4	108.1
Clark	127	111	16	114	7	55.1	1	7.9	Phelps	314	249	65	126	19	60.5	8	25.5
Clay	323	376	-53	86	6	18.6	10	31.0	Pike	257	248	9	104	11	42.8	6	23.3
Clinton	171	138	33	124	6	35.1	5	29.2	Platte	122	113	9	108	2	16.4	8	65.6
Cole	549	360	189	153	34	61.9	9	16.4	Polk	261	167	94	156	12	46.0	3	11.5
Rural part	147	87	60	( <sup>2</sup> )	3	20.4	2	13.6	Pulaski	196	83	113	( <sup>2</sup> )	4	20.4	3	15.3
Jefferson City	402	273	129	147	31	77.1	7	17.4	Putnam	185	112	73	165	7	37.8	4	21.6
White	385	247	138	156	31	80.5	6	15.6	Ralls	94	64	30	( <sup>2</sup> )	2	21.3	2	21.3
All other	17	26	-9	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	1	58.9	Randolph	344	361	-17	95	16	46.5	7	20.3
Cooper	306	226	82	136	10	32.5	9	29.2	Rural part	141	136	5	104	4	28.4	2	14.2
Crawford	137	76	61	( <sup>2</sup> )	6	43.8	6	43.8	Moberly	203	225	-22	90	12	59.1	5	24.6
Dade	108	87	21	( <sup>2</sup> )	3	27.8	1	9.3	Ray	269	156	113	172	7	26.0	7	26.0
Dallas	116	94	22	( <sup>2</sup> )	13	112.1	9	77.6	Reynolds	165	39	126	( <sup>2</sup> )	2	12.1	5	30.3
Davies	160	134	26	119	7	43.8	5	31.3	Ripley	266	111	155	240	14	52.6	14	52.6
De Kalb	106	84	22	( <sup>2</sup> )	4	37.7	3	28.3	St. Charles	397	306	91	130	22	55.4	3	7.6
Dent	167	116	51	144	14	85.8	6	35.9	Rural part	137	142	-5	96	7	51.1	2	14.6
Douglas	245	112	133	219	10	40.8	3	12.2	St. Charles	280	164	96	159	15	57.7	1	3.8
Dunklin	946	360	586	263	83	87.7	39	40.2	St. Clair	261	112	149	233	14	53.6	3	11.5
Franklin	492	343	149	143	19	38.6	18	36.6	St. Francois	643	457	186	141	41	63.8	25	38.9
Gasconade	151	127	24	119	6	39.7	7	46.4	St. Louis	1,869	2,297	-428	81	91	48.7	46	24.6
Gentry	167	117	50	143	4	24.0	2	12.0	Rural part	1,817	1,894	-77	91	89	49.0	46	25.3
Greene	1,577	1,089	488	145	85												

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
MISSOURI—Con.									NEBRASKA (total)	22,358	12,194	10,144	183	816	56.5	452	20.2
Taney	151	79	72	( <sup>2</sup> )	7	46.4	3	19.9	Adams	422	365	57	116	17	40.3	11	26.1
Texas	381	228	153	187	23	60.4	11	23.9	Rural part	88	164	-86	41	---	2	29.4	
Vernon	342	427	-85	80	12	35.1	8	23.4	Hastings	354	201	153	178	17	49.0	9	25.4
Warren	77	95	-18	( <sup>2</sup> )	4	51.9	---	---	Antelope	280	110	150	256	8	30.8	2	7.7
Washington	355	150	225	273	18	50.7	6	16.9	Arthur	4	9	-5	( <sup>2</sup> )	---	---	---	---
Wayne	274	100	174	274	16	58.4	6	21.9	Banner	4	3	1	( <sup>2</sup> )	---	---	---	---
Webster	255	139	94	168	9	38.6	9	38.6	Blaine	15	14	1	( <sup>2</sup> )	2	133.3	---	---
Worth	67	35	32	( <sup>2</sup> )	---	---	2	29.9	Boone	214	58	156	( <sup>2</sup> )	7	32.7	5	23.4
Wright	288	159	129	181	9	31.3	8	27.8	Box Butte	245	125	120	196	10	40.8	1	4.1
MONTANA (total)	10,897	5,901	4,996	185	534	49.0	212	19.5	Boyd	105	51	54	( <sup>2</sup> )	4	38.1	1	9.5
Beaverhead	85	77	6	( <sup>2</sup> )	6	72.3	2	24.1	Brown	176	47	129	( <sup>2</sup> )	3	17.0	5	26.4
Big Horn	248	119	129	208	27	108.9	7	28.2	Buffalo	331	298	33	128	18	47.2	6	15.7
Blaine	209	75	134	( <sup>2</sup> )	16	76.6	8	38.3	Burt	189	85	104	( <sup>2</sup> )	4	21.2	7	37.0
Broadwater	58	34	24	( <sup>2</sup> )	1	17.2	---	---	Butler	167	94	73	( <sup>2</sup> )	5	29.9	4	24.0
Carbon	157	102	55	154	8	51.0	3	19.1	Cass	145	135	10	107	2	15.8	2	13.8
Carter	41	24	17	( <sup>2</sup> )	6	146.3	---	---	Cedar	268	68	180	( <sup>2</sup> )	10	37.3	6	29.9
Cascade	870	452	418	192	32	36.8	11	12.6	Chase	141	44	97	( <sup>2</sup> )	4	28.4	5	35.5
Rural part	22	34	-12	( <sup>2</sup> )	1	45.5	---	---	Cherry	149	62	87	( <sup>2</sup> )	3	20.1	1	6.7
Great Falls	848	418	430	203	31	36.6	11	13.0	Cheyenne	196	73	113	( <sup>2</sup> )	7	37.6	3	16.1
Chouteau	75	63	12	( <sup>2</sup> )	3	40.0	3	40.0	Clay	147	108	39	156	4	27.2	2	15.6
Custer	204	116	88	176	8	39.2	1	4.9	Colfax	157	73	84	( <sup>2</sup> )	2	12.7	5	51.8
Daniels	97	17	80	( <sup>2</sup> )	3	30.9	3	30.9	Cuming	258	123	135	210	7	27.1	2	7.8
Dawson	174	70	104	( <sup>2</sup> )	3	17.2	2	11.5	Custer	422	191	231	221	11	26.1	7	16.6
Deer Lodge	243	374	-131	65	13	53.5	5	20.6	Dakota	124	73	51	( <sup>2</sup> )	7	56.5	5	40.3
Rural part	1	228	-227	( <sup>2</sup> )	2	( <sup>2</sup> )	---	---	Dawes	147	90	57	( <sup>2</sup> )	8	54.4	9	21.0
Anaconda	242	146	96	166	11	45.5	5	20.7	Dawson	428	165	263	259	24	55.1	9	61.0
Fallon	78	34	44	( <sup>2</sup> )	5	64.1	2	25.6	Deuel	91	26	65	( <sup>2</sup> )	2	22.0	6	65.9
Fergus	301	167	134	180	16	53.2	7	23.3	Dixon	191	62	129	( <sup>2</sup> )	1	5.2	1	5.2
Flathead	502	221	281	227	29	57.3	8	15.9	Dodge	387	208	179	186	13	33.6	3	7.8
Gallatin	326	179	147	182	11	35.7	7	21.5	Rural part	143	70	73	( <sup>2</sup> )	2	14.0	---	---
Garfield	44	25	21	( <sup>2</sup> )	4	90.9	2	45.5	Fremont	244	138	106	177	11	45.1	3	12.3
Glacier	193	87	106	( <sup>2</sup> )	20	103.6	2	10.4	Douglas	4,484	2,833	1,651	158	174	39.0	106	23.7
Golden Valley	8	13	-5	( <sup>2</sup> )	1	125.0	---	---	Rural part	50	94	-44	( <sup>2</sup> )	5	60.0	2	40.0
Granite	32	36	-4	( <sup>2</sup> )	2	62.5	---	---	Omaha	4,414	2,739	1,675	161	171	38.7	104	23.6
Hill	366	167	199	219	11	30.1	4	10.9	White	4,237	2,572	1,665	165	160	37.8	94	22.2
Jefferson	49	45	4	( <sup>2</sup> )	4	81.6	1	20.4	All other	177	167	10	106	11	62.1	10	56.5
Judith Basin	4	18	-14	( <sup>2</sup> )	---	---	---	---	Dundy	126	35	91	( <sup>2</sup> )	4	31.7	2	15.9
Lake	279	132	147	211	15	53.8	4	14.3	Fillmore	146	90	56	( <sup>2</sup> )	8	54.8	2	13.7
Lewis and Clark	425	301	125	142	16	37.6	11	25.8	Franklin	77	43	34	( <sup>2</sup> )	4	51.9	1	13.0
Rural part	15	94	-79	( <sup>2</sup> )	1	66.7	---	---	Frontier	90	46	44	( <sup>2</sup> )	4	44.4	2	22.2
Helena	411	207	204	199	15	36.5	11	26.8	Furnas	163	101	62	161	9	55.2	4	24.5
Liberty	22	11	11	( <sup>2</sup> )	7	44.9	2	12.8	Gage	549	312	237	176	12	21.9	14	25.5
Lincoln	155	81	75	( <sup>2</sup> )	1	37.0	1	37.0	Rural part	184	169	15	109	4	21.7	2	10.9
McCone	27	24	3	( <sup>2</sup> )	5	71.4	---	---	Beatrice	365	143	222	255	8	21.9	12	32.9
Madison	70	52	18	( <sup>2</sup> )	7	58.8	---	---	Garden	90	37	53	( <sup>2</sup> )	3	33.3	3	33.3
Meagher	19	18	1	( <sup>2</sup> )	2	40.8	2	14.3	Garfield	92	35	57	( <sup>2</sup> )	4	43.5	2	21.7
Mineral	24	14	10	( <sup>2</sup> )	1	41.7	---	---	Gosper	59	13	46	( <sup>2</sup> )	4	60.2	---	---
Missoula	742	310	432	239	26	35.0	11	14.8	Grant	35	6	29	( <sup>2</sup> )	---	---	---	---
Rural part	6	22	-16	( <sup>2</sup> )	1	166.7	---	---	Greeley	116	60	56	( <sup>2</sup> )	8	69.0	4	34.5
Missoula	736	288	448	256	25	34.0	11	14.9	Hall	561	315	246	178	25	44.6	11	19.6
Musselshell	99	54	45	( <sup>2</sup> )	2	20.2	1	10.1	Rural part	83	58	25	( <sup>2</sup> )	5	60.2	---	---
Park	241	130	111	185	10	41.5	6	24.9	Grand Island	478	257	221	186	20	41.8	11	23.0
Petroleum	6	6	---	( <sup>2</sup> )	---	---	---	---	Hamilton	130	78	52	( <sup>2</sup> )	6	46.2	3	23.1
Phillips	119	59	60	( <sup>2</sup> )	7	58.8	---	---	Harlan	70	56	14	( <sup>2</sup> )	4	57.1	1	14.3
Pondera	140	80	60	( <sup>2</sup> )	8	57.1	2	14.3	Hayes	36	17	19	( <sup>2</sup> )	1	27.9	1	27.8
Powder River	49	9	40	( <sup>2</sup> )	2	40.8	2	14.3	Hitchcock	134	45	89	( <sup>2</sup> )	2	14.9	1	7.5
Powell	96	60	36	( <sup>2</sup> )	8	35.3	3	31.3	Holt	343	152	191	226	13	37.9	2	5.8
Prairie	36	17	19	( <sup>2</sup> )	1	27.8	1	27.8	Hooker	44	9	35	( <sup>2</sup> )	3	66.2	---	---
Ravalli	221	153	68	144	11	49.8	8	36.2	Howard	115	73	42	( <sup>2</sup> )	11	95.7	1	8.7
Richland	252	59	205	( <sup>2</sup> )	8	30.5	4	15.3	Jefferson	261	116	145	225	5	19.2	3	11.5
Roosevelt	309	97	212	( <sup>2</sup> )	21	68.0	6	18.4	Johnson	152	74	78	( <sup>2</sup> )	2	13.2	2	13.2
Rosebud	120	81	39	( <sup>2</sup> )	17	141.7	4	33.3	Kearney	94	59	35	( <sup>2</sup> )	---	---	---	---
Sanders	74	57	17	( <sup>2</sup> )	2	27.0	2	27.0	Keith	166	66	100	( <sup>2</sup> )	7	42.2	3	18.1
Sheridan	119	53	66	( <sup>2</sup> )	2	16.8	5	42.0	Keya Paha	21	11	10	( <sup>2</sup> )	3	142.9	---	---
Silver Bow	881	736	145	120	35	39.7	26	29.5	Kimball	82	42	40	( <sup>2</sup> )	4	48.8	---	---
Rural part	93	202	-109	46	7	75.3	2	21.5	Knox	271	121	150	224	12	44.3	2	7.4
Butte	788	534	254	148	28	35.5	24	30.5	Lancaster	1,550	1,142	408	136	62	40.0	36	23.2
Stillwater	71	65	6	( <sup>2</sup> )	8	112.7	4	56.3	Rural part	100	213	-113	47	2	20.0	2	20.0
Sweet Grass	73	35	38	( <sup>2</sup> )	3	41.1	2	27.4	Lincoln	1,450	929	521	156	60	43.4	34	23.4
Teton	70	33	37	( <sup>2</sup> )	3	42.9	2	28.6	Lincoln	521	240	281	217	30	57.6	12	23.0
Toole	109	49	60	( <sup>2</sup> )													

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
NEBRASKA—Con.								NEW JERSEY—Con.									
Perkins	50	22	28	( <sup>2</sup> )	---	---	1	20.0	Bergen	3,470	3,188	282	109	134	36.6	82	25.6
Phelps	195	87	106	( <sup>2</sup> )	3	15.5	4	20.7	Rural part	527	1,582	-1,055	24	26	79.5	8	24.5
Pierce	140	57	83	( <sup>2</sup> )	3	21.4	2	14.3	Cliffside Park	18	68	-50	( <sup>2</sup> )	1	55.6	---	---
Platte	556	186	170	( <sup>2</sup> )	191	14.0	12	33.7	Englewood	867	562	505	240	21	24.2	22	25.4
Polk	128	57	71	( <sup>2</sup> )	1	7.8	---	---	White	603	556	467	239	18	22.4	18	22.4
Red Willow	287	104	155	( <sup>2</sup> )	12	50.6	4	16.9	All other	64	26	38	( <sup>2</sup> )	3	46.9	4	62.5
Richardson	515	167	146	( <sup>2</sup> )	6	19.2	7	22.4	Garfield	63	84	-21	( <sup>2</sup> )	---	---	5	79.4
Rock	27	6	21	( <sup>2</sup> )	---	---	---	---	Hackensack	1,162	541	621	215	50	45.0	27	25.2
Saline	172	127	45	( <sup>2</sup> )	3	17.4	4	23.3	White	1,039	518	521	201	46	44.3	25	24.1
Sarpy	58	46	-8	( <sup>2</sup> )	1	28.3	2	52.6	All other	123	23	100	( <sup>2</sup> )	4	32.5	2	16.3
Saunders	204	163	41	( <sup>2</sup> )	6	29.4	3	14.7	Lodi	34	42	-8	( <sup>2</sup> )	2	58.8	2	58.8
Scotts Bluff	749	285	484	( <sup>2</sup> )	42	56.1	20	28.7	Lyndhurst (twp.)	52	75	-23	( <sup>2</sup> )	---	---	---	---
Seward	256	126	110	( <sup>2</sup> )	6	25.4	4	16.9	Ridgefield Park	6	62	-56	( <sup>2</sup> )	---	---	---	---
Sheridan	211	76	135	( <sup>2</sup> )	5	23.7	3	14.2	Ridgewood	36	97	-61	( <sup>2</sup> )	1	27.8	2	55.6
Sherman	148	53	95	( <sup>2</sup> )	2	13.5	6	40.5	Rutherford	1	98	-97	( <sup>2</sup> )	---	---	---	---
Sioux	53	17	16	( <sup>2</sup> )	---	---	2	60.6	Rutaneck (twp.)	924	377	547	245	33	35.7	16	17.3
Stanton	85	34	51	( <sup>2</sup> )	1	11.8	2	23.5	Burlington	1,311	1,172	139	112	54	41.2	29	22.1
Thayer	202	102	100	( <sup>2</sup> )	9	44.6	4	19.8	Rural part	1,222	1,053	164	116	50	40.9	26	21.5
Thomas	28	7	21	( <sup>2</sup> )	---	---	1	55.7	Burlington	89	114	-25	78	4	44.9	3	33.7
Thurston	288	89	199	( <sup>2</sup> )	15	52.1	3	10.4	White	78	104	-26	75	3	38.5	1	12.8
Valley	121	61	60	( <sup>2</sup> )	9	74.4	3	24.8	All other	11	10	1	( <sup>2</sup> )	1	90.9	2	481.8
Washington	118	68	50	( <sup>2</sup> )	2	16.9	2	16.9	Camden	4,124	2,806	1,318	147	161	43.9	101	24.5
Wayne	159	81	78	( <sup>2</sup> )	6	37.7	2	12.6	Rural part	477	1,020	-543	47	22	46.1	13	27.3
Webster	97	69	28	( <sup>2</sup> )	5	51.5	1	10.3	Camden	3,472	1,474	1,998	236	152	43.8	82	23.6
Wheeler	22	7	15	( <sup>2</sup> )	---	---	2	90.9	White	3,086	1,276	1,820	245	125	39.7	65	21.0
York	247	164	83	( <sup>2</sup> )	6	24.3	4	16.2	All other	376	198	178	190	29	77.1	17	45.2
NEVADA (total)	1,940	1,253	677	( <sup>2</sup> )	87	44.8	56	18.6	Collingswood	43	104	-61	41	2	46.5	2	46.5
Churchill	70	46	24	( <sup>2</sup> )	3	42.9	1	14.3	Gloucester	84	98	-34	( <sup>2</sup> )	2	31.5	2	31.5
Clark	286	149	137	( <sup>2</sup> )	16	55.9	5	17.5	Pensauken (twp.)	68	110	-42	62	5	44.1	2	29.4
Douglas	6	14	-8	( <sup>2</sup> )	---	---	1	166.7	Cape May	303	444	-141	68	22	72.6	5	16.5
Elko	211	117	94	( <sup>2</sup> )	7	33.2	2	9.5	Cumberland	1,222	985	237	124	53	45.4	37	30.3
Esmeralda	6	24	-18	( <sup>2</sup> )	1	166.7	---	---	Rural part	545	509	36	107	18	35.0	15	27.5
Eureka	7	36	-29	( <sup>2</sup> )	---	---	---	---	Bridgeton	436	268	168	163	28	64.2	16	36.7
Humboldt	80	57	23	( <sup>2</sup> )	2	25.0	5	62.5	Millville	241	208	33	116	7	29.0	6	24.9
Lander	16	23	-7	( <sup>2</sup> )	1	62.5	---	---	Essex	11,921	8,641	3,280	138	430	36.1	335	28.1
Lincoln	80	32	48	( <sup>2</sup> )	3	37.5	---	---	Rural part	716	948	-232	76	16	22.3	19	26.5
Lyon	43	34	9	( <sup>2</sup> )	2	46.5	1	23.3	Belleville	49	179	-130	27	16	( <sup>3</sup> )	2	40.8
Mineral	73	46	27	( <sup>2</sup> )	4	54.8	---	---	Bloomfield	59	208	-149	28	1	16.9	2	33.9
Nye	70	61	9	( <sup>2</sup> )	5	71.4	---	---	East Orange	574	596	-22	96	16	27.9	22	38.3
Ormsby	53	45	8	( <sup>2</sup> )	3	56.6	1	18.9	Irvington	374	437	-63	86	14	37.4	7	18.7
Pershing	23	28	-5	( <sup>2</sup> )	2	87.0	---	---	Maplewood (twp.)	5	131	-126	4	---	---	---	---
Storey	7	13	-6	( <sup>2</sup> )	---	---	---	---	Montclair	564	347	217	163	25	44.3	18	31.9
Washoe	652	434	218	( <sup>2</sup> )	27	41.4	14	21.5	White	541	321	220	169	24	44.4	18	33.3
Rural part	362	248	114	( <sup>2</sup> )	19	52.5	9	24.9	All other	23	26	-3	( <sup>2</sup> )	1	43.5	---	---
Reno	290	186	104	( <sup>2</sup> )	8	27.6	5	17.2	Newark	7,929	4,847	3,082	164	299	37.7	227	26.6
White Pine	257	104	153	( <sup>2</sup> )	11	42.8	6	23.3	White	6,950	4,260	2,690	163	226	32.5	193	27.8
NEW HAMPSHIRE (total)	7,934	6,301	1,633	( <sup>2</sup> )	363	45.8	219	27.6	All other	979	587	392	167	73	74.6	34	34.7
Belknap	360	327	33	( <sup>2</sup> )	14	38.9	9	25.0	Nutley	25	98	-73	( <sup>2</sup> )	1	40.0	1	40.0
Rural part	48	106	-58	( <sup>2</sup> )	3	62.5	1	20.8	Orange	1,605	630	975	255	41	25.5	37	23.1
Laconia	312	221	91	( <sup>2</sup> )	11	35.3	8	25.6	White	1,465	550	915	266	35	25.9	31	21.2
Carroll	284	253	11	( <sup>2</sup> )	17	64.4	10	37.9	All other	140	80	60	( <sup>2</sup> )	6	42.9	6	42.9
Cheshire	528	412	117	( <sup>2</sup> )	21	39.7	19	35.9	South Orange	4	88	-84	( <sup>2</sup> )	---	---	---	---
Rural part	192	189	3	( <sup>2</sup> )	8	41.7	7	36.5	West Orange	17	132	-115	13	1	58.9	---	---
Keene	337	223	114	( <sup>2</sup> )	13	38.6	12	35.6	Gloucester	908	680	226	133	44	48.6	34	37.5
Coos	695	448	249	( <sup>2</sup> )	40	57.6	16	23.0	Hudson	8,897	6,778	2,119	131	314	35.3	267	30.0
Rural part	303	232	71	( <sup>2</sup> )	15	49.5	7	23.1	Rural part	21	485	-464	4	1	47.6	1	47.6
Berlin	392	214	178	( <sup>2</sup> )	25	63.8	9	23.0	Bayonne	713	588	125	121	25	35.1	28	39.3
Crafton	972	584	388	( <sup>2</sup> )	47	48.4	29	29.8	Harrison	18	73	-55	( <sup>2</sup> )	4	222.2	---	---
Hillsborough	2,342	1,781	561	( <sup>2</sup> )	119	50.8	64	27.3	Hoboken	536	627	-91	85	24	44.8	30	56.0
Rural part	444	503	-59	( <sup>2</sup> )	35	78.8	16	36.0	Jersey City	6,826	3,642	3,184	167	226	33.1	178	26.1
Manchester	1,270	881	389	( <sup>2</sup> )	57	44.9	36	28.3	White	6,468	3,439	3,029	188	203	31.4	163	25.2
Nashua	628	397	231	( <sup>2</sup> )	27	43.0	12	19.1	All other	358	203	155	176	23	64.2	15	41.9
Merrimack	900	976	-76	( <sup>2</sup> )	36	40.0	18	20.0	Kearny	249	297	-48	84	7	28.1	9	36.1
Rural part	370	408	-38	( <sup>2</sup> )	13	35.1	7	18.9	North Bergen (twp.)	45	205	-160	22	1	22.2	1	22.2
Concord	530	568	-38	( <sup>2</sup> )	23	43.4	11	20.8	Union City	124	331	-207	37	7	56.5	7	56.5
Rockingham	637	742	-105	( <sup>2</sup> )	28	33.5	30	35.8	Weehawken (twp.)	316	364	-48	87	16	50.5	12	38.0
Rural part	538	564	-26	( <sup>2</sup> )	20	37.2	12	40.1	West New York	49	166	-117	30	3	61.2	1	20.4
Portsmouth	299	178	121	( <sup>2</sup> )	8	25.8	12	40.1	Hunterdon	254	354	-100	72	9	35.4	8	31.5
Strafford	692	496	196	( <sup>2</sup> )	30	43.4	14	20.2	Mercer	3,108	2,413	695	129	177	56.9	89	28.6
Rural part	109	148	-39	( <sup>2</sup> )	7	64.2	1										

# SUMMARY AND RATE TABLES

59

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
NEW JERSEY—Con.									NEW YORK (total)	187,575	149,501	38,074	125	7,370	39.3	8,960	47.8
Monmouth	2,029	2,295	-264	88	65	32.0	47	23.2	Albany	3,069	2,797	272	110	148	48.2	65	21.2
Rural part	270	1,175	-905	23	13	48.1	8	29.6	Rural part	122	515	-393	24	1	8.2	3	24.6
Asbury Park	38	128	-90	30	4	105.3	4	105.3	Albany	2,558	1,861	697	137	125	48.9	52	20.3
White	32	104	-72	31	1	31.3	1	31.3	Cohoes	329	283	46	116	20	60.8	8	24.3
All other	6	24	-18	( <sup>2</sup> )	3	( <sup>3</sup> )	3	( <sup>3</sup> )	Watervliet	60	138	-78	43	2	33.3	2	33.3
Long Branch	822	502	320	164	27	32.8	15	16.2	Allegany	858	519	339	126	27	41.2	19	29.0
Neptune (twp.)	759	355	404	214	22	29.0	14	18.4	Broome	2,813	1,810	1,003	155	93	33.1	71	25.2
White	672	308	364	218	18	26.8	11	16.4	Rural part	349	385	-34	91	12	54.4	7	20.1
All other	87	47	40	( <sup>2</sup> )	4	46.0	3	34.5	Binghamton	1,311	1,016	295	129	43	32.8	36	27.5
Red Bank	140	133	7	105	3	21.4	6	42.9	Endicott	565	159	407	356	21	37.1	12	21.2
White	137	108	29	127	3	21.9	6	45.8	Johnson City	587	252	335	233	17	29.0	16	27.3
All other	3	25	-22	( <sup>2</sup> )	—	—	—	—	Cattaraugus	1,359	917	442	148	64	47.1	31	22.8
Morris	1,568	1,698	-130	81	68	49.7	50	36.5	Rural part	741	631	110	117	40	54.0	20	27.0
Rural part	231	1,158	-927	20	12	51.9	9	39.0	Olean	618	286	332	216	24	38.8	11	17.6
Dover	434	180	254	230	24	59.0	17	41.1	Cayuga	1,000	903	97	111	38	38.0	26	26.0
Morristown	723	360	363	201	32	44.3	24	33.2	Rural part	202	370	-168	55	11	54.5	8	39.6
									Auburn	798	533	265	150	27	33.8	18	22.6
Ocean	445	525	-80	85	16	36.0	14	31.5	Chautauqua	1,789	1,481	308	121	77	43.0	39	21.8
Passaic	5,315	3,192	2,123	167	185	54.4	155	29.2	Rural part	455	681	-226	67	24	52.7	17	37.4
Rural part	193	461	-278	40	11	60.1	7	38.3	Dunkirk	321	218	103	247	15	46.7	9	28.0
Clifton	64	208	-144	31	3	46.9	2	31.3	Jamestown	1,013	582	431	174	38	37.5	13	12.8
Hawthorne	20	69	-49	( <sup>2</sup> )	—	—	2	100.0	Chemung	1,214	886	328	137	32	26.4	29	25.9
Passaic	2,089	799	1,290	261	65	31.1	56	25.8	Rural part	82	221	-139	37	6	73.2	2	24.4
Paterson	2,959	1,655	1,304	179	104	35.1	88	29.7	Elmira	1,132	665	467	170	26	23.0	27	23.9
Salem	618	452	166	137	28	45.3	24	39.8	Chenango	581	535	46	109	30	51.6	17	29.3
Somerset	827	751	76	110	29	35.1	31	37.5	Clinton	1,192	637	555	187	91	76.3	35	29.4
Sussex	556	378	178	147	28	50.4	17	50.6	Rural part	464	320	144	145	29	62.5	18	38.8
									Plattsburgh	728	317	411	230	62	85.2	17	23.4
Union	4,663	2,942	1,721	158	154	33.0	133	28.5	Columbia	508	589	-81	86	18	35.4	19	37.4
Rural part	71	264	-193	27	3	42.5	2	28.2	Rural part	175	351	-176	50	4	22.9	3	17.1
Cranford (twp.)	24	53	-29	( <sup>2</sup> )	—	—	—	—	Hudson	333	236	95	140	14	42.0	16	48.0
Elizabeth	2,313	1,285	1,028	180	75	32.4	72	31.1	Cortland	679	483	196	141	39	57.4	19	28.0
Hillside (twp.)	24	74	-50	( <sup>2</sup> )	1	41.7	4	51.3	Rural part	150	205	-55	73	13	86.7	5	33.3
Linden	78	76	2	( <sup>2</sup> )	5	64.1	4	21.5	Cortland	529	278	251	190	26	49.1	14	26.5
Plainfield	1,117	495	622	226	45	40.5	24	21.2	Delaware	649	571	77	113	38	58.6	18	27.8
White	959	427	532	232	37	37.4	21	23.4	Dutchess	1,503	2,232	-729	67	77	51.2	30	20.0
All other	128	68	60	( <sup>2</sup> )	8	62.5	3	25.4	Rural part	569	1,492	-903	39	29	49.2	10	17.0
Railway	458	183	275	250	15	32.8	13	28.4	Beacon	215	201	12	106	12	56.3	6	28.2
Roselle	23	64	-41	( <sup>2</sup> )	—	—	3	130.4	Poughkeepsie	701	536	162	130	36	51.4	14	20.0
White	15	61	-46	( <sup>2</sup> )	—	—	2	86.7	Eric	11,838	8,933	3,005	134	522	43.7	311	26.1
All other	8	3	5	( <sup>2</sup> )	—	—	—	—	Rural part	1,037	1,446	-409	72	33	31.2	13	12.5
Summit	502	249	253	202	8	15.9	15	25.9	Buffalo	9,941	7,019	2,922	142	443	44.6	261	26.3
Union (twp.)	29	86	-57	( <sup>2</sup> )	1	34.5	1	34.5	White	9,540	6,787	2,773	141	419	43.2	244	25.6
Westfield	24	113	-89	21	1	41.7	1	41.7	All other	401	252	149	159	24	59.8	17	42.4
Warren	497	559	-62	92	25	50.3	16	32.2	Kenmore	10	115	-105	9	1	100.0	2	200.0
Rural part	184	280	-96	66	9	48.9	5	16.3	Lackawanna	869	265	604	335	41	46.1	34	38.2
Phillipsburg	313	259	54	121	16	51.1	13	41.5	White	859	260	599	350	40	46.6	52	37.3
									All other	30	5	25	( <sup>2</sup> )	1	33.3	2	66.7
NEW MEXICO (total)	14,215	5,917	8,298	240	1,549	109.0	371	26.1	Tonawanda	61	88	-27	( <sup>2</sup> )	4	65.6	1	16.4
Bernalillo	1,719	1,004	715	171	183	106.5	54	31.4	Essex	676	490	186	138	32	47.3	17	25.1
Rural part	789	318	471	232	95	128.8	25	31.1	Franklin	809	655	154	124	61	75.4	19	25.5
Albuquerque	980	686	294	143	90	91.8	51	31.6	Rulton	617	656	-39	94	24	38.9	17	27.6
Catron	106	37	69	( <sup>2</sup> )	10	94.3	5	47.2	Rural part	142	152	-10	93	2	14.1	4	28.2
Chaves	585	211	374	277	49	85.8	26	44.4	Gloversville	403	384	19	105	16	44.7	11	27.3
Rural part	149	45	104	( <sup>2</sup> )	8	53.7	5	33.5	Johnstown	72	120	-48	60	4	55.6	2	27.6
Roswell	436	186	250	263	41	94.0	21	48.2	Genesee	732	588	144	124	24	32.6	17	23.2
Colfax	453	228	227	200	51	112.6	11	24.3	Rural part	119	225	-106	53	4	33.6	3	25.2
Curry	561	174	387	322	31	55.3	8	14.3	Batavia	613	363	250	169	20	32.6	14	22.8
De Baca	108	36	72	( <sup>2</sup> )	11	101.9	1	9.3	Greene	353	431	-78	82	12	34.0	8	22.7
Dona Ana	903	322	581	280	109	120.7	28	31.0	Hamilton	35	47	-12	( <sup>2</sup> )	—	—	1	28.6
Eddy	671	243	428	276	68	101.3	16	23.8	Herkimer	856	793	63	108	48	56.1	17	19.9
									Rural part	453	473	-20	96	21	46.4	5	11.0
Grant	469	245	224	191	46	98.1	9	19.2	Herkimer	182	156	26	117	20	108.9	2	11.0
Guadalupe	280	84	196	( <sup>2</sup> )	26	92.9	9	32.1	Little Falls	221	164	57	135	7	31.7	10	45.2
Harding	107	56	51	( <sup>2</sup> )	17	158.9	3	28.0	Jefferson	1,414	1,246	168	113	72	50.9	39	27.6
Hidalgo	116	53	63	( <sup>2</sup> )	13	112.1	5	45.1	Rural part	609	637	-28	96	27	44.3	15	24.6
Lea	455	118	337	386	25	54.9	9	19.8	Watertown	805	609	196	132	45	55.9	24	28.8
Lincoln	217	102	115	213	26	119.8	11	50.7	Lewis	397	263	134	151	15	37.8	14	33.3
Luna	184	73	111	( <sup>2</sup> )	19	103.3	3	16.3	Livingston	332	471	-139	70	14	42.2	11	33.1
McKinley	513	257	256	200	73	1											

## VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
Section B—Continued									Section B—Continued								
NEW YORK—Contd.									NORTH CAROLINA—Con.								
New York (city) <sup>7</sup>	101,586	75,556	26,030	134	3,803	37.4	6,722	86.2	Alexander	513	98	215	( <sup>2</sup> )	15	47.9	5	16.0
White	94,029	69,693	24,336	135	3,335	35.5	5,016	64.0	White	276	90	186	( <sup>2</sup> )	14	50.7	5	18.1
All other	7,557	5,863	1,694	129	468	61.9	706	95.4	All other	37	8	29	( <sup>2</sup> )	1	27.0		
Niagara	2,510	1,548	1,062	169	96	37.5	63	24.1	Alleghany	138	72	66	( <sup>2</sup> )	14	101.4	2	14.5
Rural part	221	393	-172	56	13	59.8	5	22.6	White	130	71	59	( <sup>2</sup> )	14	107.7	2	15.4
Lockport	515	298	217	173	23	44.7	16	31.1	All other	8	1	7	( <sup>2</sup> )				
Niagara Falls	1,396	649	747	215	47	35.7	31	22.2	Anson	759	233	526	326	32	42.2	33	43.5
North Tonawanda	478	208	270	250	15	31.4	11	23.0	White	545	105	240	329	10	29.0	13	37.7
Oneida	2,956	3,051	-95	97	121	40.9	91	30.8	All other	414	128	286	323	22	53.1	20	48.3
Rural part	380	878	-498	43	12	31.6	10	26.3	Ashe	481	160	321	301	23	47.9	15	31.2
Rome	729	665	64	110	40	54.9	25	34.3	White	474	150	324	316	22	46.4	14	29.5
Utica	1,847	1,508	339	122	69	37.4	56	30.3	All other	7	10	-3	( <sup>2</sup> )	1	142.9	1	142.9
Onondaga	4,418	5,423	-995	128	172	36.9	126	28.5	Avery	437	128	309	341	25	52.6	10	22.9
Rural part	345	898	-551	59	16	46.4	5	14.5	White	435	125	310	348	23	52.9	9	20.7
Syracuse	4,073	2,527	1,546	161	156	38.3	121	29.7	All other	2	3	-1	( <sup>2</sup> )				
Ontario	853	718	135	119	30	55.2	21	24.6	Beaufort	971	475	496	204	104	107.1	34	35.0
Rural part	555	499	56	111	22	39.6	11	19.8	White	595	261	334	228	51	85.7	14	23.5
Geneva	298	219	79	136	8	26.8	10	33.6	All other	376	214	162	176	53	141.0	20	53.2
Orange	2,081	1,883	198	111	82	39.4	67	32.2	Bertie	715	283	432	255	77	107.7	18	25.2
Rural part	950	789	161	125	33	54.7	30	31.6	White	219	99	120	( <sup>2</sup> )	16	73.1	2	9.1
Middletown	443	488	-45	91	18	40.6	18	40.6	All other	496	184	312	270	61	128.0	16	32.3
Newburgh	518	468	50	111	24	46.3	11	21.2	Bladen	729	157	572	464	35	46.0	52	45.9
Port Jervis	170	168	2	101	7	41.2	8	47.1	White	379	87	292	( <sup>2</sup> )	15	39.6	13	34.3
Orleans	411	373	38	110	17	41.4	10	24.3	All other	350	70	280	( <sup>2</sup> )	20	57.1	19	54.3
Oswego	1,133	919	214	128	50	44.1	28	20.3	Brunswick	425	162	263	262	21	49.4	20	47.1
Rural part	363	489	-126	74	17	48.8	12	33.1	White	251	86	165	( <sup>2</sup> )	10	39.8	9	35.9
Fulton	298	137	161	218	11	36.9	4	13.4	All other	174	76	98	( <sup>2</sup> )	11	65.2	11	65.2
Oswego	472	295	179	161	22	46.6	7	14.8	Buncombe	2,087	1,435	652	148	150	71.5	69	32.9
Otsego	715	733	-18	98	29	40.6	30	42.0	Rural part	909	659	250	142	61	87.1	17	16.7
Rural part	405	532	-127	76	16	39.5	20	49.4	White	872	497	375	175	57	65.4	15	17.2
Oneonta	310	201	109	154	13	41.9	10	32.3	All other	37	142	-105	26	4	108.1	2	54.1
Putnam	145	212	-69	67	9	62.9	5	35.0	Asheville	1,188	774	414	153	69	74.9	52	45.8
Rensselaer	1,820	1,866	-46	98	100	54.9	56	30.8	White	962	572	410	172	74	75.4	59	39.7
Rural part	177	429	-252	41	7	39.5	4	22.6	All other	206	202	4	102	15	72.8	13	65.1
Rensselaer	16	106	-90	15	1	62.5	1	62.5	Burke	779	372	407	209	25	29.5	22	28.2
Troy	1,627	1,531	296	122	92	56.5	51	31.3	White	723	348	375	208	20	27.7	21	29.0
Rockland	892	1,172	-280	76	41	46.0	21	25.5	All other	56	24	32	( <sup>2</sup> )	3	58.6	1	17.9
St. Lawrence	1,762	1,292	470	156	91	51.6	63	35.8	Cabarrus	1,027	400	627	257	53	51.6	40	38.9
Rural part	1,129	781	348	145	67	59.3	37	32.8	Rural part	861	289	572	298	44	51.1	30	34.8
Massena	209	52	157	( <sup>2</sup> )	3	14.4	6	28.7	White	734	213	521	345	33	45.0	25	34.1
Ogdensburg	424	459	-35	92	21	49.5	20	47.2	All other	127	76	51	( <sup>2</sup> )	11	86.6	5	39.4
Saratoga	677	898	-221	76	38	56.1	14	20.7	Concord	166	111	55	150	9	54.2	10	60.2
Rural part	460	610	-150	75	23	50.0	8	17.4	White	106	70	36	( <sup>2</sup> )	5	47.2	1	9.4
Saratoga Springs	217	278	-61	78	15	69.1	6	27.6	All other	60	41	19	( <sup>2</sup> )	4	66.7	9	150.0
Schenectady	1,572	1,269	283	122	66	42.0	27	17.2	Caldwell	937	259	678	362	55	58.7	18	19.2
Rural part	110	321	-211	54	4	36.4	3	27.3	White	866	227	639	381	48	55.4	16	18.5
Schenectady	1,462	968	494	151	62	42.4	24	16.4	All other	71	32	39	( <sup>2</sup> )	7	98.6	2	28.2
Schoharie	278	306	-28	91	14	50.4	5	18.0	Camden	116	51	65	( <sup>2</sup> )	8	69.0	3	25.9
Schuyler	211	176	35	120	7	33.2	4	19.0	White	52	22	30	( <sup>2</sup> )	1	19.2		
Seneca	331	591	-260	56	26	78.5	13	39.3	All other	64	29	35	( <sup>2</sup> )	7	109.4	3	46.9
Steuben	1,610	1,204	406	134	72	44.7	40	24.8	Carteret	398	187	211	213	21	52.8	9	22.6
Rural part	794	747	47	106	39	49.1	18	22.7	White	322	145	179	225	15	46.6	4	12.4
Corning	493	236	257	209	17	34.5	12	24.3	All other	76	44	32	( <sup>2</sup> )	6	78.9	5	65.8
Hornell	323	221	102	146	16	49.5	10	31.0	Caswell	474	136	338	349	19	40.1	12	25.3
Suffolk	2,443	3,438	-995	71	73	29.9	82	33.6	White	197	71	126	( <sup>2</sup> )	6	30.5	1	5.1
Sullivan	466	565	-99	85	19	39.1	11	22.6	All other	277	65	212	( <sup>2</sup> )	13	46.9	11	39.7
Tioga	392	458	-66	89	22	56.1	13	33.2	Catawba	1,081	400	681	270	59	54.6	29	26.8
Tompkins	617	599	18	103	21	34.0	13	21.1	White	971	344	627	282	50	51.5	23	23.7
Rural part	110	286	-176	58	6	54.5	1	9.1	All other	110	56	54	( <sup>2</sup> )	9	81.8	6	54.5
Ithaca	507	313	194	162	15	29.6	12	23.7	Chatham	454	206	248	220	20	44.1	11	24.2
Ulster	1,088	1,183	-95	92	46	42.3	32	29.4	White	289	127	131	203	9	34.9	4	15.5
Rural part	387	610	-223	63	16	41.3	7	18.1	All other	196	79	117	( <sup>2</sup> )	11	56.1	7	35.7
Kingston	701	573	128	122	30	42.8	25	35.7	Cherokee	556	153	403	363	24	43.2	27	46.6
Warren	723	566	157	128	37	51.2	18	24.9	White	530	153	397	359	24	43.6	25	45.5
Rural part	184	224	-40	82	9	48.9	7	36.0	All other	6	6	0	( <sup>2</sup> )	2	91.5	2	( <sup>3</sup> )
Glens Falls	539	342	197	158	28	51.9	11	20.4	Chowan	317	112	205	283	29	91.5	17	35.6
Washington	673	806	-133	111	36	53.5	15	22.3	White	143	46	97	( <sup>2</sup> )	6	42.0	4	28.0
Wayne	639	669	-30	96	28	43.8	13	20.3	All other	174	66	108	( <sup>2</sup> )	23	132.2	13	74.7
Westchester	7,113	5,290	1,823	134	215	30.2	182	25.6	Clay	136	40	96	( <sup>2</sup> )	11	80.9	5	36.

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued	Section B—Continued																
NORTH CAROLINA—Con.	NORTH CAROLINA—Con.																
Craven	666	365	301	182	62	93.1	43	64.6	Halifax	1,497	448	1,049	334	74	49.4	71	47.4
Rural part	404	168	236	240	37	91.6	26	64.4	White	482	172	310	260	9	18.7	18	37.3
White	199	67	132	( <sup>2</sup> )	15	75.4	9	45.2	All other	1,015	276	739	368	65	64.0	53	52.2
All other	205	101	104	203	22	107.3	17	82.9	Harnett	1,073	296	775	360	49	45.7	41	38.2
New Bern	262	197	65	133	25	95.4	17	64.9	White	754	186	568	399	17	22.5	16	21.2
White	132	76	56	( <sup>2</sup> )	10	75.8	5	37.9	All other	319	109	210	293	32	100.3	25	78.4
All other	130	121	9	107	15	115.4	12	92.3	Haywood	905	253	652	358	44	48.5	24	26.5
Cumberland	1,195	645	550	185	95	79.5	54	45.2	White	899	239	650	372	41	46.1	22	24.7
Rural part	766	216	550	355	30	39.2	22	28.7	All other	16	14	2	( <sup>2</sup> )	3	187.5	2	125.0
White	453	134	319	338	12	26.5	10	22.1	Henderson	563	279	284	202	29	51.5	13	23.1
All other	313	82	231	( <sup>2</sup> )	16	57.5	12	39.3	White	513	243	270	211	25	48.7	10	19.5
Fayetteville	429	429	—	100	65	151.5	32	74.6	All other	50	36	14	( <sup>2</sup> )	4	80.0	3	60.0
White	315	278	37	113	55	174.6	19	60.3	Hertford	447	170	277	263	30	67.1	14	31.3
All other	114	151	-37	75	10	87.7	13	114.0	White	135	55	80	( <sup>2</sup> )	3	22.2	2	14.9
Currituck	84	54	30	( <sup>2</sup> )	6	71.4	3	35.7	All other	312	115	197	271	27	86.5	12	33.5
White	47	28	19	( <sup>2</sup> )	2	42.6	1	21.5	Hoke	396	175	221	226	17	42.9	13	32.9
All other	37	26	11	( <sup>2</sup> )	4	108.1	2	54.1	White	108	62	46	( <sup>2</sup> )	3	27.8	3	27.8
Dare	123	57	66	( <sup>2</sup> )	8	65.0	7	56.9	All other	288	113	175	255	14	48.3	10	34.7
White	108	52	56	( <sup>2</sup> )	8	74.1	6	55.6	Hyde	162	69	93	( <sup>2</sup> )	6	49.4	8	49.4
All other	15	5	10	( <sup>2</sup> )	—	—	1	66.7	White	80	39	41	( <sup>2</sup> )	2	35.3	3	35.3
Davidson	1,012	393	619	258	50	49.4	27	26.7	All other	102	30	72	( <sup>2</sup> )	6	58.9	6	78.4
Rural part	762	302	460	252	39	51.2	24	31.5	Iredell	1,134	524	610	213	74	65.3	40	35.3
White	686	254	432	270	30	45.7	20	29.2	Rural part	841	322	519	261	50	59.5	28	35.5
All other	76	48	28	( <sup>2</sup> )	9	118.4	4	52.6	White	650	223	407	283	35	55.3	20	31.7
Thomasville	250	91	159	( <sup>2</sup> )	11	44.0	3	12.0	All other	211	99	112	( <sup>2</sup> )	15	71.1	8	37.9
White	214	71	143	( <sup>2</sup> )	8	37.4	3	14.0	Statesville	293	202	91	145	24	81.9	12	41.0
All other	36	20	16	( <sup>2</sup> )	3	85.3	—	—	White	277	170	107	163	23	85.0	9	52.5
Davie	546	114	232	304	24	69.4	13	37.6	All other	16	32	-16	( <sup>2</sup> )	1	62.5	3	187.5
White	272	83	189	( <sup>2</sup> )	14	51.5	11	40.4	Jackson	458	150	308	305	23	50.2	18	39.5
All other	74	31	43	( <sup>2</sup> )	10	135.1	2	27.0	White	459	155	304	325	22	50.1	17	38.7
Duplin	1,024	296	728	346	53	51.8	46	44.9	All other	19	15	4	( <sup>2</sup> )	1	52.6	1	52.6
White	603	188	415	521	27	44.8	16	26.5	Johnston	1,558	453	1,105	344	77	49.4	52	35.4
All other	421	108	313	390	26	61.6	30	71.5	White	1,171	328	843	557	52	44.4	30	25.5
Durham	1,775	1,077	698	165	128	72.1	83	46.8	All other	387	125	262	310	25	64.5	22	56.8
Rural part	228	113	115	202	7	30.7	8	35.1	Jones	301	90	211	( <sup>2</sup> )	24	79.7	4	13.3
White	156	74	82	( <sup>2</sup> )	4	25.6	6	38.5	White	124	39	85	( <sup>2</sup> )	8	64.5	4	32.3
All other	72	39	33	( <sup>2</sup> )	3	41.7	2	27.8	All other	177	51	126	( <sup>2</sup> )	16	90.4	4	32.3
Durham	1,547	964	583	160	121	78.2	75	48.5	Lee	401	172	229	233	22	54.9	14	34.9
White	953	541	412	176	62	65.1	52	33.6	White	292	120	172	243	17	58.2	9	30.8
All other	594	423	171	140	59	99.3	43	72.4	All other	109	52	57	( <sup>2</sup> )	5	45.9	5	45.9
Edgecombe	1,217	425	792	286	78	64.1	39	32.0	Lenoir	1,094	571	523	192	96	87.8	39	35.5
Rural part	963	349	614	276	65	67.5	27	28.0	Rural part	529	253	276	209	47	88.8	22	41.5
White	316	143	173	221	17	53.8	3	9.5	White	199	126	73	158	14	70.4	8	40.2
All other	647	206	441	314	48	74.2	24	37.1	All other	330	127	203	260	33	100.0	14	42.4
Rocky Mount (part)	254	76	178	( <sup>2</sup> )	13	( <sup>2</sup> )	12	( <sup>2</sup> )	Kinston	565	318	247	178	49	86.7	17	30.1
White	151	34	117	( <sup>2</sup> )	4	( <sup>2</sup> )	6	( <sup>2</sup> )	White	423	201	222	210	34	80.4	11	26.0
All other	103	42	61	( <sup>2</sup> )	9	( <sup>2</sup> )	6	( <sup>2</sup> )	All other	142	117	25	121	15	105.6	6	42.3
Forsyth	2,333	1,173	1,160	199	141	604	92	39.4	Lincoln	480	150	330	320	21	43.9	10	20.8
Rural part	522	271	251	193	23	42.1	9	17.2	White	420	124	296	339	16	38.1	10	23.9
White	432	226	206	191	18	41.7	4	9.3	All other	60	26	34	( <sup>2</sup> )	5	83.3	—	—
All other	90	45	45	( <sup>2</sup> )	4	44.4	5	55.6	McDowell	551	223	328	247	22	39.9	10	18.1
Winston-Salem	1,811	902	909	201	119	65.7	83	45.8	White	511	193	318	265	21	41.1	9	17.6
White	1,105	439	666	252	59	53.4	38	34.4	All other	40	30	10	( <sup>2</sup> )	1	25.0	1	25.0
All other	706	463	243	152	60	85.0	45	63.7	Macon	398	116	282	343	18	45.2	11	27.6
Franklin	687	207	480	332	38	55.3	25	36.4	White	388	112	276	346	18	46.4	11	28.4
White	286	94	192	( <sup>2</sup> )	10	35.0	8	28.0	All other	10	4	6	( <sup>2</sup> )	—	—	—	—
All other	401	113	288	355	28	69.8	17	42.4	Madison	509	173	336	294	39	76.5	15	29.5
Gaston	1,655	510	1,155	326	89	53.5	59	35.4	White	503	171	332	294	39	77.5	15	29.8
Rural part	1,132	328	804	345	65	57.4	28	24.7	All other	6	2	4	( <sup>2</sup> )	—	—	—	—
White	970	275	695	353	50	51.5	23	23.7	Martin	656	192	464	342	38	57.9	18	27.4
All other	162	53	109	( <sup>2</sup> )	15	92.6	5	30.9	White	276	77	199	( <sup>2</sup> )	9	32.6	12	43.5
Gastonia	533	182	351	293	24	45.0	31	58.2	All other	380	115	265	330	29	76.3	6	15.9
White	493	132	351	366	19	39.3	25	51.8	Mecklenburg	2,845	1,369	1,446	203	177	62.2	131	46.0
All other	50	50	—	( <sup>2</sup> )	5	100.0	6	120.0	Rural part	522	313	209	167	25	47.9	26	49.3
Gates	244	87	157	( <sup>2</sup> )	14	57.4	12	49.2	White	275	209	66	132	15	54.5	13	47.3
White	92	41	51	( <sup>2</sup> )	3	32.6	1	10.9	All other	247	104	143	258	10	40.5	13	52.6
All other	152	46	106	( <sup>2</sup> )	11	72.4	11	72.4	Charlotte	2,323	1,086	1,237	214	152	65.4	105	45.2
Graham	164	32	132	( <sup>2</sup> )	7	42.7	7	42.7	White	1,678	645	1,033	260	92	54.8	47	28.0
White	164	31	133	( <sup>2</sup> )	7	42.7	6	36.6	All other	645	441	204	146	60	93.0	58	69.9
All other	—	1	-1	—	—	—											



## VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
NORTH CAROLINA—Con.									NORTH CAROLINA—Con.								
Nash	1,497	593	904	252	116	77.5	70	46.8	Surry	1,012	362	650	265	68	67.2	46	45.5
Rural part	1,086	267	819	407	46	42.4	35	32.2	White	951	342	609	278	64	67.3	44	46.3
White	406	144	262	282	20	49.3	15	32.0	All other	61	40	21	( <sup>2</sup> )	4	65.6	2	32.8
All other	680	123	557	553	26	38.2	22	32.4	Swain	565	64	279	( <sup>2</sup> )	18	49.6	7	19.3
Rocky Mount (part)	411	326	85	( <sup>5</sup> )	70	( <sup>5</sup> )	35	( <sup>5</sup> )	White	281	55	226	( <sup>2</sup> )	8	28.5	6	21.4
White	271	179	92	( <sup>5</sup> )	37	( <sup>5</sup> )	18	( <sup>5</sup> )	All other	82	29	53	( <sup>2</sup> )	10	122.0	1	12.2
All other	140	147	-7	( <sup>5</sup> )	33	( <sup>5</sup> )	17	( <sup>5</sup> )	Transylvania	320	89	231	( <sup>2</sup> )	18	56.3	5	15.6
Rocky Mount (total)	665	402	263	165	83	124.8	47	70.7	White	308	86	222	( <sup>2</sup> )	18	58.4	5	16.2
White	422	213	209	198	41	97.2	24	56.9	All other	12	3	9	( <sup>2</sup> )				
All other	243	189	54	129	42	172.8	23	94.7	Tyrrell	158	58	95	( <sup>2</sup> )	10	65.4	4	26.1
New Hanover	1,148	680	458	166	92	80.1	50	45.6	White	85	35	50	( <sup>2</sup> )	4	47.1	1	11.8
Rural part	20	99	-79	( <sup>2</sup> )	6	300.0	2	100.0	All other	68	23	45	( <sup>2</sup> )	6	88.2	3	44.1
White	12	61	-49	( <sup>2</sup> )	4	( <sup>2</sup> )	1	85.3	Union	918	341	572	268	60	65.7	29	31.8
All other	8	38	-30	( <sup>2</sup> )	2	250.0	1	125.0	White	672	241	431	279	38	56.5	14	20.8
Wilmington	1,128	591	537	191	86	76.2	48	42.6	All other	241	100	141	241	22	91.3	15	62.2
White	692	288	404	240	43	62.1	17	24.6	Vance	643	309	334	208	44	68.4	36	56.0
All other	436	303	133	144	43	98.6	31	71.1	White	309	158	151	196	17	55.0	19	61.5
Northampton	685	188	495	363	31	45.4	22	32.2	All other	334	151	183	21	27	80.8	17	50.9
White	132	57	75	( <sup>2</sup> )	3	22.7	4	30.3	Wake	2,104	1,219	885	173	155	73.7	101	48.0
All other	551	131	420	421	28	50.8	18	32.7	Rural part	1,078	433	645	249	48	44.5	43	39.9
Onslow	521	166	355	314	37	71.0	18	34.5	White	549	258	313	233	15	27.3	16	29.1
White	342	109	233	314	26	76.0	15	45.9	All other	529	197	332	269	33	62.4	27	51.0
All other	179	57	122	( <sup>2</sup> )	11	61.5	3	16.8	Raleigh	1,026	786	240	131	107	104.3	58	56.5
Orange	312	153	159	204	7	22.4	16	51.3	White	679	440	239	154	63	92.8	21	30.9
White	152	88	64	( <sup>2</sup> )	2	15.2	8	52.6	All other	347	346	1	100	44	126.8	37	106.6
All other	160	65	95	( <sup>2</sup> )	5	31.3	8	50.0	Warren	575	217	358	265	45	78.3	42	73.0
Famlico	254	99	155	( <sup>2</sup> )	14	55.1	4	15.7	White	145	57	88	( <sup>2</sup> )	9	62.1	11	75.9
White	131	60	71	( <sup>2</sup> )	10	76.3	1	7.6	All other	430	160	270	269	36	83.7	31	72.1
All other	123	39	84	( <sup>2</sup> )	4	32.5	3	24.4	Washington	278	86	192	( <sup>2</sup> )	14	50.4	4	14.4
Pasquotank	346	274	72	126	33	95.4	16	46.2	White	125	33	92	( <sup>2</sup> )	6	46.0	2	16.0
Rural part	175	82	93	( <sup>2</sup> )	15	85.7	4	22.9	All other	153	53	100	( <sup>2</sup> )	8	52.3	2	13.1
White	61	36	25	( <sup>2</sup> )	4	65.6	4	35.1	Watauga	498	126	362	387	19	38.9	17	34.8
All other	114	46	68	( <sup>2</sup> )	11	96.5	4	35.1	White	479	123	356	389	18	37.6	16	35.4
Elizabeth City	171	192	-21	89	18	105.3	12	70.2	All other	9	3	6	( <sup>2</sup> )	1	111.1	1	111.1
White	104	111	-7	94	11	105.2	3	28.2	Wayne	1,232	841	391	146	107	86.9	41	33.3
All other	67	81	-14	( <sup>2</sup> )	7	104.5	9	134.3	Rural part	860	543	317	158	49	57.0	20	23.5
Pender	400	154	246	260	23	57.5	16	40.0	White	507	164	343	309	25	49.3	8	15.8
White	193	62	131	( <sup>2</sup> )	3	15.5	3	15.5	All other	353	379	-26	93	24	68.0	12	34.0
All other	207	92	115	( <sup>2</sup> )	20	96.6	13	62.8	Goldboro	372	298	74	125	28	155.9	21	56.5
Perquimans	220	84	136	( <sup>2</sup> )	13	59.1	14	63.6	White	183	145	38	126	31	169.4	9	49.2
White	106	36	68	( <sup>2</sup> )	3	28.3	6	56.6	All other	189	153	36	124	27	142.9	12	63.5
All other	114	46	68	( <sup>2</sup> )	10	87.7	8	70.2	Wilkes	1,031	344	687	300	55	53.3	15	14.5
Person	609	147	462	414	26	41.1	31	50.9	White	975	311	664	314	49	50.3	14	14.4
White	326	75	251	( <sup>2</sup> )	13	39.9	14	42.9	All other	56	33	23	( <sup>2</sup> )	6	107.1	1	17.9
All other	283	72	211	( <sup>2</sup> )	12	42.4	17	60.1	Wilson	1,233	552	681	223	99	80.3	57	46.2
Pitt	1,396	507	889	275	100	71.6	61	58.0	Rural part	704	207	497	340	36	51.1	27	36.4
White	572	211	361	271	31	54.2	23	40.2	White	375	107	268	350	12	32.0	9	24.0
All other	824	296	528	278	69	85.7	38	70.4	All other	329	100	229	329	24	72.9	18	54.7
Polk	199	88	111	( <sup>2</sup> )	13	65.3	4	20.1	Wilson	529	345	184	153	63	119.1	30	56.7
White	165	69	96	( <sup>2</sup> )	7	42.4	4	24.2	White	340	167	173	204	39	114.7	14	41.2
All other	34	19	15	( <sup>2</sup> )	6	176.5	4	24.2	All other	189	178	11	106	24	127.0	16	84.7
Randolph	831	322	509	258	34	40.9	27	32.5	Yadkin	347	128	219	271	9	25.9	5	14.4
White	744	292	452	255	31	41.7	26	34.9	White	327	117	210	279	9	27.5	3	9.2
All other	87	30	57	( <sup>2</sup> )	3	34.5	1	11.5	All other	20	11	9	( <sup>2</sup> )			2	100.0
Richmond	757	339	418	223	38	50.2	21	27.7	Yancey	457	100	357	457	17	37.2	13	28.4
White	499	175	324	285	17	34.1	11	22.0	White	454	97	357	( <sup>2</sup> )	17	37.4	13	28.6
All other	258	164	94	157	21	81.4	10	38.8	All other	3	3	( <sup>2</sup> )					
Robeson	2,239	687	1,552	326	126	56.3	76	33.9	NORTH DAKOTA (total)	13,158	5,424	7,734	243	645	49.0	301	22.9
White	898	315	583	285	40	54.6	30	33.4	Adams	102	29	73	( <sup>2</sup> )	4	39.2	3	29.4
All other	1,341	372	969	360	77	57.4	46	34.3	Earnes	300	154	146	195	11	36.7	9	30.0
Rockingham	1,234	512	722	241	70	58.7	43	34.8	Benson	212	95	117	( <sup>2</sup> )	11	51.9	5	23.6
White	988	375	613	263	56	56.7	29	29.4	Billings	20	13	7	( <sup>2</sup> )	2	100.0		
All other	246	137	109	180	14	58.9	14	56.9	Bottineau	313	87	226	( <sup>2</sup> )	10	31.9	15	47.9
Rowan	1,141	544	597	210	58	50.8	27	23.7	Bowman	78	25	53	( <sup>2</sup> )	3	38.5	3	38.5
Rural part	705	276	429	255	27	38.3	17	24.1	Burke	156	45	111	( <sup>2</sup> )	2	12.8		
White	510	204	306	250	14	27.5	14	27.5	Burleigh	614	267	347	230	31	50.5	16	26.1
All other	195	72	123	( <sup>2</sup> )	13	66.7	3	15.4	Rural part	40	29	11	( <sup>2</sup> )	2	50.0	1	25.0
Salisbury	436	268	168	163	31	71.1	10	22.9	Bismarck	574	238	336	241	29	50.5	15	26.1
White	364	168	193	193	26	71.4	8	22.0	Cass	1,300	598	702	217	68	52.3	18	13.8
All other	72	79	-7	( <sup>2</sup> )	5	69.4	2	27.8									



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births	
	Births	Deaths								Births	Deaths							
Section B—Continued								Section B—Continued										
NORTH DAKOTA—Con.								OHIO—Continued										
Grant	162	45	117	( <sup>2</sup> )	6	37.0	4	24.7	Cuyahoga	17,305	12,377	4,928	140	634	36.6	483	27.9	
Griggs	69	37	32	( <sup>2</sup> )	3	43.5	3	43.5	Rural part	475	790	-315	60	9	18.9	12	25.3	
Hettinger	160	28	132	( <sup>2</sup> )	4	25.0	1	6.3	Cleveland	15,265	9,866	5,397	155	572	37.5	427	28.0	
Kidder	129	35	94	( <sup>2</sup> )	7	54.3	1	7.8	White	13,811	8,668	5,143	159	500	36.2	372	26.9	
La Moure	176	65	111	( <sup>2</sup> )	5	28.4	5	28.4	All other	1,452	1,198	254	121	72	49.6	55	37.9	
Logan	154	40	114	( <sup>2</sup> )	10	64.9	3	19.5	Cleveland Heights	7	323	-316	2	2	285.7	—	—	
McHenry	162	86	96	( <sup>2</sup> )	7	38.5	4	22.0	East Cleveland	1,089	468	621	233	31	28.5	31	28.5	
McIntosh	181	50	131	( <sup>2</sup> )	12	66.3	7	38.7	Euclid	26	96	-70	( <sup>2</sup> )	2	76.9	—	—	
McKenzie	125	33	92	( <sup>2</sup> )	7	56.0	1	8.0	Garfield Heights	34	73	-39	( <sup>2</sup> )	2	58.8	—	—	
McLean	311	101	210	308	17	54.7	5	16.1	Lakewood	367	573	-206	( <sup>2</sup> )	64	12	32.7	12	32.7
Mercer	173	48	125	( <sup>2</sup> )	12	69.4	6	34.7	Pama	41	66	-25	( <sup>2</sup> )	4	97.6	1	24.4	
Morton	521	144	377	362	32	61.4	14	26.9	Shaker Heights	3	122	-119	2	—	—	—	—	—
Mountrail	156	49	107	( <sup>2</sup> )	2	12.8	1	6.4	Darke	636	467	169	136	21	33.0	15	23.6	
Nelson	161	69	92	( <sup>2</sup> )	8	49.7	2	12.4	Defiance	481	290	191	166	17	35.3	6	12.5	
Oliver	24	12	12	( <sup>2</sup> )	4	166.7	—	—	Delaware	394	353	41	112	12	30.5	13	35.0	
Pembina	241	123	118	196	14	58.1	5	20.7	Erie	627	558	69	112	20	31.9	14	22.3	
Pierce	329	101	228	326	12	36.5	3	9.1	Rural part	93	210	-117	44	4	43.0	1	10.8	
Ramsey	379	161	218	235	28	73.9	15	39.6	Sandusky	534	348	186	153	16	30.0	13	24.3	
Ransom	131	74	57	( <sup>2</sup> )	6	45.8	3	22.9	Fairfield	805	521	284	155	50	62.1	28	34.8	
Renville	77	26	51	( <sup>2</sup> )	2	26.0	2	26.0	Rural part	289	225	66	130	15	51.9	9	31.1	
Richland	229	148	81	155	9	39.3	5	21.8	Lancaster	516	298	218	173	35	67.8	19	36.8	
Rolette	355	154	201	231	23	64.8	17	47.9	Fayette	384	257	127	149	12	31.3	6	15.6	
Sargent	82	67	15	( <sup>2</sup> )	2	24.4	—	—	Franklin	6,197	5,149	1,048	120	331	53.4	151	24.4	
Sheridan	69	29	60	( <sup>2</sup> )	4	44.9	1	11.2	Rural part	444	671	-227	66	12	27.0	11	24.8	
Sioux	108	71	37	( <sup>2</sup> )	14	129.6	3	27.8	Columbus	5,753	4,478	1,275	128	319	55.4	140	24.3	
Slope	40	10	30	( <sup>2</sup> )	1	25.0	—	—	White	5,066	3,914	1,152	129	268	52.9	112	22.1	
Stark	395	141	255	281	12	30.3	14	35.4	All other	687	564	123	122	51	74.2	28	40.8	
Steele	90	48	42	( <sup>2</sup> )	2	22.2	1	11.1	Fulton	420	321	99	131	21	50.0	4	9.5	
Stutsman	435	299	136	145	20	46.0	8	18.4	Gallia	516	489	27	106	38	73.6	25	48.4	
Towner	131	48	83	( <sup>2</sup> )	7	53.4	1	7.6	Geauga	220	172	48	128	8	36.4	6	27.3	
Traill	195	98	97	( <sup>2</sup> )	8	41.0	2	10.3	Greene	491	353	138	139	19	38.7	17	34.6	
Walsh	471	175	296	269	18	38.2	7	14.9	Rural part	281	195	86	144	12	42.7	10	35.6	
Ward	854	362	492	236	47	55.0	16	18.7	Xenia	210	158	52	133	7	33.3	7	33.3	
Rural part	154	70	84	( <sup>2</sup> )	8	51.9	3	19.5	White	186	128	58	145	5	26.9	7	37.6	
Minot	700	292	408	240	39	55.7	13	18.6	All other	24	30	-6	( <sup>2</sup> )	2	83.3	—	—	
Wells	203	102	101	199	17	83.7	7	34.5	Guernsey	562	442	120	127	34	60.5	17	30.2	
Williams	375	163	212	230	12	32.0	7	18.7	Rural part	284	246	38	115	19	68.9	6	21.1	
OHIO (total)	109,272	76,927	32,345	142	4,691	42.9	2,950	27.0	Cambridge	278	196	82	142	15	54.0	11	39.6	
Adams	407	247	160	165	26	63.9	19	46.7	Hamilton	9,757	7,849	1,908	124	400	41.0	322	33.0	
Allen	1,408	972	436	145	71	50.4	34	24.1	Rural part	909	964	-55	94	18	17.6	20	22.0	
Rural part	337	334	3	101	11	32.6	5	14.8	Cincinnati	8,772	6,716	2,056	131	382	43.5	300	34.2	
Lima	1,071	638	433	168	60	56.0	29	27.1	White	7,754	5,815	1,939	133	294	37.9	241	31.1	
Ashland	518	353	165	147	17	32.8	10	19.3	All other	1,018	901	117	113	88	88.4	59	58.0	
Rural part	163	191	-28	85	8	49.1	1	19.3	Norwood	76	159	-83	45	2	28.3	2	26.3	
Ashland	355	162	193	219	9	25.4	10	28.2	Hancock	885	523	362	169	50	53.9	27	30.5	
Ashtabula	991	901	90	110	58	58.5	25	25.2	Rural part	218	156	62	140	7	32.1	8	36.7	
Rural part	578	626	-48	92	41	70.9	10	17.3	Findlay	447	300	147	149	15	35.8	9	20.1	
Ashtabula	413	275	138	150	17	41.2	15	36.3	Fostoria (part)	220	87	133	( <sup>5</sup> )	7	( <sup>8</sup> )	10	( <sup>8</sup> )	
Athens	825	537	288	154	45	54.5	26	31.5	Hardin	474	387	87	122	31	65.4	13	27.4	
Auglaize	368	305	63	121	16	43.5	6	16.3	Harrison	287	173	114	166	10	34.8	8	27.9	
Belmont	1,579	965	614	164	80	50.7	41	26.0	Henry	400	250	150	180	11	27.5	5	12.5	
Rural part	814	559	255	146	42	51.6	18	22.1	Highland	488	380	108	128	27	55.3	16	36.9	
Bellaire	328	185	143	177	15	45.7	8	24.4	Hocking	393	196	197	201	17	43.3	15	38.2	
Martins Ferry	437	221	216	198	23	52.6	15	34.3	Holmes	429	199	230	216	14	32.6	5	11.7	
Brown	274	227	47	121	11	40.1	12	43.8	Huron	557	493	64	113	21	37.7	14	25.1	
Butler	2,229	1,286	943	173	96	43.1	72	32.3	Jackson	521	280	241	186	40	76.8	16	50.7	
Rural part	267	270	-3	99	10	37.5	13	48.7	Jefferson	1,764	903	861	195	74	42.0	56	31.7	
Hamilton	1,151	683	468	169	58	50.4	37	32.1	Rural part	766	404	362	180	29	37.9	25	32.6	
Middletown	811	353	478	244	28	34.5	22	27.1	Steubenville	898	499	399	200	45	45.1	51	31.1	
Carroll	202	178	24	113	12	59.4	5	24.8	Knox	515	422	93	122	25	46.5	11	21.4	
Champaign	400	320	80	125	16	40.0	6	15.0	Lake	589	495	94	119	19	52.3	11	18.7	
Clark	1,518	1,081	437	140	71	46.8	26	17.1	Rural part	128	257	-129	50	5	39.1	1	7.8	
Rural part	228	241	-13	95	17	74.6	2	8.8	Painesville	461	238	223	184	14	30.4	10	21.7	
Springfield	1,290	840	450	154	54	41.9	24	18.6	Lawrence	818	508	310	181	62	67.5	29	31.6	
White	1,137	736	401	154	47	41.3	20	17.6	Rural part	508	247	261	206	36	70.9	15	29.5	
All other	153	104	49	147	7	45.8	4	26.1	Ironton	410	251	159	157	26	63.4	14	34.1	
Clermont	406	335	71	121	8	19.7	11	27.1	Licking	886	821	65	103	40	45.1	19	21.4	
Clinton	351	301	50	117	11	31.3	15	42.7	Rural part	272	345	-73	79	11	40.4	3	11.0	
Columbiana	1,694	1,013	671	166	76	45.1	51	30.3	Newark	614	476	138	129	29	47.2	16	26.1	
Rural part	699	483	216	145	30	42.9	18	25.8	Logan	497	412	85	121	24	48.3	16	32.2	
East Liverpool	577	323	254	179	36	62.4	19	32.9	Lorain	1,706	1,126	580	152	56	32.8	40	23.4	
Salem	408	207	201	197	10	24.5	14	34.3	Rural part	337	460	-123	75	11	32.6	8	23.7	
Coshocton	531	388	143	137	31	58.4	12	22.6	Elyria	624	310	314	201	38	28.8	14	22.4	
Rural part	255	196	59	130	18	70.6	4	15.7	Lorain	745	556	389	209	27	56.2	18	24.2	
Coshocton	276	192	84	144	13	47.1	8	29.0	Lucas	5,561	3,985	1,576	140	237	42.6	146	26.3	
Crawford	604	431	173	140	19	31.5	13	21.5	Rural part	491	356	135	146	16	32.6	8	16.3	
Rural part	391	269	122	145	11	28.1	6	15.3	Toledo	5,070	3,649	1,421	139	221	43.6			

## VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
OHIO—Continued									OHIO—Continued								
Mahoning	3,786	2,192	1,594	173	151	34.6	125	33.0	Warren	426	298	128	143	19	44.6	9	21.1
Rural part	277	392	-115	71	9	32.5	1	3.6	Washington	766	589	177	150	59	50.9	17	22.2
Campbell	90	54	36	( <sup>2</sup> )	5	55.6	6	66.7	Rural part	437	511	126	141	11	25.2	5	11.4
White	68	37	31	( <sup>2</sup> )	3	44.1	4	58.8	Marietta	329	278	51	118	28	85.1	12	36.5
All other	22	17	5	( <sup>2</sup> )	2	90.9	2	90.9	Wayne	774	543	231	143	23	29.7	24	51.0
Struthers	61	41	20	( <sup>2</sup> )	1	18.4	3	49.2	Rural part	544	366	178	141	14	25.7	13	25.9
Youngstown (part)	5,558	1,705	1,653	( <sup>2</sup> )	116	( <sup>2</sup> )	115	( <sup>2</sup> )	Wooster	230	157	73	146	9	59.1	11	47.8
White	5,066	1,514	1,572	( <sup>2</sup> )	97	( <sup>2</sup> )	103	( <sup>2</sup> )	Williams	383	296	87	129	12	31.3	6	15.7
All other	272	191	81	( <sup>2</sup> )	19	( <sup>2</sup> )	12	( <sup>2</sup> )	Wood	736	494	242	149	24	52.6	15	20.4
Youngstown (total)	5,558	1,705	1,653	197	116	34.5	115	34.2	Wyandot	270	198	72	136	9	33.5	3	11.1
White	5,066	1,514	1,572	204	97	31.4	103	33.4	OKLAHOMA (total)	43,471	20,391	23,080	213	2,162	49.7	1,124	25.9
All other	272	191	81	142	19	69.9	12	44.1	Adair	257	143	114	180	12	46.7	8	31.1
Marion	858	578	280	148	51	59.4	26	30.3	White	218	103	115	212	8	36.7	7	32.1
Rural part	144	135	9	107	9	62.5	3	20.8	All other	39	40	-1	( <sup>2</sup> )	4	102.6	1	25.6
Marion	714	443	271	161	42	58.8	23	32.2	Alfalfa	206	112	94	184	7	34.0	2	9.7
Medina	555	386	169	144	22	39.6	18	32.4	White	206	112	94	184	7	34.0	2	9.7
Meigs	438	269	169	163	20	45.7	7	16.0	All other	206	112	94	184	7	34.0	2	9.7
Mercer	481	292	189	165	21	43.7	4	8.3	Atoka	365	117	248	312	16	43.8	9	24.7
Miami	989	648	321	150	44	45.4	35	36.1	White	345	90	255	( <sup>2</sup> )	13	37.7	9	26.1
Rural part	618	401	217	154	28	45.3	15	24.3	All other	20	27	-7	( <sup>2</sup> )	3	150.0	0	—
Piqua	351	247	104	142	16	45.6	20	57.0	Beaver	124	62	42	( <sup>2</sup> )	7	56.5	2	16.1
Monroe	317	193	124	164	20	63.1	12	37.9	White	124	62	42	( <sup>2</sup> )	7	56.5	2	16.1
Montgomery	4,927	3,549	1,378	139	204	41.4	124	25.2	All other	506	180	326	281	16	31.6	10	19.8
Rural part	445	919	-474	48	17	38.2	6	13.5	White	505	178	327	294	16	31.7	9	17.8
Dayton	4,482	2,650	1,832	170	187	41.7	118	26.3	All other	1	2	-1	( <sup>2</sup> )	1	( <sup>3</sup> )	1	( <sup>3</sup> )
White	4,110	2,327	1,783	177	187	40.5	94	22.9	Blaine	414	165	249	251	13	31.4	4	9.7
All other	372	303	69	123	20	53.8	24	64.5	White	366	133	233	275	8	21.9	3	8.2
Morgan	237	198	39	120	7	29.5	10	42.2	All other	48	32	16	( <sup>2</sup> )	5	104.2	1	20.8
Morrow	213	183	30	116	9	42.3	5	23.5	Bryan	789	310	479	255	43	54.5	14	17.7
Muskingum	1,302	888	414	147	66	50.7	41	31.5	White	759	293	466	259	43	58.7	13	17.1
Rural part	261	292	-31	89	12	46.0	6	23.0	All other	30	17	13	( <sup>2</sup> )	1	33.3	1	33.3
Zanesville	1,041	596	445	175	54	51.9	35	33.5	Caddo	880	297	583	296	34	36.6	19	21.6
Noble	227	159	68	143	10	44.1	5	22.0	White	822	244	578	337	28	31.6	16	21.9
Ottawa	269	266	23	109	10	34.5	3	10.4	All other	58	53	5	( <sup>2</sup> )	8	137.9	1	17.2
Paulding	197	143	54	138	6	30.5	6	30.5	Canadian	480	250	230	192	28	58.3	12	25.0
Perry	420	314	106	134	25	59.5	14	33.3	White	405	210	195	193	23	58.8	9	22.2
Pickaway	476	368	110	130	28	58.8	10	21.0	All other	75	40	35	( <sup>2</sup> )	5	66.7	3	40.0
Pike	317	166	151	191	18	56.9	4	12.6	Carter	765	390	375	196	41	53.6	22	28.6
Portage	627	521	106	120	24	38.3	6	9.6	Rural part	350	112	238	312	15	42.9	6	17.1
Preble	273	227	46	120	10	36.6	6	22.0	White	326	102	224	320	13	39.9	6	18.4
Putnam	340	203	137	167	12	35.3	5	14.7	All other	24	10	14	( <sup>2</sup> )	2	83.3	—	—
Richland	1,237	812	425	152	44	35.6	26	21.0	Ardmore	415	278	137	149	26	62.7	16	38.6
Rural part	407	333	74	122	12	29.5	10	24.6	White	366	235	131	156	18	49.2	12	32.8
Mansfield	830	479	351	173	32	38.6	16	19.3	All other	49	43	6	( <sup>2</sup> )	8	133.3	4	81.6
Ross	1,128	629	499	179	54	47.9	37	32.8	Cherokee	549	195	354	282	30	54.6	12	21.9
Rural part	360	305	55	185	34	51.1	20	30.1	White	331	131	200	253	19	57.4	6	18.1
Chillicothe	463	269	194	172	20	43.2	17	36.7	All other	218	64	154	( <sup>2</sup> )	11	50.5	6	27.5
Sandusky	749	456	293	164	30	40.1	12	16.0	Choctaw	626	254	372	246	29	46.3	26	41.5
Rural part	654	347	307	188	27	41.3	10	15.3	White	520	198	322	263	22	42.3	23	44.2
Fremont	95	109	-14	87	3	31.6	2	21.1	All other	106	56	50	( <sup>2</sup> )	7	66.0	3	28.3
Scioto	1,573	928	645	170	156	68.5	46	29.2	Cimarron	47	23	24	( <sup>2</sup> )	4	85.1	1	21.3
Rural part	717	290	427	247	49	68.3	18	25.1	White	47	23	24	( <sup>2</sup> )	4	85.1	1	21.3
Portsmouth	856	638	218	134	87	101.6	28	32.7	All other	—	—	—	—	—	—	—	—
Seneca	608	540	68	113	29	47.7	10	16.4	Cleveland	360	320	40	113	16	44.4	4	11.1
Rural part	245	220	25	111	9	36.7	4	16.3	White	359	320	39	112	15	44.6	3	8.4
Fostoria (part)	77	105	-28	( <sup>3</sup> )	5	( <sup>3</sup> )	1	( <sup>3</sup> )	All other	1	1	—	—	1	( <sup>3</sup> )	1	( <sup>3</sup> )
Fostoria (total)	297	172	125	173	12	40.4	11	37.0	Coal	212	66	146	( <sup>2</sup> )	8	37.7	1	4.7
Tiffin	266	215	71	133	15	52.4	5	17.5	White	202	62	140	( <sup>2</sup> )	7	34.7	1	5.0
Shelby	445	275	170	162	18	40.4	8	18.0	All other	10	4	6	( <sup>2</sup> )	1	100.0	—	—
Stark	3,595	2,538	1,057	142	166	46.2	79	22.0	Comanche	1,010	351	659	288	62	61.4	28	27.7
Rural part	567	809	-242	70	22	38.8	12	21.2	Rural part	440	124	316	355	26	59.1	7	15.9
Alliance	444	273	171	163	14	31.5	8	18.0	White	436	115	321	379	24	55.0	7	16.1
Canton	2,067	1,128	939	183	102	49.3	49	23.7	All other	4	9	-5	( <sup>2</sup> )	2	( <sup>3</sup> )	—	—
Maassillon	517	528	-19	156	28	54.2	10	19.3	Lawton	570	227	343	251	36	65.2	21	36.8
Summit	5,192	2,903	2,289	179	161	31.0	154	25.8	White	380	162	218	235	28	73.7	17	44.7
Rural part	341	463	-122	74	10	29.3	2	5.9	All other	190	65	125	( <sup>2</sup> )	8	42.1	4	21.1
Akron	4,247	2,082	2,165	204	150	50.6	122	28.7	Cotton	243	80	163	( <sup>2</sup> )	11	45.3	5	20.6
White	4,034	1,942	2,092	208	115	28.5	110	27.3	White	225	75	150	( <sup>2</sup> )	8	35.6	5	22.2
All other	213	140	73	152	15	70.4	12	56.3	All other	18	5	13	( <sup>2</sup> )	3	166.7	—	—
Barberton	550	220	330	280	17	50.9	9	18.4	Craig	396</							

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued	Section B—Continued																
OKLAHOMA—Contd.	OKLAHOMA—Contd.																
Delaware	273	134	139	204	9	35.0	8	29.5	McCurtain	642	319	325	201	57	88.8	24	37.4
White	254	117	137	217	8	31.5	8	31.5	White	512	221	291	232	47	91.8	18	35.2
All other	19	17	2	( <sup>2</sup> )	1	52.6			All other	130	98	32	( <sup>2</sup> )	10	76.9	6	46.2
Dewey	225	75	150	( <sup>2</sup> )	8	35.6	5	22.2	McIntosh	489	195	294	251	37	75.7	20	40.9
White	225	72	153	( <sup>2</sup> )	7	31.1	5	22.2	White	414	141	273	294	27	65.2	15	36.2
All other		3	-3	( <sup>2</sup> )	1				All other	75	54	21	( <sup>2</sup> )	10	133.3	5	66.7
Ellis	316	92	224	( <sup>2</sup> )	12	38.0	6	19.0	Major	218	79	139	( <sup>2</sup> )	11	50.5	2	9.2
White	316	92	224	( <sup>2</sup> )	12	38.0	6	19.0	White	218	78	140	( <sup>2</sup> )	11	50.5	2	9.2
All other									All other		1	-1					
Garfield	787	450	337	175	39	49.6	27	34.3	Marshall	251	78	173	( <sup>2</sup> )	19	75.7	12	47.8
Rural part	143	60	83	( <sup>2</sup> )	5	35.0	7	49.0	White	241	74	167	( <sup>2</sup> )	18	74.7	10	41.5
White	141	60	81	( <sup>2</sup> )	5	35.5	7	49.6	All other	10	4	6	( <sup>2</sup> )	1	100.0	2	200.0
All other	2		2						Mayer	475	215	260	221	23	48.4	14	29.5
Enid	644	390	254	165	34	52.8	20	31.1	White	414	192	222	216	20	49.3	14	35.8
White	623	378	245	165	33	53.0	19	30.5	All other	61	23	38	( <sup>2</sup> )	3	48.2		
All other	21	12	9	( <sup>2</sup> )	1	47.6	1	47.6	Murray	274	172	102	159	15	54.7	7	25.5
Garvin	675	237	438	285	23	34.1	20	29.6	White	260	160	100	163	14	53.8	6	23.1
White	628	208	420	302	22	35.0	19	30.3	All other	14	12	2	( <sup>2</sup> )	1	71.4	1	71.4
All other	47	29	18	( <sup>2</sup> )	1	21.3	1	21.3	Muskogee	991	871	120	114	85	85.8	30	50.3
Grady	815	338	475	241	40	49.2	15	18.5	Rural part	260	243	17	107	23	86.5	7	26.9
Rural part	492	120	372	410	13	26.4	6	12.2	White	189	115	74	164	15	79.4	3	15.9
White	487	118	369	413	12	24.6	6	12.3	All other	71	128	-57	55	8	112.7	4	56.3
All other	5	2	3	( <sup>2</sup> )	1	200.0			Muskogee	781	628	103	116	62	84.8	23	31.5
Chickasha	321	216	105	147	27	84.1	9	28.0	White	630	434	196	145	47	74.6	20	31.7
White	296	191	105	155	21	70.9	9	30.4	All other	101	194	-93	52	15	148.5	3	29.7
All other	25	27	-2	( <sup>2</sup> )	6	240.0			Noble	173	99	74	( <sup>2</sup> )	9	52.0	3	17.3
Grant	73	67	6	( <sup>2</sup> )	4	54.8	4	54.8	White	156	84	72	( <sup>2</sup> )	5	32.1	3	19.2
White	73	67	6	( <sup>2</sup> )	4	54.8	4	54.8	All other	17	15	2	( <sup>2</sup> )	4	235.3		
All other		1	-1						Nowata	259	130	129	199	18	69.5	6	25.2
Greer	247	98	149	( <sup>2</sup> )	5	20.2	11	44.5	White	237	107	130	221	17	71.7	5	21.1
White	241	93	148	( <sup>2</sup> )	4	16.6	11	45.6	All other	22	23	-1	( <sup>2</sup> )	1	45.5	1	45.5
All other	6	5	1	( <sup>2</sup> )	1	166.7			Okfuskee	540	180	360	300	26	48.1	13	24.1
Harmon	220	83	137	( <sup>2</sup> )	16	72.7	9	40.9	White	440	117	323	376	15	34.1	9	20.5
White	216	78	138	( <sup>2</sup> )	16	74.1	8	37.0	All other	100	63	37	( <sup>2</sup> )	11	110.0	4	40.0
All other	4	5	-1	( <sup>2</sup> )	1	250.0			Oklahoma <sup>6</sup>	4,619	2,477	2,142	186	209	45.2	98	21.2
Harper	127	45	84	( <sup>2</sup> )	8	65.0	3	23.6	Rural part	190	135	55	141	14	73.7	2	10.5
White	127	43	84	( <sup>2</sup> )	8	65.0	3	23.6	White	159	128	31	124	14	88.1	2	12.6
All other									All other	31	7	24	( <sup>2</sup> )				
Haskell	357	120	237	298	15	42.0	6	16.8	Oklahoma City	4,429	2,342	2,087	189	195	44.0	96	21.7
White	342	118	224	290	15	43.9	6	17.5	White	4,099	2,067	2,032	198	173	42.2	85	20.7
All other	15	2	13	( <sup>2</sup> )					All other	330	275	55	120	22	66.7	11	33.3
Hughes	572	206	366	278	26	45.5	16	28.0	Okmulgee	916	470	446	195	46	50.2	33	36.0
White	527	167	360	316	20	38.0	14	26.6	Rural part	519	255	264	204	28	53.9	21	40.5
All other	45	39	6	( <sup>2</sup> )	6	133.3	2	44.4	White	418	202	216	207	21	50.2	17	40.7
Jackson	384	129	255	298	17	44.3	9	23.4	All other	101	53	48	( <sup>2</sup> )	7	69.3	4	39.6
White	365	120	245	304	16	43.8	9	24.7	Okmulgee	397	215	182	185	18	45.3	12	30.2
All other	19	9	10	( <sup>2</sup> )	1	52.6			White	317	144	173	220	13	41.0	7	22.1
Jefferson	301	114	187	264	10	33.2	6	19.9	All other	80	71	9	( <sup>2</sup> )	5	62.5	5	62.5
White	294	110	184	267	10	34.0	5	17.0	Osage	625	276	349	226	27	43.2	24	38.4
All other	7	4	3	( <sup>2</sup> )					White	570	236	334	242	23	40.4	24	42.1
Johnston	346	85	261	( <sup>2</sup> )	16	46.2	9	26.0	All other	55	40	15	( <sup>2</sup> )	4	72.7		
White	333	76	257	( <sup>2</sup> )	13	39.0	9	27.0	Ottawa	683	369	314	185	27	39.5	18	26.4
All other	13	9	4	( <sup>2</sup> )	3	230.8			White	653	364	289	179	27	41.3	18	27.6
Key	758	416	342	182	40	52.8	19	25.1	All other	30	5	25	( <sup>2</sup> )				
Rural part	379	247	132	153	16	42.2	12	31.7	Pawnee	443	190	253	233	19	42.9	8	18.1
White	373	239	134	156	15	40.2	12	32.2	White	319	155	164	206	15	47.0	6	18.8
All other	6	8	-2	( <sup>2</sup> )	1	166.7			All other	124	35	89	( <sup>2</sup> )	4	32.3	2	16.1
Ponca City	379	169	210	236	24	63.3	7	18.5	Payne	705	305	400	251	29	41.1	20	28.4
White	364	154	210	236	22	60.4	6	16.5	White	671	287	384	254	24	35.8	20	29.8
All other	15	15		( <sup>2</sup> )	2	133.3	1	66.7	All other	34	18	16	( <sup>2</sup> )	5	147.1		
Kingfisher	269	154	115	175	15	55.8	9	33.5	Pittsburg	896	438	458	205	44	49.1	27	30.1
White	228	119	109	192	11	48.2	8	35.1	Rural part	570	215	352	261	24	42.1	13	22.8
All other	41	35	6	( <sup>2</sup> )	4	97.6	1	24.4	White	544	197	347	276	23	42.3	13	23.9
Kiowa	469	214	275	229	25	51.1	9	18.4	All other	25	21	5	( <sup>2</sup> )	1	58.5		
White	451	185	268	246	18	39.9	6	13.3	McAlester	328	220	106	148	20	61.3	14	42.9
All other	38	31	7	( <sup>2</sup> )	7	184.2	3	78.9	White	306	166	120	165	20	65.4	13	42.5
Letimer	354	183	151	165	7	21.0	7	21.0	All other	20	34	-14	( <sup>2</sup> )				
White	203	129	74	157	5	24.6	5	29.8	Pontotoc	859	345	514	249	53	61.7	22	25.6
All other	151	54	77	( <sup>2</sup> )	2	15.3	1	7.6	Rural part	340	109	231	312	17	50.0	11	32.4
Le Flore	744	275	469	271	38	51.1	13	17.5	White	324	99	225	( <sup>2</sup> )	16	49.4	11	34.0
White	717	252	465	265	36												

## VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
OKLAHOMA—Contd.								OREGON—Continued									
Roger Mills	138	47	91	( <sup>2</sup> )	2	14.5	1	7.2	Lincoln	214	165	51	131	9	42.1	5	23.4
White	134	45	89	( <sup>2</sup> )	2	14.9	1	7.5	Linn	460	320	140	144	14	30.4	7	15.2
All other	4	2	2	( <sup>2</sup> )					Malheur	407	132	275	308	18	44.2	7	17.2
Rogers	565	284	331	241	27	47.8	14	24.8	Marion	1,210	1,091	119	111	37	30.6	20	16.5
White	345	175	170	197	13	37.7	10	29.0	Rural part	448	356	92	126	13	29.0	5	11.2
All other	220	59	161	( <sup>2</sup> )	14	63.6	4	18.2	Salem	762	735	27	104	24	31.5	15	19.7
Seminole	984	369	615	267	62	63.0	23	25.4	Norrow	51	49	2	( <sup>2</sup> )	3	58.8	2	39.2
Rural part	420	125	295	336	26	61.9	7	16.7	Multnomah	5,428	4,461	967	122	185	34.1	100	18.4
White	350	84	266	( <sup>2</sup> )	14	40.0	7	20.0	Rural part	61	439	-378	14	3	49.2		
All other	70	41	29	( <sup>2</sup> )	12	171.4			Portland	5,367	4,022	1,345	133	182	33.9	100	18.6
Seminole	342	183	209	257	24	70.2	9	26.3	Polk	209	149	60	140	16	76.6	8	33.3
White	325	112	213	290	20	61.5	9	27.7	Sherman	9	13	-4	( <sup>2</sup> )	3	( <sup>2</sup> )		
All other	17	21	-4	( <sup>2</sup> )	4	235.3			Tillamook	255	109	126	216	8	34.0	5	21.3
Wewoka	222	111	111	200	12	54.1	7	31.5	Umatilla	366	337	29	109	19	51.9	7	19.1
White	170	70	100	( <sup>2</sup> )	10	58.8	4	23.5	Union	312	203	109	154	10	32.1	8	25.6
All other	52	41	11	( <sup>2</sup> )	2	38.5	3	57.7	Wallowa	82	56	26	( <sup>2</sup> )	1	12.2		
Sequoyah	478	159	319	301	37	77.4	14	29.3	Wasco	251	216	35	116	16	65.7	5	19.9
White	435	136	299	320	32	73.6	9	20.7	Washington	446	304	142	147	10	22.4	9	20.2
All other	43	23	20	( <sup>2</sup> )	5	116.3	5	116.3	Wheeler	19	20	-1	( <sup>2</sup> )	1	52.6	2	105.3
Stephens	634	254	380	250	25	39.4	14	22.1	Yamhill	440	258	172	164	10	22.7	13	29.5
White	622	247	375	252	23	37.0	14	22.5	PENNSYLVANIA (total)	161,049	108,007	53,042	149	7,343	45.6	4,788	29.7
All other	12	7	5	( <sup>2</sup> )	2	166.7			Adams	647	381	266	170	26	40.2	12	18.5
Texas	151	65	86	( <sup>2</sup> )	7	46.4	2	13.2	Allegheny	22,875	15,283	7,592	150	1,055	46.1	694	30.3
White	149	65	84	( <sup>2</sup> )	7	47.0	2	13.4	Rural part	3,349	3,877	-528	86	137	40.9	101	30.2
All other	2	2			6	136.4	10	27.1	Belleve	366	172	194	213	5	13.7	6	18.4
Tillman	413	140	273	285	16	38.7	13	31.5	Bradnock	740	293	447	253	33	44.6	21	28.4
White	369	112	257	329	10	27.1	10	27.1	White	645	263	382	245	29	45.0	18	27.9
All other	44	28	16	( <sup>2</sup> )	6	136.4	3	68.2	All other	95	30	65	( <sup>2</sup> )	4	42.1	3	31.6
Tulsa	3,201	1,663	1,538	192	138	43.1	91	28.4	Carnegie	108	87	16	( <sup>2</sup> )	6	58.3	3	29.1
Rural part	608	196	412	310	19	31.3	17	29.0	Clairton	146	81	65	( <sup>2</sup> )	16	109.6	4	27.4
White	583	178	404	326	17	29.2	17	29.2	White	125	63	62	( <sup>2</sup> )	13	104.0	3	24.0
All other	25	17	8	( <sup>2</sup> )	2	80.0			All other	21	18	3	( <sup>2</sup> )	3	142.9	1	47.6
Tulsa	2,593	1,467	1,126	177	119	45.9	74	28.5	Corapolis	72	72		( <sup>2</sup> )	1	13.9		
White	2,365	1,245	1,120	190	109	46.1	60	25.4	Dormont	5	78	-73	( <sup>2</sup> )	1	200.0	1	200.0
All other	228	222	6	103	10	43.9	14	61.4	Duquesne	151	101	50	150	5	33.1		
Wagoner	472	150	322	315	27	57.2	16	33.9	Harrison (twp.)	494	216	278	229	32	64.8	19	38.5
White	343	88	255	( <sup>2</sup> )	14	40.8	11	32.1	Homestead	453	204	249	222	17	37.5	12	26.5
All other	129	62	67	( <sup>2</sup> )	13	100.8	5	38.8	White	420	168	252	250	15	35.7	11	26.2
Washington	604	284	320	213	26	43.0	11	18.2	All other	33	36	-3	( <sup>2</sup> )	2	60.6	1	30.3
Rural part	211	85	126	( <sup>2</sup> )	8	37.9	4	19.0	McKeesport	1,463	718	745	204	67	45.8	44	30.1
White	200	81	119	( <sup>2</sup> )	7	35.0	4	20.0	McKees Rocks	57	95	-38	( <sup>2</sup> )	4	70.2	2	35.1
All other	11	4	7	( <sup>2</sup> )	1	90.9			Mount Lebanon (twp.)	11	83	-72	( <sup>2</sup> )			1	90.9
Bartlesville	393	199	194	197	18	45.8	7	17.8	Munhall	54	77	-23	( <sup>2</sup> )	3	55.6		
White	369	179	190	206	16	43.4	6	16.3	North Bradnock	80	75	5	( <sup>2</sup> )	4	50.0	3	37.5
All other	24	20	4	( <sup>2</sup> )	2	83.3	1	41.7	Pittsburgh	14,141	8,459	5,682	167	681	48.2	439	31.0
Washita	353	118	235	299	12	34.0	6	17.0	White	12,867	7,612	5,255	166	606	47.1	379	29.5
White	353	111	242	318	11	31.2	6	17.0	All other	1,274	847	427	150	75	58.9	60	47.1
All other		7	-7		1				Stowe (twp.)	382	102	280	375	14	36.6	9	23.6
Woods	274	137	137	200	12	43.8	9	32.8	Swissevale	55	81	-26	( <sup>2</sup> )	2	36.4	3	54.5
White	274	137	137	200	12	43.8	9	32.8	Turtle Creek	71	53	18	( <sup>2</sup> )	4	58.3	5	70.4
All other									Wilkinsburg	682	339	323	190	23	33.7	21	30.8
Woodward	300	264	36	114	19	63.3	7	23.3	Armstrong	1,508	651	857	232	55	36.5	30	19.9
White	300	263	37	114	19	63.3	7	23.3	Beaver	2,167	1,263	904	172	108	49.8	64	29.5
All other		1	-1						Rural part	1,547	851	496	188	62	46.0	40	29.7
OREGON (total)	16,715	11,797	4,918	142	593	35.5	322	19.3	Aliquippa	306	128	178	239	24	78.4	10	32.7
Baker	326	191	135	171	17	52.1	9	27.6	Ambridge	169	85	84	( <sup>2</sup> )	7	41.4	3	17.8
Benton	263	166	97	158	11	41.8	2	7.6	Beaver Falls	337	197	140	171	15	44.5	11	32.6
Clackamas	523	523		100	13	24.9	7	13.4	Ellwood City (part)	8	2	6	( <sup>5</sup> )				
Clatsop	361	241	140	158	7	18.4	7	18.4	Bedford	722	417	305	173	31	42.9	23	31.9
Rural part	70	61	-11	( <sup>2</sup> )	2	28.6	3	42.9	Berks	3,358	2,886	472	116	162	48.2	107	31.9
Astoria	311	160	151	194	5	16.1	4	12.9	Rural part	1,996	1,699	297	117	88	44.1	55	27.6
Columbia	221	145	76	152	3	13.6	4	18.1	Reading	1,862	1,187	175	115	74	54.3	52	38.2
Coos	592	286	306	207	20	33.8	8	13.5	Blair	2,450	1,620	830	151	129	52.7	63	25.7
Crook	94	39	56	( <sup>2</sup> )	2	21.3			Rural part	935	614	321	152	46	49.2	23	24.6
Curry	43	47	1	( <sup>2</sup> )	1	20.8			Altoona	1,615	1,006	509	151	83	54.8	40	26.4
Deschutes	397	189	228	235	12	30.2	8	20.2	Bradford	1,017	685	332	148	55	54.1	32	31.5
Douglas	296	232	64	128	11	37.2	5	16.9	Bucks	1,317	1,037	280	127	45	34.2	34	25.8
Gilliam	39	15	23	( <sup>2</sup> )	1	26.3			Rural part	1,111	942	169	118	40	36.0	30	27.0
Grant	76	43	33	( <sup>2</sup> )	1	13.2	1	13.2	Bristol	206	95	111	( <sup>2</sup> )	5	24.3	4	19.4
Harney	115	47	68	( <sup>2</sup> )	5	43.5	4	34.8	Butler	1,432	797	635	180	68	47.5	48	33.5
Hood River	203	98	105	( <sup>2</sup> )	6	29.6	4	19.7									

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
PENNSYLVANIA—Con.								PENNSYLVANIA—Con.									
Chester	2,065	1,561	504	132	100	48.4	49	23.7	Luzerne	7,027	4,468	2,559	157	347	49.4	219	51.2
Rural part	977	957	20	102	50	51.2	13	13.3	Rural part	2,097	1,610	487	130	83	39.6	51	24.3
Coatesville	129	115	14	112	7	54.3	1	7.8	Hanover (twp.)	122	99	23	( <sup>2</sup> )	3	24.6	2	16.4
White	69	82	-13	( <sup>2</sup> )	4	58.0	—	—	Hazleton	1,101	492	609	224	62	56.3	37	33.6
All other	60	33	27	( <sup>2</sup> )	3	50.0	1	16.7	Kingston	534	266	268	201	19	35.6	20	57.5
Phoenixville	250	140	110	179	9	36.0	7	28.0	Nanticoke	530	309	221	172	30	56.6	17	52.1
West Chester	709	349	360	203	34	48.0	28	39.5	Pittston	168	127	41	132	7	41.7	4	25.8
White	606	295	311	205	26	42.9	22	35.3	Plains (twp.)	138	93	45	( <sup>2</sup> )	5	36.2	2	14.5
All other	103	54	49	( <sup>2</sup> )	8	77.7	6	58.3	Plymouth	129	98	31	( <sup>2</sup> )	5	58.8	3	23.3
Clarion	751	312	439	241	31	41.3	25	33.3	Wilkes-Barre	2,208	1,374	834	161	133	60.2	83	37.6
Clearfield	1,657	898	959	207	102	54.9	57	30.7	Lycowling	1,547	1,053	494	146	62	40.1	46	51.0
Rural part	1,428	693	735	206	77	53.9	45	31.5	Rural part	528	397	131	133	11	20.8	14	26.5
Du Bois	429	205	224	209	25	58.3	12	28.0	Williamsport	1,019	666	353	153	51	50.0	34	53.4
Clinton	679	356	323	191	29	42.7	22	32.4	McKean	1,021	592	429	172	38	37.2	31	30.4
Columbia	855	567	288	151	28	32.7	38	44.4	Rural part	569	371	198	153	23	40.4	19	33.4
Rural part	590	409	181	144	19	32.2	24	40.7	Bradford	452	221	231	205	15	33.2	12	26.5
Berwick	265	158	107	168	9	34.0	14	52.8	Mercer	1,763	1,110	673	161	79	44.3	61	34.2
Crawford	1,350	865	485	156	54	40.0	43	31.9	Rural part	886	664	222	133	33	37.2	23	28.0
Rural part	619	589	30	105	27	43.6	16	25.8	Farrell	110	76	34	( <sup>2</sup> )	7	63.6	2	18.2
Meadville	751	276	475	265	27	35.9	27	36.9	White	88	62	26	( <sup>2</sup> )	6	68.2	2	22.7
Cumberland	1,111	739	372	150	49	44.1	32	28.8	All other	22	14	8	( <sup>2</sup> )	1	45.5	—	—
Rural part	665	485	180	137	16	24.1	15	22.6	Sharon	767	370	417	213	39	49.6	36	45.7
Carlisle	446	254	192	176	33	74.0	17	38.1	Mifflin	994	536	458	185	65	55.4	35	35.2
Dauphin	2,836	2,130	706	133	127	44.8	89	31.4	Rural part	846	446	400	190	59	69.7	28	33.1
Rural part	927	801	126	116	20	21.6	18	19.4	Lewistown	148	90	58	( <sup>2</sup> )	6	40.5	7	47.3
Harrisburg	1,809	1,236	573	146	105	53.0	67	37.0	Monroe	476	414	62	115	27	56.7	7	14.7
Steelton	100	93	7	( <sup>2</sup> )	2	20.0	4	40.0	Montgomery	3,796	3,103	693	122	159	41.9	100	26.3
White	73	63	10	( <sup>2</sup> )	1	13.7	1	13.7	Rural part	728	1,097	-369	66	34	46.7	17	23.4
All other	27	30	-3	( <sup>2</sup> )	1	37.0	3	111.1	Abington (twp.)	803	390	413	206	26	32.4	24	29.9
Delaware	3,336	2,889	647	124	123	36.9	97	29.1	Cheltenham (twp.)	5	128	-123	4	—	—	1	200.0
Rural part	1,906	1,456	450	131	52	27.3	40	21.0	Conshohocken	49	69	-20	( <sup>2</sup> )	—	—	—	—
Chester	1,052	690	362	152	57	54.2	47	44.7	Lower Merion (twp.)	638	412	226	155	25	39.2	25	39.2
White	775	530	245	146	38	49.0	30	38.7	Norristown	1,096	683	413	160	51	46.5	16	14.6
All other	277	160	117	173	19	68.6	17	61.4	Pottstown	477	324	153	147	23	48.2	17	35.6
Haverford (twp.)	15	149	-134	10	5	( <sup>2</sup> )	1	66.7	Montour	607	478	129	127	30	49.4	16	26.4
Upper Darby (twp.)	363	394	-31	92	9	24.3	9	24.8	Northampton	1,981	1,554	427	127	77	39.9	59	28.8
Elk	685	323	360	211	40	58.6	16	23.4	White	1,394	939	455	148	56	40.2	39	28.0
Erie	3,118	2,058	1,060	152	117	37.5	87	27.9	Bethlehem (part)	242	257	-15	( <sup>2</sup> )	13	( <sup>2</sup> )	8	( <sup>2</sup> )
Rural part	681	661	20	103	29	42.6	17	25.0	Bethlehem (total)	315	329	-14	96	14	44.4	13	41.3
Erie	2,437	1,397	1,040	174	88	36.1	70	28.7	Easton	345	358	-13	96	8	23.2	12	34.8
Fayette	3,846	1,802	2,044	213	216	56.2	154	40.0	Northumberland	1,761	1,256	505	140	84	47.7	62	35.2
Rural part	2,757	1,156	1,601	238	138	50.1	94	34.1	Rural part	1,227	715	512	172	47	38.3	37	30.2
Connellsville	455	206	249	221	21	46.2	17	37.4	Mount Carmel	92	114	-22	81	13	141.3	3	52.6
Uniontown	634	440	194	144	57	89.9	43	67.8	Shamokin	80	162	-82	49	4	50.0	4	50.0
Forest	90	55	35	( <sup>2</sup> )	3	33.3	5	55.6	Sunbury	362	265	-97	137	20	55.2	15	49.7
Franklin	1,326	837	489	158	65	49.0	41	30.9	Perry	345	230	115	150	12	34.8	12	34.8
Rural part	588	437	151	135	27	45.9	8	13.6	Philadelphia, coex-	—	—	—	—	—	—	—	—
Chambersburg	435	252	183	173	21	48.3	22	50.6	tensive with	—	—	—	—	—	—	—	—
Waynesboro	303	148	155	205	17	56.1	11	36.3	Philadelphia (city)	50,151	24,190	5,961	125	1,252	41.5	763	25.3
Fulton	216	73	143	( <sup>2</sup> )	5	23.1	5	23.1	White	25,151	20,466	4,685	173	942	37.5	572	22.7
Greene	797	425	372	188	44	55.2	22	27.6	All other	5,000	3,724	1,276	134	310	62.0	191	38.2
Huntingdon	887	435	452	204	41	46.2	31	34.9	Pike	46	96	-50	( <sup>2</sup> )	3	65.2	—	—
Indiana	1,551	725	826	214	72	46.4	53	34.2	Potter	287	251	36	114	15	52.3	10	34.8
Jefferson	1,106	505	601	219	59	53.3	17	15.4	Schuylkill	3,812	2,566	1,346	152	190	48.6	117	23.9
Juniata	269	125	143	213	14	52.0	6	22.3	Rural part	2,628	1,711	917	154	114	43.4	80	30.4
Lackawanna	5,009	3,472	1,537	144	221	44.1	193	38.5	Mahanoy City	79	114	-35	69	4	50.6	1	12.7
Rural part	884	883	1	100	41	46.4	19	21.5	Pottsville	1,022	462	540	212	57	55.8	31	30.3
Carbondale	538	313	225	172	25	48.5	36	65.9	Shenandoah	123	158	-35	79	12	96.0	3	24.0
Dickson City	87	52	35	( <sup>2</sup> )	3	34.3	1	11.5	Tamaqua	56	101	-45	57	3	51.7	2	34.5
Dunmore	153	161	2	101	9	55.2	8	49.1	Snyder	541	211	330	162	19	55.7	6	17.6
Old Forge	91	58	33	( <sup>2</sup> )	5	54.9	3	35.0	Somerset	1,633	793	840	206	84	51.4	56	34.3
Olyphant	51	69	-18	( <sup>2</sup> )	2	39.2	2	39.2	Sullivan	72	73	-1	( <sup>2</sup> )	6	83.3	5	69.4
Scranton	2,872	1,817	1,055	158	122	42.5	111	38.6	Susquehanna	460	416	42	110	22	47.8	19	41.3
Taylor	323	119	204	271	14	43.3	13	40.2	Tioga	657	426	231	154	29	44.1	20	30.4
Lancaster	3,795	2,373	1,422	160	166	43.7	102	26.9	Union	354	241	113	147	11	31.1	9	25.4
Rural part	1,898	1,279	619	148	73	38.5	35	18.4	Venango	1,146	752	394	152	48	42.8	39	34.0
Columbia	235	124	111	190	6	25.5	6	25.5	Rural part	511	387	124	132	25	48.9	13	25.4
Lancaster	1,552	970	632	171	87	52.3	61	35.7	Franklin	102	94	8	( <sup>2</sup> )	6	58.8	2	19.6
Lawrence	1,709	939	770	162	82	48.0	51	29.8	Oil City	535	271	262	197	16			

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
PENNSYLVANIA—Con.								SOUTH CAROLINA—Con.									
Westmoreland—Con.	246	101	145	244	11	44.7	12	48.8	Chesterfield	834	253	581	330	38	45.6	40	48.0
Monessen	551	286	265	193	22	39.9	17	30.9	White	435	132	303	330	18	41.4	15	34.5
New Kensington	121	66	55	( <sup>2</sup> )	3	24.8	5	41.3	All other	399	121	278	330	20	50.1	25	62.7
Vandergrift	217	170	47	128	10	46.1	7	32.3	Clarendon	700	309	391	227	78	111.4	38	51.4
Wyoming	3,124	1,850	1,274	169	124	39.7	101	32.3	White	168	53	115	( <sup>2</sup> )	7	41.7	5	29.8
Rural part	1,426	918	508	155	38	26.6	34	23.8	All other	532	256	276	208	71	135.5	31	58.3
Hanover	425	178	247	239	18	42.4	17	40.0	Colleton	644	281	363	229	35	54.3	35	54.3
York	1,273	754	519	169	68	53.4	50	39.3	White	218	116	102	188	9	41.3	7	32.1
RHODE ISLAND									All other	426	165	261	258	26	61.0	28	65.7
(total)	10,444	7,775	2,669	134	412	39.4	285	25.4	Darlington	1,146	474	672	242	101	88.1	62	54.1
Bristol	140	175	-35	80	7	50.0	1	7.1	White	555	205	350	271	45	81.1	22	39.5
Rural part	71	91	-20	( <sup>2</sup> )	3	42.3	1	14.1	All other	591	269	322	220	56	94.8	40	67.7
Bristol (town)	69	84	-15	( <sup>2</sup> )	4	58.0			Dillon	741	242	499	306	40	54.0	23	31.0
Kent	381	404	-23	94	12	31.5	11	28.9	White	354	106	248	334	15	42.4	10	28.2
Rural part	86	94	-8	( <sup>2</sup> )	1	11.6	4	46.5	All other	387	136	251	285	25	64.8	13	33.8
Warwick	92	208	-118	44	2	21.7	2	21.7	Dorchester	497	199	298	250	29	58.4	35	70.4
West. Warwick (town)	203	102	101	199	9	44.3	5	24.6	White	123	58	65	( <sup>2</sup> )	5	40.7	5	40.7
Newport	599	493	106	122	19	31.7	13	21.7	All other	374	141	233	265	24	64.2	30	80.2
Rural part	72	148	-76	49	2	27.8	5	69.4	Edgefield	423	177	246	239	29	68.6	15	35.5
Newport	527	345	182	153	17	32.3	8	15.2	White	113	53	60	( <sup>2</sup> )	1	8.8		
Providence	8,776	6,296	2,480	139	348	39.7	230	26.2	All other	310	124	186	250	28	90.3	15	48.4
Rural part	150	354	-204	42	7	46.7	7	46.7	Fairfield	643	180	463	357	30	45.7	22	34.2
Central Falls	510	206	304	248	20	39.2	15	25.5	White	182	52	130	( <sup>2</sup> )	6	33.0	6	33.0
Cranston	207	860	-653	24	10	46.3	6	29.0	All other	461	128	333	360	24	52.1	15	34.7
Cumberland (town)	52	89	-37	( <sup>2</sup> )	4	76.9	2	38.5	Florence	1,800	932	868	193	165	91.7	120	66.7
East Providence									Rural part	1,309	388	921	337	72	55.0	59	45.1
(town)	114	191	-77	60	4	35.1	4	35.1	White	619	161	458	384	26	42.0	8	9.7
Lincoln (town)	66	86	-22	( <sup>2</sup> )	1	15.2	1	15.2	All other	690	227	463	304	46	65.7	53	76.9
North Providence									Florence	491	544	-53	90	93	189.4	61	124.2
(town)	33	64	-31	( <sup>2</sup> )	2	60.6	1	30.3	White	312	288	24	103	44	141.0	26	83.3
Pawtucket	1,072	835	237	128	54	31.7	27	25.2	All other	179	256	-77	70	49	273.7	35	195.5
Providence	5,600	3,114	2,486	180	219	39.1	142	25.4	Georgetown	783	254	529	308	47	60.0	24	30.7
Woonsocket	972	495	477	196	47	48.4	27	27.8	White	240	72	168	( <sup>2</sup> )	15	62.5	4	16.7
Washington	548	407	141	135	26	47.4	10	18.2	All other	543	182	361	298	32	59.9	20	36.8
Rural part	241	257	-16	94	11	45.6	6	24.9	Greenville	2,640	1,235	1,405	214	164	62.1	81	34.5
Westerly (town)	307	150	157	205	15	48.9	4	13.0	Rural part	1,853	637	1,196	298	93	50.7	42	22.9
SOUTH CAROLINA									White	1,527	505	1,022	302	73	47.9	27	17.7
(total)	42,611	19,296	23,315	222	2,834	66.2	1,958	45.7	All other	306	132	174	232	20	65.4	15	49.0
Abbeville	429	216	213	199	21	49.0	14	32.6	Greenville	807	598	209	135	71	88.0	49	60.7
White	193	92	101	( <sup>2</sup> )	5	25.9	6	31.1	White	505	356	149	150	49	95.0	24	47.5
All other	236	124	112	190	16	67.8	8	33.9	All other	302	262	40	115	23	76.2	25	82.8
Aiken	948	574	374	165	60	63.3	47	49.6	Greenwood	752	395	357	190	43	57.2	27	35.9
White	552	287	265	192	34	61.6	14	25.4	Rural part	434	204	230	213	17	39.2	10	23.0
All other	396	287	109	138	26	65.7	33	83.3	White	205	92	113	( <sup>2</sup> )	9	45.9	1	4.9
Allendale	294	156	138	188	20	68.0	24	81.6	All other	228	112	117	204	8	54.9	3	59.3
White	42	38	4	( <sup>2</sup> )	2	47.6	4	95.2	Greenwood	318	191	127	166	26	81.8	17	57.6
All other	252	118	134	214	18	71.4	20	79.4	White	231	95	136	( <sup>2</sup> )	12	51.9	11	47.6
Anderson	1,706	773	933	221	114	66.8	64	37.5	All other	87	96	-9	( <sup>2</sup> )	14	180.9	6	89.0
Rural part	1,190	416	772	285	69	58.0	31	26.1	Hampton	370	199	171	186	27	75.0	21	56.8
White	829	266	563	312	44	53.1	16	19.3	White	80	59	21	( <sup>2</sup> )	5	62.5		
All other	361	152	209	236	25	69.3	15	41.6	All other	290	140	150	207	22	75.9	21	72.4
Anderson	516	355	161	145	45	87.2	33	64.0	Horry	1,490	419	1,071	358	81	61.1	56	37.0
White	455	238	217	191	34	74.7	26	57.1	White	1,038	279	618	394	51	46.4	22	20.0
All other	61	117	-56	52	11	180.3	7	114.8	All other	382	140	252	280	40	102.0	34	86.7
Bamberg	434	145	289	299	22	50.7	22	50.7	Jasper	284	131	153	217	18	63.4	20	70.4
White	122	60	62	( <sup>2</sup> )	5	41.0	1	8.2	White	98	40	58	( <sup>2</sup> )	4	40.4	5	50.5
All other	312	85	227	( <sup>2</sup> )	17	54.5	21	87.3	All other	185	91	94	( <sup>2</sup> )	14	75.7	15	81.1
Barnwell	546	172	374	317	21	38.5	28	51.3	Kershaw	838	272	566	308	39	46.5	29	34.5
White	140	48	92	( <sup>2</sup> )	1	7.1	6	42.9	White	303	120	183	253	22	72.6	7	25.1
All other	406	124	282	327	20	49.3	22	54.2	All other	535	152	383	352	17	51.8	22	41.1
Beaufort	428	307	121	139	29	67.8	33	77.1	Lancaster	771	212	559	394	35	45.4	28	29.9
White	77	30	47	( <sup>2</sup> )	2	26.0	3	39.0	White	525	115	410	457	20	39.1	13	24.8
All other	351	277	74	127	27	76.9	30	85.5	All other	246	97	149	( <sup>2</sup> )	15	61.0	10	40.7
Berkeley	728	300	428	243	56	76.9	51	70.1	Laurens	799	373	426	214	29	36.3	18	22.5
White	160	87	73	( <sup>2</sup> )	11	66.8	6	37.5	White	449	193	255	232	11	24.6	7	15.6
All other	568	213	355	244	45	79.2	45	79.2	All other	351	180	171	195	18	51.3	11	31.3
Calhoun	449	180	269	249	43	95.8	25	55.7	Lee	620	210	410	295	50	80.6	30	48.4
White	49	31	16	( <sup>2</sup> )	1	20.4	1	20.4	White	122	52	77	( <sup>2</sup> )	7	54.3	3	23.3
All other	400	149	251	268	42	105.0	24	60.0	All other	491	158	333	311	43	87.6	27	55.0
Charleston	2,949	1,651	1,298	179	205	69.5	194	65.8	Lexington	715	276	439	259	49	66.5	20	28.0
Rural part																	

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS							
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births						
	Births	Deaths								Births	Deaths												
Section B—Continued								Section B—Continued															
SOUTH CAROLINA—Con.								SOUTH DAKOTA—Con.															
Oconee	796	260	536	308	45	56.5	25	31.4	Hamlin	117	42	75	(2)	3	25.6	—	—						
White	664	204	460	325	31	46.7	21	31.6	Hand	152	64	68	(2)	8	60.6	5	37.9						
All other	132	56	76	(2)	14	106.1	4	30.3	Hanson	22	22	47	(2)	3	45.5	1	14.5						
Orangeburg	1,815	759	1,056	239	160	88.2	101	55.6	Harding	49	16	55	(2)	2	40.8	—	—						
White	494	238	256	208	26	52.6	21	42.5	Hughes	225	115	196	(2)	9	40.0	2	8.9						
All other	1,321	521	800	254	134	101.4	80	60.6	Hutchinson	235	90	145	(2)	11	46.8	2	8.5						
Pickens	851	255	596	354	42	49.4	18	21.2	Hyde	45	21	24	(2)	2	44.4	—	—						
White	743	210	533	354	36	48.5	13	17.5	Jackson	20	12	8	(2)	2	100.0	—	—						
All other	108	45	63	(2)	6	55.6	5	46.3	Jerauld	60	31	29	(2)	1	16.7	—	—						
Richland	1,878	1,878	51	103	151	57.9	84	43.5	Jones	70	23	47	(2)	1	14.3	—	—						
Rural part	539	784	-225	71	42	75.1	32	57.2	Kingsbury	158	68	70	(2)	3	21.7	4	29.0						
White	109	224	-115	49	10	91.7	5	45.9	Lake	269	105	166	261	6	22.3	4	14.9						
All other	450	560	-110	80	32	71.1	27	60.0	Lawrence	354	156	198	227	16	45.2	8	22.6						
Columbia	1,370	1,094	276	125	69	65.0	52	38.0	Lincoln	197	99	98	(2)	2	10.2	7	35.5						
White	904	666	238	136	52	57.5	22	24.3	Lyman	41	29	12	(2)	1	24.4	—	—						
All other	466	428	38	109	37	79.4	30	64.4	McCook	145	46	99	(2)	5	34.5	2	13.8						
Saluda	280	126	154	222	18	64.3	6	21.4	McPherson	204	71	133	(2)	10	49.0	2	4.9						
White	142	52	90	(2)	6	42.3	4	28.2	Marshall	193	82	111	(2)	10	51.8	2	10.4						
All other	138	74	64	(2)	12	87.0	2	14.5	Meade	174	49	125	(2)	6	34.5	3	17.2						
Spartanburg	2,388	1,138	1,250	210	168	70.4	105	44.0	Mellette	45	34	11	(2)	1	22.2	1	22.2						
Rural part	1,372	550	822	249	77	56.1	48	35.0	Miner	110	56	54	(2)	3	27.3	—	—						
White	1,005	377	628	267	50	49.8	32	31.8	Minnehaha	1,064	546	518	195	49	46.1	26	24.4						
All other	367	773	194	212	27	73.6	16	43.6	Rural part	170	110	60	155	2	11.8	3	17.6						
Spartanburg	1,016	586	430	173	91	69.5	57	56.1	Sioux Falls	694	456	458	205	47	52.6	23	25.7						
White	689	347	352	201	58	83.0	33	47.2	Moody	123	78	45	(2)	1	8.1	1	8.1						
All other	317	239	78	133	33	104.1	24	75.7	Pennington	521	241	280	(2)	21	40.3	9	17.3						
Sumter	1,247	563	684	221	80	64.2	67	53.7	Rural part	100	45	55	(2)	3	30.0	2	20.0						
Rural part	913	330	583	277	59	64.5	55	60.2	Rapid City	421	196	225	215	18	42.8	7	16.6						
White	167	71	96	(2)	9	53.9	4	24.0	Perkins	80	41	39	(2)	10	125.0	2	25.0						
All other	746	259	487	288	50	67.0	51	68.4	Potter	62	21	41	(2)	1	16.1	—	—						
Sumter	334	233	101	143	21	62.9	12	35.9	Roberts	283	131	152	216	20	70.7	4	14.1						
White	198	106	92	187	10	50.5	3	15.2	Sanborn	41	43	-2	(2)	3	73.2	1	24.4						
All other	136	127	9	107	11	80.9	9	66.2	Shannon	232	100	132	232	23	99.1	2	8.6						
Union	621	242	379	257	33	53.1	14	22.5	Spink	187	110	77	170	10	53.5	3	16.0						
White	365	147	218	249	26	71.2	5	13.7	Stanley	3	8	-5	(2)	1	(2)	—	—						
All other	256	95	161	(2)	7	27.3	9	35.2	Sully	28	13	15	(2)	—	—	1	35.7						
Williamsburg	1,181	378	803	312	65	55.0	67	73.7	Todd	153	70	83	(2)	21	137.3	7	45.8						
White	268	83	185	(2)	8	29.9	7	26.1	Tripp	197	58	139	(2)	7	35.5	6	30.5						
All other	913	295	618	309	57	62.4	60	67.6	Turner	169	89	80	(2)	3	17.8	4	23.7						
York	1,170	543	627	215	73	62.4	43	36.8	Union	126	32	94	(2)	2	15.9	4	31.7						
Rural part	752	355	417	224	52	69.1	29	36.6	Walworth	139	74	65	(2)	8	37.6	7	50.4						
White	389	172	217	226	24	61.7	16	41.1	Washabaugh	32	20	12	(2)	3	93.8	—	—						
All other	363	163	200	223	28	77.1	13	35.8	Washington	18	14	4	(2)	—	—	—	—						
Rock Hill	418	208	210	201	21	50.2	14	33.5	Yankton	314	252	62	125	12	38.2	10	31.8						
White	338	126	212	268	14	41.4	10	29.6	Ziebach	71	19	52	(2)	5	70.4	3	42.3						
All other	80	82	-2	(2)	7	87.5	4	50.0															
SOUTH DAKOTA (total)								TENNESSEE (total)															
11,616								5,535								28,722							
5,517								6,099								24,631							
211								481								186							
41.4								41.4								55.9							
237								237								1,691							
20.4								20.4								31.7							
Armstrong	75	29	46	(2)	2	26.7	2	26.7	Anderson	479	137	342	350	24	50.1	8	16.7						
Aurora	363	182	181	199	4	11.0	13	35.8	White	474	130	344	365	23	48.5	8	16.9						
Beadle	48	30	18	(2)	1	20.8	2	41.7	All other	5	7	-2	(2)	1	200.0	—	—						
Rural part	315	152	163	207	3	9.5	11	34.9	Bedford	553	249	104	142	25	70.8	7	19.8						
Bennett	62	30	32	(2)	4	64.5	2	32.3	White	315	212	101	148	23	73.5	5	16.0						
Bon Homme	148	52	96	(2)	7	47.3	4	27.0	All other	40	37	3	(2)	2	50.0	2	50.0						
Brookings	244	139	105	176	6	24.6	4	16.4	Benton	185	114	71	152	9	48.6	7	37.8						
Brown	585	286	299	205	21	35.9	12	20.5	White	181	110	71	165	9	49.7	5	27.6						
Rural part	78	67	11	(2)	1	12.8	2	25.6	All other	4	4	—	(2)	—	—	2	(2)						
Aberdeen	507	219	288	232	20	39.4	10	19.7	Bledsoe	165	70	93	(2)	6	36.8	7	42.9						
Brule	110	45	65	(2)	3	27.3	1	9.1	White	161	59	102	(2)	5	31.1	7	45.5						
Buffalo	43	27	16	(2)	4	93.0	1	23.3	All other	2	11	-9	(2)	1	(2)	—	—						
Butte	170	75	95	(2)	11	64.7	10	58.8	Blount	997	293	704	340	49	49.1	30	30.1						
Campbell	63	31	32	(2)	1	15.9	—	—	White	962	265	697	363	43	44.7	28	29.1						
Charles Mix	239	140	99	171	7	29.3	3	12.6	All other	35	28	7	(2)	6	171.4	2	37.1						
Clark	160	61	99	(2)	6	37.5	3	18.8	Bradley	608	261	347	233	36	59.2	20	32.9						
Clay	161	77	84	(2)	6	37.3	—	—	White	572	234	338	244	36	62.9	17	29.7						
Codington	409	184	225	222	15	36.7	10	24.4	All other	36	27	9	(2)	3	83.3	3	83.3						
Rural part	57	24	13	(2)	3	81.1	—	—	Campbell	733	247	486	297	58	79.1	22	30.0						
Watertown	372	160	212	233	12	32.3	10	26.9	White	726	237	489	306	57	78.5	21	28.9						
Corson	98	50	48	(2)	1	10.2	—	—	All other	7	10	-3	(2)	1	142.9	1	142.9						
Custer	90	49	41	(2)	2	22.2	—	—	Cannon	199	88	111	(2)	4	20.1	5	25.1						
Davison	456	234	222	195	16	35.1	15	32.9	White	194	84	110	(2)	4	20.6	3	15.5						
Rural part	19	17	2	(2)	—	—	—	—	All other	5	4	1	(2)	—	—	2	(2)						
Mitchell	437	217	220	201	16	36.6	15	34.3	Carroll	347	202	112	155	16	51.0	9	25.9						



VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued																	
TENNESSEE—Contd.																	
Clay	215	49	166	( <sup>2</sup> )	11	51.2	2	9.3	Henderson	294	132	162	223	5	17.0	12	40.8
White	211	47	164	( <sup>2</sup> )	11	52.1	2	9.5	White	280	114	166	246	4	14.3	12	42.9
All other	4	2	2	( <sup>2</sup> )					All other	14	18	-4	( <sup>2</sup> )	1	71.4		
Cooke	489	242	247	202	31	63.4	26	53.2	Henry	365	238	125	153	23	63.4	8	22.0
White	472	234	238	202	30	63.6	26	55.1	White	312	176	136	177	15	48.1	6	19.2
All other	17	8	9	( <sup>2</sup> )	1	58.8			All other	51	62	-11	( <sup>2</sup> )	8	156.9	2	39.2
Coffee	332	158	174	210	16	48.2	9	27.1	Hickman	235	102	131	228	9	38.6	7	30.0
White	316	144	172	219	15	47.5	9	28.5	White	221	90	131	( <sup>2</sup> )	9	40.7	7	51.7
All other	16	14	2	( <sup>2</sup> )	1	62.5			All other	12	12		( <sup>2</sup> )				
Crockett	304	138	166	220	11	36.2	6	19.7	Houston	116	58	58	( <sup>2</sup> )	8	69.0	8	69.0
White	250	91	159	( <sup>2</sup> )	9	36.0	4	16.0	White	106	51	55	( <sup>2</sup> )	8	75.5	6	56.6
All other	54	47	7	( <sup>2</sup> )	2	37.0	2	37.0	All other	10	7	3	( <sup>2</sup> )			2	200.0
Cumberland	350	98	252	( <sup>2</sup> )	12	34.3	6	17.1	Humphreys	238	91	147	( <sup>2</sup> )	11	46.2	6	25.2
White	350	98	252	( <sup>2</sup> )	12	34.3	6	17.1	White	229	82	147	( <sup>2</sup> )	11	48.0	6	26.2
All other									All other	9	9		( <sup>2</sup> )				
Davidson	4,761	3,505	1,256	136	295	62.0	142	29.8	Jackson	279	82	197	( <sup>2</sup> )	11	39.4	9	32.3
Rural part	895	790	105	113	34	38.0	20	22.3	White	276	81	195	( <sup>2</sup> )	11	39.9	9	32.6
White	821	608	213	135	27	32.9	15	18.3	All other	3	1	2	( <sup>2</sup> )				
All other	74	182	-108	41	7	94.6	5	67.6	Jefferson	387	164	223	256	19	49.1	12	51.0
Nashville	3,866	2,715	1,151	142	261	67.5	122	31.6	White	371	157	214	236	19	51.2	12	32.3
White	3,015	1,733	1,282	174	182	60.4	77	25.5	All other	16	7	9	( <sup>2</sup> )				
All other	851	982	-131	87	79	92.8	45	52.9	Johnson	283	85	198	( <sup>2</sup> )	19	67.1	10	55.3
Decatur	119	66	53	( <sup>2</sup> )	4	33.6	2	16.8	White	277	81	196	( <sup>2</sup> )	18	65.0	10	36.1
White	114	58	56	( <sup>2</sup> )	3	26.3	2	17.5	All other	6	4	2	( <sup>2</sup> )	1	166.7		
All other	5	8	-3	( <sup>2</sup> )	1	200.0			Knox	3,169	1,904	1,265	166	186	58.7	95	30.0
De Kalb	240	115	125	209	11	45.8	9	37.5	Rural part	863	577	286	150	37	42.9	19	22.0
White	231	108	123	214	11	47.6	8	34.6	White	844	513	331	165	35	41.5	19	22.5
All other	9	7	2	( <sup>2</sup> )			1	111.1	All other	19	64	-45	( <sup>2</sup> )	2	105.3		
Dickson	322	140	182	230	3	9.3	9	28.0	Knoxville	2,306	1,327	979	174	149	64.6	76	33.0
White	298	121	177	246	3	10.1	8	26.8	White	2,077	1,072	1,005	194	123	59.2	63	30.3
All other	24	19	5	( <sup>2</sup> )			1	41.7	All other	229	255	-26	90	26	113.5	13	56.8
Dyer	705	315	390	224	30	42.6	28	39.7	Lake	232	84	148	( <sup>2</sup> )	13	56.0	6	25.9
White	652	254	398	257	27	41.4	23	35.3	White	193	65	128	( <sup>2</sup> )	11	57.0	5	25.9
All other	53	61	-8	( <sup>2</sup> )	3	56.6	5	94.3	All other	39	19	20	( <sup>2</sup> )	2	51.3	1	25.6
Fayette	558	291	267	192	50	89.6	26	46.6	Lauderdale	476	230	246	207	26	54.5	18	37.8
White	127	70	57	( <sup>2</sup> )	5	39.4	4	31.5	White	297	130	167	228	16	53.9	4	13.5
All other	431	221	210	185	45	104.4	22	51.0	All other	179	100	79	179	10	55.9	14	78.2
Fentress	222	33	189	( <sup>2</sup> )			6	27.0	Lawrence	599	224	375	267	32	53.4	10	16.7
White	222	33	189	( <sup>2</sup> )			5	22.5	White	582	211	371	276	31	53.3	10	17.2
All other							1		All other	17	13	4	( <sup>2</sup> )	1	58.8		
Franklin	416	190	226	219	14	33.7	9	21.6	Lewis	119	45	74	( <sup>2</sup> )	2	16.8	2	16.8
White	392	139	253	282	13	33.2	8	20.4	White	112	44	68	( <sup>2</sup> )	2	17.9	2	17.9
All other	24	51	-27	( <sup>2</sup> )	1	41.7	1	41.7	All other	7	1	6	( <sup>2</sup> )				
Gibson	772	429	343	180	43	55.7	25	32.4	Lincoln	501	273	228	184	23	45.9	14	27.9
White	629	298	331	211	31	49.3	16	25.4	White	422	200	222	211	16	37.9	12	28.4
All other	143	131	12	109	12	83.9	9	62.9	All other	79	73	6	( <sup>2</sup> )	7	88.6	2	25.3
Giles	422	280	142	151	32	75.8	11	26.1	Loudon	390	149	241	262	12	30.8	12	30.8
White	312	200	112	156	26	83.3	7	22.4	White	380	136	244	279	12	31.6	12	31.6
All other	110	80	30	( <sup>2</sup> )	6	84.5	4	36.4	All other	10	13	-3	( <sup>2</sup> )				
Grainger	293	108	185	271	11	37.5	6	20.5	McMinn	571	205	366	279	26	45.5	15	28.3
White	289	105	184	275	11	38.1	6	20.8	White	553	190	363	291	25	45.2	15	27.1
All other	4	3	1	( <sup>2</sup> )					All other	18	15	3	( <sup>2</sup> )	1	55.6		
Greene	783	394	389	199	47	60.0	27	34.5	McNairy	344	169	175	204	19	55.2	11	32.0
White	761	373	388	204	44	57.8	24	31.5	White	322	151	171	213	18	55.9	10	51.1
All other	22	21	1	( <sup>2</sup> )	3	136.4	3	136.4	All other	22	18	4	( <sup>2</sup> )	1	45.5	1	45.5
Grundy	308	73	235	( <sup>2</sup> )	10	32.5	8	26.0	Macon	278	121	157	230	18	64.7	8	28.8
White	308	73	235	( <sup>2</sup> )	10	32.5	8	26.0	White	276	120	156	230	18	65.2	8	29.0
All other									All other	2	1	1	( <sup>2</sup> )				
Hamblen	404	210	194	192	20	49.5	10	24.8	Madison	765	608	157	126	54	70.6	37	48.4
White	376	186	190	202	19	50.5	9	25.9	Rural part	403	196	207	206	19	47.1	14	34.7
All other	28	24	4	( <sup>2</sup> )	1	35.7	1	35.7	White	246	113	133	218	13	52.8	11	44.7
Hamilton	3,254	2,222	1,032	146	201	61.8	133	40.9	All other	157	83	74	( <sup>2</sup> )	6	38.2	3	19.1
Rural part	512	374	138	137	19	37.1	11	21.5	Jackson	362	412	-50	88	35	96.7	23	63.5
White	496	306	190	182	17	34.3	11	22.2	White	290	241	49	120	20	69.0	11	37.9
All other	16	68	-52	( <sup>2</sup> )	2	125.0			All other	72	171	-99	42	15	206.3	12	166.7
Chattanooga	2,742	1,848	894	148	182	66.4	122	44.2	Marion	377	140	237	269	19	50.4	8	21.2
White	2,192	1,123	1,069	195	126	57.5	86	39.5	White	350	128	222	273	17	48.6	7	20.0
All other	550	725	-175	76	56	101.8	36	65.5	All other	27	12	15	( <sup>2</sup> )	2	74.1	1	37.0
Hancock	248	49	199	( <sup>2</sup> )	7	28.2	8	32.3	Marshall	289	170	119	170	16	55.4	12	41.5
White	237	49	188	( <sup>2</sup> )	7	29.5	8	33.8	White	253	141	112	179	13	51.4	8	51.6
All other	11		11						All other	36	29	7	( <sup>2</sup> )	3	83.3	4	111.1
Hardeman	368	352	16	105	14	39.0	16	43.5	Maury	767	490	277	157	32	41.7	26	33.9
White	225																



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued																	
TENNESSEE—Contd.																	
Morgan	303	101	202	300	17	56.1	7	23.1	Washington	1,022	529	493	193	55	53.8	37	36.2
White	303	97	206	( <sup>2</sup> )	17	56.1	7	23.1	Rural part	441	192	249	230	26	59.0	5	11.3
All other	—	4	-4	—	—	—	—	—	White	438	186	252	235	26	59.4	5	11.4
Obion	472	328	144	144	34	72.0	13	27.5	All other	5	6	-5	( <sup>2</sup> )	—	—	—	—
White	425	260	165	163	22	51.8	12	28.2	Johnson City	581	337	244	172	29	49.9	32	55.1
All other	47	68	-21	( <sup>2</sup> )	12	255.3	1	21.3	White	550	287	263	192	21	38.2	29	52.7
Overton	385	92	293	( <sup>2</sup> )	15	39.0	12	31.2	All other	31	50	-19	( <sup>2</sup> )	8	258.1	3	96.8
White	385	91	294	( <sup>2</sup> )	15	39.0	12	31.2	Wayne	254	96	158	( <sup>2</sup> )	10	39.4	2	7.9
All other	—	1	-1	—	—	—	—	—	White	252	90	162	( <sup>2</sup> )	10	39.7	2	7.9
Perry	158	64	94	( <sup>2</sup> )	6	38.0	2	12.7	All other	2	6	-4	( <sup>2</sup> )	—	—	—	—
White	151	63	88	( <sup>2</sup> )	6	39.7	2	13.2	Weakley	445	311	134	143	22	49.4	11	24.7
All other	7	1	6	( <sup>2</sup> )	—	—	—	—	White	434	271	163	160	19	43.6	10	23.0
Pickett	125	17	108	( <sup>2</sup> )	3	24.0	2	16.0	All other	11	40	-29	( <sup>2</sup> )	3	272.7	1	90.9
White	125	17	108	( <sup>2</sup> )	3	24.0	2	16.0	White	290	128	162	227	15	51.7	14	49.3
All other	—	—	—	—	—	—	—	—	White	284	118	166	241	15	52.6	13	45.8
Folk	268	81	187	( <sup>2</sup> )	14	52.2	6	22.4	All other	6	10	-4	( <sup>2</sup> )	—	—	—	—
White	268	81	187	( <sup>2</sup> )	14	52.2	6	22.4	Williamson	513	227	286	226	14	27.3	13	25.3
All other	—	—	—	—	—	—	—	—	White	399	157	232	248	12	30.8	11	28.3
Putnam	507	194	313	261	17	33.5	14	27.6	All other	124	70	54	( <sup>2</sup> )	2	16.1	2	16.1
White	504	179	325	262	17	33.7	14	27.8	Wilson	406	234	174	174	19	46.6	11	27.0
All other	3	15	-12	( <sup>2</sup> )	—	—	—	—	White	344	165	179	186	14	40.7	10	29.1
Rhea	374	153	221	244	22	58.8	6	16.0	All other	64	49	15	( <sup>2</sup> )	5	78.1	1	15.6
White	366	139	227	263	21	57.4	6	16.4	TEXAS (total)	121,049	60,218	60,831	201	8,110	67.0	5,995	33.0
All other	8	14	-6	( <sup>2</sup> )	1	125.0	—	—	Anderson	581	340	241	171	29	49.9	28	48.2
Roane	593	248	345	239	25	42.2	14	25.6	Rural part	373	170	203	219	18	48.3	19	50.9
White	593	226	357	258	24	41.2	14	24.0	White	254	100	154	254	8	31.5	10	39.4
All other	10	22	-12	( <sup>2</sup> )	1	100.0	—	—	All other	119	70	49	( <sup>2</sup> )	10	84.0	9	75.6
Robertson	485	251	234	166	19	39.2	24	49.5	Palestine	208	170	38	122	11	52.9	9	45.3
White	403	200	203	202	19	47.1	22	54.6	White	180	104	76	175	9	50.0	7	38.9
All other	82	51	31	( <sup>2</sup> )	—	—	2	24.4	All other	28	66	-38	( <sup>2</sup> )	2	71.4	2	71.4
Rutherford	623	365	258	172	31	49.8	19	30.5	Andrews	17	4	13	( <sup>2</sup> )	—	—	—	—
White	497	270	227	184	23	56.3	16	32.2	White	17	4	13	( <sup>2</sup> )	—	—	—	—
All other	126	95	31	( <sup>2</sup> )	3	23.8	3	23.8	All other	—	—	—	—	—	—	—	—
Scott	190	66	124	( <sup>2</sup> )	9	47.4	7	36.8	Angelina	536	287	249	204	36	61.4	28	47.8
White	190	66	124	( <sup>2</sup> )	9	47.4	7	36.8	White	550	229	321	240	32	58.2	23	41.8
All other	—	—	—	—	—	—	—	—	All other	36	58	-22	( <sup>2</sup> )	4	111.1	5	138.9
Sequatchie	111	43	68	( <sup>2</sup> )	11	99.1	6	54.1	Aransas	52	27	25	( <sup>2</sup> )	4	76.9	—	—
White	111	42	69	( <sup>2</sup> )	11	99.1	6	54.1	White	52	26	26	( <sup>2</sup> )	4	76.9	—	—
All other	—	1	-1	—	—	—	—	—	All other	1	-1	—	—	—	—	—	—
Sevier	487	187	300	260	29	59.5	15	30.8	Archer	86	42	44	( <sup>2</sup> )	5	59.1	1	11.6
White	485	186	299	261	29	59.8	15	30.9	White	86	42	44	( <sup>2</sup> )	5	59.1	1	11.6
All other	2	1	1	( <sup>2</sup> )	—	—	—	—	All other	—	—	—	—	—	—	—	—
Shelby	6,385	4,701	1,684	136	399	62.5	239	37.4	Armstrong	33	13	20	( <sup>2</sup> )	—	—	—	—
Rural part	745	688	57	108	39	52.3	21	28.2	White	33	13	20	( <sup>2</sup> )	—	—	—	—
White	123	245	-122	50	5	40.7	1	8.1	All other	33	13	20	( <sup>2</sup> )	—	—	—	—
All other	622	443	179	140	34	54.7	20	32.2	Atascosa	447	179	268	250	45	100.7	13	29.1
Memphis	5,640	4,013	1,627	141	360	63.8	218	38.7	White	441	179	262	246	45	102.0	13	29.5
White	3,538	2,205	1,333	162	206	57.9	105	29.5	All other	6	6	—	—	—	—	—	—
All other	2,082	1,810	272	115	154	74.0	113	54.3	Austin	290	177	113	164	20	69.0	5	17.2
Smith	218	109	109	200	6	27.5	9	41.3	White	206	120	86	172	12	58.3	2	9.7
White	208	101	107	206	6	28.8	9	43.3	All other	84	57	27	( <sup>2</sup> )	8	95.2	3	35.7
All other	10	8	2	( <sup>2</sup> )	—	—	—	—	White	70	12	58	( <sup>2</sup> )	1	14.3	1	14.3
Stewart	272	107	165	254	14	51.5	8	29.4	All other	70	12	58	( <sup>2</sup> )	1	14.3	1	14.3
White	265	105	162	257	14	52.8	8	30.2	Bandera	55	37	18	( <sup>2</sup> )	1	18.2	1	18.2
All other	7	4	3	( <sup>2</sup> )	—	—	—	—	White	55	37	18	( <sup>2</sup> )	1	18.2	1	18.2
Sullivan	1,384	431	953	321	63	45.5	38	27.5	All other	—	—	—	—	—	—	—	—
Rural part	629	158	471	398	21	33.4	14	22.3	Bastrop	390	219	171	178	25	64.1	20	51.3
White	627	158	469	397	21	33.5	14	22.3	White	253	131	122	193	12	47.4	6	23.7
All other	2	—	2	—	—	—	—	—	All other	137	88	49	( <sup>2</sup> )	13	94.9	14	102.2
Bristol	240	113	127	212	15	62.5	1	4.2	White	137	60	77	( <sup>2</sup> )	4	29.2	2	14.6
White	230	98	132	( <sup>2</sup> )	14	60.9	1	4.3	All other	135	59	76	( <sup>2</sup> )	4	29.6	2	14.8
All other	10	15	-5	( <sup>2</sup> )	1	100.0	—	—	White	2	1	1	( <sup>2</sup> )	—	—	—	—
Kingsport	515	160	355	322	27	52.4	23	44.7	White	402	235	167	171	60	149.3	11	27.4
White	502	154	348	326	26	51.8	22	43.8	All other	369	225	144	173	57	146.5	11	28.3
All other	13	6	7	( <sup>2</sup> )	1	76.9	1	76.9	All other	13	10	3	( <sup>2</sup> )	3	230.8	—	—
Sumner	581	285	296	204	25	43.0	16	27.5	Baylor	135	59	76	( <sup>2</sup> )	4	29.6	2	14.8
White	522	245	277	213	24	46.0	14	26.8	White	2	1	1	( <sup>2</sup> )	—	—	—	—
All other	59	40	19	( <sup>2</sup> )	1	16.9	2	33.9	All other	—	—	—	—	—	—	—	—
Tipton	498	238	260	209	23	46.2	20	40.2	Bee	402	235	167	171	60	149.3	11	27.4
White	343	118	225	291	15	43.7	14	40.8	White	369	225	144	173	57	146.5	11	28.3
All other	155	120	35	129	8	51.6	6	38.7	All other	13	10	3	( <sup>2</sup> )	3	230.8	—	—
Trousdale	93	56	37	( <sup>2</sup> )	7	75.3	3	32.3	Bell	816	516	300	158	37	45.3	21	

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
TEXAS—Continued									TEXAS—Continued								
Borden	5	2	3	( <sup>2</sup> )					Clay	199	91	108	( <sup>2</sup> )	12	60.3	5	25.1
White	5	2	3	( <sup>2</sup> )					White	197	91	106	( <sup>2</sup> )	12	60.9	5	25.4
All other									All other	2		2					
Bosque	246	111	135	222	6	24.4	7	28.5	Cochran	79	19	60	( <sup>2</sup> )	5	63.3		
White	236	106	130	223	6	25.4	6	25.4	White	78	19	59	( <sup>2</sup> )	5	64.1		
All other	10	5	5	( <sup>2</sup> )			1	100.0	All other	1		1					
Bowie	834	451	383	185	40	48.0	32	38.4	Coke	71	28	43	( <sup>2</sup> )	3	42.3	1	14.1
Rural part	552	244	308	226	23	41.7	17	30.8	White	70	28	42	( <sup>2</sup> )	3	42.9	1	14.3
White	353	144	209	245	14	39.7	6	17.0	All other	1		1					
All other	199	100	99	199	9	45.2	11	55.3	Coleman	395	163	232	242	15	38.0	6	15.2
Texarkana <sup>10</sup>	282	207	75	136	17	60.3	15	53.2	White	390	157	233	248	13	33.3	6	15.4
White	208	124	84	168	10	48.1	10	48.1	All other	5	6	-1	( <sup>2</sup> )	2	( <sup>3</sup> )		
All other	74	83	-9	( <sup>2</sup> )	7	94.6	5	67.6	Collin	789	399	390	198	22	27.9	26	33.0
Brasoria	399	186	213	215	9	22.6	2	5.0	White	752	356	396	211	20	26.6	22	29.3
White	313	119	194	263	6	19.2	1	3.2	All other	37	43	-6	( <sup>2</sup> )	2	54.1	4	108.1
All other	86	67	19	( <sup>2</sup> )	3	34.9	1	11.6	Collingsworth	191	71	120	( <sup>2</sup> )	4	20.9	1	5.2
Brazos	536	255	281	210	30	56.0	18	33.6	White	180	66	114	( <sup>2</sup> )	4	22.2	1	5.6
White	329	128	201	257	17	51.7	6	18.2	All other	11	5	6	( <sup>2</sup> )				
All other	207	127	80	163	13	62.8	12	58.0	Colorado	262	153	109	171	13	49.6	10	38.2
Brewster	142	45	97	( <sup>2</sup> )	6	42.3	4	28.2	White	188	96	92	( <sup>2</sup> )	8	42.6	5	26.6
White	142	44	98	( <sup>2</sup> )	6	42.3	4	28.2	All other	74	57	17	( <sup>2</sup> )	5	67.6	5	67.6
All other		1	-1						Comal	290	139	151	209	18	62.1	11	37.9
Briscoe	72	26	46	( <sup>2</sup> )	2	27.8			White	265	134	151	215	18	63.2	11	38.6
White	67	24	43	( <sup>2</sup> )	2	29.9			All other	5	5		( <sup>2</sup> )				
All other	5	2	3	( <sup>2</sup> )					Comanche	137	140	-3	98	13	94.9	4	29.2
Brooks	225	59	166	( <sup>2</sup> )	19	84.4	4	17.8	White	137	140	-3	98	13	94.9	4	29.2
White	224	58	166	( <sup>2</sup> )	19	84.8	4	17.9	All other								
All other	1			( <sup>2</sup> )					Concho	73	41	32	( <sup>2</sup> )	2	27.4	1	13.7
Brown	481	248	233	194	18	37.4	11	22.9	White	73	41	32	( <sup>2</sup> )	2	27.4	1	13.7
Rural part	134	56	78	( <sup>2</sup> )	4	29.9	1	7.5	All other								
White	134	56	78	( <sup>2</sup> )	4	29.9	1	7.5	Cooke	422	211	211	200	14	33.2	15	35.5
All other									White	418	195	221	215	14	33.7	15	36.1
Brownwood	347	192	155	181	14	40.3	10	28.8	All other	6	16	-10	( <sup>2</sup> )				
White	343	186	157	184	14	40.8	10	29.2	Coryell	287	111	176	259	14	48.8	6	20.9
All other	4	6	-2	( <sup>2</sup> )					White	280	107	173	262	12	42.9	6	21.4
Burleson	300	170	130	176	18	60.0	15	50.0	All other	7	4	3	( <sup>2</sup> )	2	285.7		
White	177	80	97	( <sup>2</sup> )	9	50.8	6	33.9	Cottle	167	51	116	( <sup>2</sup> )	7	41.9	1	6.0
All other	123	90	33	( <sup>2</sup> )	9	73.2	9	73.2	White	156	41	115	( <sup>2</sup> )	5	32.1	1	8.4
Burnet	196	88	108	( <sup>2</sup> )	14	71.4	1	5.1	All other	11	10	1	( <sup>2</sup> )	2	181.8		
White	192	86	108	( <sup>2</sup> )	14	72.9	1	5.2	Crane	56	9	47	( <sup>2</sup> )	3	53.6	1	17.9
All other	4	2	2	( <sup>2</sup> )					White	55	9	46	( <sup>2</sup> )	3	54.5	1	18.2
Caldwell	579	303	276	191	56	96.7	14	24.2	All other	1		1					
White	507	245	262	207	54	106.5	10	19.7	Crockett	53	18	35	( <sup>2</sup> )	8	150.9	3	56.6
All other	72	58	14	( <sup>2</sup> )	2	27.8	4	55.6	White	53	16	35	( <sup>2</sup> )	8	150.9	2	37.7
Calhoun	125	43	82	( <sup>2</sup> )	5	40.0	6	48.0	All other								
White	120	39	81	( <sup>2</sup> )	5	41.7	6	50.0	Crosby	165	62	101	( <sup>2</sup> )	10	61.3	2	12.3
All other	5	4	1	( <sup>2</sup> )					White	157	59	98	( <sup>2</sup> )	10	63.7	2	12.7
Callahan	166	92	74	( <sup>2</sup> )	12	72.3	4	24.1	All other	8	3	5	( <sup>2</sup> )				
White	166	92	74	( <sup>2</sup> )	12	72.3	4	24.1	Culberson	26	14	12	( <sup>2</sup> )	2	76.9	1	38.5
All other									White	26	12	14	( <sup>2</sup> )	2	76.9	1	38.5
Cameron	2,440	1,012	1,428	241	337	138.1	95	38.9	All other	2	2	-2					
Rural part	1,297	432	865	300	161	124.1	43	33.2	Dallas	88	39	49	( <sup>2</sup> )	3	34.1		
White	1,292	430	862	300	159	123.1	43	33.5	White	86	39	49	( <sup>2</sup> )	3	34.1		
All other	5	2	3	( <sup>2</sup> )	2	( <sup>3</sup> )			All other								
Brownsville	724	359	365	202	111	153.3	38	52.5	Dallas	6,699	3,811	2,888	176	598	57.9	196	29.3
White	721	357	364	202	111	154.0	38	52.7	Rural part	311	548	-237	57	20	64.3	11	35.4
All other	3	2	1	( <sup>2</sup> )					White	254	440	-186	88	16	63.0	9	35.4
Harlingen	142	117	25	121	32	225.4	11	77.5	All other	57	108	-51	53	4	70.2	2	35.1
White	139	111	28	125	30	215.8	10	71.9	Dallas	6,388	3,265	3,125	196	368	57.6	185	29.0
All other	3	6	-3	( <sup>2</sup> )	2	( <sup>3</sup> )	1	( <sup>3</sup> )	White	5,368	2,474	2,894	217	273	50.9	131	24.4
San Benito	277	104	173	266	33	119.1	3	10.8	All other	1,020	789	231	129	95	93.1	54	52.9
White	276	103	173	268	33	119.6	3	10.9	Dawson	456	111	345	411	24	52.6	15	32.9
All other	1	1		( <sup>2</sup> )					White	447	110	337	406	24	53.7	14	31.3
Camp	163	84	79	( <sup>2</sup> )	5	30.7	7	42.9	All other	9	1	8	( <sup>2</sup> )			1	111.1
White	117	48	69	( <sup>2</sup> )	3	25.6	2	17.1	Deaf Smith	136	49	87	( <sup>2</sup> )	5	36.8	5	36.8
All other	46	36	10	( <sup>2</sup> )	2	43.5	5	106.7	White	136	49	87	( <sup>2</sup> )	5	36.8	5	36.8
Carson	57	28	29	( <sup>2</sup> )	4	70.2	8	140.4	All other								
White	56	28	28	( <sup>2</sup> )	4	71.4	8	142.9	Delta	191	87	104	( <sup>2</sup> )	12	62.8	2	10.5
All other	1		1						White	177	75	102	( <sup>2</sup> )	9	50.8	1	5.6
Cass	603	270	333	223	18	29.9	23	38.1	All other	14	12	2	( <sup>2</sup> )	3	214.3	1	71.4
White	426	169	257	252	14	32.9	16	37.6	Denton	618	296	322	209	27	43.7	16	25.9
All other	177	101	76	175	4	22.6	7	39.5	White	580	280	300	207	24	41.4	13	22.4
Castro	69	14	55	( <sup>2</sup> )	3	43.5	4	58.0	All other	38	16	22	( <sup>2</sup> )	3	78.9	3	78.9
White	68	14	54	( <sup>2</sup> )	3	44.1	4	58.8	De Witt	457	307	150	149	36	78.8	25	54.7
All other	1		1						White	379							

# SUMMARY AND RATE TABLES

73

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Num- ber	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
TEXAS—Continued								TEXAS—Continued									
Duval	507	154	353	329	36	71.0	13	25.6	Grayson	1,157	779	378	149	55	45.8	35	30.5
White	507	154	353	329	36	71.0	13	25.6	Rural part	476	246	228	192	16	53.6	8	16.8
All other									White	452	229	223	197	16	55.4	8	17.7
Eastland	810	281	529	298	35	43.2	16	19.8	All other	24	19	5	( <sup>2</sup> )				
White	799	275	524	291	35	43.8	16	20.0	Denison	319	237	82	135	15	47.0	13	40.8
All other	11	6	5	( <sup>2</sup> )					White	278	173	105	161	9	32.4	9	32.4
Ector	351	82	269	( <sup>2</sup> )	13	37.0	8	22.8	All other	41	64	-23	( <sup>2</sup> )	6	146.3	4	97.6
White	345	81	264	( <sup>2</sup> )	13	37.7	8	23.2	Sherman	362	294	68	123	22	60.8	14	38.7
All other	6	1	5	( <sup>2</sup> )					White	356	247	89	136	21	62.5	12	35.7
Edwards	65	29	36	( <sup>2</sup> )	5	76.9	3	46.2	All other	26	47	-21	( <sup>2</sup> )	1	38.5	2	76.9
White	65	29	36	( <sup>2</sup> )	5	76.9	3	46.2	Gregg	1,082	462	620	234	38	55.1	40	37.0
All other									White	885	301	584	294	21	25.7	29	32.8
Ellis	754	432	322	175	26	34.5	25	33.2	All other	197	161	36	122	17	86.3	11	55.8
White	590	308	282	192	15	25.4	12	20.3	Grimes	322	260	62	124	31	96.3	19	59.0
All other	164	124	40	132	11	67.1	13	79.3	White	190	151	39	145	13	68.4	5	26.3
El Paso	5,364	1,640	1,724	205	292	86.8	85	25.3	All other	132	129	3	102	18	136.4	14	106.1
Rural part	769	331	438	232	71	92.3	14	18.2	Guadalupe	421	267	154	158	41	97.4	8	19.0
White	767	313	454	245	71	92.6	14	18.3	White	355	224	131	158	37	104.2	7	19.7
All other	2	18	-16	( <sup>2</sup> )					All other	66	43	23	( <sup>2</sup> )	4	60.6	1	15.2
El Paso	2,595	1,309	1,286	198	221	85.2	71	27.4	Hale	410	155	255	265	20	49.8	10	24.4
White	2,552	1,272	1,280	201	217	85.0	69	27.0	White	404	147	257	275	17	42.1	10	24.8
All other	43	37	6	( <sup>2</sup> )	4	93.0	2	46.5	All other	6	8	-2	( <sup>2</sup> )	3	( <sup>3</sup> )		
Erath	337	175	162	193	15	44.8	8	23.7	Hall	259	87	172	( <sup>2</sup> )	11	42.5	10	38.6
White	334	171	163	195	15	44.9	8	24.0	White	254	84	170	( <sup>2</sup> )	9	35.4	10	39.4
All other	3	4	-1	( <sup>2</sup> )					All other	5	3	2	( <sup>2</sup> )	2	( <sup>3</sup> )		
Falls	622	374	248	166	50	48.2	19	30.5	Hamilton	269	104	165	259	6	22.3	4	14.9
White	459	227	232	202	12	26.1	13	28.3	White	268	104	164	258	6	22.4	4	14.9
All other	163	147	16	111	18	110.4	6	36.8	All other	1	1						
Fannin	641	354	287	181	31	48.4	45	70.2	Mansford	34	18	16	( <sup>2</sup> )	3	88.2	1	29.4
White	589	309	280	191	26	44.1	44	74.7	White	34	18	16	( <sup>2</sup> )	3	88.2	1	29.4
All other	52	45	7	( <sup>2</sup> )	5	96.2	1	19.2	All other								
Fayette	489	260	229	188	27	55.2	13	26.6	Hardeman	233	87	146	( <sup>2</sup> )	7	30.0	5	21.5
White	352	173	179	203	11	31.3	7	19.9	White	225	81	144	( <sup>2</sup> )	7	31.1	4	17.8
All other	137	87	50	( <sup>2</sup> )	16	116.8	6	43.8	All other	8	6	2	( <sup>2</sup> )			1	125.0
Fisher	247	72	175	( <sup>2</sup> )	7	28.3	4	16.2	Hardin	278	114	164	244	7	25.2	12	45.2
White	240	68	172	( <sup>2</sup> )	6	25.0	4	16.7	White	217	81	136	( <sup>2</sup> )	5	23.0	10	46.1
All other	7	4	3	( <sup>2</sup> )	1	142.9	1	162.9	All other	61	33	28	( <sup>2</sup> )	2	32.8	2	32.8
Floyd	195	66	129	( <sup>2</sup> )	4	20.5	4	20.5	Harris	8,893	4,585	4,308	194	480	54.0	287	32.3
White	192	66	126	( <sup>2</sup> )	4	20.8	4	20.8	Rural part	830	403	427	206	48	57.8	17	20.5
All other	3	3							White	777	343	434	227	39	50.2	14	18.0
Foard	89	28	61	( <sup>2</sup> )	4	44.9			All other	53	60	-7	( <sup>2</sup> )	9	169.8	3	58.6
White	85	27	58	( <sup>2</sup> )	4	47.1			Houston	8,083	4,182	3,881	193	432	53.6	270	33.5
All other	4	1	3	( <sup>2</sup> )					White	6,555	2,919	3,636	225	296	45.2	167	25.5
Fort Bend	495	330	165	150	45	90.9	30	60.6	All other	1,508	1,263	245	119	136	90.2	103	68.3
White	349	208	141	168	37	106.0	18	51.6	Harrison	934	520	414	180	54	57.8	67	71.7
All other	146	122	24	120	8	54.8	12	82.2	Rural part	610	265	345	230	39	63.9	48	78.7
Franklin	133	77	56	( <sup>2</sup> )	4	30.1	3	22.6	White	119	85	34	( <sup>2</sup> )	3	25.2	4	33.6
White	130	66	64	( <sup>2</sup> )	4	30.8	3	23.1	All other	491	180	311	127	36	73.3	44	89.6
All other	3	11	-8	( <sup>2</sup> )					Marshall	324	255	69	273	15	46.3	19	58.6
Freestone	358	165	193	217	11	30.7	8	22.3	White	235	125	110	188	7	29.8	7	29.8
White	208	92	114	( <sup>2</sup> )	6	29.1	2	9.7	All other	89	130	-41	68	8	89.9	12	134.8
All other	152	73	79	( <sup>2</sup> )	5	32.9	6	39.5	Hartley	64	29	35	( <sup>2</sup> )	1	15.6	2	31.3
Frio	290	125	165	232	32	110.3	10	34.5	White	64	28	36	( <sup>2</sup> )	1	15.6	2	31.3
White	287	122	165	235	29	101.0	10	34.8	All other	1	1	-1					
All other	3	3							Haskell	218	90	128	( <sup>2</sup> )	8	36.7	5	22.9
Gaines	159	31	128	( <sup>2</sup> )	8	50.3			White	210	85	125	( <sup>2</sup> )	7	33.3	4	19.0
White	157	30	127	( <sup>2</sup> )	1	44.6			All other	8	5	3	( <sup>2</sup> )	1	125.0	1	125.0
All other	2	1	1	( <sup>2</sup> )					Hays	241	171	70	141	21	87.1	11	45.6
Galveston	1,564	884	480	154	81	59.4	35	25.7	White	218	153	65	142	18	82.6	10	45.9
Rural part	173	69	104	( <sup>2</sup> )	5	28.9	4	23.1	All other	23	18	5	( <sup>2</sup> )	3	130.4	1	43.5
White	155	59	96	( <sup>2</sup> )	4	25.8	2	12.9	Hemphill	101	35	66	( <sup>2</sup> )	10	99.0	1	9.9
All other	18	10	8	( <sup>2</sup> )	1	55.6	2	111.1	White	101	35	66	( <sup>2</sup> )	10	99.0	1	9.9
Galveston	1,191	815	376	148	76	63.8	31	26.0	All other	101	35	66	( <sup>2</sup> )	10	99.0	1	9.9
White	940	587	353	160	60	63.8	25	26.6	Henderson	558	240	318	233	17	30.5	12	21.5
All other	251	228	23	110	16	63.7	6	23.9	White	464	178	286	261	12	25.9	12	25.9
Garza	111	35	76	( <sup>2</sup> )	6	54.1	3	27.0	All other	94	62	32	( <sup>2</sup> )	5	53.2		
White	108	33	75	( <sup>2</sup> )	5	46.3	3	27.8	Hidalgo	2,870	1,207	1,663	238	368	135.2	102	35.5
All other	3	2	1	( <sup>2</sup> )	1	( <sup>2</sup> )			White	2,861	1,195	1,666	239	365	134.6	100	35.0
Gillespie	208	115	93	181	8	38.5	7	33.7	All other	9	12	-3	( <sup>2</sup> )	3	( <sup>3</sup> )	2	222.2
White	206	114	92	181	7	34.0	7	34.0	Hill	576	319	257	181	25	43.4	22	38.2
All other	2	1	1	( <sup>2</sup> )	1	( <sup>2</sup> )			White	509	267	242	191	17	33.4	18	35.4
Glasscock	1	2	-1	( <sup>2</sup> )					All other	67	52	15	( <sup>2</sup> )	8	119.4	4	59.7

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
TEXAS—Continued									TEXAS—Continued								
Howard	444	201	243	221	51	69.8	15	33.8	King	8	5	3	( <sup>2</sup> )	1	125.0		
Rural part	40	23	17	( <sup>2</sup> )	1	25.0			White	8	5	3	( <sup>2</sup> )	1	125.0		
White	40	22	18	( <sup>2</sup> )	1	25.0			All other								
All other			-1						Kinney	76	42	34	( <sup>2</sup> )	15	197.4	1	13.2
Big Spring	404	178	226	227	30	74.3	15	37.1	White	73	37	36	( <sup>2</sup> )	14	191.8	1	15.7
White	393	170	223	231	28	71.2	13	35.1	All other	3	5	-2	( <sup>2</sup> )	1	( <sup>3</sup> )		
All other	11	8	3	( <sup>2</sup> )	2	181.8	2	181.8	Kleberg	308	172	136	179	54	175.3	21	68.2
Hudspeth	62	26	36	( <sup>2</sup> )	7	112.9	2	32.3	White	298	167	131	178	54	181.2	21	70.5
White	62	25	37	( <sup>2</sup> )	6	96.8	2	32.3	All other	10	5	5	( <sup>2</sup> )				
All other			-1		1				Knox	242	66	176	( <sup>2</sup> )	10	41.3	4	16.5
Hunt	777	483	294	161	49	63.1	42	54.1	White	236	66	170	( <sup>2</sup> )	10	42.4	3	12.7
Rural part	562	307	255	183	31	55.2	30	53.4	All other	6		6				1	166.7
White	516	266	250	194	28	54.3	22	42.6	Lamar	1,033	628	405	164	67	64.9	35	33.9
All other	46	41	5	( <sup>2</sup> )	3	65.2	8	173.9	Rural part	566	253	313	224	30	53.0	14	24.7
Greenville	215	176	39	122	18	83.7	12	55.8	White	452	198	254	228	20	44.2	10	22.1
White	172	139	33	124	15	87.2	7	40.7	All other	114	55	59	( <sup>2</sup> )	10	87.7	4	35.1
All other	43	37	6	( <sup>2</sup> )	3	69.8	5	116.3	Paris	467	375	92	125	37	79.2	21	45.0
Hutchinson	398	68	330	( <sup>2</sup> )	11	27.6	5	12.6	White	432	300	132	144	30	69.4	15	34.7
White	388	66	322	( <sup>2</sup> )	11	28.4	5	12.9	All other	35	75	-40	( <sup>2</sup> )	7	200.0	6	171.4
All other	10	2	8	( <sup>2</sup> )					Lamb	454	87	367	( <sup>2</sup> )	11	24.2	9	19.8
Irion	22	14	8	( <sup>2</sup> )	3	136.4			White	437	83	354	( <sup>2</sup> )	11	25.2	9	20.6
White	22	14	8	( <sup>2</sup> )	3	136.4			All other	17	4	13	( <sup>2</sup> )				
All other									Lampasas	164	115	49	143	17	103.7	5	50.5
Jack	176	62	114	( <sup>2</sup> )	3	17.0	5	28.4	White	161	107	54	150	16	99.4	5	31.1
White	176	62	114	( <sup>2</sup> )	3	17.0	5	28.4	All other	3	8	-5	( <sup>2</sup> )	1	( <sup>3</sup> )		
All other									La Salle	214	134	80	160	41	191.6	10	46.7
Jackson	193	71	122	( <sup>2</sup> )	11	57.0	4	20.7	White	213	134	79	159	41	192.5	10	46.9
White	169	52	117	( <sup>2</sup> )	9	53.3	2	11.8	All other	1		1					
All other	24	19	5	( <sup>2</sup> )	2	83.3	2	83.3	Lavaca	489	234	255	209	31	63.4	14	28.6
Jasper	352	147	205	239	13	36.9	14	39.8	White	415	194	221	214	24	57.8	11	26.5
White	259	106	153	244	10	38.6	6	23.2	All other	74	40	34	( <sup>2</sup> )	7	94.6	3	40.5
All other	93	41	52	( <sup>2</sup> )	3	32.3	8	86.0	Lee	183	78	105	( <sup>2</sup> )	6	32.8	9	49.2
Jeff Davis	41	19	22	( <sup>2</sup> )	3	73.2			White	123	51	72	( <sup>2</sup> )	3	24.4	8	65.0
White	41	19	22	( <sup>2</sup> )	3	73.2			All other	60	27	33	( <sup>2</sup> )	3	50.0	1	16.7
All other									Leon	311	164	147	190	12	38.6	10	32.2
Jefferson	2,703	1,266	1,437	214	142	52.5	125	46.2	White	165	97	68	( <sup>2</sup> )	4	24.2	5	30.3
Rural part	426	209	217	204	20	46.9	12	28.2	All other	146	67	79	( <sup>2</sup> )	8	54.8	5	34.2
White	312	150	162	240	9	28.8	5	16.0	Liberty	473	191	282	248	39	92.5	22	46.5
All other	114	79	35	( <sup>2</sup> )	11	96.5	7	61.4	White	340	129	211	264	24	70.6	15	44.1
Beaumont	1,317	714	603	184	77	58.5	71	53.9	All other	133	62	71	( <sup>2</sup> )	15	112.8	7	52.6
White	969	436	533	222	46	47.5	36	37.2	Limestone	466	285	181	164	29	62.2	24	51.5
All other	348	278	70	125	31	89.1	35	100.6	White	329	170	159	194	17	51.7	13	39.5
Port Arthur	960	343	617	280	45	46.9	42	43.8	All other	137	115	22	119	12	87.6	11	80.3
White	941	235	606	358	37	44.0	28	33.3	Lipscomb	61	24	37	( <sup>2</sup> )	4	65.6	1	18.4
All other	119	108	11	110	8	67.2	14	117.6	White	61	24	37	( <sup>2</sup> )	4	65.6	1	18.4
Jim Hogg	141	59	82	( <sup>2</sup> )	23	163.1	3	21.3	All other								
White	140	59	81	( <sup>2</sup> )	23	164.3	3	21.4	Live Oak	198	65	133	( <sup>2</sup> )	17	85.9	9	45.5
All other	1		1						White	198	65	133	( <sup>2</sup> )	17	85.9	9	45.5
Jim Wells	416	191	225	218	38	91.3	9	21.6	All other								
White	413	187	226	221	38	92.0	9	21.8	Llano	82	35	47	( <sup>2</sup> )	1	12.2	4	48.8
All other	3	4	-1	( <sup>2</sup> )					White	81	33	46	( <sup>2</sup> )	1	12.3	4	49.4
Johnson	568	313	253	181	30	53.0	18	31.8	All other	1	2	-1	( <sup>2</sup> )				
Rural part	338	191	147	177	18	53.3	5	14.8	Loving	1		1					
White	315	185	130	170	15	47.6	4	12.7	White	1		1					
All other	23	6	17	( <sup>2</sup> )	3	130.4	1	43.5	All other								
Cleburne	228	122	106	187	12	52.6	13	57.0	Lubbock	1,186	434	752	273	71	59.9	38	32.0
White	222	105	117	211	12	54.1	13	58.6	Rural part	276	95	181	( <sup>2</sup> )	11	39.9	12	45.5
All other	6	17	-11	( <sup>2</sup> )					White	270	86	184	( <sup>2</sup> )	10	37.0	10	37.0
Jones	527	178	349	296	20	38.0	16	30.4	All other	6	9	-3	( <sup>2</sup> )	1	166.7	2	( <sup>3</sup> )
White	503	171	332	294	18	35.8	14	27.8	Lubbock	910	339	571	268	60	65.9	26	28.6
All other	24	7	17	( <sup>2</sup> )	2	83.3	2	83.3	White	877	314	563	279	51	58.2	24	27.4
Karnes	488	238	250	205	65	133.2	7	14.3	All other	33	25	8	( <sup>2</sup> )	9	272.7	2	60.6
White	461	222	239	208	60	130.2	7	15.2	Lynn	170	69	101	( <sup>2</sup> )	13	76.5	5	29.4
All other	27	16	11	( <sup>2</sup> )	5	185.2			White	164	62	102	( <sup>2</sup> )	12	73.2	5	30.5
Kaufman	617	409	208	151	30	48.6	22	35.7	All other	6	7	-1	( <sup>2</sup> )	1	166.7		
White	455	338	117	135	21	46.2	14	30.8	McCulloch	297	115	182	258	15	50.5	8	26.9
All other	162	71	91	( <sup>2</sup> )	9	55.6	8	49.4	White	289	111	178	260	14	46.4	7	24.2
Kendall	91	49	42	( <sup>2</sup> )	8	87.9	2	22.0	All other	8	4	4	( <sup>2</sup> )	1	125.0	1	125.0
White	90	46	44	( <sup>2</sup> )	8	88.9	2	22.2	McLennan	1,649	1,045	604	158	99	60.0	63	38.2
All other	1	3	-2	( <sup>2</sup> )					Rural part	565	359	206	187	25	44.2	17	50.1
Kenedy	15	7	8	( <sup>2</sup> )			3	200.0	White	414	275	139	151	14	33.8	5	12.1
White	15	7	8	( <sup>2</sup> )			3	200.0	All other	151	84	67	( <sup>2</sup> )	11	72.8	12	79.5
All other									Waco	1,084	686	398	158	74	68.3	46	42.4
Kent	70	18	52	( <sup>2</sup> )	1	14.3			White	864	511	353	189</				

# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued	Section B—Continued																
TEXAS—Continued	TEXAS—Continued																
Martin	67	27	40	(2)	3	44.8	5	74.6	Panola	291	140	151	208	10	34.4	9	30.9
White	66	27	39	(2)	3	45.5	4	60.6	White	176	75	101	(2)	4	22.7	6	34.1
All other	1	—	—	(2)	—	—	1	(3)	All other	115	65	50	(2)	4	52.2	3	26.1
Mason	90	44	46	(2)	6	68.7	5	55.6	Parker	274	202	72	136	5	5	10	35.5
White	88	49	39	(2)	5	56.8	5	56.8	White	273	193	80	141	4	14.7	8	29.3
All other	2	5	—	(2)	—	—	—	—	All other	1	9	—	(2)	1	(3)	2	(3)
Matagorda	325	159	166	234	25	76.9	16	49.2	Farmer	23	24	—	(2)	3	130.4	—	—
White	254	98	156	(2)	18	70.9	10	39.4	White	22	24	—	(2)	3	136.4	—	—
All other	71	61	10	(2)	7	98.6	6	84.5	All other	1	—	—	(2)	—	—	—	—
Maverick	257	116	141	222	34	132.3	7	27.2	Pecos	180	77	103	(2)	31	172.2	9	50.0
White	257	116	141	222	34	132.3	7	27.2	White	179	73	106	(2)	30	167.6	9	50.3
All other	—	—	—	(2)	—	—	—	—	All other	1	4	—	(2)	1	(3)	—	—
Medina	362	177	185	205	52	145.6	15	49.7	Polk	454	169	285	269	22	48.5	16	35.2
White	350	173	187	208	51	141.7	17	47.2	White	293	105	188	284	13	45.8	8	26.8
All other	2	4	—	(2)	1	(3)	1	(3)	All other	156	64	92	(2)	9	57.7	8	51.3
Menard	76	18	58	(2)	2	26.3	1	13.2	Potter	1,022	444	578	230	63	61.6	27	26.4
White	76	15	61	(2)	2	26.3	1	13.2	Rural part	27	10	17	(2)	—	—	2	74.1
All other	—	3	—	(2)	—	—	—	—	White	27	9	18	(2)	—	—	2	74.1
Midland	249	107	142	235	23	92.4	9	36.1	All other	1	—	—	(2)	—	—	—	—
White	240	90	150	(2)	25	91.7	9	37.5	Amarillo (part)	995	434	561	(5)	63	(5)	25	(5)
All other	9	17	—	(2)	1	111.1	—	—	White	977	408	569	(5)	63	(5)	25	(5)
Milam	559	253	276	198	25	45.5	14	25.0	All other	18	26	—	(5)	1	(5)	2	(5)
White	599	198	201	202	16	40.1	6	15.0	Amarillo (total)	997	439	558	227	63	63.2	25	25.1
All other	160	85	75	(2)	10	52.5	8	50.0	White	979	413	566	237	62	63.3	23	23.5
Mills	107	85	42	(2)	3	28.0	1	9.3	All other	18	26	—	(2)	1	55.6	2	111.1
White	107	85	42	(2)	3	28.0	1	9.3	Presidio	314	111	203	283	39	124.2	4	15.9
All other	—	—	—	(2)	—	—	—	—	White	314	111	203	283	39	124.2	5	12.7
Mitchell	247	97	150	(2)	15	60.7	10	40.5	All other	—	—	—	(2)	—	—	1	—
White	242	84	158	(2)	14	57.9	9	37.2	Rains	106	70	36	(2)	7	66.0	1	9.4
All other	5	13	—	(2)	1	200.0	1	200.0	White	100	58	42	(2)	4	40.0	1	10.0
Montague	326	186	140	175	16	49.1	3	9.2	All other	6	12	—	(2)	3	—	—	—
White	325	186	139	175	16	49.2	3	9.2	Randall	104	52	52	(2)	5	48.1	4	38.5
All other	1	—	—	(2)	—	—	—	—	Rural part	102	47	55	(2)	5	49.0	4	39.2
Montgomery	355	211	124	159	21	62.7	10	29.9	White	102	47	55	(2)	5	49.0	4	39.2
White	241	129	112	187	18	74.7	7	29.0	All other	—	—	—	(2)	—	—	—	—
All other	84	82	12	(2)	3	31.9	3	31.9	Amarillo (part)	2	5	—	(5)	—	—	—	—
Moore	83	23	60	(2)	4	48.2	—	—	White	2	5	—	(5)	—	—	—	—
White	83	23	60	(2)	4	48.2	—	—	All other	—	—	—	(5)	—	—	—	—
All other	—	—	—	(2)	—	—	—	—	Reagan	21	8	13	(2)	1	47.6	—	—
Morris	110	72	38	(2)	5	45.5	6	54.5	White	21	8	13	(2)	1	47.6	—	—
White	85	45	40	(2)	3	35.1	2	24.1	All other	—	—	—	(2)	—	—	—	—
All other	27	29	—	(2)	2	74.1	4	148.1	Real	29	9	20	(2)	1	34.5	2	69.0
Motley	107	33	74	(2)	5	46.7	2	16.7	White	29	9	20	(2)	1	34.5	2	69.0
White	103	29	74	(2)	4	38.8	1	9.7	All other	—	—	—	(2)	—	—	—	—
All other	4	4	—	(2)	1	250.0	1	250.0	Red River	553	272	281	203	29	52.4	21	38.0
Nacogdoches	548	292	256	188	40	73.0	20	35.5	White	428	190	238	225	25	53.7	12	28.0
White	432	215	217	201	26	60.2	14	32.4	All other	125	82	43	(2)	6	48.0	9	72.0
All other	116	77	39	(2)	14	120.7	6	51.7	Reeves	259	84	175	(2)	18	69.5	5	19.3
Navarro	792	460	332	172	44	55.6	36	45.5	White	259	82	177	(2)	18	69.5	4	15.4
Rural part	500	211	289	237	25	50.0	17	34.0	All other	—	—	—	(2)	—	—	—	—
White	551	133	218	264	13	37.0	10	28.5	Refugio	246	77	169	(2)	18	73.2	12	48.8
All other	149	78	71	(2)	12	80.5	7	47.0	White	221	71	150	(2)	17	76.9	10	45.2
Corsicana	292	249	43	117	19	65.1	19	65.1	All other	25	6	19	(2)	1	40.0	2	80.0
White	261	171	90	(2)	12	45.0	15	57.5	Roberts	12	7	5	(2)	—	—	—	—
All other	31	78	—	(2)	7	225.8	4	129.0	White	12	7	5	(2)	—	—	—	—
Newton	265	80	185	(2)	15	57.0	15	57.0	All other	—	—	—	(2)	—	—	—	—
White	146	45	101	(2)	8	54.8	9	61.6	Robertson	510	249	261	205	48	94.1	34	66.7
All other	117	35	82	(2)	7	59.8	6	51.3	White	230	117	113	197	25	100.0	9	39.1
Nolan	421	177	244	238	22	52.3	14	33.3	All other	280	132	148	(2)	23	89.3	25	89.5
Rural part	159	54	105	(2)	5	31.4	4	25.2	Rockwall	67	65	—	(2)	4	59.7	2	29.9
White	159	54	105	(2)	5	31.4	4	25.2	White	47	50	—	(2)	1	21.3	1	21.3
All other	—	—	—	(2)	—	—	—	—	All other	20	15	5	(2)	3	150.0	1	50.0
Sweetwater	262	123	139	215	17	64.9	10	38.2	Runnels	367	166	201	221	16	43.8	11	30.0
White	253	120	133	211	16	65.2	10	39.5	White	354	162	192	219	16	45.2	11	31.1
All other	9	3	6	(2)	1	111.1	—	—	All other	13	4	9	(2)	—	—	—	—
Nueces	2,353	975	1,358	239	282	112.3	88	37.7	Rusk	692	397	295	174	35	50.6	24	34.7
Rural part	893	365	518	242	115	128.0	29	32.8	White	556	226	330	246	25	45.0	14	25.2
White	865	354	509	244	109	126.5	28	32.4	All other	136	171	—	(2)	10	73.5	10	73.5
All other	20	11	9	(2)	4	200.0	1	50.0	Sabins	156	57	99	(2)	—	—	1	6.4
Corpus Christi	1,450	610	840	238	149	102.8	59	40.7	White	151	48	83	(2)	—	—	1	7.6
White	1,407	569	838	247	138	96.1	55	39.1	All other	25	9	16	(2)	—	—	—	—
All other	43	41	2	(2)	11	255.8	4	93.0	San Augustine	191	75	116	(2)	3	15.7	3	15.7
Ochiltree	71	29	42	(2)	1	14.1	2	28.2	White	153	50	108	(2)	3	19.0	—	—
White	71	29	42	(2)	1	14.1	2	28.2	All other	38	25	8	(2)	—	—	—	—
All other	—	—	—	(2)	—	—	—	—	San Jacinto	106	53	53	(2)	8	75.5	2	18.9
Oldham	16	10	6	(2)	1	62.5	—	—	White	46	19						

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
TEXAS—Continued									TEXAS—Continued								
Scurry	211	84	127	( <sup>2</sup> )	7	33.2	2	9.5	Upton	469	186	283	252	14	29.9	17	36.2
White	209	84	125	( <sup>2</sup> )	7	33.5	2	9.6	White	554	124	210	269	9	26.9	13	36.9
All other	2		2						All other	135	62	73	( <sup>2</sup> )	5	37.0	4	29.6
Shackelford	50	29	21	( <sup>2</sup> )					White	76	29	47	( <sup>2</sup> )	5	65.8	3	39.5
White	49	28	21	( <sup>2</sup> )					All other	75	27	48	( <sup>2</sup> )	5	66.7	3	40.0
All other	1								Uvalde	1	2	-1					
Shelby	467	224	243	208	18	39.5	14	50.0	White	292	153	139	191	33	113.0	14	47.9
White	395	157	236	250	9	22.9	11	26.0	All other	299	151	138	191	33	114.2	14	48.4
All other	74	67	7	( <sup>2</sup> )	9	121.6	3	40.5	Val Verde	3	2	1	( <sup>2</sup> )				
Sherman	23	6	17	( <sup>2</sup> )	1	45.5			Rural part	467	220	267	221	64	131.4	19	39.0
White	23	6	17	( <sup>2</sup> )	1	45.5			White	12	8	4	( <sup>2</sup> )				
All other									All other	12	8	4	( <sup>2</sup> )				
Smith	1,270	589	681	216	59	46.5	42	53.1	Del Rio	475	212	263	224	64	134.7	18	37.9
Rural part	734	295	439	249	34	46.3	24	32.7	White	467	209	258	223	62	132.8	17	36.4
White	397	165	232	241	14	35.3	13	32.7	All other	8	3	5	( <sup>2</sup> )	2	250.0	1	125.0
All other	337	150	207	259	20	59.3	11	32.6	Van Zandt	605	220	385	275	22	36.4	21	34.7
Tyler	556	294	242	182	25	46.8	18	33.6	White	555	194	361	266	17	30.6	18	32.4
White	450	189	261	238	21	46.7	6	13.3	All other	50	26	24	( <sup>2</sup> )	5	100.0	3	60.0
All other	86	105	-19	82	4	46.5	12	139.5	Victoria	498	243	255	205	40	80.3	29	58.2
Somervell	39	20	19	( <sup>2</sup> )					White	454	201	253	226	38	83.7	26	37.3
White	39	20	19	( <sup>2</sup> )					All other	44	42	2	( <sup>2</sup> )	2	45.5	3	68.2
All other									Walker	301	142	159	212	4	13.3	8	26.6
Starr	444	147	297	302	38	85.6	11	24.8	White	148	78	70	( <sup>2</sup> )	1	6.8	1	6.8
White	444	147	297	302	38	85.6	11	24.8	All other	153	64	89	( <sup>2</sup> )	3	19.6	7	45.8
All other									Waller	216	130	86	166	12	55.6	4	18.5
Stephens	163	84	79	( <sup>2</sup> )	4	24.5	8	49.1	White	82	41	41	( <sup>2</sup> )	7	85.4	2	24.4
White	159	81	78	( <sup>2</sup> )	3	18.9	8	50.3	All other	134	89	45	( <sup>2</sup> )	5	37.3	2	14.9
All other	4	3	1	( <sup>2</sup> )	1	250.0			Ward	215	56	159	( <sup>2</sup> )	15	69.8	12	55.8
Sterling	26	11	15	( <sup>2</sup> )	3	115.4			White	213	54	159	( <sup>2</sup> )	14	65.7	12	56.3
White	26	11	15	( <sup>2</sup> )	3	115.4			All other	2	2		( <sup>2</sup> )	1	( <sup>3</sup> )		
All other									Washington	451	278	173	162	24	53.2	25	55.4
Stonewall	66	24	42	( <sup>2</sup> )	3	45.5	1	15.2	White	246	163	83	151	12	48.8	8	32.5
White	64	23	41	( <sup>2</sup> )	2	31.3	1	15.6	All other	205	115	90	178	12	58.5	17	82.9
All other	2	1	1	( <sup>2</sup> )	1	( <sup>3</sup> )			Webb	1,363	601	762	227	165	121.1	37	27.1
Sutton	76	30	46	( <sup>2</sup> )	11	144.7	3	39.5	Rural part	147	39	108	( <sup>2</sup> )	9	61.2	3	20.4
White	76	30	46	( <sup>2</sup> )	11	144.7	3	39.5	White	147	38	109	( <sup>2</sup> )	9	61.2	3	20.4
All other									All other	1	-1						
Swisher	131	42	89	( <sup>2</sup> )	6	45.8	6	45.8	Laredo	1,216	562	654	216	156	128.3	34	28.0
White	131	42	89	( <sup>2</sup> )	6	45.8	6	45.8	White	1,214	561	653	216	156	128.5	33	27.2
All other									All other	2	1	1	( <sup>2</sup> )				
Tarrant	3,724	2,144	1,580	174	181	48.6	109	29.3	Wharton	814	369	445	221	54	66.3	34	41.8
Rural part	271	239	32	113	4	14.8	7	25.8	White	639	239	400	267	41	64.2	15	23.5
White	269	231	38	116	4	14.9	7	26.0	All other	175	130	45	135	13	74.3	19	108.6
All other	2	8	-6	( <sup>2</sup> )					Wheeler	335	89	246	( <sup>2</sup> )	14	41.8	9	26.9
Fort Worth	3,453	1,905	1,548	181	177	51.3	102	29.5	White	333	87	246	( <sup>2</sup> )	14	42.0	9	27.0
White	3,018	1,566	1,452	193	153	50.7	79	26.2	All other	2	2		( <sup>2</sup> )				
All other	435	339	96	128	24	55.2	23	52.9	Wichita	1,413	704	709	201	79	55.9	40	28.3
Taylor	853	450	403	190	49	57.4	26	30.5	Rural part	537	258	79	131	18	53.4	4	11.9
Rural part	223	148	75	151	7	31.4	10	44.8	White	335	255	80	131	18	53.7	4	11.9
White	223	146	77	153	7	31.4	10	44.8	All other	2	3	-1	( <sup>2</sup> )				
All other	2	2							Wichita Falls	1,076	446	630	241	61	56.7	36	33.5
Abilene	630	302	328	209	42	66.7	16	25.4	White	1,013	399	614	254	55	54.3	27	26.7
White	616	278	338	222	41	66.6	15	24.4	All other	63	47	16	( <sup>2</sup> )	6	95.2	9	142.9
All other	14	24	-10	( <sup>2</sup> )	1	71.4	1	71.4	Willbarger	424	171	253	248	20	47.2	11	25.9
Terrell	61	30	31	( <sup>2</sup> )	9	147.5			White	400	146	252	270	16	40.0	8	20.0
White	61	30	31	( <sup>2</sup> )	9	147.5			All other	24	23	1	( <sup>2</sup> )	4	166.7	3	125.0
All other									Willacy	376	157	219	239	59	156.9	13	34.6
Terry	254	64	190	( <sup>2</sup> )	7	27.6	3	11.8	White	373	155	218	241	59	158.2	12	32.2
White	244	62	182	( <sup>2</sup> )	6	24.6	3	12.3	All other	3	2	1	( <sup>2</sup> )				
All other	10	2	8	( <sup>2</sup> )	1	100.0			Williamson	694	361	313	182	33	47.6	24	34.6
Throckmorton	56	19	37	( <sup>2</sup> )					White	555	298	257	186	24	43.2	19	34.2
White	56	19	37	( <sup>2</sup> )					All other	139	83	56	( <sup>2</sup> )	9	64.7	5	36.0
All other									Wilson	408	170	238	240	24	58.8	12	29.4
Titus	511	152	159	205	14	45.0	7	22.5	White	397	163	234	244	23	57.9	10	25.2
White	268	117	149	227	11	41.4	6	22.6	All other	11	7	4	( <sup>2</sup> )	1	90.9	2	181.8
All other	45	35	10	( <sup>2</sup> )	3	66.7	1	22.2	Winkler	203	34	169	( <sup>2</sup> )	9	44.3	7	34.5
Tom Green	912	461	451	198	41	45.0	25	27.4	White	203	33	170	( <sup>2</sup> )	9	44.3	7	34.5
Rural part	208	141	67	148	10	48.1	1	4.8	All other	1	-1						
White	206	134	72	154	9	43.7	1	4.9	Wise	354	148	206	239	6	16.9	8	22.6
All other	2	7	-5	( <sup>2</sup> )	1	( <sup>3</sup> )			White	352	147	205	239	6	17.0	8	22.7
San Angelo	704	320	384	220	31	44.0	24	34.1	All other	2	1	1	( <sup>2</sup> )				
White	685	299	386	229	29	42.3	18	26.3	Wood	411	189	222	217	16	39.9	18	43.8
All other	19	21	-2	( <sup>2</sup> )	2	105.3	6	( <sup>3</sup> )	White	358	147	211	244	14	39.1	13	36.3
Travis	2,011	1,271	740	158	151	75.1	75	37.3	All other	53	42	11	( <sup>2</sup> )	2	37.7	5	94.3
Rural part	181	132	49	137	15	82.9	10	55.2	Yoakum	21	11						

# SUMMARY AND RATE TABLES

77

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued	UTAH (total)								VIRGINIA—Contd.								
	13,007	4,712	8,295	276	514	39.5	278	21.4									
Beaver	99	47	52	( <sup>2</sup> )	6	60.8	1	10.1	Arlington	127	212	-85	60	8	63.0	4	31.5
Box Elder	456	149	307	306	10	21.9	12	26.3	White	98	170	-72	58	6	61.2	2	20.4
Cache	734	222	512	351	27	36.8	15	20.4	All other	29	42	-13	( <sup>2</sup> )	2	69.0	2	69.0
Carbon	472	143	329	330	26	55.1	8	16.9	Alexandria (city)	575	382	193	151	26	45.2	29	50.4
Daggett	9	3	6	( <sup>2</sup> )					White	491	293	198	168	20	40.7	22	44.8
Davis	141	73	68	( <sup>2</sup> )	4	28.4	2	14.2	All other	84	89	-5	( <sup>2</sup> )	6	71.4	7	83.3
Duchesne	209	33	176	( <sup>2</sup> )	3	14.4	6	28.7	Augusta	818	374	444	219	46	56.2	19	23.2
Emery	173	46	127	( <sup>2</sup> )	7	40.5	4	23.1	White	750	340	410	221	42	56.0	15	20.0
Garfield	139	36	103	( <sup>2</sup> )	6	43.2	3	21.6	All other	68	34	34	( <sup>2</sup> )	4	58.8	4	58.8
Grand	83	26	57	( <sup>2</sup> )	1	12.0	1	12.0	Staunton (city)	225	365	-140	62	23	102.2	9	40.0
Iron	239	75	164	( <sup>2</sup> )	11	46.0	7	29.3	White	194	324	-130	60	18	92.8	8	41.2
Juab	180	58	122	( <sup>2</sup> )	10	55.6	2	11.1	All other	31	41	-10	( <sup>2</sup> )	5	161.3	1	32.3
Kane	108	15	93	( <sup>2</sup> )	4	37.0	2	18.5	Bath	156	73	83	( <sup>2</sup> )	4	25.6	6	38.5
Millard	233	70	163	( <sup>2</sup> )	10	42.9	1	4.3	White	145	62	83	( <sup>2</sup> )	4	27.6	5	34.5
Morgan	21	13	8	( <sup>2</sup> )	1	47.6	1	47.6	All other	11	11		( <sup>2</sup> )			1	90.9
Piute	50	11	39	( <sup>2</sup> )	2	40.0	1	20.0	Bedford	541	322	219	168	25	46.2	17	31.4
Rich	34	8	26	( <sup>2</sup> )	1	29.4	1	29.4	White	383	237	146	162	14	36.6	8	20.9
Salt Lake	4,935	2,027	2,908	243	176	35.7	101	20.5	All other	158	85	73	( <sup>2</sup> )	11	69.6	9	57.0
Rural part	972	255	717	381	23	23.7	12	12.3	Eland	165	43	122	( <sup>2</sup> )	7	42.4	3	18.2
Salt Lake City	3,963	1,772	2,191	224	153	38.6	89	22.5	White	161	41	120	( <sup>2</sup> )	7	43.5	3	18.6
San Juan	55	17	38	( <sup>2</sup> )	5	90.9			All other	4	2	2	( <sup>2</sup> )				
Sanpete	399	131	268	305	15	37.6	5	12.5	Botetourt	322	161	161	200	15	46.6	11	34.2
Sevier	356	117	239	304	18	50.6	6	16.9	White	282	134	148	210	12	42.6	9	31.9
Summit	186	65	121	( <sup>2</sup> )	10	53.8	2	10.8	All other	40	27	13	( <sup>2</sup> )	3	75.0	2	50.0
Tooele	181	52	129	( <sup>2</sup> )	5	27.6	4	22.1	Brunswick	482	176	306	274	25	51.9	30	62.2
Utah	288	107	181	269	22	76.4	11	38.2	White	163	67	96	( <sup>2</sup> )	6	36.8	5	30.7
Rural part	1,366	528	838	259	65	47.6	29	21.2	All other	319	109	210	293	19	59.6	25	78.4
Provo	919	344	575	267	45	49.0	18	19.6	Buchanan	1,202	201	1,001	598	63	52.4	29	24.1
Wasatch	447	184	263	243	20	44.7	11	24.6	White	1,201	201	1,000	598	63	52.5	29	24.1
Washington	174	41	133	( <sup>2</sup> )	7	40.2	8	46.0	All other	1	1	1					
Wayne	222	71	151	( <sup>2</sup> )	16	72.1	9	40.5	Buckingham	262	114	148	230	14	53.4	8	30.5
Weber	55	12	43	( <sup>2</sup> )	2	36.4			White	123	57	66	( <sup>2</sup> )	4	32.5	1	8.1
Rural part	1,410	516	894	273	44	31.2	36	25.5	All other	139	57	82	( <sup>2</sup> )	10	71.9	7	50.4
Ogden	43	77	-34	( <sup>2</sup> )	4	93.0	1	23.3	Campbell	491	200	291	246	25	50.9	15	30.5
	1,397	439	958	311	40	29.3	35	25.6	White	302	127	175	238	13	43.0	6	19.9
VERMONT (total)	6,375	4,544	1,831	140	291	45.6	175	27.5	All other	189	73	116	( <sup>2</sup> )	12	65.9	9	47.6
Addison	283	254	29	111	13	45.9	4	14.1	Lynchburg (city)	1,048	567	481	185	49	46.8	45	42.0
Bemington	373	259	114	144	17	45.6	11	29.5	White	811	373	438	217	33	40.7	17	21.9
Caledonia	418	297	121	141	15	35.9	13	31.1	All other	237	194	43	122	16	67.5	28	118.1
Chittenden	1,300	713	587	182	61	46.9	37	28.5	Caroline	298	146	152	204	20	67.1	10	33.6
Rural part	313	264	49	119	21	67.1	7	22.4	White	97	66	31	( <sup>2</sup> )	6	61.9	1	10.3
Burlington	987	449	538	220	40	40.5	30	30.4	All other	201	80	121	( <sup>2</sup> )	14	69.7	9	44.8
Essex	84	62	22	( <sup>2</sup> )	4	47.6	4	47.6	Carroll	553	151	402	366	29	52.4	23	41.6
Franklin	552	341	211	162	28	50.7	17	30.8	White	551	147	404	375	29	52.6	23	41.7
Grand Isle	23	39	-16	( <sup>2</sup> )	1	43.5	1	43.5	All other	2	4	-2	( <sup>2</sup> )				
Lamoille	223	126	97	177	9	40.4	3	13.5	Charles City	94	53	41	( <sup>2</sup> )	4	42.6	5	55.2
Orange	210	202	8	104	7	33.3	5	23.8	White	2	8	-6	( <sup>2</sup> )				
Orleans	416	257	159	162	22	52.9	10	24.0	All other	92	45	47	( <sup>2</sup> )	4	43.5	5	54.3
Rutland	776	618	158	126	36	46.4	17	21.9	Charlotte	312	139	173	224	18	57.7	12	38.5
Rural part	313	340	-27	92	13	41.5	6	19.2	White	156	60	96	( <sup>2</sup> )	7	51.5	3	22.1
Rutland	463	278	185	167	23	49.7	11	23.8	All other	176	79	97	( <sup>2</sup> )	11	62.5	9	51.1
Washington	776	557	219	139	29	37.4	22	28.4	Chesterfield	327	225	102	145	21	64.2	14	42.8
Rural part	462	420	42	110	24	51.9	12	26.0	White	198	152	46	130	7	35.4	2	10.1
Barre	314	137	177	229	5	15.9	10	31.8	All other	129	73	56	( <sup>2</sup> )	14	108.5	12	93.0
Windham	489	427	62	115	31	63.4	16	32.7	Clarke	110	66	44	( <sup>2</sup> )	6	54.5	3	27.3
Windsor	452	392	60	115	18	39.8	15	33.2	White	91	54	37	( <sup>2</sup> )	5	54.9	1	11.0
									All other	19	12	7	( <sup>2</sup> )	1	52.6	2	105.3
VIRGINIA <sup>11</sup> (total)	52,921	28,636	24,285	185	3,221	60.9	2,059	38.9	Craig	80	43	37	( <sup>2</sup> )	5	62.5	4	50.0
									White	80	40	40	( <sup>2</sup> )	5	62.5	4	50.0
									All other		3	-3					
Accomack	454	458	-4	99	52	114.5	24	52.9	Culpeper	226	147	79	154	13	57.5	5	22.1
White	239	252	-13	95	18	75.3	3	12.6	White	116	87	29	( <sup>2</sup> )	5	43.1	3	25.9
All other	215	206	9	104	34	158.1	21	97.7	All other	110	60	50	( <sup>2</sup> )	8	72.7	2	18.2
Albemarle	1,002	590	412	170	72	71.9	50	49.9	Cumberland	141	81	60	( <sup>2</sup> )	9	63.8	9	63.8
White	772	403	369	192	46	59.8	39	50.5	White	48	26	22	( <sup>2</sup> )	1	20.8		
All other	230	187	43	123	26	113.0	11	47.8	All other	93	55	38	( <sup>2</sup> )	8	86.0	9	96.6
Charlottesville (city)	218	169	49	129	4	18.3	11	50.5	Dickenson	742	107	635	693	24	32.3	17	22.9
White	206	122	84	169	4	19.4	11	53.4	White	731	104	627	703	24	32.8	17	23.3
All other	12	47	-35	( <sup>2</sup> )					All other	11	3	8	( <sup>2</sup> )				
Alleghany	424	162	262	262	22	51.9	19	44.8	Dinwiddie	338	427	-89	79	29	86.3	12	35.7
White	397	155	242	262	21	52.9	18	45.3	White	86	43	43	( <sup>2</sup> )	3	34		



## VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of in- fants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Per 1,000 live births						
Section B—Continued	Section B—Continued																
VIRGINIA—Contd.	VIRGINIA—Contd.																
Fairfax	241	255	-14	95	13	53.9	4	16.6	Loudoun	397	220	177	180	24	60.5	10	25.2
White	193	197	-4	98	7	36.3	2	10.4	White	295	170	125	174	17	57.8	7	23.7
All other	48	58	-10	( <sup>2</sup> )	6	125.0	2	41.7	All other	102	50	52	( <sup>2</sup> )	7	68.6	3	29.4
Fauquier	389	235	154	166	22	58.6	9	23.1	Louisa	268	144	124	186	17	65.4	10	37.3
White	252	161	91	157	12	47.6	5	19.8	White	130	78	52	( <sup>2</sup> )	6	46.2	5	36.5
All other	137	74	63	( <sup>2</sup> )	10	73.0	4	29.2	All other	138	66	72	( <sup>2</sup> )	11	79.7	5	36.2
Floyd	247	88	159	( <sup>2</sup> )	6	24.3	8	32.4	Lunenburg	259	119	140	218	19	73.4	11	42.5
White	234	83	151	( <sup>2</sup> )	6	25.6	6	25.6	White	105	58	49	( <sup>2</sup> )	16	57.1	1	9.5
All other	13	5	8	( <sup>2</sup> )	—	—	2	153.8	All other	154	63	91	( <sup>2</sup> )	13	84.4	10	64.9
Fluvanna	119	76	43	( <sup>2</sup> )	6	50.4	6	50.4	Madison	115	70	45	( <sup>2</sup> )	8	69.6	3	26.1
White	80	43	37	( <sup>2</sup> )	1	16.7	3	50.0	White	76	46	30	( <sup>2</sup> )	6	78.9	1	13.2
All other	39	33	6	( <sup>2</sup> )	5	84.7	3	50.8	All other	39	24	15	( <sup>2</sup> )	2	51.3	2	51.3
Franklin	551	225	326	245	28	50.8	24	43.6	Mathews	70	70	—	( <sup>2</sup> )	4	57.1	6	85.7
White	460	167	293	275	20	43.5	19	41.3	White	42	48	-6	( <sup>2</sup> )	1	23.8	6	142.9
All other	91	58	33	( <sup>2</sup> )	8	87.9	5	54.9	All other	28	22	6	( <sup>2</sup> )	3	107.1	—	—
Frederick	197	123	74	160	17	86.3	7	35.5	Mecklenburg	748	289	459	259	36	48.1	36	46.1
White	193	121	72	160	17	88.1	4	20.7	White	271	112	159	242	57	25.8	—	—
All other	4	2	2	( <sup>2</sup> )	—	—	3	( <sup>3</sup> )	All other	477	177	300	269	29	60.8	36	75.5
Winchester (city)	397	253	144	157	22	55.4	20	50.4	Middlesex	108	85	23	( <sup>2</sup> )	7	64.8	5	46.3
White	374	218	156	172	22	58.8	19	50.8	White	33	44	-11	( <sup>2</sup> )	1	30.3	2	60.6
All other	23	35	-12	( <sup>2</sup> )	—	—	1	43.5	All other	75	41	34	( <sup>2</sup> )	6	80.0	3	40.0
Giles	353	137	216	258	23	65.2	20	56.7	Montgomery	406	226	180	160	27	66.5	19	46.8
White	345	132	213	261	22	63.8	20	58.0	White	375	204	171	184	22	58.7	16	42.7
All other	8	5	3	( <sup>2</sup> )	1	125.0	—	—	All other	31	22	9	( <sup>2</sup> )	5	161.3	3	96.8
Gloucester	142	108	34	131	7	49.3	3	21.1	Radford (city)	129	48	81	( <sup>2</sup> )	3	23.3	1	7.8
White	81	62	19	( <sup>2</sup> )	4	49.4	1	12.3	White	121	44	77	( <sup>2</sup> )	3	24.8	1	6.3
All other	61	46	15	( <sup>2</sup> )	3	49.2	2	32.8	All other	8	4	4	( <sup>2</sup> )	—	—	—	—
Goochland	151	95	56	( <sup>2</sup> )	7	46.4	8	53.0	Nansemond	483	296	187	163	45	93.2	18	37.3
White	51	32	19	( <sup>2</sup> )	1	19.6	—	—	White	83	70	13	( <sup>2</sup> )	3	36.1	2	24.1
All other	100	63	37	( <sup>2</sup> )	6	60.0	8	80.0	All other	400	226	174	177	42	105.0	16	40.0
Grayson	479	208	271	230	31	64.7	17	35.5	Suffolk (city)	255	216	39	118	18	70.6	18	70.6
White	456	194	262	235	29	63.6	15	32.9	White	167	106	61	158	5	29.9	5	29.9
All other	23	14	9	( <sup>2</sup> )	2	87.0	2	87.0	All other	88	110	-22	80	13	147.7	13	147.7
Greene	73	54	19	( <sup>2</sup> )	4	54.8	—	—	Nelson	284	111	173	256	13	45.8	11	36.7
White	56	42	14	( <sup>2</sup> )	3	53.6	—	—	White	162	78	84	( <sup>2</sup> )	6	37.0	9	55.6
All other	17	12	5	( <sup>2</sup> )	1	58.8	—	—	All other	122	33	89	( <sup>2</sup> )	7	57.4	2	16.4
Greensville	346	134	212	258	18	52.0	15	43.4	New Kent	45	47	-2	( <sup>2</sup> )	7	155.6	2	44.4
White	94	34	60	( <sup>2</sup> )	2	21.3	2	21.3	White	6	19	-13	( <sup>2</sup> )	—	—	—	—
All other	252	100	152	252	16	63.5	13	51.6	All other	39	28	11	( <sup>2</sup> )	7	179.5	2	51.3
Halifax	1,003	427	576	235	58	57.8	47	46.9	Norfolk	755	291	464	259	33	43.7	19	25.2
White	481	197	284	244	23	47.8	11	22.9	White	434	152	282	286	12	27.6	1	2.3
All other	522	230	292	227	35	67.0	36	69.0	All other	321	139	182	231	21	65.4	18	56.1
Hanover	303	196	107	155	24	79.2	14	46.2	Norfolk (city)	2,295	1,673	622	137	123	53.6	129	56.2
White	142	112	30	127	7	49.3	6	42.3	White	1,477	927	550	159	66	44.7	57	38.6
All other	161	84	77	( <sup>2</sup> )	17	105.6	8	49.7	All other	816	746	72	110	57	69.7	72	88.0
Henrico	245	337	-92	73	18	73.5	6	24.5	Portsmouth (city)	883	603	280	146	72	81.5	47	53.2
White	141	219	-78	64	9	63.8	1	7.1	White	520	281	239	185	33	63.5	11	21.2
All other	104	118	-14	68	9	86.5	5	48.1	All other	363	322	41	113	39	107.4	36	99.2
Richmond (city)	3,886	2,719	1,167	143	229	58.9	190	48.9	South Norfolk (city)	100	53	47	( <sup>2</sup> )	9	90.0	4	40.0
White	2,659	1,643	1,015	162	103	38.7	95	35.7	White	66	30	36	( <sup>2</sup> )	4	60.6	1	15.2
All other	1,227	1,076	151	114	126	102.7	95	77.4	All other	34	23	11	( <sup>2</sup> )	5	147.1	3	88.2
Henry	717	198	519	352	45	62.8	15	20.9	Northampton	394	263	131	150	40	101.5	21	53.3
White	442	102	340	433	22	49.8	7	15.8	White	138	106	32	130	13	94.2	3	21.7
All other	275	96	179	( <sup>2</sup> )	23	83.8	8	29.1	All other	256	157	99	163	27	105.5	18	70.3
Martinsville (city)	270	90	180	( <sup>2</sup> )	15	55.6	11	40.7	Northumberland	148	98	50	( <sup>2</sup> )	8	54.1	1	6.8
White	200	62	138	( <sup>2</sup> )	9	45.0	7	35.0	White	98	63	-5	( <sup>2</sup> )	2	34.5	1	17.2
All other	70	28	42	( <sup>2</sup> )	6	85.7	4	57.1	All other	50	35	15	( <sup>2</sup> )	6	66.7	—	—
Highland	118	38	80	( <sup>2</sup> )	4	33.9	4	33.9	Nottoway	258	202	56	128	17	65.9	13	50.4
White	116	36	80	( <sup>2</sup> )	4	34.5	4	34.5	White	96	53	43	( <sup>2</sup> )	2	20.8	2	20.8
All other	2	2	—	( <sup>2</sup> )	—	—	—	—	All other	162	149	13	109	15	92.6	11	67.9
Isle of Wight	275	142	133	194	25	90.9	11	40.0	Orange	158	126	32	125	13	82.3	2	12.7
White	92	59	33	( <sup>2</sup> )	5	54.3	1	10.9	White	78	79	-1	( <sup>2</sup> )	3	38.5	—	—
All other	183	83	100	( <sup>2</sup> )	20	109.3	10	54.6	All other	80	47	33	( <sup>2</sup> )	10	125.0	2	25.0
James City	85	49	36	( <sup>2</sup> )	9	105.9	4	47.1	Page	307	151	156	203	13	42.3	7	22.8
White	30	20	10	( <sup>2</sup> )	2	66.7	—	—	White	295	140	155	211	12	40.7	7	23.7
All other	55	29	26	( <sup>2</sup> )	7	127.3	4	72.7	All other	12	11	1	( <sup>2</sup> )	1	83.3	—	—
Williamsburg (city)	54	161	-127	30	3	55.6	1	18.5	Patrick	425	134	291	317	14	32.9	8	18.8
White	37	168	-131	22	2	54.1	1	27.0	White	389	125	264	311	14	38.0	7	18.0
All other	17	13	4	( <sup>2</sup> )	1	58.8	—	—	All other	36	9	27	( <sup>2</sup> )	—	—	—	—
King and Queen	125	90	35	( <sup>2</sup> )	8	64.0	9	72.0	Rittysylvania	1,214	468	746	259	59	48.6	38	31.3
White	43	36	7	( <sup>2</sup> )	2												



# SUMMARY AND RATE TABLES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
VIRGINIA—Contd.								VIRGINIA—Contd.									
Hopewell (city)	162	63	99	(2)	5	30.9	6	37.0	Westmoreland	197	93	104	(2)	19	96.4	7	55.5
White	135	50	85	(2)	3	22.2	5	37.0	White	78	38	40	(2)	2	25.6	2	25.6
All other	27	13	14	(2)	2	74.1	1	37.0	All other	119	55	64	(2)	17	142.9	5	42.0
Prince William	291	141	150	206	17	59.4	1	17.2	Wise	1,522	426	896	510	89	67.3	43	32.5
White	240	112	128	214	12	50.0	5	12.5	White	1,271	398	885	328	86	67.7	42	33.0
All other	51	29	22	(2)	5	98.0	2	39.2	All other	51	38	15	(2)	3	58.9	1	19.6
Princess Anne	288	406	-118	71	23	79.9	12	41.7	Wythe	559	178	361	503	20	37.1	19	35.3
White	105	145	-40	72	4	38.1	4	39.1	White	503	160	343	514	18	35.8	15	29.8
All other	183	261	-78	70	19	103.8	8	43.7	All other	56	18	18	(2)	2	55.6	4	111.1
Pulaski	530	225	305	236	30	58.6	6	11:5	York	135	69	46	(2)	14	103.7	4	29.6
White	479	186	293	258	24	50.1	5	10.4	White	42	30	12	(2)	3	71.4	2	47.6
All other	51	39	12	(2)	6	117.6	1	19.6	All other	93	39	34	(2)	11	118.3	2	21.5
Rappahannock	147	63	84	(2)	8	54.4	4	27.2	WASHINGTON (total)	26,538	18,516	8,022	143	976	36.8	465	17.5
White	121	47	74	(2)	6	49.5	2	16.5	Adams	52	47	5	(2)	1	19.2	1	19.2
All other	26	16	10	(2)	2	76.9	2	76.9	Asotin	50	69	-19	(2)	3	60.0	2	16.0
Richmond	129	75	54	(2)	13	100.8	3	23.3	Benton	125	59	66	(2)	1	8.0	2	16.0
White	60	42	18	(2)	4	66.7	2	35.3	Chelan	728	334	394	218	22	30.2	13	17.9
All other	69	33	36	(2)	9	130.4	1	14.5	Rural part	185	165	20	112	7	37.8	6	32.4
Roanoke	522	450	92	121	32	61.3	16	30.7	Wenatchee	543	169	374	321	15	27.6	7	12.9
White	476	341	135	140	27	56.7	10	21.0	Gallatin	402	193	209	206	13	32.3	8	19.9
All other	46	89	-43	(2)	5	108.7	6	130.4	Rural part	95	69	26	(2)	6	63.2	8	26.1
Roanoke (city)	1,509	820	689	184	93	61.6	40	26.5	Port Angeles	307	124	183	248	7	22.8	8	26.1
White	1,290	621	669	208	79	61.2	34	26.4	Clark	789	495	294	159	23	29.2	15	19.0
All other	219	199	20	110	14	63.9	6	27.4	Rural part	210	178	32	118	6	28.6	3	14.3
Rockbridge	415	236	179	176	18	43.4	11	26.5	Vancouver	579	317	262	183	17	29.4	12	20.7
White	393	211	182	186	18	45.8	10	25.4	Columbia	86	46	40	(2)	1	11.6	3	34.9
All other	22	25	-3	(2)	1	45.5	1	45.5	Cowlitz	830	290	540	286	36	43.4	15	18.1
Buena Vista (city)	121	27	94	(2)	4	35.1	3	24.8	Rural part	355	190	145	176	17	50.7	2	6.0
White	112	25	87	(2)	4	35.7	3	26.8	Longview	495	100	395	495	19	38.4	13	26.3
All other	9	2	7	(2)	1	35.7	3	26.8	Douglas	41	42	-1	(2)	1	24.4	2	48.8
Rockingham	498	236	262	211	25	50.2	14	28.1	Ferry	45	24	21	(2)	1	22.2	2	44.4
White	464	224	260	216	25	47.5	14	28.9	Franklin	194	96	98	(2)	10	51.5	2	10.3
All other	14	12	2	(2)	2	142.9	1	142.9	Garfield	56	39	17	(2)	4	71.4	1	17.9
Harrisonburg (city)	294	267	27	110	47	139.9	18	61.2	Grant	70	63	7	(2)	5	71.4	2	28.6
White	284	248	36	115	46	162.0	17	89.9	Grays Harbor	852	474	378	180	22	25.8	13	15.3
All other	10	19	-9	(2)	1	100.0	1	100.0	Rural part	196	136	60	144	2	10.2	4	20.4
Russell	829	192	637	452	47	56.7	18	21.7	Aberdeen	527	233	294	226	17	32.3	7	13.3
White	909	185	624	437	47	58.1	18	22.2	Hoquiam	129	105	24	123	3	23.3	2	15.5
All other	20	7	13	(2)	30	52.7	14	24.6	Island	72	68	4	(2)	1	13.9	1	13.9
Scott	569	169	377	299	30	53.0	14	24.7	Jefferson	134	108	26	124	7	52.2	—	—
White	566	169	377	299	30	53.0	14	24.7	King	6,571	5,803	968	117	215	32.7	115	17.5
All other	3	1	2	(2)	1	83.3	5	15.2	Rural part	714	905	-191	79	27	37.8	12	16.8
Shenandoah	542	252	90	156	20	59.5	5	14.6	Seattle	5,857	4,698	1,159	125	188	32.1	103	17.6
White	530	246	84	154	19	57.6	5	15.2	White	5,677	4,513	1,164	126	177	31.2	102	18.0
All other	12	6	6	(2)	1	83.3	5	15.2	All other	180	185	-5	97	11	61.1	1	5.6
Smyth	698	343	355	203	60	66.0	30	43.0	Kitsep	626	377	249	166	23	36.7	9	14.4
White	691	333	358	208	59	65.4	29	42.0	Rural part	105	244	-139	43	9	85.7	1	9.5
All other	7	10	-3	(2)	1	142.9	1	142.9	Bremerton	521	133	388	392	14	26.9	8	15.4
Southampton	694	310	374	221	55	80.4	27	39.5	Kittitas	358	165	193	217	12	33.5	3	8.4
White	177	97	80	(2)	9	50.8	5	28.2	Klickitat	144	69	75	(2)	3	20.8	1	6.9
All other	507	213	294	238	46	90.7	22	43.4	Lewis	768	416	352	185	30	39.1	19	24.7
Spotsylvania	158	102	56	155	6	36.0	3	19.0	Lincoln	174	76	98	(2)	1	5.7	4	23.0
White	86	70	16	(2)	2	23.3	3	34.9	Mason	206	100	106	206	6	29.1	6	29.1
All other	72	32	40	(2)	4	55.6	3	34.9	Okanogan	668	220	448	304	27	40.4	16	24.0
Fredericksburg (city)	308	199	109	155	16	51.9	23	74.7	Pacific	235	153	82	154	15	63.8	2	8.5
White	260	150	110	173	11	42.3	10	38.5	Pend Oreille	127	78	49	(2)	11	86.6	3	23.6
All other	48	49	-1	(2)	5	104.2	13	270.8	Pierce	2,556	2,247	309	114	84	32.9	41	16.0
Stafford	128	82	46	(2)	12	93.8	—	—	Rural part	331	743	-412	45	10	30.2	6	18.1
White	88	65	23	(2)	5	56.8	—	—	Tacoma	2,225	1,504	721	148	74	33.3	35	15.7
All other	40	17	23	(2)	7	175.0	—	—	San Juan	14	29	-15	(2)	—	—	1	71.4
Surry	116	60	56	(2)	4	34.5	12	103.4	Skagit	578	540	38	107	21	36.3	10	17.3
White	24	22	2	(2)	1	41.7	1	41.7	Skamania	23	32	-9	(2)	—	—	2	87.0
All other	92	38	54	(2)	4	43.5	11	119.6	Snohomish	1,340	888	452	151	53	39.6	25	18.7
Sussex	272	132	140	206	16	58.8	18	66.2	Rural part	485	463	22	105	17	35.1	12	24.7
White	35	34	1	(2)	16	67.5	17	71.7	Everett	855	425	430	201	36	42.1	13	15.2
All other	237	98	139	(2)	98	74.6	34	25.9	Spokane	2,844	2,207	637	129	117	41.1	38	13.4
Tazewell	1,513	410	903	320	92	73.7	34	27.2	Rural part	129	623	-494	21	7	54.3	1	7.8
White	1,248	377	871	351	98	73.7	34	27.2	Spokane	2,715	1,584	1,131	171	110	40.5	37	13.6
All other	65	33	32	(2)	6	92.3	11	58.1	Stevens	340	212	128	160	15	44.1	5	14.7
Warren	241	108	133	223	14	58.1	11	45.6	Thurston	561	316	245	178	19	33.9	12	21.4
White	212	91	121	(2)	11	51.9	9	42.5	Rural part	153	151	2	101	7	45.8	2	13.1
All other	29	17	12	(2)	3	103.4	2	69.0	Olympia	408	165	243	247	12	29.4</		

VITAL STATISTICS OF THE UNITED STATES

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)			INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)			INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS			
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number		Per 1,000 live births	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued								Section B—Continued									
WEST VIRGINIA (total)	41,545	17,490	24,055	238	2,272	54.7	1,505	36.2	54,168	31,424	22,744	172	2,179	40.2	1,186	21.9	
Barbour	414	175	239	237	25	60.4	10	24.2	Adams	154	71	83	( <sup>2</sup> )	5	32.5	5	32.5
Berkeley	475	292	183	163	28	58.9	26	54.7	Ashland	554	268	286	207	21	37.9	13	23.5
Rural part	161	84	77	( <sup>2</sup> )	12	74.5	7	43.5	Rural part	134	66	68	( <sup>2</sup> )	4	29.9	6	44.8
Martinsburg	314	208	106	151	16	51.0	19	60.5	Ashland	420	202	218	208	17	40.5	7	16.7
Boone	769	110	659	699	24	31.2	23	29.9	Barron	697	383	314	182	28	40.2	20	28.7
Braxton	511	174	337	294	26	50.9	11	21.5	Bayfield	119	124	-5	96	4	33.6	4	33.6
Brooke	335	156	179	215	16	47.8	7	20.9	Brown	1,845	891	954	207	88	47.7	55	29.8
Cabell	1,990	1,124	866	177	109	54.8	70	35.2	Rural part	262	251	31	113	9	34.4	7	26.7
Rural part	595	153	442	258	20	50.6	17	43.0	Green Bay	1,585	660	923	240	79	49.9	49	30.3
Huntington (part)	1,595	971	624	( <sup>3</sup> )	89	( <sup>3</sup> )	53	( <sup>3</sup> )	Buffalo	207	122	85	170	9	43.5	7	33.8
Huntington (total)	1,616	1,061	555	152	89	55.1	55	34.0	Burnett	161	104	57	155	9	55.9	4	24.8
Calhoun	286	79	207	( <sup>2</sup> )	16	55.9	5	17.5	Calumet	216	120	96	180	3	13.9	4	18.5
Clay	420	83	337	( <sup>2</sup> )	24	57.1	9	21.4	Chippewa	779	445	334	175	46	59.1	25	32.1
Doddridge	218	71	147	( <sup>2</sup> )	9	41.3	5	22.9	Clark	543	294	249	206	24	44.2	8	14.7
Fayette	2,134	712	1,422	300	135	63.7	69	32.3	Columbia	598	416	182	144	21	35.1	22	36.8
Gilmer	251	91	160	( <sup>2</sup> )	9	35.9	7	27.9	Crawford	325	167	158	195	5	15.4	6	18.5
Grant	162	78	84	( <sup>2</sup> )	13	80.2	6	37.0	Dane	2,323	1,694	629	137	99	42.6	60	25.8
Greenbrier	890	345	545	255	48	54.5	22	25.0	Rural part	476	630	-154	76	25	52.5	11	23.1
Hampshire	256	101	155	253	13	50.8	12	46.9	Madison	1,847	1,084	763	174	74	40.1	49	26.5
Hancock	438	151	287	290	10	22.8	11	25.1	Dodge	732	471	261	155	20	27.3	13	17.8
Hardy	217	85	132	( <sup>2</sup> )	4	18.4	4	18.4	Rural part	706	445	261	159	20	27.3	13	18.4
Harrison	1,558	762	796	204	84	53.9	67	43.0	Watertown (part)	26	26	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )
Rural part	909	355	554	256	48	52.8	39	41.8	Door	328	162	166	202	17	51.8	7	21.3
Clarksburg	649	407	242	159	36	55.5	29	44.7	Douglas	858	551	307	158	37	43.1	30	35.0
Jackson	314	135	178	231	16	51.0	13	41.4	Rural part	73	119	-46	61	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )	( <sup>5</sup> )
Jefferson	332	188	144	177	12	36.1	8	24.1	Superior	795	432	363	182	37	47.1	30	39.2
Kanawha	4,374	1,691	2,683	258	236	54.4	195	44.6	Dumfries	470	286	184	164	18	38.3	12	25.5
Rural part	2,462	739	1,723	333	123	50.0	94	39.2	Eau Claire	1,026	572	454	179	39	38.0	29	28.3
Charleston	1,912	952	960	201	115	60.1	101	52.8	Rural part	104	115	-11	90	6	57.7	3	28.8
White	1,796	832	964	216	109	60.7	95	51.8	Eau Claire	922	457	465	202	38	35.8	28	28.2
All other	118	120	-4	97	6	51.7	8	69.0	Florence	45	28	17	( <sup>2</sup> )	4	98.9	2	44.4
Lewis	365	373	-8	98	19	52.1	7	19.2	Fond du Lac	1,142	754	388	151	44	38.5	27	25.6
Lincoln	545	148	397	368	29	53.2	20	36.7	Rural part	381	317	64	120	12	31.5	8	21.0
Logan	1,811	517	1,294	350	68	48.6	68	37.5	Fond du Lac	761	437	324	174	32	42.0	19	25.0
McDowell	2,722	871	1,851	313	194	71.5	107	39.3	Forest	300	112	188	268	19	63.5	4	13.3
Marion	1,350	642	688	207	53	39.8	53	39.8	Grant	760	465	295	165	22	28.9	20	25.3
Rural part	784	288	516	293	21	26.8	36	45.9	Green	418	249	169	168	13	31.1	10	23.9
Fairmont	546	374	172	146	32	58.6	17	31.1	Green Lake	186	127	59	118	7	37.5	4	21.5
Marshall	531	370	161	144	30	56.5	14	25.4	Iron	368	254	114	164	22	59.8	11	29.9
Rural part	395	226	169	175	18	45.6	9	22.8	Jackson	101	53	48	( <sup>2</sup> )	2	19.8	2	19.8
Moundsville	136	144	-8	94	12	88.2	5	36.8	Jefferson	333	142	191	235	7	21.0	3	9.0
Mason	467	229	238	204	21	45.0	9	19.3	Rural part	572	457	115	125	18	31.5	10	17.5
Mercer	1,493	716	777	209	115	77.0	55	36.8	Watertown (part)	227	297	-70	76	8	35.2	2	3.8
Rural part	1,041	406	635	256	80	76.8	30	28.8	Watertown (total)	345	160	185	( <sup>5</sup> )	10	( <sup>5</sup> )	8	( <sup>5</sup> )
Bluefield <sup>b</sup>	452	310	142	146	35	77.4	25	55.3	Juneau	371	186	185	199	10	27.0	8	21.6
White	418	235	183	178	30	71.8	22	52.6	Kenosha	346	218	128	159	12	34.7	10	28.9
All other	34	75	-41	( <sup>2</sup> )	5	147.1	3	88.2	Kenosha	927	514	413	180	28	50.2	13	14.0
Mineral	418	217	201	193	31	74.2	21	50.2	Rural part	64	89	-25	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )	( <sup>2</sup> )
Mingo	1,046	285	761	367	50	47.8	43	41.1	Kenosha	863	425	438	203	28	32.4	13	15.1
Monongalia	940	507	433	185	57	60.6	37	39.4	Keweenaw	276	156	120	177	17	61.5	12	43.5
Rural part	642	273	369	235	35	54.5	27	42.1	La Crosse	1,407	714	693	197	38	27.0	32	22.7
Morgantown	298	234	64	127	22	73.8	10	33.6	Rural part	131	148	-17	89	3	22.9	2	15.3
Monroe	272	106	166	257	15	55.1	11	40.4	La Crosse	1,276	566	710	225	35	27.4	30	23.5
Morgan	155	79	76	( <sup>2</sup> )	6	38.7	3	19.4	Lafayette	260	147	113	177	7	26.9	3	11.5
Nicholas	553	163	390	339	29	52.4	19	34.4	Langlade	551	225	306	236	37	69.7	8	15.1
Ohio	1,625	1,082	573	154	84	51.7	66	40.6	Lincoln	504	253	251	199	33	65.5	11	21.8
Rural part	74	108	-34	69	4	54.1	3	40.5	Mantowoc	970	514	456	189	35	36.1	27	27.8
Wheeling	1,551	944	607	164	80	51.6	63	40.6	Rural part	303	184	119	165	13	42.9	8	26.4
Pendleton	237	85	152	( <sup>2</sup> )	12	50.6	11	46.4	Mantowoc	466	247	219	189	12	25.8	10	21.5
Pleasants	136	75	61	( <sup>2</sup> )	4	29.4	3	22.1	Two Rivers	201	83	118	( <sup>2</sup> )	10	49.8	9	44.8
Pocahontas	322	179	143	180	24	74.5	10	31.1	Marathon	1,366	576	790	237	52	38.1	19	13.9
Preston	583	307	276	190	43	73.8	16	27.4	Rural part	596	232	364	257	24	40.3	5	8.4
Putnam	427	155	272	275	19	44.5	13	30.4	Wausau	770	344	426	224	28	35.4	14	18.2
Raleigh	2,320	730	1,590	318	146	62.9	112	48.3	Marinette	527	313	214	168	28	53.1	11	20.9
Randolph	807	335	472	241	42	52.0	35	40.9	Rural part	281	129	152	202	12	46.0	7	26.8
Ritchie	284	150	134	189	16	56.3	6	21.1	Marinette	266	184	82	145	16	60.2	4	15.0
Roane	488	248	240	189	24	51.3	16	34.2	Marquette	114	81	33	( <sup>2</sup> )	1	8.8	2	17.5
Summers	433	181	252	239	27	62.4	10	23.1	Milwaukee	12,286	7,474	4,812	164	468	38.1	210	17.1

# SUMMARY AND RATE TABLES

81

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1939—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births		Number		Excess of births over deaths <sup>1</sup>	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
WISCONSIN—Contd.									WISCONSIN—Contd.								
Portage	660	324	336	204	38	57.6	18	27.3	Winnebago	1,192	929	263	128	52	45.6	24	20.1
Rural part	274	114	160	240	7	25.5	6	21.9	Rural part	510	464	46	110	20	39.2	6	11.8
Stevens Point	386	210	176	184	51	80.3	12	51.1	Oshkosh	682	465	217	147	32	46.9	18	26.4
Price	345	148	197	233	16	46.4	7	20.3	Wood	1,147	428	719	268	45	39.2	26	22.7
Racine	1,469	915	554	161	58	39.5	32	21.8	WYOMING (total)	4,897	2,207	2,690	222	223	45.5	86	17.6
Rural part	276	273	3	101	12	43.5	7	25.4	Albany	278	136	142	204	10	36.0	5	18.0
Racine	1,193	642	551	186	46	39.6	25	21.0	Big Horn	295	96	199	(2)	5	16.9	3	10.2
Richland	447	212	235	211	22	49.2	21	47.0	Campbell	115	55	60	(2)	11	97.3	3	26.5
Rock	1,407	834	573	169	61	43.4	24	17.1	Carbon	242	124	118	195	9	37.2	7	28.9
Rural part	340	276	64	123	11	32.4	7	20.6	Converse	145	56	87	(2)	7	49.0	3	21.0
Beloit	563	288	275	195	29	51.5	12	21.3	Crook	65	32	33	(2)	—	—	1	15.4
Janesville	504	270	234	187	21	41.7	5	9.9	Fremont	324	191	133	170	34	104.9	8	24.7
Rusk	358	148	210	242	11	30.7	7	19.6	Goshen	218	66	152	(2)	6	27.5	1	4.6
St. Croix	568	210	158	175	8	21.7	9	24.5	Hot Springs	87	41	46	(2)	3	34.5	2	23.0
Sauk	576	368	208	157	24	41.7	8	13.9	Johnson	78	35	43	(2)	—	—	3	38.5
Sawyer	265	132	133	201	14	52.8	1	3.8	Laramie	585	263	300	206	30	51.5	14	24.0
Shawano	728	366	362	199	41	56.3	13	17.9	Rural part	90	32	58	(2)	1	11.1	1	11.1
Sheboygan	1,331	765	566	174	38	28.5	27	20.3	Cheyenne	493	251	242	196	29	58.8	13	26.4
Rural part	339	268	71	126	9	26.5	4	11.8	Lincoln	239	76	161	(2)	11	46.0	3	12.6
Sheboygan	992	497	495	200	29	29.2	23	23.2	Natrona	484	210	274	230	20	41.3	7	14.5
Taylor	411	148	263	278	13	31.6	5	12.2	Rural part	37	14	23	(2)	1	27.0	—	—
Trempealeau	436	211	225	207	21	48.2	1	2.3	Casper	447	196	251	228	19	42.5	7	15.7
Vernon	523	251	272	208	22	42.1	11	21.0	Niobrara	128	52	76	(2)	8	62.5	1	7.8
Vilas	110	69	41	(2)	3	27.5	2	18.2	Park	232	85	147	(2)	9	58.8	4	17.2
Walworth	401	365	36	110	13	32.4	7	17.5	Platte	154	76	76	(2)	9	58.4	3	19.5
Washburn	213	92	121	(2)	9	42.5	5	23.5	Sheridan	377	202	175	187	14	37.1	4	10.6
Washington	460	314	146	148	26	56.5	12	26.1	Sublette	16	5	11	(2)	—	—	—	—
Waukesha	865	619	246	140	27	31.2	19	22.0	Sweetwater	379	156	223	243	12	31.7	10	26.4
Rural part	329	405	-76	81	11	33.4	3	9.1	Teton	68	18	50	(2)	2	29.4	—	—
Waukesha	536	214	322	250	16	29.9	16	29.9	Winta	105	109	-4	96	8	76.2	2	19.0
Waupaca	477	359	118	133	20	41.9	14	29.4	Washakie	167	52	115	(2)	8	47.9	—	—
Waushara	179	134	45	134	6	33.5	4	22.3	Weston	115	46	69	(2)	7	60.9	2	17.4
									Yellowstone National Park (part)	7	3	4	(2)	—	—	—	—

<sup>1</sup> A minus sign (-) indicates an excess of deaths over births.

<sup>2</sup> Rate is not computed when the number of deaths is less than 100.

<sup>3</sup> Rate over 300 is not shown.

<sup>4</sup> Includes data for Texarkana, Ark., only.

<sup>5</sup> Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures and rates for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County.

<sup>6</sup> Rate was not computed.

<sup>7</sup> Beginning with 1939, data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York (city).

<sup>8</sup> The allocations of the number of births and deaths between Oklahoma City and the rural part of Oklahoma County in 1939 are inconsistent with those of preceding years. However, total figures for the county are consistent.

<sup>9</sup> Includes data for Bristol, Tenn., only.

<sup>10</sup> Includes data for Texarkana, Tex., only.

<sup>11</sup> Cities of Virginia are independent, each having the same status as a county. Cities having populations of 10,000 or more include: Charlottesville, Alexandria, Staunton, Lynchburg, Petersburg, Winchester, Richmond, Suffolk, Norfolk, Portsmouth, Danville, Hopewell, Roanoke, and Newport News.

<sup>12</sup> Includes data for Bristol, Va., only.

<sup>13</sup> Includes data for Bluefield, W. Va., only.

---

---

**GENERAL NATALITY AND MORTALITY TABLES**

---

---

# GENERAL TABLES—LIVE BIRTHS

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	2,265,586	192,416	176,904	196,123	182,990	182,774	181,809	200,553	203,754	197,814	193,120	177,396	179,935
Cities of 10,000 or more	653,583	55,253	50,721	56,312	52,139	52,033	53,442	59,017	58,232	56,106	55,515	51,368	53,445
Cities of 25,000 to 100,000	273,186	22,826	21,107	23,244	21,686	21,760	22,054	24,308	24,614	23,825	23,407	21,860	22,492
Cities of 10,000 to 25,000	200,634	16,668	15,559	16,923	15,856	16,139	16,180	18,061	18,192	17,761	17,319	15,854	16,122
Cities of 2,500 to 10,000	255,106	21,533	19,584	21,832	19,985	20,241	20,287	22,323	22,947	22,233	22,515	20,880	20,741
Rural	883,079	76,136	69,933	77,812	73,324	72,501	69,846	76,839	79,769	77,886	74,364	67,434	67,135
ALABAMA	61,385	5,304	4,610	5,460	5,000	4,843	4,670	5,281	5,607	5,401	5,118	4,908	4,983
Cities of 100,000 or more	5,503	445	415	454	457	397	422	474	522	512	489	441	475
Cities of 25,000 to 100,000	3,207	279	246	277	200	232	209	236	317	275	313	271	302
Cities of 10,000 to 25,000	4,920	395	354	401	357	364	386	423	461	446	448	424	456
Cities of 2,500 to 10,000	4,408	377	340	374	372	330	323	405	402	387	360	353	380
Rural	43,347	3,808	3,455	3,954	3,614	3,520	3,325	3,688	3,905	3,781	3,508	3,419	3,370
ARIZONA	10,928	898	826	971	848	864	847	1,002	886	961	958	916	951
Cities of 25,000 to 100,000	4,047	325	321	353	290	276	328	412	318	350	345	366	363
Cities of 10,000 to 25,000	2,871	239	214	266	224	235	214	252	224	259	263	246	235
Rural	4,010	334	291	352	334	353	305	338	344	352	350	304	353
ARKANSAS	35,565	3,267	2,887	3,140	2,820	2,663	2,767	3,278	3,591	3,386	3,102	2,548	2,116
Cities of 25,000 to 100,000	2,749	213	227	234	191	173	210	213	284	292	252	235	225
Cities of 10,000 to 25,000	2,307	214	186	194	157	130	196	215	238	217	212	175	173
Cities of 2,500 to 10,000	3,633	329	285	356	245	258	268	362	388	378	372	297	285
Rural	26,676	2,511	2,189	2,356	2,227	2,102	2,093	2,488	2,681	2,499	2,266	1,841	1,423
CALIFORNIA	103,453	8,300	7,475	8,550	8,321	8,495	8,713	8,999	9,418	8,960	8,971	8,560	8,691
Cities of 100,000 or more	41,390	3,323	3,047	3,509	3,351	3,383	3,513	3,605	3,705	3,572	3,582	3,429	3,371
Cities of 25,000 to 100,000	15,474	1,242	1,123	1,233	1,268	1,268	1,248	1,308	1,434	1,325	1,363	1,261	1,334
Cities of 10,000 to 25,000	8,477	695	639	642	726	672	707	746	741	734	697	727	750
Cities of 2,500 to 10,000	14,659	1,188	1,059	1,211	1,119	1,250	1,284	1,288	1,545	1,290	1,344	1,253	1,207
Rural	23,273	1,850	1,507	1,905	1,857	1,905	1,861	2,052	2,193	2,039	1,985	1,890	2,029
COLORADO	20,692	1,735	1,498	1,834	1,699	1,786	1,777	1,886	1,831	1,678	1,701	1,578	1,689
Cities of 100,000 or more	6,432	539	481	565	530	554	538	551	567	528	538	482	559
Cities of 25,000 to 100,000	1,759	128	119	149	133	157	153	159	152	148	173	132	156
Cities of 10,000 to 25,000	1,508	149	102	144	124	141	117	129	126	122	101	134	119
Cities of 2,500 to 10,000	3,352	298	250	270	279	298	269	332	264	292	267	275	258
Rural	7,641	621	546	706	653	636	700	715	722	586	622	555	597
CONNECTICUT	23,463	1,995	1,822	2,027	1,968	1,932	2,004	2,175	2,041	1,960	1,892	1,855	1,792
Cities of 100,000 or more	10,167	847	779	864	879	813	881	962	859	799	854	826	804
Cities of 25,000 to 100,000	7,442	626	567	650	645	605	620	682	677	651	572	550	591
Cities of 10,000 to 25,000	2,755	235	219	239	191	243	248	232	222	238	222	212	204
Cities of 2,500 to 10,000	1,312	112	94	123	110	106	110	109	127	138	99	97	87
Rural	1,787	175	163	151	145	167	145	140	156	154	145	140	106
DELAWARE	4,384	392	361	401	353	354	316	366	403	394	363	333	368
Cities of 100,000 or more	2,551	217	206	253	190	186	177	204	235	225	225	202	231
Cities of 2,500 to 10,000	475	40	33	40	39	45	37	40	38	47	44	34	39
Rural	1,358	135	122	108	124	103	102	122	130	122	94	97	99
DISTRICT OF COLUMBIA	14,037	1,173	1,085	1,176	1,059	1,088	1,132	1,293	1,262	1,231	1,195	1,129	1,234
FLORIDA	32,328	2,912	2,553	2,679	2,420	2,226	2,129	2,719	2,917	2,998	3,039	2,754	2,982
Cities of 100,000 or more	7,684	694	564	570	580	530	490	650	714	752	744	657	739
Cities of 25,000 to 100,000	3,053	274	243	259	230	190	222	228	280	296	271	260	300
Cities of 10,000 to 25,000	2,208	175	193	165	149	168	143	192	204	219	209	188	203
Cities of 2,500 to 10,000	5,562	481	432	458	361	362	387	491	497	492	559	518	524
Rural	13,821	1,288	1,121	1,227	1,100	976	887	1,158	1,222	1,239	1,256	1,131	1,216
GEORGIA	64,781	5,434	4,963	5,716	5,569	5,169	4,686	5,647	5,719	5,864	5,720	5,218	5,076
Cities of 100,000 or more	7,052	604	521	584	613	538	535	672	628	593	604	580	580
Cities of 25,000 to 100,000	6,206	504	439	489	475	504	435	533	563	557	586	547	574
Cities of 10,000 to 25,000	3,804	323	302	322	290	275	264	342	340	377	340	321	308
Cities of 2,500 to 10,000	6,422	626	539	554	522	501	464	528	530	593	551	530	484
Rural	41,297	3,377	3,162	3,767	3,669	3,351	2,988	3,572	3,658	3,744	3,639	3,240	3,130
IDAHO	11,068	928	822	962	950	934	936	911	1,005	944	971	856	851
Cities of 10,000 to 25,000	1,644	125	113	152	158	134	139	135	150	139	138	119	142
Cities of 2,500 to 10,000	5,138	449	363	451	435	434	457	419	479	420	432	407	392
Rural	4,286	354	346	359	357	366	340	357	374	385	401	330	317
ILLINOIS	117,841	10,136	9,402	10,150	9,440	9,552	9,546	10,536	10,618	10,287	10,039	8,991	9,144
Cities of 100,000 or more	51,614	4,355	4,099	4,525	4,253	4,321	4,293	4,653	4,516	4,392	4,184	3,909	4,114
Cities of 25,000 to 100,000	21,191	1,777	1,652	1,809	1,624	1,712	1,699	1,894	1,928	1,855	1,889	1,634	1,718
Cities of 10,000 to 25,000	10,243	846	811	887	813	782	838	881	973	909	907	791	805
Cities of 2,500 to 10,000	11,490	1,036	875	989	873	844	893	1,058	1,077	1,021	1,033	893	898
Rural	23,303	2,122	1,965	1,940	1,877	1,893	1,823	2,050	2,124	2,110	2,026	1,764	1,609
INDIANA	58,349	5,069	4,711	4,990	4,594	4,647	4,616	5,278	5,305	5,132	4,960	4,404	4,643
Cities of 100,000 or more	15,005	1,381	1,224	1,284	1,141	1,163	1,218	1,356	1,373	1,292	1,289	1,125	1,159
Cities of 25,000 to 100,000	10,242	868	790	855	788	831	794	968	937	903	884	803	821
Cities of 10,000 to 25,000	5,593	490	480	455	423	445	448	485	501	513	487	427	439
Cities of 2,500 to 10,000	7,030	618	591	598	574	574	515	624	611	608	603	536	578
Rural	20,479	1,712	1,626	1,798	1,668	1,634	1,641	1,845	1,883	1,816	1,697	1,513	1,646

## VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IOWA	43,765	3,801	3,519	3,807	3,441	3,620	3,485	3,834	3,955	3,731	3,760	3,370	3,442
Cities of 100,000 or more	3,534	318	272	275	262	261	250	297	296	261	272	287	283
Cities of 25,000 to 100,000	9,021	781	763	779	648	736	703	802	815	783	811	681	719
Cities of 10,000 to 25,000	6,232	530	422	540	514	542	496	548	561	568	513	484	514
Cities of 2,500 to 10,000	7,963	675	655	713	656	666	632	717	730	649	672	614	584
Rural	17,215	1,497	1,407	1,500	1,361	1,415	1,404	1,470	1,553	1,470	1,492	1,304	1,342
KANSAS	29,115	2,629	2,413	2,476	2,237	2,216	2,305	2,605	2,533	2,544	2,552	2,308	2,297
Cities of 100,000 or more	4,589	430	385	383	320	318	365	416	422	406	411	361	372
Cities of 25,000 to 100,000	2,152	188	173	152	157	148	173	195	184	205	187	175	215
Cities of 10,000 to 25,000	4,761	423	406	413	321	333	382	435	423	414	448	374	389
Cities of 2,500 to 10,000	5,355	433	411	433	405	410	437	501	474	474	487	435	465
Rural	12,258	1,155	1,038	1,095	1,034	1,007	948	1,058	1,030	1,045	1,019	963	866
KENTUCKY	60,587	5,256	4,891	5,547	5,137	4,960	4,693	5,121	5,420	5,363	5,010	4,585	4,604
Cities of 100,000 or more	5,674	467	444	511	438	462	403	556	552	540	540	495	466
Cities of 25,000 to 100,000	4,311	401	380	352	348	362	306	399	374	340	340	356	323
Cities of 10,000 to 25,000	2,056	159	160	205	147	157	145	162	191	188	168	177	177
Cities of 2,500 to 10,000	4,768	401	356	398	387	309	389	421	428	471	419	394	415
Rural	43,578	3,828	3,551	4,061	3,817	3,670	3,470	3,563	3,875	3,774	3,543	3,163	3,223
LOUISIANA	48,844	4,303	3,828	3,984	3,551	3,214	3,412	4,143	4,657	4,686	4,662	4,227	4,197
Cities of 100,000 or more	10,805	942	811	827	703	660	798	950	1,051	1,104	1,103	957	899
Cities of 25,000 to 100,000	4,917	390	364	372	371	340	341	432	499	506	463	412	425
Cities of 10,000 to 25,000	2,340	184	158	192	174	134	145	240	248	254	193	195	223
Cities of 2,500 to 10,000	4,892	444	362	444	354	318	325	379	424	447	501	527	501
Rural	25,890	2,343	2,133	2,239	1,965	1,770	1,803	2,142	2,435	2,373	2,402	2,136	2,149
MAINE	14,987	1,213	1,226	1,369	1,210	1,267	1,295	1,403	1,343	1,224	1,252	1,063	1,122
Cities of 25,000 to 100,000	3,439	299	279	304	281	285	280	268	340	300	285	243	275
Cities of 10,000 to 25,000	1,580	112	123	143	127	134	123	177	133	124	147	117	120
Cities of 2,500 to 10,000	2,267	175	189	219	174	191	163	233	194	173	192	164	180
Rural	7,701	627	635	703	628	657	709	725	676	627	628	539	547
MARYLAND	28,291	2,490	2,369	2,443	2,110	2,246	2,296	2,603	2,492	2,419	2,362	2,199	2,262
Cities of 100,000 or more	14,888	1,275	1,236	1,261	1,114	1,152	1,168	1,393	1,306	1,252	1,289	1,193	1,249
Cities of 25,000 to 100,000	1,816	155	149	166	155	114	134	185	175	153	142	138	150
Cities of 10,000 to 25,000	1,018	86	78	93	62	93	89	90	89	91	89	78	82
Cities of 2,500 to 10,000	1,856	158	162	146	135	152	158	165	160	158	149	153	120
Rural	8,733	816	744	777	644	735	749	770	742	765	693	637	661
MASSACHUSETTS	63,657	5,278	4,879	5,583	5,260	5,220	5,428	5,689	5,573	5,458	5,334	4,968	4,987
Cities of 100,000 or more	32,531	2,706	2,453	2,907	2,641	2,658	2,808	2,926	2,894	2,749	2,735	2,532	2,522
Cities of 25,000 to 100,000	14,180	1,160	1,127	1,254	1,172	1,149	1,197	1,283	1,229	1,193	1,182	1,095	1,139
Cities of 10,000 to 25,000	11,014	954	842	909	962	945	969	948	1,004	908	811	853	811
Cities of 2,500 to 10,000	3,674	273	283	317	278	314	308	294	296	313	339	357	302
Rural	2,258	185	174	196	207	190	170	217	206	199	170	173	171
MICHIGAN	94,418	8,139	7,381	8,256	7,619	7,966	7,957	8,356	8,337	8,092	7,847	7,143	7,325
Cities of 100,000 or more	34,423	3,030	2,729	3,120	2,756	2,920	2,841	3,007	2,968	2,875	2,776	2,638	2,763
Cities of 25,000 to 100,000	19,199	1,606	1,493	1,700	1,524	1,617	1,628	1,645	1,681	1,651	1,625	1,492	1,535
Cities of 10,000 to 25,000	7,635	687	585	645	618	681	631	692	664	607	607	580	601
Cities of 2,500 to 10,000	9,168	766	700	743	728	765	800	814	805	814	795	719	699
Rural	23,993	2,068	1,874	2,048	1,993	1,960	2,057	2,198	2,202	2,088	2,044	1,714	1,727
MINNESOTA	50,237	4,108	3,915	4,495	4,186	4,347	4,143	4,366	4,403	4,188	4,293	3,886	3,907
Cities of 100,000 or more	16,586	1,387	1,280	1,469	1,358	1,361	1,422	1,455	1,439	1,382	1,435	1,249	1,349
Cities of 25,000 to 100,000	5,220	418	437	441	436	454	419	464	470	418	460	396	407
Cities of 10,000 to 25,000	8,057	615	609	714	676	727	640	685	740	689	677	668	617
Rural	20,374	1,688	1,589	1,871	1,716	1,805	1,662	1,762	1,754	1,699	1,721	1,573	1,534
MISSISSIPPI	51,721	4,607	4,063	4,567	4,104	4,026	3,792	4,461	4,760	4,772	4,370	4,012	4,187
Cities of 25,000 to 100,000	1,891	149	147	147	132	140	119	162	191	194	182	157	171
Cities of 10,000 to 25,000	4,064	331	304	340	266	249	260	362	365	407	364	354	354
Cities of 2,500 to 10,000	2,464	169	167	168	173	176	166	240	267	261	223	206	228
Rural	43,302	3,958	3,445	3,912	3,533	3,461	3,227	3,697	3,860	3,932	3,558	3,265	3,434
MISSOURI	58,876	5,160	4,752	5,056	4,420	4,443	4,613	5,274	5,464	5,224	5,103	4,717	4,650
Cities of 100,000 or more	20,627	1,826	1,637	1,736	1,483	1,413	1,541	1,923	1,919	1,862	1,816	1,687	1,784
Cities of 25,000 to 100,000	3,168	269	257	262	247	235	266	252	276	269	267	267	261
Cities of 10,000 to 25,000	2,941	239	247	260	182	218	237	262	271	270	258	261	236
Cities of 2,500 to 10,000	6,886	618	539	590	493	506	500	578	658	615	604	575	610
Rural	25,254	2,208	2,072	2,208	2,015	2,071	2,069	2,259	2,340	2,208	2,136	1,927	1,739
MONTANA	10,897	895	797	874	937	953	1,013	911	951	910	952	867	837
Cities of 25,000 to 100,000	1,636	134	129	113	157	118	173	141	138	133	150	117	133
Cities of 10,000 to 25,000	2,289	178	146	194	204	218	220	186	192	202	199	176	174
Cities of 2,500 to 10,000	2,136	178	160	161	193	172	205	159	193	173	192	164	166
Rural	4,836	405	362	406	383	445	415	425	428	402	411	390	364
NEBRASKA	22,338	1,863	1,747	1,966	1,748	1,879	1,785	1,925	1,956	1,906	1,875	1,864	1,824
Cities of 100,000 or more	4,414	397	350	430	331	366	337	358	387	360	342	379	337
Cities of 25,000 to 100,000	1,450	127	113	136	106	120	119	113	136	122	134	113	111
Cities of 10,000 to 25,000	2,165	152	157	171	154	192	195	203	196	192	184	188	179
Cities of 2,500 to 10,000	3,254	268	236	267	262	266	264	296	287	303	290	223	223
Rural	11,057	919	891	962	895	915	870	955	950	909	923	894	974
NEVADA	1,940	150	165	188	146	151	154	169	161	156	181	151	168
Cities of 10,000 to 25,000	290	19	18	30	19	22	23	27	27	30	26	24	25
Cities of 2,500 to 10,000	491	32	44	46	44	43	35	49	37	35	48	34	44
Rural	1,159	99	103	112	83	86	96	93	97	91	107	93	99

GENERAL TABLES—LIVE BIRTHS

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE	7,934	571	564	684	652	657	686	746	751	725	683	590	625
Cities of 25,000 to 100,000	2,428	183	185	202	196	202	193	256	233	223	211	175	189
Cities of 10,000 to 25,000	2,106	131	138	182	175	185	189	198	203	195	184	170	156
Cities of 2,500 to 10,000	955	73	79	91	78	77	84	78	82	94	86	61	72
Rural	2,445	184	162	209	203	183	220	234	233	213	202	184	208
NEW JERSEY	56,379	4,724	4,384	4,958	4,519	4,661	4,606	5,215	5,092	4,834	4,661	4,301	4,424
Cities of 100,000 or more	26,218	2,283	2,046	2,308	2,079	2,101	2,097	2,348	2,427	2,273	2,159	2,006	2,091
Cities of 25,000 to 100,000	11,503	950	878	1,004	1,001	992	980	1,043	1,002	990	906	891	866
Cities of 10,000 to 25,000	9,041	680	713	800	704	720	755	865	822	810	797	645	730
Cities of 2,500 to 10,000	4,324	358	325	385	319	387	338	403	378	352	381	343	355
Rural	5,293	453	422	461	416	461	436	556	463	409	418	416	382
NEW MEXICO	14,215	1,106	1,185	1,233	1,226	1,272	1,180	1,262	1,231	1,242	1,212	1,053	1,033
Cities of 25,000 to 100,000	980	84	104	62	85	77	79	53	95	89	93	74	85
Cities of 10,000 to 25,000	1,034	81	79	72	89	94	91	97	99	92	90	73	77
Cities of 2,500 to 10,000	3,209	259	281	281	283	263	263	286	268	282	257	244	262
Rural	8,992	682	701	818	789	838	747	828	769	779	772	662	609
NEW YORK	187,575	15,406	14,675	16,405	15,516	15,582	15,863	17,249	16,324	15,534	15,518	14,396	15,107
Cities of 100,000 or more	127,416	10,476	10,018	11,119	10,494	10,544	10,701	11,588	11,043	10,632	10,555	9,790	10,466
Cities of 25,000 to 100,000	15,214	1,245	1,209	1,334	1,253	1,246	1,305	1,468	1,300	1,246	1,260	1,158	1,192
Cities of 10,000 to 25,000	15,327	1,321	1,149	1,344	1,270	1,294	1,283	1,444	1,328	1,256	1,263	1,210	1,165
Cities of 2,500 to 10,000	10,078	842	777	890	857	866	843	902	886	793	830	772	820
Rural	19,540	1,522	1,522	1,718	1,652	1,632	1,733	1,847	1,767	1,607	1,610	1,466	1,464
NORTH CAROLINA	79,149	6,526	5,890	6,707	6,707	6,565	6,251	6,747	7,295	7,188	6,732	6,289	6,272
Cities of 25,000 to 100,000	11,077	912	821	892	866	841	916	967	1,055	951	946	916	974
Cities of 10,000 to 25,000	5,033	415	384	406	392	393	399	450	459	462	425	428	430
Cities of 2,500 to 10,000	7,371	546	549	604	583	583	581	661	711	686	667	600	600
Rural	55,668	4,653	4,136	4,805	4,846	4,758	4,335	4,669	5,070	5,069	4,694	4,345	4,268
NORTH DAKOTA	13,158	1,119	998	1,166	1,058	1,138	1,149	1,152	1,180	1,098	1,122	967	1,011
Cities of 25,000 to 100,000	1,102	102	77	105	85	94	106	98	89	76	106	78	84
Cities of 10,000 to 25,000	1,977	169	150	169	174	148	179	172	168	167	185	153	143
Cities of 2,500 to 10,000	2,159	173	171	207	189	181	183	183	172	172	164	159	185
Rural	7,940	675	600	685	610	715	679	699	751	683	667	577	599
OHIO	109,272	9,139	8,656	9,424	8,994	9,103	8,949	9,812	9,805	9,455	9,110	8,428	8,397
Cities of 100,000 or more	49,012	4,228	3,855	4,185	3,994	3,876	4,135	4,471	4,415	4,172	4,110	3,818	3,751
Cities of 25,000 to 100,000	14,005	1,118	1,080	1,202	1,192	1,136	1,127	1,279	1,223	1,233	1,183	1,132	1,120
Cities of 10,000 to 25,000	9,437	745	757	865	775	828	734	791	880	809	794	728	731
Cities of 2,500 to 10,000	8,722	685	648	743	729	758	713	766	781	726	770	709	694
Rural	28,096	2,363	2,336	2,429	2,304	2,503	2,240	2,505	2,506	2,515	2,253	2,041	2,101
OKLAHOMA	43,471	3,817	3,389	3,585	3,281	3,152	3,220	3,842	4,057	3,978	3,970	3,583	3,597
Cities of 100,000 or more	7,022	621	534	546	539	496	515	654	667	596	661	577	616
Cities of 25,000 to 100,000	1,375	124	100	80	97	94	111	101	145	138	136	121	118
Cities of 10,000 to 25,000	4,650	454	372	439	302	314	309	402	440	401	449	396	372
Cities of 2,500 to 10,000	8,584	772	706	793	652	571	689	721	795	731	753	710	689
Rural	21,840	1,846	1,675	1,717	1,691	1,677	1,596	1,964	2,010	2,112	1,971	1,779	1,802
OREGON	16,715	1,443	1,243	1,346	1,364	1,456	1,535	1,475	1,506	1,369	1,349	1,277	1,352
Cities of 100,000 or more	5,567	439	366	430	502	471	470	493	486	451	422	381	456
Cities of 25,000 to 100,000	762	69	56	60	60	65	75	56	75	56	72	63	55
Cities of 10,000 to 25,000	2,231	192	184	184	157	203	203	206	217	174	175	177	179
Cities of 2,500 to 10,000	4,215	360	311	346	332	349	402	385	380	362	356	334	338
Rural	4,140	383	326	346	313	368	385	355	348	326	344	322	324
PENNSYLVANIA	161,049	13,627	12,662	14,085	13,178	12,975	13,133	14,682	14,072	13,747	13,465	12,469	12,974
Cities of 100,000 or more	50,965	4,147	4,007	4,530	4,152	4,107	4,267	4,804	4,386	4,350	4,223	3,877	4,113
Cities of 25,000 to 100,000	24,021	2,118	1,852	2,117	1,925	1,914	1,940	2,197	2,111	1,962	1,948	1,979	1,958
Cities of 10,000 to 25,000	20,907	1,782	1,702	1,708	1,747	1,669	1,656	1,925	1,839	1,846	1,797	1,593	1,645
Cities of 2,500 to 10,000	21,380	1,857	1,702	1,869	1,731	1,694	1,706	1,886	1,856	1,810	1,859	1,715	1,685
Rural	43,778	3,725	3,399	3,625	3,625	3,591	3,564	3,670	3,680	3,789	3,636	3,305	3,373
RHODE ISLAND	10,444	881	762	896	855	833	658	975	906	856	903	822	893
Cities of 100,000 or more	5,600	466	398	505	430	465	445	513	517	457	479	440	487
Cities of 25,000 to 100,000	3,402	288	242	272	298	253	307	313	276	292	296	272	293
Cities of 10,000 to 25,000	822	66	72	73	81	72	69	83	62	61	76	49	59
Cities of 2,500 to 10,000	177	17	13	12	15	15	12	11	12	16	16	14	21
Rural	443	44	37	34	30	28	28	55	41	30	36	47	33
SOUTH CAROLINA	42,811	3,435	3,143	3,551	3,843	3,550	3,288	3,539	3,923	3,921	3,717	3,402	3,399
Cities of 25,000 to 100,000	5,334	394	418	428	436	391	386	467	476	494	483	476	485
Cities of 10,000 to 25,000	2,077	190	140	149	176	187	173	173	191	184	175	170	165
Cities of 2,500 to 10,000	3,883	315	283	310	325	320	263	361	370	380	347	312	292
Rural	31,517	2,536	2,302	2,664	2,906	2,652	2,457	2,636	2,886	2,863	2,712	2,444	2,457
SOUTH DAKOTA	11,616	987	913	1,025	901	989	989	971	1,016	1,000	996	919	910
Cities of 25,000 to 100,000	894	84	69	82	48	90	64	76	83	99	65	62	74
Cities of 10,000 to 25,000	2,062	160	174	174	163	175	184	177	175	156	189	167	158
Cities of 2,500 to 10,000	1,506	155	111	123	122	124	125	115	124	123	125	120	139
Rural	7,164	588	559	646	568	600	616	603	634	622	619	570	539
TENNESSEE	53,353	4,529	4,201	4,710	4,271	4,323	4,070	4,721	4,969	4,715	4,562	4,080	4,202
Cities of 100,000 or more	14,554	1,249	1,084	1,196	1,104	1,025	1,049	1,283	1,413	1,312	1,337	1,187	1,315
Cities of 25,000 to 100,000	581	42	36	69	39	57	47	52	56	49	48	36	50
Cities of 10,000 to 25,000	1,117	105	74	84	62	96	86	109	121	109	90	85	96
Cities of 2,500 to 10,000	4,942	390	400	458	354	384	373	438	438	425	454	416	412
Rural	32,159	2,743	2,607	2,903	2,712	2,761	2,515	2,839	2,941	2,820	2,633	2,356	2,329

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS	121,049	10,649	9,351	9,930	9,003	8,485	8,847	10,362	11,528	11,146	11,078	10,409	10,281
Cities of 100,000 or more	27,163	2,569	2,018	2,153	1,858	1,833	1,913	2,390	2,593	2,569	2,599	2,411	2,457
Cities of 25,000 to 100,000	11,825	1,007	911	910	815	743	836	995	1,157	1,192	1,128	1,111	1,020
Cities of 10,000 to 25,000	8,180	661	611	617	623	574	610	698	776	787	746	755	722
Cities of 2,500 to 10,000	16,557	1,620	1,295	1,511	1,309	1,294	1,373	1,541	1,734	1,686	1,798	1,698	1,696
Rural	55,324	4,992	4,496	4,739	4,398	4,041	4,115	4,738	5,268	4,912	4,807	4,434	4,384
UTAH	15,007	1,006	978	1,186	1,186	1,146	1,103	1,038	1,139	1,095	1,143	998	989
Cities of 100,000 or more	3,963	313	317	340	362	349	376	329	339	331	324	291	292
Cities of 25,000 to 100,000	1,367	98	97	135	127	108	122	123	120	113	125	100	99
Cities of 10,000 to 25,000	447	25	26	32	45	45	23	29	38	45	58	36	45
Cities of 2,500 to 10,000	3,344	271	251	503	505	297	261	273	297	277	290	258	261
Rural	3,866	299	287	376	347	347	321	284	345	329	346	313	292
VERMONT	6,375	492	513	556	507	570	522	593	570	555	549	484	484
Cities of 10,000 to 25,000	1,784	118	134	149	143	160	170	166	156	137	181	128	122
Cities of 2,500 to 10,000	1,789	134	139	153	133	148	137	148	157	170	142	138	163
Rural	2,822	240	240	254	231	273	204	252	257	228	226	218	199
VIRGINIA	52,921	4,631	4,182	4,496	4,406	4,355	4,428	4,574	4,601	4,686	4,426	3,987	4,147
Cities of 100,000 or more	6,181	541	495	506	468	445	559	552	519	550	533	471	542
Cities of 25,000 to 100,000	4,912	412	380	379	401	396	403	462	446	419	401	382	431
Cities of 10,000 to 25,000	2,744	218	214	218	200	213	246	241	253	259	247	208	227
Cities of 2,500 to 10,000	3,943	349	288	325	326	345	316	324	377	352	342	287	312
Rural	35,141	3,111	2,805	3,068	3,011	2,956	2,904	2,995	3,006	3,108	2,903	2,639	2,635
WASHINGTON	26,538	2,205	2,103	2,269	2,203	2,294	2,215	2,395	2,412	2,232	2,143	2,039	2,030
Cities of 100,000 or more	10,797	890	868	878	933	932	930	955	977	921	897	812	804
Cities of 25,000 to 100,000	1,541	125	141	130	112	131	137	128	142	134	113	115	133
Cities of 10,000 to 25,000	5,067	412	365	439	421	431	417	481	485	423	411	416	366
Cities of 2,500 to 10,000	2,794	259	217	239	197	234	242	246	247	207	236	244	226
Rural	6,339	517	512	583	540	566	489	585	561	547	486	452	501
WEST VIRGINIA	41,545	3,695	3,366	3,827	3,359	3,482	3,392	3,487	3,614	3,628	3,436	3,122	3,137
Cities of 25,000 to 100,000	6,362	572	485	578	491	528	528	529	534	529	546	520	522
Cities of 10,000 to 25,000	1,746	156	139	142	129	154	148	171	144	176	142	119	126
Cities of 2,500 to 10,000	3,839	334	353	338	305	309	321	327	341	339	317	282	273
Rural	29,598	2,633	2,389	2,769	2,434	2,491	2,395	2,460	2,595	2,584	2,431	2,201	2,216
WISCONSIN	54,168	4,591	4,216	5,003	4,482	4,722	4,629	4,925	4,683	4,559	4,372	3,979	4,007
Cities of 100,000 or more	9,821	875	697	913	795	823	855	936	835	785	793	749	765
Cities of 25,000 to 100,000	11,951	1,002	885	1,098	999	1,075	1,035	1,105	1,068	1,010	907	884	883
Cities of 10,000 to 25,000	4,873	404	424	443	381	429	387	424	414	417	413	342	395
Cities of 2,500 to 10,000	8,199	676	629	756	683	692	672	711	737	676	713	605	649
Rural	19,324	1,634	1,561	1,793	1,624	1,703	1,680	1,749	1,629	1,671	1,546	1,399	1,315
WYOMING	4,897	404	410	434	372	423	406	460	472	396	391	392	335
Cities of 10,000 to 25,000	940	83	76	79	73	92	72	87	94	77	64	65	80
Cities of 2,500 to 10,000	1,213	89	106	116	102	97	106	116	109	82	115	100	75
Rural	2,744	232	228	239	197	234	228	257	269	239	212	229	180

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

AREA	Total births	WHITE									Negro	Other races	
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign			Father unknown
UNITED STATES	2,265,588	1,982,671	1,745,502	92,270	31,624	46,249	63,194	794	1,118	66	1,854	270,060	12,857
Cities of 100,000 or more	653,583	585,873	464,732	47,368	11,506	23,752	37,791	455	118	21	182	65,409	2,301
Cities of 25,000 to 100,000	273,186	251,303	219,115	13,041	3,915	6,963	7,783	112	100	15	259	21,200	683
Cities of 10,000 to 25,000	200,634	187,577	167,936	8,058	2,863	4,201	4,216	66	104	8	125	12,557	500
Cities of 2,500 to 10,000	255,106	238,237	218,512	7,797	3,070	4,442	4,442	55	158	5	195	15,626	1,243
Rural	883,079	719,661	675,207	16,008	10,270	7,330	8,962	106	639	17	1,143	155,266	8,130
ALABAMA	61,385	37,883	36,940	137	667	52	33	33	33	33	21	23,482	20
Cities of 100,000 or more	5,503	3,342	3,140	55	107	18	19	19	19	19	3	2,160	1
Cities of 25,000 to 100,000	3,207	2,066	1,960	28	57	13	7	7	7	7	1	1,137	4
Cities of 10,000 to 25,000	4,920	3,536	3,458	19	48	5	3	3	3	3	1	1,384	—
Cities of 2,500 to 10,000	4,408	3,176	3,101	5	61	4	4	4	4	4	1	1,250	2
Rural	43,347	25,763	25,281	30	394	12	4	4	4	4	15	17,571	13
ARIZONA	10,928	9,697	7,512	852	77	487	749	8	8	1	5	244	987
Cities of 25,000 to 100,000	4,047	3,853	3,131	288	38	191	195	4	5	—	1	140	54
Cities of 10,000 to 25,000	2,871	2,793	2,047	278	26	158	279	3	3	—	1	52	26
Rural	4,010	3,051	2,866	15	138	275	1	1	1	—	1	52	907
ARKANSAS	35,565	27,132	26,451	56	384	25	17	17	125	1	73	8,428	5
Cities of 25,000 to 100,000	2,749	2,333	2,239	8	78	2	2	2	3	—	1	415	1
Cities of 10,000 to 25,000	2,307	1,871	1,818	8	32	1	1	1	9	—	2	436	—
Cities of 2,500 to 10,000	3,833	3,133	3,057	13	41	5	3	3	10	—	4	699	1
Rural	26,576	19,795	19,337	27	233	17	11	11	105	—	66	6,878	3
CALIFORNIA	103,453	98,559	78,637	8,176	620	4,384	6,680	42	14	—	6	1,780	3,114
Cities of 100,000 or more	41,390	38,819	30,339	3,399	347	2,173	2,532	22	4	—	5	1,234	1,337
Cities of 25,000 to 100,000	15,474	14,656	12,206	1,183	54	605	800	7	2	—	—	133	485
Cities of 10,000 to 25,000	8,477	8,322	7,018	537	26	323	414	3	1	—	—	36	119
Cities of 2,500 to 10,000	14,839	14,446	11,821	1,071	43	528	979	3	3	—	—	46	347
Rural	23,273	22,116	17,254	1,986	150	755	1,955	7	7	—	—	331	826
COLORADO	20,692	20,440	18,699	791	280	213	418	4	22	2	11	162	90
Cities of 100,000 or more	6,432	6,304	5,734	247	156	78	81	3	4	—	—	113	15
Cities of 25,000 to 100,000	1,759	1,729	1,617	57	17	8	28	—	1	—	—	30	—
Cities of 10,000 to 25,000	1,508	1,498	1,409	46	10	17	16	—	—	—	—	7	3
Cities of 2,500 to 10,000	3,352	3,342	3,070	108	35	38	84	—	4	—	—	3	6
Rural	7,641	7,567	6,869	333	62	72	209	1	13	2	6	4	66



# GENERAL TABLES—LIVE BIRTHS

89

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total births	WHITE									Negro	Other races	
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign			Father unknown
CONNECTICUT	23,463	22,842	17,393	2,309	328	1,161	1,624	17	4	—	6	613	8
Cities of 100,000 or more	10,167	9,805	7,475	1,001	106	489	722	9	1	—	2	359	3
Cities of 25,000 to 100,000	7,442	7,279	5,472	788	60	409	543	3	3	—	1	160	3
Cities of 10,000 to 25,000	2,755	2,716	2,127	227	90	114	153	3	—	—	2	39	—
Cities of 2,500 to 10,000	1,312	1,296	891	119	10	70	105	—	—	—	1	15	1
Rural	1,787	1,746	1,328	174	62	79	101	2	—	—	—	40	1
DELAWARE	4,384	3,670	3,328	107	108	58	64	—	5	—	—	711	3
Cities of 100,000 or more	2,551	2,289	2,010	90	63	45	59	—	2	—	—	281	1
Cities of 2,500 to 10,000	475	414	396	5	9	2	1	—	1	—	—	61	—
Rural	1,358	987	922	12	36	11	4	—	2	—	—	369	2
DISTRICT OF COLUMBIA	14,037	9,551	8,517	378	191	214	198	6	2	1	44	4,454	32
FLORIDA	32,328	22,660	21,289	441	452	232	162	4	39	—	41	9,640	28
Cities of 100,000 or more	7,684	5,716	5,198	223	96	109	81	1	3	—	5	1,957	11
Cities of 25,000 to 100,000	3,053	2,398	2,243	60	42	51	18	1	2	—	1	652	3
Cities of 10,000 to 25,000	2,208	1,521	1,439	22	20	22	12	—	3	—	3	687	—
Cities of 2,500 to 10,000	5,562	4,136	3,919	69	58	36	38	1	11	—	4	1,424	2
Rural	13,821	8,889	8,490	67	236	34	13	1	20	—	28	4,920	12
GEORGIA	64,781	38,985	37,939	128	706	62	34	1	40	—	25	25,837	9
Cities of 100,000 or more	7,052	4,695	4,483	47	123	23	13	1	2	—	3	2,357	—
Cities of 25,000 to 100,000	6,206	3,852	3,723	29	66	23	9	—	1	—	1	2,346	8
Cities of 10,000 to 25,000	3,804	2,573	2,505	16	37	5	7	—	1	—	2	1,231	—
Cities of 2,500 to 10,000	6,422	4,654	4,561	12	70	1	4	—	3	—	3	1,767	1
Rural	41,297	23,161	22,667	24	410	10	1	—	33	—	16	18,136	—
IDAH0	11,068	10,969	10,293	308	92	192	61	4	13	—	6	3	96
Cities of 10,000 to 25,000	1,644	1,636	1,516	47	31	24	13	—	2	—	3	3	5
Cities of 2,500 to 10,000	5,158	5,122	4,805	141	39	104	26	2	4	—	1	16	—
Rural	4,266	4,211	3,972	120	22	64	22	2	7	—	2	75	—
ILLINOIS	117,841	111,368	96,041	6,338	2,116	2,542	4,196	73	17	4	41	6,404	69
Cities of 100,000 or more	51,614	46,442	35,547	4,491	1,219	1,767	3,342	64	5	4	3	5,109	63
Cities of 25,000 to 100,000	21,191	20,619	18,790	852	210	351	383	5	2	—	26	567	5
Cities of 10,000 to 25,000	10,243	10,041	9,253	356	107	158	154	—	—	—	3	202	—
Cities of 2,500 to 10,000	11,490	11,312	10,657	258	176	109	105	1	4	—	2	1,78	—
Rural	23,303	22,954	21,784	381	404	157	212	3	6	—	7	348	1
INDIANA	58,349	56,349	53,981	933	449	416	496	1	61	1	11	1,997	3
Cities of 100,000 or more	15,005	13,566	12,610	401	186	164	201	—	2	1	1	1,439	—
Cities of 25,000 to 100,000	10,242	9,885	9,156	305	69	133	209	1	10	—	2	356	1
Cities of 10,000 to 25,000	5,593	5,506	5,368	52	35	23	24	—	3	—	1	86	1
Cities of 2,500 to 10,000	7,030	6,986	6,845	42	41	32	15	—	11	—	4	44	—
Rural	20,479	20,406	20,002	133	118	64	47	—	35	—	7	72	1
IOWA	43,765	43,492	40,969	1,037	776	416	257	5	22	1	9	256	17
Cities of 100,000 or more	3,334	3,229	2,921	81	166	34	22	1	2	—	2	105	—
Cities of 25,000 to 100,000	9,021	8,943	8,365	233	187	88	60	2	4	—	4	73	5
Cities of 10,000 to 25,000	6,232	6,181	5,769	114	201	49	44	2	1	1	—	51	—
Cities of 2,500 to 10,000	7,963	7,948	7,589	152	103	68	33	—	3	—	—	14	1
Rural	17,215	17,191	16,325	457	119	177	98	—	12	—	3	15	11
KANSAS	29,115	28,098	26,761	416	454	167	260	6	28	—	6	984	33
Cities of 100,000 or more	4,589	4,122	3,739	106	186	34	52	3	2	—	—	464	3
Cities of 25,000 to 100,000	2,152	2,057	1,901	41	50	11	53	1	—	—	—	94	1
Cities of 10,000 to 25,000	4,761	4,529	4,352	43	65	26	36	—	5	—	2	227	5
Cities of 2,500 to 10,000	5,355	5,265	5,069	57	66	20	40	2	8	—	3	84	6
Rural	12,258	12,125	11,700	169	87	76	79	—	13	—	1	115	18
KENTUCKY	60,587	57,374	56,328	152	794	49	45	1	5	—	—	3,213	—
Cities of 100,000 or more	5,674	5,216	5,107	50	27	14	16	—	2	—	—	658	—
Cities of 25,000 to 100,000	4,311	3,983	3,881	22	56	14	9	1	—	—	—	328	—
Cities of 10,000 to 25,000	2,056	1,845	1,820	8	12	4	1	—	—	—	—	211	—
Cities of 2,500 to 10,000	4,768	4,360	4,258	22	71	4	5	—	—	—	—	408	—
Rural	43,578	41,970	41,262	50	628	13	14	—	3	—	—	1,608	—
LOUISIANA	48,844	28,587	27,731	248	423	94	66	—	5	—	—	20,184	93
Cities of 100,000 or more	10,805	6,627	6,293	131	103	57	43	—	—	—	—	4,166	12
Cities of 25,000 to 100,000	4,917	2,897	2,755	40	83	13	6	—	—	—	—	2,019	1
Cities of 10,000 to 25,000	2,340	1,653	1,594	19	33	3	4	—	—	—	—	687	—
Cities of 2,500 to 10,000	4,892	3,569	3,510	8	41	3	5	—	2	—	—	1,321	2
Rural	25,890	13,821	13,579	50	163	18	8	—	3	—	—	11,991	78
MAINE	14,987	14,935	12,098	1,030	307	975	503	19	1	1	1	16	36
Cities of 25,000 to 100,000	3,439	3,428	2,628	271	112	258	149	7	1	1	1	9	2
Cities of 10,000 to 25,000	1,580	1,580	1,188	152	26	133	78	3	—	—	—	—	—
Cities of 2,500 to 10,000	2,267	2,246	1,843	142	49	135	75	4	—	—	—	2	17
Rural	7,701	7,679	6,439	465	120	449	201	5	—	—	—	5	17
MARYLAND	28,291	22,125	20,774	601	202	273	258	4	4	—	9	6,154	12
Cities of 100,000 or more	14,888	11,350	10,325	478	116	207	218	4	1	—	1	3,528	10
Cities of 25,000 to 100,000	1,816	1,777	1,724	22	18	5	6	—	1	—	1	39	—
Cities of 10,000 to 25,000	1,018	890	867	8	2	11	1	—	—	—	1	126	2
Cities of 2,500 to 10,000	1,836	1,627	1,556	26	16	17	11	—	1	—	—	209	—
Rural	8,733	6,481	6,302	67	50	33	22	—	1	—	6	2,252	—
MASSACHUSETTS	63,657	62,696	46,122	6,087	1,391	4,148	4,819	103	16	1	9	921	40
Cities of 100,000 or more	32,531	31,802	22,480	3,193	872	2,218	2,958	67	7	—	7	699	30
Cities of 25,000 to 100,000	14,180	14,114	10,487	1,423	157	1,002	1,024	13	6	1	1	64	2
Cities of 10,000 to 25,000	11,014	10,980	8,601	985	193	627	559	12	3	—	—	32	2
Cities of 2,500 to 10,000	3,674	3,645	2,908	292	64	190	188	3	—	—	—	28	1
Rural	2,258	2,155	1,646	194	105	111	90	8	—	—	1	98	5

VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MICHIGAN	94,418	90,570	75,474	6,392	1,085	3,718	3,756	41	51	14	39	3,644	204
Cities of 100,000 or more	34,423	31,479	22,999	3,493	498	2,006	2,438	26	5	2	12	2,906	38
Cities of 25,000 to 100,000	19,199	18,766	16,058	1,101	257	694	615	7	14	6	14	409	24
Cities of 10,000 to 25,000	7,635	7,476	6,578	423	53	244	171	2	3	—	2	147	12
Cities of 2,500 to 10,000	9,168	9,085	8,243	388	77	234	130	3	4	2	4	63	20
Rural	23,993	23,764	21,596	987	200	540	402	3	25	4	7	119	110
MINNESOTA	50,237	49,579	44,699	2,238	1,077	999	546	10	3	1	6	123	535
Cities of 100,000 or more	16,596	16,450	14,042	990	661	458	290	3	1	1	4	115	25
Cities of 25,000 to 100,000	5,220	5,215	4,853	178	72	73	37	2	—	—	—	—	5
Cities of 10,000 to 25,000	8,057	8,027	7,413	297	120	143	53	—	1	—	—	6	24
Cities of 2,500 to 10,000	20,374	19,887	18,391	773	224	325	166	5	1	—	2	4	483
Rural	—	—	—	—	—	—	—	—	—	—	—	—	—
MISSISSIPPI	51,721	23,271	22,785	71	294	20	18	2	44	—	37	26,344	106
Cities of 25,000 to 100,000	1,891	1,308	1,281	5	16	3	1	—	1	—	1	582	1
Cities of 10,000 to 25,000	4,064	2,715	2,635	32	26	5	9	1	6	—	1	1,341	8
Cities of 2,500 to 10,000	2,484	1,639	1,600	7	17	5	—	—	5	—	5	776	49
Rural	43,302	17,609	17,269	27	235	7	8	1	32	—	50	25,645	48
MISSOURI	58,876	54,978	52,106	760	1,369	329	382	6	18	1	7	3,874	24
Cities of 100,000 or more	20,627	18,093	16,056	597	833	251	346	5	3	1	1	2,518	16
Cities of 25,000 to 100,000	3,168	3,101	3,007	23	42	18	10	—	1	—	—	67	—
Cities of 10,000 to 25,000	2,941	2,799	2,733	24	30	6	2	—	—	—	2	142	—
Cities of 2,500 to 10,000	6,886	6,462	6,305	41	103	17	12	—	3	—	1	401	3
Rural	25,254	24,503	24,005	75	361	35	12	1	11	—	3	746	5
MONTANA	10,897	10,263	9,002	658	64	333	201	3	2	—	2	19	615
Cities of 25,000 to 100,000	1,636	1,627	1,430	108	7	50	32	—	—	—	—	5	4
Cities of 10,000 to 25,000	2,289	2,052	1,929	11	55	28	3	—	—	—	—	9	4
Cities of 2,500 to 10,000	2,136	2,119	1,813	87	15	51	41	—	1	—	1	3	14
Rural	4,836	4,241	3,607	31	179	100	100	—	1	—	1	2	593
NEBRASKA	22,338	22,017	20,622	596	310	237	237	2	9	—	4	189	132
Cities of 100,000 or more	4,414	4,237	3,729	187	168	68	63	2	—	—	—	172	5
Cities of 25,000 to 100,000	1,450	1,444	1,351	36	19	21	17	—	—	—	—	5	1
Cities of 10,000 to 25,000	2,163	2,161	2,076	34	16	15	15	—	4	—	1	1	1
Cities of 2,500 to 10,000	3,254	3,246	3,097	80	16	30	22	—	1	—	—	6	2
Rural	11,057	10,929	10,369	289	91	103	100	—	4	—	3	5	123
NEVADA	1,940	1,759	1,535	112	25	38	46	—	—	—	3	5	176
Cities of 10,000 to 25,000	290	284	242	21	5	11	5	—	—	—	—	2	4
Cities of 2,500 to 10,000	491	472	421	25	13	8	7	—	—	—	—	1	18
Rural	1,159	1,003	872	66	7	19	34	—	—	—	3	2	154
NEW HAMPSHIRE	7,934	7,927	6,335	610	204	476	292	11	6	1	2	5	2
Cities of 25,000 to 100,000	2,428	2,425	1,842	288	64	178	99	2	2	—	—	2	1
Cities of 10,000 to 25,000	2,106	2,104	1,673	167	45	117	98	1	1	1	1	2	—
Cities of 2,500 to 10,000	955	954	787	70	11	60	25	1	—	—	—	—	1
Rural	2,445	2,444	2,033	135	84	121	60	7	3	—	1	1	—
NEW JERSEY	56,379	51,929	41,273	4,583	525	2,152	3,300	20	58	6	12	4,435	15
Cities of 100,000 or more	26,218	23,920	18,539	2,251	294	1,089	1,731	11	4	—	1	2,292	6
Cities of 25,000 to 100,000	11,503	10,731	8,289	1,021	71	487	776	4	10	3	1	769	3
Cities of 10,000 to 25,000	9,041	8,438	6,865	708	72	335	455	3	18	1	3	599	4
Cities of 2,500 to 10,000	4,324	4,001	3,355	287	29	134	179	11	1	5	5	322	1
Rural	5,293	4,839	4,226	246	59	109	179	2	15	1	2	453	1
NEW MEXICO	14,215	13,656	12,117	435	539	214	292	11	35	—	13	27	582
Cities of 25,000 to 100,000	980	978	868	23	33	16	16	2	—	—	—	2	—
Cities of 10,000 to 25,000	1,034	1,029	927	34	51	10	5	1	1	—	—	4	1
Cities of 2,500 to 10,000	3,209	3,198	2,807	103	141	59	73	6	7	—	2	9	2
Rural	8,992	8,451	7,495	275	314	128	198	2	27	—	11	12	529
NEW YORK	187,575	178,023	129,075	18,900	2,506	9,089	18,282	149	12	4	6	9,106	446
Cities of 100,000 or more	127,416	119,223	79,442	15,220	1,494	7,064	15,884	108	6	2	3	7,900	293
Cities of 25,000 to 100,000	15,214	14,876	12,065	1,168	233	602	794	13	1	—	—	330	8
Cities of 10,000 to 25,000	15,327	15,119	12,596	1,004	327	536	645	12	—	—	—	196	12
Cities of 2,500 to 10,000	10,078	9,842	8,416	565	142	333	378	5	2	—	1	186	50
Rural	19,540	18,963	16,556	943	310	554	583	11	3	1	2	494	85
NORTH CAROLINA	79,149	55,440	51,697	120	294	58	35	1	28	—	1,210	24,905	804
Cities of 25,000 to 100,000	11,077	7,760	7,391	64	50	37	23	—	5	—	190	3,317	—
Cities of 10,000 to 25,000	5,033	3,652	3,538	15	17	3	3	—	3	—	73	1,378	2
Cities of 2,500 to 10,000	7,371	5,864	5,670	11	44	6	4	—	—	—	129	1,473	34
Rural	55,668	36,164	35,098	30	183	12	5	1	17	—	818	18,736	768
NORTH DAKOTA	13,136	12,707	10,903	960	241	377	214	8	2	—	2	7	444
Cities of 25,000 to 100,000	1,102	1,099	882	53	131	26	4	3	—	—	—	1	2
Cities of 10,000 to 25,000	1,977	1,972	1,753	117	17	56	23	4	1	—	1	2	3
Cities of 2,500 to 10,000	2,139	2,138	1,882	142	20	58	35	1	—	—	—	—	1
Rural	7,940	7,498	6,386	648	73	237	152	—	1	—	1	4	438
OHIO	109,272	103,418	93,892	3,872	1,803	1,692	2,082	23	28	4	22	5,829	25
Cities of 100,000 or more	49,012	44,675	38,547	2,573	918	1,161	1,437	15	8	2	16	4,322	15
Cities of 25,000 to 100,000	14,005	13,435	12,242	512	191	194	291	2	3	—	—	567	3
Cities of 10,000 to 25,000	9,437	9,191	8,314	288	126	112	134	2	2	—	3	243	3
Cities of 2,500 to 10,000	8,722	8,485	8,071	164	95	77	73	2	3	—	—	237	—
Rural	28,086	27,632	26,518	325	473	148	147	2	14	2	3	460	4
OKLAHOMA	43,471	39,343	38,061	199	860	92	69	—	46	—	16	2,369	1,759
Cities of 100,000 or more	7,022	6,464	6,003	75	314	28	28	—	11	—	5	499	59
Cities of 25,000 to 100,000	1,375	1,253	1,204	10	32	4	1	—	1	—	1	108	14
Cities of 10,000 to 25,000	4,650	4,109	4,004	19	69	7	6	—	4	—	—	313	228
Cities of 2,500 to 10,000	8,584	7,718	7,503	40	143	14	6	—	11	—	1	378	488
Rural	21,840	19,799	19,347	55	302	39	28	—	19	—	9	1,071	970

GENERAL TABLES—LIVE BIRTHS

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
OREGON	16,715	16,487	14,901	754	148	523	171	3	5	—	2	29	199
Cities of 100,000 or more	5,367	5,289	4,552	542	58	245	102	2	—	—	—	25	43
Cities of 25,000 to 100,000	762	760	693	22	6	31	7	1	—	—	—	—	2
Cities of 10,000 to 25,000	2,231	2,222	2,057	83	13	54	14	—	1	—	—	2	7
Cities of 2,500 to 10,000	4,215	4,192	3,880	143	50	98	17	—	2	—	2	1	22
Rural	4,140	4,014	3,719	144	23	95	31	—	2	—	—	1	125
PENNSYLVANIA	161,049	151,742	134,258	7,778	2,006	2,896	4,693	32	49	5	25	9,260	47
Cities of 100,000 or more	50,963	44,618	37,038	3,205	646	1,445	2,256	13	8	2	5	6,309	36
Cities of 25,000 to 100,000	24,021	22,958	20,409	1,150	367	373	639	11	4	1	4	1,060	3
Cities of 10,000 to 25,000	20,907	19,989	17,641	1,063	326	361	580	2	11	2	3	915	3
Cities of 2,500 to 10,000	21,380	21,097	19,064	956	255	508	1,064	1	5	—	3	282	1
Rural	45,778	45,080	40,106	1,404	432	392	710	5	21	—	10	694	4
RHODE ISLAND	10,444	10,194	7,498	1,103	225	714	636	15	3	—	—	241	9
Cities of 100,000 or more	5,600	5,446	4,066	592	109	326	340	11	2	—	—	152	2
Cities of 25,000 to 100,000	3,402	3,337	2,361	363	94	304	211	4	—	—	—	61	4
Cities of 10,000 to 25,000	822	808	587	89	17	58	57	—	—	—	—	12	2
Cities of 2,500 to 10,000	177	176	129	25	—	10	12	—	—	—	—	1	—
Rural	443	427	355	34	5	16	16	—	1	—	—	15	1
SOUTH CAROLINA	42,811	21,144	20,533	50	511	22	22	—	1	—	5	21,643	24
Cities of 25,000 to 100,000	5,334	3,049	2,859	23	139	10	17	—	—	—	1	2,285	—
Cities of 10,000 to 25,000	2,077	1,534	1,497	4	29	4	—	—	—	—	—	543	—
Cities of 2,500 to 10,000	3,883	2,736	2,665	8	59	4	—	—	—	—	—	1,145	2
Rural	31,517	13,825	13,512	15	284	4	5	—	1	—	4	17,670	22
SOUTH DAKOTA	11,616	10,843	9,985	412	147	178	84	5	22	—	10	5	768
Cities of 25,000 to 100,000	894	893	815	28	38	9	3	1	1	—	—	—	1
Cities of 10,000 to 25,000	2,052	2,043	1,887	69	56	28	17	—	1	—	5	1	8
Cities of 2,500 to 10,000	1,506	1,498	1,399	43	18	25	6	1	4	—	2	1	7
Rural	7,164	6,409	5,884	272	57	116	58	3	16	—	3	3	752
TENNESSEE	53,353	45,266	44,007	128	1,013	47	32	—	21	—	18	8,078	9
Cities of 100,000 or more	14,554	10,842	10,348	79	341	40	27	—	2	—	5	3,707	5
Cities of 25,000 to 100,000	581	550	531	5	12	—	1	—	1	—	—	31	—
Cities of 10,000 to 25,000	1,117	1,022	990	7	22	—	2	—	1	—	—	95	—
Cities of 2,500 to 10,000	4,942	4,370	4,255	16	94	—	1	—	1	—	3	570	2
Rural	32,159	28,482	27,883	21	544	7	1	—	16	—	10	3,675	2
TEXAS	121,049	106,152	91,312	5,358	1,734	2,767	4,709	125	100	4	43	14,831	66
Cities of 100,000 or more	27,163	23,660	19,085	1,558	736	847	1,550	64	14	2	4	3,271	32
Cities of 25,000 to 100,000	11,825	10,458	8,943	562	168	333	424	15	10	1	2	1,362	5
Cities of 10,000 to 25,000	6,180	7,603	6,759	280	146	171	224	4	10	—	9	575	2
Cities of 2,500 to 10,000	18,557	17,166	15,167	723	203	392	644	14	16	—	7	1,383	8
Rural	55,324	47,065	41,358	2,235	481	1,024	1,867	28	50	1	21	8,240	19
UTAH	13,007	12,882	11,941	436	48	284	172	—	—	—	1	15	110
Cities of 100,000 or more	3,963	3,939	3,499	195	16	134	95	—	—	—	—	10	14
Cities of 25,000 to 100,000	1,367	1,353	1,260	42	5	31	15	—	—	—	—	4	10
Cities of 10,000 to 25,000	447	447	423	8	1	14	1	—	—	—	—	—	—
Cities of 2,500 to 10,000	3,344	3,332	3,129	111	11	51	30	—	—	—	—	—	12
Rural	3,886	3,811	3,630	80	15	54	31	—	—	—	1	1	74
VERMONT	6,375	6,372	5,205	391	135	338	283	3	11	2	4	2	1
Cities of 10,000 to 25,000	1,764	1,763	1,456	107	62	78	54	2	2	1	1	—	—
Cities of 2,500 to 10,000	1,789	1,789	1,467	122	25	109	62	—	3	1	—	—	—
Rural	2,822	2,820	2,282	162	48	151	167	1	6	—	3	1	1
VIRGINIA	52,921	37,885	36,720	199	759	113	70	1	14	—	9	14,999	37
Cities of 100,000 or more	6,181	4,136	3,927	63	88	34	23	—	1	—	—	2,036	9
Cities of 25,000 to 100,000	4,912	3,512	3,371	32	74	16	18	1	—	—	—	1,400	—
Cities of 10,000 to 25,000	2,744	2,282	2,220	16	23	18	5	—	—	—	—	461	1
Cities of 2,500 to 10,000	3,943	3,346	3,242	14	80	6	2	—	—	—	2	597	—
Rural	35,141	24,609	23,960	74	494	39	22	—	13	—	7	10,505	27
WASHINGTON	26,538	25,905	22,136	1,719	237	1,316	457	9	17	4	10	71	562
Cities of 100,000 or more	10,797	10,566	8,675	848	127	645	256	6	7	1	1	51	180
Cities of 25,000 to 100,000	1,541	1,527	1,252	132	10	106	24	—	—	1	2	2	12
Cities of 10,000 to 25,000	5,067	5,023	4,485	247	31	207	49	3	1	—	—	8	36
Cities of 2,500 to 10,000	2,794	2,749	2,423	156	17	112	38	—	2	—	1	2	43
Rural	6,339	6,040	5,301	336	52	246	90	—	7	2	6	8	291
WEST VIRGINIA	41,545	39,219	36,629	525	1,658	111	271	1	14	1	9	2,323	3
Cities of 25,000 to 100,000	6,362	6,106	5,635	100	275	48	46	—	1	—	1	255	1
Cities of 10,000 to 25,000	1,746	1,655	1,523	38	65	9	20	—	—	—	—	90	1
Cities of 2,500 to 10,000	3,839	3,644	3,401	53	149	12	27	—	1	—	—	194	1
Rural	29,598	27,814	26,070	334	1,169	42	178	—	12	1	8	1,784	—
WISCONSIN	54,168	55,580	48,660	2,232	947	868	808	15	38	4	8	185	403
Cities of 100,000 or more	9,821	9,771	8,267	727	143	267	348	8	9	2	—	43	7
Cities of 25,000 to 100,000	11,951	11,928	10,780	500	229	215	198	1	4	1	—	14	9
Cities of 10,000 to 25,000	4,873	4,836	4,377	162	185	58	49	1	4	—	—	22	15
Cities of 2,500 to 10,000	8,199	8,190	7,727	237	110	73	37	1	4	—	1	9	9
Rural	19,324	18,855	17,509	606	280	255	176	4	17	1	7	106	363
WYOMING	4,897	4,778	4,338	176	43	88	104	—	20	2	7	14	105
Cities of 10,000 to 25,000	940	932	883	23	2	13	10	—	—	1	—	7	1
Cities of 2,500 to 10,000	1,213	1,210	1,078	55	14	33	24	—	5	—	1	3	4
Rural	2,744	2,636	2,377	98	27	42	70	—	15	1	6	4	104

VITAL STATISTICS OF THE UNITED STATES

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1939

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				
	Total	White	Negro	Other races		Total	White	Negro	Other races		Total	White	Negro	Other races	
CASES OF TWINS				CASES OF TWINS—Con.				CASES OF TWINS—Con.				CASES OF TWINS—Con.			
UNITED STATES	25,913	21,878	5,913	122	CONNECTICUT—Continued	90	86	4	---	IOWA:	166	166	---	---	
2 males	8,829	7,469	1,514	46	2 females	87	83	4	---	2 males	147	147	---	---	
Both living	7,721	6,634	1,043	44	1 living	2	2	---	---	Both living	13	13	---	---	
1 living	675	513	180	2	Both stillborn	1	1	---	---	1 living	6	6	---	---	
Both stillborn	433	322	111	---	DELAWARE:	16	13	3	---	Both stillborn	151	149	2	---	
1 male, 1 female	6,501	7,063	1,405	33	2 males	14	12	2	---	1 male, 1 female	132	131	1	---	
Both living	7,675	6,493	1,155	27	Both living	3	1	---	---	Both living	7	7	---	---	
1 living	259	190	66	3	Both stillborn	2	1	---	---	1 living	9	9	---	---	
Both stillborn	348	249	97	2	1 male, 1 female	16	11	5	---	Both stillborn	3	2	1	---	
2 females	219	151	87	1	Both living	16	11	5	---	2 females	187	185	2	---	
Both living	6,554	7,321	1,190	43	2 females	17	14	3	---	Both living	155	153	2	---	
1 living	561	439	118	4	Both living	17	14	3	---	1 living	7	7	---	---	
Both stillborn	324	240	83	1	DISTRICT OF COLUMBIA:	55	35	20	---	Both stillborn	5	5	---	---	
Both unknown	29	25	4	---	2 males	51	34	17	---	KANSAS:	110	106	4	---	
Both stillborn	29	25	4	---	Both living	4	1	3	---	2 males	102	98	4	---	
ALABAMA:	265	146	119	---	1 living	34	24	10	---	Both living	6	6	---	---	
2 males	224	130	94	---	1 male, 1 female	29	19	10	---	Both stillborn	2	2	---	---	
Both living	16	5	11	---	Both living	2	2	---	1 male, 1 female	91	87	4	---		
Both stillborn	245	131	114	---	1 living	2	1	---	Both living	86	83	3	---		
1 male, 1 female	211	117	94	---	Both stillborn	1	1	---	1 living	1	1	---	---		
Both living	7	1	6	---	2 females	47	26	21	---	Both stillborn	2	2	---	---	
1 living	18	10	8	---	Both living	42	24	18	---	2 females	112	106	6	---	
Both stillborn	9	3	6	---	1 living	3	1	2	---	Both living	100	96	4	---	
2 females	250	140	110	---	Both stillborn	2	1	1	---	1 living	9	7	2	---	
Both living	221	130	91	---	FLORIDA:	101	65	36	---	Both stillborn	3	3	---	---	
1 living	14	5	11	---	2 males	86	59	27	---	KENTUCKY:	243	223	20	---	
Both stillborn	15	7	8	---	Both living	8	4	4	---	2 males	206	188	18	---	
ARIZONA:	49	41	4	4	1 living	7	2	5	---	Both living	18	16	2	---	
2 males	45	39	2	4	Both stillborn	152	88	64	---	Both stillborn	19	19	---	---	
Both living	4	2	---	---	Both living	129	79	50	---	1 male, 1 female	257	244	13	---	
1 living	43	39	1	3	1 living	6	3	3	---	Both living	222	214	8	---	
Both stillborn	40	37	---	---	Both stillborn	8	4	4	---	1 living	17	15	2	---	
1 male, 1 female	3	2	1	---	2 females	138	93	45	---	Both stillborn	11	10	1	---	
Both living	3	2	1	---	Both living	113	77	36	---	2 females	7	5	2	---	
1 living	52	44	3	5	1 living	18	13	5	---	Both living	234	230	4	---	
Both stillborn	46	39	2	5	Both stillborn	7	3	4	---	Both living	206	204	2	---	
1 living	5	4	1	---	GEORGIA:	244	140	104	---	1 living	17	16	1	---	
Both stillborn	1	1	---	---	2 males	200	119	81	---	Both stillborn	11	10	1	---	
ARKANSAS:	177	136	41	---	1 living	25	15	10	---	LOUISIANA:	218	110	107	1	
2 males	152	122	30	---	Both stillborn	19	6	13	---	2 males	186	98	87	1	
Both living	15	9	6	---	1 male, 1 female	276	142	134	---	Both living	17	4	13	---	
Both stillborn	10	5	5	---	Both living	221	120	101	---	1 living	15	8	7	---	
1 male, 1 female	210	152	58	---	1 living	13	6	7	---	Both stillborn	220	101	118	1	
Both living	190	141	49	---	Both stillborn	27	13	14	---	1 living	192	91	100	1	
1 living	4	3	1	---	2 females	15	3	12	---	Both living	7	2	5	---	
Both stillborn	7	3	4	---	Both living	252	135	117	---	Both stillborn	14	5	9	---	
2 females	160	111	49	---	1 living	205	118	87	---	2 females	7	3	4	---	
Both living	144	105	39	---	Both living	30	13	17	---	Both living	186	98	88	---	
1 living	10	4	6	---	Both stillborn	17	4	13	---	Both living	168	91	77	---	
Both stillborn	6	2	4	---	IDAHO:	40	40	---	---	1 living	9	5	4	---	
CALIFORNIA:	407	383	8	16	2 males	35	35	---	---	Both stillborn	11	10	1	---	
2 males	374	353	6	15	Both living	4	1	---	---	LOUISIANA:	218	110	107	1	
Both living	23	20	2	1	1 living	1	1	---	---	Both living	186	98	87	1	
Both stillborn	10	10	---	---	Both stillborn	45	45	---	---	1 living	17	4	13	---	
1 male, 1 female	374	362	8	4	1 male, 1 female	43	43	---	---	Both stillborn	15	8	7	---	
Both living	344	333	7	4	Both living	1	1	---	---	1 male, 1 female	220	101	118	1	
1 living	13	13	---	---	Both stillborn	1	1	---	---	Both living	192	91	100	1	
Both stillborn	12	12	---	---	2 females	44	44	---	---	1 living	7	2	5	---	
2 females	348	331	6	11	Both living	41	41	---	---	Both stillborn	14	5	9	---	
Both living	320	304	6	10	1 living	2	2	---	---	Both stillborn	7	3	4	---	
1 living	19	19	---	---	Both stillborn	1	1	---	---	2 females	186	98	88	---	
Both stillborn	9	8	---	1	ILLINOIS:	436	403	33	---	Both living	168	91	77	---	
COLORADO:	69	69	---	---	2 males	387	356	31	---	1 living	30	13	17	---	
2 males	60	60	---	---	Both living	24	23	1	---	Both stillborn	9	5	4	---	
Both living	6	6	---	---	Both stillborn	25	24	1	---	1 male, 1 female	87	67	20	---	
Both stillborn	5	5	---	---	1 male, 1 female	396	374	21	1	Both living	79	61	18	---	
1 male, 1 female	71	70	1	---	Both living	370	350	20	---	1 living	2	2	---	---	
Both living	65	64	1	---	1 living	11	10	---	---	Both stillborn	3	3	---	---	
1 living	4	4	---	---	Both stillborn	9	9	---	---	2 females	102	80	22	---	
Both stillborn	2	2	---	---	2 females	435	407	28	---	Both living	82	65	17	---	
2 females	82	81	1	---	Both living	400	374	26	---	1 living	11	8	3	---	
Both living	72	71	1	---	1 living	22	22	---	---	Both stillborn	9	7	2	---	
1 living	5	5	---	---	Both stillborn	13	11	2	---	Both unknown	2	2	---	---	
Both stillborn	5	5	---	---	INDIANA:	202	194	8	---	Both stillborn	2	2	---	---	
CONNECTICUT:	75	73	2	---	2 males	178	173	5	---	MASSACHUSETTS:	244	239	4	1	
2 males	71	69	2	---	Both living	19	17	2	---	2 males	217	214	2	1	
Both living	3	3	---	---	Both stillborn	5	4	1	---	Both living	14	14	---	---	
Both stillborn	1	1	---	---	1 male, 1 female	211	201	10	---	1 living	13	11	2	---	
1 male, 1 female	79	77	2	---	Both living	199	189	10	---	Both stillborn	206	203	3	---	
Both living	73	72	1	---	1 living	5	5	---	Both living	193	190	3	---		
1 living	1	1	---	---	Both stillborn	2	2	---	1 living	5	5	---	---		
Both stillborn	2	2	---	---	2 females	190	183	7	---	Both stillborn	4	4	---	---	

GENERAL TABLES—PLURAL BIRTHS

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX:  
UNITED STATES AND EACH STATE, 1939—Continued

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				
	Total	White	Negro	Other races		Total	White	Negro	Other races		Total	White	Negro	Other races	
CASES OF TWINS—Con.															
MASSACHUSETTS—Continued				NEVADA:				OHIO—Continued							
2 females	228	224	4		2 males	7	7		1 male, 1 female	351	321	30			
Both living	201	197	4		Both living	7	7		Both living	324	300	24			
1 living	18	18			1 male, 1 female	5	5		1 living—M	9	8	1			
Both stillborn	9	9			Both living	5	5		Both stillborn—F	8	7	1			
MICHIGAN:				NEW HAMPSHIRE:				2 females							
2 males	343	329	13	1	2 males	25	25		Both living	10	6	4			
Both living	315	304	10	1	Both living	23	23		Both living	395	377	18			
1 living	17	15	2		1 living	1	1		Both living	355	342	13			
Both stillborn	11	10	1		Both stillborn	1	1		1 living	28	24	4			
1 male, 1 female	321	303	18		1 male, 1 female	28	28		Both stillborn	12	11	1			
Both living	305	287	16		Both living	28	28		OKLAHOMA:						
1 living—M	3	3			1 male, 1 female	28	28		2 males	176	162	8	6		
Both stillborn—F	10	10			Both living	28	28		Both living	160	147	7	6		
2 females	511	501	8	2	1 living	1	1		1 living	10	9	1			
Both living	289	281	6	2	2 females	29	29		Both stillborn	6	5	1			
1 living	12	11	1		Both living	27	27		1 male, 1 female	201	179	11	11		
Both stillborn	10	9	1		1 living	1	1		Both living	168	153	8	7		
Both unknown	1	1			Both stillborn	1	1		1 living—M	10	7	1	2		
Both stillborn	1	1			NEW JERSEY:				Both stillborn—F	18	14	2	2		
MINNESOTA:				2 males				215	195	20	2 females				
2 males	211	209	1	1	Both living	185	170	15	Both living	185	169	5	9		
Both living	190	188	1	1	1 living	15	12	3	Both living	164	150	5	9		
1 living	13	13			Both stillborn	15	13	2	1 living	14	12	2			
Both stillborn	8	8			1 male, 1 female	183	164	19	Both stillborn	7	7				
1 male, 1 female	172	171	1		Both living—M	6	4	2	OREGON:						
Both living	156	155	1		Both stillborn—F	6	6		2 males	75	74		1		
1 living—M	8	8			1 living—F	6	6		Both living	73	72		1		
Both stillborn—F	6	6			2 females	198	185	13	1 living	2	2				
2 females	205	205		1	Both living	172	160	12	1 male, 1 female	62	61	1			
Both living	186	185		1	1 living	17	17		Both living	59	58	1			
1 living	17	17			Both stillborn	9	8	1	1 living—F	3	3				
Both stillborn	3	3			NEW MEXICO:				2 females	65	64		1		
MISSISSIPPI:				2 males				56	55	1	Both living	60	59		1
2 males	214	78	136		Both living	51	50	1	1 living	4	4				
Both living	176	73	103		Both stillborn	4	4		Both stillborn	1	1				
1 living	20	2	18		1 male, 1 female	60	60		PENNSYLVANIA:						
Both stillborn	18	3	15		Both living	53	53		2 males	576	552	24			
1 male, 1 female	226	89	137		1 living—M	3	3		Both living	499	479	20			
Both living	188	61	107		Both stillborn—F	4	4		1 living	44	42	2			
1 living—M	11	2	9		2 females	43	42	1	Both stillborn	53	51	2			
Both stillborn—F	20	5	15		Both living	38	37	1	1 male, 1 female	577	529	48			
2 females	217	95	121	1	1 living—F	1	1		Both living	533	498	45			
Both living	186	85	100	1	Both stillborn	4	4		1 living—M	18	16	2			
1 living	15	7	8		NEW YORK:				Both stillborn—F	17	16	1			
Both stillborn	16	3	13		2 males	670	616	52	2 females	65	64		1		
MISSOURI:				2 males				584	540	42	Both living	60	59		1
2 males	231	213	18		Both living	40	35	5	1 living	46	41	5			
Both living	196	184	12		Both stillborn	46	41	5	Both stillborn	24	24				
1 living	24	21	3		1 male, 1 female	613	576	34	Both unknown	1	1				
Both stillborn	11	8	3		Both living—M	11	9	2	Both stillborn	1	1				
1 male, 1 female	208	187	21		Both stillborn—F	20	20		RHODE ISLAND:						
Both living	188	172	16		2 females	668	637	30	2 males	33	32	1			
1 living—M	7	3	4		Both living	617	591	25	Both living	29	28	1			
Both stillborn—F	5	5			1 living	27	24	3	1 living	4	4				
2 females	235	218	18		Both stillborn	24	22	2	1 male, 1 female	24	24				
Both living	206	192	16		Both unknown	19	15	4	Both living—M	19	19				
1 living	18	17	1		NORTH CAROLINA:				1 living—F	3	3				
Both stillborn	10	9	1		2 males	342	214	128	2 females	41	40	1			
Both unknown	3	3			Both living	292	189	103	Both living	41	40	1			
Both stillborn	3	3			1 living	36	17	19	Both stillborn	24	24				
MONTANA:				1 male, 1 female				349	204	141	4	SOUTH CAROLINA:			
2 males	38	55		1	Both living	306	188	114	4	2 males	192	88	103	1	
Both living	33	32		1	1 living—M	16	7	9	Both living	163	82	80	1		
1 living	3	3			Both stillborn—F	16	5	11	1 living	20	5	15			
1 male, 1 female	39	38		1	Both stillborn	11	4	7	Both stillborn	9	1	8			
Both living	36	36			2 females	315	198	112	1 male, 1 female	196	65	131			
1 living—M	1	1			Both living	270	181	86	Both living	165	60	105			
Both stillborn—F	1	1			1 living	32	9	21	1 living—M	7	3	4			
2 females	38	36		2	Both stillborn	13	8	5	Both stillborn—F	14	2	12			
Both living	35	33		2	NORTH DAKOTA:				2 females	201	84	117			
1 living	2	2			2 males	64	63	1	Both living	175	76	99			
Both stillborn	1	1			Both living	54	54		1 living	15	5	10			
NEBRASKA:				1 male, 1 female				55	53	2	Both stillborn	11	3	8	
2 males	82	79	2	1	Both living—F	2	2		SOUTH DAKOTA:						
Both living	72	70	1	1	2 females	60	58	2	2 males	51	44	1	6		
1 living	6	5		1	Both living	52	50	2	Both living	39	34		5		
Both stillborn	5	4	1		1 living	6	6		1 living	8	7		1		
1 male, 1 female	72	72			Both stillborn	2	2		Both stillborn	4	3	1			
Both living	68	68			OHIO:				1 male, 1 female	46	45		1		
1 living—M	2	2			2 males	409	383	26	Both living	43	42		1		
Both stillborn—F	1	1			Both living	359	339	20	1 living—M	1	1				
2 females	93	89	4		1 living	30	25	5	Both stillborn—F	2	2				
Both living	82	79	3		Both stillborn	2	2		TENNESSEE:						
1 living	9	8	1		2 males				2 males	175	134	41			
Both stillborn	2	2			Both living	409	383	26	Both living	156	119	37			

VITAL STATISTICS OF THE UNITED STATES.

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1939—Continued.

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS																					
	Total	White	Negro	Other races		Total	White	Negro	Other races		Total	White	Negro	Other races																		
CASES OF TWINS—Con.													CASES OF TWINS—Con.				CASES OF TRIPLETS—Con.															
TENNESSEE—Continued													WISCONSIN—Continued				CONNECTICUT:															
1 male, 1 female	206	175	31		1 male, 1 female	185	182	2	1	1 male, 2 females	1	1																				
Both living	183	158	25		Both living	174	171	2	1	All living	1	1																				
1 living—M	12	8	4		1 living—M	5	5																									
1 living—F	6	4	2		Both stillborn	3	3																									
Both stillborn	5	5			2 females	211	210		1																							
2 females	173	142	31		Both living	194	193		1																							
Both living	150	124	26		1 living	12	12																									
1 living	16	13	3		Both stillborn	5	5																									
Both stillborn	7	5	2		Both unknown	1	1																									
Both unknown	1	1			Both stillborn	1	1																									
Both stillborn	1	1																														
TEXAS:													WYOMING:				FLORIDA:															
2 males	536	441	95		2 males	21	21			2 males, 1 female	1		1																			
Both living	464	385	79		Both living	19	19			2 living—2 M	1		1																			
1 living	46	38	8		1 living	2	2			1 male, 2 females	2	1	1																			
Both stillborn	26	18	8		1 male, 1 female	26	26			All living	2	1	1																			
1 male, 1 female	526	431	95		Both living	24	24																									
Both living	475	397	78		1 living—F	1	1																									
1 living—M	12	11	1		Both stillborn	1	1																									
1 living—F	19	14	5		2 females	19	19																									
Both stillborn	20	9	11		Both living	18	18																									
2 females	474	397	77		1 living	1	1																									
Both living	439	373	66																													
1 living	24	17	7		CASES OF TRIPLETS				IDAHO:				ILLINOIS:																			
Both stillborn	11	7	4		UNITED STATES				292				220				71				1											
UTAH:													3 males				77				62				15							
2 males	52	51		1	All living	52	45	7		All living	52	45	7		All living	3	3			3 males	3	3										
Both living	48	47		1	2 living	11	8	3		2 living	11	8	3		All living	1	1			All living	2	2										
1 living	2	2			All stillborn	4	3	1		All stillborn	4	3	1		All stillborn	2	2			All stillborn	2	2										
Both stillborn	2	2			2 males, 1 female	68	47	21		2 males, 1 female	68	47	21		2 males, 1 female	4	3	1		2 males, 1 female	4	3	1									
1 male, 1 female	52	52			All living—2 M	57	42	15		All living—2 M	57	42	15		All living—F	1	1			All living—F	1	1										
Both living	51	51			1 M, 1 F	8	4	4		1 M, 1 F	8	4	4		1 male, 2 females	2	2			1 male, 2 females	2	2										
1 living	1	1			1 living—M	1	1			1 living—M	1	1			All living	1	1			All living	1	1										
Both stillborn	1	1			F	1	1			F	1	1			2 living—1 M, 1 F	1	1			2 living—1 M, 1 F	1	1										
2 females	46	46			1 male, 2 females	70	53	17		1 male, 2 females	70	53	17		3 females	2	2			3 females	2	2										
Both living	43	43			All living	55	45	12		All living	55	45	12		All living	2	2			All living	2	2										
1 living	5	5			2 living—2 F	5	4	1		2 living—2 F	5	4	1		1 M, 1 F	4	1	3		1 M, 1 F	4	1	3									
Both stillborn	1	1			1 M, 1 F	4	1	3		1 M, 1 F	4	1	3		1 living—M	1	1			1 living—M	1	1										
VERMONT:													1 living				1				1				1							
2 males	23	23			All stillborn	5	4	1		All stillborn	5	4	1		All stillborn	1	1			All stillborn	1	1										
Both living	22	22			3 females	76	57	18	1	3 females	76	57	18	1	3 males	1	1			3 males	1	1										
1 living	1	1			All living	53	41	12		All living	53	41	12		All living	1	1			All living	1	1										
Both stillborn	1	1			2 living	13	7	5	1	2 living	13	7	5	1	2 males, 1 female	1	1			2 males, 1 female	1	1										
1 male, 1 female	23	23			All stillborn	8	7	1		All stillborn	8	7	1		All living	1	1			All living	1	1										
Both living	22	22			All unknown	1	1			All unknown	1	1			3 females	1	1			3 females	1	1										
Both stillborn	1	1													All living	2	2			All living	2	2										
2 females	20	20			ALABAMA:				ARIZONA:				INDIANA:				IOWA:															
Both living	17	17			3 males	4		4		2 males, 1 female	7	5	2		3 males	1	1			3 males	1	1										
1 living	2	2			All living	2		2		All living	2		2		All living	1	1			All living	1	1										
Both stillborn	1	1			1 living	2		2		1 living	2		2		All living	1	1			All living	1	1										
2 females	20	20			2 males, 1 female	7	5	2		2 males, 1 female	7	5	2		2 males, 1 female	2	2			2 males, 1 female	2	2										
Both living	17	17			All living	5	3	2		All living	5	3	2		All living	2	2			All living	2	2										
1 living	2	2			1 male, 2 females	2	1	1		1 male, 2 females	2	1	1		3 males	1	1			3 males	1	1										
Both stillborn	1	1			All living	1	1			All living	1	1			All living	1	1			All living	1	1										
VIRGINIA:													All stillborn				8				7				1							
2 males	261	173	88		All stillborn	1	1			All stillborn	1	1			All stillborn	1	1			All stillborn	1	1										
Both living	215	143	72																													
1 living	36	25	11		ARKANSAS:				3 males				1				1				1											
Both stillborn	10	5	5		3 males	1	1			3 males	1	1			1 living	1	1			1 living	1	1										
1 male, 1 female	222	138	84		All living	1	1			All living	1	1			1 male, 2 females	2	1	1		1 male, 2 females	2	1	1									
Both living	194	122	72		2 males, 1 female	2	1	1		2 males, 1 female	2	1	1		All living	1	1			All living	1	1										
1 living—M	7	4	3		All living	2	2			All living	2	2			3 females	1	1			3 females	1	1										
1 living—F	10	6	4		1 male, 2 females	1	1			1 male, 2 females	1	1			All living	1	1			All living	1	1										
Both stillborn	11	6	5		All living	5	2	3		All living	5	2	3		2 living—1 M, 1 F	1	1			2 living—1 M, 1 F	1	1										
2 females	202	130	71	1	2 living	3	2	1		2 living	3	2	1		3 females	1	1			3 females	1	1										
Both living	184	120	64		All living	2	1	1		All living	2	1	1		All living	1	1			All living	1	1										
1 living	10	5	4	1																												
Both stillborn	8	5	3		CALIFORNIA:				3 males				5				3				5											
WASHINGTON:													2 living				2				2				2							
2 males	100	97	2	1	2 males, 1 female	1	1			2 males, 1 female	1	1			All living	1	1			All living	1	1										
Both living	96	93	2	1	All living	1	1			All living	1	1			All living	1	1			All living	1	1										
1 living	3	3			1 male, 2 females	1	1			1 male, 2 females	1	1			Both stillborn	1	1			Both stillborn	1	1										
Both stillborn	1	1			All living	1	1			All living	1	1			1 male, 1 female	73	71	1	1	1 male, 1 female	73	71	1	1								
1 male, 1 female	73	71	1	1	1 male, 2 females	1	1																									

GENERAL TABLES—PLURAL BIRTHS

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX:  
UNITED STATES AND EACH STATE, 1939—Continued

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS																										
	Total	White	Negro	Other races		Total	White	Negro	Other races		Total	White	Negro	Other races																							
CASES OF TRIPLETS—Con.																																					
MICHIGAN:																																					
3 males	5	3			NORTH CAROLINA—Continued																																
All living	5	3			1 male, 2 females	1	1			TENNESSEE:																											
1 male, 2 females	2	2			All stillborn	1	1			2 males, 1 female	1	1			TEXAS:																						
All living	2	2			3 females	8	6	2		All living	1	1			3 males	6	5	1		VIRGINIA:																	
3 females	1	1			All living	6	4	2		1 male, 2 females	2	1	1		All living	2	2			3 males	2	2			WASHINGTON:												
All living	1	1			2 living	1	1			All stillborn	1	1			1 living	1	1			All living	2	2			WEST VIRGINIA:												
MINNESOTA:																																					
3 males	2	2			NORTH DAKOTA:																																
All living	1	1			1 male, 2 females	1	1			OHIO:																											
2 living	1	1			All living	1	1			3 males	6	5	1		All living	5	5			2 living	1	1			WASHINGTON:												
3 females	1	1			2 males, 1 female	2	2			All living	2	2			1 male, 2 females	1	1			All living	3	3			WEST VIRGINIA:												
All living	1	1			All living	2	2			3 females	3	2	1		All living	2	1	1		2 living	2	2			WISCONSIN:												
MISSISSIPPI:																																					
3 males	4		4		OKLAHOMA:																																
All living	1		1		2 males, 1 female	2	2			All living	2	2			3 males	6	6			All living	5	5			WYOMING:												
2 living	1		1		1 male, 2 females	7	6	1		2 living	1	1			All living	3	3			3 females	6	6			CASES OF QUADRUPLTS												
1 living	2		2		All living	5	4	1		2 living—2 F	1	1			All living	3	3			All living	1	1			UNITED STATES												
2 males, 1 female	1	1			All stillborn	1	1			All stillborn	1	1			1 male, 2 females	1	1	1		All living	1	1			ILLINOIS:												
2 living—1 M, 1 F	1	1			3 females	1	1			All unknown	1	1			All living	2	1	1		1 male, 3 females	1	1			TEXAS:												
1 male, 2 females	2		2		All stillborn	1	1			PENNSYLVANIA:																											
All living	1		1		3 males																																
2 living—1 M, 1 F	1		1		2 males, 1 female	1	1			All living	6	6			All living	3	3			All living	1	1			ALL LIVING												
MISSOURI:																																					
3 males	4	4			All living																																
All living	2	2			1 male, 2 females																																
1 living	2	2			All living																																
2 males, 1 female	3	2	1		2 living																																
All living	3	2	1		All stillborn																																
1 male, 2 females	3	3			2 living—2 F																																
All living	3	3			All living																																
3 females	3	3			1 living																																
All living	3	3			All unknown																																
NEBRASKA:																																					
3 males	1	1			All stillborn																																
All living	1	1			1 living																																
1 male, 2 females	1	1			All living																																
2 living—2 F	1	1			2 living																																
3 females	1	1			All living																																
All living	1	1			1 living																																
NEW JERSEY:																																					
3 males	1	1			3 males																																
All living	1	1			All living																																
2 males, 1 female	3	3			2 living																																
All living	2	2			All living																																
2 living—1 M, 1 F	1	1			2 living—2 F																																
1 male, 2 females	3	2	1		All living																																
All living	3	2	1		1 living																																
NEW MEXICO:																																					
2 males, 1 female	1	1			2 males, 1 female																																
All living	1	1			All living																																
NEW YORK:																																					
3 males	5	5			3 females																																
All living	4	4			All living																																
2 living	1	1			All living																																
2 males, 1 female	4	3	1		2 living																																
All living	4	3	1		All living																																
1 male, 2 females	7	7			2 living—2 F																																
All living	6	6			All living																																
3 females	7	6	1		2 living																																
All living	6	5	1		All living																																
2 living	1	1			2 living																																
NORTH CAROLINA:																																					
3 males	1		1		3 males																																
All living	1		1		All living																																
2 males, 1 female	5	2	3		2 living																																
All living	4	2	2		2 males, 1 female																																
2 living—1 M, 1 F	1		1		All living																																
NORTH CAROLINA:																																					
3 males	1		1		2 living—1 M, 1 F																																
All living	1		1		All living																																
2 males, 1 female	5	2	3		All stillborn																																
All living	4	2	2		3 females																																
2 living—1 M, 1 F	1		1		All living																																
NORTH CAROLINA:																																					
3 males	1		1		All living																																
All living	1		1		All stillborn																																
2 males, 1 female	5	4	1		1 living																																
All living	4	2	2		2 living																																
2 living—1 M, 1 F	1		1		All stillborn																																

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	72,598	6,253	5,742	6,410	6,024	6,138	6,086	6,287	6,241	6,155	5,984	5,750	5,538
Cities of 100,000 or more	22,348	1,823	1,689	1,877	1,758	1,798	1,824	2,025	1,927	1,894	1,923	1,845	1,865
Cities of 25,000 to 100,000	8,465	666	623	733	693	697	726	726	748	751	709	726	665
Cities of 10,000 to 25,000	6,482	541	491	545	577	555	554	553	571	572	525	509	499
Cities of 2,500 to 10,000	8,077	702	616	721	644	705	700	656	690	692	692	618	645
Rural	27,216	2,521	2,323	2,534	2,352	2,385	2,180	2,327	2,305	2,226	2,145	2,052	1,866
ALABAMA	2,487	233	215	245	212	215	204	212	188	206	192	189	176
Cities of 100,000 or more	249	20	13	19	20	11	23	35	20	17	28	19	24
Cities of 25,000 to 100,000	142	11	14	10	14	13	17	12	11	10	6	16	8
Cities of 10,000 to 25,000	204	15	14	21	15	18	25	19	10	23	15	16	13
Cities of 2,500 to 10,000	183	12	15	17	18	19	21	13	12	17	17	9	13
Rural	1,709	175	159	178	145	154	118	133	135	139	126	129	118
ARIZONA	254	18	20	20	28	22	16	23	17	24	18	27	21
Cities of 25,000 to 100,000	91	7	10	9	9	10	6	7	6	7	5	8	7
Cities of 10,000 to 25,000	69	4	3	4	5	6	2	9	3	10	5	12	6
Rural	94	7	7	7	14	6	8	7	8	7	8	7	8
ARKANSAS	1,254	118	101	125	114	123	107	107	116	104	93	85	61
Cities of 25,000 to 100,000	67	4	6	7	9	2	4	9	7	7	5	5	2
Cities of 10,000 to 25,000	126	11	8	12	22	9	9	3	14	10	15	8	7
Cities of 2,500 to 10,000	117	22	11	17	4	3	13	5	9	9	6	9	9
Rural	944	81	78	89	79	109	81	90	86	78	67	63	43
CALIFORNIA	2,186	192	149	184	173	173	190	204	183	191	183	184	180
Cities of 100,000 or more	924	85	61	70	68	69	77	79	84	90	75	78	88
Cities of 25,000 to 100,000	318	21	17	42	29	22	26	29	22	21	27	34	28
Cities of 10,000 to 25,000	154	10	11	16	7	12	11	19	11	18	17	13	9
Cities of 2,500 to 10,000	268	24	27	13	27	28	23	24	18	15	31	17	21
Rural	522	52	33	43	42	42	53	53	48	47	33	42	34
COLORADO	546	52	42	50	45	47	55	46	43	24	57	41	44
Cities of 100,000 or more	153	19	6	16	11	18	15	15	18	7	10	8	10
Cities of 25,000 to 100,000	55	4	6	6	3	3	2	8	2	3	5	4	6
Cities of 10,000 to 25,000	48	4	7	5	3	4	7	3	4	1	4	4	2
Cities of 2,500 to 10,000	110	9	6	11	9	9	16	8	8	4	11	7	12
Rural	180	16	17	12	16	13	15	12	11	9	27	18	14
CONNECTICUT	513	47	39	44	41	45	50	43	48	46	41	30	39
Cities of 100,000 or more	200	20	16	15	18	19	23	19	13	15	19	8	15
Cities of 25,000 to 100,000	164	11	11	14	11	8	12	15	21	18	16	11	16
Cities of 10,000 to 25,000	74	9	4	6	4	6	12	7	8	6	1	6	5
Cities of 2,500 to 10,000	34	3	4	6	4	5	1	2	2	2	3	2	2
Rural	41	4	4	3	4	7	2	4	4	7	2	3	1
DELAWARE	125	8	8	14	6	10	13	12	13	9	12	10	10
Cities of 100,000 or more	77	2	4	8	1	7	10	8	7	6	9	8	7
Cities of 2,500 to 10,000	18	1	2	2	3	1	3	3	1	1	1	2	2
Rural	32	5	2	4	2	2	3	1	5	2	3	2	1
DISTRICT OF COLUMBIA	403	30	27	37	33	37	23	40	31	38	32	39	36
FLORIDA	1,470	110	98	120	122	121	104	125	156	131	130	135	118
Cities of 100,000 or more	325	26	16	25	29	26	21	31	37	29	26	29	30
Cities of 25,000 to 100,000	155	18	10	9	15	16	13	11	18	12	10	12	11
Cities of 10,000 to 25,000	111	7	7	7	9	10	6	8	18	14	9	12	4
Cities of 2,500 to 10,000	260	12	16	24	17	28	19	22	25	25	24	28	18
Rural	619	47	49	55	52	40	45	53	58	51	61	53	55
GEORGIA	3,236	278	282	298	281	267	256	260	283	281	257	261	234
Cities of 100,000 or more	250	21	20	28	22	14	20	22	18	21	26	21	17
Cities of 25,000 to 100,000	352	24	30	23	27	28	28	28	38	34	25	42	25
Cities of 10,000 to 25,000	271	15	31	20	23	28	26	25	18	25	17	25	22
Cities of 2,500 to 10,000	321	28	22	33	21	27	30	29	32	32	22	22	26
Rural	2,042	190	179	194	186	170	152	158	177	169	167	153	145
IDAHO	239	32	13	18	21	33	21	14	13	16	22	17	19
Cities of 10,000 to 25,000	27	3	---	4	---	3	3	---	---	4	4	2	3
Cities of 2,500 to 10,000	129	16	10	6	16	21	14	6	7	10	7	6	10
Rural	83	13	3	8	5	9	4	7	6	2	11	9	6
ILLINOIS	2,978	268	240	256	247	221	251	278	258	242	237	227	253
Cities of 100,000 or more	1,256	102	117	108	107	88	105	124	115	101	83	97	109
Cities of 25,000 to 100,000	528	45	30	46	37	42	61	52	43	44	43	37	48
Cities of 10,000 to 25,000	291	25	22	30	24	20	25	25	23	25	24	27	20
Cities of 2,500 to 10,000	333	34	35	31	26	26	13	27	31	25	43	19	25
Rural	570	62	38	41	53	45	47	49	48	47	44	47	51
INDIANA	1,291	116	105	139	100	106	96	113	116	86	112	105	97
Cities of 100,000 or more	352	28	28	42	23	25	29	31	36	21	28	33	28
Cities of 25,000 to 100,000	249	20	18	19	28	18	18	24	20	20	24	15	25
Cities of 10,000 to 25,000	115	10	5	10	13	12	4	10	11	9	11	13	7
Cities of 2,500 to 10,000	164	16	13	18	8	20	15	11	14	13	8	13	15
Rural	411	42	41	50	28	31	30	37	35	23	41	31	22
IOWA	1,029	98	76	77	77	102	81	98	101	87	88	65	79
Cities of 100,000 or more	85	4	8	7	7	7	7	7	11	6	10	5	6
Cities of 25,000 to 100,000	251	25	16	23	13	21	19	23	25	19	19	15	13
Cities of 10,000 to 25,000	161	17	10	10	16	13	17	14	14	17	9	11	13
Cities of 2,500 to 10,000	212	18	19	16	13	25	19	22	18	11	19	15	17
Rural	340	34	23	21	28	36	19	32	33	34	31	19	30



GENERAL TABLES—STILLBIRTHS

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KANSAS</b>	651	66	42	45	44	65	65	67	51	53	51	53	53
Cities of 100,000 or more	116	14	7	4	6	11	12	13	9	12	9	10	9
Cities of 25,000 to 100,000	37	4	1	1	5	2	3	6	4	3	5	3	2
Cities of 10,000 to 25,000	132	11	7	6	14	17	9	13	13	10	9	13	10
Cities of 2,500 to 10,000	168	18	14	17	9	16	16	15	9	13	15	10	16
Rural	198	19	13	17	12	17	25	20	16	15	13	17	16
<b>KENTUCKY</b>	1,997	179	171	177	171	196	134	162	167	157	150	156	177
Cities of 100,000 or more	156	15	15	16	5	13	9	14	10	9	12	19	19
Cities of 25,000 to 100,000	135	9	6	16	8	9	7	17	15	12	9	17	10
Cities of 10,000 to 25,000	102	8	9	6	5	10	6	13	8	11	7	13	15
Cities of 2,500 to 10,000	223	23	19	16	22	23	11	21	16	20	21	14	17
Rural	1,561	124	122	123	130	146	97	104	113	108	97	99	118
<b>LOUISIANA</b>	2,110	165	187	178	152	167	176	180	210	194	183	165	153
Cities of 100,000 or more	492	26	33	34	27	36	38	64	52	58	48	35	41
Cities of 25,000 to 100,000	247	17	20	16	20	20	25	22	27	24	18	20	18
Cities of 10,000 to 25,000	145	8	9	16	5	15	13	11	13	10	16	20	9
Cities of 2,500 to 10,000	208	21	12	14	13	19	17	17	17	17	19	18	24
Rural	1,018	93	113	98	87	77	83	66	101	85	82	72	61
<b>MAINE</b>	456	44	26	63	35	51	34	56	30	35	35	33	34
Cities of 25,000 to 100,000	85	1	5	13	9	7	3	8	5	9	9	10	6
Cities of 10,000 to 25,000	57	7	—	5	4	5	5	8	6	5	5	4	3
Cities of 2,500 to 10,000	84	7	7	11	6	2	8	9	5	6	9	6	8
Rural	230	29	14	34	16	17	18	31	14	15	12	13	17
<b>MARYLAND</b>	1,272	100	107	96	105	112	97	131	104	122	104	110	84
Cities of 100,000 or more	680	56	57	50	52	65	51	67	51	62	57	65	49
Cities of 25,000 to 100,000	67	5	9	5	5	8	2	6	6	7	2	3	8
Cities of 10,000 to 25,000	47	5	4	3	1	1	6	3	10	9	5	1	1
Cities of 2,500 to 10,000	108	10	7	9	11	8	9	12	8	13	10	8	3
Rural	370	26	30	28	36	32	29	45	29	31	30	33	23
<b>MASSACHUSETTS</b>	1,749	119	139	161	147	122	150	157	151	168	144	132	159
Cities of 100,000 or more	666	59	71	88	72	66	85	74	65	78	73	64	75
Cities of 25,000 to 100,000	453	25	35	35	36	33	37	37	46	51	38	39	45
Cities of 10,000 to 25,000	285	25	22	21	26	16	24	30	26	26	23	21	25
Cities of 2,500 to 10,000	84	5	3	9	8	3	5	10	9	9	7	4	12
Rural	61	5	10	8	5	4	3	6	7	4	3	4	2
<b>MICHIGAN</b>	2,559	209	223	224	239	201	218	221	202	202	234	194	192
Cities of 100,000 or more	988	77	96	94	87	76	73	74	84	72	92	85	78
Cities of 25,000 to 100,000	512	37	42	45	52	28	57	51	31	38	55	42	36
Cities of 10,000 to 25,000	200	23	15	11	25	17	12	21	18	15	16	12	15
Cities of 2,500 to 10,000	280	18	19	24	21	21	30	20	26	33	26	18	24
Rural	579	54	51	50	54	59	46	55	43	44	47	37	39
<b>MINNESOTA</b>	1,219	107	101	102	96	98	105	109	113	101	91	103	93
Cities of 100,000 or more	474	38	46	37	41	32	46	48	45	40	36	38	27
Cities of 25,000 to 100,000	145	14	14	14	12	17	7	11	13	10	11	11	11
Cities of 10,000 to 25,000	205	19	14	21	13	12	25	14	20	19	15	14	19
Cities of 2,500 to 10,000	395	36	27	30	30	37	27	36	35	32	29	40	36
<b>MISSISSIPPI</b>	2,642	234	210	258	239	254	206	219	212	205	234	195	176
Cities of 25,000 to 100,000	120	11	9	16	5	11	8	7	13	15	10	6	9
Cities of 10,000 to 25,000	247	20	8	21	20	20	19	25	30	21	34	13	18
Cities of 2,500 to 10,000	131	13	2	11	6	21	11	10	16	8	18	6	9
Rural	2,144	190	191	210	208	202	168	179	153	161	172	170	140
<b>MISSOURI</b>	1,843	189	155	162	137	153	170	155	167	160	151	144	100
Cities of 100,000 or more	707	69	48	58	50	51	71	56	69	61	68	61	45
Cities of 25,000 to 100,000	108	14	9	14	5	8	13	4	13	6	6	8	8
Cities of 10,000 to 25,000	89	5	7	6	6	7	7	7	9	12	5	7	11
Cities of 2,500 to 10,000	224	23	23	25	19	19	21	14	20	17	19	13	11
Rural	715	78	68	59	57	68	58	74	56	64	53	55	25
<b>MONTANA</b>	212	21	16	17	18	21	23	21	13	16	12	17	17
Cities of 25,000 to 100,000	35	6	6	2	—	4	3	2	1	2	2	3	4
Cities of 10,000 to 25,000	42	4	4	3	4	4	7	5	—	2	2	3	4
Cities of 2,500 to 10,000	35	2	1	2	6	5	2	2	4	2	5	2	2
Rural	100	9	5	10	8	8	11	12	8	10	3	9	7
<b>NEBRASKA</b>	452	54	32	36	32	49	39	51	37	35	42	27	38
Cities of 100,000 or more	104	8	5	8	5	11	7	11	8	11	10	9	13
Cities of 25,000 to 100,000	34	—	2	4	1	5	5	1	1	5	2	5	3
Cities of 10,000 to 25,000	48	3	4	5	4	5	2	5	7	2	5	2	4
Cities of 2,500 to 10,000	65	4	6	7	5	9	7	9	3	2	8	1	4
Rural	201	19	17	12	17	19	18	25	18	15	17	10	14
<b>NEVADA</b>	36	3	5	2	1	3	5	2	4	4	2	3	2
Cities of 10,000 to 25,000	5	—	1	—	—	—	—	—	1	1	1	1	—
Cities of 2,500 to 10,000	9	1	2	—	1	2	—	1	—	1	—	—	1
Rural	22	2	2	2	—	1	5	—	3	2	1	2	1
<b>NEW HAMPSHIRE</b>	219	16	22	19	26	18	14	19	20	15	17	13	20
Cities of 25,000 to 100,000	59	6	5	4	8	3	5	5	5	3	6	1	8
Cities of 10,000 to 25,000	59	4	8	5	10	5	4	6	2	1	5	3	6
Cities of 2,500 to 10,000	29	—	4	2	4	3	1	2	5	1	2	4	1
Rural	72	6	5	8	4	7	4	6	8	10	4	5	5

## VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY	1,586	145	121	115	126	139	161	139	125	139	132	122	122
Cities of 100,000 or more	751	64	58	51	66	68	75	70	59	59	57	48	56
Cities of 25,000 to 100,000	336	40	23	17	21	31	31	29	27	30	31	26	30
Cities of 10,000 to 25,000	251	18	19	22	22	21	31	21	18	19	18	24	18
Cities of 2,500 to 10,000	140	9	11	13	9	10	11	7	12	17	18	13	10
Rural	128	14	10	12	8	9	13	12	9	14	8	11	8
NEW MEXICO	371	35	34	32	33	34	25	44	28	35	19	30	24
Cities of 25,000 to 100,000	31	1	3	3	3	4	1	2	2	5	3	3	1
Cities of 10,000 to 25,000	37	7	4	3	3	1	2	1	3	3	2	6	2
Cities of 2,500 to 10,000	78	7	3	10	5	10	7	8	6	5	2	7	8
Rural	225	20	24	16	22	19	13	33	17	22	12	14	13
NEW YORK	8,960	765	637	750	710	756	757	791	727	771	773	756	767
Cities of 100,000 or more	7,569	607	505	604	571	626	632	654	615	641	647	631	636
Cities of 25,000 to 100,000	374	38	37	27	30	30	30	31	31	30	29	34	27
Cities of 10,000 to 25,000	434	40	35	59	48	34	33	38	28	38	37	31	35
Cities of 2,500 to 10,000	269	22	19	30	25	20	25	25	19	20	15	25	26
Rural	514	58	43	50	36	46	39	43	34	42	45	35	43
NORTH CAROLINA	2,870	265	234	270	251	234	238	273	262	253	221	209	160
Cities of 25,000 to 100,000	492	40	36	49	40	42	44	46	43	43	46	30	33
Cities of 10,000 to 25,000	258	21	20	18	22	27	21	19	30	25	20	18	17
Cities of 2,500 to 10,000	356	29	25	28	36	26	33	33	43	22	27	29	25
Rural	1,764	175	153	175	153	139	140	175	146	163	128	132	85
NORTH DAKOTA	301	23	35	26	27	27	25	22	29	18	23	26	22
Cities of 25,000 to 100,000	13	1	2	1	2	1	—	1	—	2	1	2	—
Cities of 10,000 to 25,000	45	3	4	2	5	6	6	1	4	1	4	5	4
Cities of 2,500 to 10,000	55	3	7	5	5	4	4	2	5	7	2	4	7
Rural	188	16	22	18	15	16	13	18	20	8	16	15	11
OHIO	2,950	217	254	270	289	269	266	226	273	237	286	243	210
Cities of 100,000 or more	1,409	115	106	128	119	116	132	118	125	108	124	109	109
Cities of 25,000 to 100,000	383	17	28	36	38	34	29	26	33	37	43	37	25
Cities of 10,000 to 25,000	291	23	16	30	24	40	24	25	29	24	16	21	19
Cities of 2,500 to 10,000	232	15	15	15	18	26	29	19	17	18	24	22	14
Rural	635	47	69	61	40	53	52	38	69	50	59	54	43
OKLAHOMA	1,124	107	90	114	91	96	96	84	90	80	103	83	90
Cities of 100,000 or more	170	13	14	16	15	12	14	9	20	13	18	10	16
Cities of 25,000 to 100,000	43	6	2	3	1	2	4	2	3	4	4	5	7
Cities of 10,000 to 25,000	133	4	10	11	12	11	12	12	11	19	11	9	11
Cities of 2,500 to 10,000	250	31	15	31	21	25	17	20	13	12	25	21	19
Rural	528	53	49	53	42	46	49	41	43	32	46	38	37
OREGON	322	21	22	23	25	32	30	27	34	27	27	30	24
Cities of 100,000 or more	100	6	4	9	9	5	8	12	12	9	7	9	10
Cities of 25,000 to 100,000	15	2	1	—	1	—	2	—	1	1	2	4	1
Cities of 10,000 to 25,000	51	4	5	5	4	5	5	3	4	8	4	—	4
Cities of 2,500 to 10,000	87	6	8	4	5	9	10	7	8	6	10	9	5
Rural	69	3	4	5	6	13	5	5	9	3	4	8	4
PENNSYLVANIA	4,788	412	357	385	405	366	422	410	430	401	396	397	407
Cities of 100,000 or more	1,435	114	129	117	110	111	120	130	119	111	130	117	127
Cities of 25,000 to 100,000	821	73	54	46	65	74	70	52	78	76	78	88	67
Cities of 10,000 to 25,000	728	65	55	58	80	57	58	59	61	64	46	57	68
Cities of 2,500 to 10,000	658	61	47	63	53	48	58	54	65	65	36	59	49
Rural	1,146	99	72	101	97	76	116	115	107	85	106	76	96
RHODE ISLAND	265	23	21	21	26	20	22	19	22	24	24	26	17
Cities of 100,000 or more	142	15	15	11	15	10	12	11	15	8	7	12	13
Cities of 25,000 to 100,000	85	6	4	7	8	6	6	6	4	12	13	11	2
Cities of 10,000 to 25,000	15	—	1	1	1	1	4	—	1	2	2	1	1
Cities of 2,500 to 10,000	8	—	1	1	2	—	—	1	—	1	—	1	—
Rural	15	2	2	1	—	2	—	1	2	1	2	1	1
SOUTH CAROLINA	1,958	157	157	172	168	169	154	173	185	186	143	153	131
Cities of 25,000 to 100,000	303	25	16	34	16	22	24	34	33	26	22	30	21
Cities of 10,000 to 25,000	137	13	13	17	10	8	14	14	14	5	7	15	7
Cities of 2,500 to 10,000	192	21	15	13	16	19	12	13	22	21	5	18	17
Rural	1,326	98	113	108	126	120	104	112	116	144	109	90	86
SOUTH DAKOTA	237	19	17	25	23	19	29	13	17	19	22	10	24
Cities of 25,000 to 100,000	23	2	—	2	3	1	—	1	2	2	4	1	5
Cities of 10,000 to 25,000	53	4	6	5	6	6	7	—	2	6	6	2	3
Cities of 2,500 to 10,000	26	1	1	—	2	2	5	2	4	4	4	—	3
Rural	135	12	10	18	14	10	17	10	9	7	8	7	13
TENNESSEE	1,691	164	163	151	168	156	124	136	139	143	102	114	131
Cities of 100,000 or more	538	44	46	42	52	50	39	50	45	50	35	33	52
Cities of 25,000 to 100,000	32	—	—	3	4	4	1	3	5	3	1	5	3
Cities of 10,000 to 25,000	47	4	4	4	1	5	4	6	2	4	5	5	5
Cities of 2,500 to 10,000	207	15	18	11	25	14	19	20	14	20	10	18	23
Rural	867	101	95	91	86	83	61	57	73	66	51	55	48
TEXAS	3,995	304	312	341	295	327	345	342	357	351	342	347	332
Cities of 100,000 or more	852	73	69	67	54	69	77	75	70	80	79	74	65
Cities of 25,000 to 100,000	433	33	28	33	34	41	35	43	44	40	32	32	38
Cities of 10,000 to 25,000	325	24	29	27	26	31	20	23	29	29	33	27	27
Cities of 2,500 to 10,000	634	41	50	58	46	39	58	47	53	57	61	65	61
Rural	1,751	133	136	156	135	147	155	154	161	145	137	151	141

GENERAL TABLES—STILLBIRTHS

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total stillbirths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH	278	24	22	21	27	18	31	29	26	20	24	17	19
Cities of 100,000 or more	89	7	3	5	11	8	13	7	10	7	8	3	7
Cities of 25,000 to 100,000	35	1	6	5	2	1	4	4	4	1	1	5	1
Cities of 10,000 to 25,000	11	1	4	—	—	—	—	—	—	1	—	—	1
Cities of 2,500 to 10,000	63	3	4	4	4	5	9	6	5	8	6	6	3
Rural	80	12	5	7	10	4	5	8	7	3	9	3	7
VERMONT	175	10	9	16	17	11	15	15	26	13	15	17	11
Cities of 10,000 to 25,000	51	2	1	4	6	2	5	7	8	4	5	3	4
Cities of 2,500 to 10,000	51	3	4	7	4	2	4	3	8	3	5	6	2
Rural	73	5	4	5	7	7	6	5	10	6	5	8	5
VIRGINIA	2,059	205	165	200	173	161	161	171	166	174	168	167	148
Cities of 100,000 or more	319	21	27	27	29	15	32	33	27	29	31	26	22
Cities of 25,000 to 100,000	203	25	18	23	17	13	16	14	13	17	13	16	18
Cities of 10,000 to 25,000	146	20	13	11	10	8	13	11	10	11	15	13	11
Cities of 2,500 to 10,000	210	25	19	21	15	19	11	19	22	20	18	7	14
Rural	1,181	114	88	118	102	106	89	94	94	97	91	105	83
WASHINGTON	465	43	35	49	37	37	33	39	37	51	36	39	31
Cities of 100,000 or more	175	17	11	20	15	13	11	11	14	16	12	24	11
Cities of 25,000 to 100,000	27	1	1	4	3	2	1	2	1	7	—	2	3
Cities of 10,000 to 25,000	96	10	10	11	7	5	5	8	7	8	9	7	9
Cities of 2,500 to 10,000	56	8	4	2	6	7	8	3	5	4	7	1	1
Rural	111	7	7	12	6	10	8	15	10	16	8	5	7
WEST VIRGINIA	1,503	132	125	146	134	147	124	109	113	126	131	116	100
Cities of 25,000 to 100,000	266	13	24	28	22	37	24	21	15	17	21	27	17
Cities of 10,000 to 25,000	76	6	5	6	7	5	4	8	9	3	7	7	7
Cities of 2,500 to 10,000	210	19	13	22	18	20	15	16	12	24	24	13	14
Rural	951	94	85	90	87	85	81	64	77	76	85	69	62
WISCONSIN	1,186	91	99	110	100	107	122	94	102	94	92	78	97
Cities of 100,000 or more	162	8	12	16	8	15	16	13	15	9	17	16	15
Cities of 25,000 to 100,000	306	17	25	32	33	31	34	25	29	28	20	12	20
Cities of 10,000 to 25,000	102	10	7	6	9	12	14	10	8	6	5	7	8
Cities of 2,500 to 10,000	201	17	22	15	15	14	16	14	17	19	22	14	16
Rural	415	39	33	41	35	35	42	32	33	32	28	27	38
WYOMING	86	7	4	6	7	3	9	6	6	11	11	10	6
Cities of 10,000 to 25,000	20	1	3	2	1	1	1	1	1	2	3	—	3
Cities of 2,500 to 10,000	25	5	1	2	1	1	2	—	2	6	1	4	—
Rural	41	1	—	2	5	1	5	5	3	3	7	6	3

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

AREA	Total stillbirths	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
UNITED STATES	72,598	55,892	46,656	2,902	1,622	1,373	3,029	97	53	6	154	16,428	278
Cities of 100,000 or more	22,348	18,578	13,354	1,634	614	798	2,019	75	14	2	68	3,714	56
Cities of 25,000 to 100,000	8,465	6,853	5,746	389	192	189	303	8	5	2	19	1,593	19
Cities of 10,000 to 25,000	6,492	5,429	4,739	248	144	104	175	4	6	—	9	1,051	12
Cities of 2,500 to 10,000	8,077	6,918	6,202	214	179	107	190	3	6	—	17	1,136	23
Rural	27,216	18,114	16,615	417	493	175	342	7	22	2	41	8,934	168
ALABAMA	2,487	1,057	1,013	3	38	—	2	—	1	—	—	1,430	—
Cities of 100,000 or more	249	101	92	—	7	—	2	—	—	—	—	148	—
Cities of 25,000 to 100,000	142	58	55	1	2	—	—	—	—	—	—	84	—
Cities of 10,000 to 25,000	204	89	84	1	4	—	—	—	—	—	—	115	—
Cities of 2,500 to 10,000	183	112	108	—	4	—	—	—	—	—	—	71	—
Rural	1,709	697	674	1	21	—	—	—	1	—	—	1,012	—
ARIZONA	254	217	150	22	6	11	27	1	—	—	—	10	27
Cities of 25,000 to 100,000	91	82	60	7	2	5	7	1	—	—	—	5	4
Cities of 2,500 to 10,000	69	65	40	9	3	3	10	—	—	—	—	3	1
Rural	94	70	50	6	1	3	10	—	—	—	—	2	22
ARKANSAS	1,254	745	715	4	20	—	1	—	2	—	1	511	—
Cities of 25,000 to 100,000	67	53	50	—	3	—	—	—	—	—	—	14	—
Cities of 10,000 to 25,000	126	81	76	—	5	—	—	—	—	—	—	45	—
Cities of 2,500 to 10,000	117	81	79	1	1	—	—	—	—	—	—	36	—
Rural	944	528	510	3	11	—	1	—	2	—	1	416	—
CALIFORNIA	2,186	2,064	1,508	189	22	94	248	2	—	—	1	61	61
Cities of 100,000 or more	924	847	609	78	11	48	99	2	—	—	—	51	26
Cities of 25,000 to 100,000	318	303	230	37	1	13	21	—	—	—	1	2	13
Cities of 10,000 to 25,000	154	153	124	12	1	6	10	—	—	—	—	—	1
Cities of 2,500 to 10,000	268	263	203	21	3	8	28	—	—	—	—	2	3
Rural	522	498	342	41	6	19	90	—	—	—	—	6	16
COLORADO	546	541	487	27	8	6	12	—	1	—	—	4	1
Cities of 100,000 or more	153	150	133	8	3	2	4	—	—	—	—	3	—
Cities of 25,000 to 100,000	55	54	50	2	—	—	2	—	—	—	—	1	—
Cities of 10,000 to 25,000	48	48	42	3	—	—	2	—	—	—	—	—	—
Cities of 2,500 to 10,000	110	110	100	5	2	1	2	—	—	—	—	—	—
Rural	180	179	162	9	3	1	3	—	1	—	—	—	1

## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total still-births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
CONNECTICUT	513	495	341	49	12	35	55	1	1	---	1	18	---
Cities of 100,000 or more	200	191	130	24	4	12	20	---	---	---	1	9	---
Cities of 25,000 to 100,000	164	160	118	15	2	8	18	---	1	---	---	4	---
Cities of 10,000 to 25,000	74	72	52	7	4	4	5	---	---	---	---	2	---
Cities of 2,500 to 10,000	34	35	17	3	1	3	9	---	---	---	---	1	---
Rural	41	39	24	2	1	8	3	1	---	---	---	2	---
DELAWARE	125	94	77	5	4	1	7	---	---	---	---	31	---
Cities of 100,000 or more	77	59	48	5	---	1	5	---	---	---	---	18	---
Cities of 2,500 to 10,000	16	13	8	---	---	---	2	---	---	---	---	3	---
Rural	32	22	21	---	1	---	---	---	---	---	---	10	---
DISTRICT OF COLUMBIA	405	288	196	12	8	6	7	---	1	---	8	164	1
FLORIDA	1,470	696	652	15	19	4	3	1	1	---	1	774	---
Cities of 100,000 or more	325	152	154	11	4	2	1	---	---	---	---	173	---
Cities of 25,000 to 100,000	155	80	77	1	2	---	---	---	---	---	---	75	---
Cities of 10,000 to 25,000	111	52	50	1	---	1	---	---	---	---	---	59	---
Cities of 2,500 to 10,000	260	139	135	---	2	---	1	---	---	---	1	121	---
Rural	619	273	256	2	11	1	1	1	1	---	---	346	---
GEORGIA	3,236	1,354	1,293	6	50	1	1	---	1	---	2	1,882	---
Cities of 100,000 or more	250	128	124	1	2	---	1	---	---	---	---	122	---
Cities of 25,000 to 100,000	352	130	124	2	4	---	---	---	---	---	---	222	---
Cities of 10,000 to 25,000	271	144	136	1	7	---	---	---	---	---	---	127	---
Cities of 2,500 to 10,000	321	185	180	---	5	---	---	---	---	---	---	136	---
Rural	2,042	767	729	2	32	1	---	---	1	---	2	1,275	---
IDAHO	239	237	217	6	4	4	3	---	2	---	1	---	2
Cities of 10,000 to 25,000	27	27	26	---	---	---	---	---	---	---	1	---	---
Cities of 2,500 to 10,000	129	129	115	4	4	4	1	---	1	---	---	---	---
Rural	83	81	76	2	---	---	2	---	1	---	---	---	2
ILLINOIS	2,978	2,731	2,289	185	62	59	117	3	5	---	1	245	2
Cities of 100,000 or more	1,256	1,101	803	129	30	47	85	2	4	---	1	153	2
Cities of 25,000 to 100,000	528	482	428	27	9	5	13	---	---	---	---	46	---
Cities of 10,000 to 25,000	291	279	252	15	6	---	5	---	1	---	---	12	---
Cities of 2,500 to 10,000	333	319	299	3	5	6	6	---	---	---	---	14	---
Rural	570	550	517	11	12	1	8	1	---	---	---	20	---
INDIANA	1,291	1,205	1,130	22	24	4	25	1	---	---	1	86	---
Cities of 100,000 or more	352	295	272	8	4	3	8	---	---	---	---	57	---
Cities of 25,000 to 100,000	249	231	210	5	3	---	12	1	---	---	---	18	---
Cities of 10,000 to 25,000	115	113	105	4	2	---	2	---	---	---	---	2	---
Cities of 2,500 to 10,000	164	160	153	2	4	---	1	---	---	---	---	4	---
Rural	411	406	390	3	11	1	---	---	---	---	1	5	---
IOWA	1,029	1,013	954	25	20	5	6	---	3	---	---	16	---
Cities of 100,000 or more	85	75	73	1	1	---	---	---	---	---	---	10	---
Cities of 25,000 to 100,000	231	228	211	6	5	1	3	---	2	---	---	3	---
Cities of 10,000 to 25,000	161	158	143	1	9	3	1	---	1	---	---	3	---
Cities of 2,500 to 10,000	212	212	205	4	2	---	4	---	---	---	---	---	---
Rural	340	340	322	13	3	1	1	---	---	---	---	---	---
KANSAS	651	606	570	7	17	3	8	---	1	---	---	45	---
Cities of 100,000 or more	116	97	81	3	6	2	5	---	---	---	---	19	---
Cities of 25,000 to 100,000	37	35	31	---	3	---	1	---	---	---	---	2	---
Cities of 10,000 to 25,000	132	119	115	2	1	1	---	---	---	---	---	13	---
Cities of 2,500 to 10,000	168	164	156	2	5	---	1	---	---	---	---	4	---
Rural	198	191	187	---	2	---	1	---	1	---	---	7	---
KENTUCKY	1,997	1,822	1,771	4	43	---	2	---	---	---	2	175	---
Cities of 100,000 or more	156	136	133	---	1	---	1	---	---	---	1	20	---
Cities of 25,000 to 100,000	135	109	107	---	2	---	---	---	---	---	---	26	---
Cities of 10,000 to 25,000	102	86	84	1	---	---	---	---	---	---	1	16	---
Cities of 2,500 to 10,000	223	197	195	---	2	---	---	---	---	---	---	28	---
Rural	1,381	1,294	1,252	3	38	---	1	---	---	---	---	87	---
LOUISIANA	2,110	890	840	6	35	2	6	---	---	---	1	1,215	5
Cities of 100,000 or more	492	248	215	4	24	1	4	---	---	---	---	244	---
Cities of 25,000 to 100,000	247	96	89	1	5	---	---	---	---	---	1	151	---
Cities of 10,000 to 25,000	145	63	59	---	3	---	1	---	---	---	---	82	---
Cities of 2,500 to 10,000	208	108	108	---	---	---	---	---	---	---	---	100	---
Rural	1,018	375	369	1	3	1	1	---	---	---	---	638	5
MAINE	456	455	369	25	15	27	17	2	---	---	---	1	---
Cities of 25,000 to 100,000	85	85	71	2	5	3	3	1	---	---	---	---	---
Cities of 10,000 to 25,000	57	57	43	4	3	5	2	---	---	---	---	---	---
Cities of 2,500 to 10,000	84	84	65	7	2	8	4	---	---	---	---	---	---
Rural	230	229	192	12	5	11	8	1	---	---	---	1	---
MARYLAND	1,272	824	745	22	23	9	16	2	2	---	5	447	1
Cities of 100,000 or more	680	427	371	19	11	8	14	2	---	---	2	253	---
Cities of 25,000 to 100,000	67	63	57	---	4	---	1	---	---	---	1	4	---
Cities of 10,000 to 25,000	47	33	30	---	1	---	---	---	---	---	2	13	1
Cities of 2,500 to 10,000	108	80	73	1	5	---	---	---	1	---	---	28	---
Rural	370	221	214	2	2	1	1	---	1	---	---	149	---
MASSACHUSETTS	1,749	1,703	1,171	174	60	109	184	3	1	---	1	43	3
Cities of 100,000 or more	866	832	552	61	35	60	101	2	---	---	1	34	---
Cities of 25,000 to 100,000	453	451	315	47	6	29	53	1	---	---	---	2	---
Cities of 10,000 to 25,000	285	282	207	32	10	13	19	---	1	---	---	3	---
Cities of 2,500 to 10,000	84	81	59	8	3	4	7	---	---	---	---	3	---
Rural	61	57	38	6	6	3	4	---	---	---	---	1	3

GENERAL TABLES—STILLBIRTHS

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total still-births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MICHIGAN	2,559	2,393	1,898	173	80	97	141	1	—	—	3	162	4
Cities of 100,000 or more	988	855	591	100	28	44	91	—	—	—	1	133	—
Cities of 25,000 to 100,000	512	496	389	29	21	26	28	1	—	—	2	16	—
Cities of 10,000 to 25,000	200	195	164	15	9	3	4	—	—	—	—	5	—
Cities of 2,500 to 10,000	280	276	243	10	11	9	3	—	—	—	—	3	1
Rural	579	571	511	19	11	15	15	—	—	—	—	5	3
MINNESOTA	1,219	1,209	1,061	46	37	15	28	2	—	—	—	4	6
Cities of 100,000 or more	474	470	401	24	23	6	14	2	—	—	—	4	—
Cities of 25,000 to 100,000	145	145	130	6	4	1	4	—	—	—	—	—	—
Cities of 10,000 to 25,000	205	205	189	6	3	4	3	—	—	—	—	—	—
Cities of 2,500 to 10,000	395	389	361	10	7	4	7	—	—	—	—	—	6
MISSISSIPPI	2,642	697	680	1	14	—	—	—	1	—	1	1,942	3
Cities of 25,000 to 100,000	120	44	45	—	1	—	—	—	—	—	—	78	—
Cities of 10,000 to 25,000	247	117	112	1	4	—	—	—	—	—	—	130	—
Cities of 2,500 to 10,000	131	64	63	—	1	—	—	—	—	—	—	67	—
Rural	2,144	472	462	—	8	—	—	—	1	—	1	1,669	3
MISSOURI	1,843	1,563	1,448	22	75	7	9	1	—	—	1	279	1
Cities of 100,000 or more	707	486	418	17	36	7	7	1	—	—	—	220	1
Cities of 25,000 to 100,000	108	103	97	2	4	—	—	—	—	—	—	5	—
Cities of 10,000 to 25,000	89	84	81	—	1	—	1	—	—	—	1	5	—
Cities of 2,500 to 10,000	224	205	197	1	6	—	1	—	—	—	—	19	—
Rural	715	685	655	2	28	—	—	—	—	—	—	30	—
MONTANA	212	204	173	14	5	8	4	—	—	—	—	—	8
Cities of 25,000 to 100,000	35	34	28	3	1	1	1	—	—	—	—	—	1
Cities of 10,000 to 25,000	42	42	36	2	3	1	—	—	—	—	—	—	—
Cities of 2,500 to 10,000	35	35	29	2	1	1	2	—	—	—	—	—	—
Rural	100	93	80	7	—	5	1	—	—	—	—	—	7
NEBRASKA	452	439	404	17	6	5	7	—	—	—	—	11	2
Cities of 100,000 or more	104	94	86	4	—	1	3	—	—	—	—	10	—
Cities of 25,000 to 100,000	34	33	30	2	—	1	—	—	—	—	—	1	—
Cities of 10,000 to 25,000	48	48	48	—	—	—	—	—	—	—	—	—	—
Cities of 2,500 to 10,000	65	65	58	3	1	1	2	—	—	—	—	—	—
Rural	201	199	182	8	5	2	2	—	—	—	—	—	2
NEVADA	36	33	25	5	2	—	3	—	—	—	—	—	3
Cities of 10,000 to 25,000	5	5	3	1	—	—	1	—	—	—	—	—	—
Cities of 2,500 to 10,000	9	9	6	2	—	—	1	—	—	—	—	—	—
Rural	22	19	16	—	2	—	1	—	—	—	—	—	3
NEW HAMPSHIRE	219	218	161	20	9	19	9	—	—	—	—	1	—
Cities of 25,000 to 100,000	59	59	36	10	3	7	3	—	—	—	—	—	—
Cities of 10,000 to 25,000	59	58	45	6	1	5	1	—	—	—	—	1	—
Cities of 2,500 to 10,000	29	29	26	—	—	2	1	—	—	—	—	—	—
Rural	72	72	54	4	5	5	4	—	—	—	—	—	—
NEW JERSEY	1,586	1,391	1,041	125	24	60	131	—	5	2	3	195	—
Cities of 100,000 or more	731	636	473	62	10	27	63	—	1	—	—	95	—
Cities of 25,000 to 100,000	336	301	216	28	6	18	31	—	—	1	1	35	—
Cities of 10,000 to 25,000	251	224	168	21	3	10	22	—	1	—	1	27	—
Cities of 2,500 to 10,000	140	116	93	8	1	3	10	—	1	—	—	24	—
Rural	128	114	93	6	4	2	5	—	2	1	1	14	—
NEW MEXICO	371	368	321	10	20	3	11	2	1	—	—	3	—
Cities of 25,000 to 100,000	31	31	28	1	1	1	—	—	—	—	—	—	—
Cities of 10,000 to 25,000	37	36	32	1	3	—	—	—	—	—	—	1	—
Cities of 2,500 to 10,000	78	78	64	3	6	—	4	—	1	—	—	—	—
Rural	225	223	197	5	10	2	7	—	1	1	—	2	—
NEW YORK	8,960	8,178	5,090	890	275	458	1,345	64	3	2	51	758	24
Cities of 100,000 or more	7,369	6,638	3,837	801	239	394	1,251	62	3	2	49	710	21
Cities of 25,000 to 100,000	374	360	282	23	7	21	25	1	—	—	1	15	1
Cities of 10,000 to 25,000	434	424	344	27	9	17	26	1	—	—	—	10	—
Cities of 2,500 to 10,000	269	269	216	13	7	8	14	—	—	—	1	10	—
Rural	514	497	411	26	13	18	29	—	—	—	—	15	2
NORTH CAROLINA	2,870	1,514	1,441	1	16	1	2	—	1	—	52	1,332	24
Cities of 25,000 to 100,000	492	231	218	1	1	—	2	—	—	—	9	261	—
Cities of 10,000 to 25,000	259	142	140	—	1	—	—	—	—	—	1	116	—
Cities of 2,500 to 10,000	356	245	231	—	1	—	—	—	—	—	13	108	3
Rural	1,764	896	852	—	13	1	—	—	1	—	29	847	21
NORTH DAKOTA	301	287	227	30	6	12	10	1	—	—	1	1	13
Cities of 25,000 to 100,000	13	13	9	—	4	—	—	—	—	—	—	—	—
Cities of 10,000 to 25,000	45	45	37	2	1	1	2	1	—	—	1	—	—
Cities of 2,500 to 10,000	55	54	45	7	—	2	—	—	—	—	—	—	1
Rural	188	175	136	21	1	9	8	—	—	—	—	1	12
OHIO	2,950	2,678	2,394	96	82	32	72	1	1	—	—	272	—
Cities of 100,000 or more	1,409	1,209	1,038	62	51	22	55	1	—	—	—	200	—
Cities of 25,000 to 100,000	383	364	325	15	11	6	7	—	—	—	—	19	—
Cities of 10,000 to 25,000	291	276	249	9	10	2	6	—	—	—	—	15	—
Cities of 2,500 to 10,000	232	224	209	6	6	2	1	—	—	—	—	8	—
Rural	635	605	573	4	24	—	3	—	1	—	—	30	—
OKLAHOMA	1,124	983	937	3	34	2	1	—	5	—	3	101	40
Cities of 100,000 or more	170	145	128	1	12	1	—	—	1	—	2	25	—
Cities of 25,000 to 100,000	43	39	35	1	3	—	—	—	—	—	—	4	—
Cities of 10,000 to 25,000	133	109	103	—	5	—	1	—	—	—	—	16	8
Cities of 2,500 to 10,000	250	224	218	—	5	—	—	—	1	—	—	15	11
Rural	528	468	453	1	9	1	—	—	1	—	1	41	21

## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

AREA	Total stillbirths	WHITE									Negro	Other races	
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign			Father unknown
OREGON	322	316	272	19	7	10	5	—	3	—	—	—	6
Cities of 100,000 or more	100	99	78	8	5	5	2	—	1	—	—	—	1
Cities of 25,000 to 100,000	15	15	13	1	1	—	—	—	—	—	—	—	—
Cities of 10,000 to 25,000	51	51	45	2	1	—	2	—	1	—	—	—	2
Cities of 2,500 to 10,000	87	85	76	6	—	2	1	—	—	—	—	—	2
Rural	69	66	60	2	—	3	—	—	1	—	—	—	3
PENNSYLVANIA	4,788	4,398	3,746	249	88	61	227	2	4	—	1	390	—
Cities of 100,000 or more	1,435	1,179	940	75	32	38	91	—	2	—	1	256	—
Cities of 25,000 to 100,000	821	770	648	55	15	18	34	—	—	—	—	51	—
Cities of 10,000 to 25,000	728	678	586	36	9	10	35	2	—	—	—	50	—
Cities of 2,500 to 10,000	658	643	563	33	9	9	28	—	1	—	—	15	—
Rural	1,146	1,128	1,009	50	23	6	39	—	1	—	—	18	—
RHODE ISLAND	265	256	172	37	10	22	14	1	—	—	—	9	—
Cities of 100,000 or more	142	135	102	15	3	7	8	—	—	—	—	7	—
Cities of 25,000 to 100,000	85	84	43	17	6	14	3	1	—	—	—	1	—
Cities of 10,000 to 25,000	15	15	9	2	1	1	2	—	—	—	—	—	—
Cities of 2,500 to 10,000	8	8	6	1	—	—	1	—	—	—	—	—	—
Rural	15	14	12	2	—	—	—	—	—	—	—	1	—
SOUTH CAROLINA	1,958	593	552	1	39	1	—	—	—	—	—	1,365	—
Cities of 25,000 to 100,000	303	104	98	1	5	—	—	—	—	—	—	199	—
Cities of 10,000 to 25,000	137	76	73	—	3	—	—	—	—	—	—	61	—
Cities of 2,500 to 10,000	192	100	89	—	10	1	—	—	—	—	—	92	—
Rural	1,326	313	292	—	21	—	—	—	—	—	—	1,013	—
SOUTH DAKOTA	237	217	198	7	6	2	3	—	1	—	—	—	20
Cities of 25,000 to 100,000	23	23	21	—	2	—	—	—	—	—	—	—	—
Cities of 10,000 to 25,000	53	53	51	1	—	—	1	—	—	—	—	—	—
Cities of 2,500 to 10,000	26	25	23	1	—	—	1	—	—	—	—	—	1
Rural	135	116	103	5	4	2	1	—	1	—	—	—	19
TENNESSEE	1,691	1,275	1,225	1	42	2	3	—	2	—	—	415	1
Cities of 100,000 or more	538	331	314	1	12	1	3	—	—	—	—	207	—
Cities of 25,000 to 100,000	32	29	27	—	2	—	—	—	—	—	—	3	—
Cities of 10,000 to 25,000	47	34	31	—	3	—	—	—	—	—	—	13	—
Cities of 2,500 to 10,000	207	169	165	—	3	1	—	—	—	—	—	38	—
Rural	867	712	688	—	22	—	—	—	2	—	—	154	1
TEXAS	3,995	3,042	2,511	188	58	84	192	5	—	—	4	951	2
Cities of 100,000 or more	852	651	489	49	20	33	60	—	—	—	—	200	1
Cities of 25,000 to 100,000	433	318	270	20	7	3	16	1	—	—	1	115	—
Cities of 10,000 to 25,000	325	264	224	16	6	6	12	—	—	—	—	61	—
Cities of 2,500 to 10,000	634	534	446	24	15	13	32	2	—	—	2	100	—
Rural	1,751	1,275	1,082	79	10	29	72	2	—	—	1	475	1
UTAH	278	276	255	10	—	7	4	—	—	—	—	—	2
Cities of 100,000 or more	89	89	79	4	—	4	2	—	—	—	—	—	—
Cities of 25,000 to 100,000	35	35	32	1	—	1	1	—	—	—	—	—	—
Cities of 10,000 to 25,000	11	11	11	—	—	—	—	—	—	—	—	—	—
Cities of 2,500 to 10,000	63	63	59	2	—	1	1	—	—	—	—	—	—
Rural	80	78	74	3	—	1	—	—	—	—	—	—	2
VERMONT	175	175	133	14	6	10	12	—	—	—	—	—	—
Cities of 10,000 to 25,000	51	51	39	5	2	2	3	—	—	—	—	—	—
Cities of 2,500 to 10,000	51	51	37	2	4	3	5	—	—	—	—	—	—
Rural	73	73	57	7	—	5	4	—	—	—	—	—	—
VIRGINIA	2,059	1,128	1,058	8	49	3	2	1	3	—	4	926	5
Cities of 100,000 or more	319	152	140	2	6	1	1	1	—	—	—	165	2
Cities of 25,000 to 100,000	203	87	80	1	6	—	—	—	—	—	—	116	—
Cities of 10,000 to 25,000	146	108	100	2	4	1	—	—	1	—	—	38	—
Cities of 2,500 to 10,000	210	145	133	1	9	—	1	—	1	—	—	65	—
Rural	1,181	636	605	2	24	1	—	—	—	—	4	542	3
WASHINGTON	465	456	392	26	9	20	9	—	—	—	—	2	7
Cities of 100,000 or more	175	174	148	9	4	8	5	—	—	—	—	—	1
Cities of 25,000 to 100,000	27	25	20	2	1	1	1	—	—	—	—	2	—
Cities of 10,000 to 25,000	96	94	84	3	1	4	2	—	—	—	—	—	2
Cities of 2,500 to 10,000	56	56	49	4	—	3	—	—	—	—	—	—	—
Rural	111	107	91	8	3	4	1	—	—	—	—	—	4
WEST VIRGINIA	1,503	1,362	1,213	29	95	4	15	—	2	1	3	141	—
Cities of 25,000 to 100,000	266	249	206	9	23	1	5	—	2	1	2	17	—
Cities of 10,000 to 25,000	76	67	57	4	2	—	3	—	—	—	1	9	—
Cities of 2,500 to 10,000	210	190	168	3	16	—	3	—	—	—	—	20	—
Rural	951	856	782	13	54	3	4	—	—	—	—	95	—
WISCONSIN	1,186	1,173	1,034	52	37	25	22	—	1	1	1	9	4
Cities of 100,000 or more	162	158	126	16	2	7	6	—	—	—	1	4	—
Cities of 25,000 to 100,000	306	306	269	16	3	6	12	—	—	—	—	—	—
Cities of 10,000 to 25,000	102	102	95	2	2	2	1	—	—	—	—	—	—
Cities of 2,500 to 10,000	201	201	182	5	8	5	1	—	—	—	—	—	—
Rural	415	406	362	13	22	5	2	—	1	1	—	5	4
WYOMING	86	85	76	2	1	3	3	—	—	—	—	1	—
Cities of 10,000 to 25,000	20	19	16	—	—	3	—	—	—	—	—	1	—
Cities of 2,500 to 10,000	25	25	23	1	—	—	1	—	—	—	—	—	—
Rural	41	41	37	1	1	—	2	—	—	—	—	—	—

GENERAL TABLES—STILLBIRTHS

TABLE 6.—STILLBIRTHS BY NUMBER AND SEX OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES,<sup>1</sup> 1939

NUMBER AND SEX OF CHILD, AND AGE OF MOTHER	Total still-births	WHITE				Negro	Other races	NUMBER AND SEX OF CHILD, AND AGE OF MOTHER	Total still-births	WHITE				Negro	Other races
		Total <sup>2</sup>	Mother native	Mother foreign						Total <sup>2</sup>	Mother native	Mother foreign			
Total <sup>1</sup>	70,849	54,189	49,775	4,203	16,385	275	SIXTH CHILD—Continued								
Male	38,724	29,004	26,927	1,975	9,164	156	30 to 34 years	951	702	646	54	227	2		
Female	29,145	22,221	20,658	1,506	6,809	115	35 to 39 years	744	606	521	84	132	6		
Not stated	3,392	2,964	2,210	724	412	6	40 to 44 years	330	298	256	61	31	1		
							45 to 49 years	25	22	17	5	3			
							Not stated	21	15	15		6			
10 to 14 years	181	56	55		125		SEVENTH CHILD	2,386	1,654	1,454	193	715	17		
15 to 19 years	9,298	5,599	5,509	62	3,668	31	Male	1,358	919	803	111	411	8		
20 to 24 years	17,502	13,018	12,643	329	4,412	72	Female	983	686	618	66	288	9		
25 to 29 years	16,372	13,168	12,311	859	3,134	70	Not stated	65	49	33	16	16			
30 to 34 years	12,664	10,496	9,317	1,156	2,139	39	20 to 24 years	94	25	25		69			
35 to 39 years	8,967	7,224	6,081	1,122	1,702	41	25 to 29 years	501	275	253	20	227	1		
40 to 44 years	3,649	2,500	584	544	544	15	30 to 34 years	770	537	492	44	223	10		
45 to 49 years	519	418	351	84	98	3	35 to 39 years	688	525	445	77	158	5		
50 to 54 years	10	5	4	1	5		40 to 44 years	272	247	202	45	24	1		
55 years and over	1	1	1				45 to 49 years	45	37	29	6	6			
Not stated	1,686	1,124	1,025	46	558	4	50 to 54 years	1	1		1				
							Not stated	17	9	8		8			
FIRST CHILD	28,781	21,890	20,565	1,193	4,819	72	EIGHTH CHILD	1,616	1,238	1,105	129	561	17		
Male	14,541	11,795	11,198	540	2,703	43	Male	1,004	671	602	67	321	12		
Female	10,990	8,966	8,499	420	1,996	28	Female	759	530	476	52	224	5		
Not stated	1,250	1,129	870	233	120	1	Not stated	53	57	27	10	16			
10 to 14 years	169	55	52		116		20 to 24 years	35	10	10		25			
15 to 19 years	6,938	4,458	4,384	48	2,459	21	25 to 29 years	247	116	110	6	128	5		
20 to 24 years	8,848	7,515	7,284	195	1,306	27	30 to 34 years	574	371	340	29	198	5		
25 to 29 years	5,612	5,329	4,951	366	466	17	35 to 39 years	609	440	390	48	162	7		
30 to 34 years	2,972	2,749	2,399	355	221	2	40 to 44 years	297	254	218	36	41	2		
35 to 39 years	1,185	1,060	892	164	101	2	45 to 49 years	41	38	29	9	3			
40 to 44 years	281	255	210	45	26		Not stated	13	9	8	1	4			
45 to 49 years	17	15	15		2										
50 to 54 years	1	1	1												
Not stated	561	456	378	20	122	3									
SECOND CHILD	12,358	9,793	9,058	715	2,519	46	NINTH CHILD	1,454	968	864	105	479	7		
Male	6,507	5,104	4,802	294	1,380	23	Male	810	547	489	57	260	3		
Female	5,053	5,974	5,726	237	1,089	20	Female	625	406	362	44	213	4		
Not stated	798	715	550	184	80	3	Not stated	21	15	13	2	6			
10 to 14 years	12	3	3		9		20 to 24 years	19	5	5		14			
15 to 19 years	1,686	884	872	11	794	8	25 to 29 years	124	35	34	1	88	1		
20 to 24 years	4,074	5,002	2,923	69	1,056	16	30 to 34 years	385	217	202	15	165	3		
25 to 29 years	3,375	2,929	2,713	207	427	19	35 to 39 years	595	430	393	46	163	2		
30 to 34 years	2,031	1,868	1,642	241	140	5	40 to 44 years	283	242	210	32	40	1		
35 to 39 years	889	855	692	140	56		45 to 49 years	37	31	26	5	6			
40 to 44 years	194	181	142	39	13		55 years and over	1	1	1					
45 to 49 years	16	14	9	5	2		Not stated	10	7	5	4	3			
50 to 54 years	1	1	1		1										
Not stated	80	59	52	3	21										
THIRD CHILD	8,054	6,196	5,633	555	1,831	27	TENTH CHILD	1,064	681	589	89	374	9		
Male	4,276	3,240	2,998	237	1,022	14	Male	601	381	330	48	214	6		
Female	3,238	2,471	2,292	176	755	12	Female	444	290	252	38	151	3		
Not stated	542	485	345	142	56	1	Not stated	19	10	7	3	9			
15 to 19 years	394	161	159	1	232	1	20 to 24 years	5	3	3		2			
20 to 24 years	2,314	1,453	1,419	31	849	12	25 to 29 years	56	14	13	1	42			
25 to 29 years	2,326	1,906	1,792	114	414	6	30 to 34 years	236	102	90	12	152	2		
30 to 34 years	1,735	1,551	1,355	173	202	2	35 to 39 years	457	302	264	37	151	4		
35 to 39 years	943	845	672	170	95	5	40 to 44 years	261	218	182	35	41	2		
40 to 44 years	257	240	181	59	17		45 to 49 years	35	34	30	4	1			
45 to 49 years	27	20	15	5	6	1	50 to 54 years	3	1	1		2			
50 to 54 years	2	1	1		1		Not stated	11	7	6		4			
Not stated	56	41	39	2	15										
FOURTH CHILD	5,671	4,178	3,767	404	1,466	27	ELEVENTH CHILD	828	527	452	75	296	5		
Male	3,047	2,027	1,81	151	811	15	Male	440	272	229	41	165	3		
Female	2,356	1,708	1,551	154	617	11	Female	374	246	215	31	126	2		
Not stated	288	249	199	59	38	1	Not stated	14	9	8	1	5			
15 to 19 years	94	26	26		67	1	20 to 24 years	3	1	1		2			
20 to 24 years	1,162	587	568	19	567	8	25 to 29 years	31	6	5	1	25			
25 to 29 years	1,708	1,224	1,159	64	475	9	30 to 34 years	134	60	55	5	73	1		
30 to 34 years	1,404	1,207	1,085	120	194	3	35 to 39 years	335	230	194	35	103	2		
35 to 39 years	960	826	685	139	129	5	40 to 44 years	168	160	27	62	2			
40 to 44 years	281	258	203	54	22	1	45 to 49 years	52	41	36	5	11			
45 to 49 years	28	23	17	6	5		50 to 54 years	1	1	1					
50 to 54 years	1	1	1				Not stated	1							
Not stated	33	26	23	2	7										
FIFTH CHILD	4,117	2,970	2,845	321	1,130	17	TWELFTH CHILD	578	346	281	65	250	2		
Male	2,214	1,573	1,418	152	629	12	Male	335	194	162	32	139	2		
Female	1,725	1,245	1,116	128	475	5	Female	250	141	112	29	89			
Not stated	178	152	111	41	26		Not stated	13	11	7	4	2			
15 to 19 years	22	5	5		19		25 to 29 years	25	4	3	1	21			
20 to 24 years	551	216	205	11	329	6	30 to 34 years	84	59	36	3	44	1		
25 to 29 years	1,154	750	719	31	399	5	35 to 39 years	240	140	116	24	99	1		
30 to 34 years	1,187	948	855	94	235	4	40 to 44 years	177	126	99	27	51			
35 to 39 years	841	717	611	105	123	1	45 to 49 years	49	36	26	10	13			
40 to 44 years	315	296	226	69	16	1	Not stated	5	1	1		2			
45 to 49 years	21	20	12	8	1										
Not stated	26	20	16	3	6										
SIXTH CHILD	3,041	2,169	1,936	229	857	15	THIRTEENTH CHILD	361	223	180	42	157	1		
Male	1,676	1,181	1,052	126	489	6	Male	216	125	99	26	91			
Female	1,267	906	827	78	352	9	Female	156	91	78	13	64	1		
Not stated	98	82	57	25	16		Not stated	9	7	3	3	2			
15 to 19 years	8				8		25 to 29 years	10	3	3		7			
20 to 24 years	203	80	77	5	123		30 to 34 years	37	17	14	2	20			
25 to 29 years	779	446	424	22	327	6	35 to 39 years	152	76	63	13	75	1		
							40 to 44 years	140	98	82	16	42			
							45 to 49 years	41	29	18	11	12			
							Not stated	1				1			

<sup>1</sup>Exclusive of Massachusetts. <sup>2</sup>Includes "Country not stated."

VITAL STATISTICS OF THE UNITED STATES

TABLE 6.—STILLBIRTHS BY NUMBER AND SEX OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER:  
UNITED STATES,<sup>1</sup> 1939—Continued

NUMBER AND SEX OF CHILD, AND AGE OF MOTHER	Total still- births	WHITE				Negro	Other races	NUMBER AND SEX OF CHILD, AND AGE OF MOTHER	Total still- births	WHITE				Negro	Other races
		Total <sup>2</sup>	Mother native	Mother foreign						Total <sup>2</sup>	Mother native	Mother foreign			
FOURTEENTH CHILD	258	144	118	25	110	4	TWENTIETH CHILD	9	2	2			7		
Male	141	71	57	14	66	4	Male	3	1	1			2		
Female	115	71	60	11	44		Female	6	1	1			5		
Not stated	2	2	1				30 to 34 years	1					1		
25 to 29 years	6				6		35 to 39 years	2					2		
30 to 34 years	16	3	2	1	12	1	40 to 44 years	4	1	1			5		
35 to 39 years	101	51	46	5	50		45 to 49 years	2	1	1			1		
40 to 44 years	106	73	56	17	33	2	TWENTY-FIRST CHILD	4	1	1			3		
45 to 49 years	26	17	14	2	8	1	Male	2	1	1			1		
Not stated	1				1		Female	1					1		
FIFTEENTH CHILD	147	76	60	16	71		Not stated	1					1		
Male	76	40	33	7	36		30 to 34 years	1					1		
Female	70	36	27	9	34		35 to 39 years	1	1	1			2		
Not stated	1				1		40 to 44 years	2							
25 to 29 years	3	1	1		2		TWENTY-SECOND CHILD	2					2		
30 to 34 years	8	2	2		6		Male	1					1		
35 to 39 years	54	21	14	7	33		Female	1					1		
40 to 44 years	58	36	27	9	22		35 to 39 years	1					1		
45 to 49 years	23	16	16		7		45 to 49 years	1					1		
Not stated	1				1		TWENTY-THIRD CHILD	4	2	2			2		
SIXTEENTH CHILD	72	43	36	7	28	1	Male	3	2	2			1		
Male	42	29	24	2	15	1	Female	1					1		
Female	28	16	11	5	12		35 to 39 years	2	1	1			1		
Not stated	2	1	1		1		40 to 44 years	1					1		
25 to 29 years	1				1		45 to 49 years	1	1	1					
30 to 34 years	6	2	2		4		TWENTY-FOURTH CHILD	1	1	1					
35 to 39 years	20	8	6	2	12		Male	1	1	1					
40 to 44 years	32	21	16	5	10	1	40 to 44 years	1	1	1					
45 to 49 years	13	12	12		1		TWENTY-FIFTH CHILD	1					1		
SEVENTEENTH CHILD	53	30	25	5	23		Female	1					1		
Male	29	17	14	3	12		40 to 44 years	1					1		
Female	24	13	11	2	11		TWENTY-SEVENTH CHILD	1					1		
30 to 34 years	4	2	2		2		Female	1					1		
35 to 39 years	17	9	8	1	8		45 to 49 years	1					1		
40 to 44 years	22	14	11	3	8		NOT STATED	1,727	1,086	983	37	684	7		
45 to 49 years	9	5	4	1	4		Male	998	612	577	25	382	4		
50 to 54 years	1				1		Female	701	413	396	11	285	3		
EIGHTEENTH CHILD	21	10	9	1	11		Not stated	28	11	10	1	17			
Male	11	4	4		7		15 to 19 years	156	67	65	2	89			
Female	10	6	5	1	4		20 to 24 years	194	121	118	1	70	3		
35 to 39 years	7	3	3		4		25 to 29 years	214	132	128	5	79	3		
40 to 44 years	9	5	5		4		30 to 34 years	148	109	100	8	39			
45 to 49 years	5	2	1	1	3		35 to 39 years	119	79	71	5	40			
NINETEENTH CHILD	20	11	9	1	9		40 to 44 years	41	32	28	4	9			
Male	12	6	6		6		45 to 49 years	3	2	1	1	1			
Female	8	5	3	1	3		Not stated	852	494	474	11	357	1		
35 to 39 years	7	3	3		4										
40 to 44 years	10	6	4	1	4										
45 to 49 years	3	2	2		1										

<sup>2</sup> Includes "Country not stated."



# GENERAL TABLES—TOTAL DEATHS

105

TABLE 7.—DEATHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,387,697	131,373	122,149	137,171	121,207	116,256	104,624	108,452	101,731	102,725	109,122	111,536	121,551
Cities of 100,000 or more	441,017	41,991	40,464	42,785	38,349	36,827	32,606	33,166	32,003	32,953	34,817	35,648	39,408
Cities of 25,000 to 100,000	170,448	15,934	14,954	16,749	14,680	14,325	12,749	13,147	12,365	12,630	13,572	13,866	15,477
Cities of 10,000 to 25,000	122,493	11,482	10,587	11,985	10,762	10,372	9,326	9,582	9,097	9,101	9,704	9,797	10,698
Cities of 2,500 to 10,000	152,950	14,474	13,104	15,121	13,249	12,858	11,550	12,332	11,433	11,364	12,048	12,194	13,223
Rural	500,989	47,492	43,040	50,531	44,167	41,874	38,393	40,225	36,835	36,677	39,981	40,031	42,745
ALABAMA	28,301	2,749	2,365	2,864	2,416	2,268	2,138	2,400	2,087	1,983	2,179	2,286	2,566
Cities of 100,000 or more	3,579	342	275	370	258	253	251	323	294	276	269	299	349
Cities of 25,000 to 100,000	2,248	217	185	216	200	196	160	166	169	185	165	178	211
Cities of 10,000 to 25,000	3,352	312	290	312	263	295	256	325	256	239	255	261	268
Cities of 2,500 to 10,000	2,484	235	188	266	212	167	195	191	182	197	208	243	243
Rural	16,638	1,643	1,427	1,700	1,483	1,337	1,278	1,395	1,186	1,101	1,273	1,340	1,475
ARIZONA	5,851	528	462	535	494	459	516	495	421	459	504	461	517
Cities of 25,000 to 100,000	2,372	238	190	239	212	189	204	204	160	146	184	165	241
Cities of 2,500 to 10,000	1,224	106	100	101	109	98	126	109	90	97	100	100	88
Rural	2,255	184	172	195	173	172	186	182	171	216	220	196	188
ARKANSAS	16,514	1,573	1,468	1,707	1,394	1,343	1,388	1,544	1,293	1,272	1,259	1,197	1,066
Cities of 25,000 to 100,000	2,266	210	175	211	177	175	194	236	193	174	163	184	174
Cities of 10,000 to 25,000	1,868	155	160	216	142	156	159	180	140	145	141	135	139
Cities of 2,500 to 10,000	2,320	205	195	237	208	203	188	193	193	187	178	185	148
Rural	10,060	1,003	938	1,043	867	809	857	935	767	766	777	693	605
CALIFORNIA	77,130	7,398	6,531	6,917	6,155	6,276	5,865	6,019	5,831	6,722	6,152	6,307	6,957
Cities of 100,000 or more	34,027	3,324	2,948	3,124	2,749	2,715	2,578	2,586	2,542	3,072	2,662	2,652	3,075
Cities of 25,000 to 100,000	9,769	941	763	821	795	790	800	793	847	759	759	850	883
Cities of 10,000 to 25,000	4,897	472	408	410	372	440	375	371	392	388	406	395	468
Cities of 2,500 to 10,000	7,209	732	629	575	568	622	557	587	514	574	601	596	654
Rural	21,228	1,929	1,783	1,887	1,671	1,709	1,658	1,675	1,660	1,841	1,724	1,814	1,877
COLORADO	12,558	1,161	1,089	1,189	1,006	1,074	951	939	977	918	1,059	1,035	1,160
Cities of 100,000 or more	4,363	387	413	403	370	363	363	351	330	317	367	344	392
Cities of 25,000 to 100,000	1,080	101	106	97	77	107	73	69	94	60	93	100	103
Cities of 10,000 to 25,000	769	77	67	90	59	82	59	39	51	54	60	71	60
Cities of 2,500 to 10,000	1,645	180	145	152	123	119	114	127	130	126	135	123	169
Rural	4,703	416	358	447	377	383	399	353	372	361	404	397	436
CONNECTICUT	17,686	1,661	1,561	1,708	1,576	1,504	1,297	1,344	1,280	1,540	1,462	1,416	1,527
Cities of 100,000 or more	5,925	519	502	590	529	500	452	420	449	449	491	489	536
Cities of 25,000 to 100,000	4,355	430	397	404	377	337	315	321	290	371	391	337	383
Cities of 10,000 to 25,000	2,725	271	256	250	257	245	184	227	197	185	203	215	233
Cities of 2,500 to 10,000	932	92	80	91	84	79	70	72	69	67	79	77	72
Rural	3,762	349	346	373	329	343	276	304	275	268	298	298	303
DELAWARE	3,169	313	268	301	313	286	225	249	216	232	234	253	279
Cities of 100,000 or more	1,487	154	113	146	149	131	111	112	93	102	110	127	139
Cities of 2,500 to 10,000	393	27	47	27	41	40	26	36	25	31	31	32	32
Rural	1,289	132	108	128	123	115	88	101	100	99	93	94	108
DISTRICT OF COLUMBIA	8,292	774	756	738	668	673	640	657	648	611	671	710	746
FLORIDA	21,295	2,041	1,845	1,969	1,806	1,752	1,568	1,559	1,471	1,541	1,709	1,840	2,194
Cities of 100,000 or more	5,129	450	429	465	443	441	382	343	394	386	417	434	545
Cities of 25,000 to 100,000	2,666	260	270	292	230	211	181	174	171	172	200	225	280
Cities of 10,000 to 25,000	1,615	161	135	134	149	122	132	122	121	107	127	131	174
Cities of 2,500 to 10,000	4,234	455	396	399	547	378	288	313	286	290	325	343	414
Rural	7,651	715	615	679	637	600	585	607	499	586	640	707	781
GEORGIA	31,843	3,020	2,621	2,915	2,727	2,638	2,565	2,608	2,342	2,386	2,443	2,664	2,914
Cities of 100,000 or more	4,256	402	321	405	397	321	329	367	330	323	316	390	355
Cities of 25,000 to 100,000	4,311	432	313	384	313	359	363	372	326	319	346	358	426
Cities of 10,000 to 25,000	2,504	206	223	206	209	240	197	213	200	202	197	189	222
Cities of 2,500 to 10,000	3,792	374	343	326	331	303	330	270	287	292	297	303	336
Rural	16,980	1,606	1,421	1,594	1,477	1,415	1,346	1,366	1,199	1,250	1,287	1,424	1,575
IDAHO	4,753	447	402	457	418	399	364	375	352	334	364	414	427
Cities of 10,000 to 25,000	599	64	51	49	47	38	51	48	61	48	59	35	50
Cities of 2,500 to 10,000	2,155	201	178	224	206	185	153	170	146	155	152	197	188
Rural	1,999	182	173	184	165	176	160	157	145	131	153	184	189
ILLINOIS	86,994	7,948	8,376	8,728	7,505	7,257	6,443	6,571	6,201	6,526	6,751	7,018	7,670
Cities of 100,000 or more	37,440	3,452	3,975	3,533	3,296	3,121	2,780	2,681	2,671	2,723	2,958	2,960	3,250
Cities of 25,000 to 100,000	11,625	1,168	1,173	1,228	1,101	1,091	927	974	896	862	958	1,078	1,151
Cities of 10,000 to 25,000	6,694	611	589	750	547	553	474	520	485	522	512	524	607
Cities of 2,500 to 10,000	8,072	709	673	840	673	661	604	668	583	600	659	687	715
Rural	22,063	2,008	1,966	2,377	1,988	1,831	1,658	1,728	1,566	1,699	1,664	1,771	1,907
INDIANA	39,510	3,623	3,512	4,355	3,378	3,380	2,989	2,935	2,960	2,913	2,993	3,077	3,395
Cities of 100,000 or more	9,952	912	848	1,091	861	805	722	742	775	792	725	776	903
Cities of 25,000 to 100,000	5,705	538	551	593	465	482	409	407	438	417	448	468	489
Cities of 10,000 to 25,000	3,413	309	276	358	304	314	271	258	225	262	272	272	292
Cities of 2,500 to 10,000	4,553	432	429	550	390	414	317	303	319	326	340	354	379
Rural	15,887	1,432	1,408	1,763	1,358	1,365	1,270	1,225	1,203	1,116	1,208	1,207	1,332
IOWA	26,465	2,553	2,199	3,048	2,331	2,246	1,900	2,031	1,857	1,946	2,024	2,084	2,246
Cities of 100,000 or more	1,950	155	178	206	184	153	166	164	123	159	145	150	167
Cities of 25,000 to 100,000	5,569	514	453	626	472	471	385	428	404	433	432	452	499
Cities of 10,000 to 25,000	2,992	293	254	331	273	256	230	238	197	218	242	238	242
Cities of 2,500 to 10,000	4,985	500	597	591	410	449	351	371	376	368	367	363	420
Rural	10,969	1,091	937	1,294	992	917	768	830	755	766	836	861	918
KANSAS	18,469	1,755	1,593	1,788	1,584	1,465	1,370	1,644	1,312	1,455	1,418	1,4	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 7.—DEATHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA	24,521	2,345	2,025	2,335	2,017	1,875	1,860	1,945	1,962	1,896	1,957	2,113	2,191
Cities of 100,000 or more	7,820	742	615	779	590	576	579	627	672	603	615	681	741
Cities of 25,000 to 100,000	2,943	230	253	284	250	230	241	270	242	243	260	235	215
Cities of 10,000 to 25,000	1,253	114	103	117	103	99	110	105	109	106	89	96	100
Cities of 2,500 to 10,000	2,596	233	219	233	206	185	193	195	200	195	226	253	258
Rural	9,909	1,026	855	912	868	785	737	748	739	747	767	848	877
MAINE	10,815	972	958	1,022	1,096	991	763	846	793	741	852	825	958
Cities of 25,000 to 100,000	2,582	243	236	251	260	226	187	192	184	156	206	191	250
Cities of 10,000 to 25,000	1,197	98	119	110	123	102	74	107	94	86	94	92	98
Cities of 2,500 to 10,000	1,484	125	129	141	162	150	100	111	100	115	112	112	127
Rural	5,552	506	474	520	551	513	402	436	415	384	440	428	483
MARYLAND	20,831	2,040	1,970	1,999	1,781	1,827	1,531	1,563	1,470	1,436	1,690	1,683	1,841
Cities of 100,000 or more	10,879	1,075	1,073	995	944	949	765	815	757	725	875	922	984
Cities of 25,000 to 100,000	982	85	83	111	98	73	82	68	58	74	89	82	79
Cities of 10,000 to 25,000	704	72	59	64	57	71	58	53	57	45	48	58	62
Cities of 2,500 to 10,000	1,061	109	105	103	90	92	75	83	80	68	81	81	91
Rural	7,205	699	650	726	592	642	551	544	518	524	594	540	625
MASSACHUSETTS	50,917	4,833	4,527	5,215	4,809	4,299	3,717	3,703	3,562	3,718	3,919	4,075	4,540
Cities of 100,000 or more	23,051	2,129	2,115	2,418	2,218	1,948	1,685	1,660	1,615	1,634	1,786	1,790	2,053
Cities of 25,000 to 100,000	11,054	1,062	1,015	1,130	1,030	902	798	810	754	794	853	906	1,000
Cities of 10,000 to 25,000	8,002	811	668	802	741	674	610	577	541	620	597	659	702
Cities of 2,500 to 10,000	3,219	308	269	332	295	293	226	232	238	238	239	238	309
Rural	5,591	523	460	533	525	482	396	424	414	432	444	482	476
MICHIGAN	52,019	4,738	4,731	5,720	4,615	4,408	3,717	4,029	3,730	3,750	4,055	4,034	4,492
Cities of 100,000 or more	16,423	1,560	1,694	1,875	1,414	1,372	1,159	1,183	1,168	1,156	1,259	1,260	1,523
Cities of 25,000 to 100,000	8,927	831	790	953	785	753	655	721	613	633	714	696	783
Cities of 10,000 to 25,000	3,601	306	309	405	328	310	270	270	241	290	267	304	301
Cities of 2,500 to 10,000	4,636	406	406	546	439	393	334	379	353	332	356	357	355
Rural	18,432	1,635	1,532	2,141	1,649	1,580	1,299	1,476	1,375	1,339	1,459	1,417	1,530
MINNESOTA	26,784	2,506	2,106	2,661	2,468	2,444	2,065	2,047	1,974	1,957	2,179	2,158	2,219
Cities of 100,000 or more	9,569	894	759	951	865	875	707	720	698	696	769	784	853
Cities of 25,000 to 100,000	2,829	242	215	266	262	282	242	204	225	199	244	239	209
Cities of 10,000 to 25,000	4,095	373	295	451	388	372	313	323	290	306	335	299	350
Cities of 2,500 to 10,000	10,281	997	837	993	953	917	803	800	761	756	831	836	807
MISSISSIPPI	22,646	2,121	1,907	2,268	2,015	1,855	1,860	1,819	1,829	1,626	1,737	1,759	1,850
Cities of 25,000 to 100,000	1,503	170	125	148	124	115	107	122	120	102	102	128	122
Cities of 10,000 to 25,000	2,754	257	212	276	222	214	234	216	240	218	189	208	266
Cities of 2,500 to 10,000	1,745	157	133	127	140	137	150	169	146	154	159	128	145
Rural	16,644	1,537	1,437	1,717	1,529	1,389	1,369	1,310	1,323	1,134	1,287	1,295	1,317
MISSOURI	42,585	3,993	3,769	4,424	3,650	3,454	3,202	3,528	3,086	3,177	3,317	3,385	3,620
Cities of 100,000 or more	15,588	1,386	1,411	1,562	1,320	1,172	1,292	1,268	1,137	1,188	1,247	1,258	1,347
Cities of 25,000 to 100,000	2,805	238	246	281	242	224	216	244	214	196	247	251	226
Cities of 10,000 to 25,000	2,299	216	210	259	196	191	173	180	176	171	179	155	193
Cities of 2,500 to 10,000	5,099	475	432	521	414	394	361	450	393	399	389	396	455
Rural	16,794	1,678	1,470	1,801	1,478	1,333	1,260	1,386	1,166	1,223	1,255	1,345	1,399
MONTANA	5,901	563	510	545	492	451	477	511	471	429	449	461	542
Cities of 25,000 to 100,000	952	89	91	94	77	71	80	79	74	76	74	74	73
Cities of 10,000 to 25,000	964	90	92	103	76	71	90	68	82	70	61	83	78
Cities of 2,500 to 10,000	929	89	82	69	75	61	85	94	64	66	81	83	82
Rural	3,056	295	245	279	264	248	224	270	251	217	233	221	309
NEBRASKA	12,194	1,168	989	1,216	1,038	1,037	894	1,071	918	940	979	909	1,035
Cities of 100,000 or more	2,739	239	187	277	249	236	206	212	203	219	248	234	229
Cities of 25,000 to 100,000	929	101	87	77	66	84	61	92	65	79	86	62	69
Cities of 10,000 to 25,000	1,088	106	85	104	102	89	90	93	92	79	81	88	79
Cities of 2,500 to 10,000	1,743	174	152	166	138	148	121	148	150	114	144	127	161
Rural	5,695	548	478	592	483	480	416	526	408	449	420	398	497
NEVADA	1,263	132	96	97	125	90	83	112	120	82	110	103	111
Cities of 10,000 to 25,000	186	18	19	18	12	11	13	12	14	12	21	18	19
Cities of 2,500 to 10,000	287	32	19	26	27	28	19	24	21	20	16	21	32
Rural	790	82	60	51	86	51	76	85	50	73	64	61	61
NEW HAMPSHIRE	6,301	602	506	658	627	541	490	482	466	431	498	462	538
Cities of 25,000 to 100,000	1,846	165	152	203	210	137	132	143	113	144	148	142	157
Cities of 10,000 to 25,000	1,309	128	116	114	121	116	101	102	96	88	112	99	116
Cities of 2,500 to 10,000	548	61	34	58	61	55	38	44	36	30	44	35	50
Rural	2,598	248	204	283	235	233	219	193	219	169	194	186	215
NEW JERSEY	43,959	4,421	4,133	4,049	3,798	3,750	3,228	3,271	3,210	3,177	3,486	3,805	3,831
Cities of 100,000 or more	14,628	1,509	1,432	1,344	1,306	1,241	1,070	1,049	999	1,018	1,105	1,245	1,310
Cities of 25,000 to 100,000	8,410	865	796	798	693	698	552	573	573	617	710	665	770
Cities of 10,000 to 25,000	6,593	696	613	609	597	551	453	488	496	431	536	554	579
Cities of 2,500 to 10,000	5,323	516	483	469	455	474	376	425	427	401	446	422	429
Rural	9,005	845	803	829	747	786	677	736	715	710	689	719	743
NEW MEXICO	5,917	680	541	680	453	412	402	465	489	460	490	451	414
Cities of 25,000 to 100,000	686	57	63	77	57	49	58	48	58	46	67	46	60
Cities of 10,000 to 25,000	403	51	45	42	27	29	29	29	29	31	46	27	27
Cities of 2,500 to 10,000	1,316	137	129	149	115	102	98	107	102	91	90	96	100
Rural	3,512	435	304	412	254	232	219	281	307	292	267	262	227
NEW YORK	149,501	14,422	13,520	14,236	13,500	13,240	11,060	11,217	10,713	10,801	11,632	11,975	12,885
Cities of 100,000 or more	93,361	9,319	8,599	8,932	8,345	8,170	6,852	6,782	6,635	6,781	7,332	7,517	8,127
Cities of 25,000 to 100,000	10,472	999	934	1,054	958	927	771	766	723	744	840	855	921
Cities of 10,000 to 25,000	9,906	925	854	955	819	803	766	762	666	742	809	770	845
Cities of 2,500 to 10,000	7,816	708	711	742	727	660	614	625	563	549	608	626	665
Rural	27,946	2,471	2,										

# GENERAL TABLES—TOTAL DEATHS

107

TABLE 7.—DEATHS BY MONTH AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>OHIO</b>	76,927	7,131	6,727	8,089	6,981	6,220	5,651	5,788	5,614	5,569	5,988	6,207	6,952
Cities of 100,000 or more	32,254	3,002	2,868	3,599	2,833	2,567	2,355	2,388	2,343	2,392	2,540	2,598	2,971
Cities of 25,000 to 100,000	8,630	790	794	822	803	746	644	646	659	600	677	673	783
Cities of 10,000 to 25,000	6,244	543	516	640	609	499	482	470	469	475	490	486	567
Cities of 2,500 to 10,000	7,025	659	583	774	646	584	474	486	544	490	526	594	665
Rural	22,774	2,137	1,966	2,464	2,090	1,824	1,698	1,798	1,599	1,614	1,766	1,852	1,966
<b>OKLAHOMA</b>	20,391	2,038	1,846	2,035	1,708	1,509	1,601	1,731	1,499	1,555	1,563	1,585	1,723
Cities of 100,000 or more	3,809	377	341	366	318	270	305	310	296	292	299	292	345
Cities of 25,000 to 100,000	1,018	87	97	111	72	73	84	85	87	84	80	80	98
Cities of 10,000 to 25,000	2,462	254	224	242	220	191	176	196	163	185	188	200	225
Cities of 2,500 to 10,000	4,772	508	425	465	408	390	385	407	338	372	345	361	368
Rural	8,330	812	759	851	690	585	655	733	635	622	651	652	687
<b>OREGON</b>	11,797	1,102	1,040	1,044	922	1,005	923	950	907	930	984	1,004	986
Cities of 100,000 or more	4,022	385	394	349	312	336	305	290	283	322	347	340	359
Cities of 25,000 to 100,000	735	60	61	55	61	68	62	63	69	53	61	55	67
Cities of 10,000 to 25,000	978	106	73	87	77	87	79	84	70	71	73	84	87
Cities of 2,500 to 10,000	2,065	197	162	211	167	184	158	174	151	151	170	183	157
Rural	3,997	354	350	342	305	330	319	339	334	333	333	342	316
<b>PENNSYLVANIA</b>	108,007	10,265	9,787	10,746	9,676	9,392	7,817	7,944	7,543	7,823	8,606	8,717	9,691
Cities of 100,000 or more	37,050	3,525	3,550	3,554	3,247	3,199	2,612	2,726	2,565	2,705	3,020	3,029	3,318
Cities of 25,000 to 100,000	14,669	1,426	1,341	1,424	1,313	1,279	1,067	999	1,041	1,051	1,160	1,222	1,366
Cities of 10,000 to 25,000	12,131	1,087	1,087	1,222	1,109	1,045	898	897	873	859	1,012	933	1,109
Cities of 2,500 to 10,000	13,469	1,298	1,163	1,391	1,159	1,209	988	1,073	955	1,001	1,047	1,054	1,161
Rural	30,688	2,929	2,646	3,155	2,848	2,660	2,282	2,249	2,109	2,227	2,367	2,479	2,737
<b>RHODE ISLAND</b>	7,775	722	623	789	686	673	626	615	513	543	635	611	739
Cities of 100,000 or more	3,114	283	257	317	272	268	246	240	190	227	260	252	302
Cities of 25,000 to 100,000	2,932	276	223	307	235	273	225	203	196	214	257	242	281
Cities of 10,000 to 25,000	785	76	61	74	81	60	66	71	61	46	59	56	74
Cities of 2,500 to 10,000	355	30	39	34	35	24	30	39	21	25	28	21	29
Rural	589	57	43	57	63	48	59	62	45	31	31	40	53
<b>SOUTH CAROLINA</b>	19,296	1,721	1,542	1,742	1,690	1,653	1,578	1,509	1,415	1,405	1,501	1,622	1,918
Cities of 25,000 to 100,000	3,436	310	258	285	271	294	307	272	247	235	290	312	355
Cities of 10,000 to 25,000	1,531	122	130	117	120	124	130	135	134	124	127	114	154
Cities of 2,500 to 10,000	2,165	175	163	188	179	178	167	177	166	178	188	169	237
Rural	12,164	1,114	991	1,152	1,120	1,057	974	925	868	868	896	1,027	1,172
<b>SOUTH DAKOTA</b>	5,517	532	472	566	529	455	430	410	403	376	471	400	473
Cities of 25,000 to 100,000	436	51	32	50	41	36	43	29	27	31	34	20	42
Cities of 10,000 to 25,000	944	103	76	101	83	79	56	77	80	56	77	72	84
Cities of 2,500 to 10,000	882	82	76	94	84	81	65	81	69	60	70	55	65
Rural	3,255	296	288	321	321	259	266	223	227	229	290	253	282
<b>TENNESSEE</b>	28,722	2,743	2,406	2,935	2,532	2,191	2,194	2,435	2,119	2,036	2,222	2,370	2,539
Cities of 100,000 or more	9,903	925	813	981	825	745	755	848	734	776	814	798	888
Cities of 25,000 to 100,000	337	24	29	34	31	22	21	37	29	27	21	34	28
Cities of 10,000 to 25,000	685	62	47	55	67	53	49	59	66	45	50	70	62
Cities of 2,500 to 10,000	3,005	296	239	285	242	227	258	263	204	211	231	259	280
Rural	14,792	1,436	1,278	1,580	1,367	1,144	1,111	1,228	1,086	977	1,106	1,206	1,271
<b>TEXAS</b>	60,218	5,676	5,325	5,748	5,056	4,984	5,050	5,169	4,555	4,360	4,610	4,751	4,934
Cities of 100,000 or more	14,212	1,266	1,340	1,360	1,160	1,151	1,180	1,201	1,088	1,044	1,056	1,177	1,189
Cities of 25,000 to 100,000	6,074	552	535	558	507	512	507	537	449	459	473	473	526
Cities of 10,000 to 25,000	4,698	434	402	436	423	386	365	406	353	341	377	396	379
Cities of 2,500 to 10,000	9,201	904	779	885	811	772	754	783	726	650	712	709	716
Rural	26,033	2,520	2,269	2,509	2,155	2,163	2,258	2,242	1,939	1,866	1,992	1,996	2,124
<b>UTAH</b>	4,712	430	380	422	388	405	355	373	355	321	394	416	473
Cities of 100,000 or more	1,772	167	152	153	163	157	127	157	135	114	156	147	166
Cities of 25,000 to 100,000	439	40	27	41	32	35	35	40	30	31	29	43	56
Cities of 10,000 to 25,000	194	12	14	20	12	12	9	11	19	14	18	24	19
Cities of 2,500 to 10,000	833	68	63	79	63	73	58	65	64	69	72	77	82
Rural	1,484	143	124	129	118	148	126	100	107	93	119	127	150
<b>VERMONT</b>	4,544	454	424	461	414	377	311	355	335	328	354	348	383
Cities of 10,000 to 25,000	864	91	76	80	93	63	57	69	68	61	70	71	65
Cities of 2,500 to 10,000	1,137	110	114	116	104	91	78	81	85	88	103	70	97
Rural	2,543	253	234	265	217	223	176	205	182	179	181	207	221
<b>VIRGINIA</b>	28,636	2,814	2,564	2,706	2,403	2,295	2,152	2,266	2,174	2,022	2,266	2,374	2,600
Cities of 100,000 or more	4,392	455	393	367	329	338	332	347	349	321	353	378	430
Cities of 25,000 to 100,000	2,875	284	253	253	223	214	223	235	237	214	213	256	270
Cities of 10,000 to 25,000	1,940	192	178	161	143	156	138	160	163	161	164	149	175
Cities of 2,500 to 10,000	2,541	209	205	259	223	200	209	206	183	200	212	222	213
Rural	16,888	1,674	1,535	1,666	1,485	1,387	1,250	1,318	1,242	1,126	1,324	1,369	1,512
<b>WASHINGTON</b>	18,516	1,742	1,533	1,686	1,684	1,462	1,455	1,513	1,422	1,417	1,475	1,519	1,608
Cities of 100,000 or more	7,786	747	635	682	730	610	591	644	619	593	611	638	686
Cities of 25,000 to 100,000	816	71	67	74	56	65	73	75	57	66	63	74	75
Cities of 10,000 to 25,000	1,946	199	189	182	160	156	138	150	168	136	151	160	157
Cities of 2,500 to 10,000	1,408	130	127	142	111	100	114	120	110	96	116	99	143
Rural	6,560	595	515	606	627	551	539	524	488	526	534	548	547
<b>WEST VIRGINIA</b>	17,490	1,623	1,514	1,664	1,608	1,416	1,245	1,356	1,322	1,369	1,446	1,388	1,539
Cities of 25,000 to 100,000	3,885	323	325	394	342	319	264	287	326	314	316	302	373
Cities of 10,000 to 25,000	1,270	103	111	111	107	104	82	91	96	121	126	108	110
Cities of 2,500 to 10,000	2,898	272	249	243	245	237	222	240	228	245	234	231	252
Rural	9,437	925	829	916	914	756	677	738	672	689	770	747	804
<b>WISCONSIN</b>	31,424	2,917	2,721	3,384	2,908	2,882	2,277	2,401	2,216	2,264	2,425	2,445	2,584
Cities of 100,000 or more	5,213	463	492	569	464	4							

## VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—DEATHS BY SPECIFIED RACE AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

(Exclusive of stillbirths)

AREA	Total deaths	White	Negro	OTHER RACES				AREA	Total deaths	White	Negro	OTHER RACES				
				In-dian	Chi-nese	Japa-nese	Minor races					In-dian	Chi-nese	Japa-nese	Minor races	
UNITED STATES	1,387,897	1,207,078	178,810	5,042	1,128	780	359	IOWA	26,465	26,155	297	13				
Cities of 100,000 or more	441,017	387,462	52,227	167	727	325	109	Cities of 100,000 or more	1,950	1,839	110	1				
Cities of 25,000 to 100,000	170,448	151,427	18,604	154	123	95	45	Cities of 25,000 to 100,000	5,569	5,486	81	2				
Cities of 10,000 to 25,000	122,493	109,779	12,412	231	26	35	10	Cities of 10,000 to 25,000	2,992	2,950	42					
Cities of 2,500 to 10,000	152,950	137,340	15,033	408	51	82	36	Cities of 2,500 to 10,000	4,985	4,942	37	6				
Rural	500,989	421,070	75,234	4,082	201	243	159	Rural	10,969	10,938	27	4				
ALABAMA	28,501	15,515	12,984	2				KANSAS	18,469	17,395	1,052	20	2			
Cities of 100,000 or more	5,579	1,784	1,795					Cities of 100,000 or more	2,807	2,427	379	1				
Cities of 25,000 to 100,000	2,248	1,077	1,171					Cities of 25,000 to 100,000	1,200	1,104	96					
Cities of 10,000 to 25,000	3,352	1,916	1,456					Cities of 10,000 to 25,000	2,804	2,571	232	1				
Cities of 2,500 to 10,000	2,464	1,525	958	1				Cities of 2,500 to 10,000	2,864	2,773	80	11				
Rural	16,638	9,013	7,624	1				Rural	8,794	8,520	265	7	2			
ARIZONA	5,851	4,743	177	905	21	3	4	KENTUCKY	29,507	25,535	3,970	1	1			
Cities of 25,000 to 100,000	2,372	2,166	112	73	17	2	2	Cities of 100,000 or more	4,224	3,352	871		1			
Cities of 10,000 to 25,000	1,224	1,176	32	13	2		1	Cities of 25,000 to 100,000	3,141	2,559	582					
Rural	2,255	1,401	33	817	2	1	1	Cities of 10,000 to 25,000	1,575	1,212	363					
ARKANSAS	16,514	11,417	5,094	1	2			Cities of 2,500 to 10,000	3,417	2,797	620					
Cities of 25,000 to 100,000	2,266	1,577	688	1				Rural	17,150	15,615	1,534	1				
Cities of 10,000 to 25,000	1,868	1,315	553					LOUISIANA	24,521	13,159	11,341	12	5			4
Cities of 2,500 to 10,000	2,320	1,644	675		1			Cities of 100,000 or more	7,620	4,783	3,029		5			3
Rural	10,060	6,881	3,178		1			Cities of 25,000 to 100,000	2,943	1,390	1,553					
CALIFORNIA	77,130	73,793	1,678	559	480	558	262	Cities of 10,000 to 25,000	1,253	720	533					
Cities of 100,000 or more	34,027	32,508	970	23	258	206	62	Cities of 2,500 to 10,000	2,596	1,493	1,102					
Cities of 25,000 to 100,000	9,769	9,421	156	16	58	62	36	Rural	9,909	4,773	5,124	11				1
Cities of 10,000 to 25,000	4,897	4,809	34	14	8	26	6	MAINE	10,815	10,792	8	13	1			1
Cities of 2,500 to 10,000	7,209	7,008	59	29	26	56	31	Cities of 25,000 to 100,000	2,582	2,575	4	1	1			1
Rural	21,228	20,047	459	277	130	188	127	Cities of 10,000 to 25,000	1,197	1,197						
COLORADO	12,558	12,286	280	30	2	9	1	Cities of 2,500 to 10,000	1,464	1,478		6				
Cities of 100,000 or more	4,363	4,193	165	2	1	2		Rural	5,552	5,542	4	6				
Cities of 25,000 to 100,000	1,080	1,038	41	1				MARYLAND	20,831	16,214	4,608	1	5			2
Cities of 10,000 to 25,000	769	762	6			1		Cities of 100,000 or more	10,879	8,372	2,502	1	3			1
Cities of 2,500 to 10,000	1,643	1,632	7			4		Cities of 25,000 to 100,000	982	940	42					
Rural	4,703	4,611	61	27	1	2	1	Cities of 10,000 to 25,000	704	525	179					
CONNECTICUT	17,696	17,270	416	2	3	5		Cities of 2,500 to 10,000	1,061	860	201					
Cities of 100,000 or more	5,926	5,715	209		1	1		Rural	7,205	5,517	1,686		2			1
Cities of 25,000 to 100,000	4,353	4,245	104		1	3		MASSACHUSETTS	50,917	50,043	806	10	55	2		1
Cities of 10,000 to 25,000	2,723	2,673	48	1	1			Cities of 100,000 or more	23,051	22,397	616	1	34	2		1
Cities of 2,500 to 10,000	932	919	12			1		Cities of 25,000 to 100,000	11,054	10,975	70		9			
Rural	3,762	3,718	43	1				Cities of 10,000 to 25,000	8,002	7,966	35		3			
DELAWARE	3,169	2,589	575		3		2	Cities of 2,500 to 10,000	3,219	3,180	26	3				
Cities of 100,000 or more	1,467	1,267	218		2			Rural	5,591	5,515	61	6	9			
Cities of 25,000 to 100,000	393	283	107		1		2	MICHIGAN	52,019	49,276	2,604	123	12	1		3
Rural	1,289	1,039	250					Cities of 100,000 or more	16,423	14,621	1,782	9	7	1		3
DISTRICT OF COLUMBIA	8,292	5,259	3,010	1	17	4	1	Cities of 25,000 to 100,000	8,927	8,686	231	7	3			
FLORIDA	21,295	14,086	7,188	18	2		1	Cities of 10,000 to 25,000	3,601	3,493	88	19	1			
Cities of 100,000 or more	5,129	3,427	1,695	6	1			Cities of 2,500 to 10,000	4,636	4,593	33	10				
Cities of 25,000 to 100,000	1,990	675	1					Rural	18,432	17,683	470	78	1			
Cities of 10,000 to 25,000	1,615	1,051	563				1	MINNESOTA	26,784	26,411	150	218	3	1		1
Cities of 2,500 to 10,000	4,234	2,806	1,326	2				Cities of 100,000 or more	9,569	9,443	117	5	3	1		
Rural	7,651	4,712	2,929	10				Cities of 25,000 to 100,000	2,829	2,825	4					
GEORGIA	31,843	17,559	14,279		4		1	Cities of 10,000 to 25,000	4,095	4,071	6	18				
Cities of 100,000 or more	4,256	2,275	1,979		1		1	Cities of 2,500 to 10,000	4,095	4,071	6	18				
Cities of 25,000 to 100,000	4,311	2,088	2,220		3			Rural	10,291	10,072	23	195				1
Cities of 10,000 to 25,000	2,504	1,389	1,115					MISSISSIPPI	22,646	9,517	13,100	27	2			
Cities of 2,500 to 10,000	3,792	2,239	1,553					Cities of 25,000 to 100,000	1,503	926	577					
Rural	16,980	9,568	7,412					Cities of 10,000 to 25,000	2,754	1,368	1,385		1			
IDAHO	4,753	4,643	13	79	7	10	1	Cities of 2,500 to 10,000	1,745	902	830	12	1			
Cities of 10,000 to 25,000	599	586	7	3	2	1		Rural	16,644	6,421	10,208	15				
Cities of 2,500 to 10,000	2,131	2,131	2	10	4	8		MISSOURI	42,585	38,527	4,050		8			
Rural	1,989	1,926	4	66	1	1	1	Cities of 100,000 or more	15,598	13,029	2,551		8			
ILLINOIS	86,994	80,635	6,277	4	67	5	6	Cities of 25,000 to 100,000	2,805	2,680	125					
Cities of 100,000 or more	37,440	33,069	4,306	2	57	4	3	Cities of 10,000 to 25,000	2,298	2,085	214					
Cities of 25,000 to 100,000	12,725	12,130	594	1				Cities of 2,500 to 10,000	5,089	4,650	449					
Cities of 10,000 to 25,000	6,694	6,424	268	1			1	Rural	16,794	16,063	711					
Cities of 2,500 to 10,000	8,072	7,852	220					MONTANA	5,901	5,533	39	313	11			5
Rural	22,063	21,161	889		10	1	2	Cities of 25,000 to 100,000	952	931	9	3	7	2		
INDIANA	39,510	37,519	1,983	2	4		2	Cities of 10,000 to 25,000	954	950	12	1	1			
Cities of 100,000 or more	9,852	8,677	1,273				2	Cities of 2,500 to 10,000	928	910	5	10	1	3		
Cities of 25,000 to 100,000	5,368	5,368	313		4			Rural	3,056	2,742	13	299	2			
Cities of 10,000 to 25,000	3,413	3,318	95					NEBRASKA	12,194	11,944	196	48	3			3
Cities of 2,500 to 10,000	4,553	4,482	60					Cities of 100,000 or more	2,739	2,572	163	1	2	1		
Rural	15,887	15,644	242	1				Cities of 25,000 to 100,000	929	921	8					
								Cities of 10,000 to 25,000	1,098	1,050	7		1			
								Cities of 2,500 to 10,000	1,743	1,731	7	1				2
								Rural	5,695	5,640	9	46				

# GENERAL TABLES—TOTAL DEATHS

109

TABLE 8.—DEATHS BY SPECIFIED RACE AND BY POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA	Total deaths	White	Negro	OTHER RACES				AREA	Total deaths	White	Negro	OTHER RACES			
				In-dian	Chi-nese	Japa-nese	Minor races					In-dian	Chi-nese	Japa-nese	Minor races
NEVADA	1,263	1,133	24	96	8	2	—	RHODE ISLAND	7,775	7,590	171	6	7	—	1
Cities of 10,000 to 25,000	186	183	1	1	1	—	—	Cities of 100,000 or more	5,114	5,020	89	1	4	—	—
Cities of 2,500 to 10,000	287	275	8	3	1	—	—	Cities of 25,000 to 100,000	2,952	2,870	59	—	2	—	1
Rural	790	675	15	92	6	2	—	Cities of 10,000 to 25,000	765	775	8	2	—	—	—
NEW HAMPSHIRE	6,301	6,292	8	—	1	—	—	Cities of 2,500 to 10,000	355	344	10	—	1	—	—
Cities of 25,000 to 100,000	1,846	1,845	2	—	1	—	—	Rural	589	581	5	3	—	—	—
Cities of 10,000 to 25,000	1,309	1,307	2	—	—	—	—	SOUTH CAROLINA	19,296	8,875	10,412	6	—	—	3
Cities of 2,500 to 10,000	548	547	1	—	—	—	—	Cities of 25,000 to 100,000	5,436	1,803	1,653	—	—	—	—
Rural	2,598	2,595	3	—	—	—	—	Cities of 10,000 to 25,000	1,531	853	678	—	—	—	—
NEW JERSEY	43,959	40,625	3,310	4	15	2	3	Cities of 2,500 to 10,000	2,165	1,203	962	—	—	—	—
Cities of 100,000 or more	14,628	13,331	1,286	1	9	—	1	Rural	12,164	5,016	7,139	6	—	—	3
Cities of 25,000 to 100,000	8,410	7,787	640	—	3	—	—	SOUTH DAKOTA	5,517	5,093	4	419	1	—	—
Cities of 10,000 to 25,000	6,593	6,203	398	1	—	1	—	Cities of 25,000 to 100,000	436	435	—	—	1	—	—
Cities of 2,500 to 10,000	5,523	4,948	371	—	3	—	1	Cities of 10,000 to 25,000	944	923	1	20	—	—	—
Rural	9,005	8,376	625	2	—	1	1	Cities of 2,500 to 10,000	882	867	2	13	—	—	—
NEW MEXICO	5,917	5,442	72	401	1	1	—	Rural	3,255	2,868	1	386	—	—	—
Cities of 25,000 to 100,000	686	648	12	25	—	1	—	TENNESSEE	28,722	21,122	7,598	1	1	—	—
Cities of 10,000 to 25,000	403	383	9	11	—	—	—	Cities of 100,000 or more	9,803	6,131	3,771	—	1	—	—
Cities of 2,500 to 10,000	1,516	1,294	19	2	1	—	—	Cities of 25,000 to 100,000	337	287	50	—	—	—	—
Rural	3,512	3,117	32	363	—	—	—	Cities of 10,000 to 25,000	685	493	192	—	—	—	—
NEW YORK	149,501	141,900	7,212	126	218	26	19	Cities of 2,500 to 10,000	3,005	2,240	764	1	—	—	—
Cities of 100,000 or more	93,361	87,104	5,985	41	198	18	15	Rural	14,792	11,971	2,821	—	—	—	—
Cities of 25,000 to 100,000	10,472	10,225	240	1	4	1	1	TEXAS	60,218	49,156	11,030	12	13	5	2
Cities of 10,000 to 25,000	9,306	9,759	140	4	2	1	—	Cities of 100,000 or more	14,212	11,487	2,712	1	10	2	—
Cities of 2,500 to 10,000	7,616	7,577	122	14	2	1	—	Cities of 25,000 to 100,000	6,074	4,881	1,192	1	—	—	—
Rural	27,946	27,135	725	66	12	5	3	Cities of 10,000 to 25,000	4,698	3,885	812	—	—	1	—
NORTH CAROLINA	31,793	20,236	11,393	163	—	—	1	Cities of 2,500 to 10,000	9,201	7,649	1,547	2	1	1	1
Cities of 25,000 to 100,000	6,142	3,620	2,520	1	—	—	1	Rural	26,033	21,254	4,767	8	2	1	1
Cities of 10,000 to 25,000	3,160	1,927	1,229	4	—	—	—	UTAH	4,712	4,633	19	42	5	13	—
Cities of 2,500 to 10,000	3,317	2,221	1,074	22	—	—	—	Cities of 100,000 or more	1,772	1,751	10	1	3	7	—
Rural	19,174	12,468	6,570	136	—	—	—	Cities of 25,000 to 100,000	439	428	7	—	1	3	—
NORTH DAKOTA	5,424	5,215	2	206	—	1	—	Cities of 10,000 to 25,000	184	182	1	1	—	—	—
Cities of 25,000 to 100,000	397	397	—	—	—	—	—	Cities of 2,500 to 10,000	833	830	1	—	—	2	—
Cities of 10,000 to 25,000	800	798	2	—	—	—	—	Rural	1,484	1,442	40	1	1	1	—
Cities of 2,500 to 10,000	833	831	—	2	—	—	—	VERMONT	4,544	4,532	9	1	1	1	—
Rural	3,394	3,189	—	204	—	1	—	Cities of 10,000 to 25,000	864	863	1	—	—	—	—
OHIO	76,927	71,821	5,077	5	17	1	6	Cities of 2,500 to 10,000	1,137	1,132	3	—	1	1	—
Cities of 100,000 or more	52,254	28,690	3,544	3	15	1	1	Rural	2,543	2,537	5	1	—	—	—
Cities of 25,000 to 100,000	8,630	8,241	387	—	2	—	—	VIRGINIA	28,636	18,688	9,926	8	5	2	7
Cities of 10,000 to 25,000	6,244	6,044	199	1	—	—	—	Cities of 100,000 or more	4,392	2,570	1,816	1	3	2	—
Cities of 2,500 to 10,000	7,025	6,801	223	1	—	—	—	Cities of 25,000 to 100,000	2,875	1,696	1,176	—	—	—	3
Rural	22,774	22,045	724	—	—	—	5	Cities of 10,000 to 25,000	1,940	1,414	525	—	1	—	—
OKLAHOMA	20,391	17,523	2,110	757	1	—	—	Cities of 2,500 to 10,000	2,541	2,010	531	—	—	—	—
Cities of 100,000 or more	3,809	3,312	484	12	1	—	—	Rural	16,888	10,998	5,878	7	1	—	4
Cities of 25,000 to 100,000	1,018	812	201	5	—	—	—	WASHINGTON	18,516	17,983	164	234	34	83	18
Cities of 10,000 to 25,000	2,462	2,047	297	118	—	—	—	Cities of 100,000 or more	7,786	7,531	111	48	28	55	13
Cities of 2,500 to 10,000	4,772	4,228	379	165	—	—	—	Cities of 25,000 to 100,000	816	807	1	7	—	1	—
Rural	8,330	7,124	749	457	—	—	—	Cities of 10,000 to 25,000	1,946	1,921	10	9	2	2	2
OREGON	11,797	11,571	39	116	39	28	4	Cities of 2,500 to 10,000	1,408	1,392	3	19	1	3	—
Cities of 100,000 or more	4,022	3,952	27	3	26	14	—	Rural	6,560	6,342	39	151	3	22	3
Cities of 25,000 to 100,000	735	731	2	1	1	—	—	WEST VIRGINIA	17,490	15,875	1,612	1	2	—	—
Cities of 10,000 to 25,000	978	962	2	12	1	1	—	Cities of 25,000 to 100,000	3,885	3,599	285	—	1	—	—
Cities of 2,500 to 10,000	2,065	2,045	3	17	—	—	—	Cities of 10,000 to 25,000	1,270	1,130	140	—	—	—	—
Rural	3,997	3,881	5	83	11	13	4	Cities of 2,500 to 10,000	2,698	2,558	336	1	1	—	—
PENNSYLVANIA	108,007	101,017	6,944	7	33	4	2	Rural	9,437	8,588	849	—	—	—	—
Cities of 100,000 or more	37,050	32,425	4,593	1	27	4	2	WISCONSIN	31,424	31,062	174	184	4	—	—
Cities of 25,000 to 100,000	14,669	14,035	632	2	2	—	—	Cities of 100,000 or more	5,213	5,152	59	1	1	—	—
Cities of 10,000 to 25,000	12,131	11,591	538	1	1	—	—	Cities of 25,000 to 100,000	6,131	6,109	13	8	1	—	—
Cities of 2,500 to 10,000	13,469	13,220	248	1	—	—	—	Cities of 10,000 to 25,000	2,531	2,518	8	5	—	—	—
Rural	30,688	29,748	933	4	3	—	—	Cities of 2,500 to 10,000	4,264	4,249	4	10	1	—	—
								Rural	13,285	13,034	90	160	1	—	—
								WYOMING	2,207	2,129	24	47	2	5	—
								Cities of 10,000 to 25,000	447	433	12	1	—	1	—
								Cities of 2,500 to 10,000	606	592	11	1	2	—	—
								Rural	1,154	1,104	1	45	—	4	—

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE			Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	UNITED STATES-----		1,387,897	108,846	12,713	6,193	4,452	3,529	135,733	12,358	12,614	22,140
2	Both sexes-----	White-----	1,207,078	87,841	9,829	4,937	3,808	2,847	108,062	10,271	10,182	16,548
		All other-----	180,819	21,005	2,884	1,256	844	682	26,671	2,067	2,432	5,592
	Male-----	White-----	672,047	50,171	5,289	2,757	2,011	1,571	61,799	5,915	6,172	9,795
		All other-----	96,830	11,814	1,560	659	454	358	14,845	1,131	1,299	2,520
	Female-----	White-----	535,031	37,670	4,540	2,180	1,597	1,276	47,263	4,356	4,010	6,753
		All other-----	83,989	9,191	1,324	597	390	324	11,826	936	1,133	3,072
3	Cities of 100,000 or more-----	White-----	387,462	22,873	2,179	1,191	946	786	27,975	2,981	2,830	4,239
		All other-----	53,555	4,632	514	247	188	150	5,731	496	652	1,420
	Male-----	White-----	211,403	13,159	1,188	659	534	424	15,944	1,607	1,677	2,393
		All other-----	28,341	2,628	266	126	93	76	3,189	274	328	612
	Female-----	White-----	176,059	9,714	1,011	532	412	362	12,031	1,274	1,153	1,846
		All other-----	25,214	2,004	248	121	95	74	2,542	222	304	808
4	Cities of 25,000 to 100,000-----	White-----	151,427	11,598	1,152	598	444	377	14,169	1,395	1,285	2,011
		All other-----	19,021	1,850	230	115	81	78	2,354	233	229	583
	Male-----	White-----	82,041	6,589	656	353	250	218	8,076	854	782	1,166
		All other-----	10,133	1,047	128	62	45	44	1,326	126	126	263
	Female-----	White-----	69,386	4,999	496	245	194	159	6,093	561	503	845
		All other-----	8,888	803	102	53	36	34	1,028	107	103	320
5	Cities of 10,000 to 25,000-----	White-----	109,779	8,811	980	498	366	276	10,931	1,072	1,080	1,954
		All other-----	12,714	1,304	187	77	59	45	1,672	162	181	430
	Male-----	White-----	59,776	5,014	530	272	197	149	6,162	597	662	999
		All other-----	6,549	746	109	44	30	21	950	94	93	187
	Female-----	White-----	50,003	3,797	450	226	169	127	4,769	475	418	855
		All other-----	6,165	558	79	33	29	24	722	68	88	243
6	Cities of 2,500 to 10,000-----	White-----	137,340	11,558	1,378	727	561	395	14,619	1,458	1,565	2,383
		All other-----	15,610	1,895	245	99	74	62	2,075	180	210	514
	Male-----	White-----	76,029	6,828	724	380	312	212	8,266	857	840	1,415
		All other-----	8,258	874	126	60	41	35	1,136	93	115	263
	Female-----	White-----	61,311	4,950	654	337	249	183	6,353	601	525	968
		All other-----	7,352	721	119	39	33	27	939	87	95	281
7	Rural-----	White-----	421,070	33,001	4,140	1,923	1,291	1,013	41,368	3,465	3,622	6,261
		All other-----	79,919	11,624	1,708	718	442	347	14,839	996	1,180	2,545
	Male-----	White-----	242,798	18,771	2,211	1,083	718	568	23,351	2,020	2,211	3,822
		All other-----	43,549	6,519	931	367	245	182	8,244	544	637	1,225
	Female-----	White-----	178,272	14,230	1,929	840	573	445	18,017	1,445	1,411	2,439
		All other-----	36,370	5,105	777	351	197	155	6,595	452	543	1,420
8	ALABAMA-----		28,301	3,675	457	245	149	147	4,673	396	373	744
9	Both sexes-----	White-----	15,315	1,878	249	152	75	81	2,435	217	205	349
		All other-----	12,986	1,797	208	93	74	66	2,238	179	188	395
	Male-----	White-----	8,507	1,057	153	81	43	41	1,375	114	117	199
		All other-----	6,753	1,022	118	51	46	40	1,277	100	94	177
	Female-----	White-----	6,808	821	96	71	32	40	1,060	103	89	150
		All other-----	6,233	775	90	42	26	26	961	79	74	218
10	Cities of 100,000 or more-----	White-----	1,784	172	19	11	3	5	210	19	14	38
		All other-----	1,795	183	16	12	7	10	228	21	25	50
	Male-----	White-----	967	113	13	6	2	3	137	6	10	21
		All other-----	932	106	7	8	4	7	132	14	12	23
	Female-----	White-----	797	59	6	5	1	2	73	11	4	17
		All other-----	863	77	9	4	3	3	96	7	13	27
11	Cities of 25,000 to 100,000-----	White-----	1,077	106	10	8	7	5	136	11	16	21
		All other-----	1,171	122	21	6	7	3	159	19	12	44
	Male-----	White-----	516	54	9	4	5	3	75	7	11	10
		All other-----	592	66	12	3	2	1	84	7	8	19
	Female-----	White-----	461	52	1	4	2	2	61	4	5	11
		All other-----	579	55	9	3	5	2	75	12	4	25
12	Cities of 10,000 to 25,000-----	White-----	1,916	206	36	26	3	19	290	33	33	56
		All other-----	1,436	160	24	7	9	8	208	21	24	53
	Male-----	White-----	1,086	111	23	13	2	7	156	16	22	29
		All other-----	722	90	18	4	6	2	120	10	11	20
	Female-----	White-----	830	95	13	13	1	12	134	17	11	27
		All other-----	714	70	6	3	3	6	88	11	13	35
13	Cities of 2,500 to 10,000-----	White-----	1,525	169	25	22	8	12	235	34	19	54
		All other-----	959	103	14	10	6	7	140	13	16	27
	Male-----	White-----	826	92	14	10	5	8	129	21	12	29
		All other-----	491	56	8	6	4	6	80	9	13	12
	Female-----	White-----	699	76	11	12	3	4	106	13	7	25
		All other-----	468	47	6	4	2	1	60	4	3	15
14	Rural-----	White-----	9,013	1,226	159	85	54	40	1,564	120	123	180
		All other-----	7,625	1,229	133	58	45	38	1,503	105	91	221
	Male-----	White-----	4,992	687	94	48	29	20	878	62	62	110
		All other-----	4,016	704	73	30	30	24	861	60	50	103
	Female-----	White-----	4,021	539	65	37	25	20	686	58	61	70
		All other-----	3,609	526	60	28	15	14	642	45	41	118
15	ARIZONA-----		5,851	1,031	200	58	39	25	1,353	77	80	147
16	Both sexes-----	White-----	4,743	736	90	38	23	19	908	56	54	100
		All other-----	1,108	293	110	20	15	6	445	21	26	47
	Male-----	White-----	2,962	423	57	23	13	12	528	32	31	63
		All other-----	580	145	58	11	6	5	225	8	16	22
	Female-----	White-----	1,781	315	33	15	10	7	380	24	23	37
		All other-----	528	148	52	9	10	1	220	13	10	25
17	Cities of 25,000 to 100,000-----	White-----	2,166	294	35	15	10	9	363	23	23	44
		All other-----	206	22	8	1	2	---	33	3	1	10
	Male-----	White-----	1,315	157	23	7	4	4	195	15	12	29
		All other-----	125	13	6	---	1	---	20	1	1	5
	Female-----	White-----	851	137	12	8	6	5	168	12	11	15
		All other-----	81	9	2	1	1	---	13	2	---	5
18	Cities of 2,500 to 10,000-----	White-----	1,176	195	25	10	9	3	242	14	13	32
		All other-----	48	10	3	1	---	---	14	---	1	3
	Male-----	White-----	721	120	16	6	6	2	150	8	7	20
		All other-----	30	5	3	1	---	---	9	---	1	1
	Female-----	White-----	455	75	9	4	3	1	92	6	6	12
		All other-----	18	5	---	---	---	---	5	---	---	2
19	Rural-----	White-----	1,401	249	30	13	4	7	303	15	18	24
		All other-----	854	261	99	18	14	6	398	18	24	34
	Male-----	White-----	926	146	18	10	3	6	183	9	12	14
		All other-----	425	127	49	10	5	5	196	7	14	16
	Female-----	White-----	475	103	12	3*	1	1	120	6	6	10
		All other-----	429	134	50	8	9	1	202	11	10	18

# GENERAL TABLES—TOTAL DEATHS

111

GROUPS: UNITED STATES AND EACH STATE, 1939

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
28,484	31,794	35,286	43,222	53,990	71,762	91,553	105,870	125,088	144,707	148,098	139,582	105,685	56,041	19,110	4,498	1,110	992
20,748	22,880	26,021	32,068	41,850	58,278	76,253	92,091	110,542	131,896	138,181	132,985	101,467	55,138	17,702	3,820	517	598
7,736	8,914	9,265	11,154	12,160	13,484	15,300	15,779	12,546	12,811	9,917	6,597	4,418	2,903	1,408	678	593	394
11,847	12,424	14,514	18,054	24,683	35,168	46,766	56,005	65,005	75,109	75,357	69,409	50,347	24,603	7,353	1,564	181	407
3,679	4,422	4,802	5,740	6,475	7,362	8,447	7,632	6,817	7,185	5,576	3,641	2,402	1,491	651	308	197	232
8,901	10,466	11,707	14,054	17,147	23,110	29,487	36,086	45,537	56,787	62,824	65,576	51,120	28,535	10,349	2,456	356	191
4,057	4,492	4,465	5,414	5,685	6,122	6,853	6,147	5,729	5,628	4,841	2,956	2,016	1,412	777	372	162	162
5,754	7,047	8,682	11,657	16,012	23,105	30,686	35,501	40,454	44,958	44,276	37,854	25,913	12,545	4,016	893	117	67
2,007	2,854	3,169	4,273	4,568	5,002	5,400	4,618	3,962	3,577	2,555	1,570	866	498	185	89	60	43
2,927	3,512	4,658	6,560	9,329	13,914	18,920	21,520	23,388	24,837	23,055	18,607	11,618	5,131	1,436	284	40	46
898	1,387	1,648	2,276	2,480	2,779	2,974	2,591	2,133	1,896	1,320	783	398	225	87	40	19	24
2,827	3,555	4,024	5,097	6,683	9,181	11,766	13,981	17,066	20,121	21,221	19,247	14,295	7,414	2,580	609	77	21
1,109	1,467	1,521	1,997	2,088	2,223	2,426	2,027	1,829	1,681	1,215	787	468	273	118	49	41	19
2,587	2,941	3,360	4,169	5,509	7,714	9,884	11,998	14,452	16,613	17,063	16,067	11,666	6,043	1,970	422	55	54
843	1,042	1,181	1,406	1,533	1,586	1,747	1,586	1,316	1,173	959	582	328	185	92	33	35	28
1,441	1,523	1,725	2,285	3,160	4,496	5,867	7,194	8,340	9,229	9,101	7,986	5,451	2,537	698	125	10	35
401	537	616	704	781	849	922	863	722	630	539	304	171	96	46	15	8	18
1,146	1,418	1,635	1,904	2,349	3,218	4,017	4,804	6,112	7,384	7,962	8,081	6,215	3,506	1,272	297	45	19
442	505	565	702	752	737	755	690	594	543	420	278	157	89	46	18	27	10
2,071	2,148	2,462	2,882	3,731	5,123	6,703	8,402	9,847	11,941	12,330	11,814	9,036	4,604	1,527	339	40	42
642	667	698	846	892	971	1,094	1,013	893	859	649	423	276	165	75	38	41	25
1,180	1,123	1,325	1,554	2,114	2,952	3,980	4,948	5,808	6,888	6,533	6,010	4,332	2,053	622	122	10	22
310	325	365	415	420	482	574	528	467	346	220	142	77	30	19	16	11	11
891	1,025	1,137	1,348	1,617	2,171	2,723	3,454	4,039	5,253	5,797	5,804	4,704	2,551	905	217	30	20
332	342	353	431	472	469	520	485	426	381	303	203	156	88	45	19	25	14
2,695	2,922	3,042	3,660	4,198	5,823	7,768	9,327	11,759	14,411	15,424	15,309	12,041	6,377	2,143	469	60	87
715	843	853	967	984	1,118	1,343	1,209	1,050	1,146	602	415	244	130	61	50	49	49
1,569	1,596	1,638	1,994	2,349	3,369	4,689	5,647	6,894	8,291	8,440	7,998	6,059	2,964	908	167	19	60
346	419	466	473	500	570	743	844	945	634	502	348	234	125	56	33	15	28
1,126	1,326	1,404	1,666	1,849	2,454	3,078	3,680	4,865	6,120	6,984	7,311	5,982	3,413	1,235	302	41	27
369	424	387	494	464	548	600	565	505	512	370	254	181	119	74	28	35	21
7,641	7,822	8,475	9,700	12,380	16,513	21,212	26,863	34,030	43,973	49,088	51,941	42,811	23,569	8,046	1,697	245	348
3,529	3,508	3,564	3,662	4,203	4,807	5,716	5,386	5,325	6,056	4,902	3,420	2,551	1,811	926	457	407	249
4,730	4,660	4,968	5,661	7,731	10,437	13,310	16,896	20,575	26,064	28,228	28,808	22,887	11,918	3,689	666	102	244
1,724	1,754	1,707	1,872	2,294	2,662	3,164	3,006	2,950	3,545	2,869	1,986	1,457	968	432	189	139	151
2,911	3,162	3,507	4,019	4,649	6,076	7,902	10,187	13,455	17,909	20,860	23,133	19,924	11,651	4,357	1,031	143	104
1,805	1,754	1,657	1,790	1,909	2,125	2,352	2,380	2,375	2,511	2,033	1,434	1,074	843	494	258	268	98
1,056	1,095	1,071	1,286	1,312	1,465	1,911	1,893	2,037	2,246	2,042	1,835	1,455	843	337	102	69	40
442	409	415	533	556	639	816	1,066	1,255	1,409	1,326	1,356	1,086	568	198	34	6	15
614	686	656	753	758	846	1,095	827	782	837	716	499	569	275	139	68	63	25
287	210	230	292	316	373	485	634	760	806	742	682	542	286	83	12	3	9
288	324	318	359	376	440	560	456	421	466	392	242	180	147	59	23	24	10
205	199	185	241	240	266	331	432	495	603	584	654	544	262	115	22	3	6
316	362	338	394	380	406	535	371	361	371	324	257	179	128	80	45	39	15
52	59	69	84	92	90	108	151	178	178	145	139	92	48	14	4	---	1
88	118	120	158	150	137	193	140	112	105	67	37	17	19	3	5	---	---
26	27	30	47	56	53	69	93	106	101	76	61	38	22	5	---	---	1
42	52	56	81	71	70	104	84	58	60	41	15	5	11	---	---	---	---
26	31	39	37	36	37	39	58	72	67	69	54	26	9	4	---	---	---
46	66	64	77	79	67	89	56	45	26	22	12	8	3	4	---	---	---
31	26	22	44	41	50	81	91	96	93	87	93	58	9	2	1	---	---
65	77	72	96	78	86	126	101	82	58	42	29	10	5	3	2	---	---
17	8	11	28	25	31	50	63	63	60	55	40	38	20	3	1	---	---
27	40	39	52	41	42	60	53	38	34	20	18	3	3	---	---	---	---
14	18	11	16	19	30	28	33	39	38	38	47	45	18	6	1	---	---
38	37	33	44	37	44	66	48	44	24	22	11	7	2	3	---	---	---
74	66	85	84	72	101	123	178	153	154	141	107	101	54	7	3	---	1
94	95	95	101	88	103	120	98	92	75	65	42	21	16	6	7	---	4
39	35	53	46	43	62	72	115	92	89	78	63	48	23	5	---	---	---
46	48	47	54	35	49	65	48	50	38	31	19	14	7	2	5	---	---
35	31	32	38	29	39	51	63	61	65	63	44	53	31	2	3	---	1
48	47	48	47	53	54	55	50	42	37	34	23	7	9	4	2	---	4
56	52	46	49	63	69	92	100	135	119	120	133	88	45	9	4	---	1
42	63	54	66	64	66	89	64	49	71	48	37	23	12	5	2	---	5
30	26	23	27	41	37	56	58	66	62	64	62	38	24	5	1	---	---
20	20	28	27	29	29	51	33	24	34	22	19	12	6	5	1	---	2
25	26	23	22	24	32	36	42	49	62	56	71	50	21	4	3	---	1
22	33	26	38	35	37	39	31	25	37	26	18	11	6	---	---	---	1
229	207	193	272	266	329	413											





# GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	
498	550	602	598	665	924	991	1,209	1,343	1,539	1,464	1,158	931	522	178	54	17	46	1
271	318	329	334	400	577	584	767	943	1,138	1,102	973	766	422	139	36	3	23	2
227	254	273	294	265	347	407	442	400	401	362	185	165	100	39	18	14	23	2
141	199	176	184	223	348	370	473	584	675	653	557	401	225	75	9	1	12	2
102	113	133	126	124	180	208	239	211	220	214	120	94	46	16	10	4	11	2
130	157	153	150	177	229	214	284	359	463	449	416	365	197	64	27	2	11	2
125	121	140	138	141	167	199	203	189	181	148	65	71	54	23	8	10	12	2
45	52	59	71	53	92	105	108	147	159	158	126	89	63	12	6	---	2	3
29	35	49	62	42	55	65	54	49	59	61	30	14	10	3	---	---	---	---
27	30	25	42	35	50	63	68	79	95	90	76	48	32	6	1	---	1	---
15	17	27	34	19	25	35	34	22	35	30	20	8	4	2	---	---	---	---
18	22	34	29	18	42	42	40	68	64	68	50	41	31	6	5	---	1	---
14	18	22	28	23	30	30	20	27	24	31	10	6	6	1	---	---	---	---
44	45	40	58	64	77	70	109	116	131	123	97	57	34	8	1	---	1	---
27	24	26	37	42	46	51	46	46	29	36	15	11	10	5	2	2	6	4
25	21	24	32	39	53	47	76	92	85	80	64	28	15	2	---	---	---	---
15	9	10	19	18	25	26	21	27	15	19	10	5	1	3	1	---	1	---
19	24	16	26	25	24	23	33	24	46	43	33	29	19	6	1	---	1	---
12	15	16	18	24	21	25	30	19	14	17	5	6	9	2	1	2	5	---
38	52	49	43	74	107	94	113	132	162	147	135	109	41	18	4	---	2	5
35	33	48	36	45	48	51	69	58	37	38	17	26	14	7	4	3	3	---
21	25	26	19	43	71	60	74	83	91	70	65	45	22	12	---	---	---	---
14	15	25	12	15	26	18	30	27	17	18	9	14	6	2	4	---	2	---
17	27	23	24	31	36	34	39	49	71	77	70	64	19	6	4	---	2	---
21	18	23	24	30	22	33	39	31	20	20	8	12	8	5	---	3	1	---
144	167	181	182	209	301	315	437	548	686	674	615	511	284	101	25	3	18	6
136	142	150	129	136	188	240	288	247	276	227	123	114	66	24	12	9	14	---
68	83	101	91	106	174	200	255	330	404	413	352	280	156	55	8	1	11	---
58	72	71	61	72	104	129	154	135	153	147	81	67	55	9	5	4	8	---
76	84	80	71	103	127	115	182	218	282	261	263	231	128	46	17	2	7	---
78	70	79	68	64	111	114	114	112	123	80	42	47	31	15	7	5	6	---
1,232	1,578	1,819	2,431	3,089	4,086	5,339	6,506	7,456	8,483	8,503	8,307	6,092	3,229	1,099	247	52	36	7
1,133	1,411	1,640	2,197	2,865	3,803	5,358	6,193	7,144	8,231	8,325	8,139	5,983	3,168	1,059	240	42	35	8
99	167	179	234	204	285	283	313	312	252	178	168	109	61	40	7	10	1	9
679	620	1,006	1,324	1,859	2,461	3,545	4,001	4,509	4,685	4,760	4,305	3,030	1,457	462	92	12	30	---
55	114	116	171	123	164	201	216	224	169	111	115	77	42	27	3	5	1	---
454	591	634	678	1,006	1,322	1,613	2,192	2,635	3,338	3,565	3,634	2,953	1,711	597	148	30	5	---
44	55	63	63	61	99	82	97	68	85	67	52	32	19	13	4	---	---	---
444	538	708	1,022	1,304	1,748	2,524	3,005	3,292	3,769	3,777	3,520	2,508	1,332	423	96	14	7	---
47	71	79	116	90	151	158	162	144	112	79	71	36	25	8	---	---	---	---
240	271	425	585	623	1,086	1,646	1,692	2,024	2,384	2,093	1,769	1,205	571	166	33	4	6	---
23	40	48	79	51	92	104	104	89	41	42	21	15	5	1	---	---	---	---
204	267	283	437	481	652	878	1,111	1,268	1,605	1,684	1,751	1,303	761	257	65	10	1	---
24	31	31	37	39	59	54	50	49	43	38	29	15	3	1	---	---	---	---
124	169	161	221	269	427	582	727	895	1,045	1,135	1,165	910	502	179	39	6	3	10
8	17	16	18	27	21	27	29	44	32	24	16	13	2	6	2	---	---	---
81	89	89	130	157	253	345	434	537	567	597	556	420	197	63	15	---	2	---
4	15	15	13	15	11	20	12	37	20	16	8	15	1	4	---	1	---	---
43	80	72	91	132	174	259	295	358	479	538	607	490	305	116	26	6	1	---
4	2	3	5	12	10	7	17	7	12	8	3	1	2	1	1	1	---	---
61	81	99	111	162	185	291	383	426	539	560	606	461	247	62	20	3	1	11
1	7	4	2	4	9	7	10	12	5	3	5	5	1	---	---	---	---	---
35	47	57	57	99	114	179	244	268	315	320	311	245	109	38	7	---	1	---
1	3	3	1	2	5	6	5	8	1	3	3	4	1	---	---	---	---	---
26	34	42	54	63	71	112	139	158	246	240	295	238	138	44	13	3	---	---
116	137	149	159	233	297	413	538	633	765	829	800	605	301	118	32	5	4	12
5	9	6	20	8	12	11	18	12	17	18	11	8	4	3	2	---	---	---
73	80	84	92	142	192	275	330	385	472	459	442	318	155	55	18	---	4	---
3	7	5	18	3	7	8	14	10	12	15	10	5	4	2	1	---	---	---
43	57	65	67	91	105	138	208	248	293	370	338	287	146	63	19	5	---	---
2	2	1	2	5	5	3	4	2	5	3	1	3	1	---	---	---	---	---
598	486	523	684	877	1,146	1,546	1,842	1,898	2,092	2,024	2,050	1,479	786	257	51	14	20	13
38	63	74	78	75	90	80	94	100	88	54	67	42	29	22	2	5	1	---
250	333	351	460	638	826	1,100	1,101	1,295	1,377	1,291	1,227	844	425	140	26	8	17	---
24	49	47	60	52	69	63	73	74	67	36	53	32	21	15	---	3	1	---
138	153	172	224	239	320	446	441	603	715	733	623	635	361	117	25	6	3	---
14	14	27	18	23	21	17	21	26	21	18	14	10	8	7	2	---	---	---
280	290	332	365	429	609	693	867	1,015	1,205	1,377	1,348	1,007	554	183	35	1	7	14
272	275	321	353	412	576	668	836	984	1,173	1,351	1,325	991	548	178	33	1	6	15
8	15	11	12	17	31	25	31	31	32	26	23	16	6	5	2	---	1	---
143	152	183	206	238	360	408	510	592	730	790	753	537	295	80	17	---	6	---
4	5	5	10	8	21	16	17	24	15	15	10	9	4	5	1	---	1	---
129	123	138	147	174	218	260	326	392	443	561	572	454	255	98	16	---	---	---
4	10	6	2	9	10	9	14	7	17	11	13	7	2	---	---	---	---	---
75	84	119	136	151	194	262	313	368	457	462	474	351	180	67	11	---	---	16
3	9	6	5	8	19	12	17	21	20	15	8	10	5	---	---	---	---	---
32	43	59	78	74	113	165	175	211	264	265	262	175	89	26	5	---	---	---
43	41	60	58	77	81	97	138	157	183	197	176	146	91	41	6	---	---	---
3	7	4	2	4	6	4	10	4	12	7	5	6	2	---	---	---	---	---
21	21	21	38	31	44	58	66	85	98	150	123	93	42	10	2	---	---	17
10	12	6	19	10	27	31	41	46	54	64	62	44	13	6	---	---	---	---
1	1	1	2	---	1	1	4	2	2	2	3	3	1	1	---	---	---	---
11	9	15	19	21	17	27	25	39	39	73	61	49	29	4	2	---	---	---
22	17	21	17	16	26	34												

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
COLORADO—Continued											
1	Rural—White	4,611	447	79	51	28	15	600	45	55	108
	All other	92	6	4	—	1	—	11	—	2	1
	Male—White	2,893	259	39	22	12	10	342	31	35	74
	All other	62	1	3	—	1	—	5	—	1	—
	Female—White	1,718	188	40	9	16	5	258	14	20	34
	All other	30	5	1	—	—	—	6	—	1	1
2	CONNECTICUT	17,696	942	77	46	39	50	1,034	107	112	158
3	Both sexes—White	17,270	807	75	44	37	50	963	105	109	147
	All other	426	55	2	2	—	—	41	2	3	11
	Male—White	9,234	479	35	25	23	20	582	72	64	96
	All other	229	22	—	—	1	—	23	—	2	6
	Female—White	8,036	328	40	19	14	10	411	33	45	51
	All other	197	13	2	2	1	—	18	2	1	5
4	Cities of 100,000 or more—White	5,715	318	30	22	17	10	397	43	42	49
	All other	211	17	2	1	1	—	21	—	2	4
	Male—White	3,035	194	12	13	10	5	234	26	21	36
	All other	109	12	—	—	—	—	12	—	2	2
	Female—White	2,680	124	18	9	7	5	163	17	21	13
	All other	102	5	2	1	1	—	9	—	—	2
5	Cities of 25,000 to 100,000—White	4,245	275	25	8	6	11	325	24	18	47
	All other	108	13	—	1	1	—	15	1	1	5
	Male—White	2,261	162	13	5	3	8	191	16	9	28
	All other	55	7	—	—	1	—	8	—	—	2
	Female—White	1,984	113	12	3	3	3	134	8	9	19
	All other	53	6	—	1	—	—	7	1	1	3
6	Cities of 10,000 to 25,000—White	2,673	110	6	6	6	3	131	12	23	18
	All other	50	2	—	—	—	—	2	—	—	—
	Male—White	1,421	68	2	3	4	3	80	9	16	10
	All other	30	1	—	—	—	—	1	—	—	—
	Female—White	1,252	42	4	3	2	—	51	3	7	8
	All other	20	1	—	—	—	—	1	—	—	—
7	Cities of 2,500 to 10,000—White	919	30	6	1	4	—	41	10	6	7
	All other	13	1	—	—	—	—	1	—	—	1
	Male—White	494	15	3	1	4	—	23	9	5	4
	All other	11	1	—	—	—	—	1	—	—	1
	Female—White	425	15	3	—	—	—	18	1	1	3
	All other	2	—	—	—	—	—	—	—	—	—
8	Rural—White	3,718	74	8	7	4	6	99	16	20	26
	All other	44	2	—	—	—	—	2	1	—	1
	Male—White	2,023	40	5	3	2	4	54	12	13	18
	All other	24	1	—	—	—	—	1	—	—	1
	Female—White	1,695	34	3	4	2	2	45	4	7	8
	All other	20	1	—	—	—	—	1	1	—	—
9	DELAWARE	3,189	183	21	16	4	7	241	21	28	58
10	Both sexes—White	2,580	145	15	12	3	7	182	13	19	39
	All other	580	48	6	4	1	—	59	8	9	19
	Male—White	1,427	84	6	9	2	4	105	10	12	20
	All other	308	30	2	2	1	—	35	6	2	12
	Female—White	1,162	61	9	3	1	3	77	3	7	19
	All other	272	18	4	2	—	—	24	2	7	7
11	Cities of 100,000 or more—White	1,267	81	10	7	2	2	102	9	9	15
	All other	220	12	3	1	—	—	16	3	2	5
	Male—White	697	44	6	5	1	2	58	6	5	7
	All other	110	8	1	1	—	—	10	3	—	2
	Female—White	570	37	4	2	1	—	44	3	4	8
	All other	110	4	2	—	—	—	6	—	2	3
12	Cities of 2,500 to 10,000—White	283	28	2	3	1	1	35	1	2	13
	All other	110	18	1	—	—	—	19	4	—	7
	Male—White	147	17	—	3	1	—	21	1	1	7
	All other	57	11	—	—	—	—	11	3	—	5
	Female—White	136	11	2	—	—	1	14	—	1	6
	All other	53	7	1	—	—	—	8	1	—	2
13	Rural—White	1,039	36	3	2	—	4	45	3	8	11
	All other	250	18	2	3	1	—	24	1	7	7
	Male—White	583	23	—	1	—	2	26	3	6	6
	All other	141	11	1	1	1	—	14	—	2	5
	Female—White	456	13	3	1	—	2	19	—	2	5
	All other	109	7	1	2	—	—	10	1	5	2
14	DISTRICT OF COLUMBIA	8,292	669	33	31	13	19	765	59	53	115
15	Both sexes—White	5,259	320	15	21	7	9	372	35	23	47
	All other	3,033	349	18	10	6	10	393	24	30	68
	Male—White	2,904	188	7	12	5	4	216	26	15	32
	All other	1,538	199	8	6	4	8	225	12	17	37
	Female—White	2,355	132	8	9	2	5	156	9	8	15
	All other	1,495	150	10	4	2	2	168	12	13	31
16	FLORIDA	21,295	1,822	216	108	70	60	2,276	194	213	426
17	Both sexes—White	14,086	1,043	111	70	45	29	1,298	117	118	217
	All other	7,209	779	105	38	25	31	978	77	95	209
	Male—White	8,481	576	53	39	24	13	705	71	80	131
	All other	4,011	441	63	21	13	13	551	48	44	97
	Female—White	5,605	467	58	31	21	16	593	46	38	86
	All other	3,198	338	42	17	12	18	427	29	31	112
18	Cities of 100,000 or more—White	3,427	253	24	10	5	7	299	18	22	44
	All other	1,702	166	30	3	3	5	207	18	31	46
	Male—White	2,010	143	11	4	3	2	163	5	17	26
	All other	896	88	20	2	2	4	116	13	19	20
	Female—White	1,417	110	13	6	2	5	136	13	5	18
	All other	806	78	10	1	1	1	91	5	12	26
19	Cities of 25,000 to 100,000—White	1,990	117	7	6	7	4	141	15	10	25
	All other	676	57	5	—	3	1	66	3	5	17
	Male—White	1,187	69	3	3	5	—	80	12	6	15
	All other	371	37	3	—	2	—	42	2	3	6
	Female—White	803	48	4	3	2	4	61	3	4	10
	All other	305	20	2	—	1	1	24	1	2	11

GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
111	106	106	121	176	244	234	320	357	393	487	464	382	215	68	12	1	6
5	3	3	5	6	9	7	8	5	8	6	5	2	4	2	2	---	---
73	63	74	84	122	165	141	216	250	265	298	280	224	133	30	7	---	6
4	2	1	5	3	7	5	6	4	5	4	3	2	---	4	1	---	---
38	43	52	37	54	79	93	104	127	128	189	184	158	62	38	5	1	---
1	1	2	---	3	2	2	2	1	3	2	2	---	---	38	1	---	---
262	241	302	410	690	864	1,285	1,466	1,852	2,145	2,246	1,964	1,409	783	271	70	6	9
241	228	281	383	653	835	1,253	1,423	1,827	2,109	2,213	1,945	1,398	775	269	69	5	9
21	15	21	27	37	29	32	43	35	36	33	19	11	8	2	1	1	---
146	123	145	206	356	460	744	836	1,004	1,222	1,143	932	642	320	91	22	1	7
13	4	13	13	19	18	19	23	17	18	17	14	4	3	1	1	1	---
95	105	136	177	297	355	509	587	823	887	1,070	1,013	756	455	178	47	4	2
8	9	8	14	18	11	13	20	18	18	18	5	7	5	1	---	---	---
72	80	107	148	232	308	447	538	650	746	710	560	357	172	58	18	1	1
7	4	9	10	20	18	15	19	19	22	19	11	5	5	1	---	---	---
45	39	55	89	102	170	249	329	330	441	380	260	153	69	21	6	---	---
6	1	5	5	10	11	6	7	8	12	11	8	1	2	---	---	---	---
27	41	52	58	140	138	198	210	300	305	350	300	204	103	37	10	1	1
1	3	4	5	10	7	9	12	11	10	8	3	4	3	1	---	---	---
55	57	73	94	170	204	354	369	505	499	496	443	305	160	51	14	1	1
8	6	8	10	10	6	5	12	6	9	3	1	1	---	1	---	---	---
24	34	34	49	95	117	202	213	267	302	246	210	138	64	17	3	---	1
4	1	6	5	6	4	3	7	3	3	1	1	---	---	1	---	---	---
31	23	39	45	75	87	132	156	238	197	250	253	166	96	34	11	1	---
4	5	2	5	4	2	2	5	3	6	2	---	---	---	---	---	---	---
53	43	44	51	92	125	197	199	260	325	353	304	238	139	50	12	2	2
32	19	25	21	57	66	123	114	145	173	177	149	118	57	22	5	1	1
2	1	1	2	2	2	5	5	2	2	3	2	---	---	---	---	---	---
21	24	18	30	35	59	74	85	115	152	176	155	120	82	28	7	1	1
10	9	13	18	29	27	68	59	83	107	125	119	100	58	25	5	---	---
9	6	5	11	16	14	47	29	3	63	66	61	41	27	9	1	---	---
1	3	8	7	13	13	21	30	35	44	59	58	59	31	16	4	---	---
51	39	44	72	130	171	207	257	349	432	529	519	398	246	85	22	1	5
4	1	1	2	2	2	4	6	4	1	5	3	2	1	1	1	---	---
36	25	25	36	86	113	123	151	214	245	294	252	191	103	22	7	---	5
1	1	1	1	1	1	3	4	1	1	2	2	1	1	1	1	1	---
15	14	19	36	44	58	84	108	135	189	235	267	207	143	63	15	1	---
3	---	---	1	1	1	1	2	3	---	3	1	1	1	---	---	---	---
62	62	88	90	120	133	193	218	298	339	373	365	270	134	55	10	3	8
38	39	52	57	82	103	137	172	258	290	334	330	260	121	49	7	2	5
24	23	36	33	38	30	56	45	40	49	39	35	10	15	6	3	1	3
24	18	31	36	47	63	84	116	153	165	166	173	129	48	19	3	---	5
12	15	21	16	18	13	31	28	23	30	20	13	5	6	1	---	---	---
14	21	21	21	35	40	53	56	105	125	168	157	131	73	30	4	2	---
12	8	15	17	20	17	25	18	17	19	19	22	5	7	5	3	---	3
19	16	32	33	44	66	82	97	147	146	144	144	92	41	21	5	1	2
10	8	11	15	15	15	28	22	20	16	13	12	---	4	2	2	---	---
12	7	18	19	25	41	54	68	84	81	74	73	42	14	5	2	---	2
5	6	6	10	8	6	13	12	9	8	7	4	---	1	---	---	---	---
7	9	14	14	19	25	28	29	63	65	70	71	50	27	16	3	1	---
5	2	5	5	8	8	15	10	11	8	6	8	---	3	2	2	---	---
5	7	4	10	5	7	10	15	22	30	38	36	24	13	5	---	---	1
4	4	8	4	10	7	9	6	7	8	6	4	2	---	---	1	---	---
4	3	2	7	3	3	4	11	10	13	21	17	14	4	---	---	---	1
1	3	3	---	2	2	5	3	4	6	5	1	1	---	---	---	---	---
1	4	2	3	4	4	6	4	12	17	17	19	10	9	5	---	---	---
3	1	5	4	6	5	4	3	3	2	1	3	1	---	---	---	---	---
14	16	16	14	33	30	45	60	89	114	152	150	144	67	23	2	1	2
10	11	17	14	12	8	19	18	15	25	20	19	8	9	4	---	1	3
8	8	11	10	19	19	26	37	59	71	71	83	73	30	14	1	---	2
6	6	12	6	6	5	13	13	10	16	6	8	4	5	1	---	1	---
6	8	5	4	14	11	19	23	30	43	81	67	71	37	9	1	1	---
4	5	5	8	6	3	6	5	3	9	12	11	4	4	3	---	---	3
166	247	309	386	450	556	647	691	776	812	824	613	480	222	90	28	2	1
56	104	153	191	230	311	362	426	550	575	626	500	404	192	79	23	---	---
110	143	156	195	220	245	285	265	226	237	198	113	76	30	11	5	2	1
37	53	85	120	145	217	219	258	316	321	310	246	178	79	24	6	---	---
48	76	82	86	118	129	143	133	112	104	100	60	39	14	2	---	1	---
19	51	68	71	84	94	143	168	234	254	316	254	226	113	55	17	---	---
62	67	74	109	102	116	142	132	114	133	98	53	37	16	9	5	1	1
591	785	880	1,003	1,044	1,288	1,580	1,874	1,867	2,008	1,902	1,731	1,141	618	226	62	33	63
257	325	379	427	485	716	877	1,057	1,268	1,547	1,596	1,541	1,030	550	198	45	9	29
334	440	501	576	559	572	713	517	399	461	306	190	111	68	28	17	24	54
156	203	219	254	328	459	550	718	820	963	953	894	543	288	102	21	21	21
159	221	279	310	312	340	398	297	236	275	179	109	57	42	12	7	11	27
101	122	160	173	157	257	327	339	448	584	643	647	487	262	96	24	7	8
175	219	222	266	247	232	315	220	163	186	127	81	54	26	15	10	13	7
54	76	101	119	139	205	235	304	338	393	363	325	218	127	29	15	2	2
84	112	136	160	180	145	159	126	92	84	57	34	17	5	4	3	2	---
31	41	51	64	91	129	153	203	223	216	207	186	108	72	15	7	---	2
35	53	73	82	94	92	78	65	52	45	27	16	9	2	3	1	1	---
23	35	50	55	48	76	83	101	115	177	156	137	110	55	14	8	2	---
49	59	63	78	86	53	61	40	39	30	18	8	3	1	2	1	1	---
30	37	54	52	54	75	110	133	210	232	246	258	167	87	43	3	3	5
42	44	53	67	59	57	79	56	39	34	20	18	5	6	1	1	3	1
13	16	33	33	41	46	57	90	126	152	154	146	96	42	19	---	1	4
19	25	31	34	26	32	42	37	24	19	10	8	2	4	1	1	2	1
12	21	21	19	13	29	53	43	84	80	92	112	71	45	24	3	2	1
23	19	22	33	33	25	37	19	15	15	10	10	3	2	---	1	---	---

## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	
FLORIDA—Continued												
1	Cities of 10,000 to 25,000	White	1,051	70	7	5	5	2	89	10	9	12
		All other	584	61	8	5	---	2	76	9	5	13
	Male	White	643	45	3	1	2	2	53	5	7	9
		All other	273	33	6	4	---	---	43	4	---	4
	Female	White	408	25	4	4	---	---	36	5	---	3
		All other	291	28	2	1	---	2	33	5	---	9
2	Cities of 2,500 to 10,000	White	2,906	186	21	23	12	6	248	29	2	49
		All other	1,328	138	18	9	6	8	177	9	16	42
	Male	White	1,779	99	10	14	5	4	130	22	10	31
		All other	778	72	9	4	4	4	93	6	5	24
	Female	White	1,127	87	11	9	2	2	118	7	13	18
		All other	350	86	7	5	2	4	84	3	11	18
3	Rural	White	4,712	417	52	26	16	10	521	45	54	87
		All other	2,939	357	46	21	15	15	452	38	38	91
	Male	White	2,862	220	26	17	11	5	279	27	40	50
		All other	1,693	211	25	11	5	5	257	23	17	43
	Female	White	1,850	197	26	9	5	5	242	18	14	37
		All other	1,246	146	21	10	8	10	195	15	21	48
4	GEORGIA		31,843	3,780	467	213	175	112	4,747	408	382	793
5	Both sexes	White	17,559	1,951	225	114	97	64	2,451	235	197	336
		All other	14,284	1,829	242	99	78	48	2,286	173	185	457
	Male	White	9,959	1,095	113	71	48	33	1,360	140	119	279
		All other	7,488	1,045	136	49	35	22	1,287	102	107	205
	Female	White	7,600	856	112	43	49	31	1,091	95	78	157
		All other	6,796	784	108	50	43	26	1,009	71	78	252
6	Cities of 100,000 or more	White	2,275	240	27	11	8	8	294	31	22	36
		All other	1,981	189	17	6	8	11	231	15	19	70
	Male	White	1,220	130	13	6	4	2	155	16	15	21
		All other	1,016	106	8	3	3	2	122	5	13	31
	Female	White	1,055	110	14	5	4	6	139	15	7	15
		All other	965	83	9	3	5	9	109	10	6	39
7	Cities of 25,000 to 100,000	White	2,088	194	31	11	7	11	254	21	31	31
		All other	2,223	222	30	18	10	3	283	19	32	63
	Male	White	1,214	118	17	9	3	6	153	12	23	18
		All other	1,166	118	16	10	4	1	149	13	19	28
	Female	White	874	76	14	2	4	5	101	9	8	13
		All other	1,057	104	14	8	6	2	134	6	13	35
8	Cities of 10,000 to 25,000	White	1,389	143	21	15	12	5	196	22	18	36
		All other	1,115	115	14	10	7	4	150	20	14	32
	Male	White	777	72	12	7	4	3	98	13	9	21
		All other	587	70	9	4	2	3	88	13	11	18
	Female	White	612	71	9	8	8	2	98	9	9	15
		All other	528	45	5	6	5	1	62	7	3	14
9	Cities of 2,500 to 10,000	White	2,239	233	29	17	18	7	304	35	31	54
		All other	1,553	168	33	10	8	4	223	22	24	52
	Male	White	1,244	129	14	9	13	2	167	25	17	20
		All other	788	103	16	6	4	3	132	12	14	19
	Female	White	995	104	15	8	5	5	137	10	14	34
		All other	785	85	17	4	4	1	91	10	10	33
10	Rural	White	9,568	1,141	117	60	52	33	1,403	126	95	179
		All other	7,412	1,135	149	55	45	26	1,409	97	86	240
	Male	White	5,504	646	57	40	24	20	767	74	55	89
		All other	3,931	648	87	26	22	13	796	59	50	109
	Female	White	4,064	495	60	20	28	13	615	52	40	80
		All other	3,481	467	61	29	23	13	613	38	46	131
11	IDAHO		4,753	508	71	29	18	15	641	76	71	103
12	Both sexes	White	4,643	489	67	27	18	15	616	75	67	96
		All other	110	19	4	2	---	---	25	1	4	7
	Male	White	2,864	278	38	18	9	6	349	48	43	59
		All other	59	11	1	2	---	---	14	---	2	2
	Female	White	1,779	211	29	9	9	9	267	27	24	37
		All other	51	8	3	---	---	---	11	1	2	5
13	Cities of 10,000 to 25,000	White	586	60	10	4	1	3	78	9	9	13
		All other	13	1	---	---	---	---	1	---	---	1
	Male	White	349	32	7	2	---	---	41	7	8	8
		All other	10	1	---	---	---	---	1	---	---	---
	Female	White	237	28	3	2	1	3	37	2	1	5
		All other	3	---	---	---	---	---	---	---	---	---
14	Cities of 2,500 to 10,000	White	2,131	242	28	14	10	7	299	40	25	43
		All other	24	5	---	---	---	---	5	1	1	2
	Male	White	1,292	141	11	10	5	4	171	28	18	28
		All other	15	2	---	---	---	---	2	---	---	---
	Female	White	839	101	15	4	5	3	128	12	7	15
		All other	9	3	---	---	---	---	3	1	---	---
15	Rural	White	1,926	187	31	9	7	5	239	26	33	40
		All other	73	13	4	2	---	---	19	---	3	4
	Male	White	1,223	105	20	6	4	2	137	13	17	23
		All other	34	8	1	2	---	---	11	---	1	1
	Female	White	703	82	11	3	3	3	102	13	16	17
		All other	39	5	3	---	---	---	8	---	2	3
16	ILLINOIS		86,994	4,474	498	240	223	179	5,614	631	656	1,083
17	Both sexes	White	80,635	4,073	444	223	195	163	5,098	586	564	911
		All other	6,359	401	54	17	28	16	516	45	72	172
	Male	White	45,035	2,374	250	128	111	95	2,958	337	328	562
		All other	3,579	230	29	8	16	9	292	26	38	69
	Female	White	35,600	1,699	194	95	84	68	2,140	249	236	349
		All other	2,780	171	25	9	12	7	224	19	34	103
18	Cities of 100,000 or more	White	33,068	1,403	152	88	88	67	1,798	247	234	333
		All other	4,372	256	37	10	22	11	336	32	54	124
	Male	White	18,334	843	86	55	49	35	1,068	132	130	181
		All other	2,363	143	20	5	10	5	183	19	28	46
	Female	White	14,734	560	66	33	39	32	730	115	104	152
		All other	2,009	113	17	5	12	6	153	13	26	78
19	Cities of 25,000 to 100,000	White	12,130	798	68	39	33	28	966	86	89	131
		All other	595	55	6	1	1	---	63	4	5	15
	Male	White	6,500	452	36	19	21	21	549	54	52	91
		All other	321	37	2	---	---	---	40	1	3	6
	Female	White	5,630	346	32	20	12	7	417	32	37	40
		All other	274	18	4	1	---	---	23	3	2	9

GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
24	31	23	29	32	48	60	68	93	119	127	122	91	47	13	2	2	1
15	20	13	17	22	28	39	46	60	68	78	74	53	30	6	2	1	1
5	14	17	18	26	27	24	27	24	19	13	5	3	1	---	---	---	---
11	11	10	12	10	20	21	22	33	51	49	48	38	17	7	---	2	---
10	22	21	26	18	21	31	23	18	21	9	6	4	4	3	1	1	---
46	76	84	98	111	153	174	237	281	309	341	291	207	91	45	5	1	7
41	96	94	107	106	123	155	94	62	94	44	27	19	11	2	2	2	5
24	49	45	66	67	94	110	171	186	202	203	172	114	51	25	2	---	5
27	41	64	61	75	74	99	48	40	53	29	15	9	8	1	---	1	5
22	27	39	32	44	59	64	66	95	107	138	119	95	40	20	3	1	2
14	55	30	46	31	49	56	46	22	41	15	12	10	3	1	2	1	---
105	105	117	129	149	235	297	315	346	484	519	547	347	198	68	20	1	15
151	152	180	196	170	199	265	191	164	209	165	102	65	41	18	10	16	28
70	77	74	107	107	162	191	208	225	325	311	316	172	93	37	10	1	10
72	88	94	115	91	115	155	120	96	139	100	67	34	27	7	5	7	21
35	28	40	55	42	73	106	107	121	169	208	231	175	105	31	10	---	5
79	64	85	83	79	84	110	71	68	70	65	55	29	14	11	5	9	7
1,088	1,270	1,289	1,439	1,612	1,934	2,201	2,393	2,363	2,686	2,282	1,918	1,545	909	333	69	62	86
411	436	528	556	647	868	1,003	1,327	1,496	1,789	1,621	1,498	1,232	648	205	59	5	53
677	834	751	883	972	1,066	1,198	1,066	867	897	668	420	313	251	130	50	57	33
245	239	297	304	374	540	619	821	918	1,054	905	615	605	309	88	16	2	14
325	394	397	433	487	543	641	551	471	491	376	242	170	148	58	22	19	29
168	197	251	252	273	328	384	506	578	735	716	685	627	339	115	23	3	19
352	440	374	450	485	525	557	515	396	406	292	178	143	113	72	28	38	24
58	60	69	86	92	136	149	198	213	239	202	195	127	65	26	6	2	1
88	165	141	178	178	178	197	143	127	107	65	32	14	16	8	2	7	1
22	39	33	46	49	75	90	110	122	138	106	91	50	31	8	2	1	1
44	82	64	85	90	99	104	69	71	59	35	18	8	11	4	2	2	---
16	22	36	40	43	61	59	76	91	101	96	104	77	34	18	4	1	---
44	83	77	83	89	79	74	56	48	30	14	6	5	4	---	---	---	---
31	41	66	71	104	144	137	181	217	211	188	157	157	48	12	2	1	3
99	142	146	179	205	258	197	174	144	113	92	43	22	14	7	3	1	7
22	22	38	35	74	98	87	116	134	111	112	75	62	19	1	---	---	---
43	75	66	90	111	128	124	100	79	50	44	22	8	10	3	1	---	3
9	19	23	36	30	46	50	65	83	100	76	82	75	29	11	2	1	4
56	67	80	89	94	110	75	74	65	65	48	21	14	4	4	2	1	1
37	37	45	53	69	65	94	111	122	140	113	111	66	33	16	4	---	---
55	67	66	70	81	86	108	110	86	66	36	21	23	10	6	4	1	3
22	15	25	28	35	40	61	68	73	86	70	61	31	14	8	1	---	---
26	25	45	39	50	43	54	54	41	35	18	13	6	4	2	1	1	2
15	22	20	25	36	25	35	43	49	54	43	50	35	19	8	3	---	---
29	42	23	51	51	43	54	56	45	31	18	8	17	6	4	3	---	---
72	69	70	79	79	114	149	172	191	217	164	172	153	65	17	8	---	---
94	92	83	105	96	124	139	126	98	91	64	41	26	23	13	6	2	9
55	59	34	42	45	67	88	115	112	118	100	102	77	31	6	2	---	---
45	46	48	47	40	57	82	57	47	48	35	22	17	10	3	3	1	5
37	30	36	37	34	47	61	57	79	99	84	70	76	34	11	6	---	---
51	46	35	58	56	67	57	69	51	43	29	19	9	13	10	3	1	4
235	229	278	297	303	409	474	677	753	982	934	863	749	437	132	19	2	24
541	568	525	553	411	440	557	513	412	520	411	283	228	198	96	35	46	33
142	125	167	153	175	260	295	412	477	601	517	484	385	214	65	11	1	9
169	166	166	174	186	216	277	271	235	299	244	167	131	113	46	15	15	19
91	104	111	114	130	149	181	265	276	381	417	379	364	223	67	8	1	15
172	202	159	179	215	224	280	242	179	221	167	116	97	85	50	20	31	14
123	122	113	128	166	198	261	325	407	435	490	469	387	172	50	13	2	11
120	118	109	126	161	193	259	320	397	429	478	464	383	170	50	12	---	---
3	4	4	2	5	5	2	5	10	6	12	5	4	2	---	---	---	---
76	70	72	72	94	126	157	223	251	282	298	298	231	97	31	7	---	---
1	1	1	3	4	4	1	5	6	5	6	3	4	---	---	---	---	---
44	48	37	54	67	67	102	97	146	167	180	166	152	73	19	5	---	---
2	3	3	2	2	1	---	---	4	1	6	2	2	---	---	---	---	---
12	10	18	12	14	23	34	48	61	47	74	53	44	18	5	4	1	1
1	---	---	1	3	---	---	1	1	2	1	---	---	---	---	---	---	---
5	7	11	8	8	16	26	32	50	30	48	31	21	7	3	2	---	---
7	3	7	4	6	7	8	16	31	17	26	22	23	11	2	2	---	---
1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
56	59	44	70	82	95	119	141	166	211	224	188	176	69	20	4	---	---
2	---	1	1	1	1	1	1	3	2	2	1	1	---	---	---	---	---
34	37	28	37	42	57	64	100	104	127	132	126	106	41	10	2	---	---
1	---	1	1	1	1	1	1	2	1	1	1	1	---	---	---	---	---
22	22	16	33	40	38	55	41	62	84	92	62	70	28	10	2	---	---
1	---	---	1	---	---	---	---	1	---	---	---	---	---	---	---	---	---
52	49	47	44	65	75	106	131	170	171	180	223	163	85	25	4	---	---
---	4	3	1	3	1	1	3	6	4	9	4	5	2	---	---	---	---
37	26	33	27	44	53	67	81	117	105	118	141	104	49	18	3	1	1
---	1	---	---	1	1	---	3	3	3	4	2	3	---	---	---	---	---
15	23	14	17	21	22	39	40	53	66	82	82	59	34	7	1	---	---
---	3	3	1	2	---	1	1	3	1	5	2	2	---	---	---	---	---
1,515	1,722	2,063	2,754	3,562	5,325	6,584	7,236	8,160	9,399	9,680	9,274	6,845	3,466	1,150	248	31	16
1,264	1,401	1,708	2,247	2,977	4,691	5,946	6,664	7,664	8,902	9,379	9,101	6,734	3,399	1,132	250	24	13
251	321	355	507	585	634	638	572	496	497	301	173	111	67	18	18	7	3
698	775	947	1,284	1,826	2,834	3,742	4,137	4,413	5,047	5,107	4,637	3,517	1,512	483	71	9	11
122	176	190	272	367	382	377	356	287	273	187	85	53	31	6	5	3	2
566	626	761	963	1,151	1,857	2,204	2,527	3,251	3,855	4,272	4,464	3,417	1,887	649	159	15	2
129	145	165	235	218	252	261	216	209	224	134	88	58	36	12	13	4	1
550	666	780	1,055	1,422	2,433	3,119	3,340	3,564	3,718	3,579	3,000	1,982	913	263	64	7	1
194	251	270	390	407	437	443	424	336	315	184	87	42	30	7	10	1	---
288	330	432	627	819	1,432	1,981	2,064	2,036	2,071	1,883	1,452	915	568	106	16	3	

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE			Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	ILLINOIS—Continued											
	Cities of 10,000 to 25,000	White	6,424	458	55	17	19	16	565	57	63	99
		All other	270	25	4	2	3	1	35	3	5	5
	Male	White	3,514	268	33	12	14	11	336	33	41	59
		All other	143	14	2	2	3	—	21	2	2	3
	Female	White	2,910	180	22	5	5	5	227	24	22	40
		All other	127	11	2	—	—	1	34	1	3	2
2	Cities of 2,500 to 10,000	White	7,852	493	52	25	17	15	602	68	45	107
		All other	220	16	1	1	1	2	21	2	1	5
	Male	White	4,204	272	30	10	7	9	328	37	29	73
		All other	135	10	1	—	1	2	14	1	1	2
	Female	White	3,648	221	22	15	10	6	274	31	16	34
		All other	85	6	—	1	—	—	7	1	—	3
3	Rural	White	21,161	921	117	54	38	37	1,167	128	133	241
		All other	902	49	6	3	1	2	61	4	7	23
	Male	White	12,483	539	65	32	20	19	675	81	76	158
		All other	617	26	4	1	1	2	54	5	4	12
	Female	White	8,678	382	52	22	18	18	492	47	57	85
		All other	285	23	2	—	—	—	27	1	3	11
4	INDIANA		39,510	2,302	260	138	86	83	2,869	321	312	515
5	Both sexes	White	37,519	2,186	242	129	84	75	2,716	305	291	467
		All other	1,991	116	18	9	2	8	153	16	21	48
	Male	White	20,388	1,288	133	61	41	45	1,538	181	174	269
		All other	1,026	70	10	7	1	3	91	7	10	18
	Female	White	17,131	928	109	68	43	30	1,178	124	117	188
		All other	965	46	8	2	1	5	62	9	11	30
6	Cities of 100,000 or more	White	8,677	603	64	30	22	23	742	98	86	96
		All other	1,275	88	13	6	1	4	112	12	17	23
	Male	White	4,648	326	34	11	11	16	398	58	49	57
		All other	639	54	9	4	—	2	69	5	8	7
	Female	White	4,029	277	30	19	11	7	344	40	37	39
		All other	636	34	4	2	1	2	43	7	9	16
7	Cities of 25,000 to 100,000	White	5,388	389	41	26	15	15	486	60	28	77
		All other	317	18	2	2	1	2	25	4	2	10
	Male	White	2,928	239	27	9	7	9	291	36	16	34
		All other	171	10	1	2	1	1	15	2	1	5
	Female	White	2,460	150	14	17	8	6	195	24	12	43
		All other	146	8	1	—	—	1	10	2	1	5
8	Cities of 10,000 to 25,000	White	3,318	237	28	17	10	10	302	18	24	51
		All other	95	7	2	1	—	—	10	—	1	1
	Male	White	1,821	145	13	10	5	6	179	10	16	37
		All other	47	4	—	1	—	—	5	—	1	1
	Female	White	1,497	92	15	7	5	4	123	8	8	14
		All other	48	3	2	—	—	—	5	—	—	—
9	Cities of 2,500 to 10,000	White	4,492	256	30	21	10	9	326	36	45	55
		All other	61	—	—	—	—	—	—	—	—	1
	Male	White	2,357	159	12	12	6	5	194	20	24	27
		All other	51	—	—	—	—	—	—	—	—	1
	Female	White	2,135	97	18	9	4	4	132	16	21	28
		All other	30	—	—	—	—	—	—	—	—	—
10	Rural	White	15,644	701	79	35	27	18	860	93	108	188
		All other	243	3	1	—	—	2	6	—	1	13
	Male	White	8,634	389	47	19	12	9	476	57	69	114
		All other	138	2	—	—	—	—	2	—	—	4
	Female	White	7,010	312	32	16	15	9	384	36	39	74
		All other	105	1	—	—	—	2	4	—	1	9
11	IOWA		26,465	1,697	161	100	65	48	2,071	219	231	287
12	Both sexes	White	26,155	1,680	157	98	65	48	2,048	217	226	284
		All other	310	17	4	2	—	—	23	2	5	3
	Male	White	14,588	981	86	49	34	25	1,175	116	145	164
		All other	178	10	4	1	—	—	15	—	5	2
	Female	White	11,567	699	71	49	31	23	873	101	81	120
		All other	132	7	—	1	—	—	8	2	—	1
13	Cities of 100,000 or more	White	1,639	133	14	3	6	2	158	17	19	29
		All other	111	5	1	—	—	—	6	2	2	—
	Male	White	1,070	81	6	3	3	1	94	6	13	15
		All other	61	4	1	—	—	—	5	—	2	—
	Female	White	769	52	8	—	3	1	64	11	6	14
		All other	50	1	—	—	—	—	1	2	—	—
14	Cities of 25,000 to 100,000	White	5,486	401	40	25	15	12	491	50	50	60
		All other	83	6	1	1	—	—	8	—	2	2
	Male	White	2,958	247	22	15	5	7	296	28	29	37
		All other	45	3	1	1	—	—	5	—	2	1
	Female	White	2,528	154	18	8	10	5	195	22	21	23
		All other	38	3	—	—	—	—	3	—	—	1
15	Cities of 10,000 to 25,000	White	2,950	290	25	17	13	10	355	41	35	39
		All other	42	3	1	1	—	—	5	—	—	—
	Male	White	1,651	161	11	7	8	5	192	25	23	18
		All other	26	1	1	—	—	—	2	—	—	—
	Female	White	1,299	129	14	10	5	5	163	16	12	21
		All other	16	2	—	1	—	—	3	—	—	—
16	Cities of 2,500 to 10,000	White	4,942	340	26	20	23	13	422	44	46	65
		All other	43	1	1	—	—	—	2	—	1	—
	Male	White	2,772	199	18	7	14	6	242	22	33	44
		All other	29	1	1	—	—	—	2	—	1	—
	Female	White	2,170	141	10	13	9	7	180	22	13	21
		All other	14	—	—	—	—	—	—	—	—	—
17	Rural	White	10,938	516	52	35	8	11	622	65	76	91
		All other	31	2	—	—	—	—	2	—	—	1
	Male	White	6,137	293	31	17	4	6	351	35	47	50
		All other	17	1	—	—	—	—	1	—	—	1
	Female	White	4,801	223	21	18	4	5	271	30	29	41
		All other	14	1	—	—	—	—	1	—	—	—
18	KANSAS		18,469	1,146	113	72	46	44	1,421	149	143	253
19	Both sexes	White	17,395	1,074	100	67	46	42	1,329	147	139	230
		All other	1,074	72	13	5	—	2	92	2	4	23
	Male	White	9,769	621	56	39	32	26	774	79	80	134
		All other	552	35	9	—	—	1	45	2	2	12
	Female	White	7,626	453	44	28	14	16	555	68	59	96
		All other	522	37	4	5	—	1	47	—	2	11

# GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
125	151	149	167	186	288	388	449	530	660	799	758	585	290	93	30	---	2
10	12	9	21	16	20	26	19	22	23	14	15	8	5	1	---	3	1
69	77	70	90	95	156	239	266	313	365	434	378	297	123	58	11	---	2
3	7	6	11	8	7	14	10	15	14	10	4	4	2	---	2	---	---
56	54	79	77	91	142	149	183	217	275	365	380	288	167	55	19	---	---
7	5	3	10	8	13	12	9	9	9	4	9	4	5	1	---	1	---
105	103	153	176	215	329	435	554	706	876	976	1,000	795	428	148	28	3	2
8	9	5	13	11	10	19	13	23	26	16	14	11	9	1	2	---	1
61	59	81	94	111	175	262	332	410	494	521	487	403	178	57	10	2	1
4	4	3	6	6	5	12	8	19	18	11	9	4	5	1	---	---	---
44	44	72	82	104	154	173	222	296	382	455	513	592	250	91	18	1	---
4	5	2	7	5	5	5	5	4	8	5	5	7	4	---	---	---	---
309	313	372	495	733	1,064	1,165	1,562	1,692	2,207	2,647	2,956	2,385	1,271	442	82	10	9
23	29	54	55	109	119	85	64	63	63	44	27	15	5	6	3	2	2
187	202	240	300	552	770	781	907	989	1,306	1,524	1,524	1,217	649	208	26	3	6
14	15	21	38	87	104	70	42	41	50	30	26	14	6	2	1	1	1
122	111	132	195	181	294	384	455	703	901	1,123	1,312	1,166	622	234	56	7	1
9	15	15	15	21	15	13	22	22	33	18	18	13	7	5	2	1	1
665	654	888	994	1,215	1,567	2,156	2,816	3,233	4,312	4,834	5,199	3,955	2,090	639	134	15	27
594	588	789	861	1,070	1,496	1,970	2,552	3,068	4,146	4,705	5,085	3,892	2,047	620	127	10	20
71	66	99	133	145	171	186	164	165	166	129	114	65	43	19	7	5	7
343	260	426	420	567	852	1,174	1,534	1,791	2,307	2,567	2,698	1,953	994	263	43	3	11
30	33	50	68	79	93	97	83	81	88	61	62	31	26	6	3	2	7
251	308	363	441	503	644	796	1,118	1,277	1,839	2,138	2,387	1,939	1,053	357	84	7	9
41	33	49	65	66	78	89	81	84	78	68	52	32	17	13	4	3	---
145	167	194	264	348	457	591	757	737	918	978	984	669	323	99	19	1	4
41	38	72	88	107	122	133	100	106	70	50	39	23	13	4	4	---	6
77	75	104	126	193	263	359	447	437	520	513	488	310	130	36	7	---	1
16	19	37	39	57	64	65	50	42	60	37	23	18	14	4	2	2	1
68	92	90	138	155	194	232	310	300	398	465	496	359	193	63	12	1	3
25	19	35	49	50	58	68	50	58	46	33	27	21	9	9	2	2	---
95	101	134	138	194	279	335	440	480	570	633	620	407	232	54	20	1	4
14	12	20	22	16	26	27	29	26	21	22	17	8	10	2	2	1	1
57	44	69	84	108	155	211	256	297	326	337	310	186	102	22	4	---	3
4	7	9	15	9	16	15	17	15	9	8	10	5	7	1	---	---	1
38	57	65	74	86	124	124	184	183	244	296	310	221	130	32	16	1	1
10	5	11	7	7	10	12	12	11	12	14	7	3	2	1	1	---	---
51	49	74	85	81	154	164	250	299	375	412	411	311	143	53	10	1	---
4	1	1	7	4	4	3	13	9	8	11	11	2	4	1	---	---	8
31	29	41	41	39	95	95	148	165	217	223	210	154	67	19	5	---	---
2	---	---	5	2	2	3	4	5	3	6	6	---	1	1	---	---	---
20	20	33	44	42	59	69	102	134	158	189	201	157	76	34	5	1	---
2	1	1	2	2	2	---	9	4	5	5	5	2	3	---	---	---	---
72	69	85	94	109	142	211	284	393	497	564	596	510	284	97	19	2	2
1	3	1	1	2	1	5	3	5	6	6	13	7	2	3	---	---	9
43	33	35	47	48	76	120	168	224	261	302	301	254	129	43	5	1	1
1	2	1	---	2	1	4	1	1	2	8	4	---	1	---	---	---	---
29	36	49	47	61	66	91	116	169	236	262	295	256	155	54	14	1	1
---	1	---	1	---	---	1	2	4	5	4	5	3	2	2	---	---	---
231	202	302	280	338	464	669	921	1,159	1,786	2,118	2,474	1,995	1,065	317	59	5	10
11	12	5	15	16	18	18	19	25	25	20	23	7	4	1	---	---	4
135	99	176	142	179	263	389	515	668	983	1,182	1,389	1,049	566	143	22	2	6
7	5	3	9	10	10	10	11	18	15	8	15	4	4	---	---	---	4
96	103	126	138	159	201	280	406	491	803	926	1,065	946	499	174	37	3	4
4	7	2	6	7	8	8	8	7	10	12	8	3	---	---	---	---	---
373	361	477	518	704	1,006	1,264	1,578	2,156	2,837	3,356	3,542	2,975	1,655	595	133	12	15
386	358	459	502	691	981	1,244	1,642	2,126	2,798	3,328	3,528	2,958	1,650	594	131	11	13
7	3	18	16	13	25	20	36	30	39	28	14	17	5	1	2	1	2
224	189	240	281	395	579	721	984	1,264	1,630	1,849	1,947	1,532	826	274	36	5	12
4	1	8	12	7	12	14	20	16	22	18	3	11	4	1	1	---	2
142	169	219	221	296	402	523	658	862	1,168	1,479	1,581	1,426	824	320	95	6	1
3	2	10	4	6	13	6	16	14	17	10	11	6	1	---	---	---	---
30	30	44	43	82	122	123	142	172	186	203	182	143	77	30	5	1	1
2	1	9	10	4	9	4	13	6	19	7	5	8	2	---	---	---	---
22	12	25	26	57	84	83	91	109	109	122	97	67	27	8	2	---	1
1	---	5	8	1	5	3	4	3	13	4	1	3	2	---	---	---	---
8	18	19	17	25	38	40	51	63	77	81	85	76	50	22	3	1	---
1	1	4	2	3	4	1	9	3	6	3	4	5	---	---	---	---	---
83	82	120	133	149	245	326	422	502	572	680	673	497	260	78	20	2	---
3	1	3	2	4	5	7	11	10	7	9	4	4	---	---	---	---	1
50	35	58	74	82	134	193	233	284	317	355	363	250	113	24	3	---	---
2	---	---	1	3	2	4	7	6	---	6	1	4	---	---	---	---	---
33	48	62	49	67	111	133	189	218	255	325	310	247	147	54	17	2	---
1	1	3	1	1	3	3	4	4	7	3	3	---	---	---	---	---	---
55	52	71	79	88	127	167	195	219	343	330	312	268	127	39	7	---	1
---	---	1	1	2	5	5	4	4	1	6	2	4	1	---	---	---	---
34	31	35	40	52	76	91	121	134	209	181	178	132	56	21	1	---	1
---	---	---	1	1	2	3	3	3	1	5	1	3	1	---	---	---	---
21	21	36	39	36	51	76	74	85	134	149	134	136	71	18	6	---	---
---	---	---	---	1	3	2	1	1	---	1	1	1	---	---	---	---	---
72	75	98	96	123	176	201	278	388	523	649	640	570	340	104	27	2	3
---	---	---	---	1	6	2	5	6	8	2	1	1	---	---	---	---	---
38	43	50	46	65	106	115	164	228	304	373	359	302	178	50	7	1	2
---	---	---	---	1	3	2	4	2	6	---	---	1	---	---	---	---	---
34	32	48	50	58	70	86	114	160	219	276	281	263	162	54	20	1	1
---	---	---	---	3	3	1	1	4	2	1	1	1	---	---	---	---	---
126	118	126	161	249	311	427	605	845	1,174	1,466	1,721	1,480	846	343	72	6	8
2	---	---	2	2	---	2	3	4	4	2	2	---	1	1	---	---	---
80	68	72	95	139	179	239	375	509	691	818	950	781	452	171	23	4	8
1	---	---	1	1	---	2	2	2	2	2	---	---	1	1	---	---	---
46	50	54	66	110	132	188	230	336	483	648	771	609	394	172	49	2	---
1	---	---	1	1	---	---	1	2	2	2	---	---	---	---	---	---	---
276																	

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	
KANSAS—Continued												
1	Cities of 100,000 or more	White	2,427	165	20	11	14	6	216	24	26	32
		All other	380	19	4	3	1	27	1	1	1	9
	Male	White	1,366	86	9	6	10	3	114	14	17	20
		All other	174	8	2	1	1	10	1	1	1	5
	Female	White	1,061	79	11	5	4	3	102	10	9	12
		All other	206	11	2	3	1	17	1	1	1	4
2	Cities of 25,000 to 100,000	White	1,104	75	7	7	4	6	99	8	6	13
		All other	96	11	1	1	1	12	1	1	1	3
	Male	White	618	50	4	2	3	3	62	4	5	8
		All other	44	5	1	1	1	6	1	1	1	1
	Female	White	486	25	3	5	1	3	37	4	1	5
		All other	52	6	1	1	1	6	1	1	1	2
3	Cities of 10,000 to 25,000	White	2,571	197	15	12	5	6	235	22	30	41
		All other	253	25	2	1	1	29	1	1	1	4
	Male	White	1,404	115	5	9	4	5	138	12	16	23
		All other	107	15	1	1	1	16	1	1	1	2
	Female	White	1,167	82	8	3	1	1	95	10	14	18
		All other	126	10	2	1	1	13	1	1	1	2
4	Cities of 2,500 to 10,000	White	2,775	213	18	11	4	5	251	37	22	39
		All other	91	10	1	1	1	10	1	1	1	3
	Male	White	1,467	126	11	6	3	2	148	20	11	22
		All other	45	5	1	1	1	5	1	1	1	1
	Female	White	1,306	87	7	5	1	3	103	17	11	17
		All other	46	5	1	1	1	5	1	1	1	2
5	Rural	White	8,520	424	42	26	19	19	530	56	55	105
		All other	274	7	6	1	1	14	1	1	1	4
	Male	White	4,914	244	27	16	12	13	312	29	31	61
		All other	182	2	6	1	1	8	1	1	1	3
	Female	White	5,606	180	15	10	7	6	218	27	24	44
		All other	92	5	1	1	1	6	1	1	1	1
6 KENTUCKY			29,507	3,187	458	198	124	118	4,085	352	388	672
7	Both sexes	White	25,535	2,909	430	178	110	111	3,738	326	342	590
		All other	3,972	278	28	20	14	7	347	26	46	82
	Male	White	14,162	1,571	211	99	67	55	2,103	189	204	345
		All other	2,148	164	14	10	6	3	197	15	26	32
	Female	White	11,373	1,238	219	79	43	56	1,635	137	138	247
		All other	1,824	114	14	10	8	4	150	11	20	50
8	Cities of 100,000 or more	White	3,552	238	18	8	9	10	283	35	30	53
		All other	872	41	7	4	4	3	59	6	6	9
	Male	White	1,748	152	9	2	7	7	177	19	18	30
		All other	457	27	4	3	2	1	36	5	5	5
	Female	White	1,604	86	9	6	2	3	106	16	12	23
		All other	415	14	3	1	2	3	23	1	3	4
9	Cities of 25,000 to 100,000	White	2,559	210	27	6	4	5	252	30	28	46
		All other	582	21	2	2	1	1	26	5	2	12
	Male	White	1,389	110	14	6	4	3	137	18	18	29
		All other	307	12	1	1	1	1	13	2	1	6
	Female	White	1,170	100	13	1	1	2	115	12	10	17
		All other	275	9	2	1	1	1	13	3	1	6
10	Cities of 10,000 to 25,000	White	1,212	106	21	10	6	3	146	19	13	28
		All other	363	21	3	2	1	1	26	5	2	5
	Male	White	690	61	12	6	4	2	85	10	5	17
		All other	205	15	3	2	1	1	20	3	1	2
	Female	White	522	45	9	4	2	1	61	9	8	11
		All other	158	6	1	1	1	1	6	2	1	3
11	Cities of 2,500 to 10,000	White	2,797	258	54	19	12	14	357	44	57	86
		All other	620	58	7	4	1	2	71	3	9	14
	Male	White	1,614	144	23	11	6	6	190	24	38	55
		All other	355	34	4	2	1	2	42	2	6	4
	Female	White	1,183	114	31	8	6	8	167	20	19	33
		All other	285	24	3	2	1	1	29	1	3	10
12	Rural	White	15,615	2,097	310	135	79	79	2,700	198	214	375
		All other	1,555	137	9	8	9	2	165	7	25	42
	Male	White	8,721	1,204	153	74	46	37	1,514	118	125	212
		All other	844	76	3	2	4	1	86	3	13	15
	Female	White	6,894	893	157	61	33	42	1,186	80	89	163
		All other	691	61	6	6	5	1	79	4	12	27
13 LOUISIANA			24,521	3,077	357	165	101	95	3,815	274	312	574
14	Both sexes	White	13,159	1,363	166	95	65	37	1,726	156	160	242
		All other	11,362	1,714	189	90	38	58	2,089	118	152	332
	Male	White	7,556	789	81	64	36	22	992	89	92	145
		All other	5,878	989	101	39	20	29	1,128	72	80	145
	Female	White	5,623	574	87	31	27	15	734	67	68	97
		All other	5,364	775	88	51	18	29	961	46	72	167
15	Cities of 100,000 or more	White	4,763	351	40	21	15	9	436	42	48	70
		All other	3,037	394	37	21	7	10	469	22	39	74
	Male	White	2,631	215	18	15	9	4	291	26	22	42
		All other	1,611	212	21	9	4	7	255	15	19	54
	Female	White	2,152	136	22	6	6	5	175	16	26	28
		All other	1,426	162	16	12	3	3	216	7	20	40
16	Cities of 25,000 to 100,000	White	1,390	167	23	22	11	10	233	14	24	28
		All other	1,553	204	24	10	7	18	263	27	30	60
	Male	White	628	100	14	14	7	5	140	7	14	15
		All other	807	107	13	6	4	10	140	15	12	24
	Female	White	562	67	9	8	4	5	93	7	10	13
		All other	746	97	11	4	3	8	123	12	18	36
17	Cities of 10,000 to 25,000	White	720	86	12	7	4	3	112	14	12	22
		All other	533	69	7	2	2	2	82	1	7	21
	Male	White	410	50	6	5	3	3	67	5	8	10
		All other	287	47	5	1	1	1	54	1	4	10
	Female	White	310	36	6	2	1	1	45	9	4	12
		All other	246	22	2	1	2	1	28	1	3	11
18	Cities of 2,500 to 10,000	White	1,493	167	25	15	14	4	225	19	17	28
		All other	1,103	123	16	3	2	6	150	8	17	55
	Male	White	868	95	11	11	6	2	125	12	11	19
		All other	574	70	4	2	1	1	77	3	11	12
	Female	White	625	72	14	4	8	2	100	7	6	9
		All other	529	53	12	1	2	5	73	5	6	23



# GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
40	49	55	61	103	114	167	195	249	256	287	252	164	97	33	3	1	3
12	13	17	19	16	34	35	45	32	39	29	16	15	10	2	4	4	1
18	27	20	26	62	78	102	130	147	144	162	136	81	50	13	3	---	2
4	2	8	5	6	20	20	23	14	20	16	7	7	3	1	1	---	1
22	22	35	35	41	36	65	65	102	112	125	116	83	47	20	---	1	1
8	11	9	14	10	14	15	22	18	19	13	9	8	7	1	3	4	---
15	19	18	30	35	42	53	82	89	123	130	155	104	65	18	2	---	2
8	2	10	7	2	6	14	8	8	9	7	8	3	2	---	1	---	2
1	11	8	2	18	3	8	2	5	6	3	4	1	1	---	---	---	---
7	1	5	2	17	19	30	28	59	52	73	62	27	13	---	---	---	---
43	39	46	59	68	102	150	170	216	262	324	313	251	133	57	12	---	2
7	2	4	7	18	17	19	21	12	19	16	27	16	4	5	3	2	---
27	21	23	31	33	51	85	91	135	166	171	160	120	65	32	4	---	5
2	1	3	4	5	8	5	9	7	5	9	17	6	4	1	1	2	---
16	18	23	27	35	51	65	79	81	96	153	153	131	68	25	8	---	1
5	1	1	3	13	9	14	12	5	14	7	10	10	---	4	2	---	4
40	52	54	66	71	110	123	172	217	312	297	343	291	180	76	20	---	---
4	1	2	4	2	9	4	5	11	9	8	7	6	4	---	2	---	---
26	21	30	26	30	57	65	91	119	174	171	191	145	82	33	5	---	---
2	1	1	1	1	5	4	3	2	7	4	2	2	---	1	---	---	---
14	31	24	40	41	53	58	81	98	138	126	152	146	98	43	15	---	---
2	---	1	3	1	4	2	2	8	7	1	3	4	2	---	1	---	---
105	123	111	149	185	268	375	505	666	944	1,074	1,223	1,083	649	255	51	5	3
10	12	6	11	16	23	20	18	24	34	28	16	18	7	6	5	---	---
60	74	71	87	105	169	211	309	395	568	633	721	590	342	119	22	2	3
5	9	6	9	9	17	14	11	20	22	17	10	13	3	1	4	---	---
45	49	40	62	80	99	164	196	271	376	441	502	493	307	136	29	3	---
5	3	---	2	7	6	6	7	4	12	11	6	5	4	5	1	---	---
794	805	849	968	1,104	1,318	1,600	1,761	2,143	2,995	2,991	2,784	2,285	1,148	421	108	31	5
666	638	690	767	850	1,031	1,226	1,451	1,833	2,538	2,656	2,552	2,108	1,049	379	90	11	4
128	167	159	201	254	287	374	510	510	557	555	232	177	99	42	18	20	1
414	353	379	428	502	604	708	851	1,037	1,446	1,469	1,361	1,079	493	158	32	6	3
71	95	93	110	128	144	205	178	165	210	179	135	89	54	13	5	3	---
252	285	311	339	348	427	518	600	796	1,092	1,187	1,191	1,029	556	221	59	5	1
57	72	66	91	125	145	169	132	145	147	156	97	88	45	29	13	17	1
46	66	75	95	118	163	225	267	356	409	389	341	239	120	48	13	1	---
24	38	31	54	79	88	102	74	72	66	72	49	27	9	3	---	2	---
30	29	39	56	61	91	133	158	188	217	191	153	97	43	16	2	---	---
9	19	15	32	46	41	59	39	36	34	33	30	10	2	---	1	---	---
16	37	36	39	57	72	92	109	148	192	198	188	142	77	32	11	1	---
15	19	16	22	33	47	43	35	36	32	39	19	17	7	3	---	1	---
65	54	82	88	113	147	146	187	225	260	270	255	190	79	37	4	1	---
21	23	27	36	50	43	90	43	42	63	44	26	26	6	4	1	2	---
36	27	45	48	71	86	89	117	130	132	148	130	95	24	9	2	1	---
8	9	17	24	22	22	50	26	24	35	19	9	16	2	1	---	---	---
29	27	37	42	42	61	59	70	95	128	122	125	95	55	28	2	---	---
13	14	10	12	28	21	30	17	18	28	25	17	10	4	3	---	2	---
41	44	29	45	34	55	62	81	84	126	132	128	94	39	9	2	1	---
8	19	13	20	22	30	26	28	40	39	30	18	19	6	---	---	---	10
24	26	19	30	26	34	41	48	51	75	74	71	41	12	1	---	---	---
6	8	10	10	6	17	15	15	27	24	15	11	10	5	2	---	---	---
17	18	10	15	8	21	21	33	33	51	58	57	27	8	2	1	---	---
2	11	3	10	16	13	13	13	13	13	7	9	5	3	4	---	---	---
103	113	101	111	103	128	164	142	189	258	272	243	183	100	29	10	---	11
22	40	27	27	26	39	45	52	37	56	54	40	26	11	7	6	---	---
63	60	58	65	66	81	92	88	121	160	159	126	97	43	15	3	---	---
13	26	18	11	20	26	31	16	34	33	19	13	6	3	1	---	1	---
40	44	43	46	37	48	72	54	68	96	115	117	86	57	14	7	---	---
9	14	9	16	15	19	20	21	21	22	21	21	13	5	4	5	---	---
411	361	403	428	482	537	629	774	999	1,485	1,595	1,595	1,402	711	286	61	8	3
55	47	61	77	87	120	135	119	134	135	99	79	65	22	11	9	1	---
261	202	218	291	278	312	354	440	547	862	897	881	749	371	117	25	5	2
35	53	53	53	44	44	57	67	62	85	79	66	40	39	7	3	2	---
150	159	185	197	204	225	275	334	452	625	696	704	653	340	139	36	3	1
18	14	28	31	33	43	63	46	57	51	56	33	39	26	15	8	7	1
735	884	873	1,099	1,214	1,478	1,756	1,846	1,906	2,274	1,928	1,384	1,057	659	249	103	59	52
808	379	356	430	551	710	860	1,012	1,161	1,422	1,274	994	786	438	144	33	7	10
427	505	517	659	665	768	896	834	745	852	654	390	271	221	105	70	52	42
175	226	193	267	336	454	550	644	717	836	677	487	394	184	57	10	3	8
199	254	260	313	343	407	491	454	386	503	357	215	144	109	44	32	18	24
133	153	163	163	215	259	310	368	444	586	597	507	392	254	87	23	4	2
228	251	257	346	320	361	405	380	359	349	297	175	127	112	61	36	34	18
79	123	135	163	226	265	377	401	497	569	502	381	271	135	41	11	3	8
115	153	167	227	230	254	304	278	213	197	134	65	29	.27	7	4	1	28
45	67	69	102	133	162	242	254	309	334	230	159	108	45	13	2	---	6
56	82	83	126	112	140	180	157	107	106	67	30	12	12	1	2	1	16
34	56	66	61	93	103	135	147	188	235	272	222	163	90	28	9	3	2
59	71	84	101	118	114	124	121	106	91	67	35	17	15	6	2	---	12
45	47	49	53	62	66	92	126	119	125	112	90	67	28	6	3	---	1
72	92	99	112	131	113	109	108	87	97	69	34	17	17	8	2	5	1
23	32	26	33	34	40	66	84	73	80	62	48	33	13	2	2	---	1
28	41	49	47	59	57	63	61	53	65	47	19	8	10	5	1	1	1
22	15	23	20	28	26	26	42	46	45	50	42	34	15	4	1	---	---
43	51	50	65	72	56	46	47	34	32	22	15	9	7	3	1	4	---
21	35	25	34	28	34	52	43	53	66	69	34	34	24	8	---	---	---
30	23	29	37	36	50	46	29	33	44	25	20	7	2	3	1	---	17
12	15	12	22	15	22	31	23	31	43	43	19	19	11	2	---	---	---
15	11	14	11	20	22	26	17	14	33	11	14	3	6	1	1	---	---
9	20	13	12	13	12	21	20	22	23	26	15	15	13	6	---	---	---
15	12	15	26	16	28	20	12	19	11	14	6	4	1	1	2	1	---
52	49	30	50	48	83	79	94	128	155	150	114	90	62	16	4	---	



GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
111	125	117	130	187	262	260	348	364	507	441	375	324	189	75	15	4	1
167	188	168	208	210	280	342	344	332	411	362	225	186	151	75	53	37	13
68	79	70	82	128	176	157	218	220	289	259	197	187	90	36	5	3	1
79	94	85	96	125	153	172	179	168	237	198	118	102	74	34	23	12	7
43	46	47	48	59	86	103	130	144	218	182	178	137	99	37	10	1	---
88	94	82	112	85	127	170	165	184	174	164	105	84	77	41	30	25	6
163	152	161	213	245	331	470	699	932	1,154	1,415	1,415	1,208	697	254	56	6	---
161	152	161	212	244	330	468	698	931	1,153	1,415	1,415	1,206	694	254	56	6	---
2	---	---	1	1	1	2	1	1	1	---	---	---	---	---	---	---	---
97	75	75	131	138	183	275	589	529	666	765	751	598	309	108	22	2	---
2	---	---	1	1	1	1	1	---	1	---	---	1	2	---	---	---	---
64	77	86	81	106	147	193	309	402	487	650	684	618	385	146	34	4	---
29	46	46	76	78	94	116	197	275	305	295	500	247	135	43	9	---	---
1	---	---	1	1	1	1	1	1	---	---	---	1	---	---	---	---	---
15	21	25	50	42	46	64	109	152	156	156	144	111	57	17	2	---	---
1	---	---	1	1	1	1	---	---	---	---	---	1	---	---	---	---	---
16	25	21	26	36	48	52	88	121	147	159	156	136	76	26	7	---	---
17	17	29	29	30	49	59	87	107	114	153	168	120	68	18	1	---	---
7	8	12	17	21	29	34	50	60	79	85	75	50	25	6	---	---	---
10	9	17	12	9	20	25	37	47	35	68	93	70	43	12	1	---	---
20	33	21	24	37	40	85	90	113	166	181	173	172	100	32	5	2	---
11	15	9	13	25	21	61	50	56	83	91	91	76	43	12	2	---	---
9	18	12	11	12	19	24	40	57	85	90	82	96	57	20	3	2	---
1	---	---	1	1	1	1	1	---	---	---	---	1	---	---	---	---	---
95	56	65	83	99	147	208	324	458	570	786	774	667	395	161	41	4	---
1	---	---	1	1	1	1	1	1	1	1	1	1	1	1	1	1	---
66	31	29	51	50	87	116	180	261	348	433	421	351	184	73	18	2	---
1	---	---	1	1	1	1	1	1	1	1	1	1	1	1	1	1	---
29	25	36	32	49	60	92	144	177	222	353	353	316	209	88	23	2	---
445	466	535	705	931	1,124	1,460	1,717	1,682	2,265	2,254	2,050	1,544	727	255	56	8	12
246	273	306	424	601	751	1,022	1,362	1,538	1,916	1,980	1,875	1,464	669	225	44	3	3
199	193	229	281	330	373	438	555	344	347	274	175	80	58	30	12	5	9
147	157	158	258	360	443	607	795	681	1,059	1,036	923	674	263	94	15	1	2
95	106	127	142	181	201	248	187	198	191	147	105	48	27	14	8	2	7
99	116	149	166	241	308	415	566	657	857	944	952	790	406	131	29	2	1
104	87	102	139	149	172	180	168	146	156	127	70	32	31	15	4	3	2
94	126	145	224	360	466	632	824	882	1,000	1,027	886	613	274	87	17	2	---
97	103	130	168	218	261	275	206	190	175	152	74	28	13	7	3	1	---
50	71	72	122	219	272	380	461	551	521	413	321	268	111	7	3	---	---
44	56	87	61	116	136	154	109	87	506	461	315	15	7	3	2	---	---
44	55	71	95	141	194	252	343	449	568	606	473	343	163	55	11	1	---
55	47	63	87	100	123	121	97	77	86	66	33	13	6	4	1	---	---
13	17	16	28	41	47	44	78	79	116	104	84	75	39	15	2	---	---
1	1	4	6	4	4	1	2	5	5	2	2	1	---	---	---	---	---
6	11	5	14	21	23	23	47	47	67	58	45	37	20	4	---	---	---
1	1	1	3	2	2	1	1	3	4	2	1	---	---	---	---	---	---
7	6	13	14	20	24	21	31	31	49	46	39	36	19	9	2	---	---
12	11	11	14	19	13	35	40	50	60	48	61	55	14	7	1	---	---
6	6	6	13	9	16	14	8	15	15	11	2	4	2	---	---	---	---
9	5	5	11	11	8	22	23	26	36	24	34	20	2	1	---	---	---
2	3	3	8	4	10	9	6	11	9	6	2	2	---	---	---	---	---
4	3	3	5	5	13	17	24	24	24	24	27	33	12	5	---	---	---
16	10	18	24	20	38	44	68	79	116	101	95	77	28	17	3	---	---
15	8	8	16	10	11	21	14	17	17	11	10	2	4	1	5	---	---
3	6	11	21	14	21	23	39	43	60	62	45	38	9	9	---	---	---
1	4	7	7	6	5	10	5	7	7	6	6	1	3	1	2	---	---
6	4	7	3	6	17	21	29	36	56	39	50	39	19	8	3	---	---
111	109	116	134	161	167	267	352	459	624	700	749	650	314	101	21	1	1
86	75	81	78	92	81	127	125	117	137	115	87	45	39	22	6	3	4
67	64	65	83	95	119	159	206	255	345	371	386	311	121	47	8	1	2
45	42	50	43	51	48	75	66	64	85	66	55	29	17	10	4	1	3
44	45	51	51	68	68	108	146	184	279	329	363	339	193	54	13	---	---
41	33	31	35	41	33	52	58	53	52	49	32	16	22	12	2	2	1
591	706	852	1,118	1,713	2,440	3,297	3,998	5,198	6,362	6,683	6,070	4,433	2,427	842	216	23	7
570	688	821	1,070	1,667	2,375	3,213	3,906	5,106	6,272	6,612	6,016	4,389	2,410	833	214	23	7
21	18	31	48	46	65	84	92	92	90	71	54	44	17	9	2	---	---
299	359	432	573	979	1,390	1,909	2,223	2,834	3,333	3,295	2,836	1,853	954	279	64	4	3
9	9	15	24	30	33	47	49	52	47	41	28	13	6	5	1	---	---
271	329	389	497	698	985	1,304	1,683	2,272	2,939	3,317	3,180	2,536	1,456	554	150	19	4
12	9	16	24	16	32	37	43	40	43	30	25	32	11	4	1	---	---
274	324	400	546	801	1,164	1,527	1,880	2,384	2,898	2,931	2,388	1,634	826	293	58	10	4
13	13	18	35	31	49	66	61	73	74	52	42	36	13	4	1	---	---
133	156	208	290	445	673	883	1,100	1,298	1,528	1,449	1,116	655	308	93	13	3	1
4	6	8	17	19	26	37	50	42	57	28	22	10	4	1	---	---	---
141	168	192	256	356	491	644	780	1,086	1,370	1,482	1,272	979	518	205	45	7	3
9	7	10	18	12	23	31	31	37	37	24	20	26	9	3	1	---	---
98	138	171	213	386	549	680	837	1,079	1,399	1,501	1,381	965	548	179	46	6	1
2	---	7	3	7	6	11	6	7	7	6	6	2	1	---	---	---	---
49	73	84	103	255	327	414	463	574	737	734	657	394	224	54	17	---	---
49	65	87	110	151	222	275	374	505	682	767	724	571	324	125	29	6	1
102	97	115	151	220	307	447	580	610	987	1,077	1,046	821	444	154	47	2	---
3	2	1	2	1	2	3	4	6	2	2	1	3	3	1	1	---	---
57	51	62	83	132	164	265	312	454	496	543	464	351	169	56	13	---	---
2	2	---	---	1	1	2	3	3	1	1	---	---	---	1	1	---	---
45	46	53	68	88	143	182	268	356	491	534	582	470	275	98	34	2	---
1	---	1	2	---	1	1	1	1	1	1	1	---	---	---	---	---	---

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE			Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	MASSACHUSETTS—Continued											
	Cities of 2,500 to 10,000	White	3,190	113	9	4	3	1	130	15	22	26
		All other	29	2					2			1
	Male	White	1,543	58	6	3	3		70	12	15	20
		All other	24	2					2			
	Female	White	1,547	55	3	1		1	60	3	7	6
		All other	5									1
	2 Rural	White	5,515	99	13	11	8	8	139	28	25	63
		All other	76	4	1				5	1		2
	Male	White	3,061	52	8	6	7	6	79	17	16	39
All other		43	4	1				5	1			
Female	White	2,434	47	5	5	1	2	60	11	9	24	
	All other	33									2	
3 MICHIGAN			52,019	3,955	399	195	147	116	4,812	470	486	757
4	Both sexes	White	49,276	3,736	371	177	136	114	4,534	440	436	688
		All other	2,743	219	28	18	11	2	278	30	50	89
Male	White	27,583	2,131	209	97	71	62	2,570	270	265	416	
	All other	1,470	121	15	11	3		150	17	21	40	
Female	White	21,693	1,605	162	80	65	52	1,964	170	171	252	
	All other	1,273	98	13	7	8	2	128	13	29	49	
5	Cities of 100,000 or more	White	14,521	1,238	107	54	40	30	1,469	151	133	173
		All other	1,802	159	19	13	7	2	200	21	28	57
Male	White	7,921	716	60	30	19	18	843	88	81	95	
	All other	934	90	9	8			107	11	9	24	
Female	White	6,700	522	47	24	21	12	626	63	52	78	
	All other	868	69	10	5	7	2	93	10	19	33	
6	Cities of 25,000 to 100,000	White	8,686	873	69	38	18	19	1,017	96	100	130
		All other	241	18	2	1	2		23	6	3	3
Male	White	4,735	495	39	20	8	7	569	66	63	72	
	All other	133	7	2		2		11	3	1	3	
Female	White	3,951	378	30	18	10	12	448	30	37	58	
	All other	108	11		1			12	3	2		
7	Cities of 10,000 to 25,000	White	3,493	349	32	14	14	8	417	42	42	66
		All other	108	13	4		1		18		3	3
Male	White	1,913	206	17	8	8	2	241	21	25	45	
	All other	49	9	3		1		13		2		
Female	White	1,580	143	15	6	6	6	176	21	17	21	
	All other	59	4	1				5		1	3	
8	Cities of 2,500 to 10,000	White	4,593	421	41	21	24	15	522	42	33	56
		All other	43	4		1			5	1		1
Male	White	2,499	227	27	10	11	10	285	24	20	36	
	All other	20	2					2	1			
Female	White	2,104	194	14	11	13	5	237	18	13	20	
	All other	23	2		1			3			1	
9	Rural	White	17,683	855	122	50	40	42	1,109	109	128	243
		All other	549	25	3	3	1		52	2	16	25
Male	White	10,525	487	66	29	25	25	632	71	76	168	
	All other	334	13	1	3			17	2	9	13	
Female	White	7,358	368	56	21	15	17	477	38	52	75	
	All other	215	12	2		1		15		7	12	
10 MINNESOTA			26,784	1,798	173	72	85	70	2,198	236	228	348
11	Both sexes	White	26,411	1,747	161	72	82	60	2,122	227	224	335
		All other	373	51	12		3	10	76	9	4	13
Male	White	15,194	987	83	40	47	33	1,190	134	136	207	
	All other	198	22	6		3	4	35	5	3	9	
Female	White	11,217	760	78	32	35	27	932	93	88	128	
	All other	175	29	6				41	4	1	4	
12	Cities of 100,000 or more	White	9,443	573	53	21	22	16	665	80	73	101
		All other	126	7			1	1	9	1	1	
Male	White	5,177	328	29	13	14	7	391	47	43	63	
	All other	66	2			1		3	1	1		
Female	White	4,266	245	24	8	8	9	294	33	30	38	
	All other	60	5					6				
13	Cities of 10,000 to 25,000	White	2,825	206	23	10	15	10	264	34	43	54
		All other	4									
Male	White	1,602	120	13	6	6	5	150	19	24	31	
	All other	3										
Female	White	1,223	86	10	4	9	5	114	15	19	23	
	All other	1										
14	Cities of 2,500 to 10,000	White	4,071	311	25	11	17	11	375	41	33	47
		All other	24	2			1		3	1		2
Male	White	2,354	161	13	3	13	8	198	24	19	28	
	All other	11	2					2			1	
Female	White	1,717	150	12	8	4	3	177	17	14	19	
	All other	13						1			1	
15	Rural	White	10,072	657	60	30	28	23	798	72	75	133
		All other	219	42	12		2	6	64	7	3	11
Male	White	6,061	378	28	18	14	13	451	44	50	85	
	All other	118	18	6		2	4	30	4	2	8	
Female	White	4,011	279	32	12	14	10	347	28	25	48	
	All other	101	24	6			4	34	3	1	3	
16 MISSISSIPPI			22,646	2,907	479	212	132	88	3,818	329	297	627
17	Both sexes	White	9,517	1,155	157	102	52	40	1,506	130	97	185
		All other	13,129	1,752	322	110	80	48	2,312	199	200	442
Male	White	5,472	672	82	53	32	23	862	81	54	112	
	All other	6,789	1,050	177	54	43	24	1,528	105	110	191	
Female	White	4,045	483	75	49	20	17	644	49	43	73	
	All other	6,340	722	145	56	37	24	984	94	90	251	
18	Cities of 25,000 to 100,000	White	826	106	12	7	2	2	129	17	4	19
		All other	677	57	12	4	2	4	79	12	19	29
Male	White	468	63	5	4	1	1	74	11	2	10	
	All other	362	35	6	3	1	1	46	6	10	9	
Female	White	358	43	7	3	1	1	55	6	2	9	
	All other	315	22	6	1	1	3	33	6	9	19	
19	Cities of 10,000 to 25,000	White	1,568	170	22	15	11	3	221	26	18	30
		All other	1,388	121	24	4	7	4	160	25	16	48
Male	White	776	87	13	4	9	2	115	14	5	21	
	All other	718	70	13	1	4	2	90	16	11	21	
Female	White	592	83	9	11	2	1	106	12	13	9	
	All other	668	51	11	3	3	2	70	9	5	27	

GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
32	32	44	46	77	112	191	256	328	383	417	440	344	218	76	18	2	1
23	18	23	31	46	65	108	119	190	218	215	196	145	91	29	5	---	1
9	14	21	15	31	47	85	117	156	185	202	244	195	127	48	13	2	---
64	97	91	114	183	243	359	373	505	605	686	761	625	374	131	45	3	1
3	5	4	7	6	9	5	11	4	4	5	2	5	---	1	---	---	2
37	61	55	66	121	161	239	229	318	354	354	403	304	152	46	16	1	1
3	1	3	5	4	5	3	7	1	1	4	1	1	---	---	---	---	---
27	36	36	48	62	82	120	144	187	251	332	358	321	212	83	29	2	---
---	2	1	2	2	5	2	4	3	3	1	1	4	---	1	---	---	---
954	1,035	1,220	1,558	1,960	2,772	3,456	3,973	4,487	5,187	5,578	5,703	4,375	2,308	720	147	33	28
837	898	1,052	1,307	1,684	2,515	3,214	3,781	4,322	5,036	5,466	5,599	4,309	2,277	708	142	25	26
117	137	168	251	276	257	242	192	165	151	112	104	66	31	12	5	8	4
473	463	577	738	955	1,508	1,967	2,325	2,527	2,894	2,977	3,011	2,194	1,074	308	45	8	18
40	67	101	143	157	149	133	106	91	85	47	61	35	6	10	3	4	2
364	435	475	569	729	1,007	1,247	1,456	1,795	2,142	2,489	2,588	2,115	1,203	400	97	17	8
77	70	87	108	119	108	109	86	74	66	65	43	31	23	2	2	---	---
235	309	377	515	726	1,041	1,278	1,296	1,331	1,387	1,382	1,284	926	445	129	29	4	1
76	101	125	181	208	176	169	120	100	77	62	47	26	20	2	3	---	5
97	137	200	279	416	624	793	791	765	752	689	628	407	179	49	9	3	---
26	50	74	102	111	99	89	64	54	43	25	24	12	5	1	2	---	---
138	172	177	256	310	417	485	505	568	635	693	656	519	266	80	20	3	1
50	51	51	79	97	77	80	56	46	34	37	23	14	15	1	1	---	---
186	208	206	270	280	459	562	700	779	856	933	812	657	306	96	21	5	7
9	7	9	15	21	23	17	18	18	10	21	11	2	2	5	1	---	6
107	103	105	156	164	268	310	434	431	493	491	410	305	136	40	5	1	---
4	5	5	8	12	11	11	12	11	11	4	10	5	---	5	---	---	---
79	105	101	114	116	191	252	266	348	363	442	402	352	170	56	16	4	1
5	2	4	7	9	12	6	7	6	7	6	11	6	---	2	---	---	---
72	52	81	87	105	155	200	253	305	318	377	390	310	169	51	6	1	4
2	2	3	6	8	8	13	8	4	9	7	1	7	---	1	---	---	---
46	31	51	50	49	84	121	134	162	184	194	205	166	84	17	2	1	3
26	21	30	37	56	71	79	119	143	134	183	177	144	85	34	4	1	1
2	2	2	5	6	3	8	4	3	4	6	1	2	5	1	---	---	---
62	55	79	96	114	172	235	317	370	485	500	632	467	260	74	15	6	1
2	1	1	2	2	3	3	6	2	5	3	2	2	---	---	---	---	---
43	32	42	46	52	96	129	181	218	264	264	335	255	122	58	4	1	1
1	1	1	1	2	2	1	1	1	---	---	---	---	---	---	---	---	---
19	23	37	50	62	76	106	136	152	221	236	297	212	158	36	11	4	---
1	---	---	1	---	1	2	5	1	5	1	---	---	---	---	---	---	---
282	274	309	339	459	698	939	1,215	1,537	1,990	2,274	2,491	1,949	1,097	558	71	9	13
28	26	30	47	87	47	40	40	41	42	30	33	20	6	4	1	2	---
180	160	179	207	274	436	614	765	953	1,201	1,359	1,455	1,061	553	164	25	4	8
9	11	18	31	50	32	27	28	23	26	15	25	13	3	4	---	---	---
102	114	130	132	185	252	325	430	584	789	935	1,056	688	544	194	46	5	5
19	15	12	16	7	15	13	14	18	16	13	8	7	3	1	2	---	---
417	490	532	603	842	1,172	1,640	1,851	2,158	2,723	3,187	3,381	2,747	1,439	460	108	17	7
405	472	523	591	830	1,142	1,607	1,824	2,137	2,696	3,164	3,363	2,736	1,434	433	106	16	6
14	18	9	12	12	30	33	27	21	27	23	18	11	5	7	2	1	---
249	287	288	323	464	655	959	1,126	1,306	1,567	1,830	1,950	1,521	729	210	49	9	5
7	8	4	7	7	19	21	17	13	11	11	12	5	1	1	---	---	---
154	185	235	268	366	487	648	698	851	1,129	1,334	1,413	1,215	705	243	57	7	1
7	10	5	5	5	11	12	10	8	16	12	6	6	4	6	2	---	---
123	142	167	209	307	443	681	782	853	1,036	1,141	1,155	874	438	115	35	3	---
1	5	3	3	5	13	19	16	10	11	18	12	2	1	1	---	---	---
61	83	91	112	154	230	394	472	473	588	623	628	454	203	47	18	2	---
---	2	2	1	3	5	12	13	5	3	4	10	1	---	---	---	---	---
62	59	76	97	153	213	287	310	380	448	518	527	420	235	68	17	1	---
1	3	1	2	2	8	7	3	5	8	9	2	1	1	1	---	---	---
53	64	75	82	110	153	193	223	268	280	279	265	248	90	36	10	1	---
---	1	---	---	1	1	1	1	1	1	---	---	---	---	---	---	---	---
28	30	38	37	67	84	121	125	176	155	166	164	127	44	14	2	---	---
25	34	37	45	43	69	72	98	92	125	113	101	121	46	22	8	1	---
---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---
60	78	91	107	125	166	246	261	328	418	499	504	403	205	61	18	2	3
---	3	---	1	2	2	1	1	2	2	1	1	3	---	---	---	---	---
42	45	45	53	55	93	145	165	202	251	301	314	232	102	29	9	---	---
---	3	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---
18	33	46	54	70	73	101	96	126	167	198	190	171	103	32	9	2	---
---	---	---	1	1	1	1	---	---	---	---	---	---	---	---	---	---	---
167	188	190	193	298	380	487	558	688	962	1,245	1,439	1,211	701	241	45	10	3
13	9	6	8	7	14	13	10	9	13	8	5	6	4	5	2	1	1
118	129	114	121	188	248	299	364	455	573	740	844	708	380	120	20	7	3
7	2	2	6	4	13	9	3	6	7	6	2	3	1	1	---	---	---
49	59	76	72	100	132	188	194	233	389	505	595	503	321	121	23	3	---
6	7	4	2	3	1	4	7	3	6	2	3	3	5	4	2	---	---
800	849	855	954	1,030	1,130	1,389	1,471	1,668	1,821	1,880	1,427	1,126	714	288	120	86	67
219	217	229	282	329	392	489	599	719	1,014	897	869	738	414	141	23	3	22
581	632	626	672	701	738	900	872	949	907	783	558	388	300	147	94	83	45
133	124	128	155	183	249	293	390	452	614	510	472	358	215	60	13	1	13
283	289	289	287	296	360	476	443	513	519	447	311	229	148	69	44	23	29
86	93	101	127	146	143	196	209	267	400	387	397	380	199	81	13	2	9
298	343	337	385	405	378	424	429	436	388	336	247	159	152	78	50	60	16
19	22	21	36	36	40	51	54	74	84	68	64	47	30	8	2	---	---
41	46	48	47	51	46	51	47	43	38	36	14	14	8	2	1	4	1
10	13	14	20	20	26	35	39	50	53	46	29	19	13	1	2	---	---
19	24	19	20	25	31	30	24	28	27	22	8	6	5	1	---	---	---
9	9	7	16	14	16	15	15	24	31	22	35	28	17	7	---	---	---
22	22	29	27	26	15	21	23	15	11	14	6	8	3	1	1	4	---
42	38	46	45	64	68	95	102	103	138	113	99	74	37	7	1	---	1
69	69	91	104	109	109	139	107	97	86	55	41	2					



# GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

(stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
24	25	26	36	36	34	59	55	68	81	73	60	58	32	9	1	---	1
34	46	62	55	55	50	74	54	49	61	52	34	21	15	6	3	1	4
17	13	11	21	20	24	33	40	43	50	42	34	28	16	2	1	---	---
11	18	28	23	24	17	43	30	26	36	26	22	13	5	4	2	---	2
7	12	15	15	16	10	26	15	25	31	31	26	30	16	7	---	---	---
23	28	34	32	31	33	31	24	23	25	26	12	8	10	2	1	1	2
134	132	136	165	193	250	284	388	474	711	643	646	559	315	117	22	3	20
437	471	425	466	486	533	636	664	760	1,222	640	469	327	258	151	87	75	58
80	81	77	97	109	154	168	243	294	425	352	356	276	168	54	9	1	12
218	204	168	191	205	263	332	335	404	412	369	263	193	128	62	40	23	25
54	51	59	68	84	96	116	145	180	286	291	290	283	147	63	13	2	8
219	267	237	275	281	270	304	329	356	310	271	206	134	130	69	47	52	13
729	817	929	1,222	1,460	2,001	2,554	3,055	3,767	4,508	5,025	5,076	3,895	2,069	742	157	25	6
628	657	743	985	1,166	1,331	2,148	2,680	3,441	4,204	4,730	4,681	3,773	2,010	711	144	17	6
101	160	186	237	284	370	406	395	326	304	295	195	122	59	31	13	8	---
331	316	411	506	657	959	1,325	1,610	1,979	2,379	2,659	2,655	1,931	954	294	52	4	3
49	83	98	117	136	207	225	241	176	172	153	101	65	24	15	6	5	---
297	341	332	479	509	692	823	1,050	1,462	1,825	2,071	2,246	1,842	1,056	417	92	13	3
52	77	88	120	156	163	181	154	150	132	142	94	57	55	16	7	3	---
171	216	289	397	480	686	1,005	1,124	1,413	1,547	1,596	1,465	935	488	170	33	4	1
61	114	127	176	204	243	285	277	219	184	167	87	45	24	10	2	2	---
75	97	142	200	260	323	385	428	331	288	259	142	74	426	198	51	7	1
28	54	71	83	82	127	146	168	115	108	89	44	24	12	5	1	2	---
96	119	147	187	220	313	376	441	592	663	737	724	509	290	119	26	3	1
33	60	55	83	122	116	139	102	104	90	78	43	21	12	5	1	1	---
56	63	52	78	67	140	146	102	212	227	275	345	252	109	33	6	1	---
1	3	4	7	9	13	16	14	13	12	12	8	3	---	1	1	---	---
28	24	31	39	43	80	85	131	107	162	154	181	125	58	9	5	---	---
1	1	1	6	5	8	7	7	6	7	4	3	---	---	1	1	---	---
28	39	21	40	44	60	61	81	120	113	123	164	127	51	24	1	1	---
---	2	5	1	5	7	7	7	5	8	5	2	---	---	---	---	---	---
51	41	43	67	63	94	115	146	188	207	226	242	191	91	35	7	1	2
8	6	5	9	14	13	16	18	17	15	26	15	9	8	1	2	4	---
25	23	26	32	34	48	70	83	114	103	116	123	97	40	15	1	---	1
26	18	1	7	9	6	12	11	10	8	12	8	6	1	2	2	---	---
5	3	4	5	29	46	63	74	104	110	119	94	51	20	6	1	1	1
97	99	105	142	152	181	246	278	392	484	535	578	458	221	79	17	2	---
11	12	11	20	25	34	37	43	33	33	41	35	29	16	8	2	---	---
54	56	58	78	86	100	147	178	224	265	298	313	241	102	31	6	---	---
6	10	3	19	18	23	27	15	20	22	18	17	6	3	1	---	---	---
43	43	45	64	66	81	99	100	168	219	237	265	217	119	48	11	2	1
5	6	6	10	6	16	14	16	18	13	13	17	12	10	5	1	---	---
255	258	254	300	384	520	656	900	1,221	1,691	2,096	2,251	1,937	1,101	394	81	9	2
20	25	39	25	42	67	52	43	44	46	49	50	38	11	6	2	---	---
149	116	154	157	234	328	394	555	703	965	1,232	1,277	1,042	556	188	33	3	2
9	15	22	11	25	48	35	28	30	29	26	29	17	5	5	1	---	---
104	122	100	143	150	192	242	355	518	726	864	974	895	545	205	48	6	1
11	10	17	14	17	19	17	15	14	17	23	22	19	6	6	5	1	---
149	133	139	164	188	277	411	480	533	591	598	602	420	196	67	17	1	---
128	123	129	153	181	270	398	459	516	573	584	584	399	186	65	14	1	---
21	10	10	11	7	7	13	21	17	18	14	18	21	10	2	3	---	---
85	83	81	92	109	165	278	314	359	393	381	364	255	119	34	9	1	---
12	6	4	6	4	5	10	10	10	10	9	7	14	6	1	1	---	---
43	40	48	61	72	105	120	145	157	180	203	220	144	67	31	5	---	---
9	4	6	5	3	2	3	11	7	8	5	11	7	4	1	1	---	---
23	20	24	33	33	52	93	106	102	101	96	76	50	17	5	2	---	---
---	---	2	1	2	---	1	3	1	2	---	4	2	3	---	---	---	---
14	11	15	22	17	37	68	74	64	61	59	46	30	11	1	---	---	---
---	---	1	1	1	---	1	2	---	---	---	4	2	---	---	---	---	---
9	9	8	11	15	25	32	38	40	37	30	30	20	6	4	1	---	---
---	---	1	---	1	---	1	---	---	---	---	---	2	6	---	---	---	---
23	20	19	36	26	55	74	69	109	101	106	57	27	6	2	---	---	---
---	1	---	---	---	2	6	2	---	1	66	---	1	1	6	2	---	---
15	10	11	18	16	26	37	45	63	76	60	66	28	15	2	---	---	---
---	---	---	---	---	1	2	2	---	1	---	---	---	1	---	---	---	---
7	10	8	18	10	29	16	29	26	33	41	40	29	12	4	2	---	---
---	---	---	---	---	1	4	---	---	---	---	40	29	12	4	2	---	---
19	23	18	24	29	38	64	65	94	100	95	63	73	58	7	4	---	---
---	---	---	1	---	2	2	2	1	4	1	1	3	---	---	---	---	---
12	13	8	15	15	19	38	42	64	61	59	49	46	32	5	4	---	---
---	---	---	---	---	1	1	1	1	2	---	---	2	---	---	---	---	---
7	10	10	9	15	19	29	24	30	39	33	34	27	3	---	---	---	---
---	---	---	---	---	1	1	---	---	2	---	1	1	---	---	---	---	---
33	60	69	60	94	125	186	214	231	263	292	319	219	104	47	7	1	---
21	9	8	9	5	7	8	10	13	12	13	15	6	2	3	---	---	---
43	49	47	37	61	83	135	153	169	195	203	203	151	61	26	5	1	---
12	6	3	5	3	5	7	5	8	7	7	5	12	3	1	1	---	---
20	11	22	23	33	42	51	61	63	68	89	116	68	45	21	2	---	---
9	3	5	4	2	2	1	5	7	4	5	10	4	---	1	2	---	---
203	228	219	277	330	497	610	877	1,000	1,199	1,431	1,546	1,323	701	283	48	5	7
200	220	212	262	309	474	595	851	971	1,176	1,422	1,531	1,318	697	279	48	4	7
3	8	7	15	21	23	14	26	29	23	9	15	5	4	4	---	1	---
111	115	112	136	171	275	340	514	596	701	838	864	706	337	125	22	2	3
2	2	5	7	12	8	11	15	19	15	5	7	1	3	2	---	---	---
89	105	100	126	138	199	256	337	385	475	584	667	612	360	154	26	2	4
1	6	2	8	9	15	3	11	10	8	4	8	4	1	2	---	---	---
48	42	58	77	94	141	185	250	228	271	313	260	223	84	33	4	2	---
---	8	4	11	13	17	8	21	19	19	8	8	5	3	4	---	---	---
23	20	28	44	49	78	111	155	141	166	170	155	123	34	13	3	2	---
---	2	3	6	7	6	10	13	13	4	4	4	1	3	---	---	---	---
25	22	30	33	45	63	74											

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	
NEBRASKA—Continued												
1	Cities of 10,000 to 25,000	White	1,080	103	7	8	2	1	121	17	10	14
		All other	8									
	Male	White	592	57	5	7	1	1	71	7	9	12
		All other	3									
	Female	White	488	46	2	1	1		50	10	1	2
		All other	5									
2	Cities of 2,500 to 10,000	White	1,731	126	22	13	12	5	178	16	17	31
		All other	12		1		1		2			
	Male	White	938	68	11	8	8	4	99	8	9	18
		All other	6		1		1		2			
	Female	White	793	58	11	5	4	1	79	8	8	13
		All other	6									
3	Rural	White	5,640	347	41	25	19	13	445	41	53	72
		All other	55	9					15	1	3	3
	Male	White	3,257	190	27	17	13	8	255	19	30	47
		All other	4		2				6		5	
	Female	White	2,383	157	14	8	6	5	190	22	23	25
		All other	24	5	4				9			3
4	NEVADA		1,263	87	9	4	3	2	105	15	9	20
5	Both sexes	White	1,133	70	4	3	2	1	80	11	6	16
		All other	130	17	5	1	1	1	25	4	3	4
	Male	White	794	45		1			46	5	4	12
		All other	73	6	3	1		1	11	1	1	
	Female	White	339	25	4	2	2	1	34	6	2	4
		All other	57	11	2				14	3	2	4
6	Cities of 10,000 to 25,000	White	183	7			1		8			1
		All other	3	1					1			
	Male	White	115	7					7			
		All other	1									
	Female	White	68				1		1			1
		All other	2	1					1			
7	Cities of 2,500 to 10,000	White	275	18	2	2		1	23	2	2	2
		All other	12	1					1			1
	Male	White	192	12					12	1	1	2
		All other	9									
	Female	White	83	6	2	2		1	11	1	1	
		All other	3	1					1			1
8	Rural	White	675	45	2	1	1		49	9	4	13
		All other	115	15	5	1	1	1	23	4	3	3
	Male	White	487	28		1			27	4	3	10
		All other	63	6	3	1		1	11	1	1	
	Female	White	188	19	2		1		22	5	1	3
		All other	52	9	2		1		12	3	2	3
9	NEW HAMPSHIRE		6,301	363	20	13	15	11	422	33	39	55
10	Both sexes	White	6,292	362	19	13	15	11	420	33	39	55
		All other	9	1	1				2			
	Male	White	3,560	184	12	6	10	5	217	18	27	37
		All other	6		1				1			
	Female	White	2,932	178	7	7	5	6	203	15	12	18
		All other	3	1					1			
11	Cities of 25,000 to 100,000	White	1,843	107	5	2	5	4	123	8	16	16
		All other	3									
	Male	White	946	57	4	1	4	2	68	7	12	9
		All other	3									
	Female	White	897	50	1	1	1	2	55	1	4	7
		All other										
12	Cities of 10,000 to 25,000	White	1,307	86	5	5		3	99	7	7	12
		All other	2		1				1			
	Male	White	665	39	4	2			45	3	4	8
		All other	1						1			
	Female	White	642	47	1	3		3	54	4	3	4
		All other	1									
13	Cities of 2,500 to 10,000	White	547	38	1	1	2	2	44	3	4	3
		All other	1									
	Male	White	290	22	1		1	1	25		1	2
		All other	1									
	Female	White	257	16		1	1	1	19	3	3	1
		All other										
14	Rural	White	2,595	131	6	5	8	2	154	15	12	24
		All other	3	1					1			
	Male	White	1,459	66	3	3	5	2	79	8	10	18
		All other	1									
	Female	White	1,136	65	5	2	3		75	7	2	6
		All other	2	1					1			
15	NEW JERSEY		45,959	2,184	199	124	93	80	2,580	308	314	519
16	Both sexes	White	40,625	1,883	169	112	80	72	2,316	272	269	422
		All other	3,334	501	12	13	8	6	364	36	45	97
	Male	White	21,491	1,065	92	69	56	40	1,302	163	159	233
		All other	1,726	159	21	7	11	6	204	16	22	41
	Female	White	19,134	818	77	43	44	32	1,014	109	110	189
		All other	1,608	142	9	5	2	2	160	20	23	56
17	Cities of 100,000 or more	White	13,331	829	58	35	29	32	981	117	108	158
		All other	1,297	174	13	5	7	4	205	19	20	37
	Male	White	7,182	458	27	17	10	18	530	68	57	79
		All other	675	93	9	1	6	5	112	6	10	17
	Female	White	6,149	371	31	16	19	14	451	49	49	79
		All other	622	81	4	4	1	1	91	13	10	20
18	Cities of 25,000 to 100,000	White	7,767	382	41	31	18	14	486	54	61	74
		All other	643	36	8	4	3	2	53	8	9	13
	Male	White	3,991	219	25	21	8	8	281	37	40	43
		All other	316	20	6	3	2	2	33	4	5	5
	Female	White	3,776	163	16	10	10	6	205	17	21	31
		All other	327	16	2	1	1		20	4	4	8
19	Cities of 10,000 to 25,000	White	6,203	304	25	18	10	12	369	36	44	65
		All other	390	35	2	1	2		40	2	2	7
	Male	White	3,174	175	15	11	3	8	212	21	25	34
		All other	186	16	1	1	2		20	2	1	3
	Female	White	3,029	129	10	7	7	4	157	15	19	29
		All other	204	19	1				20	1		4



GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
18	33	17	19	24	42	49	86	96	102	130	116	103	55	25	3		1
6	16	7	10	9	1	3	50	60	61	71	62	53	27	10	1		
12	17	10	9	15	18	23	36	36	41	59	54	50	28	15	2		
43	47	39	41	41	53	91	108	141	168	184	209	175	112	33	2		2
21	19	20	16	22	29	54	51	80	100	116	112	90	58	15	1		
22	28	19	25	19	24	37	57	61	68	68	97	85	54	18	1		2
72	78	83	106	126	203	226	355	425	545	672	832	716	391	156	37	1	5
3	3	3	1	5	4	1	3	6	3	4	4	3	197	76	16		3
51	50	52	56	78	126	123	222	263	321	413	476	383	197	76	16		3
2	2	2	1	3	1	1	3	4	2	2	2	3	194	80	21	1	2
21	28	31	50	48	77	103	133	162	224	259	356	333	194	80	21	1	2
1	1	1	1	2	3	3	3	2	1	1	2	2	2	2	2	2	8
38	44	46	55	49	66	105	106	118	145	114	95	70	38	12	2	3	4
32	39	39	52	41	64	98	99	109	132	104	92	67	34	10	1	1	6
6	5	7	3	8	2	7	7	9	13	10	3	3	4	2	1	2	2
25	22	23	37	31	42	75	69	90	95	76	64	47	19	5	1	1	5
4	2	5	2	6	1	4	7	7	11	7	2	1	1	1	1	1	
7	17	16	15	10	22	23	30	19	37	28	28	20	15	5	2		1
2	3	2	1	2	1	3	3	2	2	3	1	2	4	2	1	1	2
3	5	5	4	7	13	13	21	22	22	19	13	14	8	3	1	1	1
2	1	3	4	5	7	9	10	18	14	12	6	11	4	1	1		
1	4	2	2	2	6	4	11	4	8	7	7	3	4	2			1
11	9	11	18	8	14	30	21	24	36	23	23	12	4	1			1
1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1
8	7	5	12	5	8	22	14	20	25	18	19	8	4				1
1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1
3	2	6	6	3	6	8	7	4	11	5	4	4		1			
18	25	23	30	26	37	55	57	63	74	62	56	41	22	6	1	1	4
5	5	6	2	8	2	6	6	7	10	9	2	3	4	2	1	2	2
15	14	15	21	21	27	44	45	52	56	46	39	28	11	4		1	4
3	2	4	2	6	1	4	6	5	8	6	1	1			1		
3	11	8	9	5	10	11	12	11	18	16	17	13	11	2			
2	3	2	2	2	1	2	2	2	2	3	1	2	4	2	1	1	2
78	69	99	111	174	217	333	405	569	720	865	857	674	379	133	40	8	21
78	69	99	110	173	215	333	404	568	720	865	857	674	379	133	40	8	20
52	56	55	58	92	118	201	242	333	405	462	460	301	165	49	17	3	14
26	35	44	52	61	97	132	162	235	315	403	397	373	216	84	23	5	6
28	22	34	34	55	78	111	123	191	209	247	248	173	78	29	10	3	7
16	13	18	13	30	37	61	77	105	106	131	121	73	29	12	3	2	3
12	9	16	21	25	41	50	46	86	103	116	127	100	49	17	7	1	4
13	15	32	32	45	41	78	92	117	149	167	157	133	72	25	11	2	1
7	6	17	23	21	24	47	50	70	85	86	73	53	30	8	4	1	
6	9	15	9	24	17	31	42	47	64	81	84	80	42	17	7	1	1
5	5	5	8	15	19	28	37	52	56	76	81	51	38	13	2	1	1
4	1	4	2	10	8	20	27	32	36	32	45	20	15	4	1		1
1	4	1	6	5	11	8	10	20	20	44	36	31	23	9	1	1	
32	27	28	36	58	77	116	152	208	306	375	371	317	191	66	17	2	11
25	16	16	20	31	49	73	88	126	178	213	221	155	89	25	9		10
7	11	12	16	27	28	43	64	82	128	162	150	162	102	41	8	2	1
669	852	930	1,272	1,791	2,507	3,313	3,733	4,601	5,183	5,277	4,486	3,200	1,650	529	124	18	3
553	706	748	1,052	1,549	2,243	3,008	3,448	4,334	4,914	5,063	4,390	3,118	1,607	512	115	13	3
116	146	182	220	242	264	305	385	427	469	514	426	282	107	45	9	5	
291	360	404	587	868	1,341	1,835	1,984	2,495	2,631	2,549	2,066	1,387	625	173	35	3	2
46	67	92	124	127	133	163	148	143	139	114	65	47	20	9	4	1	
282	346	344	465	681	902	1,173	1,464	1,641	2,283	2,514	2,294	1,731	982	339	80	10	1
70	79	90	96	115	151	142	137	124	130	100	60	35	23	8	5	4	
172	281	277	321	594	848	1,149	1,204	1,544	1,568	1,542	1,222	705	334	117	19	1	1
42	57	70	103	113	108	117	92	86	89	61	38	23	13	3	1	2	
75	142	139	217	339	500	729	699	898	842	805	582	508	127	40	5		1
15	28	33	56	65	50	67	51	46	53	28	25	8	6	1			
97	139	138	174	255	348	420	505	646	726	737	640	397	207	77	14	1	
27	29	37	47	48	58	50	41	40	36	33	15	7	2	1	2		
99	134	154	212	314	424	624	722	874	941	956	743	520	267	82	26	1	
11	22	35	47	47	62	60	60	69	54	46	26	22	7	2	2		
55	55	61	132	167	259	352	389	479	508	457	328	211	91	21	5		
3	9	18	22	19	29	28	29	37	21	24	10	15	2	1	2		
43	78	73	80	147	165	272	333	395	453	499	415	309	176	61	21	1	
8	13	17	28	28	33	32	31	32	33	22	16	7	5	1			
78	91	84	145	225	323	434	507	635	795	812	676	529	260	77	17	3	
10	7	15	22	27	34	27	34	34	43	33	14	13	5	6			
45	58	58	65	124	177	250	302	355	394	375	323	222	102	26	5	1	
5	7	7	10	12	14	14	14	12	21	17	6	7	1	4			
33	33	26	80	101	146	184	205	280	401	437	353	307	158	51	12	2	
5	4	8	11	12	15	20	24	22	22	16	8	6	4	2			

## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE			Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	NEW JERSEY—Continued											
	Cities of 2,500 to 10,000	White	4,948	152	22	12	11	5	202	22	14	43
		All other	375	27	1	—	—	—	30	4	7	21
	Male	White	2,524	88	13	9	5	3	118	11	12	26
		All other	1,999	12	1	1	—	—	14	3	2	9
	Female	White	2,424	64	9	3	6	2	84	11	2	17
		All other	1,776	15	1	—	—	—	16	1	5	12
2	Rural	White	8,376	216	23	18	12	9	278	43	44	84
		All other	629	29	5	1	1	2	89	3	7	19
	Male	White	4,620	125	12	11	10	3	161	26	25	51
		All other	350	19	4	1	1	1	25	1	4	7
	Female	White	3,756	91	11	7	2	6	117	17	19	33
		All other	279	11	1	—	—	—	13	2	3	12
3	NEW MEXICO		5,917	1,549	203	78	49	22	1,901	103	87	155
4	Both sexes	White	5,442	1,421	163	59	37	19	1,699	85	74	139
		All other	475	128	40	19	12	3	202	18	13	16
	Male	White	3,159	796	92	32	18	8	946	49	50	72
		All other	259	68	26	11	6	1	114	5	8	8
	Female	White	2,283	625	71	27	19	11	753	36	24	67
		All other	216	60	14	8	4	2	88	13	5	8
5	Cities of 25,000 to 100,000	White	648	81	9	4	2	1	97	9	8	16
		All other	38	9	2	—	—	—	11	1	—	3
	Male	White	402	48	6	3	—	—	57	7	8	6
		All other	26	5	—	—	—	—	5	1	—	3
	Female	White	246	33	3	1	2	1	40	2	—	10
		All other	12	4	2	—	—	—	6	—	—	—
6	Cities of 10,000 to 25,000	White	363	100	8	3	2	1	114	5	4	13
		All other	20	4	—	—	—	—	4	—	2	—
	Male	White	249	66	2	3	2	1	74	3	2	6
		All other	13	3	—	—	—	—	3	—	1	—
	Female	White	134	34	6	—	—	—	40	2	2	7
		All other	7	1	—	—	—	—	1	—	1	—
7	Cities of 2,500 to 10,000	White	1,294	281	45	12	9	6	353	24	23	43
		All other	22	—	—	—	—	—	—	—	—	1
	Male	White	742	150	24	9	5	2	190	15	15	26
		All other	14	—	—	—	—	—	—	—	—	1
	Female	White	552	131	21	3	4	4	163	9	8	17
		All other	8	—	—	—	—	—	—	—	—	—
8	Rural	White	3,117	959	101	40	24	11	1,135	47	39	67
		All other	395	115	38	19	12	3	127	17	11	12
	Male	White	1,766	532	60	17	11	5	625	24	25	34
		All other	206	80	26	11	8	1	106	4	7	4
	Female	White	1,351	427	41	23	13	6	510	23	14	33
		All other	189	55	12	8	4	2	81	13	4	8
9	NEW YORK		149,501	7,370	641	357	296	240	8,906	940	958	1,547
10	Both sexes	White	141,900	6,789	592	328	278	225	8,192	851	869	1,346
		All other	7,601	601	49	29	20	15	714	89	89	201
	Male	White	76,817	3,892	321	178	163	120	4,674	507	529	792
		All other	4,138	339	26	12	12	7	396	49	49	89
	Female	White	65,083	2,877	271	150	115	105	3,518	344	340	554
		All other	3,463	262	23	17	8	8	318	40	40	112
11	Cities of 100,000 or more	White	87,104	4,320	361	219	184	142	5,226	534	540	801
		All other	6,257	505	38	27	16	12	598	77	69	175
	Male	White	47,199	2,517	194	111	108	70	3,000	312	339	451
		All other	3,342	293	17	12	10	5	337	43	39	76
	Female	White	39,905	1,803	167	108	76	72	2,226	222	201	350
		All other	2,915	212	21	15	6	7	261	34	30	99
12	Cities of 25,000 to 100,000	White	10,225	576	47	25	17	16	681	73	74	79
		All other	247	19	2	1	—	—	23	3	—	4
	Male	White	5,357	321	33	17	10	13	394	45	40	41
		All other	126	11	1	—	—	—	12	1	—	2
	Female	White	4,868	255	14	8	7	3	287	28	34	38
		All other	121	8	1	1	—	—	11	2	—	2
13	Cities of 10,000 to 25,000	White	9,759	644	58	21	19	15	757	55	67	110
		All other	147	14	—	—	—	—	14	—	3	3
	Male	White	5,099	351	30	14	11	4	410	31	42	75
		All other	93	8	—	—	—	—	8	—	1	2
	Female	White	4,660	293	28	7	8	11	347	24	25	35
		All other	54	6	—	—	—	—	6	—	2	1
14	Cities of 2,500 to 10,000	White	7,677	466	45	17	24	18	570	57	44	82
		All other	139	21	3	—	1	1	26	2	4	—
	Male	White	4,061	280	23	10	13	13	339	35	21	48
		All other	77	7	2	—	1	—	10	2	3	—
	Female	White	3,616	186	22	7	11	5	231	22	23	34
		All other	62	14	1	—	—	—	16	—	1	—
15	Rural	White	27,135	763	81	46	34	34	958	132	144	274
		All other	811	42	6	1	2	2	53	7	13	19
	Male	White	15,101	423	41	26	21	20	551	84	87	177
		All other	500	20	6	—	1	2	29	3	6	9
	Female	White	12,034	340	40	20	13	14	427	48	57	97
		All other	511	22	—	1	1	—	24	4	7	10
16	NORTH CAROLINA		31,793	4,683	572	301	183	155	5,894	444	405	650
17	Both sexes	White	20,236	2,739	318	192	119	101	3,469	302	228	404
		All other	11,557	1,944	254	109	64	54	2,425	142	177	446
	Male	White	11,411	1,580	187	108	59	59	1,993	177	145	241
		All other	6,082	1,108	120	61	32	25	1,346	77	97	205
	Female	White	8,825	1,159	131	84	60	42	1,476	125	83	163
		All other	5,495	836	134	48	32	29	1,079	65	80	241
18	Cities of 25,000 to 100,000	White	3,620	468	42	31	20	20	581	60	47	90
		All other	2,522	315	41	21	9	16	402	37	36	80
	Male	White	2,079	253	26	18	6	12	315	38	34	55
		All other	1,334	194	24	9	4	7	238	24	22	34
	Female	White	1,541	215	16	13	14	8	266	22	13	35
		All other	1,188	121	17	12	5	9	164	13	14	46
19	Cities of 10,000 to 25,000	White	1,927	321	44	20	11	11	407	42	25	46
		All other	1,233	159	26	10	6	6	207	18	24	64
	Male	White	1,071	189	22	11	6	7	235	26	16	25
		All other	608	75	11	5	3	5	99	9	12	29
	Female	White	856	132	22	9	5	4	172	16	9	21
		All other	625	84	15	5	3	1	108	9	12	35

GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
75	73	98	112	162	266	289	382	471	625	653	643	455	259	83	15	5	1
24	26	27	21	27	28	28	22	25	29	25	13	9	6	—	1	2	—
44	38	55	65	93	164	165	212	266	329	318	284	197	88	30	7	1	1
12	11	16	12	13	19	15	11	16	13	16	8	6	2	—	1	—	—
31	35	43	47	69	102	124	170	205	296	335	359	258	171	53	8	4	—
12	15	11	9	14	9	13	11	9	16	9	5	3	4	—	—	—	—
130	127	135	192	254	382	512	633	810	985	1,100	1,076	909	487	153	38	3	1
29	34	35	43	33	39	66	53	53	54	49	35	15	12	6	5	1	—
72	67	71	108	145	241	339	382	495	558	594	549	449	217	56	13	1	—
11	16	18	27	20	23	39	23	32	31	29	19	11	9	3	1	1	—
58	60	64	84	109	141	173	251	315	427	506	527	460	270	97	25	2	1
18	18	17	16	13	16	27	30	21	23	20	16	4	3	3	4	—	—
185	206	187	204	228	261	264	267	316	367	386	368	248	118	48	12	10	16
145	184	176	183	209	246	249	248	308	349	361	355	241	112	46	11	7	15
20	22	11	21	19	15	15	19	8	18	25	13	7	6	2	1	3	1
82	102	83	92	138	141	163	171	209	200	201	197	148	68	27	5	1	9
12	9	5	9	11	10	9	12	5	9	14	10	2	4	1	—	1	1
63	82	93	91	71	105	81	77	99	149	160	158	93	44	19	6	6	6
8	13	6	12	8	5	6	7	3	9	11	3	5	2	1	1	2	—
22	40	41	37	53	67	40	40	41	32	28	36	20	10	5	2	2	2
4	5	1	1	3	1	—	—	—	2	2	2	—	—	—	—	—	1
15	31	17	18	42	51	29	26	30	12	15	20	10	5	2	—	2	2
3	4	—	—	1	1	—	—	—	2	2	—	—	—	—	—	—	1
7	9	24	19	11	16	12	14	11	10	13	16	10	5	3	2	2	—
1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
8	12	10	13	16	13	23	13	22	41	25	21	18	8	3	1	—	—
—	2	—	2	—	1	1	1	1	2	2	1	—	1	—	—	—	—
6	4	6	9	9	10	15	11	15	27	17	15	13	5	2	—	—	—
—	—	—	—	—	—	—	—	—	1	2	1	—	1	—	—	—	—
2	8	4	4	7	3	2	7	—	14	8	6	5	3	1	1	—	—
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32	38	42	32	49	52	70	61	84	88	93	113	56	26	5	2	1	7
4	4	4	4	2	1	2	4	1	3	1	3	—	—	—	—	—	—
14	18	20	16	27	25	50	42	55	52	58	61	34	17	4	—	—	3
—	2	—	2	1	1	1	4	1	1	1	—	—	—	—	—	—	—
18	20	22	16	22	27	20	19	29	36	35	52	22	9	1	2	1	4
—	2	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—
83	94	83	101	91	114	116	134	161	188	215	185	147	68	33	6	4	6
16	11	10	14	12	12	11	11	8	14	18	10	7	5	2	1	3	—
47	49	40	49	60	55	75	92	109	109	111	101	91	41	19	5	1	4
9	2	5	6	8	8	7	6	5	6	9	7	2	3	1	—	1	—
36	45	43	52	31	59	41	42	52	79	104	84	56	27	14	1	3	2
7	9	5	8	6	5	5	3	3	9	9	3	5	2	1	2	2	—
2,110	2,683	3,269	4,368	6,168	8,793	11,596	13,433	15,677	17,869	17,497	15,439	10,833	5,355	1,778	379	61	22
1,774	2,212	2,759	3,721	5,480	8,089	10,883	12,849	15,144	17,234	17,143	15,182	10,691	5,288	1,748	371	57	17
336	471	510	647	708	704	713	584	533	435	354	257	142	67	30	8	4	5
974	1,147	1,485	2,143	3,291	4,954	6,677	7,688	8,602	9,275	8,751	7,440	4,845	2,247	646	119	18	13
148	211	280	375	441	418	404	332	304	228	181	121	70	23	8	6	2	3
800	1,055	1,274	1,578	2,189	3,135	4,206	5,161	6,542	7,959	8,392	7,742	5,846	3,041	1,102	252	39	4
188	260	230	272	267	286	309	252	229	207	208	173	136	72	44	22	2	2
1,099	1,434	1,892	2,611	3,758	5,639	7,574	8,821	9,867	10,798	10,162	7,960	5,135	2,303	753	162	27	6
279	401	435	561	599	583	603	479	428	346	266	179	98	46	21	6	5	7
558	693	1,026	1,507	2,241	3,463	4,611	5,281	5,699	5,776	5,112	3,648	2,145	914	257	51	8	3
113	175	241	323	358	342	326	273	243	173	133	75	45	12	6	5	1	3
541	741	866	1,104	1,517	2,176	2,963	3,540	4,268	5,022	5,050	4,112	2,990	1,389	496	111	19	1
166	226	194	238	244	241	277	206	185	175	133	104	53	34	15	1	2	2
110	131	167	206	344	476	697	798	1,064	1,257	1,290	1,290	839	463	152	29	2	1
9	14	13	18	19	24	13	22	21	14	18	21	8	2	1	—	—	—
64	78	78	111	190	263	439	472	591	670	662	593	379	163	54	10	1	—
2	7	7	5	11	15	8	12	13	7	9	12	3	—	—	—	—	—
46	53	89	97	154	213	259	326	473	587	628	697	460	280	98	19	1	1
7	7	6	13	8	9	5	10	8	7	9	9	5	2	1	—	—	—
125	139	175	196	342	465	613	773	959	1,145	1,206	1,164	839	455	144	31	8	1
4	4	11	11	10	16	17	9	10	9	11	3	3	3	—	—	—	—
68	70	92	105	210	282	350	460	539	571	595	554	379	201	52	13	2	—
4	3	7	8	9	8	14	5	4	4	6	5	3	2	—	—	—	—
57	69	83	83	132	183	263	313	420	574	611	610	460	254	92	18	6	1
—	1	4	3	1	6	3	4	6	5	3	8	—	1	—	—	—	—
84	118	98	171	226	324	488	529	743	890	997	976	769	354	133	28	4	2
2	7	10	9	7	14	5	14	10	6	8	3	2	2	1	—	—	—
54	70	55	99	134	194	303	305	407	489	500	463	358	141	33	9	2	2
2	3	8	7	6	7	3	8	3	2	3	6	2	1	—	—	—	—
30	46	43	72	92	130	185	224	336	391	497	513	411	213	100	19	2	—
—	4	2	2	1	7	2	6	7	4	5	1	1	2	—	—	—	—
356	390	427	545	810	1,185	1,511	1,928	2,511	3,154	3,488	3,792	3,109	1,713	566	121	16	5
42	45	41	48	73	67	75	60	64	60	53	39	30	14	6	1	1	—
230	236	234	323	516	752	975	1,170	1,466	1,769	1,882	1,982	1,584	808	250	36	5	4
27	23	17	32	57	46	53	34	41	42	30	23	17	8	2	—	1	—
126	154	193	222	294	433	536	758	1,045	1,385	1,606	1,810	1,525	905	316	85	11	1
15	22	24	16	16	21	22	26	23	23	18	16	13	6	4	1	—	—
1,097	1,073	1,165	1,292	1,462	1,630	1,954	2,071	2,450	2,831	2,208	2,041	1,583	880	323	91	45	14
464	484	571	642	790	941	1,139	1,356	1,683	2,009	1,715	1,691	1,342	699	249	46	6	4
623	589	594	650	672	699	815	715	767	822	493	350	241	181	74	43	39	10
281	262	306	337	492	581	702	837	986	1,153	930	879	658	323	107	18	—	3
301	293	283	330	351	341	427	399	400	454	267	196	131	86	41	21	13	3
183	222	265	305	298	360	437	519	697	856	785	812	684	376	142	30	6	1
322	296	311	320	321	348	388	316	367	368	226	154	110	95	33	22		

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	
NORTH CAROLINA—Continued												
1	Cities of 2,500 to 10,000	White	2,221	284	41	21	32	13	391	55	41	63
		All other	1,096	152	21	11	12	3	199	19	15	46
	Male	White	1,276	168	26	12	18	7	231	31	27	42
		All other	561	82	5	8	4	1	100	11	5	22
	Female	White	945	116	15	9	14	6	160	24	14	21
		All other	535	70	16	3	8	2	99	8	10	24
2	Rural	White	12,468	1,666	191	120	56	57	2,090	145	115	205
		All other	6,706	1,318	166	67	37	29	1,617	68	102	256
	Male	White	6,985	970	113	67	29	33	1,212	82	68	119
		All other	3,559	757	80	39	21	12	909	33	58	120
	Female	White	5,483	696	78	53	27	24	878	63	47	86
		All other	3,147	561	86	28	16	17	708	35	44	136
3	NORTH DAKOTA		5,424	645	59	34	25	12	775	70	58	81
4	Both sexes	White	5,215	603	46	25	22	7	703	63	51	73
		All other	209	42	13	9	3	5	72	7	7	8
	Male	White	3,104	335	25	15	9	6	391	37	35	48
		All other	104	17	5	5	2	2	51	6	1	6
	Female	White	2,111	267	21	10	13	1	312	26	16	25
		All other	105	25	8	4	1	5	41	1	6	2
5	Cities of 25,000 to 100,000	White	397	58	2				62	6	4	6
		All other										
	Male	White	225	27					27	5		5
		All other										
	Female	White	172	31	2		2		35	1	4	1
		All other										
6	Cities of 10,000 to 25,000	White	798	98	6	4	3		111	6	8	6
		All other	2									
	Male	White	456	45	2	2			49	3	7	3
		All other	1									
	Female	White	342	53	4	2	3		62	3	1	3
		All other	1									
7	Cities of 2,500 to 10,000	White	831	101	8	8	6	2	125	17	15	20
		All other	2									
	Male	White	488	56	5	7	2	2	72	10	10	14
		All other	1									
	Female	White	343	45	3	1	4		53	7	5	6
		All other	1									
8	Rural	White	3,189	346	30	13	11	5	405	34	24	41
		All other	205	42	13	9	3	5	72	7	7	8
	Male	White	1,935	208	18	6	7	4	243	19	18	26
		All other	102	17	5	5	2	2	31	6	1	6
	Female	White	1,254	138	12	7	4	1	182	15	6	15
		All other	103	25	8	4	1	3	41	1	6	2
9	OHIO		76,927	4,691	479	245	166	146	5,727	509	586	1,030
10	Both sexes	White	71,821	4,310	433	223	145	129	5,240	452	536	892
		All other	5,106	391	46	22	21	17	487	47	50	136
	Male	White	39,028	2,455	226	131	77	68	2,957	265	325	560
		All other	2,880	222	30	11	14	7	284	25	27	68
	Female	White	32,793	1,855	207	92	68	61	2,283	197	211	332
		All other	2,226	159	16	11	7	10	203	22	23	70
11	Cities of 100,000 or more	White	28,690	1,748	165	85	69	56	2,123	184	208	320
		All other	3,564	281	32	15	14	13	355	33	34	95
	Male	White	15,536	1,003	93	56	38	30	1,220	94	128	199
		All other	1,961	160	20	7	10	7	204	18	19	44
	Female	White	13,154	745	72	29	31	26	903	90	80	121
		All other	1,603	121	12	8	4	6	151	15	15	51
12	Cities of 25,000 to 100,000	White	6,241	613	59	25	16	12	725	74	73	129
		All other	389	38	5	4	6	2	55	7	4	9
	Male	White	4,344	352	29	14	10	8	413	47	44	74
		All other	212	26	3	2	3	1	34	4	2	4
	Female	White	3,897	261	30	11	6	4	312	27	29	55
		All other	177	12	2	2	3	2	21	3	2	5
13	Cities of 10,000 to 25,000	White	6,044	407	49	38	16	17	527	49	58	104
		All other	200	15	3	1		1	20	1	2	5
	Male	White	3,151	221	25	21	9	7	283	29	31	75
		All other	111	12	3	1			16	1		1
	Female	White	2,893	186	24	17	7	10	244	20	27	29
		All other	89	3					4		2	4
14	Cities of 2,500 to 10,000	White	6,801	397	29	20	11	15	462	45	56	80
		All other	224	18	4				23		1	2
	Male	White	3,559	226	16	11	5	4	264	27	32	45
		All other	122	9	2				12		1	
	Female	White	3,242	161	11	9	6	11	198	18	24	35
		All other	102	9	2				11		2	2
15	Rural	White	22,045	1,155	131	55	33	29	1,403	110	141	259
		All other	729	29	2	2		1	34	6	9	27
	Male	White	12,438	653	61	29	15	19	777	68	90	167
		All other	474	15	2	1			18	2	5	19
	Female	White	9,607	502	70	26	18	10	626	42	51	92
		All other	255	14		1		1	16	4	4	8
16	OKLAHOMA		20,391	2,162	297	144	110	92	2,805	283	276	462
17	Both sexes	White	17,523	1,820	236	109	96	84	2,345	237	235	365
		All other	2,868	342	61	35	14	8	460	46	43	97
	Male	White	10,277	1,048	136	61	47	39	1,331	138	143	210
		All other	1,518	187	30	12	5	6	240	23	24	40
	Female	White	7,246	772	100	48	49	45	1,014	99	92	155
		All other	1,350	155	31	23	9	2	220	23	19	57
18	Cities of 100,000 or more	White	3,312	282	38	22	16	19	377	45	63	78
		All other	497	32	7	6	3		48	7	7	9
	Male	White	1,952	170	26	18	10	9	233	25	36	52
		All other	241	20	4	1			25	2	5	4
	Female	White	1,360	112	12	4	6	10	144	20	27	26
		All other	256	12	3	5	3		23	5	2	5
19	Cities of 25,000 to 100,000	White	812	80	13	6	3	8	110	15	6	20
		All other	206	16	2				18	3	3	1
	Male	White	511	47	8	2	2	2	61	8	3	10
		All other	126	9	1				10	2	2	
	Female	White	301	33	5	4	1	6	49	7	3	10
		All other	80	7	1				8	1	1	1

# GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
76	68	96	87	88	90	122	157	177	207	168	159	98	58	18	1	1	1
72	58	60	64	67	76	79	57	92	67	43	26	25	13	4	---	4	---
47	31	57	51	50	52	76	97	109	124	91	78	49	22	10	1	---	---
37	34	31	31	31	37	42	33	43	39	25	16	12	10	2	---	---	---
29	37	39	36	38	38	46	60	68	83	77	81	49	36	8	---	1	---
35	24	29	33	36	39	37	34	49	28	18	10	13	3	2	---	4	---
239	246	288	330	431	523	649	755	1,053	1,290	1,161	1,185	994	537	183	41	4	4
326	299	286	273	325	340	423	381	483	549	299	240	171	135	57	36	32	8
149	141	159	165	273	331	388	457	606	732	637	627	483	259	79	15	---	3
143	143	134	144	179	165	227	214	256	299	162	140	100	62	33	18	12	2
90	105	129	165	188	192	261	298	447	558	524	558	511	278	104	26	4	1
177	156	152	129	146	175	196	167	227	250	137	100	71	73	24	18	20	6
107	89	96	109	159	202	303	350	426	534	583	617	499	256	91	14	4	1
96	83	93	95	154	199	297	346	417	526	588	605	493	249	87	13	3	1
11	6	3	14	5	3	6	4	9	8	15	12	6	7	4	1	1	---
57	42	51	53	95	119	187	206	279	333	340	383	272	125	41	8	3	1
3	4	2	6	4	2	4	3	4	6	8	6	2	3	1	1	1	---
39	41	42	42	61	80	110	140	138	193	228	222	221	124	46	5	---	---
8	2	1	8	1	1	2	1	5	2	7	6	4	4	3	---	---	---
6	6	6	10	10	22	30	35	35	34	36	38	29	20	1	1	---	---
2	3	5	5	3	16	20	16	23	23	22	24	16	9	---	1	---	---
4	3	1	5	7	6	10	19	12	11	14	14	13	11	1	---	---	---
14	14	21	15	39	39	62	87	63	103	69	64	48	19	10	---	---	---
9	5	9	7	26	26	39	55	44	62	33	36	27	11	5	---	---	---
5	9	12	8	13	13	23	32	19	41	36	28	21	8	5	---	---	---
19	18	15	17	19	31	64	52	56	86	84	89	63	27	11	2	1	---
8	13	6	8	12	11	35	31	33	58	50	54	35	17	9	1	1	---
11	5	9	9	7	20	29	21	23	28	34	35	28	10	2	1	---	---
57	45	51	53	86	107	141	172	263	303	379	414	353	183	65	10	2	1
11	6	3	13	5	3	6	4	7	7	15	12	6	7	4	1	1	---
38	21	31	33	52	66	93	104	179	190	235	269	194	88	27	6	2	1
5	4	2	5	4	2	4	3	4	5	8	6	2	3	1	1	1	---
19	24	20	20	34	41	48	68	84	113	144	145	159	95	38	4	---	---
8	2	1	8	1	1	2	1	3	2	7	6	4	4	3	---	---	---
1,283	1,433	1,638	2,109	2,704	3,927	4,849	5,780	6,841	8,244	9,053	9,076	7,019	3,649	1,149	271	26	24
1,123	1,180	1,365	1,701	2,253	3,434	4,334	5,373	6,493	7,995	8,767	8,884	6,911	3,566	1,119	254	18	21
160	253	273	406	451	493	515	407	348	349	286	192	108	85	50	17	8	3
638	615	725	927	1,287	2,087	2,594	3,188	3,769	4,362	4,705	4,485	3,378	1,608	476	89	4	15
89	126	141	247	251	319	293	222	206	184	168	101	67	41	11	7	1	2
485	565	640	774	966	1,377	1,740	2,185	2,724	3,533	4,062	4,399	3,533	1,958	646	166	14	6
71	127	132	161	200	174	222	185	142	165	118	91	41	42	19	10	7	1
470	511	640	851	1,123	1,728	2,205	2,519	2,872	3,229	3,269	2,975	2,074	997	308	69	7	9
108	205	206	322	338	351	385	297	236	236	145	91	60	42	12	9	3	1
236	267	352	461	646	1,029	1,365	1,499	1,680	1,772	1,688	1,440	942	379	125	16	3	5
57	101	105	197	189	218	204	164	134	124	76	43	33	22	5	3	---	1
234	244	288	390	477	699	840	1,020	1,182	1,457	1,600	1,535	1,132	618	183	53	4	4
51	104	101	125	149	133	181	133	102	112	69	48	27	20	7	6	3	---
134	141	169	216	242	418	507	645	746	865	929	939	745	396	119	27	2	---
10	12	20	24	36	35	30	31	24	21	25	22	11	8	4	1	---	---
73	61	68	112	131	239	281	379	438	447	498	465	342	178	46	8	---	---
6	6	9	12	15	20	22	15	12	10	19	11	9	3	1	1	---	---
61	80	101	104	111	179	226	266	308	418	431	474	403	218	73	19	2	---
4	6	11	12	21	15	8	18	12	11	6	11	2	5	4	---	---	---
108	112	118	132	176	268	361	407	497	676	729	755	546	285	113	20	1	2
4	4	9	12	12	20	12	15	22	20	12	5	5	3	1	1	---	---
60	55	49	70	85	152	195	244	286	354	386	354	260	127	45	10	---	1
4	3	5	6	3	9	9	7	10	10	10	8	3	5	1	---	---	---
48	57	69	82	91	116	166	165	211	322	343	401	286	158	68	10	1	1
82	95	94	143	188	259	330	453	578	722	679	978	810	406	115	25	---	1
9	5	9	5	13	16	23	22	22	17	16	18	9	6	3	2	3	---
55	50	49	71	98	145	194	279	306	411	463	463	379	168	48	11	---	1
4	3	6	4	8	8	13	13	12	7	8	10	8	2	1	1	---	---
27	45	45	72	90	114	136	174	272	311	415	515	431	238	67	14	---	---
5	2	3	1	5	8	10	9	10	10	8	8	1	4	2	1	2	---
329	321	344	389	524	761	931	1,349	1,800	2,403	2,962	3,237	2,736	1,482	464	113	8	9
29	27	29	45	52	71	65	42	51	53	80	49	23	8	4	1	2	2
214	182	207	213	327	492	559	787	1,049	1,378	1,690	1,763	1,455	756	212	43	1	8
18	13	16	28	36	64	45	25	33	33	55	29	14	9	4	---	---	---
115	139	137	146	197	269	372	562	751	1,025	1,272	1,474	1,281	726	252	70	7	1
11	14	13	17	16	7	20	17	13	20	25	20	9	13	4	2	1	1
535	581	601	699	749	961	1,105	1,332	1,423	1,994	1,970	1,918	1,453	825	292	70	28	37
389	445	465	537	599	775	915	1,136	1,256	1,760	1,799	1,787	1,360	755	271	55	12	25
146	136	136	152	150	186	190	196	187	234	171	131	93	70	21	15	16	16
213	241	262	297	353	455	576	711	766	1,084	1,068	1,038	768	419	121	28	6	12
72	64	60	71	74	110	105	104	94	131	115	75	48	30	10	8	3	7
176	204	203	240	246	320	339	425	490	666	731	749	572	336	150	27	6	6
74	72	76	81	76	76	85	92	73	103	56	56	45	30	11	7	13	5
86	101	102	129	166	181	213	280	247	314	302	267	199	124	32	5	---	18
15	33	38	44	33	37	50	37	35	43	22	16	10	9	1	2	1	---
36	56	53	65	88	107	130	182	149	198	178	166	121	68	7	1	---	1
9	12	19	20	12	19	29	19	16	20	10	9	4	4	1	2	---	---
50	45	49	64	78	74	83	98	98	116	124	101	78	56	25	4	---	---
6	21	19	24	21	18	21	18	19	23	12	7	6	5	---	---	---	---
16	16	15	18	25	71	73	51	56	78	89	63	36	13	12	1	---	19
9	13	6	15	27	30	14	11	11	12	13	9	3	3	1	2	---	---
10	11	12	9	42	55	49	39	39	48	48	36	8	4	---	---	---	---
4	5	2	7	23	24	12	6	5	10	5	1	---	---	---	---	---	---
6	5																

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	OKLAHOMA—Continued										
	Cities of 10,000 to 25,000—										
	White	2,047	234	39	12	11	8	304	45	37	45
	All other	415	49	15	5	1	—	68	8	10	18
	Male	1,204	123	17	5	6	5	156	29	21	34
	All other	213	25	6	3	1	—	35	3	3	4
	Female	843	111	22	7	5	3	148	16	16	11
	All other	202	24	7	2	—	—	35	5	7	14
2	Cities of 2,500 to 10,000—										
	White	4,228	397	37	27	26	22	509	49	60	86
	All other	544	79	12	9	5	4	107	6	6	25
	Male	2,480	222	19	12	9	11	273	26	36	48
	All other	285	49	4	5	1	3	62	2	2	12
	Female	1,768	175	18	15	17	11	236	23	24	38
	All other	259	30	8	4	2	1	45	4	4	13
3	Rural—										
	White	7,124	827	109	42	40	27	1,045	85	69	156
	All other	1,206	166	27	15	7	4	219	22	17	44
	Male	4,150	486	66	24	20	12	608	50	47	66
	All other	653	84	15	3	3	3	108	14	12	20
	Female	2,974	341	43	18	20	15	437	33	22	70
	All other	553	82	12	4	1	—	111	8	5	24
4	OREGON—	11,797	593	50	27	24	25	719	83	101	162
5	Both sexes—										
	White	11,571	561	44	25	22	21	673	77	96	154
	All other	226	32	6	2	2	4	46	6	3	8
	Male	6,946	313	19	13	13	12	370	44	68	100
	All other	137	16	3	—	—	2	23	3	1	4
	Female	4,625	248	25	12	9	9	303	33	30	54
	All other	89	16	3	—	—	2	23	3	2	4
6	Cities of 100,000 or more—										
	White	3,952	176	12	7	6	6	207	19	23	30
	All other	70	6	—	—	—	—	6	2	1	2
	Male	2,288	105	4	2	2	4	117	11	13	22
	All other	48	5	—	—	—	—	3	1	—	1
	Female	1,664	71	8	5	4	2	90	8	10	8
	All other	22	3	—	—	—	—	3	1	1	1
7	Cities of 25,000 to 100,000—										
	White	731	24	2	—	—	1	28	8	4	6
	All other	4	—	—	—	—	—	—	—	—	—
	Male	432	14	1	—	—	1	16	4	3	5
	All other	2	—	—	—	—	—	—	—	—	—
	Female	299	10	1	—	—	—	12	4	1	1
	All other	2	—	—	—	—	—	—	—	—	—
8	Cities of 10,000 to 25,000—										
	White	962	70	8	2	2	—	82	3	10	9
	All other	16	6	—	—	—	—	7	—	—	—
	Male	575	35	2	1	—	—	36	2	9	4
	All other	8	3	—	—	—	—	3	—	—	—
	Female	387	37	6	1	2	—	46	1	1	5
	All other	8	3	—	—	—	—	4	—	—	—
9	Cities of 2,500 to 10,000—										
	White	2,045	149	9	8	4	6	176	17	20	37
	All other	20	5	1	—	—	—	7	1	—	—
	Male	1,227	65	5	5	3	3	101	10	13	25
	All other	11	5	—	—	—	—	4	—	—	—
	Female	818	64	4	3	1	3	75	7	7	12
	All other	9	2	1	—	—	—	3	1	—	—
10	Rural—										
	White	5,661	142	13	8	9	8	180	30	41	72
	All other	116	15	5	1	1	4	26	3	2	6
	Male	2,424	76	7	5	7	5	100	17	30	44
	All other	68	7	3	1	—	—	15	2	1	3
	Female	1,457	66	6	3	2	3	80	13	11	28
	All other	48	8	2	—	—	—	13	1	1	3
11	PENNSYLVANIA—	108,007	7,543	689	543	270	231	8,876	900	906	1,428
12	Both sexes—										
	White	101,017	6,726	636	507	248	206	8,123	822	827	1,245
	All other	6,990	617	53	36	22	25	753	78	79	183
	Male	54,655	3,843	337	162	151	118	4,611	468	506	749
	All other	3,782	346	31	18	11	17	423	41	32	64
	Female	46,362	2,863	299	145	97	88	3,512	354	321	496
	All other	3,208	271	22	18	11	8	330	37	47	119
13	Cities of 100,000 or more—										
	White	32,423	1,828	188	86	76	67	2,245	216	239	362
	All other	4,627	389	41	25	11	17	483	48	61	139
	Male	17,264	1,051	109	44	45	38	1,267	123	131	206
	All other	2,444	223	23	12	4	10	272	26	26	53
	Female	15,159	797	79	42	31	29	978	93	108	156
	All other	2,183	166	18	13	7	7	211	22	35	86
14	Cities of 25,000 to 100,000—										
	White	14,055	1,178	107	50	45	34	1,414	159	129	183
	All other	634	73	5	3	4	2	87	11	5	12
	Male	7,478	679	52	28	27	20	806	93	82	97
	All other	336	42	3	2	3	2	52	5	1	5
	Female	6,557	499	55	22	18	14	608	66	47	86
	All other	298	31	2	1	1	—	35	6	4	7
15	Cities of 10,000 to 25,000—										
	White	11,591	928	93	48	36	22	1,129	128	113	141
	All other	540	89	3	4	3	4	83	11	2	12
	Male	6,186	550	51	26	17	14	658	69	70	83
	All other	295	40	2	3	1	3	49	6	2	4
	Female	5,405	378	42	22	21	8	471	60	43	58
	All other	245	29	1	1	2	—	34	5	—	9
16	Cities of 2,500 to 10,000—										
	White	13,220	892	80	39	36	35	1,032	138	124	199
	All other	249	39	1	1	1	—	45	4	2	1
	Male	6,948	519	33	18	24	16	619	88	81	155
	All other	125	19	1	—	—	—	22	2	—	—
	Female	6,272	373	47	21	12	19	472	50	43	64
	All other	124	20	—	—	—	—	21	2	1	1
17	Rural—										
	White	29,748	1,900	168	84	53	48	2,253	181	222	350
	All other	840	47	3	3	3	1	57	4	9	19
	Male	16,759	1,064	92	46	38	30	1,270	96	142	228
	All other	582	22	—	—	—	—	28	2	2	2
	Female	12,989	836	76	38	15	18	983	85	80	132
	All other	358	25	1	3	—	—	29	2	7	17
18	RHODE ISLAND—	7,775	412	35	20	12	10	489	47	41	79
19	Both sexes—										
	White	7,590	398	32	20	12	10	472	43	40	72
	All other	185	14	3	—	—	—	17	4	1	7
	Male	3,951	208	11	14	9	8	250	20	22	41
	All other	108	11	1	—	—	—	12	2	—	4
	Female	3,639	190	21	6	3	2	222	23	18	31
	All other	77	3	2	—	—	—	5	2	1	3

# GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
51	61	66	66	65	89	91	134	143	208	176	211	141	62	23	4	2	5
29	24	24	19	24	22	29	32	18	22	18	18	17	5	3	2	4	1
30	34	51	36	42	54	54	82	97	138	98	113	82	37	10	1	2	3
11	14	14	11	12	11	17	16	13	13	12	7	9	4	2	1	1	1
21	27	35	30	21	35	37	52	46	70	78	98	59	25	13	3	2	2
18	10	10	8	12	11	12	16	5	9	6	11	8	1	1	2	3	1
104	124	120	147	129	199	230	277	304	418	444	437	327	170	61	19	2	12
35	22	24	28	23	33	20	42	29	44	38	22	17	14	3	2	1	3
56	59	73	86	77	114	150	169	184	255	265	249	186	101	33	10	1	9
17	10	8	8	12	16	10	26	15	25	27	14	7	9	2	1	1	1
46	65	47	61	52	85	80	108	120	163	179	188	141	69	28	9	1	3
18	12	16	20	11	17	10	16	14	19	11	8	10	5	1	2	1	2
132	143	142	177	188	235	308	394	506	742	788	809	657	396	143	26	8	7
58	44	44	46	43	64	77	74	74	113	80	66	46	39	13	7	10	6
81	81	73	101	104	125	193	239	297	455	479	474	380	205	67	16	3	6
31	17	25	15	40	37	37	45	67	56	40	27	23	5	5	2	4	4
51	62	69	76	84	110	115	155	209	297	309	335	277	181	76	10	5	1
27	21	27	21	28	24	40	37	29	46	24	26	19	16	8	2	8	2
204	217	248	286	362	531	762	908	1,091	1,241	1,515	1,462	1,083	574	199	39	7	3
193	212	245	281	352	521	752	890	1,076	1,223	1,499	1,443	1,073	569	195	35	7	3
11	5	3	5	10	10	10	16	15	18	16	19	10	5	4	4	4	2
134	135	141	159	218	323	469	584	698	740	886	857	609	307	84	14	4	2
8	5	2	4	6	6	5	15	9	13	10	12	7	2	2	2	2	1
59	77	104	122	134	198	283	306	378	483	613	586	464	262	111	21	3	1
3	2	1	1	4	4	5	3	6	5	6	7	3	3	2	2	2	6
56	54	74	90	137	220	299	325	394	437	532	448	353	175	65	14	1	1
4	1	1	2	5	7	4	9	6	5	4	7	4	2	2	2	2	1
33	32	34	49	90	143	185	206	255	259	287	262	175	82	24	9	1	1
4	1	1	2	4	4	2	8	3	4	3	6	1	1	1	1	1	1
23	22	40	41	47	77	114	119	139	178	245	186	178	93	41	5	1	1
9	16	17	18	16	28	36	45	70	86	119	78	42	7	1	1	1	7
6	7	11	10	7	17	20	33	42	46	63	69	44	23	4	1	1	1
3	9	6	8	9	11	16	12	28	38	55	50	34	19	3	1	1	1
22	19	16	32	36	44	56	76	92	111	119	119	64	39	9	3	1	8
1	1	10	16	21	24	35	43	55	70	82	72	43	22	4	1	1	1
14	13	10	16	21	24	35	43	55	70	82	72	43	22	4	1	1	1
8	6	6	16	15	20	21	33	37	41	37	47	21	17	5	3	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	51	40	47	66	85	123	133	196	205	250	244	164	105	43	6	2	9
24	35	23	21	35	47	74	94	128	118	149	150	101	60	17	1	1	1
11	16	17	26	31	38	49	59	68	87	101	94	63	45	26	5	1	1
71	72	98	94	97	144	238	311	324	384	500	513	414	208	71	12	4	3
7	3	2	2	5	2	2	6	7	10	10	8	6	4	3	2	2	10
57	48	65	63	65	92	155	208	218	245	305	304	246	120	35	4	3	2
4	2	1	1	2	1	2	5	5	6	5	4	6	2	2	1	1	1
14	24	35	31	32	52	83	103	106	139	195	209	168	88	36	8	1	1
3	1	1	1	3	1	1	1	2	4	5	4	2	2	1	1	1	1
1,799	1,993	2,349	3,023	4,141	5,705	7,622	9,071	10,834	12,129	12,348	11,026	8,128	4,092	1,320	260	30	27
1,576	1,711	1,997	2,519	3,515	5,026	6,961	8,436	10,295	11,677	11,955	10,757	7,987	4,018	1,270	252	24	24
223	282	352	504	626	679	661	635	539	452	393	269	141	74	50	8	6	3
881	907	1,083	1,369	2,080	2,991	4,165	4,990	5,900	6,422	6,254	5,280	3,738	1,720	443	91	10	17
83	132	181	274	367	399	388	364	308	251	224	125	63	33	20	4	4	2
695	804	914	1,150	1,455	2,035	2,796	3,446	4,395	5,255	5,701	5,477	4,249	2,298	827	161	14	7
140	150	171	230	259	280	273	271	231	201	169	144	78	41	30	4	2	1
483	554	676	915	1,303	1,856	2,533	2,957	3,655	3,965	3,848	3,128	2,162	952	298	64	6	6
139	201	248	359	462	481	425	362	281	224	188	149	82	42	27	5	4	2
245	283	369	506	756	1,129	1,539	1,756	2,039	2,130	1,953	1,489	900	347	88	21	3	4
49	95	116	188	235	267	282	237	204	152	118	61	36	12	8	2	2	1
238	271	307	409	547	727	994	1,201	1,616	1,835	1,695	1,639	1,262	605	210	43	3	2
90	106	130	171	168	195	199	188	129	106	88	46	30	19	3	2	1	1
244	253	275	362	544	741	988	1,219	1,454	1,573	1,542	1,347	968	460	146	26	4	4
13	30	25	43	50	66	56	64	42	43	38	23	15	7	2	1	1	1
139	132	147	186	275	412	567	695	840	847	812	657	444	193	47	5	1	2
5	12	13	19	26	40	33	34	27	21	23	9	5	4	1	1	1	1
105	121	128	176	269	329	421	524	614	726	730	690	524	267	99	21	4	2
8	18	12	24	24	26	23	30	15	22	15	14	10	3	2	1	1	1
196	211	251	316	421	640	840	1,058	1,161	1,303	1,228	1,078	810	400	133	32	1	1
19	15	23	31	53	55	31	39	38	35	39	26	10	6	10	6	1	1
124	102	129	171	245	386	490	609	654	697	596	506	367	164	49	16	1	1
7	9	14	17	24	32	16	25	18	21	24	12	4	6	3	1	1	1
72	109	122	145	176	254	350	449	507	606	632	572	443	236	84	16	1	1
12	6	9	14	29	23	15	14	20	14	15	14	6	4	3	1	1	1
206	214	233	320	395	611	861	1,039	1,311	1,525	1,605	1,462	1,088	588	177	36	3	3
11	8	15	14	18	12	20	26	17	17	17	9	4	2	1	1	1	1
117	111	124	156	235	335	500	598	722	823	807	695	473	251	71	11	2	3
4	4	9	6	10	4	12	14	6	11	12	3	3	2	1	1	1	1
89	103	109	164	160	276	361	441	589	702	798	767	615	337	106	25	1	1
7	4	6	8	8	8	8	12	11	6	5	6	2	2	2	1	1	1
447	479	562	606	852	1,178	1,739	2,165	2,714	3,311	3,732	3,742	2,959	1,618	516	94	10	10
41	28	41	57	102	84	75	81	80	76	75	62	25	11	13	2	1	1
256	279	314	350	549	729	1,069	1,332	1,645	1,925	2,086	1,933	1,554	765	188	38	4	7
18	12	27	44	72	56	45	54	53	46	47	40	15	9	1	1	1	1
191	200	246	256	303	449	670	831	1,089	1,386	1,646	1,809	1,405	853	328	56	6	3
23	16	14	13	30	28	28	27	27	30	28	22	10	2	4	1	1	1
102	108	111	166	267	351	514	670	847	975	1,059	872	642	305	98	20	2	1
93	106	104	157	254	340	505	647	827	957	1,060	858	633	303	98	20	1	1
9	2	7	9	13	11	9	23	20	18	9	14	9	2	1	1	1	1
47	52	53	85	143	205	296	368	471	490	531	422	287	126	37	5	1	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	
RHODE ISLAND—Continued												
1	Cities of 100,000 or more	White 3,020	212	16	6	5	5	244	16	19	30	
	Male	All other 94	7	3				10	2		3	
	Female	White 1,517	107	7	4	4	4	126	6	10	16	
	Male	All other 53	7	1				8	1		2	
	Female	White 1,503	105	9	2	1	1	118	10	9	14	
	Male	All other 41		2				2	1		1	
2	Cities of 25,000 to 100,000	White 2,870	129	10	10	6	5	160	15	10	27	
	Male	All other 62	3					3	1		1	
	Female	White 1,538	69	2	7	5	4	87	9	5	16	
	Male	All other 56	2					2	1		1	
	Female	White 1,332	60	8	3	1	1	73	6	5	11	
	Male	All other 26	1					1				
3	Cities of 10,000 to 25,000	White 775	35	3	2	1		41	7	6	5	
	Male	All other 10	2					2	1			
	Female	White 388	19	1	2			22	3	3	3	
	Male	All other 5	1					1				
	Female	White 387	16	2		1		19	4	3	2	
	Male	All other 5	1					1	1			
4	Cities of 2,500 to 10,000	White 344	4	1				5	1		6	
	Male	All other 11									3	
	Female	White 176	2					2			3	
	Male	All other 9									1	
	Female	White 168	2	1				3	1		3	
	Male	All other 2									2	
5	Rural	White 581	18	2	2			22	4	5	4	
	Male	All other 8	2					2		1		
	Female	White 332	11	1	1			13	2	4	3	
	Male	All other 5	1					1				
	Female	White 249	7	1	1			9	2	1	1	
	Male	All other 3	1					1		1		
6	SOUTH CAROLINA		19,296	2,834	385	166	130	88	3,603	286	282	544
7	Both sexes	White 8,875	1,133	150	58	54	40	1,435	142	115	166	
	Male	All other 10,421	1,701	235	108	76	48	2,168	144	167	378	
	Female	White 5,065	662	78	28	28	21	817	85	68	98	
	Male	All other 5,481	943	131	62	45	35	1,216	81	91	175	
	Female	White 3,790	471	72	30	26	19	618	57	47	68	
8	Cities of 25,000 to 100,000	All other 4,940	758	104	46	31	13	952	63	76	203	
	Male	White 1,803	187	24	12	16	7	246	34	20	33	
	Female	All other 1,633	200	22	12	9	9	252	20	26	53	
	Male	White 1,008	114	13	11	8	3	149	23	8	16	
	Female	All other 879	112	13	6	7	8	146	10	15	30	
	Male	White 795	73	11	1	8	4	97	11	12	17	
	Female	All other 754	88	9	6	2	1	106	10	11	23	
9	Cities of 10,000 to 25,000	White 853	114	30	8	9	5	166	14	14	29	
	Male	All other 678	92	10	6	8	3	119	8	13	34	
	Female	White 481	70	17	5	4	3	99	7	6	18	
	Male	All other 338	45	6	5	5	2	63	7	6	17	
	Female	White 372	44	13	3	5	2	67	7	8	11	
	Male	All other 340	47	4	1	3	1	56	1	7	17	
10	Cities of 2,500 to 10,000	White 1,203	180	19	8	11	7	225	26	15	28	
	Male	All other 962	102	22	7	8	3	142	19	19	38	
	Female	White 701	111	6	2	6	3	128	15	9	14	
	Male	All other 486	61	15	4	5	1	86	6	9	17	
	Female	White 502	69	13	6	5	4	97	11	6	14	
	Male	All other 476	41	7	3	3	2	56	13	10	21	
11	Rural	White 5,016	652	77	30	18	21	798	68	66	76	
	Male	All other 7,148	1,307	181	83	51	33	1,855	97	109	253	
	Female	White 2,895	367	42	10	10	12	441	40	45	50	
	Male	All other 3,778	725	97	47	28	24	921	58	61	111	
	Female	White 2,121	285	35	20	8	9	357	28	21	26	
	Male	All other 3,370	582	84	36	23	9	734	39	48	142	
12	SOUTH DAKOTA		5,517	481	72	40	32	17	642	72	66	108
13	Both sexes	White 5,093	406	48	28	26	13	521	57	47	87	
	Male	All other 424	75	24	12	6	4	121	15	19	21	
	Female	White 2,883	236	25	15	6	7	293	35	24	55	
	Male	All other 232	47	14	5	4	2	72	7	7	12	
	Female	White 2,110	170	23	13	16	6	228	22	23	34	
	Male	All other 192	28	10	7	2	2	49	8	12	9	
14	Cities of 25,000 to 100,000	White 435	47	3	4	1	1	56	6	5	3	
	Male	All other 1										
	Female	White 246	24	1	4	1		30	4	2	2	
	Male	All other 1										
	Female	White 189	23	2			1	26	2	3	1	
	Male	All other										
15	Cities of 10,000 to 25,000	White 923	68	10	4	3	4	89	11	8	20	
	Male	All other 21	1					1	1	3	1	
	Female	White 535	45	8	2	2	2	59	4	5	11	
	Male	All other 12	1					1	1	1	1	
	Female	White 388	23	2	2	1	2	30	7	3	9	
	Male	All other 9								2		
16	Cities of 2,500 to 10,000	White 867	65	9	5	7	4	90	15	9	19	
	Male	All other 15	1	2				3				
	Female	White 513	45	5	1	2	2	55	11	3	12	
	Male	All other 9	1					1				
	Female	White 354	20	4	4	5	2	35	4	6	7	
	Male	All other 6		2				2				
17	Rural	White 2,688	226	26	15	15	4	286	25	25	45	
	Male	All other 387	73	22	12	6	4	117	14	16	20	
	Female	White 1,689	122	11	6	5	3	149	16	14	28	
	Male	All other 210	45	14	5	4	2	70	6	6	11	
	Female	White 1,179	104	15	7	10	1	137	9	11	17	
	Male	All other 177	28	7	2	2	2	47	8	10	9	
18	TENNESSEE		28,722	2,874	485	205	150	95	3,809	301	357	779
19	Both sexes	White 21,122	2,245	379	156	109	70	2,959	236	263	469	
	Male	All other 7,600	629	106	49	41	25	850	65	94	310	
	Female	White 11,840	1,308	214	83	66	41	1,710	126	149	264	
	Male	All other 4,111	369	65	33	21	14	502	32	53	131	
	Female	White 9,282	939	165	73	45	29	1,249	110	114	205	
	Male	All other 3,489	260	41	16	20	11	348	33	41	179	



GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
41	47	38	64	99	141	214	281	356	418	373	306	193	102	29	8	1	---
4	1	5	8	7	8	6	11	9	6	4	3	---	---	---	---	---	---
24	18	17	38	48	85	127	147	188	208	185	140	85	38	10	3	---	---
1	1	1	6	2	4	3	5	4	4	1	1	1	---	---	---	---	---
17	29	21	26	51	58	87	154	168	210	168	166	106	64	19	5	1	---
5	1	4	2	5	4	3	5	5	2	1	2	2	---	---	---	---	---
29	23	33	67	104	143	188	256	307	326	438	344	265	118	34	5	---	---
3	1	1	---	6	1	1	1	9	8	4	7	5	2	2	---	---	---
12	13	18	30	68	85	107	149	169	166	225	173	127	47	11	1	---	---
2	1	1	---	4	---	1	1	5	6	3	2	1	---	---	---	---	---
17	10	15	37	56	58	81	67	118	160	213	171	136	71	23	4	---	---
1	---	---	---	2	---	---	---	4	2	1	5	2	2	2	---	---	---
7	6	9	8	30	25	46	50	76	104	117	94	74	42	16	2	---	---
1	---	---	1	---	---	---	---	1	1	1	1	1	---	---	---	---	---
5	5	2	3	15	17	23	33	41	56	50	47	27	26	9	---	---	---
1	---	---	---	---	---	---	---	---	---	1	1	1	---	---	---	---	---
4	1	7	5	15	8	25	27	35	48	67	47	47	16	7	2	---	---
---	---	---	1	---	---	---	---	1	1	---	---	---	---	---	---	---	---
12	18	14	12	13	14	28	30	28	56	47	32	29	10	7	2	---	---
1	1	1	---	---	1	2	1	1	1	---	---	---	---	---	---	---	---
4	9	8	10	7	11	17	19	13	18	22	16	12	3	2	---	---	---
1	---	1	---	---	1	2	1	1	1	---	---	---	---	---	---	---	---
8	9	6	2	6	3	11	11	15	18	25	16	17	7	5	2	---	---
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4	12	10	6	8	17	29	40	60	73	85	82	74	51	12	3	---	---
---	---	---	---	---	1	---	---	---	2	---	---	2	---	---	---	---	---
4	7	8	4	5	9	22	20	40	42	49	46	36	12	5	1	---	---
---	---	---	---	---	1	---	---	---	1	---	---	2	---	---	---	---	---
---	5	2	2	3	8	7	20	20	31	36	36	38	19	7	2	---	---
---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---
808	786	772	868	1,003	1,242	1,425	1,434	1,418	1,442	1,117	876	681	410	148	48	45	58
231	242	276	306	355	467	549	623	795	865	744	656	495	285	91	14	4	19
577	544	496	562	648	775	876	811	623	577	373	220	186	125	57	34	41	39
136	138	158	180	223	305	354	402	482	511	391	325	244	125	26	7	1	9
292	278	261	266	356	388	473	412	297	317	212	126	102	70	21	15	9	23
95	104	118	126	132	162	195	221	313	354	353	351	251	160	65	7	3	10
285	265	255	296	292	387	403	399	326	260	161	94	84	55	36	19	32	16
50	56	67	81	70	114	119	142	171	192	146	117	79	41	19	5	---	1
93	104	126	128	128	139	163	138	101	70	43	18	12	9	2	3	3	3
28	29	40	44	44	71	73	94	100	114	70	53	33	14	2	2	---	---
52	64	79	57	72	67	88	70	43	37	27	11	6	4	---	---	---	1
22	27	27	37	26	43	46	48	71	78	76	64	46	27	17	2	---	1
41	40	47	71	56	72	75	68	58	33	16	7	6	5	2	2	3	2
32	32	29	38	44	53	55	67	60	56	52	33	18	2	1	1	2	2
53	59	49	49	58	39	52	44	40	25	15	8	5	4	---	1	1	2
12	17	16	21	23	34	35	26	43	41	32	26	13	8	2	1	1	---
26	24	27	18	56	21	27	19	16	17	4	5	2	2	---	---	---	1
20	15	13	17	21	19	20	29	24	19	24	26	20	10	---	---	---	2
27	35	22	31	22	18	25	25	24	8	11	3	3	2	---	1	1	1
45	38	57	43	54	45	77	80	107	112	83	72	58	41	6	2	2	10
53	60	45	67	63	57	105	92	53	46	33	27	16	9	4	5	1	6
25	20	31	27	31	32	51	55	65	70	47	36	25	14	3	2	1	1
23	25	29	33	37	37	49	41	21	24	20	12	7	5	1	2	---	2
18	8	26	18	23	13	26	25	42	42	36	36	33	27	3	---	---	---
32	35	16	34	26	20	56	51	32	22	13	15	9	4	3	3	1	4
106	126	123	144	187	255	288	346	450	501	459	415	325	185	64	6	3	15
376	321	276	318	399	540	556	537	429	436	282	167	153	103	51	26	36	28
71	72	71	88	125	195	227	274	286	242	210	173	89	19	1	---	---	8
191	165	126	158	211	263	309	282	217	239	161	98	87	59	20	13	9	19
35	54	52	56	62	87	103	119	176	215	217	205	152	96	45	5	3	7
185	156	160	189	247	255	212	197	121	121	69	66	44	31	13	27	9	9
116	104	105	103	160	203	301	383	402	547	595	651	522	306	98	22	1	10
93	90	90	90	152	189	285	364	387	524	575	622	504	291	94	20	1	10
23	14	15	13	8	14	16	19	15	23	20	29	18	15	4	2	---	---
51	58	49	55	81	109	181	221	215	333	338	369	290	158	55	8	---	7
9	5	7	7	5	8	11	6	12	16	12	14	10	9	2	1	---	---
42	32	41	35	71	80	104	143	172	191	237	253	214	133	39	12	1	3
14	9	8	6	3	6	5	13	3	7	8	15	8	6	2	1	---	---
14	12	5	4	13	20	23	28	35	50	47	45	41	22	4	2	---	---
---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---
7	8	4	1	6	14	12	17	19	26	28	33	19	10	2	2	---	---
---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---
7	4	1	3	7	6	11	11	16	24	19	12	22	12	2	---	---	---
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
20	22	20	16	38	45	61	71	79	99	83	98	84	46	10	2	---	1
2	2	2	2	---	2	2	2	1	1	1	1	1	1	---	---	---	---
9	13	10	6	12	22	36	44	41	64	47	63	53	26	8	1	---	1
1	1	1	1	---	---	1	1	---	---	---	---	---	---	---	---	---	---
11	9	10	10	26	23	25	27	38	35	36	35	31	20	2	1	---	---
1	1	2	1	---	---	1	1	---	---	---	---	---	---	---	---	---	---
12	22	16	18	30	41	56	75	60	79	90	90	71	49	18	5	---	1
2	1	1	---	---	1	1	---	1	1	2	2	---	---	---	---	---	---
6	13	5	9	20	24	36	51	34	52	52	49	38	29	10	3	---	1
1	---	---	---	---	1	1	---	1	1	2	1	---	---	---	---	---	---
6	9	11	10	10	17	20	24	26	27	38	41	33	20	8	2	---	---
1	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
47	34	49	51	71	85	145	190	213	296	355	389	308	174	62	11	1	8
19	11	12	11	8	12	13	17	14	21	18	26	18	14	4	2	---	---
29	24	30	39	43	49	97	109	121	191	211	224	180	93	35	2	---	5
7	4	7	6	5	6	9	5	11	14	10	12	10	8	2	1	---	---
18	10	19	12	28	34	48	81	92	105	144	165	128	81	27	9	1	3
12	7	5	5	3	6	4	12	3	7	8	14	8	6	2	1	---	---
919	990	1,051	1,183	1,262	1,470	1,785	1,981	2,204	2,791	2,534	2,276	1,700	879	308	63	31	29
565	582	610	688	776	905	1,170	1,404	1,622	2,179	2,109	1,974	1,511	773	243	61	8	15
354	408	441	495	486	565	615	577	582	612	425	302	18					



GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
155	187	201	237	296	329	434	473	487	609	547	473	337	155	55	11	1	1
150	203	252	304	307	355	347	307	307	250	163	107	50	27	12	7	8	1
83	109	94	144	190	221	261	310	307	369	292	227	180	65	17	5	—	—
80	99	135	162	152	190	200	164	139	138	94	57	24	10	6	6	—	—
72	78	107	95	106	108	173	163	180	240	255	246	177	90	38	5	2	—
70	104	117	142	155	175	147	143	168	112	69	50	26	17	6	2	1	—
9	14	5	15	22	29	25	19	19	27	12	15	13	4	2	1	—	—
1	6	—	1	8	7	8	5	4	1	2	1	3	—	—	—	—	—
6	—	4	9	20	35	22	17	14	18	5	6	—	2	1	—	—	—
1	—	—	1	8	7	6	1	1	1	2	—	2	—	—	—	—	—
3	8	1	6	4	4	2	2	5	9	7	9	1	2	1	—	—	—
—	1	—	—	—	—	2	2	1	—	—	1	—	—	—	—	—	—
25	13	20	16	17	22	32	27	40	37	45	43	28	11	6	1	—	—
13	19	10	14	9	7	15	13	10	15	13	9	6	2	2	—	—	—
10	6	6	6	8	13	26	20	27	20	20	17	15	5	2	—	—	—
6	12	6	7	3	4	7	8	5	9	5	5	2	1	—	—	—	—
15	7	14	7	9	9	6	7	13	17	25	26	13	6	4	1	—	—
7	7	4	7	6	3	8	5	5	6	9	4	4	4	2	—	—	—
77	80	75	94	75	107	117	148	191	220	191	166	144	61	24	6	—	—
41	33	45	43	45	55	58	66	57	85	35	34	19	14	10	2	3	—
44	47	39	44	36	64	62	90	111	139	112	81	67	39	10	2	2	—
20	19	19	26	23	24	30	41	26	50	16	24	13	5	6	—	—	—
33	33	36	50	39	43	55	58	80	81	79	85	77	22	14	4	2	—
21	14	26	17	22	31	28	25	31	35	19	10	6	9	4	1	1	—
299	288	309	328	366	408	561	737	885	1,286	1,314	1,277	989	542	156	42	7	11
149	152	134	133	117	131	187	189	204	261	212	151	111	63	41	13	12	10
152	175	160	168	198	217	329	424	506	730	719	678	547	266	78	14	3	7
73	88	79	72	63	73	99	117	105	158	128	86	69	31	22	6	4	4
147	113	149	158	168	191	232	313	379	595	599	442	276	76	26	4	4	4
76	64	55	61	54	58	88	71	99	103	84	65	42	32	19	7	6	6
1,800	2,007	2,108	2,359	2,567	3,030	3,577	3,993	4,323	5,294	4,697	4,526	3,451	2,093	701	223	104	74
1,518	1,421	1,511	1,669	1,791	2,164	2,607	3,202	3,690	4,360	4,058	4,168	3,221	1,949	599	178	57	45
482	597	690	866	776	866	970	791	633	934	639	538	230	144	102	45	47	29
705	721	844	922	1,056	1,285	1,632	2,028	2,262	2,700	2,404	2,282	1,765	972	286	58	29	29
202	279	289	328	382	464	527	451	338	534	384	213	126	88	46	21	17	17
613	700	667	747	735	879	975	1,174	1,428	1,660	1,654	1,886	1,455	977	313	120	28	16
280	307	308	362	394	402	443	340	295	400	255	145	104	56	56	24	30	12
315	332	379	457	503	623	749	878	943	1,022	913	855	610	356	101	32	10	3
113	174	160	236	216	276	297	210	167	195	104	51	35	23	7	5	1	1
135	163	200	245	291	370	476	562	570	623	541	425	304	162	46	10	6	3
43	85	72	114	120	153	165	130	91	104	60	30	14	13	5	—	—	—
180	169	179	214	212	253	273	316	373	399	372	430	306	194	55	22	4	—
70	89	88	122	96	123	132	80	76	91	44	21	21	10	2	1	5	1
153	169	203	158	214	254	312	328	371	432	363	317	219	150	47	20	3	—
50	62	69	94	104	106	109	90	72	78	54	42	15	11	7	3	5	2
78	85	103	85	127	152	189	220	233	269	214	176	113	56	19	7	3	—
23	32	32	41	47	55	60	49	39	44	37	27	8	6	7	1	1	—
75	84	100	73	87	102	123	108	138	163	149	141	106	94	28	13	—	—
27	30	37	53	57	51	49	41	33	34	17	15	7	4	1	2	4	1
101	121	124	124	159	186	177	298	302	369	285	315	214	122	39	8	6	—
41	39	47	58	60	65	72	63	58	86	39	25	11	6	3	3	4	2
51	49	73	73	91	108	102	174	200	226	164	179	107	70	18	1	1	—
13	21	22	22	24	35	40	36	21	48	22	11	4	—	3	2	1	—
50	72	51	51	68	78	75	124	102	143	121	136	107	52	21	7	5	—
28	18	25	36	36	30	32	27	37	38	17	14	7	2	3	—	2	—
238	263	224	270	235	302	397	475	527	654	630	574	478	282	96	31	9	8
59	101	95	94	106	128	148	110	109	101	57	36	20	21	3	2	5	—
136	122	119	151	130	184	242	290	333	399	363	316	260	125	39	9	4	—
30	43	45	54	44	63	74	57	52	56	30	24	13	10	2	—	1	—
102	141	105	119	105	118	155	185	194	255	267	258	218	157	57	22	5	—
29	58	50	40	62	65	74	53	40	53	45	27	12	7	11	1	2	—
511	536	581	660	680	799	972	1,223	1,547	1,883	1,867	2,107	1,700	1,039	316	87	29	30
219	210	226	208	290	291	344	318	244	466	341	183	84	64	31	31	19	12
305	302	349	370	417	471	623	782	926	1,183	1,122	1,186	982	559	164	31	15	19
93	98	118	97	147	158	188	179	135	282	209	115	76	51	25	11	14	14
206	234	232	290	263	328	349	441	621	700	745	921	718	460	152	56	14	11
126	112	108	111	143	133	156	139	109	184	132	68	57	33	20	17	5	5
111	114	119	124	162	229	270	323	379	454	430	479	352	204	65	12	2	—
109	113	115	122	157	224	266	317	373	451	423	473	351	204	65	12	2	—
2	1	4	2	5	5	4	6	6	3	7	6	1	—	—	—	—	—
61	67	74	75	90	131	176	208	222	272	224	238	156	106	26	8	—	—
1	1	—	2	2	2	3	6	5	1	5	5	—	—	—	—	—	—
48	46	41	47	67	93	90	109	151	179	199	235	195	98	39	4	2	—
1	—	4	3	3	3	1	—	1	2	2	1	1	—	—	—	—	—
36	39	39	50	77	107	134	142	144	179	140	169	118	76	24	3	—	—
—	—	—	1	3	3	4	4	3	2	3	2	—	—	—	—	—	—
25	21	25	33	50	71	91	89	91	108	71	87	48	38	12	2	—	—
—	—	—	—	1	1	—	4	3	3	—	2	—	—	—	—	—	—
13	18	14	17	27	36	43	53	53	71	69	82	70	38	12	1	—	—
—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	—	—	—
12	9	10	8	8	20	25	24	35	49	41	53	42	21	3	1	—	—
—	1	1	1	1	1	2	2	2	—	—	—	—	—	—	—	—	—
4	6	6	4	5	10	15	15	21	29	22	23	17	8	—	—	—	—
—	1	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—
8	3	4	4	3	10	10	9	14	20	19	30	25	13	3	1	—	—
—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
3	3	6	3	6	7	6	10	17	15	34	20	12	7	3	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	4	2	4	1	3	3	8	5	18	11	4	3	1	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	2	1	2	6	3	7										

## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	UTAH—Continued										
	Rural—White	1,442	162	16	8	7	6	199	25	23	49
	All other	42	11	4	2	1	1	19	1	3	—
	Male—White	821	94	9	6	2	4	115	13	15	29
	All other	23	6	3	1	1	1	12	—	2	—
	Female—White	621	68	7	2	5	2	84	12	8	20
	All other	19	5	1	1	—	—	7	1	1	—
2	VERMONT	4,544	291	28	16	12	9	356	32	35	32
3	Both sexes—White	4,532	291	28	16	12	9	356	32	35	32
	All other	12	—	—	—	—	—	—	—	—	—
	Male—White	2,468	167	14	11	4	6	202	15	22	23
	All other	6	—	—	—	—	—	—	—	—	—
	Female—White	2,064	124	14	5	8	3	154	17	13	9
	All other	6	—	—	—	—	—	—	—	—	—
4	Cities of 10,000 to 25,000—White	863	68	10	6	2	—	86	8	6	11
	All other	1	—	—	—	—	—	—	—	—	—
	Male—White	458	36	7	4	—	—	47	4	4	6
	All other	—	—	—	—	—	—	—	—	—	—
	Female—White	405	32	3	2	2	—	39	4	2	5
	All other	1	—	—	—	—	—	—	—	—	—
5	Cities of 2,500 to 10,000—White	1,132	105	7	5	4	4	125	10	7	6
	All other	5	—	—	—	—	—	—	—	—	—
	Male—White	611	57	5	4	1	2	69	2	4	5
	All other	4	—	—	—	—	—	—	—	—	—
	Female—White	521	48	2	1	3	2	56	8	3	1
	All other	1	—	—	—	—	—	—	—	—	—
6	Rural—White	2,537	118	11	5	6	5	145	14	22	15
	All other	6	—	—	—	—	—	—	—	—	—
	Male—White	1,399	74	2	3	3	4	86	9	14	12
	All other	2	—	—	—	—	—	—	—	—	—
	Female—White	1,138	44	9	2	3	1	59	5	8	3
	All other	4	—	—	—	—	—	—	—	—	—
7	VIRGINIA	28,636	3,221	312	164	134	85	3,916	296	295	610
8	Both sexes—White	18,688	1,958	185	104	87	49	2,383	191	166	322
	All other	9,948	1,283	127	60	47	36	1,533	105	129	288
	Male—White	10,508	1,160	108	56	48	33	1,405	105	103	196
	All other	5,365	638	65	32	23	16	824	59	71	145
	Female—White	8,182	798	77	48	39	16	978	86	63	126
	All other	4,583	575	62	28	24	20	709	46	58	143
9	Cities of 100,000 or more—White	2,570	189	13	11	8	3	204	26	18	37
	All other	1,822	183	25	7	11	10	236	18	25	51
	Male—White	1,462	101	3	8	5	3	120	16	14	24
	All other	933	95	11	3	5	4	118	10	13	21
	Female—White	1,108	68	10	3	3	—	84	10	4	13
	All other	889	88	14	4	6	6	118	8	12	30
10	Cities of 25,000 to 100,000—White	1,696	186	15	9	4	3	217	17	14	28
	All other	1,179	124	3	6	2	2	137	10	8	41
	Male—White	942	107	10	4	4	3	128	7	9	19
	All other	610	69	1	3	2	1	76	5	4	22
	Female—White	754	79	5	5	—	—	89	10	5	9
	All other	569	55	2	3	—	1	61	5	4	19
11	Cities of 10,000 to 25,000—White	1,414	115	12	3	9	4	143	12	14	19
	All other	526	41	11	4	4	4	64	5	12	16
	Male—White	790	67	7	1	5	2	82	7	9	10
	All other	266	32	6	2	2	1	43	5	4	8
	Female—White	624	48	5	2	4	2	61	5	5	9
	All other	260	9	5	2	2	3	21	—	8	8
12	Cities of 2,500 to 10,000—White	2,010	226	20	15	14	6	281	23	19	51
	All other	531	58	8	2	2	3	73	8	6	15
	Male—White	1,149	140	15	8	7	3	173	16	14	31
	All other	293	28	3	1	—	3	35	5	3	12
	Female—White	861	86	5	7	7	3	108	7	5	20
	All other	238	30	5	1	2	—	38	3	3	3
15	Rural—White	10,998	1,262	125	66	52	33	1,538	113	101	187
	All other	5,890	857	80	41	28	17	1,023	64	78	165
	Male—White	6,163	745	73	35	27	22	902	59	57	112
	All other	3,263	464	44	23	14	7	552	34	47	82
	Female—White	4,835	517	52	31	25	11	636	54	44	75
	All other	2,627	393	36	18	14	10	471	30	31	83
14	WASHINGTON	18,516	976	90	60	51	43	1,220	154	163	243
15	Both sexes—White	17,983	919	85	55	45	39	1,143	146	153	229
	All other	533	57	5	5	6	4	77	8	10	14
	Male—White	10,879	546	46	32	26	14	664	82	90	159
	All other	329	32	3	1	2	—	38	4	7	9
	Female—White	7,104	373	39	23	19	25	479	64	63	70
	All other	204	25	2	4	4	4	39	4	3	5
16	Cities of 100,000 or more—White	7,531	360	23	16	16	13	428	59	51	67
	All other	255	12	1	1	4	1	19	4	8	7
	Male—White	4,416	217	12	11	11	5	254	34	28	45
	All other	165	8	—	—	1	—	9	2	5	4
	Female—White	3,115	143	11	5	5	10	174	25	23	22
	All other	90	4	1	1	3	1	10	2	3	3
17	Cities of 25,000 to 100,000—White	807	57	5	2	5	3	72	5	7	6
	All other	9	2	—	—	—	—	2	1	—	—
	Male—White	448	36	2	1	2	—	41	1	4	2
	All other	4	2	—	—	—	—	2	—	—	—
	Female—White	359	21	3	1	3	3	31	4	3	4
	All other	5	—	—	—	—	—	—	1	—	—
18	Cities of 10,000 to 25,000—White	1,921	182	12	8	7	5	194	22	25	26
	All other	25	5	—	—	—	1	6	—	—	1
	Male—White	1,129	88	9	7	4	3	111	10	14	20
	All other	13	4	—	—	—	—	4	—	—	—
	Female—White	792	74	3	1	3	2	83	12	11	6
	All other	12	1	—	—	—	1	2	—	—	1
19	Cities of 2,500 to 10,000—White	1,382	118	7	7	2	—	134	14	16	33
	All other	26	9	—	—	—	—	9	—	—	—
	Male—White	847	64	3	2	2	—	71	7	9	17
	All other	14	3	—	—	—	—	5	—	—	—
	Female—White	535	54	4	5	—	—	63	7	7	16
	All other	12	6	—	—	—	—	6	—	—	—



VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS BY AGE, SEX, RACE, AND POPULATION

(Exclusive of

AREA, SEX, AND RACE		Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
1	WASHINGTON—Continued										
	Rural—White	6,342	222	38	22	15	18	315	46	54	97
	All other	216	29	4	4	2	2	41	3	2	6
	Male—White	4,039	141	20	11	7	8	157	30	35	75
	All other	133	15	3	1	1	—	20	2	2	5
	Female—White	2,303	81	18	11	8	10	128	16	19	22
	All other	85	14	1	3	1	2	21	1	—	1
2	WEST VIRGINIA	17,490	2,272	298	132	104	64	2,870	185	207	346
3	Both sexes—White	15,875	2,105	277	126	92	57	2,657	177	192	296
	All other	1,615	167	21	6	12	7	213	8	15	50
	Male—White	9,065	1,203	150	69	57	30	1,509	95	119	165
	All other	953	88	11	4	6	5	114	5	13	22
	Female—White	6,810	902	127	57	35	27	1,148	82	73	133
	All other	662	79	10	2	6	2	99	3	2	28
4	Cities of 25,000 to 100,000—White	3,599	352	51	22	23	18	466	48	44	66
	All other	266	12	1	2	2	2	19	2	2	9
	Male—White	2,033	198	36	9	16	9	288	22	28	38
	All other	175	7	1	2	—	—	12	1	2	5
	Female—White	1,566	154	15	13	7	9	198	26	16	28
	All other	111	5	—	—	2	—	7	1	—	4
5	Cities of 10,000 to 25,000—White	1,130	108	16	6	8	2	140	12	19	26
	All other	140	9	2	—	—	—	11	1	1	3
	Male—White	645	67	10	4	6	2	89	6	12	11
	All other	81	5	2	—	—	—	7	—	1	1
	Female—White	485	41	6	2	2	—	51	6	7	15
	All other	59	4	—	—	—	—	4	1	—	2
6	Cities of 2,500 to 10,000—White	2,558	320	57	31	16	14	438	47	44	75
	All other	340	28	8	1	4	1	42	2	4	10
	Male—White	1,478	177	29	14	9	11	240	23	28	38
	All other	200	15	5	—	—	—	22	2	4	3
	Female—White	1,080	143	28	17	7	3	198	24	16	37
	All other	140	13	3	1	2	1	20	—	—	7
7	Rural—White	8,588	1,325	153	67	45	23	1,613	70	85	129
	All other	849	118	10	3	6	4	141	3	8	26
	Male—White	4,909	781	75	42	26	8	912	44	51	78
	All other	497	61	3	2	4	3	73	2	6	13
	Female—White	3,679	564	78	25	19	15	701	26	34	53
	All other	352	57	7	1	2	1	68	1	2	15
8	WISCONSIN	31,424	2,179	209	101	79	64	2,632	237	272	427
9	Both sexes—White	31,062	2,127	205	98	78	61	2,569	235	268	420
	All other	362	52	4	3	1	3	63	2	4	7
	Male—White	17,291	1,221	108	57	51	33	1,470	123	159	268
	All other	207	29	2	1	1	1	34	1	1	3
	Female—White	13,771	906	97	41	27	28	1,099	112	109	152
	All other	155	23	2	2	—	2	29	1	3	4
10	Cities of 100,000 or more—White	5,152	330	26	15	8	15	394	42	26	45
	All other	61	4	—	1	—	1	6	—	—	—
	Male—White	2,661	188	14	7	7	9	225	20	14	23
	All other	41	1	—	—	—	—	1	—	—	—
	Female—White	2,491	142	12	8	1	6	169	22	12	22
	All other	20	3	—	1	—	1	5	—	—	—
11	Cities of 25,000 to 100,000—White	6,109	454	48	21	18	11	552	50	72	95
	All other	22	1	—	—	—	—	2	—	—	1
	Male—White	3,397	252	23	14	11	6	306	22	42	57
	All other	14	—	—	—	—	—	1	—	—	—
	Female—White	2,712	202	25	7	7	5	245	28	30	38
	All other	8	1	—	—	—	—	1	—	—	1
12	Cities of 10,000 to 25,000—White	2,518	205	14	6	13	8	246	21	28	37
	All other	13	1	—	—	—	—	1	—	—	1
	Male—White	1,389	117	5	4	8	3	137	10	18	23
	All other	8	1	—	—	—	—	1	—	—	1
	Female—White	1,129	88	9	2	5	5	109	11	10	14
	All other	5	—	—	—	—	—	—	—	—	—
13	Cities of 2,500 to 10,000—White	4,249	385	35	18	9	8	455	32	38	63
	All other	15	—	—	—	—	—	—	—	—	—
	Male—White	2,306	233	17	10	6	3	289	18	23	39
	All other	9	—	—	—	—	—	—	—	—	—
	Female—White	1,943	152	18	8	3	5	166	14	15	24
	All other	6	—	—	—	—	—	—	—	—	—
14	Rural—White	13,034	753	82	38	30	19	922	90	104	180
	All other	251	47	3	2	—	2	54	2	4	5
	Male—White	7,538	431	49	22	19	12	533	53	62	126
	All other	135	28	1	1	—	1	31	1	1	2
	Female—White	5,496	322	33	16	11	7	389	37	42	54
	All other	116	19	2	1	—	1	23	1	3	3
15	WYOMING	2,207	223	25	11	6	5	270	32	30	54
16	Both sexes—White	2,129	202	23	11	6	4	246	31	30	53
	All other	78	21	2	—	—	1	24	1	—	1
	Male—White	1,380	109	12	6	2	2	131	25	17	39
	All other	45	10	1	—	—	1	12	1	—	1
	Female—White	769	93	11	5	4	2	115	6	13	14
	All other	33	11	1	—	—	—	12	—	—	—
17	Cities of 10,000 to 25,000—White	433	47	4	—	1	—	52	8	5	14
	All other	14	1	—	—	—	—	1	—	—	—
	Male—White	257	27	1	—	—	—	28	7	5	9
	All other	9	1	—	—	—	—	1	—	—	—
	Female—White	176	20	3	—	1	—	24	1	—	5
	All other	5	—	—	—	—	—	—	—	—	—
18	Cities of 2,500 to 10,000—White	592	46	5	7	2	—	60	8	10	6
	All other	14	1	—	—	—	—	1	—	—	—
	Male—White	384	22	3	5	1	—	31	7	6	5
	All other	5	—	—	—	—	—	—	—	—	—
	Female—White	208	24	2	2	1	—	29	1	4	1
	All other	9	1	—	—	—	—	1	—	—	—
19	Rural—White	1,104	109	14	4	3	4	134	15	15	33
	All other	50	19	2	—	—	1	22	1	—	1
	Male—White	719	60	8	1	1	2	72	11	6	25
	All other	31	9	1	—	—	1	11	1	—	1
	Female—White	385	49	6	3	2	2	62	4	9	8
	All other	19	10	1	—	—	—	11	—	—	—

GENERAL TABLES—TOTAL DEATHS

GROUPS: UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated
122	145	151	150	191	284	370	440	568	700	740	831	686	315	104	22	4	7
17	9	9	6	10	9	10	15	21	13	15	15	9	4	4	—	1	—
80	93	93	110	117	199	261	291	374	455	479	505	414	175	37	10	2	7
9	2	7	3	7	4	6	12	16	7	12	10	3	3	2	—	1	—
42	52	58	40	74	85	109	149	194	245	261	326	272	140	57	12	—	—
8	7	2	3	3	5	4	3	5	6	3	5	6	1	1	—	—	—
460	540	491	618	690	808	956	1,170	1,340	1,535	1,651	1,465	1,149	657	234	59	14	55
411	472	408	512	571	656	802	1,032	1,224	1,428	1,550	1,412	1,126	641	217	53	10	28
49	68	83	106	119	152	154	138	116	107	101	53	23	26	17	6	4	7
246	290	229	294	325	377	467	626	738	850	898	781	588	319	102	21	2	16
30	37	39	55	76	93	107	85	72	67	63	31	13	14	9	4	—	4
165	182	179	228	246	279	315	406	486	578	652	631	538	322	115	32	8	12
19	31	44	51	43	59	47	53	44	40	38	22	10	12	8	2	4	4
91	113	100	120	177	210	235	301	326	338	342	279	177	114	44	3	1	3
5	14	10	16	16	36	33	29	25	18	22	15	3	6	4	—	—	2
49	65	56	63	104	112	133	180	211	202	199	146	85	49	19	1	—	3
4	6	6	9	9	22	29	15	14	10	14	10	1	3	1	—	—	2
42	48	44	57	73	98	102	121	115	136	143	133	92	65	25	2	1	1
1	8	4	7	7	14	4	14	11	8	8	5	2	3	3	—	—	2
30	28	27	35	51	60	58	84	98	114	107	101	81	41	14	2	—	5
9	7	7	11	18	11	21	10	8	6	8	5	2	1	—	—	—	2
19	17	16	18	28	37	35	53	63	67	58	55	36	15	8	1	—	1
6	4	3	7	11	4	11	6	6	4	6	3	1	—	—	—	—	1
11	11	11	17	23	23	31	35	47	49	46	45	26	6	1	—	—	1
3	3	4	4	7	7	10	4	2	2	2	1	1	—	—	—	—	6
98	101	94	112	104	125	156	160	197	219	200	160	120	70	25	6	—	7
8	16	24	25	33	51	25	32	27	23	19	6	4	2	6	1	—	4
54	64	51	68	61	74	102	98	134	137	109	80	65	34	13	1	—	4
5	11	10	12	22	19	15	23	17	13	12	2	3	1	3	1	—	—
44	37	43	44	43	51	54	62	63	82	91	80	55	36	12	5	—	3
3	5	14	13	11	12	10	9	10	10	7	4	1	5	1	—	—	—
192	230	187	245	239	261	353	467	603	757	901	872	748	416	134	7	42	9
27	31	42	54	52	74	75	67	56	60	52	27	14	17	7	5	4	5
124	144	106	135	132	154	217	295	330	444	532	500	402	221	62	18	2	8
15	16	20	27	34	48	52	41	35	40	31	16	8	10	5	3	—	2
68	86	81	110	107	136	192	273	313	369	372	346	195	72	24	7	7	7
12	15	22	27	18	26	23	21	20	21	11	6	7	2	2	4	—	3
485	490	559	677	934	1,397	1,721	2,207	2,592	3,266	3,818	4,044	3,283	1,674	591	100	12	6
469	477	539	656	908	1,376	1,694	2,185	2,572	3,237	3,794	4,029	3,256	1,664	589	98	11	6
16	13	20	21	26	21	27	22	20	29	24	15	17	10	2	2	1	—
289	281	285	370	528	802	961	1,306	1,435	1,867	2,143	2,188	1,732	802	257	35	7	3
11	5	12	12	16	12	16	13	15	14	8	9	8	1	—	—	—	—
180	216	254	286	380	574	733	879	1,137	1,370	1,651	1,841	1,534	862	332	65	4	3
5	8	8	9	10	9	11	6	7	14	10	7	8	2	2	1	—	—
62	61	97	125	251	338	412	462	503	560	576	535	394	192	64	11	2	—
—	—	4	4	10	7	5	6	4	8	4	—	2	—	—	—	—	10
29	24	53	65	158	214	237	261	269	276	280	238	170	75	23	5	—	—
—	—	3	2	10	7	4	5	2	4	2	—	1	—	—	—	—	—
33	37	44	60	93	124	175	201	234	284	296	297	224	117	41	6	—	—
—	—	1	2	—	—	1	1	2	4	2	—	1	—	—	—	—	—
107	102	111	147	199	317	372	461	517	689	709	722	542	272	72	19	—	2
—	—	4	—	1	3	2	—	—	1	1	2	2	—	—	—	—	11
65	56	63	79	112	179	218	271	294	393	412	380	287	127	26	7	—	1
—	—	3	—	1	1	1	2	—	1	1	2	1	—	—	—	—	—
42	46	48	68	87	138	154	190	223	276	297	342	255	145	46	12	—	1
—	—	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—
36	37	43	52	74	102	137	169	167	255	322	351	261	132	43	5	—	12
—	—	—	3	—	1	2	—	1	2	1	—	1	—	—	—	—	—
23	19	24	23	40	51	75	104	87	153	190	192	139	61	19	1	—	—
—	—	—	2	—	1	1	—	—	1	1	—	—	—	—	—	—	—
13	18	19	29	34	51	62	65	60	102	132	159	122	71	24	4	—	—
—	—	—	1	—	1	1	—	1	1	1	—	1	—	—	—	—	—
57	69	68	85	88	189	181	267	336	432	532	543	495	222	83	13	—	15
1	1	1	1	1	1	1	2	3	2	2	2	1	—	—	—	—	—
35	37	32	46	50	106	86	154	178	239	295	304	252	103	35	4	—	—
1	1	1	1	—	1	1	2	2	—	—	—	1	—	—	—	—	—
22	32	36	39	38	83	95	113	158	193	237	239	243	119	48	9	—	—
—	—	—	1	—	—	—	—	1	2	2	—	—	—	—	—	—	—
207	208	220	247	296	430	592	826	1,049	1,321	1,655	1,878	1,574	846	327	50	8	4
15	13	11	13	14	10	17	12	12	18	16	11	11	10	2	1	—	14
137	125	113	157	168	252	345	516	607	806	966	1,074	884	436	154	18	4	2
10	5	5	7	5	3	9	7	9	9	10	6	6	8	1	—	—	—
70	83	107	90	128	178	247	310	442	515	689	804	690	410	173	32	4	2
5	8	6	6	9	7	8	5	3	9	6	5	5	2	2	—	—	—
82	64	46	75	92	112	173	160	173	204	210	190	153	64	16	4	—	15
80	62	43	72	89	106	168	155	171	192	206	185	152	64	16	4	—	16
2	2	3	3	5	4	5	5	2	12	4	5	1	—	—	—	—	—
56	43	26	45	55	64	114	103	116	129	141	120	92	34	6	2	—	2
3	—	—	1	3	2	3	3	1	8	2	4	1	—	—	—	—	—
24	19	17	27	34	44	54	52	55	63	65	65	60	30	10	2	—	—
1	—	3	2	2	2	2	2	1	4	2	1	—	—	—	—	—	—
12	9	8	17	24	32	42	30	32	42	41	33	20	9	—	—	—	17
—	1	1	2	—	2	1	1	1	2	1	—	1	—	—	—	—	—
6	5	3	9	12	18	28	21	18	25	26	20	11	4	—	—	—	1
—	1	—	1	1	1	1	1	1	1	1	—	1	—	—	—	—	—
6	4	5	8	12	14	14	9	14	17	15	13	9	5	—	—	—	—
—	—	1	1	1	1	1	—	—	5	—	—	—	—	—	—	—	—
15	15	14	17	31	27	57	49	47	57	58	55	40	19	6	—	—	18
—	—	—	3	—	1	1	1	1	3	2	2	—	—	—	—	—	—
10	11	7	12	20	19	37	33	28	39	36	39	28	12	3	—	—	1
—	—	—	3	—	—	—	—	—	1	—</							

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes-----	1,387,897	108,846	12,713	6,193	4,452	3,529	135,733	12,338	12,614	22,140	28,484
	All races-----Male	768,877	61,985	6,849	3,416	2,465	1,929	76,644	7,046	7,471	12,315	15,526
	Female	619,020	46,861	5,864	2,777	1,987	1,600	59,089	5,292	5,143	9,825	12,958
	White-----M	672,047	50,171	5,289	2,757	2,011	1,571	61,799	5,915	6,172	9,795	11,847
	F	535,031	37,670	4,540	2,180	1,597	1,276	47,263	4,356	4,010	6,753	8,901
	Negro-----M	92,276	11,174	1,385	594	414	328	13,895	1,080	1,221	2,388	3,508
	F	61,234	8,581	1,168	529	358	298	10,954	857	1,057	2,945	3,891
	Other races-----M	4,554	640	175	65	40	30	950	71	78	132	171
	F	2,755	610	156	68	32	26	892	79	76	127	166
	I.—Infectious and parasitic diseases-----	125,528	8,544	3,167	1,668	1,181	865	15,425	2,634	2,290	5,323	7,694
	White-----M	54,407	3,186	1,142	658	478	359	5,823	1,066	794	1,344	1,900
	F	37,137	2,662	1,132	578	406	292	5,070	912	724	1,661	2,650
	Negro-----M	17,551	1,596	409	184	148	97	2,234	282	274	804	1,214
	F	14,615	1,112	387	200	115	85	1,899	278	421	1,374	1,765
	Other races-----M	1,087	80	48	23	17	17	185	30	35	69	92
	F	750	108	49	25	17	15	214	36	42	71	93
1	Typhoid fever-----	1,922	25	23	18	20	19	105	113	182	268	235
	White-----M	842	14	11	8	8	4	45	28	71	92	112
	F	560	3	5	5	6	5	24	41	54	91	69
	Negro-----M	259	5	4	4	4	7	24	18	23	35	26
	F	246	3	3	1	2	3	12	24	33	47	27
	Other races-----M	8	---	---	---	---	---	---	1	---	1	1
	F	7	---	---	---	---	---	---	---	1	2	---
2	Paratyphoid fever-----	79	12	3	1	4	---	20	3	3	3	4
	White-----M	39	6	2	1	1	---	10	2	1	2	1
	F	31	5	1	---	3	---	9	---	1	1	2
	Negro-----M	6	---	---	---	---	---	---	1	---	---	---
	F	3	1	---	---	---	---	1	---	---	---	1
5	Undulant fever (brucellosis)-----	97	2	1	---	---	---	3	2	5	4	4
	White-----M	53	---	1	---	---	---	1	---	2	3	3
	F	38	2	---	---	---	---	2	1	2	---	1
	Negro-----M	4	---	---	---	---	---	---	---	---	1	---
	F	2	---	---	---	---	---	---	1	1	---	---
6	Cerebrospinal (meningococcus) meningitis-----	865	153	79	53	38	23	346	98	67	82	45
	White-----M	479	78	45	23	14	11	171	53	34	45	28
	F	250	54	25	22	9	7	117	25	23	18	11
	Negro-----M	70	14	5	1	7	3	30	8	4	16	5
	F	41	4	1	4	5	1	15	7	4	2	1
	Other races-----M	14	2	3	3	1	1	10	1	1	---	---
	F	9	1	---	---	2	---	3	4	1	1	---
7	Anthrax (infection by Bacillus anthracis)-----	9	---	---	---	---	---	---	---	---	---	---
	White-----M	7	---	---	---	---	---	---	---	---	---	---
	F	2	---	---	---	---	---	---	---	---	---	---
8	Scarlet fever-----	853	32	70	82	70	78	332	188	94	59	29
	White-----M	409	14	38	38	30	38	158	91	50	30	12
	F	404	15	30	40	36	34	155	87	40	28	16
	Negro-----M	18	1	2	1	1	5	10	6	1	---	---
	F	18	1	---	2	3	1	7	3	2	1	1
	Other races-----F	4	1	---	1	---	---	2	1	1	---	---
9	Whooping cough-----	3,026	2,013	588	181	90	48	2,920	74	10	6	5
	White-----M	1,003	715	168	41	29	18	971	23	4	1	---
	F	1,085	713	225	63	30	13	1,044	26	5	3	3
	Negro-----M	436	272	92	31	21	10	426	7	---	2	---
	F	447	277	90	43	9	6	425	17	1	---	2
	Other races-----M	14	7	3	2	1	---	13	1	---	---	---
	F	41	29	10	1	---	1	41	---	---	---	---
10	Diphtheria (infection by C. diphtheriae)-----	1,997	167	293	337	279	221	1,297	422	73	39	21
	White-----M	925	85	139	160	131	97	612	192	35	14	8
	F	778	58	108	119	106	88	479	172	28	19	11
	Negro-----M	142	17	17	32	22	15	103	25	6	3	---
	F	130	7	26	20	19	18	90	29	4	2	2
	Other races-----M	12	---	2	2	1	3	8	2	---	---	---
	F	10	---	1	4	---	---	5	2	---	1	---
11	Erysipelas-----	655	107	8	5	3	---	123	7	5	6	11
	White-----M	314	44	2	2	3	---	51	3	2	3	3
	F	289	54	5	3	---	---	62	3	3	2	7
	Negro-----M	10	2	---	---	---	---	2	---	---	1	---
	F	19	4	1	---	---	---	5	1	---	---	1
	Other races-----M	1	---	---	---	---	---	1	---	---	---	---
	F	2	2	---	---	---	---	2	---	---	---	---
12	Tetanus-----	637	131	9	17	12	17	186	102	71	38	17
	White-----M	317	41	5	7	5	9	67	60	39	20	9
	F	137	26	2	5	4	5	42	22	14	7	1
	Negro-----M	119	37	2	4	2	1	46	11	13	8	6
	F	62	27	---	1	---	2	30	9	5	3	1
	Other races-----M	1	---	---	---	---	---	---	---	---	---	---
	F	1	---	---	---	1	---	1	---	---	---	---
13-22	Tuberculosis (all forms)-----	61,609	540	552	243	211	143	1,689	514	861	3,532	5,855
	White-----M	26,497	184	181	69	64	50	548	162	187	655	1,280
	F	17,858	161	174	86	57	36	514	131	231	1,106	2,058
	Negro-----M	8,285	89	80	31	38	20	258	90	124	588	950
	F	7,718	76	77	35	32	19	239	88	257	1,075	1,383
	Other races-----M	757	18	23	8	9	9	67	21	29	65	85
	F	494	12	17	14	11	9	63	22	33	63	89



GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939

(stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.		
31,794	35,286	43,222	55,990	71,762	91,553	105,870	123,098	144,707	148,098	139,582	105,885	56,041	19,110	4,498	1,110	992			
16,836 14,958	19,116 16,170	25,774 19,448	31,158 22,652	42,550 29,232	55,213 36,340	65,637 42,233	71,822 51,266	82,292 62,415	80,933 67,165	73,050 66,552	52,749 55,156	26,094 29,947	7,984 11,126	1,670 2,828	378 752	639 353			
12,414 10,486 4,254 4,564 168 128	14,514 11,707 4,642 4,365 150 98	18,034 14,034 5,515 5,525 225 88	24,683 17,147 6,252 5,580 223 105	35,158 25,110 7,115 6,019 247 105	46,786 29,497 8,152 6,752 295 101	56,005 36,086 7,298 6,036 344 111	65,005 45,537 6,457 5,605 322 123	75,109 56,787 6,861 5,500 522 128	75,557 62,824 5,537 4,226 239 115	69,409 63,576 3,398 2,845 245 111	50,547 51,120 2,242 1,928 160 88	24,605 28,535 1,406 1,558 85 40	7,553 10,549 591 748 40 29	1,564 2,456 292 1,558 14 15	181 336 181 385 16 13	407 191 221 157 11 5			
8,712	8,481	8,763	8,997	9,461	9,427	8,578	7,573	6,979	5,294	4,179	2,982	1,746	667	165	54	104			
2,401 2,896 1,468 1,805 80 62	2,870 2,572 1,602 1,339 64 34	3,408 2,285 1,772 1,264 76 30	4,089 2,037 1,772 985 82 34	4,842 2,049 1,630 845 67 28	5,311 1,867 1,437 725 70 17	5,032 1,878 1,008 561 76 23	4,366 1,989 720 421 62 15	3,822 2,148 601 347 49 12	2,791 1,895 339 240 20 9	2,029 1,783 206 132 17 12	1,410 1,381 101 68 7 9	724 889 64 62 5 2	264 332 32 35 1 3	50 92 11 12 — —	10 20 6 14 — —	31 21 26 26 — —			
210 93 58 50 26 2 1	160 76 38 27 18 1	150 55 44 19 11 1	91 43 22 10 15 1	95 51 30 9 5 28	87 39 25 14 7 17	81 41 25 9 8 23	72 47 10 9 6 15	43 21 15 3 4 12	32 19 10 1 2 9	11 7 4 — — —	5 2 2 1 — —	1 — — — — —	— — — — — —	— — — — — —	— — — — — —	1 — — — — —	1		
4 1 3	5 2 2 1	2 — — 1	3 1 2 — — —	3 2 1 — — —	8 5 2 1 — —	3 1 2 — — —	7 6 1 — — —	6 2 3 — — —	2 2 1 — — —	3 1 2 — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	2 — — — — —	2	
7 4 3	12 9 3	3 3 — —	10 5 5 —	7 3 4 —	6 3 2 1 —	10 5 4 1 —	7 6 1 — —	10 4 6 — —	3 1 1 — —	2 1 1 — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	1 — — — —	5	
31 20 7 1 2 1	33 22 7 1 2 1	30 20 5 2 — —	20 14 4 1 1 —	24 12 10 1 1 —	26 16 7 2 — —	21 14 7 — — —	19 14 4 — — —	16 12 4 — — —	2 2 — — — —	1 1 — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	1 1 — — — —	6	
1 1	— —	1 1	2 2	1 1	1 1	1 1	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7	
33 6 24 1 2	38 17 19 — —	26 16 10 — —	21 12 9 — —	12 7 5 — —	7 4 3 — —	4 1 3 — —	5 4 1 — —	3 1 2 — —	1 1 — — —	1 1 — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	8	
— — — — —	2 — — — —	— — — — —	1 1 — — —	— — — — —	1 1 — — —	— — — — —	— — — — —	2 1 — — —	— — — — —	1 1 — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	2 1 — — —	9
14 2 11 1	15 6 7 1	17 9 7 —	15 6 6 —	20 12 5 —	24 10 14 —	11 6 4 —	9 2 7 —	7 4 2 —	5 2 3 —	1 1 — —	3 3 — —	— — — —	1 — — —	1 — — —	— — — —	— — — —	— — — —	2 1 1 —	10
18 8 9 1	11 6 2 1	15 7 7 —	23 15 8 —	22 11 10 —	27 13 12 —	48 25 20 —	41 28 12 —	67 33 32 —	65 30 33 —	49 26 23 —	56 33 23 —	22 10 12 —	15 9 6 —	2 — — —	1 — — —	— — — —	— — — —	1 — — —	11
— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	12
27 6 11 5 5	28 17 8 2 1	26 11 8 5 2	29 13 5 3 —	16 7 4 4 1	21 13 2 4 2	16 12 1 2 —	16 9 5 2 —	22 16 5 1 —	12 10 1 1 —	7 5 1 1 —	1 1 — — —	2 2 — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	13-22
6,520 1,723 2,286 1,047 1,342 68 54	5,879 1,993 1,911 1,007 881 55 32	5,658 2,297 1,583 967 717 69 25	5,451 2,693 1,287 885 502 58 26	5,479 3,070 1,191 760 390 47 21	5,125 3,177 1,191 619 285 48 11	4,287 2,679 989 370 200 40 19	3,555 2,156 961 255 128 43 10	3,061 1,789 974 187 101 34 6	2,044 1,139 727 95 67 11 5	1,270 645 534 42 28 12 9	584 270 277 16 12 4 5	198 88 98 7 4 1 —	35 15 15 1 3 — —	8 4 3 — — — —	2 1 — — — — —	44 16 7 6 15 — —			

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
I.—Infectious and parasitic diseases—Contd.												
13	Tuberculosis (all forms)—Continued											
	Tuberculosis of respiratory system, etc.*	56,388	269	252	101	78	54	754	221	621	3,161	5,447
	White—M	24,561	89	70	24	16	16	215	51	97	544	1,166
	F	16,200	77	58	28	19	10	192	45	175	988	1,945
	Negro—M	7,496	46	40	16	19	7	128	46	88	512	885
	F	7,036	37	36	15	17	9	114	55	218	998	1,295
	Other races—M	669	11	16	6	3	6	42	14	17	60	75
	F	436	9	12	12	4	6	43	12	26	59	85
14	Tuberculosis of meninges, etc.*	1,468	160	218	102	91	55	624	178	102	94	98
	White—M	543	66	80	35	35	24	258	72	29	26	34
	F	477	54	85	43	25	12	217	57	37	50	50
	Negro—M	189	16	20	11	10	9	66	25	10	15	15
	F	184	16	25	10	12	4	67	16	15	18	16
	Other races—M	44	6	6	1	5	2	20	3	8	1	3
	F	31	2	4	2	6	2	16	7	3	3	—
15	Tuberculosis of intestines and peritoneum	971	10	10	1	8	7	36	18	27	82	94
	White—M	278	5	3	—	4	2	14	6	5	15	17
	F	353	2	4	1	2	3	12	3	6	24	28
	Negro—M	148	2	1	—	2	1	6	2	6	15	15
	F	176	1	2	—	—	1	4	6	7	26	30
	Other races—M	8	—	—	—	—	—	—	1	1	1	1
	F	8	—	—	—	—	—	—	—	2	1	3
16	Tuberculosis of vertebral column	641	3	4	7	6	6	26	17	23	46	46
	White—M	259	1	—	4	4	2	11	6	10	18	13
	F	214	1	3	1	2	4	11	4	7	9	9
	Negro—M	101	1	—	1	—	—	2	4	3	7	16
	F	58	—	1	1	—	—	2	2	3	12	4
	Other races—M	6	—	—	—	—	—	—	—	—	—	4
	F	3	—	—	—	—	—	—	—	—	—	—
17	Tuberculosis of bones and joints, etc.*	274	—	3	—	1	1	5	9	14	15	18
	White—M	183	—	2	—	1	1	4	4	8	5	7
	F	75	—	1	—	—	—	1	3	2	4	4
	Negro—M	47	—	—	—	—	—	—	1	4	5	6
	F	19	—	—	—	—	—	—	1	—	1	—
	Other races—M	2	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—
18	Tuberculosis of skin, etc.*	38	—	—	—	—	—	—	—	1	2	3
	White—M	14	—	—	—	—	—	—	—	1	1	1
	F	12	—	—	—	—	—	—	—	—	—	—
	Negro—M	5	—	—	—	—	—	—	—	—	—	1
	F	5	—	—	—	—	—	—	—	—	—	1
	Other races—M	1	—	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	—	—	—
19	Tuberculosis of lymphatic system, etc.*	107	3	3	1	2	—	9	4	2	3	6
	White—M	33	2	1	—	1	—	4	—	—	—	1
	F	39	1	—	—	—	—	1	2	1	—	3
	Negro—M	20	—	2	—	—	—	2	1	—	2	1
	F	10	—	—	1	—	—	1	—	1	—	1
	Other races—M	4	—	—	—	—	—	—	1	—	1	—
	F	1	—	—	—	1	—	1	—	—	—	—
20	Tuberculosis of genito-urinary system	456	—	1	—	—	1	2	4	9	20	29
	White—M	253	—	—	—	—	1	1	3	6	7	17
	F	148	—	1	—	—	—	1	1	1	10	6
	Negro—M	32	—	—	—	—	—	—	—	—	1	1
	F	15	—	—	—	—	—	—	—	1	2	3
	Other races—M	6	—	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	—	—	—	—
21	Tuberculosis of other organs	104	—	1	—	2	—	3	2	6	3	2
	White—M	49	—	—	—	—	—	—	—	3	1	1
	F	36	—	1	—	2	—	3	1	1	—	—
	Negro—M	12	—	—	—	—	—	—	1	1	1	—
	F	7	—	—	—	—	—	—	1	1	1	1
22	Disseminated tuberculosis	1,152	95	80	51	25	21	250	61	56	106	112
	White—M	374	21	25	6	5	4	61	20	8	18	23
	F	306	26	23	13	7	7	76	15	21	41	33
	Negro—M	235	24	17	3	7	3	54	12	12	29	20
	F	208	22	13	8	3	5	51	10	11	17	32
	Other races—M	17	1	1	1	1	1	5	2	2	1	1
	F	12	1	1	—	—	1	3	2	2	—	3
23	Leprosy	20	—	—	—	—	—	—	—	—	1	1
	White—M	15	—	—	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	—	—	—	—	—
	Negro—M	1	—	—	—	—	—	—	—	—	—	—
24	Septicemia and purulent infection (nonpuerperal)	1,640	113	41	25	22	17	218	82	119	119	82
	White—M	850	45	23	13	13	13	107	45	70	68	33
	F	549	56	13	10	7	3	89	33	33	30	29
	Negro—M	131	7	3	1	1	—	12	1	9	9	11
	F	96	3	1	1	—	—	6	2	6	11	9
	Other races—M	7	2	—	—	—	—	2	—	—	1	—
	F	7	—	1	—	—	—	2	1	1	—	—
25	Gonococcus infection	450	15	—	1	1	—	17	2	1	34	61
	White—M	53	5	—	—	—	—	5	—	1	—	2
	F	157	4	—	—	1	—	5	1	—	16	32
	Negro—M	58	1	—	—	—	—	1	—	—	3	5
	F	174	5	—	1	—	—	6	1	—	14	21
	Other races—M	4	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	—	1	1
26	Other diseases due to bacteria (except dysentery)	262	—	2	3	1	1	7	5	2	5	5
	White—M	130	—	1	—	—	—	1	1	2	1	3
	F	84	—	—	1	1	—	2	—	—	1	—
	Negro—M	25	—	—	2	—	—	3	2	—	2	—
	F	22	—	1	—	—	—	1	2	—	1	2
	Other races—M	1	—	—	—	—	—	—	—	—	—	—

\*Refer to complete International List titles, table XI.



VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,  
(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
I.—Infectious and parasitic diseases—Contd.												
27	Dysentery	2,537	1,012	346	111	62	26	1,557	40	28	21	35
	White	1,023	431	131	48	28	15	653	15	9	10	13
	Female	935	353	125	38	27	8	551	16	11	6	8
	Male	283	109	41	7	1	1	159	3	2	1	6
	Negro	264	98	37	15	2	1	153	6	4	4	7
	Female	26	8	7	1	4	—	20	—	2	—	—
	Male	26	13	5	2	—	1	21	—	—	—	1
28	Malaria	1,761	142	72	58	39	35	346	105	73	75	83
	White	503	40	14	17	15	7	93	26	20	15	20
	Female	374	32	16	16	9	9	82	30	14	21	11
	Male	440	40	25	13	5	10	93	27	17	17	22
	Negro	441	29	17	12	10	9	77	22	22	22	29
	Female	3	1	—	—	—	—	1	—	—	—	1
	Male	—	—	—	—	—	—	—	—	—	—	—
29	Other diseases due to parasitic protozoa, etc.*	5	1	—	—	—	—	1	—	—	—	1
	White	4	1	—	—	—	—	1	—	—	—	1
	Female	1	—	—	—	—	—	—	—	—	—	—
	Male	—	—	—	—	—	—	—	—	—	—	—
30a	Locomotor ataxia (tabes dorsalis)	787	—	—	—	—	—	—	—	—	—	3
	White	585	—	—	—	—	—	—	—	—	—	1
	Female	137	—	—	—	—	—	—	—	—	—	1
	Male	40	—	—	—	—	—	—	—	—	—	—
	Negro	20	—	—	—	—	—	—	—	—	—	1
	Female	3	—	—	—	—	—	—	—	—	—	—
	Male	2	—	—	—	—	—	—	—	—	—	—
30b	General paralysis of insane	4,508	—	—	—	—	—	—	1	8	25	52
	White	2,555	—	—	—	—	—	—	1	1	9	21
	Female	706	—	—	—	—	—	—	—	4	10	12
	Male	977	—	—	—	—	—	—	—	1	2	11
	Negro	272	—	—	—	—	—	—	—	2	3	8
	Female	17	—	—	—	—	—	—	—	—	1	—
	Male	1	—	—	—	—	—	—	—	—	—	—
30d	Aneurysm of aorta	3,917	2	—	—	—	—	2	—	—	10	16
	White	2,275	—	—	—	—	—	—	—	—	4	8
	Female	545	—	—	—	—	—	—	—	—	1	2
	Male	796	1	—	—	—	—	1	—	—	2	3
	Negro	267	1	—	—	—	—	1	—	—	3	3
	Female	32	—	—	—	—	—	—	—	—	—	—
	Male	2	—	—	—	—	—	—	—	—	—	—
30c,e,f,g	Syphilis (other forms)	10,392	1,298	88	29	15	8	1,438	37	62	166	334
	White	3,778	315	20	8	3	—	346	9	15	19	35
	Female	1,672	248	17	2	2	2	271	5	10	38	69
	Male	2,955	411	26	7	5	4	455	9	15	25	81
	Negro	1,854	295	22	11	5	2	355	13	21	82	146
	Female	89	12	2	—	—	—	14	—	—	—	2
	Male	46	17	1	1	—	—	19	1	1	2	1
31	Relapsing fever	2	—	—	—	—	—	—	—	—	—	—
	White	1	—	—	—	—	—	—	—	—	—	—
	Negro	1	—	—	—	—	—	—	—	—	—	—
32	Other diseases due to spirochetes	372	16	14	12	9	8	59	23	10	24	19
	White	142	6	6	4	6	2	24	5	6	10	3
	Female	144	8	8	6	1	4	27	12	3	10	7
	Male	34	—	—	1	—	1	2	3	—	1	3
	Negro	50	2	—	1	2	1	6	3	1	3	4
	Female	2	—	—	—	—	—	—	—	—	—	2
	Male	—	—	—	—	—	—	—	—	—	—	—
33a	Influenza, with respiratory complications specified	13,526	1,442	370	179	93	62	2,146	193	172	326	321
	White	5,464	602	120	69	41	26	858	71	56	114	102
	Female	5,156	443	130	59	26	21	679	75	64	99	104
	Male	1,422	224	63	20	13	7	327	26	22	52	46
	Negro	1,405	146	51	28	11	7	245	19	30	60	68
	Female	38	12	2	3	1	—	18	1	—	—	—
	Male	41	15	4	—	1	1	21	1	—	1	1
33b	Influenza, without respiratory complications specified	7,938	869	256	148	88	60	1,421	184	133	184	166
	White	3,273	376	102	73	32	22	605	90	52	83	61
	Female	3,176	265	97	45	32	25	464	62	55	55	55
	Male	686	122	18	13	16	5	174	15	10	22	17
	Negro	764	97	35	14	8	5	159	15	14	24	22
	Female	18	4	2	2	—	2	10	2	—	—	1
	Male	21	5	2	1	—	1	9	—	2	—	—
34	Smallpox	41	6	1	—	—	—	7	—	1	2	3
	White	22	3	1	—	—	—	4	—	1	1	1
	Female	14	2	—	—	—	—	2	—	—	1	2
	Male	2	—	—	—	—	—	—	—	—	—	—
	Negro	1	—	—	—	—	—	—	—	—	—	—
	Female	2	—	—	—	—	—	—	—	—	—	—
	Male	—	—	—	—	—	—	—	—	—	—	—
35	Measles	1,174	297	235	90	64	55	741	174	75	42	25
	White	477	124	95	39	30	28	316	73	28	13	5
	Female	475	105	97	34	24	16	276	81	31	16	13
	Male	107	28	21	8	7	6	70	12	9	6	1
	Negro	80	22	12	6	1	4	45	8	6	7	6
	Female	15	8	4	2	—	1	15	—	—	—	—
	Male	20	10	6	1	2	—	19	—	1	—	—
36	Poliomyelitis and polioencephalitis (acute)	773	28	46	37	36	23	170	136	135	104	72
	White	432	7	16	19	17	11	70	84	81	68	40
	Female	263	12	18	9	13	9	81	42	45	30	27
	Male	41	6	4	6	3	1	20	5	5	3	2
	Negro	36	2	8	3	3	2	18	5	4	3	3
	Female	1	1	—	—	—	—	1	—	—	—	—
	Male	—	—	—	—	—	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.



VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
37	I.—Infectious and parasitic diseases—Contd.											
	Acute infectious encephalitis (lethargic)	848	10	24	13	5	5	57	23	22	37	16
	White—M	415	4	6	7	1	1	19	13	6	18	6
	White—F	376	4	15	6	3	3	31	5	10	18	9
	Negro—M	32				1		1	2	3	1	1
	Negro—F	13	1	1			1	3	1			
	Other races—M	6							1	3		
	Other races—F	4	1	2				3	1			
38	Other diseases due to filtrable viruses	200	55	24	9	8	6	102	24	9	5	7
	White—M	96	25	8	4	4	5	44	16	3	2	4
	White—F	82	22	16	4	4	1	47	7	3	2	1
	Negro—M	10	2		1			3	1	2		2
	Negro—F	8	2				2	4		1	1	
	Other races—M	3	3					3				
	Other races—F	1	1					1				
39	Typhus fever, typhus-like diseases*	237			1	1	2	4	11	13	6	11
	White—M	141					1	1	4	5	2	6
	White—F	66			1			1	7	3	2	3
	Negro—M	15								4		2
	Negro—F	13				1	1	2		1	2	
	Other races—F	2										
40	Ankylostomiasis	16			1	1	2	4	6	3		
	White—M	7			1			1	4	1		
	White—F	3							1	1		
	Negro—M	3				1		1		1		
	Other races—M	1					1	1				
	Other races—F	2					1	1				
41	Hydatid disease	31							1		1	1
	White—M	19									1	1
	White—F	11							1			
	Negro—F	1										
42	Other diseases caused by helminths	61		8	6	2	1	17	14	2	2	2
	White—M	23		3	2		1	6	5		1	
	White—F	18		1	3	1		5	4	1	1	1
	Negro—M	13		3				3	3			
	Negro—F	7		1	1	1		3	2	1		1
43	Mycoses	325	38	6	1		2	47	6	4	8	20
	White—M	170	12	1	1			14	2	1	6	9
	White—F	93	9	1			2	12	3	1	2	9
	Negro—M	35	8	2				10	1			1
	Negro—F	16	8	2				10		1		1
	Other races—M	9										
	Other races—F	2	1					1		1		
44	Other infectious and parasitic diseases	1,980	18	8	7	7	3	43	44	47	89	152
	White—M	1,089	9	3	4	3	2	21	18	31	53	89
	White—F	664	8	3	1	4	1	17	19	14	27	45
	Negro—M	98		1	1			2	6	2	4	3
	Negro—F	125	1	1	1			3			4	15
	Other races—M	3									1	
	Other races—F	1							1			
	II.—Cancer and other tumors	160,395	136	137	145	119	96	633	416	412	684	875
	White—M	70,154	70	64	73	55	43	305	206	195	353	389
	White—F	79,355	56	64	57	52	44	273	174	171	273	374
	Negro—M	3,764	4	6	7	6	4	27	19	20	26	38
	Negro—F	6,707	4	2	4	6	5	21	16	24	30	71
	Other races—M	279	1	1	1			3	1	1		1
	Other races—F	136	1		3			4		1	2	2
45-55	Cancer and other malignant tumors	153,846	77	101	114	103	76	471	308	324	521	709
	White—M	68,525	43	47	58	53	35	236	161	164	296	339
	White—F	75,497	29	49	44	40	35	197	125	131	180	282
	Negro—M	3,616	3	3	4	5	3	18	12	11	20	34
	Negro—F	5,811	2	1	4	5	3	15	9	17	23	51
	Other races—M	274		1	1			2	1	1		1
	Other races—F	123			3			3			2	2
45	Cancer of buccal cavity and pharynx	5,012	2	1		2	2	7	12	12	14	17
	White—M	3,832	2			1		3	5	6	9	7
	White—F	912		1		1	1	3	7	2	1	9
	Negro—M	159								1	3	
	Negro—F	91					1	1		3	1	1
	Other races—M	17										
	Other races—F	1										
45a	Cancer of lip	716							1			1
	White—M	636										1
	White—F	69							1			
	Negro—M	6										
	Negro—F	3										
	Other races—M	2										
45b	Cancer of tongue	1,142								1	1	3
	White—M	897								1		1
	White—F	185										2
	Negro—M	41										
	Negro—F	18									1	
	Other races—M	1										
45c	Cancer of mouth	716	1	1				2	1	1	3	
	White—M	534	1					1		1	3	
	White—F	137		1				1	1			
	Negro—M	27										
	Negro—F	16										
	Other races—M	2										

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
56	54	63	69	95	90	73	65	57	46	16	3	2	1			1	37
23	26	30	39	45	52	41	34	31	23	6	1	2				1	
32	25	26	22	45	53	32	30	25	21	9	2					1	
1	3	3	5	4	3		1	1	1	1			1				
		3	3	1	1				1								
		1			1												
5	6	1	6	3	5	2	3		5	2	2	8	3	2			58
3	5	1	4	2	1	2	2		1	1	1	2	2				
1			2	1	4		1		3	1	1	5	1	2			
1	1																
									1			1					
8	11	12	15	17	30	20	25	21	13	14	3	3					59
2	8	3	9	13	20	11	17	13	9	12	3	1					2
5		4	4	4	7	8	5	8	2	2		1					2
		3			2		2		1								
		2			1	1	1		1			1					
1	1																
	1	1		1													40
		1		1													
	1																
3		2	4	2	1	7	3		3	2		1					41
2		2	3	2	1	4	2		2	1							
1			1			3	1		1	1		1					
3	1	3	1	2	2	2	4	6									42
		2		1	1	1	4	3									
3	1	1	1	1	1	1	1	1	1								
								2									
10	22	23	26	23	26	29	27	23	14	10	4	2					43
5	14	11	10	13	15	15	20	16	10	8							1
2	4	4	10	6	5	11	6	7	3	2	4	2					1
1	3	5	5	3	4	2											
		1		1	1	1	1		1								
2	1	3	1		1	1											
168	151	145	148	155	171	162	173	145	104	65	27	7	3				44
92	78	70	71	82	111	104	89	85	59	36	15	4	1				1
50	47	41	43	49	51	48	74	55	40	28	12	2	2				
7	10	10	19	12	5	4	7	3	3	1							
19	16	24	14	12	4	6	3	2	2								1
			1									1					
1,573	2,825	4,875	7,901	11,756	15,489	18,280	20,849	22,390	20,494	16,554	9,441	3,765	917	163	26	67	
506	774	1,194	2,230	3,792	6,016	7,888	9,720	10,920	10,363	8,480	4,643	1,721	374	59	2		24
791	1,595	2,815	4,576	6,679	7,972	9,140	9,963	10,356	9,400	7,643	4,597	1,945	497	86	12		25
59	74	134	250	390	516	494	494	514	382	202	75	36	16	6	3		9
210	367	711	819	854	947	707	610	554	338	203	110	60	27	11	9		8
2	11	15	15	27	25	43	50	28	24	19	9	2	2				1
5	6	6	11	14	13	18	12	18	7	7	7	1	1	1			
1,512	2,344	4,170	7,019	10,798	14,791	17,780	20,446	22,065	20,246	16,556	9,315	3,717	909	156	25		64
454	697	1,090	2,092	3,635	5,826	7,701	9,576	10,795	10,282	8,409	4,608	1,708	373	58	2		23
667	1,334	2,421	4,014	6,018	7,538	8,862	9,745	10,181	9,243	7,529	4,510	1,912	491	82	11		24
44	63	124	241	375	501	485	482	482	360	189	73	34	16	6	3		8
142	234	516	650	781	888	673	582	537	350	193	108	60	26	9	3		8
1	11	14	15	26	25	42	50	28	24	19	9	2	2				1
4	5	5	7	13	13	17	11	17	7	7	7	1	1	1			
27	37	51	151	238	451	578	742	753	730	563	386	178	55	7			45
14	25	32	102	177	341	451	574	602	573	447	297	127	33	4			3
8	10	14	29	29	76	97	126	117	127	104	85	47	20	3			
1		1	8	22	21	18	29	18	23	8	4	2					
4	2	2	10	6	11	11	11	12	6	4	2	2	2				
		2	2	4	2	1	2	3	1								
								1									
	3	6	23	21	48	56	72	102	104	116	87	59	13	4			45a
	3	6	23	19	44	52	65	97	91	105	74	46	7	3			
				1	1	2	6	2	13	10	13	13	6	1			
				1	3	1		1									
				1	1	1		1									
5	6	6	32	58	132	148	202	170	173	96	75	23	9				45b
5	4	4	26	44	99	120	163	140	137	80	53	13	5				2
	2	2	5	6	26	19	26	21	28	15	21	9	3				
			1	6	5	7	10	5	6		1						
				2	2	2	2	4	2	1		1	1				
5	3	5	15	34	54	70	100	121	106	82	72	32	6	2			45c
2	2	3	9	25	47	54	71	96	78	65	57	17	4	1			
2	1	2	3	4	5	10	19	20	24	15	14	13	2	1			
			1	5	2	3	7	2	2	2	1	1					
1			2	2		2	3	3	3			1					

VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
II.—Cancer and other tumors—Continued												
Cancer and other malignant tumors—Contd.												
Cancer of buccal cavity and pharynx—Continued												
45d	Cancer of jaw bone	924				1		1	5	4	6	5
	White—M	846				1		1	2	2	3	1
	F	216							3	1	1	3
	Negro—M	34									2	
	F	28								1		1
45e	Cancer of unspecified parts of buccal cavity	53										
	White—M	46										
	F	7										
45f	Cancer of pharynx	1,461	1			1	2	4	5	6	4	8
	White—M	1,073	1					1	3	2	3	4
	F	298				1	1	2	2	1		4
	Negro—M	51								1	1	
	F	26					1	1		2		
	Other races—M	12										
	F	1										
46	Cancer of digestive organs and peritoneum	71,690	15	13	9	15	10	62	41	36	67	158
	White—M	56,562	6	6	4	10	5	31	16	19	33	62
	F	31,200	7	6	2	4	5	24	19	12	25	63
	Negro—M	2,057	1		1			2	4		4	16
	F	1,656	1	1		1		3	2	5	5	16
	Other races—M	184				1		1				
	F	51			1			1				1
46a	Cancer of esophagus	2,621										
	White—M	1,925										
	F	517										
	Negro—M	139										
	F	31										
	Other races—M	9										
46b	Cancer of stomach	26,187	1	1	2	2	1	7	4	6	8	26
	White—M	14,768	1		1			2	1	5	5	11
	F	9,575		1		2	1	4	1		3	10
	Negro—M	1,041			1			1				3
	F	681							2	1		2
	Other races—M	101										
	F	21										
46c	Cancer of duodenum	403										1
	White—M	193										1
	F	197										
	Negro—M	6										
	F	8										
	Other races—M	1										
46d	Cancer of rectum and anus	8,566			1			1	1	2	8	21
	White—M	4,883							1	1	4	7
	F	3,525			1			1			3	8
	Negro—M	175										1
	F	274								1	1	5
	Other races—M	7										
	F	2										
46e	Cancer of intestines, etc.*	17,181	2		3	5	2	12	8	16	24	57
	White—M	7,563	1		1	5		7	2	7	11	18
	F	9,053	1				2	3	5	7	10	30
	Negro—M	260							1		1	4
	F	277								2	2	5
	Other races—M	20			1			1				
	F	8						1				
46f	Cancer of liver and biliary passages	9,962	10	5	2	4	1	22	9	7	12	28
	White—M	4,028	3	3	1	3	1	11	2	4	7	9
	F	5,587	5	2	1	1		9	4	3	2	11
	Negro—M	276	1					1	3		2	5
	F	229	1					1			1	3
	Other races—M	28										
	F	14										
46g	Cancer of pancreas	5,283							1	1	4	7
	White—M	2,032							1		2	4
	F	2,214									1	1
	Negro—M	128										2
	F	93								1	1	
	Other races—M	12										
	F	4										
46h	Cancer of mesentery and peritoneum	1,008	2	7	1	3	5	18	18	3	10	15
	White—M	489	1	5	1	1	3	9	9	2	4	11
	F	492	1	3		1	2	7	9	1	6	1
	Negro—M	16										1
	F	25		1		1		2				1
	Other races—M	4										
	F	2										
46m	Cancer of other and unspecified sites	479				1	1	2		1	1	3
	White—M	201				1	1	2				1
	F	240								1		2
	Negro—M	16									1	
	F	20										
	Other races—M	2										

\* Refer to complete International List titles, table XI.



GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
7	15	17	24	38	71	101	133	135	144	111	70	24	11	1		1	45d
1	11	10	15	27	42	65	93	95	109	85	53	22	8			1	
5	5	6	4	6	18	28	29	35	30	21	16	2	3	1			
	1	1	5	5	4	2	5	3	5	5							
					7	5	6	2			1						
	1			2	5	5	7	14	4	7	5		3				45e
	1			2	4	5	6	14	4	5	4		1				
				1	1		1			2	1		2				
10	9	17	57	85	141	198	228	211	197	151	77	40	13				45f
6	4	9	29	62	105	155	176	160	154	107	56	29	8				
1	4	4	17	12	25	37	45	38	32	41	18	10	4				
1			4	5	7	5	7	6	5	1	2	1					
2	1	2	5	2	2	1		3	10	1	2	1					
		2	2	4	2			2	1								
329	870	1,214*	2,282	3,885	6,114	8,217	10,131	11,542	10,951	8,851	4,875	1,827	544	57	12	25	46
138	232	495	1,048	1,840	3,139	4,315	5,480	6,189	5,759	4,520	2,298	741	127	20		10	
145	300	540	948	1,606	2,893	3,968	4,168	4,826	4,859	4,127	2,491	1,037	204	30	6	4	
20	40	74	141	257	507	296	253	506	162	109	55	17	5	2	1	4	
23	41	94	137	181	249	202	195	194	132	80	41	29	7	5	1	2	
1	6	9	8	16	20	30	41	19	14	11	5	2	1			4	
2	1	2		5	6	6	6	6	5	4	5	1				2	
1	9	22	61	138	274	348	447	455	397	280	148	65	5	1		2	46a
1	1	11	39	78	192	266	357	327	311	188	110	41	2	1		2	
	1	6	6	30	50	51	66	92	71	86	35	20	3				
	5	5	11	23	29	26	18	11	2	2	2	2					
	1		4	6	3	4	5	4	2	5							
	1		1	1		1	1	1	1	1							
78	183	336	752	1,299	2,148	2,925	3,683	4,326	4,156	3,500	1,883	686	149	22	4	6	46b
35	76	133	391	712	1,264	1,758	2,208	2,550	2,374	1,933	986	299	54	11		2	
33	76	133	251	385	609	927	1,240	1,524	1,610	1,468	857	562	89	9	2	2	
6	14	42	69	118	153	145	127	175	101	59	16	8	2			2	
6	12	25	56	75	109	99	77	84	60	31	20	15	3	2			
	4	2	5	7	11	14	14	10	9	7	2	1	1				
	1	1		2	2	2	3	3	2	2	2	1					
1	2	8	14	30	44	49	67	61	58	45	11	2	1				46c
		4	6	18	22	25	35	28	26	21	7	1					
	1	3	7	11	19	26	33	32	30	24	3	1	1				
		1	1	1			1	1	1	1							
1	1					3			1								
62	121	203	343	537	818	1,034	1,212	1,335	1,210	909	491	192	50	11	4	1	46d
26	51	79	137	258	405	575	696	776	680	535	258	75	18	3			
25	53	98	164	227	341	402	472	505	496	354	222	117	30	5	1	1	
4	8	3	12	12	28	27	21	24	17	11	5		1	1			
7	9	22	29	39	42	30	23	28	17	8	5	2	2	2			
		1	1	1	2			2		1							
118	204	350	604	990	1,412	1,871	2,304	2,631	2,593	2,147	1,254	489	73	16	1	7	46e
46	85	147	244	397	607	798	1,054	1,295	1,193	989	496	170	25	2		1	
59	102	171	315	554	727	1,011	1,175	1,263	1,154	1,154	743	310	46	13	1	5	
5	7	8	21	24	33	37	35	37	24	13	6	2	1			1	
6	10	24	25	21	42	23	33	34	24	12	8	6	1	1			
			1	3	2	2	5	2	2		1	1					
2			1	1	2		2		1								
41	70	153	285	507	789	1,095	1,415	1,646	1,547	1,266	732	284	41	5	2	6	46f
15	27	54	106	184	316	439	583	672	653	531	296	110	14	2		3	
19	38	73	146	256	395	594	764	907	844	704	434	166	24	2	1	1	
5	2	5	20	35	41	38	30	36	27	13	6	3	2	1			
2	3	16	13	26	32	25	35	28	20	14	4	5	1			1	
		4	4	4	4	7	3	3	1	2							
		1	2	2	1	4		2		2							
11	46	87	158	289	485	713	810	902	834	579	251	81	20	1	1	2	46g
6	22	43	94	168	267	392	462	473	445	291	114	35	11	1		1	
5	18	32	49	96	169	282	317	391	373	273	133	44	9				
	3	7	7	18	18	18	18	21	9	6	1						
	3	5	8	7	10	15	8	15	6	9	3	1					
						6	4	1	1								
					1		1	1			1						
13	30	45	60	82	117	126	140	129	96	61	36	8	2			1	46h
8	19	21	30	36	55	55	63	55	43	30	14	2				1	
4	9	16	25	40	53	68	74	72	50	30	21	6					
		3	1	3	5	1	2	1	1								
	2	1	4	3	4	2	1	1	2	1	1						
1		2			1												
4	5	12	10	29	41	61	71	71	67	51	35	13	2				46n
3	1	3	4	11	15	30	34	34	28	20	13	4					
	2	8	6	11	18	24	34	39	34	28	22	9	2				
	1			3	1	4	2	2	1	1							
	1	1		4	7	3	1	1	2	2							





## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
II.—Cancer and other tumors—Continued												
Cancer and other malignant tumors—Contd.												
53	Cancer of skin, etc.*	3,493	2	1	—	3	2	8	5	5	11	16
	White—M	2,095	1	1	—	1	1	4	2	2	5	10
	F	1,286	1	—	—	2	—	3	2	1	5	5
	Negro—M	52	—	—	—	—	1	1	1	2	—	—
	F	52	—	—	—	—	—	—	—	—	1	1
	Other races—M	8	—	—	—	—	—	—	—	—	—	—
54	Cancer of central nervous system*	2,250	12	14	34	22	18	100	96	85	82	75
	White—M	1,269	8	11	19	13	8	59	55	40	48	36
	F	879	4	3	14	6	9	36	35	39	32	37
	Negro—M	37	—	—	1	1	—	2	3	1	—	—
	F	36	—	—	—	2	1	3	2	4	2	1
	Other races—M	6	—	—	—	—	—	—	1	1	—	1
	F	3	—	—	—	—	—	—	—	—	—	—
55	Cancer of other and unspecified organs	10,605	24	36	38	18	22	138	92	137	229	228
	White—M	5,211	14	19	12	8	9	62	55	77	142	133
	F	4,728	10	16	20	7	11	64	33	54	70	75
	Negro—M	280	—	1	1	2	2	6	2	4	12	14
	F	359	—	—	3	1	—	4	2	2	3	6
	Other races—M	18	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	2	—	—	2	—	—	2	—
56a-c	Nonmalignant tumors of female genital organs	3,063	—	—	—	—	—	—	4	7	26	49
	White—F	2,322	—	—	—	—	—	—	3	6	23	37
	Negro—F	734	—	—	—	—	—	—	1	1	3	12
	Other races—F	7	—	—	—	—	—	—	—	—	—	—
56d	Nonmalignant tumors of central nervous system*	791	12	7	9	4	4	36	26	28	26	34
	White—M	376	5	1	7	2	2	17	9	11	14	11
	F	364	5	3	2	1	2	13	16	13	10	18
	Negro—M	25	1	2	—	—	—	3	1	2	2	2
	F	23	—	1	—	1	—	2	—	2	—	3
	Other races—M	3	1	—	—	—	—	1	—	—	—	—
56e	Nonmalignant tumors of other and unspecified organs	561	15	9	6	3	—	33	8	6	14	19
	White—M	257	6	5	1	—	—	12	4	2	9	9
	F	250	7	4	3	3	—	17	2	2	3	10
	Negro—M	23	—	—	2	—	—	2	1	1	1	—
	F	30	2	—	—	—	—	2	1	1	1	—
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
57a-c	Tumors, female genital organs (nature unspecified)	69	—	—	—	—	—	—	—	—	1	1
	White—F	52	—	—	—	—	—	—	—	—	1	1
	Negro—F	15	—	—	—	—	—	—	—	—	—	—
	Other races—F	2	—	—	—	—	—	—	—	—	—	—
57d	Tumors, central nervous system* (nature unspecified)	1,473	20	14	13	7	12	66	61	43	85	50
	White—M	745	9	7	5	—	5	26	28	16	31	24
	F	609	10	6	7	6	6	35	24	17	49	20
	Negro—M	68	—	1	1	—	—	3	5	6	3	2
	F	47	—	—	—	—	—	1	4	3	2	4
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	1	—	1	—	—
57e	Tumors, other organs (nature unspecified)	592	12	6	3	2	4	27	9	4	11	13
	White—M	251	7	4	2	—	1	14	4	2	3	6
	F	261	5	2	1	2	1	11	4	2	7	6
	Negro—M	32	—	—	—	—	—	1	—	—	—	—
	F	47	—	—	—	—	—	1	—	—	1	1
	Other races—F	1	—	—	—	—	—	—	—	—	—	—
III.—Rheumatism, diseases of nutrition, etc.*												
	White—M	15,458	689	61	44	34	36	864	214	261	272	181
	F	26,094	443	58	32	29	38	600	201	247	271	245
	Negro—M	1,371	85	19	7	3	4	118	34	46	25	36
	F	2,887	73	7	9	5	10	104	24	46	64	76
	Other races—M	95	5	—	1	—	—	6	1	1	1	—
	F	68	3	—	—	—	—	3	3	1	2	2
58a	Acute rheumatic pericarditis	81	1	—	—	2	3	6	17	14	10	5
	White—M	36	—	—	—	1	—	1	8	9	4	3
	F	30	1	—	—	—	1	3	8	3	5	—
	Negro—M	7	—	—	—	—	—	—	1	1	1	1
	F	8	—	—	—	—	—	2	—	1	—	—
58b	Acute rheumatic endocarditis	768	2	1	9	7	17	36	119	140	111	68
	White—M	344	1	—	4	2	6	13	58	66	54	35
	F	331	—	1	4	5	10	20	47	59	45	25
	Negro—M	39	—	—	1	—	1	2	7	7	2	4
	F	51	1	—	—	—	—	1	6	7	9	4
	Other races—M	2	—	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	—
58c	Acute rheumatic myocarditis	144	—	1	1	1	3	6	26	21	16	4
	White—M	64	—	—	1	1	2	4	14	12	8	—
	F	49	—	1	—	—	—	1	9	6	5	3
	Negro—M	8	—	—	—	—	—	—	—	—	2	—
	F	20	—	—	—	—	1	1	3	3	1	—
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	1
58d	Other acute rheumatic heart diseases	232	3	—	3	7	6	19	51	74	24	11
	White—M	95	3	—	2	2	3	10	17	27	12	7
	F	100	—	—	1	4	2	7	25	31	8	4
	Negro—M	16	—	—	—	—	—	—	4	9	1	—
	F	19	—	—	—	1	1	2	5	6	3	—
	Other races—F	2	—	—	—	—	—	—	—	1	—	—

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

(stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
24	34	55	82	128	183	183	280	361	479	503	542	373	157	36	6	2	53
10	17	29	48	81	110	106	184	246	307	318	328	200	75	11	2	2	
14	15	20	25	37	51	70	84	117	162	184	209	173	82	24	3		
	1	3	4	7	12	3	9	7	5				1				
	1	3	4	7	9	4	3	10	5				1				
			1	1	1			1	3	1	4		1		1		
											1						
110	127	164	232	287	300	265	175	87	31	20	6	7				1	54
47	69	89	134	141	193	169	111	45	15	10	1	6				1	
58	50	69	88	112	100	92	61	38	16		5	1					
3	4	3	7	6	3	2	1	2									
2	3	3	1	6	4	1	2	2									
	1			1		1											
			2	1													
210	251	357	569	759	1,013	1,100	1,277	1,300	1,139	919	566	233	69	11	2	6	55
121	121	169	268	352	472	548	628	627	542	465	283	104	33	7		2	
69	105	150	228	345	446	485	568	615	547	442	273	124	35	4		2	
10	8	13	26	27	38	24	38	24	25	4	3	1	1			1	
9	16	24	43	56	54	41	41	34	25	5	7	4	2			1	
	3	1	3	1		2	2	2	1	2							1
1					3			1	1	1							
128	292	462	591	656	337	158	117	90	63	48	33	13	4	3	1	1	56a-c
75	166	290	438	525	295	128	96	84	60	44	35	13	3	3	1	1	
52	125	172	180	110	44	30	20	6	3				1				
1	1		3	1			1										
35	57	60	76	81	102	87	54	40	27	10	12						56d
17	24	24	38	40	49	50	25	27	12	5	3						
11	31	32	37	36	44	35	27	13	15	5	6						
3	2			3	4		2				1						
4		3	1	1	5	2											
		1		1													
18	23	44	35	33	50	50	60	42	45	38	31	11	1	1		1	56e
5	8	21	12	14	25	27	30	18	19	20	15	8		1			
8	13	18	17	14	21	21	22	22	16	16	18	3	1				
2	2	2	1	1	3	1	5	1		1							1
3	2	3	5	4	1		3	1	2	1							
						1											
3	1	8	8	10	9	2	4	3	10	4	2	1	1	1			57a-c
1	1	6	3	8	8	2	3	2	10	2	2	1	1				
2		2	4	2	1		1			2				1			
			1					1									
65	90	113	146	158	151	148	108	94	46	30	14	7					57d
25	41	53	75	87	94	79	60	52	26	17	7	4					
25	38	45	62	62	48	65	43	38	18	12	6	2					
7	6	7	7	5	5	4	3	2		1	1	1					
5	5	7	2	4	4		2	2									
1																	
		1															
14	18	18	26	40	49	65	60	56	39	68	34	16	2	2		1	57e
5	4	6	13	16	22	31	29	28	24	29	12	1	1			1	
4	10	3	5	16	20	27	27	16	32	35	20	14	1				
3	3	1	1	6	3	4	2	4	2	1		1					
2	1	8	7	2	4	2	2	8	1	3	2						
						1											
646	697	961	1,306	2,173	3,396	4,847	6,161	7,183	6,510	4,739	2,306	852	186	29	7	27	
199	197	257	353	658	985	1,466	1,900	2,333	2,247	1,784	887	318	65	9	1	7	
286	304	440	651	1,112	1,906	2,846	3,809	4,414	3,999	2,811	1,341	490	100	14	2	7	
48	47	69	62	105	133	140	144	152	89	60	31	14	7	3	1	7	
108	147	190	234	289	354	365	289	262	163	75	43	28	14	3	3	6	
3	1	4	2	4	12	16	12	16	8	5	1	2					
2	1	1	4	5	6	14	7	6	4	4	3						
1	3	3	2	1	3	5	4	5	2								
1	1		2			3	1	2	1								
	2	2				1	3	2	1								
		1			1												
				1	2			1									
73	54	58	31	18	17	9	11	9	10	3	1						58a
27	23	22	11	9	7	5	3	4	4	2	1						
35	25	29	17	6	6	3	4	4	5	1							
2	2	4		1	4	1	3										
9	4	3	3	2			1	1	1								
12	11	13	9	4	3	5	1	2	9	1		1					58b
4	3	5	4	1	2	2		1	4								
5	2	3	4	2	1	3	1		2	1		1					
1	2	1						1									
1	4	3	1	1					2								
		1															
1																	
7	6	10	5	4	7	4	2	5	2			1					58c
5	4	2	2	1	3	2		1	1			1					
2	2	6	2	2	3	2	2	4									
1		1			1												
		1	1														
				1													

VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
III.—Rheumatism, diseases of nutrition, etc.*—Continued												
58e,f	Other forms of acute rheumatic fever, etc.*	508	3	1	4	7	13	28	61	75	35	22
	White—M	192	—	—	—	3	5	8	28	38	19	4
	F	198	3	1	2	2	6	14	26	26	11	8
	Negro—M	43	—	—	1	1	—	2	4	5	1	1
	F	71	—	—	1	1	2	4	3	6	3	9
	Other races—M	2	—	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	—	—	—	—
59	Chronic rheumatism, other rheumatic diseases	1,726	—	—	—	—	2	2	5	9	11	10
	White—M	543	—	—	—	—	2	2	3	4	6	5
	F	1,080	—	—	—	—	—	—	1	1	3	5
	Negro—M	57	—	—	—	—	—	—	1	3	—	—
	F	61	—	—	—	—	—	—	—	1	2	—
	Other races—F	5	—	—	—	—	—	—	—	—	—	—
60	Gout	3	—	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	—	—	—
	Negro—M	1	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	33,395	27	19	20	15	15	96	118	216	309	231
	White—M	11,794	18	10	11	9	4	52	51	83	188	87
	F	18,248	8	9	7	6	10	40	56	102	141	105
	Negro—M	681	—	—	1	—	1	2	5	16	10	22
	F	1,552	1	—	1	—	—	2	5	15	19	19
	Other races—M	73	—	—	—	—	—	—	—	—	—	—
	F	36	—	—	—	—	—	—	1	—	1	—
62	Diseases of pituitary gland	150	2	—	—	1	—	3	3	6	7	9
	White—M	62	2	—	—	1	—	3	3	2	5	5
	F	79	—	—	—	—	—	—	—	4	1	3
	Negro—M	5	—	—	—	—	—	—	—	—	—	1
	F	4	—	—	—	—	—	—	—	—	1	—
63a	Simple goiter	199	3	—	—	—	—	3	—	2	3	4
	White—M	50	1	—	—	—	—	1	—	1	—	—
	F	140	2	—	—	—	—	2	—	1	1	4
	Negro—M	2	—	—	—	—	—	—	—	—	—	—
	F	27	—	—	—	—	—	—	—	—	2	—
63b	Exophthalmic goiter	3,676	1	—	—	—	—	1	5	7	46	66
	White—M	540	1	—	—	—	—	1	1	1	9	14
	F	2,871	—	—	—	—	—	—	3	4	29	45
	Negro—M	29	—	—	—	—	—	—	1	—	1	1
	F	222	—	—	—	—	—	—	—	2	7	5
	Other races—M	5	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	—	1
63c-e	Other diseases of thyroid and parathyroid glands	581	30	11	7	2	4	54	13	7	10	11
	White—M	101	18	2	3	1	1	25	4	3	3	5
	F	255	9	9	4	1	2	25	8	2	7	6
	Negro—M	6	1	—	—	—	—	1	1	—	—	—
	F	17	2	—	—	—	—	3	—	2	—	—
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—
64	Diseases of thymus gland	1,182	982	50	26	16	14	1,088	29	12	15	12
	White—M	660	550	28	14	11	9	612	16	8	8	6
	F	413	343	19	7	3	4	376	8	3	6	6
	Negro—M	59	48	1	2	—	1	52	4	1	—	—
	F	42	35	2	2	—	—	41	—	—	1	—
	Other races—M	6	5	—	1	—	—	6	—	—	—	—
	F	2	1	—	—	—	—	1	1	—	—	—
65	Diseases of adrenal glands*	582	8	3	2	2	1	16	1	4	5	15
	White—M	159	4	2	1	—	—	7	1	4	1	5
	F	205	3	—	—	2	—	5	—	—	2	10
	Negro—M	11	—	1	—	—	1	2	—	—	—	—
	F	7	1	—	1	—	—	2	—	—	2	—
66	Other general diseases	456	104	22	8	7	7	148	15	6	7	7
	White—M	183	49	11	3	2	3	68	7	3	3	—
	F	195	38	7	4	5	3	57	6	3	3	6
	Negro—M	34	9	4	1	—	—	14	1	—	—	—
	F	40	7	—	—	—	1	8	—	—	1	1
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	1	1	—	—	—
67	Scurvy	29	15	2	1	1	—	19	2	1	—	1
	White—M	5	2	—	—	1	—	3	—	—	—	—
	F	14	7	1	1	—	—	9	1	1	—	—
	Negro—M	5	3	1	—	—	—	4	—	—	—	—
	F	5	3	—	—	—	—	3	1	—	—	1
68	Beriberi	40	1	3	1	—	—	5	—	—	—	2
	White—M	17	1	1	—	—	—	2	—	—	—	—
	F	13	—	1	—	—	—	1	—	—	—	1
	Negro—M	3	—	—	—	—	—	—	—	—	—	—
	F	6	—	1	1	—	—	2	—	—	—	1
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	2,419	9	4	3	1	1	18	10	7	25	59
	White—M	561	3	—	2	—	—	5	2	—	2	5
	F	843	4	2	—	—	—	6	3	1	4	14
	Negro—M	310	1	2	—	—	—	3	4	3	7	5
	F	698	1	—	1	1	1	4	1	3	12	35
	Other races—M	3	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	—	—	—

\*Refer to complete International List titles, table XI.



VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,  
(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
III.—Rheumatism, diseases of nutrition, etc.*—Continued												
70	Rickets	143	97	26	8	1	2	134	2	1	1	
	White—M	47	32	7	5		1	43	1			
	F	35	24	7	2			33				
	Negro—M	34	21	9	1	1		32	1	1		
	F	26	19	3	2		1	25			1	
	Other races—M	1	1					1				
	F											
71	Other avitaminoses	59	10	2		1		13				1
	White—M	23	4					4				
	F	14	1					1				
	Negro—M	11	2	1		1		4				1
	F	11	3	1				4				
IV.—Diseases of the blood and blood-forming organs												
		9,018	474	185	117	130	101	987	307	240	298	261
	White—M	4,419	249	81	72	64	52	518	161	138	150	117
	F	4,055	178	73	40	59	42	392	123	84	125	100
	Negro—M	255	29	4	2	4	4	43	11	7	9	18
	F	265	15	6	2	3	3	29	12	9	12	24
	Other races—M	13						2				
	F	11	1	1	1			3		2	2	2
72	Hemorrhagic conditions	639	221	31	14	10	8	284	33	32	28	24
	White—M	295	126	17	9	7	3	162	15	17	8	9
	F	289	71	14	3	2	5	95	15	14	18	12
	Negro—M	30	17		1			18	3		2	1
	F	19	5			1		6		1		1
	Other races—M	4	2					2				
	F	2			1			1				1
73a	Pernicious anemia	2,181	12	6	2	3	1	24	4	10	17	19
	White—M	950	4	1	1	3		9	3	6	4	6
	F	1,124	5	4	1		1	11		4	8	6
	Negro—M	39	3					3			1	3
	F	65		1				1	1		4	3
	Other races—M	1										
	F	2										1
73b-d	Other anemias (except splenic)	952	142	30	5	16	6	199	24	21	30	32
	White—M	388	69	16	5	8	4	102	10	9	12	13
	F	441	59	8		5	2	74	10	9	13	8
	Negro—M	53	7	3		1		11	1	2	3	4
	F	65	7	2		2		11	3	1	2	7
	Other races—M	5										
	F	2		1				1				
74a	Leukemias	4,280	69	83	76	93	76	397	200	154	185	141
	White—M	2,656	35	42	45	44	40	206	112	91	105	64
	F	1,741	29	38	28	46	31	174	78	51	70	61
	Negro—M	111	2	1	1	3	3	10	6	4	3	8
	F	86	2	2	2		2	8	4	7	5	8
	Other races—M	2										
	F	4	1					1		1	2	
74b	Aleukemias	215	3	4	7	4	1	19	18	4	7	5
	White—M	113	2	2	4	2	1	11	11	2	4	3
	F	96	1	2	3	2		8	5	2	3	2
	Negro—M	3										
	F	2							2			
	Other races—M	1										
75	Diseases of spleen	441	24	9	9	1	7	50	22	13	17	26
	White—M	221	13	3	5		2	23	7	9	9	16
	F	187	10	5	4	1	3	23	12	2	8	7
	Negro—M	13					1	1	1	1		
	F	17	1	1			1	3	2			3
	Other races—M	2										
	F	1								1		
76	Other diseases of blood and blood-forming organs	510	3	2	4	3	2	14	6	6	14	14
	White—M	116			3		2	5	3	4	8	6
	F	177	3	2	1	3		9	3	2	5	4
	Negro—M	6										2
	F	11									1	2
V.—Chronic poisoning and intoxication												
		2,771	1	7	8	2	8	26	7	2	10	37
	White—M	2,112	1	3	4	1	5	14	2	2	5	14
	F	300		1	4	1	1	7	1			6
	Negro—M	274		1			2	3	3		3	8
	F	71		2				2	1		2	8
	Other races—M	10										1
	F	4										
77a	Alcoholic pellagra	7										
	White—M	5										
	F	1										
	Negro—M	1										
	F	1										
77b-e	Other alcoholism (ethylism)	2,551			1	1	4	6	4	2	10	37
	White—M	1,971			1	1	2	4	1	2	5	14
	F	248										6
	Negro—M	257					2	2	2		3	8
	F	62							1		2	8
	Other races—M	9										1
	F	4										

\* Refer to complete International List titles, table XI.





## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
V.—Chronic poisoning and intoxication—Contd.												
78	Lead poisoning	97	—	7	—	1	4	19	2	—	—	—
	White	77	—	3	5	—	3	9	1	—	—	—
	Negro	9	—	1	4	1	1	7	1	—	—	—
	Other races	9	—	1	—	—	—	1	—	—	—	—
	Male	9	—	1	—	—	—	1	—	—	—	—
	Female	2	—	2	—	—	—	2	—	—	—	—
79	Chronic poisoning by other mineral substances*	116	1	—	—	—	—	1	1	—	—	—
	White	59	1	—	—	—	—	1	—	—	—	—
	Negro	42	—	—	—	—	—	—	—	—	—	—
	Other races	8	—	—	—	—	—	—	1	—	—	—
	Male	6	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—
VI.—Diseases of the nervous system, etc.*												
	Total	131,703	1,937	529	312	230	176	3,185	728	701	932	941
	White	58,389	918	245	142	110	85	1,500	340	325	460	424
	Negro	56,674	651	201	116	83	60	1,111	295	267	311	322
	Other races	7,867	193	41	20	18	17	289	47	61	96	104
	Male	8,407	149	35	25	16	14	239	42	43	57	82
	Female	246	14	2	4	2	—	22	1	2	4	7
	Other races	150	12	4	5	1	2	24	3	3	4	2
80	Encephalitis (nonepidemic)	1,463	93	66	49	27	21	256	85	96	93	96
	White	726	51	33	21	14	9	128	49	46	48	42
	Negro	565	31	26	20	12	7	96	26	35	28	42
	Other races	87	5	2	3	—	1	11	5	8	11	6
	Male	75	5	5	4	1	3	18	3	6	5	7
	Female	4	—	—	—	—	—	—	—	—	—	—
	Other races	6	1	—	1	—	1	3	—	1	1	1
81	Meningitis (not due to meningococcus)	2,156	511	154	73	53	47	838	144	110	119	73
	White	1,109	267	74	33	27	26	427	62	48	63	37
	Negro	675	157	55	20	13	14	259	57	40	29	19
	Other races	191	43	14	4	6	6	73	13	14	18	8
	Male	157	36	10	11	7	1	65	11	7	7	7
	Female	13	4	—	3	—	—	7	—	—	1	1
	Other races	11	4	1	2	—	—	7	1	1	1	1
82	Diseases of spinal cord (see exceptions)*	2,771	24	8	15	7	11	65	32	39	66	49
	White	1,448	15	4	5	4	7	35	16	20	45	28
	Negro	1,130	6	4	6	3	2	21	13	15	20	12
	Other races	89	2	—	3	—	1	6	1	2	2	4
	Male	97	1	—	1	—	1	3	2	2	—	5
	Female	4	—	—	—	—	—	—	—	—	—	—
	Other races	3	—	—	—	—	—	—	—	—	1	—
83a	Cerebral hemorrhage or effusion*	101,259	146	28	20	17	9	220	44	56	129	189
	White	43,932	66	14	7	5	6	96	17	23	56	79
	Negro	44,083	55	10	9	8	1	83	17	23	55	59
	Other races	6,135	16	3	2	2	2	25	2	5	7	27
	Male	6,851	7	1	2	1	—	11	7	5	11	22
	Female	170	2	—	—	—	—	2	1	—	—	2
	Other races	88	—	—	—	1	—	1	—	—	—	—
83b,c	Cerebral embolism, thrombosis, and softening	10,289	17	8	2	3	3	33	15	16	32	46
	White	4,889	8	6	1	2	1	18	6	8	13	18
	Negro	4,843	7	2	1	1	2	15	6	7	17	20
	Other races	281	1	—	—	—	—	1	1	—	—	5
	Male	252	1	—	—	—	—	1	2	1	2	3
	Female	15	—	—	—	—	—	—	—	—	—	—
	Other races	9	—	—	—	—	—	—	—	—	—	—
83d	Hemiplegia, other paralysis, etc.*	3,419	16	10	8	4	2	40	21	14	19	22
	White	1,398	9	4	5	1	1	20	8	6	9	12
	Negro	1,222	5	3	2	1	1	12	11	4	7	3
	Other races	356	1	2	1	—	—	4	1	4	2	5
	Male	426	1	1	—	1	—	3	1	—	1	2
	Female	8	—	—	—	—	—	1	—	—	—	—
	Other races	9	—	—	—	—	—	—	—	—	—	—
84	Mental diseases and deficiency (see exception)*	1,556	45	5	11	6	8	77	13	19	52	69
	White	545	17	5	6	2	1	31	9	5	18	24
	Negro	687	25	—	4	5	6	40	3	5	16	20
	Other races	170	1	—	1	—	—	3	—	6	9	14
	Male	150	2	—	—	—	—	3	1	3	9	11
	Female	4	—	—	—	—	—	—	—	—	—	—
85	Epilepsy	2,233	32	16	22	19	17	106	70	127	211	249
	White	1,076	13	4	12	11	7	47	30	67	91	113
	Negro	767	12	8	7	4	3	34	30	35	65	92
	Other races	244	4	1	2	3	4	14	8	12	37	24
	Male	134	2	3	—	1	3	9	2	11	17	18
	Female	7	—	—	—	—	—	—	—	—	—	—
	Other races	5	1	—	1	—	—	2	—	—	1	2
86	Convulsions (under 5 years)	614	475	61	32	32	14	614	—	—	—	—
	White	228	179	21	13	11	4	228	—	—	—	—
	Negro	199	142	24	14	14	5	199	—	—	—	—
	Other races	96	82	5	2	4	3	96	—	—	—	—
	Male	83	66	9	3	3	2	83	—	—	—	—
	Female	5	4	1	—	—	—	5	—	—	—	—
	Other races	3	2	1	—	—	—	3	—	—	—	—
87	Other diseases of nervous system	3,333	89	32	28	14	12	175	91	54	59	59
	White	1,628	46	16	12	6	5	85	34	20	29	28
	Negro	1,516	33	13	15	5	7	73	43	23	25	24
	Other races	91	6	2	—	1	—	9	6	5	3	3
	Male	91	4	1	1	2	—	8	7	5	2	5
	Female	3	—	—	—	—	—	—	—	—	—	—
	Other races	4	—	—	—	—	—	—	1	1	—	1

\* Refer to complete International List titles, table XI.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
88	VI.—Diseases of the nervous system, etc.*—Continued											
	Diseases of organs of vision—	81	13	4	1	3	3	24	9	1	2	—
	White—M	51	6	1	—	2	1	10	4	—	1	—
	F	34	5	2	—	1	2	10	3	—	—	—
	Negro—M	7	—	—	—	—	—	—	—	1	1	—
	F	9	2	1	1	—	—	4	2	—	—	—
89	Diseases of ear and mastoid process—	2,529	476	136	51	43	31	737	205	169	148	87
	White—M	1,549	241	65	27	25	17	373	105	82	87	45
	F	953	175	54	18	16	10	271	86	80	49	31
	Negro—M	120	32	12	2	1	—	47	10	4	6	8
	F	82	22	4	2	—	3	31	4	3	3	2
	Other races—M	13	4	1	1	1	—	7	—	—	2	1
	F	12	4	2	1	—	1	8	1	—	1	—
	VII.—Diseases of circulatory system—	388,456	429	124	85	85	122	845	746	1,208	1,703	1,980
	White—M	204,652	215	60	33	40	47	395	313	529	765	808
	F	151,039	158	47	30	27	51	315	307	508	671	798
	Negro—M	16,809	31	10	14	5	8	68	62	81	94	153
	F	15,072	21	5	8	13	15	62	63	81	164	210
	Other races—M	665	3	—	—	—	—	3	1	6	6	5
	F	219	1	2	—	—	1	4	—	3	2	6
90a	Chronic rheumatic pericarditis—	29	—	—	—	—	—	—	3	—	1	1
	White—M	9	—	—	—	—	—	—	2	—	—	—
	F	17	—	—	—	—	—	—	1	—	—	1
	Negro—M	2	—	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	—	—	—
90b	Other pericarditis—	620	14	17	6	3	10	50	16	18	22	25
	White—M	297	7	11	1	3	3	25	8	7	11	8
	F	200	5	4	3	—	5	17	7	6	7	11
	Negro—M	68	2	—	1	—	—	3	1	3	—	2
	F	49	—	2	1	—	1	4	—	2	4	3
	Other races—M	4	—	—	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	1	1	—	—	—	—
91a,b	Bacterial, acute, and subacute endocarditis—	2,607	28	12	10	14	15	79	90	106	214	232
	White—M	1,252	17	5	4	6	5	37	30	46	75	87
	F	1,050	10	7	4	6	9	36	44	51	115	117
	Negro—M	135	1	—	2	—	1	4	8	3	6	8
	F	177	—	—	—	2	—	2	8	6	14	19
	Other races—M	12	—	—	—	—	—	—	—	—	3	1
	F	1	—	—	—	—	—	—	—	—	1	—
91c	Endocarditis (unspecified, under 45 years)—	345	12	4	2	2	3	23	22	20	53	38
	White—M	139	7	2	1	1	—	11	12	13	13	20
	F	122	4	1	1	1	3	10	9	5	12	15
	Negro—M	36	—	1	—	—	—	1	—	2	1	2
	F	45	—	—	—	—	—	—	1	—	7	1
	Other races—M	2	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	1	—	—	—	—
92a	Diseases of aortic valve, etc.*—	3,687	1	1	2	—	1	5	3	11	25	22
	White—M	1,918	—	—	2	—	—	2	—	4	9	6
	F	1,135	1	1	—	—	—	2	2	3	9	10
	Negro—M	451	—	—	—	—	—	—	—	3	2	2
	F	368	—	—	—	—	1	1	1	1	4	4
	Other races—M	13	—	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	—	—	—	—
92b	Diseases of mitral valve, etc.*—	18,199	22	7	6	5	18	58	136	240	309	314
	White—M	8,175	12	2	1	2	6	23	62	105	156	130
	F	7,632	8	3	2	1	6	20	52	109	116	142
	Negro—M	1,192	1	—	2	1	2	6	10	12	15	16
	F	1,163	—	2	1	1	4	8	11	13	22	26
	Other races—M	22	1	—	—	—	—	1	1	—	—	—
	F	15	—	—	—	—	—	—	—	1	—	—
92c	Chronic rheumatic endocarditis, etc.*—	1,937	2	—	—	1	2	5	36	89	121	91
	White—M	946	—	—	—	1	—	1	16	48	58	47
	F	837	2	—	—	—	2	4	14	34	51	37
	Negro—M	76	—	—	—	—	—	—	3	3	7	5
	F	73	—	—	—	—	—	—	3	4	4	1
	Other races—M	3	—	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	—	—	—	1
92d	Other chronic endocarditis, etc.*—	18,351	34	5	2	9	9	59	54	114	133	174
	White—M	8,246	15	2	—	6	6	29	24	45	59	75
	F	8,128	14	3	1	1	3	22	22	55	56	76
	Negro—M	991	4	—	1	—	—	5	2	7	4	10
	F	946	1	—	—	2	—	5	6	7	14	13
	Other races—M	31	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	—	—
92e	Endocarditis (unspecified, 45 years and over)—	2,720	—	—	—	—	—	—	—	—	—	—
	White—M	1,274	—	—	—	—	—	—	—	—	—	—
	F	1,102	—	—	—	—	—	—	—	—	—	—
	Negro—M	178	—	—	—	—	—	—	—	—	—	—
	F	164	—	—	—	—	—	—	—	—	—	—
	Other races—M	2	—	—	—	—	—	—	—	—	—	—
93e	Acute myocarditis (except rheumatic)—	4,078	38	18	11	10	6	83	21	17	35	46
	White—M	1,920	10	8	4	7	4	33	10	8	12	14
	F	1,539	20	7	2	2	2	33	6	4	16	18
	Negro—M	284	5	2	3	1	—	11	2	1	2	5
	F	324	3	1	2	—	—	6	3	4	5	9
	Other races—M	9	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
2	1	2	3	—	1	2	2	5	3	8	8	8	—	—	—	—	88
2	—	—	1	—	1	2	—	1	—	4	3	2	—	—	—	—	—
—	1	1	1	—	—	—	2	1	2	3	4	6	—	—	—	—	—
—	—	1	1	—	—	—	—	3	1	—	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
98	92	111	104	132	141	138	118	88	58	59	32	7	—	—	—	—	89
63	46	69	61	80	80	68	62	48	27	31	18	2	1	1	—	—	—
28	37	30	35	41	51	58	48	58	26	25	13	5	1	—	—	—	—
5	7	3	4	3	5	7	3	1	3	3	—	—	—	—	—	—	—
2	1	9	3	8	4	5	3	1	2	—	1	—	—	—	—	—	—
—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2,674	3,789	6,287	10,667	17,079	25,187	31,898	41,211	51,603	56,381	55,945	44,607	24,019	8,192	1,895	-340	200	—
1,041	1,639	2,906	5,627	9,754	14,830	19,218	25,911	28,672	29,812	28,347	21,400	10,674	3,248	600	79	83	—
1,032	1,226	1,808	2,721	4,369	6,522	8,983	15,686	19,024	25,494	25,461	21,812	12,488	4,520	1,117	131	38	—
277	454	731	1,174	1,506	2,066	2,033	1,896	2,073	1,687	1,062	661	402	182	74	58	35	—
307	450	813	1,119	1,408	1,704	1,576	1,627	1,725	1,303	970	646	410	217	94	84	41	—
10	12	27	18	31	55	70	69	91	59	81	66	25	16	6	7	1	—
7	8	2	8	11	10	18	22	20	26	24	22	10	9	4	1	2	—
—	—	3	1	1	3	2	2	3	3	1	3	2	—	—	—	—	90a
—	—	2	—	—	1	1	1	1	—	—	1	1	—	—	—	—	—
—	—	1	1	1	2	1	1	2	2	1	2	1	—	—	—	—	—
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
29	30	37	34	52	40	39	50	47	53	39	33	16	6	3	—	1	—
10	11	13	14	15	25	19	28	25	29	20	20	6	3	—	—	—	—
13	8	12	8	6	8	11	14	14	16	15	13	8	3	3	—	—	—
5	7	6	8	5	3	7	4	6	5	3	—	—	—	—	—	—	—
1	4	5	4	4	4	1	4	2	3	1	—	2	—	—	—	1	—
—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
235	219	216	209	159	182	165	134	124	100	75	36	20	8	—	—	4	—
104	109	69	108	95	113	96	66	63	45	38	22	7	2	—	—	—	—
108	92	90	62	53	45	44	46	39	44	32	12	12	6	—	—	2	—
7	8	11	21	3	11	16	13	8	3	2	1	—	—	—	—	2	—
15	7	23	18	8	13	9	8	14	8	3	1	1	—	—	—	—	—
1	3	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45	35	60	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	10	23	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	11	19	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	6	7	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	7	10	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
47	79	84	176	296	338	382	400	528	496	462	328	140	50	11	3	1	—
18	25	29	73	155	172	209	207	282	247	246	148	65	19	2	—	—	—
8	17	12	21	43	51	78	112	149	190	175	157	65	26	4	1	—	—
10	22	23	45	60	65	48	45	55	30	12	16	6	2	3	1	1	—
11	14	20	36	38	49	44	33	41	28	27	7	3	3	2	1	—	—
—	1	—	—	1	3	—	3	1	—	2	—	1	—	—	—	—	—
—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
400	546	635	885	1,068	1,267	1,353	1,674	2,038	2,148	2,177	1,717	880	290	46	10	10	—
143	197	239	378	454	519	644	778	963	1,046	1,030	797	376	117	16	—	2	—
201	268	271	522	415	445	461	627	790	913	1,013	822	453	154	23	4	1	—
24	39	47	83	94	151	135	152	135	101	75	49	26	14	2	2	4	—
29	40	76	86	102	150	110	114	147	86	55	47	25	5	5	4	2	—
2	1	2	2	2	2	3	2	3	—	1	—	—	—	—	—	1	—
1	1	—	—	—	—	—	1	—	2	3	2	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
115	103	137	102	164	193	150	150	137	138	106	68	25	7	—	—	—	—
53	54	66	57	75	99	83	76	63	65	46	25	12	2	—	—	—	—
57	42	55	40	72	77	59	57	68	64	56	37	11	4	—	—	—	—
4	9	1	8	8	8	4	8	4	4	2	2	—	—	—	—	—	—
—	3	7	4	8	9	4	9	4	5	2	4	1	1	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
219	280	343	500	651	1,038	1,262	1,781	2,261	2,718	2,778	2,283	1,237	355	84	14	13	—
87	102	120	194	263	435	618	884	1,131	1,265	1,307	991	498	111	18	3	7	—
99	128	142	180	251	364	422	674	890	1,260	1,330	1,211	685	218	57	4	1	—
27	27	42	63	71	118	119	117	129	102	63	44	25	10	2	2	2	—
26	19	37	62	85	118	97	102	107	87	71	36	28	15	7	5	3	—
—	1	2	1	2	3	6	4	3	3	4	1	—	—	—	—	—	—
—	2	—	—	1	—	—	—	1	1	3	—	1	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	147	231	240	301	381	439	436	310	158	61	10	3	3	—
—	—	—	—	51	104	110	146	202	199	210	140	73	32	2	1	2	—
—	—	—	—	48	65	78	114	134	198	202	153	73	25	5	1	1	—
—	—	—	—	28	38	17	22	29	22	9	7	3	3	—	—	—	—
—	—	—	—	20	24	34	17	16	20	14	5	9	1	3	1	—	—
—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
68	99	151	180	241	312	364	419	411	498	495	355	192	68	20	2	11	—
33	51	46	69	104	160	181	225	201	247	217	174	97	23	8	1	6	—
15	28	51	54	74	85	120	159	157	201	253	167	88	39	10	—	1	—
6	14	21	24	30	35	29	25	35	18	16	9	1	1	—	—	1	—
14	26	32	33	30	31	30	30	18	21	9	5	5	5	—	—	2	—
—	—	1	—	—	1	4	—	1	1	—	—	1	—	—	—	—	—

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
VII.—Diseases of circulatory system—Contd.												
95b	Myocarditis (unspecified, under 45 years)	809	29	4	5	—	6	42	20	18	39	52
	White—M	294	17	3	—	—	1	21	7	6	18	15
	F	241	11	1	1	—	5	16	8	6	17	17
	Negro—M	145	—	—	2	—	—	2	3	4	2	12
	F	135	1	—	—	—	2	3	2	2	2	6
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	—	—	—	2
95c	Chronic rheumatic myocarditis, etc.*	1,020	—	—	—	1	—	1	6	22	25	21
	White—M	440	—	—	—	1	—	1	2	11	16	7
	F	488	—	—	—	—	—	—	3	8	7	10
	Negro—M	45	—	—	—	—	—	—	—	3	2	1
	F	45	—	—	—	—	—	—	1	—	—	2
	Other races—M	1	—	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	—	—	—	—
95d	Other chronic myocarditis, etc.*	165,141	14	4	4	4	5	51	25	39	110	189
	White—M	80,341	8	3	—	2	2	15	15	17	52	75
	F	72,425	4	1	3	1	1	10	9	17	41	70
	Negro—M	6,285	1	—	1	—	—	2	—	1	4	19
	F	5,729	1	—	—	1	2	4	1	3	13	23
	Other races—M	272	—	—	—	—	—	—	—	—	—	1
	F	89	—	—	—	—	—	—	—	1	—	1
95e	Other myocarditis (unspecified)	19,293	7	1	—	2	4	14	5	11	15	33
	White—M	9,460	—	1	—	—	1	2	2	1	9	8
	F	7,547	4	—	—	1	3	8	1	7	4	8
	Negro—M	1,150	1	—	—	—	—	1	2	—	1	5
	F	1,101	2	—	—	1	—	3	—	3	1	11
	Other races—M	26	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	—	1
94a	Diseases of coronary arteries	80,974	19	4	5	3	2	33	12	21	60	124
	White—M	54,460	8	1	4	1	2	16	6	8	31	56
	F	25,235	9	2	—	1	—	12	3	5	13	45
	Negro—M	1,833	1	1	—	—	—	2	1	5	5	11
	F	1,328	1	—	1	1	—	3	2	2	11	14
	Other races—M	99	—	—	—	—	—	—	2	1	—	—
	F	19	—	—	—	—	—	—	—	—	—	—
94b	Angina pectoris	8,449	3	1	—	—	—	4	—	—	12	13
	White—M	5,518	2	1	—	—	—	3	—	—	3	5
	F	2,395	—	—	—	—	—	—	—	—	2	4
	Negro—M	292	1	—	—	—	—	1	—	—	2	3
	F	255	—	—	—	—	—	—	—	—	5	1
	Other races—M	6	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	—
95a	Functional diseases of heart, etc.*	1,041	9	—	—	1	—	10	1	3	3	7
	White—M	513	6	—	—	—	—	6	1	1	3	3
	F	444	2	—	—	—	—	2	—	2	—	3
	Negro—M	42	1	—	—	—	—	1	—	—	—	—
	F	39	—	—	—	1	—	1	—	—	—	1
	Other races—M	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—
95b	Other diseases of heart (rheumatic)	5,026	1	1	7	7	21	37	205	359	336	313
	White—M	2,202	—	—	4	1	8	13	79	157	163	150
	F	2,275	1	1	2	3	7	14	88	156	133	130
	Negro—M	250	—	—	—	1	3	4	21	21	13	13
	F	303	—	—	1	2	3	6	17	22	26	20
	Other races—M	11	—	—	—	—	—	—	—	3	—	—
	F	5	—	—	—	—	—	—	—	—	1	—
95c	Other diseases of heart (not rheumatic)	26,108	137	23	17	16	16	209	66	93	165	190
	White—M	13,474	66	11	9	7	6	99	32	46	59	64
	F	8,589	50	7	5	6	6	74	23	27	58	51
	Negro—M	2,159	9	4	1	1	2	17	6	10	21	31
	F	1,781	10	—	2	2	2	16	5	8	26	42
	Other races—M	76	2	—	—	—	—	2	—	1	1	1
	F	29	—	1	—	—	—	—	—	1	—	—
96	Aneurysm (except of heart and aorta)	746	2	1	1	—	1	5	2	2	9	29
	White—M	423	1	—	—	—	1	2	—	1	5	15
	F	205	1	1	1	—	—	3	1	1	3	7
	Negro—M	77	—	—	—	—	—	—	1	—	1	2
	F	40	—	—	—	—	—	—	—	—	—	5
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
97	Arteriosclerosis (except coronary or renal sclerosis)	22,252	—	—	—	—	—	—	—	—	1	4
	White—M	11,137	—	—	—	—	—	—	—	—	—	2
	F	9,511	—	—	—	—	—	—	—	—	—	1
	Negro—M	823	—	—	—	—	—	—	—	—	—	—
	F	700	—	—	—	—	—	—	—	—	1	1
	Other races—M	64	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	—	—	—	—	—	—
98	Gangrene	584	12	8	3	2	1	26	2	2	4	7
	White—M	278	6	5	2	—	—	13	1	1	2	6
	F	188	3	2	1	2	1	9	1	—	2	1
	Negro—M	58	3	1	—	—	—	4	—	1	—	—
	F	57	—	—	—	—	—	—	—	—	—	—
	Other races—M	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—
99	Other diseases of arteries	1,872	16	3	1	1	—	21	4	11	12	18
	White—M	1,034	14	2	—	—	—	16	2	1	5	7
	F	741	2	1	1	—	—	5	1	10	5	10
	Negro—M	58	—	—	—	—	—	—	1	—	2	1
	F	34	—	—	—	—	—	—	—	—	—	—
	Other races—M	3	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—

\*Refer to complete International List titles, table XI.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
VII.—Diseases of circulatory system—Contd.												
100	Diseases of veins	847	8	—	3	1	1	13	7	3	7	14
	White	362	6	—	—	—	1	7	1	1	4	3
	Female	404	1	—	2	1	—	4	5	1	1	9
	Negro	37	—	—	1	—	—	1	—	1	—	—
	Female	41	1	—	—	—	—	1	1	—	2	2
	Other races	2	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—
101	Diseases of lymphatic system	118	19	10	2	3	1	35	6	2	8	3
	White	50	11	3	1	2	1	18	3	—	3	1
	Female	46	6	5	1	—	—	12	4	—	1	—
	Negro	11	1	1	—	1	—	3	1	—	2	—
	Female	9	1	—	—	—	—	1	—	1	2	2
	Other races	1	—	—	—	—	—	—	—	1	—	—
	Female	1	—	1	—	—	—	1	—	—	—	—
102	High blood pressure (idiopathic)	1,234	—	—	—	—	—	—	2	1	3	13
	White	448	—	—	—	—	—	—	—	—	—	3
	Female	509	—	—	—	—	—	—	2	—	2	6
	Negro	121	—	—	—	—	—	—	—	—	1	2
	Female	154	—	—	—	—	—	—	—	1	—	2
	Other races	1	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—
103	Other diseases of circulatory system	169	2	—	—	—	—	2	2	6	1	7
	White	72	2	—	—	—	—	2	—	—	—	1
	Female	34	—	—	—	—	—	—	1	1	—	1
	Negro	30	—	—	—	—	—	—	—	1	—	5
	Female	31	—	—	—	—	—	—	1	2	1	2
	Other races	2	—	—	—	—	—	—	—	—	—	—
	Female	2	—	—	—	—	—	—	—	—	—	—
VIII.—Diseases of respiratory system												
		91,808	14,980	3,108	1,206	674	490	20,458	1,271	1,078	1,508	1,755
	White	43,417	6,502	1,294	508	291	203	8,798	574	452	680	649
	Female	33,413	5,026	1,070	437	240	174	6,947	461	388	451	532
	Negro	8,097	1,783	365	135	88	59	2,430	120	128	192	276
	Female	6,019	1,367	298	99	46	45	1,853	96	103	177	235
	Other races	537	162	47	16	7	7	239	13	1	5	11
	Female	325	140	36	11	2	2	191	7	6	5	2
104	Diseases of nasal fossae, accessory sinuses	1,141	224	28	9	8	6	275	30	77	112	90
	White	558	62	12	5	3	4	86	16	37	71	51
	Female	351	53	7	1	4	2	67	10	25	30	26
	Negro	135	62	6	3	1	—	72	2	15	7	9
	Female	88	45	3	—	—	—	48	2	2	4	3
	Other races	8	1	—	—	—	—	1	—	—	—	1
	Female	5	—	—	—	—	—	—	—	—	—	—
105	Diseases of larynx	436	123	81	36	31	25	296	31	7	8	1
	White	227	59	46	23	16	16	159	15	4	5	1
	Female	148	36	25	10	11	6	88	16	2	2	—
	Negro	28	17	3	1	2	1	24	—	—	—	—
	Female	29	11	7	2	—	2	22	—	1	1	—
	Other races	2	1	—	—	1	—	2	—	—	—	—
	Female	1	—	—	—	1	—	1	—	—	—	—
106a	Acute bronchitis	1,188	300	74	39	31	9	453	31	15	12	5
	White	527	144	36	22	16	6	224	20	9	7	3
	Female	304	93	28	13	13	2	149	11	5	3	1
	Negro	88	33	4	2	—	—	39	—	—	2	—
	Female	66	28	6	2	—	1	39	—	1	—	1
	Other races	1	1	—	—	—	—	1	—	—	—	—
	Female	2	1	—	—	—	—	1	—	—	—	—
106b	Chronic bronchitis	1,846	15	3	4	4	2	28	3	13	18	32
	White	1,003	7	—	3	2	1	13	5	6	9	14
	Female	744	1	1	1	2	1	12	—	6	8	13
	Negro	45	7	2	—	—	—	3	—	—	—	1
	Female	50	—	—	—	—	—	—	—	1	1	4
	Other races	4	—	—	—	—	—	—	—	—	—	—
106c	Bronchitis (unspecified)	794	165	60	34	7	8	274	21	1	7	6
	White	338	68	29	16	4	6	123	9	—	3	4
	Female	352	64	25	15	3	1	108	7	1	2	—
	Negro	52	16	4	2	—	—	22	3	—	—	2
	Female	50	15	2	1	—	—	19	2	—	2	—
	Other races	1	1	—	—	—	—	1	—	—	—	—
	Female	1	1	—	—	—	—	1	—	—	—	—
107	Bronchopneumonia (including capillary bronchitis)	35,524	9,538	1,690	601	287	204	12,320	439	288	338	363
	White	16,271	4,229	696	245	123	75	5,568	190	126	143	140
	Female	14,245	3,290	583	225	103	69	4,270	163	106	115	130
	Negro	2,557	1,052	202	61	37	37	1,369	41	30	25	35
	Female	2,075	772	166	52	21	21	1,032	34	24	50	55
	Other races	222	98	25	12	3	1	139	7	1	3	2
	Female	154	97	18	6	—	1	122	4	1	2	1
108	Lobar pneumonia	38,299	3,092	859	338	223	165	4,657	532	518	794	955
	White	18,387	1,363	344	127	89	68	1,991	241	208	353	322
	Female	12,809	1,035	295	134	77	60	1,601	178	182	218	249
	Negro	4,033	363	109	42	39	17	570	58	63	130	184
	Female	2,750	279	71	29	15	16	410	49	60	92	175
	Other races	205	29	10	2	2	3	46	3	—	1	4
	Female	117	23	10	4	1	1	39	3	5	—	1
109	Pneumonia (unspecified)	3,810	1,156	186	79	46	24	1,491	82	61	84	109
	White	1,510	385	58	31	16	9	498	31	20	27	30
	Female	1,169	320	50	15	14	8	407	32	21	26	33
	Negro	557	213	24	19	9	3	268	12	15	15	20
	Female	469	194	38	11	6	2	251	5	7	15	24
	Other races	71	29	9	2	1	2	43	2	—	1	2
	Female	34	15	7	1	—	—	23	—	—	—	—



GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
15	24	40	66	89	108	78	107	98	67	54	37	11	7	2			100
7	9	16	33	35	51	33	49	39	25	22	20	4	2	1			
6	10	17	28	43	47	38	49	51	36	30	16	7	5	1			
1	2	2	2	7	4	2	5	5	5	2							
1	5	4	5	4	5	4	4	3	5		1						
		1			1												
						1											
5	4	1	2	9	4	4	5	5	3	10	5	4				1	101
1			1	5		2	2	5	5	5	2					1	
2	2		1	5	3	2	3	1		5	3	2					
2	1			1	1												
	1	1						1									
22	35	48	69	101	105	104	134	129	123	136	107	76	24	2	1	1	102
13	6	16	25	30	35	44	55	48	48	52	40	25	9	1			
4	11	13	15	44	47	34	44	55	56	69	56	40	9	1			
2	9	7	12	10	17	14	11	12	7	6	5	3	2		1		
5	7	12	17	17	8	11	24	14	12	9	5	8	4				
						1					1						
8	10	15	18	15	15	15	17	11	15	9	4	1	1	1			103
6	1	5	9	5	11	5	7	6	7	3	2						
	1	4	1	4		2	4	3	4	4	1	1	1	1			
	4	2	5	3		3	4	4	3		1						
1	4	4	5	2	2	5	2	1	1	2							
1				1													
1,965	2,416	3,046	3,402	4,567	5,061	5,586	5,806	6,755	7,320	7,407	6,555	4,023	1,633	439	81	74	
684	963	1,287	1,681	2,219	2,694	2,933	3,249	3,553	3,732	3,655	3,000	1,905	646	140	17	26	
626	714	888	875	1,161	1,567	1,592	1,833	2,332	3,061	3,364	3,313	2,046	911	263	51	17	
360	596	526	495	591	584	512	593	374	260	184	112	81	30	15	16	22	
286	324	318	348	375	393	315	273	252	223	143	105	71	38	19	16	8	
7	9	21	19	19	14	33	28	32	27	28	13	8	6	2	1	1	
2	10	8	4	4	9	1	10	12	17	13	12	12	2				
78	71	52	49	62	52	45	35	32	25	15	15	10	15	3			104
37	41	35	30	32	28	24	14	19	13	8	6	4	7	1			
31	21	17	13	22	16	17	17	11	5	5	8	6	6				
4	5	3	3	3	3	3	2	2	2	2	1						
4	4	1	2	5	5	1	2		1				2	2			
2		1	1														
4	5	7	10	11	9	8	8	6	6	4	3	3	1	2		3	105
2	2	3	6	4	5	3	5	4	3	3			1	1			
2	2	3	3	4	3	5	3	5	2	2	2	3		1		2	
		1	1	1	1				1	1	1			1		1	
				2	1												
6	9	17	16	18	31	25	35	44	64	105	135	90	41	19	3		106a
2	3	7	6	10	17	9	15	22	26	42	53	35	14	7			
4	2	4	5	5	10	12	15	17	35	58	79	51	26	12	2		
4	1	4	2	2	2	1	3	2	2	2	2	2	1		1		
	5	2	5	1	2	3	1	3	1	1	1	2					
							1										
28	43	35	71	109	116	134	158	208	221	226	203	145	48	9			106b
11	18	16	41	74	83	85	109	125	111	110	90	63	21	3			
11	15	15	19	22	27	42	43	76	107	111	109	79	24	5			
2	1	3	5	7	5	6	3	4	1	1	1	1	1				
4	9	1	5	6	1	2	3	3	2	2	3		2	1			
			1		1					2							
9	8	5	7	12	22	17	33	35	39	64	95	85	42	10	2		106c
2	4	3	5	2	9	8	15	15	19	27	39	31	16	3	1		
1	3		1	6	4	7	14	13	16	32	53	52	25	7			
2				5	7	1	2	3	1	3	1	2					
4	1	2	1	1	2	1	2	4	3	2	2		1				
408	512	651	717	930	1,189	1,362	1,686	2,127	2,765	3,184	3,111	2,006	873	231	43	21	107
142	222	248	322	444	593	707	904	1,070	1,370	1,566	1,416	878	325	80	10	7	
151	174	220	253	295	351	469	609	869	1,241	1,499	1,608	1,060	517	141	21	5	
55	46	98	84	106	123	97	91	100	69	53	46	33	14	7	7	8	
60	63	61	73	82	99	84	75	75	71	53	35	29	13	2	5	2	
	4	2	4	2	1	5	9	10	11	11	4	2	3	1		1	
	3	2	1	1	2			3	3	2	2	4	1				
1,068	1,350	1,786	1,937	2,437	2,750	2,888	3,021	3,407	3,350	2,995	2,204	1,122	366	97	15	32	108
355	515	745	923	1,236	1,434	1,555	1,695	1,799	1,756	1,478	1,031	551	184	24	4	9	
308	366	486	456	606	710	799	914	1,247	1,317	1,326	1,061	535	176	62	1	11	
255	278	345	336	372	359	325	237	204	141	98	48	21	10	6	6	7	
164	184	189	208	226	231	183	150	138	115	71	51	28	13	4	4	5	
4	2	16	11	15	10	25	17	12	12	12	7	3	2	1			
4	7	5	3	2	6	1	8	7	9	8	6	4	1				
94	88	108	116	146	171	155	172	199	183	195	171	116	44	12	6	7	109
34	38	40	58	65	83	82	80	93	84	87	82	52	13	6	2	4	
18	19	23	30	35	49	39	55	63	68	88	81	49	25	5	2	1	
23	16	25	12	29	22	21	18	24	17	10	4	5	2				
19	14	20	15	16	17	13	16	10	9	5	2	5	3	1	1	1	
	1		1				2	8	3	2	1	3	1		1		
				1			1	1	2	3	1	2					

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
VIII.—Diseases of respiratory system—Contd.												
110	Pleurisy (not tuberculous)	2,229	181	97	36	21	27	362	45	47	64	96
	White—M	1,207	86	52	20	13	9	180	24	22	32	47
	F	698	66	34	14	6	15	135	16	19	22	25
	Negro—M	200	17	7	1	—	1	26	3	3	5	15
	F	108	9	3	1	2	1	14	1	3	5	9
	Other races—M	13	1	2	—	—	1	4	1	—	—	—
	F	3	2	1	—	—	—	3	—	—	—	—
111	Hemorrhagic infarction, thrombosis, edema *	2,729	81	14	4	2	5	106	17	10	24	33
	White—M	1,254	41	8	1	—	—	52	7	3	12	7
	F	1,232	29	6	2	2	3	42	8	6	8	17
	Negro—M	98	2	—	1	—	—	3	1	—	—	3
	F	131	8	—	—	—	—	8	1	1	4	6
	Other races—M	5	1	—	—	—	—	1	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	—	—
112	Asthma	2,032	30	21	16	6	8	81	13	13	14	40
	White—M	973	17	8	8	3	4	40	5	3	2	10
	F	794	7	9	4	3	3	26	6	5	8	23
	Negro—M	136	3	3	3	—	—	9	—	3	3	3
	F	123	3	1	—	—	1	5	2	2	1	2
	Other races—M	6	—	1	—	—	—	1	—	—	—	2
113	Pulmonary emphysema	123	4	—	2	—	1	7	—	2	3	1
	White—M	87	3	—	1	—	—	4	—	—	—	1
	F	28	—	—	1	—	1	2	—	2	—	—
	Negro—M	5	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—
	Other races—F	1	—	—	—	—	—	—	—	—	1	—
114a,b	Silicosis, other forms of pneumoconioses	300	—	—	—	—	—	—	—	—	1	—
	White—M	284	—	—	—	—	—	—	—	—	1	—
	F	5	—	—	—	—	—	—	—	—	—	—
	Negro—M	11	—	—	—	—	—	—	—	—	—	—
114c-e	Other diseases of respiratory system (except tuberculosis)	1,377	71	15	8	8	6	108	27	26	29	44
	White—M	791	39	5	6	6	3	59	13	14	15	19
	F	334	26	7	2	2	3	40	14	10	7	15
	Negro—M	171	3	1	—	—	—	4	—	1	5	4
	F	78	3	2	—	—	—	5	—	1	2	6
	Other races—M	3	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
IX.—Diseases of the digestive system												
		81,206	10,905	2,691	953	623	497	15,669	1,688	1,687	2,047	2,057
	White—M	41,496	4,969	1,159	465	306	251	7,150	830	809	1,041	986
	F	29,532	3,821	946	346	236	195	5,544	670	624	698	681
	Negro—M	5,217	1,138	280	64	37	26	1,545	87	125	147	181
	F	4,378	815	228	63	35	22	1,163	89	114	152	198
	Other races—M	331	82	44	4	5	1	136	6	6	6	—
	F	252	80	34	11	4	2	151	6	9	8	11
115	Diseases of buccal cavity and adnexa, etc.*	3,851	236	147	132	138	116	769	368	247	211	245
	White—M	1,902	110	77	66	65	51	389	178	96	100	119
	F	1,489	82	51	58	53	52	306	144	101	74	83
	Negro—M	284	20	14	5	11	7	57	22	23	20	16
	F	250	14	3	3	8	6	34	22	26	15	24
	Other races—M	11	—	2	—	1	—	3	2	—	1	—
	F	5	—	—	—	—	—	—	—	1	1	3
116	Diseases of esophagus	216	17	1	3	3	2	26	—	2	1	3
	White—M	115	12	—	1	1	1	15	—	—	—	—
	F	77	5	1	1	1	—	8	—	1	1	1
	Negro—M	12	—	—	1	—	—	1	—	—	—	—
	F	11	—	—	—	—	1	2	—	1	—	2
	Other races—F	1	—	—	—	—	—	—	—	—	—	—
117	Ulcer of stomach or duodenum	8,875	21	4	1	3	—	29	6	9	43	140
	White—M	6,640	7	1	1	2	—	11	3	4	30	86
	F	1,369	9	2	—	—	—	11	2	5	8	19
	Negro—M	533	1	1	—	1	—	3	—	—	3	26
	F	273	4	—	—	—	—	4	1	—	2	8
	Other races—M	33	—	—	—	—	—	—	—	—	—	1
	F	7	—	—	—	—	—	—	—	—	—	—
118	Other diseases of stomach (except cancer)	2,229	307	51	24	12	5	399	17	22	27	52
	White—M	871	127	22	10	3	2	164	3	9	10	12
	F	595	66	15	8	5	1	115	7	8	5	10
	Negro—M	377	44	9	3	2	1	59	4	2	5	14
	F	371	42	7	3	—	1	52	2	3	9	16
	Other races—M	7	2	—	—	1	—	3	—	—	—	—
	F	8	4	—	—	1	—	5	1	—	—	—
119	Diarrhea, enteritis, etc.* (under 2 years)	11,277	9,096	2,181	—	—	—	11,277	—	—	—	—
	White—M	4,971	3,977	894	—	—	—	4,971	—	—	—	—
	F	4,019	3,243	776	—	—	—	4,019	—	—	—	—
	Negro—M	1,186	947	239	—	—	—	1,186	—	—	—	—
	F	886	633	203	—	—	—	886	—	—	—	—
	Other races—M	113	75	38	—	—	—	113	—	—	—	—
	F	102	71	31	—	—	—	102	—	—	—	—
120	Diarrhea, enteritis, etc.* (2 years and over)	3,851	—	—	495	188	119	802	147	72	97	103
	White—M	1,590	—	—	222	85	54	561	61	37	37	47
	F	1,570	—	—	165	66	45	276	56	20	45	37
	Negro—M	286	—	—	47	11	9	67	10	8	8	6
	F	375	—	—	48	22	9	79	16	6	7	12
	Other races—M	11	—	—	2	2	1	5	2	1	—	—
	F	29	—	—	11	2	1	14	2	—	—	1

\*Refer to complete International List titles, table XI.





GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
829	897	881	912	1,071	1,015	957	847	702	514	320	150	53	7	1	1	7	121
437	505	490	544	642	578	536	478	419	281	152	70	22	2	—	—	3	
259	289	250	254	313	332	340	325	246	216	165	75	30	5	1	—	3	
58	76	72	69	70	66	52	29	27	10	1	5	1	—	—	—	1	
70	62	62	42	40	33	21	13	10	7	—	—	—	—	—	1	—	
5	5	5	5	4	5	6	—	—	—	—	—	—	—	—	—	—	
2	2	2	—	2	1	2	—	—	—	—	—	—	—	—	—	—	
42	77	118	215	330	466	538	612	699	618	552	402	177	55	10	2	5	122a
23	34	37	94	153	217	271	318	378	554	331	277	126	55	9	—	2	
7	15	43	80	134	199	210	250	275	241	197	111	45	17	1	—	1	
9	24	28	28	27	34	45	50	51	18	20	11	6	2	—	2	1	
3	4	10	11	14	16	12	12	12	2	5	2	—	—	—	—	1	
—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	1	2	2	—	—	1	3	3	1	1	—	—	—	—	—	
258	317	351	395	440	475	534	505	591	562	466	380	185	61	9	2	6	122b
69	84	90	121	153	190	224	256	270	248	211	154	61	14	2	—	2	
125	139	159	185	195	202	239	220	239	278	234	209	111	41	6	1	2	
25	29	22	30	30	37	37	22	33	16	11	9	6	4	1	—	1	
38	64	80	57	62	46	52	26	28	18	9	7	6	2	—	1	—	
1	1	—	—	—	—	2	—	1	2	1	1	—	—	—	—	1	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
47	72	75	98	157	183	148	149	139	139	94	50	28	6	5	—	3	123
12	34	27	43	81	104	68	85	61	61	50	21	13	1	1	—	1	
14	18	24	34	46	53	67	48	54	67	37	28	14	5	4	—	1	
10	9	10	8	22	13	8	11	4	8	1	1	—	—	—	—	—	
11	10	12	12	8	12	5	5	—	5	6	—	—	—	—	—	—	
—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
105	254	451	764	1,048	1,315	1,494	1,381	1,587	1,114	610	402	165	37	8	2	5	124
50	110	250	458	681	871	1,020	951	868	752	471	205	76	18	4	2	5	
58	111	141	214	292	329	361	399	440	335	307	185	85	16	2	—	1	
7	18	24	52	49	64	66	52	55	29	19	6	1	2	1	—	1	
9	14	25	56	29	37	38	20	21	14	8	6	3	—	1	—	1	
1	1	—	5	6	11	8	9	3	4	4	—	—	—	—	—	—	
—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—	—	
99	99	158	138	161	168	143	114	118	104	71	60	34	8	1	—	2	125
37	38	58	72	70	71	84	64	62	42	36	29	11	6	1	—	—	
26	42	48	59	65	72	46	40	45	49	34	26	17	2	—	—	1	
15	10	14	14	14	15	6	6	6	8	—	—	—	—	—	—	—	
21	8	15	13	9	8	5	2	4	4	1	3	4	—	—	—	—	
—	1	1	—	1	2	1	2	1	1	—	—	—	—	—	—	—	
—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	
70	102	202	272	361	525	629	616	608	484	355	196	67	11	2	—	1	126
13	21	52	69	100	151	197	181	218	176	116	59	19	2	—	—	1	
52	75	184	190	249	355	412	408	376	502	214	154	48	9	2	—	—	
1	—	2	2	2	4	5	3	3	1	1	2	—	—	—	—	—	
3	4	12	8	8	12	12	12	6	4	1	1	—	—	—	—	—	
1	—	1	—	1	1	1	1	1	—	—	—	—	—	—	—	—	
—	2	1	3	1	3	2	1	4	1	1	—	—	—	—	—	—	
46	97	129	189	274	345	413	415	419	424	338	259	116	50	4	—	1	127
13	24	35	61	88	126	142	147	150	152	125	75	33	12	—	—	1	
27	60	78	102	154	191	249	246	258	265	208	159	80	18	4	—	—	
—	2	6	11	11	10	5	5	2	4	3	3	—	—	—	—	—	
6	9	10	12	17	14	13	13	7	3	2	1	3	—	—	—	—	
—	—	—	5	5	1	1	1	—	—	—	1	—	—	—	—	—	
—	2	—	1	1	1	2	3	2	—	—	—	—	—	—	—	—	
51	49	80	57	95	85	105	74	75	51	30	12	3	1	—	—	1	128
17	24	47	36	48	40	55	39	40	24	14	7	1	1	—	—	1	
8	19	23	17	40	38	44	29	34	26	16	5	2	—	—	—	—	
2	5	4	3	5	4	—	1	—	—	—	—	—	—	—	—	—	
4	1	6	—	2	2	3	4	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
93	95	108	85	99	94	90	83	80	48	58	24	16	4	—	—	1	129
21	24	27	27	47	41	51	45	40	18	31	9	8	1	—	—	—	
42	39	48	35	34	37	29	24	35	25	24	14	6	3	—	—	—	
9	4	4	7	9	8	8	8	4	4	3	1	1	—	—	—	—	
21	28	29	16	9	7	2	6	1	1	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
1,556	2,059	2,995	4,175	5,769	7,791	9,650	12,111	16,014	18,004	18,255	14,461	7,513	2,276	448	130	71	
446	554	856	1,393	2,229	3,217	4,414	5,937	8,155	9,446	9,723	7,726	3,828	1,030	165	21	29	130
661	851	1,165	1,546	2,023	2,607	3,206	4,219	5,683	7,342	7,542	5,900	3,159	1,035	190	31	15	
152	245	381	554	759	1,060	1,122	1,082	1,275	1,093	729	538	314	110	46	21	15	
288	422	601	658	740	881	885	851	857	679	412	268	198	97	44	45	12	
4	5	5	17	13	17	20	29	30	27	19	24	11	2	1	1	1	
5	2	7	7	5	9	3	13	15	6	10	5	3	2	2	1	1	
167	179	217	222	210	223	246	197	210	191	159	118	78	28	7	3	2	
54	61	80	67	82	80	94	80	66	76	85	50	41	16	3	—	1	
59	51	57	66	59	52	68	60	83	78	57	57	28	10	3	—	—	
20	46	28	41	35	37	45	30	37	21	10	9	6	—	—	—	—	
35	21	52	46	56	40	38	27	23	16	9	2	1	—	—	—	—	
1	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	
397	632	1,139	1,961	3,022	4,360	5,375	6,823	9,079	10,445	10,528	8,554	4,375	1,299	253	63	33	131a
139	183	334	729	1,246	1,826	2,497	3,142	4,280	4,972	5,040	3,966	2,007	513	79	10	14	
149	229	397	643	973	1,460	1,826	2,617	3,659	4,501	4,852	3,976	2,094	677	119	18	4	
49	90	165	282	391	554	536	535	612	544	375	254	143	51	24	12	8	
59	126	238	299	401	510	504	509	504	408	247	160	122	56	30	22	6	
1	3	2	6	7	6	9	12	17	17	8	14	7	1	—	—	—	
—	1	3	2	4	4	3	8	7	3	6	4	2	1	1	—	—	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
X.—Diseases of genito-urinary system—Contd.												
131b	Other chronic nephritis	52,210	13	11	20	20	18	82	98	147	246	376
	White	14,717	7	2	9	12	5	35	38	61	103	144
	Negro	2,659	3	5	8	6	10	32	46	72	102	154
	Other races	66	2	3	1	1	2	9	6	7	22	22
	Male	2,289	1	1	2	1	1	6	6	6	17	50
	Female	32							2	1	1	4
132	Nephritis unspecified (10 years and over)	4,361								44	53	62
	White	1,901								18	15	20
	Negro	1,518								19	23	26
	Other races	505								4	6	6
	Male	419								1	9	9
	Female	11								2		1
133	Other diseases of kidneys, ureters, etc.*	3,877	187	30	21	20	14	272	46	41	62	93
	White	1,700	91	12	9	9	7	128	18	23	27	28
	Negro	1,656	69	14	9	9	6	107	23	13	25	39
	Other races	288	15	2	2			19	1	1	3	10
	Male	219	10	2	1	2	1	16	5	4	6	5
	Female	7	2					2				1
134	Calculi of urinary passages	1,780	3	1	2			6	2	3	12	18
	White	1,067	1	1	2			4		1	7	11
	Negro	601	1					1	1	2	5	6
	Other races	65							1			
	Male	42	1					1				1
	Female	4										
	Other races	1										
135	Diseases of urinary bladder	778	8			1		9			2	7
	White	415	5			1		6			1	2
	Negro	225	3					3				
	Other races	109									1	2
	Male	26										3
	Female	3										
136	Diseases of urethra (except calculus)	520	3	1				4	1	2	2	5
	White	254	1					1	1	2	1	1
	Negro	21		1				1				
	Other races	256	1					1			1	4
	Male	5	1					1				
	Female	4										
137	Diseases of prostate	8,635										4
	White	7,846										3
	Negro	764										1
	Other races	25										
138	Diseases of other male genital organs (not venereal)	67	11	3	1			15			1	1
	White	53	10	3	1			14			1	1
	Negro	14	1					1				
139a	Diseases of ovaries, fallopian tubes, parametria	1,654							3	10	90	179
	White	1,113							3	6	47	109
	Negro	534								4	43	69
	Other races	7										1
139b	Diseases of uterus	745								1	11	19
	White	649								1	4	14
	Negro	98									7	4
	Other races	3										1
139c	Diseases of other female genital organs*	63	1	1				2		2	6	4
	White	41		1				1		1	3	2
	Negro	22	1					1		1	3	2
XI.—Diseases of pregnancy, childbirth, puerperium												
		9,151								33	1,128	1,898
	White	6,995								5	690	1,425
	Negro	2,085								28	437	459
	Other races	75									11	14
140	Abortion with mention of infection	1,393								3	158	356
	White	1,062									97	254
	Negro	321								3	60	80
	Other races	10									1	2
141	Abortion without mention of infection	393								2	47	72
	White	287									25	49
	Negro	103								2	22	23
	Other races	3										
142a	Ectopic gestation, with mention of infection	88									1	11
	White	62									1	6
	Negro	26										5
142b	Ectopic gestation, without mention of infection	286									11	53
	White	219									7	36
	Negro	66									4	17
	Other races	1										
143	Hemorrhage of pregnancy (death before delivery)	61									4	7
	White	44									4	4
	Negro	17										3
144	Toxemias of pregnancy (death before delivery)	990								5	180	204
	White	694								2	93	146
	Negro	289								3	87	55
	Other races	7										5

\*Refer to complete International List titles, table XI.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
145	XI.—Diseases of pregnancy, childbirth, puerperium—Continued											
	Other diseases of pregnancy (death before delivery)*	327								5	46	70
	White—F	248									29	55
	Negro—F	78								5	17	14
	Other races—F	5										1
146	Hemorrhage of childbirth and puerperium	1,042								2	74	178
	White—F	872								1	57	153
	Negro—F	156								1	15	24
	Other races—F	14									2	1
147	Infection during childbirth and puerperium	2,353								7	293	516
	White—F	1,844								1	176	406
	Negro—F	491								6	113	106
	Other races—F	18									4	4
148	Puerperal toxemias (excluding death before delivery)	1,149								9	225	243
	White—F	858								1	140	162
	Negro—F	305								8	84	79
	Other races—F	6									1	2
149	Other accidents and specified conditions of childbirth	575									58	109
	White—F	485									30	85
	Negro—F	85									7	23
	Other races—F	5									1	1
150	Other and unspecified conditions of childbirth and puerperium	494								2	51	99
	White—F	340									21	69
	Negro—F	148								2	28	30
	Other races—F	6									2	
	XII.—Diseases of skin and cellular tissue	1,682	332	27	16	6	7	388	31	52	68	62
	White—M	787	149	10	7	2	4	172	15	21	31	21
	White—F	642	111	11	5	2		129	12	26	28	32
	Negro—M	114	31	1	3	2		37	4	2	6	6
	Negro—F	139	34	5	1		2	42		3	3	3
	Other races—M	17	6				1	7				
	Other races—F	3	1					1				
151	Carbuncle and furuncle	480	26	4	5		2	37	7	14	55	23
	White—M	287	15		1		2	16	3	6	19	9
	White—F	169	8	2	3			13	4	7	14	12
	Negro—M	14	1		1			2			2	1
	Negro—F	23	2	2				4		1		1
	Other races—M	7	2					2				
152	Phlegmon and acute abscess	519	79	11	9	5	5	109	18	29	21	22
	White—M	256	34	4	5	1	2	46	8	14	9	10
	White—F	166	27	6	2	2		37	7	12	8	7
	Negro—M	46	5		2	2		9	3	1	2	4
	Negro—F	45	12	1			2	15		2	2	1
	Other races—M	5					1	1				
	Other races—F	1	1					1				
153	Other diseases of skin and cellular tissue	683	227	12	2	1		242	6	9	12	17
	White—M	244	102	6	1	1		110	4	1	3	2
	White—F	307	76	3				79	1	7	6	15
	Negro—M	54	25	1				26	1	1	2	1
	Negro—F	71	20	2	1			23			1	1
	Other races—M	5	4					4				
	Other races—F	2										
	XIII.—Diseases of the bones, etc.*	1,369	43	21	23	23	24	134	118	151	107	58
	White—M	781	19	15	14	15	16	77	70	90	77	37
	White—F	420	13	4	7	7	6	37	35	47	17	13
	Negro—M	98	6	4	2	1	1	14	5	9	9	7
	Negro—F	62	5				1	6	6	3	4	1
	Other races—M	5						1	1	2		
	Other races—F	3							1			
154	Osteomyelitis and periostitis	913	25	18	20	19	21	103	103	123	80	44
	White—M	577	15	11	12	11	15	64	62	76	59	30
	White—F	227	5	4	6	7	4	25	30	36	13	8
	Negro—M	69	1	3	2	1	1	8	4	7	7	5
	Negro—F	36	4				1	5	5	2	1	1
	Other races—M	3							1	2		
	Other races—F	1							1			
155	Other diseases of bones (except tuberculosis)	126	5			1		4		3	2	2
	White—M	47				1		1		2	2	2
	White—F	72	5					3				
	Negro—M	5								1		
	Negro—F	4										
156	Diseases of joints, other organs of movement	330	15	3	3	3	3	27	15	25	25	12
	White—M	157	4	2	2	3	1	12	8	12	16	5
	White—F	121	5		1			8	5	11	4	5
	Negro—M	26	5	1				6	1	1	2	2
	Negro—F	22	1					1	1	1	3	
	Other races—M	2										
	Other races—F	2										

\*Refer to complete International List titles, table XI.











GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.	
453	519	627	618	630	630	523	423	269	168	68	35	9	—	—	—	1	163	
262	287	368	389	396	418	358	301	199	115	44	26	7	—	—	—	1		
165	216	242	219	221	205	159	118	67	52	21	9	2	—	—	—	—		
10	8	6	5	7	4	5	2	2	—	—	—	—	—	—	—	—		
12	7	8	5	2	2	1	1	1	1	1	—	—	—	—	—	—		
2	1	3	—	2	1	—	1	—	—	—	—	—	—	—	—	—		
2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
800	980	1,016	1,201	1,449	1,588	1,382	1,232	984	687	483	200	67	9	2	—	16	164	
598	715	750	928	1,124	1,281	1,168	1,038	820	588	433	189	58	7	2	—	16		
149	197	214	222	278	264	196	170	151	89	43	8	9	2	—	—	—		
38	50	38	35	22	30	11	16	8	8	5	3	—	—	—	—	—		
5	10	2	5	10	4	1	2	3	—	1	—	—	—	—	—	—		
9	8	11	9	12	9	5	6	2	2	1	—	—	—	—	—	—		
1	—	1	2	3	—	1	—	—	—	—	—	—	—	—	—	—		
1,384	1,204	1,034	795	656	429	297	201	187	97	41	17	15	1	1	—	31	165-168	
391	377	345	330	281	230	169	119	121	66	22	9	10	—	—	—	12		
94	94	95	71	70	38	41	27	17	13	10	8	4	1	—	—	5		
678	579	485	335	252	140	72	48	41	13	7	—	1	—	1	—	13		
212	146	102	56	30	19	11	4	5	1	1	—	—	—	—	—	1		
6	6	7	5	3	2	2	2	3	4	1	—	—	—	—	—	—		
3	2	2	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
832	749	573	447	359	241	146	114	87	48	16	3	3	—	—	—	16	166	
260	246	216	202	167	132	77	59	58	32	9	2	1	—	—	—	7		
66	73	61	51	46	23	19	18	11	6	2	1	1	—	—	—	1		
392	354	245	165	131	75	44	33	14	8	5	—	1	—	1	—	7		
108	72	47	27	14	10	5	3	2	—	—	—	—	—	—	—	1		
4	3	3	2	1	1	—	1	2	2	—	—	—	—	—	—	—		
2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
391	323	277	173	137	66	42	17	28	12	7	2	3	—	—	—	7	167	
62	63	45	33	39	19	19	8	13	7	1	1	2	—	—	—	—		
10	7	11	3	9	5	6	2	—	1	4	1	1	—	—	—	1		
237	194	188	119	80	39	14	5	13	2	1	—	—	—	—	—	6		
80	56	34	16	9	3	3	1	2	1	—	—	—	—	—	—	—		
1	3	1	2	—	—	—	—	—	1	—	—	—	—	—	—	—		
1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
161	132	184	175	140	122	109	70	72	37	18	12	9	1	—	—	8	168	
69	68	86	95	75	79	73	52	50	27	12	6	7	—	—	—	5		
18	14	23	17	15	10	16	7	6	6	4	6	2	1	—	—	3		
49	51	50	49	41	26	14	10	14	3	1	—	—	—	—	—	—		
24	18	21	13	7	6	3	—	1	—	1	—	—	—	—	—	—		
1	—	3	1	2	1	2	1	1	1	—	—	—	—	—	—	—		
1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
5,587	4,893	4,938	4,746	5,186	5,419	5,198	5,039	5,462	5,292	5,685	5,160	3,209	1,229	276	49	143	169-195	
4,029	3,534	3,537	3,418	3,777	3,912	3,715	3,388	3,318	2,765	2,544	2,039	1,065	341	77	6	88		
761	666	654	693	760	935	1,038	1,282	1,779	2,234	2,983	3,004	2,057	842	188	25	11		
612	543	594	483	510	424	309	242	245	163	79	58	36	16	4	4	36		
147	117	118	117	108	109	118	101	100	115	61	53	47	24	6	15	6		
50	25	31	29	27	32	16	21	16	11	15	5	4	3	—	1	2		
8	8	4	6	4	7	4	5	4	4	3	1	—	3	1	—	—		
279	255	271	323	356	345	303	221	172	127	84	59	13	5	—	—	26	169	
205	186	198	260	268	300	263	175	141	100	55	47	9	5	—	—	17		
14	12	15	9	16	10	8	20	19	14	21	11	3	—	—	—	7		
53	51	57	49	43	30	28	23	9	12	7	1	—	—	—	—	1		
2	2	4	3	7	5	4	2	3	1	1	—	1	—	—	—	1		
2	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	
1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
118	103	98	105	107	98	84	71	72	49	21	11	2	—	—	—	2	170a	
79	67	64	73	82	70	66	52	56	36	16	9	1	—	—	—	—		
25	27	27	26	17	25	14	15	15	11	5	2	1	—	—	—	—		
9	8	3	6	7	1	2	2	1	2	—	—	—	—	—	—	—		
3	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—		
2	—	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
13	17	26	13	10	9	9	9	6	2	2	2	—	—	—	—	—		
11	11	16	12	8	8	7	8	4	2	2	2	—	—	—	—	—		
1	5	7	1	2	1	2	1	2	—	—	—	—	—	—	—	—		
1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2,495	2,020	1,963	1,780	1,923	2,048	2,015	1,886	1,830	1,444	1,034	550	189	28	9	2	51	170c	
1,786	1,450	1,349	1,250	1,357	1,422	1,429	1,357	1,245	973	745	394	121	22	7	—	30		
413	325	310	310	357	399	412	405	459	391	257	138	54	4	—	1	6		
225	188	228	163	160	178	121	94	101	48	20	14	10	1	2	—	13		
57	43	44	42	36	32	42	17	16	28	6	3	4	—	—	1	1		
11	10	16	11	11	15	7	11	8	3	5	1	—	1	—	—	1		
3	4	1	4	2	2	4	2	1	1	1	—	—	—	—	—	—		
85	47	25	9	6	5	5	7	6	6	7	1	—	—	—	—	—	170d	
75	40	28	8	6	2	2	5	5	3	4	1	—	—	—	—	—		
6	5	1	—	—	3	2	1	3	3	3	—	—	—	—	—	—		
5	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11	24	27	13	25	29	20	34	40	30	26	17	6	—	1	—	—	171a	
8	19	21	8	19	21	12	25	28	16	21	10	3	—	1	—	—		
1	4	2	2	4	6	5	8	11	8	4	7	3	—	—	—	—		
1	—	4	1	1	—	2	1	2	—	—	—	—	—	—	—	—		
1	1	—	1	1	2	1	—	1	—	—	—	—	—	—	—	—		
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
XVII.—Violent or accidental deaths—Contd.												
Accidental deaths—Continued												
171b	Other and unspecified road-transport accidents—	378	2	4	6	5	14	29	40	55	47	23
	White—M	253	2	2	2	2	9	17	23	34	35	17
	F	57	—	1	2	1	2	6	7	12	5	4
	Negro—M	55	—	—	1	—	3	4	8	9	6	2
	F	3	—	—	—	—	—	—	—	—	—	—
	Other races—M	9	—	1	1	—	—	2	1	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—
172	Water-transport accidents—	1,087	1	3	4	1	5	12	37	76	133	137
	White—M	846	1	2	2	1	2	8	30	47	99	116
	F	77	—	—	1	—	—	1	5	8	8	8
	Negro—M	136	—	—	1	—	—	1	1	17	21	9
	F	17	—	1	—	—	1	2	—	4	4	2
	Other races—M	9	—	—	—	—	—	—	1	—	—	2
	F	2	—	—	—	—	—	—	—	—	—	—
173	Air-transport accidents—	396	—	—	—	—	—	—	1	6	27	99
	White—M	371	—	—	—	—	—	—	—	6	23	97
	F	23	—	—	—	—	—	—	1	—	3	1
	Other races—M	2	—	—	—	—	—	—	—	—	1	1
174	Accidents in mines and quarries—	1,540	—	1	—	—	1	2	7	11	41	150
	White—M	1,428	—	1	—	—	1	2	6	10	37	139
	F	2	—	—	—	—	—	—	—	1	1	—
	Negro—M	108	—	—	—	—	—	—	1	—	3	11
	Other races—M	2	—	—	—	—	—	—	—	—	—	—
175a-c	Agricultural accidents—	1,604	—	7	3	6	10	26	22	57	80	86
	White—M	1,446	—	5	2	3	9	19	14	51	68	77
	F	47	—	2	1	3	1	7	7	4	1	1
	Negro—M	101	—	—	—	—	—	—	—	2	10	7
	F	4	—	—	—	—	—	—	—	—	—	—
	Other races—M	6	—	—	—	—	—	—	1	—	1	1
175d,e	Forestry accidents—	296	—	—	—	—	—	—	—	1	7	41
	White—M	259	—	—	—	—	—	—	—	1	5	37
	F	1	—	—	—	—	—	—	—	—	—	—
	Negro—M	33	—	—	—	—	—	—	—	—	2	4
	Other races—M	3	—	—	—	—	—	—	—	—	—	—
176	Other accidents involving machinery—	1,083	—	5	5	7	6	23	10	16	60	113
	White—M	926	—	3	3	5	4	15	8	9	47	103
	F	43	—	2	1	1	2	6	—	2	3	2
	Negro—M	107	—	—	—	1	—	1	2	4	10	8
	F	2	—	—	—	—	—	—	—	—	—	—
	Other races—M	5	—	—	1	—	—	1	—	—	—	—
177	Food poisoning—	548	55	51	22	15	16	159	25	14	13	17
	White—M	216	20	16	7	5	8	56	12	7	6	6
	F	175	22	25	11	8	2	68	8	—	4	3
	Negro—M	85	7	4	3	2	3	19	4	5	2	1
	F	65	6	4	1	—	3	14	1	2	1	7
	Other races—M	4	—	1	—	—	—	1	—	—	—	—
	F	3	—	1	—	—	—	1	—	—	—	—
178	Accidental absorption of poisonous gas—	1,596	22	13	8	3	3	52	11	8	37	91
	White—M	975	11	8	5	3	2	29	5	4	19	66
	F	358	9	3	3	—	1	19	4	4	15	20
	Negro—M	39	1	1	—	—	—	2	1	—	2	2
	F	21	—	1	—	—	—	1	1	—	—	3
	Other races—M	2	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—
179	Acute accidental poisoning by solids or liquids—	1,371	42	209	97	44	27	419	32	12	55	51
	White—M	689	20	94	34	18	11	177	5	8	9	21
	F	467	15	69	42	16	7	149	14	3	14	18
	Negro—M	117	3	25	11	4	6	49	8	1	2	2
	F	88	3	19	10	6	3	41	5	—	8	7
	Other races—M	8	1	2	—	—	—	3	—	—	—	3
	F	2	—	—	—	—	—	—	—	—	—	—
180	Conflagration—	1,794	101	91	72	86	64	414	122	82	63	64
	White—M	867	33	42	32	31	25	163	46	35	21	28
	F	466	32	25	18	22	14	111	38	24	21	16
	Negro—M	234	20	15	8	14	16	71	19	13	11	11
	F	162	16	10	14	19	9	68	19	10	10	6
	Other races—M	16	—	—	—	—	—	—	—	—	—	2
	F	2	—	1	—	—	—	1	—	—	—	1
181	Accidental burns (except conflagration)—	4,831	167	307	269	194	178	1,115	526	164	142	219
	White—M	2,050	71	148	119	60	43	441	80	53	59	106
	F	1,824	59	106	95	92	96	448	168	70	48	70
	Negro—M	412	21	23	35	9	7	95	19	15	13	21
	F	519	16	27	20	32	30	125	56	25	22	20
	Other races—M	12	—	2	—	—	—	2	—	—	—	1
	F	14	—	1	—	1	2	4	3	1	—	1
182	Accidental mechanical suffocation—	1,226	1,008	22	4	7	4	1,045	20	13	20	15
	White—M	610	460	12	2	4	1	479	15	11	17	10
	F	883	341	8	1	2	2	354	3	1	1	3
	Negro—M	128	105	1	1	1	1	109	2	—	2	2
	F	91	90	—	—	—	—	90	—	—	—	—
	Other races—M	6	5	—	—	—	—	5	—	1	—	—
	F	8	7	1	—	—	—	8	—	—	—	—
183	Accidental drowning—	5,450	30	245	169	100	66	610	470	733	798	502
	White—M	4,015	12	133	120	71	48	404	364	476	556	366
	F	658	14	83	44	28	14	183	56	107	73	36
	Negro—M	687	4	5	3	1	2	15	39	133	149	91
	F	65	—	1	—	—	—	3	2	12	10	7
	Other races—M	39	—	3	1	—	—	4	8	3	8	2
	F	8	—	—	1	—	—	1	1	2	2	—



VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
XVII.—Violent or accidental deaths—Contd.												
Accidental deaths—Continued												
184	Accidental injury by firearms	2,582	4	11	19	25	23	82	120	311	481	304
	White	1,868	2	3	6	14	12	57	71	229	361	216
	Negro	404	1	4	5	4	3	17	19	48	76	54
	Other races	76	1	1	2	4	4	8	8	6	8	12
	Male	13					1	1		3	1	1
	Female	4			1			1				
185	Accidental injury by cutting or piercing instruments	550	1	14	13	11	6	45	71	58	37	37
	White	292		5	7	6	5	23	43	32	17	14
	Negro	116		4	2	1	1	10	16	10	3	3
	Other races	46		1	1	2		7	8	13	12	13
	Male	1						4	4	3	5	7
	Female	2			1			1				
186a	Accidental injury by fall	22,878	119	92	71	48	39	369	177	205	258	265
	White	9,902	52	49	35	24	18	178	115	144	202	188
	Negro	12,076	33	32	19	15	17	116	40	39	29	50
	Other races	528	19	5	11	5	3	43	15	17	19	22
	Male	315	12	5	4	4	1	26	7	5	4	5
	Female	42	1	1	1			3			4	2
	Male	15	2		1			3				
	Female	2										
186b	Accidental injury by crushing	429	2	1	2	5	7	17	19	16	21	39
	White	354		1	2	3	4	10	14	13	17	33
	Negro	50				2	1	4	3	1	1	1
	Other races	4	2					2			4	5
	Male	2							1			
	Female	2						2				
187	Cataclysm, etc.*	195	9	3	3	2	5	22	18	15	16	10
	White	82	3	2			1	6	11	5	6	3
	Negro	81	5		2	2	3	12	4	8	10	3
	Other races	17						2	1	1		2
	Male	14	1	1	1		1	4	1	1		2
	Female	1										
188	Injury by animals (except in agriculture and forestry)*	279	6	7	9	15	15	52	25	25	15	8
	White	210	4	7	9	13	11	44	18	19	13	6
	Negro	53				2	2	4	5		1	1
	Other races	7	1					3	1	4		
	Male	3						1	1			1
	Female	3								2	1	
189	Hunger or thirst	36	14					14				1
	White	21	6					6				
	Negro	4	2					2				
	Other races	7	2					2				1
	Male	1	1					1				
	Female	1	1					1				
190	Excessive cold	190	4			1		5			5	4
	White	130	3			1		4			2	3
	Negro	26	1					1			2	1
	Other races	7									1	
	Male	3										
	Female	1										
191	Excessive heat	527	26	1		3	1	31	5	4	4	14
	White	321	12					12	3	4	2	10
	Negro	106	11	1		3	1	16	1		1	1
	Other races	74	2					2			1	3
	Male	24	1					1	1			
	Female	1										
	Male	1										
	Female	1										
192	Lightning	390					2	2	17	42	60	48
	White	247					2	2	8	29	35	30
	Negro	43							5	5	4	3
	Other races	79							3	6	15	13
	Male	20							1	2	6	2
	Female	1								2		
193	Accidents due to electric currents (except lightning)	674	3	2		4	5	14	21	36	41	68
	White	582	1	2		1	1	5	14	29	33	58
	Negro	42	2			3	3	8	5	4	1	4
	Other races	49					1	1	2	2	7	6
	Male	1								1		
	Female	1										
194	Poisoning by venomous animals (except in agriculture and forestry)	102	20	3	2	6	3	34	7	6	2	4
	White	53	10	1	1	2		14	3	5	2	2
	Negro	27	4	2	1	3	2	12	3			2
	Other races	13	5				1	4				
	Male	6	3					3		1		
	Female	2				1		1				
	Male	1							1			
	Female	1										
195a	Sequelae of preventive immunization, etc.*	13			1			1	5		2	1
	White	6							2		1	1
	Negro	6			1			1	3			
	Male	1									1	

\*Refer to complete International List titles, table XI.





## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
	Accidental deaths—Continued											
195b	Other accidents due to medical or surgical intervention—	26	4	1	—	1	—	6	2	1	1	3
	White—M	4	2	—	—	—	—	2	—	—	—	1
	F	14	—	1	—	1	—	2	1	1	—	1
	Negro—M	2	2	—	—	—	—	2	—	—	—	—
	F	6	—	—	—	—	—	—	1	—	—	1
195d	Obstruction, suffocation, etc.*	812	322	128	55	13	13	551	19	9	14	9
	White—M	439	162	62	32	9	8	273	6	6	6	6
	F	269	114	45	18	3	3	183	7	3	6	—
	Negro—M	68	30	15	2	1	1	49	4	—	1	2
	F	31	16	5	3	—	1	25	1	—	1	1
	Other races—M	3	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	—	—	1	1	—	—	—
195c,e	Other and unspecified accidents—	3,804	181	57	34	30	16	318	124	164	190	222
	White—M	2,478	68	29	20	17	7	141	72	129	145	161
	F	784	52	20	10	8	6	96	35	22	14	14
	Negro—M	392	34	3	2	4	2	45	12	7	23	38
	F	128	24	4	2	1	1	32	5	5	7	8
	Other races—M	13	1	—	—	—	—	1	—	1	—	—
	F	9	2	1	—	—	—	3	—	—	1	1
196	Deaths of military personnel during operations of war—	4	—	—	—	—	—	—	—	—	—	1
	White—M	4	—	—	—	—	—	—	—	—	—	1
198	Legal executions—	155	—	—	—	—	—	—	—	—	12	39
	White—M	78	—	—	—	—	—	—	—	—	4	16
	Negro—M	77	—	—	—	—	—	—	—	—	7	22
	Other races—M	2	—	—	—	—	—	—	—	—	1	1
	XVIII.—Ill-defined and unknown causes—	19,710	5,716	468	171	116	67	6,538	189	143	246	523
	White—M	6,545	1,549	115	38	26	18	1,746	48	40	53	61
	F	3,841	1,145	113	39	24	19	1,358	42	38	47	54
	Negro—M	4,734	1,649	106	42	27	15	1,839	50	23	57	83
	F	4,105	1,233	94	36	29	12	1,404	39	35	82	114
	Other races—M	232	60	20	9	5	2	94	2	5	3	5
	F	253	82	20	7	7	1	117	8	4	4	6
199	Sudden death—	1,502	187	18	7	5	5	222	3	9	17	21
	White—M	665	68	5	—	1	3	77	1	4	7	2
	F	282	43	6	2	1	—	52	1	2	1	3
	Negro—M	291	43	2	4	2	2	53	1	3	3	5
	F	253	28	5	1	1	—	35	—	—	6	11
	Other races—M	5	2	—	—	—	—	2	—	—	—	—
	F	8	3	—	—	—	—	3	—	—	—	—
200a	Ill-defined causes—	5,978	563	141	39	31	21	795	56	35	70	80
	White—M	2,665	144	36	7	10	5	204	21	13	18	20
	F	1,298	135	54	15	9	8	221	16	13	23	17
	Negro—M	1,097	144	24	10	5	5	189	10	4	9	22
	F	862	135	17	5	6	3	166	8	5	20	21
	Other races—M	31	1	1	—	—	—	3	1	—	—	—
	F	25	4	7	1	1	—	13	—	—	—	—
200b,c	Unknown or unspecified—	12,230	4,966	309	125	80	41	5,521	130	99	159	222
	White—M	3,217	1,337	72	31	15	10	1,465	26	23	28	39
	F	2,261	965	55	22	14	11	1,065	25	23	23	34
	Negro—M	3,546	1,462	80	28	20	8	1,598	39	16	45	56
	F	2,980	1,070	72	30	22	9	1,203	31	28	56	82
	Other races—M	196	57	19	8	3	2	89	1	5	3	5
	F	220	75	13	6	6	1	101	8	4	4	6

\*Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

RACE, AND SEX: UNITED STATES, 1939—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	List No.
4	4	—	—	2	—	2	1	—	—	—	—	—	—	—	—	—	195b
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	4	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	
2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
15	15	16	25	24	22	25	29	19	24	9	5	2	—	—	—	—	195d
8	8	8	14	15	16	17	17	14	14	9	2	—	—	—	—	—	
4	7	3	8	8	6	7	10	5	7	—	3	2	—	—	—	—	
3	—	4	2	—	—	1	1	—	1	—	—	—	—	—	—	—	
—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	
195	217	216	245	269	260	211	205	223	196	214	165	117	32	13	2	6	195c,e
140	159	167	163	209	211	167	141	149	106	99	61	42	6	5	—	5	
18	17	9	24	22	23	20	42	50	76	101	98	69	25	8	1	—	
28	35	34	45	32	23	18	16	14	10	4	5	1	1	—	—	1	
8	4	5	11	4	—	6	6	9	4	9	1	3	—	—	1	—	
1	—	1	2	2	2	—	—	1	—	—	—	2	—	—	—	—	
—	2	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	196
—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
34	19	14	11	11	9	3	1	—	—	—	—	—	—	—	—	—	198
18	5	9	5	7	9	2	1	—	—	—	—	—	—	—	—	—	
16	14	5	6	4	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
387	415	572	655	835	1,088	1,221	1,361	1,527	1,531	1,101	816	504	210	92	74	82	
66	95	161	216	313	441	537	585	614	552	445	325	160	48	6	4	29	
50	71	86	90	120	149	185	237	314	283	265	237	138	64	14	7	14	
104	113	165	158	199	260	267	289	331	294	173	133	95	34	27	17	23	
157	151	148	181	196	225	219	219	241	169	188	105	94	59	45	43	15	
2	2	4	5	5	8	10	17	12	19	15	6	11	4	1	1	1	
8	3	8	5	2	5	5	14	15	14	15	10	6	1	1	2	—	
24	38	53	70	112	120	153	143	172	126	112	55	36	8	1	2	3	199
6	8	18	31	44	55	80	71	87	75	58	21	15	3	—	—	—	
4	6	8	9	20	18	19	29	38	18	25	18	10	1	—	—	—	
6	12	9	19	25	20	31	18	28	21	14	12	7	—	—	1	3	
8	12	18	10	23	27	23	22	17	11	14	4	6	4	1	1	—	
—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
112	138	221	273	369	504	535	604	642	531	438	310	152	54	20	15	24	200a
30	38	73	103	179	251	304	318	343	287	226	151	56	17	2	2	9	
10	26	37	35	51	81	86	121	135	121	110	108	53	22	4	1	7	
25	38	60	70	77	102	82	95	102	86	52	28	24	10	4	4	5	
47	36	49	60	59	68	60	61	61	33	46	21	16	5	9	8	3	
—	—	1	3	3	2	2	5	1	4	2	2	1	—	1	—	—	
—	—	1	2	—	—	1	4	—	—	2	—	—	—	—	—	—	
251	239	298	312	354	464	533	614	713	674	551	451	314	148	71	57	55	200b,c
30	49	70	82	90	135	153	196	184	190	161	153	89	28	4	2	20	
36	39	41	46	49	50	78	87	141	144	130	111	75	41	10	6	7	
73	63	96	69	97	138	154	176	201	187	107	93	64	24	23	12	15	
102	83	81	111	114	130	136	136	163	125	128	80	72	50	33	54	12	
2	2	3	1	2	6	8	10	11	15	13	4	10	4	—	1	1	
8	3	7	3	2	5	4	9	13	13	12	10	4	1	2	—	—	

VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
UNITED STATES, all ages	768,877	619,020	513,539	416,546	147,908	114,665	10,599	3,820	92,276	81,254	2,618	2,424	1,022	106	591	189	323	36
Under 1 year	61,985	46,861	49,904	37,492	23	19	244	159	11,174	8,581	564	553	26	22	32	23	18	12
1 to 4 years	14,659	12,228	11,567	9,551	30	15	31	27	2,721	2,555	281	260	8	11	17	8	4	5
5 to 9 years	7,046	5,292	5,865	4,327	32	18	18	11	1,060	857	61	68	2	2	6	8	4	1
10 to 14 years	7,471	5,143	6,110	3,963	41	28	21	19	1,221	1,057	54	65	9	2	13	9	2	—
15 to 19 years	12,315	9,825	9,536	6,588	194	141	65	24	2,388	2,945	107	111	4	17	15	2	1	—
20 to 24 years	15,526	12,958	11,411	8,622	295	233	141	46	3,508	3,691	151	149	19	8	13	9	6	—
25 to 29 years	16,836	14,958	11,622	9,809	619	578	173	78	4,254	4,564	82	116	21	4	11	7	54	1
30 to 34 years	19,116	16,170	12,936	10,592	1,170	1,044	208	71	4,642	4,365	71	87	26	4	19	4	3	—
35 to 39 years	23,774	19,448	15,389	12,160	2,318	1,774	327	100	5,515	5,326	75	76	71	4	16	8	65	—
40 to 44 years	31,158	22,832	19,588	13,999	4,639	3,029	466	119	6,252	5,580	86	76	82	7	24	19	31	3
45 to 49 years	42,530	29,232	25,956	17,902	8,517	5,073	695	135	7,115	6,019	94	69	88	8	32	24	33	2
50 to 54 years	55,213	36,340	32,359	21,785	13,356	7,477	1,051	225	8,152	6,752	112	78	88	6	71	15	24	2
55 to 59 years	63,637	42,233	39,075	26,108	15,825	9,737	1,105	241	7,289	6,036	130	90	117	4	86	14	11	3
60 to 64 years	71,822	51,266	45,818	32,788	17,922	12,434	1,265	315	6,457	5,606	116	102	104	7	127	13	13	1
65 to 69 years	82,292	62,415	53,914	41,251	19,865	15,098	1,330	438	6,861	5,500	167	111	92	7	58	9	5	1
70 to 74 years	80,933	67,165	53,002	44,563	21,188	17,767	1,167	494	5,337	4,226	148	108	64	3	22	2	5	2
75 to 79 years	75,050	66,532	49,105	46,386	19,323	16,704	981	486	3,398	2,845	127	107	95	1	21	2	—	1
80 to 84 years	52,749	53,136	36,610	38,489	13,108	12,193	629	438	2,242	1,828	98	97	57	1	5	—	—	—
85 to 89 years	26,094	29,947	17,591	20,875	6,669	7,418	343	242	1,406	1,358	61	54	24	—	—	—	—	—
90 to 94 years	7,964	11,126	5,063	7,255	2,178	3,016	112	78	591	748	25	29	14	—	—	—	—	—
95 to 99 years	1,670	2,828	885	1,724	459	713	20	19	292	357	14	15	—	—	—	—	—	—
100 years and over	378	732	85	205	89	127	7	4	181	363	14	12	2	1	—	—	—	—
Not stated	639	353	148	112	49	28	210	51	221	157	7	5	—	—	—	—	—	—
CITIES OF 100,000 OR MORE, all ages	239,744	201,273	136,751	116,731	70,667	58,208	3,985	1,120	27,265	24,962	80	87	657	70	242	83	97	12
Under 1 year	15,787	11,718	13,041	9,631	10	5	108	78	2,586	1,971	4	12	19	10	12	7	7	4
1 to 4 years	3,346	2,855	2,764	2,304	17	5	4	8	548	519	1	4	6	10	3	5	3	—
5 to 9 years	1,881	1,496	1,587	1,261	17	10	3	3	268	216	1	1	—	2	3	3	2	—
10 to 14 years	2,005	1,457	1,655	1,134	17	16	5	3	312	297	3	3	7	1	5	3	1	—
15 to 19 years	3,005	2,654	2,297	1,770	80	69	16	7	595	791	4	3	8	3	5	10	—	1
20 to 24 years	3,825	3,336	2,791	2,713	117	103	19	11	877	1,095	1	5	10	4	7	5	3	—
25 to 29 years	4,899	5,002	3,163	3,200	305	314	44	21	1,349	1,454	3	9	16	3	3	1	16	—
30 to 34 years	6,306	5,545	3,946	3,405	646	590	66	29	1,606	1,512	2	4	18	3	10	1	12	1
35 to 39 years	8,836	7,094	5,136	4,026	1,291	1,036	133	35	2,193	1,983	3	6	56	4	5	4	19	—
40 to 44 years	11,809	8,771	6,606	4,830	2,531	1,815	192	38	2,393	2,072	5	5	63	3	9	7	10	1
45 to 49 years	16,693	11,414	8,842	6,185	4,743	2,956	329	50	2,679	2,200	7	6	63	4	22	12	8	1
50 to 54 years	21,894	14,192	11,000	7,300	7,389	4,391	531	75	2,857	2,405	3	7	65	6	40	8	9	—
55 to 59 years	24,111	16,006	12,470	8,407	8,534	5,494	516	80	2,457	2,016	6	3	90	2	35	4	3	2
60 to 64 years	25,521	18,895	13,459	9,977	9,368	6,994	561	105	2,004	1,812	7	5	69	5	50	7	3	—
65 to 69 years	26,733	21,802	14,332	11,761	9,998	8,213	507	127	1,818	1,665	7	6	57	6	13	4	1	—
70 to 74 years	24,375	22,436	12,829	12,095	9,821	8,975	405	151	1,267	1,209	7	3	38	2	8	—	—	—
75 to 79 years	19,390	20,034	10,394	11,496	7,937	7,637	276	114	718	780	10	3	44	1	11	2	—	1
80 to 84 years	12,016	14,763	6,682	8,969	4,783	5,219	153	107	373	466	4	1	20	1	1	—	—	—
85 to 89 years	5,356	7,687	2,855	4,459	2,209	2,920	67	55	219	272	1	1	5	—	—	—	—	—
90 to 94 years	1,503	2,698	747	1,442	664	1,124	25	14	65	118	—	—	2	—	—	—	—	—
95 to 99 years	324	659	133	327	149	276	2	6	40	49	—	—	—	—	—	—	—	—
100 years and over	59	118	7	30	33	46	—	1	19	41	—	—	—	—	—	—	—	—
Not stated	70	40	15	9	8	10	23	2	19	19	1	—	1	—	—	—	—	—
CITIES OF 25,000 TO 100,000, all ages	92,174	78,274	62,820	53,849	18,156	15,094	1,065	443	9,624	8,780	92	62	105	18	70	25	42	3
Under 1 year	7,646	5,802	6,581	4,982	2	3	16	14	1,026	780	12	9	3	6	3	6	3	2
1 to 4 years	1,756	1,319	1,473	1,088	3	2	1	4	269	219	6	5	2	1	2	—	—	—
5 to 9 years	960	688	829	557	4	3	1	1	122	104	3	—	—	—	2	1	—	—
10 to 14 years	908	606	775	499	5	—	2	4	123	100	—	—	1	3	2	—	—	—
15 to 19 years	1,429	1,165	1,141	828	21	13	4	4	254	314	8	4	—	1	1	1	—	—
20 to 24 years	1,842	1,588	1,379	1,118	44	24	18	4	388	432	9	8	1	2	1	—	2	—
25 to 29 years	2,060	1,923	1,437	1,319	66	80	20	19	522	500	4	5	3	—	4	—	4	—
30 to 34 years	2,341	2,200	1,568	1,509	133	113	24	13	599	561	6	2	4	1	2	1	5	—
35 to 39 years	2,969	2,606	1,965	1,678	263	208	39	18	688	700	2	1	3	—	4	1	7	—
40 to 44 years	3,941	3,101	2,534	1,934	564	401	62	14	763	741	3	4	5	2	5	5	5	—
45 to 49 years	5,345	3,955	3,398	2,525	1,027	675	71	18	832	729	3	4	5	2	4	2	5	—
50 to 54 years	6,859	4,772	4,174	2,987	1,609	994	84	36	970	751	5	2	9	—	5	1	3	1
55 to 59 years	8,057	5,494	5,109	3,498	1,983	1,261	102	25	833	686	7	1	13	—	8	3	2	—
60 to 64 years	9,062	6,706	6,049	4,419	2,163	1,662	128	31	687	590	4	3	11	1	17	—	3	—
65 to 69 years	9,859	7,927	6,564	5,289	2,504	2,047	161	48	608	540	3	2	11	—	7	1	1	—
70 to 74 years	8,640	8,382	6,291	5,574	2,691	2,340	119	48	521	416	4	3	11	1	2	—	1	—
75 to 79 years	8,290	8,359	5,483	5,776	2,411	2,249	92	56	289	275	6	3	7	—	2	—	—	—

GENERAL TABLES—TOTAL DEATHS

189

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.  
(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
<b>CITIES OF 2,500 TO 10,000, all ages</b>	<b>84,287</b>	<b>68,663</b>	<b>63,146</b>	<b>51,932</b>	<b>11,862</b>	<b>8,979</b>	<b>1,021</b>	<b>400</b>	<b>7,888</b>	<b>7,145</b>	<b>228</b>	<b>180</b>	<b>46</b>	<b>5</b>	<b>65</b>	<b>17</b>	<b>31</b>	<b>5</b>
Under 1 year	7,502	5,651	6,601	4,923	3	2	24	5	814	675	50	36	1	4	7	4	2	2
1 to 4 years	1,900	1,641	1,627	1,418	5	—	6	4	241	199	18	17	—	—	3	1	—	1
5 to 9 years	950	898	851	597	2	2	4	2	89	83	4	4	—	—	—	—	—	—
10 to 14 years	955	820	834	518	4	5	2	2	112	89	2	10	—	—	1	2	—	—
15 to 19 years	1,648	1,249	1,385	947	23	19	7	2	222	271	7	14	1	—	3	2	—	—
20 to 24 years	1,915	1,495	1,524	1,103	30	17	15	6	333	355	10	11	—	—	3	2	—	—
25 to 29 years	2,025	1,750	1,527	1,287	46	33	23	6	405	415	9	8	—	—	2	1	3	—
30 to 34 years	2,467	1,781	1,542	1,313	78	86	18	5	453	380	5	7	2	—	2	—	4	—
35 to 39 years	2,849	2,160	1,801	1,536	164	120	29	10	446	484	10	9	3	—	2	1	12	—
40 to 44 years	3,939	3,515	2,041	1,659	278	176	30	14	492	455	5	7	—	—	1	1	2	1
45 to 49 years	5,452	3,002	2,771	2,118	556	317	42	19	554	538	9	5	5	—	1	4	1	1
50 to 54 years	6,291	4,245	3,687	2,573	914	487	88	19	717	592	12	8	2	—	7	—	5	—
55 to 59 years	6,321	4,245	4,480	2,981	1,072	679	95	20	613	560	19	5	3	—	9	—	—	—
60 to 64 years	7,439	5,370	5,449	3,983	1,340	848	105	34	525	495	7	10	4	—	8	—	1	—
65 to 69 years	8,925	6,532	6,649	4,987	1,506	1,090	136	43	609	503	13	9	4	—	7	—	1	—
70 to 74 years	8,942	7,354	6,537	5,494	1,754	1,451	99	59	469	362	22	7	6	—	5	1	—	—
75 to 79 years	8,346	7,355	6,018	5,831	1,850	1,421	170	59	331	247	4	7	10	—	3	—	—	—
80 to 84 years	6,283	6,165	4,697	4,788	1,284	1,148	48	27	120	116	5	3	—	—	—	—	—	—
85 to 89 years	5,069	3,532	2,247	2,672	669	734	48	27	120	116	5	3	—	—	—	—	—	—
90 to 94 years	964	1,309	686	936	211	293	11	6	53	73	2	1	1	—	—	—	—	—
95 to 99 years	200	330	109	230	57	72	2	—	31	28	2	—	—	—	—	—	—	—
100 years and over	34	76	11	22	8	17	—	2	12	33	3	—	—	1	—	—	—	—
Not stated	88	48	25	15	8	2	29	10	26	19	2	—	—	—	—	—	—	—
<b>RURAL, all ages</b>	<b>286,347</b>	<b>214,642</b>	<b>203,417</b>	<b>153,734</b>	<b>35,559</b>	<b>22,955</b>	<b>3,822</b>	<b>1,583</b>	<b>40,928</b>	<b>34,306</b>	<b>2,094</b>	<b>1,988</b>	<b>191</b>	<b>10</b>	<b>191</b>	<b>52</b>	<b>145</b>	<b>14</b>
Under 1 year	25,280	19,355	18,680	14,173	7	5	84	52	6,030	4,614	476	480	2	2	6	5	5	4
1 to 4 years	6,305	5,277	4,580	3,769	3	8	17	10	1,466	1,260	249	227	—	—	9	2	1	1
5 to 9 years	2,564	1,897	2,006	1,459	6	1	8	5	468	388	52	60	—	—	3	3	1	1
10 to 14 years	2,848	1,954	2,189	1,386	11	7	11	8	586	491	47	50	1	—	2	2	1	1
15 to 19 years	5,047	3,859	3,742	2,404	51	28	29	7	1,156	1,355	76	82	2	—	7	3	2	2
20 to 24 years	6,454	4,716	4,571	2,830	85	59	74	22	1,605	1,667	106	114	8	2	2	2	3	3
25 to 29 years	6,434	4,916	4,426	3,027	155	110	79	25	1,661	1,664	60	66	2	—	1	3	30	2
30 to 34 years	6,675	5,164	4,644	3,307	243	179	81	21	1,625	1,585	54	68	1	—	5	2	22	2
35 to 39 years	7,553	5,809	5,118	3,695	460	295	103	33	1,779	1,731	54	57	9	—	9	2	25	—
40 to 44 years	10,025	6,558	6,666	4,174	919	451	146	44	2,191	1,846	66	56	14	1	9	5	14	1
45 to 49 years	13,119	8,201	8,640	5,313	1,589	721	208	42	2,580	2,065	66	53	14	2	4	5	18	—
50 to 54 years	16,474	10,454	10,574	6,822	2,458	1,002	276	78	5,049	2,489	84	58	8	—	17	4	6	1
55 to 59 years	19,702	12,547	13,320	8,571	3,048	1,503	328	93	2,871	2,302	90	72	8	1	31	5	6	—
60 to 64 years	25,525	15,830	16,542	11,379	3,658	1,949	395	127	2,790	2,287	81	16	1	—	45	5	6	1
65 to 69 years	29,609	20,420	21,885	15,226	4,239	2,494	440	189	5,361	2,416	155	90	18	1	30	3	1	—
70 to 74 years	31,097	22,893	22,547	17,108	5,222	3,552	459	200	2,741	1,937	110	94	8	—	6	1	4	—
75 to 79 years	30,794	24,967	22,872	18,964	5,515	3,951	421	218	1,847	1,345	101	89	33	—	5	—	—	—
80 to 84 years	24,344	20,588	18,245	16,447	4,345	3,276	297	201	1,355	1,006	77	69	22	—	3	—	—	—
85 to 89 years	12,886	12,494	9,315	9,393	2,436	2,156	167	122	902	794	51	49	15	—	8	—	—	—
90 to 94 years	4,121	4,851	2,738	3,330	888	987	65	40	402	467	21	27	8	—	1	—	—	—
95 to 99 years	865	1,289	484	799	171	220	11	12	188	244	11	14	—	—	—	—	—	—
100 years and over	241	411	55	106	44	36	3	1	129	258	10	10	—	—	—	—	—	—
Not stated	395	202	98	64	26	7	120	33	146	95	3	3	2	—	—	—	—	—
<b>ALABAMA, all ages</b>	<b>15,260</b>	<b>13,041</b>	<b>8,155</b>	<b>6,592</b>	<b>215</b>	<b>127</b>	<b>137</b>	<b>89</b>	<b>6,753</b>	<b>6,231</b>	<b>—</b>	<b>2</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Under 1 year	2,079	1,596	1,050	818	—	—	7	3	1,022	775	—	—	—	—	—	—	—	—
1 to 4 years	573	425	318	238	—	—	1	—	255	186	—	—	—	—	—	—	—	—
5 to 9 years	214	182	114	103	—	—	—	—	100	79	—	—	—	—	—	—	—	—
10 to 14 years	211	162	117	87	—	—	—	—	94	74	—	—	—	—	—	—	—	—
15 to 19 years	376	368	198	150	—	—	—	—	177	218	—	—	—	—	—	—	—	—
20 to 24 years	535	521	234	205	—	—	—	—	298	315	—	1	—	—	—	—	—	—
25 to 29 years	534	561	209	198	—	—	—	—	324	361	—	1	—	—	—	—	—	—
30 to 34 years	548	523	225	183	2	2	3	—	318	338	—	—	—	—	—	—	—	—
35 to 39 years	651	655	263	239	4	1	5	1	359	394	—	—	—	—	—	—	—	—
40 to 44 years	692	620	302	236	9	2	5	2	376	380	—	—	—	—	—	—	—	—
45 to 49 years	813	672	356	260	7	2	10	4	440	406	—	—	—	—	—	—	—	—
50 to 54 years	1,045	866	466	314	12	11	7	6	560	535	—	—	—	—	—	—	—	—
55 to 59 years	1,090	803	601	412	23	14	10	6	456	371	—	—	—	—	—	—	—	—
60 to 64 years	1,181	856	721	475	26	17	13	3	421	361	—	—	—	—	—	—	—	—
65 to 69 years	1,272	974	760	574	25	16	21	13	466	371	—	—	—	—	—	—	—	—
70 to 74 years	1,134	908	684	551	37	25	21	8	392	324	—	—	—	—	—	—	—	—
75 to 79 years	924	911	645	623	26	16	11	15	242	257	—	—	—	—	—	—	—	—
80 to 84 years	732	723	504	516	26	11	12	15	190	179	—	—	—	—	—	—	—	—
85 to 89 years	433	410	270	271	11	5	5	6	147	128	—	—	—	—	—	—	—	—
90 to 94 years	142	195	79	108	4	2												



GENERAL TABLES—TOTAL DEATHS

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
			Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
	Male	Female	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
DELAWARE, all ages	1,735	1,454	1,212	1,023	201	137	14	2	304	271			3				1	1
Under 1 year	114	79	82	61				2	29	17							1	1
1 to 4 years	26	22	21	16					5	6								
5 to 9 years	16	5	10	3					6	2								
10 to 14 years	14	14	12	7					2	7								
15 to 19 years	32	26	19	19	1				12	7								
20 to 24 years	36	26	24	14					12	12								
25 to 29 years	33	29	18	20			1		14	8			1					
30 to 34 years	52	36	31	21					21	15								
35 to 39 years	52	38	35	16	3	5			16	17								
40 to 44 years	65	55	39	30	8	5			18	20								
45 to 49 years	76	57	37	33	24	7	2		13	17								
50 to 54 years	115	78	62	45	20	8	2		31	25								
55 to 59 years	144	74	98	46	17	10	1		28	18								
60 to 64 years	176	122	128	84	23	21	2		22	17			1					
65 to 69 years	195	144	126	105	37	20	2		30	19								
70 to 74 years	186	187	140	148	26	18		2	19	19			1					
75 to 79 years	186	179	149	138	24	19			13	22								
80 to 84 years	134	136	115	119	14	12			5	5								
85 to 89 years	54	80	46	67	2	6			6	7								
90 to 94 years	20	35	19	26		4			1	5								
95 to 99 years	3	7	2	4	1					3								
100 years and over	1	2	1	1		1			1									
Not stated	5	3	1		1		3			3								
DISTRICT OF COLUMBIA, all ages	4,442	3,850	2,431	2,006	382	271	91	78	1,517	1,493	1		15	2	4		1	
Under 1 year	387	282	177	120				11	12	197	149			2	1			
1 to 4 years	54	42	26	21				2	3	26	18							
5 to 9 years	38	21	25	9	1					12	12							
10 to 14 years	32	21	14	7	1				1	17	13							
15 to 19 years	69	46	29	15	1		2		37	31								
20 to 24 years	85	81	35	19	1		3		47	62			1					
25 to 29 years	129	118	46	46	6	4	1	1	75	67	1							
30 to 34 years	167	142	78	66	3	1	4	1	80	74			2					
35 to 39 years	206	180	105	68	14	2	1	1	85	109			1					
40 to 44 years	264	186	126	69	17	13	3	2	115	102			2				1	
45 to 49 years	346	210	187	74	23	14	7	6	128	116					1			
50 to 54 years	362	285	173	122	39	14	7	7	141	142			1		1			
55 to 59 years	391	300	217	144	33	22	8	2	131	132			1		1			
60 to 64 years	428	348	257	201	49	26	10	7	110	114			2		1			
65 to 69 years	425	387	271	212	43	37	7	5	102	132			2	1				
70 to 74 years	410	414	245	256	53	47	12	13	99	98			1					
75 to 79 years	306	307	191	214	49	37	6	3	59	53					1			
80 to 84 years	217	263	146	189	27	26	5	11	39	37								
85 to 89 years	93	129	64	95	13	15	2	3	14	16								
90 to 94 years	26	64	16	45	8	10			2	9								
95 to 99 years	6	22	5	14	1	3				5								
100 years and over	1	1							1	1								
Not stated	1	1								1								
FLORIDA, all ages	12,492	8,803	7,217	4,960	1,041	549	223	96	3,999	3,189	9	9	2				1	
Under 1 year	1,017	805	576	466				1	439	354	2	4						
1 to 4 years	239	215	129	126					108	88	2	1						
5 to 9 years	119	75	70	45				1	48	29								
10 to 14 years	124	89	79	38	1				44	51								
15 to 19 years	228	198	130	85			1	1	97	112								
20 to 24 years	315	276	152	100	1		3	1	159	175								
25 to 29 years	424	341	186	116	10	3	7	3	221	218			1					
30 to 34 years	498	382	205	155	11	5	3		278	222			1					
35 to 39 years	564	439	232	162	14	8	8	3	309	266			1					
40 to 44 years	640	404	256	136	33	16	9	5	312	248			1					
45 to 49 years	799	489	405	251	43	22	11	4	340	232								
50 to 54 years	948	642	446	280	80	43	24	4	398	315								
55 to 59 years	1,015	559	583	284	111	52	24	3	286	220			1					
60 to 64 years	1,056	611	683	390	119	52	18	6	236	161			2					
65 to 69 years	1,238	770	793	494	142	72	28	28	273	186			1				1	
70 to 74 years	1,132	770	762	531	171	97	20	15	178	127			1					
75 to 79 years	1,003	728	751	550	134	84	29	13	109	81								
80 to 84 years	600	541	428	431	101	46	14	10	56	54			1					
85 to 89 years	330	288	237	228	45	28	6	6	42	26								
90 to 94 years	114	112	80	81	19	14	3	1	12	16								
95 to 99 years	28	34	16	19	4	5	1		7	10								
100 years and over	13	20	1	6	1	1			10	13			1					
Not stated	48	15	7	6	1	1	13	1	27	7								
GEORGIA, all ages	17,447	14,396	9,498	7,296	221	125	240	179	7,483	6,796			4				1	
Under 1 year	2,140	1,640	1,090	853				5	3	1,043	784			1				1
1 to 4 years	507	460	264	235				1		242	225							
5 to 9 years	242	166	139	94				1	1	102	71							
10 to 14 years	226	156	118	76				1	2	107	78							
15 to 19 years	384	409	174	156	1			4	1	205	252							
20 to 24 years	568	520	235	165	3			5	3	325	352							
25 to 29 years	653	637	231	194	2			6	3	394	440							
30 to 34 years	684	605	286	224	3	2		8	5	387	374							
35 to 39 years	737	702	286	242	1	3		17	7	432	450			1				
40 to 44 years	861	758	361	259	7	6		6	8	487	485							
45 to 49 years	1,083	851	517	316	11	5		12	7	543	523							
50 to 54 years	1,260	941	585	361	24	8		10	15	641	557							
55 to 59 years	1,372	1,021	771	485	25	11												





GENERAL TABLES—TOTAL DEATHS

193

TABLE.11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
KANSAS, all ages	10,321	8,148	8,495	6,701	1,120	844	154	81	539	514	12	8	2					
Under 1 year	656	490	619	453				2	31	54	4	3						
1 to 4 years	163	112	153	102					10	10								
5 to 9 years	81	68	79	68					2									
10 to 14 years	82	61	80	59					1	1								
15 to 19 years	146	107	133	96				1	12	10								
20 to 24 years	152	124	133	100		4		6	13	19								
25 to 29 years	165	147	147	128	4	3			14	16								
30 to 34 years	172	142	151	122	3	3			18	12								
35 to 39 years	208	204	180	165	4	10	3	2	19	27	2							
40 to 44 years	268	248	227	202	14	10	6	3	20	33			1					
45 to 49 years	435	292	350	242	25	14	5		49	36	3		1					
50 to 54 years	548	412	458	343	34	25	5	3	51	41								
55 to 59 years	721	500	601	413	52	35	20	3	48	48			1					
60 to 64 years	906	618	752	517	89	57	16	6	48	37	1		1					
65 to 69 years	1,171	836	970	702	127	69	19	10	55	55								
70 to 74 years	1,267	933	1,005	746	190	134	20	17	52	36								
75 to 79 years	1,332	1,028	1,055	840	227	147	29	9	42	32								
80 to 84 years	1,007	944	797	750	170	150	11	15	29	29								
85 to 89 years	598	561	442	426	128	114	5	7	13	14								
90 to 94 years	205	247	155	177	44	60	3		3	10								
95 to 99 years	41	62	25	44	8	9	1	1	5	8	2							
100 years and over	4	8	1	4	1				2	4								
Not stated	5	4	2	2				3	2	2								
KENTUCKY, all ages	16,510	13,197	13,703	11,056	305	253	154	104	2,146	1,824	1		1					
Under 1 year	1,835	1,352	1,666	1,231			5	7	164	114								
1 to 4 years	465	433	432	397					33	36								
5 to 9 years	204	148	189	137					15	11								
10 to 14 years	230	158	202	137		1	2		26	20								
15 to 19 years	375	297	341	247	1		1		32	50								
20 to 24 years	485	309	413	249				3	71	57								
25 to 29 years	448	357	351	277	1	1	1	7	95	72								
30 to 34 years	472	377	375	306	2		2	5	95	66								
35 to 39 years	538	430	417	354	4	1	7	4	110	91								
40 to 44 years	631	473	482	359	4	4	16	5	128	125			1					
45 to 49 years	748	570	574	420	17	3	13	4	144	143								
50 to 54 years	913	697	674	504	22	11	12	3	205	169								
55 to 59 years	1,029	732	821	584	21	8	9	8	178	132								
60 to 64 years	1,202	941	996	778	26	15	15	3	165	145								
65 to 69 years	1,656	1,239	1,394	1,051	33	34	19	7	210	147								
70 to 74 years	1,648	1,343	1,406	1,153	49	37	14	17	179	156								
75 to 79 years	1,496	1,288	1,285	1,143	55	35	21	13	135	97								
80 to 84 years	1,168	1,117	1,036	988	37	32	6	9	88	88	1							
85 to 89 years	547	601	467	518	19	32	7	6	54	45								
90 to 94 years	171	250	142	201	13	18	3	2	13	29								
95 to 99 years	37	71	31	56	1	1		1	5	13								
100 years and over	9	22	6	5					3	17								
Not stated	3	2	3	1					1	1								
LOUISIANA, all ages	15,514	11,007	6,847	5,230	488	322	201	71	5,966	5,375	4	8	5				3	1
Under 1 year	1,728	1,349	785	573			4	1	936	769	3	6						
1 to 4 years	392	346	201	157	2	1		2	189	186								
5 to 9 years	161	113	88	66		1	1		72	46								
10 to 14 years	172	140	92	68					80	72								
15 to 19 years	290	284	145	96				1	145	187								
20 to 24 years	374	361	173	132			2	1	198	227	1	1						
25 to 29 years	480	404	214	149	2	1	10	3	252	251			1				1	
30 to 34 years	453	420	188	157	3	2	2	4	260	257								
35 to 39 years	580	509	255	156	8	3	4	4	312	346								1
40 to 44 years	679	535	315	208	14	5	7	2	342	319			1	1				
45 to 49 years	861	617	421	286	21	15	12	5	407	361								
50 to 54 years	1,041	715	496	292	43	13	21	5	490	405								1
55 to 59 years	1,098	748	573	332	49	28	22	8	453	380				1				
60 to 64 years	1,103	803	650	396	60	46	27	2	386	359								
65 to 69 years	1,339	935	712	538	99	41	25	7	503	349								
70 to 74 years	1,054	894	594	530	61	57	22	10	357	297								1
75 to 79 years	702	682	432	456	44	47	11	4	214	174				1				1
80 to 84 years	538	519	330	367	48	19	16	6	144	127								
85 to 89 years	293	366	150	226	23	24	11	4	108	112				1				
90 to 94 years	101	148	49	72	6	14		1	44	61								
95 to 99 years	42	61	7	19	2	4		1	32	38								
100 years and over	21	38	2	2		1		1	18	34								
Not stated	32	20	5	2				3	24	18								
MAINE, all ages	5,795	5,020	4,663	4,024	1,099	972	18	16	7	1	6	7	1				1	
Under 1 year	444	341	441	339	1				1	1	1	1						
1 to 4 years	84	70	83	70														
5 to 9 years	53	38	52	38														
10 to 14 years	41	37	40	33	1	3												
15 to 19 years	79	57	77	51	2	5												
20 to 24 years	99	64	90	60	7	4			2									
25 to 29 years	75	77	70	70	5	6												
30 to 34 years	75	86	64	74	11	12												
35 to 39 years	132	81	108	68	23	13												1
40 to 44 years	139	106	108	92	30	14			1									
45 to 49 years	184	147	156	114	26	33		1	1									
50 to 54 years	276	194	197	143	75	49	3	1						1	1			

VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
MARYLAND, all ages	11,257	9,574	7,455	6,418	1,205	970	94	72	2,495	2,114	1		5					2
Under 1 year	801	621	507	392			2	1	292	228								
1 to 4 years	183	142	132	78					51	64								
5 to 9 years	102	72	75	54	1				26	18								
10 to 14 years	87	83	62	42				1	25	40								
15 to 19 years	176	130	100	61	1	2		1	75	66								
20 to 24 years	242	203	143	97	2	2	2	2	95	104								
25 to 29 years	263	203	148	113	5	2	4	1	106	87								
30 to 34 years	285	250	143	140	11	5	4	3	126	102								1
35 to 39 years	400	305	241	154	16	11	1	1	142	139								
40 to 44 years	541	390	305	221	52	18	3	2	181	149								
45 to 49 years	644	480	368	273	69	33	6	2	200	172								1
50 to 54 years	855	605	503	353	94	58	10	4	247	190	1							
55 to 59 years	983	734	639	467	146	95	11	4	186	168			1					
60 to 64 years	1,079	803	709	533	158	121	14	3	196	146			2					
65 to 69 years	1,250	1,013	889	729	162	126	8	2	191	156								
70 to 74 years	1,183	1,071	844	778	181	154	11	12	146	127			1					
75 to 79 years	1,028	1,022	765	781	153	149	5	22	105	70								
80 to 84 years	722	622	580	696	89	87	5	7	48	32								
85 to 89 years	290	437	216	323	44	79	3	4	26	31			1					
90 to 94 years	108	147	75	108	16	22	3	1	14	16								
95 to 99 years	23	33	10	24	5	4			8	4								
100 years and over	3	5				2			2	3								
Not stated	9	3		1			2		7	2								
MASSACHUSETTS, all ages	26,308	24,609	15,778	14,366	9,976	9,784	93	46	404	402	5	5	50	5	1	1	1	
Under 1 year	1,375	983	1,343	965			4	3	26	13	2			2				
1 to 4 years	306	231	297	226	1	1	1		6	3			1	1				
5 to 9 years	164	149	160	142	1	1			3	6								
10 to 14 years	191	106	183	104	2				6	2								
15 to 19 years	243	193	220	176	16	5			7	10			1		1			
20 to 24 years	308	283	285	264	13	7	1		7	12			2					
25 to 29 years	368	338	330	287	29	42			8	9			1					
30 to 34 years	447	405	367	313	64	76	1		12	15			3	1				
35 to 39 years	597	521	451	367	120	130	2		21	24			3					
40 to 44 years	1,009	704	678	464	298	222	3	2	27	16			3					
45 to 49 years	1,423	1,017	826	544	557	441	7		31	32			2					
50 to 54 years	1,956	1,341	1,076	718	825	585	8	1	41	37			6					
55 to 59 years	2,272	1,726	1,169	895	1,044	785	10	3	37	43			12					
60 to 64 years	2,866	2,312	1,484	1,136	1,338	1,134	12	2	43	40	1		6		1			1
65 to 69 years	3,380	2,982	1,657	1,459	1,661	1,472	15	8	43	42			1	4				
70 to 74 years	3,336	3,347	1,707	1,616	1,575	1,696	13	5	38	30			3	3				
75 to 79 years	2,865	3,205	1,597	1,718	1,233	1,458	6	4	25	25	1		3					
80 to 84 years	1,866	2,567	1,115	1,553	733	971	5	12	12	27	1	4						
85 to 89 years	960	1,467	614	934	339	517	1	5	5	11			1					
90 to 94 years	284	558	175	368	102	185	2	1	5	4								
95 to 99 years	65	151	42	106	22	44			1	1								
100 years and over	4	19	1	10	3	9												
Not stated	3	4	1	1		3	2											
MICHIGAN, all ages	29,053	22,966	18,793	15,242	8,277	6,300	513	151	1,387	1,217	69	54	11	1	1		2	1
Under 1 year	2,252	1,703	2,121	1,600			1	10	4	107	89	12	8	1			1	1
1 to 4 years	468	389	436	358			1	3		27	28	2	2					
5 to 9 years	287	183	269	168			1	1	1	14	13	3						
10 to 14 years	286	200	262	171	2			1		20	27	1	2					
15 to 19 years	456	301	407	245	9	7			35	45	5	4						
20 to 24 years	513	441	454	353	17	11	2		38	70	2	6		1				
25 to 29 years	530	505	426	399	32	32	5	4	65	70	2							
30 to 34 years	678	542	506	408	65	66	6	1	100	66	1	1						
35 to 39 years	881	677	597	465	151	98	10	6	138	108	3		2					
40 to 44 years	1,112	848	673	263	188	19	4		154	118	2	1	1					
45 to 49 years	1,657	1,115	980	719	493	283	35	5	144	106	3	2	1					1
50 to 54 years	2,100	1,356	1,189	853	728	368	50	6	130	105	2	4			1			
55 to 59 years	2,431	1,542	1,408	973	856	476	61	7	105	81	1	5						
60 to 64 years	2,618	1,869	1,571	1,202	893	575	63	18	88	74	3							
65 to 69 years	2,979	2,208	1,810	1,411	1,018	709	66	22	79	62	3	4	3					
70 to 74 years	3,024	2,554	1,811	1,516	1,112	957	54	16	43	59	3	6	3					
75 to 79 years	3,072	2,631	1,772	1,536	1,181	1,028	58	24	51	38	10	5						
80 to 84 years	2,229	2,146	1,284	1,269	894	808	26	18	28	29	7	2						
85 to 89 years	1,082	1,226	606	736	445	455	23	12	8	22			1					
90 to 94 years	318	402	182	232	121	166	5	2	7	2	3							
95 to 99 years	48	99	19	59	23	39	3		3	2								
100 years and over	12	21	6	9	2	8			3	3			1	1				
Not stated	20	8	4	3	2	4	12	1	2									
MINNESOTA, all ages	15,392	11,392	9,247	7,122	5,839	4,074	108	21	80	70	113	105	3		1		1	
Under 1 year	1,009	789	983	758			1	4	1	2	5	20	24					
1 to 4 years	216	164	201	172	2				1	1	12	11						
5 to 9 years	139	97	133	95	2				1		4	4						
10 to 14 years	139	89	134	86	2				1		2	1						
15 to 19 years	216	152	203	125	3	2	1	1			9	4						
20 to 24 years	256	161	246	147	3	6		1		1	6	6						
25 to 29 years	295	195	276	163	11	2			5	5	2	2						
30 to 34 years	292	240	288	220	17	15	3		3	2	1	3						1
35 to 39 years	350	273	292	248	26	20	3		3	2	4	3						

GENERAL TABLES—TOTAL DEATHS

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.  
(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
MISSISSIPPI, all ages	12,261	10,385	5,211	3,902	108	48	153	95	6,771	6,329	17	10	1	1				
Under 1 year	1,702	1,205	664	478			8	5	1,025	721	5	1						
1 to 4 years	488	423	186	158			4	3	295	260	3	2						
5 to 9 years	186	143	77	49			4		105	94								
10 to 14 years	164	133	53	40			1	3	110	89		1						
15 to 19 years	303	324	110	70		1	2	2	188	250	3	1						
20 to 24 years	416	384	129	84			4	2	283	297		1						
25 to 29 years	413	436	118	91			6	2	289	343								
30 to 34 years	417	438	124	97	1	1	3	3	288	335	1	2						
35 to 39 years	442	512	152	124		1	3	2	285	365	2							
40 to 44 years	479	551	172	143	6	1	5	2	296	404			1					
45 to 49 years	609	521	242	139	1	1	6	3	360	378								
50 to 54 years	769	620	280	183	9	9	4	4	476	423		1						
55 to 59 years	833	638	367	201	9	1	14	7	442	428	1	1						
60 to 64 years	965	703	425	258	10	4	17	5	512	436			1					
65 to 69 years	1,133	788	587	392	15	1	12	7	518	388	1							
70 to 74 years	957	723	478	371	17	11	16	5	447	336								
75 to 79 years	783	644	441	376	17	7	14	14	310	247	1							
80 to 84 years	587	539	337	360	9	7	12	13	229	159								
85 to 89 years	363	351	194	187	9	2	12	10	148	152								
90 to 94 years	129	159	56	80	3		1	1	69	78								
95 to 99 years	57	63	11	12	2				44	50								
100 years and over	24	62	1	1				1	23	60								
Not stated	42	25	7	8			6	1	29	16								
MISSOURI, all ages	23,388	19,197	18,676	15,471	2,079	1,626	479	196	2,147	1,903			7	1				
Under 1 year	1,440	1,215	1,263	1,059			1	1	176	155								
1 to 4 years	386	294	344	257					42	36								
5 to 9 years	193	124	175	113	1				17	10			1					
10 to 14 years	191	136	173	119	1				17	17								
15 to 19 years	318	251	290	191			1	1	27	58								
20 to 24 years	380	349	324	293			3	7	49	52								
25 to 29 years	399	418	312	337	1	1	3	3	83	77								
30 to 34 years	509	420	390	319	10	9	11	4	98	88								
35 to 39 years	623	599	479	461	17	13	10	5	117	120								
40 to 44 years	795	665	600	486	42	19	15	4	138	156								
45 to 49 years	1,146	855	854	642	59	45	26	5	207	163								
50 to 54 years	1,550	1,004	1,128	747	164	70	33	6	225	181								
55 to 59 years	1,851	1,204	1,375	954	198	86	37	10	240	154			1					
60 to 64 years	2,155	1,612	1,699	1,282	227	167	53	13	176	150								
65 to 69 years	2,551	1,957	2,068	1,608	251	193	60	24	170	132			2					
70 to 74 years	2,812	2,213	2,266	1,789	325	255	68	27	152	142			1					
75 to 79 years	2,736	2,340	2,232	1,948	330	264	73	34	101	94								
80 to 84 years	1,996	1,899	1,624	1,585	252	228	55	29	63	57			2					
85 to 89 years	978	1,091	796	878	141	155	17	23	23	35			1					
90 to 94 years	309	433	241	320	46	93	7	4	15	16								
95 to 99 years	58	99	39	71	13	20		1	6	7								
100 years and over	9	16	3	10	1	3			5	3								
Not stated	3	3	1	2		1	2											
MONTANA, all ages	3,732	2,169	2,409	1,462	1,024	520	103	15	21	18	159	154	11		5			
Under 1 year	272	262	229	219				2	1		42	41						
1 to 4 years	82	82	58	59							24	23						
5 to 9 years	39	35	32	25							7	10						
10 to 14 years	38	20	35	17				1			3	2						
15 to 19 years	64	41	59	31			2	1			4	8						
20 to 24 years	97	52	81	40	3	3	1		1		11	9						
25 to 29 years	89	44	78	37	5	3			1	1	5	3						
30 to 34 years	85	54	70	42	7	4	4	2	2	2	4	4						
35 to 39 years	98	66	84	54	7	7	1		1	4	5	1						
40 to 44 years	113	75	85	56	18	13	6	3		1	3	2						
45 to 49 years	170	107	106	84	55	21	4		2		3	2						
50 to 54 years	288	123	169	82	96	37	13	1	2	1	7	2	1					
55 to 59 years	324	156	199	101	106	43	9	1	2	5	6	6	1					
60 to 64 years	369	164	216	100	133	55	10	2	3		5	7	2					
65 to 69 years	403	188	240	118	137	62	16			4	8	4						
70 to 74 years	390	208	227	116	144	87	10		1	1	8	4						
75 to 79 years	371	231	204	136	147	85	13	1	1	1	4	10	2					
80 to 84 years	269	151	141	86	102	57	12	1	4	1	10	6						
85 to 89 years	125	71	72	37	47	29		1		1	1	3	5					
90 to 94 years	35	32	18	15	13	1					1	1						
95 to 99 years	10	7	5	4	2		2				1	2						
100 years and over	1		1															
Not stated																		
NEBRASKA, all ages	6,876	5,318	5,050	3,994	1,584	1,158	106	52	107	89	24	24	2	1	3			
Under 1 year	447	369	437	358				1	6	4	4	5		1				
1 to 4 years	141	87	134	81			1	1	4	1	2	4						
5 to 9 years	45	48	44	47						1	1							
10 to 14 years	70	41	66	41			1		2		1							
15 to 19 years	101	61	98	56			1		2	2		3						
20 to 24 years	113	90	110	87	1	1		1	1		1	1						
25 to 29 years	117	111	112	105	2		1		2	6		1						
30 to 34 years	117	102	100	96	10	4	2		3	1	2	1						
35 to 39 years	143	134	123	123	9	3	4		6	7	1	1						
40 to 44 years	183	147	149	130	19	5	3	3	10	7	2	2						
45 to 49 years	283	214	242	174	28	22	5	3	8	12		3						
50 to 54 years	351	259	276	214	58	39	6	3	6	3								

VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
NEVADA, all ages	867	396	566	281	163	51	65	7	20	4	44	52	8	1	1			
Under 1 year	51	36	45	25						1	6	9						
1 to 4 years	6	12	1	9							5	3						
5 to 9 years	6	9	4	6				1			1	2						
10 to 14 years	5	4	4	2							1	2						
15 to 19 years	12	8	11	4				1			3	4						
20 to 24 years	29	9	24	7					1		2	3						
25 to 29 years	24	20	20	17				2			1	2						
30 to 34 years	26	18	20	16	1			2		4	1	2						
35 to 39 years	39	16	25	12	3			3		1	2	3						
40 to 44 years	37	12	26	10	3			2		2	1	2						
45 to 49 years	43	23	25	18	12	4		5		1	4	2						
50 to 54 years	79	26	45	19	25	1	9	3	1	1	2	1						
55 to 59 years	76	30	37	24	25	5	9	1	4	1	3	3						
60 to 64 years	97	21	65	17	30	11	2	10	1	1	2	2						
65 to 69 years	106	39	65	26	30	11	2	2	2	2	3	3						
70 to 74 years	83	31	58	17	10	11	8	4	1	2	3	2						
75 to 79 years	66	29	48	21	12	6	4	1		1	1	1						
80 to 84 years	48	22	29	16	15	3	3	1		1	1	2						
85 to 89 years	19	19	13	11	5	4	1			1	3	2						
90 to 94 years	5	7	4	4	1	1					2	1						
95 to 99 years	1	1			1						1	1						
100 years and over	2	1	1								1	1						
Not stated	5	3	2	1	1		2				2	2						
NEW HAMPSHIRE, all ages	3,566	2,935	2,445	2,110	880	810	35	12	5	3			1					
Under 1 year	184	179	183	178			1			1								
1 to 4 years	54	25	32	25	1				1									
5 to 9 years	18	15	18	15														
10 to 14 years	27	12	27	12														
15 to 19 years	37	16	34	17	1	1	2											
20 to 24 years	52	26	49	24	3	1		1										
25 to 29 years	36	33	34	31	2	2												
30 to 34 years	55	44	48	37	6	7	1											
35 to 39 years	59	52	53	41	5	11			1									
40 to 44 years	95	81	77	57	14	24	1		1									
45 to 49 years	119	98	80	64	38	33			1	1								
50 to 54 years	201	152	151	95	68	37	2											
55 to 59 years	242	163	149	112	89	49	4	1		1								
60 to 64 years	354	235	214	146	116	88	3	1	1									
65 to 69 years	405	315	287	193	113	121	5	1										
70 to 74 years	462	403	289	266	163	136	10	1										
75 to 79 years	460	397	354	265	125	131	1	1										
80 to 84 years	301	373	225	273	74	97	2	3										
85 to 89 years	165	216	125	188	36	47		1										
90 to 94 years	49	84	36	62	12	20	1	2										
95 to 99 years	17	23	9	21	8	2												
100 years and over	3	5	2	4	1	1												
Not stated	15	6	9	4	3	2	2		1									
NEW JERSEY, all ages	23,217	20,742	13,751	12,501	7,570	6,565	170	68	1,705	1,605	2	2	14	1	2			3
Under 1 year	1,224	960	1,060	816	1		4	2	159	142								
1 to 4 years	282	214	234	195	3	1			45	18								
5 to 9 years	179	129	162	107	1			1	16	20								
10 to 14 years	181	133	159	109		1			22	22			1					
15 to 19 years	274	245	228	185	4	3		1	41	56								
20 to 24 years	337	332	277	252	12	9	2	1	46	70								
25 to 29 years	427	425	337	323	21	23	2		67	79								
30 to 34 years	496	434	341	299	62	45	1		91	90			1					
35 to 39 years	711	561	441	364	143	101	3		122	96				1				
40 to 44 years	995	796	598	461	264	217	6	3	125	115	1			1				
45 to 49 years	1,474	1,033	793	552	534	348	14	2	131	131				2				
50 to 54 years	1,998	1,315	988	674	815	496	32	3	158	142				3				2
55 to 59 years	2,132	1,601	1,105	787	857	669	22	8	145	136	1	1		2				
60 to 64 years	2,636	1,965	1,421	1,081	1,053	757	19	3	139	124				2		1		1
65 to 69 years	2,770	2,413	1,492	1,316	1,116	953	23	14	159	129				1				
70 to 74 years	2,663	2,614	1,456	1,440	1,070	1,064	23	10	113	100				1				
75 to 79 years	2,132	2,354	1,235	1,409	821	875	10	10	65	60				1				
80 to 84 years	1,434	1,766	895	1,179	488	546	4	6	47	35								
85 to 89 years	645	1,005	393	687	230	294	2	1	20	23								
90 to 94 years	162	347	110	200	62	137	1	2	9	8								
95 to 99 years	39	85	24	57	11	23			4	5								
100 years and over	4	14	1	8	2	2			1	4								
Not stated	2	1					2	1		4								
NEW MEXICO, all ages	3,418	2,499	2,868	2,151	224	115	67	17	50	22	207	194	1		1			
Under 1 year	864	685	796	625					3	4	65	58						
1 to 4 years	196	156	147	127			1	3	1		45	28						
5 to 9 years	54	49	48	36	1						5	13						
10 to 14 years	58	29	49	24			1		1		7	5						
15 to 19 years	80	75	70	65	1	1	1	1	2		6	8						
20 to 24 years	94	71	80	62	1	1	1		1		12	7						
25 to 29 years	111	95	94	78	5	4	3		6	2	2	11			1			
30 to 34 years	88	99	76	84	5	9	2		3		2	6						
35 to 39 years	101	103	82	82	9	8	1	1	6	3	3	9						
40 to 44 years	149	79	120	68	16	3	2		6	1	5	7						
45 to 49 years	151	110	119	98	21	7	1		4	1	5	4	1					
50 to 54 years	177	87	141	75	17	4	10	2	3	3	6	3						
55 to 59 years	183	84	148	68	19	8	4	1	6	1	6	6						
60 to 64 years	214	102	176	91	23	7	10	1	1	5	2	2						



VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
OKLAHOMA, all ages	11,795	8,596	9,539	6,867	351	235	387	144	1,115	995	402	355	1					
Under 1 year	1,235	927	1,043	772			5		121	95	66	60						
1 to 4 years	336	307	282	240			1	2	25	35	28	30						
5 to 9 years	161	122	137	98			1	1	15	16	8	7						
10 to 14 years	167	111	142	89			1	1	2	18	11	6						
15 to 19 years	250	212	210	190			1		4	28	40	12						
20 to 24 years	285	250	210	173	1		2	3	55	47	17	27						
25 to 29 years	305	276	232	201	1	1	8	2	47	49	17	23						
30 to 34 years	322	279	255	201	1		6	2	44	60	16	16						
35 to 39 years	368	321	283	234	2	3	12	3	56	71	15	10						
40 to 44 years	427	322	338	240	7	3	6	3	65	64	11	12						
45 to 49 years	565	396	431	314	9	1	15	5	91	65	19	11						
50 to 54 years	681	424	536	318	16	13	24	8	80	65	25	20						
55 to 59 years	815	517	655	397	23	19	33	9	75	73	31	19						
60 to 64 years	860	563	702	465	28	17	36	8	66	57	28	16						
65 to 69 years	1,225	769	979	619	58	22	57	25	100	85	31	18						
70 to 74 years	1,183	787	963	672	58	35	47	24	86	41	28	15	1					
75 to 79 years	1,113	805	928	689	67	43	43	17	83	42	12	14						
80 to 84 years	836	617	698	524	44	39	46	9	33	32	15	13						
85 to 89 years	459	366	369	302	27	23	23	11	26	20	14	10						
90 to 94 years	131	161	111	136	5	13	5	1	10	6		3						
95 to 99 years	36	34	26	25	2	1			7	7								
100 years and over	9	19	3	5	2				1	2		5						
Not stated	26	11	6	3					3	4								
OREGON, all ages	7,083	4,714	5,439	3,764	1,366	823	141	38	20	19	61	55	33	6	20	8	3	1
Under 1 year	329	264	311	246					2	2	13	13	1	1				
1 to 4 years	64	62	57	55							7	7						
5 to 9 years	47	36	44	33					1		1	2						
10 to 14 years	69	32	68	28					1		1							
15 to 19 years	104	58	95	52	3	1	2	1			3							
20 to 24 years	142	62	130	57	2	1	2	1	4		2							
25 to 29 years	138	79	126	72	6	5	3				2							
30 to 34 years	143	105	129	96	8	7	4		1		1							
35 to 39 years	163	123	134	113	22	9	3				2							
40 to 44 years	224	138	180	123	27	11	11		1		3							
45 to 49 years	329	202	329	186	51	31	5	1	1	2	2							
50 to 54 years	474	288	369	238	86	42	14	3	2	2	1							
55 to 59 years	589	309	442	245	129	58	13	3	2	2	4							
60 to 64 years	707	384	527	308	160	68	11	2	2	2	3							
65 to 69 years	753	488	561	388	158	94	21	2	2	2	3							
70 to 74 years	896	619	665	461	200	143	21	9	1	2	6							
75 to 79 years	869	593	613	441	230	144	14	1	1	1	4							
80 to 84 years	616	467	440	347	160	113	9		1	1	3							
85 to 89 years	309	265	206	193	98	65	3	4		1	2							
90 to 94 years	86	113	60	80	23	29	1	2			2							
95 to 99 years	16	23	12	18	2	2					2							
100 years and over	4	3	3	3	1													
Not stated	2	1						2										
PENNSYLVANIA, all ages	58,437	49,570	40,571	36,053	13,355	10,027	731	282	3,741	3,203	5	2	31	2	3	1	2	
Under 1 year	4,189	3,154	3,767	2,827	2	2	74	54	345	271			1					
1 to 4 years	845	688	765	629	1				77	59								
5 to 9 years	509	391	463	353	3	1	2		41	37								
10 to 14 years	536	368	497	317	5	4			32	47								
15 to 19 years	813	613	730	481	14	13	5	2	64	119								
20 to 24 years	964	635	863	683	15	11	5	1	82	140			1					
25 to 29 years	1,039	964	863	769	34	34	10	2	132	150								
30 to 34 years	1,264	1,065	994	851	85	58	4	5	181	171								
35 to 39 years	1,643	1,380	1,174	980	178	166	17	4	271	229								
40 to 44 years	2,427	1,714	1,547	1,152	482	297	31	6	355	258	3		6	1	1		2	
45 to 49 years	3,390	2,515	1,968	1,480	953	545	49	10	392	280	1		6					
50 to 54 years	4,553	3,069	2,540	1,919	1,557	857	20	20	384	273			6		1			
55 to 59 years	5,354	3,717	3,147	2,437	1,776	1,010	67	19	360	270	1		3			1		
60 to 64 years	6,203	4,626	3,866	3,017	1,942	1,347	92	31	307	231			1					
65 to 74 years	6,673	5,456	4,426	3,748	1,884	1,480	112	27	247	200			1	4				
70 to 74 years	6,478	5,270	4,426	3,748	1,884	1,480	112	27	247	200			1	4				
75 to 79 years	5,405	5,621	3,613	4,238	1,406	1,209	59	30	125	144			1	1		1		
80 to 84 years	3,801	4,327	2,954	3,410	757	615	27	24	63	78								
85 to 89 years	1,753	2,339	1,338	1,853	363	435	19	10	33	41								
90 to 94 years	463	657	335	648	101	174	7	5	19	30								
95 to 99 years	95	165	64	118	27	41		2	4	4								
100 years and over	14	16	7	10	2	4			2	2								
Not stated	19	8	3	3	7	3		1	2	1								
RHODE ISLAND, all ages	4,059	3,716	2,296	2,120	1,633	1,512	20	7	95	76	5	1	7					1
Under 1 year	219	193	208	190					10	3								
1 to 4 years	43	34	41	32					1	2								
5 to 9 years	22	25	19	23	1				2	2								
10 to 14 years	22	19	21	18	1						1							
15 to 19 years	45	34	39	30	2	1			3	3								
20 to 24 years	52	50	44	44	3	2			4	4	1							
25 to 29 years	53	55	43	46	9	8			1	1								
30 to 34 years	56	55	38	46	14	5		1	3	4								
35 to 39 years	91	75	69	49	15	23	1		5	3								
40 to 44 years	149	118	90	68	53	43			6	7								
45 to 49 years	211	140	123	78	81	57	1		5	5								

# GENERAL TABLES—TOTAL DEATHS

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
<b>SOUTH CAROLINA, all ages</b>	<b>10,566</b>	<b>8,780</b>	<b>4,965</b>	<b>3,725</b>	<b>69</b>	<b>36</b>	<b>51</b>	<b>29</b>	<b>5,475</b>	<b>4,937</b>	<b>4</b>	<b>2</b>					<b>2</b>	<b>1</b>
Under 1 year	1,605	1,229	661	470		1	1		942	756		1					1	1
1 to 4 years	428	341	155	147					272	194	1							
5 to 9 years	166	120	84	57	1				81	63								
10 to 14 years	159	123	67	47	1				91	76								
15 to 19 years	273	271	98	68					175	203								
20 to 24 years	428	380	133	94	2		1	1	292	285								
25 to 29 years	416	370	137	100			1	4	277	265	1	1						
30 to 34 years	419	353	157	117		1	1		260	235	1							
35 to 39 years	446	422	175	124	3		2	2	266	296								
40 to 44 years	579	424	218	131	2		3	1	355	292							1	
45 to 49 years	693	549	296	156	5	5	4	1	388	387								
50 to 54 years	827	598	347	188	4	3	3	4	472	403	1							
55 to 59 years	814	620	385	220	10	1	7		412	399								
60 to 64 years	779	639	469	304	9	6	4	3	297	326								
65 to 69 years	828	614	494	345	5	5	12	4	317	260								
70 to 74 years	603	514	375	348	12	5	4		212	161								
75 to 79 years	451	425	320	327	3	3	2	1	126	94								
80 to 84 years	346	355	239	243	3	2	2	6	102	84								
85 to 89 years	195	215	115	156	8	3	2	1	70	55								
90 to 94 years	47	101	26	65					21	36								
95 to 99 years	22	26	6	6	1	1			15	19								
100 years and over	10	55	1	3					9	32								
Not stated	32	26	7	9			2	1	23	16								
<b>SOUTH DAKOTA, all ages</b>	<b>3,215</b>	<b>2,302</b>	<b>2,107</b>	<b>1,501</b>	<b>830</b>	<b>586</b>	<b>46</b>	<b>23</b>	<b>4</b>		<b>227</b>	<b>192</b>	<b>1</b>					
Under 1 year	285	198	234	168			2	2	1		46	28						
1 to 4 years	82	79	56	57			1	1			25	21						
5 to 9 years	42	30	35	22							7	8						
10 to 14 years	31	35	24	23							7	12						
15 to 19 years	65	43	52	34			1				12	9						
20 to 24 years	60	56	50	42			1				9	14						
25 to 29 years	63	41	57	31	1	1					5	9						
30 to 34 years	56	49	46	38	2	2	1	1			7	8						
35 to 39 years	62	41	50	30	4	5	1				7	6						
40 to 44 years	86	74	75	63	4	7	2	1			5	3						
45 to 49 years	117	86	96	70	12	10	1				7	6	1					
50 to 54 years	192	109	140	95	39	8	2	1			11	5						
55 to 59 years	227	156	167	103	50	40	4				6	13						
60 to 64 years	227	175	142	128	66	41	5	3	1		11	3						
65 to 69 years	349	198	237	135	93	55	3	1			16	7						
70 to 74 years	350	245	177	128	152	106	9	3	1		11	8						
75 to 79 years	383	268	190	132	175	117	4	4			14	15						
80 to 84 years	300	222	167	113	119	98	4	3			10	8						
85 to 89 years	167	139	83	66	74	65	1	2	1		8	6						
90 to 94 years	57	41	23	16	32	23					2	2						
95 to 99 years	9	13	4	4	4	8					1	1						
100 years and over		1		1														
Not stated	7	3	2	2	1		4	1										
<b>TENNESSEE, all ages</b>	<b>15,951</b>	<b>12,771</b>	<b>11,444</b>	<b>9,024</b>	<b>200</b>	<b>140</b>	<b>196</b>	<b>118</b>	<b>4,109</b>	<b>3,489</b>	<b>1</b>		<b>1</b>					
Under 1 year	1,675	1,199	1,301	937			5	2	369	260								
1 to 4 years	537	398	403	310			1		133	88								
5 to 9 years	158	143	124	110	1		1		32	33								
10 to 14 years	202	155	149	113				1	53	41								
15 to 19 years	395	384	263	205			1		131	179								
20 to 24 years	475	444	294	287		1	1	2	180	174								
25 to 29 years	563	427	339	255			6	2	218	190								
30 to 34 years	542	509	298	303		2	5	2	239	202								
35 to 39 years	642	541	365	309	3		6	5	268	227								
40 to 44 years	701	561	440	316	4	2	8	6	248	237			1					
45 to 49 years	848	622	529	350	8	4	13	1	298	267								
50 to 54 years	1,042	743	677	459	15	4	8	7	342	273								
55 to 59 years	1,192	789	815	532	27	5	19	6	331	246								
60 to 64 years	1,243	961	921	651	24	15	20	11	278	304								
65 to 69 years	1,632	1,159	1,222	871	26	19	28	13	356	256								
70 to 74 years	1,392	1,142	1,095	921	26	21	27	19	244	181								
75 to 79 years	1,181	1,095	956	922	27	27	26	16	172	130								
80 to 84 years	905	795	765	680	23	23	7	13	110	79								
85 to 89 years	424	455	355	379	10	6	12	11	46	59	1							
90 to 94 years	142	166	102	128	4	7	2		54	31								
95 to 99 years	33	50	19	36	2	4			12	10								
100 years and over	13	18	3	5					10	13								
Not stated	14	15	9	5				1	5	9								
<b>TEXAS, all ages</b>	<b>34,040</b>	<b>26,178</b>	<b>24,436</b>	<b>18,364</b>	<b>3,033</b>	<b>2,357</b>	<b>715</b>	<b>251</b>	<b>5,834</b>	<b>5,196</b>	<b>4</b>	<b>8</b>	<b>13</b>		<b>3</b>	<b>2</b>	<b>2</b>	
Under 1 year	4,576	3,534	3,895	3,010	6	5	19	11	654	507	1	1	1					
1 to 4 years	1,106	1,012	950	852	4	7	4	5	148	145		3						
5 to 9 years	421	342	353	280		2	2	1	66	59								
10 to 14 years	485	318	382	237	6	2	3	1	94	77								
15 to 19 years	765	732	557	509	16	19	6	4	186	200					1			
20 to 24 years	907	893	640	571	49	39	16	3	201	278					1		1	
25 to 29 years	1,000	1,007	630	615	72	80	19	5	279	307								
30 to 34 years	1,133	975	760	565	64	95	20	7	288	308								
35 to 39 years	1,250	1,109	773	629	114	111	35	7	326	362			2					
40 to 44 years	1,438	1,129	916	625	106	100	34	10	381	393		1	1					

## VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—DEATHS BY SPECIFIED RACE, NATIVITY OF WHITE, SEX, AGE, AND POPULATION GROUPS: UNITED STATES AND EACH STATE, 1939—Con.

(Exclusive of stillbirths)

AREA AND AGE	TOTAL DEATHS		WHITE						NEGRO		OTHER RACES							
	Male	Female	Native		Foreign		Not stated		M	F	Indian		Chinese		Japanese		Minor races	
			M	F	M	F	M	F			M	F	M	F	M	F	M	F
UTAH, all ages	2,672	2,040	2,041	1,528	546	474	37	6	11	8	23	19	4	1	10	3		
Under 1 year	299	215	293	209							6	5					1	
1 to 4 years	63	50	57	48							6	2						
5 to 9 years	31	38	31	37							1	1						
10 to 14 years	44	28	42	27							2	1						
15 to 19 years	66	47	65	45			2			1								
20 to 24 years	82	49	58	48	2		1		1		1	1						
25 to 29 years	66	46	63	44	3		2		1		2							
30 to 34 years	74	45	71	40	2		1		1			3					1	
35 to 39 years	77	47	69	45	5		2		1		2							
40 to 44 years	92	70	74	59	15		8		1		1	3						
45 to 49 years	133	96	103	84	24		9		1		2							
50 to 54 years	179	91	130	76	43		14		3		1						1	
55 to 59 years	214	109	160	90	45		19		3		2						2	
60 to 64 years	227	152	171	120	48		30		3		1						4	
65 to 69 years	273	181	198	130	64		48		10		1						2	
70 to 74 years	229	201	162	124	60		75		2		2						1	
75 to 79 years	243	236	152	151	82		83		4		1						1	
80 to 84 years	156	196	88	98	67		95		1		2							
85 to 89 years	106	98	45	39	61		58											
90 to 94 years	26	39	8	15	18		24											
95 to 99 years	8	4	1		7		4											
100 years and over		2																
Not stated																		
VERMONT, all ages	2,474	2,070	2,017	1,696	426	352	25	16	4	5		1	1		1			
Under 1 year	167	124	167	124														
1 to 4 years	35	30	35	30														
5 to 9 years	15	17	15	16			1											
10 to 14 years	22	13	22	12			1											
15 to 19 years	23	9	21	9	2													
20 to 24 years	27	21	22	20	5		1											
25 to 29 years	35	24	31	23	3													
30 to 34 years	38	38	36	29	3		9		1									
35 to 39 years	43	42	37	37	2		7											
40 to 44 years	65	50	55	44	6		10											
45 to 49 years	98	66	82	50	15		15											
50 to 54 years	129	86	93	73	36		15											
55 to 59 years	195	120	146	90	43		29		2		1							
60 to 64 years	239	179	187	132	48		45		4		1							
65 to 69 years	303	214	245	175	56		36		3		1							
70 to 74 years	315	265	260	215	54		48		2		1							
75 to 79 years	286	265	212	229	69		52		4		2							
80 to 84 years	254	264	199	199	39		39		1		1							
85 to 89 years	120	153	106	114	12		36		2		1							
90 to 94 years	46	54	38	43	7		8		1									
95 to 99 years	6	12	3	9	3		3											
100 years and over	1	1	1	1														
Not stated	12	3	4	1	3		2		5									
VIRGINIA, all ages	15,871	12,765	10,084	7,966	322	172	100	44	5,349	4,577	4	4	5		2		5	2
Under 1 year	1,848	1,373	1,158	794			2	4	688	574								1
1 to 4 years	361	314	245	180					136	134								
5 to 9 years	164	132	105	86					59	46								
10 to 14 years	174	121	103	63					71	58								
15 to 19 years	341	269	192	126	2		2		143	143	1							
20 to 24 years	438	354	246	142	3		1		2	2								
25 to 29 years	493	367	240	170	1		1		5									
30 to 34 years	528	366	278	186	6		3		3	1								
35 to 39 years	605	456	325	219	3		1		4	1								
40 to 44 years	711	549	350	250	16		3		4									
45 to 49 years	819	601	427	293	17		6		2									
50 to 54 years	1,089	782	566	380	26		14		13	2								
55 to 59 years	1,226	894	721	463	31		13		8	2								
60 to 64 years	1,423	1,061	927	609	43		18		5	3								
65 to 69 years	1,490	1,191	1,055	853	45		22		11	1								
70 to 74 years	1,438	1,128	1,031	833	41		33		9	4								
75 to 79 years	1,153	1,101	905	898	41		29		8	8								
80 to 84 years	881	933	708	812	21		15		7	6								
85 to 89 years	474	485	378	414	19		10		7	2								
90 to 94 years	148	195	99	152	6		3		3	3								
95 to 99 years	39	45	23	33	1		2		1	2								
100 years and over	2	26		10														
Not stated	8	2	2						1	6								
WASHINGTON, all ages	11,208	7,308	7,512	5,283	3,157	1,781	210	40	101	63	120	114	32	2	59	24	17	1
Under 1 year	578	398	546	373					3	3	21	20	2		4	1	2	1
1 to 4 years	124	120	117	106	1						3	9	1	1	1	4	1	
5 to 9 years	86	68	80	64	2				1	1	2	3			1			
10 to 14 years	97	66	89	62	1		1				4	2	1		1	1		
15 to 19 years	168	75	149	65	8		5		2		1				1	2		
20 to 24 years	196	127	173	108	7		4		1		6	11	1	1	4	2	1	
25 to 29 years	198	158	178	137	11		9		3		1	2			2	2		
30 to 34 years	216	162	177	143	16		11		4		7	5			6		1	
35 to 39 years	289	156	249	130	37		19		3		3	2			1	1		
40 to 44 years	349	246	248	194	79		38		3		7	4			2	3	2	
45 to 49 years	529	339	389	257	112		66		14		3	4			2	2	1	
50 to 54 years	749	409	479	291	226		100		18		6	2			8	2	1	
55 to 59 years	951	502	615	354	284		131		22		4	13			5	1	2	
60 to 64 years	1,142	671	710	475	354		172		39		3	14			7	2		
65 to 69 years	1,302	744	848	530	402		196		30		4	9			5	3		
70 to 74 years	1,431	860	848	577	533		273											







GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
ALABAMA—Contd.																												
50	Cancer of breast	142								1		1	8	8	7	19	26	17	19	15	3	12	5	1				
	White—M	2																										
	F	102										1	4	7	5	16	15	14	14	10	3	11	4					
	All other—M	2																										
F	36									1			3	1	2	5	15	3	2	5	1	1	1					
45,47, 51-55	Cancer (other forms)	542	2			2	2	3	3	9	10	10	13	12	56	29	46	50	62	71	74	41	55	27	3	2		
	White—M	257	2			1	2	3	1	6	5	5	3	7	8	11	18	25	30	34	34	24	23	13	2			
	F	153							1	1	3	5	3	2	12	8	14	13	16	17	25	11	10	11				
	All other—M	73				1				3	1		2	5	5	8	10	12	10	10	5	2	1					
F	57							1		1		5	3	11	5	6	2	4	10	5	1	2	1					
58	Acute rheumatic fever	38					1	8	7	3	2	2	1	1		1		2	1	2	4	2	1					
	White—M	10					1	3	2	2	1	1						1	1	1		2						
	F	12						2	1	2	2	1				1			1	1								
	All other—M	7						2	2	2										2			1					
F	9						1	2	2			1	1						1	2								
61	Diabetes mellitus	347		1	1	1		3	10	15	8	8	4	9	14	15	28	41	44	56	40	32	14	3	2			
	White—M	112		1	1			6	3	3	2	3	1	3	3	4	3	7	13	20	16	18	5	3				
	F	180				1		2	3	5	3	1	2	2	2	4	14	17	21	17	18	11	7		2			
	All other—M	32						1	2	2	2	1	1	1	3	4	4	3	6	1	1	1	1					
F	73						1	3	1	3	2	1	3	9	3	7	13	7	13	5	2	1						
63b	Exophthalmic goiter	43							1	2	2	2	1	3	4	5	6	5	5	3	1	3						
	White—M	4							1	1		1					1		1									
	F	24								2	1		3	3	1	3	4	3		1	3							
	All other—M																											
F	15							1	1		1			1	4	2	1	2	2									
69	Pellagra (except alcoholic)	283		1				4	1	7	12	11	9	31	18	22	12	30	27	33	34	16	7	7			1	
	White—M	50						1	1	3	3	1	3	3	5	9	4	7	7	12	8	4	5	2				
	F	79					2			3	1	3	3	5	9	4	7	7	12	8	8	5	2					
	All other—M	50		1				2	2	1	2	1	8	3	3	1	8	6	4	3	2	1	2					
F	104						1	4	5	8	5	20	10	7	6	9	9	6	7	2	1	3						
77	Alcoholism (ethylism)	30								2	2	5	3	4	7	1	2	2	1	1								
	White—M	19								1	2	3	2	2	4	2	2	2	2									
	F	1										1																
	All other—M	10									1		1	1	2	3	1			1								
F																												
83	Intracranial lesions of vascular origin	2,123	3		2			2	2	5	3	7	23	53	77	143	223	229	237	288	269	240	169	99	32	8	6	3
	White—M	592	1		1			1	1	2	2		4	11	6	36	46	60	66	99	84	75	54	35	10	1	1	
	F	587	1				1	2					1	9	13	24	32	54	61	87	93	94	69	36	8	1	1	
	All other—M	427	1					1	2	1	2	1	9	15	22	28	64	62	49	50	37	31	22	16	7	5	3	
F	517		1				1			1		5	9	18	36	55	81	53	61	52	55	40	24	12	7	2	2	
80-82, 84-88	Other diseases of nervous system, etc.*	348	59	8	10	5	10	13	13	17	21	19	18	22	21	14	18	20	19	14	6	6	9	4	1			1
	White—M	105	21	2	3	3	4	3	3	4	5	3	2	5	5	4	5	8	11	5	2	1	5	1				
	F	87	9	3	1	1	4	5	4	6	5	8	4	7	1	3	5	5	4	4	4	2	1	1				1
	All other—M	94	16	4	2	3	4	1	6	5	8	5	8	6	6	7	4	2	4		1	1	1	1				
F	62	13	3	2		2	2	4	3	5	3	3	5	3	3	3	3	1	1			2	1					
89,104, 115	Diseases of ear, nose, and throat	187	37	10	4	6	2	11	17	18	7	9	16	5	10	6	1	9	3	3	4	1	2	1				
	White—M	60	8	5	2	1	2	4	9	1	2	2	1	3	7	3		5	1	1	1	1	1					
	F	53	8	2	2	3	1	6	7	5	3	3	5	1	1	1		1		1	1	1						
	All other—M	41	12	3		2	1	1	3	3	2	1	4	2	1	2	1	1	1	1	1	1						
F	33	9			1		2	3	1	3	1	3	5	1		2		3		1								
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	447	2			1	1	6	6	12	12	11	16	14	24	33	43	32	34	52	44	43	34	20	6			1
	White—M	126	1			1		2	3	4	5	5	3	3	3	3	9	8	12	16	16	20	11	7	2			
	F	119	1					1	2	5	1	5	3	3	6	10	6	6	8	11	7	19	13	9	3			
	All other—M	109						2	1	3	4	4	4	5	7	17	9	7	12	14	5	5	2	1				1
F	93					1	1			2	2	6	8	6	15	11	9	6	15	7	1	5	2					
94	Diseases of coronary arteries, angina pectoris	880	1						3	1	12	13	39	52	57	103	115	113	122	90	79	50	22	6	1			1
	White—M	480							2		1	7	16	24	37	59	74	73	69	46	36	22	8	4	1			1
	F	216									1	1	3	8	6	12	20	25	35	31	25	13	2					
	All other—M	89	1								5	3	8	8	5	17	14	8	11	4	4	4	1					
F	95							1	1	5	3	12	9	15	7	7	7	7	5	8	2	1						
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,022	9	1	1	6	4	9	13	22	32	39	45	93	125	166	260	305	325	404	359	347	252	138	48	14	4	3
	White—M	1,012	4			3	2	3	6	6	5	2	5	16	26	36	62	87	114	161	145	142	115	58	12	1		1
	F	718	3		1	2	1	2	3	4	6	6	4	9	16	20	25	55	75	97	117	96	50	22	7			
	All other—M	707	2	1				2	3	4	10	16	21	31	40	60	86	94	80	94	61	48	24	19	8	1	2	
F	585				1	1	2	1	8	11	15	13	37	43	50	87	68	56	52	56	40	17	11	6	5	2	2	
107-109	Pneumonia (all forms)	1,885	390	72	44	19	13	39	30	46	68	81	73	95	64	93	84	104	97	110	123	90	88	38	13	5	2	4
	White—M	556	103	24	11	4	2	13	7	15	15	8	15	21	28	23	15	34	41	33	53	39	34	17	5		1	1
	F	484	86	13	14	2	6	9	7	10	13	8	19	8	14	14	28	24	42	42	41	46	18	5	4		1	1
	All other—M	506	118																									

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated		
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over				
ALABAMA—Contd.																														
119,120	Diarrhea, enteritis, etc.—M	525	257	130	52	5	4	7	2	3	3	4	4	4	3	4	7	4	6	8	7	10	11	4	6					
	White—M	187	82	59	13	2	2		1	1			1			5		2	2	3	5	7	4	3	1					
	F	135	62	26	9	1	2	2		1	1	2	1	1		2		2	2	5	2	5	7	1	3					
	All other—M	114	68	26	5		1	1		1		2	1	2	3	1	1	1	2			1		1						
121	Appendicitis—M	269	1	1	2	1		19	23	55	29	24	22	14	14	15	12	17	7	10	7	3	3					1		
	White—M	111	1	1	1	1		6	11	17	14	9	8	5	6	4	4	5	7	3	6	1	1							
	F	74						8	7	10	5	5	3	5	2	4	4	3	6	3	3	3	1	2	2			1		
	All other—M	52			1			3	3	4	4	4	4	3	4	5	7	3	4	1	1									
122	Hernia, intestinal obstruction—M	201	16	3	1		2	5	2	4	7	3	16	14	13	17	21	12	18	14	12	11	3	6	1					
	White—M	52	3	2			1	1	1	2	1	2	1	3	5	4	5	4	6	7	3	4	6	3	3					
	F	52	5	1	1		2	1	1	1	1	1	2	4	3	6	6	3	3	3	3	4	5	1	1	1				
	All other—M	50	6					1	1	1	4	1	6	4	4	3	4	3	4	5	3	4	2	1	1					
124	Cirrhosis of the liver—M	115									1	3	3	4	6	10	13	12	18	21	8	13	1	1				1		
	White—M	48										1	2	2	2	3	4	5	10	9	2	6	1	1						
	F	24											1	1	1	2	1	2	6	5	2	5								
	All other—M	27									1	2		1	2	3	4	2	2	7	1	2						1		
126,127	Biliary calculi, etc.—M	80	1				1					3	1	2	4	6	8	12	11	12	6	5	6	2						
	White—M	30	1									2			2	2	3	3	4	4	4	4	2							
	F	38					1					1	2	1	3	6	6	6	4	5	2	1	4	2						
	All other—M	2													1	2	1	3	4	1	1	1								
150-152	Nephritis—M	2,569	2	4	7	1	7	7	6	12	33	51	48	90	112	134	235	222	301	318	299	260	247	129	46	12	4	2		
	White—M	794		1	4				2	2	5	6	12	13	21	44	68	109	112	115	106	104	52	14	3			1		
	F	594			1	1	1	3	4	11	7	7	16	17	19	32	39	65	74	79	85	81	35	18						
	All other—M	654	2	3	1	1	5	4	4	3	6	19	22	44	52	91	72	61	69	78	40	37	27	6	6	1		1		
137	Diseases of the prostate—M	138										1			1	4	6	13	23	19	20	15	22	7	5	1		1		
	White—M	85										1			1	1	8	14	15	9	13	8	2	3						
	F	53													1	3	5	5	9	4	11	2	4	5	2	1		1		
	All other—M	53													1	3	5	5	9	4	11	2	4	5	2	1		1		
140, 142a, 147	Puerperal septi- cemia—M	144							25	36	32	30	13	7														1		
	White—M	69							10	20	18	14	4	3															1	
	F	75							15	15	14	16	9	4															1	
	All other—M	69							10	22	21	22	14	10			1												1	
141a, c, 144, 148	Puerperal tox- emia—M	116						1	28	25	18	22	17	5																
	White—M	54							13	11	7	10	8	5																
	F	62						1	15	14	11	12	9																	
	All other—M	62						1	15	14	11	12	9																	
141b, d, e, f, 142b, 143, 145, 146, 149, 150	Other puerperal causes—M	101							10	22	21	22	14	10			1												1	
	White—M	55							5	13	10	11	8	8																
	F	46							5	9	11	11	6	2			1													1
	All other—M	46							5	9	11	11	6	2			1												1	
157	Congenital mal- formations—M	199	165	6	6	1	3	2	6	5	2			2				1												
	White—M	96	79	6	1	1	2	1	4	1																				
	F	69	60	4				3						1					1											
	All other—M	18	10	1		2		2	1	1			1																	
159	Premature birth—M	1,037	1,037																											
	White—M	333	333																											
	F	273	273																											
	All other—M	240	240																											
163,164	Suicide—M	225							13	24	22	24	23	25	19	19	15	19	15	2	4	1								
	White—M	152							5	11	11	17	14	16	12	19	13	17	11	2	3	1								
	F	54							7	10	9	7	8	5	3	2	1	1	1	1	1									
	All other—M	16							1	2	2		1	3	4				1	2	2									
165-168	Homicide—M	505	2		1			3	41	99	96	87	55	36	33	15	11	10	10	3										
	White—M	102				1		1	6	10	13	18	14	10	13	3	5	3	3	2										
	F	18							2	4	2	4	3	1	1															
	All other—M	296	1					1	22	61	60	52	33	22	16	10	3	5	7	1								2		
170	Motor-vehicle accidents—M	632	3		6	8	8	27	21	47	94	70	50	58	36	37	33	48	25	20	12	4	4							
	White—M	349	3		1	4	3	8	8	26	57	36	33	30	20	24	17	30	17	9	9	1	1							
	F	89			2	1		10	3	8	12	8	4	7	4	3	3	9	3	5	3	2	1	1						
	All other—M	160			2	2	4	9	9	10	20	23	13	19	10	7	10	4	4	5	4	1	1	2				1		
169, 171-195	Other accidents—M	1,200	68	32	20	20	22	64	61	83	86	66	62	78	55	54	48	4												



VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ARIZONA—Continued																												
50	Cancer of breast—	28													1	4	3	4	4	1	2	2	1	2				
	White—M														1	4	3	4	4	1	2	2	1	2				
	All other—M																											
	F	28																										
45,47, 51-55	Cancer (other forms)—	113		1	1		2	1	1	4	2		3	2	3	7	11	14	5	14	18	13	7	3	1			
	White—M	69					1	1	1	2	2				1	5	7	8	1	11	11	11	4	3	1			
	F	36		1			1		1	1			2	2	2	2	5	4	3	5	2	3						
	All other—M	3											1					1		1								
	F	5			1					1							2			1								
58	Acute rheumatic fever—	7						2	1		1								2		1							
	White—M	1						1																				
	F	3						1	1										1									
	All other—M	1																			1							
	F	2									1								1									
61	Diabetes mellitus—	58									2	1	2		1	2	6	7	14	10	4	5	3	1				
	White—M	15											1		1	1	4		3	3	1	1	1					
	F	34									2		1			1		4	11	5	3	4	2	1				
	All other—M	7										1					1	3		1	1							
	F	2																	1									
63b	Exophthalmic goiter—	7								1			2	1	1													
	White—M	1											1															
	F	4								1																		
	All other—M	1																										
	F	2											1		1													
69	Pellagra (except alcoholic)—	1																		1								
	White—M																											
	F	1																		1								
	All other—M																											
	F																											
77	Alcoholism (ethylism)—	14										2	3	1	1				1	2	2	1	1					
	White—M	10										1	2		1				1	1	2	1	1					
	F	3										1		1														
	All other—M	1											1															
	F																											
83	Intracranial lesions of vascular origin—	276	1					1	1			1	1	3	5	8	17	24	44	40	42	39	29	13	6		1	
	White—M	146						1	1				1	2	3	4	6	13	27	19	21	20	16	9	3			
	F	99														4	7	7	11	17	20	17	11	5	2			
	All other—M	20	1										1				2	3	4	3	2	2	2	1			1	
	F	11										1		2		2	1	2	1	1	1			1				
80-82, 84-88	Other diseases of nervous system, etc.—	56	11	3	1	2	1		2	2	5	3		3	6	2	2	4	5	1	2	1						
	White—M	27	5	2		1	1				4	2		2	4	2	1	2	1	1	1							
	F	22	1		1	1			1	2	1	1		1	2	2	1	2	4	1	1							
	All other—M	3	2						1																			
	F	4	3	1																								
89,104, 115	Diseases of ear, nose, and throat—	48	7	6	5	1		2	2	1	3	3	4	2	3		2	1	2	1	2		1					
	White—M	17	1	1	3			1	1		1	2	1	1	1				2	1			1					
	F	15	3	2	1			1	1			3						1	1									
	All other—M	6		2	1	1				1									1									
	F	10	3	1						2	1		1								2							
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—	66						1	3	3	2	2	1	4	4	8	3	6	5	7	1	9	3	1	2			1
	White—M	37						1	1	3	1	2	1	2	2	5		4	2	4	1	7	2	1	1			
	F	19						1	2		1			1	1	2	2	1	1	1	1	2	1	1	1			
	All other—M	5																1	1	1	1							
	F	5												1	1	1			1									
94	Diseases of coronary arteries, angina pectoris—	234							1				1	2	8	10	14	28	33	39	30	34	17	12	3	2		
	White—M	180											1	1	6	8	12	23	30	33	21	25	11	6	2	1		
	F	49											1	2	2	1	5	2	6	8	9	6	6		1			
	All other—M	4						1										1										
	F	1																		1								
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)—	560	4					1	3	2	3	4	9	7	13	25	40	53	50	76	80	80	66	31	7	2	3	1
	White—M	335	3					1	1		1	3	3	5	8	16	28	36	31	43	51	51	34	12	4	1	1	1
	F	188	1					1	1		1	3	2	2	9	6	13	12	28	25	25	30	18	3	1	2		
	All other—M	26						1	2	1		2		1	1		5	2	5	3	3		1					
	F	16										1		2			1	2	5	1	1	2						
107-109	Pneumonia (all forms)—	430	159	32	13	7	4	10	7	3	6	4	12	9	8	18	15	13	17	14	17	22	19	13	5	1	1	1
	White—M	167	48	12	6	3	4	3	3	1	1	2	6	4	3	13	9	4	8	6	10	7	9	6	2	1	1	
	F	118	43	6	5	1																						



VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																	100 and over	Not stated							
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
ARKANSAS																												
	All causes	16,514	1,637	352	172	97	78	226	242	421	498	550	602	598	685	924	991	1,209	1,345	1,539	1,464	1,158	951	522	178	54	17	46
	White—M	6,580	693	136	67	40	24	100	98	136	141	159	176	184	223	348	370	475	534	675	655	557	401	225	75	9	1	12
	White—F	4,657	515	111	57	43	25	75	61	115	130	157	153	150	177	229	214	294	359	465	449	416	365	197	64	27	2	11
	All other—M	2,687	245	61	20	9	11	30	44	76	102	113	133	126	124	180	208	239	211	220	214	94	94	46	16	10	11	11
	All other—F	2,430	184	44	28	5	18	23	39	94	125	121	140	138	141	187	199	203	189	181	148	65	71	54	23	8	10	12
1,2	Typhoid, paratyphoid fever	66	2	2	3	1	—	5	8	7	9	7	7	1	1	5	3	1	2	—	2	—	—	—	—	—	—	—
	White—M	21	1	1	1	—	—	2	3	3	—	3	4	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	16	—	—	2	—	—	—	2	1	5	1	2	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	All other—M	12	1	2	—	—	—	2	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	All other—F	17	—	—	—	—	—	1	2	2	4	2	1	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis	5	2	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	White—M	3	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	4	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	62	36	17	3	1	—	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	20	13	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	18	12	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	9	4	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	15	7	4	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	73	8	14	15	16	4	11	2	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	White—M	39	5	8	9	10	1	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	White—F	26	3	6	4	5	1	4	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	6	—	—	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	932	5	2	3	—	—	4	12	50	95	113	115	77	75	79	58	58	61	50	54	23	11	1	2	—	—	4
	White—M	290	1	1	1	—	—	—	1	3	14	19	37	20	22	34	26	28	35	19	13	11	3	1	1	—	—	1
	White—F	261	2	1	1	—	—	1	1	8	23	35	23	24	22	19	11	18	15	22	18	11	4	1	1	—	—	—
	All other—M	182	1	—	—	—	—	2	3	17	22	22	26	20	16	16	14	7	6	5	2	2	—	—	—	—	—	—
	All other—F	199	1	—	—	—	—	1	7	22	36	37	29	13	15	10	7	5	5	4	1	1	2	—	—	—	—	3
14-22	Tuberculosis (other forms)	62	5	4	1	1	1	4	6	3	8	7	—	2	2	4	—	3	2	6	2	1	—	—	—	—	—	—
	White—M	30	2	3	—	1	1	2	5	1	2	4	—	—	1	1	—	1	4	2	—	—	—	—	—	—	—	—
	White—F	12	3	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	2	1	1	—	—	—	—	—	—	—
	All other—M	5	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	15	—	—	1	—	—	1	1	1	4	1	—	2	1	1	—	—	1	1	—	—	—	—	—	—	—	—
27	Dysentery	122	30	31	8	5	1	1	1	5	1	—	—	1	2	2	3	3	9	2	9	3	3	2	—	—	—	—
	White—M	44	14	10	2	3	1	—	—	2	1	—	—	—	—	—	1	1	3	1	1	3	—	—	—	—	—	—
	White—F	41	9	10	3	2	—	—	1	2	—	—	—	—	1	1	1	1	2	5	—	3	—	—	—	—	—	—
	All other—M	20	4	8	—	—	—	1	—	—	—	—	—	1	1	—	1	1	1	2	—	—	—	—	—	—	—	—
	All other—F	17	3	3	3	—	—	—	1	—	—	—	—	—	1	—	—	—	4	1	—	—	—	—	—	—	—	—
28	Malaria	261	24	12	13	4	7	19	16	12	14	18	7	6	12	9	14	16	15	13	8	6	7	5	2	1	—	1
	White—M	75	10	3	4	1	2	4	7	4	5	3	4	1	2	—	5	4	3	5	3	2	1	1	1	—	—	—
	White—F	55	4	6	4	2	3	6	3	2	1	3	—	—	2	1	—	3	4	3	2	1	3	1	—	—	—	—
	All other—M	61	7	—	2	1	—	5	1	3	5	4	1	1	4	3	6	5	4	2	2	3	1	—	—	—	—	—
	All other—F	70	3	3	3	—	2	4	5	3	3	8	2	4	4	5	3	4	4	3	1	—	2	2	1	1	—	—
30	Syphilis	320	34	2	—	—	1	1	5	6	10	19	26	32	30	29	34	25	22	22	12	5	4	1	—	—	—	—
	White—M	104	8	1	—	—	—	—	1	—	—	5	6	9	14	13	13	8	9	11	2	3	1	—	—	—	—	—
	White—F	31	4	1	—	—	—	—	1	3	5	4	5	—	—	—	2	1	2	1	2	—	—	—	—	—	—	—
	All other—M	112	11	—	—	—	—	3	—	2	4	8	14	11	10	16	12	7	7	4	2	1	—	—	—	—	—	



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ARKANSAS—Contd.																												
50	Cancer of breast—	92									1	2	3	5	7	13	12	17	9	6	10	3	3	1				
	White—M																											
	F	74									1	1		3	6	10	10	17	5	6	9	3	3					
	All other—M																											
	F	18									1	3	2	1	3	2			4		1			1				
45,47, 51-55	Cancer (other forms)—	374			1	1	3	1	4	3	5	6	6	19	11	28	29	33	45	52	55	32	28	9	5			
	White—M	198					2	1	2	1	1	1	4	11	6	13	17	17	24	21	37	19	15	3	2			
	F	128				1	1			1	2	3	2	5	5	11	9	9	15	20	16	15	10	5	1			
	All other—M	27							1	1							1	5	3	5	7	2						
	F	23			1				1	1				1		3	4	4	1	4			2	1				
58	Acute rheumatic fever—	25			1			2	5	2	1	1		1	1	1		2	2	1	1	1	2				1	
	White—M	11							5	2								1			1	1						
	F	4						2											1									
	All other—M	4																				1						
	F	6			1															1							1	
61	Diabetes mellitus—	221			1			3	4	3	2	2	5	8	7	12	17	25	38	37	29	22	4	3		1		
	White—M	83			1			1	1	2		1	2	1	3	1	7	10	13	11	14	12	1	1		1		
	F	88						2	1	1		1	1	4	1	3	4	9	16	21	10	3	2			1		
	All other—M	23							1	1		1	1	1	1	6	1	5	3	3	3	2						
	F	27							1	1		1	1	2	3	2	6	3	4	2	2							
68b	Exophthalmic goiter—	18									1				1	4	2	3	2	2		2	1					
	White—M	1													1	1												
	F	12									1				1	2	2	1	1	1		2	1					
	All other—M	1																										
	F	4														1		2	1	1								
69	Pellagra (except alcoholic)—	140	1						1	2	5	7	2	11	10		3	18	16	13	24	12	6	5	2	1		
	White—M	31													2			4	2	5	8	6	3	2				
	F	32	1								1	1	1		3	2		1	2	2	5	5	2	1				
	All other—M	22									2	2	1	1	2	2	1	3	4	3	5	6	1	1	2		1	
	F	55							1	1	2	6	2	5	6	2	2	10	4	3	6	1	1	2	2	1		
77	Alcoholism (ethylism)—	18										1	2	1	3	2		4	1	1		1						
	White—M	15										1	1	1	3	2		2	4	1	1							
	F	1											1															
	All other—M	2											1							1								
	F																											
83	Intracranial lesions of vascular origin—	1,256	3			1		1	1	6	7	8	8	19	43	61	90	140	148	206	177	123	130	52	16	10	1	
	White—M	463	3			1			3	3	3	2	2	11	16	27	46	57	90	69	68	46	58	22	7		1	
	F	401						1	1	3	2	6	9	17	26	30	42	57	71	51	52	19	6	5	1	1	1	
	All other—M	160								2	2	2	6	7	13	8	31	16	22	17	15	10	5	2	2	2	2	
	F	232					1		2	1	3	2	5	16	15	28	33	33	37	21	11	10	6	3	3		1	
80-82, 84-88	Other diseases of nervous system, etc.—	206	25	7	2	1	3	8	6	12	8	15	16	11	5	11	9	15	12	16	7	7	8	2				
	White—M	64	4		1		2	3	1	4		4	4	4	2	6	5	4	3	8	3	5	4	1				
	F	73	11	1		1	1	4	2	3	4	1	5	5	2	3	3	6	5	7	2	2	4	1				
	All other—M	38	5	3			1	3	3	4	7	3	2	2	2	1	2	2	1	2	1	2						
	F	31	5	3	1				2		3	4	4	1				3	4		1							
89,104, 115	Diseases of ear, nose, and throat—	110	16	4		3	2	12	7	4	7	8	11	1	2	8	3	5	6	2	3	2	1	1	1		1	
	White—M	43	8				5	2	2	4	2	3	1	1	3	2	3	2	3	2	1	2	1	1	1			
	F	36	5	3		2	2	5	2	2	1	3	3		1	2		2	1	1	1	1	1					
	All other—M	12					1	1	1		2	2						2				1						
	F	19	3	1		1		1	2		2	1	3			2	1		1								1	
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—	252	2				2	3	5	7	1	4	8	6	14	14	23	16	27	27	32	21	21	17	1	1		
	White—M	106					2	3	2	1	2	2	1	2	6	2	6	6	12	9	17	12	15	8				
	F	77	1				1	1	2		2	3		1	4	6	6	6	11	6	11	6	6	8	1	1		
	All other—M	37	1				1	1	1	2			1	2	4	3	5	2	6	5	2	1						
	F	32							1				2	3	5	6	2	3	2	2	2	2						
94	Diseases of coronary arteries, angina pectoris—	551							1	3	9	20	20	48	58	67	76	84	78	84	46	23	13	3			1	
	White—M	346								1		4	11	11	25	35	51	57	48	46	32	16	7	1			1	
	F	121									1	1	3	11	10	10	10	12	24	24	13	7	5					
	All other—M	50							1			1	3	5	7	10	5	5	5	1				2				
	F	34									3	3	5	1	5	3	1	2	7	3			1					
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)—	1,737	6	1		1	4	4	5	9	17	18	23	34	52	99	117	150	204	232	278	208	141	69	25	10	1	
	White—M	686	3				3	1	1	1	7	3	6	6	16	29	36	55	82	96	122	103	66	43	8	2		
	F	515	2	1		1		1	1	4	2	10	6	10	10	22	19	27	59	68	92	75	54	32	10	6	3	
	All other—M	280	1				2	1	1	1	6	4	2	9	11	25	35	37	31	38	37	19	11	5	2	2	2	
	F	256					2		2	3	2	1	9	9	15	23	29	33	32	30	27	11	10	9	5		4	
107-109	Pneumonia (all forms)—	1,133	183	56	28	15	9	20	24	26	31	26	35	42	38	62	68	58	62	70	70	62	48	38	15	3	4	
	White—M	443	71	18	15	4	4	7	12	7	9	6	6	12	16	25	23	19	38	42	32	38	17	16	6			
	F	341	50	16	9	6	3	9	7	11	6	5	7	9	10	12	12	17	22	16	24	35	23	18	8	3	1	
	All other—M	194	31	13	2	4	1	3	1	3	10	10	14	12	9	11	17	11	12	7	9	4	6	1	1		2	
	F	155	31	7	2	1	1	1	4	5	6	5	8	9	3	14	16	11	10	5	5	5	2	3			1	
117	Ulcer of stomach or duodenum—	87								2	1		7	12	7	10	8	5	10	8	5	5	6	1				
	White—M	49								2	1		2	9	6	8	4	1	6	3	1	3	3					



# GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100 and over	Not stated
			1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99			
CALIFORNIA																												
	All causes—	77,130	4,985	468	226	163	130	454	476	964	1,232	1,578	1,919	2,431	3,069	4,086	5,659	6,506	7,456	8,483	9,503	10,307	10,992	11,457	11,999	12,477	12,922	36
	White—M	43,140	2,552	231	123	78	60	247	268	518	679	820	1,006	1,324	1,959	2,481	3,543	4,001	4,509	5,093	5,760	6,305	6,830	7,353	7,877	8,392	8,907	12
	F	30,653	1,905	205	81	74	62	179	175	371	454	591	654	873	1,006	1,522	2,115	2,192	2,635	3,338	4,165	4,972	5,619	6,224	6,827	7,425	7,935	5
	All other—M	2,206	130	21	15	8	3	16	19	39	55	114	116	171	123	164	201	216	224	169	111	116	77	42	27	3	1	
	F	1,151	98	11	7	3	5	12	14	36	44	53	63	81	99	82	82	97	88	83	67	52	32	19	13	4	5	
1,2	Typhoid, paratyphoid fever—	43	5	3	1	—	—	2	3	5	5	5	—	6	1	2	2	2	—	4	—	—	—	—	—	—	—	
	White—M	28	2	2	1	—	—	1	2	1	3	4	—	4	1	2	1	1	—	—	—	—	—	—	—	—	—	
	F	12	2	1	—	—	—	1	—	2	—	1	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis—	31	5	4	—	1	1	2	2	1	2	—	2	3	—	1	—	—	2	3	1	—	1	—	—	—	—	
	White—M	17	2	2	—	1	1	2	1	1	1	—	1	3	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	13	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Scarlet fever—	30	1	2	2	1	1	6	4	5	1	1	2	—	3	—	1	—	—	—	—	—	—	—	—	—	—	
	White—M	15	1	2	1	1	1	4	1	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	13	—	—	2	—	—	1	2	3	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Whooping cough—	45	33	8	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	17	12	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	26	19	5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Diphtheria—	59	3	5	9	6	4	8	1	1	—	3	3	2	2	3	4	3	1	—	—	—	1	—	—	—	—	
	White—M	32	3	3	4	3	2	1	1	—	—	1	2	2	1	2	4	2	—	—	—	—	—	—	—	—	—	
	F	24	—	2	4	3	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	Tuberculosis of respiratory system, etc.—	3,495	18	21	9	7	7	18	34	161	225	300	310	344	321	367	334	316	246	206	125	64	41	16	5	—	—	
	White—M	2,063	6	11	2	3	4	9	11	52	72	104	150	175	208	249	253	244	179	156	95	40	26	12	2	—	—	
	F	1,021	8	8	4	4	—	6	19	90	120	135	108	116	81	77	53	46	41	38	26	21	14	4	—	—	—	
	All other—M	298	2	1	1	—	1	2	1	7	21	43	39	41	23	32	24	19	21	12	4	3	1	—	—	—	—	
	F	113	2	1	2	—	2	1	3	12	12	18	13	12	9	9	4	7	5	—	—	—	—	—	—	—	—	
14-22	Tuberculosis (other forms)—	414	17	39	17	12	10	33	28	22	33	23	25	27	15	13	28	20	11	16	15	8	1	1	—	—	—	
	White—M	186	7	11	10	2	4	13	8	5	9	12	12	8	13	11	20	11	8	7	8	6	1	1	—	—	—	
	F	169	7	25	6	8	5	16	16	12	17	6	9	9	1	2	5	5	2	8	7	2	1	—	—	—	—	
	All other—M	42	2	2	1	1	—	2	4	2	5	3	4	9	—	—	3	2	1	—	—	—	—	—	—	—	—	
	F	17	1	1	—	1	1	—	—	3	2	2	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	
27	Dysentery—	137	61	12	5	6	4	5	3	1	3	2	3	5	3	—	7	1	3	2	2	3	4	1	1	—	—	
	White—M	73	34	3	4	2	2	3	2	—	3	1	2	4	1	—	4	—	2	2	—	—	—	—	—	—	—	
	F	50	19	9	—	3	2	—	—	1	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	
	All other—M	10	4	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Syphilis—	1,320	42	1	2	—	—	1	7	14	17	27	71	113	150	182	196	166	151	104	49	19	8	—	—	—	—	
	White—M	938	22	1	2	—	—	—	2	7	7	13	44	78	99	140	152	133	119	67	32	13	7	—	—	—	—	
	F	241	16	—	—	—	—	—	1	4	5	7	12	20	35	25	16	24	21	28	17	5	1	—	—	—	—	
	All other—M	109	3	—	—	—	—	—	—	1	4	5	10	12	14	14	24	7	8	8	—	—	—	—	—	—	—	
	F	32	1	—	—	—	—	—																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
50	CALIFORNIA—Con.																											
	Cancer of breast	1,061								1	2	5	15	37	71	118	133	145	157	109	108	79	45	30	6			
	White—M	9																										
45,47, 51-55	White—F	1,030								1	2	5	15	34	69	113	133	140	155	104	107	76	44	26	6			
	All other—M																											
	All other—F	22												2	1	5		5	1	5	1			2				
58	Cancer (other forms)	3,025	5	4	5	5	3	13	6	25	30	39	46	67	96	182	270	348	374	431	372	359	208	106	27	2	1	1
	White—M	2,164	3	2	3	3	1	10	5	19	22	26	29	43	62	119	189	251	274	312	274	265	153	81	17	1		
	White—F	773	2	2	2	2	2	3	1	5	8	11	15	23	31	56	69	82	86	109	92	84	51	25	8	1	1	
61	All other—M	72																										
	All other—F	16								1		2			2													
	Diabetes mellitus	1,622	3	1			1	3	5	15	2	6	10	16	37	55	109	186	232	294	266	232	105	34	7	1		
63b	White—M	655	1	1				2	2	7	1	3	5	10	13	23	39	60	89	116	104	108	50	18	2	1		
	White—F	902	2				1	3	8	1	3	5	6	20	23	61	114	127	168	159	122	55	15	5				
	All other—M	25														2	2	3	4	7	5							
69	All other—F	40													2	4	6	10	9	5	3	1						
	Exophthalmic goiter	139								4	6	5	3	6	11	4	21	18	17	16	18	7	2	1				
	White—M	27								1	1	1	1	1	2	2	5	4	4	4	2	4						
77	White—F	107								3	5	4	2	4	7	2	16	14	13	13	14	7	2	1				
	All other—M	2																										
	All other—F	3																										
83	Pellagra (except alcoholic)	41									1	1			3	5		5	4	3	6	2	3	6	2			
	White—M	19																										
	White—F	20									1	1			3	3		2	1	3								
89,104, 115	All other—M	1																										
	All other—F	1													1													
	Alcoholism (ethylism)	160										5	9	20	23	22	25	15	14	19	4	2	1					1
85	White—M	125										4	9	15	17	15	18	11	12	16	4	2	1					1
	White—F	29											5	5	5	6	3	2	2	2								
	All other—M	6												1	2	1	1											
90a,92b, 92c,93c, 95b	All other—F																											
	Intracranial lesions of vascular origin	5,852	9	2				6	5	5	13	11	19	48	104	171	328	473	649	862	918	1,014	718	355	122	16		2
	White—M	2,702	7	2				1	1	4	5	3	14	20	42	75	130	225	315	418	467	474	314	138	41	5		2
94	White—F	2,937	2					4	4	1	8	8	5	25	51	79	175	218	305	420	428	511	390	212	78	13		
	All other—M	114						1						1	4	10	12	18	17	15	9	12	10	3	2			
	All other—F	99												2	8	7	11	12	12	9	14	17	4	2	1			
90a,92b, 92c,93c, 95b	Other diseases of nervous system, etc.*	592	23	4	8	5	5	16	16	22	18	20	25	36	40	42	46	36	49	57	48	42	18	11	5			
	White—M	333	15	3	5	2	4	10	9	14	7	12	12	17	14	21	31	15	29	34	22	25	13	6	3			
	White—F	233	7	1	3	2	1	6	5	7	9	7	11	15	15	17	12	21	17	22	26	17	5	5	2			
90a,92b, 92c,93c, 95b	All other—M	21	1			1		1	1	2		2	4		3	2		3	1									
	All other—F	5						1				1			1	1												
	Diseases of ear, nose, and throat	291	34	15	9	3	2	18	18	18	15	17	17	12	17	17	15	14	19	11	5	7	6	1	1			
90a,92b, 92c,93c, 95b	White—M	163	17	8	6	2		8	9	7	8	10	10	9	11	11	8	8	10	7	4	3	5	1	1			
	White—F	108	17	6	2	1	2	8	7	9	5	4	5	2	6	6	6	6	6	4	1	4	1					
	All other—M	13		1	1			2	1	2	1	2	1	1					2									
90a,92b, 92c,93c, 95b	All other—F	7						1		1	1	1	1					1										
	Chronic rheumatic diseases of heart	1,386						10	19	22	18	45	60	65	92	111	129	138	146	126	135	127	86	39	16	1	1	
	White—M	706						3	11	8	6	12	21	33	50	37	70	81	90	61	77	65	35	14	12			
94	White—F	634						7	6	13	11	30	35	25	39	48	57	49	53	63	55	62	51	24	4	1	1	
	All other—M	19						1						3	3	2	1	4										
	All other—F	27						1	1	1	2	2	4		4	1	4	3	1	3								
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of coronary arteries, angina pectoris	5,973								4	6	24	85	195	379	628	689	863	876	866	712	429	165	42	7	2	1	1
	White—M	4,203									4	5	19	71	168	323	528	531	645	614	554	404	226	69	20	1	1	1
	White—F	1,682										2	11	21	43	87	141	211	258	300	303	199	76	22	6	2	2	1
107-109	All other—M	68										3	3	5	9	13	12	5	3	3	3	3						
	All other—F	20										1		1	4			5	2	1	3	2	1					
	Diseases of heart (other forms)	15,673	7	5	2	2	3	5	12	28	36	69	91	182	310	485	868	1,227	1,628	2,114	2,357	2,552	2,014	1,161	391	96	23	5
107-109	White—M	8,780	4	4	1			2	6	15	23	37	49	110	197	331	604	837	1,035	1,228	1,311	1,233	976	500	171	33	8	5
	White—F	6,408	2	1	1	2	3	3	6	11	11	26	30	54	94	125	218	340	527	613	999	1,210	1,013	639	208	62	10	5
	All other—M	333	1							1	1	4	8	17	8	19	32	36	44	48	32	35	19	14	11		3	3
117	All other—F	152								1	1	2	4	1	11	10	14	22	25	15	14	6	6	1	1	2	2	2
	Pneumonia (all forms)	3,441	575	105	31	17	18	37	28	34	42	60	79	108	111	149	197	204	238	262	315	302	256	178	70	20	3	2
	White—M	1,936	312	56	14	7	7	16	13	19	19	29	52	65	71	95	119	132	140	157	188	162	136	87	30	8		
117	White—F	1,270	219	39	12	9	9	18	12	8	19	27	17	30	25	39	66	59	79	90	121	127	111	85	36	11	2	2
	All other—M	157	25	6	4	1	1		1	4	3	2	4	9	8	15	9	10	16	11	3	10	5	4	1	1	1	1
	All other—F	78	19	4	1		1	3	2	3	1	2	6	4	7		3	3	3	4	3	3	4	2				
117	Ulcer of stomach or duodenum	674	1					1		3	5	7	16	31														

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
CALIFORNIA—Con.																												
119,120	Diarrhea, enteritis, etc.*	723	543	54	14	6	5	3	1	7	4	4	4	5	10	10	11	6	5	4	5	6	5	7	1	2	1	---
	White—M	363	277	21	8	3	2	2	1	4	2	2	3	2	5	6	6	3	2	1	3	3	2	4	2	2	---	
	F	321	239	26	5	3	2	1	—	3	2	3	1	3	5	3	5	2	3	1	1	3	3	3	1	2	---	
	All other—M	23	14	6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	---	
	F	16	13	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	---	
121	Appendicitis	668	3	3	6	8	3	32	26	55	40	45	39	35	43	54	61	45	52	40	41	15	20	1	1	—	---	
	White—M	406	2	2	4	5	2	21	15	32	26	29	23	22	27	35	36	24	30	25	22	11	11	1	1	—	---	
	F	226	1	1	2	2	—	10	10	21	12	12	15	9	14	14	19	17	20	15	19	4	9	—	—	—	---	
	All other—M	26	—	—	—	1	—	1	1	1	1	3	1	2	2	4	3	4	2	—	—	—	—	—	—	—	---	
	F	10	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	---	
122	Hernia, intestinal obstruction	659	37	6	—	—	—	1	3	7	5	9	24	24	38	43	55	50	51	79	67	65	44	17	11	—	---	
	White—M	302	20	5	—	—	—	1	1	3	4	1	7	8	9	19	24	30	29	35	34	20	7	7	—	—	---	
	F	313	15	1	—	—	—	—	2	4	1	6	17	14	27	22	28	20	22	42	27	28	23	9	4	—	---	
	All other—M	16	2	—	—	—	—	—	—	—	—	—	1	1	1	1	1	—	—	2	4	1	1	1	—	—	---	
	F	8	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	2	—	—	—	—	—	---	
124	Cirrhosis of the liver	1,173	2	—	—	—	—	—	—	5	3	10	32	53	96	119	158	184	161	147	93	58	38	7	5	1	---	
	White—M	766	1	—	—	—	—	—	—	—	—	5	14	25	65	79	114	137	111	95	59	34	23	1	4	---		
	F	357	1	—	—	—	—	—	—	4	2	4	16	26	26	35	37	40	41	52	32	19	15	6	—	---		
	All other—M	41	—	—	—	—	—	—	—	—	—	1	2	1	4	4	5	7	8	2	5	3	2	—	—	---		
	F	9	—	—	—	—	—	—	—	1	—	—	—	1	1	1	2	—	—	1	—	—	—	—	—	---		
126,127	Biliary calculi, etc.*	430	—	—	—	—	1	—	—	—	—	1	5	9	20	23	25	43	50	59	59	48	46	25	10	5	---	
	White—M	140	—	—	—	—	—	—	—	—	—	1	3	4	8	6	17	14	18	18	18	12	2	2	—	---		
	F	278	—	—	—	—	—	—	—	—	—	7	15	14	17	26	35	41	40	50	30	27	13	8	3	1	---	
	All other—M	4	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	---	
	F	8	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	3	—	—	—	—	—	—	---	
130-132	Nephritis	4,792	5	2	4	1	—	5	14	15	34	40	62	90	168	225	314	417	489	605	633	670	583	309	82	17	7	---
	White—M	2,522	3	2	3	1	—	3	6	3	22	20	31	39	96	133	177	238	282	354	339	356	281	138	29	4	1	---
	F	2,075	1	—	—	—	—	1	7	10	8	17	25	42	54	76	117	155	185	254	278	323	286	169	50	13	4	---
	All other—M	123	1	—	—	—	—	1	1	1	2	3	3	8	11	8	12	15	14	11	9	6	11	2	2	—	---	
	F	72	—	—	—	—	—	—	—	—	1	—	—	1	7	8	8	9	8	7	5	5	—	—	—	—	---	
137	Diseases of the prostate	528	—	—	—	—	—	—	—	—	—	—	—	—	3	3	11	20	49	86	96	117	99	30	13	1	---	
	White—M	515	—	—	—	—	—	—	—	—	—	—	—	—	3	3	11	20	47	86	95	112	97	27	13	1	---	
	All other—M	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	---	
140, 142a, 147	Puerperal septicemia	146	—	—	—	—	—	—	13	36	38	33	19	5	2	—	—	—	—	—	—	—	—	—	—	—	---	
	White—F	130	—	—	—	—	—	—	12	31	35	30	16	5	1	—	—	—	—	—	—	—	—	—	—	—	---	
	All other—F	16	—	—	—	—	—	—	1	5	3	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
141a,c, 144,148	Puerperal toxemia	46	—	—	—	—	—	—	9	9	11	9	6	2	—	—	—	—	—	—	—	—	—	—	—	—	---	
	White—F	44	—	—	—	—	—	—	9	8	11	9	5	2	—	—	—	—	—	—	—	—	—	—	—	—	---	
	All other—F	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
14b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	129	—	—	—	—	—	—	12	27	22	36	20	9	3	—	—	—	—	—	—	—	—	—	—	—	---	
	White—F	116	—	—	—	—	—	—	11	23	22	31	20	7	2	—	—	—	—	—	—	—	—	—	—	—	---	
	All other—F	13	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
157	Congenital malformations	580	459	31	6	4	5	13	12	5	4	8	6	6	4	5	5	1	4	1	1	—	—	—	—	—	---	
	White—M	298	247	9	3	2	1	6	5	1	1	3	3	2	4	4	3	—	2	1	1	—	—	—	—	—	---	
	F	259	197	19	2	1	4	5	7	4	3	5	3	5	—	—	—	—	—	—	—	—	—	—	—	—	---	
	All other—M	10	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
	F	13	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
159	Premature birth	1,418	1,418	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
	White—M	776	776	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
	F	579	579	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
	All other—M	39	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
	F	24	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	---	
163,164	Suicide	1,646	—	—	—	—	—	1	27	58	130	154	169	171	190	215	170	126	96	66	47	18	7	—	—	—	---	
	White—M	1,203	—	—	—	—	—	1	19	42	87	97	117	126	131	164	135	97	77	53	38	18	6	—	—	—	---	
	F	359	—	—	—	—	—	—	8	15	28	48	41	38	46	43	31	24	18	11	7	—	—	—				



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
COLORADO—Con.																												
50	Cancer of breast	132										2	2	7	11	16	12	20	19	19	8	8	5	3				
	White—M																											
	F	130										2	2	7	11	16	12	19	19	18	8	8	5	3				
	All other—M	1																1										
	F	1																		1								
45,47, 51-55	Cancer (other forms)	422			1	1		2	4	5	3	6	9	8	11	25	27	36	52	57	57	59	36	18	4	1		
	White—M	299			1	1		1	2	5	1	5	7	6	8	14	20	26	34	37	43	48	25	11	4	1		
	F	112			1	1		1	2		2	1	2	2	3	10	7	8	16	17	12	11	10	7				
	All other—M	8														1		1	1	2		1						
	F	3																1	1	1								
58	Acute rheumatic fever	21					1	3	5	3			1	2	3		1			1	1							
	White—M	10					1	2	3	2			1							1	1							
	F	11						1	2	1				2	3		1											
	All other—M																											
	F																											
61	Diabetes mellitus	204	1					2	2	1	2	3	2		8	7	13	16	25	35	38	29	14	5	1			
	White—M	90						1	1	1	2	2			3	2	7	8	11	11	15	16	7	4	1			
	F	109	1					1	1		2	1	1		5	4	6	8	13	22	23	15	7	1				
	All other—M	2											1															
	F	3																	1	1								
63b	Exophthalmic goiter	34									2		4	1	4	4	7	2	3	3								
	White—M	8											2	1	4	1	1	1	1	1								
	F	26									2		2		4	3	3	6	1	2	3							
	All other—M																											
	F																											
69	Pellagra (except alcoholic)	2															1		1									
	White—M	2															1		1									
	F																											
	All other—M																											
	F																											
77	Alcoholism (ethylism)	27							2		1		5	1	1	6	9	1		1								
	White—M	24							2		1		4	1	1	5	9	1		1								
	F	3											1		1	1												
	All other—M																											
	F																											
83	Intracranial lesions of vascular origin	956			1	1	1			2		3	7	5	9	26	49	75	78	139	149	176	144	68	20	3		
	White—M	475			1	1						3	2	2	6	11	16	37	38	74	80	96	68	38	6	1		
	F	454					1			2		5	5	2	1	13	31	35	37	64	65	77	72	30	14	2		
	All other—M	15												1	2	1	3	1	3	2	2	2						
	F	12													2	1	2		2		1	4						
80-82, 84-88	Other diseases of nervous system, etc.*	125	3	2	6	1	2	3	7	2	6	6	5	5	3	8	8	8	13	7	15	5	2	2	1			
	White—M	65	1	1	3	1	1	2	4	2	3	2	3	3	2	3	5	4	5	5	7	4	2	1	1			
	F	58	1	1	3	1	1	1	3		3	4	2	2	1	5	3	4	8	2	8	1		1	1			
	All other—M	2																										
	F																											
89,104, 115	Diseases of ear, nose, and throat	95	9	4	1	3	3	4	6	6	5	4	6	5	5	5	4	5	4	2	3	6		3	2			
	White—M	54	5	4		1	3	3	3	3	2	2	4	4	5	3	4	1	2	4	1	1	4		2			
	F	37	4		1	3	1	1	3	3	3	2	1	2	1	1	3	3		1	2	2		1	1			
	All other—M	1																										
	F	3					1							1														
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	271		2			1	4	17	10	17	11	14	12	12	15	14	16	14	26	31	32	14	6	2	1		
	White—M	134		1			1	1	7	4	10	4	6	4	6	9	6	6	8	15	17	16	8	3	1	1		
	F	130		1				2	10	6	7	7	8	8	6	5	7	9	6	9	13	16	6	3	1			
	All other—M	6						1								1	1	1		2	1							
	F	1																										
94	Diseases of coronary arteries, angina pectoris	724								2	1	4	5	10	26	39	66	68	97	103	115	102	56	27	3			
	White—M	534								1	1	3	3	11	21	32	60	49	70	80	78	70	36	20	1			
	F	178								1		1	7	7	5	5	18	25	21	37	31	20	6	2				
	All other—M	8														1	1	1	4				1					
	F	4																		2								
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,888	2			1		7	6	11	10	12	15	24	22	47	83	134	191	230	308	296	243	137	33	9		
	White—M	1,071	1			1		4	4	8	2	7	9	13	13	30	49	80	113	168	175	159	139	74	18	4		
	F	763	1					3	2	3	8	5	6	11	11	17	32	46	73	102	125	127	103	60	15	4		
	All other—M	28						3		3		5	5			3	6	4	6	4	2	1	1	1	1			
	F	26										1	1															
107-109	Pneumonia (all forms)	912	180	31	16	8	6	7	8	10	14	14	25	22	21	33	37	57	66	61	75	83	65	47	23	2		
	White—M	511	94	11	11	4	1	6	3	2	9	6	11	15	11	24	29	34	42	37	36	46	39	25	13	2		
	F	394	83	20	5	4	5		4	8	5	7	14	6	10	6	8	22	22	23	38	36	26	22	10			
	All other—M	14	2									1				3				1	2							
	F	3	1					1												1								
117	Ulcer of stomach or duodenum	101									1	4	4	5	9	14	12	9	7	16	8	7	3	2				
	White—M	80									1	4	4	4	7	10	8	6	7	15	5	4	3	2				
	F	18												1	1	4	3	3			3	3						
	All other—M	3													1					1								
	F																											

\*Refer to complete International List titles, table XI.





# GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
CONNECTICUT																												
	All causes	17,698	842	77	46	39	30	107	112	158	262	241	302	410	690	864	1,285	1,466	1,862	2,145	2,246	1,964	1,409	783	271	70	6	9
	White—M	9,234	479	35	25	23	20	72	64	96	146	123	145	208	356	480	744	836	1,004	1,222	1,143	932	642	320	91	22	1	7
	White—F	8,056	328	40	19	14	10	33	45	51	95	105	136	177	297	355	509	587	823	887	1,070	1,013	756	455	178	47	4	2
	All other—M	229	22	—	—	—	—	—	2	6	13	4	13	13	19	18	19	17	18	17	14	4	3	1	1	—	—	
	All other—F	197	13	2	2	1	—	2	1	5	8	9	8	14	18	11	13	20	18	16	5	7	5	—	—	—	—	
1,2	Typhoid, paratyphoid fever	6	—	—	—	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	3	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis	4	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	5	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	22	17	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	11	9	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	9	6	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	4	—	2	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	545	1	2	1	1	—	—	3	19	44	36	45	46	54	53	64	43	50	31	32	11	8	3	—	—	—	—
	White—M	322	1	—	—	—	—	—	—	3	13	14	22	26	22	28	38	54	36	37	21	23	7	4	1	—	—	—
	White—F	179	—	1	1	—	—	—	2	10	22	20	18	16	26	8	7	7	13	9	9	4	4	2	—	—	—	—
	All other—M	25	—	—	1	—	—	—	1	4	5	1	2	2	4	4	2	2	—	1	—	—	—	—	—	—	—	—
	All other—F	19	—	1	—	—	—	—	—	2	4	1	3	2	2	3	1	—	—	—	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	54	—	1	3	2	—	5	1	3	4	1	4	2	1	2	5	4	6	2	2	3	1	2	—	—	—	—
	White—M	30	—	1	1	1	—	5	1	3	4	1	3	2	1	2	1	2	4	1	1	1	1	1	—	—	—	—
	White—F	15	—	—	1	1	—	5	1	2	1	—	—	—	—	—	—	—	2	1	1	2	1	1	—	—	—	—
	All other—M	4	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	5	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery	19	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	3	3	2	—	1	—	—	
	White—M	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
	White—F	15	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	3	3	2	1	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis	184	1	1	—	—	—	1	—	1	3	2	4	11	21	19	22	33	24	18	9	9	3	2	—	—	—	—
	White—M	98	1	1	—	—	—	—	—	—	—	—	2	4	13	12	11	17	12	13	7	4	1	—	—	—	—	—
	White—F	45	—	—	—	—	—	1	—	—	—	—	1	1	4	5	9	9	3	2	4	2	2	—	—	—	—	—
	All other—M	28	—	—	—	—	—	—	—	—	1	1	2	3	4	3	4	5	2	2	1	—	—	—	—			







GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
DELAWARE—Continued																												
50	Cancer of breast	38																										
	White—M	1																										
	F	33																										
	All other—M	4																										
45,47, 51-55	Cancer (other forms)	85		1																								
	White—M	60		1							1	1	2	1	3	3	15	11	12	8	9	13	6	6	3	2		
	F	21									1	1	2	1	2	1	4	1	4	1	2	2	2	3	1			
	All other—M	3																										
58	Acute rheumatic fever	4						1	2																			
	White—M	1																										
	F	2							2																			
	All other—M	1						1																				
61	Diabetes mellitus	89							1	1						3	4	11	10	15	13	11	12	6	1			
	White—M	28															2	2	5	3	7	3	4	4				
	F	44								1						1	5	5	9	8	4	8	2	1				
	All other—M	8																										
63b	Exophthalmic goiter	10																										
	White—M	1																										
	F	6																										
	All other—M	3																										
69	Pellagra (except alcoholic)	1																										
	White—M																											
	F																											
	All other—M	1																										
77	Alcoholism (ethylism)	3										1																
	White—M	1																										
	F																											
	All other—M	1																										
83	Intracranial lesions of vascular origin	306																										
	White—M	128		1								2	4	5	10	12	16	20	34	38	51	52	36	17	5	3		
	F	127										2	2	2	5	5	5	5	14	18	18	23	21	7	3	1		
	All other—M	21										2	1	1	1	2	5	4	3	1	1	1	2	2	1			
80-82, 84-88	Other diseases of nervous system, etc.	26	4	1				1				1	3		1				2	1	5	2	3	1	1			
	White—M	11	2	1								1	2		1				1	1	2	3	1	1				
	F	11																										
	All other—M	4	2					1																				
89,104, 115	Diseases of ear, nose, and throat	14	2		1	1	2	2			1	1	1								1	1						
	White—M	6			1	1	2	1													1	1						
	F	4	2																									
	All other—M	4																										
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	60						1	2	4	3	1	1	3	6	3	3	3	5	6	8	4	4	2				
	White—M	30							2	1	1	1	1	1	4	1	2	3	2	3	5	2	2					
	F	24						1		3	1	1	1	1	1	2	1	1	3	2	2	2	4					
	All other—M	1																										
94	Diseases of coronary arteries, angina pectoris	185																										
	White—M	116								1				2	2	9	3	13	20	26	30	32	29	11	7	1		
	F	60												1	1	8	2	9	16	16	19	17	16	9	1	1		
	All other—M	5													1	1	1	1			11	14	12	2	6			
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	636						1	1	3		2	4	5	16	20	31	41	69	81	99	94	89	53	17	4	1	
	White—M	239								1				1	4	13	13	22	39	58	44	52	46	15	6	1		
	F	229												2	2	5	9	12	16	29	41	27	39	31	8	2		
	All other—M	57												2	2	3	3	5	5	10	6	11	4	1	3	1		
107-109	Pneumonia (all forms)	189	55	9	3			1	3	1	4	3	5	6	2	4	14	14	14	7	16	26	10	8	4			
	White—M	58	8	3	1				1	1	2	1	1	2	1	3	5	5	5	3	5	9	4	1	1			
	F	94	15	4	1				1	1	1	2	3	3	1	5	5	5	6	2	2	15	6	6	3			
	All other—M	23	7	1																		10	4	1	1			
117	Ulcer of stomach or duodenum	20																										
	White—M	11																										
	F	3																										
	All other—M	3																										

\*Refer to complete International List titles, table XI.  
411260-41-8

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
DELAWARE—Continued																												
119,120	Diarrhea, enteritis, etc.*	20	14	1										1						1	2	1						
	White—M	10	6																	1	2	1						
	F	6	5	1																								
	All other—M	3																										
	F	1																										
121	Appendicitis	32				1	1	1	2		3	1	1	1	6	2	5	3	3		1		1					
	White—M	16				1			1		2	1			3	1	3	2	1		1							
	F	8					1				1				2	1	1	1	1									
	All other—M	7						1	1				1		1									1				
	F	1											1															
122	Hernia, intestinal obstruction	29	5							1	1	1	1	1	2		2	1	1	5	4		3	2				
	White—M	14	2														2	1	1	4	1		2	1				
	F	10	2									1			2					1	3		1					
	All other—M	4	1										1											1				
	F	1									1																	
124	Cirrhosis of the liver	15												1	1		1	3	4	2	1	1	1					
	White—M	8												1			1	1	2	1	1		1					
	F	4													1				1	1								
	All other—M	1																										
	F	2																				1						
126,127	Biliary calculi, etc.*	9												1			1	1		1	3			2				
	White—M	3												1										2				
	F	5																1		1	3							
	All other—M	1															1											
	F																											
130-132	Nephritis	356			1					1	1	3	14	3	16	13	21	34	45	49	65	46	17	6	1	1	1	
	White—M	148			1							8	1	7	2	11	17	23	14	28	24	7	4				1	
	F	142								1	1	2	2	3	6	3	12	17	30	31	20	10	2	1	1		1	
	All other—M	22										1	1	1	4	3	4	1	2	1	3	2						
	F	24										1	3	1	2	2	3	4	3	4	1							
137	Diseases of the prostate	13																	2	5	4	1	1					
	White—M	10																	2	4	2	1	1					
	All other—M	3																	1	2								
140, 142a, 147	Puerperal septicemia	6							2	2	1		1															
	White—F	4							2				1															
	All other—F	2								2																		
141a,c, 144,148	Puerperal toxemias	3							1	2																		
	White—F	2							1																			
	All other—F	1								1																		
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	9							2	2	3	2																
	White—F	6							2		1	1	2															
	All other—F	3								1	2																	
157	Congenital malformations	16	15																1									
	White—M	9	9																									
	F	4	3																1									
	All other—M	1	1																									
	F	2	2																									
159	Premature birth	53	53																									
	White—M	28	28																									
	F	13	13																									
	All other—M	4	4																									
	F	8	8																									
163,164	Suicide	44							2	2	5	5	4	1	7		9	1	3	2	2		1					
	White—M	31							2	2	2	1	1	6			7	1	3	2	1		1					
	F	9									3	1	2	1			1		3	2	1		1					
	All other—M	2										1																
	F	2										2																
165-168	Homicide	17	2						2	3	5	3		1					1									
	White—M	5	2						1	1	1			1														
	F	2								1	1																	
	All other—M	6							2	2	1								1									
	F	4								1	1	2																
170	Motor-vehicle accidents	79	1		2	1	3	3	12	8	4	7	5	4	2	7	6	2	4	5	2	1						
	White—M	52			2	1	1	2	7	6	2	7	2	3	1	4	5	1	2	4	1	1	1					
	F	11	1						1				2	1	1	2	1		1									
	All other—M	14					2	3	2	2			1							2								
	F	2					1	1																				
169, 171-195	Other accidents	137	5	1	2	1	1	6	5	11	9	5	7	5	6	5	12	4	10	8	8	7	12	2	5			
	White—M	74	3				5	4	7	5	3	3	4	4	4	9	4	6	4	4	4	2	2	1				
	F	41																										

# GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated							
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	
	DISTRICT OF COLUMBIA																												
	All causes	8,292	669	33	31	13	19	59	53	115	166	247	309	386	450	556	647	691	776	812	824	613	480	222	90	28	2	1	
	White—M	2,904	188	7	12	5	4	26	15	32	57	53	85	120	146	217	219	258	316	321	510	246	178	79	24	6			
	White—F	2,355	132	8	9	2	5	9	8	15	19	51	68	71	84	94	143	168	254	254	516	254	226	113	55	17			
	All other—M	1,538	199	8	6	4	8	12	17	37	48	78	82	86	118	129	143	133	112	104	100	60	39	14	2				
	All other—F	1,495	150	10	4	2	2	12	13	31	62	67	74	109	102	116	142	132	114	133	98	53	37	16	9	5	1	1	
1,2	Typhoid, paratyphoid fever	5							1	1	1	2																	
	White—M	1							1																				
	White—F	1										1																	
	All other—M	3								1	1	1																	
	All other—F																												
6	Cerebrospinal (meningococcus) meningitis	6																1											
	White—M	4	2	1																									
	White—F	1	1	1																									
	All other—M	1																											
	All other—F	1																	1										
8	Scarlet fever	1								1																			
	White—M																												
	White—F																												
	All other—M	1								1																			
	All other—F																												
9	Whooping cough	15	8	3	1		3																						
	White—M	1	1																										
	White—F	1	1																										
	All other—M	4			1		3																						
	All other—F	9	6	3																									
10	Diphtheria	5			1		2																						
	White—M	1					1																						
	White—F	1					1																						
	All other—M	2					1																						
	All other—F	1					1																						
13	Tuberculosis of respiratory system, etc.	353	1		2		2	1	16	42	50	43	42	35	26	31	25	17	7	10	2	2		1					
	White—M	88								2	5	8	10	9	10	8	14	12	3	6		1							
	White—F	31							1	4	4	3	1	3	1	2	5	2	1	2									
	All other—M	133			2		1	5	15	24	22	20	14	12	10	3	2	3											
	All other—F	101	1				1	10	21	17	10	11	7	3	11	3	1		2			1		1					
14-22	Tuberculosis (other forms)	66	5	3	1		2	3	13	6	7	6	2	4	4	4	2	1		1	1								
	White—M	4							1	1					1														
	White—F	6			1						1	1				2	1												
	All other—M	33	3	2			2	6	3	4	4	1	3	2	1	1				1									
	All other—F	23	2	1			2	1	6	2	2	1	1	1	1	2				1									
27	Dysentery	3	1	1																									
	White—M	1																											
	White—F	2	1	1																									
	All other—M																												
	All other—F																												
28	Malaria	1																		1									
	White—M	1																		1									
	White—F																												
	All other—M																												
	All other—F																												
30	Syphilis	180	13						1	1	3	7	11	14	21	18	24	22	18	12	4	7	2		1			1	
	White—M	51	1									1	4	3	3	4	6	11	5	6	3	3							
	White—F	11	1													1	2	1		2									
	All other—M	85	7						2	4	5	7	14	11	11	7	8	2	1	4	2								
	All other—F	33	4						1	1	1	2	2	4		2	5	3	5	2									
33	Influenza	58	7	3	3		1		2	1		5	8	1	3	3	3	3	4	3	3	2	1	1	1	1			
	White—M	18	3	1	2				1	1		2	2		1	2	1		1	1	2	1	1	1	1				
	White—F	14					1					1	1		1	2		1	3	1	1	1	1	1	1				
	All other—M	11	2	1				1				1	3		1	1	2												
	All other—F	15	2	1	1							2	2	1	1	1		2	1	1									
55	Measles	2			1		1																						
	White—M																												
	White—F																												
	All other—M	1					1																						
	All other—F	1			1																								
36	Poliomyelitis, poli-encephalitis (acute)	2					1					1																	
	White—M	1					1																						

## VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Continued																											
50	Cancer of breast—M	118											2	3	3	8	10	15	24	21	10	9	4	5	2		2	
	White—M	1																				1						
	F	69												3	3	4	7	11	17	18	7	8	3	5	2		1	
	All other—M	1																										
	F	27										2			3	4	7	5	3	3		1					1	
45,47, 51-55	Cancer (other forms)—M	338	1	1	2	2		2		5	6	6	7	15	16	30	34	29	45	53	47	25	7	3	2			
	White—M	179			2	2		1		2	5	2	2	8	8	16	18	13	23	29	26	18	2	3	1			
	F	79		1	1					1	2	3	2	5	7	8	5	10	13	13	4	3	3		1			
	All other—M	62			1					2	1	2	1	3	3	4	5	9	11	10	5	3	2					
	F	18						1					1	2		3	3	2	1	2	3							
58	Acute rheumatic fever—M	10					1	1	2	1	1	1		1		1				1								
	White—M	4						1	1																			
	F	2							1																			
	All other—M	1								1																		
	F	3									1																	
61	Diabetes mellitus—M	178						1					3	4	5	4	10	18	28	37	18	17	12	2		1		
	White—M	44						1					1	2	1	2	2	2	4	8	8	7	5	1				
	F	81												1	1	2	7	8	16	20	8	9	7	1		1		
	All other—M	13											1	1	1	2	2	2	2	2	2	1						
	F	40											1	3	1	3	4	7	6	6	7	2						
65b	Exophthalmic goiter—M	21							1			1	1	1	2	2	3	2	4	2	1		1					
	White—M	2													1					1								
	F	12										1				1	3	2	2	1	1		1					
	All other—M	2											1							1								
	F	5							1					1	1	1			1									
69	Pellagra (except alcoholic)—M	1																					1					
	White—M	1																					1					
	F	1																										
	All other—M																											
	F																											
77	Alcoholism (ethylium)—M	29										2	5	5	7	3	1	1	3	2								
	White—M	19										1	4	3	4	2		1	2	2								
	F	4																										
	All other—M	3										1	1		1													
	F	3										1	2															
83	Intracranial lesions of vascular origin—M	557						1		2		6	2	9	9	29	43	64	67	86	98	55	52	19	14	2		
	White—M	177								2		1	2	2	3	6	13	24	23	33	31	19	14	6				
	F	162										3	2	8	8	5	8	20	19	35	26	31	11	12	2			
	All other—M	81						1				2		3	4	9	8	11	11	16	14	4	2	1				
	F	112										2		3	2	6	17	21	13	18	18	6	5	1	2			
80-82, 84-88	Other diseases of nervous system, etc.—M	76	5	1	1		2	3	1	3	3	5	5	5	8	7	3	5	6	5	5	2	2	1				
	White—M	19	1							2		1	1	2	2	4	1	1	4	1	1	1	1					
	F	29	1	1	1		1	1		1	3	2	2	2	1	2	2	1	2	4	3	1	1	1				
	All other—M	13					1	1	1	1	1	1	2	2		2		1	1									
	F	15	3				1	1		1		1	1	5	1			1			1							
89,104, 115	Diseases of ear, nose, and throat—M	37	5					3	1	2	3	2	5	2	5	2	2	1	3				1					
	White—M	18	1					1	1	1	2	1	2		3	1	2		2				1					
	F	7						2											1									
	All other—M	5	2							1				1	1													
	F	7	2								1	1	1		1													
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—M	139						6	5	2	7	5	10	10	9	8	12	11	7	17	7	8	10	4	1			
	White—M	42						3	1	1	1	1	4	5	2	3	1	5	1	6	2	1	4	2				
	F	50						1	2		1	2	4	3	4	3	4	3	2	6	1	7	6	1	1			
	All other—M	16						1		1	1	1		1	2		5	2		3								
	F	31						1	3	1	4	1	2	2	2	1	2	1	4	5	1			1				
94	Diseases of coronary arteries, angina pectoris—M	483										1	3	12	22	39	52	59	81	73	62	42	23	9	5			
	White—M	326										1	1	8	17	34	39	42	60	47	34	26	13	2	2			
	F	116											1	2	2	1	6	6	19	20	23	16	9	6	3			
	All other—M	29											1	1	2		7	7	1	4	5		1					
	F	12											1	1	4			2	1	2								
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)—M	1,374			1			4	3	5	14	17	37	57	84	95	134	155	174	203	148	138	67	29	8	1		
	White—M	416						2			2	1	8	14	24	33	50	64	65	42	50	22	9	3				
	F	425			1				1		4	1	5	5	15	14	27	43	48	79	66	61	37	16	2			
	All other—M	250						2	2	3	10	12	21	22	23	37	30	26	29	19	11	1	1	1			1	
	F	283						2		3	5	5	12	17	23	31	37	32	36	30	21	16	7	3	3			
107-109	Pneumonia (all forms)—M	4																										



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
DISTRICT OF COLUMBIA—Continued																												
119,120	Diarrhea, enteritis, etc.*	101	74	1	1	1	1	1																				
	White—M	27	19	1																								
	F	20	12		1	1																						
	All other—M	29	26																									
	F	25	17																									
121	Appendicitis	82				2			6	5	7	3	4	5	3	5	11	8	7	6	2	4	4					
	White—M	26						1	2	3	1	2	1	2	1	5	4	3	2	2								
	F	23						1	1	1	1	1	1	1	1	3	1	2	1	2	2	4						
	All other—M	15						1	1	1	2	2	1	1	1	3	2	3	2	2								
	F	18				1		2	1	3	2	1	2	1	1	2		1	1									
122	Hernia, intestinal obstruction	98	3	5						2	2	4	3	5	9	7	11	13	8	13	5	4	3	2	1			
	White—M	27	1	2									1	1	1	1	4	6	1	5	2	2	1	1	1			
	F	38	1							1		2	3	3	4	4	4	4	4	3	3	3	3	2	1	1		
	All other—M	15	2							1	1	1	1	1	1	1	1	2	2	3		1						
	F	18								1	1	1	2	2	3	2	2		1	3								
124	Cirrhosis of the liver	84											1	1	6	8	16	18	7	7	8	6	3	2	1			
	White—M	52											1	1	5	4	9	11	5	4	6	3	2	1	1			
	F	21													1	2	4	4	1	3	2	2	1	1				
	All other—M	6													1	1	3	1										
	F	5													1	2					1							
128,127	Biliary calculi, etc.*	38																										
	White—M	17													2	2	1	2	2	1	1	1	1	1	2			
	F	12													1	1	1	3		3	4	1	1	1	1			
	All other—M	3													1	1	1											
	F	6													1	1	2	1	1									
150-152	Nephritis	854						2	2	1	8	16	18	30	50	66	67	85	76	85	109	104	80	42	9	4		
	White—M	289						1	1	1	2	5	10	16	24	15	32	22	35	34	45	31	14	2	1			
	F	275									3	1	4	6	7	21	19	29	28	44	44	39	19	7	3			
	All other—M	135						1			2	5	6	2	13	15	19	18	12	9	14	7	7	5				
	F	155						2			2	8	6	14	15	20	14	16	13	13	17	8	3	4				
157	Diseases of the prostate	65														1			5	5	11	17	12	1		1		
	White—M	45																	5	4	9	11	9			1		
	All other—M	20														1			3	1	2	6	3			1		
140, 142a, 147	Puerperal septicemia	37							1	8	12	4	10	2														
	White—F	21								5	6	2	7	1														
	All other—F	16							1	3	6	2	3	1														
141a,c, 144,148	Puerperal toxemia	9							2	2		1	4															
	White—F	5							1	1		1	3															
	All other—F	4							1	2		1	1															
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	27								4	5	8	9		1													
	White—F	13								2	2	4	5															
	All other—F	14								2	3	4	4		1													
157	Congenital malformations	61	48	1	2			2	2			1	2			1	1		1									
	White—M	32	23		1			2	1			1	1			1	1		1									
	F	15	14					1																				
	All other—M	8	5	1	1								1															
	F	6	6																									
159	Premature birth	261	261																									
	White—M	60	60																									
	F	57	57																									
	All other—M	86	86																									
	F	58	58																									
165,164	Suicide	155							1	9	12	27	15	18	19	20	10	11	6	4	2	1						
	White—M	88								4	6	15	8	9	14	13	7	5	3	3	2	1						
	F	53								7	6	11	5	6	4	7	3	4	3	1	1							
	All other—M	12								2	3	5	1	3	1													
	F	2								1		1																
165-168	Homicide	69	1						2	7	11	11	9	9	12	2	1	3		1								
	White—M	8																										
	F	3																										
	All other—M	46							2	7	8	6	8	5	8													
	F	12								3	3	4																
170	Motor-vehicle accidents	155			1	1	5	7	7	10	13	14	11	10	12	8	15	5	7	8	11	7	5	2				
	White—M	86			1	1	6	4	5	6	10	6	5	6	5	3	3	3	6	6	4	4	4	1				
	F	22				1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1				
	All other—M	35																										

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age Group																										Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
	FLORIDA																												
	All causes	21,295	1,822	216	108	70	60	194	213	426	591	765	880	1,003	1,044	1,288	1,590	1,574	1,667	2,008	1,902	1,731	1,141	618	226	62	33	65	
	White—M	8,481	576	53	39	24	13	71	80	151	156	205	219	254	328	459	550	718	820	963	953	894	543	288	102	21	2	21	
	F	5,605	467	58	31	21	16	46	38	86	101	122	160	175	157	257	327	359	448	584	645	647	487	262	96	24	7	8	
	All other—M	4,011	441	63	21	13	13	48	44	97	159	221	279	310	312	340	398	297	236	275	179	109	57	42	12	7	11	27	
	F	3,198	358	42	17	12	18	29	51	112	175	219	222	266	247	252	315	220	165	186	127	81	54	26	16	10	13	7	
1,2	Typhoid, paratyphoid fever	27	1	1	—	—	1	1	2	1	2	1	4	2	4	2	2	2	1	—	—	—	—	—	—	—	—	—	
	White—M	11	—	1	—	—	—	—	1	2	2	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	6	1	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	F	7	—	—	—	—	1	1	—	—	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis	12	1	—	1	1	—	1	—	2	—	2	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	
	White—M	5	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	
	F	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	4	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Scarlet fever	6	1	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	5	1	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Whooping cough	60	43	12	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	13	10	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	17	14	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	13	9	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	17	10	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Diphtheria	51	4	10	6	6	3	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	15	3	4	3	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	8	1	3	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	5	—	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	Tuberculosis of respiratory system, etc.*	864	3	3	—	—	—	3	3	51	88	108	105	108	62	82	77	41	48	28	30	14	6	1	—	—	—	3	
	White—M	226	1	1	—	—	—	—	—	1	13	21	14	16	35	31	16	27	15	15	6	3	1	—	—	—	—	1	
	F	125	—	1	—	—	—	—	1	2	5	10	13	14	5	16	16	7	7	6	13	7	1	—	—	—	—	1	
	All other—M	261	—	1	—	—	—	1	—	19	26	35	41	50	24	19	17	9	10	5	2	—	—	—	—	—	—	1	
	F	252	2	—	—	—	—	2	2	29	50	50	30	30	17	12	13	7	4	2	—	1	1	—	—	—	—	1	
14-22	Tuberculosis (other forms)	58	3	2	1	—	1	4	3	7	2	7	3	4	4	2	4	3	3	4	1	—	—	—	—	—	—	—	
	White—M	12	1	—	—	—	—	—	2	1	—	—	—	2	1	—	1	2	1	1	—	—	—	—	—	—	—	—	
	F	12	1	—	1	—	—	2	1	—	—	—	—	—	—	1	2	—	2	1	1	—	—	—	—	—	—	—	
	All other—M	18	1	2	—	—	—	2	—	1	1	4	1	2	2	1	1	1	—	1	—	—	—	—	—	—	—	—	
	F	16	—	—	—	1	—	1	4	1	3	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Dysentery	44	11	6	5	2	—	—	—	—	1	1	2	1	1	—	2	2	1	2	4	1	1	1	—	—	—	—	
	White—M	14	3	—	3	1	—	—	—	—	—	—	—	—	—	—	1	1	—	2	1	1	1	—	—	—	—	—	
	F	11	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	
	All other—M	7	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	12	4	2	1	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria	109	5	2	3	—	—	3	2	7	5	9	10	6	7	5	5	4	8	8	7	8	4	1	—	—	—	—	
	White—M	23	—	1	—	—	—	1	1	1	3	1	1	1	—	1	—	1	4	2	2	2	3	—	—	—	—	—	
	F	24	2	—	3	—	—	1	1	3	1	—	2	1	2	1	—	1	—	2	2	4	—	—	—	—	—	—	
	All other—M	25	1	1	—	—	—	1	2	1	3	3	1	3	1	1	1	1	3	1	1	1	1	1	—	—	—	—	
	F	37	2	1	—	—	—	1	—	1	3	3	6	3	2	2	3	1	3	1	2	1	1	1	—	—	—	—	
30	Syphilis	516	54	1	—	1	—	3	—	4	27	35	55	56	43	46	53	36	36	30	16	11	4	1	—	—	—	—	
	White—M	112	4	—	—	—	—	—	—	1	1	5	4	6	14	10	22	19	14	5	6	—	—	—	—	—	—	—	
	F	32	1	—	—	—	—	—	—	—	4	2	6	3	1	4	1	4	1	2	3	—	—	—	—	—	—	—	
	All other—M	251	27	—	—	1	—	2	—	12	17	29	29	29	23	35	7	10	15	8	3	1	—	—	—	—	—	—	
	F	121	22	1	—	—	—																						

# GENERAL TABLES—TOTAL DEATHS

227

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated					
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94
FLORIDA—Contd.																											
50	Cancer of breast	167																									
	White—M	5																									
	F	132																									
	All other—M																										
	F	30																									
45,47, 51-55	Cancer (other forms)	559	1		3	1																					
	White—M	376	1		2	1		1	3	4	3	8	11	13	14	29	47	60	74	84	75	84	56	12	12	2	1
	F	120			1					2	1	1	3	3	2	8	12	11	17	15	13	15	10	1	5		
	All other—M	41												1	1	3	5	6	7	6	3						
	F	22												1	1	2	7	5	1	1	2	1					
58	Acute rheumatic fever	19						2	4		3	2	2							2		2					
	White—M	1										1															
	F	5							2													2					
	All other—M	6							1					2								1					
	F	7						2	1		2										1						
61	Diabetes mellitus	383						2	4	1	3	6	5	7	11	28	31	46	52	56	55	52	12	10	2		
	White—M	152						1	1		1	2	1	2	1	9	10	17	17	31	27	24	6	2	1		
	F	161							1			2	1	2	4	5	10	24	25	21	24	26	6	8			
	All other—M	24							1		1			2	4	2	2	5	1	3	1						
	F	46							1	1		3	2	3	4	10	9	3	5	3	1	1					
65b	Exophthalmic goiter	25									1	2		2	2	1	2	6	3	2	1	1					
	White—M	4										2		2	2	1	2	6	3	2	1	1					
	F	14												2	1	1	2	3	2	1	1	1					
	All other—M										1																
	F	5												1				3									
69	Pellagra (except alcoholic)	77	2						2	2	5	3	4	4	3	7	6	7	4	7	4	10	3	2			2
	White—M	10	1													1	1	1	1	1	1	4	1	1			
	F	26	1						1	1				2		1	2	3	2	3	2	5	4	1	1		1
	All other—M	10						1	1	1				1		1	1	2	1	1	1	1	1				1
	F	31							1		3	2	4	1	4	4	2		4			1	2				1
77	Alcoholism (ethylism)	42									1		6	9	7	6	2	5	3	2		1					
	White—M	25											2	5	5	1	3	1	2		1						
	F	4														1	1	2									
	All other—M	10										3	4	2													
	F	3									1		1														
83	Intracranial lesions of vascular origin	1,949	4					1	3	2	4	18	27	52	88	129	193	198	218	274	270	199	151	76	21	7	2
	White—M	684	3					1	1	1	4	6	9	13	31	42	64	88	102	126	84	62	35	7	2	1	4
	F	550	1					1	1	2	3	9	9	22	29	36	59	77	91	88	75	30	13	2	1	1	
	All other—M	368						2	1	1	5	9	19	35	42	61	48	41	47	30	9	9	6	3		3	
	F	347							1	1	7	9	15	31	34	61	50	30	48	23	18	5	5	1	3	1	4
80-82, 84-88	Other diseases of nervous system, etc.	215	21	8	5	2	1	9	6	14	7	9	19	7	12	8	16	16	7	18	12	15	2	1			
	White—M	97	7	4	4	1		2	3	6	1	3	6	4	4	4	4	4	4	12	6	6	2				
	F	53	4	1	1			4	1	3	3	1	3	1	3	2	3	3	2	4	5	8					
	All other—M	32	5	3				1	2	1	2	5	4	1	3	1	2	1	1	1	1	1					
	F	33	5		1			3	1	3	3		6	1	2	1	1	4		1	1	1					
89,104, 115	Diseases of ear, nose, and throat	137	19	5	3	2	1	6	6	11	6	9	9	9	7	4	8	6	4	5	8	5	1		1		1
	White—M	52	3	2	1	1		4	2	5	2	4	2	5	2	2	2	1	2	3	5	4	1		1		
	F	28	3	1				2	1	3	2	2	3	2	2	1	2	1	1	1	1	1					1
	All other—M	33	8	2	1	1		1	2	1	2	4	1	2	1	2	1	2	1	1	1	2					1
	F	24	5		1			2	1	3	1	1	1	1	2	2	3	1									
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	311						5	3	8	1	8	15	15	18	26	31	24	24	36	41	28	21	3	4		
	White—M	152						2	5	1	2	2	5	4	10	7	13	6	12	19	20	13	12	2			
	F	82						3	1	1	1	1	3	2	7	5	5	6	9	5	6	9	4				
	All other—M	50						2	1	1	1	3	5	1	9	7	8	2	4	5	4	2					
	F	47						1	2		4	4	4	5	3	6	5	4	4	4	3	1	1				
94	Diseases of coronary arteries, angina pectoris	1,360	1						1	4	9	11	32	67	83	145	162	179	200	194	155	73	34	8			2
	White—M	908	1								1	4	14	39	60	99	125	128	138	128	97	44	24	5			1
	F	303									1	1	2	1	5	9	18	20	43	54	60	52	25	10	2		
	All other—M	91									1	4	3	9	14	9	14	13	5	6	5	4	2				1
	F	58							1	2	3	2	8	9	5	14	4		3	2	1	2					
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	2,640	5	1	4	2	2	5	9	8	13	26	42	76	95	140	177	241	257	361	347	363	250	145	49	14	4
	White—M	1,214	3	1	4		2	2	2	2	7	16	26	52	63	122	129	187	174	197	116	67	29	4	1	3	
	F	770			2	1	3	2	1	3	6	10	13	8	25	30	47	62	98	114	131	115	71	17	9	2	
	All other—M	365	1					3	3	4	4	13	22	27	39	46	43	41	43	36	22	11	4	1	1		1
	F	291	1			1		2	2	6	9	12	25	34	24	38	29	25	33	23	13	8	3	2			
107-109	Pneumonia (all forms)	1,077	207	56	15	9	7	24	8	24	31	51	41	49	61	53	54	64	62	64	60	49	51	26	5	2	2
	White—M	365	68	13	2	1	1	7	3	6	5	14	12	8	18	21	14	22	31	27	24	29	21	11	1		1
	F	285	55	14	8	3	3	8	7	3	9	4	6	9	11	13	10	12	25	26	18	26	14				1
	All other—M	235	44	17	2	2	2	7	1	6	14	13	19	20	21	14	11	18	9	10	2	1	1				1
	F	192	40	12	3	3	1	2	4	5	9	15	6	15	13	7	16	14	10	4	8	1	3	1			
117	Ulcer of stomach or duodenum	163							1	1	8	8	8	11	11	24	15	13	15	17	13	10	5	2			1
	White—M	95									2	4	3	4	5	10	9	11	11	13	9	8	5	1			

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
FLORIDA—Contd.																												
119,120	Diarrhea, enteritis, etc.*	299	150	40	11	7	4	5	1	2	1	3	7	4	9	8	11	5	6	4	3	8	6	1	2			1
	White—M	60	32	9	3	3		2	1							1			2	2	1	3						1
	F	83	42	18	3		1	3		1					1		1	1	2	1	2	3	3	1				
	All other—M	78	39	7	3	3	2			1	1	2	3		2	5	3			1								
	F	78	37	6	2	1	1					1	4	4	6	2	5	1	2	2		2	2					
121	Appendicitis	198	1	1			4	3	12	18	11	14	25	17	15	13	21	11	10	10	9	2						1
	White—M	96	1					2	5	8	4	5	11	6	11	6	10	9	6	4	6							1
	F	39		1			2	1	3	2	3	3	5	1		1	3	2	4	4	2	2						
	All other—M	36						1	2	2	4	7	4	2	4	7	4			2	1							
	F	27					1		3	6	2	2	2	2	6	2	2											
122	Hernia, intestinal obstruction	218	16	2	2	1	1	3	3	4	6	6	12	20	9	17	13	23	12	23	19	11	13	1				1
	White—M	86	1	1	2			2	1	1	1	2	6	6	3	5	2	9	5	7	14	7	10	1				
	F	57	3				1	1	1		3	1	1	5	1	4	5	8	4	9	5	4	1					
	All other—M	38	5				1				1	5	2	3	2	3	4	3	2	6		2						1
	F	37	7	1					1	3	1		3	6	3	3	2		3	1								
124	Cirrhosis of the liver	189						1	1		1	1	8	9	19	25	18	17	26	27	15	7	8	4				2
	White—M	111										1	1	5	8	14	11	11	20	12	11	5	6	4				2
	F	29						1					2	1	4	3	1	2	6	3	1	2	1					
	All other—M	31							1				2	1	5	5	3	4	3	6	1							
	F	18									1		3	2	2	2	1	1	1	3		1	1					
126,127	Biliary calculi, etc.*	79			1			2			1	2	1	6	5	3	7	8	10	12	7	6	5	3				
	White—M	16						1							2	1	2	2	3		1	3	1					
	F	43			1			1			1			3	2	3	5	5	8	5	8	5	2	2				
	All other—M	6												1		1	1	1	1	1	1	1						
	F	14										2	1	2	3	2	1	2	1	2	1							
130-132	Nephritis	1,817	2	1	2	3	2	7	10	9	8	21	36	64	61	107	149	141	175	222	232	251	170	101	29	10	3	1
	White—M	710	1		1			3	2	1	1	8	8	12	15	26	37	53	76	88	108	136	71	44	12	6	1	
	F	553	1		1	2		5			2	5	10	11	9	23	30	26	47	76	80	81	84	43	14	2	1	
	All other—M	314		1	1		1	2		1	3	4	8	18	20	31	49	42	29	34	22	25	10	9	2	1		
	F	240					1	2	3	7	2	4	10	23	17	27	33	20	23	24	22	9	5	5	1	1		1
137	Diseases of the prostate	132										1	2			2	4	6	17	18	26	25	18	6	5			
	White—M	103											1	2			1	5	10	15	22	21	18	6	4			
	All other—M	29											1	2		1	3	3	7	3	4	4		1				
140, 142a, 147	Puerperal septi-cemia	77						3	8	24	10	22	8	2														
	White—F	43						5	15	5	13	3	2															
	All other—F	34						3	3	9	5	9	5															
141a,c, 144,148	Puerperal toxemia	80							18	14	11	9	6	2														
	White—F	33						8	9	7	6	3	3															
	All other—F	27							10	5	4	3	3	2														
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	74						1	7	9	17	16	19	2	2													1
	White—F	50						4	5	12	12	15	1															1
	All other—F	24						1	3	4	5	4	4	1	2													1
157	Congenital malformations	147	130	3	1	1	2	3		3	1		2				1											
	White—M	67	60			1		1		3			2															
	F	56	51	1	1		1	2																				
	All other—M	15	11	2							1						1											
	F	9	8				1																					
159	Premature birth	535	535																									
	White—M	186	186																									
	F	160	160																									
	All other—M	107	107																									
	F	82	82																									
163,164	Suicide	274							1	4	16	24	27	29	29	36	25	22	22	17	12	3	3	4				
	White—M	194							1	1	12	17	20	17	24	21	18	16	16	12	10	3	2	4				
	F	70								3	4	6	11	4	15	5	6	5	5	2			1					
	All other—M	5								1		1	1	1														
	F	5									2	1	1	1														
165-168	Homicide	362		1					2	23	63	73	57	48	36	22	15	8	4	3	2	1						4
	White—M	66		1					3	9	14	8	8	4	6	7			1	3	1							1
	F	22							3	4	2	5	4	2	2													
	All other—M	215						2	10	34	44	36	30	25	12	7	7	3		1		1						3
	F	59							7	16	13	8	6	5	2	1												
170	Motor-vehicle accidents	708	4	6	2	6	6	21	18	62	77	71	52	63	44	51	54	44	30	38	24	18	11	3				

# GENERAL TABLES—TOTAL DEATHS

229

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			1	2	3	4	5	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
GEORGIA																													
	All causes—	31,843	3,780	467	213	175	112	408	382	793	1,088	1,270	1,289	1,439	1,619	1,934	2,201	2,393	2,363	2,686	2,289	1,918	1,545	909	333	89	62	86	
	White—M	9,959	1,085	113	71	48	33	140	119	179	243	239	297	304	374	540	619	821	918	1,054	905	813	605	309	88	16	2	14	
	F	7,600	856	112	43	49	31	95	78	157	168	197	231	252	273	328	384	506	578	735	716	685	627	339	115	23	3	19	
	All other—M	7,488	1,045	136	49	35	22	102	107	205	325	394	387	433	487	543	641	551	471	491	376	242	170	148	58	22	19	29	
	F	6,796	784	106	50	43	26	71	78	252	352	440	374	450	485	523	557	515	396	406	292	178	143	113	72	28	38	24	
1,2	Typhoid, paratyphoid fever—	93	2	2	1	1	2	4	10	13	11	7	9	4	4	2	8	4	2	6	—	—	—	—	—	—	—	—	1
	White—M	23	—	—	—	—	—	—	1	1	2	3	5	1	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	18	—	1	—	—	—	—	3	3	1	—	3	—	—	—	2	—	—	3	—	—	—	—	—	—	—	—	—
	All other—M	33	1	1	1	—	2	2	2	5	4	1	—	4	1	—	3	3	1	—	—	—	—	—	—	—	—	—	1
	F	19	1	—	—	—	—	—	4	3	3	3	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	23	1	2	—	2	2	4	4	4	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—
	White—M	12	1	1	—	—	1	2	2	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	5	—	1	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	18	2	1	3	1	4	3	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	6	—	—	1	1	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	1	—	2	—	3	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	3	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	137	97	23	12	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	28	24	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	34	25	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	38	23	9	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	37	25	5	4	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	100	10	13	20	20	9	20	5	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	35	5	4	9	5	3	7	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	31	1	3	6	10	1	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	17	3	2	2	3	1	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	1	4	3	2	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,377	4	3	4	2	—	5	18	100	172	212	151	150	119	120	80	75	63	44	25	11	12	2	1	—	—	—	4
	White—M	267	3	1	1	—	—	—	8	10	21	26	26	24	29	26	24	19	24	19	11	7	6	—	—	—	—	—	—
	F	214	—	—	—	—	—	—	2	10	14	26	24	19	15	16	16	22	16	13	9	4	3	1	—	—	—	—	1
	All other—M	408	1	2	1	2	—	4	4	24	54	58	45	57	44	42	23	20	13	8	2	2	—	—	—	—	—	—	2
	F	488	—	—	1	—	—	1	12	58	94	107	56	48	36	33	13	9	10	4	3	—	1	1	—	—	—	—	1
14-22	Tuberculosis (other forms)—	137	10	8	2	4	4	4	6	14	18	17	10	7	7	10	2	6	4	3	1	—	—	—	—	—	—	—	—
	White—M	19	1	1	1	1	2	1	1	1	1	2	1	2	1	2	3	1	2	2	—	—	—	—	—	—	—	—	—
	F	28	2	3	2	1	1	2	2	2	1	2	2	1	1	3	1	2	2	2	—	—	—	—	—	—	—	—	—
	All other—M	58	4	2	1	—	1	1	5	9	4	3	3	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—
	F	52	4	2	—	1	1	3	6	7	11	3	2	3	3	3	1	3	1	—	—	—	—	—	—	—	—	—	—
27	Dysentery—	135	41	13	1	4	2	6	2	2	5	2	3	3	1	5	6	5	5	7	4	3	4	6	4	—	—	—	1
	White—M	53	12	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	2	1	1	3	3	1	—	—	—
	F	39	6	6	1	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	2	1	1	3	3	2	—	—	—
	All other—M	29	13	2	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	34	10	3	—	1	1	4	1	2	—	—	2	1	1	1	2	2	2	2	2	1	—	—	—	—	—	—	—
28	Malaria—	111	5	2	2	3	1	8	6	10	7	9	5	6	10	4	8	5	4	4	4	2	5	1	—	—	—	—	—
	White—M	24	—	—	1	2	—	2	2	2	—	—	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	1	2	1	—	—	4	2	—	—	2	1	—	1	—	1	2	2	2	2	1	2	—	—	—	—	—	—
	All other—M	34	3	—	—	1	1	1	3	2	3	1	3	2	5	2	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	33	1	—	—	—	—	1	1	4	6	—	1	4	1	5	2	2	2	2	—	—	—	—	—	—	—	—	—
30	Syphilis—	633	55	8	3	2	—	3	20	30	52	73	61	74	60	58	41	26	26	17	14	3	2	1	—	—	—	—	1
	White—M	105	3	1	—	—	—	—	—	1	2	10	9	11	8	10	17	11	10	6	4	2	—	—	—	—	—	—	—
	F	55	3	—	—	—	—	—	3	1	2	5	2	2	1	4	2	2	2	2	2	4	2	—	—	—	—	—	—
	All other—M	294	22	2	—	1	—	1	2	1	10	35	36	29	43	33	29	15	8	12	6	5	1	2	—	—	—	—	1
	F	189	27	5	3	1	—	2	1	16	18	13	22	21	18	16	15	8	5	2	1	3	—	—	—	—	—	—	—
33	Influenza—	951	90	29	14	14	5	21	17	33	29	41	38	50	51	64	60	65	38	57	64	55	54	41	17	1	1	2	
	White—M	248	25	5	4	3	1	4	3	1	2	5	4	11	9	15	11	23	10	21	22	24	25	12	8	—	—	—	
	F	243	18	5	3	3	4	6	8	3	8	7	8	11	9	13	9	14	11	14	21	20	24	20	4	—	—	—	
	All other—M	218	33	9	4	3	—	8	2	8																			

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
GEORGIA—Contd.																												
50	Cancer of breast	173								1	1	1	4	15	17	16	26	24	22	18	12	5	6	2	2			1
	White—M																											
	F	115									1		1	3	9	11	8	18	14	13	16	9	4	5	2	1		
	All other—M	1																										1
	F	57										1		1	6	6	8	8	10	9	2	3	1	1		1		
45,47, 51-55	Cancer (other forms)	674		2	1	2		5	2	14	6	18	12	26	24	56	57	69	84	94	69	61	38	25	9			2
	White—M	543						3	2	5	1	10	4	11	7	30	22	40	38	52	40	39	24	9	4			
	F	182				1		2		4	2	4	3	6	12	11	15	12	20	29	17	19	11	10	4			
	All other—M	82								3	3		2	4	1	8	12	9	17	8	8	2	1	3				1
	F	67			1	1				2		4	3	5	4	7	8	8	9	5	4	1	2	1	1			1
58	Acute rheumatic fever	37			1			8	5	4	4	1	1			2	2	2	2	1	1	2		1				
	White—M	10			1			3	2	2	1								1									
	F	11						2	2	1						1		1			1							
	All other—M	7						1	1		2						1					1		1				
	F	9								1	1	1				1		2			1							
61	Diabetes mellitus	580			2			4	2	5	6	10	9	11	18	31	26	52	45	46	40	46	16	7	3			1
	White—M	108			1			1		2	1	1	3		2	8	7	13	14	18	12	16	5	3	1			
	F	147								2		2	4	2	5	7	6	23	16	17	22	28	9	2				
	All other—M	48						2	2		3	4	2	2	2	8	2	6	5	4	2	2	1		1			
	F	77			1			1		1	2	3		7	9	8	9	10	10	7	4		1	2	1			1
65b	Exophthalmic goiter	46											3	4	3	4	8	6	6	2	3	4	1	2				
	White—M	4													1				1		1							
	F	32											3		3	1	6	6	5	2	1	3	1	1				
	All other—M	3												1							1							
	F	7												3		2	2											
69	Pellagra (except alcoholic)	277					1	1	1	4	4	12	16	13	19	21	21	26	32	26	30	20	15	10	1	1		3
	White—M	47											1	1	1	3	2	9	7	6	6	6	2	2				1
	F	93								1	1	2	2	5	5	9	4	5	11	11	12	10	3	1				1
	All other—M	43						1	1	1	1	2	2	1	5	1	5	4	6	4	3	1	2	3				1
	F	94								2	3	8	11	6	8	8	10	8	8	5	9	3	1	2				1
77	Alcoholism (ethylism)	61						2		1	1	4	11	10	5	7	8	4	2	2	2	2						
	White—M	39										2	9	7	2	5	3	4	2	1	2	2						
	F	4										1			2			1										
	All other—M	16						2			1	1	2	2	1	2	4											
	F	2								1				1							1							
83	Intracranial lesions of vascular origin	3,173	7	4	3	1	1	4	2	3	11	29	34	93	170	267	334	362	354	500	353	305	202	91	19	11	4	9
	White—M	898	1	1	2					1			4	5	8	29	41	58	100	117	182	120	118	71	29	7	2	2
	F	756	3	1				2	1		2	3	8	26	37	42	73	81	121	114	111	84	37	3	2		2	
	All other—M	735		1			1	1			6	10	19	35	57	91	120	84	70	101	61	41	18	11	4	2	2	
	F	783	3	1	1	1		1	1	2	3	12	7	42	58	98	114	105	86	96	58	35	29	14	5	5	3	
80-82, 84-88	Other diseases of nervous system, etc.*	533	64	11	6	7	4	12	9	13	17	16	19	18	16	9	27	15	15	16	10	12	9	2	3		3	
	White—M	108	20	3	2	3	1	1		5	6	6	6	5	4	2	9	5	7	5	7	4	5	1	1			
	F	84	14	4	1	2		5	4	3	2	4	7	3	1	3	5	5	4	5	2	3	3	1	2		1	
	All other—M	73	16	1	1	1	2	4	5	4	6	4	3	1	5	3	7	2	2	3	2	1						
	F	68	14	3	2	1	1	2		1	3	2	3	9	6	1	6	3	2	3	1	3					2	
89,104, 115	Diseases of ear, nose, and throat	188	29	7	5	3	4	17	18	10	13	15	11	5	9	11	11	7	3	2	6	2						
	White—M	47	7	2	2			2	5	4	3	5	2	2	1	4	2	2	1	2	2							
	F	56	7	3	2	1	1	7	7	3	1	6	2	1	4	2	3	4		1		1						
	All other—M	42	8	2	1	1		4	4	2	5	4	2	1	2	3	3	4		1		1						
	F	43	7			1	1	1	3	2	4	3	5		4	3	3	2		1		1						
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	377			1		3	7	7	18	11	17	12	19	21	22	28	34	39	48	29	26	29	4	1		2	1
	White—M	107			1			2	1	6	2	2	4	3	2	3	5	4	14	20	11	14	13					
	F	76					1	1	2	1	2	1	1	5	1	3	5	9	4	6	12	6	11	3	1		1	
	All other—M	94						2	3	2	2	6	5	6	10	10	4	12	12	10	3	3	2	1			1	
	F	100					2	2	1	7	5	8	2	5	8	6	14	9	9	12	3	3	5				1	
94	Diseases of coronary arteries, angina pectoris	1,232	2	1	1	1		1	4	2	4	19	26	40	77	112	131	180	182	173	113	74	52	29	5	1		2
	White—M	700							1		3	4	7	15	35	61	80	123	114	97	72	45	26	15	1	1		
	F	260							1	1	2	5	5	11	10	15	23	43	58	29	22	25	10	1			1	
	All other—M	148	1	1				2	1		9	7	12	14	24	15	21	12	11	9	3	2	3				1	
	F	124		1	1	1		1			4	7	8	17	17	21	13	13	7	3	4	1	1	5				
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	3,788	10	3	2	1	2	17	10	16	29	64	92	143	190	264	375	376	428	447	447	549	263	162	60	15	12	11
	White—M	1,211	2	1	2			5	3	2	7	10	12	19	36	73	90	130	152	170	183	144	103	51	14		2	
	F	913	5	1			2	5	1	6	4	8	10	18	23	26	57	57	106	111	131	126	114	66	24	7	1	4
	All other—M	853		1				4	1	3	5	20	32	52	60	82	121	104	95	84	70	49	30	25	10	2	2	
	F	811	3			1		3	5	5	13	26	38	54	71	83	107	85	75	82	63	30	16	20	12	6	9	4
107-109	Pneumonia (all forms)	2,293	435	102	53	26	22	54	45	58	84	88	101	109	107	104	115	130	113	126	118	113	96	64	25	7	3	5
	White—M	667	106	26	8	6	8	23	12	16	15	12	19	21	20	27	45	40	47	57	48	34	28	14	4	1	2	
	F	538	110	20	5	6	9	7	11	16	9	10	21	16	24	23	33	30	35	31	43	48	26	8	1	1		

# GENERAL TABLES—TOTAL DEATHS

231

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
GEORGIA—Contd.																												
119,120	Diarrhea, enteritis, etc.*	550	309	101	26	6	5	3	4	2	3	6	5	4	5	3	10	3	7	5	10	8	12	7	4	—	—	2
	White—M	149	94	25	8	1	1	1	—	—	—	—	1	1	1	1	3	—	—	1	1	2	5	1	1	—	—	1
	F	144	73	27	4	3	4	1	1	1	1	1	—	—	—	—	—	1	2	3	6	3	5	4	3	—	—	—
	All other—M	152	95	27	6	—	—	1	3	—	—	2	—	—	1	3	—	—	—	2	2	3	—	1	—	—	—	1
F	105	47	22	8	2	—	—	—	1	2	3	4	1	1	2	3	2	—	2	2	—	2	1	—	—	—	—	—
121	Appendicitis	293	1	—	—	3	2	15	25	32	33	21	28	12	19	25	22	17	13	12	7	5	1	—	—	—	—	—
	White—M	118	—	—	—	2	6	10	14	15	7	10	6	7	10	9	8	6	6	6	2	2	—	—	—	—	—	—
	F	79	—	—	—	1	7	7	8	3	4	7	2	2	11	6	3	4	4	4	3	1	—	—	—	—	—	—
	All other—M	53	1	—	—	1	1	5	8	8	3	7	—	—	6	2	5	2	2	1	1	—	—	—	—	—	—	—
F	43	—	—	—	1	1	3	2	9	7	4	4	4	4	2	2	1	2	1	—	—	—	—	—	—	—	—	—
122	Hernia, intestinal obstruction	257	23	3	1	—	1	3	2	4	11	14	19	14	20	21	21	19	12	21	17	12	8	5	4	—	1	1
	White—M	69	7	2	1	—	1	2	—	—	3	4	—	—	5	4	6	5	4	9	6	1	4	3	—	—	—	—
	F	64	5	1	—	—	—	2	4	2	5	6	2	7	4	4	2	5	2	2	6	5	2	2	—	—	—	—
	All other—M	68	4	—	—	—	—	—	—	—	3	4	3	4	6	6	7	7	4	5	4	5	2	—	3	—	1	—
F	56	7	—	—	—	—	1	—	—	3	3	6	8	2	7	6	2	2	5	1	1	—	—	1	—	—	—	1
124	Cirrhosis of the liver	157	2	—	—	—	—	1	1	4	2	6	10	5	16	21	18	25	16	18	19	6	3	—	1	1	—	1
	White—M	80	—	—	—	—	—	—	—	1	1	4	3	2	9	12	13	11	8	8	8	4	2	—	—	—	—	—
	F	38	2	—	—	—	—	—	—	—	1	1	4	2	2	3	3	3	6	6	6	2	—	—	—	—	—	—
	All other—M	20	—	—	—	—	—	—	—	—	1	1	2	2	1	2	3	3	3	3	3	—	—	—	—	—	—	—
F	19	—	—	—	—	—	—	1	—	2	1	1	1	1	4	3	1	3	2	—	—	—	—	—	—	—	—	—
126,127	Biliary calculi, etc.*	92	1	—	—	—	—	—	1	1	1	2	4	5	13	9	9	8	13	5	11	7	2	—	—	—	—	—
	White—M	29	—	—	—	—	—	—	—	—	—	—	1	2	4	4	2	3	6	2	4	1	—	—	—	—	—	—
	F	46	1	—	—	—	—	—	—	—	—	—	1	2	7	3	4	3	6	3	7	6	2	—	—	—	—	—
	All other—M	7	—	—	—	—	—	—	1	—	—	—	—	—	1	2	1	1	1	—	—	—	—	—	—	—	—	—
F	10	—	—	—	—	—	—	—	1	1	1	1	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
130-132	Nephritis	3,370	6	5	—	5	5	12	21	28	34	49	83	99	154	193	254	339	331	415	428	367	299	169	49	14	4	7
	White—M	1,158	1	—	—	2	1	7	8	2	7	7	20	19	27	53	58	87	120	161	170	183	138	71	12	4	—	—
	F	814	1	1	—	1	2	3	8	6	13	10	17	22	20	36	58	66	99	132	121	110	62	18	4	—	—	3
	All other—M	774	1	4	—	1	—	7	6	7	8	26	29	53	62	88	97	81	98	84	42	36	26	9	4	2	3	
F	624	3	—	—	2	2	3	3	12	14	21	27	34	52	58	72	97	64	57	42	21	15	10	10	2	2	1	
137	Diseases of the prostate	118	—	—	—	—	—	—	—	—	—	—	2	1	2	4	6	6	18	21	17	16	4	—	—	—	2	—
	White—M	67	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	9	12	12	19	13	2	—	—	—	1	—
	F	51	—	—	—	—	—	—	—	—	—	—	—	2	1	1	4	5	6	9	9	5	3	—	—	—	—	—
	All other—M	51	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140, 142a, 147	Puerperal septicemia	131	—	—	—	—	—	—	21	43	22	23	14	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	71	—	—	—	—	—	—	9	25	13	13	5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	60	—	—	—	—	—	—	12	18	9	10	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
141a,c, 144,148	Puerperal toxemia	125	—	—	—	—	—	3	35	30	16	16	14	9	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	58	—	—	—	—	—	1	17	13	7	9	7	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	57	—	—	—	—	—	2	18	17	9	7	7	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	106	—	—	—	—	—	—	15	20	20	24	14	10	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	52	—	—	—	—	—	—	9	7	6	16	10	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	—	—	—	6	13	14	8	4	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
157	Congenital malformations	214	175	5	2	4	1	10	2	9	1	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	97	79	3	—	1	1	2	—	7	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	64	53	1	2	2	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	34	28	1	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	19	15	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
159	Premature birth	1,064	1,064	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	368	368	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	276	276	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	236	236																									





GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
IDAHO—Continued																												
50	Cancer of breast—	32													1	3	4	5	1	6	7	2		2	1			
	White—M														1	3	4	4	1	6	7	2		2	1			
	F	31																										
	All other—M																											
	F	1															1											
45,47, 51-55	Cancer (other forms)—	132						2	1	2	1	1	5	2	4	4	7	12	16	10	22	25	13	3	1	1		
	White—M	98						1	1	2	1	1	2	1	2	1	4	9	9	10	21	25	9	3	1	1		
	F	34						1		2	1	3	1	2	3	3	3	7		1	2	4						
	All other—M																											
	F																											
58	Acute rheumatic fever—	7					1	2	2			1		1														
	White—M	3						1	2																			
	F	4					1	1				1		1														
	All other—M																											
	F																											
61	Diabetes mellitus—	104		1			1	3		2		1	5	1	1	3	5	5	14	14	19	19	8	2				
	White—M	42		1			2	2				2	2	1	1	1	3	4	5	9	8	4	2					
	F	61					1	1		2		1	3	1		3	4	2	10	8	10	11	4					
	All other—M	1																										
	F																											
65b	Exophthalmic goiter—	16									1	1		1		2	5	1	3	1	1							
	White—M	1																	1									
	F	15									1	1		1		2	5		3	1	1							
	All other—M																											
	F																											
69	Pellagra (except alcoholic)—	2																				1	1					
	White—M	1																										
	F	1																										
	All other—M																											
	F																											
77	Alcoholism (ethylyism)—	8								1		1				2		1				1	1					
	White—M	8								1		1				2		1				1	1					
	F																											
	All other—M																											
	F																											
83	Intracranial lesions of vascular origin—	589	2							1	1	2	2	1	5	10	16	26	38	58	70	64	60	29	4			
	White—M	207	2							1	1	2	1	1	6	7	16	16	35	38	40	28	15	3				
	F	178								1	2	1	1	4	4	9	10	21	22	34	23	51	14	1				
	All other—M	4																				1	1					
	F																											
80-82, 84-98	Other diseases of nervous system, etc.—	62	3	1	1			4	2	2		3	3	2	3	6	4	12	6	3	2	3		1	1			
	White—M	56	2	1	1			3	1	1		3	2	2	3	2	3	5	4	1	1	3		1	1			
	F	25	1					1	1	1		1	2		4	1	7	2	2	1								
	All other—M	1		1																								
	F																											
89,104, 115	Diseases of ear, nose, and throat—	44	2	3				5	3	2	3	1	3	4	2	2	2	2	1	1	5		2		1			
	White—M	30		2				4	2	2	1	1	2	3	1	2	2				5		2		1			
	F	14	2	1				1	1		2		1	1				2	1	1								
	All other—M																											
	F																											
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart—	89				1		2	7	3	5	8	2	5	4	6	3	10	8	4	8	7	6	2				
	White—M	54				1		3	3	2	1	2	2	2	2	5	2	7	6	1	5	7	4	2				
	F	35						2	4	1	2	6		3	2	1	1	3	2	3	3							
	All other—M																											
	F																											
94	Diseases of coronary arteries, angina pectoris—	287										1	2	3	13	23	22	30	45	53	31	29	23	8	4			
	White—M	215										1	2	2	11	20	17	24	31	41	22	20	18	5	3			
	F	72												1	2	3	5	6	14	12	9	9	5	5	1			
	All other—M																											
	F																											
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)—	695	2			1	1	3	1	2	11	7	2	7	15	22	35	52	74	82	104	120	89	48	11	5		1
	White—M	433				1		3	1	2	4	7	2	4	9	11	21	35	56	51	68	72	51	27	6	2		
	F	252	2			1					6			3	6	10	14	16	17	30	34	47	37	21	5	3		
	All other—M	6																										
	F	4																										
107-109	Pneumonia (all forms)—	290	75	12	3	2	1	4	1	3	4	8	14	8	10	10	12	8	22	15	20	23	21	8	5	1		
	White—M	167	41	6	1	1		2		2	1	4	4	5	5	3	8	8	7	14</								

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1				9	14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	and over		
IDAHO—Continued																												
119,120	Diarrhea, enteritis, etc.*	43	27	5	1		1	1					1			1	1	2		1				1	1			
	White—M	17	10	2	1		1	1					1			1	1	1						1	1			
	F	23	15	2			1	1					1					1			1				1	1		
	All other—M																											
	F	3	2	1																								
121	Appendicitis	86	1		3	1	1	9	7	12	9	8	3	5	5	3	3	7	3	2	2	2						
	White—M	54	1		2	1	1	5	2	8	4	5	2	4	4	2	1	6	2	1	2	2						
	F	31			1	1	1	4	5	4	4	3	1	1	1	1	2	1	1	1								
	All other—M																											
	F	1									1																	
122	Hernia, intestinal obstruction	58	3	2				1	3	1	1	4	2	2	4	1	7	4	6	2	6	3	6					
	White—M	28		1					2	1	1	1	1	1	2	1	3	2	4	3	3	1	6					
	F	27	3	1				1			3	2	1	1	2	1	4	1	2	2	3	1	1					
	All other—M	3							1													1						
	F																											
124	Cirrhosis of the liver	20											1	1	1		3	2	3	4	2	3						
	White—M	11											1				3	2	2	1	1	1						
	F	9												1	1			2	1	3	1	2						
	All other—M																											
	F																											
126,127	Biliary calculi, etc.*	35						1				1			3	2	3		6	5	3	4	4	1				
	White—M	17						1							1	1	1		3	3	2	1	3	1				
	F	18										1			2	1	2		5	2	1	3	1					
	All other—M																											
	F																											
130-132	Nephritis	315			2	1		1	3	2	6	4	1	7	10	6	13	23	30	41	49	43	53	16	4			
	White—M	185			2	1			2	1	3	2		3	4	3	9	14	16	21	24	26	37	12	3			
	F	123						1	1	1	3	2		4	6	3	4	8	11	20	21	17	16	4	1			
	All other—M	6											1					1	2	3	5							
	F	3											1					1	1	1								
137	Diseases of the prostate	43																3	3	7	7	14	7	2				
	White—M	43																3	3	7	7	14	7	2				
	All other—M																											
140, 142a, 147	Puerperal septicemia	8							3	1	2	2	2															
	White—F	7							2	1	2	2																
	All other—F	1							1																			
141a,c, 144,146	Puerperal toxemias	3									1	1			1													
	White—F	3									1	1			1													
	All other—F																											
146b,d,e,f, 148,143, 145,146, 149,150	Other puerperal causes	13							2	1	2	4	2	2	2													
	White—F	13							2	1	2	4	2	2	2													
	All other—F																											
157	Congenital malformations	58	47	3	3			1	3																			
	White—M	40	32	2	1			1	3																			
	F	18	15	1	2																							
	All other—M																											
	F																											
159	Premature birth	160	160																									
	White—M	86	86																									
	F	69	69																									
	All other—M	4	4																									
	F	1	1																									
163,164	Suicide	87							3	3	5	6	6	11	10	6	10	14	4	4	4	1						
	White—M	72							3	3	5	5	5	8	6	5	9	13	4	3	4	1						
	F	14									2	1	1	3	4	1	1											
	All other—M	1																										
	F																											
165-168	Homicide	24							1	2	3	2	4	1	2	3		2	1		1	1	1					
	White—M	19							1	1	3	2	2	1	2	3		2	1		1	1	1					
	F	4							1	1			1															
	All other—M																											
	F	1											1															
170	Motor-vehicle accidents	175		1	1	1	1	7	8	19	25	13	6	15	11	9	14	12	7	12	6	3	1	3				
	White—M	130					1	6	4	13	19	11	6	11	9	8	11	9	4	9	6	2	1	3				
	F	43		1	1	1	1	1	4	6	6	2		4	1	1	3	3	3	3	1							
	All other—M	1																										
	F	1																										
169, 171-195	Other accidents	311	14	25	10	6	4	15	18	19	28	15	18	12	12	9	10	16	8	20	18	13	12	8	4		1	
	White—M	224	8	15																								

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																								Not stated	
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99		100 and over
ILLINOIS																												
	All causes—	86,994	4,474	498	240	223	179	631	636	1,033	1,515	1,722	2,053	2,754	3,562	5,325	6,584	7,256	8,160	9,399	9,680	9,274	8,845	8,466	1,150	248	31	16
	White—M	45,035	2,374	250	128	111	95	337	328	562	698	775	947	1,284	1,626	2,834	3,742	4,137	4,413	5,047	5,107	4,637	4,317	1,512	463	71	9	11
	F	35,800	1,899	194	95	84	68	249	236	349	566	626	761	963	1,151	1,857	2,204	2,527	3,251	3,855	4,272	4,464	3,417	1,837	649	159	2	2
	All other—M	3,579	230	29	8	16	9	26	38	69	122	176	190	272	367	382	377	356	287	273	167	85	53	31	6	5	3	2
	F	2,780	171	25	9	12	7	19	34	103	129	145	165	235	218	252	261	216	209	224	134	88	58	36	12	13	4	1
1,2	Typhoid, paratyphoid fever—	105	---	---	1	1	---	2	2	11	11	13	9	13	5	6	4	10	7	3	6	1	---	---	---	---	---	---
	White—M	44	---	---	---	---	1	1	2	2	5	8	4	7	3	2	1	4	5	2	2	---	---	---	---	---	---	---
	F	52	---	---	---	---	---	1	1	6	5	5	6	2	3	3	3	6	2	3	3	1	---	---	---	---	---	---
	All other—M	5	---	---	1	1	---	---	2	2	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	4	---	---	---	---	---	1	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
6	Cerebrospinal (meningococcus) meningitis—	16	4	1	---	1	1	2	---	3	---	1	---	1	---	1	---	1	---	1	---	---	---	---	---	---	---	---
	White—M	11	2	1	---	1	1	---	2	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	4	2	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---
	All other—M	1	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8	Scarlet fever—	72	1	6	5	10	14	9	2	1	5	3	1	2	2	1	2	1	---	---	---	---	---	---	---	---	---	---
	White—M	33	1	4	2	3	6	5	1	2	1	1	1	1	1	1	---	---	---	---	---	---	---	---	---	---	---	---
	F	35	---	2	3	4	4	8	4	1	1	2	2	1	2	1	2	1	---	---	---	---	---	---	---	---	---	---
	All other—M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	4	---	---	---	3	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9	Whooping cough—	158	91	43	10	3	4	5	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M	71	46	17	2	1	2	2	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	71	39	20	5	2	2	2	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	11	4	4	2	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	5	2	2	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10	Diphtheria—	115	4	9	7	13	12	34	16	7	5	1	---	1	1	2	1	1	---	---	---	---	---	---	---	---	---	---
	White—M	58	2	3	5	10	8	14	6	5	2	---	---	1	1	1	1	1	---	---	---	---	---	---	---	---	---	---
	F	50	1	6	2	3	3	17	9	1	3	1	---	---	1	1	1	1	---	---	---	---	---	---	---	---	---	---
	All other—M	5	1	---	---	---	---	2	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	2	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
13	Tuberculosis of respiratory system, etc.*	3,333	10	13	3	5	1	6	44	167	322	328	342	348	306	376	332	227	180	135	87	70	25	4	1	1	---	2
	White—M	1,585	3	2	2	1	---	3	3	28	70	104	124	148	152	235	247	160	114	79	55	34	9	---	---	---	---	2
	F	1,804	5	1	1	2	---	15	61	134	115	117	85	57	63	35	44	46	45	29	31	14	3	1	---	---	---	2
	All other—M	518	1	5	---	2	1	11	23	53	60	60	80	63	62	44	19	16	9	2	4	---	---	---	---	---	---	---
	F	326	1	5	---	---	2	15	55	65	49	41	35	24	16	6	4	4	2	1	1	---	---	---	---	---	---	---
14-22	Tuberculosis (other forms)—	297	16	22	9	11	6	16	7	22	31	21	15	19	15	20	12	20	8	15	6	4	2	1	---	---	---	---
	White—M	113	7	8	3	4	3	4	2	8	7	7	5	5	5	8	4	4	5	5	3	2	2	1	---	---	---	---
	F	87	4	8	4	2	---	1	1	15	7	5	7	5	6	6	4	4	1	5	2	2	---	---	---	---	---	---
	All other—M	52	1	5	---	3	3	3	3	6	4	3	2	3	2	3	4	2	2	1	1	---	---	---	---	---	---	---
	F	45	4	1	2	2	---	5	1	3	5	4	2	4	6	2	2	3	1	1	---	---	---	---	---	---	---	---
27	Dysentery—	72	10	5	5	1	2	6	3	2	5	1	---	2	4	3	1	---	3	3	4	6	2	4	---	---	---	---
	White—M	36	4	3	1	1	1	3	1	2	4	---	---	1	3	3	---	---	1	1	3	3	1	---	---	---	---	---
	F	31	5	2	3	---	1	2	2	1	1	---	---	1	1	---	---	---	2	2	1	3	---	---	---	---	---	---
	All other—M	3	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	2	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
28	Malaria—	36	1	---	---	1	2	1	1	3	5	4	1	3	2	5	1	3	1	---	---	1	---	1	---	---	---	---
	White—M	15	1	---	---	---	1	---	---	---	2	2	1	2	1	2	3	1	1	---	---	---	---	---	---	---	---	---
	F	10	---	---	---	---	1	---	---	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	8	---	---	---	1	---	---	---	2	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	3	---	---	---	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
30	Syphilis—	1,010	31	2	---	---	2	4	7	6	24	45	75	108	142	129	120	136	82	49	28	14	5	1	1	---	---	1
	White—M	582	15	---	---	---	2	3	1	2	7	15	32	52	72	86	85	87	55	38	17	10	3	1	---	---	---	---
	F	187	11	2	---	---	---	1	4	1	7	14	16	16	25	16	14	27	14	9	8	4	---	---	---	---	---	---
	All other—M	189	6	---	---	---	---	---	1	6	9	21	33	38	23	17	20	11	1	2	---	---	---	---	---	---	---	---
	F	52	1	---	---	---	---	---	1	3	4	7	6	7	9	4	4	2	2	1	---	---	---	---	---	---	---	---
33	Influenza—	947	63	16	12	1	3	11	11	18	25	14	38	56	34	47	53	70	61	83	69	95	92	64	27	4	---	---
	White—M	449	30	8	6	1	7	7	6	13	15	8	13	13	14	27	27	34	28	44	31	33						



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
ILLINOIS—Contd.																													
119,120	Diarrhea, enteritis, etc.*	395	201	42	20	5	5	6	5	2	6	9	5	5	6	8	12	3	5	10	11	11	6	6	4	—	—	—	
	White—M	214	103	33	14	5	1	6	2	—	3	3	2	3	4	4	6	—	4	5	6	7	—	2	1	—	—	—	
	F	147	78	6	6	—	3	—	2	2	2	4	3	1	2	4	—	2	—	4	5	—	—	—	—	—	—	—	
	All other—M	19	15	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—	
	F	13	7	1	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
121	Appendicitis	916	1	3	12	16	17	47	63	69	59	56	66	65	72	83	73	67	60	38	37	20	11	1	—	—	—	—	
	White—M	554	1	2	7	11	13	24	30	43	36	20	43	37	43	49	33	47	31	24	26	8	6	1	—	—	—	—	
	F	337	—	—	5	5	4	22	27	23	21	12	26	23	30	35	19	28	12	11	11	5	—	—	—	—	—	—	
	All other—M	30	—	—	—	—	—	1	3	1	2	2	3	2	4	4	3	1	1	2	—	—	—	—	—	—	—	—	
	F	15	—	—	—	—	—	—	3	2	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
122	Hernia, intestinal obstruction	799	46	8	4	6	4	6	4	13	11	24	15	23	27	61	81	66	87	94	82	73	38	16	9	—	—	1	
	White—M	390	26	5	2	3	3	3	4	8	4	10	7	7	12	21	27	30	45	45	43	39	22	8	6	—	—	—	
	F	361	16	3	2	2	1	3	—	5	6	11	4	12	11	36	35	52	39	46	37	33	16	7	3	—	—	1	
	All other—M	23	2	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	1	2	1	—	—	—	—	—	—	
	F	25	2	—	—	—	—	—	—	—	1	3	2	2	2	4	3	—	—	2	1	1	—	—	—	—	—	—	
124	Cirrhosis of the liver	876	—	1	—	—	—	1	2	1	4	13	22	45	62	100	105	114	89	111	90	60	31	20	4	1	—	—	
	White—M	574	—	—	—	—	—	1	2	—	1	6	13	29	43	59	79	86	62	77	57	34	15	9	1	—	—	—	
	F	269	—	1	—	—	—	—	—	—	3	6	8	12	16	35	21	25	24	29	32	16	11	3	—	—	—	—	
	All other—M	17	—	—	—	—	—	—	—	—	—	—	1	1	5	3	—	—	1	1	—	—	—	—	—	—	—	—	
	F	16	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	
126,127	Biliary calculi, etc.*	625	3	—	1	—	—	—	—	—	6	14	25	25	40	52	63	92	71	70	68	56	26	11	2	—	—	—	
	White—M	224	2	—	1	—	—	—	—	—	—	4	9	4	9	18	24	33	25	24	36	21	11	1	2	—	—	—	
	F	386	1	—	—	—	—	—	—	—	6	10	14	19	31	29	37	57	46	45	32	54	15	10	—	—	—	—	
	All other—M	8	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
130-132	Nephritis	7,572	11	1	1	5	2	15	19	26	74	85	76	124	237	322	454	546	674	916	1,060	1,180	1,030	514	168	24	8	2	
	White—M	3,548	7	—	—	3	2	6	9	12	40	37	29	49	92	148	203	244	332	428	517	554	496	250	83	5	3	1	
	F	3,555	4	1	1	2	—	9	10	11	26	38	31	45	94	136	201	241	282	425	498	610	515	252	83	19	1	3	
	All other—M	254	—	—	—	—	—	—	—	—	2	3	3	5	17	31	16	25	35	32	23	9	9	7	1	—	—	—	
	F	235	—	—	—	—	—	—	—	—	1	5	5	11	13	20	22	27	26	31	22	7	5	5	1	2	—	—	
137	Diseases of the prostate	551	—	—	—	—	—	—	—	—	1	—	—	—	—	2	9	8	23	43	100	119	110	37	8	1	—	—	
	White—M	525	—	—	—	—	—	—	—	—	1	—	—	—	—	1	6	7	18	42	91	116	89	35	8	1	—	—	
	All other—M	26	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	5	1	9	3	1	2	—	—	—	—	
140, 142a, 147	Puerperal septicemia	163	—	—	—	—	—	—	—	—	16	23	45	47	19	7	6	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	140	—	—	—	—	—	—	—	—	11	19	40	44	15	6	5	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	23	—	—	—	—	—	—	—	—	5	4	5	3	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—
141a,c, 144,148	Puerperal toxemia	77	—	—	—	—	—	—	—	9	16	19	17	12	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	74	—	—	—	—	—	—	—	9	16	17	17	11	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	130	—	—	—	—	—	—	1	8	26	26	34	25	8	2	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	110	—	—	—	—	—	—	1	5	23	20	31	21	7	2	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	20	—	—	—	—	—	—	—	3	3	6	3	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	Congenital malformations	785	671	29	12	8	5	14	9	10	9	3	4	2	4	4	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	421	358	21	9	4	2	7	5	5	7	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	337	291	8	3	4	2	6	4	3	2	2	3	1	4	3	1	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	13	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	14	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
159	Premature birth	1,350	1,350	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	694	694	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	523	523	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	79	79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	54	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163,164	Suicide	1,167	—	—	—	—	—	—	—	5	19	50	73	78	98	116	143	160											

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
	INDIANA																											
	All causes	39,510	2,502	260	139	86	83	321	312	515	665	654	868	994	1,215	1,687	2,156	2,816	3,233	4,312	4,834	5,199	3,955	2,090	639	134	15	27
	White	20,388	1,289	133	61	41	45	181	174	269	343	280	426	420	567	852	1,174	1,534	1,791	2,307	2,567	2,698	1,953	994	263	43	3	11
	All other	17,122	928	109	68	43	38	140	137	198	251	308	363	441	503	644	796	1,115	1,277	1,859	2,133	2,387	1,999	1,053	357	84	7	9
	Male	17,131	928	109	68	43	38	140	137	198	251	308	363	441	503	644	796	1,115	1,277	1,859	2,133	2,387	1,999	1,053	357	84	7	9
	Female	1,026	46	8	2	1	5	7	10	11	30	41	33	50	88	79	83	87	81	88	61	62	31	26	6	3	2	7
	White	965	46	8	2	1	5	7	10	11	30	41	33	49	65	66	78	81	84	78	68	68	32	17	13	4	3	—
1,2	Typhoid, paratyphoid fever	43	—	—	—	—	—	1	7	2	6	—	4	1	3	4	5	2	1	4	2	1	—	—	—	—	—	—
	White	27	—	—	—	—	—	1	4	—	3	—	3	1	3	3	2	2	1	5	1	—	—	—	—	—	—	—
	All other	12	—	—	—	—	—	—	2	2	3	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	Male	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal meningitis	22	6	3	1	1	—	2	1	1	1	1	1	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—
	White	17	4	2	—	1	—	2	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Male	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	50	1	6	3	3	7	11	3	7	1	2	2	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	White	28	1	3	3	1	5	7	2	2	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other	20	—	3	—	2	2	4	1	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Male	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	70	53	8	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White	27	24	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other	39	28	5	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Male	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	55	1	6	11	3	8	16	2	—	1	1	1	1	—	—	3	1	—	—	—	—	—	—	—	—	—	—
	White	22	—	3	5	2	2	6	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	All other	29	1	3	4	1	5	9	1	—	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Male	3	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,263	6	4	2	—	1	2	10	56	129	119	130	111	104	103	95	88	73	80	68	52	23	6	—	—	—	—
	White	543	1	2	—	—	—	2	11	32	37	45	39	57	51	57	57	40	43	29	26	10	3	—	—	—	—	—
	All other	547	1	1	1	—	1	2	30	72	64	64	61	30	32	26	23	28	33	38	24	13	3	—	—	—	—	—
	Male	91	2	1	—	—	—	—	5	11	10	11	5	14	14	7	5	2	3	1	1	—	—	—	—	—	—	—
	Female	82	2	—	—	—	1	1	6	12	14	8	10	6	3	6	5	3	3	1	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	150	6	5	3	1	8	14	2	13	6	10	14	8	9	12	9	5	6	6	6	4	3	—	—	—	—	—
	White	72	4	5	1	—	5	5	2	3	1	2	8	4	4	9	5	1	4	2	2	2	1	—	—	—	—	—
	All other	49	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Male	15	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery	32	14	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—
	White	17	7	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other	12	6	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Male	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria	6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—
	White	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	All other	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Male	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis	478	20	4	—	—	—	4	1	9	10	32	38	51	49	38	63	56	31	31	26	6	7	—	—	—	—	—
	White	287	7	1	—	—	—	1	—	4	4	17	19	31	25	21	44	47	20	18	19	5	3	—	—	—	—	

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	INDIANA—Con.																												
50	Cancer of breast	363				1						1	5	13	25	27	43	46	42	38	42	38	29	8	4	1			
	White—M	7																	1	1									
	F	344				1						1	5	13	21	26	42	43	40	35	41	36	29	6	4	1			
	All other—M																												
	F	12													3	1	1	3	1		2								
45,47, 51-55	Cancer (other forms)	1,153	1		4		2	4	11	10	13	10	14	21	39	53	68	113	128	150	174	170	95	49	20	1	1	2	
	White—M	777	1		2		1	3	2	5	11	6	7	4	18	31	42	73	90	107	135	122	70	34	11				
	F	343			2		1	1	9	5	2	4	6	16	18	19	23	33	33	40	36	45	25	15	8	1			
	All other—M	22													2	3	2	3	4	2	2	3							
	F	11											1	1	1		1	4	1	1									
58	Acute rheumatic fever	66				1		12	15	7	3	5	4	6	2	3	1	2	1		1		2	1					
	White—M	29				1		7	6	3	1	2	2	3	1	1		1				1	1						
	F	27						5	7	3	2	2	1	2	1			1					1	1					
	All other—M	4							1					1							1								
	F	6							1	1			1			2													
61	Diabetes mellitus	926		1			1	2	5	11	7	11	12	10	12	50	60	108	127	164	150	124	52	17	1			1	
	White—M	357		1				2	2	6	3	8	4	6	7	21	16	34	42	62	59	56	18	9				1	
	F	531					1	2	3	5	4	3	6	3	4	26	35	69	81	95	89	67	32	7	1			1	
	All other—M	11							3	5					2	3	1		2		2	1							
	F	27											2	1	1	1	6	4	4	5	2	1							
63b	Exophthalmic goiter	171									1	1	5	6	6	12	18	27	21	22	29	16	5	2					
	White—M	15											1	1	1	1	2	4	3	1	1	1							
	F	150									1	1	3	5	5	10	15	21	18	21	28	15	5	2					
	All other—M	2											2																
	F	4													1	1	2												
69	Pellagra (except alcoholic)	4												1				1		1									
	White—M	2																	1		1								
	F	1																											
	All other—M	1																											
	F																												
77	Alcoholism (ethylism)	44							1	2	1	4	9	3	6	3	4	4	4	4	1	2							
	White—M	36								1	1	2	6	3	6	2	4	4	4	4	1	2							
	F	1											1																
	All other—M	4										2	1				1												
	F	3							1	1			1																
85	Intracranial lesions of vascular origin	3,953	7		1		2	1	2	5	9	19	28	58	111	178	246	369	563	710	758	547	252	70	18				
	White—M	1,903	3		1		1	1	2	3	6	10	9	15	40	72	122	181	281	360	378	267	118	28	5				
	F	1,992	2				1		2	2	6	15	34	57	84	106	168	266	325	371	273	128	39	13					
	All other—M	63	1										3	3	4	8	8	7	6	10	5	4	4						
	F	95	1							1	3	1	6	10	14	10	12	10	15	4	3	2	3						
80-82, 84-86	Other diseases of nervous system, etc.*	477	29	10	9	3	2	8	13	17	9	10	26	26	16	35	26	36	40	44	43	52	16	6	1				
	White—M	239	11	5	6	3	1	5	7	9	2	5	11	8	4	16	7	19	28	22	17	27	13	2	1				
	F	220	18	3	3		1	3	6	7	7	3	15	14	9	17	8	17	12	20	26	24	3	4					
	All other—M	9		1						1			2	2	2						1								
	F	9		1							2		2	1						2									
89,104, 115	Diseases of ear, nose, and throat	215	21	7	6	8	4	25	17	12	7	14	7	11	8	11	10	11	6	6	5	2	2	2	2			1	
	White—M	109	7	4	3	4	3	13	8	8	7	4	7	4	7	3	6	3	7	3	3	2	2	1					
	F	95	14	3	3	4	1	11	8	3	4	3	5	2	3	5	4	6	4	3	3	3							
	All other—M	8						1	1	1	1		1	1	1														
	F	3						1					1					1											
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	779	2				17	15	16	10	18	17	19	19	32	49	53	80	85	103	114	79	40	8	2	1			
	White—M	376	2				9	6	9	5	3	8	7	5	19	20	30	41	44	45	59	38	22	3	1				
	F	358					7	9	7	5	14	8	9	13	12	19	18	39	54	51	40	18	5	1					
	All other—M	22					1					1	1	1	1	4	3	5	1	2	4								
	F	23											1		1	6	2	5	1	2									
94	Diseases of coronary arteries, angina pectoris	2,968	1						2	3	4	24	49	89	166	235	328	379	475	475	386	242	88	16	2	1		3	
	White—M	2,013								1	2	20	35	66	125	180	251	266	321	318	232	154	55	6				1	
	F	873	1						2	2	2	3	11	14	34	44	67	103	141	154	147	105	30	9	2			2	
	All other—M	50											8	6	8	4	4	7	7	7	5	1	2						
	F	32											1	3	1	3	6	5	6	1	2	2	1						
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	6,718	12	3	1	2	2	11	13	21	25	39	49	66	102	167	311	444	546	834	1,003	1,220	1,037	580	188	32	6	4	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99			
INDIANA—Con.																													
119,120	Diarrhea, enteritis, etc.*	318	189	29	6	5	4	2	3	3	3	7	3	6	2	4	4	10	6	7	9	9	16	8	4				
	White—M	155	91	12	4	4	2		1	1	2	2	3	3	3	3	3	3	3	3	4	4	6	6					
	F	150	72	16	2	1	2	2	1	1	—	5	2	3	2	1	7	2	3	5	5	11	2	4					
	All other—M	5	3							1										1									
	F	8	2	1					1		1								1				1						
121	Appendicitis	368		3	4	3	3	20	27	36	24	19	21	13	30	22	23	41	28	20	12	15	1	2	1				
	White—M	217		2	2	1	3	13	14	22	15	8	13	8	16	13	14	24	20	15	5	8	1	1					
	F	135		1	2	2	7	12	12	6	10	6	4	13	6	9	17	7	17	5	6	7	1	1	1				
	All other—M	8						1	2	2		1	1		1														
	F	8													1														
122	Hernia, intestinal obstruction	352	26	1	1		2	4	1	3	2	7	10	17	16	18	23	34	37	32	38	37	25	16	1	1			
	White—M	193	16	1	1		4	1	2	2	2	7	5	6	6	10	16	17	22	24	22	20	9	1	1				
	F	141	7				1			1		4	7	11	7	10	11	16	18	9	14	13	5	7					
	All other—M	9	1												1	1	1	1	1	1	1								
	F	9												1	2	1	1	1	1	1									
124	Cirrhosis of the liver	244	1					1			1	4	3	13	10	18	25	29	30	20	45	25	11	6	2				
	White—M	133	1					1				2	2	8	2	10	17	23	8	27	11	3		1					
	F	92									1	1	2	2	4	8	7	10	7	11	14	6	6	1					
	All other—M	11															1	1		1	3								
	F	8											1	1	2						1								
126,127	Biliary calculi, etc.*	219	1		1			3		1	2	1	7	5	10	10	13	25	23	32	34	28	18	3	2				
	White—M	65	1		1			2		1	1	3	1	4	2	3	7	7	7	11	8	8	3	2					
	F	149						1			1	4	4	5	7	10	17	16	21	25	19	15	3						
	All other—M	2													1	1													
	F	3																1			1								
150-152	Nephritis	3,948	7	2	1	2		8	9	12	15	20	36	59	84	111	166	247	299	498	624	743	588	307	91	16	1	2	
	White—M	2,053	4	2				5	5	6	7	6	13	17	35	49	80	137	155	264	350	394	305	166	44	7	1	1	
	F	1,686	3	1	2		3	4	6	6	13	15	32	40	46	66	95	112	201	259	329	273	131	42	6	1	1	1	
	All other—M	91						3	4			3	2	3	6	7	8	15	20	6	7	6	6	1	2				
	F	118								2	1	5	8	6	10	13	7	17	13	9	13	4	4	4	4				
137	Diseases of the prostate	184														1	2	7	9	23	37	44	38	19	3	1			
	White—M	178														1	2	6	8	22	37	42	38	19	3	1			
	All other—M	5																1	1	1	2								
140, 142a, 147	Puerperal septicemia	102								18	21	25	19	13	5	1													
	White—F	91								17	19	23	16	11	4	1													
	All other—F	11								1	2	2	3	2	1														
141a,c, 144,148	Puerperal toxemia	39								6	7	4	13	6	3														
	White—F	33								4	6	4	12	5	2														
	All other—F	6								2	1		1	1															
140b,d,f, 142b,143, 145,146, 149,150	Other puerperal causes	69								7	16	16	12	9	8	1													
	White—F	65								5	15	16	12	9	7	1													
	All other—F	4								2	1																		
157	Congenital malformations	327	292	9	5	3	2	3	5		2	1	2	1	1					1									
	White—M	189	166	6	1	2	1	2	5		2	1	2	1	1														
	F	133	121	3	4	1	1	1						1						1									
	All other—M	2	2																										
	F	3	3																										
159	Premature birth	696	696																										
	White—M	397	397																										
	F	256	256																										
	All other—M	26	26																										
	F	17	17																										
163,164	Suicide	575							2	7	30	31	45	51	43	53	69	55	64	55	33	30	4	2				1	
	White—M	437							1	5	21	16	31	34	30	42	59	43	50	44	29	28	2	1				1	
	F	131							1	2	7	12	14	17	13	11	10	11	14	11	3	2	2	1					
	All other—M	4									1	1									1								
	F	3									1	2																	
165-168	Homicide	129		1				2	2	7	15	6	20	18	7	16	13	5	5	9			1	1				1	
	White—M	53		1				1	4	5	3	4	7	2	8	4	4	3	5				1	1					
	F	26						1	1			1	6	2	3	4	1	1	3									1	
	All other—M	36						1	1	6	1	8	7	3	5	2			1	1									
	F	14							2	4	1	2	2			3													





VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99		
	IOWA—Continued																											
50	Cancer of breast	325										1	6	16	24	37	38	42	42	34	30	27	22	5	1			
	White—M	1																			1							
	F	322										1	6	16	24	37	38	41	42	34	28	27	22	5	1			
	All other—M																											
	F	2																1			1							
45,47, 51-55	Cancer (other forms)	1,030	2	2	2	3		6	10	10	4	10	13	16	26	46	60	82	115	171	140	152	100	46	10	2		
	White—M	750		1	1	2		4	7	5	3	5	8	12	18	31	39	54	83	132	105	123	77	33	6	1		
	F	272	2	1	1	1		2	3	5	1	5	5	4	8	14	20	27	30	39	34	28	22	15	4	1		
	All other—M	5														1	1				1							
	F	3																1	1									
58	Acute rheumatic fever	27		1		1	2	4	3	3	1	3	2	1							2	1	2	1				
	White—M	14				1	2	2	2	2		3									2		1	1				
	F	12		1			2	1	1	1			2	1								1	1					
	All other—M																											
	F	1					1																					
61	Diabetes mellitus	689	2	1		2		3		7	5	6	3	9	8	24	36	54	80	124	150	104	48	20	2	1		
	White—M	282				1		1		2	2	3	3	6	4	9	13	27	30	45	60	41	22	9	2			
	F	400		1		1		2		5	3	3	3	4	14	23	24	50	78	90	62	26	11					
	All other—M	2																1										
	F	5													1		2		1		1							
63b	Exophthalmic goiter	84									2	3	7	3	5	5	6	10	13	6	11	7	4	1	1			
	White—M	10									1		1	1	1		1	1	1		1	2						
	F	72									1	3	6	2	4	5	5	8	11	6	10	5	4	1	1			
	All other—M																											
	F	2																1	1									
69	Pellagra (except alcoholic)	3													1	1					1							
	White—M	3													1	1					1							
	F																											
	All other—M																											
	F																											
77	Alcoholism (ethylism)	36											3	3	5	5	3	5	4	2	5		1					
	White—M	33											3	2	5	4	3	4	4	2	5		1					
	F	2											1				1											
	All other—M	1													1													
	F																											
83	Intracranial lesions of vascular origin	2,788	6		1	1	1		1	5	4	8	7	14	31	41	102	155	242	377	501	559	415	235	67	12	3	
	White—M	1,464			1	1				3	2	4	4	7	16	22	40	82	143	223	278	287	201	114	27	3	3	
	F	1,296	3		1			1	2	2	2	4	2	7	14	18	59	70	94	148	219	271	211	121	40	9		
	All other—M	16														1	1											
	F	12																										
80-82, 84-88	Other diseases of nervous system, etc.*	341	16	2	3	3	5	4	8	11	8	8	12	16	18	22	18	19	33	36	40	31	17	8	3			
	White—M	170	10	1	1	2	2	2	5	9	6	4	9	7	9	12	8	7	19	14	17	14	9	2	1			
	F	168	6	1	2	1	3	2	3	2	2	4	3	8	9	10	9	12	14	21	23	17	8	6	2			
	All other—M	2																										
	F	1																										
89,104, 115	Diseases of ear, nose, and throat	168	25	8	5	12	1	18	9	6	9	4	6	3	4	10	9	6	9	6	4	6	4	2		2		
	White—M	89	17	4	3	5		8	6	3	7	2	1	2	3	4	5	2	7	3	2	3	2					
	F	77	8	3	1	7	1	10	3	3	2	2	5	1	1	6	4	4	2	3	2	3	2					
	All other—M	2		1	1																							
	F																											
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	555					6	11	7	6	6	9	14	27	33	25	47	50	63	72	89	52	30	6	1	1		
	White—M	294					2	6	4	5	2	2	6	15	23	14	29	28	29	33	31	26	15	4				
	F	249					3	5	3	1	4	7	8	11	9	11	16	20	32	39	37	25	15	2	1			
	All other—M	8													1	1												
	F	4					1											2										
94	Diseases of coronary arteries, angina pectoris	2,403		1							3	3	13	26	55	115	144	209	288	382	399	383	258	92	25	4	3	
	White—M	1,624									2	2	10	23	42	91	109	165	212	256	267	236	138	54	15	1	2	
	F	764		1							1	3	3	3	11	22	34	42	73	123	132	146	38	10	3			
	All other—M	11													2	2			1	3	2							
	F	4														1	1			1								
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	3,902	4	1			5	8	5	16	19	21	30	46	78	124	187	313	440	649	700	674	423	132	24	2	1	
	White—M	2,067	3	1			2	3	1	7	7	8	14	27	47	75	115	182	249	339	365	350	205	61	3	2	1	
	F	1,791	1				3	5	4	9	12	13	12	18	28	46	68	125	184	302	333	320	21					

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated				
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89
IOWA—Continued																										
119,120	Diarrhea, enteritis, etc.*	133	61	9	7	2	2	2	2	3	2	1	3	2	2	1	2	1	4	2	4	8	7	5	1	
	White—M	80	36	7	2	2	1	2	1	2	1	1	2	2	2	1	1	1	1	2	1	6	4	3	1	
	F	52	25	2	5	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
121	Appendicitis	321	—	3	7	5	4	24	28	28	22	12	27	19	20	25	18	25	16	13	15	7	5	3	1	
	White—M	189	—	2	5	3	1	11	15	21	18	7	14	14	13	12	13	8	14	8	3	3	1	—	—	
	F	129	—	1	2	2	3	13	13	7	4	5	12	4	7	11	4	15	2	5	10	4	3	2	—	
	All other—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
122.	Hernia, intestinal obstruction	280	19	2	2	1	—	4	2	2	4	4	10	4	14	11	10	22	27	35	32	29	26	11	6	3
	White—M	122	9	2	1	1	—	3	1	1	3	1	3	1	6	2	7	7	17	15	17	14	3	1	1	
	F	166	10	—	1	—	—	1	1	1	1	3	7	3	8	9	3	14	21	17	17	12	8	5	2	
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
124	Cirrhosis of the liver	157	—	—	—	—	—	—	—	—	2	—	2	4	10	9	14	13	16	16	19	17	9	5	1	
	White—M	98	—	—	—	—	—	—	—	—	1	—	2	3	8	5	10	10	9	11	14	15	8	4	—	
	F	59	—	—	—	—	—	—	—	—	1	—	1	2	4	4	4	3	7	5	5	4	1	1	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
126,127	Biliary calculi, etc.*	190	—	—	—	—	—	—	—	1	2	2	5	5	8	18	20	25	24	22	23	17	10	5	3	
	White—M	65	—	—	—	—	—	—	—	1	1	1	1	1	4	5	7	7	6	5	9	10	5	3	1	
	F	124	—	—	—	—	—	—	—	1	1	1	4	5	4	13	12	18	18	17	14	7	5	2	2	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
130-132	Nephritis	1,684	1	1	1	2	—	4	2	6	8	10	16	20	27	57	79	106	163	206	253	263	260	146	40	12
	White—M	943	1	1	1	2	—	1	1	2	6	5	9	12	16	31	45	63	81	121	134	148	154	83	21	5
	F	702	—	—	—	—	—	3	1	4	2	5	6	8	11	21	32	39	60	75	113	111	104	62	18	6
	All other—M	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
137	Diseases of the prostate	245	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	244	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140, 142a, 147	Puerperal septi-cemia	66	—	—	—	—	—	—	—	5	14	18	12	8	8	1	—	—	—	—	—	—	—	—	—	
	White—F	64	—	—	—	—	—	—	—	5	14	17	12	7	8	1	—	—	—	—	—	—	—	—	—	
	All other—F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141a,c, 144,148	Puerperal toxemias	25	—	—	—	—	—	—	—	1	7	4	8	3	1	1	—	—	—	—	—	—	—	—	—	
	White—F	25	—	—	—	—	—	—	—	1	7	4	8	3	1	1	—	—	—	—	—	—	—	—	—	
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	40	—	—	—	—	—	—	—	10	11	3	9	6	1	—	—	—	—	—	—	—	—	—	—	
	White—F	40	—	—	—	—	—	—	—	10	11	3	9	6	1	—	—	—	—	—	—	—	—	—	—	
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	Congenital mal-formations	319	269	11	8	3	1	5	5	4	3	—	2	3	2	2	—	—	—	—	—	—	—	—	—	
	White—M	171	144	8	6	1	1	1	3	2	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	
	F	146	123	3	2	2	—	4	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
159	Premature birth	559	559	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	327	327	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	226	226	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163,164	Suicide	451	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	340	—	—	—	—	—	—	—	2	6	19	25	26	35	41	47	50	49	45	35	29	7	11	3	
	F	90	—	—	—	—	—	—	—	2	4	5	6	8	8	9	11	8	13	8	5	7	2	1	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
165-168	Homicide	45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	5	—	—	—</																					







GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
	KENTUCKY																											
	All causes—	29,507	1,387	458	198	124	118	352	388	672	794	805	849	968	1,104	1,318	1,600	1,761	2,143	2,895	2,891	2,784	2,285	1,148	421	108	31	5
	White—M	14,162	1,671	211	99	67	55	189	204	343	414	353	379	428	502	604	708	851	1,037	1,446	1,469	1,361	1,079	495	158	32	6	3
	F	11,373	1,268	219	79	43	56	137	138	247	252	285	311	339	348	427	518	600	796	1,092	1,187	1,191	1,029	556	221	58	5	1
	All other—M	2,148	164	14	10	6	3	15	26	32	71	95	93	110	129	144	205	178	165	210	179	135	89	54	13	5	3	
	F	1,824	114	14	10	8	4	11	20	50	57	72	66	91	125	145	169	132	145	147	156	97	89	45	29	13	17	1
1,2	Typhoid, paratyphoid fever—	122	2	—	—	1	2	6	13	20	14	10	8	10	6	3	6	6	3	2	—	—	—	—	—	—	—	—
	White—M	61	1	—	—	—	1	1	8	7	9	5	6	4	3	1	2	5	4	2	2	—	—	—	—	—	—	—
	F	44	1	—	—	—	1	4	5	10	3	3	1	4	5	4	1	1	1	—	—	—	—	—	—	—	—	—
	All other—M	11	—	—	—	1	—	—	—	—	1	2	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	50	14	9	3	2	—	4	3	6	2	2	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—
	White—M	30	7	6	3	1	—	4	2	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	5	3	—	1	—	—	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	3	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	31	2	6	2	3	2	7	4	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	19	2	3	2	2	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	3	—	1	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	87	42	13	5	3	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	34	23	3	3	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	17	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	91	12	20	14	11	11	17	1	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	43	4	13	6	4	4	6	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	43	8	7	6	6	6	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	3	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,810	10	4	1	1	2	1	19	104	173	202	169	163	154	152	151	108	98	126	80	63	33	12	2	1	—	1
	White—M	752	6	1	1	—	1	—	2	28	65	67	48	82	87	78	62	47	42	54	33	28	12	7	—	—	—	—
	F	755	4	3	—	—	1	1	10	43	72	94	87	61	45	45	44	48	61	38	32	20	5	2	1	—	—	—
	All other—M	172	—	—	—	—	—	—	3	8	21	23	20	14	12	17	20	15	6	8	4	1	—	—	—	—	—	—
	F	130	—	—	—	—	—	—	4	25	15	18	14	6	12	14	6	2	2	5	5	2	1	—	—	—	—	—
14-22	Tuberculosis (other forms)—	186	10	9	7	3	2	8	9	10	11	19	10	9	12	7	13	8	8	9	11	10	—	—	—	—	—	—
	White—M	74	5	5	4	3	1	3	3	1	2	8	5	5	2	5	3	4	5	6	3	3	—	—	—	—	—	—
	F	69	5	3	2	—	1	3	1	5	3	7	2	4	4	1	6	4	2	3	5	7	—	—	—	—	—	—
	All other—M	24	—	1	1	—	—	1	3	2	4	3	2	1	1	1	2	—	1	—	3	—	—	—	—	—	—	—
	F	19	—	1	—	—	—	1	2	2	2	1	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery—	192	88	27	8	4	1	2	3	—	2	2	—	3	3	3	4	4	3	6	11	4	3	10	1	—	—	—
	White—M	106	51	12	5	2	1	1	1	—	1	1	—	1	2	1	2	3	2	3	7	1	1	7	1	—	—	—
	F	75	32	15	3	2	—	1	2	—	—	—	—	2	1	1	1	1	3	2	2	2	3	—	—	—	—	—
	All other—M	7	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria—	29	2	—	—	1	1	1	—	2	1	—	2	—	—	2	2	1	2	3	2	1	5	1	—	—	—	—
	White—M	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
	F	16	1	—	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	3	2	1	2	1	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis—	335	36	1	2	1	—	3	2	1	11	12	21	21	33	37	39	30	27	19	14	15	5	3	1	1	—	—
	White—M	156	16	1	1	—	—	1	1	4	2	10	10	13	22	17	13	9	15	9	10	1	1	1	1	—	—	—
	F	78	10	—	—	—	—	2	1	1	6	2	6	6	4	5	6	8	7	1	4	4	3	—	—	—	—	—
	All other—M	78	9	—	—	—	—	1																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
KENTUCKY—Contd.																												
50	Cancer of breast	200	---	---	---	---	---	---	---	---	---	---	---	5	7	19	23	23	18	28	28	18	14	8	6	2	1	---
	White—M	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	175	---	---	---	---	---	---	---	---	---	---	---	5	5	16	22	18	14	25	24	18	12	8	5	2	1	---
45,47, 51-55	All other—M	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	20	---	---	---	---	---	---	---	---	---	---	---	2	3	1	4	4	1	5	---	2	---	---	---	---	---	---
	Cancer (other forms)	662	1	1	4	1	1	4	3	6	6	7	16	13	16	30	56	66	76	107	100	80	51	26	9	1	1	---
58	White—M	402	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	200	1	1	1	---	1	2	1	1	1	3	5	3	6	13	14	23	21	25	22	25	16	9	6	---	---	
	All other—M	46	---	---	---	---	---	---	---	---	---	---	---	1	1	1	---	---	---	---	---	---	---	---	---	---	---	---
61	F	14	---	---	---	---	---	---	---	---	---	---	---	1	1	1	---	---	---	---	---	---	---	---	---	---	---	---
	Acute rheumatic fever	32	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M	15	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
63b	F	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
69	Diabetes mellitus	491	1	1	---	---	---	2	8	8	10	10	2	9	13	16	44	42	78	93	75	42	29	10	3	---	---	
	White—M	196	1	---	---	---	---	1	4	6	5	3	2	9	10	10	30	38	33	19	13	4	4	2	---	---	---	
	F	240	---	1	---	---	---	1	3	2	4	6	2	7	4	21	26	37	44	41	22	18	4	---	---	---	---	
77	All other—M	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	39	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Exophthalmic goiter	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
83	White—M	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
84-88	F	10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Pellagra (except alcoholic)	81	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M	35	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
90a,92b, 92c,93c, 95b	F	42	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
94	Alcoholism (ethylism)	51	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M	42	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
99	All other—M	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Intracranial lesions of vascular origin	2,488	8	4	1	1	1	3	5	5	14	9	14	37	53	105	143	190	233	379	432	379	286	131	43	10	2	---
107-109	White—M	1,077	4	4	1	---	1	2	3	7	5	7	10	19	36	53	84	99	172	187	177	131	55	14	3	1	---	
	F	1,038	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	168	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
117	F	205	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Other diseases of nervous system, etc.*	350	44	14	4	2	4	15	13	22	16	13	9	14	10	14	17	17	26	19	19	14	4	1	1	1	---	
	White—M	163	29	6	---	2	1	7	6	12	9	7	2	5	7	10	36	53	6	6	9	17	11	9	7	3	1	---
117	F	130	10	8	3	---	3	7	5	8	7	5	5	3	7	8	9	5	6	6	10	7	1	---	---	---	---	
	All other—M	18	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	19	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
117	Diseases of ear, nose, and throat	172	10	12	4	5	2	18	11	19	14	7	9	9	6	8	7	3	5	5	4	5	1	1	1	---	---	
	White—M	94	7	8	1	4	1	10	5	9	10	5	4	5	4	4	3	1	1	4	2	1	4	2	1	---	---	
	F	64	2	3	3	1	1	7	5	9	3	1	4	4	2	1	2	3	2	4	1	2	3	1	---	---	---	
117	All other—M	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	5	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Chronic rheumatic diseases of heart	471	2	---	---	---	1	5	13	13	11	16	15	11	13	29	31	41	31	57	59	58	44	15	5	1	---	
117	White—M	217	1	---	---	---	1	2	8	7	7	5	4	9	8	11	18	13	27	27	33	20	6	3	---	---		
	F	184	1	---	---	---	---	3	4	6	2	5	6	7	2	11	12	13	11	21	25	23	21	8	2	1	---	
	All other—M	55	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
117	F	35	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	Diseases of coronary arteries, angina pectoris	1,305	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—M	785	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
117	F	384	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	80	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	56	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
117	Diseases of heart (other forms)	4,396	11	4	2	4	3	7	11	20	27	22	45	75	108	160</												





VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1	to 1	to 2	to 3	to 4	to 5	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99		and over
	LOUISIANA																												
	All causes	24,521	5,077	357	185	101	95	274	312	574	735	884	873	1,089	1,214	1,478	1,756	1,846	1,906	2,274	1,928	1,384	1,057	659	249	103	59	52	
	White—M	7,536	769	81	64	36	22	89	92	145	175	226	193	267	336	454	550	644	717	836	677	487	394	184	57	10	3	8	
	F	5,623	574	87	31	27	15	67	68	97	133	153	163	163	215	256	310	368	444	586	597	507	392	254	87	23	4	2	
	All other—M	5,978	939	101	39	20	29	72	80	145	199	254	260	313	343	407	491	454	386	503	357	215	144	109	44	32	18	24	
	F	5,364	775	88	51	18	29	46	72	137	228	251	257	346	320	361	405	380	359	349	297	175	127	112	61	38	54	18	
1,2	Typhoid, paratyphoid fever	132	1	---	---	3	2	10	14	24	21	17	8	9	2	8	4	3	2	4	---	---	---	---	---	---	---	---	
	White—M	37	---	---	---	---	1	2	6	10	7	4	---	---	---	3	1	1	1	1	---	---	---	---	---	---	---	---	
	F	25	---	---	---	---	2	3	4	4	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	32	---	---	1	2	2	4	4	4	3	4	2	1	1	3	---	---	1	1	---	---	---	---	---	---	---	---	
	F	38	1	---	---	---	5	5	10	4	3	---	3	1	2	---	---	---	---	---	---	---	---	---	---	---	---	---	
6	Cerebrospinal (meningococcus) meningitis	20	---	2	2	2	1	5	2	---	1	1	2	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—M	10	---	1	1	2	---	3	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	2	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	3	---	---	---	---	1	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	5	---	1	---	---	1	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
8	Scarlet fever	5	1	1	---	---	---	1	---	---	---	1	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—M	2	---	---	---	---	1	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	3	1	1	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
9	Whooping cough	109	80	17	5	3	---	3	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—M	22	16	4	1	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	28	20	3	2	1	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	25	19	4	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	34	25	6	1	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
10	Diphtheria	67	6	18	13	8	6	12	2	---	---	---	---	---	---	---	1	---	---	---	1	---	---	---	---	---	---	---	
	White—M	22	2	6	5	4	---	4	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	
	F	22	2	7	2	4	1	4	1	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	
	All other—M	12	2	3	2	---	2	2	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	11	---	2	4	---	3	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
13	Tuberculosis of respiratory system, etc.*	1,299	4	4	1	---	---	3	13	69	153	165	149	141	124	120	106	80	64	55	26	13	6	2	1	---	---	2	
	White—M	355	---	---	---	---	---	---	3	6	18	24	27	36	40	49	36	37	37	28	10	6	3	---	---	---	---	---	
	F	179	1	1	---	---	---	---	3	6	18	26	19	20	16	19	9	11	13	5	6	5	1	1	1	---	---	---	
	All other—M	395	1	2	1	---	---	1	1	24	50	50	47	44	48	38	34	22	7	15	5	1	2	1	---	---	---	1	
	F	370	2	1	---	---	---	2	9	35	67	65	56	41	20	15	28	10	7	5	5	1	---	---	---	---	---	---	1
14-22	Tuberculosis (other forms)	85	5	5	1	1	---	1	2	6	6	6	9	13	6	8	5	3	2	3	3	---	---	---	---	---	---	---	
	White—M	10	1	1	---	---	---	1	---	---	---	---	1	1	1	1	1	1	1	1	---	---	---	---	---	---	---	---	
	F	10	1	---	---	1	---	---	---	---	1	---	2	1	---	---	1	---	---	---	1	---	---	---	---	---	---	---	
	All other—M	34	1	4	---	---	1	---	2	1	3	3	7	4	3	1	1	---	---	3	1	---	---	---	---	---	---	---	
	F	31	2	---	1	---	---	1	4	4	3	3	4	1	3	3	1	---	---	---	---	---	---	---	---	---	---	---	
27	Dysentery	66	17	6	2	1	---	---	1	1	---	---	5	3	2	6	4	2	1	3	3	3	3	2	1	---	---		
	White—M	19	1	2	2	1	---	---	---	---	---	---	1	1	1	1	1	2	1	1	1	2	1	1	2	---	---		
	F	8	4	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	1	---	---	---	---	---		
	All other—M	26	10	2	---	---	---	1	---	1	---	1	1	1	4	2	---	---	1	2	---	1	---	1	---	---	---		
	F	18	2	2	---	---	---	---	---	1	---	---	1	1	1	1	---	---	---	2	---	---	---	---	---	---	---		
28	Malaria	112	13	7	6	---	6	6	4	2	8	6	2	9	5	5	5	1	6	12	4	2	2	1	2	---	---		
	White—M	21	2	1	1	---	1	---	---	---	2	3	---	---	2	1	3	1	1	3	1	---	1	---	---	---	---		
	F	24	3	1	1	---	1	---	---	---	1	1	---	2	1	---	---	---	4	4	4	---	---	---	1	---			
	All other—M	50	4	3	2	---	1	3	1	1	1	1	1	2	1	1	2	---	1	4	---	1	---	1	---	---	---		
	F	37	4	3	2	---	4	2	3	1	4	2	1	5	1	---	---	---	---	1	4	---	2	1	---	---	---		
30	Syphilis	640	106	7	5	1	1	4	3	6	18	35	47	64	52	75	58	55	41	28	15	13	2	---	---	---	---	4	
	White—M	100	8	---	---	---	1	---	---	1	1	3	6	15	13	16	16	11	3	5	1	2	---	---	---	---	---		
	F	30	2	---	---	---	---	---	1	2	1	2	---	---	3	3	4	2	4	3	2	---	---	---	---	---	---		
	All other—M	345	58	3	2	---	1	2	2	8	24	35	38	26	46	27	25	15	17	5	9	---	---	---	---	---	---		
	F	165	38	4	3	1	---	2	1	5	7	9	8	13	13	12	12	13	4	2	1	---	---	---	---	---	---		
35	Influenza	539	125	24	15	7	2	18	13	20	6	25	16	11	14	19	26	35	26	28	27	30	29	14	5	4	---		
	White—M	139	59	6	7	2	1	5	1	6	---	5	1	1	1	3	3	7											

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
LOUISIANA—Con.																												
50	Cancer of breast—M	164																										
	White—M	2																										
	All other—M	110																										
45, 47, 51-55	Cancer (other forms)—M	646	2	2	2	2	3	5	5	7	9	7	14	20	45	56	74	82	108	91	52	32	18	7	3		2	
	White—M	365	2	2	2	2	1	2	2	4	6	3	6	10	28	24	49	48	65	47	36	16	10	5	1			
	All other—M	147																										
58	Acute rheumatic fever—M	15																										
	White—M	4																										
	All other—M	11																										
61	Diabetes mellitus—M	381																										
	White—M	106																										
	All other—M	168																										
63b	Exophthalmic goiter—M	45																										
	White—M	5																										
	All other—M	21																										
69	Pellagra (except alcoholic)—M	79																										
	White—M	9																										
	All other—M	17																										
77	Alcoholism (ethylism)—M	14																										
	White—M	9																										
	All other—M	4																										
83	Intracranial lesions of vascular origin—M	1,568	5				1	4	5	8	20	21	28	75	100	173	155	199	237	199	139	105	56	24	12	4		
	White—M	438	1				1	4	2	2	5	7	9	11	20	39	42	55	77	52	39	32	19	3	2			
	All other—M	397	3				1	1	2	1	3	5	4	16	21	27	37	43	57	58	52	39	17	9	3	1		
80-82, 84-88	Other diseases of nervous system, etc.—M	205	20	8	9	1	2	5	14	14	10	22	13	7	9	14	16	12	10	6	5	3	2	1				
	White—M	73	6	5	6	1	1	6	6	2	4	8	2	1	5	7	5	5	6	1	3	1	1	1				
	All other—M	65	6	1	1	1	3	3	7	4	9	6	4	1	4	5	2	2	3	1	1	1	1					
89, 104, 115	Diseases of ear, nose, and throat—M	132	28	3	1	5	2	13	9	5	11	14	9	6	10	6	3	2	1	2	4							
	White—M	38	7	1	1	2	3	3	2	2	2	5	4	2	4	1	1	1	1	1								
	All other—M	28	5	5	1	1	4	4	3	5	2	1	1	1	1	1	1	1	1	1								
90a, 92b, 92c, 93c, 95b	Chronic rheumatic diseases of heart—M	432																										
	White—M	96																										
	All other—M	114																										
94	Diseases of coronary arteries, angina pectoris—M	1,024																										
	White—M	575																										
	All other—M	130																										
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of heart (other forms)—M	3,998	7	2	1	2	1	5	10	17	20	56	61	111	158	246	326	372	422	625	502	442	315	180	78	25	18	16
	White—M	1,218	3																									
	All other—M	897	1	1																								
107-109	Pneumonia (all forms)—M	1,918	552	90	34	12	21	28	27	40	49	62	55	70	78	98	89	99	89	93	80	59	45	32	10	2	1	3
	White—M	481	118	18	10	3	4	9	6	2	9	9	11	19	19	23	26	28	36	32	34	24	24	13	3			1
	All other—M	587	194	32	9	4	9	8	9	16	12	24	16	30	32	37	27	35	27	29	15	13	3	3	1			1
117	Ulcer of stomach or duodenum—M	150																										
	White—M	76																										
	All other—M	41																										

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			1	1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
LOUISIANA—Con.																													
119,120	Diarrhea, enteritis, etc.*	371	248	47	13	1	—	6	—	2	3	3	3	4	4	3	4	1	1	6	3	3	8	5	2	—	—	1	
	White—M	89	59	10	3	—	—	—	—	1	2	1	2	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	
	F	63	42	11	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
	All other—M	121	88	14	4	—	—	2	—	1	—	1	1	1	2	—	—	—	1	1	1	—	4	—	—	—	—	—	
	F	98	59	12	5	1	—	3	—	—	—	1	2	1	1	1	1	—	—	2	2	2	2	1	—	—	—	—	
121	Appendicitis	288	—	—	4	3	2	24	33	32	30	16	17	31	15	17	13	14	12	14	6	3	1	—	—	—	—	1	
	White—M	111	—	—	4	1	1	6	11	9	10	5	7	16	5	8	4	4	5	9	4	2	—	—	—	—	—	—	
	F	71	—	—	—	—	—	9	9	7	4	1	4	6	5	4	6	5	1	1	1	—	—	—	—	—	—	—	
	All other—M	60	—	—	—	1	1	5	7	10	6	2	3	6	3	3	3	2	2	3	1	—	—	—	—	—	—	—	
	F	46	—	—	—	—	—	4	6	6	7	5	6	5	1	2	2	—	—	1	—	—	—	—	—	—	—	—	
122	Hernia, intestinal obstruction	257	29	3	2	2	4	3	3	5	9	9	20	14	20	9	19	26	12	22	17	7	11	6	3	1	—	1	
	White—M	81	6	—	—	1	2	2	2	3	—	—	1	1	4	4	11	9	4	5	9	2	6	3	1	—	—	—	
	F	59	6	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	69	11	1	—	1	2	—	1	1	1	1	2	6	5	2	4	7	3	10	4	2	1	2	—	—	—	—	
	F	48	6	2	2	—	—	—	—	—	7	4	7	2	7	1	1	3	1	1	2	1	1	—	—	—	—	—	
124	Cirrhosis of the liver	181	—	—	1	—	—	2	—	—	—	—	4	1	8	9	15	28	25	14	23	21	6	4	—	—	—	—	
	White—M	82	—	—	—	—	—	—	—	—	—	—	1	1	4	3	5	11	11	9	13	9	3	1	2	—	—	—	
	F	37	—	—	1	—	—	—	—	—	—	—	2	—	2	2	5	3	3	3	3	9	1	2	1	—	—	—	
	All other—M	36	—	—	—	—	—	1	—	—	—	—	1	—	3	6	1	9	6	1	4	2	1	1	—	—	—	—	
	F	24	—	—	—	—	—	—	—	—	—	—	1	3	3	1	3	7	1	3	1	1	—	—	—	—	—	—	
126,127	Biliary calculi, etc.*	75	—	—	—	—	—	—	—	—	1	2	1	2	3	11	10	12	6	9	7	6	3	2	—	—	—	—	
	White—M	24	—	—	—	—	—	—	—	—	—	—	—	1	2	1	4	3	4	5	1	1	2	—	—	—	—	—	
	F	33	—	—	—	—	—	—	—	—	—	—	1	2	1	4	3	5	1	4	5	4	2	—	—	—	—	—	
	All other—M	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	
	F	11	—	—	—	—	—	—	—	—	—	—	—	—	1	5	1	3	1	—	—	—	—	—	—	—	—	—	—
130-132	Nephritis	2,378	6	2	3	—	2	10	5	21	15	20	40	75	108	137	198	222	280	305	314	227	197	130	35	14	11	3	
	White—M	821	3	1	1	—	5	1	3	4	7	8	10	28	25	48	59	70	98	98	79	63	75	29	9	1	1	—	
	F	596	1	1	—	1	1	3	6	3	3	9	18	19	20	35	39	67	69	103	85	60	44	7	2	—	—	—	
	All other—M	586	1	—	—	—	3	1	4	3	3	12	13	28	46	61	59	65	78	78	47	41	27	10	4	2	1	—	
	F	575	2	—	1	—	1	1	1	8	5	7	16	32	55	48	54	65	78	60	54	32	21	30	9	7	8	2	
137	Diseases of the prostate	140	—	—	—	—	—	—	—	—	—	—	—	1	—	2	7	10	22	31	22	20	11	9	3	1	1	—	
	White—M	71	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	7	13	15	14	10	4	2	—	—	—	
	All other—M	69	—	—	—	—	—	—	—	—	—	—	—	1	—	2	6	5	15	18	7	6	1	5	1	1	—	—	
140, 142a, 147	Puerperal septicemia	116	—	—	—	—	—	—	—	24	20	23	21	21	5	1	1	—	—	—	—	—	—	—	—	—	—	—	
	White—F	47	—	—	—	—	—	—	—	7	11	11	7	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	69	—	—	—	—	—	—	—	17	9	12	14	14	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
141a,c, 144,148	Puerperal toxemias	88	—	—	—	—	—	1	25	24	9	17	7	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	35	—	—	—	—	—	—	5	11	6	10	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	53	—	—	—	—	—	1	20	13	3	7	5	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	98	—	—	—	—	—	—	—	11	18	26	18	21	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	50	—	—	—	—	—	—	—	2	9	12	10	14	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	48	—	—	—	—	—	—	—	9	9	14	8	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	Congenital malformations	171	145	5	6	2	—	4	3	—	3	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	73	61	3	2	—	—	1	2	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	43	37	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	32	26	2	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	23	21	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
159	Premature birth	821	821	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	219	219	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	165	165	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	211	211	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	226	226	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163,164	Suicide	214	—	—	—	—	—	1	9	15	34	20	19	21	28	15	14	19	8	5	3	2	1	—	—	—	—	—	
	White—M	152	—	—	—	—	—	1	3	7	23	14	14	17	20														







VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
	MARYLAND																											
	All causes—	20,831	1,422	147	71	62	45	174	170	308	445	466	535	705	931	1,124	1,460	1,717	1,882	2,263	2,254	2,050	1,544	727	255	56	8	12
	White—M	8,754	509	54	26	30	22	76	62	101	147	157	158	258	360	445	607	796	881	1,059	1,036	923	674	263	94	15	1	2
	F	7,460	393	34	22	13	9	54	43	64	99	116	148	166	241	308	415	566	657	857	944	952	790	406	131	29	2	1
	All other—M	2,503	292	24	12	9	6	26	25	75	95	106	127	142	161	201	248	187	198	191	147	105	48	27	14	8	2	7
	F	2,114	228	35	11	10	8	18	40	66	104	87	102	139	149	172	190	168	146	156	127	70	32	31	16	4	3	2
1,2	Typhoid, paratyphoid fever—	18	—	—	—	1	—	1	1	—	6	1	2	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—
	White—M	6	—	—	—	1	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	6	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	10	2	—	1	—	1	—	—	1	1	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—M	7	1	—	—	—	—	—	—	1	1	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	5	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	22	16	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	7	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	22	—	3	1	2	4	7	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	White—M	11	—	1	1	2	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	1	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,215	14	8	5	4	1	9	17	100	146	135	112	118	106	95	101	66	65	56	55	17	7	—	—	—	—	—
	White—M	396	1	2	1	1	—	1	—	6	13	22	21	39	40	40	62	38	41	33	22	9	4	—	—	—	—	—
	F	236	2	1	2	—	—	1	—	16	30	40	29	19	15	15	12	11	12	13	9	6	3	—	—	—	—	—
	All other—M	303	5	1	—	2	1	4	2	56	46	31	32	32	37	27	20	9	7	7	2	—	—	—	—	—	—	—
	F	280	6	4	2	1	—	3	15	42	57	42	30	28	14	13	7	8	5	3	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)—	76	1	4	2	2	3	6	6	2	7	11	8	4	3	4	2	3	2	1	—	2	2	1	—	—	—	—
	White—M	19	—	—	1	—	1	1	1	—	—	6	1	2	1	2	—	—	—	—	—	2	—	1	—	—	—	—
	F	15	—	—	1	—	—	2	1	—	—	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	All other—M	25	—	3	—	—	2	3	1	—	5	1	4	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	17	1	1	—	2	—	3	2	2	2	2	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery—	37	22	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	2	5	—	3	2	1	—	—	—	—
	White—M	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	15	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis—	483	20	3	—	—	—	1	3	1	14	21	29	51	57	57	77	42	50	29	18	8	1	1	—	—	—	—
	White—M	117	2	—	—	—	—	—	1	—	1	2	3	9	9	13	20	12	22	8	10	4	1	—	—	—	—	—
	F	40	—	1	—	—	—	—	—	—	—	—	—	2	1	4	6	3	4	5	2	3	—	—	—	—	—	—
	All other—M	205	6	1																								





VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																	100 and over	Not stated							
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
MARYLAND—Contd.																												
119,120	Diarrhea, enteritis, etc.*	232	157	15	7	1	4	1	1	3	—	1	3	4	2	2	4	3	2	3	8	2	5	3	1	—	—	
	White—M	81	47	7	4	—	3	1	—	—	—	—	—	1	3	—	—	—	—	—	1	—	—	—	—	—	—	
	F	54	39	—	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	59	45	5	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	38	26	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
121	Appendicitis	143	2	1	1	1	1	7	11	8	4	7	13	9	13	7	12	15	10	8	6	5	2	—	—	—	—	
	White—M	61	1	1	—	1	1	3	4	4	3	1	4	2	2	6	5	5	5	4	2	1	—	—	—	—	—	
	F	54	—	—	1	—	—	2	3	2	1	4	6	3	8	3	7	5	3	2	3	1	—	—	—	—	—	
	All other—M	20	1	—	—	—	—	2	2	2	—	1	2	2	3	2	—	—	—	—	—	—	—	—	—	—	—	
F	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
122	Hernia, intestinal obstruction	167	7	2	—	—	—	1	—	—	—	3	7	5	6	12	17	14	19	13	17	16	13	9	4	1	—	
	White—M	72	5	2	—	—	—	—	—	—	—	1	1	1	4	10	6	8	6	9	8	6	5	1	—	—	—	
	F	51	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
124	Cirrhosis of the liver	110	—	—	—	—	—	1	1	—	—	—	2	5	3	10	10	12	16	16	14	8	6	4	2	—	—	
	White—M	65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
126,127	Biliary calculi, etc.*	82	—	—	—	—	—	—	—	—	—	—	1	1	3	3	10	13	13	7	11	10	5	2	2	1	—	
	White—M	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
130-132	Nephritis	2,216	1	—	—	3	—	1	5	6	15	8	20	46	73	92	141	186	204	317	313	334	262	126	54	8	1	
	White—M	875	—	—	—	2	—	—	2	4	7	3	7	14	20	31	49	67	84	139	135	127	118	43	24	1	—	
	F	873	—	—	—	1	—	—	2	6	4	5	11	20	28	36	65	68	106	131	164	126	73	20	6	1	—	
	All other—M	241	1	—	—	—	—	—	1	2	2	—	3	7	11	17	31	24	21	43	26	31	12	5	4	—	—	
F	227	—	—	—	—	—	—	—	—	—	—	1	5	14	22	16	25	30	31	29	25	12	6	5	6	1	—	
137	Diseases of the prostate	108	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
140, 142a, 147	Puerperal septicemia	51	—	—	—	—	—	—	—	—	—	3	14	10	12	8	3	1	—	—	—	—	—	—	—	—	—	
	White—F	35	—	—	—	—	—	—	—	—	—	1	10	7	6	7	3	1	—	—	—	—	—	—	—	—	—	
	All other—F	16	—	—	—	—	—	—	—	—	—	2	4	3	6	1	—	—	—	—	—	—	—	—	—	—	—	
141a,c, 144,148	Puerperal toxemia	21	—	—	—	—	—	—	1	5	1	2	5	5	2	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	14	—	—	—	—	—	—	1	1	1	2	3	5	2	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	33	—	—	—	—	—	—	—	—	—	1	5	3	13	7	3	1	—	—	—	—	—	—	—	—	—	
	White—F	23	—	—	—	—	—	—	—	—	—	—	3	3	9	5	2	1	—	—	—	—	—	—	—	—	—	
	All other—F	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	Congenital malformations	183	147	11	3	5	2	4	1	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	80	62	5	3	4	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	76	65	4	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	11	9	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	16	13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
159	Premature birth	412	412	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	159	159	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	125	125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	72	72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	56	56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
163,164	Suicide	262	—	—	—	—	—	—	2	2	15	20	24	24	24	30	29	33	23	14	10	4	7	1	—	—	—	
	White—M	182	—	—	—	—	—	—	2	1	9	18	15	18	19	20	17	18	17	9	9	3	6	1	—	—	—	
	F	73	—	—	—	—	—	—	—	—	—	5	2	8	5	4	9	11	15	5	5	1	1	1	—	—	—	
	All other—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
165-169	Homicide	130	2	—</																								

# GENERAL TABLES—TOTAL DEATHS

259

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
MASSACHUSETTS																													
	All causes—	50,917	2,358	227	134	92	84	313	297	436	591	706	852	1,118	1,715	2,440	3,297	3,998	5,198	5,562	6,683	8,070	9,435	10,227	11,842	12,116	23	7	
	White—M	25,847	1,347	122	72	50	55	161	185	256	299	359	432	573	797	1,030	1,909	2,225	2,884	3,353	3,939	4,836	5,853	6,954	7,979	8,464	4	3	
	F	24,196	968	96	60	42	29	143	104	181	271	329	369	497	688	985	1,504	1,685	2,272	2,939	3,317	3,180	2,536	1,455	554	150	19	4	
	All other—M	461	28	5	2	—	—	3	6	7	9	9	15	24	30	35	47	49	52	47	41	29	13	6	5	1	—	—	
	F	413	15	4	—	—	—	6	2	12	12	9	16	24	16	32	37	43	40	45	50	25	31	11	4	1	—	—	
1,2	Typhoid, paratyphoid fever—	14	1	—	—	—	—	—	2	—	1	2	1	—	1	2	1	—	2	—	1	—	—	—	—	—	—	—	—
	White—M	8	1	—	—	—	—	—	1	—	1	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	20	6	3	3	—	—	—	—	—	1	—	—	—	2	—	3	—	1	1	—	—	—	—	—	—	—	—	—
	White—M	16	6	1	3	—	—	—	—	—	1	—	—	—	2	—	2	—	1	1	—	—	—	—	—	—	—	—	—
	F	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	17	—	2	—	1	1	3	2	—	1	1	2	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	White—M	11	—	2	—	1	1	2	1	—	1	1	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	45	29	7	4	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	24	13	4	3	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	21	16	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Diphtheria—	17	—	2	1	2	1	4	2	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	10	—	2	1	2	1	2	2	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	Tuberculosis of respiratory system, etc.—	1,542	7	6	2	—	2	3	9	58	109	155	131	124	171	173	152	130	105	95	59	30	17	4	—	—	—	—	
	White—M	944	6	3	—	—	2	4	23	44	23	31	70	64	73	122	130	121	92	68	41	17	9	3	—	—	—	—	
	F	504	1	3	2	—	2	3	27	67	79	57	40	41	32	26	29	29	28	17	12	8	1	—	—	—	—	—	
	All other—M	59	—	—	—	—	—	1	2	6	3	6	7	6	6	2	8	7	2	—	—	—	—	—	—	—	—	—	
	F	35	—	—	—	—	—	—	6	5	3	4	4	4	2	5	3	1	1	—	—	—	—	—	—	—	—	—	
14-22	Tuberculosis (other forms)—	107	3	3	2	4	2	4	5	5	4	7	8	7	11	2	4	6	11	11	2	3	2	1	—	—	—	—	
	White—M	55	2	1	2	2	1	3	3	3	2	5	5	6	5	2	1	2	3	5	1	1	1	1	—	—	—	—	
	F	46	1	1	2	2	1	1	2	2	2	2	2	2	5	3	3	7	6	1	2	1	2	1	—	—	—	—	
	All other—M	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
27	Dysentery—	11	2	—	1	—	1	—	—	—	1	—	—	—	1	—	3	—	—	—	—	2	—	—	—	—	—	—	
	White—M	6	2	—	1	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Syphilis—	413	7	1	—	—	—	—	—	1	2	5	9	14	36	42	61	64	62	52	34	10	9	3	—	—	—	—	
	White—M	295	4	1	—	—	—	—	—	1	3	8	9	24	31	47	42	47	38	25	7	6	1	—	—	—	—	—	
	F	88	2	—	—	—	—	—	—	2	1	1	4	7	11	14	15	11	6	2	3	2	—	—	—	—	—	—	



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99		
MASSACHUSETTS—Con.																												
119,120	Diarrhea, enteritis, etc.*	179	82	9	4	—	1	4	—	5	9	1	6	4	2	5	8	6	7	7	9	5	2	1	1	1	—	
	White—M	86	49	4	—	—	—	1	—	2	4	—	3	1	1	3	4	3	4	1	4	1	1	1	1	1	—	
	All other—M	88	31	4	4	—	1	3	—	3	4	1	3	3	1	1	4	3	3	6	5	4	1	1	1	1	—	
121	Appendicitis	435	—	3	4	6	10	24	31	24	24	21	29	29	34	34	25	29	29	29	21	17	8	4	1	—	—	
	White—M	240	—	3	3	2	6	10	15	9	14	15	15	16	19	23	20	14	17	17	11	3	5	3	—	—	—	
	All other—M	185	—	—	1	4	4	13	13	14	13	6	14	12	10	11	14	11	12	12	10	14	3	1	1	—	—	
122	Hernia, intestinal obstruction	426	12	4	2	1	1	3	1	6	4	4	8	13	20	29	36	43	47	53	58	37	22	17	5	—	—	
	White—M	228	9	3	1	1	1	2	1	3	4	2	2	6	10	15	20	27	26	29	27	17	12	8	2	—	—	
	All other—M	188	3	—	—	—	—	1	—	1	—	—	2	6	5	10	14	15	16	21	23	29	20	10	9	3	—	
124	Cirrhosis of the liver	491	—	—	—	—	—	1	2	2	1	1	10	19	37	54	72	75	74	60	52	52	12	5	2	—	—	
	White—M	305	—	—	—	—	—	1	1	2	1	1	3	9	25	25	45	50	46	35	35	16	4	1	1	—	—	
	All other—M	180	—	—	—	—	—	1	1	—	—	—	7	10	12	9	24	24	24	24	16	16	8	1	1	—	—	
126,127	Biliary calculi, etc.*	332	—	1	—	—	—	—	1	1	5	9	9	21	32	32	37	43	48	41	29	16	7	—	—	—	—	
	White—M	99	—	—	—	—	—	—	—	—	2	1	3	6	7	8	14	7	13	17	12	12	1	2	—	—	—	
	All other—M	229	—	1	—	—	—	—	1	1	3	8	6	13	24	18	29	29	31	29	17	15	4	—	—	—	—	
150-152	Nephritis	3,564	4	4	2	—	1	5	8	14	24	31	50	50	97	155	203	264	325	471	529	504	346	208	57	11	1	
	White—M	1,575	2	2	—	—	1	4	5	8	12	15	19	23	50	79	109	121	162	245	242	234	141	74	23	4	—	
	All other—M	1,727	2	2	—	—	—	—	3	6	12	14	29	25	46	72	90	134	155	219	281	263	199	133	32	7	1	
157	Diseases of the prostate	350	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	10	4	64	67	78	57	20	8	—	—	
	White—M	342	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	10	37	63	66	78	55	20	8	—	—	
	All other—M	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	
140, 142a, 147	Puerperal septi-cemia	99	—	—	—	—	—	—	3	16	19	35	20	6	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	93	—	—	—	—	—	—	2	14	18	33	20	6	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	6	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141a,c, 144,148	Puerperal toxemia	36	—	—	—	—	—	—	2	8	11	12	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	36	—	—	—	—	—	—	2	8	11	12	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
141b,d,e,f, 142b,143, 145,148, 149,150	Other puerperal causes	89	—	—	—	—	—	—	4	15	18	21	23	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	87	—	—	—	—	—	—	4	15	17	21	23	7	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	Congenital malformations	463	383	11	8	8	1	10	8	5	6	2	6	5	2	4	3	—	—	—	1	—	—	—	—	—	—	
	White—M	230	189	6	4	6	—	4	5	4	3	—	4	3	—	—	—	—	—	—	1	—	—	—	—	—	—	
	All other—M	230	192	4	4	2	1	6	3	1	3	2	2	2	5	—	—	—	—	—	—	—	—	—	—	—	—	
159	Premature birth	733	733	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	431	431	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	291	291	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163,164	Suicide	572	—	—	—	—	—	—	3	11	19	37	43	58	59	71	63	64	38	51	22	19	13	1	—	—	—	
	White—M	418	—	—	—	—	—	—	2	7	15	29	28	37	43	47	43	49	29	41	19	18	10	1	—	—	—	
	All other—M	142	—	—	—	—	—	—	1	3	4	7	13	20	14	23	18	15	8	9	3	1	3	—	—	—	—	
165-168	Homicide	59	6	—	1	—	—	1	—	2	1	3	4	5	7	5	9	5	3	3	2	1	—	—	—	—	—	
	White—M	36	4	—	1	—	—	—	—	1	1	3	1	3	1	4	3	8	2	3	2	2	—	—	—	—	—	
	All other—M	18	2	—	—	—	—	—	—	1	1	1	—	2	3	1	1	3	—	1	—	—	—	—	—	—	—	
170	Motor-vehicle accidents	656	—	3	9	9	7	39	19	28	65	33	26	31	35	48	45	63	54	52	39	33	15	4	—	—	1	
	White—M	483	—	1	5	3	4	24	15	21	49	25	22	20	28	38	38	41	41	35	50	27	12	4	—	—	—	
	All other—M	165	—	2	4	6	3	15	4	7	14	7	3	11	7	9	6	20	12	16	9	6	—	—	—	—	—	
169, 171-195	Other accidents	2,054	42	27	22	18	14	50	54	64	51	49	68	68	81	81	101	128	152	162	205	212	211	144	42	6	2	
	White—M	1,148	23	16	17	12	9	28	42	51	43	40	54	60	63	62	75	99	89	97	94	68	60	34	10	2	—	
	All other—M	882	17	11	5	6	5	21	11	10	8	9	10	7	17	19	25	27	60	63	111	141	151	110	32	4	2	
All other causes*	White—M	1,765	376	19	11	4	10	18	32	20	27	21	28	28	58	84	115	110	100	128	149	153	142	79	45	6	1	
	White—F	1,842	230	8	10	3	3	15	12	23	30	31	50	57	64	101	104	101	109	138	150	180	182	145	72	21	3	
	All other—M	21	7	1	1	—	—	—	1	—	1	—	—	1	1	1	—	1	1	1	1	3	1	1	—	—	—	

\*Refer to complete International List titles, table XI.



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
	MICHIGAN—Contd.																											
50	Cancer of breast	562										4	6	24	47	77	69	69	75	56	49	36	26	13	8	2	1	
	White—M	4																	1	2		1						
	F	540										3	5	23	43	74	68	66	74	54	48	35	24	13	8	2		
	All other—M											1	1	1	4	3	1	3			1	1						
	F	18																										
45,47, 51-55	Cancer (other forms)	1,867	1	8	6	3	3	15	19	15	22	14	39	50	59	106	187	197	242	228	252	214	125	40	17	3		2
	White—M	1,288		6	3	2	3	11	6	9	9	7	20	27	36	57	131	146	173	154	187	160	95	27	15	2		2
	F	538	1	2	3	1		4	11	5	13	5	15	23	18	46	51	48	65	72	62	51	29	12	2			
	All other—M	28										1	2		4	2	4	2	5	1	2	3	1					
	F	13						2					1	2		1	1	1	1	1	1							
58	Acute rheumatic fever	62						12	16	9	5	1	1	2	2	1	3			2	5	1	1	1				
	White—M	31						7	7	6	1			1	2	1				2	3	1	1	1				
	F	26						5	8	2	4	1	1	1			3				1							
	All other—M	3						2	1																			
	F	2						1													1							
61	Diabetes mellitus	1,555	2	1		2	1	2	9	9	9	10	13	26	23	68	121	133	212	237	218	159	80	17	1	1		1
	White—M	476	1			2		1	5	7	4	2	4	10	6	29	38	52	71	79	67	58	35	6				
	F	850	1	1			1	1	3	1	5	8	8	11	12	36	74	73	135	154	148	99	46	11	1	1		1
	All other—M	11											1	2	1	1	1	1	3	1	1	1						
	F	38						1	1				3	4	3	8	8	3	5	2	1	1						
63b	Exophthalmic goiter	188							2	1	3	5	5	19	22	16	35	20	27	20	10	2	1					
	White—M	36								1		1	2	4	5	1	9	6	2	3	2							
	F	149							2		2	4	3	15	17	15	26	13	25	16	8	2	1					
	All other—M																											
	F	3																		1								
69	Pellagra (except alcoholic)	1																	1									
	White—M																											
	F	1																										
	All other—M																											
	F																											
77	Alcoholism (ethylium)	57									1	2	7	7	4	12	10	2	5	3	2	1		1				
	White—M	48									1	1	5	7	3	9	10	2	5	2	2	1		1				
	F	6									1	1	2		1	2												
	All other—M	3																										
	F																											
85	Intracranial lesions of vascular origin	4,439	5	1	1		2	4	9	10	9	20	41	88	148	233	334	431	570	722	814	615	292	76	11	1	2	
	White—M	2,146	4				1	2	4	5	2	10	16	32	60	108	146	198	303	362	407	308	133	37	6	2		
	F	2,140	1	1			1	2	5	4	5	6	15	39	76	115	166	223	241	346	399	295	156	38	5	1		
	All other—M	69		1							1	2	2	6	4	5	14	4	15	6	3	6	1	1				
	F	84								1	1	2	10	11	8	5	8	6	4	8	5	6	2					
80-82, 84-88	Other diseases of nervous system, etc.	571	34	13	9	6	4	22	17	21	23	30	14	33	37	39	40	43	36	43	42	27	24	10	3		1	
	White—M	292	17	9	4	2	2	11	6	10	12	16	8	17	14	21	27	23	20	27	12	16	13	4	1			
	F	252	16	4	4	4	2	11	10	9	9	12	6	13	19	15	9	19	14	16	30	11	10	6	2		1	
	All other—M	12	1					1	1	1	1	2		1	2	3	3	2										
	F	15			1				1	1	2		2	2	3	1	1											
89,104, 115	Diseases of ear, nose, and throat	315	58	14	11	2	3	20	11	18	19	14	18	11	26	15	20	9	15	10	11	11	6	1			1	
	White—M	181	18	9	7	1	1	12	6	12	7	9	14	4	15	5	14	6	8	8	6	7	1	1			1	
	F	120	17	4	3	1	2	8	4	5	10	4	4	6	7	10	6	3	6	2	5	4	5					
	All other—M	8	3	1	1				1	2	1	1		1	3													
	F	9																		1								
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	1,076	2			2	1	24	32	32	27	33	38	53	52	94	74	81	66	104	93	98	74	61	13	2		
	White—M	549	1			1	11	10	18	15	16	14	22	27	50	35	47	54	54	51	48	41	29	5				
	F	480					10	17	12	12	16	21	30	20	39	33	31	28	46	42	49	33	31	8	2			
	All other—M	22	1			1	2	2				2	1	2	3	3	1	1	3									
	F	25			2						1	1	3	2	3	2	3	1	3	1		1						
94	Diseases of coronary arteries, angina pectoris	3,797	1	1					4	7	18	28	59	160	251	327	447	526	581	510	442	284	115	27	8		1	
	White—M	2,575	1						2	4	8	19	43	121	198	250	340	373	391	337	260	155	58	10	4		1	
	F	1,150		1					2	2	8	6	12	29	43	67	98	143	184	172	179	129	56	16	3			
	All other—M	30									1	1	4	6	5	5	4	1	1									
	F	42									2	2	3	6	4	5	4	6	5	1	2							

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
MICHIGAN—Contd.																												
119,120	Diarrhea, enteritis, etc.*	368	234	26	8	2	1	4			5	5	2	6	2	4	3	2	3	4	8	14	14	11		2		
	White—M	184	128	6	6	1	1	2			1	3	1	5	2	1	3	1	3	4	6	14	14	11		1		
	F	168	96	17	2	2		2			3	2	1	1	1	1		1		3	4	10	8	10		1		
	All other—M	5	3																									
F	9	5	1											2							1							
121	Appendicitis	573	3	3	5	5	10	38	43	47	36	36	27	36	41	50	46	25	40	28	24	18	4	3			1	
	White—M	326	2	2	4	4	21	25	28	19	23	18	18	25	29	29	12	25	15	14	6	3	2					
	F	206	1	1	3	1	6	16	14	18	13	12	7	12	10	15	17	11	14	12	9	12	1	1				
	All other—M	17					1		1		1	1	2		4	4	4				1	1						
F	24					1	3	1	3	3	2	2	2	2	2	2	1			1							1	
122	Hernia, intestinal obstruction	533	43	4	1	1	1	7	2	8	11	12	13	23	20	27	37	52	52	44	46	54	50	16	4		1	
	White—M	264	21	2	1	1	1	6	1	8	2	3	3	11	6	11	19	31	27	23	28	26	25	8	3			
	F	239	20	2		1					2	3	8	8	11	14	17	20	23	19	20	27	22	9	1			
	All other—M	17	2					1			1	1	2		2	1	1	1	1	1	1	1	2	1				
F	13						1	1			2		4	1	1				1		1	1						
124	Cirrhosis of the liver	382		1				2	2		4	11	11	26	35	36	52	44	54	45	34	15	7	3				
	White—M	270							1		2	5	9	12	28	25	43	33	42	39	18	7	4	2				
	F	108		1				2	1		2	5	2	14	6	10	9	11	12	6	15	8	3	1				
	All other—M	4											1			1												
F																												
126,127	Biliary calculi, etc.*	332						1			3	6	10	17	21	21	31	50	38	48	22	30	19	9	4	2		
	White—M	102									2	2	2	2	8	5	7	16	15	21	3	12	3	6				
	F	221						1			3	4	7	11	11	16	23	34	22	27	19	16	3	4	2			
	All other—M	2											1								1							
F	7												4	2														
130-132	Nephritis	3,078	7	2	1	2	4	8	9	18	28	42	39	72	110	148	194	229	288	361	405	470	374	209	50	6	1	1
	White—M	1,483	4	1	1	2	1	4	5	11	8	22	15	26	40	60	88	111	141	168	210	240	190	108	26	1		
	F	1,409	3	1		3	4	4	6	18	17	20	31	55	66	78	97	128	180	183	213	177	98	22	4	1		
	All other—M	86							1	1	1	4	7	2	10	14	8	10	6	3	10	6	9	2	1			
F	100								1	2		8	13	12	14	13	9	7	9	7	7	1	3	1				
137	Diseases of the prostate	339														4	3	11	20	56	67	76	72	22	7	1		
	White—M	325														1	3	9	18	52	66	75	72	22	7			
	All other—M	14														3	2	2	4	1	1							
140, 142a, 147	Puerperal septi-cemia	123							11	29	31	22	23	7														
	White—F	115							11	24	29	22	22	7														
	All other—F	8								5	2		1															
141a, c, 144, 148	Puerperal tox-emia	53							5	5	15	12	9	6	1													
	White—F	50							5	4	15	11	8	6	1													
	All other—F	3								1		1																
141b, d, e, f, 142b, 143, 145, 146, 149, 150	Other puerperal causes	113							6	17	31	26	18	12	3													
	White—F	110							6	17	30	24	18	12	3													
	All other—F	3									1	2																
157	Congenital mal-formations	651	536	22	11	7	4	9	10	15	4	1		6	3	1			1	1								
	White—M	343	295	12	4	3	3	4	7	9	2			2	1				1									
	F	269	227	9	6	4	1	4	3	5	2	1		4	1	1				1								
	All other—M	10	8	1										1														
F	9	6		1			1																					
159	Premature birth	1,333	1,333																									
	White—M	715	715																									
	F	547	547																									
	All other—M	41	41																									
F	30	30																										
163,164	Suicide	678						4	12	32	41	66	57	65	73	83	64	67	52	28	21	10	3					
	White—M	520						3	6	24	25	49	37	49	55	64	57	52	44	23	20	9	3					
	F	146						1	5	8	12	17	19	13	16	19	7	15	8	4	1	1						
	All other—M	10									3		1	3	2						1							
F	2									1																		
165-168	Homicide	160	1		1			1	5	19	22	17	21	16	19	12	11	6	5	1	3							
	White—M	74	1					1	8	9	5	5	9	11	8	8	4	5										
	F	35			1			1	6	3	2	5	3	5	3	3	1			1	1							
	All other—M	42						4	2	8	9	10	4	2			1			2								
F	9							3	2	1	1		1		1													
170	Motor-vehicle accidents	1,534	8	18	15	15	10	62	66	138	169	104	103															



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
MINNESOTA																														
	All causes—	25,784	1,798	173	72	85	70	236	228	348	417	490	532	603	642	1,172	1,640	1,851	2,158	2,723	3,187	3,381	2,747	1,439	460	108	17	7		
	White—M	15,194	987	85	40	47	33	134	136	207	249	297	338	323	454	655	959	1,126	1,306	1,587	1,830	1,950	1,521	729	210	49	9	5		
	F	11,217	760	78	32	35	27	93	88	128	154	185	235	269	366	487	648	696	851	1,129	1,354	1,413	1,215	705	243	57	1	1		
	All other—M	198	22	6	—	3	4	5	3	9	7	8	4	7	7	19	21	17	13	11	11	12	5	1	1	—	—	—		
	F	175	29	6	—	—	6	4	1	4	7	10	5	5	5	11	12	10	8	16	12	6	6	4	6	2	—	—		
1,2	Typhoid, paratyphoid fever—	7	—	—	—	—	—	—	—	—	1	2	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
	White—M	5	—	—	—	—	—	—	—	—	1	2	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis—	6	1	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	1	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Scarlet fever—	17	—	—	3	3	—	4	2	2	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	12	—	—	3	1	—	5	2	2	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Whooping cough—	23	18	3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	10	9	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	6	5	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Diphtheria—	10	—	—	—	—	2	1	1	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	5	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Tuberculosis of respiratory system, etc.*—	753	4	3	—	1	—	—	5	27	47	67	71	75	65	66	80	53	43	45	42	19	15	1	2	—	—	—	—	
	White—M	416	2	1	—	—	—	—	3	8	15	29	34	34	42	51	60	37	28	27	26	10	8	1	1	—	—	—	—	
	F	273	2	1	—	1	—	—	1	13	25	31	35	36	19	16	17	14	13	17	16	9	7	1	1	—	—	—	—	
	All other—M	23	—	1	—	—	—	—	1	4	4	3	3	2	2	3	5	1	1	1	—	—	—	—	—	—	—	—	—	
	F	21	—	—	—	—	—	—	—	2	5	4	2	2	2	1	—	1	1	1	—	—	—	—	—	—	—	—	—	
14-22	Tuberculosis (other forms)—	76	3	5	1	—	2	2	3	5	3	9	5	3	8	5	9	6	1	4	5	—	—	—	—	—	—	—	—	
	White—M	34	1	1	—	—	1	1	1	1	1	2	2	3	6	2	3	8	2	4	—	—	—	—	—	—	—	—	—	
	F	36	2	2	1	—	—	1	1	2	4	3	7	2	2	3	2	2	4	1	4	—	—	—	—	—	—	—	—	
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Dysentery—	13	—	1	—	2	1	—	—	—	—	1	1	—	1	—	—	—	—	—	1	1	4	—	—	—	—	—	—	
	White—M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	7	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	1	3	—	—	—	—	—	—	
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
50	Syphilis—	250	11	—	—	—	—	—	1	5	1	2	13	13	23	38	52	28	28	17	11	8	1	—	—	—	—	—	—	
	White—M	158	5	—	—	—	—	—	—	1	1	1	8	9	13	26	26	22	19	11	9	7	1	—	—	—	—	—	—	
	F	52	5	—	—	—	—	—	1	2	—	1	5	3	7	6	4	3	6	6	2	1	—	—	—	—	—	—	—	
	All other—M	12	—	—	—</																									

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated			
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84
MINNESOTA—Con.																									
50	Cancer of breast	318																							
	White—M	5																							
	F	312																							
45,47, 51-55	All other—M	3																							
	F	3																							
	All other—F	3																							
58	Acute rheumatic fever	29																							
	White—M	15																							
	F	14																							
61	All other—M	1																							
	F	1																							
	All other—F	1																							
63b	Diabetes mellitus	729																							
	White—M	296																							
	F	424																							
69	All other—M	3																							
	F	6																							
	All other—F	6																							
77	Exophthalmic goiter	116																							
	White—M	19																							
	F	96																							
85	All other—M	1																							
	F	1																							
	All other—F	1																							
80-82, 84-88	Pellagra (except alcoholic)																								
	White—M																								
	F																								
90a,92b, 92c,95c, 95b	All other—M																								
	F																								
	All other—F																								
90b,91, 92a,d,e, 95a,b, d,e, 95a,c	Alcoholism (ethylism)	39																							
	White—M	37																							
	F	2																							
94	All other—M																								
	F																								
	All other—F																								
107-109	Intracranial lesions of vascular origin	2,608																							
	White—M	1,332																							
	F	1,254																							
117	All other—M	12																							
	F	10																							
	All other—F	10																							
117	Other diseases of nervous system, etc.*	309																							
	White—M	170																							
	F	136																							
117	All other—M	2																							
	F	1																							
	All other—F	1																							
117	Diseases of ear, nose, and throat	160																							
	White—M	93																							
	F	64																							
117	All other—M	1																							
	F	2																							
	All other—F	2																							
117	Chronic rheumatic diseases of heart	536																							
	White—M	278																							
	F	254																							
117	All other—M	1																							
	F	3																							
	All other—F	3																							
117	Diseases of coronary arteries, angina pectoris	2,491																							
	White—M	1,881																							
	F	788																							
117	All other—M	13																							
	F	4																							
	All other—F	4																							
117	Diseases of heart (other forms)	3,879																							
	White—M	2,113																							
	F	1,735																							
117	All other—M	20																							
	F	11																							
	All other—F	11																							
117	Pneumonia (all forms)	1,637																							
	White—M	911																							
	F	676																							
117	All other—M	27																							
	F	23																							
	All other—F	23																							
117	Ulcer of stomach or duodenum	207																							
	White—M	166																							
	F	40																							
117	All other—M	1																							
	F	1																							
	All other—F	1																							

\*Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																										100 and over	Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99				
MINNESOTA—Con.																														
119,120	Diarrhea, enteritis, etc.*	132	70	10	2	1	1	1	2	2	3	4	3	2	1	1	5	5	3	1	6	5	2	2	—	—	—	—		
	White—M	69	40	3	1	1	—	—	2	—	3	4	3	2	1	1	2	3	2	—	2	2	—	—	—	—	—			
	F	55	25	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
F	5	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
121	Appendicitis	310	1	2	4	8	5	25	21	22	24	17	15	16	17	20	24	24	20	13	16	11	3	2	—	—	—	—		
	White—M	194	1	1	3	5	3	14	12	15	15	12	9	11	11	13	12	14	12	9	8	1	1	—	—	—	—			
	F	112	—	1	1	3	2	10	8	7	9	5	6	5	6	6	12	9	8	—	7	3	2	—	—	—	—			
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
122	Hernia, intestinal obstruction	265	25	2	2	1	—	2	1	4	—	9	4	6	9	17	19	19	23	32	23	23	12	8	5	—	—			
	White—M	152	14	2	1	1	—	2	1	3	—	6	2	3	3	11	12	8	12	17	14	12	17	14	12	—				
	F	109	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
124	Cirrhosis of the liver	210	2	—	—	—	—	—	—	—	—	2	3	8	16	16	29	27	27	23	23	17	10	4	2	—	—			
	White—M	142	1	—	—	—	—	—	—	—	—	—	2	4	12	11	21	21	17	11	15	12	7	3	2	—				
	F	67	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
126,127	Biliary calculi, etc.*	257	—	—	—	—	—	1	—	1	1	3	1	9	12	22	18	31	23	34	38	26	21	15	—	—				
	White—M	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	170	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
130-132	Nephritis	1,189	—	—	1	1	—	4	6	9	10	20	17	25	32	37	65	72	98	116	177	179	183	104	27	5	1			
	White—M	711	—	—	1	1	—	2	4	7	7	7	7	15	19	17	36	45	67	74	103	109	104	69	15	3	1			
	F	467	—	—	—	—	—	2	2	2	3	12	10	10	13	19	29	28	30	38	74	68	78	35	12	2	—			
	All other—M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
F	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
137	Diseases of the prostate	237	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—M	236	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
140, 142a, 147	Puerperal septi- cemia	66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—F	65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
141a, c, 144, 148	Puerperal tox- emias	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—F	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
141b, d, e, f, 142b, 145, 146, 149, 150	Other puerperal causes	51	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—F	51	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
157	Congenital mal- formations	283	229	17	1	—	2	6	4	3	6	4	2	4	—	2	1	—	—	—	—	—	—	—	—	—				
	White—M	133	109	6	1	—	4	2	2	4	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	147	118	11	—	—	2	2	2	2	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—				
	All other—M	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
159	Premature birth	640	640	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—M	347	347	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	F	286	286	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
F	7	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
163,164	Suicide	414	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—M	360	—																											

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated							
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	
MISSISSIPPI																													
	All causes	22,646	2,907	479	212	132	88	329	297	627	800	849	855	954	1,050	1,130	1,389	1,471	1,688	1,921	1,680	1,427	1,128	714	288	120	86	67	
	White—M	5,472	672	82	53	32	23	81	54	112	133	124	128	155	183	249	293	390	452	614	510	472	358	215	60	13	1	13	
	F	4,045	483	75	49	20	17	49	45	73	86	93	101	127	146	143	196	209	267	400	387	397	380	199	81	13	2	9	
	All other—M	6,789	1,080	177	54	43	24	105	110	191	263	289	287	296	360	476	443	513	519	447	311	229	148	69	44	23	29	29	
	F	6,540	722	145	56	37	24	94	90	251	298	345	337	385	405	378	424	429	436	388	336	247	159	152	78	50	60	16	
1,2	Typhoid, paratyphoid fever	47	—	—	—	—	1	4	4	9	8	4	4	5	1	3	1	2	1	1	1	—	—	—	—	—	—	—	—
	White—M	6	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	3	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	20	—	—	—	—	1	3	1	3	5	2	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	—	1	1	3	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis	22	3	4	2	1	—	3	3	1	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—M	13	1	1	2	1	—	1	2	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	6	2	1	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	156	101	26	12	7	2	6	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—M	28	20	3	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	37	27	4	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	48	26	12	3	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	43	28	7	3	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10	Diphtheria	58	7	16	9	6	4	14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	18	2	6	3	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	2	1	4	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	10	1	2	—	1	1	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	2	7	2	1	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,010	1	5	1	4	1	9	15	90	153	156	107	103	72	60	61	45	31	43	30	18	4	3	—	—	—	—	—
	White—M	134	—	—	—	—	—	1	—	—	—	6	7	15	16	13	15	11	9	17	9	9	2	—	—	—	—	—	—
	F	132	—	—	—	—	—	—	—	—	6	15	11	12	8	7	13	6	10	11	11	14	4	2	1	—	—	—	—
	All other—M	354	1	5	—	2	1	4	4	28	63	50	39	27	17	20	31	17	8	11	5	3	—	—	—	—	—	—	—
	F	410	—	—	—	2	—	4	11	56	71	89	49	53	32	14	9	5	3	4	2	2	2	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	70	3	5	—	—	1	4	1	5	8	7	10	5	3	2	4	4	3	3	2	1	1	—	—	—	—	—	—
	White—M	15	2	—	—	—	—	1	—	—	—	1	2	—	—	1	3	1	1	1	—	—	—	—	—	—	—	—	—
	F	7	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
	All other—M	33	—	3	—	—	—	1	—	3	5	5	4	4	1	1	1	2	1	1	1	1	—	—	—	—	—	—	—
	F	15	—	1	—	—	—	2	1	2	1	1	2	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—
27	Dysentery	126	27	21	11	2	—	2	1	1	2	3	2	1	3	3	5	9	7	3	5	7	6	4	1	—	—	—	—
	White—M	28	7	2	5	2	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	2	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	35	7	8	1	—	—	—	—	2	1	—	—	1	—	2	3	2	1	1	1	4	—	—	—	—	—	—	—
	F	44	11	8	4	—	—	1	—	—	—	2	2	2	1	2	1	2	5	2	1	—	—	—	—	—	—	—	—
28	Malaria	232	26	17	7	7	8	13	12	7	17	8	11	9	12	8	15	7	9	8	8	7	7	5	6	—	—	—	—
	White—M	56	8	4	1	3	2	2	1	4	1	2	2	—	—	3	4	4	2	1	2	4	5	2	1	—	—	—	—
	F	29	2	—	1	—	2	5	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	78	10	10	3	—	3	5	4	3	5	2	3	6	5	1	5	1	3	3	5	1	1	1	—	—	—	—	—
	F	71	6	3	2	4	1	3	5	2	7	4	5	6	6	4	6	1	2	5	1	2	5	—	—	—	—	—	—
50	Syphilis	528	72	5	2	1	—	3	5	13	23	36	48	66	55	51	51	32	25	27	14	9	5	3	1	—	—	—	—
	White—M	55	4	—	—	—	—	—	—	1	1	3	1	3	5	6	9	5	3	5	4	2	2	1	—	—	—	—	—
	F	16	5	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—</											

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
MISSISSIPPI—Con.																													
50	Cancer of breast	93	—	—	—	—	—	—	—	1	—	1	2	5	11	7	16	11	11	6	6	9	6	1	—	—	—	—	
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	57	—	—	—	—	—	—	—	—	—	1	1	4	4	5	8	7	6	4	5	6	6	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	35	—	—	—	—	—	—	—	1	—	—	1	1	7	2	7	4	5	2	1	5	—	1	—	—	—	—	
45,47, 51-55	Cancer (other forms)	405	1	—	1	—	1	5	5	4	4	4	12	13	17	25	29	42	55	46	55	38	26	14	7	—	—	1	
	White—M	202	—	—	1	—	3	2	2	1	2	2	5	6	6	12	11	25	22	23	31	21	18	8	5	—	—	—	
	F	95	—	—	—	—	1	2	2	1	2	1	3	3	3	6	7	5	15	12	8	11	7	5	1	—	—	—	
	All other—M	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	50	1	—	—	—	—	—	—	1	1	1	2	4	6	5	5	6	8	14	6	11	5	1	2	1	—	—	
58	Acute rheumatic fever	51	—	—	—	—	2	5	5	3	3	—	—	—	—	2	2	1	2	—	1	1	2	—	—	—	—	—	
	White—M	9	—	—	—	—	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	277	—	—	—	—	1	3	3	8	5	4	6	5	16	18	25	39	30	48	40	13	5	5	—	—	—	—	
	White—M	68	—	—	—	—	1	1	2	1	2	2	3	2	2	2	6	7	7	14	9	8	1	3	—	—	—	—	
	F	85	—	—	—	—	1	1	1	2	1	1	2	6	3	5	8	9	17	19	3	3	1	—	—	—	—	—	
	All other—M	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65b	Exophthalmic goiter	20	—	—	—	—	—	—	—	1	1	3	3	—	—	2	3	1	2	3	—	—	—	—	—	—	—	—	—
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	196	1	—	1	—	—	1	2	1	7	9	10	11	7	12	22	21	26	27	20	11	5	1	1	—	—	—	
	White—M	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	107	1	—	1	—	—	1	1	1	7	6	8	9	4	8	12	14	10	8	9	4	4	2	1	—	—	—	
77	Alcoholism (ethylysm)	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
85	Intracranial lesions of vascular origin	1,680	3	1	1	—	1	5	2	2	5	13	28	37	88	122	156	175	196	236	215	162	121	71	23	6	5	4	
	White—M	415	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	567	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	409	1	1	1	—	1	1	2	3	6	12	14	29	41	52	43	51	44	44	30	13	20	9	2	3	3		
	F	489	1	—	—	—	—	3	1	—	1	6	10	17	38	49	48	66	64	56	46	34	14	17	10	4	4		
80-82, 84-88	Other diseases of nervous system, etc.*	216	34	13	5	7	2	15	6	15	6	4	6	12	6	10	9	2	18	9	8	10	9	8	—	—	1	1	
	White—M	59	7	5	1	—	—	4	1	3	1	2	1	5	3	4	1	2	7	5	2	3	3	2	—	—	—	—	
	F	49	7	3	1	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	59	11	3	3	—	—	7	1	5	3	2	1	2	1	2	5	—	—	—	—	—	—	—	—	—	—	—	
	F	49	9	2	1	3	2	2	1	5	2	2	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
89,104, 115	Diseases of ear, nose, and throat	156	26	4	3	1	2	10	13	12	11	3	10	2	7	4	4	5	—	6	3	5	2	1	2	—	—	—	
	White—M	34	5	—	—	—	—	2	1	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	30	5	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	40	7	4	1	—	—	3	4	4	2	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	32	9	—	—	—	—	3	5	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	440	1	—	—	—	—	1	6	7	4	11	11	13	19	28	30	50	55	56	46	41	46	20	9	3	2		
	White—M	110	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	70	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	122	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	158	—	—	—	—	—	1	2	4	5	6	6	8	11	10	11	10	20	12	9	8	10	5	—	—	—		



# GENERAL TABLES—TOTAL DEATHS

271

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	MISSOURI																												
	All causes—	42,585	2,655	527	167	109	77	317	327	569	729	817	929	1,222	1,460	2,001	2,554	3,055	3,767	4,508	5,025	5,076	3,895	2,069	742	157	25	6	
	White—M	21,234	1,284	158	85	64	37	176	174	291	351	316	411	506	657	939	1,325	1,610	1,979	2,379	2,659	2,635	1,931	954	294	52	4	5	
	White—F	17,295	1,050	115	69	38	36	115	119	195	297	341	352	479	509	692	823	1,050	1,462	1,825	2,071	2,246	1,842	1,056	417	92	13	3	
	All other—M	2,154	176	27	8	4	3	17	17	27	49	85	98	117	138	207	225	241	176	172	155	101	65	24	15	6	—	—	
	All other—F	1,904	155	27	5	3	1	11	17	38	52	77	88	120	158	165	181	154	150	132	142	94	57	35	16	7	—	—	
1,2	Typhoid, paratyphoid fever—	95	3	1	2	1	—	5	13	13	8	11	3	1	4	4	5	2	2	—	—	—	—	—	—	—	—	—	
	White—M	52	—	—	1	1	—	1	8	5	6	4	9	1	3	2	4	2	—	—	—	—	—	—	—	—	—	—	
	White—F	31	—	—	1	—	—	3	4	6	6	4	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	5	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	5	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis—	15	1	1	1	—	2	1	3	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	6	—	1	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	9	1	—	1	—	—	—	2	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Scarlet fever—	35	1	3	1	1	1	7	7	5	—	3	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	17	—	3	—	—	—	3	2	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	17	1	—	1	1	—	4	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Whooping cough—	62	38	13	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	White—M	21	15	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	29	19	5	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	All other—M	6	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	6	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Diphtheria—	74	4	9	11	8	10	16	5	1	—	—	2	2	—	—	4	—	—	—	—	—	—	—	1	1	—	—	
	White—M	36	2	5	5	6	5	8	2	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	36	2	3	5	2	5	8	3	—	—	—	—	2	—	—	3	—	—	—	—	—	—	—	—	1	1	—	—
	All other—M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*—	1,625	9	2	2	5	—	8	16	65	151	138	151	158	121	136	131	135	117	113	82	54	19	12	2	—	—	—	
	White—M	713	3	1	1	—	—	2	8	12	34	32	50	61	44	79	80	85	72	60	51	24	9	6	2	—	—	—	
	White—F	561	4	1	—	2	—	4	1	23	74	59	54	62	43	34	23	32	33	45	27	25	10	6	—	—	—	—	—
	All other—M	188	3	1	—	—	—	1	3	5	17	27	24	19	15	17	24	11	8	6	4	2	—	—	—	—	—	—	
	All other—F	161	2	—	1	2	—	1	4	23	26	20	23	16	19	6	4	5	4	2	—	3	—	—	—	—	—	—	
14-22	Tuberculosis (other forms)—	145	6	5	3	1	—	11	1	10	7	10	12	12	5	7	13	13	9	7	6	5	1	—	1	—	—	—	
	White—M	66	2	1	2	1	—	6	4	2	2	5	6	3	3	7	8	6	2	3	2	3	—	—	1	—	—	—	
	White—F	49	3	4	1	—	—	2	1	2	3	5	4	3	2	2	2	1	2	5	3	2	1	—	—	—	—	—	
	All other—M	16	—	—	—	—	—	1	1	1	2	2	2	2	—	1	3	2	1	—	—	—	—	—	—	—	—	—	
	All other—F	14	1	—	—	—	—	2	—	3	1	1	1	1	—	1	1	2	—	—	—	—	—	—	—	—	—	—	
27	Dysentery—	97	38	14	5	2	3	—	—	—	—	1	1	1	1	—	1	4	1	5	7	5	3	3	1	1	—	—	
	White—M	52	20	7	2	1	3	—	—	—	—	—	1	1	—	—	—	2	1	3	4	3	2	2	2	—	—	—	
	White—F	31	13	5	1	1	—	—	—	—	—	—	—	—	—	—	1	—	2	3	1	2	1	1	1	—	—	—	
	All other—M	6	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
	All other—F	8	4	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria—	66	7	2	3	3	1	2	1	1	3	2	2	3	1	2	4	6	1	5	8	2	6	1	—	—	—	—	
	White—M	32	3	—	1	2	1	1	1	1	1	1	1	—	—	—	3	3	1	3	4	2	3	1	—	—	—	—	
	White—F	24	2	2	2	1	—	1	—	—	1	1	2	1	1	1	—	—	—	2	3	2	—	—	—	—	—	—	
	All other—M	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	4	2	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
30	Syphilis—	632	36	4	—	1	—	1	3	5	6	20	24	42	53	80	77	93	62	48	35	28	10	4	—	—	—	—	
	White—M	345	13	1	—	1	—	1	1	2	2	10	8	17	28	36	46	56	35	34	27	21	5	1	—	—	—	—	
	White—F	106																											







VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
MONTANA																													
	All causes	5,901	534	73	47	33	11	74	58	105	149	133	139	164	188	277	411	480	533	591	598	602	420	196	87	17	1		
	White	5,536	229	21	16	15	6	32	35	60	85	83	81	92	109	165	278	314	359	393	381	364	255	119	34	9	1		
	Female	1,997	221	29	15	12	3	25	18	33	43	40	48	61	72	105	120	145	157	180	203	220	144	67	31	5			
	All other	196	43	10	8	4	2	7	3	4	12	6	4	6	5	5	10	10	10	9	7	14	6	1	1				
	Female	172	41	13	8	2	—	10	2	8	9	4	6	5	3	2	3	11	7	8	5	7	4	1	2				
1,2	Typhoid, paratyphoid fever	12	2	—	—	—	—	1	—	1	3	—	—	1	—	1	—	—	2	1	—	—	—	—	—	—	—	—	
	White	8	2	—	—	—	—	—	—	1	2	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	
	Female	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	All other	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis	4	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White	3	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Scarlet fever	8	—	—	—	—	—	2	2	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	White	5	—	—	—	—	—	2	2	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	3	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Whooping cough	16	7	5	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White	9	4	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Diphtheria	9	—	1	—	2	—	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White	5	—	—	—	1	—	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	Tuberculosis of respiratory system, etc.	228	2	3	2	—	—	1	1	8	15	18	11	11	13	23	36	34	18	12	6	7	4	1	—	—	—	—	
	White	155	—	1	—	—	—	—	1	4	7	7	6	10	18	34	28	16	10	4	5	3	1	—	—	—	—	—	
	Female	28	—	—	—	—	—	—	—	2	6	2	3	2	4	2	3	1	1	1	—	—	—	—	—	—	—	—	
	All other	21	1	2	2	—	—	1	2	3	5	—	2	2	1	1	2	1	1	1	1	2	1	—	—	—	—	—	
	Female	24	1	—	—	—	—	1	4	6	—	—	2	2	1	1	—	2	—	—	1	2	1	—	—	—	—	—	
14-22	Tuberculosis (other forms)	20	2	—	1	2	—	1	1	1	2	2	1	1	1	1	2	—	—	—	1	1	—	—	—	—	—	—	
	White	9	1	—	—	—	—	1	1	1	1	1	1	1	1	1	2	—	—	—	1	1	—	—	—	—	—	—	
	Female	6	—	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other	3	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Dysentery	7	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	White	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Female	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Syphilis	73	7	—	—	—	—	—	—	1	—	—	1	5	5	4	12	12	8	7	7	4	—	—	—	—	—	—	
	White	48	2	—	—	—	—	—	—	—	—	—	1	4	4	3	7	10	6	4	3	4	—	—	—	—	—	—	
	Female	14	—	—	—	—	—	—	—	—	—	—	1	1	1	3	2	1	2	3	—	—	—	—	—	—	—	—	
	All other	8	4	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	1	—	—</							

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
MONTANA—Continued																												
50	Cancer of breast	59													3	5	5	6	15	5	4	8	2	4	2			
	White—M																											
	All other—M	59													3	5	5	6	15	5	4	8	2	4	2			
45,47, 51-55	Cancer (other forms)	214			1	1			1	3	3	3	4	5	7	14	22	25	23	31	28	19	15	8	1			
	White—M	170							1	3	3	3	4	5	7	14	22	25	23	31	28	19	15	8	1			
	All other—M	40							1	2	2	2	4	5	7	14	22	25	23	31	28	19	15	8	1			
58	Acute rheumatic fever	7						3	1	1		1		1														
	White—M	3							1	1		1		1														
	All other—M	3						2	1					1														
61	Diabetes mellitus	112						2			1	1		6	3	7	10	11	14	28	15	8	3	3				
	White—M	53						1			1	1		5	3	4	4	4	9	12	7	5	3	2				
	All other—M	57						1						1	3	4	6	7	14	28	15	8	3	3				
65b	Exophthalmic goiter	18											1		1	1	1	2	7	2	1	1	1					
	White—M	3																										
	All other—M	14											1		1	1	1	2	7	2	1	1	1					
69	Pellagra (except alcoholic)	1															1											
	White—M	1															1											
	All other—M	1																										
77	Alcoholism (ethylism)	23									1	1		4		3	2	4	4	2		1	1					
	White—M	19									1	1		2		2	2	4	4	2		1	1					
	All other—M	4												2		1												
83	Intracranial lesions of vascular origin	452	2			1						1	2	5	7	9	17	33	51	65	95	73	65	20	6	4		
	White—M	245										1	1	1	1	1	8	15	28	42	55	44	35	9	1	2		
	All other—M	190	2			1						1	1	4	6	8	17	33	51	65	95	73	65	20	6	4		
80-82, 84-88	Other diseases of nervous system, etc.*	78	7	4	3	1		5		1	3	4	5	4	3	8	6	5	7	3	4	2	1					
	White—M	35	2	1	1		3		1		1	1	1	1	1	2	2	1	2	3	4	1	1					
	All other—M	35	5	3			2		2		2	3	3	3	2	6	4	4	5	3	4	1	1					
89,104, 115	Diseases of ear, nose, and throat	53	7	1		1		10	4	2	5	4	3	3	5	3	2		1			1	1	2				
	White—M	29						6	3	1	1	1	2	2	2	2	1		1				1	1	2			
	All other—M	22	4	1				4	1	1	4	3	1	1	3	3	1		1			1	1	2				
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	136			1		4	7	6	2	7	5	5	6	5	8	10	11	15	14	19	8	5					
	White—M	73					1	1	3	1	3	2	2	4	3	6	6	6	8	8	13	4	3					
	All other—M	58			1		3	6	5	1	4	3	3	1	2	2	4	5	6	6	6	5	2					
94	Diseases of coronary arteries, angina pectoris	383									1	2	3	4	17	20	35	44	69	52	56	48	21	9	2			
	White—M	298										2	2	4	15	15	31	34	50	44	44	34	18	4	1			
	All other—M	81									1	1	1	2	2	4	4	8	19	8	12	13	5	1				
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	967	1			1		3		4	6	4	9	8	18	35	56	72	100	118	161	183	107	51	25	5		
	White—M	608						2		2	4	3	7	6	12	20	34	42	75	76	107	98	71	31	15	2		
	All other—M	328	1					1		2	2	1	2	2	6	15	22	27	25	39	51	78	31	17	9	2		
107-109	Pneumonia (all forms)	510	76	17	5	4		5	2	4	3	5	5	9	6	11	13	13	18	18	26	37	22	9	2			
	White—M	156	27	5	2	1		2	2	2	1	1	2	4	4	7	10	10	12	12	16	18	10	7	1			
	All other—M	112	27	5	2	1		3	2	2	2	4	3	5	2	4	3	3	6	6	10	18	12	1	1			
117	Ulcer of stomach or duodenum	53											1		4	2	6	5	12	7	4	4	1	6				
	White—M	44											1		3	1	5	4	12	6	2	4	6					
	All other—M	8												1	1	1	1	1	1	1	1	1	1	1				

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
MONTANA—Continued																													
119,120	Diarrhea, enteritis, etc.*	46	27	5	1			2		1			2	1	1	2	3											1	
	White—M	17	9	1						1			2	1	1	2	3												
	F	19	13	1	1											2	1											1	
	All other—M	5	3	1					1																				
	F	5	2	2				1																					
121	Appendicitis	87		2	1	1	1	9	5	8	10	4	4	6	5	2	7	6	5	7	1	1	1	1					
	White—M	52					1	3	3	5	8	3	3	3	3	2	5	4	4	4	1								
	F	30		2	1	1		5	2	2	2			3	2		1	2	1	5									
	All other—M	2										1																	
	F	3						1		1			1																
122	Hernia, intestinal obstruction	60	4			1				1		3	1	5		4	6	6	7	5	5	6	3	2		1			
	White—M	33	3										3	3		4	3	2	2	2	5	5	2	1		1			
	F	27	1			1				1		3	1	2			3	4	3	3	2	1	1						
	All other—M																												
	F																												
124	Cirrhosis of the liver	30										1	2	2	1	2	2	7	3	1	1	5	1	1		1			
	White—M	22											1	1	1	1	2	7	3	1	1	5	1	1		1			
	F	8											1	2	1	1													
	All other—M																												
	F																												
126,127	Biliary calculi, etc.*	56									1		1	2	6	4	4	12	6	9	7	2	1	1					
	White—M	20											1	1	2	1	4	4	1	7	2	1	1						
	F	35									1		1	1	4	3	4	8	4	2	5	2							
	All other—M	1																											
	F																												
130-132	Nephritis	327				1			1	2	5	7	4	10	7	15	25	29	34	46	44	50	31	12	6				
	White—M	204						1	2	1	3	1	4	6	9	16	21	22	32	30	28	18	5	4					
	F	109				1					2	3	3	5	1	6	7	6	12	13	13	20	9	6	2				
	All other—M	8									2							1	1	1	1	2	1						
	F	6									1		1						1	1	1	1							
137	Diseases of the prostate	43														1	2		7	5	10	9	6	2			1		
	White—M	43														1	2		7	5	10	9	6	2			1		
	All other—M																												
140, 142a, 147	Puerperal septicemia	20							3	7	3	4	2	1															
	White—F	19							2	7	3	4	2	1															
	All other—F	1							1																				
141a,c, 144,148	Puerperal toxemias	5							1	1		1	2																
	White—F	5							1	1		1	2																
	All other—F																												
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	10							1	2	4	1	2																
	White—F	9							1	2	4	1	1																
	All other—F	1																											
157	Congenital malformations	67	60	4	1	1				1																			
	White—M	38	34	3						1																			
	F	28	25	1	1	1																							
	All other—M	1	1																										
	F																												
159	Premature birth	164	164																										
	White—M	71	71																										
	F	85	85																										
	All other—M	5	5																										
	F	3	3																										
163,164	Suicide	106								4	14	9	13	6	3	7	15	6	7	10	6	3	3						
	White—M	91								4	10	8	11	5	2	5	13	6	6	10	5	3	3						
	F	12									3	1	1	1	1	2	1		1	1	1								
	All other—M	2																											
	F	1																											
165-168	Homicide	27	1							1	1	2	7	5	3	1	2	1	1	2									
	White—M	22	1							1	1	2	5	4	3	1	2	1	1	1									
	F	3											2																
	All other—M	2												1															
	F																												
170	Motor-vehicle accidents	147			2	2	1	4	9	14	18	8	13	10	11	11	12	9	8	7	1	3	2						
	White—M	106			2	2		8	9	15	7	9	6	9	6	9	8	6	3	7	1	3	1	2					
	F	28					1	2	1	3	1	1	3	1	5	1	3	2	3										
	All other—M	12								2	1		1	3		1	1	1	2										
	F	1																											
169, 171-195	Other accidents	384	8	13	12	8	3	8	14	20	27	28	17	15	16	21													

# GENERAL TABLES—TOTAL DEATHS

277

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																	100 and over	Not stated								
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	
NEBRASKA																													
	All causes	12,194	816	97	61	43	27	93	111	162	203	228	219	277	330	497	610	877	1,000	1,199	1,451	1,546	1,323	701	283	48	5	7	
	White—M	6,740	437	51	39	27	18	44	67	99	111	115	112	136	171	275	340	514	586	701	838	864	706	337	125	22	2	3	
	White—F	5,204	359	36	22	13	9	47	41	56	89	105	100	126	138	199	256	337	385	475	584	667	612	360	154	26	2	4	
	All other—M	136	10	4	—	2	—	1	3	2	2	2	5	7	12	8	11	15	19	15	5	7	1	3	2	—	—	—	
	All other—F	114	10	4	—	1	—	1	—	5	1	6	2	8	9	15	3	11	10	6	4	8	4	1	2	—	—	—	
1,2	Typhoid, paratyphoid fever	5	—	—	—	1	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis	8	—	—	1	1	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	5	—	—	1	1	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	17	1	2	3	1	1	3	1	—	2	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	9	—	1	2	—	1	3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	8	1	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	14	10	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	7	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	6	4	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	12	1	1	1	1	1	3	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	7	1	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc. *	192	1	—	—	1	—	1	1	9	17	24	11	20	13	18	15	15	17	12	8	6	2	1	1	—	—	—	—
	White—M	92	—	—	—	—	—	—	—	9	11	4	9	9	9	8	10	11	5	2	2	1	1	—	—	—	—	—	—
	White—F	76	—	—	—	—	—	—	—	6	7	10	6	9	2	7	7	2	4	6	5	4	1	1	—	—	—	—	—
	All other—M	14	—	—	—	—	—	—	—	1	1	1	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	10	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	27	2	1	1	1	—	2	—	3	1	1	—	3	2	2	2	—	2	—	2	—	1	—	—	—	—	—	—
	White—M	14	1	1	1	1	—	1	—	2	1	1	—	1	1	1	1	—	2	—	—	1	—	—	—	—	—	—	—
	White—F	11	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery	6	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
	White—M	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis	90	5	—	—	—	—	—	—	2	—	3	2	5	4	6	4	13	13	12	5	9	4	3	—	—	—	—	—
	White—M	56	3	—	—	—	—	—	—	—	—	2	2	2	3	2	3	11	10	6	4	6	3	1	—	—	—	—	—
	White—F	19	1	—	—	—	—	—	—	1	—	1	2	2	1	2	2	2	3	2	1	1	1	—	—	—	—	—	—
	All other—M																												

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
NEBRASKA—Con.																														
50	Cancer of breast—M	158												4	5	13	19	23	24	15	16	9	18	6	5	1				
	White—M	5																			1	1								
	F	149												4	5	10	16	23	24	15	16	8	17	6	4	1				
	All other—M																													
	F	4													3	1														
45,47, 51-55	Cancer (other forms)—M	489	1	1	2	1		8	4	2	8	6	8	7	21	29	48	48	55	48	72	62	43	26	7	1				
	White—M	342			1	1		2	3	2	4	5	3	5	12	17	19	36	36	38	55	43	34	21	5					
	F	138	1	1	1			6	1		4	1	4	2	9	11	9	12	15	10	16	18	9	5	2	1				
	All other—M	6														1	1				1	1								
	F	3											1						2											
58	Acute rheumatic fever—M	15			1			5	2	3				1		1		1		1										
	White—M	8						3	1	2						1		1												
	F	7			1			2	1	1				1						1										
	All other—M																													
	F																													
61	Diabetes mellitus—M	339		1	1			1	2	10	3	3	4	2	4	8	11	27	44	52	59	57	36	13	1					
	White—M	134						1	1	6	2	1	1	2		3	2	10	17	17	22	22	22	5	1					
	F	200		1	1			1	1	4	1	2	3		4	4	9	15	25	35	37	35	14	8						
	All other—M	3																												
	F	2													1		1													
63b	Exophthalmic goiter—M	35											2	2	1		4	4	3	1	7	6	2	2	1					
	White—M	5																			1	1								
	F	30											2	2	1		4	3	2	1	6	5	2	2	1					
	All other—M																													
	F																													
69	Pellagra (except alcoholic)—M																													
	F																													
	All other—M																													
	F																													
77	Alcoholism (ethylism)—M	15								1				1		1	2	3		2	2									
	White—M	13								1				1		1	1	3		2	2									
	F	2													1	1														
	All other—M																													
	F																													
85	Intracranial lesions of vascular origin—M	1,191	3	1				1	4	5	4	8	11	10	19	38	82	107	168	212	211	185	93	28	3					
	White—M	615	1					1	2	1	1	4	6	3	6	12	41	56	89	124	120	95	47	5	2					
	F	556	2	1				1	2	2	2	3	5	6	11	26	37	48	74	87	91	89	45	23	1					
	All other—M	11										1									3	1								
	F	9										1			1	2		2		2		1								
80-82, 84-88	Other diseases of nervous system, etc.—M	143	7	1	4	4	2	4	6	8	8	4	5	6	7	10	7	10	8	12	8	9	9	2	2					
	White—M	83	4	1	3	4	1	2	3	6	6	1	4	3	2	7	4	6	4	8	3	5	6							
	F	58	3		1	1	2	3	2	2	2	2	1	3	4	3	3	4	4	4	5	4	3	2	2					
	All other—M																													
	F	2														1														
89,104, 115	Diseases of ear, nose, and throat—M	70	4	3	2	2	1	4	9	4	3	2	2	4	4	6	3	1	4	3	1	4	3		1					
	White—M	49	2	2	1	2	1	2	7	4	2	2	3	2	5	3	1	2	2	1	4	1								
	F	21	2	1	1			2	2		1		2	1	2	1			2	1			2		1					
	All other—M																													
	F																													
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—M	235						2	2	3	2	3	8	7	8	11	18	22	15	25	31	37	23	14	3		1			
	White—M	131						2	1	1	1		4	4	3	7	9	12	10	12	20	21	13	8	3					
	F	101						1	2	1	3	4	3	5	4	8	8	5	13	11	16	10	6							
	All other—M	2																												
	F	1																												
94	Diseases of coronary arteries, angina pectoris—M	812						1		1	3	6	10	21	38	61	93	113	128	126	110	66	25	8		1				
	White—M	576						1			3	4	7	18	32	48	73	85	89	89	76	39	9	3						
	F	231								1		2	3	2	6	13	19	28	40	36	34	26	16	4		1				
	All other—M	4																			1									
	F	1																												
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)—M	1,866	4		1	2		2	3	5	12	12	6	10	25	53	75	111	143	222	274	351	297	171	72	12	2			
	White—M	1,013	3		1	2		3	3	2	3	7	3	6	10	34	48	61	90	141	144	186	148	74	39	6	2			
	F	810	1					2	3	9	5	2	4	13	15	24	41	48	74	127	159	148	95	33	6		1			
	All other—M	25													1	1	2	4	5	2	3		1							
	F	18													1	3	1	5	2	1	3	1								
107-109	Pneumonia (all forms)—M	878	87	18	7	4	2	8	8	7	8	11	9	14	21	13	30	29</												

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated		
			1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over				
NEBRASKA—Con.																														
119,120	Diarrhea, enteritis, etc.*	69	30	10	1	3	1	1		1	1	2	1			1	3	2	1	2	3	2	1	2	1					
	White—M	31	12	5	1	3	1				1	1	1			1	2	1	1		1	1	1	1	1					
	F	37	18	4				1			1	1	1				1	1		2	2	2		1	1					
	All other—M	1		1																										
121	Appendicitis	162		3	4		3	11	13	10	16	8	12	7	9	14	8	13	8	6	8	6	2		1					
	White—M	87		1	1		3	4	7	4	8	4	9	4	4	8	5	8	5	3	5	3	1							
	F	73		2	3			7	6	6	8	4	3	3	5	5	2	5	3	3	3	3	1							
	All other—M	1														1														
122	Hernia, intestinal obstruction	119	8		2			2			4		2	1	1	7	14	15	6	9	13	12	8	4	6	1		2		
	White—M	58	4		1			2			2		2	1	1	4	6	7	4	8	4	5	1	3	2			2		
	F	57	3		1						2		1	1	3	6	8	7	2	1	8	7	1	3	1			2		
	All other—M	3											1															2		
124	Cirrhosis of the liver	93	1				2		1	1		1	2	4	8	9	8	8	8	13	13	7	1	6						
	White—M	58					1		1	1			2	2	6	6	5	6	6	8	9	6	2	2						
	F	35	1				1		1			1	2	2	2	3	2	2	2	4	4	1	1	4						
	All other—M	1														1														
126,127	Biliary calculi, etc.*	114							1			3	3	8	2	9	8	12	15	14	10	14	13	2						
	White—M	35							1			3	3	7	1	2	2	4	5	7	5	7	3							
	F	78							1			3	3	7	1	7	6	7	12	7	5	7	10	2						
	All other—M	1																												
130-132	Nephritis	953				1		3	1	3	8	7	8	11	13	30	40	65	96	99	155	166	150	72	21	3		1		
	White—M	534						1	1	1	6	5	5	2	7	16	19	38	52	55	95	97	88	35	13	1				
	F	408				1		2	1	2	2	4	3	6	6	15	20	26	39	44	60	68	62	37	7	2		1		
	All other—M	3												1	1	1	1	1	3											
137	Diseases of the prostate	109													1	2	4	4	8	25	28	26	10	2	1					
	White—M	109													1	2	4	4	8	25	28	26	10	2	1					
	F																													
	All other—M																													
140, 142, 147	Puerperal septi-cemia	32							3	8	8	7	5	1																
	White—F	32							3	8	8	7	5	1																
	F	32							3	8	8	7	5	1																
	All other—F																													
141a,c, 144,148	Puerperal toxemia	18							1	5	4	4	2	1	1															
	White—F	16							1	4	4	4	2	1	1															
	F	2																												
	All other—F																													
140b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	28							1	7	6	5	7	2																
	White—F	26							1	7	6	5	5	2																
	F	2																												
	All other—F																													
157	Congenital mal-formations	138	119	5	2	2		3	2	2				1																
	White—M	72	62	1	2	2		1	1	2																				
	F	63	54	4				2	1					1																
	All other—M	1	1																											
159	Premature birth	272	272																											
	White—M	150	150																											
	F	117	117																											
	All other—M	4	4																											
163,164	Suicide	213							2	7	11	11	12	20	22	24	21	19	18	11	10	2								
	White—M	174							1	6	9	11	6	16	18	20	19	15	14	9	9	2								
	F	36							1	1	2		5	4	3	3	5	2	4	1	1									
	All other—M	2												1	1															
165-168	Homicide	28			1				1	1	4	2	2	3	8	3	2													
	White—M	16							1	1	2	2	1	1	5	2	1													
	F	5			1						1			1	1	1														
	All other—M	3												1	2															
170	Motor-vehicle accidents	275	2	5	3	3	2	4	7	22	31	29	20	15	21	24	13	26	16	11	9	6	5							
	White—M	200	3	3	1	1	3	5	15	25	20	15	10	14	18	12	20	12	9	6	4	3								
	F	70	2	1	1	1	1	2	7	5	9	5	4	6	6	1	6	4	2	3	2	2								
	All other—M	5		1							1			1	1															
169, 171-195	Other accidents	634	13	23	10	6	2	8	21	28	19	23	23	25	29	20	28	27	28	30	51	59	76	58	22	5				
	White—M	405	6	17	7	6	1	4	15	25	15	16	22	22	22	18	19	22	23	23	29	32	29	23	9	1				
	F	224	7	6	3		1	4	5	3	4	7	1	2	6	1	8	5	5	7	22	27	48	35	13	4				
	All other—M	5							1					1	1															
All other causes*	Total	1,250	221	11</																										





GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEVADA—Continued																												
50	Cancer of breast	12														1	4	1		2	2	1	1					
	White—M																											
	F	12														1	4	1		2	2	1	1					
	All other—M																											
	F																											
45,47, 51-55	Cancer (other forms)	56											2	1	1	1	2		2	5	5	9	4	1	2			1
	White—M	28											1	1	1	1			2	5	3	8	3	1	2			1
	F	7											1	1	1				2	5	1	1	1					
	All other—M	1																										
	F																											
59	Acute rheumatic fever																											
	White—M																											
	F																											
	All other—M																											
	F																											
61	Diabetes mellitus	18													1	1		2	3	3	7	1						
	White—M	5																2	1		2	2						
	F	11													1	1			2	2	4	1						
	All other—M	2																			1	1						
	F																											
65b	Exophthalmic goiter	2																	1		1							
	White—M																											
	F	1																			1							
	All other—M	1																										
	F																											
69	Pellagra (except alcoholic)	1																										
	White—M	1																										
	F																											
	All other—M																											
	F																											
77	Alcoholism (ethyliam)	9											1			2	4	1										
	White—M	7											1			1	3	1										
	F	1														1												
	All other—M																											
	F	1															1											
85	Intracranial lesions of vascular origin	57											1	2	1	1	4	7	6	15	9	2	8		3			
	White—M	56											1	1	1	1	2	4	3	9	7	1	5					
	F	17											1	1			1	3	3	2	1	1	3		1			
	All other—M	3																										
	F	1																				1						
80-82, 84-88	Other diseases of nervous system, etc.*	19	2	2	1			1	1	3	1	2	1				1	1	1	1	1							
	White—M	11	2					1	1	2		1	1				1	1	1	1	1							
	F	5		2	1							1	1															
	All other—M	1								1	1																	
	F	2							1	1																		
89,104, 115	Diseases of ear, nose, and throat	5		1							1				2		1											
	White—M	4									1					1												
	F	1		1																								
	All other—M																											
	F																											
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	23									2	2	1		4	2		1	2	4		2	3					
	White—M	9									1	1			1	1						1	1					
	F	10									1	1			2	1			1				2					
	All other—M	2																										
	F	2													1							1						
94	Diseases of coronary arteries, angina pectoris	79										1	1	1	2	2	9	9	21	11	11	6	3	2				
	White—M	62										1	1	1	2	2	8	7	17	7	9	5	2	1				
	F	15														1	2	3	4	4	1	1	1					
	All other—M	2																										
	F																											
90b,91, 92a,d,e, 95a,b,d,e, 95a,c	Diseases of heart (other forms)	201	1					2		2				3	7	10	15	16	21	31	24	34	21	12	2		1	
	White—M	137	1					1		1				3	7	8	10	11	14	19	18	22	15	7	1			
	F	58						2		1					2	3	5	6	7	9	5	12	6	4	1			
	All other—M	3																										
	F	5																										
107-109	Pneumonia (all forms)	73	15	2				1		1	2	2	1	3	1	3	5	5	4	3	9	7	7	3	1		2	
	White—M	50	7					1		1	1	1	1	3	1	2	1	5	4	1	6	5	6	2	1		2	
	F	15	1	2							1	1			1	1	2			1	2	2	1	1				
	All other—M	5		2							1										1	1						
	F	3		5																								
117	Ulcer of stomach or duodenum	12											1				3	3	2	1	2							
	White—M	11											1				3	2	2	1	2							
	F	1																										
	All other—M																											
	F																											

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEVADA—Continued																												
119,120	Diarrhea, enteritis, etc.*	8	6														1			1								
	White—M	6	4														1			1								
	F	1	1																									
	All other—M	1	1																									
	F																											
121	Appendicitis	8								1				2	1	1		2	1									
	White—M	6								1				2	1			2	1									
	F	2														1			1									
	All other—M																											
	F																											
122	Hernia, intestinal obstruction	10												1		1	1	1	2	1		1	1	1				
	White—M	4																		1		1	1					
	F	6												1		1	1	2	1		1	1	1					
	All other—M																											
	F																											
124	Cirrhosis of the liver	11											1	1			1	2	1	2	1	2						
	White—M	7											1	1			1	1	1	2	1	1						
	F	2											1								1							
	All other—M	2																				1						
	F																											
126,127	Biliary calculi, etc.*	4													1			1		2								
	White—M	2													1					1								
	F	1																		1								
	All other—M	1																										
	F																											
130-132	Nephritis	69									1			2	1	1	5	10	6	6	10	13	7	5	1	1		
	White—M	42									1					1	3	5	5	5	5	9	5	2	1			
	F	22												1	1	2	5		1	3	4	2	3					
	All other—M	2																			2							
	F	3												1					1		2					1		
137	Diseases of the prostate	6																	1	1		1	2	1				
	White—M	6																	1	1		1	2	1				
	All other—M																											
140, 142a, 147	Puerperal septicemia	6									1	3	2															
	White—F	5									1	3	1															
	All other—F	1										1																
141a, c, 144, 145	Puerperal toxemia																											
	White—F																											
	All other—F																											
141b, d, e, f, 142b, 143, 145, 146, 149, 150	Other puerperal causes	2									1	1																
	White—F	2									1	1																
	All other—F																											
157	Congenital malformations	10	8			1			1																			
	White—M	6	5						1																			
	F	3	2			1																						
	All other—M																											
	F	1	1																									
159	Premature birth	28	28																									
	White—M	17	17																									
	F	11	11																									
	All other—M																											
	F																											
163,164	Suicide	41									2	3	5	8	5	4	9	2	4	2	1							
	White—M	34									1	3	3	6	1	5	8	2	4	2	1							
	F	4												2	1	1												
	All other—M	2																										
	F	1									1																	
165-168	Homicide	11									1	1	1		2		3	2	1									
	White—M	5										1																
	F	5										1																
	All other—M	1																										
	F																											
170	Motor-vehicle accidents	78	1					2	1	4	7	4	9	8	5	4	9	3	7	7		3	1	2				1
	White—M	48								2	6	1	5	5	5	1	3	3	5	6		3	1	1				1
	F	23	1					2	1	2		1	4	3		3	5		1	1								1
	All other—M	4																										
	F	3																										
169, 171-195	Other accidents	143	5	2	2		1	2	2	5	15	14	14	9	6	12	9	7	10	9	8	4	3	4	4			
	White—M	99	1		1			2	2	5	11	9	9	7	3	9	7	5	10	5	7	2	2	2	2			
	F	27	2		1						1	5	1	1	1	2	1	1	3	1	2	1	2	2	2			
	All other—M	14		1			1						1	1	2													

# GENERAL TABLES—TOTAL DEATHS

283

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not		
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over	stated			
NEW HAMPSHIRE																														
	All causes—	6,301	363	20	13	15	11	33	39	55	78	69	99	111	174	217	335	405	569	720	865	857	674	379	133	40	8	21		
	White—M	5,360	184	12	6	10	5	18	27	37	52	36	55	58	92	118	201	242	335	405	462	460	501	163	49	17	3	14		
	F	2,932	178	7	7	5	6	15	12	18	26	33	44	52	81	97	132	162	235	315	405	397	375	216	84	23	5	6		
	All other—M	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,2	Typhoid, paratyphoid fever—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	5	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.—	119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14-22	Tuberculosis (other forms)—	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Dysentery—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Syphilis—	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	39	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	18	1	—	—																									





VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			1	1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
	NEW JERSEY																												
	All causes—	43,959	2,184	199	124	93	80	308	314	519	669	652	930	1,272	1,791	2,507	3,313	3,733	4,601	5,183	5,277	4,486	3,200	1,650	529	124	18	3	
	White—M	21,491	1,065	92	69	36	40	163	159	233	291	360	404	587	868	1,341	1,835	1,984	2,493	2,631	2,549	2,066	1,387	625	173	35	3	2	
	F	19,134	818	77	43	44	32	109	110	189	262	346	544	465	681	902	1,173	1,464	1,841	2,283	2,514	2,294	1,371	982	339	80	10	1	
	All other—M	1,726	159	21	7	11	6	16	22	41	46	67	92	124	127	133	163	146	143	139	114	66	47	20	9	4	1	—	
	F	1,608	142	9	5	2	2	20	23	56	70	79	90	96	115	131	142	137	124	130	100	60	35	23	8	5	4	—	
1,2	Typhoid, paratyphoid fever—	16	—	—	—	1	1	—	—	2	1	3	1	—	1	1	1	1	3	—	—	—	—	—	—	—	—	—	—
	White—M	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	22	4	2	3	2	—	4	1	1	1	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
	White—M	13	3	—	2	1	—	3	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	9	1	2	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	20	—	3	2	1	2	6	1	2	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	10	—	2	2	—	—	2	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	46	31	10	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	15	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	12	5	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	26	1	2	3	2	6	11	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	14	1	2	1	2	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,660	3	3	1	—	1	1	15	75	146	172	155	167	170	154	152	143	119	83	50	26	16	8	—	—	—	—	—
	White—M	821	2	—	—	—	1	—	2	11	36	52	56	72	88	98	107	108	84	56	31	6	6	1	—	—	—	—	—
	F	488	—	2	—	—	—	—	8	24	59	66	56	52	42	35	32	28	20	21	17	13	8	5	—	—	—	—	—
	All other—M	192	1	—	—	—	—	1	1	15	18	25	27	29	27	13	8	9	10	4	2	1	1	—	—	—	—	—	—
	F	159	—	1	1	—	—	—	4	25	33	29	16	14	13	8	5	—	5	2	—	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	132	6	8	4	5	1	15	6	11	2	10	15	7	5	6	5	5	8	3	3	3	1	1	—	—	—	—	—
	White—M	42	2	1	1	2	—	5	1	2	—	3	5	2	3	2	4	3	4	—	—	—	—	—	—	—	—	—	—
	F	41	1	3	2	—	—	3	2	5	1	2	3	2	—	4	—	1	3	3	2	2	1	1	—	—	—	—	—
	All other—M	35	3	2	1	3	1	4	3	4	1	3	3	3	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	F	14	—	2	—	—	—	3	2	4	—	2	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery—	8	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—M	6	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis—	538	19	—	—	—	—	1	1	3	6	8	20	50	47	85	67	57	61	47	34	13	16	3	—	—	—	—	—
	White—M	267	5	—	—	—	—	—	—	1	3	7	17	16	39	38	36	41	30	18	7	6	3	—	—	—	—		



VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated					
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94
NEW JERSEY—Con.																											
119,120	Diarrhea, enteritis, etc.*	182	100	14	3	2	—	3	2	3	3	3	4	8	3	5	2	7	6	4	2	3	1	1	3	—	—
	White—M	87	54	8	2	2	—	1	—	1	2	—	—	4	4	1	2	—	3	3	1	1	—	—	1	—	—
	F	78	35	5	1	—	—	2	1	2	1	3	4	3	2	2	—	4	2	2	—	2	1	1	—	—	—
121	Appendicitis	462	—	7	12	4	7	25	23	32	26	30	20	34	43	31	35	37	36	23	14	18	4	1	—	—	—
	White—M	260	—	4	8	1	4	15	8	19	11	19	14	24	27	21	18	21	25	10	4	6	2	—	—	—	—
	F	171	—	3	3	3	3	8	11	8	11	11	6	6	12	9	14	14	11	13	10	12	2	1	—	—	—
122	Hernia, intestinal obstruction	366	12	4	—	1	1	—	5	5	5	8	11	9	13	28	30	30	30	46	48	54	25	16	5	—	—
	White—M	172	6	2	—	—	—	—	5	5	5	2	5	2	7	11	12	12	16	24	18	19	16	7	2	—	—
	F	165	5	1	—	1	1	—	—	—	—	2	4	3	6	5	13	13	16	14	20	27	14	9	8	3	—
124	Cirrhosis of the liver	427	—	—	—	—	—	1	2	—	3	6	19	39	48	61	57	51	50	39	30	15	5	—	1	—	—
	White—M	255	—	—	—	—	—	1	1	—	3	11	21	28	38	37	36	31	20	21	6	1	—	—	1	—	—
	F	153	—	—	—	—	—	—	—	—	2	3	8	15	18	19	16	14	16	18	9	4	—	—	—	—	—
126,127	Biliary calculi, etc.*	267	—	—	—	—	—	—	—	—	1	2	8	15	16	28	39	30	48	21	34	11	9	5	—	—	—
	White—M	91	—	—	—	—	—	—	—	—	—	—	4	3	4	11	12	13	12	8	11	7	4	2	—	—	—
	F	166	—	—	—	—	—	—	—	—	1	2	4	9	12	16	26	17	33	13	22	4	5	2	—	—	—
130-132	Nephritis	3,385	—	3	—	3	2	3	12	17	24	35	41	61	101	156	233	289	339	445	538	485	344	189	52	12	3
	White—M	1,465	—	3	—	2	1	1	6	10	6	16	17	28	35	67	101	126	169	197	246	211	138	81	12	4	—
	F	1,622	—	—	—	1	1	2	6	6	15	10	17	23	50	68	97	132	147	208	237	251	186	104	39	7	—
137	Diseases of the prostate	236	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	14	25	40	54	55	32	9	2	—	—
	White—M	226	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	13	25	37	51	53	31	9	2	—	—
	All other—M	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	3	2	1	—	—	—	—
140, 142a, 147	Puerperal septicemia	75	—	—	—	—	—	—	5	19	18	16	10	7	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	59	—	—	—	—	—	—	3	15	14	13	8	6	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	16	—	—	—	—	—	—	2	4	4	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
141a,c, 144,148	Puerperal toxemia	34	—	—	—	—	—	—	2	8	9	7	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	31	—	—	—	—	—	—	2	5	9	7	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	73	—	—	—	—	—	—	4	6	24	18	13	8	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	64	—	—	—	—	—	—	3	6	22	14	11	8	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	9	—	—	—	—	—	—	1	—	2	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
157	Congenital malformations	323	269	11	6	2	3	10	4	2	4	2	2	3	—	—	—	2	—	—	—	—	—	—	—	—	—
	White—M	155	151	3	4	—	1	6	1	1	2	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	153	127	6	2	2	1	3	3	1	2	1	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—
159	Premature birth	750	750	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	357	357	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	284	284	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
163,164	Suicide	572	—	—	—	—	—	—	2	8	19	40	30	52	62	75	71	64	53	31	41	11	7	5	—	—	—
	White—M	410	—	—	—	—	—	—	2	5	14	27	22	35	43	51	48	46	41	27	35	8	6	4	—	—	—
	F	150	—	—	—	—	—	—	—	2	5	11	6	17	19	22	22	18	12	7	6	1	1	—	—	—	—
165-168	Homicide	91	8	—	—	1	—	2	3	5	8	9	10	11	7	10	6	4	2	3	1	—	—	—	—	—	—
	White—M	40	2	—	—	1	—	1	3	5	4	5	1	3	6	6	3	3	1	3	—	—	—	—	—	—	—
	F	20	4	—	—	—	—	—	1	3	1	3	4	2	1	1	—	—	1	—	—	—	—	—	—	—	—
170	Motor-vehicle accidents	852	5	7	2	15	12	31	27	42	74	57	42	53	45	66	78	64	77	68	45	27	14	1	—	—	—
	White—M	591	1	5	—	5	7	20	20	29	56	42	30	31	25	50	55	50	56	46	35	17	11	—	—	—	—
	F	191	4	2	2	8	1	8	3	10	14	9	8	13	14	9	19	7	18	19	9	10	3	1	—	—	—
169, 171-195	Other accidents*	1,678	74	23	12	14	8	45	48	50	62	58	52	79	76	93	112	95	128	125	140	137	129	84	22	9	2
	White—M	961	35	15	4	7	3	26	33	34	48	46	43	59	54	72	85	72	65	61	60	42	22	3	2	1	1
	F	614	30	6	7	4	5	11	10	8	8	8	3	11	15	15	19	23	52	55	75	76	86	61	19	6	—
All other causes*	White—M	1,592	277	12	16	5	10	20	15	21	26	23	21	45	56	81	101	96	111	147	143	144	121	67	25	5	1
	F	1,528	175	6	8	7	6	12	9	22	21	32	44	46	63	89	69	107	90	104	131	130	164	120	53	18	2
	All other—M	120	36	—	—	—	—	1	1	4	4	2	9	7	6	9	4	7	5	—	5	—	—	—	—	—	—
All other causes*	White—M	3,408	518	19	26	13	16	33	28	50	58	73	95	118	139	193	176	215	209	269	284	261	295	193	80	23	4
	F	1,528	175	6	8	7	6	12	9	22	21	32	44	46	63	89	69	107	90	104	131	130	164	120	53	18	2
	All other—M	120	36	—	—	—	—	1	1	4	4	2	9	7	6	9	4	7	5	—	5	—	—	—	—	—	—
All other causes*	White—M	1,592	277	12	16	5	10	20	15	21	26	23	21	45	56	81	101	96	111	147	143	144					



# GENERAL TABLES—TOTAL DEATHS

289

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age Group																	Not stated													
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64		65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over					
<b>NEW MEXICO</b>																																	
	All causes	5,917	1,549	203	78	49	22	105	87	155	165	206	187	204	228	261	264	267	316	367	396	368	248	118	48	12	10	16					
	White	3,159	796	92	32	18	8	49	50	72	82	102	83	92	138	141	168	171	209	200	201	197	148	68	27	5	1	9					
	Female	2,283	625	71	27	19	11	36	24	67	65	82	95	91	71	105	81	99	99	149	160	158	93	44	19	6	1	6					
	All other	259	68	26	11	8	1	5	8	8	12	9	5	9	11	10	9	12	5	9	9	14	10	4	1	1	1	1					
	Female	216	60	14	8	4	2	15	5	8	8	13	6	12	8	5	6	7	3	9	11	3	2	2	1	1	2	1					
1,2	Typhoid, paratyphoid fever	18	1					3	1	5	2		2	2				1															
	White	11						2		4	1		1	1				1															
	Female	7	1					1	1	1			1	1																			
	All other																																
	Female																																
6	Cerebrospinal (meningococcus) meningitis	18	1	2	2	2	1	4	1			3	1	1																			
	White	5					1					3		1																			
	Female	2	1									1		1																			
	All other	6		2	2	1		1																									
	Female	5			1			3	1																								
8	Scarlet fever	2									1	1																					
	White	1									1																						
	Female	1									1																						
	All other																																
	Female																																
9	Whooping cough	39	24	10		3		1	1																								
	White	17	7	6		2		1	1																								
	Female	22	17	4		1																											
	All other																																
	Female																																
10	Diphtheria	14	2	2		3		3					1																				
	White	3	1	1		1		1																									
	Female	9	1	2		2		2					1																				
	All other	1						1																									
	Female	1						1																									
13	Tuberculosis of respiratory system, etc.*	396	5	2	7	2	3	5	3	23	27	45	43	54	59	49	32	16	19	7	9	4	1									1	
	White	200	3		1	1	1	1	1	2	16	15	16	19	11	15	19	11	12	4	4	2	2									1	
	Female	135	1		1	1	1	1	2	16	15	16	19	11	15	19	11	5	3	5	2	2	1										
	All other	54	1	2	3	1	2	2	4	5	2	1	3	4	1	3	4	1	1	1	1	1											
	Female	27	1	4	1	1	1	1	1	3	1	5	3	2	2	2	2	1	1	1	1	1											
14-22	Tuberculosis (other forms)	32	3	2	1	2		2	4	4	1	3	1	1	1	2	3				1												
	White	13	1	1				1	4	4	1	3	1	1	1	1	3				1												
	Female	10	1	2				1	1	3	1	1	1	1	1	1	2				1												
	All other	5	1		1	1		1	1	1		1																					
	Female	4	1		1	1		1	1	1		1																					
27	Dysentery	59	41	11	2								1						1														
	White	30	17	7	2														1														
	Female	24	22	1	2								1						1														
	All other	3	1	2																													
	Female	2	1	1																													
28	Malaria	5									1	1	1		1	1																	
	White	2									1	1			1	1																	
	Female	3									1	1			1	1																	
	All other																																
	Female																																
30	Syphilis	90	19	1		1		1			1	2	3	6	4	11	7	8	14	5	1	2											1
	White	53	9	1							1	2	3	1	6	6	6	13	2	1	1	1											
	Female	27	9			1		1			1	1	1	2	2	3	1	1	1	1	1	1											1
	All other	7																															
	Female	3	1																														
33	Influenza	123	25	10	4		1	6	2	5	3	3	3	5	2	3	5	3	9	11	6	4	7	4								1	
	White	54	9	2	1		1	3	4	2	3	1	1	1	1	3	1	1	6	6	2	1	4	1									1
	Female	54	11	8	2		2	1	1	1	1	2	3	1	1	3	1	3	4	4	4	3	2	2									1
	All other	7	2	7	1		1																										
	Female	8	3					1						1																			

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated						
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over								
NEW MEXICO—Continued																																		
50	Cancer of breast—	26										1	1	2	1	4	7	4	1	3	2													
	White—M																																	
	F	26										1	1	2	1	4	7	4	1	3	2													
	All other—M																																	
	F																																	
45,47, 51-55	Cancer (other forms)—	82		1	2	1	1	1		1	2		4	1	2	3	5	8	5	15	10	10	7	2	1									
	White—M	59		1	2	1	1						2	1	2	3	3	7	5	13	6	9	4	1	1									
	F	23											2		2			1		2	4	1	3	1										
	All other—M																																	
	F																																	
58	Acute rheumatic fever—	7	1					2	2	1		1																						
	White—M	3						2	1																									
	F	2	1							1																								
	All other—M																																	
	F	2							1			1																						
61	Diabetes mellitus—	43							1	2		1	1		2		2	5	8	6	6	6	1	2										
	White—M	27							1	1		1	1		1		2	1	5	2	5	4	1	2										
	F	16																4	3	4	1	2												
	All other—M																																	
	F																																	
63b	Exophthalmic goiter—	8									1			2		2			2	1														
	White—M	1																		1														
	F	7									1			2		2				1	1													
	All other—M																																	
	F																																	
69	Pellagra (except alcoholic)—	15														5		1	2	1	1	4	1											
	White—M	6																		1	1	2	1											
	F	9																			1	2												
	All other—M																																	
	F																																	
77	Alcoholism (ethylism)—	8											1		1	1		1	2	1		1												
	White—M	7											1		1	1		1	2	1		1												
	F	1											1		1	1		1	2	1		1												
	All other—M																																	
	F																																	
83	Intracranial lesions of vascular origin—	205						1			2		3	5	3	15	16	18	13	27	34	37	16	6	5	1			3					
	White—M	104						1			2		1	1	1	9	6	14	9	15	17	14	8	3	2	1		1						
	F	95											2	4	3	6	9	3	4	12	14	8	3	3	3			2						
	All other—M	3																		1	1	1												
	F	3																			2	1												
80-82, 84-88	Other diseases of nervous system, etc.—	57	9	3	2	2	2		2	4	2	3	1	1	3	1	3	5	4		1	2	2	2										
	White—M	32	7	2	2	1			2		1		1	1	1	1	2	5	2	1	1	2	2											
	F	19	1	1	1				2	1	2	1	1	2	1	2	1	2	1		1	1												
	All other—M	4			1					2																								
	F	2	1			1																												
89,104, 115	Diseases of ear, nose, and throat—	43	6	5			1	6	1	4	4	3	4	2			1	1	1	2					2									
	White—M	26	5	2				4		3	4	2	2	2						1					1									
	F	16	1	3			1	2	1	1		1	1				1	1	1						1									
	All other—M	1											1																					
	F																																	
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—	57	1					3	4		3	3	1	3	5	4	2	2	2	8	8	4	4											
	White—M	28						1	3		1	1	1	1	2	2	1	1	1	4	6	2	1											
	F	26						2	1		2	1	1	2	1	2	1	1	1	4	2	2	3											
	All other—M	1																																
	F	2										1			1																			
94	Diseases of coronary arteries, angina pectoris—	115						1					4	3	4	6	10	20	17	17	15	10	4	2		2								
	White—M	77						1					2	2	3	3	9	14	10	10	10	6	2	1										
	F	35											2	1	1	3	1	3	3	7	5	4	2											
	All other—M	3																																
	F																																	
90b,91, 92a,d,e, 93a,b,d,f, 95a,c	Diseases of heart (other forms)—	425	2					1	5	7	5	8	4	12	12	19	27	27	38	54</														

GENERAL TABLES—TOTAL DEATHS

291

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
NEW MEXICO—Continued																												
119,120	Diarrhea, enteritis, etc.	234	179	32	5	1	1	2		1				1	1	2	3	1		3		1						
	White—M	121	94	16	2					1					1	1				1		1						
	White—F	95	75	9	3	1	1	2						1		2												
	All other—M	10	8																									
	All other—F	8	5	2												1												
121	Appendicitis	60				1	4	7	13	8	8	2	2	2	1	4	6		1	1								
	White—M	38				1	3	5	10	4	4	1	1	2	1	4	6		1	1								
	White—F	20					1	4	3	4	3	1	1	1		2	6											
	All other—M	2									1		1															
	All other—F																											
122	Hernia, intestinal obstruction	50	4	1	3		1	1	1	1	3	3	1	2	2	2	7	2	6	4	2	3	1					
	White—M	14	2	1	1			1	1		1	1	1	1	1	1	1	1	1	1	1	1	1					
	White—F	35	2		2		1	1	1	1	2	2	1	1	1	1	6	2	5	3	2	1	1					
	All other—M									1																		
	All other—F	1																										
124	Cirrhosis of the liver	35						1				1			4		1	5	1	9	5	6	3					
	White—M	22						1							2		2	3	2	5	4	4	2					
	White—F	14										1			2		2	2	1	4	1	2	1					
	All other—M																											
	All other—F																											
126,127	Biliary calculi, etc.	22												1	1	3	3	1	8	2		2	1					
	White—M	9												1	1	2	1	2	5	2		2	1					
	White—F	12												1	1	1	2	1	1	2								
	All other—M	1																										
	All other—F																											
130-132	Nephritis	242				1	2	5	5	2	5	5	2	9	10	18	10	27	28	40	39	24	9	2				
	White—M	134					1	1	2	1	2	1	2	4	4	14	6	16	16	21	23	17	5	4				
	White—F	102				1	1	4	3	1	3	4	2	5	5	4	4	11	11	15	15	7						
	All other—M	5																										
	All other—F	1																										
137	Diseases of the prostate	24													1			2	3	6	5	4	2		1			
	White—M	24													1			2	3	6	5	4	2		1			
	All other—M																											
140, 142a, 147	Puerperal septicaemia	29							4	4	5	8	4	3	5	1												
	White—F	28							4	4	5	8	4	3	5	1												
	All other—F	1																										
141a,c, 144,148	Puerperal toxemias	17							2	2	5	5	2		1													
	White—F	16							2	2	5	5	2		1													
	All other—F	1									1	5	2															
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	25							2	5	5	5	7	3														
	White—F	20							2	4	4	2	5	3														
	All other—F	5								1	1	1	2															
157	Congenital malformations	50	45	2		1		2																				
	White—M	27	25	2																								
	White—F	18	17					1																				
	All other—M	3	2			1																						
	All other—F	2	1					1																				
159	Premature birth	239	239																									
	White—M	126	126																									
	White—F	93	93																									
	All other—M	12	12																									
	All other—F	8	8																									
163,164	Suicide	66							3	6	5	2	5	8	3	9	8	4	7	3	1	2						
	White—M	52							1	3	4	2	3	6	1	8	8	4	6	3	1	2						
	White—F	13							2	2	1	1	2	2	2	1			1									
	All other—M										1																	
	All other—F	1																										
165-168	Homicide	21							2	2	2		6	4				3			1							1
	White—M	16							1	2	2		5	4				2										
	White—F	3																	1									
	All other—M	2							1						1													1
	All other—F																											
170	Motor-vehicle accidents	194	3	2	2	2	1	8	13	11	23	15	14	11	11	17	12	6	4	8	4	3						1
	White—M	143	2	1	2	1		5	11	9	14	16	12	10	7	8	13	8	3	7	4	3						1
	White—F	44	1	1		1	1	3	2	2	7	6	3	4	2	3	3	3	1	1	1							1
	All other—M	7								2	1				2													
	All other—F																											
169, 171-195	Other accidents	266	10	12	1																							

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
NEW YORK																												
	All causes—	149,501	7,370	641	357	298	240	940	958	1,547	2,110	2,833	3,269	4,368	5,189	5,795	11,596	13,433	15,877	17,669	17,497	15,439	10,633	5,355	1,778	379	61	22
	White—M	76,817	3,992	321	178	163	120	507	529	792	974	1,147	1,485	2,143	2,291	2,954	5,877	7,888	9,802	9,275	8,751	7,440	4,845	2,247	646	119	18	13
	White—F	65,083	2,977	271	150	115	105	344	340	554	800	1,065	1,274	1,578	2,189	3,135	4,206	5,161	5,542	7,959	8,392	7,742	5,846	3,041	1,102	252	39	4
	All other—M	4,158	539	28	12	7	49	49	49	69	148	211	290	375	441	418	404	332	304	228	181	121	70	25	8	6	2	3
	All other—F	3,465	262	23	17	6	8	40	40	112	188	260	280	272	267	286	309	252	229	207	175	156	72	44	22	2	2	2
1,2	Typhoid, paratyphoid fever—	45	—	1	—	—	—	3	1	8	3	6	3	3	2	2	1	3	5	1	2	—	—	—	—	—	—	—
	White—M	20	—	1	—	—	—	1	1	2	2	3	1	1	1	1	1	1	1	1	1	—	—	—	—	—	—	—
	White—F	14	—	—	—	—	—	1	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	5	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal meningitis (meningococcus)—	65	11	4	4	—	—	6	2	6	5	1	4	3	4	1	3	—	2	3	—	—	—	—	—	—	—	—
	White—M	38	4	3	1	2	—	4	2	4	4	1	4	1	2	—	2	—	1	3	—	—	—	—	—	—	—	—
	White—F	19	7	1	2	1	—	2	1	1	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	50	2	2	7	1	4	11	6	5	1	1	4	2	1	2	—	—	—	1	—	—	—	—	—	—	—	—
	White—M	30	—	—	3	—	3	7	6	3	—	—	3	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	White—F	17	2	2	4	1	—	3	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	136	90	27	7	2	1	7	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	63	50	7	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	61	31	19	4	1	—	4	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	8	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	36	4	—	4	4	2	7	1	3	—	—	1	1	1	3	2	—	—	3	—	—	—	—	—	—	—	—
	White—M	26	3	—	3	4	2	6	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	White—F	9	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*—	5,976	20	14	8	1	2	14	43	221	456	580	549	537	641	619	684	491	398	328	188	110	47	21	5	—	—	1
	White—M	3,265	6	4	2	—	1	4	4	46	114	179	220	261	382	445	495	366	276	219	118	71	20	10	1	—	—	1
	White—F	1,572	9	5	3	—	1	1	14	80	190	227	188	127	143	91	111	82	100	90	58	36	26	10	—	—	—	—
	All other—M	678	2	2	2	1	—	5	6	38	70	71	95	96	93	65	51	56	18	15	8	3	—	—	—	—	—	—
	All other—F	461	3	3	1	—	—	4	19	57	82	103	66	33	23	18	27	7	4	4	4	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)—	506	18	31	12	20	4	25	29	32	45	35	36	41	34	30	37	27	20	12	10	7	—	—	—	—	—	—
	White—M	202	5	12	3	11	4	12	7	12	19	10	13	15	13	22	7	10	6	4	2	—	—	—	—	—	—	—
	White—F	171	7	11	5	7	—	7	13	11	9	11	8	13	9	12	10	15	9	3	5	—	—	—	—	—	—	—
	All other—M	75	3	4	1	1	—	2	6	6	8	6	11	6	5	3	5	4	1	2	1	—	—	—	—	—	—	—
	All other—F	58	3	4	3	1	—	4	3	3	9	8	4	7	5	2	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery—	40	9	2	2	—	1	—	1	—	1	4	1	2	1	5	3	2	1	2	1	2	—	—	—	—	—	—
	White—M	20	5	1	1	—	—	—	—	—	—	4	—	2	1	2	1	1	—	—	—	—	—	—	—	—	—	—
	White—F	18	3	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria—	20	—	—	—	—	—	—	—	2	1	1	5	3	2	1	3	1	—	—	—	—	—	—	—	—	—	—
	White—M	11	—	—	—	—	—	—	—	—	1	—	3	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	White—F	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis—	2,204	55	5	—	1	—	—	5	15	25	46	88	158	227	263	303	309	260	207	130	75	27	3	1	—	—	1
	White—M	1,211	17	2	—	—	—	—	1	4	6	4	19	61	104	150	185	202	174	135	81	49	14	2	1	—	—	—
	White—F	361	16	2	—	—	—	—	1	3	5	9	16	22	19	30	36	61	41	40	33	17	10	—	—	—		

# GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	to 2	to 3	to 4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
NEW YORK—Contd.																												
50	Cancer of breast	2,152	—	—	—	—	—	—	—	2	2	14	39	104	187	228	249	310	285	269	169	154	94	24	20	4	—	—
	White—M	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2,075	—	—	—	—	—	—	—	1	2	12	38	95	176	217	239	304	275	261	165	151	94	23	18	4	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	65	—	—	—	—	—	—	—	—	1	—	2	1	8	9	10	8	6	4	5	4	2	—	1	2	—	—	—
45,47, 51-55	Cancer (other forms)	6,567	5	8	15	6	7	24	34	36	49	61	98	125	258	492	651	807	885	893	851	626	286	127	31	8	3	1
	White—M	4,569	1	4	8	3	4	15	19	29	26	34	52	74	166	360	463	593	669	668	613	455	208	87	13	4	2	1
	F	1,613	3	4	7	3	3	11	13	5	20	21	39	41	72	109	172	188	191	207	204	166	75	39	16	3	1	—
	All other—M	135	1	—	—	—	—	—	1	1	2	2	3	5	14	20	11	20	19	14	12	4	2	1	2	1	—	—
F	50	—	—	—	—	—	—	—	—	1	1	4	4	5	6	3	5	6	4	2	1	1	—	—	—	—	—	—
58	Acute rheumatic fever	226	—	—	1	4	7	32	38	21	14	35	20	20	11	10	2	5	4	1	1	2	—	—	—	—	—	—
	White—M	102	—	—	1	1	2	13	18	10	12	16	12	7	3	3	1	2	1	1	—	—	—	—	—	—	—	—
	F	106	—	—	—	3	4	15	18	10	—	11	7	13	8	6	1	3	4	1	—	—	—	—	—	—	—	—
	All other—M	6	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	12	—	—	—	—	1	2	1	1	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	5,265	1	2	4	—	3	5	11	24	28	19	28	44	95	224	411	673	919	1,017	848	546	267	79	18	—	1	—
	White—M	1,780	1	1	4	—	—	1	5	7	10	5	10	22	33	78	134	207	303	327	288	211	93	33	7	—	—	—
	F	5,293	—	1	—	—	3	4	6	15	14	12	11	13	41	127	246	438	586	671	547	350	171	46	10	—	1	—
	All other—M	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	140	—	—	—	—	—	—	—	2	4	2	6	7	15	11	24	20	23	10	10	2	3	—	1	—	—	—	—
65b	Exophthalmic goiter	411	—	—	—	—	—	1	2	3	7	11	10	18	24	53	62	62	51	50	32	17	7	1	—	—	—	—
	White—M	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	329	—	—	—	—	—	1	2	3	3	9	8	15	18	39	51	48	42	43	25	14	7	1	—	—	—	—
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylism)	421	—	—	—	—	—	—	—	—	—	5	19	29	57	66	69	65	44	38	13	13	5	1	—	—	—	—
	White—M	311	—	—	—	—	—	—	—	—	—	—	2	13	16	34	40	56	50	39	13	10	3	1	—	—	—	—
	F	59	—	—	—	—	—	—	—	—	—	—	2	7	11	17	9	5	3	4	—	—	—	—	—	—	—	—
	All other—M	40	—	—	—	—	—	—	—	—	—	—	1	4	5	9	7	2	7	2	—	—	—	—	—	—	—	—
F	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin	9,858	16	4	2	1	—	4	9	18	14	43	44	106	225	389	651	792	1,154	1,455	1,649	1,554	1,076	508	153	28	5	—
	White—M	4,303	7	2	2	—	—	2	6	8	6	16	19	37	84	157	252	366	544	651	763	672	452	193	57	6	1	—
	F	5,257	8	2	—	—	—	2	3	10	8	19	17	51	116	205	347	391	553	771	859	859	610	307	95	21	4	—
	All other—M	133	—	—	—	—	—	—	—	—	—	—	1	5	8	13	14	15	17	21	14	11	7	5	1	—	—	
F	165	1	—	—	—	—	—	—	—	—	—	7	3	10	10	15	17	18	16	19	16	9	7	—	—	—	—	—
80-82, 84-88	Other diseases of nervous system, etc.*	1,241	84	17	12	11	5	40	32	51	52	60	64	73	82	92	98	107	92	83	85	52	37	9	3	—	—	—
	White—M	651	48	8	5	8	2	19	13	28	27	24	27	36	44	52	58	53	52	43	37	24	16	6	1	—	—	—
	F	544	30	9	5	3	2	19	17	21	20	30	31	28	35	35	37	52	33	38	47	27	20	3	2	—	—	—
	All other—M	33	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
F	33	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
89,104, 115	Diseases of ear, nose, and throat	681	73	29	19	19	17	46	32	38	35	33	37	34	34	40	40	43	33	34	22	7	9	6	1	—	—	—
	White—M	360	39	15	7	11	6	26	20	23	15	16	20	22	20	27	26	27	15	13	7	2	2	1	—	—	—	
	F	273	22	12	11	6	8	16	10	13	19	14	15	9	7	12	12	15	18	21	15	5	7	5	1	—	—	
	All other—M	29	6	1	—	1	2	—	2	2	1	2	1	2	6	1	1	1	—	—	—	—	—	—	—	—	—	
F	19	6	1	1	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	3,403	1	1	4	2	7	58	138	155	173	223	246	248	264	340	287	213	230	199	205	180	151	58	17	2	—	—
	White—M	1,550	—	—	3	1	4	25	78	86	84	94	109	117	117	132	143	119	98	91	91	71	52	26	9	—	—	
	F	1,688	1	1	1	—	2	22	54	58	80	110	120															



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes	51,793	4,683	572	501	183	155	444	405	850	1,067	1,073	1,165	1,292	1,462	1,630	1,954	2,071	2,450	2,831	2,208	2,041	1,583	880	323	91	45	14
	White—M	11,411	1,580	187	108	59	59	177	145	241	281	262	306	337	492	581	702	837	986	1,153	930	879	658	323	107	18	—	3
	White—F	8,825	1,139	151	84	60	42	125	85	163	183	222	265	305	298	360	437	519	697	856	785	612	684	376	142	30	6	1
	All other—M	6,062	1,108	120	61	32	25	77	97	205	301	293	283	330	351	341	427	399	400	454	267	196	131	86	41	21	13	3
	All other—F	5,495	836	134	48	32	29	65	60	241	322	296	311	320	321	348	388	316	367	368	226	154	110	95	33	22	26	7
1,2	Typhoid, paratyphoid fever	50	—	1	—	—	1	4	9	5	2	6	6	3	4	4	—	2	2	—	1	—	—	—	—	—	—	—
	White—M	17	—	—	—	—	—	2	4	—	—	2	2	—	2	—	—	1	2	—	—	—	—	—	—	—	—	—
	White—F	11	—	—	—	—	—	1	—	1	2	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	20	—	—	—	—	1	1	5	3	—	4	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal meningitis (meningococcus)	28	3	2	5	1	1	6	2	4	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	White—M	11	—	2	2	—	—	5	2	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	White—F	8	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	7	2	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	12	—	—	2	4	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	9	—	—	2	3	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	228	154	40	18	6	3	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	White—M	42	28	9	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	White—F	49	36	6	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	65	43	13	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	72	47	12	8	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	166	18	26	39	28	20	29	1	1	—	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	White—M	72	8	15	16	13	7	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	67	5	7	18	11	9	13	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	14	4	2	2	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	13	1	2	3	2	3	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	1,658	10	10	1	1	1	12	24	148	200	197	167	170	208	177	114	75	59	34	30	17	3	2	—	—	—	—
	White—M	395	3	1	—	—	—	1	7	13	23	34	41	79	67	42	29	25	12	10	7	1	—	—	—	—	—	—
	White—F	265	1	—	—	—	—	2	1	14	32	28	32	30	25	21	18	14	13	9	13	6	2	2	—	—	—	—
	All other—M	459	4	4	—	—	—	5	5	38	49	54	40	56	72	62	29	18	12	7	3	1	—	—	—	—	—	—
	All other—F	541	2	5	1	1	1	5	17	89	106	92	61	43	30	27	25	14	9	6	4	3	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	146	9	9	2	5	3	7	11	16	17	12	13	7	10	4	2	7	6	4	2	—	—	—	—	—	—	—
	White—M	24	4	1	—	—	—	2	2	—	1	—	2	—	2	2	1	3	2	1	1	—	—	—	—	—	—	—
	White—F	18	1	1	—	—	—	2	1	1	1	1	1	1	2	—	—	3	1	2	—	—	—	—	—	—	—	—
	All other—M	41	2	1	2	4	1	3	2	7	5	4	4	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	63	2	6	—	1	2	6	8	10	7	6	4	3	1	1	1	1	3	1	1	—	—	—	—	—	—	—
27	Dysentery	80	40	10	1	—	—	1	2	—	1	2	1	—	—	3	1	1	4	3	1	4	2	1	—	2	—	—
	White—M	16	9	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	
	White—F	30	14	3	1	—	—	1	—	—	—	—	—	—	—	1	—	—	2	2	1	3	1	—	—	1	—	
	All other—M	11	7	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
	All other—F	23	10	3	—	—	—	1	—	1	2	1	—	—	—	1	1	—	1	1	—	1	—	—	—	—	—	
28	Malaria	51	1	4	2	—	1	2	1	—	3	2	—	4	4	3	3	6	4	4	2	2	1	2	—	—	—	—
	White—M	17	1	3	—	—	—	—	—	—	—	—	—	2	2	1	1	4	1	1	1	1	—	2	—	—	—	
	White—F	12	—	—	1	—	—	1	—	—	—	—	—	1	1	2	1	1	1	1	1	1	—	—	—	—	—	
	All other—M	10	—	—	—	—	1	1	1	—	—	1	—	1	—	—	—	1	1	1	—	1	—	—	—	—	—	
	All other—F	12	—	1	1	—	—	—	—	3	1	—	2	1	—	1	—	1	1	1	—	1	—	—	—	—	—	
30	Syphilis	438	66	2	—	—	—	4	5	20	27	30	37	47	42	42	29	29	14	25	9	6	3	1	—	—	—	
	White—M	84	7	—	—	—	—	2	1	1	4	4	5	7	13	6	9	7	13	2	3	—	—	—	—	—	—	
	White—F	43	8	—	—	—	—	1	4	4	1	3	4	4	1	5	—	—	1	2	3	—	—	1	—	—		
	All other—M	186	31	2	—	—	—	1	4	8	14	17	25	18	17	11	17	4	9	3	3	2	—	—	—	—		
	All other—F	125	20	—	—																							

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
50	NORTH CAROLINA—Continued																											
	Cancer of breast—M	207										3	6	12	29	30	21	24	51	19	18	10	2	2				
	White—M	6														2	1	1										
	F	143										1	2	6	16	18	17	17	26	16	13	9	1	1				
	All other—M																											
	F	58										2	4	6	13	10	3	6	5	3	3	1	1	1				
45,47, 51-55	Cancer (other forms)—M	661	2	3	2	6	2	6	5	13	13	18	17	25	38	30	51	66	65	93	71	57	40	30	8			
	White—M	318		2	1	2	1	1	2	7	4	6	4	12	16	10	26	30	43	49	35	22	13	2				
	F	223	2		1	4		3	1	3	6	9	11	9	12	11	8	25	25	25	14	19	13	17	5			
	All other—M	64		1			1	1	2		1	2		3	2	2	7	8	7	15	5	3	3	1				
	F	56						1		3	2	1	2	1	8	7	10	3	3	10	3		2					
58	Acute rheumatic fever—M	49	1			1	1	2	14	3	3	3	2	5	1	1	2	2	2	3	1	2						
	White—M	8				1		1	2		2	1					1											
	F	16							5	1		1	2	1				1	1	2	1	1						
	All other—M	8							3	1		1						1	1									
	F	17	1				1	1	4	1	1			3	1	1	1			1								
61	Diabetes mellitus—M	489	1		2	1	1	8	9	10	8	12	10	14	18	25	50	65	70	68	48	40	22	5		1		
	White—M	174	1				1	4	2	3	5	5	1	2	10	13	22	19	32	24	15	8	3		1			
	F	196			1	1		2	3	5	2	3	6	6	7	17	27	35	35	22	13	12	1					
	All other—M	35			1			1	2	1	1	2	3	2	3	3	5	3	2	2	4	1						
	F	84					2	3	1	2	3	3	4	8	5	17	11	13	1	2	7	1	1					
65b	Exophthalmic goiter—M	47						1	1	1	3	1	3	6	5	8	5	7	2	3		1						
	White—M	5							1	1				2	1													
	F	27									1		1	3	4	2	5	2	5	2	1							
	All other—M	2														1												
	F	13						1			2					2	2	3	2		1							
69	Pellagra (except alcoholic)—M	206	2					2			5	7	14	14	5	15	23	23	26	29	18	8	11	3	1			
	White—M	51	1												1	4	5	4	8	13	8	2	3	1	1			
	F	86						1				3	4	7	1	7	10	13	9	8	9	6	8	2				
	All other—M	23	1					1			2		2	2	1	2	2	2	5	5								
	F	44									3	4	8	5	3	6	4	4	3	1								
77	Alcoholism (ethylism)—M	95						1			5	7	12	12	14	13	17	3	6	5								
	White—M	49						1				3	6	7	5	6	10	3	4	4								
	F	3									1		2	2														
	All other—M	35									2	2	5	2	9	6	6		2	1								
	F	8								2	2	1	1		1	1												
85	Intracranial lesions of vascular origin—M	3,086	4			1	1	4	4	4	7	26	40	78	134	203	276	316	397	472	384	309	240	121	50	10	4	1
	White—M	1,069	1				1	2	3		4	10	19	33	57	79	112	148	175	148	124	88	42	18	1			
	F	914	1				2		1		4	9	12	24	40	68	72	100	161	126	124	107	39	21	3			
	All other—M	539	2							3	14	9	22	32	39	68	67	84	60	56	30	23	20	4	4	2		
	F	564			1			1	3		4	12	25	45	67	61	65	65	76	54	31	22	20	7	2	2		
80-82, 84-88	Other diseases of nervous system, etc.—M	417	50	15	11	5	6	13	20	33	27	30	24	23	13	28	22	22	16	18	13	18	7	5				
	White—M	152	24	1	5	2	2	8	6	13	8	5	7	10	4	7	8	12	10	6	3	10	1					
	F	103	9	4	4	2	1	3	2	5	2	8	3	6	4	8	7	5	5	5	7	6	5	2				
	All other—M	92	12	4			2	1	7	10	7	9	5	5	2	6	7	3	1	6	2	2		1				
	F	70	5	6	2	1	1	1	5	5	10	8	9	2	3	7		2		1	1							
89,104, 115	Diseases of ear, nose, and throat—M	239	48	11	6	9	5	28	7	16	18	12	9	11	8	6	11	9	5	10	3	2	2	2		1		
	White—M	96	19	3	3	4	1	16	1	6	6	5	5	7	6	1	2	4	1	4	2	2	1	1				
	F	71	8	3	2	4	3	4	3	6	5	5	2	3	1	2	6	3	3	4	1	1		1				
	All other—M	42	12	3	1	1		7	2	6	4	1	1	1	1	1	2		1	2								
	F	28	9	2			1	1	1	2	3	1	1	1	1	2			1									
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart—M	504	1				2	14	16	13	15	15	23	19	14	46	33	49	61	39	47	49	27	5	2			
	White—M	174						6	4	8	4	3	3	5	3	7	12	18	28	15	19	17	16	1				
	F	134	1					2	9	3	6	3	4	4	5	3	6	7	11	13	15	16	6	3				
	All other—M	108					1	5	2	1	3	6	4	6	5	6	14	9	12	11	4	6	8	2	1	1		
	F	88					1	1	1	1		3	4	8	4	2	19	5	8	9	7	6	5	3				
94	Diseases of coronary arteries, angina pectoris—M	1,219					1	1	2	6	13	17	40	55	104	135	136	184	178	123	123	70	22	7	1	1		
	White—M	732						1	2	3	9	21	32	66	86	89	121	108	81	64	38	9	1					
	F	312							1	7		4	8	15	21	27	45	51	35	52	28	11	6	1				
	All other—M	96						1		2	1	3	12	13	14	11	8	8	5	4								
	F	79						1	1	2	5	3	3	10	14	9	10	11	2	3								



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
119,120	NORTH CAROLINA—Continued																											
	Diarrhea, enteritis, etc.*	806	520	121	41	10	6	1	4	1	5	2	5	4	5	3	6	2	15	8	11	8	10	11	4	3		
	White—M	266	158	50	22	3	2	—	—	1	—	—	1	2	1	1	1	—	3	4	1	4	4	4	—	1		
	All other—M	174	134	28	5	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
121	Appendicitis	277	1	1	1	3	3	23	27	30	22	13	20	18	16	22	17	17	15	13	13	7	3	4	1			
	White—M	141	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—M	61	1	1	1	1	6	5	6	5	2	5	2	4	4	5	3	3	2	2	2	1	1	—				
	All other—F	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
122	Hernia, intestinal obstruction	229	27	6	2	1	1	4	2	3	17	12	9	15	18	13	5	19	13	23	12	14	9	3	1			
	White—M	77	9	2	2	1	—	2	1	2	1	2	1	3	5	2	—	7	2	13	6	9	5	2	—			
	All other—M	60	4	1	—	—	1	1	—	—	6	1	5	2	6	3	2	5	6	6	5	2	2	1	—			
	All other—F	41	6	1	—	—	—	—	—	—	6	3	1	1	2	3	3	5	3	2	2	3	1	—	—			
124	Cirrhosis of the liver	136	1	—	—	—	—	—	2	—	1	1	2	2	13	17	18	22	17	19	9	7	4	—	1			
	White—M	69	—	—	—	—	—	—	1	—	—	1	1	1	3	11	12	9	10	11	5	3	1	—	—			
	All other—M	29	—	—	—	—	—	—	—	—	—	—	—	—	5	2	2	2	3	3	1	3	—	—	—			
	All other—F	14	1	—	—	—	—	—	—	—	—	—	—	—	1	3	2	2	4	5	3	1	—	—	—			
126,127	Biliary calculi, etc.*	104	1	—	—	—	—	2	1	—	4	3	3	3	3	6	12	12	21	8	11	8	4	2	—			
	White—M	26	1	—	—	—	—	2	—	—	—	—	1	1	1	2	—	2	6	2	3	4	1	1	—			
	All other—M	4	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	4	5	7	4	2	—	—			
	All other—F	11	—	—	—	—	—	—	—	—	5	2	—	1	1	—	—	—	1	1	—	—	—	—	—			
130-132	Nephritis	3,436	9	2	3	5	2	11	11	24	21	48	70	98	150	180	265	326	366	515	436	377	303	145	51	9	6	
	White—M	1,257	5	1	1	2	1	2	6	1	5	19	20	44	54	87	121	128	200	173	164	159	59	23	2	1	1	
	All other—M	926	1	—	2	—	5	4	6	3	12	13	22	32	33	38	64	85	129	154	140	114	54	13	2	1	1	
	All other—F	651	2	2	1	1	3	3	4	9	16	19	24	34	47	71	77	74	103	57	45	26	19	8	4	2	1	
137	Diseases of the prostate	98	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4	5	5	18	19	16	8	2	—			
	White—M	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—M	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—F	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
140, 142, 147	Puerperal septi-cemia	112	—	—	—	—	—	—	3	21	18	20	23	22	5	—	—	—	—	—	—	—	—	—	—			
	White—F	57	—	—	—	—	—	—	—	8	8	14	12	13	2	—	—	—	—	—	—	—	—	—	—			
	All other—F	55	—	—	—	—	—	—	3	13	10	6	11	9	3	—	—	—	—	—	—	—	—	—	—			
	All other—F	55	—	—	—	—	—	—	3	13	10	6	11	9	3	—	—	—	—	—	—	—	—	—	—			
141a,c, 144,148	Puerperal toxemia	147	—	—	—	—	—	—	—	36	35	19	24	29	4	2	—	—	—	—	—	—	—	—	—			
	White—F	81	—	—	—	—	—	—	—	17	17	12	13	18	2	2	—	—	—	—	—	—	—	—	—			
	All other—F	66	—	—	—	—	—	—	—	19	16	7	11	11	2	—	—	—	—	—	—	—	—	—	—			
	All other—F	66	—	—	—	—	—	—	—	19	16	7	11	11	2	—	—	—	—	—	—	—	—	—	—			
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	115	—	—	—	—	—	—	—	19	18	17	28	18	10	3	—	—	—	—	—	—	—	—	—			
	White—F	64	—	—	—	—	—	—	—	7	7	10	19	12	7	2	—	—	—	—	—	—	—	—	—			
	All other—F	51	—	—	—	—	—	—	—	12	11	7	10	6	3	1	—	—	—	—	—	—	—	—	—			
	All other—F	51	—	—	—	—	—	—	—	12	11	7	10	6	3	1	—	—	—	—	—	—	—	—	—			
157	Congenital mal-formations	325	265	14	7	5	2	7	7	6	3	4	1	1	1	—	—	—	—	1	—	—	—	—	—			
	White—M	141	114	9	2	3	—	1	3	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—M	116	103	2	1	1	1	5	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—F	35	25	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
159	Premature birth	1,378	1,378	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	White—M	508	508	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—M	281	281	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—F	215	215	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
163,164	Suicide	279	—	—	—	—	—	1	2	19	37	26	24	19	28	51	31	19	16	11	8	6	1	—	—			
	White—M	199	—	—	—	—	—	1	1	8	21	19	17	14	20	26	22	17	15	10	4	5	1	—	—			
	All other—M	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
165-168	Homicide	360	—	—	1	—	—	1	5	40	79	71	41	41	28	13	16	11	7	4	1	—	—	—	—			
	White—M	85	—	—	—	—	—	—	—	4	13	12	6	10	12	6	7	5	6	1	1	—	—	—	—			
	All other—M	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—F	213	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
170	Motor-vehicle accidents	908	1	8	6	13	10	55	36	100	128	94	83	53	52	48	43	58	40	42	18	10	6	4	—			
	White—M	54																										



GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
NORTH DAKOTA—Contd.																												
50	Cancer of breast—M	51										1			4	6	6	10	2	8	4	5	3	2				
	White—F	50										1			4	6	6	10	2	8	4	4	3	2				
	All other—M	1																				1						
45,47, 51-55	Cancer (other forms)—M	188	1			1			1	2	5	1	1	2	5	9	17	14	20	26	25	35	19	4	2			
	White—F	149	1					1	1	4	1	1	1	1	8	12	10	15	22	20	31	15	4	2				
	All other—M	35			1					1	1	1		1	4	1	5	4	4	3	4	2	4					
	All other—F	3																	1	1								
58	Acute rheumatic fever—M	8					1	1	3					2			1											
	White—F	5					1	2	1				1	1														
	All other—M	3						1																				
	All other—F	1																										
61	Diabetes mellitus—M	143	1					1	1	4	3	1	2	2	4	8	12	13	17	28	24	14	5	3				
	White—F	58						1	1	2	2	1	2	1	2	3	3	4	9	12	7	6	1	1				
	All other—M	82	1						2	2	1	1	1	1	5	8	8	8	16	17	8	4	2					
	All other—F	2													1		1											
	All other—F	1																										
63b	Exophthalmic goiter—M	9													2		5	1				1						
	White—F	1																	1									
	All other—M	8													2		5						1					
	All other—F	1																										
69	Pellagra (except alcoholic)—M																											
	White—F																											
	All other—M																											
	All other—F																											
77	Alcoholism (ethylism)—M	3											1				1		1									
	White—F	2											1				1											
	All other—M	1																	1									
	All other—F																											
83	Intracranial lesions of vascular origin—M	494		1						4		2	3	4	2	12	25	33	47	51	94	89	84	31	9	3		
	White—F	281		1						2		2	3	3	1	3	11	17	28	32	55	59	51	13	5	1		
	All other—M	208								2			3	3	1	8	14	16	19	19	38	29	33	18	4	1		
	All other—F	3											1		1													
	All other—F	2																			1	1						
80-82, 84-88	Other diseases of nervous system, etc.—M	85	20	3	2	2	1	3	4		5	8	4	2	3	1	5	6	3	4	4	1	1	1				
	White—F	44	16	2	1	1	1	1	1		2	2	2	1	2	1	4	5	2	2	2							
	All other—M	37	3	1	1	2		2	3		3	6	2	1	1		1	1	1	2	4	1	1	1				
	All other—F	1	1		1																							
89,104, 115	Diseases of ear, nose, and throat—M	40	10		3	1	1	3	2	5	1	3		1	1	2	2	1	1		1	2						
	White—F	25	6		3			3	3	1	2	3		1	1	2	2	1	1		1	1						
	All other—M	14	4		1			2	2		1																	
	All other—F	1					1																					
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—M	78						5	2	2		1	3	1	5	4	6	7	11	11	3	8	5	3	1			
	White—F	35						2	1	1		1	1	1	3	3	3	6	5	2	4	2	2	2				
	All other—M	43						3	1	2		1	2		2	4	3	4	5	6	1	4	3	1	1			
	All other—F																											
94	Diseases of coronary arteries, angina pectoris—M	354						1		1		1	1	12	9	31	43	52	57	60	41	29	11	4			1	
	White—F	263						1		1		1	1	9	7	25	34	41	45	42	31	17	4	4			1	
	All other—M	91											1	3	2	6	9	11	12	18	10	12	7				1	
	All other—F																											
90b,91, 92a,4,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)—M	857	1					2	1	4	6	5	3	9	12	21	38	46	83	108	125	151	139	78	20	4	1	
	White—F	489						1	1	3	1	2	2	7	7	12	22	28	60	61	69	92	71	40	6	3	1	
	All other—M	344	1					1	1	1	4	3	1	1	5	9	15	16	23	45	52	55	65	36	12	1	1	
	All other—F	15									1								1	2	2	2	2	2	1			
	All other—F	11																		1	1	1	1	1				
107-109	Pneumonia (all forms)—M	343	86	15	5	4	1	6	4	5	3	6	10	6	5	13	18	10	16	15	23	36	32	15	8	1		
	White—F	192	42	5	1	3	1	3	1	4	3	3	7	1	3	8	10	7	8	10	15	22	20	7	7	1		
	All other—M	119	35	5	3	1		2	2	1		3	2	4	1	4	8	3	8	4	6	13	11	7	1			
	All other—F	18	4	3	4			2				1	1	1	1					1	1	1	1					
	All other—F	14	5	2				1	1											1	1	1	1					
117	Ulcer of stomach or duodenum—M	29									2	2	1	2		1	6	4	4	2	1	2	2					
	White—F	23									2	1	1	2		1	6	3	3	2	1	1	2					
	All other—M	5																										
	All other—F	1																										

\*Refer to complete International List titles, table XI.



# GENERAL TABLES—TOTAL DEATHS

301

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
OHIO																												
	All causes	76,927	4,691	479	245	166	146	509	586	1,030	1,283	1,435	1,638	2,109	2,704	3,927	4,849	5,780	5,841	8,244	9,053	9,076	10,19	11,49	11,49	271	26	24
	White—M	59,028	2,455	226	131	77	68	265	325	550	638	615	725	927	1,287	2,057	2,594	3,188	3,769	4,262	4,705	4,485	5,378	6,008	476	88	4	15
	White—F	32,795	1,555	207	92	68	61	197	211	352	465	565	640	774	966	1,377	1,740	2,185	2,724	3,533	4,062	4,399	5,533	6,588	643	166	14	6
	All other—M	2,880	222	30	11	14	7	25	27	68	89	126	141	247	251	319	293	222	206	184	168	101	67	41	11	7	1	2
	All other—F	2,226	159	16	11	7	10	22	25	70	71	127	132	161	200	174	222	185	142	165	118	91	41	42	19	10	1	1
1,2	Typhoid, paratyphoid fever	54	—	1	—	1	—	2	2	9	6	5	4	6	1	6	8	2	2	—	1	—	—	—	—	—	—	—
	White—M	53	—	—	—	1	—	2	2	5	2	3	2	1	5	7	2	2	—	—	—	—	—	—	—	—	—	
	White—F	17	—	—	—	—	—	1	—	4	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis	15	1	—	—	—	—	1	1	2	—	3	2	1	—	1	—	1	1	1	—	—	—	—	—	—	—	—
	White—M	11	1	—	—	—	—	1	1	1	—	1	1	1	—	1	—	1	1	1	—	—	—	—	—	—	—	—
	White—F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	73	1	2	12	3	11	13	7	6	2	3	4	4	2	—	1	—	1	1	—	—	—	—	—	—	—	—
	White—M	44	1	2	8	3	8	9	2	5	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	27	—	—	4	—	3	4	5	1	2	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	88	60	18	4	2	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	White—M	41	30	7	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	35	22	10	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	All other—M	10	7	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	59	3	10	8	7	7	14	2	1	2	—	—	—	—	1	1	—	1	2	—	—	—	—	—	—	—	—
	White—M	27	1	3	5	4	3	7	1	1	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—
	White—F	29	2	7	3	3	4	7	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	3	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Tuberculosis of respiratory system, etc.*	2,668	12	15	8	7	6	7	27	136	231	307	250	219	262	250	228	198	146	145	115	67	22	8	—	—	—	—
	White—M	1,205	3	3	4	1	1	3	8	29	62	95	86	97	121	144	137	121	97	89	58	35	9	3	—	—	—	—
	White—F	856	5	4	1	1	2	6	6	40	99	121	95	56	78	55	53	49	37	46	46	28	13	3	—	—	—	—
	All other—M	371	2	4	—	—	—	1	3	29	41	40	37	48	47	39	31	15	10	9	7	2	2	—	—	—	—	—
	All other—F	254	2	4	3	2	2	3	10	38	29	53	34	18	16	12	7	13	2	1	4	1	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	270	16	15	5	—	4	16	15	12	15	20	19	13	13	15	19	11	24	11	13	9	4	1	—	—	—	—
	White—M	110	8	6	2	—	—	9	6	3	7	5	5	2	6	7	7	6	12	4	8	5	2	2	—	—	—	—
	White—F	95	4	5	2	—	4	3	3	7	3	7	7	2	2	4	10	4	10	6	5	4	2	1	—	—	—	—
	All other—M	37	2	1	1	—	—	2	3	2	3	6	3	3	4	4	1	1	1	1	—	—	—	—	—	—	—	—
	All other—F	28	2	3	—	—	—	2	3	2	2	2	4	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery	38	11	1	1	—	1	—	—	—	1	3	—	1	3	1	3	—	3	3	3	—	2	1	—	—	—	—
	White—M	16	4	—	—	—	1	—	—	—	1	2	—	—	2	1	—	—	1	1	2	—	—	—	—	—	—	—
	White—F	17	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	White—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	White—F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis	1,081	32	1	—	1	—	1	2	10	14	28	50	82	107	144	141	160	115	95	53	25	13	3	2	—	—	2
	White—M	609	10	1	—	—	—	1	1	3	3	10	20	33	44	74	82	106	84	67	38	20	10	1	—	—	—	1
	White—F	221	9	—	—	—	—	—	—	6	6	9	10	16	24	29	25	29	19	20	9	5	3	1	—	—	—	1
	All other—M	185	10	—	—	—	—	—																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99			
OHIO—Continued																													
50	Cancer of breast	894	---	1	---	---	---	---	---	1	---	4	12	33	55	103	101	100	112	128	98	73	47	21	4	1	---	---	
	White—M	8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	846	---	---	---	---	---	---	---	---	1	---	4	12	29	48	98	97	93	109	125	91	71	43	21	4	---	---	
45,47, 51-55	All other—M	2	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	38	---	---	---	---	---	---	---	---	---	---	---	3	6	5	4	5	2	3	5	1	3	---	---	---	1	---	
	Cancer (other forms)	2,587	3	6	5	2	6	12	13	22	27	23	38	61	103	126	211	264	340	379	373	333	200	95	23	1	---	1	
58	White—M	1,846	2	4	3	1	2	4	9	12	20	15	28	28	62	83	136	170	238	271	284	252	148	59	14	---	---	---	
	F	711	1	2	1	1	4	7	3	9	6	6	4	24	30	34	60	75	94	94	81	79	49	33	9	1	---	---	
	All other—M	75	---	---	1	---	---	---	---	1	---	2	1	6	5	6	11	13	7	11	7	1	1	2	---	---	---	---	
61	White—M	677	1	1	1	1	1	5	6	5	4	3	2	4	1	2	4	1	2	2	2	---	---	---	---	---	---	---	
	F	1,247	1	1	1	1	3	3	7	10	7	7	11	27	42	79	137	194	248	229	153	67	20	4	---	---	---	---	
	All other—M	29	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
63b	White—M	68	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	339	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	281	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
69	White—M	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	15	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
77	White—M	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
83	White—M	80	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	72	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
85	White—M	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
80-82, 84-88	White—M	7,460	6	1	1	---	4	1	7	5	20	31	64	123	247	558	551	705	1,033	1,240	1,417	981	522	134	26	2	1		
	F	3,505	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	5,529	2	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
89,104, 115	White—M	208	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	218	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
90a,92b, 92c,93c, 95b	White—M	682	45	16	10	4	7	12	20	17	26	20	25	35	37	40	43	54	57	68	60	40	28	16	2	---	---		
	F	561	24	9	5	2	2	8	10	8	14	13	18	13	22	25	23	29	33	33	29	19	13	9	---	---	---		
	All other—M	292	19	6	4	2	4	3	7	9	9	7	6	20	12	13	17	22	24	34	31	20	14	7	2	---	---		
94	White—M	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	15	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	14	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
90b,91, 92a,d,e, 95a,b, d,e, 95a,c	White—M	403	44	15	9	11	11	32	22	36	23	12	21	17	10	19	32	19	15	16	15	12	10	---	---	---	---		
	F	205	19	5	5	6	5	13	12	26	15	6	7	6	4	11	19	9	8	9	10	3	6	---	---	---	---		
	All other—M	175	24	8	3	4	6	17	10	8	7	5	14	9	5	5	10	9	6	7	5	8	4	---	---	---	---		
107-109	White—M	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	14	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	14	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
117	White—M	1,481	---	2	---	---	1	15	28	40	55	34	46	50	77	90	88	115	123	160	159	173	150	68	21	5	---	1	
	F	699	---	1	---	---	---	8	11	21	18	15	22	23	31	38	48	46	63	89	81	79	72	24	9	1	---	1	
	All other—M	688	---	1	---	---	---	3	14	15	17	17	23	22	35	43	32	57	54	65	76	86	73	42	11	2	---	---	
90b,91, 92a,d,e, 95a,b, d,e, 95a,c	White—M	48	---	---	---	---	1	3	---	4	1	1	---	2	7	6	4	6	2	---	1	4	5	1	---	---	---	---	
	F	46	---	---	---	---	---	---	1	3	---	1	1	3	4	3	4	6	4	6	1	4	---	1	1	1	2	---	
	All other—M	86	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
107-109	White—M	5,594	---	---	---	---	---	3	3	6	18	42	111	193	338	497	616	725	889	855	662	423	185	37	10	1	---	---	
	F	3,744	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	1,658	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
107-109	White—M	106	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	86	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—M	86	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
107-109	White—M	13,208	6	5	---	---	2	22	25	53	40	50	94	150	251	396	641	879	1,245	1,632	2,010	2,361	1,916	1,					







GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
50	OKLAHOMA—Con.																												
	Cancer of breast	143									2		2	9	14	24	10	22	11	16	12	8	9	2	1	1			
	White—M	2																											
	F	131									2		2	7	12	22	9	22	10	15	12	6	8	2	1	1			
45,47, 51-55	All other—M	1																											
	F	9											2	1	1	1				1		2							
	Cancer (other forms)	600	1	2	1		1	1	5	6	8	11	9	14	23	31	52	58	63	85	82	63	52	22	6	2		2	
	White—M	411	1	1	1		1	3	4	4	3	9	6	7	13	17	30	37	41	62	63	50	39	15	4	2		2	
58	F	168		1			1	2	2	2	4	2	3	7	10	11	18	20	21	17	16	12	13	6	2				
	All other—M	15									1					2	1	1		5	3	1							
	F	6													1	3			1										
	Acute rheumatic fever	25				1		5	5	3			1	1	1		2	1	1	2	1			1					
61	White—M	13						3	2				1	1	1		1	1	1	1									
	F	9						2	1											1	1								
	All other—M	3						1												1	1								
	F	3						1												1	1								
65b	Diabetes mellitus	341		1			3	8	7	4	3	2	4	3	15	22	35	36	65	60	35	22	10	1					
	White—M	126					5	5	3	3	2	3	2	2	6	12	15	22	23	15	23	9	5	1					
	F	175		1			3	6	1	1	1	2	2	3	9	11	15	16	39	29	20	11	5						
	All other—M	19									1				1	2	3	4	2	5	4	1							
69	F	21							1					2	3	3	5	1	2	3	3								
	Exophthalmic goiter	39							1	3	3	2		2	3	1	7	4	6	5	2								
	White—M	6							1	3	1			1	3	1	7	1	3	1	1	1							
	F	30								2				1	3		7	3	6	4	1	1							
77	All other—M	3								2																			
	F	3																											
	Pellagra (except alcoholic)	97	1						1	1	1	2	1	4	11	10	3	9	20	16	7	6	2						
	White—M	36	1							1	1	1	1	4	11	10	3	9	20	16	7	6	2						
85	F	47												3	8	5	2	5	7	5	5	4							
	All other—M	4							1				1	1	2	1		1	2	2	1	1							
	F	10																		1	2								
	Alcoholism (ethylism)	37								1	4	4	6	5	3	4	3	3	2			1		1					
80a, 82, 84-88	White—M	27								3	2	2	2	2	5	2	4	3	2	2									
	F	4								1	1	2	1	3	2	4	3	3	2										
	All other—M	5								1	1	2	1	3	2	4	3	3	2										
	F	1													1														
89,104, 115	Intracranial lesions of vascular origin	1,892	2	1	1	2	1	3	5	2	15	11	19	41	72	91	159	195	293	306	318	219	105	32	8	1	1		
	White—M	949	1	1	1		1	1	1	1	1	4	7	8	15	24	46	75	90	170	165	117	54	14	2	1			
	F	711	1	1	1	2		1	1	4	4	7	3	7	13	30	25	51	75	141	147	86	43	16	5	1			
	All other—M	116					1	1	1	3	1	3	3	4	10	8	15	9	19	19	12	8	2	2					
90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	F	116					1					1	1	13	8	12	17	13	11	18	11	18	5	6	1			1	
	Other diseases of nervous system, etc.*	250	23	3	5	4	6	8	9	12	9	11	9	13	11	13	11	13	17	21	19	18	15		1	1			
	White—M	129	9	1	2	3	4	6	6	6	6	4	4	9	6	4	7	11	11	11	11	9	9						
	F	90	7	1	2	3	3	3	6	1	5	4	4	4	8	3	2	6	8	5	6	7	6		1	1			
90a, 92b, 92c, 93c, 95b	All other—M	13	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3	2	2							
	F	18	4	2	1		1																						
	Diseases of ear, nose, and throat	133	18	12	6	5	1	10	7	6	11	3	7	4	5	5	7	7	2	4	6	5							
	White—M	73	8	6	4	2	1	4	4	3	5	1	4	1	5	2	3	4	2	6	5	6							
84	F	44	7	5	2	1	5	3	2	2	2	1	3	2	2	2	2	2	1	1	1	2							
	All other—M	10	2	1			1																						
	F	6	1				1																						
	Chronic rheumatic diseases of heart	330	1			1	4	11	13	8	7	10	10	17	14	14	26	35	36	32	52	26	6	4	1	1	1	1	
94	White—M	158	1			1	3	4	9	3	2	3	4	9	8	11	11	11	18	15	27	12	2	2	1				
	F	111				1	3	5	4	4	2	5	3	5	5	8	8	10	11	16	15	3	2						
	All other—M	37					1	1	4	1	2	1	3	1	3	1	4	6	4	5	5	2							
	F	24						1		1		1	3	2	2	2	2	2	3	1	2	1	1						
90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	Diseases of coronary arteries, angina pectoris	1,002	3					2	3	2	7	12	14	38	65	95	107	117	164	141	112	72	37	4	3	3	1		
	White—M	689	1					2	2	1	3	5	9	24	52	73	86	114	89	79	45	20	2	2	1	1			
	F	264	2					2	1	4	4	3	9	9	13	19	28	46	49	31	24	15	2	3					
	All other—M	25									1	1	3	3	3	4	2	3	5	3	2	1	1						
107-109	F	24									2	1	2	1	5			4	2	2									
	Diseases of heart (other forms)	2,366	9	2	1		6	7	10	8	26	21	16	40	52	95	143	167	218	339									









VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																										Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
PENNSYLVANIA																													
	All causes—	108,007	7,343	689	543	270	251	900	906	1,428	1,799	1,935	2,349	3,023	4,141	5,705	7,622	9,071	10,834	12,129	12,348	11,026	8,128	4,092	1,520	260	50	27	
	White—M	54,655	3,843	337	162	151	118	468	506	749	881	907	1,063	1,369	2,060	2,991	4,165	4,990	5,900	6,422	6,254	5,280	3,738	1,720	443	91	10		
	White—F	46,362	2,833	299	145	97	88	354	321	496	695	804	914	1,150	1,455	2,055	2,796	3,446	4,395	5,255	5,701	5,477	4,249	2,298	827	161	7		
	All other—M	3,782	346	31	18	11	17	41	32	64	83	132	161	274	367	399	388	364	508	251	224	125	63	33	20	4	2		
	All other—F	3,208	271	22	18	11	8	37	47	119	140	150	171	250	259	280	275	271	231	201	189	144	78	41	30	4	1		
1,2	Typhoid, paratyphoid fever—	64	1	1	—	—	—	6	1	5	8	7	5	6	5	4	7	1	3	2	—	—	—	—	—	—	—		
	White—M	39	—	1	—	—	—	2	1	3	6	2	4	5	2	1	6	—	2	—	—	—	—	—	—	—	—		
	White—F	22	—	—	—	—	—	4	—	2	2	3	1	—	3	—	1	—	—	—	—	—	—	—	—	—	—		
	All other—M	4	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6	Cerebrospinal (meningococcus) meningitis—	90	13	6	5	4	3	6	11	11	6	2	3	5	2	3	2	7	—	1	—	—	—	—	—	—	—		
	White—M	59	10	3	4	2	2	4	4	4	5	2	3	5	2	—	1	6	—	—	—	—	—	—	—	—	—		
	White—F	28	3	2	1	1	1	2	7	4	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	All other—M	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	Scarlet fever—	61	—	4	8	10	6	19	4	1	—	—	4	2	1	1	—	1	—	—	—	—	—	—	—	—	—		
	White—M	25	—	2	3	5	1	8	3	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—		
	White—F	31	—	2	5	5	4	8	1	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	3	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Whooping cough—	154	94	43	9	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	65	43	16	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—F	71	42	25	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	7	4	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	10	5	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10	Diphtheria—	73	3	5	12	6	8	21	5	3	1	—	—	1	2	1	2	1	1	—	—	—	—	—	—	—	—		
	White—M	37	2	5	6	4	3	8	3	1	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—		
	White—F	34	1	—	5	1	5	13	2	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15	Tuberculosis of respiratory system, etc.*	3,917	28	25	5	6	5	12	38	213	337	421	367	349	350	358	384	321	251	202	131	69	38	15	—	1	—		
	White—M	1,912	8	11	—	2	1	3	4	46	82	128	126	160	174	225	264	239	171	154	86	26	17	5	—	—	—		
	White—F	1,213	7	4	3	—	1	4	16	82	156	190	151	94	85	76	72	54	62	58	35	20	7	—	—	—	—		
	All other—M	458	5	4	—	2	1	7	22	35	43	53	66	68	42	36	19	17	6	6	4	1	—	—	—	—	—		
	All other—F	354	3	4	2	2	5	11	65	64	60	37	29	29	25	15	12	9	1	4	4	—	—	—	—	—	—		
14-22	Tuberculosis (other forms)—	318	12	16	10	6	6	18	15	19	21	16	22	24	22	14	18	15	20	12	7	3	1	—	—	—	—		
	White—M	119	6	4	2	2	2	9	4	8	7	10	5	8	8	8	8	8	6	3	—	—	—	—	—	—	—		
	White—F	121	3	7	6	2	2	5	6	5	6	8	1	7	6	7	5	8	7	12	9	7	1	—	—	—	—		
	All other—M	46	2	3	1	1	1	2	1	2	4	5	6	8	4	1	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	32	1	2	1	1	1	2	4	4	4	1	—	4	2	3	—	1	—	—	—	—	—	—	—	—	—		
27	Dysentery—	27	12	1	1	1	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—		
	White—M	12	4	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—		
	White—F	15	8	1	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28	Malaria—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
30	Syphilis—	1,441	62	2	1	1	1	2	9	16	22	64	111	162	175	192	187	166	124	73	32	28	7	3	—	—	—		
	White—M	694	20	—	—	—	—	1	1	7	3	22	31	68	73	100	107	100	73	55	13	17	3	—	—	—	—		
	White—F	279	17	—	—	—	—	1	5	4	7	11	20	25	30	31	26	31	11	12	11	3	3	—	—	—	—		
	All other—M	348	14	2	1	—	—	1	—	3	7	25	38	51	56	41	33	15	5	6	—	—	—	—	—	—	—		
	All other—F	120	11	—	—	—	—	—	3	2	5	8	22	18	16	11	8	7	5	2	1	—	—</						









VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
	RHODE ISLAND—Con.																											
50	Cancer of breast	129									2	1		3	11	4	14	18	15	12	27	14	5	1	1		1	
	White—M	1																										
	White—F	128									2	1		3	11	4	14	18	15	12	27	14	5	1	1		1	
	All other—M																											
	All other—F																											
45,47, 51-55	Cancer (other forms)	287	1						2	2	2	4	4	8	12	17	30	50	47	52	28	17	7	2	2			
	White—M	203	1						1	2	2	3	3	6	9	15	21	31	31	38	19	14	5	2	1			
	White—F	77																										
	All other—M	6																										
	All other—F	1													1													
58	Acute rheumatic fever	7							2	1					1					1	1							
	White—M	5							2	1										1	1							
	White—F	2																			1							
	All other—M																											
	All other—F																											
61	Diabetes mellitus	260	1					1		1		2	1	3	5	10	16	22	47	59	43	26	18	3	2			
	White—M	83	1										1	1	4	2	5	10	17	16	9	8	7	2				
	White—F	174						1		1		2	2	1	7	11	12	29	43	33	18	11	1	2				
	All other—M	2																										
	All other—F	1													1													
63b	Exophthalmic goiter	8										1						1	2		2							
	White—M	1																	1									
	White—F	7										1								2								
	All other—M																											
	All other—F																											
69	Pellagra (except alcoholic)	2																	1	1								
	White—M	1																										
	White—F	1																		1	1							
	All other—M																											
	All other—F																											
77	Alcoholism (ethylishm)	11												2	3	2	1	1	2									
	White—M	11												2	3	2	1	1	2									
	White—F																											
	All other—M																											
	All other—F																											
83	Intracranial lesions of vascular origin	630				1			1	1	3	2		13	23	39	52	85	95	114	87	67	34	11	2			
	White—M	280				1					3	1		13	10	18	26	36	44	58	35	23	12	4				
	White—F	331							1	1	3	1		3	12	21	20	46	50	54	48	43	22	7				
	All other—M	9												1	1			4	1	1	1							
	All other—F	10																2	3		1	3						
80-82, 84-88	Other diseases of nervous system, etc.*	50	3	1	2			2		1	4	2	3	1	1	2	4	1	5	9	7	1	1					
	White—M	22	1	1	1						3	2	2	1		2			4	2	3	1						
	White—F	24	1	1	1			2			1									1	7	4	1					
	All other—M	3	1							1										1								
	All other—F	1																										
89,104, 115	Diseases of ear, nose, and throat	28	3	1	2	1			4	1	2	1				2			3		5	1	1					
	White—M	12	1		2				1	1						2				1	3		1					
	White—F	15	1	1	1						2	1										2	1					
	All other—M	1	1																									
	All other—F																											
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	99				1			3	6	5	5	4	6	7	13	11	5	4	11	5	5	7	1				
	White—M	38							1	3	1	1	2	1	1	8	2	5	2	5	3	3						
	White—F	56				1			2	6	2	4	4	5	5	5	6	6	1	6	2	4	1					
	All other—M	4																										
	All other—F	1																										
94	Diseases of coronary arteries, angina pectoris	705										3	3	8	37	43	82	93	99	115	89	74	41	13	5			
	White—M	486										2	2	5	29	34	64	74	71	69	54	46	26	7	3			
	White—F	208									1		1	5	7	17	18	27	46	35	28	15	6	2				
	All other—M	6										2	2	1	1	1												
	All other—F	5										1		1	1	1												
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,685						2	2	5	3	5	19	27	46	75	120	178	228	308	281	234	115	30	5	1		
	White—M	845						2	1	2	1	11	15	31	40	71	102	117	153	130	107	48	12	1				
	White—F	802							1	3	2	4	7	9	13	34	46	69	107	152	146	121	66	18	4			
	All other—M	17												1	2	1	2	3	2	3	2	3	1					
	All other—F	21																										



VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																										100 and over	Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99				
	SOUTH CAROLINA																													
	All causes	19,296	2334	385	166	130	88	286	282	544	808	786	772	868	1,003	1,242	1,425	1,434	1,418	1,442	1,117	876	681	410	148	48	45	58		
	White—M	5,085	662	78	28	28	21	85	68	98	136	138	158	180	223	305	354	402	482	511	391	325	244	125	26	7	1	9		
	F	3,790	471	72	30	26	19	57	47	68	95	104	118	126	132	182	195	221	213	354	353	331	251	160	65	7	3	10		
	All other—M	5,481	943	131	62	45	35	81	91	175	292	278	261	266	356	388	473	412	297	317	212	126	102	70	21	15	9	23		
	F	4,940	758	104	46	31	13	63	76	203	285	266	235	296	292	387	403	399	326	260	161	94	55	36	19	52	16	16		
1,2	Typhoid, paratyphoid fever	96	2	1	—	2	—	11	12	10	8	5	9	8	5	4	2	7	5	3	1	—	—	—	—	—	—	—		
	White—M	20	1	—	—	—	—	3	2	3	2	1	2	1	2	1	—	2	1	—	—	—	—	—	—	—	—	—		
	F	19	—	—	—	1	—	2	2	2	2	3	3	—	2	—	—	1	—	—	1	—	—	—	—	—	—	—		
	All other—M	22	1	—	—	—	—	4	3	1	2	2	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	35	1	—	—	—	—	5	4	7	1	2	2	3	—	—	2	2	—	—	—	—	—	—	—	—	—	—		
6	Cerebrospinal (meningococcus) meningitis	17	5	—	1	3	1	2	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	6	1	—	1	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	8	2	—	—	2	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	Scarlet fever	4	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Whooping cough	123	89	20	8	1	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	18	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	18	13	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	39	30	5	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	48	28	12	6	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10	Diphtheria	82	6	12	14	20	8	16	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	30	3	8	4	7	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	23	—	5	4	6	5	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	14	2	1	3	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	1	—	3	3	1	5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13	Tuberculosis of respiratory system, etc.*	792	2	2	2	—	—	14	86	122	116	101	82	57	48	39	43	29	29	12	—	3	1	1	—	—	—	—		
	White—M	126	—	—	—	—	—	3	2	7	9	14	13	15	11	8	16	10	13	4	—	—	—	—	—	—	—	—		
	F	91	—	—	—	—	—	1	2	13	10	8	7	11	8	7	3	7	8	2	—	2	1	1	—	—	—	—		
	All other—M	287	2	1	—	—	—	2	25	37	49	45	33	17	17	14	12	8	2	3	—	—	—	—	—	—	—	—		
	F	506	—	1	2	—	—	8	57	65	48	34	29	14	12	10	12	4	6	3	—	—	—	—	—	—	—	—		
14-22	Tuberculosis (other forms)	58	3	2	—	6	2	3	4	6	6	6	5	3	2	4	1	2	3	—	—	—	—	—	—	—	—	—		
	White—M	10	—	1	—	—	—	1	1	—	1	—	—	1	—	1	—	—	3	—	—	—	—	—	—	—	—	—		
	F	4	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	23	1	1	—	5	1	2	2	4	1	2	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	21	1	—	—	1	1	—	1	2	4	3	5	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—		
27	Dysentery	52	24	7	1	1	1	—	2	—	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—M	10	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	18	10	3	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	17	7	2	1	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28	Malaria	168	17	13	8	5	3	10	6	5	9	5	3	7	10	19	9	11	6	7	3	5	2	1	2	—	—	2		
	White—M	30	2	1	1	1	—	3	—	3	1	—	1	3	2	1	1	5	1	2	2	2	—	—	—	—	—	—		
	F	19	2	—	2	—	—	2	2	1	2	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	58	8	7	4	1	2	2	2	—	2	3	1	1	6	5	5	2	3	1	1	—	—	—	—	—	—	—		
	F	61	5	5	1	3	1	3	2	4	3	2	—	3	5	11	1	5	1	1	—	—	—	—	—	—	—	—		
30	Syphilis	559	55	8	1	—	—	1	5	25	31	41	35	59	36	21	22	12	20	4	2	1	1	1	—	—	—	—		
	White—M	54	6	1	—	—	—	—	—	—	2	3	5	8	4	6	3	7	—	—	—	—	—	—	—	—	—	—		
	F	10	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	181	30	4	—	—	—	1	2	10	12	26	13	23	21	9	6	9	4	2	—	—	—	—	—	—	—	—		
	F	114	14	3	1	—	—																							

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
SOUTH CAROLINA—Continued																													
50	Cancer of breast—	99	—	—	—	—	—	—	—	—	—	2	1	2	5	12	11	23	13	8	8	4	6	3	1	—	—	—	
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	64	—	—	—	—	—	—	—	—	—	—	1	1	2	8	6	12	9	8	6	2	6	2	1	—	—	—	
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	34	—	—	—	—	—	—	—	—	—	2	—	1	3	4	5	11	4	—	1	2	—	1	—	—	—	—	
45, 47, 51-55	Cancer (other forms)—	320	—	—	2	3	1	5	5	4	5	8	9	15	27	21	22	26	48	42	35	21	9	8	3	—	—	1	
	White—M	155	—	—	1	2	—	3	3	2	2	3	1	7	10	9	10	13	23	21	21	14	4	4	2	—	—	—	
	F	79	—	—	1	1	—	1	1	—	2	1	4	3	4	3	4	5	13	9	9	6	4	4	6	1	—	—	
	All other—M	50	—	—	—	—	—	1	1	1	1	3	1	3	9	5	5	6	6	6	7	1	1	—	—	—	—	—	
	F	58	—	—	—	—	—	1	1	1	1	3	2	4	4	4	3	4	6	5	2	—	—	—	—	—	—	—	
58	Acute rheumatic fever—	50	1	—	—	—	2	2	6	4	3	1	2	3	1	—	1	1	2	1	—	—	—	—	—	—	—	—	
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	9	1	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	All other—M	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	10	—	—	—	—	—	1	1	2	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
61	Diabetes mellitus—	255	—	1	—	—	1	1	2	6	6	6	9	11	10	11	25	40	40	52	29	18	8	2	2	—	—	—	
	White—M	71	—	1	—	—	—	—	—	3	2	2	2	5	3	2	2	10	13	12	6	5	3	2	—	—	—	—	
	F	82	—	—	—	—	—	—	—	3	1	2	2	1	1	7	7	13	15	11	19	7	2	—	1	—	—	—	
	All other—M	37	—	—	—	—	1	1	2	—	2	1	2	1	2	3	6	6	4	3	1	1	1	—	—	—	—	—	
	F	65	—	—	—	—	—	—	—	3	2	2	4	6	4	6	10	11	8	6	3	1	2	—	1	—	—	—	
65b	Exophthalmic goiter—	13	—	—	—	—	—	—	—	1	—	—	—	1	1	1	1	3	1	2	—	1	—	—	—	—	—	—	—
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)—	147	—	1	—	1	—	—	1	3	5	6	4	12	4	22	15	14	18	10	15	7	5	3	—	—	—	—	
	White—M	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	67	—	—	—	—	—	—	—	1	5	2	3	9	3	10	8	13	5	4	2	1	1	—	—	—	—	—	—
77	Alcoholism (ethylism)—	54	—	—	—	—	—	—	—	2	1	5	2	8	6	4	3	2	1	—	—	—	—	—	—	—	—	—	—
	White—M	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	11	—	—	—	—	—	—	—	2	1	3	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin—	1,850	3	—	—	1	—	1	2	1	15	24	31	77	96	171	248	215	215	246	177	139	104	47	22	5	6	4	
	White—M	461	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	365	1	—	—	—	—	1	—	—	—	1	2	6	9	17	20	27	26	34	61	51	52	31	17	6	1	1	
	All other—M	493	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	531	1	—	—	—	—	—	—	1	5	9	12	13	25	34	52	93	61	46	59	26	23	18	12	6	1	2	
80-82, 84-88	Other diseases of nervous system, etc.—	211	32	5	6	6	4	9	6	14	19	10	17	9	11	9	9	8	13	14	3	5	1	—	—	—	—	—	
	White—M	58	9	1	3	1	2	3	1	2	4	4	—	4	4	2	5	4	3	8	—	4	—	—	—	—	—	—	—
	F	48	6	1	1	1	1	2	2	3	4	1	3	1	1	2	2	5	5	5	3	1	1	—	—	—	—	—	—
	All other—M	81	6	2	2	3	1	2	2	4	4	4	7	7	4	4	2	2	1	4	1	—	—	—	—	—	—	—	—
	F	44	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
89, 104, 115	Diseases of ear, nose, and throat—	128	50	7	1	3	3	17	12	6	4	14	8	3	2	5	1	2	2	2	2	1	1	1	—	—	—	—	
	White—M	35	5	4	—	2	1	4	1	1	3	5	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	4	—	—	1	1	5	2	2	—	2	3	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	58	15	1	—	—	—	5	7	1	—	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	50	6	—	—	—	—	6	2	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
90a, 92b, 92c, 93c, 95b	Chronic rheumatic diseases of heart—	261	—	1	5	—	—	6	4	13	10	2	10	10	25	25	15	13	22	32	24	20	17	7	2	—	—	—	
	White—M	53	—	—	—	—	—	2	1	—	—	—	—	1	3	1	2	5	4	13	6	6	7	1	1	—	—	—	
	F	55	—	—	—	—	—	2	2	3	1	—	—	1	3	—	—	—	3	9	11	8	8	3	—				



# GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9.	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
	SOUTH DAKOTA																												
	All causes	5,517	481	72	40	32	17	72	66	108	116	104	105	103	160	203	301	383	402	547	595	651	522	306	98	22	1	10	
	White	2,985	256	25	15	10	7	35	24	58	51	58	49	55	81	109	181	221	215	333	338	369	290	158	55	8	7		
	Female	2,110	170	25	13	16	6	22	23	34	42	32	41	35	71	80	104	143	172	191	237	253	214	133	59	12	1		
	All other	232	47	14	5	4	2	7	7	12	9	9	7	7	5	6	11	6	12	16	12	14	10	9	2	1			
	Male	192	28	10	7	2	2	8	12	9	14	9	8	6	3	6	5	13	3	7	8	15	8	6	2	1			
1,2	Typhoid, paratyphoid fever	8							1	2	2	1	1																
	White	5								2	1																		
	Female	2									1		1																
	All other	1							1			1																	
	Male	2										1																	
6	Cerebrospinal (meningococcus) meningitis	6	1	1	2			1	1																				
	White	5	1	1	2			1	1																				
	Female	1																											
	All other	1																											
	Male	1																											
	Female	1																											
8	Scarlet fever	9		1		1	1	1	1	1	2		1																
	White	6		1		1	1	1	1	1	1		1																
	Female	3																											
	All other	3																											
	Male	3																											
	Female	3																											
9	Whooping cough	3	3																										
	White	3	3																										
	Female	3	3																										
	All other	1																											
	Male	1																											
	Female	1																											
10	Diphtheria	16		2	3	2		7		1							1												
	White	5		2	1			1		1																			
	Female	3		1				1																					
	All other	2						1																					
	Male	2						1																					
	Female	4						1																					
13	Tuberculosis of respiratory system, etc.*	166	3	5	3	1		4	11	18	14	17	8	10	10	9	7	14	8	9	7	7	1						
	White	52								2		2	3	2	2	2	3	1	1	2	2	1							
	Female	22								1		1	1	1	1	1	1	1	1	1	1	1							
	All other	45	2	3	2			2	3	6	6	6	2	2	2	3	1	1	2	4	1	1							
	Male	47	1	2	1	1		2	8	8	6	5	1	2	2	1	1	3	1	1	1	1							
	Female	47	1	2	1	1		2	8	8	6	5	1	2	2	1	1	3	1	1	1	1							
14-22	Tuberculosis (other forms)	24	3	2		1	1	2		1	1	2	1	2	1		2	2	2	1	1								
	White	9								1		2	1	1			1	2	1	1									
	Female	3										1	1				1	1	1										
	All other	7	1	1		1	1	2																					
	Male	7	1	1		1	1	2																					
	Female	3	1	1																									
27	Dysentery	5				1					1				1														
	White	5				1					1				1														
	Female	5				1					1				1														
	All other	1																											
	Male	1																											
	Female	1																											
28	Malaria																												
	White																												
	Female																												
	All other																												
	Male																												
	Female																												
30	Syphilis	40	4					1		1	1	1	1	2	4	4	10	5	4	4			2						
	White	21								1	1	1	1	1	4	4	6	4	2	2			2						
	Female	12								1	1	1	1	1	1	1	3	1	1	2									
	All other	3	1					1																					
	Male	3	1					1																					
	Female	4	3																										
33	Influenza	131	10	5	1	1		1	2	3	1	2	5	3	9	6	3	3	8	11	12	15	17	9	2	1		1	
	White	58	8					1	1	1	1	1	1	1	2	2	1	3	6	5	4	8	8	4	2	1		1	
	Female	66	2	5		1		1	2	1	1																		

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
SOUTH DAKOTA—Contd.																												
50	Cancer of breast—M	56												3	2	2	6	4	13	9	6	4	5	2				
	White—M													3	2	2	5	4	13	9	6	4	4	2				
	All other—M	54																										
	F	2													1							1						
45,47, 51-55	Cancer (other forms)—M	200			1	1		1	3	1			2	7	8	9	11	16	20	38	28	31	13	5	4	1		
	White—M	146				1		1	3				2	4	3	4	9	13	16	25	22	25	9	4	4	1		
	F	53			1					1				3	5	4	2	3	4	13	6	6	4	1				
	All other—M	1													1													
	F																											
58	Acute rheumatic fever—M	7						1	2	1				1								2						
	White—M	4						1	1	1				1								1						
	F	2						1	1																			
	All other—M																											
	F	1																			1							
61	Diabetes mellitus—M	162						1	2	2	2		1	1			6	15	31	27	33	26	9	4	2			
	White—M	70							2	2	2			1	1		1	5	11	13	15	13	3	2	2			
	F	87						1	2	2			1				5	8	20	13	17	12	6	2				
	All other—M	3																			1							
	F	2																			1							
63b	Exophthalmic goiter—M	17							1		1		1	1	2	2	2	2	2		5							
	White—M	5							1		1		1	1	1	1	1	1	1		1							
	F	12											1	1	2	2	2	2	2		4							
	All other—M																											
	F																											
69	Pellagra (except alcoholic)—M																											
	F																											
	All other—M																											
	F																											
77	Alcoholism (ethylien)—M	4													1	1				2								
	White—M	4													1	1				2								
	F																											
	All other—M																											
	F																											
83	Intracranial lesions of vascular origin—M	483	1	1		1	1		1		1	1	6	20	30	26	50	64	72	88	75	34	7	3				
	White—M	263	1	1		1	1		1		1	1	4	18	12	24	47	41	46	38	16	3	1					
	F	209			1		1		1		1	2	10	11	14	26	17	28	41	35	17	4	2					
	All other—M	6													1					3	1	1						
	F	5													1					1	3							
80-82, 84-88	Other diseases of nervous system, etc.—M	80	5		2	1		2		4	2	3	2	2	3	5	6	5	9	9	6	5	5	2	1			1
	White—M	45	3		1			1		3	2	1	1	1	4	3	2	6	7	3	4	4	1					
	F	31	2		1	1		1		2	1	1	1	2	1	3	3	2	2	2	2	1	1	2	1			1
	All other—M	3								1										1								
	F	1																			1							
89,104, 115	Diseases of ear, nose, and throat—M	39	1		1	1		3	3	4	1	4	2	1	2	2	2	2	1	2	3	3			1			
	White—M	21	1		1			2	1	2	1	3	2		1	1	1	1	1	1	3				1			
	F	17						1	2	2		1		1	1	1	1			1								
	All other—M																											
	F	1			1																							
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart—M	61						1	2	1		1	1	3	4	5	1	9	7	4	8	4	8	1	1			
	White—M	30						1				1	1	1	2	2		5	3	3	3	2	4	1	1			
	F	30						2	1				2	2	3	1	4	4	1	5	1	4						
	All other—M	1																			1							
	F																											
94	Diseases of coronary arteries, angina pectoris—M	364				1				1		2	3	13	13	34	37	57	69	59	31	17	3					
	White—M	267								1		2	3	11	12	24	30	26	42	40	19	11	2					
	F	96			1									2	1	10	4	11	15	19	14	12	6	1				
	All other—M	1																			1							
	F																											
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)—M	785	1					2	7	2	4	5	9	8	15	42	39	72	96	126	128	126	74	23	4	1	1	
	White—M	448						2	6	1	2	4	5	7	7	27	26	41	56	68	64	77	39	14	2	1		
	F	318	1					1	1	1	1	3	1	8	12	12	30	37	56	60	49	34	9	2	1			
	All other—M	16											1	1	1	1	3	1	1	3	1							
	F	3																			1							
107-109	Pneumonia (all forms)—M	335	69	10	3	4	3	2	6	4	7	6	10	5	10	12	13	23	13	21	22	35	26	21	5	4	1	
	White—M	166	33	2	1	2	1		3	3	3	4	3	2	6	6	9	10	5	10	12	20	14	13	2	1		
	F	122	20	1	1	2	1	2	2	1	2	2	5	2	2	4	3	11	7	9	8	12	12	7	3			
	All other—M	30	14	5									1	1	1	1	1	1	2	2	2	1	1					





VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
TENNESSEE																												
	All causes—	28,722	2,874	485	205	150	95	301	357	779	919	990	1,051	1,183	1,262	1,470	1,785	1,981	2,204	2,791	2,534	2,276	1,700	879	308	83	51	29
	White—M—	11,840	1,506	214	83	66	41	126	149	264	295	345	305	374	452	550	700	861	965	1,276	1,148	1,009	795	377	108	21	3	9
	White—F—	9,282	939	165	73	43	29	110	114	205	270	237	307	314	324	355	470	543	657	903	961	965	716	396	135	40	5	6
	All other—M—	4,111	369	65	33	21	14	32	53	131	180	218	239	268	249	298	342	331	278	356	244	172	110	47	34	12	10	5
	All other—F—	3,489	260	41	16	20	11	33	41	179	174	190	202	227	237	267	273	246	304	256	181	130	79	59	31	10	13	9
1,2	Typhoid, paratyphoid fever	94	1	1	1	1	2	1	7	17	18	10	11	3	4	---	5	4	3	4	1	---	---	---	---	---	---	---
	White—M—	44	---	1	---	1	1	---	2	5	12	6	4	2	2	---	3	1	2	2	---	---	---	---	---	---	---	---
	White—F—	26	1	---	---	---	1	1	3	8	2	2	3	1	1	---	---	1	---	1	---	---	---	---	---	---	---	---
	All other—M—	14	---	---	1	---	---	---	2	3	2	1	1	---	1	---	1	---	1	1	---	---	---	---	---	---	---	---
	All other—F—	10	---	---	---	---	---	---	1	2	1	3	---	---	---	---	1	2	---	---	---	---	---	---	---	---	---	---
6	Cerebrospinal (meningococcus) meningitis	25	1	2	---	3	---	4	4	5	2	---	---	3	1	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M—	10	1	1	---	1	---	1	2	3	---	---	---	2	1	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—F—	10	1	1	---	1	---	3	1	---	2	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M—	2	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—F—	3	---	---	2	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8	Scarlet fever	17	2	---	3	1	1	3	4	1	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M—	8	1	---	1	1	1	2	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—F—	9	1	---	2	---	---	1	3	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M—	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—F—	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
9	Whooping cough	103	63	20	8	6	2	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M—	34	22	7	---	3	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—F—	42	25	6	6	3	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M—	14	9	4	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—F—	13	7	3	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10	Diphtheria	89	7	11	20	13	13	20	3	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	1
	White—M—	42	3	5	11	6	6	8	1	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	1
	White—F—	36	3	6	6	5	6	8	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1
	All other—M—	6	---	---	1	2	1	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—F—	5	1	---	2	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
13	Tuberculosis of respiratory system, etc.*	2,102	10	17	5	5	2	5	28	134	242	251	200	188	145	141	150	124	116	122	102	60	38	11	2	1	1	2
	White—M—	823	2	3	2	---	---	4	12	34	49	50	54	45	47	60	54	61	51	47	24	16	7	---	1	---	---	
	White—F—	725	2	4	---	1	1	2	6	38	90	73	86	70	44	37	52	45	40	51	45	32	20	4	2	---	---	
	All other—M—	369	2	6	3	4	1	1	5	25	43	53	53	33	41	33	22	19	6	10	5	3	1	---	---	---	---	
	All other—F—	385	4	4	---	---	2	13	59	75	76	31	31	15	24	16	6	9	10	5	1	1	---	---	---	1	2	
14-22	Tuberculosis (other forms)	224	18	12	9	8	5	11	9	20	20	18	11	10	15	8	6	14	9	11	2	7	---	1	---	---	---	
	White—M—	77	5	6	3	4	1	4	4	5	6	3	2	2	6	3	3	7	3	7	1	2	---	---	---	---	---	
	White—F—	51	6	3	2	---	3	2	3	3	4	1	1	1	2	2	2	4	5	4	1	2	---	---	---	---	---	
	All other—M—	49	4	2	2	2	1	3	---	4	1	10	3	4	4	2	1	2	---	---	---	3	---	1	---	---	---	
	All other—F—	47	3	1	2	2	---	2	2	8	9	4	5	3	3	1	1	1	---	---	---	---	---	---	---	---	---	
27	Dysentery	138	39	35	7	2	1	1	2	1	---	4	1	1	4	---	4	1	4	7	7	5	8	4	---	---	---	
	White—M—	61	17	17	4	---	1	1	---	1	---	2	1	---	3	---	1	1	2	3	3	2	1	1	---	---	---	
	White—F—	48	12	9	3	2	---	---	2	---	---	---	---	1	---	---	---	---	1	2	3	3	4	3	---	---	---	
	All other—M—	19	6	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F—	10	4	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
28	Malaria	102	3	4	6	2	1	6	6	7	3	6	5	8	2	3	5	8	8	9	3	2	3	2	---	---	---	
	White—M—	32	1	---	2	1	1	4	2	2	---	2	1	2	3	3	2	2	5	1	1	---	---	---	---	---	---	
	White—F—	24	1	1	1	---	---	---	4	2	---	2	1	2	---	---	1	1	1	2	1	---	2	2	---	---	---	
	All other—M—	30	---	3	2	---	---	2	1	1	3	1	5	---	---	---	4	3	2	1	1	1	1	---	---	---	---	
	All other—F—	16	1	---	1	1	---	2	2	---	1	3	---	---	---	1	2	---	---	1	---	---	---	---	---	---	---	
50	Syphilis	442	46	---	2	---	---	2	7	7	24	26	48	43	43	48	59	34	29	13	6	3	2	---	---	---	---	
	White—M—	140	15	---	1	---	---	---	2	1	6	3	11	11	10	18	28	15	7	6	3	2	1	---	---	---	---	
	White—F—	51	8	---	---	---	---	---	1	3	5	2	6	5	5	4	7	2	1	---	---	1	---	---	---	---	---	
	All other—M—	184	18	---	1	---	---	---	4	1	8	16	21	21	16	20	19	13	18	6	2	---	---	---	---	---	---	
	All other—F—	67	5	---	---	---	---	2	---	2	5	5	10	6	12	6	5	4	3	1	1	---	---	---	---	---	---	
33	Influenza	954	86	23	8	6	5	11	8	27	23	19	34	39	39	39	60	52	70	83	81	93	77	45	15	8	---	
	White—M—	332	43	8	4	2	---	4	1	5	5	7	13	13	11	16	24	18	29	35	35	31						

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99			
TENNESSEE—Contd.																												
50	Cancer of breast	192	—	—	—	—	—	—	—	—	—	1	2	23	17	18	28	26	19	20	17	12	6	3	—	1	—	—
	White—M	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	151	—	—	—	—	—	—	—	—	—	—	1	2	19	15	10	20	22	13	17	14	5	1	—	1	—	—
All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	35	—	—	—	—	—	—	—	—	—	—	—	3	2	8	8	3	4	3	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45,47, 51-55	Cancer (other forms)	690	—	2	2	5	—	4	1	8	13	9	8	25	30	58	55	68	79	99	63	84	52	17	8	—	—	—
	White—M	412	—	1	1	—	—	2	1	4	9	4	4	12	13	34	30	41	49	61	42	56	31	14	4	—	—	—
	F	200	—	1	1	—	—	2	—	4	2	5	3	11	9	15	16	18	21	28	17	23	18	3	—	—	—	—
	All other—M	53	—	1	—	3	—	—	—	—	—	—	—	2	4	6	6	5	5	8	4	5	3	—	—	—	—	—
	F	25	—	—	—	2	—	—	—	—	—	—	—	—	4	3	3	4	4	2	—	—	—	—	—	—	—	—
58	Acute rheumatic fever	41	—	—	1	—	1	5	7	—	3	—	1	1	1	2	2	4	3	3	2	4	—	1	—	—	—	—
	White—M	17	—	—	1	—	—	4	5	—	1	—	1	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—
	F	8	—	—	—	—	—	1	1	—	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—
	All other—M	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	399	—	—	—	—	—	2	9	13	5	6	12	11	16	24	39	46	51	65	42	24	24	5	4	1	—	—
	White—M	158	—	—	—	—	—	2	2	5	1	5	2	3	3	4	16	17	22	24	19	16	12	4	2	1	—	—
	F	156	—	—	—	—	—	2	5	6	3	1	5	10	13	17	19	28	20	8	11	1	1	1	1	—	—	—
	All other—M	27	—	—	—	—	—	—	1	1	—	—	2	3	2	2	5	3	1	5	—	—	—	—	—	—	—	—
63b	Exophthalmic goiter	46	—	—	—	—	—	—	—	1	1	3	1	6	3	7	6	2	4	6	5	—	—	1	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	31	—	—	—	—	—	—	—	—	1	1	1	2	2	4	4	1	4	6	4	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	150	—	1	—	—	—	—	1	5	3	7	7	9	8	8	15	16	30	12	15	9	3	1	—	—	—	—
	White—M	39	—	—	—	—	—	—	—	—	—	—	2	1	1	2	2	7	11	4	5	3	—	—	—	—	—	—
	F	74	—	1	—	—	—	—	1	2	1	3	4	4	4	2	10	7	13	6	9	4	3	—	—	—	—	—
	All other—M	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylism)	43	—	—	—	—	—	—	—	—	1	3	3	5	9	4	5	4	4	3	1	—	—	—	—	—	—	—
	White—M	35	—	—	—	—	—	—	—	—	1	3	2	1	9	4	4	4	3	2	1	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin	2,376	6	3	1	—	—	4	5	10	15	27	47	91	109	169	217	297	352	385	510	192	102	26	6	2	2	
	White—M	942	2	2	—	—	—	2	1	2	4	8	12	29	25	48	60	119	169	171	129	86	38	13	1	—	—	—
	F	794	3	1	1	—	—	2	1	2	1	5	8	23	30	41	68	86	101	139	141	64	47	9	2	—	—	—
	All other—M	300	1	—	—	—	—	1	4	5	5	13	15	25	40	35	55	48	31	22	10	5	3	3	—	—	—	
80-82, 84-88	Other diseases of nervous system, etc.	332	27	5	5	4	1	7	13	16	13	12	17	25	16	18	36	15	19	27	23	19	8	4	2	—	—	—
	White—M	140	9	4	3	1	—	2	5	7	3	8	9	9	7	8	10	7	9	11	12	8	6	2	—	—	—	
	F	112	11	1	2	1	1	2	5	6	3	4	3	8	5	7	13	4	7	9	10	6	2	1	—	—	—	
	All other—M	45	3	—	—	—	—	1	3	1	4	—	1	6	4	2	9	2	2	4	1	2	—	—	—	—	—	
89,104, 115	Diseases of ear, nose, and throat	170	25	8	4	5	1	12	11	10	14	10	14	8	3	5	5	8	6	7	7	4	—	2	1	—	—	
	White—M	85	13	2	1	3	—	6	2	4	6	8	6	5	2	3	4	6	3	4	4	2	—	1	—	—	—	
	F	57	8	3	3	—	6	5	2	6	1	6	—	1	2	—	1	—	3	3	3	2	—	1	—	—	—	
	All other—M	17	4	—	—	—	—	2	2	1	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	558	—	—	—	1	2	7	16	14	12	11	16	20	23	29	41	44	45	79	58	62	45	24	7	—	—	2
	White—M	183	—	—	—	—	1	2	6	3	3	4	5	4	9	9	15	12	13	22	19	23	22	8	3	—	—	
	F	167	—	—	—	—	—	3	7	4	4	4	7	4	4	5	11	10	11	22	24	22	14	9	2	—	—	
	All other—M	105	—	—	—	—	—	2	3	3	1	1	6	2	5	7	12	15	17	9	10	4	4	2	—	—	—	
94	Diseases of coronary arteries, angina pectoris	1,181	—	—	—	—	—	1	2	4	6	9	28	45	74	99	146	155	206	155	122	84	34	6	4	—	—	
	White—M	707	—	—	—	—	—	1	2	2	1	5	15	28	51	71	103	105	128	74	55	45	17	2	2	—	—	
	F	349	—	—	—	—	—	—	—	1	2	3	6	8	12	14	30	35	55	70	62	34	13	3	1	—	—	
	All other—M	73	—	—	—	—	—	—	—	1	2	—	5	5	7	10	7	8	13	6	3	2	2	—	—	—	—	
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,189	7	5	—	—	9	9	21	25	24	42	62	119	180	211	262	320	473	486	395	310	148	54	15	7	5	
	White—M	1,305	4	1	—	—	4	4	6	9	5	15	12	35	52	75	109	133	216	222	177	144	66	12	—	—	—	
	F	999	3	1	—	—	2	4	7	6	9	8	14	21	27	39	64	86	135	170	165	154	66					



# GENERAL TABLES—TOTAL DEATHS

325

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age Group																	Not stated															
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64		65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over							
<b>TEXAS</b>																																			
	All causes—	60,218	8,110	1,152	435	280	241	765	805	1,497	1,800	2,007	2,108	2,359	2,557	3,030	3,577	3,995	4,325	5,294	4,697	4,526	3,451	2,093	701	225	104	74							
	White—M	28,184	3,920	514	194	139	111	355	391	579	705	721	844	922	1,056	1,235	1,632	2,026	2,262	2,700	2,404	2,282	1,766	972	286	58	29	29							
	White—F	20,972	3,026	512	167	98	87	283	240	552	613	700	667	747	755	879	975	1,174	1,426	1,680	1,554	1,335	1,455	977	313	120	28	16							
	All other—M	5,856	656	61	45	21	25	66	94	186	202	279	289	328	382	464	527	451	336	554	394	354	213	126	46	21	17	17							
	All other—F	5,206	508	75	31	22	20	59	78	200	260	307	308	362	394	402	445	340	295	400	255	145	104	58	24	30	12	12							
1,2	Typhoid, paratyphoid fever—	282	4	5	3	2	4	13	31	47	36	38	30	18	12	2	7	7	13	4	3	2	1	—	—	—	—	—	—						
	White—M	122	4	2	3	—	1	5	12	15	18	17	12	7	6	1	2	2	8	4	3	2	—	—	—	—	—	—	—						
	White—F	86	—	3	—	2	—	4	9	22	10	13	6	5	—	1	4	3	1	—	—	—	—	—	—	—	—	—	—						
	All other—M	35	—	—	—	—	1	1	4	6	2	1	8	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
	All other—F	39	—	—	—	—	2	3	6	4	6	7	4	2	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—						
6	Cerebrospinal (meningococcus) meningitis—	51	12	3	2	—	—	9	4	3	3	4	4	2	1	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—					
	White—M	35	8	1	—	—	—	6	2	1	3	2	3	2	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—					
	White—F	15	4	2	2	—	—	2	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	All other—M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	All other—F	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
8	Scarlet fever—	21	1	5	4	3	4	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	White—M	6	1	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	White—F	14	—	4	2	2	2	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	All other—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
9	Whooping cough—	253	161	48	9	5	3	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	White—M	108	78	23	3	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	White—F	90	58	20	4	3	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—M	21	16	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	All other—F	14	9	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
10	Diphtheria—	189	23	31	35	26	27	39	4	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	White—M	93	10	14	16	15	15	18	3	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	White—F	64	10	9	14	5	8	16	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	18	2	4	5	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	14	1	4	3	2	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
13	Tuberculosis of respiratory system, etc.*—	3,682	24	21	6	4	4	19	56	340	450	472	419	360	295	272	221	213	165	144	87	60	24	14	1	2	1	—	—	—	—	—			
	White—M	1,522	14	8	4	3	3	7	13	82	139	154	157	160	143	123	127	128	90	78	45	35	13	8	1	2	1	—	—	—	—	—	—		
	White—F	1,399	7	12	2	1	1	6	27	168	198	196	165	137	91	100	55	55	52	30	22	10	6	3	1	—	—	—	—	—	—	—	—	—	
	All other—M	385	2	1	—	—	—	4	3	29	36	72	49	31	26	28	29	20	18	10	6	3	1	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	396	1	—	—	—	—	2	13	61	77	70	48	32	35	21	10	10	6	4	6	—	—	—	—	—	—	—	—	—	—	—	—	—	
14-22	Tuberculosis (other forms)—	229	23	17	5	9	5	17	8	21	21	19	21	10	13	7	4	9	9	3	7	1	—	—	—	—	—	—	—	—	—	—	—	—	
	White—M	94	8	9	1	6	2	6	1	9	8	5	9	4	4	3	4	4	5	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	82	6	6	3	3	2	8	6	7	9	4	5	2	2	1	2	2	3	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—M	26	6	1	—	—	—	3	1	1	2	2	2	1	1	—	1	1	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	27	3	1	1	—	—	1	—	4	6	5	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Dysentery—	412	231	65	8	9	2	5	1	1	3	3	3	3	1	3	5	9	9	13	10	7	11	8	2	—	—	—	—	—	—	—	—		
	White—M	182	107	29	3	5	1	1	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F	192	106	31	4	4	1	4	1	—	3	2	2	1	1	4	4	5	3	2	3	5	3	5	3	1	—	—	—	—	—	—	—	—	
	All other—M	17	8	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	All other—F	21	10	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Malaria—	176	22	5	3	6	1	12	6	10	3	11	6	9	6	9	11	9	12	16	6	6	3	4	—	—	—	—	—	—	—	—	—	—	
	White—M	58	7	2	2	3	—	4	2	2	1	1	2	3	1	3	5	7	3	3	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	56	11	3	—	—	—	3																											

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
TEXAS—Continued																													
50	Cancer of breast	366	---	---	---	---	---	---	---	---	---	5	11	20	32	46	55	54	46	45	15	25	9	5	3	---	---	1	
	White—M	8	---	---	---	---	---	---	---	---	---	---	---	---	1	2	2	---	---	---	---	---	---	---	---	---	---	---	
	F	305	---	---	---	---	---	---	---	---	---	4	10	14	25	35	38	50	42	38	12	21	9	3	3	---	---	1	
	All other—M	2	---	---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	
	F	53	---	---	---	---	---	---	---	---	---	1	1	6	6	9	14	4	5	5	2	2	---	---	---	---	---	---	
45,47, 51-55	Cancer (other forms)	1,601	4	4	6	1	2	6	12	19	14	22	27	37	73	95	148	161	199	216	188	178	118	51	13	6	1	---	
	White—M	991	3	3	3	1	3	4	14	8	15	15	20	39	49	79	106	117	135	132	128	81	31	7	3	---	---	---	
	F	462	1	4	3	---	1	6	5	5	8	7	13	25	39	44	45	63	66	45	42	54	20	4	2	---	---	---	
	All other—M	87	---	---	---	---	2	2	---	---	---	1	3	1	4	4	18	6	12	10	7	2	---	---	---	---	---	---	
	F	41	---	---	1	1	---	---	---	---	---	2	3	5	3	7	4	7	3	1	1	1	---	---	---	1	---	---	
58	Acute rheumatic fever	73	1	---	---	---	1	16	9	8	2	4	3	2	3	4	3	1	---	6	2	6	1	1	---	---	---	---	
	White—M	27	---	---	---	---	4	4	4	4	1	1	1	1	2	2	1	---	1	1	5	1	---	---	---	---	---	---	
	F	28	1	---	---	---	10	4	2	1	2	2	---	---	1	1	---	---	---	---	2	1	1	---	---	---	---	---	
	All other—M	5	---	---	---	---	1	1	---	---	---	1	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	13	---	---	---	---	1	1	1	2	1	---	1	1	1	1	---	---	---	3	---	---	---	---	---	---	---	---	
61	Diabetes mellitus	806	4	---	---	---	1	6	13	16	16	9	11	17	25	55	65	92	88	142	116	80	33	13	4	---	---	2	
	White—M	329	3	---	---	---	1	10	6	5	4	1	6	6	20	18	41	35	55	56	34	23	7	5	---	---	---	---	
	F	362	1	---	---	---	1	5	2	9	7	2	7	2	6	21	29	41	45	72	52	45	9	5	2	---	---	1	
	All other—M	50	---	---	---	---	1	1	1	2	2	1	---	3	4	6	10	5	1	7	4	2	1	1	---	---	---	---	
	F	65	---	---	---	---	---	---	---	---	2	2	3	6	8	10	5	7	8	4	1	---	---	---	---	---	---	---	---
63b	Exophthalmic goiter	77	---	---	---	---	---	1	1	3	5	7	9	5	6	9	6	5	8	8	3	1	---	---	---	---	---	---	---
	White—M	16	---	---	---	---	---	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	---	---	---	---	---	---	---
	F	40	---	---	---	---	---	---	1	1	3	1	4	1	3	5	3	4	5	7	2	---	---	---	---	---	---	---	---
	All other—M	1	---	---	---	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	20	---	---	---	---	---	---	---	---	1	1	4	5	1	1	3	2	---	1	1	---	---	---	---	---	---	---	---
69	Pellagra (except alcoholic)	403	1	1	---	---	1	---	2	4	11	12	19	21	31	27	33	44	69	41	45	18	13	4	1	2	3	---	
	White—M	96	---	---	---	---	1	---	1	---	---	---	1	1	3	5	10	13	19	11	18	3	6	2	---	---	---	---	
	F	173	1	1	---	---	---	---	---	1	5	4	9	11	9	13	15	21	25	22	17	13	4	1	---	---	---	---	
	All other—M	40	---	---	---	---	---	---	---	1	---	---	4	1	2	5	1	3	5	7	5	4	---	---	---	---	---	---	
	F	94	---	---	---	---	---	---	1	2	6	4	8	7	14	8	5	5	18	3	6	2	2	1	1	---	---	---	
77	Alcoholism (ethylism)	68	---	---	---	---	---	---	---	1	2	11	12	9	6	8	9	2	4	3	---	---	---	---	---	---	---	---	---
	White—M	55	---	---	---	---	---	---	---	---	---	---	10	7	4	8	8	2	4	3	---	---	---	---	---	---	---	---	---
	F	4	---	---	---	---	---	---	---	1	1	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	5	---	---	---	---	---	---	---	---	---	1	1	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	4	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
85	Intracranial lesions of vascular origin	4,458	7	1	3	2	1	5	9	10	19	21	51	75	134	216	364	421	490	665	649	586	393	241	72	12	6	5	
	White—M	1,867	2	---	---	---	2	2	7	7	4	11	21	35	66	125	160	218	312	293	272	198	102	27	2	1	---	---	
	F	1,628	4	1	2	1	1	5	2	8	8	14	18	47	60	93	129	179	210	251	262	167	119	35	7	1	1	---	
	All other—M	457	1	---	---	---	---	2	1	2	5	11	11	23	47	69	53	40	75	56	22	16	14	3	1	2	2	---	
	F	506	---	---	---	---	2	---	---	2	4	15	25	29	43	77	79	53	68	48	30	12	6	7	2	2	---	---	
80-82, 84-88	Other diseases of nervous system, etc.*	735	129	30	16	10	5	24	26	29	29	26	35	42	30	34	41	32	32	44	43	42	23	7	5	1	---	---	
	White—M	341	52	13	7	4	1	14	15	10	10	11	20	17	13	22	13	17	14	23	26	21	13	3	2	---	---	---	
	F	256	45	14	4	3	2	7	5	10	13	6	12	15	6	8	12	14	16	17	13	19	10	4	---	---	---	---	
	All other—M	71	18	2	1	1	1	2	3	9	1	4	2	7	4	---	9	---	---	---	---	---	---	---	---	---	---	---	
	F	67	14	1	4	2	1	1	3	---	5	5	1	3	7	4	7	1	2	1	1	2	---	---	---	---	---	---	
89,104, 115	Diseases of ear, nose, and throat	414	67	14	13	8	10	41	42	18	19	18	23	23	17	24	12	11	8	10	9	9	12	2	2	2	---	---	
	White—M	205	32	7	8	1	3	24	20	9	11	8	15	9	6	15	3	3	5	4	5	6	2	1	---	---	---	---	
	F	147	23	6	5	5	15	16	6	3	9	6	7	5	7	5	3	2	5	3	3	6	---	---	---	---	---	---	
	All other—M	38	8	1	---	---	---	3	2	3	1	---	3	5	1	3	---	---	---	---	---	---	---	---	---	---	---	---	
	F	24	4	---	---	---	---	2	3	1	2	---	4	1	1	1	---	---	---	---	---	---	---	---	---	---	---	---	
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	693	3	1	---	1	3	8	11	21	15	22	26	25	38	54	53	50	56	85	73	76	58	24	8	1	---	1	
	White—M	310	2	---	---	1	4	3	9	6	9	13	5	16	12	21	25	32	35	31	37	32	12	4	1	---	---	---	
	F	240	1	1	---	1	2	3	6	4	9	10	10	9	13	14	30	30	33	30	33	23	12	2	---	---	---	---	
	All other—M	79	---	---	---	---	---	3	4	3	2	1	3	7	7	9	7	5	10	9	5	2	---	---	---	---	---	---	
	F	64	---	---	---	---	1	2	2	2	2	2	7	6	6	10	4	5	10	3	1	1	---	---	---	---	---	---	
94	Diseases of coronary arteries, angina pectoris	3,505	1	---	---	---	2	1	8	11	18	48	90	15															

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																											Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over			
TEXAS—Continued																														
119,120	Diarrhea, enteritis, etc.*	2,129	1,480	317	50	27	14	18	11	5	7	8	10	16	9	14	11	16	16	29	27	27	28	22	7	4	2	4		
	White—M	1,005	710	141	23	13	6	5	7	2	1	2	2	6	3	3	2	8	8	11	10	11	12	8	4	2	3	3		
	F	984	619	150	18	10	5	7	4	2	4	4	5	5	2	6	6	5	6	15	12	16	14	13	2	2	1	1		
121	All other—M	102	58	11	4	—	2	3	—	1	1	—	—	1	1	2	—	2	—	1	5	—	1	1	—	—	—	—		
	F	94	45	15	5	4	1	3	—	—	—	1	2	3	4	3	3	1	2	2	2	—	—	—	—	—	—	—		
	All other—M	84	2	—	1	1	—	2	8	15	6	5	7	8	5	5	4	8	—	—	—	—	—	—	—	—	—	—		
122	F	43	—	—	—	1	—	2	2	4	6	6	6	5	5	2	2	—	—	1	1	—	—	—	—	—	—	—		
	All other—M	648	88	18	5	6	4	13	8	11	12	19	34	41	32	42	36	38	39	63	42	36	34	19	6	1	—	1		
	F	258	47	9	1	4	3	5	1	3	3	6	8	4	8	15	8	15	17	31	19	19	20	10	2	—	—	—		
124	All other—M	250	28	5	3	1	1	4	1	5	6	11	9	18	13	10	18	17	19	23	19	15	12	8	3	1	—	—		
	F	69	10	2	1	1	—	2	1	—	—	1	6	7	7	8	5	4	4	4	2	1	1	1	—	—	—	—		
	All other—M	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
126,127	F	71	3	2	—	—	—	2	4	3	3	1	11	12	4	9	5	2	2	5	2	—	—	—	—	—	—	—		
	Biliary calculi, etc.*	291	1	—	—	1	—	—	1	—	3	2	11	18	21	27	26	36	29	32	37	18	16	10	1	—	—	1		
	White—M	101	—	—	—	1	—	—	1	—	—	—	3	9	11	8	8	14	9	11	12	3	8	2	—	—	—	1		
130-132	F	166	1	—	—	—	—	—	—	—	—	3	1	5	7	17	16	20	18	18	24	14	8	8	1	—	—	—		
	All other—M	7	—	—	—	—	—	—	—	—	—	—	1	3	2	1	1	3	5	5	7	—	—	—	—	—	—	—	—	
	F	17	—	—	—	—	—	—	—	—	—	1	2	1	2	1	2	—	2	3	1	1	—	—	—	—	—	—	—	
137	Nephritis	3,998	19	10	4	5	7	19	25	27	42	50	86	93	136	191	259	308	376	551	547	505	397	254	60	17	6	4		
	White—M	1,786	10	6	3	5	1	7	10	8	13	12	24	24	33	68	98	136	170	260	274	253	205	131	28	3	3	1		
	F	1,320	6	1	—	—	5	11	9	13	17	21	38	32	38	45	65	75	122	170	165	192	156	106	21	9	2	1		
140, 142a, 147	All other—M	501	1	2	1	—	—	3	2	3	3	9	7	12	32	45	53	60	46	73	70	44	20	10	4	2	2			
	F	391	2	1	—	—	1	1	3	4	9	8	17	25	33	33	43	37	38	48	38	16	7	7	2	3	1	—		
	Diseases of the prostate	417	—	—	—	—	—	—	—	—	—	—	—	2	1	—	3	7	17	31	77	75	90	72	35	8	2	1		
141b,d,e,f, 142b,143, 145,146, 149,150	White—M	354	—	—	—	—	—	—	—	—	—	—	—	2	1	—	3	4	11	27	62	64	65	65	31	7	1	—		
	All other—M	63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Puerperal septi-cemia	210	—	—	—	—	—	—	1	36	58	45	30	30	6	4	—	—	—	—	—	—	—	—	—	—	—	—		
141a,c, 144,146	White—F	161	—	—	—	—	—	—	—	22	43	37	21	28	6	4	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	49	—	—	—	—	—	—	1	14	15	8	9	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Puerperal toxo-mias	191	—	—	—	—	—	—	1	38	45	36	34	29	6	1	—	—	—	—	—	—	—	—	—	—	—	1		
141b,d,e,f, 142b,143, 145,146, 149,150	White—F	144	—	—	—	—	—	—	—	25	33	28	29	25	4	1	—	—	—	—	—	—	—	—	—	—	—	1		
	All other—F	47	—	—	—	—	—	—	1	13	12	8	5	6	2	—	—	—	—	—	—	—	—	—	—	—	—	1		
	Other puerperal causes	189	—	—	—	—	—	—	11	48	51	38	24	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
157	White—F	150	—	—	—	—	—	—	5	37	40	31	21	13	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—F	39	—	—	—	—	—	—	6	11	11	7	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Congenital mal-formations	543	464	29	5	6	4	13	6	7	3	—	—	—	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	
159	White—M	282	243	9	2	4	4	7	4	5	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
	All other—M	217	187	16	3	2	—	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	29	21	2	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
163,164	White—M	533	—	—	—	—	—	—	3	24	42	63	80	84	91	80	80	52	46	30	20	14	8	—	—	—	—	—		
	All other—M	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
165-168	White—M	275	—	—	—	—	—	—	2	12	28	41	64	59	67	52	61	39	37	29	19	13	8	—	—	—	—	—		
	All other—M	264	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
170	White—M	1,134	7	6	10	6	5	37	29	94	157	126	93	106	78	70	66	56	64	47	29	30	12	3	—	—	—	—		
	All other—M	131	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
169, 171-195	White—M	1,560	54	51	20	14	13	62	110	107	119	120	111	115	107	83	72	80	55	72	50	49	50	34	6	2	2	2		
	All other—M	311	17	6	10	3	5	14	29	38	26	21	27	30	10	18	15	10	11	3	3	2	2	—	—	—	—	—		
	F	139	7	5	2	5	9	7	9	9	6	5	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
All other causes*	White—M	3,508	928	57	21	15	20	49	38	51	42	49	64	72	83	111	153	174	210	242	259	277	270	205	87	18	13	2		
	All other—M	848	173	2	4	5	1	6	10	16	20	21	35	38	41	54	61	49	39	65	67	33	36	31	17	10	13	5		
	F																													

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
UTAH																													
	All causes	4,712	514	48	28	17	20	69	72	115	111	114	119	124	162	229	270	323	379	454	430	479	352	204	65	12	2		
	White	2,624	293	23	18	5	11	31	42	67	61	67	74	75	90	131	176	208	222	272	224	238	156	106	26	8			
	Female	2,009	209	21	8	11	8	37	27	45	48	46	41	47	67	93	90	109	151	179	199	235	195	98	39	4	2		
	All other	48	6	3	1	1	1	2	1	1	1	1	2	2	2	3	6	5	1	5	5	1							
	Male	31	6	1	1			1	1	2	1		4		3	3	1		1	2	2	1							
1,2	Typhoid, paratyphoid fever	2											1			1													
	White	1											1																
	Female	1														1													
	All other																												
	Male																												
	Female																												
6	Cerebrospinal (meningococcus) meningitis	6	2			1			1	1				1															
	White	2	1			1			1	1																			
	Female	4	1						1	1				1															
	All other																												
	Male																												
	Female																												
8	Scarlet fever	3		1					2																				
	White	1							1																				
	Female	2		1					1																				
	All other																												
	Male																												
	Female																												
9	Whooping cough	8	6	1		1																							
	White	4	4																										
	Female	4	2	1		1																							
	All other																												
	Male																												
	Female																												
10	Diphtheria	5				1			3																				
	White	1							1																				
	Female	4				1			2																				
	All other																												
	Male																												
	Female																												
13	Tuberculosis of respiratory system, etc.*	82							2	2	4	5	4	6	9	15	8	8	11	4	4								
	White	64							1	1	3	2	6	8	12	8	7	10	3	4									
	Female	9							1	2	1	1	1	1	2	2	1	1	1	1									
	All other	3							1	1	1	1	2	1	1	1													
	Male	3							1	1	1	1	2	1	1														
	Female	6							1	1	1	2	1	1	1														
14-22	Tuberculosis (other forms)	13	1	1		1		1	1				2	2	1	1			1			1							
	White	4											2	2	1	1			1										
	Female	7		1		1		1					2	1	1														
	All other	2	1						1																				
	Male																												
	Female																												
27	Dysentery	5	2	1					1																1				
	White	3	2						1																				
	Female	2		1																									
	All other																												
	Male																												
	Female																												
28	Malaria																												
	White																												
	Female																												
	All other																												
	Male																												
	Female																												
50	Syphilis	29								2		1		4	2	2	3	5	4	3	2	1							
	White	17								1		1		2	1	1	2	5	2	1	2								
	Female	10								1		1		1	2	1	1	2	2	2									
	All other	2												1		1													
	Male																												
	Female																												
33	Influenza	89	7	1	3			3	1	4	3	2	2			2	1	3	3	6	5	8	3	8	4				
	White	33	3	1	3					1	1	1	1			2	1	2	2	4	1	6	1	1	2				
	Female	36	4					3	1	3	2	1	1					1	1										







# GENERAL TABLES—TOTAL DEATHS

331

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
VERMONT																												
	All causes	4,544	291	28	16	12	9	32	55	32	48	59	76	85	115	164	217	315	418	517	580	569	518	275	100	18	2	15
	White—M	2,468	167	14	11	4	6	15	22	23	27	35	38	43	65	97	129	193	239	302	314	285	254	120	46	6	1	12
	F	2,064	124	14	5	8	3	17	13	9	21	24	38	42	50	65	88	120	178	215	265	283	265	152	53	12	1	3
	All other—M	6													1	1		2	1	1	1							
	F	6																	1	1		1						
1,2	Typhoid, paratyphoid fever	3												1			1				1							
	White—M	2												1							1							
	F	1															1											
	All other—M																											
	F																											
6	Cerebrospinal (meningococcus) meningitis	4	2	1	1																							
	White—M	2	1	1																								
	F	2	1	1																								
	All other—M																											
	F																											
8	Scarlet fever	5		1			1	1	1							1												
	White—M	4		1				1	1							1												
	F	1					1																					
	All other—M																											
	F																											
9	Whooping cough	18	15	2	1			1			1																	
	White—M	8	8																									
	F	10	5	2	1			1			1																	
	All other—M																											
	F																											
10	Diphtheria	2			1															1								
	White—M	1			1																							
	F	1																		1								
	All other—M																											
	F																											
13	Tuberculosis of respiratory system, etc.*	123							3	2	3	6	9	10	13	15	14	16	15	9	10	1	1					
	White—M	92						1	1	1	3	5	7	8	13	15	15	15	11	6	7	1	1					
	F	51						2	1	3	3	4	3	5			1	1	2	3	3							
	All other—M																											
	F																											
14-22	Tuberculosis (other forms)	14		1		2					2	2	1	1	1			2	1	1								
	White—M	6		1							1	2	1	1	1			2	1	1								
	F	8				2																						
	All other—M																											
	F																											
27	Dysentery	5		1					1	1								1								1		
	White—M	4		1					1	1								1								1		
	F	1																										
	All other—M																											
	F																											
28	Malaria																											
	White—M																											
	F																											
	All other—M																											
	F																											
30	Syphilis	26	2									1		2	3	1	2	5	5	2	2	3						
	White—M	17	2											2	2	1	2	3	3	2	1	2						
	F	8									1			1				2	2		1	1						
	All other—M	1																	1									
	F																											
35	Influenza	85	5	2	1			3		1	1	1	1	2	4		4	6	5	3	10	7	16	10	2	1		
	White—M	54	4	1				3		1	1	1	1	1	3		4	4	4	2	7	2	12	3	2			
	F	31	1	2						1	1	1	1	1			2	2	1	3	5	4	7	7	1			
	All other—M																											
	F																											
35	Measles	5		1			1	1							1					1								
	White—M	1					1	1																				
	F	4		1			1								1					1								
	All other—M																											
	F																											
36	Poliomyelitis, poliomyelitis (acute)	5						2	1	1	1																	
	White—M	2						1	1	1																		
	F	3						1	1		1																	
	All other—M																											
	F					</																						

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
VERMONT—Continued																												
50	Cancer of breast	61												3	5	3	6	4	14	4	5	3	4	5	3	1		1
	White—M																											
	F	61												3	5	3	6	4	14	4	5	3	4	5	3	1		1
	All other—M																											
	F																											
45,47, 51-55	Cancer (other forms)	153				1			1	1	2	3	1	3	3	9	9	13	21	23	21	23	13	5			1	
	White—M	121				1			1	1	2	1	2	1	2	5	8	10	16	17	17	12	4				1	
	F	32							1		1	1		1	1	4	1	3	5	2	4	6	1	1			1	
	All other—M																											
	F																											
58	Acute rheumatic fever	1												1														
	White—M																											
	F	1												1														
	All other—M																											
	F																											
61	Diabetes mellitus	112					1	2				1	2	3	3	2	10	9	17	25	21	8	8					
	White—M	50					1	1					3	1	1	2	4	10	10	10	2	5						
	F	62						1				1	2	2	1	8	5	7	15	11	6	3						
	All other—M																											
	F																											
65b	Exophthalmic goiter	7												1		2			2		1	1						
	White—M	2														1			1									
	F	5												1		1			1		1	1						
	All other—M																											
	F																											
69	Pellagra (except alcoholic)																											
	White—M																											
	F																											
	All other—M																											
	F																											
77	Alcoholism (etiology)	5														1	1			2								
	White—M	5														1	1			1	2							
	F																											
	All other—M																											
	F																											
83	Intracranial lesions of vascular origin	418	1									1		2	6	15	14	25	25	68	71	69	68	37	15	1		
	White—M	212										1		2	3	7	4	14	16	42	37	30	33	19	8			
	F	205	1										2	3	8	10	8	10	8	25	34	39	35	18	9	1		
	All other—M	1																		1								
	F	2																		1	1							
80-82, 84-86	Other diseases of nervous system, etc.*	47	1	2	2	1		1			1	5	5	1	2	1	5	6	4	3	5	4	4					
	White—M	20									1	3	2	1	1	1	2	2	2	3	1	1	1					
	F	27	1	2	1		1				1	3	1		2		4	2		2	4	3	3					
	All other—M																											
	F																											
89,104, 115	Diseases of ear, nose, and throat	25	1	5				2	2	1				2	1		1	1	3	5					2			
	White—M	13	1	1				1	1					2	1		1		3	1					1			
	F	10						1	1	1									1	1					1			
	All other—M																											
	F																											
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	122						2			1	1		3	4	3	5	8	12	14	23	19	13	8	5	1		
	White—M	80						2			1	1		1	2	1	4	3	5	5	11	11	7	1	4	1		
	F	62												2	2	2	1	5	7	9	12	8	6	7	1			
	All other—M																											
	F																											
94	Diseases of coronary arteries, angina pectoris	336											3	1	6	15	15	32	50	50	60	52	27	17	4	2		
	White—M	227											2	1	6	13	12	26	34	35	40	34	17	5	1		2	
	F	109											1		2	2	3	6	16	17	20	18	10	12	5	1		
	All other—M																											
	F																											
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	902						1	1	2	2	2	4	6	26	56	47	65	123	136	172	144	79	28	4		2	
	White—M	465						1			1	1	2	5	12	23	33	42	73	70	78	67	38	16	1		2	
	F	435							1	2	1	1	2	1	13	15	14	43	50	67	95	77	41	11	3			
	All other—M	3																										
	F	1																										
107-109	Pneumonia (all forms)	282	30	5	2	1		3	1	1	4		5	6	10	9	9	14	14	29	29	35	30	18	7		2	
	White—M	157	15	3	2	1		1	1	1	1		2	1	4	6	4	6	9	17	17	19	12	7	4		1	
	F	125	12	2				2			3		3	5	6	3	5	8	5	12	12	14	18	11	3		1	
	All other—M																											
	F																											
117	Ulcer of stomach or duodenum	35											2		4	1	5	2	6	4	4	4	2				1	
	White—M	29											2		4	1	5	2	4	4	2	4	1				1	
	F	6																										
	All other—M																											
	F																											

\*Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
VERMONT—Continued																													
119,120	Diarrhea, enteritis, etc.*	50	19	1		3											1	2	2										
	White—M	15	15	1														1	1										
	F	15	6			5											1	2	1										
	All other—M																												
	F																												
121	Appendicitis	54						2	5	5	3		5	5	2	3	2	7	10	3	2	1			1				
	White—M	35						1	1	2	1		2	4	2	3	2	6	6	3	1	1							
	F	19						1	4	3	2		1	1				1	4		1				1				
	All other—M																												
	F																												
122	Hernia, intestinal obstruction	50	1				1		1	1			2	1	1	3	2	6	8	10	2	6	2	2	1				
	White—M	23																1	1	4	1	3							
	F	27	1				1		1	1			2	1	1	2	1	3	4	6	1	3			2	1			
	All other—M																												
	F																												
124	Cirrhosis of the liver	14																											
	White—M	10																											
	F	4																											
	All other—M																												
	F																												
126,127	Biliary calculi, etc.*	28																											
	White—M	7																											
	F	18																											
	All other—M																												
	F	1																											
130-132	Nephritis	315						1	1		1	1	1	4	7	10	20	22	34	42	47	58	59	19	3	1		2	
	White—M	167						1			1	1	1	1	3	7	9	15	19	21	25	19	29	12	1	1		1	
	F	146							1					3	4	3	11	7	15	21	22	19	30	7	2			1	
	All other—M																												
	F																												
137	Diseases of the prostate	29																		5	9	5	6	4					
	White—M	29																		5	9	5	6	4					
	All other—M																												
	F																												
140, 142a, 147	Puerperal septicemia	10									2	3	5	2															
	White—M	10									2	3	5	2															
	All other—M																												
	F																												
141a,c, 144,148	Puerperal toxemia	5										1	1	2	1														
	White—M	5										1	1	2	1														
	All other—M																												
	F																												
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	8									1	1	1	4	1														
	White—M	8									1	1	1	4	1														
	All other—M																												
	F																												
157	Congenital malformations	57	52	1	1			1		2																			
	White—M	37	34					1		2																			
	F	20	18	1	1																								
	All other—M																												
	F																												
159	Premature birth	91	91																										
	White—M	46	46																										
	F	45	45																										
	All other—M																												
	F																												
163,164	Suicide	54									2	3	4	5	5	7	5	9	5	3	2	1	1	1	1				
	White—M	45									2	2	4	4	5	3	4	8	4	3	2	1	1	1					
	F	9										1	1	1	2	1	1	1	1	3	2	1	1	1					
	All other—M																												
	F																												
165-168	Homicide	3										1								1			1						
	White—M	1										1											1						
	F	1																											
	All other—M	1																											
	F																												
170	Motor-vehicle accidents	82	1	1	2	2	1	6	6	2	10	9	3	4	2	6	4	5	4	4	6	1	1			1		1	
	White—M	64	1	1	1	1	3	3	5	2	9	8	2	4	2	5	4	3	2	3	4	1	1			1		1	
	F	18		1	1	1	3	1		1	1	1																	



# GENERAL TABLES—TOTAL DEATHS

335

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
VIRGINIA—Contd.																												
50	Cancer of breast	205							1		1		6	7	14	18	33	27	32	22	24	10	8	2				
	White—M	2																										
	White—F	149							1				6	3	10	11	22	19	24	16	20	8	7	2				
	All other—M	54									1			4	4	7	11	8	6	6	4	2	1					
45,47, 51-55	Cancer (other forms)	714	2	1				3	5	7	3	7	10	27	30	38	68	69	82	99	79	93	48	34	9	2		
	White—M	394	1					1	1	1	1	2	8	10	14	19	32	40	46	62	47	49	29	26	5	1		
	White—F	201	1	1				2	2	4	1	3	1	10	7	11	21	18	18	26	18	31	16	6	3	1		
	All other—M	92						1		2	1	1	1	6	8	3	11	9	14	7	11	11	3	2	1			
58	Acute rheumatic fever	50			1	2	1	4	8	8	7		1	2	3	1	1	2	1	2	2	2	2					
	White—M	15					1	2	2		3		1	2	1													
	White—F	15					1	1	6	3		1			1							1	2					
	All other—M	10			1	1		3	1	1							1	1										
61	Diabetes mellitus	470						2	5	9	5	4	9	10	16	17	44	45	69	90	62	48	24	9	3	2		
	White—M	145						2	2	4	3	1	5	3	6	2	9	12	19	31	19	17	8	3	5	1		
	White—F	198						1	1	3	2	1	2	2	2	3	15	16	27	48	32	26	14	4	4	1		
	All other—M	37						1	1	1	2	2	2	2	1	3	2	4	5	7	4	1	1	1	1	1		
65b	Exophthalmic goiter	45						1					1	2	5	5	2	8	11	5	2	1	2					
	White—M	4						1											3									
	White—F	31											1	2	2	4	2	6	7	3	2	1	1					
	All other—M	1													1													
69	Pellagra (except alcoholic)	61								1		1	3	3	3	4	7	7	7	14	4	1	4	2	1			
	White—M	16														4	4	4	2	3	2	1	1	1				
	White—F	28										1	1	1	2	3	1	4	3	3	2	2	2	1	1			
	All other—M	8										1	1	2	2	1	2	1	2	1	1	1	1	1	1			
77	Alcoholism (ethylism)	90			1		3	1	2	1	2	9	9	19	7	9	15	4	2	5	5							
	White—M	51			1		1		2		1	4	4	14	2	4	8	3	2	2	3							
	White—F	2										1	1	4	1	1	1	1	1	1	1							
	All other—M	31				2			1	1	4	3	5	3	5	5	1	1		1								
85	Intracranial lesions of vascular origin	2,905	7	1	1			1	3	8	19	28	43	101	155	243	313	384	390	421	364	261	106	46	5	2		
	White—M	871	3					1	1	1	1	4	5	15	25	54	75	109	136	144	154	94	37	12	1			
	White—F	853	2					1	2	3	5	6	4	12	22	37	57	96	122	149	142	128	47	18	3			
	All other—M	563	1	1	1				2	2	10	16	31	50	75	84	81	64	66	35	23	8	8	8	1			
80-82, 84-88	Other diseases of nervous system, etc.*	616	1								2	10	16	43	58	77	97	98	68	62	33	16	14	8		1		
	White—M	359	42	7	6	8	6	16	19	21	21	23	17	23	20	13	13	11	30	16	18	13	7	5	2			
	White—F	135	15	1	4	3	1	5	7	8	6	6	11	7	8	5	6	5	4	13	9	8	5	4	4			
	All other—M	96	7	5	1	2	1	3	3	3	3	7	6	4	5	5	5	5	9	4	6	5	7	1	1			
89,104, 115	Diseases of ear, nose, and throat	184	38	8	6	6	4	11	16	15	8	9	9	9	5	6	6	10	2	2	4	3	2					
	White—M	84	13	2	5	5	2	6	5	8	5	2	4	5	1	4	3	2	4	1	2	4	2	1				
	White—F	35	4	2	1	1	1	1	1	3	3	1	2	2	1	1	1	1	3	1	4	1	1					
	All other—M	38	13	1	1	1	1	1	1	1	1	1	4	3	2	2	1	2	1	2								
90a, 92b, 92c, 93c, 95b	Chronic rheumatic diseases of heart	513	1				2	6	9	8	11	15	11	17	15	26	37	33	59	66	57	54	49	27	7	2		
	White—M	181	1					1	2	4	5	4	5	6	6	7	9	13	24	20	26	19	20	11	1	1		
	White—F	162					1	2	6	2	3	6	3	6	6	4	10	2	11	23	16	25	19	10	5	1		
	All other—M	90					1	1	1	3	3	2	2	3	2	7	11	9	13	9	8	8	5	2	1			
94	Diseases of coronary arteries, angina pectoris	1,439					1		2	5	5	16	34	69	107	149	183	222	225	179	120	90	28	3		1		
	White—M	853						1	1	1	3	6	17	35	71	97	117	145	134	98	67	41	19	1				
	White—F	369								2		2	3	10	11	19	40	44	68	72	44	45	9	1		1		
	All other—M	131							1	1	1	6	6	16	16	20	20	17	13	6	5	4						
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of heart (other forms)	4,265	10		1	2	1	8	10	17	17	30	45	88	122	175	237	364	473	614	611	551	493	235	78	20		
	White—M	1,553	4			1	1	1	2	5	3	9	12	25	38	88	122	195	241	254	216	189	97	20	5	4		
	White—F	1,295	4		1			4	3	6	2	8	17	17	26	49	52	91	182	196	234	234	115	36	9	1		
	All other—M	778						1	1	4	8	14	20	42	60	86	103	112	103	99	55	40	13	12	4	1		
107-109	Pneumonia (all forms)	1,829	356	70	23	13	7	32	29	42	51	60	69	71	77	92	99	107	120	110	116	87	98	61	32	6		
	White—M	574	101	20	7	5	2	11	6	14	10	9	21	21	26	19	26	27	40	46	45	36	36	29	14	3		
	White—F	474	82	14	5	2	1	8	6	6	6	10	6	11	15	21	17	21	31	32	48	38	46	30	16	2		
	All other—M	425	91	18	6	4	2	8	8	10	11	23	26	26	23	29	33	37	25	15	12	4	8	1	2	1		
117	Ulcer of stomach or duodenum	141									2	7	14	11	12	15	16	21	19	8	8	3	4		1			
	White—M	76									1	2	6	6	5	9	10	13	9	6	2	2			1			
	White—F	14										1	1	4			1	2	2	1	1	1	4					
	All other—M	35									1	4	4	3	5	5	4	4	4	1	1							

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
VIRGINIA—Contd.																													
119,120	Diarrhea, enteritis, etc.*	401	252	51	16	6	2	4	1	2	---	2	1	3	3	8	6	6	6	5	7	7	9	2	2	---	---	---	
	White—M	140	88	23	5	2	2	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	99	55	13	5	2	---	1	---	---	---	---	---	2	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	94	71	9	3	---	---	1	---	---	---	---	---	3	---	1	3	1	1	1	---	---	---	---	---	---	---	---	---
F	68	38	6	3	2	---	2	---	1	---	---	1	1	---	1	2	3	4	---	---	---	---	---	---	---	---	---	---	---
121	Appendicitis	202	---	---	4	---	1	9	19	20	16	16	11	12	12	20	10	14	8	12	9	6	3	---	---	---	---	---	
	White—M	95	---	---	4	---	1	4	8	10	7	5	6	5	7	11	5	6	3	7	4	2	---	---	---	---	---	---	
	F	50	---	---	---	---	---	3	5	5	2	2	---	2	2	6	2	3	4	3	4	3	---	---	---	---	---	---	
	All other—M	38	---	---	---	---	1	4	3	7	3	3	4	1	2	1	5	1	2	1	---	---	---	---	---	---	---	---	
F	19	---	---	---	---	1	2	2	---	---	6	2	1	2	1	2	---	---	---	---	---	---	---	---	---	---	---		
122	Hernia, intestinal obstruction	221	24	2	---	1	---	1	2	3	9	5	6	9	17	12	15	24	22	19	17	15	10	7	1	---	---	---	
	White—M	82	15	1	---	1	---	1	1	---	3	---	---	2	2	4	6	8	7	5	8	8	6	3	1	---	---	---	
	F	59	3	---	---	---	---	---	---	---	2	1	1	4	5	2	4	4	9	10	4	5	2	3	---	---	---	---	
	All other—M	46	4	1	---	---	---	1	1	4	---	1	1	1	3	4	4	9	3	2	4	1	2	1	---	---	---	---	
F	34	2	---	---	---	---	---	2	---	---	4	4	2	7	2	1	5	3	2	1	1	---	---	---	---	---	---	---	
124	Cirrhosis of the liver	119	---	---	---	---	---	---	---	---	---	---	4	8	12	14	11	17	11	16	10	8	5	3	---	---	---	---	
	White—M	65	---	---	---	---	---	---	---	---	---	---	4	6	6	8	7	6	4	11	5	3	3	---	---	---	---	---	
	F	24	---	---	---	---	---	---	---	---	---	---	---	---	3	1	1	7	3	2	1	2	1	5	---	---	---	---	
	All other—M	21	---	---	---	---	---	---	---	---	---	---	---	---	1	2	3	2	3	2	4	1	---	---	---	---	---	---	
F	9	---	---	---	---	---	---	---	---	---	---	---	---	1	1	2	---	2	1	1	---	---	---	---	---	---	---	---	
126,127	Biliary calculi, etc.*	104	---	---	---	---	---	1	---	2	1	---	4	7	8	14	11	14	13	12	10	3	4	---	---	---	---	---	
	White—M	27	---	---	---	---	---	---	---	---	---	---	---	1	3	5	4	4	3	1	1	2	3	---	---	---	---	---	
	F	56	---	---	---	---	---	---	---	1	1	---	1	2	4	5	6	7	9	10	8	1	1	---	---	---	---	---	
	All other—M	7	---	---	---	---	---	1	---	---	---	---	---	1	1	1	---	---	2	---	---	---	---	---	---	---	---	---	
F	14	---	---	---	---	---	---	---	1	---	---	---	2	3	---	4	1	1	1	---	---	---	---	---	---	---	---		
130-132	Nephritis	2,695	6	1	6	5	---	5	2	6	17	28	46	64	88	131	199	236	279	328	380	356	274	167	54	14	1	---	
	White—M	978	3	---	3	2	---	---	---	2	4	6	8	12	17	36	56	73	95	121	161	156	128	71	18	6	---	---	
	F	787	1	1	1	---	---	1	1	2	5	4	10	18	20	28	41	42	61	98	113	139	107	65	28	1	---	---	
	All other—M	495	2	---	2	1	---	2	---	2	4	8	13	11	24	37	54	58	57	65	62	33	27	21	6	6	---	---	
F	433	---	---	2	---	2	1	---	4	10	15	23	27	30	48	63	66	44	44	44	28	12	10	2	1	---	---	---	
137	Diseases of the prostate	151	---	---	---	---	---	---	---	---	---	---	1	---	1	---	4	11	20	16	31	26	23	13	5	---	---	---	
	White—M	111	---	---	---	---	---	---	---	---	---	---	1	---	---	---	2	5	11	11	24	23	19	12	3	---	---	---	
	All other—M	40	---	---	---	---	---	---	---	---	---	---	---	---	1	---	2	6	9	5	7	3	4	1	2	---	---	---	
140, 142a, 147	Puerperal septi-	115	---	---	---	---	---	2	13	23	26	20	21	8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—F	62	---	---	---	---	---	---	5	13	14	11	13	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F	51	---	---	---	---	---	2	8	10	12	9	8	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
141a,c, 144,146	Puerperal toxemias	79	---	---	---	---	---	15	12	13	14	14	8	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—F	39	---	---	---	---	---	4	7	6	9	7	4	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F	40	---	---	---	---	---	11	5	7	5	7	4	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
141b,d,e,f, 142b,145, 145,146, 149,150	Other puerperal causes	76	---	---	---	---	---	8	8	18	20	12	8	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—F	46	---	---	---	---	---	4	4	9	16	7	4	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F	30	---	---	---	---	---	4	4	9	4	5	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
157	Congenital malformations	249	210	11	4	1	2	5	2	7	1	1	1	1	1	---	---	1	---	---	1	---	---	---	---	---	---	---	
	White—M	122	106	5	3	1	1	1	1	1	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	
	F	74	61	4	1	1	1	1	1	5	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---
	All other—M	26	20	---	---	---	---	2	---	---	---	1	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
F	27	23	2	---	---	---	1	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
159	Premature birth	997	997	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—M	395	395	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	284	284	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	165	165	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
F	153	153	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
163,164	Suicide	344	---	---	---	---	---	2	18	31	22	32	41	30	30	39	26	29	25	8	6	2	1	---	---	---	---		
	White—M	255	---	---	---	---	---	2	12	20	15	23	28	25	18	30	21	25	22	6	7	2	1	---	---	---	---		
	F	61	---	---	---	---	---	---	4	7	3	8	8	6	9	6	3	4	1	1	1	---	---	---	---	---	---		
	All other—M	24	---	---	---	---	---	2	3	4	1	5	1	3	3	---	---	---	---	1	1	---	---	---	---	---	---		
F	4	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
165-168	Homicide	340	3	1	2	---	1	4	26	48	61	57	45	27	14	16	13	11	7	5	---	---	---	---	---	1	---	2	
	White—M	88	1	---	---	---	---	2	4	6</																			









VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
WEST VIRGINIA																												
	All causes—	17,490	2,272	298	132	104	64	185	207	346	460	540	491	618	690	808	956	1,170	1,340	1,535	1,651	1,465	1,149	667	234	59	14	55
	White—M	9,065	1,203	150	69	57	30	95	119	163	246	290	229	284	325	377	487	626	738	850	898	781	588	319	102	21	2	16
	F	6,810	902	127	57	35	27	82	73	133	165	182	179	228	246	279	315	406	486	578	652	631	538	322	115	32	8	12
	All other—M	955	88	11	4	6	5	5	13	22	30	37	39	55	76	93	107	85	72	67	63	31	15	14	9	4	—	4
	F	662	79	10	2	6	2	3	2	28	19	31	44	51	45	59	47	53	44	40	38	22	10	12	8	2	4	3
1,2	Typhoid, paratyphoid fever—	54	1	2	—	—	—	3	4	7	6	8	2	5	5	2	1	2	—	—	2	—	—	—	—	—	—	—
	White—M	26	1	2	—	—	—	1	1	3	4	4	1	3	3	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	22	—	—	—	—	—	2	3	2	2	3	1	2	1	1	1	2	—	—	1	—	—	—	—	—	—	—
	All other—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	37	7	3	4	—	2	3	3	3	2	1	1	1	1	1	2	—	—	1	—	—	—	—	1	—	—	1
	White—M	24	4	3	1	—	1	1	2	1	1	1	1	1	1	1	2	—	—	1	—	—	—	—	—	—	—	—
	F	12	3	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	22	1	3	5	1	1	3	2	3	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	White—M	6	—	1	1	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	1	2	3	1	—	2	—	2	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	All other—M	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	36	21	12	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	22	11	7	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	55	6	10	8	9	6	8	5	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	White—M	31	4	7	6	5	2	3	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	2	3	2	3	4	5	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	All other—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.—	788	2	—	3	3	—	2	9	42	77	102	74	95	48	65	57	50	46	38	31	26	15	5	—	—	—	—
	White—M	319	1	—	1	—	—	1	2	11	21	30	30	38	17	32	31	31	22	17	13	14	7	—	—	—	—	—
	F	342	1	—	2	—	—	1	2	13	40	58	50	37	24	21	17	16	18	19	17	11	8	5	—	—	—	—
	All other—M	70	—	—	—	—	—	—	4	5	5	7	9	11	4	6	7	1	6	2	1	1	—	—	—	—	—	—
	F	57	—	—	—	—	—	—	1	13	11	7	5	7	3	6	2	2	—	—	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)—	94	8	13	4	3	1	3	5	8	5	4	8	6	5	5	3	1	1	5	3	2	—	—	—	—	—	—
	White—M	43	4	4	—	2	1	1	4	3	1	2	6	1	2	3	3	1	—	2	2	1	—	—	—	—	—	—
	F	30	3	4	3	—	—	2	1	3	4	1	1	2	1	1	—	—	1	1	1	—	—	—	—	—	—	—
	All other—M	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	1	4	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery—	84	34	14	8	2	1	2	—	1	1	1	1	2	—	—	—	1	1	—	2	3	6	2	2	—	—	—
	White—M	40	19	9	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	37	12	3	5	—	1	—	—	1	1	1	1	—	—	—	—	—	—	—	1	2	4	1	1	—	—	—
	All other—M	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
28	Malaria—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50	Syphilis—	289	30	1	2	2	1	—	—	5	6	12	15	27	28	25	51	57	25	19	13	6	2	—	—	1	—	1
	White—M	154	10	1	1	1	—	—	—	1	2	4	5	13	11	13	19	25	17	13	12	5	1	—	—	—	—	—
	F	59	15	—	1	—	—	—	—	2	3	4	5	4	6	5	1	6	3	3	—	1	—	—	—	—	—	—
	All other—M	53	5	—	—	1	—	—	—	—	—	3	2	7	8	7	9	5	3	2	—	—	—	—	—	—	—	—
	F	25	2	—	—	—	—	—	—	2	1	1	3	3	3	—	2	1	2	1								

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
	WEST VIRGINIA—Continued																											
50	Cancer of breast	102											1	5	1	5	13	9	19	19	8	13	3	4	1	1		
	White—M	3																				1						
	F	92											3	1	5	12	8	16	19	7	12	3	4	1	1			
	All other—M	7										1	2		1					1								
	F																											
45,47, 51-55	Cancer (other forms)	411		2	1	2		6	3	4	5	6	6	11	18	27	27	29	44	58	59	52	32	11	10			
	White—M	265		1	1			2	2	4	5	5	1	5	10	16	16	18	25	44	40	38	20	7	7			
	F	127		2		1		4	1	4		1	5	6	7	6	9	11	16	14	14	11	3	2				
	All other—M	17													1	4	2					1	1	1				
	F	2													1				1									
58	Acute rheumatic fever	24			1		2	3	6	1	2	1	2	2	1					2	1							
	White—M	13					1	3	3			1	2	2						1								
	F	10			1		1	3	3	1	2				1						1							
	All other—M	1																										
	F																											
61	Diabetes mellitus	333						2	3	11	3	4	6	4	13	22	27	41	45	46	54	29	18	5				
	White—M	108						1	3	8	2	3	1	3	7	7	5	11	16	15	17	9	11	1				
	F	195						1	3	2	2	3	2	9	7	20	25	25	30	35	35	19	7	4				
	All other—M	7								1			1	1	2	2	2	1	1	3	2	1						
	F	23											1	1	6	4	5	3	3	5	2	1						
65b	Exophthalmic goiter	47							1		3		5	4	4	2	4	8	4	6	5	2	1					
	White—M	4											1	1	1	1	1	1	1	1	1	1						
	F	35						1		2		2	2	3	2	3	7	4	5	2	2		1					
	All other—M	2								1			1	1	1													
	F	5											2	1	1													
69	Pellagra (except alcoholic)	5															1				2		1	1				
	White—M	3															1				2							
	F	1																										
	All other—M	1																										
	F																											
77	Alcoholism (ethylism)	27										2	3	3	3	9			2	2	2							
	White—M	21										1	3	2	2	6			2	2	2							
	F	5										1		1	1													
	All other—M	2																										
	F	1												1														
83	Intracranial lesions of vascular origin	1,486	7	1	1	1	1	1	3	4	3	11	11	35	59	98	145	186	197	256	216	160	86	28	5			3
	White—M	725	2	1	1	1	1	1	1	3	3	3	3	14	17	31	69	97	109	127	115	80	38	8	1			2
	F	613	5	1	1	1	1	1	2	1	3	5	6	9	22	45	54	68	95	97	74	45	16	5				1
	All other—M	85											1	6	10	7	11	14	14	7	3	4	1	3	1			
	F	65											3	1	6	10	5	9	12	6	7	2	2	1				
80-82, 84-88	Other diseases of nervous system, etc.	215	28	8	6	4	1	7	8	16	14	14	13	6	7	8	8	9	18	15	11	6	6	2				
	White—M	115	16	4	2	3	1	1	5	11	8	6	6	3	4	3	3	4	10	10	5	3	4	1				
	F	85	11	3	4			6	2	4	4	4	7	1	2	4	5	5	7	4	6	1	2	1				
	All other—M	12		1				2	1	1	2	1	1	1	1	1			1		2							
	F	7		1																								
89,104, 115	Diseases of ear, nose, and throat	90	14	2	2	1		9	5	9	8	4	3	3	3	3	3	3	6	2	2	2		2	1			
	White—M	47	8	1	2	1		5	3	4	3	2	1	2	2	1	3	1	2	4	1	1						
	F	36	5	1				4	2	2	5	1	2	1	1	2	1	2	1	2		2						
	All other—M	3								1																		
	F	4		1						2							1											
90a,92b, 92c,95c, 95b	Chronic rheumatic diseases of heart	259						4	6	5	8	7	10	8	15	13	15	22	25	35	28	23	18	12	4	1		
	White—M	121						2	3	1	3	2	6	3	5	7	6	12	13	18	14	11	6	6	2	1		
	F	118						2	3	4	5	4	4	8	5	7	7	10	15	9	11	12	6	2				
	All other—M	12												1	2	1	1	1	2	1	2	1						
	F	8						1																				
94	Diseases of coronary arteries, angina pectoris	858					1					5	6	14	35	56	95	77	126	126	127	94	55	17	5	1		2
	White—M	568					1			1		2	3	9	22	44	61	61	85	85	62	30	8	2				2
	F	223										3	2	2	6	12	22	12	29	36	33	32	24	8	1	1		2
	All other—M	50											1	3	1	3	7	3	5	3	8							
	F	17								1			1	2	2		3	1	2	2	1		1					
90b,91, 92a,d,e, 95a,b, d,e, 95a,c	Diseases of heart (other forms)	2,248	7	2		1	2	3	4	17	12	20	26	38	47	86	148	170	200	300	320	342	265	164	49	15	4	6
	White—M	1,154	4	1		1	1	1	2	10	5	9	9	13	21	38	85	95	110	151	185	176	140	75	15			

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
119,120	WEST VIRGINIA—Continued																											
	Diarrhea, enteritis, etc.*	412	258	76	14	7	5	5	—	—	1	1	—	—	4	2	4	5	6	4	6	3	4	5	2	—	—	—
	White—M	228	144	42	10	5	1	4	—	—	—	—	—	—	1	1	3	3	4	2	2	4	3	3	2	1	—	—
	F	168	101	34	4	2	3	1	—	—	1	1	—	—	3	1	1	2	1	2	4	3	—	3	—	—	—	—
121	All other—M	8	7	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Appendicitis—M	158	1	1	2	2	2	10	19	11	16	16	6	16	10	8	12	2	10	5	4	2	1	2	—	—	—	—
	F	95	—	1	—	2	2	7	11	4	9	10	4	9	5	4	9	1	6	3	3	2	—	—	—	—	—	—
122	All other—M	51	1	—	2	—	3	7	5	6	6	2	2	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	1	2	1	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	Hernia, intestinal obstruction—M	151	19	3	—	1	2	3	—	2	2	5	4	5	10	7	12	13	16	12	16	6	7	5	1	—	—	—
	F	84	11	2	—	—	2	1	—	1	1	4	1	3	4	1	6	6	8	10	12	4	4	2	1	—	—	—
124	All other—M	54	7	—	1	—	2	—	—	—	1	1	—	2	1	3	5	7	8	7	2	3	2	5	3	—	—	—
	F	7	1	—	—	—	—	—	1	—	1	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	Cirrhosis of the liver—M	83	1	—	—	—	—	—	—	—	—	2	—	4	6	10	3	8	18	11	8	5	4	3	—	—	—	—
	F	51	—	—	—	—	—	—	—	—	—	—	—	2	2	4	4	2	6	12	6	7	3	2	3	—	—	—
126,127	All other—M	26	1	—	—	—	—	—	—	—	—	—	—	2	1	3	1	1	5	5	1	2	2	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	1	1	—	—	—	—	—	—	—	—	—
	Biliary calculi, etc.*—M	80	—	—	—	—	—	1	—	1	—	2	1	3	6	8	11	13	9	7	9	5	2	2	—	—	—	—
	F	21	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4	4	1	4	5	1	2	—	—	—
130-132	All other—M	51	—	—	—	—	—	—	—	—	—	—	—	3	5	6	9	9	4	5	5	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—
	Nephritis—M	1,370	3	2	—	2	1	7	8	11	16	17	32	50	52	77	128	147	174	211	167	145	73	23	7	1	—	—
	F	690	3	1	—	2	1	3	3	3	6	7	8	7	18	28	27	87	70	93	113	89	77	47	15	2	—	—
137	All other—M	519	—	1	—	—	5	5	7	9	7	6	16	21	18	27	36	59	67	76	66	62	20	6	4	1	—	—
	F	101	—	—	—	—	1	—	—	1	2	2	7	4	15	14	14	10	16	7	4	4	2	2	2	1	—	—
	Diseases of the prostate—M	99	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	5	21	19	24	11	10	2	—	1	—
	F	95	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	5	19	19	24	10	10	1	—	1	—
140, 142a, 147	All other—M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal septicaemia—M	47	—	—	—	—	—	—	—	10	11	6	7	7	5	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	47	—	—	—	—	—	—	—	10	11	6	7	7	5	1	—	—	—	—	—	—	—	—	—	—	—	—
141a,c, 144,148	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal toxemia—M	35	—	—	—	—	—	—	—	6	3	7	5	10	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	—	—	—	—	—	—	—	6	3	6	5	9	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	2	—	—	—	—	—	—	—	6	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes—M	54	—	—	—	—	—	—	1	5	11	7	18	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	46	—	—	—	—	—	—	1	4	10	5	15	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	8	—	—	—	—	—	—	—	1	1	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
157	Congenital malformations—M	241	211	10	4	4	—	4	2	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	129	109	6	2	4	—	1	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	108	3	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
159	All other—F	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Premature birth—M	659	659	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	342	342	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	260	260	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
163,164	All other—F	33	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	24	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide—M	206	—	—	—	—	—	—	1	13	12	30	16	19	23	14	14	21	19	9	3	9	1	1	—	—	—	—
	F	155	—	—	—	—	—	—	1	6	8	23	12	13	18	8	11	20	16	6	3	7	1	1	—	—	—	—
165-168	All other—M	48	—	—	—	—	—	—	6	4	7	4	6	5	6	3	—	—	2	3	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	Homicide—M	137	4	—	—	—	—	1	1	7	16	26	19	13	15	14	4	6	1	7	1	2	—	—	—	—	—	—
	F</																											

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1				to 9.	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over			
WISCONSIN																													
	All causes	51,424	2,179	209	101	79	64	237	272	427	495	490	559	677	934	1,397	1,721	2,207	2,592	3,266	5,818	4,044	3,285	1,674	591	100	12	6	
	White—M	17,291	1,221	108	57	51	33	123	159	268	289	261	285	370	528	802	961	1,306	1,435	1,867	2,143	2,188	1,732	802	257	35	7	3	
	White—F	13,771	906	97	41	27	28	112	109	152	180	216	254	286	380	574	735	879	1,137	1,370	1,651	1,841	1,534	862	332	63	4	3	
	All other—M	207	29	2	1	1	1	1	1	3	11	5	12	12	16	12	16	16	13	15	14	8	9	8	—	1	—	—	
	All other—F	155	23	2	2	—	2	1	3	4	5	8	8	9	10	9	11	6	7	14	10	7	8	2	2	1	1	—	
1,2	Typhoid, paratyphoid fever	5	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	5	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis	7	—	—	1	—	1	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	White—M	4	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	3	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	36	2	3	4	3	2	9	2	1	1	2	2	3	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	White—M	18	2	1	2	1	1	5	1	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	16	—	2	—	1	1	4	1	1	1	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough	44	31	6	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	16	13	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	27	17	4	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria	4	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of respiratory system, etc.*	792	7	5	—	1	2	8	6	35	67	73	63	54	86	85	67	63	50	49	36	20	9	5	1	—	—	—	—
	White—M	447	2	3	—	—	2	4	12	33	20	37	29	57	57	49	42	28	32	24	12	3	1	1	—	—	—	—	—
	White—F	293	2	2	—	1	2	4	1	20	27	48	25	19	20	24	16	18	20	15	12	7	6	4	—	—	—	—	—
	All other—M	28	2	—	—	—	1	1	1	3	—	—	—	4	6	3	—	—	2	—	—	—	—	—	—	—	—	—	—
	All other—F	24	1	—	—	—	1	1	2	4	5	1	2	3	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—
14-22	Tuberculosis (other forms)	71	1	6	3	1	2	4	4	3	6	3	3	8	2	5	7	2	2	5	—	1	2	—	—	—	—	—	—
	White—M	27	—	4	—	1	1	1	1	1	1	—	—	4	2	2	4	—	—	4	—	—	—	—	—	—	—	—	—
	White—F	39	1	2	3	—	1	3	3	2	4	2	2	4	—	3	4	—	—	1	—	1	1	—	—	—	—	—	—
	All other—M	4	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Dysentery	11	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—	
	White—M	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	White—F	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Malaria	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	White—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other—F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis	217	4	—	—	—	—	—	1	5	5	6	15	18	19	19	28	37	23	26	16	9	4	2	1	—	—	—	
	White—M	142	3	—	—	—	—	—	1	2	2	2	9	11	10	20	23	16	20	12	8	3	1	1	—	—	—		
	White—F	53	1	—	—	—	—	—	—	1																			





GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1
WISCONSIN—Con.																													
119,120	Diarrhea, enteritis, etc.*	202	130	19	1	5	2	4	---	1	3	2	---	5	3	2	3	1	3	3	4	3	4	3	3	---	---	---	
	White—M	112	75	8	---	5	1	3	---	---	2	1	---	1	2	2	1	1	2	2	1	3	---	---	---	---	---	---	
	F	83	51	10	1	---	1	1	---	1	1	---	---	2	1	---	---	---	---	1	1	3	---	3	---	---	---	---	
	All other—M	2	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	5	2	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
121	Appendicitis	327	1	1	10	8	4	22	28	32	20	17	16	26	23	29	19	13	15	15	13	10	5	5	---	---	---	---	
	White—M	210	---	1	5	7	1	14	16	24	10	11	11	19	15	21	14	8	9	11	5	6	2	2	---	---	---	---	
	F	114	1	---	4	1	3	8	11	8	10	6	5	7	8	7	5	5	6	4	8	4	3	---	---	---	---	---	
	All other—M	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
122	Hernia, intestinal obstruction	288	24	---	1	2	2	3	2	4	---	4	6	7	14	13	17	17	33	26	31	35	27	15	3	2	---	---	
	White—M	157	17	---	1	1	2	3	2	3	---	2	2	5	7	7	7	7	18	11	18	19	14	10	1	---	---	---	
	F	130	6	---	---	---	---	---	---	1	---	---	2	4	2	7	6	10	15	15	13	16	13	5	3	1	---	---	
	All other—M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
124	Cirrhosis of the liver	300	1	---	---	---	---	---	---	1	3	1	3	8	19	23	33	38	35	33	38	38	20	4	2	---	---	---	
	White—M	189	---	---	---	---	---	---	---	1	---	---	2	6	16	17	22	25	24	23	23	20	8	2	---	---	---	---	
	F	111	1	---	---	---	---	---	---	---	3	1	1	2	3	6	11	13	11	10	15	18	12	2	2	---	---	---	
	All other—M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
126,127	Biliary calculi, etc.*	277	---	---	---	---	---	1	---	---	2	4	5	12	15	23	34	32	23	36	29	26	22	11	2	---	---	---	
	White—M	75	---	---	---	---	---	1	---	---	1	1	2	3	5	5	12	9	12	12	7	7	3	1	1	---	---	---	
	F	199	---	---	---	---	---	---	---	---	2	3	4	10	11	17	29	20	14	23	17	19	10	1	---	---	---	---	
	All other—M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	3	---	---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	1	---	---	---	---	---	---	---	---	---
130-132	Nephritis	1,951	3	2	---	1	2	5	9	15	12	15	17	29	46	73	99	133	176	255	271	334	302	128	38	6	---	---	
	White—M	1,084	1	---	1	---	---	3	5	7	8	8	7	14	28	40	54	63	94	147	147	184	176	74	21	2	---	---	
	F	845	2	2	---	1	2	3	8	4	6	10	12	17	32	45	68	79	65	122	148	124	54	17	4	---	---	---	
	All other—M	10	---	---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	1	2	1	1	---	---	---	---	---	
	F	12	---	---	---	---	---	1	---	---	---	---	---	2	---	---	---	---	---	3	---	---	---	---	---	---	---	---	
137	Diseases of the prostate	222	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2	11	13	24	54	54	39	15	10	---	---	---	
	White—M	218	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2	10	12	24	54	55	39	14	10	---	---	---	
	All other—M	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---
140, 142a, 147	Puerperal septicemia	67	---	---	---	---	---	---	1	15	15	16	14	5	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—F	67	---	---	---	---	---	---	1	15	15	16	14	5	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
141a,c, 144,148	Puerperal toxemia	26	---	---	---	---	---	---	1	6	6	5	5	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—F	26	---	---	---	---	---	---	1	6	6	5	5	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	58	---	---	---	---	---	---	3	6	14	15	13	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	White—F	55	---	---	---	---	---	---	3	6	13	13	13	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	All other—F	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
157	Congenital malformations	357	291	17	10	2	2	7	7	2	4	4	3	1	2	1	1	---	---	1	1	---	---	---	---	---	---	---	---
	White—M	201	167	14	3	---	1	3	1	3	1	3	1	1	1	1	---	---	---	1	---	---	---	---	---	---	---	---	---
	F	154	122	3	7	2	1	4	6	1	1	3	1	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---
	All other—M	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
159	Premature birth	772	772	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White—M	423	423	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	337	337	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	All other—M	5	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	7	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
163,164	Suicide	474	---	---	---	---	---	---	---	7	20	21	38	39	39	59	50	61	43	36	24	24	10	3	---	---	---	---	
	White—M	380	---	---	---	---	---	---	---	6	14	17	28	28	24	51	38	52	40	27	20	23	9	3	---	---	---	---	
	F	91	---	---	---	---	---	---	---	1	5	4	10	10	14	8	12	9	3	9	4	1	1	---	---	---	---	---	
	All other—M	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
165-168	Homicide	43	1	1	1	---	---	1	---	3	3</																		

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stat- ed
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over		
	WYOMING																											
	All causes	2,207	223	25	11	6	5	32	30	54	82	64	46	75	92	112	173	160	173	204	210	190	153	64	16	4	1	2
	White	1,560	109	12	6	2	2	25	17	39	56	43	26	45	55	64	114	103	116	129	141	120	92	34	6	2		
	All other	769	93	11	5	4	2	6	13	14	24	19	17	27	34	44	54	52	55	65	65	65	60	30	10	2		
	White	45	10	1			1	1		1	1	2		1	3	2	3	3	1	8	2	4	1					
	All other	33	11	1									3	2		2	2	2	1	4	1					1		
1,2	Typhoid, paratyphoid fever	7						1			2	2			1					1								
	White	5									1	2								1								
	All other	2						1			1																	
6	Cerebrospinal (meningococcus) meningitis	2													1				1									
	White	2													1				1									
	All other																											
8	Scarlet fever	2						1				1																
	White	2						1				1																
	All other																											
9	Whooping cough	1	1																									
	White	1	1																									
	All other																											
10	Diphtheria	3		1		1			1																			
	White	1							1																			
	All other	2		1		1																						
13	Tuberculosis of respiratory system, etc.*	52		1				1		5	7	5	1	3	7	5	4	1	5	5	1	1						
	White	26						1		2	2	3	1	1	5	2	2	4	3									
	All other	13								3	3	1		1	1	1	1	1	1	1	1							
	White	8								1	1	1																
	All other	5		1									1		2													
14-22	Tuberculosis (other forms)	3	1			1								1														
	White	1	1																									
	All other	1					1																					
27	Dysentery	2	2																									
	White	2	2																									
	All other																											
28	Malaria																											
	White																											
	All other																											
30	Syphilis	35	1								1		1	1	4	3	5	8	6	3	1	1						
	White	31									1		1	1	4	3	4	8	5	2	1	1						
	All other	2	1														1		1									
33	Influenza	34	7		3				2		1			2	1	1	2	2	1	3	2	2	4	1				
	White	21	4		2						1			1	1	1	1	1	1	3	2	2	4	1				
	All other	13	3		1				2					1	1	1	1					2		1				
35	Measles	1	1																									
	White	1	1																									
	All other																											
36	Poliomyelitis, poli- encephalitis (acute)	3				1				1						1												
	White	1								1																		
	All other	2				1										1												
46	Cancer of digestive organs, peritoneum	67										1		3	3	6	10	7	9	21	7	15	4	1				
	White	50											1	1	1	5	6	2	7	13	5	9	1					
	All other	34										1		2	2	1	4	4	2	7	2	6	3					
	White	5																1		1		1						
46,49	Cancer of female gen- ital organs	25											2	1	2	3	3	6	2	3	2	1						
	White	24											2	1	2	3	3	5	2	3	2	1						
	All other	1																1										

\*Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
WYOMING—Continued																												
50	Cancer of breast	20												2	1	2	1	4	1	4	2	2	1					
	White—M													2	1	2	1	4	1	4	2	2	1					
	F	20												2	1	2	1	4	1	4	2	2	1					
	All other—M																											
	F																											
45,47, 51-55	Cancer (other forms)	62									1			1	1	3	9	9	5	8	11	6	5	1	1	1		
	White—M	46												1	1	1	6	7	4	6	11	6	2	1	1	1		
	F	16									1			1	2	3	2	1	2				3		1			
	All other—M																											
	F																											
58	Acute rheumatic fever	4						2		1	1																	
	White—M	4						2		1	1																	
	F																											
	All other—M																											
	F																											
61	Diabetes mellitus	40							1	2	1			1	1	1	6	2	7	3	5	6	4					
	White—M	24								2	1			1	1		5	1	5		4	4	2	2				
	F	14							1					1			1	1	2		1	3	3					
	All other—M	2													1					1								
	F																											
63b	Exophthalmic goiter	4									1										3							
	White—M	1																			1							
	F	3									1										2							
	All other—M																											
	F																											
69	Pellagra (except alcoholic)	1																				1						
	White—M																											
	F																											
	All other—M	1																				1						
	F																											
77	Alcoholism (ethylism)	6													2				3			1						
	White—M	5													1							1						
	F	1													1													
	All other—M																											
	F																											
83	Intracranial lesions of vascular origin	147										2		2	3	4	8	14	17	18	28	22	18	10	1			
	White—M	93										1		1	1	2	6	4	10	14	22	15	12	5	1			
	F	51									1		1	2	2	2	10	7	4	4	6	6	5	1				
	All other—M	1																				1						
	F	2																			2							
80-82, 84-88	Other diseases of nervous system, etc.*	24		2				2		1	1	3	3		1	1	2	1	1	1	2	1	1		1			
	White—M	13						1		1	1	3	3		1	1	1	1	1	1	1	1	1		1			
	F	9		2				1		1	1	3	2		1	1	1	1	1	1	1	1	1		1			
	All other—M	1											1															
	F	1																										
89,104, 115	Diseases of ear, nose, and throat	24	2	3	1		1		1	1	3	3	1	1		2	3						1		1			
	White—M	15	1	2			1		1	1	1	3	1	1		2	2						1		1			
	F	8	1	1	1						2			1														
	All other—M																											
	F	1																										
90a,92b, 92c,93c, 95b	Chronic rheumatic diseases of heart	42						2	2	1	2		2		2	2	2	3	8	5	7	1	1					
	White—M	25						2	1	1	2		2		1	2	2	3	6	3	6	1	1					
	F	16						1	1	1	2		1		2	1	2	3	2	2	1			1				
	All other—M												1															
	F	1											1															
94	Diseases of coronary arteries, angina pectoris	124							1				1	1	4	9	17	15	16	15	23	14	7	1				
	White—M	94							1				1	1	3	6	13	15	11	10	16	10	5	1				
	F	30											1	1	1	1	4	5	5	7	7	4	2					
	All other—M																											
	F																											
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	346		1								3	2	4	10	17	18	23	42	51	54	52	48	14	5	1		1
	White—M	216		1								2	3	4	9	12	14	31	30	36	33	29	9	2			1	
	F	121									1	2	1	4	8	5	8	11	19	16	18	19	5	3	1		1	
	All other—M	4												2						2								
	F	5																		2		1						
107-109	Pneumonia (all forms)	125	37	6		2		1	1	1	4	2	2	8	4	2	5	5	7	10	9	4	10	4	1			
	White—M	67	14	5				1	1	1	3	1	1	6	2	1	3	4	3	6	5	3	5	2				
	F	45	13	1		2		1	1	1	1	1	1	2	1	2	1	2	4	3	4	1	5	2				
	All other—M	5	3										1															
	F	8	7																									
117	Ulcer of stomach or duodenum	18												3		3	4	3		2	1	1	1					
	White—M	16												2		3	4	3		2	1	1	1					
	F	2											1															
	All other—M																											
	F																											

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated			
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84
WYOMING—Continued																									
119,120	Diarrhea, enteritis, etc.*	18	12	2			1																		
	White—M	8	3	1			1																		
	F	5	5																						
	All other—M	3	2	1																					
121	Appendicitis	49			1		1	4	6	4	6	1	2	1	6	4	3	1	4		3	1			
White—M	35			1			3	2	4	5	1	2	1	6	3	1	1	2		3	1				
F	13						1	1	4						1	2									
All other—M																									
F																									
122	Hernia, intestinal obstruction	24								2	2	1		1		3	2		4	2	1	1	3		
White—M	13									1	1			1		1	2		4	1	1	1	2		
F	11									1	1			1		1	2			1					
All other—M																									
F																									
124	Cirrhosis of the liver	14											1	1		2	2	1	1	1	4	1			
White—M	8												1	1		1	1	1	1	1	1	1			
F	6															1	1	1	1	1	1	1			
All other—M																									
F																									
126,127	Biliary calculi, etc.*	7									1	1			1		2		1	1					
White—M	3										1				1		1		1	1					
F	4											1					1								
All other—M																									
F																									
130-132	Nephritis	158						1	1	1	3	4		3	4	6	15	14	13	18	22	27	17	7	2
White—M	87							1	1	1	2	1		2	3	7	9	7	8	12	18	10	4	1	
F	66							1			1	2		1	1	4	7	5	6	8	10	9	7	3	1
All other—M	3										1				1		1								
F	2																		2						
137	Diseases of the prostate	9															2	1	1	1	1	1	2	1	
White—M	9																2	1	1	1	1	2	1		
All other—M																									
140, 142a, 147	Puerperal septicemia	6							1	1	1	1			2										
White—F	6								1	1	1	1			2										
All other—F																									
141a,c, 144,148	Puerperal toxemias	5							1			2	2												
White—F	5								1			2	2												
All other—F																									
141b,d,e,f, 142b,143, 145,146, 149,150	Other puerperal causes	6							1	1		1	1		2										
White—F	6								1	1		1	1		2										
All other—F																									
157	Congenital malformations	24	23										1												
White—M	13																								
F	11		10										1												
All other—M																									
F																									
159	Premature birth	85	65																						
White—M	47																								
F	35																								
All other—M	1																								
F	2		2																						
163,164	Suicide	46							1		4	4	5	7	4	4	5	4		3	1	2	2		
White—M	40							1		4	4	2	5	4	3	5	4		3	1	2	2			
F	6											3	2		1										
All other—M																									
F																									
165-168	Homicide	13									1	3		1	2	1	2		1	1	1				
White—M	11										1	2		1	2				1	1	1				
F	2											1			1										
All other—M																									
F																									
170	Motor-vehicle accidents	119	1		1	1	1	5	13	22	12	4	9	8	3	8	6	10	5	4	3	1			
White—M	92		1		1	1	5	9	19	10	4	8	5	2	5	6	8	3	2	3	1				
F	26				1	1	4	4	3	2		1	3	1	2	2	2	2	2	2					
All other—M	1																								
F																									
169, 171-195	Other accidents	175	8	4	4	1	11	10	16	14	8	8	9	8	16	11	13	4	5	10	3	7	5	1	
White—M	134		5	2	3	1	8	8	13	12	6	8	6	7	12	11	12	3	4	6	1	4	1	1	
F	37		2	2	1		2	2	1	2		2	2	1	4		1	1	4	2	3	4			
All other—M	3		1				1	1																	
F	1																								
All other causes*	206	41	5	1			1	3	3	2	6	5	6	8	10	20	13	12	11	6	14	21	12	2	1
White—M	100	18	1				1	2	2	3	3	2	4	5	12	5	9	7	3	6	12	5	1	1	1
F	98	20	4	1			3	1	2	3	2	4	4	5	8	7	2	3	8	9	7	7	2	1	1
All other—M	6	3																							
F	2																								

# GENERAL TABLES—TOTAL DEATHS

349

TABLE 13.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	1,387,897	131,373	122,149	137,171	121,207	116,256	104,624	108,452	101,731	102,725	109,122	111,536	121,551
Typhoid and paratyphoid fever—1,2	2,001	102	82	105	89	88	187	280	346	309	189	138	86
Cerebrospinal (meningococcus) meningitis—6	863	122	112	74	74	71	55	65	49	56	54	70	61
Scarlet fever—8	853	121	108	130	92	60	49	35	25	39	49	59	88
Whooping cough—9	3,026	271	278	365	280	290	288	283	237	190	207	168	169
Diphtheria—10	1,997	235	189	146	93	79	60	89	112	180	278	337	229
Tuberculosis of respiratory system, etc.*—13	56,398	4,865	4,698	5,499	5,109	5,159	4,643	4,619	4,481	4,192	4,289	4,354	4,490
Tuberculosis (other forms)—14-22	5,211	446	399	452	508	509	478	481	430	384	378	359	387
Dysentery—27	2,537	89	61	86	94	212	420	475	362	262	248	132	96
Malaria—28	1,761	52	37	64	66	103	133	289	260	317	218	148	74
Syphilis (all forms)—30	19,604	1,736	1,756	1,851	1,730	1,738	1,540	1,527	1,431	1,506	1,510	1,584	1,695
Influenza—33	21,464	2,714	3,113	5,906	3,177	1,495	482	338	316	369	645	1,060	1,849
Measles—35	1,174	145	191	196	187	205	93	54	18	16	16	17	36
Poliomyelitis and polioccephalitis (acute)—36	773	31	27	19	31	36	50	79	130	141	117	59	53
Cancer of the digestive organs and peritoneum—45	71,690	6,133	5,555	6,183	5,931	6,119	5,750	6,078	6,064	5,902	6,040	5,920	6,005
Cancer of female genital organs—48,49	20,737	1,773	1,615	1,707	1,748	1,752	1,710	1,818	1,766	1,687	1,688	1,728	1,735
Cancer of the breast—50	14,868	1,293	1,151	1,304	1,274	1,283	1,158	1,261	1,199	1,262	1,227	1,209	1,247
Cancer (other forms)—45,47,51-55	46,551	3,978	3,663	3,985	3,836	3,887	3,717	3,950	3,874	3,696	3,898	3,976	4,091
Acute rheumatic fever—58	1,733	154	142	177	184	175	149	158	129	114	127	105	119
Diabetes mellitus—61	33,395	3,177	2,989	3,349	2,998	2,782	2,499	2,385	2,396	2,366	2,620	2,789	3,065
Exophthalmic goiter—63b	3,676	343	318	370	332	344	320	300	252	275	261	288	273
Pellagra (except alcoholic)—69	2,419	200	180	213	204	213	247	235	173	180	190	192	192
Alcoholism (ethyliam)—77	2,558	237	205	228	224	212	180	202	170	181	207	221	291
Intracranial lesions of vascular origin—83	114,967	10,961	10,081	10,947	10,034	9,738	8,498	8,847	8,005	8,685	9,157	9,682	10,312
Other diseases of the nervous system, etc.*—80-82,84-88	14,207	1,294	1,213	1,275	1,203	1,212	1,122	1,253	1,175	1,033	1,090	1,150	1,187
Diseases of the ear, nose, and throat—89,104,115	7,521	805	759	741	746	719	580	542	516	493	483	528	609
Chronic rheumatic diseases of heart—90a,92b,92c,93c,95b	26,211	2,464	2,382	2,576	2,369	2,315	2,005	2,021	1,838	1,883	2,063	2,037	2,258
Diseases of coronary arteries and angina pectoris—94	89,423	7,996	7,249	8,086	7,888	7,440	6,609	6,713	6,494	6,656	7,739	7,993	8,760
Diseases of the heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	245,000	23,742	22,626	25,349	22,271	20,688	17,953	17,868	16,315	17,227	19,122	19,477	22,543
Pneumonia (all forms)—107-109	77,633	12,452	11,037	11,616	7,561	5,407	3,129	3,018	2,765	3,259	4,242	5,630	7,507
Ulcer of stomach or duodenum—117	8,875	761	647	785	758	613	671	678	658	709	762	806	607
Diarrhea, enteritis, etc.*—119,120	15,128	731	615	700	822	1,271	2,079	2,368	1,819	1,598	1,457	961	707
Appendicitis—121	14,113	1,151	1,064	1,197	1,190	1,200	1,246	1,410	1,385	1,175	1,103	986	1,006
Hernia and intestinal obstruction—122	12,267	1,056	994	1,061	1,018	1,004	1,009	1,117	1,082	1,034	1,007	952	933
Cirrhosis of the liver—124	10,904	986	955	1,042	952	887	810	865	890	809	926	907	905
Biliary calculi, etc.*—126,127	8,087	652	653	669	689	733	685	690	711	705	647	633	618
Nephritis—130-132	108,512	10,399	9,691	10,825	9,572	9,546	8,458	8,379	7,621	7,894	8,231	8,567	9,329
Diseases of the prostate—137	8,635	712	653	780	747	761	685	721	678	711	741	725	711
Puerperal septicemia—140,142a,147	3,834	336	288	374	350	337	300	324	317	324	335	262	287
Puerperal toxemias—141a,c,144,148	2,232	205	167	217	191	196	209	193	206	175	183	151	139
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	3,085	255	294	317	270	254	232	241	249	270	258	208	237
Congenital malformations—157	12,413	1,071	1,063	1,056	1,038	1,026	986	971	954	1,060	1,040	1,077	1,071
Premature birth—159	32,251	2,721	2,517	2,825	2,614	2,766	2,784	2,810	2,693	2,615	2,661	2,528	2,719
Suicide—163,164	18,511	1,522	1,420	1,661	1,601	1,727	1,607	1,575	1,638	1,500	1,467	1,383	1,410
Homicide—165-168	8,394	670	611	682	726	697	685	735	719	751	744	665	709
Motor-vehicle accidents—170	32,386	2,485	1,928	2,158	2,222	2,361	2,357	2,861	2,726	3,061	3,399	3,248	3,580
Other accidents—169,171-195	60,237	5,075	4,516	4,892	4,765	5,052	5,153	6,006	5,318	4,820	4,793	4,861	4,986
All other causes*	137,782	12,664	11,867	12,934	11,549	11,294	10,574	11,227	10,749	10,644	10,986	11,204	12,090

\*Refer to complete International List titles, table XI.  
111206 ()—11—12

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes-----	1,587,897	672,047	555,051	96,850	85,989	28,501	8,507	6,808	6,753	6,233
	I.—Infectious and parasitic diseases-----	125,528	54,407	37,137	18,618	15,366	4,049	930	855	1,128	1,136
1	Typhoid fever-----	1,922	842	560	267	253	46	17	5	7	17
2	Paratyphoid fever-----	79	39	31	6	3	2	1	1	1	1
3	Plague-----										
4	Cholera-----										
5	Undulant fever (brucellosis)-----	97	53	36	4	2	3	2		1	
6	Cerebrospinal (meningococcus) meningitis-----	863	479	250	84	50	38	10	8	12	8
7	Anthrax (infection by Bacillus anthracis)-----	9	7	2							
8	Scarlet fever-----	853	409	404	18	22	15	4	11		
9	Whooping cough-----	3,026	1,003	1,085	450	488	166	40	29	48	49
10	Diphtheria (infection by C. diphtheriae)-----	1,997	925	778	154	140	77	51	28	12	6
11	Erysipelas-----	655	314	289	11	21	22	8	12	1	1
12	Tetanus-----	637	317	137	120	63	33	4	7	14	8
13-22	Tuberculosis (all forms)-----	61,509	26,497	17,858	9,042	8,212	1,546	518	307	421	500
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs-----	682	652	9	21						
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs-----	55,716	23,909	16,191	8,144	7,472	1,426	296	288	372	470
14	Tuberculosis of meninges and central nervous system-----	1,468	543	477	233	215	29	7	6	7	9
15	Tuberculosis of intestines and peritoneum-----	971	278	355	156	184	22	3	2	10	7
16	Tuberculosis of vertebral column-----	641	259	214	107	61	9	2	1	1	5
17a	Tuberculosis of bones (except vertebral column)-----	114	58	30	18	8	6	3	1	2	
17b	Tuberculosis of joints (except vertebral column)-----	160	75	43	31	11	13	4	3	3	3
18	Tuberculosis of skin, etc.*-----	38	14	12	6	6					
19	Tuberculosis of lymphatic system, etc.*-----	107	33	39	24	11	3			3	
20	Tuberculosis of genito-urinary system-----	456	253	148	38	17	5	1	1	2	1
21	Tuberculosis of other organs-----	104	49	36	12	7	1			1	
22a	Disseminated tuberculosis (acute miliary)-----	1,055	325	269	237	204	30	2	4	19	5
22b	Disseminated tuberculosis (other and unspecified)-----	117	49	37	15	16	2			1	
23	Leprosy-----	20	15	4	1						
24	Septicemia and purulent infection (nonpuerperal)-----	1,640	850	549	138	103	50	20	14	6	8
25	Gonococcus infection-----	450	53	157	62	178	21	1	8		12
26	Other diseases due to bacteria (except dysentery)-----	262	130	84	26	22	4	1		1	2
27	Dysentery-----	2,537	1,023	935	289	290	73	23	26	11	13
28	Malaria-----	1,761	503	374	443	441	199	51	36	59	53
29	Other diseases due to parasitic protozoa (except spirochetes)-----	5	4	1							
30	Syphilis (all forms)-----	19,604	9,173	3,060	4,907	2,464	582	75	30	286	191
30a	Locomotor ataxia (tabes dorsalis)-----	787	585	137	43	22	9	5	1	3	
30b	General paralysis of insane-----	4,508	2,535	706	994	273	64	19	3	38	4
30c	Other syphilis of central nervous system-----	1,810	855	324	446	185	85	7	6	48	24
30d	Aneurysm of aorta-----	3,917	2,275	545	828	269	57	14	4	34	5
30e	Other syphilis of circulatory system-----	1,414	565	156	528	185	40	3		27	10
30f,g	Congenital, other and unspecified forms of syphilis-----	7,168	2,358	1,212	2,068	1,530	327	27	16	136	148
31	Relapsing fever-----	2	1			1					
32	Other diseases due to spirochetes-----	372	142	144	36	50	7	1	3		3
33a	Influenza, with respiratory complications specified-----	13,526	5,484	5,156	1,460	1,446	690	175	205	136	144
33b	Influenza, without respiratory complications specified-----	7,938	3,273	3,176	704	785	332	87	84	73	88
34	Smallpox-----	41	22	14	4	1					
35	Measles-----	1,174	477	475	122	100	62	20	17	14	11
36	Acute poliomyelitis and acute poliomyelitis-----	773	432	263	42	36	16	6	4	1	5
37a,c	Infectious encephalitis lethargica (acute and unqualified)-----	622	291	285	32	14	18	6	5	7	
37b	Sequelae of encephalitis lethargica-----	224	124	91	6	3					
38	Other diseases due to filtrable viruses-----	200	96	82	13	9	10	4	1	2	3
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----	237	141	66	15	15	28	10	9	7	2
40	Ankylostomiasis-----	16	7	3	4	2	1				
41	Hydatid disease-----	31	19	11		1		1			
42	Other diseases caused by helminths-----	61	23	13	7	1				1	
43	Mycoses-----	325	170	93	44	18	5	2	2	1	
44	Other infectious and parasitic (communicable) diseases-----	1,980	1,089	664	101	126	31	12	3	4	12
	II.—Cancer and other tumors-----	180,395	70,154	79,355	4,043	6,843	1,822	524	725	171	402
45-55	Cancer and other malignant tumors-----	153,846	68,525	75,497	3,890	5,934	1,699	510	671	164	354
45	Cancer of buccal cavity and pharynx-----	5,012	3,832	912	176	92	72	54	25	7	6
45a-e	Cancer of buccal cavity-----	3,551	2,759	614	113	65	55	25	21	5	2
45f	Cancer of pharynx-----	1,461	1,073	298	63	27	17	9	4	2	4
46	Cancer of digestive organs and peritoneum-----	71,690	36,562	31,200	2,241	1,687	648	251	226	87	84
46a	Cancer of esophagus-----	2,621	1,925	517	148	51	12	8		1	3
46b,c	Cancer of stomach and duodenum-----	26,590	14,961	9,772	1,149	708	269	117	73	45	36
46f	Cancer of liver and biliary passages-----	9,962	4,028	5,367	304	243	113	42	51	11	9
46g	Cancer of pancreas-----	5,283	2,832	2,214	140	97	48	22	20	4	2
46d,e,h,m	Cancer of other digestive organs and peritoneum-----	27,234	12,816	15,310	500	608	206	62	82	28	34
47	Cancer of respiratory system-----	8,663	6,246	2,025	307	85	77	36	28	8	5
48	Cancer of uterus-----	16,527		14,163		2,364	322		156		166
49	Cancer of other female genital organs-----	4,210		3,996		214	45		34		11
50	Cancer of breast-----	14,868	141	13,825	15	887	142	2	102	2	36
51	Cancer of male genital organs-----	9,389	8,808		561		95	57	46	38	
52	Cancer of urinary organs (male and female)-----	7,179	4,361	2,485	189	144	50	20	14	6	10
53	Cancer of skin (except vulva and scrotum)-----	3,493	2,095	1,286	60	52	79	42	33	2	2
54	Cancer of central nervous system*-----	2,250	1,269	879	43	39	17	9	6	2	
55	Cancer of other and unspecified organs-----	10,605	5,211	4,726	298	370	152	59	47	12	34
56a	Nonmalignant tumors of ovary-----	754		657		97	11		8		3
56b	Nonmalignant tumors of uterus-----	2,273		1,633		640	59		22		37
56c	Nonmalignant tumors of other female genital organs-----	36		32		4	1		1		
56d,e	Nonmalignant tumors of other and unspecified organs-----	1,352	633	614	52	53	10	4	4		2

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939

stillbirths)

Total deaths	ARIZONA				Total deaths	ARKANSAS				Total deaths	CALIFORNIA				Total deaths	COLORADO				List No.		
	White		All other			White		All other			White		All other			White		All other				
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F			
5,851	2,962	1,781	580	528	16,514	6,580	4,857	2,667	2,430	77,130	45,140	30,653	2,206	1,131	12,558	7,113	5,123	182	140			
1,288	618	336	169	165	2,657	898	686	532	541	6,277	3,752	1,843	495	167	1,295	791	443	37	24			
19	5	10	3	1	65	21	15	12	17	38	26	10	1	1	18	8	10			1		
8	4	4			1		1			5	2	2		1	1	1					2	
																					3	
1	1				5	2			1	4	3	1									4	
15	5	1	5	4	5	3	2			31	17	13	1		9	5	3				5	
																					6	
7	4	3			4	1	3			30	15	13		2	9	7	2				7	
45	5	4	8	26	62	20	18	9	15	45	17	26	1	1	52	20	32				8	
19	9	5	4	3	73	39	26	2	6	59	32	24	1	2	27	11	16				9	
3	1		1	1	10	5	3		2	19	9	7	1	2	5	5					10	
3	2		1		7	1	5	2	1	21	16	5									11	
892	456	230	107	99	994	320	273	187	214	3,909	2,249	1,190	340	130	665	427	208	19	11		12	
																					13-22	
17	17				2	1	1			64	64				11	10	1				13a	
824	424	212	97	91	930	289	260	182	199	3,431	1,999	1,021	288	113	595	388	182	14	11		13b,c	
23	3	9	5	6	19	13	5		1	155	61	68	21	6	12	3	8	1			14	
5	1	2	1	1	16	5	3	2	6	50	22	22	4	2	14	4	8	2			15	
2	2				10	6	1	1	2	45	21	19	4	1	10	6	3	1			16	
1	1				3	2			1	5	3	2									17a	
2	2				1	1				10	7	2	1		1	1					17b	
								1	2	3	1	2			1	1					18	
					3				1	8	3	4	1		2		1	1			19	
2	2				2		1		1	32	18	11	2	1	7	7					20	
										6	5	1									21	
15	3	7	4	1	8	3	2	1	2	90	39	36	9	6	9	5	4				22a	
1	1									9	6	2		1	3	2	1				22b	
																					23	
8	3	2	2	1	41	10	16	6	9	55	34	19	1	1	14	9	5				24	
3	1	1		1	14	2	1	3	8	16	5	8	3		6		5				25	
1		1			14	8	3	2	1	2	1	1			1	1					26	
48	17	15	9	7	122	44	41	20	17	137	73	50	10	4	20	8	10	2			27	
2	2				261	75	55	61	70													28
																						29
111	59	21	19	12	320	104	31	112	73	1,320	938	241	109	32	162	114	27	13	8		30	
2	2				6	4	1		1	62	51	8	3		12	10	1				30a	
12	5		4	3	75	35	5	29	6	270	207	40	21	2	48	34	12	1	1		30b	
13	8	2	3		35	12	7	10	6	108	78	22	6	2	18	12	3	1	2		30c	
10	8	1	1		27	9	1	9	8	448	337	71	31	9	44	33	5	5	1		30d	
5	3		2		15	4	1	8	2	90	64	12	12	2	6	5		1			30e	
69	33	18	9	9	162	40	16	56	50	342	201	88	36	17	34	20	6	5	3		30f,g	
																					31	
7	4	3			14	3	2	4	5	10	8	2									32	
47	19	20	4	4	375	139	106	71	59	137	65	63	2	7	157	97	56	2	2		33a	
24	10	10	4		209	70	69	30	40	87	41	41	3	2	89	41	46	1	1		33b	
										2	2				1	1					34	
8	4	1		3	23	10	9	3	1	64	31	27	4	2	16	10	6				35	
6	3	2	1		13	8	3	2		78	50	27	1		9	5	4				36	
3		2		1	9	4	4	1		26	10	14	2		6	4	2				37a,c	
										21	9	10	2		3	2	1				37b	
3	1		1	1	2	1		1		10	6	4			3		3				38	
										2	2				3	3					39	
1	1				1			1													40	
1		1								8	8				1		1				41	
1										3	3										42	
2		1		1	5			3	2	36	13	13									43	
2	2				10	8	2			102	57	32	3		18	12	6				44	
395	172	194	8	21	1,208	422	540	78	168	9,992	4,500	5,145	201	146	1,347	603	720	11	13		45-55	
374	163	186	8	17	1,140	408	511	75	146	9,644	4,413	4,906	196	129	1,261	588	671	11	11		45	
7	6	1			43	24	12	4	3	304	247	45	11	1	41	29	11				45a-e	
6	5	1			32	18	10	2	2	202	169	29	4		36	24	11				45f	
1	1				11	6	2	2	1	102	78	16	7	1	5	5						
184	94	77	5	8	461	210	169	48	34	4,304	2,240	1,899	124	41	547	289	253	2	3		46	
3	2	1			10	4	5		1	161	124	34	3		16	11	5				46a	
78	44	29	3	2	209	97	63	29	20	1,679	963	618	79	19	229	138	88	1	2		46b,c	
29	12	14	1	2	82	39	31	7	5	490	182	285	18	5	68	28	40				46f	
20	14	6			22	13	6	2	1	375	213	153	4	5	59	29	29	1			46g	
54	22	27	1	4	138	57	64	10	7	1,599	758	809	20	12	175	83	91				46j,k,m	
22	11	11			43	24	17	1	1	596	444	130		1	62	43	18				47	
43		39		4	199		131		68	925		683		42	145		141				48	
8		6			34		11		3	329		321		8	35		35				49	
28		28			92		74		18	1,051		1,030		22	152		130		1	1		50
27	27				52	40		12		628				15	109		105		4			51
10	3	6	1		50	25	16	2	7	469		167	7	7	64	33	29	1	1		52	
10	5	5			57	27	23	3	4	195		116	77		40							

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
II.—Cancer and other tumors—Continued											
57a	Tumors of ovary (nature unspecified)-----	27	-----	23	-----	4	-----	-----	-----	-----	-----
57b	Tumors of uterus (nature unspecified)-----	26	-----	16	-----	10	-----	-----	-----	-----	-----
57c	Tumors of other female genital organs (nature unspecified)-----	14	-----	11	-----	3	-----	-----	-----	-----	-----
57d,e	Tumors of other and unspecified organs (nature unspecified)-----	2,065	996	870	101	98	40	10	17	7	6
III.—Rheumatism, diseases of nutrition, etc.*-----											
		45,973	15,458	26,094	1,466	2,955	804	206	280	105	213
58a-d	Acute rheumatic heart diseases-----	1,225	539	510	73	103	22	4	11	3	4
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)-----	506	192	198	45	73	16	6	1	4	5
59	Chronic rheumatism and other rheumatic diseases-----	1,726	543	1,060	57	66	40	13	19	6	2
60	Gout-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----
61	Diabetes mellitus-----	33,395	11,794	19,249	764	1,598	347	112	130	52	75
62	Diseases of pituitary gland-----	150	82	79	5	4	-----	-----	-----	-----	-----
63a	Simple goiter-----	199	50	140	2	27	2	-----	1	-----	1
63b	Exophthalmic goiter-----	3,676	540	2,871	34	231	45	4	24	-----	15
63c-e	Other diseases of thyroid and parathyroid glands-----	581	101	255	7	18	4	-----	3	-----	1
64	Diseases of thymus gland-----	1,182	680	413	65	44	15	7	2	4	2
65	Diseases of adrenal glands (not specified as tuberculous)-----	382	159	205	11	7	6	3	2	-----	1
66	Other general diseases-----	456	183	195	35	43	18	6	6	4	2
67	Scurvy-----	29	5	14	5	5	-----	-----	-----	-----	-----
68	Beriberi-----	40	17	13	4	6	3	-----	2	-----	1
69	Pellagra (except alcoholic)-----	2,419	581	843	313	702	283	50	79	50	104
70	Rickets-----	143	47	35	34	27	2	1	-----	1	-----
71	Other avitaminoses-----	59	23	14	11	11	3	-----	-----	1	2
IV.—Diseases of the blood and blood-forming organs-----											
		9,018	4,419	4,055	268	276	124	47	46	19	12
72	Hemorrhagic conditions-----	638	295	289	34	21	14	5	5	4	-----
73a	Pernicious anemia-----	2,181	950	1,124	40	67	25	7	12	3	3
73b-d	Other anemias (except splenic)-----	952	388	441	56	67	20	6	3	6	5
74a	Leukemias-----	4,280	2,336	1,741	113	90	54	26	19	5	4
74b	Aleukemias-----	215	113	96	4	2	2	1	1	-----	-----
75	Diseases of spleen-----	441	221	187	15	18	5	1	3	1	-----
76	Other diseases of the blood and blood-forming organs-----	310	116	177	6	11	4	1	3	-----	-----
V.—Chronic poisoning and intoxication-----											
		2,771	2,112	300	284	75	33	20	1	12	-----
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism-----	85	59	17	8	1	-----	-----	-----	-----	-----
77c-e	Alcoholism (acute, chronic, and unspecified)-----	2,473	1,917	252	258	66	30	19	1	10	-----
78	Lead poisoning-----	97	77	9	9	2	1	-----	-----	1	-----
79	Chronic poisoning by other mineral or organic substances-----	116	59	42	9	6	2	1	-----	1	-----
VI.—Diseases of the nervous system, etc.*-----											
		131,703	58,359	56,674	8,113	8,557	2,509	716	686	526	581
80	Encephalitis (nonepidemic)-----	1,463	726	565	91	81	30	8	14	5	3
81	Meningitis (not due to meningococcus)-----	2,156	1,109	675	204	168	71	31	14	15	11
82	Diseases of spinal cord (see exceptions)*-----	2,771	1,448	1,130	93	100	44	19	16	5	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)-----	101,269	43,932	44,083	6,305	6,939	1,904	536	551	377	460
83b	Cerebral embolism and thrombosis-----	9,532	4,528	4,487	282	234	45	15	11	10	9
83c	Cerebral softening-----	527	360	356	14	27	9	2	5	-----	2
83d	Hemiplegia and other paralysis of unspecified origin-----	3,419	1,398	1,222	364	435	185	39	40	40	46
84	Mental diseases and deficiency (see exception)*-----	1,556	545	687	174	150	45	3	13	21	8
85	Epilepsy-----	2,233	1,076	767	251	139	78	17	17	32	12
86	Convulsions (under 5 years)-----	614	228	199	101	86	30	5	4	9	12
87	Other diseases of nervous system-----	3,333	1,628	1,516	94	95	46	21	9	7	9
88	Diseases of organs of vision-----	81	31	34	7	9	4	1	-----	-----	3
89a	Otitis and other diseases of the ear-----	1,737	896	676	93	72	33	17	10	4	2
89b	Diseases of mastoid process-----	792	453	277	40	22	5	2	2	1	-----
VII.—Diseases of the circulatory system-----											
		388,456	204,652	151,039	17,474	15,291	4,674	1,704	1,132	979	859
90	Pericarditis (except acute rheumatic)-----	649	306	217	74	52	13	4	3	3	3
91a,b	Bacterial and other acute or subacute endocarditis-----	2,607	1,232	1,050	147	178	44	11	7	11	15
91c	Endocarditis (unspecified, under 45 years)-----	345	139	122	38	46	5	1	1	1	2
92a-d	Chronic endocarditis and diseases of the valves*-----	42,374	19,285	17,732	2,779	2,578	1,002	264	260	266	212
92e	Endocarditis (unspecified, 45 years and over)-----	2,720	1,274	1,102	180	164	17	4	2	7	4
93a	Acute myocarditis (except rheumatic)-----	4,078	1,920	1,539	293	326	97	26	28	22	21
93b	Myocarditis (unspecified, under 45 years)-----	809	284	241	146	138	13	2	-----	5	6
93c,d	Chronic myocarditis and myocardial degeneration-----	156,161	80,781	72,913	6,603	5,864	1,612	605	420	327	260
93e	Other myocarditis (unspecified)-----	19,293	9,460	7,547	1,176	1,110	152	42	17	49	44
94a	Diseases of coronary arteries-----	80,974	54,460	23,235	1,932	1,347	689	373	167	73	76
94b	Angina pectoris-----	8,449	5,513	2,395	298	238	191	107	49	16	19
95a	Functional diseases of heart, etc.*-----	1,041	513	444	44	40	15	7	3	4	1
95b,c	Other and unspecified diseases of heart-----	31,134	15,676	10,864	2,476	2,118	499	172	96	121	110
95	Aneurysm (except of heart and aorta)-----	746	423	205	78	40	9	2	1	4	2
97	Arteriosclerosis (except coronary or renal sclerosis)-----	22,252	11,137	9,511	887	717	226	62	57	53	54
98	Gangrene-----	584	278	188	59	59	17	2	2	4	9
99	Other diseases of arteries-----	1,872	1,034	741	61	36	17	6	7	1	3
100	Diseases of veins-----	847	382	404	39	42	11	2	2	5	2
101	Diseases of lymphatic system-----	118	50	46	12	10	3	2	-----	1	-----
102	High blood pressure (idiopathic)-----	1,234	448	509	122	155	34	9	8	5	12
103	Other diseases of circulatory system-----	189	72	34	30	33	8	1	2	1	4
VIII.—Diseases of the respiratory system-----											
		91,808	43,417	33,413	8,634	6,344	2,153	638	549	575	391
104a	Diseases of nasal fossae-----	314	94	80	78	62	24	4	2	9	9
104b	Diseases of accessory sinuses-----	827	464	271	63	29	21	7	7	4	3
105	Diseases of larynx-----	436	227	148	31	30	7	3	-----	2	2
106a	Acute bronchitis-----	1,168	527	504	69	68	17	5	2	9	1

\* Refer to complete International List titles, table XI.



GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	ARIZONA				Total deaths	ARKANSAS				Total deaths	CALIFORNIA				Total deaths	COLORADO				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1				1						2								57a		
13	9	3		1	10	6			1	73	30	41	1	1	26	10	16	57b		
93	26	50	8	9	142	159	53	97	2,113	632	1,197	36	48	311	130	175	2	4	57c	
4	1	2		1	9	3		2	34	16	15	1	2	20	10	10			57d,e	
3		1	1	1	2	1	4	4	7	3	3	1		1		1			58a-d	
10	4	3		3	9	13	1	3	86	26	59	1		14	6	7			58e,f	
58	15	34	7	2	83	88	23	27	1,622	655	902	25	40	204	90	108	2	5	59	
1		1		2	1		1		9	5	4			2	1	1			60	
									10	2	8			3		3			61	
7	1	4		2	18	12	1	4	139	27	107	2	3	34	8	26			62	
					1	1			29	9	20			10	3	7			63a	
4	3	1		6	3	2		1	84	45	35	4		10	7	3			63b	
				4	1	3			28	15	12		1	11	3	8			63c-e	
2	1	1		7	2	3	1	1	15	4	11								64	
																			65	
																			66	
																			67	
1				140	31	32	22	55	41	19	20	1	1	2	2				68	
3	1	2							4	4									69	
									3	1	1		1						70	
25	12	11	1	1	73	37	26	3	7	528	291	228	6	3	86	50	36		71	
5	1	3	1	13	8	5			27	13	12	1	1	3	3				72	
4	3	1		8	3	3		2	103	47	56			22	10	12			73a	
2	2			9	4	2		3	43	20	23			10	5	5			73b-d	
11	4	6		35	17	13	3	2	298	175	117	5	1	38	24	14			74a	
				7	4	3			10	8	2			3	1	2			74b	
3	2	1		1	1				26	18	8			5	3	2			75	
									21	10	10		1	5	4	1			76	
15	11	3	1	21	17	1	2	1	169	132	30	7		28	25	3				
				1	1				16	9	7								77a,b	
14	10	3	1	17	14	1	2		144	116	22	6		27	24	3			77c-e	
1	1			1	1				4	4				1	1				78	
				2	1			1	5	3	1	1							79	
353	178	129	28	18	1,490	541	486	199	284	6,556	3,108	3,204	138	106	1,103	553	519	18	13	
8	5	3		21	8	7	3	3	58	31	25	2		13	8	4	1		80	
17	8	4	1	4	26	8	6	4	57	47	7	3		24	12	11	1		81	
7	2	5		21	9	9		3	155	90	59	4	2	20	12	8			82	
228	123	84	14	7	1,142	427	358	146	211	4,924	2,212	2,530	94	88	876	438	414	13	11	83a
22	12	6	2	2	25	8	12	2	3	801	420	354	18	9	56	26	27	2	1	83b
1	1	1		9	3	5		1	81	52	26	2	1	7	3	4			83c	
25	11	8	4	2	80	25	26	12	17	46	18	27		1	17	8	9		83d	
6	4	2		83	18	17	15	13	88	39	41	7	1	4	3	1			84	
9	3	5	1	34	13	13	7	1	81	44	35	2		24	10	14			85	
4	1	2	1	19	1	9	5	4	6	5				3	1	2			86	
5	4	1		22	7	10	2	3	143	75	64	2	2	37	19	18			87	
									4	2										88
15	2	7	3	3	19	7	10	1	1	68	44	23		1	18	10	6	1	1	89a
6	3	1	2	9	7	2			44	29	11	3	1	4	3	1			89b	
932	598	271	56	27	2,777	1,251	780	400	346	25,205	14,829	9,663	483	230	3,154	1,890	1,184	47	33	
1		1		7	2	2	1	2	54	37	14	2	1	4	3	1			90	
9	5	3	1	42	14	13	7	8	152	85	58	6	3	31	17	14			91a,b	
2	1		1	4	1	3			7	2	4	1		9	4	5			91c	
93	51	32	5	5	457	189	135	61	72	2,148	1,151	931	43	23	397	203	182	7	5	92a-d
6	5	1		10	6	2	1	1	91	50	41			34	20	14			92e	
22	13	8	1	50	18	17	6	9	170	85	75	8	1	34	21	13			93a	
7	5	1		7	2	1	4		18	10	5	3		5	3	2			93b	
271	155	98	9	9	825	319	263	132	111	12,671	7,122	5,186	243	120	1,116	638	443	19	16	93c,d
96	65	27	4	74	53	18	12	11	717	400	285	13	9	280	157	115	4	4	93e	
205	157	43	4	1	453	273	90	43	27	5,670	4,013	1,576	65	16	646	472	154	6	4	94a
29	23	6		118	73	31	7	7	303	190	106	3	4	78	62	14	2		94b	
3	2	1		23	12	5	4	2	58	10	25	2	1	3	3				95a	
116	70	30	10	6	490	196	135	89	72	993	533	408	31	21	246	136	104	4	2	95b,c
4	3	1		5	1	2	2		71	49	19	2	1	11	9	1	1		96	
44	28	12	1	3	157	78	42	20	17	1,906	998	823	58	27	192	104	83	3	2	97
1				6	4	2			15	8	7			8	5	3			98	
12	6	6		19	11	6	1	1	104	52	51		1	35	20	15			99	
3	3			5	3	2			39	22	15	2		14	9	4	1		100	
1	1			3	2	1			6	2	4								101	
4	3	1		39	14	12	9	4	29	8	18	1	2	9	2	7			102	
3	1			3			1	2	3	1	2			2	2				103	
517	218	142	93	64	1,305	514	397	213	179	4,077	2,323	1,489	175	92	1,080	617	441	16	6	
5		2		3	3	1		3	6	2	4									104a
4	2	1	1	7	1	3	3		36	20	12	3	1	10	5	5			104b	
3	2			1	9	5	1	1	13	10	3			7	5	2			105	
3	1	1		15	3	8	1	3	24	15	9			13	8	5			106a	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
VIII.—Diseases of the respiratory system—Continued											
106b	Chronic bronchitis	1,846	1,003	744	49	50	26	10	11	4	1
106c	Bronchitis (unspecified)	794	338	352	55	51	18	7	4	5	2
107	Bronchopneumonia (including capillary bronchitis)	35,524	16,271	14,245	2,779	2,229	596	196	162	140	98
108	Lobar pneumonia	38,299	18,387	12,809	4,256	2,867	1,124	321	289	310	204
109	Pneumonia (unspecified)	3,810	1,510	1,169	628	503	165	39	33	56	37
110	Pleurisy (not specified as tuberculous)	2,229	1,207	698	213	111	36	10	10	11	5
111a	Hemorrhagic infarction and thrombosis of lungs	875	424	360	42	49	8	2	2	2	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	1,854	830	872	61	91	33	14	10	5	4
112	Asthma	2,032	975	794	142	123	52	8	13	12	19
113	Pulmonary emphysema	123	87	28	5	3	—	—	—	—	—
114	Other diseases of respiratory system (except tuberculosis)	1,677	1,075	339	185	78	26	12	4	6	4
IX.—Diseases of the digestive system											
		81,206	41,496	29,532	5,548	4,630	1,622	583	417	322	300
115a,b,d	Diseases of buccal cavity and adnexa	2,346	1,078	920	187	161	63	20	16	15	12
115c	Diseases of pharynx and tonsils	1,505	724	569	118	94	41	10	16	8	7
116	Diseases of esophagus	216	115	77	12	12	4	2	—	2	—
117a	Ulcer of stomach	6,057	4,430	944	434	249	107	59	18	14	16
117b	Ulcer of duodenum	2,818	2,210	445	132	31	36	21	3	9	5
118	Other diseases of stomach (except cancer)	2,229	871	595	384	379	90	21	13	20	56
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	11,277	4,971	4,019	1,299	988	397	141	89	94	64
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	3,851	1,580	1,570	297	404	158	46	45	20	27
121	Appendicitis	14,113	7,824	4,814	866	609	269	111	74	52	32
122a	Hernia	5,155	2,804	1,859	373	119	66	24	14	25	5
122b	Intestinal obstruction	7,112	2,912	3,127	459	614	135	28	38	25	44
123	Other diseases of intestines	1,596	775	577	132	112	21	4	9	1	7
124a	Cirrhosis of liver (with mention of alcoholism)	1,154	861	223	55	15	11	6	1	4	—
124b	Cirrhosis of liver (without mention of alcoholism)	9,750	5,958	3,098	428	268	104	42	23	23	16
125a	Acute yellow atrophy of liver (nonpuerperal)	573	238	258	32	45	11	2	2	1	6
125b	Other diseases of liver	1,114	548	355	116	85	13	4	5	2	4
126	Biliary calculi	4,325	1,390	2,997	34	104	44	16	21	1	6
127	Other diseases of gallbladder and biliary ducts	3,562	1,216	2,142	76	128	36	14	17	1	4
128	Diseases of pancreas (except diabetes mellitus)	788	412	319	26	31	7	3	3	1	—
129	Peritonitis (cause not stated)	1,465	581	614	86	162	39	9	13	4	13
X.—Diseases of the genito-urinary system											
		126,631	60,426	47,717	10,014	8,474	2,920	918	642	770	590
130	Acute nephritis	3,320	1,293	1,070	497	460	115	19	23	36	37
131a	Arteriosclerotic kidney	68,621	31,180	28,375	4,757	4,309	1,496	462	366	375	293
131b	Other chronic nephritis	32,210	14,717	12,448	2,725	2,320	861	290	187	227	177
132	Nephritis unspecified (10 years and over)	4,361	1,901	1,518	516	426	77	23	18	16	20
133	Other diseases of kidneys and ureters, etc.*	3,877	1,700	1,656	295	226	87	23	19	31	14
134	Calculi of urinary passages	1,780	1,067	601	69	43	24	13	7	1	3
135	Diseases of urinary bladder	778	415	225	112	26	18	2	—	13	3
136	Diseases of urethra (except calculus)	520	254	21	240	5	17	1	—	16	—
137	Diseases of prostate	8,635	7,846	—	789	—	138	85	—	53	—
138	Diseases of other male genital organs (except venereal)	67	53	—	14	—	2	—	—	2	—
139a	Diseases of ovaries, fallopian tubes, and parametria	1,654	—	1,113	—	541	52	—	15	—	37
139b	Diseases of uterus	745	—	649	—	96	9	—	7	—	2
139c	Diseases of other and unspecified female genital organs	63	—	41	—	22	4	—	—	—	4
XI.—Diseases of pregnancy, childbirth, and the puerperium											
		9,151	—	6,995	—	2,156	361	—	178	—	183
140	Abortion with mention of infection	1,393	—	1,062	—	331	50	—	24	—	26
140a,b	Abortion (septic), spontaneous or therapeutic*	1,042	—	765	—	277	48	—	24	—	24
140c,d	Abortion (septic), self-induced or nontherapeutic*	351	—	297	—	54	2	—	—	—	2
141	Abortion without mention of infection	393	—	287	—	106	16	—	7	—	11
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	93	—	74	—	19	8	—	5	—	3
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	274	—	192	—	82	10	—	2	—	8
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	26	—	21	—	5	—	—	—	—	—
142a	Ectopic gestation, with mention of infection	88	—	62	—	26	5	—	2	—	3
142b	Ectopic gestation, without mention of infection	286	—	219	—	67	6	—	3	—	3
143a	Placenta praevia (death before delivery)	17	—	15	—	2	1	—	1	—	—
143b,c	Other hemorrhages of pregnancy (death before delivery)	44	—	29	—	15	1	—	—	—	1
143a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	687	—	467	—	220	28	—	15	—	13
144c,d	Other toxemias of pregnancy (death before delivery)*	303	—	227	—	76	13	—	7	—	6
145	Other diseases and accidents of pregnancy (death before delivery)	327	—	248	—	79	7	—	3	—	4
146a	Placenta praevia (with childbirth)	271	—	233	—	38	11	—	8	—	3
146b,c	Other hemorrhages of childbirth and puerperium	771	—	639	—	132	25	—	16	—	9
147a,b	Puerperal pyelitis, other general or local puerperal infection*	1,638	—	1,197	—	441	74	—	35	—	39
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	715	—	647	—	68	15	—	8	—	7
148a,b	Puerperal eclampsia and nephritis*	999	—	716	—	283	59	—	22	—	37
148c,d	Other puerperal toxemias	150	—	122	—	28	8	—	5	—	3
149	Other accidents and specified conditions of childbirth	575	—	485	—	90	13	—	8	—	5
150	Other and unspecified conditions of childbirth and puerperium	494	—	340	—	154	27	—	14	—	13
XII.—Diseases of the skin and cellular tissue											
		1,682	767	642	131	142	53	15	20	5	13
151	Carbuncle and furuncle	480	267	169	21	23	18	7	7	1	3
152	Phlegmon and acute abscess	519	256	166	51	46	13	5	6	—	2
153	Other diseases of skin and cellular tissue	683	244	307	59	73	22	3	7	4	8
XIII.—Diseases of the bones, etc.*											
		1,369	781	420	103	65	31	16	5	5	5
154	Osteomyelitis and periostitis	913	577	227	72	37	27	14	5	5	3
155	Other diseases of bones (except tuberculosis)	126	47	72	3	4	1	—	—	—	1
156	Diseases of joints and other organs of movement	330	157	121	28	24	3	2	—	—	1
157	XIV.—Congenital malformations	12,413	6,411	5,245	421	336	199	96	69	18	16

\*Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

355

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	ARIZONA				Total deaths	ARKANSAS				Total deaths	CALIFORNIA				Total deaths	COLORADO				List No.	
	White		All other			White		All other			White		All other			White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
15	9	6	---	---	22	14	5	1	2	88	53	35	---	---	16	11	5	---	---	106b	
4	1	3	---	---	15	5	5	2	3	21	14	6	1	---	9	6	3	---	---	106c	
234	82	68	48	38	429	170	139	65	55	2,110	1,145	840	76	49	484	256	223	4	1	107	
150	74	40	28	10	637	242	190	117	88	1,248	741	408	74	25	417	245	159	10	2	108	
46	11	10	18	7	87	31	12	12	12	83	50	22	7	4	11	9	2	---	---	109	
5	3	---	---	2	22	13	4	2	3	151	98	46	5	2	30	20	8	1	1	110	
3	1	1	---	1	3	2	1	---	---	37	18	15	2	2	8	3	3	1	1	111a	
11	8	2	1	---	23	7	11	3	2	87	32	30	1	4	17	8	8	---	---	111b, c	
18	12	5	1	---	25	10	8	3	4	95	49	41	2	3	27	12	15	---	---	112	
2	1	---	---	1	1	1	---	---	---	16	15	1	---	---	5	5	---	---	---	113	
14	11	3	---	---	21	10	5	3	3	82	61	17	2	2	26	25	2	---	---	114	
606	280	199	53	74	1,240	541	362	168	169	4,882	2,815	1,848	150	69	900	521	358	11	10		
9	3	3	---	3	45	14	14	8	9	79	42	35	3	1	36	25	11	---	---	115a, b, d	
9	7	1	---	1	23	11	6	---	6	58	26	25	4	3	27	11	14	---	---	115c	
25	18	3	2	2	68	35	20	8	5	422	344	62	12	4	68	57	9	2	---	116	
6	3	3	---	---	19	14	1	4	---	252	201	43	7	1	35	25	9	1	---	117a	
19	15	4	---	2	99	27	21	27	24	51	28	20	2	1	21	13	7	---	---	117b	
314	127	107	39	41	277	131	73	35	38	597	298	265	20	14	148	77	69	1	1	118	
48	14	18	5	11	134	53	49	13	19	126	65	56	3	2	22	14	8	---	---	119	
46	32	10	2	2	224	111	78	20	15	668	406	226	26	10	170	102	65	2	1	120	
9	5	---	---	1	43	23	6	11	3	261	152	97	8	4	40	28	9	2	1	121	
43	17	22	2	2	73	26	25	7	15	378	150	216	8	4	101	48	51	1	1	122a	
4	2	---	1	1	27	12	4	6	5	106	49	54	2	1	14	10	4	---	---	122b	
5	3	---	---	5	5	4	1	---	---	220	151	58	9	2	11	9	2	---	---	123	
29	22	7	---	---	92	49	15	17	11	955	615	299	32	7	70	40	27	1	2	124a	
2	1	1	---	---	6	3	2	1	1	37	11	23	1	2	3	---	3	---	---	124b	
4	3	---	1	---	22	10	5	3	4	110	66	35	8	1	7	4	3	---	---	125a	
6	3	2	1	2	19	5	12	2	2	247	76	163	2	6	54	22	31	1	---	126	
17	1	11	3	5	32	5	18	3	6	183	64	115	2	2	42	22	19	---	---	127	
4	3	1	---	---	7	---	---	---	---	70	33	33	1	3	9	7	2	---	---	128	
9	3	3	1	2	31	7	12	5	7	45	25	19	---	---	1	22	8	---	---	129	
342	175	122	28	17	1,772	739	479	322	232	5,851	3,292	2,329	147	83	1,112	626	452	14	20		
17	8	7	2	---	90	35	28	15	12	90	53	30	5	2	37	13	22	1	1	130	
124	68	39	11	6	812	337	233	142	100	3,358	1,760	1,466	87	46	614	324	270	8	12	131a	
112	51	51	5	5	615	259	153	111	92	1,224	644	526	31	23	234	131	97	2	4	131b	
22	9	8	2	3	49	18	17	6	8	120	85	54	---	1	35	20	15	---	---	132	
14	5	5	2	2	55	24	17	8	6	239	123	111	3	2	32	12	19	1	---	133	
7	4	2	1	---	5	3	2	---	---	128	88	34	4	2	21	13	7	1	---	134	
6	3	2	1	---	13	---	3	9	1	43	26	16	1	---	6	5	1	---	---	135	
3	3	---	---	---	7	1	1	5	---	20	15	2	3	---	5	5	---	---	---	136	
28	24	---	4	---	88	62	---	26	---	528	515	---	13	---	103	102	---	1	---	137	
8	---	7	---	1	25	---	15	---	10	69	---	62	---	7	21	---	18	---	---	138	
1	---	1	---	---	12	---	9	---	3	26	---	26	---	3	---	3	---	---	---	139a	
---	---	---	---	---	1	---	1	---	---	3	---	3	---	---	---	---	---	---	---	139b	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	139c
48	---	34	---	14	202	---	129	---	73	321	---	290	---	31	111	---	111	---	---		
9	---	8	---	1	39	---	27	---	12	61	---	53	---	8	16	---	16	---	---	140	
8	---	7	---	1	30	---	18	---	12	36	---	33	---	5	9	---	9	---	---	140a, b	
1	---	---	---	---	9	---	9	---	---	23	---	20	---	3	7	---	7	---	---	140c, d	
2	---	2	---	---	11	---	7	---	4	16	---	11	---	5	5	---	5	---	---	141	
---	---	---	---	---	3	---	3	---	---	2	---	2	---	---	---	---	---	---	---	141a, c	
2	---	2	---	---	8	---	4	---	4	10	---	6	---	4	5	---	5	---	---	141b, d	
---	---	---	---	---	---	---	---	---	---	4	---	3	---	1	---	---	---	---	---	141e, f	
1	---	1	---	---	---	---	---	---	---	4	---	4	---	---	---	---	---	---	---	142a	
---	---	---	---	---	6	---	4	---	2	10	---	10	---	---	6	---	6	---	---	142b	
---	---	---	---	---	---	---	---	---	---	1	---	1	---	---	1	---	1	---	---	143a	
3	---	1	---	2	22	---	14	---	8	7	---	7	---	12	---	12	---	---	---	143b, c	
3	---	3	---	---	5	---	2	---	3	5	---	5	---	---	1	---	1	---	---	144a, b	
4	---	1	---	3	4	---	2	---	2	10	---	9	---	1	5	---	5	---	---	144c, d	
1	---	1	---	---	6	---	4	---	2	9	---	9	---	---	8	---	8	---	---	145	
5	---	3	---	2	10	---	9	---	1	41	---	39	---	2	6	---	6	---	---	146a	
8	---	6	---	2	32	---	20	---	12	43	---	39	---	4	6	---	6	---	---	146b, c	
5	---	4	---	1	9	---	7	---	2	38	---	34	---	4	10	---	10	---	---	147a, b	
2	---	1	---	1	35	---	19	---	16	26	---	25	---	1	7	---	7	---	---	147c, d	
1	---	1	---	---	2	---	2	---	---	6	---	5	---	1	---	---	---	---	---	148a, b	
2	---	1	---	1	8	---	6	---	2	36	---	32	---	4	7	---	7	---	---	148c, d	
2	---	1	---	1	13	---	6	---	7	8	---	7	---	1	5	---	5	---	---	149	
7	3	2	1	1	26	11	9	4	2	71	40	28	3	---	9	6	2	---	---	150	
2	1	1	---	---	5	1	3	---	1	26	19	7	---	---	---	---	---	---	---	151	
2	1	---	1	---	9	5	3	1	---	22	10	10	2	---	5	4	---	---	---	152	
3	1	1	---	1	12	5	3	3	1	23	11	11	1	---	4	2	2	---	---	153	
10	6	4	---	---	21	15	5	---	1	74	48	24	2	---	8	4	3	1	---		
10	6	4	---	---	15	11	3	---	1	46	34	11	1	---	5	3	2	---	---	154	
---	---	---	---	---	5	---	1	---	---	12	---	3	---	---	2	---	1	---	---	155	
---	---	---	---	---	4	---															

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	50,901	24,994	18,085	4,411	3,411	1,488	494	398	350	246
158	Congenital debility (cause not stated)	2,808	1,098	756	550	404	102	30	20	36	16
159	Premature birth (cause not stated)	32,251	15,482	11,755	2,753	2,261	1,037	333	273	240	191
160a	Intracranial or spinal hemorrhage	4,693	2,630	1,585	288	190	84	45	21	11	9
160b,c	Other injuries at birth	5,471	2,944	2,006	321	200	152	48	58	32	14
161	Other diseases peculiar to the first year of life	5,678	2,840	1,983	499	356	113	40	26	31	16
162	XVI.—Senility	9,495	3,337	4,091	972	1,095	477	100	123	98	156
	XVII.—Violent or accidental deaths	119,587	74,512	30,396	11,364	3,615	2,571	1,104	412	787	268
163,164	Suicide	18,511	13,833	4,116	426	136	225	152	54	16	3
163	Suicide by poisoning	5,405	3,380	1,888	70	67	49	24	23	2	
	Suicide by solid or liquid poisons	2,528	1,318	1,109	47	54	43	18	23	2	
	Suicide by poisonous gases	2,877	2,062	779	23	13	6	6			
164a	Suicide by hanging or strangulation	3,504	2,716	720	52	16	12	7	5		
164b	Suicide by drowning	928	581	331	26	10	10	4	4	1	1
164c	Suicide by firearms and explosives	6,944	6,022	685	213	24	142	106	20	13	1
164d	Suicide by cutting or piercing instruments	724	580	114	28	2	6	5	1		
164e	Suicide by jumping from high places	661	360	265	25	11	3	3			
164f	Suicide by crushing	165	121	37	7						
164g	Suicide by other or unspecified means	180	93	76	5	6	3	1	1		1
165-168	Homicide	8,394	3,051	799	3,606	938	505	102	18	296	89
166	Homicide by firearms	4,799	1,830	497	2,016	456	290	62	15	170	43
167	Homicide by cutting or piercing instruments	2,048	392	86	1,228	342	161	22	1	102	36
168	Homicide by other means	1,547	829	216	362	140	54	18	2	24	10
169-195	Accidental deaths	92,625	57,348	25,481	7,253	2,541	1,832	650	340	466	176
169	Railway accidents (except collisions with motor vehicles)	3,394	2,628	223	489	54	103	59	4	35	5
170a	Collisions between automobiles and trains	1,329	927	323	67	12	14	7	4	3	
170b	Collisions between automobiles and streetcars	150	113	28	5	4	1	1			
170c	Automobile accidents (except collisions with trains or streetcars)	30,468	21,109	6,373	2,358	628	606	335	83	156	54
170d	Motorcycle accidents (except collisions with automobiles)	439	374	50	14	1	9	6	2	1	
171a	Streetcar accidents (except collisions with trains or motor vehicles)	356	237	88	23	6	1			1	
171b	Other and unspecified road-transport accidents	378	253	57	64	4	24	14	3	6	1
172	Water-transport accidents	1,087	846	77	145	19	27	19	1	7	
173	Air-transport accidents	396	371	23	2		2	2			
174	Accidents in mines and quarries	1,540	1,428	2	110		51	27		24	
175a	Accidents involving agricultural machinery and vehicles	789	692	30	45	2	8	5		3	
175b,c	Other agricultural accidents	835	754	17	62	2	20	14		6	
175d	Accidents involving forestry machinery and vehicles	50	46	1	3						
175e	Other forestry accidents	246	213		33		6	3		3	
176	Other accidents involving machinery	1,083	926	43	112	2	24	17		6	1
177	Food poisoning	548	216	175	89	68	26	10	6	8	2
178	Accidental absorption of poisonous gas	1,396	975	358	41	22	7	3	1	3	
179	Acute accidental poisoning by solids or liquids	1,371	689	467	125	90	23	6	9	3	5
180	Conflagration	1,794	887	466	250	191	31	9	8	7	7
181	Accidental burns (except conflagration)	4,831	2,050	1,624	424	533	170	36	40	41	53
182	Accidental mechanical suffocation	1,226	610	383	134	99	43	11	8	12	12
183	Accidental drowning	5,453	4,015	639	726	71	98	47	8	36	7
184	Accidental injury by firearms	2,582	1,868	217	417	80	98	52	8	32	6
185	Accidental injury by cutting or piercing instruments	550	292	93	117	48	29	10	3	11	5
186a	Accidental injury by fall	22,878	9,802	12,076	570	350	235	77	121	21	16
186b	Accidental injury by crushing	429	354	19	52	4	14	10		4	
187	Cataclysm, etc.*	195	82	81	18	14	6	3	1	1	1
188	Injury by animals (except in agriculture and forestry)	279	210	33	26	10	4	2		1	1
189	Hunger or thirst	36	21	2	5	6	1				
190	Excessive cold	190	150	23	29	8	1				1
191	Excessive heat	527	321	106	75	25	14	5		4	5
192	Lightning	390	247	43	80	20	33	11	11	8	3
193	Accidents due to electric currents (except lightning)	674	582	42	49	1	7	5		2	
194	Poisoning by venomous animals (except in agriculture and forestry)	102	53	27	15	7	3	1	2		
195a,b	Accidents due to medical or surgical intervention	39	10	20	3	6					
195d	Obstruction, suffocation, or puncture by ingested objects	812	439	269	71	53	15	3	4	4	2
195e,e	Other and unspecified accidents	3,804	2,478	784	405	137	78	40	13	17	8
196	Deaths of military personnel during operations of war	4	4								
197	Deaths of civilians due to operations of war										
198	Legal executions	155	76		79		9			9	
	XVIII.—Ill-defined and unknown causes	19,710	6,545	3,841	4,966	4,358	2,411	396	270	883	862
199	Sudden death	1,502	665	282	296	261	150	46	29	33	42
200a	Ill-defined	5,978	2,665	1,298	1,128	887	646	127	56	248	215
200b	Found dead (cause unknown)	789	347	188	148	76	71	22	20	11	18
200c	Unknown or unspecified	11,471	2,870	2,075	3,394	3,134	1,544	201	165	591	587

\* Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

357

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	ARIZONA				Total deaths	ARKANSAS				Total deaths	CALIFORNIA				Total deaths	COLORADO				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
306	157	93	36	20	612	296	217	65	34	2,171	1,185	691	58	37	505	295	205	2	3	
54	12	5	10	7	54	29	10	9	6	70	38	29	1	2	29	11	17	1		158
199	105	68	19	7	408	190	153	43	22	1,418	776	579	39	24	316	191	125			159
10	7	2	1		31	12	15	3	1	161	94	58	5	4	42	27	14	1		160a
30	16	8	3	3	68	45	19	1	3	237	115	113	7	2	61	51	29			160b,c
33	17	10	3	3	51	20	20	9	2	285	162	112	6	5	57	35	22			161
57	18	15	9	15	315	101	98	62	54	171	66	97	5	3	103	52	51			162
640	416	140	55	29	1,494	777	307	308	102	8,013	5,581	2,065	268	81	1,232	846	354	19	11	
77	57	13	6	1	162	121	34	6	1	1,646	1,209	359	61	17	211	168	40	2	1	163,164
25	17	7		1	47	31	14	1	1	617	395	209	8	5	71	54	16			165
20	12	7		1	44	29	13	1	1	328	162	157	5	4	36	24	11			
5	5				3	2	1			289	233	52	3	1	35	30	5			
5	5				10	7	3			228	156	47	18	7	28	19	8	1		164a
44	34	5	5		86	69	13	4		45	27	15	5		6	1	5			164b
1			1		7	6		1		578	499	56	21	2	96	85	10	1		164c
1	1				4	2	2			81	64	12	4	1	6	6				164d
1					1	1				62	38	18	4	2	2	2				164e
1		1			2	2				22	19	2	1		2	1	1			164f
					2	2				13	11	2								164g
39	28	1	7	3	199	57	4	107	31	300	189	50	48	13	46	34	8	3	1	165-168
19	12	1	4	2	130	37	1	70	22	162	96	32	25	9	27	20	6			166
8	5		2	1	43	9	2	24	8	45	26	5	11	3	6	4	1	1		167
12	11		1		26	11	1	13	1	93	67	13	12	1	13	10	1	2		168
522	330	126	41	25	1,128	598	269	191	70	6,063	4,180	1,654	178	51	971	643	306	13	9	169-195
17	14	1	2		55	37	1	16	1	234	205	21	6	2	28	25	2	1		169
1	1				6	4	1		1	134	89	32	10	3	16	14	2			170a
222	144	57	13	8	302	191	56	42	13	2,648	1,922	632	78	16	318	210	99	4	5	170b
1	1				2	2				49	44	3	2		2	2				170c
					1	1				43	27	15		1	2	1	1			170d
5			5		10	6		3	1	13	8	5			5	2	2	1		171a
					15	10	1	3	1	92	77	9	5	1	5	5				171b
					2	2				58	55	3			4	4				172
21	21				16	16				26					43	42		1		173
3	3				12	8		4		18	17		1		16	16				174
7	6		1		15	12		3		26	24		2		12	12				175a
1					1	1				5	5									175b,c
4	4		1		7	4		3		9	9				1	1				175d
6	5	1			20	8	8	2	2	83	75	6	2		9	9				175e
4	4				6	4	2			20	12	5	3		7	5	2			176
12	5	4	3		22	8	9	4	1	68	43	19	3	1	6	5	1			177
8	3	3	1	1	37	12	12	5	8	82	44	31	4	3	16	9	7			178
24	11	9	1	3	78	34	19	12	13	108	74	27	6	1	11	6	5			179
10	5	2	1	2	12	5	4	1	2	201	116	75	5	5	47	24	21	1	1	180
29	22	3	2	2	59	22	11	25	1	64	39	22		3	18	10	8			181
21	16	2	2	1	77	40	4	28	5	301	245	37	17	2	55	46	6			182
2	2				10	6	1	1	2	127	117	6	3	1	31	29	2			183
50	18	28	2	2	185	64	107	5	9	25	19	5	1	1	4	3		1		184
4	4				7	4	1	2		1,251	591	630	20	10	250	108	137	2	2	185
1		1			19	7	5	4	3	20	20				9	9				186a
7	4	1	2		8	4	2	1	1	4	3		1							186b
4	3		1		1		1			4	9	2			4	4				187
1	1									3	3				1	1				188
15	8	5	1	1	27	13		12	2	3	3				4	2	1	1		189
1	1				12	9	1	2		58	33	20								190
8	8				5	4		1		40		6	1		8	8				191
8	4	4			3	1	2			3	2			1	1					192
5	1	2			9	6	2	1		1		1								193
20	11	3	3	3	68	37	19	8	4	40	24	14	2		9	4	5			194
										173	144	24	5		27	24	3			195a,b
2	1		1		5	1		4												195d
161	48	16	48	49	757	211	134	255	157	79	48	25	4	2	42	23	13	4	2	195c,e
7	4		1	2	82	28	15	23	16	1	1				1	1				196
56	29	10	6	11	128	49	22	31	26	40	23	16	1		28	15	11	2		197
2	2				45	18	12	11	4	6	3	2	1		1	1				198
96	13	6	41	36	502	116	85	190	111	32	21	7	2	2	12	6	2	2	2	199

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes-----	17,696	9,264	8,086	229	197	3,169	1,427	1,162	308	272
	I.—Infectious and parasitic diseases-----	999	552	346	62	39	276	105	65	62	44
1	Typhoid fever-----	5	3	2			7	4	1		2
2	Paratyphoid fever-----	1		1							
3	Plague-----										
4	Cholera-----										
5	Undulant fever (brucellosis)-----	1		1							
6	Cerebrospinal (meningococcus) meningitis-----	4	2	2			5	2	1	2	
7	Anthrax (infection by Bacillus anthracis)-----										
8	Scarlet fever-----	5	2	3			1		1		
9	Whooping cough-----	22	11	9	2		8	1	5	2	
10	Diphtheria (infection by C. diphtheriae)-----	4	2	2			2	1	1		
11	Erysipelas-----	5	2	3							
12	Tetanus-----	1	1								
13-22	Tuberculosis (all forms)-----	599	352	194	29	24	155	56	36	34	29
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs-----	15	15				1	1			
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs-----	580	307	179	25	19	141	53	34	31	23
14	Tuberculosis of meninges and central nervous system-----	8	6		2		2				2
15	Tuberculosis of intestines and peritoneum-----	8	2	4	2		2	1			1
16	Tuberculosis of vertebral column-----	8	4	4			1			1	
17a	Tuberculosis of bones (except vertebral column)-----	1	1								
17b	Tuberculosis of joints (except vertebral column)-----	1		1			1		1		
18	Tuberculosis of skin, etc.*-----	2	1	1							
19	Tuberculosis of lymphatic system, etc.*-----	2	1	1			1			1	
20	Tuberculosis of genito-urinary system-----	6	2	3		1	1		1		
21	Tuberculosis of other organs-----	3	3								
22a	Disseminated tuberculosis (acute miliary)-----	14	10			4	5	1		1	3
22b	Disseminated tuberculosis (other and unspecified)-----	1		1							
23	Leprosy-----										
24	Septicemia and purulent infection (nonpuerperal)-----	13	7	5	1		6	4	1		1
25	Gonococcus infection-----	1				1					
26	Other diseases due to bacteria (except dysentery)-----										
27	Dysentery-----	19	4	15			1			1	
28	Malaria-----										
29	Other diseases due to parasitic protozoa (except spirochetes)-----										
30	Syphilis (all forms)-----	184	98	45	26	15	45	12	5	20	8
30a	Locomotor ataxia (tabes dorsalis)-----	12	8	3	1		1		1		
30b	General paralysis of insane-----	51	19	8	3	1	7	3	1	2	1
30c	Other syphilis of central nervous system-----	15	7	4	3	1	8	1	1	6	1
30d	Aneurysm of aorta-----	52	29	14	6	5	5	2	1	1	1
30e	Other syphilis of circulatory system-----	14	6	3	4	1	8	3	1	3	1
30f,g	Congenital, other and unspecified forms of syphilis-----	60	29	13	11	7	16	3	1	8	4
31	Relapsing fever-----										
32	Other diseases due to spirochetes-----	2	1	1			1				1
35a	Influenza, with respiratory complications specified-----	54	27	25	2		22	15	4	1	2
35b	Influenza, without respiratory complications specified-----	27	9	17		1	15	7	6	1	1
34	Smallpox-----										
35	Measles-----	8	5	3							
36	Acute poliomyelitis and acute poliomyelitis-----	3	3				2		1	1	
37a,c	Infectious encephalitis lethargica (acute and unqualified)-----	4	2	2			1	1			
37b	Sequelae of encephalitis lethargica-----	3	1	2							
38	Other diseases due to filtrable viruses-----	3	2	1							
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----						1	1			
40	Ankylostomiasis-----										
41	Hydatid disease-----	2	2								
42	Other diseases caused by helminths-----	1		1							
43	Mycoses-----	2	2								
44	Other infectious and parasitic (communicable) diseases-----	26	14	12			4	1	3		
	II.—Cancer and other tumors-----	2,599	1,189	1,370	19	21	299	131	133	15	20
45-55	Cancer and other malignant tumors-----	2,516	1,163	1,316	19	18	288	129	128	15	16
45	Cancer of buccal cavity and pharynx-----	74	87	7			13	10	2		1
45a-e	Cancer of buccal cavity-----	45	44	1			9	6	2		1
45f	Cancer of pharynx-----	29	23	6			4	4			
46	Cancer of digestive organs and peritoneum-----	1,281	630	582	11	8	127	68	42	12	5
46a	Cancer of esophagus-----	58	43	12	2	1	4	3	1		
46b,c	Cancer of stomach and duodenum-----	379	218	155	3	3	44	27	11	5	1
46f	Cancer of liver and biliary passages-----	135	55	77	1		26	12	10	2	2
46g	Cancer of pancreas-----	102	56	44	2		8	6	2		
46d,e,h,m	Cancer of other digestive organs and peritoneum-----	559	258	294	3	4	45	20	18	5	2
47	Cancer of respiratory system-----	164	130	32	2		14	8	4	2	
48	Cancer of uterus-----	200		196		4	30		24		6
49	Cancer of other female genital organs-----	101		99		2	8		8		
50	Cancer of breast-----	256		252		4	38	1	33		4
51	Cancer of male genital organs-----	136	133		3		15	14		1	
52	Cancer of urinary organs (male and female)-----	104	65	40	1		17	12	5		
53	Cancer of skin (except vulva and scrotum)-----	46	31	15			7	5	2		
54	Cancer of central nervous system*-----	31	19	12							
55	Cancer of other and unspecified organs-----	173	90	81	2		19	11	8		
56a	Nonmalignant tumors of ovary-----	4		4			1		1		
56b	Nonmalignant tumors of uterus-----	24		21		3	6		2		4
56c	Nonmalignant tumors of other female genital organs-----	1		1							
56d,e	Nonmalignant tumors of other and unspecified organs-----	14	6	8			1	1			

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	DISTRICT OF COLUMBIA				Total deaths	FLORIDA				Total deaths	GEORGIA				Total deaths	IDAHO				List No.	
	White		All other			White		All other			White		All other			White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
8,292	2,904	2,355	1,536	1,495	21,295	8,481	5,605	4,011	5,198	31,843	9,959	7,600	7,488	6,796	4,753	2,864	1,779	59	51		
733	188	76	277	192	2,446	656	379	776	655	4,076	918	743	1,200	1,215	345	198	112	18	17		
5	1	1	3		26	10	3	6	7	90	25	17	32	18	14	4	8	1	1	1	
					1	1				3	1	1	1	1	2					2	
					5	4	1			2	1	1			1	1				3	
6	4	1		1	12	5	2	4	1	23	12	2	5	4	10	7	3			4	
1					6		5	1		18	6	9	3		2	1	1			5	
15	1	1	4	9	60	13	17	13	17	137	28	34	38	37	9	5	2	1	1	6	
5	1	1	2	1	31	15	8	5	3	100	35	31	17	17	4	3				7	
1	1				13	4	8	1		18	9	5		4	1					8	
3	3				25	4	3	12	6	34	8	8	13	5						9	
419	92	37	166	124	922	238	137	279	268	1,514	286	242	446	540	99	64	21	7	7	10	
1	1				2	2				4	4				13	13				11	
352	87	31	133	101	862	224	125	261	252	1,373	263	214	408	488	71	41	19	5	6	12	
13		1	5	5	6	1	3	2	2	25	4	9	6	6	3	1		1	1	13	
14	1		7	7	11	1	2	5	3	29	6	3	8	12						14	
13		3	7	3	8	2	2	3	1	9		4	5	4		3		1		15	
					2	1	1			1	1				4					16	
					1					4	1	1	2							17a	
					1					1										17b	
1				1	1				1											18	
2			2							1				1						19	
5	1		4		7	5	1		1	4	1	2		1	5	4	1			20	
1			1		3		2		1						1	1				21	
14	2	1	6	5	18	2	1	6	9	62	7	9	16	30	1	1	1			22a	
3			1	2	2			2		2				2	1	1				22b	
																				23	
9	5	2	1	1	46	23	11	7	5	84	27	9	31	17	12	6	6			24	
2	1			1	12		2	2	8	30	3	3	4	20	2		2			25	
1			1		3	2		1		9	3	2	2	2	1	1				26	
3	1	2			44	14	11	7	12	135	33	39	29	34	3	2	1			27	
1	1				109	23	24	25	37	111	24	20	34	53	1	1				28	
																				29	
180	51	11	85	33	516	112	32	251	121	633	105	35	294	199	49	28	16	2	3	30	
6	4		2		10	4	3	2	1	19	10	4	4	1	5	3	2			30a	
26	8	3	10	5	55	24	3	23	5	94	41	12	24	17	13	9	3			30b	
15	6	1	7	1	41	5	3	24	9	36	6	5	14	11	6	4	2			30c	
63	25	3	27	8	78	30	10	29	9	83	17	2	46	18	10	8	2			30d	
27	3	3	16	5	35	5		20	10	52	5		33	14	1	1				30e	
43	5	1	23	14	297	44	13	155	87	349	26	12	173	138	14	3	7	2	2	30f,g	
																				31	
3		1	1	1	7	1		5	1	7	1		2	4	3	2		1		32	
31	8	8	7	8	325	81	73	88	83	620	172	157	146	145	58	32	19	5	2	33a	
27	10	6	4	7	200	64	29	53	54	331	76	86	72	97	33	17	15		1	33b	
																					34
2			1	1	14	6	3	2	3	51	14	13	12	12	3	3	4			35	
2	1	1			9	4	1	3	1	17	5	4	6	2	8	4	4			36	
					8	5	3			4	2		1	1	7	5	1		1	37a,c	
																					37b
2		1	1		4	4									3		3			38	
2	1			1	1					4	1	2		1	1	1				39	
4	3	1			9	5	3		1	48	32	11	1	4	7	5	2			40	
					6	3	1	1	1												41
					4			2	2	5			1	2							42
					4	3		1	7	7	3		2	2							43
9	3	2		4	24	12	2	6	4	41	7	12	8	14	5	4	1			44	
1,094	361	427	151	155	1,848	710	603	100	235	2,173	668	855	194	456	473	256	235				
1,035	346	417	141	131	1,732	691	752	93	196	2,033	640	816	186	391	454	235	217		2	45-55	
25	17	2	3	3	66	49	9	5	3	71	42	18	4	7	12	11	1			45	
21	13	2	3	3	42	32	7	2	1	50	29	13	2	6	11	10	1			45a-e	
4	4				24	17	2	3	2	21	13	5	2	1	1	1				45f	
433	166	151	78	38	685	310	278	52	45	745	297	262	103	83	239	137	101		1	46	
36	17	4	13	2	29	17	7	5		26	14	6	4	2						46a	
132	48	33	41	10	251	113	86	25	27	288	112	86	52	38	107	66	41			46b,c	
50	15	25	5	5	94	41	41	6	6	124	46	47	19	12	25	16	8		1	46f	
37	14	13	5	5	55	26	22	5		65	35	22	6	2	23	10	13			46g	
178	72	76	14	16	258	113	122	11	12	242	90	101	22	29	84	45	39			46d,e,h,m	
76	46	13	14	3	91	65	17	7	2	88	55	20	7	6	18	12	6			47	
115		76		39	289		195		94	405		227		178	40		40			48	
31		22		9	32		27		5	36		30		6	11		11			49	
118	1	89	1	27	167	5	132		30	173		115	1	57	32		31		1	50	
50	29		21		132	114		18		120	87		33		42	42				51	
50	25	17	5	3	85	43	35	2	5	87	35	31	9	12	16	9	7			52	
10	9		1		54	34	16	3	1	71	35	27	3	6	14	7	7			53	
12	9	3			11	7	3	1		38	23	12	1	2	1		1			54	
115	44	44	18	9	120	64	40	5	11	199	66	74	25	34	29	17	12			55	
6		1		5	15		8		7	17		10		7	5		5			56a	
16		2		14	50		22		28	46		9		37	7		7			56b	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)										
57b	Tumors of uterus (nature unspecified)										
57c	Tumors of other female genital organs (nature unspecified)										
57d,e	Tumors of other and unspecified organs (nature unspecified)	40	20	20			3	2	1		
	III.—Rheumatism, diseases of nutrition, etc.*	640	221	398	5	16	116	35	59	10	12
58a-d	Acute rheumatic heart diseases	16	1	12	1	2	3	1	1	1	
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	3	1	2			1		1		
59	Chronic rheumatism and other rheumatic diseases	22	7	15			7	3	4		
60	Gout										
61	Diabetes mellitus	528	189	325	3	11	89	28	44	8	9
62	Diseases of pituitary gland	2	1	1			1		1		
65a	Simple goiter	2		2							
65b	Exophthalmic goiter	32	4	26		2	10	1	6		3
65c-e	Other diseases of thyroid and parathyroid glands	10	2	8							
64	Diseases of thymus gland	15	10	3	1	1	4	2	2		
65	Diseases of adrenal glands (not specified as tuberculous)	2		2							
66	Other general diseases	3	2	1							
67	Scurvy	1	1								
68	Beriberi										
69	Pellagra (except alcoholic)	2	1	1			1			1	
70	Rickets	1	1								
71	Other avitaminoses	1	1								
	IV.—Diseases of the blood and blood-forming organs	130	50	79	1		27	8	15	2	2
72	Hemorrhagic conditions	13	5	8			3		3		
73a	Fernicious anemia	21	9	12			9	2	6		
73b-d	Other anemias (except splenic)	14	5	9			1	1	1		
74a	Leukemias	65	24	40	1		12	6	3	2	1
74b	Aleukemias	6	3	3			1		1		
75	Diseases of spleen	8	4	4			1				1
76	Other diseases of the blood and blood-forming organs	3		3			1		1		
	V.—Chronic poisoning and intoxication	49	40	8	1		3	1		1	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	2								
77c-e	Alcoholism (acute, chronic, and unspecified)	41	34	6	1		3	1		1	1
78	Lead poisoning	1	1								
79	Chronic poisoning by other mineral or organic substances	5	3	2							
	VI.—Diseases of the nervous system, etc.*	1,669	801	837	18	13	340	140	141	27	32
80	Encephalitis (nonepidemic)	20	12	8			2	2			
81	Meningitis (not due to meningococcus)	24	15	9			3	1		2	
82	Diseases of spinal cord (see exceptions)*	39	18	21			9	4	5		
85a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,244	600	620	14	10	261	104	107	21	29
85b	Cerebral embolism and thrombosis	209	91	116	1	1	52	17	13		2
85c	Cerebral softening	9	5	4			4		3		1
85d	Hemiplegia and other paralysis of unspecified origin	12	4	7		1	9	5	4		
84	Mental diseases and deficiency (see exception)*	10	2	8			2	1	1		
85	Epilepsy	26	16	9	1		3	2		1	
86	Convulsions (under 5 years)	4	2	2			1			1	
87	Other diseases of nervous system	41	21	19	1		6	1	5		
88	Diseases of organs of vision										
89a	Otitis and other diseases of the ear	22	10	12			8	3	3	2	
89b	Diseases of mastoid process	9	5	2	1	1					
	VII.—Diseases of the circulatory system	6,023	3,200	2,720	50	55	939	467	337	67	68
90	Pericarditis (except acute rheumatic)	5	4	1			2	1	1		
91a,b	Bacterial and other acute or subacute endocarditis	33	15	18			9	5	3		2
91c	Endocarditis (unspecified, under 45 years)	3	1	1	1		1				
92a-d	Chronic endocarditis and diseases of the valves*	427	203	217	3	4	104	57	34	6	7
92e	Endocarditis (unspecified, 45 years and over)	29	15	14			10	6	4		
95a	Acute myocarditis (except rheumatic)	119	59	60			9	5	3	1	
95b	Myocarditis (unspecified, under 45 years)	7	4	3							
95c,d	Chronic myocarditis and myocardial degeneration	2,989	1,469	1,469	18	33	428	195	167	33	33
95e	Other myocarditis (unspecified)	218	105	107	3	3	52	22	17	6	7
94a	Diseases of coronary arteries	1,461	990	455	10	6	174	108	57	5	4
94b	Angina pectoris	34	16	17	1		11	8	3		
95a	Functional diseases of heart, etc.*	3	1	2			4	2	2		
95b,c	Other and unspecified diseases of heart	327	146	170	6	5	78	37	22	12	7
96	Aneurysm (except of heart and aorta)	16	8	6	2						
97	Arteriosclerosis (except coronary or renal sclerosis)	289	137	147	4	1	47	19	19	5	6
98	Gangrene	4	2	2							
99	Other diseases of arteries	30	15	15			3	1	2		
100	Diseases of veins	19	7	10	1	1	3	2	1		
101	Diseases of lymphatic system	1		1							
102	High blood pressure (idiopathic)	7	2	5			5		2	1	2
103	Other diseases of circulatory system	2	1		1						
	VIII.—Diseases of the respiratory system	909	479	406	14	10	241	85	112	29	15
104a	Diseases of nasal fossae	2	1	1			1	1			
104b	Diseases of accessory sinuses	6	5	3							
105	Diseases of larynx	4	3	1			1	1			
106a	Acute bronchitis	21	12	9			6	3	2	1	

\* Refer to complete International List titles, table XI.



# GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	DISTRICT OF COLUMBIA				Total deaths	FLORIDA				Total deaths	GEORGIA				Total deaths	IDAHO				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1		1								1		1							57a	
25	7	6	8	4	39	16	15	5	3	52	22	15	4	13	4		4		57b	
228	54	104	20	50	580	196	235	52	97	840	193	322	115	210	159	64	94	1	57c	
5	2	1	1	1	10	1	2	3	4	19	6	5	3	4	6	3	3		57d,e	
5	2	1		2	9		3	3	3	18	4	6	4	5	1		1		58a-d	
7	1	6			27	11	12	5	1	27	5	15	6	5	11	3	8		58e,f	
178	44	81	13	40	383	152	161	24	46	380	108	147	48	77	104	42	61	1	59	
1		1			5	3	2			6		3		3	2	1	1		60	
21	2	12	2	5	23	4	14	1	1	46	4	32	3	7	16	1	15		61	
2	1		1		8	9	6	1	1	10	2	6		2					62	
3	2			1	1	1	2			20	9	4	3	4	15	9	4		63a	
5		1	1	1	1	4	5	1	3	19	4	9	1	5	2	2			63b	
1					1			1		2	1			1					63c-e	
1		1			77	10	26	10	31	277	47	95	43	94	2	1	1		64	
1					5	1	1	3	1	13	3	2	4	4					65	
1			1		3	1		1	1	2		1		1					66	
65	27	23	3	12	111	39	43	13	16	154	73	48	18	15	54	18	16		67	
4	3			1	10	4	3	1	2	18	9	5	3	1	3	2	1		68	
8	2	5		1	34	9	17	3	5	24	12	6	3	3	10	4	6		69	
7	2	3		2	26	6	9	6	5	36	11	13	7	5	4	3	1		70	
39	18	12	3	6	56	17	13	3	3	61	33	19	4	5	12	7	5		71	
2	1			1	3					7	2	5			1	1			72	
2	1	1			3	2	1		1	3	1		1	1	3		3		73a	
3		2		1	2	1	1			5	5				1	1			73b-d	
30	20	4	3	3	46	27	5	11	3	62	39	4	17	2	9	9			74a	
1			1		2	2													74b	
28	19	4	2	3	40	23	4	10	3	61	39	4	16	2	8	8			75	
1	1				3	1	1	1		1			1		1	1			76	
645	203	212	101	129	2,200	804	608	405	363	3,543	1,019	855	815	853	466	252	209	5	77a,b	
16	3	9	2	2	30	13	9	3	5	45	12	16	9	8	7	5	2		77c-e	
14	5	2	4	3	46	17	9	9	11	73	28	22	10	13	8	4	4		78	
8	3	3	2	2	34	21	10	1	2	43	15	15	7	6	17	13	4		79	
470	151	155	70	94	1,768	616	493	338	321	2,864	813	675	669	707	352	187	152	3	80	
66	25	23	10	8	104	49	37	11	7	81	24	28	16	13	18	8	9	1	81	
1			1		8	2	4	2		15	7	8							82	
20	1	4	6	9	69	17	16	17	19	213	54	45	51	63	19	12	7		83a	
7	1	2	1	3	23	6	3	5	7	33	7	2	8	16	7	1	6		83b	
9	2		5	2	23	8	6	7	2	55	14	8	25	8	10	6	4		83c	
1				1	8	1	2	4	1	33	8	5	10	10	1			1	84	
20	5	12	1	2	50	29	13	3	5	49	22	16	4	7	12	7	5		85	
1		1			1		1			2	2								86	
7	3		2	2	28	17	5	3	3	29	10	13	5	1	14	8	6		87	
5	4	1			8	6		2		8	3	2		1	1	1			88	
2,188	843	641	332	372	4,647	2,399	1,251	562	455	5,787	2,127	1,349	1,192	1,119	1,146	748	387	7	89a	
1			1		14	5	2	5	2	20	8	3	3	6	3	3			89b	
20	6	4	3	7	40	17	16	4	3	39	10	11	5	13	7	2			90	
2	1	1			6	1	2	2	1	15	4	1	8	2	2	7			91a,b	
204	54	76	33	41	562	230	149	95	88	650	174	142	167	167	146	81	65		91c	
9	5	3		1	69	23	25	12	9	89	25	25	20	19	5	2	3		92a-d	
15	6	2	5	2	94	28	20	22	24	119	26	16	31	46	24	13	10		92e	
6	1	1	3	1	26	5	3	8	10	69	12	11	15	31	3	1	1		93a	
815	272	279	120	144	1,306	648	422	141	95	1,480	482	387	329	282	404	245	153	4	2	93b
292	80	79	56	77	319	144	95	49	31	855	287	199	185	184	76	49	27			93c,d
471	319	111	29	12	1,187	804	271	73	39	1,001	566	206	124	105	240	178	62			94a
12	7	5			173	104	32	18	19	231	134	54	24	19	47	37	10			94b
3	3				19	11	4	3	1	27	15	5	4	3	3	3				95a
146	30	30	45	41	496	234	114	74	74	802	275	189	180	158	111	81	28	2		95b,c
9	3	1	4	1	21	11	5	4	1	18	4	2		4	4	3		1		96
151	48	41	25	37	233	101	78	30	24	252	76	66	59	49	53	33	20			97
7	1	2	3	1	12	5	1	3	3	16	4	1	6	5	3	3				98
10	4	2	1	3	22	15	2	5		31	10	15	2	4	8	4	4			99
3		2		1	7	5	2			11	1	1	3	6	2		2			100
2	1		1		4	1		1	2	5	1	2	1	1						101
10	2	2	3	3	31	7	5	11	8	49	11	11	15	12	4	2	2			102
					6		3	2	1	8	2		3	3	1	1				103
551	197	129	113	112	1,355	469	357	280	229	2,623	782	638	675	528	350	210	133	3	4	
1				1	13	2	1	6	4	14	2	1	7	4						104a
10	5	3	1	1	14	5	3	5	1	23	8	8	4	3	4	4				104b
2		1			1	1				11	4		4	3	4	3	1			105
14	6	5	3	2	13	4	2	5	2	17	6	5	2	4	3	3				106a

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
VIII.—Diseases of the respiratory system—Continued											
106b	Chronic bronchitis	19	13	6			8	4	2	2	
106c	Bronchitis (unspecified)	5	1	3	1		3	1	2		
107	Bronchopneumonia (including capillary bronchitis)	303	144	151	3	5	105	50	54	13	8
108	Lobar pneumonia	441	245	185	8	3	77	27	36	8	6
109	Pneumonia (unspecified)	19	9	10			7	1	4	2	
110	Pleurisy (not specified as tuberculous)	27	15	11	1		8	5	2	1	
111a	Hemorrhagic infarction and thrombosis of lungs	12	6	5		1	3	3			
111b,c	Acute edema, chronic and unspecified congestion of lungs	10	6	4			10	5	4	1	
112	Asthma	19	9	9		1	6	2	4		
113	Pulmonary emphysema	2	1	1			1	1			
114	Other diseases of respiratory system (except tuberculosis)	17	9	7	1		5	1	2	1	1
IX.—Diseases of the digestive system											
		921	547	359	12	3	144	74	39	21	10
115a,b,d	Diseases of buccal cavity and adnexa	18	7	10	1		3	1	1	1	
115c	Diseases of pharynx and tonsils	22	14	8			2	1		1	
116	Diseases of esophagus	4	4				1	1			
117a	Ulcer of stomach	79	67	10	2		11	6	1	1	3
117b	Ulcer of duodenum	44	36	6	2		9	5	2	2	
118	Other diseases of stomach (except cancer)	11	7	4			2	1	1		
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	40	21	16	2	1	15	6	6	3	
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	21	10	11			5	4			1
121	Appendicitis	155	95	58	1	1	32	16	8	7	1
122a	Hernia	80	45	36	1		14	10	3	1	
122b	Intestinal obstruction	71	39	31	1		15	4	7	3	1
123	Other diseases of intestines	15	7	8			1	1			
124a	Cirrhosis of liver (with mention of alcoholism)	24	19	5							
124b	Cirrhosis of liver (without mention of alcoholism)	157	109	47		1	15	8	4	1	2
125a	Acute yellow atrophy of liver (nonpuerperal)	8	5	3			1	1			
125b	Other diseases of liver	11	4	6	1						
126	Biliary calculi	93	34	59			3	1	2		
127	Other diseases of gallbladder and biliary ducts	24	9	25			6	2	3	1	
128	Diseases of pancreas (except diabetes mellitus)	19	10	8	1		2	2			
129	Peritonitis (cause not stated)	15	7	8			7	4	1		2
X.—Diseases of the genito-urinary system											
		1,575	818	721	15	21	367	163	149	25	30
130	Acute nephritis	11	5	6			7	3	3		1
131a	Arteriosclerotic kidney	1,042	501	520	10	11	255	107	104	14	10
131b	Other chronic nephritis	302	161	130	4	7	89	34	35	7	13
132	Nephritis unspecified (10 years and over)	18	11	7			5	4		1	
133	Other diseases of kidneys and ureters, etc.	45	18	27			7	3	1		3
134	Calculi of urinary passages	27	15	12			3	1	2		
135	Diseases of urinary bladder	5	2	3			3	1	2		
136	Diseases of urethra (except calculus)	4	4								
137	Diseases of prostate	101	100		1		13	10		3	
138	Diseases of other male genital organs (except venereal)	1	1								
139a	Diseases of ovaries, fallopian tubes, and parametria	9		6		3	4		2		2
139b	Diseases of uterus	10		10			1				1
139c	Diseases of other and unspecified female genital organs										
XI.—Diseases of pregnancy, childbirth, and the puerperium											
		60		59		1	18		12		6
140	Abortion with mention of infection	10		10			1		1		
140a,b	Abortion (septic), spontaneous or therapeutic *	4		4			1		1		
140c,d	Abortion (septic), self-induced or nontherapeutic *	6		6							
141	Abortion without mention of infection	1		1							
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *										
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *										
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	1		1							
142a	Ectopic gestation, with mention of infection										
142b	Ectopic gestation, without mention of infection	1		1							
143a	Placenta praevia (death before delivery)										
143b,c	Other hemorrhages of pregnancy (death before delivery)						1				1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	3		3							
144c,d	Other toxemias of pregnancy (death before delivery) *	1		1							
145	Other diseases and accidents of pregnancy (death before delivery)	1		1							
146a	Placenta praevia (with childbirth)	4		4			2		1		1
146b,c	Other hemorrhages of childbirth and puerperium	9		9			5		4		1
147a,b	Puerperal pyelitis, other general or local puerperal infection *	4		3		1	5		3		2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	6		6							
148a,b	Puerperal eclampsia and nephritis *	9		9			2		2		
148c,d	Other puerperal toxemias	5		5			1				1
149	Other accidents and specified conditions of childbirth	4		4							
150	Other and unspecified conditions of childbirth and puerperium	2		2			1		1		
XII.—Diseases of the skin and cellular tissue											
		12	6	6			1		1		
151	Carbuncle and furuncle	2	2								
152	Phlegmon and acute abscess	4	1	3			1		1		
153	Other diseases of skin and cellular tissue	6	3	3							
XIII.—Diseases of the bones, etc. *											
		20	12	8			3		2	1	
154	Osteomyelitis and periostitis	16	10	6			1			1	
155	Other diseases of bones (except tuberculosis)						1		1		
156	Diseases of joints and other organs of movement	4	2	2			1		1		
XIV.—Congenital malformations											
		163	81	79	1	2	16	9	4	1	2

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

(stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4	2	1	1	---	35	19	12	2	---	35	17	11	2	5	5	2	3	---	---	106b
2	---	2	---	---	11	6	2	---	---	30	7	8	5	10	2	2	2	---	---	106c
210	69	52	41	48	459	169	149	69	72	690	268	250	183	189	146	79	62	3	2	107
256	89	47	53	47	515	174	112	158	92	1,203	363	256	359	225	135	79	52	---	---	108
19	10	5	1	3	102	22	24	28	28	190	36	32	69	53	11	9	2	---	---	109
20	6	5	4	5	41	17	8	7	9	46	12	15	14	7	10	7	5	---	---	110
7	1	2	2	2	15	5	4	2	4	14	5	5	2	2	3	2	1	---	---	111a
7	1	5	1	---	40	20	15	3	4	49	15	20	6	10	7	5	2	---	---	111b,c
8	3	2	1	2	55	16	21	12	7	43	17	17	6	3	6	4	2	---	---	112
---	---	---	---	---	2	---	1	---	---	3	---	---	---	---	1	---	---	---	---	113
11	5	1	5	---	19	9	5	3	2	55	22	12	12	9	14	11	5	---	---	114
523	201	136	91	95	1,443	545	321	322	255	1,886	630	469	426	361	317	183	126	4	4	---
7	2	2	---	3	48	12	9	13	14	73	18	21	15	21	15	10	5	---	---	115a,b,d
2	4	1	2	---	26	10	10	4	2	41	6	11	11	13	10	7	3	---	---	115c
7	---	1	---	1	4	2	1	---	1	5	2	2	---	1	1	1	---	---	---	116
26	10	4	5	7	126	66	15	28	17	129	55	15	39	22	23	20	3	---	---	117a
24	15	2	6	1	37	29	2	4	2	46	30	4	7	5	11	10	1	---	---	117b
7	3	---	3	1	113	24	14	55	20	76	20	13	18	25	4	1	2	1	---	117c
75	20	12	26	17	190	41	60	46	43	410	119	100	122	69	32	12	17	---	---	119
26	7	8	3	8	109	19	23	32	35	140	30	44	30	36	11	5	6	---	---	120
82	26	23	15	18	198	96	39	56	27	293	118	79	53	43	86	54	31	---	---	121
36	11	14	7	4	70	35	10	17	8	76	25	11	32	8	18	9	7	2	---	122a
62	16	24	8	14	148	51	47	21	29	181	44	53	36	48	40	19	20	1	---	122b
13	5	5	2	1	45	14	8	14	9	36	10	7	13	6	3	2	1	---	---	123
8	6	1	1	---	13	9	3	1	---	34	22	2	9	1	1	1	---	---	---	124a
76	46	20	5	5	176	102	26	30	18	123	58	36	11	18	19	10	9	---	---	124b
5	1	---	---	3	9	1	4	4	4	12	4	6	1	1	2	2	---	---	---	125a
9	3	1	3	2	24	7	7	7	6	43	16	5	13	9	1	1	---	---	---	125b
20	9	4	2	5	28	7	19	1	1	34	10	17	3	4	18	9	9	---	---	126
18	8	8	1	1	51	9	24	5	13	58	19	29	4	6	17	8	9	---	---	127
11	6	1	1	3	7	3	---	3	1	14	8	2	1	3	2	2	---	---	---	128
9	3	4	1	1	21	8	3	5	5	62	16	14	10	22	3	---	3	---	---	129
1,002	352	295	168	167	2,194	689	622	399	284	3,722	1,261	907	874	660	377	234	134	6	3	---
28	3	4	8	11	81	19	10	34	18	271	58	43	85	87	14	8	6	---	---	130
685	242	225	108	112	1,163	492	372	164	135	1,606	609	415	319	263	200	115	77	6	2	131a
110	33	33	15	26	487	178	155	88	69	1,376	456	356	335	249	89	54	34	---	---	131b
33	11	15	1	6	86	21	18	28	19	117	35	20	37	25	12	6	6	---	---	132
28	13	8	2	5	100	37	29	19	15	83	22	32	16	13	7	5	2	---	---	133
10	4	1	2	3	42	20	15	5	4	38	13	16	7	2	5	2	3	---	---	134
3	---	1	1	1	19	11	1	6	1	13	---	4	6	3	2	1	1	---	---	135
7	---	---	7	---	34	8	---	25	---	19	1	---	17	1	---	---	---	---	---	136
65	45	---	20	---	132	105	---	29	---	118	67	---	51	---	43	43	---	---	---	137
2	1	---	1	---	---	---	---	---	---	3	---	---	3	---	---	---	---	---	---	138
21	---	6	---	15	36	---	18	---	20	59	---	34	---	25	4	---	4	---	---	139a
12	---	4	---	8	12	---	9	---	3	13	---	6	---	7	1	---	1	---	---	139b
---	---	---	---	2	2	---	1	---	1	6	---	1	---	5	---	---	---	---	---	139c
75	---	39	---	34	211	---	126	---	85	362	---	181	---	181	24	---	23	---	---	140
23	---	15	---	10	30	---	16	---	14	37	---	23	---	14	1	---	1	---	---	140a,b
11	---	5	---	6	28	---	14	---	14	34	---	20	---	14	1	---	1	---	---	140c,d
12	---	8	---	4	2	---	2	---	---	3	---	3	---	---	---	---	---	---	---	141
3	---	2	---	1	8	---	5	---	3	13	---	8	---	5	1	---	1	---	---	141a,c
2	---	1	---	1	2	---	2	---	---	2	---	1	---	1	---	---	---	---	---	141b,d
1	---	1	---	6	6	---	3	---	3	11	---	7	---	4	1	---	1	---	---	141e,f
4	---	1	---	3	1	---	1	---	---	6	---	4	---	2	---	---	---	---	---	142a
6	---	---	---	6	7	---	6	---	1	5	---	1	---	4	---	---	---	---	---	142b
---	---	---	---	2	2	---	2	---	---	---	---	---	---	1	---	---	---	---	---	143a
4	---	2	---	2	2	---	---	---	2	3	---	1	---	2	---	---	1	---	---	143b,c
2	---	1	---	1	18	---	8	---	10	41	---	14	---	27	---	---	---	---	---	144a,b
---	---	---	---	8	8	---	6	---	2	23	---	15	---	8	---	---	---	---	---	144c,d
3	---	1	---	2	9	---	7	---	2	9	---	6	---	3	---	2	---	---	---	145
2	---	2	---	---	7	---	7	---	---	8	---	3	---	5	---	---	3	---	---	146a
6	---	4	---	2	22	---	14	---	8	27	---	17	---	10	---	---	2	---	---	146b,c
8	---	5	---	3	39	---	19	---	20	70	---	28	---	42	---	---	2	---	---	147a,b
2	---	2	---	---	7	---	7	---	---	18	---	16	---	2	---	---	4	---	---	147c,d
3	---	1	---	1	29	---	14	---	15	48	---	22	---	26	---	---	3	---	---	148a,b
2	---	1	---	1	3	---	3	---	---	11	---	6	---	5	---	---	---	---	---	148c,d
4	---	2	---	2	11	---	7	---	4	20	---	9	---	11	---	---	2	---	---	149
1	---	1	---	---	8	---	4	---	4	23	---	8	---	15	---	---	1	---	---	150
12	4	2	2	4	33	13	5	1	14	81	21	22	21	17	5	3	2	---	---	---
8	---	---	---	9	9	5	2	---	2	19	6	6	3	4	---	---	---	---	---	151
4	1	---	2	3	12	3	---	1	6	23	9	13	9	8	4	2	2	---	---	152
---	---	---	---	12	12	---	3	---	6	38	---	---	---	---	---	---	---	---	---	153
8	1	2	4	1	18	8	1	6	3	34	15	7	7	5	7	5	2	---	---	---
6	1	2	3	---	11	5	---	5	1	22	13	2	5	2	6	4	2	---	---	154
---	---	---	---	4	4	---	1	---	1	1	---	1	---	1						

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life—	482	290	174	10	8	81	41	22	8	10
158	Congenital debility (cause not stated)-----	6	5	1			4		2	1	1
159	Premature birth (cause not stated)-----	288	173	104	5	6	53	28	13	4	8
160a	Intracranial or spinal hemorrhage-----	59	41	16	2		8	6	1	1	
160b,c	Other injuries at birth-----	68	39	26	2	1	5	2	3		
161	Other diseases peculiar to the first year of life-----	61	32	27	1	1	11	5	3	2	1
162	XVI.—Senility-----	43	12	31			17	4	7	2	4
	XVII.—Violent or accidental deaths-----	1,357	907	422	19	9	277	162	63	36	16
163,164	Suicide-----	276	189	86	1		44	31	9	2	2
163	Suicide by poisoning-----	119	71	48			14	7	6		1
	Suicide by solid or liquid poisons-----	40	16	24			5	2	3		
	Suicide by poisonous gases-----	79	55	24			9	5	3		1
164a	Suicide by hanging or strangulation-----	54	38	15	1		9	7	2		
164b	Suicide by drowning-----	24	13	11			3	2		1	
164c	Suicide by firearms and explosives-----	52	49	3			17	14	1	1	1
164d	Suicide by cutting or piercing instruments-----	12	11	1			1	1			
164e	Suicide by jumping from high places-----	8	4	4							
164f	Suicide by crushing-----	4	2	2							
164g	Suicide by other or unspecified means-----	3	1	2							
165-168	Homicide-----	22	13	8		1	17	5	2	6	4
166	Homicide by firearms-----	9	5	3		1	7	1	2	2	2
167	Homicide by cutting or piercing instruments-----	3	1	2			4			3	1
168	Homicide by other means-----	10	7	3			6	4		1	1
169-195	Accidental deaths-----	1,058	704	328	18	8	216	126	52	28	10
169	Railway accidents (except collisions with motor vehicles)-----	25	23	1	1		5	4		1	
170a	Collisions between automobiles and trains-----	2	2								
170b	Collisions between automobiles and streetcars-----	1	1								
170c	Automobile accidents (except collisions with trains or streetcars)-----	367	289	68	7	3	79	52	11	14	2
170d	Motorcycle accidents (except collisions with automobiles)-----	4	4								
171a	Streetcar accidents (except collisions with trains or motor vehicles)-----										
171b	Other and unspecified road-transport accidents-----	4	3	1			1		1		
172	Water-transport accidents-----	11	8	2	1		2	2			
173	Air-transport accidents-----	5	5								
174	Accidents in mines and quarries-----	1	1								
175a	Accidents involving agricultural machinery and vehicles-----	2	1	1			1	1			
175b,c	Other agricultural accidents-----	4	4				1	1			
175d	Accidents involving forestry machinery and vehicles-----	1	1								
175e	Other forestry accidents-----										
176	Other accidents involving machinery-----	18	17		1		1	1			
177	Food poisoning-----	1	1								
178	Accidental absorption of poisonous gas-----	30	16	12			2		2		
179	Acute accidental poisoning by solids or liquids-----	12	6	6			2	2			
180	Conflagration-----	30	17	11	2		12		4		5
181	Accidental burns (except conflagration)-----	41	21	16	2	2	10	5	3	3	2
182	Accidental mechanical suffocation-----	9	6	3			2	1		1	
183	Accidental drowning-----	78	66	11	1		25	19		6	
184	Accidental injury by firearms-----	10	9	1			7	6		1	
185	Accidental injury by cutting or piercing instruments-----	5	5								
186a	Accidental injury by fall-----	339	153	180	5	1	50	21	27	1	1
186b	Accidental injury by crushing-----	3	2	1							
187	Cataclysm, etc.*-----										
188	Injury by animals (except in agriculture and forestry)-----	2	2								
189	Hunger or thirst-----	3	3								
190	Excessive cold-----	2	2								
191	Excessive heat-----	2	2								
192	Lightning-----	2	2								
193	Accidents due to electric currents (except lightning)-----	7	7				3	2	1		
194	Poisoning by venomous animals (except in agriculture and forestry)-----						2	1	1		
195a,b	Accidents due to medical or surgical intervention-----						1	1			
195d	Obstruction, suffocation, or puncture by ingested objects-----	7	4	3			1	1			
195c,e	Other and unspecified accidents-----	32	21	11			10	7	2	1	
196	Deaths of military personnel during operations of war-----	1	1								
197	Deaths of civilians due to operations of war-----										
198	Legal executions-----										
	XVIII.—Ill-defined and unknown causes-----	45	29	13	2	1	4	2	1	1	
199	Sudden death-----	5	2	2	1						
200a	Ill-defined-----	26	20	8			2	1	1		
200b	Found dead (cause unknown)-----	3	3								
200c	Unknown or unspecified-----	9	4	3	1	1	2	1		1	

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.	
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
372	105	76	114	77	825	501	251	177	116	1,881	601	435	488	357	258	147	106	4	1		
12	1	---	5	6	61	16	7	25	13	459	86	64	187	122	7	6	1	---	---	158	
261	60	57	86	58	535	186	160	107	82	1,064	368	276	266	184	160	86	66	4	1	159	
49	26	9	8	6	61	33	16	10	2	77	42	20	8	7	30	18	12	---	---	160a	
20	7	5	6	2	91	45	27	11	8	127	49	42	21	15	34	19	15	---	---	160b,c	
30	11	5	9	5	77	21	21	24	11	154	56	33	36	29	27	18	9	---	---	161	
11	3	6	1	1	213	64	56	46	47	647	119	153	176	199	57	32	25	---	---	162	
693	313	167	149	64	2,330	1,105	418	624	183	2,746	1,180	422	870	274	597	445	142	7	3		
155	88	53	12	2	274	194	70	5	5	501	220	54	17	10	87	72	14	1	---	163, 164	
76	35	37	2	2	84	42	39	---	3	59	33	21	1	4	18	14	3	1	---	163	
25	7	16	---	2	47	20	24	---	3	47	23	19	1	4	10	7	2	1	---		
51	28	21	2	---	37	22	15	---	---	12	10	2	---	---	8	7	1	---	---		
19	14	3	2	---	29	22	7	---	---	21	17	4	---	---	11	8	3	---	---	164a	
9	7	2	---	---	26	18	8	---	---	6	4	1	---	1	7	5	2	---	---	164b	
34	22	5	7	---	115	99	10	5	1	198	158	22	15	3	47	42	5	---	---	164c	
1	1	---	---	---	8	8	---	---	---	5	3	2	---	---	2	---	---	---	---	164d	
13	8	4	1	---	5	3	2	---	---	5	2	2	---	1	1	---	---	---	---	164e	
1	1	---	---	---	4	2	2	---	---	1	1	---	---	---	---	---	---	---	---	164f	
2	---	2	---	---	3	---	2	---	1	6	2	2	---	2	1	---	---	---	---	164g	
69	8	3	46	12	362	66	22	215	59	543	92	16	338	97	24	19	4	---	1	165-168	
27	3	1	19	4	197	48	14	111	24	304	58	12	192	42	13	11	2	---	---	166	
18	---	2	13	3	124	5	2	89	28	191	11	---	132	48	2	2	---	---	---	167	
24	5	---	14	5	41	13	6	15	7	48	23	4	14	7	9	6	2	---	1	168	
468	217	111	90	50	1,690	842	328	403	119	1,894	866	352	509	167	486	354	124	6	2	169-195	
5	4	---	1	---	43	19	---	22	2	80	40	3	32	5	9	9	---	---	---	169	
1	1	---	---	---	14	8	3	3	---	29	15	3	9	2	8	7	1	---	---	170a	
1	1	---	---	---	1	1	---	---	---	2	1	1	---	2	8	---	---	---	---	170b	
149	82	22	31	14	688	390	119	144	35	649	376	95	146	32	165	121	42	1	1	170c	
4	2	---	2	---	5	4	---	1	---	6	6	---	---	2	2	2	---	---	---	170d	
6	2	2	2	---	2	1	1	---	---	7	2	1	4	---	4	---	---	---	---	171a	
4	3	---	1	---	33	17	---	16	---	22	10	4	7	1	6	6	---	---	---	171b	
4	4	---	---	---	25	25	---	---	---	11	10	1	---	3	3	2	1	---	---	172	
---	---	---	---	---	2	---	---	2	---	3	2	---	1	---	12	12	---	---	---	173	
---	---	---	---	---	3	3	---	---	---	13	9	1	3	---	13	12	---	---	---	174	
1	1	---	---	---	8	5	---	3	---	17	14	1	2	---	9	9	---	1	---	175a	
---	---	---	---	---	1	---	---	1	---	1	---	---	1	---	1	1	---	---	---	175b,c	
---	---	---	---	---	3	---	---	1	---	3	---	---	1	---	9	9	---	---	---	175d	
2	1	---	1	---	16	10	---	6	---	19	12	---	2	---	10	10	---	---	---	175e	
1	1	---	---	---	29	10	5	6	8	28	8	8	6	6	3	1	2	---	---	176	
12	5	1	1	5	11	7	4	---	---	6	5	---	1	---	5	5	---	---	---	177	
8	5	3	---	---	33	9	10	13	1	42	11	7	18	6	8	5	3	---	---	178	
2	1	---	1	---	42	16	5	12	9	32	14	2	12	4	15	10	4	1	---	179	
32	12	6	4	10	71	18	16	19	18	139	25	37	31	46	25	11	13	1	---	180	
21	7	3	5	6	10	2	1	3	4	36	6	7	15	8	7	5	1	1	---	181	
24	11	1	12	---	148	74	12	54	8	101	39	9	47	6	48	38	10	---	---	182	
3	2	1	---	---	72	40	9	20	3	110	53	6	39	12	27	24	3	---	---	183	
4	2	---	1	1	17	3	---	9	5	25	6	---	14	5	5	2	---	1	---	184	
149	50	66	21	12	252	101	117	24	10	289	105	131	54	19	65	26	37	---	---	185	
5	3	---	2	---	7	4	---	3	---	10	4	---	5	1	7	6	1	---	---	186a	
---	---	---	---	---	4	---	---	2	---	4	---	---	---	---	---	---	---	---	---	186b	
1	1	---	---	---	4	---	---	1	1	2	1	---	---	---	3	3	---	---	---	187	
---	---	---	---	---	1	---	---	---	---	1	---	---	1	---	3	---	---	---	---	188	
1	1	---	---	---	7	4	1	2	---	10	2	---	1	1	1	2	---	1	---	189	
---	---	---	---	---	18	7	1	5	3	37	14	9	12	2	1	1	---	---	---	190	
4	2	---	2	---	15	13	1	1	---	18	12	1	5	5	2	1	---	---	---	191	
---	---	---	---	---	10	5	2	3	---	4	---	---	1	1	---	---	---	---	---	192	
6	2	1	2	1	8	5	1	2	---	13	5	2	1	---	---	---	---	---	---	193	
17	11	4	1	1	79	30	17	23	9	110	49	19	35	7	7	6	1	---	---	194	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	195a,b
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	195d
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	195c,e
1	---	---	1	---	4	3	---	1	---	8	2	---	6	---	---	---	---	---	---	196	
3	---	1	1	1	668	189	88	222	169	1,012	216	126	365	305	71	40	17	4	10	197	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	198
---	---	---	---	---	114	53	23	19	19	150	44	27	47	32	8	7	---	---	---	199	
---	---	1	1	1	251	84	27	85	55	288	58	25	90	65	32	21	11	---	---	200a	
---	---	---	---	---	22	7	3	9	3	43	10	9	14	10	3	2	1	---	---	200b	
---	---	---	---	---	281	45	35	109	92	581	104	65	214	198	28	10	5	4	9	200c	

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes-----	86,994	45,035	35,600	3,579	2,780	39,510	20,388	17,131	1,026	965
	I.—Infectious and parasitic diseases-----	6,587	3,235	2,030	835	487	3,324	1,586	1,393	185	160
1	Typhoid fever-----	101	42	50	5	4	41	26	11	1	3
2	Paratyphoid fever-----	4	2	2			2	1	1		
3	Plague-----										
4	Cholera-----										
5	Undulant fever (brucellosis)-----	3	1	2			1		1		
6	Cerebrospinal (meningococcus) meningitis-----	16	11	4	1		22	17	3		2
7	Anthrax (infection by Bacillus anthracis)-----										
8	Scarlet fever-----	72	33	35		4	50	28	20		2
9	Whooping cough-----	158	71	71	11	5	70	27	39	4	
10	Diphtheria (infection by C. diphtheriae)-----	115	58	50	5	2	55	22	29	3	1
11	Erysipelas-----	26	15	11			22	9	11		2
12	Tetanus-----	28	17	7	3	1	18	14	3	1	
13-22	Tuberculosis (all forms)-----	5,630	1,898	991	570	371	1,413	615	596	106	96
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs-----	15	15				13	11	2		
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs-----	5,518	1,570	904	518	326	1,250	532	545	91	82
14	Tuberculosis of meninges and central nervous system-----	80	25	26	16	13	44	20	12	6	6
15	Tuberculosis of intestines and peritoneum-----	37	10	16	6	5	37	13	18	2	4
16	Tuberculosis of vertebral column-----	40	18	11	6	5	16	9	5	2	
17a	Tuberculosis of bones (except vertebral column)-----	7	3	1	2	1	5	4	1		
17b	Tuberculosis of joints (except vertebral column)-----	12	8	1	2	1	1	1			
18	Tuberculosis of skin, etc.*-----	4	3	1			1		1		
19	Tuberculosis of lymphatic system, etc.*-----	5	2		1	2	2	2			
20	Tuberculosis of the genito-urinary system-----	24	11	8	2	3	13	7	4	1	1
21	Tuberculosis of other organs-----	7	3	3			3	3			
22a	Disseminated tuberculosis (acute miliary)-----	76	28	18	16	14	22	10	7	4	1
22b	Disseminated tuberculosis (other and unspecified)-----	5	2	2		1	6	3	1		2
23	Leprosy-----										
24	Septicemia and purulent infection (nonpuerperal)-----	54	35	14	3	2	44	26	17		1
25	Gonococcus infection-----	8	2	1	2	3	6		3		3
26	Other diseases due to bacteria (except dysentery)-----	43	19	21	1	2	10	7	3		
27	Dysentery-----	72	36	31	3	2	52	17	12	2	1
28	Malaria-----	36	15	10	8	3	6	3	2		1
29	Other diseases due to parasitic protozoa (except spirochetes)-----										
30	Syphilis (all forms)-----	1,010	582	187	189	52	478	297	130	41	20
30a	Locomotor ataxia (tabes dorsalis)-----	45	33	10	2		25	17	8		
30b	General paralysis of insane-----	362	221	72	75	14	189	123	45	13	8
30c	Other syphilis of central nervous system-----	91	45	15	21	10	44	25	11	6	2
30d	Aneurysm of aorta-----	206	135	31	33	7	82	58	13	8	3
30e	Other syphilis of circulatory system-----	80	45	3	24	8	10	4	2	4	
30f,g	Congenital, other and unspecified forms of syphilis-----	206	103	56	34	13	128	60	51	10	7
31	Relapsing fever-----										
32	Other diseases due to spirochetes-----	13	4	8		1	20	10	9	1	
33a	Influenza, with respiratory complications specified-----	629	294	304	14	17	528	225	272	15	16
33b	Influenza, without respiratory complications specified-----	318	155	143	10	10	337	184	165	7	11
34	Smallpox-----										
35	Measles-----	3		3			7	5	2		
36	Acute poliomyelitis and acute poliomyelitis-----	24	18	5		1	3	4	3		
37a,c	Infectious encephalitis lethargica (acute and unqualified)-----	23	12	11			17	7	10		
37b	Sequelae of encephalitis lethargica-----	16	9	6	1		9	5	4		
38	Other diseases due to filtrable viruses-----	4	2	2			7	4	3		
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----	6	5	1			3	4	3		
40	Ankylostomiasis-----	1	1								
41	Hydatid disease-----	2	2								
42	Other diseases caused by helminths-----	1	1				1			1	
43	Mycoses-----	18	6	11	1		11	6	4	1	
44	Other infectious and parasitic (communicable) diseases-----	153	89	49	8	7	54	35	16	2	1
	II.—Cancer and other tumors-----	11,810	5,536	5,727	229	318	4,280	1,817	2,314	57	92
45-55	Cancer and other malignant tumors-----	11,312	5,423	5,402	216	271	4,112	1,769	2,210	54	79
45	Cancer of buccal cavity and pharynx-----	380	319	45	12	4	123	97	21	5	
45a-e	Cancer of buccal cavity-----	265	228	27	7	3	102	81	17	4	
45f	Cancer of pharynx-----	115	91	18	5	1	21	16	4	1	
46	Cancer of digestive organs and peritoneum-----	5,475	2,932	2,316	131	96	2,009	985	969	32	23
46a	Cancer of esophagus-----	284	251	39	12	2	39	27	11	1	
46b,c	Cancer of stomach and duodenum-----	2,006	1,177	733	58	38	689	393	278	13	5
46f	Cancer of liver and biliary passages-----	754	288	449	11	6	377	155	209	7	6
46g	Cancer of pancreas-----	378	188	168	12	10	165	94	64	4	3
46d,e,h,m	Cancer of other digestive organs and peritoneum-----	2,053	1,048	927	38	40	739	316	407	7	9
47	Cancer of respiratory system-----	767	570	161	32	4	174	107	62	4	1
48	Cancer of uterus-----	1,120		1,025		95	495		469		26
49	Cancer of other female genital organs-----	280		270		10	92		85		7
50	Cancer of breast-----	1,042	8	988	1	45	363	7	344		12
51	Cancer of male genital organs-----	643	624		19		261	253		8	
52	Cancer of urinary organs (male and female)-----	601	401	182	13	5	165	108	53	1	3
53	Cancer of skin (except vulva and scrotum)-----	218	130	86		2	113	73	40		
54	Cancer of central nervous system*-----	151	86	61	2	2	24	11	12	1	
55	Cancer of other and unspecified organs-----	835	353	268	6	8	293	128	155	3	7
56a	Nonmalignant tumors of ovary-----	58		53		5	17		16		1
56b	Nonmalignant tumors of uterus-----	206		169		37	46		37		9
56c	Nonmalignant tumors of other female genital organs-----	3		3							
56d,e	Nonmalignant tumors of other and unspecified organs-----	62	31	29	2		18	8	9	1	

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	IOWA				Total deaths	KANSAS				Total deaths	KENTUCKY				Total deaths	LOUISIANA				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
26,465	14,588	11,567	178	132	18,469	9,769	7,626	552	522	29,507	14,162	11,373	2,148	1,824	24,521	7,536	5,623	5,978	5,384	
1,738	934	753	33	18	1,199	620	433	80	66	3,963	1,786	1,558	371	248	3,366	648	514	1,110	894	
15	10	5			11	9	2			121	60	44	11	6	129	37	24	51	37	1
1	1				1	1				1	1				5			1		1
3	2	1			6	5	1			4	2	1	1							
17	8	9			9	4	5			50	30	17	5		20	10	2	5	5	
22	6	16			14	8	6			31	19	12	1		5	2	3			
49	25	23	1		7	4	4			67	54	25	4	4	109	22	28	25	34	
13	5	10			9	5	5			91	45	45	3	2	67	22	22	12	11	10
28	16	12			8	5	4			15	6	9			7	4	3			11
14	11	3			9	5	4			20	10	3	6	1	42	11	2	18	11	12
486	242	222	12	10	418	199	150	37	32	1,996	826	825	196	149	1,584	365	189	429	401	13-22
1	1				4	4				4	3		1							13a
437	220	195	12	10	372	176	137	35	26	1,806	749	756	171	130	1,299	355	179	395	370	13b,c
14	7	5			5	3	1			48	24	13	5	6	11	3	3	2	3	14
8	3	5			12	3	5			63	20	30	5	8	14	1	4	4	9	15
2	2	2			8	5	2	1		12	4	5	2	1	14		3	7	4	16
3	2	1			1		1			6	4	2			1		1	1		17a
1					1					4	3	1			3	1		2		17b
1		1			1	1				2	1		1		1	1				18
5	3	2			4	1	2	1		17	7	8	2		4	2		2		19
7	4	5			10	5	2	1	2	25	8	6	9	2	33	2	4	13	14	20
1	1	1			1	1				8	3	3		2	1		1	1		21
45	26	17			19	11	7	1		46	27	18	1		26	12	9	2	3	24
2		2			10		7	1	2	2	1	1		7	7	1	1	1	5	25
6	3	3			9	4	5			18	7	7	1	3	14	5	5	5	4	26
25	13	12			23	11	11		1	192	106	75	7	4	66	19	8	26	13	27
1	1				1	1				29	11	16		2	112	21	24	30	37	28
200	139	47	10	4	233	135	48	29	21	335	156	78	78	23	640	100	30	345	165	29
19	16	3			13	7	6			12	9	2	1		11	2	1	4	4	30a
58	44	11	2	1	60	35	13	7	5	126	64	33	25	6	117	24	8	59	26	30b
25	18	7			17	7	6			29	14	5	6	4	51	10	7	29	5	30c
37	27	8	2		76	58	5	4	8	29	17	4	7	1	103	28	6	55	14	30d
8	5	1	1	1	5	2	1	2		11	6	1	4		76	14	2	45	15	30e
53	29	17	5	2	62	26	17	11	8	128	46	33	37	12	282	22	6	153	101	30f,g
10	3	7			7	4	3			9	4	5			14	3	5	3	3	31
399	203	190	3	3	184	99	74	6	5	507	243	189	39	36	370	68	84	104	94	32
255	156	118	1		139	67	63	5	4	293	134	129	13	17	169	51	32	45	41	33a
5	3	2								1	1									33b
26	11	13	2		6	4	2			29	14	14	1		95	32	32	16	15	34
31	19	11	1		7	4	3			38	17	17			8	3	3	1	1	35
24	15	8	1		28	8	19	1		11	6	3	2		6	2	1	1	2	36
5	4	1			5	4	1			2	1	1			1					37a,c
4	1	3								5	3	2			2	4	2	1	1	37b
7	5	1		1						2		2			2	1		1		38
										1		1			1					39
										7		3	1		4			1		40
										1		1			1			1		41
										6		3	2	1	3			2	1	42
4	2	2			2	1	1			6		2	1	3	5			2	1	43
45	26	15	2		33	23	9		1	34	15	16	2	1	38	20	4	5	9	44
3,484	1,662	1,790	13	19	2,327	1,043	1,180	39	65	2,505	986	1,283	102	134	2,045	687	716	246	396	
3,363	1,631	1,702	13	17	2,230	1,019	1,122	37	52	2,396	959	1,224	96	117	1,934	661	681	234	358	45-55
100	77	22	1		64	50	11	2	1	91	50	30	7	4	76	50	11	10	5	45
67	54	13			51	40	8	2	1	73	44	21	5	3	55	35	8	8	4	45a-e
33	23	9	1		13	10	3			18	6	9	2	1	21	15	3	2	1	45f
1,620	880	728	8	4	1,082	556	464	23	19	1,172	554	528	48	42	782	294	239	143	106	46
44	33	11			20	12	5	3		22	17	5			25	12	6	5	2	46a
617	374	237	4	2	426	264	141	13	8	429	223	160	27	19	327	106	77	92	52	46b,c
253	108	142	1	2	167	67	95	1	4	276	106	151	10	9	123	44	44	16	19	46f
129	69	59	1		99	52	41	4	2	68	39	27	1	1	72	38	23	7	4	46g
577	296	279	2		350	161	182	2	5	377	169	185	10	13	235	94	89	23	29	46d,e,h,m
140	98	38	2	2	77	45	28	4		102	58	35	7	2	137	100	18	13	6	47
273		267		6	234		217		17	313		278		37	295		152		143	48
115		113		2	52		52			49		45		4	47		53		14	49
325	1	322		2	233	4	221		8	200	3	175		20	164	2	110		51	50
283	292		1		186	182		4		147	124		23	20	115	77		38		51
144	89	55			94	59	32	2	1	62	38	40	2	2	88	39	35	7	7	52
72	42	29	1		57	40	16	1		89	56	32	1		58	31	21	3	3	53
54	36	18			22	9	12		1	18	12	5			19	9	5	1	4	54
227	116	110		1	149	74	69	1	5	133	64	58	5	6	153	59	57	18	19	55
20		20			11		9			10		9		1	9		5		4	56a
43		41		2	39		30		2	34		21		13	37		8		29	56b
										1		1			1					56c
27	11	16			22	12	8	1	1	17	5	9	2	1	21	6	10	1	4	56d,e

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)-----	1		1							
57b	Tumors of uterus (nature unspecified)-----	2		1		1		3			
57c	Tumors of other female genital organs (nature unspecified)-----							1			
57d,e	Tumors of other and unspecified organs (nature unspecified)-----	166	82	69	11	4	83	40	38	2	3
	III.—Rheumatism, diseases of nutrition, etc.*-----	3,108	1,072	1,894	39	103	1,292	445	789	19	39
58a-d	Acute rheumatic heart diseases-----	84	41	34	3	6	52	24	19	4	5
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)-----	20	9	8		3	14	5	8		1
59	Chronic rheumatism and other rheumatic diseases-----	89	24	62	1	2	56	14	41		1
60	Gout-----										
61	Diabetes mellitus-----	2,434	868	1,436	29	81	926	357	531	11	27
62	Diseases of pituitary gland-----	4		4			6	1	4		1
63a	Simple goiter-----	7		6		1	7	1	6		
63b	Exophthalmic goiter-----	353	51	293	2	7	171	15	150	2	4
63c-e	Other diseases of thyroid and parathyroid glands-----	17	6	11			11	4	7		
64	Diseases of thymus gland-----	51	34	16	1		19	11	7	1	
65	Diseases of adrenal glands (not specified as tuberculous)-----	21	13	8			12	5	7		
66	Other general diseases-----	12	7	5			12	5	7		
67	Scurvy-----						1		1		
68	Beriberi-----										
69	Pellagra (except alcoholic)-----	23	12	6	3	2	4	2	1	1	
70	Rickets-----	9	5	3		1	1	1			
71	Other avitaminoses-----	4	2	2							
	IV.—Diseases of the blood and blood-forming organs-----	661	326	307	17	11	270	123	142	2	3
72	Hemorrhagic conditions-----	41	25	12	2	2	25	9	12	1	1
73a	Pernicious anemia-----	162	64	95	2	3	97	36	61		
73b-d	Other anemias (except splenic)-----	35	20	12	2	1	29	12	15		2
74a	Leukemias-----	357	183	159	10	5	100	54	45	1	
74b	Aleukemias-----	16	11	5			4	1	3		
75	Diseases of spleen-----	36	17	18	1		12	9	3		
76	Other diseases of the blood and blood-forming organs-----	14	6	8			5	2	3		
	V.—Chronic poisoning and intoxication-----	84	70	7	5	2	47	38	1	5	3
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism-----	3	3				2	2			
77c-e	Alcoholism (acute, chronic, and unspecified)-----	75	62	7	5	1	42	34	1	4	3
78	Lead poisoning-----	3	3				1			1	
79	Chronic poisoning by other mineral or organic substances-----	3	2			1	2	2			
	VI.—Diseases of the nervous system, etc.*-----	7,066	3,392	3,259	225	210	4,502	2,185	2,140	75	104
80	Encephalitis (non-epidemic)-----	78	43	29	3	3	60	28	30	1	1
81	Meningitis (not due to meningococcus)-----	99	53	39	6	1	77	42	31	1	3
82	Diseases of spinal cord (see exceptions)*-----	212	111	90	5	8	92	55	36	1	
82a	Cerebral hemorrhage or effusion (excluding birth injuries)-----	5,302	2,451	2,499	183	169	3,564	1,705	1,714	56	89
82b	Cerebral embolism and thrombosis-----	524	270	256	11	7	222	116	104	2	
82c	Cerebral softening-----	41	18	22	1		26	15	11		
82d	Hemiplegia and other paralysis of unspecified origin-----	241	129	98	4	10	141	67	63	5	6
84	Mental diseases and deficiency (see exception)*-----	82	35	40	2	5	51	16	28	2	5
85	Epilepsy-----	121	69	48	3	2	57	28	27	2	
86	Convulsions (under 5 years)-----	13	5	6	2		4	3	1		
87	Other diseases of nervous system-----	211	118	85	4	4	134	67	66	1	
88	Diseases of organs of vision-----	2		1	1		2		1	1	
89a	Otitis and other diseases of the ear-----	123	69	52		2	48	28	19	1	
89b	Diseases of mastoid process-----	37	22	14		1	24	15	9		
	VII.—Diseases of the circulatory system-----	28,046	14,978	11,343	960	765	11,536	6,368	4,695	248	225
90	Pericarditis (except acute rheumatic)-----	27	14	11		2	18	12	4	2	
91a,b	Bacterial and other acute or subacute endocarditis-----	183	92	84	3	4	80	43	32	2	3
91c	Endocarditis (unspecified, under 45 years)-----	23	13	9	1		11	4	6		1
92a-d	Chronic endocarditis and diseases of the valves*-----	2,434	1,171	1,126	77	60	1,257	633	557	32	35
92e	Endocarditis (unspecified, 45 years and over)-----	169	87	76	4	2	79	39	33	4	3
93a	Acute myocarditis (except rheumatic)-----	333	160	166	5	2	182	94	74	7	7
93b	Myocarditis (unspecified, under 45 years)-----	45	18	21	6		19	9	6	3	1
93c,d	Chronic myocarditis and myocardial degeneration-----	14,761	7,368	6,340	579	474	4,023	1,977	1,874	84	88
93e	Other myocarditis (unspecified)-----	1,448	740	652	30	26	848	464	352	19	13
94a	Diseases of coronary arteries-----	4,125	2,789	1,226	71	39	2,591	1,760	754	46	31
94b	Angina pectoris-----	361	267	105	3	6	377	253	119	4	1
95a	Functional diseases of heart, etc.*-----	36	24	14			39	15	23		1
95b,c	Other and unspecified diseases of heart-----	2,469	1,377	833	143	116	941	495	400	25	21
96	Aneurysm (except of heart and aorta)-----	42	27	10	4	1	9	5	2	1	1
97	Arteriosclerosis (except coronary or renal sclerosis)-----	1,362	713	598	28	23	912	486	397	16	13
98	Gangrene-----	26	15	8	1	2	22	11	9	1	1
99	Other diseases of arteries-----	87	54	28	3	2	67	37	29	1	
100	Diseases of veins-----	46	24	19	1	2	18	10	7		1
101	Diseases of lymphatic system-----	4	1	3			4	2	2		
102	High blood pressure (idiopathic)-----	35	19	12	1	3	35	17	14	1	3
103	Other diseases of circulatory system-----	6	5	2		1	4	2	1		1
	VIII.—Diseases of the respiratory system-----	4,881	2,607	1,807	271	196	2,463	1,253	1,051	115	64
104a	Diseases of nasal fossae-----	5	2	3			2	2			
104b	Diseases of accessory sinuses-----	56	25	19	10	2	23	14	7	1	1
105	Diseases of larynx-----	24	13	11			8	4	4		
105a	Acute bronchitis-----	87	48	32	3	4	13	5	8		

\* Refer to complete International List titles, table XI.



GENERAL TABLES—TOTAL DEATHS

369

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.	
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
---	---	---	---	---	2	---	2	---	---	3	---	3	---	---	---	---	---	---	---	57a	
---	---	---	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	57b	
---	---	---	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	57c	
51	20	11	---	---	21	12	7	1	1	44	22	16	4	2	44	20	12	11	1	57d,e	
930	357	563	2	8	644	248	367	7	22	727	276	367	26	58	623	153	222	89	159		
18	9	8	---	1	12	6	6	---	---	18	9	8	---	1	9	3	2	---	4	58a-d	
9	5	4	---	---	4	3	1	---	---	14	4	8	1	1	6	1	1	2	2	58e,f	
58	11	47	---	---	31	10	20	1	---	45	11	28	2	4	17	2	6	2	7	59	
689	282	400	2	5	479	200	261	4	14	491	196	240	16	39	381	106	166	38	71	60	
2	1	1	---	---	4	1	3	---	---	3	1	2	---	---	3	1	2	---	---	61	
5	3	2	---	---	3	1	2	---	---	4	1	3	---	---	5	---	1	---	---	62	
84	10	72	---	2	59	3	52	1	3	40	5	25	---	10	45	5	21	3	16	63a	
137	4	9	---	---	7	2	5	---	---	5	3	---	1	1	7	2	1	1	3	63b	
23	18	9	---	---	28	15	8	1	4	6	3	2	1	---	36	19	4	9	4	63c-e	
12	7	5	---	---	6	2	4	---	---	7	3	3	1	---	3	1	---	2	---	64	
5	2	3	---	---	4	3	1	---	---	8	4	3	1	---	11	2	6	2	1	65	
1	1	---	---	---	1	---	1	---	---	1	---	---	1	---	2	---	---	---	---	---	66
1	---	1	---	---	1	---	---	---	---	1	---	---	---	1	2	---	---	---	2	---	67
3	3	---	---	---	5	2	2	---	1	81	35	42	2	2	79	9	11	17	42	68	
1	---	1	---	---	1	---	1	---	---	3	1	2	---	---	9	1	---	6	2	69	
2	1	---	---	---	1	---	---	---	---	3	---	---	---	---	6	1	---	3	2	70	
243	133	110	---	---	168	84	79	3	2	178	98	66	7	7	117	45	36	14	22	71	
14	6	8	---	---	6	3	2	1	---	21	12	7	---	2	15	6	6	1	2	72	
81	40	41	---	---	66	31	35	---	---	67	36	26	3	2	19	6	7	1	5	73a	
26	14	12	---	---	8	3	5	---	---	25	12	10	2	1	15	3	4	4	4	73b-d	
98	62	36	---	---	76	39	34	1	2	53	33	19	1	---	45	18	16	4	7	74a	
8	2	6	---	---	3	2	1	---	---	2	1	1	---	---	3	2	1	---	---	74b	
11	7	4	---	---	5	4	---	1	---	6	3	2	---	1	18	9	1	4	4	75	
5	2	3	---	---	4	2	2	---	---	4	1	1	1	1	2	1	---	---	---	76	
38	35	2	1	---	15	12	1	1	1	57	45	6	4	2	17	10	2	4	1		
4	3	1	---	---	1	1	---	---	---	1	1	---	---	---	---	---	---	---	---	77a,b	
32	30	1	1	---	12	9	1	1	1	50	41	4	3	2	14	9	---	4	1	77c-e	
2	2	---	---	---	1	1	---	---	---	3	2	---	1	---	1	1	---	---	---	78	
3,187	1,667	1,489	18	13	2,169	1,071	994	48	56	2,881	1,275	1,190	189	227	1,811	527	435	408	441	79	
24	14	10	---	---	23	9	10	1	3	34	19	12	---	3	29	21	3	4	1	80	
37	25	12	---	---	20	11	7	1	1	59	35	21	2	1	58	26	12	10	10	81	
82	39	41	1	1	47	19	28	2	---	51	26	18	2	5	22	11	1	9	1	82	
2,548	1,331	1,191	15	11	1,735	861	793	39	42	2,304	1,002	960	153	189	1,467	402	367	313	365	83a	
197	113	83	1	---	143	79	61	1	2	72	29	27	6	8	56	21	19	13	3	83b	
20	9	11	---	---	19	12	7	---	---	13	6	7	---	---	9	4	3	---	2	83c	
23	11	11	1	---	31	12	14	1	4	99	40	44	7	8	36	11	8	10	7	83d	
47	22	24	1	---	32	13	19	---	---	42	17	19	3	3	28	5	2	12	9	84	
39	21	18	---	---	45	22	19	---	4	52	23	21	6	2	37	3	4	23	7	85	
3	1	2	---	---	2	---	2	---	---	21	10	6	3	2	8	---	1	3	4	86	
105	46	59	---	---	43	17	24	2	---	69	31	33	2	3	19	7	7	3	2	87	
4	2	2	---	---	2	---	---	---	---	2	2	---	---	---	2	---	---	1	1	88	
56	19	17	---	---	23	13	10	---	---	47	27	14	3	3	28	10	7	5	6	89a	
22	14	8	---	---	6	3	2	1	---	16	8	8	---	---	12	6	1	2	3	89b	
7,525	4,374	3,078	48	25	5,040	2,874	1,922	128	116	6,743	3,291	2,428	532	492	5,770	1,981	1,435	1,214	1,140		
15	8	7	---	---	16	7	6	1	2	24	13	4	1	6	11	4	2	3	2	90	
33	15	18	---	---	37	24	13	---	---	25	12	11	1	1	39	9	16	7	7	91a,b	
7	5	1	1	---	2	---	2	---	---	11	7	2	---	3	---	1	1	1	1	91c	
860	452	395	9	4	721	379	288	24	30	869	418	326	64	61	864	194	221	215	254	92a-d	
64	35	28	1	---	47	22	24	---	1	125	56	50	6	11	22	12	4	4	2	92e	
46	30	16	---	---	47	25	17	4	1	3	2	1	---	---	148	37	18	44	49	93a	
8	2	5	---	1	7	2	4	---	1	78	18	23	18	19	7	2	---	4	1	93b	
2,271	1,181	1,061	18	11	1,850	965	767	51	47	1,995	876	828	140	151	2,542	825	704	526	487	93c,d	
477	238	255	---	4	245	121	107	12	5	777	345	263	86	85	193	58	41	42	51	93e	
2,194	1,480	699	11	4	1,131	767	335	14	15	1,103	652	327	70	54	855	471	186	108	68	94a	
209	144	65	---	---	167	117	50	---	---	202	133	57	10	2	189	104	36	21	28	94b	
39	19	20	---	---	36	22	14	---	---	52	15	11	2	4	19	8	5	1	5	95a	
637	376	254	6	1	252	151	87	15	11	928	472	324	77	55	582	167	113	164	138	95b,c	
7	6	1	---	---	10	7	3	---	---	10	7	1	1	1	11	3	2	5	1	96	
542	324	216	2	---	414	220	185	9	2	474	225	167	44	38	208	66	58	48	36	97	
14	6	8	---	---	9	7	2	---	---	13	7	5	---	1	13	1	3	8	1	98	
62	38	24	---	---	33	23	10	---	---	29	19	8	2	---	16	9	4	2	1	99	
17	5	12	---	---	10	4	6	---	---	13	1	5	5	2	12	2	4	2	4	100	
---	---	---	---	---	2	1	1	---	---	3	2	1	---	---	1	---	---	1	---	---	101
21	9	12	---	---	14	10	3	---	1	27	10	14	2	1	52	8	14	7	23	102	
2	1	1	---	---	---	---	---	---	---	2	1	---	1	---	3	---	---	---	---	---	103
1,644	889	737	13	5	986	503	411	39	33	2,285	1,059	912	172	142	2,080	567	391	644	478		
7	4	2	1	---	1	1	---	---	---	---	---	---	---	---	5	---	1	1	3	104a	
19	11	8	---	---	13	9	3	1	---	12	8	4	---	---	20	8	7	5	---	104b	
7	3</																				

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
VIII.—Diseases of the respiratory system—Continued											
106b	Chronic bronchitis	119	64	48	2	5	59	25	33	1	—
106c	Bronchitis (unspecified)	49	20	27	2	—	14	8	6	—	—
107	Bronchopneumonia (including capillary bronchitis)	1,849	936	740	94	79	965	466	451	39	27
108	Lobar pneumonia	2,031	1,121	684	132	94	979	506	378	65	50
109	Pneumonia (unspecified)	171	83	79	5	4	147	74	70	3	—
110	Pleurisy (not specified as tuberculous)	144	88	46	8	2	54	36	17	1	—
111a	Hemorrhagic infarction and thrombosis of lungs	30	20	9	—	1	37	19	16	—	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	111	58	50	—	3	91	45	43	1	2
112	Asthma	94	51	39	3	1	58	23	32	2	1
113	Pulmonary emphysema	9	5	3	1	—	2	2	—	—	—
114	Other diseases of respiratory system (except tuberculosis)	102	73	17	11	1	33	24	6	2	1
IX.—Diseases of the digestive system											
		4,835	2,722	1,848	154	109	1,988	1,037	850	50	51
115a,b,d	Diseases of buccal cavity and adnexa	148	77	59	8	4	80	37	37	5	1
115c	Diseases of pharynx and tonsils	90	46	38	4	2	38	13	25	1	1
116	Diseases of esophagus	14	11	2	—	1	6	3	2	1	—
117a	Ulcer of stomach	415	314	66	26	9	145	97	39	5	4
117b	Ulcer of duodenum	164	134	27	2	1	59	47	12	—	—
118	Other diseases of stomach (except cancer)	85	46	29	7	3	35	20	13	—	2
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	245	136	82	17	8	197	103	88	3	3
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	150	78	65	2	5	121	52	62	2	5
121	Appendicitis	916	534	337	30	15	568	217	135	8	8
122a	Hernia	346	192	139	11	4	129	77	43	5	4
122b	Intestinal obstruction	453	198	222	12	21	223	116	98	4	5
123	Other diseases of intestines	86	47	34	2	3	31	16	12	2	1
124a	Cirrhosis of liver (with mention of alcoholism)	69	52	14	1	2	7	3	2	—	2
124b	Cirrhosis of liver (without mention of alcoholism)	807	522	255	16	14	237	130	90	11	6
125a	Acute yellow atrophy of liver (nonpuerperal)	27	11	14	—	2	11	4	7	—	—
125b	Other diseases of liver	88	40	22	1	5	19	12	6	—	1
126	Biliary calculi	338	118	215	2	3	84	17	65	—	2
127	Other diseases of gallbladder and biliary ducts	287	106	171	6	4	135	48	84	2	1
128	Diseases of pancreas (except diabetes mellitus)	49	24	24	1	—	20	11	9	—	—
129	Peritonitis (cause not stated)	78	36	33	6	3	43	14	23	1	5
X.—Diseases of the genito-urinary system											
		8,669	4,282	3,819	294	274	4,378	2,345	1,802	101	130
130	Acute nephritis	151	74	60	7	10	110	62	41	2	5
131a	Arteriosclerotic kidney	4,652	2,155	2,221	152	126	2,690	1,400	1,166	55	79
131b	Other chronic nephritis	2,526	1,166	1,165	82	93	953	489	409	28	27
132	Nephritis unspecified (10 years and over)	243	135	89	15	6	195	102	80	6	7
133	Other diseases of kidneys and ureters, etc.*	201	98	89	7	7	115	65	48	1	1
134	Calculi of urinary passages	117	67	46	3	1	43	29	13	1	—
135	Diseases of urinary bladder	44	22	20	1	1	16	13	3	—	—
136	Diseases of urethra (except calculus)	22	17	2	3	—	9	6	—	3	—
137	Diseases of prostate	551	525	—	26	—	184	179	—	5	—
138	Diseases of other male genital organs (except venereal)	5	5	—	—	—	—	—	—	—	—
139a	Diseases of ovaries, fallopian tubes, and parametria	111	—	83	—	28	42	—	31	—	11
139b	Diseases of uterus	44	—	43	—	1	21	—	21	—	—
139c	Diseases of other and unspecified female genital organs	2	—	1	—	1	—	—	—	—	—
XI.—Diseases of pregnancy, childbirth, and the puerperium											
		370	—	324	—	46	210	—	189	—	21
140	Abortion with mention of infection	61	—	54	—	7	44	—	39	—	5
140a,b	Abortion (septic), spontaneous or therapeutic *	56	—	32	—	4	36	—	31	—	5
140c,d	Abortion (septic), self-induced or nontherapeutic *	25	—	22	—	3	8	—	8	—	—
141	Abortion without mention of infection	20	—	18	—	2	10	—	10	—	—
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	7	—	7	—	—	1	—	1	—	—
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	13	—	11	—	2	9	—	9	—	—
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	—	—	—	—	—	—	—	—	—	—
142a	Ectopic gestation, with mention of infection	7	—	4	—	3	—	—	—	—	—
142b	Ectopic gestation, without mention of infection	21	—	17	—	4	10	—	9	—	1
143a	Placenta praevia (death before delivery)	—	—	—	—	—	2	—	2	—	—
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	—	1	—	—	1	—	1	—	—
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	17	—	17	—	—	15	—	14	—	1
144c,d	Other toxemias of pregnancy (death before delivery) *	14	—	12	—	2	8	—	6	—	2
145	Other diseases and accidents of pregnancy (death before delivery)	12	—	10	—	2	7	—	6	—	1
146a	Placenta praevia (with childbirth)	5	—	5	—	—	5	—	4	—	1
146b,c	Other hemorrhages of childbirth and puerperium	31	—	28	—	3	15	—	14	—	1
147a,b	Puerperal pyelitis, other general or local puerperal infection *	58	—	46	—	12	36	—	30	—	6
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	37	—	36	—	1	22	—	22	—	—
148a,b	Puerperal eclampsia and nephritis *	31	—	30	—	1	14	—	11	—	3
148c,d	Other puerperal toxemias	8	—	8	—	—	1	—	1	—	—
149	Other accidents and specified conditions of childbirth	27	—	22	—	5	13	—	13	—	—
150	Other and unspecified conditions of childbirth and puerperium	20	—	16	—	4	7	—	7	—	—
XII.—Diseases of the skin and cellular tissue											
		80	44	31	2	3	41	16	21	1	3
151	Carbuncle and furuncle	29	21	8	—	—	12	7	5	—	—
152	Phlegmon and acute abscess	21	12	7	1	1	7	2	3	1	1
153	Other diseases of skin and cellular tissue	30	11	16	1	2	22	7	13	—	2
XIII.—Diseases of the bones, etc.*											
		79	53	18	5	3	22	12	8	1	1
154	Osteomyelitis and periostitis	47	35	8	2	2	10	5	4	—	1
155	Other diseases of bones (except tuberculosis)	5	2	3	—	—	2	1	1	—	—
156	Diseases of joints and other organs of movement	27	16	7	3	1	10	6	3	1	—
XIV.—Congenital malformations											
		785	421	337	13	14	327	189	133	2	3

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	IOWA				Total deaths	KANSAS				Total deaths	KENTUCKY				Total deaths	LOUISIANA				List No.	
	White		All other			White		All other			White		All other			White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
43	22	20	1	---	24	14	9	---	1	38	18	17	2	1	25	12	8	3	2	106b	
12	5	7	---	---	6	5	1	---	---	33	12	15	5	1	15	4	5	3	3	106c	
647	332	311	4	---	395	194	180	10	11	758	343	314	50	51	978	248	205	502	225	107	
686	393	283	5	5	406	207	159	22	18	1,178	556	457	88	77	777	226	112	260	179	108	
35	21	12	2	---	20	13	6	1	---	37	16	15	5	1	63	7	8	25	23	109	
31	22	9	---	---	16	6	6	1	1	39	20	13	5	1	56	14	13	20	9	110	
20	8	12	---	---	22	10	11	---	1	13	6	7	---	---	20	7	6	1	6	111a	
59	25	34	---	---	31	15	15	1	---	81	41	32	3	5	37	13	13	3	8	111b,c	
41	28	13	---	---	19	9	8	1	1	53	22	23	6	2	35	13	7	8	7	112	
2	1	1	---	---	2	1	1	---	---	1	---	1	---	---	---	---	---	---	---	---	113
17	9	8	---	---	16	12	3	1	---	21	9	5	4	3	31	9	2	12	8	114	
1,471	823	639	6	3	1,084	602	423	33	26	1,894	957	724	106	107	1,558	527	334	388	309		
54	23	30	1	---	34	14	18	1	1	58	33	22	2	1	42	8	15	8	11	115a,b,d	
30	18	12	---	---	20	13	6	---	1	39	18	16	4	1	25	6	5	7	7	115c	
4	3	1	---	---	2	2	---	---	---	7	3	3	---	1	2	1	1	---	---	116	
124	103	21	---	---	111	85	19	4	3	128	81	23	12	12	118	56	9	35	18	117a	
58	48	10	---	---	40	32	6	2	---	58	28	7	2	1	32	20	5	6	1	117b	
31	16	15	---	---	19	7	11	---	1	78	36	28	7	7	49	14	7	13	15	118	
70	43	27	---	---	71	38	23	2	8	515	242	233	27	13	295	69	55	102	71	119	
65	37	25	1	---	64	27	35	3	1	174	65	85	8	16	76	20	10	19	27	120	
321	189	129	3	---	256	160	86	9	1	303	187	87	11	18	288	111	71	60	46	121	
122	67	54	1	---	76	43	30	2	1	74	41	25	6	2	73	32	12	24	5	122a	
158	55	102	1	---	84	41	38	3	2	134	64	49	8	13	184	49	47	45	43	122b	
54	14	19	---	1	22	10	11	---	1	19	11	3	1	4	32	12	7	6	7	123	
10	9	1	---	---	4	4	---	---	---	5	5	---	---	---	8	7	---	1	---	124a	
127	89	38	---	---	90	52	31	4	3	130	81	34	8	7	173	75	37	37	24	124b	
9	5	4	---	---	13	8	5	---	---	9	3	6	---	---	14	2	2	4	6	125a	
20	12	8	---	---	16	8	7	1	---	23	8	8	7	---	34	9	8	10	7	125b	
105	27	77	---	1	97	32	63	1	1	94	25	63	1	5	29	11	13	2	3	126	
85	58	47	---	---	37	14	21	1	1	30	13	15	---	2	46	13	20	5	8	127	
17	10	7	---	---	10	5	5	---	---	14	5	9	---	---	12	3	4	1	4	128	
29	17	12	---	---	18	9	8	---	1	22	8	8	2	4	26	9	8	3	6	129	
2,078	1,252	784	21	21	2,101	1,119	829	77	76	2,456	1,164	854	244	194	2,730	739	644	710	637		
42	24	18	---	---	45	22	18	4	1	45	17	21	4	3	93	17	17	29	30	130	
1,152	638	486	13	15	1,097	545	467	39	46	1,091	491	407	106	87	1,478	400	385	350	343	131a	
393	227	155	5	6	593	299	248	26	20	657	308	223	66	60	742	186	183	192	181	131b	
97	54	43	---	---	54	27	21	2	4	329	143	125	33	28	65	18	11	15	21	132	
58	27	30	1	---	58	29	25	2	2	83	36	33	9	5	82	19	20	30	13	133	
32	18	13	1	---	32	22	10	---	---	20	17	2	---	1	24	15	3	3	3	134	
13	10	3	---	---	19	14	5	---	---	25	15	5	4	1	14	6	1	7	---	135	
8	6	---	---	---	5	3	---	---	---	8	4	---	4	---	21	6	---	14	1	136	
245	244	---	1	---	180	158	---	2	---	149	131	---	18	---	140	71	---	69	---	137	
4	4	---	---	---	---	---	---	---	---	2	2	---	---	---	2	1	---	1	---	138	
21	---	21	---	---	28	---	25	---	3	28	---	20	---	8	49	---	13	---	56	139a	
14	---	14	---	---	8	---	8	---	---	19	---	18	---	1	19	---	11	---	8	139b	
1	---	1	---	---	2	---	2	---	---	---	---	---	---	---	1	---	---	---	1	139c	
131	---	129	---	2	108	---	96	---	12	262	---	282	---	30	302	---	132	---	170		
27	---	27	---	---	21	---	18	---	3	43	---	34	---	9	48	---	21	---	27	140	
22	---	22	---	---	21	---	7	---	2	41	---	32	---	9	39	---	15	---	24	140a,b	
5	---	5	---	---	12	---	11	---	1	2	---	2	---	9	40	---	6	---	3	140c,d	
9	---	9	---	---	5	---	3	---	2	11	---	9	---	2	9	---	5	---	4	141	
4	---	4	---	---	4	---	---	---	1	1	---	1	---	3	4	---	2	---	1	141a,c	
5	---	5	---	---	1	---	3	---	1	9	---	7	---	2	4	---	2	---	2	141b,d	
---	---	---	---	---	---	---	---	---	---	1	---	1	---	2	2	---	1	---	1	141e,f	
2	---	2	---	---	1	---	---	---	1	---	---	---	---	---	1	---	---	---	---	1	142a
8	---	8	---	---	3	---	3	---	---	3	---	2	---	1	9	---	3	---	6	142b	
---	---	---	---	---	---	---	---	---	---	2	---	2	---	---	---	---	---	---	---	---	143a
6	---	6	---	---	6	---	5	---	1	15	---	1	---	1	23	---	9	---	14	143b,c	
2	---	2	---	---	4	---	4	---	---	6	---	5	---	1	20	---	10	---	10	144a,b	
5	---	5	---	---	4	---	3	---	1	8	---	8	---	---	23	---	12	---	11	144c,d	
1	---	1	---	---	---	---	---	---	---	11	---	10	---	1	8	---	4	---	4	146a	
9	---	9	---	---	12	---	12	---	---	25	---	24	---	1	24	---	13	---	11	146b,c	
17	---	16	---	1	22	---	20	---	2	55	---	46	---	7	58	---	19	---	39	147a,b	
20	---	19	---	1	9	---	8	---	1	9	---	8	---	1	9	---	7	---	2	147c,d	
11	---	11	---	---	7	---	6	---	1	39	---	37	---	2	38	---	13	---	25	148a,b	
2	---	2	---	---	4	---	4	---	---	2	---	1	---	1	4	---	1	---	3	148c,d	
6	---	6	---	---	9	---	9	---	---	14	---	12	---	2	17	---	9	---	8	149	
6	---	6	---	---	1	---	1	---	---	20	---	19	---	1	11	---	6	---	5	150	
28	13	15	---	---	17	12	4	1	---	64	39	24	---	1	45	18	12	5	10		
8	5	3	---	---	6	4	2	---	---	16	11	5	---	---	16	9	4	1	2	151	
12	4	8	---	---	5	4	1	---	---	15	11	4	---	---	22	9	6	1	6	152	
8	4	4	---	---	6	4	1	1	---	33	17	15	---	1	7	---	2	3	2	153	
30	19	11	---	---	16	8	7	1	---	20	13	5	1	1	25	9	4	5	7		
22	14	8	---	---	12	6	5	1	---	13	10	2	1								

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life-----	2,342	1,244	880	123	95	1,073	617	402	32	22
158	Congenital debility (cause not stated)-----	43	24	14	2	3	35	19	14	1	1
159	Premature birth (cause not stated)-----	1,350	694	523	79	54	696	397	256	26	17
160a	Intracranial or spinal hemorrhage-----	337	189	125	12	11	100	65	33	2	-----
160b,c	Other injuries at birth-----	299	174	113	8	4	78	57	20	1	-----
161	Other diseases peculiar to the first year of life-----	313	163	105	22	23	164	79	79	2	4
162	XVI.—Senility-----	217	83	122	3	9	138	58	75	2	3
	XVII.—Violent or accidental deaths-----	7,127	4,600	1,801	398	128	5,502	2,234	1,097	130	41
163,164	Suicide-----	1,167	870	275	14	8	575	437	131	4	3
163	Suicide by poisoning-----	278	187	83	3	5	162	98	62	-----	2
	Suicide by solid or liquid poisons-----	154	91	56	2	5	101	56	43	-----	2
	Suicide by poisonous gases-----	124	96	27	1	-----	61	42	19	-----	-----
164a	Suicide by hanging or strangulation-----	295	221	71	2	1	94	71	23	-----	-----
164b	Suicide by drowning-----	74	40	32	1	1	42	23	16	2	1
164c	Suicide by firearms and explosives-----	396	346	44	5	1	236	219	15	2	-----
164d	Suicide by cutting or piercing instruments-----	44	37	7	-----	-----	18	12	6	-----	-----
164e	Suicide by jumping from high places-----	66	31	35	-----	-----	7	4	3	-----	-----
164f	Suicide by crushing-----	11	7	1	3	-----	5	4	1	-----	-----
164g	Suicide by other or unspecified means-----	3	1	2	-----	-----	11	6	5	-----	-----
165-168	Homicide-----	422	182	49	152	39	129	53	26	36	14
166	Homicide by firearms-----	227	107	28	81	11	82	32	20	24	6
167	Homicide by cutting or piercing instruments-----	83	19	6	48	10	19	5	1	8	5
168	Homicide by other means-----	112	56	15	23	18	28	16	5	4	3
169-195	Accidental deaths-----	5,534	3,746	1,477	230	61	2,795	1,742	940	89	24
169	Railway accidents (except collisions with motor vehicles)-----	273	213	21	33	6	152	121	18	11	2
170a	Collisions between automobiles and trains-----	159	116	40	2	1	92	60	30	2	-----
170b	Collisions between automobiles and streetcars-----	21	13	2	2	4	11	9	1	-----	-----
170c	Automobile accidents (except collisions with trains or streetcars)-----	2,030	1,477	450	78	25	973	683	243	36	11
170d	Motorcycle accidents (except collisions with automobiles)-----	21	19	2	-----	-----	19	15	4	-----	-----
171a	Streetcar accidents (except collisions with trains or motor vehicles)-----	47	34	13	-----	-----	5	3	2	-----	-----
171b	Other and unspecified road-transport accidents-----	9	7	2	-----	-----	8	8	-----	-----	-----
172	Water-transport accidents-----	40	34	5	-----	1	11	10	-----	1	-----
173	Air-transport accidents-----	19	18	1	-----	-----	7	4	3	-----	-----
174	Accidents in mines and quarries-----	90	89	-----	1	-----	7	27	-----	2	-----
175a	Accidents involving agricultural machinery and vehicles-----	44	43	1	-----	-----	29	31	1	-----	-----
175b,c	Other agricultural accidents-----	28	28	-----	-----	-----	20	19	1	-----	-----
175d	Accidents involving forestry machinery and vehicles-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
175e	Other forestry accidents-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
176	Other accidents involving machinery-----	67	63	3	1	-----	22	18	1	3	-----
177	Food poisoning-----	7	1	5	-----	1	6	1	5	-----	-----
178	Accidental absorption of poisonous gas-----	79	58	13	4	4	29	22	7	-----	-----
179	Acute accidental poisoning by solids or liquids-----	75	40	31	2	3	38	19	18	-----	1
180	Conflagration-----	65	59	12	7	7	21	17	3	1	-----
181	Accidental burns (except conflagration)-----	227	110	96	12	9	92	52	34	3	3
182	Accidental mechanical suffocation-----	28	14	7	5	2	35	19	14	-----	-----
183	Accidental drowning-----	278	225	34	18	1	147	114	24	8	1
184	Accidental injury by firearms-----	108	93	5	8	2	49	44	3	2	-----
185	Accidental injury by cutting or piercing instruments-----	20	13	5	1	1	11	8	2	1	-----
186a	Accidental injury by fall-----	1,422	707	669	38	8	833	316	502	10	5
186b	Accidental injury by crushing-----	17	16	1	-----	-----	6	6	-----	-----	-----
187	Cataclysm, etc.*-----	2	-----	-----	-----	-----	2	2	-----	-----	-----
188	Injury by animals (except in agriculture and forestry)-----	16	14	1	1	-----	8	7	1	-----	-----
189	Hunger or thirst-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
190	Excessive cold-----	3	3	-----	-----	-----	1	-----	1	-----	-----
191	Excessive heat-----	32	23	8	1	-----	14	11	2	1	-----
192	Lightning-----	15	14	1	-----	-----	8	7	-----	1	-----
193	Accidents due to electric currents (except lightning)-----	41	38	1	2	-----	31	29	1	1	-----
194	Poisoning by venomous animals (except in agriculture and forestry)-----	3	2	1	-----	-----	1	1	-----	-----	-----
195a,b	Accidents due to medical or surgical intervention-----	2	2	-----	-----	-----	-----	-----	-----	-----	-----
195d	Obstruction, suffocation, or puncture by ingested objects-----	35	16	15	1	1	19	16	2	1	-----
195c,e	Other and unspecified accidents-----	213	165	30	13	5	65	43	17	4	1
196	Deaths of military personnel during operations of war-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
197	Deaths of civilians due to operations of war-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
198	Legal executions-----	4	2	-----	2	-----	3	2	-----	1	-----
	XVIII.—Ill-defined and unknown causes-----	229	170	46	6	7	97	65	29	3	-----
199	Sudden death-----	16	13	1	1	1	1	1	-----	-----	-----
200a	Ill-defined-----	141	105	27	3	6	81	56	24	1	-----
200b	Found dead (cause unknown)-----	7	6	-----	1	-----	-----	-----	-----	-----	-----
200c	Unknown or unspecified-----	65	46	18	1	-----	15	8	5	2	-----

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
882	520	352	4	6	625	330	260	21	14	1,499	811	573	66	49	1,298	370	271	328	329		
17	11	5	1	28	13	11	2	2	106	54	39	6	7	82	14	11	29	28	159		
559	327	226	1	5	398	215	167	10	6	1,035	553	405	46	31	821	219	165	211	226	159	
105	65	38	1	47	25	20	2	2	94	55	33	5	1	110	42	28	25	15	160a		
102	64	37	1	80	42	33	4	1	113	68	39	2	4	124	45	32	28	19	160b,c		
99	52	46	1	72	35	29	5	3	151	81	57	7	6	161	50	35	35	41	161		
355	160	191	1	3	115	61	51	1	2	367	139	192	19	17	204	48	52	46	58	162	
2,285	1,518	743	17	7	1,610	1,034	481	70	25	3,025	1,910	733	285	97	2,047	681	338	618	212		
431	340	90	1	276	209	61	4	2	303	230	58	12	3	214	152	45	15	2	163,164		
99	61	38	1	57	35	21	1	1	89	37	18	4	4	40	22	17	1	1	165		
49	27	22	1	36	17	18	1	1	45	26	15	4	1	37	18	17	1	1			
50	34	16	1	21	18	3	1	1	14	11	3	1	1	3	3	3	1	1			
129	101	28	1	53	37	16	1	1	47	35	10	2	1	9	5	2	2	2	164a		
17	10	7	1	14	7	6	1	1	17	12	5	1	1	9	4	4	1	1	164b		
161	152	8	1	131	116	12	3	1	162	132	22	5	3	135	111	19	5	1	164c		
13	10	3	1	8	7	1	1	1	12	11	1	1	1	13	8	1	1	1	164d		
6	3	3	1	5	2	2	1	1	3	1	1	1	1	3	1	1	1	1	164e		
4	3	1	1	5	2	3	1	1	1	1	1	1	1	1	1	1	1	1	164f		
2	2	2	1	3	3	1	1	1	2	1	1	1	1	4	1	2	1	1	164g		
45	27	12	5	60	30	8	19	3	428	265	28	113	22	314	52	11	197	54	165-168		
31	16	10	4	38	18	7	11	2	343	219	24	85	15	169	37	7	99	26	166		
4	3	1	1	9	2	2	7	1	45	19	1	21	4	123	8	4	84	27	167		
10	6	1	1	13	10	1	1	1	40	27	3	7	3	22	7	14	14	1	168		
1,809	1,151	641	12	5	1,274	795	412	47	20	2,287	1,410	647	159	72	1,517	677	282	402	156	169-195	
77	66	8	3	44	37	2	5	1	109	88	5	13	3	49	27	1	17	4	169		
33	30	3	1	45	35	9	1	1	25	19	6	1	1	9	6	1	2	1	170a		
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	170b	
508	354	146	2	1	368	254	98	13	5	654	454	132	53	15	474	234	62	118	40	170c	
7	7	1	1	2	2	2	1	1	11	10	1	1	1	10	8	2	1	1	1	170d	
2	2	1	1	1	1	1	1	1	2	1	1	1	1	5	3	2	1	1	1	171a	
6	6	1	1	2	2	2	1	1	9	5	2	2	2	10	4	1	5	1	1	171b	
7	7	1	1	9	9	1	1	1	9	6	1	2	2	63	31	5	20	7	172		
5	4	1	1	8	8	1	1	1	2	2	1	1	1	4	4	1	1	1	173		
22	21	1	1	15	15	1	1	1	149	162	17	1	1	17	1	1	1	1	174		
54	51	3	1	26	25	1	1	1	13	13	1	1	1	8	4	1	4	1	175a		
51	51	1	1	16	16	1	1	1	25	24	1	1	1	13	7	1	6	1	175b,c		
1	1	1	1	1	1	1	1	1	2	2	1	1	1	9	4	1	5	1	175d		
18	16	2	1	22	20	2	2	2	20	16	1	3	1	30	22	8	8	1	175e		
5	5	1	1	10	7	3	1	1	15	8	3	3	1	31	10	11	4	6	176		
22	14	8	1	18	16	2	1	1	13	9	4	1	1	4	2	1	1	1	177		
21	8	11	1	19	10	8	1	1	29	11	15	2	1	36	11	10	5	10	178		
45	29	16	1	31	19	10	1	1	55	19	21	8	7	24	7	3	9	5	179		
81	36	44	1	77	32	35	5	5	148	59	66	8	15	131	36	34	28	33	180		
24	14	10	1	5	4	1	1	1	45	22	18	1	4	17	7	4	3	3	181		
60	49	8	3	61	49	7	3	2	128	105	11	10	2	105	49	10	43	3	182		
41	38	3	1	43	37	4	2	1	104	82	10	8	4	68	29	7	27	5	183		
20	13	6	1	8	5	2	1	1	17	9	5	1	2	20	5	3	12	1	184		
569	228	341	1	343	133	204	3	3	485	161	275	15	14	223	91	89	26	17	185		
11	11	1	1	8	6	1	1	1	9	7	1	1	1	11	6	1	3	1	186a		
4	3	1	1	2	2	1	1	1	76	28	48	1	1	12	5	4	2	1	186b		
1	1	1	1	2	1	1	1	1	8	8	1	1	1	4	1	3	1	1	187		
5	3	2	1	6	3	2	1	1	7	3	1	3	1	3	1	3	1	1	188		
8	7	1	1	22	12	6	3	1	15	10	5	1	1	15	6	6	3	3	189		
4	4	1	1	5	4	1	1	1	12	9	3	1	1	16	10	3	3	3	190		
17	17	1	1	7	5	2	1	1	14	11	1	2	1	11	9	2	2	1	191		
1	1	1	1	1	1	1	1	1	5	1	3	1	1	6	3	3	1	1	192		
21	14	7	1	10	5	3	2	1	14	9	4	1	1	18	6	3	5	4	193		
61	43	16	2	38	21	12	4	1	58	47	5	5	1	75	31	6	29	9	194		
																				195a,b	
																				195d	
																				195e,e	
																				196	
																				197	
																				198	
97	61	35	1	71	41	25	1	4	317	184	111	14	8	312	53	42	119	98			
8	5	3	1	8	6	2	1	1	21	15	5	1	1	37	5	5	14	13	199		
68	42	26	1	27	12	11	1	3	138	77	47	8	6	101	22	14	35	30	200a		
5	5	1	1	8	8	1	1	1	46	29	15	2	2	7	2	1	2	2	200b		
16	9	6	1	28	15	12	1	1	112	63	44	3	2	167	24	22	68	53	200c		

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes-----	10,815	5,780	5,012	15	8	20,831	8,754	7,460	2,503	2,114
	I.—Infectious and parasitic diseases-----	650	355	288	5	2	2,207	681	442	593	491
1	Typhoid fever-----	11	9	2			17	6	3	5	5
2	Paratyphoid fever-----						1			1	
3	Plague-----										
4	Cholera-----										
5	Undulant fever (brucellosis)-----										
6	Cerebrospinal (meningococcus) meningitis-----	6	5	3			10	7	1	1	1
7	Anthrax (infection by Bacillus anthracis)-----										
8	Scarlet fever-----	3	1	2			5	1	2	1	1
9	Whooping cough-----	37	14	23			22	7	6	5	4
10	Diphtheria (infection by C. diphtheriae)-----	9	4	5			22	11	10		1
11	Erysipelas-----	6	4	2			3	2			1
12	Tetanus-----	2	1	1			10	6	1	2	1
13-22	Tuberculosis (all forms)-----	281	142	134	3	2	1,291	415	251	328	297
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs-----	5	5								
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs-----	245	121	119	3	2	1,215	596	256	303	280
14	Tuberculosis of meninges and central nervous system-----	10	5	5			25	7	1	9	8
15	Tuberculosis of intestines and peritoneum-----	8	4	4			14	2	4	4	4
16	Tuberculosis of vertebral column-----	3	1	2			9	3	2	3	1
17a	Tuberculosis of bones (except vertebral column)-----						3		2	1	
17b	Tuberculosis of joints (except vertebral column)-----	1	1				3			3	
18	Tuberculosis of skin, etc.*-----										
19	Tuberculosis of lymphatic system, etc.*-----	1	1				1		1		
20	Tuberculosis of genito-urinary system-----	4	2	2			8	6	2		
21	Tuberculosis of other organs-----						3	1	1	1	
22a	Disseminated tuberculosis (acute miliary)-----	4	2	2			9		2	4	3
22b	Disseminated tuberculosis (other and unspecified)-----						1				1
23	Leprosy-----										
24	Septicemia and purulent infection (nonpuerperal)-----	5	4	1			17	9	5	2	1
25	Gonococcus infection-----						17	2	4	6	5
26	Other diseases due to bacteria (except dysentery)-----						10	3	5		2
27	Dysentery-----	1	1				37	6	15	5	11
28	Malaria-----										
29	Other diseases due to parasitic protozoa (except spirochetes)-----										
30	Syphilis (all forms)-----	73	49	22	2		493	117	40	205	121
30a	Locomotor ataxia (tabes dorsalis)-----	11	9	2			7	6		1	
30b	General paralysis of insane-----	12	9	3			97	31	6	49	11
30c	Other syphilis of central nervous system-----	10	7	3			34	11	3	15	5
30d	Aneurysm of aorta-----	11	8	2	1		71	25	10	28	8
30e	Other syphilis of circulatory system-----	3	3				39	8	2	22	7
30f,g	Congenital, other and unspecified forms of syphilis-----	26	13	12	1		235	36	19	90	90
31	Relapsing fever-----										
32	Other diseases due to spirochetes-----	1		1			1				
33a	Influenza, with respiratory complications specified-----	97	53	44			110	35	49	10	16
33b	Influenza, without respiratory complications specified-----	78	43	35			64	18	20	10	16
34	Smallpox-----										
35	Measles-----	8	5	3			17	6	6	3	2
36	Acute poliomyelitis and acute polioencephalitis-----						2	2			
37a,c	Infectious encephalitis lethargica (acute and unqualified)-----	5	4	1			7	4	2	1	
37b	Sequelae of encephalitis lethargica-----						6	3	2		1
38	Other diseases due to filtrable viruses-----	3	2	1			4	4			
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----						12	4	5	2	1
40	Ankylostomiasis-----										
41	Hydatid disease-----										
42	Other diseases caused by helminths-----						1		1		
43	Mycoses-----	2	2				6	2		3	1
44	Other infectious and parasitic (communicable) diseases-----	22	14	8			32	12	12	3	5
	II.—Cancer and other tumors-----	1,338	596	741	1		2,443	969	1,163	128	183
45-55	Cancer and other malignant tumors-----	1,295	578	716	1		2,361	950	1,122	124	165
45	Cancer of buccal cavity and pharynx-----	49	39	10			66	50	9	4	3
45a-e	Cancer of buccal cavity-----	41	34	7			47	38	5	3	1
45f	Cancer of pharynx-----	8	5	3			19	12	4	1	2
46	Cancer of digestive organs and peritoneum-----	657	330	327			1,064	498	447	74	55
46a	Cancer of esophagus-----	14	11	3			49	30	9	10	
46b,c	Cancer of stomach and duodenum-----	208	117	91			369	196	125	41	27
46d	Cancer of liver and biliary passages-----	101	44	57			130	55	66	5	2
46g	Cancer of pancreas-----	57	26	31			91	39	44	5	3
46d,e,h,j	Cancer of other digestive organs and peritoneum-----	297	132	165			405	168	201	13	23
47	Cancer of respiratory system-----	45	23	22			155	120	25	9	1
48	Cancer of uterus-----	133		133			281		227		54
49	Cancer of other female genital organs-----	15		15			62		52		10
50	Cancer of breast-----	111	1	110			265	1	236		28
51	Cancer of male genital organs-----	91	91				156	111		25	
52	Cancer of urinary organs (male and female)-----	64	54	29	1		111	64	40	3	4
53	Cancer of skin (except vulva and scrotum)-----	37	26	11			51	32	14	3	2
54	Cancer of central nervous system*-----	15	8	7			37	20	15	1	1
55	Cancer of other and unspecified organs-----	78	26	52			133	64	57	5	7
56a	Nonmalignant tumors of ovary-----	3		3			5		4		1
56b	Nonmalignant tumors of uterus-----	10		10			35		22		13
56c	Nonmalignant tumors of other female genital organs-----	1		1							
56d,e	Nonmalignant tumors of other and unspecified organs-----	15	10	5			28	12	13	3	

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	MASSACHUSETTS				Total deaths	MICHIGAN				Total deaths	MINNESOTA				Total deaths	MISSISSIPPI				List No.	
	White		All other			White		All other			White		All other			White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
50,917	25,847	24,196	461	413	52,019	27,583	21,693	1,470	1,273	26,784	15,194	11,217	198	175	22,646	5,472	4,045	6,789	6,840		
2,637	1,604	898	85	50	3,888	2,017	1,236	366	269	1,728	961	678	44	45	3,259	592	486	1,126	1,055		
11	7	4			29	22	5	1	1	6	5	1			47	6	9	20	12	1	
3	1	2			1	1				1	1									2	
																					3
					2	1	1								1						4
20	16	4			24	19	4	1		5	5				22	13	3			5	
										6	1	5									6
17	11	6			66	36	30			17	5	12			1					7	
45	24	21			77	31	37	4	5	23	5	10	2	6	156	28	37	48	43	8	
17	10	7			26	17	8		1	10	5	5			58	18	13	10	17	9	
21	11	10			22	10	12			18	7	11			12	4	6	2		10	
7	5	2			14	11	3			7	5	2			23	6	3	9	5	11	
1,649	999	550	62	38	1,906	924	548	245	189	809	450	311	25	23	1,080	149	139	367	425	12	
																				13-22	
21	21				43	40		3		3	3									13a	
1,521	923	504	59	35	1,635	800	467	214	154	750	415	275	23	21	1,010	134	132	334	410	13b,c	
32	18	12	1	1	50	21	16	7	6	18	8	8	1	1	12	2	2	4	4	14	
19	8	9		2	40	11	16	6	7	17	7	10			17	2		10	5	15	
20	7	12	1		29	9	13	5	2	6	3	3			9	3	2	3	1	16	
5	2	3			2	1		1		2	1	1			4			3	1	17a	
5	3	2			2					2	1	1			5	1		1	3	17b	
																					18
6	3	2	1		2	1	1			3				1	2		1	1		19	
13	11	2			32	19	12		1	8	5	3			4	3		2		20	
1	1	1			7	4	3			7	4	3			4	2		2		21	
5	3	2			60	15	17	9	19	9	4	5			9			7	1	22a	
1		1			6	3	3			2	1	1			2	1		1		22b	
																					23
58	22	16			77	47	26	3	1	21	13	7		1	33	16		8	9	24	
7		6		1	5	1	1		3	5	4	4	1		12	1		5	6	25	
11	6	5			26	12	11	1	2	13		1		1	2	1	1	35	44	26	
2	2				4	3			1	1					232	28	19	56	71	27	
					1	1										56	29	76		28	
413	295	88	19	11	674	412	130	92	40	230	158	52	12	8	528	55	16	275	182	29	
20	18	2			32	24	6	1	1	12	9	2		1	9	4		3	2	30a	
113	66	21	5	1	173	122	21	26	4	51	37	9	3	2	68	16	1	41	10	30b	
31	18	9	3	1	72	44	18	6	4	15	12	3			40	6	1	18	15	30c	
127	94	23	5	5	147	94	23	26	4	79	58	15	5	1	46	13	5	19	9	30d	
36	25	8	3		51	29	7	9	6	7	3	3	1		26	2		15	9	30e	
86	54	25	3	4	199	99	55	24	21	66	39	20	3	4	339	14	9	179	137	30f,g	
																					31
6	2	4			17	6	10		1	5	2	3			3	1			2	32	
174	79	92	3		420	220	180	8	12	199	115	84			559	115	130	169	145	33a	
58	29	29			306	120	162	5	9	137	68	67	1	1	234	52	45	67	70	33b	
										1	1										34
17	7	10			29	15	13		1	66	29	32	1	4	63	24	22	23	14	35	
6	3	3			43	29	13	1		57	32	25			12	3	5	2	2	36	
9	6	3			13	6	6	1		13	6	6		1	6	4	1	1		37a,c	
																					37b
5	2	3			10	5	4		1	10	6	4									38
3	1	2			11	5	6			4	1	2	1		2	1	1				39
										1	1										40
																					41
1		1			2	2									1						42
10	6	4			16	10	4	2		7	6	1			4	3	1				43
87	60	26	1		67	41	22	2	2	57	34	23			20	7	5	2	6		44
7,338	3,252	3,984	43	59	6,433	2,943	3,263	82	145	3,865	2,037	1,796	10	22	1,479	385	474	188	454		
7,097	3,193	3,800	43	53	6,122	2,866	3,055	78	123	3,735	1,996	1,709	10	20	1,381	368	453	177	383	45-55	
231	188	43			198	152	43	3		93	72	21			50	28	12	4	6	45	
146	123	23			133	105	28	2		73	59	14			33	16	7	4	6	45a-e	
85	65	20			65	47	17	1		20	13	7			17	12	5			45f	
3,488	1,758	1,686	25	19	2,879	1,574	1,214	50	41	1,873	1,143	716	6	8	554	165	167	117	105	46	
156	117	39			101	77	19	4	1	53	40	13			9	4	3	2		46a	
1,167	666	484	12	5	1,195	729	431	22	13	851	553	270	4	4	242	69	57	66	50	46b,c	
327	127	184	4	2	391	169	212	6	4	226	105	120		1	105	27	37	24	17	46f	
243	124	116	3		181	115	54	5	7	135	84	49	1	1	35	19	10	4	2	46g	
1,595	724	853	6	12	1,011	484	498	13	16	628	361	264	1	2	163	46	60	21	36	46d,e,h,m	
375	276	95	3	1	518	243	65	7	3	186	128	56	1	1	59	27	14	9	9	47	
595	582		13		632	588		44	256		251			5	311		123		188	48	
191	185		6		182	175		7	123		123				18		15			49	
802	6	789		7	562	4	540		18	318	3	312		3	95		57			50	
402	397		5		366	361		5		265	264		1		85				31	51	
325	207	111	4	3	264	164	92	5	3	186	123	58	2	1	41	16	14	4	7	52	
118	76	42			113	75	38			56	29	27			49	25	21	2	1	53	
134	67	64	2	1	84	43	38	2	1	131	87	44			17	7	6	1	3	54	
436	218	211	4	3	524																

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)										
57b	Tumors of uterus (nature unspecified)										
57c	Tumors of other female genital organs (nature unspecified)										
57d,e	Tumors of other and unspecified organs (nature unspecified)	14	8	6		14	7	2	1	4	
	III.—Rheumatism, diseases of nutrition, etc.*	315	118	197		654	192	373	26	63	
58a-d	Acute rheumatic heart diseases	5	3	2		17	5	5	4	3	
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	2	1	1		7	6	1			
59	Chronic rheumatism and other rheumatic diseases	33	12	21		26	10	15	1		
60	Gout										
61	Diabetes mellitus	235	85	150		532	152	316	17	47	
62	Diseases of pituitary gland					1		1			
63a	Simple goiter					2	1	1			
63b	Exophthalmic goiter	13	3	10		32	4	22		6	
63c-e	Other diseases of thyroid and parathyroid glands	3		3		2		1		1	
64	Diseases of thymus gland	14	6	8		10	6	2	1	1	
65	Diseases of adrenal glands (not specified as tuberculous)	2	2			7	3	3	1		
66	Other general diseases	4	3	1		4	2	1		1	
67	Scurvy	1	1			2		1		1	
68	Beriberi										
69	Pellagra (except alcoholic)	3	2	1		6	3	3	1	1	
70	Rickets					3		1	1	1	
71	Other avitaminoses					1				1	
	IV.—Diseases of the blood and blood-forming organs	56	24	32		118	57	44	10	7	
72	Hemorrhagic conditions	3	1	2		5	1	3	1		
75a	Pernicious anemia	17	7	10		21	10	6	1	2	
75b-d	Other anemias (except splenic)	14	5	9		9	5	4			
74a	Leukemias	17	11	6		60	33	17	8	2	
74b	Leukemias					7	3	4			
75	Diseases of spleen	2		2		7	3	3		1	
76	Other diseases of the blood and blood-forming organs	3		3		9	2	5		2	
	V.—Chronic poisoning and intoxication	26	24	2		52	30	4	14	4	
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism										
77c-e	Alcoholism (acute, chronic, and unspecified)	23	21	2		46	28	2	13	3	
78	Lead poisoning	1	1			5	1	2	1	1	
79	Chronic poisoning by other mineral or organic substances	2	2			1	1				
	VI.—Diseases of the nervous system, etc.*	1,215	598	615	1	1,896	715	758	215	207	
80	Encephalitis (nonepidemic)	8	3	5		17	8	8		1	
81	Meningitis (not due to meningococcus)	17	10	7		28	10	6	5	7	
82	Diseases of spinal cord (see exceptions)*	23	16	7		33	14	11	1	7	
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	951	465	484	1	1,542	566	624	162	170	
83b	Cerebral embolism and thrombosis	94	46	48		136	62	59	7	8	
83c	Cerebral softening	3	1	2		14	6	6	1	1	
83d	Hemiplegia and other paralysis of unspecified origin	12	5	7		22	9	10		3	
84	Mental diseases and deficiency (see exception)*	20	8	12		20	5	2	8	5	
85	Epilepsy	23	15	8		27	10	10	6	1	
86	Convulsions (under 5 years)	4	2	2		3	1			2	
87	Other diseases of nervous system	31	12	19		30	14	14	2		
88	Diseases of organs of vision	1		1							
89a	Otitis and other diseases of the ear	16	8	8		19	7	6	4	2	
89b	Diseases of mastoid process	12	7	5		5	3	2			
	VII.—Diseases of the circulatory system	3,451	1,927	1,520	4	6,000	2,842	2,301	443	414	
90	Pericarditis (except acute rheumatic)	3	1	2		10	4	4	2		
91a,b	Bacterial and other acute or subacute endocarditis	15	10	5		42	22	12	5	3	
91c	Endocarditis (unspecified, under 45 years)	1		1							
92a-d	Chronic endocarditis and diseases of the valves*	464	245	219		750	309	288	73	80	
92e	Endocarditis (unspecified, 45 years and over)	15	9	5	1	22	6	11	3	2	
93a	Acute myocarditis (except rheumatic)	24	12	12		96	32	25	18	21	
93b	Myocarditis (unspecified, under 45 years)	2	1	1		2					
93c,d	Chronic myocarditis and myocardial degeneration	1,264	625	637	2	2,977	1,321	1,269	205	182	
93e	Other myocarditis (unspecified)	85	45	40		109	42	48	12	7	
94a	Diseases of coronary arteries	815	550	264	1	1,205	754	327	68	56	
94b	Angina pectoris	157	99	58		115	70	35	5	5	
95a	Functional diseases of heart, etc.*	12	5	7		10	2	8			
95b,c	Other and unspecified diseases of heart	217	123	94		281	120	99	28	34	
96	Aneurysm (except of heart and aorta)	3	1	2		16	9	5	1	1	
97	Arteriosclerosis (except coronary or renal sclerosis)	337	175	162		314	128	149	18	19	
98	Gangrene	14	11	3		9	3	2	2	2	
99	Other diseases of arteries	17	11	6		18	7	11			
100	Diseases of veins	1	1			20	9	8	1	2	
101	Diseases of lymphatic system										
102	High blood pressure (idiopathic)	5	3	2		3	3				
103	Other diseases of circulatory system					1	1				
	VIII.—Diseases of the respiratory system	750	380	369	1	1,396	536	424	240	196	
104a	Diseases of nasal fossae					2			2		
104b	Diseases of accessory sinuses	9	6	3		12	6	3		3	
105	Diseases of larynx	1		1		4	2	2			
106a	Acute bronchitis	27	14	13		29	11	10	6	2	

\* Refer to complete International List titles, table XI.



# GENERAL TABLES—TOTAL DEATHS

377

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.		
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other				
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		M	F
4					4		4								2					2	57a	
1					1		1			1		1			1					1	57b	
68	31	37			133	67	63	2	1	36	21	15			36	14	9	8		5	57c	
1,768	585	1,155	10	16	1,861	655	1,150	23	53	985	372	601	4	6	592	115	149	113	215		57d,e	
39	16	21		2	51	25	22	2	2	24	12	12			16	6	2	5	3		58a-d	
4	2	2			11	6	4	1		5	3	2			15	3	3	3		6	58e,f	
53	13	39	1		77	27	45	2	3	55	23	31		1	25	10	8	5	2		59	
1,520	507	990	8	15	1,355	476	830	11	38	729	296	424	3	6	277	68	85	46	78		60	
6	1	5			7	3	3	1		2												61
5		5			19	2	15		2	3		3			1							62
63	13	49		1	188	36	149		3	116	18	96		1	20	1	4	1	14		63a	
24	4	20			19	5	13		1	12	4	8			2							63b
17	13	4			105	58	41	3	3	11	4	6	1		8	5	3					63c-e
11	3	8			31	12	17	2		16	4	12			2	1	1					64
13	6	7			9	3	5		1	9	5	4			29	8	12	6	3			65
					3		3															66
2	2				1	1																67
7	5	2			1		1								196	13	29	47	107			68
2		1	1		2		2			2	1	1			1							69
2		2			2	1		1		1	1											70
325	144	178	1		396	203	182	6	5	248	132	116			102	36	32	17	17			71
17	9	8			19	14	4	1		12	4	8			10	3	6					72
78	25	53			124	51	70		3	55	28	27			28	8	6	5	9			73a
29	11	17	1		45	25	20			23	7	16			13	3	5	1	4			73b-d
163	76	87			163	94	64	4	1	138	84	54			43	18	14	8	3			74a
8	5	3			14	9	5			5	4	1			1	1						74b
18	14	4			16	6	9		1	9	5	4			4	1	1	2				75
10	4	6			15	4	10	1		6		6			3	2		1				76
224	188	35	1		63	52	7	3	1	42	38	4			21	13	1	5	2			
4	3	1								2	2				1							77a,b
211	180	30	1		57	48	6	3		37	35	2			20	12	1	5	2			77c-e
5	4	1			4	3	1			1	1											78
4	1	3			2	1			1	2		2										79
5,062	2,226	2,754	37	45	5,134	2,511	2,436	84	105	2,984	1,537	1,420	14	13	1,925	483	423	478	541			
31	16	15			63	33	28	1	1	34	17	17			28	14	4	5	5			80
58	35	19	1	1	74	37	32	5		40	31	8	1		37	13	6	11	7			81
98	55	43			118	62	49	2	5	64	40	22	1	1	30	10	9	8	3			82
3,985	1,675	2,243	32	35	3,905	1,891	1,876	66	72	2,262	1,157	1,085	11	9	1,543	364	333	386	460			83a
513	244	263	1	5	386	182	197	2	5	257	130	127			34	16	10	4	4			83b
26	11	13		2	15	6	9			49	23	25		1	10	4	4	1	1			83c
37	17	19	1		133	67	58	1	7	40	22	17	1		93	31	20	18	24			83d
13	8	5			42	15	27			20	8	12			26	3	7	7	9			84
70	43	27			86	41	38	3	4	41	21	20			38	6	7	15	10			85
6	2	4			18	10	8			14	9	5			27	2	6	9	10			86
132	62	69		1	167	93	68	1	5	94	42	52			28	11	9	3	5			87
2	1	1			3	1	2			2	2				2		1	1				88
65	36	28		1	76	39	32	2	3	47	25	21		1	16	6	3	6	1			89a
28	21	5	2		48	34	12	1	1	20	10	9			13	3	4	4	2			89b
18,065	9,404	8,411	122	128	15,814	8,827	6,386	308	293	7,553	4,501	3,097	35	20	3,558	1,195	713	872	778			
16	6	9		1	28	12	12	3	1	12	6	6			5		1	3	1			90
87	48	37	1	1	108	55	48	4	1	56	28	28			25	3	4	8	10			91a,b
6	3	3			13	4	9								9	3	2	1	3			91c
1,506	682	817	13	14	1,878	957	855	34	32	919	484	427	3	5	803	204	135	238	228			92a-d
71	28	38	2	3	111	62	46		3	22	16	6			20	6	3	4	7			92e
78	36	41	1		152	79	66	4	3	30	17	12			40	8	8	12	12			93a
9	6	3			44	18	24	2	2	4	2	2			7		1	5	1			93b
8,935	4,167	4,627	64	75	6,479	3,310	2,830	181	158	2,500	1,356	1,126	15	3	1,203	386	269	289	259			93c,d
437	210	221	4	2	344	449	366	11	18	225	120	105			97	30	23	27	17			93e
4,151	2,771	1,352	25	15	3,482	2,351	1,062	29	40	2,407	1,652	759	12	4	471	256	107	61	47			94a
248	166	82			315	224	88	1	2	84	59	24	1		122	74	22	17	9			94b
15	4	9			41	19	19		1	42	15	27			15	8	2	4	1			95a
1,412	797	592	11	12	1,140	681	421	21	17	605	347	250	5	5	470	141	82	122	125			95b,c
15	9	4			28	15	12	2	1	25	11	12			4			3	1			96
939	457	496	1	5	944	487	456	11	10	571	322	247		2	171	58	36	46	31			97
12	3	8	1		38	19	15	2	2	16	12	4			14	3	1	3	7			98
58	28	30			95	55	39		1	52	31	21			17	5	3	8	1			99
50	17	33			28	14	13	1		44	24	19	1		11	2	3	3	3			100
2		2			5	3	2			2	2				2							101
11	4	7			36	13	22		1	37	15	22			38	5	13	9	11			102
3	2		1		5	4	1			2	2				14	3		7	4			103
3,425	1,794	1,558	41	30	3,438	1,859	1,510	187	82	1,978	1,116	807	30	25	1,5							

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	21	8	13		39	23	12		4	
106c	Bronchitis (unspecified)	12	7	5		12	4	5		1	2
107	Bronchopneumonia (including capillary bronchitis)	303	139	163	1	638	237	208	102	91	
108	Lobar pneumonia	294	157	137		554	203	152	113	86	
109	Pneumonia (unspecified)	13	7	6		14	4	6		4	
110	Pleurisy (not specified as tuberculous)	8	6	2		27	15	6		5	1
111a	Hemorrhagic infarction and thrombosis of lungs	17	11	6		11	4	4		1	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	13	4	9		5		3		1	1
112	Asthma	24	14	10		35	20	7		3	3
113	Pulmonary emphysema	1		1							
114	Other diseases of respiratory system (except tuberculosis)	7	7			16	7	6		2	1
	IX.—Diseases of the digestive system	470	271	199		961	437	301	140	83	
115a,b,d	Diseases of buccal cavity and adnexa	14	8	6		25	8	10		7	
115c	Diseases of pharynx and tonsils	7	4	3		22	13	4		3	2
116	Diseases of esophagus					1	1				
117a	Ulcer of stomach	34	27	7		64	51	6		6	1
117b	Ulcer of duodenum	16	11	5		28	19	7		1	1
118	Other diseases of stomach (except cancer)	19	12	7		21	9	3		6	3
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	47	30	17		172	54	39	50	29	
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	13	9	4		60	27	15		9	9
121	Appendicitis	98	49	49		143	61	54	20	8	
122a	Hernia	33	26	7		75	39	25		8	3
122b	Intestinal obstruction	48	19	29		92	33	26		18	15
123	Other diseases of intestines	5	4	1		21	18	1		2	
124a	Cirrhosis of liver (with mention of alcoholism)	1	1			31	22	9			
124b	Cirrhosis of liver (without mention of alcoholism)	64	45	19		79	43	31		4	1
125a	Acute yellow atrophy of liver (nonpuerperal)	4	1	3		8	3	2		3	
125b	Other diseases of liver	1	1			16	5	4			7
126	Biliary calculi	55	13	22		48	11	35			2
127	Other diseases of gallbladder and biliary ducts	18	6	12		34	12	21		1	
128	Diseases of pancreas (except diabetes mellitus)	6	2	4		11	5	5		1	
129	Peritonitis (cause not stated)	7	3	4		10	3	4		1	2
	X.—Diseases of the genito-urinary system	986	540	446	1	2,439	1,010	916	272	241	
130	Acute nephritis	18	6	12		43	16	10		8	9
131a	Arteriosclerotic kidney	483	246	235	1	1,621	637	653	173	158	
131b	Other chronic nephritis	321	172	149		535	213	204	60	58	
132	Nephritis unspecified (10 years and over)	18	6	12		17	9	6		2	
133	Other diseases of kidneys and ureters, etc.*	32	14	18		45	16	15		7	7
134	Calculi of urinary passages	10	9	1		26	19	7			
135	Diseases of urinary bladder	5	5			7	2	4		1	
136	Diseases of urethra (except calculus)	2	1	1		12	5			7	
137	Diseases of prostate	80	80			108	93			15	
138	Diseases of other male genital organs (except venereal)	1	1			1				1	
139a	Diseases of ovaries, fallopian tubes, and parametria	11		11		13		10			3
139b	Diseases of uterus	7		7		10		7			3
139c	Diseases of other and unspecified female genital organs					1					1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	59		59		105		72		33	
140	Abortion with mention of infection	6		6		24		14		10	
140a,b	Abortion (septic), spontaneous or therapeutic*	5		5		13		8		5	
140c,d	Abortion (septic), self-induced or nontherapeutic*	1		1		11		6		5	
141	Abortion without mention of infection	3		3		5		3		2	
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1		1							
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2		2		3		1		2	
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*					2		2			
142a	Ectopic gestation, with mention of infection					1					1
142b	Ectopic gestation, without mention of infection	2		2		3		1		2	
143a	Placenta praevia (death before delivery)										
143b,c	Other hemorrhages of pregnancy (death before delivery)	1		1							
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	5		5		9		7		2	
144c,d	Other toxemias of pregnancy (death before delivery)*					4		1		3	
145	Other diseases and accidents of pregnancy (death before delivery)	1		1		2		1		1	
146a	Placenta praevia (with childbirth)	3		3		2		1		1	
146b,c	Other hemorrhages of childbirth and puerperium	10		10		6		4		2	
147a,b	Puerperal pyelitis, other general or local puerperal infection*	12		12		22		17		5	
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	5		5		4		4			
148a,b	Puerperal eclampsia and nephritis*	5		5		5		4		1	
148c,d	Other puerperal toxemias	1		1		3		2		1	
149	Other accidents and specified conditions of childbirth	4		4		13		11		2	
150	Other and unspecified conditions of childbirth and puerperium	1		1		2		2			
	XII.—Diseases of the skin and cellular tissue	7	5	1	1	10	2	5		3	
151	Carbuncle and furuncle	3	3			3	1	2			
152	Phlegmon and acute abscess	1	1			5	1	1		3	
153	Other diseases of skin and cellular tissue	3	1	1	1	2		2			
	XIII.—Diseases of the bones, etc.*	7	5	2		15	7	6		2	
154	Osteomyelitis and periostitis	3	3			8	4	3		1	
155	Other diseases of bones (except tuberculosis)	1		1		4	1	3			
156	Diseases of joints and other organs of movement	3	2	1		5	2			1	
157	XIV.—Congenital malformations	111	65	46		183	80	76	11	16	

\* Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

379

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.	
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
49	28	20	---	1	69	42	27	---	---	56	29	27	---	---	22	7	8	2	5	106b	
21	11	10	---	---	33	14	18	---	1	19	6	13	---	---	19	4	7	5	3	106c	
1,754	863	849	23	19	1,142	572	508	39	25	931	502	409	10	10	401	92	85	128	96	107	
1,209	668	518	16	7	1,504	857	473	129	45	652	385	243	12	12	814	170	134	282	228	108	
32	17	15	---	---	237	138	92	4	5	54	24	24	5	1	101	20	9	42	30	109	
87	51	35	---	---	89	50	31	7	1	47	33	12	2	---	17	5	2	7	3	110	
51	27	24	---	---	36	19	16	1	---	36	22	15	---	1	10	2	3	3	2	111a	
25	6	16	---	---	69	40	49	---	---	37	19	17	---	1	26	5	12	7	2	111b,c	
47	23	23	---	---	65	42	41	2	---	58	37	20	1	---	24	6	6	7	3	112	
3	5	---	---	---	6	5	1	---	---	2	1	1	---	---	---	---	---	---	---	---	113
47	39	8	---	---	54	31	17	4	2	27	20	7	---	---	23	6	1	10	6	114	
2,552	1,423	1,086	23	20	3,023	1,660	1,214	71	78	1,591	928	640	12	11	1,269	337	249	365	318		
47	23	23	1	---	104	63	35	2	4	43	22	21	---	---	54	12	11	13	18	115a,b,d	
40	14	26	---	---	53	23	27	2	1	27	19	7	1	---	22	6	5	8	3	115c	
6	7	---	---	---	9	4	5	---	---	3	1	2	---	---	2	1	---	---	1	116	
228	191	34	3	---	228	176	41	8	3	99	82	17	---	---	73	36	10	12	15	117a	
151	119	30	1	1	108	85	22	2	1	108	84	23	1	---	25	14	1	8	2	117b	
15	8	7	---	---	65	41	16	5	3	17	7	7	1	2	71	19	9	17	26	118	
91	53	35	---	3	260	156	115	3	6	80	43	31	3	3	300	45	55	111	89	119	
86	33	55	---	2	106	48	53	2	5	52	26	24	---	2	100	31	27	21	21	120	
435	240	185	8	2	573	326	206	17	24	310	194	112	1	3	215	61	49	54	51	121	
238	142	90	3	3	223	127	88	5	3	117	77	38	1	1	49	9	8	27	5	122a	
168	86	98	3	1	310	137	151	12	10	148	75	17	2	---	129	27	25	32	47	122b	
66	32	34	---	---	65	35	27	1	2	39	22	16	1	---	27	11	3	11	2	123	
67	54	15	---	---	24	20	4	---	---	20	10	2	---	---	7	2	---	4	1	124a	
424	251	187	3	3	558	250	104	4	---	198	132	65	1	---	93	34	17	29	13	124b	
18	8	10	---	---	46	20	23	1	2	10	4	6	---	---	7	2	1	2	2	125a	
28	15	12	---	1	47	25	17	4	1	16	10	6	---	---	20	7	5	5	3	125b	
220	59	160	---	1	174	39	131	1	3	184	68	116	---	---	17	6	7	2	2	126	
112	40	69	---	3	158	63	90	1	4	73	19	54	---	---	34	7	15	5	7	127	
43	23	20	---	---	37	14	21	2	2	21	17	4	---	---	4	4	---	---	---	128	
45	25	19	1	---	75	30	38	1	6	54	16	18	---	---	20	3	3	4	10	129	
4,047	2,061	1,909	44	33	3,814	1,965	1,611	113	125	1,609	1,041	554	6	8	2,599	608	428	628	735		
49	22	26	---	1	99	47	44	1	7	35	22	13	---	---	115	17	22	37	39	130	
2,510	1,168	1,300	22	20	1,935	912	900	59	64	734	427	298	4	5	1,163	269	213	350	331	131a	
771	371	382	10	8	890	442	397	22	19	347	215	130	1	1	918	218	144	285	271	131b	
34	14	19	---	1	184	82	68	4	10	73	47	26	---	---	74	23	10	20	21	132	
157	64	90	3	---	151	74	64	9	4	95	47	48	---	---	65	15	19	19	12	133	
63	50	32	---	1	57	32	22	2	1	46	33	13	---	---	12	7	2	1	2	134	
26	17	9	---	---	39	30	9	---	---	15	10	5	---	---	13	3	2	8	---	135	
13	11	1	1	---	23	20	1	2	---	4	3	1	---	---	27	2	---	24	1	136	
350	342	---	8	---	339	325	---	14	---	237	236	---	1	---	138	54	---	84	---	137	
2	2	---	---	---	1	1	---	---	---	1	1	---	---	---	---	---	---	---	---	---	138
21	---	19	---	2	88	---	69	---	19	17	---	15	---	---	63	---	14	---	49	139a	
29	---	2	---	---	35	---	34	---	1	5	---	5	---	---	8	---	2	---	6	139b	
2	---	2	---	---	3	---	3	---	---	---	---	---	---	---	3	---	---	---	3	---	139c
224	---	216	---	8	289	---	275	---	14	148	---	147	---	1	307	---	100	---	207		
38	---	34	---	4	48	---	46	---	2	30	---	30	---	---	27	---	11	---	16	140	
22	---	20	---	2	34	---	33	---	1	17	---	17	---	---	25	---	10	---	15	140a,b	
16	---	14	---	2	14	---	13	---	1	13	---	13	---	---	2	---	1	---	1	140c,d	
9	---	9	---	2	15	---	13	---	2	5	---	5	---	---	14	---	2	---	12	141	
3	---	3	---	---	3	---	3	---	---	2	---	2	---	---	5	---	---	---	5	141a,c	
5	---	5	---	---	11	---	10	---	1	3	---	3	---	---	8	---	2	---	6	141b,d	
1	---	1	---	---	1	---	---	---	1	---	---	---	---	---	1	---	---	---	1	141e,f	
1	---	1	---	---	4	---	4	---	---	1	---	1	---	---	5	---	1	---	4	142a	
4	---	3	---	1	9	---	9	---	---	5	---	5	---	---	7	---	2	---	5	142b	
1	---	1	---	---	---	---	---	---	---	1	---	1	---	---	1	---	1	---	---	---	143a
6	---	6	---	---	16	---	14	---	2	9	---	9	---	---	29	---	5	---	24	143b,c	
4	---	4	---	---	9	---	8	---	1	5	---	5	---	---	17	---	7	---	10	144a,b	
9	---	9	---	---	8	---	8	---	---	5	---	5	---	---	14	---	6	---	8	144c,d	
7	---	7	---	---	12	---	12	---	---	5	---	5	---	---	3	---	1	---	2	145	
26	---	25	---	1	27	---	27	---	---	12	---	12	---	---	23	---	13	---	10	146a	
37	---	36	---	1	43	---	37	---	6	18	---	18	---	---	72	---	23	---	49	146b,c	
23	---	22	---	1	28	---	28	---	---	17	---	16	---	1	9	---	3	---	6	147a,b	
16	---	16	---	---	22	---	22	---	---	13	---	13	---	---	43	---	14	---	29	147c,d	
7	---	7	---	---	3	---	3	---	---	2	---	2	---	---	4	---	2	---	2	148a,b	
22	---	22	---	---	29	---	29	---	---	13	---	13	---	---	15	---	5	---	10	148c,d	
14	---	14	---	---	16	---	15	---	1	7	---	7	---	---	24	---	4	---	20	149	
51	27	23	---	1	53	28	20	4	1	30	13	16	---	1	28	7	10	4	7	150	
10	7	3	---	---	11	6	4	---	1	9	6	3	---	---	12	1	8	1	2	151	
19	10	9	---	---	19	10	7	2	---	11	4	6	---	1	9	4	2	2	1	152	
22	10	11	---	1	23	12	9	2	---	10	3	7	---	---	7	2	---	1	4	153	
63	41	20	---	2	68	44	20	2	2	29	18	11	---	---	23	9	4	7	3		
38	30	8	---	---	46	31	12	2	1	21	13	8	---	---	16	8	2	4	2	154	
7	6	1	---	---	2	1	1	---	---	3	1	2	---	---	2	---	1	---	1	155	
18	5	11	---	2	20	12	7	---	1	5	4	1	---	---	5	1	1	3	---	156	
463	230	230	2	1	631	343	269	10	9	283	133	147	3	---	120	56	40	12	12	157	

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life-----	413	227	183	2	1	646	281	189	111	85
158	Congenital debility (cause not stated)-----	28	16	12			31	7	6	8	10
159	Premature birth (cause not stated)-----	290	154	133	2	1	412	199	125	72	58
160a	Intracranial or spinal hemorrhage-----	16	11	5			76	41	21	10	6
160b,c	Other injuries at birth-----	42	27	15			50	30	10	7	3
161	Other diseases peculiar to the first year of life-----	37	19	18			75	24	27	14	10
162	XVI.—Senility-----	121	55	66			18	4	12	1	1
	XVII.—Violent or accidental deaths-----	778	551	225	1	1	1,634	905	366	263	80
163,164	Suicide-----	141	115	25	1		262	182	73	3	4
163	Suicide by poisoning-----	29	17	11	1		83	45	37		1
	Suicide by solid or liquid poisons-----	10	4	6			26	12	14		
	Suicide by poisonous gases-----	19	13	5	1		57	35	23		1
164a	Suicide by hanging or strangulation-----	27	23	4			44	27	15		2
164b	Suicide by drowning-----	15	12	3			15	9	5		1
164c	Suicide by firearms and explosives-----	61	56	5			90	81	8	1	
164d	Suicide by cutting or piercing instruments-----	7	6	1			11	9	2		
164e	Suicide by jumping from high places-----	2	1	1			15	10	4	1	
164f	Suicide by crushing-----						1	1			
164g	Suicide by other or unspecified means-----						3	1	1	1	
165-168	Homicide-----	10	6	4			130	27	4	79	20
166	Homicide by firearms-----	8	5	3			68	9	3	43	13
167	Homicide by cutting or piercing instruments-----						32	2	1	26	3
168	Homicide by other means-----	2	1	1			30	16		10	4
169-195	Accidental deaths-----	627	430	196		1	1,241	695	289	201	55
169	Railway accidents (except collisions with motor vehicles)-----	19	18	1			41	33	2	6	
170a	Collisions between automobiles and trains-----	4	4				7	4	2	1	
170b	Collisions between automobiles and streetcars-----	2	1	1			1		1		
170c	Automobile accidents (except collisions with trains or streetcars)-----	185	138	47			389	252	62	60	15
170d	Motorcycle accidents (except collisions with automobiles)-----	2	2				4	4			
171a	Streetcar accidents (except collisions with trains or motor vehicles)-----						7	3	3	1	
171b	Other and unspecified road-transport accidents-----	4	4				7	4	1	2	
172	Water-transport accidents-----	47	44	3			45	28	2	14	1
173	Air-transport accidents-----	1	1				4	4			
174	Accidents in mines and quarries-----	1	1				4	3		1	
175a	Accidents involving agricultural machinery and vehicles-----	4	3	1			8	8			
175b,c	Other agricultural accidents-----	1	1				5	3		2	
175d	Accidents involving forestry machinery and vehicles-----	1	1				1	1			
175e	Other forestry accidents-----	3	3				1	1			
176	Other accidents involving machinery-----	5	5				14	6	1	7	
177	Food poisoning-----	1	1				3	1	1	1	
178	Accidental absorption of poisonous gas-----	10	9	1			23	18	5	2	
179	Acute accidental poisoning by solids or liquids-----	3	2	1			13	4	5	3	1
180	Conflagration-----	37	24	13			44	9	8	18	11
181	Accidental burns (except conflagration)-----	19	8	11			62	17	21	10	14
182	Accidental mechanical suffocation-----	12	9	3			16	5	3	5	3
183	Accidental drowning-----	43	36	7			114	67	17	30	
184	Accidental injury by firearms-----	17	17				24	18	1	4	1
185	Accidental injury by cutting or piercing instruments-----	2	2				3	1		2	
186a	Accidental injury by fall-----	154	61	92		1	310	146	139	15	9
186b	Accidental injury by crushing-----	6	5	1			6	5		1	
187	Cataclysm, etc.*-----	3	1	2			1		1		
188	Injury by animals (except in agriculture and forestry)-----	2	2				2	2			
189	Hunger or thirst-----						1	1			
190	Excessive cold-----	4	3	1			3	1		2	
191	Excessive heat-----	2	1	1			8	2	3	3	
192	Lightning-----	3	3				2	1	1		
193	Accidents due to electric currents (except lightning)-----	3	3				10	8		2	
194	Poisoning by venomous animals (except in agriculture and forestry)-----										
195a,b	Accidents due to medical or surgical intervention-----										
195d	Obstruction, suffocation, or puncture by ingested objects-----	6	4	2			20	10	6	4	
195c,e	Other and unspecified accidents-----	21	13	8			38	27	4	6	1
196	Deaths of military personnel during operations of war-----										
197	Deaths of civilians due to operations of war-----										
198	Legal executions-----						1	1			
	XVIII.—Ill-defined and unknown causes-----	60	39	21			54	26	8	12	6
199	Sudden death-----	6	6				10	5		4	1
200a	Ill-defined-----	32	19	13			24	13	5	1	5
200b	Found dead (cause unknown)-----	12	8	4			5	3	1	1	
200c	Unknown or unspecified-----	10	6	4			15	5	2	6	2

\* Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

381

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,246	745	482	17	2	2,026	1,097	613	66	50	1,026	586	427	5	8	905	351	209	213	152	
16	8	8	—	—	71	40	28	1	2	21	14	6	1	—	55	17	6	20	12	158
753	451	291	10	1	1,355	715	547	41	30	640	347	286	—	7	565	193	134	130	108	159
200	125	75	2	—	197	108	68	11	12	108	65	41	2	—	86	45	20	14	7	160a
104	62	42	—	—	180	102	72	5	1	151	92	58	1	—	106	46	26	22	12	150b,c
193	121	66	5	1	245	134	98	8	5	105	68	36	1	1	93	30	23	27	13	151
37	10	26	—	1	327	139	185	3	—	140	56	81	1	2	365	39	74	132	118	162
3,343	2,097	1,207	34	15	4,543	3,107	1,255	140	41	2,384	1,653	641	31	9	1,904	661	214	797	232	
572	418	142	11	1	678	520	146	10	2	414	360	53	1	—	138	107	20	9	2	163,164
219	140	78	1	—	198	123	69	4	2	100	81	18	1	—	22	15	5	1	1	155
54	29	25	—	—	98	47	48	2	1	34	24	10	—	—	20	13	5	1	1	
165	111	53	1	—	100	76	21	2	1	66	57	8	1	—	2	2	—	—	—	
136	110	22	3	1	181	145	36	—	—	102	88	14	—	—	5	4	—	—	—	164a
44	27	17	—	—	39	26	13	—	—	33	25	8	—	—	3	—	3	—	—	164b
107	100	5	2	—	214	189	20	5	—	146	138	8	—	—	89	30	11	8	—	164c
28	22	5	1	—	26	25	1	—	—	17	16	1	—	—	5	5	—	—	—	164d
27	14	9	4	—	12	6	5	1	—	6	6	—	—	—	1	—	1	—	—	164e
8	5	3	—	—	3	2	1	—	—	4	3	1	—	—	1	1	—	—	—	164f
3	—	3	—	—	5	4	1	—	—	6	3	3	—	—	2	2	—	—	—	164g
59	36	18	2	3	160	74	35	42	9	45	28	12	4	1	417	68	7	280	84	165-168
15	10	4	1	—	72	31	19	20	2	27	15	9	2	1	247	35	4	176	32	166
7	1	4	1	1	40	13	6	18	3	2	—	1	1	—	119	11	1	78	29	167
37	25	10	1	1	48	30	10	4	4	16	13	2	1	—	51	20	2	28	3	168
2,710	1,631	1,047	21	11	3,705	2,513	1,074	88	30	1,875	1,265	576	26	8	1,347	487	187	507	166	169-195
50	47	3	—	—	75	64	8	3	—	44	39	3	2	—	56	27	1	26	2	169
4	3	1	—	—	111	73	36	2	—	21	13	5	2	1	10	6	2	2	—	170a
2	—	—	—	—	1	—	1	—	—	4	3	1	—	—	—	—	—	—	—	170b
646	474	164	5	3	1,405	1,055	306	31	13	575	433	131	9	2	406	188	49	140	29	170c
4	4	—	—	—	17	12	5	—	—	7	7	—	—	—	3	3	—	—	—	170d
11	5	4	1	1	3	3	—	—	—	3	2	1	—	—	—	—	—	—	—	171a
8	6	2	—	—	10	9	1	—	—	8	5	3	—	—	7	2	—	—	5	171b
40	34	5	1	—	27	25	2	—	—	45	40	2	2	1	12	4	—	7	1	172
10	9	1	—	—	9	8	1	—	—	10	9	—	1	—	10	10	—	—	—	173
7	6	1	—	—	19	17	2	—	—	8	8	—	—	—	5	4	—	—	—	174
11	11	—	—	—	24	23	1	—	—	32	29	3	—	—	19	6	1	11	1	175a
1	—	—	—	—	30	30	—	—	—	36	34	2	—	—	24	14	—	10	—	175b,c
1	1	—	—	—	1	1	—	—	—	1	1	—	—	—	2	1	—	—	—	175d
29	27	2	—	—	11	11	—	—	—	—	—	—	—	—	8	3	—	5	—	175e
2	—	—	—	—	30	27	2	1	—	12	12	—	—	—	21	10	—	11	—	176
2	1	1	—	—	8	6	2	—	—	3	3	—	—	—	19	5	3	8	3	177
74	46	26	2	—	51	41	10	—	—	37	28	9	—	—	4	1	—	2	1	178
41	25	16	—	—	46	27	19	—	—	28	21	7	—	—	17	—	5	6	6	179
44	25	17	1	1	68	37	23	5	1	33	24	8	1	—	37	4	1	18	14	180
124	72	50	1	1	175	104	62	5	4	74	30	42	1	1	132	27	29	31	45	181
38	23	14	—	—	65	36	25	3	1	21	14	6	1	—	27	6	3	14	4	182
165	143	20	2	—	308	262	27	19	—	122	100	19	3	—	89	31	2	53	3	183
18	17	1	—	—	66	53	8	—	—	54	48	4	2	—	102	28	6	59	11	184
5	4	1	—	—	13	9	3	—	1	10	6	4	—	—	15	3	2	7	4	185
1,204	514	680	8	2	877	388	472	11	6	559	251	306	1	1	131	45	53	19	14	186a
13	13	—	—	—	21	17	3	1	—	9	8	1	—	—	15	9	—	6	—	186b
4	4	—	—	—	2	2	—	—	—	10	6	4	—	—	5	—	1	1	3	187
4	4	—	—	—	16	16	—	—	—	9	8	1	—	—	4	2	1	1	—	188
4	4	—	—	—	7	6	1	—	—	12	11	1	—	—	2	1	—	—	1	189
6	3	3	—	—	10	9	1	—	—	7	6	1	—	—	9	5	1	3	—	190
3	3	—	—	—	7	4	2	1	—	3	3	—	—	—	31	8	—	20	3	192
11	10	1	—	—	29	25	2	—	—	7	7	—	—	—	9	8	—	1	—	193
2	1	—	—	—	1	1	—	—	—	1	1	—	—	—	2	1	—	—	—	194
2	1	—	—	—	2	1	—	—	—	1	—	1	—	—	—	—	—	—	—	195a,b
29	20	9	—	—	35	17	17	1	—	19	15	4	—	—	14	3	4	2	5	195d
99	73	25	1	—	127	89	32	3	3	50	40	7	1	2	97	23	22	36	16	195c,e
2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	196
2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	197
51	26	24	1	—	198	133	61	2	2	111	72	34	3	2	2,682	276	164	1,121	1,121	198
14	6	8	—	—	13	10	3	—	—	8	7	1	—	—	159	38	18	55	48	199
28	13	14	1	—	123	80	40	1	2	65	37	27	1	—	262	65	24	91	82	200a
7	6	1	—	—	12	10	2	—	—	9	8	1	—	—	58	15	7	23	15	200b
2	1	1	—	—	50	33	16	1	—	29	20	5	2	2	2,205	160	115	952	976	200c

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI				MONTANA				NEBRASKA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes-----	42,585	21,234	17,293	2,154	1,904	5,901	3,536	1,997	196	172	12,194	6,740	5,204	136	114
	I.—Infectious and parasitic diseases-----	5,895	1,842	1,366	385	302	528	317	116	51	44	699	371	278	31	19
1	Typhoid fever-----	92	51	31	5	5	11	7	3	—	1	5	2	2	1	—
2	Paratyphoid fever-----	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
3	Flague-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Cholera-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Undulant fever (brucellosis)-----	4	3	1	—	—	—	—	—	—	—	1	—	1	—	—
6	Cerebrospinal (meningococcus) meningitis-----	15	6	9	—	—	4	3	—	1	—	8	3	5	—	—
7	Anthrax (infection by Bacillus anthracis)-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever-----	35	17	17	—	1	8	5	3	—	—	17	9	8	—	—
9	Whooping cough-----	62	21	29	6	6	16	9	4	1	2	14	7	6	—	1
10	Diphtheria (infection by C. diphtheriae)-----	74	56	56	1	1	9	5	3	1	—	12	7	4	—	1
11	Erysipelas-----	19	8	11	—	—	3	2	1	—	—	3	2	1	—	—
12	Tetanus-----	16	10	3	3	—	1	1	—	—	—	4	3	1	—	—
13-22	Tuberculosis (all forms)-----	1,768	779	610	204	175	248	164	54	24	26	219	106	87	16	10
15a	Tuberculosis of respiratory system, with mention of occupational disease of lungs-----	25	25	—	—	—	39	39	—	—	—	—	—	—	—	—
15b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs-----	1,598	698	561	188	161	189	116	28	21	24	192	92	76	14	10
14	Tuberculosis of meninges and central nervous system-----	30	14	10	1	5	10	5	2	1	2	6	4	1	1	—
15	Tuberculosis of intestines and peritoneum-----	32	13	13	4	2	4	1	3	—	—	4	—	4	—	—
16	Tuberculosis of vertebral column-----	30	13	8	5	4	1	—	—	1	—	2	2	—	—	—
17a	Tuberculosis of bones (except vertebral column)-----	6	3	1	1	1	—	—	—	—	—	1	1	—	—	—
17b	Tuberculosis of joints (except vertebral column)-----	3	1	1	1	—	—	—	—	—	—	4	2	2	—	—
18	Tuberculosis of skin, etc.*-----	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
19	Tuberculosis of lymphatic system, etc.*-----	6	2	3	—	1	—	—	—	—	—	1	1	—	—	—
20	Tuberculosis of genito-urinary system-----	14	9	5	—	—	2	2	—	—	—	3	1	1	1	—
21	Tuberculosis of other organs-----	5	1	1	3	—	—	—	—	—	—	—	—	—	—	—
22a	Disseminated tuberculosis (acute miliary)-----	15	7	6	1	1	2	—	1	1	—	6	3	3	—	—
22b	Disseminated tuberculosis (other and unspecified)-----	3	3	—	—	—	1	1	—	—	—	—	—	—	—	—
23	Leprosy-----	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Septicemia and purulent infection (nonpuerperal)-----	53	29	19	3	2	11	5	5	1	—	18	13	4	1	—
25	Gonococcus infection-----	19	4	10	1	4	2	—	2	—	—	5	—	4	1	—
26	Other diseases due to bacteria (except dysentery)-----	35	21	12	1	1	—	—	—	—	—	1	1	—	—	—
27	Dysentery-----	97	52	31	6	8	7	2	4	—	1	6	4	2	—	—
28	Malaria-----	66	32	24	6	4	—	—	—	—	—	—	—	—	—	—
29	Other diseases due to parasitic protozoa (except spirochetes)-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	Syphilis (all forms)-----	632	345	106	120	61	73	48	14	8	3	90	56	18	10	6
30a	Locomotor ataxia (tabes dorsalis)-----	36	29	5	1	1	6	4	2	—	—	6	6	—	—	—
30b	General paralysis of insane-----	128	77	23	24	4	11	7	4	—	—	32	19	7	5	1
30c	Other syphilis of central nervous system-----	51	28	9	11	3	10	8	—	1	1	5	3	2	—	—
30d	Aneurysm of aorta-----	139	78	21	28	12	17	14	3	—	—	27	15	5	5	2
30e	Other syphilis of circulatory system-----	55	15	4	26	10	3	2	1	—	—	1	—	1	—	—
30f,g	Congenital, other and unspecified forms of syphilis-----	223	118	44	30	31	26	13	4	7	2	19	13	3	—	3
31	Relapsing fever-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32	Other diseases due to spirochetes-----	17	5	11	—	1	1	—	1	—	—	3	2	1	—	—
33a	Influenza, with respiratory complications specified-----	484	224	220	18	22	61	26	22	8	5	114	65	48	—	1
33b	Influenza, without respiratory complications specified-----	263	118	131	7	7	37	19	11	4	3	109	50	59	—	—
34	Smallpox-----	6	4	2	—	—	—	—	—	—	—	—	—	—	—	—
35	Measles-----	9	4	5	—	—	16	7	6	1	2	14	8	5	1	—
36	Acute poliomyelitis and acute poliomyelitis-----	17	13	3	1	—	1	1	—	—	—	9	5	4	—	—
37a,c	Infectious encephalitis lethargica (acute and unqualified)-----	15	5	9	1	—	9	5	2	2	—	6	2	3	1	—
37b	Sequelae of encephalitis lethargica-----	8	5	3	—	—	—	—	—	—	—	6	3	3	—	—
38	Other diseases due to filtrable viruses-----	7	4	3	—	—	—	—	—	—	—	—	—	—	—	—
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
40	Ankylostomiasis-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
41	Hydatid disease-----	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
42	Other diseases caused by helminths-----	2	1	1	—	—	—	—	—	—	—	1	1	—	—	—
43	Mycoses-----	11	5	4	2	—	2	1	1	—	—	5	4	1	—	—
44	Other infectious and parasitic (communicable) diseases-----	67	38	25	—	4	2	2	—	—	—	29	18	11	—	—
	II.—Cancer and other tumors-----	5,234	2,297	2,649	105	183	672	366	293	4	9	1,656	792	840	7	17
45-55	Cancer and other malignant tumors-----	5,048	2,252	2,530	104	182	643	359	271	4	9	1,592	776	793	7	16
45	Cancer of buccal cavity and pharynx-----	207	166	28	11	2	28	23	4	—	1	57	46	9	1	1
45a-e	Cancer of buccal cavity-----	153	126	18	8	1	21	17	3	—	—	41	34	5	1	1
45f	Cancer of pharynx-----	54	40	10	3	1	7	6	1	—	—	16	12	4	—	—
46	Cancer of digestive organs and peritoneum-----	2,318	1,149	1,050	59	60	298	189	102	4	3	783	429	348	1	5
46a	Cancer of esophagus-----	75	54	13	8	—	7	5	2	—	—	25	22	3	—	—
46b,c	Cancer of stomach and duodenum-----	855	477	325	29	24	135	94	36	4	1	312	188	122	—	2
46f	Cancer of liver and biliary passages-----	453	176	262	7	8	33	19	14	—	—	112	42	68	1	1
46g	Cancer of pancreas-----	153	82	63	1	7	27	15	11	—	1	62	40	22	—	—
46d,e,h,m	Cancer of other digestive organs and peritoneum-----	782	360	387	14	21	96	56	39	—	1	272	137	133	—	2
47	Cancer of respiratory system-----	285	215	62	6	2	46	40	7	—	1	67	37	29	—	1
48	Cancer of uterus-----	569	—	506	—	63	54	—	52	—	2	122	—	118	—	4
49	Cancer of other female genital organs-----	121	—	115	—	6	18	—	18	—	—	40	—	40	—	—
50	Cancer of breast-----	500	3	472	—	25	59	—	59	—	—	158	5	149	—	4
51	Cancer of male genital organs-----	286	275	—	11	—	54	54	—	—	—	116	113	—	3	—
52	Cancer of urinary organs (male and female)-----	220	146	64	10	—	24	19	5	—	—	62	35	26	—	1
53	Cancer of skin (except vulva and scrotum)-----	123	66	54	1	—	8	5	3	—	—	46	31	14	1	—
54	Cancer of central nervous system*-----	81	48	32	1	—	6	3	3	—	—	32	18	13	—	—
55	Cancer of other and unspecified organs-----	338	182	147	5	4	46	26	18	—	2	109	62	47	—	—
56a	Nonmalignant tumors of ovary-----	30	—	27	—	3	2	—	2	—	—	8	—	8	—	—
56b	Nonmalignant tumors of uterus-----	61	—	44	—	17	13	—	13	—	—	22	—	21	—	—
56c	Nonmalignant tumors of other female genital organs-----	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

\*Refer to complete International List titles, table XI.



VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI				MONTANA				NEBRASKA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
II.—Cancer and other tumors—Continued																
56d,e	Nonmalignant tumors of other and unspecified organs	58	28	28	1	1	4	1	3	---	---	21	8	13	---	---
57a	Tumors of ovary (nature unspecified)	1	---	1	---	---	---	---	---	---	---	1	---	1	---	---
57b	Tumors of uterus (nature unspecified)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
57c	Tumors of other female genital organs (nature unspecified)	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---
57d,e	Tumors of other and unspecified organs (nature unspecified)	35	17	18	---	---	9	6	3	---	---	12	8	4	---	---
III.—Rheumatism, diseases of nutrition, etc.*																
		1,228	432	709	30	57	163	74	84	1	4	441	172	264	3	2
58a-d	Acute rheumatic heart diseases	25	13	9	---	3	6	3	2	1	---	11	7	4	---	---
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	12	2	9	1	---	1	---	1	---	---	4	1	3	---	---
59	Chronic rheumatism and other rheumatic diseases	29	5	21	3	---	8	5	3	---	---	19	8	11	---	---
60	Gout	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
61	Diabetes mellitus	932	344	529	18	41	112	53	57	2	---	339	134	200	3	2
62	Diseases of pituitary gland	3	1	1	1	---	2	2	---	---	---	1	---	1	---	---
63a	Simple goiter	5	---	4	1	---	1	---	1	---	---	1	---	1	---	---
63b	Exophthalmic goiter	113	16	88	2	7	18	3	14	---	1	35	5	30	---	---
63c-e	Other diseases of thyroid and parathyroid glands	7	2	5	---	---	---	---	---	---	---	6	3	3	---	---
64	Diseases of thymus gland	39	20	17	---	2	8	4	4	---	---	13	9	4	---	---
65	Diseases of adrenal glands(not specified as tuberculous)	19	8	11	---	---	2	1	1	---	---	4	---	4	---	---
66	Other general diseases	10	4	4	2	---	1	1	---	---	---	4	2	2	---	---
67	Scurvy	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---
68	Beriberi	---	---	---	---	---	1	1	---	---	---	1	---	---	---	---
69	Pellagra (except alcoholic)	29	14	11	1	3	1	1	1	---	---	---	---	---	---	---
70	Rickets	3	2	---	---	1	2	1	---	---	1	2	1	1	---	---
71	Other avitaminoses	2	1	---	---	1	---	---	---	---	---	---	---	---	---	---
IV.—Diseases of the blood and blood-forming organs																
		302	165	128	2	7	37	20	17	---	---	103	54	47	2	---
72	Hemorrhagic conditions	17	9	8	---	---	5	2	3	---	---	4	2	1	1	---
73a	Pernicious anemia	89	46	42	---	1	16	8	8	---	---	30	17	13	---	---
73b-d	Other anemias (except splenic)	22	11	9	1	1	---	---	---	---	---	14	6	8	---	---
74a	Leukemias	145	87	55	1	2	15	10	5	---	---	42	26	15	1	---
74b	Leukemias	4	3	1	---	---	1	---	1	---	---	4	1	3	---	---
75	Diseases of spleen	19	9	8	---	2	---	---	---	---	---	4	1	3	---	---
76	Other diseases of the blood and blood-forming organs	6	---	5	---	1	---	---	---	---	---	5	1	4	---	---
V.—Chronic poisoning and intoxication																
		56	47	3	4	2	26	21	5	---	---	18	16	2	---	---
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	1	---	---	---	1	1	---	---	---	---	---	---	---	---
77c-e	Alcoholism (acute, chronic, and unspecified)	44	38	1	3	2	22	18	4	---	---	15	13	2	---	---
78	Lead poisoning	4	4	---	---	---	1	1	---	---	---	3	3	---	---	---
79	Chronic poisoning by other mineral or organic substances	6	4	2	---	---	2	1	1	---	---	---	---	---	---	---
VI.—Diseases of the nervous system, etc.*																
		4,063	1,943	1,811	143	186	545	286	232	12	15	1,358	717	619	11	11
80	Encephalitis (nonepidemic)	46	22	20	3	1	7	2	2	---	3	19	12	6	---	1
81	Meningitis (not due to meningococcus)	70	37	21	7	5	10	5	2	1	2	24	13	10	---	1
82	Diseases of spinal cord (see exceptions)*	112	57	45	3	7	11	6	5	---	---	32	18	14	---	---
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,284	1,536	1,478	117	153	402	218	171	9	4	1,058	544	495	10	9
83b	Cerebral embolism and thrombosis	204	100	92	5	7	31	18	11	---	2	82	44	37	1	---
83c	Cerebral softening	41	17	17	1	6	5	4	1	---	---	4	4	---	---	---
83d	Hemiplegia and other paralysis of unspecified origin	46	22	22	---	2	14	5	7	1	1	47	23	24	---	---
84	Mental diseases and deficiency (see exception)*	29	12	15	1	1	14	5	9	---	---	10	4	6	---	---
85	Epilepsy	46	27	16	2	1	9	4	5	---	---	22	16	6	---	---
86	Convulsions (under 5 years)	16	6	8	2	---	4	1	2	---	1	3	3	---	---	---
87	Other diseases of nervous system	102	61	40	---	1	21	12	8	---	1	33	17	16	---	---
88	Diseases of organs of vision	4	1	2	---	1	---	---	---	---	---	---	---	---	---	---
89a	Otitis and other diseases of the ear	56	32	22	1	1	10	1	7	1	1	14	12	2	---	---
89b	Diseases of mastoid process	27	13	13	1	---	7	5	2	---	---	10	7	3	---	---
VII.—Diseases of the circulatory system																
		11,348	5,902	4,488	499	459	1,569	1,038	507	24	20	3,140	1,855	1,254	33	20
90	Pericarditis (except acute rheumatic)	34	15	16	2	1	6	2	4	---	---	11	4	7	---	---
91a,b	Bacterial and other acute or subacute endocarditis	77	38	33	3	3	7	5	2	---	---	34	17	17	---	---
91c	Endocarditis (unspecified, under 45 years)	2	1	1	---	---	2	---	---	---	---	2	1	1	---	---
92a-d	Chronic endocarditis and diseases of the valves*	1,882	923	772	65	102	182	107	78	2	5	403	230	168	2	3
92a	Endocarditis (unspecified, 45 years and over)	30	16	13	1	---	18	13	4	1	---	22	12	8	1	1
93a	Acute myocarditis (except rheumatic)	99	56	33	3	5	52	35	15	2	---	35	20	15	---	---
93b	Myocarditis (unspecified, under 45 years)	10	5	5	---	---	5	2	2	---	1	3	2	1	---	---
93c,d	Chronic myocarditis and myocardial degeneration	4,991	2,405	2,148	221	217	514	315	183	8	8	1,136	585	528	17	6
93e	Other myocarditis (unspecified)	412	213	172	11	16	150	102	45	2	1	141	88	52	---	1
94a	Diseases of coronary arteries	1,907	1,241	568	61	37	350	269	77	3	1	690	466	199	4	1
94b	Angina pectoris	299	210	82	4	3	33	29	4	---	---	122	90	32	---	---
95a	Functional diseases of heart, etc.*	93	56	35	---	2	4	2	2	---	---	16	9	7	---	---
95b,c	Other and unspecified diseases of heart	645	356	259	40	30	153	96	51	4	2	298	176	107	7	8
96	Aneurysm (except of heart and aorta)	40	23	10	5	2	3	2	1	---	---	6	5	1	---	---
97	Arteriosclerosis (except coronary or renal sclerosis)	687	299	300	58	30	74	43	27	2	2	168	102	66	---	---
98	Gangrene	16	9	5	---	2	1	1	---	---	---	6	1	3	2	---
99	Other diseases of arteries	60	28	26	4	2	13	8	5	---	---	31	19	12	---	---
100	Diseases of veins	24	13	10	---	1	7	4	3	---	---	7	2	5	---	---
101	Diseases of lymphatic system	2	---	2	---	---	1	---	1	---	---	---	---	---	---	---
102	High blood pressure (idiopathic)	36	15	15	1	5	4	1	3	---	---	8	3	5	---	---
103	Other diseases of circulatory system	2	---	1	---	---	1	---	---	---	---	1	---	---	---	---
VIII.—Diseases of the respiratory system																
		3,171	1,515	1,266	228	161	385	196	125	19	25	818	453	346	16	13
104a	Diseases of nasal fossae	2	2	---	---	---	---	---	---	---	---	3	1	2	---	---
104b	Diseases of accessory sinuses	19	11	7	1	---	3	3	---	---	---	7	4	3	---	---
105	Diseases of larynx	11	4	6	---	1	2	1	1	---	---	3	1	2	---	---

\* Refer to complete International List titles, table XI.



GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE				NEW JERSEY				NEW MEXICO				List No.			
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M		F	M	F
					4	2	2			39	18	18	2	1	1					56d,e
										1		1					1			57a
																				57b
1	1				5		5			62	35	25	1	1	6	4	2			57c
24	6	14	3	1	236	100	136			1,722	579	1,043	27	73	92	48	40	1	3	57d,e
					7	4	3			47	22	21	1	3	6	3	1			58a-d
					3	3				18	10	6		2	1		1			58e,f
1		1			7	2	5			63	23	37		3	6	3	3			59
					2					2										60
18	5	11	2		193	81	112			1,397	459	858	18	52	43	27	16			61
					7					6	3	3	1							62
					13	3	10			111	17	88	2	4	8	1	7			63a
					5	1	4			8	4	4								63b
					4	3	1			35	19	9	5	2	7	6		1		63c-e
2		1	1		13	3	10			14	5	7		2						64
					2	1	1			13	7	5		1	2	1				65
					5	1	4			8	4	4								66
2		1		1	4	3	1			35	19	9	5	2	7	6		1		67
					2	1	1			14	5	7		2						68
					1					13	7	5		1	2	1				69
1	1				1	1				6	3	2		1	15	6	9			70
					1	1				2	1	1		1	3	1	2			71
					3					3	2			1						
5	1	3		1	41	20	21			272	125	133	6	8	22	16	6			
					3	2	1			15	4	10	1		6	2	4			72
					9	4	5			45	17	27	1	1	6	5	1			73a
3		2		1	10	5	5			30	12	16	1	1	6					73b-d
2	1	1			17	7	10			148	75	64	3	6	6	6				74a
					1	1				8	4	3	1		2					74b
					1	1				14	8	6			1	1				75
					1					12	5	7			1		1			76
10	8	1		1	11	10	1			95	64	16	14	1	8	7	1			
										5	3	1	1							77a,b
9	7	1		1	8	7	1			83	57	13	12	1	8	7	1			77c-e
					3	3				3	2		1							78
1	1				4					4	2	2								79
77	48	22	4	3	670	350	319	1		4,044	1,763	1,986	149	146	277	148	117	7	5	
5	3	1		1	6	2	4			44	32	10	1	1	11	9	1			80
3	1	1		1	6	5	1			54	30	15	4	5	18	8	6	3		81
1					13	9	4			81	43	37	1		7	3	4			82
50	34	13	2	1	532	273	259			3,037	1,277	1,523	119	118	182	94	84	2	2	83a
7	2	4	1		74	40	33	1		429	189	228	5	7	14	5	9			83b
					4	1	3			14	4	9	1							83c
					8	5	3			93	50	31	6	6	9	5	2	1	1	83d
5	3	1	1		8	5	3			54	27	25	1	1	3	2	1			84
4	2	2			4	4	4			13	4	7	1	1	4	4				85
1	1				18	10	8			119	47	66	4	1	8	4	4			86
					3	1	2			2	1	1			1	1				87
1	1				3	1	2			27	13	11	1	2	13	10	3			88
					2		2			28	19	8	1		2	2				89a
																				89b
325	219	89	10	7	2,123	1,216	905	1	1	15,027	7,661	6,568	399	399	648	391	235	11	11	
					1	1				15	3	7	4	1	2	1		1		90
5		4	1		11	4	7			114	50	57	2	5	11	6	5			91a,b
					3	2	1			14	5	6	1	2						91c
36	20	12	2	2	261	153	107	1		1,195	479	610	55	51	105	54	44	2	5	92a-d
1		1			22	13	9			115	40	65	6	4	5	2	2	1		92e
6	2	4			13	7	6			172	91	74	4	3	11	7	4			93a
1	1	1			1	1	1			25	10	12	2	1	1		1			93b
121	81	36	1	3	808	407	400	1		6,862	3,102	3,395	173	192	230	145	80	2	3	93c,d
12	6	4	1	1	51	23	28			1,256	712	471	37	36	24	13	10	1		93e
71	55	14	2		513	336	177			3,157	2,112	956	56	33	94	64	27	3		94a
					77	60	17			139	94	40	3	2	21	13	8			94b
1		1			6	2	4			21	14	7								95a
41	36	4		1	175	109	66			989	497	407	39	46	92	52	36	1	3	95b,c
										19	13	4	1	1						96
14	8	5	1		162	84	78			752	353	375	12	12	33	22	11			97
					5	4	1			15	4	8	1	2	2	2				98
4	3	1			11	8	3			69	44	22	2	1	8	6	2			99
		2			1	1				37	16	19	1	1	2	2				100
1					1					1				1	1					101
1					1	1				57	20	32		5	4	1	3			102
					1		1			3	2	1			1	1				103
83	59	16	5	3	405	222	182	1		2,445	1,201	992	150	102	539	270	207	36	26	
					3	1				3	3				1		1			104a
1	1				3	3				22	11	9	2		3	1	2			104b
1		1			4	3	1			16	12	4			3		3			105

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI				MONTANA				NEBRASKA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
VIII.—Diseases of the respiratory system—Contd.																
106a	Acute bronchitis	35	16	16	1	2	3	3	---	---	---	11	5	6	---	---
106b	Chronic bronchitis	84	37	39	5	3	8	5	3	---	---	15	9	6	---	---
106c	Bronchitis (unspecified)	15	9	6	---	---	3	2	---	1	---	7	4	3	---	---
107	Bronchopneumonia (including capillary bronchitis)	1,195	526	511	93	65	163	78	61	11	13	277	158	112	4	3
108	Lobar pneumonia	1,549	773	597	114	75	116	69	36	4	7	329	184	129	6	10
109	Pneumonia (unspecified)	30	13	13	2	2	31	9	15	4	3	72	35	32	5	---
110	Pleurisy (not specified as tuberculous)	72	41	21	4	6	6	5	---	1	---	17	11	5	1	---
111a	Hemorrhagic infarction and thrombosis of lungs	26	14	9	1	2	4	3	1	---	---	10	5	5	---	---
111b,c	Acute edema, chronic and unspecified congestion of lungs	42	16	23	1	2	5	2	3	---	---	33	14	19	---	---
112	Asthma	34	20	11	3	---	11	7	4	---	---	18	13	5	---	---
113	Pulmonary emphysema	5	3	2	---	---	---	---	---	---	---	6	3	3	---	---
114	Other diseases of respiratory system (except tuberculosis)	52	31	15	3	3	10	9	1	---	---	10	6	4	---	---
IX.—Diseases of the digestive system																
115a,b,d	Diseases of buccal cavity and adnexa	85	33	39	7	6	15	10	5	---	---	20	14	6	---	---
115c	Diseases of pharynx and tonsils	34	22	11	1	---	18	10	8	---	---	16	11	5	---	---
116	Diseases of esophagus	6	4	1	1	---	---	---	---	---	---	4	2	2	---	---
117a	Ulcer of stomach	206	145	43	12	6	36	29	6	1	---	52	44	8	---	---
117b	Ulcer of duodenum	78	62	13	3	---	17	15	2	---	---	27	24	3	---	---
118	Other diseases of stomach (except cancer)	52	23	24	4	1	7	3	3	---	1	20	11	9	---	---
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	309	138	122	27	22	32	10	14	4	4	40	17	22	---	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	143	76	53	8	6	14	7	5	1	1	29	14	15	---	---
121	Appendicitis	459	273	149	20	17	87	52	30	2	3	162	87	73	1	1
122a	Hernia	152	78	55	15	4	16	13	5	---	---	47	27	19	---	---
122b	Intestinal obstruction	197	77	92	10	18	42	20	22	---	---	72	31	38	2	1
123	Other diseases of intestines	29	16	8	1	4	6	5	3	---	---	19	5	14	---	---
124a	Cirrhosis of liver (with mention of alcoholism)	17	13	1	3	---	6	5	1	---	---	16	14	2	---	---
124b	Cirrhosis of liver (without mention of alcoholism)	332	198	117	9	8	24	17	7	---	---	77	44	31	1	1
125a	Acute yellow atrophy of liver (nonpuerperal)	24	9	13	---	2	2	1	1	---	---	8	4	3	---	---
125b	Other diseases of liver	44	25	11	4	4	3	1	2	---	---	9	3	6	---	---
126	Biliary calculi	163	54	103	2	4	34	13	21	---	---	61	16	45	---	---
127	Other diseases of gallbladder and biliary ducts	130	30	96	1	3	22	7	14	---	1	53	19	33	1	---
128	Diseases of pancreas (except diabetes mellitus)	18	10	7	1	---	1	1	---	---	---	9	6	3	---	---
129	Peritonitis (cause not stated)	45	22	21	1	1	6	4	4	---	---	10	2	7	---	1
X.—Diseases of the genito-urinary system																
130	Acute nephritis	54	29	16	5	4	15	10	5	---	---	28	14	14	---	---
131a	Arteriosclerotic kidney	2,724	1,359	1,076	160	129	175	110	58	2	5	637	351	281	2	3
131b	Other chronic nephritis	1,607	797	655	85	90	119	74	40	5	---	258	150	102	1	5
132	Nephritis unspecified (10 years and over)	30	12	15	1	2	18	10	6	1	1	30	19	11	---	---
133	Other diseases of kidneys and ureters, etc.*	115	60	40	6	9	15	10	3	---	2	26	11	15	---	---
134	Calculi of urinary passages	46	26	16	2	2	6	3	2	1	---	17	10	7	---	---
135	Diseases of urinary bladder	20	11	6	2	1	2	2	---	---	---	16	12	3	1	---
136	Diseases of urethra (except calculus)	20	10	1	9	---	---	---	---	---	---	2	2	---	---	---
137	Diseases of prostate	252	230	---	22	---	43	43	---	---	---	109	109	---	---	---
138	Diseases of other male genital organs (except venereal)	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---
139a	Diseases of ovaries, fallopian tubes, and parametria	52	---	42	---	10	4	---	3	---	1	12	---	12	---	---
139b	Diseases of uterus	15	---	15	---	---	4	---	4	---	---	15	---	15	---	---
139c	Diseases of other and unspecified female genital organs	3	---	3	---	---	---	---	---	---	---	---	---	---	---	---
XI.—Diseases of pregnancy, childbirth, and the puerperium																
140	Abortion with mention of infection	49	---	43	---	6	9	---	8	---	1	9	---	9	---	---
140a,b	Abortion (septic), spontaneous or therapeutic*	35	---	31	---	4	8	---	7	---	1	6	---	6	---	---
140c,d	Abortion (septic), self-induced or nontherapeutic*	14	---	12	---	2	1	---	1	---	---	3	---	3	---	---
141	Abortion without mention of infection	6	---	3	---	3	2	---	2	---	---	4	---	3	---	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	---	2	---	---	---	---	2	---	---	1	---	1	---	---
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	3	---	---	---	3	---	---	---	---	---	3	---	---	---	1
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---
142a	Ectopic gestation, with mention of infection	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---
142b	Ectopic gestation, without mention of infection	8	---	6	---	2	---	---	---	---	---	3	---	3	---	---
143a	Placenta praevia (death before delivery)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	8	---	6	---	2	2	---	2	---	---	5	---	4	---	1
144c,d	Other toxemias of pregnancy (death before delivery)*	6	---	5	---	1	---	---	---	---	---	3	---	3	---	---
145	Other diseases and accidents of pregnancy (death before delivery)	6	---	6	---	---	2	---	2	---	---	3	---	3	---	---
146a	Placenta praevia (with childbirth)	9	---	9	---	---	2	---	2	---	---	3	---	2	---	1
146b,c	Other hemorrhages of childbirth and puerperium	14	---	13	---	1	4	---	3	---	1	7	---	7	---	---
147a,b	Puerperal pyelitis, other general or local puerperal infection*	57	---	53	---	4	5	---	5	---	---	10	---	10	---	---
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	10	---	9	---	1	6	---	6	---	---	13	---	13	---	---
148a,b	Puerperal eclampsia and nephritis*	37	---	33	---	4	1	---	1	---	---	9	---	8	---	1
148c,d	Other puerperal toxemias	4	---	4	---	---	---	---	---	---	---	---	---	---	---	---
149	Other accidents and specified conditions of childbirth	16	---	15	---	1	2	---	2	---	---	7	---	7	---	---
150	Other and unspecified conditions of childbirth and puerperium	9	---	9	---	---	---	---	---	---	---	2	---	2	---	---
XII.—Diseases of the skin and cellular tissue																
151	Carbuncle and furuncle	12	8	4	---	---	3	1	1	1	---	1	1	---	---	---
152	Phlegmon and acute abscess	13	5	6	2	---	5	5	---	---	---	1	1	---	---	---
153	Other diseases of skin and cellular tissue	24	12	8	3	1	2	---	2	---	---	2	1	1	---	---

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	NEVADA				Total deaths	NEW HAMPSHIRE				Total deaths	NEW JERSEY				Total deaths	NEW MEXICO				List No.	
	White		All other			White		All other			White		All other			White		All other			
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		
1	1				4	1	3			43	16	25		2	3			1	1	1	106a
					14	4	10			65	32	30	1	2	11	7	4				106b
					7	2	5			26	8	16		2	4	2					106c
43	30	10	1	2	157	65	72			836	376	363	57	40	255	124	96	19	16		107
26	18	4	3	1	171	99	71	1		1,051	536	403	67	45	200	101	81	14	4		108
4	2	1	1		9	3	6			108	64	37	5	2	23	10	8	2	3		109
					9	6	3			93	48	31	10	4	7	6	1				110
					7	5	2			27	13	12	2		1		1				111a
					5	3	2			55	26	26		3	8	3	3		2		111b,c
4	4				8	5	3			55	26	26		2	15	11	4				112
										4	4										113
3	3				6	2	4			41	26	10	4	1	5	5					114
61	42	14	4	1	268	155	113			2,313	1,278	887	82	66	490	256	207	16	11		
2	1	1			9	5	4			48	18	27	2	1	16	9	6	1			115a,b,d
1	1				4	3	1			38	22	12	3	1	8	4	4				115c
					2		2			7	2	4		1	2						116
8	8				25	20	5			207	165	27	10	5	22	18	4				117a
4	3	1			12	10	2			101	84	13	3	1	9	8	1				117b
2	2				6	6	2			36	23	8		5	8	5	2	1			118
6	4	1	1		12	10	2			114	62	40	7	5	211	110	84	10	7		119
2	2				5	2	3			68	25	38	2	3	23	11	11		1		120
4	6	2			50	31	19			462	250	171	22	9	60	38	20	2			121
4	3	1			20	10	10			192	99	84	4	5	10	2	8				122a
6	1	5			40	19	21			174	73	81	12	8	40	12	27		1		122b
1	1				2		2			59	35	22	2	2	2		2				123
5	4	1			1	1				27	20	5	1	1	4	3	1				124a
6	3	1	2		31	19	12			400	235	148	7	10	32	19	13				124b
					3	1	2			14	7	6		1	2	1	1				125a
2	1		1		3	2	1			20	11	9		7	2	2	4		1		125b
2	1	1			20	6	14			157	46	105	2	4	11	3	8				126
2	1	1			13	3	10			110	45	61	1	3	11	6	4	1			127
2	1			1	2		2			31	18	12		1	2	1	1				128
					8	7	1			48	26	16	4	2	10	4	4	1	1		129
80	50	24	2	4	586	299	286	1		3,902	1,810	1,754	155	183	294	168	117	6	3		
2	2				9	6	3			73	29	35	3	6	11	7	4				130
44	23	17	2	2	334	161	173			2,371	1,027	1,158	79	107	52	42	3				131a
22	16	5		1	168	80	87	1		814	362	370	45	37	120	67	50	2	1		131b
1	1				14	10	4			127	47	65	7	8	14	8	6				132
2		1			11	4	7			98	52	39	3	4	11	5	6				133
1	1				9	7	2			78	49	27	2	3	3	3					134
1	1				1	1				22	12	8	1	1	1		1				135
					2	2				9	5		4	1	1	1					136
6	6				28	28				236	226	10		24	24	24					137
						2				2	1		1	1	1	1					138
1					9		9			48		30		18	7	1	6				139a
					1		1			20		19		1	4		3				139b
						4				4		3		1							139c
8		7		1	27		27			182		154		28	71		64				140
2		2			1		1			32		23		9	8		8				140a,b
2		2			1		1			16		12		4	6		6				140c,d
										16		11		5	2		2				141
										8		6		2	4		2				141a,c
										5		3		2	4		2				141b,d
										3		3									141e,f
					1		1			3		3									142a
					1		1			7		6		1	1		1				142b
					1		1			1		1									143a
					2		2			2		2									143b,c
					4		4			12		11		1	6		6				144a,b
					1		1			6		4		2							144c,d
					1		1			6		4		2	1		1				145
					6		6			6		5		1	5		5				146a
1		1			2		2			18		16		2	6		5				146b,c
2		2			8		8			28		22		6	16		16				147a,b
2		1		1	3		3			12		11		1	5		4				147c,d
					2		2			12		12			11		10				148a,b
					4		4			4		4									148c,d
					2		2			18		17		1	1						149
1		1			7		7			7		7			7		6				150
1	1				3		3			43		22		2	5		2				151
					1		1			16		14		1	2		2				152
					1		1			14		5		2	2		2				153
1	1				1		1			13		3		1	1		1				155

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI				MONTANA				NEBRASKA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	38	20	16	1	1	8	5	3	—	—	21	14	5	—	2
154	Osteomyelitis and periostitis	24	16	6	1	1	5	4	1	—	—	11	10	1	—	—
155	Other diseases of bones (except tuberculosis)	4	—	4	—	—	1	1	—	—	—	2	—	2	—	—
156	Diseases of joints and other organs of movement	10	4	6	—	—	2	—	2	—	—	8	4	2	—	2
157	XIV.—Congenital malformations	337	182	146	6	3	67	36	28	1	—	136	72	63	1	2
	XV.—Diseases peculiar to the first year of life	1,235	600	495	76	62	253	117	120	12	4	449	255	187	5	2
158	Congenital debility (cause not stated)	58	31	20	4	3	8	5	2	1	—	23	12	11	—	—
159	Premature birth (cause not stated)	808	394	327	47	40	164	71	85	5	3	272	150	117	4	1
160a	Intracranial or spinal hemorrhage	105	55	41	6	3	25	13	11	1	—	57	34	22	1	—
160b,c	Other injuries at birth	126	63	55	7	1	31	17	12	1	1	55	36	19	—	—
161	Other diseases peculiar to the first year of life	136	57	52	12	15	25	11	10	4	—	42	23	18	—	1
162	XVI.—Senility	217	100	110	3	4	48	24	19	3	2	162	64	95	—	3
	XVII.—Violent or accidental deaths	3,457	2,186	961	225	85	665	506	124	29	6	1,150	795	335	15	5
163,164	Suicide	569	425	132	9	3	106	91	12	2	1	213	174	36	2	1
163	Suicide by poisoning	166	92	70	1	3	18	14	4	—	—	57	37	17	2	1
	Suicide by solid or liquid poisons	114	58	54	1	3	16	12	4	—	—	20	8	10	2	—
	Suicide by poisonous gases	52	36	16	—	—	2	2	—	—	—	37	29	7	—	1
164a	Suicide by hanging or strangulation	71	60	11	—	—	13	10	2	1	—	50	40	10	—	—
164b	Suicide by drowning	32	19	11	2	—	3	1	2	—	—	6	6	2	—	—
164c	Suicide by firearms and explosives	246	217	24	5	—	61	57	3	1	—	86	82	4	—	—
164d	Suicide by cutting or piercing instruments	28	24	4	—	—	7	6	1	—	—	7	6	1	—	—
164e	Suicide by jumping from high places	20	9	10	1	—	3	2	—	—	1	1	1	—	—	—
164f	Suicide by crushing	1	1	—	—	—	1	1	—	—	—	2	2	—	—	—
164g	Suicide by other or unspecified means	5	3	2	—	—	—	—	—	—	—	2	—	2	—	—
165-168	Homicide	233	105	19	89	20	27	22	3	2	—	28	16	5	3	4
166	Homicide by firearms	138	66	11	53	8	18	14	2	2	—	15	10	3	—	2
167	Homicide by cutting or piercing instruments	48	11	2	28	7	3	3	—	—	—	4	1	—	2	1
168	Homicide by other means	47	28	6	8	5	6	5	1	—	—	9	5	2	1	1
169-195	Accidental deaths	2,653	1,654	610	127	62	531	392	109	25	5	909	605	294	10	—
169	Railway accidents(except collisions with motor vehicles)	98	79	9	10	—	19	19	—	—	—	31	28	2	1	—
170a	Collisions between automobiles and trains	35	28	7	—	—	12	10	2	—	—	15	13	2	—	—
170b	Collisions between automobiles and streetcars	2	2	—	—	—	—	—	—	—	—	3	2	1	—	—
170c	Automobile accidents (except collisions with trains or streetcars)	772	548	174	38	12	135	96	26	12	1	257	165	67	5	—
170d	Motorcycle accidents (except collisions with automobiles)	8	8	—	—	—	—	—	—	—	—	—	—	—	—	—
171a	Streetcar accidents (except collisions with trains or motor vehicles)	9	5	2	1	1	—	—	—	—	—	—	—	—	—	—
171b	Other and unspecified road-transport accidents	12	8	4	—	—	3	2	1	—	—	5	5	—	—	—
172	Water-transport accidents	14	12	—	2	—	3	2	1	—	—	2	2	—	—	—
173	Air-transport accidents	6	6	—	—	—	5	4	1	—	—	1	1	—	—	—
174	Accidents in mines and quarries	21	20	—	1	—	31	30	—	1	—	1	1	—	—	—
175a	Accidents involving agricultural machinery and vehicles	33	28	4	1	—	15	14	1	—	—	20	19	1	—	—
175b,c	Other agricultural accidents	33	32	1	—	—	7	7	—	—	—	22	20	2	—	—
175d	Accidents involving forestry machinery and vehicles	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
175e	Other forestry accidents	2	2	—	—	—	3	3	—	—	—	—	—	—	—	—
176	Other accidents involving machinery	32	26	3	3	—	9	8	1	—	—	11	11	—	—	—
177	Food poisoning	16	5	7	2	2	3	2	1	—	—	3	3	—	—	—
178	Accidental absorption of poisonous gas	24	15	6	2	1	10	9	—	1	—	14	12	2	—	—
179	Acute accidental poisoning by solids or liquids	36	18	18	1	1	4	2	2	—	—	12	9	3	—	—
180	Conflagration	45	23	16	5	1	15	7	7	1	—	9	6	2	1	—
181	Accidental burns (except conflagration)	173	79	70	8	16	37	21	14	—	2	56	30	26	—	—
182	Accidental mechanical suffocation	24	12	8	3	1	7	1	5	1	—	9	4	5	—	—
183	Accidental drowning	129	102	18	8	1	41	32	6	2	1	50	41	8	1	—
184	Accidental injury by firearms	72	60	5	6	1	25	22	2	—	1	17	16	1	—	—
185	Accidental injury by cutting or piercing instruments	18	11	2	3	2	1	—	1	—	—	9	5	4	—	—
185a	Accidental injury by fall	802	364	409	16	13	87	51	33	3	—	272	122	149	1	—
185b	Accidental injury by crushing	8	7	—	1	—	2	1	—	1	—	2	2	—	—	—
187	Cataclysm, etc.*	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
188	Injury by animals (except in agriculture and forestry)	8	3	3	—	2	7	4	1	2	—	8	8	—	—	—
189	Hunger or thirst	7	5	1	—	1	6	6	2	—	—	4	4	—	—	—
190	Excessive cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
191	Excessive heat	37	19	11	4	3	1	1	—	—	—	16	12	4	—	—
192	Lightning	18	15	2	1	—	2	2	—	—	—	1	1	—	—	—
193	Accidents due to electric currents (except lightning)	14	13	—	1	—	3	3	—	—	—	18	17	1	—	—
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	—	—	—	1	1	—	—	—	1	1	—	—	—
195a,b	Accidents due to medical or surgical intervention	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—
195d	Obstruction, suffocation, or puncture by ingested objects	22	14	4	1	3	2	2	—	—	—	10	6	4	—	—
195c,e	Other and unspecified accidents	118	83	26	8	1	30	27	2	1	—	28	19	8	1	—
196	Deaths of military personnel during operations of war	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
197	Deaths of civilians due to operations of war	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Legal executions	2	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	XVIII.—Ill-defined and unknown causes	233	135	65	20	13	94	36	14	22	22	58	36	20	1	1
199	Sudden death	23	18	2	2	1	4	4	—	—	—	11	6	5	—	—
200a	Ill-defined	82	50	19	9	4	32	18	10	4	—	35	24	9	1	1
200b	Found dead (cause unknown)	10	6	3	1	—	6	4	1	—	1	2	1	1	—	—
200c	Unknown or unspecified	118	61	41	8	8	52	10	5	18	21	10	5	5	—	—

\*Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	NEVADA				Total deaths	NEW HAMPSHIRE				Total deaths	NEW JERSEY				Total deaths	NEW MEXICO				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
2	1			1	4	3	1			32	21	9	2		6	6				
1				1	3	2	1			23	16	6	1		3	3				154
1	1				1	1				3	2	1			3	3				155
10	6	3		1	68	33	35			323	155	153	9	6	50	27	18	3	2	156
42	23	16	2	1	194	98	95		1	1,166	579	427	68	72	359	191	135	18	15	157
4	2		2		8	4	4			29	14	10	1	4	37	19	13	2	3	159
28	17	11			121	56	64		1	750	357	284	57	52	239	126	93	12	8	159
1					15	13	2			138	70	52	11	5	16	8	5	1	1	160a
5	3	2			32	17	15			111	60	41	5	5	34	20	11	2	1	160b,c
4	1	2		1	18	8	10			138	78	40	14	6	33	18	13	1	1	161
8	3	2		3	11	3	8			136	39	84	6	7	38	19	15	2	2	162
275	186	59	21	7	502	332	167	3		3,193	2,002	975	159	57	547	398	113	24	12	
41	34	4	2	1	90	64	26			572	410	150	6	6	66	52	13		1	163,164
8	7			1	32	20	12			224	137	82	2	3	12	9	2		1	163
4	3			1	11	4	7			40	24	16			9	6	2			
4	4				21	16	5			184	113	66	2	3	3	3				
3	2		1		15	12	3			131	110	20	1		8	4	4			164a
					6	4	2			30	13	15	1	1	1	1				164b
27	23	4			26	20	6			129	112	14	1	2	40	35	5			164c
3	2		1		7	6	1			22	18	3	1		2	2				164d
					2	1	1			28	15	13			1	1				164e
					2	1	1			4	3	1			2					164f
					2	1	1			4	2	2			2		2			164g
11	5	5	1		11	5	6			91	40	20	21	10	21	16	3	2		165-168
8	3	4	1		6	3	3			34	17	8	7	2	14	10	2	2		166
2	1	1			6	17	4			17	4	2	10	1	1	1				167
1	1				5	2	3			40	19	10	4	7	6	5	1			168
221	147	50	18	6	400	262	135	3		2,530	1,552	805	132	41	460	330	97	22	11	169-195
32	15	7	10		8	7	1			80	70	4	6		13	12		1		169
					9	7	2			13	8	4	1		5	2	1			170a
					1	1				1	1				1	2				170b
78	48	23	4	3	97	77	19	1		823	568	186	51	18	189	139	43	7		170c
					3	3				15	14	1			2	2				170d
										1		1								171a
1	1									9	5	3	1		2	1				171b
					9	8	1			49	43	1	5		1	1				172
					1	1				7	7				3	3				173
17	17				3	3				3	3				11	11				174
3	3				7	7				6	6				2	2				175a
4	4				3	3				6	5		1		8	8				175b,c
					2	2				6	5				1	1				175d
1	1				6	5	1			33	31	1	1		6	6				175e
					4	3	1			4	1	1	1	1	1	1				176
3	1	1	1		11	9	2			96	57	39			3	3				177
4	3	1			2	2				39	26	9	2	2	9	5	2	2		178
5	5				11	7	3	1		36	20	10	4	2	2	2				179
11	5	5	1		15	11	4			120	53	54	7	6	37	13	18	2	4	180
					13	7	6			49	23	20	5	1	6	5	1			181
10	9		1		26	26				165	123	18	23	1	42	29	9	3	1	182
8	6	1	1		12	11		1		24	16	4	3	1	29	27	1	1		183
					1	1				5	3				2	1				184
26	16	7	1	2	137	47	90			805	372	418	10	5	43	23	18	2		185
					4	4				4	3		1		4	4				186a
1	1				1	1				1	1				6	3		1	2	186b
					1	1				1	1				2	1				187
2	2				1	1				2	2				5	3	1	1		188
1	1				3	3				12	7	3	2		5	3	1	1		189
										3	1	1		1	6	6				190
4	4				2	2				24	20	4			4	4				191
					1	1				1					1					192
																				193
																				194
5	1	2			4	3	1			26	14	8	3	1	4	2	2			195a,b
4	2	2			11	9	2			68	48	15	3	2	14	10	1	1	2	195d
																				195c,e
																				196
2	2				1	1														197
30	19	2	4	5	12	9	3			67	37	23	4	3	1,333	664	542	66	61	198
1	1				1	1				2	1		1		8	5	3			199
20	16	2			11	8	3			57	30	23	1	3	71	52	7	6	6	200a
1										2	2				1	1				200b
8	2									6	4		2		1,253	607	531	60	55	200c

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK				NORTH CAROLINA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes-----	149,501	76,817	65,083	4,138	3,463	31,793	11,411	8,825	6,062	5,495
	I.—Infectious and parasitic diseases-----	10,427	5,584	2,818	1,245	780	3,746	983	802	955	1,006
1	Typhoid fever-----	36	16	10	5	5	49	17	11	19	2
2	Paratyphoid fever-----	9	4	4	1	—	1	—	—	1	—
3	Plague-----	—	—	—	—	—	—	—	—	—	—
4	Cholera-----	—	—	—	—	—	—	—	—	—	—
5	Undulant fever (brucellosis)-----	2	—	2	—	—	5	2	1	1	1
6	Cerebrospinal (meningococcus) meningitis-----	63	38	19	2	4	28	11	8	7	2
7	Anthrax (infection by Bacillus anthracis)-----	2	2	—	—	—	—	—	—	—	—
8	Scarlet fever-----	50	30	17	2	1	12	3	9	—	—
9	Whooping cough-----	136	63	61	4	8	228	42	49	65	72
10	Diphtheria (infection by C. diphtheriae)-----	36	26	9	1	—	166	72	67	14	13
11	Erysipelas-----	62	35	27	—	—	15	3	10	1	2
12	Tetanus-----	20	15	4	—	1	21	11	4	5	1
13-22	Tuberculosis (all forms)-----	6,482	3,467	1,743	753	519	1,804	419	261	500	604
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs-----	44	40	1	3	—	3	3	—	—	—
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs-----	5,932	3,225	1,571	675	461	1,655	392	263	459	541
14	Tuberculosis of meninges and central nervous system-----	148	57	54	18	19	41	9	5	13	14
15	Tuberculosis of intestines and peritoneum-----	67	26	19	13	9	45	3	9	9	22
16	Tuberculosis of vertebral column-----	63	21	21	10	11	10	2	—	2	6
17a	Tuberculosis of bones (except vertebral column)-----	6	4	1	1	—	5	2	—	2	1
17b	Tuberculosis of joints (except vertebral column)-----	16	7	6	2	1	4	—	—	2	2
18	Tuberculosis of skin, etc.*-----	2	1	1	—	—	1	1	—	—	—
19	Tuberculosis of lymphatic system, etc.*-----	6	1	4	1	—	1	—	—	—	1
20	Tuberculosis of genito-urinary system-----	66	34	27	4	1	6	2	2	—	2
21	Tuberculosis of other organs-----	8	3	4	—	—	1	—	—	1	—
22a	Disseminated tuberculosis (acute miliary)-----	119	47	32	25	15	34	5	2	12	15
22b	Disseminated tuberculosis (other and unspecified)-----	5	1	2	1	1	—	—	—	—	—
23	Leprosy-----	1	—	1	—	—	—	—	—	—	—
24	Septicemia and purulent infection (nonpuerperal)-----	105	65	33	5	2	60	26	22	3	9
25	Gonococcus infection-----	44	8	16	5	15	7	—	2	—	5
26	Other diseases due to bacteria (except dysentery)-----	—	—	—	—	—	4	2	—	2	—
27	Dysentery-----	40	20	18	1	1	80	16	30	11	23
28	Malaria-----	20	11	3	5	1	51	17	12	10	12
29	Other diseases due to parasitic protozoa (except spirochetes)-----	1	—	1	—	—	—	—	—	—	—
30	Syphilis (all forms)-----	2,204	1,211	361	434	198	438	84	43	186	125
30a	Locomotor ataxia (tabes dorsalis)-----	67	53	13	—	1	2	2	—	—	—
30b	General paralysis of insane-----	530	341	69	96	24	70	15	10	36	9
30c	Other syphilis of central nervous system-----	220	125	38	41	16	29	8	2	11	8
30d	Aneurysm of aorta-----	532	304	77	113	38	46	17	1	20	8
30e	Other syphilis of circulatory system-----	200	107	25	52	16	25	6	1	11	7
30f,g	Congenital, other and unspecified forms of syphilis-----	655	291	139	132	103	266	36	29	108	95
31	Relapsing fever-----	—	—	—	—	—	—	—	—	—	—
32	Other diseases due to spirochetes-----	13	6	7	—	—	12	4	1	4	3
33a	Influenza, with respiratory complications specified-----	338	152	176	5	5	436	128	137	82	89
33b	Influenza, without respiratory complications specified-----	242	127	108	5	2	193	73	61	30	29
34	Smallpox-----	1	—	—	1	—	—	—	—	—	—
35	Measles-----	56	31	23	2	—	62	25	26	5	6
36	Acute poliomyelitis and acute polioencephalitis-----	54	36	14	2	2	13	3	5	2	3
37a,c	Infectious encephalitis lethargica (acute and unqualified)-----	60	29	28	2	1	6	2	3	1	—
37b	Sequelae of encephalitis lethargica-----	42	22	19	—	1	1	1	—	—	—
38	Other diseases due to filtrable viruses-----	5	1	4	—	—	2	1	—	1	—
39	Typhus fever and typhus-like diseases (due to Rickettsia)-----	3	1	2	—	—	15	9	5	1	—
40	Ankylostomiasis-----	—	—	—	—	—	2	—	1	1	—
41	Hydatid disease-----	3	2	1	—	—	—	—	—	—	—
42	Other diseases caused by helminths-----	4	2	1	1	—	2	1	1	—	—
43	Mycoses-----	32	21	10	1	—	6	3	1	1	1
44	Other infectious and parasitic (communicable) diseases-----	261	143	96	8	14	28	8	12	2	4
	II.—Cancer and other tumors-----	21,683	10,098	10,845	301	439	2,137	637	980	156	364
45-55	Cancer and other malignant tumors-----	20,930	9,884	10,366	293	387	2,001	616	918	151	316
45	Cancer of buccal cavity and pharynx-----	664	545	95	22	2	71	34	18	10	9
45a-e	Cancer of buccal cavity-----	453	374	68	11	—	49	23	13	4	9
45f	Cancer of pharynx-----	211	171	27	11	2	22	11	5	6	—
46	Cancer of digestive organs and peritoneum-----	10,103	5,302	4,519	157	125	747	292	298	87	70
46a	Cancer of esophagus-----	501	377	101	19	4	25	13	4	6	2
46b,c	Cancer of stomach and duodenum-----	3,299	1,680	1,308	69	42	313	124	114	40	35
46f	Cancer of liver and biliary passages-----	1,048	425	594	14	15	144	49	69	17	9
46g	Cancer of pancreas-----	745	410	311	17	7	55	29	17	4	5
46d,e,h,m	Cancer of other digestive organs and peritoneum-----	4,510	2,210	2,205	38	57	210	77	94	20	19
47	Cancer of respiratory system-----	1,713	1,328	335	43	7	65	38	20	5	2
48	Cancer of uterus-----	1,673	—	1,547	—	126	340	—	—	—	125
49	Cancer of other female genital organs-----	635	—	612	—	23	46	—	—	—	7
50	Cancer of breast-----	2,152	13	2,075	1	63	207	6	143	—	58
51	Cancer of male genital organs-----	1,020	995	—	25	—	111	92	—	19	—
52	Cancer of urinary organs (male and female)-----	1,088	697	368	14	11	86	33	36	13	4
53	Cancer of skin (except vulva and scrotum)-----	308	181	123	3	1	68	27	32	2	7
54	Cancer of central nervous system*-----	324	188	126	4	6	35	11	19	2	3
55	Cancer of other and unspecified organs-----	1,250	635	568	24	23	225	83	98	13	31
56a	Nonmalignant tumors of ovary-----	88	—	85	—	3	19	—	—	—	10
56b	Nonmalignant tumors of uterus-----	240	—	202	—	38	53	—	—	—	30
56c	Nonmalignant tumors of other female genital organs-----	2	—	2	—	—	1	—	—	—	1
56d,e	Nonmalignant tumors of other and unspecified organs-----	193	95	95	4	5	23	8	9	3	3

\* Refer to complete International List titles, table II.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	NORTH DAKOTA					Total deaths	OHIO				Total deaths	OKLAHOMA				Total deaths	OREGON				List No.		
	White		All other		Total deaths		White		All other			Total deaths	White		All other		Total deaths	White		All other			
	M	F	M	F			M	F	M	F			M	F	M			F	M	F		M	F
5,424	3,104	2,111	104	105	76,927	39,028	32,793	2,880	2,226	20,391	10,277	7,246	1,518	1,350	11,797	6,946	4,625	137	69				
400	206	154	19	21	6,025	2,900	2,045	668	412	2,424	1,032	800	295	237	700	394	251	28	27				
4	1	2		1	53	32	17	2	2	88	44	31	6	7	16	9	7			1			
					1	1				1		1			1		1				2		
																					3		
					6	3	3			4	1	3									4		
3	3				15	11	4			11	8	3			8	5	3				5		
1	1																				6		
8	2	6			73	44	27	1	1	17	3	12	1	1	6	6					7		
13	4	9			88	41	35	10	2	25	9	13	1	2	9	5	4				8		
5	3	1	1		59	27	29		3	72	45	23	3	1	2	2					9		
5	3	2			31	19	11	1		16	7	8		1	6	2	4				10		
1	1	1			17	10	5		2	29	18	5	4	2	1		1				11		
142	71	38	17	16	2,956	1,315	951	408	282	1,076	417	322	161	176	323	159	122	21	21		12		
																					13-22		
					48	41	2	5		5	5										13a		
122	62	29	16	15	2,618	1,164	834	366	254	982	372	294	148	168	282	145	102	17	18		13b, c		
5	1	2	1	1	91	42	24	11	14	18	8	5	3	2	13	1	7	2	3		14		
7	4	3			55	12	30	7	6	19	7	6	2	4	2		2				15		
1		1			40	20	14	5	1	8	5	3			5	3	2				16		
					9	7	2			4	2	2										17a	
					3	2		1		2	1	1			3	1	2					17b	
					1	1				1			1									18	
					6	1	3	1	1	4	2		2		3		1	2				19	
3	3				22	10	11	1	1	8	5	2	1		5	4	1				20		
2		2			6	3	2			2		1		1	2	1	1				21		
2	1	1			31	9	9	8	5	18	10	5	2	1	8	4	4				22a		
					6	3		2	1	5	3	3	2									22b	
																						25	
13	9	4			83	50	27	5	1	39	18	18	3		19	6	12		1		24		
4		3		1	18	2	11	1	4	8	4	1		3							25		
					22	14	7	1		9	5	3	1									26	
2		2			38	16	17	3	2	95	40	29	7	19	9	2	6	1			27		
					4	5	1			46	19	11	9	7	1	1					28		
					1	1																29	
56	29	5		2	1,081	609	221	185	66	276	133	50	62	31	159	123	28	4	4		30		
1	1				64	51	10	3		7	5	2			6	3	2		1		30a		
8	8				302	173	56	57	16	59	41	8	7	3	26	21	4	1			30b		
7	5	1		1	86	44	18	14	10	33	21	7	5	16	13	2					30c		
11	9	2			237	151	30	41	15	37	19	5	10	3	53	44	7	1	1		30d		
1	1				72	33	14	20	5	10	3	1	3	3	5	5					30e		
8	5	2		1	320	157	93	50	20	130	44	27	37	22	53	37	13	2	1		30f, g		
					1				1													31	
2	1	1			19	8	8	1	2	12	5	7			4	2	2				32		
77	38	37	1	1	676	321	311	23	21	259	121	104	13	21	49	27	21	1			33a		
44	17	27			591	277	280	17	17	215	79	99	17	20	38	15	23				33b		
					5	2	3			1		1										34	
17	9	8			4	1	3			74	26	39	6	3	8	2	4	1	1		35		
3	3				14	8	6			3	3	5	1		4	3	1				36		
7	4	3			40	17	20		3	7	6	1			4	2	2				37a, c		
	2				10	5	5			2	2				6	6					37b		
3		3			12	5	7			5	2	3			3	1	2				38		
					3	2	1								2	2					39		
					1	1				1				1								40	
					2	1	1	1														41	
4	4				4	1	2	1		3	3				1	1					42		
4	2	2			117	54	52	8	3	24	14	8		2	21	13	8				43		
																						44	
669	370	286	7	6	9,530	4,148	4,984	152	246	1,993	896	953	39	105	1,469	745	707	13	4				
646	365	270	7	4	9,196	4,076	4,757	147	216	1,870	848	902	37	83	1,427	736	674	13	4		45-55		
24	21	3			236	186	40	8	2	63	46	16	1		46	44	2				45		
20	17	3			176	138	31	6	1	42	35	7			37	35	2				45a-e		
4	4				60	48	9	2	1	21	11	9	1		9	9					45f		
352	216	132	4		4,282	2,222	1,930	70	60	830	455	350	21	24	668	390	264	12	2		46		
8	5	3			140	102	28	6	4	7	5	2			20	13	5	2			46a		
192	134	55	3		1,503	860	600	28	15	327	178	122	15	12	257	174	79	3	1		46b, c		
39	16	23			717	323	371	13	10	179	86	84	2	7	93	43	46	4			46f		
19	10	9			305	153	143	5	4	54	31	20	2	1	50	32	18				46g		
94	51	42	1		1,617	784	788	18	27	263	155	122	2	4	248	128	116	3	1		46d, e, h, m		
27	22	4	1		435	307	109	16	3	77	53	21	3		71	47	24				47		
					1,077		1,006		71	261		222		39	132		131		1			48	
11		11			276				12	36		31		5	30		30				49		
51		50		1	894	8	846		38	143	2	131	1	9	141	2	138		1		50		
49	48		1		617	592		25	128	122	122		6	117	116			1			51		
26	18	6	1	1	442	265	158	12	7	57	35	22			58	42	16				52		
9	6	3			205	127	73	3	2	81	57	21	2	1	34	25							

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK				NORTH CAROLINA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
II.—Cancer and other tumors—Continued											
57a	Tumors of ovary (nature unspecified).....	1	—	1	—	—	—	1	—	—	—
57b	Tumors of uterus (nature unspecified).....	5	—	2	—	1	—	—	—	—	1
57c	Tumors of other female genital organs (nature unspecified).....	1	—	1	—	—	—	—	—	—	1
57d,e	Tumors of other and unspecified organs (nature unspecified).....	219	119	91	4	5	37	13	20	2	2
III.—Rheumatism, diseases of nutrition, etc.*.....											
		6,290	2,105	3,945	67	173	908	269	365	95	179
58a-d	Acute rheumatic heart diseases.....	190	88	92	1	9	23	1	8	5	9
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified).....	36	14	14	5	3	26	7	8	3	6
59	Chronic rheumatism and other rheumatic diseases.....	123	54	88	1	—	54	8	14	6	6
60	Gout.....	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus.....	5,265	1,780	3,293	52	140	489	174	196	55	84
62	Diseases of pituitary gland.....	18	11	7	—	—	2	—	2	—	—
63a	Simple goiter.....	19	4	15	—	2	2	—	—	—	—
63b	Exophthalmic goiter.....	411	67	329	2	13	47	5	27	2	13
63c-e	Other diseases of thyroid and parathyroid glands.....	51	11	20	—	—	11	1	6	2	2
64	Diseases of thymus gland.....	101	58	37	4	2	23	12	7	1	3
65	Diseases of adrenal glands (not specified as tuberculous).....	41	15	25	1	—	2	1	—	—	1
66	Other general diseases.....	19	8	11	—	—	24	8	5	7	4
67	Scurvy.....	3	—	2	—	1	1	—	—	—	1
68	Beriberi.....	4	2	2	—	—	2	1	1	—	—
69	Pellagra (except alcoholic).....	22	11	8	—	3	206	51	88	23	44
70	Rickets.....	5	1	3	1	—	15	—	1	10	4
71	Other avitaminoses.....	2	1	1	—	—	1	—	—	1	—
IV.—Diseases of the blood and blood-forming organs.....											
		964	465	457	13	9	162	70	64	12	16
72	Hemorrhagic conditions.....	46	20	24	2	—	24	8	12	3	1
73a	Pernicious anemia.....	177	70	105	1	1	27	9	13	3	2
73b-d	Other anemias (except splenic).....	87	37	45	3	2	20	3	7	4	6
74a	Leukemias.....	554	315	228	7	4	67	36	24	2	5
74b	Aleukemias.....	19	10	9	—	—	2	2	—	—	—
75	Diseases of spleen.....	41	19	20	—	2	12	8	3	—	1
76	Other diseases of the blood and blood-forming organs.....	40	14	26	—	—	10	4	5	—	1
V.—Chronic poisoning and intoxication.....											
		463	333	70	46	14	100	51	6	35	8
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism.....	19	11	6	2	—	1	1	—	—	—
77c-e	Alcoholism (acute, chronic, and unspecified).....	402	300	53	38	11	94	48	3	35	8
78	Lead poisoning.....	13	10	2	1	—	2	1	1	—	—
79	Chronic poisoning by other mineral or organic substances.....	29	12	9	5	3	3	1	2	—	—
VI.—Diseases of the nervous system, etc.*.....											
		11,393	5,090	5,917	177	209	3,566	1,245	1,037	643	641
80	Encephalitis (non-epidemic).....	85	44	37	2	2	48	18	18	5	7
81	Meningitis (not due to meningococcus).....	187	90	54	14	9	76	30	18	16	12
82	Diseases of spinal cord (see exceptions)*.....	280	158	119	1	2	57	24	17	10	6
83a	Cerebral hemorrhage or effusion (excluding birth injuries).....	6,011	3,482	4,286	103	140	2,844	982	833	500	529
83b	Cerebral embolism and thrombosis.....	1,678	740	869	30	19	95	40	35	14	6
83c	Cerebral softening.....	59	29	29	—	1	14	6	5	1	2
83d	Hemiplegia and other paralysis of unspecified origin.....	110	52	53	—	5	133	41	41	24	27
84	Mental diseases and deficiency (see exception)*.....	122	36	74	2	10	56	7	11	25	13
85	Epilepsy.....	202	110	78	8	6	102	39	16	23	24
86	Convulsions (under 5 years).....	24	15	8	1	—	24	10	5	6	3
87	Other diseases of nervous system.....	357	176	173	5	3	47	21	15	6	5
88	Diseases of organs of vision.....	4	2	1	—	1	7	3	3	1	—
89a	Otitis and other diseases of the ear.....	198	107	73	9	9	41	15	13	9	4
89b	Diseases of mastoid process.....	96	49	43	2	2	22	9	7	3	3
VII.—Diseases of the circulatory system.....											
		53,179	28,165	23,310	849	855	5,859	2,498	1,684	905	772
90	Pericarditis (except acute rheumatic).....	39	16	21	1	1	11	5	2	3	1
91a,b	Bacterial and other acute or subacute endocarditis.....	245	137	102	5	1	43	17	7	6	13
91c	Endocarditis (unspecified, under 45 years).....	9	4	4	1	—	20	2	6	4	8
92a-d	Chronic endocarditis and diseases of the valves*.....	4,513	2,082	2,290	73	68	754	258	210	159	127
92e	Endocarditis (unspecified, 45 years and over).....	204	115	88	1	—	62	32	21	4	5
93a	Acute myocarditis (except rheumatic).....	318	145	166	5	2	47	17	14	8	8
93b	Myocarditis (unspecified, under 45 years).....	31	25	6	—	—	41	11	9	14	7
93c,d	Chronic myocarditis and myocardial degeneration.....	29,878	14,684	14,109	509	576	1,718	671	591	252	214
93e	Other myocarditis (unspecified).....	938	499	421	7	11	439	165	149	68	57
94a	Diseases of coronary arteries.....	10,845	7,361	3,303	116	65	969	578	255	77	59
94b	Angina pectoris.....	404	278	122	2	2	250	154	57	19	20
95a	Functional diseases of heart, etc.*.....	39	21	18	—	—	15	5	6	3	1
95b,c	Other and unspecified diseases of heart.....	2,542	1,245	1,150	67	80	1,106	439	247	229	191
96	Aneurysm (except of heart and aorta).....	93	46	36	5	6	7	1	4	1	1
97	Arteriosclerosis (except coronary or renal sclerosis).....	2,703	1,321	1,297	48	37	271	107	90	38	36
98	Gangrene.....	22	12	7	2	1	14	3	4	2	5
99	Other diseases of arteries.....	164	103	78	2	1	22	11	5	3	3
100	Diseases of veins.....	92	54	53	3	2	14	7	5	1	1
101	Diseases of lymphatic system.....	6	1	4	—	1	5	2	1	1	1
102	High blood pressure (idiopathic).....	71	35	35	2	1	42	10	11	11	10
103	Other diseases of circulatory system.....	3	3	—	—	—	9	3	—	2	4
VIII.—Diseases of the respiratory system.....											
		6,594	4,559	3,479	335	221	2,513	778	701	577	457
104a	Diseases of nasal fossae.....	9	2	7	—	—	—	5	2	9	6
104b	Diseases of accessory sinuses.....	91	52	36	2	1	26	13	9	2	2
105	Diseases of larynx.....	39	23	13	2	1	21	8	3	6	4
106a	Acute bronchitis.....	142	68	70	2	2	24	6	4	7	7

\*Refer to complete International List titles, table XI.



# GENERAL TABLES—TOTAL DEATHS

393

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.		
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other				
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F		M	F
					1		1			3				1						57a		
					1		1			2				2						57b		
13	5	6		2	65	28	31	3	3	64	39	18	2	5	13	7	6			57c		
189	77	107	3	2	2,747	877	1,737	40	93	565	211	292	27	35	389	169	218		2	57d,e		
6	5	3			60	32	22	3	3	13	8	4	1		5	1	4			58a-d		
					30	9	19		2	12	5	5	2		5	1	4			58e,f		
12	7	5			114	53	76	2	3	26	9	17			21	7	14			59		
143	58	82	2	1	2,021	677	1,247	29	68	341	126	175	19	21	261	134	146			60		
1	1				7	4	3			1	1				2	1	1			61		
					16	3	12		1	3					4		4				62	
9	1	8			359	51	281		7	39	6	30		3	40	9	30			63a		
5	1	4			14	4	10			3	1	2			4	1	3			63b		
5	2	1	1	1	88	46	37	3	2	15	10	5			17	10	7			63c-e		
2		2			20	7	13			4	2	2			2	1	1			64		
3	1	2			13	3	8		2	9	7	2			4	2	2			65		
					2		2														66	
					2		1		1						1	1					67	
					15	6	4	3	2	97	36	47	4	10	2	1	1				68	
1	1				2		1		1	2			1	1	1		1				69	
					4	2	1		1						1		1				70	
43	22	20		1	538	243	282	7	6	131	69	45	7	10	75	36	38	1			71	
3	1	1		1	34	16	16	1	1	13	8	4	1		4	3	1				72	
12	6	6			149	59	86	1	3	38	22	12	1	3	19	7	12				73a	
7	2	5			54	22	30	1	1	20	7	10	1	2	7	1	6				73b-d	
18	11	7			236	118	114	3	1	48	28	14	2	4	32	19	13				74a	
					16	7	9			1		1			6	2	3	1			74b	
3	2	1			27	14	13			7	1	3	2	1	4	2	2				75	
					22	7	14		1	4	3	1			3	2	1				76	
3	2	1			89	81	2	4	2	42	30	6	5	1	16	13	3					
					3	3				1	1										77a,b	
3	2	1			77	69	2	4	2	36	26	4	5	1	15	13	2				77c-e	
					5	5				1	1										78	
					4	4				4	2	2			1		1				79	
588	333	247	4	4	8,288	3,941	3,884	226	237	2,186	1,103	814	134	135	1,336	687	629	10	10			
8	5	3			56	33	20	2	1	30	13	15	1	1	9	6	3				80	
11	6	3	1	1	81	46	28	3	4	38	24	9	1	4	14	9	4				81	
18	9	9			166	80	72	2	2	36	17	16	1	2	31	18	12				82	
442	253	186	2	1	6,792	3,178	3,224	187	203	1,660	838	619	100	103	1,031	522	496	6	7		83a	
32	17	15			549	275	244	15	15	38	20	14	2	2	87	48	35	3	1		83b	
2	1				74	30	43	1		6	2	4			6	2	4				83c	
18	10	6	1	1	45	22	18	5		188	89	74	14	11	37	23	14				83d	
3		3			48	22	25		1	37	16	17	3	1	26	14	12				84	
13	8	5			114	65	39	7	3	35	20	12	1	2	18	10	7	1			85	
14	12	2			20	5	13	1	1	19	7	4	3	5	1		1				86	
16	4	12			204	109	95			51	29	17	3	2	46	22	24				87	
					3	1		1	1	4	3			1	1		1				88	
9	7	1		1	107	54	48	1	4	26	14	8	3	1	21	7	14				89a	
2	1	1			39	21	15	1	2	18	11	5	2		6	6	2				89b	
1,395	856	515	13	11	22,108	11,890	9,147	580	491	4,061	2,336	1,307	232	166	3,283	2,084	1,171	21	7			
6	2	3	1		31	16	13		2	19	8	5	3	3	2	2					90	
7	3	4			156	78	69	4	5	38	20	13	1	4	23	7	16				91a,b	
5	2	3			16	8	6		2	13	7	4	1	1	6	3	3				91c	
177	98	74	4	1	2,473	1,181	1,150	77	65	468	227	162	44	35	414	253	158	3			92a-d	
19	13	6			177	93	73	7	4	77	47	22	3	5	13	7	8				92e	
20	14	6			284	141	110	18	15	31	18	9	1	3	20	16	4				93a	
1	1				32	14	11	2	5	21	10	7		4	1		1				93b	
480	261	202	7	10	8,050	3,847	3,813	212	178	962	522	350	54	36	981	516	452	6	7		93c,d	
91	56	35			1,278	623	597	32	26	354	184	138	21	11	82	53	29				93e	
319	238	81			4,955	3,322	1,455	97	81	833	578	214	20	21	1,099	819	275	5			94a	
35	25	10			639	422	203	9	5	169	111	50	5	3	80	65	14	1			94b	
4	1	3			56	24	30	1	1	34	18	14		2	13	10	3				95a	
125	73	51	1		2,136	1,178	813	75	70	679	365	205	65	44	279	177	99	3			95b,c	
2	2				54	36	10	5	3	10	5	5			16	12	4				96	
86	59	27			1,509	763	690	30	26	242	164	64	9	5	219	124	92	3			97	
3	2	1			30	22	6	1	1	18	9	4	1	4	5	2	3				98	
7	3	4			120	69	48	3		27	15	10	2		16	10	6				99	
4	2	2			51	22	26	1	2	8	4	3		1	6	2	4				100	
					11	7	3			7	2			1								101
4	1	3			39	21	15	3		46	21	23	2	2	8	6	2				102	
					11	3	6	2		3	1	1		1								103
424	245	144	21	14	4,931	2,443	2,059	274	155	1,681	813	570	165	113	608	374	207	18	9			
2	2				6	2	4			6	3	1		2	7	4	3				104a	
3	3				48	27	16	2	1	9	6	2	1		13	7	5	1			104b	
4	2		2		23	14	9			14	4	6	3	1	3	2	1				105	
4	3	1			76	34	41		1	8	5	3		5	3	2	2				106a	

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK				NORTH CAROLINA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis—	199	119	72	3	5	34	17	12	2	3
106c	Bronchitis (unspecified)—	65	33	32		1	22	6	9	6	1
107	Bronchopneumonia (including capillary bronchitis)—	3,180	1,596	1,415	90	79	896	284	270	187	155
108	Lobar pneumonia—	4,106	2,236	1,546	205	121	1,027	332	270	246	179
109	Pneumonia (unspecified)—	96	58	34	4	2	241	48	60	66	67
110	Pleurisy (not specified as tuberculous)—	253	142	93	15	3	47	18	12	11	6
111a	Hemorrhagic infarction and thrombosis of lungs—	68	31	35	2		12	4	6	2	
111b,c	Acute edema, chronic and unspecified congestion of lungs—	65	27	35		1	37	10	16	3	8
112	Asthma—	135	70	59	3	3	57	13	20	11	13
113	Pulmonary emphysema—	11	6	3			1		1		
114	Other diseases of respiratory system (except tuberculosis)—	132	94	29	7	2	46	14	7	19	6
	IX.—Diseases of the digestive system—	8,080	4,637	3,076	191	126	2,012	771	512	386	343
115a,b,d	Diseases of buccal cavity and adnexa—	142	71	63	5	3	68	29	22	10	7
115c	Diseases of pharynx and tonsils—	145	79	51	11	4	60	27	18	9	6
116	Diseases of esophagus—	25	13	11	1		5	2	2	1	
117a	Ulcer of stomach—	747	614	107	20	6	107	61	6	24	16
117b	Ulcer of duodenum—	361	308	43	10		49	28	11	9	1
118	Other diseases of stomach (except cancer)—	44	25	16	1	2	63	15	12	19	17
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)—	576	276	258	22	20	641	206	152	154	127
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)—	193	104	84	2	3	165	58	50	20	37
121	Appendicitis—	1,435	807	557	41	30	277	141	61	44	51
122a	Hernia—	703	404	282	13	4	60	33	6	19	2
122b	Intestinal obstruction—	594	286	268	12	18	169	44	54	22	49
123	Other diseases of intestines—	190	98	82	4	6	30	9	4	10	7
124a	Cirrhosis of liver (with mention of alcoholism)—	259	191	60	7	1	6	3	1	2	
124b	Cirrhosis of liver (without mention of alcoholism)—	1,282	617	429	25	11	130	66	28	22	14
125a	Acute yellow atrophy of liver (nonpuerperal)—	52	28	22	2		13	5	4	4	2
125b	Other diseases of liver—	75	39	28	6	2	22	6	5	6	5
126	Biliary calculi—	617	221	391		5	43	5	29	2	7
127	Other diseases of gallbladder and biliary ducts—	369	143	223	1	2	61	21	34	2	4
128	Diseases of pancreas (except diabetes mellitus)—	102	53	41	5	3	11	4	1	4	2
129	Peritonitis (cause not stated)—	129	60	60	3	6	32	8	12	3	9
	X.—Diseases of the genito-urinary system—	11,213	5,639	5,088	238	248	3,803	1,382	1,025	730	666
130	Acute nephritis—	99	43	51	2	3	157	39	36	41	41
131a	Arteriosclerotic kidney—	6,659	3,053	3,316	142	148	2,180	840	608	364	368
131b	Other chronic nephritis—	2,478	1,186	1,201	48	43	826	291	219	178	138
132	Nephritis unspecified (10 years and over)—	104	42	57	3	2	273	87	63	68	55
133	Other diseases of kidneys and ureters, etc.*—	398	189	192	6	11	98	35	38	14	11
134	Calculi of urinary passages—	248	152	84	8	4	38	20	14	2	2
135	Diseases of urinary bladder—	57	25	32			15	4	3	7	1
136	Diseases of urethra (except calculus)—	33	28	1	4		26	5	3	18	
137	Diseases of prostate—	938	914		24		98	61		37	
138	Diseases of other male genital organs (except venereal)—	8	7		1		1			1	
139a	Diseases of ovaries, fallopian tubes, and parametria—	138		104		34	68		29		39
139b	Diseases of uterus—	50		47		3	23		12		11
139c	Diseases of other and unspecified female genital organs—	3		3							
	XI.—Diseases of pregnancy, childbirth, and the puerperium—	603		520		83	374		202		172
140	Abortion with mention of infection—	103		71		32	26		12		14
140a,b	Abortion (septic), spontaneous or therapeutic*—	73		46		27	25		11		14
140c,d	Abortion (septic), self-induced or nontherapeutic*—	30		25		5	1		1		
141	Abortion without mention of infection—	24		23		1	14		9		5
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*—	10		9		1	3		3		
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*—	12		12			10		5		5
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*—	2		2			1		1		
142a	Ectopic gestation, with mention of infection—	7		6		1	5		2		3
142b	Ectopic gestation, without mention of infection—	29		20		9	5		1		4
143a	Placenta praevia (death before delivery)—	1		1			2		1		1
143b,c	Other hemorrhages of pregnancy (death before delivery)—						1		1		
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*—	19		18		1	58		28		30
144c,d	Other toxemias of pregnancy (death before delivery)*—	20		17		3	20		15		5
145	Other diseases and accidents of pregnancy (death before delivery)—	10		7		3	17		12		5
146a	Placenta praevia (with childbirth)—	22		21		1	14		9		5
146b,c	Other hemorrhages of childbirth and puerperium—	48		41		7	27		17		10
147a,b	Puerperal pyelitis, other general or local puerperal infection*—	121		108		13	56		26		30
147c,d	Puerperal thrombophlebitis and embolism, and sudden death—	66		65		1	25		17		8
148a,b	Puerperal eclampsia and nephritis*—	38		37		1	59		32		27
148c,d	Other puerperal toxemias—	10		9		1	7		3		4
149	Other accidents and specified conditions of childbirth—	58		54		4	12		6		6
150	Other and unspecified conditions of childbirth and puerperium—	27		22		5	26		11		15
	XII.—Diseases of the skin and cellular tissue—	151	73	72	3	3	70	38	18	7	7
151	Carbuncle and furuncle—	38	24	11	2	1	20	9	9	1	1
152	Phlegmon and acute abscess—	50	29	20		1	20	11	2	4	3
153	Other diseases of skin and cellular tissue—	63	20	41	1	1	30	18	7	2	3
	XIII.—Diseases of the bones, etc.*—	137	76	51	9	1	23	9	4	5	5
154	Osteomyelitis and periostitis—	85	56	22	6	1	18	9	1	5	3
155	Other diseases of bones (except tuberculosis)—	19	6	13							
156	Diseases of joints and other organs of movement—	33	14	16	3		5		3		2
157	XIV.—Congenital malformations—	1,208	646	517	18	27	325	141	116	35	33

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	NORTH DAKOTA				Total deaths	OHIO				Total deaths	OKLAHOMA				Total deaths	OREGON				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
7	4	5			106	60	43	2	1	32	19	13			13	12	1			106b
8	7	1			46	21	22	1	2	17	9	8			1	1				106c
170	95	60	8	7	2,211	1,050	995	109	59	551	276	194	49	32	245	144	91	6	4	107
159	89	57	7	6	1,919	995	734	115	75	591	250	196	68	47	204	137	57	7	3	108
14	8	2	3	1	36	13	14	6	3	256	119	85	52	20	26	9	12	3	2	109
13	9	4			140	72	49	18	1	29	12	14	3		27	14	13			110
5	3	2			50	22	21	5	2	9	3	4	1	1	11	6	4	1		111a
16	8	8			55	18	34	1	2	65	35	25		5	20	10	10			111b,c
14	9	4	1		117	50	56	4	7	39	25	9	2	3	19	13	6			112
1	1				10	6	4								3	3				113
4	2	2			90	59	19	11	1	35	17	10	6	2	11	9	2			114
352	205	133	6	8	4,132	2,209	1,683	148	92	1,444	712	529	111	92	558	338	208	8	4	
12	5	7			128	64	58	2	4	50	26	18	3	3	21	14	7			115a,b,d
12	7	5			77	37	34	3	3	24	13	10	1		9	4	4	1		115c
					12	4	6			2				1	2	2				116
19	14	4	1		299	216	57	21	5	77	59	13	3	2	64	52	12			117a
10	9	1			144	118	21	4	1	24	21	3			35	29	6			117b
7	4	3			78	42	23	6	7	92	38	32	12	10	20	14	6			118
44	27	15	2		371	199	147	17	8	213	84	80	30	19	25	10	10	3	2	119
13	7	5	1		145	58	77	5	5	101	56	52	4	9	16	7	8	1		120
84	61	17	3	3	786	442	300	29	15	343	202	107	16	18	97	66	30		1	121
26	21	5			310	170	115	16	9	60	31	23	6	6	49	51	17	1		122a
29	11	16	1	1	352	158	169	12	13	132	56	53	11	12	62	51	29	1	1	122b
3	3	3			69	40	24	1	4	30	15	10	3	2	8	2	5	1		123
3	2		1		48	41	6	1		5	2	1	2		5	4	1			124a
51	17	14			588	380	183	21	4	105	65	28	7	5	51	29	22			124b
1	1				34	15	16	1	2	8	4	1	2	1	3	1	2			125a
4	2	2			64	38	22	3	1	28	16	9	3		6	5	1			125b
24	7	17			334	82	247		5	34	11	20		3	34	13	21			126
24	6	17	1		183	58	121	2	2	81	25	49	4	3	37	15	22			127
1	1				41	24	17			5	1	4			8	5	3			128
5	1	4			69	23	40	2	4	30	6	16	4	4	6	4	2			129
360	219	136	3	2	6,510	3,369	2,737	207	197	1,714	865	589	152	110	1,444	830	599	12	3	
12	7	5			160	65	71	14	10	76	31	30	7	8	27	16	11			130
156	89	65	1	1	3,251	1,559	1,480	100	112	618	306	230	47	35	1,039	583	445	8	3	131a
90	45	43	2		1,948	984	867	52	45	470	228	163	52	27	189	99	88	2		131b
36	22	14			148	73	61	10	4	262	140	83	21	18	25	16	9			132
8	6	2			218	110	90	9	9	64	31	26	5	2	34	19	14	1		133
6	5	1			90	56	30	2	2	31	13	14	3	1	13	8	5			134
1	1				29	18	11			17	9	3	3	2	9	5	4			135
					25	20	2	2	1	9	6	1	2		2	2				136
43	43				493	478		17		111	99		12		83	82		1		137
1	1				7	6		1												138
2		1		1	86			13	45			31		14	9		9			139a
5		5			50		50		10			7		3	14		14			139b
					3		2		1			1								139c
32		28		4	424		376		48	176		134		42	40		39			1
6		5	1		83	71		12	20			16		4	6		6			140
4		3	1		55	49		6	16			13		3	4		4			140a,b
2		2			28	22		6	4			3		1	2		2			140c,d
2		2			16	15		1	8			6		2						141
2		2			2	2			2			2								141a,c
		2			13	13			5			3		2						141b,d
		1			1			1	1			1								141e,f
					4	4			1			1								142a
1		1			15	14		1	3			2		1	3		3			142b
					2	2			4			4								143a
3		3			20	17		3	19			14		5	8		8			143b,c
1		1			14	13		1	7			6		1						144a,b
2		2			28	24		4	6			4		2	3		3			144c,d
					7	7			7			7			1		1			145
2		1	1		7	7			7			7			1		1			146a
3		2			21	19		2	13			11		2	4		3		1	146b,c
3		2			87	73		14	31			25		6	2		2			147a,b
3		3			39	37		2	9			7		2	5		5			147c,d
4		4			42	38		4	29			17		12	2		2			148a,b
					3	3			3			3								148c,d
1		1			24	23		1	6			6			3		3			149
1		1			19	16		3	10			5		5	3		3			150
8	6	2			64	28	33		3	31	15	5	6	5	5	3	2			
1	1				23	13	10		10		8			2	2	2				151
2	2				13	8	4		4		2		1	1	1	1				152
5	3				28	7	19		17		5	5	5	2	2					153
6	4	2			66	29	27	6	4	32	19	9	2	2	15		13	2		
5	3	2			47	22	18	5	2	21	14	4	2	1	10		9	1		154
1	1				4	4			1		1			1	1		1			155
					15	7	5	1	2	10	4	5		1	4		3	1		156
78	41	35	4		712	357	332	15	8	202	99	86	7	10	94	49	42	1	2	157

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK				NORTH CAROLINA					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life-----	3,906	2,119	1,474	187	126	1,996	764	523	407	302
158	Congenital debility (cause not stated)-----	66	36	25	3	2	149	33	27	46	43
159	Premature birth (cause not stated)-----	2,306	1,186	902	129	89	1,378	508	374	281	215
160a	Intracranial or spinal hemorrhage-----	523	313	176	17	17	141	78	38	17	8
160b,c	Other injuries at birth-----	516	310	182	18	6	155	68	47	25	15
161	Other diseases peculiar to the first year of life-----	495	274	189	20	12	173	77	37	38	21
162	XVI.—Senility-----	168	77	89	-----	2	257	60	89	50	58
	XVII.—Violent or accidental deaths-----	10,987	7,061	3,326	457	143	2,886	1,402	487	767	230
163,164	Suicide-----	2,201	1,575	570	36	20	279	199	56	19	5
163	Suicide by poisoning-----	927	602	304	13	8	41	14	19	3	5
	Suicide by solid or liquid poisons-----	226	121	95	6	4	33	9	16	3	5
	Suicide by poisonous gases-----	701	481	209	7	4	8	5	3	-----	-----
164a	Suicide by hanging or strangulation-----	537	437	92	7	4	22	16	5	1	-----
164b	Suicide by drowning-----	95	57	36	1	1	8	6	2	-----	-----
164c	Suicide by firearms and explosives-----	355	322	24	7	2	184	149	21	14	-----
164d	Suicide by cutting or piercing instruments-----	72	55	15	1	1	13	8	4	1	-----
164e	Suicide by jumping from high places-----	170	73	86	4	7	6	3	3	-----	-----
164f	Suicide by crushing-----	31	24	6	1	-----	-----	-----	-----	-----	-----
164g	Suicide by other or unspecified means-----	14	5	7	-----	-----	5	3	2	-----	-----
165-168	Homicide-----	396	201	68	104	23	360	65	13	213	49
166	Homicide by firearms-----	136	79	27	27	3	224	58	10	128	28
167	Homicide by cutting or piercing instruments-----	119	40	13	53	13	82	7	-----	63	12
168	Homicide by other means-----	141	82	28	24	7	54	20	3	22	9
169-195	Accidental deaths-----	8,374	5,272	2,688	314	100	2,232	1,117	418	521	176
169	Railway accidents (except collisions with motor vehicles)-----	163	133	18	11	1	92	47	5	37	3
170a	Collisions between automobiles and trains-----	72	50	21	1	-----	25	14	3	7	1
170b	Collisions between automobiles and streetcars-----	17	12	5	-----	-----	-----	-----	-----	-----	-----
170c	Automobile accidents (except collisions with trains or streetcars)-----	2,569	1,741	520	88	20	865	510	125	194	34
170d	Motorcycle accidents (except collisions with automobiles)-----	27	20	7	-----	-----	20	17	1	2	-----
171a	Streetcar accidents (except collisions with trains or motor vehicles)-----	117	96	14	6	1	-----	-----	-----	-----	-----
171b	Other and unspecified road-transport accidents-----	27	27	-----	-----	-----	10	4	2	4	-----
172	Water-transport accidents-----	100	86	9	5	-----	36	22	-----	14	-----
173	Air-transport accidents-----	20	19	1	-----	-----	8	8	-----	-----	-----
174	Accidents in mines and quarries-----	16	16	-----	-----	-----	5	4	-----	1	-----
175a	Accidents involving agricultural machinery and vehicles-----	29	28	-----	1	-----	15	9	1	5	-----
175b,c	Other agricultural accidents-----	63	62	1	-----	-----	18	16	-----	2	-----
175d	Accidents involving forestry machinery and vehicles-----	1	1	-----	-----	-----	1	1	-----	-----	-----
175e	Other forestry accidents-----	4	4	-----	-----	-----	7	3	-----	4	-----
176	Other accidents involving machinery-----	104	99	2	3	-----	24	14	-----	10	-----
177	Food poisoning-----	6	2	3	1	-----	21	5	6	4	6
178	Accidental absorption of poisonous gas-----	321	230	81	4	6	6	3	1	2	-----
179	Acute accidental poisoning by solids or liquids-----	124	73	47	1	3	45	15	10	11	9
180	Conflagration-----	178	107	45	19	7	61	16	11	12	22
181	Accidental burns (except conflagration)-----	319	136	159	13	11	169	59	36	32	42
182	Accidental mechanical suffocation-----	75	41	29	3	2	69	21	17	15	16
183	Accidental drowning-----	561	462	49	43	7	124	63	11	47	3
184	Accidental injury by firearms-----	64	54	8	2	-----	76	44	8	22	2
185	Accidental injury by cutting or piercing instruments-----	27	17	6	3	1	19	6	1	9	3
186a	Accidental injury by fall-----	2,901	1,264	1,533	75	29	289	106	142	22	19
186b	Accidental injury by crushing-----	32	32	-----	-----	-----	14	9	1	4	-----
187	Cataclysm, etc.*-----	2	2	-----	-----	-----	4	1	2	-----	1
188	Injury by animals (except in agriculture and forestry)-----	9	6	1	1	1	5	3	-----	2	-----
189	Hunger or thirst-----	-----	-----	-----	-----	-----	2	-----	1	-----	1
190	Excessive cold-----	9	6	3	-----	-----	8	3	-----	4	1
191	Excessive heat-----	18	14	2	2	-----	8	4	-----	3	1
192	Lightning-----	11	10	-----	1	-----	21	12	1	7	1
193	Accidents due to electric currents (except lightning)-----	44	36	7	1	-----	17	15	-----	2	-----
194	Poisoning by venomous animals (except in agriculture and forestry)-----	2	1	1	-----	-----	3	-----	-----	2	1
195a,b	Accidents due to medical or surgical intervention-----	4	1	1	-----	2	3	1	2	-----	-----
195d	Obstruction, suffocation, or puncture by ingested objects-----	94	52	31	9	2	26	11	6	7	2
195c,e	Other and unspecified accidents-----	444	332	84	21	7	118	51	25	34	8
196	Deaths of military personnel during operations of war-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
197	Deaths of civilians due to operations of war-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
198	Legal executions-----	15	12	-----	3	-----	15	1	-----	14	-----
	XVIII.—Ill-defined and unknown causes-----	105	70	29	2	4	1,056	313	210	297	236
199	Sudden death-----	11	10	1	-----	-----	158	67	32	24	33
200a	Ill-defined-----	40	25	14	-----	1	270	81	52	64	53
200b	Found dead (cause unknown)-----	6	1	4	1	-----	106	38	34	26	8
200c	Unknown or unspecified-----	48	34	10	1	3	524	127	92	163	142

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

NORTH DAKOTA					OHIO				OKLAHOMA				OREGON				List No.			
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M		F	M	F
323	167	140	5	11	2,397	1,292	908	108	79	1,011	546	369	56	40	502	158	137	2	5	
19	9	7	3	—	99	53	34	6	6	67	41	19	3	4	5	2	3	—	—	
193	101	86	1	5	1,465	757	580	76	52	668	374	239	32	23	190	91	94	2	3	
34	17	15	1	1	242	148	76	11	7	68	33	30	3	2	26	17	8	—	1	
39	21	17	—	1	287	171	106	5	5	115	61	45	5	4	41	23	17	—	1	
38	19	15	—	4	294	163	112	10	9	93	37	36	13	7	40	25	15	—	1	
79	26	40	4	9	496	200	275	9	12	388	175	159	23	31	116	65	45	1	5	
412	296	105	9	2	6,968	4,453	2,066	362	87	1,853	1,142	459	188	64	1,262	931	310	16	5	
65	51	12	2	—	1,144	911	214	16	3	216	159	47	9	1	227	168	53	4	2	
11	9	2	—	—	266	171	90	4	1	61	34	25	1	1	66	43	23	—	—	
9	7	2	—	—	152	78	70	3	1	55	30	23	1	1	17	7	10	—	—	
2	2	—	—	—	114	93	20	1	—	6	4	2	—	—	49	36	13	—	—	
15	9	6	—	—	254	211	42	1	—	15	10	5	—	—	31	22	7	—	—	
2	1	1	—	—	63	38	24	—	1	2	2	—	—	—	21	11	8	1	1	
30	27	1	2	—	444	395	40	8	1	123	101	15	7	—	90	79	9	1	1	
3	3	—	—	—	54	50	3	1	—	7	7	—	—	—	9	8	1	—	—	
3	2	1	—	—	45	33	10	2	—	2	1	1	—	—	7	2	5	—	—	
1	—	1	—	—	11	9	2	—	—	—	—	—	—	—	2	1	—	—	—	
8	4	4	—	—	329	124	44	134	27	169	89	17	52	11	35	16	18	1	—	
5	2	3	—	—	187	87	30	77	13	101	55	13	27	6	21	9	11	1	—	
1	1	—	—	—	71	13	5	43	10	32	9	—	20	3	5	4	1	—	—	
2	1	1	—	—	71	44	9	14	4	36	25	4	5	2	9	3	6	—	—	
339	241	89	7	2	5,485	3,410	1,808	210	57	1,468	894	395	127	52	999	746	239	11	3	
11	11	—	—	—	211	180	16	14	1	58	39	7	11	1	30	27	1	2	—	
11	7	4	—	—	155	111	43	1	—	24	18	6	—	—	7	4	3	—	—	
89	69	18	2	—	1,760	1,256	409	77	18	497	554	100	39	14	518	245	67	5	1	
5	3	—	2	—	42	34	7	—	—	4	2	1	1	—	8	7	1	—	—	
2	1	1	—	—	17	10	4	2	1	3	1	—	2	—	1	1	—	—	—	
1	—	—	—	—	20	16	4	—	—	7	4	1	2	—	5	2	3	—	—	
2	1	—	—	—	47	39	7	1	—	2	2	—	—	—	21	20	1	—	—	
1	1	—	—	—	19	17	2	—	—	19	15	4	—	—	3	3	—	—	—	
3	3	—	—	—	54	54	—	—	—	18	16	—	2	—	9	9	—	—	—	
18	18	—	—	—	43	42	1	—	—	19	18	1	—	—	8	8	—	—	—	
9	9	—	—	—	34	32	1	1	—	19	13	1	4	1	16	16	—	—	—	
3	3	—	—	—	1	1	—	—	—	—	—	—	—	—	13	13	—	—	—	
8	6	2	—	—	59	50	6	3	—	23	17	3	3	—	57	57	—	—	—	
3	3	—	—	—	9	5	4	—	—	20	5	7	5	3	1	1	—	—	—	
8	2	1	—	—	54	39	12	2	1	24	18	5	1	1	12	12	—	—	—	
8	4	3	—	—	71	42	21	6	2	26	14	9	1	2	15	9	6	—	—	
14	5	8	—	1	106	56	55	10	5	37	17	7	9	4	11	9	2	—	—	
3	2	1	—	—	260	123	108	21	8	100	55	33	4	8	27	18	9	—	—	
29	26	2	1	—	54	31	19	3	1	27	14	8	2	3	10	8	2	—	—	
13	12	1	—	—	259	200	34	25	—	61	44	7	10	—	80	71	7	2	—	
4	3	1	—	—	80	68	11	—	1	60	39	6	12	3	30	28	2	—	—	
70	27	42	1	—	20	14	5	1	—	13	8	2	2	1	2	—	2	—	—	
2	2	—	—	—	1,760	726	996	24	14	268	98	156	7	7	192	66	103	2	1	
2	—	—	—	—	9	9	—	—	—	11	8	1	2	—	7	7	—	—	—	
2	1	—	1	—	2	1	1	—	—	10	6	4	—	—	—	—	—	—	—	
6	5	1	—	—	13	10	1	2	—	9	7	2	—	—	8	7	1	—	—	
3	3	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	3	—	—	—	15	10	1	4	—	1	1	—	—	—	2	2	—	—	—	
1	1	—	—	—	27	19	7	1	—	18	13	3	—	2	—	—	—	—	—	
3	3	—	—	—	12	12	—	—	—	12	10	—	2	—	2	2	—	—	—	
1	1	—	—	—	40	36	2	2	—	12	10	2	—	—	6	6	—	—	—	
7	3	4	—	—	5	3	1	—	1	2	2	—	—	—	1	—	1	—	—	
11	11	—	—	—	2	1	1	—	—	1	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	37	22	12	2	1	16	9	7	—	—	9	7	2	—	—	
—	—	—	—	—	178	134	35	7	2	57	37	11	7	2	60	34	25	—	1	
—	—	—	—	—	10	8	—	2	—	—	—	—	—	—	1	1	—	—	—	
65	29	18	6	10	912	568	216	74	54	477	216	120	69	72	85	57	17	6	5	
6	4	1	—	1	38	27	9	1	1	26	16	6	4	—	12	8	2	1	1	
28	16	11	—	1	801	506	188	64	43	234	122	67	21	24	49	38	11	—	—	
3	2	1	—	—	7	6	1	—	—	12	4	1	6	1	3	2	1	—	—	
26	7	5	6	8	66	29	18	9	10	205	74	46	38	47	21	9	3	5	4	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA				RHODE ISLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes—	108,007	54,655	46,362	3,782	3,208	7,775	3,951	3,639	108	77
	I.—Infectious and parasitic diseases—	8,019	3,878	2,634	909	598	435	244	152	26	13
1	Typhoid fever	61	36	21	4	—	1	—	—	1	—
2	Paratyphoid fever	3	2	1	—	—	—	—	—	—	—
3	Plague	—	—	—	—	—	—	—	—	—	—
4	Cholera	—	—	—	—	—	—	—	—	—	—
5	Undulant fever (brucellosis)	4	2	2	—	—	1	—	1	—	—
6	Cerebrospinal (meningococcus) meningitis	90	59	28	3	—	4	3	1	—	—
7	Anthrax (infection by Bacillus anthracis)	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever	61	26	31	1	3	—	—	—	—	—
9	Whooping cough	154	66	71	7	10	14	4	8	1	1
10	Diphtheria (infection by C. diphtheriae)	73	37	34	2	—	1	1	—	—	—
11	Erysipelas	51	27	23	1	—	3	2	1	—	—
12	Tetanus	33	24	8	—	1	—	—	—	—	—
13-22	Tuberculosis (all forms)	4,235	2,031	1,334	464	386	266	142	101	14	9
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	174	166	1	7	—	3	3	—	—	—
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,743	1,746	1,212	431	354	232	125	85	14	8
14	Tuberculosis of meninges and central nervous system	108	40	35	17	16	5	2	3	—	—
15	Tuberculosis of intestines and peritoneum	60	17	25	8	10	5	2	2	—	1
16	Tuberculosis of vertebral column	54	20	25	8	1	4	—	4	—	—
17a	Tuberculosis of bones (except vertebral column)	10	3	4	1	2	—	—	—	—	—
17b	Tuberculosis of joints (except vertebral column)	13	5	6	2	—	2	1	1	—	—
18	Tuberculosis of skin, etc.*	4	—	—	2	—	—	—	—	—	—
19	Tuberculosis of lymphatic system, etc.*	5	2	2	1	—	—	—	—	—	—
20	Tuberculosis of genito-urinary system	33	21	10	2	—	6	4	2	—	—
21	Tuberculosis of other organs	9	6	2	—	1	—	—	—	—	—
22a	Disseminated tuberculosis (acute miliary)	9	3	4	1	1	9	5	4	—	—
22b	Disseminated tuberculosis (other and unspecified)	13	2	6	4	1	—	—	—	—	—
23	Leprosy	—	—	—	—	—	—	—	—	—	—
24	Septicemia and purulent infection (nonpuerperal)	100	53	44	2	1	7	4	2	1	—
25	Gonococcus infection	37	3	15	1	16	1	—	1	—	—
26	Other diseases due to bacteria (except dysentery)	10	2	4	2	2	—	—	—	—	—
27	Dysentery	27	12	15	—	—	—	—	—	—	—
28	Malaria	3	2	—	—	—	1	1	—	—	—
29	Other diseases due to parasitic protozoa (except spirochetes)	1	—	—	—	—	—	—	—	—	—
30	Syphilis (all forms)	1,441	694	279	348	120	77	53	14	6	2
30a	Locomotor ataxia (tabes dorsalis)	91	72	12	4	3	3	3	—	—	—
30b	General paralysis of insane	374	190	81	87	16	18	13	1	3	1
30c	Other syphilis of central nervous system	132	64	28	30	10	5	4	—	1	—
30d	Aneurysm of aorta	263	147	50	48	18	23	15	5	3	—
30e	Other syphilis of circulatory system	163	47	21	75	20	3	3	—	—	—
30f,g	Congenital, other and unspecified forms of syphilis	418	174	87	104	53	25	15	8	1	1
31	Relapsing fever	—	—	—	—	—	—	—	—	—	—
32	Other diseases due to spirochetes	29	17	8	2	2	3	2	—	1	—
33a	Influenza, with respiratory complications specified	942	418	362	30	32	22	18	4	—	—
33b	Influenza, without respiratory complications specified	410	177	207	11	15	14	3	10	—	1
34	Smallpox	1	—	—	—	—	—	—	—	—	—
35	Measles	13	7	6	—	—	3	2	1	—	—
36	Acute poliomyelitis and acute polioencephalitis	50	30	18	1	1	—	—	—	—	—
37a,c	Infectious encephalitis lethargica (acute and unqualified)	75	30	43	1	1	—	—	—	—	—
37b	Sequelae of encephalitis lethargica	22	11	10	1	—	—	—	—	—	—
38	Other diseases due to filtrable viruses	13	9	4	—	—	—	—	—	—	—
39	Typhus fever and typhus-like diseases (due to Rickettsia)	4	3	1	—	—	—	—	—	—	—
40	Ankylostomiasis	—	—	—	—	—	—	—	—	—	—
41	Hydatid disease	4	3	—	—	1	—	—	—	—	—
42	Other diseases caused by helminths	3	2	1	—	—	—	—	—	—	—
43	Mycoses	20	11	9	—	—	3	3	—	—	—
44	Other infectious and parasitic (communicable) diseases	149	83	55	8	3	14	6	8	—	—
	II.—Cancer and other tumors	13,438	5,829	6,977	250	382	1,114	467	629	12	6
45-55	Cancer and other malignant tumors	12,918	5,710	6,636	244	328	1,071	451	603	12	5
45	Cancer of buccal cavity and pharynx	415	326	73	11	5	50	39	10	1	—
45a-e	Cancer of buccal cavity	312	251	49	10	2	32	27	4	1	—
45f	Cancer of pharynx	103	75	24	1	3	18	12	6	—	—
46	Cancer of digestive organs and peritoneum	6,224	3,163	2,846	131	84	537	247	280	6	4
46a	Cancer of esophagus	220	156	45	19	—	15	14	1	—	—
46b,c	Cancer of stomach and duodenum	2,267	1,290	881	62	34	165	79	84	1	1
46f	Cancer of liver and biliary passages	794	305	470	10	9	60	14	45	1	—
46g	Cancer of pancreas	434	214	212	4	4	39	19	19	1	—
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,509	1,198	1,238	36	37	258	121	131	3	3
47	Cancer of respiratory system	691	500	165	20	6	59	42	15	2	—
48	Cancer of uterus	1,360	—	1,234	—	126	95	—	95	—	—
49	Cancer of other female genital organs	375	—	355	—	20	23	—	23	—	—
50	Cancer of breast	1,260	11	1,199	—	50	129	1	128	—	—
51	Cancer of male genital organs	714	674	—	40	—	50	47	—	3	—
52	Cancer of urinary organs (male and female)	662	400	241	10	11	52	38	14	—	—
53	Cancer of skin (except vulva and scrotum)	257	149	103	3	2	18	7	11	—	—
54	Cancer of central nervous system*	164	97	62	5	—	5	2	2	—	1
55	Cancer of other and unspecified organs	796	390	358	24	24	53	28	25	—	—
56a	Nonmalignant tumors of ovary	81	—	78	—	3	3	—	3	—	—
56b	Nonmalignant tumors of uterus	185	—	146	—	39	12	—	11	—	1
56c	Nonmalignant tumors of other female genital organs	5	—	5	—	—	—	—	—	—	—
56d,e	Nonmalignant tumors of other and unspecified organs	130	71	50	2	7	17	8	9	—	—

\* Refer to complete International List titles, table II.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA				TENNESSEE				TEXAS				List No.			
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M		F	M	F
19,296	5,085	3,790	5,481	4,940	5,517	2,983	2,110	232	192	28,722	11,840	9,282	4,111	3,469	60,218	28,184	20,972	5,856	5,206	
2,519	478	348	852	841	474	190	148	66	70	4,555	1,502	1,441	865	749	8,244	3,445	2,934	998	867	
96	20	19	22	35	8	3	1	2	2	91	42	25	14	10	274	118	82	35	39	
17	6		8	3	6	1	5			25	10	10	2	3	18	7	11			
4	2	2			9	6	3			17	8	9			4	3	1			
123	18	18	39	48	3	5	3			103	34	42	14	13	233	108	90	21	14	
82	30	23	14	15	16	5	5	2	4	89	42	36	6	5	189	93	64	18	14	
5	2	2			3	2	1			17	6	10	1		34	17	16	1		
17	1	1	7	8						18	7	6	3	2	92	48	26	14	4	
650	136	95	290	329	190	61	27	52	50	2,326	700	776	418	432	3,911	1,616	1,481	391	423	
1	1				5	5				1	1				2	2				
791	125	91	267	308	161	47	22	45	47	2,101	622	725	369	385	3,680	1,520	1,399	365	396	
9	2	2	4	1	5			4	1	71	24	18	17	12	72	29	30	6	7	
13			3	10	7	2	3	1	1	36	10	10	7	9	46	18	18	5	5	
8	3		3	2	2	1	1			22	9	5	3	5	19	10	4	4	1	
2	1		1		1	1				5	4	1			6	3	2		1	
										3	1	1	1		4	1	1	2		
										2			1	1	1				1	
										4	2	1	1		4		2	1	1	
1		1			2	2				9	6	1		2	12	6	5	1		
										3	1	1	1		1	1	1			
24	4	1	12	7	6	2	1	2	1	62	16	12	17	17	57	22	17	7	11	
1			1	1	1	1				7	5	1	1		7	5	2			
															2	1	1			
24	9	5	8	2	4	1	3			50	20	13	10	7	108	47	44	9	8	
16		2	3	11	1			1		16	1	4	5	6	28	3	9	10	6	
										4	1	1		2	5	3	1	1		
52	10	7	18	17	5		5			138	61	48	19	10	412	182	192	17	21	
168	50	19	58	61						102	32	24	30	16	176	58	56	31	31	
										1	1				1					
359	54	10	181	114	40	21	12	3	4	442	140	51	184	67	831	359	129	233	110	
5	3		1	1	2	2				7	4	1	1	1	33	24	5	4		
55	14	1	33	7	11	6	4	1		93	34	13	36	10	168	77	19	51	21	
25	3	1	13	8	3	1	2			48	19	4	20	5	87	40	13	26	8	
40	8		27	5	5	5				76	23	4	34	15	130	72	17	34	7	
28	3		18	7	3	3				23	5	1	13	4	62	26	5	22	9	
206	23	8	89	86	16	4	6	2	4	195	55	28	80	32	351	120	70	96	65	
																			31	
19	6	1	3	9	7	1	1			11	6	3		2	29	8	11	3	7	
419	91	98	121	109	72	35	39	1	2	637	208	210	110	109	909	353	340	114	102	
169	27	34	57	51	54	23	27	1	3	317	124	113	34	46	599	231	232	67	69	
															5	1	2			
10	3	2	4	1	29	12	8	4	5	43	14	21	2	6	92	41	42	6	3	
41	17	5	8	11	4	4				13	6	3	2	2	54	24	22	5	3	
3	2	1			5	2	3			21	8	12		1	22	6	12	2	2	
2	1		1		1	1				11	6	3	1	1	18	10	7		1	
4	4				1		1			5	3	1		1	37	21	13	2	1	
										2					1					
5		2	2	1						1										
11	1		5	5						10	8	2			21	12	5	3	1	
23	8	2	3	10	16	12	4			40	11	14	7	8	58	31	13	9	5	
1,107	296	410	129	272	666	329	325	6	8	2,242	818	1,032	136	256	5,079	2,006	2,400	230	443	
1,049	284	394	124	246	642	322	309	5	6	2,114	778	989	135	214	4,769	1,923	2,262	222	562	
43	19	9	5	10	16	14	2			75	43	25	4	3	166	111	44	8	3	
30	13	6	4	7	11	10	1			50	30	18	1	1	108	72	25	5	3	
13	6	3	1	3	5	4	1			25	13	7	3	2	58	39	16	3		
395	130	124	74	67	305	178	124	4	1	845	360	348	80	57	2,036	926	872	133	105	
16	4	1	8	3	11	7	4			22	15	6	1		50	30	12	8		
174	57	38	47	32	149	94	53	2		343	156	120	45	22	777	380	292	58	47	
75	25	28	10	12	43	20	22		1	151	53	76	12	8	389	175	168	27	19	
24	17	5	2	2	18	12	5	1		51	25	20	3	3	165	83	72	6	4	
106	27	54	7	18	84	43	40	1		278	111	124	19	24	655	258	328	34	35	
48	31		6	5	25	17	8			89	55	28	5	1	242	162	67	10	3	
216		115		101	6				3	341		248		93	654		502		152	
18		12		17						46		42		4	112		101		11	
99	1	64		34	56			2		192	6	151		35	366	6	305	2	53	
44	33		11		52	52				140	121	19			281	253		28	51	
46	18	18	5	5	28	21	7			87	42	31	2	2	195	99	69	16	11	
36	14	10	2	14	11	11	3			83	52	28	1	2	195	124	64	2	5	
13	5		1	1	8	3	5			32	15	15		2	61	34	22	4	1	
90	33	30	12	15	57	28	28	1		184	84	73	12	15	461	208	216	19	18	
4		3		1	3					8		6		2	27		19		8	
26		7		19	8					48		18		30	106		50		56	
															1					
10	4	2	3	1	5	4		1		13	8	3	1	1	48	24	18	3	3	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA				RHODE ISLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
II.—Cancer and other tumors—Continued											
57a	Tumors of ovary (nature unspecified)-----	1		1							
57b	Tumors of uterus (nature unspecified)-----	1		1							
57c	Tumors of other female genital organs (nature unspecified)-----	1		1							
57d,e	Tumors of other and unspecified organs (nature unspecified)-----	116	48	59	4	5	11	8	3		
III.—Rheumatism, diseases of nutrition, etc.*-----											
		4,383	1,534	2,837	65	147	300	99	198	2	1
58a-d	Acute rheumatic heart diseases-----	148	69	66	6	7	4	3	1		
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)-----	54	26	25	2	1	3	2	1		
59	Chronic rheumatism and other rheumatic diseases-----	132	49	81		2	9	2	7		
60	Gout-----	1			1						
61	Diabetes mellitus-----	3,402	1,025	2,223	40	114	260	83	174	2	1
62	Diseases of pituitary gland-----	19	5	13		1	1	1			
65a	Simple goiter-----	21	3	15		3	1	1			
65b	Exophthalmic goiter-----	357	42	301	3	11	8	1	7		
65c-e	Other diseases of thyroid and parathyroid glands-----	35	7	26	1	1	3		3		
64	Diseases of thymus gland-----	134	75	47	7	5	2		2		
65	Diseases of adrenal glands (not specified as tuberculous)-----	22	7	13	2		3	1	2		
66	Other general diseases-----	30	16	14			2	2			
67	Scurvy-----	3		2		1					
68	Beriberi-----	3	1	2			1	1			
69	Pellagra (except alcoholic)-----	11	5	4	2		2	1	1		
70	Rickets-----	6	2	4	1	1					
71	Other avitaminoses-----	3	2	1			1	1			
IV.—Diseases of the blood and blood-forming organs-----											
		673	344	299	16	14	48	23	23	1	1
72	Hemorrhagic conditions-----	63	24	36	2	1	3	2	1		
73a	Pernicious anemia-----	159	74	81	1	3	14	5	9		
73b-d	Other anemias (except splenic)-----	69	32	27	4	6	3	1	2		
74a	Leukemias-----	311	184	117	7	3	26	15	10		1
74b	Aleukemias-----	17	9	7	1						
75	Diseases of spleen-----	34	13	20	1		2		1	1	
76	Other diseases of the blood and blood-forming organs-----	20	8	11		1					
V.—Chronic poisoning and intoxication-----											
		278	233	21	18	6	11	11			
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism-----	7	6		1						
77c-e	Alcoholism (acute, chronic, and unspecified)-----	258	217	16	17	6	11	11			
78	Lead poisoning-----	10	9	1							
79	Chronic poisoning by other mineral or organic substances-----	3	1	2							
VI.—Diseases of the nervous system, etc.*-----											
		9,945	4,593	4,794	277	281	690	307	359	13	11
80	Encephalitis (nonepidemic)-----	94	49	40	2	3	4	1	1	1	1
81	Meningitis (not due to meningococcus)-----	194	95	80	6	13	8	4	3	1	
82	Diseases of spinal cord (see exceptions) *-----	260	139	115	5	2	11	6	5		
82a	Cerebral hemorrhage or effusion (excluding birth injuries)-----	7,398	3,377	3,606	204	211	532	236	281	6	9
82b	Cerebral embolism and thrombosis-----	981	452	483	22	24	87	39	45	3	
82c	Cerebral softening-----	27	13	9	2	3	6	4	2		
82d	Hemiplegia and other paralysis of unspecified origin-----	202	91	102	5	4	5	1	3		1
84	Mental diseases and deficiency (see exception) *-----	76	33	39	3	1	3		3		
85	Epilepsy-----	178	94	64	11	9	5	4	1		
86	Convulsions (under 5 years)-----	37	16	18	2	1	2		2		
87	Other diseases of nervous system-----	297	135	148	6	8	17	7	9	1	
88	Diseases of organs of vision-----	5	1	3		1					
89a	Otitis and other diseases of the ear-----	121	63	50	7	1	9	5	3	1	
89b	Diseases of mastoid process-----	75	36	37	2		1		1		
VII.—Diseases of the circulatory system-----											
		33,733	17,987	14,179	858	708	2,617	1,433	1,127	29	28
90	Pericarditis (except acute rheumatic)-----	40	20	11	7	2	1		1		
91a,b	Bacterial and other acute or subacute endocarditis-----	290	133	134	14	9	9	6	3		
91c	Endocarditis (unspecified, under 45 years)-----	19	14	4		1	3	1	1		1
92a-d	Chronic endocarditis and diseases of the valves *-----	3,432	1,599	1,655	102	78	228	105	117	1	5
92e	Endocarditis (unspecified, 45 years and over)-----	267	117	138	7	5	3	1	2		
93a	Acute myocarditis (except rheumatic)-----	476	254	202	7	13	20	15	5		
93b	Myocarditis (unspecified, under 45 years)-----	62	29	22	5	6	2	1	1		
93c,d	Chronic myocarditis and myocardial degeneration-----	15,822	7,657	7,353	446	366	1,302	628	645	16	13
93e	Other myocarditis (unspecified)-----	1,744	919	743	36	46	91	54	35	1	1
94a	Diseases of coronary arteries-----	6,865	4,717	1,947	120	81	656	448	197	6	5
94b	Angina pectoris-----	522	334	181	4	3	49	38	11		
95a	Functional diseases of heart, etc.*-----	69	31	37		1	4		4		
95b,c	Other and unspecified diseases of heart-----	1,981	1,062	781	74	64	121	72	44	3	2
96	Aneurysm (except of heart and aorta)-----	50	35	11	4	2	5	2	2		1
97	Arteriosclerosis (except coronary or renal sclerosis)-----	1,785	920	814	23	28	105	49	55	1	
98	Gangrene-----	38	22	15	1		3	2	1		
99	Other diseases of arteries-----	139	72	62	4	1	9	7	1	1	
100	Diseases of veins-----	62	22	39	1		3	2	1		
101	Diseases of lymphatic system-----	9	5	4							
102	High blood pressure (idiopathic)-----	55	24	27	1	3	3	2	1		
103	Other diseases of circulatory system-----	6	3	1	2						
VIII.—Diseases of the respiratory system-----											
		6,785	3,622	2,553	354	256	464	265	195	3	3
104a	Diseases of nasal fossae-----	9	6	3							
104b	Diseases of accessory sinuses-----	64	38	19	5	2	5	3	2		
105	Diseases of larynx-----	30	17	11	1	1	2	1	1		
105a	Acute bronchitis-----	143	63	68	8	4	1	1	1		

\* Refer to complete International List titles, table XI.



# GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
																				57a
1				1						1					1					57b
18	8	4	2	4	8	3	5			57	32	16	2	7	126	59	50	5	12	57c
486	102	144	78	162	215	93	116	3	3	732	256	308	51	117	1,588	559	709	107	213	57d,e
18	1	5	6	6	4	2	2			20	9	3	5	3	36	12	16	4	4	58a-d
12	1	4	3	4	3	2			1	21	8	5	2	6	37	15	12	1	9	58e,f
16	5	4	3	4	9	3	6			41	18	16	3	4	63	22	34	2	5	59
255	71	82	37	65	162	70	87	3	2	399	158	156	27	58	806	329	362	50	65	60
1	1				1	1	1			6	2	2		2	6	3	2	1		61
3	1			2	1	1				1				1	10	1	6		3	62
13	1	7		5	17	5	12			46	2	31	1	12	77	16	40	1	20	63a
2	1	1			4	3	1			3	1	1		1	19	6	11		2	63b
7	3	2	1	1	8	4	4			14	7	5	2		51	23	25	2	1	63c-e
					2	2	2			4	3	1		1	11	5	6			64
5			3	2	2	2				18	8	8		2	50	20	20	2	8	65
1			1		1		1			1	1									66
1				1	1					1					3	2	1			67
147	17	39	24	67	150	1				150	39	74	8	29	403	96	173	40	94	68
4				4	5					5		4	1		10	6		2	2	69
1				1	3					3		3			6	3	1	2		70
62	27	11	13	11	54	28	25	1		176	67	66	12	11	368	184	153	15	16	71
7	2	2	1	2	3	2	1			10	1	5	3	1	27	14	12	1		72
9	4		3	2	13	6	7			51	24	22	1	4	65	28	30	4	3	73a
10	3	2	3	2	7	4	2	1		16	6	7		3	61	23	32	1	5	73b-d
32	14	7	6	5	26	14	12			82	48	25	7	2	170	102	54	8	6	74a
1	1				1	1	1			3	1	1	1		4	3			1	74b
					1	1				5	4	1			22	5	16		1	75
3	3				3	1	2			9	3	5		1	19	9	9	1		76
37	24	1	12		4	4				45	35	2	6	2	80	62	9	5	4	
															3	2				1
34	22	1	11		4	4				43	35	2	5	1	65	53	4	5	3	77a,b
1			1							2				1	2	2				77c-e
2	2													1	10	5	5			78
2,071	524	414	557	576	574	314	244	9	7	2,754	1,104	921	351	376	5,312	2,267	1,932	534	579	79
24	8	10	5	1	6	1	4	1		25	13	8	2	2	118	52	44	13	9	80
39	10	9	12	8	5	2	3			40	18	10	6	6	137	68	42	17	10	81
20	8	9	3		15	10	4	1		-48	23	13	8	6	89	47	26	5	11	82
1,613	410	315	426	462	425	227	188	6	4	2,159	846	719	280	314	3,850	1,602	1,418	392	438	83a
92	28	28	20	16	43	27	16			86	36	32	8	10	170	71	75	15	11	83b
4	2	2			2	1	1			15	10	4	1		35	19	16			83c
141	21	20	47	53	13	8	4		1	118	50	39	11	18	405	175	119	52	57	83d
41	9	9	10	13	8	6	2			79	26	31	15	7	106	44	40	10	12	84
44	8	5	20	11	15	9	5	1		49	25	19	2	3	100	49	55	10	6	85
20	6		7	7	4	3	1			15	5	7	2	1	76	23	27	12	14	86
22	8	6	4	4	26	13	12		1	74	29	24	11	10	105	57	39	4	5	87
1	1				1	1				2	1				4	1	3			88
8	4	1	2	1	4	1	2		1	27	12	9	5	1	85	37	41	2	5	89a
2	1		1		4	5	2			17	10	6			34	22	7	4	1	89b
3,611	1,184	738	877	812	1,344	825	491	21	7	5,517	2,365	1,640	687	625	11,950	6,305	3,762	999	886	
7	3		3	1	3	1	2			28	6	7	7	6	39	19	10	7	3	90
26	5	3	8	10	9	8	1			56	18	15	8	15	106	40	32	16	18	91a,b
17	4	4	3	6	1		1			5	1	1	1	2	32	13	10	3	6	91c
537	120	97	164	156	145	79	62	2		878	297	257	162	162	1,073	468	346	138	121	92a-d
75	17	16	18	24	12	7	5			64	23	17	15	9	154	60	44	18	12	92e
39	15	2	11	11	12	8	4			50	13	10	6	21	169	67	51	27	24	93a
43	3	4	16	20	4	4				21	4	3	8	6	58	23	13	14	8	93b
994	286	268	226	214	415	207	196	9	5	1,340	569	455	163	153	3,217	1,523	1,218	243	235	93c,d
261	64	54	50	73	113	72	40	1		486	189	156	79	62	955	478	297	94	86	93e
514	309	101	56	48	331	244	86	1		980	594	271	59	46	2,939	1,948	737	142	112	94a
194	104	39	33	16	35	23	10			221	123	78	14	6	566	345	150	38	33	94b
4	1	1	2		4	4				31	18	5	5	3	80	39	31	4	6	95a
591	137	90	204	160	130	88	37	5		790	348	240	112	90	1,720	872	486	195	167	95b,c
10	4	2	2	2	1		1			9	4		2	2	19	7	6	4	2	96
224	77	46	56	45	94	60	31		3	259	121	61	32	25	526	258	207	35	26	97
7	2	1	1	3	8	5	3			17	4	6	4	3	36	16	13	5	2	98
13	7	4	2		19	8	8	2	1	33	16	10	2	5	84	41	36	3	4	99
6		2	2		3	1	1	1		17	10	4	2	1	35	16	15		4	100
5	1		1	3	1	1				2	2				6	4	1	1		101
38	3	4	15	16	8	5	3			41	11	20	5	5	137	56	57	11	13	102
6	2		4							11	4	3	1	3	19	10	4	1	4	103
1,423	355	274	480	534	409	209	151	32	17	2,367	958	793	342	274	4,662	2,081	1,676	502	393	
35	1	2	21	11	3		3			6	2	3		1	25	13	6	4	2	104a
11	5	2	2	2	3	3				12	6	5	1		36	19	14	1	2	104b
5	2		2	1	3	1	2			11	8	3			34	16	10	2	6	105
3			3		9	6	3			19	8	9	1	1	55	26	20	5	4	106a

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA				RHODE ISLAND						
		Total deaths	White		All other		Total deaths	White		All other		
			M	F	M	F		M	F	M	F	
	VIII.—Diseases of the respiratory system—Continued											
106b	Chronic bronchitis	159	97	56	5	1	10	7	5			
106c	Bronchitis (unspecified)	49	25	20	4							
107	Bronchopneumonia (including capillary bronchitis)	2,488	1,215	1,061	127	97	182	101	76	3	2	
108	Lobar pneumonia	2,871	1,531	1,046	174	120	233	126	96		1	
109	Pneumonia (unspecified)	96	60	31	3	2	1	1				
110	Pleurisy (not specified as tuberculous)	200	130	52	10	8	13	8	5			
111a	Hemorrhagic infarction and thrombosis of lungs	88	47	34	2	5	8	4	4			
111b,c	Acute edema, chronic and unspecified congestion of lungs	126	64	58	2	3	3	2	1			
112	Asthma	174	105	59	4	6	6	1	5			
113	Pulmonary emphysema	12	10	1	1							
114	Other diseases of respiratory system (except tuberculosis)	276	216	44	12	4	10	9	1			
	IX.—Diseases of the digestive system	5,592	3,078	2,193	171	140	426	238	186		2	
115a,b,d	Diseases of buccal cavity and adnexa	144	59	71	11	3	8	1	7			
115c	Diseases of pharynx and tonsils	100	50	43	1	6	5	3	2			
116	Diseases of esophagus	14	11	3			1		1			
117a	Ulcer of stomach	396	318	61	15	6	51	44	7			
117b	Ulcer of duodenum	211	175	30	6		21	18	3			
118	Other diseases of stomach (except cancer)	106	58	40	1	7	5	3	2			
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	453	246	187	11	9	26	16	12			
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	192	90	85	8	11	12	3	9			
121	Appendicitis	965	560	341	38	26	89	51	37		1	
122a	Hernia	486	260	202	21	5	43	21	22			
122b	Intestinal obstruction	486	221	226	13	26	34	16	18			
123	Other diseases of intestines	121	70	40	6	5	9	4	5			
124a	Cirrhosis of liver (with mention of alcoholism)	59	50	5	2	2	5	3	2			
124b	Cirrhosis of liver (without mention of alcoholism)	864	553	283	21	7	55	55	20			
125a	Acute yellow atrophy of liver (nonpuerperal)	48	20	25	2	1	4	1	2			1
125b	Other diseases of liver	74	37	29	3	5	2	1	1			
126	Biliary calculi	381	113	264		4	26	9	17			
127	Other diseases of gallbladder and biliary ducts	301	105	187	4	5	22	7	15			
128	Diseases of pancreas (except diabetes mellitus)	67	37	26	3	1	2		2			
129	Peritonitis (cause not stated)	112	47	47	7	11	4	2	2			
	X.—Diseases of the genito-urinary system	10,798	5,342	4,825	305	326	844	420	411	9	4	
130	Acute nephritis	243	130	93	11	9	12	9	3			
131a	Arteriosclerotic kidney	6,764	3,142	3,258	165	199	453	205	241	5	4	
131b	Other chronic nephritis	2,354	1,156	1,067	60	71	288	139	146	3		
132	Nephritis unspecified (10 years and over)	244	117	105	15	7	5	4	1		3	
133	Other diseases of kidneys and ureters, etc.*	222	95	110	10	7	9	2	7			
134	Calculi of urinary passages	112	68	37	5	2	11	8	3			
135	Diseases of urinary bladder	63	35	22	3	3	3	1	2			
136	Diseases of urethra (except calculus)	24	18		6		1				1	
137	Diseases of prostate	628	597		29		54	54				
138	Diseases of other male genital organs (except venereal)	5	4		1							
139a	Diseases of ovaries, fallopian tubes, and parametria	96		73		23	6		6			
139b	Diseases of uterus	58		53		5	2		2			
139c	Diseases of other and unspecified female genital organs	7		7								
	XI.—Diseases of pregnancy, childbirth, and the puerperium	613		555		58	35		34		1	
140	Abortion with mention of infection	106		91		15	3		3			
140a,b	Abortion (septic), spontaneous or therapeutic*	75		64		11	2		2			
140c,d	Abortion (septic), self-induced or nontherapeutic*	31		27		4	1		1			
141	Abortion without mention of infection	23		21		2	4		4			
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	6		6								
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	16		14		2	3		3			
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1		1			1		1			
142a	Ectopic gestation, with mention of infection	10		9		1						
142b	Ectopic gestation, without mention of infection	23		20		3	1		1			
143a	Placenta praevia (death before delivery)						1		1			
143b,c	Other hemorrhages of pregnancy (death before delivery)	1		1								
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	42		36		6	3		3			
144c,d	Other toxemias of pregnancy (death before delivery)*	12		9		3	2		2			
145	Other diseases and accidents of pregnancy (death before delivery)	15		13		2	3		3			
146a	Placenta praevia (with childbirth)	17		17								
146b,c	Other hemorrhages of childbirth and puerperium	55		52		3	3		3			
147a,b	Puerperal pyelitis, other general or local puerperal infection*	119		105		14	5		5			
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	56		56			4		4			
148a,b	Puerperal eclampsia and nephritis*	48		45		3	4		4			
148c,d	Other puerperal toxemias	12		11		1						
149	Other accidents and specified conditions of childbirth	48		46		2	2		1		1	
150	Other and unspecified conditions of childbirth and puerperium	26		23		3						
	XII.—Diseases of the skin and cellular tissue	118	57	52	5	4	9	6	1		2	
151	Carbuncle and furuncle	35	20	14	1		2	1			1	
152	Phlegmon and acute abscess	44	26	16	1	1	4	3			1	
153	Other diseases of skin and cellular tissue	39	11	22	3	3	3	2	1		1	
	XIII.—Diseases of the bones, etc.*	97	55	38	3	1	4	2	2			
154	Osteomyelitis and periostitis	69	44	21	3	1	3	1	2			
155	Other diseases of bones (except tuberculosis)	11	5	6								
156	Diseases of joints and other organs of movement	17	6	11			1	1				
157	XIV.—Congenital malformations	1,047	541	464	26	16	88	46	41	1		

\* Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

403

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	SOUTH CAROLINA				Total deaths	SOUTH DAKOTA				Total deaths	TENNESSEE				Total deaths	TEXAS				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4		3	1		5	3	1		27	10	15	1	1	85	42	36	2	3	106b	
16	5	5	2	4	4				19	7	6	3	3	57	24	27	3	3	106c	
434	106	107	134	87	155	85	56	12	2	892	357	354	105	96	1,492	699	599	111	85	107
649	157	112	224	156	157	172	57	14	14	1,068	445	323	189	125	1,745	762	565	245	175	108
159	20	14	67	58	23	9	9	4	1	105	34	25	21	27	601	238	201	85	77	109
28	11	6	6	5	7	4	2	2	1	45	16	16	6	5	71	29	25	11	8	110
8	3	3		2	4	2	2			8	3	4	1		42	19	14	4	5	111a
25	9	9	5	2	13	6	5			48	25	20	3	2	206	95	101	5	7	111b,c
27	8	10	7	2	13	6	7			61	22	20	8	11	129	59	48	14	8	112
1			1							1	1				2	2				113
18	8	1	8	1	6	4	2			27	16	6	3	2	84	48	14	12	10	114
1,045	318	229	262	236	368	186	155	11	16	1,855	826	565	249	215	5,433	2,530	2,013	469	421	
40	12	14	5	9	14	7	7			68	39	19	5	5	157	72	54	19	12	115a,b,d
30	10	6	7	7	4	5	3			40	16	15	5	4	77	42	25	8	2	115c
5			2							1	1				11	4	5	1	1	116
56	26	2	18	10	27	20	7			119	59	15	25	20	216	129	42	27	18	117a
32	23	2	7		12	8	4			45	32	4	6	3	79	59	12	6	2	117b
45	7	4	18	16	10	6	4			111	22	14	36	39	385	116	97	87	85	118
543	93	60	104	86	39	15	13	6	5	375	185	128	32	30	1,747	851	769	67	60	119
53	13	16	13	11	22	12	9	1		141	58	47	19	17	382	152	165	25	40	120
133	36	33	35	29	74	40	26	3	5	282	133	86	40	23	750	397	226	84	43	121
32	9	11	11	1	24	12	11		1	80	34	24	17	5	187	81	69	28	9	122a
101	21	31	18	31	32	19	13			149	55	52	19	23	461	177	181	41	62	122b
23	7	3	5	8	5	3	2			40	16	11	6	7	116	49	37	19	11	123
12	11		1		6	6				21	13	4	1	3	23	20		3		124a
53	27	14	6	6	30	15	14		1	152	85	37	20	10	299	167	81	28	23	124b
7	2	2	1	2						11	4	3	3	1	24	12	9	1	2	125a
10	3	2	3	2	3	1	2			27	11	9	5	2	84	37	28	12	7	125b
13	8	4	1		29	8	18		3	59	17	37	2	3	103	26	73	1	3	126
30	3	18	3	6	22	6	15		1	83	28	44	4	7	188	75	93	6	14	127
5	3	2								9	5	2		2	33	17	11	2	3	128
24	4	5	4	11	11	3	7	1		42	13	14	4	11	111	47	36	4	24	129
2,316	603	466	699	548	388	241	140	4	3	2,410	1,058	727	364	261	4,987	2,302	1,886	624	475	
106	24	10	39	33	13	5	8			80	27	31	11	11	315	124	84	61	46	130
1,368	361	297	394	326	173	97	72	2	2	1,132	469	376	158	129	1,820	852	617	194	157	131a
441	124	93	123	101	100	59	40			582	263	184	78	57	1,410	628	467	179	136	131b
140	20	27	59	34	15	9	5	1		204	84	56	37	27	453	182	152	67	52	132
97	22	18	30	27	9	5	4			89	33	43	7	6	230	91	102	21	16	133
24	11	11	2		5	2	3			40	19	15	2	4	62	31	27	4		134
13	4	1	7	1	4	3	1			26	12	3	9	2	54	25	10	15	4	135
16	1		15							19	2	1	16		31	10		20	1	136
66	36		30		61	61				191	146	45			417	354		63		137
										4					5	5				138
32		12		20	5		4		1	31		10		21	112		70		42	139a
11		6		5	3		3			10		7		3	72		53		19	139b
2		1		1						2		1		1	6		4		2	139c
253		96		157	34		29		5	297		209		88	590		455		135	
16		9		7	8		6		2	51		31		20	70		47		23	140
16		9		7	6		5		1	45		26		19	61		40		21	140a,b
					2		1		1	6		5		1	9		7		2	140c,d
14		6		8	2		2			8		5		3	29		20		9	141
2		2		1	1		1			2		2			4		3		1	141a,c
12		4		8	1		1			6		3		3	24		16		8	141b,d
															1		1			141e,f
										1		1			6		4		2	142a
3		1		2						9		6		3	11		9		2	142b
																				143a
5		1		4						1		1			4		2		2	143b,c
38		17		21						24		15		9	77		55		22	144a,b
10		5		5						9		9			16		13		3	144c,d
12		5		7						17		10		7	23		18		5	145
																				146a
11		6		5	2		2			9		6		3	12		11		1	146b,c
16		7		9	1		1			30		24		6	54		45		9	147a,b
35		12		23	11		9		2	63		38		25	101		81		20	147c,d
16		5		11	4		4			17		17			33		29		4	148a,b
33		9		24	2		2			29		23		6	87		67		20	148c,d
2				2						4		4			7		6		1	149
9		4		5	3		2		1	5		5			24		17		7	149a
33		9		24	1		1			20		14		6	36		31		5	150
45	6	11	16	12	6	3	3			43	17	14	7	5	112	48	45	7	12	
11	3	6	2		1	1				12	5	5	1	1	35	18	13	2	2	151
18	3	3	8	4						13	7	3	3		32	18	12	1	1	152
16		2	6	8	5	2	3			18	5	6	3	4	45	12	20	4	9	153
21	7	4	6	4	8	5	3			35	21	8	6		69	39	19	8	3	
12	6	2	2	2	5	3	2			22	16	3	3		56	33	13	7	3	154
4	1	2	1	</																

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA				RHODE ISLAND					
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life-----	3,774	1,963	1,491	165	155	216	102	106	6	2
158	Congenital debility (cause not stated)-----	110	56	34	7	13	7	4	2	1	-----
159	Premature birth (cause not stated)-----	2,341	1,192	943	95	111	126	52	70	3	1
160a	Intracranial or spinal hemorrhage-----	446	236	177	23	10	38	17	21	-----	-----
160b,c	Other injuries at birth-----	459	263	179	8	9	27	16	8	2	1
161	Other diseases peculiar to the first year of life-----	418	216	158	32	12	18	13	5	-----	-----
162	XVI.—Senility-----	221	74	142	3	2	11	3	8	-----	-----
	XVII.—Violent or accidental deaths-----	8,279	5,588	2,243	342	106	454	283	162	4	5
163,164	Suicide-----	1,289	964	295	26	4	81	57	24	-----	-----
163	Suicide by poisoning-----	296	182	110	2	2	32	22	10	-----	-----
	Suicide by solid or liquid poisons-----	88	44	41	1	2	4	3	1	-----	-----
	Suicide by poisonous gases-----	208	138	69	1	-----	28	19	9	-----	-----
164a	Suicide by hanging or strangulation-----	347	264	78	4	1	20	13	7	-----	-----
164b	Suicide by drowning-----	58	36	17	4	1	9	4	5	-----	-----
164c	Suicide by firearms and explosives-----	451	399	43	9	-----	13	13	-----	-----	-----
164d	Suicide by cutting or piercing instruments-----	53	33	16	4	-----	1	1	-----	-----	-----
164e	Suicide by jumping from high places-----	63	36	25	2	-----	2	1	1	-----	-----
164f	Suicide by crushing-----	10	8	1	1	-----	-----	-----	-----	-----	-----
164g	Suicide by other or unspecified means-----	11	6	5	-----	-----	4	3	1	-----	-----
165-168	Homicide-----	310	134	65	88	23	11	6	4	-----	1
166	Homicide by firearms-----	159	72	38	36	13	2	1	-----	-----	1
167	Homicide by cutting or piercing instruments-----	61	14	6	34	7	1	-----	1	-----	-----
168	Homicide by other means-----	90	48	21	18	3	8	5	3	-----	-----
169-195	Accidental deaths-----	6,670	4,487	1,883	221	79	362	220	134	4	4
169	Railway accidents (except collisions with motor vehicles)-----	272	241	13	15	3	2	2	-----	-----	-----
170a	Collisions between automobiles and trains-----	41	25	15	1	-----	-----	-----	-----	-----	-----
170b	Collisions between automobiles and streetcars-----	22	18	3	1	-----	-----	-----	-----	-----	-----
170c	Automobile accidents (except collisions with trains or streetcars)-----	2,013	1,503	415	73	22	78	66	12	-----	-----
170d	Motorcycle accidents (except collisions with automobiles)-----	27	21	4	1	1	-----	-----	-----	-----	-----
171a	Streetcar accidents (except collisions with trains or motor vehicles)-----	36	19	12	3	2	2	1	1	-----	-----
171b	Other and unspecified road-transport accidents-----	28	23	2	3	-----	1	-----	1	-----	-----
172	Water-transport accidents-----	25	21	2	-----	2	10	9	1	-----	-----
173	Air-transport accidents-----	8	8	-----	-----	-----	1	1	-----	-----	-----
174	Accidents in mines and quarries-----	428	421	-----	7	-----	-----	-----	-----	-----	-----
175a	Accidents involving agricultural machinery and vehicles-----	35	34	1	-----	-----	-----	-----	-----	-----	-----
175b,c	Other agricultural accidents-----	41	40	1	-----	-----	1	1	-----	-----	-----
175d	Accidents involving forestry machinery and vehicles-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
175e	Other forestry accidents-----	7	7	-----	-----	-----	1	1	-----	-----	-----
176	Other accidents involving machinery-----	80	72	3	5	-----	4	4	-----	-----	-----
177	Food poisoning-----	16	8	5	2	1	-----	-----	-----	-----	-----
178	Accidental absorption of poisonous gas-----	142	99	38	5	-----	6	4	2	-----	-----
179	Acute accidental poisoning by solids or liquids-----	97	59	31	5	2	2	1	1	-----	-----
180	Conflagration-----	92	54	20	11	7	9	4	4	1	-----
181	Accidental burns (except conflagration)-----	326	155	144	13	14	21	10	8	-----	3
182	Accidental mechanical suffocation-----	78	50	26	2	-----	7	3	4	-----	-----
183	Accidental drowning-----	276	226	36	12	2	31	26	4	1	-----
184	Accidental injury by firearms-----	113	100	6	5	2	4	4	-----	-----	-----
185	Accidental injury by cutting or piercing instruments-----	34	25	6	1	2	4	3	1	-----	-----
186a	Accidental injury by fall-----	1,966	905	1,017	30	14	153	60	91	2	-----
186b	Accidental injury by crushing-----	17	17	-----	-----	-----	1	1	-----	-----	-----
187	Cataclysm, etc.*-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
188	Injury by animals (except in agriculture and forestry)-----	14	11	3	-----	-----	-----	-----	-----	-----	-----
189	Hunger or thirst-----	2	1	-----	1	-----	-----	-----	-----	-----	-----
190	Excessive cold-----	13	13	-----	-----	-----	1	-----	-----	-----	1
191	Excessive heat-----	16	13	1	1	1	1	1	-----	-----	-----
192	Lightning-----	9	8	-----	1	-----	-----	-----	-----	-----	-----
193	Accidents due to electric currents (except lightning)-----	51	48	2	1	-----	2	2	-----	-----	-----
194	Poisoning by venomous animals (except in agriculture and forestry)-----	1	1	-----	-----	-----	1	1	-----	-----	-----
195a,b	Accidents due to medical or surgical intervention-----	3	2	1	-----	-----	1	-----	1	-----	-----
195d	Obstruction, suffocation, or puncture by ingested objects-----	53	27	23	2	1	4	4	-----	-----	-----
195c,e	Other and unspecified accidents-----	287	211	53	20	3	14	11	3	-----	-----
196	Deaths of military personnel during operations of war-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
197	Deaths of civilians due to operations of war-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
198	Legal executions-----	10	3	-----	7	-----	-----	-----	-----	-----	-----
	XVIII.—Ill-defined and unknown causes-----	224	137	65	15	7	9	4	5	-----	-----
199	Sudden death-----	6	4	2	-----	-----	2	1	1	-----	-----
200a	Ill-defined-----	108	61	38	5	4	7	3	4	-----	-----
200b	Found dead (cause unknown)-----	9	5	4	-----	-----	-----	-----	-----	-----	-----
200c	Unknown or unspecified-----	101	67	21	10	3	-----	-----	-----	-----	-----

\* Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

SOUTH CAROLINA						SOUTH DAKOTA				TENNESSEE					TEXAS				List No.	
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M		F
1,002	326	243	226	207	250	139	93	14	4	1,175	563	394	129	89	3,109	1,553	1,106	246	204	
78	18	9	31	20	9	4	4	1		70	26	22	14	8	323	156	125	24	18	159
695	223	187	142	143	152	85	60	5	2	755	368	262	75	50	1,928	941	677	168	142	159
63	34	7	11	11	11	5	3	3		121	60	32	15	14	206	119	70	10	7	160a
55	16	14	12	13	38	22	16			131	68	49	11	5	308	153	114	23	18	160b,c
111	35	26	30	20	40	23	10	5	2	98	43	29	14	12	344	184	120	21	19	161
139	12	23	43	60	122	51	48	10	13	283	99	106	46	32	1,075	443	407	117	108	162
1,705	660	252	618	175	426	302	106	18		2,582	1,372	497	541	152	5,738	3,504	1,228	732	274	
122	71	37	12	2	73	61	11	1		280	191	69	16	4	719	533	162	17	7	163,164
35	19	13	2	1	8	8				63	33	26	3	1	193	110	74	3	6	163
31	15	13	2	1	4	4				60	30	26	3	1	143	77	58	3	5	
4	4				4	4				3	3				50	33	16		1	
15	8	6	1		22	19	3			25	18	6		1	60	44	16			164a
2	1	1			1	1				19	14	3	2		14	8	5	1		164b
64	40	16	7	1	38	32	5	1		151	113	26	11	1	392	332	50	9	1	164c
3	1		2		2	2				11	8	3			32	21	7	4		164d
										8	4	3		1	9	5	4			164e
										1					6	4	2			164f
3	2	1			2		2			3	1	2			13	9	4			164g
267	58	8	162	39	18	9	7	2		450	144	14	245	47	675	273	56	264	82	165-168
157	43	4	91	19	12	6	4	2		275	104	9	143	19	411	176	38	153	44	166
75	7	2	53	13	1		1			133	20	3	93	17	185	57	4	92	32	167
35	8	2	18	7	5	3	2			42	20	2	9	11	79	40	14	19	6	168
1,306	522	207	443	134	335	232	88	15		1,822	1,034	414	273	101	4,331	2,694	1,010	442	185	169-195
50	19	2	25	4	5	4	1			123	90	1	30	2	173	118	17	32	6	169
15	9	1	5		1	1				23	13	2	7	1	36	20	13	2	1	170a
										3	3				2	2				170b
522	267	66	157	32	119	87	28	4		567	396	77	73	21	1,548	1,090	286	127	45	170c
6	6				1	1				6	5	1			24	22		2		170d
										2	1	1			6	3	2		1	171a
18	7	1	10		3	3				7	5	1	1		17	8	3	6		171b
30	17	1	12		2	2				25	20	1	2	2	26	19	2	4	1	172
2	2				1	1				5	5				29	29				173
3	3				5	5				28	25		3		4	3		1		174
6	2		3	1	15	14	1			19	15		4		25	24		1		175a
5	2		3		8	7	1			31	24	1	6		30	22	1	6	1	175b,c
6	2		4		1			1		1	1				5	3		2		175d
12	7		5		4	4				16	11		5		47	42	2	3		175e
14	3	4	3	4	1		1			27	6	6	8	7	102	42	33	16	11	177
3	2	1			5	5				6	4	2			31	18	8	4	1	178
22	5	4	4	9	2	2				38	17	11	5	3	101	42	28	17	14	179
34	4	5	14	11	3		3			45	15	12	7	11	82	29	12	12	9	180
109	17	22	35	35	9	5	4			122	34	50	14	24	310	147	108	24	31	181
50	7	5	11	7	2	1	1			19	8	6	4	1	52	26	14	5	7	182
59	21	4	32	1	26	18	6	1		91	59	12	19	1	301	205	41	47	8	183
77	32	7	34	4	10	9	1			116	70	15	29	2	223	160	20	36	7	184
10	1		5	4	1	1				17	6	4	6	1	49	25	6	13	5	185
140	39	73	19	9	71	38	29	4		312	115	166	15	16	592	260	295	18	19	186a
7	5		2		3	2		1		9	5	2			31	25		6		186b
4			2		4	2		1		7	2	3		2	8	4	3		1	187
2		1	2	1	3	2	2			7	6	1			32	26	3	3		188
2		2	2		1	1				1				1	3	3				189
1		1	1		1			1		6	4		2		1			1		190
5		1	4		3	3				6	3		3		42	22	8	9	3	191
15	3	3	8	1	2	2				10	7	2	1		25	19	2	3	1	192
14	10		4		2	2				11	7	1	3		41	35	2	4		193
3	1		2												14	7	6		1	194
										2	1	1			4	1	2	1	1	195a,b
14	7	1	3	3	7	4	3			9	2	6	1		59	19	13	6	1	195d
67	22	5	32	8	16	8	7	3		107	49	29	25	6	296	174	60	31	11	195c,e
										1	1				1	1				196
10	9		1							9	2		7		12	3		9		197
1,317	127	74	592	524	119	54	12	34	39	1,673	658	476	308	231	1,279	566	321	234	158	
51	13	3	19	16	7	5	2			122	57	31	20	14	64	36	15	5	8	199
263	36	13	113	101	32	23	7	1	1	150	62	48	23	17	795	354	190	154	95	200a
13	6		5	2						114	59	33	14	8	31	17	4	8	2	200b
990	72	58	455	405	80	6	3	33	38	1,287	460	364	251	192	391	159	112	67	53	200c

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	4,712	2,624	2,009	48	31	4,544	2,468	2,064	6	6	28,536	10,506	8,182	5,365	4,583
	I.—Infectious and parasitic diseases	274	158	103	7	6	313	204	108	1	---	3,348	912	779	888	769
1	Typhoid fever	2	1	1	---	---	3	2	1	---	---	46	17	13	7	9
2	Paratyphoid fever	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---
3	Plague	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4	Cholera	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
5	Undulant fever (brucellosis)	1	1	---	---	---	1	1	---	---	---	---	---	---	---	---
6	Cerebrospinal (meningococcus) meningitis	6	2	4	---	---	4	2	2	---	---	26	9	7	6	4
7	Anthrax (infection by Bacillus anthracis)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8	Scarlet fever	3	1	2	---	---	5	4	1	---	---	10	3	4	2	1
9	Whooping cough	8	4	4	---	---	18	8	10	---	---	160	34	38	44	44
10	Diphtheria (infection by C. diphtheriae)	5	1	4	---	---	2	1	1	---	---	98	37	42	13	6
11	Erysipelas	3	2	1	---	---	6	4	2	---	---	20	8	10	---	2
12	Tetanus	2	---	---	---	---	2	---	---	---	---	12	5	1	3	3
13-22	Tuberculosis (all forms)	95	68	16	5	6	137	98	39	---	---	1,617	402	379	418	418
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	27	27	---	---	---	16	16	---	---	---	5	4	---	1	---
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	55	37	9	3	6	107	76	31	---	---	1,469	359	351	374	385
14	Tuberculosis of meninges and central nervous system	5	---	4	1	---	3	2	1	---	---	33	7	7	8	11
15	Tuberculosis of intestines and peritoneum	1	---	1	---	---	2	1	1	---	---	39	4	10	13	12
16	Tuberculosis of vertebral column	2	2	---	---	---	2	1	1	---	---	18	9	2	4	3
17a	Tuberculosis of bones (except vertebral column)	---	---	---	---	---	---	---	---	---	---	2	1	---	1	---
17b	Tuberculosis of joints (except vertebral column)	---	---	---	---	---	---	---	---	---	---	6	3	---	2	1
18	Tuberculosis of skin, etc.*	---	---	---	---	---	---	---	---	---	---	3	1	1	---	1
19	Tuberculosis of lymphatic system, etc.*	---	---	---	---	---	1	---	1	---	---	1	1	---	---	1
20	Tuberculosis of genito-urinary system	3	1	2	---	---	---	---	---	---	---	13	5	2	5	1
21	Tuberculosis of other organs	---	---	---	---	---	2	---	2	---	---	4	2	---	1	1
22a	Disseminated tuberculosis (acute miliary)	2	1	---	1	---	3	1	2	---	---	23	5	6	9	3
22b	Disseminated tuberculosis (other and unspecified)	---	---	---	---	---	1	1	---	---	---	1	1	---	---	---
23	Leprosy	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
24	Septicemia and purulent infection (nonpuerperal)	8	4	4	---	---	2	1	1	---	---	33	17	6	6	4
25	Gonococcus infection	2	---	2	---	---	---	---	---	---	---	17	1	1	3	12
26	Other diseases due to bacteria (except dysentery)	3	3	---	---	---	---	---	---	---	---	13	6	2	4	1
27	Dysentery	5	3	2	---	---	5	4	1	---	---	105	33	31	27	14
28	Malaria	---	---	---	---	---	---	---	---	---	---	7	4	2	1	---
29	Other diseases due to parasitic protozoa (except spirochetes)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
30	Syphilis (all forms)	29	17	10	2	---	26	17	8	1	---	474	115	40	216	103
30a	Locomotor ataxia (tabes dorsalis)	---	---	---	---	---	1	1	---	---	---	12	8	3	1	---
30b	General paralysis of insane	12	7	5	---	---	7	6	---	1	---	111	35	6	57	13
30c	Other syphilis of central nervous system	2	2	---	---	---	4	3	1	---	---	43	14	5	20	4
30d	Aneurysm of aorta	5	3	2	---	---	8	5	3	---	---	81	25	9	38	9
30e	Other syphilis of circulatory system	1	1	---	---	---	---	---	---	---	---	23	2	---	15	3
30f,g	Congenital, other and unspecified forms of syphilis	9	4	3	2	---	6	2	4	---	---	204	31	17	82	74
31	Relapsing fever	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
32	Other diseases due to spirochetes	2	---	2	---	---	2	---	2	---	---	4	1	---	3	---
33a	Influenza, with respiratory complications specified	37	16	21	---	---	49	31	18	---	---	423	116	125	81	101
33b	Influenza, without respiratory complications specified	32	17	15	---	---	36	23	13	---	---	181	70	44	34	33
34	Smallpox	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
35	Measles	2	1	1	---	---	5	1	4	---	---	21	6	8	5	2
36	Acute poliomyelitis and acute poliomyelitis	7	4	3	---	---	5	2	3	---	---	10	3	7	---	---
37a,c	Infectious encephalitis lethargica (acute and unqualified)	7	4	3	---	---	1	---	1	---	---	8	4	2	2	---
37b	Sequelae of encephalitis lethargica	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---
38	Other diseases due to filtrable viruses	---	---	---	---	---	1	1	---	---	---	3	1	1	1	---
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	2	---	---	---	---	---	---	---	---	6	1	1	1	3
40	Ankylostomiasis	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
41	Hydatid disease	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
42	Other diseases caused by helminths	1	1	---	---	---	---	---	---	---	---	4	2	1	1	---
43	Mycoses	---	---	---	---	---	1	1	---	---	---	12	4	1	5	4
44	Other infectious and parasitic (communicable) diseases	11	5	6	---	---	2	1	1	---	---	37	12	13	7	5
	II.—Cancer and other tumors	525	255	263	5	2	530	222	307	---	1	2,282	785	991	200	308
45-55	Cancer and other malignant tumors	509	253	250	5	1	516	217	299	---	---	2,169	754	945	192	280
45	Cancer of buccal cavity and pharynx	15	11	2	---	---	22	19	3	---	---	71	41	21	5	4
45a-e	Cancer of buccal cavity	12	10	2	---	---	16	15	1	---	---	54	28	16	4	4
45f	Cancer of pharynx	1	1	---	---	---	6	4	2	---	---	17	13	5	1	---
46	Cancer of digestive organs and peritoneum	240	132	106	2	---	230	96	134	---	---	865	358	345	100	82
46a	Cancer of esophagus	5	3	2	---	---	9	6	3	---	---	20	14	4	2	---
46b,c	Cancer of stomach and duodenum	97	58	38	1	---	76	34	42	---	---	326	148	100	46	32
46f	Cancer of liver and biliary passages	48	25	22	1	---	35	14	21	---	---	160	53	78	16	13
46g	Cancer of pancreas	23	12	11	---	---	15	6	9	---	---	76	36	28	6	6
46d,e,h,m	Cancer of other digestive organs and peritoneum	67	34	33	---	---	95	36	59	---	---	301	107	135	30	31
47	Cancer of respiratory system	28	20	8	---	---	26	19	7	---	---	95	57	19	17	2
48	Cancer of uterus	38	---	38	---	---	58	---	58	---	---	320	---	207	---	113
49	Cancer of other female genital organs	14	---	14	---	---	14	---	14	---	---	47	---	43	---	4
50	Cancer of breast	43	---	43	---	---	61	---	61	---	---	205	2	149	---	54
51	Cancer of male genital organs	38	36	---	2	---	44	44	---	---	---	163	126	---	37	---
52	Cancer of urinary organs (male and female)	26	14	12	---	---	17	12	5	---	---	108	48	45	11	4
53	Cancer of skin (except vulva and scrotum)	14	8	5	1	---	5	4	1	---	---	65	37	18	3	7
54	Cancer of central nervous system*	14	8	5	---	1	6	3	3	---	---	20	9	10	---	1
55	Cancer of other and unspecified organs	41	24	17	---	---	33	20	13	---	---	192	76	88	19	9
56a	Nonmalignant tumors of ovary	1	---	---	---	---	1	---	---	---	---	8	---	5	---	3
56b	Nonmalignant tumors of uterus	9	---	8	---	1	3	---	2	---	---	37	---	16	---	21
56c	Nonmalignant tumors of other female genital organs	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

\*Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.		
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other				
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F			
18,516	10,879	7,104	329	204	17,490	9,065	6,810	953	662	31,424	17,291	13,771	207	155	2,207	1,360	769	45	33			
1,312	800	378	81	53	1,943	908	761	155	119	1,922	1,076	758	50	38	166	106	44	11	5			
16	10	5		1	53	25	22	3	3	5	5				6	4	2			1		
1	1	1			1	1									1	1				2		
																					3	
																					4	
1	1	1			1	1															5	
9	4	4	1		37	24	12	1		7	4	3			2	2					6	
																					7	
12	7	5			22	6	14	2		36	18	16		2	2	2					8	
3	2	1			38	22	12	2	2	44	16	27		1	1	1					9	
12	7	5			55	31	23		1	4	3	1			3	1	2				10	
7	4	3			10	3	6		1	13	10	3			1		1				11	
					4	2	2			11	7	4			2	2					12	
709	415	197	57	40	882	352	372	79	69	865	474	332	32	25	55	27	14	9	5		13-22	
11	11									11	11										13a	
609	353	172	51	33	788	319	342	70	57	781	436	293	28	24	52	26	13	8	5		13b,c	
25	15	3	2	5	43	15	15	4	9	27	8	17	2		1	1					14	
18	9	7	2		11	5	3	2	1	12	5	6	1								15	
13	7	5		1	4	1	2	1		11	5	5	1		1		1				16	
					2	2	2			1	1											17a
2	1	1			6	4	1	1		2	2											17b
					2	2																18
6	2	3		1	3		2	1		1		1										19
9	7	1	1		6	4	2			8	3	5										20
1	1				4	4				8	3	5										21
15	9	5	1		11	6	3		2	1					1				1			22a
					2	2	2															22b
																						23
27	16	10	1		22	13	7	1	1	33	20	12		1	3	2	1					24
6	2	4			4	3	3		1	2	3	2			2	2	2					25
					2	1	1			3	3				2	2						26
21	7	8	3	3	84	40	37	4	3	11	5	6			2	2	2					27
										2	1	1										28
257	190	47	15	5	289	154	59	53	23	217	142	53	14	8	35	31	2	2				29
																						30
20	17	3			9	7	2			18	14	4			1	1						30a
63	49	11	2	1	69	48	10	8	3	51	38	11	1	1	11	10			1			30b
20	12	6	2		21	9	6	5	1	26	16	9	1		6	5	1					30c
65	51	8	5	1	17	11	1	4	1	55	39	11	4	1	9	7	1	1				30d
13	9	1	3		5	3		2		16	11	4	1		2	2						30e
76	52	18	3	3	168	76	40	34	18	51	24	14	7	6	6	6						30f,g
															1	1						31
2	2				6	2	3		1	5	1	4			1	1						32
94	48	41	2	3	197	92	97	3	5	334	181	150	2	1	16	10	6					33a
51	26	23	1	1	173	94	65	6	8	205	112	93			18	11	7					33b
1	1									1	1											34
14	8	5	1		6	2	3	1		24	10	14			1		1					35
7	4	3			9	4	5			17	11	6			3	1	2					36
26	19	7			10	6	4			15	10	5			2	1	1					37a,c
2	2									7	4	3										37b
3	2	1			6	3	2		1	7	1	5	1									38
2	2				3	2	1								6	5	1					39
																						40
										2		2										41
					2	2																42
1	1				7	2	5			12	8	3	1									43
28	21	7			20	14	6			42	30	12			1	1						44
2,461	1,221	1,180	32	28	1,528	626	795	45	62	4,257	2,149	2,081	9	18	202	96	102	3	1			
2,371	1,199	1,115	32	25	1,438	596	747	42	55	4,125	2,110	1,991	9	15	194	96	94	3	1			45-55
78	62	12	4		40	29	11			131	104	26			8	6	2					45
60	50	7	3		23	18	5			96	76	20			7	6	1					45a-e
18	12	5	1		17	11	6			35	28	6			1	1						45f
1,085	629	430	18	8	677	328	310	25	14	2,106	1,230	868	3	5	67	50	34	3				46
23	20	2	1	1	10	5	4		1	89	79	9	1		2	2						46a
418	287	120	9	2	292	164	105	16	7	878	559	318	1		47	29	16	2				46b,c
131	56	73	1	1	130	53	72	3	2	233	95	135		3	6	3	3					46f
85	46	34	4	1	38	19	17	2		137	79	56	1	1	9	5	4					46g
428	220	201	4	3	207	87	112	4	4	769	418	350										

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH				VERMONT				VIRGINIA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
II.—Cancer and other tumors—Continued																
56d,e	Nonmalignant tumors of other and unspecified organs	4	1	3			7	3	4			15	7	6		2
57a	Tumors of ovary (nature unspecified)															
57b	Tumors of uterus (nature unspecified)															
57c	Tumors of other female genital organs (nature unspecified)											1		1		
57d,e	Tumors of other and unspecified organs (nature unspecified)	2	1	1			3	2	1			52	22	20	8	2
III.—Rheumatism, diseases of nutrition, etc.*																
		164	66	94	1	3	156	59	76		1	726	205	314	72	137
58a-d	Acute rheumatic heart diseases	7	4	3			1		1			30	7	9	7	7
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	3	1	2								20	8	6	3	3
59	Chronic rheumatism and other rheumatic diseases	15	1	12			5	2	2		1	36	6	21	4	5
60	Gout															
61	Diabetes mellitus	101	44	54	1	2	112	50	62			470	143	198	37	92
62	Diseases of pituitary gland						1	1				3	1	2		
63a	Simple goiter						3		3			7	1	5		1
63b	Exophthalmic goiter	20	5	15			7	2	5			45	4	31	1	9
63c-e	Other diseases of thyroid and parathyroid glands						1		1			7	1	4		2
64	Diseases of thymus gland	9	5	4			2	1	1			18	6	3	6	3
65	Diseases of adrenal glands(not specified as tuberculous)	5	3	2			2	2				5	2	2	1	
66	Other general diseases	4	1	2		1	1		1			13	3	4	3	3
67	Scurvy											2		1		1
68	Beriberi											2	1			1
69	Pellagra (except alcoholic)	1	1									61	16	28	8	9
70	Rickets	1	1					1				7	4		2	1
71	Other avitaminoses															
IV.—Diseases of the blood and blood-forming organs																
		35	16	19			26	17	9			146	71	43	12	20
72	Hemorrhagic conditions	5	3	2			2	1	1			11	6	4		1
73a	Pernicious anemia	7	1	6			10	6	4			34	12	13	3	6
73b-d	Other anemias (except splenic)	2		2			5	3	2			22	10	4	4	4
74a	Leukemias	16	11	5			8	6	2			60	33	18	3	6
74b	Aleukemias											8	5	3		
75	Diseases of spleen	3	1	2			1	1				6	4		1	1
76	Other diseases of the blood and blood-forming organs	2		2								5	1	1	1	2
V.—Chronic poisoning and intoxication																
		6	6				9	8	1			91	51	2	32	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism											1			1	
77c-o	Alcoholism (acute, chronic, and unspecified)	5	5				5	5				89	51	2	30	6
78	Lead poisoning	1	1				3	3				1			1	
79	Chronic poisoning by other mineral or organic substances						1		1							
VI.—Diseases of the nervous system, etc.*																
		360	171	187	2		475	239	233	1	2	3,313	1,032	959	648	674
80	Encephalitis (nonepidemic)	10	6	4			1		1			52	18	18	10	6
81	Meningitis (not due to meningococcus)	13	7	5	1		8	3	5			52	26	8	14	4
82	Diseases of spinal cord (see exceptions) *	5	2	3			14	7	7			52	26	9	5	12
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	265	125	140			358	189	166	1	2	2,669	776	773	538	582
83b	Cerebral embolism and thrombosis	30	14	15	1		52	20	32			135	60	50	9	16
83c	Cerebral softening						8	3	5			14	6	6		2
83d	Hemiplegia and other paralysis of unspecified origin											85	29	24	16	16
84	Mental diseases and deficiency (see exception) *	4	1	3			6	4	2			29	6	10	8	5
85	Epilepsy	7	5	2			7	4	3			83	35	19	18	11
86	Convulsions (under 5 years)	2	1	1								28	4	5	13	6
87	Other diseases of nervous system	9	3	6			11	2	9			62	20	25	10	6
88	Diseases of organs of vision											1		1		
89a	Otitis and other diseases of the ear	14	7	7			9	7	2			37	17	8	7	5
89b	Diseases of mastoid process	1		1			1		1			14	9	2		3
VII.—Diseases of the circulatory system																
		1,330	762	561	4	3	1,527	844	679	3	1	6,624	2,759	1,946	1,066	853
90	Pericarditis (except acute rheumatic)	4	1	2	1		2	1		1		13	6	2	3	2
91a,b	Bacterial and other acute or subacute endocarditis	18	9	8	1		5	3	2			47	14	15	7	11
91c	Endocarditis (unspecified, under 45 years)	1		1								16	4	3	6	3
92a-d	Chronic endocarditis and diseases of the valves *	190	97	91	1	1	243	127	116			906	288	282	199	157
92e	Endocarditis (unspecified, 45 years and over)	2		2			10	2	7			100	25	28	24	23
93a	Acute myocarditis (except rheumatic)	25	14	11			16	9	7	1		100	25	28	24	23
93b	Myocarditis (unspecified, under 45 years)	1		1								47	14	8	7	18
93c,d	Chronic myocarditis and myocardial degeneration	520	274	245	1		609	316	291	1	1	2,346	891	745	394	320
93e	Other myocarditis (unspecified)	6	1	5			64	30	34			506	173	169	94	72
94a	Diseases of coronary arteries	364	268	115		1	265	163	62			1,183	704	306	104	67
94b	Angina pectoris	18	14	4			71	44	27			256	149	61	27	19
95a	Functional diseases of heart, etc.*	1	1									23	9	8	3	3
95b,c	Other and unspecified diseases of heart	100	47	53			5	33	37			748	306	211	125	106
95	Aneurysm (except of heart and aorta)	3	3				3	1	2			16	8	3	3	2
97	Arteriosclerosis (except coronary or renal sclerosis)	42	26	15		1	144	78	66			293	117	92	50	34
98	Gangrene	1	1				2	2				24	12	6	4	2
99	Other diseases of arteries	7	4	3			8	6	2			29	17	6	5	1
100	Diseases of veins	4	2	2			6	4	2			12	5	5	1	1
101	Diseases of lymphatic system															
102	High blood pressure (idiopathic)	3		3			4	1	3			27	9	8	3	7
103	Other diseases of circulatory system											6	4		1	1
VIII.—Diseases of the respiratory system																
		308	162	135	7	4	309	157	152			2,136	680	560	469	407
104a	Diseases of nasal fossae											24	3	4	10	7
104b	Diseases of accessory sinuses	4	2	2			3	1	2			16	11	2	2	1
105	Diseases of larynx	3	3									11	6	2	1	2

\*Refer to complete International List titles, table XI.



# GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

Total deaths	WASHINGTON				Total deaths	WEST VIRGINIA				Total deaths	WISCONSIN				Total deaths	WYOMING				List No.
	White		All other			White		All other			White		All other			White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
26	14	12			7	4	1		2	32	22	10							58d,e	
1		1			1		1												57a	
																			57b	
																			57c	
20	8	12			49	26	20	3		39	17	22			1		1		57d,e	
603	232	356	7	8	451	154	265	11	31	1,271	461	800	4	6	60	34	23	3		
16	9	6	1		14	8	6			24	11	13			4	4			58a-d	
4	2	2			10	5	4		1	7	4	3			4	1	3		58e,f	
21	8	13			15	7	7	1		57	20	37			4				59	
430	173	249	6	2	333	108	195	7	23	919	353	560	3	3	40	24	14	2	60	
1	1				2	1	1			6	3	3							61	
2		2			2	1	1			2									62	
79	16	59		4	47	4	36	2	5	198	35	160		3	4	1	3		63a	
8	1	6		1	3		3			8	2	6							63b	
20	10	9		1	15	8	7			25	20	5			3	2	1		63c-e	
6	2	4			3	1	1		1	17	8	9			2	1	1		64	
9	4	5			11	6	4		1	5	1	3	1		2	1	1		65	
1		1			1	1													66	
4	4				5	3	1	1		2	2			1				1	67	
1	1				1	1				3									68	
1	1				1	1				3	2	1							69	
1	1				1	1				3	2								70	
123	59	63		1	127	62	61	3	1	234	112	119	2	1	14	6	8		71	
7	5	2			16	8	8			11	4	6	1		1		1		72	
30	15	15			33	23	9	1		54	31	23			3	1	2		73a	
9	2	6		1	12	7	5	2		19	7	11	1						73b-d	
63	31	32			49	17	31		1	125	61	63		1	8	5	3		74a	
3	1	2			2	4	2			8	3	5			1		1		74b	
9	5	4			6	4	2			7	5	7							75	
2		2			9	3	6			5	1	4			1		1		76	
37	25	8	3	1	31	22	6	2	1	47	46	1			7	6	1			
1			1		1		1												77a,b	
35	24	8	2	1	26	21	2	2	1	44	43	1			6	5	1		77c-e	
1	1				1	1				2	2								78	
					3		3			1	1				1	1			79	
2,002	1,079	896	18	9	1,727	851	707	95	74	3,169	1,616	1,532	13	8	174	106	63	2	3	
13	9	3	1		23	15	7	2	1	37	22	15			3	1	2		80	
30	15	15		2	42	23	15	3	1	46	29	17		1	5	2	3		81	
53	17	15	1		22	10	11		1	94	44	50			4	5	1		82	
1,572	850	704	12	6	1,357	657	562	76	62	2,460	1,244	1,199	10	7	135	85	47	1	2	
159	94	62	2	1	68	33	31	4		206	107	99			10	7	3		83a	
8	4	4			5	2	3			18	8	10			1		1		83b	
49	20	29			56	33	17	3	3	19	11	8			1	1			83c	
16	4	12			30	13	12	4	1	44	11	33			1	1			83d	
25	15	10			56	17	14	2	3	62	37	25			5	3	1		84	
3	5				23	12	11			20	13	5	2		1	1	1		85	
47	24	23			38	25	12	1		104	59	46			5	3	1	1	86	
1	1	1			1	1	1			5	1	4							87	
34	18	15	1		15	7	6		2	41	26	14	1		2		2		88	
12	6	5	1		11	6	5			13	6	7			1		1		89a	
5,587	3,521	1,965	72	31	5,650	2,012	1,350	164	124	9,866	5,578	4,221	42	25	542	352	178	6	6	
6	4	2			12	9	3			9	6	3			1	1			90	
53	32	17	2	2	24	14	9		1	38	17	20	1						91a,b	
4	2	2			6	2	3			7	3	3		1					91c	
655	385	259	4	5	525	256	230	23	16	1,115	592	513	5	5	63	42	19	1	1	
43	29	14			51	24	23	1	3	51	25	26			7	2	4		92a-d	
34	19	14		1	39	24	12	2	1	96	55	40		1	15	11	3	1	92e	
2		2			13	8	4	1		10	3	7			5	2	3		93a	
2,165	1,248	871	33	13	1,197	621	478	57	41	4,600	2,383	2,183	22	12	206	130	73	1	2	
231	130	98	2	1	232	105	104	12	11	410	215	191	3	1	48	26	21		93c,d	
1,528	1,150	350	21	7	677	462	175	25	15	2,059	1,412	637	7	3	114	86	28		93e	
144	100	43	1		161	106	48	5	2	135	101	33		1	10	8	2		94b	
9	3	6			10	6	3		1	21	10	11							94c	
319	187	124	8		398	206	141	29	22	615	355	258	2		43	27	14	1	95a,c	
17	13	4			5	3	1	1		14	9	5							96	
287	170	115	1	1	234	139	84	5	6	577	336	238	2	1	24	12	10	2	97	
9	4	5			11	2	8			2	2								98	
43	23	20			22	15	7			50	28	22			2	2			99	
13	5	8			11	3	6		2	31	14	17			2	2			100	
3	2	1			5	2	3			2		2							101	
21	13	7		1	16	5	8	2	1	21	9	12			2	1	1		102	
3	2	1			1				1	3	3								103	
1,036	603	399	20	14	1,419	713	577	85	44	1,785	983	764	23	15	155	86	55	5	9	
2	1	1			5	3	2			6	1	5			1	1			104a	
13	8	5			11	7	4			11	10	1			3		2		104b	
1		1			13	8	5			6	5	1			2	1	1		105	

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH				VERMONT				VIRGINIA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
VIII.—Diseases of the respiratory system—Contd.																
106a	Acute bronchitis	3	3	—	—	—	10	4	6	—	—	21	6	6	3	6
106b	Chronic bronchitis	5	5	—	—	—	9	5	3	—	—	59	15	18	2	4
106c	Bronchitis (unspecified)	8	2	6	—	—	3	2	1	—	—	18	4	5	8	1
107	Bronchopneumonia (including capillary bronchitis)	135	69	65	1	—	128	67	59	—	—	831	266	251	164	150
108	Lobar pneumonia	115	58	49	5	3	129	66	65	—	—	910	262	202	242	184
109	Pneumonia (unspecified)	4	2	—	1	1	7	4	3	—	—	88	26	21	17	24
110	Pleurisy (not specified as tuberculous)	7	6	1	—	—	5	1	4	—	—	41	15	7	9	10
111a	Hemorrhagic infarction and thrombosis of lungs	4	1	3	—	—	3	—	3	—	—	13	4	4	3	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	9	3	6	—	—	6	—	6	—	—	30	12	9	3	6
112	Asthma	4	1	3	—	—	5	3	2	—	—	51	14	21	8	8
113	Pulmonary emphysema	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
114	Other diseases of respiratory system (except tuberculosis)	7	7	—	—	—	4	4	—	—	—	41	16	8	15	2
IX.—Diseases of the digestive system																
		302	179	120	2	1	232	130	101	—	1	1,446	578	373	287	208
115a,b,d	Diseases of buccal cavity and adnexa	12	6	6	—	—	6	3	3	—	—	55	28	11	12	4
115c	Diseases of pharynx and tonsils	13	9	4	—	—	4	2	2	—	—	38	16	8	7	7
116	Diseases of esophagus	1	1	—	—	—	1	1	—	—	—	5	1	2	—	2
117a	Ulcer of stomach	28	26	2	—	—	22	18	4	—	—	106	56	9	28	13
117b	Ulcer of duodenum	15	13	2	—	—	13	11	2	—	—	35	20	5	7	3
118	Other diseases of stomach (except cancer)	3	1	2	—	—	5	5	—	—	—	49	10	14	12	13
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	15	8	5	1	1	20	14	6	—	—	303	111	68	80	44
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	6	1	5	—	—	10	1	9	—	—	98	29	31	14	24
121	Appendicitis	90	50	40	—	—	54	35	19	—	—	202	95	50	38	19
122a	Hernia	17	11	6	—	—	27	17	10	—	—	78	42	11	19	6
122b	Intestinal obstruction	28	21	7	—	—	23	6	17	—	—	145	40	48	27	28
123	Other diseases of intestines	3	2	1	—	—	1	1	—	—	—	39	12	13	7	7
124a	Cirrhosis of liver (with mention of alcoholism)	1	—	1	—	—	2	2	—	—	—	9	8	—	1	—
124b	Cirrhosis of liver (without mention of alcoholism)	18	11	6	1	—	12	8	4	—	—	110	57	24	20	9
125a	Acute yellow atrophy of liver (nonpuerperal)	2	1	1	—	—	2	—	2	—	—	10	4	3	1	2
125b	Other diseases of liver	4	2	2	—	—	3	—	3	—	—	22	10	5	3	4
126	Biliary calculi	18	7	11	—	—	11	3	8	—	—	53	15	27	3	8
127	Other diseases of gallbladder and biliary ducts	22	5	17	—	—	15	4	10	—	1	51	12	29	4	6
128	Diseases of pancreas (except diabetes mellitus)	3	3	—	—	—	—	—	—	—	—	11	6	3	—	2
129	Peritonitis (cause not stated)	3	2	1	—	—	1	—	1	—	—	29	6	12	4	7
X.—Diseases of the genito-urinary system																
		365	205	157	3	2	370	209	161	—	—	3,000	1,143	841	550	456
130	Acute nephritis	12	7	5	—	—	9	6	3	—	—	56	19	12	16	9
131a	Arteriosclerotic kidney	139	68	69	1	1	193	110	83	—	—	1,722	638	519	296	269
131b	Other chronic nephritis	148	80	66	1	1	108	50	58	—	—	792	269	225	153	125
132	Nephritis unspecified (10 years and over)	4	1	3	—	—	3	1	2	—	—	123	32	31	30	30
133	Other diseases of kidneys and ureters, etc.*	14	8	6	—	—	9	1	8	—	—	71	27	26	10	8
134	Calculi of urinary passages	5	3	2	—	—	9	8	1	—	—	34	17	10	4	3
135	Diseases of urinary bladder	—	—	—	—	—	5	4	1	—	—	19	9	5	5	—
136	Diseases of urethra (except calculus)	—	—	—	—	—	—	—	—	—	—	7	1	—	6	—
137	Diseases of prostate	37	36	—	1	—	29	29	—	—	—	151	111	—	40	—
138	Diseases of other male genital organs (except venereal)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
139a	Diseases of ovaries, fallopian tubes, and parametria	2	—	2	—	—	3	—	3	—	—	17	—	6	—	11
139b	Diseases of uterus	4	—	4	—	—	2	—	2	—	—	8	—	7	—	1
139c	Diseases of other and unspecified female genital organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XI.—Diseases of pregnancy, childbirth, and the puerperium																
		40	—	40	—	—	23	—	23	—	—	268	—	147	—	121
140	Abortion with mention of infection	4	—	4	—	—	3	—	3	—	—	39	—	24	—	15
140a,b	Abortion (septic), spontaneous or therapeutic *	3	—	3	—	—	2	—	2	—	—	30	—	17	—	13
140c,d	Abortion (septic), self-induced or nontherapeutic *	1	—	1	—	—	1	—	1	—	—	9	—	7	—	2
141	Abortion without mention of infection	2	—	2	—	—	2	—	2	—	—	17	—	7	—	10
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	—	—	—	—	—	—	—	—	—	—	5	—	1	—	4
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	2	—	2	—	—	2	—	2	—	—	12	—	6	—	6
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
142a	Ectopic gestation, with mention of infection	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1
142b	Ectopic gestation, without mention of infection	1	—	1	—	—	1	—	1	—	—	7	—	4	—	3
143a	Placenta praevia (death before delivery)	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	2	—	2	—	—	1	—	1	—	—	24	—	12	—	12
144c,d	Other toxemias of pregnancy (death before delivery) *	—	—	—	—	—	2	—	2	—	—	8	—	5	—	3
145	Other diseases and accidents of pregnancy (death before delivery)	—	—	—	—	—	—	—	—	—	—	4	—	4	—	—
146a	Placenta praevia (with childbirth)	4	—	4	—	—	1	—	1	—	—	1	—	1	—	—
146b,c	Other hemorrhages of childbirth and puerperium	1	—	1	—	—	1	—	1	—	—	20	—	13	—	7
147a,b	Puerperal pyelitis, other general or local puerperal infection *	7	—	7	—	—	4	—	4	—	—	54	—	25	—	29
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	11	—	11	—	—	3	—	3	—	—	18	—	12	—	6
148a,b	Puerperal eclampsia and nephritis *	3	—	3	—	—	2	—	2	—	—	39	—	19	—	20
148c,d	Other puerperal toxemias	—	—	—	—	—	—	—	—	—	—	3	—	2	—	1
149	Other accidents and specified conditions of childbirth	3	—	3	—	—	1	—	1	—	—	11	—	9	—	2
150	Other and unspecified conditions of childbirth and puerperium	2	—	2	—	—	1	—	1	—	—	19	—	9	—	10
XII.—Diseases of the skin and cellular tissue																
		3	2	1	—	—	4	2	2	—	—	46	19	14	8	5
151	Carbuncle and furuncle	1	—	1	—	—	—	—	2	—	—	8	3	4	—	1
152	Phlegmon and acute abscess	—	—	—	—	—	—	—	—	—	—	17	8	3	3	3
153	Other diseases of skin and cellular tissue	2	1	1	—	—	2	2	—	—	—	21	8	7	5	1

\*Refer to complete International List titles, table XI.



VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH				VERMONT				VIRGINIA						
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	5	3	2			3	2	1			31	13	9	5	4
154	Osteomyelitis and periostitis	3	2	1			1	1				20	9	6	2	3
155	Other diseases of bones (except tuberculosis)	1	1	1								1	1			
156	Diseases of joints and other organs of movement	1	1					1	1			10	3	3	3	1
157	XIV.—Congenital malformations	72	38	34			57	37	20			249	122	74	26	27
	XV.—Diseases peculiar to the first year of life	299	178	119	1	1	140	71	69			1,567	616	417	287	247
158	Congenital debility (cause not stated)	7	4	2		1	3		3			146	41	18	52	35
159	Premature birth (cause not stated)	195	110	85			91	46	45			997	395	284	165	153
160a	Intracranial or spinal hemorrhage	18	11	7			8	6	2			96	40	29	12	15
160b,c	Other injuries at birth	51	38	13			24	13	11			184	84	52	30	18
161	Other diseases peculiar to the first year of life	28	15	12	1		14	6	8			144	56	34	28	26
162	XVI.—Senility	67	33	34			42	19	23			257	68	117	34	38
	XVII.—Violent or accidental deaths	512	368	150	11	3	333	235	97	1		2,673	1,319	494	637	223
163,164	Suicide	55	46	8		1	54	45	9			344	255	61	24	4
163	Suicide by poisoning	11	7	3		1	9	7	2			75	42	29	2	2
	Suicide by solid or liquid poisons	6	2	3		1	1	1				44	23	17	2	2
	Suicide by poisonous gases	5	5				8	6	2			31	19	12		
164a	Suicide by hanging or strangulation	13	10	3			13	9	4			31	22	7	2	
164b	Suicide by drowning	1	1				5	3	2			14	7	6	1	
164c	Suicide by firearms and explosives	24	22	2			26	26				196	164	12	18	2
164d	Suicide by cutting or piercing instruments	1	1				1		1			15	11	4		
164e	Suicide by jumping from high places	4	4									5	5	1		
164f	Suicide by crushing	1	1									2	1	1		
164g	Suicide by other or unspecified means											5	3	1	1	
165-168	Homicide	19	12	5	2		3	1	1	1		340	88	29	176	47
165	Homicide by firearms	8	5	1	2		1	1				203	56	24	96	27
167	Homicide by cutting or piercing instruments	2	2									78	6	1	57	14
168	Homicide by other means	9	5	4			2		1	1		59	26	4	23	6
169-195	Accidental deaths	438	310	117	9	2	276	189	87			1,985	976	404	433	172
169	Railway accidents (except collisions with motor vehicles)	16	15	1			5	5				82	51	1	29	1
170a	Collisions between automobiles and trains	9	8	1			4	3	1			18	12	3	3	
170b	Collisions between automobiles and streetcars											2	1	1		
170c	Automobile accidents (except collisions with trains or streetcars)	154	110	42	2		76	59	17			770	419	120	178	53
170d	Motorcycle accidents (except collisions with automobiles)	6	4	2			2	2				19	15	3	1	
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	1									3	5	1		
171b	Other and unspecified road-transport accidents	2	2				1	1				7	1	1		
172	Water-transport accidents	2	2				1	1				22	14	1	7	
173	Air-transport accidents	7	6	1								12	12			
174	Accidents in mines and quarries	22	22				6	6				42	39		3	
175a	Accidents involving agricultural machinery and vehicles	6	6				9	9				14	11		3	
175b,c	Other agricultural accidents	5	5				7	7				18	14	1	3	
175d	Accidents involving forestry machinery and vehicles											1	1			
175e	Other forestry accidents						2	2				4	3		1	
176	Other accidents involving machinery	5	5				3	3				22	13	1	7	1
177	Food poisoning	2	1	1								19	5	6	5	3
178	Accidental absorption of poisonous gas	9	7	2			3	2	1			12	5	5	1	1
179	Acute accidental poisoning by solids or liquids	5	2	2	1		5	4	1			20	12	3	3	2
180	Conflagration	5	4	1								80	19	15	22	26
181	Accidental burns (except conflagration)	14	7	6	1		13	7	6			131	37	33	24	57
182	Accidental mechanical suffocation	8	7			1	2	1	1			36	15	12	6	3
183	Accidental drowning	18	11	5	2		22	20	2			110	50	9	45	6
184	Accidental injury by firearms	20	20				9	8	1			60	26	9	20	5
185	Accidental injury by cutting or piercing instruments	5	4	1			2	2				11	3	1	6	1
186a	Accidental injury by fall	74	31	40	3		73	27	46			318	125	154	23	16
186b	Accidental injury by crushing	9	6	3			2	2				7	3		4	
187	Cataclysm, etc.*	1		1								1			1	
188	Injury by animals (except in agriculture and forestry)	1	1									5	3		2	
189	Hunger or thirst											1			1	
190	Excessive cold	3	1	1		1	1	1				5	2		2	1
191	Excessive heat	1		1			1	1				10	3	2	3	2
192	Lightning	1	1									11	4	1	4	2
193	Accidents due to electric currents (except lightning)	7	7				5	4	1			18	12		5	1
194	Poisoning by venomous animals (except in agriculture and forestry)						2	1	1			5	2		2	1
195a,b	Accidents due to medical or surgical intervention											1				1
195d	Obstruction, suffocation, or puncture by ingested objects	7	3	4								24	6	11	5	2
195c,e	Other and unspecified accidents	11	9	2			20	11	9			64	33	11	13	7
196	Deaths of military personnel during operations of war															
197	Deaths of civilians due to operations of war															
198	Legal executions											4			4	
	XVIII.—Ill-defined and unknown causes	45	24	10	5	6	15	13	2			433	137	102	114	80
199	Sudden death	3	3				2	2				66	26	10	20	10
200a	Ill-defined	27	18	8	1		7	5	2			120	32	39	27	22
200b	Found dead (cause unknown)											24	8	8	6	2
200c	Unknown or unspecified	15	3	2	4	6	6	6				223	71	45	61	46

\*Refer to complete International List titles, table XI.

GENERAL TABLES—TOTAL DEATHS

UNITED STATES AND EACH STATE, 1939—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA				WISCONSIN				WYOMING				List No.			
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M		F	M	F
16	8	8			24	15	6	2	1	35	22	11			2	1	1			
8	5	3			19	12	4	2	1	21	15	6			2	1	1			184
3		3			2	1	1			4	1	3								185
5	3	2			3	2	1			8	6	2								186
176	100	75	1		241	129	103	6	3	357	201	154	1	1	24	13	11			187
520	302	199	9	10	980	516	378	48	38	1,175	648	507	10	10	111	57	48	4	2	
17	12	4		1	75	36	32	2	5	16	9	7			4		3	1		188
302	170	121	4	7	659	342	260	33	24	772	423	337	5	7	85	47	35	1	2	189
54	32	20	2		74	42	23	6	3	72	44	25	2	1	5	3	1	1		190a
67	42	25			74	40	29	4	1	178	94	81	2	1	6	2	4			190b,c
80	46	29	3	2	98	56	34	3	5	137	78	57	1	1	11	5	5	1		191
135	57	76	2		233	102	118	7	6	258	92	165	1	2	16	6	9		1	192
1,908	1,394	474	30	10	1,878	1,289	393	164	32	2,627	1,850	751	23	3	353	277	71	4	1	
350	281	65	4		206	155	48	3		474	380	91	3		46	40	6			193a,194
104	75	29	1		43	22	21			110	72	38			12	8	4			193b
43	23	20			39	18	21			46	27	19			4	1	3			
61	52	8	1		4	4				84	45	19			7	7	1			
64	52	12			34	25	8	1		139	115	24			8	7	1			194a
21	16	4	1		10	6	4			40	27	13								194b
119	104	14	1		106	94	10	2		153	143	9	1		23	22	1			194c
21	18	3			5	3	2			10	8	1	1		3	3				194d
14	11	2	1		2	2				11	9	2								194e
1	1				3	1	2			3	5	2	1							194f
6	4	2			3	2	1			3	1	2								194g
44	28	15	1		137	77	6	42	12	43	23	12	6	2	13	11	2			195-198
30	17	12	1		84	44	4	25	11	26	15	7	4		12	10	2			196
3	3				31	19	1	10	1	4		2	1	1	1	1				197
11	8	3			22	14	1	7		13	8	3	1	1						198
1,509	1,080	394	25	10	1,535	1,057	339	119	20	2,110	1,447	648	14	1	294	226	63	4	1	199-195
47	44	1	2		110	89	5	16		58	52	5	1		12	12				199
13	11	2			7	5	1		1	35	31	4			3	2	1			199a
										4	1	3								199b
444	326	103	9	6	346	259	60	22	5	677	515	153	8	1	114	88	25	1		199c
9	7	2			7	7				12	11	1			2	2				199d
4	3	1			3	2	1			3	2	1								199a
6	3	3			2	2				4	4				2	2				199b
41	35	3	3		12	9		3		33	30	3								199c
20	17	3			4	4				10	10				1	1				199d
11	11				263	223		40		3	3				19	19				199e
17	17				1	1				38	34	4			4	4				199a
15	15				13	13				36	34	2			3	3				199b,c
14	13	1																		199d
58	57		1		6	6				3	3									199e
21	21				13	11	1	1		22	20	1	1		5	5				199f
9	6	3			12	3	8	1		3	2	1			1	1				199g
31	24	7			14	9	4	1		28	19	9			3	3				199h
19	13	5	1		15	8	5		2	24	16	8			4	2	2			199i
33	23	9	1		36	15	15	5	1	36	24	12			5	2	3			199j
59	37	20		2	99	37	55	2	5	87	45	40	2		13	8	5			199k
22	12	9	1		28	17	9	1	1	27	21	6			6	3	2	1		199l
108	91	17			98	72	19	7		129	114	15			19	14	3	2		199m
37	34	2	1		59	48	4	7		53	48	5			14	11	3			199n
4	4				8	7		1		11	5	5	1		3	2	1			199o
356	169	181	4	2	251	119	125	5	2	680	312	347	1		55	22	13			199a
15	14	1			10	10				5	5				3	2	1			199b
2	2				2	2				5	4				1					199c
1	1				1	1				1	1									199d
1	1				2	1		1		9	8	1			1		1			199e
3	2	1			2	1	1			15	12	3								199f
					6	6				5	5									199g
6	6				12	9	1	2		6	5	1			2	2				199h
					4	3	1													199i
1	1				8	6	2			19	11	8			2	2				199a,b
13	9	4			81	52	22	4	3	49	40	9			17	14	3			199d
69	52	15	2																	199e,c
																				199f
5	5																			199g
82	47	19	9	7	362	201	142	11	8	71	47	20	2	2	24	13	10		1	199h
5	5				37	27	10			16	12	4			3	1	1			199i
41	25	12	3	1	113	61	48	1	3	29	21	7	1		16	10	6			200a
8	5	1	2		25	12	10	5		4	3	1								200b
28	12	6	4	6	187	101	74	7	5	22	11	8	1	2	5	2	3			200c

VITAL STATISTICS OF THE UNITED STATES

TABLE 15.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND SEX: UNITED STATES, 1939

(Exclusive of stillbirths)

CAUSE OF DEATH, AND SEX	Total deaths	OTHER RACES						CAUSE OF DEATH, AND SEX	Total deaths	OTHER RACES											
		White	Negro	In-dian	Chi-nese	Japa-nese	Minor races			White	Negro	In-dian	Chi-nese	Japa-nese	Minor races						
All causes—Male	768,877	672,047	92,276	2,618	1,022	591	323	I.—Infectious and parasitic diseases—Continued													
Female	519,020	385,031	81,234	2,424	1,06	189	36	Ankylostomiasis (40)	M—	11	7	3	1								
I.—Infectious and parasitic diseases.	M—75,025 F—52,503	M—54,407 F—37,137	M—17,531 F—14,616	M—624 F—677	M—240 F—27	M—117 F—38	M—108 F—8	Hydatid disease (41)	M—	19	19										
Typhoid fever (1)	M—1,109 F—613	M—842 F—560	M—259 F—246	M—8 F—7				Other diseases caused by helminths (42)	M—	36	23	13									
Paratyphoid fever (2)	M—45 F—34	M—39 F—31	M—6 F—3					Mycoses (43)	M—	214	170	35	1							7	
Undulant fever (brucellosis) (5)	M—57 F—40	M—53 F—38	M—4 F—2					Other infectious and parasitic (communicable) diseases (44)	M—	1,190	1,069	98	1	1						1	
Cerebrospinal (meningococcus) meningitis (6)	M—563 F—300	M—479 F—250	M—70 F—41	M—12 F—9	M—1 F—	M—1 F—		II.—Cancer and other tumors.	M—	74,197	70,154	3,764	61	111	93	14					
Anthrax (infection by Bacillus anthracis) (7)	M—7 F—2	M—7 F—2						Cancer and other malignant tumors (45-55)	M—	86,198	79,355	6,707	101	5	28	2					
Scarlet fever (8)	M—427 F—426	M—409 F—404	M—18 F—18	M—2 F—2		M—2 F—		Cancer of buccal cavity and pharynx (45)	M—	72,415	68,525	3,616	59	110	92	13					
Whooping cough (9)	M—1,453 F—1,573	M—1,003 F—1,085	M—436 F—447	M—14 F—40	M—1 F—			Cancer of buccal cavity (45a-e)	M—	41,431	38,832	1,559	2	11	3	1					
Diphtheria (infection by C. diphtheriae) (10)	M—1,079 F—918	M—925 F—778	M—142 F—130	M—12 F—8	M—1 F—	M—1 F—		Cancer of pharynx (45f)	M—	4,008	3,832	159	2	1	3	1					
Erysipelas (11)	M—325 F—310	M—314 F—289	M—10 F—19	M—1 F—2				Cancer of digestive organs and peritoneum (46)	M—	2,872	2,759	106			3	1					
Tetanus (12)	M—437 F—200	M—317 F—137	M—119 F—62	M—1 F—				Cancer of stomach and duodenum (46b,c)	M—	679	614	65									
Tuberculosis (all forms) (13-22)	M—35,539 F—26,070	M—26,497 F—17,858	M—8,285 F—7,718	M—405 F—437	M—179 F—20	M—89 F—31	M—84 F—6	Cancer of liver and biliary passages (46f)	M—	38,803	36,562	2,057	34	67	74	9					
Tuberculosis of respiratory system, etc.* (13)	M—32,726 F—23,672	M—24,561 F—16,200	M—7,496 F—7,036	M—352 F—395	M—167 F—13	M—78 F—23	M—72 F—5	Cancer of pancreas (46g)	M—	10,480	9,772	687	14		7						
Tuberculosis of meninges and central nervous system (14)	M—776 F—692	M—543 F—477	M—189 F—184	M—29 F—24	M—4 F—2	M—6 F—5	M—5 F—	Cancer of other digestive organs (46d,e,h,m)	M—	4,332	4,028	275	2	17	8	1					
Tuberculosis of intestines and peritoneum (15)	M—434 F—537	M—278 F—353	M—148 F—176	M—5 F—7	M—2 F—1	M—2 F—	M—1 F—	Cancer of other female genital organs (49)	M—	5,653	5,387	229	13		1						
Tuberculosis of vertebral column (16)	M—366 F—275	M—259 F—214	M—101 F—58	M—3 F—3	M—3 F—	M—3 F—	M—3 F—	Cancer of uterus (46)	M—	2,972	2,832	128	1	5	1						
Tuberculosis of bones and joints (except vertebral column) (17)	M—162 F—92	M—133 F—73	M—47 F—19	M—1 F—			M—1 F—	Cancer of breast (50)	M—	13,316	12,816	487	6	19	7	1					
Tuberculosis of skin, etc.* (18)	M—20 F—18	M—14 F—12	M—5 F—5	M—1 F—			M—1 F—	Cancer of other male genital organs (51)	M—	13,918	13,310	596	8		3	1					
Tuberculosis of lymphatic system, etc.* (19)	M—57 F—50	M—33 F—39	M—20 F—10	M—3 F—1	M—2 F—	M—2 F—	M—1 F—	Cancer of skin (except vulva and scrotum) (55)	M—	6,553	6,246	297	4	6	8	2					
Tuberculosis of genito-urinary system (20)	M—291 F—165	M—253 F—148	M—32 F—15	M—1 F—1	M—3 F—	M—2 F—	M—1 F—	Cancer of brain and other parts of central nervous system* (54)	M—	2,110	2,025	85	1		1						
Tuberculosis of other organs (21)	M—61 F—45	M—49 F—36	M—12 F—7	M—1 F—	M—1 F—	M—1 F—	M—1 F—	Cancer of other and unspecified organs (55)	M—	16,527	14,163	2,351	27		6						
Disseminated tuberculosis (22)	M—626 F—526	M—374 F—306	M—235 F—208	M—11 F—6	M—2 F—3	M—1 F—2	M—3 F—1	Nonmalignant tumors of female genital organs (56a-c)	M—	14,712	13,825	672	11	1	3						
Leprosy (23)	M—16 F—4	M—15 F—4	M—1 F—					Nonmalignant tumors of other and unspecified organs (56d,e)	M—	9,369	8,808	548	5	5	3						
Septicemia and purulent infection (nonpurperal) (24)	M—988 F—652	M—850 F—549	M—131 F—96	M—6 F—7	M—1 F—			Tumors of female genital organs (nature unspecified) (57a-c)	M—	4,550	4,361	181	3	5							
Gonococcus infection (25)	M—115 F—355	M—53 F—157	M—58 F—174	M—3 F—4	M—1 F—			Tumors of other and unspecified organs (nature unspecified) (57d,e)	M—	2,629	2,485	159	2	1	2						
Other diseases due to bacteria (except dysentery) (26)	M—156 F—106	M—130 F—84	M—25 F—22	M—1 F—				Cancer of other and unspecified organs (55)	M—	2,185	2,095	52	5	3							
Dysentery (27)	M—1,312 F—1,225	M—1,023 F—855	M—263 F—254	M—22 F—26	M—1 F—	M—3 F—		Normal malignant tumors of female genital organs (56a-c)	M—	1,588	1,286	52									
Malaria (28)	M—946 F—815	M—503 F—374	M—440 F—441	M—3 F—				Normal malignant tumors of other and unspecified organs (56d,e)	M—	1,312	1,269	37	3	1	1	1					
Other diseases due to parasitic protozoa (except spirochetes) (29)	M—4 F—1	M—4 F—1						Tumors of female genital organs (nature unspecified) (57a-c)	M—	918	879	36	2		1						
Syphilis (all forms) (30)	M—14,080 F—5,524	M—9,173 F—3,060	M—4,766 F—2,413	M—59 F—48	M—53 F—2	M—18 F—1	M—11 F—2	Cancer of other and unspecified organs (55)	M—	5,096	4,726	359	10	1	3						
Locomotor ataxia (tabes dorsalis) (30a)	M—129 F—658	M—129 F—585	M—20 F—40	M—1 F—				Nonmalignant tumors of female genital organs (56a-c)	M—	5,096	4,726	359	10	1	3						
General paralysis of insane (30b)	M—979 F—529	M—706 F—529	M—272 F—197	M—1 F—				Normal malignant tumors of other and unspecified organs (56d,e)	M—	667	614	53									
Aneurysm of aorta (30d)	M—3,103 F—814	M—2,275 F—545	M—796 F—267	M—8 F—1	M—17 F—	M—7 F—		Tumors of female genital organs (nature unspecified) (57a-c)	M—	69	52	15	2								
Other forms of syphilis (30c,e,f,g)	M—6,820 F—3,572	M—3,778 F—1,672	M—2,953 F—1,854	M—46 F—45	M—28 F—1	M—6 F—	M—9 F—	Tumors of other and unspecified organs (nature unspecified) (57d,e)	M—	1,097	996	100	1								
Relapsing fever (31)	M—1 F—1	M—1 F—1						Cancer of brain and other parts of central nervous system* (54)	M—	968	870	94	4								
Other diseases due to spirochetes (32)	M—178 F—194	M—142 F—144	M—34 F—50	M—2 F—				Cancer of other and unspecified organs (55)	M—	1,312	1,269	37	3	1	1	1					
Influenza, with respiratory complications specified (33a)	M—6,824 F—6,602	M—5,464 F—5,156	M—1,422 F—1,405	M—33 F—39	M—1 F—1	M—3 F—1	M—1 F—	Diabetes mellitus (61)	M—	20,837	19,249	1,552	25	3	6	2					
Influenza, without respiratory complications specified (33b)	M—3,877 F—3,961	M—3,273 F—3,178	M—886 F—764	M—17 F—19	M—1 F—1	M—1 F—		Diseases of pituitary gland (62)	M—	87	62	5									
Smallpox (34)	M—26 F—15	M—22 F—14	M—2 F—1	M—1 F—				Simple goiter (63a)	M—	83	79	4									
Measles (35)	M—599 F—575	M—477 F—475	M—107 F—80	M—13 F—18	M—1 F—	M—1 F—2		Exophthalmic goiter (63b)	M—	32	30	2									
Acute poliomyelitis and acute polioencephalitis (36)	M—474 F—299	M—432 F—263	M—41 F—36	M—1 F—				Other diseases of thyroid and parathyroid glands (63c-e)	M—	167	140	27									
Acute infectious encephalitis (lethargic) (37)	M—453 F—598	M—415 F—376	M—32 F—33	M—4 F—3	M—1 F—1	M—1 F—		Diseases of thymus gland (64)	M—	574	540	29	1	4							
Other diseases due to filtrable viruses (38)	M—109 F—91	M—96 F—82	M—10 F—9	M—3 F—1				Diseases of adrenal glands (not specified as tuberculous) (65)	M—	3,102	2,872	222	7		2						
Typhus fever and typhus-like diseases (due to Rickettsia) (39)	M—156 F—81	M—141 F—66	M—15 F—13	M—2 F—2				Other general diseases (66)	M—	1,126	1,050	61	5		1						

\*Refer to complete International List titles, table XI.

# GENERAL TABLES—TOTAL DEATHS

415

TABLE 15.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND SEX: UNITED STATES, 1939—Continued

(Exclusive of stillbirths)

CAUSE OF DEATH, AND SEX	Total deaths	OTHER RACES						CAUSE OF DEATH, AND SEX	Total deaths	OTHER RACES															
		White	Negro	In-dian	Chi-nese	Japa-nese	Minor races			White	Negro	In-dian	Chi-nese	Japa-nese	Minor races										
<p>III.—Rheumatism, diseases of nutrition, etc.*—Con.</p> <p>Pellagra (except alcoholic) (69)—M—874 F—1,545</p> <p>Rickets (70)—M—81 F—62</p> <p>Other avitaminoses (71)—M—34 F—25</p> <p>IV.—Diseases of the blood and blood-forming organs.</p> <p>Hemorrhagic conditions (72)—M—329 F—310</p> <p>Pernicious anemia (73a)—M—990 F—1,191</p> <p>Other anemias (except splenic) (73b-d).—M—444 F—508</p> <p>Leukemias (74a)—M—2,449 F—1,851</p> <p>Alu-kemias (74b)—M—117 F—98</p> <p>Diseases of spleen (75)—M—236 F—205</p> <p>Other diseases of the blood and blood-forming organs (76).—M—122 F—188</p> <p>V.—Chronic poisoning and intoxication.</p> <p>Alcoholism (ethylism) (77)—M—2,842 F—316</p> <p>Lead poisoning (78)—M—86 F—11</p> <p>Chronic poisoning by other mineral or organic substances (79).—M—68 F—48</p> <p>VI.—Diseases of the nervous system, etc.*</p> <p>Encephalitis (non-epidemic) (80)—M—817 F—646</p> <p>Meningitis (not due to meningococcus) (81).—M—1,313 F—843</p> <p>Diseases of spinal cord (see exceptions)* (82).—M—1,230 F—1,230</p> <p>Cerebral hemorrhage or effusion (excluding birth injuries) (83a).—M—50,237 F—51,022</p> <p>Cerebral embolism, thrombosis, and softening (83b,c).—M—5,185 F—5,104</p> <p>Hemiplegia and other paralysis of unspecified origin (83d).—M—1,762 F—1,657</p> <p>Mental diseases and deficiency (see exception)* (84).—M—719 F—837</p> <p>Epilepsy (85)—M—1,327 F—906</p> <p>Convulsions (under 5 years) (86)—M—329 F—285</p> <p>Other diseases of nervous system (87).—M—1,722 F—1,611</p> <p>Diseases of organs of vision (88)—M—38 F—45</p> <p>Diseases of the ear and mastoid process (89).—M—1,482 F—1,047</p> <p>VII.—Diseases of the circulatory system.</p> <p>Pericarditis (except acute rheumatic) (90).—M—580 F—269</p> <p>Bacterial and other acute or subacute endocarditis (91a,b).—M—1,379 F—1,228</p> <p>Endocarditis (unspecified, under 45 years) (91c).—M—1,777 F—1,668</p> <p>Chronic endocarditis and diseases of the valves* (92a-d).—M—22,064 F—20,310</p> <p>Endocarditis (unspecified, 45 years and over) (92e).—M—1,454 F—1,266</p> <p>Acute myocarditis (except rheumatic) (93a).—M—2,213 F—1,665</p> <p>Myocarditis (unspecified, under 45 years) (93b).—M—450 F—579</p> <p>Chronic myocarditis and myocardial degeneration (93c,d).—M—87,384 F—78,777</p> <p>Other myocarditis (unspecified) (93e).—M—10,636 F—8,657</p> <p>Diseases of coronary arteries (94a).—M—56,392 F—24,582</p> <p>Angina pectoris (94b).—M—5,816 F—2,633</p> <p>Functional diseases of heart, etc.* (95a).—M—557 F—494</p> <p>Other and unspecified diseases of heart (95b,c).—M—18,152 F—12,982</p> <p>Aneurysm (except of heart and aorta) (95).—M—501 F—245</p>													<p>VII.—Diseases of the circulatory system—Con.</p> <p>Arteriosclerosis (except coronary or renal sclerosis) (97).—M—12,024 F—10,228</p> <p>Gangrene (98)—M—337 F—247</p> <p>Other diseases of arteries (99).—M—1,095 F—777</p> <p>Diseases of veins (100)—M—401 F—446</p> <p>Diseases of lymphatic system (101).—M—62 F—56</p> <p>High blood pressure (idiopathic) (102).—M—570 F—664</p> <p>Other diseases of circulatory system (103).—M—102 F—67</p> <p>VIII.—Diseases of the respiratory system.</p> <p>Diseases of nasal fossae and accessory sinuses (104).—M—699 F—442</p> <p>Diseases of larynx (105).—M—259 F—178</p> <p>Acute bronchitis (106a).—M—596 F—572</p> <p>Chronic bronchitis (106b).—M—1,052 F—794</p> <p>Bronchitis (unspecified) (106c).—M—391 F—403</p> <p>Bronchopneumonia (including capillary bronchitis) (107).—M—19,050 F—16,474</p> <p>Lobar pneumonia (108).—M—22,623 F—15,676</p> <p>Pneumonia (unspecified) (109).—M—2,158 F—1,872</p> <p>Pleurisy (not specified as tuberculous) (110).—M—1,420 F—809</p> <p>Hemorrhagic infarction, etc.* (111).—M—1,357 F—1,372</p> <p>Asthma (112).—M—1,115 F—917</p> <p>Pulmonary emphysema (113).—M—92 F—31</p> <p>Other diseases of respiratory system (except tuberculosis) (114).—M—1,260 F—417</p> <p>IX.—Diseases of the digestive system.</p> <p>Diseases of buccal cavity, pharynx, tonsils, and adnexa (115).—M—2,107 F—1,744</p> <p>Diseases of esophagus (116).—M—127 F—89</p> <p>Ulcer of stomach or duodenum (117).—M—7,206 F—1,669</p> <p>Other diseases of stomach (except cancer) (118).—M—1,255 F—974</p> <p>Diarrhea, enteritis, and ulceration of intestines (under 2 years) (119).—M—6,270 F—5,007</p> <p>Diarrhea, enteritis, and ulceration of intestines (2 years and over) (120).—M—1,877 F—1,974</p> <p>Appendicitis (121).—M—6,690 F—5,423</p> <p>Hernia (122a).—M—3,177 F—1,978</p> <p>Intestinal obstruction (122b).—M—3,571 F—3,741</p> <p>Other diseases of intestines (123).—M—907 F—689</p> <p>Cirrhosis of liver (124).—M—7,300 F—5,604</p> <p>Other diseases of liver (125).—M—954 F—755</p> <p>Biliary calculi (126).—M—1,424 F—3,101</p> <p>Other diseases of gallbladder and biliary ducts (127).—M—1,292 F—2,270</p> <p>Diseases of pancreas (except diabetes mellitus) (128).—M—438 F—350</p> <p>Peritonitis (cause not stated) (129).—M—669 F—796</p> <p>X.—Diseases of the genito-urinary system.</p> <p>Acute nephritis (130).—M—1,790 F—1,530</p> <p>Arteriosclerotic kidney (131a).—M—35,937 F—32,684</p> <p>Other chronic nephritis (131b).—M—17,442 F—14,768</p> <p>Nephritis unspecified (10 years and over) (132).—M—2,417 F—1,944</p>												

\*Refer to complete International List titles, table XI.





# GENERAL TABLES—INFANT DEATHS

417

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year								Under 1 month	Under 1 month									
		1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.		3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
UNITED STATES (total)—All causes	108,846	32,024	8,383	5,194	3,281	5,739	3,664	3,098	66,383	7936	5,263	5,226	4,350	3,774	3,301	2,846	2,501	2,318	1,971	1,977
Cerebrospinal (meningococcus) meningitis—6	153	—	—	—	1	3	2	—	6	14	16	12	20	17	14	15	10	11	6	12
Scarlet fever—8	32	—	—	—	—	1	—	—	2	2	1	1	1	3	2	1	4	5	6	4
Whooping cough—9	2,015	—	1	—	3	9	21	61	95	505	502	215	174	177	155	117	128	128	110	111
Diphtheria (infection by C. diphtheriae)—10	167	—	1	—	3	1	4	7	16	7	4	5	17	12	9	18	14	21	18	26
Erysipelas—11	107	—	—	1	2	12	14	14	43	27	15	6	5	1	4	—	—	—	—	—
Tetanus—12	151	1	2	5	38	61	13	1	121	1	1	2	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	269	1	—	—	—	2	—	1	7	15	15	15	14	33	26	35	22	33	28	28
Tuberculosis of meninges, etc.*—14	160	—	—	—	—	—	—	—	—	—	2	7	12	19	16	14	18	24	18	30
Tuberculosis (other forms)—15-22	111	—	—	—	—	1	—	—	1	4	7	13	11	9	14	10	8	15	5	14
Septicemia and purulent infection—24	113	—	—	—	3	9	10	10	31	26	7	10	5	2	7	6	8	4	3	4
Dysentery—27	1,012	1	1	—	6	13	24	15	60	82	94	104	114	111	100	85	47	82	62	71
Malaria—28	142	—	—	—	—	1	4	2	19	8	9	15	14	7	13	9	12	12	15	9
Syphilis—30	1,300	208	57	50	73	83	65	54	571	209	159	106	67	49	29	24	18	24	24	20
Influenza—33	2,511	2	4	8	47	52	66	72	251	260	251	246	223	196	182	156	164	134	117	131
Measles—35	297	1	—	—	—	1	5	9	22	31	13	15	22	23	28	19	27	29	31	37
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	226	1	—	1	6	11	15	16	50	17	18	14	15	15	20	16	15	17	12	17
Diseases of thymus gland—54	982	79	69	50	93	60	47	41	439	134	122	77	54	32	35	25	18	21	13	12
Rickets—70	97	4	—	—	2	1	3	1	11	11	9	13	9	11	5	4	8	6	5	5
Hemorrhagic conditions—72	221	19	22	15	57	25	13	6	157	24	8	7	2	2	2	4	5	1	2	2
Anemias (except splenic anemia)—75	154	1	2	2	8	14	6	6	39	24	21	10	13	8	9	14	4	3	5	4
Encephalitis (non-epidemic)—80	95	—	—	—	3	4	2	13	11	11	9	9	7	9	7	4	4	2	1	4
Meningitis (not due to meningococcus)—81	511	—	2	3	8	16	13	11	53	60	59	61	38	55	38	40	38	24	30	15
Intracranial lesions of vascular origin—83	179	10	1	8	12	5	2	3	41	39	24	12	11	15	7	6	8	3	5	8
Convulsions—86	475	13	26	47	71	55	17	22	251	37	45	34	13	19	13	12	12	10	10	10
Diseases of ear and mastoid process—89	476	—	—	—	5	6	8	10	29	54	56	56	48	44	42	35	38	33	27	14
Other diseases, nervous system—82,84,85,87,88	203	9	5	5	13	10	7	7	56	19	20	11	15	14	15	9	6	13	10	15
Diseases of circulatory system—90-103	429	11	4	5	7	32	27	20	106	70	51	41	41	21	14	20	19	13	14	19
Pneumonia (all forms)—107-109	15,786	67	105	172	490	522	561	592	2,509	1,006	1,667	1,444	1,212	1,077	926	783	720	624	519	499
Other diseases of respiratory system—104-106,110-114	1,194	14	10	19	34	53	58	65	253	167	129	116	105	75	76	59	48	57	49	60
Diseases of buccal cavity, etc.*—115	236	—	—	—	2	9	9	11	31	24	23	19	16	21	12	19	18	13	19	21
Diseases of stomach—117,118	328	1	2	5	38	22	13	14	95	53	45	32	18	20	19	9	15	9	6	7
Diarrhea, enteritis, etc.*—119	9,096	7	4	14	84	234	352	359	1,054	1,100	1,017	1,015	894	829	755	645	553	480	399	355
Hernia—122a	129	3	1	—	2	9	9	11	35	19	25	16	9	3	5	6	2	4	5	—
Intestinal obstruction—122b	782	1	—	4	32	37	24	18	116	83	54	72	81	68	80	74	48	33	30	23
Peritonitis (cause not stated)—129	123	1	—	—	4	13	16	19	53	14	12	8	3	6	5	7	3	3	4	5
Other diseases, digestive sys.—116,121,123-128	211	1	—	—	8	18	15	12	65	34	20	20	9	14	12	10	5	9	6	7
Diseases, genitourinary sys.—130,131,133-139	381	5	5	10	13	21	16	20	90	47	40	33	31	23	28	16	16	26	16	15
Diseases of skin and cellular tissue—151-153	332	4	5	4	31	53	36	30	163	49	23	29	15	17	5	9	4	5	7	6
Congenital malformations—157	10,390	2,464	780	755	1,362	869	521	445	7,216	929	547	376	329	236	170	145	133	124	87	98
Congenital debility—158	2,806	585	200	142	245	210	157	130	1,649	344	260	154	112	79	65	37	56	25	25	22
Premature birth—159	32,251	19,699	4,234	1,820	2,432	1,787	808	480	31,260	574	206	108	49	21	10	12	3	5	2	1
Injury at birth—160	10,164	5,365	1,590	1,062	1,353	383	133	69	9,955	81	32	19	23	11	10	5	9	7	5	7
Other diseases peculiar to first year—161	5,578	2,067	766	654	995	461	196	98	5,257	169	75	51	28	23	21	19	14	9	7	5
Accidental mechanical suffocation—182	1,008	22	21	10	47	34	35	50	219	188	134	99	56	27	25	12	14	7	7	7
Other violence or accident—166-181,183-195	1,371	118	32	25	45	36	28	42	326	94	128	98	89	80	79	96	81	82	102	116
All-defined and unknown causes—199,200	5,716	1,243	425	301	569	423	267	227	3,455	578	402	322	223	154	160	123	90	76	64	69
All other causes*	498	14	4	4	18	19	17	16	92	65	32	45	33	35	30	34	34	34	35	31
UNITED STATES (male)—All causes	61,985	18,395	4,884	3,115	4,819	3,235	2,062	1,753	38,283	4,516	5,495	2,920	2,410	2,141	1,834	1,567	1,401	1,252	1,091	1,075
Cerebrospinal (meningococcus) meningitis—6	94	—	—	—	1	2	—	—	3	6	11	8	14	13	6	9	4	7	3	10
Scarlet fever—8	15	—	—	—	—	—	—	—	1	1	—	1	—	1	1	—	—	—	—	—
Whooping cough—9	994	—	1	—	3	7	11	27	49	143	144	108	89	94	70	61	62	59	53	62
Diphtheria (infection by C. diphtheriae)—10	102	—	1	—	—	—	—	—	7	5	4	4	11	7	9	7	14	11	14	—
Erysipelas—11	47	—	—	—	6	10	6	23	11	5	1	3	—	—	—	—	—	—	—	—
Tetanus—12	78	—	—	—	22	36	8	1	72	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	146	—	—	—	1	2	1	—	4	8	9	7	7	17	16	11	12	18	17	20
Tuberculosis of meninges, etc.*—14	88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)—15-22	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection—24	54	—	—	—	3	4	8	2	17	13	3	3	2	2	3	4	5	—	—	—
Dysentery—27	548	1	1	—	4	7	13	10	36	45	55	60	68	60	54	38	24	42	37	29
Malaria—28	81	—	—	—	5	1	3	2	11	5	7	12	6	3	7	6	6	4	8	6
Syphilis—30	739	118	31	20	39	48	36	35	327	121	84	62	36	30	13	15	11	14	14	12
Influenza—33	1,340	1	2	5	30	33	35	45	151	156	133	145	132	118	105	89	95	61	59	78
Measles—35	160	1	—	—	1	3	7	5	17	17	7	8	11	14	17	10	11	19	16	13
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	119	1	—	1	3	6	7	9	27	10	9	10	7	7	11	8	4	10		

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Age											Sex										
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.			
UNITED STATES (female)—All causes	46,861	13,629	3,499	2,079	3,462	2,504	1,582	1,345	28,100	3,420	2,768	2,306	1,940	1,633	1,467	1,279	1,100	1,066	880	902			
Cerebrospinal (meningococcus) meningitis—6	59	—	—	—	—	1	2	—	3	8	5	4	6	4	8	6	6	4	3	2			
Scarlet fever—8	17	—	—	—	—	1	—	—	1	1	1	1	1	2	1	—	—	—	—	—			
Whooping cough—9	1,019	—	—	—	—	2	10	34	46	160	158	105	85	83	85	56	66	69	57	49			
Diphtheria (infection by C. diphtheriae)—10	85	—	—	—	3	1	1	4	9	2	—	1	6	5	—	9	7	7	7	12			
Erysipelas—11	80	—	—	—	2	6	4	8	20	16	8	5	4	2	1	4	—	—	—	—			
Tetanus—12	53	1	—	2	16	25	5	—	49	1	1	—	—	—	—	—	—	—	—	—			
Tuberculosis of respiratory system, etc.*—13	123	1	—	—	—	—	—	1	3	5	6	8	7	16	10	24	10	15	11	8			
Tuberculosis of meninges, etc.*—14	72	—	—	—	—	—	—	—	1	1	4	5	6	8	5	7	12	10	15	—			
Tuberculosis (other forms)—15-22	54	—	—	—	—	—	—	—	1	4	3	7	3	4	2	3	4	3	2	—			
Septicemia and purulent infection—24	59	—	—	—	—	5	1	8	14	13	4	7	3	4	2	3	4	3	2	—			
Dysentery—27	464	—	—	—	2	—	—	—	24	37	39	44	46	51	46	47	23	40	25	42			
Malaria—28	61	2	1	—	4	—	—	—	8	3	2	3	8	4	6	3	6	8	7	3			
Syphilis—30	561	90	26	10	34	35	30	19	244	88	75	44	31	19	16	9	7	10	10	8			
Influenza—33	971	1	2	3	17	19	31	27	100	104	118	102	91	78	77	67	69	53	58	55			
Measles—35	137	—	—	—	—	2	3	—	5	14	6	7	11	9	11	9	16	10	15	24			
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	107	—	—	—	3	5	6	7	25	7	9	4	8	8	8	8	11	7	4	9			
Diseases of thymus gland—64	379	29	28	20	37	21	19	18	172	56	40	26	17	10	18	10	8	11	6	5			
Rickets—70	44	—	—	1	—	1	—	—	2	8	3	6	5	1	1	—	—	—	—	—			
Hemorrhagic conditions—72	76	7	11	4	24	8	4	1	59	7	3	2	1	1	1	1	1	—	—	—			
Anemias (except splenic anemia)—73	71	—	—	2	2	8	2	3	17	11	7	6	5	2	3	3	2	3	2	—			
Encephalitis (non-epidemic)—80	37	—	—	1	—	1	—	—	2	3	6	7	4	5	3	3	—	—	—	—			
Meningitis (not due to meningococcus)—81	197	—	—	2	5	7	6	2	22	26	19	20	16	20	13	14	14	13	11	9			
Intracranial lesions of vascular origin—83	76	3	—	4	5	3	—	—	16	14	12	5	5	6	2	2	5	2	4	5			
Convulsions—86	210	7	9	17	31	21	9	10	104	19	22	12	3	13	6	12	7	5	4	3			
Diseases of ear and mastoid process—89	199	—	—	—	3	3	4	5	15	17	18	24	19	20	19	17	13	19	13	5			
Other diseases, nervous system—82, 84, 85, 87, 88	93	5	3	2	9	3	4	2	28	8	10	3	7	3	5	6	3	7	5	8			
Diseases of circulatory system—90-103	160	2	1	—	4	14	8	5	34	34	18	21	14	12	8	6	10	7	6	10			
Pneumonia (all forms)—107-109	6,025	31	44	75	216	234	225	245	1,070	781	715	657	558	468	392	355	305	276	257	251			
Other diseases of respiratory system—104-106, 110-114	508	5	3	8	16	24	25	35	116	65	55	56	46	30	41	25	17	23	19	15			
Diseases of buccal cavity, etc.*—115	106	—	—	—	—	6	6	3	15	12	5	11	6	10	9	7	7	5	9	10			
Diseases of stomach—117, 118	147	—	—	2	20	9	4	9	45	22	20	10	11	7	9	6	6	3	3	—			
Diarrhea, enteritis, etc.*—119	3,997	2	1	7	33	101	156	188	458	469	463	461	417	364	329	277	230	217	160	152			
Hernia—122a	22	2	—	—	2	2	1	—	8	1	4	3	—	—	—	—	—	—	—	—			
Intestinal obstruction—122b	514	1	—	2	17	18	9	6	55	28	23	24	36	34	30	28	17	16	15	10			
Peritonitis (cause not stated)—129	46	1	—	—	2	4	5	3	15	5	7	2	2	1	2	4	2	—	—	—			
Other diseases, digestive sys.—116, 121, 123-128	84	—	—	4	7	7	6	3	27	9	9	13	4	7	4	7	1	1	—	—			
Diseases, genitourinary sys.—130, 131, 133-139	154	2	1	5	6	4	1	8	27	12	11	20	16	10	15	8	7	12	7	9			
Diseases of skin and cellular tissue—151-153	146	3	2	2	12	25	10	13	67	26	9	9	7	8	3	7	2	2	4	2			
Congenital malformations—157	4,557	1,187	314	288	568	400	244	197	3,198	383	250	172	155	110	75	79	70	70	41	54			
Congenital debility—158	1,160	217	85	56	96	87	68	58	667	144	110	60	45	40	32	15	12	12	11	12			
Premature birth—159	14,016	8,432	1,848	769	1,068	834	382	217	13,550	269	106	48	17	12	4	4	2	1	2	1			
Injury at birth—160	3,961	2,123	622	400	543	138	48	30	3,904	35	7	4	7	2	4	3	5	3	2	5			
Other diseases peculiar to first year—161	2,339	906	292	257	372	205	84	43	2,159	72	36	23	8	8	7	9	6	6	2	3			
Accidental mechanical suffocation—182	438	7	8	2	28	22	15	22	104	99	85	52	41	22	9	13	4	3	3	3			
Other violence or accident—166-181, 183-195	597	49	15	8	21	11	12	22	138	42	56	47	42	34	35	42	37	33	45	46			
Ill-defined and unknown causes—199, 200	2,459	506	179	127	231	173	109	100	1,425	263	188	143	97	65	74	59	42	37	30	35			
All other causes*	222	6	2	1	8	6	5	5	33	21	13	20	12	17	20	14	20	21	14	17			
UNITED STATES (white)—All causes	87,841	27,427	7,111	4,304	6,633	4,457	2,877	2,364	55,193	6,201	4,895	4,018	3,275	2,892	2,436	2,175	1,928	1,772	1,544	1,512			
Cerebrospinal (meningococcus) meningitis—6	132	—	—	—	1	3	2	—	6	12	14	9	17	15	12	14	8	8	6	11			
Scarlet fever—8	29	—	—	—	—	1	—	—	2	2	1	1	1	2	2	—	—	—	—	—			
Whooping cough—9	1,428	—	—	—	1	8	15	42	66	238	242	150	117	114	107	84	89	84	71	66			
Diphtheria (infection by C. diphtheriae)—10	143	—	—	—	3	1	4	6	14	3	4	4	12	12	6	16	12	20	16	22			
Erysipelas—11	98	—	—	—	1	2	10	12	38	25	12	6	5	4	1	4	2	—	—	—			
Tetanus—12	67	—	—	—	5	20	30	6	62	—	—	—	—	—	—	—	—	—	—	—			
Tuberculosis of respiratory system, etc.*—13	166	1	—	—	—	—	—	—	6	9	11	8	9	20	16	23	17	14	18	15			
Tuberculosis of meninges, etc.*—14	120	—	—	—	—	—	—	—	—	—	1	6	8	15	11	10	12	19	12	25			
Tuberculosis (other forms)—15-22	59	—	—	—	—	1	—	—	1	—	4	5	6	5	10	4	4	9	3	8			
Septicemia and purulent infection—24	101	—	—	—	3	8	8	10	29	23	5	9	5	2	6	4	8	4	3	3			
Dysentery—27	784	1	—	—	3	11	17	14	46	62	69	79	85	94	81	70	38	57	45	58			
Malaria—28	72	1	1	—	8	—	—	—	15	4	6	6	8	2	6	4	4	5	9	3			
Syphilis—30	563	82	22	17	28	29	32	20	230	95	83	46	26	21	10	12	9	8	13	10			
Influenza—33	1,686	1	3	5	35	37	53	57	191	202	196	173	160	135	121	108	119	100	83	98			
Measles—35	229	1	—	—	1	2	8	6	18	23	9	12	13	17	20	14	20	22	28	33			
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	171	1	—	—	6	9	12	12	41	12	13	11	8	11	14	10	14	12	9	16			
Diseases of thymus gland—64	893	74	65	48	89	55	43	37	411	118	107	74	47	25	31	22	15	19	13	11			
Rickets—70	56	2	—	—	1	3	—	—	7	5	6												

GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Age																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (white male)—All causes	50,171	15,785	4,159	2,577	3,865	2,515	1,640	1,355	31,896	3570	2,752	2,249	1,816	1,630	1,332	1,209	1,069	962	857	829
Cerebrospinal (meningococcus) meningitis—6	78	—	—	—	1	2	—	—	3	5	9	5	12	11	5	9	3	4	3	9
Scarlet fever—8	14	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	1
Whooping cough—9	715	—	—	—	1	6	9	19	35	114	117	78	61	65	49	45	42	37	35	39
Diphtheria (infection by C. diphtheriae)—10	85	—	—	—	—	—	—	—	5	4	3	7	6	8	6	13	10	12	—	—
Erysipelas—11	44	—	—	—	1	5	8	2	20	11	5	1	1	3	—	—	—	—	—	—
Tetanus—12	41	—	—	—	3	13	18	3	38	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	89	—	—	—	—	—	—	—	3	5	6	3	4	11	9	8	8	13	11	—
Tuberculosis of meninges, etc.*—14	66	—	—	—	—	—	—	—	—	—	—	—	—	5	6	10	5	7	6	—
Tuberculosis (other forms)—15-22	29	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	5	1	4	—
Septicemia and purulent infection—24	45	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	3	5	—	—
Dysentery—27	451	1	—	—	—	3	7	2	15	11	1	2	2	2	2	3	5	—	—	—
Malaria—28	40	—	—	—	—	—	—	—	8	2	5	5	1	1	4	4	3	2	4	—
Syphilis—30	315	44	13	12	16	18	16	14	133	53	43	28	16	10	3	8	6	4	6	5
Influenza—33	978	1	1	3	20	23	30	36	114	121	106	107	94	79	65	66	65	64	43	54
Measles—35	124	1	—	—	1	2	7	4	15	13	5	6	7	10	13	7	7	15	15	11
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	92	1	—	1	3	4	6	8	23	8	6	9	5	5	7	6	5	7	6	7
Diseases of thymus gland—64	550	47	40	28	53	56	25	22	251	69	76	48	32	17	14	12	9	9	7	6
Rickets—70	32	—	—	—	—	—	—	—	5	2	4	1	4	5	2	2	2	3	1	1
Hemorrhagic conditions—72	126	12	10	8	30	15	6	4	85	13	5	4	6	2	1	1	3	4	1	1
Anemias (except splenic anemia)—73	73	1	2	—	5	6	4	2	20	12	13	3	6	6	2	6	1	1	1	1
Encephalitis (non-epidemic)—80	51	—	—	—	—	—	—	—	9	8	3	2	5	4	6	3	4	4	1	2
Meningitis (not due to meningococcus)—81	267	—	—	—	2	6	11	5	27	30	36	34	18	27	24	23	16	11	15	6
Intracranial lesions of vascular origin—83	83	5	1	3	5	2	2	1	19	21	10	7	5	7	5	2	3	1	—	3
Convulsions—86	179	4	14	26	25	17	5	6	97	13	16	18	7	3	6	1	4	6	5	5
Diseases of ear and mastoid process—89	241	—	—	—	—	—	—	—	12	31	33	28	24	23	19	14	21	13	14	9
Other diseases, nervous system—82,84,85,87,88	97	4	2	3	3	6	3	4	25	10	7	7	7	10	8	3	2	6	5	7
Diseases of circulatory system—90-103	215	8	3	5	2	17	16	12	63	33	31	14	23	8	5	12	8	4	6	8
Pneumonia (all forms)—107-109	5,977	29	54	82	223	218	256	278	1,140	842	755	593	475	464	384	334	314	265	212	199
Other diseases of respiratory system—104-106,110-114	525	7	3	6	12	22	26	19	95	77	56	42	46	37	24	30	24	27	27	40
Diseases of buccal cavity, etc.*—115	110	—	—	—	2	3	3	8	16	11	16	6	8	9	3	11	8	7	8	7
Diseases of stomach—117,118	134	—	—	—	1	2	7	5	37	24	17	19	6	9	7	1	5	4	3	2
Diarrhea, enteritis, etc.*—119	4,077	3	2	5	34	109	175	164	492	512	445	452	367	366	316	299	265	208	196	161
Hernia—122a	79	1	1	—	1	4	6	9	22	12	16	8	6	2	3	3	2	3	3	—
Intestinal obstruction—122b	394	—	—	—	1	12	15	12	49	47	28	38	38	47	42	38	28	15	13	11
Peritonitis (cause not stated)—129	70	—	—	—	1	9	11	13	34	9	5	5	1	4	2	3	1	1	1	2
Other diseases, digestive sys.—116,121,123-128	105	1	—	—	2	7	6	8	29	20	8	7	4	4	7	7	7	7	6	5
Diseases, genitourinary sys.—130,131,133-139	193	3	3	4	15	13	11	53	51	27	12	13	11	11	11	7	7	10	6	2
Diseases of skin and cellular tissue—151-153	149	1	3	2	16	23	20	15	80	20	8	15	6	4	2	2	2	3	6	4
Congenital malformations—157	5,403	1,226	441	438	742	455	263	237	3,802	515	271	151	158	118	89	64	58	50	45	42
Congenital debility—158	1,098	229	78	53	80	69	61	51	620	147	108	72	51	24	24	17	13	8	8	6
Premature birth—159	15,482	9,769	2,064	877	1,112	754	323	190	15,089	226	75	51	25	6	2	5	1	2	—	—
Injury at birth—160	5,574	2,940	880	586	720	217	78	30	5,451	40	24	14	16	8	6	2	4	4	3	2
Other diseases peculiar to first year—161	2,840	1,038	413	328	505	228	85	48	2,646	76	30	24	16	13	10	8	8	2	5	2
Accidental mechanical suffocation—182	460	9	10	5	16	9	15	19	62	91	86	70	50	29	16	11	6	11	4	4
Other violence or accident—166-181,183-195	605	49	11	10	19	21	9	13	132	42	60	45	41	37	33	40	32	40	45	58
Ill-defined and unknown causes—199,200	1,549	340	106	78	143	114	84	59	924	159	120	92	62	42	38	31	25	18	20	18
All other causes*	247	8	2	2	10	11	11	7	51	39	16	22	20	18	8	16	11	13	19	14
UNITED STATES (white female)—All causes	37,670	11,642	2,952	1,727	2,768	1,942	1,237	1,029	23,297	2,531	2,143	1,769	1,459	1,262	1,106	966	857	810	687	683
Cerebrospinal (meningococcus) meningitis—6	54	—	—	—	—	1	2	—	3	7	5	4	5	4	7	5	5	4	3	2
Scarlet fever—8	15	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—
Whooping cough—9	713	—	—	—	—	—	—	—	31	124	125	72	56	51	58	39	47	47	36	27
Diphtheria (infection by C. diphtheriae)—10	58	—	—	—	3	1	1	4	9	1	—	1	5	5	3	6	7	6	10	10
Erysipelas—11	54	—	—	—	—	—	—	—	18	14	7	5	4	1	1	4	—	—	—	—
Tetanus—12	26	—	—	—	—	—	—	—	24	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	77	1	—	—	—	—	—	—	4	5	5	5	9	7	15	9	6	5	4	4
Tuberculosis of meninges, etc.*—14	54	—	—	—	—	—	—	—	1	1	1	2	6	6	3	6	10	8	11	—
Tuberculosis (other forms)—15-22	30	—	—	—	—	—	—	—	—	—	—	—	—	4	5	3	5	3	1	—
Septicemia and purulent infection—24	56	—	—	—	—	—	—	—	1	3	2	3	4	5	3	1	3	2	3	—
Dysentery—27	353	—	—	—	—	—	—	—	14	12	4	7	3	4	7	3	4	3	1	—
Malaria—28	32	1	1	—	—	—	—	—	20	23	28	32	34	44	39	41	17	25	16	34
Syphilis—30	248	38	9	5	12	11	15	6	7	2	1	1	7	1	2	1	1	3	5	2
Influenza—33	708	2	2	2	15	14	23	21	77	42	40	18	10	11	7	4	5	4	7	5
Measles—35	105	—	—	—	—	—	—	—	10	4	6	6	7	7	7	13	7	13	22	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	79	—	—	—	—	3	5	6	18	4	7	2	3	6	7	4	11	5	3	9
Diseases of thymus gland—64	343	27	25	20	36	19	18	15	160	49	31	26	15	8	17	10	6	10	6	5
Rickets—70	24	—	—	—	—	—	—	—	2	3	2	3	4	1	2	1	3	1	—	—
Hemorrhagic conditions—72	71	7	11	4	23	8	1	1	55	6	3	2</								

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	By month										
										1 no.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro)-----All causes	19,755	4,442	1,226	858	1,564	1,218	747	671	10,726	1,618	1,260	1,120	990	812	799	602	524	491	387	426
Cerebrospinal (meningococcus) meningitis--6	18									2	2	3	2	2	2		2	2		1
Scarlet fever--8	2																			
Whooping cough--9	549		1		2	1	6	18	28	64	58	60	51	62	44	30	37	41	33	41
Diphtheria (infection by C. diphtheriae)--10	24		1						2	2		1	5		3	2	2	1	2	4
Erysipelas--11	6								1	1										
Tetanus--12	64	1	2		18	31	7		59	1	1	1			1				1	
Tuberculosis of respiratory system, etc.*-13	83				1				1	3	4	6	3	10	8	9	3	15	9	12
Tuberculosis of meninges, etc.*-14	32										1	1	3	3	5	1	5	5	4	4
Tuberculosis (other forms)--15-22	50									3	3	8	5	4	4	6	3	6	2	6
Septicemia and purulent infection--24	10					1	1		2	3	1	1								1
Dysentery--27	207				3	2	7		12	17	22	23	26	17	18	13	8	21	17	13
Malaria--28	69	1			1			1	4	4	3	9	6	5	7	5	7	6	6	6
Syphilis--30	708	124	34	12	43	51	34	31	329	112	70	56	38	27	19	11	9	16	11	10
Influenza--33	589	1	1	3	12	14	13	14	58	52	51	69	60	57	58	44	43	33	32	32
Measles--35	50					1	1	2	4	7	3	3	6	5	4	5	5	4	1	5
Other infectious and parasitic diseases--1-5,7,23,25,26,29,31,32,34,36-44	47					2	3	4	9	5	4	2	7	4	3	4	1	4	3	1
Diseases of thymus gland--64	83	5	4	2	3	4	3	4	25	18	14	3	7	7	4	1	3	2	2	1
Rickets--70	40	2		1				1	4	6	3	9	1	5	1	1	2	2	4	2
Hemorrhagic conditions--72	22			3	4	2	6	1	16	5										1
Anemias (except splenic anemia)--73	17				1	1		2	4	3	2	1	2		2					1
Encephalitis (nonepidemic)--80	10		1					1	2		2	1	1					1		1
Meningitis (not due to meningococcus)--81	79			1		3		1	5	7	8	9	8	9	6	5	11	3	5	3
Intracranial lesions of vascular origin--83	27	2		1	3				7	6	2	2	1	3	1	3	1			1
Convulsions--86	148	3	7	7	28	26	5	10	86	11	15	7	4	4	6	4	5	3	3	3
Diseases of ear and mastoid process--89	54					1	1	2	4	6	5	3	7	3	7	8	5	3	2	1
Other diseases, nervous system--82,84,85,87,88	24				2	2		1	5	3	4	3	1	2	2	2	2	1		1
Diseases of circulatory system--90-103	52	1				2	3	3	9	7	5	10	6	3	1	2	2	3	3	1
Pneumonia (all forms)--107-109	2,873	11	12	24	88	115	122	109	481	313	300	315	304	233	253	175	157	133	109	120
Other diseases of respiratory system--104-106,110-114	277	4	5	10	9	16	11	24	79	39	33	32	25	14	15	9	10	8	5	8
Diseases of buccal cavity, etc.*-115	34					2	1	2	3	4	2	5	2	3	1	1	4	1	3	5
Diseases of stomach--117,118	91				2	14	5	4	27	11	14	4	5	6	5	6	7	4	1	1
Diarrhea, enteritis, etc.*-119	1,630	3	1	5	29	42	37	58	175	187	177	182	148	168	109	94	94	65	66	66
Hernia--122a	35	1			1	3	1	1	7	6	6	6	3	1	2	1		2	1	5
Intestinal obstruction--122b	114			1	6	5	3	3	18	10	7	12	10	16	13	5	2	5	3	3
Peritonitis (cause not stated)--129	9							3	3	1	1	1	1	1	1					1
Other diseases, digestive sys.--116,121,123-128	40			3	5	4	1	1	14	11	4	3	1	3	1	1		1		1
Diseases, genitourinary sys.--130,131,133-139	59		2	1	3	3	2	4	15	5	5	4	4	4	4	2	3	6	4	3
Diseases of skin and cellular tissue--151-153	65	1			5	12	8	5	31	10	9	4	2	4	2	1		2		2
Congenital malformations--157	551	99	37	42	84	51	24	17	354	48	42	23	24	12	11	7	8	14	4	4
Congenital debility--158	914	195	68	53	110	84	51	39	600	95	65	40	30	25	18	7	14	8	8	4
Premature birth--159	4,836	2,588	556	309	464	359	198	126	4,600	144	50	16	10	5	5	3		2		1
Injury at birth--160	946	470	142	106	144	44	12	12	930	11	2	1		1						1
Other diseases peculiar to first year--161	799	224	91	103	161	81	39	20	718	35	18	10	5	3	4	4	1	1		
Accidental mechanical suffocation--182	195	9	4	3	10	11	7	19	63	43	37	21	11	7	4	5	3	1		
Other violence or accident--166-181,183-195	282	34	7	7	11	6	8	15	88	16	21	14	15	17	18	28	15	10	17	23
Ill-defined and unknown causes--199,200	2,862	662	250	158	297	225	126	111	1,829	276	138	104	75	65	59	42	37	25	34	34
All other causes *--	59	1			2	3	2	4	13	7	5	3	3		7	6	5	5	3	2
UNITED STATES (Negro male)-----All causes	11,174	2,526	696	522	908	683	415	374	6,124	896	666	627	554	471	467	326	310	268	221	224
Cerebrospinal (meningococcus) meningitis--6	14									1	2	3	1	2	1		1	2		1
Scarlet fever--8	1																			
Whooping cough--9	272		1		2	1	2	7	13	28	27	30	28	31	20	14	19	21	18	23
Diphtheria (infection by C. diphtheriae)--10	17		1						2	1		4		3	1	1	1	1	2	2
Erysipelas--11	2					1	1		2											
Tetanus--12	37		2		9	18	5		34						1				1	
Tuberculosis of respiratory system, etc.*-13	46				1				1	2	3	3	1	4	5	3	3	8	4	9
Tuberculosis of meninges, etc.*-14	16											1	1	1	3	4	3	3	3	
Tuberculosis (other forms)--15-22	27									2	2	1	1							4
Septicemia and purulent infection--24	7					1	1		2	2	1	1								
Dysentery--27	109				3	1	5		9	5	13	13	15	10	12	7	3	9	8	5
Malaria--28	40				1	1		1	3	3	2	7	5	2	3	2	2	2	4	5
Syphilis--30	412	74	18	8	22	28	20	20	190	69	39	31	18	19	10	7	5	10	8	7
Influenza--33	346	1	2	10	9	5	9		36	31	26	36	37	39	21	29	17	16	21	21
Measles--35	28					1		1	2	3	2	2	2	3	1	3	4	3	1	2
Other infectious and parasitic diseases--1-5,7,23,25,26,29,31,32,34,36-44	22					2	1	1	4	2	2	1	2	2	1	1	1	3	2	1
Diseases of thymus gland--64	48	3	1	2	2	2	2	1	13	9	6	3	5	3	1	1	1	1	2	1
Rickets--70	21			1				1	4	1	2	4		5					2	2
Hemorrhagic conditions--72	17			3	2	3			12	4										1
Anemias (except splenic anemia)--73	10				1			1	2	1	1	1	2		2					
Encephalitis (nonepidemic)--80	5		1																	
Meningitis (not due to meningococcus)--81	43			1				1	6	4	2	2	1	1	1		2			
Intracranial lesions of vascular origin--83	16	2		4	15	17	3	6	50	5	7	4	3	3	3	2	3	1		1
Convulsions--86	82	2	3	4	15	17	3	6	2	5	4	2	5	1	4	4	4	1		
Diseases of ear and mastoid process--89	52					1		1	3	1	3	1	1	1	2		1			
Other diseases, nervous system--82,84,85,87,88																				



VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month											
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
UNITED STATES (other races male)—All causes	640	84	29	16	46	37	27	24	263	50	57	44	40	40	35	32	22	22	13	22
Cerebrospinal (meningococcus) meningitis—6	2												1						1	
Scarlet fever—8	7								1	1					1	2	1	1		
Whooping cough—9	7							1												
Diphtheria (infection by C. diphtheriae)—10	1							1												
Erysipelas—11	1							1												
Tetanus—12	11								1		1	2	2	2		1	2			
Tuberculosis of respiratory system, etc.*—13	6								1			1			2	1		1	1	
Tuberculosis of meninges, etc.*—14	1								1											1
Tuberculosis (other forms)—15-22	1																			
Septicemia and purulent infection—24	2										1			1						
Dysentery—27	8		1						1	1	1				1			1		
Malaria—28	1																			
Syphilis—30	12				1	2		1	4		2	3	2	1			1			
Influenza—33	15					1			1	4	1	2	1	2	1	2	1			1
Measles—35	8								1	1		2	1	3				1		
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5										1				3	1				
Diseases of thymus gland—64	5																			
Rickets—70	2				1	1	1		3							2				
Hemorrhagic conditions—72	2		1						1			1								
Anemias (except splenic anemia)—73	2																			
Encephalitis (nonepidemic)—80	4																			
Meningitis (not due to meningococcus)—81	2													1						
Intracranial lesions of vascular origin—83	4													1	1	1			1	1
Convulsions—86	4																			
Diseases of ear and mastoid process—89	4																			
Other diseases; nervous system—82,84,85,87,88	3				1				1	1	2									
Diseases of circulatory system—90-103	156				3	8	3	4	18	13	28	16	14	12	7	13	9	9	6	11
Pneumonia (all forms)—107-109	6				1			1	2							1	1			
Other diseases of respiratory system—104-106,110-114	2																			
Diseases of buccal cavity, etc.*—115	2																			
Diseases of stomach—117,118	75				1	3	5	1	10	6	8	7	7	11	9	6	2	3	3	3
Diarrhea, enteritis, etc.*—119	3																			
Hernia—122a	1																			
Intestinal obstruction—122b	1																			
Peritonitis (cause not stated)—129	1																			
Other diseases, digestive sys.—116,121,123-128	1																			
Diseases, genitourinary sys.—130,131,133-139	1																			
Diseases of skin and cellular tissue—151-153	6				1		1	1	3			1	1	1						
Congenital malformations—157	30	1	4	3	3	3	2	1	17	3	3	2	1	2		1	1			1
Congenital debility—158	22	1	1	1	1	1	3	2	9	1	4	3	1	1					1	1
Premature birth—159	100	52	14	4	9	8	5	5	97	2	1	4	1	1	2					
Injury at birth—160	33	17	4	4	5	1	1	1	33											
Other diseases peculiar to first year—161	29	5	4	2	10	2	2		25	3			1							
Accidental mechanical suffocation—182	5							1	1	1	1		1	1						
Other violence or accident—166-181,183-195	5	1						1	2	2										
Ill-defined and unknown causes—199,200	60	7	1	2	8	7	1	3	29	6	3	4	3	5	3		1	1	1	4
All other causes*	1																			
UNITED STATES (other races female)—All causes	610	71	17	16	38	27	13	19	201	67	51	44	45	50	29	37	29	33	27	17
Cerebrospinal (meningococcus) meningitis—6	1															1				
Scarlet fever—8	1																		1	
Whooping cough—9	29									2	3	6	1	3	1	1	2	6	4	
Diphtheria (infection by C. diphtheriae)—10	2																			
Erysipelas—11	2							1	1											
Tetanus—12	9													1		3	1	2	1	1
Tuberculosis of respiratory system, etc.*—13	2																			
Tuberculosis of meninges, etc.*—14	1																			
Tuberculosis (other forms)—15-22	1																			
Septicemia and purulent infection—24	13																			
Dysentery—27	1							1	1	2	2	2	1		1		1	5		
Malaria—28	17	2	1	1	1	1		2	8	2	4	1	1							
Syphilis—30	20								1	2	3	2	2	2	2	2	1	1	2	
Influenza—33	10									1		1		1						
Measles—35	3										1									1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3											1				1				
Diseases of thymus gland—64	1																			
Rickets—70	1																			
Hemorrhagic conditions—72	1																			
Anemias (except splenic anemia)—73	1																			
Encephalitis (nonepidemic)—80	4																			
Meningitis (not due to meningococcus)—81	1																			
Intracranial lesions of vascular origin—83	2																			
Convulsions—86	4																			
Diseases of ear and mastoid process—89	1																			
Other diseases; nervous system—82,84,85,87,88	1																			
Diseases of circulatory system—90-103	135		1	1		3	1	6	12	20	15	9	17	12	10	11	8	11	4	6
Pneumonia (all forms)—107-109	5																			
Other diseases of respiratory system—104-106,110-114	4																			
Diseases of buccal cavity, etc.*—115	4																			
Diseases of stomach—117,118	71				1		3		4	9	6	12	7	4	8	5	7	3	4	2
Diarrhea, enteritis, etc.*—119	1																			
Hernia—122a	3																			
Intestinal obstruction—122b	1																			
Peritonitis (cause not stated)—129	1																			
Other diseases, digestive sys.—116,121,123-128	3																			
Diseases, genitourinary sys.—130,131,133-139	1																			
Diseases of skin and cellular tissue—151-153	22	4		3	3	3		1	14	3	1	1	3							
Congenital malformations—157	18	1				1	1	3	6	5	1	4								

GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	Under 1 year										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (white)—All causes	1,878	568	145	77	148	112	68	37	1,155	157	94	72	67	70	57	55	44	41	31	37
Cerebrospinal (meningococcus) meningitis—6	4								1											1
Scarlet fever—8	1								1											
Whooping cough—9	50								14	7	3	1	4	5	4	3	5			4
Diphtheria (infection by C. diphtheriae)—10	12							1	1			2	1	1	1	1	1	1	3	
Erysipelas—11	2								1	1										
Tetanus—12	4				3	1			4											
Tuberculosis of respiratory system, etc.*—13	2												1			1				
Tuberculosis of meninges, etc.*—14	3												1						1	
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24																				
Dysentery—27	10							1	1	1				2		1	1	1		3
Malaria—28	5				1				1		1	1							1	1
Syphilis—30	16	2			1	1	2		6	2	2	2	1		2				1	
Influenza—33	59			1	2	1	4		8	8	7	4	7	8	3	4	4	2	3	1
Measles—35	9								2	1		1		1	1	1	1	1	1	
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3																	2		1
Diseases of thymus gland—64	9	2	2	1	1	1	1		8	1										
Rickets—70	1													1						
Hemorrhagic conditions—72	6		1	1	2				4	1	1									
Anemias (except splenic anemia)—73	2								1	1										
Encephalitis (non-epidemic)—80	1												1							
Meningitis (not due to meningococcus)—81	15					1	1		2	1	1	3	1	3	2	1	1			
Intracranial lesions of vascular origin—83	2								1	1			1							
Convulsions—86	9			3	2			1	7					1						
Diseases of ear and mastoid process—89	7								1	1			1			1	1	1		1
Other diseases, nervous system—82,84,85,87,88	5		1					1	2				1						2	
Diseases of circulatory system—90-103	10					1	1		2	3	1			1		1	1	1	1	
Pneumonia (all forms)—107-109	189	2	1	3	9	4	5	10	34	36	14	18	21	16	9	10	11	8	4	8
Other diseases of respiratory system—104-106,110-114	15		1			2	1		4	4	2	2		1					1	1
Diseases of buccal cavity, etc.*—115	6							1	1				1			1	1		1	1
Diseases of stomach—117,118	4			1	1				2	1	1									
Diarrhea, enteritis, etc.*—119	144					1		4	5	14	12	21	11	19	15	14	7	12	7	7
Hernia—122a	1								2	1	1									
Intestinal obstruction—122b	7					1	1		2	1				1	1		1		1	
Peritonitis (cause not stated)—129	1														1					
Other diseases, digestive sys.—116,121,123-128	2					1			1					1						
Diseases, genitourinary sys.—130,131,133-139	3					2			2			1								
Diseases of skin and cellular tissue—151-153	7			1	1				2	1	1			1					1	1
Congenital malformations—157	139	33	14	6	18	11	5	2	89	15	7	4	7	4	2	2	2		4	3
Congenital debility—158	50	13		5	2	3	2	2	27	9	6	3								1
Premature birth—159	608	371	77	21	53	41	18	5	586	16	4									
Injury at birth—160	170	88	27	19	19	9	6		168						2					
Other diseases peculiar to first year—161	68	21	4	8	11	13	4		61	2		2		3				1		
Accidental mechanical suffocation—182	15		1		1				2	2	3	2	3		2	1				
Other violence or accident—166-181,183-195	21	3	1		1	2		1	8	1	2	1	3	1	3		1		1	
Ill-defined and unknown causes—199,200	178	53	15	7	20	16	14	9	114	16	16	5	3	3	4	4	5	1	3	3
All other causes*	7								1	1		1	2	1			1		1	1
ALABAMA (all other races)—All causes	1,797	447	116	71	151	105	69	68	1,027	144	104	100	85	67	80	45	45	32	31	37
Cerebrospinal (meningococcus) meningitis—6	3												1	1				1		
Scarlet fever—8	1																			
Whooping cough—9	57							2	2	8	10	8	5	3	6	6	3	1	4	1
Diphtheria (infection by C. diphtheriae)—10	1																			
Erysipelas—11	12								12											
Tetanus—12	8				4	7	1													
Tuberculosis of respiratory system, etc.*—13	2												1	1					1	2
Tuberculosis of meninges, etc.*—14	2													1						
Tuberculosis (other forms)—15-22	2								1					1					1	
Septicemia and purulent infection—24	7																			
Dysentery—27	9												1	3	2	2			1	
Malaria—28	28												1	2	2					
Syphilis—30	55	11	5		5	3	2	4	30	7	4	5	2	2					1	2
Influenza—33	64			1		3	3	3	10	8	6	9	7	2	7	3	3	2	2	6
Measles—35	6							1	1			1	1	1						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3						1	1	2											1
Diseases of thymus gland—64	6	1			1				2	3				1						
Rickets—70	1																			
Hemorrhagic conditions—72	2			1					2											
Anemias (except splenic anemia)—73																				
Encephalitis (non-epidemic)—80																				
Meningitis (not due to meningococcus)—81	7								1			2		1				1	1	
Intracranial lesions of vascular origin—83	1								1	1										
Convulsions—86	17		1		4	2		1	8	1	3	1	1	2						
Diseases of ear and mastoid process—89	3														1					
Other diseases, nervous system—82,84,85,87,88	5					1			1				1		1	1	1			1
Diseases of circulatory system—90-103	3							1	1											
Pneumonia (all forms)—107-109	201	1	1	3	8	3	2	8	26	24	20	23	30	14	11	13	18	6	7	9
Other diseases of respiratory system—104-106,110-114	28	1						3	8	5	3	3	4	2	1			1	1	
Diseases of buccal cavity, etc.*—115	1																			1
Diseases of stomach—117,118	5									1	2		1						1	
Diarrhea, enteritis, etc.*—119	113				2	2	1	3	8	11	6	17	10	19	15	5	4	6	5	7
Hernia—122a	4								3	3	1									
Intestinal obstruction—122b	4													1				1	1	
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116,121,123-128	1					1														



VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARIZONA—All causes	1,051	172	42	30	33	47	23	31	376	80	87	82	70	65	59	50	49	49	31	31
Cerebrospinal (meningococcus) meningitis—6	2																			
Scarlet fever—8	2																			
Whooping cough—9	30							2	2	2	3		2	1	2	2	3	3	6	4
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11	2						1	1	2											
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	9											2		1	1	2	1	1	1	1
Tuberculosis of meninges, etc.*—14	4												1	2	1	1				
Tuberculosis (other forms)—15-22	2																	1		
Septicemia and purulent infection—24	1																		1	
Dysentery—27	28						1		1	2	3	5	3	6	3	2		3		
Malaria—28																				
Syphilis—30	23	6		1		4			11	3	4		2	1	1	1			1	1
Influenza—33	15							1	1	1	1	4		1	1	2	2	1		1
Measles—35	4								1					1	1				1	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9					1			1		1	1			2	1			1	2
Diseases of thymus gland—64	3													1						
Rickets—70	2																			
Hemorrhagic conditions—72	1											1								
Anemias (except splenic anemia)—73																				
Encephalitis (nonepidemic)—80																				
Meningitis (not due to meningococcus)—81	7										2			1		2	1			1
Intracranial lesions of vascular origin—83	1													1						
Convulsions—86	2											1			1					
Diseases of ear and mastoid process—89	5									1	1	1								2
Other diseases, nervous system—82,84,85,87,88	2							1	1					1						
Diseases of circulatory system—90-103	4								2	1	1									
Pneumonia (all forms)—107-109	159		1	2	2	2	5	2	7	19	20	18	14	22	11	14	10	9	12	3
Other diseases of respiratory system—104-106,110-114	8									2		2		1				1		
Diseases of buccal cavity, etc.*—115																				
Diseases of stomach—117,118	6								1		1	1	1	1						1
Diarrhea, enteritis, etc.*—119	255			1	1	2	6	3	13	15	33	32	31	28	24	18	25	15	11	10
Hernia—122a																				
Intestinal obstruction—122b	8													1						
Peritonitis (cause not stated)—129	1				1				1									1	2	
Other diseases, digestive sys.—116,121,123-128	1									1										
Diseases, genitourinary sys.—130,131,133-139	5									1		2	1					1		
Diseases of skin and cellular tissue—151-153	1									1										
Congenital malformations—157	52	9	5	4	7	5	2	3	35	4	6	3	1			1			2	
Congenital debility—158	34	3	1	1		2	3	1	11	5	3	5	4	2	2				1	1
Premature birth—159	199	114	24	14	9	19	3	3	186	8	3	1	1							
Injury at birth—160	40	25	4	3	4	1		1	38		1	1								
Other diseases peculiar to first year—161	33	10	6	2	6	2	2	1	29	2	2	2								
Accidental mechanical suffocation—182	8							1	2	3	1	1		1		2	2			
Other violence or accident—166-181,183-195	16	1	1					1	2	5	1	1	1	1	2	1	3		2	
Ill-defined and unknown causes—199,200	46	4		2	3	3	1	3	16	6	2	2	1	4	5	2		4	1	3
All other causes*	3								1											1
ARKANSAS (white)—All causes	1,208	342	97	59	86	70	35	23	712	90	55	55	41	39	34	40	45	34	41	22
Cerebrospinal (meningococcus) meningitis—6	2							1	1											
Scarlet fever—8																				
Whooping cough—9	25							1	1	7	1	3	1	1		2	3	2	1	3
Diphtheria (infection by C. diphtheriae)—10	8												1					1	3	1
Erysipelas—11	1											1								
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	3							1	1		1							1		
Tuberculosis of meninges, etc.*—14	4											1						1	1	1
Tuberculosis (other forms)—15-22	1													1						
Septicemia and purulent infection—24	2									1										1
Dysentery—27	23						1		1		3	1	3	2	3		2	2	4	2
Malaria—28	14						1		3	1	2	2	1			1	3		1	
Syphilis—30	12	4	1						6	2	1	1	1	2						
Influenza—33	39					2	1	3	6	10	4	4		2	2	5	2	1	1	2
Measles—35	4													2						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6							1	1					1					2	2
Diseases of thymus gland—64	4			2		1		1	4											
Rickets—70																				
Hemorrhagic conditions—72	3					1			1	1										
Anemias (except splenic anemia)—73	1																			
Encephalitis (nonepidemic)—80																				
Meningitis (not due to meningococcus)—81	5					1			1	2								1		
Intracranial lesions of vascular origin—83	3	1							7											1
Convulsions—86	10	1		3	2	1			1			1						1		
Diseases of ear and mastoid process—89	10				1				1	1	2		1	2	2	1				
Other diseases, nervous system—82,84,85,87,88																				
Diseases of circulatory system—90-103	6					1			1	1	1	1	1						1	
Pneumonia (all forms)—107-109	121			3	2	4	11	1	21	20	15	12	9	7	8	8	9	6	5	1
Other diseases of respiratory system—104-106,110-114	16	1			1	2	1	1	6	4		1	1	1	1	1				1
Diseases of buccal cavity, etc.*—115	1																			
Diseases of stomach—117,118	4																			
Diarrhea, enteritis, etc.*—119	135			1	4	2	4		11	9	11	15	9	9	11	13	16	10	13	8
Hernia—122a																				
Intestinal obstruction—122b	4												2		1					1
Peritonitis (cause not stated)—129	1																			
Other diseases, digestive sys.—116,121,123-128	3									1	1									
Diseases, genitourinary sys.—130,131,133-139	5																			
Diseases of skin and cellular tissue—151-15																				



GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARKANSAS (all other races)—All causes	429	71	17	19	22	29	9	9	176	41	32	31	25	22	23	15	14	19	11	20
Cerebrospinal (meningococcus) meningitis—6	6																			
Scarlet fever—8	8																			
Whooping cough—9	11									1		2		2	2	1	1		1	1
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11																				
Tetanus—12	1	1							1											
Tuberculosis of respiratory system, etc.*—13	2												1		1					
Tuberculosis of meninges, etc.*—14																				
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24																				
Dysentery—27	7												2					1	1	1
Malaria—28	10									1		1	1	1	1	1	1	1	1	2
Syphilis—30	22	2	1	2	2				10	4	1	3	3	1	1	1	1	1	1	1
Influenza—33	19									3	3	1	4	1						1
Measles—35	1																	1		
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3														1			1		1
Diseases of thymus gland—64	1		1						1											
Rickets—70																				
Hemorrhagic conditions—72																				
Anemias (except splenic anemia)—73	1								1											
Encephalitis (non-epidemic)—80	2											1					1			
Meningitis (not due to meningococcus)—81	2											1					1			
Intracranial lesions of vascular origin—83																				
Convulsions—86	6		1		1	1		1	4	2										
Diseases of ear and mastoid process—89																				
Other diseases, nervous system—82,84,85,87,88																				
Diseases of circulatory system—90-103	2												1						1	8
Pneumonia (all forms)—107-109	62				2	1	1		4	5	11	7	3	6	9	2	2	4	1	8
Other diseases of respiratory system—104-106,110-114	7	1		1	1	2			5		1			1						1
Diseases of buccal cavity, etc.*—115																				
Diseases of stomach—117,118	7				1		1		2		1	1		2			1			
Diarrhea, enteritis, etc.*—119	55								1	9	2	4	6	4	4	8	4	3	5	3
Hernia—122a	1											1								
Intestinal obstruction—122b	1													1						
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116,121,123-128	1																			
Diseases, genitourinary sys.—130,131,133-139	1																		1	
Diseases of skin and cellular tissue—151-153	1																			
Congenital malformations—157	4	4							1				1	1					1	
Congenital debility—158	15					1			7											
Premature birth—159	34	9	1	2	9	7	1	1	65	4	1	1	1			1				
Injury at birth—160	6								8											
Other diseases peculiar to first year—161	11	5	1	2	2	1			11											
Accidental mechanical suffocation—182	3				1		1		2		1			2	1		1	1	1	1
Other violence or accident—166-181,183-195	8									1	1	1		2	1		1	1	1	2
Ill-defined and unknown causes—199,200	91	18	4	10	3	13	4	2	54	9	9	6	3	2	1		1	3	1	2
All other causes*																				
CALIFORNIA (white)—All causes	4,187	1,436	299	195	237	193	140	98	2,598	272	213	204	170	159	122	114	89	89	66	61
Cerebrospinal (meningococcus) meningitis—6	5												1	1	1	1				1
Scarlet fever—8	1																			
Whooping cough—9	31									5	7	4	4	2	1	1	5	1		1
Diphtheria (infection by C. diphtheriae)—10	3																			2
Erysipelas—11	3								1	1	1									
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	14								1			1	2	2	2	3	1			2
Tuberculosis of meninges, etc.*—14	9											2	2	2			1		2	2
Tuberculosis (other forms)—15-22	5											1	1	1	1		1		1	
Septicemia and purulent infection—24	2									1	1									
Dysentery—27	53							3	4	10	5	11	4	7	3	2		3	1	3
Malaria—28																				
Syphilis—30	38	5	2	1	3	1	2	2	16	5	7	2	1	2		1	1		2	1
Influenza—33	14									2	1	2	1	2	2	1	1	1	1	1
Measles—35	15								1	1	1	1	2	2	1	2	2	1	2	3
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8			1		1	2	1	5	1				2						
Diseases of thymus gland—64	54	5	1	1	4	1	4		16	7	6	6	5	4	2	1	1	3	1	2
Rickets—70	4	1							1		1			1						
Hemorrhagic conditions—72	7	3							5	1			1							
Anemias (except splenic anemia)—73	10								2	2	1	1	1		1	2				
Encephalitis (non-epidemic)—80	5								1						3					
Meningitis (not due to meningococcus)—81	10									1	1	5		1		1	1			
Intracranial lesions of vascular origin—83	9								2	3	2	1								1
Convulsions—86	3				2				3											
Diseases of ear and mastoid process—89	20									1	3	3	7	1	3		1	1		1
Other diseases, nervous system—82,84,85,87,88	4									1		1	1		1					
Diseases of circulatory system—90-103	6	1										1	1							
Pneumonia (all forms)—107-109	551	1	9	11	14	19	17	22	93	67	40	59	51	50	36	33	28	32	25	17
Other diseases of respiratory system—104-106,110-114	38			1	2	1	2	2	8	3	6	1	2	2	4	3	2	4	2	1
Diseases of buccal cavity, etc.*—115	5									1				1						
Diseases of stomach—117,118	2	1							1											
Diarrhea, enteritis, etc.*—119	516			1		24	34	18	77	54	72	53	58	49	55	40	27	18	20	13
Hernia—122a	9	1	1		1	1	1	2	7											
Intestinal obstruction—122b	26			1	1	1			3	3	2	4	3	2	4	1	3	1		
Peritonitis (cause not stated)—129	5								3		1									
Other diseases, digestive sys.—116,121,123-128	8								3	1										
Diseases, genitourinary sys.—130,131,133-139	20					1	2	1	5	2	3		1	2	2	2	1</			

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1939 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	Under 11 months										
		1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.		2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
CALIFORNIA (all other races)—All causes	228	52	16	8	12	12	6	7	115	23	15	12	13	10	6	9	9	6	1	9
Cerebrospinal (meningococcus) meningitis—6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Diphtheria (infection by C. diphtheriae)—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—11	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*—14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)—15-22	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection—24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery—27	8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—30	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—33	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles—35	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of thymus gland—64	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rickets—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions—72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anemias (except splenic anemia)—73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)—81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intracranial lesions of vascular origin—83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions—86	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of ear and mastoid process—89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, nervous system—82,84,85,87,88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of circulatory system—90-103	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (all forms)—107-109	44	—	1	—	—	3	—	1	3	8	8	7	4	5	1	1	3	4	2	1
Other diseases of respiratory system—104-106,110-114	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of buccal cavity, etc.*—115	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of stomach—117,118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*—119	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia—122a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis (cause not stated)—129	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive sys.—116,121,123-128	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases, genitourinary sys.—130,131,133-139	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of skin and cellular tissue—151-153	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations—157	15	2	1	3	3	1	—	—	—	10	2	1	—	—	—	—	—	—	—	—
Congenital debility—158	3	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Premature birth—159	63	38	9	1	5	4	1	3	61	1	1	—	—	—	—	—	—	—	—	—
Injury at birth—160	18	8	3	3	2	1	—	—	18	—	—	—	—	—	—	—	—	—	—	—
Other diseases peculiar to first year—161	11	3	3	1	1	—	—	—	9	2	—	—	—	—	—	—	—	—	—	—
Accidental mechanical suffocation—162	3	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Other violence or accident—166-181,183-195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ill-defined and unknown causes—199,200	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other causes*	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
COLORADO—All causes	1,134	325	67	45	61	47	39	29	613	87	82	70	71	49	42	31	30	26	18	15
Cerebrospinal (meningococcus) meningitis—6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria (infection by C. diphtheriae)—10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*—14	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)—15-22	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection—24	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery—27	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—30	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—33	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles—35	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of thymus gland—64	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rickets—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions—72	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anemias (except splenic anemia)—73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)—81	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intracranial lesions of vascular origin—83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions—86	1	—	—	—	—															



VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year									Under 1 month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.		
DISTRICT OF COLUMBIA (white)—All causes	320	108	25	14	27	20	21	11	226	23	12	7	9	14	8	4	4	5	4	4	
Cerebrospinal (meningococcus) meningitis—6	2																	1		1	
Scarlet fever—8																					
Whooping cough—9	2										1								1		
Diphtheria (infection by C. diphtheriae)—10																					
Erysipelas—11																					
Tetanus—12																					
Tuberculosis of respiratory system, etc.*—13																					
Tuberculosis of meninges, etc.*—14																					
Tuberculosis (other forms)—15-22																					
Septicemia and purulent infection—24	2									1								1			
Dysentery—27	1													1							
Malaria—28																					
Syphilis—30	2						1		1	1											
Influenza—33	3										1			2							
Measles—35																					
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1																			1	
Diseases of thymus gland—64																					
Rickets—70																					
Hemorrhagic conditions—72	1																				
Anemias (except splenic anemia)—73																		1			
Encephalitis (nonepidemic)—80																					
Meningitis (not due to meningococcus)—81	2											1	1								
Intracranial lesions of vascular origin—83																					
Convulsions—86																					
Diseases of ear and mastoid process—89																					
Other diseases, nervous system—82,84,85,87,88																					
Diseases of circulatory system—90-103																					
Pneumonia (all forms)—107-109	27			1	4	2	1		6	5	4	2	1	4	2	1					
Other diseases of respiratory system—104-106,110-114	5											1		1	1					1	
Diseases of buccal cavity, etc.*—115	1												1								
Diseases of stomach—117,118																					
Diarrhea, enteritis, etc.*—119	31																				
Hernia—122a																					
Intestinal obstruction—122b	1																				
Peritonitis (cause not stated)—129																					
Other diseases, digestive sys.—116,121,123-128																					
Diseases, genitourinary sys.—130,131,133-139																					
Diseases of skin and cellular tissue—151-153	1																				
Congenital malformations—157	37	10	3	3	4	2	4	3	29	1	1	2	2	1	1						
Congenital debility—158	1	1							1												
Premature birth—159	117	64	13	5	13	9	6	4	114	3											
Injury at birth—160	47	24	5	5	6	4	3		47												
Other diseases peculiar to first year—161	16	8	3	1	2	1			15									1			
Accidental mechanical suffocation—182	9		1		1				2	4	1			1	1				1		
Other violence or accident—166-181,183-195	6	1							1		1		1	2		1					
Ill-defined and unknown causes—199,200									1									1		1	
All other causes*	5						1		1					1				1		1	
DIST. OF COL. (all other races)—All causes	349	96	15	16	26	19	16	22	210	34	18	20	16	8	12	10	6	7	6	2	
Cerebrospinal (meningococcus) meningitis—6																					
Scarlet fever—8																					
Whooping cough—9	6											2	1				1	1		1	
Diphtheria (infection by C. diphtheriae)—10																					
Erysipelas—11																					
Tetanus—12																					
Tuberculosis of respiratory system, etc.*—13	1																				
Tuberculosis of meninges, etc.*—14	2																				
Tuberculosis (other forms)—15-22	3											1	1							1	
Septicemia and purulent infection—24																					
Dysentery—27																					
Malaria—28																					
Syphilis—30	11	1						2	3	3	1	2		1					1		
Influenza—33	4								1				1	1							
Measles—35																					
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1																				
Diseases of thymus gland—64	1																				
Rickets—70																					
Hemorrhagic conditions—72																					
Anemias (except splenic anemia)—73																					
Encephalitis (nonepidemic)—80																					
Meningitis (not due to meningococcus)—81	1																				
Intracranial lesions of vascular origin—83																					
Convulsions—86	1																				
Diseases of ear and mastoid process—89	2																				
Other diseases, nervous system—82,84,85,87,88	1																				
Diseases of circulatory system—90-103																					
Pneumonia (all forms)—107-109	49				1	2	4	3	10	9	4	5	1	2	4	3	4	3	3	1	
Other diseases of respiratory system—104-106,110-114	2																				
Diseases of buccal cavity, etc.*—115	1																				
Diseases of stomach—117,118																					
Diarrhea, enteritis, etc.*—119	45																				
Hernia—122a																					
Intestinal obstruction—122b	2																				
Peritonitis (cause not stated)—129																					
Other diseases, digestive sys.—116,121,123-128																					
Diseases, genitourinary sys.—130,131,133-139																					
Diseases of skin and cellular tissue—151-153	2																				
Congenital malformations—157	11				4	1	1	3	9												
Congenital debility—158	11				1	1	1	1	3												
Premature birth—159	144	79	9	12	14	15	5	7	139	2	1	2	1	1	1						
Injury at birth—160	22	11	3	3	3	2			22												
Other diseases peculiar to first year—161	14	5																			





GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	1 to 11 months										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
<b>IDAHO—All causes</b>	<b>508</b>	<b>176</b>	<b>37</b>	<b>24</b>	<b>42</b>	<b>21</b>	<b>15</b>	<b>13</b>	<b>328</b>	<b>42</b>	<b>30</b>	<b>24</b>	<b>19</b>	<b>13</b>	<b>7</b>	<b>15</b>	<b>7</b>	<b>6</b>	<b>11</b>	<b>6</b>
Cerebrospinal (meningococcus) meningitis—6	3												1			2				
Scarlet fever—8																				
Whooping cough—9	7									3	3									1
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11																				
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13																				
Tuberculosis of meninges, etc.*—14																				
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24	2					1			1	1										
Dysentery—27																				
Malaria—28																				
Syphilis—30	2					1			1						1					
Influenza—33	22									4	7	5	2				1			3
Measles—35	1																			
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2												1			1				
Diseases of thymus gland—64	12		1		3	1	2		7	1	2						1			1
Rickets—70																				
Hemorrhagic conditions—72																				
Anemias (except splenic anemia)—73	1			1					1											
Encephalitis (nonepidemic)—80	1																		1	
Meningitis (not due to meningococcus)—81																				
Intracranial lesions of vascular origin—83	2				1				1					1						
Convulsions—86																				
Diseases of ear and mastoid process—89	2															1				
Other diseases, nervous system—82,84,85,87,88	2										1					1				
Diseases of circulatory system—90-103	2																			
Pneumonia (all forms)—107-109	75		1	1	2	1	5	6	16	14	4	8	6	6	3	5	5	1	6	1
Other diseases of respiratory system—104-106,110-114	6									2	2		1	1						
Diseases of buccal cavity, etc.*—115																				
Diseases of stomach—117,118	1				1				1											
Diarrhea, enteritis, etc.*—119	27							2	3	5	3	5	3	2	1	2		2	1	
Hernia—122a																				
Intestinal obstruction—122b	3				1				1				1			1				
Peritonitis (cause not stated)—129	1																			
Other diseases, digestive sys.—116,121,123-128	1													1						
Diseases, genitourinary sys.—130,131,133-139	1							1	1											
Diseases of skin and cellular tissue—151-153	1																			
Congenital malformations—157	47	15	5	2	6	6	2	2	56	5	1		3	1	1					
Congenital debility—158	7	1	1	1	1	1			5	1		1								
Premature birth—159	160	112	19	7	6	5	4	2	157	2	2	1								
Injury at birth—160	84	38	7	8	8	1			82	1		1								
Other diseases peculiar to first year—161	27	9	3	2	8	3	1	1	27											
Accidental mechanical suffocation—162	6				2				2	1	1			1					1	
Other violence or accident—166-181,183-195	8						1	1	1	2	2	1			1			1	1	1
Ill-defined and unknown causes—199,200	11	1		2	1	1			5	2	2	1			1					
All other causes*	2									1										
<b>ILLINOIS—All causes</b>	<b>4,474</b>	<b>1,573</b>	<b>421</b>	<b>221</b>	<b>395</b>	<b>190</b>	<b>115</b>	<b>106</b>	<b>3,011</b>	<b>252</b>	<b>241</b>	<b>170</b>	<b>135</b>	<b>145</b>	<b>94</b>	<b>104</b>	<b>98</b>	<b>82</b>	<b>67</b>	<b>75</b>
Cerebrospinal (meningococcus) meningitis—6	4									1				2						1
Scarlet fever—8	1																			
Whooping cough—9	91						1	2	3	16	16	10	9	7	5	8	5	5	4	5
Diphtheria (infection by C. diphtheriae)—10	4																			
Erysipelas—11	5						1		1	1										
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	10													4	1	1	1		1	2
Tuberculosis of meninges, etc.*—14	5													2	1	1			1	
Tuberculosis (other forms)—15-22	11										2	2		2	1				1	3
Septicemia and purulent infection—24	4								1					2						1
Dysentery—27	10							1	1		2	1	1	1				1		2
Malaria—28																				
Syphilis—30	31	8	1	1	1	3	1	2	17	3	5	3	2	1						
Influenza—33	63				1	1	5	1	8	4	7	4	7	3	4	4	7	4	6	5
Measles—35	2											2								
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3				1				1					1	1					
Diseases of thymus gland—64	43	1	1	1	2	1	3	1	10	6	7	1	4	3	4	3		1	2	2
Rickets—70	5									1	1	1	1							
Hemorrhagic conditions—72	16		2		8	3			13	2	2	1	1							
Anemias (except splenic anemia)—73	5									2	2	1								
Encephalitis (nonepidemic)—80	5										1		1	1	1					
Meningitis (not due to meningococcus)—81	20					1	1		2	2	1	3	4	1	3	3			2	
Intracranial lesions of vascular origin—83	4								1	1			2							
Convulsions—86	10				2			1	6		2						1		1	
Diseases of ear and mastoid process—89	17										2	3		1	2	4	3	2		
Other diseases, nervous system—82,84,85,87,88	10			1					2	1	2			1	1		2		1	
Diseases of circulatory system—90-103	26				2	2	2	2	6	3	1	2	4	3	2	1			1	2
Pneumonia (all forms)—107-109	530	4	5	7	23	19	13	18	89	54	76	62	39	43	40	32	32	31	14	18
Other diseases of respiratory system—104-106,110-114	79	1	1	2	3	4	2	4	17	8	8	8	7	4	2	4	1	9	6	5
Diseases of buccal cavity, etc.*—115	12									1	3		1	2	1			1	1	1
Diseases of stomach—117,118	11				3				4	2	1	2								
Diarrhea, enteritis, etc.*—119	201			1	3	6	7	8	25	29	32	18	11	22	10	15	11	10	8	10
Hernia—122a	3				1				1	1	1									
Intestinal obstruction—122b	43				1				2	4	4	4	4	5	1	3	8	4	3	1
Peritonitis (cause not stated)—129	6								1		2									
Other diseases, digestive sys.—116,121,123-128	9					1	1	2	4	2	1								1	





GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 11 months											
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
KANSAS—All causes	1,146	408	120	55	79	51	27	29	769	78	60	60	40	32	23	24	19	19	13	9
Cerebrospinal (meningococcus) meningitis—6	3													1					1	1
Scarlet fever—8																				
Whooping cough—9	4									2	2									
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11	1									1										
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13																				
Tuberculosis of meninges, etc.*—14																				
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24	2									2										
Dysentery—27	9									1		1	4	1	1				1	
Malaria—28																				
Syphilis—30	8	1	2						3	1	2		2							
Influenza—33	18									2		6	3	1	2	1	2	1	1	
Measles—35	2							1	1											
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1																1			
Diseases of thymus gland—64	22		3		2	2	1	2	10	4	3	1	3						1	
Rickets—70																				
Hemorrhagic conditions—72	2				1	1			2											
Anemias (except splenic anemia)—73	1															1				
Encephalitis (nonepidemic)—80	1																			1
Meningitis (not due to meningococcus)—81	7									3		1				1			1	1
Intracranial lesions of vascular origin—83	1									1										
Convulsions—86	2		1		1				2											
Diseases of ear and mastoid process—89	1										1									
Other diseases, nervous system—82,84,85,87,88	1		1						1											
Diseases of circulatory system—90-103	4	1							1		1	1								
Pneumonia (all forms)—107-109	134		3		3	6	4	6	22	19	16	19	6	13	11	5	9	7	5	2
Other diseases of respiratory system—104-106,110-114	12			1		1	1		3	2		2	1		1	1	1	1		
Diseases of buccal cavity, etc.*—115	1								1	1										
Diseases of stomach—117,118	3			1					2	1										
Diarrhea, enteritis, etc.*—119	62								6	13	11	9	4	5	2	4	4	4	1	1
Hernia—122a									2											
Intestinal obstruction—122b	10								2	2		1	2	1	1				1	
Peritonitis (cause not stated)—129	1																			1
Other diseases, digestive sys.—116,121,123-128	4								1	1	1									
Diseases, genitourinary sys.—130,131,133-139	12				2	1		1	2			3	2		2	1	2			
Diseases of skin and cellular tissue—151-153	3								3											
Congenital malformations—157	145	46	11	11	14	12	5	7	106	11	8	5	4	5		4			1	1
Congenital debility—158	28	10			1	2	3	1	17	6	2	1				1				1
Premature birth—159	398	244	65	18	26	19	6	6	386	5	2	3	1	1						
Injury at birth—160	127	71	22	9	17	5			124	2	1									
Other diseases peculiar to first year—161	72	31	10	11	10	1	3	2	68	1	1	1							1	
Accidental mechanical suffocation—182	5								1	1	2	1								
Other violence or accident—166-181,183-195	14	1			1				2	1	3	1	1	2	1				2	1
Ill-defined and unknown causes—199,200	18	3	2	3	1	1		1	11	1	1	3	2	1	2					
All other causes*	7		1						1	1		2	1	1						
KENTUCKY (white)—All causes	2,909	654	291	141	234	211	127	89	1,747	255	165	134	106	104	82	76	69	63	48	60
Cerebrospinal (meningococcus) meningitis—6	12				1	1	1		3	1	2			2	2	1			1	
Scarlet fever—8	2											1								
Whooping cough—9	40						2	1	3	10	6	4	4	1	3			4	2	2
Diphtheria (infection by C. diphtheriae)—10	12				1	1		1	3			2		1	3				1	1
Erysipelas—11	1											1								
Tetanus—12	1																			
Tuberculosis of respiratory system, etc.*—13	10										2	1		1	2				2	
Tuberculosis of meninges, etc.*—14	9													1	1	1	1	1	2	2
Tuberculosis (other forms)—15-22	1																			
Septicemia and purulent infection—24	4																			
Dysentery—27	83							1	2	8	11	5	10	7	6	7	6	7	6	10
Malaria—28	2																			
Syphilis—30	26	4		1	1	2	1		9	5	7	1	1	1					1	
Influenza—33	78			1	2	3	6	4	16	8	13	11	7	4	3	3	5	4	3	1
Measles—35	8								2			1	1	1						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	14	1					1	1	3		2	2							5	1
Diseases of thymus gland—64	5	1							2	1	1									
Rickets—70	1																			
Hemorrhagic conditions—72	9	1	1		1	2		1	6	2										
Anemias (except splenic anemia)—73	2											1								
Encephalitis (nonepidemic)—80	3								1					1	1					
Meningitis (not due to meningococcus)—81	17									1	3	1	4		2	2	2		1	
Intracranial lesions of vascular origin—83	6				2	1			3	2			4		2	2				
Convulsions—86	15							1	4	3	3	1	1		1				1	1
Diseases of ear and mastoid process—89	7										2	1			1					2
Other diseases, nervous system—82,84,85,87,88	4								1		2	1			1					
Diseases of circulatory system—90-103	16	2	1	1		2	1	2	9	2	1	1		2						
Pneumonia (all forms)—107-109	306	1	7	3	20	18	13	14	76	48	32	29	24	12	14	12	11	11	11	13
Other diseases of respiratory system—104-106,110-114	8				1	1	1		3				1	2						
Diseases of buccal cavity, etc.*—115	2										1	4	1							1
Diseases of stomach—117,118	18				1	1	1	1	4	5	2	4		2						
Diarrhea, enteritis, etc.*—119	333				1	10	9	10	30	45	32	31	24	29	31	27	27	21	17	19
Hernia—122a	1								1											
Intestinal obstruction—122b	19	1			1			1	3	1	1	1	3	5	3	2				
Peritonitis (cause not stated)—129	1								1											
Other diseases, digestive sys.—116,121,123-128	5							1	2		1									
Diseases, genitourinary sys.—130,131,133-139	8																			

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year								Under 1 month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KENTUCKY (all other races)-----All causes	278	48	20	13	24	19	9	8	141	27	19	16	11	14	10	13	6	8	7	6
Cerebrospinal (meningococcus) meningitis--6	2											1							1	
Scarlet fever--8																				
Whooping cough--9	2											1			1					
Diphtheria (infection by C. diphtheriae)--10																				
Erysipelas--11																				
Tetanus--12																				
Tuberculosis of respiratory system, etc.*--13																				
Tuberculosis of meninges, etc.*--14																				
Tuberculosis (other forms)--15-22																				
Septicemia and purulent infection--24																				
Dysentery--27	5																			
Malaria--28																				
Syphilis--30	10	4			1				5	2				1		1		1		
Influenza--33	8								1		1	2	1	2		1				
Measles--35									1											
Other infectious and parasitic diseases--1-5,7,23,25,26,29,31,32,34,36-44																				
Diseases of thymus gland--64	1	1							1											
Rickets--70																				
Hemorrhagic conditions--72	1				1				1											
Anemias (except splenic anemia)--73																				
Encephalitis (nonepidemic)--80																				
Meningitis (not due to meningococcus)--81																				
Intracranial lesions of vascular origin--83	2												1							
Convulsions--86	4			1					1	1					1			1		
Diseases of ear and mastoid process--89																				
Other diseases, nervous system--82,84,85,87,88	1																			
Diseases of circulatory system--90-103	2																			
Pneumonia (all forms)--107-109	41				5			2	7	7	4	5	1	1	4	2	3	2	2	2
Other diseases of respiratory system--104-106,110-114	4			1					1	1			1						1	
Diseases of buccal cavity, etc.*--115	1					1			1											
Diseases of stomach--117,118	3				1				1										1	
Diarrhea, enteritis, etc.*--119	39				1	1			2	5	4	5	5	4	3	3	4	1	1	2
Hernia--122a	1																			
Intestinal obstruction--122b	2				1				1				1							
Peritonitis (cause not stated)--129																				
Other diseases, digestive sys.--116,121,123-128	1																			
Diseases, genitourinary sys.--130,131,133-139	1																			
Diseases of skin and cellular tissue--151-153																				
Congenital malformations--157	18	2	1	3	3	2		1	12		2			1	1				1	1
Congenital debility--158	13	1				1	2	1	5	2	2	1		1	1				1	
Premature birth--159	77	31	16	4	5	9	4	3	72	5										
Injury at birth--160	12	5	1	1	3	1			11		1									
Other diseases peculiar to first year--161	13	2	1	3	1	2	1	1	11	2										
Accidental mechanical suffocation--162	4		1			2			3	1										
Other violence or accident--166-181,183-195	6				2			1	3						1	1				
Ill-defined and unknown causes--199,200	2	2							2											
All other causes*	2									1	1									
LOUISIANA (white)-----All causes	1,363	433	84	47	93	57	64	34	812	113	99	62	53	44	33	42	26	31	27	21
Cerebrospinal (meningococcus) meningitis--6																				
Scarlet fever--8	1																			
Whooping cough--9	56						1		1	4	9	7	5	4	2	1	1		1	1
Diphtheria (infection by C. diphtheriae)--10	4												1			1				
Erysipelas--11	2					1			1				1							
Tetanus--12	3			1		2			3											
Tuberculosis of respiratory system, etc.*--13	1																			
Tuberculosis of meninges, etc.*--14	2																			2
Tuberculosis (other forms)--15-22																				
Septicemia and purulent infection--24	1																			
Dysentery--27	5																			
Malaria--28	5																			
Syphilis--30	10	1						2	3	1	3	2	1		1			1		
Influenza--33	58							2	3	5	9	9	1	2	5	6	3	8	1	4
Measles--35	14							1	1	3	1			1	1	1	1	2	2	2
Other infectious and parasitic diseases--1-5,7,23,25,26,29,31,32,34,36-44	3								2											1
Diseases of thymus gland--64	19	5	2	2	4				13	1	2	1	1		1					
Rickets--70	1																			
Hemorrhagic conditions--72	4		1		1	2			4											
Anemias (except splenic anemia)--73	5						1		2		2			1						
Encephalitis (nonepidemic)--80	1																			
Meningitis (not due to meningococcus)--81	6									1	1	1	1				1	1		
Intracranial lesions of vascular origin--83	1								1											
Convulsions--86	1								1											
Diseases of ear and mastoid process--89	11								5	1	3	2	1	1						
Other diseases, nervous system--82,84,85,87,88	4																			
Diseases of circulatory system--90-103	5									3			1	1						
Pneumonia (all forms)--107-109	216	2	2	3	11	7	14	12	51	30	31	20	18	14	10	8	10	9	10	5
Other diseases of respiratory system--104-106,110-114	12				1	1	1		3	2			1	1	1	2		1	1	
Diseases of buccal cavity, etc.*--115	3																			
Diseases of stomach--117,118	3																			
Diarrhea, enteritis, etc.*--119	101				1	3	6	3	15	12	20	8	9	11	6	8	3	4	4	3
Hernia--122a	2								1		1									
Intestinal obstruction--122b	10				3				3	1			3			2	1			
Peritonitis (cause not stated)--129	3								2	1										
Other diseases, digestive sys.--116,121,123-128																				
Diseases, genitourinary sys.--130,131,133-139	7	1	1						5	1				2						1
Diseases of skin and cellular tissue--151-153	4								1											1
Congenital malformations--157	98	23	7	6	10	5	5	5	61	16	4	2	1	5	2	2		4	1	1
Congenital debility--158	25	7		1																



VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Age											Sex										
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.			
MARYLAND (white)—All causes	902	264	67	53	68	46	30	28	556	51	59	54	39	29	26	17	29	17	12	13			
Cerebrospinal (meningococcus) meningitis—6	2									1					1								
Scarlet fever—8	8										2		1	2	3					1			
Whooping cough—9	9																						
Diphtheria (infection by C. diphtheriae)—10	10																						
Erysipelas—11	11																						
Tetanus—12	1				1				1														
Tuberculosis of respiratory system, etc.*—13	3											1		1						1			
Tuberculosis of meninges, etc.*—14																							
Tuberculosis (other forms)—15-22																							
Septicemia and purulent infection—24																							
Dysentery—27	8										1	2	1	1	3								
Malaria—28																							
Syphilis—30	2		1						1				1										
Influenza—33	19									2	1	4	2	2	2	1	1	5		1			
Measles—35	2									1								1					
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	2											1			1								
Diseases of thymus gland—64	7					1		2	3		2		1					1					
Ricketts—70	1									1								1					
Hemorrhagic conditions—72	2				1				1	1													
Anemias (except splenic anemia)—75	3		1						1		1		1										
Encephalitis (non-epidemic)—80																							
Meningitis (not due to meningococcus)—81	4					1			1	1				1			1						
Intracranial lesions of vascular origin—83	3				1				1			1		1									
Convulsions—86	1											1	1										
Diseases of ear and mastoid process—89	5										1	1	1					1	1				
Other diseases, nervous system—82, 84, 85, 87, 88	1																						
Diseases of circulatory system—90-103	2																						
Pneumonia (all forms)—107-109	109	1			4	3	4	8	20	11	18	11	11	7	6	4	11	2	6	2			
Other diseases of respiratory system—104-106, 110-114	9							1	1		1			2	1	1	1		1				
Diseases of buccal cavity, etc.*—115	4								1	1		2											
Diseases of stomach—117, 118	5				1				1			1			1								
Diarrhea, enteritis, etc.*—119	86					1	5	4	10	8	9	15	9	9	2	3	9	6	2	4			
Hernia—122a	1											1	1		1		1		1	1			
Intestinal obstruction—122b	6											1	1		1		1		1	1			
Peritonitis (cause not stated)—129	1																						
Other diseases, digestive sys.—116, 121, 123-128	2											1											
Diseases, genitourinary sys.—130, 131, 133-139	3											1											
Diseases of skin and cellular tissue—151-153																							
Congenital malformations—157	125	28	3	11	12	15	9	3	81	10	7	8	4	3	2	4	3	1	1	1			
Congenital debility—158	13	1	1	1	1	1	3	1	9		2				1				1				
Premature birth—159	284	168	39	18	23	18	6	3	275	7	1	1	1										
Injury at birth—160	102	47	15	18	12	2		1	95	1	3	1	1					1					
Other diseases peculiar to first year—161	51	18	7	5	12	1	1	2	46	2	1	1	1										
Accidental mechanical suffocation—182	5				1				1	2	2												
Other violence or accident—166-181, 183-195	15	1				1	1		3	1	5	1	1		2					2			
Ill-defined and unknown causes—199, 200	3					1		1	2				1										
All other causes*	5						1		1	1	2				1								
MARYLAND (all other races)—All causes	520	98	21	16	41	16	18	12	222	40	42	29	50	27	28	19	15	27	21	20			
Cerebrospinal (meningococcus) meningitis—6																							
Scarlet fever—8	1													1									
Whooping cough—9	7											1				2		1	1	2			
Diphtheria (infection by C. diphtheriae)—10																							
Erysipelas—11	1										1												
Tetanus—12																							
Tuberculosis of respiratory system, etc.*—13	11									1	1		1			2	1	2	2	1			
Tuberculosis of meninges, etc.*—14																							
Tuberculosis (other forms)—15-22	1											1											
Septicemia and purulent infection—24	1										1												
Dysentery—27	14								1	1	1		2	1	3		1	2	2				
Malaria—28																							
Syphilis—30	18	4			1		2		7	4	3	1	1	1					1				
Influenza—33	12										1	2	3	1	2	1			1	2			
Measles—35	4										1		1		1		1						
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	2					1		1	2														
Diseases of thymus gland—64	2										1			1									
Ricketts—70	1									1													
Hemorrhagic conditions—72																							
Anemias (except splenic anemia)—75																							
Encephalitis (non-epidemic)—80																							
Meningitis (not due to meningococcus)—81	3									1			1							1			
Intracranial lesions of vascular origin—83																							
Convulsions—86	1				1				1														
Diseases of ear and mastoid process—89	4												2		1	1							
Other diseases, nervous system—82, 84, 85, 87, 88	4																						
Diseases of circulatory system—90-103	4									1	1												
Pneumonia (all forms)—107-109	103	1				3	3	2	9	13	10	8	6	8	12	8	5	9	8	7			
Other diseases of respiratory system—104-106, 110-114	9									1		2	1	2		1	1	1					
Diseases of buccal cavity, etc.*—115	2													1					1				
Diseases of stomach—117, 118	1													1									
Diarrhea, enteritis, etc.*—119	71					1	2	3	6	8	8	5	7	7	6	3	5	8	4	4			
Hernia—122a																							
Intestinal obstruction—122b																							
Peritonitis (cause not stated)—129																							
Other diseases, digestive sys.—116, 121, 123-128	2				1				1	1													
Diseases, genitourinary sys.—130, 131, 133-139	1																		1				
Diseases of skin and cellular tissue—151-153																							
Congenital malformations—157	22	1	3		4	1	4																

GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1958 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Age																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MASSACHUSETTS—All causes	2,358	816	216	134	201	114	78	51	1,612	140	103	86	82	68	55	45	48	52	29	38
Cerebrospinal (meningococcus) meningitis—6	6												3			2				1
Scarlet fever—3	3																			
Whooping cough—9	29									3	4	2	3	3	5	1		3	4	1
Diphtheria (infection by C. diphtheriae)—10	11																			
Erysipelas—11	2						1		1		1									
Tetanus—12	1								1											
Tuberculosis of respiratory system, etc.*—13	7								1	1			1	1	1					2
Tuberculosis of meninges, etc.*—14	2																	1		
Tuberculosis (other forms)—15-22	1																	1		
Septicemia and purulent infection—24	7				1			1	3		2	1						1		
Dysentery—27	2													1						
Malaria—28	2																			
Syphilis—30	7								1	3	2		1							
Influenza—33	23									2			2	2	1	3	2	5	3	3
Measles—35	5																	1	1	1
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	3							1	1									1		
Diseases of thymus gland—64	14	1			2	1			4	1	3	3	2					1		
Rickets—70	1														1					
Hemorrhagic conditions—72	7		2		4				6				1							
Anemias (except splenic anemia)—73	3					1			1	1	1									
Encephalitis (non-epidemic)—80	2																			
Meningitis (not due to meningococcus)—81	18		1			2			3	2	3	3	1	1	2	1			1	1
Intracranial lesions of vascular origin—83	6								4	1	1									1
Convulsions—86	5				1				1	1	1	1	1	1						
Diseases of ear and mastoid process—89	16							1	1	1	1	1	1	1	4	2	1	1	1	1
Other diseases, nervous system—82, 84, 85, 87, 88	4	1							2										1	1
Diseases of circulatory system—90-103	9								1		1	1	1	1				1	1	3
Pneumonia (all forms)—107-109	330	1	5	3	21	18	19	10	77	51	35	32	26	27	21	20	22	20	6	13
Other diseases of respiratory system—104-106, 110-114	32			2	1	1		1	5	4	3	3	7		1	1	2	3	1	2
Diseases of buccal cavity, etc.*—115	1													1						
Diseases of stomach—117, 118	4			1	1				2						1			1		
Diarrhea, enteritis, etc.*—119	82			1	2	8	5		16	14	4	7	8	2	7	6	7	3	5	3
Hernia—122a	1																			
Intestinal obstruction—122b	11					1	1		2		1	3		1	2	1		1		
Peritonitis (cause not stated)—129	7				2	1	1		4	1		1								
Other diseases, digestive sys.—116, 121, 123-128	2													2						
Diseases, genitourinary sys.—150, 151, 153-159	9							1	2	2	1				1	1	2			
Diseases of skin and cellular tissue—151-153	7							1	2	1				2						
Congenital malformations—157	383	95	17	21	49	36	20	15	251	45	23	17	13	12	5	3	2	5	1	6
Congenital debility—158	16	2	1	1			1	1	6	4	2	2	1					1		
Premature birth—159	733	462	114	50	45	27	14	10	722	10	1									
Injury at birth—160	304	164	40	26	50	10	3	3	295	1	1	1	3					1		
Other diseases peculiar to first year—161	193	88	54	28	10	4	1		187	4	1				1					
Accidental mechanical suffocation—162	23				1				1	2	6	4	3	3	1			1		
Other violence or accident—166-181, 183-195	25	5	1	1			1	1	9	1	1	1	2	5			5	2	1	
Ill-defined and unknown causes—199, 200	6	1		1					3	1	1	1	1	1					1	1
All other causes*	11		1			1			2	1	1	1	2	1					1	1
MICHIGAN—All causes	3,955	1,259	358	222	299	206	139	117	2,597	249	190	193	156	105	114	93	83	79	72	44
Cerebrospinal (meningococcus) meningitis—6	6					1			1				1	1		1	1	1		
Scarlet fever—3	1																			
Whooping cough—9	49							3	3	6	7	3	4	7	6	2	4	5	1	1
Diphtheria (infection by C. diphtheriae)—10	1								1											
Erysipelas—11	2											1								
Tetanus—12	1																			
Tuberculosis of respiratory system, etc.*—13	7	1							1				1	1		1			2	1
Tuberculosis of meninges, etc.*—14	2																			2
Tuberculosis (other forms)—15-22	10									1	1	3	1		2				3	
Septicemia and purulent infection—24	3									1		1								
Dysentery—27	12									1			1	3	2	2	1	1	1	
Malaria—28	2																			
Syphilis—30	22	4	1			1	4		10	1	3	2	1		1		1	1	1	1
Influenza—33	54		1						6	5	6	4	7	2	5	3	5	4	5	2
Measles—35	9				3		1	1	6	5	6	4	7	2	5	3	5	4	5	3
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	5						1	1	2									1		1
Diseases of thymus gland—64	91	7	5	7	10	6	6	4	45	8	10	6	8	1	5	2			2	4
Rickets—70	1																			
Hemorrhagic conditions—72	6	1	1		2				5											
Anemias (except splenic anemia)—73	7					1					2	2	1	1				1		
Encephalitis (non-epidemic)—80	2									1	1									
Meningitis (not due to meningococcus)—81	12		1						1	1	1	1	2	1	2				2	
Intracranial lesions of vascular origin—83	5	1						1	3	1	1									
Convulsions—86	14			2	3	1	1		7	2	1	3		1						
Diseases of ear and mastoid process—89	26									1	3	2	2	2	2	4	4	4	2	
Other diseases, nervous system—82, 84, 85, 87, 88	6	1							1	1	1	1							1	1
Diseases of circulatory system—90-103	19				2	1	1		4	1	4	3	3	2					1	1
Pneumonia (all forms)—107-109	518	2	2	3	14	13	21	17	72	64	66	65	48	37	42	38	21	27	27	13
Other diseases of respiratory system—104-106, 110-114	53			2	2	3	1	1	8	7	9	7	3	1	4	3	4	3	1	5
Diseases of buccal cavity, etc.*—115	7								1	1		1	1						1	1
Diseases of stomach—117, 118	8			1					1	1	2	2	1	1					1	1
Diarrhea, enteritis, etc.*—119	234			1	1	13	20	20	55	35	18	27	18	17	20	12	14	8	7	3
Hernia—122a	4	1							2	2										
Intestinal obstruction—122b	39				3	3	1	4	11	4	1	6	2	2	1	5	3	2	1	1</

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year											Under 1 month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.				
<b>MINNESOTA—All causes</b>	<b>1,798</b>	<b>695</b>	<b>173</b>	<b>94</b>	<b>123</b>	<b>80</b>	<b>37</b>	<b>54</b>	<b>1,256</b>	<b>112</b>	<b>79</b>	<b>71</b>	<b>44</b>	<b>45</b>	<b>32</b>	<b>33</b>	<b>34</b>	<b>36</b>	<b>33</b>	<b>23</b>			
Cerebrospinal (meningococcus) meningitis—6	1																			1			
Scarlet fever—8	8																						
Whooping cough—9	18									3	2	6	1	1	2			1	2				
Diphtheria (infection by C. diphtheriae)—10	4																						
Erysipelas—11	4					1	2		3		1												
Tetanus—12	4																						
Tuberculosis of respiratory system, etc.*—13	1																		2	1			
Tuberculosis of meninges, etc.*—14	1																		1				
Tuberculosis (other forms)—15-22	2													2									
Septicemia and purulent infection—24	2																						
Dysentery—27															1	1							
Malaria—28																							
Syphilis—30	11	2	1	1	2		1		7	2		1											
Influenza—33	25					3		2	5	1	4	2	2	5	1			2	1	2			
Measles—35	11							1	1		1					1	1	2	5				
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1														1								
Diseases of thymus gland—64	10		1			2		1	4	4									2				
Rickets—70	1																			1			
Hemorrhagic conditions—72	4	1	1	1	1				4														
Anemias (except splenic anemia)—73	3																						
Encephalitis (non-epidemic)—80	3										1	1	1										
Meningitis (not due to meningococcus)—81	11				1			2	3	2	2				2	1			1				
Intracranial lesions of vascular origin—83	7	1							4		1	1		1						2			
Convulsions—86	9			1		2		1	4				1	1	2					1			
Diseases of ear and mastoid process—89	9								1	1		3		1					2	1			
Other diseases, nervous system—82,84,85,87,88	5					1			1	2	1			1									
Diseases of circulatory system—90-103	6		1	1					2	1	1												
Pneumonia (all forms)—107-109	198	1	2	3	7	7	6	15	41	33	23	25	15	10	8	11	13	5	9	5			
Other diseases of respiratory system—104-106,110-114	22					1	1	1	5	4	3	1	2	1		2	2	2		2			
Diseases of buccal cavity, etc.*—115	5								1			1	1						2				
Diseases of stomach—117,118	6								2	2													
Diarrhea, enteritis, etc.*—119	70						3	4	8	16	5	10	4	6	6	5	2	3	2	3			
Hernia—122a	8				1	1			2	1	1								1	1			
Intestinal obstruction—122b	17								3		2	2	4	3	1	1				1			
Peritonitis (cause not stated)—129	2						1		1											1			
Other diseases, digestive sys.—116,121,123-128	5								1		1	1											
Diseases, genitourinary sys.—130,131,133-139	1								1		1	1											
Diseases of skin and cellular tissue—151-153	4				1				1			1	1										
Congenital malformations—157	229	56	18	12	25	16	6	10	143	15	19	7	5	6	4	4	7	8	8	3			
Congenital debility—158	21	6	1	1	1	2	1	2	14	1	4												
Premature birth—159	640	433	96	33	29	23	8	4	625	11	2	1		1									
Injury at birth—160	259	147	39	22	37	5	4	3	257	1		1											
Other diseases peculiar to first year—161	106	33	12	19	18	12	2	2	98	5	1	1		1									
Accidental mechanical suffocation—182	12	1			1				3	3		2	2			1			1				
Other violence or accident—166-181,183-195	23	7	1			3	1	1	13		1	2		1			2		1	2			
Ill-defined and unknown causes—199,200	12	7			1				6	1	2									1			
All other causes*	13								3	3	1	3	1		1	1			1	1			
<b>MISSISSIPPI (white)—All causes</b>	<b>1,155</b>	<b>363</b>	<b>82</b>	<b>77</b>	<b>84</b>	<b>69</b>	<b>33</b>	<b>40</b>	<b>749</b>	<b>80</b>	<b>60</b>	<b>45</b>	<b>31</b>	<b>34</b>	<b>32</b>	<b>25</b>	<b>28</b>	<b>18</b>	<b>22</b>	<b>32</b>			
Cerebrospinal (meningococcus) meningitis—6	1																			1			
Scarlet fever—8	8																						
Whooping cough—9	47						2	2	4	9	12	5	2	4	2	1	5	1	2	2			
Diphtheria (infection by C. diphtheriae)—10	4																						
Erysipelas—11	3							1	1											1			
Tetanus—12	2				1				1			1											
Tuberculosis of respiratory system, etc.*—13	2																						
Tuberculosis of meninges, etc.*—14	1																			1			
Tuberculosis (other forms)—15-22	1																			1			
Septicemia and purulent infection—24	1																						
Dysentery—27	9									1		1	1	1	1				1	2			
Malaria—28	10							1	1	1		1		1					1	2			
Syphilis—30	9	3			1		1		5	2									1	2			
Influenza—33	43				1	2	1	1	5	8	6	5	4	6					1	3			
Measles—35	13					1		1	2	1	2			1				1	1	2			
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3									1		1								1			
Diseases of thymus gland—64	8	2	2	1				2	7			1											
Rickets—70	1																						
Hemorrhagic conditions—72	6		1	1	2				4	1	1												
Anemias (except splenic anemia)—73	4						1		1	1	2												
Encephalitis (non-epidemic)—80	3								2														
Meningitis (not due to meningococcus)—81	5					2				1		2						1					
Intracranial lesions of vascular origin—83	1	1							1														
Convulsions—86	6		1	2	2				5					1									
Diseases of ear and mastoid process—89	4							1	1			1	1	1									
Other diseases, nervous system—82,84,85,87,88	3								1	1													
Diseases of circulatory system—90-103	3								1	1	1												
Pneumonia (all forms)—107-109	107		3	1	5	3	9	21	14	18	10	8	8	5	7	7	4	2	3				
Other diseases of respiratory system—104-106,110-114	8				1	1			3	1	1	1								1			
Diseases of buccal cavity, etc.*—115	2								1	1													
Diseases of stomach—117,118	1								1														
Diarrhea, enteritis, etc.*—119	59							2	3	4	2	7	4	6	8	5	5	5	5	7			
Hernia—122a	10				1				1	1		2	1	1	2					2			
Intestinal obstruction—122b	1								1			1	1	2									
Peritonitis (cause not stated)—129	1								1														
Other diseases, digestive sys.—116,121,123-128	3				1	1			2		1</												

GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.		2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
MISSISSIPPI (all other races)—All causes	1,752	362	99	73	133	110	54	57	888	124	96	105	109	74	73	65	70	50	43	55
Cerebrospinal (meningococcus) meningitis—6	2														1				1	
Scarlet fever—8	1																			
Whooping cough—9	54					1	1	4	6	4	3	7	5	7	3	3	3	4	5	4
Diphtheria (infection by C. diphtheriae)—10	3		1						1											1
Erysipelas—11	1								1											
Tetanus—12	5				1	3														
Tuberculosis of respiratory system, etc.—13	1													1						
Tuberculosis of meninges, etc.—14																				
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24																				
Dysentery—27	18					1			1	1	1	3				1	3	2	1	3
Malaria—28	16										1	2	3					5	1	4
Syphilis—30	63	9	1	1	4	5	3	2	25	7	6	7	3	4	2			3	2	2
Influenza—33	94			1		1			3	4	5	14	12	13	6	7	9	7	2	7
Measles—35	8								2	1		1				1				2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1												1							
Diseases of thymus gland—64																				
Rickets—70	1									1										
Hemorrhagic conditions—72	1									1										
Anemias (except splenic anemia)—73	1												1							
Encephalitis (non-epidemic)—80	1																			
Meningitis (not due to meningococcus)—81	3									1					1				1	
Intracranial lesions of vascular origin—83	2													2						
Convulsions—86	15			1	1	2		1	5	1	1	2	1		2	1	1			1
Diseases of ear and mastoid process—89	1																			
Other diseases, nervous system—82,84,85,87,88	1																			
Diseases of circulatory system—90-103	2							1	1											
Pneumonia (all forms)—107-109	215	1	1	3	5	9	8	7	34	17	16	18	28	19	26	11	12	11	6	15
Other diseases of respiratory system—104-106,110-114	19				1	2		2	5	3	3	3	2		3					
Diseases of buccal cavity, etc.—115	5																			
Diseases of stomach—117,118	4				1				1											
Diarrhea, enteritis, etc.—119	116	1		1		6	3	4	15	3	10	7	11	9	10	12	13	9	9	8
Hernia—122a	1										1									
Intestinal obstruction—122b	9				1			1	2		1		2	1	2	1				
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116,121,123-128	4									1			1	1					1	
Diseases, genitourinary sys.—130,131,133-139	4																		1	1
Diseases of skin and cellular tissue—151-153	2							1	1											
Congenital malformations—157	18	2	1	2	3	1		9	3	2	1	1	1	1					1	
Congenital debility—158	32	7	2	1	1	4	3	17	17	5	4	1	1	2				1		1
Premature birth—159	258	144	20	8	26	13	9	4	224	9	1	1	2	1						
Injury at birth—160	55	28	8	5	9	4	1	1	55											
Other diseases peculiar to first year—161	40	8	4	8	7	1		36	3					1						
Accidental mechanical suffocation—162	17		1	1	2			2	7	4	2	2								
Other violence or accident—166-181,183-195	23	2						1	4											
Ill-defined and unknown causes—199,200	650	160	60	42	70	53	22	22	429	55	34	28	29	12	14	15	14	8	4	8
All other causes*	6							1	1											1
MISSOURI—All causes	2,655	788	183	115	225	174	77	79	1,641	194	153	129	104	91	65	73	53	53	49	50
Cerebrospinal (meningococcus) meningitis—6	1														1					
Scarlet fever—8	1																		1	
Whooping cough—9	38							1	1	4	9	5	4	3	3	1	2	1	2	3
Diphtheria (infection by C. diphtheriae)—10	4																			
Erysipelas—11	5							1	2	1	1									
Tetanus—12	2							1	1											
Tuberculosis of respiratory system, etc.—13	9																			
Tuberculosis of meninges, etc.—14	3																			
Tuberculosis (other forms)—15-22	3					1			1											
Septicemia and purulent infection—24	2																			
Dysentery—27	38					1	1		2	5	5	3	5	4	2	2	1	3	2	4
Malaria—28	7							1	1	1				1	2	1				
Syphilis—30	36	3	2		2	3	2		12	7	6	7	2	2						
Influenza—33	47			1	2	1		3	7	4	9	2	4	5	4	2	6	3		1
Measles—35	5								7					1	1					
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11				1	1			2		2	1	1		2	1			1	1
Diseases of thymus gland—64	27		1	3	2	1			7	7	2	4	1	2	1	1	1		1	1
Rickets—70	3								1				1							
Hemorrhagic conditions—72	3								2	1										
Anemias (except splenic anemia)—73	5								1											
Encephalitis (non-epidemic)—80	4			1					1	2			1							
Meningitis (not due to meningococcus)—81	11				1	1			2											
Intracranial lesions of vascular origin—83	3								1											
Convulsions—86	14	2	1	1	3	2		9	1	2	1			1						
Diseases of ear and mastoid process—89	14				1	1	1	1	4	3	1	2		1	1	1	1			
Other diseases, nervous system—82,84,85,87,88	3								1											
Diseases of circulatory system—90-103	8				1	2	1	1	5				1							1
Pneumonia (all forms)—107-109	362	1	2	5	24	21	12	20	65	40	44	34	26	34	15	23	17	10	18	16
Other diseases of respiratory system—104-106,110-114	25	1						2	4	3	2	8	2		3	1	1			1
Diseases of buccal cavity, etc.—115	4								1											
Diseases of stomach—117,118	5								1	2										
Diarrhea, enteritis, etc.—119	233			1	5	8	8	8	30	29	25	26	25	15	12	22	7	17	12	13
Hernia—122a	6					1		1	2			4								
Intestinal obstruction—122b	24				1	3		1	5	1	2	2	4	1	1	3	3			2
Peritonitis (cause not stated)—129	5							3	1											
Other diseases, digestive sys.—116,121,123-128	6					2		1	4											
Diseases, genitourinary sys.—130,131,133-139																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year											Under 1 month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.			
MONTANA—All causes	534	166	31	18	49	33	12	8	317	48	29	24	26	20	15	9	18	8	11	9			
Cerebrospinal (meningococcus) meningitis—6	2												1	1									
Scarlet fever—8																							
Whooping cough—9	7									1	1			2	1	1				1			
Diphtheria (infection by C. diphtheriae)—10																							
Erysipelas—11																							
Tetanus—12																							
Tuberculosis of respiratory system, etc.*—13	2												1							1			
Tuberculosis of meninges, etc.*—14	1																						
Tuberculosis (other forms)—15-22	1												1										
Septicemia and purulent infection—24	5									3					1		1						
Dysentery—27	3									1		1			1								
Malaria—28																							
Syphilis—30	7				2	2			4					1		1							
Influenza—33	16							1	1	2	1	2	5	4	1				1	1			
Measles—35	4									1							1			2			
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6						1		1			1											
Diseases of thymus gland—64	2	1								1	2		1					1					
Rickets—70	1																						
Hemorrhagic conditions—72	1											1											
Anemias (except splenic anemia)—73																							
Encephalitis (nonepidemic)—80	1																						
Meningitis (not due to meningococcus)—81	2										2												
Intracranial lesions of vascular origin—83	2					1			1						1								
Convulsions—86	3				1				1	1		1											
Diseases of ear and mastoid process—89	2												1										
Other diseases, nervous system—82,84,85,87,88	1	1							1				1										
Diseases of circulatory system—90-103	2					1			1											1			
Pneumonia (all forms)—107-109	76	1			1	4	2	1	9	16	10	8	7	6	3	2	6	3	3	3			
Other diseases of respiratory system—104-106,110-114	2									1										1			
Diseases of buccal cavity, etc.*—115	5											1	1	1			1						
Diseases of stomach—117,118	1																						
Diarrhea, enteritis, etc.*—119	27				1	2		1	4	5	2		4	2	4	1	1	1	1	1			
Hernia—122a	1					1			1														
Intestinal obstruction—122b	3					1			1														
Peritonitis (cause not stated)—123																							
Other diseases, digestive sys.—116,121,123-128	1													1									
Diseases, genitourinary sys.—130,131,133-139																							
Diseases of skin and cellular tissue—151-153																							
Congenital malformations—157	60	15	3	3	11	7	3		42	5	2	2	2	1	2		1	2		1			
Congenital debility—158	8				1	2			3	1	2	1	1										
Premature birth—159	164	111	18	7	13	10	2	2	163	1	2	1	1										
Injury at birth—160	56	23	10	6	8	1	3	1	52	3		1											
Other diseases peculiar to first year—161	25	13		1	11				25														
Accidental mechanical suffocation—182	4			1					2			1											
Other violence or accident—166-181,183-195	5								1	1	2						1	1					
Ill-defined and unknown causes—199,200	18	1					1	1	4	4	3	2				1	1	1					
All other causes*	5											1	1				1	1	2				
NEBRASKA—All causes	816	313	82	34	75	42	21	21	568	61	37	29	31	20	16	17	15	11	3	8			
Cerebrospinal (meningococcus) meningitis—6	1																						
Scarlet fever—8																							
Whooping cough—9	10					1			1		1	2	1		1			2	1	1			
Diphtheria (infection by C. diphtheriae)—10	1																			1			
Erysipelas—11																							
Tetanus—12																							
Tuberculosis of respiratory system, etc.*—13	1																						
Tuberculosis of meninges, etc.*—14																							
Tuberculosis (other forms)—15-22	2											2											
Septicemia and purulent infection—24	1									1													
Dysentery—27																							
Malaria—28																							
Syphilis—30	5	2							2	2				1									
Influenza—33	12									4	1	1	2				1						
Measles—35	1																						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1						1		1														
Diseases of thymus gland—64	12	1	1		1	1	1	1	6	2	1	2				1							
Rickets—70	2													1									
Hemorrhagic conditions—72	1																						
Anemias (except splenic anemia)—73	3				1								1	1	1								
Encephalitis (nonepidemic)—80	1																						
Meningitis (not due to meningococcus)—81	3									1		1											
Intracranial lesions of vascular origin—83	3									1	1												
Convulsions—86	2				2				2											1			
Diseases of ear and mastoid process—89	2												1	1									
Other diseases, nervous system—82,84,85,87,88	1				1				1														
Diseases of circulatory system—90-103	4																						
Pneumonia (all forms)—107-109	97	1	1	2	3	2	1	7	17	23	13	6	11	7	4	6	3	5		2			
Other diseases of respiratory system—104-106,110-114	8	1							2	1		2	1	1									
Diseases of buccal cavity, etc.*—115	1												1										
Diseases of stomach—117,118	3					1			2	1													
Diarrhea, enteritis, etc.*—119	30	1			1	3	1	1	7	3	3	3	5	2		3	4						
Hernia—122a																							
Intestinal obstruction—122b	8																						
Peritonitis (cause not stated)—123	1								1					1	2			1		1			
Other diseases, digestive sys.—116,121,123-128	1																						
Diseases, genitourinary sys.—130,131,133-139	2																						
Diseases of skin and cellular tissue—151-153																							
Congenital malformations—157	119	29	14	2	19	13	5	3	85	12	8	1	2	2	4	1	3		1				
Congenital debility—158	23	8	2	1	2	1		4	18	1													



GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1	2	3	4	5	6	7	8	9	10	11	
										mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
NEVADA—All causes	87	26	4	4	7	3	2	1	47	6	8	5	5	2	2	4	2	3	3		
Cerebrospinal (meningococcus) meningitis—6																					
Scarlet fever—8																					
Whooping cough—9	1															1					
Diphtheria (infection by C. diphtheriae)—10																					
Erysipelas—11																					
Tetanus—12																					
Tuberculosis of respiratory system, etc.*—13																					
Tuberculosis of meninges, etc.*—14																					
Tuberculosis (other forms)—15-22																					
Septicemia and purulent infection—24																					
Dysentery—27																					
Malaria—28																					
Syphilis—30																					
Influenza—33	3													1	1	1					
Measles—35	1																	1			
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44																					
Diseases of thymus gland—64	1			1					1												
Rickets—70																					
Hemorrhagic conditions—72																					
Anemias (except splenic anemia)—73																					
Encephalitis (non-epidemic)—80																					
Meningitis (not due to meningococcus)—81																					
Intracranial lesions of vascular origin—83																					
Convulsions—86	2												2								
Diseases of ear and mastoid process—89																					
Other diseases, nervous system—82,84,85,87,88																					
Diseases of circulatory system—90-103	1									1											
Pneumonia (all forms)—107-109	13									1	3	2	2	1				1	1	2	
Other diseases of respiratory system—104-106,110-114	1									1											
Diseases of buccal cavity, etc.*—115	1									1	1										
Diseases of stomach—117,118																					
Diarrhea, enteritis, etc.*—119	6									2		1	1					1	1		
Hernia—122a																					
Intestinal obstruction—122b																					
Peritonitis (cause not stated)—129																					
Other diseases, digestive sys.—116,121,123-128																					
Diseases, genitourinary sys.—130,131,133-139																					
Diseases of skin and cellular tissue—151-153																					
Congenital malformations—157	8	5	1	1					7		1										1
Congenital debility—158	4								1												
Premature birth—159	28	16	2	2	4	2	1	1	28		1										
Injury at birth—160	6	5				1			6												
Other diseases peculiar to first year—161	4		1		1		1		3							1					
Accidental mechanical suffocation—182																					
Other violence or accident—166-181,183-195	4									1	1				1	1					
Ill-defined and unknown causes—199,200	3					1			1		1										
All other causes*																					
NEW HAMPSHIRE—All causes	363	115	46	24	22	19	10	6	242	28	18	15	15	11	5	5	8	7	6	5	
Cerebrospinal (meningococcus) meningitis—6	1												1								
Scarlet fever—8																					
Whooping cough—9	6									1		2		1	1					1	
Diphtheria (infection by C. diphtheriae)—10																					
Erysipelas—11	1																				
Tetanus—12																					
Tuberculosis of respiratory system, etc.*—13																					
Tuberculosis of meninges, etc.*—14																					
Tuberculosis (other forms)—15-22																					
Septicemia and purulent infection—24	2																				
Dysentery—27																					
Malaria—28																					
Syphilis—30	3						2	1	3												
Influenza—33	4					1	1		2						1					1	
Measles—35																					
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44																					
Diseases of thymus gland—64	3			1	1				2		1										
Rickets—70	1																				
Hemorrhagic conditions—72	1												1								
Anemias (except splenic anemia)—73	1									1											
Encephalitis (non-epidemic)—80	1																				
Meningitis (not due to meningococcus)—81	2																				
Intracranial lesions of vascular origin—83																					
Convulsions—86	3							1	1		1										1
Diseases of ear and mastoid process—89	2								2												
Other diseases, nervous system—82,84,85,87,88																					
Diseases of circulatory system—90-103																					
Pneumonia (all forms)—107-109	39	1	1	1	2		1		6	8	4	3	3	4			2	6	2		1
Other diseases of respiratory system—104-106,110-114	5	1							1	1	1		1								
Diseases of buccal cavity, etc.*—115																					
Diseases of stomach—117,118																					
Diarrhea, enteritis, etc.*—119	11								1			1	2	4		1					2
Hernia—122a	1										1										
Intestinal obstruction—122b	2												2								
Peritonitis (cause not stated)—129	1									1											
Other diseases, digestive sys.—116,121,123-128																					
Diseases, genitourinary sys.—130,131,133-139																					
Diseases of skin and cellular tissue—151-153																					
Congenital malformations—157	60	14	3	5	5	4	2	2	35	7	4	6	1	2	1	2			1	1	

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List.)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year								Under 1 month	By duration										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	5 wks.	1 mo.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW JERSEY—All causes	2,184	711	190	125	172	95	58	64	1,415	139	125	89	88	71	60	46	36	40	39	39	38
Cerebrospinal (meningococcus) meningitis—6	4												2		1						1
Scarlet fever—8	3																				
Whooping cough—9	31										5	1	3	5	3	2	3		3	1	5
Diphtheria (infection by C. diphtheriae)—10	1																				1
Erysipelas—11	4								1	3											
Tetanus—12	1					1															
Tuberculosis of respiratory system, etc.*—13	3									1			1								1
Tuberculosis of meninges, etc.*—14	3													2			1				
Tuberculosis (other forms)—15-22	3												1			1	1				
Septicemia and purulent infection—24	2																				1
Dysentery—27	6									1	2	1	1		1						
Malaria—28																					
Syphilis—30	19	2			1	2		1	7	4	4	1	2	1							
Influenza—33	22									3	2		2	5	2	1	1	3	3		
Measles—35																					
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2							1	1				1								
Diseases of thymus gland—64	24	4					1		6	5	4	4	2				1	1	1		
Rickets—70	1											1									
Hemorrhagic conditions—72	4	1							3	1											
Anemias (except splenic anemia)—73	4						1		1	1			1				1				
Encephalitis (nonepidemic)—80																					
Meningitis (not due to meningococcus)—81	.10							1	1		1	2	1	2	2	1					
Intracranial lesions of vascular origin—83	5			2					2	3											
Convulsions—86	7					1		1	2		1								2		2
Diseases of ear and mastoid process—89	7									1	1				1	1				1	1
Other diseases, nervous system—82,84,85,87,88	11			1	1			1	3	2	1	2	2		2					1	1
Diseases of circulatory system—90-103	8									1				1			2	1	2	1	1
Pneumonia (all forms)—107-109	301	1	2	3	5	7	12	12	42	39	43	31	32	23	20	15	15	15	15	15	13
Other diseases of respiratory system—104-106,110-114	50	2			3		1	3	9	5	4	3	1	2	1	1	2			2	
Diseases of buccal cavity, etc.*—115	2					1			1												
Diseases of stomach—117,118	4				2				2	1	1										
Diarrhea, enteritis, etc.*—119	100			1				8	16	7	14	12	11	10	12	8		2	2	6	
Hernia—122a									2	3	1		1	3	1					1	
Intestinal obstruction—122b	12					2			2	3	1			1	3	1					
Peritonitis (cause not stated)—129	5					1		2	3									1	1		
Other diseases, digestive sys.—116,121,123-128	3	1							1	1		1									
Diseases, genitourinary sys.—130,131,133-139	5								2	1				1						1	
Diseases of skin and cellular tissue—151-153	5								1	2	1			1							
Congenital malformations—157	268	59	13	23	56	23	13	16	185	27	9	9	6	5	6	4	9	4	1	1	1
Congenital debility—158	29	3						2	9	7	8	2	2	2	1	1			1	1	1
Premature birth—159	750	450	108	52	56	32	14	14	726	8	8	3	3		1					1	1
Injury at birth—160	249	120	40	29	41	11	1	1	245	5	1			1							
Other diseases peculiar to first year—161	133	57	25	15	22	6	3		128	1	1	2	1	1	1	1	1	1	2	2	
Accidental mechanical suffocation—162	39				1			1	2	7	9	9	3	5	1	1			2	2	
Other violence or accident—166-181,183-195	46	9			2	2			15	4	6	2	4	5	2	3	2	2	2	2	5
Ill-defined and unknown causes—199,200	7	2			1	1			4		1			1	1						
All other causes*	9							1	1				1	1	2			2	2		
NEW MEXICO—All causes	1,549	301	65	45	105	68	60	45	687	138	107	124	95	80	80	66	49	48	38	37	
Cerebrospinal (meningococcus) meningitis—6	1																				1
Scarlet fever—8	3																				
Whooping cough—9	24					1		2	3	3	4	1	3	2	3	1					2
Diphtheria (infection by C. diphtheriae)—10	2												1								
Erysipelas—11																					
Tetanus—12	1				1				1												
Tuberculosis of respiratory system, etc.*—13	5								1				1	1					1	1	
Tuberculosis of meninges, etc.*—14	3																1	1			1
Tuberculosis (other forms)—15-22																					
Septicemia and purulent infection—24	2									1	1	7	4	6	5	5	2	5	2		
Dysentery—27	41							1	1	3	1	1									
Malaria—28																					
Syphilis—30	19	1			1	2		1	6	4	4	1	1	1	1	1			6	1	1
Influenza—33	25					1			1	6	2	2	2	2	2	2			6	1	1
Measles—35	2												1						1		
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6											1		2	1	1	1				
Diseases of thymus gland—64	7			2	1	1			4	1			1								
Rickets—70	2								1	1			1								
Hemorrhagic conditions—72	1								1	1											
Anemias (except splenic anemia)—73																					
Encephalitis (nonepidemic)—80	3																				
Meningitis (not due to meningococcus)—81	3														1	1					
Intracranial lesions of vascular origin—83																					
Convulsions—86	3			1					1	1	1										
Diseases of ear and mastoid process—89	4										1	1		1	1						
Other diseases, nervous system—82,84,85,87,88																					
Diseases of circulatory system—90-103	5				1				1	2	1										
Pneumonia (all forms)—107-109	187	3	2	4	7	7	12	7	42	20	21	22	17	13	11	8	9	6	6	6	12
Other diseases of respiratory system—104-106,110-114	2											1									
Diseases of buccal cavity, etc.*—115	2							1	1												
Diseases of stomach—117,118	2											1		1							
Diarrhea, enteritis, etc.*—119	179			1			4	2	13	16	20	15	21	22	20	12	12	13	10	5	
Hernia—122a																					
Intestinal obstruction—122b	4																				

# GENERAL TABLES—INFANT DEATHS

443

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1958 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By age											
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	1 mos.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
<b>NEW YORK—All causes</b>	<b>7,370</b>	<b>2,637</b>	<b>616</b>	<b>377</b>	<b>483</b>	<b>308</b>	<b>253</b>	<b>237</b>	<b>4,911</b>	<b>529</b>	<b>413</b>	<b>306</b>	<b>242</b>	<b>201</b>	<b>154</b>	<b>155</b>	<b>156</b>	<b>117</b>	<b>96</b>	<b>110</b>	
Cerebrospinal (meningococcus) meningitis—6	11									2	1	2	1	1	2	1					1
Scarlet fever—8	2																				1
Whooping cough—9	90									11	13	16	10	7	4	6	4	7	5	7	
Diphtheria (infection by C. diphtheriae)—10	4									1	1										1
Erysipelas—11	11			1				2	2	3	3										
Tetanus—12																					
Tuberculosis of respiratory system, etc.—13	20									2		1	1	3	2	1	2	2	5	1	
Tuberculosis of meninges, etc.—14	8													1		2	1		2	2	
Tuberculosis (other forms)—15-22	10										1	1			3	1	1		2	1	
Septicemia and purulent infection—24	5					1	1	1	3				1				1				
Dysentery—27	9					1			1			1		1	2		1	1			1
Malaria—28											1	1									
Syphilis—30	55	5	3	1	1	1	4	4	19	10	7	5	4	2	1	1			3	2	1
Influenza—33	55							1	1	5	5	5	3	6	1	6	5	8	5	5	
Measles—35	11											1	1	1			4	2	2		
Other infectious and parasitic diseases—1-5,7,25,26,29,31,32,34,36-44	4							1	1		1				1	1					
Diseases of thymus gland—64	79	6	2	1	4	4	3	3	25	13	11	9	4	3	5	4	3		1	3	
Rickets—70	3									1	1										1
Hemorrhagic conditions—72	10	1	2		4				7	2				1							
Anemias (except splenic anemia)—73	16			1	2	1	1		5	2	1			2	1	2			3		
Encephalitis (nonepidemic)—80	2										1	1									
Meningitis (not due to meningococcus)—81	42					2	1	1	4	3	11	6	5	3	1	2	1	3	2	1	
Intracranial lesions of vascular origin—85	16	2							2	2	2	2	1	2	1	1					2
Convulsions—86	19		1		2				5	4	1	2	2	1	1			1	1	1	
Diseases of ear and mastoid process—89	48				1				2	10	3	6	6	7	1	3	3	4	2	1	1
Other diseases, nervous system—82,84,85,87,88	21	1	1		1	2		1	6	4		1	3	3	1				4	3	
Diseases of circulatory system—90-103	29			1	1	4	1	4	7	4	5	1	4		2		4			2	
Pneumonia (all forms)—107-109	919	5	10	15	40	26	31	29	156	125	117	98	77	74	62	58	54	40	32	26	
Other diseases of respiratory system—104-106,110-114	99	1		1	3	3	5	7	20	12	11	9	10	4	6	4	3	5	5	10	
Diseases of buccal cavity, etc.—115	19						1	2	1	4	1	2	1	1	2	2	2	2	2	1	
Diseases of stomach—117,118	13					3	2	2	7	1	1	1	1							2	
Diarrhea, enteritis, etc.—119	555				3	16	56	69	144	115	87	53	33	24	20	17	16	11	8	7	
Hernia—122a	10					1	1	2	3	2	1	1	1	1							
Intestinal obstruction—122b	45			1	3	2	1	3	6	3	3	7	5	5	3	3	4	2	1	1	
Peritonitis (cause not stated)—129	17				2	1	2		5	5	2	2	2	2	2	2		1			
Other diseases, digestive sys.—116,121,123-128	13								4	4	2	1	1	2	1	2			3		
Diseases, genitourinary sys.—130,131,133-139	32		3		2	1	2		8	5	7	1	2	3	3	1			2	2	
Diseases of skin and cellular tissue—151-155	14				1	1	3	5	5	5	1	2	1	1	1						
Congenital malformations—157	960	219	49	62	99	95	54	60	628	97	63	38	43	22	19	15	13	11	7	14	
Congenital debility—158	66	10	3	2	4	5	3	4	31	13	7	7	2	2	2	1					
Premature birth—159	2,306	1,501	309	144	147	62	45	26	2,252	31	17	4	1	1							
Injury at birth—160	1,039	629	161	90	69	56	15	5	1,025	7	1			2				2		1	
Other diseases peculiar to first year—161	495	231	66	57	75	29	9	5	472	13	3	3	2	2	2	1		1	1		
Accidental mechanical suffocation—182	59	1			1	4	4	4	10	10	9	10	2	2	2	1		2	1	2	
Other violence or accident—166-181,183-195	92	18	2		2	2	1	3	28	6	6	7	5	10	3	9	4	6	1	7	
Ill-defined and unknown causes—199,200	18	3	4	1	2	1			11	1	2	1	1	1	1	1		1	1	1	
All other causes*	41	4				1		4	9	4	3	2		3	3	5	5	4	2	1	
<b>NORTH CAROLINA (white)—All causes</b>	<b>2,739</b>	<b>812</b>	<b>211</b>	<b>121</b>	<b>212</b>	<b>139</b>	<b>86</b>	<b>78</b>	<b>1,659</b>	<b>200</b>	<b>155</b>	<b>125</b>	<b>101</b>	<b>95</b>	<b>91</b>	<b>74</b>	<b>77</b>	<b>60</b>	<b>55</b>	<b>47</b>	
Cerebrospinal (meningococcus) meningitis—6	1									1											
Scarlet fever—8																					
Whooping cough—9	64							4	4	9	7	6	3	7	9	5	4	4	6		
Diphtheria (infection by C. diphtheriae)—10	13			1					1	1				3	1	1	4	1	1	1	
Erysipelas—11	2								1	1											
Tetanus—12	1					1			1												
Tuberculosis of respiratory system, etc.—13	4											1		1	1						1
Tuberculosis of meninges, etc.—14	3													2							
Tuberculosis (other forms)—15-22	2												1						1		
Septicemia and purulent infection—24	5							2	2	1							1				
Dysentery—27	23				1		2		3		4	2		2	3	5	2	1		1	
Malaria—28	1																				
Syphilis—30	15	4	1	2					7	2	3	1		5					1	1	
Influenza—33	46				3	3		1	7	8	7	1	3	5	6		5	1	1	2	
Measles—35	13				1	3			4	2	1	1	1	1	1		1		1	1	
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1					1	2	1	7	6	3	1	1					1			
Diseases of thymus gland—64	19	1	1	1		1	2	1	7	1	3	1	1			1					
Rickets—70	1								1	1											
Hemorrhagic conditions—72	12	1		1	1				4	1		1	1	1	1				1	1	
Anemias (except splenic anemia)—73	4								1				1	1					1	1	
Encephalitis (nonepidemic)—80	3					1			1				1								
Meningitis (not due to meningococcus)—81	13							1	1	2	1	1	1	2	1	1		2		1	
Intracranial lesions of vascular origin—85	2										1	1									
Convulsions—86	12		2	3	2			1	6	1	2	1									
Diseases of ear and mastoid process—89	14							1	3	3		5	1			2	4			1	
Other diseases, nervous system—82,84,85,87,88	5			1				1	3	1			1								
Diseases of circulatory system—90-103	14		1			2	1	1	4	3				1		3			2		
Pneumonia (all forms)—107-109	297	1		2																	



GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OHIO—All causes	4,691	1,465	390	266	365	252	164	142	3,022	316	215	210	187	153	134	109	97	81	89	80
Cerebrospinal (meningococcus) meningitis—6	1																			
Scarlet fever—8	1																			
Whooping cough—9	60					1		3	4	9	9	6	7	3	7	1	3	2	5	4
Diphtheria (infection by C. diphtheriae)—10	3																			2
Erysipelas—11	4							1	1	3										
Tetanus—12	1					1			1											
Tuberculosis of respiratory system, etc.*—13	12											1	1			2	2	3		3
Tuberculosis of meninges, etc.*—14	11												2		2	1	1	2		3
Tuberculosis (other forms)—15-22	5								1	1				1	2			1		3
Septicemia and purulent infection—24	4				1			1	2	1	1	1						1		
Dysentery—27	11											2	3	3	1				1	1
Malaria—28																				
Syphilis—50	32	6	2	1	2	4	1	1	17	3	3	2	3	1		2				1
Influenza—53	113			1	2			2	8	11	5	19	17	8	10	11	9	3	9	3
Measles—55	1													1						3
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	7				1			1	2	2				1	1	1				
Diseases of thymus gland—72	14	10	6	3	4	5	4	6	38	13	5	5	4	3	1	1		1	1	
Rickets—70																				
Hemorrhagic conditions—72	14	1	1	2	3	1	1		9	2		1	2							
Anemias (except splenic anemia)—73	9					1		1	2	1	1	1	2			2	1			
Encephalitis (nonepidemic)—80	5							1	1	1	1	1								
Meningitis (not due to meningococcus)—81	20							1	2	2	2	4	1	3	1	1	1	1	2	
Intracranial lesions of vascular origin—83	6							1	1	1										
Convulsions—86	11		2	1	2	2	1	2	10					1						
Diseases of ear and mastoid process—89	23							1	1			1	1	3	3	4	3	1	5	1
Other diseases, nervous system—82, 84, 85, 87, 88	8	1							1				2					1	1	4
Diseases of circulatory system—90-103	8							2	1		1	1					1	1	1	1
Pneumonia (all forms)—107-109	593	3	6	7	16	15	25	33	105	70	68	62	59	47	49	35	29	32	17	22
Other diseases of respiratory system—104-106, 110-114	49					1	2	2	5	5	3	3	7	7	6	3	2		3	5
Diseases of buccal cavity, etc.*—115	15				1	1	1		3		1			1	4	1	1		3	1
Diseases of stomach—117, 118	9				1			1	2	1		2			1			1	1	1
Diarrhea, enteritis, etc.*—119	313			1	6	6	18	11	42	46	52	34	28	32	16	18	22	15	17	11
Hernia—122a	7							1	1	3	3	1	1	1	1					
Intestinal obstruction—122b	37				1	2	2	1	6	8	3	3	4	2	3	1		3	1	3
Peritonitis (cause not stated)—129	7				1			1	2	1	2	1	1	1						
Other diseases, digestive sys.—116, 121, 123-128	5				1				1			1	1	1						1
Diseases, genitourinary sys.—150, 151, 153-159	16			1	2			2	5	2	5	1	2	1	1					
Diseases of skin and cellular tissue—151-153	6					1	1	1	3	1	1	1	1	1						
Congenital malformations—157	600	141	34	47	81	48	32	26	409	65	25	24	15	13	10	14	11	5	4	5
Congenital debility—158	99	13	8	7	7	11	5	7	58	11	13	4	3	2	3		1	1	3	
Premature birth—159	1,465	898	209	88	89	76	43	23	1,428	25	2	5	1	2	1	1				
Injury at birth—160	529	267	79	61	81	21	6	2	517	5	1	1	2	1	1		1			
Other diseases peculiar to first year—161	294	106	36	40	52	28	10	4	278	5	2	2	2	3		1	2		1	
Accidental mechanical suffocation—182	47		1		4			2	9	8	13	7	6	1		2	1			
Other violence or accident—166-181, 183-195	67	4	1	3	1	1	2	2	14	3	7	5	5	4	4	2	3	3	9	8
Ill-defined and unknown causes—199, 200	64	12	5	3	5	2		1	28	11	2	5	4	2	5	1	1	1	4	1
All other causes*	26	1				1	2	1	5	3	1	4	3	4		1	1	1	1	1
OKLAHOMA (white)—All causes	1,820	577	155	82	140	100	72	45	1,171	128	107	78	64	46	41	42	31	35	45	32
Cerebrospinal (meningococcus) meningitis—6	1													1						
Scarlet fever—8	1																1			
Whooping cough—9	19							2	2	2	1	2	2	1	2	1	1	1	5	
Diphtheria (infection by C. diphtheriae)—10	7										1			1	1			1	1	1
Erysipelas—11	3								1			2								
Tetanus—12	2																			
Tuberculosis of respiratory system, etc.*—13	4										1	1						1		
Tuberculosis of meninges, etc.*—14	1																			1
Tuberculosis (other forms)—15-22	1																			
Septicemia and purulent infection—24	1									1										
Dysentery—27	33								1	3	3	4	4	1	3	4			5	4
Malaria—28	2								2											
Syphilis—50	16	3	1			1		1	6	6	1	2			1					
Influenza—53	39				1	1	2	1	4	2	6	5	2	2	4	6	2	2	1	3
Measles—55	19	1					1	2	4	3		1		1	2		3	1	1	3
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	8					2			2	1		1	1			1	1		1	
Diseases of thymus gland—72	13		2		1	1	4		8	1	2					1		1		
Rickets—70																				
Hemorrhagic conditions—72	2				1				1										1	
Anemias (except splenic anemia)—73	2								1				1							
Encephalitis (nonepidemic)—80	2																			1
Meningitis (not due to meningococcus)—81	5							1	1	1	2			1						
Intracranial lesions of vascular origin—83	2								1	1										
Convulsions—86	8			1	2	1			6			1								1
Diseases of ear and mastoid process—89	5								1			2							1	1
Other diseases, nervous system—82, 84, 85, 87, 88	1																			1
Diseases of circulatory system—90-103	13					2	1		3	3	1	1	3		1	1				
Pneumonia (all forms)—107-109	222	1		9	13	10	14	6	53	31	30	22	15	17	8	10	10	9	10	7
Other diseases of respiratory system—104-106, 110-114	16	1					1	1	3	1	1	1	3	1	1	2		3		
Diseases of buccal cavity, etc.*—115	7					1	2	1	4				2							1
Diseases of stomach—117, 118	8					2	1		3	1	1	2		1						
Diarrhea, enteritis, etc.*—119	129				6	6	1		13	16	16	15	13	9	8	9	8	5	11	6
Hernia—122a	1				1				1											

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OKLAHOMA (all other races)—All causes	542	55	19	13	35	36	8	14	180	30	25	22	19	14	6	14	4	13	6	9
Cerebrospinal (meningococcus) meningitis—6																				
Scarlet fever—8	1																			1
Whooping cough—9	3																			1
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11																				
Tetanus—12	2				1	1			2											
Tuberculosis of respiratory system, etc.*—13	1																			
Tuberculosis of meninges, etc.*—14	1																			
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24																				
Dysentery—27	12							1	1	2	2	3	1	1						1
Malaria—28																				
Syphilis—30	7	1							2		2	1	1							
Influenza—33	13								1	3	2	1	1	1	2					1
Measles—35	4								1			2		1						
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	2									1		1								
Diseases of thymus gland—64																				
Rickets—70	1								1											
Hemorrhagic conditions—72																				
Anemias (except splenic anemia)—73																				
Encephalitis (nonepidemic)—80																				
Meningitis (not due to meningococcus)—81																				
Intracranial lesions of vascular origin—83																				
Convulsions—86	6		1		1	4			6											
Diseases of ear and mastoid process—89	2								1			1								
Other diseases, nervous system—82, 84, 85, 87, 88	1								1											
Diseases of circulatory system—90-103	1																			
Pneumonia (all forms)—107-109	66	1	1		3	2	2	1	10	7	7	8	10	2	2	6	5	4	2	5
Other diseases of respiratory system—104-106, 110-114	2								1	1										
Diseases of buccal cavity, etc.*—115																				
Diseases of stomach—117, 118	1																			
Diarrhea, enteritis, etc.*—119	33	1				2			3	4	7	3	2	2	1	2		3	3	3
Hernia—122a																				
Intestinal obstruction—122b	6								3			1		1	1					
Peritonitis (cause not stated)—129									2											
Other diseases, digestive sys.—116, 121, 123-128																				
Diseases, genitourinary sys.—130, 131, 133-139	1																			
Diseases of skin and cellular tissue—151-153	6																			
Congenital malformations—157	16	4	2		1	2	1	1	5	1	1									
Congenital debility—158	7	1							2		1	1								1
Premature birth—159	55	33	6	5	4	3	1	1	53	1	1			2						
Injury at birth—160	14	6	1		5	2			14											
Other diseases peculiar to first year—161	20	3	1	5	5	4	1		19	1										
Accidental mechanical suffocation—162	5	1			1	1			4	1										
Other violence or accident—166-161, 183-195	4	1	1						2			1								1
Ill-defined and unknown causes—199, 200	49	3	6	3	8	10	2	4	36	6	2		3	1						1
All other causes *	1																			1
OREGON—All causes	593	180	64	31	47	25	14	12	393	38	25	23	12	25	21	14	14	20	9	9
Cerebrospinal (meningococcus) meningitis—6																				
Scarlet fever—8																				
Whooping cough—9	7										2			1	1				2	1
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11																				
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	2																			
Tuberculosis of meninges, etc.*—14	2																			
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24	3																			
Dysentery—27	5																			
Malaria—28																				
Syphilis—30	1		1						1											
Influenza—33	6									1		1								
Measles—35	3													2	1					1
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	1					1			1											
Diseases of thymus gland—64	16		5		3	1			9	1	1	3						1	1	
Rickets—70	1																			
Hemorrhagic conditions—72	3	1		1	1				3											
Anemias (except splenic anemia)—73																				
Encephalitis (nonepidemic)—80	1																			
Meningitis (not due to meningococcus)—81	4									1		1							1	1
Intracranial lesions of vascular origin—83																				
Convulsions—86	1									1										
Diseases of ear and mastoid process—89	4																			
Other diseases, nervous system—82, 84, 85, 87, 88	2								1						1					2
Diseases of circulatory system—90-103	2								1											
Pneumonia (all forms)—107-109	75				3	1	1	4	9	14	7	6	5	5	5	6	5	4	6	3
Other diseases of respiratory system—104-106, 110-114	9			1					2	1		3		2	1					
Diseases of buccal cavity, etc.*—115	1																			
Diseases of stomach—117, 118																				
Diarrhea, enteritis, etc.*—119	23								3	2	4	1	1	4	4	2	1	1		
Hernia—122a																				
Intestinal obstruction—122b	5								1	1				1	1	1				
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116, 121, 123-128	1								1											
Diseases, genitourinary sys.—130, 131, 133-139	3									1		1								
Diseases of skin and cellular tissue—151-153	1																			
Congenital malformations—157	73	15	6	10	8	10	4	1	54	5	2	3		3	2	2	1	1		
Congenital debility—158	5	1	2			2			5											
Premature birth—159	190	122	9	14	6</															

GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	Under 11 months										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PENNSYLVANIA—All causes	7,343	2,385	581	404	584	326	215	194	4,689	541	396	314	277	247	199	156	146	141	127	110
Cerebrospinal (meningococcus) meningitis—6	13										3				2	3	1	2	1	1
Scarlet fever—8																				
Whooping cough—9	94					1	1	2	4	8	18	8	10	13	4	4	8	6	6	5
Diphtheria (infection by C. diphtheriae)—10	3																2	1		
Erysipelas—11	7					1	1	1	3	1	1		1			1				
Tetanus—12	2					2			2											
Tuberculosis of respiratory system, etc.—13	23									3				2	2	4	3	4	2	3
Tuberculosis of meninges, etc.—14	9											2	2	1		2		1		1
Tuberculosis (other forms)—15-22	3														1	1				1
Septicemia and purulent infection—24	6						1	1	2	2				1						1
Dysentery—27	12							1	1	3	2	1	1		1	1			1	1
Malaria—28																				
Syphilis—30	62	6	3	2	4	2	4	2	23	14	6	8	3	1					1	2
Influenza—33	153				1	1	2	3	7	18	14	18	22	19	10	6	14	7	5	13
Measles—35	6								1	1	1		2			1			1	
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	15				2	1	1	2	6	2	1	1	1	1	1	1	1	1		
Diseases of thymus gland—64	119	4	9	10	14	4	3	8	52	11	16	15	5	6	3	4				2
Rickets—70	8								1	1	1	1	2	2			1			
Hemorrhagic conditions—72	28	3	6	3	6	6			24	1	1	1						1		
Anemias (except splenic anemia)—73	11		1		2	2	1		6	1		1		1	1					
Encephalitis (nonepidemic)—80	3							1	1					2						
Meningitis (not due to meningococcus)—81	35		1	1	1	1	1	1	6	5	2	3	3	2	1	4	4	2	1	2
Intracranial lesions of vascular origin—83	13				1	1			2	2	1	2	1		1		2	1	1	1
Convulsions—86	26		1	3	1			1	6	2	5	2	1	2	2	2			2	2
Diseases of ear and mastoid process—89	30							2	2	2	5	2	4	2	4	3	1	1	3	1
Other diseases, nervous system—82, 84, 85, 87, 88	24				2	3			5	2	2	2	3	5	1			3	1	2
Diseases of circulatory system—90-103	44	1				1		1	3	12	10	3	3	1	2	2	1	2	2	3
Pneumonia (all forms)—107-109	1,066	6	7	13	28	25	35	39	151	134	128	108	98	96	91	67	45	65	47	36
Other diseases of respiratory system—104-106, 110-114	107		1			2	6	7	16	18	11	11	11	9	8	5	3	5	4	6
Diseases of buccal cavity, etc.—115	19								4	3			1	4	1	3	1	1	1	
Diseases of stomach—117, 118						2	1		3	1	3				1					
Diarrhea, enteritis, etc.—119	395			1	6	10	15	18	50	73	46	48	39	28	24	18	24	13	18	4
Hernia—122a	14								4	2	2		2	1	2				1	1
Intestinal obstruction—122b	67				2	5	3	3	13	11	9	3	8	6	4	3	4	1	4	1
Peritonitis (cause not stated)—129	14				2	3			6	3	2		1							2
Other diseases, digestive sys.—116, 121, 123-128	16		1		1	1	2		5	2	2	2		1	2	1				1
Diseases, genitourinary sys.—130, 131, 133-139	22				1	3	2		6	3	3		3	2	1			1	2	1
Diseases of skin and cellular tissue—151-153	9				1	1	1	1	4	1	1							1	1	1
Congenital malformations—157	895	205	65	55	128	62	43	41	609	101	42	35	27	22	14	5	12	6	10	12
Congenital debility—158	110	25	6	7	10	3	5	6	62	17	9	7		3	2	1	2			
Premature birth—159	2,341	1,491	308	132	162	109	49	33	2,281	43	11	5	2	1					1	3
Injury at birth—160	905	488	118	112	133	35	12	7	895	9	1	4	2	1						
Other diseases peculiar to first year—161	418	160	53	48	74	33	16	2	386	15	7	3	2	1				2	2	
Accidental mechanical suffocation—182	55	1			2				6	11	10	9	6	9	1	1	1	1	1	
Other violence or accident—166-181, 183-195	73	5	2	2	1	3	3	3	19	6	9	2	3	3	5	7	5	2	5	7
Ill-defined and unknown causes—199, 200	30	9	2	4	1	1	3	1	20	1	1	2	1	2	1	1	3	2	1	4
All other causes*	39	1			1	2	2		7	2	2	5	4	1	3	3	3	2	1	3
RHODE ISLAND—All causes	412	144	32	26	40	23	13	6	284	31	17	14	12	12	5	8	8	7	7	7
Cerebrospinal (meningococcus) meningitis—6																				
Scarlet fever—8																				
Whooping cough—9	7									2	1	2	1			1				
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11																				
Tetanus—12																				
Tuberculosis of respiratory system, etc.—13	1												1							
Tuberculosis of meninges, etc.—14																				
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24	1							1	1											
Dysentery—27																				
Malaria—28																				
Syphilis—30	1																			
Influenza—33	2																			
Measles—35	1													1						
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44																				
Diseases of thymus gland—64	1				1				1											
Rickets—70																				
Hemorrhagic conditions—72																				
Anemias (except splenic anemia)—73	1				1				1											
Encephalitis (nonepidemic)—80																				
Meningitis (not due to meningococcus)—81	2				1				1											1
Intracranial lesions of vascular origin—83																				
Convulsions—86	1																			
Diseases of ear and mastoid process—89	2									2										
Other diseases, nervous system—82, 84, 85, 87, 88																				
Diseases of circulatory system—90-103																				
Pneumonia (all forms)—107-109	48		1		1	1	5	1	9	9	4	3	3	7	1	3	5		1	3
Other diseases of respiratory system—104-106, 110-114	2											1								
Diseases of buccal cavity, etc.—115																				
Diseases of stomach—117, 118																				
Diarrhea, enteritis, etc.—119	26				1	4	2	1	8	10	1	1					1	2	1	2
Hernia—122a																				
Intestinal obstruction—122b	2										1	1								

VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1	2	3	4	5	6	7	8	9	10	11
										mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
<b>SOUTH CAROLINA (white)—All causes</b>	<b>1,133</b>	<b>533</b>	<b>114</b>	<b>51</b>	<b>97</b>	<b>72</b>	<b>33</b>	<b>29</b>	<b>729</b>	<b>90</b>	<b>58</b>	<b>52</b>	<b>35</b>	<b>35</b>	<b>36</b>	<b>26</b>	<b>18</b>	<b>18</b>	<b>18</b>	<b>18</b>
Cerebrospinal (meningococcus) meningitis—6	1										1									
Scarlet fever—8	1																			
Whooping cough—9	31						1	4	5	9	7	2	1	2			2		2	1
Diphtheria (infection by C. diphtheriae)—10	3																			
Erysipelas—11	2					1			1							1				
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13																				
Tuberculosis of meninges, etc.*—14	1																			1
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24																				
Dysentery—27	7									1	1	1	1	1	2					
Malaria—28	4														1					
Syphilis—30	9		1		2	2	1		6		1	1		1			1	1		
Influenza—33	27					1	1	2	4	4	2		2	1	2	3	2		3	2
Measles—35	1																	1		
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44																				
Diseases of thymus gland—64	5				2	1			5	1	1									
Rickets—70																				
Hemorrhagic conditions—72	3				2	1			5											
Anemias (except splenic anemia)—73	2	1			1				2											
Encephalitis (nonepidemic)—80	1									1										
Meningitis (not due to meningococcus)—81	6									2		1		1				2		
Intracranial lesions of vascular origin—83	1									1										
Convulsions—86	3				1		1		2		1									
Diseases of ear and mastoid process—89	2														1				1	
Other diseases, nervous system—82,84,85,87,88	4				1				1		2	1	1						1	
Diseases of circulatory system—90-103	3								1											
Pneumonia (all forms)—107-109	110		2	2	3	7	3	3	20	13	14	15	10	8	9	7	6	3	2	3
Other diseases of respiratory system—104-106,110-114	6			1			2	1	4		1				1			2		
Diseases of buccal cavity, etc.*—115	4														1					3
Diseases of stomach—117,118	1									1										
Diarrhea, enteritis, etc.*—119	105				1	1	1	5	8	17	7	16	7	14	12	9	3	4	5	3
Hernia—122a	1								1											
Intestinal obstruction—122b	11									1	2		1	1	1	2	2			1
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116,121,123-128	1			1					1											
Diseases, genitourinary sys.—130,131,133-139	3									2									1	
Diseases of skin and cellular tissue—151-153	1								1											
Congenital malformations—157	94	20	4	7	16	10	7	2	66	3	5	5	6	4	2	1				2
Congenital debility—158	27	4	3	4	2	1	1	1	16	3	3	1	2	1		1				
Premature birth—159	410	238	71	17	33	27	10	5	399	8	8	2	1							
Injury at birth—160	71	24	13	9	17	4	1		68	2					1					
Other diseases peculiar to first year—161	61	22	9	5	10	9	3	1	59	2										
Accidental mechanical suffocation—182	12							1	1	5	4	1	1							1
Other violence or accident—166-181,183-195	11							1	1	1	2	1	1	1	2		1		1	1
Ill-defined and unknown causes—199,200	80	23	11	3	6	6		5	54	13	4	4	2				1		1	1
All other causes*	5	1				1			2						1	1				1
<b>SOUTH CAROLINA (all other races)—All causes</b>	<b>1,701</b>	<b>317</b>	<b>108</b>	<b>76</b>	<b>158</b>	<b>107</b>	<b>64</b>	<b>64</b>	<b>694</b>	<b>138</b>	<b>106</b>	<b>112</b>	<b>86</b>	<b>89</b>	<b>72</b>	<b>51</b>	<b>49</b>	<b>35</b>	<b>40</b>	<b>29</b>
Cerebrospinal (meningococcus) meningitis—6	4									1	1			1			1			
Scarlet fever—8																				
Whooping cough—9	58							2	2	6	2	8	7	9	5	2	5	6	4	2
Diphtheria (infection by C. diphtheriae)—10	3									1			1							
Erysipelas—11	1													1						
Tetanus—12	4																			
Tuberculosis of respiratory system, etc.*—13	2														1					
Tuberculosis of meninges, etc.*—14																				
Tuberculosis (other forms)—15-22	2												1	1						
Septicemia and purulent infection—24																				
Dysentery—27	17							1	1	3	1	4	4	2					2	
Malaria—28	13											5		1	2	1				2
Syphilis—30	44	2	2		3	5	2	1	15	6	6	4	2	2	3	1	1		2	2
Influenza—33	73		1		2	2	1	4	10	5	7	9	7	9	7	6	5	3	3	2
Measles—35																				
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11							2	2	1	1	1	1	2	1	1			1	
Diseases of thymus gland—64																				
Rickets—70	4										1	1	1						1	
Hemorrhagic conditions—72	2								1	1										
Anemias (except splenic anemia)—73	1																			
Encephalitis (nonepidemic)—80																				
Meningitis (not due to meningococcus)—81	7					1			1	2			1				1	2		
Intracranial lesions of vascular origin—83	2									1		1								
Convulsions—86	10		1		1	1	1		4	1	2	1		1					1	
Diseases of ear and mastoid process—89	3										1				1					
Other diseases, nervous system—82,84,85,87,88	1								1											
Diseases of circulatory system—90-103	5							1	2			2	1							
Pneumonia (all forms)—107-109	206		1	8	12	6	11		38	30	17	26	16	17	16	11	10	6	8	11
Other diseases of respiratory system—104-106,110-114	26		1	1	2	3	1	2	10	1	3	5	3					2		1
Diseases of buccal cavity, etc.*—115																				
Diseases of stomach—117,118	9				2				3	2			2				1	1		
Diarrhea, enteritis, etc.*—119	136				2		1	3	8	12	13	13	15	21	16	6	9	7	10	6
Hernia—122a	2								1						1					
Intestinal obstruction—122b	5											1	2	1	1					
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116,121,123-128	3							1	1		</									



GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By age											
		1 day	1 to 2 days	2 to 3 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
<b>SOUTH DAKOTA—All causes</b>	<b>481</b>	<b>160</b>	<b>33</b>	<b>28</b>	<b>44</b>	<b>22</b>	<b>13</b>	<b>6</b>	<b>306</b>	<b>32</b>	<b>28</b>	<b>16</b>	<b>21</b>	<b>15</b>	<b>11</b>	<b>19</b>	<b>10</b>	<b>10</b>	<b>4</b>	<b>9</b>	
Cerebrospinal (meningococcus) meningitis—6	1																				
Scarlet fever—8																					
Whooping cough—9	3									1						1				1	
Diphtheria (infection by C. diphtheriae)—10																					
Erysipelas—11																					
Tetanus—12																					
Tuberculosis of respiratory system, etc.*—13	3													1							
Tuberculosis of meninges, etc.*—14	1															1					
Tuberculosis (other forms)—15-22	2												1								
Septicemia and purulent infection—24																					
Dysentery—27																					
Malaria—28																					
Syphilis—30	4		1						1	1			2								
Influenza—33	10								1	2	1		1	1							1
Measles—35	9								1	2	2		1	2		1				2	2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6		3	1					4	1								1			
Diseases of thymus gland—64																					
Ricketts—70																					
Hemorrhagic conditions—72																					
Anemias (except splenic anemia)—73																					
Encephalitis (nonepidemic)—80																					
Meningitis (not due to meningococcus)—81	1									1											
Intracranial lesions of vascular origin—83	1	1							1												
Convulsions—86	4			2	1				3			1									
Diseases of ear and mastoid process—89	1																				
Other diseases, nervous system—82,84,85,87,88																					
Diseases of circulatory system—90-103	1					1			1												
Pneumonia (all forms)—107-109	69			2	1	1	1	2	7	11	12	6	8	7	2	6	2	4	1	5	
Other diseases of respiratory system—104-106,110-114	5							1	2	1					1						1
Diseases of buccal cavity, etc.*—115																					
Diseases of stomach—117,118	1												1								
Diarrhea, enteritis, etc.*—119	28							3	4	4	5	3	4	2	1	4			1		
Hernia—122a																					
Intestinal obstruction—122b	6													2	2	1					1
Peritonitis (cause not stated)—129																					
Other diseases, digestive sys.—116,121,123-128	1																				
Diseases, genitourinary sys.—130,131,133-139	1								1												
Diseases of skin and cellular tissue—151-153	2								1	1											
Congenital malformations—157	47	12	4	1	7	4	2	1	31	5	4	1	2						2		1
Congenital debility—158	9	1		2	1	1			5				1		1						
Premature birth—159	152	107	9	10	14	7	2	1	150	2											
Injury at birth—160	49	25	8	7	4	5			47					1							
Other diseases peculiar to first year—161	40	11	8	3	12	2	3		39	1											
Accidental mechanical suffocation—182	2																				
Other violence or accident—166-181,183-195	4	1							6												
Ill-defined and unknown causes—199,200	16	2			3	1			1	1	1	2	1	2							2
All other causes*	2				1				1												
<b>TENNESSEE (white)—All causes</b>	<b>2,245</b>	<b>651</b>	<b>138</b>	<b>102</b>	<b>199</b>	<b>121</b>	<b>87</b>	<b>63</b>	<b>1,341</b>	<b>172</b>	<b>139</b>	<b>119</b>	<b>71</b>	<b>72</b>	<b>70</b>	<b>61</b>	<b>50</b>	<b>46</b>	<b>54</b>	<b>50</b>	
Cerebrospinal (meningococcus) meningitis—6	1																				
Scarlet fever—8	2																				
Whooping cough—9	47								2	14	6	5	2	3	1	4	3	3	3	1	
Diphtheria (infection by C. diphtheriae)—10	6								1	1	1	1	1	1							1
Erysipelas—11	5								2	1	1	1									
Tetanus—12	1																				
Tuberculosis of respiratory system, etc.*—13	4																				
Tuberculosis of meninges, etc.*—14	10																				3
Tuberculosis (other forms)—15-22	1																				1
Septicemia and purulent infection—24	1																				
Dysentery—27	29								1	1	2	3	6	1	5	5	1			5	1
Malaria—28	2																				
Syphilis—30	23	5	1						7	8	3	2	1	1							
Influenza—33	69		1						10	9	13	6	3	1	5	3	6	1	6	6	
Measles—35	5													2	1						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5								4	1	2	2			2	1			1	1	1
Diseases of thymus gland—64	10		1	1	1				4	1	2	2									1
Ricketts—70	3								1												1
Hemorrhagic conditions—72																					
Anemias (except splenic anemia)—73	2								1												
Encephalitis (nonepidemic)—80	1								1												
Meningitis (not due to meningococcus)—81	8								2	1	2	2		1						2	
Intracranial lesions of vascular origin—83	5																				
Convulsions—86	5	1							3	1											2
Diseases of ear and mastoid process—89	8																				
Other diseases, nervous system—82,84,85,87,88	5	2							3												
Diseases of circulatory system—90-103	9	1							3	4											
Pneumonia (all forms)—107-109	253	1	2	2	13	15	10	10	53	32	26	19	18	18	18	18	7	10	7	7	
Other diseases of respiratory system—104-106,110-114	19								4	2	1	1									2
Diseases of buccal cavity, etc.*—115	8								1												2
Diseases of stomach—117,118	2								1												
Diarrhea, enteritis, etc.*—119	216								12	23	23	26	21	18	20	10	16	19	14	14	
Hernia—122a	3								1												
Intestinal obstruction—122b	12																				
Peritonitis (cause not stated)—129	2								1												
Other diseases, digestive sys.—116,121,123-128	4																				





VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1	1	2	5 to 6	1	2	3	Under 1	1	2	3	4	5	6	7	8	9	10	11
		day	day	days	days	week	wks.	wks.	month	mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
VERMONT—All causes	291	87	26	12	20	20	13	9	189	25	20	11	12	5	6	4	4	5	3	7
Cerebrospinal (meningococcus) meningitis—6	2									1	1									
Scarlet fever—8																				
Whooping cough—9	15						1		1	1	2	2			3			3	1	
Diphtheria (infection by C. diphtheriae)—10																				
Erysipelas—11																				
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13																				
Tuberculosis of meninges, etc.*—14																				
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24																				
Dysentery—27																				
Malaria—28																				
Syphilis—30	2							1	1	1										
Influenza—33	5							2	2					1	1					1
Measles—35																				
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44																				
Diseases of thymus gland—64	2																			
Rickets—70	1								1		1									
Hemorrhagic conditions—72																				
Anemias (except splenic anemia)—73	2																			
Encephalitis (nonepidemic)—80						2			2											
Meningitis (not due to meningococcus)—81	1																			1
Intracranial lesions of vascular origin—83	1										1									
Convulsions—86																				
Diseases of ear and mastoid process—89	1																			
Other diseases, nervous system—82, 84, 85, 87, 88																				
Diseases of circulatory system—90-103																				
Pneumonia (all forms)—107-109	30			1		1	4	2	8	3	3	2	6	1	1	2	3		1	
Other diseases of respiratory system—104-106, 110-114	5								1				1						1	
Diseases of buccal cavity, etc.*—115																				
Diseases of stomach—117, 118																				
Diarrhea, enteritis, etc.*—119	19								1	7	5	2	1					1		2
Hernia—122a																				
Intestinal obstruction—122b	1																			
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116, 121, 123-128																				
Diseases, genitourinary sys.—130, 131, 133-139																				
Diseases of skin and cellular tissue—151-153	1								1											
Congenital malformations—157	52	13	5	2	10	3	2	2	37	5	3	1	3	1					1	1
Congenital debility—158	3							1	1											
Premature birth—159	91	51	14	6	4	7	4		86	2	1	2	1	1						
Injury at birth—160	32	18	6	2	3	2			31	1										
Other diseases peculiar to first year—161	14	2	3		3	4			12	1				1						
Accidental mechanical suffocation—182	2	1							1	1										
Other violence or accident—166-181, 183-195	6								1	1	1	1		1		2	1			2
Ill-defined and unknown causes—199, 200	4	2		1					3	1	1									
All other causes*	1								1											
VIRGINIA (white)—All causes	1,958	659	145	89	157	99	74	51	1,274	150	112	89	80	53	49	38	34	37	32	30
Cerebrospinal (meningococcus) meningitis—6	4														1	1	1	1		
Scarlet fever—8																				
Whooping cough—9	48				1		1	1	3	7	8	6	4	2		3	6	1	3	5
Diphtheria (infection by C. diphtheriae)—10	7								1	1				1					1	1
Erysipelas—11	1								1	1										
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	2																			1
Tuberculosis of meninges, etc.*—14	4																			
Tuberculosis (other forms)—15-22	1												1	1	1				1	
Septicemia and purulent infection—24	2																			1
Dysentery—27	21					1			1	1										
Malaria—28																				
Syphilis—30	4								1	1	1		1							
Influenza—33	44		1						6	3	4	5	4	7	1	2	1	2	4	5
Measles—35	4					1			1	1	1									1
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	5					1			1		2				1					1
Diseases of thymus gland—64	5	1							2		1	1								1
Rickets—70	2								2	2										
Hemorrhagic conditions—72	4			1					2	1										
Anemias (except splenic anemia)—73	4					1			1	1					1					1
Encephalitis (nonepidemic)—80	3								1	1										
Meningitis (not due to meningococcus)—81	9					2			3	3	1	1					1			
Intracranial lesions of vascular origin—83	4								1	1					1					1
Convulsions—86	8	1		1	1	1	1	1	6			1	1							
Diseases of ear and mastoid process—89	10								1	1	1	2	1	1				2	1	1
Other diseases, nervous system—82, 84, 85, 87, 88	2															1			1	1
Diseases of circulatory system—90-103	9								2		1	3		1						
Pneumonia (all forms)—107-109	183	1		2	7	5	8	8	31	26	28	19	16	7	13	6	5	13	12	5
Other diseases of respiratory system—104-106, 110-114	19				1	2	2	1	6	2	1	2	3	2		1	1		1	
Diseases of buccal cavity, etc.*—115	2																			
Diseases of stomach—117, 118	5									1	2				2					
Diarrhea, enteritis, etc.*—119	143			1	1	2	8	3	15	15	14	18	13	16	14	13	6	9	3	5
Hernia—122a	6									2			2							
Intestinal obstruction—122b	12								1	2			2	2	3	2				
Peritonitis (cause not stated)—129																				
Other diseases, digestive sys.—116, 121, 123-128	4					1			1											
Diseases, genitourinary sys.—130, 131, 133-139	9	2						1	3	1		3	1						1	
Diseases of skin and cellular tissue—151-153	13			1	2	1		2	6	3	1	3								
Congenital malformations—157	167	41	9	11	24															



VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WEST VIRGINIA—All causes	2,272	532	165	99	184	127	96	76	1,279	179	176	127	84	85	71	78	54	55	36	48
Cerebrospinal (meningococcus) meningitis—6	7									1		1	1	3					1	
Scarlet fever—8	1																			
Whooping cough—9	21							2	2	1	3	2	1	1	4	2	2	2		1
Diphtheria (infection by C. diphtheriae)—10	6									1	1			1					1	1
Erysipelas—11																				
Tetanus—12																				
Tuberculosis of respiratory system, etc.*—13	2													1	1					
Tuberculosis of meninges, etc.*—14	5															1	1	1		
Tuberculosis (other forms)—15-22	5															1				
Septicemia and purulent infection—24	4					1			1	2	1	2	4	3	7	3	2	5	4	1
Dysentery—27	34									2	1	2	4	3	7	3	2	5	4	1
Malaria—28																				
Syphilis—30	50	5	1			3			9	7	3	1	3	2	1			2		2
Influenza—33	51					2	1	2	5	6	5	4	8	3		5	5	4	2	4
Measles—35	2																			2
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	8										2	1	1				1			3
Diseases of thymus gland—64	15	1	3	1	3	2			10	2	1				1			1		3
Rickets—70	1																	1		
Hemorrhagic conditions—72	5	1			3			1	5											
Anemias (except splenic anemia)—73	1																		1	
Encephalitis (nonepidemic)—80	1																			
Meningitis (not due to meningococcus)—81	7												1		1	1	2			1
Intracranial lesions of vascular origin—83	7									2	1	1					1	1		
Convulsions—86	16	1	2	2	1				6	2	2	2	2	2				1	1	
Diseases of ear and mastoid process—89	7									1	1					2	1		1	
Other diseases, nervous system—82,84,85,87,88	4		1	1			1		3											1
Diseases of circulatory system—90-103	10			1				2	4	3	1	1	1							
Pneumonia (all forms)—107-109	321		5	3	12	14	20	18	72	48	53	28	14	22	16	16	15	14	9	14
Other diseases of respiratory system—104-106,110-114	20					2	1	1	4	3	1	3	3	1		1	3		1	
Diseases of buccal cavity, etc.*—115	2																			
Diseases of stomach—117,118	7				1				1	3			1		1				1	
Diarrhea, enteritis, etc.*—119	258		1		2	7	8	6	24	14	28	37	18	29	27	28	12	15	13	13
Hernia—122a	4										2		1							
Intestinal obstruction—122b	15				2	1			3	1		3	1	2	3				1	1
Peritonitis (cause not stated)—129	4					1		3	4											
Other diseases, digestive sys.—116,121,123-128	4				1	1			2		1	2	3						1	
Diseases, genitourinary sys.—130,131,133-139	8																			
Diseases of skin and cellular tissue—151-153	21					4	2	3	11	2	2									
Congenital malformations—157	211	38	13	13	40	15	17	9	145	13	21	8	7	4	3	3	3	2	1	1
Congenital debility—158	75	6	4	2	3	7	9	5	56	12	7	6	1	5	2	3	1	2		
Premature birth—159	659	365	87	42	52	42	17	17	622	24	10	1	2							
Injury at birth—160	148	61	27	16	28	5	3	2	142	2	3									1
Other diseases peculiar to first year—161	98	31	12	11	14	11	6		85	8	2	1				1				1
Accidental mechanical suffocation—182	27	1	1		3	1	3		9	4	5	5	2	1	1	1			1	
Other violence or accident—166-181,183-195	26	5	2	1	1	1	1		8	3	3	6			1	1	2	1	1	
Ill-defined and unknown causes—199,200	110	19	4	6	15	8	5	6	63	18	15	11	1	1	1	1	1		1	1
All other causes*	6				1				1			1		1						
WISCONSIN—All causes	2,179	777	195	130	151	96	91	52	1,492	147	116	79	70	61	48	43	36	32	26	29
Cerebrospinal (meningococcus) meningitis—6										1				1						
Scarlet fever—8	2													1						
Whooping cough—9	31									7	6	2	4	1	3	1	2	3	1	1
Diphtheria (infection by C. diphtheriae)—10	1																			1
Erysipelas—11	2							2	2											
Tetanus—12	1																			
Tuberculosis of respiratory system, etc.*—13	7									1			1	2	1	1				
Tuberculosis of meninges, etc.*—14	1													1						
Tuberculosis (other forms)—15-22																				
Septicemia and purulent infection—24	2																			
Dysentery—27	6									1	2	1	1							
Malaria—28																				
Syphilis—30	4	1			1				2			2	7							
Influenza—33	47				1	2	2	1	6	5	7	5	7	3	2			4	3	5
Measles—35	5									1				1		1	1			
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10							1	1	7			1							
Diseases of thymus gland—64	18	1	3	2	2		1	2	11	2	2		1	1					1	
Rickets—70																				
Hemorrhagic conditions—72	5				1				1	1	2	1								
Anemias (except splenic anemia)—73	1				1				1											
Encephalitis (nonepidemic)—80	2																			
Meningitis (not due to meningococcus)—81	10						1		1	1	1	1			1	2		1	2	1
Intracranial lesions of vascular origin—83	2																			
Convulsions—86	17		3	1	1	1			6	1	3	2	1	1	1	1	1	1		
Diseases of ear and mastoid process—89	12				1			1	2	3	2		1	1	1			2		
Other diseases, nervous system—82,84,85,87,88	6																			
Diseases of circulatory system—90-103	6						1	1	3											
Pneumonia (all forms)—107-109	250	3	5	1	11	5	20	9	52	36	30	26	15	21	19	15	10	9	10	7
Other diseases of respiratory system—104-106,110-114	21						2	2	4	2	2	2		3	2				1	4
Diseases of buccal cavity, etc.*—115	4									2	2									
Diseases of stomach—117,118	3				1				1	2										
Diarrhea, enteritis, etc.*—119	130				3	6	14	10	53	18	13	17	13	11	6	6	3	1	7	2
Hernia—122a	2																			
Intestinal obstruction—122b	22					1			1	5	1	1	2	2				6	2	1
Peritonitis (cause not stated)—129	3									1								1	1	
Other diseases, digestive sys.—116																				

GENERAL TABLES—INFANT DEATHS

TABLE 16.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES AND EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1	2	3	4	5	6	7	8	9	10	11
										mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
WYOMING—All causes	223	77	18	11	20	4	2	7	139	16	10	11	5	9	2	5	6	6	6	8
Cerebrospinal (meningococcus) meningitis—6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Diphtheria (infection by C. diphtheriae)—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*—14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Tuberculosis (other forms)—15-22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection—24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery—27	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—33	7	—	—	—	2	—	—	1	5	1	—	1	1	1	—	—	—	—	—	1
Measles—35	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of thymus gland—64	3	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	1
Rickets—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions—72	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anemias (except splenic anemia)—73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (non-epidemic)—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)—81	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intracranial lesions of vascular origin—83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions—86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of ear and mastoid process—89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, nervous system—82,84,85,87,88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of circulatory system—90-103	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (all forms)—107-109	37	—	—	—	2	—	1	1	4	7	5	4	—	5	1	1	2	2	3	3
Other diseases of respiratory system—104-106,110-114	4	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	1
Diseases of buccal cavity, etc.*—115	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Diseases of stomach—117,118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*—119	12	—	—	—	—	1	—	—	1	5	1	1	1	2	1	—	—	1	1	—
Hernia—122a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Peritonitis (cause not stated)—129	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive sys.—116,121,123-128	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases, genitourinary sys.—130,131,133-139	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of skin and cellular tissue—151-153	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations—157	23	5	4	2	4	—	—	2	17	2	—	2	—	1	—	—	—	—	—	—
Congenital debility—158	4	—	1	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—
Premature birth—159	85	59	10	6	6	2	—	1	84	—	1	—	—	—	—	—	—	—	—	—
Injury at birth—160	11	6	3	—	1	—	—	—	11	—	—	—	—	—	—	—	—	—	—	—
Other diseases peculiar to first year—161	11	5	—	2	3	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—
Accidental mechanical suffocation—182	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other violence or accident—166-181,183-195	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ill-defined and unknown causes—199,200	5	2	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other causes*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA		
	Total deaths under 1 year	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	108,846	51,068	15,153	44,625	949	271	2,455	316	205	510	280	209	1,148	2,456	583	1,346
Under 1 month	66,383	33,123	7,970	25,290	599	151	1,432	127	87	164	161	121	606	1,679	359	675
White	55,193	28,581	7,185	19,417	319	103	735	114	83	98	134	102	476	1,617	345	636
All other races	11,190	4,532	785	5,875	280	48	699	13	4	68	27	19	130	62	14	59
1 to 11 months	42,465	17,945	5,183	19,335	350	120	1,025	189	118	346	119	88	542	777	224	671
White	32,648	14,691	4,373	13,584	165	65	495	180	112	153	88	55	353	732	216	611
All other races	9,815	3,254	810	5,751	185	55	530	9	6	193	31	33	189	45	8	60
Cerebrospinal (meningococcus) meningitis	6	153	68	20	85	—	—	7	—	—	—	—	2	—	—	4
Scarlet fever	8	32	6	5	21	—	—	1	1	1	—	—	1	—	—	1
Whooping cough	9	2,013	659	1,146	19	4	84	2	4	24	3	5	28	20	2	11
Diphtheria (infection by C. diphtheriae)	10	167	72	20	75	4	2	7	—	—	1	1	6	3	—	—
Erysipelas	11	107	53	15	59	—	1	1	—	—	—	—	1	2	1	1
Tetanus	12	131	35	23	73	8	—	8	—	—	—	—	1	—	—	—
Tuberculosis of respiratory system, etc. *	13	289	175	13	81	6	1	3	5	—	4	2	1	2	11	1
Tuberculosis of meninges, etc. *	14	160	90	11	59	2	—	3	1	—	3	1	1	2	5	1
Tuberculosis (other forms)	15-22	111	82	3	26	2	—	2	—	—	—	—	1	4	—	4
Septicemia and purulent infection	24	113	68	14	31	1	—	1	—	1	—	—	1	2	—	5
Dysentery	27	1,012	296	187	529	1	4	12	5	4	19	4	3	23	18	16
Malaria	28	142	10	11	121	—	—	14	—	—	—	2	2	20	—	—
Syphilis	50	1,300	597	142	561	28	—	43	10	3	10	12	3	19	25	2
Influenza	33	2,311	689	275	1,347	35	13	75	7	—	8	5	10	45	12	15
Measles	35	297	71	38	188	1	1	13	1	2	1	1	3	10	—	9
Other infectious and parasitic diseases—1-5, 7, 23, 25, 28, 29, 31, 32, 34, 36-44	226	83	23	120	—	—	6	4	—	5	1	1	7	7	—	2
Diseases of thymus gland	64	982	508	136	358	4	1	10	—	—	3	3	1	29	8	20
Ricketts	70	97	40	13	44	—	—	1	1	1	—	—	—	1	1	2
Hemorrhagic conditions	72	221	103	38	80	—	3	5	—	—	—	—	2	4	3	3
Anemias (except splenic anemia)	73	154	90	17	47	2	—	—	—	—	—	—	1	7	1	2
Encephalitis (nonepidemic)	80	93	50	8	35	—	—	1	—	—	—	—	2	3	1	1
Meningitis (not due to meningococcus)	81	511	332	66	113	11	3	8	2	—	5	2	2	3	4	6
Intracranial lesions of vascular origin	83	179	98	18	65	2	—	1	—	—	1	—	1	2	6	2
Convulsions	86	475	66	71	318	2	2	22	1	—	1	1	2	13	2	2
Diseases of ear and mastoid process	89	476	285	52	139	3	—	7	2	1	2	3	2	5	11	8
Other diseases, nervous system—82, 84, 85, 87, 88	203	106	25	72	—	2	1	7	1	—	1	—	—	3	—	1
Diseases of circulatory system—90-103	429	172	48	209	—	4	2	7	1	—	3	—	—	8	4	3
Pneumonia (all forms)—107-109	13,786	6,282	1,649	5,875	94	32	264	35	33	91	29	25	129	284	80	211
Other diseases of respiratory system—104-106, 110-114	1,194	563	119	512	8	5	30	1	—	5	6	3	14	23	5	12
Diseases of buccal cavity, etc. *—115	236	118	33	87	1	—	6	—	—	—	—	—	1	3	—	2
Diseases of stomach—117, 118	328	82	37	209	2	—	7	1	—	5	1	2	8	2	—	—
Diarrhea, enteritis, etc. *	119	9,096	3,754	1,260	4,082	79	24	154	98	54	103	33	169	193	80	270
Hernia—122a	129	82	17	30	—	—	—	5	—	—	—	—	1	6	2	1
Intestinal obstruction—122b	782	468	129	185	5	1	5	3	1	4	2	2	1	16	3	9
Peritonitis (cause not stated)	129	123	92	17	14	1	—	—	—	—	—	—	1	3	1	1
Other diseases, digestive system—116, 121, 123-128	211	99	23	89	—	1	2	—	—	1	1	—	3	5	1	3
Diseases, genito-urinary system—130, 131, 133-139	381	213	45	123	3	—	3	1	1	3	1	1	4	10	7	4
Diseases of skin and cellular tissue—151-153	352	110	28	194	1	1	9	1	—	—	2	—	7	9	—	1
Congenital malformations—157	10,390	5,802	1,248	3,340	58	9	98	16	13	23	21	10	53	297	61	101
Congenital debility—158	2,808	697	334	1,777	13	7	82	6	8	20	5	4	45	20	12	38
Premature birth—159	32,251	16,919	3,955	11,377	345	85	607	77	50	72	92	51	265	695	171	352
Injury at birth—160	10,164	5,932	1,383	2,849	92	20	124	12	11	17	22	26	51	256	62	80
Other diseases peculiar to first year—161	5,678	3,158	658	1,862	38	11	64	5	10	18	11	9	31	172	41	72
Accidental mechanical suffocation—182	1,006	386	110	512	4	2	30	4	2	2	1	—	9	25	7	21
Other violence or accident—166-181, 183-195	1,371	576	161	634	7	1	29	5	3	8	1	8	13	28	7	17
Ill-defined and unknown causes—199, 200	5,716	575	368	4,775	55	33	585	4	2	40	9	14	173	4	1	5
All other causes *	498	280	59	159	6	1	4	—	—	3	2	—	2	13	3	10

\*Refer to complete International List titles, table XI.



GENERAL TABLES—INFANT DEATHS

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	COLORADO			CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	461	220	455	735	31	76	93	46	54	669	724	324	774	1,105	401	2,276
Under 1 month	269	116	228	535	21	39	52	19	29	456	476	194	471	662	250	1,365
White	264	116	227	516	20	38	46	11	19	226	298	121	259	364	158	704
All other races	5	—	1	19	1	1	6	8	10	210	178	73	215	299	92	661
1 to 11 months	192	104	225	200	10	37	41	27	25	233	248	130	305	441	151	911
White	188	105	220	187	10	36	35	17	17	94	142	65	159	215	75	437
All other races	4	1	5	13	—	1	6	10	8	139	106	65	144	228	76	474
Cerebrospinal (meningococcus) meningitis—6	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2
Whooping cough—9	8	6	15	12	2	3	2	1	2	6	11	9	23	18	9	70
Diphtheria (infection by C. diphtheriae)—10	—	1	—	—	—	—	—	—	—	—	3	—	—	1	—	7
Erysipelas—11	1	—	—	1	—	—	—	—	—	—	1	1	1	—	—	1
Tetanus—12	—	—	—	—	—	—	—	—	—	—	5	3	1	3	—	4
Tuberculosis of respiratory system, etc.—13	3	—	1	1	—	—	—	—	—	1	2	—	1	2	—	1
Tuberculosis of meninges, etc.—14	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	2
Tuberculosis (other forms)—15-22	1	—	1	—	—	—	—	—	—	3	—	—	1	6	—	2
Septicemia and purulent infection—24	1	—	—	—	—	—	—	—	—	2	1	—	2	1	—	2
Dysentery—27	5	2	1	—	1	—	—	—	—	1	2	5	4	7	6	28
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	5
Syphilis—30	1	2	2	1	—	—	—	3	2	13	24	7	23	27	3	25
Influenza—33	8	9	15	6	—	1	1	3	2	7	23	10	18	23	10	57
Measles—35	1	1	3	1	—	2	—	—	—	—	—	3	—	1	1	11
Other infectious and parasitic diseases—1-5, 7, 23, 25, 26, 29, 31, 32, 34, 36-44	—	—	—	2	—	1	—	—	—	2	1	1	1	2	—	2
Diseases of thymus gland—64	6	2	1	12	1	2	2	—	2	1	9	2	—	7	1	10
Rickettsia—70	—	—	—	—	—	1	—	—	—	—	2	1	1	3	1	5
Hemorrhagic conditions—72	1	—	1	1	—	—	—	—	—	1	2	1	1	—	1	2
Anemias (except splenic anemia)—75	—	—	—	1	—	—	—	—	—	—	2	1	1	1	—	3
Encephalitis (non-epidemic)—80	—	—	—	2	—	—	—	1	—	—	2	—	—	1	—	2
Meningitis (not due to meningococcus)—81	5	1	1	7	—	—	—	2	—	3	6	2	1	21	2	4
Intracranial lesions of vascular origin—85	—	—	—	—	—	—	—	1	—	—	1	—	3	2	1	4
Convulsions—86	—	—	1	3	—	1	—	—	1	1	2	2	8	2	4	21
Diseases of ear and mastoid process—89	5	—	1	3	—	2	1	1	—	2	4	2	2	5	1	5
Other diseases, nervous system—82, 84, 85, 87, 88	—	—	—	5	1	—	—	—	—	1	—	—	2	2	—	4
Diseases of circulatory system—90-103	1	1	1	1	1	2	—	—	—	—	3	—	3	3	5	6
Pneumonia (all forms)—107-109	54	43	63	57	3	7	18	8	9	76	85	37	95	124	62	249
Other diseases of respiratory system—104-106, 110-114	7	2	10	6	—	2	1	2	2	7	10	2	12	10	2	25
Diseases of buccal cavity, etc.—115	—	1	2	2	—	—	—	—	—	2	—	—	—	2	—	5
Diseases of stomach—117, 118	1	—	3	—	—	—	—	—	—	—	3	—	3	4	2	6
Diarrhea, enteritis, etc.—119	40	24	61	30	1	4	6	3	5	74	45	35	70	105	33	171
Hernia—122a	—	—	—	3	—	—	—	—	—	—	1	—	2	1	—	1
Intestinal obstruction—122b	2	3	1	5	—	1	3	1	—	3	7	2	4	11	3	7
Peritonitis (cause not stated)—129	3	—	—	2	—	—	—	—	—	—	—	—	—	3	—	1
Other diseases, digestive system—116, 121, 123-126	2	1	—	1	—	—	—	—	—	—	4	2	1	5	1	4
Diseases, genito-urinary system—150, 151, 153-159	2	—	1	5	—	—	—	—	—	—	—	2	1	3	—	6
Diseases of skin and cellular tissue—151-153	—	1	—	2	—	—	—	—	—	3	—	2	3	2	—	23
Congenital malformations—157	65	24	30	105	5	12	11	2	2	48	54	30	46	72	14	89
Congenital debility—158	9	8	12	4	—	2	1	—	3	12	16	7	39	50	36	373
Premature birth—159	137	58	121	254	11	23	22	17	14	261	246	88	201	397	123	544
Injury at birth—160	48	16	59	121	4	2	10	—	3	69	76	27	49	76	39	89
Other diseases peculiar to first year—161	27	6	24	55	1	5	7	1	3	30	36	13	29	50	16	88
Accidental mechanical suffocation—162	10	2	3	5	—	—	—	—	2	20	4	1	4	10	2	17
Other violence or accident—166-161, 185-195	1	—	19	9	—	—	3	—	3	8	6	4	9	14	2	29
Ill-defined and unknown causes—199, 200	2	3	1	3	—	1	—	—	—	8	23	17	109	21	19	260
All other causes *	3	1	1	7	—	—	—	—	—	6	4	4	5	3	—	6

\*Refer to complete International List titles, table II.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	IDAHO			ILLINOIS			INDIANA			IOWA			KANSAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	61	247	200	2,995	509	970	1,342	256	704	838	541	518	492	223	451
Under 1 month	47	169	112	2,078	341	592	836	182	425	561	244	345	326	154	289
White	46	167	110	1,856	335	570	773	182	425	551	244	344	298	149	285
All other races	1	2	2	222	6	22	63	2	2	10	1	1	28	5	6
1 to 11 months	14	78	88	917	168	378	506	74	279	277	97	173	166	69	142
White	14	75	77	803	158	351	456	74	278	273	96	172	159	64	141
All other races		3	11	114	10	27	50		1	4	1	1	27	5	1
Cerebrospinal (meningococcus) meningitis	6	2		4			4	1	1	5			1		2
Scarlet fever	8					1	1					2			
Whooping cough	9	4	3	47	6	38	28	3	22	15	4	15	3		1
Diphtheria (infection by C. diphtheriae)	10			4			1								
Erysipelas	11			3						4		2		1	
Tetanus	12														
Tuberculosis of respiratory system, etc. *	13			9		1	4		2	1					
Tuberculosis of meninges, etc. *	14			4		1	5			2		1			
Tuberculosis (other forms)	15-22			9		2	1								
Septicemia and purulent infection	24	1	1	3	1		3		2	1			2		
Dysentery	27			3	1	6	7	3	4	1	4		5	2	2
Malaria	28				1										
Syphilis	50		2	22	4	5	11	4	5	5	1	1	5	2	1
Influenza	33	1	9	12	27	5	31	28	5	32	16	8	12	4	2
Measles	55	1				2	1	5			1	5		1	1
Other infectious and parasitic diseases—1-5,7,25,26,28,29,31,32,34,36-44			2	2		1	4	5		1	1	1			1
Diseases of thyroid gland	64	2	7	34	5	6	9		5	12	3	9	10	2	10
Rickets	70			4	1							1			
Hemorrhagic conditions	72			13	2	1	6	1	3	1				1	1
Anemias (except splenic anemia)	73	1		4		1	7					2	1		
Encephalitis (nonepidemic)	80		1	4	1		3	1	2	2			1		
Meningitis (not due to meningococcus)	81			18	1	1	11	1	4	4	5	2	2	3	2
Intracranial lesions of vascular origin	83		2	4			6	1			6				1
Convulsions	86			3	1	6		1	1		2		1		1
Diseases of ear and mastoid process	89	1	1	9	5	5	6		5	13	1	1			1
Other diseases, nervous system—82,84,85,87,88		1	1	7		5	3		2	1	1	1			1
Diseases of circulatory system—80-103			2	16	2	9	6	2	8	2		4	1		5
Pneumonia (all forms)—107-109	8	34	35	356	57	117	204	27	115	94	39	46	58	17	61
Other diseases of respiratory system—104-106,110-114		4	2	51	7	21	5	1	3	10	4	6	5	3	6
Diseases of buccal cavity, etc. *	115			11		1	3	2	5	5		2	1		
Diseases of stomach—117,118			1	2	5	6		2	5			2	2		1
Diarrhea, enteritis, etc. *	119	2	14	11	88	36	77	102	12	54	32	3	21	50	17
Hernia—122a				2		1	1			1					
Intestinal obstruction—122b	1	1	1	32	8	5	18	3	3	15	2	3	7		3
Peritonitis (cause not stated)—129				5	1		1			1		1	1		
Other diseases, digestive system—116,121,123-128			1	5	2	2	3		1	1			1	1	2
Diseases, genito-urinary system—150,151,133-139		1		17	2	4	10		1	4		1	4	4	4
Diseases of skin and cellular tissue—151-153			1	11		2	4		1	1	2	1	2		1
Congenital malformations—157	7	22	18	445	71	155	158	32	102	156	44	87	64	27	54
Congenital debility—158	1	2	4	15	9	21	16	1	18	9	2	6	15	4	9
Premature birth—159	21	84	55	952	149	269	440	93	165	268	133	158	179	78	141
Injury at birth—160	9	56	19	469	72	75	96	34	48	106	42	59	56	32	39
Other diseases peculiar to first year—161	5	9	15	221	32	60	90	16	58	44	21	34	18	21	55
Accidental mechanical suffocation—162		4	2	11	4	5	9	2	18	8	4	6	4		1
Other violence or accident—166-161,185-195	1	3	4	24	10	17	17	5	8	8	6	10	7	5	2
Ill-defined and unknown causes—199,200	1	6	4	5	7	11	5		3	4	2	7	4	1	15
All other causes *		1	1	22	5	6	8	1	1	5	3	3	2	1	4

\*Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1936 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	KENTUCKY			LOUISIANA			MAINE			MARYLAND			MASSACHUSETTS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	657	316	2,234	1,271	290	1,516	263	106	416	829	97	496	2,140	115	105
Under 1 month	595	166	1,327	850	134	774	183	66	247	477	47	254	1,482	87	43
White	351	136	1,260	411	80	321	182	66	244	352	38	166	1,458	86	41
All other races	44	30	67	419	54	453	1	—	3	125	9	88	24	1	2
1 to 11 months	242	150	907	441	156	742	80	40	169	352	50	242	658	28	60
White	203	122	837	193	87	271	80	40	169	202	55	109	645	27	58
All other races	39	28	70	248	69	471	—	—	—	150	15	133	13	1	2
Cerebrospinal (meningococcus) meningitis	6	3	4	7	—	—	—	—	1	1	—	—	6	—	—
Scarlet fever	9	1	1	—	—	—	—	—	—	—	—	—	1	—	—
Whooping cough	8	2	32	18	12	50	2	3	25	8	—	8	24	2	5
Diphtheria (infection by C. diphtheriae)	10	2	1	9	4	—	2	—	2	—	—	—	—	—	—
Erysipelas	11	—	—	—	—	—	—	—	1	1	—	—	2	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc. *	15	2	8	3	—	1	1	—	—	12	—	2	7	—	—
Tuberculosis of meninges, etc. *	14	2	7	3	—	—	2	1	—	—	—	—	2	—	—
Tuberculosis (other forms)	15-22	1	—	1	—	—	—	—	—	—	—	—	1	—	—
Septicemia and purulent infection	24	1	1	2	1	—	—	—	1	1	—	—	7	—	—
Dysentery	27	17	12	59	4	2	11	—	—	14	1	7	2	—	—
Malaria	28	—	—	2	1	2	10	—	—	—	—	—	—	—	—
Syphilis	30	6	5	25	33	8	65	4	1	1	2	9	7	—	—
Influenza	33	17	6	63	24	15	86	4	1	12	16	4	11	20	2
Measles	35	—	3	5	4	14	1	—	2	3	—	3	5	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	1	11	2	—	5	—	—	2	2	—	2	3	—	—
Diseases of thymus gland	64	1	2	3	15	5	15	3	2	6	5	4	11	2	1
Rickets	70	—	—	1	1	1	5	—	—	—	—	—	1	—	—
Hemorrhagic conditions	72	2	1	7	4	1	—	—	1	—	—	2	5	1	1
Anemias (except splenic anemia)	73	1	1	—	3	1	—	—	1	3	—	—	2	—	1
Encephalitis (non-epidemic)	80	1	1	1	1	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)	81	4	2	11	4	2	2	—	7	—	—	—	17	1	—
Intracranial lesions of vascular origin	83	2	—	6	4	—	1	—	1	2	—	—	6	—	—
Convulsions	86	6	1	12	—	1	7	1	2	1	—	1	3	1	1
Diseases of ear and mastoid process	89	3	—	4	11	—	6	2	—	7	1	1	16	—	—
Other diseases, nervous system—82,84,85,87,88	1	1	3	1	—	2	1	—	—	—	—	1	3	—	1
Diseases of circulatory system—90-103	5	2	13	3	2	6	—	—	3	2	—	4	7	—	2
Pneumonia (all forms)—107-109	51	40	256	221	53	278	24	15	48	118	12	82	304	9	17
Other diseases of respiratory system—104-106,110-114	2	2	8	6	2	22	4	—	8	8	1	9	27	—	5
Diseases of buccal cavity, etc. *—115	1	—	—	3	1	3	—	—	1	3	—	3	1	—	—
Diseases of stomach—117,118	3	1	17	2	—	6	2	—	4	1	—	3	3	1	—
Diarrhea, enteritis, etc. *—119	76	50	246	71	28	151	10	3	26	77	14	66	73	3	6
Hernia—122a	2	—	—	4	—	—	—	—	1	1	—	—	1	—	—
Intestinal obstruction—122b	4	5	12	18	4	3	2	—	1	5	—	—	11	—	—
Peritonitis (cause not stated)—129	1	—	—	3	—	1	—	—	—	—	—	—	6	—	1
Other diseases, digestive system—116,121,123-128	1	1	4	1	—	—	1	—	—	2	—	—	2	—	—
Diseases, genito-urinary system—130,131,133-139	1	—	8	10	—	7	—	—	1	2	1	1	7	1	1
Diseases of skin and cellular tissue—151-153	1	—	31	3	—	7	—	—	1	1	—	—	1	—	—
Congenital malformations—157	60	19	151	59	19	67	31	12	48	99	11	37	340	21	22
Congenital debility—158	12	12	82	27	13	42	7	5	16	7	4	20	14	2	—
Premature birth—159	224	95	716	481	54	286	110	41	139	262	23	127	677	35	21
Injury at birth—160	57	16	134	96	27	111	17	10	31	84	11	53	278	19	7
Other diseases peculiar to first year—161	39	16	96	80	13	68	15	4	18	44	4	27	177	11	5
Accidental mechanical suffocation—182	3	1	38	2	—	14	5	—	5	3	—	7	17	2	4
Other violence or accident—166-181,183-195	6	5	35	15	4	26	3	2	4	14	—	12	20	2	3
Ill-defined and unknown causes—199,200	4	6	100	18	16	112	6	—	6	—	—	1	8	—	—
All other causes *	3	—	5	5	1	6	3	—	1	3	—	2	11	—	—

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	2,650	425	880	788	313	699	454	194	2,259	1,127	339	1,189	154	84	298
Under 1 month	1,799	278	520	565	236	455	276	112	1,248	720	196	725	106	57	154
White	1,678	277	510	559	235	443	197	69	492	604	184	688	106	56	151
All other races	121	1	10	6	1	12	89	43	756	116	57	57	—	1	25
1 to 11 months	851	147	360	221	77	244	178	82	1,011	407	143	464	48	27	142
White	782	144	345	220	76	214	89	45	275	309	122	417	47	26	84
All other races	69	3	15	1	1	30	89	39	736	98	21	47	1	1	58
Cerebrospinal (meningococcus) meningitis—6	5	1	—	—	—	—	—	—	2	1	—	—	—	—	2
Scarlet fever—8	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Whooping cough—9	21	5	25	6	2	10	6	5	90	21	4	15	2	—	5
Diphtheria (infection by C. diphtheriae)—10	1	—	—	—	—	—	—	—	5	2	—	2	—	—	—
Erysipelas—11	2	—	—	3	—	1	1	2	1	2	1	2	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—
Tuberculosis of respiratory system, etc. *—13	5	—	2	3	—	1	—	—	1	8	—	1	—	—	2
Tuberculosis of meninges, etc. *—14	—	—	2	1	—	—	—	—	1	2	—	1	—	—	1
Tuberculosis (other forms)—15-22	10	—	—	—	—	2	—	—	1	—	—	5	—	—	1
Septicemia and purulent infection—24	3	—	—	1	1	—	—	—	1	1	—	1	2	—	3
Dysentery—27	6	4	2	—	—	—	5	—	22	8	7	23	—	—	3
Malaria—28	—	—	—	—	—	—	1	3	—	—	1	8	—	—	—
Syphilis—30	16	3	5	6	2	3	15	6	55	22	7	7	2	—	5
Influenza—33	18	11	25	7	2	16	13	5	119	21	4	22	5	1	12
Measles—35	5	1	5	2	—	9	2	2	17	1	—	2	2	—	2
Other infectious and parasitic diseases—1-5,7,25,26,29,31,32,34,36-44	4	—	1	—	—	1	—	—	4	3	3	5	1	—	1
Diseases of thymus gland—64	45	16	23	2	1	7	4	—	4	12	2	13	3	—	3
Ricketts—70	1	—	—	—	—	1	—	—	1	1	—	2	—	—	1
Hemorrhagic conditions—72	2	4	—	1	2	1	—	—	6	2	—	1	—	—	1
Anemias (except splenic anemia)—73	5	—	2	—	—	—	2	1	2	5	1	1	—	—	—
Encephalitis (nonepidemic)—80	2	—	—	2	—	1	1	—	3	2	—	2	—	—	1
Meningitis (not due to meningococcus)—81	11	—	1	8	1	2	5	—	3	7	3	1	1	—	1
Intracranial lesions of vascular origin—83	3	2	—	2	2	3	—	—	3	1	1	1	—	—	1
Convulsions—86	6	2	6	1	1	7	2	1	18	1	2	11	—	—	2
Diseases of ear and mastoid process—89	19	1	6	4	1	4	3	—	2	4	5	5	1	—	1
Other diseases, nervous system—82,84,85,87,88	4	2	—	1	3	1	—	—	1	2	—	1	—	—	2
Diseases of circulatory system—90-103	12	1	6	3	—	5	2	1	2	4	—	4	—	—	2
Pneumonia (all forms)—107-109	843	49	126	72	29	97	50	28	244	148	46	168	15	11	50
Other diseases of respiratory system—104-106,110-114	38	4	11	6	5	11	4	—	23	11	2	12	—	—	2
Diseases of buccal cavity, etc. *—115	5	—	2	1	2	2	4	2	1	3	—	1	3	—	2
Diseases of stomach—117,118	4	1	3	—	—	5	—	—	5	1	—	4	—	—	1
Diarrhea, enteritis, etc. *—119	160	22	52	20	15	35	19	15	141	68	32	133	8	4	15
Hernia—122a	3	1	—	4	2	2	—	—	1	3	2	1	—	—	—
Intestinal obstruction—122b	27	8	4	12	4	1	7	4	8	11	5	8	1	—	—
Peritonitis (cause not stated)—129	5	—	—	2	—	—	—	—	1	4	1	—	—	—	—
Other diseases, digestive system—116,121,123-128	7	—	—	3	—	2	4	—	3	1	1	4	—	—	1
Diseases, genito-urinary system—130,131,133-139	9	2	2	1	—	—	3	—	4	6	1	4	—	—	—
Diseases of skin and cellular tissue—151-153	3	—	2	1	—	3	—	—	1	5	6	1	6	—	—
Congenital malformations—157	353	72	111	111	34	84	23	10	63	141	34	111	17	11	32
Congenital debility—158	40	10	21	4	2	15	10	1	44	9	7	42	1	—	7
Premature birth—159	943	128	262	300	124	216	112	44	409	369	89	350	53	30	81
Injury at birth—160	274	43	60	116	56	87	54	25	113	110	44	77	21	14	21
Other diseases peculiar to first year—161	171	15	59	50	11	45	25	5	63	63	20	53	10	2	13
Accidental mechanical suffocation—162	21	6	23	7	—	5	4	1	21	9	1	11	—	—	3
Other violence or accident—166-181,183-195	21	4	21	11	4	6	7	2	28	20	4	12	—	—	4
Ill-defined and unknown causes—199,200	4	2	9	1	6	5	60	25	684	1	6	58	2	—	16
All other causes *—	15	2	2	11	—	2	—	—	11	12	2	1	4	—	1

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	334	126	356	8	19	60	193	38	132	1,760	179	245	194	281	1,074
Under 1 month	246	80	242	1	13	33	131	29	82	1,162	115	138	60	139	468
White	238	80	238	1	12	30	131	29	81	1,012	98	123	76	139	417
All other races	8		4		1	3			1	150	17	15	4		51
1 to 11 months	88	46	114	7	6	27	62	9	50	598	64	107	114	142	606
White	85	46	109	6	6	15	62	9	50	503	54	93	105	142	542
All other races	3		5	1		12				95	10	14	9		64
Cerebrospinal (meningococcus) meningitis	6								1	2	1	1			1
Scarlet fever	1		1												
Whooping cough	6	4				1	3		3	20	2	9	1	11	12
Diphtheria (infection by C. diphtheriae)	10	1								1				2	
Erysipelas	11								1	3		1			
Tetanus	12											1			1
Tuberculosis of respiratory system, etc. *	13		1							2		1	2	1	2
Tuberculosis of meninges, etc. *	14									3				1	2
Tuberculosis (other forms)	15-22	2								3					
Septicemia and purulent infection	24	1					1		1	2			1		1
Dysentery	27									5		1	15	9	17
Malaria	28														
Syphilis	30	2	1	2				2	1	15	1	3	1	5	13
Influenza	33	2	1	9		1	2	2	2	14	5	3	7	3	15
Measles	35		1			1			2				1	1	
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44			1							1	1			3	3
Diseases of thymus gland	64	4	2	6		1	3			19	3	2	4		3
Rickets	70		1				1			1			1	1	
Hemorrhagic conditions	72	1							1	4			1		
Anemias (except splenic anemia)	73	1		2			1			3	1				
Encephalitis (non-epidemic)	80	1					1								3
Meningitis (not due to meningococcus)	81	2	1					1	1	8		2		1	2
Intracranial lesions of vascular origin	83	2		1						5					
Convulsions	86	1		1	1		1		2	3	2	2			3
Diseases of ear and mastoid process	89	1		1					2	7			1	1	2
Other diseases, nervous system—82,84,85,87,88		1								10	1				
Diseases of circulatory system—90-103			1	3	1					5	3		2	1	2
Pneumonia (all forms)—107-109		30	18	49	4		9	18	2	239	23	59	25	51	111
Other diseases of respiratory system—104-106,110-114		3	1	4		1	3		2	25	2	3			2
Diseases of buccal cavity, etc. *	115					1				2				2	
Diseases of stomach—117,118		1		2						1	2	1		1	1
Diarrhea, enteritis, etc. *	119	7	10	13	1	2	3	7	1	81	8	11	34	35	110
Hernia—122a										1					
Intestinal obstruction—122b		4	1	3					1	11	1				4
Peritonitis (cause not stated)	129			1					1	5				2	1
Other diseases, digestive system—116,121,123-128		1								2		1			
Diseases, genito-urinary system—130,131,133-139		1		1						5					1
Diseases of skin and cellular tissue—151-153										3					1
Congenital malformations—157		60	15	44		4	4	55	4	207	31	30	14	11	20
Congenital debility—158		8	5	10		2	2	3	1	4	4	5	1	13	25
Premature birth—159		111	59	122	1	7	20	67	17	37	623	54	75	64	130
Injury at birth—160		56	16	40		1	5	25	6	16	208	16	25	12	25
Other diseases peculiar to first year—161		15	7	20		1	3	11	3	4	119	8	11	6	19
Accidental mechanical suffocation—182		1	1	5				8		5	25	5	9	3	2
Other violence or accident—166-181,183-195		3		5			4	4		1	35	5	8	1	6
Ill-defined and unknown causes—199,200		2	1	5			3			6		1	15	56	537
All other causes *		4		1				1		7		2		2	1

\*Refer to complete International List titles, table XI.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	NEW YORK			NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	6,078	487	805	1,263	456	2,984	156	101	388	3,102	405	1,184	693	476	993
Under 1 month	4,118	326	467	750	256	1,597	113	59	252	2,058	282	702	421	320	610
White	3,784	317	445	493	193	973	113	59	254	1,852	255	688	376	270	525
All other races	334	9	22	257	63	624	—	—	18	206	7	14	45	50	85
1 to 11 months	1,960	161	338	513	180	1,387	43	42	136	1,044	143	482	272	156	383
White	1,755	149	318	296	91	693	43	42	112	916	132	467	220	127	302
All other races	204	12	20	217	89	694	—	—	24	128	11	15	52	29	81
Cerebrospinal (meningococcus) meningitis	6	—	2	—	1	2	—	—	—	1	—	—	—	—	1
Scarlet fever	8	—	2	—	—	—	—	—	1	1	—	—	1	1	—
Whooping cough	65	8	19	25	9	120	4	1	5	24	6	20	2	8	12
Diphtheria (infection by C. diphtheriae)	4	—	—	7	3	8	—	—	—	3	—	—	3	3	1
Erysipelas	10	—	1	—	—	2	—	—	—	2	—	2	1	1	1
Tetanus	12	—	—	1	—	2	—	—	—	1	—	—	1	1	2
Tuberculosis of respiratory system, etc. *	17	1	2	4	—	6	—	—	1	9	—	3	2	3	3
Tuberculosis of meninges, etc. *	8	—	—	1	1	2	—	—	—	8	—	3	1	—	1
Tuberculosis (other forms)	10	—	—	4	—	1	—	—	—	3	1	1	—	—	—
Septicemia and purulent infection	24	5	1	3	—	3	1	—	—	2	—	2	—	—	1
Dysentery	27	8	1	14	3	23	—	—	2	6	2	3	20	6	19
Malaria	28	—	—	—	—	1	—	—	—	—	—	—	—	—	2
Syphilis	30	45	4	6	20	3	43	—	1	20	5	7	5	6	12
Influenza	33	38	7	10	16	10	59	1	6	10	50	9	54	15	23
Measles	35	7	—	4	1	1	14	1	2	5	—	1	6	1	16
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	—	1	2	—	—	1	—	2	3	—	4	4	3	3
Diseases of thymus gland	64	50	7	22	4	15	1	—	3	49	9	14	5	3	5
Rickets	70	2	—	1	4	1	4	—	—	1	—	—	—	—	1
Hemorrhagic conditions	72	5	3	2	4	1	9	—	—	10	3	1	—	1	1
Anemias (except splenic anemia)	73	9	1	6	5	—	2	2	1	6	—	3	—	1	1
Encephalitis (nonepidemic)	80	2	—	—	2	—	1	—	—	4	—	1	1	—	1
Meningitis (not due to meningococcus)	81	36	2	4	10	7	5	1	2	18	1	1	2	1	2
Intracranial lesions of vascular origin	83	13	—	3	1	3	—	—	—	4	2	—	2	—	—
Convulsions	86	11	2	6	1	17	—	2	11	4	3	4	3	6	5
Diseases of ear and mastoid process	89	46	1	1	3	6	11	1	—	15	5	3	2	1	4
Other diseases, nervous system—82,84,85,87,88	15	4	2	1	—	6	1	—	1	7	1	1	1	—	1
Diseases of circulatory system—90-103	24	1	4	7	1	14	—	—	1	5	—	3	1	3	10
Pneumonia (all forms)—107-109	770	52	97	145	47	406	19	12	55	364	56	173	86	60	142
Other diseases of respiratory system—104-106,110-114	77	2	20	13	3	41	2	—	5	35	2	12	9	3	6
Diseases of buccal cavity, etc. *—115	16	5	—	1	3	7	—	—	4	6	3	6	4	1	2
Diseases of stomach—117,118	7	4	2	2	1	8	—	—	2	6	1	2	2	1	6
Diarrhea, enteritis, etc. *—119	469	30	58	128	58	336	4	9	22	195	26	92	55	33	74
Hernia—122a	9	—	—	1	3	1	—	—	—	6	—	1	1	—	—
Intestinal obstruction—122b	40	2	1	10	4	9	—	2	1	29	5	3	11	5	9
Peritonitis (cause not stated)—129	15	2	—	2	1	—	—	—	—	5	1	1	—	—	—
Other diseases, digestive system—116,121,123-128	10	1	2	3	—	4	—	—	—	4	—	1	2	—	—
Diseases, genito-urinary system—130,131,133-139	29	1	2	4	3	10	—	—	2	10	1	5	6	1	3
Diseases of skin and cellular tissue—151-153	10	4	—	2	2	24	—	—	3	4	1	1	2	1	7
Congenital malformations—157	761	65	154	89	19	157	19	9	38	403	51	146	57	42	80
Congenital debility—158	40	8	18	20	5	124	2	3	14	41	11	47	17	11	39
Premature birth—159	1,931	150	225	447	146	785	52	34	107	1,051	105	309	238	159	271
Injury at birth—160	892	71	76	125	40	131	27	10	56	355	53	121	71	46	66
Other diseases peculiar to first year—161	411	38	46	64	24	85	9	4	25	199	26	69	27	25	41
Accidental mechanical suffocation—182	38	6	15	11	5	50	2	—	—	18	6	23	4	5	14
Other violence or accident—166-181,183-195	67	3	22	9	5	45	2	2	5	41	7	19	6	6	18
Ill-defined and unknown causes—199,200	16	—	2	41	18	379	—	—	—	19	46	2	13	19	80
All other causes *	32	2	7	6	1	9	1	1	2	19	1	6	3	3	2

\*Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	282	154	157	4,465	931	1,947	388	4	20	593	282	1,959	116	66	299
Under 1 month	191	101	91	2,946	610	1,133	272	2	10	341	172	1,110	73	47	186
White	187	99	83	2,628	592	1,110	265	2	9	188	125	416	73	46	161
All other races	4	2	8	318	18	23	7	—	1	153	47	694	—	1	25
1 to 11 months	91	53	66	1,519	321	814	116	2	10	252	110	849	43	19	113
White	83	50	59	1,306	300	790	111	2	9	113	55	236	42	19	65
All other races	8	3	7	213	21	24	5	—	1	139	55	613	1	—	48
Cerebrospinal (meningococcus) meningitis	—	—	—	7	1	5	—	—	—	2	1	2	—	—	1
Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	—	3	4	44	11	39	6	—	—	14	10	65	1	—	2
Diphtheria (infection by C. diphtheriae)	—	—	—	1	—	2	—	—	—	3	—	5	—	—	—
Erysipelas	—	—	—	4	1	2	—	—	—	1	—	2	—	—	—
Tetanus	—	—	—	1	1	—	—	—	—	1	1	2	—	—	—
Tuberculosis of respiratory system, etc. *	1	1	—	19	3	1	1	—	—	—	—	2	—	—	3
Tuberculosis of meninges, etc. *	2	—	—	8	—	1	—	—	—	—	—	1	—	—	1
Tuberculosis (other forms)	—	—	—	3	—	—	—	—	—	2	—	—	1	—	1
Septicemia and purulent infection	3	—	—	4	1	1	1	—	—	—	—	—	—	—	—
Dysentery	1	1	3	5	1	6	—	—	—	6	2	16	—	—	—
Malaria	—	—	—	—	—	—	—	—	—	1	1	15	—	—	—
Syphilis	30	—	—	42	5	15	1	—	—	23	2	28	—	—	4
Influenza	3	—	3	59	16	78	2	—	—	17	5	78	4	1	5
Measles	—	5	—	3	—	3	—	1	—	—	—	1	2	—	7
Other infectious and parasitic diseases—1-5,7,25,26,29,31,32,34,36-44	—	—	1	8	2	5	—	—	—	1	—	10	—	—	4
Diseases of thymus gland	3	8	5	65	21	33	1	—	—	—	—	5	2	—	4
Ricketts	—	—	1	6	—	2	—	—	—	1	—	3	—	—	—
Hemorrhagic conditions	—	1	2	18	5	5	—	—	—	3	—	2	—	—	—
Anemias (except splenic anemia)	—	—	—	9	1	1	—	—	—	1	1	1	—	—	—
Encephalitis (nonepidemic)	1	—	—	1	1	1	—	—	—	1	—	—	—	—	—
Meningitis (not due to meningococcus)	2	2	—	24	5	6	2	—	—	5	1	7	—	—	1
Intracranial lesions of vascular origin	—	—	—	10	—	3	—	—	—	1	—	2	—	—	1
Convulsions	—	1	—	10	1	15	1	—	—	1	1	11	—	1	3
Diseases of ear and mastoid process	5	—	1	20	3	7	2	—	—	3	—	2	—	—	—
Other diseases, nervous system—82,84,85,87,88	1	1	—	18	2	4	—	—	—	2	—	5	—	—	1
Diseases of circulatory system—90-103	1	—	—	20	4	20	—	—	—	2	2	4	—	—	1
Pneumonia (all forms)—107-109	32	14	29	603	125	337	47	—	1	70	54	212	15	12	42
Other diseases of respiratory system—104-106,110-114	6	1	2	59	16	32	2	—	—	5	5	24	1	—	4
Diseases of buccal cavity, etc. *—115	—	1	—	10	5	4	—	—	—	3	1	—	—	—	—
Diseases of stomach—117,118	—	—	—	3	1	5	—	—	—	1	—	9	—	—	1
Diarrhea, enteritis, etc. *—119	10	6	7	210	49	126	25	—	1	69	28	144	4	2	22
Hernia—122a	—	—	—	14	—	—	—	—	—	2	—	1	—	—	—
Intestinal obstruction—122b	1	2	2	49	10	8	2	—	—	8	2	6	3	—	5
Peritonitis (cause not stated)—129	—	—	—	11	3	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	—	1	—	8	4	4	—	—	—	—	—	4	—	—	1
Diseases, genito-urinary system—130,131,133-139	1	1	1	18	1	3	—	—	—	2	1	4	—	1	—
Diseases of skin and cellular tissue—151-153	1	—	—	4	3	2	1	—	1	—	—	6	1	—	1
Congenital malformations—157	41	11	21	525	123	246	67	1	8	34	10	72	12	7	28
Congenital debility—158	1	3	1	59	11	40	7	—	—	18	5	55	3	1	5
Premature birth—159	94	54	42	1,489	305	547	121	2	3	183	99	413	42	29	81
Injury at birth—160	40	14	13	595	125	185	63	—	2	34	21	63	10	7	32
Other diseases peculiar to first year—161	21	12	7	281	41	96	18	—	—	31	20	60	10	4	25
Accidental mechanical suffocation—182	2	2	3	32	8	15	5	—	—	1	3	3	1	—	1
Other violence or accident—166-161,183-195	7	6	1	44	6	23	4	—	—	2	7	4	18	2	1
Ill-defined and unknown causes—199,200	2	4	7	15	5	10	4	—	—	29	22	575	—	—	15
All other causes *	1	1	—	26	4	9	4	—	—	3	—	4	1	—	1

\*Refer to complete International List titles, table II.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	TENNESSEE			TEXAS			UTAH			VERMONT			VIRGINIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	1,058	291	1,525	3,340	1,308	3,462	213	128	173	68	105	118	818	284	2,119
Under 1 month	632	173	864	1,727	596	1,760	157	99	114	48	69	72	525	186	1,238
White	436	152	753	1,455	529	1,450	156	99	113	48	69	72	336	145	798
All other races	196	21	111	272	68	310	1	1	1	1	1	1	189	38	445
1 to 11 months	426	118	661	1,613	712	1,702	56	29	59	20	36	46	293	101	881
White	282	92	530	1,431	648	1,454	56	29	49	20	36	46	134	81	469
All other races	144	26	131	182	64	268	1	1	10	1	1	1	159	20	412
Cerebrospinal (meningococcus) meningitis	6	—	1	5	2	5	1	—	1	—	—	2	3	—	4
Scarlet fever	8	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	25	7	33	40	31	90	2	1	3	—	3	10	20	5	80
Diphtheria (infection by C. diphtheriae)	1	2	4	12	1	10	—	—	—	—	—	—	3	1	4
Erysipelas	3	1	2	4	2	4	—	—	—	—	—	—	1	—	1
Tetanus	12	—	1	8	11	26	—	—	—	—	—	—	—	1	1
Tuberculosis of respiratory system, etc. *	7	—	3	17	1	6	—	—	—	—	—	—	1	—	3
Tuberculosis of meninges, etc. *	9	—	6	7	4	3	—	—	1	—	—	—	2	1	4
Tuberculosis (other forms)	2	—	1	8	—	1	—	—	—	—	—	—	1	—	1
Septicemia and purulent infection	2	—	—	6	1	1	—	—	1	—	—	—	—	1	3
Dysentery	27	22	3	14	50	67	114	1	1	—	—	—	8	4	32
Malaria	28	—	—	3	5	1	16	—	—	—	—	—	—	—	—
Syphilis	30	26	5	15	66	22	33	—	—	—	1	1	20	8	27
Influenza	33	17	7	62	68	32	102	1	1	5	—	2	3	4	61
Measles	35	2	—	4	4	5	10	1	—	—	—	—	—	—	6
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	3	—	3	4	2	7	—	—	—	—	—	3	—	6
Diseases of thymus gland	64	4	2	5	24	4	18	2	1	3	—	2	3	1	9
Rickets	70	1	1	2	6	1	3	1	—	—	—	—	1	—	3
Hemorrhagic conditions	72	1	—	—	5	—	7	—	1	—	—	—	1	—	4
Anemias (except splenic anemia)	75	1	—	2	1	8	—	—	—	—	2	—	3	—	4
Encephalitis (nonepidemic)	80	—	2	7	1	3	—	—	—	—	—	—	—	—	5
Meningitis (not due to meningococcus)	81	8	—	4	30	6	6	3	1	1	—	1	5	—	6
Intracranial lesions of vascular origin	83	4	—	2	4	—	3	1	1	1	—	1	3	—	4
Convulsions	85	—	2	6	11	11	41	—	—	—	—	—	1	—	25
Diseases of ear and mastoid process	89	5	1	4	23	3	12	2	1	1	—	1	3	2	7
Other diseases, nervous system	92,84,85,87,88	2	1	2	3	2	8	2	—	—	—	—	—	—	2
Diseases of circulatory system	90-103	2	2	5	14	7	17	1	1	1	—	—	4	1	6
Pneumonia (all forms)	107-109	113	26	185	417	162	459	19	13	26	5	12	13	97	21
Other diseases of respiratory system	104-106,110-114	10	1	9	29	9	25	1	1	—	3	—	7	3	28
Diseases of buccal cavity, etc. *	115	5	1	4	5	1	12	2	—	2	—	—	2	1	40
Diseases of stomach	117,118	2	—	3	20	9	53	—	—	—	—	—	—	—	1
Diarrhea, enteritis, etc. *	119	76	32	145	620	279	551	6	1	6	7	6	6	75	13
Hernia	122a	4	—	2	6	5	2	—	—	—	—	—	—	2	2
Intestinal obstruction	122b	7	2	6	38	12	27	1	3	—	1	—	8	2	8
Peritonitis (cause not stated)	129	1	1	—	6	2	1	—	—	—	—	—	—	—	—
Other diseases, digestive system	116,121,123-128	3	—	2	7	3	27	—	—	—	—	—	—	1	2
Diseases, genito-urinary system	150,151,153-159	9	—	4	12	5	17	3	—	—	—	—	7	3	3
Diseases of skin and cellular tissue	151-153	6	—	1	11	4	10	—	—	1	—	—	2	1	11
Congenital malformations	157	62	19	85	200	61	203	30	20	13	10	23	19	70	17
Congenital debility	158	22	7	41	76	57	190	2	2	3	—	2	1	14	6
Premature birth	159	329	89	337	913	288	727	85	47	65	26	27	33	270	105
Injury at birth	160	133	27	92	234	84	196	35	18	18	12	10	102	37	141
Other diseases peculiar to first year	161	43	9	46	197	46	101	7	10	11	2	4	8	47	11
Accidental mechanical suffocation	182	4	2	9	12	7	20	1	1	4	1	—	1	7	3
Other violence or accident	166-181,185-195	11	1	11	45	11	58	4	1	2	2	3	3	5	6
Ill-defined and unknown causes	189,200	70	34	354	48	40	252	2	1	4	2	1	12	5	184
All other causes *	4	5	7	10	7	17	1	—	1	—	1	—	1	2	7

\*Refer to complete International List titles, table XI.



# GENERAL TABLES—INFANT DEATHS

465

TABLE 17.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY POPULATION GROUPS, AND FOR ALL CAUSES BY RACE: UNITED STATES AND EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH, AND RACE	WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	598	127	251	481	348	1,443	994	385	800	48	47	128
Under 1 month	447	86	145	268	158	853	706	254	532	33	34	72
White	437	81	134	260	144	779	704	254	509	32	34	68
All other races	10	5	11	8	14	74	2	2	23	1	—	4
1 to 11 months	151	41	106	213	190	590	288	131	268	15	13	56
White	142	37	88	200	176	546	285	131	244	15	12	41
All other races	9	4	18	13	14	44	3	2	24	—	1	15
Cerebrospinal (meningococcus) meningitis	6	1	1	1	3	3	—	—	—	—	—	—
Scarlet fever	8	—	—	—	1	—	—	—	2	—	—	—
Whooping cough	9	1	1	5	5	11	13	8	10	—	1	—
Diphtheria (infection by C. diphtheriae)	10	1	—	4	—	2	—	1	—	—	—	—
Erysipelas	11	1	1	—	—	—	—	—	2	—	1	—
Tetanus	12	—	—	—	—	—	—	—	1	—	—	—
Tuberculosis of respiratory system, etc. *	13	2	1	—	1	1	3	—	4	—	—	1
Tuberculosis of meninges, etc. *	14	1	1	3	—	2	1	—	—	—	—	1
Tuberculosis (other forms)	15-22	—	1	2	1	—	—	—	—	—	—	—
Septicemia and purulent infection	24	1	—	2	1	1	1	1	—	—	—	—
Dysentery	27	2	3	9	14	7	13	3	3	1	—	1
Malaria	28	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	2	—	1	4	2	24	2	1	1	—	1
Influenza	33	1	4	2	9	8	34	13	9	25	—	7
Measles	35	—	—	2	1	1	—	1	4	—	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	—	1	1	2	5	4	—	6	—	—	1
Diseases of thymus gland	54	12	1	4	4	1	10	10	4	4	—	3
Rickets	70	—	—	—	—	—	1	—	—	—	—	—
Hemorrhagic conditions	72	—	1	1	—	4	2	2	1	—	—	1
Anemias (except splenic anemia)	73	—	—	—	1	—	1	—	—	—	—	—
Encephalitis (non-epidemic)	80	1	—	1	—	1	—	1	1	—	—	—
Meningitis (not due to meningococcus)	81	5	2	—	3	1	3	4	4	2	—	—
Intracranial lesions of vascular origin	83	3	—	—	3	1	3	1	1	—	—	—
Convulsions	86	—	1	2	—	4	12	2	6	9	—	—
Diseases of ear and mastoid process	89	2	2	1	3	1	3	5	2	5	—	—
Other diseases, nervous system—82,84,85,87,88	1	1	3	1	—	3	2	1	3	—	—	—
Diseases of circulatory system—90-105	4	1	2	—	—	10	1	2	3	—	—	—
Pneumonia (all forms)—107-109	66	18	40	57	53	211	94	46	110	7	2	28
Other diseases of respiratory system—104-106,110-114	7	—	2	3	5	12	11	3	7	1	1	2
Diseases of buccal cavity, etc. *—115	—	—	—	—	—	2	2	2	—	1	—	1
Diseases of stomach—117,118	—	—	—	3	1	3	—	2	1	—	—	—
Diarrhea, enteritis, etc. *—119	15	9	5	56	53	149	61	16	53	2	1	9
Hernia—122a	1	—	—	—	2	2	—	2	—	—	—	—
Intestinal obstruction—122b	3	1	1	5	4	6	11	6	5	—	1	—
Peritonitis (cause not stated)—129	1	—	—	1	1	2	3	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	2	—	3	3	1	—	3	—	—	—	—	—
Diseases, genito-urinary system—130,131,133-139	1	—	1	3	2	3	3	2	3	—	—	—
Diseases of skin and cellular tissue—151-153	1	—	—	—	2	19	1	1	2	—	—	—
Congenital malformations—157	95	22	24	46	34	131	165	34	92	10	8	5
Congenital debility—158	8	8	6	11	13	51	5	5	8	—	—	4
Premature birth—159	188	35	79	148	90	421	352	139	281	18	17	50
Injury at birth—160	87	14	20	44	19	85	125	42	85	4	5	2
Other diseases peculiar to first year—161	62	5	13	26	10	62	68	31	38	1	3	7
Accidental mechanical suffocation—182	7	1	9	5	4	18	8	4	11	2	1	2
Other violence or accident—166-181,183-185	10	—	7	5	7	16	10	2	7	—	2	2
Ill-defined and unknown causes—199,200	2	1	6	4	5	101	3	4	11	1	3	1
All other causes *	1	—	1	3	1	2	3	—	2	—	—	—

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		ALABAMA—All causes	3,675	382	341	354	275	279	276	330	303	283	257
Cerebrospinal (meningococcus) meningitis—6	7	1	1	1	—	1	1	—	—	1	—	1	—
Scarlet fever—8	1	1	—	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	107	4	7	15	9	10	11	18	5	5	13	7	5
Diphtheria (infection by C. diphtheriae)—10	13	1	2	—	—	1	1	—	2	1	2	2	1
Erysipelas—11	2	—	—	—	—	—	—	—	—	1	—	1	—
Tetanus—12	16	1	1	2	—	—	2	2	1	5	—	1	2
Tuberculosis of respiratory system, etc.*—13	10	—	1	2	—	—	1	1	—	1	1	1	1
Tuberculosis of meninges, etc.*—14	5	1	—	1	1	—	—	—	1	—	1	—	—
Tuberculosis (other forms)—15-22	2	—	1	—	—	—	—	—	1	—	—	—	—
Septicemia and purulent infection—24	2	—	—	—	—	—	—	—	—	1	—	1	—
Dysentery—27	17	2	—	2	—	2	2	4	1	1	1	—	2
Malaria—28	14	1	1	—	—	1	1	—	1	4	3	2	—
Syphilis—30	71	5	7	7	5	9	8	4	6	6	4	6	4
Influenza—33	123	26	22	28	11	4	2	2	2	2	4	12	8
Measles—35	15	1	1	2	3	2	4	1	—	—	—	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	6	—	1	—	1	—	2	1	—	—	1	—	—
Diseases of thymus gland—64	15	—	—	2	1	1	1	2	—	1	1	3	3
Rickets—70	1	—	—	—	—	—	—	—	—	1	—	—	—
Hemorrhagic conditions—72	8	1	2	—	1	—	—	—	2	1	—	1	—
Anemias (except splenic anemia)—73	2	—	—	—	—	—	—	—	—	1	—	—	—
Encephalitis (nonepidemic)—80	1	—	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)—81	22	2	3	—	2	1	2	4	1	1	3	2	1
Intracranial lesions of vascular origin—83	3	—	—	—	—	—	—	—	—	2	—	1	—
Convulsions—86	26	3	1	2	5	5	—	2	1	—	1	2	4
Diseases of ear and mastoid process—89	10	3	1	—	2	—	—	2	—	—	—	—	2
Other diseases, nervous system—82,84,85,87,88	10	1	—	—	1	1	2	1	2	—	1	1	—
Diseases of circulatory system—90-103	13	1	—	1	—	—	—	—	1	—	3	2	4
Pneumonia (all forms)—107-109	590	72	60	57	29	17	9	9	15	11	21	42	48
Other diseases of respiratory system—104-106,110-114	43	10	5	4	4	3	1	3	3	1	4	4	1
Diseases of buccal cavity, etc.*—115	7	1	1	1	1	—	—	—	1	—	—	1	—
Diseases of stomach—117,118	9	1	1	2	1	—	—	—	—	—	1	1	2
Diarrhea, enteritis, etc.*—119	257	8	9	3	15	26	46	63	34	11	17	16	9
Hernia—122a	5	2	—	—	—	1	—	—	—	—	2	—	—
Intestinal obstruction—122b	11	1	—	—	1	1	1	1	3	—	—	2	1
Peritonitis (cause not stated)—129	1	1	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	3	—	—	—	—	—	—	—	1	—	—	1	1
Diseases, genito-urinary system—130,131,133-139	6	—	—	—	—	—	—	—	—	—	—	—	1
Diseases of skin and cellular tissue—151-153	11	2	1	3	—	1	1	2	—	—	—	2	—
Congenital malformations—157	165	13	15	13	11	12	17	16	14	14	12	12	16
Congenital debility—158	102	7	7	6	12	9	14	10	13	4	5	7	8
Premature birth—159	1,037	91	86	96	67	78	83	103	101	89	66	82	95
Injury at birth—160	236	21	19	30	18	24	15	17	22	22	15	11	22
Other diseases peculiar to first year—161	113	10	10	8	11	9	8	7	14	6	12	6	12
Accidental mechanical suffocation—182	36	4	4	1	3	1	2	4	—	—	2	5	10
Other violence or accident—166-181,183-195	37	10	3	5	5	—	3	3	2	1	1	3	1
Ill-defined and unknown causes—199,200	673	72	66	61	54	57	35	45	55	37	58	67	68
All other causes*—	11	1	1	—	1	—	1	1	1	1	—	2	2
ARIZONA—All causes	1,031	82	62	69	63	82	114	96	80	108	90	101	74
Cerebrospinal (meningococcus) meningitis—6	2	—	1	1	—	—	—	—	—	—	—	—	—
Scarlet fever—8	2	—	1	—	—	—	—	—	—	—	—	1	—
Whooping cough—9	30	1	1	2	—	—	3	1	3	10	5	2	2
Diphtheria (infection by C. diphtheriae)—10	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—11	2	1	—	—	—	1	—	—	—	—	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	9	—	3	—	1	3	—	—	1	1	—	—	—
Tuberculosis of meninges, etc.*—14	4	—	1	—	—	1	1	—	—	1	—	—	—
Tuberculosis (other forms)—15-22	2	—	—	—	—	—	2	—	—	—	—	—	—
Septicemia and purulent infection—24	1	1	—	—	—	—	—	—	—	—	—	—	—
Dysentery—27	28	1	—	1	2	2	4	3	7	3	—	3	2
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—30	23	2	2	3	—	1	4	—	3	3	—	5	—
Influenza—33	15	4	1	6	—	1	—	—	—	—	1	—	2
Measles—35	4	1	—	1	—	—	—	—	2	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9	—	1	—	1	—	—	2	1	1	—	1	2
Diseases of thymus gland—64	3	—	1	1	—	—	—	—	—	—	—	—	1
Rickets—70	2	—	—	1	—	1	—	—	—	—	—	—	—
Hemorrhagic conditions—72	1	—	—	—	—	—	—	—	—	—	—	1	—
Anemias (except splenic anemia)—73	—	—	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)—80	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)—81	7	—	2	—	—	—	1	1	1	1	—	1	—
Intracranial lesions of vascular origin—83	1	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions—86	2	1	—	—	—	—	1	—	—	—	—	—	—
Diseases of ear and mastoid process—89	5	1	—	1	—	1	1	—	—	1	—	—	—
Other diseases, nervous system—82,84,85,87,88	2	—	—	—	1	1	—	—	—	—	—	—	—
Diseases of circulatory system—90-103	4	—	—	1	—	1	1	—	—	—	1	—	—
Pneumonia (all forms)—107-109	159	33	18	10	6	8	11	10	7	11	9	16	20
Other diseases of respiratory system—104-106,110-114	6	2	1	—	—	—	2	—	—	—	1	—	—
Diseases of buccal cavity, etc.*—115	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of stomach—117,118	6	—	—	—	1	1	—	—	—	—	1	3	—
Diarrhea, enteritis, etc.*—119	255	9	2	6	8	37	39	31	24	27	31	25	16
Hernia—122a	—	—	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	8	2	—	—	1	—	—	2	—	3	—	—	—
Peritonitis (cause not stated)—129	1	—	—	—	—	—	—	—	1	—	—	—	—
Other diseases, digestive system—116,121,123-128	1	—	—	—	—	—	—	—	—	—	1	—	—
Diseases, genito-urinary system—130,131,133-139	5	—	—	—	3	1	—	—	—	—	1	—	—
Diseases of skin and cellular tissue—151-153	1	—	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations—157	52	4	4	2	2	6	7	8	1	8	2	4	4
Congenital debility—158	34	—	1	3	2	5	4	2	6	3	1	7	—
Premature birth—159	199	11	10	17	19	11	22	24	16	19	19	15	16
Injury at birth—160	40	4	4	1	3	1	2	4	4	3	3	9	2
Other diseases peculiar to first year—161	33	2	2	4	4	3	4	3	1	3	5	2	2
Accidental mechanical suffocation—182	8	1	3	1	1	—	—	—	—	—	1	—	1
Other violence or accident—166-181,183-195	16	—	2	1	—	2	1	1	1	1	2	3	2
Ill-defined and unknown causes—199,200	46	1	1	6	8	4	5	2	1	7	6	3	2
All other causes*—	3	—	—	—	—	—	—	1	1	1	—	—	—

\*Refer to complete International List titles, table XI.

# GENERAL TABLES—INFANT DEATHS

467

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>ARKANSAS—All causes</b>	<b>1,637</b>	<b>157</b>	<b>153</b>	<b>154</b>	<b>109</b>	<b>109</b>	<b>163</b>	<b>179</b>	<b>124</b>	<b>121</b>	<b>159</b>	<b>126</b>	<b>103</b>
Cerebrospinal (meningococcus) meningitis—6	2											1	1
Scarlet fever—8	1												
Whooping cough—9	36	5	4	3	3	3	4		1	1	7	5	2
Diphtheria (infection by C. diphtheriae)—10	8	1	1	1					1	1	1		2
Erysipelas—11	1												
Tetanus—12	1				1								
Tuberculosis of respiratory system, etc.*—13	5			1			4						
Tuberculosis of meninges, etc.*—14	4		3										
Tuberculosis (other forms)—15-22	1		1										1
Septicemia and purulent infection—24	2	1											
Dysentery—27	30			1		1	4	7	8	2	5	1	1
Malaria—28	24			1			2	1	5	6	3	5	1
Syphilis—30	34		2	5	4	2	1	5	3	5	6	2	1
Influenza—33	58	17	10	12	7	1		1	2	4			2
Measles—35	5	1	2		1								
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9	1				1		3	1		1		2
Diseases of thymus gland—54	5	2						2	1				
Rickets—70	3												
Hemorrhagic conditions—72	3			1									
Anemias (except splenic anemia)—73	2				2								
Encephalitis (nonepidemic)—80	2		1										
Meningitis (not due to meningococcus)—81	7	1			1	1	2	1	1				
Intracranial lesions of vascular origin—83	3	1										1	
Convulsions—85	16	1	1	2	2		1	1	2	3		1	2
Diseases of ear and mastoid process—89	10	2	1	1		1			2	1	1		1
Other diseases, nervous system—32,84,85,87,88	8												
Diseases of circulatory system—90-103	8												
Pneumonia (all forms)—107-109	183	55	58	28	14	8	6	2	4	7	11	14	16
Other diseases of respiratory system—104-106,110-114	25	6	2	3		1	2	2			3	3	1
Diseases of buccal cavity, etc.*—115	1												
Diseases of stomach—117,118	11					5	1	2	1	1			
Diarrhea, enteritis, etc.*—119	188	7	6	6	3	11	41	58	17	11	14	10	4
Hernia—122a	1				1								
Intestinal obstruction—122b	5					2	1	2					
Peritonitis (cause not stated)—129	1									1			
Other diseases, digestive system—116,121,123-128	4	1			1	1							1
Diseases, genito-urinary system—130,131,133-139	6			1							2	1	
Diseases of skin and cellular tissue—151-153	9	3	1	1		1				1		1	1
Congenital malformations—157	84	4	13	7	7	6	5	8	4	10	8	5	7
Congenital debility—158	54	5	6	3	2	4	3	6	7	7	7	7	1
Premature birth—159	408	30	32	45	33	23	45	43	30	55	32	36	24
Injury at birth—160	99	7	7	8	7	7	12	12	9	9	6	6	9
Other diseases peculiar to first year—161	51	5	4	1	2	2	7	4	6	4	7	6	3
Accidental mechanical suffocation—182	10	1	2	1	2	1	2				1	1	1
Other violence or accident—166-181,183-195	22	3			2	3	1	4			2	2	4
Ill-defined and unknown causes—199,200	196	19	14	20	16	18	17	15	18	14	20	11	14
All other causes*	4		1					1			1	1	
<b>CALIFORNIA—All causes</b>	<b>4,585</b>	<b>462</b>	<b>304</b>	<b>327</b>	<b>303</b>	<b>348</b>	<b>325</b>	<b>350</b>	<b>337</b>	<b>371</b>	<b>423</b>	<b>399</b>	<b>436</b>
Cerebrospinal (meningococcus) meningitis—6	5	3	1	1									
Scarlet fever—8	1												
Whooping cough—9	53	2	3	3	2	4	7	4	2	1	1	1	3
Diphtheria (infection by C. diphtheriae)—10	3	1											
Erysipelas—11	4			1	1			1					
Tetanus—12	1												
Tuberculosis of respiratory system, etc.*—13	18	3		1	1	3	3	1		1	2	2	1
Tuberculosis of meninges, etc.*—14	10	2			3		3		1		1		
Tuberculosis (other forms)—15-22	7		1	2	1	1		2					
Septicemia and purulent infection—24	2												
Dysentery—27	61	3	1	2	1	7	4	5	7	9	10	9	3
Malaria—28	2												
Syphilis—30	42	4	1	3	4	4	1	5	5	4	2	4	5
Influenza—33	16	3	4	2	2		1				1	2	1
Measles—35	19	2	3	2	2	5	3	1	1				
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9	2	1					2	1	2		1	
Diseases of thymus gland—54	57	5		2	4	2	7	10	4	4	5	7	7
Rickets—70	4						1		1		1	1	
Hemorrhagic conditions—72	7	1		1	2	1							1
Anemias (except splenic anemia)—73	10			3	2		2				2	1	
Encephalitis (nonepidemic)—80	5										1	1	
Meningitis (not due to meningococcus)—81	10	1	1		1	2			1			3	1
Intracranial lesions of vascular origin—83	9	1		1					1		2	1	2
Convulsions—85	4		1			2				1			
Diseases of ear and mastoid process—89	20	2	1	4	4		1	3			1	2	2
Other diseases, nervous system—32,84,85,87,88	7					1				2			1
Diseases of circulatory system—90-103	4		2		1	1	1	1					1
Pneumonia (all forms)—107-109	575	140	61	47	39	34	28	24	34	39	38	41	50
Other diseases of respiratory system—104-106,110-114	40	12	5	2	2	5			1	1	3	3	6
Diseases of buccal cavity, etc.*—115	5				1					1	1	1	
Diseases of stomach—117,118	2												1
Diarrhea, enteritis, etc.*—119	543	32	20	13	31	35	39	44	48	50	85	85	61
Hernia—122a	9												

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>COLORADO—All causes</b>	<b>1,134</b>	<b>142</b>	<b>105</b>	<b>105</b>	<b>82</b>	<b>84</b>	<b>82</b>	<b>70</b>	<b>99</b>	<b>96</b>	<b>112</b>	<b>74</b>	<b>83</b>
Cerebrospinal (meningococcus) meningitis	6												
Scarlet fever	3												
Whooping cough	27		6	8	2	3	3	1		3	1		
Diphtheria (infection by C. diphtheriae)	10	1									1		
Erysipelas	11	1				1							
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	4		2		2							
Tuberculosis of meninges, etc.*	14	2			1	1							
Tuberculosis (other forms)	15-22	2		1									1
Septicemia and purulent infection	24	1								1			
Dysentery	27	6					2		1	1	4		
Malaria	28												
Syphilis	30	5	1					1		2			1
Influenza	33	32	10	6	5	1			1	3		3	3
Measles	35	5			2		2	1					
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44												
Diseases of thymus gland	64	9	3	1		1	2	1	1				
Rickets	70												
Hemorrhagic conditions	72	2						1			1		
Anemias (except splenic anemia)	73												
Encephalitis (nonepidemic)	80					1				1			
Meningitis (not due to meningococcus)	81	7		1		2		2	1	1			
Intracranial lesions of vascular origin	83												
Convulsions	86	1						1					
Diseases of ear and mastoid process	89	6	1		2		1		1				1
Other diseases, nervous system	82,84,85,87,88												
Diseases of circulatory system	90-103	3	1			1				1			
Pneumonia (all forms)	107-109	180	51	21	15	12	16	8	4	3	8	15	10
Other diseases of respiratory system	104-106,110-114	19	5		1	2	2		3			2	4
Diseases of buccal cavity, etc.*	115	3					2						1
Diseases of stomach	117,118	4				1	1		1	1			
Diarrhea, enteritis, etc.*	119	125	6	8	2	1	3	5	9	23	26	31	9
Hernia	122a												
Intestinal obstruction	122b	6	3				1			1			
Peritonitis (cause not stated)	129	3	1			1					1		
Other diseases, digestive system	116,121,123-128	3			1			1	1				
Diseases, genito-urinary system	130,131,133-139	3	1									1	1
Diseases of skin and cellular tissue	151-153	1			1								
Congenital malformations	157	119	7	17	14	13	7	10	8	13	10	6	4
Congenital debility	158	29	3	3	1	1	2		1	6	1	2	5
Premature birth	159	316	31	24	28	22	26	33	28	23	23	25	27
Injury at birth	160	105	8	6	14	9	12	6	8	6	13	6	7
Other diseases peculiar to first year	161	57	5	6	3	7	2	4	2	8	3	8	5
Accidental mechanical suffocation	182	15	2	3	1	1		1		1	2	1	2
Other violence or accident	166-161,183-195	21	1	2	2	3		1	3	2	1	1	4
Ill-defined and unknown causes	199,200	6	1		1	1				1	1		
All other causes*		5	1	1								2	
<b>CONNECTICUT—All causes</b>	<b>642</b>	<b>69</b>	<b>81</b>	<b>67</b>	<b>93</b>	<b>84</b>	<b>53</b>	<b>64</b>	<b>60</b>	<b>71</b>	<b>54</b>	<b>70</b>	<b>76</b>
Cerebrospinal (meningococcus) meningitis	6												
Scarlet fever	8												
Whooping cough	17	2	1	3	1	1	1	1	1		4	1	1
Diphtheria (infection by C. diphtheriae)	9												
Erysipelas	11	1						1					
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	1						1					
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22												
Septicemia and purulent infection	24												
Dysentery	27	1					1						
Malaria	28												
Syphilis	30	1											1
Influenza	33	7		2		2	2						1
Measles	35	3		1	2								1
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	3				2	1						
Diseases of thymus gland	64	15	3	3	1	1	1	1	1			1	2
Rickets	70	1	1										
Hemorrhagic conditions	72	1											
Anemias (except splenic anemia)	73	1										1	
Encephalitis (nonepidemic)	80	2											
Meningitis (not due to meningococcus)	81	7	1	1	1	1	1					1	1
Intracranial lesions of vascular origin	83												
Convulsions	86	4	1	1		1					1		
Diseases of ear and mastoid process	89	5	1	2		1				1			2
Other diseases, nervous system	82,84,85,87,88	6	1					2					1
Diseases of circulatory system	90-103	4	1						1				1
Pneumonia (all forms)	107-109	67	8	10	9	5	9	2	6	1	5	1	5
Other diseases of respiratory system	104-106,110-114	8		3		3		1				1	
Diseases of buccal cavity, etc.*	115	2					1						1
Diseases of stomach	117,118												
Diarrhea, enteritis, etc.*	119	35	5	1	5	5		1	2	7	3		4
Hernia	122a	3				2							
Intestinal obstruction	122b	6	1	1			1				1		1
Peritonitis (cause not stated)	129	2	1		1								
Other diseases, digestive system	116,121,123-128	1							1				
Diseases, genito-urinary system	130,131,133-139	5	1	1	1			1					
Diseases of skin and cellular tissue	151-153	2					1						
Congenital malformations	157	122	8	11	8	13	13	12	9	4	11	5	13
Congenital debility	158	6		1		2		1		1			1
Premature birth	159	288	24	20	23	26	27	16	23	25	27	29	19
Injury at birth	160	127	10	15	5	18	17	7	12	9	9	6	10
Other diseases peculiar to first year	161	61	4	4	3	8	7	4	5	13	3	4	6
Accidental mechanical suffocation	182	5			1	1		1	1		1		
Other violence or accident	166-161,183-195	11			1	2	2	1	1	1		1	1
Ill-defined and unknown causes	199,200	4		1	1		1					1	
All other causes*		7		1	2		1				1		1

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		DELAWARE—All causes	193	17	21	19	22	10	10	20	14	17	8
Cerebrospinal (meningococcus) meningitis	6						1					1	
Scarlet fever	8												
Whooping cough	9			1						2		1	1
Diphtheria (infection by C. diphtheriae)	10												
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13												
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22			1									
Septicemia and purulent infection	24												
Dysentery	27												
Malaria	28												
Syphilis	30	5	1			1			2	1			
Influenza	33	6	1								1	2	2
Measles	35												
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44												
Diseases of thymus gland	64	4	1										
Rickets	70				3								
Hemorrhagic conditions	72												
Anemias (except splenic anemia)	73												
Encephalitis (nonepidemic)	80	1				1							
Meningitis (not due to meningococcus)	81	2			1								1
Intracranial lesions of vascular origin	83	1						1					
Convulsions	86	1	1										
Diseases of ear and mastoid process	89	2			1			1					
Other diseases, nervous system	82,84,85,87,88												
Diseases of circulatory system	90-103												
Pneumonia (all forms)	107-109	55	6	9	8	2	1	1			1	6	1
Other diseases of respiratory system	104-106,110-114	5	2	1					1		1		
Diseases of buccal cavity, etc.*	115												
Diseases of stomach	117,118												
Diarrhea, enteritis, etc.*	119	14		1	5	2		1	3	3	1		
Hernia	122a	1					1						
Intestinal obstruction	122b	4				1		1	1			1	
Peritonitis (cause not stated)	129	4											
Other diseases, digestive system	116,121,123-128												
Diseases, genito-urinary system	130,131,133-139												
Diseases of skin and cellular tissue	151-153												
Congenital malformations	157	15	2		2	1	2	1	2			3	1
Congenital debility	158	4								1			
Premature birth	159	53	2	7	2	9	3	4	7	4	4	2	4
Injury at birth	160	15	1		1	2	1	3	7	4	2	2	1
Other diseases peculiar to first year	161	11	1	1	1	1	1	1			2	1	1
Accidental mechanical suffocation	162	2									1		
Other violence or accident	166-181,183-195	6		1	1				2		2		
Ill-defined and unknown causes	199,200												
All other causes*													
DISTRICT OF COLUMBIA—All causes	669	41	58	64	54	33	42	53	81	69	66	59	49
Cerebrospinal (meningococcus) meningitis	6	2		1						1			
Scarlet fever	8												
Whooping cough	9	8		1			1			2	3		
Diphtheria (infection by C. diphtheriae)	10				1								
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	1						1					
Tuberculosis of meninges, etc.*	14	2			1						1		
Tuberculosis (other forms)	15-22	3	1						1				
Septicemia and purulent infection	24	2	1									1	
Dysentery	27	1						1					
Malaria	28												
Syphilis	30	13		1	2	1	3		1	1	1		
Influenza	33	7		1	1			2	1				2
Measles	35				1				1				
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	2				2							
Diseases of thymus gland	64	1						1					
Rickets	70												
Hemorrhagic conditions	72	1		1									
Anemias (except splenic anemia)	73												
Encephalitis (nonepidemic)	80												
Meningitis (not due to meningococcus)	81	3		1							1	1	
Intracranial lesions of vascular origin	83												
Convulsions	86	1	1										
Diseases of ear and mastoid process	89	2	1								1		
Other diseases, nervous system	82,84,85,87,88	1											
Diseases of circulatory system	90-103												
Pneumonia (all forms)	107-109	76	5	5	16	4	3		12	6	4	11	6
Other diseases of respiratory system	104-106,110-114	7	1	4	1	1							
Diseases of buccal cavity, etc.*	115	2	1										1
Diseases of stomach	117,118												
Diarrhea, enteritis, etc.*	119	74	2	5	4	1	2	3	10	14	16	10	5
Hernia	122a												
Intestinal obstruction	122b	5				1	1				1		
Peritonitis (cause not stated)	129												
Other diseases, digestive system	116,121,123-128												
Diseases, genito-urinary system	130,131,133-139												
Diseases of skin and cellular tissue	151-153	3											
Congenital malformations	157	48	4	2	3	5	3	4	2	7	5	5	3
Congenital debility	158	12		3	3	1	1		1			2	1
Premature birth	159	261	14	20	25	32	15	21	20	28	25	20	23
Injury at birth	160	69	5	6	4	3	3	4	7	5	10	7	8
Other diseases peculiar to first year	161	30	2	4	2			4	7	5	7	2	1
Accidental mechanical suffocation	162	20	3	2	1	1	2	1	2	3	1	3	1
Other violence or accident	166-181,183-195	8			3					3			
Ill-defined and unknown causes	199,200												
All other causes*		6		2					1		2		1

\* Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		FLORIDA—All causes											
Cerebrospinal (meningococcus) meningitis	6	1	1	—	—	—	—	—	—	—	—	—	—
Scarlet fever	8	1	—	—	—	—	—	—	—	—	—	—	1
Whooping cough	9	4	—	—	—	—	—	—	—	—	—	—	4
Diphtheria (infection by C. diphtheriae)	10	4	—	—	—	—	—	—	—	—	—	—	2
Erysipelas	11	3	—	—	—	—	—	—	—	—	—	—	1
Tetanus	12	3	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	9	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	2	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)	15-22	1	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	3	—	—	—	—	—	—	—	—	—	—	—
Dysentery	27	11	—	—	—	—	—	—	—	—	—	—	—
Malaria	28	5	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	54	—	—	—	—	—	—	—	—	—	—	—
Influenza	33	51	—	—	—	—	—	—	—	—	—	—	—
Measles	35	3	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	3	—	—	—	—	—	—	—	—	—	—	—
Diseases of thymus gland	64	11	—	—	—	—	—	—	—	—	—	—	—
Rickets	70	4	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	4	—	—	—	—	—	—	—	—	—	—	—
Anemias (except splenic anemia)	73	4	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)	80	2	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)	81	9	—	—	—	—	—	—	—	—	—	—	—
Intracranial lesions of vascular origin	83	4	—	—	—	—	—	—	—	—	—	—	—
Convulsions	86	8	—	—	—	—	—	—	—	—	—	—	—
Diseases of ear and mastoid process	89	8	—	—	—	—	—	—	—	—	—	—	—
Other diseases, nervous system	82,84,85,87,88	2	—	—	—	—	—	—	—	—	—	—	—
Diseases of circulatory system	90-103	6	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (all forms)	107-109	207	28	—	—	—	—	—	—	—	—	—	—
Other diseases of respiratory system	104-106,110-114	24	3	—	—	—	—	—	—	—	—	—	—
Diseases of buccal cavity, etc.*	115	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of stomach	117,118	6	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*	119	150	—	—	—	—	—	—	—	—	—	—	—
Hernia	122a	3	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction	122b	13	—	—	—	—	—	—	—	—	—	—	—
Peritonitis (cause not stated)	129	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system	116,121,123-128	7	—	—	—	—	—	—	—	—	—	—	—
Diseases, genito-urinary system	130,131,133-139	3	—	—	—	—	—	—	—	—	—	—	—
Diseases of skin and cellular tissue	151-153	5	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations	157	150	—	—	—	—	—	—	—	—	—	—	—
Congenital debility	158	61	—	—	—	—	—	—	—	—	—	—	—
Premature birth	159	555	—	—	—	—	—	—	—	—	—	—	—
Injury at birth	160	152	—	—	—	—	—	—	—	—	—	—	—
Other diseases peculiar to first year	161	77	—	—	—	—	—	—	—	—	—	—	—
Accidental mechanical suffocation	182	9	—	—	—	—	—	—	—	—	—	—	—
Other violence or accident	166-181,183-195	19	—	—	—	—	—	—	—	—	—	—	—
Ill-defined and unknown causes	199,200	149	—	—	—	—	—	—	—	—	—	—	—
All other causes*	13	1	—	—	—	—	—	—	—	—	—	—	—
GEORGIA—All causes													
Cerebrospinal (meningococcus) meningitis	6	1	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	8	2	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	9	97	—	—	—	—	—	—	—	—	—	—	—
Diphtheria (infection by C. diphtheriae)	10	10	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	11	2	—	—	—	—	—	—	—	—	—	—	—
Tetanus	12	7	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	4	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	2	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)	15-22	3	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	8	—	—	—	—	—	—	—	—	—	—	—
Dysentery	27	3	—	—	—	—	—	—	—	—	—	—	—
Malaria	28	41	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	55	—	—	—	—	—	—	—	—	—	—	—
Influenza	33	90	—	—	—	—	—	—	—	—	—	—	—
Measles	35	13	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	4	—	—	—	—	—	—	—	—	—	—	—
Diseases of thymus gland	64	18	—	—	—	—	—	—	—	—	—	—	—
Rickets	70	3	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	3	—	—	—	—	—	—	—	—	—	—	—
Anemias (except splenic anemia)	73	4	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)	80	4	—	—	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)	81	27	—	—	—	—	—	—	—	—	—	—	—
Intracranial lesions of vascular origin	83	7	—	—	—	—	—	—	—	—	—	—	—
Convulsions	86	27	—	—	—	—	—	—	—	—	—	—	—
Diseases of ear and mastoid process	89	11	—	—	—	—	—	—	—	—	—	—	—
Other diseases, nervous system	82,84,85,87,88	6	—	—	—	—	—	—	—	—	—	—	—
Diseases of circulatory system	90-103	12	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (all forms)	107-109	455	77	—	—	—	—	—	—	—	—	—	—
Other diseases of respiratory system	104-106,110-114	35	5	—	—	—	—	—	—	—	—	—	—
Diseases of buccal cavity, etc.*	115	7	—	—	—	—	—	—	—	—	—	—	—
Diseases of stomach	117,118	14	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*	119	309	—	—	—	—	—	—	—	—	—	—	—
Hernia	122a	2	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction	122b	21	—	—	—	—	—	—	—	—	—	—	—
Peritonitis (cause not stated)	129	4	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system	116,121,123-128	10	—	—	—	—	—	—	—	—	—	—	—
Diseases, genito-urinary system	130,131,133-139	9	—	—	—	—	—	—	—	—	—	—	—
Diseases of skin and cellular tissue	151-153	25	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations	157	175	—	—	—	—	—	—	—	—	—	—	—
Congenital debility	158	459	—	—	—	—	—	—	—	—	—	—	—
Premature birth	159	1,084	—	—	—	—	—	—	—	—	—	—	—
Injury at birth	160	204	—	—	—	—	—	—	—	—	—	—	—
Other diseases peculiar to first year	161	154	—	—	—	—	—	—	—	—	—	—	—
Accidental mechanical suffocation	182	29	—	—	—	—	—	—	—	—	—	—	—
Other violence or accident	166-181,183-195	45	—	—	—	—	—	—	—	—	—	—	—
Ill-defined and unknown causes	199,200	300	—	—	—	—	—	—	—	—	—	—	—
All other causes*	9	1	—	—	—	—	—	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>IDAHO</b> —All causes	508	69	44	54	55	52	45	41	35	34	39	45	39
Cerebrospinal (meningococcus) meningitis	6	1	1										1
Scarlet fever	8												
Whooping cough	9	1	1	1			2		1				1
Diphtheria (infection by C. diphtheriae)	10								1				
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	15												
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22												
Septicemia and purulent infection	24	2						1	1				
Dysentery	27												
Malaria	28												
Syphilis	30	2								1			1
Influenza	35	22			1	1					1	3	2
Measles	55	1	1										
Other infectious and parasitic diseases—1-5,7,25,26,29,31,32,34,36-44	2	1				1							
Diseases of thymus gland	64	12	3		2	3	1	2	1				
Rickets	70												
Hemorrhagic conditions	72												
Anemias (except splenic anemia)	73	1			1								
Encephalitis (nonepidemic)	80	1				1							
Meningitis (not due to meningococcus)	81												
Intracranial lesions of vascular origin	83	2					1			1			
Convulsions	86												
Diseases of ear and mastoid process	89	2							1				
Other diseases, nervous system—82,84,85,87,88	2		1						1				
Diseases of circulatory system—90-103	2	1											
Pneumonia (all forms)—107-109	75	18	15	7	8	2	5	3	4	3	2	3	7
Other diseases of respiratory system—104-106,110-114	6	3		1							1	1	
Diseases of buccal cavity, etc.*	115												
Diseases of stomach—117,118	1			1									
Diarrhea, enteritis, etc.*	119	27	1	1	1	2	3	1	3	4	6	5	
Hernia—122a													
Intestinal obstruction—122b	3				1	2							
Peritonitis (cause not stated)—129													
Other diseases, digestive system—116,121,123-128	1										1		
Diseases, genito-urinary system—130,131,133-139	1								1				
Diseases of skin and cellular tissue—151-153	1												
Congenital malformations—157	47	6	5	6	4	2	3	6	3	1	4	5	2
Congenital debility—158	7	1	1	1	1			1	1	1	1	1	
Premature birth—159	160	11	9	16	7	12	16	16	12	10	17	18	16
Injury at birth—160	64	6	4	5	4	7	6	3	5	9	4	4	7
Other diseases peculiar to first year—161	27	6	3		3	2	3	4		3	1	2	
Accidental mechanical suffocation—182	6			2	1	1	2					1	
Other violence or accident—166-181,183-195	8			1	1	1	2	1	2			1	
Ill-defined and unknown causes—199,200	11	2	1	2				2	1			1	2
All other causes*	2	1									1		
<b>ILLINOIS</b> —All causes	4,474	446	401	389	392	373	318	362	342	339	355	365	392
Cerebrospinal (meningococcus) meningitis	6	4	2			1				1			
Scarlet fever	8	1		1									
Whooping cough	9	91	11	7	13	5	6	8	10	7	6	4	9
Diphtheria (infection by C. diphtheriae)	10	4		1				1			1		
Erysipelas	11	3	2										1
Tetanus	12												
Tuberculosis of respiratory system, etc.*	15	10	1	1	2		1		1	1	1	1	1
Tuberculosis of meninges, etc.*	14	5		1		1		1	1			1	
Tuberculosis (other forms)	15-22	11	2		1		1	1	2	1		1	2
Septicemia and purulent infection	24	4			2	1		1	1				
Dysentery	27	10			2			1	3	2	2	1	1
Malaria	28	1							1				
Syphilis	30	31	5	4					5	5	2	2	2
Influenza	35	63	4	14	18	7	3	2	2	1	3	1	8
Measles	55	2	1	1									
Other infectious and parasitic diseases—1-5,7,25,26,29,31,32,34,36-44	3								1		1		
Diseases of thymus gland	64	43	4	3	4	3	1	2	6	2	6	2	4
Rickets	70	5	2		2								
Hemorrhagic conditions	72	16	2		1	1	2	1	1	1	2	2	2
Anemias (except splenic anemia)	73	5	1		1	1	1					1	
Encephalitis (nonepidemic)	80	5	1		1	1			1			1	
Meningitis (not due to meningococcus)	81	20	2	1	2	4	1	2		1	1	4	
Intracranial lesions of vascular origin	83	4	1					2				1	
Convulsions	86	10	1	1	1		2	1		1		2	1
Diseases of ear and mastoid process	89	17	5	4	2		1		1				4
Other diseases, nervous system—82,84,85,87,88	10	1	2		1	2		1		2		1	
Diseases of circulatory system—90-103	26	1	3	2	6	2	2		5	1		2	2
Pneumonia (all forms)—107-109	530	101	73	75	51	37	26	23	18	18	23	37	48
Other diseases of respiratory system—104-106,110-114	79	17	7	6	8	1	3	2	3	3	9	8	12
Diseases of buccal cavity, etc.*	115	12	4	2	1	3			1				1
Diseases of stomach—117,118	11		1	2	4	1	1					2	
Diarrhea, enteritis, etc.*	119	201	11	8	9	20	13	29	26	26	22	13	11
Hernia—122a		3											
Intestinal obstruction—122b	43	4	1	2	2	5	5	3	8	5	3	2	3
Peritonitis (cause not stated)—129	6	2			1	1	1						1
Other diseases, digestive system—116,121,123-128	9	1		2		1	2			2		1	
Diseases, genito-urinary system—130,131,133-139	23	3	1	1	1	1	1	3	1	2	5	2	4
Diseases of skin and cellular tissue—151-153	13			2	4				5	1			3
Congenital malformations—157	671	47	56	56	64	53	47	57	54	48	65	69	55
Congenital debility—158	43	2	4	6	6	4		2	5	4	3	3	4
Premature birth—159	1,350	98	104	83	118	133	119	113	105	121	125	113	118
Injury at birth—160	656	73	56	51	49	62	43	60	47	48	49	44	54
Other diseases peculiar to first year—161	313	24	27	27	20	32	19	27	33	27	19	27	31
Accidental mechanical suffocation—182	20	4	2		2	1	2	1	1	1	2	2	2
Other violence or accident—166-181,183-195	51	5	5	5	4	3	4	2	3	4	5	5	8
Ill-defined and unknown causes—199,200	23		5	1	4	2	3	2	3	2	2	3	3
All other causes*	33	2	5	5	4	3	3	1	3		3	3	1

\* Refer to complete International List titles, table XI.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 16.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		INDIANA—All causes	2,502	256	211	228	198	186	153	188	182	191	169
Cerebrospinal (meningococcus) meningitis	6	1	1	—	—	1	—	—	—	—	—	1	2
Scarlet fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Whooping cough	53	3	—	4	6	5	3	5	8	10	4	3	2
Diphtheria (infection by C. diphtheriae)	10	1	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	11	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	6	1	1	—	—	2	1	—	1	—	—	—
Tuberculosis of meninges, etc.*	14	5	1	1	1	1	—	—	—	1	—	—	—
Tuberculosis (other forms)	15-22	1	—	—	—	—	—	1	—	—	—	—	—
Septicemia and purulent infection	24	5	—	1	—	2	—	—	—	2	—	—	—
Dysentery	27	14	—	—	—	2	1	3	2	2	—	2	2
Malaria	28	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	50	20	1	1	2	—	3	4	—	4	2	2	1
Influenza	53	65	11	15	18	6	5	—	—	2	—	3	5
Measles	55	1	—	—	—	—	—	1	—	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,54,56-64	7	1	1	2	1	—	—	—	—	1	—	—	1
Diseases of thymus gland	64	14	1	2	2	1	1	—	1	2	1	1	2
Rickets	70	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	10	2	4	1	—	1	1	—	1	—	—	—
Anemias (except splenic anemia)	73	7	—	—	1	1	1	—	1	—	2	—	1
Encephalitis (non-epidemic)	80	6	—	1	2	1	1	—	—	—	1	—	—
Meningitis (not due to meningococcus)	81	16	3	4	1	2	—	1	2	—	1	1	1
Intracranial lesions of vascular origin	83	7	2	—	—	—	1	—	1	—	1	1	1
Convulsions	86	2	—	—	—	—	1	—	1	—	—	—	—
Diseases of ear and mastoid process	89	9	2	—	1	2	1	—	1	—	—	—	2
Other diseases, nervous system—82,84,85,87,88	5	1	—	1	—	—	1	—	1	—	—	—	1
Diseases of circulatory system—90-103	16	1	—	1	1	3	—	1	—	2	3	3	1
Pneumonia (all forms)—107-109	346	82	47	42	33	27	13	12	12	11	15	23	29
Other diseases of respiratory system—104-106,110-114	9	2	1	—	—	—	—	1	—	1	—	2	2
Diseases of buccal cavity, etc.*	115	10	1	1	2	1	—	—	1	1	—	1	2
Diseases of stomach—117,118	7	1	—	—	1	2	—	—	—	—	1	2	—
Diarrhea, enteritis, etc.*	119	168	11	12	5	5	10	13	23	31	22	10	4
Hernia—122a	2	—	—	1	—	—	—	—	—	—	1	—	—
Intestinal obstruction—122b	24	1	5	1	2	2	4	3	—	4	2	—	—
Peritonitis (cause not stated)—129	1	—	1	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	4	1	—	—	1	—	—	—	—	2	—	—	—
Diseases, genito-urinary system—130,131,133-139	11	3	—	1	—	1	—	2	—	1	—	2	1
Diseases of skin and cellular tissue—151-153	5	—	—	—	2	1	—	—	1	—	—	1	—
Congenital malformations—157	292	24	28	24	28	24	31	26	18	30	20	18	21
Congenital debility—158	35	5	—	4	3	1	3	3	1	8	2	2	3
Premature birth—159	696	51	52	63	61	66	53	60	62	53	64	54	57
Injury at birth—160	178	18	11	18	11	15	13	21	16	13	14	9	19
Other diseases peculiar to first year—161	164	16	16	19	13	12	8	15	17	12	10	12	16
Accidental mechanical suffocation—182	29	3	3	7	5	—	—	3	4	—	2	—	5
Other violence or accident—166-181,183-195	28	4	3	3	5	1	—	3	4	4	1	—	—
Ill-defined and unknown causes—199,200	6	2	—	1	1	—	—	—	1	—	—	1	—
All other causes*	10	1	—	1	1	1	1	—	—	1	—	2	2
IOWA—All causes	1,697	188	154	173	135	142	132	121	135	132	131	112	142
Cerebrospinal (meningococcus) meningitis	6	—	1	—	—	—	—	—	2	—	2	—	—
Scarlet fever	9	2	1	1	—	—	—	—	—	—	—	—	—
Whooping cough	9	34	5	4	1	3	1	2	1	9	3	2	2
Diphtheria (infection by C. diphtheriae)	10	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	11	6	—	—	1	1	—	1	—	—	—	2	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	3	1	—	—	—	2	—	—	—	—	—	—
Tuberculosis (other forms)	15-22	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	1	—	—	—	—	1	—	—	—	—	—	—
Dysentery	27	5	—	—	—	—	—	—	—	2	—	—	—
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	50	7	1	—	3	—	—	1	1	—	—	—	—
Influenza	53	36	10	3	7	5	1	1	1	2	1	3	2
Measles	55	6	—	2	—	3	—	—	1	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,54,56-64	3	1	—	—	1	—	—	—	1	—	—	—	—
Diseases of thymus gland	64	24	3	1	4	1	—	2	3	2	—	3	3
Rickets	70	1	—	1	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	1	—	—	—	—	—	1	—	—	—	—	—
Anemias (except splenic anemia)	73	2	—	—	—	—	—	—	—	2	—	—	—
Encephalitis (non-epidemic)	80	2	—	—	—	—	—	—	—	—	1	—	1
Meningitis (not due to meningococcus)	81	9	1	1	1	—	—	1	1	—	2	1	1
Intracranial lesions of vascular origin	83	6	1	1	—	1	—	1	—	1	—	1	—
Convulsions	86	2	—	—	—	—	1	—	1	—	—	—	—
Diseases of ear and mastoid process	89	15	1	—	2	1	—	1	2	—	3	2	2
Other diseases, nervous system—82,84,85,87,88	3	—	—	—	1	—	—	—	—	—	—	—	2
Diseases of circulatory system—90-103	6	—	2	1	—	1	1	1	—	—	—	—	—
Pneumonia (all forms)—107-109	179	49	25	26	17	14	2	2	6	3	7	15	13
Other diseases of respiratory system—104-106,110-114	20	3	4	1	1	—	1	1	1	5	—	—	3
Diseases of buccal cavity, etc.*	115	7	—	—	1	2	2	1	—	—	—	—	1
Diseases of stomach—117,118	2	—	—	—	1	—	—	—	—	—	—	—	1
Diarrhea, enteritis, etc.*	119	61	5	2	7	6	5	6	2	7	5	3	5
Hernia—122a	1	—	—	—	1	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	18	2	2	1	1	1	4	3	1	1	—	1	1
Peritonitis (cause not stated)—129	2	—	1	—	—	—	—	—	—	—	1	—	—
Other diseases, digestive system—116,121,123-128	1	1	—	—	—	—	—	—	—	—	—	—	—
Diseases, genito-urinary system—130,131,133-139	5	—	2	—	1	—	—	—	—	—	1	—	1
Diseases of skin and cellular tissue—151-153	4	—	—	—	—	—	—	1	—	2	1	—	—
Congenital malformations—157	269	23	25	25	17	24	19	20	32	20	22	18	24
Congenital debility—158	17	2	1	—	1	3	1	3	—	1	2	2	1
Premature birth—159	559	40	48	54	52	49	50	50	45	45	40	35	51
Injury at birth—160	207	21	14	15	13	18	23	18	17	18	18	18	14
Other diseases peculiar to first year—161	99	8	6	13	8	11	7	7	8	7	10	4	10
Accidental mechanical suffocation—182	18	3	2	1	—	—	2	1	1	—	5	1	2
Other violence or accident—166-181,183-195	24	1	2	2	1	2	2	3	3	4	4	1	—
Ill-defined and unknown causes—199,200	13	2	2	2	—	3	—	1	2	1	—	—	—
All other causes*	11	3	1	1	1	—	1	—	—	2	—	—	2

\* Refer to complete International List titles, table XI.



GENERAL TABLES—INFANT DEATHS

473

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KANSAS—All causes</b>	<b>1,146</b>	<b>117</b>	<b>114</b>	<b>104</b>	<b>84</b>	<b>90</b>	<b>79</b>	<b>116</b>	<b>74</b>	<b>95</b>	<b>65</b>	<b>69</b>	<b>99</b>
Cerebrospinal (meningococcus) meningitis	6		1					1					1
Scarlet fever	8												
Whooping cough	9	4	1			2		1					
Diphtheria (infection by C. diphtheriae)	10												
Erysipelas	11	1				1							
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13												
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22												
Septicemia and purulent infection	24	2	1										1
Dysentery	27	9					1	2	5	1	1	1	
Malaria	28												
Syphilis	30	8	1	1	1	1		1				1	2
Influenza	33	16	5	3	1	1					1	1	3
Measles	35	2			1	1							
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	1								1			
Diseases of thymus gland	64	22	3	1	4	2	1		2	2	1	4	1
Rickets	70	2											
Hemorrhagic conditions	72	1						1					
Anemias (except splenic anemia)	73	1								1			
Encephalitis (nonepidemic)	80	7								1			
Meningitis (not due to meningococcus)	81	1		1	1	2	1		1			1	
Intracranial lesions of vascular origin	83	1		1							1		
Convulsions	86	2								1	1		
Diseases of ear and mastoid process	89	1	1										
Other diseases, nervous system	82,84,85,87,88	1		1									
Diseases of circulatory system	90-103	1						1	1	1			
Pneumonia (all forms)	107-109	154	56	21	14	10	8	2	5	3	5	10	8
Other diseases of respiratory system	104-106,110-114	12	2	1	2	1	1	1		1	1	1	
Diseases of buccal cavity, etc.*	115	3							1				
Diseases of stomach	117,118	3		1									
Diarrhea, enteritis, etc.*	119	62	3	7	5	2	1	2	11	7	13	5	3
Hernia	122a												
Intestinal obstruction	122b	10	1	2		1		2		1		2	1
Peritonitis (cause not stated)	129	1								1			
Other diseases, digestive system	116,121,123-128	4		1	1		1			1			
Diseases, genito-urinary system	130,131,133-139	12	1	1		3	2	1	2	1	1		
Diseases of skin and cellular tissue	151-153	3	2		1								
Congenital malformations	157	145	18	7	7	11	17	8	16	9	17	7	10
Congenital debility	158	28	2	5	3	4	2		2	1	2	2	3
Premature birth	159	398	23	38	32	31	27	43	42	29	32	36	33
Injury at birth	160	127	7	10	21	8	12	8	11	8	10	10	12
Other diseases peculiar to first year	161	72	7	8	9	3	5	3	14	4	4	5	6
Accidental mechanical suffocation	182	5		1	1		1	1				2	
Other violence or accident	166-181,183-195	14	2		1		1	1	4		1		3
Ill-defined and unknown causes	199,200	18	2			1	2	2	1	2		1	4
All other causes*		7				2	2	1		1		1	
<b>KENTUCKY—All causes</b>	<b>3,187</b>	<b>312</b>	<b>269</b>	<b>300</b>	<b>248</b>	<b>231</b>	<b>255</b>	<b>337</b>	<b>294</b>	<b>248</b>	<b>237</b>	<b>213</b>	<b>243</b>
Cerebrospinal (meningococcus) meningitis	6	14	4	1	1	1	2		1	2		1	1
Scarlet fever	8	2			1	1							
Whooping cough	9	42	4	5	5	2	2	3	4	3	9	1	4
Diphtheria (infection by C. diphtheriae)	10	12	2	3	1				1	2		1	2
Erysipelas	11	1		1									
Tetanus	12	1											
Tuberculosis of respiratory system, etc.*	13	10	1	2	2		1	2	1				
Tuberculosis of meninges, etc.*	14	9	2		1		1			2	1		
Tuberculosis (other forms)	15-22	1						1					
Septicemia and purulent infection	24	4	2					1	1				
Dysentery	27	88		1	1	2	2	7	33	20	9	9	4
Malaria	28	2					1				1		
Syphilis	30	36	3	6	5	1	4	2	1	4	3	2	4
Influenza	33	86	18	18	19	10	5	1	2	2	1	1	6
Measles	35	8	1	1	3	2	1						
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	14	1	1	1			1		3	4		2
Diseases of thymus gland	64	6				1	2		1				1
Rickets	70	1									1		
Hemorrhagic conditions	72	10	1	1	4					1	1		1
Anemias (except splenic anemia)	73	3											1
Encephalitis (nonepidemic)	80	2		1						1			1
Meningitis (not due to meningococcus)	81	17	3	1	1	2		1	2	3		3	
Intracranial lesions of vascular origin	83	8					3		1			1	3
Convulsions	86	19		1		1	2	4	1	3	2	1	3
Diseases of ear and mastoid process	89	7		1	2	2	1			1			
Other diseases, nervous system	82,84,85,87,88	5	2					1		2			
Diseases of circulatory system	90-103	18	1	2		1	1	2	2	3	2	1	2
Pneumonia (all forms)	107-109	347	65	48	45	34	24	6	13	11	18	16	19
Other diseases of respiratory system	104-106,110-114	12		1	4	1		1	2	1	1		1
Diseases of buccal cavity, etc.*	115	3											
Diseases of stomach	117,118	21	1	3	1		1	3	3	1	2	2	4
Diarrhea, enteritis, etc.*	119	372	10	10	3	5	10	48	108	75	37	41	21
Hernia	122a	2							1				
Intestinal obstruction	122b	21	1	4	1	1		1	6	4			1
Peritonitis (cause not stated)	129	1										1	
Other diseases, digestive system	116,121,123-128	6		1		1	1	1			2		
Diseases, genito-urinary system	130,131,133-139	9	1		1					1	3	2	
Diseases of skin and cellular tissue	151-153	32	2	6	6	2	2	1	4	3	2	5	1
Congenital malformations	157	230	25	17	25	17	22	25	16	15	17	17	15
Congenital debility	158	106	10	9	9	5	11	10	12	6	10	10	9
Premature birth	159	1,085	92	77	111	95	93	97	93	91	80	77	59
Injury at birth	160	207	18	15	14	23	16	14	12	20	16	13	21
Other diseases peculiar to first year	161	151	10	17	15	13	12	9	15	13	11	9	13
Accidental mechanical suffocation	182	42	13	4	1	9		2	2		3	2	3
Other violence or accident	166-181,183-195	46	5	2	3	1	5	2	8	3	3	8	6
Ill-defined and unknown causes	199,200	110	12	7	13	15	6	8	1	9	6	12	10
All other causes*		8	2	2			1		1			2	

\* Refer to complete, International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>LOUISIANA—All causes</b>	<b>5,077</b>	<b>296</b>	<b>265</b>	<b>288</b>	<b>239</b>	<b>224</b>	<b>222</b>	<b>225</b>	<b>257</b>	<b>255</b>	<b>261</b>	<b>276</b>	<b>269</b>
Cerebrospinal (meningococcus) meningitis	6												
Scarlet fever	8												
Whooping cough	80	4	6	6	6	3	8	10	10	2	10	9	6
Diphtheria (infection by C. diphtheriae)	10	6	2		1				1	1		1	1
Erysipelas	11	2											
Tetanus	12	21	2	3	2	2	5			2	3	2	2
Tuberculosis of respiratory system, etc.*	13	4	2						2				
Tuberculosis of meninges, etc.*	14	3	1							1		1	
Tuberculosis (other forms)	15-22	2			1	1							
Septicemia and purulent infection	24	1					1						
Dysentery	27	17	2		3		4	2	2		1		1
Malaria	28	13					2	3	3	3	1		
Syphilis	30	106	11	5	8	7	11	7	8	6	10	11	15
Influenza	33	125	21	18	29	15	4	2	3	4	5	7	10
Measles	35	5	3	5	4	3	1				1		
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7				1	1	1	1	2	1			3
Diseases of thymus gland	64	31	3	1		5	2	1	4	2	4	5	3
Rickets	70	7		1	1		1			1	1	1	1
Hemorrhagic conditions	72	5		2				1		1	1		
Anemias (except splenic anemia)	73	5		2		1							2
Encephalitis (nonepidemic)	80	1						1					
Meningitis (not due to meningococcus)	81	1		1	1		2				1	2	
Intracranial lesions of vascular origin	83	5	1						2	2			
Convulsions	86	8		2				1	2		3		
Diseases of ear and mastoid process	89	17	3	1	2		2	2	1	1		2	3
Other diseases, nervous system—82,84,85,87,88	3		1	1					1				
Diseases of circulatory system—90-103	10	1			1	3		1	1		2	1	
Pneumonia (all forms)—107-109	552	79	80	58	41	30	27	32	26	24	40	52	63
Other diseases of respiratory system—104-106,110-114	30	5	4	2	2	1	1	1	4		1	3	6
Diseases of buccal cavity, etc.*	115	7	1	1	1	1	2				1		
Diseases of stomach—117,118	8			3	1		1	1		2			
Diarrhea, enteritis, etc.*	119	248	16	10	17	21	25	32	29	21	22	19	14
Hernia—122a	4	1		1			2						
Intestinal obstruction—122b	25	3	1	2	2	4	3	2		4	4		
Peritonitis (cause not stated)	129	4	1	1			1				1	1	
Other diseases, digestive system—116,121,123-128	1									1			
Diseases, genito-urinary system—130,131,133-139	17	1	4	3		1		4	1	1	1	1	
Diseases of skin and cellular tissue—151-153	10		1	1		1	1	1	1	1	1	1	1
Congenital malformations—157	145	8	11	16	11	12	4	10	14	23	9	16	11
Congenital debility—158	82	5	10	5	7	8	3	2	4	8	12	3	15
Premature birth—159	821	74	58	60	61	63	57	62	92	90	63	72	69
Injury at birth—160	254	15	19	19	21	21	17	19	23	17	24	22	17
Other diseases peculiar to first year—161	161	14	8	12	12	8	14	18	15	16	13	18	13
Accidental mechanical suffocation—182	16	4	1	1	2		1			1	2	3	1
Other violence or accident—166-181,183-195	43	2	7	1	1	5	5		2	5	6	4	5
Ill-defined and unknown causes—199,200	146	12	8	22	8	11	14	7	12	12	17	14	9
All other causes*	12			3	1	2		1	1	1		2	1
<b>MAINE—All causes</b>	<b>785</b>	<b>82</b>	<b>86</b>	<b>90</b>	<b>74</b>	<b>59</b>	<b>44</b>	<b>72</b>	<b>55</b>	<b>43</b>	<b>59</b>	<b>58</b>	<b>63</b>
Cerebrospinal (meningococcus) meningitis	6	1										1	
Scarlet fever	8												
Whooping cough	9	30	1	2	5	5	3		2	3		3	3
Diphtheria (infection by C. diphtheriae)	10	2											
Erysipelas	11	1		1									
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	1							1				
Tuberculosis of meninges, etc.*	14	3	1		1								
Tuberculosis (other forms)	15-22	1											
Septicemia and purulent infection	24	1											1
Dysentery	27												
Malaria	28												
Syphilis	30	6		2	2			1		1			
Influenza	33	17	4	2	2		3	1		1		2	2
Measles	35	3			1			1					1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2									1			
Diseases of thymus gland	64	11	1	4	1	2			2			1	
Rickets	70												
Hemorrhagic conditions	72	1		1									
Anemias (except splenic anemia)	73	1											
Encephalitis (nonepidemic)	80												
Meningitis (not due to meningococcus)	81	2	2										
Intracranial lesions of vascular origin	83												
Convulsions	86	4		1						1	1		
Diseases of ear and mastoid process	89	2	1						1				
Other diseases, nervous system—82,84,85,87,88	1								1				
Diseases of circulatory system—90-103	4				1			1		1		1	
Pneumonia (all forms)—107-109	87	18	14	11	8	8		3	1	3	7	4	8
Other diseases of respiratory system—104-106,110-114	12	4	1		2			1		1	2	1	
Diseases of buccal cavity, etc.*	115	1		1									
Diseases of stomach—117,118	6	1					1	1			2		1
Diarrhea, enteritis, etc.*	119	39	1	4	3	3	2	1	4	7	5	6	2
Hernia—122a	1												
Intestinal obstruction—122b	3	1		1									
Peritonitis (cause not stated)	129												
Other diseases, digestive system—116,121,123-128	1								1				
Diseases, genito-urinary system—130,131,133-139	1										1		
Diseases of skin and cellular tissue—151-153													
Congenital malformations—157	91	11	6	13	7	5	7	7	10	5	9	4	7
Congenital debility—158	28	3	5	3		4	1	4		2	1	4	1
Premature birth—159	290	17	29	33	33	28	20	29	23	18	17	21	24
Injury at birth—160	58	6	5	4	5	3		12	3	3	5	7	5
Other diseases peculiar to first year—161	37	7	2	6	2	3		4	1	2	3	3	1
Accidental mechanical suffocation—182	12		1	1	2					3	1	3	1
Other violence or accident—166-181,183-195	9			1				2	2			1	1
Ill-defined and unknown causes—199,200	12	1	2	2	1	1	1	1	2				2
All other causes*	4		1	1					1	1			

\* Refer to complete International List titles, table XI.

# GENERAL TABLES—INFANT DEATHS

475

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MARYLAND—All causes</b>	<b>1,422</b>	<b>155</b>	<b>111</b>	<b>145</b>	<b>100</b>	<b>104</b>	<b>112</b>	<b>119</b>	<b>122</b>	<b>98</b>	<b>135</b>	<b>111</b>	<b>114</b>
Cerebrospinal (meningococcus) meningitis—6	2					1		1					
Scarlet fever—8	1												
Whooping cough—9	16	1	2	1	2	1		2	2	2	1	1	1
Diphtheria (infection by C. diphtheriae)—10	—												
Erysipelas—11	1	1											
Tetanus—12	1												
Tuberculosis of respiratory system, etc.*—13	14	2	5		1	2	1	2	2			1	
Tuberculosis of meninges, etc.*—14	—												
Tuberculosis (other forms)—15-22	1								1				
Septicemia and purulent infection—24	1												1
Dysentery—27	22		1		1	1	2	5	5	3		2	2
Malaria—28	—												
Syphilis—30	20	1	3	4	2	3	1	2			1	3	
Influenza—33	51	7	2	6	1		2		1		4	1	7
Measles—35	6	5		1	1		1						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4			1	1				1		1		
Diseases of thymus gland—64	9				1			1	2	2		2	
Rickets—70	2							1					
Hemorrhagic conditions—72	2	1								1			
Anemias (except splenic anemia)—73	3			1							1		
Encephalitis (non-epidemic)—80	—												
Meningitis (not due to meningococcus)—81	7	1	2	1		1						1	1
Intracranial lesions of vascular origin—83	3		1					1			1		
Convulsions—86	2				1		1						
Diseases of ear and mastoid process—89	9	3	2					1		1	1		1
Other diseases, nervous system—82,84,85,87,88	1							1					
Diseases of circulatory system—90-103	6	1							2	1		1	1
Pneumonia (all forms)—107-109	212	40	27	40	19	12	9	5	8	4	10	11	27
Other diseases of respiratory system—104-106,110-114	18	4	5	3	1	2			1		1	1	2
Diseases of buccal cavity, etc.*—115	6		1		1	1	1				1		1
Diseases of stomach—117,118	4	1					1	1	1				
Diarrhea, enteritis, etc.*—119	157	4	4	6	6	5	10	25	27	12	31	20	7
Hernia—122a	1											1	
Intestinal obstruction—122b	6		1			2		1		1			1
Peritonitis (cause not stated)—129	—												
Other diseases, digestive system—116,121,123-128	3			1		1	1						
Diseases, genito-urinary system—130,131,133-139	4		1		1		1					1	
Diseases of skin and cellular tissue—151-153	2							1	1				
Congenital malformations—157	147	15	9	15	14	14	11	6	10	11	14	17	13
Congenital debility—158	31	1	3	4	2	1	3	2	1	1	4	3	6
Premature birth—159	412	42	25	42	30	36	45	38	35	35	33	31	24
Injury at birth—160	128	12	10	6	12	14	14	16	11	10	13	6	4
Other diseases peculiar to first year—161	75	12	5	8	1	4	7	4	8	8	8	5	5
Accidental mechanical suffocation—182	10	2	1		1					1	1	2	2
Other violence or accident—166-181,183-195	26	1	5	1	1	2		3	2	1	3		7
Ill-defined and unknown causes—199,200	9	2				1	1			3	2		
All other causes*	7			1					1	2	1	1	1
<b>MASSACHUSETTS—All causes</b>	<b>2,558</b>	<b>205</b>	<b>231</b>	<b>240</b>	<b>234</b>	<b>196</b>	<b>197</b>	<b>187</b>	<b>189</b>	<b>158</b>	<b>189</b>	<b>155</b>	<b>177</b>
Cerebrospinal (meningococcus) meningitis—6	6			1	1	2			1			1	
Scarlet fever—8	—												
Whooping cough—9	29	4	1	8	3	4	1	1	3	1	2		1
Diphtheria (infection by C. diphtheriae)—10	—												
Erysipelas—11	2							1				1	
Tetanus—12	1						1						
Tuberculosis of respiratory system, etc.*—13	7			1		3	2		1				
Tuberculosis of meninges, etc.*—14	2											2	
Tuberculosis (other forms)—15-22	1					1							
Septicemia and purulent infection—24	7	1	1	1			1	1	1				
Dysentery—27	2									1			
Malaria—28	—												
Syphilis—30	7			1	1			2			1	1	1
Influenza—33	23	5	3	3	6	1			1	1	1	1	1
Measles—35	5	1		1	1	2							
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3											1	
Diseases of thymus gland—64	14		1	1	3	3					1	1	1
Rickets—70	1							1					
Hemorrhagic conditions—72	7		2	2		1	1			1			
Anemias (except splenic anemia)—73	3			1	1				1				
Encephalitis (non-epidemic)—80	—												
Meningitis (not due to meningococcus)—81	18		1	2	2	3	3	1	1		2	2	1
Intracranial lesions of vascular origin—83	6	1		2	1				1			1	
Convulsions—86	5	2		2						1			
Diseases of ear and mastoid process—89	16	1	1	4	4		2		1	1	1	1	
Other diseases, nervous system—82,84,85,87,88	4				1	1				1			
Diseases of circulatory system—90-103	9	1		2	1		1	2		1			1
Pneumonia (all forms)—107-109	330	44	59	62	40	15	29	9	11	11	17	17	24
Other diseases of respiratory system—104-106,110-114	32	5	8	4	6	1	1	1	2	3			
Diseases of buccal cavity, etc.*—115	1			1									
Diseases of stomach—117,118	4	1					1	1					
Diarrhea, enteritis, etc.*—119	82	6	5	8	9	6	2	13	6	7	12	4	4
Hernia—122a	1											1	
Intestinal obstruction—122b	11	1		1	1		3	1	2	1			1
Peritonitis (cause not stated)—129	7			2				1				3	1
Other diseases, digestive system—116,121,123-128	2										1		1
Diseases, genito-urinary system—13													

## VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	3,955	444	344	416	311	297	237	310	288	306	317	325	358
Cerebrospinal (meningococcus) meningitis	6	2	—	—	—	—	—	—	—	1	1	—	2
Scarlet fever	8	—	—	—	1	—	—	—	—	—	—	—	—
Whooping cough	9	9	1	4	6	8	4	4	3	5	3	1	1
Diphtheria (infection by C. diphtheriae)	10	1	—	—	—	—	—	—	1	—	—	—	—
Erysipelas	11	2	1	—	—	—	1	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	7	1	1	—	—	2	1	1	1	—	—	—
Tuberculosis of meninges, etc.*	14	2	—	—	1	1	—	—	—	—	—	—	—
Tuberculosis (other forms)	15-22	10	2	1	1	—	2	2	1	1	—	—	—
Septicemia and purulent infection	24	3	—	—	—	2	1	—	—	—	—	—	—
Dysentery	27	12	1	—	—	3	—	—	1	2	4	—	1
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	22	1	2	4	2	4	1	1	2	2	1	2
Influenza	33	54	7	11	21	3	2	1	2	1	2	2	2
Measles	35	9	—	2	2	3	1	—	—	—	—	1	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	5	—	1	—	1	1	—	—	—	1	1	—	—
Diseases of thymus gland	64	91	9	12	9	8	4	7	3	8	5	8	9
Rickets	70	1	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	6	—	—	—	1	1	—	—	2	1	—	—
Anemias (except splenic anemia)	73	7	—	—	—	1	1	1	—	1	—	1	—
Encephalitis (nonepidemic)	80	2	—	—	—	1	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)	81	12	2	1	1	—	—	—	1	1	2	1	2
Intracranial lesions of vascular origin	83	5	1	—	—	1	—	—	2	—	—	1	—
Convulsions	86	14	—	2	1	2	1	1	1	2	—	1	3
Diseases of ear and mastoid process	89	28	3	5	3	4	—	—	—	—	—	—	—
Other diseases, nervous system—82,84,85,87,88	6	6	—	—	—	1	2	—	1	1	—	—	—
Diseases of circulatory system—90-103	5	3	2	3	2	2	—	—	—	3	3	1	1
Pneumonia (all forms)—107-109	518	107	73	71	42	39	20	15	20	22	32	35	46
Other diseases of respiratory system—104-106,110-114	53	6	2	10	6	—	2	3	1	1	5	7	10
Diseases of buccal cavity, etc.*	115	7	—	—	2	1	—	—	—	—	2	—	1
Diseases of stomach—117,118	8	—	1	—	—	1	1	1	1	2	—	—	—
Diarrhea, enteritis, etc.*	119	254	16	20	15	9	8	11	18	33	55	25	16
Hernia—122a	4	—	—	—	—	1	—	—	—	—	1	1	1
Intestinal obstruction—122b	39	5	7	5	—	2	2	1	3	5	1	5	3
Peritonitis (cause not stated)	129	7	—	—	1	2	—	—	—	1	—	—	1
Other diseases, digestive system—116,121,123-128	5	1	1	1	—	—	2	—	—	1	—	—	1
Diseases, genito-urinary system—130,131,133-139	13	3	—	1	1	1	—	—	1	—	2	1	1
Diseases of skin and cellular tissue—151-153	5	—	1	1	1	1	—	—	—	—	—	—	1
Congenital malformations—157	536	55	34	48	46	38	34	58	45	40	55	37	48
Congenital debility—158	71	12	2	7	5	2	2	8	5	9	9	5	7
Premature birth—159	1,353	122	115	133	95	105	89	120	107	102	95	128	128
Injury at birth—160	377	37	25	35	37	39	25	32	27	32	29	32	29
Other diseases peculiar to first year—161	245	24	11	24	18	17	16	20	25	21	21	21	29
Accidental mechanical suffocation—162	50	8	5	8	3	4	4	4	3	1	2	5	3
Other violence or accident—166-181,183-195	46	6	3	3	5	2	5	2	5	6	6	2	5
Ill-defined and unknown causes—199,200	15	3	—	1	1	1	1	—	3	—	3	—	2
All other causes*	17	—	1	2	3	1	3	3	—	1	—	1	2
MINNESOTA—All causes	1,798	210	156	164	168	149	143	123	115	155	132	140	143
Cerebrospinal (meningococcus) meningitis	6	1	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	8	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	9	18	1	—	3	1	1	2	3	—	2	1	3
Diphtheria (infection by C. diphtheriae)	10	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	11	4	1	—	—	—	2	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	4	—	—	—	1	—	—	2	—	1	—	—
Tuberculosis of meninges, etc.*	14	1	—	—	1	—	—	—	—	—	—	—	—
Tuberculosis (other forms)	15-22	2	1	1	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	2	—	—	—	—	—	—	—	1	—	—	1
Dysentery	27	—	—	—	—	—	—	—	—	—	—	—	—
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	11	—	1	2	—	—	—	—	2	—	1	1
Influenza	33	25	7	1	6	3	3	—	1	1	1	2	—
Measles	35	11	1	3	2	—	1	1	1	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	1	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of thymus gland	64	10	1	—	—	1	—	3	—	1	1	—	2
Rickets	70	1	—	—	—	—	—	1	—	—	—	—	—
Hemorrhagic conditions	72	4	1	—	—	—	1	—	—	—	1	—	1
Anemias (except splenic anemia)	73	—	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)	80	3	—	1	—	—	—	—	—	—	2	—	—
Meningitis (not due to meningococcus)	81	11	1	—	1	1	—	1	—	1	2	3	—
Intracranial lesions of vascular origin	83	7	2	1	—	—	1	—	—	1	1	1	—
Convulsions	86	9	1	—	1	—	—	2	—	3	2	—	—
Diseases of ear and mastoid process	89	9	2	1	1	—	—	—	1	—	2	1	—
Other diseases, nervous system—82,84,85,87,88	5	—	—	—	1	—	—	—	2	1	—	—	—
Diseases of circulatory system—90-103	6	—	—	1	2	—	—	—	—	—	—	—	3
Pneumonia (all forms)—107-109	198	48	23	24	22	12	6	7	5	5	16	11	19
Other diseases of respiratory system—104-106,110-114	22	6	—	—	3	5	—	—	1	1	—	4	2
Diseases of buccal cavity, etc.*	115	5	2	—	1	—	—	—	—	—	1	—	—
Diseases of stomach—117,118	6	1	1	—	—	—	—	—	3	—	—	1	—
Diarrhea, enteritis, etc.*	119	70	4	8	6	5	1	8	5	14	3	6	5
Hernia—122a	8	—	3	—	2	—	—	2	—	1	—	—	—
Intestinal obstruction—122b	17	1	—	2	—	1	1	2	—	4	3	—	3
Peritonitis (cause not stated)	129	2	—	1	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	5	1	1	—	2	—	—	—	—	—	1	—	—
Diseases, genito-urinary system—130,131,133-139	1	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of skin and cellular tissue—151-153	4	—	1	—	1	1	—	1	—	—	—	—	—
Congenital malformations—157	229	29	17	14	15	12	23	17	15	28	20	18	21
Congenital debility—158	21	4	4	3	2	—	—	—	—	4	2	2	—
Premature birth—159	640	53	48	63	60	66	58	49	45	51	41	58	48
Injury at birth—160	259	27	26	22	23	21	27	17	16	23	18	20	19
Other diseases peculiar to first year—161	106	7	9	5	13	11	13	8	11	5	6	8	10
Accidental mechanical suffocation—162	12	2	1	—	—	2	3	—	1	2	—	—	1
Other violence or accident—166-181,183-195	23	3	2	4	2	—	2	3	—	3	—	2	2
Ill-defined and unknown causes—199,200	12	2	1	—	2	1	—	—	2	2	1	—	1
All other causes*	13	—	1	1	2	2	—	—	1	2	3	1	—

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		MISSISSIPPI—All causes	2,907	315	289	287	249	223	253	235	204	187	209
Cerebrospinal (meningococcus) meningitis	6	—	—	—	—	1	—	—	1	—	1	—	—
Scarlet fever	8	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	101	9	7	16	7	12	5	11	6	5	8	8	7
Diphtheria (infection by C. diphtheriae)	10	1	1	—	1	—	—	—	—	—	1	2	1
Erysipelas	11	4	1	—	—	—	—	—	—	1	—	1	1
Tetanus	12	7	—	—	1	—	—	1	2	2	1	—	—
Tuberculosis of respiratory system, etc.*	13	1	—	—	—	1	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	2	1	—	—	—	—	—	—	—	—	1	—
Tuberculosis (other forms)	15-22	1	—	—	—	—	—	—	—	—	—	1	—
Septicemia and purulent infection	24	1	—	—	—	—	—	—	1	—	—	—	—
Dysentery	27	27	1	1	—	5	7	3	3	1	3	2	1
Malaria	28	26	—	1	—	1	2	—	6	8	4	3	1
Syphilis	30	72	2	8	6	7	8	6	9	7	5	7	2
Influenza	33	157	52	17	31	24	7	2	1	1	7	3	11
Measles	35	21	5	1	5	2	5	2	—	—	—	—	1
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	—	—	—	1	—	1	1	—	—	—	1	—
Diseases of thymus gland	64	8	5	1	1	—	2	—	1	—	—	—	—
Rickets	70	1	—	1	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	7	—	1	—	1	1	—	—	1	—	1	2
Anemias (except splenic anemia)	73	5	—	3	—	—	—	—	1	—	1	—	—
Encephalitis (non-epidemic)	80	4	—	1	—	—	—	—	1	1	—	—	1
Meningitis (not due to meningococcus)	81	8	2	—	2	1	1	—	1	—	—	1	—
Intracranial lesions of vascular origin	83	3	—	1	—	—	—	—	—	—	—	2	—
Convulsions	86	21	1	1	1	5	3	1	1	—	3	3	1
Diseases of ear and mastoid process	89	5	1	—	—	—	1	1	—	—	1	—	1
Other diseases, nervous system—82,84,85,87,88	1	1	—	—	—	—	—	—	—	—	—	—	1
Diseases of circulatory system—90-103	5	1	1	—	—	—	—	—	1	—	—	2	—
Pneumonia (all forms)—107-109	322	59	48	40	39	14	7	8	8	13	22	37	27
Other diseases of respiratory system—104-106,110-114	27	1	2	9	3	1	1	3	1	1	—	—	5
Diseases of buccal cavity, etc.*	115	7	3	1	1	1	—	—	—	1	—	—	—
Diseases of stomach—117,118	5	—	—	—	1	1	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*	119	175	3	6	9	5	13	49	38	17	12	7	10
Hernia—122a	1	—	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	19	5	1	1	2	2	3	—	—	2	1	—	2
Peritonitis (cause not stated)—128	7	—	—	—	—	—	—	—	1	—	—	—	1
Other diseases, digestive system—116,121,123-128	1	—	—	—	—	1	1	—	1	2	1	—	1
Diseases, genito-urinary system—130,131,133-139	7	—	—	1	—	—	—	3	1	2	—	—	—
Diseases of skin and cellular tissue—151-153	6	—	—	1	—	—	1	1	1	1	—	—	2
Congenital malformations—157	96	8	7	5	6	9	10	6	10	8	16	6	5
Congenital debility—158	55	4	3	1	5	7	3	7	5	4	3	3	10
Premature birth—159	565	55	47	45	46	51	56	47	52	37	50	34	45
Injury at birth—160	192	19	15	14	19	14	14	19	13	17	14	16	16
Other diseases peculiar to first year—161	93	8	11	12	6	4	9	11	10	7	5	2	8
Accidental mechanical suffocation—182	26	2	1	1	1	1	—	2	4	3	1	3	7
Other violence or accident—166-181,183-195	37	9	2	2	2	4	3	—	1	1	4	4	5
Ill-defined and unknown causes—189,200	789	81	94	77	64	55	66	57	48	48	46	62	71
All other causes*	15	—	6	3	—	—	—	2	2	—	1	1	—
MISSOURI—All causes	2,655	320	219	212	202	164	197	247	222	218	222	228	204
Cerebrospinal (meningococcus) meningitis	6	1	—	1	—	—	—	—	—	—	—	—	—
Scarlet fever	8	1	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	9	38	2	5	1	6	2	3	2	5	2	3	4
Diphtheria (infection by C. diphtheriae)	10	4	1	1	—	1	—	—	—	—	—	1	—
Erysipelas	11	5	—	2	1	—	—	—	—	1	1	—	—
Tetanus	12	2	—	—	—	—	1	—	—	—	—	—	1
Tuberculosis of respiratory system, etc.*	13	9	2	—	1	1	2	—	1	—	1	—	—
Tuberculosis of meninges, etc.*	14	3	1	1	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)	15-22	3	—	—	—	—	—	—	1	2	—	—	—
Septicemia and purulent infection	24	2	—	1	1	—	—	—	—	—	—	—	—
Dysentery	27	38	—	1	—	—	—	—	—	—	—	—	—
Malaria	28	7	—	—	—	—	—	4	9	8	4	9	1
Syphilis	30	36	4	3	3	3	3	2	3	2	1	5	4
Influenza	33	47	7	6	9	5	1	1	1	2	2	5	8
Measles	35	3	—	1	—	—	—	—	1	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11	—	—	4	—	1	—	2	—	1	2	1	—
Diseases of thymus gland	64	27	1	2	5	3	2	1	3	1	3	2	2
Rickets	70	3	1	—	—	—	1	—	—	—	—	—	—
Hemorrhagic conditions	72	3	1	—	1	—	—	—	—	—	1	—	—
Anemias (except splenic anemia)	73	5	—	—	—	—	—	—	2	—	2	—	1
Encephalitis (non-epidemic)	80	4	—	—	1	—	—	1	—	—	1	—	1
Meningitis (not due to meningococcus)	81	11	2	1	1	—	—	1	—	—	1	5	—
Intracranial lesions of vascular origin	83	3	—	—	—	—	—	1	1	—	1	—	—
Convulsions	86	14	1	—	1	4	—	1	2	1	1	1	1
Diseases of ear and mastoid process	89	14	5	1	1	—	1	—	1	1	—	2	2
Other diseases, nervous system—82,84,85,87,88	3	—	—	—	—	—	1	—	1	—	—	1	—
Diseases of circulatory system—90-103	8	—	—	2	1	1	—	—	—	2	—	1	1
Pneumonia (all forms)—107-109	362	88	46	45	35	10	12	10	6	15	26	26	41
Other diseases of respiratory system—104-106,110-114	25	3	8	4	2	2	—	2	2	—	1	—	1
Diseases of buccal cavity, etc.*	115	4	1	—	1	—	—	1	1	—	—	—	—
Diseases of stomach—117,118	5	—	—	1	1	—	—	1	2	—	—	—	—
Diarrhea, enteritis, etc.*	119	233	14	7	8	7	5	37	48	41	28	24	9
Hernia—122a	6	—	—	—	—	1	—	—	—	—	1	2	1
Intestinal obstruction—122b	24	1	3	1	1	2	1	3	2	2	3	3	2
Peritonitis (cause not stated)—128	5	—	—	1	1	—	—	—	1	—	1	—	1
Other diseases, digestive system—116,121,123-128	6	1	—	1	1	—	—	1	1	—	—	—	1
Diseases, genito-urinary system—130,131,133-139	11	1	1	—	1	—	—	3	—	2	1	2	—
Diseases of skin and cellular tissue—151-153	13	—	—	—	—	—	1	2	1	3	—	2	2
Congenital malformations—157	286	33	21	16	23	16	23	23	30	24	31	25	21
Congenital debility—158	58	7	—	7	6	5	1	5	4	5	7	7	4
Premature birth—159	808	83	59	67	60	73	63	75	69	60	64	81	54
Injury at birth—160	231	29	19	34	18	15	20	18	12	25	16	24	21
Other diseases peculiar to first year—161	136	12	17	6	9	6	11	14	15	13	13	9	11
Accidental mechanical suffocation—182	21	3	3	2	2	2	1	—	1	3	—	2	3
Other violence or accident—166-181,183-195	36	9	6	5	1	5	2	4	7	4	2	2	3
Ill-defined and unknown causes—189,200	65	3	—	5	7	5	8	5	3	4	2	3	8
All other causes*	15	2	1	—	1	3	—	2	2	—	2	2	—

\* Refer to complete International List titles, table XI.  
411206 O-41-16

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		MONTANA—All causes											
Cerebrospinal (meningococcus) meningitis	6	2				1				1			
Scarlet fever	8												
Whooping cough	9	7	4	1		2							
Diphtheria (infection by C. diphtheriae)	10												
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	2							1		1		
Tuberculosis of meninges, etc.*	14	1		1									
Tuberculosis (other forms)	15-22	1							1				
Septicemia and purulent infection	24	5		1	1	1		1					1
Dysentery	27	3				1	1	1					
Malaria	28												
Syphilis	30	7	2				1			1	2		1
Influenza	33	18	6	4	2	2	1	1					2
Measles	35	4		1	1	2							
Other infectious and parasitic diseases	1-5,7,25,26,29,31,32,34,36-44	2		1						1			
Diseases of thymus gland	64	6	1			1				1		1	2
Rickets	70	1							1				
Hemorrhagic conditions	72	1				1							
Anemias (except splenic anemia)	73												
Encephalitis (non-epidemic)	80	1						1					
Meningitis (not due to meningococcus)	81	2			1						1		
Intracranial lesions of vascular origin	83	2						1		1			
Convulsions	86	3	1					1			1		
Diseases of ear and mastoid process	89	2				1						1	
Other diseases, nervous system	82,84,85,87,88	1							1				
Diseases of circulatory system	90-103	2	1	1									
Pneumonia (all forms)	107-109	76	22	12	6	4	7	5	2	6	2	5	3
Other diseases of respiratory system	104-106,110-114	2	1						1				
Diseases of buccal cavity, etc.*	115	5		1					1		1	1	1
Diseases of stomach	117,118	1			1								
Diarrhea, enteritis, etc.*	119	27	1	3	4	3	2	3	2	2	4	2	1
Hernia	122a	1				1							
Intestinal obstruction	122b	3			1	1	1						
Peritonitis (cause not stated)	129												
Other diseases, digestive system	116,121,123-128	1										1	
Diseases, genito-urinary system	130,131,133-139												
Diseases of skin and cellular tissue	151-153												
Congenital malformations	157	60	6	3	10	8	5	9	2	4	2	4	5
Congenital debility	158	8	2	1					1	1		2	1
Premature birth	159	164	13	15	14	19	12	13	15	16	15	9	8
Injury at birth	160	56	2	6	4	7	2	9	5	5	5	4	2
Other diseases peculiar to first year	161	25	4	1	1	1	1	2	4	2	1	3	4
Accidental mechanical suffocation	182	4	1			1		1					1
Other violence or accident	166-181,183-195	5						1	1		2		1
Ill-defined and unknown causes	189,200	16	1	3	5		3	2	1		1	1	1
All other causes*		5	1			2					1		1
NEBRASKA—All causes													
Cerebrospinal (meningococcus) meningitis	6												
Scarlet fever	8	1		1									
Whooping cough	9	10		1			1	2	3	1			1
Diphtheria (infection by C. diphtheriae)	10	1										1	
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	1						1					
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22	2			1					1			
Septicemia and purulent infection	24	1											
Dysentery	27												
Malaria	28												
Syphilis	30	5	2			1	1	1					
Influenza	33	12	5	1	2					2	2		
Measles	35	1		1									
Other infectious and parasitic diseases	1-5,7,25,26,29,31,32,34,36-44	1								1			
Diseases of thymus gland	64	12	1		2	2			1	1		1	4
Rickets	70	2						1					
Hemorrhagic conditions	72	1		1									
Anemias (except splenic anemia)	73	3	1		1							1	
Encephalitis (non-epidemic)	80	1											
Meningitis (not due to meningococcus)	81	3	1				1			1			
Intracranial lesions of vascular origin	83	3	1		1		1						
Convulsions	86	2			1						1		
Diseases of ear and mastoid process	89	2			1					1			
Other diseases, nervous system	82,84,85,87,88	1										1	
Diseases of circulatory system	90-103	4											
Pneumonia (all forms)	107-109	97	39	11	5	5	4	3	7	2	4	5	7
Other diseases of respiratory system	104-106,110-114	8			2	1	1			1		1	2
Diseases of buccal cavity, etc.*	115	1		1						1			
Diseases of stomach	117,118	3							1	1			
Diarrhea, enteritis, etc.*	119	30		2	1	1		2	4	3	5	7	4
Hernia	122a												
Intestinal obstruction	122b	8	1		1	2	2		1				
Peritonitis (cause not stated)	129	1							1				
Other diseases, digestive system	116,121,123-128	1						1					
Diseases, genito-urinary system	130,131,133-139	2	1		1								
Diseases of skin and cellular tissue	151-153												
Congenital malformations	157	119	14	11	9	9	6	7	16	12	9	6	13
Congenital debility	158	28	3	1	1		5	2	4		1	3	2
Premature birth	159	272	31	19	26	16	24	12	24	32	20	22	23
Injury at birth	160	112	12	10	11	5	14	8	9	7	8	7	9
Other diseases peculiar to first year	161	42	1	1	1	4	5	2	6	4	4	1	3
Accidental mechanical suffocation	182	7	2	2		1							
Other violence or accident	166-181,183-195	8			1			2	1	1			1
Ill-defined and unknown causes	189,200	8		1	2		1		1	1			1
All other causes*		5	1					1		1	1		1

\* Refer to complete International List titles, table XI.

# GENERAL TABLES—INFANT DEATHS

479

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	87	12	6	7	8	4	5	9	4	6	5	9	12
Cerebrospinal (meningococcus) meningitis	6												
Scarlet fever	8												
Whooping cough	9		1										
Diphtheria (infection by C. diphtheriae)	10												
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13												
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22												
Septicemia and purulent infection	24												
Dysentery	27												
Malaria	28												
Syphilis	30												
Influenza	33	1	1	1									
Measles	35	1		1									
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	64										1		
Diseases of thymus gland	64	1											
Rickets	70												
Hemorrhagic conditions	72												
Anemias (except splenic anemia)	73												
Encephalitis (nonepidemic)	80												
Meningitis (not due to meningococcus)	81												
Intracranial lesions of vascular origin	83												
Convulsions	86	2	1									1	
Diseases of ear and mastoid process	89												
Other diseases, nervous system—82,84,85,87,88	88												
Diseases of circulatory system—90-103	103	1										1	
Pneumonia (all forms)—107-109	109	13	1	1	4		1	1			1	1	2
Other diseases of respiratory system—104-106,110-114	114	1	1										
Diseases of buccal cavity, etc.*	115	1	1										
Diseases of stomach—117,118	118												
Diarrhea, enteritis, etc.*	119	6							1	4	1		
Hernia—122a	122a												
Intestinal obstruction—122b	122b												
Peritonitis (cause not stated)—129	129												
Other diseases, digestive system—116,121,123-128	128												
Diseases, genito-urinary system—130,131,133-139	139												
Diseases of skin and cellular tissue—151-153	153												
Congenital malformations—157	157	8	1	1		1			2			1	
Congenital debility—158	158	4	1						1	2		2	
Premature birth—159	159	28	3			7	3	3	2	2	1	2	5
Injury at birth—160	160	6	1					2	2			1	2
Other diseases peculiar to first year—161	161	4		1				1					1
Accidental mechanical suffocation—162	162	4											
Other violence or accident—166-181,183-195	195	4	1	1									1
Ill-defined and unknown causes—199,200	200	3						1			1		1
All other causes*													
NEW HAMPSHIRE—All causes	363	30	26	48	27	27	31	34	24	27	26	32	31
Cerebrospinal (meningococcus) meningitis	6	1											
Scarlet fever	8												
Whooping cough	9	6											
Diphtheria (infection by C. diphtheriae)	10			1	2					1		2	
Erysipelas	11	1	1										
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13												
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22												
Septicemia and purulent infection	24	2	1		1								
Dysentery	27												
Malaria	28												
Syphilis	30	3											
Influenza	33	4									1	2	
Measles	35												
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	64												
Diseases of thymus gland	64	3											
Rickets	70	1											
Hemorrhagic conditions	72	1											
Anemias (except splenic anemia)	73	1											
Encephalitis (nonepidemic)	80	1											
Meningitis (not due to meningococcus)	81	2											
Intracranial lesions of vascular origin	83	2											
Convulsions	86	3											
Diseases of ear and mastoid process	89	2	1										
Other diseases, nervous system—82,84,85,87,88	88												
Diseases of circulatory system—90-103	103												
Pneumonia (all forms)—107-109	109	39	8	4	8	3	4	2					
Other diseases of respiratory system—104-106,110-114	114	5							1	1	1	2	2
Diseases of buccal cavity, etc.*	115												
Diseases of stomach—117,118	118												
Diarrhea, enteritis, etc.*	119	11											
Hernia—122a	122a	1											
Intestinal obstruction—122b	122b	2											
Peritonitis (cause not stated)—129	129	1											
Other diseases, digestive system—116,121,123-128	128												
Diseases, genito-urinary system—130,131,133-139	139												
Diseases of skin and cellular tissue—151-153	153												
Congenital malformations—157	157	60	5	2	8		8	3	11	2	4	5	6
Congenital debility—158	158	8	1										
Premature birth—159	159	121	8	10	13	11	5	11	14	10	10	8	13
Injury at birth—160	160	47	3	6	4	2	2	6	2	5	3	8	5
Other diseases peculiar to first year—161	161	18	1										
Accidental mechanical suffocation—162	162	11	1	1	3	1							
Other violence or accident—166-181,183-195	195	5											
Ill-defined and unknown causes—199,200	200	1											
All other causes*		2											

\* Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW JERSEY</b> -----All causes	2,184	223	230	219	166	210	162	134	155	168	165	173	157
Cerebrospinal (meningococcus) meningitis-----6	4	2	---	---	1	---	---	1	---	---	---	---	---
Scarlet fever-----8	---	---	---	---	---	---	---	---	---	---	---	---	---
Whooping cough-----9	31	3	4	7	2	1	3	1	---	5	2	---	3
Diphtheria (infection by C. diphtheriae)-----10	1	---	---	---	---	---	---	---	---	---	1	---	---
Erysipelas-----11	4	2	1	---	---	---	---	---	---	---	---	1	---
Tetanus-----12	1	---	---	---	---	---	---	1	---	---	---	---	---
Tuberculosis of respiratory system, etc.*-----13	3	1	---	1	---	---	---	---	1	---	---	1	---
Tuberculosis of meninges, etc.*-----14	3	---	---	---	1	---	2	---	---	---	---	---	---
Tuberculosis (other forms)-----15-22	3	---	---	---	---	---	---	---	---	1	1	---	1
Septicemia and purulent infection-----24	2	---	---	1	---	1	---	---	---	---	---	---	---
Dysentery-----27	6	---	1	---	---	---	---	1	1	---	2	---	1
Malaria-----28	---	---	---	---	---	---	---	---	---	---	---	---	---
Syphilis-----30	19	---	1	2	---	5	1	2	1	3	---	4	---
Influenza-----33	22	3	5	7	2	1	2	---	---	---	2	---	---
Measles-----35	---	---	---	---	---	---	---	---	---	---	---	---	---
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	2	---	---	---	---	---	---	---	1	---	1	---	---
Diseases of thymus gland-----64	24	4	3	1	1	1	1	1	2	5	---	1	4
Rickets-----70	1	---	---	1	---	---	---	---	---	---	---	---	---
Hemorrhagic conditions-----72	4	---	1	2	---	---	---	---	---	---	---	---	1
Anemias (except splenic anemia)-----73	4	1	---	---	---	1	---	---	1	1	---	---	---
Encephalitis (nonepidemic)-----80	---	---	---	---	---	---	---	---	---	---	---	---	---
Meningitis (not due to meningococcus)-----81	10	---	---	1	1	2	1	1	---	2	---	1	1
Intracranial lesions of vascular origin-----83	5	---	---	---	1	1	2	---	---	---	---	---	1
Convulsions-----86	7	2	---	1	1	1	---	---	---	---	---	1	1
Diseases of ear and mastoid process-----89	7	---	1	1	2	1	---	---	---	---	---	2	---
Other diseases, nervous system-----82,84,85,87,88	11	1	3	1	---	---	1	1	2	---	2	---	---
Diseases of circulatory system-----90-103	8	---	---	1	1	3	1	---	---	---	---	1	1
Pneumonia (all forms)-----107-109	301	57	56	51	24	20	13	2	10	19	9	19	21
Other diseases of respiratory system-----104-106,110-114	30	5	4	2	5	2	3	2	---	1	---	4	2
Diseases of buccal cavity, etc.*-----115	2	---	---	---	---	1	---	---	1	---	---	---	---
Diseases of stomach-----117,118	4	1	1	---	---	---	---	1	---	---	---	---	1
Diarrhea, enteritis, etc.*-----119	100	9	12	10	4	12	9	8	6	9	13	3	5
Hernia-----122a	---	---	---	---	---	---	---	---	---	---	---	---	---
Intestinal obstruction-----122b	12	1	---	1	1	2	---	3	2	---	1	1	---
Peritonitis (cause not stated)-----129	5	---	---	---	---	1	1	---	---	2	---	---	1
Other diseases, digestive system-----116,121,123-128	3	---	---	---	1	---	---	1	1	---	---	---	---
Diseases, genito-urinary system-----130,131,133-139	5	2	---	1	---	---	---	---	---	2	---	---	---
Diseases of skin and cellular tissue-----151-153	3	---	1	---	---	1	---	1	---	---	---	---	---
Congenital malformations-----157	268	20	30	21	25	28	23	15	21	27	25	22	13
Congenital debility-----158	29	1	3	4	2	3	1	---	4	3	2	5	1
Premature birth-----159	750	55	54	61	62	72	68	55	63	63	67	67	65
Injury at birth-----160	249	26	23	25	15	29	18	20	19	16	23	17	17
Other diseases peculiar to first year-----161	153	14	18	8	10	11	5	12	12	19	13	9	7
Accidental mechanical suffocation-----182	39	5	3	5	2	3	3	2	5	5	3	3	5
Other violence or accident-----166-181,183-195	48	6	4	2	3	5	3	4	3	1	8	3	6
Ill-defined and unknown causes-----199,200	7	1	---	---	1	2	---	1	---	1	1	1	1
All other causes *-----	9	1	1	1	---	---	1	---	1	2	---	1	1
<b>NEW MEXICO</b> -----All causes	1,549	229	116	149	95	87	98	128	168	161	154	83	81
Cerebrospinal (meningococcus) meningitis-----6	1	---	---	---	---	---	1	---	---	---	---	---	---
Scarlet fever-----8	---	---	---	---	---	---	---	---	---	---	---	---	---
Whooping cough-----9	24	2	2	3	2	1	3	3	1	1	1	2	3
Diphtheria (infection by C. diphtheriae)-----10	2	1	---	---	---	---	---	---	---	---	1	---	---
Erysipelas-----11	---	---	---	---	---	---	---	---	---	---	---	---	---
Tetanus-----12	1	---	---	---	---	---	---	1	---	---	---	---	---
Tuberculosis of respiratory system, etc.*-----13	5	---	1	1	---	---	---	---	3	---	---	---	---
Tuberculosis of meninges, etc.*-----14	3	1	---	---	2	---	---	---	---	---	---	---	---
Tuberculosis (other forms)-----15-22	3	---	---	---	---	---	---	---	---	---	---	---	---
Septicemia and purulent infection-----24	2	2	---	---	---	---	---	---	---	---	---	---	---
Dysentery-----27	41	---	---	---	---	---	4	3	12	11	8	2	1
Malaria-----28	---	---	---	---	---	---	---	---	---	---	---	---	---
Syphilis-----30	19	2	1	3	1	1	2	4	3	---	1	1	---
Influenza-----33	25	5	7	8	1	1	---	---	---	2	---	---	1
Measles-----35	2	1	---	1	---	---	---	---	---	---	---	---	---
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	6	2	1	1	---	---	---	---	---	1	1	---	---
Diseases of thymus gland-----64	7	2	1	---	---	---	1	---	1	---	1	---	1
Rickets-----70	2	1	---	---	---	---	---	---	---	1	---	---	---
Hemorrhagic conditions-----72	1	---	---	---	---	---	---	---	1	---	---	---	---
Anemias (except splenic anemia)-----73	---	---	---	---	---	---	---	---	---	---	---	---	---
Encephalitis (nonepidemic)-----80	3	---	---	---	---	---	---	---	---	---	---	1	2
Meningitis (not due to meningococcus)-----81	3	---	---	1	---	1	---	1	---	---	---	---	---
Intracranial lesions of vascular origin-----83	---	---	---	---	---	---	---	---	---	---	---	---	---
Convulsions-----86	3	---	---	---	---	---	1	1	---	---	1	---	---
Diseases of ear and mastoid process-----89	4	---	1	1	---	---	---	---	---	1	---	1	---
Other diseases, nervous system-----82,84,85,87,88	---	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of circulatory system-----90-103	5	1	1	---	---	1	1	---	---	1	---	---	---
Pneumonia (all forms)-----107-109	187	65	21	17	13	10	6	4	2	11	15	10	13
Other diseases of respiratory system-----104-106,110-114	2	---	---	---	---	1	---	---	---	---	1	---	---
Diseases of buccal cavity, etc.*-----115	2	1	---	---	---	---	---	---	---	---	---	---	1
Diseases of stomach-----117,118	2	---	---	---	---	---	---	---	---	---	1	---	1
Diarrhea, enteritis, etc.*-----119	179	4	1	4	5	3	13	21	44	39	37	5	3
Hernia-----122a	---	---	---	---	---	---	---	---	---	---	---	---	---
Intestinal obstruction-----122b	4	1	---	---	2	1	---	---	---	---	---	---	---
Peritonitis (cause not stated)-----129	3	1	---	---	---	---	---	---	---	1	---	---	1
Other diseases, digestive system-----116,121,123-128	---	---	---	---	---	---	---	---	---	---	---	---	---
Diseases, genito-urinary system-----130,131,133-139	1	1	---	---	---	---	---	---	---	---	---	---	---
Diseases of skin and cellular tissue-----151-153	2	---	---	---	---	---	---	---	---	---	1	---	---
Congenital malformations-----157	45	4	4	3	4	2	4	3	3	5	5	4	4
Congenital debility-----158	37	6	1	1	---	3	5	3	8	---	3	4	3
Premature birth-----159	239	25	20	29	15	20	19	29	16	17	17	14	18
Injury at birth-----160	50	5	7	6	4	8	1	6	3	4	4	---	2
Other diseases peculiar to first year-----161	33	6	3	4	3	2	---	1	4	---	4	3	3
Accidental mechanical suffocation-----182	5	1	---	---	---	1	---	---	---	1	---	2	---
Other violence or accident-----166-181,183-195	8	---	1	1	1	---	---	1	1	1	---	1	1
Ill-defined and unknown causes-----199,200	588	89	43	63	41	31	36	47	66	65	51	33	23
All other causes *-----	3	---	---	2	---	---	1	---	---	---	---	---	---

\* Refer to complete International List titles, table XI.



# GENERAL TABLES—INFANT DEATHS

481

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW YORK—All causes</b>	<b>7,370</b>	<b>695</b>	<b>700</b>	<b>782</b>	<b>722</b>	<b>656</b>	<b>536</b>	<b>515</b>	<b>506</b>	<b>549</b>	<b>531</b>	<b>570</b>	<b>608</b>
Cerebrospinal (meningococcus) meningitis—6	11	3	2	1	—	1	1	1	—	—	1	—	1
Scarlet fever—8	2	1	1	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	90	7	6	10	10	6	7	6	6	9	4	7	12
Diphtheria (infection by C. diphtheriae)—10	4	—	—	1	2	1	—	—	—	—	—	—	—
Erysipelas—11	11	2	1	2	3	2	1	—	—	—	—	—	—
Tetanus—12	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*—13	20	—	1	4	3	2	1	3	1	2	1	—	2
Tuberculosis of meninges, etc.*—14	8	3	—	—	1	2	1	—	—	—	—	1	—
Tuberculosis (other forms)—15-22	10	2	—	2	1	—	—	1	—	1	2	—	1
Septicemia and purulent infection—24	5	—	1	1	1	1	—	—	1	—	—	—	—
Dysentery—27	9	—	2	—	1	1	—	—	1	1	1	—	2
Malaria—28	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—30	55	6	5	5	6	5	2	2	6	7	3	3	5
Influenza—33	55	10	5	15	4	3	1	2	—	2	1	6	6
Measles—35	11	—	1	1	1	5	—	1	—	—	2	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	4	—	—	—	1	—	—	—	—	—	—	—	1
Diseases of thymus gland—64	79	13	8	10	9	5	3	4	1	4	5	7	10
Rickets—70	3	—	—	1	—	—	1	—	—	—	—	1	—
Hemorrhagic conditions—72	10	—	2	2	—	1	1	2	—	—	1	1	—
Anemias (except splenic anemia)—73	16	1	4	—	2	1	1	3	2	—	—	—	2
Encephalitis (nonepidemic)—80	2	—	1	—	—	—	—	—	1	—	—	—	—
Meningitis (not due to meningococcus)—81	42	5	4	5	7	3	3	—	3	3	4	2	3
Intracranial lesions of vascular origin—83	16	1	1	3	5	1	2	—	1	—	—	—	2
Convulsions—86	19	4	2	4	2	2	3	—	—	—	—	—	2
Diseases of ear and mastoid process—89	48	6	6	5	6	5	3	4	1	1	3	3	5
Other diseases, nervous system—82,84,85,87,88	21	2	4	3	—	3	2	1	—	—	3	2	1
Diseases of circulatory system—90-103	29	4	3	4	4	4	—	1	4	2	—	3	—
Pneumonia (all forms)—107-109	919	116	136	144	119	69	41	27	26	38	47	68	88
Other diseases of respiratory system—104-106,110-114	99	16	15	18	9	6	3	2	5	5	9	4	7
Diseases of buccal cavity, etc.*—115	19	2	1	1	2	6	1	—	1	—	—	2	3
Diseases of stomach—117,118	13	1	—	3	1	—	—	1	1	2	—	3	1
Diarrhea, enteritis, etc.*—119	555	58	39	53	59	34	30	35	48	60	50	43	26
Hernia—122a	10	1	1	1	—	2	—	1	2	1	1	—	—
Intestinal obstruction—122b	43	5	5	5	5	5	2	4	3	3	2	3	1
Peritonitis (cause not stated)—129	17	3	1	2	2	2	4	2	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	13	3	1	1	1	1	2	—	2	—	—	—	2
Diseases, genito-urinary system—130,131,133-139	32	8	4	3	1	1	1	3	1	1	2	3	4
Diseases of skin and cellular tissue—151-153	14	2	3	—	2	1	—	3	—	1	—	1	1
Congenital malformations—157	960	79	72	98	79	80	90	61	59	89	84	86	83
Congenital debility—158	68	5	4	14	4	8	5	4	5	4	2	7	4
Premature birth—159	2,306	188	189	206	210	232	199	186	180	167	175	188	186
Injury at birth—160	1,939	66	108	87	95	85	87	106	89	84	76	73	85
Other diseases peculiar to first year—161	495	49	38	50	40	54	25	38	45	39	39	36	38
Accidental mechanical suffocation—182	59	7	6	4	7	3	1	4	2	7	3	4	11
Other violence or accident—166-181,183-195	92	9	10	10	12	10	7	4	6	7	5	7	5
Ill-defined and unknown causes—199,200	18	3	5	1	2	1	1	1	2	2	2	—	1
All other causes*	41	4	4	2	3	4	4	2	2	2	3	6	5
<b>NORTH CAROLINA—All causes</b>	<b>4,683</b>	<b>429</b>	<b>332</b>	<b>415</b>	<b>371</b>	<b>395</b>	<b>469</b>	<b>385</b>	<b>364</b>	<b>343</b>	<b>370</b>	<b>370</b>	<b>392</b>
Cerebrospinal (meningococcus) meningitis—6	3	—	—	—	—	—	2	—	1	—	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	154	16	14	18	13	20	24	11	15	6	6	7	4
Diphtheria (infection by C. diphtheriae)—10	18	—	1	1	—	2	—	—	—	1	3	7	3
Erysipelas—11	2	1	—	1	—	—	—	—	—	—	—	—	—
Tetanus—12	3	—	—	—	—	—	1	1	—	—	1	—	—
Tuberculosis of respiratory system, etc.*—13	10	—	1	1	—	—	3	2	—	1	1	—	1
Tuberculosis of meninges, etc.*—14	4	1	1	—	—	—	—	1	—	—	1	—	—
Tuberculosis (other forms)—15-22	5	—	—	—	1	—	2	1	—	1	—	—	—
Septicemia and purulent infection—24	6	1	1	—	—	—	1	1	—	—	—	—	2
Dysentery—27	40	2	—	1	—	6	15	7	4	1	2	1	

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		NORTH DAKOTA—All causes											
Cerebrospinal (meningococcus) meningitis	6												
Scarlet fever	8		1										
Whooping cough	10	1	2	1			2		1			2	1
Diphtheria (infection by C. diphtheriae)	10												
Erysipelas	11	1		1									
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	1	1										
Tuberculosis of meninges, etc.*	14												
Tuberculosis (other forms)	15-22												
Septicemia and purulent infection	24	1			1								
Dysentery	27	2		1			1						
Malaria	28												
Syphilis	30	1	1										
Influenza	33	17	5	7	1	1			1		2		
Measles	35	8	4		2	1	1						
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3		2	1									
Diseases of thymus gland	64	4	1		1		1				1		
Rickets	70	1				1							
Hemorrhagic conditions	72	1								1			
Anemias (except splenic anemia)	73	3	1		1			1					
Encephalitis (nonepidemic)	80												
Meningitis (not due to meningococcus)	81	5		1		1		1			1		1
Intracranial lesions of vascular origin	83												
Convulsions	86	13	2	4			1		1			3	2
Diseases of ear and mastoid process	89			2									
Other diseases, nervous system—82,84,85,87,88	2			1						1			1
Diseases of circulatory system—90-103	1				1								
Pneumonia (all forms)—107-109	86	16	18	16	5	7	1	2		2	9	3	7
Other diseases of respiratory system—104-106,110-114	7	1	3			2					1		
Diseases of buccal cavity, etc.*	115	7	3				1			2	1		
Diseases of stomach—117,118	2							1					1
Diarrhea, enteritis, etc.*	119	35	5	3	3	1	1	2	5	5	1	2	4
Hernia—122a													
Intestinal obstruction—122b	3		1					1		1			
Peritonitis (cause not stated)—129													
Other diseases, digestive system—116,121,123-128	2												
Diseases, genito-urinary system—130,131,133-139	2							1	1				
Diseases of skin and cellular tissue—151-153	6		1				1				1		
Congenital malformations—157	33	3	3	6	2	7	6	4	10	7	2	6	10
Congenital debility—158	19	3	1	2			3	1	2		3		4
Premature birth—159	193	18	18	20	9	22	17	13	17	17	14	13	19
Injury at birth—160	73	6	6	5	4	8	5	9	6	7	8	5	4
Other diseases peculiar to first year—161	38	1	3	3		5	3	1	4	5	5	4	4
Accidental mechanical suffocation—182	2							1	1				
Other violence or accident—166-181,183-195	9				2	2	1	2				2	
Ill-defined and unknown causes—199,200	19	4	3	4	1		1		3	1	1		1
All other causes*	4		2							1			1
OHIO—All causes													
Cerebrospinal (meningococcus) meningitis	6	1								1			
Scarlet fever	8	1											
Whooping cough	9	60	7	7	3	3	7	8	6	5	6	3	2
Diphtheria (infection by C. diphtheriae)	10	3					1					1	1
Erysipelas	11	4	1		1							1	
Tetanus	12	1						1					
Tuberculosis of respiratory system, etc.*	13	12		1	1	1	2	2		2		1	1
Tuberculosis of meninges, etc.*	14	11		1	1	3	1	2		3			
Tuberculosis (other forms)	15-22	5					1	2	1				
Septicemia and purulent infection	24	4			2	1	1						
Dysentery	27	11						4	2	4			1
Malaria	28												
Syphilis	30	32	5	3	4	2	4	4	2	4		2	2
Influenza	33	113	12	17	26	19	6	5	1	3	5	9	7
Measles	35	1			1								
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	7	2			3		1			1			
Diseases of thymus gland	64	72	5	8	4	5	9	4	7	7	7	4	6
Rickets	70												
Hemorrhagic conditions	72	14	1	1	2	1	2		1	1	2	2	1
Anemias (except splenic anemia)	73	9	1	1				2	1	1	1	1	2
Encephalitis (nonepidemic)	80	5	1			1	1					1	
Meningitis (not due to meningococcus)	81	20	1	2	1	2		2	3	2	2	3	2
Intracranial lesions of vascular origin	83	6	1	2				1		2	1		
Convulsions	86	11	3	1	1	1		3			2		
Diseases of ear and mastoid process	89	23	1	4	4	3	4	2		1	2	1	1
Other diseases, nervous system—82,84,85,87,88	9			1	1	2		2		1			1
Diseases of circulatory system—90-103	8			2		1	1			1	1	1	1
Pneumonia (all forms)—107-109	593	85	107	93	53	38	19	18	24	20	35	48	53
Other diseases of respiratory system—104-106,110-114	49	14	5	5	2	1	5	2	3	2	2	1	7
Diseases of buccal cavity, etc.*	115	15		5	1		1	3	1	1	2		1
Diseases of stomach—117,118	9	2	1		2		1		1	1		1	
Diarrhea, enteritis, etc.*	119	313	15	15	13	7	15	18	30	68	55	45	14
Hernia—122a	7	1	1	1	1	1	1	1	1	1	1	1	1
Intestinal obstruction—122b	37	2	1	6	4	5	3	3	2	1	3	5	2
Peritonitis (cause not stated)—129	7	1	1			1	2			1		1	
Other diseases, digestive system—116,121,123-128	5			1	1	1	1	1			1		
Diseases, genito-urinary system—130,131,133-139	16	3	2	3	3						3		2
Diseases of skin and cellular tissue—151-153	6			1						2	1		1
Congenital malformations—157	600	45	42	50	60	48	55	53	48	51	47	51	50
Congenital debility—158	99	13	13	11	5	6	6	2	7	8	10	10	8
Premature birth—159	1,465	139	113	132	126	107	89	132	117	108	127	133	142
Injury at birth—160	529	59	36	49	48	38	34	39	42	54	42	36	52
Other diseases peculiar to first year—161	294	26	27	25	25	25	16	25	28	26	24	19	26
Accidental mechanical suffocation—182	47	5	8	6	4	2	2	1	3	2	4	7	3
Other violence or accident—166-181,183-195	67	5	3	3	3	7	5	5	10	7	4	3	12
Ill-defined and unknown causes—199,200	64	7	9	5	7	3	2	5	5	8	3	6	4
All other causes*	26	2	3	1	2	2	3	1	2	2	2	2	4

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

483

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued  
(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		OKLAHOMA—All causes	2,162	257	197	191	154	156	185	193	175	174	153
Cerebrospinal (meningococcus) meningitis	6	1	—	—	—	—	—	—	—	—	—	1	—
Scarlet fever	8	—	1	1	—	—	—	—	—	—	—	—	—
Whooping cough	9	22	5	3	2	2	3	2	—	4	1	—	—
Diphtheria (infection by C. diphtheriae)	10	7	—	—	—	2	—	—	—	1	—	3	1
Erysipelas	11	3	1	—	—	—	—	—	2	—	—	—	—
Tetanus	12	4	—	1	—	—	—	—	1	—	1	1	—
Tuberculosis of respiratory system, etc.*	13	5	—	—	—	—	2	—	1	1	—	—	1
Tuberculosis of meninges, etc.*	14	2	—	1	—	—	—	—	—	—	—	—	1
Tuberculosis (other forms)	15-22	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	1	—	—	—	1	—	—	—	—	—	—	—
Dysentery	27	45	1	2	1	2	4	14	8	4	3	4	1
Malaria	28	2	—	—	1	—	—	1	—	—	—	—	—
Syphilis	30	23	4	1	2	3	2	1	1	3	3	1	1
Influenza	33	52	24	6	9	5	1	—	—	1	2	6	8
Measles	35	23	4	4	6	7	1	1	—	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	1	—	1	—	3	1	—	—	1	—	2	1
Diseases of thymus gland	64	13	3	4	1	—	2	—	—	1	1	—	1
Rickets	70	1	—	—	—	—	—	1	—	—	—	—	—
Hemorrhagic conditions	72	2	1	—	—	—	—	—	—	1	—	—	—
Anemias (except splenic anemia)	73	2	—	2	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)	80	2	1	—	—	—	—	—	1	—	—	—	—
Meningitis (not due to meningococcus)	81	5	1	1	—	—	—	1	1	—	—	—	—
Intracranial lesions of vascular origin	83	2	—	—	—	1	—	1	—	—	—	—	—
Convulsions	86	14	—	—	2	3	1	3	1	1	—	1	2
Diseases of ear and mastoid process	89	7	1	—	—	1	1	—	—	1	1	1	1
Other diseases, nervous system—82,84,85,87,88	2	2	—	—	—	—	—	—	—	—	—	—	—
Diseases of circulatory system—90-103	14	1	3	—	—	2	3	—	—	1	—	2	2
Pneumonia (all forms)—107-109	258	69	50	42	22	16	5	11	6	12	13	19	23
Other diseases of respiratory system—104-106,110-114	18	3	3	2	2	2	—	—	1	1	1	2	1
Diseases of buccal cavity, etc.*	115	7	1	—	3	—	—	—	—	2	—	1	—
Diseases of stomach—117,118	9	1	1	1	1	—	—	—	2	—	2	—	1
Diarrhea, enteritis, etc.*	119	162	8	5	2	8	13	18	36	21	15	12	5
Hernia—122a	1	—	—	1	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	25	2	—	1	2	1	5	6	2	2	2	—	2
Peritonitis (cause not stated)—122	1	—	—	—	—	—	—	—	1	—	—	—	—
Other diseases, digestive system—116,121,123-128	2	—	1	—	—	—	—	—	—	—	—	—	1
Diseases, genito-urinary system—130,131,133-139	10	—	1	1	—	1	1	1	3	—	—	2	—
Diseases of skin and cellular tissue—151-153	10	1	3	1	—	1	1	1	—	1	—	—	2
Congenital malformations—157	179	16	14	13	8	14	11	18	18	20	18	16	13
Congenital debility—158	87	4	3	6	3	9	5	9	6	8	3	6	5
Premature birth—159	668	61	45	46	48	44	84	55	69	55	55	47	59
Injury at birth—160	183	18	15	22	16	14	15	12	17	9	11	10	24
Other diseases peculiar to first year—161	93	9	9	6	10	7	10	11	6	7	5	5	8
Accidental mechanical suffocation—182	23	5	5	4	1	3	—	—	—	—	2	3	—
Other violence or accident—166-181,183-195	30	2	2	5	1	1	7	1	3	3	2	—	3
III-defined and unknown causes—199,200	112	17	12	7	12	9	7	6	3	12	13	5	9
All other causes*	8	—	—	1	—	—	1	2	1	1	1	1	—
OREGON—All causes	593	78	60	47	39	40	47	51	54	51	47	44	35
Cerebrospinal (meningococcus) meningitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	8	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	9	7	—	1	2	—	1	1	—	—	1	—	—
Diphtheria (infection by C. diphtheriae)	10	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	11	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	2	—	1	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	2	1	—	1	—	—	—	—	—	1	—	—
Tuberculosis (other forms)	15-22	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	3	1	—	—	—	—	—	1	1	—	—	—
Dysentery	27	5	—	—	—	—	—	—	3	—	2	—	—
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	—	—	—	—	—	—	1	—	—	—	—	—
Influenza	33	6	3	—	1	—	—	—	—	—	1	—	1
Measles	35	3	1	—	—	—	—	—	—	1	1	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	10	—	—	—	1	—	—	—	—	—	—	—	—
Diseases of thymus gland	64	16	1	2	2	2	—	4	1	2	1	—	1
Rickets	70	1	—	—	—	1	—	—	—	—	—	—	—
Hemorrhagic conditions	72	3	1	—	—	—	—	—	1	—	—	—	1
Anemias (except splenic anemia)	73	—	—	—	—	—	—	—	—	—	—	—	—
Encephalitis (nonepidemic)	80	1	—	—	—	—	—	1	—	—	—	—	—
Meningitis (not due to meningococcus)	81	4	—	1	1	—	—	—	—	—	1	—	—
Intracranial lesions of vascular origin	83	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	86	1	1	—	—	—	—	—	—	—	—	—	—
Diseases of ear and mastoid process	89	4	—	1	—	1	—	1	—	—	1	—	—
Other diseases, nervous system—82,84,85,87,88	2	—	—	—	—	—	1	—	1	—	—	—	—
Diseases of circulatory system—90-103	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (all forms)—107-109	75	27	22	4	2	2	4	5	2	1	2	4	2
Other diseases of respiratory system—104-106,110-114	9	2	2	—	1	—	—	—	1	—	1	1	1
Diseases of buccal cavity, etc.*	115	1	—	—	—	—	—	—	—	—	—	—	—
Diseases of stomach—117,118	9	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*	119	23	—	1	—	2	2	1	3	4	4	4	1
Hernia—122a	1	—	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	5	—	—	—	—	—	2	1	1	1	—	—	—
Peritonitis (cause not stated)—122	1	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	3	—	—	—	—	1	—	1	—	—	—	—	—
Diseases, genito-urinary system—130,131,133-139	1	—	—	—	—	—	—	—	—	—	1	1	—
Diseases of skin and cellular tissue—151-153	1	—	—	—	—	—	—	—	—	1	—	—	—
Congenital malformations—157	73	8	8	3	6	7	7	6	7	7	4	9	1
Congenital debility—158	5	1	—	—	1	1	—	—	1	1	—	—	—
Premature birth—159	190	18	16	15	12	14	16	18	14	14	18	14	21
Injury at birth—160	67	4	1	11	3	6	7	6	7	11	2	3	4
Other diseases peculiar to first year—161	40	4	2	5	3	3	4	3	5	4	3	3	1
Accidental mechanical suffocation—182	7	1	1	—	—	—	—	—	2	2	—	1	—
Other violence or accident—166-181,183-195	14	4	—	3	—	1	1	—	2	2	1	—	—
III-defined and unknown causes—199,200	13	—	—	1	2	1	2	2	1	2	2	—	—
All other causes*	2	—	1	—	—	—	—	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		PENNSYLVANIA—All causes											
Cerebrospinal (meningococcus) meningitis	6	1	1	---	4	1	1	1	---	---	3	---	1
Scarlet fever	8	---	---	---	---	---	---	---	---	---	---	---	---
Whooping cough	94	7	12	13	11	13	3	5	10	4	7	5	4
Diphtheria (infection by C. diphtheriae)	10	3	1	1	1	---	---	---	---	---	---	---	---
Erysipelas	11	7	---	3	1	---	1	---	---	---	1	1	---
Tetanus	12	---	---	---	1	---	---	1	---	---	---	---	---
Tuberculosis of respiratory system, etc.*	13	23	1	4	1	3	3	3	2	1	1	---	1
Tuberculosis of meninges, etc.*	14	9	---	---	---	1	2	2	---	2	2	---	---
Tuberculosis (other forms)	15-22	3	---	---	---	1	---	---	---	1	1	---	---
Septicemia and purulent infection	24	6	---	2	---	---	2	---	---	1	---	---	1
Dysentery	27	12	1	1	---	1	---	1	---	5	1	1	---
Malaria	28	---	---	---	---	---	---	---	---	---	---	---	---
Syphilis	30	62	7	5	4	4	7	5	5	6	6	5	8
Influenza	33	153	21	24	36	26	7	3	1	4	6	7	10
Measles	35	6	1	---	1	2	1	---	---	---	---	---	1
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	15	2	4	1	---	2	1	---	1	1	---	1
Diseases of thymus gland	64	119	10	12	11	8	13	4	9	5	7	11	15
Rickets	70	8	1	---	3	1	2	---	---	---	---	1	---
Hemorrhagic conditions	72	28	1	5	1	1	2	2	4	5	2	2	1
Anemias (except splenic anemia)	73	11	4	---	---	1	1	---	---	2	1	---	2
Encephalitis (non-epidemic)	80	3	---	---	---	---	---	---	1	---	1	---	1
Meningitis (not due to meningococcus)	81	35	3	5	1	3	2	1	4	3	2	5	4
Intracranial lesions of vascular origin	83	15	1	1	2	2	---	1	---	3	---	---	3
Convulsions	86	26	5	1	1	---	7	1	2	2	1	2	---
Diseases of ear and mastoid process	89	30	3	2	6	3	3	2	1	4	---	4	2
Other diseases, nervous system	82,84,85,87,88	24	3	2	3	3	2	---	1	1	4	---	1
Diseases of circulatory system	90-103	44	6	5	6	3	5	3	1	3	3	2	3
Pneumonia (all forms)	107-109	1,066	144	170	177	126	80	36	33	32	48	50	73
Other diseases of respiratory system	104-106,110-114	107	12	15	13	11	14	5	5	6	3	10	5
Diseases of buccal cavity, etc.*	115	19	1	3	---	3	5	---	---	2	1	1	2
Diseases of stomach	117,118	9	---	---	1	1	---	2	---	2	2	---	1
Diarrhea, enteritis, etc.*	119	385	32	39	25	26	22	16	36	40	66	40	20
Hernia	122a	14	1	1	2	2	1	1	1	3	---	1	1
Intestinal obstruction	122b	67	7	5	6	6	4	5	7	8	7	3	5
Peritonitis (cause not stated)	129	14	1	7	1	1	1	1	---	---	1	1	4
Other diseases, digestive system	116,121,123-128	16	1	1	1	1	3	1	1	2	1	1	1
Diseases, genito-urinary system	130,131,133-139	22	1	1	4	1	1	4	2	1	1	3	2
Diseases of skin and cellular tissue	151-153	9	1	2	---	3	2	---	1	---	---	---	2
Congenital malformations	157	895	73	72	77	87	83	62	60	68	72	74	61
Congenital debility	158	110	11	15	3	6	11	3	12	9	15	9	8
Premature birth	159	2,341	177	166	203	184	215	193	197	206	207	222	180
Injury at birth	160	905	92	72	89	65	68	74	84	75	73	63	71
Other diseases peculiar to first year	161	413	41	43	41	25	37	32	31	29	35	42	35
Accidental mechanical suffocation	182	55	6	8	7	2	9	6	4	3	2	4	6
Other violence or accident	166-181,183-195	73	6	8	7	2	9	6	7	4	5	4	7
Ill-defined and unknown causes	199,200	30	1	5	6	---	3	2	---	2	2	4	5
All other causes*	39	3	3	4	3	3	1	1	3	3	4	5	6
RHODE ISLAND—All causes													
Cerebrospinal (meningococcus) meningitis	6	---	---	---	---	---	---	---	---	---	---	---	---
Scarlet fever	8	---	---	---	---	---	---	---	---	---	---	---	---
Whooping cough	9	7	1	2	1	1	---	1	---	---	---	---	---
Diphtheria (infection by C. diphtheriae)	10	---	---	---	---	---	---	---	---	---	---	---	---
Erysipelas	11	---	---	---	---	---	---	---	---	---	---	---	---
Tetanus	12	---	---	---	---	---	---	---	---	---	---	---	---
Tuberculosis of respiratory system, etc.*	13	1	---	---	---	---	---	---	---	---	---	---	---
Tuberculosis of meninges, etc.*	14	---	---	---	---	---	---	---	1	---	---	---	---
Tuberculosis (other forms)	15-22	---	---	---	---	---	---	---	---	---	---	---	---
Septicemia and purulent infection	24	1	---	---	---	---	---	---	---	---	---	---	---
Dysentery	27	---	---	---	---	---	---	---	1	---	---	---	---
Malaria	28	---	---	---	---	---	---	---	---	---	---	---	---
Syphilis	30	1	---	---	---	---	---	---	---	---	---	---	---
Influenza	33	2	1	---	1	---	1	---	---	---	---	---	---
Measles	35	1	---	---	---	---	---	1	---	---	---	---	---
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of thymus gland	64	1	---	---	---	---	---	---	---	---	1	---	---
Rickets	70	---	---	---	---	---	---	---	---	---	---	---	---
Hemorrhagic conditions	72	---	---	---	---	---	---	---	---	---	---	---	---
Anemias (except splenic anemia)	73	1	---	1	---	---	---	---	---	---	---	---	---
Encephalitis (non-epidemic)	80	---	---	---	---	---	---	---	---	---	---	---	---
Meningitis (not due to meningococcus)	81	2	---	---	1	---	1	---	---	---	---	---	---
Intracranial lesions of vascular origin	83	---	---	---	---	---	---	---	---	---	---	---	---
Convulsions	86	1	---	1	---	---	---	---	---	---	---	---	---
Diseases of ear and mastoid process	89	2	1	1	---	---	---	---	---	---	---	---	---
Other diseases, nervous system	82,84,85,87,88	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of circulatory system	90-103	---	---	---	---	---	---	---	---	---	---	---	---
Pneumonia (all forms)	107-109	48	7	6	6	5	5	4	2	4	2	1	1
Other diseases of respiratory system	104-106,110-114	2	---	2	---	---	---	---	---	---	---	---	---
Diseases of buccal cavity, etc.*	115	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of stomach	117,118	---	---	---	---	---	---	---	---	---	---	---	---
Diarrhea, enteritis, etc.*	119	26	7	2	---	---	---	---	---	---	---	---	---
Hernia	122a	---	---	---	---	---	---	---	---	---	---	---	---
Intestinal obstruction	122b	2	---	---	---	---	---	1	1	---	---	---	---
Peritonitis (cause not stated)	129	---	---	---	---	---	---	---	---	---	---	---	---
Other diseases, digestive system	116,121,123-128	---	---	---	---	---	---	---	---	---	---	---	---
Diseases, genito-urinary system	130,131,133-139	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of skin and cellular tissue	151-153	2	---	1	---	---	---	---	---	---	---	---	---
Congenital malformations	157	76	2	1	4	4	11	10	11	4	6	4	9
Congenital debility	158	7	2	1	1	---	---	---	1	2	---	---	---
Premature birth	159	128	11	3	6	11	17	12	7	10	11	13	11
Injury at birth	160	55	4	11	5	6	2	6	3	3	10	8	1
Other diseases peculiar to first year	161	18	2	---	---	2	---	2	3	2	4	2	1
Accidental mechanical suffocation	182	6	---	---	---	---	---	---	---	---	---	1	3
Other violence or accident	166-181,183-195	6	1	1	---	1	---	---	1	---	1	---	---
Ill-defined and unknown causes	199,200	4	1	---	1	---	---	---	---	---	---	1	1
All other causes*	4	1	---	---	---	---	---	1	---	---	---	---	1

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

485

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		SOUTH CAROLINA—All causes											
Cerebrospinal (meningococcus) meningitis	6	2				1			2				
Scarlet fever	1												1
Whooping cough	89	13	11	13	11	11	12	6	6	1	2		3
Diphtheria (infection by C. diphtheriae)	10	6	1			1	1			1		2	
Erysipelas	11	3		2							1		
Tetanus	12	4				2	1		1				
Tuberculosis of respiratory system, etc.*	13	2	1									1	
Tuberculosis of meninges, etc.*	14	1							1				
Tuberculosis (other forms)	15-22	2					1		1				
Septicemia and purulent infection	24												
Dysentery	27	24			1	6	7	5	2	1		2	
Malaria	28	17	2			2	2	5	1	3	1	1	
Syphilis	30	53	7	6	3	6	2	8	3	4	3	2	3
Influenza	33	100	15	18	15	9	3	1	1	2	2	8	26
Measles	35	1						1					
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	11		3		1	2	1	1		2	1		
Diseases of thymus gland	64	5	1		1		1				1	1	1
Rickets	70	4			1			1		1	1		
Hemorrhagic conditions	72	5		1	1	1	1			1			
Anemias (except splenic anemia)	73	3				1		1	1				
Encephalitis (non-epidemic)	80	1									1		
Meningitis (not due to meningococcus)	81	13		5	1	2	1		1	2		1	
Intracranial lesions of vascular origin	83	3	1		1				1				
Convulsions	86	13	1	2	3	1	1	2			2		1
Diseases of ear and mastoid process	89	5		1		1	1				1	1	
Other diseases, nervous system—82,84,85,87,88	5	2			1				1		1		
Diseases of circulatory system—90-103	8	3	2	1			1					1	
Pneumonia (all forms)—107-109	316	41	53	41	31	22	10	12	9	12	15	29	41
Other diseases of respiratory system—104-106,110-114	34	4	2	3	3		5		1	3	1	4	8
Diseases of buccal cavity, etc.*—115	4		2		1					1			
Diseases of stomach—117,118	10		1	1	1	2	1		1	1	1		1
Diarrhea, enteritis, etc.*—119	241	7	3	8	12	26	51	48	25	21	14	16	10
Hernia—122a	3			1		1					1		
Intestinal obstruction—122b	16			2	2	3		2	3	2	1		1
Peritonitis (cause not stated)—129													
Other diseases, digestive system—116,121,123-128	4			2						1		1	
Diseases, genito-urinary system—130,131,133-139	7		2		1	1		1		1	1		
Diseases of skin and cellular tissue—151-153	6	1	2	1								2	
Congenital malformations—157	116	6	11	7	15	6	6	11	8	8	11	13	14
Congenital debility—158	78	5	10	8	12	9	7	2	6	7	7	7	5
Premature birth—159	695	49	56	58	61	56	64	80	63	59	50	42	57
Injury at birth—160	118	10	9	6	4	8	8	7	14	12	15	11	14
Other diseases peculiar to first year—161	111	9	7	5	8	13	6	8	15	6	9	16	9
Accidental mechanical suffocation—182	29		4	3	3	2	2	1	2		1	3	8
Other violence or accident—166-181,183-195	29	5	1	2	3	4	3	2	2	1		4	2
Ill-defined and unknown causes—199,200	626	43	54	72	56	49	49	38	56	42	49	54	64
All other causes*	7		1				1	1	1	1	1		1
SOUTH DAKOTA—All causes													
Cerebrospinal (meningococcus) meningitis	6	1		1									
Scarlet fever	8												
Whooping cough	9	3			1	1		1					
Diphtheria (infection by C. diphtheriae)	10												
Erysipelas	11												
Tetanus	12												
Tuberculosis of respiratory system, etc.*	13	3		1			1					1	
Tuberculosis of meninges, etc.*	14	1							1				
Tuberculosis (other forms)	15-22	2					1		1				
Septicemia and purulent infection	24												
Dysentery	27												
Malaria	28												
Syphilis	30	4							1				3
Influenza	33	10	1	1	3	3	1					1	
Measles	35	9	4		1	2	1					1	
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44													
Diseases of thymus gland	64	6	1		1		1				1		1
Rickets	70												
Hemorrhagic conditions	72												
Anemias (except splenic anemia)	73												
Encephalitis (non-epidemic)	80												
Meningitis (not due to meningococcus)	81	1				1							
Intracranial lesions of vascular origin	83	1		1									
Convulsions	86	4	1					1		1			1
Diseases of ear and mastoid process	89	1						1					
Other diseases, nervous system—82,84,85,87,88	1			1									
Diseases of circulatory system—90-103	69	21	11	9	9	4		3	1	2	2	5	2
Pneumonia (all forms)—107-109	5	3		1		1							
Other diseases of respiratory system—104-106,110-114													
Diseases of buccal cavity, etc.*—115													
Diseases of stomach—117,118	1												
Diarrhea, enteritis, etc.*—119	28	1	1	3	5	1	1	5	4	4	1	1	1
Hernia—122a													
Intestinal obstruction—122b	6		1	2		1		1				1	
Peritonitis (cause not stated)—129													
Other diseases, digestive system—116,121,123-128	1				1								
Diseases, genito-urinary system—130,131,133-139	2				1								
Diseases of skin and cellular tissue—151-153	1												
Congenital malformations—157	47	5	3	1	6	3	4	4	2	4	5	3	7
Congenital debility—158	9					2		1			3		3
Premature birth—159	152	10	13	14	11	13	12	24	15	15	10	5	10
Injury at birth—160	49	4	5	4	2	8	3	2	4	3	6	2	6
Other diseases peculiar to first year—161	40	4	3	5	3	1	3	5	2	8	1	1	4
Accidental mechanical suffocation—182	2		1						1				
Other violence or accident—166-181,183-195	4					1		1		1		1	
Ill-defined and unknown causes—199,200	16	5	1	1	2	2		1	1		2		1
All other causes*	2		1						1				

\* Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE—All causes	2,874	312	267	244	226	197	265	264	199	198	232	230	250
Cerebrospinal (meningococcus) meningitis	6	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet fever	2	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough	83	8	4	7	6	3	5	8	3	2	7	6	4
Diphtheria (infection by C. diphtheriae)	10	7	1	1	1	1	1	1	1	1	1	1	1
Erysipelas	11	6	2	1	1	1	1	1	1	1	1	1	1
Tetanus	12	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of respiratory system, etc.*	15	10	2	1	1	1	1	2	1	1	1	1	1
Tuberculosis of meninges, etc.*	14	15	2	3	2	1	1	1	2	2	1	1	1
Tuberculosis (other forms)	15-22	3	1	1	1	1	1	1	1	1	1	1	1
Septicemia and purulent infection	24	2	1	1	1	1	1	1	1	1	1	1	1
Dysentery	27	39	1	1	1	1	10	15	6	2	1	3	1
Malaria	28	3	1	1	1	1	1	1	1	1	1	1	1
Syphilis	30	46	3	13	1	2	4	1	6	7	6	1	3
Influenza	33	86	22	16	14	8	4	1	2	2	2	2	15
Measles	35	6	1	1	1	1	1	1	1	1	1	1	1
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	6	1	2	1	1	1	1	1	1	1	1	1
Diseases of thymus gland	64	11	1	2	1	2	1	1	1	1	2	1	1
Rickets	70	4	1	1	1	1	1	1	1	1	1	1	1
Hemorrhagic conditions	72	1	1	1	1	1	1	1	1	1	1	1	1
Anemias (except splenic anemia)	73	1	1	1	1	1	1	1	1	1	1	1	1
Encephalitis (nonepidemic)	80	2	1	1	1	1	1	1	1	1	1	1	1
Meningitis (not due to meningococcus)	81	12	3	5	1	1	1	1	1	1	1	1	1
Intracranial lesions of vascular origin	83	6	1	2	1	1	1	1	1	1	1	1	1
Convulsions	86	8	1	1	1	1	1	1	1	1	1	1	1
Diseases of ear and mastoid process	89	10	2	1	1	1	1	3	1	1	1	1	1
Other diseases, nervous system	82,84,85,87,88	5	1	2	1	1	1	1	1	1	1	1	1
Diseases of circulatory system	90-103	9	1	2	1	2	1	1	1	1	1	1	1
Pneumonia (all forms)	107-109	322	66	46	36	29	15	9	7	15	18	41	52
Other diseases of respiratory system	104-106,110-114	20	7	2	1	1	1	1	1	2	1	1	2
Diseases of buccal cavity, etc.*	115	10	2	2	2	1	1	1	1	1	1	1	2
Diseases of stomach	117,118	5	2	2	2	1	1	1	1	1	1	1	1
Diarrhea, enteritis, etc.*	119	253	9	5	3	3	7	55	72	30	27	18	8
Hernia	122a	6	1	1	1	2	1	1	1	1	1	1	1
Intestinal obstruction	122b	15	1	1	1	2	1	1	1	3	1	1	3
Peritonitis (cause not stated)	129	2	1	1	1	1	1	1	1	1	1	1	1
Other diseases, digestive system	116,121,123-128	5	1	1	1	1	1	1	1	1	1	1	1
Diseases, genito-urinary system	130,131,133-139	13	1	1	1	1	1	2	1	1	2	1	4
Diseases of skin and cellular tissue	151-155	7	1	1	1	1	1	1	1	1	1	1	1
Congenital malformations	157	164	21	11	9	18	16	18	9	12	8	15	11
Congenital debility	158	70	7	1	1	3	5	4	7	5	4	6	10
Premature birth	159	755	58	66	55	64	71	74	67	57	59	74	64
Injury at birth	160	252	14	28	21	20	7	21	18	26	28	29	20
Other diseases peculiar to first year	161	98	8	10	7	6	9	7	6	8	7	11	12
Accidental mechanical suffocation	162	15	3	2	2	2	2	1	1	1	1	1	1
Other violence or accident	166-181,183-195	23	2	5	2	1	1	1	4	2	1	1	2
Ill-defined and unknown causes	199,200	458	64	47	46	45	26	42	30	19	17	31	44
All other causes *	16	2	1	1	1	1	1	2	2	2	2	2	2
TEXAS—All causes	8,110	711	693	657	647	791	835	778	667	580	612	541	600
Cerebrospinal (meningococcus) meningitis	6	12	1	1	2	2	1	1	1	1	1	1	2
Scarlet fever	8	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough	9	161	9	18	11	29	20	17	18	15	6	3	9
Diphtheria (infection by C. diphtheriae)	10	25	3	6	5	1	1	1	2	1	2	3	1
Erysipelas	11	10	2	1	1	3	1	1	1	1	2	1	1
Tetanus	12	45	4	2	3	4	2	3	6	5	4	4	4
Tuberculosis of respiratory system, etc.*	15	24	1	1	1	2	4	5	2	2	3	1	3
Tuberculosis of meninges, etc.*	14	14	2	2	1	4	1	1	1	1	1	1	1
Tuberculosis (other forms)	15-22	9	1	2	1	1	1	1	1	1	2	1	1
Septicemia and purulent infection	24	8	1	1	1	1	1	1	1	1	1	1	1
Dysentery	27	251	8	4	6	15	37	45	42	30	13	14	8
Malaria	28	22	1	1	1	2	2	1	2	4	5	2	1
Syphilis	30	121	12	11	5	8	11	9	7	9	10	11	17
Influenza	33	202	35	48	50	13	15	3	4	7	4	7	13
Measles	35	19	1	3	2	7	3	1	1	1	1	1	1
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	13	2	1	1	1	3	1	2	1	1	1	1
Diseases of thymus gland	64	46	6	2	5	3	6	2	2	3	5	1	6
Rickets	70	10	1	1	1	2	1	1	1	1	2	1	1
Hemorrhagic conditions	72	12	2	1	1	1	1	2	2	1	1	1	3
Anemias (except splenic anemia)	73	11	2	1	1	1	1	2	1	1	1	1	1
Encephalitis (nonepidemic)	80	11	1	1	1	2	2	2	2	1	1	1	1
Meningitis (not due to meningococcus)	81	42	9	3	5	1	1	6	2	3	1	1	2
Intracranial lesions of vascular origin	83	7	1	1	1	1	1	2	2	1	1	1	1
Convulsions	86	63	6	2	10	3	4	3	7	9	2	1	9
Diseases of ear and mastoid process	89	38	6	5	2	4	2	3	4	4	1	3	3
Other diseases, nervous system	82,84,85,87,88	13	1	2	1	1	1	1	2	1	1	1	2
Diseases of circulatory system	90-103	38	4	2	4	3	2	3	5	5	4	4	2
Pneumonia (all forms)	107-109	1,018	202	192	126	67	64	51	52	36	40	59	70
Other diseases of respiratory system	104-106,110-114	63	9	10	7	8	2	4	2	4	5	2	7
Diseases of buccal cavity, etc.*	115	18	1	2	3	1	2	3	1	1	3	1	2
Diseases of stomach	117,118	82	3	7	9	3	9	12	10	9	6	4	3
Diarrhea, enteritis, etc.*	119	1,430	38	45	59	132	250	235	224	147	92	102	56
Hernia	122a	11	1	1	1	1	1	1	3	1	1	1	2
Intestinal obstruction	122b	77	7	3	6	7	9	4	6	16	3	6	6
Peritonitis (cause not stated)	129	9	1	1	1	1	1	1	1	1	1	1	1
Other diseases, digestive system	116,121,123-128	37	3	4	1	1	7	2	2	4	4	4	4
Diseases, genito-urinary system	130,131,133-139	34	4	2	3	1	3	6	2	3	2	2	4
Diseases of skin and cellular tissue	151-155	25	3	1	1	4	2	1	3	1	3	1	4
Congenital malformations	157	464	30	45	32	34	39	47	34	39	43	33	51
Congenital debility	158	323	26	27	22	39	27	36	22	30	17	26	20
Premature birth	159	1,928	143	146	149	139	156	196	172	154	165	181	173
Injury at birth	160	514	55	34	39	37	35	49	51	47	48	34	40
Other diseases peculiar to first year	161	344	26	13	33	28	18	34	27	37	41	29	24
Accidental mechanical suffocation	162	39	6	4	6	4	3	1	2	3	2	3	5
Other violence or accident	166-181,183-195	114	12	10	6	7	5	12	12	11	10	7	10
Ill-defined and unknown causes	199,200	340	22	29	27	27	27	34	38	27	24	29	30
All other causes *	34	4	2	2	5	4	4	5	4	3	4	1	1

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		UTAH—All causes	514	64	35	59	38	40	37	26	33	42	48
Cerebrospinal (meningococcus) meningitis—6	2	1			1								
Scarlet fever—8													1
Whooping cough—9	6			2					1	1	1		
Diphtheria (infection by C. diphtheriae)—10													
Erysipelas—11													
Tetanus—12													
Tuberculosis of respiratory system, etc.*—13													
Tuberculosis of meninges, etc.*—14	1					1							
Tuberculosis (other forms)—15-22													
Septicemia and purulent infection—24	1									1			
Dysentery—27	2							1	1				
Malaria—28													
Syphilis—30													
Influenza—33	7	3	1	1									2
Measles—35	1					1							
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44													
Diseases of thymus gland—64	6		1				1		1	1		1	1
Rickets—70	1			1									
Hemorrhagic conditions—72	1					1							
Anemias (except splenic anemia)—73													
Encephalitis (nonepidemic)—80													
Meningitis (not due to meningococcus)—81	5								1			1	3
Intracranial lesions of vascular origin—83	3	1					1	1					
Convulsions—86													
Diseases of ear and mastoid process—89	4	2		1									1
Other diseases, nervous system—82,84,85,87,88	2			2									
Diseases of circulatory system—90-103	3			1	1				1				
Pneumonia (all forms)—107-109	58	18	6	7	3	4	2		1	1	6	4	6
Other diseases of respiratory system—104-106,110-114	2				1		1						
Diseases of buccal cavity, etc.*—115	4	1	1			1	1						
Diseases of stomach—117,118													
Diarrhea, enteritis, etc.*—119	13			2	3	1	1		1		4	1	
Hernia—122a													
Intestinal obstruction—122b	4	1	1			1							1
Peritonitis (cause not stated)—129													
Other diseases, digestive system—116,121,123-128													
Diseases, genito-urinary system—130,131,133-139	3								1		1	1	
Diseases of skin and cellular tissue—151-153	1												
Congenital malformations—157	65	5	4	5	4	4	5	6	4	9	1	7	9
Congenital debility—158	7		1			2		1	1	1	1	1	1
Premature birth—159	195	24	14	28	11	16	19	8	9	20	19	13	14
Injury at birth—160	69	5	3	4	9	5	3	4	10	8	5	4	6
Other diseases peculiar to first year—161	28	3	3	2	1	1	1	2	1	1	5	5	3
Accidental mechanical suffocation—182	6			2				1				1	2
Other violence or accident—166-181,183-195	7				2	1					1	1	2
Ill-defined and unknown causes—199,200	7			1	2		1	1	1		1	1	
All other causes*	2						1				1		
VERMONT—All causes	291	31	25	27	33	25	17	24	23	15	32	16	23
Cerebrospinal (meningococcus) meningitis—6	2			1									1
Scarlet fever—8													
Whooping cough—9	13	2	1	1	1	2	1		2		2		1
Diphtheria (infection by C. diphtheriae)—10													
Erysipelas—11													
Tetanus—12													
Tuberculosis of respiratory system, etc.*—13													
Tuberculosis of meninges, etc.*—14													
Tuberculosis (other forms)—15-22													
Septicemia and purulent infection—24													
Dysentery—27													
Malaria—28													
Syphilis—30	2	1		1									
Influenza—33	5		1	2		1							1
Measles—35													
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44													
Diseases of thymus gland—64	2			1									1
Rickets—70	1		1										
Hemorrhagic conditions—72													
Anemias (except splenic anemia)—73	2		2										
Encephalitis (nonepidemic)—80	1												
Meningitis (not due to meningococcus)—81	1		1										
Intracranial lesions of vascular origin—83	1		1										
Convulsions—86													
Diseases of ear and mastoid process—89	1					1							
Other diseases, nervous system—82,84,85,87,88													
Diseases of circulatory system—90-103													
Pneumonia (all forms)—107-109	50	6	5	5	3	2	1		1		2	2	3
Other diseases of respiratory system—104-106,110-114	3					1					1		1
Diseases of buccal cavity, etc.*—115													
Diseases of stomach—117,118													
Diarrhea, enteritis, etc.*—119	19	2		3	1	2	1	3	3	2		1	1
Hernia—122a													
Intestinal obstruction—122b	1					1							
Peritonitis (cause not stated)—129													
Other diseases, digestive system—116,121,123-128													
Diseases, genito-urinary system—130,131,133-139											1		
Diseases of skin and cellular tissue—151-153	1												
Congenital malformations—157	52	8	3	3	5	1	5	5	4	4	5	5	4
Congenital debility—158	3	1							1		1		
Premature birth—159	91	7	8	10	11	10	6	12	7	5	5	7	5
Injury at birth—160	32	2	2		5	3	1	2	2	3	4		5
Other diseases peculiar to first year—161	14				3	1	2	1	1	1	4		1
Accidental mechanical suffocation—182	2				1						1		
Other violence or accident—166-181,183-195	8	1			2				1		2	1	1
Ill-defined and unknown causes—199,200	4	1			1				1		1		
All other causes*	1								1				

\* Refer to complete International List titles, table XI.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	3,221	325	305	314	279	225	261	286	242	221	267	246	246
Cerebrospinal (meningococcus) meningitis	6	1	1	2	—	—	1	—	—	—	—	—	2
Scarlet fever	8	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	105	17	7	7	6	11	14	8	13	3	3	7	9
Diphtheria (infection by C. diphtheriae)	9	2	1	—	1	—	1	—	—	1	—	—	2
Erysipelas	11	2	2	—	—	—	—	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	1	—	—	1	—	—
Tuberculosis of respiratory system, etc.*	13	4	1	—	—	1	—	—	—	—	—	1	1
Tuberculosis of meninges, etc.*	14	7	—	3	—	1	—	1	—	—	—	2	—
Tuberculosis (other forms)	15-22	2	2	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	4	—	1	—	—	1	—	—	—	1	—	1
Dysentery	27	44	3	—	1	1	1	12	7	10	4	3	2
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	55	2	8	5	2	3	1	3	3	7	6	10
Influenza	33	68	6	13	22	9	3	2	1	2	1	3	1
Measles	35	6	—	1	1	1	1	1	—	—	1	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	9	3	1	1	—	—	1	—	—	—	2	—	1
Diseases of thymus gland	64	13	1	3	1	2	1	—	1	2	—	1	1
Rickets	70	4	—	2	1	—	—	—	1	—	—	—	—
Hemorrhagic conditions	72	5	1	—	—	1	—	1	—	—	—	1	—
Anemias (except splenic anemia)	73	7	—	—	—	—	—	—	3	—	—	—	1
Encephalitis (nonepidemic)	80	3	1	—	—	—	—	—	—	—	—	—	2
Meningitis (not due to meningococcus)	81	11	—	1	—	—	—	1	1	—	—	2	3
Intracranial lesions of vascular origin	83	7	—	1	—	—	1	1	3	—	1	—	—
Convulsions	86	26	4	1	2	5	1	2	2	4	—	3	2
Diseases of ear and mastoid process	89	12	2	1	—	3	—	1	3	1	—	—	1
Other diseases, nervous system—82,84,85,87,88	2	1	1	—	—	—	—	—	—	—	—	—	—
Diseases of circulatory system—90-103	11	2	2	—	1	—	—	1	2	—	—	—	1
Pneumonia (all forms)—107-109	356	63	48	47	37	20	11	15	12	11	29	33	30
Other diseases of respiratory system—104-106,110-114	50	8	11	2	9	3	—	2	—	1	1	6	7
Diseases of buccal cavity, etc.*	115	4	—	—	—	—	—	1	—	2	—	—	1
Diseases of stomach—117,118	14	1	—	—	—	1	—	2	—	4	2	2	2
Diarrhea, enteritis, etc.*	119	252	3	5	6	4	9	44	62	34	32	30	15
Hernia—122a	6	1	—	—	—	1	2	—	—	1	1	—	—
Intestinal obstruction—122b	18	2	1	1	1	1	1	2	2	3	—	—	4
Peritonitis (cause not stated)—129	8	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	13	1	1	—	1	—	—	1	3	1	1	1	1
Diseases, genito-urinary system—130,131,133-139	6	—	—	2	2	—	—	—	—	—	—	—	—
Diseases of skin and cellular tissue—151-153	14	4	—	3	3	—	—	1	1	—	—	—	1
Congenital malformations—157	210	20	22	17	20	19	17	14	6	25	19	18	13
Congenital debility—158	146	14	12	17	6	8	7	17	16	9	13	14	13
Premature birth—159	997	101	76	103	93	80	83	76	76	66	85	73	81
Injury at birth—160	280	20	31	25	27	25	19	27	24	16	29	18	19
Other diseases peculiar to first year—161	144	11	16	10	19	11	8	9	14	15	7	13	11
Accidental mechanical suffocation—182	35	6	2	2	5	2	5	3	1	2	—	4	3
Other violence or accident—166-181,183-195	39	7	7	2	3	1	3	1	—	4	4	2	4
Ill-defined and unknown causes—199,200	201	16	23	29	14	19	13	21	9	6	19	16	17
All other causes*	10	—	—	1	2	—	—	—	2	1	1	2	1
WASHINGTON—All causes	976	129	76	92	89	83	60	74	71	78	75	66	85
Cerebrospinal (meningococcus) meningitis	6	—	1	—	1	—	—	—	—	—	—	—	—
Scarlet fever	8	—	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	10	2	—	—	1	—	—	—	—	—	—	—	—
Diphtheria (infection by C. diphtheriae)	9	1	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	11	2	1	1	—	—	—	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	3	1	—	2	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	2	—	1	—	—	—	—	—	1	—	—	—
Tuberculosis (other forms)	15-22	1	—	—	—	—	—	1	—	—	—	—	—
Septicemia and purulent infection	24	1	1	—	—	—	—	—	—	—	—	—	—
Dysentery	27	14	—	—	—	—	—	—	—	—	7	5	2
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	3	1	—	—	1	—	—	—	—	—	—	1
Influenza	33	7	6	—	1	—	—	—	—	—	—	—	—
Measles	35	2	—	—	—	—	1	—	—	—	—	—	—
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	3	—	—	1	—	—	—	—	—	—	2	—	—
Diseases of thymus gland	64	17	1	2	—	5	1	—	1	—	2	1	2
Rickets	70	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	2	1	—	—	—	1	—	—	—	—	—	—
Anemias (except splenic anemia)	73	1	—	—	—	—	—	—	1	—	—	—	—
Encephalitis (nonepidemic)	80	2	—	—	1	—	—	—	1	—	—	—	—
Meningitis (not due to meningococcus)	81	7	—	1	2	—	—	—	1	—	2	1	—
Intracranial lesions of vascular origin	83	3	—	1	—	1	—	1	—	—	—	—	—
Convulsions	86	3	—	1	—	—	1	—	—	1	—	—	—
Diseases of ear and mastoid process	89	5	2	1	—	—	1	1	—	—	—	—	—
Other diseases, nervous system—82,84,85,87,88	5	—	—	—	2	—	—	—	2	—	—	—	1
Diseases of circulatory system—90-103	7	2	—	2	1	1	—	—	—	—	—	—	1
Pneumonia (all forms)—107-109	124	39	11	17	9	8	4	3	5	6	9	3	10
Other diseases of respiratory system—104-106,110-114	9	3	—	1	—	—	—	—	2	—	1	2	—
Diseases of buccal cavity, etc.*	115	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of stomach—117,118	14	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*	119	29	2	3	2	2	2	1	1	6	5	3	1
Hernia—122a	1	—	—	—	—	—	—	—	1	—	—	—	—
Intestinal obstruction—122b	5	1	—	1	2	—	—	—	—	—	—	—	—
Peritonitis (cause not stated)—129	1	1	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system—116,121,123-128	5	1	—	—	1	—	1	1	—	—	—	—	1
Diseases, genito-urinary system—130,131,133-139	2	—	—	1	—	1	—	—	—	—	—	—	—
Diseases of skin and cellular tissue—151-153	139	24	9	12	16	16	10	11	7	10	8	9	7
Congenital malformations—157	17	2	2	2	2	1	—	2	2	—	—	1	3
Congenital debility—158	302	21	20	30	20	29	21	32	29	28	22	24	26
Premature birth—159	121	12	17	9	8	11	13	7	10	4	9	7	14
Injury at birth—160	80	4	3	6	10	7	4	7	9	6	7	5	12
Other diseases peculiar to first year—161	17	3	1	3	—	—	—	—	1	1	1	3	4
Accidental mechanical suffocation—182	17	—	1	—	3	—	—	—	2	3	2	2	1
Other violence or accident—166-181,183-195	9	—	1	—	1	—	—	—	1	1	1	1	1
Ill-defined and unknown causes—199,200	2	—	—	1	1	—	—	—	—	—	—	—	—
All other causes*	2	—	—	1	1	—	—	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.



GENERAL TABLES—INFANT DEATHS

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		<b>WEST VIRGINIA—All causes</b>											
	2,272	218	237	205	158	144	165	165	183	212	208	194	183
Cerebrospinal (meningococcus) meningitis	6	7	—	—	—	1	—	1	—	3	—	1	1
Scarlet fever	8	1	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	9	21	3	1	—	3	3	1	—	3	2	2	2
Diphtheria (infection by C. diphtheriae)	10	6	1	1	2	—	—	—	1	—	—	—	1
Erysipelas	11	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	12	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	2	—	—	1	—	1	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	5	1	—	—	2	1	—	—	—	1	—	—
Tuberculosis (other forms)	15-22	3	—	—	—	—	1	—	—	1	—	—	—
Septicemia and purulent infection	24	4	1	1	1	—	—	—	—	—	—	—	—
Dysentery	27	34	—	—	—	—	5	6	6	7	7	2	1
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	30	2	—	3	1	2	3	2	5	6	3	—
Influenza	33	51	5	14	10	3	2	1	2	—	4	1	6
Measles	35	2	2	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	8	1	2	—	—	2	—	1	1	—	1	—
Diseases of thymus gland	64	15	1	1	1	2	1	1	—	4	2	1	1
Rickets	70	1	—	—	—	—	—	—	—	—	—	—	1
Hemorrhagic conditions	72	5	1	1	1	—	1	—	1	—	—	—	—
Anemias (except splenic anemia)	73	1	—	—	—	1	—	—	—	—	—	—	—
Encephalitis (non-epidemic)	80	1	—	—	—	—	—	—	—	—	—	—	1
Meningitis (not due to meningococcus)	81	7	1	—	1	1	—	1	—	—	—	1	2
Intracranial lesions of vascular origin	83	7	1	1	1	1	—	—	—	1	1	1	—
Convulsions	86	16	1	1	3	3	3	1	—	1	1	2	—
Diseases of ear and mastoid process	89	7	2	—	—	1	—	—	—	—	1	2	—
Other diseases, nervous system	82,84,85,87,88	4	—	2	—	1	—	—	—	1	—	—	—
Diseases of circulatory system	90-103	10	2	2	—	1	—	—	2	—	1	—	—
Pneumonia (all forms)	107-109	321	62	56	36	35	10	14	8	12	19	23	37
Other diseases of respiratory system	104-106,110-114	20	—	—	3	4	3	1	1	1	1	2	4
Diseases of buccal cavity, etc.*	115	2	—	1	—	—	—	—	—	1	—	—	—
Diseases of stomach	117,118	7	—	1	—	—	1	—	—	—	2	1	1
Diarrhea, enteritis, etc.*	119	258	6	7	5	5	5	14	51	45	51	43	19
Hernia	122a	4	1	—	1	—	—	—	—	—	2	—	—
Intestinal obstruction	122b	15	—	2	—	1	2	1	1	2	1	1	2
Peritonitis (cause not stated)	129	4	—	3	—	—	—	—	—	—	1	—	—
Other diseases, digestive system	116,121,123-128	4	1	1	—	—	1	1	—	—	—	—	—
Diseases, genito-urinary system	130,131,133-139	8	—	—	—	—	1	—	2	—	1	—	3
Diseases of skin and cellular tissue	151-153	21	1	3	5	—	1	—	3	3	1	1	3
Congenital malformations	157	211	19	26	24	8	18	15	12	12	21	19	17
Congenital debility	158	75	5	4	5	5	3	4	7	9	15	6	8
Premature birth	159	659	54	63	64	49	49	62	43	53	52	57	61
Injury at birth	160	148	14	16	8	10	16	9	10	12	14	10	17
Other diseases peculiar to first year	161	96	13	11	14	9	4	6	6	4	7	6	12
Accidental mechanical suffocation	182	27	3	1	3	2	1	2	2	—	1	4	5
Other violence or accident	166-181,183-195	26	2	4	1	—	1	3	3	1	2	4	3
Ill-defined and unknown causes	199,200	110	12	11	10	12	10	8	5	9	8	7	10
All other causes*	6	—	—	—	1	—	—	—	2	—	1	—	—
<b>WISCONSIN—All causes</b>													
	2,179	226	205	221	201	208	171	172	145	145	176	142	171
Cerebrospinal (meningococcus) meningitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever	8	2	—	—	—	—	—	—	1	—	—	—	—
Whooping cough	9	31	2	5	6	3	2	1	5	1	—	1	1
Diphtheria (infection by C. diphtheriae)	10	1	—	—	—	—	—	—	—	—	2	—	—
Erysipelas	11	2	—	—	—	—	—	—	—	—	—	—	—
Tetanus	12	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system, etc.*	13	7	2	—	—	1	1	1	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	1	—	—	—	—	—	—	—	—	1	—	1
Tuberculosis (other forms)	15-22	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia and purulent infection	24	2	—	—	—	—	—	—	—	—	—	—	—
Dysentery	27	6	1	—	—	1	—	1	1	—	—	—	—
Malaria	28	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	4	—	—	—	—	—	—	1	2	—	—	—
Influenza	33	47	8	3	15	8	4	—	1	2	5	1	—
Measles	35	5	1	—	2	—	1	—	1	—	—	—	—
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	10	1	1	1	4	2	—	—	—	—	—	1
Diseases of thymus gland	64	18	4	2	1	2	3	—	1	2	—	2	1
Rickets	70	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhagic conditions	72	5	1	—	—	—	—	—	—	1	1	1	—
Anemias (except splenic anemia)	73	1	—	—	—	1	—	—	—	—	—	—	—
Encephalitis (non-epidemic)	80	2	1	1	—	—	—	—	—	—	—	—	—
Meningitis (not due to meningococcus)	81	10	1	—	1	2	1	—	1	—	1	—	2
Intracranial lesions of vascular origin	83	2	1	1	—	—	—	—	—	—	—	—	—
Convulsions	86	17	1	2	3	1	—	2	1	4	—	—	1
Diseases of ear and mastoid process	89	12	3	1	1	3	1	—	2	—	—	—	3
Other diseases, nervous system	82,84,85,87,88	6	1	1	1	2	—	1	—	—	—	—	—
Diseases of circulatory system	90-103	6	—	1	—	1	—	—	—	—	—	—	—
Pneumonia (all forms)	107-109	250	44	37	24	20	18	13	14	9	10	1	1
Other diseases of respiratory system	104-106,110-114	21	2	3	2	3	1	—	1	2	1	5	2
Diseases of buccal cavity, etc.*	115	4	1	2	—	—	—	—	—	—	—	—	—
Diseases of stomach	117,118	3	1	1	—	—	—	—	—	—	1	—	—
Diarrhea, enteritis, etc.*	119	130	11	9	11	16	9	7	14	13	8	16	6
Hernia	122a	2	—	—	2	—	—	—	—	—	—	—	10
Intestinal obstruction	122b	22	3	3	1	1	2	2	4	2	2	1	—
Peritonitis (cause not stated)	129	3	—	—	1	—	—	—	—	—	—	—	—
Other diseases, digestive system	116,121,123-128	3	—	1	—	—	—	—	—	—	—	—	—
Diseases, genito-urinary system	130,131,133-139	8	1	—	—	1	—	1	—	—	1	—	1
Diseases of skin and cellular tissue	151-153	4	—	—	—	—	1	—	—	—	1	2	2
Congenital malformations	157	291	22	28	26	32	23	28	21	20	24	25	19
Congenital debility	158	16	—	1	2	2	1	3	1	1	5	—	2
Premature birth	159	772	68	63	72	60	88	80	58	54	59	49	66
Injury at birth	160	250	28	17	25	15	23	25	20	16	20	19	19
Other diseases peculiar to first year	161	137	9	15	18	12	13	11	13	11	9	7	10
Accidental mechanical suffocation	182	23	4	1	2	2	3	2	1	2	3	2	1
Other violence or accident	166-181,183-195	19	1	2	1	1	4	1	2	—	3	2	1
Ill-defined and unknown causes	199,200	18	2	3	4	1	3	—	—	—	2	—	—
All other causes*	5	1	1	—	1	2	—	—	—	—	—	—	—

\*Refer to complete International List titles, table XI.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING-----All causes	223	29	25	11	25	21	16	14	22	22	15	14	11
Cerebrospinal (meningococcus) meningitis-----6	---	---	---	---	---	---	---	---	---	---	---	---	---
Scarlet fever-----8	---	---	---	---	---	---	---	---	---	---	---	---	---
Whooping cough-----9	1	1	---	---	---	---	---	---	---	---	---	---	---
Diphtheria (infection by C. diphtheriae)-----10	---	---	---	---	---	---	---	---	---	---	---	---	---
Erysipelas-----11	1	---	1	---	---	---	---	---	---	---	---	---	---
Tetanus-----12	---	---	---	---	---	---	---	---	---	---	---	---	---
Tuberculosis of respiratory system, etc.*-----13	---	---	---	---	---	---	---	---	---	---	---	---	---
Tuberculosis of meninges, etc.*-----14	1	1	---	---	---	---	---	---	---	---	---	---	---
Tuberculosis (other forms)-----15-22	---	---	---	---	---	---	---	---	---	---	---	---	---
Septicemia and purulent infection-----24	---	---	---	---	---	---	---	---	---	---	---	---	---
Dysentery-----27	2	---	---	---	---	---	---	---	---	1	---	1	---
Malaria-----28	---	---	---	---	---	---	---	---	---	---	---	---	---
Syphilis-----30	1	---	---	1	---	---	---	---	---	---	---	---	---
Influenza-----33	7	3	1	1	1	---	---	---	---	---	1	---	---
Measles-----35	1	---	1	---	---	---	---	---	---	---	---	---	---
Other infectious and parasitic diseases-----1-5,7,23,25,26,29,31,32,34,36-44	1	---	---	---	---	---	---	---	1	---	---	---	---
Diseases of thymus gland-----64	3	---	---	---	1	---	1	---	---	---	---	---	1
Rickets-----70	---	---	---	---	---	---	---	---	---	---	---	---	---
Hemorrhagic conditions-----72	1	---	---	---	1	---	---	---	---	---	---	---	---
Anemias (except splenic anemia)-----73	---	---	---	---	---	---	---	---	---	---	---	---	---
Encephalitis (nonepidemic)-----80	---	---	---	---	---	---	---	---	---	---	---	---	---
Meningitis (not due to meningococcus)-----81	---	---	---	---	---	---	---	---	---	---	---	---	---
Intracranial lesions of vascular origin-----83	---	---	---	---	---	---	---	---	---	---	---	---	---
Convulsions-----86	---	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of ear and mastoid process-----89	---	---	---	---	---	---	---	---	---	---	---	---	---
Other diseases, nervous system-----82,84,85,87,88	---	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of circulatory system-----90-103	---	---	---	---	---	---	---	---	---	---	---	---	---
Pneumonia (all forms)-----107-109	37	10	5	1	2	2	3	1	2	3	1	3	4
Other diseases of respiratory system-----104-106,110-114	4	---	1	---	---	---	1	---	---	2	---	---	---
Diseases of buccal cavity, etc.*-----115	2	1	---	---	1	---	---	---	---	---	---	---	---
Diseases of stomach-----117,118	---	---	---	---	---	---	---	---	---	---	---	---	---
Diarrhea, enteritis, etc.*-----119	12	1	---	---	---	2	---	1	2	2	3	1	---
Hernia-----122a	---	---	---	---	---	---	---	---	---	---	---	---	---
Internal obstruction-----122b	1	---	---	---	---	---	---	---	---	---	---	---	1
Peritonitis (cause not stated)-----129	---	---	---	---	---	---	---	---	---	---	---	---	---
Other diseases, digestive system-----116,121,123-128	---	---	---	---	---	---	---	---	---	---	---	---	---
Diseases, genito-urinary system-----130,131,133-139	---	---	---	---	---	---	---	---	---	---	---	---	---
Diseases of skin and cellular tissue-----151-153	---	---	---	---	---	---	---	---	---	---	---	---	---
Congenital malformations-----157	23	2	3	---	2	5	---	2	2	3	1	2	1
Congenital debility-----158	4	---	---	---	1	---	1	---	---	---	1	---	1
Premature birth-----159	85	7	10	7	10	8	7	9	8	8	4	5	2
Injury at birth-----160	11	1	1	---	3	2	1	---	1	1	1	---	---
Other diseases peculiar to first year-----161	11	1	2	---	1	1	---	---	3	1	1	---	1
Accidental mechanical suffocation-----182	5	---	---	---	1	1	1	---	1	1	---	---	---
Other violence or accident-----166-181,183-195	4	---	---	1	---	---	1	---	1	---	---	1	---
Ill-defined and unknown causes-----199,200	5	1	---	---	1	---	---	1	1	---	---	---	1
All other causes *	---	---	---	---	---	---	---	---	---	---	---	---	---

\* Refer to complete International List titles, table XI.

GENERAL TABLES—INFANT DEATHS

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 year							Under 1 month											
		1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.		
Alabama	5,675	1,015	261	148	299	217	137	105	2,162	301	198	172	152	137	137	98	69	73	62	74
January	382	86	21	19	30	28	19	13	216	31	23	17	16	20	10	14	8	6	8	13
February	341	80	21	17	29	22	14	13	196	34	19	10	15	14	13	14	14	6	2	4
March	354	78	27	14	43	22	16	9	209	32	16	16	20	13	13	9	9	6	6	5
April	275	77	24	12	20	13	14	3	163	20	17	9	13	9	13	7	11	6	5	2
May	279	102	16	14	9	14	9	8	172	22	15	14	9	12	15	6	4	4	4	2
June	276	89	20	9	19	7	7	7	158	18	13	14	5	16	10	7	9	11	3	12
July	330	85	21	11	24	17	10	7	175	24	18	23	13	16	17	13	6	13	5	7
August	303	98	22	13	29	20	8	12	202	26	12	16	8	8	5	4	6	6	5	5
September	233	87	28	8	21	14	3	5	166	15	8	5	8	3	7	10	3	1	4	3
October	257	67	17	9	29	12	11	6	151	25	14	13	9	7	15	2	4	3	7	7
November	310	74	16	10	27	20	15	8	170	29	23	16	19	10	11	6	9	3	5	9
December	335	92	28	12	19	28	11	14	204	25	20	19	17	9	8	5	8	8	7	5
Arizona	1,031	172	42	30	33	47	23	31	378	80	87	82	70	65	59	50	49	49	31	31
January	82	16	2	—	—	2	2	4	26	8	11	8	5	2	4	5	6	3	2	2
February	62	10	2	1	5	2	2	2	22	10	6	3	1	5	2	5	4	2	1	1
March	69	15	6	1	2	5	1	2	32	5	2	2	2	1	1	4	7	2	2	3
April	63	19	2	1	3	3	1	2	31	6	8	5	4	1	2	2	2	5	2	2
May	92	8	2	1	1	5	4	6	27	4	12	4	9	7	8	4	4	5	3	2
June	114	13	4	6	3	5	2	2	35	8	10	10	8	8	12	5	5	4	5	2
July	96	20	3	3	4	6	3	1	40	4	6	11	7	7	4	4	4	4	1	5
August	80	13	3	3	5	4	1	1	30	4	5	4	9	8	7	1	2	3	3	4
September	108	15	5	4	2	3	4	3	36	11	8	12	4	9	4	4	6	6	3	5
October	90	11	7	3	2	2	3	4	32	11	6	6	2	6	6	7	3	6	5	5
November	101	22	3	3	2	7	—	4	41	2	9	10	11	3	7	3	6	4	2	2
December	74	10	3	4	4	3	2	—	26	7	4	7	6	4	4	3	3	3	1	2
Arkansas	1,637	413	114	78	108	99	44	32	888	131	87	86	66	61	57	55	59	53	52	42
January	157	33	9	7	7	14	6	6	82	20	5	10	6	5	6	5	4	6	2	6
February	153	24	10	8	11	11	12	5	81	15	7	11	7	3	5	6	6	5	4	3
March	154	35	16	7	10	6	3	3	80	11	8	7	7	6	8	10	4	4	5	4
April	109	31	7	5	7	9	1	5	65	8	6	8	3	3	4	2	5	3	1	1
May	109	32	6	3	8	9	2	—	60	4	13	4	5	6	2	1	4	1	5	4
June	163	53	7	6	8	8	1	1	82	11	8	10	7	9	7	7	8	8	5	4
July	179	45	8	6	11	8	3	3	84	13	7	8	7	6	11	12	7	6	13	5
August	124	40	12	6	9	5	1	—	73	6	6	2	4	8	1	1	5	7	7	4
September	121	33	14	5	14	5	4	2	77	9	3	4	6	2	4	7	5	4	2	2
October	139	36	9	7	10	11	3	4	80	10	10	7	6	4	7	2	2	4	3	4
November	126	27	10	11	7	8	7	—	70	15	6	8	5	4	5	4	4	1	2	2
December	103	24	6	7	6	7	1	3	54	9	8	7	3	5	1	—	6	4	3	3
California	4,385	1,488	317	203	249	205	146	105	2,713	295	228	216	183	169	128	123	98	95	67	70
January	462	127	23	13	27	23	14	14	241	35	23	29	24	25	14	9	14	15	9	14
February	304	89	19	21	17	17	13	13	189	26	13	14	18	9	9	2	8	10	3	3
March	327	128	26	18	15	16	7	8	218	32	11	9	14	11	5	6	7	5	3	4
April	303	113	22	21	14	14	12	4	200	17	15	11	8	9	6	7	8	11	2	2
May	348	134	22	13	29	14	8	10	230	22	12	15	11	14	6	10	7	8	4	9
June	325	108	27	20	27	19	10	1	211	19	16	16	6	11	5	12	9	6	4	10
July	350	143	27	17	18	7	14	8	234	26	13	19	13	9	11	9	2	5	5	4
August	337	127	35	12	18	17	8	9	226	20	21	9	13	8	12	11	3	4	5	5
September	371	134	26	20	19	20	13	11	243	20	14	16	15	17	10	12	11	4	6	3
October	423	139	22	14	17	26	15	12	245	25	25	22	24	17	19	15	10	12	4	5
November	399	107	31	14	19	23	15	6	215	22	33	24	16	24	20	10	9	6	6	6
December	436	139	37	20	28	10	17	9	261	31	32	22	21	15	14	9	10	9	7	5
Colorado	1,134	325	67	45	61	47	39	29	613	87	82	70	71	49	42	31	30	26	18	15
January	142	29	11	4	3	3	5	7	62	14	11	8	15	8	6	5	8	4	1	—
February	105	31	2	5	6	3	5	5	57	8	11	3	3	6	4	2	2	2	3	1
March	105	38	4	1	5	8	3	4	63	4	5	6	3	3	4	2	5	3	3	4
April	82	25	3	7	5	2	6	2	50	6	7	2	4	2	3	3	2	2	3	3
May	84	24	8	5	6	2	4	—	49	7	5	7	2	3	3	1	2	2	1	2
June	82	32	8	3	7	1	—	1	52	2	10	2	6	1	4	—	2	—	—	3
July	70	32	4	3	3	2	—	—	44	3	5	3	6	3	3	1	1	—	—	—
August	99	29	5	5	5	5	3	3	55	9	5	7	5	5	4	4	3	—	—	—
September	96	16	5	4	2	6	1	5	41	9	6	8	11	8	4	4	2	2	2	1
October	112	23	5	4	6	10	4	2	54	9	9	14	4	7	4	3	2	1	2	2
November	74	23	4	2	6	1	3	—	39	8	3	8	5	2	2	3	1	1	1	2
December	83	21	8	2	7	4	5	—	47	8	5	2	7	1	3	2	2	3	3	—
Connecticut	842	313	106	38	66	36	16	20	595	46	37	40	31	20	15	11	17	11	8	11
January	69	19	11	3	6	5	2	2	48	3	3	4	1	3	1	1	2	1	2	2
February	81	25	13	—	4	5	—	3	50	5	4	7	4	1	2	1	1	2	3	1
March	67	24	4	7	3	1	1	—	40	4	3	6	6	3	2	1	1	—	—	1
April	93	31	9	6	10	4	2	4	66	5	8	2	7	—	4	—	—	—	—	—
May	84	32	6	4	13	2	2	—	59	6	3	3	2	4	2	2	1	—	—	2
June	53	19	7	3	3	2	2	1	37	5	2	4	2							

VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 year						Under 1 month												
		1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
District of Columbia	669	204	40	50	53	39	37	33	436	57	30	27	25	22	20	14	10	12	10	6
January	41	13	2	1	7	2	—	2	27	4	—	—	1	1	1	2	3	1	—	—
February	58	16	6	1	5	2	1	3	34	5	6	3	1	1	1	2	—	—	3	1
March	64	16	6	5	5	1	1	1	35	8	3	6	2	2	1	1	1	1	2	1
April	54	26	2	3	4	2	—	1	38	3	3	2	1	2	3	1	—	—	1	—
May	33	11	4	1	1	2	1	2	22	3	1	—	1	1	2	1	—	—	1	—
June	42	14	5	3	5	2	—	1	30	2	1	3	1	1	1	1	—	—	2	—
July	53	16	2	1	2	6	2	1	30	3	3	3	3	4	4	1	1	—	1	—
August	61	22	7	5	5	5	5	4	53	6	2	2	5	4	2	1	1	4	—	1
September	69	14	3	4	6	3	9	3	42	6	4	3	3	3	1	2	1	—	1	3
October	66	22	2	3	6	6	3	1	43	8	2	4	2	3	1	2	—	—	1	—
November	59	14	1	2	6	5	6	8	42	5	4	1	2	3	—	—	—	2	—	—
December	49	20	—	1	1	3	9	6	40	4	—	—	—	1	1	—	—	—	—	—
Florida	1,822	550	132	76	154	108	71	50	1,141	121	95	76	67	55	69	47	42	50	35	24
January	174	45	11	10	12	6	9	5	98	16	12	6	8	8	5	6	3	5	3	4
February	159	47	10	4	13	9	7	8	98	17	9	7	5	4	5	2	5	2	3	2
March	145	33	16	9	9	10	6	4	87	6	10	6	1	6	8	5	3	6	3	4
April	146	38	11	3	11	11	7	2	83	7	10	7	9	3	8	5	6	3	3	2
May	162	47	8	7	9	5	5	5	86	15	7	9	9	9	8	3	4	6	6	—
June	144	40	8	3	17	7	5	4	84	9	5	7	3	4	7	3	6	6	5	5
July	158	62	13	8	13	11	4	—	111	6	6	5	8	6	4	5	1	1	2	3
August	142	55	10	7	12	14	6	3	107	4	3	3	5	4	7	3	2	3	1	—
September	118	39	12	7	9	7	4	3	81	5	9	3	4	2	3	2	2	2	4	1
October	158	45	10	5	13	11	9	4	97	14	6	7	8	4	6	4	7	1	—	—
November	152	43	12	5	17	12	3	7	99	7	8	9	4	2	6	4	3	5	2	3
December	164	56	11	8	19	5	6	5	110	15	10	7	3	3	4	3	3	4	2	—
Georgia	3,780	1,000	283	181	324	264	117	108	2,277	301	227	177	141	128	139	93	86	83	62	66
January	412	110	21	11	41	26	15	16	240	37	35	29	6	13	14	7	4	7	8	10
February	356	84	20	16	29	25	13	14	201	41	24	19	16	9	12	8	10	10	5	3
March	329	63	27	20	31	29	12	14	216	24	14	14	13	7	13	9	4	4	7	7
April	291	73	19	18	24	22	10	10	177	21	16	14	13	13	11	7	5	5	4	4
May	300	95	26	5	23	21	6	2	178	21	12	13	12	12	11	10	9	10	8	7
June	364	94	25	12	25	25	6	7	196	30	29	19	8	23	25	12	14	14	5	—
July	316	84	20	17	28	20	10	5	184	24	22	13	13	12	10	7	9	7	9	8
August	259	83	22	14	24	13	9	4	169	19	10	8	12	10	10	4	5	2	5	5
September	265	76	25	24	25	15	8	7	180	20	12	10	11	8	8	2	5	6	2	1
October	260	73	24	19	21	17	7	7	168	17	12	8	10	6	9	7	10	4	4	5
November	288	65	24	9	36	18	8	11	171	22	30	13	9	10	7	4	10	7	2	3
December	316	80	30	15	17	33	11	11	197	25	12	17	16	5	9	16	6	7	5	1
Idaho	508	176	37	24	42	21	15	13	328	42	30	24	19	13	7	15	7	6	11	6
January	69	19	1	2	3	4	6	3	38	8	9	5	3	1	—	1	1	2	1	—
February	44	8	2	3	5	2	2	3	25	4	1	2	2	3	2	3	1	—	1	—
March	54	15	5	4	4	2	1	—	31	6	6	4	—	1	1	1	1	—	3	—
April	33	10	2	2	3	2	—	1	20	2	1	—	3	1	2	—	—	1	—	—
May	32	12	7	—	2	1	—	—	22	5	—	1	—	1	1	1	1	1	—	—
June	45	18	5	1	8	—	—	2	34	1	2	1	2	2	—	—	—	1	—	—
July	41	15	2	5	4	4	—	2	32	2	2	1	1	—	—	1	2	—	—	—
August	33	16	2	1	—	1	2	—	22	3	1	—	—	2	—	3	1	1	—	—
September	34	20	—	—	4	1	—	—	25	3	1	1	—	1	—	—	—	2	—	—
October	39	14	5	1	3	2	1	1	27	2	1	2	3	2	—	—	1	1	—	—
November	45	13	4	3	4	2	2	1	29	4	2	3	3	1	—	2	—	—	1	—
December	39	16	2	2	—	1	—	—	23	2	4	2	—	1	3	—	—	2	—	—
Illinois	4,474	1,573	421	221	385	190	115	106	3,011	252	241	170	135	145	94	104	98	82	67	75
January	446	126	35	17	40	20	11	14	263	21	32	22	13	21	17	14	12	11	7	13
February	401	121	33	21	32	13	10	12	242	27	26	17	19	14	15	12	12	7	5	5
March	389	105	30	26	30	22	10	6	229	30	27	15	13	16	8	13	15	8	5	10
April	392	126	41	20	31	17	9	16	260	21	22	16	10	13	7	12	7	8	10	6
May	373	155	43	16	39	8	8	8	277	24	15	10	8	9	6	7	6	7	3	1
June	318	126	35	13	27	15	9	6	231	18	12	11	4	12	5	6	7	1	8	3
July	362	150	29	21	26	13	12	9	260	18	15	9	9	7	6	8	11	7	8	4
August	342	125	28	13	43	12	11	5	237	19	17	9	10	8	6	11	4	8	4	9
September	339	127	34	13	27	26	9	8	244	23	17	10	7	11	4	4	4	3	8	4
October	355	144	38	15	26	15	13	8	259	15	20	9	10	10	4	5	3	8	3	9
November	365	143	34	20	28	11	6	8	250	19	19	20	13	11	6	5	7	7	3	5
December	392	125	41	26	36	18	7	6	259	17	19	22	19	13	10	7	10	7	3	6
Indiana	2,302	601	202	125	215	152	87	61	1,443	157	136	114	89	63	53	64	54	53	37	39
January	256	37	19	13	28	16	4	4	133	25	10	18	15	11	5	9	8	9	6	7
February	211	45	11	11	23	24	9	7	130	14	13	11	10	7	8	5	4	1	6	2
March	228	57	21	14	20	12	5	5	134	9	16	10	8	7	11	8	8	8	6	3
April	196	54	14	10	18	11	6	7	120	19	16	10	8	3	4	3	9	2	2	2
May	186	47	19	14	26	15	5	5	131	16	10	3	4	3	5	3	4	3	2	2
June	153	51	15	11	14	6	6	10</												

GENERAL TABLES—INFANT DEATHS

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 year						Under 1 month												
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Kansas	1,146	408	120	55	79	51	27	29	769	78	60	60	40	32	23	24	19	19	13	9
January	117	29	6	7	8	5	2	5	62	12	10	10	8	3	3	3	3	3	3	1
February	114	25	11	10	11	3	1	1	62	14	7	7	2	5	3	4	4	4	2	
March	104	33	15	5	5	3	4	2	67	8	7	6	4	5	2	3	1	1	2	
April	84	40	3	4	11	1	1	3	63	1	3	7	2	1	4	1	1	2	1	
May	90	36	7	2	8	5	1	3	62	6	5	6	3	3	3	2	1	2	1	
June	79	38	12	5	1	5	2	3	63	4	1	1	2	4	2	1	1	1	1	
July	116	43	13	5	7	11	2	4	81	2	8	7	7	7	3	2	2	2	1	
August	74	27	8	2	6	3	4	4	50	6	4	4	3	2	1	2	1	1	1	
September	95	31	11	4	6	5	2	2	61	6	7	7	2	3	1	3	1	1	3	
October	85	31	10	4	5	4	4	3	61	7	2	4	3	2	1	1	2	2	1	
November	89	37	12	3	7	3	4	3	69	4	2	4	5	2	1	1	1	1	1	
December	99	38	12	4	4	3	4	3	68	8	5	4	2	2	1	3	1	3	2	
Kentucky	3,187	702	311	154	258	230	136	97	1,888	282	164	150	117	118	92	89	75	71	55	66
January	312	54	30	15	26	27	22	14	188	30	23	9	11	9	8	8	6	9	4	7
February	269	53	22	10	35	23	6	9	158	28	17	17	11	11	5	3	3	3	5	6
March	300	75	32	14	30	31	12	6	198	32	12	13	6	7	9	3	6	5	5	4
April	248	76	23	17	22	17	14	7	176	18	9	8	9	3	5	3	7	4	6	2
May	231	63	25	13	13	24	8	8	154	21	11	8	5	8	3	9	2	5	2	3
June	255	58	37	9	30	16	6	2	158	22	15	13	7	6	5	6	5	9	4	5
July	337	71	25	12	13	10	12	6	149	25	21	19	20	24	27	12	13	4	8	15
August	294	73	23	16	12	13	10	9	156	20	20	15	14	11	12	16	10	6	6	8
September	246	48	21	10	14	25	15	10	143	19	11	14	9	17	5	6	9	5	7	3
October	237	53	24	11	17	17	9	9	140	25	12	4	10	8	6	8	5	10	3	6
November	213	34	23	14	20	14	10	9	124	18	11	14	9	7	4	7	5	6	3	5
December	243	46	26	13	26	13	12	8	144	24	22	16	6	7	3	6	4	5	2	4
Louisiana	3,077	781	159	120	240	183	162	93	1,738	261	217	156	132	111	105	90	72	72	60	63
January	296	57	19	14	26	13	18	4	151	25	30	13	16	12	15	10	6	5	6	7
February	265	59	11	6	17	12	18	9	132	25	19	14	14	14	7	10	8	9	10	3
March	288	56	12	14	24	17	22	9	154	29	23	18	9	11	8	11	5	3	10	5
April	239	65	16	10	12	18	6	1	128	13	15	15	17	12	10	6	8	4	6	7
May	224	64	10	6	17	11	15	4	127	14	11	13	14	5	11	9	9	7	4	4
June	222	64	9	7	14	11	9	3	117	13	19	10	14	9	7	5	6	4	10	8
July	225	72	12	8	16	10	2	6	126	26	7	15	4	6	8	7	7	6	5	8
August	257	83	15	12	26	12	14	7	169	17	10	8	10	11	7	6	4	6	3	6
September	255	87	16	12	17	16	5	9	162	29	14	6	3	11	9	9	7	7	5	3
October	261	60	13	9	28	22	16	13	161	28	20	9	5	4	7	7	7	9	1	5
November	276	62	16	14	19	22	14	17	164	22	22	17	8	10	6	6	7	5	5	4
December	269	52	10	8	24	19	23	11	147	20	27	18	18	6	10	4	5	7	4	3
Maine	785	185	107	40	65	43	31	25	496	70	51	36	28	23	20	13	14	14	10	10
January	82	10	7	5	5	10	6	5	48	10	4	2	5	1	1	3	2	1	3	2
February	86	14	12	3	8	6	3	2	48	11	7	2	3	3	4	3	3	3	1	1
March	90	23	8	3	14	2	7	2	59	5	6	3	4	1	2	3	1	3	2	2
April	74	12	12	4	7	5	3	3	46	10	6	7	1	2	1	1	1	1	1	1
May	59	17	7	1	1	3	2	2	33	8	3	3	3	2	3	1	2	2	1	1
June	44	19	4	3	2	2	1	1	31	4	4	2	2	2	2	2	2	2	1	2
July	72	19	10	6	9	3	5	2	54	4	4	4	1	2	2	2	2	2	2	2
August	55	13	5	5	6	5	2	2	38	4	1	1	1	3	3	2	3	3	2	1
September	43	12	6	3	2	3	3	3	29	3	3	3	2	1	1	1	1	1	1	1
October	59	10	14	1	2	3	2	2	32	6	5	4	2	4	2	1	3	1	1	1
November	58	20	10	2	1	1	2	1	36	3	5	6	2	4	1	1	1	1	1	1
December	63	16	12	6	7	1	1	1	42	2	3	5	4	2	1	1	2	1	1	1
Maryland	1,422	362	88	69	109	62	48	40	778	91	101	83	69	56	54	36	44	44	33	33
January	155	32	7	3	19	7	3	6	77	13	7	11	12	9	5	7	3	5	4	2
February	111	24	7	5	7	2	3	3	51	6	13	5	3	6	7	3	3	4	1	6
March	143	30	10	5	13	9	5	3	75	10	14	8	5	3	6	8	8	3	3	1
April	100	21	9	9	5	3	6	5	58	5	11	6	3	2	2	1	1	1	1	1
May	104	37	6	8	7	7	1	1	66	10	4	2	6	2	2	2	2	4	1	1
June	112	40	8	7	9	7	4	6	81	3	7	4	4	1	2	3	3	3	3	3
July	119	31	8	6	6	7	2	3	63	9	5	9	6	6	5	5	5	3	2	4
August	122	31	3	8	11	4	5	1	63	6	9	6	9	5	8	1	1	1	1	3
September	98	35	6	4	9	2	3	5	64	9	6	3	3	3	2	2	1	1	1	3
October	133	37	9	5	8	4	3	4	70	6	11	10	6	5	7	2	4	6	4	4
November	111	23	10	5	7	6	7	2	60	9	6	7	5	4	2	4	2	4	4	4
December	114	21	5	4	8	4	6	2	50	5	8	12	10	9	6	2	3	4	1	4
Massachusetts	2,358	818	216	134	201	114	78	51	1,612	140	103	86	82	68	55	45	46	52	29	38
January	205	66	12	11	14	10	2	4	119	14	10	11	7	11	8	4	4	8	5	5
February	241	56	18	10	27	13	7	5	136	14	19	7	13	9	7	7	6	5	3	4
March	230	56	19	9	23	20	7	3	137	19	9	12	7	12	7	8	7	7	6	5
April	234	87	15	10	16	8	4	4	144	13	12	8	10	6	5	7	7	11	6	6
May	196	71	25	14	14	8	7	3	142	7	8	5	7	6	6	7	7	10	4	4
June	197	78	18	17	12	11	8	4	148	7	8	6	6	5	3	3	4	5	3	4
July	187																			

VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 year							Under 1 month	By month										
		1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks		1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Minnesota	1,798	695	173	94	123	80	37	54	1,256	112	79	71	44	45	32	33	34	36	35	23
January	210	48	16	12	13	9	6	10	114	16	20	18	7	10	4	8	1	4	7	1
February	156	48	19	10	14	6	2	6	105	12	8	5	5	2	3	2	3	3	5	3
March	164	78	10	8	7	5	3	4	115	6	7	6	6	5	4	1	1	5	4	2
April	163	62	15	6	15	11	—	10	119	8	5	3	5	7	1	5	7	6	2	—
May	149	66	14	7	12	4	2	4	109	9	7	6	1	—	1	2	7	2	2	1
June	143	66	18	9	7	9	3	4	116	7	6	2	3	—	1	1	2	4	1	—
July	123	53	13	4	7	5	5	3	90	9	1	2	2	4	2	4	1	3	3	3
August	115	54	11	4	12	5	1	—	87	10	1	3	1	4	2	—	1	3	2	1
September	155	54	19	8	10	9	7	3	110	11	5	3	2	4	6	3	3	3	1	4
October	132	48	13	8	5	3	1	4	82	8	7	6	7	2	1	5	2	5	3	4
November	140	58	19	10	10	5	3	2	107	4	8	5	4	2	2	3	—	2	2	2
December	143	60	6	8	11	9	4	4	102	12	4	8	1	5	5	1	2	—	1	2
Mississippi	2,907	725	181	150	217	179	87	97	1,636	204	156	150	140	108	105	90	98	68	65	87
January	315	56	20	14	26	19	14	11	160	32	17	22	23	15	7	10	7	2	7	13
February	289	61	18	16	22	15	9	21	162	27	25	10	14	11	9	10	6	6	2	7
March	287	57	13	20	20	24	8	8	150	26	16	19	16	15	10	8	13	5	6	3
April	249	73	12	12	23	11	8	5	144	11	11	13	13	12	7	7	9	6	6	10
May	223	69	13	4	14	19	4	2	125	17	14	8	6	9	9	6	8	7	4	10
June	253	76	14	16	15	7	5	6	139	11	6	13	15	10	13	11	9	9	7	10
July	235	62	20	16	11	12	3	5	129	6	13	17	8	12	7	12	6	10	7	7
August	204	62	14	15	22	15	3	3	134	12	8	3	9	6	5	5	3	3	4	12
September	187	50	16	8	18	8	7	4	111	9	10	12	7	4	10	7	6	2	6	3
October	209	57	12	13	22	11	9	11	135	16	9	9	8	5	4	3	7	7	4	2
November	212	46	8	9	9	19	8	9	108	21	14	11	14	6	8	8	9	5	4	4
December	244	56	21	7	15	19	9	12	139	16	13	13	7	7	11	8	9	10	5	6
Missouri	2,655	788	183	115	225	174	77	79	1,641	194	153	129	104	91	65	73	53	53	49	50
January	320	76	22	14	31	22	5	16	186	30	24	18	13	9	3	8	11	7	4	7
February	219	47	14	16	25	15	7	6	130	20	15	10	10	4	5	4	5	3	3	3
March	212	63	12	8	22	14	8	12	139	20	11	8	6	5	4	8	5	3	—	3
April	202	58	10	9	17	15	15	7	131	17	15	11	3	5	3	5	2	3	2	5
May	164	65	16	9	9	14	5	4	122	7	6	8	2	1	2	4	5	3	3	1
June	197	70	17	12	11	10	2	1	123	6	12	13	10	3	5	5	7	7	1	5
July	247	76	18	11	12	13	3	6	138	9	9	15	16	12	14	8	6	5	9	6
August	222	71	13	8	17	15	7	7	138	21	9	5	5	7	6	9	2	10	6	4
September	216	55	22	11	19	16	6	4	133	17	11	9	11	11	10	3	5	2	4	2
October	222	70	13	6	17	12	8	4	130	18	14	12	9	9	3	11	2	5	4	5
November	228	83	16	5	18	16	5	8	151	14	8	10	9	11	6	5	3	1	6	4
December	204	54	10	6	27	12	6	5	120	15	19	10	10	8	5	2	1	2	7	5
Montana	534	166	31	18	49	33	12	8	317	48	29	24	26	20	15	9	18	8	11	9
January	89	17	—	2	5	2	2	2	30	8	5	4	6	4	3	1	3	2	2	1
February	54	18	2	2	1	6	—	—	28	7	2	3	2	3	1	1	4	1	1	—
March	51	12	1	3	5	3	—	1	25	3	1	7	4	1	2	1	4	1	—	2
April	52	17	2	2	7	6	2	3	39	2	2	2	1	—	—	1	1	1	1	3
May	42	17	3	1	3	4	—	—	19	4	4	2	5	3	2	—	1	1	—	—
June	48	17	4	2	4	4	1	—	32	4	3	—	2	2	—	1	2	—	—	—
July	40	15	4	1	8	1	1	1	28	6	1	2	—	—	1	1	—	—	—	—
August	40	19	6	—	1	—	—	—	27	3	1	—	1	—	1	—	2	—	2	3
September	30	16	1	1	1	2	3	—	24	1	2	—	—	1	1	—	—	—	—	—
October	34	9	4	—	6	2	—	—	21	2	—	2	2	1	2	—	2	—	1	—
November	35	10	1	—	4	1	1	1	18	4	7	2	2	1	1	—	—	—	—	—
December	59	9	3	4	6	1	1	—	24	4	1	—	1	4	1	2	1	—	—	—
Nebraska	818	313	62	34	75	42	21	21	568	61	37	29	31	20	16	17	15	11	3	8
January	118	35	5	2	6	2	4	6	58	20	9	2	5	6	5	3	4	1	1	2
February	65	20	5	2	4	2	2	1	40	5	4	4	4	1	—	2	3	2	1	1
March	70	29	7	1	8	2	2	2	51	4	2	2	3	1	1	2	3	—	2	2
April	51	21	4	—	5	3	—	—	33	3	1	5	5	1	—	2	1	—	—	—
May	66	35	4	3	4	3	1	1	51	4	1	3	3	—	1	—	—	—	—	1
June	43	19	4	2	5	2	—	—	32	3	1	3	3	—	—	—	—	—	—	—
July	81	34	8	3	9	2	2	5	63	1	2	2	4	2	1	1	2	—	—	1
August	69	34	6	8	5	8	1	1	58	7	7	3	1	1	2	1	1	—	—	—
September	60	22	4	6	2	1	5	1	41	1	4	2	2	2	2	1	1	—	—	—
October	61	22	3	3	6	6	—	2	42	5	3	3	3	3	—	—	—	—	—	—
November	65	22	6	5	10	5	2	—	50	5	2	1	4	2	1	—	—	—	—	1
December	69	22	6	4	9	4	2	2	49	5	4	4	1	2	2	—	—	—	—	—
Nevada	87	26	4	4	7	3	2	1	47	6	8	5	5	2	2	4	2	3	3	—
January	12	2	—	1	2	—	—	—	5	1	3	1	—	—	1	—	—	—	—	1
February	6	1	—	—	—	—	—	—	1	2	—	—	—	—	—	3	—	—	—	—
March	7	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—
April	8	5	2	—	1	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
May	4	2	—	—	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—
June	5	3	—	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	—	—
July	9	3	—	1	—	1	—	—	6	—										

GENERAL TABLES—INFANT DEATHS

495

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1	2	3	4	5	6	7	8	9	10	11
										mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
New Jersey	2,184	711	190	125	172	95	58	64	1,415	139	123	89	88	71	60	46	36	40	39	38
January	223	57	17	11	12	7	7	11	122	19	16	10	13	11	6	8	6	3	5	4
February	230	65	15	10	19	11	7	5	130	17	20	6	10	7	9	8	4	7	6	6
March	219	54	16	5	10	8	8	2	105	13	16	15	20	8	6	9	6	5	10	6
April	168	51	12	13	19	7	7	1	110	8	15	6	6	7	3	2	4	1	4	4
May	210	74	14	10	17	5	2	11	133	17	13	13	6	9	1	8	4	3	2	2
June	162	66	12	14	9	5	1	5	112	8	7	8	3	7	6	4	2	4	3	3
July	154	54	11	9	13	10	6	3	106	4	4	4	2	6	4	4	1	1	2	3
August	155	67	9	14	14	5	5	5	120	12	3	3	3	5	5	1	1	2	3	3
September	189	86	20	14	12	6	5	5	130	15	7	4	6	7	7	3	1	5	1	2
October	165	57	19	6	16	10	4	5	121	11	8	3	7	3	5	1	2	2	2	2
November	175	56	22	6	19	12	5	2	122	7	8	9	6	3	4	2	1	4	4	3
December	157	44	23	11	10	7	3	6	104	8	8	8	4	3	4	2	6	5	1	4
New Mexico	1,549	301	63	45	105	68	60	45	687	138	107	124	95	80	80	66	49	49	38	37
January	229	27	6	6	8	18	14	12	91	36	24	21	10	13	7	3	7	4	5	8
February	116	24	4	5	12	7	6	2	61	13	8	6	3	4	8	3	1	5	2	2
March	149	38	4	6	16	7	7	4	81	13	10	8	6	5	7	5	6	5	3	3
April	95	20	6	1	9	5	3	3	49	6	10	6	4	2	4	1	4	2	3	4
May	87	36	4	4	8	7	4	1	58	2	4	5	3	1	4	4	1	4	1	4
June	96	30	6	6	4	6	2	3	55	8	4	7	4	5	3	5	4	4	1	2
July	128	36	10	4	8	6	6	3	69	9	5	8	9	3	5	4	2	8	5	1
August	168	17	5	2	4	6	4	4	43	12	12	17	18	19	9	16	7	4	8	4
September	161	19	4	4	11	3	4	7	52	11	13	15	15	11	15	7	6	5	8	3
October	184	19	6	4	10	4	4	4	52	13	9	10	14	13	11	10	10	3	3	6
November	83	14	5	2	6	1	1	2	37	4	5	12	4	3	6	4	3	1	1	3
December	81	21	3	5	3	4	3	3	39	11	3	5	5	2	1	4	2	3	1	1
New York	7,370	2,637	616	377	483	308	253	237	4,911	529	413	306	242	201	154	155	136	117	96	110
January	695	186	53	31	41	44	30	21	406	61	45	36	18	20	25	23	17	13	15	18
February	700	207	50	35	32	30	40	40	433	53	42	36	20	27	15	20	17	13	13	11
March	782	214	66	38	55	34	21	27	455	65	52	35	40	26	25	18	17	18	13	18
April	722	250	55	24	39	26	25	24	443	43	37	46	30	19	19	14	20	9	14	12
May	656	236	65	33	59	22	21	18	385	48	34	20	15	15	11	15	13	6	10	10
June	598	208	57	39	31	28	15	17	354	35	22	16	12	6	9	10	4	10	8	11
July	515	254	45	29	43	19	8	15	393	27	21	16	11	6	14	7	4	9	2	5
August	506	212	47	36	36	25	15	14	388	29	22	11	11	14	3	6	7	7	4	4
September	549	210	52	25	34	23	28	17	390	40	29	26	26	8	2	9	6	5	7	2
October	531	238	34	20	27	16	19	11	365	44	36	17	15	8	12	8	2	4	5	5
November	570	214	49	30	46	18	23	19	399	37	32	17	16	22	7	10	11	11	3	5
December	606	228	43	37	53	21	14	14	390	47	29	30	29	23	16	11	10	7	7	9
North Carolina	4,625	1,217	302	187	332	239	179	147	2,603	368	298	263	208	185	184	136	133	106	96	85
January	429	95	25	16	24	21	17	24	222	41	40	31	19	12	18	10	9	9	12	6
February	382	101	27	14	27	15	10	10	209	42	15	24	15	19	17	7	12	7	11	7
March	415	96	32	12	34	24	15	17	250	40	26	18	11	14	11	12	5	5	3	4
April	371	112	25	22	25	22	14	9	227	19	26	24	7	10	13	14	7	6	9	8
May	395	115	15	14	31	15	17	14	221	32	20	20	12	13	24	17	17	6	6	8
June	469	109	17	13	29	10	10	7	204	25	34	32	30	32	20	19	18	12	15	15
July	395	108	29	18	28	15	6	10	214	26	27	21	15	11	13	12	8	8	5	5
August	564	108	32	18	27	17	11	8	221	24	21	21	12	12	9	7	4	4	3	6
September	543	97	37	12	21	19	19	14	219	31	21	16	13	11	11	9	9	10	8	6
October	570	99	26	15	27	18	17	8	210	29	22	16	17	19	13	11	10	11	6	6
November	570	76	22	22	28	20	15	14	197	36	24	20	25	11	12	9	10	11	4	3
December	392	101	17	11	32	23	13	12	209	43	22	27	21	21	15	13	8	4	6	3
North Dakota	645	208	39	38	47	42	26	24	424	35	51	27	19	23	15	8	12	11	10	10
January	66	18	2	1	6	5	4	4	40	6	7	4	5	2	1	1	1	1	1	2
February	82	17	3	5	6	7	3	3	44	8	6	3	1	3	4	1	1	1	1	2
March	74	19	2	3	5	3	5	3	40	3	10	4	3	5	6	1	1	1	1	2
April	53	9	1	3	2	3	1	2	21	2	3	3	2	2	2	1	1	1	1	3
May	57	17	5	3	6	4	4	1	39	3	3	3	1	2	1	1	1	1	1	2
June	47	18	6	1	4	3	1	1	35	3	1	2	2	1	1	1	1	1	1	2
July	37	17	3	2	2	2	2	2	26	2	2	2	2	2	1	1	1	1	1	1
August	50	21	3	4	4	4	3	3	37	2	2	2	2	1	1	1	1	1	1	1
September	48	19	2	4	4	4	3	3	35	1	6	2	2	2	2	1	1	1	1	1
October	51	19	2	5	2	2	2	2	30	3	3	6	2	3	1	1	1	1	1	1
November	40	13	3	5	3	1	2	3	30	3	5	2	2	1	1	1	1	1	1	1
December	60	21	7	6	3	5	2	1	45	2	5	2	2	1	1	2	1	1	1	1
Ohio	4,691	1,465	390	266	363	232	164	142	3,022	316	213	210	187	153	154	109	97	81	89	80
January	466	122	42	28	41	28	19	13	293	34	22	23	13	18	14	10	8	12	10	9
February	441	106	29	19	38	22	12	15	241	45	21	24	20	24	22	11	10	6	7	10
March	460	130	38	30	55	15	11	13	272	33	25	19	23	15	12	19	9	11	7	7
April	399	124	27	30	34	24	18	9	266	22	20									

VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 year							Under 1 month											
		1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.		
Oregon	593	190	64	31	47	25	14	12	383	38	25	23	12	25	21	14	14	20	9	9
January	78	18	4	5	2	4	—	2	35	12	5	4	5	5	4	—	—	4	2	2
February	60	11	8	—	5	2	1	5	30	4	4	3	—	2	5	—	—	4	2	1
March	47	14	6	1	9	2	2	—	34	1	1	3	—	1	1	4	—	2	—	—
April	39	11	4	1	3	4	1	1	25	2	2	—	1	—	—	1	—	1	—	—
May	40	14	3	3	6	5	1	1	33	2	2	—	2	—	—	—	—	2	—	—
June	47	21	6	3	3	—	1	3	37	2	2	1	—	—	—	—	—	1	—	—
July	51	21	5	3	3	—	1	1	37	3	2	1	—	—	—	—	—	1	—	—
August	54	15	8	3	8	2	—	1	35	3	4	—	—	3	—	—	—	2	—	—
September	53	21	5	2	3	1	—	—	38	1	1	3	—	4	—	—	—	1	—	—
October	44	18	4	3	3	—	2	—	32	2	4	—	1	4	5	—	—	1	—	—
November	47	15	4	1	—	—	3	1	30	3	—	1	1	1	1	—	—	3	—	—
December	35	11	7	6	2	1	2	—	25	5	1	4	—	2	2	—	—	1	—	—
December	35	11	7	6	2	1	2	—	29	—	1	1	—	—	—	—	—	1	—	—
Pennsylvania	7,343	2,385	581	404	584	326	215	194	4,689	541	396	314	277	247	199	156	146	141	127	110
January	689	178	43	36	65	19	31	22	394	61	33	39	30	32	21	20	14	19	7	19
February	720	179	46	29	50	24	28	19	375	63	57	38	33	35	26	23	21	16	20	15
March	759	215	48	32	58	39	20	27	439	53	54	29	36	28	26	16	11	17	14	16
April	632	155	66	37	39	34	17	14	362	45	48	56	23	25	19	16	20	13	14	11
May	641	194	65	43	44	36	18	13	413	48	26	23	25	25	19	15	15	10	9	9
June	487	204	41	30	36	24	9	8	352	39	23	15	17	8	6	3	4	8	8	8
July	515	207	55	36	46	27	9	11	391	56	19	14	8	8	6	4	5	9	4	4
August	544	233	38	33	40	16	10	16	388	35	23	15	23	11	9	10	5	9	8	7
September	591	211	49	41	42	24	25	14	406	45	28	27	19	16	13	6	7	10	11	3
October	596	227	46	33	40	29	15	17	407	42	27	20	24	17	16	11	10	9	7	6
November	567	186	45	26	59	28	17	15	376	40	25	25	20	21	14	16	7	6	8	8
December	602	196	39	28	65	24	16	18	386	34	33	33	21	23	19	11	9	15	14	4
Rhode Island	412	144	32	26	40	23	13	6	284	31	17	14	12	12	5	8	8	7	7	7
January	41	11	2	1	2	3	1	1	21	6	2	—	2	3	—	2	2	—	1	2
February	30	9	1	2	2	—	1	—	15	3	3	—	2	1	2	1	1	—	2	—
March	27	8	2	1	3	—	—	—	14	2	1	3	2	1	1	1	—	1	—	1
April	36	9	2	1	6	3	1	—	22	2	3	—	1	1	2	—	—	1	—	1
May	40	18	1	2	2	4	—	—	31	4	2	1	1	—	—	—	—	—	—	—
June	42	12	4	4	7	1	2	1	31	4	—	—	—	—	—	—	—	—	—	—
July	36	10	3	2	3	4	—	—	23	1	2	3	1	3	—	—	—	1	—	—
August	29	8	4	2	3	—	—	3	20	2	2	—	2	—	—	—	—	—	—	—
September	24	13	2	2	3	—	—	—	20	3	—	—	—	1	—	—	—	—	—	—
October	37	15	7	5	3	1	—	—	31	3	—	1	—	—	—	—	—	—	—	—
November	35	16	2	1	3	5	1	—	28	1	—	1	2	—	—	—	—	1	—	—
December	37	15	2	3	3	2	3	—	28	—	2	1	1	1	—	—	—	2	—	—
South Carolina	2,834	650	222	127	255	179	97	93	1,623	228	164	164	121	124	108	77	67	53	58	47
January	229	31	15	14	30	16	4	7	117	26	18	15	13	7	9	6	6	5	6	1
February	260	53	16	9	24	12	13	12	139	19	15	21	14	20	11	7	2	1	7	4
March	264	76	12	10	20	17	12	13	160	20	15	15	8	8	6	10	10	4	6	2
April	248	58	22	8	13	25	8	9	143	21	11	14	6	6	11	13	11	3	3	6
May	237	61	18	11	20	15	8	8	141	15	16	8	7	11	8	7	4	7	6	7
June	253	55	19	11	12	14	5	8	124	18	16	17	14	17	15	2	8	8	10	4
July	238	56	22	8	17	13	12	1	129	17	12	17	12	14	13	6	4	4	7	4
August	229	62	21	12	31	11	3	6	146	21	9	9	8	9	8	4	8	2	1	4
September	194	52	17	9	23	11	3	4	119	16	8	8	7	9	6	6	3	4	4	4
October	193	50	18	6	27	15	12	6	136	12	10	9	4	10	2	3	1	3	2	1
November	216	42	17	13	18	10	7	5	112	19	12	15	18	6	10	5	5	5	4	5
December	273	54	25	14	20	20	10	14	157	24	24	16	11	7	9	6	5	7	2	5
South Dakota	481	160	33	28	44	22	13	6	306	32	28	16	21	15	11	19	10	10	4	9
January	60	10	6	2	2	3	1	1	25	8	6	2	5	1	3	—	2	3	2	3
February	44	15	2	2	5	3	1	1	29	3	1	2	2	2	1	2	1	—	—	1
March	47	14	2	3	4	1	1	—	25	4	4	—	—	5	4	—	—	—	—	—
April	46	13	1	4	3	3	—	1	25	7	5	2	1	2	—	1	1	—	—	2
May	42	16	4	—	2	5	—	2	29	2	1	1	2	—	1	3	1	1	—	—
June	27	12	3	1	3	2	—	—	21	—	1	1	—	1	—	—	—	—	—	—
July	50	18	7	2	5	1	3	—	36	—	4	3	1	1	1	2	—	2	—	—
August	54	15	2	1	3	1	4	—	26	—	1	—	1	—	2	—	2	—	—	—
September	38	18	3	4	3	—	2	1	31	3	1	1	—	1	—	—	1	—	—	—
October	31	11	—	3	5	1	—	—	20	1	—	3	2	2	1	—	—	1	—	—
November	23	6	1	1	2	1	—	—	11	2	2	1	2	—	3	1	—	—	—	—
December	39	12	2	5	7	1	1	—	28	2	2	—	5	—	—	1	1	—	—	—
Tennessee	2,874	787	161	121	243	155	106	76	1,669	229	183	146	97	99	105	83	65	58	70	70
January	312	55	16	13	24	15	17	18	158	27	21	13	12	12	11	14	13	6	14	11
February	267	65	14	20	22	13	11	8	153	34	17	15	5	6	8	10	4	4	4	7
March	244	57	21	11	29	15	5	7	145	21	16	11	5	10	10	6	3	4	7	6
April	226	69	16	8	19	18	9	10	149	11	18	12	5	2	8	9	5	1	4	2
May	187	60	15	5	21	17	6	2	126	14	8	9	4	6	7					



GENERAL TABLES—INFANT DEATHS

TABLE 19.—DEATHS UNDER 1 YEAR, BY AGE AND BY MONTH: EACH STATE, 1939—Continued

(Exclusive of stillbirths)

AREA AND MONTH	Total deaths under 1 year	Under 1 year						Under 1 month	By month											
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks		3 weeks	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Utah	514	210	33	28	42	35	14	8	370	30	14	21	20	12	11	9	7	6	5	9
January	64	19	1	2	3	11	4	1	41	2	3	5	4	4	1	1	1	1	1	1
February	35	15	1	1	2	4	—	—	25	—	—	1	1	—	—	—	—	—	—	—
March	59	24	3	3	2	3	—	—	42	—	2	1	4	2	1	—	—	—	—	—
April	38	14	4	1	2	3	—	—	26	—	1	1	—	1	—	—	—	—	—	—
May	40	19	1	1	2	3	—	—	28	—	2	1	3	—	—	—	—	—	—	—
June	37	18	5	1	7	5	—	—	30	—	1	2	—	—	—	—	—	—	—	—
July	26	10	1	2	3	1	—	—	20	—	1	—	1	—	—	—	—	—	—	—
August	33	15	2	2	4	5	—	—	27	—	1	1	1	1	—	—	—	—	—	—
September	42	18	6	4	4	3	—	—	36	—	1	1	1	1	1	—	—	—	—	—
October	48	24	2	2	3	1	—	—	34	—	5	1	2	3	1	2	—	—	—	—
November	40	17	3	3	3	1	—	—	27	—	2	1	4	1	3	1	—	—	—	—
December	52	17	4	3	4	4	—	—	32	—	4	3	1	3	2	3	—	—	—	—
Vermont	291	87	28	12	20	20	13	9	189	25	20	11	12	5	6	4	4	5	3	7
January	31	5	1	1	2	1	—	—	15	6	2	2	4	—	1	—	—	—	—	—
February	25	5	2	3	1	2	—	—	15	1	4	2	2	—	1	—	—	—	—	—
March	27	8	—	2	1	1	—	—	14	2	4	1	1	1	1	—	—	—	—	—
April	33	11	3	1	2	3	—	—	21	2	3	1	1	2	1	—	—	—	—	—
May	25	12	3	—	2	2	—	—	17	4	2	2	—	—	—	—	—	—	—	—
June	17	6	3	1	2	—	—	—	14	1	1	—	—	—	—	—	—	—	—	—
July	24	8	2	2	4	1	—	—	19	—	—	1	—	—	—	—	—	—	—	—
August	23	8	1	2	4	1	—	—	14	2	3	—	—	—	—	—	—	—	—	—
September	15	7	2	—	3	—	—	—	11	—	1	—	—	—	—	—	—	—	—	—
October	32	8	8	—	3	5	—	—	25	—	—	1	2	1	—	—	—	—	—	—
November	16	3	1	2	2	2	—	—	10	—	2	—	—	—	—	—	—	—	—	—
December	28	6	2	—	3	2	—	—	14	3	—	—	1	—	1	—	—	—	—	—
Virginia	3,221	919	228	143	257	177	119	103	1,946	229	204	161	140	111	97	78	60	75	57	63
January	325	76	24	16	29	16	13	13	187	24	33	14	16	9	8	8	5	6	6	9
February	305	54	18	13	31	21	10	11	196	16	11	22	9	7	5	10	6	8	5	8
March	314	83	21	16	29	25	13	8	200	21	16	21	8	10	7	7	4	5	6	7
April	279	99	24	8	19	18	13	9	190	14	16	11	8	6	6	5	5	6	4	6
May	235	78	15	16	18	7	10	6	150	19	10	7	8	4	4	5	5	7	4	2
June	261	63	27	7	19	18	6	2	142	18	16	12	12	17	8	6	6	8	10	4
July	286	83	17	11	16	12	5	11	155	27	20	14	16	14	15	8	8	5	5	1
August	242	73	18	14	15	10	6	7	143	12	9	11	17	7	14	6	8	8	1	7
September	221	76	15	9	16	8	11	10	147	15	13	9	11	8	5	2	4	4	1	5
October	267	76	16	13	25	13	10	5	158	16	24	13	10	11	10	9	4	3	4	4
November	248	57	17	12	14	13	10	11	134	24	20	14	11	8	10	7	7	2	7	5
December	248	56	16	8	24	16	12	10	142	25	14	13	14	8	5	3	3	11	7	5
Washington	976	350	113	62	75	48	24	26	678	61	55	37	29	21	23	22	14	20	10	7
January	129	30	6	6	7	8	1	4	61	12	12	10	8	4	7	5	2	5	2	—
February	76	19	11	6	7	3	4	1	52	5	6	3	1	1	2	2	3	3	1	1
March	92	30	11	3	7	3	4	2	60	8	6	2	1	3	3	3	—	1	1	1
April	89	26	7	3	8	5	2	3	59	6	5	5	3	3	1	3	—	3	1	—
May	85	28	14	7	10	4	5	3	69	5	4	3	3	2	—	—	—	—	—	—
June	60	23	10	5	4	3	2	—	47	2	3	—	1	3	—	—	—	—	—	—
July	74	29	12	6	4	8	—	—	59	2	2	3	2	1	1	—	—	—	—	—
August	71	56	6	3	9	2	—	—	60	3	3	—	—	—	—	—	—	—	—	—
September	78	25	9	2	4	2	1	3	46	5	3	3	1	3	4	2	3	4	2	2
October	75	29	8	4	5	3	4	—	51	7	4	4	2	1	1	1	1	1	1	1
November	66	24	7	4	6	4	4	—	49	2	4	2	2	1	2	1	—	—	—	—
December	83	31	12	8	6	3	3	2	65	4	3	4	4	1	1	—	—	—	—	—
West Virginia	2,272	532	165	99	184	127	96	76	1,279	179	176	127	84	85	71	78	54	55	36	48
January	218	41	16	9	28	6	13	13	126	16	21	13	10	11	4	5	2	4	2	4
February	237	55	16	9	20	19	13	15	147	15	21	11	5	5	8	6	4	5	5	5
March	205	53	15	4	25	14	8	6	125	23	12	7	4	9	2	5	4	3	6	6
April	159	39	12	9	10	12	3	10	95	14	14	5	5	2	4	5	4	2	1	7
May	144	38	11	8	17	9	5	3	81	16	9	5	5	3	3	4	4	4	3	1
June	165	50	14	11	14	10	5	5	109	7	7	5	10	5	6	6	2	2	3	3
July	165	35	14	3	10	8	7	5	82	11	12	15	3	12	4	9	5	4	6	2
August	193	43	7	9	10	8	4	3	85	12	16	9	9	12	9	10	6	5	3	7
September	212	43	20	8	7	8	10	3	99	15	13	23	10	11	13	8	3	9	4	4
October	208	47	11	7	13	14	7	4	103	17	21	11	8	11	6	7	7	8	3	6
November	194	46	21	6	15	9	10	4	111	17	16	14	9	3	6	7	6	4	1	—
December	183	42	8	16	15	10	11	4	106	16	14	9	6	1	6	10	6	4	2	3
Wisconsin	2,179	777	195	130	151	96	91	52	1,492	147	116	79	70	61	48	43	36	32	26	29
January	226	74	13	8	16	14	9	4	138	18	13	8	10	13	6	3	3	4	5	5
February	205	63	15	7	17	11	7	5	125	18	18	8	8	6	4	4	3	4	3	3
March	221	86	10	12	14	10	12	7	151	14	11	7	8	4	5	4	5	2	3	7
April	201	58	18	8	12	10	10	5	121	16	13	11	8	6	7	4	5	2	5	3
May	208	81	20	15	14	8	10	4	152	11	13	5	5	3	4	4	4	4	1	1
June	171	70	21	11	8	6	8	7	131	12	6	4	2	4	1	4	2	3	1	1
July	172	57	19	19	11	7														

---

---

**SUPPLEMENT**

---

---

## SUPPLEMENT

### Hawaii, Puerto Rico, and the Virgin Islands

#### Hawaii

The Territory of Hawaii was admitted to the death-registration area in 1917 and to the birth-registration area in 1929.

The number of live births reported in Hawaii in 1939 was 9,392. Of these, 3,300, or 35 percent, were Japanese; 2,291, or 24 percent, were Part-Hawaiian; 1,762, or 19 percent, were Caucasian; 1,103, or 12 percent, were Filipinos; 441, or 5 percent, were Chinese; and 339, or 4 percent, were Hawaiian.

The number of deaths from all causes in Hawaii in 1939 was 3,137, and the estimated population was 415,705, giving a crude death rate of 7.5 per 1,000 population against 7.9 in 1938. The highest death rates per 100,000 population in 1939 were: For diseases of the heart (all forms), 131.3; cancer and other

malignant tumors, 69.5; nephritis, 67.8; tuberculosis (all forms), 66.6; pneumonia (all forms), 51.2; and intracranial lesions of vascular origin, 46.7. These six causes account for more than 57 percent of all deaths. The most marked decrease in any mortality rate in 1939 is shown for pneumonia (all forms), from 74.4 to 51.2; the largest increases shown are for nephritis, from 62.0 to 67.8, and diseases of the heart (all forms), from 126.1 to 131.3.

Deaths under 1 year numbered 493, equivalent to a rate of 52.5 per 1,000 live births, against 58.6 in 1938. Nearly 48 percent of these infant deaths were due to premature birth and pneumonia (all forms), the infant mortality rates for these causes being 14.8 and 10.2, respectively.

#### Puerto Rico

Puerto Rico was admitted to the death-registration area in 1932. The number of deaths from all causes in Puerto Rico in 1939 was 32,633 and the estimated population was 1,844,034, giving a crude death rate of 17.7 per 1,000 population, against 18.7 in 1938. The highest crude death rates per 100,000 population were: For diarrhea and enteritis (under 2 years), 266.6;

tuberculosis (all forms), 257.0; pneumonia (all forms), 177.3; diarrhea and enteritis (2 years and over), 129.4; nephritis, 117.0; diseases of the heart (all forms), 107.8; congenital malformations and diseases peculiar to the first year of life, 106.5; and malaria, 86.9. These eight causes account for 70.5 percent of all deaths. The greatest decrease in any mortality rate in 1939 was 20.1 for malaria.

#### Virgin Islands

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the birth- and death-registration areas in 1924.

In 1939, 787 births were reported in the Virgin Islands, and of this number the Negro births represented over 73 percent. There were 460 deaths in 1939, more than 81 percent of which were deaths of Negroes.

The largest number of deaths resulted from diseases of the heart (all forms), nephritis, syphilis, congenital malformations and diseases peculiar to the first year of life, pellagra (except alcoholic), pneumonia (all forms), diarrhea and enteritis (under 2 years), tuberculosis (all forms), cancer and other

malignant tumors, and intracranial lesions of vascular origin. These diseases accounted for more than 78 percent of all deaths.

Deaths under 1 year numbered 80 and represent an infant mortality rate of 101.7 per 1,000 live births, which is 30.6 lower than the corresponding rate (132.3) for 1938. Sixty percent of all deaths occurring among infants under 1 year of age were caused by diarrhea and enteritis, premature birth, and pneumonia (all forms), the rates for these causes being 29.2, 17.8, and 14.0, respectively. The infant mortality rate for Negroes was 110.5, or 21.4 lower than the corresponding rate (131.9) for 1938.

# HAWAII

TABLE 1.—ENUMERATED POPULATION BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1930

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races-----	368,336	19,468	137,882	53,857	65,341	605	35,942	55,541
Hawaiian-----	22,656	1,155	9,675	3,709	2,428	280	1,363	4,026
Part-Hawaiian-----	28,224	1,881	14,242	3,190	2,117	120	1,758	4,916
Caucasian-Hawaiian-----	15,632	986	8,283	1,537	1,213	72	996	2,545
Asiatic-Hawaiian-----	12,592	895	5,959	1,653	904	48	762	2,371
Caucasian-----	80,373	3,806	39,043	6,552	18,659	85	4,770	7,458
Portuguese-----	27,598	2,467	12,297	3,703	2,138	51	2,554	4,378
Puerto Rican-----	6,671	158	2,211	1,490	818	4	841	1,149
Other Caucasian-----	46,114	1,181	24,535	1,359	15,703	30	1,375	1,931
Chinese-----	27,179	897	19,334	1,201	2,734	16	1,201	1,796
Japanese-----	139,631	9,366	47,468	24,392	22,117	56	13,905	22,337
Korean-----	8,461	288	2,604	843	1,545	11	352	608
Filipino-----	63,052	2,055	4,776	13,901	15,614	35	12,562	14,109
All other-----	780	30	440	69	127	2	21	91

TABLE 2.—LIVE BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

AREA AND SEX	Total births <sup>1</sup>	Total deaths <sup>1</sup>	Excess of births over deaths <sup>2</sup>	Births per 100 deaths <sup>3</sup>	DEATHS <sup>1</sup> OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 1,000 live births
Hawaii-----	9,392	3,137	6,255	299	493	52.5	233	24.8
Male-----	4,823	2,048	2,775	235	273	56.6	124	25.7
Female-----	4,569	1,089	3,480	420	220	48.2	109	23.9
Hilo city-----	529	209	320	253	39	73.7	17	32.1
Male-----	286	135	151	197	22	82.7	6	22.6
Female-----	263	74	189	( <sup>3</sup> )	17	64.6	11	41.8
Honolulu city-----	4,329	1,500	2,829	289	221	51.1	113	26.1
Male-----	2,239	922	1,317	243	123	54.9	62	27.7
Female-----	2,090	578	1,512	362	98	46.9	51	24.4
Hawaii County (exclusive of Hilo city)-----	1,145	399	746	287	69	60.3	35	30.6
Male-----	596	276	320	216	43	72.1	16	26.8
Female-----	549	123	426	446	26	47.4	19	34.6
Honolulu County (exclusive of Honolulu city)-----	1,119	337	782	532	57	50.9	27	24.1
Male-----	570	252	318	226	30	52.6	15	26.3
Female-----	549	85	464	( <sup>3</sup> )	27	49.2	12	21.9
Kalawao County-----	5	50	-45	( <sup>3</sup> )	-----	-----	-----	-----
Male-----	-----	41	-41	( <sup>3</sup> )	-----	-----	-----	-----
Female-----	5	9	-4	( <sup>3</sup> )	-----	-----	-----	-----
Kauai County-----	808	238	570	339	37	45.8	13	16.1
Male-----	418	158	260	265	17	40.7	8	19.1
Female-----	390	80	310	( <sup>3</sup> )	20	51.3	5	12.8
Maui County-----	1,457	404	1,053	361	70	48.0	28	19.2
Male-----	734	264	470	278	38	51.8	17	23.2
Female-----	723	140	583	516	32	44.3	11	15.2

<sup>1</sup> Exclusive of stillbirths.    <sup>2</sup> A minus sign (-) indicates an excess of deaths over births.    <sup>3</sup> Figures not shown when the number of deaths is less than 100.

TABLE 3.—LIVE BIRTHS BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races-----	9,392	529	4,329	1,145	1,119	5	808	1,457
Hawaiian-----	339	8	95	72	42	3	37	82
Part-Hawaiian-----	2,291	117	1,273	246	158	2	120	375
Caucasian-Hawaiian-----	787	26	478	75	56	1	42	107
Asiatic-Hawaiian-----	1,504	89	795	171	102	1	78	268
Caucasian-----	1,762	93	1,010	143	189	-----	144	204
Portuguese-----	344	31	82	62	28	-----	57	84
Puerto Rican-----	207	2	67	37	21	-----	35	45
Other Caucasian-----	1,211	60	861	44	119	-----	52	75
Chinese-----	441	14	363	10	15	-----	13	26
Japanese-----	3,300	256	1,276	467	452	-----	310	539
Korean-----	89	4	61	2	14	-----	1	7
Filipino-----	1,103	36	201	184	261	-----	161	220
All other-----	67	1	50	1	9	-----	2	4

SUPPLEMENT—HAWAII

TABLE 4.—LIVE BIRTHS BY MONTH AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

AREA AND SEX	Total births	MONTH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii	9,392	778	711	778	758	805	752	784	805	824	788	764	869
Male	4,825	418	371	409	365	407	359	409	401	422	416	377	471
Female	4,569	360	340	369	375	396	393	375	402	402	372	387	398
Hilo city	529	35	41	32	47	39	26	45	47	52	60	47	58
Male	266	15	24	18	24	16	11	28	22	30	28	23	27
Female	265	20	17	14	23	23	15	17	25	22	32	24	31
Honolulu city	4,329	332	351	348	301	378	369	357	360	406	361	361	405
Male	2,259	182	168	187	150	211	178	171	175	209	204	178	226
Female	2,090	150	183	161	151	167	191	186	185	197	157	183	179
Hawaii County (exclusive of Hilo city)	1,145	108	60	107	95	111	105	106	99	80	94	78	104
Male	596	54	30	54	45	59	59	55	50	45	45	41	59
Female	549	54	30	53	48	52	46	51	49	35	49	37	45
Honolulu County (exclusive of Honolulu city)	1,119	101	87	98	97	87	78	90	88	81	96	95	123
Male	570	48	51	54	52	56	50	51	44	38	51	44	71
Female	549	53	36	44	45	51	48	39	44	43	45	49	52
Kalawao County	5			1	1					1			2
Male													
Female	5			1	1					1			2
Kauai County	808	70	66	69	66	67	57	59	86	70	74	60	64
Male	418	45	35	38	33	28	23	33	46	34	39	30	34
Female	390	25	31	31	33	39	34	26	40	36	35	30	30
Maui County	1,457	132	106	125	135	121	117	127	125	134	105	123	115
Male	734	74	63	58	59	57	58	71	64	66	49	61	54
Female	723	58	43	65	74	64	59	56	59	68	54	62	61

TABLE 5.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	9,392	98	1,461	2,625	2,135	1,511	732	278	191	144	217
10 to 14 years	20	2	2	2							14
15 to 19 years	1,138	74	502	329	101	33	7	3	1	1	87
20 to 24 years	5,233	19	846	1,419	618	180	50	10	8	4	79
25 to 29 years	2,496	2	103	789	917	487	124	30	15	9	20
30 to 34 years	1,529	1	8	74	442	521	184	63	14	19	3
35 to 39 years	854			11	55	272	294	99	67	52	4
40 to 44 years	284			1	2	16	70	65	77	50	3
45 to 49 years	32					2	3	8	9	8	2
50 to 54 years	1									1	
Not stated	5										5
Hawaiian	359	3	50	83	67	44	36	16	6	4	30
10 to 14 years	2	1	1								
15 to 19 years	37	2	8	7	3	1	1				15
20 to 24 years	115		33	46	16	6	4				10
25 to 29 years	84		7	25	30	8	5	5	1	1	2
30 to 34 years	49		1	4	12	17	8	5	1	1	2
35 to 39 years	43			1	6	11	15	5	2	2	1
40 to 44 years	6					1	2	1	2		
45 to 49 years	3						1		1		1
Caucasian-Hawaiian	787	22	171	217	162	92	51	12	10	19	51
15 to 19 years	110	14	53	20	9	1			1		12
20 to 24 years	296	8	98	114	42	12	3	1	2	2	14
25 to 29 years	206		18	73	70	25	9	3	2	4	2
30 to 34 years	105		2	8	35	33	15	3	2	6	1
35 to 39 years	58			2	6	20	21	4	1	4	
40 to 44 years	11					1	3	1	2	3	1
Not stated	1										1
Asiatic-Hawaiian	1,504	37	395	435	269	152	98	54	11	18	37
10 to 14 years	4	1									3
15 to 19 years	294	29	144	65	23	10	2	2		1	18
20 to 24 years	654	5	221	250	98	32	13	3	2	1	9
25 to 29 years	509	1	28	103	93	38	26	11	2	2	5
30 to 34 years	139	1		13	50	40	18	12	1	4	
35 to 39 years	91			4	5	29	29	14	2	8	
40 to 44 years	27					2	9	8	4	2	2
45 to 49 years	6					1	1	4			
Portuguese	544	2	81	123	56	41	17	5	2	1	16
10 to 14 years	1										1
15 to 19 years	48	1	29	14							4
20 to 24 years	142	1	42	63	19	6	4				7
25 to 29 years	94		10	42	24	11	3				4
30 to 34 years	42			4	12	20	3	3			
35 to 39 years	10				1	3	4	1	1		
40 to 44 years	7					1	3	1	1	1	
Puerto Rican	207	4	57	63	43	9	12	2	6	2	9
10 to 14 years	1										1
15 to 19 years	65	4	31	15	5	1	1				6
20 to 24 years	74		22	34	12	3	1		1		1
25 to 29 years	41		3	12	19	1	2	1	2		1

## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939—Continued

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
<b>Puerto Rican—Continued</b>											
30 to 34 years	15	-----	1	2	5	2	2	-----	1	-----	-----
35 to 39 years	12	-----	-----	-----	2	1	5	1	2	1	-----
40 to 44 years	2	-----	-----	-----	-----	-----	1	-----	-----	1	-----
45 to 49 years	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
<b>Other Caucasian</b>	<b>1,211</b>	<b>5</b>	<b>235</b>	<b>425</b>	<b>511</b>	<b>140</b>	<b>49</b>	<b>21</b>	<b>7</b>	<b>5</b>	<b>15</b>
15 to 19 years	120	5	75	26	11	-----	-----	-----	-----	-----	3
20 to 24 years	450	-----	145	210	71	18	1	-----	-----	-----	7
25 to 29 years	361	-----	15	168	121	37	15	1	-----	-----	4
30 to 34 years	196	-----	2	19	97	57	12	6	1	2	-----
35 to 39 years	61	-----	-----	1	10	26	15	5	3	1	-----
40 to 44 years	21	-----	-----	1	1	2	6	9	2	-----	-----
45 to 49 years	2	-----	-----	-----	-----	-----	-----	1	-----	-----	1
<b>Chinese</b>	<b>441</b>	<b>2</b>	<b>39</b>	<b>91</b>	<b>116</b>	<b>96</b>	<b>52</b>	<b>14</b>	<b>10</b>	<b>13</b>	<b>8</b>
10 to 14 years	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
15 to 19 years	27	2	12	7	2	3	-----	-----	-----	-----	1
20 to 24 years	117	-----	22	50	28	6	5	1	-----	-----	5
25 to 29 years	136	-----	4	32	54	35	10	1	-----	-----	-----
30 to 34 years	92	-----	1	2	30	35	16	5	-----	-----	3
35 to 39 years	48	-----	-----	-----	2	15	20	1	5	4	1
40 to 44 years	20	-----	-----	-----	-----	2	1	6	5	6	-----
<b>Japanese</b>	<b>3,300</b>	<b>13</b>	<b>322</b>	<b>883</b>	<b>828</b>	<b>632</b>	<b>274</b>	<b>101</b>	<b>130</b>	<b>70</b>	<b>47</b>
15 to 19 years	194	8	96	61	9	1	1	-----	-----	-----	18
20 to 24 years	1,061	5	210	511	245	53	8	2	3	1	23
25 to 29 years	1,055	-----	16	294	429	266	34	4	6	2	2
30 to 34 years	464	-----	-----	16	134	222	67	15	8	1	1
35 to 39 years	354	-----	-----	1	11	87	136	45	46	26	2
40 to 44 years	155	-----	-----	-----	-----	3	28	31	60	33	-----
45 to 49 years	17	-----	-----	-----	-----	-----	-----	4	7	6	-----
50 to 54 years	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
<b>Korean</b>	<b>89</b>	-----	<b>21</b>	<b>30</b>	<b>17</b>	<b>3</b>	<b>3</b>	-----	<b>2</b>	<b>10</b>	<b>3</b>
15 to 19 years	13	-----	6	3	3	-----	-----	-----	-----	-----	1
20 to 24 years	41	-----	13	19	7	-----	-----	-----	-----	-----	2
25 to 29 years	14	-----	1	7	5	1	-----	-----	-----	-----	-----
30 to 34 years	8	-----	1	1	2	1	1	-----	-----	2	-----
35 to 39 years	9	-----	-----	-----	-----	1	1	-----	2	5	-----
40 to 44 years	4	-----	-----	-----	-----	-----	1	-----	-----	3	-----
<b>Filipino</b>	<b>1,103</b>	<b>9</b>	<b>78</b>	<b>262</b>	<b>253</b>	<b>288</b>	<b>134</b>	<b>52</b>	<b>7</b>	<b>3</b>	<b>17</b>
10 to 14 years	10	-----	1	2	-----	-----	-----	-----	-----	-----	7
15 to 19 years	214	6	40	106	35	14	2	1	-----	-----	8
20 to 24 years	282	-----	36	117	77	39	9	3	-----	-----	1
25 to 29 years	186	1	1	30	67	62	19	4	2	-----	-----
30 to 34 years	213	-----	-----	5	61	92	40	14	1	-----	-----
35 to 39 years	163	-----	-----	2	12	77	47	22	3	-----	-----
40 to 44 years	51	-----	-----	-----	1	4	16	8	1	1	-----
45 to 49 years	3	-----	-----	-----	-----	-----	1	-----	-----	2	-----
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
<b>All other</b>	<b>67</b>	<b>1</b>	<b>14</b>	<b>13</b>	<b>13</b>	<b>14</b>	<b>6</b>	<b>1</b>	-----	<b>1</b>	<b>4</b>
10 to 14 years	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
15 to 19 years	18	1	8	5	1	2	-----	-----	-----	-----	1
20 to 24 years	21	-----	6	5	3	5	2	-----	-----	-----	-----
25 to 29 years	12	-----	-----	3	5	3	1	-----	-----	-----	-----
30 to 34 years	8	-----	-----	-----	4	2	2	-----	-----	-----	-----
35 to 39 years	5	-----	-----	-----	-----	2	1	1	-----	1	-----
Not stated	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	2

TABLE 6.—DEATHS BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths)

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
<b>All races</b>	<b>3,137</b>	<b>209</b>	<b>1,500</b>	<b>599</b>	<b>337</b>	<b>50</b>	<b>238</b>	<b>404</b>
Hawaiian	443	25	202	71	35	25	23	62
Part-Hawaiian	340	18	214	38	14	4	7	45
Caucasian-Hawaiian	200	8	136	22	8	2	4	20
Asiatic-Hawaiian	140	10	78	16	6	2	3	25
<b>Caucasian</b>	<b>658</b>	<b>41</b>	<b>390</b>	<b>50</b>	<b>78</b>	<b>8</b>	<b>37</b>	<b>54</b>
Portuguese	240	21	111	28	22	7	20	31
Puerto Rican	89	5	40	15	8	-----	8	13
Other Caucasian	329	15	239	7	48	1	9	10
<b>Chinese</b>	<b>291</b>	<b>10</b>	<b>206</b>	<b>17</b>	<b>17</b>	<b>1</b>	<b>19</b>	<b>21</b>
Japanese	904	80	337	150	103	6	89	139
Korean	86	11	43	8	11	1	2	10
Filipino	331	18	72	55	69	3	59	55
All other	84	6	36	10	10	2	2	18

SUPPLEMENT—HAWAII

TABLE 7.—DEATHS BY MONTH AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths)

AREA AND SEX	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii	3,137	281	345	268	292	290	275	277	258	229	234	222	266
Male	2,048	183	153	176	204	196	181	178	157	142	147	149	182
Female	1,089	98	92	92	88	94	94	99	101	87	87	73	84
Hilo city:													
Male	135	17	18	10	20	11	3	11	6	4	10	6	9
Female	74	12	5	4	5	8	9	4	8	3	7	5	4
Honolulu city:													
Male	922	78	58	86	93	85	80	87	79	75	55	71	75
Female	578	40	51	55	48	55	46	55	51	47	47	37	46
Hawaii County (exclusive of Hilo city):													
Male	276	20	15	21	29	31	17	26	25	18	27	16	31
Female	123	13	9	7	6	7	13	11	12	16	8	8	15
Honolulu County (exclusive of Honolulu city):													
Male	252	25	23	19	22	22	20	17	19	18	17	26	24
Female	85	8	8	9	10	7	8	6	6	7	3	5	8
Kalawao County:													
Male	41	5	2	3	5	4	3	6	2	1	5	2	5
Female	9	1	—	2	—	—	—	—	—	3	1	1	1
Kauai County:													
Male	158	16	15	14	12	21	21	6	6	8	18	9	12
Female	80	6	8	5	9	6	7	9	7	5	10	4	4
Maui County:													
Male	264	24	22	25	25	22	27	25	20	18	15	19	26
Female	140	18	11	10	10	11	13	12	17	6	11	13	8

TABLE 8.—DEATHS BY AGE, RACE, AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths)

RACE AND SEX	Total deaths	Under 5				Under 5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100 and over	Not stated										
		to 1	to 2	to 3	to 4		to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99												
All races	3,137	498	62	28	14	10	607	57	40	64	98	124	122	145	145	175	199	242	286	271	215	176	87	53	16	7	3	5									
Male	2,048	273	31	12	6	5	327	34	28	37	54	76	80	101	86	113	143	166	201	203	158	129	55	38	10	4	1	4									
Female	1,089	220	31	16	8	5	280	23	12	27	44	48	42	44	59	62	56	76	85	68	57	47	32	15	6	3	2	1									
Hawaiian:																																					
Male	220	22	1	1	2	1	27	1	3	4	4	8	6	6	12	21	14	21	18	26	15	20	6	6	—	1	—	—	1								
Female	223	26	6	1	2	1	36	1	7	6	8	7	7	9	14	16	12	21	23	21	12	14	6	5	5	—	—	—	—								
Part-Hawaiian:																																					
Male	180	73	8	3	1	—	95	6	6	4	3	3	9	10	7	8	11	7	3	8	1	2	2	—	—	—	—	—	—	—							
Female	160	49	9	4	—	—	62	3	2	6	7	14	9	4	9	11	6	7	3	5	5	2	3	1	1	—	—	—	—	—							
Caucasian-Hawaiian:																																					
Male	104	43	1	2	—	—	46	3	2	3	1	2	3	2	6	6	6	9	4	3	5	1	2	—	—	—	—	—	—	—	—						
Female	96	26	7	1	—	—	34	2	1	3	2	7	9	1	7	8	5	6	1	4	3	1	—	1	1	—	—	—	—	—	—						
Asiatic-Hawaiian:																																					
Male	76	30	7	1	1	—	39	3	4	1	2	1	6	8	1	2	2	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—					
Female	64	23	2	3	—	—	28	1	1	3	5	7	—	3	2	3	1	1	2	1	2	1	3	—	—	—	—	—	—	—	—	—					
Caucasian:																																					
Male	438	49	4	2	—	1	56	5	3	8	23	17	13	18	24	18	34	34	33	42	27	40	19	16	4	2	1	—	—	—	—	1					
Female	220	26	—	3	—	1	30	5	3	1	5	9	6	5	16	13	11	20	17	14	17	19	19	5	—	3	1	—	—	—	—	1					
Portuguese:																																					
Male	152	21	2	1	—	—	24	2	—	2	4	2	4	6	9	8	8	8	14	11	7	24	4	10	3	1	—	—	—	—	—	—	1				
Female	88	16	—	2	—	—	18	1	2	—	2	4	—	2	1	4	3	8	8	5	9	5	11	3	—	1	—	—	—	—	—	—	—				
Puerto Rican:																																					
Male	64	15	2	—	—	1	18	1	1	—	2	—	1	2	5	1	2	6	3	9	4	4	4	—	1	—	—	—	—	—	—	—	—	—			
Female	25	4	—	—	—	—	4	1	1	1	1	1	2	1	2	3	1	3	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
Other Caucasian:																																					
Male	222	13	—	1	—	—	14	2	2	6	17	15	8	10	10	9	24	20	16	22	16	12	11	6	—	1	—	—	—	—	—	—	—	—			
Female	107	6	—	1	—	1	8	3	—	—	2	4	4	2	13	6	7	9	9	8	7	13	7	2	—	—	—	—	—	—	—	—	—	—	—		
Chinese:																																					
Male	231	4	2	1	—	—	7	1	3	6	5	—	4	4	4	10	9	15	28	40	39	30	12	9	5	1	—	—	—	—	—	—	—	—	—		
Female	60	9	2	1	1	—	13	1	1	1	3	—	6	—	4	3	5	6	3	2	5	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	
Japanese:																																					
Male	595	58	6	4	—	1	69	15	9	8	15	17	15	20	9	23	51	66	95	80	58	30	8	3	1	—	—	—	—	—	—	—	—	—	—	—	
Female	311	66	8	5	4	3	86	7	3	10	19	12	7	17	10	17	18	18	36	25	14	9	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Korean:																																					
Male	76	2	1	—	—	—	3	1	—	1	2	—	—	—	—	—	9	14	13	8	9	8	5	2	—	—	—	—	—	—	—	—	—	—	—	—	
Female	10	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Filipino:																																					
Male	260	41	6	—	2	2	51	2	3	4	1	29	31	42	29	35	16	6	7	3	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Female	71	25	4	—	1	—	30	2	1	2	2	3																									

## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—DEATHS FROM SELECTED CAUSES: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	HAWAII		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	MauI County
	Total deaths	Total death rate <sup>1</sup>							
All causes-----	3,137	754.6	209	1,500	399	337	50	238	404
Typhoid and paratyphoid fever-----1,2	8	1.9	---	6	---	---	---	---	2
Cerebrospinal (meningococcus) meningitis-----6	3	0.7	---	2	---	1	---	---	---
Whooping cough-----9	31	7.5	5	10	12	2	---	2	---
Diphtheria-----10	4	1.0	---	3	---	---	---	---	1
Tuberculosis of respiratory system, etc.*-----13	256	61.6	17	151	24	16	---	16	32
Tuberculosis (other forms)-----14-22	21	5.1	2	8	3	1	---	3	4
Dysentery-----27	1	0.2	---	1	---	---	---	---	---
Syphilis-----30	70	16.8	5	29	1	19	---	4	12
Influenza-----33	15	3.6	1	1	9	3	---	---	1
Polioencephalitis and poliomyelitis (acute)-----36	9	2.2	---	9	---	---	---	---	---
Cancer of the digestive organs and peritoneum-----46	173	41.6	17	76	26	15	---	18	25
Cancer of female genital organs-----48,49	28	6.7	1	15	2	5	---	5	4
Cancer of the breast-----50	14	3.4	---	8	2	2	---	2	---
Cancer (other forms)-----45,47,51-55	74	17.8	5	41	4	8	---	7	11
Acute rheumatic fever-----58	2	0.5	---	---	---	2	---	---	---
Diabetes mellitus-----61	71	17.1	4	40	3	8	---	6	10
Exophthalmic goiter-----65b	1	0.2	---	1	---	---	---	---	---
Pellagra (except alcoholic)-----69	1	0.2	---	---	1	---	---	---	---
Alcoholism (ethylish)-----77	1	0.2	1	---	---	---	---	---	---
Intracranial lesions of vascular origin-----85	194	46.7	15	78	37	12	---	14	38
Other diseases of the nervous system, etc.*-----80-82,84-88	31	7.5	1	11	2	7	---	7	3
Diseases of the ear, nose, and throat-----89,104,115	26	6.3	1	10	2	1	---	6	6
Chronic rheumatic diseases of the heart-----90a,92b,92c,95c,95b	29	7.0	---	23	4	1	---	---	1
Diseases of coronary arteries and angina pectoris-----94	110	26.5	1	68	10	16	---	3	12
Diseases of the heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	407	97.9	27	219	55	42	---	21	45
Pneumonia (all forms)-----107-109	213	51.2	16	98	11	34	---	20	34
Ulcer of the stomach or duodenum-----117	52	12.5	5	23	8	5	---	5	6
Diarrhea, enteritis, etc.*-----119,120	51	12.3	8	18	9	6	---	3	7
Appendicitis-----121	29	7.0	1	15	5	5	---	---	3
Hernia and intestinal obstruction-----122	22	5.3	1	12	5	1	---	1	2
Cirrhosis of the liver-----124	22	5.3	2	8	2	4	---	3	3
Biliary calculi, etc.*-----126,127	15	3.6	---	9	1	1	---	1	3
Nephritis-----130-132	282	67.8	23	150	27	25	1	27	29
Diseases of the prostate-----137	5	1.2	1	3	---	---	---	1	---
Puerperal septicemia-----140,142a,147	10	2.4	---	7	1	1	---	1	---
Puerperal toxemias-----141a,c,144,148	9	2.2	1	3	1	2	---	---	---
Other puerperal causes-----141b,d,e,f,142b,143,145,146,149,150	10	2.4	2	1	4	1	---	2	1
Congenital malformations-----157	45	10.8	5	26	6	3	---	2	3
Premature birth-----159	139	33.4	15	66	14	19	---	12	15
Suicide-----163,164	64	15.4	2	24	13	10	---	5	10
Homicide-----165-168	19	4.6	---	9	5	1	---	---	4
Motor-vehicle accidents-----170	59	14.2	---	29	9	10	---	2	9
Other accidents-----169,171-195	143	34.4	7	43	31	27	---	10	25
All other causes *-----	368	88.5	21	146	50	25	49	30	47

\* Refer to complete International List titles, table XI.

<sup>1</sup> Number per 100,000 estimated population.



TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	PART-HAWAIIAN					CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian						
	All causes—Male	2,048	220	160	104	76	438	152	64	222	231	593	76	280	50	
	Female	1,039	223	160	96	64	220	88	25	107	60	311	10	71	34	
	I.—Infectious and parasitic diseases—M	537	62	27	18	9	38	17	9	12	24	89	18	74	5	
	F	185	44	30	16	14	12	3	4	5	8	46	2	19	4	
1	Typhoid fever—M	4	2	—	—	—	—	—	—	—	—	—	1	1	—	
	F	3	1	1	—	1	—	—	—	—	—	—	—	—	—	
2	Paratyphoid fever—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Flague—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Cerebrospinal (meningococcus) meningitis—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Whooping cough—M	14	2	1	1	—	2	1	1	—	—	—	—	5	—	
	F	17	6	3	—	3	1	1	—	—	2	4	—	—	1	
10	Diphtheria (infection by C. diphtheriae)—M	3	—	1	—	1	—	—	—	—	—	—	—	1	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
11	Erysipelas—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	Tetanus—M	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	1	1	1	—	1	—	—	—	—	—	—	—	—	
13-22	Tuberculosis (all forms)—M	180	22	11	7	4	13	5	3	5	18	55	9	50	2	
	F	97	21	16	8	8	7	1	2	4	6	29	2	14	2	
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs—M	166	20	9	6	3	12	4	3	5	18	52	9	45	1	
	F	90	18	16	8	8	7	1	2	4	6	28	2	11	2	
14	Tuberculosis of meninges and central nervous system—M	3	—	—	—	—	—	—	—	—	—	—	—	—	1	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
15	Tuberculosis of intestines and peritoneum—M	2	—	2	1	1	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	Tuberculosis of vertebral column—M	5	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
17b	Tuberculosis of joints (except vertebral column)—M	2	—	—	—	—	1	—	—	—	—	—	—	—	—	
18	Tuberculosis of skin, etc.—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
22a	Disseminated tuberculosis (acute miliary)—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	Leprosy—M	45	21	2	—	2	8	7	—	1	1	6	2	4	1	
	F	10	7	2	2	—	—	—	—	—	—	—	—	—	—	
24	Septicemia and purulent infection (nonpuerperal)—M	3	—	1	1	—	1	—	—	—	—	—	—	—	—	
	F	3	1	1	—	—	—	—	—	—	—	—	—	—	—	
26	Gonococcus infection—M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Dysentery—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30	Syphilis (all forms)—M	52	11	6	5	1	6	2	2	2	4	12	4	8	1	
	F	18	6	5	4	1	1	—	1	—	—	2	—	4	—	
30a	Locomotor ataxia (tabes dorsalis)—M	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
30b	General paralysis of insane—M	11	2	2	2	—	1	1	—	—	—	3	1	1	1	
	F	3	1	1	1	—	—	—	—	—	—	—	—	—	—	
30c	Other syphilis of central nervous system—M	3	—	—	—	—	2	1	—	1	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
30d	Aneurysm of aorta—M	16	1	—	—	—	1	—	1	—	2	7	2	3	—	
30e	Other syphilis of circulatory system—M	5	3	2	2	—	—	—	—	—	—	—	—	—	—	
	F	2	—	2	1	1	—	—	—	—	—	—	—	—	—	
30f,g	Congenital, other and unspecified forms of syphilis—M	15	4	2	1	1	1	—	1	—	2	2	—	4	—	
	F	12	4	2	2	—	1	—	1	—	—	2	—	3	—	
52	Other diseases due to spirochetes—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
33a	Influenza, with respiratory complications specified—M	7	1	2	2	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
33b	Influenza, without respiratory complications specified—M	3	—	1	1	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
36	Acute poliomyelitis and acute poliomyelitis—M	8	—	1	1	—	5	1	1	3	1	—	1	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
37a,c	Infectious encephalitis lethargica (acute and unqualified)—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
38	Other diseases due to filtrable viruses—M	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
43	Mycoses—M	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
44	Other infectious and parasitic (communicable) diseases—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	2	1	1	—	—	—	—	—	—	
	II.—Cancer and other tumors—M	191	11	11	7	4	43	19	3	21	13	89	10	14	—	
	F	114	17	12	7	5	29	5	1	23	6	45	2	5	—	
45-55	Cancer and other malignant tumors—M	183	11	10	7	3	42	18	3	21	13	85	10	12	—	
	F	106	16	11	7	4	28	5	1	22	5	42	2	2	—	
45	Cancer of buccal cavity and pharynx—M	9	—	—	—	—	4	1	—	3	—	4	—	1	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
45a-e	Cancer of buccal cavity—M	8	—	—	—	—	4	1	—	3	—	3	—	1	—	
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
45f	Cancer of pharynx—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
46	Cancer of digestive organs and peritoneum—M	125	6	3	2	1	19	11	1	7	10	70	7	10	—	
	F	48	5	8	5	3	12	3	1	8	—	20	1	2	—	
46a	Cancer of esophagus—M	15	3	—	—	—	1	1	—	—	1	9	1	—	—	
	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
46b,c	Cancer of stomach and duodenum—M	66	1	1	1	—	9	6	1	2	3	45	5	2	—	
	F	36	4	7	5	2	9	3	1	5	—	14	1	1	—	
46f	Cancer of liver and biliary passages—M	17	2	—	—	—	2	—	—	2	2	6	—	5	—	
	F	4	—	—	—	—	—	—	—	—	—	3	—	1	—	
46g	Cancer of pancreas—M	9	—	2	1	1	1	1	—	—	1	3	1	1	—	
	F	3	—	—	—	—	2	—	—	2	—	1	—	—	—	
46d,e,h,m	Cancer of other digestive organs and peritoneum—M	18	—	—	—	—	6	3	—	3	3	7	—	2	—	
	F	4	1	1	—	—	1	—	—	1	—	1	—	—	—	

\*Refer to complete International List titles, table II.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	PART-HAWAIIAN			CAUCASIAN			Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese					
II.—Cancer and other tumors—Continued													
Cancer and other malignant tumors—Continued													
47	Cancer of respiratory system—M	17	2	4	2	2	5	2	3	2	2	2	
	F	8	3				2		2		3		
48	Cancer of uterus—F	25	5	2	1	1	4		4	3	10	1	
49	Cancer of other female genital organs—F	3		1	1		1	1			1		
50	Cancer of breast—M	1										1	
	F	13	2				7	1	6	1	3		
51	Cancer of male genital organs—M	10	1				5	1	3		4		
52	Cancer of urinary organs (male and female)—M	5	1				3	2	1		1		
	F	1							1				
53	Cancer of skin (except vulva and scrotum)—M	2					1		1	1			
54	Cancer of central nervous system*—M	3	1				2		2				
	F	2									2		
55	Cancer of other and unspecified organs—M	11		3	3		3	1	1		4	1	
	F	5	1				2		2		2		
56a	Nonmalignant tumors of ovary—F	2	1								1		
56b	Nonmalignant tumors of uterus—F	3							1		1		
56d,e	Nonmalignant tumors of other and unspecified organs—M	6		1		1	1	1			2	2	
	F	2		1		1	1		1				
57d,e	Tumors of other and unspecified organs (nature unspecified)—M	2									2		
	F	1									1		
III.—Rheumatism, diseases of nutrition, etc.*													
	M	76	5	12	7	5	19	5	5	9	9	10	1
	F	43	5	5	5		20	11	3	6	3	8	1
58a-d	Acute rheumatic heart diseases—M	2					1		1				1
59	Chronic rheumatism and other rheumatic diseases—M	1									1		
61	Diabetes mellitus—M	41	3	7	6	1	14	3	3	8	6	1	1
	F	30	5	2	2		16	10	1	5	5		
62	Diseases of pituitary gland—F	1		1	1								
63b	Exophthalmic goiter—F	1								1			
63c-e	Other diseases of thyroid and parathyroid glands—F	1		1									
64	Diseases of thymus gland—M	10		2		2	2	2			1		4
	F	4		1	1		2	1			1		1
65	Diseases of adrenal glands (not specified as tuberculous)—M	2		1		1				1			
68	Beriberi—M	19	1	2	1	1	2		2		2		11
	F	6					2		1		2		2
69	Pellagra (except alcoholic)—M	1	1										
IV.—Diseases of the blood and blood-forming organs													
	M	12	1				2		1	2	5		2
	F	9	1	1		1	4		4	1	1		1
72	Hemorrhagic conditions—M	1									1		
	F	2					2		2				
73a	Pernicious anemia—M	1					1		1				
73b-d	Other anemias (except splenic)—M	1											1
	F	4	1										
74a	Leukemias—M	8	1				1		1	2	3		1
	F	2					2		2				
75	Diseases of spleen—M	1									1		
76	Other diseases of the blood and blood-forming organs—F	1		1		1							
V.—Chronic poisoning and intoxication													
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism—M	1									1		
VI.—Diseases of the nervous system, etc.*													
	M	151	12	6	5	1	30	15	2	13	19	66	3
	F	85	22	6	4	2	13	5		8	5	31	1
80	Encephalitis (nonepidemic)—M	4	1	1	1		1	1			1		
	F	1											1
81	Meningitis (not due to meningococcus)—M	5		1	1		1		1		1		1
	F	2									2		
82	Diseases of spinal cord (see exceptions)*—M	5					1		1	2	1		1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)—M	113	8	2	2		20	11	6	14	59	3	6
	F	70	19	5	3		9	4	5	4	28	1	3
83b	Cerebral embolism and thrombosis—M	3								1	1		1
	F	5	2				1		1	1	1		
83c	Cerebral softening—M	1					1						
83d	Hemiplegia and other paralysis of unspecified origin—M	2							1		1		
84	Mental diseases and deficiency (see exception)*—M	2					1	1		1			
	F	1											
85	Epilepsy—M	3	1	1		1	1		1				
	F	1					1		1				
86	Convulsions (under 5 years)—M	3					2						1
	F	1		1	1								
87	Other diseases of nervous system—M	2											2
88	Diseases of organs of vision—M	1									1		
89a	Otitis and other diseases of the ear—M	3	1				1				1		1
	F	3	1								1		
89b	Diseases of mastoid process—M	4	1	1	1		1		1	1			1
	F	1											
VII.—Diseases of the circulatory system													
	M	393	53	20	12	8	114	42	9	63	67	93	20
	F	172	53	15	10	5	59	23	6	30	9	30	21
90	Pericarditis (except acute rheumatic)—M	1		1		1							
91a,b	Bacterial and other acute or subacute endocarditis—M	4	1								1		1

\*Refer to complete International List title, table XI.

SUPPLEMENT—HAWAII

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	PART-HAWAIIAN			CAUCASIAN					Korean	Filipino	All other		
			Ha-waiian	Total	Caucasian-Ha-waiian	Asi-atic-Ha-waiian	Total	Portu-guese	Puerto Rican	Other Cauca-sian				Chi-nese	Japa-nese
VII.—Diseases of the circulatory system—Con.															
91c	Endocarditis (unspecified, under 45 years).....	1												1	
92a-d	Chronic endocarditis and diseases of the valves*—	34	5	1		13	2	1	10	6	8		1	1	
	M.....	22	3	3		6	2	1	5	3	6				
	F.....	12				7			5	3	2				
92e	Endocarditis (unspecified, 45 years and over).....	2	1										1		
93a	Acute myocarditis (except rheumatic).....	5							1	2			2		
	M.....	2													
	F.....	1							1	1					
93c,d	Chronic myocarditis and myocardial degeneration.....	224	39	10	6	50	26	6	18	43	55	15	12	4	
	M.....	108	38	9	5	35	15	4	16	5	18		2	1	
	F.....	9		2	2	4	2		2	2	2	1			
93e	Other myocarditis (unspecified).....	3	1			1									
	M.....	3	1			1									
	F.....	3	1			1									
94a	Diseases of coronary arteries.....	84	2	4	3	42	10	1	31	9	19	3	5	1	
	M.....	21	7	1	1	10	3	1	6	1	2		1		
	F.....	5		1	1										
94b	Angina pectoris.....	2	1												
	M.....	1													
	F.....	1													
95a	Functional diseases of heart, etc.*.....	10	1	1		1			1	2	4	1			
	M.....	9	1	1	1	4	2		2	3					
	F.....	1													
95b,c	Other and unspecified diseases of heart.....	11	3			2			1	4	1				
	M.....	4	2			2			2						
	F.....	2	1	1		1									
97	Arteriosclerosis (except coronary or renal sclerosis).....	1				1									
	M.....	1				1									
	F.....	1				1									
98	Gangrene.....	2	1	1		1									
	M.....	1				1									
	F.....	1				1									
99	Other diseases of arteries.....	1				1									
	M.....	1				1									
	F.....	1				1									
102	High blood pressure (idiopathic).....	1				1									
	M.....	1				1									
	F.....	1				1									
VIII.—Diseases of the respiratory system.....															
	M.....	160	28	29	13	16	26	8	6	12	8	30	2	30	7
	F.....	104	23	23	14	9	16	9		7	6	12		11	13
104a	Diseases of nasal fossae.....	1		1	1										
	M.....	1		1	1										
	F.....	1													
104b	Diseases of accessory sinuses.....	1				1				1					
	M.....	1				1				1					
	F.....	1													
105	Diseases of larynx.....	1		1		1									
	M.....	1		1		1									
	F.....	1													
106a	Acute bronchitis.....	5	1	2	2	2	1	1					1	1	
	M.....	3				3									
	F.....	2	1	2	2	2	1	1					1	1	
106b	Chronic bronchitis.....	3	1	1	1	3			1	2	2				
	M.....	3	1	1	1	3			1	2	2				
	F.....	3				3									
107	Bronchopneumonia (including capillary bronchitis).....	62	12	15	7	8	13	3	3	7	3	8		10	1
	M.....	53	14	12	6	6	3	3	3	2	7		3	9	
	F.....	61	11	12	5	7	6	3	1	2	12		14	5	
108	Lobar pneumonia.....	36	7	7	6	1	6	3	3	2	4		7	3	
	M.....	1													
	F.....	10	1			2	1	1		1	3	1	2		
109	Pneumonia (unspecified).....	1													
	M.....	1													
	F.....	1													
110	Pleurisy (not specified as tuberculous).....	10	1			2	1	1		1	3	1	2		
	M.....	1													
	F.....	9	1			2	1	1		1	3	1	2		
111b,c	Acute edema, chronic and unspecified congestion of lungs.....	1				1			1						
	M.....	1				1			1						
	F.....	1													
112	Asthma.....	3									3				
	M.....	1													
	F.....	2													
114	Other diseases of respiratory system (except tuberculosis).....	10	2			1		1		1	1	2	1	3	
	M.....	10	2			1		1		1	1	2	1	3	
	F.....	10	2			1		1		1	1	2	1	3	
IX.—Diseases of the digestive system.....															
	M.....	154	11	16	12	4	28	8	6	14	17	47	5	22	8
	F.....	64	13	10	5	5	9	5	2	2	2	21	1	6	2
115a, b,d	Diseases of buccal cavity and adnexa.....	4										4			
	M.....	3										3			
	F.....	1										1			
115c	Diseases of pharynx and tonsils.....	1													
	M.....	1													
	F.....	1													
116	Diseases of esophagus.....	1													
	M.....	1													
	F.....	1													
117a	Ulcer of stomach.....	54	4	2	2	4		2	2	7	14	1	2		
	M.....	5	2												
	F.....	13		1	1	2	2			2	4	1	2	1	
117b	Ulcer of duodenum.....	2		1	1	1		1							
	M.....	2		1	1	1		1							
	F.....	2													
118	Other diseases of stomach (except cancer).....	2													
	M.....	2													
	F.....	2													
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years).....	22	1	6	6	2	2				5		3	5	
	M.....	21	5	4	2	2					4		6	2	
	F.....	6	1	1	1	1					1			1	
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over).....	2													
	M.....	18		1	1	6	1	1	4		3	1	6	1	
	F.....	11		3	2	3	3		1	3	1				
121	Appendicitis.....	10	3	1	1	1			1	3	1		1		
	M.....	9		2	2	1			1	1	4		1		
	F.....	5	1			2				2					
122a	Hernia.....	3													
	M.....	3													
	F.....	3													
122b	Intestinal obstruction.....	9		2	2	1			1	1	4		1		
	M.....	5													
	F.....	4		2	2	1			1	1	4		1		
123	Other diseases of intestines.....	3		1	1	2		2							
	M.....	3		1	1	2		2							
	F.....	2													
124a	Cirrhosis of liver (with mention of alcoholism).....	2									2				
	M.....	11	1												

VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	PART-HAWAIIAN					CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total			Portuguese	Puerto Rican	Other Caucasian							
				Caucasian-Hawaiian	Asiatic-Hawaiian	Total										
X.—Diseases of the genito-urinary system—Con.																
151b	Other chronic nephritis—M	70	8	2	1	1	14	5	4	5	20	21	2	3	—	
	F	40	12	2	—	2	10	2	3	5	4	10	—	2	—	
152	Nephritis unspecified (10 years and over)—M	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
153	Other diseases of kidneys and ureters, etc.*—M	6	—	—	—	—	—	—	—	1	1	—	—	4	—	
	F	3	—	1	—	1	—	—	—	—	—	1	—	1	—	
154	Calculi of urinary passages—M	5	—	1	1	—	1	—	—	—	1	—	—	1	—	
	F	2	—	—	—	—	—	—	—	—	—	2	—	—	—	
155	Diseases of urinary bladder—M	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
156	Diseases of urethra (except calculus)—M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	
157	Diseases of prostate—M	5	—	—	—	—	4	1	1	2	—	1	—	—	—	
159a	Diseases of ovaries, fallopian tubes, and parametria—F	2	1	—	—	—	—	—	—	—	—	—	—	1	—	
159b	Diseases of uterus—F	3	—	—	—	—	1	1	—	—	—	2	—	—	—	
XI.—Diseases of pregnancy, childbirth, and puerperium																
	F	29	4	5	4	1	4	1	3	—	1	11	—	4	—	
140	Abortion with mention of infection—F	5	—	2	1	1	—	—	—	—	1	2	—	—	—	
140a,b	Abortion (septic), spontaneous or therapeutic—F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	
140c,d	Abortion (septic), self-induced or nontherapeutic—F	4	—	2	1	1	—	—	—	—	—	2	—	—	—	
141	Abortion without mention of infection—F	3	—	—	—	—	1	1	—	—	—	—	—	2	—	
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*—F	1	—	—	—	—	—	—	—	—	—	—	—	1	—	
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*—F	2	—	—	—	—	1	1	—	—	—	—	—	1	—	
142b	Ectopic gestation, without mention of infection—F	4	—	1	1	—	—	—	—	—	—	2	—	1	—	
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)—F	2	1	—	—	—	1	—	1	—	—	—	—	—	—	
144c,d	Other toxemias of pregnancy—F	1	—	—	—	—	—	—	—	—	—	—	—	1	—	
145	Other diseases and accidents of pregnancy (death before delivery)—F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
146a	Placenta praevia (with childbirth)—F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
146b,c	Other hemorrhages of childbirth and puerperium—F	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
147a,b	Puerperal pyelitis, other general or local puerperal infection*—F	4	2	1	1	—	1	—	1	—	—	—	—	—	—	
147c,d	Puerperal thrombophlebitis, embolism and sudden death—F	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
148a,b	Puerperal eclampsia and nephritis*—F	5	1	—	—	—	—	—	—	—	—	4	—	—	—	
149	Other accidents and specified conditions of childbirth—F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
XII.—Diseases of the skin and cellular tissue																
	M	8	1	—	—	—	1	—	—	1	1	4	—	1	—	
151	Carbuncle and furuncle—M	3	—	—	—	—	1	—	—	—	1	1	—	—	—	
152	Phlegmon and acute abscess—M	3	—	—	—	—	—	—	—	—	—	2	—	1	—	
153	Other diseases of the skin and cellular tissue—M	2	1	—	—	—	—	—	—	—	—	1	—	—	—	
XIII.—Diseases of the bones, etc.*																
	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
154	Osteomyelitis and periostitis—M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
XIV.—Congenital malformations																
	M	26	—	7	4	3	4	3	—	1	1	9	2	1	2	
	F	19	—	1	1	—	5	3	1	1	1	11	1	—	—	
XV.—Diseases peculiar to the first year of life																
	M	115	5	30	16	14	28	10	6	12	3	26	1	12	10	
	F	98	6	25	15	10	13	9	2	2	4	38	—	7	4	
158	Congenital debility (cause not stated)—M	5	—	1	1	—	—	—	—	—	—	3	—	1	—	
	F	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
159	Premature birth (cause not stated)—M	63	1	20	10	10	15	6	2	7	1	14	—	7	5	
	F	76	4	20	11	9	10	7	2	1	4	30	—	5	3	
160a	Intracranial or spinal hemorrhage—M	9	—	1	—	1	2	1	1	—	1	2	—	1	2	
	F	6	—	1	—	1	1	—	—	1	3	1	—	1	—	
160b,c	Other injuries at birth—M	20	—	3	2	1	8	2	2	4	1	3	1	2	2	
	F	8	—	1	—	1	1	1	—	—	5	1	—	1	—	
161	Other diseases peculiar to the first year of life—M	18	4	5	3	2	3	1	1	1	—	4	—	1	1	
	F	7	2	2	2	—	1	1	—	—	1	1	—	1	—	
XVI.—Senility																
	M	3	—	—	—	—	1	1	—	—	1	1	—	—	—	
	F	6	—	—	—	—	3	2	—	1	—	2	—	1	—	
XVII.—Violent or accidental deaths																
	M	221	14	14	5	9	54	7	10	37	21	68	7	37	6	
	F	64	7	11	9	2	10	2	—	8	4	22	1	5	4	
Suicide																
	M	51	—	2	1	1	9	—	4	5	8	23	2	7	—	
	F	13	1	1	1	—	3	1	—	2	1	6	1	—	—	
163	Suicide by poisoning—M	19	—	—	—	—	4	—	2	2	1	11	—	3	—	
	F	10	—	—	—	—	2	—	—	2	1	6	—	—	—	
164a	Suicide by hanging or strangulation—M	13	—	1	—	—	1	—	1	—	4	6	—	—	—	
164b	Suicide by drowning—M	3	—	—	—	—	—	—	—	—	2	1	—	—	—	
164c	Suicide by firearms and explosives—M	9	—	1	1	—	4	—	1	3	1	1	1	1	—	
164d	Suicide by cutting or piercing instruments—M	6	—	—	—	—	—	—	—	—	—	3	—	3	—	
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
164g	Suicide by other or unspecified means—M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	1	1	1	—	—	—	—	—	—	—	—	—	—	
Homicide																
	M	9	1	—	—	—	2	—	1	1	—	1	—	5	—	
	F	10	—	—	—	—	2	1	—	1	1	2	—	4	1	
166	Homicide by firearms—M	2	1	—	—	—	1	—	—	1	—	—	—	—	—	
	F	3	—	—	—	—	2	1	—	1	1	—	—	—	—	
167	Homicide by cutting or piercing instruments—M	6	—	—	—	—	1	—	1	—	—	—	—	5	—	
	F	5	—	—	—	—	—	—	—	—	—	1	—	3	1	
168	Homicide by other means—M	1	—	—	—	—	—	—	—	—	—	1	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	1	—	1	—	

\*Refer to complete International List titles, table XI.



VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—DEATHS FROM SELECTED CAUSES, BY AGE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Under 5					Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39
		1	1	2	3	4								
All causes	5,157	493	62	28	14	10	607	57	40	64	98	124	122	145
Typhoid and paratyphoid fever	1,2	8										2	1	1
Cerebrospinal (meningococcus) meningitis	6	3	1				1							
Whooping cough	9	31	21	5	2	1	30	1						
Diphtheria	10	4	2			1	5	1						
Tuberculosis of respiratory system, etc.*	15	256							12	26	31	23	27	
Tuberculosis (other forms)	14-22	21	1	2	1	1	6	1	1	3	1	3	3	
Dysentery	27	1												
Syphilis	30	70	6				6	1	1		2	2	2	
Influenza	33	15	3	1		1	5	1	1	1			1	
Poliomyelitis and polioencephalitis (acute)	36	9	3				3	1	2		2	1		
Cancer of the digestive organs and peritoneum	46	173									1	1	6	
Cancer of female genital organs	48,49	28										2		
Cancer of the breast	50	14												
Cancer (other forms)	45,47,51-55	74	1	1			2	1	1	1	2	3	2	3
Acute rheumatic fever	58	2						1			1			
Diabetes mellitus	61	71									1			2
Exophthalmic goiter	63b	1												
Pellagra (except alcoholic)	69	1												
Alcoholism (ethylism)	77	1												
Intracranial lesions of vascular origin	83	194						2			3	1		
Other diseases of the nervous system, etc.*	80-82,84-88	31	5	3	2	1	11	3	1	3	1	2		
Diseases of the ear, nose, and throat	89,104,115	26	7	1		1	9	3	1	4		2		1
Chronic rheumatic diseases of the heart	90a,92b,92c,93c,95b	29						1		1	1	2	5	2
Diseases of coronary arteries and angina pectoris	94	110									1	5	3	5
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	407	1	1	2		4	5	2	3	6	2	9	12
Pneumonia (all forms)	107-109	213	96	22	2	1	123	4	1	3	4	9	6	6
Ulcer of the stomach or duodenum	117	52	1		1		2			1			4	4
Diarrhea, enteritis, etc.*	119,120	51	37	6	1	1	45	2					1	
Appendicitis	121	29			2		6	6	2	1	2	5	2	2
Hernia and intestinal obstruction	122	22	5			1	2					1		1
Cirrhosis of the liver	124	22					6					1		
Biliary calculi, etc.*	126,127	15	1				1	1					2	3
Nephritis	130-132	282	1		1		2	2	5	3	5	7	6	14
Diseases of the prostate	137	5												
Puerperal septicemia	140,142a,147	10								1	2	3	4	
Puerperal toxemias	141a,c,144,148	9								1	2	2	1	2
Other puerperal causes	141b,d,e,f,142b,143,145,146,149,150	10									2	2	4	
Congenital malformations	157	45	55	4	2	1	42	3						
Premature birth	159	159	159				159							
Suicide	163,164	64								6	2	6	2	7
Homicide	165-168	19	2	1			3	2	1	1			3	5
Motor-vehicle accidents	170	59	1	1	1	1	3	5	2	8	9	5	8	5
Other accidents	169,171-195	145	7	6	6	2	25	7	10	3	15	15	8	12
All other causes*	368	119	7	5	1	2	134	9	7	8	15	14	21	22

  

All causes	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	All causes	145	175	199	242	286	271	215	176	87	53	16	7	5
Typhoid and paratyphoid fever	2			1	1									
Cerebrospinal (meningococcus) meningitis		1			1									
Whooping cough														
Diphtheria														
Tuberculosis of respiratory system, etc.*	17	16	21	28	21	21	8	2	2		1			
Tuberculosis (other forms)	1	1				1								
Dysentery						1								
Syphilis	8	3	6	10	11	10	4	3		2				
Influenza		2	1	1	1	1								
Poliomyelitis and polioencephalitis (acute)														
Cancer of the digestive organs and peritoneum	6	10	17	25	38	30	17	10	8	4				
Cancer of female genital organs	3	7	6	2	3	2	1	1	1					
Cancer of the breast	3	1	3	3		3		1						
Cancer (other forms)	6	4	4	9	6	14	11	4	1					
Acute rheumatic fever														
Diabetes mellitus	6	3	10	10	12	10	9	2	5	1				
Exophthalmic goiter	1													
Pellagra (except alcoholic)						1								
Alcoholism (ethylism)			1											
Intracranial lesions of vascular origin	5	11	13	32	34	26	30	24	6	6		1		
Other diseases of the nervous system, etc.*	3	1			2	1	1	1	1					
Diseases of the ear, nose, and throat	1		1		2	1				1				
Chronic rheumatic diseases of the heart	4	3	3	2	1	4	1		1					
Diseases of coronary arteries and angina pectoris	4	11	11	17	15	15	15	6	2	1		1		
Diseases of the heart (other forms)	12	17	28	33	50	51	56	59	29	19	8	2		
Pneumonia (all forms)	6	8	6	6	7	2	5	6	2	6	1	1	1	
Ulcer of the stomach or duodenum	6	5	4	5	9	8	1		1					2
Diarrhea, enteritis, etc.*					1	1	1							
Appendicitis	1	4	2	1		1								
Hernia and intestinal obstruction		1	1	2	5		3	1	1					
Cirrhosis of the liver	2	4	2	2	4	4	1	1						
Biliary calculi, etc.*		2	1			1	2		1			1		
Nephritis	13	27	19	24	32	37	51	34	11	7	2			3
Diseases of the prostate								2	2		1			
Puerperal septicemia														
Puerperal toxemias	1													
Other puerperal causes	2													
Congenital malformations														
Premature birth														
Suicide	8	4	9	8	4	4	2	2						
Homicide	1	3			2									
Motor-vehicle accidents	1	4	3	1	3	2	2				1			
Other accidents	4	6	8	6	4	5	7	5	1		1	1		
All other causes*	18	16	19	14	17	15	6	12	12	6	1		2	

\* Refer to complete International List titles, table XI.

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY MONTH: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Month												
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
All causes	5,137	281	245	268	292	290	275	277	258	229	254	222	266	
Typhoid and paratyphoid fever	1,2	8	2	1	—	—	—	—	—	—	—	—	3	1
Cerebrospinal (meningococcus) meningitis	6	3	—	—	—	—	—	—	1	2	—	—	—	—
Whooping cough	9	31	1	2	4	3	6	3	4	1	2	3	2	
Diphtheria	10	4	1	1	—	—	—	—	—	—	—	—	—	
Tuberculosis of respiratory system, etc.*	15	256	20	14	28	29	21	19	20	17	24	22	25	17
Tuberculosis (other forms)	14-22	21	—	1	2	2	5	3	2	3	1	1	—	—
Dysentery	27	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	50	70	3	5	7	7	7	8	8	8	2	6	4	
Influenza	53	15	1	3	1	2	4	—	1	—	—	—	—	
Poliomyelitis and poliomyelitis (acute)	36	9	—	—	—	—	—	2	2	1	—	2	2	
Cancer of the digestive organs and peritoneum	46	173	16	10	12	24	16	13	12	16	15	10	15	
Cancer of female genital organs	48,49	28	2	—	2	1	3	1	5	2	3	2	2	
Cancer of the breast	50	14	1	2	—	3	1	—	1	1	2	—	2	
Cancer (other forms)	45,47,51-55	74	5	7	3	5	3	5	7	6	5	8	10	
Acute rheumatic fever	58	2	1	—	—	—	—	—	—	—	—	—	—	
Diabetes mellitus	61	71	8	7	7	3	10	5	4	4	6	8	3	
Exophthalmic goiter	63b	1	—	—	—	—	—	—	—	—	—	—	—	
Pellagra (except alcoholic)	69	1	—	—	—	—	—	1	—	—	—	—	—	
Alcoholism (ethylian)	77	1	—	—	—	—	—	—	—	—	—	—	—	
Intracranial lesions of vascular origin	85	194	20	10	14	15	23	18	17	20	16	12	11	20
Other diseases of the nervous system, etc.*	80-82,84-88	51	2	5	2	—	5	3	3	1	4	2	2	2
Diseases of the ear, nose, and throat	89,104,115	26	2	1	2	1	1	3	5	5	—	2	2	2
Chronic rheumatic diseases of the heart	90a,92b,92c,93c,95b	28	2	4	1	2	3	1	2	3	4	2	3	2
Diseases of coronary arteries and angina pectoris	94	110	8	11	7	8	5	17	12	12	7	4	5	14
Diseases of the heart (other forms)	90b,91,92a,d,e,95a,b,d,e,95a,c	407	52	30	42	59	51	28	36	41	24	24	31	29
Pneumonia (all forms)	107-109	213	19	25	21	25	24	20	13	14	10	13	16	15
Ulcer of the stomach or duodenum	117	52	2	5	11	4	3	3	5	4	3	2	4	6
Diarrhea, enteritis, etc.*	119,120	51	7	2	4	4	4	4	7	3	5	3	2	8
Appendicitis	121	29	5	3	6	2	2	2	2	1	2	2	1	1
Hernia and intestinal obstruction	122	22	1	3	—	3	3	3	2	2	2	—	1	1
Cirrhosis of the liver	124	22	1	1	1	—	—	4	2	2	1	5	2	3
Biliary calculi, etc.*	126,127	15	—	1	2	1	1	2	2	3	1	—	1	1
Nephritis	130-132	282	20	26	22	27	33	25	36	16	14	24	17	22
Diseases of the prostate	137	5	—	—	—	—	1	1	—	1	1	1	—	—
Puerperal septicaemia	140,142a,147	10	2	1	2	1	—	—	—	—	1	1	—	1
Puerperal toxemia	141a,c,144,146	9	—	—	2	—	1	—	3	—	1	—	—	2
Other puerperal causes	141b,d,e,f,142b,145,145,146,149,150	10	—	1	1	—	1	—	2	—	—	3	—	2
Congenital malformations	157	45	3	3	6	6	7	2	1	3	2	5	2	5
Premature birth	159	139	16	9	11	9	9	14	16	12	14	14	3	12
Suicide	163,164	64	9	6	6	9	10	5	4	2	4	3	1	5
Homicide	165-168	19	5	1	2	1	3	1	—	—	—	3	1	2
Motor-vehicle accidents	170	59	4	6	1	7	6	3	3	5	7	8	6	3
Other accidents	169,171-195	143	10	13	15	11	11	19	10	11	11	13	9	10
All other causes*		368	31	26	23	41	34	27	31	28	29	28	32	38

\* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths under 1 year	Age Group																		
		Under 1 day	1 day	2 days	3-6 days	1 wk.	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	495	140	26	24	26	20	10	9	255	41	31	23	17	17	19	20	19	23	14	14
Whooping cough	9	21	—	—	—	—	—	—	—	3	1	2	3	—	5	2	5	—	—	2
Diphtheria	10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	12	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of meninges, etc.*	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	30	6	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Influenza	53	3	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	1-5,7,23,25,26,29,31,32,34,36-44	3	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Diseases of thymus gland	64	14	1	—	2	1	—	—	4	1	2	1	1	—	—	—	—	1	2	1
Meningitis (not due to meningococcus)	81	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Convulsions	86	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of ear and mastoid process	89	5	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Diseases of circulatory system	90-105	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (all forms)	107-109	96	1	—	—	4	—	3	2	10	7	7	11	8	9	8	9	5	11	6
Other diseases of respiratory system	104-106,110-114	15	—	—	—	—	—	—	—	—	2	1	2	1	1	1	1	1	—	2
Diseases of stomach	117,118	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea, enteritis, etc.*	119	57	—	—	—	—	—	—	—	—	4	8	2	1	3	2	1	6	2	3
Hernia	122a	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Intestinal obstruction	122b	4	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	1
Peritonitis (cause not stated)	129	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, digestive system	116,121,123-128	5	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	1
Congenital malformations	157	55	5	5	4	2	5	1	—	22	4	3	2	—	1	1	—	—	—	—
Congenital debility	158	6	2	—	1	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—
Premature birth	159	139	90	13	10	5	8	3	6	155	3	1	—	—	—	—	—	—	—	—
Injury at birth	160	43	27	4	2	5	3	—	—	41	2	—	—	—	—	—	—	—	—	—
Other diseases peculiar to first year	161	25	11	2	4	5	1	—	1	24	—	—	—	—	—	—	—	—	—	—
Accidental mechanical suffocation	162	3	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other violence or accident	166-181,183-195	6	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Ill-defined and unknown causes	199,200	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other causes*		14	1	—	1	1	—	—	—	5	5	3	—	—	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES:  
TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1929-1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929
All causes	52.5	58.6	68.9	73.1	67.6	75.3	72.1	76.1	76.1	82.3	100.8
Cerebrospinal (meningococcus) meningitis	—	0.1	—	0.1	0.1	—	—	0.2	0.1	0.1	—
Whooping cough	2.2	1.8	0.9	0.3	1.1	4.2	2.8	—	0.1	0.9	7.1
Diphtheria	0.2	—	—	—	—	—	0.2	0.4	0.1	0.3	0.4
Erysipelas	0.1	0.1	0.1	0.1	0.5	0.1	0.4	0.2	0.2	0.6	0.3
Tetanus	0.1	—	—	0.1	—	0.1	0.3	0.4	0.6	0.3	0.4
Tuberculosis of respiratory system, etc. *	—	—	—	0.3	0.1	0.2	0.1	0.2	0.2	0.6	0.4
Tuberculosis of meninges, etc. *	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (other forms)	0.1	0.3	0.1	—	0.4	0.3	0.3	0.1	0.2	0.6	0.3
Dysentery	—	—	0.2	—	0.1	0.3	0.1	0.2	—	0.1	0.2
Syphilis	—	—	—	—	—	0.1	0.2	—	0.3	—	0.1
Syphilis	0.6	0.7	0.2	0.9	1.0	0.8	0.6	0.8	1.3	1.2	0.8
Influenza	0.3	1.0	1.8	2.0	1.7	1.4	0.6	0.4	0.6	1.1	0.9
Measles	—	—	6.1	0.7	—	0.1	0.2	0.6	1.3	0.6	0.5
Cervicalia	—	—	—	—	—	—	—	—	—	—	—
Cervicalia	0.1	0.1	0.1	—	0.3	0.2	0.5	1.4	0.5	0.6	1.1
Pneumonia (all forms)	10.2	15.6	19.4	17.9	13.4	18.1	16.6	16.7	15.0	17.9	18.4
Other diseases of respiratory system <sup>1</sup>	1.4	0.8	1.0	1.2	1.0	1.2	1.6	2.0	1.4	2.2	3.5
Diseases of stomach	0.1	—	—	—	0.1	—	0.1	0.1	—	—	0.4
Diarrhea, enteritis, etc. *	3.9	4.4	6.7	8.0	7.2	10.4	11.6	14.1	15.1	19.6	26.3
Intestinal obstruction	0.4	0.3	0.8	0.5	0.3	0.4	0.2	0.3	0.9	( <sup>2</sup> )	( <sup>2</sup> )
Congenital malformations	3.7	4.0	5.5	6.6	5.3	4.9	5.1	5.1	5.4	3.3	3.7
Premature birth	14.8	13.9	12.6	16.1	16.2	14.4	13.7	13.0	14.6	12.0	13.9
Injury at birth	4.6	4.5	3.2	3.0	3.8	4.0	5.2	4.1	4.0	3.2	3.9
Congenital debility, other diseases peculiar to first year	—	—	—	—	—	—	—	—	—	—	—
Violence or accident	3.3	3.9	3.8	4.5	4.8	3.6	4.4	5.7	5.6	8.3	5.4
Ill-defined and unknown causes	1.0	0.4	0.6	1.2	1.0	0.9	0.7	0.7	1.1	0.8	0.6
All other causes *	0.1	—	—	0.1	—	0.2	—	0.1	—	0.3	0.1
All other causes *	5.1	6.7	6.1	9.2	9.4	9.4	6.5	9.4	7.6	7.6	12.1

\* Refer to complete International List titles, table XI.

<sup>1</sup> Previous to 1939 rates are for bronchitis only.<sup>2</sup> Included in "All other causes."



# PUERTO RICO

TABLE 1.—DEATHS BY MONTH, RACE, AND POPULATION GROUPS: PUERTO RICO, 1939

(Exclusive of stillbirths)

AREA AND RACE		Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico—Total		32,633	2,692	2,316	2,579	2,402	2,542	2,772	2,869	2,835	2,774	2,890	2,893	3,069
	White	24,500	2,028	1,746	1,935	1,792	1,920	2,056	2,155	2,121	2,118	2,190	2,144	2,295
	All other	8,133	664	570	644	610	622	716	714	714	656	700	749	774
Cities of 10,000 or more		6,119	510	426	513	488	564	518	557	497	518	475	540	513
	White	2,433	213	181	213	179	194	220	210	187	190	214	216	216
	All other	2,412	195	182	197	175	195	233	194	210	187	211	195	238
Cities of 2,500 to 10,000		886	67	59	74	79	106	88	94	80	87	100	78	
	White	15,969	1,323	1,138	1,225	1,129	1,161	1,305	1,404	1,414	1,413	1,504	1,409	1,544
	All other	4,714	384	330	357	337	349	390	416	433	386	399	433	480
Cities of 10,000 or more														
Aguadilla	White	185	16	16	14	17	16	16	18	22	11	12	16	11
	All other	58	8	6	8	5	3	6	5	4	7	5	2	1
Arecibo	White	437	40	32	38	29	40	33	32	33	49	56	40	35
	All other	150	14	8	6	12	11	16	18	13	12	12	14	14
Bayamon	White	303	28	13	29	21	28	24	23	25	21	51	30	30
	All other	89	2	1	5	4	5	7	4	5	3	8	5	10
Caguas	White	434	34	23	36	26	39	38	44	38	34	56	44	42
	All other	209	15	11	20	14	17	28	14	16	11	18	19	26
Guayama	White	291	26	19	28	23	32	29	26	17	26	19	50	16
	All other	142	17	6	11	10	15	12	14	13	12	9	11	12
Mayaguez	White	916	80	52	72	64	96	77	102	69	81	77	81	65
	All other	225	19	15	12	15	18	29	21	21	17	16	23	19
Ponce	White	1,392	121	108	108	117	134	126	118	123	125	107	115	95
	All other	382	31	35	42	29	27	30	34	29	28	31	41	25
Rio Piedras	White	308	18	32	22	19	39	28	31	25	25	19	17	33
	All other	217	16	21	17	16	22	14	22	19	15	22	19	14
San Juan	White	1,853	147	136	166	172	140	147	163	145	146	138	167	186
	All other	991	91	78	92	76	76	78	78	67	85	93	82	95

TABLE 2.—DEATHS BY AGE, RACE, AND POPULATION GROUPS: PUERTO RICO, 1939

(Exclusive of stillbirths)

AREA AND RACE	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not	
		der					to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	and	stat-	
		1				9	14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	over	ed		
Puerto Rico—Total	32,633	8,224	2,941	1,822	1,076	570	1,256	578	968	1,727	1,470	1,064	1,162	1,018	1,061	1,023	799	1,122	962	1,054	559	349	476	427	220	182	3	
	White	24,500	6,525	2,330	1,406	824	437	965	443	697	1,217	1,015	754	822	738	749	725	562	821	741	794	412	608	551	290	164	118	2
	Other	8,133	1,699	611	436	252	133	291	135	281	510	455	310	340	280	332	298	237	301	221	260	147	241	125	137	56	1	
Cities of 10,000 or more		6,119	1,581	354	189	112	68	161	104	229	599	318	261	266	256	289	241	199	231	206	188	129	144	84	53	31	26	
	White	2,433	519	111	83	54	25	71	42	90	169	151	108	123	115	120	119	70	114	68	78	48	69	34	21	15	1	
	Other	2,412	645	165	102	62	34	62	32	90	135	103	64	96	79	89	76	70	98	112	82	49	67	38	35	20	9	
Cities of 2,500 to 10,000		886	174	61	28	18	33	14	42	83	85	41	44	40	58	46	35	46	32	40	12	36	23	10	5	8		
	White	15,969	4,299	1,813	1,115	650	335	742	307	368	683	594	429	460	403	371	408	293	492	423	524	234	397	229	202	113	83	
	Other	4,714	1,006	459	305	180	90	187	79	149	278	241	161	173	125	154	133	134	141	121	142	87	136	68	106	38	41	
Cities of 10,000 or more																												
Aguadilla	White	185	28	24	8	4	3	7	2	5	9	8	5	10	6	9	13	6	8	5	7	7	8	4	3	1		
	Other	58	15	2	2	1	1	1	1	1	7	3	2	6	2	4	4	1	1	1	2	2	2	1	1	1		
Arecibo	White	437	118	28	14	9	6	20	9	12	35	25	15	14	15	17	17	12	13	12	10	4	11	8	12	1		
	Other	150	24	6	5	5	3	6	8	5	13	11	7	5	6	9	3	5	3	3	6	5	8	1	1	1		
Bayamon	White	303	83	21	15	11	6	12	8	8	16	10	14	11	13	16	11	6	1	2	3	7	8	3	4	1		
	Other	89	8	1	3	1	1	3	1	1	4	7	3	3	4	4	1	1	2	2	1	2	2	1	1	1		
Caguas	White	434	126	28	17	11	4	14	5	15	24	17	12	16	19	23	12	21	11	14	12	14	10	2	2	1		
	Other	209	44	8	9	4	5	3	4	8	16	20	9	9	9	12	6	5	3	3	6	3	1	6	1	5		
Guayama	White	291	65	18	9	12	6	12	4	11	18	15	21	13	9	14	12	6	11	7	9	3	7	5	3	1		
	Other	142	30	6	10	5	7	5	7	6	8	9	11	8	3	7	5	1	5	3	2	1	5	3	1	1		
Mayaguez	White	916	199	46	40	23	13	20	15	44	82	51	47	42	44	39	37	38	34	29	15	17	16	4	4	1		
	Other	225	25	7	1	1	2	1	10	30	15	12	18	10	10	19	11	12	6	8	7	8	7	6	4	1		
Ponce	White	1,392	357	65	28	16	10	27	29	73	99	101	67	67	60	72	52	52	56	40	44	27	29	18	9	8		
	Other	382	54	11	13	6	3	11	1	18	19	24	22	20	23	19	21	16	22	19	21	8	11	5	4	4		
Rio Piedras	White	308	65	12	10	3	4	4	7	5	17	9	9	12	22	22	12	10	16	24	18	10	12	6	3	1		
	Other	217	51	24	13	4	2	4	9	9	11	10	6	10	5	13	8	3	13	3	6	1	6	2	3	1		
San Juan	White	1,853	565	134	48	23	16	45	25	56	99	82	71	81	68	77	75	48	70	75	69	40	43	30	13	5		
	Other	991	268	46	27	21	9	29	18	38	61	52	36	44	51	47	37	29	50	29	21	17	32	14	5	5		

## VITAL STATISTICS OF THE UNITED STATES

TABLE 3.—DEATHS FROM SELECTED CAUSES, BY RACE AND POPULATION GROUPS:

(Exclusive of stillbirths. Numbers after causes of death are

CAUSE OF DEATH	PUERTO RICO		White	All other races	CITIES OF 10,000 OR MORE		CITIES OF 2,500 TO 10,000		RURAL			
	Total deaths	Total death rate <sup>1</sup>			White	All other races	White	All other races	White	All other races	White	All other races
1 All causes-----	32,633	1,769.7	24,500	8,133	6,119	2,433	2,412	986	15,969	4,714		
2 Typhoid and paratyphoid fever-----1,2	83	4.5	57	26	34	16	5	3	18	7		
3 Cerebrospinal (meningococcus) meningitis-----6	10	0.5	10	---	4	---	1	---	5	---		
4 Scarlet fever-----8	1	0.1	1	---	---	---	---	---	1	---		
5 Whooping cough-----9	249	13.5	198	51	24	5	15	10	159	56		
6 Diphtheria-----10	43	2.3	32	11	7	5	8	1	17	5		
7 Tuberculosis of respiratory system, etc.*-----13	4,605	249.7	3,200	1,405	1,074	454	245	170	1,881	781		
8 Tuberculosis (other forms)-----14-22	134	7.3	89	45	39	19	13	5	37	21		
9 Dysentery-----27	125	6.8	95	30	19	5	11	2	65	23		
10 Malaria-----28	1,602	86.9	1,151	451	235	84	94	54	822	315		
11 Syphilis-----30	562	30.5	399	163	116	63	53	28	230	72		
12 Influenza-----33	255	13.8	194	61	30	13	19	11	145	37		
13 Measles-----35	19	1.0	15	4	11	---	---	3	4	1		
14 Poliomyelitis and polioencephalitis (acute)-----36	5	0.3	5	---	---	---	1	---	4	---		
15 Cancer of the digestive organs and peritoneum-----46	444	24.1	350	94	134	38	53	15	163	41		
16 Cancer of female genital organs-----48,49	264	14.3	200	64	78	25	25	9	97	30		
17 Cancer of the breast-----50	32	1.7	24	8	11	2	5	---	8	6		
18 Cancer (other forms)-----45,47,51-55	229	12.4	161	49	75	23	28	8	78	17		
19 Acute rheumatic fever-----58	15	0.8	12	3	4	1	1	---	7	2		
20 Diabetes mellitus-----61	62	3.4	47	15	24	6	8	2	15	7		
21 Exophthalmic goiter-----63b	5	0.3	2	3	---	1	---	---	2	2		
22 Pellagra (except alcoholic)-----68	44	2.4	31	13	2	1	4	1	25	11		
23 Alcoholism (ethylism)-----77	35	1.9	20	15	7	8	2	3	11	4		
24 Intracranial lesions of vascular origin-----83	524	28.4	374	150	111	42	54	24	209	84		
25 Other diseases of the nervous system, etc.*-----80-82,84-88	277	15.0	225	52	75 <sup>4</sup>	25	26	7	124	20		
26 Diseases of the ear, nose, and throat-----89,104,115	77	4.2	59	19	24	8	8	5	26	6		
27 Chronic rheumatic diseases of the heart-----90a,92b,92c,93c,95b	121	6.6	78	43	27	7	10	8	41	28		
28 Diseases of coronary arteries and angina pectoris-----94	235	12.7	165	70	55	27	22	6	88	35		
29 Diseases of the heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	1,631	88.4	1,211	420	333	144	137	56	741	220		
30 Pneumonia (all forms)-----107-109	3,269	177.3	2,470	799	525	217	245	98	1,700	484		
31 Ulcer of the stomach or duodenum-----117	68	3.4	48	15	21	5	3	3	24	7		
32 Diarrhea, enteritis, etc.*-----119,120	7,302	396.0	5,720	1,582	1,150	408	474	140	4,116	1,034		
33 Appendicitis-----121	81	4.4	63	18	31	11	12	2	20	5		
34 Hernia and intestinal obstruction-----122	155	7.3	101	34	43	11	16	9	40	14		
35 Cirrhosis of the liver-----124	216	11.7	158	58	50	19	27	10	81	29		
36 Biliary calculi, etc.*-----126,127	38	2.1	31	7	17	3	3	2	11	2		
37 Nephritis-----130-132	2,157	117.0	1,561	596	310	176	159	62	1,112	358		
38 Diseases of the prostate-----137	13	0.7	11	2	5	1	2	1	4	---		
39 Puerperal septicemia-----140,142a,147	127	6.9	88	39	35	15	17	8	36	16		
40 Puerperal toxemias-----141a,c,144,148	94	5.1	65	29	26	9	9	8	30	12		
41 Other puerperal causes-----141b,d,e,f,142b,143,145,146,149,150	152	8.2	117	35	27	14	25	6	65	15		
42 Congenital malformations-----157	119	6.5	101	18	31	6	16	2	54	10		
43 Premature birth-----159	266	14.4	211	55	61	11	34	8	116	56		
44 Suicide-----163,164	499	27.1	370	129	123	50	60	23	187	56		
45 Homicide-----165-166	242	13.1	162	80	62	32	33	17	67	31		
46 Motor-vehicle accidents-----170	153	7.2	103	50	53	19	13	5	37	6		
47 Other accidents-----169,171-195	375	20.3	266	109	98	44	26	11	142	54		
48 All other causes*-----	5,664	307.2	4,430	1,234	918	360	408	198	3,104	736		

\*Refer to complete International List titles, table XI.

<sup>1</sup> Per 100,000 estimated population.

SUPPLEMENT—PUERTO RICO

PUERTO RICO AND EACH CITY HAVING A POPULATION OF 10,000 OR MORE, 1939

(those of the 1938 revision of the detailed International List)

CITIES OF 10,000 OR MORE																		
Aguadilla		Arecibo		Bayamon		Caguas		Guayama		Mayaguez		Ponce		Rio Piedras		San Juan		
White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	
185	58	437	150	303	59	434	209	281	142	916	225	1,392	382	508	217	1,853	991	1
				1		2			1	2	1	16	2	1		12	12	2
						1						1		1		1		3
																		4
3		1		1		2		2	2	7	2	2	1			6		5
							2					2				5		6
32	12	66	24	50	16	67	45	68	38	219	64	302	75	49	26	221	154	7
2	1	3	1	1		4	3			6	5	4		2	3	17	6	8
2				1		3	1			1		3		1		8		9
6	3	15	5	6		8	2	30	16	14	5	112	33	2	3	42	17	10
5	1	4	2	2	1	10	1	2	2	6	2	35	11	15	7	37	36	11
1	1	5	4	1				5		5	2	5	1	3	5	5		12
						2								3		6		13
																		14
3	1	5	3	6	3	8	2	5	1	20	2	37	10	8		42	16	15
1	1	13	1	3	1	2	1	2	1	10	5	15	5	5	3	27	7	16
						2				1		1				7		17
2		2	1		1	2		2		15	4	24	3	8	1	20	13	18
						1				1		1			1	1		19
1		2				1				1	2	4	1	1		14	3	20
												1				1		21
							1					4				2		22
								1				4	3				3	23
4		7	1	1	1	11	3	1	2	11	7	26	8	12	6	38	14	24
5		5	1	6		6	2	3		12	1	11	1	4	4	25	16	25
																		26
										1		1				15	4	27
	1	2								3	1	4		2	1	16	5	28
2	2	3			2	4	3	5	1	14	9	13	4		1	14		29
7	2	25	19	10	2	19	13	4	1	55	16	72	40	30	7	111	44	30
4	1	28	7	27	4	15	10	31	19	108	20	114	34	16	22	187	100	31
1								1		2	1	6		2		9	5	32
42	11	102	32	67	9	101	36	31	20	155	19	209	44	53	60	350	177	33
	1	5		2	1	3	1	1	1	2		6	1	3		9	6	34
1		3		4		3		1		10	3	9				12	8	35
3		2	1	1	1	7	3	2		5	1	14	3	1	1	16	9	36
												4				11	3	37
7	5	21	10	24	2	20	12	25	10	54	14	49	21	15	12	97	90	38
																		39
1				1		1				1						1		40
5	1	1		3		2	3	1		5	1	4	2	3	1	15	7	41
		2		1		3	2	1		4	2	9			1	6		42
2		1	2	2		5		1		4		9		1	1	15	4	43
3		2		2	1	5				4		8		1	1	14	4	44
5		3		2		17	3			3		27	2	4	2	14	4	45
2		11	5	6	2	17	12	4	1	9	3	26	8	7	5	38	14	46
2		1	4	6	2	6	5	1		3	1	20	6	1	3	22	11	47
4	1	5	2	2	1	4	1	1	1	7		9	3	4	4	17	6	48
	1	10	3	7	1	4	1	1		11	2	22	6	5	7	38	25	49
50	12	60	17	36	6	82	40	63	25	130	28	157	52	40	27	300	153	50

## VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—DEATHS FROM SELECTED CAUSES,

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the

CAUSE OF DEATH		Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14
1	All causes (white).....	24,500	6,525	2,350	1,406	824	457	11,522	985	443
2	Typhoid and paratyphoid fever.....1,2	57	—	—	—	2	—	2	2	6
3	Cerebrospinal (meningococcus) meningitis.....8	10	5	4	—	—	—	9	1	—
4	Scarlet fever.....1	—	—	—	1	—	—	1	—	—
5	Whooping cough.....9	198	104	40	19	15	8	186	11	1
6	Diphtheria.....10	52	6	11	7	—	5	29	1	—
7	Tuberculosis of respiratory system, etc.*.....15	3,200	22	14	16	16	9	77	39	77
8	Tuberculosis (other forms).....14-22	89	7	8	2	—	—	18	9	10
9	Dysentery.....27	95	18	12	8	4	5	47	7	1
10	Malaria.....28	1,151	255	144	101	65	54	599	92	34
11	Syphilis.....30	399	191	8	5	3	1	208	4	1
12	Influenza.....33	194	70	18	22	10	3	123	12	2
13	Measles.....35	15	7	5	1	1	—	12	1	1
14	Poliomyelitis and polioencephalitis (acute).....36	5	2	1	—	—	—	5	—	—
15	Cancer of the digestive organs and peritoneum.....46	350	—	—	—	—	—	—	1	—
16	Cancer of female genital organs.....48,49	200	—	—	—	—	—	—	—	—
17	Cancer of the breast.....50	24	—	—	—	—	—	—	—	—
18	Cancer (other forms).....45,47,51-55	181	1	—	1	1	1	4	1	1
19	Acute rheumatic fever.....58	12	—	—	—	—	—	—	2	1
20	Diabetes mellitus.....61	47	—	—	—	—	—	—	1	—
21	Exophthalmic goiter.....65b	2	—	—	—	—	—	—	—	—
22	Pellagra (except alcoholic).....69	51	1	4	5	5	2	17	6	2
23	Alcoholism (ethylism).....77	20	—	—	—	—	—	—	1	—
24	Intracranial lesions of vascular origin.....83	574	4	—	—	—	1	5	1	3
25	Other diseases of the nervous system, etc.*.....80-82,84-88	225	64	25	12	8	8	115	12	11
26	Diseases of the ear, nose, and throat.....89,104,115	58	11	4	1	5	5	26	4	8
27	Chronic rheumatic diseases of the heart.....90a,92b,92c,93c,95b	78	—	—	1	—	—	1	2	6
28	Diseases of coronary arteries and angina pectoris.....94	165	1	—	—	—	—	1	—	—
29	Diseases of the heart (other forms).....90b,91,92a,d,e,93a,b,d,e,95a,c	1,211	3	2	5	2	2	14	2	10
30	Pneumonia (all forms).....107-109	2,470	889	354	199	125	55	1,618	124	37
31	Ulcer of the stomach or duodenum.....117	48	—	—	—	—	—	—	1	—
32	Diarrhea, enteritis, etc.*.....119,120	5,720	2,544	1,299	697	354	175	5,067	284	44
33	Appendicitis.....121	65	5	1	1	—	1	6	1	10
34	Hernia and intestinal obstruction.....122	101	51	2	6	2	—	41	5	4
35	Cirrhosis of the liver.....124	158	—	—	—	—	—	1	1	3
36	Biliary calculi, etc.*.....126,127	51	1	—	—	—	1	2	—	—
37	Nephritis.....130-132	1,561	48	69	95	75	56	321	140	55
38	Diseases of the prostate.....137	11	—	—	—	—	—	—	—	—
39	Puerperal septicemia.....140,142a,147	88	—	—	—	—	—	—	—	—
40	Puerperal toxemias.....141a,c,144,148	65	—	—	—	—	—	—	—	—
41	Other puerperal causes.....141b,d,e,f,142b,145,145,146,149,150	117	—	—	—	—	—	—	—	—
42	Congenital malformations.....157	101	95	2	—	—	2	98	1	2
43	Premature birth.....159	211	211	—	—	—	—	211	—	—
44	Suicide.....163,164	570	—	—	—	—	—	—	—	3
45	Homicide.....165-168	162	4	—	—	—	1	5	1	2
46	Motor-vehicle accidents.....170	103	—	—	2	1	1	4	6	8
47	Other accidents.....169,171-195	266	18	54	12	6	4	74	12	18
48	All other causes *.....	4,450	1,911	275	189	123	81	2,577	177	82
49	All causes (all other races).....	8,155	1,699	611	416	252	153	5,111	291	135
50	Typhoid and paratyphoid fever.....1,2	26	—	1	1	1	—	3	2	1
51	Whooping cough.....9	51	21	16	7	3	1	48	2	—
52	Diphtheria.....10	11	2	4	1	2	2	11	—	—
53	Tuberculosis of respiratory system, etc.*.....15	1,405	3	6	5	4	3	21	9	29
54	Tuberculosis (other forms).....14-22	45	1	1	3	4	1	10	2	3
55	Dysentery.....27	30	6	7	5	1	1	20	—	2
56	Malaria.....28	451	87	59	39	34	15	214	41	18
57	Syphilis.....30	165	46	6	1	1	2	56	4	1
58	Influenza.....33	61	8	9	3	3	2	25	3	1
59	Measles.....35	4	1	1	—	—	1	3	1	—
60	Cancer of the digestive organs and peritoneum.....46	94	—	—	—	—	—	—	—	—
61	Cancer of female genital organs.....48,49	64	—	—	—	—	—	—	—	—
62	Cancer of the breast.....50	8	—	—	—	—	—	—	—	—
63	Cancer (other forms).....45,47,51-55	48	—	—	—	—	—	—	—	—
64	Acute rheumatic fever.....58	3	1	—	—	—	—	1	—	1
65	Diabetes mellitus.....61	15	—	—	—	—	—	—	—	—
66	Exophthalmic goiter.....65b	3	—	—	—	—	—	—	—	—
67	Pellagra (except alcoholic).....69	13	—	2	1	4	—	7	5	—
68	Alcoholism (ethylism).....77	15	—	—	—	—	—	—	—	1
69	Intracranial lesions of vascular origin.....83	150	—	—	—	—	—	—	—	—
70	Other diseases of the nervous system, etc.*.....80-82,84-88	52	7	4	1	3	2	17	7	5
71	Diseases of the ear, nose, and throat.....89,104,115	19	4	1	3	1	—	9	1	1
72	Chronic rheumatic diseases of the heart.....90a,92b,92c,93c,95b	45	—	—	—	—	—	—	—	1
73	Diseases of coronary arteries and angina pectoris.....94	70	—	—	—	—	—	—	—	—
74	Diseases of the heart (other forms).....90b,91,92a,d,e,93a,b,d,e,95a,c	420	—	1	2	3	—	6	3	5
75	Pneumonia (all forms).....107-109	799	227	85	72	43	23	448	48	11
76	Ulcer of the stomach or duodenum.....117	15	—	—	—	—	—	—	—	—
77	Diarrhea, enteritis, etc.*.....119,120	1,582	715	354	199	98	47	1,413	75	11
78	Appendicitis.....121	18	1	—	—	—	—	1	2	1
79	Hernia and intestinal obstruction.....122	34	6	2	—	—	—	8	—	3
80	Cirrhosis of the liver.....124	58	—	—	—	—	—	—	—	1
81	Biliary calculi, etc.*.....126,127	7	1	—	—	—	—	1	—	—
82	Nephritis.....130-132	596	17	16	27	19	16	95	28	10
83	Diseases of the prostate.....137	2	—	—	—	—	—	—	—	—
84	Puerperal septicemia.....140,142a,147	39	—	—	—	—	—	—	—	—
85	Puerperal toxemias.....141a,c,144,148	29	—	—	—	—	—	—	—	—
86	Other puerperal causes.....141b,d,e,f,142b,145,145,146,149,150	35	—	—	—	—	—	—	—	—
87	Congenital malformations.....157	18	12	2	1	—	—	15	2	—
88	Premature birth.....159	55	55	—	—	—	—	55	—	—
89	Suicide.....163,164	129	—	—	—	—	—	—	—	—
90	Homicide.....165-168	80	—	—	—	—	—	—	—	—
91	Motor-vehicle accidents.....170	30	—	—	—	—	—	—	—	—
92	Other accidents.....169,171-195	109	9	5	3	2	3	22	7	9
93	All other causes *.....	1,254	469	51	42	28	14	602	50	20

\*Refer to complete International List titles, table XI.

SUPPLEMENT—PUERTO RICO

BY AGE AND RACE: PUERTO RICO, 1939

detailed International List. Causes of the selected list for which there were no deaths are not shown)

15 to 19'	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
687	1,217	1,015	754	822	738	749	725	562	821	741	794	412	608	351	290	164	118	2	1
5	11	7	6	5	5		3			4		1							2
																			3
																			4
																			5
1							1												6
297	568	518	554	570	230	187	168	94	84	61	42	12	10	6	5	1			7
9	9	4	4	2	4	5	4	4	7	1	1	2							8
2	5	3	3	2	1	3	4	2	5	1	1	1	1		3		1		9
30	48	45	35	31	55	30	52	28	31	25	18	14	10	6	8	4			10
4	14	12	15	13	14	19	17	18	25	13	10	5	4	2	1				11
4	4	4		1	1	3	4	1	8	9	4	2	6	2	1	3			12
				1															13
	1	1																	14
	4	4	4	9	25	42	38	42	47	45	37	15	19	12	4	2	1	1	15
			4	7	27	38	26	17	23	17	10	6	3	4	1		1		16
			1	1	4	1	4	2	3	3	4	4	1						17
2	2	4	2	5	7	23	21	22	18	24	16	14	2	7	4	2			18
4			1	1	2	1													19
2	1	3	1	1	1	4	2	5	9	5	8	1	2	1					20
1																			21
																			22
2	2	3	9	12	17	24	23	28	44	52	28	36	17	16	2	4			23
6	17	18	5	6	10	2	3	4	1	4	3	1	6			1			24
																			25
2	2	3	3	1	3	2			3	1									26
5	4	3	2	3	4	4	1	6	4	8	15	5	4	2			1		27
1	1	9	5	10	10	12	20	18	20	15	12	11	4	2		1			28
14	20	14	22	26	44	54	55	54	130	129	170	87	131	90	72	46	27		29
37	51	42	34	41	43	50	44	36	54	51	32	46	29	28	12	7			30
1	4	5	4	4	5	4	4	1	8	5	3	2	1	1					31
12	20	23	5	25	16	23	28	22	25	22	20	14	33	7	16	9	5		32
7	14	2	2	3	5	4	2	1	2	1	1								33
1	5	2	7	3	2	6	5	4	5	6	1	5	3	1					34
5	6	3	7	8	13	19	23	17	17	16	12	4	3	1	1				35
	3		1	3	5	4	1	3	2	3		2		1		1			36
30	39	36	30	38	45	52	74	61	110	106	136	57	92	62	38	24	16	1	37
							2				2								38
7	51	13	15	17	4	1			2	2	2	1		2					39
17	22	11	5	8	2														40
7	27	21	25	23	12	2													41
																			42
																			43
55	106	46	34	24	36	19	11	6	6	7	6	5	2	3	1				44
15	32	27	34	20	7	6	6	2	4	4	2	2	2	1	1				45
11	19	12	4	10	2	6	2	2	4	4	4	2	2	4	1	1			46
25	29	22	15	9	17	11	8	7	3	4	5	3	4	2	2	4			47
70	95	90	57	70	81	84	87	56	119	102	151	74	177	87	68	54	54		48
281	510	455	310	340	280	352	298	237	301	221	260	147	241	125	137	56	64	1	49
5	5	5	2		1		1	1	1	1									50
																			51
150	285	247	142	128	98	90	84	36	37	21	16	2	8	1	1				52
4	7	4	5	2	2	1	2	4		1									53
	1			1	2	2	2	2											54
17	17	15	14	12	9	20	10	18	10	11	6	3	8	3	5				55
9	2	8	10	8	8	11	16	4	11	3	7	2	1	1	1				56
2	3	2		5	2	3	2	2	1	3	2	1	1	1	1				57
1	3		2	2	11	7	14	5	15	8	5	2	9	8		1			58
																			59
																			60
																			61
																			62
																			63
																			64
																			65
1	1																		66
																			67
																			68
1	1	5	4	5	8	14	8	9	12	15	25	5	19	9	7	3	2		69
6	4	1	2	2			1		2										70
1	1	1	1			2	2												71
																			72
1	3	1	1	1	1	5	1	2	4	3	7		5	3	4				73
	2	2	1	3	7	7	7	7	6	6	9	3	5	2	1	1	1		74
	12	2	9	13	12	23	23	34	52	37	46	29	49	20	24	9	14		75
10	16	18	21	26	20	16	25	22	26	18	19	10	17	6	12	6	4		76
																			77
2	4	5	3	10	4	5	7	3	1	9	6	3	9	7	1	3			78
2	3	2	1	1	1	1	1												79
1	3	1	1	1	3	5	1	1	3	2	2	2							80
1	1	4	3	4	7	6	7	4	7	2	7		1	3					81
7	11	15	16	25	14	34	28	33	49	36	45	36	47	25	27	5	12		82
																			83
																			84
7	9	5	3	4	1														85
2	7	12	5	7	1	1													86
1																			87
																			88
18	29	25	8	14	8	9	6	1	4	2		1	1	2	1				89
4	16	22	7	9	3	11	2	1	1	2									90
1	4	5	1	4	2	2	2	1	1	1									91
14	11	5	3	9	5	4	3	5	1	3	2	1	1	3			1		92
13	55	31	28	22	28	26	28	21	33	33	50	32	50	33	46	25	28		93



SUPPLEMENT—PUERTO RICO

TABLE 5.—DEATHS FROM EACH CAUSE, BY RACE AND POPULATION GROUPS: PUERTO RICO, 1939—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	IN CITIES OF—						List No.	CAUSE OF DEATH	Total deaths	IN CITIES OF—					
			10,000 or more		2,500 to 10,000		RURAL					10,000 or more		2,500 to 10,000		RURAL	
			White	All other races	White	All other races	White	All other races				White	All other races	White	All other races	White	All other races
	VI.—Diseases of the nervous system, etc.*—Continued																
81b	Acute cerebrospinal meningitis (not due to meningococcus)	1					1		112	50	4	1	3	4	28	10	
82	Diseases of spinal cord (see exceptions)*	10	5	1			5	1	113	2		1			1		
85a	Cerebral hemorrhage or effusion (excluding birth injuries)	414	86	31	46	19	170	62	114	17	4	5		2	4	2	
85b	Cerebral embolism and thrombosis	27	11	3			9	3									
85c	Cerebral softening	8	1		4		3										
85d	Hemiplegia and other paralysis of unspecified origin	75	13	8	4	1	50	19	115a, b, d	20	6	2			10	2	
84	Mental diseases and deficiency (see exceptions)*	28	7	4	2	1	8	6	115c	15	2	2	1		7	1	
85	Epilepsy	69	14	5	6	2	35	7	116	4	3				1		
86	Convulsions (under 5 years)	22	6	2		2	11	1	117a	58	21	5	3	3	21	5	
87	Other diseases of nervous system	11	1				7	3	117b	5				3	2		
89a	Otitis and other diseases of the ear	27	3	4	4	5	4	2	117c	127	16	4	1	2	87	17	
89b	Diseases of mastoid process	8	3		2		3		118	4,916	865	293	340	100	2,642	676	
	VII.—Diseases of the circulatory system	2,602	532	238	209	81	1,156	586	119	2,386	265	115	134	40	1,474	358	
90	Pericarditis (except acute rheumatic)	3					2	1	120	81	51	11	12	2	20	5	
91a, b	Bacterial and other acute or subacute endocarditis	17	7	1		2	5	2	121	27	16	3	4	1	2	1	
91c	Endocarditis (unspecified, under 45 years)	10	3				6	1	122a	106	27	8	14	8	38	13	
92a-d	Chronic endocarditis and diseases of the valves*	252	55	20	23	9	102	43	122b	46	16	1	1		23	5	
92e	Endocarditis (unspecified, 45 years and over)	34	5	5	1	1	17	5	123	216	50	19	27	10	81	29	
93a	Acute myocarditis (except rheumatic)	32	4	2	3		16	7	124	8	1	2	2	1	1	1	
93b	Myocarditis (unspecified, under 45 years)	25	4	3	1	1	12	4	125a	33	10	4	5	2	11	3	
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	9	3	1	2		2	1	125b	9	5		1	1	2		
93d, e	Chronic myocarditis and myocardial degeneration not specified, etc.*	1,053	180	77	86	40	523	147	126	29	12	3	2	1	9	2	
94a	Diseases of coronary arteries	144	42	17	12	2	45	26	127	6	1	1	1		1	2	
94b	Angina pectoris	91	13	10	10	6	43	9	128	30	9	4	4		9	4	
95a	Functional diseases of heart, etc.*	46	18	7	2	4	11	4	129	30	9	4	4		9	4	
95b, c	Other and unspecified diseases of heart	271	81	35	29	7	86	33									
97	Arteriosclerosis (except coronary or renal sclerosis)	523	96	47	23	5	258	94	X.—Diseases of the genito-urinary system	2,317	337	189	158	75	1,187	371	
98	Gangrene	57	16	5	11	2	18	5	130	545	66	43	23	5	327	81	
99	Other diseases of arteries	18	4	4	3	1	4	2	131	1,427	202	103	107	53	706	254	
100	Diseases of veins	2			1		1		132	185	42	30	9	4	77	23	
101	Diseases of lymphatic system	4	1				2	1	133	97	11	5	10	7	56	8	
102	High blood pressure (idiopathic)	10		4	2	1	2	1	134	5	2	1		2	2		
103	Other diseases of circulatory system	1					1		135	14	2	4	2	2	4		
	VIII.—Diseases of the respiratory system	4,147	666	271	298	125	2,195	594	136	4	1		1		2		
104a	Diseases of nasal fossae	1			1				137	13	5	1	2	1	4		
104b	Diseases of accessory sinuses	8	5				2	1	138	1		1					
105	Diseases of larynx	6	1		1		4		139a	11	3	1		2	4	1	
106a	Acute bronchitis	398	50	21	22	14	243	48	139b	13	3		4	1	2	3	
106b	Chronic bronchitis	46	9	2	4		23	8	139c	2					1	1	
106c	Bronchitis (unspecified)	275	43	22	14	4	159	33									
107	Bronchopneumonia (including capillary bronchitis)	2,410	366	154	167	60	1,515	550	II.—Diseases of pregnancy, childbirth, and the puerperium	373	88	38	51	22	131	45	
108	Lobar pneumonia	610	102	33	61	26	303	85	140	18	9	2	2	2	3		
109	Pneumonia (unspecified)	249	57	30	17	12	84	49	141	6		2	1		2	1	
110	Fluorisy (not specified as tuberculous)	26	8		2		13	3	142b	5	3				2		
111a	Hemorrhagic infarction and thrombosis of lungs	10	5	1	1		2	1	143	3	1				1	1	
111b, c	Acute edema, chronic and unspecified congestion of lungs	59	12	1	5	1	16	4	144	35	9	6	4	3	10	5	
									145	3					3		
									146	99	16	6	15	4	47	11	
									147a, b	81	20	10	11	5	25	12	

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—DEATHS FROM EACH CAUSE, BY RACE AND POPULATION GROUPS: PUERTO RICO, 1939—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	IN CITIES OF—						List No.	CAUSE OF DEATH	Total deaths	IN CITIES OF—					
			10,000 or more		2,500 to 10,000		RURAL					10,000 or more		2,500 to 10,000		RURAL	
			White	All other races	White	All other races	White	All other races				White	All other races	White	All other races	White	All other races
	XI.—Diseases of pregnancy, childbirth, and the puerperium—Con.								XVII.—Violent or accidental deaths—Continued								
147c, d	Puerperal thrombophlebitis and embolism, sudden death	23	6	3	4	1	10	4	164g	Suicide by other or unspecified means	4	1	5				
148	Puerperal toxemias *	59	17	3	5	5	20	9	165-169	Homicide	242	62	32	33	17	67	31
149	Other accidents and specified conditions of childbirth	20	7	3	7	1	1	1	166	Homicide by firearms	88	27	5	13	5	26	12
150	Other and unspecified conditions of childbirth and the puerperium	16		3	2	1	9	1	167	Homicide by cutting or piercing instruments	117	25	19	15	7	34	17
	XII.—Diseases of the skin and cellular tissue	74	22	1	13	4	29	5	168	Homicide by other means	37	10	8	5	5	7	2
151	Carbuncle and furuncle	26	7	1	2	3	12	1	169-185	Accidental deaths	508	151	65	39	16	179	60
152	Phlegmon and acute abscess	28	7		8		10	3	169	Railway accidents (except collisions with motor vehicles)	15	1	3	3	2	5	1
153	Other diseases of skin and cellular tissue	20	8		3	1	7	1	170	Motor-vehicle accidents	153	53	19	13	5	37	6
	XIII.—Diseases of the bones, etc.*	15	6	1	2		3	1	171	Streetcar and other road-transport accidents	7	1	1	1		1	3
154	Osteomyelitis and periostitis	10	5	1	1		2	1	172	Water-transport accidents	2		2				
155	Other diseases of bones (except tuberculosis)	1	1						174	Accidents in mines and quarries	2					1	1
156	Diseases of joints and other organs of movement	2			1		1		175a, b, c	Accidents involving agricultural machinery and vehicles, and other agricultural accidents	6	4				2	
157	XIV.—Congenital malformations	119	31	6	16	2	54	10	176	Other accidents involving machinery	8	5	1	1		1	
	XV.—Diseases peculiar to the first year of life	1,845	309	105	170	50	969	242	177	Food poisoning	10	1	2	1	1	5	
158	Congenital debility (cause not stated)	1,231	174	76	102	38	672	169	178	Accidental absorption of poisonous gas	2	1					1
159	Premature birth (cause not stated)	266	61	11	34	8	116	36	179	Acute accidental poisoning by solids or liquids	11	5				5	1
160	Injury at birth	123	29	6	12	1	58	17	180	Conflagration	6		1			4	1
161	Other diseases peculiar to the first year of life	225	45	12	22	5	123	20	181	Accidental burns (except conflagration)	69	20	10	8	2	21	8
162	XVI.—Senility	173	29	20	8	3	77	56	182	Accidental mechanical suffocation	2						2
	XVII.—Violent or accidental deaths	1,249	336	145	132	56	433	147	183	Accidental drowning	90	10	10	1	1	49	19
163, 164	Suicide	499	123	50	60	23	187	56	184	Accidental injury by firearms	8	4				3	1
163	Suicide by poisoning	258	67	34	51	17	66	23	185	Accidental injury by cutting or piercing instruments	7	4	1		1	1	
164a	Suicide by hanging or strangulation	133	18	7	2	2	80	24	186a	Accidental injury by fall	52	20	5	3	2	15	7
164b	Suicide by drowning	11	1	1	1		7	1	186b	Accidental injury by crushing	3	1				2	
164c	Suicide by firearms and explosives	79	31	4	6	3	29	6	188	Injury by animals (except in agriculture and forestry)	3					1	2
164d	Suicide by cutting or piercing instruments	12	5	1		1	4	1	189	Hunger or thirst	1						1
164e	Suicide by jumping from high places	1					1		191	Excessive heat	1					1	
164f	Suicide by crushing	1						1	192	Lightning	9					8	1
									193	Accidents due to electric currents (except lightning)	8	2	1	1		4	
									195a, b	Accidents due to medical or surgical intervention	1			1			
									195d	Obstruction, suffocation, or puncture by ingested objects	5	4				1	
									195c, e	Other and unspecified accidents	47	15	7	6	2	12	5
										XVIII.—Ill-defined and unknown causes	573	15	10	11	5	466	66
									199	Sudden death	9	1	1	1	1	3	2
									200a	Ill-defined	71	10	7	9	3	35	7
									200c	Unknown or unspecified	493	4	2	1	1	428	57

\*Refer to complete International List titles, table XI.



SUPPLEMENT—PUERTO RICO

523

TABLE 6.—DEATHS FROM SELECTED CAUSES, BY MONTH AND RACE: PUERTO RICO, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown.)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		2,028	1,746	1,935	1,792	1,920	2,056	2,155	2,121	2,118	2,190	2,144	2,295
All causes (white)	24,500												
Typhoid and paratyphoid fever	1,2	6	1	5	5	3	4	4	6	5	3	9	6
Cerebrospinal (meningococcus) meningitis	5	10	1	1	1	2	1	2	2	1	1	1	1
Scarlet fever	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough	198	10	12	16	16	9	15	16	13	24	24	27	16
Diphtheria	10	1	3	2	1	1	3	5	2	1	4	5	4
Tuberculosis of respiratory system, etc.*	5,200	274	255	285	252	263	286	279	269	251	252	277	307
Tuberculosis (other forms)	14-22	89	8	7	7	13	5	5	11	11	6	7	7
Dysentery	27	95	8	6	7	4	7	12	11	7	8	9	13
Malaria	28	1,151	91	84	76	62	100	90	86	104	127	114	126
Syphilis	30	599	34	41	44	32	21	23	31	31	37	33	37
Influenza	35	194	37	22	27	15	11	12	9	6	15	18	18
Measles	35	15	1	1	1	5	1	2	2	1	1	1	2
Poliomyelitis and polioencephalitis (acute)	36	5	1	1	1	1	1	2	2	1	1	1	1
Cancer of the digestive organs and peritoneum	46	550	26	27	32	24	27	52	55	27	29	29	58
Cancer of female genital organs	48,49	200	16	15	15	23	14	15	22	18	17	16	13
Cancer of the breast	50	24	2	2	2	2	1	4	2	2	3	3	1
Cancer (other forms)	45,47,51-55	181	18	14	21	14	11	19	20	15	11	11	14
Acute rheumatic fever	58	12	2	3	2	1	1	1	1	1	1	1	1
Diabetes mellitus	61	47	5	5	3	2	6	4	5	3	3	10	4
Exophthalmic goiter	63b	2	1	1	1	1	1	1	1	1	1	1	1
Pellagra (except alcoholic)	69	31	2	5	7	2	3	5	1	2	2	2	1
Alcoholism (ethylism)	77	20	3	3	3	1	1	1	3	3	2	2	1
Intracranial lesions of vascular origin	85	374	31	30	48	26	55	52	24	30	30	35	35
Other diseases of the nervous system, etc.*	80-82,84-88	225	15	12	19	18	17	11	15	19	15	26	24
Diseases of the ear, nose, and throat	89,104,115	78	5	5	7	1	5	3	8	7	6	6	4
Chronic rheumatic diseases of the heart	90a,92b,92c,95c,95b	58	5	8	7	6	6	8	4	6	9	6	4
Diseases of coronary arteries and angina pectoris	94	165	15	8	7	14	11	16	15	25	18	16	6
Diseases of the heart (other forms)	90b,91,92a,d,e,95a,b,d,e,95a,c	1,211	113	86	125	98	95	105	107	99	95	106	102
Pneumonia (all forms)	107-109	2,470	222	199	218	219	210	215	195	176	204	197	222
Ulcer of the stomach or duodenum	117	48	6	5	3	3	4	2	2	6	4	1	6
Diarrhea, enteritis, etc.*	119,120	5,720	390	310	302	333	434	517	555	559	572	610	603
Appendicitis	121	63	3	5	7	5	5	2	3	10	9	9	1
Hernia and intestinal obstruction	122	101	6	2	7	4	9	17	6	7	8	18	11
Cirrhosis of the liver	124	158	12	8	14	10	12	10	19	8	18	11	22
Biliary calculi, etc.*	126,127	31	2	2	2	5	3	1	4	8	2	2	2
Nephritis	130-132	1,561	128	129	146	135	113	147	133	119	142	130	118
Diseases of the prostate	137	11	1	1	1	1	1	2	1	1	1	4	1
Puerperal septicemia	140,142a,147	88	10	6	7	5	7	10	11	9	7	5	6
Puerperal toxemia	141a,c,144,148	65	9	3	3	5	3	9	9	3	6	2	6
Other puerperal causes	141b,d,e,f,142b,143,145,146,149,150	117	10	12	8	10	13	10	9	11	11	10	6
Congenital malformations	157	101	8	6	8	11	8	13	9	10	7	11	10
Premature birth	159	211	19	14	28	20	15	17	23	13	9	14	22
Suicide	163,164	370	45	26	38	28	27	27	29	36	25	26	52
Homicide	165-168	162	13	18	13	12	11	13	17	13	14	13	8
Motor-vehicle accidents	170	103	6	10	6	11	11	18	8	6	5	8	4
Other accidents	169,171-195	266	21	22	22	21	18	26	27	30	26	17	22
All other causes*		4,430	398	326	338	331	345	357	373	379	362	363	431
All causes (all other races)	8,133	664	570	644	610	622	716	714	714	656	700	749	774
Typhoid and paratyphoid fever	1,2	26	2	3	2	3	2	2	1	3	3	2	2
Whooping cough	9	51	2	4	6	7	4	7	3	4	5	2	5
Diphtheria	10	11	2	1	1	2	1	1	2	2	1	1	2
Tuberculosis of respiratory system, etc.*	13	1,405	132	115	153	134	106	120	114	128	98	121	100
Tuberculosis (other forms)	14-22	45	4	4	4	6	2	2	5	2	1	4	8
Dysentery	27	30	3	4	4	3	4	3	4	2	2	2	5
Malaria	28	451	50	26	27	19	25	36	35	38	34	48	66
Syphilis	30	163	18	9	12	14	16	9	16	6	16	14	24
Influenza	35	61	6	5	5	7	7	4	3	3	1	2	8
Measles	35	4	1	1	1	1	1	1	1	1	1	1	1
Cancer of the digestive organs and peritoneum	46	94	3	8	3	5	10	9	7	12	9	9	10
Cancer of female genital organs	48,49	64	4	8	3	2	5	6	6	7	3	6	8
Cancer of the breast	50	8	1	1	1	1	1	2	1	2	1	1	1
Cancer (other forms)	45,47,51-55	48	2	1	5	6	5	5	1	3	7	3	4
Acute rheumatic fever	58	3	1	1	1	1	1	1	1	1	1	1	1
Diabetes mellitus	61	15	2	2	1	2	1	3	3	1	1	1	2
Exophthalmic goiter	63b	3	1	1	1	1	1	1	1	1	1	1	1
Pellagra (except alcoholic)	69	13	2	2	1	1	1	1	2	2	2	1	1
Alcoholism (ethylism)	77	15	1	2	3	3	2	3	1	1	1	1	1
Intracranial lesions of vascular origin	85	150	17	13	13	15	12	15	7	19	5	13	9
Other diseases of the nervous system, etc.*	80-82,84-88	52	4	4	4	1	5	3	3	6	4	5	8
Diseases of the ear, nose, and throat	89,104,115	19	4	4	1	1	2	1	4	2	4	4	5
Chronic rheumatic diseases of the heart	90a,92b,92c,95c,95b	43	4	3	7	2	1	3	1	2	5	5	5
Diseases of coronary arteries and angina pectoris	94	70	3	5	8	1	8	4	4	8	7	9	6
Diseases of the heart (other forms)	90b,91,92a,d,e,95a,b,d,e,95a,c	420	31	41	32	36	38	33	29	33	27	29	39
Pneumonia (all forms)	107-109	799	66	64	69	73	62	58	72	65	74	53	72
Ulcer of the stomach or duodenum	117	15	1	1	1	2	2	1	3	3	3	1	1
Diarrhea, enteritis, etc.*	119,120	1,582	107	77	82	86	112	159	172	149	163	160	158
Appendicitis	121	18	2	1	1	1	1	2	1	3	4	4	1
Hernia and intestinal obstruction	122	34	1	2	6	3	3	5	3	1	1	1	4
Cirrhosis of the liver	124	58	3	3	8	3	10	7	2	7	2	4	6
Biliary calculi, etc.*	126,127	7	1	1	1	1	2	2	1	1	1	1	3
Nephritis	130-132	596	47	45	60	44	41	52	59	45	42	54	54
Diseases of the prostate	137	2	1	1	1	1	1	1	1	1	1	1	1
Puerperal septicemia	140,142a,147	39	2	3	5	5	6	6	1	2	2	2	3
Puerperal toxemia	141a,c,144,148	29	3	2	3	1	3	1	5	1	1	5	1
Other puerperal causes	141b,d,e,f,142b,143,145,146,149,150	35	4	1	5	3	3	1	2	4	3	1	3
Congenital malformations	157	18	2	1	1	2	1	1	2	2	3	4	2
Premature birth	159	55	5	5	14	4	4	1	3	1	3	4	7
Suicide	163,164	129	13	10	7	10	11	15	14	10	13	14	8
Homicide	165-168	80	7	5	8	7	12	6	9	3	6	4	5
Motor-vehicle accidents	170	30	4	2	6	3	2	2	2	2	2	1	5
Other accidents	169,171-195	109	7	6	11	6	6	15	8	11	10	7	12
All other causes*		1,254	97	84	88	94	90	120	107	117	93	119	133

\*Refer to complete International List titles, table XI.

# VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION BY RACE AND SEX: VIRGIN ISLANDS, 1930

AREA AND SEX	Total	White	Negro	Mixed	All other
Virgin Islands	22,012	2,010	17,243	2,719	40
Male	10,208	1,156	7,841	1,182	29
Female	11,804	854	9,402	1,537	11
St. Croix	11,413	414	9,592	1,386	21
Male	5,441	222	4,561	640	18
Female	5,972	192	5,031	746	3
St. John	765	18	653	94	—
Male	395	15	338	42	—
Female	370	3	315	52	—
St. Thomas	9,834	1,578	6,998	1,239	19
Male	4,372	919	2,942	500	11
Female	5,462	659	4,056	739	8

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 2.—LIVE BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY RACE AND SEX: VIRGIN ISLANDS, 1939

AREA, RACE, AND SEX	Total births <sup>1</sup>	Total deaths <sup>1</sup>	Excess of births over deaths <sup>2</sup>	Births per 100 deaths <sup>3</sup>	DEATHS <sup>4</sup> OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births <sup>1</sup>	Number	Per 1,000 live births
Virgin Islands	787	460	327	171	80	101.7	35	44.5
Male	414	224	190	185	42	101.4	27	65.2
Female	373	236	137	158	38	101.9	8	21.4
White	26	15	11	(3)	2	76.9	2	76.9
Male	30	19	11	(3)	2	66.7	—	—
Female	301	183	118	164	33	109.6	17	56.5
Negro	278	190	88	146	31	111.5	8	28.8
Male	67	26	61	(3)	7	80.5	8	92.0
Female	65	27	38	(3)	5	76.9	—	—
St. Croix	381	271	110	141	46	120.7	25	65.6
Male	201	149	52	135	26	129.4	18	89.8
Female	180	122	58	148	20	111.1	7	38.9
White	3	2	1	(3)	1	(4)	—	—
Male	7	7	—	(3)	—	—	—	—
Negro	131	125	6	105	18	137.4	10	76.3
Male	129	100	29	129	16	124.0	7	54.3
Female	67	22	45	(3)	7	104.5	8	119.4
Mixed	44	15	29	(3)	4	90.9	—	—
St. John	17	7	10	(3)	4	235.3	—	—
Male	9	6	3	(3)	4	(4)	—	—
Female	8	1	7	(3)	—	—	—	—
White	—	1	-1	(3)	—	—	—	—
Negro	9	5	4	(3)	4	(4)	—	—
Male	7	1	6	(3)	—	—	—	—
Female	1	—	1	—	—	—	—	—
Mixed	—	—	—	—	—	—	—	—
St. Thomas	389	182	207	214	30	77.1	10	25.7
Male	204	89	135	(3)	12	58.8	9	44.1
Female	185	113	72	164	18	97.3	1	5.4
White	23	12	11	(3)	1	43.5	2	87.0
Male	23	12	11	(3)	2	87.0	—	—
Negro	161	53	108	(3)	11	88.3	7	43.5
Male	142	89	53	(3)	15	105.6	1	7.0
Female	20	4	16	(3)	—	—	—	—
Mixed	20	12	8	(3)	1	50.0	—	—

<sup>1</sup> Exclusive of stillbirths.

<sup>2</sup> A minus sign (-) indicates an excess of deaths over births.

<sup>3</sup> Figures not shown when the number of deaths is less than 100.

<sup>4</sup> Rates over 300 are not shown.

NOTE.—"Mixed" designates a mixture of white and Negro.

SUPPLEMENT—VIRGIN ISLANDS

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: VIRGIN ISLANDS, 1939

AREA, RACE, AND SEX		Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands		787	82	47	76	71	71	57	59	66	70	52	74	62
Male		414	42	26	40	30	36	35	35	31	38	28	41	32
Female		373	40	21	36	41	35	22	24	35	32	24	33	30
White	Male	26	2	2	1	2	3	3	1	2	4	1	5	—
	Female	30	2	5	7	2	3	1	1	3	1	3	3	1
Negro	Male	301	33	17	26	21	27	25	26	22	26	23	30	25
	Female	278	33	15	20	35	23	16	18	28	24	18	26	24
Mixed	Male	87	7	7	13	7	6	7	8	7	8	4	6	7
	Female	65	5	5	9	4	9	5	5	4	7	3	4	5
St. Croix		381	45	22	44	36	29	25	31	29	31	27	36	26
Male		201	24	16	24	14	12	17	15	13	17	15	17	17
Female		180	21	6	20	22	17	8	16	16	14	12	19	9
White	Male	3	—	2	—	—	—	—	—	—	1	—	—	—
	Female	7	1	—	1	—	—	—	—	—	1	1	3	—
Negro	Male	131	18	8	13	10	8	13	7	9	9	13	13	10
	Female	129	16	4	10	19	12	6	12	12	8	9	14	7
Mixed	Male	67	6	6	11	4	4	4	8	4	7	2	4	7
	Female	44	4	2	9	3	5	2	4	4	5	2	2	2
St. John		17	—	1	—	1	2	2	2	2	1	1	3	2
Male		9	—	—	—	—	2	1	2	—	1	1	2	—
Female		8	—	1	—	1	—	1	—	2	—	—	1	2
Negro	Male	9	—	—	—	—	2	1	2	—	1	1	2	—
	Female	7	—	1	—	1	—	1	—	2	—	—	1	1
Mixed	Female	1	—	—	—	—	—	—	—	—	—	—	—	1
St. Thomas		389	37	24	32	34	40	30	26	35	38	24	35	34
Male		204	18	10	16	16	22	17	18	18	20	12	22	15
Female		185	19	14	16	18	18	13	8	17	18	12	13	19
White	Male	23	2	—	1	2	3	3	1	2	3	1	5	—
	Female	23	1	3	6	2	3	1	1	3	—	2	—	1
Negro	Male	161	15	9	13	11	17	11	17	13	16	9	15	15
	Female	142	17	8	10	15	11	9	6	14	16	9	11	16
Mixed	Male	20	1	1	2	3	2	3	—	3	1	2	2	—
	Female	20	1	3	—	1	4	3	1	—	2	1	2	2

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 4.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: VIRGIN ISLANDS, 1939

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	787	10	121	134	77	51	33	25	18	9	309
10 to 14 years	6	3	—	—	—	—	—	—	—	—	3
15 to 19 years	154	5	47	18	2	5	—	—	—	—	77
20 to 24 years	238	2	48	57	19	9	1	—	—	—	100
25 to 29 years	193	—	22	46	28	12	9	5	—	—	65
30 to 34 years	109	—	4	11	22	14	11	8	5	—	33
35 to 39 years	57	—	—	2	5	9	6	6	3	—	22
40 to 44 years	27	—	—	—	1	1	6	5	3	—	9
45 to 49 years	3	—	—	—	—	1	—	—	2	—	—
White	56	—	11	15	9	7	3	5	1	1	4
15 to 19 years	4	—	2	1	—	—	—	—	—	—	1
20 to 24 years	17	—	4	6	2	2	—	1	—	—	2
25 to 29 years	12	—	2	5	4	—	—	—	—	—	1
30 to 34 years	16	—	3	3	2	2	2	1	1	—	1
35 to 39 years	5	—	—	—	1	3	—	1	—	—	—
40 to 44 years	2	—	—	—	—	—	1	1	—	—	—
Negro	579	10	91	96	49	33	20	13	13	8	246
10 to 14 years	6	3	—	—	—	—	—	—	—	—	3
15 to 19 years	123	5	40	12	—	4	—	—	—	—	62
20 to 24 years	171	2	35	45	8	5	1	—	—	—	78
25 to 29 years	142	—	17	32	20	9	7	2	5	—	50
30 to 34 years	70	—	1	7	16	9	5	4	2	—	25
35 to 39 years	45	—	—	2	4	5	4	4	3	—	19
40 to 44 years	22	—	—	—	1	1	3	3	3	—	9
Mixed	152	—	19	23	19	11	10	7	4	—	59
15 to 19 years	27	—	5	5	2	1	—	—	—	—	14
20 to 24 years	50	—	11	8	9	2	—	—	—	—	20
25 to 29 years	39	—	3	9	4	3	2	3	—	—	15
30 to 34 years	23	—	—	1	4	3	4	2	2	—	7
35 to 39 years	7	—	—	—	—	1	2	1	—	—	3
40 to 44 years	3	—	—	—	—	—	2	1	—	—	—
45 to 49 years	3	—	—	—	—	1	—	—	2	—	—

NOTE.—"Mixed" designates a mixture of white and Negro.

VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—DEATHS BY MONTH, RACE, AND SEX: VIRGIN ISLANDS, 1939

(Exclusive of stillbirths)

AREA, RACE, AND SEX		Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands		460	50	36	35	34	28	27	34	32	44	40	46	56
Male		224	27	16	17	17	12	13	18	15	25	18	27	19
Female		236	23	20	16	17	16	14	16	17	19	22	19	37
White	Male	15	1	---	1	3	1	1	---	---	1	1	3	3
	Female	19	1	1	---	2	2	2	---	---	3	1	2	3
Negro	Male	183	22	15	12	14	9	8	16	12	20	17	23	15
	Female	190	18	18	13	14	13	10	14	14	14	18	14	30
Mixed	Male	26	4	1	4	---	2	4	2	3	4	---	1	1
	Female	27	4	1	3	1	1	2	2	1	2	3	3	4
St. Croix		271	29	26	25	21	15	16	19	21	24	22	20	33
Male		149	18	12	15	10	7	8	12	12	15	12	15	13
Female		122	11	14	10	11	8	8	7	9	9	10	5	20
White	Male	2	---	---	---	1	---	---	---	---	1	---	---	---
	Female	7	---	---	---	1	1	1	---	1	---	1	1	1
Negro	Male	125	15	11	11	9	5	4	12	9	11	12	14	12
	Female	100	8	14	7	10	7	5	6	7	7	8	4	17
Mixed	Male	22	3	1	4	---	2	4	---	3	3	---	1	1
	Female	15	3	---	3	---	---	2	1	1	2	1	---	2
St. John		7	1	---	1	1	---	1	---	---	1	---	2	---
Male		6	1	---	---	1	---	1	---	---	1	---	2	---
Female		1	---	---	1	---	---	---	---	---	---	---	---	---
White	Male	1	---	---	---	1	---	---	---	---	---	---	---	---
	Female	---	---	---	---	---	---	---	---	---	---	---	---	---
Negro	Male	5	1	---	---	---	---	1	---	---	1	---	2	---
	Female	1	---	---	1	---	---	---	---	---	---	---	---	---
St. Thomas		182	20	10	7	12	13	10	15	11	19	18	24	23
Male		69	8	4	2	6	5	4	6	3	9	6	10	6
Female		113	12	6	5	6	8	6	9	8	10	12	14	17
White	Male	12	1	---	1	1	1	1	---	---	---	1	3	3
	Female	12	1	1	---	1	1	1	---	1	3	---	1	2
Negro	Male	53	6	4	1	5	4	3	4	3	8	5	7	3
	Female	89	10	4	5	4	6	5	8	7	7	10	10	13
Mixed	Male	4	1	---	---	---	---	---	2	---	1	---	---	---
	Female	12	1	1	---	1	1	---	1	---	---	2	3	2

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 6.—DEATHS BY AGE, RACE, AND SEX: VIRGIN ISLANDS, 1939

(Exclusive of stillbirths)

AREA, RACE, AND SEX		Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
Virgin Islands		460	80	10	1	1	1	93	2	5	6	8	21	10	14	14	26	38	40	41	45	27	26	22	5	2	---	1			
Male		224	42	4	1	---	1	48	---	3	---	8	21	5	6	7	16	24	27	25	19	9	9	4	---	---	---	1			
Female		236	38	6	---	1	---	45	2	2	6	6	10	5	8	7	10	14	13	16	26	18	17	18	5	2	---	---			
White	Male	15	2	1	---	---	---	3	---	---	---	2	---	1	---	---	---	2	2	5	---	---	---	---	---	---	---	---	---		
	Female	19	2	---	---	---	---	2	---	1	---	2	---	1	1	1	1	2	1	1	2	---	---	---	---	---	---	---	---		
Negro	Male	183	33	3	1	---	1	38	---	2	---	1	7	5	4	4	15	22	21	19	19	7	8	4	---	---	---	1			
	Female	190	31	6	---	1	---	38	2	1	5	3	9	1	8	6	5	6	10	10	13	23	17	14	13	4	2	---	---		
Mixed	Male	26	7	---	---	---	---	7	---	1	---	2	---	1	3	2	1	---	4	1	---	1	1	---	---	---	---	---	---		
	Female	27	5	---	---	---	---	5	---	---	---	3	1	2	---	---	---	3	2	2	2	1	---	3	2	1	---	---	---		
St. Croix		271	46	5	1	---	---	52	2	1	3	6	10	6	9	9	12	22	29	23	32	16	13	13	2	1	---	1			
Male		149	26	1	1	---	---	28	---	1	---	2	6	3	5	5	6	9	15	21	14	17	6	6	4	---	---	---	1		
Female		122	20	4	---	---	---	24	2	---	3	4	4	3	4	4	3	3	7	8	9	15	10	7	9	2	1	---	---		
White	Male	2	1	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
	Female	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	1	2	---	---	---	---	---	---	---	---	
Negro	Male	125	18	1	1	---	---	20	---	1	---	1	4	3	4	3	5	8	15	17	12	17	5	5	4	---	---	---	1		
	Female	100	16	4	---	---	---	20	2	---	3	2	3	1	4	4	2	1	6	6	7	13	10	7	7	1	1	---	---		
Mixed	Male	22	7	---	---	---	---	7	---	---	---	1	2	---	1	2	1	1	---	4	1	---	1	1	---	---	---	---	---		
	Female	15	4	---	---	---	---	4	---	---	---	2	1	2	---	---	---	1	1	1	1	1	---	---	1	1	---	---	---		
St. John		7	4	---	---	---	---	4	---	---	---	---	---	---	---	---	---	---	---	---	1	---	1	1	---	---	---	---	---		
Male		6	4	---	---	---	---	4	---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	1	---	---	---	---	---		
Female		1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
White	Male	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
	Female	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Negro	Male	5	4	---	---	---	---	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
	Female	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
St. Thomas		182	30	5	---	1	1	37	---	4	3	2	11	4	5	5	14	16	11	17	13	10	12	9	3	1	---	---			
Male		69	12	3	---	---	1	16	---	2	---	---	5	2	1	2	7	9	6	10	2	3	2	---	---	---	---	---	---		
Female		113	18	2	---	1	---	21	---	2	3	2	6	2	4	3	3	7	7	5	7	11	7	10	9	3	1	---	---		
White	Male	12	1	1	---	---	---	2	---	---	---	2	---	1	---	---	---	---	2	2	3	---	---	---	---	---	---	---	---	---	
	Female	12	2	---	---	---	---	2	---	1	---	---	2	---	---	---	---	---	---	2	---	---	---	2	---	---	---	---	---	---	
Negro	Male	53	11	2	---	1	---	14	---	1	---	3	2	---	1	1	7	7	4	7	2	2	2	2	---	---	---	---	---		
	Female	89	15	2	---	1	---	18	---	1	2	1	6	---	4	2	3	5	4	4	6	10	6	7	6	3	1	---	---		
Mixed	Male	4	---	---	---	---	---	---	---	1	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	Female	12	1	---	---	---	---	1	---	---	---	---	---	---	---	---	2	1	1	1	1	---	3	1	---	---	---	---	---		

NOTE.—"Mixed" designates a mixture of white and Negro.

SUPPLEMENT—VIRGIN ISLANDS

TABLE 7.—DEATHS FROM EACH CAUSE, BY RACE: VIRGIN ISLANDS, 1939

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX			ST. JOHN		ST. THOMAS			
		Total deaths	White	Negro	Mixed	White	Negro	Mixed	White	Negro	White	Negro	Mixed
	All causes	460	84	373	53	9	225	37	1	6	24	142	16
	I.—Infectious and parasitic diseases	65	2	55	8	—	29	7	—	—	2	26	1
9	Whooping cough	5	—	1	2	—	1	2	—	—	—	—	—
12	Tetanus	1	—	1	—	—	—	—	—	—	—	1	—
15-22	Tuberculosis (all forms)	20	2	14	4	—	8	4	—	—	2	6	—
15b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	18	2	13	3	—	7	3	—	—	2	6	—
20	Tuberculosis of genito-urinary system	1	—	1	—	—	1	—	—	—	—	—	—
22a	Disseminated tuberculosis (acute military)	1	—	—	1	—	—	1	—	—	—	—	—
23	Leprosy	4	—	4	—	—	4	—	—	—	—	—	—
27	Dysentery	2	—	2	—	—	1	—	—	—	—	1	—
30c	Other syphilis of central nervous system	1	—	1	—	—	—	—	—	—	—	1	—
30d	Aneurysm of aorta	5	—	5	—	—	1	—	—	—	—	4	—
30e	Other syphilis of circulatory system	3	—	2	1	—	—	—	—	—	—	1	1
30f,g	Congenital, other and unspecified forms of syphilis	23	—	22	1	—	12	1	—	—	10	—	—
32	Other diseases due to spirochetes	2	—	2	—	—	—	—	—	—	—	2	—
42	Other diseases caused by helminths	1	—	1	—	—	1	—	—	—	—	—	—
	II.—Cancer and other tumors	17	2	13	2	2	11	2	—	—	—	2	—
45-55	Cancer and other malignant tumors	17	2	13	2	2	11	2	—	—	—	2	—
46	Cancer of digestive organs and peritoneum	10	1	7	2	1	6	2	—	—	—	1	—
46a	Cancer of esophagus	1	—	1	—	—	—	—	—	—	—	—	—
46b	Cancer of stomach	4	1	3	—	1	3	—	—	—	—	—	—
46f	Cancer of liver and biliary passages	1	—	1	—	—	1	—	—	—	—	—	—
46g	Cancer of pancreas	1	—	—	1	—	—	1	—	—	—	—	—
46j,h,m	Cancer of other digestive organs and peritoneum	3	—	2	1	—	1	1	—	—	—	1	—
47	Cancer of respiratory system	2	—	2	—	—	2	—	—	—	—	—	—
48	Cancer of uterus	3	1	2	—	1	1	—	—	—	—	1	—
50	Cancer of breast	1	—	1	—	—	1	—	—	—	—	—	—
51	Cancer of male genital organs	1	—	1	—	—	1	—	—	—	—	—	—
	III.—Rheumatism, diseases of nutrition, etc.*	58	5	50	5	1	24	4	—	—	2	6	1
58e-d	Acute rheumatic heart diseases	1	—	—	1	—	—	—	—	—	—	—	1
61	Diabetes mellitus	8	—	7	1	—	3	1	—	—	—	4	—
66	Other general diseases	2	1	1	—	—	—	—	—	—	1	1	—
69	Pellagra (except alcoholic)	27	2	22	3	1	21	5	—	—	1	1	—
	IV.—Diseases of the blood and blood-forming organs	2	1	—	1	—	—	1	—	—	1	—	—
74a	Leukemias	1	1	—	—	—	—	—	—	—	1	—	—
75	Diseases of the spleen	1	—	—	1	—	—	1	—	—	—	—	—
	V.—Chronic poisoning and intoxication	1	—	—	1	—	—	—	—	—	—	—	1
77c-e	Alcoholism (acute, chronic, and unspecified)	1	—	—	1	—	—	—	—	—	—	—	1
	VI.—Diseases of the nervous system, etc.*	23	3	17	3	2	12	2	—	—	1	5	1
81	Meningitis (not due to meningococcus)	2	—	1	1	—	—	1	—	—	—	1	—
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	14	2	11	1	2	8	—	—	—	—	3	1
84	Mental diseases and deficiency (see exceptions)*	3	1	2	—	—	1	—	—	—	1	1	—
85	Epilepsy	2	—	1	1	—	1	1	—	—	—	—	—
89a	Otitis and other diseases of the ear	2	—	2	—	—	2	—	—	—	—	—	—
	VII.—Diseases of the circulatory system	137	10	115	12	2	77	7	1	2	7	36	5
92a-d	Chronic endocarditis and diseases of the valves*	8	2	6	—	1	4	—	—	—	1	2	—
93a	Acute myocarditis (except rheumatic)	1	—	1	—	—	1	—	—	—	—	—	—
93c,d	Chronic myocarditis and myocardial degeneration	121	6	104	11	1	69	6	—	2	5	33	5
94b	Angina pectoris	1	1	—	—	—	—	—	1	—	—	—	—
95b,c	Other and unspecified diseases of heart	1	—	—	1	—	—	1	—	—	—	—	—
97	Arteriosclerosis (except coronary or renal sclerosis)	5	1	4	—	—	3	—	—	—	1	1	—
	VIII.—Diseases of the respiratory system	52	3	25	4	1	10	3	—	1	2	14	1
104b	Diseases of accessory sinuses	1	—	1	—	—	—	—	—	—	—	—	1
106a	Acute bronchitis	2	—	1	1	—	—	1	—	—	—	1	—
107	Bronchopneumonia (including capillary bronchitis)	11	2	7	2	1	5	2	—	1	1	1	—
108	Lobar pneumonia	15	—	14	1	—	4	—	—	—	—	10	1
110	Pleurisy (not specified as tuberculous)	1	1	—	—	—	—	—	—	—	1	—	—
111b,c	Acute edema, chronic and unspecified congestion of lungs	1	—	1	—	—	—	—	—	—	—	1	—
114	Other diseases of respiratory system (excluding tuberculosis)	1	—	1	—	—	1	—	—	—	—	—	—
	IX.—Diseases of the digestive system	57	4	50	3	—	18	2	—	2	4	10	1
116	Diseases of esophagus	1	—	1	—	—	1	—	—	—	—	—	—
117a	Ulcer of stomach	1	—	1	—	—	1	—	—	—	—	—	—
118	Other diseases of stomach (except cancer)	1	—	—	1	—	—	1	—	—	—	—	—
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	25	1	22	2	—	10	1	—	2	1	10	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	1	—	1	—	—	1	—	—	—	—	—	—
121	Appendicitis	2	1	1	—	—	1	—	—	—	1	—	—
122b	Intestinal obstruction	1	—	1	—	—	1	—	—	—	—	—	—
124a	Cirrhosis of liver (with mention of alcoholism)	2	2	—	—	—	—	—	—	—	2	—	—
124b	Cirrhosis of liver (without mention of alcoholism)	3	—	3	—	—	3	—	—	—	—	—	—
	X.—Diseases of the genito-urinary system	50	3	41	6	—	9	2	—	—	3	32	4
150	Acute nephritis	4	1	3	—	—	1	—	—	—	1	2	—
151a	Arteriosclerotic kidney	29	2	24	3	—	4	1	—	—	2	20	2
151b	Other chronic nephritis	2	—	2	—	—	1	—	—	—	—	1	—
153	Other diseases of kidneys and ureters, etc.*	12	—	9	3	—	—	1	—	—	—	9	2
156	Diseases of urethra (except calculus)	1	—	1	—	—	1	—	—	—	—	—	—

\* Refer to complete International List titles, table XI.

## VITAL STATISTICS OF THE UNITED STATES

TABLE 7.—DEATHS FROM EACH CAUSE, BY RACE: VIRGIN ISLANDS, 1939—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX			ST. JOHN		ST. THOMAS			
		Total deaths	White	Negro	Mixed	White	Negro	Mixed	White	Negro	White	Negro	Mixed
	X.—Diseases of the genito-urinary system—Continued												
138	Diseases of other male genital organs (except venereal)-----	1	---	1	---	---	1	---	---	---	---	---	---
139a	Diseases of ovaries, fallopian tubes, and parametria-----	1	---	1	---	---	1	---	---	---	---	---	---
	XI.—Diseases of pregnancy, childbirth, and puerperium-----	6	---	5	1	---	2	1	---	---	---	5	---
148b,c	Other hemorrhages of childbirth and puerperium-----	2	---	2	---	---	---	---	---	---	---	2	---
148a,b	Puerperal eclampsia and nephritis *-----	2	---	2	---	---	1	---	---	---	---	1	---
149	Other accidents and specified conditions of childbirth-----	2	---	1	1	---	1	1	---	---	---	---	---
	XII.—Diseases of the skin and cellular tissue-----	1	---	1	---	---	1	---	---	---	---	---	---
151	Carbuncle and furuncle-----	1	---	1	---	---	1	---	---	---	---	---	---
157	XIV.—Congenital malformations-----	2	---	2	---	---	1	---	---	---	---	1	---
	XV.—Diseases peculiar to the first year of life-----	29	3	23	3	1	18	5	1	2	6	---	---
158	Congenital debility (cause not stated)-----	6	---	6	---	---	6	---	---	---	---	---	---
159	Premature birth (cause not stated)-----	14	3	9	2	1	6	2	---	---	2	3	---
160a	Intracranial or spinal hemorrhage-----	1	---	1	---	---	1	---	---	---	---	---	---
160b,c	Other injuries at birth-----	1	---	---	1	---	---	1	---	---	---	---	---
161	Other diseases peculiar to the first year of life-----	7	---	7	---	---	3	---	1	---	---	3	---
162	XVI.—Senility-----	1	---	1	---	---	1	---	---	---	---	---	---
	XVII.—Violent or accidental deaths-----	12	---	9	3	---	9	2	---	---	---	---	1
165-168	Homicide-----	2	---	2	---	---	2	---	---	---	---	---	---
168	Homicide by other means-----	2	---	2	---	---	2	---	---	---	---	---	---
169-195	Accidental deaths-----	10	---	7	3	---	7	2	---	---	---	---	1
170c	Automobile accidents (except collisions with trains or streetcars)-----	2	---	2	---	---	2	---	---	---	---	---	---
181	Accidental burns (except conflagration)-----	2	---	---	2	---	---	1	---	---	---	---	1
186a	Accidental injury by fall-----	2	---	1	1	---	1	1	---	---	---	---	---
191	Excessive heat-----	1	---	1	---	---	1	---	---	---	---	---	---
195d	Obstruction, suffocation, or puncture by ingested objects-----	1	---	1	---	---	1	---	---	---	---	---	---
195c,e	Other and unspecified accidents-----	2	---	2	---	---	2	---	---	---	---	---	---
	XVIII.—Ill-defined and unknown causes-----	7	---	6	1	---	5	1	---	---	---	1	---
199	Sudden death-----	2	---	1	1	---	1	1	---	---	---	---	---
200a	Ill-defined-----	4	---	4	---	---	4	---	---	---	---	---	---
200c	Unknown or unspecified-----	1	---	1	---	---	---	---	---	---	---	1	---

\* Refer to complete International List titles, table XI.  
NOTE.—"Mixed" designates a mixture of white and Negro.

SUPPLEMENT—VIRGIN ISLANDS

TABLE 8.—DEATHS FROM SELECTED CAUSES, BY AGE: VIRGIN ISLANDS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Under 5				Under 5	5 to 100 and over																			Not stated		
		1	2	3	4		5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99		100 and over	
All causes	460	80	10	1	1	93	2	5	6	8	21	10	14	14	14	26	38	40	41	45	27	26	22	5	2		1	
Whooping cough	9	3	3			3																						
Tuberculosis of respiratory system, etc.*	13	18							1	2	7	2	1		1	1		1										1
Tuberculosis (other forms)	14-22	2													2													
Dysentery	27	2	1			1		1																				
Syphilis	30	32	3	1		4					2	1	2	4	2	2	5	4	3	3								
Cancer of the digestive organs and peritoneum	46	10												1		1	1	3	1	2								
Cancer of female genital organs	48,49	3																1	1									
Cancer of the breast	50	1																	1	1								
Cancer (other forms)	45,47,51-55	3												1				1	1									
Acute rheumatic fever	58	1						1																				
Diabetes mellitus	61	8															1	2	3	2								
Pellagra (except alcoholic)	69	27								1	1				2	4	1	2	3	2	4	2	3	2				
Alcoholism (ethylish)	77	1																1	2	3	2	1						
Intracranial lesions of vascular origin	83	14															1	3	3	2	2	1		2				
Other diseases of the nervous system, etc.*	80-82,84-88	7	1	1		2			1	1	2					1												
Diseases of the ear, nose, and throat	89,104,115	3	2			2							1															
Chronic rheumatic diseases of the heart	90a,92b,92c,95c,95b	5													2	1			1						1			
Diseases of coronary arteries and angina pectoris	94	1																				1						
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	126					1				2		2	1	2	1	9	13	9	15	23	18	18	9	4	2		
Pneumonia (all forms)	107-109	26	11	3	1	15		1		2	1	1				1	1	1	2	1	2	1						
Ulcer of the stomach or duodenum	117	1									1								1									
Diarrhea, enteritis, etc.*	119,120	26	23	2		25													1									
Appendicitis	121	2									1								1									
Hernia and intestinal obstruction	122	1		1		1													1									
Cirrhosis of the liver	124	5																										
Nephritis	130-132	35	1			1	1	1		2	1	1	1	1	3	1	7	6	2	3	1	3						
Puerperal toxemia	141a,c,144,148	2						2																				
Other puerperal causes	141b,d,e,f,142b,145,146,149,150	4						1	1	1				1														
Congenital malformations	157	2	2			2																						
Premature birth	159	14	14			14																						
Homicide	165-168	2																										
Motor-vehicle accidents	170	2							1		1																	
Other accidents	169,171-195	8		2		2					1	1	1	1	1	2	1	5	3	3	3	3	3	1				
All other causes*		63	20			21		1		1	2	3	2	1	3	5	3	3	3	3	3	3	3	1				

\*Refer to complete International List titles, table XI.

TABLE 9.—DEATHS FROM SELECTED CAUSES, BY MONTH: VIRGIN ISLANDS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	460	50	36	33	34	28	27	34	32	44	40	46	56
Whooping cough	9	3		1									
Tuberculosis of respiratory system, etc.*	13	18	2	1	2				2	1		3	4
Tuberculosis (other forms)	14-22	2	1							1			
Dysentery	27	2	1										
Syphilis	30	32		4	4	1		2	1	5	2	3	5
Cancer of the digestive organs and peritoneum	46	10		2				1	1	1			2
Cancer of female genital organs	48,49	3							1				
Cancer of the breast	50	1		1									
Cancer (other forms)	45,47,51-55	3											
Acute rheumatic fever	58	1							1				
Diabetes mellitus	61	8	2	1		1	1			1	1	1	
Pellagra (except alcoholic)	69	27	6	5	3	2	4	1	2		1	1	2
Alcoholism (ethylish)	77	1					1						
Intracranial lesions of vascular origin	83	14		1		3	2	1		1	2	2	2
Other diseases of the nervous system, etc.*	80-82,84-88	7	1		2		1				2		1
Diseases of the ear, nose, and throat	89,104,115	3						2	1				
Chronic rheumatic diseases of the heart	90a,92b,92c,95c,95b	5		1		1			1			1	
Diseases of coronary arteries and angina pectoris	94	1				1							
Diseases of the heart (other forms)	90b,91,92a,d,e,93a,b,d,e,95a,c	126	15	11	7	4	3	8	12	6	9	14	16
Pneumonia (all forms)	107-109	26	3	1	1	2	1	1	2	2	4	3	2
Ulcer of the stomach or duodenum	117	1										1	
Diarrhea, enteritis, etc.*	119,120	26	1	1	1	2		2	3	1	3	3	1
Appendicitis	121	2								1			
Hernia and intestinal obstruction	122	1								1			
Cirrhosis of the liver	124	5			1	1				1			2
Nephritis	130-132	35	6	2	3	3	3	3	1	5	2	3	2
Puerperal toxemia	141a,c,144,148	2										1	2
Other puerperal causes	141b,d,e,f,142b,145,146,149,150	4			1						1	1	1
Congenital malformations	157	2							1			1	
Premature birth	159	14	3			2	1	1	1	1	4	1	
Homicide	165-168	2							1			1	
Motor-vehicle accidents	170	2								2			
Other accidents	169,171-195	8	1					1		2	3		1
All other causes*		63	7	5	7	5	7	3	4	3	5	6	6

\*Refer to complete International List titles, table XI.

VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE: VIRGIN ISLANDS, 1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths under 1 year	Un-	1	2	3 to	1	2	3	Un-	1	2	3	4	5	6	7	8	9	10	11
		der 1 day	day	days	6 days	wk.	wks.	wks.	der 1 mo.	mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
All causes	80	7	4	5	6	2	2	1	27	4	6	7	5	5	5	5	5	5	6	4
Whooping cough	9	---	---	---	---	---	---	---	---	1	---	---	---	1	---	---	---	---	---	---
Syphilis	30	---	---	1	---	1	---	---	2	---	---	1	---	---	---	---	---	---	---	---
Meningitis (not due to meningococcus)	31	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	---
Diseases of ear and mastoid process	89	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---
Pneumonia (all forms)	107-109	11	---	---	---	1	---	---	1	---	2	1	---	---	---	---	1	2	2	2
Other diseases of respiratory system	104-106,110-114	2	---	---	---	---	---	---	---	---	---	---	---	1	---	---	1	---	---	---
Diseases of stomach	117,118	1	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---
Diarrhea, enteritis, etc.*	119	25	---	---	1	---	---	1	2	1	2	3	4	1	5	2	1	1	2	1
Diseases, genito-urinary system	130,131,133-139	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	---
Congenital malformations	157	2	---	---	---	---	---	---	---	1	---	---	---	---	1	---	---	---	---	---
Congenital debility	158	6	---	---	---	---	---	---	---	---	---	1	1	1	---	---	1	1	---	1
Premature birth	159	14	5	2	1	2	---	---	12	1	1	---	---	---	---	---	---	---	---	---
Injury at birth	160	2	---	---	2	---	---	---	2	---	---	---	---	---	---	---	---	---	---	---
Other diseases peculiar to first year	161	7	1	2	1	3	---	---	7	---	---	---	---	---	---	---	---	---	---	---
Ill-defined and unknown causes	199,200	1	1	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---

\* Refer to complete International List titles, table XI.

TABLE 11.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: VIRGIN ISLANDS, 1924-1939

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924
All causes	101.7	132.5	124.1	105.4	170.7	97.4	157.4	135.8	119.2	119.9	145.2	214.9	210.2	119.5	142.0	178.5
Whooping cough	3.8	5.7	---	---	---	---	3.5	7.2	---	---	---	16.0	---	---	---	---
Tetanus	12	---	1.4	1.5	---	1.5	1.7	---	---	---	---	---	1.8	3.3	---	1.5
Tuberculosis of respiratory system, etc.*	13	---	4.1	---	1.5	1.5	---	---	2.1	---	---	---	---	---	---	---
Dysentery	27	---	1.4	---	---	---	1.7	---	---	---	---	5.3	1.8	3.3	9.5	3.0
Syphilis	30	3.8	7.1	8.3	7.5	9.1	1.5	3.5	1.8	6.3	3.4	---	7.1	14.6	1.6	4.7
Measles	35	---	---	---	---	---	1.7	---	---	---	---	---	---	---	---	---
Diseases of thymus gland	64	---	1.4	1.4	---	---	---	---	---	---	---	---	---	---	---	---
Anemias (except splenic anemia) <sup>1</sup>	73	---	---	1.4	---	---	---	---	---	---	---	---	---	---	---	---
Convulsions	86	---	1.4	---	1.5	---	---	1.8	---	---	---	1.8	1.8	---	1.6	1.5
Pneumonia (all forms)	107-109	14.0	18.5	19.3	12.0	22.9	9.1	31.1	12.7	18.8	5.1	20.1	33.7	25.6	26.1	31.5
Other diseases of respiratory system <sup>2</sup>	104-106,110-114	2.5	---	2.8	1.5	---	1.5	5.2	10.8	---	3.4	4.0	3.6	3.7	4.9	1.6
Diseases of stomach	117,118	1.3	1.4	---	---	1.5	---	1.7	---	---	---	---	---	---	1.8	1.6
Diarrhea, enteritis, etc.*	119	29.2	46.9	30.3	40.7	35.8	28.9	45.0	27.1	39.7	65.9	52.4	79.9	64.0	14.7	33.1
Intestinal obstruction	122b	---	---	1.4	---	---	1.5	---	---	---	---	---	---	---	---	---
Congenital malformations	157	2.5	1.4	8.3	6.0	6.1	4.6	10.4	5.4	---	5.1	6.0	1.8	7.3	8.2	1.6
Premature birth	159	17.8	21.3	23.4	15.1	19.8	24.4	24.2	28.9	18.8	16.9	20.2	19.5	29.3	24.5	17.4
Injury at birth	160	2.5	5.7	4.1	4.5	1.5	1.5	3.5	1.8	2.1	8.4	4.0	5.3	3.7	1.6	3.2
Congenital debility and other diseases peculiar to first year	158,161	16.5	14.2	12.4	10.5	15.2	10.7	10.4	18.1	18.8	3.4	22.2	24.9	34.7	19.6	20.5
Violence or accident	166-182,185-195	---	---	---	---	---	3.0	3.5	---	2.1	---	---	5.3	5.7	3.3	3.2
Ill-defined and unknown causes	199,200	1.3	2.8	4.1	1.5	1.5	1.5	1.7	9.0	8.4	5.1	2.0	3.6	7.3	---	11.0
All other causes*	---	6.4	4.3	---	3.0	7.6	6.1	8.7	9.0	2.1	3.4	14.1	7.1	11.0	6.5	1.6

\* Refer to complete International List titles, table XI.

<sup>1</sup> Includes splenic anemia previous to 1939.

<sup>2</sup> Previous to 1939 rates are for bronchitis only.



SUPPLEMENT—VIRGIN ISLANDS

531

TABLE 12.—LIVE BIRTHS, DEATHS, AND STILLBIRTHS, BY RACE AND SEX: VIRGIN ISLANDS, 1924-1939

YEAR AND SEX	LIVE BIRTHS				TOTAL DEATHS <sup>1</sup>				DEATHS <sup>1</sup> UNDER 1 YEAR				STILLBIRTHS			
	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other
1939																
Total	56	579	152	—	54	373	53	—	4	64	12	—	2	25	8	—
Male	26	301	87	—	15	183	26	—	2	35	7	—	2	17	8	—
Female	30	278	65	—	19	190	27	—	2	29	5	—	—	8	—	—
1938																
Total	53	525	127	—	41	394	53	—	12	69	12	—	3	27	8	—
Male	26	275	62	—	25	172	15	—	6	58	5	—	1	14	4	—
Female	27	248	65	—	16	222	38	—	6	31	7	—	2	13	4	—
1937																
Total	44	512	169	—	40	387	70	1	4	67	19	—	1	28	8	—
Male	23	257	81	—	25	189	28	1	3	31	8	—	1	21	6	—
Female	21	255	88	—	17	198	42	—	1	36	11	—	—	7	2	—
1936																
Total	51	469	143	1	33	379	57	2	5	55	10	—	2	55	7	—
Male	28	252	71	—	20	176	23	2	2	25	3	—	2	17	4	—
Female	23	217	72	1	13	203	34	—	3	30	7	—	—	18	3	—
1935																
Total	40	490	125	1	47	388	56	1	9	90	13	—	1	27	3	—
Male	21	244	63	1	21	201	14	1	4	48	7	—	1	18	1	—
Female	19	246	62	—	26	187	42	—	5	42	6	—	—	9	2	—
1934																
Total	52	495	110	—	29	342	48	—	6	53	5	—	2	30	7	—
Male	29	244	53	—	16	157	15	—	3	30	2	—	2	12	2	—
Female	23	251	57	—	13	185	33	—	3	23	3	—	—	18	5	—
1933																
Total	47	463	67	1	37	389	53	2	6	80	5	—	1	29	5	1
Male	24	240	28	—	19	183	24	2	3	45	4	—	—	11	2	—
Female	23	223	39	1	18	206	29	—	3	35	1	—	1	17	3	1
1932																
Total	53	500	—	—	25	423	6	2	2	72	—	—	—	32	—	—
Male	23	276	—	—	13	186	3	1	1	44	—	—	—	19	—	—
Female	30	224	—	—	10	227	3	1	1	28	—	—	—	15	—	—
1931																
Total	54	425	—	1	32	417	—	—	7	50	—	—	5	54	—	—
Male	23	205	—	—	20	200	—	—	5	25	—	—	1	18	—	—
Female	31	218	—	1	12	217	—	—	2	25	—	—	2	16	—	—
1930																
Total	73	517	—	2	28	452	—	4	4	67	—	—	—	45	—	—
Male	41	253	—	1	15	214	—	4	1	34	—	—	—	26	—	—
Female	32	264	—	1	13	238	—	—	3	33	—	—	—	19	—	—
1929																
Total	54	441	1	—	35	496	1	1	4	68	—	—	1	42	—	—
Male	33	228	—	—	17	238	1	1	2	40	—	—	1	27	—	—
Female	21	213	1	—	18	258	—	—	2	28	—	—	—	15	—	—
1928																
Total	74	487	2	—	37	613	—	1	8	113	—	—	2	42	2	—
Male	35	251	1	—	16	290	—	1	5	58	—	—	1	24	2	—
Female	39	236	1	—	21	323	—	—	3	55	—	—	1	18	—	—
1927																
Total	41	506	—	—	43	551	—	—	4	111	—	—	—	53	—	—
Male	25	243	—	—	23	265	—	—	4	69	—	—	—	29	—	—
Female	16	263	—	—	20	286	—	—	—	42	—	—	—	24	—	—
1926																
Total	53	538	19	2	29	469	—	1	1	72	—	—	1	55	—	—
Male	27	262	11	—	17	223	—	1	—	35	—	—	1	26	—	—
Female	26	276	8	2	12	246	—	—	1	37	—	—	—	29	—	—
1925																
Total	60	493	79	2	27	473	—	1	3	87	—	—	2	52	6	—
Male	28	235	43	1	14	225	—	1	1	46	—	—	2	32	1	—
Female	32	258	36	1	13	248	—	—	2	41	—	—	—	20	5	—
1924																
Total	59	507	95	—	31	498	74	—	12	96	10	—	4	65	5	—
Male	29	240	50	—	12	245	27	—	4	47	6	—	4	36	4	—
Female	30	267	45	—	19	253	47	—	8	49	4	—	—	29	1	—

<sup>1</sup> Exclusive of stillbirths. <sup>2</sup> Includes 1 of unknown sex.

NOTE.—"Mixed" designates a mixture of white and Negro.