

VITAL STATISTICS OF THE UNITED STATES

1972

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

HEALTH RESOURCES ADMINISTRATION
NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1976
(HRA) 76-1101

NATIONAL CENTER FOR HEALTH STATISTICS

HAROLD MARGULIES, M.D., *Acting Director*

ROBERT A. ISRAEL, *Acting Deputy Director*

GAIL F. FISHER, *Associate Director for the Cooperative Health Statistics System*

ELIJAH L. WHITE, *Associate Director for Data Systems*

EDWARD E. MINTY, *Associate Director for Management*

PETER L. HURLEY, *Acting Associate Director for Operations*

JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*

ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*

ALICE M. HETZEL, *Deputy Director*

T. N. E. GREVILLE, Ph.D., *Actuarial Adviser*

ROBERT J. ARMSTRONG, M.S., *Chief, Mortality Statistics Branch*

ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*

ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*

LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*

WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*

MARVIN C. TEMPLETON, *Chief, Data Control Branch*

MICHAEL J. ZUGZDA, *Chief, Statistical Resources Branch*

RITA U. HOFFMAN, *Chief, Programming Branch*

VITAL STATISTICS OF THE UNITED STATES, 1972

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, date of death, and report of autopsy.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by color, age of mother, legitimacy status, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accidents and by person injured. Data shown by cause of death, age, color, and sex for the United States and by color and sex for each State. Deaths from accidental poisoning by age, color, and sex.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and e_x^0 by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents. Data for 1972 are based on a 50-percent sample of death certificates]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27	-28	-29	-30
PAGE: 1	-2	-3	-4	-6	-6	-6	-7	-8	-26	-45	-46	-47	-48	-60	-73	-74	-74	-75	-77	-80	-81	-89	-90	-170	-178	-186	-252	-356	-357	-358
Geographic area: Divisions-----										10 ¹	11	12	13	14			17													
50 largest standard metropolitan sta- tistical areas, 1972-----																	18													
States-----											11	12	13	14			17		19 ²	20 ¹	21	22					27			
United States-----	1	2 ³	3	4	5	6	7	8	9	10	11	12	13	14	15	16 ⁴	17		19	20	21	22	23	24	25	26	27	28	29	30
Years: 1900-1972-----	1	2								10 ⁵																				
1915-72-----																16 ⁶														
1961-72-----			3																											
1963-72-----											11																			
1970-72-----							7											17 ⁷												
1972 only-----			4	5	6		8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	27	28	29	30	
Type of entry: Age-adjusted rates- Number of deaths--	1	2			6							12	13		15		18	19	20	21	22	23	24	25	26	27		29	30	
Percent distribu- tion of deaths by cause-----					5																									
Death rates-----	1		3		5		7	8	9	10	11	12		14	15	16	17	18					23					28 ⁸	29 ⁸	
Characteristics: Age-----			3	4			8	9			12			15												26		28		
10-year age groups-----			3				9																					28		
5-year age groups-----							8							15												26				
Single years of age after 84---			4																											
Cause of death: Each cause-----																						23								
Selected causes--					6																								30	
281 selected causes-----																								24	25	26	27			
69 selected causes-----							7	8	9			13	14																29	
15 leading causes-----				5																										
Maternal causes only-----															15	16	17													
Color-----	1 ⁹	2 ⁹	3 ⁹	4		6	8	9							15	16 ⁹	17				21	23					27	28		
Race-----																						22			25	26				
Sex-----	1 ¹⁰	2	3	4		6	8	9													21	22	23		25	26	27	28		
Month-----																				20	21			24					30	
Day of month-----																													30	
Day of week-----																													30	
Autopsy-----																												28	29	
Autopsy findings used-----																													29	

¹Deaths by place of occurrence.
²Deaths by place of occurrence and place of residence.
³Entire United States for 1933-72; death-registration States for 1900-1932.
⁴Entire United States for 1933-72; birth-registration States for 1915-32.
⁵Data by 5-year averages for 1900-1959 and by single years for 1960-72.
⁶Data by 5-year averages for 1915-39 and by single years for 1940-72.
⁷Data by 3-year average.
⁸Number of autopsies per 100 deaths.
⁹New Jersey did not require the reporting of color or race in 1962 and 1963.
¹⁰For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence. Data for 1972 are based on a 50-percent sample of death certificates]

	TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15
	PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-10	-28	-37	-38	-44	-50	-68
Geographic area:																
Divisions-----							6	7								
50 largest standard metropolitan statistical areas, 1972-----									8							
Metropolitan and nonmetropolitan counties-----														13		
Population-size groups-----														13		
States-----							6	7		9	10					15
United States-----	1 ¹	2	3	4	5	6	7			9	10	11	12	13	14	15
Years:																
1915-72-----	1															
1963-72-----				4												
1968-72-----						6	7					11				
1972 only-----		2	3		5				8	9	10		12	13	14	15
Type of entry:																
Number of infant deaths-----			3						8	9	10		12	13	14	15
Infant mortality rates (per 1,000 live births)---	1		3			6	7	8								
Infant mortality rates (per 100,000 live births)-		2		4	5							11				
Characteristics:																
Age:																
Under 1 year-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	
Under 28 days-----	1	2	3	4			7	8	9	10		12	13	14	15	
28 days to 11 months-----			3									12		14	15	
Detailed age groups (under 1 day-11 months)----		2		4					9	10 ²					14	
Cause of death (65 selected causes)-----					5							11	12	13	14	15
Color-----	1 ³	2		4 ³	5	6	7				10			13	14	15
Month-----											10		12			
Race-----			3							9						
Sex-----		2	3							9	10 ²				14	

¹Entire United States for 1933-72; birth-registration States for 1915-32.

²For the United States only.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-16	-18	-22	-26	-29	-30	-31	-34
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties-----						6											
Population-size groups-----						6 ¹											
Selected areas-----			3 ²	4 ³													
States-----	1 ⁴						7	8 ⁵	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1942-72-----		2															
1968-72-----							7										
1972 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percent distribution-----			3														
Ratios (per 1,000 live births)-		2		4	5	6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 ⁶		4	5	6	7		9	10	11	12	13	14	15	16	17
Legitimacy status-----				4													
Month-----								9									
Period of gestation-----	1		3			6							13		15		17
Plural births-----					5									14	15		
Sex-----					5					10				14	15	16 ¹	17 ¹
Total-birth order-----										10		12					
Weight at birth-----														14		16	

¹For the United States only.

²Combined totals for 10 States which report all periods of gestation.

³Combined totals for 40 areas which report legitimacy status.

⁴Fetal deaths by place of occurrence.

⁵Fetal deaths by place of occurrence and place of residence.

⁶New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for accidental deaths occurring in the United States during 1972 and are based on a 50-percent sample of death certificates. Data for geographic areas within the United States are by place of residence]

	TABLE: 4	-1	-2	-3	-4	-5	-6	-7
	PAGE: 4	-2	-4	-12	-17	-21	-32	-36
Geographic area:								
States-----				3				7
United States-----		1	2	3	4	5	6	7
Subject matter:								
Accidental poisoning-----					4			
Motor vehicle accidents by person injured-----		1	2	3				
Nontransport accidents by place of accident-----						5	6	7
Characteristics:								
Age (5-year age groups)-----			2		4		6	
Color-----		1		3	4	5		7
Motor vehicle accidents by exact cause of death--		1						
Nontransport accidents by exact cause of death---						5		
Race-----			2				6	
Sex-----		1	2	3	4	5	6	7

Guide to tables in Section 5

[Life tables. Data for 1972 are based on a 50-percent sample of death certificates]

	TABLE: 5	-1	-2	-3	-4	-5
	PAGE: 5	-4	-7	-8	-9	-11
Years:						
1900-1972-----						5 ¹
1972 only-----		1	2	3		
Specified years and 1972-----					4 ²	
Type of entry:						
Proportion dying (${}_nq_x$)-----		1				
Number surviving (${}_nL_x$)-----		1	2		4	
Number dying (${}_nd_x$)-----		1				
Stationary population (${}_nL_x$) and (T_x)-----		1				
Average remaining lifetime (e_x^o)-----		1		3	4	
Estimated average length of life (e_o^o)-----						5
Characteristics:						
Age by:						
Single years-----			2	3		
5-year intervals-----		1			4	
Sex-color specific-----		1	2	3	4	5 ³
Sex specific-----		1	2	3		5
Color specific-----		1	2	3		5 ³
Total population-----		1	2	3		5

¹Entire United States for 1929-72; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1972; death-registration States for specified years from 1900 to 1921.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

		TABLE: 6	-1	-2	-3
		PAGE: 6	-23	-24	-25
Geographic area:					
Divisions-----					3
States-----		1 ¹			3
United States-----		1 ^{1,2}	2		3
Years:					
1900-1972 ³ -----		1			
1972-----			2		3
Characteristics:					
Age-----			2		3
Race-----			2		
Sex-----			2		

¹Entire United States for 1900-1972; birth- and death-registration States for 1900-1932.

²Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

³Population enumerated as of April 1, 1940, 1950, 1960, and 1970, and estimated as of July 1 for all other years.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1972. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-2	-75	-93	-111	-150	-168	-474	-484	-520
Geographic area:									
Counties-----	1 ¹								9
Metropolitan and nonmetropolitan counties-----		2	3						9
Specified urban places-----	1								9
Standard metropolitan statistical areas-----				4				8	
States-----	1 ¹	2	3			6	7 ²		9
United States-----	1	2	3		5		7		9
Population-size groups-----		2							9
Type of entry:									
Number of deaths-----	1	2	3	4	5	6	7	8	9
Number of fetal deaths-----	1	2							
Number of infant deaths-----	1	2	3	4	5	6			
Number of neonatal deaths-----	1	2							
Fetal-death ratios (per 1,000 live births)-----		2							
Infant mortality rates (per 1,000 live births)---		2							
Neonatal mortality rates (per 1,000 live births)-		2							
Characteristics:									
Age:									
5-year age groups-----					5	6			
10-year age groups-----			3	4					
Cause of death:									
34 selected causes-----									9
69 selected causes-----					5	6	7	8	
Color-----		2	3	4	5	6			
Race-----	1								
Sex-----			3	4	5	6			

¹Deaths by place of occurrence and place of residence.

²Deaths by place of occurrence.

SYMBOLS USED IN TABLES

Data not available -----	---
Category not applicable -----	...
Quantity zero -----	-
Quantity more than 0 but less than 0.5 -----	0.0
Figure does not meet standards of reliability or precision -----	*

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-72 -----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-72 -----	1-3
1-3. Death rates by age, color, and sex: United States, 1961-72 -----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1972 -----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1972 -----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1972 -----	1-6
1-7. Death rates for 69 selected causes: United States, 1970-72 -----	1-7
1-8. Death rates for 69 selected causes, by 5-year age groups, color, and sex: United States, 1972 -----	1-8
1-9. Death rates for 69 selected causes, by 10-year age groups, color, and sex: United States, 1972 -----	1-26
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1972 -----	1-45
1-11. Death rates: United States, each division and State, 1963-72 -----	1-46
1-12. Deaths and death rates by age: United States, each division and State, 1972 -----	1-47
1-13. Deaths from 69 selected causes: United States, each division and State, 1972 -----	1-48
1-14. Death rates for 69 selected causes: United States, each division and State, 1972 -----	1-60
1-15. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1972 -----	1-73
1-16. Maternal mortality rates by color: Birth-registration States or United States, 1915-72 -----	1-74
1-17. Maternal mortality rates by color: United States, each division and State, 1970-72 (3-year average) -----	1-74
1-18. Deaths and death rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1972 -----	1-75
1-19. Deaths by State of occurrence, distributed according to State of residence: United States and each State, 1972 -----	1-77
1-20. Deaths by month and State of occurrence: United States and each State, 1972 -----	1-80
1-21. Deaths by month, color, and sex: United States and each State, 1972 -----	1-81
1-22. Deaths by specified race or national origin and sex: United States and each State, 1972 -----	1-89
1-23. Deaths and death rates for each cause, by color and sex: United States, 1972 -----	1-90
1-24. Deaths from 281 selected causes, by month: United States, 1972 -----	1-170
1-25. Deaths from 281 selected causes, by specified race or national origin and sex: United States, 1972 -----	1-178
1-26. Deaths from 281 selected causes, by age, race, and sex: United States, 1972 -----	1-186
1-27. Deaths from 281 selected causes, by color and sex: United States and each State, 1972 -----	1-252
1-28. Percent of deaths for which autopsies were reported, by age, color, and sex: United States, 1972 -----	1-356
1-29. Deaths from 69 selected causes, by number and percent for which autopsies were reported and item "findings used" was on certificate, by number and percent for which autopsy findings were used: United States, 1972 -----	1-357
1-30. Deaths from selected causes by date of death: United States, 1972 -----	1-358

SECTION I - GENERAL MORTALITY

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-72

[Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
	Total	White	All other	Total			White			All other		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES												
1972 ^{1,2}	1,963,944	1,721,466	242,476	9.4	10.8	8.1	9.5	10.8	8.2	9.2	11.0	7.6
1971 ²	1,927,542	1,689,771	237,771	9.3	10.7	8.1	9.4	10.7	8.1	9.2	10.8	7.6
1970 ²	1,921,051	1,682,096	238,955	9.5	10.9	8.1	9.5	10.9	8.1	9.4	11.2	7.8
1969	1,921,990	1,685,662	236,328	9.5	11.0	8.1	9.5	10.9	8.2	9.6	11.3	8.0
1968	1,930,082	1,689,559	240,523	9.7	11.1	8.2	9.6	11.1	8.2	9.9	11.6	8.3
1967	1,851,323	1,627,151	224,172	9.4	10.8	8.0	9.4	10.8	8.0	9.4	10.9	7.9
1966	1,865,149	1,654,461	228,688	9.5	11.0	8.1	9.5	10.9	8.1	9.7	11.3	8.3
1965	1,828,156	1,605,498	222,658	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
1964	1,798,051	1,578,674	219,377	9.4	10.8	8.0	9.4	10.8	8.0	9.7	11.1	8.3
1963 ^a	1,815,549	1,535,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7
1962 ^a	1,766,720	1,488,113	206,585	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,480,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,808	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,635,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,584,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.9	9.1	10.6	7.6	10.1	11.4	8.9
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,484	1,276,085	176,399	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,445,607	1,288,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,357	1,270,589	173,768	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,358	1,238,829	172,529	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,215,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,289	1,231,223	186,066	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,579	200,649	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,905	1,207,197	189,708	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES⁴												
1932	1,295,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,275	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,894	190,346	11.3	12.3	10.4	10.8	11.7	9.9	16.3	17.4	15.3
1929	1,569,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,561,907	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	987,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,085	1,028,101	145,984	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,085,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,675	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,689	127,381	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	13.1	13.8	12.4	12.5	13.5	12.8	19.5	20.0	19.5
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	13.4	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	756,600	54,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	587,245	542,800	44,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,883	334,344	11,539	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	14.4	24.3	25.6	23.1
1900	343,217	332,610	10,607	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.⁴Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

1-3

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-72

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1972 ^{1,2}	7.0	9.2	5.2	6.7	8.8	4.9	9.7	12.3	7.5
1971 ²	7.0	9.2	5.2	6.7	8.8	4.9	9.6	12.1	7.5
1970 ²	7.1	9.3	5.3	6.8	8.9	5.0	9.8	12.3	7.7
1969	7.3	9.5	5.5	6.9	9.0	5.2	10.5	13.0	8.3
1968	7.5	9.6	5.6	7.1	9.2	5.3	10.8	13.3	8.6
1967	7.3	9.4	5.5	6.9	9.0	5.2	10.2	12.4	8.2
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963 ³	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962 ³	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.8	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.9	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES ⁴									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.1	18.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.9	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	25.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	26.3	29.7	26.9
1904	17.3	19.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	29.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	19.2	16.2	17.0	18.0	15.0	26.9	29.4	25.5
1900	17.8	19.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.⁴Increased in number from 17 States and the District of Columbia in 1909 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1961-72

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1972 ^{2,3}	9.4	18.3	0.8	0.4	1.3	1.5	3.0	7.1	18.3	35.3	79.7	173.5
1971 ³	9.3	19.0	0.8	0.4	1.3	1.6	3.1	7.1	16.2	34.9	78.7	174.3
1970 ³	9.5	21.4	0.8	0.4	1.3	1.6	3.1	7.3	16.6	35.8	80.0	163.4
1969	9.5	21.5	0.9	0.4	1.3	1.6	3.2	7.3	16.8	37.4	79.0	190.8
1968	9.7	22.3	0.9	0.4	1.2	1.6	3.2	7.5	17.2	38.5	80.8	196.1
1967	9.4	22.3	0.9	0.4	1.2	1.5	3.1	7.3	16.7	37.5	79.0	194.2
1966	9.5	23.3	0.9	0.4	1.2	1.5	3.1	7.4	17.0	38.4	81.7	200.5
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	200.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
MALE												
1972 ^{2,3}	10.8	20.6	0.9	0.5	1.9	2.1	3.9	9.4	22.5	48.2	101.2	186.0
1971 ³	10.7	21.4	0.9	0.5	1.9	2.1	3.9	9.3	22.3	47.6	99.2	197.5
1970 ³	10.9	24.1	0.9	0.5	1.9	2.2	4.0	9.6	22.8	48.7	100.1	178.2
1969	11.0	24.2	0.9	0.5	1.9	2.2	4.1	9.6	23.1	50.3	97.6	193.5
1968	11.1	25.2	0.9	0.5	1.8	2.1	4.1	9.8	23.7	51.9	98.8	203.9
1967	10.8	25.2	1.0	0.5	1.7	2.0	3.9	9.6	23.0	50.2	96.2	203.8
1966	11.0	26.3	1.0	0.5	1.7	2.0	3.9	9.8	23.3	51.2	98.5	209.5
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	23.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	23.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	9.8	23.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	98.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
FEMALE												
1972 ^{2,3}	8.1	15.9	0.7	0.3	0.7	1.0	2.2	5.0	10.8	25.3	65.8	182.0
1971 ³	8.0	16.6	0.7	0.3	0.7	1.0	2.3	5.0	10.8	25.0	65.3	182.2
1970 ³	8.1	18.6	0.8	0.3	0.7	1.0	2.3	5.2	11.0	25.8	66.8	155.2
1969	8.1	18.6	0.8	0.3	0.7	1.0	2.4	5.1	11.1	27.1	66.3	188.0
1968	8.2	19.2	0.8	0.3	0.7	1.0	2.4	5.3	11.4	27.8	68.3	191.7
1967	8.0	19.4	0.8	0.3	0.6	1.0	2.3	5.1	11.2	27.3	66.9	189.6
1966	8.1	20.3	0.8	0.3	0.6	1.1	2.3	5.2	11.2	28.1	69.6	195.1
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	193.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	193.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	71.1	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
WHITE												
1972 ^{2,3}	9.5	15.8	0.7	0.4	1.2	1.3	2.6	6.5	15.5	34.3	80.2	178.6
1971 ³	9.4	16.6	0.7	0.4	1.1	1.3	2.6	6.5	15.4	33.9	79.1	179.1
1970 ³	9.5	18.7	0.8	0.4	1.2	1.3	2.7	6.7	15.8	34.9	80.4	183.9
1969	9.5	19.2	0.8	0.4	1.2	1.3	2.7	6.6	15.8	35.8	79.8	202.2
1968	9.6	19.8	0.8	0.4	1.1	1.3	2.7	6.8	16.2	36.9	81.6	205.9
1967	9.4	19.6	0.8	0.4	1.1	1.3	2.7	6.7	15.9	36.1	80.0	203.6
1966	9.5	20.2	0.8	0.4	1.1	1.3	2.7	6.8	16.1	37.0	82.6	208.9
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
WHITE, MALE												
1972 ^{2,3}	10.8	18.0	0.8	0.5	1.7	1.7	3.3	8.6	21.6	47.5	102.3	202.7
1971 ³	10.7	18.8	0.8	0.5	1.7	1.7	3.3	8.6	21.5	47.0	100.3	204.2
1970 ³	10.9	21.1	0.8	0.5	1.7	1.8	3.4	8.8	22.0	48.1	101.0	185.5
1969	10.9	21.9	0.8	0.5	1.8	1.8	3.5	8.9	22.2	48.9	98.8	208.9
1968	11.1	22.7	0.8	0.5	1.7	1.7	3.5	9.1	22.7	50.3	100.0	215.6
1967	10.8	22.4	0.8	0.5	1.6	1.7	3.4	9.0	22.2	48.9	97.6	215.1
1966	10.9	23.0	0.9	0.5	1.6	1.7	3.4	9.1	22.5	49.8	99.9	218.6
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	219.2
1963	11.0	25.2	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	101.8	230.0
1962	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	213.9
WHITE, FEMALE												
1972 ^{2,3}	8.2	13.4	0.6	0.3	0.6	0.8	1.9	4.4	10.0	24.2	66.2	166.6
1971 ³	8.1	14.2	0.7	0.3	0.6	0.8	1.9	4.5	10.0	23.9	65.6	166.3
1970 ³	8.1	16.1	0.7	0.3	0.6	0.8	1.9	4.6	10.1	24.7	67.0	159.8
1969	8.2	16.4	0.7	0.3	0.6	0.8	2.0	4.5	10.1	25.5	66.9	198.0
1968	8.2	16.8	0.7	0.3	0.6	0.8	2.0	4.7	10.4	26.2	68.9	200.1
1967	8.0	16.7	0.7	0.3	0.6	0.8	1.9	4.6	10.1	25.9	67.6	197.0
1966	8.1	17.3	0.7	0.3	0.6	0.8	1.9	4.6	10.2	26.7	70.2	202.7
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.6	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962	8.0	19.1	0.8	0.3	0.5	0.9	1.8	4.6	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.8	4.5	10.3	27.0	73.4	192.0
ALL OTHER												
1972 ^{2,3}	9.2	31.3	1.2	0.5	2.0	3.5	6.4	12.6	24.1	44.9	73.4	118.0
1971 ³	9.2	32.5	1.3	0.5	2.1	3.6	6.5	12.4	23.8	44.7	72.7	119.9
1970 ³	9.4	36.0	1.3	0.5	2.0	3.5	6.6	12.9	24.3	44.9	75.1	107.5
1969	9.6	32.0	1.3	0.6	2.1	3.7	7.1	13.2	26.2	55.6	69.3	99.6
1968	9.8	33.6	1.4	0.6	1.9	3.8	7.2	13.5	27.3	57.7	71.2	111.5
1967	9.4	35.4	1.4	0.6	1.7	3.5	6.7	12.9	25.5	53.7	67.3	108.5
1966	9.7	38.8	1.5	0.6	1.7	3.5	6.8	13.2	26.4	55.2	71.2	120.0
1965	9.6	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.6	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	3.3	6.6	13.2	27.1	50.6	69.8	128.0
1963	10.1	41.3	1.7	0.6	1.6	3.2	6.5	13.2	27.9	53.0	74.4	145.7
1962	9.8	41.2	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.0	144.0
1961	9.6	40.8	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.1	142.3

See footnotes at end of table.

SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1961-72-Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL OTHER, MALE												
1972 ^{2,3}	11.0	34.4	1.3	0.6	3.0	5.1	8.7	16.4	30.7	54.9	89.4	135.3
1971 ³	10.9	36.1	1.4	0.7	3.1	5.2	8.5	15.7	30.1	53.8	87.5	135.5
1970 ³	11.2	40.2	1.4	0.7	3.0	5.0	8.7	16.5	30.5	54.7	89.8	114.1
1969	11.5	35.4	1.4	0.7	3.0	5.2	9.4	16.9	32.5	66.5	84.1	101.7
1968	11.6	36.9	1.5	0.7	2.8	5.2	9.2	17.0	33.8	69.8	85.1	115.6
1967	10.9	38.8	1.5	0.7	2.5	4.8	8.5	16.1	30.9	65.0	79.7	114.3
1966	11.3	42.6	1.6	0.7	2.4	4.6	8.5	16.3	31.8	66.9	82.1	127.0
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 ⁴	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 ⁴	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	76.2	155.9
ALL OTHER, FEMALE												
1972 ^{2,3}	7.6	26.2	1.1	0.4	1.0	2.1	4.6	9.5	18.5	36.8	61.8	109.4
1971 ³	7.6	29.0	1.1	0.4	1.1	2.2	4.8	9.5	18.5	36.3	62.0	112.7
1970 ³	7.8	31.7	1.2	0.4	1.1	2.2	4.9	9.8	19.0	36.8	63.9	102.9
1969	8.0	28.6	1.2	0.4	1.1	2.4	5.2	10.0	20.6	46.1	58.5	83.1
1968	8.3	30.2	1.2	0.4	1.1	2.5	5.3	10.3	21.5	47.6	60.9	109.9
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.6	44.1	57.4	104.1
1966	8.3	33.0 ⁴	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963 ⁴	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.3	24.2	43.1	65.4	137.1
1962 ⁴	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0

¹Figures for age not stated included in "Total" but not distributed among age groups.²Deaths based on a 50-percent sample.³Excludes deaths of nonresidents of the United States.⁴Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1972

[Deaths based on a 50-percent sample]

Age	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over--	270,514	103,466	167,048	96,670	138,078	6,796	8,970
85 years-----	39,730	16,948	22,782	15,888	21,576	1,052	1,206
86 years-----	38,244	15,942	22,302	15,020	21,134	922	1,168
87 years-----	34,744	13,922	20,822	13,052	19,788	870	1,034
88 years-----	30,122	11,804	18,318	11,084	17,464	720	854
89 years-----	26,364	10,064	16,300	9,460	15,500	624	600
90 years-----	22,138	8,192	13,946	7,674	13,264	518	602
91 years-----	18,470	6,622	11,848	6,230	11,260	392	580
92 years-----	15,168	5,294	9,874	4,932	9,338	362	536
93 years-----	11,370	3,892	7,478	3,578	7,112	306	376
94 years-----	9,474	3,236	6,238	3,054	5,920	204	316
95 years-----	7,178	2,400	4,778	2,218	4,504	182	274
96 years-----	5,632	1,698	3,934	1,582	3,706	116	228
97 years-----	3,806	1,078	2,728	964	2,554	114	174
98 years-----	2,636	782	1,854	704	1,700	78	154
99 years-----	1,776	538	1,238	466	1,154	72	84
100 years-----	1,258	386	872	330	796	56	76
101 years-----	842	244	598	196	534	48	64
102 years-----	546	140	406	96	316	44	90
103 years-----	358	90	268	66	176	24	72
104 years-----	210	58	152	36	108	22	44
105 years-----	160	38	122	28	80	10	42
106 years-----	114	34	80	18	48	16	32
107 years-----	52	18	34	2	22	16	12
108 years-----	38	18	20	8	8	10	12
109 years-----	14	8	6	4	4	4	2
110 years-----	14	2	12	-	6	2	6
111 years-----	10	2	8	2	-	-	8
112 years-----	10	-	10	-	4	-	6
113 years-----	8	2	6	-	-	2	6
114 years-----	2	-	2	-	-	-	2
115 years-----	3	-	3	-	-	-	3
116 years-----	12	2	10	2	2	-	6
117 years-----	-	-	-	-	-	-	-
118 years-----	-	-	-	-	-	-	-
119 years-----	2	-	2	-	-	-	2
120 years-----	-	-	-	-	-	-	-
121 years-----	-	-	-	-	-	-	-
122 years-----	-	-	-	-	-	-	-
123 years-----	2	-	2	-	-	-	2
124 years-----	2	-	2	-	-	-	2
125 years-----	-	-	-	-	-	-	-

Table 1-5. Mortality From 15 Leading Causes of Death: United States, 1972

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. For method of ranking, see Technical Appendix. Deaths based on a 50-percent sample]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes-----	945.2	100.0
1	Diseases of heart-----390-398,402,404,410-429	363.0	38.5
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	166.0	17.6
3	Cerebrovascular diseases-----430-438	102.5	10.9
4	Accidents-----E900-E949	55.4	5.9
...	Motor vehicle accidents-----E910-E923	27.0	2.9
...	All other accidents-----E900-E907, E925-E949	28.4	3.0
5	Influenza and pneumonia-----470-474,480-486	30.1	3.2
6	Diabetes mellitus-----250	18.6	2.0
7	Certain causes of mortality in early infancy-----760-769, 772, 774-778	16.2	1.7
8	Cirrhosis of liver-----571	15.6	1.7
9	Arteriosclerosis-----440	15.6	1.7
10	Bronchitis, emphysema, and asthma-----490-493	14.8	1.6
11	Suicide-----E950-E959	12.0	1.3
12	Homicide-----E960-E978	9.4	1.0
13	Congenital anomalies-----740-759	7.1	0.8
14	Nephritis and nephrosis-----580-584	4.1	0.4
15	Peptic ulcer-----531-533	3.8	0.4
...	All other causes-----Residual	109.0	11.6

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1972

[Based on age-specific death rates per 100,000 population in specified group. Computed by direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Deaths based on a 50-percent sample]

Cause of death	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes-----	701.8	921.9	520.0	667.6	883.2	490.8	965.4	1,227.2	745.0
Major cardiovascular diseases-----390-448	333.0	442.9	245.6	324.7	437.0	233.8	409.1	485.8	345.8
Diseases of heart-----390-398,402,404,410-429	249.3	344.5	171.6	244.9	343.3	164.7	283.1	349.3	226.5
Hypertension-----400,401,403	2.6	3.1	2.2	2.0	2.5	1.6	7.5	8.4	6.7
Cerebrovascular diseases-----430-438	65.0	72.7	59.1	61.0	68.8	54.9	101.3	107.8	96.0
Arteriosclerosis-----440	8.2	9.3	7.4	8.2	9.3	7.4	8.4	9.6	7.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	130.7	159.8	109.9	128.3	158.4	107.4	152.2	191.2	120.4
Accidents-----E900-E949	52.0	77.5	28.0	49.8	73.5	27.2	68.8	109.3	33.4
Motor vehicle accidents-----E910-E923	27.0	40.1	14.5	26.6	39.1	14.7	30.6	49.6	14.1
All other accidents-----E900-E907, E925-E949	25.0	37.3	13.4	23.1	34.4	12.5	38.1	59.7	19.3
Influenza and pneumonia-----470-474,480-486	20.8	27.6	15.6	19.2	25.4	14.4	32.6	44.5	22.8
Cirrhosis of liver-----571	14.9	20.6	9.6	13.5	19.1	8.6	25.4	35.1	17.2
Diabetes mellitus-----250	13.6	15.2	13.9	12.2	12.3	12.1	26.0	21.2	30.1
Suicide-----E950-E959	12.1	17.9	6.9	12.7	18.5	7.4	7.5	11.9	3.6
Bronchitis, emphysema, and asthma-----490-493	11.0	19.3	4.8	11.3	19.9	4.8	8.0	12.7	4.2
Homicide-----E960-E978	10.3	16.8	4.0	5.2	8.2	2.4	46.6	83.1	14.8
Tuberculosis, all forms-----010-019	1.7	2.7	0.9	1.3	2.0	0.7	5.9	9.3	3.0

SECTION 1 - GENERAL MORTALITY

1-7

Table 1-7. Death Rates for 69 Selected Causes: United States, 1970-72

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	1972 ^{1,2}	1971 ²	1970 ²
All causes	945.2	954.7	945.3
Bacillary dysentery and amebiasis	0.0	0.0	0.0
Enteritis and other diarrheal diseases	1.1	1.1	1.3
Tuberculosis, all forms	2.1	2.2	2.6
Tuberculosis of respiratory system	1.7	1.7	2.0
Tuberculosis, other forms	0.4	0.4	0.5
Whooping cough	0.0	0.0	0.0
Streptococcal sore throat and scarlet fever	0.0	0.0	0.0
Meningococcal infections	0.2	0.2	0.5
Septicemia	2.0	2.0	1.7
Acute poliomyelitis	0.0	0.0	0.0
Measles	0.0	0.0	0.0
Syphilis and its sequelae	0.2	0.2	0.2
Other infective and parasitic diseases	1.9	1.9	2.0
Remainder of 000-156			
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	166.0	163.6	162.8
Malignant neoplasms of buccal cavity and pharynx	3.6	3.7	3.7
Malignant neoplasms of digestive organs and peritoneum	46.0	46.0	46.6
Malignant neoplasms of respiratory system	37.0	35.4	34.2
Malignant neoplasm of breast	15.1	14.7	14.7
Malignant neoplasms of genital organs	20.3	20.4	20.3
Malignant neoplasms of urinary organs	7.6	7.4	7.6
Malignant neoplasms of all other and unspecified sites	20.0	19.7	19.2
Leukemia	6.9	7.0	7.1
Other neoplasms of lymphatic and hematopoietic tissues	9.4	9.3	9.2
Benign neoplasms and neoplasms of unspecified nature	2.4	2.4	2.4
Diabetes mellitus	18.6	18.6	18.9
Avitaminoses and other nutritional deficiencies	1.2	1.2	1.2
Anemias	1.6	1.7	1.7
Meningitis	0.7	0.8	0.8
Major cardiovascular diseases	497.1	493.3	496.0
Diseases of heart	365.0	360.5	362.0
Active rheumatic fever and chronic rheumatic heart disease	6.8	7.1	7.3
Hypertensive heart disease	5.7	5.8	4.1
Hypertensive heart and renal disease	2.8	3.0	3.2
Ischemic heart disease	328.7	327.0	328.1
Acute myocardial infarction	171.9	173.5	175.8
Other acute and subacute forms of ischemic heart disease	2.2	2.0	2.1
Chronic ischemic heart disease	154.6	151.5	150.1
Angina pectoris	0.1	0.1	0.1
Chronic disease of endocardium and other myocardial insufficiency	2.7	3.0	3.3
All other forms of heart disease	18.3	18.6	15.9
Hypertension	3.7	3.8	4.1
Cerebrovascular diseases	102.5	101.4	101.9
Cerebral hemorrhage	17.6	18.7	20.4
Cerebral thrombosis	27.6	27.8	28.5
Cerebral embolism	0.5	0.5	0.4
All other cerebrovascular diseases	56.7	54.5	52.7
Arteriosclerosis	15.6	15.3	15.6
Other diseases of arteries, arterioles, and capillaries	12.3	12.3	12.5
Acute bronchitis and bronchiolitis	0.6	0.6	0.6
Influenza and pneumonia	30.1	27.7	30.9
Influenza	2.4	0.7	1.8
Pneumonia	27.7	27.0	29.0
Bronchitis, emphysema, and asthma	14.8	14.7	15.2
Chronic and unqualified bronchitis	2.8	2.7	2.9
Emphysema	10.8	10.9	11.2
Asthma	1.1	1.0	1.1
Peptic ulcer	3.8	3.9	4.2
Appendicitis	0.6	0.6	0.7
Hernia and intestinal obstruction	3.3	3.4	3.6
Cirrhosis of liver	15.6	15.4	15.5
Cholelithiasis, cholecystitis and cholangitis	1.8	1.8	2.0
Nephritis and nephrosis	4.1	4.1	4.4
Acute nephritis and nephrotic syndrome	0.7	0.7	0.7
Chronic and unqualified nephritis and renal sclerosis	3.4	3.4	3.7
Infections of kidney	3.3	3.7	4.0
Hyperplasia of prostate	0.9	0.9	1.1
Complications of pregnancy, childbirth, and the puerperium	0.3	0.3	0.4
Abortions	0.0	0.0	0.1
Other complications of pregnancy, childbirth, and the puerperium	0.3	0.3	0.3
Congenital anomalies	7.1	7.7	8.3
Certain causes of mortality in early infancy	16.2	16.7	21.3
Birth injury, difficult labor, and other anoxic and hypoxic conditions	9.0	10.2	11.2
Other causes of mortality in early infancy	7.2	6.5	10.0
Symptoms and ill-defined conditions	13.2	12.9	12.7
All other diseases	53.2	50.8	49.8
Accidents	55.4	55.0	56.4
Motor vehicle accidents	27.0	26.4	26.9
All other accidents	28.4	28.6	29.5
Suicide	12.0	11.7	11.6
Homicide	9.4	9.1	8.3
Other external causes	2.4	2.6	2.7

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	ALL CAUSES-----	943.2	1,829.2	80.9	41.0	40.6	111.0	146.7	141.5
2	MALE-----	1,080.3	2,066.1	90.0	47.0	50.7	159.5	221.3	201.4
3	FEMALE-----	812.8	1,585.1	71.4	34.9	30.1	61.3	73.8	83.0
4	WHITE-----	946.4	1,577.5	73.4	39.3	39.3	135.5	128.2	118.4
5	MALE-----	1,977.3	1,800.4	82.5	45.1	48.8	151.4	192.7	167.6
6	FEMALE-----	821.3	1,343.1	63.8	33.3	28.8	58.3	64.3	69.6
7	ALL OTHER-----	920.9	3,125.6	120.0	50.4	49.5	143.5	267.5	312.9
8	MALE-----	1,101.3	3,443.9	129.6	57.4	61.3	208.6	416.8	472.2
9	FEMALE-----	755.5	2,815.5	110.2	43.3	37.5	79.0	133.1	176.0
10	BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	0.4	0.1	0.0	-	-	0.0	0.0
11	MALE-----	0.1	0.6	0.1	-	-	-	-	0.0
12	FEMALE-----	0.0	0.2	0.1	0.0	-	-	3.0	3.0
13	WHITE-----	0.0	3.1	0.1	0.0	-	-	0.0	0.0
14	MALE-----	0.0	0.1	0.1	-	-	-	-	-
15	FEMALE-----	0.0	0.1	0.0	0.0	-	-	0.1	0.0
16	ALL OTHER-----	0.1	1.9	3.2	-	-	-	-	0.1
17	MALE-----	0.1	3.0	0.2	-	-	-	-	0.2
18	FEMALE-----	0.1	0.8	0.2	-	-	-	-	-
19	ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	21.4	0.8	0.1	0.0	0.1	0.1	0.1
20	MALE-----	1.0	23.5	1.1	0.1	0.0	0.1	0.1	0.1
21	FEMALE-----	1.1	19.3	0.6	0.1	0.1	3.1	0.1	0.1
22	WHITE-----	0.9	12.3	0.6	0.1	0.0	0.1	0.1	0.1
23	MALE-----	0.9	14.2	0.8	0.1	-	0.1	0.1	0.1
24	FEMALE-----	1.0	10.3	0.4	0.1	3.0	0.0	0.1	0.1
25	ALL OTHER-----	2.2	68.4	1.9	0.1	0.1	0.3	0.1	-
26	MALE-----	2.3	71.9	2.3	-	0.1	0.3	0.2	-
27	FEMALE-----	2.0	65.2	1.5	0.1	0.1	3.3	-	-
28	TUBERCULOSIS, ALL FORMS-----010-019	2.1	0.2	0.1	0.0	0.0	0.1	0.1	0.3
29	MALE-----	3.1	0.5	0.1	3.0	-	0.1	0.1	0.3
30	FEMALE-----	1.2	-	0.2	-	0.0	0.0	0.2	0.3
31	WHITE-----	1.7	0.1	0.1	0.0	0.0	0.1	0.1	0.1
32	MALE-----	2.4	0.3	0.1	0.0	-	0.1	0.1	0.1
33	FEMALE-----	0.9	-	0.1	-	0.0	0.0	0.1	0.2
34	ALL OTHER-----	5.2	0.7	0.4	-	-	0.1	0.4	1.6
35	MALE-----	7.8	1.5	0.2	-	-	0.3	3.5	1.9
36	FEMALE-----	2.8	-	0.5	-	-	-	0.3	1.3
37	TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.7	3.2	3.1	-	-	3.0	0.1	0.2
38	MALE-----	2.5	0.4	0.1	-	-	0.1	0.0	3.2
39	FEMALE-----	3.9	-	0.1	-	-	0.0	0.1	0.3
40	WHITE-----	1.3	0.1	0.0	-	-	0.0	3.0	3.1
41	MALE-----	2.0	0.1	0.0	-	-	3.0	0.0	0.1
42	FEMALE-----	0.7	-	-	-	-	0.0	0.1	0.2
43	ALL OTHER-----	4.2	3.7	0.3	-	-	3.1	0.2	1.2
44	MALE-----	6.4	1.5	0.2	-	-	0.3	0.2	1.2
45	FEMALE-----	2.2	-	0.4	-	-	-	0.2	1.3
46	TUBERCULOSIS, OTHER FORMS-----013-019	0.4	0.1	0.1	0.0	0.0	0.0	0.1	0.1
47	MALE-----	0.6	0.1	0.1	0.0	-	0.0	0.1	0.1
48	FEMALE-----	0.3	-	0.1	-	3.0	3.0	0.1	-
49	WHITE-----	0.4	0.1	0.1	0.0	0.0	0.0	0.1	0.0
50	MALE-----	0.5	0.1	0.1	0.0	-	0.0	0.0	0.0
51	FEMALE-----	0.2	-	0.1	-	0.0	3.0	0.1	-
52	ALL OTHER-----	1.0	-	0.1	-	-	-	0.3	0.3
53	MALE-----	1.3	-	-	-	-	-	0.4	0.7
54	FEMALE-----	0.6	-	0.2	-	-	-	0.2	-
55	WHOOPING COUGH-----033	0.0	0.1	-	-	-	-	-	-
56	MALE-----	-	-	-	-	-	-	-	-
57	FEMALE-----	0.0	0.2	-	-	-	-	-	-
58	WHITE-----	0.0	-	-	-	-	-	-	-
59	MALE-----	-	-	-	-	-	-	-	-
60	FEMALE-----	0.0	-	-	-	-	-	-	-
61	ALL OTHER-----	0.0	0.7	-	-	-	-	-	-
62	MALE-----	-	-	-	-	-	-	-	-
63	FEMALE-----	0.0	1.5	-	-	-	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	0.1	3.0	-	-	3.0	-	-
65	MALE-----	0.0	3.1	-	-	-	3.0	-	-
66	FEMALE-----	0.0	-	0.0	-	-	-	-	-
67	WHITE-----	0.0	0.1	0.0	-	-	0.0	-	-
68	MALE-----	0.0	0.1	-	-	-	3.0	-	-
69	FEMALE-----	0.0	-	0.0	-	-	-	-	-
70	ALL OTHER-----	0.0	-	-	-	-	-	-	-
71	MALE-----	-	-	-	-	-	-	-	-
72	FEMALE-----	-	-	-	-	-	-	-	-
73	MENINGOCOCCAL INFECTIONS-----036	0.2	2.9	0.7	0.1	0.1	0.1	0.1	0.0
74	MALE-----	0.2	3.3	0.8	1.1	1.1	1.2	3.1	3.0
75	FEMALE-----	3.1	2.9	0.6	0.1	3.1	0.1	0.0	3.0
76	WHITE-----	0.2	3.0	0.6	0.0	0.1	0.1	0.1	0.0
77	MALE-----	0.2	3.3	0.6	3.0	3.0	3.2	3.1	3.2
78	FEMALE-----	0.1	2.8	0.7	0.0	0.1	0.1	0.0	0.0
79	ALL OTHER-----	0.3	2.2	1.0	0.2	0.2	0.1	0.1	-
80	MALE-----	0.3	1.5	1.8	0.1	3.1	0.1	3.2	-
81	FEMALE-----	0.2	3.0	0.2	0.3	0.3	-	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
169.0	236.6	364.3	574.4	850.8	1,327.8	1,972.0	2,877.4	4,397.2	6,747.8	9,907.7	17,351.8	1
224.5	304.7	464.3	749.2	1,137.3	1,809.2	2,748.3	3,995.7	5,977.0	8,836.7	12,335.6	19,595.8	2
115.4	171.9	269.1	411.1	584.5	887.7	1,299.4	1,976.8	3,241.1	5,348.1	8,466.3	14,202.5	3
136.5	193.8	312.9	512.9	782.8	1,251.6	1,887.2	2,789.9	4,274.5	6,730.8	10,068.6	17,864.5	4
178.7	246.6	395.6	671.5	1,056.7	1,721.8	2,669.9	3,927.4	5,896.6	8,851.6	12,592.9	20,266.2	5
55.0	142.6	228.9	363.5	526.8	819.4	1,202.8	1,876.3	3,100.5	5,325.0	8,588.9	16,657.3	6
350.4	535.6	750.7	1,083.8	1,454.5	2,074.8	2,761.5	3,685.7	5,767.6	6,952.5	7,957.7	11,854.1	7
562.4	747.0	990.4	1,421.3	1,876.8	2,691.5	3,484.2	4,639.1	6,776.5	8,606.1	9,511.7	13,325.5	8
244.8	361.7	550.5	791.1	1,082.6	1,542.4	2,137.6	2,925.1	4,828.6	5,676.0	6,951.4	10,939.0	9
C.0	0.1	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.1	0.2	0.3	10
C.0	0.1	0.0	0.0	0.1	-	0.1	0.2	-	0.1	0.2	0.4	11
C.0	0.3	-	-	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	12
0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.2	0.3	13
C.0	0.0	0.0	0.0	0.1	-	0.2	0.3	-	0.1	0.2	0.4	14
-	-	-	-	-	0.1	-	0.1	0.1	0.1	0.1	0.2	15
-	0.2	-	-	0.3	-	-	0.3	-	-	-	-	16
-	0.3	-	-	0.4	-	-	-	-	-	-	-	17
-	0.3	-	-	0.3	-	-	0.5	-	-	-	-	18
C.2	0.1	0.4	0.3	0.7	0.8	1.1	1.4	3.2	5.6	8.5	19.0	19
0.2	0.1	0.4	0.3	0.6	0.9	1.0	1.4	3.5	5.1	7.8	18.9	20
0.1	0.2	0.3	0.3	0.9	0.8	1.1	1.4	3.1	5.9	8.9	19.0	21
C.1	0.1	0.3	0.3	0.7	0.8	1.1	1.3	3.3	5.3	8.6	19.4	22
C.2	0.1	0.3	0.3	0.5	0.9	1.0	1.3	3.4	5.0	7.8	19.7	23
C.0	0.2	0.3	0.3	0.9	0.8	1.2	1.3	3.2	5.5	9.0	19.2	24
C.6	0.3	0.7	0.6	0.7	0.6	0.7	0.6	2.5	3.4	9.2	15.0	25
C.6	0.3	1.0	0.7	1.1	0.5	1.0	2.5	4.7	6.1	7.8	11.8	26
C.7	0.3	0.5	0.6	0.3	0.8	0.4	2.5	2.3	11.7	7.2	17.1	27
C.7	1.0	1.7	2.5	3.2	4.5	5.5	7.9	9.9	11.4	14.4	19.6	28
C.6	1.3	2.3	3.9	4.9	7.0	9.4	13.4	17.1	21.5	26.2	35.6	29
C.8	0.7	1.1	1.2	1.6	2.3	2.1	3.5	4.6	4.7	7.3	11.4	30
C.2	0.4	0.8	1.3	2.3	3.6	4.4	6.2	7.9	10.1	13.5	17.1	31
C.2	0.4	1.0	1.9	3.6	5.4	7.6	10.6	13.6	19.1	25.1	31.9	32
C.2	0.5	0.6	0.8	1.0	1.8	1.6	2.8	3.8	4.1	6.7	9.7	33
C.7	4.8	8.3	12.0	11.5	14.1	15.6	23.7	30.9	27.1	25.4	46.6	34
3.1	8.0	12.8	21.3	17.4	22.5	25.7	39.8	51.6	47.0	39.0	70.6	35
4.2	2.1	4.6	4.0	6.4	6.8	6.8	10.6	13.9	11.7	16.2	31.7	36
C.5	0.8	1.4	2.1	2.7	3.5	4.4	6.4	7.5	8.6	11.9	16.0	37
C.5	1.1	2.0	3.3	4.2	5.7	7.9	13.7	13.3	16.2	21.3	29.2	38
C.6	0.5	1.4	0.9	1.3	1.4	1.4	2.8	3.2	3.5	6.3	9.3	39
C.2	0.3	0.7	1.0	2.0	2.7	3.5	4.9	6.1	7.5	11.1	14.3	40
C.2	0.3	0.9	1.5	3.2	4.5	6.4	8.2	10.9	14.2	23.4	26.4	41
C.2	0.3	0.5	0.6	0.8	1.1	0.0	2.2	2.7	3.0	5.7	8.2	42
2.9	4.5	7.0	10.6	9.3	10.9	12.8	20.3	21.6	21.8	21.2	34.6	43
2.8	8.0	11.5	18.6	13.4	18.4	21.3	34.2	37.6	37.9	31.2	54.9	44
3.1	1.6	3.2	3.7	5.7	4.4	5.6	9.1	8.5	9.4	14.4	22.0	45
C.1	0.2	0.3	0.4	0.5	1.0	1.1	1.6	2.4	2.8	2.5	3.6	46
C.1	0.1	0.3	0.6	0.7	1.2	1.5	2.7	3.8	5.3	5.0	6.4	47
0.2	0.2	0.2	0.3	0.3	0.9	0.8	0.7	1.4	1.2	1.0	2.1	48
0.1	0.2	0.1	0.3	0.3	0.8	0.9	1.4	1.8	2.6	2.4	2.8	49
C.1	0.1	0.2	0.3	0.3	1.0	1.2	2.4	2.7	5.0	4.7	5.5	50
C.0	0.2	0.1	0.3	0.2	0.7	0.7	0.6	1.1	1.0	1.0	1.5	51
C.8	0.3	1.3	1.4	2.2	3.2	2.8	3.3	9.3	5.3	4.2	12.0	52
0.3	-	1.3	2.7	4.0	4.1	4.5	5.6	14.1	9.1	7.8	15.7	53
1.2	0.5	1.3	0.3	0.6	2.4	1.3	1.5	5.4	2.3	1.9	9.8	54
-	-	-	-	-	-	-	-	0.0	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	0.1	-	-	-	57
-	-	-	-	-	-	-	-	0.0	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	0.1	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	0.0	-	0.0	0.0	0.0	-	0.1	-	-	64
-	-	-	0.0	-	0.0	-	0.1	-	0.1	-	-	65
-	-	-	0.0	-	0.0	3.0	-	-	-	-	-	66
-	-	-	0.0	-	0.0	0.0	0.0	-	0.1	-	-	67
-	-	-	0.0	-	0.0	0.1	-	-	0.1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	72
C.1	0.0	0.0	0.1	0.1	0.2	0.1	0.1	C.1	0.5	0.2	-	73
C.0	0.0	0.0	0.1	0.0	0.2	0.1	0.2	0.3	0.5	0.4	-	74
C.1	0.0	-	0.1	0.1	0.2	0.1	0.1	-	0.1	0.1	-	75
C.1	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.2	0.1	-	76
0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.4	0.2	-	77
0.1	0.2	-	0.0	0.0	0.2	0.1	0.2	-	0.4	0.1	-	78
-	-	-	0.3	0.2	0.4	-	-	-	0.7	1.1	-	79
-	-	-	0.3	-	0.5	-	-	-	1.5	2.6	-	80
C.2	-	-	0.3	0.3	0.4	-	-	-	-	-	-	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS*
1	SEPTICEMIA-----038	2.0	24.9	3.5	0.1	0.1	0.2	0.2	0.3
2	MALE-----	2.3	26.7	0.5	0.1	0.1	0.2	0.2	0.2
3	FEMALE-----	1.8	23.1	0.4	0.2	0.1	0.2	0.2	0.3
4	WHITE-----	1.8	19.7	0.4	0.2	0.1	0.1	0.2	0.2
5	MALE-----	2.0	21.7	0.6	0.1	0.1	0.1	0.2	0.1
6	FEMALE-----	1.5	17.6	0.2	0.2	0.1	0.1	0.2	0.2
7	ALL OTHER-----	3.8	52.0	0.8	0.1	0.1	0.6	0.3	1.1
8	MALE-----	4.2	52.6	0.4	0.1	0.1	0.4	0.4	1.2
9	FEMALE-----	3.4	51.5	1.3	0.1	0.1	0.8	0.6	1.0
10	ACUTE POLIOMYELITIS-----040-043	0.0	--	--	--	--	--	--	0.0
11	MALE-----	0.0	--	--	--	--	--	--	--
12	FEMALE-----	0.0	--	--	--	--	--	--	0.0
13	WHITE-----	0.0	--	--	--	--	--	--	0.0
14	MALE-----	--	--	--	--	--	--	--	--
15	FEMALE-----	0.0	--	--	--	--	--	--	0.0
16	ALL OTHER-----	--	--	--	--	--	--	--	--
17	MALE-----	--	--	--	--	--	--	--	--
18	FEMALE-----	--	--	--	--	--	--	--	--
19	MEASLES-----055	0.0	0.2	0.1	0.0	--	0.0	--	--
20	MALE-----	0.0	0.4	0.1	0.0	--	0.0	--	--
21	FEMALE-----	0.0	0.1	0.1	--	--	--	--	--
22	WHITE-----	0.0	0.2	0.1	0.0	--	0.0	--	--
23	MALE-----	0.0	0.3	0.1	0.0	--	--	--	--
24	FEMALE-----	0.0	0.1	0.1	--	--	--	--	--
25	ALL OTHER-----	0.0	0.4	0.2	--	--	--	--	--
26	MALE-----	0.0	0.7	0.2	--	--	--	--	--
27	FEMALE-----	0.0	--	0.2	--	--	--	--	--
28	SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.1	--	--	--	--	--	0.0
29	MALE-----	0.2	0.1	--	--	--	--	--	0.1
30	FEMALE-----	0.1	--	--	--	--	--	--	--
31	WHITE-----	0.1	--	--	--	--	--	--	0.0
32	MALE-----	0.2	--	--	--	--	--	--	0.0
33	FEMALE-----	0.1	--	--	--	--	--	--	0.0
34	ALL OTHER-----	0.6	0.4	--	--	--	--	--	0.1
35	MALE-----	0.8	0.7	--	--	--	--	--	0.2
36	FEMALE-----	0.4	--	--	--	--	--	--	--
37	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.9	9.4	1.2	0.9	0.5	0.7	0.8	0.8
38	MALE-----	2.0	10.6	1.4	0.8	0.5	0.7	0.6	0.8
39	FEMALE-----	1.8	8.2	1.0	1.0	0.6	0.8	1.0	0.8
40	WHITE-----	1.7	7.8	1.1	0.9	0.5	0.6	0.7	0.6
41	MALE-----	1.8	8.6	1.3	0.7	0.5	0.6	0.6	0.7
42	FEMALE-----	1.6	6.9	1.0	1.1	0.5	0.7	0.7	0.5
43	ALL OTHER-----	3.1	17.9	1.6	0.9	0.4	1.4	1.8	2.1
44	MALE-----	3.2	20.7	2.0	1.3	--	1.4	0.9	1.2
45	FEMALE-----	3.0	15.2	1.3	0.5	0.9	1.4	2.6	2.9
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	166.0	4.6	6.0	6.0	5.0	6.8	8.8	12.1
47	MALE-----	185.7	4.4	6.5	6.9	5.3	8.0	11.5	12.8
48	FEMALE-----	147.2	4.7	5.5	5.1	4.6	5.5	6.2	11.4
49	WHITE-----	170.0	4.4	6.2	6.3	5.1	7.0	9.1	12.0
50	MALE-----	186.7	4.0	6.7	7.2	5.5	8.3	12.0	13.0
51	FEMALE-----	152.2	4.9	5.7	5.4	4.7	5.6	6.2	11.0
52	ALL OTHER-----	139.2	5.2	4.8	4.5	4.0	5.6	6.8	13.0
53	MALE-----	165.2	6.7	5.4	5.1	4.0	6.6	7.7	11.7
54	FEMALE-----	113.4	3.8	4.2	3.8	3.9	4.7	6.0	14.2
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.6	--	--	0.0	0.1	0.1	0.1	0.1
56	MALE-----	5.3	--	--	0.0	0.0	0.1	0.2	0.2
57	FEMALE-----	2.0	--	--	0.0	0.1	0.1	0.1	0.0
58	WHITE-----	3.6	--	--	0.0	0.1	0.1	0.1	0.1
59	MALE-----	5.3	--	--	0.0	0.1	0.1	0.2	0.2
60	FEMALE-----	2.0	--	--	0.0	0.1	0.0	0.1	--
61	ALL OTHER-----	3.5	--	--	0.1	0.1	0.0	0.1	0.3
62	MALE-----	5.3	--	--	0.1	0.2	0.1	0.1	0.5
63	FEMALE-----	1.9	--	--	--	0.1	0.3	0.2	0.2
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.0	0.2	0.1	0.1	0.1	0.2	0.6	1.2
65	MALE-----	50.3	0.4	0.1	0.1	0.1	0.3	0.8	1.3
66	FEMALE-----	41.9	0.1	0.1	0.0	0.1	0.1	0.3	1.1
67	WHITE-----	46.9	0.1	0.1	0.1	0.1	0.2	0.6	1.0
68	MALE-----	50.7	0.3	0.1	0.1	0.1	0.3	0.8	1.0
69	FEMALE-----	43.3	--	0.0	0.0	0.1	0.1	0.3	1.1
70	ALL OTHER-----	39.6	0.7	0.2	0.1	0.1	0.4	0.6	2.4
71	MALE-----	47.6	0.7	0.2	--	--	0.6	1.1	4.1
72	FEMALE-----	32.2	0.8	0.2	0.1	0.1	0.3	0.2	1.3
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	37.0	0.2	0.0	0.0	0.0	0.1	0.1	0.4
74	MALE-----	60.3	0.4	0.1	0.0	0.1	0.2	0.1	0.5
75	FEMALE-----	14.8	0.1	0.0	0.1	0.0	0.0	0.1	0.3
76	WHITE-----	38.0	0.1	0.1	0.0	0.0	0.1	0.1	0.4
77	MALE-----	61.5	0.3	0.1	0.0	0.1	0.2	0.2	0.5
78	FEMALE-----	15.5	--	0.0	0.1	0.0	0.0	0.1	0.3
79	ALL OTHER-----	30.2	0.7	--	0.1	0.1	0.1	--	0.4
80	MALE-----	51.8	0.7	--	--	--	0.1	--	0.7
81	FEMALE-----	10.5	0.8	--	0.1	0.1	--	--	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS ¹	80-84 YEARS	85 YEARS AND OVER	
0.5	0.5	0.7	1.3	1.4	2.2	3.5	4.8	7.6	13.7	15.4	25.8	1
C.6	0.6	0.8	1.2	2.0	2.9	4.2	6.7	10.0	18.8	21.3	39.4	2
C.4	0.4	0.6	1.4	0.9	1.5	2.9	3.4	5.9	10.3	12.0	18.8	3
C.4	0.4	0.5	1.0	1.1	1.8	2.7	4.0	6.7	12.3	15.2	25.9	4
C.3	0.3	0.6	0.9	1.5	2.3	3.3	5.7	8.9	17.1	20.8	39.8	5
1.5	1.2	0.4	1.1	0.7	1.3	2.2	2.5	5.1	9.1	11.9	19.0	6
1.9	1.3	2.2	3.2	4.2	.6	10.8	13.1	17.4	31.0	18.0	24.1	7
1.2	1.0	2.6	3.3	6.2	3.3	12.9	15.5	20.7	37.9	26.0	35.3	8
		1.9	3.2	2.6	3.2	9.0	11.1	14.7	25.7	12.6	17.1	9
-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	0.0	0.1	0.1	0.3	0.6	0.9	1.1	1.1	1.3	1.7	28
-	-	0.0	0.1	0.1	0.5	0.9	1.7	1.7	2.0	2.2	3.0	29
-	-	-	0.0	0.1	0.2	0.3	0.3	0.7	0.4	0.8	1.0	30
-	-	0.0	0.0	0.0	0.2	0.3	0.5	0.7	1.0	0.9	1.1	31
-	-	-	-	-	0.3	0.5	1.0	1.1	1.8	1.4	2.1	32
-	-	-	-	0.0	0.1	0.1	0.2	0.4	0.5	0.6	0.6	33
-	-	-	0.5	0.7	1.7	3.4	4.7	5.5	2.0	6.3	7.5	34
-	-	-	0.7	0.7	2.3	4.5	8.1	7.5	4.5	10.4	11.8	35
-	-	-	0.3	0.6	1.2	2.6	2.0	3.9	-	3.6	4.9	36
1.2	1.2	1.3	1.6	2.0	2.8	3.3	3.8	5.4	6.9	8.6	15.5	37
C.9	1.1	1.4	1.4	2.2	2.9	4.3	5.2	6.9	10.0	10.8	19.7	38
1.4	1.4	1.1	1.7	1.9	2.7	2.8	2.7	4.3	4.8	7.3	13.4	39
0.8	1.0	1.0	1.2	1.9	2.4	3.1	3.3	5.2	6.4	8.9	15.8	40
0.5	0.9	1.1	1.2	2.0	2.7	3.9	4.3	6.5	9.2	11.6	20.1	41
1.0	1.1	0.8	1.3	1.8	2.2	2.4	2.4	4.2	4.6	7.4	13.7	42
4.0	2.9	3.4	4.2	3.4	6.2	5.3	8.9	8.1	12.5	5.3	12.0	43
4.2	2.2	3.8	3.3	4.0	5.1	7.9	13.0	10.3	18.2	2.6	15.7	44
3.8	3.4	2.9	4.9	2.9	7.2	3.0	5.6	6.2	8.2	7.2	9.8	45
20.3	39.0	75.4	138.7	222.7	362.4	499.9	682.1	897.3	1,121.4	1,273.4	1,425.8	46
18.5	34.5	67.7	132.5	231.7	420.6	627.5	899.3	1,229.4	1,570.1	1,792.0	1,917.4	47
22.0	43.3	82.7	144.6	214.3	309.2	507.1	507.1	654.3	820.7	965.5	1,174.0	48
15.4	36.8	71.0	131.5	212.5	351.5	490.6	673.7	885.6	1,121.9	1,294.4	1,459.5	49
17.6	32.4	62.5	122.7	217.8	401.7	613.6	887.4	1,216.2	1,569.2	1,821.3	1,966.5	50
21.2	41.1	79.2	139.8	207.5	305.4	383.0	502.1	646.3	825.4	985.4	1,204.6	51
25.9	54.4	108.5	198.8	313.5	469.7	586.5	759.3	1,022.5	1,115.5	1,019.0	1,064.7	52
25.1	50.4	110.3	217.3	359.1	612.0	757.9	1,012.4	1,359.6	1,568.2	1,470.1	1,458.8	53
26.7	57.7	107.1	182.7	273.4	346.8	438.5	554.9	745.2	766.1	715.3	819.5	54
0.2	0.5	1.5	3.8	6.5	11.1	13.9	14.8	15.9	17.5	20.5	26.3	55
0.3	0.6	2.1	5.6	9.6	16.8	21.7	25.4	27.7	30.1	38.2	46.2	56
0.1	0.4	0.9	2.1	3.5	5.9	7.2	6.3	7.2	9.1	10.0	16.1	57
0.1	0.4	1.2	3.2	5.7	10.5	13.8	14.9	16.1	17.4	21.0	27.8	58
C.2	0.4	1.6	4.6	8.5	15.5	21.3	25.7	28.2	30.6	39.3	49.9	59
-	0.3	0.7	1.8	3.1	5.9	7.2	6.2	7.3	8.8	10.3	16.6	60
0.6	1.4	3.9	9.0	12.9	17.7	15.4	13.6	14.0	18.5	14.8	10.5	61
C.8	2.2	5.8	14.0	19.6	30.3	25.2	22.4	23.5	24.2	26.0	11.8	62
0.5	0.8	2.4	4.6	7.0	6.8	6.8	6.6	6.2	14.0	7.2	9.8	63
2.6	6.6	12.9	26.3	47.2	87.5	130.3	196.9	271.9	373.7	451.2	524.2	64
3.0	7.4	14.2	30.9	57.2	110.1	167.7	247.5	344.1	473.7	569.2	602.3	65
2.3	5.9	11.7	22.1	37.9	66.9	98.0	156.0	219.1	306.6	381.1	484.2	66
2.5	6.1	11.8	23.5	43.1	82.7	126.0	192.2	267.2	373.1	459.6	539.3	67
2.5	6.4	12.7	27.4	51.5	103.4	162.2	239.9	339.3	476.9	581.5	618.4	68
2.4	5.8	11.0	19.9	35.2	63.7	94.3	153.9	214.9	307.6	388.1	499.5	69
3.8	10.4	21.2	49.5	83.5	134.8	173.0	240.1	322.9	356.4	349.2	362.4	70
6.4	15.0	26.3	60.8	109.1	178.4	219.3	318.6	391.5	434.8	433.8	451.0	71
1.7	6.6	16.9	39.8	60.9	97.2	127.4	176.7	266.4	295.9	293.7	307.3	72
1.5	6.1	17.0	35.7	63.1	104.4	143.5	179.9	204.7	205.1	171.6	127.9	73
1.9	8.3	24.0	54.2	95.5	170.3	252.4	336.8	403.7	424.5	353.6	253.8	74
1.1	3.9	10.3	18.4	33.0	44.2	48.6	53.7	59.0	58.0	63.5	63.4	75
1.3	5.8	15.6	33.5	60.7	101.7	142.0	180.7	205.4	207.0	174.3	130.0	76
1.6	7.6	21.7	49.7	90.7	163.3	248.6	337.9	407.3	431.9	361.2	260.4	77
1.1	4.1	9.7	18.2	32.6	45.2	48.7	54.5	59.2	59.2	64.7	64.5	78
2.6	7.8	27.3	54.0	84.8	130.8	158.0	172.4	197.5	181.5	138.6	105.3	79
4.5	13.4	42.4	92.7	139.5	240.9	288.6	328.0	368.1	339.4	270.1	192.2	80
C.9	3.1	14.5	20.5	36.7	35.2	45.3	46.1	57.1	59.6	48.6	51.2	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--CDM.									
1	MALIGNANT NEOPLASM OF BREAST-----174	15.1	-	-	-	-	0.0	0.1	1.1
2	MALE-----	0.3	-	-	-	-	-	-	-
3	FEMALE-----	29.2	-	-	-	-	0.0	0.2	2.3
4	WHITE-----	15.8	-	-	-	-	-	0.1	1.0
5	MALE-----	0.3	-	-	-	-	-	-	-
6	FEMALE-----	30.6	-	-	-	-	-	0.2	2.1
7	ALL OTHER-----	10.5	-	-	-	-	0.1	0.1	2.0
8	MALE-----	0.4	-	-	-	-	-	-	-
9	FEMALE-----	19.8	-	-	-	-	0.1	0.2	3.8
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	20.3	-	0.1	0.0	0.1	0.5	1.2	1.8
11	MALE-----	18.9	-	0.2	0.0	0.1	0.6	1.8	1.7
12	FEMALE-----	21.7	-	-	0.1	0.2	0.5	0.7	2.0
13	WHITE-----	20.0	-	0.1	0.1	0.1	0.5	1.3	1.8
14	MALE-----	18.3	-	0.2	0.0	0.1	0.8	2.0	1.9
15	FEMALE-----	21.7	-	-	0.1	0.2	0.5	0.6	1.7
16	ALL OTHER-----	22.5	-	0.1	-	0.1	0.6	0.6	2.0
17	MALE-----	23.2	-	0.2	-	-	0.4	-	0.2
18	FEMALE-----	21.8	-	-	-	0.1	0.7	1.1	3.6
19	MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	7.6	0.5	0.4	0.3	0.1	0.1	0.1	0.1
20	MALE-----	10.5	0.5	0.5	0.3	0.1	0.1	0.2	0.1
21	FEMALE-----	4.8	0.5	0.4	0.4	0.0	0.1	0.1	0.1
22	WHITE-----	7.9	0.4	0.4	0.3	0.1	0.1	0.1	0.0
23	MALE-----	11.0	0.4	0.5	0.3	0.1	0.0	0.2	0.0
24	FEMALE-----	4.9	0.4	0.4	0.3	0.0	0.1	0.1	0.1
25	ALL OTHER-----	5.1	0.7	0.5	0.5	-	0.1	0.1	0.3
26	MALE-----	6.5	0.7	0.2	0.4	-	0.3	-	0.2
27	FEMALE-----	3.8	0.8	0.7	0.5	-	-	0.2	0.4
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-195	20.0	1.7	2.6	1.9	2.1	2.6	2.7	3.0
29	MALE-----	21.6	1.4	2.9	2.0	2.2	3.2	3.4	4.0
30	FEMALE-----	18.5	2.0	2.3	1.9	2.0	2.0	2.0	2.1
31	WHITE-----	20.6	1.7	2.7	2.0	2.2	2.7	2.7	3.1
32	MALE-----	22.1	1.1	2.9	2.0	2.3	3.3	3.3	4.1
33	FEMALE-----	19.1	2.2	2.5	2.0	2.0	2.1	2.0	2.1
34	ALL OTHER-----	16.2	1.9	2.2	1.6	1.9	1.6	2.6	2.7
35	MALE-----	17.9	3.0	2.7	1.9	1.8	2.2	3.8	2.9
36	FEMALE-----	14.7	0.8	1.6	1.4	2.0	1.0	1.6	2.5
37	LEUKEMIA-----204-207	6.9	1.7	2.4	3.1	1.8	2.0	1.7	1.8
38	MALE-----	8.1	1.5	2.5	3.8	2.1	2.2	2.3	2.0
39	FEMALE-----	5.8	1.9	2.3	2.5	1.6	1.8	1.2	1.7
40	WHITE-----	7.3	1.9	2.6	3.4	1.9	2.0	1.8	1.9
41	MALE-----	8.5	1.7	2.6	4.0	2.1	2.2	2.4	2.0
42	FEMALE-----	6.2	2.1	2.5	2.7	1.7	1.8	1.3	1.7
43	ALL OTHER-----	4.2	0.7	1.6	1.9	1.3	1.9	1.1	1.6
44	MALE-----	5.1	0.7	2.0	2.4	1.8	2.1	1.4	1.9
45	FEMALE-----	3.5	0.8	1.3	1.4	0.9	1.8	0.8	1.3
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	9.4	0.2	0.3	0.4	0.6	1.1	2.2	2.5
47	MALE-----	10.5	0.2	0.3	0.6	0.7	1.4	2.8	3.1
48	FEMALE-----	8.4	0.1	0.3	0.2	0.6	0.8	1.6	2.0
49	WHITE-----	9.9	0.1	0.3	0.5	0.7	1.2	2.2	2.7
50	MALE-----	11.0	0.1	0.4	0.7	0.7	1.5	3.0	3.4
51	FEMALE-----	8.9	0.1	0.3	0.2	0.6	0.9	1.5	2.1
52	ALL OTHER-----	6.2	0.4	0.3	0.3	0.5	0.7	1.6	1.0
53	MALE-----	7.3	0.7	0.2	0.4	0.5	0.8	1.4	1.0
54	FEMALE-----	5.3	-	0.4	0.3	0.5	0.5	1.8	1.0
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.4	1.6	0.4	0.4	0.4	0.4	0.6	0.6
56	MALE-----	2.4	1.9	0.3	0.5	0.5	0.4	0.7	0.7
57	FEMALE-----	2.4	1.4	0.4	0.3	0.3	0.4	0.5	0.5
58	WHITE-----	2.4	1.6	0.4	0.4	0.4	0.3	0.6	0.5
59	MALE-----	2.4	1.7	0.4	0.4	0.4	0.3	0.7	0.6
60	FEMALE-----	2.3	1.5	0.5	0.3	0.4	0.4	0.5	0.4
61	ALL OTHER-----	2.5	1.9	0.2	0.5	0.4	0.8	0.8	1.0
62	MALE-----	2.5	3.0	0.2	0.7	0.6	1.0	1.1	1.0
63	FEMALE-----	2.6	0.8	0.2	0.3	0.3	0.5	0.6	1.0
64	DIABETES MELLITUS-----250	18.6	0.5	0.2	0.1	0.3	0.4	0.8	1.6
65	MALE-----	15.6	0.5	0.2	0.1	0.3	0.3	0.7	1.7
66	FEMALE-----	21.4	0.5	0.1	0.2	0.2	0.4	1.0	1.6
67	WHITE-----	17.8	0.5	0.2	0.2	0.2	0.4	0.8	1.4
68	MALE-----	15.2	0.4	0.2	0.1	0.3	0.4	0.6	1.4
69	FEMALE-----	20.2	0.6	0.1	0.2	0.2	0.4	1.0	1.3
70	ALL OTHER-----	23.9	0.4	-	-	0.3	0.3	0.8	3.7
71	MALE-----	18.1	0.7	0.2	-	0.3	0.1	0.9	3.6
72	FEMALE-----	29.2	-	0.4	-	0.4	0.4	0.8	3.8
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	3.3	0.1	0.1	0.1	0.1	0.1	0.1
74	MALE-----	1.1	3.5	0.2	0.1	0.1	0.1	0.1	0.1
75	FEMALE-----	1.3	3.1	0.1	-	0.1	0.0	0.0	0.1
76	WHITE-----	1.2	1.9	0.1	0.1	0.0	0.1	0.1	0.1
77	MALE-----	1.0	1.8	0.2	0.1	0.0	0.1	0.1	0.1
78	FEMALE-----	1.3	1.9	0.1	-	0.0	0.0	0.1	0.0
79	ALL OTHER-----	1.6	10.5	0.2	0.1	0.2	0.1	-	0.1
80	MALE-----	1.8	11.9	0.2	0.1	0.3	0.1	-	-
81	FEMALE-----	1.4	9.1	0.2	-	0.1	-	-	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-13

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
2.9	6.2	13.4	23.3	31.8	39.6	46.5	50.9	63.1	72.4	85.5	113.3	1
0.0	0.0	0.1	0.3	0.3	0.5	1.4	1.0	2.7	2.1	3.0	2.7	2
5.6	12.0	26.0	44.8	61.0	75.3	86.3	91.0	107.3	119.5	134.4	169.9	3
2.8	5.7	12.9	23.4	31.5	40.2	47.1	51.1	64.3	73.9	88.0	118.1	4
0.0	0.0	0.1	0.2	0.2	0.4	1.1	0.9	2.6	2.1	3.2	2.9	5
5.6	11.1	25.3	45.1	60.7	76.7	87.3	91.5	109.0	121.4	137.7	176.0	6
3.2	9.6	17.2	23.0	34.4	33.5	40.8	48.5	50.8	54.8	55.0	61.7	7
-	-	0.6	1.0	0.7	0.9	4.0	1.9	4.7	3.0	-	-	8
5.9	17.6	31.1	42.1	64.1	62.0	72.6	86.6	88.8	94.7	93.7	100.0	9
3.3	5.1	8.7	15.6	22.0	33.6	49.5	75.5	117.3	164.4	208.5	241.2	10
1.6	1.0	1.0	1.5	5.1	14.7	34.6	74.3	151.1	253.4	382.6	489.0	11
4.9	9.0	16.0	28.8	37.8	50.8	62.7	76.4	92.7	104.8	105.1	114.3	12
2.9	4.4	7.9	14.6	20.6	31.3	45.8	70.2	108.7	157.5	205.3	238.1	13
1.7	1.2	0.9	1.3	4.1	12.2	30.0	66.6	135.5	237.3	376.1	483.4	14
4.2	7.5	14.8	27.2	36.1	49.0	59.5	73.1	89.3	104.6	105.2	114.9	15
5.6	9.9	14.3	23.6	34.3	55.6	83.9	124.0	209.7	248.2	246.6	273.7	16
0.8	-	1.9	3.3	13.4	40.5	77.2	145.3	306.1	428.8	454.5	541.2	17
9.7	18.1	24.6	41.2	52.6	68.8	89.7	106.8	130.5	108.8	104.5	107.3	18
0.2	0.8	1.9	3.9	7.0	13.5	19.9	31.7	47.1	62.3	76.4	95.4	19
0.2	1.1	2.6	5.4	10.3	20.6	30.1	49.1	78.9	106.2	130.6	154.9	20
0.2	0.6	1.3	2.4	3.9	6.9	11.0	17.6	23.8	32.9	44.2	65.0	21
0.2	0.7	1.8	3.7	6.7	13.4	19.6	31.9	47.4	62.9	79.2	99.2	22
0.2	1.0	2.4	5.2	10.2	20.4	30.0	50.6	81.2	107.8	136.3	163.1	23
0.2	0.4	1.3	2.4	3.4	6.9	10.5	16.8	22.8	33.1	45.7	67.0	24
0.3	1.4	2.8	4.9	9.2	14.3	22.2	29.5	44.1	55.4	62.3	55.6	25
0.6	1.6	4.5	7.0	10.9	22.5	30.7	35.4	55.4	87.9	78.4	78.4	26
-	1.3	1.3	3.2	7.7	7.2	15.0	24.8	34.7	30.4	25.2	41.5	27
4.8	7.6	11.2	18.4	27.8	43.8	57.1	73.2	94.0	118.4	134.4	174.0	28
5.8	8.3	12.6	20.6	32.6	51.4	69.7	91.6	116.1	144.6	149.5	192.8	29
3.9	6.9	9.9	16.4	23.2	36.8	46.3	58.3	77.8	101.3	125.4	164.3	30
4.9	7.6	11.0	18.1	26.9	42.7	56.6	72.5	91.7	118.3	136.9	177.6	31
5.9	8.2	12.3	20.4	31.7	50.3	69.7	91.3	113.7	143.6	152.2	201.7	32
3.9	7.0	9.8	15.9	22.3	35.7	45.2	57.4	75.9	101.6	128.0	165.4	33
4.2	7.5	13.0	20.7	35.6	54.3	61.5	79.7	117.8	122.8	103.7	135.3	34
5.3	9.3	15.4	21.6	40.9	63.0	69.8	95.0	140.8	154.5	119.5	109.8	35
3.3	6.0	11.0	19.9	30.9	46.8	54.3	67.3	98.8	98.2	93.7	151.2	36
1.8	2.6	3.3	4.1	5.6	10.1	13.3	22.0	32.9	46.6	61.2	65.4	37
2.0	3.1	4.0	4.6	6.9	12.9	16.9	29.6	47.0	62.6	84.6	92.4	38
1.6	2.1	2.6	3.6	4.4	7.5	10.2	15.8	22.6	35.8	47.3	51.6	39
1.7	2.6	3.3	4.1	5.6	10.3	13.5	22.3	33.3	48.2	63.3	69.1	40
1.9	3.1	4.0	4.6	6.7	13.2	17.4	30.0	48.7	65.0	87.8	99.0	41
1.6	2.1	2.7	3.6	4.5	7.6	10.2	16.1	22.2	37.0	49.0	54.2	42
2.4	2.6	3.1	4.3	5.8	8.1	10.8	19.2	28.4	37.1	34.9	25.6	43
2.8	3.5	3.8	5.3	8.7	9.2	12.4	26.1	30.0	36.4	49.4	31.4	44
2.1	1.8	2.4	3.5	3.2	7.2	9.4	13.7	27.0	19.9	25.2	22.0	45
3.0	3.6	5.5	7.7	11.8	18.9	26.0	37.4	50.4	60.8	64.2	58.1	46
3.8	4.6	7.2	9.4	14.3	23.3	33.1	44.0	58.0	72.9	80.7	83.3	47
2.3	2.7	3.9	6.0	9.5	14.9	19.8	32.0	44.8	52.7	54.5	45.2	48
3.0	3.6	5.4	7.4	11.7	18.7	26.2	37.9	51.6	61.6	66.8	60.3	49
3.7	4.5	6.9	9.2	14.1	23.0	33.3	44.5	59.9	74.1	83.6	87.6	50
2.3	2.7	4.0	5.7	9.4	14.8	19.9	32.6	45.7	53.4	56.9	46.6	51
3.2	3.7	5.8	9.7	13.1	20.5	23.9	32.3	37.3	50.8	33.9	34.6	52
3.9	5.4	9.3	11.6	16.3	26.2	30.7	39.8	39.4	59.1	49.4	43.1	53
2.6	2.4	2.9	8.1	10.2	15.6	17.9	26.3	35.5	44.4	23.4	29.3	54
0.7	1.0	1.7	2.2	3.2	4.8	4.3	8.2	10.2	13.5	14.2	17.3	55
0.6	1.0	1.4	2.1	3.1	4.8	6.8	10.2	12.2	17.4	17.4	17.0	56
0.9	1.1	2.1	2.4	3.2	4.9	5.9	6.5	8.7	10.9	12.4	17.5	57
0.7	0.9	1.5	2.0	2.9	4.8	6.2	7.8	9.7	13.4	14.7	16.4	58
0.6	0.9	1.5	2.0	2.9	4.7	6.7	9.6	11.7	17.2	18.2	16.8	59
0.7	1.0	1.6	2.1	3.0	4.9	5.9	6.3	8.3	10.9	12.6	16.2	60
1.1	1.7	3.4	4.2	5.1	5.3	6.7	12.0	14.8	15.2	8.5	27.1	61
0.3	1.9	1.0	3.3	4.7	5.1	7.9	16.1	16.9	19.7	7.8	19.6	62
1.9	1.6	5.4	4.9	5.4	5.6	5.6	8.6	13.1	11.7	9.0	31.7	63
3.3	3.6	6.1	9.7	14.9	25.7	42.9	71.2	114.5	164.6	208.3	255.3	64
3.4	4.1	7.0	10.8	15.8	25.1	39.8	67.8	108.0	148.4	200.9	259.8	65
3.1	3.2	5.2	8.7	14.1	26.3	45.7	73.9	119.2	175.5	212.7	253.0	66
3.0	2.9	4.8	7.3	11.6	21.4	36.8	63.2	106.1	161.2	208.0	257.5	67
3.3	3.4	5.6	8.8	12.8	22.8	35.9	63.1	104.4	147.4	203.8	267.5	68
2.6	2.4	4.0	5.9	10.5	20.1	37.5	63.3	107.3	170.3	210.4	252.5	69
5.4	8.8	15.9	29.5	44.8	67.9	100.0	145.1	204.2	206.6	212.7	231.6	70
4.5	9.6	18.3	27.9	43.5	47.8	76.7	111.2	143.7	157.6	168.8	188.2	71
6.1	8.1	13.9	30.8	45.9	85.6	120.1	173.2	254.1	244.4	245.0	258.5	72
0.0	0.3	0.2	0.5	0.6	1.1	1.2	2.3	4.7	9.9	16.3	46.8	73
-	0.0	0.2	0.4	0.8	1.3	1.3	2.4	5.7	11.9	20.4	47.0	74
0.0	0.5	0.2	0.5	0.4	1.0	1.0	2.1	4.0	8.6	13.9	46.8	75
0.0	0.2	0.1	0.4	0.5	0.9	1.1	1.9	4.2	9.1	15.7	47.3	76
-	0.0	0.0	0.4	0.6	1.0	1.3	2.2	5.1	10.0	18.9	47.8	77
0.0	0.4	0.2	0.5	0.4	0.9	0.9	1.8	3.6	8.5	13.7	47.0	78
-	0.6	1.0	0.9	1.4	3.2	1.6	5.3	10.2	19.8	24.3	42.1	79
-	-	1.6	1.0	2.2	5.1	1.5	5.0	11.3	31.8	36.4	39.2	80
-	1.0	0.5	0.9	0.6	1.6	1.7	5.6	9.3	10.5	16.2	43.9	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	ANEMIAS-----280-285	1.6	2.1	0.7	0.3	0.3	0.6	0.4	0.6
2	MALE-----	1.6	2.4	0.7	0.3	0.4	0.6	0.4	0.6
3	FEMALE-----	1.7	1.9	0.7	0.4	0.2	0.6	0.5	0.5
4	WHITE-----	1.4	0.9	0.3	0.2	0.2	0.3	0.2	0.1
5	MALE-----	1.4	0.8	0.2	0.2	0.3	0.3	0.2	0.2
6	FEMALE-----	1.5	0.9	0.3	0.2	0.1	0.3	0.1	0.1
7	ALL OTHER-----	3.9	8.6	2.9	0.8	1.1	2.2	2.1	3.7
8	MALE-----	3.0	10.4	3.1	0.5	1.1	1.8	1.6	3.9
9	FEMALE-----	3.1	6.8	2.7	1.1	1.1	2.6	2.6	3.6
10	MENINGITIS-----320	0.7	15.6	1.8	0.2	0.1	0.1	0.1	0.1
11	MALE-----	0.8	17.4	1.9	0.3	0.1	0.1	0.2	0.1
12	FEMALE-----	0.6	13.8	1.7	0.1	0.1	0.1	0.1	0.1
13	WHITE-----	0.5	11.2	1.5	0.2	0.1	0.0	0.2	0.1
14	MALE-----	0.7	13.2	1.7	0.2	0.1	0.0	0.3	0.1
15	FEMALE-----	0.4	9.1	1.2	0.1	0.1	0.0	0.1	0.1
16	ALL OTHER-----	1.8	38.5	3.4	0.3	0.3	0.4	-	0.2
17	MALE-----	2.0	39.3	3.1	0.5	0.5	0.3	-	0.2
18	FEMALE-----	1.7	37.9	3.8	0.1	0.1	0.5	-	0.2
19	MAJOR CARDIOVASCULAR DISEASES-----390-448	497.1	25.9	3.0	1.4	1.9	3.4	5.9	10.4
20	MALE-----	545.6	27.4	3.3	1.6	2.3	4.2	7.2	11.9
21	FEMALE-----	451.1	24.4	2.6	1.3	1.5	2.6	4.6	8.9
22	WHITE-----	512.0	18.7	2.6	1.3	1.7	3.1	4.5	8.0
23	MALE-----	561.8	19.5	2.8	1.5	2.0	3.9	5.5	9.4
24	FEMALE-----	464.3	17.7	2.3	1.0	1.3	2.2	3.5	6.6
25	ALL OTHER-----	394.6	63.2	5.2	2.3	3.1	5.6	14.8	28.0
26	MALE-----	431.0	68.1	6.3	1.9	3.8	5.9	19.2	31.6
27	FEMALE-----	361.3	58.3	4.0	2.7	2.4	5.3	11.0	24.9
28	DISEASES OF HEART-----390-398, 402, 404, 410-429	363.0	20.2	2.1	0.8	1.1	2.0	3.8	6.3
29	MALE-----	418.5	21.0	2.3	0.9	1.3	2.4	5.0	7.8
30	FEMALE-----	310.3	19.5	1.8	0.8	0.9	1.6	2.6	4.9
31	WHITE-----	376.2	14.7	1.8	0.8	0.9	1.7	2.8	4.8
32	MALE-----	434.1	14.7	1.9	0.8	1.1	2.1	3.6	6.2
33	FEMALE-----	321.0	14.6	1.7	0.7	0.8	1.3	2.0	3.5
34	ALL OTHER-----	271.5	49.0	3.4	1.3	2.1	3.9	10.3	17.2
35	MALE-----	308.4	53.3	4.2	0.9	2.6	4.3	14.5	20.7
36	FEMALE-----	237.6	44.7	2.5	1.6	1.6	3.6	6.5	14.2
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.8	0.1	0.1	0.1	0.2	0.3	0.6	1.0
38	MALE-----	6.5	0.1	0.1	0.1	0.2	0.4	0.7	1.0
39	FEMALE-----	7.1	-	0.1	0.1	0.2	0.2	0.5	1.1
40	WHITE-----	7.1	-	0.1	0.1	0.1	0.2	0.5	0.8
41	MALE-----	6.6	-	0.1	0.0	0.1	0.3	0.6	0.6
42	FEMALE-----	7.5	-	0.1	0.1	0.1	0.1	0.3	1.1
43	ALL OTHER-----	4.9	0.4	0.1	0.2	0.8	0.9	1.4	2.7
44	MALE-----	5.2	0.7	0.2	0.3	0.9	1.0	1.4	4.4
45	FEMALE-----	4.6	-	-	0.1	0.6	0.8	1.5	1.3
46	HYPERTENSIVE HEART DISEASE-----402	3.7	-	-	0.0	-	-	0.1	0.1
47	MALE-----	3.0	-	-	0.0	-	-	0.1	0.2
48	FEMALE-----	4.4	-	-	-	-	-	-	0.1
49	WHITE-----	3.2	-	-	0.0	-	-	0.0	0.0
50	MALE-----	2.5	-	-	0.0	-	-	0.1	0.1
51	FEMALE-----	3.9	-	-	-	-	-	-	0.0
52	ALL OTHER-----	7.2	-	-	-	-	-	0.2	0.7
53	MALE-----	6.6	-	-	-	-	-	0.4	1.0
54	FEMALE-----	7.7	-	-	-	-	-	-	0.4
55	HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.8	-	0.0	-	0.0	0.0	0.0	0.1
56	MALE-----	2.7	-	-	-	0.0	-	0.0	0.1
57	FEMALE-----	2.9	-	0.0	-	-	0.0	-	0.0
58	WHITE-----	2.7	-	0.0	-	0.0	0.0	-	0.0
59	MALE-----	2.5	-	-	-	0.0	-	-	0.1
60	FEMALE-----	2.9	-	0.0	-	-	0.0	-	-
61	ALL OTHER-----	3.2	-	-	-	-	-	0.1	0.2
62	MALE-----	3.5	-	-	-	-	-	0.2	0.2
63	FEMALE-----	2.9	-	-	-	-	-	-	0.2
64	ISCHEMIC HEART DISEASE-----410-413	328.7	0.5	0.0	0.0	0.1	0.3	1.0	2.5
65	MALE-----	382.4	0.5	0.1	0.1	0.1	0.3	1.4	3.6
66	FEMALE-----	277.6	0.5	-	-	0.1	0.2	0.7	1.3
67	WHITE-----	343.5	0.4	0.1	0.0	0.1	0.2	0.8	2.0
68	MALE-----	400.1	0.3	0.1	0.0	0.1	0.3	1.0	3.2
69	FEMALE-----	289.4	0.4	-	-	0.1	0.2	0.7	0.8
70	ALL OTHER-----	226.4	1.1	-	0.1	-	0.4	2.4	5.7
71	MALE-----	257.8	1.5	-	0.1	-	0.7	4.1	7.0
72	FEMALE-----	197.7	0.8	-	-	-	0.1	0.8	4.6
73	ACUTE MYOCARDIAL INFARCTION-----410	171.9	0.3	0.0	0.0	0.1	0.1	0.6	1.5
74	MALE-----	221.5	0.2	0.1	0.1	0.1	0.2	0.9	2.4
75	FEMALE-----	124.7	0.4	-	-	0.0	0.1	0.4	0.7
76	WHITE-----	182.5	0.1	0.1	0.0	0.1	0.2	0.5	1.3
77	MALE-----	236.0	-	0.1	0.0	0.1	0.2	0.7	2.2
78	FEMALE-----	131.3	0.3	-	-	0.0	0.1	0.4	0.5
79	ALL OTHER-----	98.3	1.1	-	0.1	-	0.1	1.3	2.9
80	MALE-----	118.6	1.5	-	0.1	-	0.1	2.3	4.1
81	FEMALE-----	79.8	0.8	-	-	-	0.1	0.3	1.9

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-15

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.5	0.5	0.6	0.9	0.9	1.5	2.5	3.6	6.5	10.7	20.0	32.8	1
0.6	0.6	0.4	0.8	0.8	1.6	2.9	4.0	8.0	13.5	20.2	37.9	2
C.5	0.5	0.8	1.0	1.1	1.4	2.1	3.3	5.4	8.8	20.0	30.3	3
C.2	0.2	0.4	0.6	0.8	1.3	2.2	3.3	6.1	10.9	20.6	33.4	4
0.2	0.2	0.3	0.6	0.6	1.4	2.7	3.6	7.8	13.8	21.1	36.1	5
0.3	0.3	0.5	0.5	1.0	1.1	1.7	3.1	4.9	8.9	20.3	32.0	6
2.7	2.6	2.0	3.9	2.5	4.1	5.3	6.1	10.6	8.6	13.8	27.1	7
3.3	3.5	1.6	2.7	2.9	3.7	4.5	8.1	9.4	10.6	10.4	54.9	8
2.1	1.8	2.4	4.9	2.2	4.4	6.0	4.6	11.6	7.0	16.2	9.8	9
C.1	0.2	0.4	0.6	0.6	0.7	0.8	0.8	1.1	1.5	1.1	1.4	10
0.2	0.3	0.5	0.8	0.8	0.7	1.2	1.0	0.9	1.4	1.1	3.0	11
0.1	0.2	0.3	0.4	0.5	0.6	0.5	0.6	1.2	1.6	1.0	0.6	12
0.1	0.2	0.3	0.4	0.5	0.5	0.6	0.7	1.0	1.3	0.9	1.4	13
0.2	0.2	0.3	0.6	0.7	0.6	1.0	0.9	0.9	1.2	0.7	2.9	14
C.1	0.2	0.3	0.3	0.2	0.3	0.4	0.5	1.0	1.4	1.0	0.6	15
0.3	0.4	1.5	1.5	2.0	2.8	2.5	1.4	2.5	4.0	3.2	1.5	16
-	0.6	2.2	2.3	1.4	2.3	4.0	1.9	1.9	3.0	5.2	3.9	17
0.5	0.3	0.8	0.9	2.6	3.2	1.3	1.0	3.1	4.7	1.8	-	18
22.2	51.0	109.8	208.0	354.9	600.3	987.7	1,548.0	2,574.9	4,274.1	6,781.6	12,815.1	19
27.9	69.7	158.4	313.4	538.0	896.2	1,449.6	2,188.8	3,445.1	5,368.6	8,002.4	13,712.1	20
16.8	33.3	63.6	109.6	184.8	329.7	586.7	1,032.0	1,938.1	3,540.8	6,056.8	12,355.8	21
17.2	41.3	95.1	186.1	327.8	564.5	942.8	1,502.8	2,507.0	4,274.8	6,909.9	13,245.2	22
22.3	59.0	144.1	291.0	513.5	867.3	1,422.8	2,171.7	3,421.6	5,402.5	8,201.7	14,246.1	23
12.1	24.1	47.6	87.3	154.2	286.3	523.0	965.3	1,845.0	3,527.3	6,152.4	12,742.0	24
56.6	118.9	220.4	389.5	596.1	950.4	1,406.0	1,968.2	3,300.0	4,266.0	5,229.6	8,204.5	25
68.8	150.6	274.4	507.6	762.7	1,188.5	1,701.0	2,353.4	3,677.9	4,954.5	5,815.6	8,717.6	26
46.2	92.9	175.4	287.0	449.4	745.2	1,151.3	1,659.2	2,989.2	3,734.5	4,873.3	7,885.4	27
14.9	38.0	86.4	168.9	292.1	493.0	800.2	1,208.3	1,919.6	3,049.8	4,601.5	8,386.9	28
20.9	56.1	134.5	271.8	465.6	763.3	1,209.0	1,756.5	2,624.9	3,936.1	5,555.3	9,203.8	29
9.1	20.8	40.5	72.7	131.0	245.9	444.9	766.8	1,403.5	2,455.9	4,035.2	7,968.6	30
12.0	32.0	77.8	155.8	276.2	472.6	777.3	1,189.1	1,891.1	3,067.1	4,698.7	8,675.2	31
17.3	49.7	126.1	259.3	453.5	750.6	1,204.1	1,760.4	2,629.2	3,980.7	5,707.0	9,575.7	32
6.8	14.8	31.0	58.2	110.4	217.0	404.1	730.1	1,356.9	2,461.4	4,107.4	6,222.6	33
24.7	80.1	151.0	277.3	433.6	693.6	1,013.1	1,386.6	2,224.6	2,842.2	3,425.4	5,292.4	34
47.4	105.3	203.2	380.1	575.7	891.0	1,259.0	1,726.7	2,582.2	3,415.2	3,890.9	5,725.5	35
24.1	59.3	107.4	188.2	308.5	523.2	804.3	1,112.9	1,930.5	2,400.0	3,133.3	5,029.3	36
1.9	3.3	5.2	7.0	10.8	17.4	23.3	27.1	29.9	37.0	34.6	39.0	37
1.9	3.4	5.5	7.8	11.7	17.3	24.7	27.9	29.4	38.9	34.7	39.8	38
1.9	3.2	4.9	6.2	10.0	17.4	22.3	26.4	30.2	35.7	34.5	38.6	39
1.5	2.8	4.9	6.9	10.9	17.6	24.0	28.4	30.5	38.0	35.2	40.0	40
1.5	2.9	5.0	7.8	11.9	17.7	25.3	29.1	29.6	39.8	34.8	40.7	41
1.5	2.8	4.7	6.1	10.0	17.6	22.9	27.9	31.2	36.9	35.4	39.6	42
4.3	6.8	7.4	7.4	10.2	14.5	16.7	15.0	23.3	24.4	27.5	28.6	43
4.5	7.3	9.3	7.3	10.5	13.3	18.3	17.4	28.2	28.6	33.8	31.4	44
4.2	6.3	5.9	7.5	9.9	15.6	15.4	13.2	19.3	21.1	23.4	26.8	45
0.4	0.7	1.0	2.2	3.1	5.5	7.5	11.7	19.1	29.7	46.8	89.0	46
0.5	0.9	1.2	2.8	3.5	5.9	8.7	12.1	16.2	26.8	36.4	65.2	47
0.2	0.5	0.9	1.6	2.7	5.2	6.4	11.3	21.2	31.6	52.9	101.3	48
C.1	0.3	0.4	1.3	2.0	3.9	5.3	9.0	16.0	26.3	45.0	87.2	49
0.1	0.5	0.6	1.7	2.4	4.6	6.9	9.4	14.3	26.3	52.3	60.8	50
0.1	0.2	0.3	0.9	1.6	3.3	3.8	8.7	17.3	28.0	52.3	100.5	51
2.2	3.2	5.5	9.1	13.4	20.9	27.8	36.8	52.1	72.6	68.8	108.3	52
3.6	4.1	6.1	11.6	13.8	18.9	25.2	37.9	35.7	65.2	80.5	105.9	53
0.9	2.4	5.1	6.9	13.1	22.8	29.9	35.9	65.6	78.4	61.3	109.8	54
C.1	0.1	0.3	0.8	0.9	2.0	3.4	6.3	11.8	24.3	46.1	114.3	55
0.1	0.1	0.2	0.8	1.1	2.9	4.6	8.6	12.9	29.5	55.3	125.4	56
0.0	0.2	0.4	0.7	0.7	1.1	2.3	4.5	10.9	20.8	40.6	108.6	57
-	0.1	0.1	0.4	0.6	1.5	2.6	5.2	10.2	23.5	46.2	118.2	58
-	0.1	0.1	0.5	0.8	2.3	3.7	7.2	11.3	27.8	55.1	130.4	59
-	0.0	0.2	0.3	0.6	0.8	1.6	3.7	9.4	20.6	40.9	112.1	60
C.5	0.7	1.6	4.2	3.2	6.6	10.8	16.4	28.4	34.3	44.4	72.2	61
0.8	0.3	1.0	3.7	4.3	9.7	13.4	21.7	28.2	48.5	57.1	78.4	62
0.2	1.0	2.1	4.6	2.2	4.0	8.5	12.2	28.6	23.4	36.0	68.3	63
8.4	28.2	71.0	144.6	256.2	436.1	719.6	1,098.3	1,764.7	2,817.7	4,254.1	7,712.0	64
13.4	45.0	115.9	241.3	420.5	692.4	1,105.9	1,616.2	2,438.1	3,661.1	5,148.2	8,481.8	65
3.6	12.3	28.3	54.3	103.5	201.8	383.7	681.3	1,271.9	2,252.6	3,723.2	7,317.7	66
7.3	24.9	65.7	136.0	245.4	422.1	704.9	1,088.6	1,749.3	2,844.2	4,355.6	7,995.1	67
12.0	41.4	111.5	234.2	413.8	686.6	1,110.1	1,632.2	2,456.6	3,717.4	5,308.2	8,851.6	68
2.7	8.8	21.3	43.4	88.0	178.9	350.5	651.9	1,237.4	2,265.4	3,796.9	7,564.6	69
16.0	51.7	111.0	215.9	352.0	574.1	856.0	1,187.7	1,929.2	2,499.0	3,026.5	4,676.7	70
23.7	72.1	151.9	302.3	481.5	751.3	1,066.3	1,472.7	2,254.5	3,013.6	3,392.2	5,023.5	71
9.4	34.9	76.8	140.9	238.0	421.2	674.4	958.5	1,661.8	2,101.8	2,800.0	4,461.0	72
6.0	19.5	50.1	102.6	177.4	296.4	471.3	684.6	991.7	1,400.6	1,791.9	2,463.4	73
5.5	32.2	84.0	175.3	298.6	482.5	748.3	1,047.4	1,435.1	1,907.8	2,334.9	3,031.8	74
2.7	7.4	17.9	34.6	64.7	126.2	230.3	392.4	667.2	1,060.7	1,469.5	2,172.3	75
5.5	18.1	49.3	101.3	177.5	297.3	478.4	700.1	1,011.0	1,435.3	1,849.0	2,550.1	76
8.9	30.6	84.4	176.7	303.3	492.3	771.8	1,085.8	1,483.4	1,970.0	2,427.0	3,169.8	77
2.1	6.0	15.3	30.2	59.8	118.1	221.8	390.3	669.1	1,080.9	1,510.1	2,238.6	78
5.8	29.2	56.6	113.1	176.4	287.2	405.3	539.8	785.2	982.8	1,101.6	1,533.8	79
14.2	44.0	80.8	162.8	255.4	383.4	528.2	696.9	954.9	1,209.1	1,324.7	1,741.2	80
6.1	17.1	36.4	70.0	106.9	204.0	299.1	413.2	645.6	808.2	956.8	1,404.9	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON. DISEASES OF HEART--CON.									
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.2	0.1	-	-	0.0	-	0.0	0.1
2	MALE-----	2.9	0.1	-	-	-	-	0.0	0.1
3	FEMALE-----	1.5	-	-	-	-	-	0.1	0.0
4	WHITE-----	2.2	0.1	-	-	0.0	-	0.1	0.0
5	MALE-----	2.9	0.1	-	-	-	-	0.0	0.1
6	FEMALE-----	1.5	-	-	-	-	-	0.1	-
7	ALL OTHER-----	2.3	-	-	-	-	-	-	0.3
8	MALE-----	3.0	-	-	-	-	-	-	0.5
9	FEMALE-----	1.7	-	-	-	-	-	-	0.2
10	CHRONIC ISCHEMIC HEART DISEASE-----412	154.6	0.1	-	-	0.0	0.1	0.4	0.8
11	MALE-----	157.9	0.1	-	-	-	0.2	0.5	1.1
12	FEMALE-----	151.4	0.1	-	-	0.0	0.1	0.3	0.6
13	WHITE-----	158.8	0.1	-	-	0.0	0.1	0.3	0.6
14	MALE-----	161.0	0.1	-	-	-	0.1	0.3	0.9
15	FEMALE-----	156.6	0.1	-	-	0.0	0.1	0.2	0.3
16	ALL OTHER-----	125.8	-	-	-	-	0.3	1.1	2.5
17	MALE-----	136.2	-	-	-	-	0.6	1.8	2.4
18	FEMALE-----	116.3	-	-	-	-	-	0.5	2.5
19	ANGINA PECTORIS-----413	0.1	-	-	-	-	-	0.0	-
20	MALE-----	0.1	-	-	-	-	-	-	-
21	FEMALE-----	0.1	-	-	-	-	-	0.0	-
22	WHITE-----	0.1	-	-	-	-	-	0.0	-
23	MALE-----	0.1	-	-	-	-	-	-	-
24	FEMALE-----	0.1	-	-	-	-	-	-	-
25	ALL OTHER-----	0.0	-	-	-	-	-	0.0	-
26	MALE-----	0.0	-	-	-	-	-	-	-
27	FEMALE-----	0.0	-	-	-	-	-	-	-
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	2.7	1.1	0.2	0.1	0.1	0.2	0.3	0.4
29	MALE-----	2.7	1.2	0.2	0.1	0.1	0.2	0.5	0.5
30	FEMALE-----	2.7	1.0	0.3	0.1	0.1	0.2	0.2	0.3
31	WHITE-----	2.7	0.8	0.2	0.1	0.1	0.2	0.3	0.3
32	MALE-----	2.7	1.0	0.2	0.1	0.1	0.2	0.4	0.4
33	FEMALE-----	2.7	0.6	0.3	0.1	0.1	0.1	0.2	0.2
34	ALL OTHER-----	2.7	2.6	0.2	0.2	0.2	0.3	0.7	1.1
35	MALE-----	2.9	2.2	0.2	0.3	0.3	0.3	0.7	1.0
36	FEMALE-----	2.4	3.0	0.2	0.1	0.1	0.4	0.6	1.3
37	ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	18.3	18.6	1.7	0.6	0.7	1.2	1.7	2.2
38	MALE-----	21.2	19.2	1.9	0.6	0.9	1.5	2.3	2.4
39	FEMALE-----	15.6	18.0	1.4	0.7	0.5	0.9	1.2	2.1
40	WHITE-----	17.1	13.5	1.4	0.6	0.6	1.0	1.2	1.6
41	MALE-----	19.7	13.5	1.6	0.6	0.7	1.3	1.5	1.9
42	FEMALE-----	14.6	13.6	1.2	0.5	0.5	0.7	0.8	1.4
43	ALL OTHER-----	27.2	44.9	3.1	0.8	1.2	2.3	5.5	6.7
44	MALE-----	32.4	48.9	3.8	0.3	1.5	2.4	7.7	7.0
45	FEMALE-----	22.4	40.9	2.4	1.4	0.9	2.2	3.5	6.5
46	HYPERTENSION-----400, 401, 403	3.7	0.1	-	0.0	-	0.0	0.1	0.4
47	MALE-----	3.9	-	-	0.0	-	0.0	0.2	0.5
48	FEMALE-----	3.6	0.1	-	-	-	0.1	0.1	0.3
49	WHITE-----	3.3	-	-	0.0	-	0.0	0.0	0.2
50	MALE-----	3.4	-	-	0.0	-	0.0	0.1	0.3
51	FEMALE-----	3.2	-	-	-	-	0.0	0.0	0.2
52	ALL OTHER-----	6.8	0.4	-	-	-	0.1	0.7	1.5
53	MALE-----	7.2	-	-	-	-	-	0.9	2.4
54	FEMALE-----	6.4	0.8	-	-	-	0.3	0.5	0.6
55	CEREBROVASCULAR DISEASES-----430-438	102.5	4.3	0.9	0.5	0.7	1.2	1.6	3.1
56	MALE-----	94.0	5.2	1.0	0.6	0.8	1.6	1.7	3.0
57	FEMALE-----	110.5	3.4	0.8	0.4	0.5	0.9	1.5	3.1
58	WHITE-----	103.0	3.1	0.7	0.4	0.6	1.2	1.4	2.4
59	MALE-----	93.6	3.8	0.7	0.5	0.7	1.6	1.4	2.4
60	FEMALE-----	112.0	2.4	0.6	0.3	0.5	0.8	1.3	2.4
61	ALL OTHER-----	98.7	10.5	1.8	0.9	0.9	1.5	3.1	8.0
62	MALE-----	96.6	12.6	2.2	0.9	1.1	1.7	3.4	7.5
63	FEMALE-----	100.6	8.3	1.5	0.8	0.6	1.4	2.7	8.4
64	CEREBRAL HEMORRHAGE-----431	17.6	1.4	0.3	0.2	0.2	0.3	0.5	0.8
65	MALE-----	17.1	1.4	0.3	0.1	0.2	0.4	0.5	0.9
66	FEMALE-----	18.2	1.4	0.2	0.2	0.2	0.3	0.4	0.6
67	WHITE-----	17.2	1.0	0.2	0.1	0.2	0.3	0.4	0.6
68	MALE-----	16.5	1.1	0.2	0.0	0.2	0.4	0.5	0.7
69	FEMALE-----	17.9	0.9	0.1	0.1	0.1	0.2	0.3	0.5
70	ALL OTHER-----	20.5	3.4	0.7	0.6	0.4	0.6	1.0	2.2
71	MALE-----	20.9	3.0	0.7	0.5	0.4	0.6	0.9	2.9
72	FEMALE-----	20.1	3.8	0.7	0.7	0.4	0.7	1.1	1.7
73	CEREBRAL THROMBOSIS-----433	27.6	0.1	0.0	0.0	0.0	0.1	0.0	0.1
74	MALE-----	24.9	0.1	-	0.1	0.0	0.1	-	0.1
75	FEMALE-----	30.2	-	-	-	0.0	0.1	-	0.1
76	WHITE-----	28.5	-	0.1	-	0.0	0.1	0.1	0.2
77	MALE-----	25.6	0.1	0.1	0.0	0.0	0.1	0.0	0.1
78	FEMALE-----	31.4	-	-	0.0	0.0	0.1	-	-
79	ALL OTHER-----	21.2	-	0.1	-	0.0	0.0	0.1	0.1
80	MALE-----	20.2	-	-	0.1	-	0.1	0.1	0.6
81	FEMALE-----	22.2	-	-	-	-	0.1	0.2	0.4

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.2	0.5	0.9	1.9	3.3	4.4	6.3	7.7	10.6	13.8	19.3	33.5	1
0.3	0.8	1.4	3.2	5.5	6.7	10.6	12.4	16.1	19.7	24.5	38.6	2
0.1	0.2	0.4	0.7	1.3	2.3	2.5	4.0	6.5	9.8	16.2	30.8	3
0.2	0.4	0.9	1.7	2.8	4.1	6.0	7.7	10.0	13.1	19.2	34.1	4
0.3	0.6	1.4	3.0	4.8	6.3	10.4	12.7	15.3	18.3	24.6	39.8	5
0.0	0.1	0.3	0.5	1.0	2.0	2.1	3.8	6.1	9.7	16.1	31.2	6
0.3	1.3	1.3	3.2	7.6	7.7	8.9	7.8	17.4	21.8	20.1	27.1	7
0.3	1.9	1.6	4.3	12.0	10.6	12.4	9.9	24.4	34.8	23.4	27.5	8
0.2	0.8	1.1	2.3	3.8	5.2	6.0	6.1	11.6	11.7	18.0	26.8	9
2.2	8.2	20.0	40.1	75.4	135.3	241.9	405.6	762.1	1,402.7	2,441.5	5,213.2	10
3.6	12.0	30.5	62.8	116.2	203.1	346.9	555.9	986.3	1,732.7	2,787.0	5,409.1	11
0.9	4.6	9.9	19.0	37.5	73.3	150.9	284.7	598.0	1,181.6	2,236.4	5,112.9	12
1.7	6.4	15.5	33.0	65.0	120.6	220.5	380.4	728.0	1,395.1	2,485.9	5,408.8	13
2.8	10.2	25.7	54.4	105.6	187.9	327.8	533.3	957.2	1,728.1	2,854.7	5,639.4	14
0.6	2.7	5.7	12.8	27.1	58.8	126.6	257.5	562.1	1,174.4	2,269.7	5,292.9	15
5.9	21.0	53.1	99.5	167.9	279.3	441.5	640.1	1,126.3	1,494.4	1,904.8	3,115.8	16
9.2	26.2	69.6	135.2	214.1	357.2	525.7	765.8	1,275.1	1,769.7	2,044.2	3,254.9	17
3.1	16.8	39.4	68.6	127.3	212.0	368.8	539.2	1,003.9	1,281.9	1,825.2	3,029.3	18
-	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.4	0.6	1.3	1.9	19
-	0.0	0.0	0.1	0.1	0.1	0.1	0.5	0.6	0.9	1.7	2.3	20
-	0.0	-	-	-	0.1	0.0	0.2	0.2	0.4	1.0	1.7	21
-	0.0	0.0	0.1	0.1	0.1	0.1	0.4	0.4	0.7	1.4	2.1	22
-	0.0	0.0	0.1	0.2	0.1	0.2	0.5	0.7	1.0	1.9	2.5	23
-	-	-	-	-	0.1	-	0.2	0.1	0.5	1.1	1.9	24
-	0.1	-	-	-	-	0.2	-	0.4	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	26
-	0.3	-	-	-	-	0.4	-	0.8	-	-	-	27
0.7	0.8	0.8	1.4	2.3	3.5	4.6	6.7	10.7	19.2	30.7	81.6	28
0.7	1.1	0.9	1.7	2.9	4.3	5.9	8.4	13.6	22.6	37.5	79.9	29
0.7	0.5	0.8	1.0	1.7	2.7	3.4	5.4	8.5	16.9	26.7	82.4	30
0.6	0.7	0.7	1.1	2.1	3.1	4.2	6.2	10.4	19.4	31.4	83.9	31
0.6	1.0	0.8	1.2	2.6	4.0	5.6	7.7	13.3	22.7	38.3	82.6	32
0.6	0.4	0.6	1.0	1.6	2.2	2.9	5.0	8.2	17.2	27.3	84.5	33
1.3	1.7	1.9	3.7	4.2	7.3	8.3	11.7	14.0	16.5	22.2	57.1	34
1.7	2.2	1.6	6.6	5.4	6.9	8.9	14.9	16.0	21.2	28.6	54.9	35
0.9	1.3	2.1	1.2	3.2	7.6	7.7	9.1	12.4	12.9	18.0	58.5	36
3.5	4.8	8.0	13.0	18.8	28.6	41.9	58.2	83.5	121.9	189.3	351.0	37
4.3	5.6	11.0	17.5	25.8	40.5	59.2	83.3	114.7	157.2	243.2	411.7	38
2.7	4.1	5.2	8.8	12.2	17.7	26.9	37.9	60.7	98.2	157.2	319.9	39
2.5	3.2	6.0	10.1	15.2	24.3	36.3	51.6	74.7	115.8	185.4	350.8	40
3.1	3.8	8.2	13.9	22.1	35.5	52.4	74.8	104.1	149.8	238.1	409.6	41
1.8	2.6	3.8	6.5	8.8	14.1	22.3	33.9	53.4	93.2	154.5	321.2	42
10.5	16.0	23.5	37.0	50.6	70.1	93.6	118.9	177.5	195.4	236.0	353.4	43
13.1	19.1	33.3	48.5	60.1	91.0	122.8	162.1	219.7	237.9	298.7	431.4	44
8.3	13.4	15.3	27.1	42.1	52.0	68.4	84.1	142.9	162.6	194.6	304.9	45
0.7	1.1	1.7	2.2	2.8	3.9	6.8	10.0	15.7	29.7	52.4	101.6	46
0.4	1.2	1.8	2.2	3.7	4.8	8.2	11.3	20.9	35.2	68.1	136.7	47
1.0	0.9	1.6	2.2	2.0	3.1	5.6	8.9	11.9	26.0	43.1	83.6	48
0.2	0.4	0.6	1.1	1.7	2.6	5.0	8.0	13.7	27.7	50.9	102.1	49
0.1	0.3	0.7	1.2	2.3	3.3	6.4	9.4	19.0	32.6	66.5	136.3	50
0.4	0.4	0.6	1.0	1.1	1.9	3.7	6.8	9.8	24.4	41.8	84.9	51
3.8	6.2	9.6	11.0	12.7	16.9	23.4	28.7	37.3	54.1	70.9	96.2	52
3.1	8.6	10.3	10.6	16.3	19.3	24.3	28.6	40.4	63.6	85.7	141.2	53
4.5	4.2	9.1	11.2	9.6	14.8	22.6	28.9	34.7	46.8	61.3	68.3	54
5.7	10.2	18.7	30.9	50.2	84.1	143.0	261.1	510.1	957.3	1,685.6	3,204.4	55
5.6	10.3	18.4	31.6	54.8	100.0	175.0	315.2	614.6	1,079.3	1,831.9	3,188.6	56
5.7	10.2	19.0	30.3	46.0	69.4	115.6	217.5	433.7	875.5	1,598.7	3,212.4	57
4.3	7.4	14.3	23.6	40.9	71.0	124.1	237.3	475.6	940.7	1,709.6	3,297.1	58
4.2	7.2	14.3	23.2	44.7	86.4	155.2	293.6	588.7	1,065.5	1,868.9	3,289.3	59
4.3	7.6	14.3	24.0	37.3	56.9	96.9	192.1	393.7	858.0	1,616.2	3,300.9	60
15.3	30.1	51.8	91.0	139.2	211.5	319.3	481.9	879.2	1,156.4	1,394.7	2,210.5	61
16.2	33.8	51.9	103.7	147.1	237.7	360.4	515.5	872.3	1,222.7	1,426.0	2,247.1	62
14.6	27.0	51.7	80.1	120.9	189.2	283.8	455.7	884.9	1,105.3	1,385.6	2,187.8	63
1.5	3.2	6.0	11.0	16.4	26.7	37.3	57.0	91.8	143.8	217.7	349.7	64
2.0	3.8	6.6	11.9	18.1	32.5	45.8	67.9	105.8	154.9	236.0	347.0	65
1.0	2.7	5.5	10.1	14.0	21.4	30.0	48.3	81.5	136.4	206.8	351.1	66
0.8	2.2	4.2	8.0	13.5	22.7	33.0	53.0	86.9	142.9	219.9	360.3	67
1.1	2.6	4.7	8.6	15.3	28.1	40.9	64.1	102.5	153.6	241.2	362.3	68
0.6	1.9	3.7	7.4	11.8	17.8	26.1	44.1	75.6	135.9	207.5	359.3	69
6.0	10.2	19.8	35.6	41.7	65.8	77.1	94.4	144.1	190.5	236.1	336.1	70
8.4	13.4	22.4	40.2	43.1	76.8	91.1	103.7	139.0	168.2	179.2	203.9	71
4.0	7.6	17.7	31.7	40.5	56.4	65.0	87.1	148.3	143.9	200.0	256.1	72
0.2	0.6	1.2	2.4	5.7	13.4	31.8	64.7	142.3	288.0	508.4	990.0	73
0.1	0.7	1.4	3.0	7.1	17.6	39.8	79.9	175.9	327.1	547.3	956.8	74
0.3	0.6	1.0	1.8	4.4	9.5	24.9	52.5	117.7	251.8	485.4	1,007.0	75
0.2	0.5	0.9	1.9	4.4	11.5	28.1	60.3	135.9	265.0	518.6	1,022.0	76
0.2	0.5	1.0	2.2	5.6	15.9	36.5	76.8	172.4	326.6	562.6	985.7	77
0.2	0.4	0.7	1.5	3.3	7.5	20.7	47.0	109.5	257.5	492.9	1,040.3	78
0.3	1.9	3.8	6.6	17.0	31.6	66.7	105.8	210.2	323.4	385.2	646.6	79
-	2.2	4.5	9.3	21.0	35.4	71.3	108.7	210.3	330.3	379.2	686.3	80
0.5	1.6	3.2	4.3	13.4	28.4	62.8	103.8	210.0	318.1	392.8	622.0	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON. CEREBROVASCULAR DISEASES--CON.									
1	CEREBRAL EMBOLISM-----434	0.5	-	0.0	-	0.0	0.0	0.0	0.0
2	MALE-----	0.4	-	0.0	-	-	0.0	0.0	0.0
3	FEMALE-----	0.5	-	-	-	0.3	-	-	0.0
4	WHITE-----	0.5	-	0.0	-	-	0.0	-	0.0
5	MALE-----	0.5	-	0.0	-	-	0.0	-	0.0
6	FEMALE-----	0.5	-	-	-	-	-	-	0.0
7	ALL OTHER-----	0.3	-	-	-	0.1	-	0.1	-
8	MALE-----	0.2	-	-	-	-	-	0.2	-
9	FEMALE-----	0.4	-	-	-	0.1	-	-	-
10	ALL OTHER CEREBROVASCULAR DISEASES-----430, 432, 435-438	56.7	2.9	0.6	0.3	0.4	0.8	1.1	2.1
11	MALE-----	51.6	3.7	0.7	0.4	1.5	1.0	1.1	2.0
12	FEMALE-----	61.6	2.0	0.4	0.2	0.3	0.5	1.0	2.3
13	WHITE-----	56.7	2.0	0.5	0.3	0.4	0.8	0.9	1.7
14	MALE-----	51.1	2.5	0.5	0.4	0.5	1.0	0.9	1.7
15	FEMALE-----	62.2	1.5	0.4	0.2	0.3	0.5	1.0	1.8
16	ALL OTHER-----	56.7	7.1	1.1	0.2	0.4	0.8	1.9	5.2
17	MALE-----	55.4	9.6	1.4	0.3	0.8	1.1	2.3	3.9
18	FEMALE-----	57.9	4.5	0.7	0.1	0.1	0.5	1.5	6.3
19	ARTERIOSCLEROSIS-----440	15.6	-	-	-	-	0.0	-	0.0
20	MALE-----	13.5	-	-	-	-	0.0	-	-
21	FEMALE-----	17.6	-	-	-	-	-	-	0.0
22	WHITE-----	16.5	-	-	-	-	0.0	-	0.0
23	MALE-----	14.1	-	-	-	-	0.0	-	-
24	FEMALE-----	18.8	-	-	-	-	-	-	0.0
25	ALL OTHER-----	9.3	-	-	-	-	-	-	-
26	MALE-----	9.4	-	-	-	-	-	-	-
27	FEMALE-----	9.3	-	-	-	-	-	-	-
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.3	1.3	0.0	0.1	0.1	0.2	0.4	0.6
29	MALE-----	15.7	1.2	0.1	0.1	0.2	0.2	0.4	0.6
30	FEMALE-----	9.2	1.4	-	0.0	0.1	0.1	0.3	0.7
31	WHITE-----	12.9	0.9	0.1	0.0	0.2	0.2	0.3	0.5
32	MALE-----	16.6	1.0	0.1	0.1	0.2	0.3	0.4	0.6
33	FEMALE-----	9.4	0.7	-	-	0.1	0.1	0.2	0.5
34	ALL OTHER-----	8.3	3.4	-	0.1	0.1	0.1	0.8	1.3
35	MALE-----	9.4	2.2	-	-	-	-	0.4	1.0
36	FEMALE-----	7.3	4.5	-	0.3	0.1	0.1	1.3	1.7
37	ACUTE BRONCHITIS AND BRONCHITIS-----466	0.6	8.4	0.9	0.1	0.0	0.0	0.1	0.1
38	MALE-----	0.7	9.6	0.9	0.1	0.1	0.0	0.0	0.1
39	FEMALE-----	0.4	7.2	0.8	0.1	0.0	0.0	0.1	0.0
40	WHITE-----	0.5	5.5	0.8	0.1	0.0	0.0	0.1	0.1
41	MALE-----	0.6	6.7	0.8	0.1	0.0	-	-	0.1
42	FEMALE-----	0.4	4.3	0.7	0.1	0.0	0.0	0.1	0.0
43	ALL OTHER-----	0.9	23.6	1.5	0.1	0.1	0.1	0.2	-
44	MALE-----	1.1	25.2	1.6	-	0.3	0.3	0.4	-
45	FEMALE-----	0.8	22.0	1.3	0.1	-	-	-	-
46	INFLUENZA AND PNEUMONIA-----470-474, 480-486	30.1	131.7	6.6	1.4	1.4	1.8	2.4	2.9
47	MALE-----	34.2	150.7	6.8	1.3	1.5	2.0	2.8	3.3
48	FEMALE-----	26.1	112.0	6.3	1.6	1.3	1.7	2.1	2.5
49	WHITE-----	29.6	98.4	5.5	1.4	1.3	1.7	2.1	2.3
50	MALE-----	33.1	116.1	5.9	1.3	1.5	1.9	2.5	2.5
51	FEMALE-----	26.3	79.8	5.1	1.6	1.2	1.5	1.8	2.1
52	ALL OTHER-----	32.9	302.8	12.1	1.5	1.8	2.9	4.3	7.8
53	MALE-----	41.8	330.4	11.6	1.2	1.8	3.0	4.5	10.4
54	FEMALE-----	24.7	275.8	12.5	1.8	1.9	2.7	4.2	5.4
55	INFLUENZA-----470-474	2.4	1.8	0.3	0.1	0.0	0.1	0.1	0.2
56	MALE-----	2.4	1.9	0.4	0.1	0.0	0.1	0.1	0.1
57	FEMALE-----	2.4	1.7	0.2	0.1	0.1	0.1	0.1	0.3
58	WHITE-----	2.5	1.2	0.3	0.1	0.1	0.1	0.1	0.2
59	MALE-----	2.5	1.1	0.3	0.1	0.0	0.1	0.1	0.1
60	FEMALE-----	2.6	1.3	0.2	0.1	0.1	0.0	0.1	0.3
61	ALL OTHER-----	1.6	4.9	0.5	-	-	0.2	0.2	0.2
62	MALE-----	1.7	5.9	0.7	-	-	0.3	0.4	0.2
63	FEMALE-----	1.5	3.8	0.2	-	-	0.1	-	0.2
64	PNEUMONIA-----480-486	27.7	129.8	6.3	1.4	1.4	1.8	2.3	2.7
65	MALE-----	31.9	148.8	6.4	1.2	1.5	1.9	2.6	3.2
66	FEMALE-----	23.7	110.3	6.1	1.5	1.2	1.6	2.0	2.2
67	WHITE-----	27.1	97.2	5.2	1.3	1.3	1.6	2.0	2.1
68	MALE-----	30.7	115.0	5.6	1.2	1.4	1.8	2.4	2.4
69	FEMALE-----	23.7	78.5	4.9	1.5	1.1	1.4	1.7	1.8
70	ALL OTHER-----	31.3	297.9	11.6	1.5	1.8	2.7	4.2	7.5
71	MALE-----	40.1	324.4	10.8	1.2	1.8	2.8	4.1	10.2
72	FEMALE-----	23.2	272.0	12.4	1.8	1.9	2.6	4.2	5.2
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	14.8	3.8	0.6	0.3	0.2	0.4	0.4	0.6
74	MALE-----	23.3	4.5	0.5	0.4	0.2	0.5	0.4	0.6
75	FEMALE-----	6.7	3.1	0.7	0.2	0.2	0.3	0.4	0.5
76	WHITE-----	15.8	2.9	0.5	0.2	0.2	0.3	0.3	0.5
77	MALE-----	25.0	3.4	0.4	0.3	0.2	0.5	0.3	0.5
78	FEMALE-----	7.1	2.4	0.6	0.0	0.1	0.2	0.3	0.4
79	ALL OTHER-----	7.5	6.6	1.3	0.7	0.6	0.8	1.2	1.2
80	MALE-----	11.3	10.4	0.9	0.7	0.5	0.6	1.6	1.5
81	FEMALE-----	4.1	6.8	1.6	0.8	0.8	1.0	0.8	1.0

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.0	0.0	0.1	0.1	0.3	0.5	0.8	1.3	3.2	4.6	6.1	10.3	1
0.0	0.0	0.1	0.1	0.4	0.5	1.1	1.5	3.9	4.7	6.9	10.2	2
-	0.0	0.1	0.1	0.3	0.5	0.6	1.2	2.8	4.5	5.5	10.3	3
0.0	0.0	0.1	0.1	0.3	0.5	0.8	1.3	3.1	4.7	6.3	10.5	4
0.0	-	0.2	0.1	0.4	0.5	1.1	1.5	4.0	5.0	7.6	10.5	5
-	0.0	0.0	0.1	0.3	0.5	0.5	1.2	2.5	4.6	5.6	10.5	6
-	0.1	0.1	-	0.5	0.4	1.6	1.1	4.2	2.6	3.2	7.5	7
-	0.3	-	-	0.4	-	1.5	0.6	2.8	1.5	-	7.8	8
-	-	0.3	-	0.6	0.8	1.7	1.5	5.4	3.5	5.4	7.3	9
4.0	6.3	11.4	17.4	27.8	43.5	73.1	138.0	272.8	520.9	953.4	1,854.4	10
3.5	5.6	10.3	16.6	29.3	49.4	88.2	165.9	329.0	592.6	1,061.6	1,874.6	11
4.5	6.9	12.4	18.2	26.5	38.0	60.1	115.5	231.7	472.9	901.0	1,844.0	12
3.2	4.6	9.2	13.7	22.6	36.3	62.2	122.7	249.6	508.0	964.7	1,904.2	13
2.9	4.0	8.5	12.3	23.4	41.8	76.7	151.2	309.8	580.3	1,057.5	1,930.8	14
3.6	5.2	9.9	15.0	21.9	31.2	49.6	99.8	206.1	460.1	910.3	1,890.8	15
9.1	17.9	28.0	48.8	74.0	113.7	173.9	280.5	520.8	675.9	815.9	1,320.3	16
7.8	17.9	25.0	54.2	82.6	125.5	196.5	302.5	520.2	722.7	867.5	1,349.0	17
10.1	17.8	30.5	44.1	66.3	103.6	154.3	263.3	521.2	639.8	787.4	1,302.4	18
0.0	0.1	0.3	0.9	1.7	4.3	9.3	20.6	54.1	130.2	295.6	890.8	19
0.0	0.0	0.4	1.3	2.5	5.5	12.8	25.8	65.7	149.9	333.8	920.1	20
0.1	0.1	0.1	0.6	0.9	3.2	6.4	16.4	45.7	117.1	272.9	875.8	21
0.0	0.1	0.3	0.9	1.5	3.8	8.5	19.4	50.5	129.6	300.1	930.6	22
-	0.0	0.4	1.2	2.2	5.0	11.9	25.0	61.0	148.9	339.4	968.6	23
0.1	0.1	0.1	0.7	0.8	2.8	5.4	14.8	42.9	116.8	277.0	911.5	24
0.1	-	0.4	1.1	3.6	9.0	17.4	31.8	92.4	138.0	241.3	464.7	25
0.3	-	0.6	2.0	5.4	10.6	20.8	32.9	111.7	159.1	272.7	466.7	26
-	-	0.3	0.3	1.9	7.6	14.5	30.9	76.4	121.6	221.6	463.4	27
0.2	0.1	0.1	0.3	0.3	0.6	0.5	1.1	2.0	2.5	2.8	7.3	37
0.2	0.2	0.1	0.4	0.4	0.7	0.7	1.6	2.7	3.8	4.8	11.7	38
0.2	0.1	0.1	0.2	0.3	0.5	0.3	0.7	1.4	1.6	1.7	5.0	39
0.1	0.1	0.1	0.3	0.3	0.5	0.4	1.1	2.0	2.6	3.1	7.7	40
0.2	0.2	0.0	0.4	0.4	0.7	0.7	1.7	2.9	4.1	5.2	12.2	41
0.1	0.1	0.1	0.3	0.3	0.4	0.2	0.7	1.3	1.6	1.8	5.5	42
0.5	0.1	0.6	0.2	0.5	0.9	0.9	0.8	2.1	1.3	-	3.0	43
0.6	0.3	1.0	0.3	0.7	0.9	1.0	1.2	0.9	-	-	7.8	44
0.5	-	0.3	-	0.3	0.8	0.9	0.5	3.1	2.3	-	-	45
3.8	6.4	9.2	12.8	19.3	26.4	40.5	62.5	119.1	227.0	388.4	860.9	46
4.2	7.7	11.0	16.2	26.5	36.5	58.0	91.6	174.4	330.3	530.8	1,062.9	47
3.4	5.1	7.5	9.6	12.6	17.2	25.3	39.2	78.6	157.8	303.8	757.5	48
2.7	4.5	6.9	10.5	16.2	23.4	37.4	59.0	114.2	225.6	396.8	894.7	49
2.6	5.1	8.2	12.7	21.7	32.0	53.3	85.9	166.7	327.0	542.0	1,113.6	50
2.7	4.0	5.7	8.4	11.0	15.5	23.5	37.3	76.1	158.3	311.6	784.6	51
11.2	19.3	26.0	31.9	47.0	55.8	69.3	95.8	171.6	244.2	266.8	499.2	52
15.3	27.8	33.3	46.2	70.3	81.8	102.5	144.1	250.7	363.6	407.8	588.2	53
7.8	12.3	19.8	19.6	26.5	33.2	40.6	56.7	106.6	192.0	205.4	443.9	54
0.3	0.4	0.7	1.1	1.9	2.5	3.5	5.4	12.9	19.9	29.7	68.5	55
0.2	0.5	0.5	1.1	2.2	2.9	4.5	7.1	18.6	24.6	31.9	67.0	56
0.4	0.8	0.8	1.2	1.6	2.2	2.7	4.1	8.7	16.8	28.3	69.3	57
0.3	0.4	0.6	1.1	1.8	2.3	3.5	5.4	13.2	20.3	30.9	71.0	58
0.2	0.4	0.6	1.0	2.1	2.9	4.5	7.2	19.3	25.2	32.7	70.0	59
0.4	0.3	0.7	1.2	1.5	1.7	2.7	4.0	8.9	17.1	29.8	71.4	60
-	0.9	0.9	1.4	2.5	5.1	3.4	5.6	9.3	15.2	14.8	42.1	61
-	1.3	0.3	1.3	3.3	3.2	5.0	6.2	12.2	18.2	23.4	39.2	62
-	0.5	1.3	1.4	1.9	6.8	2.1	5.1	6.9	12.9	9.0	43.9	63
3.5	5.9	8.5	11.6	17.4	23.8	36.9	57.1	106.2	207.1	358.7	792.4	64
4.0	7.2	10.4	15.1	24.3	33.6	53.5	84.5	155.8	305.7	498.9	993.8	65
3.1	4.8	6.7	8.4	11.1	15.0	22.4	35.1	69.8	141.0	275.5	688.3	66
2.4	4.2	6.3	9.4	14.4	21.1	33.8	53.5	100.9	205.3	365.9	823.7	67
2.5	4.6	7.7	11.6	19.6	29.1	48.8	78.7	147.5	301.9	509.3	1,043.6	68
2.3	3.7	5.0	7.2	9.5	13.8	20.8	33.3	67.2	141.2	281.7	713.2	69
11.2	18.4	25.1	30.6	44.4	50.6	65.8	90.3	162.3	229.0	272.0	457.1	70
15.3	26.5	33.0	44.9	67.0	78.6	97.5	137.9	238.5	345.5	384.4	549.0	71
7.8	11.8	18.5	18.2	24.6	26.4	38.5	51.6	99.6	139.2	196.4	400.0	72
0.9	1.6	2.9	5.7	11.9	24.1	44.1	69.1	104.6	125.2	133.0	129.1	73
0.8	1.4	3.0	7.1	16.8	36.1	74.1	123.7	201.5	258.3	279.8	265.2	74
1.1	1.8	2.8	4.4	7.3	13.2	17.9	25.2	33.7	36.0	45.8	59.4	75
0.8	1.3	2.5	5.2	11.8	24.4	45.6	72.9	109.7	129.4	139.5	134.5	76
0.7	1.1	2.6	6.2	16.8	36.3	76.9	130.5	212.4	268.5	295.4	280.5	77
0.9	1.5	2.5	4.2	7.2	13.5	18.3	26.6	35.4	37.2	48.2	61.1	78
1.8	3.7	5.7	10.2	12.2	20.9	29.4	34.0	50.0	74.6	54.0	70.7	79
1.1	3.8	6.1	15.0	17.0	33.6	48.0	60.9	93.0	143.9	109.1	121.6	80
2.4	3.7	5.4	6.1	8.0	10.0	13.2	12.2	14.7	21.1	16.2	39.0	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
BRONCHITIS, EMPHYSEMA, AND ASTHMA--CON.									
1	CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	2.8	3.0	0.3	0.1	0.1	0.1	0.1	0.1
2	MALE-----	4.2	3.5	0.2	0.1	0.1	0.1	0.1	0.2
3	FEMALE---	1.5	2.6	0.5	0.0	0.1	0.1	0.0	0.1
4	WHITE-----	3.0	2.3	0.3	0.1	0.1	0.1	0.1	0.1
5	MALE-----	4.4	2.8	0.2	0.1	0.1	0.1	0.1	0.2
6	FEMALE---	1.6	1.8	0.4	-	0.1	0.0	0.0	0.1
7	ALL OTHER-----	1.6	6.7	0.5	0.2	0.2	0.1	0.1	0.1
8	MALE-----	2.2	6.7	0.2	0.1	3.3	-	-	-
9	FEMALE---	1.0	6.8	0.9	0.3	0.1	0.3	0.2	0.2
10	EMPHYSEMA-----492	10.8	0.5	0.1	0.0	0.0	0.0	0.0	0.1
11	MALE-----	18.2	0.5	0.1	0.0	0.0	0.1	-	0.2
12	FEMALE---	3.9	0.5	0.1	-	0.0	-	0.1	0.1
13	WHITE-----	11.8	0.4	0.1	0.0	0.0	0.1	0.0	0.1
14	MALE-----	19.7	0.1	0.1	0.0	-	0.1	-	0.1
15	FEMALE---	4.3	0.6	0.0	-	0.0	-	0.1	0.1
16	ALL OTHER-----	4.1	1.1	0.1	-	0.1	-	0.2	0.4
17	MALE-----	7.1	2.2	-	-	0.1	-	-	1.0
18	FEMALE---	1.2	-	0.2	-	-	-	0.3	-
19	ASTHMA-----493	1.1	0.3	0.2	0.2	0.1	0.2	0.3	0.3
20	MALE-----	1.0	0.6	0.2	0.2	0.1	0.3	0.3	0.2
21	FEMALE---	1.2	-	0.2	0.1	0.1	0.2	0.2	0.4
22	WHITE-----	1.0	0.2	0.1	0.1	0.1	0.2	0.2	0.3
23	MALE-----	0.9	0.4	0.1	0.2	0.1	0.2	0.2	0.2
24	FEMALE---	1.1	-	0.1	0.0	0.0	0.1	0.2	0.3
25	ALL OTHER-----	1.9	0.7	0.6	0.5	0.4	0.6	0.9	0.7
26	MALE-----	1.9	1.5	0.7	0.5	0.1	0.6	1.6	0.5
27	FEMALE---	1.9	-	0.5	0.5	0.6	0.7	0.3	0.8
28	PEPTIC ULCER-----531-533	3.8	1.8	0.1	0.0	0.0	0.1	0.2	0.3
29	MALE-----	5.1	2.3	0.2	0.0	0.1	0.2	0.3	0.4
30	FEMALE---	2.5	1.2	0.1	0.0	0.0	-	0.1	0.1
31	WHITE-----	3.9	1.4	0.1	0.0	0.1	0.1	0.1	0.2
32	MALE-----	5.2	1.7	0.2	0.0	0.1	0.1	3.2	3.3
33	FEMALE---	2.7	1.0	0.0	0.0	0.0	-	0.1	0.1
34	ALL OTHER-----	3.1	3.7	0.1	-	-	-	0.1	0.8
35	MALE-----	4.7	5.2	-	-	-	0.3	0.5	1.2
36	FEMALE---	1.6	2.3	0.2	-	-	-	-	0.4
37	APPENDICITIS-----540-543	0.6	0.2	0.1	0.2	0.2	0.1	0.2	0.1
38	MALE-----	0.7	0.4	0.2	0.2	0.3	0.2	0.2	0.1
39	FEMALE---	0.5	0.1	0.1	0.2	0.1	0.0	0.2	0.2
40	WHITE-----	0.5	0.3	0.1	0.2	0.2	0.1	0.1	0.1
41	MALE-----	0.7	0.4	0.1	0.1	0.3	0.2	0.2	0.0
42	FEMALE---	0.4	0.1	0.1	0.2	0.1	0.0	0.1	0.2
43	ALL OTHER-----	0.8	-	0.3	0.2	0.2	0.1	0.5	0.1
44	MALE-----	0.9	-	0.4	0.3	0.1	0.1	0.4	-
45	FEMALE---	0.7	-	0.2	0.1	0.3	0.1	0.6	0.2
46	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.3	14.8	0.3	0.1	0.1	0.1	0.1	0.3
47	MALE-----	2.9	18.0	0.4	0.1	0.1	0.2	0.1	0.3
48	FEMALE---	3.6	11.6	0.3	0.0	0.1	0.1	0.2	0.2
49	WHITE-----	3.3	14.3	0.3	0.1	0.1	0.1	0.1	0.2
50	MALE-----	2.9	17.0	0.4	0.1	0.1	0.2	0.1	0.2
51	FEMALE---	3.7	11.5	0.2	0.0	0.1	0.1	0.1	0.2
52	ALL OTHER-----	3.1	17.6	0.4	0.1	0.1	0.1	0.5	0.7
53	MALE-----	3.3	23.0	0.4	-	0.3	0.1	0.4	1.0
54	FEMALE---	2.8	12.1	0.4	0.1	-	0.1	0.6	0.4
55	CIRRHOSIS OF LIVER-----571	15.6	0.8	0.2	0.1	0.1	0.2	0.5	2.4
56	MALE-----	21.1	1.0	0.2	0.0	0.0	0.1	0.5	2.6
57	FEMALE---	18.4	0.6	0.3	0.1	0.1	0.2	0.4	2.2
58	WHITE-----	14.9	0.9	0.2	0.1	0.1	0.1	0.2	1.5
59	MALE-----	20.2	1.0	0.2	0.0	0.0	0.1	0.2	1.8
60	FEMALE---	9.9	0.7	0.2	0.1	0.1	0.1	0.3	1.2
61	ALL OTHER-----	20.7	0.4	0.4	0.1	0.1	0.6	2.0	9.2
62	MALE-----	27.5	0.7	0.2	-	-	0.3	2.7	9.0
63	FEMALE---	14.4	-	0.5	0.1	0.1	0.8	1.5	9.4
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.8	0.1	-	-	-	-	0.0	0.1
65	MALE-----	1.6	0.2	-	-	-	-	-	0.1
66	FEMALE---	1.9	-	-	-	-	-	0.1	0.1
67	WHITE-----	1.9	0.1	-	-	-	-	0.0	0.1
68	MALE-----	1.7	0.3	-	-	-	-	-	0.1
69	FEMALE---	2.0	-	-	-	-	-	0.1	0.1
70	ALL OTHER-----	0.9	-	-	-	-	-	-	0.4
71	MALE-----	0.8	-	-	-	-	-	-	0.2
72	FEMALE---	1.1	-	-	-	-	-	-	0.6
73	NEPHRITIS AND NEPHROSIS-----580-584	4.1	0.7	0.1	0.2	0.2	0.3	0.7	0.8
74	MALE-----	4.6	0.8	0.1	0.2	0.2	0.2	1.0	0.8
75	FEMALE---	3.6	0.6	0.1	0.2	0.2	0.4	0.5	0.7
76	WHITE-----	3.5	0.7	0.1	0.2	0.2	0.2	0.6	0.6
77	MALE-----	3.9	0.8	0.1	0.2	0.2	0.1	0.9	0.6
78	FEMALE---	3.1	0.6	0.1	0.2	0.1	0.4	0.4	0.6
79	ALL OTHER-----	8.6	0.7	0.3	0.1	0.5	0.8	1.4	2.1
80	MALE-----	9.6	0.7	0.2	0.1	0.5	0.8	2.0	2.7
81	FEMALE---	7.7	0.8	0.4	0.1	0.5	0.7	0.8	1.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.2	0.3	0.7	1.1	2.2	3.9	7.6	12.4	18.8	21.0	28.8	33.7	1
0.2	0.4	0.7	1.6	3.0	5.7	12.6	20.5	33.8	41.0	56.0	59.8	2
0.2	0.2	0.6	0.7	1.5	2.2	3.3	5.8	7.8	7.6	12.7	20.4	3
0.2	0.3	0.6	1.1	2.2	4.0	7.8	12.9	19.5	21.8	30.7	34.6	4
0.3	0.3	0.7	1.4	2.9	5.8	12.7	21.5	35.4	42.4	60.4	62.5	5
0.2	0.3	0.5	0.8	1.5	2.3	3.4	6.1	8.0	8.1	13.3	20.7	6
0.1	0.7	0.9	1.7	2.7	3.0	6.2	7.2	11.0	11.9	6.3	24.1	7
-	1.6	0.6	3.3	3.6	4.6	11.4	11.8	17.8	25.8	7.8	35.3	8
0.2	-	1.1	0.3	1.9	1.6	1.7	3.5	5.4	1.2	5.4	17.1	9
0.1	0.4	1.3	3.2	8.0	17.7	33.5	59.5	81.2	99.0	98.4	89.7	10
0.2	0.5	1.5	4.5	12.5	28.0	59.0	99.8	162.2	211.9	216.5	200.0	11
E.1	0.4	1.0	2.1	3.9	8.3	11.3	16.2	21.9	23.4	28.3	33.2	12
0.1	0.4	1.2	3.1	8.3	18.3	35.2	56.9	85.8	102.6	103.1	93.8	13
0.2	0.4	1.4	4.0	12.4	28.5	61.8	106.1	172.1	221.1	227.9	212.6	14
0.1	0.4	1.0	2.2	4.1	8.9	12.0	17.3	23.2	24.1	29.8	34.1	15
C.3	0.7	1.9	4.5	5.6	12.0	17.4	22.0	32.6	55.4	42.3	45.1	16
0.6	1.0	2.2	8.3	9.8	22.1	32.7	42.2	63.8	109.1	90.9	82.4	17
-	0.5	1.6	1.2	1.9	3.2	4.3	5.6	6.9	14.0	9.0	22.0	18
0.6	0.9	1.0	1.3	1.6	2.5	3.0	3.3	4.6	5.2	5.7	5.6	19
0.3	0.6	0.7	1.0	1.4	2.4	2.6	3.3	5.4	5.4	7.4	5.3	20
C.8	1.2	1.2	1.6	1.9	2.6	3.3	3.2	4.0	5.1	4.8	5.8	21
0.5	0.7	0.7	1.0	1.4	2.2	2.7	3.1	4.4	5.0	5.8	6.0	22
0.3	0.5	0.4	0.8	1.1	2.0	2.4	3.0	4.8	5.1	7.1	5.5	23
C.6	0.9	1.0	1.2	1.6	2.3	2.9	3.2	4.2	5.0	5.0	6.3	24
1.4	2.3	2.9	4.0	3.9	6.0	5.7	4.7	6.4	7.3	5.3	1.5	25
0.6	1.3	3.2	3.3	3.6	6.9	4.0	6.8	11.3	9.1	10.4	3.9	26
2.1	3.1	2.7	4.6	4.1	5.2	7.3	3.0	2.3	5.8	1.8	-	27
0.6	0.8	1.7	3.0	4.3	6.8	9.4	14.1	19.5	26.6	38.5	55.2	28
0.7	1.3	2.8	4.3	6.7	9.9	14.5	23.2	30.0	40.8	61.0	83.0	29
C.4	0.5	0.8	1.8	2.0	4.0	5.1	6.7	11.9	17.1	25.2	40.9	30
0.5	0.7	1.4	2.6	4.0	6.5	9.3	14.1	19.5	26.8	40.0	58.6	31
0.6	1.1	2.2	3.7	6.3	9.2	14.2	23.3	29.5	41.2	63.4	88.9	32
0.4	0.3	0.6	1.6	1.8	4.1	5.0	6.8	12.2	17.3	26.2	43.4	33
1.0	1.9	4.5	6.2	6.6	9.4	10.6	13.4	19.9	23.8	21.2	18.0	34
1.1	2.2	7.4	9.0	10.5	17.0	16.8	22.4	34.7	36.4	33.8	27.5	35
C.9	1.6	2.1	3.7	3.2	2.8	5.1	6.1	7.7	14.0	12.6	12.2	36
C.2	0.2	0.2	0.5	0.6	0.8	1.4	1.9	1.8	3.6	4.0	7.8	37
0.2	0.3	0.3	0.7	0.9	1.1	2.0	3.0	2.5	4.2	5.6	11.0	38
0.3	0.2	0.2	0.2	0.4	0.6	0.9	1.0	3.2	3.0	3.0	6.2	39
C.2	0.1	0.2	0.4	0.5	0.8	1.3	1.8	1.7	3.2	3.9	8.0	40
0.1	0.2	0.3	0.7	0.7	1.1	1.7	2.8	2.5	3.6	5.9	11.3	41
0.2	0.1	0.1	0.2	0.2	0.5	1.0	1.0	1.2	2.9	2.8	6.3	42
0.5	0.9	0.6	0.9	2.0	1.3	2.3	3.0	8.6	3.0	4.2	6.0	43
0.6	0.6	0.3	1.3	2.5	1.4	4.5	5.0	2.8	10.6	2.6	7.8	44
0.5	1.0	0.8	0.6	1.6	1.2	0.4	1.0	3.1	7.0	5.4	4.9	45
C.4	0.5	0.7	1.5	2.0	3.6	5.6	8.3	14.7	25.2	43.2	75.4	46
C.3	0.4	0.7	1.3	1.5	3.9	5.7	8.6	15.7	26.5	45.8	75.4	47
0.5	0.5	0.6	1.8	2.4	3.4	5.5	8.0	13.9	24.4	41.6	75.5	48
0.3	0.2	0.6	1.2	1.8	3.3	5.4	7.7	13.9	25.5	44.5	77.4	49
0.1	0.2	0.6	1.1	1.4	3.4	5.3	7.9	14.5	26.4	46.9	78.0	50
0.5	0.3	0.6	1.3	2.2	3.3	5.4	7.5	13.5	24.9	43.2	77.3	51
1.1	2.0	1.2	4.2	3.6	6.2	7.6	13.9	22.5	21.8	26.5	52.6	52
1.4	2.2	1.6	2.7	2.5	8.7	9.4	14.9	28.2	27.3	33.8	51.0	53
C.9	1.8	0.8	5.5	4.5	4.0	6.0	13.2	17.8	17.5	21.6	53.7	54
6.6	14.1	26.1	35.4	42.5	48.9	51.9	47.4	37.3	33.4	23.4	20.3	55
8.7	19.2	34.1	47.6	58.6	68.1	77.4	73.6	56.3	51.6	33.4	35.2	56
4.6	9.3	18.5	24.0	27.6	31.3	29.8	26.2	23.4	21.2	17.4	12.6	57
3.7	10.1	21.1	31.2	39.7	48.1	51.5	48.0	37.1	34.7	23.6	20.8	58
5.2	14.2	28.1	41.9	54.3	66.5	77.2	74.0	56.7	53.8	33.1	36.1	59
2.1	6.1	14.2	21.1	26.0	31.3	29.0	27.0	23.0	22.1	18.0	13.1	60
27.1	42.8	63.7	69.6	67.3	56.0	55.7	41.8	39.4	17.2	20.1	15.0	61
34.8	58.1	82.4	96.3	97.5	84.1	79.2	69.6	52.6	27.3	36.4	27.5	62
20.5	30.2	48.2	46.4	40.8	31.6	35.5	19.2	28.6	9.4	9.0	7.3	63
0.1	0.2	0.4	0.6	0.9	1.6	2.8	4.9	10.1	15.9	28.1	46.8	64
0.1	0.1	0.2	0.7	0.9	1.6	3.3	5.6	12.2	18.8	30.4	42.4	65
0.2	0.2	0.5	0.5	0.8	1.6	2.3	4.3	8.5	13.9	26.8	49.1	66
0.1	0.2	0.3	0.6	0.9	1.6	2.7	4.9	10.3	16.4	28.9	49.6	67
0.2	0.2	0.1	0.7	0.9	1.5	3.3	5.9	12.8	19.7	31.7	45.3	68
0.1	0.2	0.5	0.5	0.9	1.6	2.3	4.1	8.5	14.1	27.2	51.8	69
0.1	0.1	1.0	0.8	0.5	1.9	3.4	4.7	7.6	9.9	19.0	16.5	70
-	-	1.0	1.3	0.7	2.3	4.0	5.6	5.6	9.1	15.6	15.7	71
0.2	0.3	1.1	0.3	0.3	1.6	3.0	6.1	9.3	10.5	21.6	17.1	72
1.1	1.7	2.2	3.6	5.1	7.1	9.1	13.3	18.7	28.2	34.3	63.2	73
1.3	2.1	2.5	4.0	5.8	7.9	11.4	16.6	25.2	37.2	51.2	90.5	74
C.9	1.4	2.0	3.2	4.5	6.5	7.1	10.7	14.0	22.1	24.3	49.3	75
0.6	1.1	1.2	2.4	3.9	5.4	6.8	10.1	15.1	25.7	32.4	60.3	76
0.6	1.1	1.3	2.9	4.7	6.4	9.3	13.3	19.8	33.6	46.9	83.9	77
0.6	1.0	1.1	2.0	3.1	4.4	4.5	7.6	11.7	20.4	23.9	48.5	78
4.5	6.3	9.8	13.4	16.3	24.4	30.5	43.2	57.2	58.1	58.2	94.7	79
6.7	9.3	11.9	13.3	15.9	22.5	30.7	47.2	77.9	77.3	98.7	152.9	80
2.6	3.9	8.0	13.5	16.6	26.0	30.3	40.0	40.2	49.3	30.6	58.5	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
NEPHRITIS AND NEPHROSIS--CON.									
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	0.7	0.6	0.1	0.0	0.0	0.1	0.1	0.2
2	MALE	0.8	0.6	0.1	0.0	0.1	0.1	0.1	0.2
3	FEMALE	0.6	0.6	0.1	0.0	0.0	0.1	0.1	0.1
4	WHITE	0.6	0.6	0.1	0.0	0.0	0.1	0.1	0.1
5	MALE	0.8	0.6	0.1	0.0	0.0	0.0	0.1	0.1
6	FEMALE	0.5	0.6	0.1	0.0	0.0	0.0	0.2	0.1
7	ALL OTHER	1.1	0.7	0.3	0.1	0.0	0.0	0.1	0.1
8	MALE	1.4	0.7	0.2	0.1	0.1	0.2	0.2	0.6
9	FEMALE	0.9	0.8	0.4	0.1	0.1	0.3	0.3	1.0
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	3.4	0.1	0.0	0.1	0.2	0.2	0.6	0.6
11	MALE	3.8	0.2	0.1	0.1	0.2	0.1	0.9	0.6
12	FEMALE	3.1	0.1	0.0	0.1	0.2	0.3	0.6	0.6
13	WHITE	2.8	0.1	0.1	0.1	0.2	0.3	0.5	0.5
14	MALE	3.1	0.3	0.1	0.1	0.2	0.1	0.7	0.5
15	FEMALE	2.5	0.3	0.1	0.1	0.1	0.1	0.7	0.5
16	ALL OTHER	7.5	0.1	0.0	0.1	0.1	0.3	0.3	0.5
17	MALE	8.3	0.1	0.1	0.1	0.4	0.6	1.2	1.6
18	FEMALE	6.8	0.1	0.1	0.1	0.4	0.6	2.0	1.7
19	INFECTIONS OF KIDNEY--590	3.3	0.2	0.0	0.0	0.0	0.0	0.2	0.1
20	MALE	3.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2
21	FEMALE	3.6	0.1	0.0	0.0	0.0	0.1	0.1	0.1
22	WHITE	3.2	0.2	0.0	0.0	0.0	0.0	0.2	0.1
23	MALE	2.9	0.3	0.0	0.0	0.0	0.0	0.2	0.1
24	FEMALE	3.5	0.1	0.0	0.0	0.0	0.1	0.2	0.1
25	ALL OTHER	4.4	0.1	0.1	0.1	0.1	0.1	0.2	0.1
26	MALE	4.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
27	FEMALE	4.7	0.1	0.1	0.1	0.1	0.1	0.2	0.7
28	HYPERPLASIA OF PROSTATE--600	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	MALE	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	WHITE	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	MALE	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	ALL OTHER	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	MALE	1.9	0.0	0.0	0.0	0.1	0.0	0.0	0.0
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	0.3	0.0	0.0	0.0	0.0	0.4	1.0	0.9
35	FEMALE	0.6	0.0	0.0	0.0	0.0	0.8	1.9	1.8
36	WHITE	0.2	0.0	0.0	0.0	0.0	0.3	0.8	0.7
37	FEMALE	0.4	0.0	0.0	0.0	0.0	0.5	1.5	1.3
38	ALL OTHER	0.9	0.0	0.0	0.0	0.1	1.3	2.4	2.7
39	FEMALE	1.7	0.0	0.0	0.0	0.1	2.6	4.5	5.0
40	ABORTIONS--640-645	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1
41	FEMALE	0.1	0.0	0.0	0.0	0.0	0.1	0.4	0.2
42	WHITE	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
43	FEMALE	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1
44	ALL OTHER	0.1	0.0	0.0	0.0	0.0	0.1	0.7	0.3
45	FEMALE	0.2	0.0	0.0	0.0	0.0	0.1	1.3	0.6
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	0.3	0.0	0.0	0.0	0.0	0.4	0.8	0.8
47	FEMALE	0.5	0.0	0.0	0.0	0.0	0.8	1.5	1.6
48	WHITE	0.2	0.0	0.0	0.0	0.0	0.2	0.6	0.6
49	FEMALE	0.4	0.0	0.0	0.0	0.0	0.5	1.3	1.2
50	ALL OTHER	0.8	0.0	0.0	0.0	0.1	1.2	1.7	2.4
51	FEMALE	1.5	0.0	0.0	0.0	0.1	2.5	3.2	4.4
52	CONGENITAL ANOMALIES--740-759	7.1	287.5	10.4	3.0	1.8	1.8	1.4	1.7
53	MALE	7.7	306.4	10.2	2.9	1.7	1.9	1.6	2.1
54	FEMALE	6.4	268.2	10.5	3.1	1.8	1.7	1.1	1.2
55	WHITE	6.8	286.5	10.2	2.9	1.9	1.8	1.3	1.6
56	MALE	7.5	307.8	9.8	2.8	1.8	2.0	1.4	2.0
57	FEMALE	6.2	264.0	10.6	3.0	1.9	1.7	1.1	1.3
58	ALL OTHER	8.8	292.7	11.2	3.5	1.2	1.7	2.0	1.8
59	MALE	9.6	297.0	12.3	3.4	1.3	1.7	2.9	3.2
60	FEMALE	8.0	289.4	10.0	3.7	1.1	1.6	1.1	0.6
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769,772,774-778	16.2	1,025.3	0.1	0.0	0.0	0.0	0.0	0.0
62	MALE	19.5	1,173.6	0.2	0.0	0.0	0.0	0.0	0.0
63	FEMALE	13.2	872.3	0.1	0.0	0.0	0.0	0.0	0.0
64	WHITE	13.5	889.4	0.1	0.0	0.0	0.0	0.0	0.0
65	MALE	16.4	1,028.2	0.1	0.0	0.0	0.0	0.0	0.0
66	FEMALE	10.8	743.4	0.0	0.0	0.0	0.0	0.0	0.0
67	ALL OTHER	35.2	1,725.6	0.4	0.0	0.0	0.1	0.0	0.0
68	MALE	41.4	1,925.2	0.5	0.0	0.0	0.1	0.0	0.0
69	FEMALE	29.4	1,528.0	0.2	0.0	0.0	0.1	0.0	0.0
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	9.0	567.6	0.0	0.0	0.0	0.0	0.0	0.0
71	MALE	11.1	670.5	0.1	0.0	0.0	0.0	0.0	0.0
72	FEMALE	7.0	461.1	0.0	0.0	0.0	0.0	0.0	0.0
73	WHITE	7.6	499.7	0.0	0.0	0.0	0.0	0.0	0.0
74	MALE	9.5	599.2	0.0	0.0	0.0	0.0	0.0	0.0
75	FEMALE	5.7	395.1	0.0	0.0	0.0	0.0	0.0	0.0
76	ALL OTHER	18.7	917.4	0.3	0.0	0.0	0.1	0.0	0.0
77	MALE	22.3	1,038.5	0.4	0.0	0.0	0.1	0.0	0.0
78	FEMALE	15.3	797.0	0.2	0.0	0.0	0.0	0.0	0.0

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.									
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	7.2	457.8	0.1	--	--	0.0	0.0	--
2	MALE----	8.3	503.1	0.1	--	--	--	0.0	--
3	FEMALE----	6.2	411.2	0.7	--	--	3.0	--	--
4	WHITE-----	5.9	389.7	0.1	--	--	0.0	0.0	--
5	MALE----	6.8	429.0	0.1	--	--	--	0.0	--
6	FEMALE----	5.0	348.3	0.0	--	--	1.1	--	--
7	ALL OTHER-----	16.5	808.2	0.1	--	--	0.1	--	--
8	MALE----	19.1	886.7	0.2	--	--	--	--	--
9	FEMALE----	14.1	731.1	--	--	--	0.1	--	--
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796									
10	MALE----	13.2	115.3	2.7	0.4	0.6	1.8	3.1	2.9
11	FEMALE----	16.2	133.5	3.1	0.5	0.6	2.6	4.2	4.0
12	WHITE-----	10.3	96.5	2.2	0.3	0.5	1.1	2.1	1.8
13	MALE----	10.5	87.3	2.1	0.4	0.5	1.4	2.4	2.3
14	FEMALE----	13.1	105.0	2.5	0.4	0.5	1.9	3.2	3.1
15	ALL OTHER-----	8.1	68.7	1.6	0.3	0.5	0.9	1.5	1.4
16	MALE----	31.6	259.4	5.8	0.7	0.9	4.3	8.3	7.4
17	FEMALE----	38.2	281.5	6.3	0.8	1.3	6.5	11.1	10.9
18	ALL OTHER-----	25.7	237.9	5.3	0.5	0.5	2.2	5.8	4.4
ALL OTHER DISEASES-----RESIDUAL									
19	MALE----	53.2	62.8	8.2	4.1	3.9	8.0	11.0	12.0
20	FEMALE----	61.1	71.0	8.3	4.1	3.9	9.8	14.2	13.5
21	WHITE-----	45.6	54.4	8.1	4.1	3.9	6.2	7.9	10.4
22	MALE----	51.9	55.1	7.9	4.2	3.8	7.2	8.7	8.7
23	FEMALE----	59.1	61.2	8.4	4.3	3.9	8.8	11.4	9.7
24	ALL OTHER-----	45.0	48.7	7.5	4.2	3.8	5.5	6.3	7.7
25	MALE----	62.2	102.4	9.4	3.1	4.0	12.9	26.3	36.0
26	FEMALE----	75.2	121.5	7.8	2.7	3.8	15.5	33.5	43.7
27	ALL OTHER-----	50.3	83.3	11.1	3.5	4.3	10.3	19.3	29.3
ACCIDENTS-----E800-E949									
28	MALE----	55.4	54.2	31.8	20.5	21.0	65.4	71.1	52.6
29	FEMALE----	78.6	62.5	38.5	25.5	29.3	100.0	116.4	86.1
30	WHITE-----	33.4	45.7	24.8	15.4	13.3	29.9	26.9	19.8
31	MALE----	54.0	46.7	29.0	19.1	20.4	66.9	70.0	50.1
32	FEMALE----	75.6	56.7	35.5	23.8	28.5	101.4	114.0	81.7
33	ALL OTHER-----	33.4	38.3	22.2	14.3	11.8	31.3	26.5	18.7
34	MALE----	65.4	93.1	46.1	28.0	24.2	56.5	78.3	71.1
35	FEMALE----	99.8	103.0	54.0	34.5	33.6	91.3	132.9	121.7
36	ALL OTHER-----	33.8	83.3	38.0	21.4	14.8	21.9	29.2	27.6
MOTOR VEHICLE ACCIDENTS-----E810-E823									
37	MALE----	27.0	9.1	11.6	11.0	10.5	45.8	49.2	32.7
38	FEMALE----	39.6	9.4	13.1	12.8	13.4	67.4	79.3	52.6
39	WHITE-----	15.1	8.8	10.1	9.0	7.5	23.8	20.1	13.3
40	MALE----	26.8	8.5	10.9	10.2	13.8	48.3	50.0	31.8
41	FEMALE----	38.9	9.2	11.6	12.1	13.9	71.3	79.6	50.5
42	ALL OTHER-----	15.3	7.7	9.9	8.4	7.6	25.6	29.6	13.2
43	MALE----	28.5	12.3	15.7	14.7	8.9	28.4	44.2	39.4
44	FEMALE----	44.7	10.4	19.9	17.0	11.1	44.0	74.5	69.0
45	ALL OTHER-----	13.7	14.4	11.5	12.4	6.8	12.9	16.9	14.0
ALL OTHER ACCIDENTS-----E800-E807, E825-E949									
46	MALE----	28.4	45.1	20.1	9.6	10.4	19.5	21.9	19.8
47	FEMALE----	39.0	53.1	25.4	12.6	15.8	32.6	37.4	33.5
48	WHITE-----	18.4	36.8	14.7	6.4	4.8	6.2	6.8	6.4
49	MALE----	27.2	38.2	18.2	8.9	9.6	18.1	20.1	18.2
50	FEMALE----	36.7	45.5	23.7	11.7	14.7	33.2	34.4	31.1
51	ALL OTHER-----	18.1	30.5	12.4	5.9	4.2	5.7	5.9	5.4
52	MALE----	36.9	80.7	30.4	13.3	15.2	28.1	34.1	31.7
53	FEMALE----	55.1	92.6	34.1	17.5	22.5	47.3	58.4	52.7
54	ALL OTHER-----	20.1	68.9	26.5	9.0	9.0	9.1	12.3	13.6
SUICIDE-----E950-E959									
55	MALE----	12.0	---	---	---	9.6	6.9	14.3	14.8
56	FEMALE----	17.5	---	---	---	0.7	10.9	21.2	21.2
57	WHITE-----	6.8	---	---	---	0.4	2.8	6.8	8.5
58	MALE----	12.8	---	---	---	3.6	7.0	13.5	14.9
59	FEMALE----	18.5	---	---	---	7.9	11.1	20.5	21.0
60	ALL OTHER-----	7.3	---	---	---	3.4	2.7	6.5	8.6
61	MALE----	6.6	---	---	---	0.2	6.5	16.6	14.4
62	FEMALE----	10.3	---	---	---	---	9.5	26.7	23.1
63	ALL OTHER-----	3.3	---	---	---	0.4	3.4	8.2	6.9
HOMICIDE-----E960-E978									
64	MALE----	9.4	5.2	1.8	0.5	1.3	8.3	18.8	18.9
65	FEMALE----	15.4	5.5	2.0	0.5	1.6	13.3	31.0	31.8
66	WHITE-----	3.7	5.0	1.6	0.5	1.0	4.1	6.9	6.3
67	MALE----	4.9	3.7	1.3	0.4	0.7	4.6	8.4	8.8
68	FEMALE----	7.7	4.1	1.5	0.3	3.2	6.3	13.2	14.3
69	ALL OTHER-----	2.3	3.3	1.2	0.4	0.7	2.8	3.7	3.3
70	MALE----	40.5	13.1	4.2	1.2	4.3	33.5	86.4	94.2
71	FEMALE----	70.1	12.6	4.5	1.3	5.9	55.5	152.7	172.1
72	ALL OTHER-----	13.4	19.6	3.8	1.1	2.6	11.7	26.6	27.2
OTHER EXTERNAL CAUSES-----E980-E999									
73	MALE----	2.4	2.9	1.3	0.4	3.4	1.8	3.4	3.2
74	FEMALE----	3.4	3.2	1.2	0.5	3.6	2.8	5.2	4.7
75	WHITE-----	1.5	2.5	1.3	0.2	0.2	3.9	1.7	1.9
76	MALE----	2.0	1.7	0.8	0.2	3.4	1.4	2.6	2.6
77	FEMALE----	2.8	1.7	0.7	0.3	0.5	2.3	4.1	3.6
78	ALL OTHER-----	1.3	1.6	0.8	0.1	0.2	0.6	1.2	1.7
79	MALE----	5.2	9.0	3.9	1.2	3.6	3.8	8.7	7.8
80	FEMALE----	7.6	11.1	3.6	1.8	1.1	4.8	13.1	13.6
81	ALL OTHER-----	3.0	6.8	4.2	0.7	0.1	3.0	4.7	2.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	ALL CAUSES-----	943.2	1,829.2	80.6	40.8	127.7
2	MALE-----	1,080.3	2,063.6	90.0	48.9	168.1
3	FEMALE-----	812.8	1,585.1	71.4	32.4	67.2
4	WHITE-----	946.4	1,577.5	73.4	39.1	116.2
5	MALE-----	1,077.3	1,800.4	82.5	47.0	170.7
6	FEMALE-----	821.3	1,343.1	63.8	30.9	61.2
7	ALL OTHER-----	920.9	3,125.6	120.0	49.9	199.1
8	MALE-----	1,101.3	3,440.0	125.6	59.4	299.3
9	FEMALE-----	755.5	2,815.9	110.2	40.3	103.0
10	BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	0.4	3.1	3.0	3.0
11	MALE-----	0.1	0.6	-	-	-
12	FEMALE-----	0.0	0.2	0.1	0.0	0.0
13	WHITE-----	0.0	0.1	0.1	0.0	0.0
14	MALE-----	0.0	0.1	0.1	-	-
15	FEMALE-----	0.0	0.1	0.0	0.0	0.0
16	ALL OTHER-----	0.1	1.9	0.2	-	-
17	MALE-----	0.1	3.0	0.2	-	-
18	FEMALE-----	0.1	0.8	0.2	-	-
19	ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	21.4	9.8	3.1	0.1
20	MALE-----	1.0	23.4	1.1	0.1	0.1
21	FEMALE-----	1.1	19.3	0.6	0.1	0.1
22	WHITE-----	0.9	12.3	0.6	0.1	0.1
23	MALE-----	0.9	14.2	0.8	0.1	0.1
24	FEMALE-----	1.0	10.3	0.4	0.1	0.1
25	ALL OTHER-----	2.2	68.4	1.9	0.1	0.2
26	MALE-----	2.3	71.9	2.3	0.1	0.2
27	FEMALE-----	2.0	65.2	1.5	0.1	0.1
28	TUBERCULOSIS, ALL FORMS-----010-019	2.1	0.2	0.1	0.0	0.1
29	MALE-----	3.1	0.5	0.1	0.0	0.1
30	FEMALE-----	1.2	-	0.2	0.0	0.1
31	WHITE-----	1.7	0.1	0.1	0.0	0.1
32	MALE-----	2.4	0.3	0.1	0.0	0.1
33	FEMALE-----	0.9	-	0.1	0.0	0.1
34	ALL OTHER-----	5.2	0.7	0.4	-	0.3
35	MALE-----	7.8	1.5	0.2	-	0.4
36	FEMALE-----	2.8	-	0.5	-	0.1
37	TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.7	0.2	0.1	-	0.1
38	MALE-----	2.5	0.4	0.1	-	0.1
39	FEMALE-----	0.9	-	0.1	-	0.0
40	WHITE-----	1.3	0.1	0.0	-	0.0
41	MALE-----	2.0	0.1	0.0	-	0.0
42	FEMALE-----	0.7	-	-	-	0.0
43	ALL OTHER-----	4.2	0.7	0.3	-	0.2
44	MALE-----	6.4	1.5	0.2	-	0.2
45	FEMALE-----	2.2	-	0.4	-	0.1
46	TUBERCULOSIS, OTHER FORMS-----013-019	0.4	0.1	0.1	0.0	0.0
47	MALE-----	0.6	0.1	0.1	0.0	0.0
48	FEMALE-----	0.3	-	0.1	0.0	0.1
49	WHITE-----	0.4	0.1	0.1	0.0	0.0
50	MALE-----	0.5	0.1	0.1	0.0	0.0
51	FEMALE-----	0.2	-	0.1	0.0	0.0
52	ALL OTHER-----	1.0	-	0.1	-	0.1
53	MALE-----	1.3	-	-	-	0.2
54	FEMALE-----	0.6	-	0.2	-	0.1
55	WHOPPING COUGH-----033	0.0	0.1	-	-	-
56	MALE-----	-	-	-	-	-
57	FEMALE-----	0.0	0.2	-	-	-
58	WHITE-----	0.0	-	-	-	-
59	MALE-----	-	-	-	-	-
60	FEMALE-----	0.0	-	-	-	-
61	ALL OTHER-----	0.0	0.7	-	-	-
62	MALE-----	-	-	-	-	-
63	FEMALE-----	0.0	1.5	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	3.1	0.0	3.0	-
65	MALE-----	0.0	0.1	-	0.0	-
66	FEMALE-----	0.0	-	0.0	-	-
67	WHITE-----	0.0	0.1	0.0	0.0	-
68	MALE-----	0.0	0.1	-	0.0	-
69	FEMALE-----	0.0	-	0.0	-	-
70	ALL OTHER-----	-	-	-	-	-
71	MALE-----	-	-	-	-	-
72	FEMALE-----	-	-	-	-	-
73	MENINGOCOCCAL INFECTIONS-----036	0.2	2.9	0.7	0.1	0.1
74	MALE-----	0.2	3.0	0.8	0.1	0.1
75	FEMALE-----	0.1	2.9	0.6	0.1	0.0
76	WHITE-----	0.2	3.0	0.6	0.1	0.1
77	MALE-----	0.2	3.3	0.6	0.1	0.1
78	FEMALE-----	0.1	2.8	0.7	0.1	0.0
79	ALL OTHER-----	0.3	2.2	1.0	0.2	0.1
80	MALE-----	0.3	1.5	1.0	1.1	0.2
81	FEMALE-----	0.2	3.0	0.2	0.3	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
153.9	302.1	710.4	1,631.1	3,526.9	7,965.4	17,351.8	1
211.8	386.6	940.0	2,245.6	4,816.6	19,124.9	19,595.8	2
97.6	221.7	496.6	1,081.1	2,529.9	6,584.4	16,202.5	3
126.5	255.1	646.2	1,550.1	3,429.1	8,017.4	17,864.5	4
172.5	325.4	861.4	2,160.8	4,746.7	19,227.3	29,266.2	5
81.0	187.1	444.3	1,031.6	2,416.9	6,619.6	16,657.3	6
349.2	642.5	1,260.4	2,406.0	4,490.1	7,338.6	11,854.1	7
514.2	868.4	1,639.2	3,073.2	5,490.1	8,930.7	13,325.5	8
208.3	455.1	929.4	1,830.2	3,679.0	6,178.0	10,939.0	9
0.0	0.0	0.0	0.1	0.1	0.1	0.3	10
0.0	0.1	0.1	0.1	0.1	0.2	0.4	11
0.0	0.0	0.0	0.0	0.1	0.1	0.2	12
0.0	0.0	0.0	0.1	0.1	0.1	0.3	13
0.0	0.0	0.1	0.1	0.2	0.2	0.4	14
0.1	0.1	0.2	0.0	0.1	0.1	0.2	15
0.1	0.2	0.2	-	0.2	-	-	16
-	0.1	0.2	-	-	-	-	17
-	-	0.2	-	0.3	-	-	18
0.1	0.3	0.5	0.9	2.2	6.7	19.0	19
0.1	0.3	0.5	0.5	2.3	7.1	18.9	20
0.1	0.3	0.6	0.9	2.2	7.1	15.0	21
0.1	0.2	0.5	1.0	2.2	6.5	19.4	22
0.1	0.2	0.4	1.0	2.2	6.0	19.7	23
0.1	0.2	0.6	1.0	2.1	6.9	19.2	24
0.3	0.5	0.6	0.7	2.9	8.5	15.0	25
0.3	0.6	0.9	0.7	3.4	6.7	11.8	26
0.3	0.4	0.5	0.6	2.4	9.9	17.1	27
0.5	1.3	2.8	5.0	8.8	12.5	19.6	28
0.4	1.8	4.4	8.1	14.9	23.2	35.6	29
0.5	0.9	1.4	2.2	4.0	5.7	11.4	30
0.2	0.6	1.8	4.0	7.0	11.4	17.1	31
0.2	0.7	2.7	6.4	11.8	21.3	31.9	32
0.2	0.6	0.9	1.7	3.2	5.1	9.7	33
2.6	6.5	11.8	14.8	26.6	26.4	46.6	34
2.5	10.4	19.4	24.1	44.5	44.0	70.6	35
2.7	3.3	5.1	6.8	11.9	13.5	31.7	36
0.4	1.1	2.4	3.9	6.8	9.8	16.0	37
0.3	1.6	3.8	6.7	11.8	18.0	29.2	38
0.4	0.7	1.1	1.4	3.0	4.6	9.3	39
0.1	0.5	1.5	3.1	5.4	8.9	14.3	40
0.1	0.6	2.4	5.4	9.3	16.4	26.4	41
0.2	0.4	0.7	1.0	2.4	4.1	8.2	42
2.0	5.7	10.0	11.8	20.8	21.5	34.6	43
1.9	9.8	16.1	19.8	35.5	35.4	54.9	44
2.1	2.4	4.7	5.0	8.9	11.3	22.0	45
0.1	0.2	0.4	1.1	1.9	2.7	3.6	46
0.1	0.2	0.6	1.4	3.1	5.2	6.4	47
0.1	0.2	0.3	0.8	1.0	1.1	2.1	48
0.0	0.1	0.3	0.9	1.6	2.5	2.8	49
0.1	0.1	0.3	1.1	2.5	4.9	5.5	50
0.0	0.1	0.2	0.7	0.8	1.0	1.5	51
0.5	0.8	1.8	3.0	5.7	4.9	12.0	52
0.5	0.6	3.3	4.3	9.0	8.6	15.7	53
0.6	0.9	0.5	1.9	3.1	2.1	9.8	54
-	-	-	-	-	-	-	55
-	-	-	-	0.0	-	-	56
-	-	-	-	-	-	-	57
-	-	-	-	0.0	-	-	58
-	-	-	-	0.0	-	-	59
-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	63
-	-	0.0	0.0	0.0	0.0	-	64
-	-	0.0	0.0	0.0	0.1	-	65
-	-	0.0	0.0	0.0	-	-	66
-	-	0.0	0.0	0.0	0.0	-	67
-	-	0.0	0.0	0.0	0.1	-	68
-	-	0.0	0.0	0.0	-	-	69
-	-	0.0	0.0	0.0	-	-	70
-	-	0.0	0.0	0.0	-	-	71
-	-	0.0	0.0	0.0	-	-	72
0.1	0.0	0.1	0.1	0.1	0.2	-	73
0.0	0.1	0.1	0.1	0.2	0.5	-	74
0.1	0.0	0.1	0.2	0.1	0.1	-	75
0.1	0.0	0.0	0.1	0.1	0.2	-	76
0.0	0.0	0.0	0.1	0.2	0.3	-	77
0.1	0.0	0.0	0.2	0.1	0.1	-	78
0.1	-	0.2	0.2	-	0.8	-	79
-	-	0.2	0.2	-	1.9	-	80
0.1	-	0.3	0.2	-	-	-	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDEP 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	SEPTICEMIA-----038	2.0	24.9	0.5	0.1	0.2
2	MALE-----	2.3	26.6	0.5	0.1	0.2
3	FEMALE-----	1.8	23.1	0.4	0.2	0.2
4	WHITE-----	1.8	19.7	0.4	0.1	0.2
5	MALE-----	2.0	21.7	0.6	0.1	0.2
6	FEMALE-----	1.5	17.6	0.2	0.2	0.2
7	ALL OTHER-----	3.8	52.0	0.8	0.1	0.5
8	MALE-----	4.2	52.6	0.4	0.1	0.2
9	FEMALE-----	3.4	51.5	1.3	0.1	0.7
10	ACUTE POLIOMYELITIS-----040-043	0.0	-	-	-	-
11	MALE-----	-	-	-	-	-
12	FEMALE-----	0.0	-	-	-	-
13	WHITE-----	0.0	-	-	-	-
14	MALE-----	-	-	-	-	-
15	FEMALE-----	0.0	-	-	-	-
16	ALL OTHER-----	-	-	-	-	-
17	MALE-----	-	-	-	-	-
18	FEMALE-----	-	-	-	-	-
19	MEASLES-----055	0.0	0.2	0.1	0.0	0.0
20	MALE-----	0.0	0.4	0.1	0.0	0.0
21	FEMALE-----	0.0	0.1	0.1	-	-
22	WHITE-----	0.0	0.2	0.1	0.0	0.0
23	MALE-----	0.0	0.3	0.1	0.0	0.0
24	FEMALE-----	0.0	0.1	0.1	-	-
25	ALL OTHER-----	0.0	0.4	0.2	-	-
26	MALE-----	0.0	0.7	0.2	-	-
27	FEMALE-----	0.0	-	0.2	-	-
28	SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.1	-	-	-
29	MALE-----	0.2	0.1	-	-	-
30	FEMALE-----	0.1	-	-	-	-
31	WHITE-----	0.1	-	-	-	-
32	MALE-----	0.2	-	-	-	-
33	FEMALE-----	0.1	-	-	-	-
34	ALL OTHER-----	0.6	0.4	-	-	-
35	MALE-----	0.8	0.7	-	-	-
36	FEMALE-----	0.4	-	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.9	9.4	1.2	0.7	0.8
38	MALE-----	2.0	10.6	1.4	0.6	0.7
39	FEMALE-----	1.8	8.2	1.0	0.8	0.9
40	WHITE-----	1.7	7.8	1.1	0.7	0.6
41	MALE-----	1.8	8.6	1.3	0.6	0.6
42	FEMALE-----	1.6	6.9	1.0	0.8	0.7
43	ALL OTHER-----	3.1	17.9	1.6	0.7	1.6
44	MALE-----	3.2	20.7	2.0	0.7	1.2
45	FEMALE-----	3.0	15.2	1.3	0.7	1.9
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	166.0	4.6	6.0	5.5	7.7
47	MALE-----	185.7	4.4	6.5	6.9	9.6
48	FEMALE-----	147.2	4.7	5.5	4.8	5.8
49	WHITE-----	170.0	4.4	6.2	5.7	8.0
50	MALE-----	188.7	4.0	6.7	6.3	10.0
51	FEMALE-----	152.2	4.9	5.7	5.0	5.9
52	ALL OTHER-----	138.2	5.2	4.8	4.2	6.2
53	MALE-----	165.2	6.7	5.4	4.6	7.1
54	FEMALE-----	113.4	3.8	4.2	3.9	5.3
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.6	-	-	0.0	0.1
56	MALE-----	5.3	-	-	0.0	0.1
57	FEMALE-----	2.0	-	-	0.1	0.1
58	WHITE-----	3.6	-	-	0.0	0.1
59	MALE-----	5.3	-	-	0.0	0.1
60	FEMALE-----	2.0	-	-	0.0	0.1
61	ALL OTHER-----	3.5	-	-	0.0	0.1
62	MALE-----	5.3	-	-	0.0	0.2
63	FEMALE-----	1.9	-	-	0.1	0.2
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.0	0.2	0.1	0.1	0.4
65	MALE-----	50.3	0.4	0.1	0.1	0.5
66	FEMALE-----	41.9	0.1	0.1	0.1	0.2
67	WHITE-----	46.9	0.1	0.1	0.1	0.4
68	MALE-----	50.7	0.3	0.1	0.1	0.5
69	FEMALE-----	43.3	-	0.0	0.1	0.2
70	ALL OTHER-----	39.6	0.7	0.2	0.1	0.5
71	MALE-----	47.6	0.7	0.2	-	0.8
72	FEMALE-----	32.2	0.8	0.2	0.1	0.2
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	37.0	0.2	0.0	0.0	0.1
74	MALE-----	60.3	0.4	0.1	0.0	0.2
75	FEMALE-----	14.8	0.1	0.0	0.1	0.1
76	WHITE-----	38.0	0.1	0.1	0.0	0.1
77	MALE-----	61.5	0.3	0.1	0.0	0.2
78	FEMALE-----	15.5	-	0.0	0.0	0.1
79	ALL OTHER-----	30.2	0.7	-	0.1	0.0
80	MALE-----	51.8	0.7	-	-	0.1
81	FEMALE-----	10.5	0.8	-	0.1	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.4	0.6	1.4	2.8	6.0	14.4	25.8	1
0.4	0.7	1.6	3.5	8.0	19.7	39.4	2
0.4	0.5	1.1	2.2	4.5	11.0	18.8	3
0.3	0.4	1.1	2.2	5.1	13.4	25.9	4
0.3	0.5	1.2	2.8	7.0	18.5	39.8	5
0.3	0.4	0.9	1.8	3.7	10.2	19.0	6
1.3	1.7	3.7	8.1	14.8	26.0	24.1	7
1.6	1.9	4.7	10.5	17.4	33.5	35.3	8
1.1	1.5	2.9	6.0	12.5	20.6	17.1	9
0.0	-	-	-	-	-	-	10
0.0	-	-	-	-	-	-	11
0.0	-	-	-	-	-	-	12
0.0	-	-	-	-	-	-	13
0.0	-	-	-	-	-	-	14
-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	27
0.0	0.0	0.1	0.5	1.3	1.2	1.7	28
0.0	0.0	0.1	0.7	1.7	2.1	3.0	29
-	-	0.1	0.3	0.5	0.6	1.0	30
0.0	0.0	0.0	0.2	3.6	0.9	1.1	31
0.0	0.0	0.0	0.4	1.1	1.7	2.1	32
-	-	0.0	0.1	0.3	0.5	0.6	33
0.1	-	0.6	2.5	5.0	3.7	7.5	34
0.1	-	0.7	3.3	7.9	6.7	11.8	35
-	-	0.5	1.9	2.8	1.4	4.9	36
1.0	1.2	1.8	3.0	4.5	7.6	15.5	37
0.8	1.3	1.8	3.6	5.9	10.3	19.7	38
1.1	1.2	1.8	2.6	3.4	5.8	13.4	39
0.7	1.0	1.6	2.8	4.1	7.4	15.8	40
0.6	1.0	1.6	3.3	5.2	10.1	20.1	41
0.7	0.9	1.5	2.3	3.2	5.7	13.7	42
3.0	3.1	3.8	5.8	8.6	9.8	12.0	43
2.4	3.0	3.6	6.4	12.0	12.4	15.7	44
3.3	3.2	3.9	5.2	5.8	7.8	9.8	45
15.8	57.7	180.0	427.1	774.1	1,179.9	1,425.8	46
15.4	51.5	181.2	516.8	1,036.1	1,651.7	1,917.4	47
16.2	63.5	178.9	346.9	571.5	878.1	1,174.0	48
15.3	54.4	171.5	416.8	765.0	1,188.4	1,459.5	49
15.0	47.9	169.5	499.8	1,024.2	1,661.9	1,966.5	50
15.6	60.7	173.3	342.3	565.8	888.9	1,204.6	51
19.1	81.3	253.4	526.0	863.7	1,078.5	1,064.7	52
17.9	80.3	285.1	682.2	1,159.7	1,532.1	1,458.8	53
20.1	82.2	225.7	391.1	630.3	746.1	819.5	54
0.1	1.0	5.1	12.5	15.3	18.7	26.3	55
0.2	1.4	7.6	19.1	26.4	33.0	46.2	56
0.0	0.7	2.8	6.5	6.7	9.5	16.1	57
0.1	0.8	4.4	12.0	15.4	18.8	27.8	58
0.2	1.0	6.5	18.2	26.7	33.8	49.9	59
-	0.5	2.5	6.5	6.7	9.4	16.6	60
0.5	2.7	10.8	16.6	13.8	17.1	13.5	61
0.6	4.0	16.6	27.9	22.8	24.9	11.8	62
0.3	1.6	5.8	6.8	6.4	11.3	9.8	63
1.9	9.8	36.6	107.6	228.9	403.5	524.2	64
2.1	10.9	43.8	136.9	287.6	508.9	602.3	65
1.6	8.9	29.9	81.5	183.6	336.1	484.2	66
1.7	9.0	33.2	103.0	224.5	407.7	539.3	67
1.7	9.6	39.3	130.6	281.3	515.4	618.4	68
1.7	8.4	27.5	78.3	180.8	339.5	499.5	69
3.2	15.7	65.7	151.8	272.9	353.7	362.4	70
5.2	20.6	83.9	198.1	347.7	434.4	451.0	71
1.4	11.7	49.8	111.8	212.2	295.0	307.3	72
0.9	11.6	49.2	122.8	190.5	192.2	127.9	73
1.1	16.3	74.5	208.5	364.5	398.4	253.8	74
0.6	7.2	25.6	46.2	56.0	60.2	63.4	75
0.8	10.8	46.9	120.6	191.3	194.4	130.0	76
1.0	14.9	69.9	202.8	366.7	405.9	260.4	77
0.6	6.9	25.3	46.8	56.6	60.6	64.5	78
1.4	17.5	68.7	143.9	182.4	165.0	105.3	79
2.5	28.0	115.1	263.9	343.9	313.9	192.2	80
0.6	8.7	28.2	40.1	50.5	55.3	51.2	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEARS	1-4 YEARS	5-14 YEARS	15-24 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—CON.						
1	MALIGNANT NEOPLASM OF BREAST-----174	15.1	-	-	-	0.0
2	MALE-----	0.3	-	-	-	-
3	FEMALE-----	29.2	-	-	-	0.1
4	WHITE-----	15.8	-	-	-	0.0
5	MALE-----	0.3	-	-	-	-
6	FEMALE-----	30.6	-	-	-	0.1
7	ALL OTHER-----	10.5	-	-	-	0.1
8	MALE-----	0.4	-	-	-	-
9	FEMALE-----	19.8	-	-	-	0.1
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	20.3	-	0.1	0.1	0.9
11	MALE-----	18.9	-	0.2	0.1	1.1
12	FEMALE-----	21.7	-	-	0.1	0.6
13	WHITE-----	20.0	-	0.1	0.1	0.9
14	MALE-----	18.3	-	0.2	0.1	1.3
15	FEMALE-----	21.7	-	-	0.1	0.5
16	ALL OTHER-----	22.5	-	0.1	0.0	0.6
17	MALE-----	23.2	-	0.2	-	0.2
18	FEMALE-----	21.8	-	-	0.1	0.9
19	MALIGNANT NEOPLASMS OF URINARY ORGANS-----188, 189	7.6	0.5	0.4	0.2	0.1
20	MALE-----	10.5	0.5	0.5	0.2	0.1
21	FEMALE-----	4.8	0.5	0.4	0.2	0.1
22	WHITE-----	7.9	0.4	0.4	0.2	0.1
23	MALE-----	11.0	0.4	0.5	0.2	0.1
24	FEMALE-----	4.9	0.4	0.4	0.2	0.1
25	ALL OTHER-----	5.1	0.7	0.5	0.2	0.1
26	MALE-----	6.5	0.7	0.2	0.2	0.2
27	FEMALE-----	3.8	0.8	0.7	0.3	0.1
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	20.0	1.7	2.6	2.0	2.6
29	MALE-----	21.6	1.4	2.9	2.1	3.3
30	FEMALE-----	18.5	2.0	2.3	2.0	2.0
31	WHITE-----	20.6	1.7	2.7	2.1	2.7
32	MALE-----	22.1	1.1	2.9	2.2	3.3
33	FEMALE-----	19.1	2.2	2.5	2.0	2.1
34	ALL OTHER-----	16.2	1.9	2.2	1.8	2.1
35	MALE-----	17.9	3.0	2.7	1.8	2.9
36	FEMALE-----	14.7	0.8	1.6	1.7	1.3
37	LEUKEMIA-----204-207	6.9	1.7	2.4	2.4	1.9
38	MALE-----	8.1	1.5	2.5	2.5	2.2
39	FEMALE-----	5.8	1.9	2.3	2.0	1.5
40	WHITE-----	7.3	1.9	2.6	2.6	1.9
41	MALE-----	8.5	1.7	2.6	3.0	2.3
42	FEMALE-----	6.2	2.1	2.5	2.2	1.6
43	ALL OTHER-----	4.2	0.7	1.6	1.6	1.6
44	MALE-----	5.1	0.7	2.0	2.1	1.8
45	FEMALE-----	3.5	0.8	1.3	1.1	1.3
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	9.4	0.2	0.3	0.5	1.6
47	MALE-----	10.5	0.2	0.3	0.7	2.0
48	FEMALE-----	8.4	0.1	0.3	0.4	1.2
49	WHITE-----	9.9	0.1	0.3	0.6	1.7
50	MALE-----	11.0	0.1	0.4	0.7	2.2
51	FEMALE-----	8.9	0.1	0.3	0.4	1.2
52	ALL OTHER-----	6.2	0.4	0.3	0.4	1.1
53	MALE-----	7.3	0.7	0.2	0.5	1.1
54	FEMALE-----	5.3	-	0.4	0.4	1.1
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.4	1.6	0.4	0.4	0.5
56	MALE-----	2.4	1.9	0.3	0.5	0.5
57	FEMALE-----	2.4	1.4	0.4	0.3	0.4
58	WHITE-----	2.4	1.6	0.4	0.4	0.4
59	MALE-----	2.4	1.7	0.4	0.4	0.5
60	FEMALE-----	2.3	1.5	0.5	0.3	0.4
61	ALL OTHER-----	2.5	1.9	0.2	0.5	0.8
62	MALE-----	2.5	3.0	0.2	0.7	1.0
63	FEMALE-----	2.6	0.8	0.2	0.3	0.6
64	DIABETES MELLITUS-----250	18.6	0.5	0.2	0.2	0.6
65	MALE-----	15.6	0.5	0.2	0.2	0.5
66	FEMALE-----	21.4	0.5	0.1	0.2	0.7
67	WHITE-----	17.8	0.5	0.2	0.2	0.6
68	MALE-----	15.2	0.4	0.2	0.2	0.5
69	FEMALE-----	20.2	0.6	0.1	0.2	0.7
70	ALL OTHER-----	23.9	0.4	0.3	0.2	0.5
71	MALE-----	18.1	0.7	0.2	0.1	0.5
72	FEMALE-----	29.2	-	0.4	0.2	0.6
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	3.3	0.1	0.1	0.1
74	MALE-----	1.1	3.4	0.2	0.1	0.1
75	FEMALE-----	1.3	3.1	0.1	0.0	0.0
76	WHITE-----	1.2	1.9	0.1	0.0	0.1
77	MALE-----	1.0	1.8	0.2	0.1	0.1
78	FEMALE-----	1.3	1.9	0.1	0.0	0.0
79	ALL OTHER-----	1.6	10.5	0.2	0.1	0.0
80	MALE-----	1.8	11.9	0.2	0.2	0.1
81	FEMALE-----	1.4	9.1	0.2	0.1	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
1.9	9.9	27.5	42.8	56.1	77.4	113.3	1
0.0	0.1	0.3	0.9	1.7	2.5	2.7	2
3.8	19.2	52.8	83.3	98.2	125.4	169.9	3
1.8	9.4	27.4	43.4	56.8	79.3	118.1	4
0.0	0.1	0.2	0.7	1.6	2.5	2.9	5
3.6	18.4	52.8	81.8	99.2	127.9	176.0	6
2.6	13.4	29.4	37.1	49.4	54.9	61.7	7
-	0.3	0.9	2.4	3.0	1.9	-	8
4.8	24.3	52.5	67.1	87.5	94.3	100.0	9
2.5	6.9	18.8	41.1	93.4	181.4	241.2	10
1.6	1.0	3.2	23.9	106.1	301.0	489.0	11
3.3	12.6	33.2	56.4	83.5	104.9	114.3	12
2.3	6.2	17.6	38.1	86.8	175.9	238.1	13
1.8	1.0	2.7	20.4	95.3	288.3	483.4	14
2.8	11.3	31.6	54.0	80.3	104.8	114.9	15
3.7	12.1	28.7	69.2	158.0	247.6	273.7	16
0.5	1.0	8.1	58.2	209.3	438.3	541.2	17
6.4	21.3	46.6	78.9	116.2	107.1	107.3	18
0.1	1.4	5.4	16.5	38.2	67.7	95.4	19
0.1	1.9	7.8	25.0	61.5	115.2	154.9	20
0.1	0.9	3.1	8.8	20.3	37.4	65.0	21
0.1	1.3	5.2	16.3	38.5	99.2	99.2	22
0.1	1.7	7.7	24.9	63.4	118.3	163.1	23
0.1	0.9	2.9	8.6	19.5	38.1	67.0	24
0.3	2.1	6.9	18.1	35.3	50.4	55.6	25
0.4	3.0	8.8	26.5	43.4	80.4	78.4	26
0.2	1.3	5.3	11.0	28.7	28.4	41.5	27
3.8	9.5	23.0	50.0	82.1	124.7	174.0	28
4.8	10.5	26.5	59.9	101.8	146.4	192.8	29
2.9	8.4	19.8	41.2	66.8	110.9	164.3	30
3.9	9.4	22.4	49.2	89.8	125.5	177.6	31
4.9	10.3	26.0	59.3	100.6	146.7	201.7	32
2.9	8.4	19.1	40.2	65.6	112.0	165.4	33
3.4	10.2	27.8	57.7	94.8	115.4	135.3	34
4.0	12.3	30.8	66.3	113.3	141.6	109.8	35
2.9	8.5	25.1	50.4	79.8	96.5	151.2	36
1.8	2.9	4.8	11.6	26.6	52.2	65.4	37
2.0	3.5	5.8	14.7	36.8	70.7	92.4	38
1.7	2.4	4.0	8.8	18.8	40.3	51.6	39
1.8	3.0	4.8	11.8	27.0	54.0	69.1	40
1.9	3.5	5.6	15.2	37.7	73.4	99.0	41
1.6	2.4	4.1	8.8	18.8	41.8	54.2	42
2.0	2.8	5.0	9.4	22.9	30.1	25.6	43
2.3	3.7	6.9	10.7	27.7	41.1	31.4	44
1.7	2.1	3.3	8.3	19.0	22.0	22.0	45
2.7	4.6	9.7	22.2	42.9	62.1	58.1	46
3.4	5.9	11.8	27.8	49.8	75.7	83.3	47
2.1	3.3	7.7	17.2	37.6	53.4	45.2	48
2.8	4.5	9.5	22.2	43.8	63.6	60.3	49
3.5	5.7	11.6	27.8	50.9	77.5	87.6	50
2.2	3.4	7.6	17.3	38.4	54.8	46.6	51
2.0	4.8	11.3	22.1	34.3	44.3	34.6	52
2.3	7.4	13.9	28.4	39.6	55.5	43.1	53
1.8	2.7	9.1	16.7	39.0	36.2	29.3	54
0.6	1.4	2.7	5.5	9.0	13.8	17.3	55
0.6	1.2	2.6	5.7	11.0	17.4	17.0	56
0.7	1.6	2.8	5.4	7.5	11.5	17.5	57
0.6	1.2	2.5	5.5	8.6	13.9	16.4	58
0.6	1.2	2.4	5.6	13.5	17.6	16.8	59
0.5	1.3	2.5	5.3	7.2	11.6	16.2	60
1.1	2.5	4.6	6.0	13.1	12.6	27.1	61
0.6	1.4	4.0	6.4	16.4	15.3	19.6	62
1.4	3.4	5.1	5.6	10.4	10.6	31.7	63
2.4	4.9	12.3	33.8	89.7	181.5	255.3	64
2.5	5.6	13.3	31.9	84.4	167.7	259.8	65
2.3	4.2	11.4	35.5	93.7	190.3	253.0	66
2.1	3.9	9.4	28.6	81.6	179.2	257.5	67
2.3	4.5	10.8	28.9	80.3	168.1	267.5	68
1.9	3.2	8.1	28.4	82.7	186.2	252.5	69
4.5	12.3	36.8	83.4	168.6	208.9	231.6	70
4.0	13.9	35.4	61.7	124.1	161.7	188.2	71
4.9	11.0	38.0	102.3	205.2	244.7	258.5	72
0.0	0.2	0.5	1.2	3.3	12.4	46.8	73
0.0	0.1	0.6	1.3	3.8	15.0	47.0	74
0.0	0.3	0.5	1.0	3.0	10.7	46.8	75
0.0	0.1	0.5	1.0	2.9	11.6	47.3	76
0.1	0.0	0.5	1.1	3.4	13.3	47.8	77
0.0	0.3	0.4	0.9	2.6	10.6	47.0	78
0.1	0.8	1.1	2.4	7.2	21.5	42.1	79
-	0.8	1.6	3.3	7.5	33.5	39.2	80
0.1	0.8	0.8	1.7	7.0	12.8	43.9	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDEP 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	ANEMIAS-----280-285	1.6	2.1	0.7	0.3	0.5
2	MALE-----	1.6	2.4	0.7	0.4	0.5
3	FEMALE-----	1.7	1.9	0.7	0.3	0.6
4	WHITE-----	1.4	0.9	0.3	0.2	0.3
5	MALE-----	1.4	0.8	0.2	0.3	0.3
6	FEMALE-----	1.5	0.9	0.3	0.1	0.2
7	ALL OTHER-----	3.0	8.6	2.9	1.0	2.2
8	MALE-----	3.0	10.4	3.1	3.8	1.7
9	FEMALE-----	3.1	6.8	2.7	1.1	2.6
10	MENINGITIS-----320	0.7	15.6	1.8	3.1	0.1
11	MALE-----	0.8	17.4	1.9	0.2	0.1
12	FEMALE-----	0.6	13.8	1.7	0.1	0.1
13	WHITE-----	0.5	11.2	1.5	0.1	0.1
14	MALE-----	0.7	13.2	1.7	0.1	0.1
15	FEMALE-----	0.4	9.1	1.2	0.1	0.1
16	ALL OTHER-----	1.8	38.5	3.4	0.3	0.2
17	MALE-----	2.0	39.3	3.1	0.5	0.2
18	FEMALE-----	1.7	37.9	3.8	0.1	0.3
19	MAJOR CARDIOVASCULAR DISEASES-----390-448	497.1	25.9	3.0	1.7	4.6
20	MALE-----	545.6	27.3	3.3	1.9	5.6
21	FEMALE-----	451.1	24.4	2.6	1.4	3.5
22	WHITE-----	512.0	18.7	2.6	1.5	3.7
23	MALE-----	561.8	19.5	2.8	1.8	4.7
24	FEMALE-----	464.3	17.7	2.3	1.2	2.8
25	ALL OTHER-----	394.6	63.2	5.2	2.7	9.8
26	MALE-----	431.0	68.1	6.3	2.9	11.7
27	FEMALE-----	361.3	58.3	4.0	2.6	7.9
28	DISEASES OF HEART-----390-398,402,404,410-429	363.0	20.2	2.1	1.0	2.8
29	MALE-----	418.5	20.9	2.3	1.1	3.6
30	FEMALE-----	310.3	19.5	1.8	0.9	2.1
31	WHITE-----	376.2	14.7	1.8	0.8	2.2
32	MALE-----	434.1	14.7	1.9	1.0	2.8
33	FEMALE-----	321.0	14.6	1.7	0.7	1.6
34	ALL OTHER-----	271.5	49.0	3.4	1.7	6.8
35	MALE-----	308.4	53.3	4.2	1.8	8.7
36	FEMALE-----	237.6	44.7	2.5	1.6	4.9
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.8	0.1	0.1	0.1	0.4
38	MALE-----	6.5	0.1	0.1	0.1	0.5
39	FEMALE-----	7.1	-	0.1	0.1	0.3
40	WHITE-----	7.1	-	0.1	0.1	0.3
41	MALE-----	6.6	-	0.1	0.1	0.4
42	FEMALE-----	7.5	-	0.1	0.1	0.2
43	ALL OTHER-----	4.9	0.4	0.1	0.5	1.1
44	MALE-----	5.2	0.7	0.2	0.6	1.2
45	FEMALE-----	4.6	-	-	0.4	1.1
46	HYPERTENSIVE HEART DISEASE-----402	3.7	-	-	3.0	0.0
47	MALE-----	3.0	-	-	0.0	0.1
48	FEMALE-----	4.4	-	-	-	-
49	WHITE-----	3.2	-	-	0.0	0.0
50	MALE-----	2.5	-	-	0.0	0.0
51	FEMALE-----	3.9	-	-	-	-
52	ALL OTHER-----	7.2	-	-	-	0.1
53	MALE-----	6.6	-	-	-	0.2
54	FEMALE-----	7.7	-	-	-	-
55	HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.8	-	0.0	0.0	0.0
56	MALE-----	2.7	-	-	0.0	0.0
57	FEMALE-----	2.9	-	0.0	-	0.0
58	WHITE-----	2.7	-	0.0	0.0	0.0
59	MALE-----	2.5	-	-	0.0	-
60	FEMALE-----	2.9	-	0.0	-	0.0
61	ALL OTHER-----	3.2	-	-	-	0.0
62	MALE-----	3.5	-	-	-	0.1
63	FEMALE-----	2.9	-	-	-	-
64	ISCHEMIC HEART DISEASE-----410-413	328.7	0.5	0.0	0.1	0.6
65	MALE-----	382.4	0.5	0.1	0.1	0.8
66	FEMALE-----	277.6	0.5	-	0.1	0.5
67	WHITE-----	343.5	0.4	0.1	0.1	0.5
68	MALE-----	400.1	0.3	0.1	0.1	0.6
69	FEMALE-----	289.4	0.4	-	0.1	0.5
70	ALL OTHER-----	226.4	1.1	-	0.0	1.3
71	MALE-----	257.8	1.5	-	0.1	2.2
72	FEMALE-----	197.7	0.8	-	-	0.4
73	ACUTE MYOCARDIAL INFARCTION-----410	171.9	0.3	0.0	0.0	0.4
74	MALE-----	221.5	0.2	0.1	0.1	0.5
75	FEMALE-----	124.7	0.4	-	0.0	0.2
76	WHITE-----	182.5	0.1	0.1	0.0	0.3
77	MALE-----	236.0	-	0.1	0.1	0.4
78	FEMALE-----	131.3	0.3	-	0.0	0.2
79	ALL OTHER-----	98.3	-	-	0.0	0.6
80	MALE-----	118.6	1.5	-	0.1	1.1
81	FEMALE-----	79.8	0.8	-	-	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.6	0.6	0.9	2.0	4.8	14.3	32.8	1
0.6	0.5	0.8	2.2	5.7	16.0	37.9	2
0.5	0.7	1.1	1.8	4.2	13.2	30.3	3
0.2	0.3	0.7	1.7	4.5	14.6	33.4	4
0.2	0.2	0.6	2.0	5.3	16.4	36.1	5
0.2	0.4	0.7	1.4	3.9	13.4	32.0	6
3.2	2.3	3.2	4.6	7.9	10.6	27.1	7
3.6	2.6	2.8	4.1	8.6	10.5	54.9	8
2.9	2.1	3.6	5.2	7.3	10.6	9.8	9
0.1	0.3	0.6	0.7	0.9	1.3	1.4	10
0.1	0.4	0.8	1.0	1.0	1.3	3.0	11
0.1	0.3	0.4	0.5	0.9	1.4	0.6	12
0.1	0.2	0.5	0.5	0.8	1.1	1.4	13
0.2	0.3	0.6	0.8	0.9	1.0	2.9	14
0.1	0.2	0.3	0.4	0.8	1.2	0.6	15
0.2	0.9	1.8	2.7	1.8	3.7	1.5	16
0.1	1.4	1.9	3.1	1.9	3.8	3.9	17
0.3	0.5	1.7	2.3	1.8	3.5	-	18
15.7	81.2	280.3	782.7	1,986.9	5,240.3	12,815.1	19
19.1	115.2	423.8	1,153.4	2,709.3	6,337.6	13,712.1	20
12.5	48.8	146.6	490.9	1,428.4	4,538.3	12,355.8	21
12.1	69.0	256.1	742.2	1,935.1	5,290.4	13,245.2	22
15.2	102.8	400.7	1,124.5	2,691.8	6,431.8	14,246.1	23
9.1	36.2	120.6	398.8	1,353.8	4,568.5	12,742.0	24
41.4	169.3	487.9	1,170.1	2,496.5	4,636.2	8,204.5	25
48.9	212.3	629.6	1,435.3	2,880.7	5,271.8	8,717.6	26
34.9	133.7	364.1	941.5	2,185.9	4,181.6	7,885.4	27
10.2	62.8	229.5	637.6	1,512.3	3,647.7	8,386.9	28
13.6	96.4	367.1	970.4	2,116.3	4,531.8	9,203.8	29
6.8	30.9	101.4	339.8	1,045.4	3,082.1	7,968.6	30
8.0	55.6	215.3	615.7	1,491.3	3,695.9	8,675.2	31
11.1	89.0	355.1	960.6	2,121.9	4,615.5	9,575.7	32
5.0	23.1	84.1	305.9	1,006.9	3,114.3	8,222.6	33
25.4	115.3	351.8	847.7	1,719.0	3,066.3	5,296.2	34
33.1	154.1	473.7	1,066.3	2,067.3	3,590.4	5,725.5	35
18.8	83.1	245.3	659.1	1,436.7	2,688.7	5,029.3	36
1.4	4.3	8.9	20.2	28.3	36.1	39.0	37
1.4	4.5	9.7	20.7	28.6	37.4	39.8	38
1.4	4.1	8.1	19.7	28.1	35.2	38.6	39
1.1	3.9	8.9	20.6	29.3	36.9	40.0	40
1.0	4.0	9.8	21.2	29.3	37.9	40.7	41
1.2	3.8	8.0	20.1	29.3	36.3	39.6	42
3.5	7.1	8.7	15.6	18.3	25.6	28.6	43
4.4	8.3	8.8	15.7	21.7	30.6	31.4	44
2.7	6.1	8.6	15.5	15.6	22.0	26.8	45
0.2	0.9	2.6	6.4	14.9	36.3	89.0	46
0.3	1.0	3.1	7.2	13.8	30.3	65.2	47
0.1	0.7	2.2	5.7	15.7	40.1	101.3	48
0.1	0.4	1.6	4.6	12.0	33.4	87.2	49
0.1	0.5	2.1	5.7	11.4	26.6	60.8	50
0.1	0.3	1.2	3.6	12.5	37.7	100.5	51
1.4	4.3	11.2	24.2	42.9	71.1	108.3	52
2.2	5.1	12.7	21.9	37.0	70.8	105.9	53
0.7	3.7	9.8	26.2	47.7	71.6	109.8	54
0.1	0.2	0.8	2.6	8.7	32.7	114.3	55
0.1	0.1	0.9	3.7	10.4	39.0	125.4	56
0.0	0.3	0.7	1.7	7.3	28.6	108.6	57
0.0	0.1	0.5	2.0	7.4	32.2	118.2	58
0.0	0.1	0.6	2.9	8.9	37.9	130.4	59
-	0.1	0.4	1.2	6.2	28.7	112.1	60
0.4	1.2	3.7	8.6	21.2	38.2	72.2	61
0.5	0.6	4.0	11.4	24.3	51.7	78.4	62
0.2	1.6	3.5	6.2	18.7	28.4	68.3	63
5.1	50.2	199.5	569.6	1,383.1	3,371.2	7,712.0	64
8.0	81.4	329.4	884.6	1,556.7	4,208.2	8,481.8	65
2.3	20.5	78.6	287.6	939.7	2,835.7	7,317.7	66
4.4	45.9	190.0	554.9	1,373.1	3,426.7	7,995.1	67
7.1	77.5	322.8	882.7	1,975.2	4,302.3	8,851.6	68
1.7	15.2	65.5	260.5	910.5	2,872.9	7,564.6	69
10.5	81.2	280.7	710.1	1,481.8	2,701.6	4,676.7	70
14.8	111.9	388.0	903.0	1,783.9	3,153.1	5,023.5	71
6.9	55.7	187.0	543.6	1,237.0	2,376.6	4,461.0	72
3.6	35.2	139.4	378.7	815.8	1,551.4	2,463.4	73
5.6	58.7	235.9	606.0	1,238.0	2,065.0	3,031.8	74
1.6	12.8	49.5	175.3	512.6	1,222.8	2,172.3	75
3.2	34.1	138.9	382.3	834.0	1,594.8	2,550.1	76
5.2	58.3	239.1	621.7	1,251.2	2,138.0	3,169.8	77
1.2	10.7	44.9	167.4	513.5	1,251.1	2,238.6	78
6.2	42.8	143.3	344.1	637.1	1,028.5	1,533.8	79
8.8	62.4	207.1	453.2	799.6	1,251.7	1,741.2	80
3.9	26.6	87.5	250.0	505.2	866.7	1,404.9	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MAJOR CARDIOVASCULAR DISEASES—CON.						
DISEASES OF HEART—CON.						
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.2	0.1	-	0.0	0.0
2	MALE-----	2.9	0.1	-	-	0.0
3	FEMALE-----	1.5	-	-	0.0	0.0
4	WHITE-----	2.2	0.1	-	0.0	0.0
5	MALE-----	2.9	0.1	-	-	0.0
6	FEMALE-----	1.5	-	-	0.0	0.0
7	ALL OTHER-----	2.3	-	-	-	-
8	MALE-----	3.0	-	-	-	-
9	FEMALE-----	1.7	-	-	-	-
10	CHRONIC ISCHEMIC HEART DISEASE-----412	154.6	0.1	-	0.0	0.2
11	MALE-----	157.9	0.1	-	-	0.3
12	FEMALE-----	151.4	0.1	-	0.0	0.2
13	WHITE-----	158.8	0.1	-	0.0	0.2
14	MALE-----	161.0	0.1	-	-	0.2
15	FEMALE-----	156.6	0.1	-	0.0	0.2
16	ALL OTHER-----	125.8	-	-	-	0.6
17	MALE-----	136.2	-	-	-	1.1
18	FEMALE-----	116.3	-	-	-	0.2
19	ANGINA PECTORIS-----413	0.1	-	-	-	0.0
20	MALE-----	0.1	-	-	-	-
21	FEMALE-----	0.1	-	-	-	0.0
22	WHITE-----	0.1	-	-	-	0.0
23	MALE-----	0.1	-	-	-	-
24	FEMALE-----	0.1	-	-	-	0.0
25	ALL OTHER-----	0.0	-	-	-	-
26	MALE-----	-	-	-	-	-
27	FEMALE-----	0.0	-	-	-	-
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	2.7	1.1	0.2	0.1	0.3
29	MALE-----	2.7	1.2	0.2	0.1	0.3
30	FEMALE-----	2.7	1.0	0.3	0.1	0.2
31	WHITE-----	2.7	0.8	0.2	0.1	0.2
32	MALE-----	2.7	1.0	0.2	0.1	0.3
33	FEMALE-----	2.7	0.6	0.3	0.1	0.1
34	ALL OTHER-----	2.7	2.6	0.2	0.2	0.5
35	MALE-----	2.9	2.2	0.2	0.3	0.5
36	FEMALE-----	2.4	3.0	0.2	0.1	0.5
37	ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	18.3	18.6	1.7	0.7	1.5
38	MALE-----	21.2	19.1	1.9	0.7	1.9
39	FEMALE-----	15.6	18.0	1.4	0.6	1.1
40	WHITE-----	17.1	13.5	1.4	0.6	1.1
41	MALE-----	19.7	13.5	1.6	0.7	1.4
42	FEMALE-----	14.6	13.6	1.2	0.5	0.8
43	ALL OTHER-----	27.2	44.9	3.1	1.0	3.7
44	MALE-----	32.4	48.9	3.8	0.9	4.7
45	FEMALE-----	22.4	40.9	2.4	1.1	2.8
46	HYPERTENSION-----400, 401, 403	3.7	0.1	-	0.0	0.1
47	MALE-----	3.9	-	-	0.0	0.1
48	FEMALE-----	3.6	0.1	-	-	0.1
49	WHITE-----	3.3	-	-	0.0	0.0
50	MALE-----	3.4	-	-	0.0	0.0
51	FEMALE-----	3.2	-	-	-	0.0
52	ALL OTHER-----	6.8	0.4	-	-	0.4
53	MALE-----	7.2	-	-	-	0.4
54	FEMALE-----	6.4	0.8	-	-	0.4
55	CEREBROVASCULAR DISEASES-----430-438	102.5	4.3	0.9	0.6	1.4
56	MALE-----	94.0	5.2	1.0	0.7	1.6
57	FEMALE-----	110.5	3.4	0.8	0.5	1.2
58	WHITE-----	103.0	3.1	0.7	0.5	1.3
59	MALE-----	93.6	3.8	0.7	0.7	1.5
60	FEMALE-----	112.0	2.4	0.6	0.4	1.1
61	ALL OTHER-----	98.7	10.5	1.8	0.9	2.2
62	MALE-----	96.6	12.6	2.2	1.0	2.4
63	FEMALE-----	100.6	8.3	1.5	0.7	2.0
64	CEREBRAL HEMORRHAGE-----431	17.6	1.4	0.3	0.2	0.4
65	MALE-----	17.1	1.4	0.3	0.2	0.5
66	FEMALE-----	18.2	1.4	0.2	0.2	0.3
67	WHITE-----	17.2	1.0	0.2	0.1	0.3
68	MALE-----	16.5	1.1	0.2	0.1	0.4
69	FEMALE-----	17.9	0.9	0.1	0.1	0.2
70	ALL OTHER-----	20.5	3.4	0.7	0.5	0.8
71	MALE-----	20.9	3.0	0.7	0.5	0.7
72	FEMALE-----	20.1	3.8	0.7	0.5	0.9
73	CEREBRAL THROMBOSIS-----433	27.6	0.1	0.0	0.0	0.1
74	MALE-----	24.9	0.1	-	0.0	0.0
75	FEMALE-----	30.2	-	0.1	0.0	0.1
76	WHITE-----	28.5	0.1	0.1	0.0	0.1
77	MALE-----	25.6	0.1	-	0.0	0.0
78	FEMALE-----	31.4	-	0.1	0.0	0.1
79	ALL OTHER-----	21.2	-	-	0.0	0.1
80	MALE-----	20.2	-	-	0.1	-
81	FEMALE-----	22.2	-	-	-	0.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-35

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1	0.7	2.6	5.3	9.0	15.9	33.5	1
0.2	1.1	4.3	8.5	13.9	21.5	38.6	2
0.0	0.3	1.0	2.4	5.1	12.4	30.8	3
0.1	0.6	2.3	5.0	8.7	15.5	34.1	4
0.2	1.0	3.9	8.2	13.8	20.6	39.8	5
0.0	0.2	0.7	2.0	4.8	12.2	31.2	6
0.3	1.3	5.3	8.3	11.6	21.1	27.1	7
0.4	1.8	8.0	11.4	15.7	30.6	27.5	8
0.2	0.9	3.0	5.6	8.3	14.2	26.8	9
1.5	14.2	57.5	185.5	558.0	1,803.0	5,213.2	10
2.2	21.5	89.0	269.9	734.2	2,120.6	5,409.1	11
0.7	7.3	28.1	109.9	421.7	1,599.8	5,112.9	12
1.1	11.1	48.8	167.5	530.0	1,815.5	5,408.8	13
1.8	18.2	79.6	252.7	709.7	2,142.4	5,639.4	14
0.4	4.3	19.9	91.0	292.0	1,608.8	5,292.9	15
4.1	37.0	132.1	357.5	832.9	1,652.0	3,115.8	16
5.6	47.8	173.0	438.4	968.6	1,870.8	3,254.9	17
2.8	28.0	96.4	287.8	723.2	1,495.7	3,029.3	18
-	0.0	0.1	0.1	0.3	0.9	1.9	19
-	0.0	0.1	0.1	0.5	1.2	2.3	20
-	0.0	-	0.1	0.2	0.7	1.7	21
-	0.0	0.1	0.1	0.4	0.9	2.1	22
-	0.0	0.1	0.1	0.6	1.3	2.5	23
-	-	-	0.0	0.2	0.7	1.9	24
-	0.1	-	0.1	0.2	-	-	25
-	-	-	-	-	-	-	26
-	0.1	-	0.2	0.3	-	-	27
0.5	0.8	1.8	4.0	8.4	23.6	81.6	28
0.6	1.0	2.3	5.0	10.5	28.1	79.9	29
0.5	0.7	1.4	3.0	6.8	20.8	82.4	30
0.4	0.7	1.6	3.6	8.0	24.0	83.9	31
0.5	0.9	1.9	4.7	10.0	28.5	82.6	32
0.4	0.5	1.3	2.5	6.4	21.2	84.5	33
1.2	1.8	4.0	7.7	12.6	18.7	57.1	34
1.3	1.9	6.1	7.9	15.3	23.9	54.9	35
1.1	1.7	2.1	7.6	10.4	14.9	58.5	36
2.8	6.5	15.8	34.8	69.0	147.8	351.0	37
3.3	8.3	21.6	49.2	96.3	188.8	411.7	38
2.3	4.7	10.5	22.0	47.9	121.6	319.9	39
2.0	4.6	12.6	30.0	61.5	142.6	350.8	40
2.4	6.1	17.9	43.3	87.0	182.2	409.6	41
1.6	3.2	7.6	18.0	42.0	117.5	321.2	42
8.5	19.7	43.5	81.4	142.2	211.0	353.4	43
9.9	26.2	54.1	136.3	185.0	260.3	431.4	44
7.3	14.3	34.2	59.9	107.3	175.2	304.9	45
0.5	1.4	2.5	5.3	12.4	38.5	101.6	46
0.5	1.5	2.9	6.3	15.3	47.3	136.7	47
0.6	1.3	2.1	4.3	10.2	32.8	83.6	48
0.2	0.5	1.4	3.7	10.4	36.6	102.1	49
0.2	0.5	1.8	4.8	13.4	45.1	136.3	50
0.3	0.5	1.1	2.8	8.2	31.3	84.9	51
2.6	7.9	11.8	20.0	32.1	60.6	96.2	52
2.7	9.4	13.3	21.7	33.3	71.8	141.2	53
2.4	6.6	10.4	18.6	31.2	52.5	68.3	54
4.2	14.6	40.4	111.8	367.5	1,237.9	3,204.4	55
4.2	14.5	43.0	134.9	439.3	1,356.2	3,188.6	56
4.3	14.7	38.0	91.2	212.1	1,162.3	3,212.4	57
3.2	11.0	32.2	96.0	339.9	1,237.1	3,297.1	58
3.2	10.8	33.8	118.2	416.4	1,360.9	3,289.3	59
3.3	11.1	30.6	75.9	281.1	1,158.8	3,300.9	60
11.4	40.9	111.1	263.5	639.5	1,248.0	2,210.5	61
11.6	42.8	124.4	296.8	657.6	1,297.6	2,247.1	62
11.3	39.2	99.5	234.9	625.7	1,215.6	2,187.8	63
1.1	4.7	13.6	31.7	71.9	172.3	349.7	64
1.4	5.3	14.9	38.7	83.6	184.8	347.0	65
0.8	4.1	12.4	25.5	62.8	164.3	351.1	66
0.7	3.2	10.7	27.6	67.6	172.6	360.3	67
0.9	3.7	11.9	34.1	80.1	185.8	362.3	68
0.5	2.8	9.6	21.8	58.0	164.3	359.3	69
4.0	15.0	38.5	71.2	114.1	168.3	236.1	70
5.5	17.9	41.6	83.7	117.8	172.2	203.9	71
2.8	12.6	35.9	60.5	111.3	166.0	256.1	72
0.2	0.9	4.0	22.1	97.9	372.9	990.0	73
0.1	1.1	5.0	28.0	119.7	408.1	956.8	74
0.2	0.8	3.1	16.8	81.0	350.4	1,097.0	75
0.1	0.7	3.1	19.3	92.9	375.1	1,022.0	76
0.1	0.8	3.9	25.4	116.6	413.4	985.7	77
0.2	0.6	2.4	13.8	74.6	350.8	1,040.3	78
0.4	2.8	11.6	48.6	147.2	347.2	646.6	79
0.4	3.4	14.9	52.7	149.2	348.3	688.3	80
0.4	2.4	8.6	45.0	145.9	347.5	622.0	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON.						
CEREBROVASCULAR DISEASES--CON.						
1	CEREBRAL EMBOLISM-----434	0.5	-	0.0	0.0	0.0
2	MALE-----	0.4	-	0.0	-	0.0
3	FEMALE-----	0.5	-	-	0.0	-
4	WHITE-----	0.5	-	0.0	-	0.0
5	MALE-----	0.5	-	0.0	-	0.0
6	FEMALE-----	0.5	-	0.0	-	0.0
7	ALL OTHER-----	0.3	-	-	0.0	0.0
8	MALE-----	0.2	-	-	-	0.1
9	FEMALE-----	0.4	-	-	0.1	-
10	ALL OTHER CEREBROVASCULAR DISEASES-----430, 432, 435-438	56.7	2.9	0.6	0.4	0.9
11	MALE-----	51.6	3.7	0.7	0.5	1.1
12	FEMALE-----	61.6	2.0	0.4	0.3	0.8
13	WHITE-----	56.7	2.9	0.5	0.4	0.9
14	MALE-----	51.1	2.5	0.5	0.5	1.0
15	FEMALE-----	62.2	1.5	0.4	0.3	0.8
16	ALL OTHER-----	56.7	7.1	1.1	0.3	1.3
17	MALE-----	55.4	9.6	1.4	0.5	1.6
18	FEMALE-----	57.9	4.5	0.7	0.1	1.0
19	ARTERIOSCLEROSIS-----440	15.6	-	-	-	0.0
20	MALE-----	13.5	-	-	-	0.0
21	FEMALE-----	17.6	-	-	-	-
22	WHITE-----	16.5	-	-	-	0.0
23	MALE-----	14.1	-	-	-	0.0
24	FEMALE-----	18.8	-	-	-	0.0
25	ALL OTHER-----	9.3	-	-	-	-
26	MALE-----	9.4	-	-	-	-
27	FEMALE-----	9.3	-	-	-	-
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.3	1.3	0.0	0.1	0.3
29	MALE-----	15.7	1.2	0.1	0.1	0.3
30	FEMALE-----	5.2	1.4	-	0.1	0.2
31	WHITE-----	12.9	0.9	0.1	0.1	0.2
32	MALE-----	16.6	1.0	0.1	0.2	0.3
33	FEMALE-----	9.4	0.7	-	0.0	0.1
34	ALL OTHER-----	8.3	3.4	-	0.1	0.4
35	MALE-----	9.4	2.2	-	-	0.2
36	FEMALE-----	7.3	4.5	-	0.2	0.7
37	ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.6	8.4	0.9	0.1	0.1
38	MALE-----	0.7	9.6	0.9	0.1	0.0
39	FEMALE-----	0.4	7.2	0.8	0.1	0.1
40	WHITE-----	0.5	5.5	0.8	0.1	0.0
41	MALE-----	0.6	6.7	0.8	0.1	-
42	FEMALE-----	0.4	4.3	0.7	0.0	0.1
43	ALL OTHER-----	0.9	23.6	1.5	0.1	0.2
44	MALE-----	1.1	25.2	1.6	0.1	0.3
45	FEMALE-----	0.8	22.0	1.3	0.1	-
46	INFLUENZA AND PNEUMONIA-----470-474, 480-486	30.1	131.7	6.6	1.4	2.1
47	MALE-----	34.2	150.5	6.8	1.4	2.4
48	FEMALE-----	26.1	112.0	6.3	1.3	1.9
49	WHITE-----	29.6	98.4	5.5	1.4	1.9
50	MALE-----	33.1	116.1	5.9	1.4	2.2
51	FEMALE-----	26.3	79.8	5.1	1.4	1.6
52	ALL OTHER-----	32.9	302.8	12.1	1.7	3.5
53	MALE-----	41.8	330.4	11.6	1.5	3.7
54	FEMALE-----	24.7	275.8	12.9	1.8	3.4
55	INFLUENZA-----470-474	2.4	1.8	0.3	0.1	0.1
56	MALE-----	2.4	1.9	0.4	0.0	0.1
57	FEMALE-----	2.4	1.7	0.2	0.1	0.1
58	WHITE-----	2.5	1.2	0.3	0.1	0.1
59	MALE-----	2.5	1.1	0.3	0.1	0.1
60	FEMALE-----	2.6	1.3	0.2	0.1	0.1
61	ALL OTHER-----	1.6	4.9	0.5	-	0.2
62	MALE-----	1.7	5.9	0.7	-	0.3
63	FEMALE-----	1.5	3.8	0.2	-	0.1
64	PNEUMONIA-----480-486	27.7	129.8	6.3	1.4	2.0
65	MALE-----	31.9	148.6	6.4	1.3	2.3
66	FEMALE-----	23.7	110.3	6.1	1.4	1.8
67	WHITE-----	27.1	97.2	5.2	1.3	1.8
68	MALE-----	30.7	115.0	5.6	1.3	2.1
69	FEMALE-----	23.7	78.5	4.9	1.3	1.5
70	ALL OTHER-----	31.3	297.9	11.6	1.7	3.3
71	MALE-----	40.1	324.4	10.8	1.5	3.4
72	FEMALE-----	23.2	272.0	12.4	1.8	3.3
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	14.8	3.8	0.6	0.2	0.4
74	MALE-----	23.3	4.5	0.5	0.3	0.5
75	FEMALE-----	6.7	3.1	0.7	0.2	0.3
76	WHITE-----	15.8	2.9	0.5	0.2	0.3
77	MALE-----	25.0	3.4	0.4	0.2	0.4
78	FEMALE-----	7.1	2.4	0.6	0.1	0.2
79	ALL OTHER-----	7.5	8.6	1.3	0.7	1.0
80	MALE-----	11.3	10.4	0.9	0.6	1.0
81	FEMALE-----	4.1	6.8	1.6	0.8	0.9

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-37

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.0	0.1	0.2	0.7	2.1	5.1	10.3	1
0.0	0.1	0.2	0.8	2.5	5.5	10.2	2
0.0	0.1	0.2	0.5	1.9	4.9	10.3	3
0.0	0.1	0.2	0.6	2.1	5.3	10.5	4
0.0	0.0	0.2	0.8	2.6	5.9	10.5	5
0.0	0.1	0.2	0.5	1.8	5.0	10.5	6
-	0.2	0.2	1.0	2.4	2.8	7.5	7
-	0.1	0.3	0.7	1.5	1.0	7.8	8
-	0.1	0.3	1.2	3.1	4.3	7.3	9
3.0	8.9	22.6	57.4	195.6	687.6	1,854.4	10
2.7	8.0	22.8	67.4	239.5	757.8	1,874.6	11
3.3	9.7	22.3	48.4	166.4	642.6	1,844.0	12
2.4	7.0	18.1	48.5	177.3	684.1	1,904.2	13
2.3	6.3	17.8	58.0	217.2	755.8	1,930.8	14
2.6	7.6	18.4	40.0	146.7	638.7	1,890.8	15
7.0	22.9	60.8	142.7	375.8	729.7	1,320.3	16
5.7	21.4	67.8	159.7	389.2	776.1	1,349.0	17
8.1	24.1	54.7	128.1	365.4	697.9	1,302.4	18
0.0	0.2	1.3	6.7	34.9	194.0	890.8	19
0.0	0.2	1.9	8.9	42.3	217.6	920.1	20
0.0	0.1	0.8	4.7	29.2	178.9	875.8	21
0.0	0.2	1.2	6.0	32.8	195.3	930.6	22
-	0.2	1.7	8.2	40.0	219.0	968.6	23
0.0	0.1	0.7	4.0	27.2	180.3	911.5	24
0.1	0.2	2.3	13.1	55.8	177.6	464.7	25
0.1	0.3	3.6	15.5	64.3	201.0	466.7	26
-	0.1	1.1	11.0	68.9	161.0	463.4	27
0.7	2.2	6.6	21.3	59.7	122.3	231.4	28
0.7	2.6	9.0	32.9	96.1	184.7	262.9	29
0.8	1.8	4.4	10.9	31.6	82.4	215.3	30
0.6	1.8	6.1	20.8	69.7	125.5	240.3	31
0.7	2.3	8.4	32.7	100.1	191.3	276.3	32
0.5	1.4	3.9	10.1	30.4	83.8	222.1	33
1.9	5.1	11.0	25.9	80.1	83.7	136.8	34
1.4	5.6	14.6	35.0	58.3	111.0	137.3	35
2.3	4.6	7.9	18.0	43.4	63.8	136.6	36
0.1	0.1	0.3	0.5	1.5	2.6	7.3	37
0.1	0.2	0.4	0.7	2.1	4.2	11.7	38
0.1	0.1	0.2	0.4	1.0	1.6	5.0	39
0.1	0.1	0.3	0.5	1.5	2.8	7.7	40
0.1	0.1	0.4	0.7	2.2	4.5	12.2	41
0.1	0.1	0.2	0.3	1.0	1.7	5.5	42
0.2	0.4	0.3	0.9	1.3	0.8	3.0	43
0.3	0.6	0.5	1.0	1.1	-	7.8	44
0.2	0.1	0.2	0.8	1.5	1.4	-	45
3.3	7.8	16.0	33.0	86.7	289.2	860.9	46
3.7	9.4	21.2	46.5	125.9	404.1	1,062.9	47
2.9	6.3	11.1	21.0	56.4	215.7	757.5	48
2.5	5.8	13.3	30.0	82.7	291.6	894.7	49
2.5	6.7	17.1	41.8	119.5	406.1	1,113.6	50
2.4	4.9	9.7	19.3	54.4	219.1	784.6	51
9.4	22.6	39.1	62.3	125.9	260.6	499.2	52
12.7	30.5	57.7	91.8	186.5	379.9	588.2	53
6.5	16.0	22.9	36.8	76.5	173.0	443.9	54
0.2	0.5	1.5	3.0	8.6	23.7	68.5	55
0.1	0.5	1.6	3.7	11.9	27.3	67.0	56
0.3	0.6	1.4	2.4	6.1	21.3	69.3	57
0.3	0.5	1.5	2.9	8.8	24.4	71.0	58
0.1	0.5	1.6	3.6	12.2	27.9	70.0	59
0.4	0.5	1.4	2.2	6.2	22.1	71.4	60
0.1	0.9	1.9	4.3	7.1	15.0	42.1	61
0.1	0.8	2.3	4.1	8.6	20.1	39.2	62
0.1	0.9	1.7	4.5	5.8	11.3	43.9	63
3.1	7.3	14.5	30.0	78.1	265.5	792.4	64
3.6	8.8	19.6	42.8	114.0	376.8	995.8	65
2.6	5.8	9.7	18.6	50.3	194.3	688.3	66
2.2	5.3	11.8	27.1	73.9	267.2	823.7	67
2.4	6.2	15.6	38.2	107.3	378.2	1,043.6	68
2.0	4.4	8.3	17.1	48.3	197.0	713.2	69
9.3	21.7	37.2	58.0	118.8	245.5	457.1	70
12.6	29.7	55.5	87.7	177.9	359.8	549.0	71
6.4	15.1	21.2	32.2	70.6	161.7	400.0	72
0.7	2.3	8.7	33.5	84.3	128.2	129.1	73
0.7	2.2	11.9	53.8	155.9	266.2	265.2	74
0.8	2.3	5.8	15.4	28.9	39.9	59.4	75
0.6	1.9	8.5	34.4	88.8	133.3	134.5	76
0.6	1.9	11.4	55.1	164.6	278.4	280.5	77
0.6	2.0	5.7	15.8	30.5	41.6	61.1	78
1.5	4.7	11.2	25.0	40.3	66.7	70.7	79
1.3	5.0	15.9	40.5	73.6	131.1	121.6	80
1.7	4.5	7.0	11.6	13.1	19.1	39.0	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
BRONCHITIS, EMPHYSEMA, AND ASTHMA--CON.						
1	CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	2.8	3.0	0.3	0.1	0.1
2	MALE-----	4.2	3.4	0.2	0.1	0.1
3	FEMALE-----	1.5	2.6	0.5	0.1	0.1
4	WHITE-----	3.0	2.3	0.3	0.1	0.1
5	MALE-----	4.4	2.8	0.2	0.1	0.1
6	FEMALE-----	1.6	1.8	0.4	0.0	0.0
7	ALL OTHER-----	1.6	6.7	0.5	0.2	0.1
8	MALE-----	2.2	6.7	0.2	0.2	-
9	FEMALE-----	1.0	6.8	0.9	0.2	0.2
10	EMPHYSEMA-----492	10.8	0.5	0.1	0.0	0.0
11	MALE-----	18.2	0.5	0.1	0.0	0.1
12	FEMALE-----	3.9	0.5	0.1	0.0	0.0
13	WHITE-----	11.8	0.4	0.1	0.0	0.0
14	MALE-----	19.7	0.1	0.1	1.0	0.1
15	FEMALE-----	4.3	0.6	0.0	0.0	0.0
16	ALL OTHER-----	4.1	1.1	0.1	0.0	0.1
17	MALE-----	7.1	2.2	-	0.1	-
18	FEMALE-----	1.2	-	0.2	-	0.1
19	ASTHMA-----493	1.1	0.3	0.2	0.1	0.3
20	MALE-----	1.0	0.6	0.2	0.2	0.3
21	FEMALE-----	1.2	-	0.2	0.1	0.2
22	WHITE-----	1.0	0.2	0.1	0.1	0.2
23	MALE-----	0.9	0.4	0.1	0.1	0.2
24	FEMALE-----	1.1	-	0.1	0.0	0.2
25	ALL OTHER-----	1.9	0.7	0.6	0.5	0.8
26	MALE-----	1.9	1.5	0.7	0.3	1.0
27	FEMALE-----	1.9	-	0.5	0.6	0.5
28	PEPTIC ULCER-----531-533	3.8	1.8	0.1	0.0	0.1
29	MALE-----	5.1	2.3	0.2	0.0	0.2
30	FEMALE-----	2.5	1.2	0.1	0.0	0.0
31	WHITE-----	3.9	1.4	0.1	0.0	0.1
32	MALE-----	5.2	1.7	0.2	0.1	0.2
33	FEMALE-----	2.7	1.0	0.0	0.0	0.0
34	ALL OTHER-----	3.1	3.7	0.1	-	0.2
35	MALE-----	4.7	5.2	-	-	0.4
36	FEMALE-----	1.6	2.3	0.2	-	-
37	APPENDICITIS-----540-543	0.6	0.2	0.1	0.2	0.2
38	MALE-----	0.7	0.4	0.2	0.2	0.2
39	FEMALE-----	0.5	0.1	0.1	0.2	0.1
40	WHITE-----	0.5	0.3	0.1	0.2	0.1
41	MALE-----	0.7	0.4	0.1	0.2	0.2
42	FEMALE-----	0.4	0.1	0.1	0.2	0.1
43	ALL OTHER-----	0.8	-	0.3	0.2	0.3
44	MALE-----	0.9	-	0.4	0.2	0.2
45	FEMALE-----	0.7	-	0.2	0.2	0.4
46	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.3	14.8	0.3	0.1	0.1
47	MALE-----	2.9	18.0	0.4	0.1	0.1
48	FEMALE-----	3.6	11.6	0.3	0.1	0.1
49	WHITE-----	3.3	14.3	0.3	0.1	0.1
50	MALE-----	2.9	17.0	0.4	0.1	0.1
51	FEMALE-----	3.7	11.5	0.2	0.1	0.1
52	ALL OTHER-----	3.1	17.6	0.4	0.1	0.3
53	MALE-----	3.3	23.0	0.4	0.1	0.2
54	FEMALE-----	2.8	12.1	0.4	0.1	0.4
55	CIRRHOSIS OF LIVER-----571	15.6	0.8	0.2	0.1	0.3
56	MALE-----	21.1	1.3	0.2	0.0	0.3
57	FEMALE-----	10.4	0.6	0.3	0.1	0.3
58	WHITE-----	14.9	0.9	0.2	0.1	0.2
59	MALE-----	20.2	1.0	0.2	0.0	0.1
60	FEMALE-----	9.9	0.7	0.2	0.1	0.2
61	ALL OTHER-----	20.7	0.4	0.4	0.1	1.2
62	MALE-----	27.5	0.7	0.2	-	1.3
63	FEMALE-----	14.4	-	0.5	0.1	1.1
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.8	0.1	-	-	0.0
65	MALE-----	1.6	0.2	-	-	-
66	FEMALE-----	1.9	-	-	-	0.0
67	WHITE-----	1.9	0.1	-	-	0.0
68	MALE-----	1.7	0.3	-	-	-
69	FEMALE-----	2.0	-	-	-	0.0
70	ALL OTHER-----	0.9	-	-	-	-
71	MALE-----	0.8	-	-	-	-
72	FEMALE-----	1.1	-	-	-	-
73	NEPHRITIS AND NEPHROSIS-----580-584	4.1	0.7	0.1	0.2	0.5
74	MALE-----	4.6	0.8	0.1	0.2	0.6
75	FEMALE-----	3.6	0.6	0.1	0.2	0.4
76	WHITE-----	3.5	0.7	0.1	0.2	0.4
77	MALE-----	3.9	0.8	0.1	0.2	0.5
78	FEMALE-----	3.1	0.6	0.1	0.1	0.4
79	ALL OTHER-----	8.6	0.7	0.3	0.3	1.0
80	MALE-----	9.6	0.7	0.2	0.3	1.3
81	FEMALE-----	7.7	0.8	0.4	0.3	0.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.2	0.5	1.7	5.6	15.1	24.0	33.7	1
0.2	0.6	2.3	8.9	26.0	46.5	59.8	2
0.1	0.4	1.1	2.7	9.7	20.4	20.4	3
0.2	0.4	1.6	5.8	15.8	25.2	34.6	4
0.2	0.5	2.1	9.0	27.3	49.0	62.5	5
0.1	0.4	1.1	2.8	6.9	10.2	20.7	6
0.1	0.8	2.2	4.5	8.7	9.8	24.1	7
0.1	1.1	3.5	7.9	14.2	19.1	35.3	8
0.2	0.5	1.1	1.7	4.3	2.8	17.1	9
0.1	0.9	5.6	25.1	65.3	98.8	89.7	10
0.2	1.0	8.4	42.4	125.7	213.6	200.0	11
0.1	0.7	3.0	9.7	18.7	25.3	33.2	12
0.1	0.8	5.7	26.2	69.3	102.8	93.8	13
0.1	0.9	8.4	43.9	133.6	223.6	212.6	14
0.1	0.7	3.1	10.4	19.9	26.4	34.1	15
0.4	1.3	5.0	14.6	26.2	50.4	45.1	16
0.8	1.6	9.0	27.2	50.8	102.4	82.4	17
-	1.1	1.5	3.7	6.1	12.1	22.0	18
0.4	0.9	1.5	2.7	3.8	5.4	5.6	19
0.3	0.6	1.2	2.5	4.2	6.1	5.3	20
0.6	1.2	1.7	2.9	3.6	5.0	5.8	21
0.4	0.7	1.2	2.4	3.7	5.3	6.0	22
0.3	0.4	0.9	2.2	3.7	5.8	5.5	23
0.4	0.9	1.4	2.6	3.7	5.0	6.3	24
1.0	2.6	4.0	5.9	5.4	6.5	1.5	25
0.5	2.2	3.5	5.5	8.6	9.6	3.9	26
1.4	2.9	4.4	6.2	2.8	4.3	-	27
0.4	1.3	3.6	8.0	16.4	31.2	55.2	28
0.5	2.0	5.5	12.0	26.0	48.2	83.0	29
0.3	0.6	1.9	4.5	9.0	20.3	40.9	30
0.3	1.0	3.3	7.8	16.4	31.9	58.6	31
0.4	1.7	5.0	11.5	25.9	49.3	88.9	32
0.2	0.4	1.7	4.5	9.2	20.9	43.4	33
0.9	3.2	6.4	10.0	16.0	22.8	18.0	34
1.2	4.8	9.7	16.9	27.3	35.4	27.5	35
0.7	1.9	3.5	3.9	6.7	13.5	12.2	36
0.2	0.2	0.5	1.1	1.9	3.7	7.8	37
0.1	0.3	0.8	1.5	2.8	4.7	11.0	38
0.2	0.3	0.3	0.7	1.2	3.1	6.2	39
0.1	0.2	0.4	1.0	1.8	3.5	8.0	40
0.1	0.2	0.7	1.4	2.6	4.4	11.3	41
0.2	0.1	0.2	0.7	1.1	2.9	6.3	42
0.3	0.7	1.5	1.8	2.9	6.9	6.0	43
0.4	0.5	1.9	2.9	4.1	7.7	7.8	44
0.2	0.9	1.1	0.8	1.8	6.4	4.9	45
0.3	0.6	1.8	4.5	11.0	32.1	75.4	46
0.3	0.6	1.4	4.7	11.6	33.6	75.4	47
0.4	0.6	2.1	4.4	10.6	31.2	75.5	48
0.3	0.4	1.5	4.3	10.4	32.8	77.6	49
0.2	0.4	1.3	4.3	10.7	33.9	78.0	50
0.3	0.5	1.7	4.3	10.1	32.1	77.3	51
0.9	1.6	3.9	6.9	17.3	23.6	52.6	52
1.2	1.9	2.6	9.1	29.2	29.7	51.0	53
0.7	1.3	5.0	5.0	15.0	19.1	53.7	54
4.3	20.3	38.9	50.3	43.1	29.5	20.3	55
5.3	26.8	53.0	72.4	66.4	44.9	35.2	56
3.3	14.0	25.7	30.5	25.0	19.7	12.6	57
2.5	15.7	35.4	49.7	43.3	30.5	20.8	58
3.3	21.3	48.0	71.5	66.8	46.2	36.1	59
1.6	10.3	23.6	30.2	25.2	20.5	13.1	60
17.6	53.2	68.5	55.9	40.8	18.3	15.0	61
21.0	70.2	96.9	81.8	62.8	30.6	27.5	62
14.6	39.1	43.8	33.5	22.9	9.2	7.3	63
0.1	0.3	0.7	2.2	7.1	20.6	46.8	64
0.1	0.2	0.8	2.4	8.4	23.1	42.4	65
0.1	0.4	0.7	2.0	6.1	19.0	49.1	66
0.1	0.2	0.8	2.1	7.2	21.2	49.6	67
0.1	0.1	0.8	2.3	8.8	24.1	45.3	68
0.1	0.3	0.7	1.9	6.0	19.3	51.8	69
0.3	0.6	0.6	2.7	5.7	13.4	16.5	70
0.1	0.5	1.0	3.1	4.1	11.5	15.7	71
0.4	0.7	0.3	2.3	7.3	14.9	17.1	72
0.9	2.0	4.4	8.1	15.6	30.5	63.2	73
1.0	2.3	4.9	9.5	20.1	42.4	90.5	74
0.8	1.7	3.9	6.7	12.2	23.0	49.3	75
0.6	1.1	3.1	6.0	12.3	28.3	60.3	76
0.6	1.2	3.8	7.8	16.0	38.5	83.9	77
0.6	1.0	2.5	4.5	9.4	21.8	46.5	78
3.2	8.0	14.8	27.3	48.7	58.1	94.7	79
4.5	10.6	14.6	26.5	59.4	85.2	152.9	80
2.1	6.0	15.0	28.1	40.1	38.3	58.5	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
NEPHRITIS AND NEPHROSIS--CON.						
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	0.7	0.6	0.1	0.0	0.1
2	MALE----	0.8	0.6	0.1	0.0	0.1
3	FEMALE----	0.6	0.6	0.1	0.0	0.1
4	WHITE-----	0.6	0.6	0.1	0.0	0.1
5	MALE----	0.8	0.6	0.1	0.0	0.1
6	FEMALE----	0.5	0.6	0.1	0.0	0.1
7	ALL OTHER----	1.1	0.7	0.3	0.0	0.2
8	MALE----	1.4	0.7	0.2	0.1	0.2
9	FEMALE----	0.9	0.8	0.4	-	0.2
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	3.4	0.1	0.0	0.2	0.4
11	MALE----	3.8	0.2	0.1	0.2	0.5
12	FEMALE----	3.1	-	0.0	0.1	0.3
13	WHITE-----	2.8	0.1	0.1	0.1	0.3
14	MALE----	3.1	0.3	0.1	0.2	0.4
15	FEMALE----	2.5	-	0.0	0.1	0.3
16	ALL OTHER----	7.9	-	-	0.3	0.8
17	MALE----	8.3	-	-	0.3	1.2
18	FEMALE----	6.8	-	-	0.3	0.5
19	INFECTIONS OF KIDNEY-----590	3.3	0.2	-	0.0	0.1
20	MALE----	3.0	0.2	-	0.0	0.1
21	FEMALE----	3.6	0.1	-	0.0	0.1
22	WHITE-----	3.2	0.2	-	0.0	0.1
23	MALE----	2.9	0.3	-	-	0.1
24	FEMALE----	3.5	0.1	-	0.0	0.1
25	ALL OTHER----	4.4	-	-	0.1	0.0
26	MALE----	4.1	-	-	0.1	0.1
27	FEMALE----	4.7	-	-	0.1	-
28	HYPERPLASIA OF PROSTATE-----600	0.9	-	-	0.0	-
29	MALE----	1.8	-	-	0.0	-
30	WHITE-----	0.9	-	-	-	-
31	MALE----	1.8	-	-	-	-
32	ALL OTHER----	0.9	-	-	0.0	-
33	MALE----	1.9	-	-	0.1	-
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	0.3	-	-	0.0	0.7
35	FEMALE----	0.6	-	-	0.0	1.3
36	WHITE-----	0.2	-	-	0.0	0.5
37	FEMALE----	0.4	-	-	0.0	1.0
38	ALL OTHER----	0.9	-	-	0.0	1.8
39	FEMALE----	1.7	-	-	0.1	3.5
40	ABORTIONS-----640-645	0.0	-	-	-	0.1
41	FEMALE----	0.1	-	-	-	0.2
42	WHITE-----	0.0	-	-	-	0.1
43	FEMALE----	0.0	-	-	-	0.1
44	ALL OTHER----	0.1	-	-	-	0.3
45	FEMALE----	0.2	-	-	-	0.7
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639, 650-678	0.3	-	-	0.0	0.6
47	FEMALE----	0.5	-	-	0.0	1.1
48	WHITE-----	0.2	-	-	0.0	0.4
49	FEMALE----	0.4	-	-	0.0	0.9
50	ALL OTHER----	0.8	-	-	0.0	1.4
51	FEMALE----	1.5	-	-	0.1	2.8
52	CONGENITAL ANOMALIES-----740-759	7.1	287.5	10.4	2.4	1.6
53	MALE----	7.7	326.1	10.2	2.3	1.8
54	FEMALE----	6.4	268.2	10.5	2.4	1.4
55	WHITE-----	6.8	286.5	10.2	2.4	1.6
56	MALE----	7.5	307.8	9.8	2.3	1.7
57	FEMALE----	6.2	264.0	10.6	2.4	1.4
58	ALL OTHER----	8.8	292.7	11.2	2.3	1.8
59	MALE----	9.6	297.0	12.3	2.3	2.2
60	FEMALE----	8.0	289.4	10.0	2.4	1.4
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769, 772, 774-778	16.2	1,025.3	0.1	0.0	0.0
62	MALE----	19.5	1,172.2	0.2	0.0	0.0
63	FEMALE----	13.2	872.3	0.1	0.0	0.0
64	WHITE-----	13.5	889.4	0.1	0.0	0.0
65	MALE----	16.4	1,028.2	0.1	0.0	0.0
66	FEMALE----	10.8	743.4	0.0	0.0	0.0
67	ALL OTHER----	35.2	1,725.6	0.4	-	0.1
68	MALE----	41.4	1,925.2	0.5	-	0.1
69	FEMALE----	29.4	1,528.0	0.2	-	0.1
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768, 772, 776	9.0	567.6	0.0	0.0	0.0
71	MALE----	11.1	669.7	0.1	0.0	0.0
72	FEMALE----	7.0	461.1	0.0	0.0	-
73	WHITE-----	7.6	499.7	-	0.0	-
74	MALE----	9.5	599.2	-	0.0	-
75	FEMALE----	5.7	395.1	-	0.0	-
76	ALL OTHER----	18.7	917.4	0.3	-	0.0
77	MALE----	22.3	1,038.5	0.4	-	0.1
78	FEMALE----	15.3	797.0	0.2	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.2	0.3	0.7	1.4	2.6	5.3	9.6	1
0.2	0.4	0.9	1.7	3.7	7.8	12.5	2
0.2	0.2	0.5	1.2	1.8	3.7	8.1	3
0.1	0.2	0.6	1.1	2.4	5.2	9.8	4
0.1	0.2	0.7	1.5	3.4	7.4	12.6	5
0.1	0.1	0.4	0.8	1.7	3.7	8.4	6
0.6	1.2	1.8	4.1	4.4	7.3	7.5	7
1.0	1.6	2.3	3.6	6.7	12.4	11.8	8
0.2	0.9	1.4	4.5	2.4	3.5	4.9	9
0.7	1.7	3.7	6.6	13.0	25.2	53.6	10
0.8	1.9	4.0	7.8	16.4	34.6	78.0	11
0.6	1.5	3.4	5.6	13.4	19.2	41.1	12
0.5	1.0	2.6	4.9	9.9	23.1	50.5	13
0.5	1.0	3.1	6.3	12.6	31.1	71.3	14
0.4	0.9	2.1	3.7	7.7	18.1	40.0	15
2.6	6.8	13.0	23.2	44.4	50.8	87.2	16
3.5	9.0	12.3	22.9	52.7	72.7	141.2	17
1.9	5.0	13.6	23.6	37.6	34.8	53.7	18
0.2	0.6	1.8	4.0	12.8	38.8	87.4	19
0.2	0.6	1.4	3.4	14.4	44.8	104.9	20
0.2	0.6	2.2	4.6	11.6	35.0	78.4	21
0.2	0.4	1.2	3.3	11.0	37.8	88.5	22
0.2	0.5	0.9	2.8	12.6	44.0	105.7	23
0.1	0.3	1.5	3.8	9.7	33.8	79.9	24
0.4	2.2	6.8	10.4	31.1	51.6	75.2	25
0.6	1.8	5.9	9.1	32.1	52.6	98.0	26
0.2	2.7	7.6	11.6	30.3	51.1	61.0	27
-	-	0.1	0.4	3.0	13.4	33.1	28
-	-	0.1	0.9	6.9	34.4	97.7	29
-	-	0.0	0.3	2.7	12.9	33.1	30
-	-	0.1	0.7	6.3	33.4	99.0	31
-	-	0.4	1.2	5.7	19.1	33.1	32
-	-	0.9	2.6	12.7	45.0	86.3	33
0.9	0.5	0.0	-	-	-	-	34
1.8	0.9	0.0	-	-	-	-	35
0.7	0.3	0.0	-	-	-	-	36
1.3	0.6	0.0	-	-	-	-	37
2.6	1.7	-	-	-	-	-	38
4.9	3.2	-	-	-	-	-	39
0.1	0.0	-	-	-	-	-	40
0.2	0.1	-	-	-	-	-	41
0.1	0.0	-	-	-	-	-	42
0.1	0.0	-	-	-	-	-	43
0.3	0.1	-	-	-	-	-	44
0.6	0.3	-	-	-	-	-	45
0.8	0.4	0.0	-	-	-	-	46
1.6	0.8	0.0	-	-	-	-	47
0.6	0.3	0.0	-	-	-	-	48
1.2	0.5	0.0	-	-	-	-	49
2.3	1.6	-	-	-	-	-	50
4.3	2.9	-	-	-	-	-	51
1.5	1.3	2.0	2.6	2.6	2.8	4.4	52
2.0	1.2	2.5	2.7	2.7	3.0	6.8	53
1.1	1.4	1.6	2.5	2.5	2.7	3.1	54
1.5	1.2	2.1	2.5	2.6	2.9	4.5	55
1.9	1.3	2.4	2.6	2.8	3.1	6.7	56
1.1	1.2	1.7	2.5	2.4	2.7	3.4	57
2.0	1.7	1.5	3.1	2.5	2.4	3.0	58
3.1	1.1	2.6	3.6	1.5	1.9	7.8	59
1.0	2.3	0.6	2.7	3.4	2.8	-	60
-	3.0	0.0	-	-	0.0	-	61
-	0.0	0.0	-	-	-	-	62
-	-	0.0	-	-	0.1	-	63
-	-	0.0	-	-	0.0	-	64
-	-	0.0	-	-	-	-	65
-	-	0.0	-	-	0.1	-	66
-	0.1	0.1	-	-	-	-	67
-	0.2	-	-	-	-	-	68
-	-	0.2	-	-	-	-	69
-	0.0	0.0	-	-	0.0	-	70
-	0.0	0.0	-	-	-	-	71
-	-	0.0	-	-	0.1	-	72
-	-	0.0	-	-	0.0	-	73
-	-	0.0	-	-	-	-	74
-	-	0.0	-	-	0.1	-	75
-	0.1	0.1	-	-	-	-	76
-	0.2	-	-	-	-	-	77
-	-	0.2	-	-	-	-	78

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Deaths based on a 50-percent sample. Rates per 100,000 population in specified group. Numbers after causes

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.						
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	7.2	457.8	0.1	--	0.0
2	MALE	8.3	502.5	0.1	--	0.0
3	FEMALE	6.2	411.2	0.0	--	0.0
4	WHITE	5.9	389.7	0.1	--	0.0
5	MALE	6.8	429.0	0.1	--	0.0
6	FEMALE	5.0	348.3	0.0	--	0.0
7	ALL OTHER	16.5	808.2	0.1	--	0.0
8	MALE	19.1	886.7	0.2	--	--
9	FEMALE	14.1	731.1	--	--	0.1
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796						
10	MALE	13.2	115.3	2.7	0.5	2.4
11	FEMALE	16.2	133.3	3.1	0.6	3.3
12	WHITE	10.3	96.5	2.2	0.4	1.6
13	MALE	10.5	87.3	2.1	0.4	1.9
14	FEMALE	13.1	105.0	2.5	0.5	2.5
15	ALL OTHER	8.1	68.7	1.6	0.4	1.2
16	MALE	31.6	259.4	5.8	0.8	6.1
17	FEMALE	38.2	281.5	6.3	1.0	8.5
18	ALL OTHER	25.7	237.9	5.3	0.5	3.9
ALL OTHER DISEASES--RESIDUAL						
19	MALE	53.2	62.8	8.2	4.0	9.4
20	FEMALE	61.1	70.9	8.3	4.0	11.8
21	WHITE	45.6	54.4	8.1	4.0	7.0
22	MALE	51.9	55.1	7.9	4.0	7.9
23	FEMALE	59.1	61.2	8.4	4.1	10.0
24	ALL OTHER	45.0	48.7	7.5	4.0	5.8
25	MALE	62.2	102.4	9.4	3.6	18.9
26	FEMALE	75.2	121.5	7.8	3.3	23.3
27	ALL OTHER	50.3	83.3	11.1	3.9	14.7
ACCIDENTS--E800-E949						
28	MALE	55.4	54.2	31.8	20.8	68.1
29	FEMALE	78.6	62.4	38.5	27.5	107.6
30	WHITE	33.4	45.7	24.8	13.8	28.5
31	MALE	54.0	46.7	29.0	19.8	68.4
32	FEMALE	75.6	54.7	35.5	26.3	107.3
33	ALL OTHER	33.4	38.3	22.2	13.0	29.0
34	MALE	65.4	93.1	46.1	26.0	66.3
35	FEMALE	99.8	103.0	54.0	34.0	109.4
36	ALL OTHER	33.8	83.3	38.0	17.9	25.3
MOTOR VEHICLE ACCIDENTS--E810-E823						
37	MALE	27.0	9.1	11.6	10.7	47.4
38	FEMALE	39.6	9.4	13.1	13.2	72.7
39	WHITE	15.1	8.8	10.1	8.2	22.0
40	MALE	26.8	8.5	10.9	10.5	49.3
41	FEMALE	38.9	9.2	11.8	13.0	75.2
42	ALL OTHER	15.3	7.7	9.9	8.0	23.2
43	MALE	28.5	12.3	15.7	11.7	35.5
44	FEMALE	44.7	10.4	19.9	13.9	57.3
45	ALL OTHER	13.7	14.4	11.5	9.5	14.8
ALL OTHER ACCIDENTS--E800-E807, E825-E949						
46	MALE	28.4	45.1	20.1	10.0	20.7
47	FEMALE	39.0	53.0	25.4	14.3	34.8
48	WHITE	18.4	36.8	14.7	5.6	6.5
49	MALE	27.2	38.2	18.2	9.3	19.0
50	FEMALE	36.7	45.5	23.7	13.3	32.1
51	ALL OTHER	18.1	30.5	12.4	5.0	5.8
52	MALE	36.9	80.7	30.4	14.3	30.8
53	FEMALE	55.1	92.6	34.1	20.1	52.1
54	ALL OTHER	20.1	68.9	26.5	8.5	10.5
SUICIDE--E950-E959						
55	MALE	12.0	0.3	10.2
56	FEMALE	17.5	0.4	15.7
57	WHITE	6.8	0.2	4.7
58	MALE	12.8	0.3	10.1
59	FEMALE	18.5	0.5	15.5
60	ALL OTHER	7.3	0.2	4.6
61	MALE	6.6	0.1	11.0
62	FEMALE	10.3	--	16.7
63	ALL OTHER	3.3	0.2	5.6
HOMICIDE--E960-E978						
64	MALE	9.4	5.2	1.8	0.9	13.5
65	FEMALE	15.4	5.5	2.0	1.0	21.5
66	WHITE	3.7	5.0	1.6	0.8	5.4
67	MALE	4.9	3.7	1.3	0.6	6.4
68	FEMALE	7.7	4.1	1.5	0.6	9.5
69	ALL OTHER	2.3	3.3	1.2	0.6	3.2
70	MALE	40.5	13.1	4.2	2.8	57.2
71	FEMALE	70.1	12.6	4.5	3.7	97.9
72	ALL OTHER	13.4	13.6	3.8	2.0	18.5
OTHER EXTERNAL CAUSES--E980-E999						
73	MALE	2.4	2.9	1.3	0.4	2.5
74	FEMALE	3.4	3.2	1.2	0.6	3.8
75	WHITE	1.5	2.5	1.3	0.2	1.3
76	MALE	2.0	1.7	0.8	0.3	2.0
77	FEMALE	2.8	1.7	0.7	0.4	3.1
78	ALL OTHER	1.3	1.6	0.8	0.2	0.9
79	MALE	5.2	9.0	3.9	0.9	6.0
80	FEMALE	7.6	11.1	3.6	1.4	8.3
81	ALL OTHER	3.0	6.8	4.2	0.4	3.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1972-Con.

of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	9
3.5	6.1	12.2	22.8	39.2	70.4	189.6	10
4.4	7.5	17.3	33.1	54.5	97.4	222.7	11
2.6	4.8	7.5	13.6	25.7	53.1	172.6	12
2.5	4.1	9.3	17.8	29.2	59.0	162.6	13
3.1	5.0	13.6	26.9	43.9	81.9	191.2	14
1.9	3.3	5.2	9.7	17.8	44.5	148.2	15
10.4	20.2	37.7	70.6	137.3	207.3	479.7	16
14.3	27.2	49.7	93.9	176.4	267.9	517.6	17
7.1	14.4	27.1	50.4	105.5	163.1	456.1	18
13.8	27.6	50.1	101.2	201.8	387.4	652.9	19
15.8	30.9	59.9	132.6	271.1	526.7	825.0	20
11.9	24.5	41.0	73.0	148.3	298.3	564.7	21
10.0	21.7	43.6	94.9	194.0	389.4	668.6	22
11.2	23.9	51.8	124.2	263.8	530.6	844.0	23
8.8	19.6	35.9	68.5	143.9	300.0	580.4	24
41.0	70.6	106.3	161.7	259.0	363.4	484.2	25
50.7	86.0	132.6	214.5	340.6	480.4	647.1	26
32.7	57.8	83.3	116.1	192.7	278.0	382.9	27
49.8	45.1	50.8	60.9	81.0	168.9	411.4	28
81.0	69.7	76.4	90.5	114.0	220.8	484.1	29
19.5	21.7	27.0	34.3	55.4	135.6	374.2	30
46.8	40.9	47.2	57.7	78.0	170.2	423.1	31
75.4	62.1	69.8	84.5	108.8	221.8	501.5	32
18.5	20.3	25.9	33.7	54.3	137.6	383.8	33
71.7	75.9	82.1	90.8	110.1	152.4	285.7	34
124.7	129.7	134.3	149.5	163.7	209.6	321.6	35
26.4	31.4	36.5	40.1	66.4	110.6	263.4	36
30.3	24.2	24.7	26.2	32.1	44.8	35.3	37
48.3	36.0	35.7	37.5	44.1	74.1	70.8	38
12.8	12.9	14.4	16.0	22.8	26.0	17.1	39
29.1	22.6	23.1	25.1	31.9	45.4	34.9	40
45.7	33.1	32.9	35.0	43.1	74.8	70.9	41
12.7	12.5	14.0	16.2	23.3	26.8	16.9	42
38.7	35.6	37.7	36.4	33.9	37.8	39.1	43
68.7	59.0	60.5	62.0	54.2	66.0	70.6	44
13.2	16.2	17.9	14.3	17.4	17.0	19.5	45
19.6	20.9	26.2	34.7	48.9	124.1	376.1	46
32.7	33.7	40.7	53.0	69.9	146.7	413.3	47
6.8	8.8	12.7	18.3	32.6	109.6	397.1	48
17.7	18.2	24.1	32.6	46.1	124.8	388.2	49
29.7	29.0	37.0	49.5	65.8	146.9	430.6	50
5.8	7.9	11.9	17.5	31.0	110.9	366.9	51
32.9	40.4	44.4	54.4	76.1	114.6	246.6	52
56.1	70.7	73.8	87.5	109.5	143.5	251.0	53
13.2	15.2	18.6	25.8	48.9	93.6	243.9	54
14.7	16.8	19.9	21.4	20.4	22.2	20.5	55
20.9	22.2	28.0	31.5	35.9	45.0	50.0	56
8.8	11.6	12.4	12.4	8.5	7.6	5.4	57
15.0	17.7	21.3	22.9	21.9	23.3	22.2	58
20.9	23.0	29.7	33.5	38.4	48.0	54.5	59
9.2	12.6	13.4	13.3	9.2	7.8	5.9	60
12.7	10.0	8.2	7.5	6.1	8.1	3.0	61
20.9	15.8	13.2	11.9	11.6	12.4	7.8	62
5.7	5.2	3.8	3.7	1.5	5.0	-	63
18.5	16.2	11.0	7.8	4.6	4.0	4.7	64
30.8	27.3	18.7	13.4	7.6	5.6	8.3	65
6.5	5.6	3.9	2.9	2.2	3.0	2.9	66
8.6	8.0	6.0	4.9	3.2	3.4	4.6	67
13.9	13.0	9.6	8.2	5.2	4.5	8.8	68
3.3	3.2	2.6	2.0	1.7	2.7	2.5	69
89.1	75.1	54.2	35.6	18.0	11.0	6.0	70
160.9	139.9	99.0	64.1	31.0	17.2	3.9	71
27.7	21.3	15.1	11.0	7.3	6.4	7.3	72
3.2	3.3	3.3	3.2	2.5	3.5	5.3	73
4.5	4.6	4.4	4.7	3.9	6.2	7.6	74
2.0	2.1	2.3	2.0	1.5	1.7	4.1	75
2.5	2.6	2.9	3.1	2.3	3.4	5.3	76
3.3	3.5	3.7	4.2	3.7	6.1	7.5	77
1.7	1.8	2.1	2.0	1.3	1.7	4.2	78
8.2	8.3	7.1	5.1	4.4	4.9	4.5	79
13.8	13.4	10.2	9.1	6.0	7.7	7.8	80
3.4	4.1	4.4	1.7	3.1	2.8	2.4	81

SECTION 1 - GENERAL MORTALITY

1-45

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1972

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England ²	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1972 ²	9.4	9.6	10.1	9.3	10.1	9.7	10.1	9.2	7.9	8.3
1971	9.4	9.6	10.1	9.1	10.0	9.4	10.0	8.9	8.2	8.4
1970	9.5	9.8	10.2	9.3	10.1	9.6	10.1	9.1	8.2	8.4
1969	9.5	10.1	10.2	9.4	10.3	9.5	9.9	9.0	8.2	8.6
1968	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9.1	8.2	8.4
1967	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	8.9	8.9	9.0	10.4	10.8
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.0	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.8	---	---	---	---	---	12.0
1915-19	14.5	15.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-04	16.2	16.8	---	---	---	---	---	---	---	---

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

²Deaths based on a 50-percent sample.

SECTION 1 - GENERAL MORTALITY

Table 1-11. Death Rates: United States, Each Division and State, 1963-72

[Rates per 1,000 population in each area]

Division and State	1972 ^{1,2}	1971 ²	1970 ²	1969	1968	1967	1966	1965	1964	1963
United States-----	9.4	9.5	9.5	9.5	9.7	9.4	9.5	9.4	9.4	9.6
Geographic divisions:										
New England ³ -----	9.6	9.6	9.8	10.1	10.4	10.3	10.3	10.5	9.8	10.4
Middle Atlantic-----	10.2	10.2	10.3	10.3	10.7	10.2	10.4	10.3	10.4	10.6
East North Central-----	9.4	9.2	9.4	9.5	9.7	9.5	9.7	9.6	9.6	9.8
West North Central-----	10.1	9.9	10.1	10.3	10.3	10.1	10.3	10.2	10.2	10.3
South Atlantic-----	9.6	9.3	9.5	9.4	9.5	9.1	9.2	9.1	9.0	9.2
East South Central-----	10.0	9.9	10.0	9.8	9.8	9.4	9.6	9.5	9.5	9.8
West South Central-----	9.1	8.9	9.1	9.0	9.1	8.6	8.7	8.6	8.6	8.8
Mountain-----	7.8	8.0	8.0	8.1	8.2	7.9	7.9	7.8	7.9	8.0
Pacific-----	8.3	8.4	8.3	8.5	8.4	8.3	8.5	8.4	8.5	8.5
New England:										
Maine-----	10.9	10.7	11.1	11.2	11.4	11.4	11.1	11.0	11.0	11.2
New Hampshire-----	9.7	9.8	10.0	10.5	10.6	10.6	10.5	10.9	10.8	11.1
Vermont-----	9.4	9.6	10.0	10.1	10.7	10.9	11.1	11.4	11.4	11.4
Massachusetts ³ -----	9.9	9.9	10.1	10.6	10.9	10.7	10.7	11.0	9.6	10.5
Rhode Island-----	9.8	9.7	10.0	10.2	10.6	10.4	10.5	10.9	10.5	10.8
Connecticut-----	8.6	8.5	8.6	8.7	9.0	8.9	9.1	9.1	9.1	9.5
Middle Atlantic:										
New York-----	10.1	10.1	10.3	10.3	10.7	10.2	10.3	10.2	10.3	10.5
New Jersey-----	9.4	9.4	9.5	9.5	9.7	9.4	9.6	9.6	9.6	9.9
Pennsylvania-----	10.7	10.7	10.8	10.8	11.2	10.8	11.0	10.9	10.8	11.1
East North Central:										
Ohio-----	9.5	9.5	9.4	9.4	9.7	9.4	9.6	9.6	9.5	9.8
Indiana-----	9.3	9.3	9.3	9.7	9.8	9.6	9.9	9.8	9.7	10.1
Illinois-----	9.9	9.8	10.0	10.1	10.3	10.1	10.4	10.2	10.1	10.4
Michigan-----	8.7	8.6	8.6	8.8	8.9	8.8	8.9	8.9	8.8	9.0
Wisconsin-----	9.3	9.0	9.2	9.7	9.8	9.5	9.7	9.7	9.5	9.8
West North Central:										
Minnesota-----	8.9	8.7	8.9	9.1	9.3	9.2	9.3	9.1	9.4	9.3
Iowa-----	10.4	10.4	10.4	10.6	10.8	10.5	10.8	10.7	10.6	10.6
Missouri-----	11.1	10.7	11.1	11.3	11.3	11.0	11.5	11.2	11.1	11.5
North Dakota-----	8.9	9.0	9.1	9.1	8.9	8.5	8.9	8.5	8.6	8.5
South Dakota-----	10.3	10.0	9.9	10.3	10.0	9.5	9.7	9.5	9.4	9.4
Nebraska-----	10.2	10.0	10.1	10.3	10.4	10.1	10.2	10.2	10.1	10.0
Kansas-----	9.9	9.8	9.7	9.8	9.8	9.6	9.8	9.7	9.8	10.0
South Atlantic:										
Delaware-----	8.7	8.6	9.0	8.8	9.2	8.8	9.3	9.0	8.7	9.2
Maryland-----	8.3	8.1	8.4	8.6	8.7	8.4	8.6	8.7	8.5	9.0
District of Columbia-----	11.3	11.6	11.7	11.0	10.9	10.9	11.4	11.2	11.5	11.7
Virginia-----	8.6	8.4	8.4	8.4	8.7	8.2	8.3	8.4	8.4	8.6
West Virginia-----	11.5	11.2	11.5	10.9	11.0	10.7	10.8	10.6	10.3	10.7
North Carolina-----	9.1	8.7	8.8	8.6	8.7	8.4	8.5	8.4	8.3	8.5
South Carolina-----	8.9	8.8	8.8	8.5	8.8	8.4	8.6	8.5	8.5	8.7
Georgia-----	9.1	8.9	9.1	8.9	9.1	8.5	8.6	8.5	9.0	8.8
Florida-----	11.3	10.9	11.0	11.4	11.3	10.6	10.5	10.3	10.1	10.1
East South Central:										
Kentucky-----	10.3	10.2	10.3	10.2	10.3	10.0	9.9	9.8	9.7	10.2
Tennessee-----	9.7	9.5	9.7	9.5	9.4	9.2	8.3	9.1	9.2	9.5
Alabama-----	9.8	9.7	9.8	9.6	9.4	9.0	9.4	9.3	9.3	9.5
Mississippi-----	10.5	10.5	10.5	10.1	10.2	9.6	10.0	9.8	9.8	10.2
West South Central:										
Arkansas-----	10.9	10.7	10.7	10.4	10.5	9.9	9.9	9.9	10.3	10.1
Louisiana-----	9.2	9.0	9.2	9.0	9.2	8.7	9.0	9.0	9.0	9.1
Oklahoma-----	10.2	9.9	10.5	10.1	10.2	10.0	10.1	9.7	9.8	10.0
Texas-----	8.6	8.3	8.4	8.4	8.5	8.0	8.1	7.9	8.0	8.1
Mountain:										
Montana-----	9.6	9.7	9.5	9.7	9.5	9.4	9.8	9.4	9.8	9.4
Idaho-----	8.4	8.6	8.6	8.6	8.6	8.4	8.6	8.6	8.5	8.5
Wyoming-----	8.9	9.0	8.8	9.2	9.4	8.8	8.1	8.5	8.5	8.5
Colorado-----	7.5	7.8	7.9	8.2	8.7	8.3	8.3	8.3	8.5	8.4
New Mexico-----	7.4	7.4	7.3	7.3	7.1	6.9	6.8	6.7	6.8	6.9
Arizona-----	8.1	8.5	8.4	8.3	8.3	7.9	7.9	7.6	7.8	7.6
Utah-----	6.5	6.6	6.7	6.5	6.7	6.4	6.8	6.7	6.6	6.8
Nevada-----	7.7	7.9	7.9	8.1	7.9	7.5	7.2	7.4	7.5	7.5
Pacific:										
Washington-----	8.7	8.8	8.8	9.0	9.3	9.5	9.8	9.2	9.5	9.3
Oregon-----	9.2	9.3	9.3	9.6	9.5	9.5	9.7	9.4	9.6	9.7
California-----	8.3	8.4	8.3	8.5	8.3	8.2	8.3	8.3	8.4	8.4
Alaska-----	4.4	4.7	4.8	4.6	4.9	4.7	4.8	5.0	5.8	5.4
Hawaii-----	5.3	5.3	5.2	5.1	5.3	5.2	5.2	5.1	5.1	5.4

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.³Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972
 [Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	GEOGRAPHIC DIVISIONS										PACIFIC
	UNITED STATES	NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC	
ALL CAUSES	1,963,944	116,058	382,098	383,212	167,510	305,914	131,674	182,462	69,294	225,722	
BACILLARY DYSENTERY AND AMEBIASIS	90	2	12	6	8	20	8	22	B	4	
ENTERITIS AND OTHER DIARRHEAL DISEASES	2,286	126	272	360	166	462	252	286	140	212	
TUBERCULOSIS, ALL FORMS	4,376	214	966	732	198	805	489	200	57	312	
TUBERCULOSIS OF RESPIRATORY SYSTEM	3,474	170	836	560	154	638	366	110	110	274	
TUBERCULOSIS, OTHER FORMS	902	44	130	172	44	168	92	84	46	122	
WHOOPING COUGH	6	-	2	-	-	2	-	-	-	2	
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	16	-	4	-	-	2	-	-	2	4	
MENINGOCOCCAL INFECTIONS	350	12	54	54	26	58	14	62	20	48	
SEPTICEMIA	4,214	240	854	650	274	804	250	594	164	364	
ACUTE POLIOMYELITIS	2	-	-	-	-	-	2	-	-	-	
MEASLES	24	2	2	2	4	4	10	4	-	2	
SYPHILIS AND ITS SEQUELAE	344	8	62	60	22	54	26	60	10	42	
OTHER INFECTIVE AND PARASITIC DISEASES	3,910	236	648	654	252	670	282	488	166	474	
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	345,618	22,490	71,206	67,476	28,866	52,050	20,698	30,462	10,742	41,628	
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	7,482	518	1,528	1,394	532	1,248	482	638	196	946	
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	95,808	6,800	21,580	19,200	7,936	13,208	5,386	7,698	2,882	11,148	
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	76,998	4,590	15,248	14,624	5,628	12,748	4,792	7,590	2,226	9,852	
MALIGNANT NEOPLASM OF BREAST	31,640	2,240	6,968	6,312	2,622	4,378	1,732	2,360	970	3,868	
MALIGNANT NEOPLASMS OF GENITAL ORGANS	42,346	2,518	8,006	8,258	3,928	6,392	2,502	3,844	1,392	5,126	
MALIGNANT NEOPLASMS OF URINARY ORGANS	15,738	1,113	3,282	3,162	1,486	2,216	826	1,276	532	1,852	
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	41,724	2,608	8,002	7,748	3,520	6,950	2,566	4,018	1,468	4,844	
LEUKEMIA	14,402	786	2,660	2,900	1,402	2,156	892	1,360	514	1,792	
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	19,640	1,274	3,962	3,878	1,812	2,754	1,130	1,678	592	2,360	
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	4,956	372	1,124	872	330	796	222	398	226	616	
DIABETES MELLITUS	38,674	2,374	8,128	8,552	3,156	5,866	2,416	3,614	1,154	3,414	
VITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	2,538	136	420	470	246	394	160	258	152	302	
ANEMIAS	3,426	202	622	650	254	580	286	388	102	542	
MENINGITIS	1,482	74	252	236	90	292	108	178	68	184	
MAJOR CARDIOVASCULAR DISEASES	1,035,146	62,226	207,082	210,210	92,118	155,476	68,570	92,330	31,666	115,468	
DISEASES OF HEART	755,864	45,890	160,144	155,188	65,162	111,386	47,354	65,514	22,690	81,556	
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	14,118	860	3,378	2,668	1,146	1,932	560	834	712	2,028	
HYPERTENSIVE HEART DISEASE	7,760	532	1,446	1,850	612	1,048	436	212	218	502	
HYPERTENSIVE HEART AND RENAL DISEASE	5,778	256	794	1,676	664	920	382	452	192	502	
ISCHEMIC HEART DISEASE	686,424	42,292	148,300	140,114	59,880	100,238	42,080	56,800	19,708	75,700	
ACUTE MYOCARDIAL INFARCTION	357,844	21,722	72,704	73,782	32,944	52,802	25,630	35,148	11,028	35,084	
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	4,528	376	650	580	240	1,302	114	476	354	636	
CHRONIC ISCHEMIC HEART DISEASE	321,684	20,188	74,928	65,716	25,650	46,114	16,320	24,166	8,550	40,246	
ANGINA PECTORIS	168	6	18	36	46	20	10	10	8	14	
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	5,612	320	718	1,132	686	834	454	638	228	622	
ALL OTHER FORMS OF HEART DISEASE	38,172	1,630	5,508	7,748	3,174	6,414	3,462	5,978	1,460	2,798	

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	GEOGRAPHIC DIVISIONS									
	UNITED STATES	NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION-----400-401-403	7,754	472	1,344	1,714	624	1,416	652	694	220	418
CEREBROVASCULAR DISEASES-----430-438	213,344	12,056	35,454	41,250	20,450	34,284	17,052	20,988	6,510	25,334
CEREBRAL HEMORRHAGE-----431	36,768	2,674	6,802	7,652	3,402	5,728	2,836	3,278	936	3,400
CEREBRAL THROMBOSIS-----433	57,482	4,000	10,436	11,658	5,124	9,470	4,164	3,988	1,326	7,296
CEREBRAL EMBOLISM-----434	976	84	146	194	132	130	52	86	26	123
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	118,138	5,298	18,070	21,646	11,778	18,956	10,000	13,656	4,222	14,512
ARTERIOSCLEROSIS-----440	32,486	2,096	5,348	7,140	3,446	4,356	2,036	3,080	1,278	3,726
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	25,658	1,712	4,792	4,938	2,450	4,034	1,476	2,074	968	3,254
ACUTE BRONCHITIS AND BRONCHOLITIS-----466	1,146	78	176	318	74	148	44	106	54	148
INFLUENZA AND PNEUMONIA-----470-474	62,580	4,524	12,288	11,474	5,818	9,562	4,080	5,798	2,486	6,548
INFLUENZA-----470-474	4,986	284	568	962	764	736	350	588	192	512
PNEUMONIA-----480-486	57,594	4,242	11,720	10,512	5,054	8,826	3,690	5,210	2,294	6,036
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	30,768	1,608	4,792	6,334	2,738	4,792	1,832	2,772	1,696	4,264
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	5,862	388	1,024	1,244	480	768	360	504	292	802
EMPHYSEMA-----492	22,580	1,078	3,342	4,680	2,074	3,578	1,296	2,062	1,292	3,178
ASTHMA-----493	2,326	142	426	386	184	386	176	206	112	284
PEPTIC ULCER-----531-533	7,916	476	1,626	1,708	690	1,068	420	624	298	1,006
APPENDICITIS-----540-543	1,206	56	234	220	112	212	94	112	36	112
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	6,790	388	1,318	1,314	606	1,048	462	708	230	746
CIRRHOSIS OF LIVER-----571	32,576	2,424	7,378	6,034	1,662	5,294	1,186	2,120	1,324	5,344
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	3,666	222	652	716	388	558	304	344	160	322
NEPHRITIS AND NEPHROSIS-----580-584	8,548	426	1,576	1,550	664	1,604	664	1,060	280	756
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	1,466	76	288	258	134	234	118	168	50	140
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	7,082	350	1,288	1,292	496	1,370	546	892	230	618
INFECTIONS OF KIDNEY-----590	6,946	320	1,066	1,254	508	1,218	690	972	246	662
HYPERTENSIVE PROSTATE-----600	1,862	96	346	352	204	252	190	172	58	192
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-645	612	16	94	100	28	98	82	98	32	64
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	70	7	16	14	2	14	4	14	2	2
CONGENITAL ANOMALIES-----740-759	542	16	76	86	26	84	78	84	30	62
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	14,698	798	2,354	2,686	1,110	2,376	1,092	1,516	678	1,788
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	33,798	1,478	5,368	6,788	2,606	5,848	2,702	4,070	1,452	3,446
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	18,704	780	2,856	3,766	1,472	3,182	1,536	2,284	862	1,966
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	18,094	698	2,512	3,022	1,134	2,664	1,166	1,786	630	1,480
ALL OTHER DISEASES-----RESIDUAL	110,710	6,616	22,402	19,392	6,634	18,158	7,104	10,662	5,020	12,198
ACCIDENTS-----800-E949	115,448	5,326	15,188	20,210	10,366	20,284	9,324	12,684	6,570	15,296
MOTOR VEHICLE ACCIDENTS-----810-E823	56,278	2,166	7,028	9,828	5,132	10,210	4,844	6,464	3,280	7,250
ALL OTHER ACCIDENTS-----800-E807, E825-E949	3,130	1,118	8,160	10,482	5,234	10,174	4,480	6,220	3,188	8,046
SUICIDE-----890-E950-E959	1,118	1,118	3,270	4,460	1,764	4,462	1,764	2,372	1,452	4,912
HOMICIDE-----890-E978	19,638	4,432	3,332	3,448	1,708	4,616	1,708	2,504	640	2,104
OTHER EXTERNAL CAUSES-----E980-E999	5,074	160	1,918	736	412	630	318	266	194	540

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.
 [Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965.]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION				
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA		
ALL CAUSES	11,198	7,500	4,318	57,152	9,540	26,950	185,284	69,250	127,564		
BACILLARY DYSENTERY AND AMEBIASIS											
ENTERITIS AND OTHER DIARRHEAL DISEASES	8	2	4	66	6	34	144	2	30		
TUBERCULOSIS, ALL FORMS	14	10	6	102	24	58	488	38	324		
TUBERCULOSIS OF RESPIRATORY SYSTEM	4	4	6	88	20	34	422	154	284		
TUBERCULOSIS, OTHER FORMS				14	4	16	66	30	34		
WHOOPING COUGH											
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER											
MENINGOCOCCAL INFECTIONS	4			4					4		
SEPTICEMIA	14	12	8	142	8	56	32	138	14		
ACUTE POLIOMYELITIS									300		
MEASLES											
SYPHILIS AND ITS SEQUELAE											
OTHER INFECTIVE AND PARASITIC DISEASES											
REMAINDER OF 000-136	28	10	10	120	12	56	26	6	182		
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1,924	1,440	768	11,032	1,938	5,388	34,952	13,562	22,162		
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	30	30	10	284	34	130	770	282	476		
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	574	390	220	3,326	610	1,680	10,900	4,130	6,550		
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	394	338	156	2,436	422	1,044	7,448	2,928	4,882		
MALIGNANT NEOPLASMS OF BREAST	166	130	60	1,122	234	548	3,502	1,402	2,104		
MALIGNANT NEOPLASMS OF GENITAL ORGANS	252	186	84	1,238	208	584	3,830	1,562	2,164		
MALIGNANT NEOPLASMS OF URINARY ORGANS	102	84	36	940	90	284	1,950	636	1,102		
UNSPECIFIED SITES	242	170	90	1,308	156	462	3,538	1,402	3,002		
LEUKEMIA	56	46	52	356	74	202	1,280	484	896		
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	108	66	52	622	110	316	1,974	756	1,232		
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	26	18	20	236	20	52	592	154	378		
DIABETES MELLITUS	220	150	66	1,180	244	514	3,758	1,512	2,858		
AVIATIONOSIS AND OTHER NUTRITIONAL DEFICIENCIES	28	4	10	70	8	16	162	88	170		
ANEMIAS	34	16	6	76	6	50	290	124	208		
MENINGITIS	4	4	2	36	6	22	144	40	68		
MAJOR CARDIOVASCULAR DISEASES	6,196	3,994	2,342	30,282	5,264	14,148	98,724	38,284	70,074		
DISEASES OF HEART	4,506	2,752	1,684	22,756	4,054	9,988	77,034	29,814	53,296		
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	74	56	20	440	60	210	1,646	606	1,126		
HYPERTENSIVE HEART DISEASE	24	28	4	362	38	76	796	234	416		
HYPERTENSIVE HEART AND RENAL DISEASE	46	34	14	126	14	22	260	126	408		
ISCHEMIC HEART DISEASE	4,212	2,528	1,558	20,870	3,826	9,298	71,722	27,876	48,702		
ACUTE MYOCARDIAL INFARCTION	2,492	1,412	722	10,300	1,898	4,898	32,946	13,304	26,454		
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	14	16	2	82	248	14	302	148	200		
CHRONIC ISCHEMIC HEART DISEASE	1,706	1,100	834	10,486	1,660	4,362	38,466	14,422	22,040		
ANGINA PECTORIS				2		4	8	2	8		
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	54	28	10	164	8	56	242	120	356		
ALL OTHER FORMS OF HEART DISEASE	196	88	78	794	148	326	2,368	852	2,288		

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.
 [Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION					
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA			
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION-----400-401,403	54	32	34	208	36	108	630	254	460			
CEREBROVASCULAR DISEASES-----430-438	1,176	890	432	5,754	878	2,904	15,232	6,456	12,515			
CEREBRAL HEMORRHAGE-----431	260	184	80	1,410	170	564	3,232	1,218	2,372			
CEREBRAL THROMBOSIS-----433	308	276	146	1,990	260	1,100	4,812	2,112	3,912			
CEREBRAL EMBOLISM-----434	4	8	-	56	0	10	80	30	56			
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	624	422	206	2,298	436	1,312	8,578	3,096	6,296			
ARTERIOSCLEROSIS-----440	198	194	114	748	104	738	2,366	852	2,130			
OTHER DISEASES OF ARTERIES, ARTERICLES, AND CAPILLARIES-----441-448	142	116	78	816	152	408	2,212	908	1,672			
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	6	6	-	40	6	20	104	20	52			
INFLUENZA AND PNEUMONIA-----470-474,480-486	465	200	164	2,582	302	812	6,502	1,958	3,424			
INFLUENZA-----470-474	90	26	18	72	14	64	212	54	252			
PNEUMONIA-----480-486	376	174	146	2,510	288	748	6,290	1,864	3,176			
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	186	154	68	750	98	352	2,396	866	1,530			
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	56	30	16	162	28	106	642	232	420			
EMPHYSEMA-----492	114	110	54	522	60	218	1,752	564	1,110			
ASTHMA-----493	14	14	8	66	10	28	142	54	126			
PEPTIC ULCER-----531-533	44	38	16	260	32	86	660	272	494			
APPENDICITIS-----540-543	10	4	2	32	4	4	122	78	78			
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	40	22	12	180	34	70	704	204	410			
CIRRHOSIS OF LIVER-----571	168	146	62	1,130	166	562	4,060	1,370	1,948			
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	26	18	12	96	24	46	336	130	186			
NEPHRITIS AND NEPHROSIS-----580-584	32	28	12	204	48	90	742	280	554			
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	12	8	2	40	6	8	150	42	96			
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	20	20	22	164	42	82	592	238	458			
INFECTIONS OF KIDNEY-----590	38	20	16	162	26	58	490	216	360			
HYPERPLASIA OF PROSTATE-----600	8	4	4	56	2	22	194	66	86			
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	-	-	-	-	-	50	18	26			
ABORTIONS-----640-645	-	-	-	-	-	-	12	2	4			
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	2	4	-	8	-	2	38	16	22			
CONGENITAL ANOMALIES-----740-759	84	44	32	360	86	192	1,214	386	754			
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	170	116	52	622	140	378	2,584	1,110	1,674			
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	96	66	34	302	76	206	1,440	566	850			
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	74	50	18	320	64	172	1,144	544	824			
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	60	22	34	420	54	216	1,792	528	2,702			
ALL OTHER DISEASES-----RESIDUAL	614	348	292	3,336	514	1,512	10,762	3,414	6,226			
ACCIDENTS-----E800-E949	588	348	208	2,784	360	1,068	6,930	2,920	5,338			
MOTOR VEHICLE ACCIDENTS-----E810-E823	222	160	100	1,110	134	470	3,242	1,294	2,492			
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	366	188	108	1,674	226	598	3,688	1,626	2,846			
SUICIDE-----E950-E959	134	84	66	466	62	306	1,390	560	1,320			
HOMICIDE-----E960-E978	38	14	10	248	22	100	2,020	530	1,772			
OTHER EXTERNAL CAUSES-----E980-E999	8	2	2	66	22	60	1,554	110	254			

Table I-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con. [Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1968].

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION					KANSAS	
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA		NEBRASKA
ALL CAUSES	101,982	49,138	111,298	78,674	42,120	34,554	29,932	52,458	5,616	7,028	15,534	221,388
BACILLARY DYSENTERY AND AMEBIASIS												
ENTERITIS AND OTHER DIARRHEAL DISEASES	88	44	108	74	2	54	12	32	10	4	32	2
TUBERCULOSIS: ALL FORMS	204	102	232	148	44	36	26	82	14	14	12	8
TUBERCULOSIS OF RESPIRATORY SYSTEM	136	78	174	108	36	24	24	68	2	10	10	30
TUBERCULOSIS, OTHER FORMS	38	24	58	40	12	12	2	14	2	4	2	22
WHOOPING COUGH												8
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	2											
MENINGOCOCCAL INFECTIONS	2	4	12	8	6	6	2	12	1	4	4	4
SEPTICEMIA	204	60	166	148	72	60	40	118	10	2	16	28
ACUTE POLYOMYELITIS												
HEALES												
SCARLET AND ITS SEQUELAE	20	8	16	10	6	4	2	4				4
OTHER INFECTIVE AND PARASITIC DISEASES	180	110	186	134	84	48	56	72	10	8	12	46
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	18,056	8,462	19,488	14,080	7,390	6,252	5,118	8,834	886	1,112	2,712	3,952
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	376	166	416	304	132	114	76	190	14	24	54	60
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	5,254	2,422	5,816	3,714	2,104	1,920	1,380	2,208	260	386	760	1,022
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	4,144	1,958	4,032	3,226	1,264	1,026	1,000	2,044	136	156	476	790
MALIGNANT NEOPLASM OF BREAST	2,168	1,070	1,854	1,174	740	626	496	1,044	80	108	250	346
MALIGNANT NEOPLASMS OF GENITAL ORGANS	778	330	956	694	404	326	272	428	114	166	426	584
MALIGNANT NEOPLASMS OF URINARY ORGANS	1,920	1,102	2,130	1,690	906	706	656	1,238	102	96	278	444
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	774	418	740	592	356	306	258	384	46	48	182	208
LEUKEMIA	978	474	1,122	824	480	424	296	476	64	80	200	272
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	266	94	248	174	90	84	62	96	8	20	26	34
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2,380	1,006	2,072	2,216	878	598	588	1,036	92	114	278	450
DIABETES MELLITUS	120	36	108	122	84	36	54	84	6	16	20	30
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	182	76	168	156	88	42	34	88	12	22	10	46
ANEMIAS	68	26	74	46	22	20	3	28	4	2	6	22
MENINGITIS	55,234	26,892	63,296	41,018	23,770	18,728	17,188	28,412	3,082	3,694	8,708	12,206
MAJOR CARDIOVASCULAR DISEASES	40,446	18,806	48,184	30,516	17,236	13,088	12,138	20,194	2,152	2,706	6,038	8,030
DISEASES OF HEART	850	306	696	552	284	264	190	346	48	50	122	126
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	436	180	732	320	152	120	122	302	14	20	66	86
HYPERTENSIVE HEART DISEASE	700	400	308	156	112	60	48	216	34	34	82	92
HYPERTENSIVE HEART AND RENAL DISEASE	36,590	16,932	42,834	28,150	15,462	12,604	10,888	18,604	1,842	2,394	5,544	8,080
ISCHEMIC HEART DISEASE	17,772	9,172	22,684	13,606	7,478	6,428	5,268	9,698	1,252	1,440	3,188	4,602
ACUTE MYOCARDIAL INFARCTION	196	84	124	74	100	62	32	66	8	14	18	40
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	18,116	6,966	20,016	12,440	7,458	5,536	4,482	8,206	682	942	2,368	3,434
CHRONIC ISCHEMIC HEART DISEASE	4	10	10	10	2	4	4	34				4
ANGINA PECTORIS	224	236	378	136	156	108	174	200	8	24	74	98
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY												
ALL OTHER FORMS OF HEART DISEASE	1,544	852	3,236	1,222	894	506	608	1,224	120	176	186	354

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION					KANSAS	
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA		NEBRASKA
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION-----400,401,403	414	216	598	296	190	114	124	184	20	32	66	84
CEREBROVASCULAR DISEASES-----430-438	10,976	6,054	11,336	7,998	4,866	4,410	3,648	6,274	722	744	2,016	2,622
CEREBRAL HEMORRHAGE-----431	1,922	1,206	2,436	1,370	758	666	536	1,062	124	150	318	546
CEREBRAL THROMBOSIS-----433	3,118	1,492	3,476	2,398	1,214	1,026	874	1,850	162	154	468	590
CEREBRAL EMBOLISM-----434	38	34	70	36	16	26	22	74	2	-	-	8
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	5,898	3,322	5,354	4,194	2,878	2,692	2,216	3,288	434	440	1,230	1,478
ARTERIOSCLEROSIS OF ARTERIES, ARTERIOLES, AND OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	1,962	1,176	1,956	1,162	884	600	818	1,048	102	110	322	446
	1,436	640	1,222	1,046	594	516	462	712	86	102	248	324
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	70	26	174	28	20	8	10	18	8	12	8	10
INFLUENZA AND PNEUMONIA-----470-474,480-486	3,102	1,510	3,416	2,188	1,258	1,278	1,108	1,628	248	248	538	740
INFLUENZA-----470-474	286	146	186	196	148	182	108	144	48	60	122	100
PNEUMONIA-----480-486	2,816	1,364	3,230	1,992	1,110	1,096	1,000	1,484	230	188	416	640
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	1,878	872	1,624	1,386	574	520	536	784	86	128	294	390
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	404	144	336	244	116	120	72	128	16	18	66	60
EMPHYSEMA-----492	1,360	688	1,176	1,038	398	368	440	582	64	102	208	310
ASTHMA-----493	94	40	112	104	60	32	24	74	6	20	20	20
PEPTIC ULCER-----531-533	482	196	524	330	206	112	116	238	22	22	90	90
APPENDICITIS-----540-543	66	42	50	48	14	6	30	36	4	10	14	12
HEPATIC AND INTESTINAL OBSTRUCTION-----550-553,560	356	182	374	284	118	110	110	184	24	28	66	84
CIRRHOSIS OF LIVER-----571	1,438	600	1,898	1,626	472	376	228	554	52	70	178	204
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	170	90	196	156	104	92	70	106	14	26	48	32
NEPHRITIS AND NEPHROSIS-----580-584	418	196	444	336	156	90	76	270	30	24	32	108
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	74	32	72	56	22	20	18	56	10	10	4	16
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	344	164	372	278	134	56	72	214	20	14	28	92
INFECTIONS OF KIDNEY-----590	382	200	324	230	128	94	64	190	20	16	38	84
HYPERPLASIA OF PROSTATE-----600	94	56	110	34	58	44	34	58	8	4	18	38
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	24	14	30	26	6	6	2	14	-	-	4	2
ABORTIONS-----640-645	2	4	2	6	-	-	2	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	22	10	28	20	6	6	-	14	-	-	4	2
CONGENITAL ANOMALIES-----740-759	820	402	800	678	286	274	224	304	20	48	100	140
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	1,702	912	2,102	1,598	474	570	446	782	94	102	238	374
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANDRAC AND HYPOXIC CONDITIONS-----764-768,772,776	878	474	1,136	830	218	288	232	498	56	66	118	214
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	824	438	736	768	256	282	214	284	38	36	120	160
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,140	366	360	542	374	264	150	1,604	34	34	96	182
ALL OTHER DISEASES-----RESIDUAL	5,330	2,490	4,996	4,028	2,348	1,894	1,406	2,704	296	338	786	1,210
ACCIDENTS-----E800-E949	5,234	2,938	5,226	4,590	2,322	2,288	1,740	2,934	430	768	942	1,262
MOTOR VEHICLE ACCIDENTS-----E810-E823	2,460	1,500	2,364	2,398	1,126	1,072	928	1,468	190	304	484	666
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	2,774	1,438	2,862	2,232	1,196	1,216	812	1,468	454	454	458	576
SUICIDE-----E950-E959	1,286	498	1,058	562	368	368	280	536	60	60	142	302
HOMICIDE-----E960-E978	1,870	336	1,026	1,070	146	104	60	438	22	22	48	86
OTHER EXTERNAL CAUSES-----E980-E999	122	92	388	1,104	30	102	30	174	8	8	22	68

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.
 [Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								FLORIDA
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	
ALL CAUSES	4,962	33,408	8,462	40,960	20,606	47,288	23,932	42,986	83,310
BACILLARY DYSENTERY AND AMEBIASIS	-	4	-	-	-	-	4	-	6
ENTERITIS AND OTHER DIARRHEAL DISEASES	6	40	10	60	14	110	62	66	94
TUBERCULOSIS, ALL FORMS	24	116	36	86	30	104	94	80	200
TUBERCULOSIS OF RESPIRATORY SYSTEM	22	98	28	62	60	82	82	56	148
TUBERCULOSIS, OTHER FORMS	2	18	8	24	6	22	12	24	52
WHOOPING COUGH	-	-	-	-	-	-	2	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS	8	90	4	12	4	14	4	6	8
SEPTICEMIA	-	-	4	124	28	118	48	138	204
ACUTE POLYOMYELITIS	-	-	-	-	-	-	-	-	-
MEASLES	2	10	-	2	4	6	8	12	10
SYPHILIS AND ITS SEQUELAE	10	68	20	66	34	136	76	98	162
OTHER INFECTIVE AND PARASITIC DISEASES	-	-	-	-	-	-	-	-	-
REMAINDER OF 000-136	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	894	6,386	1,534	7,240	3,322	7,022	3,456	6,386	15,810
MALIGNANT NEOPLASMS OF ORAL CAVITY AND PHARYNX	16	164	50	152	78	174	88	160	366
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	234	1,724	472	1,822	914	1,610	844	1,474	4,114
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	230	1,576	352	1,782	854	1,496	788	1,528	4,142
MALIGNANT NEOPLASMS OF BREAST	86	526	150	592	232	616	298	576	1,302
MALIGNANT NEOPLASMS OF GENITAL ORGANS	134	572	172	908	392	936	470	864	1,844
MALIGNANT NEOPLASMS OF URINARY ORGANS	18	292	50	286	138	288	148	244	752
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	112	838	174	956	438	1,140	494	920	1,878
LEUKEMIA	36	236	48	306	120	350	152	274	634
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	28	358	66	436	156	412	174	346	778
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	16	124	26	112	28	120	50	102	218
DIABETES MELLITUS	86	872	176	728	362	918	530	772	1,422
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	8	94	6	40	28	46	28	76	122
ANEMIAS	8	94	14	76	22	62	40	90	174
HEMIPLEGIA	4	20	12	38	10	68	28	46	66
MAJOR CARDIOVASCULAR DISEASES	2,722	16,716	3,628	20,490	11,056	24,254	12,124	21,928	42,558
DISEASES OF HEART	2,124	13,188	2,552	14,778	8,148	16,884	8,418	14,698	30,596
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	30	290	58	230	118	248	108	182	668
HYPERTENSIVE HEART DISEASE	28	106	36	138	92	126	90	248	184
HYPERTENSIVE HEART AND RENAL DISEASE	12	88	22	142	62	162	82	186	194
ISCHEMIC HEART DISEASE	1,952	12,094	2,296	13,388	7,416	15,244	7,476	12,726	27,646
ACUTE MYOCARDIAL INFARCTION	948	5,192	664	6,574	4,252	8,690	4,370	7,818	14,094
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	4	52	2	860	22	118	44	26	174
CHRONIC ISCHEMIC HEART DISEASE	1,000	6,850	1,630	5,952	3,140	6,224	3,062	4,880	13,376
ANGINA PECTORIS	-	-	-	2	2	12	-	2	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	10	88	20	196	50	122	70	116	162
ALL OTHER FORMS OF HEART DISEASE	92	522	120	684	410	982	592	1,270	1,742

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1966]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION									
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA	
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION-----400,401,402	20	104	34	176	102	188	156	234	402	
CEREBROVASCULAR DISEASES-----430-438	436	2,562	702	4,358	2,210	5,800	2,990	5,900	9,272	
CEREBRAL HEMORRHAGE-----431	16	342	140	430	430	912	610	1,234	1,592	
CEREBRAL THROMBOSIS-----432	126	572	164	1,134	620	1,452	790	1,472	2,640	
CEREBRAL EMBOLISM-----433	2	4	2	16	10	18	12	28	34	
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	244	1,640	396	2,518	1,138	3,222	1,582	3,206	5,010	
ARTERIOSCLEROSIS-----440	70	422	242	616	348	758	270	582	1,070	
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	72	440	98	562	250	618	286	494	1,214	
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	-	20	6	14	12	28	16	16	36	
INFLUENZA AND PNEUMONIA-----470-474,480-486	148	908	324	1,456	766	1,502	722	1,502	2,186	
INFLUENZA-----470-474	8	56	4	86	72	212	60	90	90	
PNEUMONIA-----480-486	140	852	320	1,370	694	1,338	662	1,354	2,096	
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	60	388	86	574	400	686	318	610	1,610	
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	6	60	12	106	76	172	52	104	180	
EMPHYSEMA-----492	52	274	60	422	298	456	234	462	1,322	
ASTHMA-----493	2	54	14	46	26	58	34	44	108	
PEPTIC ULCER-----531-533	16	106	44	146	66	154	66	136	332	
HERNIA AND INTESTINAL OBSTRUCTION-----540-543	-	22	4	24	20	40	12	32	58	
CIRRHOSIS OF LIVER-----550-553,560	12	130	32	144	70	154	84	124	298	
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	102	878	438	642	262	714	274	544	1,440	
NEPHRITIS AND NEPHROSIS-----580-584	10	60	-	88	40	80	40	62	178	
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	18	198	80	220	50	292	134	258	354	
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	4	28	14	28	6	18	18	48	70	
INFECTIONS OF KIDNEY-----590	14	170	66	192	44	274	116	210	284	
HYPERPLASIA OF PROSTATE-----600	16	78	44	144	48	226	124	236	302	
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	8	20	2	22	24	34	24	42	76	
ABORTIONS-----630-678	2	10	4	12	2	14	14	20	20	
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	-	-	-	2	-	4	-	2	6	
CONGENITAL ANOMALIES-----740-759	2	10	4	10	2	10	14	18	14	
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,770,772,774-778	46	272	44	318	166	438	230	352	510	
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPoxic CONDITIONS IN EARLY OTHER CAUSES OF MORTALITY IN EARLY SYMPTOMS AND ILL-DEFINED CONDITIONS-----RESIDUAL	92	502	206	890	354	1,126	584	904	1,190	
ALL OTHER DISEASES-----	50	320	66	456	194	588	322	584	662	
ACCIDENTS-----8800-8949	42	182	140	434	160	538	242	380	528	
ALL OTHER ACCIDENTS-----8800-8807, 8825-8949	230	2,154	694	2,568	1,188	2,938	1,152	2,586	4,154	
HOMICIDE-----8950-8978	62	500	252	498	102	738	418	1,002	1,044	
OTHER EXTERNAL CAUSES-----8980-8999	4	110	72	34	36	76	48	86	204	

Table I-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION					WEST SOUTH CENTRAL DIVISION				
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS		
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION--400,401,403	116	228	174	134	88	136	94	376		
CEREBROVASCULAR DISEASES--430-438	4,046	5,254	4,700	3,052	2,944	3,728	3,240	11,076		
CEREBRAL HEMORRHAGE--431	660	750	882	544	450	634	450	1,744		
CEREBRAL THROMBOSIS--433	958	1,328	1,234	644	490	788	686	2,004		
CEREBRAL EMBOLISM--434	16	20	8	8	16	4	24	42		
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	2,412	3,156	2,576	1,856	1,988	2,302	2,080	7,286		
ARTERIOSCLEROSIS--440	606	634	500	296	346	510	466	1,738		
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	322	426	434	294	294	404	338	1,078		
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	6	20	6	12	16	20	16	54		
INFLUENZA AND PNEUMONIA--470-474,480-486	1,108	1,240	1,046	686	630	966	852	3,350		
INFLUENZA--470-474	84	100	94	76	94	76	132	286		
PNEUMONIA--480-486	1,024	1,140	912	614	536	890	720	3,064		
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	544	598	426	264	364	464	382	1,562		
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	122	124	62	52	68	58	36	342		
EMPHYSEMA--492	362	432	314	188	276	354	324	1,108		
ASTHMA--493	60	42	50	24	20	52	112	348		
PEPTIC ULCER--531-533	134	124	96	66	62	102	112	348		
APPENDICITIS--540-543	14	30	26	24	22	14	14	84		
HEPATOMA AND INTESTINAL OBSTRUCTION--550-553,560	146	122	110	84	76	118	106	408		
CIRRHOSIS OF LIVER--554-571	352	356	300	178	178	370	308	1,284		
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574-575	82	102	60	60	38	64	54	188		
NEPHRITIS AND NEPHROSIS--580-584	138	204	170	132	128	248	172	514		
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	20	40	20	28	18	38	20	94		
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	138	164	140	104	110	210	152	420		
INFECTIONS OF KIDNEY--590	136	246	172	136	106	200	178	488		
HYPERPLASIA OF PROSTATE--600	34	58	62	36	18	24	48	84		
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--650-678	12	14	34	22	6	12	10	70		
ABORTIONS--640-643	--	--	4	--	--	--	4	10		
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--650-659,650-678	12	14	30	22	6	12	6	60		
CONGENITAL ANOMALIES--740-759	246	360	292	194	144	318	156	898		
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760,761,762,764,772,774-778	542	750	748	662	322	882	446	2,420		
BURNS, INJURY, DIFICULT LABOR, AND OTHER CAUSES OF MORTALITY IN EARLY INFANCY--760,761,762,764,772,774-778	314	422	442	358	172	460	226	1,426		
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--760-778	228	328	306	304	150	422	220	994		
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	198	580	1,856	1,626	820	262	448	2,346		
ALL OTHER DISEASES--RESIDUAL	2,048	2,040	1,922	1,094	1,072	2,072	1,686	5,796		
ACCIDENTS--800-899	2,224	2,670	2,606	1,824	1,508	2,378	1,700	7,098		
ALL MOTOR VEHICLE ACCIDENTS--810-833	1,112	1,398	1,380	756	756	1,102	806	3,740		
ALL OTHER ACCIDENTS--834-899	1,112	1,272	1,226	870	752	1,276	894	3,358		
SUICIDE--890-899	312	464	340	204	190	356	328	1,430		
HOMICIDE--890-899	312	464	340	204	190	356	328	1,430		
OTHER EXTERNAL CAUSES--890-899	62	76	26	54	68	30	66	102		

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.
 [Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1968]

CAUSE OF DEATH	MOUNTAIN DIVISION										PACIFIC DIVISION				
	MONTANA	IDARO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII		
ALL CAUSES	6,896	6,352	3,074	17,824	7,926	15,810	7,322	4,090	29,836	20,156	169,964	1,440	4,304		
BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	4	4	-	-	-	4	-	-		
ENTERITIS AND OTHER DIARRHEAL DISEASES	6	2	2	42	30	28	24	6	42	18	144	2	6		
TUBERCULOSIS, ALL FORMS	10	10	-	26	42	58	10	-	34	36	254	4	18		
TUBERCULOSIS OF RESPIRATORY SYSTEM	8	6	-	16	30	42	8	-	26	28	156	4	10		
TUBERCULOSIS, OTHER FORMS	2	4	-	10	12	16	2	-	8	8	98	-	8		
WHOOPING COUGH	-	-	-	-	-	-	-	-	2	-	-	-	-		
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	2	-	-	-	-	-	-	-	-	-		
SYPHILIS AND ITS SEQUELAE	2	-	2	8	2	6	-	-	8	2	36	-	2		
SEPTICEMIA	8	4	8	46	12	74	14	18	42	36	252	8	26		
ACUTE POLYOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-		
MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-		
OTHER INFECTIVE AND PARASITIC DISEASES	18	12	4	32	34	42	20	4	56	38	354	10	16		
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1,100	960	432	2,768	1,174	2,574	1,002	732	5,356	3,528	31,636	220	888		
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	6	16	10	42	22	60	18	22	94	76	736	6	34		
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	318	258	88	764	312	660	268	184	1,420	990	8,334	76	328		
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	234	190	96	534	280	562	144	196	1,216	800	7,310	42	184		
MALIGNANT NEOPLASMS OF BREAST	52	72	32	276	112	214	92	92	492	306	2,998	26	46		
MALIGNANT NEOPLASMS OF GENITAL ORGANS	146	142	58	382	148	270	156	90	688	442	3,896	20	80		
MALIGNANT NEOPLASMS OF URINARY ORGANS	74	44	18	130	70	126	46	24	252	154	1,410	6	30		
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	128	142	76	362	164	380	150	66	612	373	3,716	30	108		
LEUKEMIA	58	46	16	148	44	126	64	34	246	172	1,280	2	32		
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	66	50	38	130	52	156	64	36	336	210	1,956	12	46		
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	28	16	8	62	34	60	14	4	50	54	500	2	10		
DIABETES MELLITUS	146	124	36	244	146	234	156	48	468	290	2,544	8	104		
VITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	14	16	4	46	18	38	10	6	50	34	204	2	12		
ANEMIAS	24	12	2	22	16	26	6	4	48	30	232	2	10		
HENINGITIS	6	4	6	10	4	26	10	2	16	23	134	4	2		
MAJOR CARDIOVASCULAR DISEASES	3,288	3,124	1,530	8,672	3,040	6,822	3,430	1,758	15,762	10,792	86,618	426	1,870		
DISEASES OF HEART	2,288	2,264	1,068	6,308	2,066	5,062	2,468	1,226	11,074	7,420	62,350	310	1,402		
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	68	56	22	202	86	154	88	36	288	194	1,438	8	40		
HYPERTENSIVE HEART DISEASE	18	28	10	40	20	40	32	10	108	52	558	2	6		
HYPERTENSIVE HEART AND RENAL DISEASE	26	16	6	50	10	10	10	8	116	82	658	2	6		
ISCHEMIC HEART DISEASE	1,904	1,952	938	5,604	1,800	4,542	2,112	1,088	9,916	6,768	57,604	226	1,252		
ACUTE MYOCARDIAL INFARCTION	1,158	1,158	574	3,058	1,092	2,250	1,144	554	5,078	2,882	26,334	160	650		
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	2	10	2	60	12	260	4	4	124	30	270	6	6		
CHRONIC ISCHEMIC HEART DISEASE	744	762	362	2,486	694	2,030	962	490	4,712	3,852	30,594	72	616		
ANGINA PECTORIS	-	2	-	-	2	2	2	-	2	4	8	-	-		
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	54	28	14	48	24	30	26	4	68	32	502	2	18		
ALL OTHER FORMS OF HEART DISEASE	218	124	78	364	130	266	200	80	578	290	1,192	58	80		

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 90-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1968]

CAUSE OF DEATH	MOUNTAIN DIVISION										PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII		
MAJOR CARDIOVASCULAR DISEASES--CON.															
HYPERTENSION--400,401,433	24	24	12	64	44	34	16	2	88	56	464	2	8		
CEREBROVASCULAR DISEASES--430,432,435-438	682	680	382	1,640	700	1,290	738	418	3,486	2,516	18,886	78	368		
CEREBRAL HEMORRHAGE--431	132	94	46	364	130	172	98	42	468	330	2,510	4	88		
CEREBRAL THROMBOSIS--432	156	124	64	364	140	284	134	58	812	714	5,676	12	82		
CEREBRAL EMBOLISM--434	-	4	4	6	2	4	4	2	8	6	112	-	-		
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	432	458	248	1,008	428	830	502	316	2,198	1,466	10,588	62	198		
ARTERIOSCLEROSIS--440	192	120	54	396	126	236	116	38	676	434	2,566	20	30		
OTHER DISEASES OF ARTERIES, ARTERICLES, AND CAPILLARIES--441-448	102	98	34	264	104	200	92	74	438	366	2,372	16	62		
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	6	-	-	16	8	24	-	-	18	14	110	-	6		
INFLUENZA AND PNEUMONIA--470-476,480-486	246	202	96	628	340	604	194	106	982	638	4,766	50	152		
INFLUENZA--470-474	14	6	8	52	36	56	10	4	82	318	4,448	10	40		
PNEUMONIA--480-486	232	196	88	636	300	556	184	102	846	556	4,448	40	146		
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	144	172	88	470	150	452	186	94	588	394	3,218	10	54		
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	26	30	12	102	34	32	18	76	88	72	630	2	12		
EMPHYSEMA--492	110	134	74	330	122	350	28	76	462	294	2,384	6	32		
ASTHMA--493	8	8	2	30	24	40	10	12	40	28	204	2	10		
PEPTIC ULCER--531-533	40	24	16	40	38	66	20	12	144	72	772	6	20		
APPENDICITIS--540-543	6	4	2	12	6	2	4	4	16	4	92	-	8		
HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	18	26	18	46	34	58	26	10	100	60	572	6	20		
CIRRHOSIS OF LIVER--570-571	92	60	46	312	194	318	130	172	510	324	4,400	38	72		
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574,575	18	16	4	50	30	24	16	2	54	24	236	-	8		
NEPHRITIS AND NEPHROSIS--580-584	20	22	6	66	32	60	38	16	110	84	546	-	28		
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	2	2	2	16	4	20	2	2	12	14	110	-	4		
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	18	20	4	50	28	66	36	8	108	50	436	-	24		
INFECTIONS OF KIDNEY--590	14	24	10	64	22	86	20	6	74	60	508	2	18		
HYPERPLASIA OF PROSTATE--600	2	14	2	20	8	8	2	2	14	16	160	-	2		
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	2	-	-	-	6	12	8	2	6	4	54	-	-		
ABORTIONS--640-645	2	-	-	-	-	-	2	-	2	-	-	-	-		
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	2	-	-	2	6	12	6	2	4	4	54	-	-		
CONGENITAL ANOMALIES--740-759	50	64	20	164	80	170	104	26	230	140	1,328	36	54		
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769,2,769,4-772,774-778	146	108	90	374	210	306	184	74	392	244	2,586	60	164		
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	64	66	40	238	110	186	114	44	236	108	1,508	32	82		
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	82	42	50	136	100	120	70	30	136	136	1,078	28	82		
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	194	122	26	340	202	324	278	66	176	284	1,078	28	82		
ALL OTHER DISEASES--RESIDUAL	436	378	210	1,232	660	1,254	562	288	1,638	1,064	9,502	114	240		
ACCIDENTS--E800-E949	642	704	318	1,390	962	1,444	702	408	1,958	1,378	11,404	276	280		
MOTOR VEHICLE ACCIDENTS--E810-E823	350	310	174	712	504	778	350	208	1,108	750	5,440	68	142		
ALL OTHER ACCIDENTS--E800-E807,E825-E949	292	394	144	678	458	666	352	200	1,108	628	5,964	208	138		
SUICIDE--E950-E959	104	90	70	426	144	336	136	146	314	314	3,942	54	84		
HOMICIDE--E960-E978	38	26	10	178	102	178	42	66	142	120	1,648	32	62		
OTHER EXTERNAL CAUSES--E980-E999	28	12	4	44	8	54	30	14	54	60	388	16	22		

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972

[Deaths based on a 60-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS							PACIFIC	
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL		MOUNTAIN
ALL CAUSES	943.2	996.8	1,015.7	999.4	1,008.1	958.3	1,000.9	913.1	780.3	831.2
BACILLARY DYSENTERY AND AMEBIASIS	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0
ENTERITIS AND OTHER DIARRHEAL DISEASES	1.1	0.7	0.7	0.9	1.0	1.4	1.4	1.4	1.4	0.8
TUBERCULOSIS, ALL FORMS	2.1	2.6	2.5	1.8	2.2	2.5	2.8	2.1	1.8	1.3
TUBERCULOSIS OF RESPIRATORY SYSTEM	1.7	2.1	2.0	1.4	1.7	2.1	2.3	1.6	1.2	0.8
TUBERCULOSIS, OTHER FORMS	0.4	0.5	0.5	0.4	0.5	0.5	0.7	0.4	0.5	0.4
WHOOPING COUGH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MENINGOCOCCAL INFECTIONS	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.3	0.2	0.2
SEPTICEMIA	2.0	2.3	2.3	1.6	1.3	1.9	1.9	3.0	2.1	1.3
ACUTE POLIOMYELITIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEASLES	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
SYPHILIS AND ITS SEQUELAE	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.3	0.1	0.2
OTHER INFECTIVE AND PARASITIC DISEASES	1.9	1.7	1.7	1.7	1.5	2.1	2.1	2.4	1.9	1.7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	166.0	189.3	189.3	165.4	173.7	163.1	157.3	152.4	121.0	153.3
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	3.6	4.1	4.1	3.4	3.2	3.9	3.7	3.2	2.2	3.5
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	46.0	57.4	57.4	47.1	47.8	41.4	40.9	38.5	32.1	41.1
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	37.0	40.5	40.5	35.8	33.9	39.9	36.4	38.0	25.1	35.2
MALIGNANT NEOPLASMS OF BREAST	15.1	18.5	18.5	15.5	15.8	13.7	13.1	14.5	10.9	14.2
MALIGNANT NEOPLASMS OF GENITAL ORGANS	20.3	21.3	21.3	20.2	23.6	20.0	22.1	19.2	15.7	18.9
MALIGNANT NEOPLASMS OF URINARY ORGANS	7.6	8.6	8.6	7.8	8.5	6.9	6.5	6.4	6.0	6.8
MALIGNANT NEOPLASMS OF ALL OTHER SITES	20.0	21.3	21.3	19.0	21.2	21.8	19.5	20.1	16.5	17.8
LEUKEMIA	6.9	7.1	7.1	7.1	8.4	6.8	6.8	6.8	5.6	6.4
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	9.4	10.5	10.5	9.5	10.9	8.6	8.6	8.4	6.7	9.4
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2.4	3.0	3.0	2.1	2.0	2.5	1.7	2.0	2.5	2.3
DIABETES MELLITUS	18.6	21.6	21.6	21.0	19.0	18.4	18.4	18.1	13.0	12.6
ARTHRITIS AND OTHER NUTRITIONAL DEFICIENCIES	1.2	1.1	1.1	1.2	1.5	1.2	1.2	1.3	1.7	1.1
ANEMIAS	1.6	1.7	1.7	1.6	1.5	1.8	2.2	1.9	1.1	1.3
MENTINGITIS	0.7	0.7	0.7	0.6	0.5	0.9	0.8	0.9	0.8	0.7
MAJOR CARDIOVASCULAR DISEASES	497.1	550.4	550.4	515.3	554.4	487.1	521.2	462.1	356.6	425.2
DISEASES OF HEART	363.0	425.7	425.7	380.4	392.1	348.9	359.9	327.9	255.5	303.9
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	6.8	9.0	9.0	6.5	6.9	6.1	4.3	4.2	8.0	7.5
HYPERTENSIVE HEART DISEASE	3.7	3.8	3.8	4.5	3.7	3.3	3.3	4.1	2.5	3.0
HYPERTENSIVE HEART AND RENAL DISEASE	2.8	2.1	2.1	4.1	4.0	2.9	2.9	2.3	1.5	1.8
ISCHEMIC HEART DISEASE	328.7	394.2	394.2	343.5	354.3	314.0	319.9	284.3	224.5	279.1
ACUTE MYOCARDIAL INFARCTION	171.9	193.3	193.3	180.9	198.3	165.4	194.8	160.9	124.2	129.2
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	2.2	1.7	1.7	1.4	1.4	4.1	0.9	2.4	4.0	1.6
CHRONIC ISCHEMIC HEART DISEASE	154.6	192.2	192.2	161.1	154.4	144.5	124.1	120.9	96.3	148.2
ANGINA PECTORIS	0.1	0.0	0.0	0.1	0.3	0.1	0.1	0.1	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	2.7	1.9	1.9	2.8	4.1	2.6	3.3	3.2	2.6	2.3
ALL OTHER FORMS OF HEART DISEASE	18.3	14.6	14.6	19.0	19.1	20.1	26.3	29.9	16.4	10.3

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	GEOGRAPHIC DIVISIONS										UNITED STATES
	NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC		
MAJOR CARDIOVASCULAR DISEASES--CON.											
HYPERTENSION-----400,401,403	3.9	3.6	4.2	3.8	4.4	5.0	3.5	2.5	2.3	3.7	
CEREBROVASCULAR DISEASES-----430-438	99.6	98.2	101.1	123.0	107.4	129.6	105.0	75.3	93.3	102.5	
CENTRAL THROMBOSIS-----431	22.1	18.1	18.7	20.3	17.9	21.6	16.4	10.3	12.5	17.6	
CENTRAL EMBOLISM-----432	35.0	27.7	28.7	30.8	29.7	31.7	19.3	14.9	26.9	27.9	
AND OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	0.7	0.4	0.5	0.8	0.4	0.4	0.4	0.3	0.5	0.5	
ARTERIOSCLEROSIS-----430,432,435-438	43.8	48.0	53.1	70.9	59.4	76.0	68.3	47.5	53.4	56.7	
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	17.3	14.2	17.5	20.7	13.6	19.5	19.3	14.4	13.7	19.6	
	14.1	12.7	12.1	14.7	12.6	11.2	10.4	10.9	12.0	12.3	
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.6	0.5	0.8	0.4	0.5	0.3	0.5	0.6	0.5	0.6	
INFLUENZA AND PNEUMONIA-----470-474,480-486	37.0	11.5	28.1	35.0	30.5	31.0	23.0	29.0	24.1	30.1	
INFLUENZA-----470-474	2.4	2.4	2.4	4.6	2.3	3.0	2.6	2.9	1.7	2.4	
PNEUMONIA-----480-486	35.0	31.2	25.8	30.4	27.6	28.0	20.1	23.6	22.2	27.7	
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	14.8	12.7	15.5	16.5	14.8	13.9	13.9	19.1	15.7	14.8	
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	3.2	2.7	3.0	2.9	2.4	2.7	2.5	3.3	3.0	2.8	
EMPHYSEMA-----492	8.9	8.9	11.5	12.5	11.2	9.9	10.3	14.5	11.7	10.8	
ASTHMA-----493	1.1	1.1	1.0	1.1	1.2	1.3	1.0	1.3	1.0	1.1	
PEPTIC ULCER-----531-533	3.9	4.3	4.2	4.2	3.3	3.2	3.1	3.4	3.7	3.8	
APPENDICITIS-----534-543	0.5	0.6	0.5	0.7	0.7	0.7	0.7	0.4	0.4	0.6	
HEPATIC AND INTESTINAL OBSTRUCTION-----550-553,560	3.0	3.5	3.2	3.6	3.3	3.5	3.5	2.6	2.7	3.3	
CIRRHOSIS OF LIVER-----571	18.5	19.6	14.8	10.0	16.6	9.0	10.6	14.9	19.7	15.6	
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.8	1.7	1.8	2.3	1.7	2.3	1.7	1.8	1.2	1.8	
NEPHRITIS AND NEPHROSIS-----580-584	3.5	4.2	3.8	3.8	5.0	5.0	5.3	3.2	2.8	4.1	
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.6	0.8	0.6	0.8	0.7	0.9	0.8	0.6	0.5	0.7	
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	2.9	3.4	3.2	3.0	4.3	4.2	4.5	2.6	2.3	3.4	
INFECTIONS OF KIDNEY-----590	2.6	2.8	3.1	3.1	3.8	5.2	4.9	2.8	2.4	3.3	
HYPERTENSIVE PROSTATE-----600	0.8	0.9	0.9	1.2	0.8	1.4	0.9	0.7	0.7	0.9	
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.1	0.2	0.2	0.2	0.3	0.6	0.5	0.4	0.2	0.3	
ABORTIONS-----640-645	-	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	0.1	0.2	0.2	0.2	0.3	0.6	0.4	0.3	0.2	0.3	
CONGENITAL ANOMALIES-----740-759	6.6	6.3	7.3	6.7	7.4	8.3	7.6	7.6	6.6	7.1	
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	12.2	14.3	16.6	15.7	18.3	20.5	20.4	16.8	12.7	16.2	
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	6.4	7.6	9.2	8.9	10.0	11.7	11.4	9.7	7.2	9.0	
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----760-778	5.8	6.7	7.4	6.8	8.4	8.9	8.9	7.1	5.4	7.2	
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	8.3	13.3	6.6	14.4	17.4	32.4	19.4	17.5	4.3	13.2	
ALL OTHER DISEASES-----RESIDUAL	53.2	59.5	47.5	52.0	56.9	54.0	53.2	56.5	47.0	53.2	
ACCIDENTS-----E800-E949	44.0	40.4	49.8	62.4	63.9	70.9	63.5	74.0	56.3	55.4	
MOTOR VEHICLE ACCIDENTS-----E810-E823	18.1	18.7	24.1	30.9	32.0	36.8	32.0	38.1	26.7	27.0	
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	25.9	21.7	25.7	31.5	31.9	34.1	31.4	35.9	29.6	28.4	
SUICIDE-----E950-E959	9.2	8.7	10.9	10.6	13.2	11.0	11.9	16.4	18.1	12.0	
HOMICIDE-----E960-E978	3.6	8.8	8.5	4.6	14.5	13.0	12.5	7.2	8.1	9.4	
OTHER EXTERNAL CAUSES-----E980-E999	1.3	5.1	1.8	2.5	2.0	1.7	1.3	2.2	2.0	2.4	

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION			
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA	
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION-----400,401,403	5.3	4.1	7.4	3.6	3.7	3.5	3.4	3.5	3.9	
CEREBROVASCULAR DISEASES-----430-438	116.6	115.0	93.9	92.3	90.6	94.4	89.7	87.8	105.1	
CEREBRAL HEMORRHAGE-----431	25.3	23.8	17.4	24.3	18.2	18.3	17.6	16.6	19.8	
CEREBRAL THROMBOSIS-----433	30.0	35.7	31.7	34.3	26.8	33.1	24.6	28.7	32.0	
CEREBRAL EMBOLISM-----434	0.4	1.0	-	1.0	0.6	0.3	0.3	0.4	0.5	
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	60.8	54.5	44.8	39.6	45.0	42.6	47.2	42.1	52.9	
ARTERIOSCLEROSIS-----440	19.3	25.1	24.8	12.9	10.7	17.9	12.9	11.6	17.9	
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	13.8	15.0	17.0	14.1	15.7	13.2	12.0	12.4	14.0	
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.6	0.8	-	0.7	0.6	0.6	0.6	0.3	0.4	
INFLUENZA AND PNEUMONIA-----470-474,480-486	45.4	25.8	35.7	44.5	31.2	26.4	37.6	26.6	28.8	
INFLUENZA-----470-474	8.3	3.4	3.9	1.2	1.4	2.1	1.2	1.3	2.1	
PNEUMONIA-----480-486	36.6	22.5	31.7	43.3	29.7	24.3	36.4	25.4	26.7	
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	18.1	19.9	14.8	12.9	10.1	11.4	13.0	11.8	12.9	
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	5.5	3.9	1.3	2.8	2.9	3.4	3.1	3.0	2.0	
EMPHYSEMA-----492	11.1	14.2	11.7	9.0	6.2	8.7	8.7	7.9	9.8	
ASTHMA-----493	1.6	1.8	1.7	1.1	1.0	0.9	1.3	0.8	1.0	
PEPTIC ULCER-----531-533	4.3	4.9	3.5	4.7	3.3	2.8	4.7	3.7	4.1	
APPENDICITIS-----540-543	1.0	0.5	0.4	0.6	0.4	0.1	0.7	0.5	0.7	
HEPATIC AND INTESTINAL OBSTRUCTION-----550-555,560	3.9	2.8	2.6	3.1	3.5	2.3	3.8	2.8	3.4	
CIRRHOSIS OF LIVER-----571	16.4	18.9	13.5	15.5	17.1	18.2	22.1	18.6	16.4	
CHOLELITHIASIS, CHOLECYSTITIS AND ENDOCRANITIS-----574,575	2.5	2.3	2.6	1.7	2.5	1.5	1.8	1.8	1.6	
NEPHRITIS AND NEPHROSIS-----580,584	3.1	3.6	3.2	3.5	3.0	2.9	4.0	3.8	4.7	
CHYLOPERITONITIS AND NEPHROTIC SYNDROME-----581	1.2	1.0	0.4	0.7	0.6	0.3	0.8	0.6	0.8	
CHOLELITHIASIS, UNQUALIFIED NEPHRITIS AND NEPHROSIS-----582-584	1.9	2.6	4.8	2.8	4.3	2.7	3.2	3.2	3.8	
INFECTIONS OF KIDNEY-----590	3.7	2.6	3.5	2.8	2.7	1.9	2.7	2.9	3.0	
HYPERTROPHIA OF PROSTATE-----600	0.8	0.5	0.9	1.0	0.2	0.7	1.1	0.9	0.7	
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.2	0.5	-	0.1	-	0.1	0.1	0.0	0.2	
ABORTIONS-----640-645	-	-	-	-	-	-	-	-	-	
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	0.2	0.5	-	0.1	-	0.1	0.2	0.2	0.2	
CONGENITAL ANOMALIES-----740-759	8.2	5.7	7.0	6.2	8.9	6.2	6.6	5.3	6.3	
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,759,4-772,774-778	16.6	15.0	11.3	10.7	14.4	12.3	14.1	15.1	14.1	
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	9.4	8.5	7.4	5.2	7.8	6.7	7.8	7.7	7.1	
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----769-776	7.2	6.5	3.9	5.5	6.6	5.6	6.2	7.4	6.9	
SYMPTOMS AND ILL-DEFINED REMAINDERS OF 780-796	59.8	30.0	7.4	7.2	3.9	7.0	9.8	7.2	22.7	
ALL OTHER DISEASES-----RESIDUAL	59.8	45.0	65.5	57.6	53.0	46.1	58.6	46.5	69.1	
ACCIDENTS-----E800-E949	54.4	45.0	45.2	48.0	37.2	34.7	37.7	39.7	44.8	
MOTOR VEHICLE ACCIDENTS-----E810-E823	21.6	20.7	21.7	18.2	13.8	15.3	17.7	17.6	20.9	
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	32.7	24.3	23.5	29.8	23.3	19.4	20.1	22.1	23.9	
SUICIDE-----E950-E959	13.1	10.9	14.3	8.0	6.4	9.9	7.6	7.6	11.1	
HOMICIDE-----E960-E978	3.7	1.8	2.2	4.3	2.3	3.2	1.0	7.2	6.5	
OTHER EXTERNAL CAUSES-----E980-E999	0.8	0.3	0.4	1.1	2.3	1.9	8.5	1.5	2.1	

SECTION I - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1968]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION					KANSAS	
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA		NEBRASKA
ALL CAUSES	951.1	929.6	989.8	872.9	930.6	891.3	1,037.9	1,105.1	885.8	1,053.5	1,016.6	987.1
BACILLARY DYSENTERY AND AMEBIASIS	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.6	0.1	0.1
ENTERITIS AND OTHER DIARRHEAL DISEASES	0.8	0.8	1.0	0.8	0.8	1.4	0.6	0.7	1.6	2.1	2.1	0.4
TUBERCULOSIS, ALL FORMS	1.9	1.9	2.1	1.6	1.0	0.9	0.9	1.7	0.3	1.5	0.8	1.3
TUBERCULOSIS OF RESPIRATORY SYSTEM	1.5	1.5	1.5	1.2	0.8	0.6	0.8	1.4	0.3	0.9	0.7	1.0
TUBERCULOSIS, OTHER FORMS	0.4	0.5	0.5	0.4	0.3	0.3	0.1	0.3	0.3	0.6	0.1	0.4
WHOOPING COUGH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.0	0.6	0.0	0.2
MENINGOCOCCAL INFECTIONS	1.9	1.1	1.5	1.6	1.6	1.5	1.4	2.5	1.6	0.3	1.0	1.2
SEPTICEMIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ACUTE POLIOMYELITIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEASLES	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.5
SYPHILIS AND ITS SEQUELAE	1.7	2.1	1.7	1.5	1.9	1.2	1.9	1.5	1.6	1.2	0.8	2.0
OTHER INFECTIVE AND PARASITIC DISEASES	168.4	160.1	173.3	156.2	163.3	161.3	177.5	186.1	139.7	163.8	177.5	174.3
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	3.5	3.1	3.7	3.4	2.9	2.9	2.6	4.0	2.2	3.5	3.5	2.6
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	49.0	42.0	51.7	41.2	48.5	49.5	47.9	46.5	41.0	56.8	49.7	45.1
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	38.6	37.0	35.9	35.8	27.9	26.5	34.7	43.1	21.5	22.9	31.2	34.8
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	15.5	13.7	16.5	13.7	16.6	15.5	17.2	15.6	12.6	15.9	16.4	15.3
MALIGNANT NEOPLASM OF BREAST	20.2	20.2	21.4	19.0	20.0	21.4	23.7	22.9	18.0	24.4	27.9	25.7
MALIGNANT NEOPLASMS OF GENITAL ORGANS	7.3	6.2	8.5	7.7	8.9	8.4	9.4	9.0	11.0	7.1	7.6	10.0
MALIGNANT NEOPLASMS OF URINARY ORGANS	17.9	20.8	18.9	18.8	20.0	18.2	22.7	26.1	16.1	14.1	18.2	19.6
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	7.2	7.9	6.8	6.6	7.9	7.9	8.9	8.1	7.3	7.1	9.9	9.2
LEUKEMIA	9.1	9.0	10.0	9.1	10.6	10.9	10.3	10.0	10.1	11.8	13.1	12.0
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	2.5	1.8	2.2	1.9	2.0	2.2	2.1	2.0	1.3	2.9	1.7	1.5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	22.2	19.0	18.4	24.6	15.4	15.4	20.4	21.8	14.5	16.8	18.2	19.8
DIABETES MELLITUS	1.1	0.7	1.0	1.4	1.9	0.9	1.9	1.8	0.9	2.4	1.3	1.3
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	0.6	0.5	0.7	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.4	1.0
ANEMIAS	515.1	508.7	562.9	455.1	525.2	483.1	596.0	598.5	486.1	543.2	569.9	582.6
HEMIPLEGIA	377.2	355.8	428.5	338.6	380.8	337.6	420.8	425.4	339.4	397.9	396.3	389.3
MAJOR CARDIOVASCULAR DISEASES	7.9	5.8	6.2	6.1	5.8	6.8	6.6	7.3	7.6	7.4	8.0	5.6
DISEASES OF HEART	4.1	3.4	3.4	3.6	4.0	3.1	4.2	4.3	4.2	3.8	5.1	2.5
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	6.5	1.6	2.7	1.7	2.5	1.5	3.5	4.5	2.2	2.0	2.1	2.5
HYPERTENSIVE HEART AND RENAL DISEASE	342.2	318.4	380.9	312.1	342.3	310.3	377.4	379.3	306.4	352.0	362.4	368.1
ISCHEMIC HEART DISEASE	165.8	186.9	201.5	173.1	176.3	169.8	220.7	204.3	197.5	211.8	206.7	202.9
ACUTE MYOCARDIAL INFARCTION	1.8	1.6	1.1	0.8	2.2	1.6	1.1	1.4	1.3	2.1	1.2	1.8
DISEASES OF CORONARY ARTERIES	176.6	191.8	178.3	138.0	166.8	142.8	155.4	172.9	107.8	136.3	155.0	151.4
CHRONIC RHEUMATIC HEART DISEASE	0.0	0.2	0.1	0.1	0.0	0.1	0.1	0.7	0.0	0.0	0.0	0.2
CHRONIC ISCHEMIC HEART DISEASE	2.1	4.5	3.4	1.5	3.4	2.8	6.0	4.2	1.3	3.5	4.8	4.3
MUCOCARDIAL INFARCTION	14.4	16.1	28.8	13.6	19.8	13.1	21.1	25.8	18.9	25.9	12.2	15.6
ALL OTHER FORMS OF HEART DISEASE	14.4	16.1	28.8	13.6	19.8	13.1	21.1	25.8	18.9	25.9	12.2	15.6

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION					KANSAS	
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IONA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA		NEBRASKA
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION-----400-401,403	3.9	4.1	5.3	3.3	4.2	2.9	4.3	3.9	3.2	4.7	4.3	3.7
CEREBROVASCULAR DISEASES-----430-438	102.4	114.5	100.6	88.7	147.5	113.7	126.5	132.2	113.9	109.4	131.9	115.6
CEREBRAL HEMORRHAGE-----431	17.9	21.7	18.2	15.2	26.7	17.2	18.6	22.4	19.6	22.1	20.8	24.1
CEREBRAL THROMBOSIS-----433	29.1	28.2	30.9	20.2	28.8	28.5	30.3	39.0	25.6	22.6	30.6	26.0
CEREBRAL EMBOLISM-----434	0.4	0.6	0.6	0.4	0.4	0.7	0.8	1.5	0.3	-	-	0.4
ALL OTHER CEREBROVASCULAR DISEASES-----430-432,435-438	55.0	62.8	47.6	46.5	63.6	69.4	76.8	69.3	68.5	64.7	80.5	65.2
ARTERIOSCLEROSIS-----440	18.3	22.2	17.4	12.9	19.5	15.5	26.4	22.1	16.1	16.2	21.1	19.7
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	13.4	12.1	10.9	11.6	13.1	13.3	16.0	15.0	13.6	15.0	16.2	14.3
ACUTE BRONCHITIS AND BRONCHIOLITIS-----456	0.7	0.5	1.5	0.3	0.4	0.2	0.3	0.4	1.3	1.8	0.5	0.4
INFLUENZA AND PNEUMONIA-----470-474,480-486	28.9	28.6	30.4	24.3	27.8	32.0	38.7	34.3	42.8	36.5	35.2	32.6
INFLUENZA-----470-474	2.7	2.8	1.7	2.2	3.3	2.7	3.7	3.7	5.8	5.8	5.0	5.4
PNEUMONIA-----480-486	26.3	25.8	28.7	22.1	24.5	29.3	34.7	31.3	36.3	27.6	27.2	28.2
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	17.5	16.5	14.4	15.4	12.7	13.4	18.6	14.5	13.6	18.8	19.2	17.2
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	3.8	2.7	3.0	2.7	2.6	3.1	2.5	2.7	10.2	15.0	4.2	4.5
EMPHYSEMA-----492	12.9	13.0	10.5	11.5	8.8	9.5	15.3	12.3	10.7	15.0	13.6	13.7
ASTHMA-----493	0.9	0.8	1.0	1.2	1.3	0.8	0.8	1.6	3.2	3.2	1.5	0.9
PEPTIC ULCER-----531-533	4.2	3.7	4.7	3.7	4.6	2.9	4.0	5.0	3.2	1.2	3.8	4.0
APPENDICITIS-----540-543	0.6	0.8	0.4	0.5	0.3	0.2	1.0	0.8	3.8	4.1	0.7	0.5
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.3	3.4	3.3	3.2	2.6	2.8	3.8	3.9	3.8	4.3	4.3	3.7
CIRRHOSIS OF LIVER-----570-571	13.4	11.4	16.9	18.0	10.4	9.7	7.9	11.7	8.2	10.3	11.6	9.0
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.6	1.7	1.7	1.7	2.3	2.4	2.4	2.2	2.2	3.8	3.1	1.4
NEPHRITIS AND NEPHROSIS-----580-584	3.9	3.7	3.9	3.7	3.4	2.0	3.1	5.7	4.7	3.5	2.1	4.8
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.7	0.6	0.6	0.6	0.5	0.5	0.6	1.2	1.6	1.5	0.3	0.7
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.2	3.1	3.3	3.1	3.0	1.4	2.5	4.5	3.2	2.1	1.8	4.1
INFECTIONS OF KIDNEY-----590	3.6	3.8	2.9	2.6	2.8	2.4	2.3	4.0	3.2	2.4	2.5	3.7
HYPERTENSIVE RENAL DYSFUNCTION-----600	0.9	1.1	1.0	0.4	1.3	1.1	1.2	1.2	1.3	0.6	1.2	1.7
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PERINATAL PERIOD-----630-678	0.2	0.3	0.3	0.3	0.1	0.2	0.1	0.3	-	-	-	0.1
TOXEMIA OF PREGNANCY-----640-645	0.0	0.1	0.0	0.1	-	-	0.1	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PERINATAL PERIOD-----650-659,650-678	0.2	0.2	0.2	0.2	0.1	0.2	-	0.3	-	-	0.3	0.1
CONGENITAL ANOMALIES-----740-759	7.6	7.6	7.1	7.5	6.3	7.1	7.8	6.4	3.2	7.1	6.5	6.2
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,770-779	15.9	17.3	18.7	17.7	10.5	14.7	15.5	16.5	14.8	15.0	15.6	16.5
BIRTH INJURY, DEFECTIVE LABOR, AND OTHER ANOXIC AND HYPOXYC CONDITIONS-----770-779	8.2	9.0	12.1	9.2	4.8	7.4	8.0	10.5	8.8	9.7	7.7	9.4
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	7.7	8.3	6.5	8.5	5.7	7.3	7.4	6.0	6.0	5.3	7.9	7.1
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-786	10.6	8.9	3.2	6.0	5.2	6.8	5.2	3.8	5.4	8.2	6.3	8.0
ALL OTHER DISEASES-----RESIDUAL	49.7	30.9	44.4	44.7	51.9	48.9	48.8	57.0	46.7	49.7	51.4	33.4
ACCIDENTS-----E800-E949	48.8	55.6	46.5	50.9	51.3	59.0	60.3	61.8	67.8	112.9	61.6	55.6
MOTOR VEHICLE ACCIDENTS-----E810-E823	22.3	27.2	21.2	26.2	24.9	27.7	32.2	30.9	30.0	44.7	31.7	30.2
ALL OTHER ACCIDENTS-----E800-E807, E825-E849	13.0	9.4	23.3	24.8	26.4	31.4	28.7	30.9	37.9	68.2	30.0	25.4
SUICIDE-----E940-E949	1.1	0.4	9.1	11.7	12.4	9.5	9.7	11.3	9.5	11.2	9.3	13.3
OTHER EXTERNAL CAUSES-----E950-E959	1.1	1.7	3.5	11.9	3.2	2.7	2.1	9.2	3.1	3.2	3.1	3.8
				1.2	0.7	2.6	1.0	3.7	1.3	1.2	1.4	3.0

SECTION I - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample, Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases; Adapted, 1966]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION										FLORIDA
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA			
ALL CAUSES	869.0	825.3	1,125.3	859.6	1,148.0	905.7	890.3	908.2			1,133.9
BACILLARY DYSENTERY AND AMEBIASIS	-	0.1	-	-	-	-	0.1	0.1			0.0
ENTERITIS AND OTHER DIARRHEAL DISEASES	1.1	1.0	1.3	0.8	-	2.1	2.3	1.4			1.3
TUBERCULOSIS, ALL FORMS	4.2	2.9	4.8	3.7	3.7	2.0	3.5	1.7			2.7
TUBERCULOSIS OF RESPIRATORY SYSTEM	3.9	2.4	3.7	3.3	3.3	1.6	3.1	1.7			2.0
TUBERCULOSIS, OTHER FORMS	0.4	0.4	1.1	0.5	0.3	0.4	0.4	0.5			0.7
WHOOPING COUGH	-	-	-	-	-	-	0.1	-			-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	0.0	-	-			-
MENINGOCOCCAL INFECTIONS	-	0.1	0.5	0.3	0.2	0.3	0.1	0.1			0.1
SEPTICEMIA	1.4	2.2	6.1	2.6	1.6	2.3	1.8	2.9			2.8
ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-			-
MEASLES	-	-	-	-	-	-	-	-			-
SYPHILIS AND ITS SEQUELAE	0.4	0.2	0.0	0.2	0.2	0.1	0.3	0.3			0.0
OTHER INFECTIVE AND PARASITIC DISEASES	1.8	1.7	2.7	1.4	1.9	2.6	2.8	2.1			2.2
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	156.6	157.8	204.0	151.9	185.1	134.5	128.6	134.9			215.2
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	2.8	4.1	6.6	3.2	4.3	3.3	3.3	3.4			5.0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	41.0	42.6	62.8	38.2	50.9	30.8	31.4	31.1			56.0
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	40.3	38.9	46.8	37.4	47.6	28.7	29.3	32.3			56.4
MALIGNANT NEOPLASM OF BREAST	15.1	13.0	19.9	12.4	12.4	11.8	11.1	12.2			17.7
MALIGNANT NEOPLASMS OF GENITAL ORGANS	23.5	16.6	22.9	19.1	21.8	17.9	17.5	18.3			25.1
MALIGNANT NEOPLASMS OF URINARY ORGANS	3.2	7.2	6.6	6.0	7.7	5.5	5.5	5.2			10.2
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	19.6	20.7	25.1	20.1	24.4	21.8	18.4	19.4			25.6
LEUKEMIA	6.3	5.8	6.4	6.4	6.7	6.7	5.7	5.8			8.6
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	4.9	8.8	8.8	9.2	8.7	7.9	6.5	7.3			10.6
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2.8	3.1	3.5	2.4	1.6	2.3	1.9	2.2			3.0
DIABETES MELLITUS	15.1	21.5	23.4	15.3	20.2	17.6	19.7	16.3			19.4
VITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	1.4	1.0	0.8	0.8	1.6	0.9	1.0	1.6			1.7
ANEMIAS	1.4	2.3	1.9	1.6	1.2	1.2	1.5	1.9			2.4
MENINGITIS	0.7	0.5	1.6	0.8	0.6	1.3	1.0	1.0			0.9
MAJOR CARDIOVASCULAR DISEASES	476.7	412.9	482.4	430.0	615.9	464.5	451.0	463.3			579.3
DISEASES OF HEART	372.0	325.8	339.4	310.1	459.9	323.4	313.2	310.5			416.4
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	5.3	7.2	7.7	4.8	6.6	4.8	4.0	3.8			9.1
HYPERTENSIVE HEART DISEASE	4.9	2.6	4.8	2.9	5.1	2.4	3.3	5.2			2.5
HYPERTENSIVE HEART AND RENAL DISEASE	2.1	2.2	2.9	3.0	3.5	3.1	3.1	3.3			2.6
ISCHEMIC HEART DISEASE	341.9	298.8	303.3	281.0	413.1	292.0	278.1	288.9			376.3
ACUTE MYOCARDIAL INFARCTION	166.0	128.3	88.3	138.0	236.9	170.3	162.6	165.2			191.8
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	0.7	1.3	0.3	18.0	1.2	2.5	1.6	0.5			2.4
CHRONIC ISCHEMIC HEART DISEASE	175.1	169.2	218.8	124.9	174.9	113.9	113.9	103.1			182.1
ANGINA PECTORIS	-	-	-	0.0	0.1	0.2	-	0.0			0.0
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	1.8	2.2	2.7	4.1	2.8	2.3	2.6	2.5			2.2
ALL OTHER FORMS OF HEART DISEASE	16.1	12.9	16.0	14.4	22.8	18.8	22.0	26.8			23.7

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
MAJOR CARDIOVASCULAR DISEASES--CON.									
HYPERTENSION--400, 401, 403	3.5	2.6	4.5	3.7	5.7	3.6	5.8	4.9	5.5
CEREBROVASCULAR DISEASES--430-438	76.4	63.3	93.4	91.5	123.1	111.2	111.4	125.5	126.3
CEREBRAL HEMORRHAGE--431	11.2	8.5	18.6	14.5	24.3	17.5	22.7	26.1	17.6
CEREBRAL THROMBOSIS--433	22.1	14.1	21.8	23.8	34.5	31.6	29.4	31.1	40.0
CEREBRAL EMBOLISM--434	0.4	0.1	0.3	0.3	0.9	0.3	0.4	0.6	0.5
ALL OTHER CEREBROVASCULAR DISEASES--430, 432, 435-438	42.7	40.5	52.7	52.8	63.4	61.7	58.9	67.7	68.2
ARTERIOSCLEROSIS--440	12.3	10.4	32.2	12.9	19.3	14.5	10.0	11.9	14.6
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	12.6	10.9	13.0	11.8	13.9	11.8	10.6	10.4	16.5
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	-	0.5	0.8	0.3	0.7	0.5	0.6	0.3	0.5
INFLUENZA AND PNEUMONIA--470-474, 480-486	25.9	22.4	43.1	30.6	42.7	29.7	26.9	31.7	29.8
INFLUENZA--470-474	1.4	1.4	0.5	1.8	4.0	4.1	2.2	3.1	1.2
PNEUMONIA--480-486	24.5	21.0	42.6	28.8	38.7	25.6	24.6	28.6	28.5
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	10.5	9.6	11.4	12.0	22.3	13.1	11.8	12.9	21.9
CHRONIC AND UNQUALIFIED BRONCHITIS--490, 491	1.1	1.5	1.6	2.2	4.2	3.3	1.9	2.2	2.4
EMPHYSEMA--492	9.1	6.8	8.0	8.9	16.6	8.7	8.6	9.8	18.0
ASTHMA--493	0.4	1.3	1.9	1.0	1.4	1.1	1.3	0.9	1.5
PEPTIC ULCER--531-533	2.8	2.6	5.9	3.1	3.8	2.9	2.5	2.9	4.5
APPENDICITIS--540-543	-	0.5	0.5	0.5	1.1	0.8	0.7	0.7	0.8
HERNIA AND INTESTINAL OBSTRUCTION--550-553, 560	2.1	3.2	4.3	3.0	2.9	2.9	3.1	2.6	4.1
CIRRHOSIS OF LIVER--571	17.9	21.7	58.2	13.5	14.6	13.7	10.2	11.5	19.6
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574, 575	1.8	1.5	-	1.8	2.2	1.5	1.5	1.3	2.4
NEPHRITIS AND NEPHROSIS--580-584	3.2	4.9	10.6	4.6	5.6	5.6	5.0	5.5	4.8
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580, 581	0.7	0.7	1.9	0.6	0.3	0.3	0.7	1.0	1.0
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	2.5	4.2	8.8	4.0	2.5	5.2	4.3	4.4	3.9
INFECTIONS OF KIDNEY--590	2.8	1.9	5.9	3.0	2.7	4.3	4.6	5.0	4.1
HYPERPLASIA OF PROSTATE--600	1.4	0.5	0.3	0.5	1.3	0.7	0.9	0.9	1.0
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--640-645	0.4	0.2	0.5	0.3	0.1	0.3	0.5	0.4	0.3
ABORTIONS--640-645	-	-	-	0.0	-	0.1	-	0.0	0.1
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--650-659, 660-678	0.4	0.2	0.5	0.2	0.1	0.2	0.5	0.4	0.2
CONGENITAL ANOMALIES--740-759	8.1	6.7	5.9	6.7	9.2	8.4	8.6	7.4	6.9
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769, 770-774, 774-778	16.1	12.4	27.4	18.7	19.7	21.6	21.7	19.1	16.2
BURNS, INJURY, DIFICULT LABOR, AND OTHER MATERNAL AND HYPOXIC CONDITIONS--764-768, 772, 776	8.8	7.9	8.8	9.6	10.8	11.3	12.0	11.1	9.0
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	7.4	4.5	18.6	9.1	8.9	9.0	9.7	8.0	7.2
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-799	3.5	5.2	14.1	14.1	20.9	10.3	16.1	16.1	27.9
ALL OTHER DISEASES--RESIDUAL	40.3	53.2	92.3	53.9	66.2	56.3	46.8	54.5	62.0
ACCIDENTS--800-899	46.2	43.5	59.3	57.5	71.9	74.7	74.6	70.8	63.0
MOTOR VEHICLE ACCIDENTS--810-823	23.1	20.0	14.9	25.8	31.2	38.3	39.5	39.8	32.9
ALL OTHER ACCIDENTS--824-899	23.1	23.5	44.4	31.8	40.7	36.3	35.0	31.0	30.1
SUICIDE--890-895	11.2	12.2	13.0	14.2	9.8	12.4	10.3	12.7	16.2
HOMICIDE--896-897	10.9	12.4	33.5	10.5	5.7	14.1	15.6	21.2	14.2
OTHER EXTERNAL CAUSES--898-899	0.7	2.7	9.6	0.7	2.0	1.5	1.8	1.0	2.8

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample, rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION					WEST SOUTH CENTRAL DIVISION				
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS		
ALL CAUSES	1,029.9	966.9	981.9	1,049.6	1,085.6	920.0	1,023.0	856.1		
BACILLARY DYSENTERY AND AMEBIASIS	0.0	0.0	0.2	5.3	0.2	0.2	0.2	0.1		
ENTERITIS AND OTHER DIARRHEAL DISEASES	1.4	1.1	1.5	1.2	1.2	1.2	1.3	1.6		
TUBERCULOSIS, ALL FORMS	3.1	3.7	3.9	2.8	3.0	2.9	3.0	2.2		
TUBERCULOSIS OF RESPIRATORY SYSTEM	2.5	2.8	3.4	2.3	2.8	2.6	2.5	1.7		
TUBERCULOSIS, OTHER FORMS	0.7	0.9	0.6	0.5	0.2	0.3	0.5	0.5		
WHOOPING COUGH	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0		
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	0.1	0.1	0.1	0.2	0.4	0.3	0.3	0.3		
MENINGOCOCCAL INFECTIONS	1.6	1.6	2.6	1.8	3.1	4.5	3.3	2.4		
SEPTICEMIA	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
ACUTE POLIOMYELITIS	0.1	0.0	0.3	0.3	0.3	0.3	0.3	0.0		
MEASLES	0.1	0.0	0.3	0.3	0.3	0.3	0.3	0.5		
SPHILLIS AND ITS SEQUELAE	0.1	0.3	0.3	2.3	2.3	2.7	2.0	2.5		
OTHER INFECTIVE AND PARASITIC DISEASES	2.1	2.2	2.1	2.3	2.3	2.7	2.0	2.5		
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	172.4	151.4	153.0	152.8	172.3	153.5	189.7	144.8		
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	4.7	3.8	2.8	3.2	2.4	3.9	3.8	3.0		
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	48.4	38.0	36.7	41.9	47.0	38.2	40.2	36.8		
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	39.5	35.7	35.3	35.0	38.2	40.6	41.5	36.3		
MALIGNANT NEOPLASM OF BREAST	14.6	13.2	11.9	12.6	13.2	12.9	13.5	11.5		
MALIGNANT NEOPLASMS OF GENITAL ORGANS	24.4	19.4	22.4	23.5	23.7	17.5	21.1	18.6		
MALIGNANT NEOPLASMS OF URINARY ORGANS	7.6	4.8	6.5	6.7	7.0	6.4	8.1	5.9		
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	18.3	19.8	21.2	18.0	23.5	21.7	24.3	18.1		
LEUKEMIA	6.4	7.3	7.3	5.5	8.3	6.4	7.3	6.6		
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	8.5	9.2	8.7	7.4	9.0	8.0	9.9	8.1		
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	1.2	1.6	2.4	1.4	3.0	2.5	2.4	1.6		
DIABETES MELLITUS	18.3	14.8	19.4	23.3	17.9	25.9	16.6	15.9		
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	1.6	1.1	1.0	1.2	1.0	1.3	1.4	1.3		
ANEMIAS	1.4	1.9	2.5	3.3	2.6	2.1	2.0	1.8		
MENINGITIS	0.3	0.8	1.2	0.9	1.2	0.7	0.9	0.9		
MAJOR CARDIOVASCULAR DISEASES	560.2	525.3	485.4	512.7	575.6	467.5	543.0	421.6		
DISEASES OF HEART	406.2	364.7	320.5	345.3	398.7	339.6	385.8	298.6		
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	5.2	4.6	3.7	3.0	4.8	3.5	5.2	4.1		
HYPERTENSIVE HEART DISEASE	3.1	2.3	3.4	3.3	4.2	4.4	5.5	3.6		
HYPERTENSIVE HEART AND RENAL DISEASE	2.9	2.6	3.2	3.0	3.1	1.8	3.6	2.0		
ISCHEMIC HEART DISEASE	364.3	336.8	271.7	299.3	247.5	301.0	346.3	253.8		
ACUTE MYOCARDIAL INFARCTION	225.0	208.2	162.9	176.3	216.4	156.1	212.4	141.1		
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	1.6	0.2	0.5	1.5	0.7	0.6	12.2	1.0		
CHRONIC ISCHEMIC HEART DISEASE	137.7	128.4	108.2	121.4	130.3	144.2	121.8	112.6		
ANGINA PECTORIS	0.1	0.0	0.2	0.1	0.1	0.1	0.0	0.0		
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY	3.1	3.5	3.0	3.5	2.7	5.2	2.4	2.8		
ALL OTHER FORMS OF HEART DISEASE	27.5	14.8	35.4	31.1	36.5	23.8	22.8	32.4		

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION					WEST SOUTH CENTRAL DIVISION				TEXAS
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA			
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION--400,401,403	3.5	5.6	4.9	5.9	4.4	3.6	3.6	3.2		
CEREBROVASCULAR DISEASES--400,401,403	122.4	129.0	133.5	135.3	146.6	99.7	123.1	95.4		
CEREBRAL HEMORRHAGE--430-436	20.0	18.4	25.0	24.1	22.4	17.0	17.1	15.0		
CEREBRAL THROMBOSIS--431	29.0	32.6	35.0	28.5	24.4	21.1	17.3	17.3		
CEREBRAL EMBOLISM--432	0.5	0.5	0.2	0.4	0.8	0.1	0.9	0.4		
ALL OTHER CEREBROVASCULAR DISEASES--430,432,435-438	73.0	77.5	73.2	82.3	99.0	61.6	79.0	62.8		
ARTERIOSCLEROSIS--440	18.5	15.6	14.2	13.1	17.2	13.6	17.7	15.0		
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	9.7	10.5	12.3	13.0	12.6	10.8	12.8	9.3		
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	0.2	0.5	0.2	0.5	0.8	0.5	0.6	0.5		
INFLUENZA AND PNEUMONIA--470-474,480-486	31.5	30.5	29.7	30.4	31.4	25.8	32.4	28.9		
PNEUMONIA--480-486	31.0	28.0	25.9	27.2	26.7	23.8	27.3	25.5		
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	16.5	14.7	12.1	11.7	18.1	12.4	14.5	13.5		
CHRONIC AND UNQUALIFIED BRONCHITIS--490,491	3.7	3.0	1.8	2.3	3.4	1.6	1.4	2.9		
EMPHYSEMA--492	10.6	10.6	8.9	8.3	13.7	9.5	12.3	9.5		
ASTHMA--493	4.1	1.0	1.0	1.1	1.0	1.4	0.8	1.0		
PEPTIC ULCER--531-533	4.1	3.0	2.7	2.9	3.1	2.7	4.3	3.0		
APPENDICITIS--540-543	0.4	0.7	0.7	1.1	0.6	0.4	0.8	0.7		
HERNIA AND INTESTINAL OBSTRUCTION--550-553,560	4.4	3.7	3.1	3.7	3.8	3.2	4.0	3.5		
CIRRHOSIS OF LIVER--571	10.6	8.7	8.5	7.9	8.9	9.9	11.7	10.9		
CHOLELITHIASIS; CHOLECYSTITIS AND CHOLANGITIS--574,575	2.5	2.5	1.7	2.7	1.9	1.7	2.1	1.6		
NEPHRITIS AND NEPHROSIS--580-584	4.8	5.0	4.8	5.9	6.3	6.6	6.5	4.4		
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	0.6	1.0	0.9	1.2	0.8	1.0	0.8	0.8		
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	4.2	4.0	4.0	4.6	5.5	5.6	5.8	3.6		
INFECTIONS OF KIDNEY--590	4.1	6.0	4.9	6.0	5.3	5.4	6.8	4.2		
HYPERPLASIA OF PROSTATE--600	1.0	1.4	1.8	1.8	0.9	0.6	1.7	0.7		
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	0.4	0.3	1.0	1.0	0.3	0.3	0.4	0.6		
ABORTIONS--640-645	--	--	0.1	--	--	--	0.2	0.1		
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	0.4	0.3	0.9	1.0	0.3	0.3	0.2	0.5		
CONGENITAL ANOMALIES--740-759	7.4	8.8	8.3	8.6	7.2	8.5	5.9	7.7		
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769,2,769,4-772,774-778	16.4	18.4	21.2	29.3	16.0	23.6	16.9	20.9		
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	9.5	10.4	12.6	15.9	8.6	12.3	8.6	12.3		
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	6.9	8.1	8.7	13.5	7.5	11.3	8.4	8.6		
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	6.0	14.2	52.7	72.1	40.8	17.0	17.0	8.6		
ALL OTHER DISEASES--RESIDUAL	61.9	50.1	54.6	48.5	53.4	54.4	64.0	49.9		
ACCIDENTS--E800-E949	67.3	65.6	74.0	80.9	75.1	63.6	64.6	61.2		
MOTOR VEHICLE ACCIDENTS--E810-E825	33.6	34.3	39.2	42.3	37.6	29.5	30.6	32.2		
ALL OTHER ACCIDENTS--E800-E807,E825-E949	33.6	31.2	34.8	38.6	37.5	34.1	34.0	28.9		
SUICIDE--E950-E959	13.2	11.4	9.7	9.0	10.9	10.4	12.5	12.3		
HOMICIDE--E960-E978	9.4	14.0	13.7	15.2	9.3	10.6	7.8	13.2		
OTHER EXTERNAL CAUSES--E980-E999	1.9	1.9	0.7	2.4	5.4	0.8	2.5	0.9		

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con. [Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION										PACIFIC DIVISION				
	MONTANA	IDAHO	WYCHING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII		
ALL CAUSES	963.1	841.3	888.4	754.0	736.6	805.4	649.7	767.4	872.9	922.6	832.8	443.1	527.5		
BACILLARY DYSENTERY AND AMEBIASIS															
ENTERITIS AND OTHER DIARRHEAL DISEASES	0.8	1.4	0.6	1.8	2.8	0.2	0.4		1.2	0.8	0.0		0.7		
TUBERCULOSIS, ALL FORMS	1.4	1.3		1.1	3.9	3.0	2.1	1.1	1.0	1.6	1.2		2.2		
TUBERCULOSIS OF RESPIRATORY SYSTEM	1.1	0.8		0.7	2.8	2.1	0.7		0.8	1.3	0.8		1.2		
TUBERCULOSIS, OTHER FORMS	0.3	0.5		0.4	1.1	0.8	0.2		0.2	0.4	0.5		1.0		
WHOOPING COUGH									0.1						
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER									0.2						
MENINGOCOCCAL INFECTIONS	0.3			0.1	0.2	0.3			0.2	0.1	0.0		0.2		
SEPTICEMIA	1.1	0.5	2.3	1.9	1.1	3.8	1.2	3.4	1.2	1.6	1.2	2.5	3.2		
ACUTE POLIOMYELITIS															
MEASLES															
SYPHILIS AND ITS SEQUELAE				0.2	0.2			0.8	0.2	0.1	0.0	0.6	0.2		
OTHER INFECTIVE AND PARASITIC DISEASES	2.5	1.6	1.2	1.4	3.2	2.1	1.8	0.8	1.6	1.7	1.7	3.1	2.0		
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	153.6	127.2	124.9	117.1	109.1	131.1	88.9	137.3	156.7	161.5	155.0	67.7	108.8		
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	0.8	2.1	2.9	1.8	2.0	3.1	1.6	4.1	2.8	3.5	3.6	1.8	4.2		
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	44.4	34.2	25.4	32.3	29.0	33.6	23.8	34.5	41.5	45.3	40.8	25.4	40.2		
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	32.7	25.2	27.7	22.6	23.2	29.6	12.8	36.8	35.6	36.6	35.8	12.9	22.5		
MALIGNANT NEOPLASM OF BREAST	12.8	9.5	9.2	11.7	10.4	10.9	8.2	15.0	14.4	14.0	14.7	8.0	8.0		
MALIGNANT NEOPLASMS OF GENITAL ORGANS	20.4	18.6	16.8	13.8	13.8	13.8	13.8	16.9	20.1	20.2	19.1	6.2	9.8		
MALIGNANT NEOPLASMS OF URINARY ORGANS	10.3	5.8	5.2	5.5	6.5	6.4	4.1	4.5	7.4	7.0	6.9	1.8	3.7		
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	17.9	18.8	22.0	15.3	15.2	19.4	13.3	12.4	17.9	17.3	18.2	9.2	13.2		
LEUKEMIA	5.0	6.1	4.6	6.3	4.1	6.4	5.7	6.4	7.2	7.9	6.3	0.6	3.9		
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	9.2	6.6	11.0	5.5	4.8	7.9	5.7	6.8	9.8	9.6	9.6	3.7	5.6		
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	3.9	2.1	2.3	2.6	3.2	3.1	1.2	0.8	1.5	2.5	2.4	0.6	1.2		
DIABETES MELLITUS	20.4	16.4	10.4	10.3	13.6	12.9	13.8	9.0	13.7	13.5	12.5	2.5	12.7		
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	2.0	2.1	1.2	1.9	1.7	1.9	0.9	0.8	1.5	1.6	1.0	0.6	1.5		
ANEMIAS	3.4	1.6	0.6	0.9	1.5	0.8	0.5	0.8	1.4	1.4	1.2	0.6	1.2		
MENINGITIS	0.8	0.5	1.7	0.4	0.4	1.3	0.9	0.4	0.5	1.3	0.7	1.2	0.2		
MAJOR CARDIOVASCULAR DISEASES	459.2	414.0	442.2	366.8	282.5	347.5	304.3	329.8	461.1	493.9	424.4	131.1	239.2		
DISEASES OF HEART	319.6	291.9	308.7	266.8	192.0	237.5	219.0	230.0	324.8	359.4	305.4	75.4	171.6		
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	9.5	7.4	6.4	8.5	8.0	7.8	7.8	6.8	8.4	8.9	7.3	2.5	4.9		
HYPERTENSIVE HEART DISEASE	2.5	3.7	2.9	3.7	3.9	3.1	2.6	1.9	3.2	2.4	3.1	0.6	0.7		
HYPERTENSIVE HEART AND RENAL DISEASE	3.6	2.1	1.7	2.1	0.6	0.5	0.9	0.8	2.0	2.6	1.4	0.6	0.7		
ISCHEMIC HEART DISEASE	285.9	258.5	271.1	231.1	167.3	214.4	187.4	204.1	260.4	307.7	282.2	73.2	153.4		
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	161.7	153.4	165.9	129.4	101.5	114.6	101.5	111.4	148.0	131.9	129.0	49.2	77.2		
CHRONIC CORONARY INSUFFICIENCY	0.3	1.3	0.6	2.5	1.1	13.2	0.4	0.8	3.6	1.4	1.3	1.6	0.7		
ISCHEMIC HEART DISEASE	103.9	103.6	104.6	105.2	64.5	103.4	95.4	91.9	137.9	176.3	151.8	22.2	75.5		
ANGINA PECTORIS		0.5			0.2	0.1	0.2		0.1	0.2	0.0				
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY															
ALL OTHER FORMS OF HEART DISEASE	30.4	16.4	22.5	15.4	12.1	13.6	17.7	15.0	16.9	13.3	8.8	17.8	9.8		

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1972-Con.

[Deaths based on a 50-percent sample. Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1968.]

CAUSE OF DEATH	MOUNTAIN DIVISION										PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII		
MAJOR CARDIOVASCULAR DISEASES--CON.															
HYPERTENSION--400-401, 403	3.4	3.2	3.5	2.7	4.1	1.7	1.4	0.4	2.6	2.6	2.3	0.6	1.0		
CEREBROVASCULAR DISEASES--430-438	95.3	90.1	104.6	69.4	65.1	65.7	65.5	78.4	102.0	115.1	92.5	24.0	45.1		
CEREBRAL HEMORRHAGE--431	12.8	12.5	13.3	11.1	12.1	8.8	8.7	7.9	13.7	15.1	12.3	1.2	10.8		
CEREBRAL THROMBOSIS--433	22.1	16.4	18.5	15.4	13.0	14.5	11.9	10.9	23.8	32.7	27.8	3.7	10.0		
CEREBRAL EMBOLISM--434	--	0.5	1.2	0.3	0.2	0.2	0.4	0.4	0.2	0.3	0.5	--	--		
ALL OTHER CEREBROVASCULAR DISEASES--430, 432, 435-438	60.3	60.7	71.7	42.6	39.8	42.3	44.5	59.3	64.3	67.1	51.9	19.1	24.3		
ARTERIOSCLEROSIS--440	26.8	15.9	15.6	16.8	11.7	12.0	10.3	7.1	19.8	19.9	12.6	6.2	3.7		
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--441-448	14.2	13.0	9.8	11.2	9.7	10.2	8.2	13.9	12.8	16.8	11.6	4.9	7.6		
ACUTE BRONCHITIS AND BRONCHIOLITIS--466	0.8	--	--	0.7	0.7	1.2	--	--	0.5	0.6	0.5	--	0.7		
INFLUENZA AND PNEUMONIA--470-474	34.4	26.8	27.7	29.5	31.6	30.8	17.2	19.9	27.6	29.2	23.4	15.4	18.6		
PNEUMONIA--480-486	32.4	26.0	25.4	26.9	27.9	28.3	16.3	19.1	24.8	25.4	21.8	3.1	0.7		
BRONCHITIS, EMPHYSEMA, AND ASTHMA--490-493	20.1	22.8	25.4	19.9	13.9	23.0	11.2	17.6	17.2	18.0	15.8	3.1	6.6		
CHRONIC AND UNQUALIFIED BRONCHITIS--490, 491	3.6	4.0	3.5	4.3	1.3	3.2	2.5	3.4	2.5	3.3	3.1	0.6	1.5		
EMPHYSEMA--492	15.4	17.7	21.4	14.3	11.3	17.8	7.8	14.3	13.5	13.5	11.7	1.8	3.9		
ASTHMA--493	1.1	1.1	0.6	1.3	1.3	2.0	0.9	--	1.2	1.3	1.0	1.6	2.5		
PEPTIC ULCER--531-533	5.6	3.2	5.2	3.4	3.5	3.4	1.8	2.3	4.2	2.9	3.8	1.8	2.5		
APPENDICITIS--540-543	0.8	0.3	1.2	0.5	0.2	0.3	0.4	0.9	0.5	0.2	0.5	--	--		
HERNIA AND INTESTINAL OBSTRUCTION--550-553, 560	2.5	3.4	3.3	1.7	2.9	2.9	0.4	1.9	0.5	2.7	0.5	1.8	1.0		
CIRRHOSIS OF LIVER--571	12.8	7.9	13.3	13.2	18.0	16.2	11.5	32.3	14.9	14.8	21.6	11.7	8.8		
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS--574, 575	2.5	2.1	1.2	2.1	2.8	1.2	1.4	0.4	1.6	1.1	1.2	--	1.0		
NEPHRITIS AND NEPHROSIS--580-584	2.9	2.9	1.7	2.8	3.0	4.4	3.4	1.9	3.5	2.9	2.7	--	3.4		
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580, 581	0.3	0.3	0.6	0.7	0.4	1.0	0.2	0.4	0.4	0.6	0.5	--	0.5		
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	2.5	2.6	1.2	2.1	2.6	3.4	3.2	1.5	3.2	2.3	2.1	--	2.9		
INFECTIONS OF KIDNEY--590	2.0	3.2	2.9	2.7	2.0	4.4	1.8	1.1	2.2	2.7	2.5	0.6	2.2		
HYPERTENSIA OF PREGNANCY--590	0.3	1.9	0.6	0.8	0.7	0.4	0.2	0.4	0.4	0.7	0.8	--	0.2		
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	0.3	--	--	0.1	0.6	0.6	0.7	0.4	0.2	0.2	0.3	--	--		
ABORTIONS--640-645	--	--	--	--	--	--	0.2	--	0.1	--	--	--	--		
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639, 650-678	0.3	--	--	0.1	0.6	0.6	0.5	0.4	0.1	0.2	0.3	--	--		
CONGENITAL ANOMALIES--740-759	7.0	8.5	5.8	6.9	7.4	8.7	9.2	4.9	6.7	6.4	6.5	11.1	6.6		
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769, 2, 769, 4-772, 774-778	20.4	14.3	26.0	15.8	19.5	15.6	16.3	13.9	11.5	11.2	12.7	18.5	20.1		
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768, 772, 776	8.9	8.7	11.6	10.1	10.2	9.5	10.1	8.3	6.9	4.9	7.4	9.8	10.0		
OTHER CAUSES OF MORTALITY IN EARLY INFANCY--REMAINDER OF 760-778	11.5	5.6	14.5	5.8	9.3	6.1	6.2	5.6	4.6	6.2	5.3	8.6	10.0		
SYMPTOMS AND ILL-DEFINED CONDITIONS--780-796	27.1	16.2	7.5	8.5	31.6	14.5	24.7	12.4	5.1	13.0	2.9	15.4	7.8		
ALL OTHER DISEASES--RESIDUAL	60.9	50.1	60.7	52.1	61.3	63.9	49.9	54.0	53.8	48.7	46.6	35.1	29.4		
ACCIDENTS--E800-E949	89.7	93.2	91.9	58.8	89.4	73.6	62.3	76.5	57.3	69.1	55.9	84.9	34.3		
MOTOR VEHICLE ACCIDENTS--E810-E823	48.9	41.1	50.3	30.1	46.8	39.6	31.1	39.0	24.9	34.3	17.4	20.5	17.4		
ALL OTHER ACCIDENTS--E800-E807, E825-E949	40.8	52.2	41.6	28.7	42.6	33.9	31.2	37.5	32.4	28.7	29.2	64.0	16.9		
SUICIDE--E950-E959	14.5	11.9	20.2	18.0	13.4	17.1	12.1	12.4	15.2	14.4	19.3	15.6	10.3		
HOMICIDE--E960-E978	5.3	3.4	2.9	7.5	9.5	9.1	3.7	12.4	4.2	5.5	9.1	9.8	7.6		
OTHER EXTERNAL CAUSES--E980-E999	3.9	1.6	1.2	1.9	0.7	2.8	2.7	2.6	1.6	2.7	1.9	4.9	2.7		

SECTION 1 - GENERAL MORTALITY

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1972

[Deaths based on a 50-percent sample. Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over ¹
NUMBER OF DEATHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	612	86	172	136	110	78	26	4
White-----	380	46	116	88	70	42	14	4
All other-----	232	40	56	48	40	36	12	-
Ectopic pregnancy (631)-----	48	6	14	18	6	2	2	-
White-----	28	4	8	10	4	2	-	-
All other-----	20	2	6	8	2	-	2	-
Toxemia of pregnancy and the puerperium, except abortions with toxemia (636-639)-----	90	16	34	22	14	2	2	-
White-----	56	8	22	14	8	2	2	-
All other-----	34	8	12	8	6	-	-	-
Hemorrhage of pregnancy and childbirth (632, 651-653)-----	72	10	16	8	20	10	8	-
White-----	44	10	8	6	14	4	2	-
All other-----	28	-	8	2	6	6	6	-
Abortions (640-645)-----	70	6	34	12	10	6	2	-
White-----	38	4	18	6	6	2	2	-
All other-----	32	2	16	6	4	4	-	-
Abortion induced for legal indications (640, 641)-----	10	-	6	2	2	-	-	-
White-----	2	-	-	-	2	-	-	-
All other-----	8	-	6	2	-	-	-	-
Abortion induced for other reasons (642)-----	26	4	14	6	-	-	2	-
White-----	14	2	6	4	-	-	2	-
All other-----	12	2	8	2	-	-	-	-
Spontaneous abortion (643)-----	12	2	6	-	4	-	-	-
White-----	12	2	6	-	4	-	-	-
All other-----	-	-	-	-	-	-	-	-
Other and unspecified abortions (644, 645)-----	22	-	8	4	4	6	-	-
White-----	10	-	6	2	-	2	-	-
All other-----	12	-	2	2	4	4	-	-
Sepsis of childbirth and puerperium (670, 671, 673)-----	148	22	30	36	30	28	2	-
White-----	96	10	26	22	22	16	-	-
All other-----	52	12	4	14	8	12	2	-
All other complications of pregnancy, childbirth, and the puerperium (630, 633-635, 654-662, 672, 674-676)-----	184	26	44	40	30	30	10	4
White-----	118	10	34	30	16	16	8	4
All other-----	66	16	10	10	14	14	2	-
Delivery without mention of complications (650)-----	-	-	-	-	-	-	-	-
White-----	-	-	-	-	-	-	-	-
All other-----	-	-	-	-	-	-	-	-
RATE PER 100,000 LIVE BIRTHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	18.8	13.7	14.6	15.1	29.3	55.2	70.5	175.1
White-----	14.3	10.5	12.0	11.2	22.1	56.6	47.6	225.4
All other-----	38.5	21.1	27.5	41.5	67.9	135.5	161.1	-
Ectopic pregnancy (631)-----	1.5	1.0	1.2	2.0	1.6	1.4	5.4	-
White-----	1.1	0.9	0.8	1.3	1.3	1.7	-	-
All other-----	3.3	1.1	2.9	6.9	3.4	-	26.8	-
Toxemia of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	2.6	2.5	2.9	2.4	3.7	1.4	5.4	-
White-----	2.1	1.8	2.3	1.8	2.5	1.7	6.8	-
All other-----	5.6	4.2	5.9	6.9	10.2	-	-	-
Hemorrhage of pregnancy and childbirth (632, 651-653)-----	2.2	1.6	1.4	0.9	5.3	7.1	21.7	-
White-----	1.7	2.3	0.8	0.8	4.4	3.5	6.8	-
All other-----	4.6	-	3.9	1.7	10.2	22.6	80.5	-
Abortions (640-645)-----	2.1	1.0	2.9	1.5	2.7	4.2	5.4	-
White-----	1.4	0.9	1.9	0.8	1.9	1.7	6.8	-
All other-----	5.3	1.1	7.8	5.2	6.8	15.1	-	-
Abortion induced for legal indications (640, 641)-----	0.3	-	0.5	0.2	0.5	-	-	-
White-----	0.1	-	-	-	0.6	-	-	-
All other-----	1.3	-	2.9	1.7	-	-	-	-
Abortion induced for other reasons (642)-----	0.8	0.6	1.2	0.7	-	-	5.4	-
White-----	0.5	0.5	0.6	0.5	-	-	6.8	-
All other-----	2.0	1.1	3.9	1.7	-	-	-	-
Spontaneous abortion (643)-----	0.4	0.3	0.5	-	1.1	-	-	-
White-----	0.5	0.5	0.6	-	1.3	-	-	-
All other-----	-	-	-	-	-	-	-	-
Other and unspecified abortions (644, 645)-----	0.7	-	0.7	0.4	1.1	4.2	-	-
White-----	0.4	-	0.6	0.3	-	1.7	-	-
All other-----	2.0	-	1.0	1.7	6.8	15.1	-	-
Sepsis of childbirth and puerperium (670, 671, 673)-----	4.5	3.5	2.6	4.0	8.0	19.8	5.4	-
White-----	3.6	2.3	2.7	2.8	7.0	15.9	-	-
All other-----	8.6	6.3	2.0	12.1	13.6	45.2	26.8	-
All other complications of pregnancy, childbirth, and the puerperium (630, 633-635, 654-662, 672, 674-676)-----	5.6	4.1	3.7	4.4	8.0	21.2	27.1	175.1
White-----	4.4	2.3	3.5	3.8	5.1	15.9	27.2	225.4
All other-----	10.9	8.4	4.9	8.6	23.8	52.7	26.8	-
Delivery without mention of complications (650)-----	-	-	-	-	-	-	-	-
White-----	-	-	-	-	-	-	-	-
All other-----	-	-	-	-	-	-	-	-

¹Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

SECTION 1 - GENERAL MORTALITY

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-72

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

Year	Total	White	All other	Year	Total	White	All other
1972 ^{1,2}	18.8	14.3	38.5	1953	61.1	44.1	166.1
1971 ²	18.8	13.0	45.3	1952	67.8	48.9	188.1
1970 ²	21.5	14.4	55.9	1951	75.0	54.9	201.3
1969	22.2	15.5	55.7	1950	85.3	61.1	221.6
1968	24.5	16.6	65.6	1949	90.3	68.1	234.8
1967	28.0	19.5	69.5	1948	116.8	88.4	301.0
1966	28.1	20.2	72.4	1947	134.5	108.6	334.6
1965	31.6	21.0	85.7	1946	156.7	130.7	358.9
1964	33.3	22.3	89.9	1945	207.2	172.1	454.8
1963 ³	35.8	24.0	96.9	1944	227.9	189.4	506.0
1962 ³	35.2	25.8	95.9	1943	245.2	210.5	509.0
1961	36.8	24.9	101.3	1942	258.7	221.8	544.0
1960	37.1	26.0	97.9	1941	316.5	266.0	678.1
1959	37.4	25.8	102.1	1940	378.0	319.8	775.5
1958	37.6	26.3	101.8	1935-39	493.9	439.9	875.5
1957	41.0	27.5	118.3	1930-34 ⁴	658.0	575.4	1,080.7
1956	40.9	28.7	110.7	1925-29	668.6	615.0	1,163.7
1955	47.0	32.8	130.3	1920-24	868.5	649.2	1,134.3
1954	52.4	37.2	143.8	1915-19	727.9	700.3	1,253.5

¹Deaths based on a 50-percent sample.

²Excludes deaths of nonresidents of the United States.

³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

⁴For 1932-34, Mexicans are included with "All other."

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1970-72 (3-Year Average)

[1972 based on a 50-percent sample. Maternal deaths are those assigned to Complications of pregnancy, childbirth and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group, 1970-72. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	All other	Division and State	Total	White	All other
United States	19.8	13.9	46.7	South Atlantic:			
Geographic divisions:				Delaware	*17.1	*21.8	-
New England:	10.0	9.9	*11.3	Maryland	18.7	*9.7	46.0
Middle Atlantic:	20.4	15.0	55.5	District of Columbia	*45.8	*19.4	*50.0
East North Central:	16.8	12.0	43.0	Virginia	17.6	11.2	39.3
West North Central:	14.5	15.1	29.8	West Virginia	*17.5	*14.5	*75.8
South Atlantic:	23.9	13.9	49.2	North Carolina	25.0	12.3	47.7
East South Central:	31.7	17.8	69.4	South Carolina	31.6	*14.4	80.2
West South Central:	25.9	20.4	46.2	Georgia	28.8	18.6	54.0
Mountain:	16.4	13.7	43.6	Florida	24.3	16.1	48.3
Pacific:	15.2	13.5	25.1	East South Central:			
New England:				Kentucky	22.1	18.7	*56.3
Maine	*17.4	*17.6	-	Tennessee	19.6	12.1	46.5
New Hampshire	*18.0	*18.2	-	Alabama	40.4	22.4	75.8
Vermont	*4.2	*4.3	-	Mississippi	49.4	*20.1	81.1
Massachusetts	8.6	8.3	*12.5	West South Central:			
Rhode Island	*4.6	*4.9	-	Arkansas	26.7	*17.8	*53.0
Connecticut	*10.3	*10.0	*13.0	Louisiana	22.7	*11.2	41.3
Middle Atlantic:				Oklahoma	21.9	*17.3	*44.2
New York	21.6	14.3	52.0	Texas	27.6	23.6	48.6
New Jersey	21.6	11.9	68.9	Mountain:			
Pennsylvania	17.7	11.8	57.0	Montana	*11.0	*12.1	-
East North Central:				Idaho	*11.6	*11.9	-
Ohio	17.0	14.6	32.7	Wyoming	*5.4	-	*119.6
Indiana	18.8	15.4	*49.2	Colorado	*15.3	*14.1	-
Illinois	18.3	12.2	44.4	New Mexico	*21.5	*12.7	*71.0
Michigan	16.2	8.8	51.4	Arizona	19.4	*15.5	*52.0
Wisconsin	*8.4	*7.5	*21.1	Utah	*17.2	*16.4	*40.2
West South Central:				Nevada	*24.8	*20.6	*50.5
Minnesota	15.5	13.8	*66.1	Pacific:			
Iowa	*12.7	*13.0	-	Washington	13.4	*12.5	*25.0
Missouri	18.1	15.4	*31.8	Oregon	*11.0	*11.6	-
North Dakota	*12.8	*10.3	*45.9	California	16.2	13.8	30.9
South Dakota	*8.8	*6.7	*24.1	Alaska	*9.2	*6.3	*16.9
Nebraska	*12.0	*11.4	*22.9	Hawaii	*12.6	*28.8	*5.9
Kansas	*11.2	*11.2	*11.0				

SECTION 1 - GENERAL MORTALITY

1-75

Table 1-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1972

[Deaths based on a 50-percent sample. Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1972 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1972. For further explanation of areas, see Technical Appendix. Rates per 1,000 population.]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
50 largest U.S. SMSA's-----	890,540	9.0	Dayton, Ohio	6,900	8.0	Nassau-Suffolk, N.Y.	20,116	7.7
Albany-Schenectady-Troy, N.Y.	8,466	10.7	Montgomery	5,076	8.4	Massou	11,608	8.2
Albany	5,132	10.9	Greene	704	5.5	Suffolk	8,508	7.2
Rensselaer	1,784	11.5	Miami	764	8.8	New Haven-West Haven, Conn.	6,954	9.1
Schenectady	1,786	11.1	Preble	356	9.9	New Haven	6,954	9.1
Montgomery	750	13.0	Denver-Boulder, Colo.	9,272	7.1	New Orleans, La.	10,440	9.7
Saratoga	1,034	7.9	Boulder	784	5.5	Orleans	7,238	13.5
Anaheim-Santa Ana-Garden Grove, Calif.	9,558	6.3	Denver	5,186	10.1	Jefferson	2,278	8.2
Orange	9,558	6.3	Adams	992	5.0	St. Bernard	370	6.9
Atlanta, Ga.	12,948	7.6	Arapahoe	920	5.0	St. Tammany	558	8.4
De Kalb	2,720	6.1	Gilpin	12	8.0	New York, N.Y.-N.J.	108,548	10.7
Fulton	5,964	10.0	Jefferson	1,578	5.2	New York (city), N.Y.	87,814	11.2
Butts	104	9.6	Detroit, Mich.	38,686	8.7	Putnam, N.Y.	430	6.9
Cherokee	222	6.5	Wayne	26,476	10.0	Rockland, N.Y.	1,582	6.6
Clayton	558	4.7	Lapeer	410	7.3	Westchester, N.Y.	8,660	9.7
Cobb	1,228	5.8	Livingston	520	8.0	Bergen, N.J.	7,760	8.7
Douglas	238	7.0	Macomb	3,818	5.9	Newark, N.J.	19,188	9.2
Fayette	96	7.5	Oakland	6,420	6.9	Essex	10,098	10.8
Forsyth	154	8.0	St. Clair	1,242	9.8	Morris	2,616	6.6
Gwinnett	580	6.6	Greensboro-Winston-Salem-High Point, N.C.	6,542	8.5	Sumner	1,576	6.8
Henry	244	9.8	Forsyth	1,958	8.9	Union	5,078	9.3
Newnan	268	9.6	Guilford	2,468	9.5	Philadelphia, Pa.-N.J.	48,690	10.0
Paulding	166	8.8	Davidson	798	6.1	Philadelphia, Pa.	24,096	12.6
Rockdale	120	5.9	Randolph	706	9.0	Jacks, Pa.	2,874	6.5
Walton	230	9.0	Stokes	228	9.0	Chester, Pa.	2,170	7.5
Baltimore, Md.	19,766	9.3	Yulkin	184	7.1	Delaware, Pa.	5,654	9.4
Baltimore (city)	11,260	12.6	Hartford, Conn.	7,022	6.4	Montgomery, Pa.	5,764	9.1
Anne Arundel	1,958	6.2	Hartford	7,022	8.4	Burlington, N.J.	2,190	6.4
Baltimore	4,760	7.4	Houston, Tex.	14,906	7.0	Camden, N.J.	4,438	9.3
Carroll	622	8.4	Harris	12,624	6.9	Gloucester, N.J.	1,504	6.4
Harford	746	6.0	Brazoria	764	6.8	Phoenix, Ariz.	8,352	7.9
Howard	420	5.5	Port Bend	592	6.7	Mariopa	8,352	7.9
Birmingham, Ala.	8,084	10.4	Liberty	416	11.2	Pittsburgh, Pa.	25,410	10.6
Jefferson	6,644	10.5	Montgomery	568	8.8	Allegheny	17,580	11.1
St. Clair	528	10.9	Waller	142	9.7	Beaver	2,010	9.6
Shelby	566	8.9	Indianapolis, Ind.	9,404	8.3	Washington	2,250	10.4
Walker	726	11.9	Marion	6,788	8.5	Westmoreland	3,570	9.3
Boston, Mass.	33,228	9.7	Boone	350	11.1	Portland, Oreg.-Wash.	9,970	9.6
Suffolk	8,688	11.7	Hamilton	420	7.5	Multnomah, Oreg.	6,592	11.6
Essex	6,778	10.4	Hancock	308	6.5	Clackamas, Oreg.	1,394	7.9
Middlesex	12,526	8.7	Hendricks	354	6.3	Washington, Oreg.	1,028	6.0
Norfolk	5,456	8.9	Johnson	466	7.3	Clark, Wash.	1,156	8.3
Bridgeport, Conn.	6,666	8.4	Morgan	348	7.7	Providence-Warwick-Pawtucket, R.I.	8,230	10.5
Fairfield	6,666	8.4	Shelby	370	9.6	Kent	1,572	9.4
Buffalo, N.Y.	13,582	9.9	Kansas City, Mo.-Kans.	11,504	8.7	Providence	6,466	11.0
Eric	11,122	9.9	Clay, Mo.	762	5.8	Bristol	392	8.6
Niagara	2,260	9.6	Jackson, Mo.	8,724	10.2	Riverside-San Bernardino-Ontario, Calif.	10,550	9.0
Chicago, Ill.	67,374	9.5	Cass, Mo.	360	8.3	Riverside	4,854	10.0
Cook	56,754	10.2	Flatte, Mo.	222	6.4	San Bernardino	5,696	6.2
Du Page	2,992	5.8	Ray, Mo.	232	12.9	Rochester, N.Y.	8,500	8.8
Kane	2,084	6.0	Johnson, Kans.	1,190	5.2	Monroe	6,140	8.6
Lake	2,542	6.5	Wyandotte, Kans.	1,814	9.7	Livingston	448	8.1
McHenry	1,039	9.1	Los Angeles-Long Beach, Calif.	61,378	8.8	Ontario	742	9.1
Will	1,964	7.5	Los Angeles	61,378	8.8	Orleans	392	10.6
Cincinnati, Ohio-Ky.-Ind.	13,472	9.7	Louisville, Ky.-Ind.	8,256	9.3	Wayne	778	9.7
Hamilton, Ohio	9,250	10.0	Jefferson, Ky.	6,774	9.6	Sacramento, Calif.	6,448	7.6
Clermont, Ohio	660	6.6	Bullitt, Ky.	194	6.7	Sacramento	5,008	7.5
Warren, Ohio	506	5.8	Oldham, Ky.	122	8.5	Placer	804	9.8
Boone, Ky.	206	6.0	Clark, Ind.	654	8.1	Yolo	634	6.5
Campbell, Ky.	1,008	11.4	Floyd, Ind.	512	9.2	St. Louis, Mo.-Ill.	23,672	9.9
Kenton, Ky.	1,508	11.6	Memphis, Tenn.-Ark.-Miss.	7,626	9.0	St. Louis (city), Mo.	8,958	15.3
Dearborn, Ind.	336	11.1	Shelby, Tenn.	6,622	9.0	Franklin, Mo.	656	10.9
Cleveland, Ohio	19,966	9.8	Tipton, Tenn.	296	10.7	Jefferson, Mo.	762	6.8
Cuyahoga	17,424	10.3	Crittenden, Ark.	434	9.3	St. Charles, Mo.	582	5.5
Geauga	418	6.5	De Soto, Miss.	274	7.5	St. Louis, Mo.	7,180	7.5
Lake	1,456	7.3	Miami, Fla.	14,620	11.0	Clinton, Ill.	248	8.6
Medina	668	7.6	Dade	14,628	11.0	Madison, Ill.	2,330	9.2
Columbus, Ohio	8,702	8.2	Milwaukee, Wis.	12,668	8.9	Monroe, Ill.	204	11.0
Franklin	6,930	8.0	Milwaukee	10,250	9.7	St. Clair, Ill.	2,832	9.9
Delaware	372	8.4	Osaukee	376	6.4	Salt Lake City-Ogden, Utah	4,712	6.3
Fairfield	742	9.5	Washington	490	7.1	Salt Lake	3,518	6.9
Madison	268	9.1	Waukesha	1,562	6.6	Devo	892	6.7
Pickaway	390	9.4	Minneapolis-St. Paul, Minn.-Wis.	15,178	7.6	Davis	382	3.3
Dallas-Fort Worth, Tex.	19,186	7.8	Hennepin, Minn.	7,910	8.3	Tooele	150	6.6
Dallas	9,976	7.5	Ramsey, Minn.	4,226	9.0	San Antonio, Tex.	7,100	7.6
Tarrant	5,756	7.9	Anoka, Minn.	554	5.3	Bexar	6,466	7.4
Collin	614	8.4	Conover, Minn.	214	7.3	Conal	284	10.4
Denton	568	6.7	Chicago, Minn.	210	10.8	Gundalupo	350	9.9
Ellis	588	12.0	Inkota, Minn.	706	4.7	San Diego, Calif.	10,806	7.5
Hood	124	16.1	Scott, Minn.	210	6.0	San Diego	10,806	7.5
Johnson	546	10.9	Washington, Minn.	426	4.7	San Francisco-Oakland, Calif.	27,970	8.9
Kaufman	428	12.0	Wright, Minn.	428	10.2	Alameda	9,408	8.6
Parker	332	10.4	St. Croix, Wis.	294	8.1	San Francisco	9,058	13.1
Rockwall	62	8.1						
Wise	232	11.3						

SECTION I - GENERAL MORTALITY

Table 1-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1972-Con.

[Deaths based on a 50-percent sample. Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1972 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1972. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
San Francisco-Oakland, Calif.-Con.			Tempe-St. Petersburg, Fla.	16,874	14.2	Washington, D.C.-Md.-Va.	20,500	6.8
Contra Costa	5,970	6.9	Hillsborough	5,022	9.8	District of Columbia	8,462	11.3
Marin	1,468	7.0	Pasco	1,628	16.7	Charles, Md.	320	6.0
San Mateo	4,066	7.2	Pinellas	10,224	17.6	Montgomery, Md.	3,208	5.9
San Jose, Calif.	6,476	5.7	Toledo, Ohio-Mich.	7,522	8.6	Prince Georges, Md.	3,516	5.1
Santa Clara	8,476	5.7	Lucas, Ohio	5,166	10.5	Alexandria (city), Va.	826	8.6
Seattle-Everett, Wash.	11,502	8.1	Fulton, Ohio	328	9.5	Arlington, Va.	1,274	7.5
King	9,426	8.5	Ottawa, Ohio	382	10.1	Fairfax, Va. ¹	2,054	4.0
Snohomish	1,876	7.1	Wood, Ohio	696	7.4	Loudoun, Va.	300	7.4
			Monroe, Mich.	950	7.7	Prince William, Va.	440	3.5

¹Figures are included for cities of Fairfax and Falls Church.

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1972

[Deaths based on a 50-percent sample. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States-----	1,966,002	1,592,160	373,842	299,904	71,880	1,298	122	722	1,310	2,245	482	1,028	336	1,012	2,805	1,472	50	596
Alabama-----	34,448	28,216	6,232	5,058	1,170	...	-	2	8	10	2	4	-	4	296	316	-	-
Alaska-----	1,410	1,082	328	236	82	-	...	4	-	2	4	-	-	-	6	-	-	2
Arizona-----	16,122	13,890	2,232	1,198	954	4	4	-	-	248	42	2	2	-	8	6	-	10
Arkansas-----	21,656	16,520	5,136	3,968	1,166	8	-	4	...	24	4	4	-	-	10	6	-	-
California-----	170,162	152,216	17,946	15,522	2,150	8	18	216	24	...	56	24	2	2	58	14	28	36
Colorado-----	18,424	13,562	4,862	3,780	1,074	6	-	28	10	100	...	4	-	2	16	2	2	10
Connecticut-----	26,348	22,770	3,578	2,552	1,006	-	-	-	2	4	4	...	2	6	50	-	-	-
Delaware-----	5,166	4,222	944	404	540	-	-	-	-	6	-	2	-	-	2	-	-	-
District of Columbia-----	10,154	7,450	2,704	-	2,686	16	-	-	2	22	2	8	6	...	16	22	-	2
Florida-----	85,554	72,036	13,498	8,368	4,832	158	6	8	6	52	8	148	12	14	...	352	-	-
Georgia-----	43,524	30,614	12,910	10,900	1,994	382	-	2	6	12	2	6	2	-	406	...	-	2
Hawaii-----	4,488	4,124	364	150	180	-	-	-	-	48	-	-	-	-	4	-	...	6
Idaho-----	6,102	4,768	1,334	988	338	-	-	-	-	34	2	-	-	-	-	-	-	-
Illinois-----	108,894	94,964	13,930	11,828	2,078	16	-	30	22	72	10	4	4	2	118	16	4	-
Indiana-----	49,030	39,238	9,792	7,760	2,018	4	-	-	8	18	-	-	-	-	68	2	-	-
Iowa-----	29,814	22,892	6,922	5,692	1,226	-	-	6	6	18	6	-	2	-	8	-	2	-
Kansas-----	21,876	18,828	3,048	3,914	1,130	-	-	6	16	34	34	4	-	-	10	4	-	-
Kentucky-----	33,806	25,682	8,124	6,646	1,478	8	-	4	2	14	-	-	-	-	36	16	-	-
Louisiana-----	34,616	26,418	8,198	7,190	986	42	-	-	114	24	2	-	2	-	58	14	-	-
Maine-----	11,182	8,906	2,276	1,894	346	-	-	-	2	2	2	28	-	-	18	-	-	-
Maryland-----	32,796	23,518	9,278	7,044	2,210	8	-	-	-	8	-	18	142	758	80	14	2	-
Massachusetts-----	57,302	46,620	10,682	8,964	1,654	2	-	4	-	12	2	248	2	9	94	-	-	2
Michigan-----	77,680	63,058	14,622	13,424	1,104	18	2	14	6	34	-	4	-	2	152	6	-	-
Minnesota-----	35,046	26,804	8,242	6,484	1,714	2	4	16	4	38	4	-	-	-	22	6	-	4
Mississippi-----	23,356	17,680	5,676	4,740	932	314	-	2	38	8	-	-	-	-	54	12	-	-
Missouri-----	53,266	37,076	16,190	13,522	2,660	10	2	8	156	62	10	2	-	-	28	2	-	4
Montana-----	6,836	5,374	1,462	1,206	240	-	2	4	-	18	6	-	-	-	4	2	-	10
Nebraska-----	15,668	11,938	3,730	2,906	822	-	-	2	6	22	42	-	-	-	8	-	-	4
Nevada-----	4,432	3,488	964	314	638	2	4	12	2	382	8	2	-	-	10	6	-	10
New Hampshire-----	7,522	5,888	1,634	862	760	-	-	-	2	6	-	18	-	4	8	-	-	-
New Jersey-----	87,910	54,638	33,272	10,650	2,580	-	-	2	2	30	2	38	24	8	146	8	-	-
New Mexico-----	7,984	6,066	1,918	1,286	604	-	-	-	146	8	38	-	-	-	6	4	-	-
New York-----	194,088	161,620	32,468	18,478	3,782	2	2	10	4	56	4	240	16	8	342	12	2	-
North Carolina-----	47,352	35,450	11,902	10,388	1,504	18	-	4	4	12	4	12	2	14	146	46	2	-
North Dakota-----	5,828	3,786	2,042	1,472	566	2	-	2	-	12	-	2	-	-	-	-	-	2
Ohio-----	101,668	84,930	16,738	14,000	2,704	16	2	14	2	44	10	2	4	8	140	12	2	-
Oklahoma-----	26,212	21,110	5,102	4,436	654	2	-	12	68	42	14	-	-	-	4	6	-	-
Oregon-----	20,192	16,372	3,820	3,022	786	-	4	8	2	198	4	2	-	-	2	-	-	88
Pennsylvania-----	127,148	106,380	20,168	16,936	3,208	8	-	12	2	26	4	30	94	16	116	-	2	-
Rhode Island-----	9,608	7,850	1,758	1,206	544	-	-	-	-	4	-	102	-	-	14	-	-	-
South Carolina-----	23,714	18,596	5,118	4,220	886	22	2	-	-	2	-	10	-	4	40	164	-	-
South Dakota-----	7,038	4,838	2,200	1,688	506	-	-	2	-	12	4	-	-	-	2	-	-	-
Tennessee-----	41,650	31,854	10,096	6,674	3,412	166	2	4	498	14	2	2	-	2	76	328	-	-
Texas-----	100,668	80,662	20,006	17,052	2,912	38	4	50	264	158	34	10	4	6	82	40	2	4
Utah-----	7,558	5,954	1,604	1,132	464	-	-	36	2	56	26	-	-	-	4	2	-	130
Vermont-----	4,440	3,354	1,086	602	458	-	-	4	-	-	-	32	-	-	6	-	-	-
Virginia-----	40,278	23,170	17,108	15,330	1,754	4	-	2	6	20	4	10	12	118	66	24	-	-
Washington-----	30,020	25,910	4,110	3,016	1,052	4	64	14	2	100	20	-	-	-	4	2	2	252
West Virginia-----	20,732	14,662	6,070	4,300	1,770	2	-	2	-	4	-	-	-	24	24	4	-	-
Wisconsin-----	42,240	34,550	7,690	6,284	1,398	4	-	8	4	24	4	2	-	2	46	2	-	2
Wyoming-----	5,014	2,286	728	420	308	2	-	8	-	20	54	-	-	-	2	-	-	16

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence--Con.																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Mi.	Miss.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	NeV.	N.H.	N.J.	N. Mex.
United States-----	4,506	2,140	1,348	1,646	1,720	792	398	2,846	1,548	2,192	1,266	1,260	2,060	316	690	308	750	3,982	574
Alabama-----	20	12	2	2	12	28	-	-	2	36	6	164	8	2	-	-	-	4	4
Alaska-----	-	-	-	-	-	2	-	-	2	4	4	-	-	-	2	-	-	4	4
Arizona-----	80	22	38	12	6	2	2	6	14	48	36	2	16	6	20	16	-	12	64
Arkansas-----	28	6	4	16	-	48	2	-	-	14	6	32	232	2	2	-	-	4	-
California-----	180	30	40	34	8	22	6	10	46	86	58	4	40	22	22	178	2	36	38
Colorado-----	58	2	26	92	2	6	2	8	6	34	10	4	28	4	124	6	6	14	76
Connecticut-----	-	-	2	2	2	-	14	8	170	6	-	-	2	-	2	-	6	44	2
Delaware-----	-	2	-	2	2	-	-	168	-	2	-	-	-	-	-	-	-	164	-
District of Columbia-----	8	10	2	2	2	-	4	1,742	12	-	-	2	12	-	2	-	4	42	2
Florida-----	238	188	46	6	58	16	58	78	192	430	56	16	56	2	4	6	38	316	2
Georgia-----	58	18	4	2	20	4	-	4	12	40	4	18	8	-	4	-	2	18	-
Hawaii-----	8	2	2	4	2	-	-	-	2	8	6	-	6	2	-	2	-	6	-
Idaho-----	4	2	2	-	-	-	-	-	2	4	4	2	4	54	2	10	-	-	4
Illinois-----	...	680	106	26	76	4	-	10	6	108	22	16	276	2	16	2	2	14	4
Indiana-----	820	...	8	4	188	6	-	-	4	336	14	6	22	-	4	-	-	10	4
Iowa-----	470	8	...	16	2	4	-	2	-	10	98	2	194	-	178	4	-	4	2
Kansas-----	40	8	18	...	2	6	-	-	-	6	8	2	840	2	44	2	-	4	2
Kentucky-----	110	452	2	6	...	4	-	-	8	26	-	2	12	-	2	2	-	4	2
Louisiana-----	22	6	2	-	12	...	-	-	6	12	4	152	18	-	-	2	-	6	2
Maine-----	-	-	-	-	4	-	...	14	100	2	-	-	-	-	-	-	84	14	-
Maryland-----	16	6	4	2	-	4	4	...	16	12	2	4	4	-	4	-	6	66	-
Massachusetts-----	2	6	2	2	4	82	16	...	6	4	4	4	-	-	2	-	394	58	-
Michigan-----	92	158	2	6	18	2	8	2	...	18	8	24	2	4	-	-	4	4	2
Minnesota-----	112	56	286	10	8	6	-	2	42	...	-	32	24	24	-	2	2	2	4
Mississippi-----	24	10	4	-	2	236	-	2	4	12	2	...	16	-	4	2	-	-	-
Missouri-----	1,126	26	66	1,038	22	4	-	2	2	24	12	12	...	2	20	-	-	2	6
Montana-----	4	2	6	2	2	-	2	-	-	-	8	2	-	...	2	4	-	4	-
Nebraska-----	18	-	362	108	2	-	-	2	-	12	12	-	26	2	...	-	-	2	-
Nevada-----	16	4	4	2	-	-	2	4	4	12	4	2	4	2	4	...	-	12	4
New Hampshire-----	-	-	-	-	-	2	158	-	240	4	-	-	-	-	2	-	...	8	-
New Jersey-----	12	4	2	2	2	-	10	46	40	8	4	-	8	-	-	2	6	...	-
New Mexico-----	14	12	4	4	-	-	-	2	-	8	12	-	16	2	6	6	-	8	...
New York-----	40	16	2	6	4	6	30	34	178	66	18	6	20	-	4	-	18	1,624	2
North Carolina-----	16	6	-	2	16	4	2	30	14	16	-	4	4	-	2	-	-	24	2
North Dakota-----	-	-	2	-	-	-	-	-	-	-	398	-	-	32	-	-	-	-	-
Ohio-----	46	302	2	2	488	2	-	8	12	364	14	4	18	2	6	-	-	18	2
Oklahoma-----	26	6	12	140	-	2	-	2	-	4	4	2	60	2	4	2	-	-	4
Oregon-----	10	8	8	4	2	2	-	-	-	-	12	-	-	14	-	6	2	2	-
Pennsylvania-----	26	10	8	6	8	4	6	210	16	28	2	6	2	-	4	-	-	1,254	-
Rhode Island-----	2	-	-	-	-	-	-	-	354	2	-	-	4	-	-	-	8	12	-
South Carolina-----	4	4	2	-	2	2	-	16	2	16	4	2	4	-	2	-	4	18	-
South Dakota-----	14	6	106	6	-	-	-	-	-	2	120	-	4	8	100	-	-	-	2
Tennessee-----	76	36	8	-	492	22	6	4	56	-	732	98	8	-	4	-	-	16	-
Texas-----	78	22	34	60	10	514	2	8	6	64	28	38	60	8	24	4	2	24	326
Utah-----	4	10	-	4	-	-	-	-	2	2	-	-	2	40	2	46	-	-	-
Vermont-----	2	2	-	-	-	-	6	2	44	-	-	-	-	-	-	-	150	12	-
Virginia-----	4	2	-	-	46	6	-	198	10	14	8	4	4	-	8	-	4	50	-
Washington-----	10	4	6	4	4	2	-	-	-	8	12	-	4	66	6	2	-	6	2
West Virginia-----	8	4	-	4	192	2	-	196	2	6	-	2	2	-	-	-	-	10	-
Wisconsin-----	618	26	108	4	2	4	2	4	10	178	230	4	6	-	-	-	4	8	2
Wyoming-----	14	4	4	4	-	2	-	2	2	8	2	-	4	32	26	2	-	-	4

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Unit of residence is defined as the county or county equivalent of which decedent was a resident.]

State of occurrence	Deaths of interstate nonresidents by State of residence--Con.																				Non-residents of United States
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	W.D.	Wyo.		
United States-----	5,188	1,450	358	3,052	1,390	764	3,648	484	1,116	502	1,146	1,624	236	362	2,460	910	1,644	1,286	368	2,058	
Alabama-----	18	12	-	26	2	-	4	-	10	-	102	30	-	2	12	4	-	4	-	4	
Alaska-----	-	2	-	-	-	4	-	-	-	-	-	6	-	-	2	32	-	-	-	10	
Arizona-----	56	2	2	32	18	8	20	-	2	12	2	22	16	-	4	32	4	8	6	60	
Arkansas-----	4	8	-	-	390	2	6	-	-	-	54	160	2	2	2	2	2	8	2	2	
California-----	146	6	10	56	44	156	48	4	6	2	14	100	36	4	12	134	12	30	12	294	
Colorado-----	16	6	4	18	44	6	12	-	2	34	6	70	22	-	8	12	-	14	112	8	
Connecticut-----	576	10	-	12	-	-	24	32	2	-	4	6	-	4	8	-	-	2	-	20	
Delaware-----	14	4	-	2	-	-	152	-	-	-	2	-	-	-	14	-	-	-	-	-	
District of Columbia-----	34	16	-	18	2	2	48	2	4	-	8	6	-	-	578	-	26	-	-	18	
Florida-----	1,124	84	2	380	6	6	254	38	26	8	50	44	-	22	66	8	50	50	4	298	
Georgia-----	56	106	4	46	2	2	36	4	496	2	158	22	-	2	20	2	10	10	-	16	
Hawaii-----	18	-	2	12	-	4	6	2	2	-	4	2	-	2	-	10	-	8	-	54	
Idaho-----	-	-	-	2	2	68	2	-	-	-	-	2	28	-	-	100	-	4	18	8	
Illinois-----	44	14	2	56	8	10	22	2	4	4	30	38	-	-	14	6	4	212	-	24	
Indiana-----	24	2	2	358	14	12	16	-	-	2	24	16	2	-	8	2	4	18	-	14	
Iowa-----	8	-	2	8	4	6	-	-	-	50	2	6	2	-	2	4	6	80	2	4	
Kansas-----	8	2	2	10	162	8	-	2	-	4	2	30	-	-	2	-	-	6	4	4	
Kentucky-----	12	12	-	250	2	2	8	-	2	-	216	8	-	-	40	-	214	4	-	-	
Louisiana-----	12	4	-	12	6	-	12	-	4	-	10	402	2	-	6	2	2	10	2	22	
Maine-----	40	2	-	6	-	-	16	2	-	-	-	6	-	2	2	-	-	-	-	36	
Maryland-----	82	30	-	28	4	8	354	2	12	-	6	4	2	2	288	2	202	4	-	24	
Massachusetts-----	266	2	-	14	2	2	54	324	10	-	-	4	-	42	4	2	-	-	-	44	
Michigan-----	32	6	6	226	2	4	26	4	-	-	12	14	-	-	10	6	4	158	2	94	
Minnesota-----	18	4	208	4	6	12	-	-	-	140	4	14	4	-	4	44	-	528	8	44	
Mississippi-----	2	2	-	8	6	2	6	2	4	2	118	28	-	-	2	-	-	4	-	4	
Missouri-----	18	4	2	20	72	4	4	-	2	-	16	36	2	2	6	4	2	14	4	8	
Montana-----	6	-	24	6	4	4	4	-	-	12	2	6	8	-	-	18	-	2	58	16	
Nebraska-----	6	-	6	2	10	4	6	-	-	102	2	14	-	-	6	2	2	2	30	2	
Nevada-----	12	2	-	10	-	10	10	-	-	2	2	10	28	2	4	12	-	4	6	12	
New Hampshire-----	46	-	-	4	2	-	8	6	-	-	-	2	-	232	6	-	-	-	-	12	
New Jersey-----	1,178	10	-	30	4	4	866	8	4	-	2	10	2	6	18	8	-	4	-	42	
New Mexico-----	8	2	2	14	30	-	6	-	-	4	2	150	14	-	-	-	-	2	6	28	
New York-----	...	22	2	106	4	2	668	36	30	-	12	26	-	32	36	4	2	10	-	250	
North Carolina-----	80	-	-	22	2	-	64	-	426	-	120	14	-	2	350	2	14	2	-	10	
North Dakota-----	2	-	...	2	2	6	-	-	2	78	2	2	4	-	-	10	-	-	-	4	
Ohio-----	74	12	4	...	8	2	410	-	6	2	20	16	-	-	20	6	570	8	-	34	
Oklahoma-----	8	4	-	10	...	8	-	-	4	4	-	190	-	-	2	4	-	4	2	12	
Oregon-----	8	2	4	6	2	...	6	-	2	4	-	4	8	-	2	362	-	-	-	12	
Pennsylvania-----	646	16	2	432	2	4	...	2	6	-	6	10	2	-	42	2	134	-	-	24	
Rhode Island-----	32	-	-	-	-	-	8	...	-	-	-	-	-	2	-	-	-	-	-	8	
South Carolina-----	48	422	-	6	-	4	28	2	...	-	8	8	-	-	22	-	12	-	-	12	
South Dakota-----	2	2	46	2	2	-	2	-	-	...	-	6	2	-	2	14	-	10	28	6	
Tennessee-----	28	136	-	52	6	-	24	2	24	-	...	22	-	-	486	-	4	4	-	10	
Texas-----	68	18	6	50	500	14	20	-	8	12	44	...	-	-	20	14	12	14	6	342	
Utah-----	2	-	2	4	-	6	2	2	-	-	-	6	...	-	2	16	2	-	50	8	
Vermont-----	182	-	-	6	-	-	8	2	-	-	-	-	-	...	-	-	-	-	-	26	
Virginia-----	90	448	2	38	4	-	80	2	14	2	72	16	-	-	4	548	-	-	-	24	
Washington-----	6	-	2	6	6	372	8	-	-	8	-	12	14	-	6	...	2	2	8	42	
West Virginia-----	16	14	-	638	-	-	254	-	2	-	8	4	-	-	346	-	...	-	-	-	
Wisconsin-----	22	-	4	20	4	2	14	2	-	2	-	14	-	-	2	4	-	...	-	6	
Wyoming-----	10	-	4	4	2	2	2	-	2	-	8	6	36	-	2	14	-	4	...	-	

SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1972

[Deaths based on a 50-percent sample. Deaths by place of occurrence include deaths to nonresidents]

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,966,002	182,052	160,726	163,348	156,722	159,624	152,580	163,480	157,118	180,200	163,132	160,618	177,622
Alabama	54,448	3,128	3,182	5,006	2,706	2,724	2,714	2,680	2,866	2,650	2,898	2,778	3,126
Alaska	1,410	110	106	126	108	118	128	122	128	126	138	104	96
Arizona	16,122	1,546	1,494	1,444	1,346	1,302	1,164	1,232	1,232	1,152	1,300	1,332	1,578
Arkansas	21,656	2,018	2,066	1,784	1,698	1,744	1,722	1,752	1,724	1,810	1,784	1,828	1,926
California	170,162	16,292	14,588	15,954	15,458	14,096	13,144	14,322	13,478	12,990	13,652	14,202	16,016
Colorado	18,424	1,880	1,508	1,470	1,456	1,482	1,480	1,514	1,490	1,492	1,472	1,556	1,624
Connecticut	26,348	2,664	2,168	2,098	2,080	2,240	2,032	2,294	2,132	2,000	2,212	2,384	2,364
Delaware	5,186	478	458	428	412	402	406	468	398	390	460	382	454
District of Columbia	10,154	958	804	864	856	854	784	806	798	772	844	860	876
Florida	85,534	6,130	6,172	7,950	7,090	6,746	6,424	6,618	6,588	6,238	6,614	7,120	7,836
Georgia	43,524	3,968	4,040	3,696	3,460	3,466	3,464	3,444	3,412	3,420	3,594	3,568	3,962
Hawaii	4,488	422	424	388	398	348	332	342	362	344	358	354	416
Idaho	6,102	556	450	456	514	640	464	514	494	520	494	470	530
Illinois	108,894	11,008	9,032	8,906	8,646	8,818	8,378	8,682	8,620	8,258	9,218	9,030	10,098
Indiana	49,030	4,764	4,336	4,132	3,954	4,112	3,784	3,922	3,994	3,804	4,028	4,034	4,186
Iowa	29,814	2,926	2,498	2,354	2,390	2,400	2,344	2,392	2,530	2,364	2,448	2,452	2,728
Kansas	21,876	2,258	1,862	1,808	1,752	1,766	1,734	1,754	1,750	1,734	1,762	1,806	1,970
Kentucky	33,806	3,216	3,164	2,968	2,730	2,712	2,592	2,724	2,672	2,488	2,810	2,792	2,938
Louisiana	34,616	3,436	3,050	2,858	2,654	2,818	2,642	2,828	2,846	2,602	2,862	2,894	3,106
Maine	11,182	1,276	828	900	862	970	822	824	878	882	930	890	920
Maryland	32,796	3,196	2,750	2,742	2,656	2,552	2,520	2,930	2,612	2,496	2,758	2,562	3,024
Massachusetts	57,302	5,848	4,726	4,770	4,784	4,624	4,674	4,444	4,470	4,434	4,724	4,536	5,096
Michigan	77,680	7,992	6,246	6,278	6,104	6,448	6,028	6,820	6,128	5,976	6,574	6,254	6,832
Minnesota	35,046	3,480	2,990	2,842	2,686	2,832	2,784	2,966	2,768	2,990	2,860	2,860	3,124
Mississippi	23,356	2,156	2,154	1,976	1,836	1,900	1,876	1,828	1,854	1,840	1,820	1,956	2,060
Missouri	55,266	5,280	4,540	4,490	4,260	4,464	4,166	4,188	4,302	4,048	4,442	4,282	4,804
Montana	6,836	654	550	542	534	568	562	564	594	528	558	578	604
Nebbraska	15,668	1,620	1,268	1,248	1,178	1,268	1,186	1,190	1,262	1,232	1,404	1,334	1,478
Nevada	4,432	386	358	336	374	370	338	388	354	356	402	404	376
New Hampshire	7,522	762	646	590	578	626	634	620	596	580	604	610	678
New Jersey	67,910	6,620	5,602	5,528	5,444	5,432	5,284	6,092	5,526	5,206	5,786	5,402	6,008
New Mexico	7,984	818	684	640	646	648	618	602	612	608	668	622	682
New York	184,088	18,264	15,194	15,226	14,602	14,770	14,186	16,228	14,720	13,904	15,354	14,840	16,620
North Carolina	47,352	4,234	4,360	4,080	3,828	3,714	3,724	3,958	3,670	3,626	3,852	3,900	4,206
North Dakota	5,828	566	506	480	452	474	454	494	486	430	492	478	516
Ohio	101,668	10,200	8,540	8,278	8,088	8,306	7,822	9,010	7,950	7,742	8,696	8,262	8,804
Oklahoma	26,212	2,656	2,250	2,168	2,038	2,100	2,106	2,038	2,096	2,004	2,124	2,168	2,464
Oregon	20,192	1,938	1,748	1,622	1,602	1,626	1,552	1,664	1,704	1,628	1,662	1,628	1,822
Pennsylvania	127,148	12,884	10,820	10,388	10,192	10,242	9,736	10,966	10,066	9,586	10,704	10,250	11,314
Rhode Island	9,608	1,018	782	780	818	768	730	834	736	694	834	802	812
South Carolina	23,714	2,236	2,114	2,042	1,960	1,888	1,924	1,906	1,882	1,774	1,948	1,914	2,136
South Dakota	7,038	734	546	492	542	542	490	604	598	506	568	558	552
Tennessee	41,650	3,798	3,774	3,590	3,362	3,384	3,310	3,324	3,304	3,284	3,488	3,328	3,704
Texas	100,668	9,936	8,786	8,444	7,942	8,062	7,890	7,960	7,892	7,738	8,116	8,428	9,474
Utah	7,558	694	572	624	566	632	584	642	646	596	662	602	678
Vermont	4,440	430	340	342	318	402	324	384	382	348	424	390	376
Virginia	40,278	3,662	3,674	3,358	3,270	3,196	3,228	3,322	3,194	3,072	3,402	3,284	3,616
Washington	30,020	2,974	2,396	2,420	2,408	2,524	2,306	2,442	2,564	2,354	2,460	2,432	2,740
West Virginia	20,732	1,992	2,044	1,744	1,666	1,650	1,648	1,722	1,584	1,552	1,670	1,646	1,834
Wisconsin	42,240	4,474	3,342	3,424	3,290	3,558	3,258	3,424	3,402	3,222	3,648	3,362	3,836
Wyoming	3,014	290	224	218	228	256	272	272	284	240	256	234	254

SECTION 1 - GENERAL MORTALITY

1-81

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES	1,963,944	192,694	168,526	163,162	156,550	159,488	152,412	163,230	156,524	150,058	162,980	160,464	177,456
MALE	1,096,198	107,612	93,450	91,012	87,580	89,612	85,822	90,516	87,584	84,024	90,636	89,464	98,486
FEMALE	867,746	85,082	75,076	72,150	68,970	69,876	66,590	72,714	68,940	66,034	72,344	71,000	78,970
WHITE	1,721,468	168,654	147,348	143,040	137,716	140,282	133,734	142,880	137,376	131,232	143,006	140,702	155,498
MALE	957,518	93,924	81,484	79,508	76,814	78,778	75,074	78,968	76,768	72,992	79,186	78,134	85,948
FEMALE	763,950	74,730	65,864	63,532	60,902	61,504	58,660	63,912	60,668	58,240	63,820	62,568	69,550
ALL OTHER	242,476	24,040	21,178	20,122	18,834	19,206	18,678	20,350	19,548	18,826	19,974	19,762	21,958
MALE	138,680	13,688	11,966	11,504	10,766	10,834	10,748	11,548	11,276	11,032	11,450	11,330	12,538
FEMALE	103,796	10,352	9,212	8,618	8,068	8,372	7,930	8,802	8,272	7,794	8,524	8,432	9,420
ALABAMA	34,572	3,178	3,226	2,976	2,698	2,738	2,738	2,686	2,850	2,678	2,890	2,796	3,118
MALE	19,636	1,808	1,782	1,686	1,536	1,574	1,582	1,508	1,598	1,540	1,624	1,614	1,784
FEMALE	14,936	1,370	1,444	1,290	1,162	1,164	1,156	1,178	1,252	1,138	1,266	1,182	1,334
WHITE	23,980	2,176	2,190	2,084	1,884	1,858	1,872	1,900	2,020	1,866	2,006	1,976	2,148
MALE	13,986	1,272	1,266	1,212	1,102	1,102	1,100	1,080	1,162	1,074	1,176	1,152	1,288
FEMALE	9,994	904	924	872	782	756	772	820	858	792	830	824	860
ALL OTHER	10,592	1,002	1,036	892	814	880	866	786	830	812	884	820	970
MALE	5,650	536	516	474	434	472	462	420	436	466	448	462	496
FEMALE	4,942	466	520	418	380	408	384	358	394	346	436	358	474
ALASKA	1,440	116	118	130	116	128	110	124	114	130	142	108	104
MALE	952	84	84	76	74	88	70	92	72	86	84	68	74
FEMALE	488	32	34	54	42	40	40	32	42	44	58	40	30
WHITE	980	74	82	88	76	92	64	70	64	104	94	86	86
MALE	692	58	66	58	50	64	42	58	44	72	60	56	64
FEMALE	288	16	14	30	26	28	22	12	20	32	34	30	22
ALL OTHER	460	42	36	42	40	36	46	54	50	26	48	22	18
MALE	260	26	18	18	24	24	28	34	28	14	24	12	10
FEMALE	200	16	18	24	16	12	18	20	22	12	24	10	8
ARIZONA	15,810	1,478	1,412	1,362	1,260	1,296	1,176	1,254	1,252	1,172	1,296	1,300	1,552
MALE	9,482	890	798	864	762	786	734	748	758	698	764	798	882
FEMALE	6,328	588	614	498	498	510	442	506	494	474	532	502	670
WHITE	14,342	1,364	1,280	1,226	1,138	1,158	1,056	1,140	1,128	1,058	1,168	1,208	1,418
MALE	8,586	830	732	792	686	692	646	682	674	624	684	736	808
FEMALE	5,756	534	548	434	452	466	410	458	454	434	484	472	610
ALL OTHER	1,468	114	132	136	122	138	120	114	124	114	128	92	134
MALE	896	60	66	72	76	94	88	66	84	74	80	62	74
FEMALE	572	54	66	64	46	44	32	48	40	40	48	30	60
ARKANSAS	21,798	2,036	2,054	1,782	1,690	1,750	1,720	1,780	1,764	1,604	1,824	1,852	1,942
MALE	12,556	1,184	1,228	1,060	926	1,022	1,046	1,024	1,002	914	1,066	1,004	1,080
FEMALE	9,242	852	826	722	764	728	674	756	762	690	758	848	862
WHITE	17,424	1,632	1,674	1,400	1,334	1,376	1,404	1,400	1,412	1,306	1,442	1,476	1,568
MALE	10,152	946	1,004	866	756	818	848	808	822	742	866	802	874
FEMALE	7,272	686	670	534	578	558	556	592	590	564	576	674	694
ALL OTHER	4,374	404	380	382	356	374	316	380	352	298	382	376	374
MALE	2,404	238	224	194	170	204	198	216	180	172	200	202	206
FEMALE	1,970	166	156	188	180	170	118	164	172	126	182	174	168
CALIFORNIA	169,984	16,182	14,506	13,866	13,468	14,110	13,144	14,292	13,506	13,058	13,726	14,172	15,954
MALE	93,572	8,986	7,906	7,728	7,438	7,736	7,322	7,866	7,470	7,218	7,500	7,752	8,650
FEMALE	76,412	7,196	6,600	6,138	6,030	6,374	5,822	6,426	6,036	5,840	6,226	6,420	7,304
WHITE	156,206	14,898	13,318	12,850	12,392	12,968	12,158	13,112	12,328	11,954	12,574	12,998	14,656
MALE	85,430	8,204	7,206	7,104	6,760	7,116	6,766	7,206	6,754	6,546	6,834	7,052	7,882
FEMALE	70,776	6,694	6,112	5,746	5,632	5,852	5,392	5,906	5,574	5,408	5,740	5,946	6,774
ALL OTHER	13,778	1,284	1,188	1,016	1,076	1,142	986	1,180	1,178	1,104	1,152	1,174	1,298
MALE	8,142	782	700	624	678	620	556	660	716	672	666	700	768
FEMALE	5,636	502	488	392	398	522	430	520	462	432	486	474	530
COLORADO	17,824	1,814	1,460	1,462	1,430	1,434	1,434	1,452	1,386	1,438	1,398	1,514	1,602
MALE	10,130	1,016	828	796	792	816	854	830	800	800	800	870	928
FEMALE	7,694	798	632	666	638	618	580	622	586	638	598	644	674
WHITE	17,222	1,754	1,410	1,412	1,392	1,366	1,388	1,392	1,334	1,390	1,352	1,482	1,550
MALE	9,760	978	798	770	772	766	820	790	772	770	770	860	894
FEMALE	7,462	776	612	642	620	600	568	602	562	620	582	622	656
ALL OTHER	602	60	50	50	38	68	46	60	52	48	46	32	52
MALE	370	38	30	26	20	50	34	40	28	30	30	10	34
FEMALE	232	22	20	24	18	18	12	20	24	18	16	22	18

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
CONNECTICUT-----	26,350	2,680	2,198	2,122	2,094	2,206	2,018	2,298	2,118	2,010	2,230	2,052	2,324
MALE-----	14,346	1,458	1,226	1,130	1,114	1,242	1,112	1,268	1,106	1,110	1,190	1,126	1,264
FEMALE-----	12,004	1,222	972	992	980	964	906	1,030	1,012	900	1,040	926	1,060
WHITE-----	25,116	2,536	2,106	2,012	2,000	2,116	1,902	2,210	2,024	1,902	2,128	1,972	2,208
MALE-----	13,648	1,374	1,156	1,064	1,068	1,184	1,052	1,228	1,054	1,050	1,130	1,074	1,214
FEMALE-----	11,468	1,162	950	948	932	932	850	982	970	852	998	898	994
ALL OTHER-----	1,234	144	92	110	94	90	116	88	94	108	102	80	116
MALE-----	698	84	70	66	66	58	60	40	52	60	60	52	50
FEMALE-----	536	60	22	44	48	32	56	48	42	48	42	28	66
DELAWARE-----	4,962	438	418	406	386	384	398	474	356	394	442	382	444
MALE-----	2,730	228	240	220	222	216	234	270	224	198	228	218	232
FEMALE-----	2,232	210	178	186	164	168	164	204	172	196	214	164	212
WHITE-----	4,058	342	334	354	308	320	328	384	328	318	368	316	358
MALE-----	2,158	176	188	184	168	176	190	216	176	150	184	172	178
FEMALE-----	1,900	166	146	170	140	144	138	168	152	168	184	144	180
ALL OTHER-----	904	96	84	52	78	64	70	90	68	76	74	66	86
MALE-----	572	52	52	36	54	40	44	48	48	44	44	46	54
FEMALE-----	332	44	32	16	24	24	26	36	20	28	30	20	32
DISTRICT OF COLUMBIA--	8,462	778	682	692	680	678	642	854	670	628	694	742	722
MALE-----	4,608	438	354	362	380	318	322	444	356	354	398	434	406
FEMALE-----	3,854	340	328	330	300	360	320	410	274	272	296	308	316
WHITE-----	3,054	272	262	270	264	262	220	298	236	222	256	258	254
MALE-----	1,412	146	118	124	134	90	84	132	108	112	114	128	122
FEMALE-----	1,642	126	144	146	130	152	136	166	128	110	142	130	132
ALL OTHER-----	5,408	506	420	422	416	436	422	556	434	406	438	484	468
MALE-----	3,196	292	236	238	246	228	238	312	288	244	284	306	284
FEMALE-----	2,212	214	184	184	170	208	184	244	146	162	154	178	184
FLORIDA-----	83,310	7,614	7,458	7,272	6,726	6,704	6,526	6,780	6,754	6,414	6,592	6,974	7,496
MALE-----	48,692	4,466	4,366	4,294	3,982	3,918	3,884	3,828	3,894	3,674	3,816	4,070	4,500
FEMALE-----	34,618	3,148	3,092	2,978	2,744	2,786	2,642	2,952	2,860	2,740	2,776	2,904	2,996
WHITE-----	71,896	6,494	6,378	6,286	5,800	5,780	5,716	5,836	5,640	5,508	5,682	6,060	6,516
MALE-----	42,170	3,842	3,766	3,672	3,442	3,408	3,378	3,322	3,370	3,178	3,300	3,554	3,938
FEMALE-----	29,726	2,652	2,612	2,614	2,358	2,372	2,338	2,514	2,470	2,330	2,382	2,506	2,578
ALL OTHER-----	11,414	1,120	1,080	986	926	924	810	944	914	906	914	914	980
MALE-----	6,522	624	600	622	540	510	506	506	524	496	516	516	562
FEMALE-----	4,892	496	480	364	386	414	304	438	390	410	394	398	418
GEORGIA-----	42,986	3,908	3,968	3,618	3,434	3,418	3,404	3,444	3,264	3,410	3,570	3,518	3,930
MALE-----	24,466	2,156	2,218	2,122	2,000	1,938	1,918	2,036	1,892	1,964	2,000	1,948	2,274
FEMALE-----	18,520	1,752	1,750	1,496	1,434	1,480	1,486	1,408	1,472	1,446	1,570	1,570	1,656
WHITE-----	30,226	2,644	2,704	2,494	2,498	2,426	2,426	2,492	2,358	2,382	2,494	2,492	2,776
MALE-----	17,372	1,500	1,540	1,472	1,480	1,392	1,346	1,490	1,378	1,378	1,390	1,404	1,602
FEMALE-----	12,854	1,144	1,164	1,022	1,018	1,034	1,080	1,002	1,020	1,004	1,104	1,088	1,174
ALL OTHER-----	12,760	1,264	1,264	1,124	936	992	978	952	566	1,028	1,076	1,026	1,154
MALE-----	7,094	656	678	650	520	546	572	546	514	586	610	544	672
FEMALE-----	5,666	608	586	474	416	446	406	406	452	442	466	482	482
HAWAII-----	4,304	422	396	368	384	340	318	336	356	326	344	312	402
MALE-----	2,640	270	240	198	252	202	204	204	208	200	212	210	240
FEMALE-----	1,664	152	156	170	132	138	114	132	148	126	132	102	162
WHITE-----	1,390	130	108	132	122	112	106	106	130	80	106	108	150
MALE-----	818	78	58	68	78	62	76	56	82	42	68	72	78
FEMALE-----	572	52	50	64	44	50	30	50	48	38	38	36	72
ALL OTHER-----	2,914	292	288	236	262	228	212	230	226	246	238	204	252
MALE-----	1,822	192	182	130	174	140	128	148	126	158	144	138	162
FEMALE-----	1,092	100	106	106	88	88	84	82	100	88	94	66	90
IDAHO-----	6,352	586	476	486	556	654	478	538	510	522	514	478	554
MALE-----	3,908	368	308	292	324	438	268	344	302	322	312	282	348
FEMALE-----	2,444	218	168	194	232	216	210	194	208	200	202	196	206
WHITE-----	6,224	576	464	478	546	644	472	528	494	514	502	472	534
MALE-----	3,832	362	304	286	316	434	268	338	290	316	302	278	338
FEMALE-----	2,392	214	160	192	230	210	204	190	204	198	200	194	194
ALL OTHER-----	128	10	12	8	10	10	6	10	16	8	12	6	20
MALE-----	76	6	4	6	8	4	-	6	12	6	10	4	10
FEMALE-----	52	4	8	2	2	6	6	4	4	2	2	2	10

SECTION 1 - GENERAL MORTALITY

1-83

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ILLINOIS-----	111,298	11,206	9,226	9,148	8,860	9,028	8,574	9,136	8,844	8,406	9,398	9,172	10,300
MALE-----	60,740	6,130	5,018	5,132	4,860	5,056	4,634	4,868	4,858	4,560	4,984	4,914	5,726
FEMALE-----	50,558	5,076	4,208	4,016	4,000	3,972	3,940	4,268	3,986	3,846	4,414	4,258	4,574
WHITE-----	97,362	9,926	8,082	8,004	7,762	7,954	7,500	7,934	7,708	7,280	8,216	7,942	9,054
MALE-----	52,802	5,414	4,352	4,466	4,250	4,436	4,066	4,236	4,194	3,930	4,294	4,196	4,988
FEMALE-----	44,560	4,512	3,730	3,538	3,512	3,518	3,434	3,698	3,514	3,350	3,922	3,746	4,066
ALL OTHER-----	13,936	1,280	1,144	1,144	1,098	1,074	1,074	1,202	1,136	1,126	1,182	1,230	1,246
MALE-----	7,938	716	666	666	610	620	588	632	664	630	690	718	738
FEMALE-----	5,998	564	478	478	488	454	486	570	472	496	492	512	508
INDIANA-----	49,138	4,792	4,386	4,146	3,968	4,070	3,792	3,932	4,014	3,796	4,002	4,028	4,212
MALE-----	27,146	2,614	2,374	2,252	2,212	2,316	2,130	2,138	2,248	2,150	2,184	2,212	2,316
FEMALE-----	21,992	2,178	2,012	1,894	1,756	1,754	1,662	1,794	1,766	1,646	1,818	1,816	1,896
WHITE-----	45,788	4,488	4,082	3,840	3,652	3,742	3,540	3,670	3,766	3,532	3,750	3,748	3,978
MALE-----	25,254	2,458	2,214	2,072	2,052	2,116	1,988	1,984	2,110	1,972	2,036	2,054	2,198
FEMALE-----	20,534	2,030	1,868	1,768	1,600	1,626	1,552	1,686	1,656	1,560	1,714	1,694	1,780
ALL OTHER-----	3,350	304	304	306	316	328	252	262	248	264	252	280	234
MALE-----	1,892	156	160	180	160	200	142	154	138	178	148	158	118
FEMALE-----	1,458	148	144	126	156	128	110	108	110	86	104	122	116
IOWA-----	29,932	2,958	2,524	2,390	2,398	2,380	2,336	2,406	2,546	2,358	2,460	2,490	2,686
MALE-----	16,422	1,606	1,446	1,268	1,272	1,354	1,324	1,362	1,354	1,316	1,352	1,320	1,448
FEMALE-----	13,510	1,352	1,078	1,122	1,126	1,026	1,012	1,044	1,192	1,042	1,108	1,170	1,238
WHITE-----	29,588	2,930	2,508	2,362	2,374	2,348	2,316	2,370	2,508	2,332	2,432	2,456	2,652
MALE-----	16,212	1,590	1,434	1,252	1,260	1,334	1,308	1,338	1,326	1,296	1,336	1,308	1,430
FEMALE-----	13,376	1,340	1,074	1,110	1,114	1,014	1,008	1,032	1,182	1,036	1,096	1,148	1,222
ALL OTHER-----	344	28	16	28	24	32	20	36	38	26	28	34	34
MALE-----	210	16	12	16	12	20	16	24	28	20	16	12	18
FEMALE-----	134	12	4	12	12	12	4	12	10	6	12	22	16
KANSAS-----	22,388	2,324	1,896	1,864	1,752	1,796	1,746	1,784	1,802	1,784	1,808	1,806	2,026
MALE-----	12,392	1,250	1,060	1,074	982	1,040	974	976	956	972	1,016	1,030	1,062
FEMALE-----	9,996	1,074	836	790	770	756	772	808	846	812	792	776	964
WHITE-----	21,238	2,220	1,796	1,760	1,656	1,700	1,672	1,692	1,744	1,662	1,710	1,698	1,928
MALE-----	11,736	1,200	992	1,006	942	974	928	922	924	906	970	960	1,012
FEMALE-----	9,502	1,020	804	754	714	726	744	770	820	756	740	738	916
ALL OTHER-----	1,150	104	100	104	96	96	74	92	58	122	98	108	98
MALE-----	656	50	68	68	40	66	46	54	32	66	46	70	50
FEMALE-----	494	54	32	36	56	30	28	38	26	56	52	38	48
KENTUCKY-----	34,048	3,230	3,180	2,954	2,748	2,722	2,620	2,760	2,656	2,486	2,820	2,842	2,990
MALE-----	19,286	1,772	1,772	1,742	1,510	1,584	1,552	1,570	1,570	1,324	1,592	1,604	1,694
FEMALE-----	14,762	1,458	1,408	1,212	1,238	1,138	1,068	1,190	1,126	1,162	1,228	1,238	1,296
WHITE-----	31,024	2,906	2,902	2,680	2,510	2,502	2,404	2,526	2,450	2,270	2,606	2,554	2,714
MALE-----	17,620	1,596	1,626	1,576	1,388	1,440	1,436	1,452	1,438	1,214	1,478	1,442	1,534
FEMALE-----	13,404	1,310	1,276	1,104	1,122	1,062	968	1,074	1,012	1,056	1,128	1,112	1,180
ALL OTHER-----	3,024	324	278	274	238	220	216	234	246	216	214	288	276
MALE-----	1,666	176	146	166	122	144	116	118	132	110	114	162	160
FEMALE-----	1,358	148	132	108	116	76	100	116	114	106	100	126	116
LOUISIANA-----	34,390	3,388	3,034	2,842	2,650	2,786	2,644	2,800	2,826	2,582	2,852	2,888	3,098
MALE-----	19,424	1,920	1,702	1,640	1,544	1,564	1,466	1,590	1,582	1,478	1,540	1,674	1,724
FEMALE-----	14,966	1,468	1,332	1,202	1,106	1,222	1,178	1,210	1,244	1,104	1,312	1,214	1,374
WHITE-----	22,766	2,144	1,994	1,882	1,850	1,870	1,768	1,912	1,830	1,678	1,924	1,856	2,058
MALE-----	13,102	1,250	1,148	1,100	1,070	1,080	1,022	1,108	1,034	992	1,042	1,090	1,156
FEMALE-----	9,664	894	846	782	780	786	746	804	796	686	882	766	902
ALL OTHER-----	11,624	1,244	1,040	960	800	916	876	888	996	904	928	1,032	1,040
MALE-----	6,322	670	554	540	474	474	444	482	548	486	498	584	568
FEMALE-----	5,302	574	486	420	326	442	432	406	448	418	430	448	472
MAINE-----	11,198	1,300	834	924	894	992	792	898	938	848	936	890	952
MALE-----	6,102	660	448	516	524	544	436	512	498	430	526	462	546
FEMALE-----	5,096	640	386	408	370	448	356	386	440	418	410	428	406
WHITE-----	11,172	1,294	834	922	892	992	792	896	936	842	936	884	952
MALE-----	6,084	656	448	514	522	544	436	510	498	426	526	458	546
FEMALE-----	5,088	638	386	408	370	448	356	386	416	410	410	426	406
ALL OTHER-----	26	6	-	2	2	-	-	-	2	6	-	6	-
MALE-----	18	4	-	2	2	-	-	-	-	4	-	4	-
FEMALE-----	8	2	-	-	-	-	-	-	2	2	-	2	-

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MARYLAND	33,408	3,280	2,820	2,792	2,682	2,656	2,560	2,876	2,652	2,570	2,804	2,624	3,092
MALE	18,770	1,874	1,590	1,584	1,550	1,530	1,354	1,620	1,466	1,424	1,514	1,514	1,750
FEMALE	14,638	1,406	1,230	1,208	1,132	1,126	1,206	1,256	1,186	1,146	1,290	1,110	1,342
WHITE	26,826	2,588	2,260	2,266	2,154	2,236	2,080	2,264	2,120	2,060	2,220	2,084	2,494
MALE	14,962	1,478	1,270	1,274	1,252	1,278	1,080	1,262	1,178	1,104	1,196	1,198	1,392
FEMALE	11,864	1,110	990	992	902	958	1,000	1,002	942	956	1,024	886	1,102
ALL OTHER	6,582	692	560	526	528	420	480	612	532	510	584	540	598
MALE	3,808	396	320	310	298	252	274	358	288	320	318	316	358
FEMALE	2,774	296	240	216	230	168	206	254	244	190	266	224	240
MASSACHUSETTS	57,152	5,840	4,746	4,806	4,794	4,606	4,212	4,592	4,444	4,450	4,780	4,700	5,082
MALE	29,998	3,038	2,496	2,526	2,482	2,356	2,290	2,352	2,448	2,372	2,554	2,400	2,684
FEMALE	27,154	2,802	2,250	2,280	2,312	2,250	2,022	2,240	1,996	2,078	2,226	2,300	2,398
WHITE	55,562	5,666	4,624	4,666	4,688	4,472	4,206	4,452	4,326	4,326	4,626	4,580	4,950
MALE	29,066	2,928	2,428	2,450	2,416	2,282	2,228	2,284	2,380	2,280	2,464	2,320	2,606
FEMALE	26,496	2,718	2,196	2,216	2,272	2,190	1,978	2,168	1,946	2,046	2,162	2,260	2,344
ALL OTHER	1,590	194	122	140	106	134	106	140	118	124	154	120	132
MALE	932	110	68	76	66	74	62	68	68	92	90	80	78
FEMALE	658	84	54	64	40	60	44	72	50	32	64	40	54
MICHIGAN	78,674	8,198	6,382	6,436	6,224	6,560	6,056	6,828	6,140	5,964	6,632	6,378	6,876
MALE	44,860	4,566	3,598	3,718	3,554	3,770	3,420	3,872	3,558	3,410	3,802	3,568	3,984
FEMALE	33,814	3,632	2,784	2,718	2,670	2,790	2,636	2,956	2,582	2,554	2,830	2,810	2,892
WHITE	69,224	7,288	5,632	5,666	5,454	5,782	5,318	6,022	5,356	5,244	5,842	5,580	6,020
MALE	39,220	4,059	3,128	3,214	3,092	3,322	2,996	3,408	3,144	2,950	3,316	3,110	3,490
FEMALE	30,004	3,238	2,504	2,432	2,362	2,460	2,322	2,614	2,252	2,294	2,526	2,470	2,530
ALL OTHER	9,450	910	750	790	770	778	738	806	744	720	790	798	856
MALE	5,640	516	470	504	462	448	424	464	454	460	486	458	494
FEMALE	3,810	394	280	286	308	330	314	342	290	260	304	340	362
MINNESOTA	34,554	3,478	2,990	2,828	2,646	2,774	2,654	2,680	2,500	2,744	2,934	2,844	3,082
MALE	19,574	1,958	1,616	1,516	1,522	1,580	1,580	1,456	1,592	1,682	1,712	1,656	1,704
FEMALE	14,980	1,520	1,374	1,312	1,124	1,194	1,074	1,224	1,308	1,062	1,222	1,188	1,378
WHITE	34,152	3,446	2,970	2,804	2,606	2,742	2,640	2,630	2,662	2,720	2,882	2,806	3,044
MALE	19,322	1,940	1,610	1,504	1,496	1,560	1,570	1,424	1,572	1,668	1,674	1,630	1,674
FEMALE	14,830	1,506	1,360	1,300	1,110	1,182	1,070	1,206	1,290	1,052	1,208	1,176	1,370
ALL OTHER	402	32	20	24	40	32	14	50	38	24	52	38	38
MALE	252	18	6	12	26	20	10	32	20	14	38	26	30
FEMALE	150	14	14	12	14	12	4	18	18	10	14	12	8
MISSISSIPPI	23,680	2,148	2,186	1,996	1,890	1,932	1,874	1,848	1,878	1,866	1,958	2,004	2,100
MALE	13,712	1,292	1,302	1,140	1,068	1,134	1,100	1,066	1,118	1,084	1,086	1,148	1,174
FEMALE	9,968	856	884	856	822	798	774	782	760	782	872	856	926
WHITE	14,134	1,204	1,280	1,220	1,148	1,162	1,114	1,106	1,106	1,102	1,250	1,178	1,264
MALE	8,312	730	800	714	660	702	666	660	674	624	698	690	694
FEMALE	5,822	474	480	506	488	460	448	446	432	478	552	488	570
ALL OTHER	9,546	944	906	776	742	770	760	742	772	764	708	826	836
MALE	5,400	562	502	426	408	432	434	406	444	460	388	458	480
FEMALE	4,146	382	404	350	334	338	326	336	328	304	320	368	356
MISSOURI	52,458	5,216	4,490	4,424	4,230	4,382	4,098	4,066	4,248	4,016	4,342	4,220	4,726
MALE	28,934	2,902	2,418	2,460	2,292	2,396	2,340	2,176	2,396	2,212	2,448	2,342	2,552
FEMALE	23,524	2,314	2,072	1,964	1,938	1,986	1,758	1,890	1,852	1,804	1,894	1,878	2,174
WHITE	47,120	4,670	4,114	3,954	3,818	3,968	3,640	3,632	3,796	3,570	3,906	3,810	4,242
MALE	25,876	2,598	2,224	2,220	2,080	2,172	2,056	1,908	2,124	1,932	2,172	2,122	2,268
FEMALE	21,244	2,072	1,890	1,734	1,738	1,796	1,584	1,724	1,672	1,638	1,734	1,688	1,974
ALL OTHER	5,338	546	376	470	412	414	458	434	452	446	436	410	484
MALE	3,058	304	194	240	212	224	284	268	272	280	276	220	284
FEMALE	2,280	242	182	230	200	190	174	166	180	166	160	190	200
MONTANA	6,896	672	576	556	560	568	562	546	600	518	544	592	602
MALE	4,140	384	366	322	320	326	364	292	376	312	324	396	358
FEMALE	2,756	288	210	234	240	242	198	254	224	206	220	196	244
WHITE	6,606	654	558	528	546	538	526	532	562	494	530	564	574
MALE	3,960	378	350	304	310	312	336	280	348	298	320	378	346
FEMALE	2,646	276	208	224	236	226	190	252	214	196	210	186	228
ALL OTHER	290	18	18	28	14	30	36	14	38	24	14	28	28
MALE	180	6	16	18	10	14	28	12	28	14	4	18	12
FEMALE	110	12	2	10	4	16	8	2	10	10	10	10	16

SECTION 1 - GENERAL MORTALITY

1-85

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NEBRASKA-----	15,534	1,610	1,284	1,246	1,162	1,254	1,158	1,174	1,234	1,228	1,412	1,302	1,470
MALE-----	8,700	940	738	654	640	662	656	682	702	684	774	774	794
FEMALE-----	6,834	670	546	592	522	592	502	492	532	544	638	528	676
WHITE-----	15,098	1,552	1,248	1,220	1,134	1,216	1,118	1,142	1,200	1,192	1,380	1,266	1,430
MALE-----	8,464	910	720	642	626	644	636	666	678	664	754	754	770
FEMALE-----	6,634	642	528	578	508	572	482	476	522	528	626	512	660
ALL OTHER-----	436	58	36	26	28	38	40	32	34	36	32	36	40
MALE-----	236	30	18	12	14	18	20	16	24	20	20	20	24
FEMALE-----	200	28	18	14	14	20	20	16	10	16	12	16	16
NEVADA-----	4,090	382	334	288	356	340	302	392	314	314	348	362	358
MALE-----	2,578	248	210	180	252	196	202	256	188	182	196	242	226
FEMALE-----	1,512	134	124	108	104	144	100	136	126	132	152	120	132
WHITE-----	3,798	360	322	264	318	322	276	366	286	300	304	346	334
MALE-----	2,390	234	202	164	226	190	182	238	170	174	170	234	206
FEMALE-----	1,408	126	120	100	92	132	94	128	116	126	134	112	128
ALL OTHER-----	292	22	12	24	38	18	26	26	28	14	44	16	24
MALE-----	188	14	8	16	26	6	20	18	18	8	26	8	20
FEMALE-----	104	8	4	8	12	12	6	8	10	6	18	8	4
NEW HAMPSHIRE-----	7,500	756	660	578	556	620	626	614	594	552	602	630	712
MALE-----	4,018	400	356	308	320	336	314	362	304	292	340	316	370
FEMALE-----	3,482	356	304	270	236	284	312	252	290	260	262	314	342
WHITE-----	7,482	754	660	574	554	618	624	612	594	550	602	630	710
MALE-----	4,010	400	356	306	320	334	312	360	304	292	340	316	370
FEMALE-----	3,472	354	304	268	234	284	312	252	290	258	262	314	340
ALL OTHER-----	18	2	-	4	2	2	2	2	-	2	-	-	2
MALE-----	8	-	-	2	-	2	2	2	-	-	-	-	-
FEMALE-----	10	2	-	2	2	-	-	-	2	-	-	-	2
NEW JERSEY-----	69,250	6,752	5,790	5,722	5,594	5,578	5,342	6,090	5,566	5,282	5,926	5,504	6,104
MALE-----	37,532	3,710	3,080	3,144	3,116	3,042	2,946	3,222	3,024	2,878	3,182	2,998	3,190
FEMALE-----	31,718	3,042	2,710	2,578	2,478	2,536	2,396	2,868	2,542	2,404	2,744	2,506	2,914
WHITE-----	62,170	6,058	5,200	5,140	5,074	5,074	4,780	5,412	5,004	4,732	5,306	4,940	5,450
MALE-----	33,584	3,304	2,754	2,822	2,818	2,758	2,636	2,866	2,738	2,562	2,814	2,686	2,826
FEMALE-----	28,586	2,754	2,446	2,318	2,256	2,316	2,144	2,546	2,266	2,170	2,492	2,254	2,624
ALL OTHER-----	7,080	694	590	582	520	504	562	678	562	550	620	564	654
MALE-----	3,948	406	326	322	298	284	310	356	286	316	368	312	364
FEMALE-----	3,132	288	264	260	222	220	252	322	276	234	252	252	290
NEW MEXICO-----	7,926	800	684	638	668	662	598	602	626	586	668	604	790
MALE-----	4,710	486	392	366	396	394	390	330	384	338	406	366	462
FEMALE-----	3,216	314	292	272	272	268	208	272	242	248	262	238	328
WHITE-----	7,154	710	626	566	612	606	550	534	570	530	598	540	712
MALE-----	4,236	432	358	338	358	350	358	288	348	306	360	324	418
FEMALE-----	2,918	280	268	228	254	256	192	246	222	224	238	216	294
ALL OTHER-----	772	90	58	72	56	56	48	68	56	56	70	64	78
MALE-----	474	56	34	28	38	44	32	42	36	32	46	42	44
FEMALE-----	298	34	24	44	18	12	16	26	20	24	24	22	34
NEW YORK-----	185,284	18,430	15,398	15,454	14,712	14,770	14,188	16,270	14,698	13,948	15,366	14,942	17,108
MALE-----	100,196	9,894	8,360	8,302	7,986	8,028	7,824	8,586	8,020	7,612	8,284	8,150	9,150
FEMALE-----	85,088	8,536	7,038	7,152	6,726	6,742	6,364	7,684	6,678	6,336	7,082	6,792	7,958
WHITE-----	165,226	16,458	13,740	13,858	13,142	13,218	12,682	14,540	13,042	12,344	13,716	13,322	15,164
MALE-----	88,428	8,740	7,328	7,404	7,058	7,108	6,898	7,612	7,004	6,642	7,372	7,234	8,028
FEMALE-----	76,798	7,718	6,412	6,454	6,084	6,110	5,784	6,928	6,038	5,702	6,344	6,088	7,136
ALL OTHER-----	20,058	1,972	1,658	1,596	1,570	1,552	1,506	1,730	1,656	1,604	1,650	1,620	1,944
MALE-----	11,768	1,154	1,032	898	928	920	926	974	1,016	970	912	916	1,122
FEMALE-----	8,290	818	626	698	642	632	580	756	640	634	738	704	822
NORTH CAROLINA-----	47,288	4,224	4,350	4,112	3,826	3,708	3,734	3,924	3,872	3,584	3,842	3,886	4,226
MALE-----	27,228	2,436	2,444	2,360	2,162	2,176	2,132	2,330	2,230	2,012	2,280	2,208	2,458
FEMALE-----	20,060	1,788	1,906	1,752	1,664	1,532	1,602	1,594	1,642	1,572	1,562	1,678	1,768
WHITE-----	34,974	3,072	3,214	3,054	2,816	2,744	2,740	2,872	2,886	2,666	2,898	2,916	3,156
MALE-----	20,168	1,772	1,820	1,742	1,596	1,600	1,560	1,696	1,664	1,508	1,688	1,684	1,838
FEMALE-----	14,806	1,300	1,394	1,312	1,220	1,144	1,180	1,176	1,222	1,158	1,150	1,232	1,318
ALL OTHER-----	12,314	1,152	1,136	1,058	1,010	964	984	1,052	986	918	1,004	970	1,070
MALE-----	7,060	664	624	618	566	576	572	634	566	504	592	524	628
FEMALE-----	5,254	488	512	440	444	388	412	418	420	414	412	446	450

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NORTH DAKOTA	5,616	550	494	460	422	470	434	482	468	396	480	440	520
MALE	3,218	310	260	272	250	278	266	290	270	226	246	262	288
FEMALE	2,398	240	234	188	172	192	168	192	198	170	234	178	232
WHITE	5,470	536	480	452	416	456	426	468	448	386	466	428	508
MALE	3,124	302	256	264	246	268	262	278	256	218	238	256	280
FEMALE	2,346	234	224	188	170	188	164	190	192	168	228	172	228
ALL OTHER	146	14	14	8	6	14	8	14	20	10	12	6	12
MALE	94	8	4	8	4	10	4	12	14	8	8	6	8
FEMALE	52	6	10	-	2	4	4	2	6	2	4	6	4
OHIO	101,982	10,234	8,644	8,388	8,126	8,300	7,864	8,990	7,914	7,686	8,692	8,292	8,852
MALE	56,316	5,714	4,708	4,568	4,508	4,630	4,314	4,924	4,386	4,348	4,720	4,632	4,864
FEMALE	45,666	4,520	3,936	3,820	3,618	3,670	3,550	4,066	3,528	3,338	3,972	3,660	3,988
WHITE	91,862	9,144	7,826	7,556	7,340	7,488	7,056	8,072	7,166	6,920	7,836	7,506	7,952
MALE	50,446	5,076	4,220	4,082	4,050	4,146	3,848	4,396	3,580	3,880	4,188	4,186	4,394
FEMALE	41,416	4,068	3,606	3,474	3,290	3,342	3,208	3,676	3,586	3,040	3,648	3,320	3,558
ALL OTHER	10,120	1,090	818	832	786	812	808	918	766	766	856	786	900
MALE	5,870	638	488	486	458	484	466	528	468	468	532	446	470
FEMALE	4,250	452	330	346	328	328	342	390	298	298	324	340	430
OKLAHOMA	26,936	2,720	2,326	2,208	2,070	2,158	2,168	2,102	2,158	2,052	2,214	2,236	2,524
MALE	15,004	1,506	1,302	1,220	1,182	1,206	1,206	1,192	1,190	1,144	1,258	1,220	1,378
FEMALE	11,932	1,214	1,024	988	888	952	962	910	968	908	956	1,016	1,146
WHITE	24,362	2,446	2,088	1,964	1,894	1,954	1,988	1,890	1,932	1,856	2,018	2,056	2,276
MALE	13,578	1,368	1,178	1,068	1,078	1,098	1,102	1,060	1,072	1,038	1,146	1,116	1,254
FEMALE	10,784	1,078	910	896	816	856	886	830	860	818	872	940	1,022
ALL OTHER	2,574	274	238	244	176	204	180	212	226	196	196	180	248
MALE	1,426	138	124	152	104	132	108	132	118	106	112	104	124
FEMALE	1,148	136	114	92	72	96	76	80	108	90	84	76	124
OREGON	20,158	1,952	1,756	1,610	1,608	1,630	1,562	1,614	1,678	1,634	1,636	1,630	1,848
MALE	11,514	1,096	968	914	904	944	866	912	958	950	990	950	1,022
FEMALE	8,644	856	788	696	704	686	696	702	680	684	646	680	826
WHITE	19,712	1,894	1,726	1,566	1,582	1,580	1,518	1,574	1,654	1,612	1,598	1,604	1,804
MALE	11,242	1,062	948	892	888	918	842	886	978	938	960	938	992
FEMALE	8,470	832	778	674	694	662	676	688	676	674	638	666	812
ALL OTHER	446	58	30	44	26	50	44	40	24	22	38	26	44
MALE	272	34	20	22	16	26	24	26	20	12	30	12	30
FEMALE	174	24	10	22	10	24	20	14	4	10	8	14	14
PENNSYLVANIA	127,564	13,004	10,842	10,406	10,196	10,258	9,796	11,024	10,138	9,604	10,704	10,268	11,324
MALE	69,758	7,170	5,810	5,662	5,622	5,634	5,408	5,926	5,564	5,348	5,816	5,634	6,164
FEMALE	57,806	5,834	5,032	4,744	4,574	4,624	4,388	5,098	4,574	4,256	4,888	4,634	5,160
WHITE	115,698	11,828	9,824	9,512	9,344	9,294	8,878	9,996	9,152	8,698	9,724	9,288	10,160
MALE	62,950	6,456	5,254	5,144	5,144	5,092	4,868	5,328	5,000	4,804	5,270	5,068	5,520
FEMALE	52,748	5,372	4,570	4,366	4,200	4,202	4,010	4,668	4,152	3,894	4,454	4,220	4,640
ALL OTHER	11,866	1,176	1,018	894	852	964	918	1,028	586	906	980	980	1,164
MALE	6,808	714	556	516	478	540	598	564	544	546	546	566	644
FEMALE	5,058	462	462	378	374	422	378	430	422	362	434	414	520
RHODE ISLAND	9,540	1,032	796	778	806	774	704	830	720	692	822	780	806
MALE	5,018	552	434	402	394	388	358	460	398	390	446	386	410
FEMALE	4,522	480	362	376	412	386	346	370	322	302	376	394	396
WHITE	9,340	1,004	776	758	786	764	682	822	700	686	814	760	788
MALE	4,900	536	422	390	382	382	344	454	386	384	442	376	402
FEMALE	4,440	468	354	368	404	382	338	368	314	302	372	384	386
ALL OTHER	200	28	20	20	20	10	22	8	20	6	8	20	18
MALE	118	16	12	12	12	6	14	6	6	4	4	10	8
FEMALE	82	12	8	8	8	4	8	2	8	-	4	10	10
SOUTH CAROLINA	23,932	2,256	2,134	2,060	1,964	1,864	1,914	1,918	1,516	1,816	1,986	1,952	2,152
MALE	13,646	1,270	1,228	1,140	1,068	1,088	1,084	1,124	1,140	1,016	1,180	1,070	1,238
FEMALE	10,286	986	906	920	896	776	830	794	376	800	806	882	914
WHITE	15,388	1,394	1,322	1,312	1,306	1,220	1,194	1,204	1,218	1,202	1,262	1,302	1,452
MALE	8,976	784	784	748	732	754	722	718	744	698	768	692	832
FEMALE	6,412	610	538	564	574	466	472	486	474	504	494	610	620
ALL OTHER	8,544	862	812	748	658	644	720	714	698	614	724	650	700
MALE	4,670	486	444	392	336	334	360	346	396	318	412	378	406
FEMALE	3,874	376	368	356	322	310	358	368	302	296	312	272	294

SECTION I - GENERAL MORTALITY

1-87

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
SOUTH DAKOTA-----	7,028	742	542	544	486	544	792	620	586	486	562	580	544
MALE----	4,050	414	320	310	268	346	448	366	338	266	316	330	328
FEMALE--	2,978	328	222	234	218	198	344	254	248	220	246	250	216
WHITE-----	6,562	702	512	506	442	512	740	580	538	454	524	542	508
MALE----	3,796	400	300	282	248	332	422	340	302	254	294	310	312
FEMALE--	2,766	302	212	224	194	180	318	240	236	202	230	232	196
ALL OTHER-----	466	40	30	38	44	32	52	40	48	30	38	38	36
MALE----	254	14	20	28	20	14	26	26	36	12	22	20	16
FEMALE--	212	26	10	10	24	18	26	14	12	18	16	18	20
TENNESSEE-----	39,374	3,664	3,574	3,420	3,194	3,194	3,108	3,108	3,130	3,062	3,328	3,102	3,490
MALE----	22,502	2,070	1,994	1,890	1,836	1,826	1,760	1,782	1,818	1,778	1,930	1,778	2,040
FEMALE--	16,872	1,594	1,580	1,530	1,358	1,368	1,348	1,326	1,312	1,284	1,398	1,324	1,450
WHITE-----	32,200	2,952	2,902	2,816	2,618	2,652	2,588	2,504	2,552	2,538	2,732	2,514	2,832
MALE----	18,410	1,664	1,642	1,566	1,498	1,516	1,450	1,448	1,476	1,472	1,590	1,434	1,654
FEMALE--	13,790	1,288	1,260	1,250	1,120	1,136	1,138	1,056	1,076	1,066	1,142	1,080	1,178
ALL OTHER-----	7,174	712	672	604	576	542	520	604	578	524	596	588	658
MALE----	4,092	406	352	324	338	310	310	334	342	306	340	344	386
FEMALE--	3,082	306	320	280	238	232	210	270	236	218	256	244	272
TEXAS-----	99,338	9,792	8,656	8,340	7,768	7,970	7,852	7,882	7,818	7,682	7,970	8,286	9,322
MALE----	56,702	5,614	4,922	4,772	4,480	4,472	4,586	4,496	4,392	4,346	4,586	4,780	5,256
FEMALE--	42,636	4,178	3,734	3,568	3,288	3,498	3,266	3,386	3,426	3,336	3,384	3,506	4,066
WHITE-----	85,098	8,366	7,476	7,116	6,674	6,814	6,754	6,678	6,736	6,558	6,812	7,132	7,982
MALE----	48,584	4,834	4,280	4,070	3,818	3,854	3,970	3,796	3,748	3,696	3,940	4,090	4,488
FEMALE--	36,514	3,532	3,196	3,046	2,856	2,960	2,784	2,882	2,988	2,862	2,872	3,042	3,494
ALL OTHER-----	14,240	1,426	1,180	1,224	1,094	1,156	1,098	1,204	1,082	1,124	1,158	1,154	1,340
MALE----	8,118	780	642	702	662	618	616	700	644	650	646	690	768
FEMALE--	6,122	646	538	522	432	538	482	504	438	474	512	464	572
UTAH-----	7,322	672	546	604	536	668	558	616	638	578	650	588	668
MALE----	4,230	406	336	346	308	402	300	370	370	328	370	318	376
FEMALE--	3,092	266	210	258	228	266	258	246	268	250	280	270	292
WHITE-----	7,150	662	536	594	522	658	548	586	622	558	638	576	650
MALE----	4,122	398	328	336	304	396	296	352	362	312	362	310	366
FEMALE--	3,028	264	208	258	218	262	252	234	260	246	276	266	284
ALL OTHER-----	172	10	10	10	14	10	10	30	16	20	12	12	18
MALE----	108	8	8	10	4	6	4	18	8	16	8	8	10
FEMALE--	64	2	2	-	10	4	6	12	8	4	4	4	8
VERMONT-----	4,318	430	338	340	318	394	314	346	362	314	412	390	360
MALE----	2,330	252	178	198	170	220	172	190	208	162	190	208	182
FEMALE--	1,988	178	160	142	148	174	142	156	154	152	222	182	178
WHITE-----	4,314	430	338	340	318	394	312	346	362	314	412	390	358
MALE----	2,328	252	178	198	170	220	172	190	208	162	190	208	180
FEMALE--	1,986	178	160	142	148	174	140	156	154	152	222	182	178
ALL OTHER-----	4	-	-	-	-	-	2	-	-	-	-	-	2
MALE----	2	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-	-
VIRGINIA-----	40,960	3,732	3,730	3,454	3,374	3,272	3,244	3,404	3,210	3,090	3,474	3,334	3,642
MALE----	23,302	2,210	2,084	1,864	1,998	1,836	1,832	1,894	1,858	1,808	1,964	1,918	2,036
FEMALE--	17,658	1,522	1,646	1,590	1,376	1,436	1,412	1,510	1,352	1,282	1,510	1,416	1,606
WHITE-----	31,458	2,728	2,816	2,656	2,656	2,548	2,510	2,654	2,416	2,366	2,732	2,582	2,794
MALE----	17,848	1,586	1,546	1,454	1,582	1,442	1,410	1,464	1,404	1,380	1,536	1,486	1,558
FEMALE--	13,610	1,142	1,270	1,202	1,074	1,106	1,100	1,190	1,012	986	1,196	1,096	1,236
ALL OTHER-----	9,502	1,004	914	798	718	724	734	750	794	724	742	752	848
MALE----	5,454	624	538	410	416	394	422	430	454	428	428	432	478
FEMALE--	4,048	380	376	388	302	330	312	320	340	296	314	320	370
WASHINGTON-----	29,836	2,954	2,378	2,428	2,392	2,508	2,274	2,414	2,520	2,324	2,452	2,420	2,772
MALE----	16,994	1,666	1,392	1,370	1,296	1,458	1,288	1,422	1,516	1,336	1,408	1,338	1,504
FEMALE--	12,842	1,288	986	1,058	1,096	1,050	986	992	1,004	988	1,044	1,082	1,268
WHITE-----	28,742	2,824	2,296	2,340	2,300	2,416	2,190	2,338	2,432	2,242	2,374	2,342	2,648
MALE----	16,250	1,590	1,332	1,314	1,246	1,400	1,234	1,366	1,450	1,272	1,346	1,286	1,416
FEMALE--	12,492	1,234	964	1,026	1,054	1,016	956	974	982	970	1,028	1,056	1,232
ALL OTHER-----	1,094	130	82	88	92	92	84	76	88	82	78	78	124
MALE----	744	76	60	56	50	58	54	58	66	64	62	52	88
FEMALE--	350	54	22	32	42	34	30	18	22	18	16	26	36

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample]

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
WEST VIRGINIA-----	20,606	1,970	2,026	1,720	1,640	1,658	1,650	1,736	1,592	1,564	1,616	1,638	1,796
MALE-----	11,904	1,144	1,138	1,004	950	958	952	1,042	902	852	956	958	1,048
FEMALE-----	8,702	826	888	716	690	700	698	694	690	712	660	680	748
WHITE-----	19,392	1,838	1,930	1,626	1,556	1,548	1,530	1,644	1,500	1,484	1,520	1,528	1,688
MALE-----	11,226	1,074	1,074	952	904	904	880	990	850	820	904	900	974
FEMALE-----	8,166	764	856	674	652	644	650	654	650	664	616	628	714
ALL OTHER-----	1,214	132	96	94	84	110	120	92	92	80	96	110	108
MALE-----	678	70	64	52	46	54	72	52	52	32	52	58	74
FEMALE-----	536	62	32	42	38	56	48	40	40	48	44	52	34
WISCONSIN-----	42,120	4,472	3,368	3,474	3,320	3,546	3,248	3,348	3,260	3,168	3,610	3,368	3,838
MALE-----	23,644	2,614	1,870	1,892	1,828	2,082	1,848	1,884	1,858	1,762	1,998	1,866	2,142
FEMALE-----	18,476	1,858	1,498	1,582	1,492	1,464	1,400	1,464	1,502	1,406	1,612	1,502	1,696
WHITE-----	41,152	4,358	3,318	3,396	3,222	3,468	3,172	2,276	3,280	3,092	3,526	3,304	3,740
MALE-----	23,094	2,556	1,844	1,842	1,774	2,044	1,808	1,836	1,814	1,720	1,944	1,828	2,084
FEMALE-----	18,058	1,802	1,474	1,554	1,448	1,424	1,364	1,440	1,466	1,372	1,582	1,476	1,656
ALL OTHER-----	968	114	50	78	98	78	76	72	80	76	84	64	98
MALE-----	550	58	26	50	54	38	40	48	44	42	54	38	58
FEMALE-----	418	56	24	28	44	40	36	24	36	34	30	26	40
WYOMING-----	3,074	304	234	242	238	256	256	266	244	244	276	252	262
MALE-----	1,886	172	142	156	152	166	156	162	144	160	172	128	176
FEMALE-----	1,188	132	92	86	86	90	100	104	100	84	104	124	86
WHITE-----	2,986	288	226	234	226	252	250	264	240	234	272	244	256
MALE-----	1,820	164	134	148	146	162	150	160	142	150	170	122	172
FEMALE-----	1,166	124	92	86	80	90	100	104	98	84	102	122	84
ALL OTHER-----	88	16	8	8	12	4	6	2	4	10	4	8	6
MALE-----	66	8	8	8	6	4	6	2	2	10	2	6	4
FEMALE-----	22	8	-	-	6	-	-	-	2	-	2	2	2

SECTION 1 - GENERAL MORTALITY

1-89

Table 1-22. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1972

[Deaths based on a 50-percent sample]

Area	Total			White		Negro		Indian ¹		Chinese		Japanese		Other	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States-----	1,963,944	1,096,198	867,746	957,518	765,950	129,740	98,710	3,728	2,378	1,580	640	1,560	1,102	2,062	966
Alabama-----	54,572	19,656	14,936	13,986	9,994	5,646	4,954	2	-	-	-	-	2	2	6
Alaska-----	1,440	952	488	692	298	12	12	234	188	-	-	-	-	-	12
Arizona-----	15,810	9,462	6,348	8,586	5,756	312	202	560	352	14	12	2	2	8	4
Arkansas-----	21,798	12,556	9,242	10,152	7,272	2,398	1,962	2	2	2	2	-	2	2	2
California-----	169,984	95,578	76,412	85,430	70,776	6,110	4,622	208	100	618	292	588	412	618	210
Colorado-----	17,984	10,130	7,694	9,760	7,462	306	210	24	12	4	-	22	4	14	6
Connecticut-----	26,350	14,546	12,004	15,648	11,468	676	526	14	4	4	2	-	2	4	2
Delaware-----	4,982	2,730	2,252	2,158	1,900	564	328	-	-	-	-	-	-	8	4
District of Columbia-----	8,462	4,608	3,854	1,412	1,642	3,166	2,198	2	-	20	4	-	-	8	10
Florida-----	65,310	46,692	34,618	42,170	29,726	6,466	4,874	18	2	12	2	6	4	20	10
Georgia-----	42,986	24,466	18,520	17,372	12,854	7,076	5,656	-	2	2	2	4	-	12	6
Hawaii-----	4,304	2,640	1,664	818	572	19	6	4	2	176	86	704	546	920	432
Idaho-----	6,352	3,908	2,444	3,832	2,392	14	6	52	46	-	-	10	-	-	-
Illinois-----	111,296	60,740	50,538	52,802	44,560	7,786	5,902	34	18	56	34	44	26	48	16
Indiana-----	49,138	27,146	21,992	25,254	20,534	1,874	1,452	2	2	6	-	2	-	8	4
Iowa-----	29,932	16,422	13,510	16,212	13,376	194	124	8	8	2	-	2	2	4	2
Kansas-----	22,368	12,392	9,396	11,712	9,502	632	472	18	14	2	-	2	2	2	6
Kentucky-----	34,048	19,286	14,762	17,620	13,404	1,656	1,556	4	2	2	-	2	-	2	-
Louisiana-----	34,390	19,424	14,966	13,102	9,664	6,510	5,296	10	2	-	2	-	2	2	-
Maine-----	11,198	6,102	5,096	6,084	5,098	8	2	8	6	2	-	-	-	-	-
Maryland-----	33,408	19,770	14,638	14,982	11,864	5,784	2,752	6	4	10	-	-	4	8	14
Massachusetts-----	67,152	29,998	27,354	23,066	26,496	856	652	-	6	62	16	-	-	14	2
Michigan-----	76,674	44,860	35,614	39,220	30,004	5,548	3,746	70	46	10	8	6	4	6	6
Minnesota-----	34,554	19,574	14,980	19,322	14,830	114	64	122	80	6	2	2	2	8	2
Mississippi-----	23,680	13,712	9,968	8,512	5,822	5,560	4,104	30	36	8	4	-	-	2	2
Missouri-----	52,458	29,934	23,524	25,876	21,244	5,032	2,274	8	-	4	-	8	-	6	6
Montana-----	6,896	4,140	2,756	2,960	2,648	6	2	172	108	2	-	-	-	-	-
Nebraska-----	15,534	8,700	6,834	8,464	6,634	190	172	40	28	2	-	2	-	2	-
Nevada-----	4,080	2,578	1,512	2,390	1,408	118	56	62	40	2	8	-	-	6	-
New Hampshire-----	7,500	4,018	3,482	4,010	3,472	8	10	-	-	-	-	-	-	-	-
New Jersey-----	69,250	37,532	31,718	33,584	28,586	3,858	3,054	8	-	18	-	-	4	60	64
New Mexico-----	7,926	4,710	3,216	4,236	2,918	82	74	392	222	-	-	6	2	-	-
New York-----	185,284	100,196	85,088	89,428	76,798	11,174	8,088	116	66	398	82	19	6	72	48
North Carolina-----	47,288	27,228	20,060	20,168	14,806	6,962	5,142	172	100	8	2	-	-	20	10
North Dakota-----	5,616	3,218	2,398	3,124	2,346	4	4	98	48	-	-	-	-	2	-
Ohio-----	101,982	56,518	45,666	50,446	41,416	5,008	4,228	18	2	16	6	4	10	24	4
Oklahoma-----	26,936	15,004	11,932	15,578	10,784	382	340	438	308	-	-	-	-	2	2
Oregon-----	20,158	11,514	8,644	11,242	8,470	168	94	62	48	15	12	22	14	4	6
Pennsylvania-----	127,564	69,758	57,806	62,950	52,748	6,760	5,024	6	4	32	12	4	6	6	12
Rhode Island-----	9,540	5,018	4,522	4,900	4,440	100	70	12	8	4	-	-	-	2	4
South Carolina-----	23,932	13,646	10,286	8,976	6,412	4,666	3,866	4	8	-	-	-	-	-	-
South Dakota-----	7,028	4,050	2,970	3,796	2,766	10	-	242	212	2	-	-	-	-	-
Tennessee-----	39,374	22,502	16,872	18,410	13,790	4,090	3,072	4	4	4	6	-	-	4	-
Texas-----	99,338	56,702	42,636	49,584	36,514	8,038	6,088	24	10	32	10	12	4	12	10
Utah-----	7,322	4,230	3,092	4,122	3,028	22	22	52	34	6	2	22	6	6	-
Vermont-----	4,318	2,330	1,988	2,328	1,986	2	-	-	-	-	-	-	-	-	-
Virginia-----	40,960	23,302	17,658	17,848	15,610	5,414	4,032	10	2	4	6	2	2	24	6
Washington-----	29,856	16,994	12,842	16,250	12,492	328	180	258	108	34	12	56	26	68	24
West Virginia-----	20,606	11,904	8,702	11,226	8,166	676	534	-	-	-	2	-	-	2	2
Wisconsin-----	42,120	23,644	18,476	23,094	18,058	470	340	74	74	-	2	-	-	6	2
Wyoming-----	3,074	1,886	1,188	1,920	1,166	18	6	40	12	-	-	6	2	2	2

¹Includes deaths among Aleuts and Eskimos.²Includes 375 deaths among Hawaiians and Part-Hawaiians. (In addition there were 22 deaths among Hawaiians and Part-Hawaiians residing in other States.)³Includes 282 deaths among Hawaiians and Part-Hawaiians. (In addition there were 16 deaths among Hawaiians and Part-Hawaiians residing in other States.)

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	ALL CAUSES	1,963,944	1,096,198	867,746
I. INFECTIVE AND PARASITIC DISEASES				
02	INTESTINAL INFECTIOUS DISEASES-----000-009	2,466	1,170	1,296
03	CHOLERA-----000	-	-	-
04	CLASSICAL-----000.0	-	-	-
05	EL TOR-----000.1	-	-	-
06	UNSPECIFIED-----000.9	-	-	-
07	TYPHOID FEVER-----001	8	6	2
08	PARATYPHOID FEVER-----002	-	-	-
09	PARATYPHOID FEVER A-----002.0	-	-	-
10	PARATYPHOID FEVER B-----002.1	-	-	-
11	PARATYPHOID FEVER C-----002.2	-	-	-
12	PARATYPHOID FEVER, UNSPECIFIED-----002.9	-	-	-
13	OTHER SALMONELLA INFECTIONS-----003	68	38	30
14	WITH FOOD AS VEHICLE OF INFECTION-----003.0	-	-	-
15	WITHOUT MENTION OF FOOD AS VEHICLE OF INFECTION-----003.9	68	38	30
16	BACILLARY DYSENTERY-----004	38	18	20
17	SHIGA-----004.0	-	-	-
18	FLEXNER-----004.1	2	-	2
19	BOYD-----004.2	2	-	-
20	SONNE-----004.3	4	2	2
21	SCHMITZ (STUTZER)-----004.4	-	-	-
22	OTHER SPECIFIED BACILLARY-----004.8	-	-	-
23	UNSPECIFIED-----004.9	32	16	16
24	FOOD POISONING (BACTERIAL)-----005	14	10	4
25	STAPHYLOCOCCAL-----005.0	2	2	-
26	BOTULISM-----005.1	6	4	2
27	DUE TO OTHER CLOSTRIDIA-----005.2	-	-	-
28	OTHER SPECIFIED BACTERIAL FOOD POISONING-----005.8	-	-	-
29	FOOD POISONING, UNSPECIFIED-----005.9	6	4	2
30	AMEBIASIS-----006	52	36	16
31	WITH LIVER ABSCESS-----006.0	26	20	6
32	WITHOUT MENTION OF LIVER ABSCESS-----006.9	26	16	10
33	OTHER PROTOZOAL INTESTINAL DISEASES-----007	-	-	-
34	BALANTIDIASIS-----007.0	-	-	-
35	GIARDIASIS-----007.1	-	-	-
36	COCCIDIOSIS-----007.2	-	-	-
37	OTHER AND UNSPECIFIED-----007.9	-	-	-
38	ENTERITIS DUE TO OTHER SPECIFIED ORGANISMS-----008	262	128	134
39	ESCHERICHIA COLI-----008.0	8	6	2
40	ARIZONA-----008.1	-	-	-
41	OTHER SPECIFIED BACTERIA-----008.2	20	12	8
42	BACTERIAL ENTERITIS, UNSPECIFIED-----008.3	22	12	10
43	ENTERITIS DUE TO SPECIFIED VIRUS-----008.8	2	-	2
44	OTHER ORGANISM NOT ELSEWHERE CLASSIFIABLE-----008.9	210	98	112
45	DIARRHEAL DISEASES-----009	2,024	934	1,090
46	DYSENTERY, UNSPECIFIED-----009.0	18	6	12
47	DIARRHEA-----009.1	266	130	136
48	GASTROENTERITIS AND COLITIS-----009.2	1,740	798	942
49	OTHER DIARRHEAL DISEASES-----009.9	-	-	-
50	TUBERCULOSIS-----010-019	4,376	3,140	1,236
51	SILICOTUBERCULOSIS-----010	128	128	-
52	PULMONARY TUBERCULOSIS-----011	2,952	2,230	722
53	ACTIVE, MINIMAL-----*011.0	6	6	-
54	ACTIVE, MODERATELY ADVANCED-----*011.1	38	32	6
55	ACTIVE, FAR ADVANCED-----*011.2	650	504	146
56	ACTIVE, STAGE UNSPECIFIED-----*011.3	300	234	66
57	MILIARY, LUNG, NOT OTHERWISE SPECIFIED-----*011.4	74	62	12
58	RADIOLOGIC EVIDENCE ALONE-----*011.5	-	-	-
59	PULMONARY TUBERCULOSIS NOT OTHERWISE SPECIFIED-----*011.9	1,004	1,392	492
60	OTHER RESPIRATORY TUBERCULOSIS-----012	394	194	200
61	PRIMARY-----012.0	4	2	2
62	PLEURISY SPECIFIED AS TUBERCULOUS-----012.1	34	22	12
63	PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE-----012.2	354	168	186
64	TUBERCULOUS LARYNGITIS-----012.3	-	-	-
65	OTHER RESPIRATORY TUBERCULOSIS-----012.9	2	2	-
66	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM-----013	70	46	24
67	TUBERCULOUS MENINGITIS-----013.0	66	44	22
68	OTHER CENTRAL NERVOUS SYSTEM-----013.9	4	2	2
69	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS-----014	16	10	6
70	TUBERCULOSIS OF BONES AND JOINTS-----015	40	18	22
71	OF VERTEBRAL COLUMN-----015.0	32	12	20
72	OF HIP-----015.1	2	2	-
73	OF KNEE-----015.2	4	2	2
74	OF OTHER SPECIFIED BONES AND JOINTS-----015.8	-	-	-
75	OF UNSPECIFIED BONES AND JOINTS-----015.9	2	2	-
76	TUBERCULOSIS OF GENITOURINARY SYSTEM-----016	36	20	16
77	KIDNEY-----*016.0	30	16	14
78	OTHER URINARY ORGANS-----*016.1	6	4	2
79	GENITAL ORGANS (MALE AND FEMALE)-----*016.2	-	-	-
80	GENITOURINARY SYSTEM, SITE UNSPECIFIED-----*016.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
TUBERCULOSIS--CON.				
01	TUBERCULOSIS OF OTHER ORGANS-----017	36	18	18
02	OF SKIN AND SUBCUTANEOUS CELLULAR TISSUE-----017.0	12	2	10
03	OF PERIPHERAL LYMPHATIC GLANDS-----017.1	2	2	-
04	OF EYE-----017.2	-	-	-
05	OF EAR-----017.3	-	-	-
06	OF OTHER ORGANS-----017.9	22	14	8
07	DISSEMINATED TUBERCULOSIS-----018	178	102	76
08	ACUTE MILIARY TUBERCULOSIS SPECIFIED AS NONPULMONARY-----018.0	-	-	-
09	ACUTE MILIARY TUBERCULOSIS, UNSPECIFIED-----018.1	2	2	-
10	OTHER FORMS OF DISSEMINATED TUBERCULOSIS-----018.9	176	100	76
11	LATE EFFECTS OF TUBERCULOSIS-----019	526	374	152
12	RESPIRATORY TUBERCULOSIS-----019.0	520	372	148
13	OF CENTRAL NERVOUS SYSTEM-----019.1	-	-	-
14	OF GENITOURINARY SYSTEM-----019.2	2	2	-
15	OF VERTEBRAL COLUMN-----019.3	4	-	4
16	OF HIP-----019.4	-	-	-
17	OF KNEE-----019.5	-	-	-
18	OF OTHER BONES AND JOINTS-----019.6	-	-	-
19	OF OTHER SPECIFIED ORGANS-----019.9	-	-	-
20	ZOOBOTIC BACTERIAL DISEASES-----020-027	32	14	18
21	PLAGUE-----020	-	-	-
22	BUBONIC-----020.0	-	-	-
23	PULMONIC-----020.1	-	-	-
24	UNSPECIFIED-----020.9	-	-	-
25	TULAREMIA-----021	-	-	-
26	ANTHRAX-----022	-	-	-
27	BRUCELLOSIS-----023	6	-	6
28	BRUCELLA MELITENSIS-----023.0	-	-	-
29	BRUCELLA ABORTUS-----023.1	-	-	-
30	BRUCELLA SUIIS-----023.2	-	-	-
31	UNSPECIFIED-----023.9	6	-	6
32	GLANDERS-----024	-	-	-
33	MELIROIDOSIS-----025	-	-	-
34	RAT-BITE FEVER-----026	-	-	-
35	SPIRILLUM MINUS-----026.0	-	-	-
36	STREPTOBACILLUS MONILIFORMIS-----026.1	-	-	-
37	UNSPECIFIED-----026.9	-	-	-
38	OTHER ZOOBOTIC BACTERIAL DISEASES-----027	26	14	12
39	LISTERIOSIS-----027.0	26	14	12
40	ERYSIPLOTHRIX INFECTION-----027.1	-	-	-
41	OTHER-----027.9	-	-	-
42	OTHER BACTERIAL DISEASES-----030-039	5,220	2,874	2,346
43	LEPROSY-----030	-	-	-
44	LEPROMATOUS-----030.0	-	-	-
45	TUBERCULOID-----030.1	-	-	-
46	INDETERMINATE-----030.2	-	-	-
47	BORDERLINE-----030.3	-	-	-
48	OTHER AND UNSPECIFIED-----030.9	-	-	-
49	OTHER DISEASES DUE TO MYCOBACTERIA-----031	60	44	16
50	PULMONARY-----031.0	56	42	14
51	OTHER AND UNSPECIFIED-----031.9	4	2	2
52	DIPHTHERIA-----032	10	6	4
53	WHOOPING COUGH-----033	6	-	6
54	BORDETELLA PERTUSSIS-----033.0	-	-	-
55	BORDETELLA PARAPERTUSSIS-----033.1	-	-	-
56	OTHER AND UNSPECIFIED-----033.9	6	-	6
57	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	16	10	6
58	STREPTOCOCCAL SORE THROAT-----034.0	14	10	4
59	SCARLET FEVER-----034.1	2	-	2
60	ERYSIPELAS-----035	20	10	10
61	MENINGOCOCCAL INFECTIONS-----036	350	194	156
62	MENINGOCOCCAL MENINGITIS-----036.0	168	88	80
63	MENINGOCOCCAL WITHOUT MENTION OF MENINGITIS-----036.1	180	104	76
64	OTHER FORMS OF MENINGOCOCCAL INFECTION-----036.8	-	-	-
65	UNSPECIFIED-----036.9	2	2	-
66	TETANUS-----037	58	20	38
67	SEPTICEMIA-----038	4,214	2,324	1,890
68	STREPTOCOCCAL-----038.0	62	30	32
69	STAPHYLOCOCCAL-----038.1	168	100	68
70	PNEUMOCOCCAL-----038.2	44	20	24
71	OTHER BACTERIAL SEPTICEMIA-----038.8	362	208	154
72	UNSPECIFIED-----038.9	3,578	1,966	1,612
73	OTHER BACTERIAL DISEASES-----039	486	266	220
74	GAS GANGRENE-----039.0	74	36	38
75	RHINOSCLEROMA-----039.1	-	-	-
76	OTHER-----039.9	412	230	182
77	POLIOHYELITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM-----040-046	158	72	86
78	ACUTE PARALYTIC POLIOHYELITIS SPECIFIED AS BULBAR-----040	-	-	-
79	ACUTE POLIOHYELITIS WITH OTHER PARALYSIS-----041	-	-	-
80	ACUTE NONPARALYTIC POLIOHYELITIS-----042	-	-	-
81	ACUTE POLIOHYELITIS, UNSPECIFIED-----043	2	-	2
82	LATE EFFECTS OF ACUTE POLIOHYELITIS-----044	74	40	34

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
10	18	8	-	0.0	0.0	0.0	0.0	0.0	0.1	-	01	
2	10	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	02	
-	-	2	-	0.0	0.0	-	-	-	0.0	-	03	
-	-	-	-	-	-	-	-	-	-	-	04	
8	8	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	05	
56	32	46	44	0.1	0.1	0.1	0.1	0.0	0.4	0.3	06	
-	-	-	-	-	-	-	-	-	-	-	07	
56	32	44	44	0.0	0.0	0.1	0.1	0.0	0.0	0.0	08	
296	130	78	22	0.1	0.1	0.1	0.1	0.0	0.3	0.3	09	
294	126	78	22	0.3	0.4	0.1	0.3	0.1	0.6	0.2	10	
-	-	-	-	0.3	0.4	0.1	0.3	0.1	0.6	0.2	11	
2	-	-	-	-	-	-	-	-	-	-	12	
-	4	-	-	0.0	0.0	-	-	-	-	-	13	
-	-	-	-	0.0	-	0.0	-	0.0	-	-	14	
-	-	-	-	-	-	0.0	-	-	-	-	15	
-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	19	
10	16	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	
-	-	-	-	-	-	-	-	-	-	-	21	
-	-	-	-	-	-	-	-	-	-	-	22	
-	-	-	-	-	-	-	-	-	-	-	23	
-	-	-	-	-	-	-	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	25	
-	6	-	-	0.0	-	0.0	-	0.0	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	-	-	-	-	-	-	28	
-	6	-	-	0.0	-	0.0	-	0.0	-	-	29	
-	-	-	-	-	-	-	-	-	-	-	30	
-	-	-	-	-	-	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	36	
10	10	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	
10	10	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	
-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	41	
2,244	1,798	630	548	2.5	2.8	2.2	2.5	1.9	5.0	4.0	42	
-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	45	
-	-	-	-	-	-	-	-	-	-	-	46	
-	-	-	-	-	-	-	-	-	-	-	47	
42	12	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	
40	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	
2	-	-	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	
4	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	51	
-	2	-	4	0.0	-	0.0	-	0.0	-	0.0	52	
-	-	-	-	-	-	-	-	-	-	-	53	
-	2	-	4	0.0	-	0.0	-	0.0	-	0.0	54	
10	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	55	
10	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	56	
-	2	-	-	0.0	0.0	0.0	-	0.0	-	-	57	
10	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-	58	
-	-	-	-	-	-	-	-	-	-	-	59	
10	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-	60	
154	130	40	26	0.2	0.2	0.1	0.2	0.1	0.3	0.2	61	
66	66	22	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	62	
66	64	18	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	63	
-	-	-	-	-	-	-	-	-	-	-	64	
2	-	-	-	0.0	0.0	-	-	-	-	-	65	
12	24	8	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1	66	
1,794	1,424	530	466	2.0	2.3	1.8	2.0	1.5	4.2	3.4	67	
26	30	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68	
90	54	10	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	69	
12	16	8	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	70	
156	124	52	30	0.2	0.2	0.1	0.2	0.1	0.4	0.2	71	
1,510	1,200	456	412	1.7	1.9	1.5	1.7	1.3	3.6	3.0	72	
218	186	48	34	0.2	0.3	0.2	0.2	0.2	0.4	0.2	73	
30	30	6	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	74	
-	-	-	-	-	-	-	-	-	-	-	75	
188	156	42	26	0.2	0.2	0.2	0.2	0.2	0.3	0.2	76	
64	66	8	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	77	
-	-	-	-	-	-	-	-	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	-	79	
-	-	-	-	-	-	-	-	-	-	-	80	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	81	
40	34	-	-	0.0	0.0	0.0	0.0	0.0	-	-	82	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	- MALE	FEMALE
POLIOMYELITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM--CON.				
01	ASEPTIC MENINGITIS DUE TO ENTEROVIRUS-----	50	20	30
02	COXSACKIE VIRUS-----	-	-	-
03	ECHO VIRUS-----	-	-	-
04	ASEPTIC MENINGITIS, UNSPECIFIED-----	50	20	30
05	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM-----	32	12	20
06	VIRAL DISEASES ACCOMPANIED BY EXANTHEMS-----	354	178	176
07	SMALLPOX-----	-	-	-
08	VARIOLA MAJOR-----	-	-	-
09	VARIOLA MINOR-----	-	-	-
10	UNSPECIFIED-----	-	-	-
11	CHICKENPOX-----	-	-	-
12	CHICKENPOX-----	122	50	72
13	HERPES ZOSTER-----	86	46	40
14	OF EYE-----	-	-	-
15	OF OTHER PARTS OF FACE-----	6	6	-
16	OF TRUNK-----	-	-	-
17	OF OTHER AND UNSPECIFIED SITES-----	80	40	40
18	HERPES SIMPLEX-----	106	56	50
19	MEASLES-----	24	8	8
20	RUBELLA-----	14	10	4
21	OTHER VIRAL EXANTHEMS-----	2	-	2
22	ERYTHEMA INFECTIOSUM-----	-	-	-
23	EXANTHEMA SUBITUM-----	-	-	-
24	OTHER-----	-	-	-
25	UNSPECIFIED-----	2	-	2
26	ARTHROPOD-BORNE VIRAL DISEASES-----	288	146	142
27	YELLOW FEVER-----	2	2	-
28	SYLVATIC-----	-	-	-
29	URBAN-----	-	-	-
30	UNSPECIFIED-----	2	2	-
31	DENGUE-----	-	-	-
32	MOSQUITO-BORNE VIRAL ENCEPHALITIS-----	2	-	2
33	JAPANESE ENCEPHALITIS-----	-	-	-
34	WESTERN EQUINE ENCEPHALITIS-----	-	-	-
35	EASTERN EQUINE ENCEPHALITIS-----	-	-	-
36	ST. LOUIS ENCEPHALITIS-----	-	-	-
37	MURRAY VALLEY ENCEPHALITIS-----	-	-	-
38	OTHER AND UNSPECIFIED-----	2	-	2
39	TICK-BORNE VIRAL ENCEPHALITIS-----	-	-	-
40	RUSSIAN SPRING-SUMMER (TAIGA) ENCEPHALITIS-----	-	-	-
41	LOUPELLE ILL-----	-	-	-
42	CENTRAL EUROPEAN ENCEPHALITIS-----	-	-	-
43	OTHER AND UNSPECIFIED-----	-	-	-
44	VIRAL ENCEPHALITIS TRANSMITTED BY OTHER ARTHROPODS-----	-	-	-
45	VIRAL ENCEPHALITIS, UNSPECIFIED-----	262	136	126
46	LATE EFFECTS OF VIRAL ENCEPHALITIS-----	22	8	14
47	ARTHROPOD-BORNE HEMORRHAGIC FEVER-----	-	-	-
48	CRIMEAN HEMORRHAGIC FEVER-----	-	-	-
49	ONGKOR HEMORRHAGIC FEVER-----	-	-	-
50	KYASANUR FOREST DISEASE-----	-	-	-
51	OTHER TICK-BORNE HEMORRHAGIC FEVER-----	-	-	-
52	MOSQUITO-BORNE HEMORRHAGIC FEVER-----	-	-	-
53	HEMORRHAGIC NEPHROSIS-NEPHRITIS-----	-	-	-
54	OTHER AND UNSPECIFIED ARTHROPOD-BORNE HEMORRHAGIC FEVER-----	-	-	-
55	OTHER ARTHROPOD-BORNE VIRAL DISEASES-----	-	-	-
56	PHLEBOTOMUS FEVER-----	-	-	-
57	TICK-BORNE FEVER-----	-	-	-
58	MOSQUITO-BORNE FEVER-----	-	-	-
59	OTHER ARTHROPOD-BORNE VIRAL DISEASES-----	-	-	-
60	OTHER VIRAL DISEASES-----	1,288	592	696
61	INFECTIOUS HEPATITIS-----	778	318	460
62	RABIES-----	2	2	-
63	HUMPS-----	16	10	6
64	PSITTACOSIS-----	-	-	-
65	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS-----	6	4	2
66	HERPANGINA-----	2	2	-
67	EPIDEMIC PLEURODYNIA-----	2	2	-
68	COXSACKIE MYOCARDITIS-----	2	2	-
69	OTHER-----	2	2	-
70	INFECTIOUS MONONUCLEOSIS-----	18	8	10
71	TRACHOMA, ACTIVE-----	-	-	-
72	LATE EFFECTS OF TRACHOMA-----	-	-	-
73	OTHER VIRAL DISEASES OF THE CONJUNCTIVA-----	-	-	-
74	INCLUSIC CONJUNCTIVITIS-----	-	-	-
75	EPIDEMIC KERATOCONJUNCTIVITIS-----	-	-	-
76	ACUTE ADENOVIRAL FOLLICULAR CONJUNCTIVITIS-----	-	-	-
77	OTHER-----	-	-	-
78	VIRAL CONJUNCTIVITIS, UNSPECIFIED-----	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER VIRAL DISEASES--CON.				
01	OTHER VIRAL DISEASES-----079	468	250	218
02	MOLLUSCUM CONTAGIOSUM-----079.0	-	-	-
03	VIRAL WARTS-----079.1	-	-	-
04	LYMPHOCTIC CHORIO-MENINGITIS-----079.2	2	2	-
05	CAT-SCRATCH DISEASE-----079.3	-	-	-
06	FOOT-AND-MOUTH DISEASE-----079.4	-	-	-
07	CYTOMEGALIC INCLUSION DISEASE-----079.5	32	18	14
08	OTHER-----079.8	4	2	2
09	VIRAL INFECTION, UNSPECIFIED-----079.9	430	228	202
RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES-----080-089		50	38	12
11	EPIDEMIC LOUSE-BORNE TYPHUS-----080	-	-	-
12	OTHER TYPHUS-----081	-	-	-
13	ENDEMIC FLEA-BORNE-----081.0	-	-	-
14	BRILL'S DISEASE-----081.1	-	-	-
15	MITE-BORNE-----081.2	-	-	-
16	UNSPECIFIED-----081.9	-	-	-
17	TICK-BORNE RICKETTSIOSES-----082	50	38	12
18	SPOTTED FEVERS-----082.0	50	38	12
19	BOUTONNEUSE FEVER-----082.1	-	-	-
20	NORTH ASIAN TICK-BORNE TYPHUS FEVER-----082.2	-	-	-
21	OTHER-----082.9	-	-	-
22	OTHER RICKETTSIOSES-----083	-	-	-
23	RICKETTSIAL POX-----083.0	-	-	-
24	O-FEVER-----083.1	-	-	-
25	WOLHYNIAN FEVER-----083.2	-	-	-
26	OTHER-----083.8	-	-	-
27	UNSPECIFIED-----083.9	-	-	-
MALARIA-----084		-	-	-
29	FALCIPARUM MALARIA (MALIGNANT TERTIAN)-----084.0	-	-	-
30	VIVAX MALARIA (BENIGN TERTIAN)-----084.1	-	-	-
31	MALARIAE MALARIA (QUARTAN)-----084.2	-	-	-
32	OVALE MALARIA-----084.3	-	-	-
33	BLACKWATER FEVER-----084.4	-	-	-
34	RECURRENT INDUCED MALARIA-----084.5	-	-	-
35	OTHER-----084.8	-	-	-
36	UNSPECIFIED FORMS-----084.9	-	-	-
LEISHMANIASIS-----085		-	-	-
38	VISCERAL (KALA-AZAR)-----085.0	-	-	-
39	CUTANEOUS (ORIENTAL SORE)-----085.1	-	-	-
40	MUCOCUTANEOUS (AMERICAN)-----085.2	-	-	-
41	UNSPECIFIED-----085.9	-	-	-
42	AMERICAN TRYPANOSOMIASIS-----086	-	-	-
43	WITH HEART INVOLVEMENT-----086.0	-	-	-
44	WITH OTHER ORGAN INVOLVEMENT-----086.8	-	-	-
45	WITHOUT MENTION OF ORGAN INVOLVEMENT-----086.9	-	-	-
46	OTHER TRYPANOSOMIASIS-----087	-	-	-
47	GAMBIAN-----087.0	-	-	-
48	RHODESIAN-----087.1	-	-	-
49	AFRICAN TRYPANOSOMIASIS, UNSPECIFIED-----087.8	-	-	-
50	TRYPANOSOMIASIS, UNSPECIFIED-----087.9	-	-	-
RELAPSING FEVER-----088		-	-	-
52	LOUSE-BORNE-----088.0	-	-	-
53	TICK-BORNE-----088.1	-	-	-
54	UNSPECIFIED-----088.9	-	-	-
OTHER ARTHROPOD-BORNE DISEASES-----089		-	-	-
56	BARTONELLOSIS-----089.0	-	-	-
57	OTHER-----089.9	-	-	-
SYPHILIS AND OTHER VENERAL DISEASES-----090-099		356	250	106
CONGENITAL SYPHILIS-----090		8	6	2
60	EARLY CONGENITAL SYPHILIS, SYMPTOMATIC-----090.0	-	-	-
61	EARLY CONGENITAL SYPHILIS, LATENT-----090.1	-	-	-
62	EARLY CONGENITAL SYPHILIS, UNSPECIFIED-----090.2	-	-	-
63	INTERSTITIAL KERATITIS-----090.3	-	-	-
64	JUVENILE NEUROSYPHILIS-----090.4	4	2	2
65	OTHER LATE CONGENITAL SYPHILIS, SYMPTOMATIC-----090.5	-	-	-
66	LATE CONGENITAL SYPHILIS, LATENT-----090.6	-	-	-
67	LATE CONGENITAL SYPHILIS, UNSPECIFIED-----090.7	-	-	-
68	CONGENITAL SYPHILIS, UNSPECIFIED-----090.9	4	4	-
EARLY SYPHILIS, SYMPTOMATIC-----091		-	-	-
70	PRIMARY SYPHILIS, EXCEPT EXTRAGENITAL CHANCRE-----091.0	-	-	-
71	EXTRAGENITAL CHANCRE-----091.1	-	-	-
72	SECONDARY SYPHILIS OF SKIN AND MUCOUS MEMBRANES-----091.2	-	-	-
73	SECONDARY SYPHILIS, RELAPSE (TREATED OR UNTREATED)-----091.3	-	-	-
74	OTHER RECENTLY ACQUIRED SYPHILIS, SYMPTOMATIC-----091.8	-	-	-
75	EARLY SYPHILIS, UNSPECIFIED-----091.9	-	-	-
CARDIOVASCULAR SYPHILIS-----093		222	162	60
77	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC-----093.0	20	18	2
78	OTHER CARDIOVASCULAR SYPHILIS-----093.9	202	144	58
SYPHILIS OF CENTRAL NERVOUS SYSTEM-----094		98	62	36
80	TABES DORSALIS-----094.0	30	22	8
81	GENERAL PARESIS-----094.1	12	4	8
82	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM-----094.9	56	36	20
83	OTHER FORMS OF LATE SYPHILIS WITH SYMPTOMS-----095	2	2	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
202	196	48	22	0.2	0.2	0.2	0.2	0.2	0.4	0.2	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	-	0.0	0.0	-	0.0	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
14	14	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	07
184	180	44	22	0.2	0.2	0.2	0.2	0.2	0.3	0.2	08
-	-	-	-	-	-	-	-	-	-	-	09
32	12	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	10
-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
32	12	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	17
32	12	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	57
140	54	110	52	0.2	0.2	0.1	0.2	0.1	0.9	0.4	58
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	59
-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	62
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	63
-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	66
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	67
-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	75
76	24	86	36	0.1	0.2	0.1	0.1	0.0	0.7	0.3	76
12	2	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	77
64	22	80	36	0.1	0.1	0.1	0.1	0.0	0.6	0.3	78
-	-	-	-	-	-	-	-	-	-	-	79
50	24	12	12	0.0	0.1	0.0	0.1	0.0	0.1	0.1	80
18	6	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
2	4	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82
30	14	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83
2	-	-	-	0.0	0.0	-	0.0	-	-	-	84

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SYPHILIS AND OTHER VENERAL DISEASES--CON.				
01	OTHER SYPHILIS AND NOT SPECIFIED-----097	14	10	4
02	LATE SYPHILIS, UNSPECIFIED-----097.0	10	8	2
03	SYPHILIS, UNSPECIFIED-----097.9	4	2	2
04	GONOCOCCAL INFECTIONS-----098	8	6	2
05	ACUTE, OF GENITOURINARY TRACT-----098.0	4	2	2
06	CHRONIC, OF GENITOURINARY SYSTEM-----098.1	2	2	-
07	OF EYE-----098.2	-	-	-
08	OF JOINT-----098.3	-	-	-
09	OF OTHER SITES-----098.8	2	2	-
10	SITE UNSPECIFIED-----098.9	-	-	-
11	OTHER VENERAL DISEASES-----099	4	2	2
12	CHANCROID-----099.0	-	-	-
13	LYMPHOGRANULOMA VENEREUM-----099.1	4	2	2
14	GRANULOMA INGUINALE-----099.2	-	-	-
15	OTHER AND UNSPECIFIED-----099.9	-	-	-
16	OTHER SPIROCHETAL DISEASES-----100-104	10	8	2
17	LEPTOSPIROSIS-----100	10	8	2
18	LEPTOSPIROSIS ICTEROHEMORRHAGICA-----100.0	8	8	-
19	OTHER-----100.8	-	-	-
20	UNSPECIFIED-----100.9	2	-	2
21	VINCENT'S ANGINA-----101	-	-	-
22	YAWS-----102	-	-	-
23	INITIAL LESIONS-----102.0	-	-	-
24	MULTIPLE PAPILLOMATA AND "WET CRAB" YAWS-----102.1	-	-	-
25	OTHER EARLY SKIN LESIONS-----102.2	-	-	-
26	HYPERKERATOSIS-----102.3	-	-	-
27	GUMMATA, ULCERS-----102.4	-	-	-
28	GANGOSA-----102.5	-	-	-
29	BONE AND JOINT LESIONS-----102.6	-	-	-
30	OTHER MANIFESTATIONS-----102.7	-	-	-
31	LATENT YAWS-----102.8	-	-	-
32	YAWS, UNSPECIFIED-----102.9	-	-	-
33	PINTA-----103	-	-	-
34	PRIMARY LESIONS-----103.0	-	-	-
35	INTERMEDIATE LESIONS-----103.1	-	-	-
36	LATE LESIONS-----103.2	-	-	-
37	MIXED LESIONS-----103.3	-	-	-
38	UNSPECIFIED-----103.9	-	-	-
39	OTHER SPIROCHETAL INFECTIONS-----104	-	-	-
40	NONVENERAL ENDEMIC SYPHILIS-----104.0	-	-	-
41	OTHER-----104.9	-	-	-
42	MYCOSES-----110-117	498	328	170
43	DERMATOPHYTOSIS-----110	-	-	-
44	OF SCALP AND BEARD-----110.0	-	-	-
45	OF FOOT-----110.1	-	-	-
46	OF OTHER AND UNSPECIFIED SITES-----110.9	-	-	-
47	DERMATOMYCOSES, OTHER AND UNSPECIFIED-----111	-	-	-
48	PITYRIASIS VERSICOLOR-----111.0	-	-	-
49	TINEA NIGRA-----111.1	-	-	-
50	TINEA BLANCA-----111.2	-	-	-
51	OTHER-----111.8	-	-	-
52	UNSPECIFIED-----111.9	-	-	-
53	MONILIASIS-----112	138	68	70
54	ACTINOMYCOSIS-----113	10	8	2
55	COCCIDIOIDOMYCOSIS-----114	30	24	6
56	HISTOPLASMOSIS-----115	62	50	12
57	BLASTOMYCOSIS-----116	150	102	48
58	EUROPEAN-----116.0	136	52	44
59	NORTH AMERICAN-----116.1	-	-	-
60	SOUTH AMERICAN-----116.2	-	-	-
61	OTHER AND UNSPECIFIED-----116.9	14	10	4
62	OTHER SYSTEMIC MYCOSES-----117	108	76	32
63	RHINOSPORIDIOSIS-----117.0	-	-	-
64	SPOROTRICHOSIS-----117.1	2	2	-
65	CHROMOMYCOSIS-----117.2	-	-	-
66	ASPERGILLOSIS-----117.3	42	30	12
67	HADUROMYCOSIS-----117.4	-	-	-
68	OTHER-----117.8	22	12	10
69	UNSPECIFIED-----117.9	42	32	10
70	HELMINTHIASES-----120-129	18	10	8
71	SCHISTOSOMIASIS-----120	-	-	-
72	SCHISTOSOMA HEMATOBIUM-----120.0	-	-	-
73	SCHISTOSOMA MANSONI-----120.1	-	-	-
74	SCHISTOSOMA JAPONICUM-----120.2	-	-	-
75	CUTANEOUS-----120.3	-	-	-
76	OTHER-----120.8	-	-	-
77	UNSPECIFIED-----120.9	-	-	-
78	OTHER TREMATODE INFESTATIONS-----121	-	-	-
79	OPISTHORCHIASIS-----121.0	-	-	-
80	CLONORCHIASIS-----121.1	-	-	-
81	PARAGONCHIASIS-----121.2	-	-	-
82	FASCIOLIASIS-----121.3	-	-	-
83	FASCIOLOPSIASIS-----121.4	-	-	-
84	OTHER AND UNSPECIFIED-----121.9	-	-	-

SECTION 1.- GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
HELMINTHIASES--CON.				
01	HYDATIDOSIS-----122	4	2	2
02	OF LIVER-----122.0	2	-	2
03	OF LUNG-----122.1	-	-	-
04	OF OTHER SPECIFIED SITE-----122.8	2	2	-
05	OF UNSPECIFIED SITE-----122.9	-	-	-
06	OTHER CESTODE INFESTATIONS-----123	2	2	-
07	TAENIA SOLIUM INFESTATION, INTESTINAL FORM-----123.0	-	-	-
08	CYSTICERCOSIS-----123.1	2	2	-
09	TAENIA SAGINATA INFESTATION-----123.2	-	-	-
10	TAENIASIS, UNSPECIFIED-----123.3	-	-	-
11	DIPHYLLOBOTHRIASIS, INTESTINAL-----123.4	-	-	-
12	SPARGANCSIS (LARVAL DIPHYLLOBOTHRIASIS)-----123.5	-	-	-
13	HYMENDEPTIASIS-----123.6	-	-	-
14	OTHER AND UNSPECIFIED-----123.9	-	-	-
15	TRICHINIASIS-----124	2	-	2
16	FILARIAL INFESTATIONS-----125	2	-	2
17	WUCHERERIASIS-----125.0	-	-	-
18	BRUGIA FILARIASIS-----125.1	-	-	-
19	LOIASIS-----125.2	-	-	-
20	ONCHOCERCOSIS-----125.3	-	-	-
21	ACANTHOCEILONEMIASIS-----125.4	-	-	-
22	MANSONELLOSIOS-----125.5	-	-	-
23	OTHER FILARIASIS-----125.8	-	-	-
24	UNSPECIFIED-----125.9	2	-	2
25	ANCYLOSTOMIASIS-----126	-	-	-
26	ANCYLOSTOMA DUODENALE-----126.0	-	-	-
27	NECATOR AMERICANUS-----126.1	-	-	-
28	OTHER ANCYLOSTOMA-----126.8	-	-	-
29	UNSPECIFIED-----126.9	-	-	-
30	OTHER INTESTINAL HELMINTHIASES-----127	4	4	-
31	ASCARIASIS-----127.0	4	4	-
32	STRONGYLOIDIASIS-----127.1	-	-	-
33	TRICHURIASIS-----127.2	-	-	-
34	ENTEROBIASIS-----127.3	-	-	-
35	OTHER INTESTINAL NEMATODE INFESTATION-----127.4	-	-	-
36	MIXED INTESTINAL HELMINTHIASIS-----127.5	-	-	-
37	INTESTINAL HELMINTHIASIS, UNSPECIFIED-----127.9	-	-	-
38	OTHER AND UNSPECIFIED HELMINTHIASES-----128	2	2	-
39	LARVA MIGRANS, VISCERAL-----128.0	-	-	-
40	OTHER-----128.8	-	-	-
41	UNSPECIFIED-----128.9	2	2	-
42	INTESTINAL PARASITISM, UNSPECIFIED-----129	2	-	2
43	OTHER INFECTIVE AND PARASITIC DISEASES-----130-136	504	228	276
44	TOXOPLASMOISIS-----130	14	4	10
45	ACQUIRED-----130.0	-	-	-
46	CONGENITAL, ACTIVE-----130.1	8	4	4
47	LATE EFFECTS OF INTRAUTERINE INFECTION-----130.2	-	-	-
48	UNSPECIFIED-----130.9	6	-	6
49	TRICHOMONIASIS UROGENITALIS-----131	-	-	-
50	PEDICULOSIS-----132	-	-	-
51	ACARIASIS-----133	-	-	-
52	SCABIES-----133.0	-	-	-
53	OTHER-----133.9	-	-	-
54	OTHER INFESTATIONS-----134	-	-	-
55	MYIASIS-----134.0	-	-	-
56	PHTHIRUS INFESTATION-----134.1	-	-	-
57	OTHER ARTHROPOD INFESTATIONS-----134.2	-	-	-
58	HIRUDINIASIS-----134.3	-	-	-
59	OTHER AND UNSPECIFIED-----134.9	-	-	-
60	SARCODIOSIS-----135	238	96	142
61	OTHER AND UNSPECIFIED INFECTIVE AND PARASITIC DISEASES-----136	252	128	124
II. NEOPLASMS				
62	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	7,482	5,348	2,134
63	MALIGNANT NEOPLASM OF LIP-----140	154	126	28
64	UPPER LIP-----140.0	-	-	-
65	LOWER LIP-----140.1	36	32	4
66	BOTH LIPS-----140.2	-	-	-
67	LIP UNSPECIFIED-----140.9	118	94	24
68	MALIGNANT NEOPLASM OF TONGUE-----141	1,816	1,250	566
69	BASE OF TONGUE-----141.0	182	126	56
70	DORSAL SURFACE OF TONGUE-----141.1	6	4	2
71	BORDERS AND TIP OF TONGUE-----141.2	-	-	-
72	VENTRAL SURFACE OF TONGUE-----141.3	-	-	-
73	PART UNSPECIFIED-----141.9	1,628	1,120	508
74	MALIGNANT NEOPLASM OF SALIVARY GLAND-----142	522	330	192
75	PAROTID GLAND-----142.0	294	256	138
76	OTHER SPECIFIED SALIVARY GLAND-----142.8	72	42	30
77	UNSPECIFIED SALIVARY GLAND-----142.9	56	32	24
78	MALIGNANT NEOPLASM OF GUM-----143	154	88	66
79	UPPER GUM-----143.0	6	6	-
80	LOWER GUM-----143.1	38	26	12
81	GUM UNSPECIFIED-----143.9	110	56	54

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	01
-	2	-	-	0.0	-	0.0	-	0.0	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	-	0.0	0.0	-	0.0	-	-	-	04
2	-	-	-	0.0	0.0	-	0.0	-	-	-	05
2	-	-	-	0.0	0.0	-	0.0	-	-	-	06
2	-	-	-	0.0	0.0	-	0.0	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	2	-	-	0.0	-	0.0	-	0.0	-	-	15
-	-	-	2	0.0	-	0.0	-	-	0.0	-	16
-	-	-	-	-	-	-	-	-	-	0.0	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	2	0.0	-	0.0	-	-	-	0.0	24
-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	29
-	-	4	-	0.0	0.0	-	-	-	0.0	-	30
-	-	4	-	0.0	0.0	-	-	-	0.0	-	31
-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	2	-	0.0	0.0	-	-	-	0.0	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	2	-	0.0	0.0	-	-	-	0.0	-	40
-	2	-	-	0.0	-	0.0	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
152	182	76	94	0.2	0.2	0.3	0.2	0.2	0.6	0.7	43
4	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-	44
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	45
-	6	-	-	0.0	-	0.0	-	0.0	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	58
42	62	54	80	0.1	0.1	0.1	0.0	0.1	0.4	0.6	59
106	110	22	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	60
-	-	-	-	-	-	-	-	-	-	-	61
4,680	1,872	668	262	3.6	5.3	2.0	5.3	2.0	5.3	1.9	62
126	24	-	4	0.1	0.1	0.0	0.1	0.0	-	0.0	63
32	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	64
94	20	-	4	0.1	0.1	0.0	0.1	0.0	-	0.0	65
1,132	502	118	64	0.9	1.2	0.5	1.3	0.5	0.9	0.5	66
108	50	18	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	67
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	68
-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
1,020	450	100	58	0.8	1.1	0.5	1.1	0.5	0.8	0.4	71
298	168	32	24	0.3	0.3	0.2	0.3	0.2	0.3	0.2	72
230	128	26	10	0.2	0.2	0.1	0.2	0.1	0.2	0.1	73
30	20	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	74
30	20	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75
76	54	12	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	76
6	-	-	-	0.0	0.0	-	-	-	-	-	77
24	8	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
46	46	10	8	0.1	0.1	0.1	0.1	0.0	0.1	0.1	79

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX--CON.					
01	MALIGNANT NEOPLASM OF FLOOR OF MOUTH-----	144	454	344	110
02	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED PARTS OF MOUTH-----	145	1,014	676	338
03	BUCCAL MUCOSA-----	145.0	96	56	40
04	PALATE (HARD OR SOFT)-----	145.1	278	192	86
05	OTHER SPECIFIED PARTS-----	145.8	28	16	12
06	PART UNSPECIFIED-----	145.9	612	412	200
07	MALIGNANT NEOPLASM OF OROPHARYNX-----	146	950	684	266
08	TONSILS-----	146.0	708	530	178
09	OTHER SPECIFIED PARTS-----	146.8	32	24	8
10	PART UNSPECIFIED-----	146.9	210	130	80
11	MALIGNANT NEOPLASM OF NASOPHARYNX-----	147	606	442	164
12	MALIGNANT NEOPLASM OF HYPOPHARYNX-----	148	580	472	108
13	POSTCRICOID REGION-----	148.0	-	-	-
14	PYRIFORM FOSSA-----	148.1	190	174	16
15	OTHER SPECIFIED PARTS-----	148.8	2	-	2
16	PART UNSPECIFIED-----	148.9	388	298	90
17	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED-----	149	1,232	936	296
18	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----	150-159	95,808	51,084	44,724
19	MALIGNANT NEOPLASM OF ESOPHAGUS-----	150	6,256	4,652	1,604
20	MALIGNANT NEOPLASM OF STOMACH-----	151	15,478	9,320	6,158
21	CARDIA-----	151.0	228	174	54
22	PYLORUS-----	151.1	34	20	14
23	OTHER SPECIFIED PARTS-----	151.8	76	46	30
24	PART UNSPECIFIED-----	151.9	15,140	9,080	6,060
25	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM-----	152	710	418	292
26	DUODENUM-----	152.0	226	132	94
27	JEJUNUM-----	152.1	116	74	42
28	ILEUM-----	152.2	108	64	44
29	PART UNSPECIFIED-----	152.9	260	148	112
30	MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM-----	153	37,088	17,286	19,802
31	CECUM, APPENDIX, AND ASCENDING COLON-----	153.0	4,282	1,904	2,378
32	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES-----	153.1	1,262	562	700
33	DESCENDING COLON-----	153.2	986	502	484
34	SIGMOID COLON-----	153.3	4,746	2,326	2,420
35	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED-----	153.8	23,924	11,142	12,782
36	INTESTINAL TRACT, PART UNSPECIFIED-----	153.9	1,888	850	1,038
37	MALIGNANT NEOPLASMS OF RECTUM AND RECTOSIGMOID JUNCTION-----	154	10,180	5,704	4,476
38	RECTOSIGMOID JUNCTION-----	154.0	1,666	900	766
39	RECTUM-----	154.1	8,452	4,776	3,676
40	ANAL CANAL-----	154.2	62	28	34
41	MALIGNANT NEOPLASMS OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY-----	155	2,382	1,548	834
42	LIVER-----	155.0	2,228	1,468	760
43	INTRAHEPATIC BILE DUCTS-----	155.1	154	80	74
44	MALIGNANT NEOPLASMS OF GALLBLADDER AND BILE DUCTS-----	156	4,234	1,476	2,758
45	GALLBLADDER-----	156.0	2,918	656	1,862
46	EXTRAHEPATIC BILE DUCTS-----	156.1	1,122	544	578
47	AMPULLA OF VATER-----	156.2	300	174	126
48	BILIARY TRACT, UNSPECIFIED-----	156.9	294	102	192
49	MALIGNANT NEOPLASM OF PANCREAS-----	157	18,040	10,006	8,034
50	HEAD-----	157.0	2,444	1,236	1,208
51	OTHER SPECIFIED PARTS-----	157.8	438	288	150
52	UNSPECIFIED-----	157.9	15,358	8,482	6,876
53	MALIGNANT NEOPLASMS OF PERITONEUM AND RETROPERITONEAL TISSUE-----	158	738	354	384
54	RETROPERITONEAL TISSUE-----	158.0	476	262	214
55	OTHER PARTS-----	158.9	262	92	170
56	MALIGNANT NEOPLASMS OF UNSPECIFIED DIGESTIVE ORGANS-----	159	702	320	382
57	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----	160-163	76,998	61,160	15,838
58	MALIGNANT NEOPLASMS OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----	160	566	350	216
59	NOSE (INTERNAL) AND NASAL CAVITIES-----	160.0	130	82	48
60	EUSTACHIAN TUBE AND MIDDLE EAR-----	160.1	28	14	14
61	MAXILLARY SINUS-----	160.2	302	186	116
62	OTHER SINUS-----	160.8	64	46	18
63	UNSPECIFIED SINUS-----	160.9	42	22	20
64	MALIGNANT NEOPLASM OF LARYNX-----	161	3,060	2,638	422
65	GLOTTIS (TRUE VOCAL CORD)-----	161.0	56	52	4
66	OTHER SPECIFIED PARTS-----	161.8	170	136	34
67	PART UNSPECIFIED-----	161.9	2,834	2,450	384
68	MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG-----	162	72,610	57,668	14,942
69	TRACHEA-----	162.0	112	62	50
70	BRONCHUS AND LUNG-----	162.1	72,498	57,606	14,892
71	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED RESPIRATORY ORGANS-----	163	762	504	258
72	PLEURA-----	163.0	272	200	72
73	MEDIASTINUM-----	163.1	342	226	116
74	SITE UNSPECIFIED-----	163.9	148	78	70
75	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST-----	170-174	39,562	4,872	34,690
76	MALIGNANT NEOPLASMS OF BONE-----	170	1,872	1,076	796
77	BONES OF SKULL AND FACE-----	170.0	270	154	116
78	LOWER JAW BONE-----	170.1	184	102	82
79	VERTEBRAL COLUMN (EXCLUDING SACRUM AND COCCYX)-----	170.2	260	156	104
80	RIBS, STERNUM, AND CLAVICLE-----	170.3	64	32	32
81	LONG BONES OF UPPER LIMB AND SCAPULA-----	170.4	92	48	44
82	UPPER LIMB, SHORT BONES-----	170.5	4	2	2
83	PELVIC BONES, SACRUM, AND COCCYX-----	170.6	164	92	72
84	LOWER LIMB, LONG BONES-----	170.7	260	124	136
85	LOWER LIMB, SHORT BONES-----	170.8	16	4	12
86	SITE UNSPECIFIED-----	170.9	558	362	196

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
306	100	38	10	0.2	0.3	C.1	0.3	0.1	0.3	0.1	01
588	300	88	38	0.5	0.7	0.3	0.7	0.3	0.7	0.3	02
50	36	6	4	0.0	0.1	C.0	0.1	0.0	0.0	0.0	03
164	74	28	10	0.1	0.2	0.1	0.2	0.1	0.2	0.1	04
12	12	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
362	176	50	24	0.3	0.4	C.2	0.4	0.2	0.4	0.2	06
588	228	96	38	0.5	0.7	0.2	0.7	0.2	0.8	0.3	07
456	152	74	26	0.3	0.5	C.2	0.5	0.2	0.6	0.2	08
22	8	2	-	0.0	0.0	C.0	0.0	0.0	0.0	0.0	09
110	68	20	12	0.1	0.1	C.1	0.1	0.1	0.2	0.1	10
366	136	76	28	0.3	0.4	0.2	0.4	0.1	0.6	0.2	11
400	102	72	6	0.3	0.5	0.1	0.5	0.1	0.6	0.0	12
-	-	-	-	-	-	-	-	-	-	-	13
148	14	26	2	0.1	0.2	0.0	0.2	0.0	0.2	0.0	14
-	2	-	-	0.0	-	0.0	-	0.0	-	-	15
252	86	46	4	0.2	0.3	C.1	0.3	0.1	0.4	0.0	16
800	258	136	38	0.6	0.9	C.3	0.9	0.3	1.1	0.3	17
45,094	40,296	5,990	4,428	46.0	50.3	41.9	50.7	43.3	47.6	32.2	18
3,552	1,222	1,100	382	3.0	4.6	1.5	4.0	1.3	8.7	2.8	19
7,814	5,294	1,506	864	7.4	9.2	5.8	8.8	5.7	12.0	6.3	20
160	46	14	8	0.1	0.2	0.1	0.2	0.0	0.1	0.1	21
16	12	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
42	28	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
7,596	5,208	1,484	852	7.3	8.9	5.7	8.5	5.6	11.8	6.2	24
374	264	44	28	0.3	0.4	0.3	0.4	0.3	0.3	0.2	25
118	82	14	12	0.1	0.1	C.1	0.1	0.1	0.1	0.1	26
68	38	6	4	0.1	0.1	C.0	0.1	0.0	0.0	0.0	27
58	42	6	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	28
130	102	18	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	29
15,958	18,214	1,328	1,588	17.8	17.0	18.5	18.0	19.6	10.5	11.6	30
1,754	2,216	150	162	2.1	1.9	2.2	2.0	2.4	1.2	1.2	31
504	638	58	62	0.6	0.6	C.7	0.6	0.7	0.5	0.5	32
456	438	46	46	0.5	0.5	C.5	0.5	0.5	0.4	0.3	33
2,160	2,240	166	180	2.3	2.3	2.3	2.4	2.4	1.3	1.3	34
10,278	11,702	864	1,080	11.5	11.0	12.0	11.6	12.6	6.9	7.9	35
806	980	44	58	0.9	0.8	1.0	0.9	1.1	0.3	0.4	36
5,262	4,074	442	402	4.9	5.6	4.2	5.9	4.4	3.5	2.9	37
848	720	52	46	0.8	0.9	0.7	1.0	0.8	0.4	0.3	38
4,392	3,322	384	354	4.1	4.7	3.4	4.9	3.6	3.0	2.6	39
22	32	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40
1,228	714	320	120	1.1	1.5	C.8	1.4	0.8	2.5	0.9	41
1,164	648	304	112	1.1	1.4	C.7	1.3	0.7	2.4	0.8	42
64	66	16	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	43
1,382	2,604	94	154	2.0	1.5	2.6	1.6	2.8	0.7	1.1	44
612	1,754	44	108	1.2	0.6	1.7	0.7	1.9	0.3	0.8	45
508	550	36	28	0.5	0.5	C.5	0.6	0.6	0.3	0.2	46
166	122	8	4	0.1	0.2	C.1	0.2	0.1	0.1	0.0	47
96	178	6	14	0.1	0.1	C.2	0.1	0.2	0.0	0.1	48
8,938	7,234	1,068	800	8.7	9.9	7.5	10.1	7.5	8.5	5.8	49
1,098	904	138	104	1.1	1.2	0.9	1.2	1.0	1.1	0.8	50
256	138	32	12	0.2	0.3	C.1	0.3	0.1	0.3	0.1	51
7,584	6,192	898	684	7.4	8.4	6.4	8.5	6.7	7.1	5.0	52
322	350	32	34	0.4	0.3	0.4	0.4	0.4	0.3	0.2	53
234	202	28	12	0.2	0.3	0.2	0.3	0.2	0.2	0.1	54
88	148	4	22	0.1	0.1	0.2	0.1	0.2	0.0	0.2	55
264	326	56	56	0.3	0.3	0.4	0.3	0.4	0.4	0.4	56
54,632	14,402	6,528	1,436	37.0	60.3	14.8	61.5	15.5	51.8	10.5	57
296	198	54	18	0.3	0.3	C.2	0.3	0.2	0.4	0.1	58
72	44	10	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	59
12	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60
154	104	32	10	0.1	0.2	0.1	0.2	0.1	0.3	0.1	61
40	14	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
18	20	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63
2,320	360	318	62	1.5	2.6	C.4	2.6	0.4	2.5	0.5	64
48	2	4	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	65
120	26	16	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1	66
2,152	332	298	52	1.4	2.4	0.4	2.4	0.4	2.4	0.4	67
51,558	13,626	6,110	1,316	34.9	56.8	14.0	58.0	14.6	48.5	9.6	68
60	44	2	6	0.1	0.1	0.0	0.1	0.0	0.0	0.0	69
51,498	13,582	6,108	1,310	34.8	56.8	13.9	57.9	14.6	48.5	9.5	70
458	218	46	40	0.4	0.5	0.2	0.5	0.2	0.4	0.3	71
182	54	18	18	0.1	0.2	0.1	0.2	0.1	0.1	0.1	72
202	104	24	12	0.2	0.2	0.1	0.2	0.1	0.2	0.1	73
74	60	4	10	0.1	0.1	0.1	0.1	0.1	0.0	0.1	74
4,504	31,696	368	2,994	19.0	4.8	32.5	5.1	34.1	2.9	21.8	75
954	712	122	84	0.9	1.1	0.7	1.1	0.8	1.0	0.6	76
132	100	22	16	0.1	0.2	C.1	0.1	0.1	0.2	0.1	77
84	72	18	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	78
150	96	8	8	0.1	0.1	0.1	0.2	0.1	0.0	0.1	79
30	28	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80
40	42	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	81
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	82
84	68	8	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	83
108	126	16	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	84
4	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-	85
320	166	42	30	0.3	0.4	0.2	0.4	0.2	0.3	0.2	86

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST--CON.				
01	MALIGNANT NEOPLASMS OF CONNECTIVE AND OTHER SOFT TISSUE-----171	1,522	810	712
02	HEAD, FACE, AND NECK-----171.0	60	40	20
03	TRUNK-----171.1	290	142	148
04	UPPER LIMB (INCLUDING SHOULDER)-----171.2	58	38	20
05	LOWER LIMB (INCLUDING HIP)-----171.3	230	124	106
06	SITE UNSPECIFIED-----171.9	884	466	418
07	MALIGNANT MELANOMA OF SKIN-----172	3,312	1,860	1,452
08	LIPS-----172.0	6	6	-
09	EYELIDS, INCLUDING CANTHI-----172.1	4	2	2
10	EAR AND EXTERNAL AURICULAR CANAL-----172.2	16	14	2
11	OTHER AND UNSPECIFIED PARTS OF FACE-----172.3	80	54	26
12	SCALP AND NECK-----172.4	90	70	20
13	SCROTUM-----172.5	2	-	-
14	TRUNK, EXCEPT SCROTUM-----172.6	246	140	106
15	UPPER LIMB-----172.7	134	80	54
16	LOWER LIMB-----172.8	212	64	148
17	SITE UNSPECIFIED-----172.9	2,522	1,428	1,094
18	OTHER MALIGNANT NEOPLASMS OF SKIN-----173	1,396	828	568
19	LIPS-----173.0	16	14	2
20	EYELIDS, INCLUDING CANTHI-----173.1	12	4	8
21	EAR AND EXTERNAL AURICULAR CANAL-----173.2	56	30	26
22	OTHER AND UNSPECIFIED PARTS OF FACE-----173.3	624	378	246
23	SCALP AND NECK-----173.4	200	126	74
24	SCROTUM-----173.5	18	18	-
25	TRUNK, EXCEPT SCROTUM-----173.6	230	108	122
26	UPPER LIMB-----173.7	30	24	6
27	LOWER LIMB-----173.8	58	36	22
28	SITE UNSPECIFIED-----173.9	192	90	62
29	MALIGNANT NEOPLASM OF BREAST-----174	31,460	298	31,162
30	MALIGNANT NEOPLASMS OF GENITOURINARY ORGANS-----180-189	58,104	29,818	28,286
31	MALIGNANT NEOPLASM OF CERVIX UTERI-----180	6,368	...	6,368
32	CHORIONEPITHELIOMA-----181	36	...	36
33	OTHER MALIGNANT NEOPLASM OF UTERUS-----182	5,688	...	5,688
34	CORPUS UTERI-----182.0	2,168	...	2,168
35	UTERUS, UNSPECIFIED-----182.9	3,520	...	3,520
36	MALIGNANT NEOPLASMS OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT-----183	10,170	...	10,170
37	OVARY-----183.0	10,052	...	10,052
38	FALLOPIAN TUBE AND BROAD LIGAMENT-----183.1	116	...	116
39	PART UNSPECIFIED-----183.9	2	...	2
40	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS-----184	914	...	914
41	VAGINA-----184.0	366	...	366
42	VULVA-----184.1	456	...	456
43	OTHER SPECIFIED SITES-----184.8	9	...	2
44	SITE UNSPECIFIED-----184.9	90	...	90
45	MALIGNANT NEOPLASM OF PROSTATE-----185	18,228	18,228	...
46	MALIGNANT NEOPLASM OF TESTIS-----186	706	706	...
47	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS-----187	256	256	...
48	PENIS-----187.0	210	210	...
49	OTHER SPECIFIED SITES-----187.8	12	12	...
50	SITE UNSPECIFIED-----187.9	34	34	...
51	MALIGNANT NEOPLASM OF BLADDER-----188	8,974	6,316	2,658
52	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED URINARY ORGANS-----189	6,764	4,312	2,452
53	KIDNEY, EXCEPT PELVIS-----189.0	6,284	4,044	2,240
54	PELVIS OF KIDNEY-----189.1	92	60	32
55	URETER-----189.2	222	144	78
56	OTHER AND UNSPECIFIED-----189.9	166	64	102
57	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES-----190-199	33,622	17,348	16,274
58	MALIGNANT NEOPLASM OF EYE-----190	360	184	176
59	MALIGNANT NEOPLASM OF BRAIN-----191	6,216	3,560	2,656
60	MALIGNANT NEOPLASMS OF OTHER PARTS OF NERVOUS SYSTEM-----192	1,890	1,090	800
61	CRANIAL NERVES (INCLUDING OPTIC)-----192.0	20	10	10
62	CEREBRAL MENINGES-----192.1	28	14	14
63	SPINAL CORD-----192.2	116	66	50
64	SPINAL MENINGES-----192.3	2	2	-
65	PERIPHERAL NERVES-----192.4	134	82	52
66	SYMPATHETIC NERVOUS SYSTEM-----192.5	266	162	104
67	SITE UNSPECIFIED-----192.9	1,324	754	570
68	MALIGNANT NEOPLASM OF THYROID GLAND-----193	1,054	368	686
69	MALIGNANT NEOPLASMS OF OTHER ENDOCRINE GLANDS-----194	446	224	222
70	SUPRARENAL GLAND-----194.0	282	146	136
71	PARATHYROID GLAND-----194.1	14	4	10
72	THYMUS-----194.2	84	38	46
73	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT-----194.3	38	20	18
74	PINEAL GLAND-----194.4	10	4	6
75	OTHER-----194.8	16	10	6
76	UNSPECIFIED ENDOCRINE GLAND-----194.9	2	2	-
77	MALIGNANT NEOPLASMS OF ILL-DEFINED SITES-----195	2,896	1,244	1,652
78	ABDOMEN AND INTRA-ABDOMINAL-----195.0	1,592	536	1,056
79	PELVIS, PELVIC VISCERA, AND RECTOVAGINAL SEPTUM-----195.1	338	44	294
80	OTHER-----195.9	966	664	302
81	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPH NODES-----196	174	96	78
82	HEAD, FACE, AND NECK-----196.0	70	40	30
83	INTRATHORACIC-----196.1	2	2	-
84	INTRA-ABDOMINAL-----196.2	8	2	6
85	AXILLARY AND UPPER LIMB-----196.3	4	2	2
86	INGUINAL AND LOWER LIMB-----196.4	8	2	6
87	OTHER SPECIFIED SITE-----196.7	18	12	6
88	MULTIPLE SITES-----196.8	12	4	8
89	SITE UNSPECIFIED-----196.9	52	32	20

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
736	612	74	100	0.7	0.8	0.7	0.8	0.7	0.6	0.7	01
34	18	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	02
132	130	10	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	03
34	16	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04
112	90	12	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	05
424	358	42	60	0.4	0.5	0.4	0.5	0.4	0.3	0.4	06
1,790	1,420	70	32	1.6	1.8	1.4	2.0	1.5	0.6	0.2	07
6	-	-	-	0.0	0.0	0.0	0.0	-	-	-	08
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	09
14	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	10
54	26	-	-	0.0	0.1	0.0	0.1	0.0	-	-	11
68	18	2	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	12
2	-	-	-	0.0	0.0	-	0.0	-	-	-	13
140	104	-	2	0.1	0.1	0.1	0.2	0.1	-	0.0	14
74	54	6	-	0.1	0.1	0.1	0.1	0.1	0.0	-	15
54	148	10	-	0.1	0.1	0.1	0.1	0.2	0.1	-	16
1,376	1,066	52	28	1.2	1.4	1.0	1.5	1.1	0.4	0.2	17
780	510	48	58	0.7	0.8	0.5	0.9	0.5	0.4	0.4	18
14	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	19
4	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	20
30	26	-	-	0.0	0.0	0.0	0.0	0.0	-	-	21
368	234	10	12	0.3	0.4	0.2	0.4	0.3	0.1	0.1	22
114	68	12	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	23
16	-	2	-	0.0	0.0	-	0.0	-	0.0	-	24
96	96	12	26	0.1	0.1	0.1	0.1	0.1	0.1	0.2	25
24	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	26
30	14	6	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	27
84	56	6	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	28
244	28,442	54	2,720	15.1	0.3	29.2	0.3	30.6	0.4	19.8	29
26,074	24,770	3,744	3,516	27.9	29.4	26.5	29.3	26.6	29.7	25.6	30
...	5,064	...	1,304	3.1	...	6.0	...	5.4	...	9.5	31
...	32	...	4	0.0	...	0.0	...	0.0	...	0.0	32
...	4,888	...	800	2.7	...	5.3	...	5.3	...	5.8	33
...	1,910	...	258	1.0	...	2.0	...	2.1	...	1.9	34
...	2,978	...	542	1.7	...	3.3	...	3.2	...	3.9	35
...	9,386	...	784	4.9	...	5.5	...	10.1	...	5.7	36
...	9,278	...	774	4.8	...	5.4	...	10.0	...	5.6	37
...	106	...	10	0.1	...	0.1	...	0.1	...	0.1	38
...	2	...	-	0.0	...	0.0	...	0.0	...	-	39
...	812	...	102	0.4	...	0.9	...	0.9	...	0.7	40
...	322	...	44	0.2	...	0.3	...	0.3	...	0.3	41
...	416	...	40	0.2	...	0.4	...	0.4	...	0.3	42
...	2	...	-	0.0	...	0.0	...	0.0	...	-	43
...	72	...	18	0.0	...	0.1	...	0.1	...	0.1	44
15,398	...	2,830	...	8.8	18.0	...	17.3	...	22.5	...	45
676	...	30	...	0.3	0.7	...	0.8	...	0.2	...	46
194	...	62	...	0.1	0.3	...	0.2	...	0.5	...	47
158	...	52	...	0.1	0.2	...	0.2	...	0.4	...	48
10	...	2	...	0.0	0.0	...	0.0	...	0.0	...	49
26	...	8	...	0.0	0.0	...	0.0	...	0.1	...	50
5,840	2,338	476	320	4.3	6.2	2.5	6.6	2.5	3.8	2.3	51
3,966	2,250	346	202	3.2	4.2	2.3	4.5	2.4	2.7	1.5	52
3,738	2,076	306	164	3.0	4.0	2.1	4.2	2.2	2.4	1.2	53
54	26	6	6	0.0	0.1	0.0	0.1	0.0	0.0	0.0	54
130	70	14	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	55
44	78	20	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2	56
15,408	14,524	1,940	1,750	16.1	17.1	15.2	17.3	15.6	15.4	12.7	57
176	164	8	12	0.2	0.2	0.2	0.2	0.2	0.1	0.1	58
3,364	2,496	196	160	3.0	3.5	2.5	3.8	2.7	1.6	1.2	59
1,002	734	88	66	0.9	1.1	0.7	1.1	0.8	0.7	0.5	60
8	6	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
10	12	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
54	46	12	4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	63
2	-	-	-	0.0	0.0	-	0.0	-	-	-	64
76	48	6	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0	65
136	96	26	8	0.1	0.2	0.1	0.2	0.1	0.2	0.1	66
716	526	38	44	0.6	0.7	0.5	0.8	0.6	0.3	0.3	67
332	640	36	46	0.5	0.4	0.6	0.4	0.7	0.3	0.3	68
198	200	26	22	0.2	0.2	0.2	0.2	0.2	0.2	0.2	69
136	128	10	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	70
4	6	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	71
32	40	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72
14	16	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
2	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
8	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	75
2	-	-	-	0.0	0.0	-	0.0	-	-	-	76
1,116	1,450	128	202	1.4	1.2	1.5	1.3	1.6	1.0	1.5	77
470	938	66	118	0.8	0.5	1.0	0.5	1.0	0.5	0.9	78
38	258	6	36	0.2	0.0	0.3	0.0	0.3	0.0	0.3	79
608	254	56	48	0.5	0.7	0.3	0.7	0.3	0.4	0.3	80
76	66	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	81
32	24	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	82
2	-	-	-	0.0	0.0	-	0.0	-	-	-	83
2	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	84
2	-	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	85
-	6	2	-	0.0	0.0	0.0	-	0.0	0.0	-	86
12	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	87
4	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	88
22	20	10	-	0.0	0.0	0.0	0.0	0.0	0.1	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES--CDN.				
01	SECONDARY MALIGNANT NEOPLASMS OF RESPIRATORY AND DIGESTIVE SYSTEMS-----197	6,370	3,362	3,008
02	LUNG SPECIFIED AS SECONDARY-----197.0	872	458	414
03	MEDIASTINUM SPECIFIED AS SECONDARY-----197.1	30	16	14
04	PLEURA SPECIFIED AS SECONDARY-----197.2	188	84	104
05	OTHER RESPIRATORY ORGANS SPECIFIED AS SECONDARY-----197.3	30	14	16
06	SMALL INTESTINE, INCLUDING DUODENUM, SPECIFIED AS SECONDARY-----197.4	12	4	8
07	LARGE INTESTINE AND RECTUM SPECIFIED AS SECONDARY-----197.5	66	28	38
08	PERITONEUM SPECIFIED AS SECONDARY-----197.6	104	56	48
09	LIVER SPECIFIED AS SECONDARY-----197.7	1,970	1,028	942
10	LIVER, UNSPECIFIED-----197.8	3,036	1,630	1,406
11	OTHER DIGESTIVE ORGANS SPECIFIED AS SECONDARY-----197.9	62	44	18
12	OTHER SECONDARY MALIGNANT NEOPLASMS-----198	2,090	1,112	978
13	BLADDER SPECIFIED AS SECONDARY-----198.0	10	8	2
14	OTHER URINARY ORGANS SPECIFIED AS SECONDARY-----198.1	14	10	4
15	SKIN SPECIFIED AS SECONDARY-----198.2	24	22	2
16	BRAIN SPECIFIED AS SECONDARY-----198.3	668	386	282
17	OTHER PARTS OF NERVOUS SYSTEM SPECIFIED AS SECONDARY-----198.4	60	44	16
18	BONE SPECIFIED AS SECONDARY-----198.5	452	280	172
19	OTHER SITES SPECIFIED AS SECONDARY-----198.9	862	362	500
20	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE-----199	12,126	6,108	6,018
21	MULTIPLE-----199.0	10,630	5,320	5,310
22	OTHER-----199.1	1,496	788	708
23	NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-209	34,042	18,844	15,198
24	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA-----200	7,080	3,754	3,326
25	RETICULUM CELL SARCOMA-----200.0	2,674	1,388	1,286
26	LYMPHOSARCOMA-----200.1	4,406	2,406	2,000
27	HODGKIN'S DISEASE-----201	3,196	1,880	1,316
28	OTHER NEOPLASMS OF LYMPHOID TISSUE-----202	3,010	1,624	1,386
29	GIANT FOLLICULAR LYMPHOMA-----202.0	76	20	56
30	MYCOSIS FUNGOIDES-----202.1	120	74	46
31	OTHER PRIMARY MALIGNANT NEOPLASMS OF LYMPHOID TISSUE-----202.2	2,814	1,530	1,284
32	OTHER FORMS OF LYMPHOMA-----202.9	-	-	-
33	MULTIPLE MYELOMA-----203	4,866	2,560	2,306
34	LYMPHATIC LEUKEMIA-----204	4,566	2,718	1,848
35	ACUTE-----204.0	1,576	912	664
36	CHRONIC-----204.1	2,170	1,350	820
37	UNSPECIFIED-----204.9	820	456	364
38	MYELOID LEUKEMIA-----205	6,270	3,470	2,800
39	ACUTE-----205.0	3,896	2,170	1,726
40	CHRONIC-----205.1	1,716	942	774
41	UNSPECIFIED-----205.9	658	358	300
42	MONOCYTIC LEUKEMIA-----206	588	342	246
43	ACUTE-----206.0	462	266	196
44	CHRONIC-----206.1	24	14	10
45	UNSPECIFIED-----206.9	102	62	40
46	OTHER AND UNSPECIFIED LEUKEMIA-----207	2,978	1,654	1,324
47	LEUKEMIA, ACUTE-----207.0	1,550	840	710
48	LEUKEMIA, CHRONIC-----207.1	118	62	56
49	ERYTHREMIA, ACUTE-----207.2	168	100	68
50	LEUKEMIA, UNSPECIFIED-----207.9	1,142	652	490
51	POLYCYTHEMIA VERA-----208	626	332	294
52	MYELOFIBROSIS-----209	862	470	392
53	BENIGN NEOPLASMS-----210-228	1,786	772	1,014
54	BENIGN NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----210	10	4	6
55	LIP-----210.0	-	-	-
56	TONGUE-----210.1	-	-	-
57	SALIVARY GLAND-----210.2	4	-	4
58	FLOOR OF MOUTH-----210.3	-	-	-
59	OTHER AND UNSPECIFIED PARTS OF MOUTH-----210.4	4	2	2
60	TONSIL-----210.5	-	-	-
61	OTHER PARTS OF OROPHARYNX-----210.6	-	-	-
62	NASOPHARYNX-----210.7	2	2	-
63	HYPOPHARYNX-----210.8	-	-	-
64	PHARYNX, UNSPECIFIED-----210.9	-	-	-
65	BENIGN NEOPLASMS OF OTHER PARTS OF DIGESTIVE SYSTEM-----211	210	108	102
66	ESOPHAGUS-----211.0	2	2	-
67	STOMACH-----211.1	12	10	2
68	SMALL INTESTINE-----211.2	22	8	14
69	LARGE INTESTINE, EXCEPT RECTUM-----211.3	124	60	64
70	RECTUM-----211.4	28	16	12
71	LIVER AND BILIARY PASSAGES-----211.5	12	6	6
72	PANCREAS-----211.6	6	4	2
73	PERITONEUM AND RETROPERITONEAL TISSUE-----211.7	4	2	2
74	UNSPECIFIED SITE-----211.9	-	-	-
75	BENIGN NEOPLASMS OF RESPIRATORY SYSTEM-----212	104	72	32
76	NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----212.0	4	4	-
77	LARYNX-----212.1	8	4	4
78	TRACHEA-----212.2	-	-	-
79	BRONCHUS AND LUNG-----212.3	64	44	20
80	PLEURA-----212.4	6	6	-
81	MEDIASTINUM-----212.5	6	2	4
82	UNSPECIFIED SITE-----212.9	16	12	4
83	BENIGN NEOPLASMS OF BONE AND CARTILAGE-----213	12	10	2
84	EXOSTOSIS-----*213.0	2	2	-
85	OSTEOMA-----*213.1	2	2	-
86	CHONDROMA, ENCHONDROMA, AND MYXOCHONDROMA-----*213.2	2	2	-
87	OTHER AND UNSPECIFIED-----*213.9	6	4	2

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH	TOTAL		
	BOTH SEXES	MALE	FEMALE
BENIGN NEOPLASMS--CON.			
01 LIPOMA-----214	6	-	6
02 SKIN AND SUBCUTANEOUS TISSUE-----*214.0	-	-	-
03 SPERMATIC CORD-----*214.1	-	-	-
04 OTHER AND UNSPECIFIED-----*214.9	6	-	6
05 OTHER BENIGN NEOPLASMS OF MUSCULAR AND CONNECTIVE TISSUES-----215	36	12	24
06 BENIGN NEOPLASM OF SKIN-----216	8	4	4
07 EPIDERMIS-----216.0	-	-	-
08 HAIR FOLLICLES AND SEBACEOUS GLANDS-----216.1	-	-	-
09 SWEAT GLANDS AND SWEAT DUCTS-----216.2	-	-	-
10 OTHER-----216.8	8	4	4
11 UNSPECIFIED-----216.9	-	-	-
12 BENIGN NEOPLASM OF BREAST-----217	8	-	8
13 UTERINE FIBROMA-----218	114	...	114
14 OTHER BENIGN NEOPLASM OF UTERUS-----219	2	...	2
15 PAPILLOMA, POLYP-----219.0	-	...	-
16 BENIGN CYST-----219.1	-	...	-
17 OTHER AND UNSPECIFIED-----219.9	2	...	2
18 BENIGN NEOPLASM OF OVARY-----220	56	...	56
19 TERATOMA (DERMOID) NOT SPECIFIED AS MALIGNANT-----*220.0	6	...	6
20 CYSTADENOMA AND BENIGN OVARIAN CYST-----*220.1	48	...	48
21 FIBROMA-----*220.2	-	...	-
22 OTHER AND UNSPECIFIED-----*220.9	2	...	2
23 BENIGN NEOPLASMS OF OTHER FEMALE GENITAL ORGANS-----221	4	...	4
24 FALLOPIAN TUBE AND BROAD LIGAMENT-----221.0	2	...	2
25 VAGINA-----221.1	-	...	-
26 VULVA-----221.2	2	...	2
27 OTHER SPECIFIED SITES-----221.8	-	...	-
28 UNSPECIFIED SITE-----221.9	-	...	-
29 BENIGN NEOPLASMS OF MALE GENITAL ORGANS-----222	-	...	-
30 TESTIS-----222.0	-	...	-
31 PENIS-----222.1	-	...	-
32 OTHER SPECIFIED SITES-----222.8	-	...	-
33 UNSPECIFIED SITE-----222.9	-	...	-
34 BENIGN NEOPLASMS OF KIDNEY AND OTHER URINARY ORGANS-----223	8	6	2
35 KIDNEY, EXCEPT PELVIS-----223.0	8	6	2
36 PELVIS OF KIDNEY-----223.1	-	-	-
37 URETER-----223.2	-	-	-
38 BLADDER-----223.3	-	-	-
39 OTHER SPECIFIED SITES-----223.8	-	-	-
40 UNSPECIFIED SITE-----223.9	-	-	-
41 BENIGN NEOPLASM OF EYE-----224	-	-	-
42 BENIGN NEOPLASMS OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM-----225	776	324	452
43 BRAIN-----225.0	164	88	76
44 CRANIAL NERVES (INCLUDING OPTIC)-----225.1	78	40	38
45 CEREBRAL MENINGES-----225.2	312	110	202
46 SPINAL CORD-----225.3	14	8	6
47 SPINAL MENINGES-----225.4	-	-	-
48 PERIPHERAL NERVES-----225.5	30	18	12
49 SYMPATHETIC NERVOUS SYSTEM-----225.6	2	2	-
50 UNSPECIFIED SITE-----225.9	176	58	118
51 BENIGN NEOPLASMS OF ENDOCRINE GLANDS-----226	238	134	104
52 SUPRARENAL GLAND-----226.0	8	8	16
53 THYROID-----226.1	18	12	6
54 PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT (POUCH)-----226.2	168	96	72
55 PINEAL GLAND-----226.3	18	14	4
56 CAROTID BODY-----*226.4	4	2	2
57 OTHER SPECIFIED ENDOCRINE GLANDS-----*226.8	6	2	4
58 UNSPECIFIED SITE-----226.9	-	-	-
59 HEMANGIOMA AND LYMPHANGIOMA-----227	84	42	42
60 HEMANGIOMA (OF SKIN)-----*227.1	8	8	-
61 HEMANGIOMA OF OTHER SITES-----*227.2	44	16	28
62 LYMPHANGIOMA-----*227.2	32	18	14
63 BENIGN NEOPLASMS OF OTHER AND UNSPECIFIED ORGANS AND TISSUES-----228	110	56	54
64 NEOPLASMS OF UNSPECIFIED NATURE-----230-239	3,170	1,656	1,514
65 NEOPLASMS OF UNSPECIFIED NATURE OF DIGESTIVE ORGANS-----230	316	172	144
66 ESOPHAGUS-----230.0	18	14	4
67 STOMACH-----230.1	46	24	22
68 SMALL INTESTINE-----230.2	16	12	4
69 LARGE INTESTINE, EXCLUDING RECTUM-----230.3	76	30	46
70 RECTUM-----230.4	16	12	4
71 LIVER AND BILIARY PASSAGES-----230.5	46	28	18
72 PANCREAS-----230.6	34	20	14
73 PERITONEUM-----230.7	40	18	22
74 UNSPECIFIED SITE-----230.9	24	14	10
75 NEOPLASMS OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS-----231	398	278	120
76 NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----231.0	2	2	-
77 LARYNX-----231.1	2	2	-
78 TRACHEA-----231.2	4	4	-
79 BRONCHUS AND LUNG-----231.3	308	212	96
80 PLEURA-----231.4	6	4	2
81 MEDIASTINUM-----231.5	60	46	14
82 UNSPECIFIED SITE-----231.9	16	9	8
83 NEOPLASMS OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM-----232	32	14	18
84 BONE AND CARTILAGE-----232.0	18	10	8
85 MUSCULAR AND CONNECTIVE TISSUE-----232.1	8	2	6
86 SKIN-----232.2	6	2	4
87 NEOPLASM OF UNSPECIFIED NATURE OF BREAST-----233	2	-	2

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-	4	-	2	0.0	-	0.0	-	0.0	-	0.0	01
-	-	-	-	-	-	-	-	-	-	-	02
-	4	-	2	0.0	-	0.0	-	0.0	-	0.0	03
-	4	-	2	0.0	-	0.0	-	0.0	-	0.0	04
10	20	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
-	6	-	2	0.0	-	0.0	-	0.0	-	0.0	12
56	58	...	58	0.1	...	0.1	...	0.1	...	0.4	13
2	2	...	-	0.0	...	0.0	...	0.0	...	-	14
-	-	...	-	-	...	-	...	-	...	-	15
-	-	...	-	-	...	-	...	-	...	-	16
-	2	...	-	0.0	...	0.0	...	0.0	...	-	17
-	48	...	8	0.0	...	0.1	...	0.1	...	0.1	18
-	6	...	-	0.0	...	0.0	...	0.0	...	-	19
-	40	...	8	0.0	...	0.0	...	0.0	...	0.1	20
-	-	...	-	-	...	-	...	-	...	-	21
-	2	...	-	0.0	...	0.0	...	0.0	...	-	22
-	2	...	2	0.0	...	0.0	...	0.0	...	0.0	23
-	2	...	-	0.0	...	0.0	...	0.0	...	-	24
-	-	...	-	-	...	-	...	-	...	-	25
-	-	...	2	0.0	...	0.0	...	-	...	0.0	26
-	-	...	-	-	...	-	...	-	...	-	27
-	-	...	-	-	...	-	...	-	...	-	28
-	-	29
-	-	30
-	-	31
-	-	32
-	-	33
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
280	388	44	64	0.4	0.3	0.4	0.3	0.4	0.3	0.5	42
78	72	10	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	43
38	32	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
94	164	16	38	0.1	0.1	0.2	0.1	0.2	0.1	0.3	45
6	0	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46
-	-	-	-	-	-	-	-	-	-	-	47
16	10	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
2	-	-	-	0.0	0.0	-	0.0	-	-	-	49
46	104	12	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	50
118	84	16	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	51
6	14	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52
10	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	53
86	56	10	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	54
14	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	55
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	56
-	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	57
-	-	-	-	-	-	-	-	-	-	-	58
34	36	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	59
6	-	2	-	0.0	0.0	-	0.0	-	0.0	-	60
12	24	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
16	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
52	46	4	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1	63
1,450	1,354	206	160	1.5	1.6	1.4	1.6	1.5	1.6	1.2	64
154	120	18	24	0.2	0.2	0.1	0.2	0.1	0.1	0.2	65
14	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	66
24	16	-	6	0.0	0.0	0.0	0.0	0.0	-	0.0	67
12	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	68
26	36	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	69
10	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
26	16	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71
16	12	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72
14	20	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
12	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	74
246	108	32	12	0.2	0.3	0.1	0.3	0.1	0.3	0.1	75
2	-	-	-	0.0	0.0	-	0.0	-	-	-	76
-	-	2	-	0.0	0.0	-	-	-	0.0	-	77
4	-	-	-	0.0	0.0	-	0.0	-	-	-	78
192	88	20	8	0.1	0.2	0.1	0.2	0.1	0.2	0.1	79
4	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0	80
38	12	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	81
6	8	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	82
12	18	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	83
8	8	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	84
2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	85
2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	86
-	-	-	2	0.0	0.0	0.0	-	-	-	0.0	87

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
NEOPLASMS OF UNSPECIFIED NATURE—CON.				
01	NEOPLASM OF UNSPECIFIED NATURE OF UTERUS-----	234	14	14
02	CARCINOMA IN SITU OF CERVIX UTERI-----	234.0	4	4
03	CERVIX UTERI, OTHER-----	234.1	2	2
04	OTHER AND UNSPECIFIED PART-----	234.9	8	8
05	NEOPLASM OF UNSPECIFIED NATURE OF OVARY-----	235	10	10
06	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER FEMALE GENITAL ORGANS-----	236	4	4
07	FALLOPIAN TUBE AND BROAD LIGAMENTS-----	236.0	-	-
08	VAGINA-----	236.1	2	2
09	VULVA-----	236.2	-	-
10	OTHER SPECIFIED SITES-----	236.8	-	-
11	UNSPECIFIED SITE-----	236.9	2	2
12	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER GENITOURINARY ORGANS-----	237	88	44
13	TESTIS-----	237.0	2	2
14	PENIS-----	237.1	-	-
15	OTHER AND UNSPECIFIED MALE GENITAL ORGANS-----	237.2	-	-
16	KIDNEY, EXCEPT PELVIS-----	237.3	40	22
17	PELVIS OF KIDNEY-----	237.4	-	-
18	URETER-----	237.5	-	-
19	BLADDER-----	237.6	46	20
20	OTHER AND UNSPECIFIED URINARY ORGANS-----	237.9	-	-
21	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM-----	238	2,054	1,036
22	EYE-----	238.0	-	-
23	BRAIN-----	238.1	1,978	998
24	CRANIAL NERVES (INCLUDING OPTIC NERVE)-----	238.2	4	4
25	CEREBRAL MENINGES-----	238.3	2	2
26	SPINAL CORD-----	238.4	58	32
27	SPINAL MENINGES-----	238.5	-	-
28	PERIPHERAL NERVES-----	238.6	-	-
29	SYMPATHETIC NERVOUS SYSTEM-----	238.7	-	-
30	UNSPECIFIED SITE-----	238.9	12	6
31	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER AND UNSPECIFIED ORGANS-----	239	252	112
32	BUCCAL CAVITY AND PHARYNX-----	239.0	22	10
33	ENDOCRINE GLANDS-----	239.1	16	12
34	OTHER AND UNSPECIFIED SITES-----	239.9	214	88
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES				
35	DISEASES OF THYROID GLAND-----	240-246	786	148
36	SIMPLE GOITER-----	240	26	2
37	ENDEMIC-----	240.0	-	24
38	SPORADIC-----	240.1	-	-
39	UNSPECIFIED-----	240.9	26	2
40	NONTOXIC NODULAR GOITER-----	241	18	2
41	ENDEMIC-----	241.0	-	16
42	SPORADIC-----	241.1	-	-
43	UNSPECIFIED-----	241.9	18	2
44	THYROTOXICOSIS WITH OR WITHOUT GOITER-----	242	320	54
45	TOXIC DIFFUSE GOITER-----	242.0	30	6
46	TOXIC NODULAR GOITER-----	242.1	8	8
47	THYROTOXICOSIS WITHOUT MENTION OF GOITER-----	242.2	282	48
48	CRETINISM OF CONGENITAL ORIGIN-----	243	2	2
49	MYXEDEMA-----	244	368	76
50	THYROIDITIS-----	245	18	4
51	ACUTE-----	245.0	-	14
52	CHRONIC-----	245.1	14	2
53	UNSPECIFIED-----	245.9	4	2
54	OTHER DISEASES OF THYROID GLAND-----	246	34	10
55	DISEASES OF OTHER ENDOCRINE GLANDS-----	250-258	39,944	16,450
56	DIABETES MELLITUS-----	250	38,674	15,824
57	WITH MENTION OF ACIDOSIS OR COMA-----	250.0	4,052	1,592
58	WITHOUT MENTION OF ACIDOSIS OR COMA-----	250.9	34,622	14,232
59	DISORDERS OF PANCREATIC INTERNAL SECRETION OTHER THAN DIABETES MELLITUS-----	251	200	128
60	DISEASES OF PARATHYROID GLAND-----	252	74	24
61	HYPERPARATHYROIDISM-----	252.0	60	18
62	HYPOPARATHYROIDISM-----	252.1	10	2
63	OTHER AND UNSPECIFIED-----	252.9	4	4
64	DISEASES OF PITUITARY GLAND-----	253	246	128
65	ANTERIOR PITUITARY HYPERFUNCTION-----	253.0	24	18
66	ANTERIOR PITUITARY HYPOFUNCTION-----	253.1	64	24
67	CHROMOPHOBE ADENOMA, PITUITARY-----	253.2	64	38
68	OTHER AND UNSPECIFIED-----	253.9	94	48
69	DISEASES OF THYMUS GLAND-----	254	32	20
70	DISEASES OF ADRENAL GLANDS-----	255	438	180
71	ADRENAL CORTICAL HYPERFUNCTION-----	255.0	18	10
72	ADRENAL CORTICAL HYPOFUNCTION-----	255.1	164	70
73	PHEOCHROMOCYTOMA-----	255.2	54	20
74	OTHER AND UNSPECIFIED-----	255.9	202	80
75	OVARIAN DYSFUNCTION-----	256	4	4
76	HYPERFUNCTION-----	256.0	-	4
77	HYPOFUNCTION-----	256.1	-	-
78	OTHER AND UNSPECIFIED-----	256.9	-	-
79	TESTICULAR DYSFUNCTION-----	257	-	-
80	HYPERFUNCTION-----	257.0	-	-
81	HYPOFUNCTION-----	257.1	-	-
82	OTHER AND UNSPECIFIED-----	257.9	-	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con:

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
...	10	...	4	0.0	...	0.0	...	0.0	...	0.0	01	
...	-	...	4	0.0	...	0.0	...	0.0	...	0.0	02	
...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	03	
...	8	...	-	0.0	...	0.0	...	0.0	...	0.0	04	
...	10	...	-	0.0	...	0.0	...	0.0	...	0.0	05	
...	4	...	-	0.0	...	0.0	...	0.0	...	0.0	06	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	07	
...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	08	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	09	
...	2	...	-	0.0	...	0.0	...	0.0	...	0.0	10	
...	-	...	-	0.0	...	0.0	...	0.0	...	0.0	11	
36	44	8	-	0.0	0.0	0.0	0.0	0.0	0.1	-	12	
2	...	-	...	0.0	0.0	0.0	0.0	0.0	-	-	13	
-	...	-	...	0.0	0.0	0.0	0.0	0.0	-	-	14	
18	18	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	
-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	17	
16	26	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	
-	-	-	-	-	-	-	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	20	
912	924	124	94	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	
884	892	114	88	0.9	1.0	0.9	1.0	1.0	1.0	0.9	22	
-	4	-	-	0.0	-	0.0	-	0.0	-	-	23	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	24	
22	20	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	25	
-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	-	-	-	-	-	-	28	
-	-	-	-	-	-	-	-	-	-	-	29	
6	6	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	30	
90	116	22	24	0.1	0.1	0.1	0.1	0.1	0.1	0.2	31	
8	6	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	
12	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	33	
70	106	18	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	34	
-	-	-	-	-	-	-	-	-	-	-	-	
112	534	36	104	0.4	0.1	0.6	0.1	0.6	0.3	0.8	35	
2	20	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	36	
-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	38	
2	20	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	39	
-	12	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	
-	-	-	-	-	-	-	-	-	-	-	41	
-	-	-	-	-	-	-	-	-	-	-	42	
-	12	2	4	0.0	0.0	0.0	-	0.0	0.0	0.0	43	
36	200	18	66	0.2	0.1	0.2	0.0	0.2	0.1	0.5	44	
4	20	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	
-	6	-	2	0.0	-	0.0	-	0.0	-	0.0	46	
32	174	16	60	0.1	0.0	0.2	0.0	0.2	0.1	0.4	47	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	48	
66	268	10	24	0.2	0.1	0.3	0.1	0.3	0.1	0.2	49	
2	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	50	
-	-	-	-	-	-	-	-	-	-	-	51	
2	12	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	52	
-	2	2	-	0.0	0.0	0.0	-	0.0	0.0	-	53	
6	18	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54	
-	-	-	-	-	-	-	-	-	-	-	-	
14,076	19,386	2,374	4,100	19.2	16.2	22.0	15.8	20.8	18.9	29.9	55	
13,544	18,834	2,280	4,016	18.6	15.6	21.4	15.2	20.2	18.1	29.2	56	
1,182	1,804	410	656	1.9	1.6	2.3	1.3	1.9	3.3	4.8	57	
12,362	17,030	1,870	3,360	16.6	14.0	19.1	13.9	18.3	14.9	24.5	58	
100	52	28	20	0.1	0.1	0.1	0.1	0.1	0.2	0.1	59	
18	34	6	16	0.0	0.0	0.0	0.0	0.0	0.0	0.1	60	
14	28	4	14	0.0	0.0	0.0	0.0	0.0	0.0	0.1	61	
-	6	2	2	0.0	0.0	0.0	-	0.0	0.0	0.0	62	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	63	
-	-	-	-	-	-	-	-	-	-	-	-	
100	108	28	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1	64	
12	6	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	65	
24	36	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	66	
34	22	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67	
30	44	18	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	68	
16	12	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	69	
-	-	-	-	-	-	-	-	-	-	-	-	
164	228	16	30	0.2	0.2	0.2	0.2	0.2	0.1	0.2	70	
8	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71	
64	80	6	14	0.1	0.1	0.1	0.1	0.1	0.0	0.1	72	
18	28	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73	
74	114	6	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1	74	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	75	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	76	
...	-	...	-	-	...	-	...	-	...	-	77	
...	-	...	-	-	...	-	...	-	...	-	78	
...	-	...	-	-	...	-	...	-	...	-	79	
...	-	...	-	-	...	-	...	-	...	-	80	
...	-	...	-	-	...	-	...	-	...	-	81	
...	-	...	-	-	...	-	...	-	...	-	82	

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF OTHER ENDOCRINE GLANDS--CON.				
01	POLYGLANDULAR DYSFUNCTION AND OTHER DISEASES OF ENDOCRINE GLANDS-----258	276	146	130
02	CUSHING'S SYNDROME-----258.0	54	16	38
03	POLYGLANDULAR DYSFUNCTION-----258.1	4	2	2
04	OTHER AND UNSPECIFIED DISEASES OF ENDOCRINE SYSTEM-----258.9	218	128	90
05	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	2,538	1,148	1,390
06	VITAMIN A DEFICIENCIES-----260	--	--	--
07	NIGHT BLINDNESS-----260.0	--	--	--
08	XEROPHTHALMIA AND KERATOMALACIA-----260.1	--	--	--
09	OTHER MANIFESTATION-----260.8	--	--	--
10	UNSPECIFIED-----260.9	--	--	--
11	THIAMINE DEFICIENCY-----261	8	4	4
12	NIACIN DEFICIENCY-----262	2	--	2
13	OTHER VITAMIN B DEFICIENCIES-----263	20	14	6
14	ARIBOFLAVINOSIS-----263.0	--	--	--
15	VITAMIN B6 DEFICIENCY-----263.1	--	--	--
16	OTHER-----263.8	2	2	--
17	UNSPECIFIED-----263.9	18	12	6
18	ASCORBIC ACID DEFICIENCY-----264	2	2	--
19	VITAMIN D DEFICIENCIES-----265	2	--	2
20	RICKETS, ACTIVE-----265.0	--	--	--
21	RICKETS, LATE EFFECT-----265.1	--	--	--
22	OSTEOMALACIA-----265.2	2	--	2
23	UNSPECIFIED-----265.9	--	--	--
24	OTHER VITAMIN DEFICIENCY STATES-----266	14	4	10
25	VITAMIN K DEFICIENCY-----266.0	--	--	--
26	OTHER-----266.8	--	--	--
27	UNSPECIFIED-----266.9	14	4	10
28	PROTEIN MALNUTRITION-----267	4	2	2
29	NUTRITIONAL MARASMOUS-----268	522	242	280
30	OTHER NUTRITIONAL DEFICIENCIES-----269	1,964	880	1,084
31	SPRUDE AND STEATORRHEA-----269.0	20	6	14
32	MALABSORPTION SYNDROME, UNSPECIFIED-----269.1	126	72	54
33	OTHER AND UNSPECIFIED-----269.9	1,818	802	1,016
34	OTHER METABOLIC DISEASES-----270-279	3,682	1,830	1,852
35	CONGENITAL DISORDERS OF AMINO-ACID METABOLISM-----270	32	14	18
36	PHENYLKETONURIA-----270.0	2	2	--
37	CYSTINURIA-----270.1	--	--	--
38	OTHER DISORDERS OF AMINO-ACID TRANSPORT-----270.2	6	2	4
39	CYSTINOSIS-----270.3	8	2	6
40	MAPLE SYRUP DISEASE-----270.4	2	--	2
41	DISORDERS OF PURINE AND PYRIMIDINE METABOLISM-----270.5	--	--	--
42	ALKAPTONURIA-----270.6	--	--	--
43	OTHER-----270.8	12	8	4
44	UNSPECIFIED-----270.9	2	--	2
45	CONGENITAL DISORDERS OF CARBOHYDRATE METABOLISM-----271	50	20	30
46	VON GIERKE'S DISEASE-----271.0	4	2	2
47	OTHER AND UNSPECIFIED GLYCOGEN STORAGE DISEASES-----271.1	38	14	24
48	GALACTOSENIA-----271.2	2	--	2
49	FRUCTOSURIA-----271.3	--	--	--
50	OTHER-----271.8	6	4	2
51	UNSPECIFIED-----271.9	--	--	--
52	CONGENITAL DISORDERS OF LIPID METABOLISM-----272	112	64	48
53	XANTHOMATOSIS-----272.0	68	40	28
54	FAMILIAL LIPOPROTEIN DEFICIENCY DISORDERS-----272.1	--	--	--
55	LIPID STORAGE DISORDERS-----272.2	38	22	16
56	OTHER AND UNSPECIFIED-----272.9	6	2	4
57	OTHER AND UNSPECIFIED CONGENITAL DISORDERS OF METABOLISM-----273	842	436	406
58	CYSTIC FIBROSIS-----273.0	560	288	272
59	DISORDERS OF PORPHYRIN METABOLISM-----273.1	24	6	18
60	HEMOCHROMATOSIS-----273.2	98	62	36
61	HEPATOENITICULAR DEGENERATION-----273.3	22	10	12
62	OTHER DISORDERS INVOLVING METABOLISM OF MINERALS-----273.4	4	--	4
63	DEFECTIVE BILIRUBIN EXCRETION-----273.5	2	--	2
64	DISORDERS OF STEROID METABOLISM-----273.6	8	4	4
65	OTHER-----273.8	112	62	50
66	UNSPECIFIED-----273.9	12	4	8
67	GOUT-----274	314	236	78
68	PLASMA PROTEIN ABNORMALITIES-----275	326	164	162
69	AGAMMAGLOBULINEMIA-----275.0	24	20	4
70	HYPOGAMMAGLOBULINEMIA-----275.1	42	24	18
71	ANALBUMINEMIA-----275.2	--	--	--
72	BISALBUMINEMIA-----275.3	--	--	--
73	CRYOGLOBULINEMIA-----275.4	8	4	4
74	MACROGLOBULINEMIA-----275.5	104	56	48
75	OTHER AND UNSPECIFIED-----275.9	148	60	88
76	AMYLOIDOSIS-----276	252	122	130
77	OBESITY NOT SPECIFIED AS OF ENDOCRINE ORIGIN-----277	1,204	458	746
78	OTHER HYPERALIMENTATION-----278	4	4	--
79	HYPERVITAMINOSIS A-----278.0	--	--	--
80	CAROTINEMIA-----278.1	--	--	--
81	HYPERVITAMINOSIS D-----278.2	--	--	--
82	OTHER AND UNSPECIFIED-----278.9	4	4	--
83	OTHER AND UNSPECIFIED METABOLIC DISEASES-----279	546	312	234

SECTION I - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
134	114	12	16	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	01
16	32	-	6	0.0	0.0	0.0	0.0	0.0	-	-	0.0	02
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	03
116	80	12	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	04
920	1,204	228	186	1.2	1.1	1.3	1.0	1.3	1.8	1.4	0.5	05
-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	09
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	10
-	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	11
12	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	14
2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	15
10	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	16
2	-	-	-	0.0	0.0	-	-	-	-	-	-	17
-	2	-	-	0.0	0.0	-	0.0	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	20
-	2	-	-	0.0	-	0.0	-	0.0	-	-	-	21
2	8	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	24
2	8	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	26
194	232	48	48	0.3	0.2	0.3	0.2	0.2	0.4	0.3	0.3	29
704	948	176	136	0.9	0.9	1.0	0.8	1.0	1.4	1.0	1.0	30
6	14	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	31
54	52	18	2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	32
644	882	158	134	0.9	0.8	1.0	0.7	0.9	1.3	1.0	1.0	33
1,610	1,572	220	280	1.8	1.8	1.7	1.8	1.7	1.7	2.0	3.4	34
10	16	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35
2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	36
-	4	2	-	0.0	0.0	0.0	-	0.0	-	0.0	-	37
2	6	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	-	38
-	-	-	2	0.0	0.0	0.0	-	-	-	0.0	-	39
-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	41
6	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	42
2	2	-	-	0.0	0.0	-	0.0	-	-	-	-	43
14	28	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
-	2	2	-	0.0	0.0	0.0	-	0.0	-	0.0	-	45
10	22	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46
-	2	-	-	0.0	-	0.0	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	48
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	50
60	46	4	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	51
36	26	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52
-	-	-	-	-	-	-	-	-	-	-	-	53
22	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	54
2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	55
418	378	18	28	0.4	0.4	0.4	0.5	0.4	0.1	0.2	0.2	57
282	264	6	8	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.1	58
6	16	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	-	59
62	34	-	2	0.0	0.1	0.0	0.1	0.0	-	0.0	-	60
8	8	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
-	4	-	-	0.0	-	0.0	-	-	-	-	-	62
2	4	-	-	0.0	0.0	0.0	-	0.0	-	-	-	63
54	38	8	12	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	64
4	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	65
194	62	42	16	0.2	0.2	0.1	0.2	0.1	0.3	0.1	0.1	66
138	154	26	8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	67
18	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68
20	18	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	69
-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	71
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	72
52	48	4	-	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-	73
44	80	16	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	74
92	112	30	18	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	75
404	562	54	184	0.6	0.5	0.7	0.5	0.6	0.4	1.3	0.1	76
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	80
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	-	81
278	214	34	20	0.3	0.3	0.2	0.3	0.2	0.3	0.1	0.1	82

SECTION I - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
01	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	5,232	2,476	2,756
02	IRON DEFICIENCY ANEMIAS-----280	78	34	44
03	OTHER DEFICIENCY ANEMIAS-----281	394	160	234
04	PERNICIOUS ANEMIA-----281.0	248	94	154
05	OTHER VITAMIN B12 DEFICIENCY ANEMIAS-----281.1	-	-	-
06	FOLIC ACID DEFICIENCY ANEMIA-----281.2	50	26	24
07	VITAMIN B6 DEFICIENCY ANEMIA-----281.3	-	-	-
08	PROTEIN DEFICIENCY ANEMIA-----281.4	-	-	-
09	OTHER AND UNSPECIFIED DEFICIENCY ANEMIAS-----281.9	96	40	56
10	HEREDITARY HEMOLYTIC ANEMIAS-----282	644	316	328
11	FAMILIAL ACHILURIC JAUNDICE-----282.0	6	2	4
12	HEREDITARY ELLIPTOCYTOSIS-----282.1	-	-	-
13	ANEMIAS DUE TO GLUCOSE 6-PHOSPHATE DEHYDROGENASE DEFICIENCY-----282.2	-	-	-
14	OTHER HEREDITARY NONSPHEROCYTIC HEMOLYTIC ANEMIAS-----282.3	-	-	-
15	MEDITERRANEAN ANEMIA-----282.4	30	16	14
16	HEMOGLOBINOPATHIES-----282.5	394	204	190
17	OTHER-----282.9	214	54	120
18	ACQUIRED HEMOLYTIC ANEMIAS-----283	124	50	74
19	ACUTE-----283.0	28	14	14
20	OTHER-----283.9	96	36	60
21	APLASTIC ANEMIA-----284	1,168	592	576
22	OTHER AND UNSPECIFIED ANEMIAS-----285	1,018	444	574
23	HYPOCHROMIC ANEMIA WITH IRON LOADING-----285.0	46	24	22
24	OTHER SPECIFIED ANEMIAS-----285.8	2	2	-
25	ANEMIA, UNSPECIFIED-----285.9	970	418	552
26	COAGULATION DEFECTS-----286	616	348	268
27	HEMOPHILIA-----286.0	44	44	-
28	CHRISTMAS DISEASE-----286.1	6	6	-
29	PLASMA THROMBOPLASTIN ANTECEDENT DEFICIENCY-----286.2	6	-	4
30	VASCULAR HEMOPHILIA-----286.3	6	2	4
31	HEMORRHAGIC FIBRINOLYSIS-----286.4	4	-	4
32	CIRCULATING ANTICOAGULANTS-----286.5	-	-	-
33	OTHER-----286.9	556	296	260
34	PURPURA AND OTHER HEMORRHAGIC CONDITIONS-----287	570	238	332
35	ALLERGIC PURPURA-----287.0	32	12	20
36	THROMBOCYTOPENIA-----287.1	448	182	266
37	HEMORRHAGIC THROMBOCYTHEMIA-----287.2	-	-	-
38	THROMBOCYTOPATHY-----287.3	-	-	-
39	OTHER AND UNSPECIFIED-----287.9	90	44	46
40	AGRANULOCYTOSIS-----288	296	128	168
41	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-----289	324	166	158
42	POLYCYTHEMIA, SECONDARY-----289.0	14	10	4
43	CHRONIC LYMPHADENITIS-----289.1	2	2	-
44	NONSPECIFIC MESENTERIC LYMPHADENITIS-----289.2	8	6	2
45	LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC-----289.3	6	2	4
46	HYPERSPLENISM-----289.4	26	12	14
47	OTHER DISEASES OF SPLEEN-----289.5	96	58	38
48	OTHER AND UNSPECIFIED-----289.9	172	76	96
V. MENTAL DISORDERS				
49	PSYCHOSES-----290-299	1,400	806	594
50	SENILE AND PRESENILE DEMENTIAS-----290	680	270	410
51	SENILE DEMENTIA-----290.0	386	134	252
52	PRESENILE DEMENTIA-----290.1	294	136	158
53	ALCOHOLIC PSYCHOSES-----291	492	442	50
54	DELIRIUM TREMENS-----291.0	458	410	48
55	KORSAKOV'S PSYCHOSIS (ALCOHOLIC)-----291.1	24	22	2
56	OTHER ALCOHOLIC HALLUCINOSIS-----291.2	2	2	-
57	ALCOHOLIC PARANOIA-----291.3	-	-	-
58	OTHER AND UNSPECIFIED-----291.9	8	8	-
59	PSYCHOSES ASSOCIATED WITH OTHER PHYSICAL CONDITIONS-----294	8	4	4
60	CHILDBIRTH-----294.4	-	-	-
61	UNSPECIFIED PHYSICAL CONDITION-----294.9	8	4	4
62	SCHIZOPHRENIA-----295	90	38	52
63	SIMPLE TYPE-----295.0	-	-	-
64	HEBEPHRENIC TYPE-----295.1	-	-	-
65	Catatonic type-----295.2	16	4	12
66	Paranoid type-----295.3	18	4	14
67	ACUTE SCHIZOPHRENIA EPISODE-----295.4	-	-	-
68	LATENT SCHIZOPHRENIA-----295.5	-	-	-
69	RESIDUAL SCHIZOPHRENIA-----295.6	-	-	-
70	SCHIZOAFFECTIVE TYPE-----295.7	4	2	2
71	OTHER-----295.8	20	16	4
72	UNSPECIFIED TYPE-----295.9	32	12	20
73	AFFECTIVE PSYCHOSES-----296	24	4	20
74	INVOLUTIONAL MELANCHOLIA-----296.0	12	-	12
75	MANIC-DEPRESSIVE PSYCHOSIS, MANIC TYPE-----296.1	-	-	-
76	MANIC-DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE-----296.2	10	4	6
77	MANIC-DEPRESSIVE PSYCHOSIS, CIRCULAR TYPE-----296.3	-	-	-
78	OTHER-----296.8	-	-	-
79	UNSPECIFIED-----296.9	2	-	2
80	PARANOID STATES-----297	-	-	-
81	PARANOIA-----297.0	-	-	-
82	INVOLUTIONAL PARAPHRENIA-----297.1	-	-	-
83	OTHER-----297.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
PSYCHOSES--CON.				
01	OTHER PSYCHOSES-----298	4	2	2
02	REACTIVE DEPRESSIVE PSYCHOSIS-----298.0	2	2	-
03	REACTIVE EXCITATION-----298.1	-	-	-
04	REACTIVE CONFUSION-----298.2	2	-	2
05	ACUTE PARANOID REACTION-----298.3	-	-	-
06	REACTIVE PSYCHOSIS, UNSPECIFIED-----298.9	-	-	-
07	UNSPECIFIED PSYCHOSIS-----299	102	46	56
08	NEUROSES, PERSONALITY DISORDERS, AND OTHER NONPSYCHOTIC MENTAL DISORDERS-----300-309	7,018	4,988	2,030
09	NEUROSES-----300	12	2	10
10	ANXIETY NEUROSIS-----300.0	4	-	4
11	HYSTERICAL NEUROSIS-----300.1	-	-	-
12	PHOBIC NEUROSIS-----300.2	-	-	-
13	OBSESSIVE-COMPULSIVE NEUROSIS-----300.3	-	-	-
14	DEPRESSIVE NEUROSIS-----300.4	8	2	6
15	NEURASTHENIA-----300.5	-	-	-
16	DEPERSONALIZATION SYNDROME-----300.6	-	-	-
17	HYPPOCHONDRIACAL NEUROSIS-----300.7	-	-	-
18	OTHER-----300.8	-	-	-
19	UNSPECIFIED NEUROSIS-----300.9	-	-	-
20	PERSONALITY DISORDERS-----301	-	-	-
21	PARANOID-----301.0	-	-	-
22	AFFECTIVE-----301.1	-	-	-
23	SCHIZOID-----301.2	-	-	-
24	EXPLOSIVE-----301.3	-	-	-
25	ANANKASTIC-----301.4	-	-	-
26	HYSTERICAL-----301.5	-	-	-
27	ASTHENIC-----301.6	-	-	-
28	ANTISOCIAL-----301.7	-	-	-
29	OTHER-----301.8	-	-	-
30	UNSPECIFIED-----301.9	-	-	-
31	SEXUAL DEVIATIONS-----302	-	-	-
32	HOMOSEXUALITY-----302.0	-	-	-
33	FETISHISM-----302.1	-	-	-
34	PEDOPHILIA-----302.2	-	-	-
35	TRANSVESTITISM-----302.3	-	-	-
36	EXHIBITIONISM-----302.4	-	-	-
37	VOYEURISM-----302.5	-	-	-
38	SADISM-----302.6	-	-	-
39	MASOCHISM-----302.7	-	-	-
40	OTHER-----302.8	-	-	-
41	UNSPECIFIED-----302.9	-	-	-
42	ALCOHOLISM-----303	4,416	3,382	1,034
43	EPISODIC EXCESSIVE DRINKING-----303.0	-	-	-
44	HABITUAL EXCESSIVE DRINKING-----303.1	2	2	-
45	ALCOHOLIC ADDICTION-----303.2	2,466	1,888	578
46	OTHER AND UNSPECIFIED ALCOHOLISM-----303.9	1,948	1,492	456
47	DRUG DEPENDENCE-----304	1,388	1,102	286
48	OPIUM, OPIUM ALKALOIDS, AND THEIR DERIVATIVES-----304.0	142	104	38
49	SYNTHETIC ANALGESICS WITH MORPHINELIKE EFFECTS-----304.1	12	10	2
50	BARBITURATES-----304.2	10	4	6
51	OTHER HYPNOTICS AND SEDATIVES OR TRANQUILIZERS-----304.3	8	6	2
52	COCAINE-----304.4	2	-	2
53	CANNABIS SATIVA-----304.5	-	-	-
54	OTHER PSYCHOSTIMULANTS-----304.6	2	2	-
55	HALLUCINOGENICS-----304.7	-	-	-
56	OTHER-----304.8	18	16	2
57	UNSPECIFIED-----304.9	1,194	960	234
58	PHYSICAL DISORDERS OF PRESUMABLY PSYCHOGENIC ORIGIN-----305	16	6	10
59	SKIN-----305.0	-	-	-
60	MUSCULOSKELETAL-----305.1	-	-	-
61	RESPIRATORY-----305.2	-	-	-
62	CARDIOVASCULAR-----305.3	14	4	10
63	HEMIC AND LYMPHATIC-----305.4	-	-	-
64	GASTROINTESTINAL-----305.5	2	2	-
65	GENITOURINARY-----305.6	-	-	-
66	ENDOCRINE-----305.7	-	-	-
67	ORGANS OF SPECIAL SENSE-----305.8	-	-	-
68	OTHER-----305.9	-	-	-
69	SPECIAL SYMPTOMS NOT ELSEWHERE CLASSIFIABLE-----306	62	12	50
70	STAMMERING AND STUTTERING-----306.0	-	-	-
71	SPECIFIC LEARNING DISTURBANCES-----306.1	-	-	-
72	TICS-----306.2	-	-	-
73	OTHER PSYCHOMOTOR DISORDERS-----306.3	-	-	-
74	SPECIFIC DISORDERS OF SLEEP-----306.4	-	-	-
75	FEEDING DISTURBANCES-----306.5	54	8	46
76	ENURESIS-----306.6	-	-	-
77	ENCOPRESIS-----306.7	-	-	-
78	CEPHALALGIA-----306.8	2	2	-
79	OTHER-----306.9	6	2	4
80	TRANSIENT SITUATIONAL DISTURBANCES-----307	-	-	-
81	BEHAVIOR DISORDERS OF CHILDHOOD-----308	-	-	-
82	MENTAL DISORDERS NOT SPECIFIED AS PSYCHOTIC ASSOCIATED WITH PHYSICAL CONDITIONS-----309	1,124	484	640
83	MENTAL RETARDATION-----310-315	260	142	118
84	BORDERLINE MENTAL RETARDATION-----310	-	-	-
85	FOLLOWING INFECTIONS AND INTOXICATIONS-----310.0	-	-	-
86	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----310.8	-	-	-
87	OTHER AND UNSPECIFIED-----310.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
MENTAL RETARDATION--CON.					
01	MILD MENTAL RETARDATION-----	311	2	2	-
02	FOLLOWING INFECTIONS AND INTOXICATIONS-----	311.0	-	-	-
03	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----	311.8	-	-	-
04	OTHER AND UNSPECIFIED-----	311.9	2	2	-
05	MODERATE MENTAL RETARDATION-----	312	-	-	-
06	FOLLOWING INFECTIONS AND INTOXICATIONS-----	312.0	-	-	-
07	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----	312.8	-	-	-
08	OTHER AND UNSPECIFIED-----	312.9	-	-	-
09	SEVERE MENTAL RETARDATION-----	313	42	26	16
10	FOLLOWING INFECTIONS AND INTOXICATIONS-----	313.0	-	-	-
11	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----	313.8	-	-	-
12	OTHER AND UNSPECIFIED-----	313.9	42	26	16
13	PROFOUND MENTAL RETARDATION-----	314	20	8	12
14	FOLLOWING INFECTIONS AND INTOXICATIONS-----	314.0	-	-	-
15	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----	314.8	-	-	-
16	OTHER AND UNSPECIFIED-----	314.9	20	8	12
17	UNSPECIFIED MENTAL RETARDATION-----	315	196	106	90
18	FOLLOWING INFECTIONS AND INTOXICATIONS-----	315.0	-	-	-
19	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION-----	315.8	-	-	-
20	OTHER AND UNSPECIFIED-----	315.9	196	106	90
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS					
21	INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM-----	320-324	2,262	1,276	986
22	MENINGITIS-----	320	1,482	836	646
23	H. INFLUENZAE-----	320.0	220	126	94
24	PNEUMOCOCCUS-----	320.1	272	150	122
25	DUE TO OTHER SPECIFIED ORGANISMS-----	320.8	154	80	74
26	WITH NO ORGANISM SPECIFIED AS CAUSE-----	320.9	836	480	356
27	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES-----	321	60	20	40
28	INTRACRANIAL AND INTRASPINAL ABSCESSES-----	322	282	202	80
29	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS-----	323	350	166	184
30	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION-----	324	88	52	36
31	HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM-----	330-333	1,310	848	462
32	HEREDITARY NEUROMUSCULAR DISORDERS-----	330	800	622	178
33	NEUROPATHIC MUSCULAR ATROPHY-----	330.0	12	8	4
34	FAMILIAL PROGRESSIVE SPINAL MUSCULAR ATROPHY-----	330.1	112	68	44
35	AMYOTONIA CONGENITA-----	330.2	30	12	18
36	PROGRESSIVE MUSCULAR DYSTROPHY-----	330.3	110	92	18
37	MYOTONIA ATROPHICA-----	330.4	526	434	92
38	OTHER-----	330.9	10	8	2
39	HEREDITARY DISEASES OF THE STRIATOPALLIDAL SYSTEM-----	331	268	104	164
40	HEREDITARY CHOREA-----	331.0	254	96	158
41	DYSTONIA MUSCULORUM DEFORMANS-----	331.1	12	6	6
42	PROGRESSIVE FAMILIAL MYOCLONIC EPILEPSY-----	331.2	2	2	-
43	OTHER-----	331.9	-	-	-
44	HEREDITARY ATAXIA-----	332	44	26	18
45	HEREDITARY SPINAL ATAXIA-----	332.0	36	24	12
46	HEREDITARY CEREBELLAR ATAXIA-----	332.1	8	2	6
47	OTHER AND UNSPECIFIED-----	332.9	-	-	-
48	OTHER HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM-----	333	198	96	102
49	AMAUROTIC FAMILY IDIOTY-----	333.0	40	12	28
50	PROGRESSIVE CEREBRAL LEUKODYSTROPHY-----	333.1	74	36	38
51	OTHER AND UNSPECIFIED-----	333.9	84	48	36
52	OTHER DISEASES OF CENTRAL NERVOUS SYSTEM-----	340-349	12,644	6,660	5,984
53	MULTIPLE SCLEROSIS-----	340	1,704	618	1,086
54	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM-----	341	66	34	32
55	PARALYSIS AGITANS-----	342	3,236	1,692	1,544
56	CEREBRAL SPASTIC INFANTILE PARALYSIS-----	343	742	402	340
57	SPASTIC HEMIPLEGIA-----	343.0	2	-	2
58	OTHER SPASTIC PARALYSES-----	343.1	176	90	86
59	ATHETOID-----	343.2	-	-	-
60	OTHER AND UNSPECIFIED-----	343.9	564	312	252
61	OTHER CEREBRAL PARALYSES-----	344	754	470	284
62	MONOPLÉGIA-----	344.0	2	-	2
63	HEMIPLEGIA-----	344.1	220	130	90
64	PARAPLEGIA-----	344.2	160	106	54
65	QUADRIPLEGIA-----	344.3	104	76	28
66	OTHER AND UNSPECIFIED-----	344.9	268	158	110
67	EPILEPSY-----	345	1,844	1,116	728
68	GENERALIZED NONCONVULSIVE-----	345.0	4	-	4
69	GENERALIZED CONVULSIVE-----	345.1	380	208	172
70	STATUS EPILEPTICUS-----	345.2	624	394	230
71	PARTIAL (FOCALIZED), TEMPORAL LOBE OR PSYCHOMOTOR TYPE-----	345.3	2	2	-
72	PARTIAL (FOCALIZED), MOTOR TYPE-----	345.4	2	2	-
73	PARTIAL (FOCALIZED), OTHER AND UNSPECIFIED TYPE-----	345.5	4	4	-
74	OTHER AND UNSPECIFIED-----	345.9	828	506	322
75	MIGRAINE-----	346	2	-	2
76	OTHER DISEASES OF BRAIN-----	347	2,228	1,158	1,070
77	CATAPLEXY AND MARCOLEPSY-----	347.0	-	-	-
78	CEREBRAL AND CORTICAL ATROPHY-----	347.1	356	194	162
79	OTHER AND UNSPECIFIED-----	347.9	1,872	964	908

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	-	0.0	0.0	-	0.0	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
22	16	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
-	-	-	-	-	-	-	-	-	-	-	10
22	16	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
-	-	-	-	-	-	-	-	-	-	-	12
8	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	13
-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
8	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	16
100	60	6	30	0.1	0.1	0.1	0.1	0.1	0.0	0.2	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
100	60	6	30	0.1	0.1	0.1	0.1	0.1	0.0	0.2	20
-	-	-	-	-	-	-	-	-	-	-	
960	674	316	312	1.1	1.3	0.9	1.1	0.7	2.5	2.3	21
588	412	248	234	0.7	0.8	0.6	0.7	0.4	2.0	1.7	22
98	72	28	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2	23
92	70	58	52	0.1	0.1	0.1	0.1	0.1	0.5	0.4	24
50	50	30	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2	25
348	220	132	136	0.4	0.5	0.3	0.4	0.2	1.0	1.0	26
20	32	-	8	0.0	0.0	0.0	0.0	0.0	-	0.1	27
168	68	34	12	0.1	0.2	0.1	0.2	0.1	0.3	0.1	28
138	132	28	52	0.2	0.2	0.2	0.2	0.1	0.2	0.4	29
46	30	6	6	0.0	0.1	0.0	0.1	0.0	0.0	0.0	30
-	-	-	-	-	-	-	-	-	-	-	
780	432	68	30	0.6	0.8	0.4	0.9	0.5	0.5	0.2	31
572	160	50	18	0.4	0.6	0.2	0.6	0.2	0.4	0.1	32
6	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	33
60	36	8	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1	34
10	18	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	35
78	14	14	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	36
410	86	24	6	0.3	0.4	0.1	0.5	0.1	0.2	0.0	37
8	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	38
94	158	10	6	0.1	0.1	0.2	0.1	0.2	0.1	0.0	39
88	152	8	6	0.1	0.1	0.1	0.1	0.2	0.1	0.0	40
6	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	41
-	-	2	-	0.0	0.0	-	-	-	0.0	-	42
-	-	-	-	-	-	-	-	-	-	-	43
24	14	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
22	10	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45
2	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	46
-	-	-	-	-	-	-	-	-	-	-	47
90	100	6	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	48
8	28	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	49
34	38	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	50
48	34	-	2	0.0	0.0	0.0	0.1	0.0	-	0.0	51
-	-	-	-	-	-	-	-	-	-	-	
5,762	5,324	898	660	6.1	6.6	5.6	6.5	5.7	7.1	4.8	52
566	986	52	100	0.8	0.6	1.0	0.6	1.1	0.4	0.7	53
34	28	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	54
1,636	1,498	56	46	1.6	1.7	1.4	1.8	1.6	0.4	0.3	55
346	292	56	48	0.4	0.4	0.3	0.4	0.3	0.4	0.3	56
-	2	-	-	0.0	-	0.0	-	0.0	-	-	57
72	70	18	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	58
-	-	-	-	-	-	-	-	-	-	-	59
274	220	38	32	0.3	0.3	0.2	0.3	0.2	0.3	0.2	60
372	248	98	36	0.4	0.5	0.3	0.4	0.3	0.8	0.3	61
-	2	-	-	0.0	-	0.0	-	0.0	-	-	62
112	84	18	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	63
76	32	30	22	0.1	0.1	0.1	0.1	0.0	0.2	0.2	64
50	24	26	4	0.0	0.1	0.0	0.1	0.0	0.2	0.0	65
134	106	24	4	0.1	0.2	0.1	0.2	0.1	0.2	0.0	66
762	550	354	178	0.9	1.1	0.7	0.9	0.6	2.8	1.3	67
-	4	-	-	0.0	0.0	0.0	-	0.0	-	-	68
162	134	46	38	0.2	0.2	0.2	0.2	0.1	0.4	0.3	69
258	154	136	76	0.3	0.4	0.2	0.3	0.2	1.1	0.6	70
2	-	-	-	0.0	0.0	-	-	-	-	-	71
-	-	2	-	0.0	0.0	-	-	-	0.0	-	72
4	-	-	-	0.0	0.0	-	-	-	-	-	73
336	258	170	64	0.4	0.5	0.3	0.4	0.3	1.4	0.5	74
-	2	-	-	0.0	-	0.0	-	0.0	-	-	75
960	900	198	170	1.1	1.1	1.0	1.1	1.0	1.6	1.2	76
-	-	-	-	-	-	-	-	-	-	-	77
172	150	22	12	0.2	0.2	0.2	0.2	0.2	0.2	0.1	78
788	750	176	158	0.9	1.0	0.9	0.9	0.8	1.4	1.2	79

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER DISEASES OF CENTRAL NERVOUS SYSTEM--CON.				
01	MOTOR NEURONE DISEASES-----348	1,882	1,072	810
02	AMYOTROPHIC LATERAL SCLEROSIS-----348.0	1,716	976	740
03	PROGRESSIVE BULBAR PALSY-----348.1	66	28	38
04	OTHER PROGRESSIVE MUSCULAR ATROPHY-----348.2	52	32	20
05	OTHER AND UNSPECIFIED MANIFESTATIONS-----348.9	48	36	12
06	OTHER DISEASES OF SPINAL CORD-----349	186	98	88
07	SYRINGOMYELIA AND SYRINGOBULBIA-----349.0	52	24	28
08	SPINAL PARALYSIS, MONOPLAGIC-----349.1	-	-	-
09	SPINAL PARALYSIS, HEMIPLEGIC-----349.2	-	-	-
10	SPINAL PARALYSIS, PARAPLEGIC-----349.3	-	-	-
11	SPINAL PARALYSIS, QUADRIPLEGIC-----349.4	-	-	-
12	SPINAL PARALYSIS, OTHER AND UNSPECIFIED-----349.5	14	8	6
13	COMPRESSION, OLD OR NOT SPECIFIED AS TRAUMATIC-----349.6	14	8	6
14	OTHER AND UNSPECIFIED-----349.9	106	58	48
15	DISEASES OF NERVES AND PERIPHERAL GANGLIA-----350-358	318	158	160
16	FACIAL PARALYSIS-----350	8	4	4
17	TRIGEMINAL NEURALGIA-----351	8	-	8
18	BRACHIAL NEURITIS-----352	-	-	-
19	SCIATICA-----353	-	-	-
20	POLYNEURITIS AND POLYRADICULITIS-----354	224	116	108
21	OTHER AND UNSPECIFIED FORMS OF NEURALGIA AND NEURITIS-----355	20	8	12
22	CRANIAL NOT ELSEWHERE CLASSIFIABLE-----355.0	4	-	4
23	SPINAL NOT ELSEWHERE CLASSIFIABLE-----355.1	16	8	8
24	OTHER AND UNSPECIFIED-----355.9	4	2	2
25	OTHER DISEASES OF CRANIAL NERVES-----356	92	28	24
26	OTHER DISEASES OF PERIPHERAL NERVES EXCEPT AUTONOMIC-----357	-	-	-
27	CERVICAL AND BRACHIAL PLEXUS-----357.0	-	-	-
28	AXILLARY NERVE-----357.1	-	-	-
29	MEDIAN NERVE-----357.2	-	-	-
30	ULNAR NERVE-----357.3	-	-	-
31	OTHER AND UNSPECIFIED-----357.9	52	28	24
32	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM-----358	2	-	2
33	HORNER'S SYNDROME-----358.0	-	-	-
34	CAROTID SINUS SYNDROME-----358.1	-	-	-
35	OTHER AND UNSPECIFIED-----358.9	2	-	2
36	INFLAMMATORY DISEASES OF EYE-----360-369	14	4	10
37	CONJUNCTIVITIS AND OPHTHALMIA-----360	2	-	2
38	BLEPHARITIS-----361	-	-	-
39	HORDEOLUM-----362	-	-	-
40	KERATITIS-----363	-	-	-
41	WITH ULCERATION-----363.0	-	-	-
42	WITHOUT MENTION OF ULCER-----363.9	-	-	-
43	IRITIS-----364	-	-	-
44	CHOROIDITIS-----365	-	-	-
45	OTHER INFLAMMATION OF UVEAL TRACT-----366	-	-	-
46	INFLAMMATION OF OPTIC NERVE AND RETINA-----367	4	2	2
47	INFLAMMATION OF LACRIMAL GLANDS AND DUCTS-----368	-	-	-
48	OTHER INFLAMMATORY DISEASES OF EYE-----369	8	2	6
49	ABSCESS AND CELLULITIS OF ORBIT-----369.0	8	2	6
50	OTHER AND UNSPECIFIED-----369.9	-	-	-
51	OTHER DISEASES AND CONDITIONS OF EYE-----370-379	78	28	50
52	REFRACTIVE ERRORS-----370	-	-	-
53	MYOPIA-----370.0	-	-	-
54	HYPEROPIA-----370.1	-	-	-
55	PRESBYOPIA-----370.2	-	-	-
56	ASTIGMATISM-----370.3	-	-	-
57	OTHER AND UNSPECIFIED-----370.9	-	-	-
58	CORNEAL OPACITY-----371	-	-	-
59	POSTOPERATIVE-----371.0	-	-	-
60	OTHER AND UNSPECIFIED-----371.9	-	-	-
61	PTERYGIUM-----372	-	-	-
62	STRABISMUS-----373	-	-	-
63	ESOTROPIA-----373.0	-	-	-
64	EXOTROPIA-----373.1	-	-	-
65	HYPERTROPIA-----373.2	-	-	-
66	OTHER AND UNSPECIFIED-----373.9	-	-	-
67	CATARACT-----374	60	18	42
68	TRAUMATIC-----374.0	-	-	-
69	SECONDARY-----374.1	-	-	-
70	OTHER SPECIFIED TYPE, EXCLUDING SENILE-----374.8	-	-	-
71	SENILE AND UNSPECIFIED TYPE-----374.9	60	18	42
72	GLAUCOMA-----375	4	2	2
73	PRIMARY, ACUTE-----375.0	2	2	-
74	CHRONIC (PRIMARY)-----375.1	-	-	-
75	SECONDARY-----375.2	-	-	-
76	UNSPECIFIED-----375.9	2	-	2
77	DETACHMENT OF RETINA-----376	2	-	2
78	OTHER DISEASES OF RETINA AND OPTIC NERVE-----377	-	-	-
79	VASCULAR LESIONS OF RETINA-----377.0	-	-	-
80	DEGENERATION OF RETINA-----377.1	-	-	-
81	AMBLYOPIA-----377.2	-	-	-
82	COLOR BLINDNESS-----377.3	-	-	-
83	OTHER DISEASES OF RETINA-----377.4	-	-	-
84	PAPILLEDAMA-----377.5	-	-	-
85	OTHER DISEASES OF OPTIC NERVE-----377.6	-	-	-
86	UNSPECIFIED-----377.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER DISEASES AND CONDITIONS OF EYE—CON.				
01	OTHER DISEASES OF EYE—	378	8	4
02	CHALAZION	378.0	—	—
03	TRICHIASIS AND ENTROPION	378.1	—	—
04	OTHER DISEASES OF EYELID	378.2	—	—
05	DISEASES OF CONJUNCTIVA AND LACRIMAL TRACT NOT ELSEWHERE CLASSIFIABLE	378.3	—	—
06	DISEASES OF CORNEA NOT ELSEWHERE CLASSIFIABLE	378.4	2	2
07	PROLAPSE OF IRIS	378.5	—	—
08	OTHER DISEASES OF IRIS, CHOROID, AND UVEAL TRACT	378.6	2	—
09	APHAKIA, ACQUIRED	378.7	—	—
10	OTHER DISEASES OF LENS	378.8	—	—
11	DISEASES OF EYEBALL, OCULAR MUSCLE, AND ORBIT NOT ELSEWHERE CLASSIFIABLE	378.9	4	2
12	BLINDNESS	379	4	4
13	BLINDNESS, BOTH EYES, SPECIFICALLY DEFINED	379.0	—	—
14	BLINDNESS, BOTH EYES, NOT SPECIFICALLY DEFINED	379.1	4	4
15	BLINDNESS, ONE EYE, SPECIFICALLY DEFINED	379.2	—	—
16	BLINDNESS, ONE EYE, NOT SPECIFICALLY DEFINED	379.3	—	—
17	DISEASES OF EAR AND MASTOID PROCESS	380-389	176	96
18	OTITIS EXTERNA	380	8	4
19	OTITIS MEDIA WITHOUT MENTION OF MASTOIDITIS	381	118	58
20	ACUTE	381.0	10	8
21	CHRONIC	381.1	30	12
22	UNSPECIFIED	381.9	78	38
23	OTITIS MEDIA WITH MASTOIDITIS	382	18	12
24	ACUTE	382.0	4	2
25	CHRONIC	382.1	6	2
26	UNSPECIFIED	382.9	8	8
27	MASTOIDITIS WITHOUT MENTION OF OTITIS, MEDIA	383	20	14
28	ACUTE	383.0	2	2
29	CHRONIC	383.1	—	—
30	UNSPECIFIED	383.9	18	12
31	OTHER INFLAMMATORY DISEASES OF EAR	384	4	4
32	LABYRINTH-ITIS	384.0	4	4
33	OTHER AND UNSPECIFIED	384.9	—	—
34	MENIERE'S DISEASE	385	2	2
35	OTOSCLEROSIS	386	—	—
36	OTHER DISEASES OF EAR AND MASTOID PROCESS	387	6	4
37	CHOLESTEATOMA OF EAR	387.0	4	4
38	WAX IN EAR	387.1	—	—
39	PERFORATION TYMPANIC MEMBRANE, NONTRAUMATIC	387.2	—	—
40	OTHER	387.9	2	2
41	DEAF MUTISM	388	—	—
42	OTHER DEAFNESS	389	—	—
43	DEAFNESS, BOTH EARS	389.0	—	—
44	DEAFNESS IN ONE EAR AND PARTIAL DEAFNESS IN OTHER	389.1	—	—
45	DEAFNESS, ONE EAR	389.2	—	—
46	IMPAIRMENT OF HEARING, ONE OR BOTH EARS	389.9	—	—
VII. DISEASES OF THE CIRCULATORY SYSTEM				
47	ACTIVE RHEUMATIC FEVER	390-392	180	90
48	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT	390	10	4
49	RHEUMATIC FEVER WITH HEART INVOLVEMENT	391	168	86
50	ACTIVE RHEUMATIC PERICARDITIS	391.0	130	70
51	ACTIVE RHEUMATIC ENDOCARDITIS	391.1	6	6
52	ACTIVE RHEUMATIC MYOCARDITIS	391.2	6	4
53	OTHER ACTIVE RHEUMATIC HEART DISEASE	391.9	26	12
54	CHOREA	392	2	2
55	WITH HEART INVOLVEMENT	392.0	—	—
56	WITHOUT MENTION OF HEART INVOLVEMENT	392.9	2	2
57	CHRONIC RHEUMATIC HEART DISEASE	393-398	13,938	6,460
58	DISEASES OF PERICARDIUM	393	84	54
59	DISEASES OF MITRAL VALVE	394	3,610	1,302
60	SPECIFIED AS RHEUMATIC	394.0	2,240	716
61	NOT SPECIFIED AS RHEUMATIC	394.9	1,370	586
62	DISEASES OF AORTIC VALVE	395	3,966	2,588
63	SPECIFIED AS RHEUMATIC	395.0	1,072	678
64	NOT SPECIFIED AS RHEUMATIC	395.9	2,894	1,910
65	DISEASES OF MITRAL AND AORTIC VALVES	396	1,166	540
66	SPECIFIED AS RHEUMATIC	396.0	808	366
67	NOT SPECIFIED AS RHEUMATIC	396.9	358	174
68	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	397	706	280
69	OF TRICUSPID VALVE	397.0	44	28
70	OF OTHER AND UNSPECIFIED ENDOCARDIAL STRUCTURES, SPECIFIED AS RHEUMATIC	397.9	662	252
71	OTHER HEART DISEASE SPECIFIED AS RHEUMATIC	398	4,406	1,656
72	HYPERTENSIVE DISEASE	400-404	21,292	9,684
73	MALIGNANT HYPERTENSION	400	1,120	600
74	WITHOUT MENTION OF ORGAN DAMAGE	400.0	86	46
75	WITH HEART INVOLVEMENT	400.1	70	34
76	WITH CEREBROVASCULAR INVOLVEMENT	400.2	456	226
77	WITH RENAL INVOLVEMENT	400.3	268	160
78	WITH MULTIPLE ORGAN INVOLVEMENT	400.9	240	140

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-	4	4	-	0.0	0.0	0.0	-	0.0	0.0	-	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
-	-	2	-	0.0	0.0	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
-	2	-	-	0.0	-	0.0	-	0.0	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	2	2	-	0.0	0.0	0.0	-	0.0	0.0	-	09
4	-	-	-	0.0	0.0	0.0	-	-	-	-	10
4	-	-	-	0.0	0.0	-	0.0	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
72	60	24	20	0.1	0.1	0.1	0.1	0.1	0.2	0.1	17
6	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0	18
46	46	12	14	0.1	0.1	0.1	0.1	0.0	0.1	0.1	19
4	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
12	14	-	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
30	30	8	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	22
10	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
2	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	24
2	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	25
6	-	2	-	0.0	0.0	-	0.0	-	0.0	-	26
6	4	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	27
2	-	-	-	0.0	0.0	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	29
4	4	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	30
-	4	-	-	0.0	-	0.0	-	0.0	-	-	31
-	4	-	-	0.0	-	0.0	-	0.0	-	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	2	-	0.0	0.0	-	-	-	-	0.0	34
-	-	-	-	-	-	-	-	-	-	-	35
4	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0	36
4	-	-	-	0.0	0.0	-	0.0	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	2	0.0	-	0.0	-	-	-	0.0	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	46
72	72	18	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	47
4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	48
68	64	18	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	49
54	44	16	16	0.1	0.1	0.1	0.1	0.0	0.1	0.1	50
-	4	-	2	0.0	-	0.0	-	0.0	-	0.0	51
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	52
10	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
-	2	-	-	0.0	-	0.0	-	0.0	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	2	-	-	0.0	-	0.0	-	0.0	-	-	56
5,824	6,864	636	614	6.7	6.4	7.0	6.6	7.4	5.1	4.5	57
48	26	6	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	58
1,164	2,152	138	156	1.7	1.3	2.2	1.3	2.3	1.1	1.1	59
648	1,432	68	92	1.1	0.7	1.4	0.7	1.5	0.5	0.7	60
516	720	70	64	0.7	0.6	0.7	0.6	0.8	0.6	0.5	61
2,320	1,248	268	130	1.9	2.6	1.3	2.6	1.3	2.1	0.9	62
616	364	62	30	0.5	0.7	0.4	0.7	0.4	0.5	0.2	63
1,704	884	206	100	1.4	1.9	0.9	1.9	1.0	1.6	0.7	64
496	576	44	50	0.6	0.5	0.6	0.6	0.6	0.3	0.4	65
330	418	36	24	0.4	0.4	0.4	0.4	0.4	0.3	0.2	66
166	158	8	26	0.2	0.2	0.2	0.2	0.2	0.1	0.2	67
246	402	34	24	0.3	0.3	0.4	0.3	0.4	0.3	0.2	68
24	14	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69
222	388	30	22	0.3	0.2	0.4	0.2	0.4	0.2	0.2	70
1,550	2,460	146	250	2.1	1.7	2.5	1.7	2.6	1.2	1.8	71
7,506	9,278	2,178	2,330	10.2	9.5	10.9	8.4	10.0	17.3	17.0	72
314	284	286	236	0.5	0.6	0.5	0.4	0.3	2.3	1.7	73
14	24	26	22	0.0	0.0	0.0	0.0	0.0	0.2	0.2	74
18	22	16	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1	75
144	152	82	78	0.2	0.2	0.2	0.2	0.2	0.7	0.6	76
56	46	104	62	0.1	0.2	0.1	0.1	0.0	0.8	0.5	77
82	40	58	60	0.1	0.1	0.1	0.1	0.0	0.5	0.4	78

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
HYPERTENSIVE DISEASE—CON.				
01	ESSENTIAL BENIGN HYPERTENSION-----401	1,152	478	674
02	HYPERTENSIVE HEART DISEASE-----402	7,760	3,058	4,702
03	HYPERTENSIVE RENAL DISEASE-----403	5,482	2,848	2,634
04	HYPERTENSIVE HEART AND RENAL DISEASE-----404	5,778	2,700	3,078
05	ISCHEMIC HEART DISEASE-----410-413	684,424	388,030	296,394
06	ACUTE MYOCARDIAL INFARCTION-----410	357,844	224,718	133,126
07	WITH HYPERTENSIVE DISEASE-----410.0	31,060	16,018	15,042
08	WITHOUT MENTION OF HYPERTENSIVE DISEASE-----410.9	326,784	208,700	118,084
09	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	4,528	2,942	1,586
10	WITH HYPERTENSIVE DISEASE-----411.0	252	102	150
11	WITHOUT MENTION OF HYPERTENSIVE DISEASE-----411.9	4,276	2,840	1,436
12	CHRONIC ISCHEMIC HEART DISEASE-----412	321,884	160,270	161,614
13	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITH HYPERTENSIVE DISEASE-----412.1	20,602	8,904	11,698
14	CARDIOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITH HYPERTENSIVE DISEASE-----412.2	23,526	10,080	13,446
15	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE-----412.3	225,622	116,040	109,582
16	CARDIOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE-----412.4	52,134	25,246	26,888
17	ANGINA PECTORIS-----413	168	100	68
18	WITH HYPERTENSIVE DISEASE-----413.0	32	18	14
19	WITHOUT MENTION OF HYPERTENSIVE DISEASE-----413.9	136	82	54
20	OTHER FORMS OF HEART DISEASE-----420-429	43,784	24,296	19,488
21	ACUTE PERICARDITIS, NONRHEUMATIC-----420	48	26	22
22	ACUTE AND SUBACUTE ENDOCARDITIS-----421	638	406	232
23	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS-----421.0	616	396	220
24	OTHER ACUTE ENDOCARDITIS-----421.9	22	10	12
25	ACUTE MYOCARDITIS-----422	412	216	196
26	CHRONIC DISEASE OF PERICARDIUM, NONRHEUMATIC-----423	570	348	222
27	CHRONIC DISEASE OF ENDOCARDIUM-----424	1,128	522	606
28	OF MITRAL VALVE, NONRHEUMATIC-----424.0	46	10	36
29	OF AORTIC VALVE, NONRHEUMATIC-----424.1	194	110	84
30	OF OTHER ENDOCARDIAL STRUCTURES-----424.9	888	402	486
31	CARDIOMYOPATHY-----425	2,026	1,362	664
32	PULMONARY HEART DISEASE-----426	1,208	652	556
33	SYMPTOMATIC HEART DISEASE-----427	24,344	12,720	11,624
34	CONGESTIVE HEART FAILURE-----427.0	13,470	6,780	6,690
35	LEFT VENTRICULAR FAILURE-----427.1	314	164	150
36	CARDIAC ARREST NOT OTHERWISE SPECIFIED-----427.2	7,152	4,038	3,114
37	OTHER HEART BLOCK-----427.3	512	256	256
38	ATRIAL FIBRILLATION OR FLUTTER-----427.4	1,258	554	704
39	PAROXYSMAL TACHYCARDIA (ATRIAL)-----427.5	60	34	26
40	VENTRICULAR FIBRILLATION OR FLUTTER-----427.6	628	312	316
41	OTHER AND UNSPECIFIED DISORDERS OF HEART RHYTHM-----427.9	950	582	368
42	OTHER MYOCARDIAL INSUFFICIENCY-----428	4,484	2,224	2,260
43	ILL-DEFINED HEART DISEASE-----429	8,926	5,820	3,106
44	CARDIAC ENLARGEMENT AND HYPERTROPHY-----429.0	332	208	124
45	OTHER AND UNSPECIFIED HEART DISEASE-----429.9	8,594	5,612	2,982
46	CEREBROVASCULAR DISEASES-----430-438	213,344	95,380	117,964
47	SUBARACHNOID HEMORRHAGE-----430	9,352	3,852	5,500
48	WITH HYPERTENSION (BENIGN)-----430.0	1,496	624	872
49	WITHOUT MENTION OF HYPERTENSION-----430.9	7,856	3,228	4,628
50	CEREBRAL HEMORRHAGE-----431	36,748	17,302	19,446
51	WITH HYPERTENSION (BENIGN)-----431.0	10,476	4,914	5,562
52	WITHOUT MENTION OF HYPERTENSION-----431.9	26,272	12,388	13,884
53	OCCLUSION OF PRECEREBRAL ARTERIES-----432	3,082	1,806	1,276
54	WITH HYPERTENSION (BENIGN)-----432.0	252	148	104
55	WITHOUT MENTION OF HYPERTENSION-----432.9	2,830	1,658	1,172
56	CEREBRAL THROMBOSIS-----433	57,482	25,256	32,226
57	WITH HYPERTENSION (BENIGN)-----433.0	3,694	1,394	2,300
58	WITHOUT MENTION OF HYPERTENSION-----433.9	53,788	23,862	29,926
59	CEREBRAL EMBOLISM-----434	976	450	526
60	WITH HYPERTENSION (BENIGN)-----434.0	68	28	40
61	WITHOUT MENTION OF HYPERTENSION-----434.9	908	422	486
62	TRANSIENT CEREBRAL ISCHEMIA-----435	60	20	40
63	WITH HYPERTENSION (BENIGN)-----435.0	8	2	6
64	WITHOUT MENTION OF HYPERTENSION-----435.9	52	18	34
65	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE-----436	65,452	29,632	35,820
66	WITH HYPERTENSION (BENIGN)-----436.0	8,478	3,460	5,018
67	WITHOUT MENTION OF HYPERTENSION-----436.9	56,974	26,172	30,802
68	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE-----437	37,044	15,572	21,472
69	WITH HYPERTENSION (BENIGN)-----437.0	1,714	630	1,084
70	WITHOUT MENTION OF HYPERTENSION-----437.9	35,330	14,942	20,388
71	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASES-----438	3,148	1,490	1,658
72	WITH HYPERTENSION (BENIGN)-----438.0	398	152	246
73	WITHOUT MENTION OF HYPERTENSION-----438.9	2,750	1,338	1,412
74	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----440-448	58,184	29,664	28,520
75	ARTERIOSCLEROSIS-----440	32,486	13,738	18,748
76	OF AORTA-----440.0	102	74	28
77	OF RENAL ARTERY-----440.1	22	14	8
78	OF ARTERIES OF THE EXTREMITIES-----440.2	96	56	40
79	OF OTHER SPECIFIED ARTERIES-----440.3	28	18	10
80	GENERALIZED AND UNSPECIFIED-----440.9	32,238	13,576	18,662

SECTION I - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
370	522	108	152	0.6	0.5	0.6	0.4	0.6	0.9	1.1	01
2,224	3,646	894	1,056	3.7	3.0	4.4	2.5	3.9	6.6	7.7	02
2,336	2,140	512	494	2.6	2.8	2.5	2.6	2.3	4.1	3.6	03
2,262	2,686	458	392	2.8	2.7	2.9	2.5	2.9	3.5	2.9	04
355,572	269,230	32,458	27,164	328.7	382.4	277.6	400.1	289.4	257.8	197.7	05
209,784	122,168	14,934	10,958	171.9	221.5	124.7	236.0	131.3	118.6	79.8	06
14,160	13,060	1,858	1,982	14.9	15.8	14.1	15.9	14.0	14.8	14.4	07
155,624	109,108	13,076	8,976	156.9	205.7	110.6	220.1	117.3	103.8	65.3	08
2,564	1,358	378	228	2.2	2.9	1.5	2.9	1.5	3.0	1.7	09
84	126	18	24	0.1	0.1	0.1	0.1	0.1	0.1	0.2	10
2,480	1,232	360	204	2.1	2.8	1.3	2.8	1.3	2.9	1.5	11
142,124	145,642	17,146	15,972	154.6	157.9	151.4	161.0	156.6	136.2	116.3	12
7,720	10,398	1,184	1,300	9.9	8.8	11.0	8.7	11.2	9.4	9.5	13
7,136	9,996	2,944	3,450	11.3	9.9	12.6	8.0	10.7	23.4	25.1	14
106,376	101,406	9,664	8,176	108.4	114.4	102.6	119.7	109.0	76.7	59.5	15
21,892	23,842	3,354	3,046	25.0	24.9	25.2	24.6	25.6	26.6	22.2	16
100	62	-	6	0.1	0.1	0.1	0.1	0.1	-	0.0	17
18	12	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	18
82	50	-	4	0.1	0.1	0.1	0.1	0.1	-	0.0	19
19,848	16,082	4,448	3,406	21.0	23.9	18.3	22.3	17.3	35.3	24.8	20
18	22	8	-	0.0	0.0	0.0	0.0	0.0	0.1	-	21
320	182	86	50	0.3	0.4	0.2	0.4	0.2	0.7	0.4	22
310	172	86	48	0.3	0.4	0.2	0.3	0.2	0.7	0.3	23
10	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	24
168	146	48	50	0.2	0.2	0.2	0.2	0.2	0.4	0.4	25
276	180	72	42	0.3	0.3	0.2	0.3	0.2	0.6	0.3	26
460	562	62	44	0.5	0.5	0.6	0.5	0.6	0.5	0.3	27
10	28	-	8	0.0	0.0	0.0	0.0	0.0	-	0.1	28
106	78	4	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	29
344	456	58	30	0.4	0.4	0.5	0.4	0.5	0.5	0.2	30
996	486	366	178	1.0	1.3	0.6	1.1	0.5	2.9	1.3	31
558	498	94	58	0.6	0.6	0.5	0.6	0.5	0.7	0.4	32
10,694	9,784	2,026	1,840	11.7	12.5	10.9	12.0	10.5	16.1	13.4	33
5,714	5,774	1,066	916	6.5	6.7	6.3	6.4	6.2	8.5	6.7	34
140	130	24	20	0.2	0.2	0.1	0.2	0.1	0.2	0.1	35
3,274	2,386	764	728	3.4	4.0	2.9	3.7	2.6	6.1	5.3	36
236	226	20	30	0.2	0.3	0.2	0.3	0.2	0.2	0.2	37
510	660	44	44	0.6	0.5	0.7	0.6	0.7	0.3	0.3	38
32	22	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
284	264	28	52	0.3	0.3	0.3	0.3	0.3	0.2	0.4	40
504	322	78	46	0.5	0.6	0.3	0.6	0.3	0.6	0.3	41
1,918	1,970	306	290	2.2	2.2	2.1	2.2	2.1	2.4	2.1	42
4,440	2,252	1,380	854	4.3	5.7	2.9	5.0	2.4	11.0	6.2	43
150	96	58	28	0.2	0.2	0.1	0.2	0.1	0.5	0.2	44
4,290	2,156	1,322	826	4.1	5.5	2.8	4.8	2.3	10.5	6.0	45
83,210	104,140	12,170	13,824	102.5	94.0	110.5	93.6	112.0	96.6	100.6	46
3,176	4,586	676	914	4.5	3.8	5.2	3.6	4.9	5.4	6.7	47
458	644	166	228	0.7	0.6	0.8	0.5	0.7	1.3	1.7	48
2,718	3,942	510	686	3.8	3.2	4.3	3.1	4.2	4.1	5.0	49
14,670	16,682	2,632	2,764	17.6	17.1	18.2	16.5	17.9	20.9	20.1	50
3,830	4,418	1,084	1,144	5.0	4.8	5.2	4.3	4.7	8.6	8.3	51
10,840	12,264	1,548	1,620	12.6	12.2	13.0	12.2	13.2	12.3	11.8	52
1,646	1,150	160	126	1.5	1.8	1.2	1.9	1.2	1.3	0.9	53
126	90	22	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	54
1,520	1,060	138	112	1.4	1.6	1.1	1.7	1.1	1.1	0.8	55
22,716	29,176	2,450	3,050	27.6	24.9	30.2	25.6	31.4	20.2	22.2	56
1,194	1,926	200	374	1.8	1.4	2.2	1.3	2.1	1.6	2.7	57
21,522	27,250	2,340	2,676	25.8	23.5	28.0	24.2	29.3	18.6	19.5	58
424	468	26	58	0.5	0.4	0.5	0.5	0.5	0.2	0.4	59
24	34	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60
400	434	22	52	0.4	0.4	0.5	0.5	0.5	0.2	0.4	61
18	36	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	63
16	30	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64
25,130	30,548	4,502	5,272	31.4	29.2	33.6	28.3	32.8	35.8	38.4	65
2,648	3,792	812	1,226	4.1	3.4	4.7	3.0	4.1	6.4	8.9	66
22,482	26,756	3,690	4,046	27.4	25.8	28.9	25.3	28.8	29.3	29.4	67
14,226	20,052	1,346	1,420	17.8	15.3	20.1	16.0	21.6	10.7	10.3	68
524	968	106	116	0.8	0.6	1.0	0.6	1.0	0.8	0.8	69
13,702	19,084	1,240	1,304	17.0	14.7	19.1	15.4	20.5	9.8	9.5	70
1,204	1,442	286	216	1.5	1.5	1.6	1.4	1.6	2.3	1.6	71
112	194	40	52	0.2	0.1	0.2	0.1	0.2	0.3	0.4	72
1,092	1,248	246	164	1.3	1.3	1.3	1.2	1.3	2.0	1.2	73
27,304	26,238	2,360	2,282	27.9	29.2	26.7	30.7	28.2	18.7	16.6	74
12,558	17,472	1,180	1,276	15.6	13.5	17.6	14.1	18.8	9.4	9.3	75
74	20	-	8	0.0	0.1	0.0	0.1	0.0	-	0.1	76
14	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	77
50	40	6	-	0.0	0.1	0.0	0.1	0.0	0.0	-	78
18	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-	79
12,402	17,394	1,174	1,268	15.5	13.4	17.5	14.0	18.7	9.3	9.2	80

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—CON.					
01	AORTIC ANEURYSM (NONSYPHILITIC)-----	441	14,136	10,206	3,930
02	DISSECTING ANEURYSM OF AORTA (ANY PART)-----	441.0	3,064	2,042	1,022
03	ANEURYSM OF THORACIC AORTA-----	441.1	1,144	702	442
04	ANEURYSM OF ABDOMINAL AORTA-----	441.2	6,382	4,918	1,464
05	UNSPECIFIED AORTIC ANEURYSM-----	441.9	3,546	2,544	1,002
06	OTHER ANEURYSMS-----	442	1,286	690	596
07	ARTERIAL PERIPHERAL VASCULAR DISEASE-----	443	556	314	242
08	RAYNAUD'S SYNDROME-----	443.0	12	8	4
09	THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)-----	443.1	42	34	8
10	CHILBLAINS-----	443.2	-	-	-
11	OTHER-----	443.8	-	-	-
12	UNSPECIFIED-----	443.9	502	272	230
13	ARTERIAL EMBOLISM AND THROMBOSIS-----	444	5,774	2,738	3,036
14	OF ABDOMINAL AORTA-----	444.0	216	146	70
15	OF OTHER AORTAS-----	444.1	266	156	110
16	OF MESENTERIC ARTERY-----	444.2	3,830	1,634	2,196
17	OF RENAL ARTERY-----	444.3	98	58	40
18	OF ARTERIES OF THE EXTREMITIES-----	444.4	676	342	334
19	OF OTHER AND UNSPECIFIED ARTERIES-----	444.9	688	372	316
20	GANGRENE-----	445	2,758	1,362	1,396
21	ARTERIOSCLEROTIC GANGRENE-----	445.0	1,988	948	1,040
22	GANGRENE NOT ELSEWHERE CLASSIFIABLE-----	445.9	770	414	356
23	POLYARTERITIS NODOSA AND ALLIED CONDITIONS-----	446	584	308	276
24	POLYARTERITIS NODOSA-----	446.0	230	122	108
25	HEMORRHAGIC PULMONARY RENAL SYNDROME-----	446.1	32	20	12
26	OTHER HYPERSENSITIVITY ANGIITIS-----	446.2	64	22	42
27	WEGENER'S GRANULOMATOSIS-----	446.3	52	32	20
28	CRANIAL ARTERITIS-----	446.4	26	10	16
29	THROMBOTIC MICROANGIOPATHY-----	446.5	64	18	46
30	PULSELESS DISEASE-----	446.6	6	4	2
31	OTHER-----	446.9	110	80	30
32	OTHER DISEASES OF ARTERIES AND ARTERIOLES-----	447	568	322	246
33	DISEASES OF CAPILLARIES-----	448	36	16	20
34	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM-----	450-458	17,820	9,018	8,802
35	PULMONARY EMBOLISM AND INFARCTION-----	450	11,618	6,014	5,604
36	PHLEBITIS AND THROMBOPHELEBITIS-----	451	2,512	1,080	1,432
37	OF LOWER EXTREMITIES-----	451.0	1,278	594	684
38	OF OTHER AND UNSPECIFIED SITES-----	451.9	1,234	486	748
39	PORTAL VEIN THROMBOSIS-----	452	70	36	34
40	OTHER VENOUS EMBOLISM AND THROMBOSIS-----	453	1,688	786	902
41	VARICOSE VEINS OF LOWER EXTREMITIES-----	454	238	106	132
42	WITH ULCER-----	454.0	36	18	18
43	WITH STASIS DERMATITIS WITHOUT ULCER-----	454.1	6	4	2
44	OTHER AND UNSPECIFIED WITHOUT ULCER-----	454.9	196	84	112
45	HEMORRHOIDS-----	455	28	14	14
46	VARICOSE VEINS OF OTHER SITES-----	456	578	388	190
47	OF ESOPHAGUS-----	456.0	502	334	168
48	OF SCROTUM-----	456.1	-	-	-
49	OF OTHER SITES-----	456.9	76	54	22
50	NONINFECTIVE DISEASE OF LYMPHATIC CHANNELS-----	457	20	8	12
51	OTHER DISEASES OF CIRCULATORY SYSTEM-----	458	1,058	586	472
52	HYPOTENSION-----	458.0	108	62	46
53	OBSTRUCTION OF INFERIOR AND SUPERIOR VENA CAVA-----	458.1	26	16	10
54	OTHER AND UNSPECIFIED CIRCULATORY DISEASES-----	458.9	924	508	416
VIII. DISEASES OF THE RESPIRATORY SYSTEM					
55	ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA-----	460-466	1,650	956	694
56	ACUTE NASOPHARYNGITIS (COMMON COLD)-----	460	36	22	14
57	ACUTE SINUSITIS-----	461	2	-	2
58	ACUTE MAXILLARY SINUSITIS-----	461.0	-	-	-
59	ACUTE FRONTAL SINUSITIS-----	461.1	-	-	-
60	OTHER AND UNSPECIFIED ACUTE SINUSITIS-----	461.9	2	-	2
61	ACUTE PHARYNGITIS-----	462	56	20	36
62	ACUTE TONSILLITIS-----	463	30	8	22
63	ACUTE LARYNGITIS AND TRACHEITIS-----	464	158	104	54
64	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITES-----	465	222	124	98
65	ACUTE BRONCHITIS AND BRONCHIOLITIS-----	466	1,146	678	468
66	INFLUENZA-----	470-474	4,986	2,390	2,596
67	INFLUENZA, UNQUALIFIED-----	470	1,774	810	964
68	INFLUENZA WITH PNEUMONIA-----	471	2,990	1,484	1,506
69	INFLUENZA WITH OTHER RESPIRATORY MANIFESTATIONS-----	472	168	82	86
70	INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	473	38	10	28
71	INFLUENZA WITH NERVOUS MANIFESTATIONS-----	474	16	4	12
72	PNEUMONIA-----	480-486	57,594	32,334	25,260
73	VIRAL PNEUMONIA-----	483	1,734	880	854
74	PNEUMOCOCCAL PNEUMONIA-----	481	5,390	3,164	2,226
75	OTHER BACTERIAL PNEUMONIA-----	482	1,454	920	534
76	FRIEDLANDER'S BACILLUS-----	482.0	318	218	100
77	HEMOPHILUS INFLUENZAE-----	482.1	20	12	8
78	STREPTOCOCCUS-----	482.2	30	16	14
79	STAPHYLOCOCCUS-----	482.3	398	256	142
80	OTHER-----	482.9	688	418	270

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
5,630	3,546	576	384	6.8	10.1	3.7	10.8	3.8	4.6	2.8	01
1,814	884	228	138	1.5	2.0	1.0	2.0	1.0	1.8	1.0	02
632	386	70	56	0.5	0.7	0.4	0.7	0.4	0.6	0.4	03
4,768	1,370	150	94	3.1	4.8	1.4	5.4	1.5	1.2	0.7	04
2,416	906	128	96	1.7	2.5	0.9	2.7	1.0	1.0	0.7	05
612	498	78	98	0.6	0.7	0.6	0.7	0.5	0.6	0.7	06
274	210	40	32	0.3	0.3	0.2	0.3	0.2	0.3	0.2	07
8	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	08
28	6	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
238	202	34	28	0.2	0.3	0.2	0.3	0.2	0.3	0.2	12
2,488	2,848	220	218	2.8	2.7	2.9	2.8	3.1	1.7	1.6	13
146	62	-	8	0.1	0.1	0.1	0.1	0.1	-	0.1	14
148	102	8	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1	15
1,508	2,058	126	138	1.8	1.6	2.1	1.7	2.2	1.0	1.0	16
54	36	4	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	17
310	310	32	24	0.3	0.3	0.3	0.3	0.3	0.3	0.2	18
322	280	50	36	0.3	0.4	0.3	0.4	0.3	0.4	0.3	19
1,180	1,200	182	196	1.3	1.3	1.3	1.3	1.3	1.4	1.4	20
844	914	104	126	1.0	0.9	1.0	0.9	1.0	0.8	0.9	21
336	286	78	70	0.4	0.4	0.3	0.4	0.3	0.6	0.5	22
262	236	46	40	0.3	0.3	0.3	0.3	0.3	0.4	0.3	23
106	90	16	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	24
14	12	6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
16	36	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
28	20	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
6	16	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
14	32	4	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	30
74	28	6	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	31
284	210	38	36	0.3	0.3	0.2	0.3	0.2	0.3	0.3	32
16	18	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	33
7,650	7,496	1,368	1,306	8.6	8.9	8.2	8.6	8.1	10.9	9.5	34
5,046	4,720	968	884	5.6	5.9	5.2	5.7	5.1	7.7	6.4	35
976	1,242	104	190	1.2	1.1	1.3	1.1	1.3	0.8	1.4	36
548	602	46	82	0.6	0.6	0.6	0.6	0.6	0.4	0.6	37
428	640	58	108	0.6	0.5	0.7	0.5	0.7	0.5	0.8	38
32	4	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
652	786	134	116	0.8	0.8	0.8	0.7	0.8	1.1	0.8	40
82	106	24	26	0.1	0.1	0.1	0.1	0.1	0.2	0.2	41
12	14	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	43
66	90	18	22	0.1	0.1	0.1	0.1	0.1	0.1	0.2	44
14	12	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	45
346	166	42	24	0.3	0.4	0.2	0.4	0.2	0.3	0.2	46
300	144	34	24	0.2	0.3	0.2	0.3	0.2	0.3	0.2	47
-	-	-	-	-	-	-	-	-	-	-	48
46	22	8	-	0.0	0.1	0.0	0.1	0.0	0.1	0.1	49
6	22	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50
496	410	90	62	0.5	0.6	0.4	0.6	0.4	0.7	0.5	51
56	42	6	4	0.1	0.1	0.0	0.1	0.0	0.0	0.0	52
14	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
426	358	82	58	0.4	0.5	0.4	0.5	0.4	0.7	0.4	54
768	544	188	150	0.8	0.9	0.7	0.9	0.6	1.5	1.1	55
16	12	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56
-	-	-	-	0.0	-	0.0	-	0.0	-	-	57
-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	59
-	2	-	-	0.0	-	0.0	-	0.0	-	-	60
18	22	2	14	0.0	0.0	0.0	0.0	0.0	0.0	0.1	61
8	16	-	6	0.0	0.0	0.0	0.0	0.0	-	0.0	62
86	48	18	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	63
96	80	28	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1	64
544	364	134	104	0.6	0.7	0.4	0.6	0.4	1.1	0.8	65
2,178	2,392	212	204	2.4	2.4	2.4	2.5	2.6	1.7	1.5	66
728	870	82	94	0.9	0.8	0.9	0.8	0.9	0.7	0.7	67
1,360	1,404	124	102	1.4	1.5	1.4	1.5	1.5	1.0	0.7	68
78	84	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	69
8	22	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
4	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-	71
27,280	22,076	5,054	3,184	27.7	31.9	23.7	30.7	23.7	40.1	23.2	72
772	754	108	100	0.8	0.9	0.8	0.9	0.8	0.9	0.7	73
2,520	1,854	644	370	2.6	3.1	2.1	2.8	2.0	5.1	2.7	74
770	452	150	82	0.7	0.9	0.5	0.9	0.5	1.2	0.6	75
174	74	44	26	0.2	0.2	0.1	0.2	0.1	0.3	0.2	76
12	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	77
16	12	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	78
218	112	38	30	0.2	0.3	0.1	0.2	0.1	0.3	0.2	79
350	246	68	24	0.3	0.4	0.3	0.4	0.3	0.5	0.2	80

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
PNEUMONIA--CON.				
01	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISMS-----483	182	90	92
02	ACUTE INTERSTITIAL PNEUMONIA-----484	944	564	400
03	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED-----485	23,924	13,352	10,572
04	PNEUMONIA, UNSPECIFIED-----486	23,946	13,364	10,582
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493				
05	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	30,768	23,646	7,122
06	BRONCHITIS, UNQUALIFIED-----490	778	420	358
07	CHRONIC BRONCHITIS-----491	5,084	3,794	1,290
08	EMPHYSEMA-----492	22,580	18,428	4,152
09	ASTHMA-----493	2,326	1,004	1,322
OTHER DISEASES OF UPPER RESPIRATORY TRACT-----500-508				
10	OTHER DISEASES OF UPPER RESPIRATORY TRACT-----500-508	466	278	188
11	HYPERTROPHY OF TONSILS AND ADENOIDS-----500	26	16	10
12	PERITONSILLAR ABSCESS-----501	8	4	4
13	CHRONIC PHARYNGITIS AND NASOPHARYNGITIS-----502	-	-	-
14	CHRONIC PHARYNGITIS-----502.0	-	-	-
15	CHRONIC NASOPHARYNGITIS-----502.1	-	-	-
16	CHRONIC SINUSITIS-----503	42	28	14
17	MAXILLARY SINUSITIS (CHRONIC)-----503.0	6	2	4
18	FRONTAL SINUSITIS (CHRONIC)-----503.1	8	6	2
19	OTHER AND UNSPECIFIED SINUSITIS (CHRONIC)-----503.9	28	20	8
20	DEFLECTED NASAL SEPTUM-----504	2	2	-
21	NASAL POLYP-----505	2	2	-
22	CHRONIC LARYNGITIS-----506	2	2	-
23	HAY FEVER-----507	-	-	-
24	OTHER DISEASES OF UPPER RESPIRATORY TRACT-----508	384	224	160
25	PARALYSIS OF VOCAL CORDS OR LARYNX-----508.0	36	12	24
26	POLYP OF VOCAL CORDS OR LARYNX-----508.1	2	-	2
27	EDEMA OF LARYNX-----508.2	74	46	28
28	OTHER DISEASES OF VOCAL CORDS OR LARYNX NOT ELSEWHERE CLASSIFIABLE-----508.3	194	112	82
29	RETROPHARYNGEAL ABSCESS-----508.4	4	4	-
30	OTHER AND UNSPECIFIED DISEASES OF UPPER RESPIRATORY TRACT-----508.9	74	50	24
OTHER DISEASES OF RESPIRATORY SYSTEM-----510-519				
31	OTHER DISEASES OF RESPIRATORY SYSTEM-----510-519	20,672	14,900	5,772
32	EMPHYEMA-----510	366	246	120
33	PLEURISY-----511	342	186	156
34	WITHOUT MENTION OF EFFUSION OR TUBERCULOSIS-----511.0	96	64	32
35	WITH EFFUSION WITH MENTION OF A BACTERIAL CAUSE OTHER THAN TUBERCULOSIS-----511.1	-	-	-
36	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS-----511.2	246	122	124
37	SPONTANEOUS PNEUMOTHORAX-----512	292	206	86
38	ABSCESS OF LUNG-----513	836	572	264
39	PULMONARY CONGESTION AND HYPOSTASIS-----514	1,042	532	510
40	PNEUMOCONIOSIS DUE TO SILICA AND SILICATES-----515	2,012	1,986	26
41	SILICOSIS-----515.0	310	308	2
42	ANTHRACOSILIGOSIS-----515.1	1,250	1,248	2
43	ASBESTOSIS-----515.2	58	56	2
44	OTHER, INCLUDING PNEUMOCONIOSIS, UNSPECIFIED-----515.9	394	374	20
45	OTHER PNEUMOCONIOSES AND RELATED DISEASES-----516	26	20	6
46	DUE TO INHALATION OF OTHER INORGANIC DUST-----516.0	12	6	6
47	DUE TO INHALATION OF OTHER DUST-----516.1	14	14	-
48	DUE TO INHALATION OF FUMES-----516.2	-	-	-
49	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	3,410	2,184	1,226
50	BRONCHIECTASIS-----518	872	478	394
51	OTHER DISEASES OF RESPIRATORY SYSTEM-----519	11,474	8,490	2,984
52	PULMONARY COLLAPSE-----519.0	450	228	222
53	ACUTE EDEMA OF LUNG-----519.1	346	192	154
54	OTHER DISEASES OF LUNG-----519.2	1,648	1,166	544
55	CHRONIC OBSTRUCTIVE LUNG DISEASE WITHOUT MENTION OF ASTHMA, BRONCHITIS, OR EMPHYSEMA-----519.3	8,210	6,510	1,700
56	OTHER-----519.9	820	456	364
IX. DISEASES OF THE DIGESTIVE SYSTEM				
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS-----520-529				
57	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS-----520-529	126	58	68
58	DISORDERS OF TOOTH DEVELOPMENT AND ERUPTION-----520	-	-	-
59	ANDONTIA-----520.0	-	-	-
60	SUPERNUMERARY TEETH-----520.1	-	-	-
61	ABNORMALITIES OF SIZE AND FORM-----520.2	-	-	-
62	MOTTLED TEETH-----520.3	-	-	-
63	ENAMEL HYPOPLASIA-----520.4	-	-	-
64	HEREDITARY DISTURBANCES IN TOOTH STRUCTURE NOT ELSEWHERE CLASSIFIABLE-----520.5	-	-	-
65	DISTURBANCES IN TOOTH ERUPTION-----520.6	-	-	-
66	TEETHING SYNDROME-----520.7	-	-	-
67	OTHER AND UNSPECIFIED-----520.9	-	-	-
DISEASES OF HARD TISSUES OF TEETH-----521				
68	DISEASES OF HARD TISSUES OF TEETH-----521	2	2	-
69	DENTAL CARIES-----521.0	2	2	-
70	ATTRITION-----521.1	-	-	-
71	ABRASION-----521.2	-	-	-
72	EROSION-----521.3	-	-	-
73	RESORPTION-----521.4	-	-	-
74	HYPERCEMENTOSIS-----521.5	-	-	-
75	ANKYLOSIS-----521.6	-	-	-
76	POSTERUPTIVE COLOR CHANGES-----521.7	-	-	-
77	IRRADIATED ENAMEL-----521.8	-	-	-
78	OTHER AND UNSPECIFIED-----521.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS--CON.				
01	DISEASES OF PULP AND PERIAPICAL TISSUES-----522	6	2	4
02	PULPITIS-----522.0	--	--	--
03	NECROSIS OF THE PULP-----522.1	--	--	--
04	PULP DEGENERATIONS-----522.2	--	--	--
05	ABNORMAL HARD TISSUE FORMATION IN PULP-----522.3	--	--	--
06	ACUTE APICAL PERIODONTITIS-----522.4	2	--	2
07	PERIAPICAL ABSCESS-----522.5	4	2	2
08	CHRONIC APICAL PERIODONTITIS-----522.6	--	--	--
09	FISTULA FROM PERIAPICAL LESIONS-----522.7	--	--	--
10	RADICULAR CYST-----522.8	--	--	--
11	OTHER AND UNSPECIFIED-----522.9	--	--	--
12	PERIODONTAL DISEASES-----523	4	2	2
13	ACUTE GINGIVITIS-----523.0	--	--	--
14	CHRONIC GINGIVITIS-----523.1	--	--	--
15	GINGIVAL RECESSION-----523.2	--	--	--
16	ACUTE PERIODONTITIS-----523.3	2	--	2
17	CHRONIC PERIODONTITIS-----523.4	2	2	--
18	PERIODONTOSIS-----523.5	--	--	--
19	ACCRETIONS ON TEETH-----523.6	--	--	--
20	OTHER AND UNSPECIFIED-----523.9	--	--	--
21	DENTOFACIAL ANOMALIES, INCLUDING MALOCCLUSION-----524	2	--	2
22	MAJOR ANOMALIES OF JAW SIZE-----524.0	2	--	2
23	ANOMALIES OF JAW-CRANIAL BASE RELATIONSHIP-----524.1	--	--	--
24	ANOMALIES OF DENTAL ARCH RELATIONSHIP-----524.2	--	--	--
25	ANOMALIES OF TOOTH POSITION-----524.3	--	--	--
26	MALOCCLUSION, UNQUALIFIED-----524.4	--	--	--
27	DENTOFACIAL FUNCTIONAL ABNORMALITIES-----524.5	--	--	--
28	OTHER AND UNSPECIFIED-----524.9	--	--	--
29	OTHER DISEASES AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES-----525	18	8	10
30	ACQUIRED ABSENCE OF TEETH-----525.0	--	--	--
31	ATROPHY OF EDENTULOUS ALVEOLAR RIDGE-----525.1	--	--	--
32	OTHER AND UNSPECIFIED-----525.9	18	8	10
33	DISEASES OF THE JAWS-----526	14	10	4
34	DEVELOPMENTAL DENTAL CYSTS-----526.0	--	--	--
35	FISSURAL CYSTS-----526.1	2	2	--
36	OTHER CYSTS OF JAWS-----526.2	--	--	--
37	REPARATIVE GIANT CELL GRANULOMA-----526.3	--	--	--
38	INFLAMMATORY CONDITIONS-----526.4	2	--	2
39	ALVEOLITIS-----526.5	10	8	2
40	OTHER AND UNSPECIFIED-----526.9	--	--	--
41	DISEASES OF THE SALIVARY GLANDS-----527	52	16	36
42	ATROPHY-----527.0	--	--	--
43	HYPERTROPHY-----527.1	--	--	--
44	SIALADENITIS-----527.2	36	12	24
45	ABSCESS-----527.3	14	4	10
46	FISTULA-----527.4	--	--	--
47	SIALDLITHIASIS-----527.5	2	--	2
48	MUCOCELE-----527.6	--	--	--
49	DISTURBANCES OF SALIVARY SECRETION-----527.7	--	--	--
50	SIALOSIS-----527.8	--	--	--
51	OTHER AND UNSPECIFIED-----527.9	--	--	--
52	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE-----528	24	16	8
53	STOMATITIS-----528.0	2	2	--
54	CANCERUM ORIS-----528.1	--	--	--
55	ORAL APHTHOUS ULCERATIONS-----528.2	--	--	--
56	CELLULITIS AND ABSCESS-----528.3	6	2	4
57	CYSTS-----528.4	--	--	--
58	DISEASES OF LIPS-----528.5	--	--	--
59	LEUKOPLAKIA OF ORAL MUCOSA-----528.6	--	--	--
60	OTHER DISTURBANCES OF KERATINIZATION-----528.7	--	--	--
61	ORAL SUBMUCOUS FIBROSIS-----528.8	--	--	--
62	OTHER AND UNSPECIFIED-----528.9	16	12	4
63	DISEASES OF THE TONGUE AND OTHER ORAL CONDITIONS-----529	4	2	2
64	GLOSSITIS-----529.0	2	--	2
65	GEOGRAPHIC TONGUE-----529.1	--	--	--
66	MEDIAN RHOMBOID GLOSSITIS-----529.2	--	--	--
67	HYPERTROPHY OF TONGUE PAPILLAE-----529.3	--	--	--
68	ATROPHY OF TONGUE PAPILLAE-----529.4	--	--	--
69	PLICATED TONGUE-----529.5	--	--	--
70	GLOSSODYNIA-----529.6	--	--	--
71	LEUKOPLAKIA AND OTHER DISTURBANCES OF KERATINIZATION OF THE TONGUE-----529.7	--	--	--
72	OTHER AND UNSPECIFIED-----529.9	2	2	--
73	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM-----530-537	11,132	7,216	3,916
74	DISEASES OF ESOPHAGUS-----530	1,122	702	420
75	FUNCTIONAL DISORDERS OF ESOPHAGUS-----530.0	80	40	40
76	INFLAMMATORY DISEASES OF ESOPHAGUS-----530.1	260	168	92
77	DIVERTICULUM OF ESOPHAGUS, ACQUIRED-----530.2	22	12	10
78	OBSTRUCTION OF ESOPHAGUS-----530.3	272	152	120
79	RUPTURE OF ESOPHAGUS-----530.4	224	144	80
80	OTHER-----530.9	264	186	78
81	ULCER OF STOMACH-----531	3,274	1,948	1,326
82	WITH HEMORRHAGE ONLY-----531.0	1,960	1,172	788
83	WITH PERFORATION ONLY-----531.1	694	398	296
84	WITH HEMORRHAGE AND PERFORATION-----531.2	140	52	48
85	OTHER AND UNSPECIFIED-----531.9	480	286	194
86	ULCER OF DUODENUM-----532	3,510	2,480	1,030
87	WITH HEMORRHAGE ONLY-----532.0	1,784	1,324	460
88	WITH PERFORATION ONLY-----532.1	1,074	710	364
89	WITH HEMORRHAGE AND PERFORATION-----532.2	212	160	52
90	OTHER AND UNSPECIFIED-----532.9	440	286	154

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-	4	2	-	0.0	0.0	0.0	-	0.0	0.0	-	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
-	2	-	-	0.0	-	0.0	-	0.0	-	-	06
-	2	2	-	0.0	0.0	0.0	-	0.0	0.0	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	2	-	-	0.0	-	0.0	-	0.0	-	-	15
2	-	-	-	0.0	0.0	-	0.0	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
-	2	-	-	0.0	-	0.0	-	0.0	-	-	20
-	2	-	-	0.0	-	0.0	-	0.0	-	-	21
-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	28
6	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	29
-	-	-	-	-	-	-	-	-	-	-	30
6	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	31
6	4	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	2	-	0.0	0.0	-	-	-	-	0.0	34
-	-	-	-	-	-	-	-	-	-	-	35
-	2	-	-	0.0	-	0.0	-	0.0	-	-	36
6	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	37
-	-	-	-	-	-	-	-	-	-	-	38
12	36	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	39
-	-	-	-	-	-	-	-	-	-	-	40
10	24	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	41
2	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	42
-	2	-	-	0.0	-	0.0	-	0.0	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
14	8	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	52
2	-	-	-	0.0	0.0	-	0.0	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	55
2	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	60
10	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	61
-	-	-	-	-	-	-	-	-	-	-	62
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	63
-	2	-	-	0.0	-	0.0	-	0.0	-	-	64
-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	71
2	-	-	-	0.0	0.0	-	0.0	-	-	-	72
4,354	3,554	862	362	5.3	7.1	3.7	7.1	3.8	6.8	2.6	73
628	374	74	46	0.5	0.7	0.4	0.7	0.4	0.6	0.3	74
26	30	14	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	75
162	88	6	4	0.1	0.2	0.1	0.2	0.1	0.0	0.0	76
12	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-	77
140	108	12	12	0.1	0.1	0.1	0.2	0.1	0.1	0.1	78
128	68	16	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	79
160	70	26	8	0.1	0.2	0.1	0.2	0.1	0.2	0.1	80
1,686	1,224	262	102	1.6	1.9	1.2	1.9	1.3	2.1	0.7	81
1,024	730	148	58	0.9	1.2	0.7	1.2	0.8	1.2	0.4	82
332	276	66	20	0.3	0.4	0.3	0.4	0.3	0.5	0.1	83
86	42	6	6	0.1	0.1	0.0	0.1	0.0	0.0	0.0	84
244	176	42	18	0.2	0.3	0.2	0.3	0.2	0.3	0.1	85
2,238	934	242	96	1.7	2.4	1.0	2.5	1.0	1.9	0.7	86
1,200	430	124	30	0.9	1.3	0.4	1.4	0.5	1.0	0.2	87
642	326	68	38	0.5	0.7	0.3	0.7	0.4	0.5	0.3	88
146	42	14	10	0.1	0.2	0.0	0.2	0.0	0.1	0.1	89
250	136	36	18	0.2	0.3	0.1	0.3	0.1	0.3	0.1	90

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM--CON.				
01	PEPTIC ULCER, SITE UNSPECIFIED-----533	1,132	786	346
02	WITH PERFORATION-----533.0	502	334	168
03	WITHOUT MENTION OF PERFORATION-----533.9	630	452	178
04	GASTROJEJUNAL ULCER-----534	756	516	240
05	WITH HEMORRHAGE ONLY-----*534.0	666	448	218
06	WITH PERFORATION ONLY-----*534.1	32	26	6
07	WITH HEMORRHAGE AND PERFORATION-----*534.2	26	20	6
08	OTHER AND UNSPECIFIED-----*534.9	32	22	10
09	GASTRITIS AND DUODENITIS-----535	578	374	204
10	DISORDERS OF FUNCTION OF STOMACH-----536	110	62	48
11	DISORDERS OF GASTRIC SECRETION-----536.0	4	2	2
12	DISORDERS OF GASTRIC MOTILITY-----536.1	84	48	36
13	OTHER-----536.9	22	12	10
14	OTHER DISEASES OF STOMACH AND DUODENUM-----537	650	348	302
15	PULVIC STENOSIS, ACQUIRED-----*537.0	100	44	56
16	OTHER AND UNSPECIFIED-----*537.9	550	304	246
17	APPENDICITIS-----540-543	1,206	712	494
18	ACUTE APPENDICITIS-----540	1,100	646	454
19	WITH PERITONITIS-----540.0	1,030	602	428
20	WITHOUT MENTION OF PERITONITIS-----540.9	70	44	26
21	APPENDICITIS, UNQUALIFIED-----541	98	62	36
22	OTHER APPENDICITIS-----542	-	-	-
23	OTHER DISEASES OF APPENDIX-----543	8	4	4
24	HERNIA OF ABDOMINAL CAVITY-----550-553	2,582	1,254	1,328
25	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION-----550	108	100	8
26	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION-----551	1,170	570	600
27	FEMORAL-----551.0	4	2	2
28	UMBILICAL-----551.1	134	80	54
29	VENTRAL-----551.2	108	36	72
30	DIAPHRAGMATIC-----551.3	774	372	402
31	OF OTHER SPECIFIED SITE-----551.8	24	12	12
32	OF UNSPECIFIED SITE-----551.9	126	68	58
33	INGUINAL HERNIA WITH OBSTRUCTION-----552	344	268	76
34	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION-----553	960	316	644
35	FEMORAL-----553.0	154	34	120
36	UMBILICAL-----553.1	126	20	106
37	VENTRAL-----553.2	250	56	194
38	DIAPHRAGMATIC-----553.3	72	12	60
39	OF OTHER SPECIFIED SITE-----553.8	92	50	42
40	OF UNSPECIFIED SITE-----553.9	266	144	122
41	OTHER DISEASES OF INTESTINE AND PERITONEUM-----560-569	15,824	7,086	8,738
42	INTESTINAL OBSTRUCTIONS WITHOUT MENTION OF HERNIA-----560	4,208	1,706	2,502
43	INTUSSUSCEPTION-----560.0	48	26	22
44	PARALYTIC ILEUS-----560.1	254	116	138
45	VOLVULUS-----560.2	880	426	454
46	IMPACTION OF INTESTINE-----560.3	164	54	110
47	ADHESIONS WITH OBSTRUCTION-----*560.4	506	172	334
48	OTHER AND UNSPECIFIED-----*560.9	2,356	912	1,444
49	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN-----561	36	10	26
50	DIVERTICULA OF INTESTINE-----562	3,534	1,366	2,168
51	SMALL INTESTINE-----562.0	52	22	30
52	COLON-----562.1	3,482	1,344	2,138
53	CHRONIC ENTERITIS AND ULCERATIVE COLITIS-----563	1,068	436	632
54	REGIONAL ENTERITIS-----563.0	318	130	188
55	ULCERATIVE COLITIS-----563.1	666	270	396
56	OTHER-----563.9	84	36	48
57	FUNCTIONAL DISORDERS OF INTESTINES-----564	78	30	48
58	CONSTIPATION-----564.0	16	4	12
59	IRRITABLE COLON-----564.1	54	22	32
60	OTHER-----564.9	8	4	4
61	ANAL FISSURE AND FISTULA-----565	4	4	-
62	ANAL FISSURE-----565.0	-	-	-
63	ANAL FISTULA-----565.1	4	4	-
64	ABSCESS OF ANAL AND RECTAL REGIONS-----566	112	66	46
65	PERITONITIS-----567	1,104	558	546
66	WITH ABSCESS-----*567.0	286	140	146
67	UNSPECIFIED-----*567.9	818	418	400
68	PERITONEAL ADHESIONS-----568	148	52	96
69	OTHER DISEASES OF INTESTINES AND PERITONEUM-----569	5,532	2,858	2,674
70	PROCTITIS-----*569.0	4	-	4
71	PROLAPSE OF RECTUM-----*569.1	24	4	20
72	OTHER RECTAL AND ANAL DISEASES-----*569.2	204	96	108
73	FISTULA OF INTESTINE-----*569.3	218	108	110
74	PERFORATION OR ULCERATION OF INTESTINE NOT OTHERWISE SPECIFIED-----*569.4	654	296	358
75	OTHER-----*569.9	4,428	2,354	2,074
76	DISEASES OF LIVER, GALLBLADDER, AND PANCREAS-----570-577	43,898	27,310	16,588
77	ACUTE AND SUBACUTE NECROSIS OF LIVER-----570	608	276	332
78	CIRRHOSIS OF LIVER-----571	32,576	21,422	11,154
79	ALCOHOLIC-----571.0	12,576	8,788	3,788
80	OTHER SPECIFIED-----*571.8	5,140	3,008	2,132
81	UNSPECIFIED-----*571.9	14,860	9,626	5,234
82	SUPPURATIVE HEPATITIS AND LIVER ABSCESS-----572	156	86	70

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
698	320	88	26	0.5	0.8	0.3	0.8	0.3	0.7	0.2	01
294	158	40	10	0.2	0.3	0.2	0.3	0.2	0.3	0.1	02
404	162	48	16	0.3	0.4	0.2	0.5	0.2	0.4	0.1	03
448	212	68	28	0.4	0.5	0.2	0.5	0.2	0.5	0.2	04
388	190	60	28	0.3	0.4	0.2	0.4	0.2	0.5	0.2	05
26	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	06
14	6	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	07
20	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	08
316	178	58	26	0.3	0.4	0.2	0.4	0.2	0.5	0.2	09
48	42	14	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	10
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	11
38	34	10	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	12
8	8	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
292	270	56	32	0.3	0.3	0.3	0.3	0.3	0.4	0.2	14
38	56	6	-	0.0	0.0	0.1	0.0	0.1	0.0	-	15
254	214	50	32	0.3	0.3	0.2	0.3	0.2	0.4	0.2	16
596	402	116	92	0.6	0.7	0.5	0.7	0.4	0.9	0.7	17
536	366	110	88	0.5	0.6	0.4	0.6	0.4	0.9	0.6	18
500	344	102	84	0.5	0.6	0.4	0.6	0.4	0.8	0.6	19
34	22	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	20
56	32	6	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	21
-	-	-	-	-	-	-	-	-	-	-	22
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	23
1,110	1,202	144	126	1.2	1.2	1.2	1.2	1.3	1.1	0.9	24
94	8	6	-	0.1	0.1	0.0	0.1	0.0	0.0	-	25
522	544	48	56	0.6	0.6	0.6	0.6	0.6	0.4	0.4	26
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	27
72	44	8	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1	28
34	68	2	4	0.1	0.0	0.1	0.0	0.1	0.0	0.0	29
346	376	26	26	0.4	0.4	0.4	0.4	0.4	0.2	0.2	30
10	8	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
58	46	10	12	0.1	0.1	0.1	0.1	0.0	0.1	0.1	32
210	72	58	4	0.2	0.3	0.1	0.2	0.1	0.5	0.0	33
284	578	32	66	0.5	0.3	0.6	0.3	0.6	0.3	0.5	34
30	114	4	6	0.1	0.0	0.1	0.0	0.1	0.0	0.0	35
16	84	4	22	0.1	0.0	0.1	0.0	0.1	0.0	0.0	36
54	170	2	24	0.1	0.1	0.2	0.1	0.2	0.0	0.2	37
12	58	-	2	0.0	0.0	0.1	0.0	0.1	-	0.0	38
44	36	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
128	116	16	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	40
6,216	7,812	870	926	7.6	7.0	8.2	7.0	8.4	6.9	6.7	41
1,430	2,238	276	264	2.0	1.7	2.3	1.6	2.4	2.2	1.9	42
18	18	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	43
92	124	24	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	44
362	398	64	56	0.4	0.4	0.4	0.4	0.4	0.5	0.4	45
46	98	8	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	46
132	296	40	38	0.2	0.2	0.3	0.1	0.3	0.3	0.3	47
780	1,304	132	140	1.1	0.9	1.4	0.9	1.4	1.0	1.0	48
8	18	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	49
1,310	2,044	56	124	1.7	1.3	2.0	1.5	2.2	0.4	0.9	50
20	28	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51
1,290	2,016	54	122	1.7	1.3	2.0	1.5	2.2	0.4	0.9	52
410	562	26	70	0.5	0.4	0.6	0.5	0.6	0.2	0.5	53
126	164	4	24	0.2	0.1	0.2	0.1	0.2	0.0	0.2	54
254	362	16	34	0.3	0.3	0.4	0.3	0.4	0.1	0.2	55
30	36	6	12	0.0	0.0	0.0	0.0	0.0	0.0	0.1	56
30	46	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	57
4	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	58
22	32	-	-	0.0	0.0	0.0	0.0	0.0	-	-	59
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	60
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	61
-	-	-	-	-	-	-	-	-	-	-	62
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	63
52	36	14	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1	64
482	466	76	80	0.5	0.5	0.5	0.5	0.5	0.6	0.6	65
122	120	18	26	0.1	0.1	0.1	0.1	0.1	0.1	0.2	66
360	346	58	54	0.4	0.4	0.4	0.4	0.4	0.5	0.4	67
38	86	14	10	0.1	0.1	0.1	0.0	0.1	0.1	0.1	68
2,454	2,316	404	358	2.7	2.8	2.5	2.8	2.5	3.2	2.6	69
-	4	-	-	0.0	-	0.0	-	0.0	-	-	70
4	18	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	71
78	90	18	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	72
94	92	14	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	73
258	324	38	34	0.3	0.3	0.3	0.3	0.3	0.3	0.2	74
2,020	1,788	334	286	2.1	2.3	1.9	2.3	1.9	2.7	2.1	75
22,976	13,902	4,334	2,686	21.1	26.9	15.5	25.9	14.9	34.4	19.6	76
226	250	50	74	0.3	0.3	0.3	0.3	0.3	0.4	0.5	77
17,964	9,174	3,458	1,980	15.6	21.1	10.4	20.2	9.9	27.5	14.4	78
7,154	2,966	1,634	822	6.0	8.7	3.5	8.0	3.2	13.0	6.0	79
2,388	1,752	620	380	2.5	3.0	2.0	2.7	1.9	4.9	2.8	80
8,422	4,456	1,204	778	7.1	9.5	4.9	9.5	4.8	9.6	5.7	81
66	62	20	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1	82

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF LIVER, GALLBLADDER, AND PANCREAS--CON.				
01	OTHER DISEASES OF LIVER-----573	2,366	1,342	1,024
02	HEPATITIS NOT OTHERWISE SPECIFIED-----573.0	508	276	232
03	OTHER AND UNSPECIFIED-----573.9	1,858	1,066	792
04	CHOLELITHIASIS-----574	2,024	880	1,144
05	WITH ACUTE CHOLECYSTITIS-----574.0	306	132	174
06	WITH OTHER CHOLECYSTITIS-----574.1	804	374	430
07	OTHER AND UNSPECIFIED-----574.9	914	374	540
08	CHOLECYSTITIS AND CHOLANGITIS, WITHOUT MENTION OF CALCULUS-----576	1,642	742	900
09	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS-----576.0	1,418	696	722
10	OBSTRUCTION-----576.1	580	288	292
11	FISTULA-----576.1	28	8	20
12	OTHER AND UNSPECIFIED-----576.9	810	400	410
13	DISEASES OF PANCREAS-----577	3,108	1,866	1,242
14	ACUTE PANCREATITIS-----577.0	2,632	1,548	1,084
15	CHRONIC PANCREATITIS-----577.1	290	210	80
16	OTHER DISEASES OF PANCREAS-----577.9	186	108	78
X. DISEASES OF THE GENITOURINARY SYSTEM				
17	NEPHRITIS AND NEPHROSIS-----580-584	8,548	4,656	3,892
18	ACUTE NEPHRITIS-----580	1,078	630	448
19	NEPHROTIC SYNDROME-----581	388	210	178
20	CHRONIC NEPHRITIS-----582	6,144	3,356	2,808
21	NEPHRITIS, UNQUALIFIED-----583	852	422	410
22	RENAL SCLEROSIS, UNQUALIFIED-----584	106	58	48
23	OTHER DISEASES OF URINARY SYSTEM-----590-599	16,022	8,194	7,828
24	INFECTIONS OF KIDNEY-----590	6,946	3,074	3,872
25	CHRONIC PYELONEPHRITIS-----590.0	3,968	1,740	2,228
26	OTHER PYELONEPHRITIS, PYELITIS, AND PYELOCYSTITIS-----590.1	2,764	1,234	1,530
27	ABSCESS OF KIDNEY AND PERIRENAL TISSUE-----590.2	96	46	50
28	OTHER-----590.9	118	54	64
29	HYDRONEPHROSIS-----591	150	104	46
30	CALCULUS OF KIDNEY AND URETER-----592	720	344	376
31	OTHER DISEASES OF KIDNEY AND URETER-----593	4,404	2,460	1,944
32	RENAL DWARFISM-----593.0	2	-	2
33	ACUTE TUBULAR NEPHROSIS-----593.1	334	214	120
34	OTHER RENAL DISEASE-----593.2	3,916	2,168	1,748
35	OBSTRUCTION OF URETER NOT ELSEWHERE CLASSIFIABLE-----593.3	126	64	62
36	HYDRO-URETER-----593.4	8	2	6
37	OTHER DISEASES OF URETER-----593.5	18	12	6
38	CALCULUS OF OTHER PARTS OF URINARY SYSTEM-----594	92	60	32
39	CYSTITIS-----595	324	162	162
40	OTHER DISEASES OF BLADDER-----596	354	246	108
41	FISTULA OF BLADDER-----596.0	54	12	42
42	DIVERTICULUM OF BLADDER (ACQUIRED)-----596.1	18	16	2
43	CONTRACTURE OF BLADDER (SPHINCTER)-----596.2	104	98	6
44	PARALYSIS OF BLADDER-----596.3	4	4	-
45	OTHER AND UNSPECIFIED DISEASES OF BLADDER-----596.9	174	116	58
46	URETHRITIS (NONVENEREAL)-----597	4	2	2
47	STRICTURE OF URETHRA-----598	146	134	12
48	OTHER DISEASES OF URINARY TRACT-----599	2,882	1,608	1,274
49	URINARY TRACT INFECTION NOT ELSEWHERE CLASSIFIABLE-----599.0	2,580	1,338	1,242
50	FISTULA, URINARY, NOT ELSEWHERE CLASSIFIABLE-----599.1	-	-	-
51	CARUNCLE OF URETHRA-----599.2	2	-	2
52	OTHER AND UNSPECIFIED DISEASES OF URINARY TRACT-----599.9	300	270	30
53	DISEASES OF MALE GENITAL ORGANS-----600-607	2,556	2,556	...
54	HYPERPLASIA OF PROSTATE-----600	1,862	1,862	...
55	PROSTATITIS-----601	100	100	...
56	OTHER DISEASES OF PROSTATE-----602	376	376	...
57	HYDROCELE-----603	2	2	...
58	ORCHITIS AND EPIDIDYMITIS-----604	18	18	...
59	REDUNDANT PREPUCE AND PHIMOSIS-----605	2	2	...
60	STERILITY, MALE-----606	-	-	...
61	OTHER DISEASES OF MALE GENITAL ORGANS-----607	196	196	...
62	LEUKOPLAKIA OF PENIS-----607.0	-	-	...
63	ERYTHROPLASIA OF PENIS-----607.1	-	-	...
64	CHRONIC ULCERATION OF PENIS-----607.2	2	2	...
65	BALANITIS-----607.3	-	-	...
66	SEMINAL VESICULITIS-----607.4	2	2	...
67	OTHER INFLAMMATORY DISEASES-----607.5	54	54	...
68	SPERMATOCELE-----607.6	-	-	...
69	TORSION OF TESTIS-----607.7	-	-	...
70	ATROPHY OF TESTICLE-----607.8	-	-	...
71	OTHER-----607.9	138	138	...
72	DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM-----610-616	272	-	272
73	CHRONIC CYSTIC DISEASE OF BREAST-----610	-	-	-
74	OTHER DISEASES OF BREAST-----611	24	-	24
75	ACUTE MASTITIS NOT ASSOCIATED WITH LACTATION-----611.0	4	-	4
76	HYPERTROPHY OF BREAST-----611.1	-	-	-
77	FISSURE OF NIPPLE-----611.2	-	-	-
78	OTHER-----611.9	20	-	20

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
1,092	812	250	212	1.1	1.3	1.0	1.2	0.9	2.0	1.5	01	
216	196	60	36	0.2	0.2	0.2	0.2	0.2	0.5	0.3	02	
876	616	190	176	0.9	1.1	0.7	1.0	0.7	1.5	1.3	03	
836	1,068	44	76	1.0	0.9	1.1	0.9	1.1	0.3	0.6	04	
130	162	2	12	0.1	0.1	0.2	0.1	0.2	0.0	0.1	05	
354	398	20	32	0.4	0.4	0.4	0.4	0.4	0.2	0.2	06	
352	508	22	32	0.4	0.4	0.5	0.4	0.5	0.2	0.2	07	
686	828	56	72	0.8	0.7	0.8	0.8	0.9	0.4	0.5	08	
626	660	70	62	0.7	0.7	0.7	0.7	0.7	0.6	0.5	09	
246	272	42	20	0.3	0.3	0.3	0.3	0.3	0.3	0.1	10	
8	16	-	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	
372	372	28	38	0.4	0.4	0.4	0.4	0.4	0.2	0.3	12	
1,480	1,040	386	202	1.5	1.8	1.4	1.7	1.1	3.1	1.5	13	
1,246	912	302	172	1.3	1.5	1.0	1.4	1.0	2.4	1.3	14	
150	64	60	16	0.1	0.2	0.1	0.2	0.1	0.5	0.1	15	
84	64	24	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	16	
3,442	2,840	1,214	1,052	4.1	4.6	3.6	3.9	3.1	9.6	7.7	17	
498	356	132	92	0.5	0.6	0.4	0.6	0.4	1.0	0.7	18	
172	148	38	30	0.2	0.2	0.2	0.2	0.2	0.3	0.2	19	
2,384	1,986	952	822	3.0	3.3	2.6	2.7	2.1	7.6	6.0	20	
340	306	82	104	0.4	0.4	0.4	0.4	0.3	0.7	0.8	21	
48	44	10	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	22	
6,688	6,518	1,506	1,310	7.7	8.1	7.3	7.5	7.0	12.0	9.5	23	
2,562	3,222	512	650	3.3	3.0	3.6	2.9	3.5	4.1	4.7	24	
1,406	1,818	334	410	1.9	1.7	2.1	1.6	2.0	2.7	3.0	25	
1,074	1,306	160	224	1.3	1.2	1.4	1.2	1.4	1.3	1.6	26	
40	36	6	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	
42	62	12	2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	28	
72	36	32	10	0.1	0.1	0.0	0.1	0.0	0.3	0.1	29	
320	340	24	36	0.3	0.3	0.4	0.4	0.4	0.2	0.3	30	
1,942	1,564	518	380	2.1	2.4	1.8	2.2	1.7	4.1	2.8	31	
-	2	-	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	
174	110	40	10	0.2	0.2	0.1	0.2	0.1	0.3	0.1	33	
1,706	1,392	462	356	1.9	2.1	1.6	1.9	1.5	3.7	2.6	34	
52	52	12	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	35	
2	4	-	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	
8	4	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	
52	32	8	-	0.0	0.1	0.0	0.1	0.0	0.1	0.0	38	
140	148	22	14	0.2	0.2	0.2	0.2	0.2	0.2	0.1	39	
192	96	54	12	0.2	0.2	0.1	0.2	0.1	0.4	0.1	40	
8	4	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	
14	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	
68	6	30	-	0.0	0.1	0.0	0.1	0.0	0.2	0.0	43	
4	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	
98	50	18	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	45	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	
88	10	46	2	0.1	0.1	0.0	0.1	0.0	0.4	0.0	47	
1,318	1,068	290	206	1.4	1.6	1.2	1.5	1.1	2.3	1.5	48	
1,108	1,064	230	198	1.2	1.3	1.2	1.2	1.1	1.8	1.4	49	
-	-	-	-	-	-	-	-	-	-	-	50	
-	-	-	-	-	-	0.0	-	0.0	-	-	51	
210	22	60	8	0.0	0.3	0.0	0.2	0.0	0.5	0.1	52	
2,210	...	346	...	1.2	2.5	...	2.5	...	2.7	...	53	
1,622	...	240	...	0.9	1.8	...	1.8	...	1.9	...	54	
80	...	20	...	0.0	0.1	...	0.1	...	0.2	...	55	
326	...	50	...	0.2	0.4	...	0.4	...	0.4	...	56	
-	...	2	...	0.0	0.0	...	-	...	0.0	...	57	
16	...	2	...	0.0	0.0	...	0.0	...	0.0	...	58	
2	...	-	...	0.0	0.0	...	0.0	...	-	...	59	
-	...	-	...	-	-	...	-	...	-	...	60	
164	...	32	...	0.1	0.2	...	0.2	...	0.3	...	61	
-	...	-	...	-	-	...	-	...	-	...	62	
2	...	-	...	0.0	0.0	...	0.0	...	-	...	63	
-	...	-	...	-	-	...	-	...	-	...	64	
2	...	-	...	0.0	0.0	...	0.0	...	-	...	65	
2	...	-	...	0.0	0.0	...	0.3	...	-	...	66	
40	...	14	...	0.0	0.1	...	0.0	...	0.1	...	67	
-	...	-	...	-	-	...	-	...	-	...	68	
-	...	-	...	-	-	...	-	...	-	...	69	
-	...	-	...	-	-	...	-	...	-	...	70	
120	...	18	...	0.1	0.1	...	0.1	...	0.1	...	71	
-	160	-	112	0.1	-	0.3	-	0.2	-	0.8	72	
-	-	-	-	-	-	-	-	-	-	-	73	
-	24	-	-	0.0	-	0.0	-	0.0	-	-	74	
-	4	-	-	0.0	-	0.0	-	0.0	-	-	75	
-	-	-	-	-	-	-	-	-	-	-	76	
-	-	-	-	-	-	-	-	-	-	-	77	
-	20	-	-	0.0	-	0.0	-	0.0	-	-	78	

SECTION 1 - GENERAL MORTALITY

Table I-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM—CON.				
01	ACUTE SALPINGITIS AND OOPHORITIS.....612	10	...	10
02	CHRONIC SALPINGITIS AND OOPHORITIS.....613	—	...	—
03	SALPINGITIS AND OOPHORITIS, UNQUALIFIED.....614	56	...	56
04	OTHER DISEASES OF OVARY AND FALLOPIAN TUBE.....615	14	...	14
05	PROLAPSE OF OVARY.....615.0	—	...	—
06	HYDROSALPINX.....615.1	—	...	—
07	OVARIAN CYST, RETENTION.....615.2	4	...	4
08	OTHER.....615.9	10	...	10
09	DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE).....616	168	...	168
10	PELVIC INFLAMMATORY DISEASE.....616.0	166	...	166
11	PELVIC PERITONEAL ADHESIONS, FEMALE.....616.1	2	...	2
12	PELVIC CONGESTION, FEMALE.....616.2	—	...	—
13	OTHER.....616.9	—	...	—
14	DISEASES OF UTERUS AND OTHER FEMALE GENITAL ORGANS.....620-629	452	...	452
15	INFECTIVE DISEASES OF CERVIX UTERI.....620	8	...	8
16	CHRONIC CERVICITIS.....620.0	6	...	6
17	OTHER CERVICITIS.....620.9	2	...	2
18	OTHER DISEASES OF CERVIX.....621	4	...	4
19	LEUKOPLAKIA OF CERVIX.....621.0	—	...	—
20	ERYTHROPLASIA OF CERVIX.....621.1	—	...	—
21	HYPERPLASTIC ENDOMETRITIS OF CERVIX.....621.2	—	...	—
22	CHRONIC EROSION AND ULCERATION OF CERVIX.....621.3	—	...	—
23	OLD LACERATION OF CERVIX.....621.4	—	...	—
24	STRICTURE OF CERVIX.....621.5	—	...	—
25	ATROPHY OF CERVIX.....621.6	—	...	—
26	OTHER.....621.9	4	...	4
27	INFECTIVE DISEASES OF UTERUS (EXCEPT CERVIX), VAGINA, AND VULVA.....622	36	...	36
28	INFECTIVE DISEASES OF UTERUS, EXCEPT CERVIX.....622.0	30	...	30
29	VAGINITIS AND VULVITIS.....622.1	6	...	6
30	UTEROVAGINAL PROLAPSE.....623	46	...	46
31	CYSTOCELE.....623.0	16	...	16
32	RECTOCELE.....623.1	2	...	2
33	URETHROCELE.....623.2	—	...	—
34	VAGINAL ENTEROCELE.....623.3	—	...	—
35	UTERINE PROLAPSE.....623.4	18	...	18
36	OTHER AND UNSPECIFIED.....623.9	10	...	10
37	MALPOSITION OF UTERUS.....624	—	...	—
38	RETROVERSION AND RETROFLEXION.....624.0	—	...	—
39	OTHER.....624.1	—	...	—
40	UNSPECIFIED.....624.9	—	...	—
41	OTHER DISEASES OF UTERUS.....625	176	...	176
42	ATROPHY OF UTERUS.....625.0	—	...	—
43	SUBINVOLUTION OF UTERUS.....625.1	—	...	—
44	HYPERPLASIA OF ENDOMETRIUM.....625.2	2	...	2
45	ENDOMETRIOSIS.....625.3	12	...	12
46	OTHER.....625.9	162	...	162
47	DISORDERS OF MENSTRUATION.....626	28	...	28
48	ABSENT.....626.0	—	...	—
49	SCANTY.....626.1	—	...	—
50	EXCESSIVE.....626.2	8	...	8
51	PAINFUL.....626.3	—	...	—
52	FREQUENT.....626.4	—	...	—
53	IRREGULAR.....626.5	—	...	—
54	INTERMENSTRUAL BLEEDING.....626.6	4	...	4
55	POSTMENOPAUSAL BLEEDING.....626.7	4	...	4
56	OTHER.....626.9	12	...	12
57	MENOPAUSAL SYMPTOMS.....627	—	...	—
58	STERILITY, FEMALE.....628	—	...	—
59	OTHER DISEASES OF FEMALE GENITAL ORGANS.....629	154	...	154
60	LEUKOPLAKIA OF VAGINA.....629.0	—	...	—
61	ERYTHROPLASIA OF VAGINA AND VULVA.....629.1	—	...	—
62	KRAUROSIS OF VULVA.....629.2	—	...	—
63	LEUKORRHEA.....629.3	—	...	—
64	UNSPECIFIED INFECTION.....629.4	90	...	90
65	VAGINAL BLEEDING.....629.5	18	...	18
66	OLD LACERATION.....629.6	—	...	—
67	STRICTURE OR ATRESIA OF VAGINA AND HYMEN.....629.7	—	...	—
68	RECTOVAGINAL FISTULA.....629.8	16	...	16
69	OTHER.....629.9	30	...	30
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM				
70	COMPLICATIONS OF PREGNANCY.....630-634	108	...	108
71	INFECTIONS OF GENITAL TRACT DURING PREGNANCY.....630	6	...	6
72	ECTOPIC PREGNANCY.....631	48	...	48
73	ABDOMINAL PREGNANCY WITH SEPSIS.....631.0	2	...	2
74	TUBAL PREGNANCY WITH SEPSIS.....631.1	2	...	2
75	OVARIAN PREGNANCY WITH SEPSIS.....631.2	—	...	—
76	OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITH SEPSIS.....631.3	2	...	2
77	ABDOMINAL PREGNANCY WITHOUT MENTION OF SEPSIS.....631.4	—	...	—
78	TUBAL PREGNANCY WITHOUT MENTION OF SEPSIS.....631.5	22	...	22
79	OVARIAN PREGNANCY WITHOUT MENTION OF SEPSIS.....631.6	2	...	2
80	OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITHOUT MENTION OF SEPSIS.....631.9	18	...	18
81	HEMORRHAGE OF PREGNANCY.....632	12	...	12
82	PLACENTA PREVIA.....632.0	2	...	2
83	PREMATURE SEPARATION OF PLACENTA.....632.1	—	...	—
84	HEMORRHAGE FROM MARGINAL SINUS.....632.2	—	...	—
85	THREATENED ABDORTION.....632.3	—	...	—
86	DUE TO AFIBRINOGENEMIA.....632.4	6	...	6
87	OTHER AND UNSPECIFIED.....632.9	4	...	4

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	01	
...	-	...	-	-	...	-	...	-	...	-	02	
...	20	...	36	0.0	...	0.1	...	0.0	...	0.3	03	
...	12	...	2	0.0	...	0.0	...	0.0	...	0.0	04	
...	-	...	-	-	...	-	...	-	...	-	05	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	06	
...	8	...	2	0.0	...	0.0	...	0.0	...	0.0	08	
...	100	...	68	0.1	...	0.2	...	0.1	...	0.5	09	
...	100	...	66	0.1	...	0.2	...	0.1	...	0.5	10	
...	-	...	2	0.0	...	0.0	...	-	...	0.0	11	
...	-	...	-	-	...	-	...	-	...	-	12	
...	-	...	-	-	...	-	...	-	...	-	13	
...	388	...	64	0.2	...	0.4	...	0.4	...	0.5	14	
...	4	...	4	0.0	...	0.0	...	0.0	...	0.0	15	
...	2	...	4	0.0	...	0.0	...	0.0	...	0.0	16	
...	2	...	-	0.0	...	0.0	...	0.0	...	-	17	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	18	
...	-	...	-	-	...	-	...	-	...	-	19	
...	-	...	-	-	...	-	...	-	...	-	20	
...	-	...	-	-	...	-	...	-	...	-	21	
...	-	...	-	-	...	-	...	-	...	-	22	
...	-	...	-	-	...	-	...	-	...	-	23	
...	-	...	-	-	...	-	...	-	...	-	24	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	25	
...	24	...	12	0.0	...	0.0	...	0.0	...	0.1	26	
...	20	...	10	0.0	...	0.0	...	0.0	...	0.1	27	
...	4	...	2	0.0	...	0.0	...	0.0	...	0.0	28	
...	42	...	4	0.0	...	0.0	...	0.0	...	0.0	29	
...	16	...	-	0.0	...	0.0	...	0.0	...	-	30	
...	2	...	-	0.0	...	0.0	...	0.0	...	-	31	
...	-	...	-	-	...	-	...	-	...	-	32	
...	-	...	-	-	...	-	...	-	...	-	33	
...	14	...	4	0.0	...	0.0	...	0.0	...	0.0	34	
...	10	...	-	0.0	...	0.0	...	0.0	...	-	35	
...	-	...	-	-	...	-	...	-	...	-	36	
...	-	...	-	-	...	-	...	-	...	-	37	
...	-	...	-	-	...	-	...	-	...	-	38	
...	-	...	-	-	...	-	...	-	...	-	39	
...	152	...	24	0.1	...	0.2	...	0.2	...	0.2	40	
...	-	...	-	-	...	-	...	-	...	-	41	
...	2	...	-	0.0	...	0.0	...	0.0	...	-	42	
...	12	...	-	0.0	...	0.0	...	0.0	...	-	43	
...	138	...	24	0.1	...	0.2	...	0.1	...	0.2	44	
...	22	...	6	0.0	...	0.0	...	0.0	...	0.0	45	
...	-	...	-	-	...	-	...	-	...	-	46	
...	6	...	2	0.0	...	0.0	...	0.0	...	0.0	47	
...	-	...	-	-	...	-	...	-	...	-	48	
...	-	...	-	-	...	-	...	-	...	-	49	
...	2	...	2	0.0	...	0.0	...	0.0	...	0.0	50	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	51	
...	10	...	2	0.0	...	0.0	...	0.0	...	0.0	52	
...	-	...	-	-	...	-	...	-	...	-	53	
...	-	...	-	-	...	-	...	-	...	-	54	
...	140	...	14	0.1	...	0.1	...	0.2	...	0.1	55	
...	-	...	-	-	...	-	...	-	...	-	56	
...	-	...	-	-	...	-	...	-	...	-	57	
...	84	...	6	0.0	...	0.1	...	0.1	...	0.0	58	
...	16	...	2	0.0	...	0.0	...	0.0	...	0.0	59	
...	-	...	-	-	...	-	...	-	...	-	60	
...	-	...	-	-	...	-	...	-	...	-	61	
...	16	...	-	0.0	...	0.0	...	0.0	...	-	62	
...	24	...	6	0.0	...	0.0	...	0.0	...	0.0	63	
...	-	...	-	-	...	-	...	-	...	-	64	
...	-	...	-	-	...	-	...	-	...	-	65	
...	-	...	-	-	...	-	...	-	...	-	66	
...	64	...	44	0.1	...	0.1	...	0.1	...	0.3	67	
...	2	...	4	0.0	...	0.0	...	0.0	...	0.0	68	
...	28	...	20	0.0	...	0.0	...	0.0	...	0.1	69	
...	2	...	-	0.0	...	0.0	...	0.0	...	-	70	
...	2	...	-	0.0	...	0.0	...	0.0	...	-	71	
...	-	...	-	-	...	-	...	-	...	-	72	
...	-	...	2	0.0	...	0.0	...	0.0	...	0.0	73	
...	-	...	-	-	...	-	...	-	...	-	74	
...	-	...	2	0.0	...	0.0	...	0.0	...	0.0	75	
...	-	...	-	-	...	-	...	-	...	-	76	
...	8	...	14	0.0	...	0.0	...	0.0	...	0.1	77	
...	2	...	-	0.0	...	0.0	...	0.0	...	-	78	
...	14	...	4	0.0	...	0.0	...	0.0	...	0.0	79	
...	8	...	4	0.0	...	0.0	...	0.0	...	0.0	80	
...	-	...	2	0.0	...	0.0	...	0.0	...	0.0	81	
...	-	...	-	-	...	-	...	-	...	-	82	
...	-	...	-	-	...	-	...	-	...	-	83	
...	-	...	-	-	...	-	...	-	...	-	84	
...	4	...	2	0.0	...	0.0	...	0.0	...	0.0	85	
...	4	...	-	0.0	...	0.0	...	0.0	...	-	86	
...	-	...	-	-	...	-	...	-	...	-	87	

SECTION I - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
COMPLICATIONS OF PREGNANCY—CON.				
01	ANEMIA OF PREGNANCY.....	633	-	-
02	MACROCYTIC ANEMIA OF PREGNANCY.....	633.0	-	-
03	IRON DEFICIENCY ANEMIA OF PREGNANCY.....	633.1	-	-
04	OTHER AND UNSPECIFIED ANEMIAS OF PREGNANCY.....	633.9	-	-
05	OTHER COMPLICATIONS OF PREGNANCY.....	634	42	42
06	HYDATIDIFORM MOLE.....	634.0	4	4
07	PLACENTAL ABNORMALITIES NOT ELSEWHERE CLASSIFIABLE.....	634.1	2	2
08	MISSED ABORTION AND MISSED DELIVERY.....	634.2	-	-
09	HYDRAMNIOS.....	634.3	-	-
10	PREMATURE RUPTURE OF MEMBRANE WITHOUT DELIVERY.....	634.4	2	2
11	RH INCOMPATIBILITY.....	634.5	-	-
12	HABITUAL ABORTER, UNDELIVERED.....	634.6	-	-
13	FALSE LABOR.....	634.7	-	-
14	ATR EMBOLISM DURING PREGNANCY.....	634.8	4	4
15	OTHER.....	634.9	30	30
16	URINARY INFECTIONS AND TOXEMIAS OF PREGNANCY AND THE PUERPERIUM.....	635-639	94	94
17	URINARY INFECTIONS ARISING DURING PREGNANCY AND THE PUERPERIUM.....	635	4	4
18	PYELITIS AND PYELONEPHRITIS.....	635.0	4	4
19	CYSTITIS.....	635.1	-	-
20	OTHER AND UNSPECIFIED.....	635.9	-	-
21	RENAL DISEASES ARISING DURING PREGNANCY AND THE PUERPERIUM.....	636	4	4
22	PREECLAMPSIA, ECLAMPSIA, AND TOXEMIA, UNSPECIFIED.....	637	84	84
23	PREECLAMPSIA.....	637.0	16	16
24	ECLAMPSIA.....	637.1	52	52
25	TOXEMIA, UNSPECIFIED.....	637.9	16	16
26	HYPEREMESIS GRAVIDARUM.....	638	-	-
27	WITH NEURITIS.....	638.0	-	-
28	WITHOUT MENTION OF NEURITIS.....	638.9	-	-
29	OTHER TOXEMIAS OF PREGNANCY AND THE PUERPERIUM.....	639	2	2
30	ACUTE AND SUBACUTE NECROSIS OF LIVER.....	639.0	2	2
31	OTHER.....	639.9	-	-
32	ABORTIONS.....	640-645	70	70
33	ABORTION INDUCED FOR MEDICAL INDICATIONS.....	640	10	10
34	WITH SEPSIS.....	640.0	6	6
35	WITH TOXEMIA.....	640.1	-	-
36	WITH SEPSIS AND TOXEMIA.....	640.2	-	-
37	WITHOUT MENTION OF SEPSIS OR TOXEMIA.....	640.9	4	4
38	ABORTION INDUCED FOR OTHER LEGAL INDICATIONS.....	641	-	-
39	WITH SEPSIS.....	641.0	-	-
40	WITH TOXEMIA.....	641.1	-	-
41	WITH SEPSIS AND TOXEMIA.....	641.2	-	-
42	WITHOUT MENTION OF SEPSIS OR TOXEMIA.....	641.9	-	-
43	ABORTION INDUCED FOR OTHER REASONS.....	642	26	26
44	WITH SEPSIS.....	642.0	10	10
45	WITH HEMORRHAGE.....	642.1	-	-
46	WITH SEPSIS AND HEMORRHAGE.....	642.2	-	-
47	WITH LACERATION OF PELVIC ORGAN (WITH OR WITHOUT MENTION OF SEPSIS OR HEMORRHAGE).....	642.3	4	4
48	WITHOUT MENTION OF SEPSIS, HEMORRHAGE, OR LACERATION.....	642.9	12	12
49	SPONTANEOUS ABORTION.....	643	12	12
50	WITH SEPSIS.....	643.0	10	10
51	WITH TOXEMIA.....	643.1	-	-
52	WITH SEPSIS AND TOXEMIA.....	643.2	-	-
53	WITHOUT MENTION OF SEPSIS OR TOXEMIA.....	643.9	2	2
54	ABORTION NOT SPECIFIED AS INDUCED OR SPONTANEOUS.....	644	22	22
55	WITH SEPSIS.....	644.0	18	18
56	WITH TOXEMIA.....	644.1	-	-
57	WITH SEPSIS AND TOXEMIA.....	644.2	2	2
58	WITHOUT MENTION OF SEPSIS OR TOXEMIA.....	644.9	2	2
59	OTHER ABORTIONS.....	645	-	-
60	WITH SEPSIS.....	645.0	-	-
61	WITH TOXEMIA.....	645.1	-	-
62	WITH SEPSIS AND TOXEMIA.....	645.2	-	-
63	WITHOUT MENTION OF SEPSIS OR TOXEMIA.....	645.9	-	-
64	DELIVERIES.....	650-662	152	152
65	DELIVERY WITHOUT MENTION OF COMPLICATION.....	650	-	-
66	DELIVERY COMPLICATED BY PLACENTA PREVIA OR ANTEPARTUM HEMORRHAGE.....	651	28	28
67	PLACENTA PREVIA.....	651.0	8	8
68	PREMATURE SEPARATION OF PLACENTA.....	651.1	20	20
69	OTHER ANTEPARTUM HEMORRHAGE.....	651.9	-	-
70	DELIVERY COMPLICATED BY RETAINED PLACENTA.....	652	6	6
71	DELIVERY COMPLICATED BY OTHER POSTPARTUM HEMORRHAGE.....	653	26	26
72	DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS.....	654	-	-
73	ANDROID.....	654.0	-	-
74	ANTHROPOID.....	654.1	-	-
75	FLAT.....	654.2	-	-
76	COMBINED TYPE.....	654.3	-	-
77	OTHER AND UNSPECIFIED.....	654.9	-	-
78	DELIVERY COMPLICATED BY FETOPELVIC DISPROPORTION.....	655	10	10
79	DELIVERY COMPLICATED BY MALPRESENTATION OF FETUS.....	656	2	2
80	BREECH PRESENTATION.....	656.0	-	-
81	TRANSVERSE PRESENTATION.....	656.1	2	2
82	BROW PRESENTATION.....	656.2	-	-
83	FACE PRESENTATION.....	656.3	-	-
84	COMPOUND OR SHOULDER PRESENTATION.....	656.4	-	-
85	OTHER SPECIFIED.....	656.8	-	-
86	UNSPECIFIED.....	656.9	-	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
...	-	...	-	-	...	-	...	-	...	-	01
...	-	...	-	-	...	-	...	-	...	-	02
...	-	...	-	-	...	-	...	-	...	-	03
...	-	...	-	-	...	-	...	-	...	-	04
...	26	...	16	0.0	...	0.0	...	0.0	...	0.1	05
...	4	...	-	0.0	...	0.0	...	0.0	...	-	06
...	2	...	-	0.0	...	0.0	...	0.0	...	-	07
...	-	...	-	-	...	-	...	-	...	-	08
...	2	...	-	0.0	...	0.0	...	0.0	...	-	09
...	-	...	-	-	...	-	...	-	...	-	10
...	-	...	-	-	...	-	...	-	...	-	11
...	-	...	-	-	...	-	...	-	...	-	12
...	2	...	2	0.0	...	0.0	...	0.0	...	0.0	13
...	16	...	14	0.0	...	0.0	...	0.0	...	0.1	14
...	-	...	-	-	...	-	...	-	...	-	15
...	56	...	38	0.0	...	0.1	...	0.1	...	0.3	16
...	-	...	4	0.0	...	0.0	...	-	...	0.0	17
...	-	...	4	0.0	...	0.0	...	-	...	0.0	18
...	-	...	-	-	...	-	...	-	...	-	19
...	-	...	-	-	...	-	...	-	...	-	20
...	4	...	-	0.0	...	0.0	...	0.0	...	-	21
...	50	...	34	0.0	...	0.1	...	0.1	...	0.2	22
...	12	...	4	0.0	...	0.0	...	0.0	...	0.0	23
...	30	...	22	0.0	...	0.0	...	0.0	...	0.2	24
...	8	...	8	0.0	...	0.0	...	0.0	...	0.1	25
...	-	...	-	-	...	-	...	-	...	-	26
...	-	...	-	-	...	-	...	-	...	-	27
...	2	...	-	0.0	...	0.0	...	0.0	...	-	28
...	2	...	-	0.0	...	0.0	...	0.0	...	-	29
...	-	...	-	-	...	-	...	-	...	-	30
...	-	...	-	-	...	-	...	-	...	-	31
...	38	...	32	0.0	...	0.1	...	0.0	...	0.2	32
...	2	...	8	0.0	...	0.0	...	0.0	...	0.1	33
...	2	...	4	0.0	...	0.0	...	0.0	...	0.0	34
...	-	...	-	-	...	-	...	-	...	-	35
...	-	...	4	0.0	...	0.0	...	-	...	0.0	36
...	-	...	-	-	...	-	...	-	...	-	37
...	-	...	-	-	...	-	...	-	...	-	38
...	-	...	-	-	...	-	...	-	...	-	39
...	-	...	-	-	...	-	...	-	...	-	40
...	-	...	-	-	...	-	...	-	...	-	41
...	-	...	-	-	...	-	...	-	...	-	42
...	14	...	12	0.0	...	0.0	...	0.0	...	0.1	43
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	44
...	-	...	-	-	...	-	...	-	...	-	45
...	4	...	-	0.0	...	0.0	...	0.0	...	-	46
...	6	...	6	0.0	...	0.0	...	0.0	...	0.0	47
...	-	...	-	-	...	-	...	-	...	-	48
...	12	...	-	0.0	...	0.0	...	0.0	...	0.0	49
...	10	...	-	0.0	...	0.0	...	0.0	...	-	50
...	-	...	-	-	...	-	...	-	...	-	51
...	2	...	-	0.0	...	0.0	...	0.0	...	-	52
...	-	...	-	-	...	-	...	-	...	-	53
...	10	...	12	0.0	...	0.0	...	0.0	...	0.1	54
...	8	...	10	0.0	...	0.0	...	0.0	...	0.1	55
...	-	...	-	-	...	-	...	-	...	-	56
...	2	...	-	0.0	...	0.0	...	0.0	...	-	57
...	-	...	2	0.0	...	0.0	...	-	...	0.0	58
...	-	...	-	-	...	-	...	-	...	-	59
...	-	...	-	-	...	-	...	-	...	-	60
...	-	...	-	-	...	-	...	-	...	-	61
...	-	...	-	-	...	-	...	-	...	-	62
...	-	...	-	-	...	-	...	-	...	-	63
...	94	...	58	0.1	...	0.1	...	0.1	...	0.4	64
...	-	...	-	-	...	-	...	-	...	-	65
...	18	...	10	0.0	...	0.0	...	0.0	...	0.1	66
...	4	...	4	0.0	...	0.0	...	0.0	...	0.0	67
...	14	...	6	0.0	...	0.0	...	0.0	...	0.0	68
...	-	...	-	-	...	-	...	-	...	-	69
...	4	...	2	0.0	...	0.0	...	0.0	...	0.0	70
...	14	...	12	0.0	...	0.0	...	0.0	...	0.1	71
...	-	...	-	-	...	-	...	-	...	-	72
...	-	...	-	-	...	-	...	-	...	-	73
...	-	...	-	-	...	-	...	-	...	-	74
...	-	...	-	-	...	-	...	-	...	-	75
...	-	...	-	-	...	-	...	-	...	-	76
...	-	...	-	-	...	-	...	-	...	-	77
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	78
...	2	...	-	0.0	...	0.0	...	0.0	...	-	79
...	-	...	-	-	...	-	...	-	...	-	80
...	2	...	-	0.0	...	0.0	...	0.0	...	-	81
...	-	...	-	-	...	-	...	-	...	-	82
...	-	...	-	-	...	-	...	-	...	-	83
...	-	...	-	-	...	-	...	-	...	-	84
...	-	...	-	-	...	-	...	-	...	-	85
...	-	...	-	-	...	-	...	-	...	-	86

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DELIVERIES--CON.				
01	DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN-----	657	2	2
02	MULTIPLE PREGNANCY-----	*657.0	---	---
03	UTERINE INERTIA-----	*657.1	2	2
04	CERVICAL DYSTOCIA-----	*657.2	---	---
05	OTHER AND UNSPECIFIED-----	657.9	---	---
06	DELIVERY WITH LACERATION OF PERINEUM WITHOUT MENTION OF OTHER LACERATION-----	658	2	2
07	FIRST DEGREE-----	*658.0	---	---
08	SECOND DEGREE-----	*658.1	---	---
09	THIRD DEGREE-----	*658.2	---	---
10	UNSPECIFIED DEGREE-----	*658.9	2	2
11	DELIVERY WITH RUPTURE OF UTERUS-----	659	18	18
12	DELIVERY WITH OTHER OBSTETRICAL TRAUMA-----	660	10	10
13	LACERATION OF URETHRA-----	*660.0	---	---
14	LACERATION OF CERVIX-----	*660.1	4	4
15	OTHER AND UNSPECIFIED OBSTETRICAL TRAUMA-----	*660.9	6	6
16	DELIVERY WITH OTHER COMPLICATIONS-----	661	42	42
17	PREMATURE RUPTURE OF MEMBRANES-----	*661.0	2	2
18	PRECIPITATE LABOR-----	*661.1	---	---
19	PREVIOUS CESAREAN SECTION-----	*661.2	6	6
20	UMBILICAL CORD COMPLICATION-----	*661.3	2	2
21	OTHER SPECIFIED COMPLICATIONS-----	*661.8	6	6
22	UNSPECIFIED COMPLICATION-----	*661.9	26	26
23	ANESTHETIC DEATH IN UNCOMPLICATED DELIVERY-----	662	6	6
24	COMPLICATIONS OF THE PUERPERIUM-----	670-678	188	188
25	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM-----	670	34	34
26	PUERPERAL PHLEBITIS AND THROMBOSIS-----	671	16	16
27	LOWER EXTREMITIES-----	*671.0	2	2
28	OTHER AND UNSPECIFIED SITES-----	*671.9	14	14
29	PYREXIA OF UNKNOWN ORIGIN DURING THE PUERPERIUM-----	672	---	---
30	PUERPERAL PULMONARY EMBOLISM-----	673	98	98
31	AIR EMBOLISM-----	673.0	---	---
32	AMNIOTIC FLUID EMBOLISM-----	673.1	54	54
33	OTHER AND UNSPECIFIED-----	673.9	44	44
34	CEREBRAL HEMORRHAGE IN THE PUERPERIUM-----	674	12	12
35	PUERPERAL BLOOD DYSCRASIAS-----	675	12	12
36	ANEMIA OF THE PUERPERIUM-----	676	---	---
37	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM-----	677	16	16
38	SUDDEN DEATH FROM UNKNOWN CAUSE IN THE PUERPERIUM-----	677.0	---	---
39	RETAINED PLACENTA, COMPLICATING PUERPERIUM-----	*677.1	---	---
40	OTHER DELAYED POSTPARTUM HEMORRHAGE-----	*677.2	---	---
41	OTHER AND UNSPECIFIED-----	*677.9	16	16
42	MASTITIS AND OTHER DISORDERS OF LACTATION-----	678	---	---
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE				
43	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE-----	680-686	402	212
44	BOIL AND CARBUNCLE-----	680	12	4
45	OF FACE-----	680.0	2	2
46	OF NECK-----	680.1	---	---
47	OF TRUNK-----	680.2	---	---
48	OF UPPER ARM AND FOREARM-----	680.3	---	---
49	OF HAND-----	680.4	---	---
50	OF BUTTOCK-----	680.5	---	---
51	OF OTHER PARTS OF LOWER EXTREMITY-----	680.6	---	---
52	OF OTHER AND MULTIPLE SITES-----	680.8	2	2
53	OF UNSPECIFIED SITE-----	680.9	8	4
54	CELLULITIS OF FINGER AND TOE-----	681	2	2
55	OTHER CELLULITIS AND ABSCESSES-----	682	290	152
56	OF HEAD AND NECK-----	682.0	14	6
57	OF TRUNK-----	682.1	66	40
58	OF UPPER ARM AND FOREARM-----	682.2	32	20
59	OF HAND, EXCEPT FINGERS-----	682.3	2	2
60	OF LEG-----	682.4	96	44
61	OF FOOT, EXCEPT TOES-----	682.5	18	8
62	OF OTHER, MULTIPLE, AND UNSPECIFIED SITES-----	682.9	62	30
63	ACUTE LYMPHADENITIS-----	683	6	2
64	IMPETIGO-----	684	---	---
65	PILONIDAL CYST-----	685	---	---
66	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE-----	686	92	52
67	PYODERMA-----	686.0	8	6
68	PYOGENIC GRANULOMA-----	686.1	22	12
69	DERMATITIS INFECTIOSA ECZEMATOIDES-----	*686.2	---	---
70	OTHER-----	*686.9	62	34
71	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE-----	690-698	470	134
72	SEBORRHEIC DERMATITIS-----	690	---	---
73	INFANTILE ECZEMA AND RELATED CONDITIONS-----	691	---	---
74	OTHER ECZEMA AND DERMATITIS-----	692	36	16
75	DUE TO DETERGENTS-----	692.0	---	---
76	DUE TO OILS AND GREASES-----	692.1	---	---
77	DUE TO SOLVENTS-----	692.2	---	---
78	DUE TO DRUGS-----	692.3	---	---
79	DUE TO OTHER CHEMICALS-----	692.4	---	---
80	DUE TO FOOD-----	692.5	4	4
81	DUE TO PLANTS, EXCEPT FOOD-----	692.6	---	---
82	DUE TO RADIATION, EXCEPT SUNBURN-----	692.7	2	2
83	DUE TO SUNBURN-----	*692.8	2	2
84	DUE TO OTHER AND UNSPECIFIED CAUSES-----	*692.9	20	10

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
...	-	...	2	0.0	...	0.0	...	-	...	0.0	01
...	-	...	2	0.0	...	0.0	...	-	...	0.0	02
...	-	...	-	-	...	-	...	-	...	-	03
...	-	...	-	-	...	-	...	-	...	-	04
...	-	...	-	-	...	-	...	-	...	-	05
...	2	...	-	0.0	...	0.0	...	0.0	...	-	06
...	-	...	-	-	...	-	...	-	...	-	07
...	-	...	-	-	...	-	...	-	...	-	08
...	-	...	-	-	...	-	...	-	...	-	09
...	2	...	8	0.0	...	0.0	...	0.0	...	-	10
...	10	...	8	0.0	...	0.0	...	0.0	...	0.1	11
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	12
...	-	...	-	-	...	-	...	-	...	-	13
...	4	...	-	0.0	...	0.0	...	0.0	...	-	14
...	-	...	6	0.0	...	0.0	...	-	...	0.0	15
...	34	...	8	0.0	...	0.0	...	0.0	...	0.1	16
...	2	...	-	0.0	...	0.0	...	0.0	...	-	17
...	-	...	-	-	...	-	...	-	...	-	18
...	6	...	-	0.0	...	0.0	...	0.0	...	-	19
...	2	...	-	0.0	...	0.0	...	0.0	...	-	20
...	-	...	6	0.0	...	0.0	...	-	...	0.0	21
...	24	...	2	0.0	...	0.0	...	0.0	...	0.0	22
...	2	...	4	0.0	...	0.0	...	0.0	...	0.0	23
...	-	...	-	-	...	-	...	-	...	-	24
...	128	...	60	0.1	...	0.2	...	0.1	...	0.4	24
...	24	...	10	0.0	...	0.0	...	0.0	...	0.1	25
...	8	...	8	0.0	...	0.0	...	0.0	...	0.1	26
...	-	...	2	0.0	...	0.0	...	-	...	0.0	27
...	8	...	6	0.0	...	0.0	...	0.0	...	0.0	28
...	-	...	-	-	...	-	...	-	...	-	29
...	64	...	34	0.0	...	0.1	...	0.1	...	0.2	30
...	-	...	-	-	...	-	...	-	...	-	31
...	40	...	14	0.0	...	0.1	...	0.0	...	0.1	32
...	24	...	20	0.0	...	0.0	...	0.0	...	0.1	33
...	12	...	-	0.0	...	0.0	...	0.0	...	-	34
...	10	...	2	0.0	...	0.0	...	0.0	...	0.0	35
...	-	...	-	-	...	-	...	-	...	-	36
...	10	...	6	0.0	...	0.0	...	0.0	...	0.0	37
...	-	...	-	-	...	-	...	-	...	-	38
...	-	...	-	-	...	-	...	-	...	-	39
...	-	...	-	-	...	-	...	-	...	-	40
...	10	...	6	0.0	...	0.0	...	0.0	...	0.0	41
...	-	...	-	-	...	-	...	-	...	-	42
...	-	...	-	-	...	-	...	-	...	-	43
172	152	40	38	0.2	0.2	0.2	0.2	0.2	0.3	0.3	43
2	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
-	2	-	-	0.0	-	0.0	-	0.0	-	-	45
-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51
-	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52
-	-	-	-	-	-	-	-	-	-	-	53
2	-	-	-	0.0	0.0	0.0	0.0	-	-	-	54
122	112	30	26	0.1	0.1	0.1	0.1	0.1	0.2	0.2	55
4	4	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56
36	20	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57
16	10	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58
2	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59
34	44	10	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	60
6	8	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
24	26	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
-	4	2	-	0.0	0.0	0.0	-	0.0	0.0	0.0	63
-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	65
46	30	6	10	0.0	0.1	0.0	0.1	0.0	0.0	0.1	66
6	-	-	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67
10	6	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68
-	-	-	-	-	-	-	-	-	-	-	69
30	24	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
102	234	32	102	0.2	0.1	0.3	0.1	0.3	0.3	0.7	71
-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	73
12	16	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	79
-	2	4	-	0.0	0.0	0.0	-	0.0	0.0	-	80
-	-	-	-	-	-	-	-	-	-	-	81
2	-	-	-	0.0	0.0	-	0.0	-	-	-	82
-	2	-	-	0.0	-	0.0	-	0.0	-	-	83
10	12	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	84

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE—CON.				
01	DERMATITIS HERPETIFORMIS-----693	-	-	-
02	PEMPHIGUS-----694	78	20	58
03	ERYTHEMATOUS CONDITIONS-----695	342	50	252
04	TOXIC ERYTHEMA-----695.0	-	-	-
05	ERYTHEMA MULTIFORME-----695.1	44	24	20
06	ERYTHEMA NODOSUM-----695.2	-	-	-
07	ROSACEA-----695.3	-	-	-
08	LUPUS ERYTHEMATOSUS-----695.4	262	50	212
09	OTHER AND UNSPECIFIED-----695.9	36	14	20
10	PSORIASIS AND SIMILAR DISORDERS-----696	12	8	4
11	PSORIASIS ARTHROPATHY-----696.0	-	-	-
12	OTHER PSORIASIS-----696.1	10	6	4
13	PAPAPSORIASIS-----696.2	2	2	-
14	PITYRIASIS ROSEA-----696.3	-	-	-
15	PITYRIASIS RUBRA PILARIS-----696.4	-	-	-
16	OTHER AND UNSPECIFIED PITYRIASIS-----696.5	-	-	-
17	OTHER DISORDERS-----696.9	-	-	-
18	LICHEN-----697	2	-	2
19	PLANUS-----697.0	2	-	2
20	NITIDUS-----697.1	-	-	-
21	OTHER AND UNSPECIFIED-----697.9	-	-	-
22	PRURITUS AND RELATED CONDITIONS-----698	-	-	-
23	PRURITUS ANI-----698.0	-	-	-
24	PRURITUS OF GENITAL ORGANS-----698.1	-	-	-
25	PRURIGO-----698.2	-	-	-
26	LICHENIFICATION AND LICHEN SIMPLEX CHRONICUS-----698.3	-	-	-
27	DERMATITIS FACITIA (ARTEFACTA)-----698.4	-	-	-
28	OTHER PRURITIC CONDITIONS-----698.9	-	-	-
29	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE-----700-709	898	336	562
30	CORNS AND CALLOSITIES-----700	-	-	-
31	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN-----701	-	-	-
32	CIRCUMSCRIBED SCLERODERMA-----701.0	-	-	-
33	KERATODERMA, ACQUIRED-----701.1	-	-	-
34	STRIAE ATROPHICAE-----701.2	-	-	-
35	KELOID SCAR-----701.3	-	-	-
36	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN-----701.9	-	-	-
37	OTHER DERMATOSES-----702	-	-	-
38	DISEASES OF NAIL-----703	-	-	-
39	INGROWING NAIL-----*703.0	-	-	-
40	OTHER-----*703.9	-	-	-
41	DISEASES OF HAIR AND HAIR FOLLICLES-----704	-	-	-
42	DISEASES OF SWEAT GLANDS-----705	-	-	-
43	ANHIDROSIS-----705.0	-	-	-
44	PRICKLY HEAT-----705.1	-	-	-
45	OTHER-----705.9	-	-	-
46	DISEASES OF SEBACEOUS GLANDS-----706	2	-	2
47	ACNE VARIOLIFORMIS-----706.0	-	-	-
48	OTHER ACNE-----706.1	-	-	-
49	SEBACEOUS CYST-----706.2	2	-	2
50	SEBORRHEA-----706.3	-	-	-
51	OTHER-----706.9	-	-	-
52	CHRONIC ULCER OF SKIN-----707	880	332	548
53	DECUBITUS ULCER-----*707.0	750	274	476
54	LOWER EXTREMITY, EXCEPT DECUBITUS ULCER-----*707.1	68	24	44
55	OTHER-----*707.9	62	34	28
56	URTICARIA-----708	12	4	8
57	ANGIONEUROTIC EDEMA-----708.0	10	2	8
58	OTHER AND UNSPECIFIED-----708.9	2	2	-
59	OTHER DISEASES OF SKIN-----709	4	-	4
60	CICATRIX-----*709.0	2	-	2
61	TATTOO-----*709.1	-	-	-
62	OTHER DISEASES OF SKIN-----*709.9	2	-	2
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE				
63	ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER-----710-718	2,138	766	1,372
64	ACUTE ARTHRITIS DUE TO PYOGENIC ORGANISMS-----710	24	14	10
65	OF SPINE-----*710.0	-	-	-
66	OF UPPER EXTREMITY (INCLUDING SHOULDER)-----*710.1	2	2	-
67	OF HIP-----*710.2	8	8	-
68	OF OTHER PARTS OF LOWER EXTREMITY-----*710.3	10	4	6
69	OF OTHER AND UNSPECIFIED SITES-----*710.9	4	-	4
70	ACUTE NONPYOGENIC ARTHRITIS-----711	-	-	-
71	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS-----712	1,288	418	870
72	JUVENILE RHEUMATOID ARTHRITIS-----712.0	4	-	4
73	RHEUMATOID ARTHRITIS WITH SPLENOADENOMEGALY AND LEUKOPENIA-----712.1	12	-	12
74	PALINDROMIC RHEUMATISM-----712.2	-	-	-
75	OTHER RHEUMATOID ARTHRITIS-----712.3	1,230	382	848
76	SPONDYLITIS ANKYLOPOIETICA-----712.4	42	36	6
77	CHRONIC RHEUMATOID NODULAR FIBROSITIS-----712.5	-	-	-
78	OSTEOARTHRITIS AND ALLIED CONDITIONS-----713	372	172	200
79	OSTEOARTHRITIS-----713.0	316	138	178
80	SPONDYLITIS OSTEOARTHRITICA-----713.1	56	34	22
81	TRAUMATIC SPONDYLOPATHY-----713.2	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER--CON.				
01	OTHER SPECIFIED FORMS OF ARTHRITIS-----714	6	2	4
02	TRAUMATIC ARTHRITIS-----714.0	2	--	2
03	OTHER-----714.9	4	2	2
04	ARTHRITIS, UNSPECIFIED-----715	276	92	184
05	POLYMYOSITIS AND DERMATOMYOSITIS-----716	164	64	100
06	DERMATOMYOSITIS-----716.0	96	38	58
07	POLYMYOSITIS-----716.1	68	26	42
08	OTHER NONARTICULAR RHEUMATISM-----717	4	2	2
09	LUMBAGO-----717.0	--	--	--
10	SCAPULOHUMERAL MYOFIBROSIS-----717.1	--	--	--
11	TORTICOLLIS NOT SPECIFIED AS CONGENITAL, PSYCHOGENIC, OR TRAUMATIC-----717.2	--	--	--
12	OTHER MUSCULAR RHEUMATISM, FIBROSITIS, AND MYALGIA-----717.9	4	2	2
13	RHEUMATISM, UNSPECIFIED-----718	4	2	2
14	OSTEOMYELITIS AND OTHER DISEASES OF BONE AND JOINT-----720-729	868	362	506
15	OSTEOMYELITIS AND PERIOSTITIS-----720	152	72	80
16	ACUTE OSTEOHYELITIS-----720.0	2	2	--
17	CHRONIC OSTEOHYELITIS-----720.1	26	16	10
18	UNSPECIFIED OSTEOHYELITIS-----720.2	124	54	70
19	PERIOSTITIS WITHOUT MENTION OF OSTEOHYELITIS-----720.3	--	--	--
20	OSTEITIS DEFORMANS-----721	98	54	44
21	OSTEOCHONDROSIS-----722	2	2	--
22	JUVENILE OSTEOCHONDROSIS OF SPINE-----722.0	--	--	--
23	JUVENILE OSTEOCHONDROSIS OF HIP-----722.1	--	--	--
24	OTHER JUVENILE OSTEOCHONDROSIS-----722.2	--	--	--
25	SLIPPED UPPER FEMORAL EPIPHYSIS, NONTRAUMATIC-----722.3	2	2	--
26	APOPHYSITIS, CALCANEAL-----722.4	--	--	--
27	OSTEOCHONDRITIS DISSECCANS-----722.5	--	--	--
28	OTHER AND UNSPECIFIED FORMS OF OSTEOCHONDROSIS-----722.9	--	--	--
29	OTHER DISEASES OF BONE-----723	346	96	250
30	OSTEOPOROSIS-----723.0	216	44	172
31	HYPERTROPIC PULMONARY OSTEOARTHROPATHY-----723.1	2	--	2
32	SPONTANEOUS FRACTURE-----723.2	72	22	50
33	CYST OF BONE, EXCEPT JAW-----723.3	2	--	2
34	HYPEROSTOSIS OF SKULL-----723.4	2	--	2
35	ASEPTIC NECROSIS OF BONE-----723.5	8	4	4
36	ARREST OF GROWTH-----723.6	--	--	--
37	CALCANEAL SPUR-----723.7	--	--	--
38	OTHER DISEASES OF BONE-----723.9	44	26	18
39	INTERNAL DERANGEMENT OF JOINT-----724	4	4	--
40	RECURRENT DISLOCATION OF SHOULDER-----724.0	--	--	--
41	OTHER SHOULDER DERANGEMENTS-----724.1	--	--	--
42	RECURRENT DISLOCATION OF ELBOW-----724.2	--	--	--
43	OTHER ELBOW DERANGEMENTS-----724.3	--	--	--
44	RECURRENT DISLOCATION OF KNEE-----724.4	--	--	--
45	OTHER KNEE DERANGEMENTS-----724.5	4	4	--
46	DERANGEMENTS OF OTHER JOINTS-----724.9	--	--	--
47	DISPLACEMENT OF INTERVERTEBRAL DISC-----725	48	34	14
48	CERVICAL-----725.0	4	4	--
49	LUMBAR AND LUMBOSACRAL-----725.1	20	16	4
50	OTHER SPECIFIED SITES-----725.8	--	--	--
51	UNSPECIFIED SITE-----725.9	24	14	10
52	AFFECTION OF SACROILIAC JOINT-----726	--	--	--
53	ANKYLOSIS OF JOINT-----727	8	4	4
54	OF SPINE-----727.0	4	4	--
55	OF SHOULDER-----727.1	--	--	--
56	OF ELBOW-----727.2	--	--	--
57	OF WRIST-----727.3	--	--	--
58	OF FINGER-----727.4	--	--	--
59	OF HIP-----727.5	2	--	2
60	OF KNEE-----727.6	--	--	--
61	OF ANKLE-----727.7	--	--	--
62	OF OTHER AND MULTIPLE SITES-----727.8	--	--	--
63	OF UNSPECIFIED SITE-----727.9	2	--	2
64	VERTEBROGENIC PAIN SYNDROME-----728	2	2	--
65	CERVICALGIA-----728.0	--	--	--
66	CERVICOCRANIAL SYNDROME-----728.1	--	--	--
67	DIFFUSE CERVICOBRACHIAL SYNDROME-----728.2	--	--	--
68	RADICULAR SYNDROME OF UPPER LIMBS-----728.3	--	--	--
69	CERVICAL MYELOPATHY-----728.4	--	--	--
70	PAIN IN THORACIC SPINE-----728.5	--	--	--
71	THORACIC MYELOPATHY-----728.6	--	--	--
72	LUMBALGIA-----728.7	--	--	--
73	RADICULAR SYNDROME OF LOWER LIMBS-----728.8	--	--	--
74	OTHER AND UNSPECIFIED-----728.9	2	2	--
75	OTHER DISEASES OF JOINT-----729	208	94	114
76	PSEUDARTHROSIS OF SPINE FOLLOWING FUSION-----729.0	--	--	--
77	OTHER DISEASES OF SPINE NOT ELSEWHERE CLASSIFIABLE-----729.1	4	2	2
78	DISEASE OF SHOULDER NOT ELSEWHERE CLASSIFIABLE-----729.2	--	--	--
79	DISEASE OF ELBOW NOT ELSEWHERE CLASSIFIABLE-----729.3	--	--	--
80	FLEXION CONTRACTURE OF FINGERS-----729.4	--	--	--
81	DISEASE OF HIP NOT ELSEWHERE CLASSIFIABLE-----729.5	166	72	94
82	LOOSE BODY IN KNEE-----729.6	--	--	--
83	CHONDROMALACIA OF KNEE-----729.7	--	--	--
84	DISEASE OF KNEE NOT ELSEWHERE CLASSIFIABLE-----729.8	20	10	10
85	DISEASE OF JOINT NOT ELSEWHERE CLASSIFIABLE-----729.9	18	10	8

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM-----730-738	1,822	532	1,290
02	BUNION-----730	-	-	-
03	SYNOVITIS, BURSITIS, AND TENOSYNOVITIS-----731	4	4	-
04	OF SPINE-----*731.0	-	-	-
05	OF SHOULDER-----*731.1	-	-	-
06	OF ELBOW-----*731.2	2	2	-
07	OF WRIST-----*731.3	-	-	-
08	OF HAND AND FINGER-----*731.4	-	-	-
09	OF HIP AND BUTTOCK-----*731.5	-	-	-
10	OF KNEE-----*731.6	2	2	-
11	OF ANKLE-----*731.7	-	-	-
12	OF FOOT AND TOE-----*731.8	-	-	-
13	OF OTHER AND UNSPECIFIED SITES-----*731.9	-	-	-
14	INFECTIVE MYOSITIS AND OTHER INFLAMMATORY DISEASES OF TENDON AND FASCIA-----732	12	12	-
15	OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA-----733	318	156	162
16	MYASTHENIA GRAVIS-----733.0	234	104	130
17	MUSCULAR ATROPHY (IDIOPATHIC)-----733.1	18	12	6
18	MYOSITIS OSSIFICANS-----*733.2	4	2	2
19	CALCIUM DEPOSIT IN TENDON-----*733.3	-	-	-
20	SHORT ACHILLES TENDON-----*733.4	-	-	-
21	CONTRACTURE OF PALMAR FASCIA-----*733.5	-	-	-
22	RESIDUAL FOREIGN BODY IN TISSUE OR BONE-----*733.6	-	-	-
23	OTHER AND UNSPECIFIED DISEASES OF MUSCLE, TENDON, AND FASCIA-----*733.9	62	38	24
24	DIFFUSE DISEASES OF CONNECTIVE TISSUE-----734	1,346	318	1,028
25	PROGRESSIVE SYSTEMIC SCLEROSIS-----734.0	524	144	380
26	SYSTEMIC LUPUS ERYTHEMATOSUS-----734.1	702	132	570
27	OTHER AND UNSPECIFIED-----734.9	120	42	78
28	CURVATURE OF SPINE-----735	128	42	86
29	SCOLIOSIS-----*735.0	16	4	12
30	KYPHOSIS-----*735.1	26	10	16
31	KYPHOSCOLIOSIS-----*735.2	84	28	56
32	OTHER AND UNSPECIFIED CURVATURE OF SPINE-----*735.9	2	-	2
33	FLAT FOOT-----736	-	-	-
34	HALLUX VALGUS AND VARUS-----737	2	-	2
35	HALLUX VALGUS AND UNSPECIFIED HALLUX-----*737.0	2	-	2
36	HALLUX VARUS-----*737.1	-	-	-
37	OTHER DEFORMITIES-----738	12	-	12
38	OF NASAL BONE-----*738.0	-	-	-
39	OF HEAD-----*738.1	-	-	-
40	OF FOREARM, EXCLUDING FINGERS-----*738.2	-	-	-
41	OF FINGERS-----*738.3	-	-	-
42	OF HIP-----*738.4	-	-	-
43	OF LEG NOT ELSEWHERE CLASSIFIABLE-----*738.5	4	-	4
44	OF ANKLE AND FOOT, EXCLUDING TOES, ACQUIRED-----*738.6	-	-	-
45	OF TOES NOT ELSEWHERE CLASSIFIABLE-----*738.7	-	-	-
46	OF OTHER SPECIFIED SITES-----*738.8	8	-	8
47	OF UNSPECIFIED SITE-----*738.9	-	-	-
XIV. CONGENITAL ANOMALIES				
48	CONGENITAL ANOMALIES-----740-759	14,698	7,860	6,838
49	ANENCEPHALUS-----740	858	352	506
50	SPINA BIFIDA-----741	702	300	402
51	WITH HYDROCEPHALUS-----741.0	458	188	270
52	WITHOUT MENTION OF HYDROCEPHALUS-----741.9	244	112	132
53	CONGENITAL HYDROCEPHALUS-----742	850	422	428
54	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM-----743	672	348	324
55	ENCEPHALOCELE-----743.0	82	44	38
56	MICROCEPHALUS-----743.1	182	86	96
57	OTHER SPECIFIED ANOMALIES OF BRAIN-----743.2	114	56	58
58	OTHER SPECIFIED ANOMALIES OF SPINAL CORD-----743.3	4	2	2
59	NEUROFIBROMATOSIS-----743.4	38	14	24
60	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM-----743.8	26	18	8
61	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD, AND NERVOUS SYSTEM-----743.9	226	128	98
62	CONGENITAL ANOMALIES OF EYE-----744	-	-	-
63	ANOPHTHALMOS-----744.0	-	-	-
64	MICROPTHALMOS-----744.1	-	-	-
65	BUPHTHALMOS-----744.2	-	-	-
66	CONGENITAL CATARACT-----744.3	-	-	-
67	COLORBLINDNESS-----744.4	-	-	-
68	ANIRIDIA-----744.5	-	-	-
69	RETINITIS PIGMENTOSA-----*744.6	-	-	-
70	CONGENITAL BLEPHAROPTOSIS-----*744.7	-	-	-
71	OTHER SPECIFIED ANOMALIES OF EYE-----*744.8	-	-	-
72	UNSPECIFIED ANOMALIES OF EYE-----*744.9	-	-	-
73	CONGENITAL ANOMALIES OF EAR, FACE, AND NECK-----745	4	2	2
74	ANOMALIES OF EAR CAUSING IMPAIRMENT OF HEARING-----745.0	-	-	-
75	ACCESSORY AURICLE-----745.1	-	-	-
76	OTHER SPECIFIED ANOMALIES OF EAR-----745.2	-	-	-
77	UNSPECIFIED ANOMALIES OF EAR-----745.3	2	2	-
78	BRANCHIAL CLEFT, CYST, OR FISTULA AND PREAURICULAR SINUS-----745.4	2	-	2
79	WEBBING OF NECK-----745.5	-	-	-
80	OTHER SPECIFIED ANOMALIES OF FACE AND NECK-----745.8	-	-	-
81	UNSPECIFIED ANOMALIES OF FACE AND NECK-----745.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
CONGENITAL ANOMALIES--CON.					
01	CONGENITAL ANOMALIES OF HEART	746	6,046	3,342	2,704
02	COMMON TRUNCUS	746.0	136	66	70
03	TRANSPOSITION OF GREAT VESSELS	746.1	416	308	108
04	TETRALOGY OF FALLOT	746.2	410	206	204
05	VENTRICULAR SEPTAL DEFECT	746.3	562	280	282
06	ATRIAL SEPTAL DEFECT	746.4	346	160	186
07	OSTIUM ATRIOVENTRICULARE COMMUNE	746.5	84	40	44
08	ANOMALIES OF HEART VALVES	746.6	748	470	278
09	FIBROELASTOSIS CORDIS	746.7	172	86	86
10	OTHER SPECIFIED ANOMALIES OF HEART	746.8	516	292	224
11	UNSPECIFIED ANOMALIES OF HEART	746.9	2,656	1,434	1,222
12	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	1,076	564	512
13	PATENT DUCTUS ARTERIOSUS	747.0	196	82	114
14	COARCTATION OF AORTA	747.1	168	72	96
15	OTHER ANOMALIES OF AORTA	747.2	72	44	28
16	STENOSIS OR ATRESIA OF PULMONARY ARTERY	747.3	120	66	54
17	ANOMALIES OF GREAT VEINS	747.4	90	52	38
18	ABSENCE OR HYPOPLASIA OF UMBILICAL ARTERY	747.5	4	4	-
19	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM	747.6	206	104	102
20	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM	747.8	216	112	104
21	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM	747.9	4	4	-
22	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	510	332	178
23	CHOANAL ATRESIA	748.0	2	-	2
24	OTHER ANOMALIES OF NOSE	748.1	2	-	2
25	WEB OF LARYNX	748.2	4	4	-
26	OTHER ANOMALIES OF LARYNX, TRACHEA, AND BRONCHUS	748.3	104	74	30
27	CONGENITAL CYSTIC LUNG	748.4	76	46	30
28	AGENESIS OF LUNG	748.5	20	4	16
29	OTHER ANOMALIES OF LUNG	748.6	278	186	92
30	OTHER SPECIFIED ANOMALIES OF RESPIRATORY SYSTEM	748.8	-	-	-
31	UNSPECIFIED ANOMALIES OF RESPIRATORY SYSTEM	748.9	24	18	6
32	CLEFT PALATE AND CLEFT LIP	749	50	22	28
33	CLEFT PALATE	749.0	26	14	12
34	CLEFT LIP	749.1	6	2	4
35	CLEFT PALATE WITH CLEFT LIP	749.2	18	6	12
36	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	750	164	100	64
37	ANOMALIES OF TONGUE	750.0	4	4	-
38	PYLORIC STENOSIS	750.1	14	10	4
39	TRACHEO-ESOPHAGEAL FISTULA	750.2	50	34	16
40	ESOPHAGEAL ATRESIA AND STENOSIS	750.3	40	24	16
41	OTHER SPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT	750.8	48	26	22
42	UNSPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT	750.9	8	2	6
43	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	751	646	366	280
44	MECKEL'S DIVERTICULUM	751.0	24	20	4
45	ANOMALIES OF INTESTINAL FIXATION	751.1	62	44	18
46	HIRSCHSPRUNG'S DISEASE	751.2	50	30	20
47	ATRESIA AND STENOSIS OF RECTUM AND ANAL CANAL	751.3	44	36	8
48	OTHER ANOMALIES OF INTESTINE	751.4	190	104	86
49	ATRESIA OF BILIARY DUCTS	751.5	218	108	110
50	OTHER ANOMALIES OF GALLBLADDER, BILE DUCTS, AND LIVER	751.6	44	32	12
51	ANOMALIES OF PANCREAS	751.7	4	2	2
52	OTHER SPECIFIED ANOMALIES OF DIGESTIVE SYSTEM	751.8	2	-	2
53	UNSPECIFIED ANOMALIES OF DIGESTIVE SYSTEM	751.9	8	8	-
54	CONGENITAL ANOMALIES OF GENITAL ORGANS	752	14	10	4
55	INDETERMINATE SEX	752.0	-	-	-
56	UNDESCENDED TESTICLE	752.1	2	2	-
57	HYPOSPADIAS	752.2	2	2	-
58	EPISPADIAS	752.3	2	2	-
59	CONGENITAL HYDROCELE	752.4	-	-	-
60	ANOMALIES OF OVARY, FALLOPIAN TUBE, AND UTERUS	752.5	-	4	-
61	ANOMALIES OF VAGINA AND EXTERNAL FEMALE GENITALIA	752.6	-	4	-
62	PSEUDHERMAPHRODITISM	752.7	-	-	-
63	OTHER SPECIFIED ANOMALIES OF GENITAL ORGANS	752.8	2	-	2
64	UNSPECIFIED ANOMALIES OF GENITAL ORGANS	752.9	6	4	2
65	CONGENITAL ANOMALIES OF URINARY SYSTEM	753	1,018	586	432
66	RENAL AGENESIS	753.0	198	132	66
67	CYSTIC KIDNEY DISEASE	753.1	650	344	306
68	OBSTRUCTIVE DEFECTS OF URINARY TRACT	753.2	52	38	14
69	OTHER SPECIFIED ANOMALIES OF KIDNEY	753.3	18	14	4
70	OTHER SPECIFIED ANOMALIES OF URETER	753.4	8	4	4
71	EXTROPHY OF URINARY BLADDER	753.5	8	2	6
72	ATRESIA AND STENOSIS OF URETHRA AND BLADDER NECK	753.6	10	10	-
73	OTHER SPECIFIED ANOMALIES OF BLADDER AND URETHRA	753.8	16	2	14
74	UNSPECIFIED ANOMALIES OF URINARY SYSTEM	753.9	58	40	18
75	CLUBFOOT (CONGENITAL)	754	2	2	-
76	TALIPES CAVUS	754.0	-	-	-
77	TALIPES EQUINOVARUS	754.1	-	-	-
78	TALIPES CALCANEVALGUS	754.2	-	-	-
79	TALIPES, OTHER SPECIFIED TYPES, NOT ELSEWHERE CLASSIFIABLE	754.8	-	-	-
80	TALIPES, UNSPECIFIED TYPE	754.9	2	2	-
81	OTHER CONGENITAL ANOMALIES OF LIMBS	755	20	12	8
82	POLYDACTYLY	755.0	-	-	-
83	SYNDACTYLY	755.1	-	-	-
84	REDUCTION DEFORMITY OF UPPER LIMB	755.2	2	-	2
85	REDUCTION DEFORMITY OF LOWER LIMB	755.3	-	-	-
86	REDUCTION DEFORMITY, UNSPECIFIED LIMB	755.4	-	-	-
87	OTHER ANOMALY OF UPPER LIMB (INCLUDING SHOULDER GIRDLE)	755.5	-	-	-
88	CONGENITAL DISLOCATION OF HIP	755.6	-	-	-
89	OTHER ANOMALY OF LOWER LIMB (INCLUDING PELVIC GIRDLE)	755.7	4	2	2
90	GENERALIZED FLEXION CONTRACTURE OF LIMB JOINTS	755.8	12	10	2
91	OTHER AND UNSPECIFIED ANOMALIES OF UNSPECIFIED LIMB	755.9	2	-	2

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
2,034	2,226	508	478	2.9	3.3	2.5	3.2	2.4	4.0	3.5	01	
60	64	6	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	02	
284	92	24	16	0.2	0.3	0.1	0.3	0.1	0.2	0.1	03	
170	182	36	22	0.2	0.2	0.2	0.2	0.2	0.3	0.2	04	
228	234	52	46	0.3	0.3	0.3	0.3	0.3	0.4	0.3	05	
134	152	26	34	0.2	0.2	0.2	0.2	0.2	0.2	0.2	06	
36	34	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	07	
432	240	38	38	0.4	0.5	0.3	0.5	0.3	0.3	0.3	08	
68	62	18	24	0.1	0.1	0.1	0.1	0.1	0.1	0.2	09	
254	186	38	38	0.2	0.3	0.2	0.3	0.2	0.3	0.3	10	
1,168	978	266	244	1.3	1.4	1.1	1.3	1.1	2.1	1.8	11	
468	424	96	88	0.5	0.5	0.5	0.5	0.5	0.8	0.6	12	
60	82	22	32	0.1	0.1	0.1	0.1	0.1	0.2	0.2	13	
82	60	14	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	14	
42	20	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	15	
46	46	20	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1	16	
44	30	8	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	17	
4	4	8	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	18	
82	94	22	8	0.1	0.1	0.1	0.1	0.1	0.2	0.1	19	
104	92	8	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	20	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	21	
262	130	70	48	0.2	0.3	0.2	0.3	0.1	0.6	0.3	22	
-	-	-	2	0.0	-	0.0	-	-	-	0.0	23	
4	2	-	-	0.0	-	0.0	-	0.0	-	-	24	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	25	
50	26	24	4	0.0	0.1	0.0	0.1	0.0	0.2	0.0	26	
42	22	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	27	
4	12	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	28	
150	62	36	30	0.1	0.2	0.1	0.2	0.1	0.3	0.2	29	
-	-	-	-	-	-	-	-	-	-	-	30	
12	6	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	
14	24	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	32	
8	8	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	
2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	34	
4	12	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	35	
92	54	8	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	36	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	37	
10	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	38	
28	12	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	
22	14	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	
26	20	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	
2	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	42	
294	202	72	78	0.3	0.4	0.3	0.3	0.2	0.6	0.6	43	
20	2	2	2	0.0	0.0	0.0	0.0	0.0	-	0.0	44	
36	12	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	45	
24	18	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	
32	4	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	
88	54	18	30	0.1	0.1	0.1	0.1	0.1	0.1	0.2	48	
78	82	30	28	0.1	0.1	0.1	0.1	0.1	0.2	0.2	49	
12	26	-	6	0.0	0.0	0.0	0.0	0.0	-	0.0	50	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	51	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	52	
2	-	6	-	0.0	0.0	-	0.0	-	0.0	-	53	
10	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	54	
-	-	-	-	-	-	-	-	-	-	-	55	
2	...	-	...	0.0	0.0	...	0.0	...	-	...	56	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	57	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	58	
-	...	-	...	-	-	...	-	...	-	...	59	
...	-	...	-	-	-	-	-	-	...	-	60	
...	-	...	-	-	-	-	-	-	...	-	61	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	62	
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	63	
498	386	88	46	0.5	0.6	0.4	0.6	0.4	0.7	0.3	65	
112	60	20	6	0.1	0.1	0.1	0.1	0.1	0.2	0.0	66	
294	272	50	34	0.3	0.3	0.3	0.3	0.3	0.4	0.2	67	
30	14	8	-	0.0	0.0	0.0	0.0	0.0	0.1	-	68	
10	2	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69	
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	70	
2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	71	
6	-	4	-	0.0	0.0	-	0.0	-	0.0	-	72	
2	12	2	2	0.0	0.0	0.0	0.0	0.0	-	0.0	73	
38	16	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	75	
-	-	-	-	-	-	-	-	-	-	-	76	
-	-	-	-	-	-	-	-	-	-	-	77	
-	-	-	-	-	-	-	-	-	-	-	78	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	79	
12	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	81	
-	-	-	-	-	-	-	-	-	-	-	82	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	83	
-	-	-	-	-	-	-	-	-	-	-	84	
-	-	-	-	-	-	-	-	-	-	-	85	
-	-	-	-	-	-	-	-	-	-	-	86	
-	-	-	-	-	-	-	-	-	-	-	87	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	88	
10	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	89	
-	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	90	
-	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	91	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
CONGENITAL ANOMALIES—CON.				
01	OTHER CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	370	206	164
02	ANOMALIES OF SKULL AND FACE BONES	56	30	26
03	ANOMALIES OF LUMBOSACRAL JOINT	8	4	4
04	OTHER ANOMALIES OF SPINE	48	22	24
05	CERVICAL RIB	—	—	—
06	OTHER ANOMALIES OF RIBS AND STERNUM	20	10	10
07	CHONDRODYSPLASIA	34	16	18
08	OSTEOGENESIS IMPERFECTA	60	34	26
09	OTHER GENERALIZED ANOMALIES OF SKELETON	12	8	4
10	OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, AND FASCIA	132	82	50
11	UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM	2	—	2
12	CONGENITAL ANOMALIES OF SKIN, HAIR, AND NAILS	20	14	6
13	HEREDITARY EDEMA OF LEGS	—	—	—
14	PIGMENTED NEVUS	2	2	—
15	OTHER SPECIFIED ANOMALIES OF SKIN	18	12	6
16	SPECIFIED ANOMALIES OF HAIR	—	—	—
17	SPECIFIED ANOMALIES OF NAILS	—	—	—
18	UNSPECIFIED ANOMALIES OF SKIN, HAIR, AND NAILS	—	—	—
19	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	240	120	120
20	ANOMALIES OF SPLEEN	2	2	—
21	ANOMALIES OF ADRENAL GLAND	10	4	6
22	ANOMALIES OF THYROID GLAND	—	—	—
23	ANOMALIES OF OTHER ENDOCRINE GLANDS	14	10	4
24	OTHER SPECIFIED CONGENITAL ANOMALIES	86	50	36
25	UNSPECIFIED CONGENITAL ANOMALY	128	54	74
26	CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	1,436	760	676
27	SITUS INVERSUS	12	4	8
28	CONJOINED TWINS	20	8	12
29	OTHER FORMS OF MONSTER	30	12	18
30	DOWN'S DISEASE	222	118	104
31	OTHER SYNDROMES DUE TO AUTOSOMAL ABNORMALITY	274	114	160
32	SYNDROMES DUE TO SEX CHROMOSOME ABNORMALITY	2	—	2
33	TUBEROUS SCLEROSIS	18	8	10
34	OTHER SPECIFIED SYNDROMES	100	58	42
35	MULTIPLE CONGENITAL ANOMALIES, UNSPECIFIED	758	438	320
XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY				
36	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	33,798	19,752	14,046
37	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	4	2	2
38	CHRONIC RHEUMATIC HEART DISEASE	—	—	—
39	CONGENITAL HEART DISEASE	—	—	—
40	CHRONIC HYPERTENSION	2	2	—
41	OTHER CHRONIC DISEASES OF CIRCULATORY SYSTEM	—	—	—
42	CHRONIC NEPHRITIS	—	—	—
43	OTHER CHRONIC DISEASES OF GENITOURINARY SYSTEM	2	2	—
44	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	322	178	144
45	SYPHILIS	—	—	—
46	DIABETES MELLITUS	166	102	64
47	INFLUENZA	6	2	4
48	RUBELLA	18	10	8
49	TOXOPLASMOSES	—	—	—
50	INJURY	8	4	4
51	OPERATION	—	—	—
52	CHEMICAL SUBSTANCES TRANSMITTED THROUGH PLACENTA	16	6	10
53	OTHER MATERNAL CAUSES	108	54	54
54	TOXEMIA OF PREGNANCY	134	78	56
55	RENAL DISEASE ARISING DURING PREGNANCY	4	2	2
56	PREECLAMPSIA OF PREGNANCY	46	24	22
57	ECLAMPSIA OF PREGNANCY	30	18	12
58	TOXEMIA, UNSPECIFIED	52	32	20
59	HYPEREMESIS GRAVIDARUM	—	—	—
60	ACUTE AND SUBACUTE NECROSIS OF LIVER ARISING DURING PREGNANCY	2	2	—
61	OTHER TOXEMIA OF PREGNANCY	—	—	—
62	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	196	112	84
63	PYELITIS AND PYELONEPHRITIS OF PREGNANCY	16	10	6
64	OTHER INFECTIONS OF GENITOURINARY TRACT DURING PREGNANCY	18	14	4
65	OTHER	162	88	74
66	DIFFICULT LABOR WITH ABNORMALITY OF BONES, ORGANS, OR TISSUES OF PELVIS	22	18	4
67	WITH BIRTH INJURY TO BRAIN	—	—	—
68	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
69	WITH BIRTH INJURY TO BONE OR NERVE	—	—	—
70	WITH OTHER OR UNSPECIFIED BIRTH INJURY	—	—	—
71	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	12	10	2
72	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	10	8	2
73	DIFFICULT LABOR WITH DISPROPORTION BUT NO MENTION OF ABNORMALITY OF PELVIS	26	22	4
74	WITH BIRTH INJURY TO BRAIN	8	8	—
75	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
76	WITH BIRTH INJURY TO BONE OR NERVE	—	—	—
77	WITH OTHER OR UNSPECIFIED BIRTH INJURY	4	2	2
78	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	14	12	2
79	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	—	—	—
80	DIFFICULT LABOR WITH MALPOSITION OF FETUS	282	178	104
81	WITH BIRTH INJURY TO BRAIN	48	38	10
82	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
83	WITH BIRTH INJURY TO BONE OR NERVE	4	2	2
84	WITH OTHER OR UNSPECIFIED BIRTH INJURY	8	6	2
85	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	186	112	74
86	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	36	20	16

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.				
01	DIFFICULT LABOR WITH ABNORMALITY OF FORCES OF LABOR	40	30	10
02	WITH BIRTH INJURY TO BRAIN	16	8	8
03	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
04	WITH BIRTH INJURY TO BONE OR NERVE	—	—	—
05	WITH OTHER OR UNSPECIFIED BIRTH INJURY	—	—	—
06	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	22	20	2
07	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	2	2	—
08	DIFFICULT LABOR WITH OTHER AND UNSPECIFIED COMPLICATIONS	186	110	76
09	WITH BIRTH INJURY TO BRAIN	68	40	28
10	WITH BIRTH INJURY TO SPINAL CORD	—	—	—
11	WITH BIRTH INJURY TO BONE OR NERVE	2	—	2
12	WITH OTHER OR UNSPECIFIED BIRTH INJURY	6	4	2
13	WITH ASPHYXIA, ANOXIA, OR HYPOXIA	96	54	42
14	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	14	12	2
15	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	3,574	1,944	1,630
16	INCOMPETENT CERVIX	282	102	180
17	PREMATURE RUPTURE OF MEMBRANES	740	410	330
18	HYDRAMNIOS	88	42	46
19	MULTIPLE PREGNANCY	769.4	366	403.4
20	MATERNAL DEATH, UNSPECIFIED	2,506	1,366	1,140
21	OTHER	2	2	—
22	CONDITIONS OF PLACENTA	36	22	14
23	PLACENTA PREVIA	1,646	992	654
24	PREMATURE SEPARATION OF PLACENTA	272	162	110
25	PLACENTAL INFARCTION	1,216	794	482
26	OTHER	14	12	2
27	UNSPECIFIED	38	22	16
		106	62	44
28	CONDITIONS OF UMBILICAL CORD	394	226	168
29	COMPRESSION OF CORD	56	24	32
30	PROLAPSE OF CORD WITHOUT MENTION OF COMPRESSION	156	102	54
31	OTHER	182	100	82
32	BIRTH INJURY WITHOUT MENTION OF CAUSE	1,790	1,084	706
33	TO BRAIN	1,664	998	666
34	TO SPINAL CORD	2	—	2
35	TO BONE OR NERVE	8	6	2
36	OTHER AND UNSPECIFIED	116	80	36
37	HEMOLYTIC DISEASE OF NEWBORN, WITH KERNICTERUS	10	8	2
38	WITH RH INCOMPATIBILITY	—	—	—
39	WITH ABO INCOMPATIBILITY	—	—	—
40	WITH OTHER OR UNSPECIFIED BLOOD INCOMPATIBILITY	2	2	—
41	WITHOUT MENTION OF CAUSE	8	6	2
42	HEMOLYTIC DISEASE OF NEWBORN, WITHOUT MENTION OF KERNICTERUS	490	260	230
43	WITH RH INCOMPATIBILITY	118	60	58
44	WITH ABO INCOMPATIBILITY	12	6	6
45	WITH OTHER OR UNSPECIFIED BLOOD INCOMPATIBILITY	12	8	4
46	WITHOUT MENTION OF CAUSE	348	186	162
47	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	16,358	9,840	6,518
48	ASPIRATION OF CONTENT OF BIRTH CANAL	508	276	232
49	HYALINE MEMBRANE DISEASE	4,690	3,002	1,688
50	RESPIRATORY DISTRESS SYNDROME	4,272	2,648	1,624
51	FETAL DISTRESS	78	46	32
52	INTRAUTERINE ANOXIA	96	44	52
53	ASPHYXIA OF NEWBORN, UNSPECIFIED	6,714	3,824	2,890
54	IMMATURITY, UNQUALIFIED	6,248	3,526	2,722
55	OTHER CONDITIONS OF FETUS OR NEWBORN	2,076	1,144	932
56	FETAL BLOOD LOSS BEFORE BIRTH	2	—	2
57	POSTMATURITY	4	2	2
58	HEMORRHAGIC DISEASE OF NEWBORN	448	260	188
59	COLD INJURY SYNDROME	—	—	—
60	OTHER	1,622	882	740
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS				
61	SYMPTOMS REFERABLE TO SYSTEMS OR ORGANS	3,238	1,892	1,346
62	CERTAIN SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES	174	96	78
63	COMA AND STUPOR	28	10	18
64	DELIRIUM	—	—	—
65	CONVULSIONS	142	84	58
66	ABNORMAL INVOLUNTARY MOVEMENT	2	2	—
67	DISTURBANCE OF COORDINATION	2	—	2
68	VERTIGO	—	—	—
69	DISTURBANCE OF SLEEP	—	—	—
70	DISTURBANCE OF MEMORY	—	—	—
71	MEMINGISMUS	—	—	—
72	OTHER SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES	80	42	38
73	DISTURBANCE OF VISION EXCEPT DEFECTIVE SIGHT	—	—	—
74	OCULOMOTOR DISTURBANCE	—	—	—
75	PHOTOPHOBIA	—	—	—
76	DISTURBANCE OF HEARING EXCEPT DEAFNESS	—	—	—
77	DISTURBANCE OF CRANIAL NERVES EXCEPT OPTIC, OCULOMOTOR, AND AUDITORY	2	2	—
78	DISTURBANCE OF SPEECH	—	—	—
79	OTHER DISTURBANCE OF SENSATION	—	—	—
80	ENCEPHALOPATHY	78	40	38
81	HALLUCINATIONS	—	—	—

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SYMPTOMS REFERABLE TO SYSTEMS OR ORGANS--CON.				
01	SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEMS-----782	2,474	1,454	1,020
02	PRECORDIAL PAIN-----782.0	-	-	-
03	PALPITATION-----782.1	-	-	-
04	TACHYCARDIA-----782.2	-	-	-
05	PALLOR AND CYANOSIS-----782.3	2	-	2
06	ACUTE HEART FAILURE, UNDEFINED-----782.4	2,330	1,362	566
07	SYNCOPE OR COLLAPSE-----782.5	42	34	8
08	EDEMA AND DROPSY-----782.6	8	6	2
09	ENLARGMENT OF LYMPH NODE-----782.7	4	4	-
10	SPLENOMEGALY-----782.8	-	-	-
11	SHOCK WITHOUT MENTION OF TRAUMA-----782.9	88	48	40
12	SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM-----783	150	102	48
13	EPISTAXIS-----783.0	10	6	4
14	HEMOPHYTOSIS-----783.1	88	66	22
15	DYSYPNEA-----783.2	36	18	18
16	COUGH-----783.3	-	-	-
17	EXCESS OF SPUTUM-----783.4	-	-	-
18	CHANGE IN VOICE-----783.5	-	-	-
19	STRIDOR-----783.6	-	-	-
20	PAIN IN CHEST-----783.7	16	12	4
21	SYMPTOMS REFERABLE TO UPPER GASTROINTESTINAL TRACT-----784	114	68	46
22	ANOREXIA-----784.0	2	-	2
23	NAUSEA AND VOMITING-----784.1	16	12	4
24	PYLOROSPASM-----784.2	-	-	-
25	HEARTBURN-----784.3	-	-	-
26	DYSYPHAGIA-----784.4	2	-	2
27	HEMATEMESIS-----784.5	94	56	38
28	HICCOUGH-----784.6	-	-	-
29	ERUCTATION-----784.7	-	-	-
30	SYMPTOMS REFERABLE TO ABDOMEN AND LOWER GASTROINTESTINAL TRACT-----785	24	6	18
31	ABDOMINAL SWELLING (NOT REFERABLE TO ANY PARTICULAR ORGAN)-----785.0	-	-	-
32	HEPATOMEGALY-----785.1	-	-	-
33	JAUNDICE (NOT OF NEWBORN)-----785.2	6	2	4
34	ASCITES-----785.3	8	-	8
35	FLATULENCE-----785.4	-	-	-
36	ABDOMINAL PAIN-----785.5	10	4	6
37	INCONTINENCE OF FECES-----785.6	-	-	-
38	MELENA (NOT OF NEWBORN)-----785.7	-	-	-
39	VISIBLE PERISTALSIS-----785.8	-	-	-
40	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM-----786	14	12	2
41	PAIN REFERABLE TO URINARY SYSTEM-----786.0	-	-	-
42	RETENTION OF URINE-----786.1	10	10	-
43	INCONTINENCE OF URINE-----786.2	-	-	-
44	FREQUENCY OF MICTURITION-----786.3	-	-	-
45	POLYURIA-----786.4	-	-	-
46	OLIGURIA AND ANURIA (NOT OF NEWBORN)-----786.5	4	2	2
47	PRIAPISM-----786.6	-	-	-
48	PAIN REFERABLE TO GENITAL ORGANS, INCLUDING DYSYPAREUNIA-----786.7	-	-	-
49	SYMPTOMS REFERABLE TO LIMBS AND JOINTS-----787	-	-	-
50	TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN-----787.0	-	-	-
51	PAIN IN LIMB-----787.1	-	-	-
52	SWELLING OF LIMB-----787.2	-	-	-
53	PAIN IN JOINT-----787.3	-	-	-
54	SWELLING OF JOINT-----787.4	-	-	-
55	DIFFICULTY IN WALKING-----787.5	-	-	-
56	ABNORMALITY OF GAIT-----787.6	-	-	-
57	OTHER GENERAL SYMPTOMS-----788	208	112	96
58	ELECTROLYTE DISORDERS-----788.0	150	78	72
59	EXCESSIVE SWEATING-----788.1	-	-	-
60	RASH-----788.2	-	-	-
61	SUBCUTANEOUS NODULES-----788.3	-	-	-
62	LOSS OF WEIGHT-----788.4	-	-	-
63	TETANY-----788.5	2	2	-
64	PYREXIA OF UNKNOWN ORIGIN-----788.6	42	24	18
65	OTHER SPECIFIED SYMPTOMS NOT ELSEWHERE CLASSIFIABLE-----788.9	14	8	6
66	ABNORMAL URINARY CONSTITUENTS OF UNSPECIFIED CAUSE-----789	-	-	-
67	ALBUMINURIA-----789.0	-	-	-
68	PYURIA AND BACTERIURIA-----789.1	-	-	-
69	CHYLURIA-----789.2	-	-	-
70	HEMATURIA-----789.3	-	-	-
71	HEMOGLOBINURIA-----789.4	-	-	-
72	GLYCOSURIA-----789.5	-	-	-
73	ACETONURIA-----789.6	-	-	-
74	OTHER-----789.9	-	-	-
75	SENILITY AND ILL-DEFINED DISEASES-----790-796	24,262	14,568	9,694
76	NERVOUSNESS AND DEBILITY-----790	50	10	40
77	NERVOUSNESS-----790.0	-	-	-
78	DEBILITY AND UNDUE FATIGUE-----790.1	48	8	40
79	DEPRESSION-----790.2	2	2	-
80	HEADACHE-----791	2	-	2
81	UREMIA-----792	534	278	256
82	SENILITY WITHOUT MENTION OF PSYCHOSIS-----794	1,306	440	866
83	SUDDEN DEATH (CAUSE UNKNOWN)-----795	1,994	1,214	780
84	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORTALITY-----796	20,376	12,626	7,750
85	OTHER ILL-DEFINED CONDITIONS-----796.0	1,956	1,200	756
86	FOUND DEAD (CAUSE UNKNOWN)-----796.2	1,016	560	456
87	DIED WITHOUT SIGN OF DISEASE-----796.3	10,688	6,884	3,804
88	OTHER UNKNOWN AND UNSPECIFIED CAUSES-----796.9	6,716	3,982	2,734

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1,182	836	272	184	1.2	1.4	1.0	1.3	0.9	2.2	1.3	61
-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	64
-	2	-	-	0.0	-	0.0	-	0.0	-	-	65
1,106	796	256	172	1.1	1.3	0.9	1.2	0.9	2.0	1.3	66
34	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	67
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	68
4	-	-	-	0.0	0.0	-	0.0	0.0	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
34	28	14	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1	71
90	40	12	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1	72
4	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
58	18	8	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0	74
18	16	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	75
-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	78
10	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	79
66	42	2	4	0.1	0.1	0.0	0.1	0.0	0.0	0.0	80
-	2	-	-	0.0	0.0	0.0	-	0.0	-	-	81
12	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	82
-	-	-	-	-	-	-	-	-	-	-	83
-	2	-	-	0.0	-	0.0	-	0.0	-	-	84
54	34	2	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	85
-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	87
6	16	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	88
-	-	-	-	-	-	-	-	-	-	-	89
2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	90
-	6	-	2	0.0	-	0.0	-	0.0	-	0.0	91
4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	92
-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	94
6	2	6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95
4	-	6	-	0.0	0.0	-	0.0	-	0.0	-	96
-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	98
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	99
-	...	-	...	-	-	...	-	...	-	...	100
-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	-	-	103
-	-	-	-	-	-	-	-	-	-	-	104
-	-	-	-	-	-	-	-	-	-	-	105
-	-	-	-	-	-	-	-	-	-	-	106
-	-	-	-	-	-	-	-	-	-	-	107
-	-	-	-	-	-	-	-	-	-	-	108
-	-	-	-	-	-	-	-	-	-	-	109
82	74	30	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2	110
48	58	30	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	111
-	-	-	-	-	-	-	-	-	-	-	112
-	-	-	-	-	-	-	-	-	-	-	113
-	-	-	-	-	-	-	-	-	-	-	114
-	-	-	-	-	-	-	-	-	-	-	115
2	-	-	-	0.0	0.0	-	0.0	-	-	-	116
24	10	-	8	0.0	0.0	0.0	0.0	0.0	-	0.1	117
8	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	118
-	-	-	-	-	-	-	-	-	-	-	119
-	-	-	-	-	-	-	-	-	-	-	120
-	-	-	-	-	-	-	-	-	-	-	121
-	-	-	-	-	-	-	-	-	-	-	122
-	-	-	-	-	-	-	-	-	-	-	123
-	-	-	-	-	-	-	-	-	-	-	124
-	-	-	-	-	-	-	-	-	-	-	125
-	-	-	-	-	-	-	-	-	-	-	126
-	-	-	-	-	-	-	-	-	-	-	127
-	-	-	-	-	-	-	-	-	-	-	128
-	-	-	-	-	-	-	-	-	-	-	129
-	-	-	-	-	-	-	-	-	-	-	130
10,122	6,420	4,446	3,274	11.7	14.4	9.1	11.4	6.9	35.3	23.8	131
10	36	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	132
-	-	-	-	-	-	-	-	-	-	-	133
8	36	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	134
2	-	-	-	0.0	0.0	-	0.0	-	-	-	135
-	2	-	-	0.0	-	0.0	-	0.0	-	-	136
204	198	74	58	0.3	0.3	0.2	0.2	0.2	0.6	0.4	137
342	692	98	174	0.6	0.4	0.8	0.4	0.7	0.8	1.3	138
806	496	408	284	1.0	1.2	0.7	0.9	0.5	3.2	2.1	139
8,760	4,996	3,866	2,754	9.8	12.4	7.3	9.9	5.4	30.7	20.0	140
796	502	404	254	0.9	1.2	0.7	0.9	0.5	3.2	1.8	141
410	308	150	148	0.5	0.6	0.4	0.5	0.3	1.2	1.1	142
4,868	2,336	2,016	1,468	5.1	6.8	3.6	5.5	2.5	16.0	10.7	143
2,686	1,850	1,296	884	3.2	3.9	2.6	3.0	2.0	10.3	6.4	144

SECTION 1 - GENERAL MORTALITY

Table I-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE				
01	RAILWAY ACCIDENTS-----E800-E807	692	574	118
02	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK-----E800	62	34	28
03	RAILWAY EMPLOYEE-----E800.0	14	14	-
04	PASSENGER ON RAILWAY-----E800.1	48	20	28
05	PEDESTRIAN-----E800.2	-	-	-
06	PEDAL CYCLIST-----E800.3	-	-	-
07	OTHER SPECIFIED PERSONS-----E800.8	-	-	-
08	UNSPECIFIED PERSON-----E800.9	-	-	-
09	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT-----E801	12	10	2
10	RAILWAY EMPLOYEE-----E801.0	2	2	-
11	PASSENGER ON RAILWAY-----E801.1	-	-	-
12	PEDESTRIAN-----E801.2	-	-	-
13	PEDAL CYCLIST-----E801.3	6	4	2
14	OTHER SPECIFIED PERSONS-----E801.8	2	2	-
15	UNSPECIFIED PERSON-----E801.9	2	2	-
16	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION-----E802	8	8	-
17	RAILWAY EMPLOYEE-----E802.0	2	2	-
18	PASSENGER ON RAILWAY-----E802.1	-	-	-
19	PEDESTRIAN-----E802.2	-	-	-
20	PEDAL CYCLIST-----E802.3	-	-	-
21	OTHER SPECIFIED PERSONS-----E802.8	6	6	-
22	UNSPECIFIED PERSON-----E802.9	-	-	-
23	RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, OR BURNING-----E803	2	2	-
24	RAILWAY EMPLOYEE-----E803.0	2	2	-
25	PASSENGER ON RAILWAY-----E803.1	-	-	-
26	PEDESTRIAN-----E803.2	-	-	-
27	PEDAL CYCLIST-----E803.3	-	-	-
28	OTHER SPECIFIED PERSONS-----E803.8	-	-	-
29	UNSPECIFIED PERSON-----E803.9	-	-	-
30	FALL IN, ON, OR FROM TRAIN-----E804	70	66	4
31	RAILWAY EMPLOYEE-----E804.0	20	20	-
32	PASSENGER ON RAILWAY-----E804.1	-	-	-
33	PEDESTRIAN-----E804.2	-	-	-
34	PEDAL CYCLIST-----E804.3	-	-	-
35	OTHER SPECIFIED PERSONS-----E804.8	10	8	2
36	UNSPECIFIED PERSON-----E804.9	40	38	2
37	HIT BY ROLLING STOCK-----E805	512	432	80
38	RAILWAY EMPLOYEE-----E805.0	30	30	-
39	PASSENGER ON RAILWAY-----E805.1	-	-	-
40	PEDESTRIAN-----E805.2	436	362	74
41	PEDAL CYCLIST-----E805.3	-	-	-
42	OTHER SPECIFIED PERSONS-----E805.8	4	4	-
43	UNSPECIFIED PERSON-----E805.9	42	36	6
44	OTHER SPECIFIED RAILWAY ACCIDENTS-----E806	2	-	2
45	RAILWAY EMPLOYEE-----E806.0	-	-	-
46	PASSENGER ON RAILWAY-----E806.1	2	-	2
47	PEDESTRIAN-----E806.2	-	-	-
48	PEDAL CYCLIST-----E806.3	-	-	-
49	OTHER SPECIFIED PERSONS-----E806.8	-	-	-
50	UNSPECIFIED PERSON-----E806.9	-	-	-
51	RAILWAY ACCIDENT OF UNSPECIFIED NATURE-----E807	24	22	2
52	RAILWAY EMPLOYEE-----E807.0	14	14	-
53	PASSENGER ON RAILWAY-----E807.1	-	-	-
54	PEDESTRIAN-----E807.2	4	2	2
55	PEDAL CYCLIST-----E807.3	-	-	-
56	OTHER SPECIFIED PERSONS-----E807.8	2	2	-
57	UNSPECIFIED PERSON-----E807.9	4	4	-
58	MOTOR VEHICLE TRAFFIC ACCIDENTS-----E810-E819	55,214	39,414	15,800
59	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN-----E810	1,260	866	394
60	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH STREETCAR-----E811	-	-	-
61	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE-----E812	20,704	13,900	6,804
62	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE-----E813	976	774	202
63	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN-----E814	9,300	6,386	2,914
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONS-----E815	6,258	4,946	1,312
65	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL-----E816	9,130	7,144	1,986
66	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING-----E817	24	18	6
67	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS-----E818	786	576	210
68	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE-----E819	6,776	4,804	1,972
69	MOTOR VEHICLE NONTRAFFIC ACCIDENTS-----E820-E823	1,064	780	284
70	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT-----E820	630	426	204
71	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT-----E821	80	58	22
72	MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING-----E822	6	2	4
73	MOTOR VEHICLE NONTRAFFIC ACCIDENTS OF OTHER AND UNSPECIFIED NATURE-----E823	348	294	54
74	OTHER ROAD VEHICLE ACCIDENTS-----E825-E827	306	194	112
75	STREETCAR ACCIDENT-----E825	10	8	2
76	PEDESTRIAN-----E825.0	8	8	-
77	PEDAL CYCLIST-----E825.1	-	-	-
78	OCCUPANT OF STREETCAR-----E825.2	2	-	2
79	OTHER SPECIFIED PERSONS-----E825.8	-	-	-
80	UNSPECIFIED-----E825.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER ROAD VEHICLE ACCIDENTS--CON.				
01	PEDAL CYCLE ACCIDENT-----E826	114	66	48
02	PEDESTRIAN-----E826.0	16	10	6
03	PEDAL CYCLIST-----E826.1	92	54	38
04	OTHER SPECIFIED PERSONS-----E826.8	-	-	-
05	UNSPECIFIED PERSON-----E826.9	6	2	4
06	OTHER NONMOTOR ROAD VEHICLE ACCIDENTS-----E827	182	120	62
07	PEDESTRIAN-----E827.0	2	2	-
08	OTHER SPECIFIED PERSONS-----E827.8	180	118	62
09	UNSPECIFIED PERSON-----E827.9	-	-	-
10	WATER TRANSPORT ACCIDENTS-----E830-E838	1,568	1,434	134
11	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION-----E830	802	722	80
12	OCCUPANT OF SMALL BOAT-----E830.0	774	658	76
13	OCCUPANT OF OTHER WATERCRAFT, CREW-----E830.1	18	18	-
14	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E830.2	-	-	-
15	DOCKER, STEVEDORE-----E830.3	-	-	-
16	OTHER SPECIFIED PERSONS-----E830.8	-	-	-
17	UNSPECIFIED PERSON-----E830.9	10	6	4
18	ACCIDENTS TO WATERCRAFT CAUSING OTHER INJURIES-----E831	58	52	6
19	OCCUPANT OF SMALL BOAT-----E831.0	52	46	6
20	OCCUPANT OF OTHER WATERCRAFT, CREW-----E831.1	6	6	-
21	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E831.2	-	-	-
22	DOCKER, STEVEDORE-----E831.3	-	-	-
23	OTHER SPECIFIED PERSONS-----E831.8	-	-	-
24	UNSPECIFIED PERSON-----E831.9	-	-	-
25	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT-----E832	588	550	38
26	OCCUPANT OF SMALL BOAT-----E832.0	550	512	38
27	OCCUPANT OF OTHER WATERCRAFT, CREW-----E832.1	38	38	-
28	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E832.2	-	-	-
29	DOCKER, STEVEDORE-----E832.3	-	-	-
30	OTHER SPECIFIED PERSONS-----E832.8	-	-	-
31	UNSPECIFIED PERSON-----E832.9	-	-	-
32	FALL ON STAIRS OR LADDER IN WATER TRANSPORT-----E833	4	4	-
33	OCCUPANT OF SMALL BOAT-----E833.0	-	-	-
34	OCCUPANT OF OTHER WATERCRAFT, CREW-----E833.1	2	2	-
35	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E833.2	-	-	-
36	DOCKER, STEVEDORE-----E833.3	2	2	-
37	OTHER SPECIFIED PERSONS-----E833.8	-	-	-
38	UNSPECIFIED PERSON-----E833.9	-	-	-
39	OTHER FALLS FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT-----E834	6	6	-
40	OCCUPANT OF SMALL BOAT-----E834.0	2	2	-
41	OCCUPANT OF OTHER WATERCRAFT, CREW-----E834.1	2	2	-
42	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E834.2	-	-	-
43	DOCKER, STEVEDORE-----E834.3	2	2	-
44	OTHER SPECIFIED PERSONS-----E834.8	-	-	-
45	UNSPECIFIED PERSON-----E834.9	-	-	-
46	OTHER AND UNSPECIFIED FALLS IN WATER TRANSPORT-----E835	8	8	-
47	OCCUPANT OF SMALL BOAT-----E835.0	4	4	-
48	OCCUPANT OF OTHER WATERCRAFT, CREW-----E835.1	4	4	-
49	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E835.2	-	-	-
50	DOCKER, STEVEDORE-----E835.3	-	-	-
51	OTHER SPECIFIED PERSONS-----E835.8	-	-	-
52	UNSPECIFIED PERSON-----E835.9	-	-	-
53	MACHINERY ACCIDENT IN WATER TRANSPORT-----E836	4	4	-
54	OCCUPANT OF SMALL BOAT-----E836.0	-	-	-
55	OCCUPANT OF OTHER WATERCRAFT, CREW-----E836.1	4	4	-
56	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E836.2	-	-	-
57	DOCKER, STEVEDORE-----E836.3	-	-	-
58	OTHER SPECIFIED PERSONS-----E836.8	-	-	-
59	UNSPECIFIED PERSON-----E836.9	-	-	-
60	EXPLOSION, FIRE, OR BURNING IN WATER TRANSPORT-----E837	22	20	2
61	OCCUPANT OF SMALL BOAT-----E837.0	8	6	2
62	OCCUPANT OF OTHER WATERCRAFT, CREW-----E837.1	14	14	-
63	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E837.2	-	-	-
64	DOCKER, STEVEDORE-----E837.3	-	-	-
65	OTHER SPECIFIED PERSONS-----E837.8	-	-	-
66	UNSPECIFIED PERSON-----E837.9	-	-	-
67	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENTS-----E838	76	68	8
68	OCCUPANT OF SMALL BOAT-----E838.0	32	30	2
69	OCCUPANT OF OTHER WATERCRAFT, CREW-----E838.1	22	18	4
70	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E838.2	-	-	-
71	DOCKER, STEVEDORE-----E838.3	2	2	-
72	OTHER SPECIFIED PERSONS-----E838.8	16	14	2
73	UNSPECIFIED PERSON-----E838.9	4	4	-
74	AIR AND SPACE TRANSPORT ACCIDENTS-----E840-E845	1,636	1,344	292
75	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING-----E840	126	102	24
76	OCCUPANT OF SPACECRAFT-----E840.0	2	2	-
77	OCCUPANT OF MILITARY AIRCRAFT-----E840.1	6	6	-
78	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E840.2	8	8	-
79	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E840.3	12	8	4
80	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E840.4	76	68	8
81	GROUND CREW, AIRLINE EMPLOYEE-----E840.5	-	-	-
82	OTHER SPECIFIED PERSONS-----E840.8	22	10	12
83	UNSPECIFIED PERSON-----E840.9	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
AIR AND SPACE TRANSPORT ACCIDENTS--CON.				
01	ACCIDENT TO OTHER AND UNSPECIFIED POWERED AIRCRAFT-----E841	1,424	1,178	246
02	OCCUPANT OF SPACECRAFT-----E841.0	-	-	-
03	OCCUPANT OF MILITARY AIRCRAFT-----E841.1	124	124	-
04	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E841.2	18	16	2
05	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E841.3	120	66	54
06	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E841.4	1,108	924	184
07	GROUND CREW, AIRLINE EMPLOYEE-----E841.5	-	-	-
08	OTHER SPECIFIED PERSONS-----E841.8	-	-	-
09	UNSPECIFIED PERSON-----E841.9	54	48	6
10	ACCIDENT TO UNPOWERED AIRCRAFT-----E842	10	10	-
11	OCCUPANT OF SPACECRAFT-----E842.0	-	-	-
12	OCCUPANT OF MILITARY AIRCRAFT-----E842.1	-	-	-
13	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E842.2	-	-	-
14	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E842.3	-	-	-
15	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E842.4	10	10	-
16	GROUND CREW, AIRLINE EMPLOYEE-----E842.5	-	-	-
17	OTHER SPECIFIED PERSONS-----E842.8	-	-	-
18	UNSPECIFIED PERSON-----E842.9	-	-	-
19	FALL IN, ON, OR FROM AIRCRAFT-----E843	6	4	2
20	OCCUPANT OF SPACECRAFT-----E843.0	-	-	-
21	OCCUPANT OF MILITARY AIRCRAFT-----E843.1	2	2	-
22	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E843.2	2	2	-
23	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E843.3	-	-	-
24	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E843.4	2	-	2
25	GROUND CREW, AIRLINE EMPLOYEE-----E843.5	-	-	-
26	OTHER SPECIFIED PERSONS-----E843.8	-	-	-
27	UNSPECIFIED PERSON-----E843.9	-	-	-
28	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS-----E844	70	50	20
29	OCCUPANT OF SPACECRAFT-----E844.0	-	-	-
30	OCCUPANT OF MILITARY AIRCRAFT-----E844.1	-	-	-
31	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E844.2	-	-	-
32	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E844.3	-	-	-
33	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E844.4	4	2	2
34	GROUND CREW, AIRLINE EMPLOYEE-----E844.5	2	2	-
35	OTHER SPECIFIED PERSONS-----E844.8	54	40	14
36	UNSPECIFIED PERSON-----E844.9	10	6	4
37	ACCIDENT INVOLVING SPACECRAFT-----E845	-	-	-
38	OCCUPANT OF SPACECRAFT-----E845.0	-	-	-
39	OCCUPANT OF MILITARY AIRCRAFT-----E845.1	-	-	-
40	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E845.2	-	-	-
41	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E845.3	-	-	-
42	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E845.4	-	-	-
43	GROUND CREW, AIRLINE EMPLOYEE-----E845.5	-	-	-
44	OTHER SPECIFIED PERSONS-----E845.8	-	-	-
45	UNSPECIFIED PERSON-----E845.9	-	-	-
46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS-----E850-E859	2,516	1,576	540
47	ACCIDENTAL POISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES-----E850	12	10	2
48	PENICILLIN, ANY-----E850.0	-	-	-
49	ANTIFUNGAL ANTIBIOTICS-----E850.1	-	-	-
50	CHLORAMPHENICOL-----E850.2	-	-	-
51	ERYTHROMYCINS, STREPTOMYCINS, TETRACYCLINES-----E850.3	-	-	-
52	OTHER ANTIBIOTICS-----E850.4	8	6	2
53	SULFONAMIDES-----E850.5	-	-	-
54	ARSENIC ANTI-INFECTIVES-----E850.6	-	-	-
55	SILVER AND ITS COMPOUNDS-----E850.7	-	-	-
56	QUINOLINE AND HYDROXYQUINOLINE DERIVATIVES-----E850.8	2	2	-
57	OTHER ANTI-INFECTIVES-----E850.9	2	2	-
58	ACCIDENTAL POISONING BY HORMONES AND SYNTHETIC SUBSTITUTES-----E851	10	6	4
59	ADRENALS-----E851.0	4	-	4
60	ANDROGENS AND ANABOLIC CONGENERS-----E851.1	-	-	-
61	ESTROGENS-----E851.2	6	6	-
62	INSULINS AND ANTIHYPERTENSIVE AGENTS-----E851.3	-	-	-
63	ANTERIOR PITUITARY EXTRACTS-----E851.4	-	-	-
64	POSTERIOR PITUITARY EXTRACTS-----E851.5	-	-	-
65	PROGESTOGENS-----E851.6	-	-	-
66	THYROID AND THYROID DERIVATIVES-----E851.7	-	-	-
67	ANTITHYROID AGENTS-----E851.8	-	-	-
68	OTHER HORMONES AND SYNTHETIC SUBSTITUTES-----E851.9	-	-	-
69	ACCIDENTAL POISONING BY PRIMARILY SYSTEMIC AND HEMATOLOGIC AGENTS-----E852	56	32	24
70	ANTIHISTAMINIC AND ANTIEMETIC DRUGS-----E852.0	8	2	6
71	ANTIEMETIC AGENTS-----E852.1	8	4	4
72	ELECTROLYTIC, CALORIC, AND WATER BALANCE AGENTS-----E852.2	6	4	2
73	VITAMINS-----E852.3	-	-	-
74	OTHER PRIMARILY SYSTEMIC AGENTS-----E852.4	-	-	-
75	IRON AND ITS COMPOUNDS-----E852.5	10	6	4
76	ANTICOGULANTS-----E852.6	24	16	8
77	VITAMIN K PRODUCTS-----E852.7	-	-	-
78	OTHER COAGULANTS-----E852.8	-	-	-
79	OTHER PRIMARILY HEMATOLOGIC AGENTS-----E852.9	-	-	-
80	ACCIDENTAL POISONING BY ANALGESICS AND ANTIPIRETTICS-----E853	860	656	204
81	OPiates AND SYNTHETIC ANALOGUES-----E853.0	680	572	108
82	SALICYLATES AND CONGENERS-----E853.1	122	48	74
83	CINCHOPHEN AND CONGENERS-----E853.2	-	-	-
84	COLCHICINE-----E853.3	-	-	-
85	ANILINE DERIVATIVES-----E853.4	2	2	-
86	OTHER COAL TAR DERIVATIVES-----E853.5	-	-	-
87	OTHER ANALGESICS AND ANTIPIRETTICS-----E853.9	56	34	22

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
1,156	238	22	8	0.7	1.2	0.2	1.3	0.3	0.2	0.1	01	
-	-	-	-	-	-	-	-	-	-	-	02	
116	-	8	-	0.1	0.1	-	0.1	-	0.1	-	03	
16	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	04	
66	50	-	4	0.1	0.1	0.1	0.1	0.1	-	0.0	05	
910	180	14	4	0.5	0.9	0.2	1.0	0.2	0.1	0.0	06	
-	-	-	-	-	-	-	-	-	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	08	
48	6	-	-	0.0	0.0	0.0	0.1	0.0	-	-	09	
10	-	-	-	0.0	0.0	-	0.0	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	11	
-	-	-	-	-	-	-	-	-	-	-	12	
-	-	-	-	-	-	-	-	-	-	-	13	
-	-	-	-	-	-	-	-	-	-	-	14	
10	-	-	-	0.0	0.0	-	0.0	-	-	-	15	
-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	18	
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	20	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	21	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	22	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	23	
-	-	-	-	-	-	-	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	25	
-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	27	
48	20	2	-	0.0	0.0	0.0	0.1	0.0	0.0	-	28	
-	-	-	-	-	-	-	-	-	-	-	29	
-	-	-	-	-	-	-	-	-	-	-	30	
-	-	-	-	-	-	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	32	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	33	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	34	
38	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	35	
6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	36	
-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	41	
-	-	-	-	-	-	-	-	-	-	-	42	
-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	45	
1,142	724	434	216	1.2	1.6	0.9	1.3	0.8	3.4	1.6	46	
6	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	47	
-	-	-	-	-	-	-	-	-	-	-	48	
-	-	-	-	-	-	-	-	-	-	-	49	
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	50	
-	-	-	-	-	-	-	-	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	52	
-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	54	
-	-	-	-	-	-	-	-	-	-	-	55	
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	56	
2	-	-	-	0.0	0.0	-	-	-	-	-	57	
2	4	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	58	
-	4	-	-	0.0	-	0.0	-	0.0	-	-	59	
-	-	-	-	-	-	-	-	-	-	-	60	
2	-	4	-	0.0	0.0	-	0.0	-	0.0	-	61	
-	-	-	-	-	-	-	-	-	-	-	62	
-	-	-	-	-	-	-	-	-	-	-	63	
-	-	-	-	-	-	-	-	-	-	-	64	
-	-	-	-	-	-	-	-	-	-	-	65	
-	-	-	-	-	-	-	-	-	-	-	66	
-	-	-	-	-	-	-	-	-	-	-	67	
-	-	-	-	-	-	-	-	-	-	-	68	
24	18	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	69	
4	4	2	2	0.0	0.0	0.0	-	0.0	0.0	0.0	70	
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	71	
2	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	72	
-	-	-	-	-	-	-	-	-	-	-	73	
-	-	-	-	-	-	-	-	-	-	-	74	
4	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	
14	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76	
-	-	-	-	-	-	-	-	-	-	-	77	
-	-	-	-	-	-	-	-	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	-	79	
460	126	196	78	0.4	0.6	0.2	0.5	0.1	1.6	0.6	80	
390	56	182	52	0.3	0.6	0.1	0.4	0.1	1.4	0.4	81	
46	56	2	18	0.1	0.0	0.1	0.1	0.1	0.0	0.1	82	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	83	
-	-	-	-	-	-	-	-	-	-	-	84	
-	-	-	-	-	-	-	-	-	-	-	85	
-	-	-	-	-	-	-	-	-	-	-	86	
22	14	12	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	87	

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS--CON.				
01	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS-----E854	730	416	314
02	BARBITURATES-----E854.0	428	188	240
03	CHLORAL HYDRATE-----E854.1	4	2	2
04	PARALDEHYDE-----E854.2	2	2	-
05	BROMIDES-----E854.3	-	-	-
06	ACUTE NARCOTISM NOT OTHERWISE SPECIFIED-----E854.8	140	124	16
07	OTHER SEDATIVES AND HYPNOTICS-----E854.9	156	100	56
08	ACCIDENTAL POISONING BY AUTONOMIC NERVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGS-----E855	124	50	74
09	ANTIDEPRESSANTS-----E855.0	30	12	18
10	TRANQUILIZERS-----E855.1	80	30	50
11	OTHER PSYCHOTHERAPEUTIC AGENTS-----E855.2	4	4	-
12	PARASYMPATHOMIMETICS (CHOLINERGICS)-----E855.3	-	-	-
13	PARASYMPATHOLYTICS (ANTICHOLINERGICS)-----E855.4	2	2	-
14	SYMPATHOMIMETICS (ADRENERGICS)-----E855.5	6	2	4
15	AUTONOMIC NERVOUS SYSTEM RELAXANTS-----E855.6	-	-	-
16	OTHER-----E855.9	2	-	2
17	ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS-----E856	32	18	14
18	ANTICONVULSANTS-----E856.0	2	-	2
19	SKELETAL MUSCLE RELAXANTS-----E856.1	4	-	4
20	ANESTHETIC GASES-----E856.2	4	-	4
21	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS-----E856.3	-	-	-
22	AMPHETAMINE-----E856.4	22	18	4
23	OTHER CENTRAL NERVOUS SYSTEM STIMULANTS-----E856.8	-	-	-
24	OTHER AND UNSPECIFIED-----E856.9	-	-	-
25	ACCIDENTAL POISONING BY CARDIOVASCULAR DRUGS-----E857	160	68	92
26	CARDIAC DEPRESSANTS-----E857.0	-	-	-
27	CARDIAC TONICS-----E857.1	158	66	92
28	CHOLESTEROL LOWERING AGENTS-----E857.2	-	-	-
29	GANGLIONIC BLOCKING AGENTS-----E857.3	-	-	-
30	VASODILATORS-----E857.4	2	2	-
31	OTHER HYPOTENSIVE AGENTS-----E857.5	-	-	-
32	SCLEROSING AGENTS-----E857.6	-	-	-
33	OTHER-----E857.9	-	-	-
34	ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGS-----E858	6	6	-
35	ANTACIDS AND ANTIDIARRHEA AGENTS-----E858.0	4	4	-
36	INTESTINAL IRRITANT CATHARTICS-----E858.1	2	2	-
37	EMOLLIENT CATHARTICS-----E858.2	-	-	-
38	SALINE CATHARTICS-----E858.3	-	-	-
39	FECAL SOFTENERS-----E858.4	-	-	-
40	OTHER CATHARTICS-----E858.5	-	-	-
41	EMETICS-----E858.6	-	-	-
42	OTHER-----E858.9	-	-	-
43	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS-----E859	526	314	212
44	LOCAL ANESTHETICS-----E859.0	12	8	4
45	MERCURIAL DIURETICS-----E859.1	-	-	-
46	XANTHINE DERIVATIVES-----E859.2	-	-	-
47	OTHER DIURETICS-----E859.3	-	-	-
48	AGENTS ACTING DIRECTLY ON MUSCULOSKELETAL SYSTEM-----E859.4	-	-	-
49	LINIMENTS-----E859.5	-	-	-
50	ONJMENTS-----E859.6	-	-	-
51	OTHER MEDICAMENTS FOR EXTERNAL USE-----E859.7	14	12	2
52	OTHER SPECIFIED DRUGS-----E859.8	18	6	12
53	DRUGS, UNSPECIFIED-----E859.9	482	288	194
54	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES-----E860-E869	1,212	878	334
55	ACCIDENTAL POISONING BY ALCOHOL-----E860	390	308	82
56	ACCIDENTAL POISONING BY CLEANSING AND POLISHING AGENTS-----E861	18	16	2
57	ACCIDENTAL POISONING BY DISINFECTANTS-----E862	10	4	6
58	ACCIDENTAL POISONING BY PAINTS AND VARNISHES-----E863	-	-	-
59	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS AND OTHER SOLVENTS-----E864	60	52	8
60	ACCIDENTAL POISONING BY PESTICIDES, FERTILIZERS, OR PLANT FOODS-----E865	38	32	6
61	ACCIDENTAL POISONING BY HEAVY METALS AND THEIR FUMES-----E866	40	30	10
62	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS NOT ELSEWHERE CLASSIFIABLE-----E867	24	14	10
63	ACCIDENTAL POISONING BY NOXIOUS FOODSTUFFS AND POISONOUS PLANTS-----E868	8	6	2
64	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES-----E869	624	416	208
65	ACCIDENTAL POISONING BY GASES AND VAPORS-----E870-E877	1,690	1,270	420
66	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE-----E870	152	94	58
67	ACCIDENTAL POISONING BY LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS-----E871	28	16	12
68	ACCIDENTAL POISONING BY OTHER UTILITY GASES-----E872	6	4	2
69	ACCIDENTAL POISONING BY MOTOR VEHICLE EXHAUST GAS-----E873	890	682	208
70	ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS-----E874	118	84	34
71	ACCIDENTAL POISONING BY OTHER CARBON MONOXIDE-----E875	314	236	78
72	ACCIDENTAL POISONING BY OTHER GASES AND VAPORS-----E876	172	144	28
73	ACCIDENTAL POISONING BY UNSPECIFIED GASES AND VAPORS-----E877	10	10	-
74	ACCIDENTAL FALLS-----E880-E887	16,744	8,480	8,264
75	FALL ON OR FROM STAIRS OR STEPS-----E880	1,656	1,000	656
76	FALL ON OR FROM LADDER OR SCAFFOLDING-----E881	376	352	24
77	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE-----E882	720	620	100
78	FALL INTO HOLE OR OTHER OPENING IN SURFACE-----E883	140	122	18
79	OTHER FALLS FROM ONE LEVEL TO ANOTHER-----E884	1,440	934	506
80	FALL ON SAME LEVEL FROM SLIPPING, STUMBLING, OR TRIPPING-----E885	726	372	354
81	FALL ON SAME LEVEL FROM COLLISION WITH OR PUSHING OR SHOVING BY ANOTHER PERSON-----E886	32	24	8
82	OTHER AND UNSPECIFIED FALLS-----E887	11,654	5,056	6,598

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
280	264	136	50	0.4	0.4	0.3	0.3	0.3	1.1	0.4	01	
162	210	26	30	0.2	0.2	0.2	0.2	0.2	0.2	0.2	02	
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	03	
2	-	-	-	0.0	0.0	-	-	-	-	-	04	
40	6	84	10	0.1	0.1	0.0	0.0	0.0	0.7	0.1	05	
74	46	26	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1	06	
40	70	10	4	0.1	0.0	0.1	0.0	0.1	0.1	0.0	07	
12	18	-	-	0.0	0.0	0.0	0.0	0.0	-	-	08	
24	46	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09	
2	-	2	-	0.0	0.0	-	-	-	0.0	-	10	
2	4	-	-	0.0	0.0	-	-	-	-	-	11	
-	2	-	-	0.0	0.0	-	-	-	-	-	12	
-	2	-	-	0.0	0.0	-	-	-	-	-	13	
-	2	-	-	0.0	0.0	-	-	-	-	-	14	
-	2	-	-	0.0	0.0	-	-	-	-	-	15	
16	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	
-	2	-	-	0.0	0.0	-	-	-	-	-	17	
-	2	-	-	0.0	0.0	-	-	-	-	-	18	
-	4	-	-	0.0	0.0	-	-	-	-	-	19	
16	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	
-	-	-	-	-	-	-	-	-	-	-	21	
-	-	-	-	-	-	-	-	-	-	-	22	
46	56	22	36	0.1	0.1	0.1	0.1	0.1	0.2	0.3	23	
44	56	22	36	0.1	0.1	0.1	0.1	0.1	0.2	0.3	24	
-	-	-	-	-	-	-	-	-	-	-	25	
2	-	-	-	0.0	0.0	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	-	-	-	-	-	-	28	
6	-	-	-	0.0	0.0	-	-	-	-	-	29	
4	-	-	-	0.0	0.0	-	-	-	-	-	30	
2	-	-	-	0.0	0.0	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	34	
262	172	52	40	0.3	0.3	0.2	0.3	0.2	0.4	0.3	35	
4	4	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	36	
-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	39	
12	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0	40	
4	8	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	
242	160	46	34	0.2	0.3	0.2	0.3	0.2	0.4	0.2	42	
664	252	214	82	0.6	0.9	0.3	0.7	0.3	1.7	0.6	43	
194	50	114	32	0.2	0.3	0.1	0.2	0.1	0.9	0.2	44	
10	-	6	2	0.0	0.0	0.0	0.0	-	0.0	0.0	45	
4	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	46	
38	6	14	2	0.0	0.1	0.0	0.0	0.0	0.1	0.0	47	
28	4	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	
20	4	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	49	
6	4	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	50	
6	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	
358	176	58	32	0.3	0.4	0.2	0.4	0.2	0.5	0.2	52	
1,084	340	186	80	0.8	1.3	0.4	1.2	0.4	1.5	0.6	53	
78	44	16	14	0.1	0.1	0.1	0.1	0.0	0.1	0.1	54	
14	8	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55	
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	56	
582	170	100	38	0.4	0.7	0.2	0.7	0.2	0.8	0.3	57	
72	28	12	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	58	
200	64	36	14	0.2	0.2	0.1	0.2	0.1	0.3	0.1	59	
124	24	20	4	0.1	0.1	0.0	0.1	0.0	0.2	0.0	60	
10	-	-	-	0.0	0.0	-	-	-	-	-	61	
7,568	7,762	912	502	8.0	8.4	7.7	8.5	8.3	7.2	3.7	62	
850	598	150	58	0.8	1.0	0.6	1.0	0.6	1.2	0.4	63	
326	22	26	2	0.2	0.3	0.0	0.4	0.0	0.2	0.0	64	
536	86	84	14	0.3	0.6	0.1	0.6	0.1	0.7	0.1	65	
104	14	18	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	66	
830	438	104	68	0.7	0.9	0.5	0.9	0.5	0.8	0.5	67	
338	338	22	16	0.3	0.4	0.3	0.4	0.4	0.2	0.1	68	
20	8	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69	
4,552	6,258	504	340	5.6	5.0	6.2	5.1	6.7	4.0	2.5	70	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	ACCIDENTS CAUSED BY FIRES AND FLAMES-----E890-E899	6,714	4,072	2,642
02	ACCIDENT CAUSED BY CONFLAGRATION IN PRIVATE DWELLING-----E890	4,542	2,690	1,852
03	ACCIDENT CAUSED BY CONFLAGRATION IN OTHER BUILDING OR STRUCTURE-----E891	264	220	44
04	ACCIDENT CAUSED BY CONFLAGRATION NOT IN BUILDING OR STRUCTURE-----E892	60	46	14
05	ACCIDENT CAUSED BY IGNITION OF CLOTHING-----E893	542	246	296
06	ACCIDENT CAUSED BY IGNITION OF HIGHLY INFLAMMABLE MATERIAL-----E894	224	166	58
07	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING-----E895	112	46	66
08	ACCIDENT CAUSED BY CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE-----E896	4	4	-
09	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE-----E897	32	26	6
10	ACCIDENTS CAUSED BY OTHER SPECIFIED FIRES OR FLAMES-----E898	402	296	106
11	ACCIDENT CAUSED BY UNSPECIFIED FIRE-----E899	932	332	200
12	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS-----E900-E909	1,800	1,244	556
13	EXCESSIVE HEAT-----E900	234	160	74
14	EXCESSIVE COLD-----E901	490	409	99
15	HIGH AND LOW AIR PRESSURE-----E902	18	16	2
16	EFFECTS OF TRAVEL AND MOTION-----E903	-	-	-
17	HUNGER, THIRST, EXPOSURE, AND NEGLECT-----E904	268	192	76
18	BITES AND STINGS OF VENOMOUS ANIMALS AND INSECTS-----E905	42	32	10
19	OTHER ACCIDENTS CAUSED BY ANIMALS-----E906	146	108	38
20	LIGHTNING-----E907	94	80	14
21	CATAclysm-----E908	500	250	250
22	ACCIDENTS DUE TO OTHER NATURAL AND ENVIRONMENTAL FACTORS-----E909	8	6	2
23	OTHER ACCIDENTS-----E910-E929	20,320	16,344	3,976
24	ACCIDENTAL DROWNING AND SUBMERSION-----E910	6,196	5,118	1,078
25	IN RECREATIONAL ACTIVITIES-----E910.0	2,008	1,784	224
26	OTHER AND UNSPECIFIED-----E910.9	4,188	3,334	854
27	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OR SUFFOCATION-----E911	2,088	1,226	862
28	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E912	742	486	256
29	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	1,104	826	278
30	IN BED OR CRADLE-----E913.0	322	182	140
31	OTHER AND UNSPECIFIED-----E913.9	782	644	138
32	FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADNEXA-----E914	-	-	-
33	FOREIGN BODIES ACCIDENTALLY ENTERING OTHER ORIFICES-----E915	58	40	18
34	STRUCK ACCIDENTALLY BY FALLING OBJECTS-----E916	1,218	1,168	50
35	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS-----E917	846	726	120
36	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS-----E918	536	512	24
37	OVEREXERTION AND STRENUOUS MOVEMENTS-----E919	2	2	-
38	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT-----E920	126	102	24
39	POWERED HAND TOOL-----E920.0	8	6	2
40	OTHER HAND TOOLS-----E920.1	22	18	4
41	OTHER MACHINERY-----E920.2	14	12	2
42	OTHER-----E920.8	58	46	12
43	UNSPECIFIED-----E920.9	24	20	4
44	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL-----E921	60	58	2
45	BOILER-----E921.0	14	12	2
46	GAS CYLINDER-----E921.1	8	8	-
47	OTHER-----E921.8	38	38	-
48	ACCIDENT CAUSED BY FIREARM MISSILE-----E922	2,442	2,090	352
49	ACCIDENTALLY SELF-INFLICTED-----E922.0	538	504	34
50	OTHER AND UNSPECIFIED-----E922.9	1,904	1,586	318
51	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-----E923	518	422	96
52	FIREWORKS-----E923.0	10	6	4
53	BLASTING MATERIAL-----E923.1	24	24	-
54	EXPLOSIVE GAS-----E923.2	242	188	54
55	OTHER-----E923.8	70	68	2
56	UNSPECIFIED-----E923.9	172	136	36
57	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, AND STEAM-----E924	282	168	114
58	ACCIDENT CAUSED BY ELECTRIC CURRENT-----E925	1,088	1,018	70
59	HOME WIRING AND APPLIANCE-----E925.0	206	174	32
60	INDUSTRIAL WIRING AND APPLIANCE-----E925.1	142	140	2
61	OTHER-----E925.8	604	578	26
62	UNSPECIFIED-----E925.9	136	126	10
63	ACCIDENT CAUSED BY RADIATION-----E926	-	-	-
64	NONIONIZING-----E926.0	-	-	-
65	IONIZING-----E926.1	-	-	-
66	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE-----E927	166	152	14
67	MACHINERY ACCIDENTS NOT ELSEWHERE CLASSIFIABLE-----E928	896	872	24
68	OTHER AND UNSPECIFIED ACCIDENTS-----E929	1,952	1,358	594
69	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES-----E930-E936	3,324	1,782	1,542
70	COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURES-----E930	2,504	1,356	1,148
71	IN SURGICAL TREATMENT, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E930.0	2,458	1,332	1,126
72	IN ANESTHESIA DURING OPERATIVE TREATMENT-----E930.1	46	24	22
73	IN INFUSION OR TRANSFUSION DURING OPERATIVE TREATMENT-----E930.2	-	-	-
74	IN OTHER PROCEDURES DURING OPERATIVE TREATMENT-----E930.9	-	-	-
75	COMPLICATIONS AND MISADVENTURES IN OTHER AND UNSPECIFIED THERAPEUTIC PROCEDURES-----E931	628	332	296
76	IN USE OF X-RAYS AND RADIOACTIVE SUBSTANCES-----E931.0	36	6	30
77	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E931.1	320	152	168
78	IN INFUSION AND TRANSFUSION-----E931.2	60	36	24
79	IN LOCAL APPLICATIONS-----E931.3	-	-	-
80	IN OTHER THERAPEUTIC PROCEDURES-----E931.8	106	74	32
81	IN UNSPECIFIED THERAPEUTIC PROCEDURE-----E931.9	106	64	42

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
2,996	1,882	1,076	760	3.2	4.0	2.5	3.4	2.0	8.5	5.5	01	
1,898	1,296	792	556	2.2	2.7	1.7	2.1	1.4	6.3	4.0	02	
184	28	36	16	0.1	0.2	0.0	0.2	0.0	0.3	0.1	03	
44	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	04	
206	230	40	66	0.3	0.2	0.3	0.2	0.2	0.3	0.5	05	
132	40	34	18	0.1	0.2	0.1	0.1	0.0	0.3	0.1	06	
34	40	12	26	0.1	0.0	0.1	0.0	0.0	0.1	0.2	07	
2	-	2	-	0.0	0.0	-	0.0	0.0	0.0	-	08	
24	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	09	
242	92	54	14	0.2	0.3	0.1	0.3	0.1	8.4	0.1	10	
230	136	102	64	0.3	0.3	0.2	0.3	0.1	0.8	0.5	11	
950	458	294	98	0.9	1.2	0.5	1.1	0.5	2.3	0.7	12	
114	50	46	24	0.1	0.2	0.1	0.1	0.1	0.4	0.2	13	
250	62	150	28	0.2	0.4	0.1	0.3	0.1	1.2	0.2	14	
16	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	15	
-	-	-	-	-	-	-	-	-	-	-	16	
126	54	66	22	0.1	0.2	0.1	0.1	0.1	0.5	0.2	17	
30	6	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	
106	36	2	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	19	
74	14	6	-	0.0	0.1	0.0	0.1	0.0	0.0	-	20	
228	232	22	18	0.2	0.2	0.2	0.3	0.2	0.2	0.1	21	
6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	22	
13,216	3,224	3,128	752	9.8	16.1	3.7	14.9	3.5	24.8	5.5	23	
3,852	900	1,266	178	3.0	5.0	1.0	4.3	1.0	10.1	1.3	24	
1,308	176	476	48	1.0	1.8	0.2	1.5	0.2	3.8	0.3	25	
2,544	724	790	130	2.0	3.3	0.8	2.9	0.8	8.3	0.9	26	
1,024	734	202	128	1.0	1.2	0.8	1.2	0.8	1.6	0.9	27	
380	194	106	62	0.4	0.5	0.2	0.4	0.2	0.8	0.5	28	
668	222	158	56	0.5	0.8	0.3	0.8	0.2	1.3	0.4	29	
134	108	48	32	0.2	0.2	0.1	0.2	0.1	0.4	0.2	30	
534	114	110	24	0.4	0.6	0.1	0.6	0.1	0.9	0.2	31	
-	-	-	-	-	-	-	-	-	-	-	32	
38	14	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	
1,012	42	156	8	0.6	1.2	0.0	1.1	0.0	1.2	0.1	34	
630	108	96	12	0.4	0.7	0.1	0.7	0.1	0.8	0.1	35	
442	20	70	4	0.3	0.5	0.0	0.5	0.0	0.6	0.0	36	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	37	
64	10	38	14	0.1	0.1	0.0	0.1	0.0	0.3	0.1	38	
6	-	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	39	
10	2	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	40	
6	2	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	41	
32	4	14	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	42	
19	2	10	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	43	
52	2	6	-	0.0	0.1	0.0	0.1	0.0	0.0	-	44	
10	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	45	
8	-	-	-	0.0	0.0	-	0.0	-	-	-	46	
34	4	4	-	0.0	0.0	-	0.0	-	0.0	-	47	
1,624	294	466	108	0.0	0.0	0.3	1.8	0.3	3.7	0.8	48	
386	30	118	4	1.2	2.1	0.0	0.4	0.0	0.9	0.0	49	
1,238	214	348	104	0.3	0.5	0.0	1.4	0.2	2.8	0.8	50	
368	82	54	14	0.2	0.4	0.1	0.4	0.1	0.4	0.1	51	
6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	52	
22	-	2	-	0.0	0.0	-	0.0	-	0.0	-	53	
170	50	18	4	0.1	0.2	0.1	0.2	0.1	0.1	0.0	54	
60	-	8	2	0.0	0.1	0.0	0.1	-	0.1	0.0	55	
110	28	26	8	0.1	0.1	0.0	0.1	0.0	0.2	0.1	56	
128	88	40	26	0.1	0.2	0.1	0.1	0.1	0.3	0.2	57	
934	64	84	6	0.5	1.0	0.1	1.1	0.1	0.7	0.0	58	
150	26	24	6	0.1	0.2	0.0	0.2	0.0	0.2	0.0	59	
134	2	6	-	0.1	0.1	0.0	0.2	0.0	0.0	-	60	
536	26	42	-	0.3	0.6	0.0	0.6	0.0	0.3	0.0	61	
114	10	12	-	0.1	0.1	0.0	0.1	0.0	0.1	-	62	
-	-	-	-	-	-	-	-	-	-	-	63	
-	-	-	-	-	-	-	-	-	-	-	64	
-	-	-	-	-	-	-	-	-	-	-	65	
146	14	6	-	0.1	0.1	0.0	0.2	0.0	0.0	-	66	
788	20	84	4	0.4	0.9	0.0	0.9	0.0	0.7	0.0	67	
1,064	466	294	128	0.9	1.3	0.6	1.2	0.5	2.3	0.9	68	
1,558	1,340	224	202	1.6	1.8	1.4	1.8	1.4	1.8	1.5	69	
1,194	1,012	162	136	1.2	1.3	1.1	1.3	1.1	1.3	1.0	70	
1,176	994	156	132	1.2	1.3	1.1	1.3	1.1	1.2	1.0	71	
18	18	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72	
-	-	-	-	-	-	-	-	-	-	-	73	
-	-	-	-	-	-	-	-	-	-	-	74	
284	254	48	42	0.3	0.3	0.3	0.3	0.3	0.4	0.3	75	
4	30	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	76	
130	140	22	28	0.2	0.1	0.2	0.1	0.2	0.2	0.2	77	
34	22	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78	
-	-	-	-	-	-	-	-	-	-	-	79	
60	28	14	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	80	
56	34	8	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1	81	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES—CON.				
01	COMPLICATIONS AND MISADVENTURES IN DIAGNOSTIC PROCEDURES—E932	170	86	84
02	IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT—E932.0	100	60	40
03	IN ANESTHESIA—E932.1	10	2	8
04	IN USE OF X-RAYS OR RADIOACTIVE SUBSTANCES—E932.2	14	4	10
05	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS—E932.3	24	6	18
06	IN OTHER DIAGNOSTIC PROCEDURES—E932.8	22	14	8
07	IN UNSPECIFIED DIAGNOSTIC PROCEDURE—E932.9	—	—	—
08	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH BACTERIAL VACCINES—E933	—	—	—
09	BCG VACCINE—E933.0	—	—	—
10	TYPHOID AND PARATYPHOID VACCINE—E933.1	—	—	—
11	CHOLERA VACCINE—E933.2	—	—	—
12	PLAGUE VACCINE—E933.3	—	—	—
13	TETANUS VACCINE—E933.4	—	—	—
14	DIPHTHERIA VACCINE—E933.5	—	—	—
15	PERTUSSIS VACCINE, INCLUDING COMBINATIONS WITH A PERTUSSIS COMPONENT—E933.6	—	—	—
16	OTHER AND UNSPECIFIED BACTERIAL VACCINES—E933.8	—	—	—
17	MIXED BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENT—E933.9	—	—	—
18	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH OTHER VACCINES—E934	4	2	2
19	SMALLPOX VACCINE—E934.0	—	—	—
20	RABIES VACCINE—E934.1	2	—	2
21	TYPHUS VACCINE—E934.2	—	—	—
22	YELLOW FEVER VACCINE—E934.3	—	—	—
23	MEASLES VACCINE—E934.4	—	—	—
24	POLIOMYELITIS VACCINE—E934.5	—	—	—
25	OTHER AND UNSPECIFIED VIRAL AND RICKETTSIAL VACCINES—E934.6	—	—	—
26	MIXED VIRAL-RICKETTSIAL AND BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENT—E934.7	—	—	—
27	OTHER AND UNSPECIFIED VACCINES—E934.9	2	2	—
28	COMPLICATIONS AND MISADVENTURES IN OTHER PROPHYLACTIC PROCEDURES—E935	6	—	6
29	IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT—E935.0	4	—	4
30	IN ANESTHESIA DURING PROPHYLACTIC PROCEDURES—E935.1	2	—	2
31	IN USE OF X-RAYS AND RADIOACTIVE SUBSTANCES—E935.2	—	—	—
32	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS—E935.3	—	—	—
33	IN OTHER AND UNSPECIFIED PROCEDURES—E935.9	—	—	—
34	COMPLICATIONS AND MISADVENTURES IN OTHER NONTHERAPEUTIC PROCEDURES—E936	12	6	6
35	IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT—E936.0	—	—	—
36	IN ANESTHESIA—E936.1	—	—	—
37	IN OTHER AND UNSPECIFIED PROCEDURES—E936.9	12	6	6
38	LATE EFFECTS OF ACCIDENTAL INJURIES—E940-E949	648	376	272
39	LATE EFFECT OF MOTOR VEHICLE ACCIDENT—E940	132	98	34
40	LATE EFFECT OF OTHER TRANSPORT ACCIDENT—E941	6	6	—
41	LATE EFFECT OF ACCIDENTAL POISONING—E942	16	6	10
42	LATE EFFECT OF ACCIDENTAL FALL—E943	156	72	84
43	LATE EFFECT OF ACCIDENT CAUSED BY FIRE—E944	—	—	—
44	LATE EFFECT OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS—E945	2	—	2
45	LATE EFFECTS OF OTHER ACCIDENTS—E946	190	144	46
46	LATE EFFECT OF SURGICAL OPERATION—E947	118	44	74
47	LATE EFFECT OF IRRADIATION—E948	14	2	12
48	LATE EFFECTS OF OTHER SURGICAL AND MEDICAL PROCEDURES—E949	14	4	10
49	SUICIDE—E950-E959	25,004	17,768	7,236
50	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE—E950	3,972	1,504	2,468
51	BARBITURIC ACID AND DERIVATIVES—E950.0	1,580	586	994
52	SALICYLATES AND CONGENERS—E950.1	72	14	58
53	PSYCHOTHERAPEUTIC AGENTS—E950.2	254	72	182
54	OTHER AND UNSPECIFIED DRUGS—E950.3	1,316	464	852
55	CORROSIVE AROMATICS—E950.4	6	4	2
56	STRYCHNINE—E950.5	26	22	4
57	LYE AND POTASH (CAUSTIC ALKALI)—E950.6	32	16	16
58	ARSENIC AND ITS COMPOUNDS—E950.7	38	26	12
59	FLUORIDES—E950.8	6	—	6
60	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES—E950.9	642	300	342
61	SUICIDE FROM POISONING BY GAS IN DOMESTIC USE—E951	44	38	6
62	SUICIDE FROM POISONING BY OTHER GASES—E952	2,434	1,700	734
63	MOTOR VEHICLE EXHAUST GAS—E952.0	72	48	24
64	OTHER CARBON MONOXIDE—E952.1	322	232	90
65	OTHER AND UNSPECIFIED GASES AND VAPORS—E952.9	24	22	2
66	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION—E953	3,300	2,510	790
67	SUICIDE BY SUBMERSION OR DROWNING—E954	538	270	268
68	SUICIDE BY FIREARM AND EXPLOSIVE—E955	13,348	10,852	2,496
69	SUICIDE BY CUTTING AND PIERCING INSTRUMENT—E956	376	272	104
70	SUICIDE BY JUMPING FROM HIGH PLACE—E957	626	382	244
71	SUICIDE BY OTHER AND UNSPECIFIED MEANS—E958	362	236	126
72	LATE EFFECT OF SELF-INFLICTED INJURY—E959	4	4	—
73	HOMICIDE—E960-E969	19,338	15,346	3,992
74	FIGHT, BRAWL, OR RAPE—E960	162	112	50
75	ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCE, EXCEPT POISONING—E961	6	4	2
76	ASSAULT BY POISONING—E962	34	20	14
77	ASSAULT BY HANGING AND STRANGULATION—E963	584	186	398
78	ASSAULT BY SUBMERSION OR DROWNING—E964	72	48	24
79	ASSAULT BY FIREARM AND EXPLOSIVE—E965	13,382	11,150	2,232
80	ASSAULT BY CUTTING AND PIERCING INSTRUMENT—E966	3,196	2,580	616
81	ASSAULT BY PUSHING FROM HIGH PLACE—E967	18	10	8
82	ASSAULT BY OTHER AND UNSPECIFIED MEANS—E968	1,866	1,222	644
83	LATE EFFECT OF INJURY PURPOSELY INFLICTED BY OTHER PERSON—E969	18	14	4

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL				WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
74	66	12	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	01
52	34	8	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	02
-	6	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	03
4	10	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	04
6	12	-	6	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	05
12	4	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06
-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
2	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	2	-	-	0.0	-	0.0	-	-	0.0	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	-	-	0.0	0.0	-	-	0.0	-	-	-	27
-	2	-	4	0.0	-	0.0	-	-	0.0	-	0.0	28
-	-	-	4	0.0	-	-	-	-	-	-	0.0	29
-	2	-	-	0.0	-	0.0	-	-	0.0	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	33
4	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34
-	-	-	-	-	-	-	-	-	-	-	-	35
4	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36
-	-	-	-	-	-	-	-	-	-	-	-	37
310	252	66	20	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.1	38
84	32	14	2	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	39
4	-	2	-	0.0	0.0	-	-	0.0	-	0.0	-	40
4	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	41
62	76	10	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	42
-	-	-	-	-	-	-	-	-	-	-	-	43
-	2	-	-	0.0	-	0.0	-	-	0.0	-	-	44
118	40	26	6	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.0	45
32	70	12	4	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	46
2	12	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	47
4	10	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	48
16,476	6,788	1,292	448	12.0	17.5	6.8	18.5	7.3	10.3	3.3	49	
1,424	2,310	80	158	1.9	1.5	2.3	1.6	2.5	0.6	1.2	50	
564	940	22	54	0.8	0.6	0.9	0.6	1.0	0.2	0.4	51	
12	58	2	-	0.0	0.0	0.1	0.0	0.1	0.0	-	52	
66	172	6	10	0.1	0.1	0.2	0.1	0.2	0.0	0.1	53	
436	766	28	66	0.6	0.5	0.8	0.5	0.8	0.2	0.5	54	
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	55	
22	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	56	
10	14	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	
26	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-	58	
-	2	-	4	0.0	-	0.0	-	0.0	-	0.0	59	
284	320	16	22	0.3	0.3	0.3	0.3	0.3	0.1	0.2	60	
38	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	61	
1,658	724	42	10	1.2	1.7	0.7	1.9	0.8	0.3	0.1	62	
1,408	634	38	8	1.0	1.4	0.6	1.6	0.7	0.3	0.1	63	
230	88	2	2	0.2	0.2	0.1	0.3	0.1	0.0	0.0	64	
20	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	65	
2,282	750	228	40	1.6	2.5	0.7	2.6	0.8	1.8	0.3	66	
232	250	38	18	0.3	0.3	0.3	0.3	0.3	0.3	0.1	67	
10,052	2,318	800	178	6.4	10.7	2.3	11.3	2.5	6.4	1.3	68	
248	102	24	2	0.2	0.3	0.1	0.3	0.1	0.2	0.0	69	
336	218	46	26	0.3	0.4	0.2	0.4	0.2	0.4	0.2	70	
202	110	34	16	0.2	0.2	0.1	0.2	0.1	0.3	0.1	71	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	72	
6,684	2,156	8,662	1,836	9.3	15.1	3.7	7.5	2.3	68.8	13.4	73	
82	32	30	18	0.1	0.1	0.0	0.1	0.0	0.2	0.1	74	
2	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0	75	
18	14	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	76	
146	284	40	114	0.3	0.2	0.4	0.2	0.3	0.3	0.8	77	
30	16	18	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	78	
4,610	1,112	6,540	1,120	6.4	11.0	2.1	5.2	1.2	51.9	8.2	79	
1,004	304	1,576	312	1.5	2.5	0.6	1.1	0.3	12.5	2.3	80	
2	2	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	81	
784	390	438	254	0.9	1.2	0.6	0.9	0.4	3.5	1.8	82	
6	2	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	83	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Deaths based on a 50-percent sample. Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths correspond exactly with the International Classification of Diseases

	CAUSE OF DEATH	TOTAL		
		BOTH SEXES	MALE	FEMALE
		01	LEGAL INTERVENTION-----E970-E978	300
02	INJURY DUE TO LEGAL INTERVENTION BY FIREARM-----E970	296	292	4
03	INJURY DUE TO LEGAL INTERVENTION BY EXPLOSIVE-----E971	-	-	-
04	INJURY DUE TO LEGAL INTERVENTION BY GAS-----E972	-	-	-
05	INJURY DUE TO LEGAL INTERVENTION BY BLUNT OBJECT-----E973	2	2	-
06	INJURY DUE TO LEGAL INTERVENTION BY CUTTING AND PIERCING INSTRUMENT-----E974	-	-	-
07	INJURIES DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS-----E975	-	-	-
08	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS-----E976	2	2	-
09	LATE EFFECT OF INJURY DUE TO LEGAL INTERVENTION-----E977	-	-	-
10	LEGAL EXECUTION-----E978	-	-	-
11	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E980-E989	5,044	3,406	1,638
12	POISONING BY SOLID OR LIQUID SUBSTANCE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E980	1,122	600	522
13	BARBITURIC ACID AND DERIVATIVES-----*E980.0	268	122	146
14	SALICYLATES AND CONGENERS-----*E980.1	26	10	16
15	PSYCHOTHERAPEUTIC AGENTS-----*E980.2	60	20	40
16	OTHER AND UNSPECIFIED DRUGS-----*E980.3	530	312	218
17	CORROSIVE AROMATICS-----*E980.4	2	2	-
18	STRYCHNINE-----*E980.5	-	-	-
19	LYE AND POTASH (CAUSTIC ALKALI)-----*E980.6	2	-	2
20	ARSENIC AND ITS COMPOUNDS-----*E980.7	4	-	4
21	FLUORIDES-----*E980.8	2	2	-
22	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES-----*E980.9	228	132	96
23	POISONING BY GAS IN DOMESTIC USE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E981	8	6	2
24	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E982	310	234	76
25	HANGING, STRANGULATION, OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E983	100	66	34
26	SUBMERSION OR DROWNING, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E984	476	360	116
27	INJURY BY FIREARM AND EXPLOSIVE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E985	886	662	224
28	INJURY BY CUTTING AND PIERCING INSTRUMENT, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E986	50	36	14
29	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E987	472	312	160
30	INJURIES BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E988	1,604	1,122	482
31	LATE EFFECT OF INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED-----E989	16	8	8
32	INJURIES RESULTING FROM OPERATIONS OF WAR-----E990-E999	30	30	-
33	INJURY DUE TO WAR OPERATIONS BY FIRE AND CONFLAGRATION-----E990	-	-	-
34	INJURY DUE TO WAR OPERATIONS BY BULLETS AND FRAGMENTS-----E991	2	2	-
35	INJURY DUE TO WAR OPERATIONS BY EXPLOSION OF MARINE WEAPONS-----E992	-	-	-
36	INJURIES DUE TO WAR OPERATIONS BY OTHER EXPLOSIONS-----E993	-	-	-
37	INJURY DUE TO WAR OPERATIONS BY DESTRUCTION OF AIRCRAFT-----E994	-	-	-
38	INJURIES DUE TO WAR OPERATIONS BY OTHER AND UNSPECIFIED FORMS OF CONVENTIONAL WARFARE-----E995	2	2	-
39	INJURY DUE TO WAR OPERATIONS BY NUCLEAR WEAPONS-----E996	-	-	-
40	INJURIES DUE TO WAR OPERATIONS BY OTHER FORMS OF UNCONVENTIONAL WARFARE-----E997	-	-	-
41	INJURY DUE TO WAR OPERATIONS BUT OCCURRING AFTER CESSATION OF HOSTILITIES-----E998	-	-	-
42	LATE EFFECT OF INJURY DUE TO WAR OPERATIONS-----E999	26	26	-

SECTION 1 - GENERAL MORTALITY

by Color and Sex: United States, 1972-Con.

may be assigned and selected four-digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not (ICD) are identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
136	-	160	4	0.1	0.3	0.0	0.2	-	1.3	0.0	01
132	-	160	4	0.1	0.3	0.0	0.1	-	1.3	0.0	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
2	-	-	-	0.0	0.0	-	0.0	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
2	-	-	-	0.0	0.0	-	0.0	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
2,456	1,232	950	406	2.4	3.4	1.5	2.8	1.3	7.5	3.0	11
416	436	184	86	0.5	0.6	0.5	0.5	0.5	1.5	0.6	12
108	128	14	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	13
6	16	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	14
18	36	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
190	170	122	48	0.3	0.3	0.2	0.2	0.2	1.0	0.3	16
2	-	-	-	0.0	0.0	-	0.0	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	18
-	2	-	-	0.0	-	0.0	-	0.0	-	-	19
-	4	-	-	0.0	-	0.0	-	0.0	-	-	20
-	-	2	-	0.0	0.0	-	-	-	0.0	-	21
92	80	40	16	0.1	0.1	0.1	0.1	0.1	0.3	0.1	22
4	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	23
206	72	28	4	0.1	0.2	0.1	0.2	0.1	0.2	0.0	24
56	26	10	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1	25
258	90	102	26	0.2	0.4	0.1	0.3	0.1	0.8	0.2	26
500	166	162	58	0.4	0.7	0.2	0.6	0.2	1.3	0.4	27
30	12	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
224	116	88	44	0.2	0.3	0.1	0.3	0.1	0.7	0.3	29
758	308	364	174	0.8	1.1	0.5	0.9	0.3	2.9	1.3	30
4	4	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
24	-	6	-	0.0	0.0	-	0.0	-	0.0	-	32
-	-	-	-	-	-	-	-	-	-	-	33
2	-	-	-	0.0	0.0	-	0.0	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	2	-	0.0	0.0	-	-	-	0.0	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
22	-	4	-	0.0	0.0	-	0.0	-	0.0	-	42

Table 1-24. Deaths From 281 Selected

(Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ALL CAUSES.....	1,963,944	192,694	168,526	163,162
02	I. INFECTIVE AND PARASITIC DISEASES.....	15,618	1,554	1,418	1,300
03	CHOLERA.....000	-	-	-	-
04	TYPHOID FEVER.....001	8	-	-	2
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	68	4	2	2
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	90	8	2	6
07	FOOD POISONING (BACTERIAL).....005	14	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,286	218	198	212
09	TUBERCULOSIS, ALL FORMS.....010-019	4,376	482	406	398
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	3,474	378	316	326
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	70	10	2	4
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	16	-	-	2
13	TUBERCULOSIS OF BONES AND JOINTS.....015	40	6	6	-
14	DISSEMINATED TUBERCULOSIS.....018	178	18	8	28
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	598	70	74	38
16	PLAGUE.....020	-	-	-	-
17	ANTHRAX.....022	-	-	-	-
18	BRUCELLOSIS.....023	6	-	-	-
19	LEPROSY.....030	-	-	-	-
20	DIPHTHERIA.....032	10	-	-	-
21	WHOOPING COUGH.....033	6	2	2	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	16	2	2	-
23	ERYSIPELAS.....035	20	8	2	2
24	MENINGOCOCCAL INFECTIONS.....036	350	42	42	52
25	TETANUS.....037	58	8	2	4
26	SEPTICEMIA.....038	4,214	336	342	306
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	572	56	70	42
28	ACUTE POLIOMYELITIS.....040-043	2	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	74	12	10	12
30	SMALLPOX.....050	-	-	-	-
31	MEASLES.....055	24	6	-	4
32	YELLOW FEVER.....060	2	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	264	28	22	16
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	22	2	-	4
35	INFECTIOUS HEPATITIS.....070	778	80	84	68
36	RABIES.....071	2	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	920	122	114	68
38	TYPHUS AND OTHER RICKETTSIOSIS.....080-083	50	-	-	-
39	MALARIA.....084	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	344	28	36	28
43	CONGENITAL SYPHILIS.....090	8	-	-	2
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	20	2	2	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	202	14	26	16
47	TABES DORSALIS.....094.0	30	4	4	4
48	GENERAL PARESIS.....094.1	12	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	56	4	2	6
50	ALL OTHER SYPHILIS.....095,097.0,097.9	16	4	2	-
51	GONOCOCCAL INFECTIONS.....098	8	-	2	-
52	SCHISTOSOMIASIS.....120	-	-	-	-
53	HYDATIDIOSIS.....122	4	-	-	-
54	FILARIAL INFESTATIONS.....125	2	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	12	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,016	110	76	74
58	II. NEOPLASMS.....	350,574	30,582	27,904	28,700
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	345,618	30,128	27,512	28,344
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,482	686	590	618
61	OF LIP.....140	154	8	16	18
62	OF TONGUE.....141	1,816	174	116	156
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,144	200	184	180
64	OF PHARYNX.....146-149	3,368	304	274	264
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	95,808	8,122	7,514	7,920
66	OF ESOPHAGUS.....150	6,256	516	464	492
67	OF STOMACH.....151	15,478	1,358	1,204	1,284
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	710	64	64	74
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	37,088	3,020	2,866	3,020
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,282	362	356	378
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,262	114	80	118
72	DESCENDING COLON.....153.2	986	100	64	66
73	SIGMOID COLON.....153.3	4,746	382	356	392
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	23,924	1,890	1,872	1,934
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,888	172	138	132
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,180	928	834	860
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,382	188	198	188
78	OF GALLBLADDER AND BILE DUCTS.....156	4,234	376	336	352
79	OF PANCREAS.....157	18,040	1,544	1,426	1,510
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158-159	1,440	128	122	138
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	76,998	6,810	5,966	6,172
82	OF LARYNX.....161	3,060	286	236	256
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	72,610	6,398	5,602	5,814
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,328	126	128	102
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	39,562	3,434	3,258	3,266
86	OF BONE.....170	1,672	144	198	194
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,522	120	120	120
88	OF SKIN.....172,173	4,708	364	386	380
89	OF BREAST.....174	31,460	2,806	2,554	2,572

SECTION I - GENERAL MORTALITY

Causes, by Month: United States, 1972

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
156,550	159,488	152,412	163,230	156,924	150,058	162,980	160,464	177,456	01
1,190	1,302	1,206	1,370	1,236	1,172	1,246	1,244	1,380	02
-	-	-	-	-	-	-	-	-	03
2	10	4	4	2	12	6	4	2	04
4	6	14	12	12	6	4	8	6	05
2	6	-	-	2	-	-	2	-	06
184	174	148	190	196	158	182	204	222	07
336	380	332	402	314	304	362	316	344	08
264	308	266	300	264	236	286	232	298	09
8	6	4	10	4	4	-	14	4	10
4	6	2	2	-	-	-	-	-	11
6	2	4	6	2	2	4	2	2	12
8	14	12	26	2	14	20	18	10	13
46	44	44	58	42	48	52	50	32	14
-	-	-	-	-	-	-	-	-	15
-	2	-	-	-	-	2	-	2	16
-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	18
2	2	-	2	2	-	-	2	2	19
-	-	-	-	-	-	-	-	-	20
2	2	-	-	-	-	4	2	4	21
-	4	-	-	-	-	-	-	4	22
30	18	36	16	22	20	24	20	28	23
4	8	8	8	4	2	-	8	2	24
332	322	314	428	356	354	356	364	404	25
42	48	36	32	60	32	54	42	58	26
2	-	-	-	-	-	-	-	-	27
4	6	12	-	6	-	6	-	6	28
-	-	-	-	-	-	-	-	-	29
8	2	2	-	2	-	-	-	-	30
-	-	-	-	-	-	-	-	-	31
18	22	22	24	18	26	24	26	18	32
4	-	-	4	2	-	-	-	2	33
38	76	86	58	58	76	46	42	66	34
-	-	-	-	-	-	-	-	-	35
70	86	58	56	64	58	62	52	80	36
-	8	12	14	14	2	-	-	-	37
-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	41
20	28	38	28	12	32	30	30	34	42
-	-	-	2	-	-	-	2	2	43
-	-	-	-	-	-	-	-	-	44
2	-	-	6	-	4	-	-	4	45
16	20	20	10	8	14	20	18	20	46
-	-	2	2	2	4	4	2	4	47
2	8	2	2	6	6	6	2	2	48
-	-	10	6	2	4	4	4	2	49
-	-	4	2	-	-	-	2	2	50
-	-	2	-	2	-	2	-	-	51
-	-	-	-	-	-	-	-	-	52
-	2	-	-	-	-	-	2	2	53
-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	55
-	4	2	2	-	-	-	-	2	56
88	84	78	90	76	90	78	88	84	57
28,422	28,946	28,038	29,902	29,688	28,654	30,304	29,042	30,392	58
28,042	28,544	27,664	29,436	29,234	28,260	29,914	28,646	29,894	59
574	612	618	612	670	610	660	610	622	60
18	16	8	6	22	14	10	14	4	61
146	124	156	166	154	142	174	146	162	62
154	174	184	176	186	192	200	168	146	63
256	298	270	264	308	262	276	282	310	64
7,952	7,880	7,642	8,256	8,110	7,882	8,196	8,064	8,270	65
520	550	488	536	546	556	482	538	568	66
1,288	1,266	1,238	1,372	1,238	1,214	1,310	1,324	1,380	67
36	52	28	84	46	62	62	62	76	68
3,074	3,108	2,978	3,218	3,212	3,084	3,158	3,120	3,230	69
376	360	314	374	320	380	336	368	358	70
86	112	84	116	112	92	104	118	126	71
100	78	76	92	62	94	92	86	76	72
422	452	350	448	404	382	400	340	418	73
1,942	1,970	1,982	2,052	2,130	1,960	2,052	2,068	2,072	74
148	136	172	136	184	176	174	140	180	75
890	834	778	874	798	816	916	846	806	76
200	168	188	190	266	176	206	202	212	77
356	296	340	394	330	372	368	352	362	78
1,476	1,500	1,472	1,462	1,578	1,482	1,586	1,504	1,500	79
112	106	132	126	96	120	108	116	136	80
6,036	6,346	6,132	6,554	6,630	6,278	6,814	6,526	6,734	81
266	252	234	232	240	238	256	250	314	82
5,676	5,990	5,768	6,186	6,308	5,932	6,430	6,168	6,338	83
94	104	130	136	82	108	128	108	82	84
3,372	3,236	3,218	3,324	3,128	3,360	3,336	3,164	3,466	85
158	174	148	148	158	164	100	140	146	86
138	136	136	130	128	136	118	130	110	87
400	394	376	418	382	410	422	340	436	88
2,676	2,532	2,558	2,628	2,460	2,650	2,696	2,554	2,774	89

Table 1-24. Deaths From 281 Selected

(Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
MALIGNANT NEOPLASMS, ETC.—CON.					
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,366	3,678	3,330	3,470
02	OF CERVIX UTERI.....180	6,368	632	488	528
03	OF OTHER PARTS OF UTERUS.....181,182	5,724	476	474	474
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,170	872	770	830
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	914	58	86	74
06	OF PROSTATE.....185	18,228	1,524	1,424	1,516
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	962	116	88	48
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	15,738	1,392	1,262	1,274
09	OF BLADDER.....188	8,974	834	756	762
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,764	556	506	512
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	33,622	2,880	2,820	2,822
12	OF EYE.....190	360	42	40	44
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	8,106	712	662	686
14	OF THYROID GLAND.....193	1,054	86	114	76
15	OTHER.....194-199	24,102	2,040	2,014	2,016
16	LEUKEMIA.....204-207	14,402	1,268	1,166	1,192
17	LYMPHATIC LEUKEMIA.....204	4,566	400	398	358
18	MYELOID LEUKEMIA.....205	6,270	552	464	538
19	MONOCYTTIC LEUKEMIA.....206	588	42	46	54
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	2,978	274	258	242
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	19,640	1,858	1,596	1,610
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	7,080	638	602	586
23	HODGKIN'S DISEASE.....201	3,196	338	270	246
24	MULTIPLE MYELOMA.....202	4,866	436	348	406
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4,498	446	376	372
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,956	454	392	356
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	176	32	12	12
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	776	60	60	42
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	834	78	60	44
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	28	-	2	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,054	200	172	156
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,088	84	86	102
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,950	4,814	4,290	3,822
34	NONTOXIC GOITER.....240,241	44	2	4	4
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	320	32	30	30
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	422	54	32	46
37	DIABETES MELLITUS.....250	38,674	3,932	3,532	3,114
38	DISEASES OF PITUITARY GLAND.....253	246	20	36	6
39	DISEASES OF THYMUS GLAND.....254	32	4	2	4
40	DISEASES OF ADRENAL GLAND.....255	438	48	36	28
41	NIACIN DEFICIENCY.....262	2	-	2	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,536	276	234	222
43	CYSTIC FIBROSIS.....273-0	560	56	50	50
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	3,676	390	332	318
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,232	568	444	426
46	ANEMIAS.....280-285	3,426	376	282	282
47	DEFICIENCY ANEMIAS.....280,281	472	62	44	50
48	HEMOLYTIC ANEMIAS.....282,283	768	92	42	40
49	APLASTIC ANEMIA.....284	1,168	118	104	98
50	OTHER AND UNSPECIFIED ANEMIAS.....285	1,018	104	92	94
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	570	46	40	54
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,209	1,236	146	122	90
53	V. MENTAL DISORDERS.....	8,678	884	716	740
54	SENILE AND PRESENILE DEMENTIAS.....290	680	68	56	58
55	ALCOHOLIC PSYCHOSES.....291	492	52	58	46
56	ALL OTHER PSYCHOSES.....294-299	228	26	14	20
57	ALCOHOLISM.....303	4,416	484	322	348
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,602	240	240	244
59	MENTAL RETARDATION.....310-315	260	14	26	24
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,802	1,808	1,366	1,364
61	MENINGITIS.....320	1,482	186	124	116
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	800	88	78	64
63	MULTIPLE SCLEROSIS.....340	1,704	180	138	142
64	PARALYSIS AGITANS.....342	3,236	352	270	244
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	742	110	38	58
66	EPILEPSY.....345	1,844	184	132	154
67	INFLAMMATORY DISEASES OF EYE.....360-369	14	2	-	-
68	CATARACT.....374	60	-	6	10
69	GLAUCOMA.....375	4	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	156	18	16	14
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,760	688	564	562
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,052,966	104,180	91,124	88,514
73	ACTIVE RHEUMATIC FEVER.....390-392	180	30	12	6
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,938	1,506	1,256	1,230
75	DISEASES OF MITRAL VALVE.....394	3,610	380	344	324
76	DISEASES OF AORTIC VALVE.....395	3,966	416	348	358
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	706	80	72	66
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	5,656	630	492	482
79	HYPERTENSIVE DISEASE.....400-404	21,292	2,294	1,926	1,802
80	MALIGNANT HYPERTENSION.....400	1,120	102	80	110
81	ESSENTIAL BENIGN HYPERTENSION.....401	1,152	112	98	88
82	HYPERTENSIVE HEART DISEASE.....402	7,760	850	736	672
83	HYPERTENSIVE RENAL DISEASE.....403	5,482	578	506	432
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	5,778	652	506	500

SECTION 1 - GENERAL MORTALITY

Causes, by Month: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3,424	3,522	3,388	3,454	3,650	3,518	3,696	3,536	3,700	01
566	490	510	518	546	560	506	502	522	02
422	526	476	454	492	382	544	466	538	03
874	828	820	864	882	842	924	830	834	04
74	96	68	74	90	84	80	64	66	05
1,430	1,504	1,442	1,460	1,564	1,562	1,556	1,594	1,652	06
58	78	72	84	76	88	86	80	88	07
1,320	1,334	1,396	1,326	1,238	1,204	1,256	1,256	1,412	08
732	782	754	738	672	652	776	714	800	09
588	552	642	588	566	552	548	542	612	10
2,650	2,698	2,582	3,026	2,880	2,708	3,028	2,732	2,786	11
20	24	34	18	30	16	34	24	34	12
634	670	618	756	724	596	724	684	640	13
74	78	72	116	90	84	94	98	72	14
1,922	1,926	1,858	2,136	2,036	2,012	2,176	1,926	2,040	15
1,126	1,206	1,182	1,260	1,214	1,194	1,202	1,176	1,216	16
344	356	354	414	414	350	390	354	434	17
500	540	556	552	502	490	524	554	498	18
60	46	54	64	50	38	42	46	46	19
222	264	218	230	248	316	246	222	238	20
1,588	1,710	1,506	1,624	1,714	1,506	1,658	1,582	1,688	21
588	608	556	572	604	604	554	554	562	22
274	280	238	304	256	270	238	234	248	23
378	422	378	400	430	350	418	428	472	24
348	400	334	348	344	360	398	366	406	25
380	402	374	466	454	340	390	396	498	26
14	16	8	10	16	6	20	18	12	27
58	60	62	88	88	68	56	72	86	28
68	84	68	68	78	66	58	76	86	29
4	2	2	4	2	4	2	6	-	30
150	140	144	192	190	176	164	150	220	31
86	100	90	104	104	74	90	74	94	32
3,764	3,776	3,614	3,956	3,634	3,450	3,826	3,750	4,254	33
6	-	2	4	6	4	4	6	2	34
32	36	12	28	26	22	18	26	28	35
28	42	24	36	28	38	28	30	36	36
3,080	3,102	2,976	3,346	2,966	2,836	3,200	3,064	3,526	37
32	14	18	24	16	24	18	22	16	38
2	4	8	2	-	-	-	4	2	39
40	42	46	34	26	36	22	38	42	40
-	-	-	-	-	-	-	-	-	41
196	226	204	190	204	176	172	222	214	42
60	40	44	36	48	38	52	40	46	43
288	270	280	256	314	276	312	298	342	44
414	398	398	446	444	378	424	442	450	45
274	258	254	286	286	264	288	308	268	46
42	28	32	46	32	36	40	26	34	47
52	68	54	80	74	56	64	92	54	48
82	82	90	94	100	84	104	110	102	49
98	80	78	66	80	88	80	80	78	50
42	48	48	70	60	26	48	32	56	51
98	92	96	90	98	88	88	102	126	52
654	718	750	736	684	632	688	650	826	53
56	52	38	68	36	52	48	74	74	54
28	26	44	40	40	38	42	30	48	55
16	26	12	16	24	14	16	24	18	56
328	350	416	350	378	298	356	336	450	57
198	232	226	242	184	214	200	164	218	58
28	32	14	20	22	16	26	20	18	59
1,312	1,410	1,208	1,388	1,300	1,314	1,392	1,426	1,514	60
130	160	118	92	108	98	130	110	110	61
72	46	52	58	56	72	70	86	58	62
118	146	102	132	132	170	144	154	146	63
232	242	252	290	254	230	298	266	306	64
44	42	54	60	44	48	68	78	98	65
184	156	136	180	118	136	138	154	172	66
-	4	-	4	-	2	-	2	-	67
6	8	2	8	-	2	6	4	6	68
2	-	-	-	-	-	-	-	-	69
12	24	6	20	8	6	12	12	8	70
512	582	486	544	578	550	526	558	610	71
84,802	85,534	80,830	85,930	82,336	78,758	86,824	86,918	97,216	72
10	14	20	18	12	14	6	16	22	73
1,172	1,210	1,082	1,014	1,034	1,044	1,074	1,094	1,222	74
300	304	302	252	250	302	256	288	308	75
312	322	314	282	340	278	330	314	352	76
58	66	40	62	62	52	48	66	60	77
502	518	426	418	408	412	440	426	502	78
1,758	1,744	1,694	1,716	1,626	1,520	1,634	1,666	1,912	79
96	116	116	54	54	94	110	70	106	80
108	82	94	96	108	92	92	80	102	81
692	610	676	612	544	528	566	566	710	82
406	460	496	416	448	402	428	420	490	83
456	476	362	476	472	404	440	530	504	84

Table 1-24. Deaths From 281 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	TOTAL	JANUARY	FEBRUARY	MARCH
01 ISCHEMIC HEART DISEASE.....410-413	684,424	68,160	58,748	57,260
02 WITH HYPERTENSIVE DISEASE (1.0).....	75,472	7,514	6,554	6,430
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (1.9).....	608,952	60,646	52,194	50,830
04 ACUTE MYOCARDIAL INFARCTION.....410	357,844	35,004	30,528	30,546
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,528	456	364	352
06 CHRONIC ISCHEMIC HEART DISEASE.....412	321,884	32,686	27,844	26,350
07 ANGINA PECTORIS.....413	168	14	12	12
08 OTHER FORMS OF HEART DISEASE.....420-429	43,784	4,330	3,746	3,768
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	460	54	40	48
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	638	38	40	44
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,128	80	90	84
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	46	4	4	4
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	194	20	18	12
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	888	56	68	68
15 SYMPTOMATIC HEART DISEASE.....427	24,344	2,560	2,070	2,020
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	4,484	428	384	414
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	12,730	1,170	1,102	1,136
18 CEREBROVASCULAR DISEASES.....430-438	213,344	20,474	18,762	18,090
19 WITH HYPERTENSION (BENIGN) (1.0).....	26,584	2,572	2,342	2,252
20 WITHOUT MENTION OF HYPERTENSION (1.9).....	186,760	17,902	16,420	15,838
21 SUBARACHNOID HEMORRHAGE.....430	9,352	850	796	910
22 CEREBRAL HEMORRHAGE.....431	36,748	3,684	3,254	3,274
23 CEREBRAL THROMBOSIS.....433	57,482	5,332	5,156	4,880
24 CEREBRAL EMBOLISM.....434	976	108	80	66
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,142	310	246	240
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	65,452	6,318	5,868	5,358
27 OTHER CEREBROVASCULAR DISEASES.....437,438	40,192	3,872	3,362	3,362
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,184	5,704	5,126	4,824
29 ARTERIOSCLEROSIS.....440	32,486	3,258	2,954	2,708
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	14,136	1,416	1,202	1,174
31 GANGRENE.....445	2,758	260	208	208
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,804	770	762	734
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,820	1,682	1,548	1,534
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,888	1,470	1,390	1,354
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,932	212	158	180
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	116,136	17,930	13,688	9,846
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	504	68	46	62
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,146	276	120	96
39 INFLUENZA.....470-474	4,986	2,306	1,730	338
40 PNEUMONIA.....480-486	57,594	8,902	6,812	4,882
41 VIRAL PNEUMONIA.....480	1,734	508	328	140
42 BACTERIAL PNEUMONIA.....481,482	6,844	1,124	892	600
43 ACUTE INTERSTITIAL PNEUMONIA.....484	964	92	90	96
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	23,924	3,598	2,646	2,088
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	24,128	3,580	2,856	1,958
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	30,768	4,082	3,122	2,642
47 BRONCHITIS, UNQUALIFIED.....490	778	138	90	66
48 CHRONIC BRONCHITIS.....491	5,084	708	510	460
49 EMPHYSEMA.....492	22,580	2,910	2,300	1,916
50 ASTHMA.....493	2,326	326	222	200
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	26	-	2	6
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,202	142	90	134
53 PLEURISY.....511	342	40	28	28
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,410	374	300	328
55 BRONCHIECTASIS.....518	872	104	86	66
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	15,286	1,636	1,352	1,264
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	74,768	6,792	6,110	6,466
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	32	-	4	2
59 PEPTIC ULCER.....531-533	7,916	758	694	730
60 ULCER OF STOMACH.....531	3,274	310	292	296
61 ULCER OF DUODENUM.....532	3,510	368	304	328
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,132	80	98	106
63 GASTRITIS AND DUODENITIS.....535	578	44	48	48
64 APPENDICITIS.....540-543	1,206	102	78	98
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,790	596	572	590
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	36	2	-	2
67 DIVERTICULA OF INTESTINE.....562	3,534	316	310	320
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,068	100	66	78
69 CIRRHOSIS OF LIVER.....571	32,576	3,078	2,634	2,820
70 ALCOHOLIC.....571.0	12,576	1,166	1,048	1,044
71 OTHER SPECIFIED.....571.8	5,140	460	420	436
72 UNSPECIFIED.....571.9	14,860	1,452	1,166	1,340
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,666	284	338	318
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,366	1,512	1,366	1,460
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	27,850	2,790	2,420	2,286
76 NEPHRITIS AND NEPHROSIS.....580-584	8,548	868	742	768
77 ACUTE NEPHRITIS.....580	1,078	118	94	106
78 NEPHROTIC SYNDROME.....581	388	28	22	26
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	7,082	722	626	636
80 INFECTIONS OF KIDNEY.....590	6,946	728	598	554
81 CALCULI OF URINARY SYSTEM.....592,594	812	90	68	60
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,264	768	738	614
83 HYPERPLASIA OF PROSTATE.....600	1,862	196	174	164
84 DISEASES OF BREAST.....610,611	24	4	2	4
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,394	136	98	122
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	612	52	42	40
87 ECTOPIC PREGNANCY.....631	48	6	6	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABDORTION WITH TOXEMIA.....636-639	90	2	12	8
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	72	10	4	6

SECTION 1 - GENERAL MORTALITY

Causes, by Month: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
55,076	56,124	52,506	56,260	53,288	51,302	56,132	56,320	63,248	01
6,146	6,216	5,912	6,040	5,634	5,512	6,104	6,238	7,172	02
48,930	49,908	46,594	50,220	47,654	45,790	50,028	50,082	56,076	03
29,284	29,884	27,708	28,724	27,976	26,902	29,256	29,820	32,212	04
318	372	352	394	352	318	388	434	428	05
25,468	25,854	24,428	27,126	24,938	24,064	26,478	26,058	30,590	06
6	14	18	16	22	18	10	8	18	07
3,576	3,520	3,202	3,442	3,320	3,362	3,660	3,632	4,226	08
26	48	16	36	40	30	40	50	32	09
66	44	30	50	54	52	74	58	46	10
102	98	100	102	100	100	64	120	110	11
8	4	2	4	-	4	2	4	6	12
18	8	14	14	14	22	12	24	18	13
76	86	84	84	86	38	64	92	86	14
1,920	1,958	1,758	1,842	1,806	1,894	2,074	2,014	2,428	15
378	366	350	370	334	314	394	382	370	16
1,084	1,006	948	1,042	986	1,008	1,000	1,008	1,240	17
17,018	16,788	16,514	17,192	16,878	15,866	17,986	17,948	19,828	18
2,184	2,262	2,076	2,010	2,002	1,926	2,312	2,248	2,398	19
14,834	14,526	14,438	15,182	14,876	13,940	15,674	15,700	17,430	20
792	832	680	724	704	714	770	770	810	21
3,124	2,994	2,908	2,720	2,734	2,678	2,994	3,074	3,310	22
4,662	4,494	4,476	4,730	4,532	4,306	4,784	4,764	5,366	23
86	66	88	82	68	88	80	80	94	24
234	270	244	252	278	232	276	246	314	25
4,980	5,042	5,054	5,286	5,324	4,764	5,680	5,618	6,160	26
3,140	3,090	3,064	3,398	3,238	3,094	3,402	3,396	3,774	27
4,784	4,812	4,488	4,748	4,642	4,274	4,804	4,824	5,154	28
2,574	2,644	2,506	2,756	2,552	2,304	2,648	2,614	2,968	29
1,218	1,194	1,048	1,050	1,082	1,096	1,274	1,204	1,178	30
254	274	208	224	256	200	202	226	238	31
738	700	726	718	752	674	680	780	770	32
1,408	1,322	1,324	1,540	1,536	1,376	1,528	1,418	1,604	33
1,246	1,176	1,204	1,402	1,364	1,238	1,368	1,268	1,408	34
162	146	120	138	172	138	160	150	196	35
8,314	7,900	7,324	8,136	7,540	7,348	8,620	8,516	10,974	36
24	32	42	22	22	28	46	38	74	37
80	56	102	46	44	60	66	90	110	38
82	32	20	32	44	38	72	66	226	39
4,200	3,746	3,330	4,102	3,654	3,684	4,260	4,306	5,716	40
106	64	48	58	64	72	84	104	158	41
456	412	428	470	428	426	470	442	696	42
94	116	62	56	40	50	70	86	112	43
1,796	1,578	1,416	1,822	1,576	1,550	1,726	1,790	2,338	44
1,748	1,576	1,376	1,696	1,546	1,586	1,910	1,884	2,412	45
2,358	2,438	2,214	2,452	2,080	2,020	2,394	2,258	2,708	46
50	56	70	36	56	42	38	52	84	47
388	434	308	382	354	314	352	380	494	48
1,738	1,750	1,658	1,842	1,522	1,532	1,812	1,658	1,942	49
182	198	178	192	148	132	192	168	188	50
-	2	4	4	-	2	-	4	4	51
78	108	92	80	100	70	102	80	126	52
26	24	32	28	12	28	28	26	53	53
284	278	268	218	264	248	256	254	338	54
54	72	80	50	68	46	76	68	102	55
1,128	1,112	1,140	1,102	1,252	1,124	1,320	1,312	1,544	56
5,980	6,280	5,742	6,210	5,974	5,860	6,308	6,432	6,614	57
-	2	-	4	6	-	2	10	2	58
648	698	612	598	572	602	706	628	670	59
294	262	234	264	206	282	308	248	278	60
270	336	272	254	266	224	306	280	302	61
84	100	106	80	100	96	92	100	90	62
52	38	52	44	40	54	66	48	44	63
82	102	114	114	112	80	122	98	104	64
524	576	522	580	566	478	568	610	608	65
2	10	4	2	2	8	-	2	2	66
256	292	240	300	280	298	318	316	288	67
100	94	86	100	98	90	82	94	80	68
2,536	2,744	2,496	2,714	2,548	2,524	2,648	2,874	2,960	69
972	1,080	986	1,092	952	934	1,032	1,106	1,164	70
374	434	400	460	382	436	388	452	498	71
1,190	1,230	1,110	1,162	1,214	1,154	1,228	1,316	1,298	72
306	358	298	290	306	280	302	302	284	73
1,474	1,366	1,318	1,464	1,444	1,446	1,494	1,450	1,572	74
2,242	2,050	2,192	2,380	2,280	2,142	2,376	2,240	2,452	75
688	640	732	694	672	602	734	706	704	76
76	72	68	98	96	102	84	100	64	77
30	46	46	30	26	30	30	38	32	78
582	522	618	566	550	470	616	566	608	79
564	526	528	660	502	566	562	550	608	80
60	68	56	64	72	72	68	64	70	81
716	580	624	702	716	626	736	666	778	82
114	146	130	118	176	160	172	132	180	83
-	4	-	2	2	2	2	-	2	84
100	86	122	140	140	114	102	124	110	85
46	58	52	48	50	50	58	56	60	86
-	2	4	4	4	2	4	10	6	87
10	10	-	4	10	6	6	14	8	88
2	6	4	8	4	8	10	4	6	89

Table 1-24. Deaths From 281 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ABORTIONS.....640-645	70	8	2	4
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	10	2	-	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	26	2	2	2
04	SPONTANEOUS ABORTION.....643	12	4	-	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	22	-	-	2
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	148	8	6	10
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	184	18	12	12
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	-	-	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,770	180	152	138
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	402	50	38	34
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,368	130	114	104
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,828	478	432	396
13	ARTHRITIS AND SPONDYLITIS.....710-715	1,966	172	162	170
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	172	18	16	20
15	OSTEOMYELITIS AND PERIOSTITIS.....720	152	6	16	14
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	150	12	10	10
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,388	270	228	182
18	XIV. CONGENITAL ANOMALIES.....	14,698	1,300	1,300	1,262
19	SPINA BIFIDA.....741	702	74	60	52
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,380	212	206	204
21	CONGENITAL ANOMALIES OF HEART.....746	6,046	534	550	508
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,076	84	90	98
23	CLEFT PALATE AND CLEFT LIP.....749	50	2	4	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,444	394	390	400
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	33,798	2,896	2,518	2,772
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	27,500	2,590	2,652	2,216
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,306	146	130	116
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	26,194	2,444	2,522	2,100
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	165,164	13,296	11,950	12,874
30	ACCIDENTS.....E800-E949	115,448	9,184	8,164	8,798
31	RAILWAY ACCIDENTS.....E800-E807	692	28	36	62
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	56,278	4,058	3,604	4,158
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	55,214	4,002	3,524	4,056
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,260	118	120	124
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,704	1,482	1,342	1,468
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	9,300	794	634	752
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	7,234	572	504	560
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,940	666	530	676
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,776	370	394	476
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,064	56	80	102
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	306	16	8	36
42	WATER TRANSPORT ACCIDENTS.....E830-E838	1,568	62	60	88
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,636	102	108	174
44	ACCIDENTAL POISONING.....E850-E877	5,418	484	506	492
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,516	190	210	250
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,212	78	72	88
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,690	216	224	154
48	ACCIDENTAL FALLS.....E880-E887	16,744	1,640	1,344	1,368
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,332	374	296	324
50	FALL ON SAME LEVEL.....E885-E886	758	86	102	84
51	OTHER AND UNSPECIFIED FALLS.....E887	11,654	1,180	946	960
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,714	878	802	744
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	6,196	192	172	214
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	2,830	234	210	250
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,442	232	148	178
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,738	406	354	392
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	126	6	8	10
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	518	34	38	40
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	282	30	28	26
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,088	30	44	64
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,724	306	236	252
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,324	292	258	296
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,562	560	554	346
64	SUICIDE.....E950-E959	25,004	2,124	1,972	2,130
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,972	314	302	342
66	SUICIDE FROM POISONING BY GASES.....E951,E952	2,478	212	222	216
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,300	294	240	256
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	13,348	1,164	1,066	1,184
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,906	140	142	132
70	HOMICIDE.....E960-E978	19,638	1,572	1,380	1,524
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,382	1,054	952	1,040
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,196	274	216	258
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	2,760	222	194	206
74	LEGAL EXECUTION.....E978	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	300	22	18	20
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,044	406	434	420
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	30	10	-	2

SECTION 1 - GENERAL MORTALITY

1-177

Causes, by Month: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
8	8	8	4	8	6	6	4	4	01
-	2	2	-	4	-	-	-	-	02
6	-	4	-	2	2	2	2	2	03
-	2	-	2	-	2	-	2	-	04
2	4	2	2	2	2	4	-	2	05
16	18	12	12	12	16	18	6	14	06
10	14	24	16	12	12	14	18	22	07
-	-	-	-	-	-	-	-	-	08
146	148	124	144	156	146	144	132	160	09
38	36	28	30	44	34	18	16	36	10
108	112	96	114	112	112	126	116	124	11
404	376	390	396	374	382	368	434	398	12
168	144	154	212	158	112	140	206	168	13
16	8	16	8	14	12	14	22	8	14
14	12	10	16	20	12	6	10	16	15
14	12	14	8	16	10	18	14	12	16
192	200	196	152	166	236	190	182	194	17
1,228	1,186	1,282	1,164	1,206	1,142	1,228	1,150	1,250	18
54	50	60	40	54	76	50	62	70	19
174	216	216	196	190	180	220	174	192	20
510	496	556	496	474	472	514	488	448	21
98	92	76	102	104	76	80	78	98	22
6	2	4	8	4	8	8	2	2	23
386	330	370	322	380	330	356	346	440	24
2,640	3,142	2,938	2,982	3,092	2,782	2,828	2,630	2,578	25
2,056	2,144	2,018	2,310	2,190	2,074	2,292	2,256	2,702	26
130	100	44	106	100	90	100	88	136	27
1,926	2,044	1,954	2,204	2,090	1,984	2,192	2,168	2,566	28
12,936	14,120	14,306	15,732	14,740	13,774	14,054	13,146	14,236	29
8,918	9,868	10,170	11,312	10,392	9,434	9,988	9,226	9,994	30
62	72	62	52	64	52	110	46	46	31
4,354	4,876	4,752	5,392	5,316	4,966	5,244	4,786	4,772	32
4,270	4,764	4,646	5,314	5,200	4,864	5,144	4,730	4,700	33
88	84	78	90	82	96	154	106	120	34
1,588	1,808	1,794	2,008	1,988	1,792	1,852	1,814	1,768	35
702	704	620	714	778	818	868	940	976	36
596	600	628	742	772	582	648	498	532	37
742	930	964	1,124	986	946	980	710	686	38
554	638	562	636	594	630	642	662	618	39
84	112	106	78	116	102	100	56	72	40
32	22	32	56	36	26	16	24	2	41
148	228	194	256	154	116	110	92	60	42
104	134	152	128	154	138	104	102	236	43
424	550	356	440	338	368	406	472	582	44
218	246	212	230	182	188	206	182	202	45
100	136	66	132	98	102	82	116	142	46
106	168	78	78	58	78	118	174	238	47
1,274	1,252	1,280	1,448	1,472	1,402	1,488	1,348	1,428	48
306	346	378	436	450	364	408	302	348	49
48	44	54	56	52	42	64	44	82	50
920	862	848	956	970	996	1,016	1,002	998	51
592	428	388	322	306	328	516	568	842	52
438	816	1,046	1,416	862	432	234	182	192	53
248	220	226	236	200	196	248	264	298	54
158	160	142	170	188	224	284	294	264	55
392	518	600	584	618	498	550	412	414	56
10	12	14	18	14	16	4	6	8	57
36	36	44	46	38	44	54	46	62	58
16	38	24	20	12	18	36	14	20	59
58	90	138	182	176	116	102	48	40	60
272	342	380	318	378	304	354	298	284	61
296	226	250	260	268	288	304	238	348	62
396	366	690	552	416	400	374	398	510	63
2,176	2,270	2,136	2,090	2,092	2,042	2,062	1,908	2,002	64
402	392	358	298	342	344	296	310	272	65
208	200	164	182	168	216	240	260	190	66
288	336	284	262	286	262	286	254	252	67
1,100	1,180	1,126	1,172	1,154	1,032	1,074	966	1,130	68
178	162	204	176	142	188	166	110	158	69
1,466	1,552	1,582	1,836	1,830	1,890	1,614	1,584	1,808	70
998	1,042	1,104	1,198	1,238	1,294	1,078	1,100	1,284	71
264	254	232	328	296	288	288	244	254	72
180	226	222	288	272	286	222	202	240	73
-	-	-	-	-	-	-	-	-	74
24	30	24	22	24	22	26	38	30	75
374	428	418	490	426	408	386	422	432	76
2	2	-	4	-	-	4	6	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ALL CAUSES.....	1,963,944	1,096,198	867,746	1,721,468	957,518	763,950
02 I. INFECTIVE AND PARASITIC DISEASES.....	15,618	9,048	6,570	11,628	6,684	4,944
03 CHOLERA.....000	-	-	-	-	-	-
04 TYPHOID FEVER.....001	8	6	2	2	-	2
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	68	38	30	38	20	18
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	90	54	36	64	38	26
07 FOOD POISONING (BACTERIAL).....005	14	10	4	12	8	4
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,286	1,062	1,224	1,714	768	946
09 TUBERCULOSIS, ALL FORMS.....010-019	4,376	3,140	1,236	3,014	2,162	852
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	3,474	2,552	922	2,366	1,742	624
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	70	46	24	36	22	14
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	16	10	6	4	2	2
13 TUBERCULOSIS OF BONES AND JOINTS.....015	40	18	22	36	16	20
14 DISSEMINATED TUBERCULOSIS.....018	178	102	76	88	56	32
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	598	412	186	484	324	160
16 PLAGUE.....020	-	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-	-
18 BRUCELLOSIS.....023	6	-	6	6	-	6
19 LEPROSY.....030	-	-	-	-	-	-
20 DIPHTHERIA.....032	10	6	4	8	4	4
21 WHOOPING COUGH.....033	6	-	6	2	-	2
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	16	10	6	16	10	6
23 ERYSIPELAS.....035	20	10	10	20	10	10
24 MENINGOCOCCAL INFECTIONS.....036	350	194	156	284	154	130
25 TETANUS.....037	58	20	38	36	12	24
26 SEPTICEMIA.....038	4,214	2,324	1,890	3,218	1,794	1,424
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	572	324	248	478	270	208
28 ACUTE POLIOMYELITIS.....040-043	2	-	2	2	-	2
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	74	40	34	74	40	34
30 SMALLPOX.....050	-	-	-	-	-	-
31 MEASLES.....055	24	16	8	18	12	6
32 YELLOW FEVER.....060	2	2	-	2	2	-
33 VIRAL ENCEPHALITIS.....062-065	264	136	128	232	126	106
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	22	8	14	20	8	12
35 INFECTIOUS HEPATITIS.....070	778	318	460	598	264	334
36 RABIES.....071	2	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	920	466	454	772	382	390
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	50	38	12	44	32	12
39 MALARIA.....084	-	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	344	242	102	192	140	52
43 CONGENITAL SYPHILIS.....090	8	6	2	6	4	2
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	20	18	2	14	12	2
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	202	144	58	86	64	22
47 TABES DORSALIS.....094.0	30	22	8	24	18	6
48 GENERAL PARESIS.....094.1	12	4	8	6	2	4
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	56	36	20	44	30	14
50 ALL OTHER SYPHILIS.....095,097.0,097.9	16	12	4	12	10	2
51 GONOCOCCAL INFECTIONS.....098	8	6	2	2	-	2
52 SCHISTOSOMIASIS.....120	-	-	-	-	-	-
53 HYDATIDOSIS.....122	4	2	2	4	2	2
54 FILARIAL INFESTATIONS.....125	2	-	2	-	-	2
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	12	8	4	6	2	4
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,016	566	450	750	424	326
58 II. NEOPLASMS.....	350,574	190,902	159,672	313,526	169,792	143,734
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	345,618	188,474	157,144	309,236	167,678	141,558
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,482	5,348	2,134	6,552	4,680	1,872
61 OF LIP.....140	154	126	28	150	126	24
62 OF TONGUE.....141	1,816	1,250	566	1,634	1,132	502
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,144	1,438	706	1,890	1,268	622
64 OF PHARYNX.....146-149	3,368	2,534	834	2,878	2,154	724
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	95,808	51,084	44,724	85,390	45,094	40,296
66 OF ESOPHAGUS.....150	6,256	4,652	1,604	4,774	3,552	1,222
67 OF STOMACH.....151	15,478	9,320	6,158	13,108	7,814	5,294
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	710	418	292	638	374	264
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	37,088	17,286	19,802	34,172	15,958	18,214
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,282	1,904	2,378	3,970	1,754	2,216
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,262	562	700	1,142	504	638
72 DESCENDING COLON.....153.2	986	502	484	894	456	438
73 SIGMOID COLON.....153.3	4,746	2,326	2,420	4,400	2,160	2,240
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	23,924	11,142	12,782	21,980	10,278	11,702
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,888	850	1,038	1,786	806	980
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,180	5,704	4,476	9,336	5,262	4,074
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,382	1,548	834	1,942	1,228	714
78 OF GALLBLADDER AND BILE DUCTS.....156	4,234	1,476	2,758	3,986	1,382	2,604
79 OF PANCREAS.....157	18,040	10,006	8,034	16,172	8,938	7,234
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,440	674	766	1,262	586	676
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	76,998	61,160	15,838	69,034	54,632	14,402
82 OF LARYNX.....161	3,060	2,688	422	2,680	2,320	360
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	72,610	57,668	14,942	65,184	51,558	13,626
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,328	854	474	1,170	754	416
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	39,562	4,872	34,690	36,200	4,504	31,696
86 OF BONE.....170	1,872	796	1,076	1,666	954	712
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,522	810	712	1,348	736	612
88 OF SKIN.....172,173	4,708	2,688	2,020	4,500	2,570	1,930
89 OF BREAST.....174	31,460	298	31,162	28,686	244	28,442

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1972

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
228,450	129,740	98,710	6,106	3,728	2,378	2,230	1,590	640	2,662	1,560	1,102	3,028	2,062	966	01
3,646	2,172	1,474	226	120	106	24	18	6	28	12	16	66	42	24	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	04
24	14	10	4	2	2	2	2	-	-	-	-	-	-	-	05
18	10	8	8	6	2	-	-	-	-	-	-	-	-	-	06
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	07
514	256	258	54	36	18	-	-	-	-	-	-	4	2	2	08
1,236	904	332	82	42	40	8	8	-	8	8	-	28	16	12	09
1,020	758	262	62	34	28	6	6	4	4	4	-	16	8	8	10
28	20	8	2	2	2	-	-	-	-	-	-	4	4	-	11
10	6	4	2	2	-	-	-	-	-	-	-	-	-	-	12
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	13
80	44	36	10	2	8	-	-	-	-	-	-	-	-	-	14
94	74	20	6	4	2	2	2	-	4	4	-	8	4	4	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
4	-	4	2	2	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
58	36	22	6	4	2	-	-	-	-	-	-	2	-	2	24
22	8	14	-	-	-	-	-	-	-	-	-	-	-	-	25
924	496	428	38	16	22	6	2	4	10	2	8	18	14	4	26
90	52	38	2	2	2	-	-	-	-	-	-	2	2	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	31
28	8	20	2	2	2	-	-	-	-	-	-	2	2	-	33
-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	34
154	46	108	12	2	10	6	4	2	2	2	2	6	2	4	35
-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	36
134	74	60	8	6	2	2	2	-	2	2	2	2	2	-	37
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
150	100	50	-	-	-	-	-	-	2	2	-	-	-	-	42
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	43
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	44
114	78	36	-	-	-	-	-	-	2	2	-	-	-	-	46
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	47
6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	48
12	6	6	-	-	-	-	-	-	-	-	-	-	-	-	49
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	50
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
6	6	-	-	-	-	-	-	-	-	-	2	-	-	-	54
258	138	120	6	4	2	-	-	-	2	-	2	-	-	-	55
34,880	19,786	15,094	512	240	272	538	354	184	614	390	224	504	340	164	58
34,242	19,484	14,758	504	240	264	534	350	184	606	386	220	496	336	160	59
862	614	248	8	4	4	30	22	8	10	8	2	20	20	-	60
4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	61
178	116	62	-	-	-	-	-	-	2	-	2	2	2	-	62
244	162	82	2	2	2	2	2	-	2	2	-	4	4	-	63
436	336	100	6	4	2	28	20	8	6	6	-	14	14	-	64
9,634	5,476	4,158	148	66	82	170	122	48	298	196	102	168	130	38	65
1,414	1,036	378	4	2	2	20	20	-	20	20	-	24	22	2	66
2,150	1,364	786	34	18	16	38	24	14	114	76	38	34	24	10	67
66	38	28	-	-	-	2	2	-	2	2	-	2	2	-	68
2,736	1,220	1,516	30	14	16	34	24	10	78	42	36	38	28	10	69
296	140	156	6	4	2	-	-	-	8	4	4	2	2	-	70
112	52	60	2	2	-	2	2	-	2	2	2	2	2	-	71
88	44	44	-	-	-	-	-	-	2	-	2	2	2	-	72
320	148	172	2	-	2	2	2	-	16	12	4	6	4	2	73
1,822	794	1,028	20	8	12	28	18	10	46	24	22	28	20	8	74
98	42	56	-	-	-	2	2	-	2	-	2	-	-	-	75
784	402	382	6	2	4	20	8	12	24	22	2	10	8	2	76
372	270	102	6	2	4	34	28	6	8	6	2	20	14	6	77
190	68	122	28	6	22	4	-	4	16	14	2	10	6	4	78
1,750	990	760	36	22	14	18	16	2	36	14	22	28	26	2	79
172	88	84	4	-	4	-	-	-	-	-	-	2	-	2	80
7,546	6,208	1,338	68	46	22	158	122	36	100	82	18	92	70	22	81
370	308	62	4	4	-	-	-	-	-	-	-	6	6	-	82
7,024	5,804	1,220	64	42	22	156	120	36	98	80	18	84	64	20	83
152	96	56	-	-	-	2	2	-	2	2	-	2	-	-	84
3,218	334	2,884	42	10	32	24	2	22	46	10	36	32	12	20	85
202	120	82	2	-	2	-	-	-	2	2	-	-	-	-	86
164	66	98	4	4	-	2	2	-	-	-	-	4	2	2	87
182	98	84	6	6	-	2	2	2	10	6	4	8	8	-	88
2,670	50	2,620	30	-	30	20	-	20	34	2	32	20	2	18	89

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,366	19,190	23,176	36,450	16,268	20,182
02 OF CERVIX UTERI.....180	6,368	---	6,368	5,064	---	5,064
03 OF OTHER PARTS OF UTERUS.....181,182	5,724	---	5,724	4,920	---	4,920
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,170	---	10,170	9,386	---	9,386
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	914	---	914	812	---	812
06 OF PROSTATE.....185	18,228	18,228	---	15,398	15,398	---
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	962	---	962	870	---	870
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	15,738	10,628	5,110	14,394	9,806	4,588
09 OF BLADDER.....188	8,974	6,316	2,658	8,178	5,840	2,338
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,764	4,312	2,452	6,216	3,966	2,250
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	33,622	17,348	16,274	29,932	15,408	14,524
12 OF EYE.....190	360	184	176	340	176	164
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191-192	8,106	4,650	3,456	7,596	4,366	3,230
14 OF THYROID GLAND.....193	1,054	368	686	972	332	640
15 OTHER.....194-199	24,102	12,146	11,956	21,024	10,534	10,490
16 LEUKEMIA.....204-207	14,402	8,184	6,218	13,288	7,548	5,740
17 LYMPHATIC LEUKEMIA.....204	4,566	2,718	1,848	4,202	2,478	1,724
18 MYELOID LEUKEMIA.....205	6,270	3,470	2,800	5,790	3,220	2,570
19 MONOCYTIC LEUKEMIA.....206	588	342	246	552	322	230
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	2,978	1,654	1,324	2,744	1,528	1,216
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203, 208, 209	19,640	10,660	8,980	17,996	9,738	8,258
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	7,080	3,794	3,286	6,668	3,574	3,094
23 HODGKIN'S DISEASE.....201	3,196	1,880	1,316	2,950	1,722	1,228
24 MULTIPLE MYELOMA.....203	4,866	2,560	2,306	4,166	2,180	1,986
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202, 208, 209	4,498	2,426	2,072	4,212	2,262	1,950
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,956	2,428	2,528	4,290	2,114	2,176
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	176	---	176	108	---	108
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224, 225	776	324	452	668	280	388
29 OTHER BENIGN NEOPLASMS.....210-217, 222, 223, 226-228	834	448	386	710	384	326
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	28	---	28	24	---	24
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,054	1,036	1,018	1,836	912	924
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233, 237, 239	1,088	620	468	944	538	406
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,950	19,576	27,374	39,414	16,718	22,696
34 NONTOXIC GOITER.....240, 241	44	4	40	34	2	32
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	320	54	266	236	36	200
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	422	90	332	376	74	302
37 DIABETES MELLITUS.....250	38,674	15,824	22,850	32,378	13,544	18,834
38 DISEASES OF PITUITARY GLAND.....253	246	128	118	208	100	108
39 DISEASES OF THYROID GLAND.....254	32	20	12	28	16	12
40 DISEASES OF ADRENAL GLAND.....255	438	180	258	392	164	228
41 NIACIN DEFICIENCY.....262	2	---	2	2	---	2
42 OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260, 261, 263-269	2,536	1,148	1,388	2,122	920	1,202
43 CYSTIC FIBROSIS.....273.0	560	288	272	546	282	264
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251, 252, 256-258, 270-272, 273.1-279	3,676	1,840	1,836	3,092	1,580	1,512
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,232	2,476	2,756	4,190	1,956	2,234
46 ANEMIAS.....280-285	3,426	1,596	1,830	2,624	1,214	1,410
47 DEFICIENCY ANEMIAS.....280, 281	472	194	278	428	182	246
48 HEMOLYTIC ANEMIAS.....282, 283	768	366	402	336	148	188
49 APLASTIC ANEMIA.....284	1,168	592	576	1,052	542	510
50 OTHER AND UNSPECIFIED ANEMIAS.....285	1,018	444	574	808	342	466
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	570	238	332	512	204	308
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286, 288, 289	1,236	642	594	1,054	538	516
53 V. MENTAL DISORDERS.....	8,678	5,936	2,742	6,266	4,156	2,110
54 SENILE AND PRESENILE DEMENTIAS.....290	680	270	410	630	246	384
55 ALCOHOLIC PSYCHOSES.....291	492	442	50	390	350	40
56 ALL OTHER PSYCHOSES.....294-299	228	94	134	202	80	122
57 ALCOHOLISM.....303	4,416	3,382	1,034	3,068	2,358	710
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302, 304-309	2,602	1,606	996	1,758	990	768
59 MENTAL RETARDATION.....310-315	260	142	118	218	132	86
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,802	9,070	7,732	14,408	7,728	6,680
61 MENINGITIS.....320	1,482	836	646	1,000	588	412
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	800	622	178	732	572	160
63 MULTIPLE SCLEROSIS.....340	1,704	618	1,086	1,552	566	986
64 PARALYSIS AGITANS.....342	3,236	1,692	1,544	3,134	1,636	1,498
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	742	402	340	638	346	292
66 EPILEPSY.....345	1,844	1,116	728	1,312	762	550
67 INFLAMMATORY DISEASES OF EYE.....360-369	16	4	10	10	4	6
68 CATARACT.....374	60	18	42	46	14	32
69 GLAUCOMA.....375	4	2	2	4	2	2
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	156	84	72	118	62	56
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324, 331-333, 341, 344, 346-358, 370-373, 376-380, 384-389	6,760	3,676	3,084	5,862	3,176	2,686
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,052,966	562,622	490,344	946,386	506,986	439,400
73 ACTIVE RHEUMATIC FEVER.....390-392	180	90	90	144	72	72
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,938	6,460	7,478	12,688	5,824	6,864
75 DISEASES OF MITRAL VALVE.....394	3,610	1,302	2,308	3,316	1,164	2,152
76 DISEASES OF AORTIC VALVE.....395	3,966	2,588	1,378	3,568	2,320	1,248
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	706	280	426	648	246	402
78 OTHER RHEUMATIC HEART DISEASES.....393, 396, 398	5,656	2,290	3,366	5,156	2,094	3,062
79 HYPERTENSIVE DISEASE.....400-404	21,292	9,684	11,608	16,784	7,506	9,278
80 MALIGNANT HYPERTENSION.....400	1,120	600	520	538	314	224
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,152	478	674	892	370	522
82 HYPERTENSIVE HEART DISEASE.....402	7,760	3,058	4,702	5,870	2,224	3,646
83 HYPERTENSIVE RENAL DISEASE.....403	5,482	2,848	2,634	4,476	2,336	2,140
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	5,778	2,700	3,078	4,948	2,262	2,686

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
5,710	2,890	2,880	78	34	44	34	10	24	40	20	20	54	28	26	01
1,246	...	1,246	24	...	24	14	...	14	6	14	...	14	02
786	...	786	6	...	6	4	...	4	2	6	...	6	03
746	...	746	14	...	14	6	...	6	12	6	...	6	04
102	...	102	05
2,744	2,744	...	28	10	20	28	06
86	86	...	6	07
1,248	766	482	30	16	14	32	20	12	22	12	10	12	8	4	08
756	452	304	4	2	2	18	12	6	10	6	4	8	4	4	09
492	314	178	26	14	12	14	8	6	12	6	6	4	4	...	10
3,454	1,806	1,648	90	46	44	52	32	20	36	24	12	58	32	26	11
20	8	12	12
458	252	206	12	10	2	16	8	8	8	4	4	16	10	6	13
66	26	40	6	4	2	2	2	2	2	2	2	6	4	2	14
2,910	1,520	1,390	72	32	40	34	24	10	26	18	8	36	18	18	15
1,024	582	442	20	8	12	18	12	6	24	18	6	28	16	12	16
350	236	114	6	2	4	2	2	2	2	2	2	4	2	2	17
430	220	210	8	2	6	10	8	2	14	12	2	18	8	10	18
26	12	14	2	2	2	2	2	2	4	4	2	2	2	2	19
218	114	104	4	4	...	4	2	2	4	2	2	4	4	...	20
1,546	868	678	20	10	10	16	8	8	30	16	14	32	20	12	21
370	198	172	4	2	2	10	6	4	16	8	8	12	6	6	22
236	148	88	2	2	2	2	2	2	4	4	4	4	4	4	23
682	372	310	8	2	6	2	2	2	2	2	2	8	6	2	24
258	150	108	6	4	2	4	2	2	10	4	4	6	4	4	25
638	302	336	8	4	4	4	4	4	8	4	4	4	4	4	26
66	...	66	2	...	2	27
100	40	60	2	2	2	2	2	2	2	2	2	4	2	2	28
120	62	58	4	2	2	2	2	...	29
4	...	4	30
208	120	88	2	2	2	4	4	2	2	2	2	2	2	2	31
140	80	60	2	2	2	2	2	2	2	2	2	2	2	2	32
7,076	2,620	4,456	220	100	120	72	46	26	74	28	46	94	64	30	33
10	2	8	34
84	18	66	35
44	14	30	36
5,942	2,114	3,828	188	80	108	56	34	22	52	18	34	58	34	24	37
32	22	10	2	2	2	2	2	2	4	4	4	38
4	4	39
42	16	26	4	4	4	40
...	41
378	204	174	18	14	4	6	4	2	6	2	4	6	4	2	42
12	6	6	2	2	2	2	2	2	2	2	2	2	2	2	43
528	220	308	12	6	6	8	6	2	12	8	4	24	20	4	44
986	492	494	22	12	10	12	6	6	12	6	6	10	4	6	45
766	370	396	14	6	8	6	6	6	12	6	6	4	4	4	46
36	8	28	4	4	2	2	2	2	2	2	2	2	2	2	47
432	218	214	48
100	44	56	6	6	6	10	6	4	49
198	100	98	8	2	6	4	4	4	50
56	34	22	2	2	2	51
164	88	76	8	6	2	6	6	6	4	4	4	52
2,232	1,662	570	156	104	52	4	4	2	4	4	2	16	6	10	53
48	22	26	2	2	2	54
94	86	8	8	6	2	55
24	14	10	2	2	2	56
1,208	934	274	134	86	48	6	4	2	57
830	604	226	4	4	...	2	2	2	4	4	2	4	2	2	58
28	2	26	10	8	2	4	4	4	59
2,242	1,250	992	82	48	34	10	8	2	34	20	14	26	16	10	60
452	232	220	26	14	12	2	2	2	2	2	2	61
64	46	18	2	2	2	2	2	62
148	52	96	2	2	2	2	2	2	2	2	2	63
86	44	42	8	6	2	4	2	2	4	4	2	64
98	52	46	4	4	2	2	2	2	65
508	344	164	16	8	8	2	2	2	2	2	2	4	4	4	66
4	4	67
14	4	10	68
36	22	14	2	2	2	69
832	454	378	26	18	8	8	6	2	20	12	8	12	10	2	71
101,472	52,386	49,086	1,584	922	662	992	730	262	1,296	706	590	1,236	892	344	72
32	16	16	2	2	2	2	2	2	2	2	2	2	2	2	73
1,120	576	544	52	24	28	26	16	10	22	6	16	30	14	16	74
234	114	120	18	8	10	14	4	10	6	4	6	18	8	10	75
368	246	122	14	2	12	6	6	6	12	2	4	4	2	2	76
54	32	22	2	2	2	2	2	2	77
464	184	280	18	4	14	6	6	6	6	6	6	6	6	4	78
4,398	2,112	2,286	36	14	22	26	22	4	28	16	12	20	14	6	79
520	286	234	2	2	2	80
256	104	152	4	4	4	81
1,848	806	1,042	10	6	4	8	8	8	12	4	8	12	10	2	82
972	496	476	18	4	14	6	6	6	6	4	2	4	2	2	83
802	420	382	8	4	4	12	8	4	6	4	2	2	2	2	84

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	684,424	388,030	296,394	624,802	355,572	269,230
02 WITH HYPERTENSIVE DISEASE (.01).....	75,472	35,122	40,350	62,710	29,118	33,592
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	608,952	352,908	256,044	562,092	326,454	235,638
04 ACUTE MYOCARDIAL INFARCTION.....410	357,844	224,718	133,126	331,952	209,784	122,168
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,528	2,942	1,586	3,922	2,564	1,358
06 CHRONIC ISCHEMIC HEART DISEASE.....412	321,884	160,270	161,614	289,766	145,124	144,642
07 ANGINA PECTORIS.....413	168	100	68	162	100	62
08 OTHER FORMS OF HEART DISEASE.....420-429	43,784	24,296	19,488	35,930	19,848	16,082
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	460	242	218	354	186	168
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	638	406	232	502	320	182
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,128	522	606	1,022	460	562
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	46	10	36	38	10	28
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	194	110	84	184	106	78
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	888	402	486	800	344	456
15 SYMPTOMATIC HEART DISEASE.....427	24,344	12,720	11,624	20,478	10,694	9,784
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	4,484	2,224	2,260	3,888	1,918	1,970
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	12,730	8,182	4,548	9,686	6,270	3,416
18 CEREBROVASCULAR DISEASES.....430-438	213,344	95,380	117,964	187,350	83,210	104,140
19 WITH HYPERTENSION (BENIGN) (.0).....	26,584	11,352	15,232	21,990	9,918	12,072
20 WITHOUT MENTION OF HYPERTENSION (.9).....	186,760	84,028	102,732	166,360	73,292	92,068
21 SUBARACHNOID HEMORRHAGE.....430	9,352	3,852	5,500	7,762	3,176	4,586
22 CEREBRAL HEMORRHAGE.....431	36,748	17,302	19,446	31,352	16,670	14,682
23 CEREBRAL THROMBOSIS.....433	57,482	25,256	32,226	51,892	22,716	29,176
24 CEREBRAL EMBOLISM.....434	976	450	526	892	424	468
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,142	1,826	1,316	2,850	1,664	1,186
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	65,452	29,632	35,820	55,678	25,130	30,548
27 OTHER CEREBROVASCULAR DISEASES.....437,438	40,192	17,062	23,130	36,924	15,430	21,494
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,184	29,664	28,520	53,542	27,304	26,238
29 ARTERIOSCLEROSIS.....440	32,486	13,738	18,748	30,030	12,558	17,472
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	14,136	10,206	3,930	13,176	9,630	3,546
31 GANGRENE.....442-444,446-448	2,758	1,396	1,362	2,380	1,180	1,200
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,804	4,358	4,446	7,956	3,936	4,020
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,820	9,018	8,802	15,146	7,650	7,496
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,888	7,916	7,972	13,486	6,706	6,780
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,932	1,102	830	1,660	944	716
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	116,136	74,504	41,632	103,016	66,066	36,950
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	504	278	226	404	224	180
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,146	678	468	908	544	364
39 INFLUENZA.....470-474	4,986	2,390	2,596	4,570	2,178	2,392
40 PNEUMONIA.....480-486	57,594	32,334	25,260	49,356	27,280	22,076
41 VIRAL PNEUMONIA.....480	1,734	880	854	1,526	772	754
42 BACTERIAL PNEUMONIA.....481,482	6,844	4,084	2,760	5,598	3,290	2,308
43 ACUTE INTERSTITIAL PNEUMONIA.....484	964	564	400	700	402	298
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	23,924	13,352	10,572	20,800	11,374	9,426
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	24,128	13,454	10,674	20,732	11,442	9,290
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	30,768	23,646	7,122	28,792	22,228	6,564
47 BRONCHITIS, UNQUALIFIED.....490	778	420	358	646	352	294
48 CHRONIC BRONCHITIS.....491	5,084	3,794	1,290	4,804	3,582	1,222
49 EMPHYSEMA.....492	22,580	18,428	4,152	21,510	17,528	3,982
50 ASTHMA.....493	2,326	1,004	1,322	1,832	766	1,066
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	26	16	10	18	10	8
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,202	818	384	934	620	314
53 PLEURISY.....511	342	186	156	304	158	146
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,410	2,184	1,226	3,194	2,046	1,148
55 BRONCHIECTASIS.....518	872	478	394	796	428	368
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	15,286	11,496	3,790	13,740	10,350	3,390
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	74,768	43,636	31,132	64,234	37,294	26,940
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	32	14	18	26	8	18
59 PEPTIC ULCER.....531-533	7,916	5,214	2,702	7,100	4,622	2,478
60 ULCER OF STOMACH.....531	3,274	1,948	1,326	2,910	1,686	1,224
61 ULCER OF DUODENUM.....532	3,510	2,480	1,030	3,172	2,238	934
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,132	786	346	1,018	698	320
63 GASTRITIS AND DUODENITIS.....535	578	374	204	494	316	178
64 APPENDICITIS.....540-543	1,206	712	494	998	596	402
65 HERNIA AND INTESTINAL OBSTRUCTION.....950-953,960	6,790	2,960	3,830	5,980	2,540	3,440
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	36	10	26	26	8	18
67 DIVERTICULA OF INTESTINE.....562	3,534	1,366	2,168	3,354	1,310	2,044
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,068	436	632	972	410	562
69 CIRRHOSIS OF LIVER.....571	32,576	21,422	11,154	27,138	17,964	9,174
70 ALCOHOLIC.....571.0	12,576	8,788	3,788	10,120	7,154	2,966
71 OTHER SPECIFIED.....571.8	5,140	3,008	2,132	4,140	2,388	1,752
72 UNSPECIFIED.....571.9	14,860	9,626	5,234	12,878	8,422	4,456
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,666	1,622	2,044	3,418	1,522	1,896
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,366	9,506	7,860	14,728	7,998	6,730
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	27,850	15,406	12,444	22,246	12,340	9,906
76 NEPHRITIS AND NEPHROSIS.....580-584	8,548	4,656	3,892	6,282	3,442	2,840
77 ACUTE NEPHRITIS.....580	1,078	630	448	854	498	356
78 NEPHROTIC SYNDROME.....581	388	210	178	320	172	148
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	7,082	3,816	3,266	5,108	2,772	2,336
80 INFECTIONS OF KIDNEY.....590	6,946	3,074	3,872	5,784	2,562	3,222
81 CALCULI OF URINARY SYSTEM.....592,594	812	404	408	744	372	372
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,264	4,716	3,548	6,678	3,754	2,924
83 HYPERPLASIA OF PROSTATE.....	1,862	1,862	...	1,622	1,622	...
84 DISEASES OF BREAST.....610,611	24	...	24	24	...	24
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,394	694	700	1,112	588	524
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	612	...	612	380	...	380
87 ECTOPIC PREGNANCY.....631	48	...	48	28	...	28
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	90	...	90	56	...	56
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	72	...	72	44	...	44

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
56,584	30,412	26,172	882	542	340	632	488	144	756	434	322	768	582	186	01
12,316	5,752	6,564	74	36	38	108	74	34	142	66	76	122	76	46	02
44,268	24,660	19,608	808	506	302	524	414	110	614	368	246	646	506	140	03
24,302	13,826	10,476	532	346	186	272	204	68	384	242	142	402	316	86	04
578	358	220	16	14	2	-	-	4	4	-	4	8	6	2	05
31,698	16,228	15,470	334	182	152	360	284	76	368	192	176	358	260	98	06
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
7,550	4,246	3,304	162	108	54	36	26	10	44	34	10	62	34	28	08
100	54	46	4	2	2	-	-	-	2	-	2	-	-	-	09
126	78	48	4	4	-	-	-	-	4	4	-	2	-	2	10
98	60	38	2	2	-	-	-	-	2	2	-	2	-	2	11
8	-	8	-	-	-	-	-	-	-	-	-	-	-	-	12
8	4	-	-	-	-	-	-	-	2	-	2	-	-	-	13
82	56	26	2	2	-	2	2	2	2	2	-	2	-	2	14
3,696	1,910	1,786	98	56	42	18	18	-	18	16	-	36	26	10	15
576	298	278	8	6	2	4	2	2	2	2	-	6	6	6	16
2,954	1,846	1,108	46	38	8	12	6	6	16	14	2	16	8	8	17
24,810	11,502	13,308	316	162	154	224	140	84	366	174	192	278	192	86	18
5,352	2,300	3,052	40	16	24	50	22	28	80	42	38	72	54	18	19
19,458	9,202	10,256	276	146	130	174	118	56	286	132	154	206	138	68	20
1,466	620	846	26	8	18	24	6	18	42	20	22	32	22	10	21
5,132	2,474	2,658	42	22	20	68	44	24	74	38	36	80	54	26	22
5,386	2,414	2,972	58	32	26	26	20	6	70	34	36	50	40	10	23
80	24	56	2	2	-	-	-	-	2	-	2	-	-	-	24
272	152	120	4	2	2	2	2	2	10	4	6	4	4	2	25
9,380	4,290	5,090	138	66	72	64	40	24	100	42	58	92	64	28	26
3,094	1,528	1,566	46	30	16	40	30	10	68	36	32	20	8	12	27
4,382	2,190	2,192	88	50	38	40	32	8	70	38	32	62	50	12	28
2,340	1,106	1,234	44	28	16	12	12	4	30	10	20	30	24	6	29
874	512	362	22	14	8	20	16	-	22	14	8	22	20	2	30
370	178	192	4	4	-	4	2	2	-	2	-	2	2	2	31
798	394	404	18	14	4	6	4	2	18	14	4	8	6	2	32
2,596	1,332	1,264	46	22	24	6	4	2	10	4	6	16	6	10	33
2,344	1,186	1,158	34	16	18	4	4	2	8	2	6	12	2	10	34
252	146	106	12	6	6	2	-	2	2	2	-	4	4	-	35
12,206	7,848	4,358	426	240	186	138	108	30	164	116	48	186	126	60	36
94	54	40	4	-	4	-	-	-	-	-	-	2	-	2	37
214	124	90	16	6	10	2	2	2	2	2	2	4	2	2	38
374	194	180	28	10	18	4	2	2	6	4	2	4	2	2	39
7,694	4,714	2,980	266	150	116	78	52	26	90	62	28	110	76	34	40
190	100	90	10	8	2	2	2	-	4	4	-	2	-	2	41
1,158	738	420	40	20	20	18	12	6	16	12	4	14	12	2	42
248	152	96	4	4	-	-	-	-	4	2	2	8	4	4	43
2,954	1,862	1,092	62	32	30	26	20	6	36	24	12	46	40	6	44
3,144	1,862	1,282	150	92	58	32	18	14	30	20	10	40	20	20	45
1,846	1,318	528	36	24	12	30	30	-	30	24	6	34	22	12	46
126	64	62	4	2	2	2	2	-	-	-	-	-	-	-	47
252	194	58	6	2	4	6	6	8	8	8	-	8	2	6	48
996	836	160	22	18	4	18	18	-	18	14	4	16	14	2	49
472	224	248	4	2	2	4	4	-	4	2	2	10	6	4	50
8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	51
266	180	66	14	10	4	2	2	-	4	4	-	2	2	-	52
34	26	8	4	2	2	-	-	-	-	-	-	-	-	-	53
192	126	66	10	2	8	-	-	-	8	4	4	6	6	-	54
58	40	18	10	6	4	-	-	-	8	4	4	-	-	-	55
1,446	1,066	380	38	30	8	22	20	2	16	14	2	24	16	8	56
9,730	5,830	3,900	510	276	234	112	100	12	66	54	12	116	82	34	57
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	58
740	530	210	28	22	6	10	8	2	16	12	4	22	20	2	59
328	230	98	10	10	-	8	6	2	6	6	-	12	10	2	60
308	218	90	12	8	4	-	-	-	8	6	2	10	10	-	61
104	82	22	6	4	2	2	2	-	2	-	2	-	-	-	62
80	54	26	-	-	-	4	4	-	-	-	-	-	-	-	63
194	106	88	12	8	4	-	-	-	8	4	4	6	6	-	64
774	406	368	20	4	16	2	2	-	8	6	2	6	2	4	65
10	2	8	-	-	-	-	-	-	-	-	-	-	-	-	66
178	54	124	-	-	-	2	2	-	-	-	-	-	-	-	67
88	24	64	8	2	6	-	-	-	-	-	-	-	-	-	68
5,010	3,180	1,830	316	178	138	40	40	-	28	24	4	44	36	8	69
2,200	1,474	726	220	128	92	10	10	-	8	8	-	18	14	4	70
966	592	374	26	20	6	2	2	-	2	2	-	4	4	-	71
1,844	1,114	730	70	30	40	28	28	-	18	14	4	22	18	4	72
206	78	128	28	14	14	6	4	2	2	2	-	6	2	4	73
2,444	1,390	1,054	98	48	50	48	40	8	12	10	2	36	20	16	74
5,340	2,922	2,418	118	56	62	50	30	20	38	20	18	58	38	20	75
2,182	1,166	1,016	34	16	18	14	10	4	16	6	10	20	16	4	76
214	128	86	6	2	4	-	-	-	2	-	2	2	2	-	77
64	36	28	4	2	2	-	-	-	-	-	-	-	-	-	78
1,904	1,002	902	24	12	12	14	10	4	14	6	8	18	14	4	79
1,100	486	614	24	8	16	16	8	8	6	6	6	16	10	6	80
64	32	32	-	-	-	4	-	4	-	-	-	-	-	-	81
1,486	902	584	50	26	24	14	10	4	14	12	2	22	12	10	82
234	234	...	2	2	...	2	2	...	2	2	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
274	102	172	8	4	4	-	-	-	-	-	-	-	-	-	85
216	...	216	10	...	10	-	...	-	-	...	-	6	...	6	86
18	...	18	2	...	2	-	...	-	-	...	-	-	...	-	87
30	...	30	4	...	4	-	...	-	-	...	-	-	...	-	88
26	...	26	-	...	-	-	...	-	-	...	-	2	...	2	89

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1966 (ICDA).]

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ABORTIONS.....640-645	70	...	70	38	...	38
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	10	...	10	2	...	2
03 ABORTION INDUCED FOR OTHER REASONS.....642	26	...	26	14	...	14
04 SPONTANEOUS ABORTION.....643	12	...	12	12	...	12
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	22	...	22	10	...	10
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	148	...	148	96	...	96
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	184	...	184	118	...	118
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,770	682	1,088	1,324	526	798
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	402	212	190	324	172	152
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,368	470	898	1,000	354	646
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,828	1,660	3,168	4,170	1,456	2,714
13 ARTHRITIS AND SPONDYLITIS.....710-715	1,966	698	1,268	1,824	634	1,190
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	172	68	104	134	56	78
15 OSTEOMYELITIS AND PERIOSTITIS.....720	152	72	80	116	50	66
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	150	46	104	134	38	96
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,388	776	1,612	1,962	678	1,284
18 XIV. CONGENITAL ANOMALIES.....	14,698	7,860	6,838	12,394	6,656	5,738
19 SPINA BIFIDA.....741	702	300	402	652	270	382
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,380	1,122	1,258	2,042	960	1,082
21 CONGENITAL ANOMALIES OF HEART.....746	6,046	3,342	2,704	5,060	2,834	2,226
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,076	564	512	892	468	424
23 CLEFT PALATE AND CLEFT LIP.....749	50	22	28	38	14	24
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,444	2,510	1,934	3,710	2,110	1,600
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	33,798	19,752	14,046	24,538	14,538	10,000
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	27,500	16,460	11,040	19,170	11,656	7,514
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,306	440	866	1,034	342	692
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	26,194	16,020	10,174	18,136	11,314	6,822
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	165,164	116,608	48,556	134,178	92,966	41,212
30 ACCIDENTS.....E800-E949	115,448	79,762	35,686	98,226	67,190	31,036
31 RAILWAY ACCIDENTS.....E800-E807	692	574	118	532	434	98
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	56,278	40,194	16,084	48,764	34,566	14,198
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	55,214	39,414	15,800	47,838	33,900	13,938
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,260	866	394	1,144	766	378
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,704	13,900	6,804	18,494	12,358	6,136
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	9,300	6,386	2,914	7,292	4,922	2,370
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	7,234	5,720	1,514	6,434	5,084	1,350
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,940	7,738	2,202	8,638	6,698	1,940
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,776	4,804	1,972	5,836	4,072	1,764
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,064	780	284	926	666	260
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	306	194	112	270	166	104
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,568	1,434	134	1,336	1,218	118
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,636	1,344	292	1,602	1,318	284
44 ACCIDENTAL POISONING.....E850-E877	5,418	3,724	1,694	4,206	2,890	1,316
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,516	1,576	940	1,866	1,242	724
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,212	878	334	916	664	252
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,690	1,270	420	1,424	1,084	340
48 ACCIDENTAL FALLS.....E880-E887	16,744	8,480	8,264	15,330	7,568	7,762
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,332	3,028	1,304	3,804	2,644	1,158
50 FALL ON SAME LEVEL.....E885,E886	758	396	362	716	370	346
51 OTHER AND UNSPECIFIED FALLS.....E887	11,654	5,056	6,598	10,810	4,552	6,258
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,714	4,072	2,642	4,878	2,996	1,882
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	6,196	5,118	1,078	4,752	3,852	900
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	2,830	1,712	1,118	2,332	1,404	928
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,442	2,090	352	1,868	1,624	244
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,738	5,200	538	5,016	4,566	450
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	126	102	24	74	64	10
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	518	422	96	450	368	82
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	282	168	114	216	128	88
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,088	1,018	70	998	934	64
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,724	3,490	234	3,278	3,072	206
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,324	1,782	1,542	2,898	1,558	1,340
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,562	3,844	1,718	4,442	3,030	1,412
64 SUICIDE.....E950-E959	25,004	17,768	7,236	23,264	16,476	6,788
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,972	1,504	2,468	3,734	1,424	2,310
66 SUICIDE FROM POISONING BY GASES.....E951,E952	2,478	1,738	740	2,426	1,696	730
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,900	2,510	1,390	3,032	2,282	750
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	13,348	10,852	2,496	12,370	10,052	2,318
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,906	1,164	742	1,702	1,022	680
70 HOMICIDE.....E960-E978	19,638	15,642	3,996	8,976	6,820	2,156
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,382	11,150	2,232	5,722	4,610	1,112
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,196	2,580	616	1,308	1,004	304
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	2,760	1,616	1,144	1,810	1,070	740
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	300	296	4	136	136	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,044	3,406	1,638	3,688	2,456	1,232
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	30	30	-	24	24	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1972

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Table with 18 columns representing age groups from 20-24 to 100 years and over, and 2 columns for 'Not stated' and a final column with values from 01 to 90. The table contains numerical data for each age group across the rows.

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
2	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-	01	
2	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-	02	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05	
-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-	06	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	20	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	21	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	22	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	23	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	24	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	28	
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	29	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	36	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	
-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	46	
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	47	
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	48	
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	49	
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	50	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	
20	32	46	46	60	76	76	88	108	82	74	78	50	42	22	4	2	55	
6	22	14	22	42	36	52	46	68	50	38	50	24	20	10	2	2	56	
14	10	32	24	18	40	24	42	40	32	36	28	26	22	12	2	-	57	
6	18	-	12	22	24	36	40	56	36	34	40	22	14	10	2	2	58	
8	4	10	12	14	24	20	26	38	24	30	22	22	22	12	2	-	59	
-	4	14	10	20	12	16	6	12	14	4	6	2	6	-	-	-	60	
6	6	22	12	4	14	2	16	2	8	6	6	4	-	-	-	-	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	63	
1,666	1,902	2,572	4,444	9,004	16,952	26,320	37,126	45,508	50,988	50,038	44,806	31,868	16,572	4,848	954	124	40	64
1,066	1,000	1,148	1,918	3,936	7,814	13,178	20,538	26,588	29,960	28,928	25,146	16,682	7,722	2,094	358	40	26	65
600	902	1,424	2,526	5,068	9,138	13,142	16,588	18,920	21,028	21,110	19,660	15,186	8,850	2,754	596	84	14	66
968	896	966	1,590	3,242	6,486	11,170	17,854	23,494	26,648	25,996	23,050	15,544	7,194	1,926	308	32	26	67
518	756	1,182	2,074	4,228	7,836	11,374	14,826	16,842	18,802	19,146	18,330	14,382	8,374	2,604	548	60	12	68
92	96	180	302	664	1,244	1,914	2,568	2,944	3,124	2,710	1,958	1,020	460	144	44	8	-	69
70	136	226	430	802	1,224	1,642	1,680	1,990	2,120	1,860	1,240	744	438	146	48	24	2	70
6	8	22	26	30	84	94	116	150	188	222	138	118	68	24	6	-	-	71
12	10	16	22	38	76	86	82	88	106	104	90	60	38	4	-	-	-	72
1,560	1,816	2,482	4,330	8,800	16,682	25,952	36,636	44,944	50,384	49,478	44,272	31,516	16,410	4,764	932	122	40	73
1,004	950	1,114	1,864	3,856	7,692	13,004	20,308	26,304	29,624	28,644	24,870	16,522	7,664	2,068	354	38	26	74
556	866	1,368	2,466	4,944	8,990	12,948	16,328	18,640	20,760	20,834	19,402	14,994	8,746	2,696	578	84	14	75
918	854	934	1,548	3,148	6,384	11,022	17,646	23,242	26,364	25,748	22,800	15,390	7,142	1,904	304	30	26	76
482	730	1,142	2,026	4,144	7,722	11,234	14,594	16,588	18,568	18,904	18,092	14,200	8,284	2,556	532	60	12	77
80	88	158	290	658	1,226	1,890	2,546	2,916	3,074	2,674	1,932	1,014	456	140	44	8	-	78
66	126	212	418	762	1,192	1,632	1,654	1,964	2,086	1,830	1,220	734	424	136	46	24	2	79
6	8	22	26	30	82	92	116	146	186	222	138	118	66	24	6	-	-	80
8	10	14	22	38	76	82	80	88	106	100	90	60	38	4	-	-	-	81
22	16	20	54	174	454	754	1,126	1,252	1,092	876	692	508	294	96	20	-	-	82
14	14	16	34	118	324	540	812	908	836	646	476	352	184	54	6	-	-	83
8	2	4	20	56	130	214	314	344	256	230	216	156	110	42	14	-	-	84
14	10	10	20	82	240	432	680	806	764	596	444	332	182	50	6	-	-	85
6	-	-	14	38	98	170	280	312	230	214	192	148	104	40	14	-	-	86
-	4	4	12	30	78	102	126	96	66	46	26	20	2	4	-	-	-	87
2	2	2	6	16	32	42	32	30	26	14	24	8	4	2	-	-	-	88
-	4	2	2	6	6	6	6	6	6	4	6	-	-	-	-	-	-	89
-	-	2	-	2	-	2	2	2	-	2	-	-	2	-	-	-	-	90

SECTION I - GENERAL MORTALITY

Age, Race, and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Table with 18 columns representing age groups (20-24 years to 100 years and over) and a 'Not stated' column. Rows contain numerical data for each age group, with some cells containing asterisks. The data represents mortality rates for various subcategories.

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER DISEASES OF THYROID GLAND.....243-246	422	2	-	-	-	-	2	-	-	-
02	MALE.....	90	-	-	-	-	-	-	-	-	-
03	FEMALE.....	332	2	-	-	-	-	2	-	-	-
04	WHITE.....MALE.....	74	-	-	-	-	-	-	-	-	-
05	FEMALE.....	302	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE.....	14	-	-	-	-	-	-	-	-	-
07	FEMALE.....	30	2	-	-	-	-	2	-	-	-
08	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	DIABETES MELLITUS.....250	38,674	16	12	4	8	-	40	26	54	78
11	MALE.....	15,824	8	6	4	4	-	22	8	34	34
12	FEMALE.....	22,850	8	6	-	4	-	18	18	20	44
13	WHITE.....MALE.....	13,564	6	4	4	-	-	18	8	30	32
14	FEMALE.....	18,834	8	4	-	2	-	14	18	14	38
15	NEGRO.....MALE.....	2,114	2	2	-	-	-	4	-	2	2
16	FEMALE.....	3,828	-	2	-	2	-	4	-	6	6
17	OTHER RACES.....MALE.....	166	-	-	-	-	-	-	-	2	-
18	FEMALE.....	188	-	-	-	-	-	-	-	-	-
19	DISEASES OF PITUITARY GLAND.....253	246	2	-	-	-	-	2	4	-	4
20	MALE.....	128	-	-	-	-	-	-	-	-	4
21	FEMALE.....	118	2	-	-	-	-	2	4	-	-
22	WHITE.....MALE.....	100	-	-	-	-	-	-	-	-	4
23	FEMALE.....	108	2	-	-	-	-	2	4	-	-
24	NEGRO.....MALE.....	22	-	-	-	-	-	-	-	-	-
25	FEMALE.....	10	-	-	-	-	-	-	-	-	-
26	OTHER RACES.....MALE.....	6	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	DISEASES OF THYMUS GLAND.....254	32	24	-	2	-	-	26	-	2	-
29	MALE.....	20	18	-	-	-	-	18	-	-	-
30	FEMALE.....	12	6	-	2	-	-	8	-	2	-
31	WHITE.....MALE.....	16	14	-	-	-	-	14	-	-	-
32	FEMALE.....	12	6	-	2	-	-	8	-	2	-
33	NEGRO.....MALE.....	4	4	-	-	-	-	4	-	-	-
34	FEMALE.....	-	-	-	-	-	-	-	-	-	-
35	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	DISEASES OF ADRENAL GLAND.....255	438	18	-	-	-	2	20	2	4	12
38	MALE.....	180	12	-	-	-	-	12	2	2	4
39	FEMALE.....	258	6	-	-	-	2	8	-	2	8
40	WHITE.....MALE.....	164	8	-	-	-	-	8	2	2	4
41	FEMALE.....	238	4	-	-	-	2	6	-	2	8
42	NEGRO.....MALE.....	16	4	-	-	-	-	4	-	-	-
43	FEMALE.....	26	2	-	-	-	-	2	-	-	-
44	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
45	FEMALE.....	4	-	-	-	-	-	-	-	-	-
46	NIACIN DEFICIENCY.....262	2	-	-	-	-	-	-	-	-	-
47	MALE.....	-	-	-	-	-	-	-	-	-	-
48	FEMALE.....	2	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	-	-	-	-	-	-	-	-	-	-
50	FEMALE.....	2	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
52	FEMALE.....	-	-	-	-	-	-	-	-	-	-
53	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE.....	-	-	-	-	-	-	-	-	-	-
55	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,536	108	10	4	2	2	126	10	12	12
56	MALE.....	1,148	58	8	2	2	-	70	10	6	8
57	FEMALE.....	1,388	50	2	2	-	2	56	4	6	4
58	WHITE.....MALE.....	920	26	8	-	-	-	36	8	2	6
59	FEMALE.....	1,202	24	2	-	-	2	20	4	4	4
60	NEGRO.....MALE.....	204	30	-	2	-	-	32	2	2	2
61	FEMALE.....	174	24	-	2	-	-	26	-	2	-
62	OTHER RACES.....MALE.....	24	2	-	-	-	-	2	-	2	-
63	FEMALE.....	12	-	-	-	-	-	-	-	-	-
64	CYSTIC FIBROSIS.....273.0	560	92	22	12	20	20	166	126	108	76
65	MALE.....	288	54	6	2	4	8	74	62	56	38
66	FEMALE.....	272	38	16	10	16	12	92	64	52	38
67	WHITE.....MALE.....	282	50	6	2	4	8	70	62	54	38
68	FEMALE.....	264	36	14	8	16	12	86	64	52	38
69	NEGRO.....MALE.....	6	4	-	-	-	-	4	-	2	-
70	FEMALE.....	6	2	2	-	-	-	4	-	-	-
71	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
72	FEMALE.....	2	-	-	2	-	-	2	-	-	-
73	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,676	178	24	28	14	8	252	50	34	30
74	MALE.....	1,840	106	14	16	6	6	148	22	20	20
75	FEMALE.....	1,836	72	10	12	8	2	104	28	14	10
76	WHITE.....MALE.....	1,580	82	12	16	6	6	122	18	18	18
77	FEMALE.....	1,512	56	8	12	8	2	86	28	10	6
78	NEGRO.....MALE.....	220	16	2	-	-	-	18	4	2	2
79	FEMALE.....	308	12	2	-	-	-	14	-	4	4
80	OTHER RACES.....MALE.....	40	8	-	-	-	-	8	-	-	-
81	FEMALE.....	16	4	-	-	-	-	4	-	-	-
82	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,232	218	52	30	14	16	330	78	96	150
83	MALE.....	2,476	122	26	18	8	8	182	40	60	70
84	FEMALE.....	2,756	96	26	12	6	8	148	38	36	80
85	WHITE.....MALE.....	1,956	70	10	8	2	4	94	32	38	40
86	FEMALE.....	2,234	60	8	2	6	4	82	22	18	36
87	NEGRO.....MALE.....	492	48	16	10	6	4	84	8	22	30
88	FEMALE.....	494	34	16	10	-	2	62	16	18	40
89	OTHER RACES.....MALE.....	28	4	-	-	-	-	4	-	-	-
90	FEMALE.....	28	2	2	-	-	-	4	-	-	4

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Table with 17 columns representing age groups (20-24 to 95-99 years) and '100 years and over', plus a 'Not stated' column. Rows contain numerical data for each category, with some rows marked with asterisks. The table lists mortality data for various subcategories, with values ranging from 2 to 909.

Table 1-26. Deaths From 281 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--CON.											
01	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,804	32	-	-	-	-	34	10	20	20
02	MALE.....	4,358	14	2	-	-	-	16	6	10	10
03	FEMALE.....	4,446	18	-	-	-	-	18	4	10	10
04	WHITE.....MALE.....	3,936	10	2	-	-	-	12	6	10	10
05	FEMALE.....	4,020	8	-	-	-	-	8	-	8	8
06	NEGRO.....MALE.....	394	4	-	-	-	-	4	-	-	-
07	FEMALE.....	404	10	-	-	-	-	10	4	2	-
08	OTHER RACES.....MALE.....	28	-	-	-	-	-	-	-	-	-
09	FEMALE.....	22	-	-	-	-	-	-	-	-	2
DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458											
11	MALE.....	17,820	24	10	2	4	4	44	8	24	62
12	FEMALE.....	9,018	18	6	2	2	4	32	4	12	22
13	WHITE.....MALE.....	6,802	6	4	-	2	-	12	4	12	40
14	FEMALE.....	7,650	14	6	2	2	4	28	4	12	14
15	NEGRO.....MALE.....	7,496	6	4	-	2	-	12	2	10	28
16	FEMALE.....	1,332	4	-	-	-	-	4	-	-	8
17	OTHER RACES.....MALE.....	1,264	-	-	-	-	-	-	2	2	12
18	FEMALE.....	36	-	-	-	-	-	-	-	-	-
19	VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,888	8	6	2	-	-	16	4	16	44
20	MALE.....	7,916	6	2	2	-	-	10	2	6	12
21	FEMALE.....	7,972	2	4	-	-	-	6	2	10	32
22	WHITE.....MALE.....	6,706	4	2	2	-	-	8	2	6	10
23	FEMALE.....	6,780	2	4	-	-	-	6	2	8	22
24	NEGRO.....MALE.....	1,186	2	2	-	-	-	2	-	-	8
25	FEMALE.....	1,158	-	-	-	-	-	-	-	2	10
26	OTHER RACES.....MALE.....	24	-	-	-	-	-	-	-	-	-
27	FEMALE.....	34	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458											
28	MALE.....	1,932	16	4	-	4	4	28	4	8	18
29	FEMALE.....	1,102	12	4	-	2	4	22	2	6	10
30	WHITE.....MALE.....	830	4	-	-	2	-	6	2	2	8
31	FEMALE.....	944	10	4	-	2	4	20	2	6	4
32	NEGRO.....MALE.....	716	4	-	-	2	-	6	-	2	6
33	FEMALE.....	146	2	-	-	-	-	2	-	-	6
34	OTHER RACES.....MALE.....	106	-	-	-	-	-	-	2	-	2
35	FEMALE.....	12	-	-	-	-	-	-	-	-	-
36	FEMALE.....	8	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....											
37	MALE.....	116,136	5,406	658	354	230	116	6,764	428	434	596
38	FEMALE.....	74,504	3,164	358	196	120	54	3,892	210	238	354
39	WHITE.....MALE.....	41,632	2,242	300	158	110	62	2,872	218	196	242
40	FEMALE.....	66,066	2,062	268	146	100	38	2,614	176	192	284
41	NEGRO.....MALE.....	36,950	1,362	204	114	89	42	1,802	164	148	174
42	FEMALE.....	7,848	1,032	82	50	20	16	1,200	34	42	66
43	OTHER RACES.....MALE.....	4,358	828	82	42	24	18	994	48	46	66
44	FEMALE.....	590	70	8	-	-	-	78	-	4	4
45	FEMALE.....	324	52	14	2	6	2	76	6	2	2
ACUTE UPPER RESPIRATORY INFECTIONS.....460-465											
46	MALE.....	504	154	32	26	20	4	236	18	-	10
47	FEMALE.....	278	106	26	16	8	-	156	10	-	6
48	WHITE.....MALE.....	226	48	6	10	12	4	80	8	-	4
49	FEMALE.....	224	72	22	14	8	-	116	10	-	4
50	NEGRO.....MALE.....	180	32	2	10	8	2	54	6	-	4
51	FEMALE.....	54	34	4	2	-	-	40	-	-	-
52	OTHER RACES.....MALE.....	40	14	2	-	4	2	22	-	-	2
53	FEMALE.....	6	2	2	-	-	-	4	2	-	-
ACUTE BRONCHITIS AND BRONCHIOLITIS.....466											
55	MALE.....	1,144	278	62	30	14	14	398	14	10	6
56	FEMALE.....	678	162	30	24	6	6	228	6	8	4
57	WHITE.....MALE.....	468	116	32	6	8	8	170	8	2	2
58	FEMALE.....	544	94	18	22	6	2	142	6	4	-
59	NEGRO.....MALE.....	364	58	26	4	6	4	98	6	2	2
60	FEMALE.....	124	64	12	2	-	4	82	-	4	4
61	OTHER RACES.....MALE.....	90	56	4	2	-	4	66	2	-	-
62	FEMALE.....	10	4	-	-	-	-	4	-	-	-
63	FEMALE.....	14	2	2	-	2	-	6	-	-	-
INFLUENZA.....470-474											
64	MALE.....	4,986	60	26	10	4	4	104	14	10	16
65	FEMALE.....	2,390	32	16	8	-	-	60	6	4	10
66	WHITE.....MALE.....	2,596	28	10	2	4	-	44	8	6	6
67	FEMALE.....	2,178	16	14	2	-	-	36	6	4	4
68	NEGRO.....MALE.....	2,392	18	8	2	4	-	32	8	4	4
69	FEMALE.....	194	16	2	6	-	-	24	-	-	4
70	OTHER RACES.....MALE.....	180	8	-	-	-	-	8	-	-	2
71	FEMALE.....	18	-	-	-	-	-	-	-	-	-
72	FEMALE.....	24	2	2	-	-	-	4	-	-	-
PNEUMONIA.....480-486											
73	MALE.....	57,594	4,272	440	220	122	76	5,130	256	284	356
74	FEMALE.....	32,334	2,500	230	116	64	38	2,948	114	158	198
75	WHITE.....MALE.....	25,260	1,772	210	104	58	38	2,182	142	128	158
76	FEMALE.....	27,280	1,624	164	84	52	28	1,952	96	130	158
77	NEGRO.....MALE.....	22,076	1,054	138	68	42	26	1,328	116	98	120
78	FEMALE.....	4,714	812	58	32	12	10	924	18	26	40
79	OTHER RACES.....MALE.....	2,980	676	70	34	12	10	802	24	28	36
80	FEMALE.....	340	64	8	-	-	-	72	-	2	-
81	FEMALE.....	204	42	2	2	4	2	52	2	2	2
VIRAL PNEUMONIA.....480											
82	MALE.....	1,734	318	52	16	10	10	406	18	26	24
83	FEMALE.....	880	200	26	10	2	6	244	6	12	12
84	WHITE.....MALE.....	854	118	26	6	8	4	162	12	14	12
85	FEMALE.....	772	172	20	8	2	6	208	4	6	8
86	NEGRO.....MALE.....	754	84	18	6	6	4	118	8	14	12
87	FEMALE.....	100	26	6	2	-	-	34	2	4	4
88	OTHER RACES.....MALE.....	90	28	8	-	2	-	38	2	-	-
89	FEMALE.....	8	2	-	-	-	-	2	-	2	-
90	FEMALE.....	10	6	-	-	-	-	6	2	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
16	12	42	34	50	80	108	110	158	138	130	142	80	42	14	2	-	01
12	10	26	24	30	58	76	78	122	104	80	86	52	20	6	-	-	02
4	2	16	10	20	22	32	32	36	34	30	56	28	22	8	2	-	03
4	2	12	12	26	40	54	50	86	82	70	78	50	20	4	-	-	04
4	8	14	6	8	14	26	28	36	32	26	52	26	20	6	2	-	05
4	2	8	4	12	8	18	24	32	20	10	8	2	2	2	-	-	06
-	-	-	2	-	-	2	2	4	2	4	2	2	2	2	-	-	07
-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	09
2	4	8	6	20	10	14	30	34	28	32	44	40	20	12	2	2	10
2	4	4	6	14	-	8	20	24	14	18	28	22	8	4	4	-	11
2	-	4	6	6	10	6	10	10	14	14	16	18	12	8	2	2	12
2	2	2	10	10	-	8	18	16	14	18	24	20	8	4	4	-	13
-	2	2	6	6	10	4	8	10	12	14	16	16	12	8	2	2	14
-	2	2	4	4	-	-	2	6	-	-	4	2	-	-	-	-	15
-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
20	26	16	32	36	80	142	234	354	548	512	548	476	244	66	14	-	19
8	14	12	20	22	46	88	144	238	350	364	370	276	146	40	6	-	20
12	12	14	12	14	34	54	90	116	198	148	178	200	98	26	8	-	21
8	14	12	18	12	32	86	128	216	332	346	360	274	132	36	6	-	22
12	6	4	6	12	30	44	82	110	190	148	166	196	94	26	8	-	23
-	-	-	2	10	14	2	16	22	18	18	10	-	2	2	-	-	24
-	6	4	4	2	4	10	8	4	6	-	10	2	2	2	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	26
-	-	-	2	-	-	-	-	2	2	-	-	2	2	-	-	-	27
4	14	12	18	22	38	36	70	86	112	112	146	98	56	30	2	-	28
4	10	6	6	10	24	18	38	56	66	52	80	52	30	10	2	-	29
4	4	6	12	14	18	32	32	30	46	60	66	46	26	20	-	-	30
4	10	6	6	10	18	16	34	44	58	46	78	48	28	8	2	-	31
-	2	2	12	10	14	18	30	28	44	58	62	42	26	18	-	-	32
-	-	-	-	6	2	2	4	12	6	2	2	4	-	-	-	-	33
-	-	-	-	-	-	-	2	2	2	-	-	2	2	-	-	-	34
-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	35
-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	-	-	36
124	108	104	120	166	398	652	1,156	1,804	2,346	2,448	2,306	1,584	810	266	88	20	37
94	70	60	68	98	232	452	916	1,468	1,880	1,950	1,876	1,198	558	140	42	8	38
30	38	44	52	68	166	200	240	396	498	430	430	386	252	126	46	16	39
68	54	40	42	68	172	368	788	1,252	1,718	1,802	1,772	1,134	546	136	32	2	40
24	32	32	38	56	120	178	216	352	432	464	404	362	244	118	44	16	41
26	16	20	24	24	50	80	124	144	156	134	100	52	8	4	8	2	42
6	6	12	14	10	42	20	22	42	32	34	26	24	8	8	2	-	43
-	-	-	2	6	10	4	4	12	6	14	4	10	4	-	2	-	44
-	-	-	-	2	4	2	2	2	2	-	-	-	-	-	-	-	45
400	770	1,352	2,300	4,196	6,146	7,302	8,086	8,520	8,192	7,154	6,924	5,926	3,998	1,556	366	58	46
226	406	818	1,468	2,630	3,902	4,716	5,162	5,844	5,156	4,066	3,558	2,776	1,572	528	124	20	47
174	364	534	832	1,566	2,244	2,924	2,976	3,036	3,088	3,088	3,366	3,150	2,326	1,028	242	38	48
140	258	470	968	1,920	3,074	3,922	4,518	4,938	4,640	3,662	3,306	2,622	1,504	488	120	16	49
116	206	276	498	1,072	1,798	2,158	2,592	2,806	2,736	2,798	3,182	2,980	2,230	980	236	26	50
80	132	330	472	666	790	750	570	564	448	366	212	130	62	32	4	4	51
52	142	240	300	458	466	400	324	346	278	276	174	154	88	46	6	10	52
6	16	18	28	44	38	44	74	42	68	38	40	24	6	8	-	-	53
6	16	18	34	36	36	28	8	24	22	14	10	16	8	2	-	-	54
-	2	4	6	2	-	-	-	-	-	-	-	4	4	-	-	-	55
-	2	2	2	2	-	-	-	-	-	-	-	4	4	-	-	-	56
-	2	2	2	2	-	-	-	-	-	-	-	2	4	-	-	-	57
-	2	2	2	2	-	-	-	-	-	-	-	-	4	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
28	40	68	94	204	362	498	688	848	1,038	1,076	1,050	954	610	224	24	2	64
22	30	40	68	158	248	378	478	606	764	698	646	562	330	102	6	2	65
6	10	28	26	46	114	120	210	242	274	378	404	392	280	122	18	2	66
16	20	32	54	112	194	320	404	538	692	624	598	536	322	96	6	-	67
6	6	20	14	30	88	100	196	218	250	358	380	378	272	120	18	2	68
6	8	6	14	46	50	58	68	60	68	68	40	18	6	4	-	-	69
-	4	8	12	16	26	16	14	22	24	18	22	10	8	2	-	-	70
-	2	2	-	-	4	-	6	8	12	6	8	8	2	2	-	-	71
-	-	-	-	-	-	4	-	2	-	2	2	4	-	-	-	-	72
16	22	24	36	88	132	196	316	354	404	428	424	410	252	90	12	-	73
12	12	12	22	68	86	126	206	274	244	244	224	218	112	48	2	-	74
4	10	12	14	20	46	70	110	120	130	184	200	192	140	42	10	-	75
4	10	8	20	44	64	110	172	212	228	214	200	206	110	44	2	-	76
4	6	8	10	14	38	56	102	108	120	176	188	188	136	42	10	-	77
4	2	2	2	24	18	16	30	38	38	28	22	8	2	2	-	-	78
4	4	4	4	6	8	12	8	12	10	8	12	2	4	-	-	-	79
-	-	2	2	-	4	-	4	2	8	2	2	4	2	-	-	-	80
-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	81
12	14	40	44	92	182	234	278	362	472	490	446	418	278	102	12	2	82
10	14	26	34	70	124	204	208	274	376	334	300	270	170	42	4	-	83
2	-	14	10	22	58	30	78	86	96	156	146	148	108	60	4	-	84
8	8	22	26	50	100	172	178	244	354	300	282	262	166	40	8	-	85
2	-	10	4	12	42	26	78	74	84	148	136	144	104	58	8	2	86
2	4	4	8	20	24	32	20	26	18	30	14	6	4	2	-	-	87
-	2	-	-	10	16	2	-	10	12	6	4	2	2	-	-	-	88
-	-	-	-	-	-	-	2	6	4	4	4	-	-	-	-	-	89
-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	402	18	-	-	2	2	22	2	2	8
02	MALE.....	212	10	-	-	2	-	12	2	2	8
03	FEMALE.....	190	8	-	-	-	2	10	-	-	-
04	WHITE.....MALE.....	172	10	-	-	2	-	12	2	2	8
05	FEMALE.....	152	4	-	-	-	2	6	-	-	-
06	NEGRO.....MALE.....	32	-	-	-	-	-	-	-	-	-
07	FEMALE.....	34	4	-	-	-	-	4	-	-	-
08	OTHER RACES.....MALE.....	8	-	-	-	-	-	-	-	-	-
09	FEMALE.....	4	-	-	-	-	-	-	-	-	-
10	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,368	12	2	-	-	-	14	2	6	18
11	MALE.....	470	6	-	-	-	-	6	2	4	6
12	FEMALE.....	898	6	2	-	-	-	8	-	2	12
13	WHITE.....MALE.....	354	2	-	-	-	-	2	2	2	6
14	FEMALE.....	644	6	2	-	-	-	8	-	2	8
15	NEGRO.....MALE.....	114	4	-	-	-	-	4	-	2	-
16	FEMALE.....	240	-	-	-	-	-	-	-	-	2
17	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
18	FEMALE.....	12	-	-	-	-	-	-	-	-	2
19	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,828	6	2	10	2	-	20	12	30	94
20	MALE.....	1,660	2	-	4	-	-	6	2	6	20
21	FEMALE.....	3,168	4	2	6	2	-	14	10	24	74
22	WHITE.....MALE.....	1,456	2	-	-	-	-	2	2	4	16
23	FEMALE.....	2,714	2	2	6	-	-	10	4	16	48
24	NEGRO.....MALE.....	196	-	-	4	-	-	4	-	8	-
25	FEMALE.....	410	2	-	-	2	-	4	4	8	26
26	OTHER RACES.....MALE.....	8	-	-	-	-	-	-	-	-	-
27	FEMALE.....	44	-	-	-	-	-	-	2	-	-
28	ARTHRITIS AND SPONDYLITIS.....710-715	1,966	-	-	2	-	-	2	-	2	2
29	MALE.....	698	-	-	-	-	-	-	-	2	2
30	FEMALE.....	1,268	-	-	2	-	-	2	-	-	-
31	WHITE.....MALE.....	634	-	-	-	-	-	-	-	2	2
32	FEMALE.....	1,190	-	-	2	-	-	2	-	-	-
33	NEGRO.....MALE.....	60	-	-	-	-	-	-	-	-	-
34	FEMALE.....	68	-	-	-	-	-	-	-	-	-
35	OTHER RACES.....MALE.....	4	-	-	-	-	-	-	-	-	-
36	FEMALE.....	10	-	-	-	-	-	-	-	-	-
37	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	172	-	-	2	-	-	2	4	4	6
38	MALE.....	68	-	-	2	-	-	2	2	4	4
39	FEMALE.....	104	-	-	-	-	-	-	2	-	2
40	WHITE.....MALE.....	56	-	-	-	-	-	-	-	-	-
41	FEMALE.....	78	-	-	-	-	-	-	2	4	4
42	NEGRO.....MALE.....	12	-	-	2	-	-	2	-	-	-
43	FEMALE.....	26	-	-	-	-	-	-	2	-	-
44	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
45	FEMALE.....	-	-	-	-	-	-	-	-	-	-
46	OSTEOMYELITIS AND PERIOSTITIS.....720	152	2	-	-	-	-	2	2	-	-
47	MALE.....	72	-	-	-	-	-	-	-	-	-
48	FEMALE.....	80	2	-	-	-	-	2	2	-	-
49	WHITE.....MALE.....	50	-	-	-	-	-	-	-	-	-
50	FEMALE.....	66	-	-	-	-	-	-	2	-	-
51	NEGRO.....MALE.....	22	-	-	-	-	-	-	-	-	-
52	FEMALE.....	12	2	-	-	-	-	2	-	-	-
53	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE.....	2	-	-	-	-	-	-	-	-	-
55	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	150	2	-	-	-	-	2	-	4	6
56	MALE.....	46	-	-	-	-	-	-	-	-	2
57	FEMALE.....	104	2	-	-	-	-	2	-	4	4
58	WHITE.....MALE.....	38	-	-	-	-	-	-	-	-	2
59	FEMALE.....	96	2	-	-	-	-	2	-	2	4
60	NEGRO.....MALE.....	8	-	-	-	-	-	-	-	-	-
61	FEMALE.....	6	-	-	-	-	-	-	-	2	-
62	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
63	FEMALE.....	2	-	-	-	-	-	-	-	-	-
64	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2,388	2	2	6	2	-	12	6	20	80
65	MALE.....	776	2	-	2	-	-	4	-	4	14
66	FEMALE.....	1,612	-	2	4	2	-	8	6	16	66
67	WHITE.....MALE.....	678	2	-	-	-	-	2	-	2	10
68	FEMALE.....	1,284	-	2	4	-	-	6	2	10	40
69	NEGRO.....MALE.....	94	-	-	2	-	-	2	-	2	4
70	FEMALE.....	298	-	-	-	2	-	2	2	6	26
71	OTHER RACES.....MALE.....	4	-	-	-	-	-	-	-	-	-
72	FEMALE.....	30	-	-	-	-	-	-	2	-	-
73	XIV. CONGENITAL ANOMALIES.....	14,698	9,458	676	334	228	184	10,880	566	368	362
74	MALE.....	7,860	5,148	332	170	116	96	5,862	278	186	196
75	FEMALE.....	6,838	4,310	344	164	112	88	5,018	288	182	166
76	WHITE.....MALE.....	6,656	4,346	250	150	98	80	4,924	228	166	172
77	FEMALE.....	5,738	3,546	280	148	96	74	4,144	234	164	142
78	NEGRO.....MALE.....	1,084	714	80	18	14	16	842	44	14	22
79	FEMALE.....	1,016	794	56	16	16	12	804	54	16	22
80	OTHER RACES.....MALE.....	120	88	2	2	4	-	96	6	6	2
81	FEMALE.....	84	60	8	-	2	-	70	-	2	2
82	SPINA BIFIDA.....741	702	524	60	12	10	16	622	26	14	14
83	MALE.....	300	236	18	4	2	6	266	12	4	6
84	FEMALE.....	402	288	42	8	8	10	356	14	10	8
85	WHITE.....MALE.....	270	210	16	4	2	6	238	10	4	6
86	FEMALE.....	382	276	40	8	8	10	342	12	10	6
87	NEGRO.....MALE.....	28	24	2	-	-	-	26	2	-	-
88	FEMALE.....	16	10	-	-	-	-	10	2	-	2
89	OTHER RACES.....MALE.....	2	-	-	-	-	-	2	-	-	-
90	FEMALE.....	4	2	2	-	-	-	4	-	-	-

Table 1-26. Deaths From 281 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,380	1,678	126	62	46	46	1,958	106	90	60
02	MALE.....	1,122	774	64	30	20	22	910	40	52	36
03	FEMALE.....	1,258	904	62	32	26	24	1,048	66	38	24
04	WHITE.....MALE.....	960	658	46	30	18	20	772	30	52	30
05	FEMALE.....	1,082	784	52	28	24	20	908	54	34	22
06	NEGRO.....MALE.....	150	108	16	-	-	2	126	10	-	6
07	FEMALE.....	166	112	8	4	2	4	130	12	4	2
08	OTHER RACES..MALE.....	12	8	2	-	-	-	12	-	-	-
09	FEMALE.....	10	8	2	-	-	-	10	-	-	-
10	CONGENITAL ANOMALIES OF HEART.....746	6,046	3,688	324	204	126	96	4,438	322	164	166
11	MALE.....	3,342	2,094	158	112	66	52	2,482	172	88	82
12	FEMALE.....	2,704	1,594	166	92	60	44	1,956	150	78	84
13	WHITE.....MALE.....	2,834	1,780	130	100	52	44	2,106	144	72	68
14	FEMALE.....	2,226	1,266	130	82	52	36	1,566	120	72	74
15	NEGRO.....MALE.....	454	282	28	10	12	8	340	22	10	12
16	FEMALE.....	448	306	34	10	8	6	364	30	6	10
17	OTHER RACES..MALE.....	54	32	-	2	2	-	36	6	6	-
18	FEMALE.....	30	22	2	-	-	2	26	-	-	-
19	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,076	536	22	14	4	6	582	28	42	52
20	MALE.....	564	284	12	4	2	2	304	14	18	26
21	FEMALE.....	512	252	10	10	2	4	278	14	24	26
22	WHITE.....MALE.....	468	230	4	4	2	-	240	12	18	24
23	FEMALE.....	424	198	6	10	2	2	218	10	18	22
24	NEGRO.....MALE.....	86	46	8	-	-	2	56	2	-	2
25	FEMALE.....	74	46	2	-	-	2	50	4	4	2
26	OTHER RACES..MALE.....	10	8	-	-	-	-	8	-	-	-
27	FEMALE.....	14	8	2	-	-	-	10	-	2	2
28	CLEFT PALATE AND CLEFT LIP.....749	50	48	-	2	-	-	50	-	-	-
29	MALE.....	22	22	-	-	-	-	22	-	-	-
30	FEMALE.....	28	26	-	2	-	-	28	-	-	-
31	WHITE.....MALE.....	14	14	-	-	-	-	14	-	-	-
32	FEMALE.....	24	24	-	-	-	-	24	-	-	-
33	NEGRO.....MALE.....	8	8	-	-	-	-	8	-	-	-
34	FEMALE.....	4	2	-	2	-	-	4	-	-	-
35	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,444	2,984	144	40	42	20	3,230	84	56	70
38	MALE.....	2,510	1,738	80	20	26	14	1,878	40	24	46
39	FEMALE.....	1,934	1,246	64	20	16	6	1,352	44	32	24
40	WHITE.....MALE.....	2,110	1,454	54	12	24	10	1,594	32	20	44
41	FEMALE.....	1,600	998	52	20	10	6	1,086	38	30	18
42	NEGRO.....MALE.....	358	246	26	8	2	4	286	8	4	2
43	FEMALE.....	308	228	12	-	6	-	246	6	2	6
44	OTHER RACES..MALE.....	42	38	-	-	-	-	38	-	-	-
45	FEMALE.....	26	20	-	-	-	-	20	-	-	-
46	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	33,798	33,734	14	4	-	-	33,752	2	2	6
47	MALE.....	19,752	19,716	12	2	-	-	19,730	2	2	2
48	FEMALE.....	14,046	14,018	2	2	-	-	14,022	-	2	4
49	WHITE.....MALE.....	14,538	14,518	6	2	-	-	14,526	2	-	-
50	FEMALE.....	10,000	9,984	-	2	-	-	9,986	-	2	2
51	NEGRO.....MALE.....	4,950	4,934	6	-	-	-	4,940	-	-	2
52	FEMALE.....	3,876	3,864	2	-	-	-	3,866	-	-	2
53	OTHER RACES..MALE.....	264	264	-	-	-	-	264	-	-	-
54	FEMALE.....	170	170	-	-	-	-	170	-	-	-
55	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	27,500	3,792	198	106	42	22	4,160	80	118	368
56	MALE.....	14,460	2,242	124	60	24	12	2,462	48	68	260
57	FEMALE.....	11,040	1,550	74	46	18	10	1,698	32	50	108
58	WHITE.....MALE.....	11,656	1,482	88	42	14	6	1,632	36	48	166
59	FEMALE.....	7,514	922	40	34	12	4	1,012	24	42	76
60	NEGRO.....MALE.....	4,618	718	36	18	6	4	782	12	20	94
61	FEMALE.....	3,410	592	32	10	4	6	644	8	8	28
62	OTHER RACES..MALE.....	186	42	-	4	2	-	48	-	-	-
63	FEMALE.....	116	36	2	2	2	-	42	-	-	4
64	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,306	-	-	-	-	-	-	-	-	-
65	MALE.....	440	-	-	-	-	-	-	-	-	-
66	FEMALE.....	866	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE.....	342	-	-	-	-	-	-	-	-	-
68	FEMALE.....	692	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE.....	96	-	-	-	-	-	-	-	-	-
70	FEMALE.....	166	-	-	-	-	-	-	-	-	-
71	OTHER RACES..MALE.....	2	-	-	-	-	-	-	-	-	-
72	FEMALE.....	8	-	-	-	-	-	-	-	-	-
73	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	26,194	3,792	198	106	42	22	4,160	80	118	368
74	MALE.....	16,020	2,242	124	60	24	12	2,462	48	68	260
75	FEMALE.....	10,174	1,550	74	46	18	10	1,698	32	50	108
76	WHITE.....MALE.....	11,314	1,482	88	42	14	6	1,632	36	48	166
77	FEMALE.....	6,822	922	40	34	12	4	1,012	24	42	76
78	NEGRO.....MALE.....	4,522	718	36	18	6	4	782	12	20	94
79	FEMALE.....	3,244	592	32	10	4	6	644	8	8	28
80	OTHER RACES..MALE.....	184	42	-	4	2	-	48	-	-	-
81	FEMALE.....	108	36	2	2	2	-	42	-	-	4
82	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	165,164	2,050	1,544	296	1,070	868	6,828	4,006	4,872	6,650
83	MALE.....	116,608	1,196	916	786	668	542	4,108	2,524	3,444	2,896
84	FEMALE.....	48,556	854	628	510	402	326	2,720	1,482	1,428	3,754
85	WHITE.....MALE.....	92,966	854	702	592	504	426	3,078	1,966	2,798	10,570
86	FEMALE.....	41,212	580	454	354	292	260	1,940	1,142	1,142	3,170
87	NEGRO.....MALE.....	21,778	328	188	174	148	110	948	518	594	2,116
88	FEMALE.....	6,666	254	158	134	110	60	716	310	266	496
89	OTHER RACES..MALE.....	1,864	14	26	20	16	6	82	40	52	210
90	FEMALE.....	678	20	16	22	6	6	64	30	20	88

SECTION I - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACCIDENTS.....E800-E949	115,448	1,784	1,388	1,188	970	812	6,142	3,844	4,398	13,146
02	MALE....	79,762	1,050	830	736	612	512	3,740	2,430	3,132	10,170
03	FEMALE..	35,686	734	558	452	358	300	2,402	1,414	1,266	2,976
04	WHITE.....MALE....	67,190	772	654	556	474	408	2,864	1,918	2,598	8,850
05	FEMALE..	31,036	514	418	324	262	246	1,764	1,100	1,032	2,656
06	NEGRO.....MALE....	11,232	268	152	162	122	98	802	472	486	1,168
07	FEMALE..	4,152	204	124	110	96	48	582	284	216	250
08	OTHER RACES..MALE....	1,340	10	24	18	16	6	74	40	48	152
09	FEMALE..	498	16	16	18	-	6	56	30	18	70
10	RAILWAY ACCIDENTS.....E800-E807	692	-	4	2	-	-	6	10	32	74
11	MALE....	574	-	2	2	-	-	4	6	28	58
12	FEMALE..	118	-	2	-	-	-	2	4	4	16
13	WHITE.....MALE....	434	-	-	2	-	-	2	4	24	48
14	FEMALE..	98	-	-	-	-	-	-	4	2	16
15	NEGRO.....MALE....	114	-	2	-	-	-	2	2	4	6
16	FEMALE..	16	-	2	-	-	-	2	-	2	-
17	OTHER RACES..MALE....	26	-	-	-	-	-	-	-	-	4
18	FEMALE..	4	-	-	-	-	-	-	-	-	-
19	MOTOR VEHICLE ACCIDENTS.....E810-E823	56,278	300	422	400	390	384	1,896	2,050	2,208	9,216
20	MALE....	40,194	158	230	220	238	228	1,074	1,224	1,438	6,854
21	FEMALE..	16,084	142	192	180	152	156	822	826	770	2,362
22	WHITE.....MALE....	34,566	130	178	158	186	174	826	972	1,262	6,218
23	FEMALE..	14,198	104	162	138	124	130	658	644	662	2,174
24	NEGRO.....MALE....	4,880	24	40	52	46	52	214	236	152	538
25	FEMALE..	1,592	32	28	32	28	24	144	160	92	134
26	OTHER RACES..MALE....	748	4	12	10	6	2	34	16	24	98
27	FEMALE..	294	6	2	10	-	2	20	22	16	54
28	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	55,214	294	334	344	354	362	1,688	1,982	2,158	9,084
29	MALE....	39,414	154	186	196	214	222	972	1,186	1,396	6,746
30	FEMALE..	15,800	140	148	148	140	140	716	796	762	2,338
31	WHITE.....MALE....	33,900	128	146	138	168	168	748	938	1,226	6,120
32	FEMALE..	13,938	102	122	106	114	116	560	618	654	2,152
33	NEGRO.....MALE....	4,790	22	32	52	40	52	198	232	150	528
34	FEMALE..	1,570	32	24	32	26	22	136	156	92	132
35	OTHER RACES..MALE....	724	4	8	6	6	2	24	16	26	98
36	FEMALE..	292	6	2	10	-	2	20	22	16	54
37	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,260	14	12	4	4	10	44	40	54	218
38	MALE....	866	6	4	2	2	8	22	20	28	164
39	FEMALE..	394	8	8	2	2	2	22	20	26	54
40	WHITE.....MALE....	766	4	4	2	2	8	20	20	28	152
41	FEMALE..	378	8	8	2	2	2	22	20	24	52
42	NEGRO.....MALE....	88	-	-	-	-	-	-	-	-	12
43	FEMALE..	12	-	-	-	-	-	-	-	-	-
44	OTHER RACES..MALE....	12	2	-	-	-	-	2	-	-	-
45	FEMALE..	4	-	-	-	-	-	-	-	-	2
46	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,704	158	126	92	94	76	546	314	544	3,284
47	MALE....	13,900	76	78	36	50	42	282	166	324	2,336
48	FEMALE..	6,804	82	48	56	44	34	264	148	320	948
49	WHITE.....MALE....	12,358	66	60	30	42	32	230	144	306	2,146
50	FEMALE..	6,136	58	38	42	40	30	208	128	190	888
51	NEGRO.....MALE....	1,340	8	12	6	6	8	40	18	14	172
52	FEMALE..	562	20	10	10	4	4	48	12	26	48
53	OTHER RACES..MALE....	202	2	6	-	2	2	12	4	4	18
54	FEMALE..	106	4	-	4	-	-	8	8	4	12
55	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	9,300	8	108	160	178	216	670	1,134	600	772
56	MALE....	4,386	4	66	112	118	142	442	684	364	538
57	FEMALE..	2,914	4	42	48	60	74	228	450	236	234
58	WHITE.....MALE....	4,922	4	50	78	84	102	318	512	306	430
59	FEMALE..	2,370	2	36	34	38	58	168	314	200	188
60	NEGRO.....MALE....	1,280	-	16	30	30	40	116	170	56	82
61	FEMALE..	486	2	6	14	22	16	60	126	32	34
62	OTHER RACES..MALE....	184	-	-	4	4	-	8	2	2	26
63	FEMALE..	58	-	-	-	-	-	-	10	4	12
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	7,234	18	14	24	18	10	84	280	490	1,424
65	MALE....	5,720	10	8	10	14	8	50	196	392	1,150
66	FEMALE..	1,514	8	6	14	4	2	34	84	98	274
67	WHITE.....MALE....	5,084	10	6	8	14	8	46	170	336	1,070
68	FEMALE..	1,350	8	4	8	4	2	26	72	90	260
69	NEGRO.....MALE....	556	-	2	2	-	-	4	20	46	70
70	FEMALE..	136	-	2	4	-	-	6	12	2	12
71	OTHER RACES..MALE....	80	-	-	-	-	-	-	6	10	10
72	FEMALE..	28	-	-	2	-	-	2	-	6	2
73	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,940	50	38	42	42	36	208	138	292	2,196
74	MALE....	7,738	30	16	22	22	18	108	80	180	1,686
75	FEMALE..	2,202	20	22	20	20	18	100	58	112	510
76	WHITE.....MALE....	6,698	22	12	12	20	14	80	62	156	1,542
77	FEMALE..	1,940	12	16	14	20	16	78	50	90	472
78	NEGRO.....MALE....	876	8	2	8	2	4	24	14	20	120
79	FEMALE..	208	6	4	4	-	2	16	4	20	24
80	OTHER RACES..MALE....	164	-	2	2	-	-	4	4	4	24
81	FEMALE..	54	2	2	2	-	-	6	4	2	14
82	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,776	46	36	22	18	14	136	76	178	1,190
83	MALE....	4,804	28	14	14	8	4	68	40	108	872
84	FEMALE..	1,972	18	22	8	10	10	68	36	70	318
85	WHITE.....MALE....	4,072	22	14	8	6	4	54	30	94	780
86	FEMALE..	1,764	14	20	6	10	8	58	34	60	292
87	NEGRO.....MALE....	650	6	-	6	2	-	14	10	14	72
88	FEMALE..	166	4	2	-	-	-	6	2	10	14
89	OTHER RACES..MALE....	82	-	-	-	-	-	-	-	-	20
90	FEMALE..	42	-	-	2	-	2	4	-	-	12

Table 1-26. Deaths From 281 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
MOTOR VEHICLE ACCIDENTS--CON.											
01	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,064	6	88	56	36	22	208	68	50	132
02	MALE.....	780	4	44	24	24	6	102	38	42	108
03	FEMALE.....	284	2	44	32	12	16	106	30	8	24
04	WHITE.....MALE.....	666	2	32	20	18	6	78	34	36	98
05	FEMALE.....	260	2	40	32	10	14	98	26	8	22
06	NEGRO.....MALE.....	90	2	8	4	2	2	16	4	2	2
07	FEMALE.....	22	2	4	2	2	2	8	4	2	2
08	OTHER RACES..MALE.....	24	2	4	4	2	2	8	4	4	2
09	FEMALE.....	2	2	4	4	2	2	8	4	4	2
10	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	306	2	2	2	2	2	4	32	56	56
11	MALE.....	194	2	2	2	2	2	2	18	24	36
12	FEMALE.....	112	2	2	2	2	2	2	14	32	20
13	WHITE.....MALE.....	166	2	2	2	2	2	2	16	16	36
14	FEMALE.....	104	2	2	2	2	2	2	14	32	18
15	NEGRO.....MALE.....	16	2	2	2	2	2	2	2	6	2
16	FEMALE.....	8	2	2	2	2	2	2	2	2	2
17	OTHER RACES..MALE.....	12	2	2	2	2	2	2	2	2	2
18	FEMALE.....	2	2	2	2	2	2	2	2	2	2
19	WATER TRANSPORT ACCIDENTS.....E830-E838	1,568	2	2	4	4	8	8	50	76	170
20	MALE.....	1,434	2	2	2	2	2	6	40	56	148
21	FEMALE.....	134	2	2	2	2	2	2	10	20	22
22	WHITE.....MALE.....	1,218	2	2	2	2	2	6	32	44	128
23	FEMALE.....	118	2	2	2	2	2	2	10	12	18
24	NEGRO.....MALE.....	198	2	2	2	2	2	8	12	20	4
25	FEMALE.....	16	2	2	2	2	2	2	2	8	2
26	OTHER RACES..MALE.....	18	2	2	2	2	2	2	2	2	2
27	FEMALE.....	4	2	2	2	2	2	2	2	2	2
28	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,636	2	4	4	6	8	24	22	54	84
29	MALE.....	1,344	2	2	4	2	4	12	14	38	58
30	FEMALE.....	292	2	2	4	4	4	12	8	16	26
31	WHITE.....MALE.....	1,318	2	2	4	2	4	12	14	38	56
32	FEMALE.....	284	2	2	4	4	4	12	8	16	26
33	NEGRO.....MALE.....	18	2	2	2	2	2	2	2	2	2
34	FEMALE.....	4	2	2	2	2	2	2	2	2	2
35	OTHER RACES..MALE.....	8	2	2	2	2	2	2	2	2	2
36	FEMALE.....	4	2	2	2	2	2	2	2	2	2
37	ACCIDENTAL POISONING.....E850-E877	5,418	36	130	48	32	18	264	32	72	580
38	MALE.....	3,724	22	82	24	12	14	164	14	44	416
39	FEMALE.....	1,694	14	48	24	8	6	100	18	28	164
40	WHITE.....MALE.....	2,890	18	58	16	14	12	118	10	28	318
41	FEMALE.....	1,316	6	34	18	6	4	70	10	24	114
42	NEGRO.....MALE.....	772	4	24	8	8	4	44	4	12	90
43	FEMALE.....	340	6	10	6	2	2	26	6	2	48
44	OTHER RACES..MALE.....	62	2	2	2	2	2	2	2	4	8
45	FEMALE.....	38	2	2	2	2	2	4	2	2	2
46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,516	14	70	30	22	6	142	12	18	290
47	MALE.....	1,576	10	42	12	16	2	82	6	12	220
48	FEMALE.....	940	4	28	18	6	4	60	6	6	70
49	WHITE.....MALE.....	1,142	8	34	8	8	2	60	4	6	150
50	FEMALE.....	724	2	22	12	4	2	42	2	4	44
51	NEGRO.....MALE.....	410	2	8	4	8	2	22	2	4	66
52	FEMALE.....	206	2	6	6	2	2	18	4	2	26
53	OTHER RACES..MALE.....	24	2	2	2	2	2	2	2	2	4
54	FEMALE.....	10	2	2	2	2	2	2	2	2	2
55	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,212	10	40	12	6	6	74	6	20	62
56	MALE.....	878	6	32	8	6	6	58	2	12	50
57	FEMALE.....	334	4	8	4	2	2	16	4	8	12
58	WHITE.....MALE.....	664	4	18	4	6	6	38	2	10	42
59	FEMALE.....	252	4	4	4	2	2	8	2	6	8
60	NEGRO.....MALE.....	192	2	14	4	2	2	20	2	4	4
61	FEMALE.....	72	2	4	2	2	2	6	2	2	2
62	OTHER RACES..MALE.....	22	2	2	2	2	2	2	2	2	4
63	FEMALE.....	10	2	2	2	2	2	2	2	2	2
64	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,690	12	20	6	4	6	48	14	34	228
65	MALE.....	1,270	6	8	4	2	4	24	6	20	146
66	FEMALE.....	420	6	12	2	2	2	24	8	14	82
67	WHITE.....MALE.....	1,084	6	6	4	4	4	20	4	12	126
68	FEMALE.....	340	4	10	2	2	2	20	6	14	62
69	NEGRO.....MALE.....	170	2	2	2	2	2	2	2	8	20
70	FEMALE.....	62	2	2	2	2	2	2	2	2	20
71	OTHER RACES..MALE.....	16	2	2	2	2	2	2	2	2	2
72	FEMALE.....	18	2	2	2	2	2	2	2	2	2
73	ACCIDENTAL FALLS.....E880-E887	16,744	114	88	42	40	22	306	86	92	220
74	MALE.....	8,480	78	50	30	18	16	192	48	76	196
75	FEMALE.....	8,264	36	38	12	22	6	114	38	16	24
76	WHITE.....MALE.....	7,568	42	40	22	14	8	126	38	72	174
77	FEMALE.....	7,762	18	22	8	16	8	70	28	16	22
78	NEGRO.....MALE.....	824	36	10	8	4	8	66	10	2	2
79	FEMALE.....	466	12	4	4	2	2	38	10	2	2
80	OTHER RACES..MALE.....	88	2	2	2	2	2	2	2	2	2
81	FEMALE.....	36	6	2	2	2	2	6	2	2	2
82	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,332	72	64	26	32	10	204	66	54	140
83	MALE.....	3,028	48	34	20	12	8	122	36	44	132
84	FEMALE.....	1,304	24	30	6	20	2	82	30	10	8
85	WHITE.....MALE.....	2,646	26	26	14	10	2	78	26	44	122
86	FEMALE.....	1,158	12	18	4	14	2	50	20	10	8
87	NEGRO.....MALE.....	352	22	8	6	6	6	44	10	2	10
88	FEMALE.....	134	6	12	2	2	6	26	10	2	2
89	OTHER RACES..MALE.....	30	2	2	2	2	2	2	2	2	2
90	FEMALE.....	12	6	2	2	2	2	6	2	2	2

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Table with 17 columns representing age groups (20-24 years to 100 years and over) and a 'Not stated' column. Rows contain numerical data for various subcategories, with values ranging from 2 to 2,474.

Table I-27. Deaths From 281 Selected Causes, by Color

(Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classifications of Diseases, Adapted, 1965 (ICDA).)

CAUSE OF DEATH	UNITED STATES						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ALL CAUSES.....	1,963,944	1,096,198	867,746	957,518	763,950	138,680	103,796
02 I. INFECTIVE AND PARASITIC DISEASES.....	15,618	9,048	6,570	6,684	4,944	2,364	1,626
03 CHOLERA.....000	-	-	-	-	-	-	-
04 TYPHOID FEVER.....001	8	6	2	-	2	6	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	68	38	30	20	18	18	12
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	90	54	36	38	26	16	10
07 FOOD POISONING (BACTERIAL).....005	14	10	4	8	4	2	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,286	1,062	1,224	768	946	294	278
09 TUBERCULOSIS, ALL FORMS.....010-019	4,376	3,140	1,236	2,162	852	978	384
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	3,474	2,552	922	1,742	624	810	298
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	70	46	24	22	14	24	10
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	16	10	6	2	2	8	4
13 TUBERCULOSIS OF BONES AND JOINTS.....015	40	18	22	16	20	2	2
14 DISSEMINATED TUBERCULOSIS.....018	178	102	76	56	32	46	44
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	598	412	186	324	160	88	26
16 PLAGUE.....020	-	-	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-	-	-
18 BRUCELLOSIS.....023	6	-	6	-	6	-	-
19 LEPROSY.....030	-	-	-	-	-	-	-
20 DIPHTHERIA.....032	10	6	4	4	4	2	-
21 WHOOPING COUGH.....033	6	-	6	-	2	-	4
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	16	10	6	10	6	-	-
23 ERYSIPELAS.....035	20	10	10	10	10	-	-
24 MENINGOCOCCAL INFECTIONS.....036	350	194	156	154	130	60	26
25 TETANUS.....037	58	20	38	12	24	8	14
26 SEPTICEMIA.....038	4,214	2,324	1,890	1,794	1,424	530	466
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	572	324	248	270	208	54	40
28 ACUTE POLIOMYELITIS.....040-043	2	-	2	-	2	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	74	40	34	40	34	-	-
30 SMALLPOX.....050	-	-	-	-	-	-	-
31 MEASLES.....055	24	16	8	12	6	4	2
32 YELLOW FEVER.....060	2	2	-	2	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	264	136	128	126	106	10	22
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	22	8	14	8	12	-	2
35 INFECTIOUS HEPATITIS.....070	778	318	460	264	334	54	126
36 RABIES.....071	2	2	-	-	-	2	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	920	466	454	382	390	84	64
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	50	38	12	32	12	6	-
39 MALARIA.....084	-	-	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	344	242	102	140	52	102	50
43 CONGENITAL SYPHILIS.....090	8	6	2	4	2	2	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	20	18	2	12	2	6	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	202	144	58	64	22	80	36
47 TABES DORSALIS.....094.0	30	22	8	18	6	4	2
48 GENERAL PARESIS.....094.1	12	4	8	2	4	2	4
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	56	36	20	30	14	6	6
50 ALL OTHER SYPHILIS.....095,097.0,097.9	16	12	4	10	2	2	2
51 GONOCOCCAL INFECTIONS.....098	8	6	2	-	2	6	-
52 SCHISTOSOMIASIS.....120	4	-	-	-	-	-	-
53 HYDATIIDSIS.....122	2	2	-	2	2	-	-
54 FILARIAL INFESTATIONS.....125	2	-	2	-	-	-	2
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	12	8	4	2	4	6	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,016	566	450	424	326	142	124
58 II. NEOPLASMS.....	350,574	190,902	159,672	169,792	143,734	21,110	15,938
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	365,618	188,474	157,144	167,478	141,558	20,796	15,586
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,482	5,348	2,134	4,680	1,872	668	262
61 OF LIP.....140	154	126	28	126	24	-	4
62 OF TONGUE.....141	1,816	1,250	566	1,132	502	118	64
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,144	1,438	706	1,268	422	170	84
64 OF PHARYNX.....146-149	3,368	2,534	834	2,154	724	380	110
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	95,808	51,084	44,724	45,094	40,296	5,990	4,428
66 OF ESOPHAGUS.....150	6,256	4,652	1,604	3,552	1,222	1,100	382
67 OF STOMACH.....151	15,478	9,320	6,158	7,814	5,294	1,506	864
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	710	418	292	374	264	44	28
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	37,088	17,286	19,802	15,958	18,214	1,328	1,588
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,282	1,904	2,378	1,754	2,216	150	162
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,262	562	700	504	638	58	62
72 DESCENDING COLON.....153.2	986	502	484	456	438	46	46
73 SIGMOID COLON.....153.3	4,746	2,326	2,420	2,160	2,240	166	180
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	23,924	11,142	12,782	10,278	11,702	864	1,080
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,888	850	1,038	806	980	44	58
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,180	5,704	4,476	5,262	4,074	442	402
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,382	1,548	834	1,228	714	320	120
78 OF GALLBLADDER AND BILE DUCTS.....156	4,234	1,476	2,758	1,382	2,604	94	154
79 OF PANCREAS.....157	18,040	10,006	8,034	8,938	7,234	1,068	800
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,440	674	766	586	676	88	90
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	76,998	61,160	15,838	54,632	14,402	6,528	1,436
82 OF LARYNX.....161	3,060	2,638	422	2,320	360	318	62
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	72,610	57,668	14,942	51,558	13,626	6,110	1,316
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,328	854	474	754	416	100	58
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	39,562	4,872	34,690	4,804	31,696	368	2,994
86 OF BONE.....170	1,872	1,076	796	954	712	122	84
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,522	810	712	736	612	74	100
88 OF SKIN.....172,173	4,708	2,688	2,020	2,570	1,930	118	90
89 OF BREAST.....174	31,460	298	31,162	244	28,442	54	2,720

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

ALABAMA					ALASKA					ARIZONA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
34,572	13,986	9,994	5,650	4,942	1,440	692	288	260	200	15,810	8,586	5,756	896	572	01
374	114	66	110	84	26	6	8	4	8	212	94	62	28	28	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
6	4	-	2	2	-	-	-	-	-	4	-	2	-	2	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
52	10	8	14	20	2	-	2	-	-	28	6	6	12	4	08
138	46	10	56	26	4	-	-	2	2	58	30	12	6	10	09
118	44	8	46	20	4	-	-	2	2	42	22	8	6	6	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	-	-	2	-	-	-	-	-	-	2	2	-	-	-	12
2	-	-	-	2	-	-	-	-	-	2	2	-	-	-	13
6	2	-	-	4	-	-	-	-	-	2	-	-	-	2	14
10	-	2	8	-	-	-	-	-	-	10	4	4	-	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
2	2	-	-	-	-	-	-	-	-	6	4	2	-	-	23
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	24
92	34	22	18	18	8	4	2	-	2	74	30	28	6	10	25
4	-	4	-	-	-	-	-	-	-	14	12	2	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	4	-	-	-	-	-	-	-	-	2	-	2	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
14	2	4	2	6	2	-	-	-	2	6	4	-	-	2	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
14	2	8	2	2	6	-	4	-	2	4	-	4	-	-	36
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
10	4	-	6	-	2	2	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	45
6	2	-	6	-	2	2	-	-	-	-	-	-	-	-	46
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	55
28	2	8	8	19	-	-	-	-	-	16	8	4	4	-	56
5,474	2,276	1,774	750	674	222	100	68	28	26	2,634	1,408	1,096	76	54	58
5,388	2,242	1,752	734	660	220	100	66	28	26	2,574	1,384	1,068	70	52	59
100	50	18	18	14	6	4	2	-	-	60	38	18	4	-	60
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	61
22	12	8	8	2	2	-	2	-	-	10	8	2	-	-	62
26	12	2	8	4	2	-	-	-	-	20	10	10	-	-	63
52	26	8	10	8	4	4	-	-	-	28	18	6	4	-	64
1,292	500	426	194	172	76	38	12	18	8	660	344	280	18	18	65
98	32	14	42	10	4	2	2	-	-	40	22	14	4	-	66
208	78	50	58	22	12	6	2	4	-	132	76	48	4	4	67
14	6	6	-	2	-	-	-	-	-	6	4	2	-	-	68
460	156	194	36	74	26	12	4	6	4	214	94	112	4	4	69
36	16	14	2	4	4	2	-	2	-	24	2	20	-	2	70
10	8	2	-	-	-	-	-	-	-	4	-	2	2	-	71
16	4	8	2	2	-	-	-	-	-	2	-	2	-	-	72
36	8	16	4	8	-	-	-	-	-	22	10	12	-	-	73
356	120	152	28	56	20	8	4	4	4	148	76	68	2	2	74
6	-	2	-	4	2	2	-	-	-	14	6	8	-	-	75
102	56	24	8	14	4	-	-	-	-	52	32	18	-	2	76
56	32	8	10	6	2	2	-	-	-	26	16	8	-	-	77
52	18	32	-	2	8	4	-	4	-	48	12	28	-	8	78
282	112	94	38	38	20	12	4	4	-	136	84	50	2	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
20	10	4	2	4	-	-	-	-	-	6	4	-	2	-	80
1,244	844	162	190	48	42	30	8	2	2	582	458	110	12	2	81
46	28	6	8	4	-	-	-	-	-	14	14	-	-	-	82
1,190	812	154	180	44	42	30	8	2	2	558	444	100	12	2	83
8	4	2	-	-	-	-	-	-	-	10	-	10	-	-	84
582	74	368	14	126	28	-	22	-	6	270	26	232	2	10	85
50	20	20	4	6	-	-	-	-	-	14	4	8	-	-	86
24	16	-	2	6	-	-	-	-	-	8	2	6	-	-	87
88	38	40	8	2	2	-	-	-	2	34	18	14	2	-	88
420	-	308	-	112	26	-	22	-	4	214	2	204	-	8	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	UNITED STATES						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.							
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,366	19,190	23,176	16,268	20,182	2,922	2,994
02 OF CERVIX UTERI.....180	6,368	...	6,368	...	5,064	...	1,304
03 OF OTHER PARTS OF UTERUS.....181,182	5,724	...	5,724	...	4,920	...	804
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,170	...	10,170	...	9,386	...	784
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	914	...	914	...	812	...	102
06 OF PROSTATE.....185	18,228	18,228	...	15,398	...	2,830	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	962	962	...	870	...	92	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	15,738	10,628	5,110	9,806	4,588	822	522
09 OF BLADDER.....188	8,974	6,316	2,658	5,840	2,338	476	320
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,764	4,312	2,452	3,966	2,250	346	202
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	33,622	17,348	16,274	15,408	14,524	1,940	1,750
12 OF EYE.....190	360	184	176	176	164	8	12
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	8,160	4,650	3,456	4,366	3,230	284	226
14 OF THYROID GLAND.....193	1,054	368	586	332	640	36	46
15 OTHER.....194-199	24,102	12,146	11,956	10,536	10,490	1,612	1,466
16 LEUKEMIA.....200-203,208,209	14,402	9,184	6,218	7,548	5,740	636	478
17 LYMPHATIC LEUKEMIA.....204	4,566	2,718	1,848	2,478	1,724	240	124
18 MYELOID LEUKEMIA.....205	6,270	3,470	2,800	3,220	2,570	250	230
19 MONOCYTTIC LEUKEMIA.....206	588	342	246	322	230	20	16
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	2,978	1,654	1,324	1,528	1,216	126	108
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	19,640	10,660	8,980	9,738	8,258	922	722
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	7,080	3,794	3,286	3,574	3,094	220	192
23 HODGKIN'S DISEASE.....201	3,196	1,880	1,316	1,722	1,228	158	88
24 MULTIPLE MYELOMA.....203	4,866	2,560	2,306	2,180	1,986	380	320
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4,498	2,426	2,072	2,262	1,950	164	122
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,956	2,428	2,528	2,114	2,176	314	352
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	176	...	176	...	108	...	68
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	776	324	452	280	388	44	64
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	834	448	386	384	326	64	60
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	28	...	28	...	24	...	4
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,056	1,018	1,018	912	924	124	94
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,088	620	468	538	406	82	62
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,950	19,576	27,374	16,718	22,696	2,858	4,678
34 NONTOXIC GOITER.....240,241	44	4	40	2	32	2	8
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	320	54	266	36	200	18	66
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	422	90	332	74	302	16	30
37 DIABETES MELLITUS.....250	38,674	15,824	22,850	13,544	18,834	2,280	4,016
38 DISEASES OF PITUITARY GLAND.....252	246	128	118	100	108	28	10
39 DISEASES OF THYMS GLAND.....254	32	20	12	16	12	4	...
40 DISEASES OF ADRENAL GLAND.....255	438	180	258	164	228	16	30
41 NIACIN DEFICIENCY.....262	2	...	2	...	2
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,536	1,148	1,388	920	1,202	228	186
43 CYSTIC FIBROSIS.....273,0	560	288	272	282	264	6	8
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	3,676	1,840	1,836	1,580	1,512	260	324
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,232	2,476	2,756	1,956	2,234	520	522
46 ANEMIAS.....280-285	3,426	1,596	1,830	1,214	1,410	382	420
47 DEFICIENCY ANEMIAS.....280,281	472	194	278	182	246	12	32
48 HEMOLYTIC ANEMIAS.....282,283	768	366	402	148	188	218	214
49 APLASTIC ANEMIA.....284	1,168	592	576	542	510	50	66
50 OTHER AND UNSPECIFIED ANEMIAS.....285	1,018	444	574	342	466	102	108
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	570	238	332	204	308	34	24
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,236	642	594	538	516	104	78
53 V. MENTAL DISORDERS.....	8,678	5,936	2,742	4,156	2,110	1,780	632
54 SENILE AND PRESENTILE DEMENTIAS.....290	680	270	410	246	384	24	26
55 ALCOHOLIC PSYCHOSES.....291	492	442	50	350	40	92	10
56 ALL OTHER PSYCHOSES.....294-299	228	94	134	80	122	14	12
57 ALCOHOLISM.....303	4,416	3,382	1,034	2,358	710	1,024	324
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,602	1,606	996	990	768	616	228
59 MENTAL RETARDATION.....310-315	260	142	118	132	86	10	32
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,802	9,070	7,732	7,728	6,680	1,342	1,052
61 MENINGITIS.....320	1,482	836	646	588	412	248	234
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	800	622	178	572	160	50	18
63 MULTIPLE SCLEROSIS.....340	1,704	618	1,086	566	986	52	100
64 PARALYSIS AGITANS.....342	3,236	1,692	1,544	1,636	1,498	56	46
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	742	402	340	346	292	56	48
66 EPILEPSY.....345	1,844	1,116	728	762	550	354	178
67 INFLAMMATORY DISEASES OF EYE.....360-369	14	4	10	4	6	...	4
68 CATARACT.....374	60	18	42	14	32	4	10
69 GLAUCOMA.....375	4	2	2	2	2
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	156	84	72	62	56	22	16
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,760	3,676	3,084	3,176	2,686	500	398
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,052,966	562,622	490,344	506,986	439,400	55,636	50,944
73 ACTIVE RHEUMATIC FEVER.....390-392	180	90	90	72	72	18	18
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,938	6,460	7,478	5,824	6,864	636	614
75 DISEASES OF MITRAL VALVE.....394	3,610	1,302	2,308	1,164	2,152	138	156
76 DISEASES OF AORTIC VALVE.....395	3,966	2,588	1,378	2,320	1,248	268	130
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	706	280	426	246	402	34	24
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	5,656	2,290	3,366	2,094	3,062	196	304
79 HYPERTENSIVE DISEASE.....400-404	21,292	9,684	11,608	7,506	9,278	2,178	2,330
80 MALIGNANT HYPERTENSION.....400	1,120	600	520	314	284	286	236
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,152	478	674	370	522	108	152
82 HYPERTENSIVE HEART DISEASE.....402	7,760	3,058	4,702	2,224	3,666	834	1,056
83 HYPERTENSIVE RENAL DISEASE.....403	5,482	2,848	2,634	2,336	2,140	512	494
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	5,778	2,700	3,078	2,262	2,686	438	392

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

	ALABAMA				Total	ALASKA				Total	ARIZONA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
790	204	276	148	162	20	-	16	4	-	270	126	124	8	12	01
186	...	108	...	78	4	...	4	...	-	36	...	30	...	6	02
84	...	38	...	46	2	...	2	...	-	26	...	24	...	2	03
148	...	112	...	36	8	...	8	...	-	72	...	68	...	4	04
20	...	18	...	2	2	...	2	...	-	2	...	2	...	-	05
332	...	146	2	...	2	...	-	124	8	06
20	...	2	...	12	2	...	2	...	-	10	07
228	118	64	34	12	6	2	2	2	4	126	90	36	-	-	08
118	66	22	26	4	2	2	-	-	-	60	46	14	-	-	09
110	52	42	8	8	4	-	-	-	4	66	44	22	-	-	10
586	210	230	76	70	28	12	6	4	6	324	156	148	14	6	11
2	-	-	-	2	-	2	-	-	-	2	2	-	-	-	12
132	60	60	12	-	6	4	2	-	-	62	32	24	6	-	13
14	2	8	-	4	-	4	-	-	-	8	2	6	-	-	14
438	148	162	64	64	22	8	4	4	6	252	120	118	8	6	15
258	108	106	22	22	2	2	-	-	-	126	76	46	2	2	16
82	26	40	12	4	-	-	-	-	-	32	20	12	-	-	17
110	52	40	6	12	-	-	-	-	-	48	28	18	2	-	18
18	8	10	-	-	-	-	-	-	-	8	4	2	-	2	19
48	22	16	4	6	2	2	-	-	-	38	24	14	-	-	20
308	134	102	38	34	12	12	-	-	-	156	70	74	10	2	21
112	52	42	14	4	4	4	-	-	-	60	20	38	2	-	22
44	22	16	2	4	2	2	-	-	-	18	12	6	-	-	23
88	36	16	16	20	4	4	-	-	-	50	16	6	2	2	24
64	24	28	6	6	2	2	-	-	-	28	12	14	2	-	25
86	34	22	16	14	2	2	-	-	-	60	24	28	6	2	26
4	...	-	...	4	-	...	-	-	-	2	...	-	...	2	27
10	2	4	2	-	-	-	-	-	-	12	4	6	2	-	28
14	4	8	2	-	-	-	-	-	-	8	4	4	-	-	29
-	...	-	...	-	-	...	-	-	-	-	...	-	...	-	30
44	22	10	6	6	2	-	2	-	-	32	14	14	4	-	31
14	6	-	6	2	-	-	-	-	-	6	2	4	-	-	32
830	212	266	114	238	14	4	8	-	2	362	140	152	34	36	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
10	-	4	2	4	-	-	-	-	-	4	2	2	-	-	35
8	-	8	-	-	-	-	-	-	-	-	-	-	-	-	36
682	176	202	102	202	8	2	4	-	2	254	98	100	24	32	37
2	-	-	-	-	-	-	-	-	-	4	2	2	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
4	-	2	2	-	-	-	-	-	-	8	2	6	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
36	6	16	4	10	2	-	2	-	-	38	14	18	6	-	42
12	8	4	-	-	-	-	-	-	-	12	8	4	-	-	43
76	22	30	4	20	4	2	2	-	-	32	14	10	4	4	44
110	26	38	26	20	4	2	-	2	-	32	10	16	4	2	45
88	16	26	26	20	2	2	-	-	-	16	4	10	-	2	46
8	4	2	2	-	-	-	-	-	-	2	-	-	-	2	47
32	-	2	16	14	-	-	-	-	-	4	-	4	-	-	48
24	10	12	2	-	2	2	-	-	-	8	4	2	-	-	49
24	2	10	-	6	-	-	-	-	-	2	4	4	-	-	50
10	4	6	-	-	-	-	-	-	-	4	4	-	-	-	51
12	6	6	-	-	2	-	-	2	-	8	2	4	4	-	52
112	56	34	18	4	48	14	4	22	8	98	52	26	18	2	53
10	-	8	2	-	-	-	-	-	-	8	2	6	-	-	54
6	6	-	-	-	2	2	-	-	-	8	6	-	2	-	55
4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	56
58	34	10	12	2	44	10	4	22	8	52	28	14	8	2	57
32	14	14	2	2	2	2	-	-	-	22	12	6	4	-	58
2	2	-	-	-	-	-	-	-	-	8	4	-	4	-	59
308	116	86	48	58	12	2	2	6	2	162	78	64	12	8	60
44	6	8	16	14	4	-	-	4	-	26	10	6	4	6	61
18	12	2	2	2	-	-	-	-	-	6	6	-	-	-	62
14	-	6	2	6	-	-	-	-	-	14	4	10	-	-	63
38	20	18	-	-	2	-	2	-	-	34	20	12	2	-	64
26	14	6	-	6	-	-	-	-	-	14	4	8	2	-	65
32	16	-	8	8	-	-	-	-	-	20	12	4	2	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	70
132	46	46	18	22	6	2	-	2	2	46	20	24	2	-	71
17,438	6,994	5,616	2,378	2,450	436	244	80	66	46	6,980	3,908	2,768	168	136	72
2	-	-	2	-	-	-	-	-	-	2	2	-	-	-	73
130	60	34	14	22	8	-	2	2	4	152	66	82	4	-	74
32	14	10	2	6	-	-	-	-	-	50	10	38	2	-	75
54	26	16	8	4	2	-	-	2	-	34	28	6	-	-	76
6	2	2	-	2	-	-	-	-	-	12	8	4	-	-	77
38	18	6	4	10	6	-	2	4	-	56	20	34	2	-	78
406	96	98	94	118	6	4	2	-	-	104	42	50	2	10	79
28	6	2	6	14	-	-	-	-	-	2	-	2	-	-	80
46	12	6	20	8	-	-	-	-	-	4	-	2	-	2	81
120	22	20	36	42	2	2	-	-	-	60	22	28	2	8	82
100	30	20	16	34	12	-	-	-	-	28	12	12	-	-	83
112	26	50	16	20	2	2	-	-	-	10	4	6	-	-	84

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1966 (ICDA).]

CAUSE OF DEATH	UNITED STATES						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	684,424	388,030	296,394	355,572	269,230	32,458	27,164
02 WITH HYPERTENSIVE DISEASE (01).....	75,472	35,122	40,350	29,118	33,592	6,004	6,758
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	608,952	352,908	256,044	326,454	235,638	26,454	20,406
04 ACUTE MYOCARDIAL INFARCTION.....410	357,844	224,718	133,126	209,784	122,168	14,934	10,958
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,528	2,942	1,586	2,564	1,358	378	228
06 CHRONIC ISCHEMIC HEART DISEASE.....412	321,884	160,270	161,614	143,124	145,642	17,146	15,972
07 ANGINA PECTORIS.....413	168	100	68	100	62	-	6
08 OTHER FORMS OF HEART DISEASE.....420-429	43,784	24,296	19,488	19,648	16,082	4,448	3,406
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	460	242	218	186	166	56	50
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	638	406	232	320	182	86	50
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,128	522	606	460	562	62	44
12 OF MITRAL VALVE, NONRHEUMATIC.....424.1	46	10	36	10	28	-	8
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	194	110	84	106	78	4	6
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	888	402	486	344	456	58	30
15 SYMPTOMATIC HEART DISEASE.....427	24,344	12,720	11,624	10,694	9,784	2,026	1,840
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	4,484	2,224	2,260	1,918	1,970	306	290
17 ALL OTHER FORMS OF HEART DISEASE.....423+425,426,429	12,730	8,182	4,548	6,270	3,416	1,912	1,132
18 CEREBROVASCULAR DISEASES.....430-438	213,344	95,380	117,964	83,210	104,140	12,170	13,824
19 WITH HYPERTENSION (BENIGN) (01).....	26,584	11,352	15,232	8,918	12,072	2,434	3,160
20 WITHOUT MENTION OF HYPERTENSION (.9).....	186,760	84,028	102,732	74,292	92,068	9,736	10,664
21 SUBARACHNOID HEMORRHAGE.....430	9,352	3,852	5,500	3,176	4,586	676	914
22 CEREBRAL HEMORRHAGE.....431	36,748	17,302	19,446	14,670	16,682	2,632	2,764
23 CEREBRAL THROMBOSIS.....433	57,482	25,256	32,226	22,716	29,176	2,540	3,050
24 CEREBRAL EMBOLISM.....434	976	450	526	424	468	26	58
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,142	1,826	1,316	1,664	1,186	162	130
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	65,452	29,632	35,820	25,130	30,548	4,502	5,272
27 OTHER CEREBROVASCULAR DISEASES.....437,438	40,192	17,062	23,130	15,430	21,494	1,632	1,636
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,184	29,664	28,520	27,304	26,238	2,360	2,282
29 ARTERIOSCLEROSIS.....440	32,486	13,738	18,748	12,558	17,472	1,180	1,276
30 AORTIC ANEURYSM (NONYPHILITIC).....441	14,136	10,206	3,930	9,630	3,546	576	384
31 GANGRENE.....445	2,758	1,362	1,396	1,180	1,200	182	196
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,804	4,358	4,446	3,936	4,020	422	426
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,820	9,018	8,802	7,650	7,496	1,368	1,306
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,888	7,916	7,972	6,706	6,780	1,210	1,192
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,932	1,102	830	944	716	158	114
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	116,136	74,504	41,632	66,066	36,950	8,438	4,682
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	504	278	226	224	180	54	46
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,146	678	468	544	364	134	104
39 INFLUENZA.....470-474	4,986	2,390	2,596	2,178	2,392	212	204
40 PNEUMONIA.....480-486	97,594	32,334	25,260	27,280	22,076	5,054	3,186
41 VIRAL PNEUMONIA.....481	1,734	880	854	772	754	108	100
42 BACTERIAL PNEUMONIA.....481,482	6,844	4,084	2,760	3,290	2,308	794	452
43 ACUTE INTERSTITIAL PNEUMONIA.....484	964	564	400	402	298	162	102
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	23,924	13,352	10,572	11,374	9,426	1,978	1,146
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	24,128	13,454	10,674	11,442	9,290	2,012	1,384
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	30,768	23,646	7,122	22,228	6,564	1,418	558
47 BRONCHITIS, UNQUALIFIED.....490	778	420	358	352	294	68	64
48 CHRONIC BRONCHITIS.....491	5,084	3,794	1,290	3,582	1,224	212	68
49 EMPHYSEMA.....492	22,580	18,428	4,152	17,528	3,982	900	170
50 ASTHMA.....493	2,326	1,004	1,322	766	1,066	238	256
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	26	16	10	10	8	6	2
52 EMPHYEMA AND ABSCESS OF LUNG.....510,513	1,202	818	384	620	314	198	70
53 PLEURISY.....511	342	186	156	158	146	28	10
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,410	2,184	1,226	2,046	1,148	138	78
55 BRONCHIECTASIS.....518	872	478	394	428	368	50	26
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	15,286	11,496	3,790	10,350	3,390	1,146	400
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	74,768	43,636	31,132	37,294	26,940	6,342	4,192
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	32	14	18	8	18	6	-
59 PEPTIC ULCER.....531-533	7,916	5,214	2,702	4,622	2,478	592	224
60 ULCER OF STOMACH.....531	3,274	1,948	1,326	1,686	1,224	262	102
61 ULCER OF DUODENUM.....532	3,510	2,480	1,030	2,238	934	242	96
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,132	786	346	698	320	88	26
63 GASTRITIS AND DUODENITIS.....535	578	374	204	316	178	58	26
64 APPENDICITIS.....540-543	1,206	712	494	596	402	116	92
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,790	2,960	3,830	2,540	3,440	420	390
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	36	10	26	8	18	2	8
67 DIVERTICULA OF INTESTINE.....562	3,534	1,366	2,168	1,310	2,044	56	124
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,068	436	632	410	562	26	70
69 CIRRHOSIS OF LIVER.....571	32,576	21,422	11,154	17,964	9,174	3,458	1,980
70 ALCOHOLIC.....571.0	12,576	8,788	3,788	7,154	2,966	1,634	822
71 OTHER SPECIFIED.....571.8	5,140	3,008	2,132	2,388	1,752	620	380
72 UNSPECIFIED.....571.9	14,860	9,626	5,234	6,422	4,456	1,204	778
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,666	1,622	2,044	1,522	1,896	100	148
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,366	9,506	7,860	7,998	6,730	1,508	1,130
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	27,850	15,406	12,444	12,340	9,906	3,066	2,538
76 NEPHRITIS AND NEPHROSIS.....580-584	8,548	4,656	3,892	3,442	2,840	1,214	1,052
77 ACUTE NEPHRITIS.....580	1,078	630	448	498	356	132	92
78 NEPHROTIC SYNDROME.....581	388	210	178	172	148	38	30
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	7,082	3,816	3,266	2,772	2,336	1,044	930
80 INFECTIONS OF KIDNEY.....590	6,946	3,074	3,872	2,562	3,222	512	650
81 CALCULI OF URINARY SYSTEM.....592,594	812	404	408	372	372	32	36
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,264	4,716	3,548	3,754	2,924	962	624
83 HYPERTROPHY OF PROSTATE.....600	1,862	1,862	-	1,622	-	240	-
84 DISEASES OF BREAST.....610,611	24	-	24	-	24	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,394	694	700	588	524	106	176
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	612	-	612	-	380	-	232
87 ECTOPIC PREGNANCY.....631	48	-	48	-	28	-	20
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	50	-	50	-	56	-	34
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	72	-	72	-	44	-	28

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

ALABAMA					ALASKA					ARIZONA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9,568	4,380	3,008	1,094	1,086	238	150	30	42	16	4,542	2,784	1,608	92	58	01
1,434	366	412	292	364	8	4	2	2	2	378	192	172	4	10	02
8,134	4,014	2,596	802	722	230	146	30	40	14	4,164	2,592	1,436	88	48	03
5,736	3,002	1,674	550	510	160	104	18	30	8	2,250	1,520	676	32	22	04
18	6	4	4	4	6	4	4	6	4	260	210	34	14	2	05
3,808	1,368	1,328	540	572	72	46	12	6	8	2,030	1,054	896	46	34	06
6	4	2	2	2	2	2	2	2	2	2	2	2	2	2	07
1,952	552	382	246	172	60	34	12	8	6	296	120	132	28	16	08
4	4	2	2	2	2	2	2	2	2	2	2	2	2	2	09
22	10	6	6	2	2	2	2	2	2	6	6	4	2	2	10
4	4	2	2	2	2	2	2	2	2	8	4	4	2	2	11
22	10	6	6	2	2	2	2	2	2	2	2	2	2	2	12
526	166	190	88	82	34	18	4	6	6	178	72	84	14	8	13
84	38	32	6	8	2	2	2	2	2	22	8	12	2	2	14
712	334	152	146	80	24	14	8	2	2	80	30	32	14	4	15
4,700	1,394	1,652	768	886	78	28	22	14	14	1,290	586	638	28	38	16
600	112	150	136	202	12	2	4	4	2	130	48	72	2	2	17
4,100	1,282	1,502	632	684	66	26	18	10	12	1,160	538	566	26	30	18
178	50	68	34	26	10	4	4	2	2	82	20	54	6	2	19
882	226	262	166	228	4	2	2	2	2	172	82	82	6	8	20
1,234	398	450	186	200	12	2	2	4	4	284	134	132	6	12	21
8	2	2	2	4	2	2	2	2	2	4	2	2	2	2	22
32	22	4	6	2	2	2	2	2	2	34	22	8	2	2	23
1,714	490	590	292	342	34	12	10	8	4	364	176	174	8	6	24
652	206	276	84	86	16	6	6	4	4	350	150	186	6	8	25
934	390	324	102	118	36	24	10	2	2	436	236	184	8	8	26
500	174	196	62	68	20	14	6	2	2	236	92	132	6	6	27
214	134	30	20	30	10	8	2	2	2	124	102	20	2	2	28
44	12	18	6	8	2	2	2	2	2	10	10	2	2	2	29
176	70	80	14	12	6	4	2	2	2	66	32	32	2	2	30
346	122	118	58	48	10	6	4	4	4	158	72	74	6	6	31
294	100	100	50	44	8	4	2	2	2	142	60	72	4	6	32
52	22	18	8	4	2	2	2	2	2	16	12	2	2	2	33
1,842	878	424	336	204	74	38	12	14	10	1,424	914	392	60	58	34
14	8	2	4	2	2	2	2	2	2	4	4	4	2	2	35
6	2	2	2	2	2	2	2	2	2	24	14	6	2	2	36
134	62	46	14	12	10	2	4	4	2	48	24	22	2	2	37
912	334	232	198	148	40	20	8	2	10	556	268	198	40	50	38
24	8	2	10	4	2	2	2	2	2	22	8	12	2	2	39
142	44	28	40	30	6	2	2	4	4	76	28	32	8	8	40
6	4	2	6	2	2	2	2	2	2	4	2	2	2	2	41
274	106	76	62	30	10	6	2	2	2	214	114	78	12	10	42
466	176	126	80	84	22	10	6	2	4	240	116	76	18	30	43
426	284	78	42	22	10	8	2	2	2	452	360	88	2	2	44
6	2	2	2	2	2	2	2	2	2	6	2	4	2	2	45
56	28	20	6	2	2	2	2	2	2	56	44	10	2	2	46
314	238	38	32	6	6	6	6	2	2	350	294	54	2	2	47
50	16	18	2	14	2	2	2	2	2	40	20	20	2	2	48
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	49
34	8	2	16	10	4	4	2	2	2	10	4	4	2	2	50
6	4	2	2	2	2	2	2	2	2	2	2	2	2	2	51
62	26	22	12	2	2	2	2	2	2	42	28	10	2	2	52
18	2	10	6	2	2	2	2	2	2	50	26	22	2	2	53
228	148	30	42	8	10	4	6	2	2	236	188	38	10	2	54
932	410	300	118	104	68	30	14	8	16	720	372	242	56	50	55
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	56
96	64	16	10	6	6	4	2	2	2	66	36	28	2	2	57
26	14	6	4	2	2	2	2	2	2	26	14	10	2	2	58
40	32	2	2	4	2	2	2	2	2	30	14	16	2	2	59
30	18	8	4	2	2	2	2	2	2	10	8	2	2	2	60
12	2	4	6	2	2	2	2	2	2	6	4	2	2	2	61
26	10	10	2	4	6	2	2	2	2	6	4	2	2	2	62
110	30	42	18	20	6	2	2	2	2	56	20	32	2	2	63
42	6	30	4	2	2	2	2	2	2	16	6	10	2	2	64
24	10	12	2	2	2	2	2	2	2	10	4	4	2	2	65
300	166	78	26	30	38	16	10	6	6	318	168	86	38	26	66
86	58	18	6	4	26	10	6	6	4	154	82	28	24	20	67
40	26	4	4	6	2	2	2	2	2	38	14	16	8	2	68
174	82	56	16	20	10	4	4	2	2	126	72	42	6	6	69
60	20	30	6	4	2	2	2	2	2	24	10	8	2	4	70
262	102	78	46	36	18	10	2	2	6	224	124	72	12	16	71
640	240	142	136	122	8	2	2	2	6	294	120	112	34	28	72
170	46	26	48	50	2	2	2	2	2	86	36	30	14	6	73
24	10	2	10	2	2	2	2	2	2	12	4	6	2	2	74
6	4	2	2	2	2	2	2	2	2	8	4	2	2	2	75
140	32	24	38	46	2	2	2	2	2	66	28	22	12	4	76
172	50	62	38	38	2	2	2	2	2	86	28	42	6	10	77
22	10	8	2	2	2	2	2	2	2	6	2	4	2	2	78
172	74	34	48	16	6	2	2	4	4	96	46	32	10	8	79
62	50	...	12	...	2	2	2	2	2	8	6	...	2	...	80
42	10	12	4	16	2	2	2	2	2	12	2	4	2	4	81
34	...	14	...	20	2	2	2	2	2	12	...	6	...	6	82
2	...	2	...	2	2	2	2	2	2	4	...	2	...	2	83
2	...	2	...	2	2	2	2	2	2	4	...	2	...	2	84
2	...	2	...	2	2	2	2	2	2	4	...	2	...	2	85

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).]

CAUSE OF DEATH	UNITED STATES						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ABORTIONS.....640-645	70	---	70	---	38	---	32
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	10	---	10	---	2	---	8
03 ABORTION INDUCED FOR OTHER REASONS.....642	26	---	26	---	14	---	12
04 SPONTANEOUS ABORTION.....643	12	---	12	---	12	---	---
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	22	---	22	---	10	---	12
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	148	---	148	---	96	---	52
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	184	---	184	---	118	---	66
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-	---	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,770	682	1,088	526	798	156	290
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	402	212	190	172	152	40	38
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,368	470	898	354	646	116	252
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,828	1,660	3,168	1,456	2,714	204	454
13 ARTHRITIS AND SPONDYLITIS.....710-715	1,966	698	1,268	634	1,190	64	78
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	172	68	104	56	78	12	26
15 OSTEOMYELITIS AND PERIOSTITIS.....720	152	72	80	50	66	22	14
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	150	46	104	38	96	8	8
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2,388	776	1,612	678	1,284	98	328
18 XIV. CONGENITAL ANOMALIES.....	14,698	7,860	6,838	6,656	5,738	1,204	1,100
19 SPINA BIFIDA.....741	702	300	402	270	382	30	20
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	2,380	1,122	1,258	960	1,082	162	176
21 CONGENITAL ANOMALIES OF HEART.....746	6,046	3,342	2,704	2,834	2,226	508	478
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,076	564	512	468	424	96	88
23 CLEFT PALATE AND CLEFT LIP.....749	50	22	28	14	24	8	4
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	4,444	2,510	1,934	2,110	1,600	400	334
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	33,798	19,752	14,046	14,538	10,000	5,214	4,046
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	27,500	16,460	11,040	11,656	7,514	4,804	3,526
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,306	440	866	342	692	98	174
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	26,194	16,020	10,174	11,314	6,822	4,706	3,352
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	165,164	116,608	48,556	92,966	41,212	23,642	7,344
30 ACCIDENTS.....E800-E949	115,448	79,762	35,686	67,190	31,036	12,572	4,650
31 RAILWAY ACCIDENTS.....E800-E807	692	574	118	434	98	140	20
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	56,278	40,194	16,084	34,566	14,198	5,628	1,886
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	55,214	39,414	15,800	33,900	13,938	5,514	1,862
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,260	866	394	766	378	100	16
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,704	13,900	6,804	12,358	6,136	1,542	668
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	9,300	6,386	2,914	4,922	2,370	1,464	544
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	7,234	5,720	1,514	5,084	1,350	636	164
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,940	7,738	2,202	6,698	1,940	1,040	262
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,776	4,804	1,972	4,072	1,764	732	208
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,064	780	284	666	260	114	24
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	306	194	112	166	104	28	8
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,568	1,434	134	1,218	118	216	16
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,636	1,344	292	1,318	284	26	8
44 ACCIDENTAL POISONING.....E850-E877	5,418	3,724	1,694	2,890	1,316	834	378
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,516	1,576	940	1,142	724	434	216
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,212	878	334	664	252	214	82
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,690	1,270	420	1,094	340	186	80
48 ACCIDENTAL FALLS.....E880-E887	16,744	8,480	8,264	7,568	7,762	912	592
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,332	3,028	1,304	2,646	1,158	382	146
50 FALL ON SAME LEVEL.....E885, E886	758	396	362	370	346	26	16
51 OTHER AND UNSPECIFIED FALLS.....E887	11,654	5,056	6,598	4,552	6,258	504	340
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,714	4,072	2,642	2,996	1,882	1,076	760
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	6,196	5,118	1,078	3,852	900	1,266	178
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	2,830	1,712	1,118	1,404	928	308	190
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,442	2,090	352	1,624	244	466	108
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	5,738	5,200	538	4,566	450	634	88
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	126	102	24	64	10	38	14
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	518	422	96	368	82	54	14
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924-E926	282	168	114	128	88	40	26
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,088	1,018	70	934	64	84	6
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3,724	3,490	234	3,072	206	418	28
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,324	1,782	1,542	1,558	1,340	224	202
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	5,562	3,844	1,718	3,030	1,412	814	306
64 SUICIDE.....E950-E959	25,004	17,768	7,236	16,476	6,788	1,292	448
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,972	1,504	2,468	1,424	2,310	80	158
66 SUICIDE FROM POISONING BY GASES.....E951, E952	2,478	1,738	740	1,696	730	42	10
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,300	2,510	790	2,282	750	228	40
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	13,348	10,852	2,496	10,052	2,318	800	178
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	1,906	1,164	742	1,022	680	142	62
70 HOMICIDE.....E960-E978	19,638	15,642	3,996	6,820	2,156	8,822	1,840
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,382	11,150	2,232	4,610	1,112	6,540	1,120
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,196	2,580	616	1,004	304	1,576	312
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,760	1,616	1,144	1,070	740	546	404
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	300	296	4	136	-	160	4
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,044	3,406	1,638	2,456	1,232	950	406
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	30	30	-	24	-	6	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
4	...	2	...	2	-	...	-	...	-	-	...	-	...	-
2	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
10	...	4	...	6	-	...	-	...	-	2	...	-	...	2
14	...	6	...	8	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
36	6	20	2	8	-	-	-	-	-	16	8	4	-	4
6	-	4	-	2	-	-	-	-	-	2	2	-	-	-
30	6	16	2	6	-	-	-	-	-	14	6	4	-	4
90	26	38	12	14	4	-	2	-	2	52	16	32	-	4
34	6	22	6	-	2	-	2	-	-	22	8	14	-	-
2	-	2	-	-	-	-	-	-	-	2	-	2	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
52	18	14	6	14	-	-	-	-	-	28	8	16	-	4
292	104	108	42	38	36	18	8	4	6	170	78	66	12	14
14	2	12	-	-	-	-	-	-	-	8	4	2	-	2
42	14	10	8	10	2	-	-	2	-	22	10	10	2	-
106	40	36	20	10	20	8	8	2	2	82	42	26	4	10
22	8	8	-	6	2	2	-	-	-	24	12	6	4	2
108	40	42	14	12	12	8	-	-	4	34	10	22	2	-
748	238	160	208	142	60	28	12	14	6	306	136	124	32	14
1,856	582	292	512	470	50	14	12	6	18	324	118	102	72	32
36	8	10	4	14	18	8	4	2	4	12	-	12	-	-
1,820	574	282	508	456	32	6	8	4	14	312	118	90	72	32
3,456	1,708	616	840	292	378	190	58	86	44	2,012	1,134	492	290	96
2,606	1,340	510	542	214	276	136	44	60	36	1,444	798	356	220	70
16	4	2	10	-	-	-	-	-	-	10	2	2	6	-
1,380	772	272	266	70	68	24	22	6	16	778	426	192	124	36
1,368	768	272	262	66	66	24	20	6	16	748	412	182	118	36
34	24	10	-	-	-	-	-	-	-	4	-	2	2	-
484	248	134	78	24	24	12	6	2	4	288	156	84	30	18
152	56	18	60	18	12	2	4	2	4	154	74	28	48	4
106	84	14	8	-	2	2	-	-	-	84	60	14	8	2
318	214	36	62	6	2	2	4	-	-	186	106	46	24	10
274	142	60	54	18	32	6	6	2	8	32	16	8	6	2
12	4	-	4	4	2	-	2	-	-	30	14	10	6	-
6	2	4	-	-	-	-	-	-	-	10	2	-	8	-
44	36	4	4	-	30	18	2	10	-	6	4	2	-	-
20	12	8	-	-	24	22	2	-	-	32	30	2	-	-
74	36	10	22	6	8	4	2	2	-	88	52	24	8	4
20	8	8	4	-	2	2	-	-	-	38	20	12	4	2
26	10	2	12	2	2	4	2	2	-	26	18	4	4	-
28	18	-	6	4	2	2	2	-	-	24	14	8	-	2
258	100	102	28	28	12	8	2	2	2	118	60	44	10	4
46	24	8	6	8	4	2	-	-	2	38	30	4	4	-
6	2	2	-	-	2	2	-	-	-	2	2	-	-	-
206	74	92	20	20	2	4	-	-	-	78	28	40	6	4
174	46	44	28	56	30	20	4	6	6	52	20	22	6	4
146	70	6	64	6	48	18	-	24	6	100	68	14	12	6
30	10	10	6	4	6	2	2	2	-	36	16	8	8	4
108	58	4	38	8	16	6	6	4	-	18	8	4	4	2
164	118	4	38	4	16	12	4	-	-	54	38	4	12	-
14	4	-	8	2	-	-	-	-	-	2	2	-	-	-
8	4	-	4	-	6	4	2	-	-	10	6	2	2	-
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
26	22	2	2	-	2	2	-	-	-	18	18	-	-	-
116	88	2	24	2	6	6	-	-	-	24	12	2	10	-
54	16	18	6	14	-	-	-	-	-	56	30	20	4	2
132	60	22	32	18	18	2	4	6	6	86	42	18	18	8
340	226	76	30	8	54	32	6	12	4	336	206	100	24	6
18	4	12	2	-	6	2	-	2	2	50	20	28	2	-
14	14	-	-	-	4	4	-	-	-	22	12	8	-	-
12	8	-	4	-	6	2	4	-	-	28	14	4	8	-
270	188	58	20	4	38	24	2	10	2	212	144	52	12	4
26	12	6	4	4	-	-	-	-	-	24	16	8	-	-
484	130	26	260	68	32	16	4	8	4	178	102	24	36	16
382	106	12	216	48	22	14	4	4	-	114	74	14	20	6
62	12	4	32	14	-	-	-	-	-	34	18	2	12	2
34	10	10	8	6	10	2	-	4	4	28	8	8	4	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	-	4	-	-	-	-	-	-	2	2	-	-	-
26	12	4	8	2	16	6	4	6	-	54	28	12	10	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	21,798	10,152	7,272	2,404	1,970
02 I. INFECTIVE AND PARASITIC DISEASES.....	210	68	84	28	30
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	-	-	-	2
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	4	-	2	-	2
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	24	2	10	4	8
09 TUBERCULOSIS, ALL FORMS.....010-019	60	30	18	10	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	56	30	14	10	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016-017,019	4	-	4	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHtherIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	8	-	4	-	4
25 TETANUS.....037	2	-	2	-	-
26 SEPTICEMIA.....038	62	18	32	6	6
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	8	2	6	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	8	4	2	-	2
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	2	2	-	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	8	2	6	-	-
38 TYPHUS AND OTHER RICKETTSIOSES.....080-083	2	2	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	6	2	-	2	2
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.0	2	-	-	2	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	2	2	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	2	-	-	-	2
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HWATIASIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	14	4	2	6	2
58 II. NEOPLASMS.....	3,520	1,670	1,220	338	292
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	3,460	1,640	1,206	336	278
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	48	32	12	2	2
61 OF LIP.....140	4	4	-	-	-
62 OF TONGUE.....141	8	6	2	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	16	10	4	-	2
64 OF PHARYNX.....146-149	20	12	6	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	944	420	338	102	84
66 OF ESOPHAGUS.....150	42	28	-	10	4
67 OF STOMACH.....151	140	66	32	26	16
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	8	6	2	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	358	150	150	30	20
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	38	18	18	-	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	4	2	2	-	-
72 DESCENDING COLON.....153.2	8	-	6	-	2
73 SIGMOID COLON.....153.3	32	20	6	2	4
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	262	108	116	26	12
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	16	2	10	2	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	90	40	34	10	6
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	30	12	6	8	4
78 OF GALLBLADDER AND BILE DUCTS.....156	26	4	18	-	4
79 OF PANCREAS.....157	232	108	84	16	24
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	18	6	4	2	6
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	768	558	126	66	18
82 OF LARYNX.....161	12	10	2	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	748	542	122	66	18
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	8	6	2	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	354	46	252	-	56
86 OF BONE.....170	16	4	10	-	2
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	12	6	-	-	-
88 OF SKIN.....172,173	60	36	20	-	4
89 OF BREAST.....174	266	-	216	-	50

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

CALIFORNIA					COLORADO					CONNECTICUT					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
169,984	85,430	70,776	8,142	5,636	17,824	9,760	7,462	370	232	26,350	13,648	11,468	698	536	01
1,078	496	402	94	86	160	70	78	8	4	204	108	82	6	8	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
6	2	2	2	-	-	-	-	-	-	2	-	2	-	-	04
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	05
144	52	76	10	6	42	16	26	2	-	34	14	20	-	-	06
254	146	48	40	20	26	12	10	4	-	54	30	20	4	-	07
196	90	30	22	14	16	8	4	4	-	38	22	12	4	-	08
10	4	2	2	2	2	2	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
2	-	2	-	-	2	-	2	-	-	-	-	-	-	-	11
18	8	4	6	-	-	-	-	-	-	2	2	-	-	-	12
68	44	10	10	4	6	2	4	-	-	14	6	8	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
4	2	2	-	-	2	-	2	-	-	-	-	-	-	-	21
36	20	14	2	-	8	6	2	-	-	2	2	-	-	-	22
2	2	-	2	-	2	-	-	-	-	-	-	-	-	-	23
252	130	89	14	20	46	22	20	-	4	56	40	14	-	-	24
24	12	12	-	-	6	2	4	-	-	4	4	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
18	6	12	-	-	2	2	-	-	-	-	-	-	-	-	27
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
18	8	10	-	-	-	-	-	-	-	6	-	4	-	-	30
6	2	4	4	-	-	-	-	-	-	-	-	-	-	-	31
94	32	46	4	12	4	2	2	-	-	8	2	4	2	-	32
2	2	-	2	-	12	4	8	-	-	12	2	10	-	-	33
88	34	46	2	6	12	4	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
28	12	6	4	6	4	2	-	2	-	2	2	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	45
18	4	4	4	6	4	2	-	2	-	-	-	-	-	-	46
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
4	4	-	-	-	-	-	-	-	-	2	2	-	-	-	48
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
94	32	34	14	14	8	4	4	-	-	22	10	8	-	4	57
32,136	15,772	13,964	1,358	1,042	2,830	1,420	1,314	62	34	5,440	2,764	2,440	122	114	58
31,636	15,576	13,700	1,330	1,030	2,768	1,388	1,288	60	32	5,388	2,742	2,418	120	108	59
736	454	216	40	26	42	26	16	-	-	130	102	24	4	-	60
8	8	-	-	-	-	-	-	-	-	2	2	-	-	-	61
186	116	60	4	6	16	8	8	-	-	36	30	6	-	-	62
198	118	72	6	2	12	8	4	-	-	38	34	4	-	-	63
344	212	84	30	18	14	10	4	-	-	54	36	14	4	-	64
8,334	4,046	3,606	402	280	764	348	388	16	12	1,680	852	762	36	30	65
586	344	144	66	32	20	16	4	-	-	116	68	30	14	4	66
1,348	770	426	88	64	124	64	58	-	2	316	182	120	8	6	67
80	42	30	4	4	8	2	6	-	-	8	8	2	-	-	68
3,104	1,362	1,352	86	64	290	128	156	6	-	676	362	358	2	14	69
420	166	238	4	12	36	22	14	-	-	84	34	44	2	4	70
86	28	56	2	-	8	8	-	-	-	26	8	16	-	-	71
72	36	28	6	2	10	4	4	-	-	16	12	4	-	-	72
390	186	182	14	8	26	6	20	2	-	100	50	48	-	2	73
2,040	918	1,000	60	62	192	82	106	4	-	414	174	236	-	4	74
96	48	48	-	-	18	6	12	-	-	36	24	10	-	2	75
828	444	324	38	22	64	34	30	-	-	168	100	62	4	2	76
234	104	90	36	4	24	14	8	2	-	20	8	12	-	-	77
418	146	248	14	10	40	16	22	-	2	64	22	42	-	-	78
1,630	756	746	68	60	184	70	100	8	6	292	156	124	8	4	79
106	58	46	2	-	10	4	4	-	2	20	8	12	-	-	80
7,310	5,082	1,702	414	112	534	418	104	10	2	1,044	756	240	38	10	81
260	196	42	12	10	16	14	2	-	-	44	38	4	2	-	82
6,916	4,818	1,604	398	96	502	392	100	10	-	990	712	232	36	10	83
134	68	56	4	6	16	12	2	-	-	10	6	4	-	-	84
3,756	446	3,082	28	200	352	46	300	2	4	664	62	578	-	24	85
144	88	38	10	8	16	10	4	2	-	14	8	6	-	-	86
160	80	48	4	8	16	8	8	-	-	32	14	18	-	-	87
474	250	204	10	8	44	16	16	-	-	70	36	34	-	-	88
2,998	28	2,790	4	176	276	-	272	-	4	548	4	520	-	24	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	476	172	156	86	62
02 OF CERVIX UTERI.....180	74	...	50	...	24
03 OF OTHER PARTS OF UTERUS.....181,182	60	...	40	...	20
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	76	...	58	...	18
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	8	...	8	...	-
06 OF PROSTATE.....185	250	164	...	86	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	8	8	...	-	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	140	96	36	8	-
09 OF BLADDER.....188	78	54	18	6	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	62	42	18	2	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	384	152	154	36	42
12 OF EYE.....190	2	-	2	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	60	34	22	2	2
14 OF THYROID GLAND.....193	6	2	4	-	-
15 OTHER.....194-199	316	116	126	34	40
16 LEUKEMIA.....204-207	166	84	56	20	6
17 LYMPHATIC LEUKEMIA.....204	54	30	14	8	2
18 MYCLOID LEUKEMIA.....205	66	32	28	6	-
19 MONOCYTIC LEUKEMIA.....206	8	4	4	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	38	18	10	6	4
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	180	80	76	16	8
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	54	22	28	4	-
23 HODGKIN'S DISEASE.....201	38	16	16	4	2
24 MULTIPLE MYELOMA.....203	44	24	10	6	4
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	44	18	22	2	2
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	60	30	14	2	14
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	6	...	2	...	4
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	6	4	4	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	6	4	-	-	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	32	16	10	2	4
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	12	6	2	-	4
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	436	146	180	44	66
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	8	-	4	-	4
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	-	-	-	-	-
37 DIABETES MELLITUS.....250	360	116	154	38	52
38 DISEASES OF PITUITARY GLAND.....253	4	2	2	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	6	2	4	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	20	6	6	2	6
43 CYSTIC FIBROSIS.....273-7	6	4	2	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	32	16	8	4	4
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	76	18	38	8	12
46 ANEMIAS.....280-285	52	12	20	8	12
47 DEFICIENCY ANEMIAS.....280,281	2	2	-	-	-
48 HEMOLYTIC ANEMIAS.....282,283	22	4	6	6	6
49 APLASTIC ANEMIA.....284	8	-	6	-	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	20	6	8	2	4
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	-	2	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	22	6	16	-	-
53 V. MENTAL DISORDERS.....	46	22	8	12	4
54 SENILE AND PRESENILE DEMENTIAS.....290	2	-	2	-	-
55 ALCOHOLIC PSYCHOSES.....291	4	4	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	2	-	2	-	-
57 ALCOHOLISM.....303	24	10	4	10	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	12	8	-	2	2
59 MENTAL RETARDATION.....310-315	2	-	-	-	2
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	160	72	46	26	16
61 MENINGITIS.....320	24	8	2	10	4
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	6	6	-	-	-
63 MULTIPLE SCLEROSIS.....340	12	4	6	-	2
64 PARALYSIS AGITANS.....342	24	6	18	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	-	2	-	-
66 EPILEPSY.....345	18	10	-	6	2
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	2	2	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	72	36	18	10	8
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	11,806	5,378	4,220	1,148	1,060
73 ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	96	34	48	8	6
75 DISEASES OF MITRAL VALVE.....394	18	6	8	4	-
76 DISEASES OF AORTIC VALVE.....395	24	12	8	2	2
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	-	2	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	52	16	30	2	4
79 HYPERTENSIVE DISEASE.....400-404	234	98	62	44	30
80 MALIGNANT HYPERTENSION.....400	18	6	-	8	4
81 ESSENTIAL BENIGN HYPERTENSION.....401	10	4	2	2	2
82 HYPERTENSIVE HEART DISEASE.....402	84	34	18	18	14
83 HYPERTENSIVE RENAL DISEASE.....403	60	22	18	14	6
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	62	32	24	2	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	CALIFORNIA				Total	COLORADO				Total	CONNECTICUT					
	White		All other			Total	White		All other		White		All other			
	Male	Female	Male	Female			Male	Female	Male		Female	Male	Female	Male		Female
3,896	1,590	1,970	144	192	382	184	182	12	4	542	244	268	16	14	01	
546	...	462	...	84	60	...	60	70	...	60	02	
538	...	484	...	54	34	...	32	...	2	68	...	66	03	
992	...	942	...	50	84	...	82	...	2	130	...	128	...	2	04	
86	...	82	...	4	8	...	8	14	...	14	05	
1,646	1,508	...	138	...	182	170	...	12	...	246	...	230	...	16	06	
88	82	...	6	...	14	14	14	...	14	07	
1,410	906	400	68	36	130	72	52	4	...	284	194	78	6	...	08	
838	556	220	38	24	82	46	34	2	2	184	126	54	2	2	09	
572	350	180	30	12	48	26	18	4	...	100	68	24	4	4	10	
2,958	1,408	1,332	124	94	286	152	122	6	6	526	268	230	14	14	11	
38	24	12	2	12	
772	422	316	22	12	70	40	30	136	84	46	...	6	13	
86	20	62	...	4	14	8	4	2	...	20	4	16	14	
2,062	942	942	100	78	202	104	88	4	6	370	180	168	14	8	15	
1,280	642	546	40	52	148	78	66	2	2	202	102	92	4	4	16	
382	188	170	18	18	44	28	16	60	32	26	2	...	17	
666	362	274	26	24	62	26	32	2	2	86	46	38	2	...	18	
30	16	12	2	...	6	6	8	4	4	19	
202	96	90	6	10	36	24	12	48	20	24	...	4	20	
1,956	1,002	846	70	38	130	64	58	8	...	316	162	146	2	6	21	
766	414	318	18	16	122	16	16	2	...	122	64	56	...	2	22	
248	142	92	12	2	24	10	14	50	30	16	2	2	23	
480	212	230	28	10	44	20	18	6	...	90	44	44	...	2	24	
462	234	206	12	10	28	18	10	54	24	30	25	
500	196	264	28	12	62	32	26	2	2	52	22	22	2	6	26	
10	...	8	...	2	2	...	2	27	
84	22	52	6	4	2	2	10	...	8	...	2	28	
74	34	30	8	2	16	8	8	12	6	4	...	2	29	
...	30	
246	104	130	8	4	36	18	14	2	2	20	12	6	...	2	31	
86	36	44	6	...	6	4	2	10	4	4	2	...	32	
3,300	1,248	1,704	128	220	350	138	196	8	8	586	260	282	6	38	33	
2	...	2	34	
12	2	8	2	...	4	...	4	2	2	35	
36	2	30	4	...	6	...	4	...	2	4	2	2	36	
2,544	942	1,330	92	180	244	90	142	6	6	514	218	254	6	36	37	
20	12	4	38	
4	4	39	
50	24	20	...	6	4	2	2	10	8	2	40	
...	41	
204	80	118	...	6	46	24	22	16	4	12	42	
60	34	24	12	6	6	10	6	4	43	
368	148	168	24	28	34	16	16	2	...	30	20	8	...	2	44	
434	150	226	24	34	48	30	14	2	2	68	34	28	2	4	45	
252	78	132	14	28	22	12	6	2	2	50	24	20	2	4	46	
40	14	26	8	8	4	2	2	47	
56	4	24	14	14	4	2	2	20	12	4	...	4	48	
88	32	44	...	12	6	2	4	12	4	6	2	...	49	
68	28	38	...	2	4	2	2	14	6	8	50	
44	12	26	6	2	2	2	10	4	6	51	
138	60	68	4	6	24	16	8	8	6	2	52	
872	482	264	86	40	104	60	32	10	2	150	76	38	28	8	53	
66	24	40	...	2	12	6	6	14	6	8	54	
40	36	4	2	2	4	2	...	2	...	55	
22	8	12	2	2	2	2	4	4	56	
488	300	118	54	16	58	38	8	10	2	90	44	18	22	6	57	
242	110	84	32	16	16	8	8	30	18	6	4	2	58	
14	4	6	...	4	12	6	6	8	2	6	59	
1,590	750	692	84	64	194	98	92	...	4	242	150	82	6	4	60	
134	62	44	20	8	10	4	6	22	14	4	4	...	61	
70	52	14	2	2	8	8	16	14	2	62	
176	64	100	2	10	26	4	22	24	2	20	...	2	63	
320	162	148	4	6	36	16	20	52	36	16	64	
70	28	40	2	14	12	2	65	
140	64	52	16	8	20	10	10	16	8	6	...	2	66	
2	2	...	2	67	
8	2	68	
...	2	69	
16	4	8	2	2	70	
654	310	284	34	26	94	56	34	...	4	98	64	32	2	...	71	
87,876	42,972	39,046	3,288	2,570	8,900	4,734	3,920	126	120	14,432	7,284	6,692	250	206	72	
28	8	16	2	2	2	...	2	2	2	73	
1,470	634	736	54	46	200	82	112	2	4	208	84	116	4	4	74	
460	148	272	20	20	54	20	34	44	12	32	75	
440	284	122	24	10	38	24	12	...	2	62	42	14	4	2	76	
58	20	38	14	6	2	4	77	
512	182	304	10	16	94	38	52	2	2	96	28	66	...	2	78	
1,396	540	656	96	104	154	54	94	4	2	206	92	100	8	6	79	
66	24	22	14	6	4	4	18	10	6	...	2	80	
64	10	42	4	8	10	8	10	4	4	2	...	81	
638	200	336	46	56	40	10	30	76	36	34	4	2	82	
334	156	146	16	16	30	22	24	2	2	80	34	42	2	2	83	
294	150	110	16	18	50	10	38	2	...	22	8	14	84	

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	6,978	3,486	2,406	602	484
02 WITH HYPERTENSIVE DISEASE (1.0).....	730	230	270	116	114
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	6,248	3,256	2,136	486	370
04 ACUTE MYOCARDIAL INFARCTION.....410	4,346	2,370	1,348	356	272
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	14	6	4	2	2
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,616	1,110	1,052	244	210
07 ANGINA PECTORIS.....413	2	2	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	786	326	240	138	82
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	-	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	4	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	8	6	2	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	8	6	2	-	-
15 SYMPTOMATIC HEART DISEASE.....427	418	174	166	44	34
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	46	12	16	12	6
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	310	130	56	82	42
18 CEREBROVASCULAR DISEASES.....430-438	2,944	1,066	1,188	306	384
19 WITH HYPERTENSION (BENIGN) (1.0).....	290	84	100	44	62
20 WITHOUT MENTION OF HYPERTENSION (.9).....	2,654	982	1,088	262	322
21 SUBARACHNOID HEMORRHAGE.....430	52	20	24	-	8
22 CEREBRAL HEMORRHAGE.....431	450	156	198	32	64
23 CEREBRAL THROMBOSIS.....433	490	172	188	64	66
24 CEREBRAL EMBOLISM.....434	16	6	8	-	2
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	32	18	14	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,464	528	564	172	200
27 OTHER CEREBROVASCULAR DISEASES.....437,438	440	166	192	38	44
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	600	284	220	36	60
29 ARTERIOSCLEROSIS.....440	346	144	144	22	36
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	160	100	38	12	10
31 GANGRENE.....445	22	8	6	2	6
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	72	32	32	-	8
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	168	84	56	14	14
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	158	82	52	10	14
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	10	2	4	4	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,196	696	336	102	62
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	2	2	-	-
38 ACUTE BRONCHITIS AND BRONCHOLITIS.....466	16	10	6	-	-
39 INFLUENZA.....470-474	94	36	38	10	10
40 PNEUMONIA.....480-486	536	246	182	62	46
41 VIRAL PNEUMONIA.....480	28	10	12	4	2
42 BACTERIAL PNEUMONIA.....481,482	50	28	8	12	2
43 ACUTE INTERSTITIAL PNEUMONIA.....484	4	-	2	-	2
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	124	52	50	8	14
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	330	156	110	38	26
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	364	282	62	20	-
47 BRONCHITIS, UNQUALIFIED.....490	6	-	2	4	-
48 CHRONIC BRONCHITIS.....491	62	46	14	2	-
49 EMPHYSEMA.....492	276	224	40	12	-
50 ASTHMA.....493	20	12	6	2	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	2	2	2	-
53 PLEURISY AND ABSCESS OF LUNG.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	26	14	8	4	-
55 BRONCHIECTASIS.....518	12	2	10	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	138	102	26	4	6
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	610	306	208	48	48
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	62	32	14	10	6
60 ULCER OF STOMACH.....531	18	8	4	4	2
61 ULCER OF DUODENUM.....532	36	20	6	6	4
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	8	4	4	-	-
63 GASTRITIS AND DUODENITIS.....535	2	2	-	-	-
64 APPENDICITIS.....540-543	12	4	4	2	2
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	76	32	36	6	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	30	14	14	-	2
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	10	4	6	-	-
69 CIRRHOSIS OF LIVER.....571	178	106	50	14	8
70 ALCOHOLIC.....571.0	44	34	8	2	4
71 OTHER SPECIFIED.....571.8	20	10	6	-	-
72 UNSPECIFIED.....571.9	114	62	36	12	4
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	38	14	22	-	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	202	98	62	16	26
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	388	150	118	62	58
76 NEPHRITIS AND NEPHROSIS.....580-584	126	48	26	18	34
77 ACUTE NEPHRITIS.....580	12	4	6	2	-
78 NEPHROTIC SYNDROME.....581	4	4	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	110	40	20	16	34
80 INFECTIONS OF KIDNEY.....590	106	40	40	16	10
81 CALCULI OF URINARY SYSTEM.....592,594	14	4	10	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	116	46	38	20	12
83 HYPERPLASIA OF PROSTATE.....600	18	10	-	8	-
84 DISEASES OF BREAST.....610,611	2	-	2	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	6	2	-	-	2
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	4	-	2
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	---	-	---	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	---	-	---	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	---	-	---	-
04 SPONTANEOUS ABORTION.....643	-	---	-	---	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	---	-	---	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	4	---	2	---	2
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	---	2	---	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	22	8	2	4	8
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	2	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	20	6	2	4	8
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	52	18	30	2	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	30	14	16	-	-
14 NONARTICULAR PNEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	-	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-739	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	20	4	12	2	2
18 XIV. CONGENITAL ANOMALIES.....	144	54	56	16	18
19 SPINA BIFIDA.....741	10	-	6	2	2
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	14	6	8	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	66	30	20	8	8
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	4	-	2	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	2	-	2	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	48	18	18	4	8
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	322	164	70	52	36
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	820	348	194	148	130
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	100	14	20	24	42
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	720	334	174	124	88
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,984	1,034	458	366	126
30 ACCIDENTS.....E800-E949	1,508	794	362	262	90
31 RAILWAY ACCIDENTS.....E800-E807	6	-	2	4	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	756	440	188	106	22
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	752	436	188	106	22
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	52	36	4	12	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	164	94	44	22	4
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	84	40	14	22	8
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	4	22	4	4	4
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	34	48	10	14	2
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	344	196	112	32	4
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	4	-	-	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	-	2	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	22	18	2	2	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	22	20	2	2	-
44 ACCIDENTAL POISONING.....E850-E877	46	18	16	8	4
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	12	2	10	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	10	4	2	4	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	24	12	4	4	4
48 ACCIDENTAL FALLS.....E880-E887	138	56	76	2	4
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	20	14	6	-	-
50 FALL ON SAME LEVEL.....E885, E886	4	4	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	114	38	70	2	4
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	136	32	24	46	34
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	106	50	16	36	4
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	26	16	2	4	4
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	56	32	8	10	6
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	90	70	2	18	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	4	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	24	18	2	4	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	62	48	-	14	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	20	8	6	2	4
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	82	34	18	22	8
64 SUICIDE.....E950-E959	218	152	58	6	2
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	20	8	12	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	4	2	2	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	18	16	-	-	2
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	164	120	4	4	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	12	6	4	2	-
70 HOMICIDE.....E960-E978	190	56	20	84	30
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	146	44	12	70	20
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	16	4	-	8	4
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	26	6	8	6	6
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	68	32	18	14	4
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,962	2,158	1,900	572	332
02 I. INFECTIVE AND PARASITIC DISEASES.....	50	22	10	14	4
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND ANEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	6	2	2	-	2
09 TUBERCULOSIS, ALL FORMS.....010-019	24	10	2	10	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	22	10	-	10	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF MENINGES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	-	2	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	-	-	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	8	2	4	2	-
27 OTHER BACTERIAL DISEASES.....097,021,024-027,031,039	4	2	2	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	4	-	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	-	-	-	-	-
38 TYPHUS AND OTHER RICKETTSIDISES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	-	-	2	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	2	-	-	2	-
47 TABES DORSALIS.....094,0	-	-	-	-	-
48 GENERAL PARESIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	2	-	-	-
58 II. NEOPLASMS.....	910	378	382	96	54
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	894	370	378	96	50
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	16	12	2	2	-
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	8	6	2	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	6	4	-	2	-
64 OF PHARYNX.....146-149	2	2	-	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	234	82	118	16	18
66 OF ESOPHAGUS.....150	16	6	2	6	2
67 OF STOMACH.....151	38	22	12	2	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	-	-	-	2
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	92	28	52	6	6
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	14	6	4	-	4
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	8	2	6	-	-
72 DESCENDING COLON.....153,2	6	4	2	-	-
73 SIGMOID COLON.....153,3	10	2	6	2	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	48	12	30	4	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	6	2	4	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	22	6	12	-	4
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2	-	2	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	8	-	8	-	-
79 OF PANCREAS.....157	50	20	26	2	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	4	-	4	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	230	156	40	32	2
82 OF LARYNX.....161	12	12	-	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	216	142	40	32	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	2	2	-	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	104	6	80	4	14
86 OF BONE.....170	6	4	-	-	2
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	2	-	-	-	2
88 OF SKIN.....172,173	10	2	2	4	2
89 OF BREAST.....174	86	-	78	-	8

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,462	1,412	1,642	3,196	2,212	83,310	42,170	29,726	6,522	4,892	42,986	17,372	12,054	7,094	5,666	01
116	8	10	62	36	682	274	200	128	80	408	134	74	108	92	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	2	-	2	-	-	2	-	2	-	-	2	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
10	2	2	2	4	94	34	26	18	16	66	14	10	18	24	08
36	4	4	20	8	200	82	36	48	14	80	24	8	32	16	09
28	2	4	16	6	148	60	22	58	8	56	20	2	18	16	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	-	-	2	-	2	-	-	2	-	4	-	-	4	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
6	2	-	2	2	6	2	-	2	2	14	4	2	8	-	14
-	-	-	-	-	44	20	14	6	4	6	4	2	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	22
4	-	-	4	-	8	4	2	2	-	6	6	-	-	-	23
-	-	-	-	-	14	2	-	4	8	2	2	-	-	-	24
46	-	4	24	18	204	94	68	18	24	138	44	30	34	30	25
4	-	-	2	2	16	10	4	2	-	12	6	2	2	2	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	6	2	4	-	-	2	2	-	-	-	29
-	-	-	-	-	2	-	-	-	2	2	-	-	2	-	30
-	-	-	-	-	12	2	8	-	2	12	8	2	2	-	31
2	-	-	-	2	48	18	20	2	8	14	4	6	-	4	32
2	-	-	2	-	32	12	18	-	2	24	8	6	4	6	33
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	10	8	-	2	-	12	2	-	8	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	43
-	-	-	-	-	8	6	-	2	-	10	2	-	6	2	44
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
10	2	-	6	2	30	6	12	8	4	26	12	4	4	6	56
1,560	202	348	594	416	16,028	8,236	6,128	978	686	6,488	2,668	2,238	942	640	58
1,534	202	342	580	410	15,810	8,156	6,036	956	662	6,386	2,626	2,204	932	624	59
50	4	8	32	6	366	240	86	34	6	160	76	40	26	18	60
-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	61
14	2	4	8	-	70	42	22	6	-	34	12	10	6	6	62
20	-	-	16	4	88	58	24	6	-	54	22	20	4	8	63
16	2	4	8	2	204	138	38	22	6	72	42	10	16	4	64
472	60	106	172	134	4,114	2,142	1,634	188	150	1,474	518	558	254	144	65
60	8	2	34	16	300	188	62	32	18	136	44	16	64	12	66
62	6	14	28	14	634	370	176	56	32	244	80	66	76	22	67
2	-	-	-	2	22	16	6	-	-	8	2	4	2	-	68
180	30	52	44	54	1,860	790	788	30	52	504	160	250	40	54	69
26	6	8	10	2	196	96	82	12	6	42	14	6	6	6	70
8	-	2	4	-	42	20	18	-	4	6	2	2	-	-	71
4	-	-	-	-	36	22	14	-	-	8	2	4	2	-	72
22	6	10	6	-	166	70	88	2	6	42	18	18	8	4	73
120	18	32	24	46	1,158	560	554	12	32	394	130	202	20	42	74
-	-	-	-	-	62	22	32	4	4	12	2	8	2	-	75
46	6	16	14	10	434	244	162	14	14	118	44	46	18	10	76
24	2	-	14	8	90	48	32	8	2	36	20	10	6	-	77
12	2	4	4	2	142	56	72	10	4	44	16	24	-	4	78
80	4	16	34	26	774	408	308	32	26	354	146	128	42	38	79
6	2	2	-	2	58	22	28	6	2	30	6	14	6	4	80
352	68	42	194	48	4,142	2,912	856	324	50	1,528	998	204	280	46	81
22	6	2	12	2	186	148	18	18	2	38	16	4	18	-	82
326	62	40	178	46	3,882	2,720	812	304	46	1,466	974	194	256	42	83
4	-	-	4	-	74	44	26	2	2	24	8	6	6	4	84
166	6	64	10	86	1,674	1,314	18	114	18	750	92	498	20	140	85
4	-	-	2	2	96	54	30	8	4	46	20	20	4	8	86
4	-	-	-	-	58	30	24	4	-	30	8	6	8	2	87
8	4	-	4	-	218	132	74	4	8	98	58	32	6	2	88
150	2	64	4	80	1,302	12	1,186	2	102	576	6	440	2	128	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	134	42	60	28	4
02 OF CERVIX UTERI.....180	12	...	12
03 OF OTHER PARTS OF UTERUS.....181,182	24	...	22	...	2
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	4	...	22	...	2
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	...	4
06 OF PROSTATE.....185	68	42	...	26	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	2	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	18	8	8	2	...
09 OF BLADDER.....188	12	4	6	2	...
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6	4	2
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	94	40	40	6	8
12 OF EYE.....190	4	2	2
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	34	16	14	2	2
14 OF THYROID GLAND.....193
15 OTHER.....194-199	56	22	24	4	6
16 LEUKEMIA.....204-207	36	12	18	2	4
17 LYMPHATIC LEUKEMIA.....204	12	4	4	2	...
18 MYELOID LEUKEMIA.....205	14	6	6	...	2
19 MONOCYtic LEUKEMIA.....206	2	2
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	8	...	6	...	2
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	28	12	12	4	...
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	4	4	2
23 HODCKIN'S DISEASE.....201	2	2
24 MULTIPLE MYELOMA.....203	12	2	6	4	...
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	8	4	4
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	16	8	4	...	4
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	4	2	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	10	6	4
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	...	2
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	100	34	42	8	16
34 NONTOXIC GOITER.....240,241
35 THYROTOXIGOSIS WITH OR WITHOUT GOITER.....242
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246
37 DIABETES MELLITUS.....250	86	28	40	4	14
38 DISEASES OF PITUITARY GLAND.....253
39 DISEASES OF THYMUS GLAND.....254
40 DISEASES OF ADRENAL GLAND.....255
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	8	2	2	2	2
43 CYSTIC FIBROSIS.....273,0
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	6	4	...	2	...
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	10	4	2	4	...
46 ANEMIAS.....280-285	8	4	2	2	...
47 DEFICIENCY ANEMIAS.....280,281
48 HEMOLYTIC ANEMIAS.....282,283	2	2	...
49 APLASTIC ANEMIA.....284	2	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	4	2	2
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	2	2	...
53 V. MENTAL DISORDERS.....	30	18	8	2	2
54 SENILE AND PRESENILE DEMENTIAS.....290
55 ALCOHOLIC PSYCHOSES.....291	6	6
56 ALL OTHER PSYCHOSES.....294-299
57 ALCOHOLISM.....303	22	12	6	2	2
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2	...	2
59 MENTAL RETARDATION.....310-315
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	32	18	6	4	4
61 MENINGITIS.....320	4	2	...	2	...
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	4	2	...	2	...
63 MULTIPLE SCLEROSIS.....340	2	2	2
64 PARALYSIS AGITANS.....342	2	2
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343
66 EPILEPSY.....345	4	2	2
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	16	10	2	...	4
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,768	1,206	1,150	242	170
73 ACTIVE RHEUMATIC FEVER.....390-392
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	30	14	10	4	2
75 DISEASES OF MITRAL VALVE.....394	10	2	6	2	...
76 DISEASES OF AORTIC VALVE.....395	8	6	2
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397
78 OTHER RHEUMATIC HEART DISEASES.....399,396,398	12	6	4	...	2
79 HYPERTENSIVE DISEASE.....400-404	60	16	22	16	6
80 MALIGNANT HYPERTENSION.....400	4	...	2	...	2
81 ESSENTIAL BENIGN HYPERTENSION.....401	2	...	2
82 HYPERTENSIVE HEART DISEASE.....402	28	4	10	10	4
83 HYPERTENSIVE RENAL DISEASE.....403	12	4	4	4	...
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	12	6	6

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
172	14	40	60	58	1,844	740	774	154	176	864	254	320	148	142	01
24	...	4	...	20	282	...	180	...	102	182	...	98	...	84	02
22	...	4	...	18	228	...	182	...	46	76	...	60	...	16	03
48	...	28	...	20	602	...	376	...	26	196	...	158	...	38	04
4	...	4	38	...	36	...	2	8	...	4	...	4	05
72	14	...	58	...	868	718	...	190	...	372	234	...	198	...	06
2	2	...	26	22	...	4	...	30	20	...	10	...	07
50	16	8	22	4	752	458	200	66	28	244	154	54	26	10	08
22	8	2	12	-	464	298	110	38	18	142	90	32	12	8	09
28	8	6	10	4	288	160	90	28	10	102	64	22	14	2	10
158	18	36	66	38	1,506	724	590	108	84	746	264	310	96	76	11
-	-	-	-	-	14	8	6	-	-	6	4	2	-	-	12
20	4	10	2	4	428	252	146	16	14	156	66	72	8	10	13
6	2	4	-	-	58	20	38	-	-	22	4	16	2	-	14
132	12	22	64	34	1,006	444	400	92	70	562	190	220	86	66	15
48	2	26	6	14	634	326	264	22	22	274	120	94	34	26	16
20	2	10	4	4	182	90	82	8	2	122	40	36	12	8	17
18	-	14	-	4	312	166	122	12	12	14	8	6	-	-	18
2	-	-	2	-	14	8	6	-	-	14	8	6	-	-	19
8	-	2	-	6	126	62	54	2	8	42	18	14	6	4	20
66	14	12	18	22	778	386	318	42	32	346	150	126	48	22	21
12	2	4	-	6	302	148	124	12	18	116	60	40	14	2	22
16	4	4	6	2	98	40	48	8	2	52	28	10	14	-	23
16	2	-	6	8	188	96	70	12	10	108	30	44	20	14	24
22	6	6	6	6	190	102	76	10	2	70	32	32	-	6	25
26	-	4	14	6	218	80	92	22	24	102	42	34	10	16	26
-	-	10	...	2	...	8	4	...	-	...	4	27
4	-	2	-	2	48	16	24	4	4	16	6	8	-	-	28
4	-	-	2	2	34	12	14	6	2	20	12	4	2	2	29
-	...	-	...	-	2	...	2	...	-	2	...	-	...	-	30
8	-	2	6	-	62	18	32	6	6	34	8	18	2	6	31
10	-	2	6	2	62	34	18	6	4	26	16	2	6	2	32
206	28	28	50	100	1,776	634	768	156	218	992	276	314	144	258	33
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	34
2	2	-	-	-	8	-	6	-	2	12	2	2	2	6	35
-	-	-	-	-	16	6	10	-	-	4	2	-	-	2	36
176	24	22	38	92	1,422	510	598	118	196	772	210	250	106	206	37
-	-	-	-	-	22	12	6	2	2	4	-	2	-	2	38
4	-	2	-	2	2	-	-	2	-	-	-	-	-	-	39
-	-	-	-	-	18	6	10	2	-	12	2	8	-	2	40
6	-	2	2	2	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	122	34	64	14	10	76	22	24	18	12	42
16	2	2	-	-	22	6	16	-	-	18	8	10	-	-	43
30	8	-	16	6	142	60	58	16	8	94	30	18	18	28	44
14	4	-	4	6	244	88	90	42	24	124	26	46	28	24	45
2	-	-	-	-	174	60	66	32	16	90	16	32	20	22	46
2	-	-	-	-	26	10	14	-	2	8	2	2	-	4	47
4	2	-	-	2	34	10	-	14	10	28	2	10	8	8	48
8	2	-	-	2	62	26	28	4	4	14	4	10	-	-	49
6	2	-	4	2	62	16	24	14	-	40	8	10	12	10	50
10	4	-	6	-	52	14	6	2	-	6	2	4	-	-	51
-	-	-	6	-	58	24	18	8	8	28	8	10	8	2	52
114	16	4	78	16	312	142	94	60	16	282	94	64	80	44	53
2	-	2	-	-	22	6	16	-	-	16	6	6	-	4	54
-	-	-	-	-	32	26	-	4	2	10	4	4	2	-	55
78	14	2	54	8	8	-	8	46	10	14	6	6	2	-	56
32	2	-	24	6	160	66	38	46	10	180	64	24	60	32	57
2	-	-	-	2	86	40	32	10	4	56	14	20	14	8	58
78	8	10	38	22	4	4	-	-	-	6	-	4	2	-	59
12	-	2	8	2	712	304	284	76	48	332	120	102	54	56	60
-	-	2	2	8	66	20	18	12	16	46	12	14	2	18	61
8	4	-	2	2	16	6	4	4	2	16	12	-	2	2	62
12	-	2	2	2	50	14	34	2	-	18	4	8	-	6	63
4	-	-	2	2	170	84	86	-	-	38	16	20	2	-	64
16	-	-	10	4	12	2	8	2	-	24	2	10	6	6	65
-	-	-	-	-	120	38	30	36	16	44	14	6	18	6	66
-	-	-	-	-	2	-	-	-	2	2	2	-	-	-	67
-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	-	-	2	-	8	8	-	-	-	4	-	2	2	-	70
24	4	4	12	4	268	132	104	20	12	136	58	38	22	18	71
3,780	762	950	1,120	948	43,272	22,266	16,438	2,284	2,284	22,328	8,840	7,318	3,102	3,068	72
4	-	2	-	-	10	4	2	2	2	2	2	-	-	-	73
54	10	18	14	12	658	266	320	32	40	180	80	64	20	16	74
10	8	4	4	4	178	58	106	4	10	50	14	26	-	10	75
20	8	2	8	2	172	90	58	16	8	58	38	14	6	-	76
2	-	-	-	-	34	12	18	-	-	10	4	4	2	-	77
22	2	12	2	6	274	106	138	12	18	62	24	20	12	6	78
92	8	14	42	28	780	312	246	104	118	638	148	198	158	134	79
8	-	-	-	-	50	16	14	14	6	50	8	-	32	10	80
4	-	2	-	2	82	28	26	16	12	34	10	12	-	12	81
36	2	4	10	20	184	56	60	38	30	248	44	72	60	72	82
4	4	4	8	6	270	134	76	20	40	150	44	46	30	30	83
22	2	4	16	-	194	78	70	16	30	156	42	68	36	10	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,952	914	792	144	110
02 WITH HYPERTENSIVE DISEASE (.01).....	288	108	118	30	32
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.91).....	1,664	808	664	114	78
04 ACUTE MYOCARDIAL INFARCTION.....410	948	556	304	66	22
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4	2	2	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,000	358	476	78	88
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	102	44	36	14	8
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	-	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	4	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	2	2	-	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	2	-	-	-
15 SYMPTOMATIC HEART DISEASE.....427	74	34	26	10	6
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	8	2	4	2	2
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	10	2	4	2	2
18 CEREBROVASCULAR DISEASES.....430-438	436	128	232	42	34
19 WITH HYPERTENSION (BENIGN) (.01).....	46	18	20	-	8
20 WITHOUT MENTION OF HYPERTENSION (.91).....	390	110	212	42	26
21 SUBARACHNOID HEMORRHAGE.....430	32	6	20	2	4
22 CEREBRAL HEMORRHAGE.....431	64	18	32	4	10
23 CEREBRAL THROMBOSIS.....432	126	32	82	8	4
24 CEREBRAL EMBOLISM.....434	2	-	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	12	8	2	2	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	130	38	66	18	8
27 OTHER CEREBROVASCULAR DISEASES.....437,438	70	26	28	8	8
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	142	80	46	8	8
29 ARTERIOSCLEROSIS.....440	70	32	26	4	8
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	40	30	8	2	-
31 GANGRENE.....445	6	6	-	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	26	12	12	2	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	46	8	22	4	2
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	40	8	20	12	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	6	-	2	2	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	250	106	82	44	18
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	-	-	-	-	-
39 INFLUENZA.....470-474	8	2	6	-	-
40 PNEUMONIA.....480-486	140	52	42	32	14
41 VIRAL PNEUMONIA.....480	2	-	-	2	-
42 BACTERIAL PNEUMONIA.....481,482	10	4	2	4	-
43 ACUTE INTERSTITIAL PNEUMONIA.....485	8	2	2	2	2
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	56	22	14	14	6
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	64	24	24	10	6
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	60	34	16	4	4
47 BRONCHITIS, UNQUALIFIED.....490	-	-	-	-	-
48 CHRONIC BRONCHITIS.....491	6	2	-	4	-
49 EMPHYSEMA.....492	52	34	16	-	2
50 ASTHMA.....493	2	-	-	-	2
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPHYEMA AND ABSCESS OF LUNG.....510,513	4	2	2	-	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	6	2	4	-	-
55 BRONCHIECTASIS.....518	6	-	4	2	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	26	12	8	6	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	174	78	56	26	14
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	16	8	6	2	-
60 ULCER OF STOMACH.....531	2	2	2	-	-
61 ULCER OF DUODENUM.....532	6	2	2	2	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	8	4	4	-	-
63 GASTRITIS AND DUODENITIS.....535	-	-	-	-	-
64 APPENDICITIS.....540-543	-	-	-	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	12	6	6	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	2	-	2	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	2	2	-	-	-
69 CIRRHOSIS OF LIVER.....571	102	42	30	20	10
70 ALCOHOLIC.....571.0	38	14	8	10	6
71 OTHER SPECIFIED.....571.8	18	4	10	4	-
72 UNSPECIFIED.....571.9	46	24	12	6	4
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	10	4	4	2	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	30	16	8	4	2
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	62	22	18	14	8
76 NEPHRITIS AND NEPHROSIS.....580-584	18	6	2	8	2
77 ACUTE NEPHRITIS.....580	2	-	-	-	2
78 NEPHROTIC SYNDROME.....581	2	-	-	2	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	14	6	2	6	-
80 INFECTIONS OF KIDNEY.....590	16	4	6	4	4
81 CALCULI OF URINARY SYSTEM.....592,594	4	-	4	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	12	4	4	2	2
83 HYPERTROPHY OF PROSTATE.....600	8	8	-	-	-
84 DISEASES OF BREAST.....610,611	2	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	-	-	2	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	...	2	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	---	-	---	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	---	-	---	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	---	-	---	-
04 SPONTANEOUS ABORTION.....643	-	---	-	---	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	---	-	---	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	---	-	---	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	---	2	---	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	6	2	4	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	2	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	4	-	4	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	16	4	4	2	6
13 ARTHRITIS AND SPONDYLITIS.....710-715	8	4	2	2	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	8	-	2	-	6
18 XIV. CONGENITAL ANOMALIES.....	46	18	18	4	6
19 SPINA BIFIDA.....741	2	2	-	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	6	2	4	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	20	6	10	2	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	4	2	2	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	14	6	2	2	4
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	92	28	24	28	12
26 XVII. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	20	10	4	6	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	-	2	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	18	10	2	6	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	394	210	88	78	18
30 ACCIDENTS.....E800-E949	264	136	74	40	14
31 RAILWAY ACCIDENTS.....E800-E807	6	4	-	2	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	132	68	36	14	14
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	128	64	36	14	14
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	4	-	2	2	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	36	12	14	4	6
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	20	6	4	4	6
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	20	10	4	4	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	12	10	2	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	36	26	10	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	4	4	-	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	-	-	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	4	4	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	6	4	2	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	-	-	-	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	-	-	-	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	6	4	2	-	-
48 ACCIDENTAL FALLS.....E880-E887	46	22	18	6	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	16	12	2	2	-
50 FALL ON SAME LEVEL.....E885-E886	-	-	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	30	10	16	4	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	26	8	12	6	2
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	18	12	2	4	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	2	2	-	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	-	-	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	10	10	-	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	2	2	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	8	8	-	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	2	2	-	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	12	-	4	8	-
64 SUICIDE.....E950-E959	64	46	14	4	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	6	2	4	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	6	4	2	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	6	4	2	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	42	34	4	4	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	4	2	2	-	-
70 HOMICIDE.....E960-E978	62	26	-	32	4
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	42	18	-	22	2
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	8	-	-	8	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	8	4	-	2	2
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	4	4	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	4	2	-	2	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	6	...	2	...	4	2	...	2	...	-	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	03
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	04
-	...	-	...	-	4	...	-	...	4	-	...	-	...	-	05
-	...	-	...	-	4	...	-	...	4	6	...	4	...	2	06
2	...	-	...	2	-	...	-	...	-	8	...	2	...	6	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
22	4	2	4	12	82	20	34	6	22	68	20	12	12	24	09
4	2	-	-	2	16	10	2	2	2	14	8	2	2	2	10
18	2	2	4	10	66	10	32	4	4	54	12	10	10	22	11
14	4	8	2	-	234	68	136	12	18	96	22	40	4	30	12
6	2	4	-	-	96	28	58	6	4	32	4	20	-	8	13
2	-	-	-	-	8	8	-	-	-	6	-	2	-	4	14
6	-	2	-	-	4	4	-	2	-	-	-	-	-	-	15
6	2	2	2	-	14	2	12	-	-	-	-	-	-	-	16
44	6	4	20	14	510	220	172	54	64	352	112	108	90	42	18
-	-	-	-	-	24	10	12	2	-	20	10	8	-	2	19
8	2	-	6	-	86	30	40	4	12	48	8	26	12	2	20
24	4	4	4	12	230	94	70	28	38	144	56	38	30	20	21
2	-	-	2	-	30	12	14	2	2	42	14	10	8	10	22
10	-	-	-	8	4	-	-	2	2	-	-	-	-	-	23
206	8	10	110	78	1,190	436	306	228	220	904	322	206	196	180	25
82	8	14	36	24	2,050	874	508	378	290	762	224	184	196	158	26
-	-	-	-	-	56	14	34	4	4	90	10	38	12	30	27
82	8	14	36	24	1,994	860	474	374	286	672	214	146	184	128	28
860	126	80	476	178	7,064	3,690	1,698	1,298	378	4,998	2,382	914	1,294	408	29
446	70	56	236	84	4,628	2,524	1,184	682	238	3,350	1,696	672	714	268	30
112	20	10	56	26	16	10	-	4	2	16	6	-	-	-	31
108	20	10	52	26	2,420	1,366	630	308	116	1,884	1,018	380	374	112	32
-	-	-	-	-	2,378	1,346	622	296	114	1,850	1,006	372	362	110	33
36	8	4	14	10	66	32	20	8	6	42	24	8	10	-	34
42	10	4	16	12	830	480	248	60	42	788	422	202	128	36	35
10	-	-	-	-	12	12	130	78	30	224	98	32	64	30	36
8	-	2	6	2	236	160	34	34	8	160	94	18	38	10	37
12	-	-	-	-	296	178	48	52	18	426	256	64	84	22	38
4	-	-	10	2	486	270	142	64	10	210	112	48	38	12	39
4	-	-	4	-	42	20	8	12	2	34	12	8	12	2	40
4	-	-	-	-	8	4	4	-	-	6	4	2	-	-	41
4	2	-	2	-	82	54	8	20	8	50	36	6	6	2	42
-	-	-	-	-	124	92	22	8	2	38	32	4	2	-	43
62	4	-	48	10	164	70	58	24	12	104	42	28	20	14	44
54	2	-	44	8	106	46	42	12	6	40	14	20	2	4	45
8	2	-	4	2	36	18	6	8	4	36	12	6	12	6	46
102	14	30	44	14	22	6	10	4	2	28	16	2	4	4	47
52	8	4	32	8	574	254	266	32	22	290	126	118	90	16	48
2	-	-	2	-	128	80	30	10	8	84	56	8	18	2	49
48	6	26	10	6	22	6	16	-	-	10	2	-	-	-	50
40	6	2	22	10	424	168	220	22	14	194	68	102	12	14	51
22	6	2	12	2	170	70	32	44	24	236	84	34	70	48	52
16	2	2	6	6	428	230	64	126	8	184	86	14	78	6	53
2	-	-	-	-	84	40	22	10	12	86	22	26	24	14	54
16	4	4	8	-	98	58	8	20	12	128	68	12	34	14	55
-	-	-	-	-	202	138	8	50	6	156	102	10	38	6	56
-	-	-	-	-	2	-	-	-	2	6	2	-	4	-	57
-	-	-	-	-	30	16	4	8	2	22	10	4	6	2	58
4	-	2	2	-	8	4	2	-	2	10	2	2	6	-	59
4	2	-	2	-	68	60	-	8	-	32	26	2	4	-	60
8	2	2	4	-	94	58	2	34	-	86	62	2	18	4	61
22	2	4	8	8	88	48	22	8	10	56	18	18	4	16	62
48	10	2	28	8	170	90	40	28	12	116	52	20	24	20	63
90	26	18	30	16	1,188	794	324	52	18	600	378	150	58	14	64
10	4	-	2	-	228	86	134	2	6	44	8	32	2	2	65
4	2	-	2	-	66	54	12	-	-	24	2	2	-	-	66
16	4	6	4	2	114	84	26	2	2	42	24	10	6	2	67
38	10	2	16	10	680	510	118	42	10	472	316	100	46	10	68
22	6	6	4	4	100	60	34	6	-	18	8	6	4	-	69
252	10	6	176	60	1,044	286	128	526	104	1,002	290	74	514	124	70
158	4	2	124	28	766	206	54	426	80	756	406	44	406	70	71
42	2	-	24	16	132	34	6	80	12	132	26	6	78	22	72
48	4	4	24	16	140	44	68	16	12	96	22	24	18	32	73
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
4	-	-	4	-	6	2	-	4	-	18	6	-	12	-	75
72	20	-	34	18	200	82	62	38	18	44	18	18	6	2	76
-	-	-	-	-	4	4	-	-	-	2	-	-	2	-	77

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,304	818	572	1,822	1,092
02 I. INFECTIVE AND PARASITIC DISEASES.....	70	12	6	36	16
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	6	4	2	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	18	2	-	14	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	10	2	-	8	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	8	-	-	6	2
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	2	-	-	-	2
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	26	2	2	12	10
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	2	-	-	2	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	-	-	2	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	-	-	4	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	4	2	2	2	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	2	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	2	2	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	2	-	-	-	2
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	2	-	-	-
58 II. NEOPLASMS.....	898	160	122	386	222
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	888	162	122	384	220
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	34	8	2	20	4
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	6	2	-	2	2
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	10	6	-	4	-
64 OF PHARYNX.....146-149	18	-	2	14	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	328	56	42	162	68
66 OF ESOPHAGUS.....150	28	4	2	20	2
67 OF STOMACH.....151	104	10	6	60	28
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	2	-	4	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	100	24	24	34	18
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	8	2	2	2	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	8	-	2	4	2
72 DESCENDING COLON.....153.2	-	-	-	-	-
73 SIGMOID COLON.....153.3	16	2	4	8	2
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	66	20	14	20	12
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	2	-	2	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	32	8	2	16	6
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	12	2	-	8	2
78 OF GALLBLADDER AND BILE DUCTS.....156	10	-	-	4	6
79 OF PANCREAS.....157	36	6	8	16	6
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	-	-	-	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	184	42	22	90	30
82 OF LARYNX.....161	4	2	-	2	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	174	38	22	86	28
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	6	2	-	2	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	72	12	22	12	26
86 OF BONE.....170	2	-	-	2	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	6	2	-	2	2
88 OF SKIN.....172,173	18	10	2	6	-
89 OF BREAST.....174	46	-	20	2	24

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

IOAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,352	3,832	2,392	76	52	111,298	52,802	44,560	7,938	5,998	49,138	25,254	20,534	1,892	1,458	01
28	10	10	6	2	724	340	228	104	52	328	152	136	20	20	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
4	-	2	2	-	2	-	2	-	-	4	-	-	2	2	04
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	05
2	-	2	-	-	108	44	48	12	4	44	18	20	2	4	06
10	6	2	4	-	232	142	34	40	16	102	64	26	12	2	07
6	2	-	4	-	174	108	28	30	8	78	52	14	12	-	08
-	-	-	-	-	8	4	-	4	-	4	2	2	-	-	09
-	-	-	-	-	8	4	-	-	4	2	-	2	-	-	10
4	4	-	-	-	42	26	6	6	4	16	10	6	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	21
-	-	-	-	-	12	8	2	2	-	4	-	4	-	-	22
4	2	-	-	2	166	60	60	28	18	60	20	30	2	8	23
2	-	2	-	-	28	14	10	2	2	18	8	10	-	-	24
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	25
-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	26
-	-	-	-	-	28	14	10	2	2	18	8	10	-	-	27
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	28
-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	29
-	-	-	-	-	28	14	12	2	-	16	6	10	-	-	30
-	-	-	-	-	32	10	16	4	2	22	4	10	2	6	31
2	-	2	-	-	40	16	18	4	2	30	10	20	-	-	32
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	16	4	8	2	2	8	8	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	10	2	4	2	2	4	4	-	-	-	44
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	45
-	-	-	-	-	2	-	2	-	-	4	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
4	2	2	-	-	48	20	14	8	6	16	12	4	-	-	56
976	568	404	-	4	19,736	9,060	8,520	1,212	944	8,556	4,372	3,628	298	258	58
960	562	396	-	2	19,488	8,944	8,410	1,202	932	8,462	4,320	3,592	294	256	59
16	14	2	-	-	416	256	98	38	24	166	110	46	6	4	60
2	2	-	-	-	6	4	2	-	-	4	4	-	-	-	61
-	-	-	-	-	132	74	32	14	12	50	28	18	2	2	62
4	2	2	-	-	128	82	28	12	6	32	20	12	-	-	63
10	10	-	-	-	150	96	36	12	6	80	58	16	4	2	64
258	148	108	-	2	5,816	2,570	2,528	412	306	2,222	1,024	1,034	90	74	65
10	6	4	-	-	366	220	70	30	30	120	66	34	16	4	66
56	32	24	-	-	912	396	366	88	62	264	126	116	12	12	67
6	6	-	-	-	48	26	18	4	-	18	8	10	-	-	68
112	60	52	-	-	2,272	914	1,142	112	104	1,002	408	518	36	40	69
18	8	10	-	-	330	156	150	10	14	118	44	70	2	2	70
6	4	2	-	-	102	32	62	4	4	34	10	24	-	-	71
2	2	-	-	-	80	34	40	-	6	8	4	4	-	-	72
8	4	4	-	-	364	158	184	12	10	114	46	58	6	4	73
70	38	32	-	-	1,322	510	664	82	66	672	290	328	26	28	74
8	4	4	-	-	74	24	42	4	4	56	14	34	2	6	75
12	6	6	-	-	696	334	284	38	40	230	124	94	8	4	76
-	-	-	-	-	114	58	32	18	6	46	34	6	4	2	77
10	6	4	-	-	252	60	178	6	8	120	38	82	-	-	78
50	32	18	-	-	1,044	512	414	70	48	386	208	152	14	12	79
2	-	-	-	2	112	50	48	6	8	34	12	22	-	-	80
190	148	42	-	-	4,032	2,834	726	384	88	1,958	1,486	364	80	28	81
8	8	-	-	-	162	120	18	20	4	66	60	4	-	2	82
178	136	42	-	-	3,808	2,680	686	360	82	1,866	1,410	352	80	24	83
4	4	-	-	-	62	34	22	4	2	26	16	8	-	2	84
114	24	90	-	-	2,202	198	1,814	24	166	938	124	766	4	44	85
6	6	2	-	-	104	44	4	8	6	56	34	22	-	-	86
4	4	2	-	-	66	34	20	6	6	40	16	22	2	-	87
28	14	14	-	-	178	108	58	6	6	120	70	46	2	2	88
72	-	72	-	-	1,854	12	1,690	4	148	722	4	676	-	42	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH		HAWAII				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	80	14	12	26	28
02	OF CERVIX UTERI.....180	14	...	4	...	10
03	OF OTHER PARTS OF UTERUS.....181,182	6	...	2	...	4
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	18	...	4	...	14
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	2	...	2	...	-
06	OF PROSTATE.....185	18	12	...	26	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	2	2
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	30	6	2	8	14
09	OF BLADDER.....188	18	4	2	4	8
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	12	2	-	4	6
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	82	12	10	36	24
12	OF EYE.....190	-	-	-	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	26	2	6	10	8
14	OF THYROID GLAND.....193	4	-	-	4	-
15	OTHER.....194-199	52	10	4	22	16
16	LEUKEMIA.....204-207	32	6	6	14	6
17	LYMPHATIC LEUKEMIA.....204	8	-	4	2	2
18	MYELOID LEUKEMIA.....205	14	2	2	6	4
19	MONOCYTTIC LEUKEMIA.....206	6	2	-	4	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	4	2	-	2	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	46	6	4	16	20
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	18	-	-	8	10
23	HODGKIN'S DISEASE.....201	4	2	2	4	-
24	MULTIPLE MYELOMA.....203	10	2	2	4	2
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	14	2	-	4	2
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	10	6	-	2	2
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	-	-	2	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	-	-	-	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	-	-	-	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	4	-	-	2
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	2	-	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	138	26	6	56	50
34	NONTOXIC GOITER.....240,241	-	-	-	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	-	-	-	-	-
37	DIABETES MELLITUS.....250	104	14	6	40	44
38	DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	-	-	-	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	12	2	-	6	4
43	CYSTIC FIBROSIS.....273.0	-	-	-	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	22	10	-	10	2
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	16	4	2	4	6
46	ANEMIAS.....280-285	10	2	-	4	4
47	DEFICIENCY ANEMIAS.....280,281	2	-	-	-	2
48	HEMOLYTIC ANEMIAS.....282,283	-	-	-	-	-
49	APLASTIC ANEMIA.....284	6	2	-	4	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	2	-	-	-	2
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	2	2	-	2
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	2	2	-	-	-
53	V. MENTAL DISORDERS.....	16	6	6	2	2
54	SENILE AND PRESENILE DEMENTIAS.....290	2	2	-	-	-
55	ALCOHOLIC PSYCHOSES.....291	2	2	-	-	-
56	ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57	ALCOHOLISM.....303	4	-	2	-	2
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	8	2	4	2	-
59	MENTAL RETARDATION.....310-315	-	-	-	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	42	6	2	18	16
61	MENINGITIS.....320	2	-	-	-	2
62	HEREDITARY NEUROUSCULAR DISORDERS.....330	-	-	-	-	-
63	MULTIPLE SCLEROSIS.....340	-	-	-	-	-
64	PARALYSIS AGITANS.....342	10	2	-	6	2
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	-	-	-	-	-
66	EPILEPSY.....345	4	-	-	-	4
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	-	-	-	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-309	26	4	2	12	8
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,888	324	254	792	518
73	ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	40	6	4	10	20
75	DISEASES OF MITRAL VALVE.....394	18	2	4	2	10
76	DISEASES OF AORTIC VALVE.....395	10	-	-	4	6
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	-	-	2	-
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	10	4	-	2	4
79	HYPERTENSIVE DISEASE.....400-404	20	-	2	8	10
80	MALIGNANT HYPERTENSION.....400	2	-	-	-	2
81	ESSENTIAL BENIGN HYPERTENSION.....401	2	-	-	2	-
82	HYPERTENSIVE HEART DISEASE.....402	6	-	-	2	4
83	HYPERTENSIVE RENAL DISEASE.....403	4	-	-	2	2
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	6	-	2	2	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

IDAHO					ILLINOIS					INDIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
142	82	60	-	-	2,402	846	1,254	134	168	1,070	462	528	46	34
12	...	12	358	...	280	...	78	166	...	150	...	16
14	...	14	382	...	334	...	48	150	...	142	...	8
34	...	34	632	...	598	...	34	228	...	222	...	6
80	92	...	42	...	8	14	...	4
2	80	788	...	134	482	...	438	...	4
2	2	58	26	...	24	...	2
44	30	14	-	-	956	558	310	54	34	330	218	94	4	14
24	20	4	-	-	520	336	126	34	24	168	114	44	2	8
20	10	10	-	-	436	222	184	20	10	162	104	50	2	6
100	52	48	-	-	1,782	796	808	84	94	886	440	374	34	38
-	-	-	-	-	28	12	16	-	-	10	4	4	-	2
34	20	14	-	-	426	210	176	20	20	196	122	66	6	2
-	-	-	-	-	62	20	40	-	-	32	10	20	-	2
66	32	34	-	-	1,266	554	576	62	74	648	304	284	28	32
46	26	20	-	-	760	372	334	30	24	418	222	180	12	4
16	12	4	-	-	236	138	78	8	12	168	88	72	8	17
2	8	12	-	-	318	132	156	20	10	150	84	60	4	2
2	-	2	-	-	42	24	18	-	-	28	20	8	-	19
8	6	2	-	-	164	78	82	2	2	72	30	40	-	2
50	38	12	-	-	1,122	514	538	42	28	474	234	206	18	16
18	12	6	-	-	380	160	208	8	4	142	68	64	2	8
4	4	2	-	-	172	86	78	4	4	84	48	34	2	23
12	12	-	-	-	268	122	110	22	14	142	62	62	10	8
14	10	4	-	-	302	146	142	8	6	106	56	46	4	25
16	6	8	-	2	248	116	110	10	12	94	52	36	4	2
-	...	-	6	...	6	...	-	4	...	4	...	-
-	-	-	-	-	66	30	28	-	8	10	6	6	-	-
2	-	2	-	-	40	20	12	6	2	18	6	10	2	29
2	...	2	-	...	-	...	-	-	...	-	...	-
10	4	4	-	2	98	44	50	2	2	34	22	10	2	31
2	2	-	-	-	38	22	14	2	-	28	20	6	-	2
156	76	74	2	4	2,458	872	1,224	136	226	1,204	472	650	18	64
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
-	-	-	-	-	24	4	12	-	8	4	2	2	-	-
6	4	2	-	-	12	-	10	-	-	6	4	2	-	-
124	62	56	2	4	2,072	722	1,038	112	200	1,006	380	552	16	58
-	-	-	-	-	10	4	4	2	-	12	4	10	-	38
-	-	-	-	-	2	2	-	-	-	4	2	2	-	39
-	2	-	-	-	24	8	16	-	-	16	8	8	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
16	6	10	-	-	108	34	54	12	8	36	16	20	-	42
2	2	-	-	-	40	24	16	-	-	14	8	6	-	43
6	-	6	-	-	164	72	74	8	10	106	48	50	2	44
24	12	10	2	-	264	96	98	24	46	124	40	60	18	45
12	6	4	2	-	168	58	58	16	36	76	28	34	12	46
4	4	-	-	-	18	6	10	-	2	12	4	8	-	47
4	2	-	2	-	50	8	10	8	24	16	-	8	6	2
2	-	2	-	-	56	22	26	2	6	36	24	8	4	49
2	-	2	-	-	44	22	12	6	4	12	-	10	2	50
12	6	6	-	-	30	8	18	4	-	16	-	12	2	51
-	-	-	-	-	66	30	22	4	10	32	12	14	4	2
22	14	6	-	2	258	118	68	50	22	136	74	44	12	6
-	-	-	-	-	20	8	8	2	2	20	6	12	2	54
-	-	-	-	-	16	4	-	-	-	4	4	-	-	55
-	-	-	-	-	8	2	6	-	-	10	8	2	-	56
16	10	4	-	2	88	46	8	30	4	52	34	8	8	2
2	2	-	-	-	114	40	40	18	16	40	16	20	2	2
4	2	2	-	-	12	6	6	-	-	10	6	2	-	2
62	36	26	-	-	736	342	278	66	50	452	218	188	18	28
4	4	-	-	-	74	28	24	12	10	26	14	6	2	4
6	4	2	-	-	42	32	8	2	-	28	24	4	-	62
2	-	2	-	-	90	34	38	8	10	58	24	26	-	8
10	-	10	-	-	134	66	64	-	4	112	42	68	2	64
-	-	-	-	-	30	16	10	4	-	22	30	4	-	65
8	6	2	-	-	96	42	16	26	12	24	12	6	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	4	2	2	-	-	2	-	2	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	4	4	-	-	-	-	-	-	-	70
32	22	10	-	-	262	118	116	14	14	170	78	72	6	14
3,172	1,840	1,296	22	14	64,180	30,462	27,152	3,482	3,084	27,256	13,684	12,072	764	736
-	-	-	-	-	8	2	4	2	-	8	2	4	-	2
56	34	20	-	2	688	278	342	24	44	298	154	134	4	6
12	8	4	-	-	174	50	106	4	14	68	32	34	-	2
18	18	-	-	-	204	124	68	8	4	96	54	34	4	4
2	8	2	-	-	34	8	24	-	2	20	12	8	-	7
24	8	14	-	2	276	96	144	12	24	114	56	58	-	78
68	28	38	2	-	1,638	512	740	184	202	736	334	420	26	16
4	4	-	-	-	70	14	20	2	16	30	12	12	4	2
10	8	8	-	-	50	18	24	2	6	36	8	12	-	8
10	8	20	-	-	732	156	328	116	132	180	68	98	4	10
10	4	4	2	-	478	210	212	28	28	150	78	64	8	8
16	10	6	-	-	308	114	156	18	20	400	168	218	10	4

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,252	246	166	530	310
02 WITH HYPERTENSIVE DISEASE (.01).....270	270	28	36	116	90
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....982	982	218	130	414	220
04 ACUTE MYOCARDIAL INFARCTION.....410	630	130	68	284	148
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	6	-	2	-	4
06 CHRONIC ISCHEMIC HEART DISEASE.....412	616	116	96	246	158
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	98	16	18	36	28
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	-	-	-	2
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	-	-	2	2
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	6	2	2	2	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	-	-	-	2
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	4	2	2	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	54	8	12	26	8
15 SYMPTOMATIC HEART DISEASE.....427	12	2	2	-	8
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	20	4	2	8	6
17 ALL OTHER FORMS OF HEART DISEASE.....429,425,426,429	-	-	-	-	-
18 CEREBROVASCULAR DISEASES.....430-438	368	34	50	164	120
19 WITH HYPERTENSION (BENIGN) (.01).....108	108	2	12	58	36
20 WITHOUT MENTION OF HYPERTENSION (.9).....260	260	32	38	106	84
21 SUBARACHNOID HEMORRHAGE.....430	34	2	2	20	10
22 CEREBRAL HEMORRHAGE.....431	88	6	12	48	22
23 CEREBRAL THROMBOSIS.....433	82	14	14	32	22
24 CEREBRAL EMBOLISM.....434	-	-	-	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	8	2	-	2	4
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	110	6	8	50	46
27 OTHER CEREBROVASCULAR DISEASES.....437,438	46	4	14	12	16
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	92	14	14	40	24
29 ARTERIOSCLEROSIS.....440	30	2	4	12	12
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	34	8	4	16	6
31 GANGRENE.....445	4	-	-	-	4
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	24	2	6	12	4
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	18	8	-	4	6
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	12	4	-	2	6
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	6	4	-	2	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....270	270	64	18	126	62
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	6	-	-	4	2
39 INFLUENZA.....470-474	6	-	-	2	4
40 PNEUMONIA.....480-486	146	24	10	72	40
41 VIRAL PNEUMONIA.....480	2	-	-	2	-
42 BACTERIAL PNEUMONIA.....481,482	18	-	2	12	4
43 ACUTE INTERSTITIAL PNEUMONIA.....484	4	-	-	-	4
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	54	8	4	28	14
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	68	16	4	30	18
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	54	24	2	20	8
47 BRONCHITIS, UNQUALIFIED.....490	-	-	-	-	-
48 CHRONIC BRONCHITIS.....491	12	-	-	6	2
49 EMPHYSEMA.....492	32	16	2	12	2
50 ASTHMA.....493	10	4	-	2	4
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	2	-	-	2	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	6	-	2	2	2
55 BRONCHIECTASIS.....518	6	-	2	4	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	44	16	2	20	6
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....156	156	32	36	68	20
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	20	-	2	16	2
60 ULCER OF STOMACH.....531	12	-	2	10	-
61 ULCER OF DUODENUM.....532	6	-	-	6	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	2	-	-	-	2
63 GASTRITIS AND DUODENITIS.....535	-	-	-	-	-
64 APPENDICITIS.....540-543	-	-	-	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	8	-	4	4	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	6	2	4	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	-	-	-	-	-
69 CIRRHOSIS OF LIVER.....571	72	24	12	30	6
70 ALCOHOLIC.....571.0	26	12	6	8	-
71 OTHER SPECIFIED.....571.8	4	2	2	-	-
72 UNSPECIFIED.....571.9	42	10	4	22	6
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	8	2	2	2	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	42	4	12	16	10
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....72	72	10	10	30	22
76 NEPHRITIS AND NEPHROSIS.....580-584	28	4	2	14	8
77 ACUTE NEPHRITIS.....580	4	4	-	-	-
78 NEPHROTIC SYNDROME.....581	-	-	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	24	-	2	14	8
80 INFECTIONS OF KIDNEY.....590	18	2	2	6	8
81 CALCULI OF URINARY SYSTEM.....592,594	2	-	-	-	2
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	20	2	4	10	4
83 HYPERPLASIA OF PROSTATE.....600	2	2	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	-	2	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....-	-	-	-	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2	-	2	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	2	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	-	-	-	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	6	-	2	-	4
13 ARTHRITIS AND SPONDYLITIS.....710-715	4	-	2	-	2
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2	-	-	-	2
18 XIV. CONGENITAL ANOMALIES.....	54	12	6	14	22
19 SPINA BIFIDA.....741	2	2	-	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	4	2	2	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	22	6	2	8	6
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	4	-	-	-	4
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	22	2	2	6	12
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	164	24	22	60	58
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	64	12	10	32	10
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	-	2	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	62	12	8	32	10
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	448	118	68	198	64
30 ACCIDENTS.....E800-E949	280	80	42	120	38
31 RAILWAY ACCIDENTS.....E800-E907	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	142	44	22	56	20
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	134	42	20	52	20
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	26	4	4	12	6
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	26	8	6	2	10
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	30	14	4	10	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	12	6	2	4	2
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	40	10	4	24	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	8	2	2	4	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	2	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	4	2	-	2	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	14	2	-	8	4
44 ACCIDENTAL POISONING.....E850-E877	10	4	2	4	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	4	-	-	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	6	-	2	4	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	-	-	-	-	-
48 ACCIDENTAL FALLS.....E880-E887	32	8	8	12	4
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	10	6	-	4	-
50 FALL ON SAME LEVEL.....E885, E886	8	-	-	6	2
51 OTHER AND UNSPECIFIED FALLS.....E887	14	2	8	2	2
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E887	4	4	-	-	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E890-E899	4	4	-	-	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	14	2	8	2	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	14	2	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	14	4	-	8	2
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	4	4	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	10	-	-	8	2
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	6	-	-	4	2
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	12	2	2	8	-
64 SUICIDE.....E950-E959	84	16	14	38	16
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	14	2	10	-	2
66 SUICIDE FROM POISONING BY GASES.....E951, E952	6	4	-	2	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	26	4	2	12	8
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	16	4	-	12	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	22	2	2	12	6
70 HOMICIDE.....E960-E978	62	16	2	34	10
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	40	12	-	22	6
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	12	2	-	8	2
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	10	2	2	4	2
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	22	6	10	6	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	29,932	16,212	13,376	210	134
02 I. INFECTIVE AND PARASITIC DISEASES.....	144	68	74	2	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	2	2	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	16	8	8	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	26	16	10	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	24	14	10	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	2	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLA INFECTIONS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	2	-	2	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	40	16	24	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	16	10	6	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	2	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	2	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	10	2	8	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	18	8	8	2	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	2	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	2	2	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	-	6	-	-
58 II. NEOPLASMS.....	5,180	2,788	2,344	28	20
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,118	2,760	2,312	28	18
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	76	56	20	-	-
61 OF LIP.....140	4	4	-	-	-
62 OF TONGUE.....141	18	12	6	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	18	14	4	-	-
64 OF PHARYNX.....146-149	36	26	10	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,380	704	668	8	-
66 OF ESOPHAGUS.....150	60	52	8	-	-
67 OF STOMACH.....151	214	126	84	2	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	20	12	8	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	612	276	332	4	-
70 CECEUM, APPENDIX, AND ASCENDING COLON.....153.0	76	30	46	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	24	12	12	-	-
72 DESCENDING COLON.....153.2	16	8	8	-	-
73 SIGMOID COLON.....153.3	92	34	58	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	376	180	192	4	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	28	12	16	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	142	78	64	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	10	6	4	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	74	24	50	-	-
79 OF PANCREAS.....157	228	126	102	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	20	4	14	2	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,000	840	156	4	-
82 OF LARYNX.....161	52	48	4	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	926	776	146	4	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	22	16	6	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	596	68	524	-	4
86 OF BONE.....170	6	6	-	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	32	16	16	-	-
88 OF SKIN.....172,173	62	46	16	-	-
89 OF BREAST.....174	496	-	492	-	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,388	11,736	9,502	656	494	34,048	17,620	13,404	1,666	1,358	34,390	13,102	9,664	6,322	5,302	01
130	80	36	8	6	282	154	82	22	24	450	180	86	122	62	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	04
2	-	2	-	-	-	-	-	-	-	6	4	-	-	2	06
8	4	2	-	2	46	20	18	4	4	44	16	12	8	8	08
30	14	14	2	-	104	62	26	10	6	108	46	12	42	8	09
22	12	10	-	-	82	52	22	4	4	96	42	12	38	4	10
-	-	-	-	-	4	2	-	-	-	2	-	-	-	2	11
-	-	-	-	-	2	2	-	-	-	2	-	-	-	2	12
2	-	2	-	-	6	6	-	4	-	4	-	-	-	2	13
6	2	2	2	-	8	4	2	2	-	6	4	-	2	2	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	21
4	2	-	-	2	4	4	-	-	-	10	6	2	-	2	22
-	-	-	-	-	2	-	-	-	2	2	2	-	-	-	23
28	20	6	2	-	54	36	12	-	6	170	62	38	46	24	24
8	4	4	-	-	10	4	4	2	-	40	20	6	4	10	26
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	30
4	4	-	-	-	10	2	6	2	-	6	-	6	-	-	31
-	-	-	-	-	18	6	6	-	6	14	8	4	-	2	32
18	14	4	-	-	8	4	2	2	-	16	6	2	4	4	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
12	8	-	2	2	2	2	-	-	-	10	2	-	6	2	42
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	43
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	44
4	2	-	-	-	2	2	-	-	-	8	2	-	6	-	45
2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
14	8	4	2	-	16	8	6	2	-	24	8	4	12	-	56
3,986	2,076	1,724	116	70	5,738	2,810	2,464	254	210	5,830	2,324	1,714	1,008	784	58
3,952	2,062	1,706	114	70	5,698	2,792	2,450	250	206	5,736	2,294	1,694	994	754	59
60	36	22	2	-	156	98	44	14	-	146	66	34	28	18	60
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	61
14	8	6	-	-	28	20	2	6	-	46	22	12	10	2	62
20	16	4	-	-	38	18	16	4	-	32	14	10	-	8	63
24	10	12	2	-	86	56	26	4	-	68	30	12	18	8	64
1,022	494	482	28	18	1,600	736	702	86	76	1,428	498	450	260	220	65
42	26	8	8	-	100	64	10	14	12	80	34	6	28	12	66
148	94	40	8	6	232	116	82	20	14	282	86	58	80	58	67
14	6	6	2	-	6	6	-	-	-	10	6	4	-	-	68
440	184	246	-	10	618	260	312	22	24	502	168	198	58	78	69
52	14	38	-	-	44	10	28	2	4	52	14	20	10	8	70
12	6	6	-	-	20	12	6	-	2	8	-	6	2	-	71
4	4	-	-	-	16	6	10	-	-	14	8	2	2	-	72
60	22	36	2	-	62	32	22	8	8	42	14	14	10	4	73
292	132	152	-	8	450	188	232	20	10	378	130	150	34	64	74
20	6	14	-	-	26	12	14	-	-	8	2	6	-	-	75
96	60	34	2	-	146	64	70	8	4	110	42	26	16	26	76
22	10	12	-	-	60	34	36	4	6	54	16	16	22	-	77
46	14	30	2	-	86	32	52	-	2	30	12	18	-	-	78
196	94	94	6	2	292	144	120	16	12	328	124	118	52	34	79
18	6	12	-	-	40	16	20	2	2	32	10	6	4	12	80
790	588	160	36	6	1,306	954	258	78	16	1,516	910	238	314	54	81
24	20	2	2	-	44	24	14	6	-	58	22	10	26	-	82
748	558	150	34	6	1,240	912	240	72	16	1,432	878	222	280	52	83
18	10	8	-	-	22	18	4	-	-	26	10	6	8	2	84
462	62	386	-	14	612	80	500	6	26	522	58	306	20	138	85
8	4	4	-	-	30	14	12	4	-	28	8	8	6	6	86
16	10	4	-	2	14	12	2	-	-	28	10	12	4	2	87
92	46	46	-	-	86	46	36	2	2	60	14	14	6	2	88
346	2	332	-	12	482	8	450	-	24	406	2	272	4	128	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	684	356	320	4	4
02 OF CERVIX UTERI.....180	68	---	68	---	---
03 OF OTHER PARTS OF UTERUS.....181,182	80	---	78	---	2
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	162	---	162	---	---
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	14	---	12	---	2
06 OF PROSTATE.....185	348	344	---	4	---
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	12	---	---	---	---
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	272	198	68	2	4
09 OF BLADDER.....188	134	106	24	2	2
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	138	92	44	---	2
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	556	256	294	4	2
12 OF EYE.....190	10	8	2	---	---
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	104	54	50	---	---
14 OF THYROID GLAND.....193	22	16	6	---	---
15 OTHER.....194-199	420	178	236	4	2
16 LEUKEMIA.....204-207	258	142	108	6	2
17 LYMPHATIC LEUKEMIA.....204	126	70	48	6	2
18 MYELOID LEUKEMIA.....205	98	46	52	---	---
19 MONOCYTTIC LEUKEMIA.....206	---	---	---	---	---
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	34	26	8	---	---
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	296	140	154	---	2
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	84	42	42	---	---
23 HODGKIN'S DISEASE.....201	56	22	34	---	---
24 MULTIPLE MYELOMA.....203	66	26	38	---	---
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	90	50	40	---	2
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	62	28	32	---	---
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	4	---	4	---	---
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	8	4	4	---	---
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,236-238	2	---	---	---	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	2	---	2	---	---
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	28	12	16	---	---
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	18	12	6	---	---
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	724	302	402	10	10
34 NONTOXIC GOITER.....240,241	2	---	2	---	---
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	---	---	---	---	---
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	---	4	---	---
37 DIABETES MELLITUS.....250	588	248	330	2	8
38 DISEASES OF PITUITARY GLAND.....253	2	2	---	---	---
39 DISEASES OF THYMUS GLAND.....254	---	---	---	---	---
40 DISEASES OF ADRENAL GLAND.....255	4	---	4	---	---
41 NIACIN DEFICIENCY.....262	---	---	---	---	---
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	54	18	32	4	---
43 CYSTIC FIBROSIS.....273-7	10	6	4	---	---
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	60	28	26	4	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	50	32	16	2	---
46 ANEMIAS.....280-285	34	22	10	2	---
47 DEFICIENCY ANEMIAS.....280,281	2	2	---	---	---
48 HEMOLYTIC ANEMIAS.....282,283	2	---	2	---	---
49 APLASTIC ANEMIA.....284	22	18	2	2	---
50 OTHER AND UNSPECIFIED ANEMIAS.....285	8	2	6	---	---
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	4	2	2	---	---
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	12	8	4	---	---
53 V. MENTAL DISORDERS.....	72	38	34	---	---
54 SENILE AND PRESENILE DEMENTIAS.....290	18	10	8	---	---
55 ALCOHOLIC PSYCHOSES.....291	---	---	---	---	---
56 ALL OTHER PSYCHOSES.....294-299	6	---	6	---	---
57 ALCOHOLISM.....303	14	14	---	---	---
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	28	8	20	---	---
59 MENTAL RETARDATION.....310-315	6	---	---	---	---
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	228	118	110	---	---
61 MENINGITIS.....320	8	6	2	---	---
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	8	4	4	---	---
63 MULTIPLE SCLEROSIS.....340	28	14	14	---	---
64 PARALYSIS AGITANS.....342	66	36	30	---	---
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	8	8	---	---	---
66 EPILEPSY.....345	26	10	16	---	---
67 INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68 CATARACT.....374	---	---	---	---	---
69 GLAUCOMA.....375	---	---	---	---	---
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	2	2	---	---	---
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	82	38	44	---	---
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	17,420	9,176	8,080	96	68
73 ACTIVE RHEUMATIC FEVER.....390-392	4	4	---	---	---
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	186	100	80	4	2
75 DISEASES OF MITRAL VALVE.....394	48	20	28	---	---
76 DISEASES OF AORTIC VALVE.....395	70	54	14	2	---
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	12	2	10	---	---
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	56	24	28	2	2
79 HYPERTENSIVE DISEASE.....400-404	404	158	242	4	---
80 MALIGNANT HYPERTENSION.....400	8	2	2	4	---
81 ESSENTIAL BENIGN HYPERTENSION.....401	22	6	16	---	---
82 HYPERTENSIVE HEART DISEASE.....402	122	44	78	---	---
83 HYPERTENSIVE RENAL DISEASE.....403	94	46	48	---	---
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	158	60	98	---	---

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

KANSAS					KENTUCKY					LOUISIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
584	294	262	16	12	806	274	438	38	56	656	190	210	136	120
70	...	62	...	8	158	...	146	...	12	120	...	54	...	66
56	...	52	...	4	122	...	102	...	20	94	...	66	...	28
128	...	128	...	-	184	...	166	...	18	102	...	82	...	20
20	...	20	...	-	30	...	24	...	6	14	...	8	...	6
300	284	...	16	...	284	246	...	38	...	306	178	...	128	...
10	10	...	-	...	28	28	...	-	...	20	12	...	8	...
226	150	68	6	2	252	148	90	6	8	238	114	52	34	38
132	88	38	6	-	118	74	38	4	2	136	70	26	14	26
94	62	30	-	2	134	74	52	2	6	102	44	26	20	12
328	166	138	14	10	474	254	194	12	14	694	224	224	128	118
2	2	-	-	-	12	10	2	-	-	2	2	-	-	-
100	60	34	2	4	126	76	44	4	2	112	42	40	22	8
14	-	14	-	-	14	6	6	-	-	10	-	4	2	4
212	104	90	12	6	322	162	142	8	10	570	182	178	104	106
208	130	74	4	-	212	108	96	4	6	238	108	72	30	28
74	50	24	-	-	102	64	36	-	2	64	26	24	8	6
86	58	28	-	-	66	30	32	4	-	98	52	18	14	14
10	6	4	-	-	2	2	-	-	-	8	6	-	2	-
38	16	18	4	-	42	12	26	-	4	68	24	30	6	8
272	142	114	8	8	280	140	130	6	4	298	126	108	44	20
74	34	40	-	-	98	52	46	6	-	92	32	48	6	6
42	28	14	-	-	54	26	24	2	2	46	22	12	12	8
102	46	40	8	8	68	32	34	2	-	74	32	20	14	8
54	34	20	-	-	60	30	26	2	2	86	40	28	12	6
34	14	18	2	-	40	18	14	4	4	94	30	20	14	30
2	...	2	...	-	4	...	2	...	2	2	2
6	-	6	-	-	2	-	2	-	-	12	-	4	-	2
4	4	-	-	-	8	8	-	-	-	12	6	2	-	4
-	...	-	...	-	...	-	-	...	-	-	...	-	...	-
12	2	8	2	-	12	6	4	2	2	46	18	10	8	10
10	8	2	-	-	14	4	6	2	2	22	6	4	4	8
546	224	266	26	30	770	256	424	38	52	1,146	282	388	150	326
-	-	-	-	-	-	-	-	-	-	4	-	2	-	2
6	-	4	2	-	4	2	2	-	-	22	2	4	2	14
2	2	-	-	-	8	2	6	-	-	10	-	6	-	4
450	182	220	22	26	604	192	336	32	44	970	222	340	124	284
-	-	-	-	-	8	2	6	-	-	8	2	4	2	-
-	-	-	-	-	8	2	6	-	-	4	-	4	-	-
-	-	-	-	-	8	2	6	-	-	2	-	-	-	-
-	-	-	-	-	8	2	6	-	-	2	-	-	-	-
30	10	20	-	-	54	24	24	4	2	48	16	8	18	6
8	6	2	-	-	8	6	2	-	6	8	2	4	2	4
50	24	20	2	4	76	30	38	2	6	70	36	16	2	16
62	28	34	-	-	80	36	30	8	6	100	28	30	22	20
46	22	24	-	-	46	22	18	4	2	78	24	18	20	16
10	2	8	-	-	6	2	2	-	-	2	-	2	-	-
8	6	4	-	-	2	-	-	-	2	24	4	2	10	8
12	10	2	-	-	26	16	10	-	-	28	12	8	6	2
16	6	10	-	-	12	4	6	2	-	24	8	6	4	6
2	-	2	-	-	10	6	4	-	-	10	-	8	-	2
14	6	8	-	-	24	8	8	4	4	12	4	4	2	2
80	46	26	4	4	116	66	36	4	10	114	40	38	34	2
10	2	6	-	2	10	-	10	-	-	6	-	6	-	-
10	8	2	-	-	4	4	-	-	-	12	2	2	8	-
2	2	-	-	-	6	6	4	-	-	42	14	12	14	2
32	20	8	4	-	68	48	8	4	8	42	14	12	14	2
24	12	10	-	2	26	12	12	-	2	34	10	12	12	-
2	2	-	-	-	2	-	2	-	-	20	14	6	-	-
218	118	94	6	-	298	146	118	18	16	248	98	60	50	40
22	18	4	-	-	10	6	2	-	2	26	6	4	10	6
8	6	2	-	-	12	6	6	-	-	12	8	-	4	-
14	6	8	-	-	10	4	6	-	-	6	4	-	2	63
54	32	20	2	-	70	40	28	-	2	38	20	12	2	4
-	-	-	-	-	26	12	12	2	2	12	4	4	-	4
20	14	6	-	-	34	12	10	8	4	38	14	8	14	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	2	4	-	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	6	2	4	-	-	2	-	2	-	-
98	40	54	4	-	128	64	50	8	6	110	42	28	20	20
12,496	6,332	5,570	310	284	18,924	9,516	7,774	838	796	17,808	6,632	5,336	2,904	2,936
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
126	54	68	-	4	172	86	74	4	8	128	60	26	24	18
46	10	36	-	-	40	18	20	-	2	32	22	6	2	2
36	22	10	-	4	46	30	10	4	2	54	22	6	12	14
4	2	2	-	-	8	6	2	-	-	6	2	2	2	77
40	20	20	-	-	78	32	42	-	4	36	14	12	8	2
256	90	146	8	12	316	94	174	20	28	368	60	88	94	126
8	2	4	-	2	18	4	6	4	4	34	2	2	18	12
12	4	6	2	-	10	8	2	-	-	18	2	10	2	4
80	32	44	2	2	104	28	62	4	10	164	14	32	44	74
64	20	34	2	8	88	26	48	10	4	84	24	34	10	16
92	32	58	2	-	96	28	56	2	10	68	18	10	20	20

Table I-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	10,884	6,262	4,544	40	38
02 WITH HYPERTENSIVE DISEASE (.0).....	1,040	472	558	6	4
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,844	5,790	3,986	34	34
04 ACUTE MYOCARDIAL INFARCTION.....410	6,366	4,072	2,298	18	18
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	32	16	16	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	4,482	2,170	2,270	22	20
07 ANGINA PECTORIS.....413	4	4	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	782	368	404	8	2
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	6	4	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	8	2	4	2	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	18	8	10	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	4	2	2	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	14	6	8	-	-
15 SYMPTOMATIC HEART DISEASE.....427	428	178	246	2	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	156	72	82	2	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	166	104	60	2	-
18 CEREBROVASCULAR DISEASES.....430-438	3,648	1,540	2,066	24	18
19 WITH HYPERTENSION (BENIGN) (.0).....	348	146	192	6	4
20 WITHOUT MENTION OF HYPERTENSION (.9).....	3,300	1,394	1,874	18	14
21 SUBARACHNOID HEMORRHAGE.....430	90	44	44	2	-
22 CEREBRAL HEMORRHAGE.....431	536	252	284	-	-
23 CEREBRAL THROMBOSIS.....433	874	346	520	4	4
24 CEREBRAL EMBOLISM.....434	22	16	6	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	30	16	14	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,308	526	756	14	12
27 OTHER CEREBROVASCULAR DISEASES.....437,438	788	340	442	4	2
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,280	646	616	10	8
29 ARTERIOSCLEROSIS.....440	818	348	456	8	6
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	276	200	74	2	-
31 GANGRENE.....442	52	30	22	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	134	68	64	-	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	232	98	128	6	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	206	86	114	6	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	26	12	14	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,900	1,164	718	10	8
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	2	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	10	8	2	-	-
39 INFLUENZA.....470-474	108	46	62	-	-
40 PNEUMONIA.....480-486	1,000	508	484	6	2
41 VIRAL PNEUMONIA.....480	22	4	18	-	-
42 BACTERIAL PNEUMONIA.....481,482	80	50	26	4	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	14	6	8	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	268	144	124	-	-
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	616	304	308	2	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	536	444	86	2	4
47 BRONCHITIS, UNQUALIFIED.....490	8	4	4	-	-
48 CHRONIC BRONCHITIS.....491	64	50	14	-	-
49 EMPHYSEMA.....492	440	382	56	2	-
50 ASTHMA.....493	24	8	12	-	4
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	16	12	4	-	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	52	34	16	2	-
55 BRONCHIECTASIS.....518	8	-	8	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	168	110	56	-	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	862	460	384	8	10
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	2	-	2	-	-
59 PEPTIC ULCER.....531-533	116	66	48	-	2
60 ULCER OF STOMACH.....531	52	26	26	-	-
61 ULCER OF DUODENUM.....532	48	32	14	-	2
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	16	8	8	-	-
63 GASTRITIS AND DUODENITIS.....535	8	2	6	-	-
64 APPENDICITIS.....540-543	30	16	14	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	110	48	60	-	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	-	2	-	-
67 DIVERTICULA OF INTESTINE.....562	80	30	50	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	4	4	-	-	-
69 CIRRHOSIS OF LIVER.....571	228	162	58	4	4
70 ALCOHOLIC.....571.0	74	58	14	2	-
71 OTHER SPECIFIED.....571.8	30	18	10	-	2
72 UNSPECIFIED.....571.9	124	86	34	2	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	70	30	40	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	212	102	104	4	2
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	330	190	138	2	-
76 NEPHRITIS AND NEPHROSIS.....580-584	90	52	34	2	-
77 ACUTE NEPHRITIS.....580	16	10	6	-	-
78 NEPHROTIC SYNDROME.....581	2	-	2	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	72	42	28	2	-
80 INFECTIONS OF KIDNEY.....590	66	24	42	2	-
81 CALCULI OF URINARY SYSTEM.....592,594	8	2	6	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	120	70	50	-	-
83 HYPERPLASIA OF PROSTATE.....600	34	34	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	12	8	4	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	2	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
0,080	4,392	3,314	196	178	12,044	6,418	4,644	498	484	11,292	4,682	3,234	1,734	1,602	01
818	352	404	20	42	1,144	444	544	62	94	1,512	366	418	282	446	02
7,262	4,040	2,910	176	136	10,900	5,974	4,100	436	390	9,740	4,316	2,816	1,452	1,156	03
4,602	2,814	1,586	126	76	7,438	4,406	2,442	324	266	5,836	2,972	1,518	782	564	04
40	32	8	-	-	52	32	20	-	-	22	10	8	-	4	05
3,434	1,544	1,718	70	102	4,552	1,978	2,182	174	218	5,390	1,696	1,708	952	1,034	06
4	2	2	-	-	2	2	-	-	-	4	4	-	-	-	07
452	226	206	14	6	1,014	538	396	42	38	1,082	356	268	216	242	08
14	4	10	-	-	2	2	-	-	-	4	2	2	-	-	09
4	4	-	-	-	12	2	8	2	-	14	6	4	2	2	10
16	6	8	-	-	20	10	10	4	-	10	4	4	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	6	4	2	-	-	2	-	2	-	-	13
16	6	8	-	2	14	6	8	-	-	8	4	2	-	-	14
266	136	118	8	4	578	286	242	26	24	722	236	184	134	168	15
82	40	42	-	-	84	46	30	2	6	184	56	40	42	46	16
70	36	28	6	-	318	192	106	12	8	148	52	34	38	24	17
2,622	1,098	1,392	66	66	4,046	1,738	1,904	204	200	3,728	1,036	1,284	628	780	18
204	112	148	16	8	316	128	130	32	26	482	110	136	96	140	19
2,338	986	1,244	50	58	3,750	1,610	1,774	172	174	3,246	926	1,148	532	640	20
92	32	50	4	6	114	48	68	4	2	172	36	54	36	46	21
546	252	260	14	20	660	302	270	48	40	634	176	184	134	140	22
590	242	306	22	20	958	416	476	34	32	788	254	270	118	146	23
8	4	4	-	-	16	10	6	-	-	4	-	2	-	2	24
48	24	24	-	-	46	24	20	2	2	40	20	14	-	6	25
814	344	438	16	16	1,498	644	660	92	102	1,498	356	490	260	392	26
524	200	310	10	4	754	302	404	24	24	592	194	270	80	48	27
770	396	342	18	14	928	458	410	40	20	914	332	340	134	108	28
446	182	248	4	12	606	268	306	24	8	510	140	238	64	68	29
176	124	44	8	-	128	82	38	4	4	210	122	48	20	20	30
28	16	12	-	-	54	28	14	8	4	50	12	12	20	6	31
120	74	38	6	2	140	80	52	4	4	144	58	42	30	14	32
190	76	102	8	4	404	184	172	30	18	334	104	96	74	60	33
172	64	98	8	2	358	154	156	30	18	286	86	78	70	52	34
18	12	4	-	2	46	30	16	-	-	48	18	18	4	8	35
1,390	860	474	38	18	2,068	1,202	640	86	60	1,824	862	428	330	204	36
12	8	2	-	2	2	2	-	-	-	8	4	-	2	2	37
10	6	4	-	-	6	4	2	-	-	20	6	4	6	4	38
100	60	38	2	-	84	44	38	2	-	76	34	26	10	6	39
640	312	296	20	12	1,024	546	376	54	48	890	338	230	194	128	40
26	14	12	-	-	42	10	22	12	4	24	6	12	2	4	41
60	36	22	2	-	98	46	40	-	12	74	38	12	20	4	42
8	2	4	-	2	6	6	4	-	-	40	12	12	10	6	43
242	126	106	6	4	306	180	110	8	8	236	98	62	50	26	44
304	134	152	12	6	572	304	204	40	24	516	184	132	112	88	45
390	314	70	6	-	544	390	132	14	8	464	296	86	60	22	46
4	4	2	-	-	16	6	10	-	-	12	2	4	2	4	47
56	44	12	-	-	106	76	26	4	-	46	28	8	2	4	48
310	256	48	6	-	362	284	64	8	6	354	262	52	32	8	49
20	12	8	-	-	60	24	32	2	2	52	-	22	16	10	50
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	51
12	4	4	4	-	18	12	4	2	-	18	6	6	2	4	52
6	2	4	-	-	2	-	-	-	-	4	2	2	-	-	53
44	22	22	-	-	62	34	28	-	-	58	30	20	6	2	54
8	8	-	-	-	18	6	10	2	-	6	2	2	2	2	55
168	124	34	6	4	310	244	50	12	4	278	144	54	48	32	56
644	322	294	10	18	1,124	586	440	62	36	1,168	456	368	180	164	57
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	58
90	60	28	2	-	134	74	50	6	4	102	42	36	18	6	59
32	12	20	-	-	48	16	30	2	-	40	12	12	12	4	60
52	42	8	2	-	62	42	24	4	-	52	24	12	4	2	61
6	6	-	-	-	24	16	6	2	-	10	6	2	2	2	62
20	12	8	-	-	4	2	2	-	-	20	12	-	6	2	63
12	6	6	-	-	14	4	10	-	-	14	4	6	2	2	64
84	30	50	4	-	146	54	76	10	6	118	28	46	22	22	65
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	66
36	6	30	-	-	60	20	32	4	4	70	32	24	-	14	67
12	6	6	-	-	20	10	10	-	-	12	-	4	4	4	68
204	118	70	4	12	352	228	106	12	6	370	182	100	66	22	69
70	42	20	4	4	126	98	22	4	2	110	68	14	20	8	70
36	14	22	-	-	44	26	18	-	-	52	14	22	16	-	71
98	62	28	-	8	182	104	66	8	4	208	100	64	30	14	72
32	18	14	-	-	82	32	50	-	-	64	32	12	2	18	73
152	64	82	-	6	310	160	104	30	16	398	124	140	60	74	74
332	172	132	16	12	506	228	190	50	38	734	218	228	156	132	75
108	52	44	4	8	158	82	46	20	10	248	58	54	80	56	76
6	4	2	-	2	16	4	4	4	2	28	4	4	8	4	77
10	8	2	-	-	4	2	2	-	-	10	2	2	6	2	78
92	40	42	6	6	138	74	40	16	8	210	54	50	60	46	79
84	32	44	6	2	136	40	80	10	6	200	54	92	20	34	80
8	8	-	-	-	12	2	6	2	2	14	2	10	2	-	81
70	24	38	6	2	134	56	54	12	12	216	78	64	40	34	82
38	38	...	-	...	34	30	...	4	...	24	18	...	6	...	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
24	18	6	-	-	32	18	4	2	8	32	8	8	8	8	85
2	...	2	...	-	12	...	8	...	4	12	...	4	...	8	86
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	87
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	88
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	89

SECTION I - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	2	...	2	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	2	...	2	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	20	4	16	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	-	-	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	20	4	16	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	70	16	54	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	28	6	22	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	-	4	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	38	10	28	-	-
18 XIV. CONGENITAL ANOMALIES.....	224	118	100	4	2
19 SPINA BIFIDA.....741	8	6	2	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	28	12	16	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	100	50	46	2	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	10	6	4	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	78	44	32	2	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	446	240	192	8	6
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	150	74	72	-	4
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	12	2	10	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	138	72	62	-	4
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,110	1,424	640	40	6
30 ACCIDENTS.....E800-E949	1,740	1,170	542	26	2
31 RAILWAY ACCIDENTS.....E800-E807	6	6	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	928	636	276	14	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	918	628	274	14	2
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	46	28	18	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	440	284	146	10	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	88	54	30	2	2
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	98	72	24	2	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	202	140	42	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	46	30	14	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	10	8	2	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	4	4	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	10	6	2	2	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	20	18	2	-	-
44 ACCIDENTAL POISONING.....E850-E877	38	26	10	2	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	12	6	4	2	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	6	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	18	14	4	-	-
48 ACCIDENTAL FALLS.....E880-E887	296	148	148	-	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	56	52	4	-	-
50 FALL ON SAME LEVEL.....E885,E886	20	12	8	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	220	84	136	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	68	44	22	2	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	70	52	18	-	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	40	26	14	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	26	22	2	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	94	90	4	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	20	18	2	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	74	72	2	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	46	26	18	2	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	94	66	26	2	-
64 SUICIDE.....E950-E959	280	200	76	4	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	32	10	22	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	32	26	6	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	56	30	22	4	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	150	132	18	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	10	2	8	-	-
70 HOMICIDE.....E960-E978	60	34	16	8	2
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	32	22	2	6	2
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	10	4	6	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	18	8	8	2	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	30	20	6	2	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	11,198	6,084	5,088	18	8
02 I. INFECTIVE AND PARASITIC DISEASES.....	74	40	34	-	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND ANEBTASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	8	4	4	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	18	12	6	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	14	12	2	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	4	-	4	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	2	2	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	14	6	8	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	4	2	2	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	2	2	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	2	-	2	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	12	4	8	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-156	10	8	2	-	-
58 II. NEOPLASMS.....	1,950	998	952	-	-
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,924	982	942	-	-
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	30	20	10	-	-
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	10	4	6	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	6	4	2	-	-
64 OF PHARYNX.....146-149	14	12	2	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	574	294	280	-	-
66 OF ESOPHAGUS.....150	30	20	10	-	-
67 OF STOMACH.....151	100	58	42	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	-	6	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	202	84	118	-	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	28	8	20	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	6	2	4	-	-
72 DESCENDING COLON.....153.2	6	2	4	-	-
73 SIGMOID COLON.....153.3	42	20	22	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	104	48	56	-	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	16	4	12	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	96	62	34	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	12	10	2	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	12	4	8	-	-
79 OF PANCREAS.....157	108	54	54	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	8	2	6	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	394	296	98	-	-
82 OF LARYNX.....161	8	6	2	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	382	286	96	-	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	4	4	-	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	214	26	188	-	-
86 OF BONE.....170	6	4	2	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	10	2	8	-	-
88 OF SKIN.....172,173	32	20	12	-	-
89 OF BREAST.....174	166	-	166	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
33,408	14,962	11,864	3,808	2,774	57,152	29,066	26,496	932	658	78,674	39,220	30,004	5,640	3,810	01
334	118	86	80	50	438	228	188	20	2	524	228	188	70	38	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	2	-	-	-	-	-	-	2	-	-	2	-	04
4	2	-	2	-	2	-	2	-	-	2	-	2	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
40	14	20	-	6	66	18	46	2	-	74	22	46	4	-	07
116	50	12	42	12	102	68	26	6	2	148	60	44	26	18	08
98	46	8	36	8	88	60	22	6	-	108	50	30	20	8	09
2	-	-	2	-	2	-	-	-	2	6	-	-	-	6	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
4	-	-	-	-	-	-	-	-	-	4	2	2	-	-	12
12	4	4	2	2	4	2	2	-	-	14	4	4	2	4	13
-	-	-	2	-	8	6	2	-	-	16	4	8	4	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
6	-	-	4	2	4	-	4	-	-	8	4	2	2	-	24
90	34	30	14	12	142	82	56	4	-	148	72	44	24	8	25
16	-	10	4	2	26	14	12	-	-	16	14	2	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2	2	-	-	-	4	2	2	-	-	2	2	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
4	4	-	-	-	6	-	6	-	-	10	8	2	-	-	33
14	-	4	2	8	20	8	10	2	-	58	22	26	2	8	34
16	6	6	4	-	38	16	18	4	-	16	8	8	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
10	-	-	6	4	4	4	-	-	-	10	8	-	2	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
8	-	-	6	2	2	2	-	-	-	2	2	-	-	-	45
2	-	-	-	2	2	2	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
14	6	4	-	4	24	16	6	2	-	28	8	10	8	2	56
6,510	2,906	2,394	736	474	11,268	5,720	5,310	134	104	14,254	7,164	5,574	846	670	57
6,386	2,846	2,352	724	464	11,032	5,616	5,182	134	100	14,080	7,084	5,498	842	656	58
144	96	28	32	8	284	190	86	6	2	304	198	70	28	8	59
2	-	-	-	2	2	-	2	-	-	6	6	-	-	-	60
28	18	4	4	2	88	52	32	2	2	72	48	16	4	4	61
46	24	10	10	2	88	62	26	-	-	84	56	22	6	-	62
88	54	14	18	2	106	76	26	4	-	142	88	32	18	4	63
1,724	718	654	204	148	3,326	1,752	1,506	36	32	3,714	1,904	1,426	216	168	64
174	74	24	48	28	208	146	50	12	-	258	158	38	50	12	65
236	104	70	36	26	562	332	218	6	6	642	350	218	44	30	66
4	2	-	2	-	14	10	4	-	-	22	14	8	-	-	67
658	260	310	44	44	1,378	660	698	6	14	1,372	644	602	54	72	68
42	18	20	4	4	154	84	70	-	-	160	68	84	4	4	69
24	10	6	4	4	30	10	18	2	-	46	22	16	-	8	70
24	12	10	2	-	26	12	14	-	-	18	10	8	-	-	71
78	28	40	6	4	216	110	104	2	-	172	90	56	14	12	72
458	172	226	30	30	800	382	404	-	14	896	416	404	32	44	73
32	20	8	2	2	152	62	88	2	2	80	38	34	4	4	74
200	92	70	20	18	400	238	158	2	2	390	208	160	12	10	75
46	26	8	10	2	48	38	10	-	-	76	44	20	6	6	76
62	14	46	-	2	130	48	78	2	2	166	58	100	2	6	77
314	134	112	42	26	556	268	272	8	8	744	402	266	44	32	78
30	12	14	2	2	30	12	18	-	-	44	26	14	4	-	79
1,576	1,004	248	288	36	2,236	1,678	486	62	10	3,226	2,236	574	332	84	80
90	60	10	18	2	98	86	10	2	-	120	98	12	8	2	81
1,460	928	232	266	34	2,112	1,572	472	58	10	3,062	2,120	550	316	76	82
26	16	6	4	-	26	20	4	2	-	44	18	12	8	6	83
646	70	486	6	84	1,352	-	1,204	-	26	1,636	184	1,298	12	142	84
30	20	6	2	2	46	30	16	-	-	84	44	34	4	2	85
22	12	10	6	-	46	18	28	-	-	66	26	30	2	8	86
68	36	30	2	-	138	66	70	-	-	164	96	58	4	6	87
526	2	440	2	82	1,122	8	1,090	-	24	1,322	18	1,176	2	126	88

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	252	108	144	-	-
02 OF CERVIX UTERI.....180	38	...	38	...	-
03 OF OTHER PARTS OF UTERUS.....181,182	36	...	36	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	70	...	70	...	-
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	-	...	-	...	-
06 OF PROSTATE.....185	104	104	...	-	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	4	...	4	...	-
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	102	58	44	-	-
09 OF BLADDER.....188	54	32	22	-	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	48	26	22	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	194	92	102	-	-
12 OF EYE.....190	-	-	-	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	42	22	20	-	-
14 OF THYROID GLAND.....193	14	4	10	-	-
15 OTHER.....194-199	138	66	72	-	-
16 LEUKEMIA.....204-207	56	36	20	-	-
17 LYMPHATIC LEUKEMIA.....204	28	22	6	-	-
18 MYELOID LEUKEMIA.....205	22	10	12	-	-
19 MONOCYTTIC LEUKEMIA.....206	2	-	-	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	4	2	2	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	108	52	56	-	-
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	44	26	18	-	-
23 HODGKIN'S DISEASE.....201	22	10	12	-	-
24 MULTIPLE MYELOMA.....203	26	12	14	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	16	4	12	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	26	16	10	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	-	-	-	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	2	-	2	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	18	10	8	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	6	6	-	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	286	122	162	2	-
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	2	2	-	-
37 DIABETES MELLITUS.....250	220	92	126	2	-
38 DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	2	-	2	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	28	10	18	-	-
43 CYSTIC FIBROSIS.....273-0	8	2	6	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	24	16	8	-	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	48	22	24	2	-
46 ANEMIAS.....280-285	34	14	18	2	-
47 DEFICIENCY ANEMIAS.....280,281	8	6	2	-	-
48 HEMOLYTIC ANEMIAS.....282,283	8	2	6	-	-
49 APLASTIC ANEMIA.....284	6	4	2	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	12	2	8	2	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	4	-	4	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	10	8	2	-	-
53 V. MENTAL DISORDERS.....	26	16	10	-	-
54 SENILE AND PRESENILE DEMENTIAS.....290	2	-	2	-	-
55 ALCOHOLIC PSYCHOSES.....291	-	-	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	4	2	2	-	-
57 ALCOHOLISM.....303	16	12	4	-	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	4	2	2	-	-
59 MENTAL RETARDATION.....310-315	-	-	-	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	74	38	36	-	-
61 MENINGITIS.....320	4	4	-	-	-
62 HEREDITARY NEUROUSCULAR DISORDERS.....330	4	2	2	-	-
63 MULTIPLE SCLEROSIS.....340	10	6	4	-	-
64 PARALYSIS AGITANS.....342	18	12	6	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	-	2	-	-
66 EPILEPSY.....345	12	6	6	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	24	8	16	-	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	6,296	3,296	2,992	4	4
73 ACTIVE RHEUMATIC FEVER.....390-392	4	-	4	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	70	26	44	-	-
75 DISEASES OF MITRAL VALVE.....394	18	4	14	-	-
76 DISEASES OF AORTIC VALVE.....395	30	14	16	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	-	-	-	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	22	8	14	-	-
79 HYPERTENSIVE DISEASE.....400-404	124	60	64	-	-
80 MALIGNANT HYPERTENSION.....400	2	-	2	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	22	10	12	-	-
82 HYPERTENSIVE HEART DISEASE.....402	24	10	14	-	-
83 HYPERTENSIVE RENAL DISEASE.....403	30	20	10	-	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	46	20	26	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
672	222	298	72	80	1,238	496	732	6	4	1,714	688	806	106	114	01
106	---	74	---	32	160	---	156	---	4	214	---	176	---	38	02
86	---	66	---	20	184	---	184	---	---	264	---	226	---	38	03
182	---	156	---	26	352	---	352	---	---	410	---	374	---	36	04
4	---	2	---	2	40	---	40	---	---	32	---	30	---	2	05
272	202	---	70	---	478	472	---	6	---	740	640	---	100	---	06
22	20	---	2	---	24	24	---	---	---	54	48	---	6	---	07
292	146	86	40	20	540	350	182	4	4	694	466	182	34	12	08
178	88	52	26	12	322	220	94	4	4	420	306	96	16	2	09
114	58	34	14	8	218	130	88	---	---	274	160	86	18	10	10
718	314	314	40	50	1,078	532	514	16	16	1,376	650	696	62	58	11
2	---	2	---	---	14	6	8	---	---	12	10	2	---	---	12
144	68	64	6	6	242	134	102	2	4	366	202	144	10	10	13
22	4	16	---	---	34	12	20	---	---	46	6	32	4	4	14
550	242	232	32	44	788	380	384	14	10	952	432	428	48	44	15
236	126	90	12	8	356	192	164	---	---	592	350	198	26	18	16
64	28	32	2	2	80	44	36	---	---	168	92	60	10	6	17
104	68	30	2	4	164	94	70	---	---	246	152	78	8	8	18
6	6	---	---	---	14	6	8	---	---	12	6	4	---	2	19
62	24	28	8	2	98	48	50	---	---	166	100	56	8	2	20
358	150	148	30	30	622	304	308	4	6	824	408	338	26	52	21
124	56	52	6	10	230	110	110	---	---	300	150	130	6	14	22
64	26	24	8	6	130	70	58	---	2	152	82	60	2	8	23
84	32	36	8	8	124	48	70	4	2	180	82	66	12	20	24
86	36	36	8	6	138	66	70	---	2	192	94	82	6	10	25
124	60	42	12	10	236	104	128	---	4	174	80	76	4	14	26
2	---	---	---	2	8	---	6	---	2	14	---	8	---	6	27
16	4	6	4	2	22	10	12	---	---	32	8	18	2	4	28
24	14	10	---	---	40	20	20	---	---	26	22	2	---	2	29
4	---	2	---	2	---	---	---	---	---	---	---	---	---	---	30
50	30	12	4	4	132	62	68	---	2	64	28	32	2	2	31
28	12	12	4	---	34	12	22	---	---	38	22	16	---	---	32
1,040	308	446	120	166	1,380	516	808	18	38	2,672	956	1,386	148	182	33
---	---	---	---	---	---	---	---	---	---	4	---	2	---	2	34
10	---	8	2	---	6	---	6	---	---	26	4	16	---	6	35
14	---	10	2	2	20	2	18	---	---	28	8	18	---	2	36
872	260	376	96	140	1,180	450	684	12	34	2,216	778	1,158	124	156	37
4	4	---	---	---	8	4	4	---	---	8	4	2	---	---	38
6	4	2	---	---	10	4	6	---	---	24	6	16	---	2	39
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	40
40	10	10	10	10	70	24	40	4	2	122	54	58	6	4	41
12	2	10	---	---	20	4	16	---	---	18	10	4	---	2	42
82	28	30	10	14	66	28	34	2	2	224	92	108	16	8	43
132	46	48	16	22	116	50	58	6	2	226	90	90	14	32	44
94	40	28	8	18	76	30	44	2	---	156	64	58	10	24	45
16	4	12	---	---	18	8	10	---	---	18	6	12	---	---	46
18	---	2	6	10	18	4	12	2	---	42	14	8	4	16	47
24	18	4	---	2	22	12	10	---	---	56	30	16	4	6	48
36	18	10	2	6	18	6	12	---	---	40	14	22	2	2	49
12	---	8	2	2	10	8	2	---	---	14	2	12	---	---	50
26	6	12	6	2	30	12	12	4	2	56	24	20	4	8	51
226	102	24	90	10	182	106	70	4	2	320	140	70	68	42	52
10	6	2	2	---	38	14	22	2	---	12	8	4	---	---	53
12	6	---	6	---	18	14	4	---	---	34	20	4	8	---	54
4	2	---	2	---	8	6	2	---	---	8	6	2	---	---	55
98	38	8	44	8	78	58	20	---	---	100	54	20	14	12	56
96	46	12	36	2	38	18	16	2	2	156	48	34	46	28	57
6	4	2	---	---	2	---	2	---	---	10	4	6	---	---	58
296	134	100	40	22	492	224	246	18	4	734	352	288	60	34	59
20	10	4	4	2	36	14	18	2	2	46	24	16	4	2	60
14	10	4	---	---	22	14	6	2	---	48	34	12	2	---	61
36	12	18	4	2	54	18	34	2	---	64	26	36	---	2	62
52	24	24	2	2	102	48	54	---	---	164	82	74	4	4	63
10	8	---	2	---	10	---	10	---	---	30	14	10	4	2	64
48	12	18	16	2	60	32	24	4	---	78	28	28	16	6	65
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	66
2	---	2	---	---	---	---	---	---	---	2	---	2	---	---	67
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	68
---	---	---	---	---	2	2	---	---	---	6	---	4	---	2	69
114	58	30	12	14	206	96	100	8	2	296	144	110	26	16	70
16,998	7,680	6,618	1,412	1,288	30,998	15,150	15,222	302	324	41,566	20,692	17,204	2,054	1,616	71
8	---	6	2	---	4	2	---	---	2	6	2	4	---	---	72
282	112	120	20	30	436	144	284	4	4	546	190	312	30	14	73
72	22	38	8	4	106	28	78	---	---	142	38	100	2	2	74
72	38	22	4	8	132	60	68	4	---	122	66	36	16	4	75
6	2	---	---	---	10	2	8	---	---	38	8	28	---	2	76
132	50	56	8	18	188	54	130	---	4	244	78	148	12	6	77
298	108	106	42	42	696	266	398	12	20	772	254	350	94	74	78
18	6	2	6	4	20	10	6	2	2	64	16	20	16	12	79
14	8	6	---	---	32	14	14	---	4	34	12	12	4	2	80
106	42	42	12	10	362	120	226	4	12	320	70	172	42	36	81
72	22	24	12	14	156	66	84	6	---	198	90	70	24	14	82
88	30	32	12	14	126	56	68	---	2	156	62	76	8	10	83

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA),

CAUSE OF DEATH		MAINE				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	4,212	2,392	1,814	2	4
02	WITH HYPERTENSIVE DISEASE (.01).....	456	234	220	2	-
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,756	2,158	1,594	-	4
04	ACUTE MYOCARDIAL INFARCTION.....410	2,492	1,566	926	-	-
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	14	6	8	-	-
06	CHRONIC ISCHEMIC HEART DISEASE.....412	1,706	820	880	2	4
07	ANGINA PECTORIS.....413	-	-	-	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	250	124	126	-	-
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	2	4	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	-	-	-	-	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	8	4	4	-	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	8	4	4	-	-
15	SYMPTOMATIC HEART DISEASE.....427	122	58	64	-	-
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	46	24	22	-	-
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	68	36	32	-	-
18	CEREBROVASCULAR DISEASES.....430-438	1,196	488	706	2	-
19	WITH HYPERTENSION (BENIGN) (.01).....	166	44	120	2	-
20	WITHOUT MENTION OF HYPERTENSION (.9).....	1,030	444	586	-	-
21	SUBARACHNOID HEMORRHAGE.....430	46	14	32	-	-
22	CEREBRAL HEMORRHAGE.....431	260	106	152	2	-
23	CEREBRAL THROMBOSIS.....433	308	124	184	-	-
24	CEREBRAL EMBOLISM.....434	4	4	-	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	24	10	14	-	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	314	124	190	-	-
27	OTHER CEREBROVASCULAR DISEASES.....437,438	240	106	134	-	-
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	340	166	174	-	-
29	ARTERIOSCLEROSIS.....440	198	84	114	-	-
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	82	52	30	-	-
31	GANGRENE.....445	22	10	12	-	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	38	20	18	-	-
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	100	40	60	-	-
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	94	40	54	-	-
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	6	-	6	-	-
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	832	514	312	6	-
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	6	4	2	-	-
39	INFLUENZA.....470-474	90	36	54	-	-
40	PNEUMONIA.....480-486	376	186	188	2	-
41	VIRAL PNEUMONIA.....480	12	8	4	-	-
42	BACTERIAL PNEUMONIA.....481,482	52	24	28	-	-
43	ACUTE INTERSTITIAL PNEUMONIA.....484	4	4	-	-	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	168	80	86	2	-
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	140	70	70	-	-
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	186	152	32	2	-
47	BRONCHITIS, UNQUALIFIED.....490	8	4	2	2	-
48	CHRONIC BRONCHITIS.....491	48	46	2	-	-
49	EMPHYSEMA.....492	114	98	16	-	-
50	ASTHMA.....493	16	4	12	-	-
51	HYPERTROPHY OF TONSILS AND ADENOIDIS.....500	-	-	-	-	-
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	4	4	-	-	-
53	PLEURISY.....511	4	2	2	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	22	14	8	-	-
55	BRONCHIECTASIS.....518	16	12	4	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	128	104	22	2	-
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	404	250	150	2	2
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	44	32	12	-	-
60	ULCER OF STOMACH.....531	14	10	4	-	-
61	ULCER OF DUODENUM.....532	28	20	8	-	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	2	2	-	-	-
63	GASTRITIS AND DUODENITIS.....535	4	4	-	-	-
64	APPENDICITIS.....540-543	10	6	4	-	-
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	40	14	26	-	-
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67	DIVERTICULA OF INTESTINE.....562	18	12	6	-	-
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	4	2	2	-	-
69	CIRRHOSIS OF LIVER.....571	168	124	40	2	2
70	ALCOHOLIC.....571.0	58	46	10	2	-
71	OTHER SPECIFIED.....571.8	10	6	4	-	-
72	UNSPECIFIED.....571.9	100	72	26	-	2
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	26	12	14	-	-
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	90	44	46	-	-
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	132	58	72	2	-
76	NEPHRITIS AND NEPHROSIS.....580-584	32	14	18	-	-
77	ACUTE NEPHRITIS.....580	2	2	-	-	-
78	NEPHROTIC SYNDROME.....581	10	4	6	-	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	20	8	12	-	-
80	INFECTIONS OF KIDNEY.....590	38	18	18	2	-
81	CALCULI OF URINARY SYSTEM.....592,594	4	2	2	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	46	14	32	-	-
83	HYPERPLASIA OF PROSTATE.....600	8	8	-	-	-
84	DISEASES OF BREAST.....610,611	2	-	2	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	2	-	-	-
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	...	2	...	-
87	ECTOPIC PREGNANCY.....631	-	...	-	...	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABDORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,094	5,898	4,458	922	816	20,870	10,930	9,576	182	182	28,130	14,956	10,812	1,374	988	01
1,706	566	722	198	220	1,588	628	916	24	20	3,052	1,176	1,406	270	200	02
10,388	5,332	3,736	724	596	19,282	10,302	8,660	158	162	25,078	13,780	9,406	1,104	788	03
5,192	3,020	1,708	250	214	10,300	5,982	4,150	84	84	15,606	9,364	5,210	642	390	04
52	24	20	4	4	82	44	36	2	-	74	50	24	-	-	05
6,850	2,854	2,730	668	598	10,486	4,902	5,390	96	98	12,440	5,540	5,570	732	598	06
-	-	-	-	-	2	2	-	-	-	10	2	8	-	-	07
610	242	222	84	62	958	494	426	22	16	1,358	588	630	92	48	08
20	4	2	8	6	14	8	6	-	-	16	8	6	2	-	09
12	2	4	2	4	22	16	6	-	-	16	6	2	6	2	10
14	4	8	2	-	38	12	22	2	2	34	22	12	-	-	11
4	-	-	-	-	-	-	-	-	-	6	-	-	-	-	12
10	4	4	2	-	24	8	6	-	-	6	6	-	-	-	13
390	168	144	42	36	586	302	252	18	14	970	418	458	60	34	15
74	36	28	6	4	126	58	66	2	-	102	36	58	6	2	16
100	28	36	24	12	172	98	74	-	-	220	98	94	18	10	17
2,562	826	1,252	240	244	5,754	2,244	3,386	60	64	7,998	3,236	3,992	376	394	18
362	92	156	46	68	698	256	402	18	22	1,184	426	590	106	122	19
2,200	734	1,096	194	176	5,056	1,988	2,984	42	42	6,814	2,810	3,462	270	272	20
192	68	68	30	26	284	92	178	4	10	390	140	186	30	34	21
346	118	146	42	40	1,410	618	750	24	18	1,370	554	662	82	72	22
572	206	296	36	34	1,990	746	1,212	16	16	2,398	1,016	1,184	104	94	23
4	2	-	-	-	56	20	36	-	-	36	14	20	2	-	24
28	16	8	2	2	102	58	42	2	-	116	72	28	6	10	25
972	294	464	98	116	1,170	472	678	8	12	2,330	942	1,148	106	134	26
448	122	270	30	26	742	238	490	6	8	1,358	498	764	46	50	27
862	378	356	62	66	1,564	736	806	10	12	2,208	1,190	910	52	56	28
422	148	224	30	20	748	268	470	4	6	1,162	508	610	16	28	29
256	156	62	18	20	504	344	156	2	2	598	428	144	18	8	30
40	20	14	2	4	70	20	40	2	4	90	42	36	0	4	31
144	54	56	12	22	234	96	132	2	2	358	212	120	10	16	32
282	116	98	40	28	716	334	346	12	24	548	276	194	36	42	33
260	112	86	38	24	650	290	328	10	22	478	238	172	28	40	34
22	4	12	2	4	66	44	18	2	2	70	38	22	8	2	35
1,762	928	528	204	102	3,990	2,314	1,526	108	42	4,232	2,508	1,238	344	142	36
2	2	-	-	-	8	2	6	-	-	12	4	6	2	-	37
20	10	8	-	2	40	26	14	-	-	28	16	8	-	4	38
56	26	24	-	6	72	26	46	-	-	196	82	108	-	6	39
852	380	296	112	64	2,510	1,294	1,112	74	30	1,992	1,030	654	210	98	40
20	8	10	2	-	22	32	36	2	2	36	18	18	-	-	41
102	46	38	12	6	720	124	90	6	2	182	108	44	18	10	42
12	10	2	-	-	30	24	4	-	-	26	16	4	-	-	43
308	138	108	52	10	1,148	568	522	40	18	658	326	218	80	34	44
410	178	138	46	48	1,040	546	460	24	10	1,090	562	364	112	52	45
388	234	94	46	14	750	558	180	8	4	1,386	1,004	286	76	20	46
10	2	6	2	-	22	14	8	-	-	24	8	10	2	4	47
50	32	12	2	4	140	98	42	-	-	220	164	50	4	2	48
274	182	56	34	2	522	416	100	4	2	1,038	800	174	56	8	49
54	18	20	8	8	66	30	30	4	2	104	32	52	14	6	50
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
10	12	6	6	4	42	24	16	2	-	36	18	14	2	2	52
42	4	4	2	-	10	4	6	-	-	8	4	4	-	-	53
10	22	14	4	2	58	38	20	-	-	126	76	36	10	4	54
14	12	2	-	-	26	16	10	-	-	32	12	14	6	-	55
350	226	80	34	10	474	326	116	24	8	416	262	108	38	8	56
1,628	708	532	220	168	2,368	1,348	922	64	34	3,320	1,656	1,066	348	250	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
106	58	40	6	2	260	144	100	14	2	330	206	86	26	-	59
50	18	24	6	2	122	58	54	8	2	132	78	44	4	6	60
34	28	6	-	-	110	62	42	6	-	136	82	30	18	6	61
22	12	10	-	-	28	24	4	-	-	62	46	12	4	-	62
6	4	-	-	2	22	18	4	-	-	24	16	8	-	-	63
22	10	10	2	-	32	24	8	-	-	48	20	14	4	10	64
130	28	72	14	16	180	68	106	6	-	284	120	124	10	22	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
60	14	40	-	6	104	40	62	-	2	128	44	78	2	4	67
18	6	12	-	-	30	16	14	-	-	60	26	30	2	2	68
878	414	200	162	102	1,130	724	356	28	22	1,626	812	410	240	164	69
216	110	54	36	16	344	228	100	6	10	526	298	100	72	56	70
290	102	56	84	48	140	84	46	4	6	384	154	114	68	48	71
372	202	90	42	38	646	412	210	18	6	716	360	196	100	60	72
60	42	36	-	2	96	38	58	-	-	156	68	74	4	10	73
348	152	122	36	38	514	276	214	16	8	664	336	242	60	26	74
504	194	122	112	76	770	390	352	12	16	936	412	312	106	106	75
198	64	40	52	42	204	98	100	2	4	336	134	112	46	44	76
26	10	10	2	4	36	16	20	-	-	48	26	16	4	2	77
-2	2	-	-	-	4	4	-	-	-	10	6	2	2	-	78
170	52	30	50	38	164	78	80	2	4	278	102	94	40	42	79
78	26	32	10	10	162	74	84	2	2	230	96	86	14	34	80
10	8	36	2	-	16	6	10	-	-	38	14	20	-	4	81
174	78	36	38	22	292	140	138	8	6	230	104	74	36	16	82
20	12	...	8	...	56	56	34	30	...	4	...	83
24	6	14	2	2	38	16	18	-	-	68	34	20	6	8	84
10	...	4	...	6	8	...	8	...	-	26	...	14	...	12	86
-	...	-	...	-	4	...	4	...	-	4	...	-	...	4	87
2	...	-	...	-	2	...	2	...	-	2	...	2	...	-	88
2	...	2	...	-	-	...	-	...	-	4	...	2	...	2	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).]

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	2	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	6	-	6	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	2	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	4	-	4	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	16	12	4	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	6	4	2	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	2	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	2	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	6	4	2	-	-
18 XIV. CONGENITAL ANOMALIES.....	84	50	34	-	-
19 SPINA BIFIDA.....741	2	-	2	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	20	14	6	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	22	12	10	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	6	6	-	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	34	18	16	-	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	170	98	72	-	-
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	60	40	20	-	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	6	2	4	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	54	38	16	-	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	738	530	206	-	2
30 ACCIDENTS.....E800-E949	558	392	164	-	2
31 RAILWAY ACCIDENTS.....E800-E807	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	222	178	44	-	-
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	220	176	44	-	-
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	72	60	12	-	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	40	22	18	-	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	42	40	2	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	64	52	12	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	2	2	-	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	2	2	-	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	16	16	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	4	4	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	22	16	6	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	10	6	4	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	10	8	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	2	2	-	-	-
48 ACCIDENTAL FALLS.....E880-E887	118	68	50	-	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	28	18	10	-	-
50 FALL ON SAME LEVEL.....E885,E886	4	-	4	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	86	50	36	-	-
52 ACCIDENTS CAUSED BY FIRES AND PLANES.....E890-E899	58	22	34	-	2
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	22	20	2	-	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	10	4	6	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	14	12	2	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	26	26	-	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	2	2	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	2	2	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	22	22	-	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	18	4	14	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	28	22	6	-	-
64 SUICIDE.....E950-E959	134	110	24	-	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	14	4	10	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	16	16	-	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	6	4	2	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	92	82	10	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	6	4	2	-	-
70 HOMICIDE.....E960-E978	38	22	16	-	-
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	12	8	4	-	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	6	6	2	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	16	6	10	-	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	8	6	2	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

		MINNESOTA				
CAUSE OF DEATH		Total	White		All other	
			Male	Female	Male	Female
01	ALL CAUSES.....	34,554	19,322	14,830	252	150
02	I. INFECTIVE AND PARASITIC DISEASES.....	208	114	94	-	-
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	54	26	28	-	-
09	TUBERCULOSIS, ALL FORMS.....010-019	36	20	16	-	-
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	24	16	8	-	-
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	4	-	4	-	-
14	DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	8	4	4	-	-
16	PLAGUE.....020	-	-	-	-	-
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-	-
19	LEPROSY.....030	-	-	-	-	-
20	DIPHTHERIA.....032	-	-	-	-	-
21	WHOOPING COUGH.....033	-	-	-	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23	ERYSIPELAS.....035	-	-	-	-	-
24	MENINGOCOCCAL INFECTIONS.....036	6	2	4	-	-
25	TETANUS.....037	-	-	-	-	-
26	SEPTICEMIA.....038	60	28	32	-	-
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	4	4	-	-	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	2	-	-	-
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	-	-	-	-	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	2	2	-	-	-
35	INFECTIOUS HEPATITIS.....070	2	2	-	-	-
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	18	14	4	-	-
38	TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	4	-	4	-	-
43	CONGENITAL SYPHILIS.....090	-	-	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093,9	2	-	2	-	-
47	TABES DORSALIS.....094,0	2	-	2	-	-
48	GENERAL PARESIS.....094,1	-	-	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50	ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	2	2	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	18	12	6	-	-
58	II. NEOPLASMS.....	6,336	3,356	2,934	34	12
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	6,252	3,306	2,900	34	12
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	114	84	30	-	-
61	OF LIP.....140	6	6	-	-	-
62	OF TONGUE.....141	34	24	10	-	-
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	24	14	10	-	-
64	OF PHARYNX.....146-149	50	40	10	-	-
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,920	1,052	846	16	6
66	OF ESOPHAGUS.....150	80	58	16	6	-
67	OF STOMACH.....151	378	258	118	2	-
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	28	22	6	-	-
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	624	290	326	4	4
70	CECUM, APPENDIX, AND ASCENDING COLON.....153,0	70	28	40	2	-
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	30	16	14	-	-
72	DESCENDING COLON.....153,2	20	8	12	-	-
73	SIGMOID COLON.....153,3	108	64	42	-	2
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	378	160	214	2	2
75	INTESTINAL TRACT, PART UNSPECIFIED.....153,9	18	14	4	-	-
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	248	150	98	-	-
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	46	32	12	2	-
78	OF GALLBLADDER AND BILE DUCTS.....156	128	50	76	-	2
79	OF PANCREAS.....157	360	176	182	2	-
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	28	16	12	-	-
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,026	814	202	8	2
82	OF LARYNX.....161	50	40	8	2	-
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	958	766	184	6	2
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	18	8	10	-	-
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	736	88	644	2	2
86	OF BONE.....170	34	16	18	-	-
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	26	16	10	-	-
88	OF SKIN.....172,173	74	48	24	2	-
89	OF BREAST.....174	602	8	592	-	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MISSISSIPPI					MISSOURI					MONTANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23,690	8,312	5,822	5,400	4,146	52,458	25,876	21,244	3,058	2,280	6,896	3,260	2,646	180	110	01
288	46	56	102	84	320	182	100	22	16	44	22	14	4	4	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
120	2	16	48	54	32	16	12	2	2	6	2	4	-	-	07
64	16	6	32	18	82	42	12	6	2	10	8	-	2	-	08
52	10	4	30	8	68	52	8	6	2	8	6	-	2	-	09
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
10	6	2	-	2	14	10	4	-	-	2	2	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	20
4	2	-	-	-	12	2	6	4	-	2	-	-	-	-	21
-	-	-	-	-	6	2	2	2	-	-	-	-	-	-	22
40	6	10	10	14	118	58	44	8	8	8	2	4	-	2	23
8	4	2	2	-	12	8	4	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	8	8	-	-	-	4	4	-	-	-	31
-	-	-	-	-	10	2	8	-	-	2	2	-	-	-	32
8	2	4	2	-	10	2	8	-	-	4	2	-	-	2	33
16	4	10	2	-	16	10	6	-	-	-	-	-	-	-	34
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	4	-	2	-	2	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	54
12	4	2	2	4	12	10	2	-	2	8	4	2	2	-	55
3,480	1,310	1,022	638	510	8,930	4,408	3,610	530	382	1,128	624	476	18	10	58
3,448	1,298	1,012	632	506	8,834	4,358	3,578	520	378	1,100	612	460	18	10	59
72	30	16	16	10	190	120	48	12	10	6	6	-	-	-	60
6	2	4	-	-	6	2	4	-	-	-	-	-	-	-	61
14	2	4	2	6	34	22	8	2	2	2	2	-	-	-	62
24	10	6	8	8	66	42	16	4	4	4	4	-	-	-	63
28	16	2	6	4	84	54	20	6	4	4	4	-	-	-	64
946	316	270	204	156	2,208	1,022	942	144	100	318	176	134	4	4	65
68	30	6	20	12	138	86	24	16	12	4	4	-	-	-	66
176	36	24	76	40	284	106	128	32	18	64	42	20	2	-	67
6	2	2	2	-	18	6	8	-	6	-	-	-	-	-	68
284	108	108	32	44	972	426	458	50	38	112	56	56	-	-	69
24	8	10	4	2	132	38	80	10	4	16	2	14	-	-	70
10	4	4	-	2	18	8	10	-	-	2	-	-	-	-	71
14	4	8	2	-	36	14	12	6	4	2	2	-	-	-	72
18	6	8	2	2	108	64	36	4	4	16	12	4	-	-	73
212	74	78	22	38	648	290	304	28	26	68	38	30	-	-	74
5	4	-	2	-	30	12	16	2	-	8	2	6	-	-	75
56	10	22	14	10	196	96	80	8	12	38	28	10	-	-	76
30	10	2	10	8	72	44	12	14	2	8	6	2	-	-	77
28	4	20	-	4	112	34	74	4	-	18	8	8	-	-	78
276	112	78	50	36	392	212	146	20	14	66	28	34	2	2	79
22	12	8	-	2	24	12	12	-	-	8	4	4	-	-	80
790	474	112	174	30	2,044	1,512	338	180	14	234	174	54	6	-	81
18	12	2	4	-	78	60	6	10	2	10	8	2	-	-	82
764	456	108	170	30	1,936	1,428	326	170	12	218	162	50	6	-	83
8	6	2	-	-	30	24	6	-	-	6	4	2	-	-	84
390	56	232	16	86	954	112	754	6	82	128	24	100	-	2	85
18	6	2	8	2	52	24	26	2	2	8	8	-	-	-	86
12	6	2	2	2	38	20	16	2	-	10	4	4	-	-	87
78	44	26	4	4	124	64	56	4	-	18	12	6	-	-	88
282	-	202	2	78	740	4	656	-	80	92	-	90	-	2	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	828	380	444	2	2
02 OF CERVIX UTERI.....180	94	...	92	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	108	...	108	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	228	...	228	...	-
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	16	...	16	...	-
06 OF PROSTATE.....185	362	360	...	2	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	20	20
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	326	206	118	2	-
09 OF BLADDER.....188	162	116	44	2	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	164	90	74	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	572	252	318	2	-
12 OF EYE.....190	2	-	2	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	144	70	72	2	-
14 OF THYROID GLAND.....193	26	2	24	-	-
15 OTHER.....194-199	400	180	220	-	-
16 LEUKEMIA.....204-207	306	190	114	2	-
17 LYMPHATIC LEUKEMIA.....204	104	66	38	-	-
18 MYELOID LEUKEMIA.....205	144	90	54	-	-
19 MONOCYTTIC LEUKEMIA.....206	10	6	4	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	48	28	18	2	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	424	240	184	-	-
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	142	74	68	-	-
23 HODGKIN'S DISEASE.....201	52	36	16	-	-
24 MULTIPLE MYELOMA.....203	98	48	50	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	132	82	50	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	84	50	34	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	4	...	4
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	16	10	6	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,228-228	26	18	8	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	24	12	12	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	14	10	4	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	740	310	420	2	8
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	-	4	-	-
37 DIABETES MELLITUS.....250	598	252	338	-	8
38 DISEASES OF PITUITARY GLAND.....253	6	2	4	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	4	2	2	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	36	10	26	-	-
43 CYSTIC FIBROSIS.....273.0	2	2	-	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	90	42	46	2	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	100	52	48	-	-
46 ANEMIAS.....280-285	42	20	22	-	-
47 DEFICIENCY ANEMIAS.....280,281	8	4	4	-	-
48 HEMOLYTIC ANEMIAS.....282,283	-	-	-	-	-
49 APLASTIC ANEMIAS.....284	22	12	10	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	12	4	8	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	14	10	4	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	44	22	22	-	-
53 V. MENTAL DISORDERS.....	154	100	50	4	-
54 SENILE AND PRESENILE DEMENTIAS.....290	18	10	8	-	-
55 ALCOHOLIC PSYCHOSES.....291	2	-	2	-	-
56 ALL OTHER PSYCHOSES.....294-299	8	4	4	-	-
57 ALCOHOLISM.....303	62	56	4	2	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	52	24	28	-	-
59 MENTAL RETARDATION.....310-315	12	6	4	2	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	352	170	176	4	2
61 MENINGITIS.....320	20	8	12	-	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	16	12	2	2	-
63 MULTIPLE SCLEROSIS.....340	24	4	20	-	-
64 PARALYTIC ACETANS.....342	82	42	38	2	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	18	8	10	-	-
66 EPILEPSY.....345	28	20	8	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	8	4	4	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	156	72	82	-	2
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	18,976	10,446	8,404	70	56
73 ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	264	112	152	-	-
75 DISEASES OF MITRAL VALVE.....394	64	12	52	-	-
76 DISEASES OF AORTIC VALVE.....395	112	68	44	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	20	8	12	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	68	24	44	-	-
79 HYPERTENSIVE DISEASES.....400-404	294	128	166	-	-
80 MALIGNANT HYPERTENSION.....400	8	2	6	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	16	2	14	-	-
82 HYPERTENSIVE HEART DISEASE.....402	120	54	66	-	-
83 HYPERTENSIVE RENAL DISEASE.....403	90	42	48	-	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	60	28	32	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MISSISSIPPI					MISSOURI					MONTANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
508	130	132	114	132	1,126	416	558	68	84	146	84	60	-	2
108	...	44	...	64	182	...	150	...	32	20	...	18	...	2
64	...	28	...	36	134	...	116	...	18	18	...	18
80	...	58	...	22	304	...	272	...	32	20	...	20
12	...	2	...	10	22	...	20	...	2	4	...	4
230	124	...	106	...	478	412	...	66	...	74	74
14	6	...	8	...	6	10	10
152	76	58	18	20	428	262	128	26	12	74	46	24	4	...
86	36	20	12	18	258	164	66	18	10	40	30	8	2	...
66	40	18	6	2	170	98	62	8	2	34	16	16	2	...
298	106	108	98	46	1,024	506	426	48	44	92	56	34	-	2
6	-	2	-	4	4	4	-	-	-	4	2	2	-	...
84	28	40	8	8	174	100	64	4	6	30	20	10	-	...
14	4	6	2	2	28	12	14	2	2	6	2	4	-	...
194	74	60	28	32	818	390	348	44	36	52	32	18	-	2
124	48	42	24	10	384	192	162	16	14	36	22	14	-	...
36	12	14	8	2	134	68	56	10	8	12	8	4	-	...
50	26	12	10	2	154	88	52	6	8	18	10	8	-	...
4	-	2	-	2	22	12	10	-	-	2	2	-	-	...
34	10	14	6	4	74	24	44	-	6	4	2	2	-	...
168	62	62	28	16	476	216	222	20	18	66	24	40	2	...
36	20	12	2	2	148	76	62	2	8	18	8	10	-	...
36	12	12	8	4	72	42	26	2	2	6	4	2	-	...
56	12	20	14	10	108	36	56	10	6	24	6	18	-	...
40	18	18	4	4	148	62	78	6	4	18	6	10	2	...
32	12	10	6	4	96	50	32	10	2	28	12	16	-	...
2	...	2	...	-	2	...	-	...	2	4	...	4
10	4	4	2	2	32	20	8	4	4	...	4	2
4	2	2	-	-	12	4	8	-	-	2	2	-	-	...
-	...	-	...	-	2	...	2	...	-	-	...	-
14	6	2	4	2	38	20	12	6	-	8	2	6	-	...
-	-	-	-	-	10	6	2	-	2	8	4	4	-	...
612	134	156	126	196	1,244	444	630	62	108	174	74	92	2	6
-	-	-	-	-	2	-	-	-	2	-	-	-	-	...
-	-	-	-	-	2	-	2	-	-	-	-	-	-	...
6	-	4	-	2	12	4	8	-	-	2	-	-	-	...
526	114	130	114	168	1,036	366	522	48	100	146	66	72	2	6
-	-	-	-	-	10	4	6	-	-	2	-	2	-	...
4	2	-	-	2	12	-	2	-	-	-	-	-	-	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
26	8	6	4	8	84	32	46	6	-	14	-	14	-	...
6	2	4	-	-	4	2	2	-	-	2	2	-	-	...
44	8	12	8	16	80	28	38	8	6	10	6	4	-	...
94	24	18	24	28	144	76	52	6	10	32	8	22	2	...
74	18	10	22	24	88	48	30	6	4	24	4	18	2	...
6	2	-	-	4	10	6	4	-	-	4	-	2	2	...
28	6	-	10	12	10	2	4	-	4	-	-	-	-	...
16	6	8	2	-	34	26	6	-	2	10	2	8	-	...
24	4	2	10	8	34	14	16	2	2	10	2	8	-	...
10	4	2	2	2	28	18	10	-	-	4	2	2	-	...
10	2	6	-	2	28	10	12	-	6	4	2	2	-	...
64	16	22	22	4	144	74	44	22	4	30	16	8	4	2
8	2	4	2	-	22	6	14	-	2	4	2	2	-	...
8	4	2	2	-	8	8	-	-	-	-	-	-	-	...
-	-	-	-	-	6	4	2	-	-	-	-	-	-	...
38	8	12	16	2	58	32	12	12	2	22	12	4	4	2
10	2	4	2	2	36	12	14	10	-	4	2	2	-	...
-	-	-	-	-	14	12	2	-	-	-	-	-	-	...
182	80	32	42	28	384	186	156	30	12	84	50	34	-	...
20	8	2	8	2	28	14	8	6	-	6	4	2	-	...
10	8	2	2	-	20	16	2	2	-	6	6	-	-	...
24	4	12	4	2	18	2	16	2	-	10	6	4	-	...
22	12	6	2	2	96	54	40	2	2	24	12	12	-	...
12	6	2	2	2	24	14	6	2	2	2	2	-	-	...
32	12	2	10	8	38	14	18	6	-	6	2	4	-	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
-	-	-	-	-	2	-	2	-	-	-	-	-	-	...
2	-	-	2	-	-	-	-	-	-	2	2	-	-	...
60	28	8	12	12	158	72	64	12	10	28	16	12	-	...
11,792	4,214	3,162	2,354	2,062	28,926	13,942	12,568	1,246	1,170	3,366	1,930	1,364	44	28
-	-	-	-	-	4	2	2	-	-	2	2	-	-	...
68	20	18	16	14	342	148	180	8	6	66	22	40	2	...
26	4	8	8	6	82	24	36	2	-	18	4	12	-	...
16	6	6	4	-	94	56	34	2	2	24	8	16	-	...
4	4	-	-	-	24	10	14	-	-	6	6	6	-	...
22	6	4	8	8	142	58	76	4	4	18	10	6	2	...
322	66	56	102	98	604	298	268	50	48	68	34	34	-	...
34	6	-	12	16	24	6	10	4	4	-	-	-	-	...
24	4	-	10	10	24	6	12	4	2	2	-	-	-	...
120	20	26	32	42	202	62	94	22	24	18	6	12	-	...
76	16	14	22	24	136	76	42	10	8	22	12	10	-	...
68	20	16	26	6	218	88	110	10	10	26	14	12	-	...

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	12,030	7,100	4,848	54	28
02 WITH HYPERTENSIVE DISEASE (1.0).....	1,220	584	530	-	6
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (1.9).....	10,810	6,516	4,218	54	22
04 ACUTE MYOCARDIAL INFARCTION.....	6,428	4,108	2,292	20	8
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	62	36	26	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	5,536	2,956	2,526	34	20
07 ANGINA PECTORIS.....413	4	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	614	350	260	2	2
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	8	4	4	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	12	8	2	2	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	28	12	16	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	2	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	6	6	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	20	4	16	-	-
15 SYMPTOMATIC HEART DISEASE.....427	388	218	168	-	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	80	56	24	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	98	52	46	-	-
18 CEREBROVASCULAR DISEASES.....430-438	4,410	2,058	2,320	8	24
19 WITH HYPERTENSION (BENIGN) (1.0).....	644	262	374	2	6
20 WITHOUT MENTION OF HYPERTENSION (1.9).....	3,766	1,796	1,946	6	18
21 SUBARACHNOID HEMORRHAGE.....430	184	62	94	-	8
22 CEREBRAL HEMORRHAGE.....431	666	344	318	2	2
23 CEREBRAL THROMBOSIS.....433	1,026	478	544	-	4
24 CEREBRAL EMBOLISM.....434	26	10	14	-	2
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	78	36	42	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,408	688	716	2	2
27 OTHER CEREBROVASCULAR DISEASES.....437-438	1,042	440	592	4	6
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,116	568	544	4	-
29 ARTERIOSCLEROSIS.....440	600	254	342	4	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	284	200	84	-	-
31 GANGRENE.....445	70	32	38	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	162	82	80	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	248	130	114	2	2
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	218	108	106	2	2
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	30	22	8	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,148	1,314	816	6	12
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	14	12	2	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	6	2	-	-
39 INFLUENZA.....470-474	76	182	102	-	4
40 PNEUMONIA.....480-486	1,096	594	494	4	4
41 VIRAL PNEUMONIA.....480	22	18	4	-	-
42 BACTERIAL PNEUMONIA.....481,482	126	72	52	2	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	8	4	4	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	376	198	176	-	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	564	302	258	2	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	520	490	116	2	2
47 BRONCHITIS, UNQUALIFIED.....490	20	8	12	-	-
48 CHRONIC BRONCHITIS.....491	100	76	24	-	-
49 EMPHYSEMA.....492	368	302	64	2	-
50 ASTHMA.....493	32	14	16	-	2
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPHYSEMA AND ABSCESS OF LUNG.....510,513	14	2	12	-	-
53 PLEURISY.....511	14	4	8	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	66	42	22	-	2
55 BRONCHIECTASIS.....518	12	8	4	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	222	168	54	-	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,058	630	418	8	2
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	112	72	38	2	-
60 ULCER OF STOMACH.....531	54	32	20	2	-
61 ULCER OF DUODENUM.....532	52	38	14	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	6	2	4	-	-
63 GASTRITIS AND DUODENITIS.....535	8	6	2	-	-
64 APPENDICITIS.....540-543	6	4	2	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	110	60	50	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	-	2	-	-
67 DIVERTICULA OF INTESTINE.....562	74	36	38	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	10	6	4	-	-
69 CIRRHOSIS OF LIVER.....571	376	252	118	4	2
70 ALCOHOLIC.....571.0	132	94	34	2	2
71 OTHER SPECIFIED.....571.9	60	42	18	-	-
72 UNSPECIFIED.....571.9	184	116	66	2	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	92	42	50	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	268	152	114	2	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	374	242	130	2	-
76 NEPHRITIS AND NEPHROSIS.....580-584	76	44	32	-	-
77 ACUTE NEPHRITIS.....589	16	8	8	-	-
78 NEPHROTIC SYNDROME.....581	4	-	4	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	56	36	20	-	-
80 INFECTIONS OF KIDNEY.....590	94	46	48	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	10	4	6	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	134	96	36	2	-
83 HYPERPLASIA OF PROSTATE.....600	44	44	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-620	16	8	8	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	6	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	4	-	4	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632, 651-653	2	-	2	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MISSISSIPPI					MISSOURI					MONTANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,752	2,728	1,824	1,198	1,002	18,004	9,280	7,360	772	592	1,904	1,158	708	26	12	01
1,234	284	272	324	354	1,956	794	882	138	142	128	64	60	4	4	02
5,518	2,444	1,552	874	648	16,048	8,486	6,478	634	450	1,776	1,094	648	22	12	03
3,978	1,876	992	654	456	9,698	5,726	3,392	352	228	1,158	786	348	20	4	04
34	12	12	8	2	66	28	32	4	2	2	2	2	6	8	05
2,738	838	820	536	544	8,206	3,506	3,922	416	362	744	370	360	6	8	06
2	2	-	-	-	34	20	14	-	-	-	-	-	-	-	07
782	274	134	226	148	1,424	692	570	82	89	272	164	98	6	4	08
-	-	-	-	-	18	10	8	-	-	-	-	-	-	-	09
4	2	2	-	-	10	8	-	-	2	4	2	2	-	-	10
8	2	-	4	2	30	16	12	-	-	-	-	-	-	-	11
2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	12
-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	13
6	-	-	4	4	2	8	12	2	-	12	2	10	-	-	14
320	94	72	88	66	838	384	344	54	56	116	68	42	4	2	15
72	24	22	10	16	170	78	86	-	6	42	24	18	-	-	16
378	152	38	124	64	358	196	120	26	16	96	68	24	2	2	17
3,052	856	864	674	658	6,274	2,558	3,154	236	326	682	334	330	10	8	18
442	96	88	114	144	656	232	322	36	66	64	26	34	-	4	19
2,610	760	776	560	514	5,618	2,326	2,832	200	260	618	308	296	10	-	20
78	16	22	12	28	194	76	96	4	18	20	8	12	-	-	21
544	154	112	132	146	1,062	462	496	46	58	92	38	48	2	4	22
644	198	208	120	118	1,850	764	906	68	112	158	78	80	-	-	23
8	-	4	2	2	74	18	48	-	4	-	-	-	-	-	24
32	8	10	8	6	94	56	30	4	4	-	2	2	-	-	25
1,282	330	350	308	294	1,870	750	948	82	90	268	146	110	8	4	26
464	150	158	92	64	1,130	432	630	32	36	140	62	78	-	-	27
590	204	188	88	110	1,760	814	816	64	66	294	176	118	-	-	28
296	80	108	46	62	1,048	394	576	36	42	192	100	92	-	-	29
128	74	26	14	14	358	244	86	16	12	56	44	12	-	-	30
48	14	14	14	14	102	46	44	2	10	12	8	4	-	-	31
118	36	40	22	20	252	130	110	10	2	34	24	10	-	-	32
226	66	78	50	32	514	210	218	34	52	78	40	36	-	-	33
172	54	62	28	28	454	182	192	32	48	56	28	26	-	2	34
54	12	16	22	4	60	28	26	2	4	22	12	10	-	-	35
1,126	476	278	212	160	2,948	1,684	1,028	150	86	482	324	132	12	14	36
14	2	4	6	2	4	4	-	-	-	6	4	2	-	-	37
12	4	4	4	-	18	6	10	2	-	6	4	2	-	-	38
72	22	20	10	20	144	76	62	14	-	14	6	8	-	-	39
614	186	184	132	112	1,484	714	634	76	60	232	138	72	12	10	40
18	10	4	-	4	62	38	22	-	2	2	-	-	-	-	41
74	28	14	16	16	154	66	66	16	6	10	6	2	2	2	42
2	2	-	2	6	6	2	2	-	2	2	2	2	-	-	43
142	50	38	34	20	426	218	168	20	20	84	48	30	4	2	44
378	98	128	80	72	836	390	376	40	30	134	84	38	6	6	45
264	178	38	34	14	784	550	172	52	10	144	110	34	-	-	46
16	4	4	4	4	12	6	4	-	2	10	6	4	-	-	47
36	28	6	2	-	116	80	22	12	2	16	10	6	-	-	48
188	144	22	18	4	582	442	108	30	2	110	92	18	-	-	49
24	2	6	10	6	74	22	38	10	4	8	2	6	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
6	2	-	2	2	24	18	6	-	-	6	2	2	-	2	52
4	-	-	4	-	6	2	4	-	-	2	2	2	-	-	53
38	16	16	2	4	72	48	22	-	2	10	10	-	-	-	54
6	4	-	2	6	26	16	10	-	-	4	4	-	-	-	55
96	62	12	16	6	386	250	108	14	14	58	46	12	-	-	56
632	214	218	112	88	1,678	822	652	126	78	258	142	100	8	8	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
66	18	20	22	6	238	138	78	18	4	40	24	16	-	-	59
24	4	12	6	2	102	52	38	12	6	18	12	6	-	-	60
20	10	4	4	4	118	72	38	6	2	14	8	6	-	-	61
22	4	6	12	-	18	14	2	-	2	8	4	4	-	-	62
6	4	4	-	2	20	14	4	-	2	6	6	-	-	-	63
24	10	4	2	8	36	16	12	4	4	6	4	2	-	-	64
84	18	30	24	12	184	54	116	6	8	18	16	10	2	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
28	4	16	2	6	84	34	48	-	2	4	2	2	-	-	67
8	-	2	4	2	20	14	6	-	-	8	2	6	-	-	68
178	80	50	28	20	554	318	156	48	32	92	50	30	4	8	69
46	18	16	6	6	144	90	26	18	10	34	24	6	-	4	70
18	8	2	6	2	54	28	2	4	2	14	4	8	-	-	71
114	54	32	16	12	356	200	110	28	18	44	22	16	4	2	72
60	22	32	-	6	106	42	58	-	6	18	12	6	-	-	73
178	62	60	30	26	436	192	174	50	20	66	36	28	2	-	74
412	106	102	114	90	774	346	294	68	66	54	28	26	-	-	75
132	22	30	40	40	270	118	102	30	20	20	12	8	-	-	76
26	8	6	8	4	40	24	12	4	-	-	-	-	-	-	77
2	-	2	-	-	16	4	10	-	2	2	2	2	-	-	78
104	14	22	32	36	214	90	80	26	18	18	10	8	-	-	79
136	34	44	26	32	190	62	94	14	20	14	4	10	-	-	80
6	4	4	2	-	18	10	8	-	-	2	2	2	-	-	81
84	30	18	22	14	208	86	84	14	24	16	10	6	-	-	82
36	18	...	18	...	58	52	...	6	...	2	2	...	-	...	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
18	2	6	6	4	30	18	6	4	2	-	-	-	-	-	85
22	...	6	...	16	14	...	12	...	2	2	...	2	...	-	86
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	87
2	...	-	...	-	4	...	2	...	-	-	...	-	...	-	88
6	...	2	...	4	2	...	2	...	-	-	...	-	...	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	14	8	4	-	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	4	2	-	-	2
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	10	6	4	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	118	44	74	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	56	16	40	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	-	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	4	2	2	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	8	-	8	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	48	26	22	-	-
18 XIV. CONGENITAL ANOMALIES.....	274	148	120	4	2
19 SPINA BIFIDA.....741	10	-	10	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	40	20	18	-	2
21 CONGENITAL ANOMALIES OF HEART.....746	114	68	46	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	24	12	10	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	86	48	36	2	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	570	318	220	20	12
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	264	144	110	8	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	24	4	20	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	240	140	90	8	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,862	1,926	806	90	40
30 ACCIDENTS.....E800-E949	2,288	1,522	670	60	36
31 RAILWAY ACCIDENTS.....E800-E807	14	14	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	1,072	730	286	34	22
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	1,046	704	286	134	22
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	26	12	12	2	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	510	334	160	8	8
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	146	92	40	10	4
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	108	92	12	-	4
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	216	144	52	14	6
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	40	30	10	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	26	26	-	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	4	2	2	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	32	28	4	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	44	40	4	-	-
44 ACCIDENTAL POISONING.....E850-E877	114	86	22	2	4
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	24	16	8	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	12	10	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	78	60	12	4	4
48 ACCIDENTAL FALLS.....E880-E887	352	166	182	2	2
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	70	84	12	2	-
50 FALL ON SAME LEVEL.....E885,E886	18	8	10	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	250	88	160	-	2
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	112	64	40	8	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	124	78	40	6	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	44	22	20	-	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	24	24	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	160	144	10	4	2
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	6	2	-	2	2
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	8	8	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	4	2	2	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	18	18	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	124	114	8	2	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	78	42	36	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	114	82	24	4	4
64 SUICIDE.....E950-E959	368	266	92	10	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	58	22	34	2	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	50	32	18	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	64	54	8	2	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	168	136	26	6	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	28	22	6	-	-
70 HOMICIDE.....E960-E978	104	62	22	18	2
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	60	36	12	12	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	14	10	-	4	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	28	16	10	-	2
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	-	-	2	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	102	76	22	2	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	15,534	8,464	6,634	236	200
02 I. INFECTIVE AND PARASITIC DISEASES.....	72	28	34	2	8
03 CHOLERA.....090	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	32	12	18	2	-
09 TUBERCULOSIS, ALL FORMS.....010-019	12	6	4	-	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	10	4	4	-	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	2	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	2	-	2	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	-	-	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	16	8	4	-	4
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	-	-	-	2
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	-	-	-	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	4	-	4	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARALYSIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	4	2	2	-	-
58 II. NEOPLASMS.....	2,738	1,496	1,180	38	24
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	2,712	1,488	1,164	38	22
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	54	44	8	-	2
61 OF LIP.....140	2	2	-	-	-
62 OF TONGUE.....141	18	14	4	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	12	12	-	-	-
64 OF PHARYNX.....146-149	22	16	4	-	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	760	404	336	12	8
66 OF ESOPHAGUS.....150	28	20	6	2	-
67 OF STOMACH.....151	130	64	62	2	2
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	4	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	286	140	144	-	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	24	8	16	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	18	10	8	-	-
72 DESCENDING COLON.....153.2	10	6	4	-	-
73 SIGMOID COLON.....153.3	22	8	14	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	204	108	94	-	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	8	-	8	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	78	48	28	2	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	34	24	6	4	-
78 OF GALLBLADDER AND BILE DUCTS.....156	22	8	12	-	2
79 OF PANCREAS.....157	162	92	66	2	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	16	4	12	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	476	390	70	14	2
82 OF LARYNX.....161	8	8	-	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	462	378	68	14	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	6	4	2	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	304	22	278	-	4
86 OF BONE.....170	14	6	8	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	14	4	10	-	-
88 OF SKIN.....172,173	26	10	16	-	-
89 OF BREAST.....174	250	2	244	-	4

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the international Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,090	2,390	1,408	188	104	7,500	4,010	3,472	8	10	69,250	33,584	28,586	3,948	3,132	01
32	16	12	2	2	42	28	14	-	-	474	180	162	70	62	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	6	4	-	-	2	04
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	05
6	2	2	-	2	8	4	4	-	-	38	14	20	-	4	08
-	-	-	-	-	10	8	2	-	-	154	72	24	38	20	09
-	-	-	-	-	4	4	-	-	-	124	54	18	34	18	10
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	13
-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	14
-	-	-	-	-	6	4	2	-	-	22	16	4	2	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	8	6	-	-	2	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
18	8	8	2	-	12	6	6	-	-	138	38	74	10	16	26
2	2	-	-	-	-	-	-	-	-	16	6	8	2	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	2	2	-	-	-	2	-	-	-	2	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
2	2	-	-	-	-	-	-	-	-	36	12	6	12	6	34
-	-	-	-	-	2	-	2	-	-	34	18	10	4	2	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
4	2	2	-	-	-	-	-	-	-	6	2	4	-	-	42
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	45
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	2	-	-	-	-	-	-	-	-	2	-	2	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	4	4	-	-	-	30	6	14	4	6	57
736	400	294	28	14	1,458	786	668	2	2	13,736	6,704	5,888	990	554	58
732	398	292	28	14	1,440	774	662	2	2	13,582	6,638	5,816	582	546	59
22	16	6	-	-	30	12	18	-	-	282	174	68	26	14	60
6	-	-	-	-	-	-	-	-	-	8	8	-	-	-	61
6	6	-	-	-	8	2	6	-	-	86	58	22	2	4	62
4	2	2	-	-	12	4	8	-	-	72	40	18	10	4	63
12	8	4	-	-	10	6	4	-	-	116	68	28	14	6	64
184	110	64	8	2	390	186	204	-	-	4,130	2,014	1,786	188	142	65
22	16	6	-	-	28	24	4	-	-	280	174	52	48	6	66
24	16	6	2	-	36	32	24	-	-	638	336	254	28	20	67
2	-	2	-	-	6	2	4	-	-	30	18	8	2	2	68
66	30	24	4	2	162	60	102	-	-	1,660	754	808	38	60	69
14	2	12	-	-	34	12	22	-	-	180	84	88	4	4	70
2	2	-	-	-	2	-	2	-	-	92	46	46	-	-	71
2	2	-	-	-	-	-	-	-	-	64	26	30	-	8	72
12	10	2	-	-	24	12	12	-	-	238	130	98	6	4	73
28	14	10	2	2	86	28	58	-	-	992	428	494	28	42	74
2	-	-	2	-	16	8	8	-	-	94	40	52	-	-	75
24	16	8	-	-	52	28	24	-	-	518	266	234	16	2	76
8	4	2	2	-	8	6	2	-	-	68	29	22	8	10	77
14	2	12	-	-	10	4	6	-	-	170	60	98	6	6	78
30	26	4	-	-	66	28	38	-	-	710	360	280	38	32	79
-	-	-	-	-	2	2	-	-	-	56	18	30	4	4	80
196	136	52	6	2	338	276	62	-	-	2,928	2,114	568	180	66	81
6	4	2	-	-	8	8	-	-	-	124	98	14	6	6	82
186	130	50	4	2	330	268	62	-	-	2,762	1,996	536	172	58	83
4	2	-	2	-	-	-	-	-	-	42	20	18	2	2	84
92	10	74	2	6	152	16	134	-	2	1,728	180	1,424	14	110	85
2	2	-	-	-	2	2	-	-	-	82	36	30	12	4	86
2	2	-	-	-	6	6	-	-	-	62	38	22	-	2	87
8	6	2	-	-	14	12	2	-	-	182	104	78	-	-	88
80	-	72	2	6	130	2	126	-	2	1,402	2	1,294	2	104	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	426	214	204	6	2
02 OF CERVIX UTERI.....180	44	...	42	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	46	...	46	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	108	...	108	...	-
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	8	...	8	...	-
06 OF PROSTATE.....185	204	198	...	6	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186-187	16
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188-189	116	58	66	48	...
09 OF BLADDER.....188	58	34	22	2	...
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	58	32	26
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	224	120	94	-	2
12 OF EYE.....190	2	-	2	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	74	40	32	-	2
14 OF THYROID GLAND.....193	6	4	2	-	-
15 OTHER.....194-199	142	84	58	-	-
16 LEUKEMIA.....204-207	152	96	54	2	-
17 LYMPHATIC LEUKEMIA.....204	66	40	24	2	-
18 MYELOID LEUKEMIA.....205	60	36	24	-	-
19 MONOCYTIC LEUKEMIA.....206	6	2	4	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	20	18	2	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	200	124	72	2	2
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	74	46	26	2	-
23 HODGKIN'S DISEASE.....201	44	36	8	-	-
24 MULTIPLE MYELOMA.....203	40	20	20	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	42	22	18	-	2
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	26	8	16	-	2
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	6	...	6	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	-	2	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-226	10	4	6	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	2	2	-	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	2	-	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	340	166	170	2	2
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	-	-	-	-	-
37 DIABETES MELLITUS.....250	278	130	144	2	2
38 DISEASES OF PITUITARY GLAND.....253	2	-	2	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	4	4	-	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	20	10	10	-	-
43 CYSTIC FIBROSIS.....273-0	8	6	2	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	28	16	12	-	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	26	12	14	-	-
46 ANEMIAS.....280-285	10	6	4	-	-
47 DEFICIENCY ANEMIAS.....280,281	2	-	2	-	-
48 HEMOLYTIC ANEMIAS.....282,283	-	-	-	-	-
49 APLASTIC ANEMIA.....284	8	6	2	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	-	-	-	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	6	6	6	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	10	6	4	-	-
53 V. MENTAL DISORDERS.....	44	28	10	4	2
54 SENILE AND PRESENILE DEMENTIAS.....290	6	2	4	-	-
55 ALCOHOLIC PSYCHOSES.....291	2	2	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57 ALCOHOLISM.....303	28	18	6	4	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	8	6	-	-	2
59 MENTAL RETARDATION.....310-315	-	-	-	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	130	56	70	-	4
61 MENINGITIS.....320	6	4	-	-	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	8	4	4	-	-
63 MULTIPLE SCLEROSIS.....340	24	8	14	-	2
64 PARALYSIS AGITANS.....342	30	16	14	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	6	4	2	-	-
66 EPILEPSY.....345	10	-	10	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	4	-	4	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-359,370-373,376-380,384-389	42	20	22	-	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,806	4,622	4,010	88	86
73 ACTIVE RHEUMATIC FEVER.....390-392	2	-	2	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	120	40	74	-	6
75 DISEASES OF MITRAL VALVE.....394	42	12	28	-	2
76 DISEASES OF AORTIC VALVE.....395	38	22	16	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	6	-	4	-	2
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	34	6	26	-	2
79 HYPERTENSIVE DISEASE.....400-404	196	102	86	2	6
80 MALIGNANT HYPERTENSION.....400	4	2	2	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	10	4	6	-	4
82 HYPERTENSIVE HEART DISEASE.....402	48	14	30	-	4
83 HYPERTENSIVE RENAL DISEASE.....403	52	34	14	2	2
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	82	48	34	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH		NEBRASKA				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	5,544	3,084	2,366	50	44
02	WITH HYPERTENSIVE DISEASE (1.0).....	424	192	206	12	14
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (1.9).....	5,120	2,892	2,160	38	30
04	ACUTE MYOCARDIAL INFARCTION.....410	3,158	1,932	1,196	22	8
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	18	6	12	-	-
06	CHRONIC ISCHEMIC HEART DISEASE.....412	2,368	1,146	1,158	28	36
07	ANGINA PECTORIS.....413	-	-	-	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	260	138	118	4	-
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	2	-	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	2	-	2	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	20	8	12	-	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	2	8	2	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	98	46	44	-	-
15	SYMPTOMATIC HEART DISEASE.....427	54	30	24	-	-
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	90	50	38	2	-
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	90	50	38	2	-
18	CEREBROVASCULAR DISEASES.....430-438	2,016	894	1,078	22	22
19	WITH HYPERTENSION (BENIGN) (1.0).....	174	74	92	2	6
20	WITHOUT MENTION OF HYPERTENSION (1.9).....	1,842	820	986	20	16
21	SUBARACHNOID HEMORRHAGE.....430	62	30	26	2	4
22	CEREBRAL HEMORRHAGE.....431	318	162	152	2	2
23	CEREBRAL THROMBOSIS.....433	468	192	266	4	6
24	CEREBRAL EMBOLISM.....434	-	-	-	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	24	10	14	-	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	700	314	368	10	8
27	OTHER CEREBROVASCULAR DISEASES.....437,438	444	186	252	4	2
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	570	310	250	2	8
29	ARTERIOSCLELOSIS.....440	322	142	172	2	6
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	140	108	30	2	2
31	GANGRENE.....445	20	10	10	-	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	88	50	38	-	-
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	70	38	30	2	-
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	28	16	6	6	-
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	42	22	24	-	-
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,018	658	328	14	18
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	10	-	10	-	-
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	4	4	-	-
39	INFLUENZA.....470-474	122	68	54	-	-
40	PNEUMONIA.....480-486	416	238	164	6	8
41	VIRAL PNEUMONIA.....480	24	18	4	2	2
42	BACTERIAL PNEUMONIA.....481,482	46	32	12	2	2
43	ACUTE INTERSTITIAL PNEUMONIA.....484	4	2	-	2	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	156	84	68	4	4
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	186	102	80	4	-
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	294	240	50	4	-
47	BRONCHITIS, UNQUALIFIED.....490	4	4	-	-	-
48	CHRONIC BRONCHITIS.....491	62	50	12	-	-
49	EMPHYSEMA.....492	208	176	28	4	-
50	ASTHMA.....493	20	10	10	-	-
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	6	4	-	2	-
53	PLEURISY.....511	-	-	-	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	38	24	12	2	-
55	BRONCHIECTASIS.....518	-	-	-	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	124	80	34	-	10
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	566	298	238	18	12
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	90	-	-	-	-
59	PEPTIC ULCER.....531-533	30	52	38	-	-
60	ULCER OF STOMACH.....531	44	24	20	-	-
61	ULCER OF DUODENUM.....532	16	12	4	-	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	6	4	2	-	-
63	GASTRITIS AND DUODENITIS.....535	14	4	10	-	-
64	APPENDICITIS.....540-543	66	32	32	-	2
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	-	-	-	-	-
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	36	18	18	-	-
67	DIVERTICULA OF INTESTINE.....562	6	2	4	-	-
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	178	118	42	10	8
69	CIRRHOSIS OF LIVER.....571	140	102	26	8	4
70	ALCOHOLIC.....571.0	18	8	6	4	4
71	OTHER SPECIFIED.....571.8	20	8	10	2	2
72	UNSPECIFIED.....571.9	48	16	28	2	2
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	122	52	64	6	-
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	122	52	64	6	-
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	144	92	44	-	8
76	NEPHRITIS AND NEPHROSIS.....580-584	32	20	12	-	-
77	ACUTE NEPHRITIS.....580	4	4	-	-	-
78	NEPHROTIC SYNDROME.....581	28	16	12	-	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	38	22	14	-	2
80	INFECTIONS OF KIDNEY.....590	10	6	4	-	-
81	CALCULI OF URINARY SYSTEM.....592,594	30	20	8	-	2
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	18	18	-	-	-
83	HYPERPLASIA OF PROSTATE.....600	-	-	-	-	-
84	DISEASES OF BREAST.....610,611	16	6	6	-	4
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	4	-	-	-	-
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	...	4	...	-
87	ECTOPIC PREGNANCY.....631	-	-	-	-	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	NEVADA				Total	NEW HAMPSHIRE				Total	NEW JERSEY						
	White		All other			Total	White		All other		Total	White		All other			
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female		Male	Female
1,088	702	344	24	18	2,528	1,342	1,180	2	4	27,876	14,210	11,730	990	946	01		
74	36	30	4	4	236	88	148	-	-	3,050	1,278	1,446	136	190	02		
1,014	666	314	20	14	2,292	1,254	1,032	2	2	24,826	12,932	10,284	854	756	03		
594	426	142	10	16	1,412	840	568	2	4	13,304	7,780	4,826	376	322	04		
4	2	-	2	-	16	8	8	-	-	148	70	64	4	10	05		
490	274	202	12	2	1,100	494	604	-	2	14,422	6,360	6,840	610	612	06		
84	52	26	4	2	116	54	62	-	-	972	430	402	72	68	07		
-	-	-	-	-	2	2	2	-	-	10	2	2	4	2	08		
2	2	-	-	-	10	2	8	-	-	26	16	8	-	2	09		
-	-	-	-	-	-	-	-	-	-	30	16	12	-	2	10		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11		
-	-	-	-	-	6	4	4	-	-	14	10	4	-	-	12		
44	24	14	4	2	66	34	32	-	-	16	6	8	-	2	13		
4	4	-	-	-	18	10	8	-	-	644	284	278	42	40	14		
34	22	12	-	-	18	6	12	-	-	90	34	48	4	4	15		
-	-	-	-	-	-	-	-	-	-	172	78	54	22	18	16		
418	184	210	10	14	890	382	508	-	-	6,456	2,594	3,226	296	340	17		
50	24	22	-	4	126	50	76	-	-	826	308	380	66	72	18		
368	160	188	10	10	764	332	432	-	-	5,630	2,286	2,846	230	268	19		
26	6	18	-	2	36	16	20	-	-	404	134	208	20	42	20		
42	22	16	2	2	184	88	96	-	-	1,218	518	550	68	82	21		
58	20	38	-	-	276	108	168	-	-	2,112	836	1,102	82	92	22		
2	-	2	-	-	8	8	8	-	-	30	12	14	-	4	23		
12	6	4	2	2	10	6	4	-	-	100	62	36	-	2	24		
154	70	80	2	4	204	96	108	-	-	1,426	544	710	92	80	25		
122	60	52	4	6	172	68	104	-	-	1,166	488	606	34	38	26		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27		
112	64	44	2	2	310	128	182	-	-	1,760	872	802	40	46	28		
38	18	20	-	-	194	62	132	-	-	852	318	498	14	22	29		
34	28	4	2	-	66	40	26	-	-	494	362	110	10	12	30		
6	2	2	-	2	10	8	2	-	-	122	44	48	8	8	31		
34	16	18	-	-	40	18	22	-	-	292	146	126	8	12	32		
36	22	10	4	-	38	20	18	-	-	644	252	324	32	36	33		
30	18	8	4	-	32	16	16	-	-	596	226	308	28	34	34		
6	4	2	-	-	6	4	2	-	-	48	26	16	4	2	35		
268	190	66	6	6	418	276	142	-	-	3,466	1,984	1,066	264	152	36		
2	2	-	-	-	-	-	-	-	-	10	8	2	-	-	37		
4	4	-	-	-	6	4	2	-	-	20	8	10	-	2	38		
102	56	34	6	6	174	100	74	-	-	94	26	42	4	2	39		
4	2	2	-	-	8	6	2	-	-	1,864	948	654	162	100	40		
24	16	-	-	2	16	14	12	-	-	54	30	18	2	4	41		
4	4	4	-	-	10	6	4	-	-	216	96	76	30	14	42		
22	16	4	-	2	48	32	16	-	-	6	6	-	-	4	43		
48	22	18	6	2	82	42	40	-	-	982	504	344	92	42	44		
-	-	-	-	-	-	-	-	-	-	606	312	216	38	40	45		
94	76	18	-	-	154	124	30	-	-	866	606	200	38	22	46		
18	10	8	-	-	4	2	2	-	-	30	14	12	2	2	47		
76	66	10	-	-	26	20	6	-	-	192	132	44	14	2	48		
-	-	-	-	-	110	96	14	-	-	584	442	118	18	6	49		
4	2	2	-	-	14	6	8	-	-	60	18	26	4	12	50		
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	51		
-	-	-	-	-	-	-	-	-	-	44	18	10	14	2	52		
14	12	2	-	-	16	12	4	-	-	12	8	4	-	-	53		
2	2	-	-	-	-	-	-	-	-	120	78	28	10	4	54		
46	36	10	-	-	42	30	12	-	-	24	22	2	-	-	55		
262	124	102	18	18	310	174	136	-	-	410	262	92	36	20	56		
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	58		
12	8	2	2	-	38	18	20	-	-	272	178	74	16	-	59		
2	2	-	-	-	14	8	6	-	-	116	66	42	6	2	60		
6	4	4	2	-	20	8	12	-	-	130	92	28	8	2	61		
4	4	-	-	-	4	2	2	-	-	26	20	4	2	-	62		
-	-	-	-	-	2	2	2	-	-	12	2	2	6	2	63		
10	4	6	-	-	4	4	-	-	-	34	14	14	4	2	64		
-	-	-	-	-	22	14	8	-	-	204	90	88	18	8	65		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66		
4	2	4	-	-	12	2	10	-	-	160	62	88	4	6	67		
4	2	2	-	-	6	4	2	-	-	56	22	30	-	4	68		
172	84	66	14	8	146	84	62	-	-	1,370	720	410	170	70	69		
66	30	24	8	4	36	24	12	-	-	366	174	120	60	12	70		
24	9	12	4	2	12	4	8	-	-	182	82	70	22	8	71		
82	46	30	4	2	98	56	42	-	-	822	464	220	88	50	72		
2	-	-	-	2	18	8	10	-	-	130	46	80	-	4	73		
58	26	22	2	8	62	40	22	-	-	490	212	196	52	30	74		
32	22	8	2	-	76	46	30	-	-	904	412	362	62	68	75		
10	4	6	-	-	28	14	14	-	-	280	110	114	30	26	76		
-	-	-	-	-	8	4	4	-	-	30	14	16	-	-	77		
2	2	-	-	-	-	-	-	-	-	12	6	4	-	-	78		
8	4	4	-	-	20	10	10	-	-	238	90	94	30	24	79		
6	2	2	2	-	20	16	4	-	-	216	94	104	10	8	80		
-	-	-	-	-	4	4	-	-	-	28	12	16	-	-	81		
12	12	-	-	-	16	6	10	-	-	266	116	108	14	28	82		
2	2	...	-	...	4	4	...	-	...	66	64	...	2	...	83		
2	2	-	-	-	-	-	-	-	-	4	-	4	-	-	84		
-	-	-	-	-	4	2	2	-	-	44	16	16	6	6	85		
2	...	2	...	-	4	...	4	-	-	18	...	8	...	10	86		
-	...	-	...	-	-	...	-	-	-	2	...	2	...	-	87		
-	...	-	...	-	-	...	-	-	-	4	...	-	...	4	88		
-	...	-	...	-	-	...	-	-	-	-	...	-	...	-	89		

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	4	...	4	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2	2	-	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	2	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	-	-	-	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	56	26	28	-	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	28	10	18	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	4	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	-	4	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	20	12	6	-	2
18 XIV. CONGENITAL ANOMALIES.....	100	48	48	4	-
19 SPINA BIFIDA.....741	-	-	-	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	18	8	10	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	36	14	20	2	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	12	6	4	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	34	20	14	-	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	238	118	82	20	18
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	96	54	34	6	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	10	4	6	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	86	50	28	6	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,154	769	340	40	14
30 ACCIDENTS.....E800-E949	942	616	294	22	10
31 RAILWAY ACCIDENTS.....E800-E807	4	2	2	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	484	338	136	8	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	474	332	132	8	2
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	42	30	12	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	218	146	70	2	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	30	20	6	2	2
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	62	54	6	2	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	114	76	36	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	8	6	2	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	10	6	4	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	2	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	12	10	2	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	10	8	2	-	-
44 ACCIDENTAL POISONING.....E850-E877	40	18	12	6	4
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	12	-	6	2	4
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	16	12	-	4	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	12	6	6	-	-
48 ACCIDENTAL FALLS.....E880-E887	162	72	90	-	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	28	22	6	-	-
50 FALL ON SAME LEVEL.....E885, E886	22	16	6	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	112	34	78	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	32	18	14	-	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	28	24	4	-	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	10	2	4	2	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	18	12	4	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	84	76	8	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	2	2	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	4	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	2	2	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	12	12	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....F916-E919, E921, E927, E928	64	56	8	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	18	2	14	-	2
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	38	32	2	4	-
64 SUICIDE.....E950-E959	142	106	32	2	2
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	12	6	6	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	18	12	6	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	22	12	8	2	2
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	84	74	8	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	6	2	4	-	-
70 HOMICIDE.....E960-E978	48	22	8	16	2
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	34	16	4	12	2
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	4	2	-	2	-
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	8	2	4	2	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	20	14	6	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	7,926	4,236	2,918	474	298
02 I. INFECTIVE AND PARASITIC DISEASES.....	122	46	30	30	16
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	-	-	-	2
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	2	2	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	30	8	10	10	2
09 TUBERCULOSIS, ALL FORMS.....010-019	42	16	10	8	8
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	30	10	6	8	6
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	4	2	-	-	2
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	8	4	4	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	2	-	-	-	2
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	12	6	-	6	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	8	4	4	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	-	2	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	-	2	-	2
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	6	4	-	2	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	10	4	2	4	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	2	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	-	-	-	-	-
47 TABES DORSALIS.....094,0	2	2	-	-	-
48 GENERAL PARESIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	-	-	-	-	-
58 II. NEOPLASMS.....	1,208	644	500	28	36
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,174	630	482	28	34
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	22	14	8	-	-
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	6	2	4	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	6	4	2	-	-
64 OF PHARYNX.....146-149	10	8	2	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	312	170	120	8	14
66 OF ESOPHAGUS.....150	18	16	2	-	-
67 OF STOMACH.....151	66	38	22	2	4
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	2	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	106	50	54	2	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	18	6	12	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	4	-	4	-	-
72 DESCENDING COLON.....153,2	2	2	-	-	-
73 SIGMOID COLON.....153,3	12	8	4	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	68	34	32	2	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	2	-	2	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	14	14	-	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	8	4	2	-	2
78 OF GALLBLADDER AND BILE DUCTS.....156	26	2	16	2	6
79 OF PANCREAS.....157	72	44	24	2	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	-	-	-	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	250	212	32	4	2
82 OF LARYNX.....161	12	12	-	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	236	200	30	4	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	2	-	2	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	156	32	116	-	8
86 OF BONE.....170	16	12	4	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	10	4	6	-	-
88 OF SKIN.....172,173	18	16	2	-	-
89 OF BREAST.....174	112	-	104	-	8

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
185,284	88,428	76,798	11,768	8,290	47,288	20,168	14,806	7,060	5,254	5,616	3,124	2,346	94	52
1,456	636	456	208	156	494	184	120	128	62	32	12	16	4	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	4	-	-	4	-	-	-	-	-	-	-	-	-
10	4	4	2	-	4	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144	62	58	10	14	110	28	32	32	18	10	2	6	2	
488	230	94	108	56	104	42	10	40	12	2	2	-	-	
422	196	80	92	54	82	38	6	30	8	-	-	-	-	
4	-	-	-	-	2	-	-	-	2	-	-	-	-	
6	4	2	-	-	2	-	-	-	2	-	-	-	-	
10	4	4	2	-	6	-	-	4	2	-	-	-	-	
46	26	8	10	2	12	4	4	4	-	2	2	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	2	-	-	2	-	-	-	-	-	-	-	-	-
4	-	4	-	-	2	2	-	-	-	-	-	-	-	-
37	12	14	6	-	14	4	8	-	2	-	-	-	-	
2	-	2	-	-	6	-	4	2	-	-	-	-	-	
416	174	146	50	46	118	50	34	26	8	10	2	8	-	
50	32	10	4	4	10	6	2	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	2	4	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	12	6	-	-	4	-	2	-	2	-	-	-	-	
4	-	4	-	-	-	-	-	-	-	-	-	-	-	
96	26	48	4	18	20	10	6	4	-	2	2	-	-	
60	24	24	6	6	44	16	12	4	12	4	2	-	2	
2	2	-	-	-	16	12	2	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	12	4	6	4	6	4	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	8	-	6	4	4	2	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	2	4	-	-	2	2	-	-	-	-	-	-	-	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
90	42	28	12	8	32	10	6	10	6	4	2	2	-	
35,544	16,890	15,418	1,822	1,414	7,142	3,070	2,508	876	688	894	480	404	4	6
34,952	16,620	15,160	1,796	1,376	7,022	3,028	2,460	866	668	886	476	400	4	6
770	470	206	70	24	174	86	54	30	4	14	8	6	-	
4	4	-	-	-	6	4	2	-	-	2	2	-	-	
242	158	62	16	6	34	22	10	2	4	4	4	-	-	
230	134	68	20	8	20	14	26	8	4	2	2	-	-	
294	174	76	34	10	82	46	16	20	-	6	4	2	-	
10,900	5,180	4,666	622	432	1,610	662	586	204	158	260	134	124	-	
736	382	172	144	38	134	54	36	36	8	14	10	4	-	
1,978	966	744	180	88	282	108	82	52	40	58	32	26	-	
66	26	32	2	6	8	8	-	-	-	2	2	-	-	
4,146	1,856	2,028	100	162	552	212	256	38	46	74	44	30	-	
434	170	232	14	18	58	28	24	2	4	22	16	6	-	
172	64	76	19	22	18	6	10	2	-	-	-	-	-	
120	56	58	4	2	10	8	2	-	-	2	2	-	-	
578	266	284	8	20	64	32	26	2	4	12	6	6	-	
2,638	1,214	1,272	62	90	362	126	176	26	34	32	16	16	-	
204	86	106	2	10	40	12	18	6	4	6	4	2	-	
1,280	678	506	50	46	158	74	56	10	18	30	18	12	-	
260	138	62	44	16	26	16	4	4	2	4	2	2	-	
398	146	234	8	10	66	20	32	8	6	14	2	12	-	
1,894	934	814	90	56	354	158	112	50	34	56	22	32	-	
142	54	74	4	10	30	12	8	6	4	8	4	4	-	
7,468	5,264	1,510	532	162	1,496	1,036	190	232	38	136	110	22	2	
370	260	62	40	8	58	38	8	12	-	4	4	-	-	
6,930	4,904	1,402	476	148	1,408	992	178	212	26	126	104	18	2	
168	100	46	16	6	30	6	4	8	12	6	2	4	-	
4,292	388	3,606	30	268	818	94	570	14	140	100	14	86	-	
186	94	76	12	4	38	16	14	6	2	6	6	-	-	
168	60	86	4	18	28	18	8	-	-	4	2	4	-	
396	198	186	6	136	66	58	64	6	8	8	8	4	-	
3,542	36	3,258	8	240	616	2	484	2	128	80	4	76	-	

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).]

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	148	68	70	6	4
02 OF CERVIX UTERI.....180	14	...	12	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	24	...	24
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	36	...	34	...	2
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184
06 OF PROSTATE.....185	70	64	...	6	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	4	4
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	70	42	26	2	...
09 OF BLADDER.....188	42	24	18
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	28	18	8	2	...
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	120	48	60	8	4
12 OF EYE.....190	4	4
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	22	6	16
14 OF THYROID GLAND.....193	4	2	...	2	...
15 OTHER.....194-199	90	36	44	6	4
16 LEUKEMIA.....204-207	44	14	28	...	2
17 LYMPHATIC LEUKEMIA.....204	14	4	10
18 MYELOID LEUKEMIA.....205	14	4	8	...	2
19 MONOCYTTIC LEUKEMIA.....206
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	16	6	10
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	52	30	22
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6	2	4
23 HODGKIN'S DISEASE.....201	10	6	4
24 MULTIPLE MYELOMA.....203	18	8	10
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	18	14	4
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	34	14	18	...	2
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	6	4	2
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	8	2	4	...	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	12	6	6
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	8	2	6
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	196	68	112	6	10
34 NONTOXIC GOITER.....240,241
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	...	4
37 DIABETES MELLITUS.....250	146	48	86	6	6
38 DISEASES OF PITUITARY GLAND.....253	2	...	2
39 DISEASES OF THYMUS GLAND.....254
40 DISEASES OF ADRENAL GLAND.....255
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	18	12	4	...	2
43 CYSTIC FIBROSIS.....273,0	6	2	4
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	20	6	12	...	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	22	4	14	...	4
46 ANEMIAS.....280-285	16	...	12	...	4
47 DEFICIENCY ANEMIAS.....280,281
48 HEMOLYTIC ANEMIAS.....282,283
49 APLASTIC ANEMIA.....284	2	...	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	14	4	10	...	4
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	4	...	4
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	2	...	2
53 V. MENTAL DISORDERS.....	92	46	16	24	6
54 SENILE AND PRESENILE DEMENTIAS.....290	2	...	2
55 ALCOHOLIC PSYCHOSES.....291	10	6	...	4	...
56 ALL OTHER PSYCHOSES.....294-299
57 ALCOHOLISM.....294-303	56	30	4	16	6
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	16	8	6	2	...
59 MENTAL RETARDATION.....310-315	8	2	4	2	...
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	66	30	30	2	4
61 MENINGITIS.....320	4	...	2	...	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	4	4
63 MULTIPLE SCLEROSIS.....340	4	2	2
64 PARALYSIS AGITANS.....342	10	6	4
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	4	2	2
66 EPILEPSY.....345	10	2	6	2	...
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	30	14	16
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	3,140	1,722	1,250	96	72
73 ACTIVE RHEUMATIC FEVER.....390-392
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	86	32	36	12	6
75 DISEASES OF MITRAL VALVE.....394	22	8	8	4	2
76 DISEASES OF AORTIC VALVE.....395	32	12	10	8	2
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	32	12	18	...	2
79 HYPERTENSIVE DISEASE.....400-404	70	28	36	2	4
80 MALIGNANT HYPERTENSION.....400	2	2
81 ESSENTIAL BENIGN HYPERTENSION.....401	6	4	2
82 HYPERTENSIVE HEART DISEASE.....402	20	6	14
83 HYPERTENSIVE RENAL DISEASE.....403	36	18	14	2	2
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	6	2	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3,830	1,362	2,044	204	240	936	274	368	150	144	114	56	56	2	-
522	...	428	...	94	184	...	122	...	62	20	...	20	...	-
600	...	534	...	66	124	...	84	...	40	10	...	10	...	-
1,050	...	982	...	68	188	...	150	...	38	26	...	26	...	-
112	...	100	...	12	16	...	12	...	4	-	...	-	...	-
1,490	1,292	...	198	...	406	256	...	150	...	98	56	...	2	...
34	50	...	6	...	18	18
1,590	1,022	468	72	28	288	162	76	32	18	70	40	30
938	638	238	46	16	136	68	32	22	14	28	22	6
652	384	230	26	12	152	94	44	10	4	42	18	24
2,848	1,296	1,290	148	114	938	352	358	112	116	82	44	38
34	8	20	6	-	6	4	-	-	-	4	-	4
652	362	252	26	12	196	96	80	8	12	36	24	12
100	32	62	2	4	19	2	-	-	2	2	2	-
2,062	894	956	114	98	726	250	270	104	102	40	18	22
1,280	700	496	44	40	350	162	128	42	18	46	26	18
372	234	122	10	6	102	50	28	20	4	12	8	4
602	292	272	22	26	148	64	62	14	8	28	12	14
32	22	6	2	2	22	12	6	2	2	2	2	-
274	162	96	10	6	78	36	32	6	4	4	4	-
1,974	958	874	74	68	412	200	130	50	32	64	44	20
802	408	354	16	24	126	72	40	10	4	34	26	8
324	140	158	10	16	62	32	24	-	6	14	10	4
454	208	196	26	24	134	46	42	28	18	8	2	4
354	202	166	22	4	90	50	24	12	4	8	6	2
592	270	258	26	38	120	42	48	10	20	8	4	4
18	...	12	...	6	4	...	-	...	4	-	...	-
60	20	30	4	6	16	6	10	-	4	-	-	-
70	30	30	4	6	12	6	2	2	2	-	-	-
4	...	2	...	2	-	...	-	...	-	-	...	-
254	124	110	12	8	68	28	30	4	6	8	4	4
186	96	74	6	10	20	6	6	4	4	-	-	-
4,384	1,680	2,142	234	328	1,104	320	404	160	220	118	38	64	6	10
4	-	4	-	-	2	-	2	-	-	-	-	-	-	-
32	2	24	-	6	2	-	-	-	2	-	-	-	-	-
34	4	26	-	2	2	-	-	-	-	2	2	-	-	-
3,758	1,428	1,844	206	280	918	258	330	130	200	92	22	56	6	8
26	12	12	2	-	4	-	4	-	-	-	-	-	-	-
38	18	16	-	4	8	2	4	-	-	2	2	-	-	-
162	66	68	16	12	46	10	14	16	6	6	4	2	-	-
32	12	20	-	-	22	8	14	-	4	4	4	-	-	-
298	136	128	10	24	100	42	34	12	12	12	4	6	2	4
484	190	198	60	36	112	32	36	22	22	18	6	12	-	-
290	90	128	48	24	62	16	14	12	20	12	4	8	-	-
40	18	18	-	4	2	-	2	-	4	4	-	4	-	-
58	20	4	30	4	18	4	-	6	12	4	-	4	-	-
98	28	48	12	10	26	14	10	2	2	2	2	-	-	-
94	24	58	6	6	16	2	2	6	6	2	2	-	-	-
80	34	42	-	4	18	8	8	2	2	4	-	4	-	-
114	66	28	12	8	32	8	14	8	2	2	2	-	-	-
1,418	556	184	524	154	378	136	78	106	58	18	6	8	-	4
40	6	30	4	-	30	6	18	-	6	2	-	2	-	-
36	22	-	14	-	24	16	-	8	-	4	2	-	-	2
18	4	6	4	4	4	2	2	-	-	2	2	-	-	-
526	234	54	186	52	244	94	26	80	44	8	4	2	-	2
788	282	94	316	96	64	14	28	18	4	2	-	2	-	-
10	8	-	-	2	12	4	4	-	4	-	-	-	-	-
1,462	674	574	106	108	460	158	142	96	64	60	32	26	-	2
144	50	48	18	28	68	14	14	20	20	4	4	4	-	-
52	40	10	2	-	16	6	6	4	4	6	4	4	-	-
188	62	108	4	14	42	18	18	2	4	8	4	2	-	-
260	134	120	-	6	30	16	14	-	-	14	12	-	-	-
42	24	12	4	4	18	10	4	2	2	-	-	-	-	-
150	68	34	30	18	64	20	6	24	14	12	4	8	-	-
4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	2	-	2	-	-	-	-	-	-	-	-	-	-
18	6	10	-	2	8	2	-	4	2	-	-	-	-	-
598	288	228	50	32	214	72	80	40	22	16	6	10	-	-
100,592	47,900	45,220	3,868	3,604	24,676	10,554	8,318	3,052	2,752	3,122	1,730	1,358	26	8
14	6	2	4	2	4	2	-	-	2	-	-	-	-	-
1,632	660	800	94	78	244	98	102	24	20	48	22	26	-	-
366	100	226	20	20	74	34	38	2	-	24	10	14	-	-
412	254	122	28	8	88	36	26	20	6	12	8	4	-	-
82	28	42	10	2	6	4	-	-	-	4	2	-	-	-
772	278	410	36	48	76	24	36	2	14	10	4	6	-	-
1,686	592	814	124	156	476	114	122	104	136	54	26	26	2	-
96	26	28	22	20	26	4	2	14	6	-	-	-	-	-
84	36	40	2	6	24	4	2	6	2	4	2	2	-	-
796	238	402	62	94	126	26	36	20	44	14	4	10	-	-
450	184	222	24	20	138	66	38	28	16	6	6	8	2	-
260	108	122	14	16	162	34	52	30	46	20	14	6	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,800	1,052	678	36	34
02 WITH HYPERTENSIVE DISEASE (.0).....	148	62	80	2	4
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,652	990	598	34	30
04 ACUTE MYOCARDIAL INFARCTION.....410	1,092	710	530	34	18
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	12	8	4	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	694	332	344	2	16
07 ANGINA PECTORIS.....413	2	2	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	154	80	60	10	4
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	2	-	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	-	2	2	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	6	4	2	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	6	4	2	-	-
15 SYMPTOMATIC HEART DISEASE.....427	92	56	30	4	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	18	4	12	-	2
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	32	16	12	4	-
18 CEREBROVASCULAR DISEASES.....430-438	700	354	302	24	20
19 WITH HYPERTENSION (BENIGN) (.0).....	94	46	36	6	6
20 WITHOUT MENTION OF HYPERTENSION (.9).....	606	308	266	18	14
21 SUBARACHNOID HEMORRHAGE.....430	34	6	20	4	4
22 CEREBRAL HEMORRHAGE.....431	130	70	52	2	6
23 CEREBRAL THROMBOSIS.....433	140	62	78	2	-
24 CEREBRAL EMBOLISM.....434	2	2	-	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	18	14	2	2	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	258	148	86	14	10
27 OTHER CEREBROVASCULAR DISEASES.....437,438	118	54	62	2	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	230	122	102	6	-
29 ARTERIOSCLEROSIS.....440	126	62	60	4	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	48	32	14	2	-
31 GANGRENE.....445	10	6	4	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	46	22	24	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	100	54	36	6	4
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	84	46	30	4	4
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	16	8	6	2	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	640	356	224	40	20
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	12	-	8	-	4
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	2	4	2	-
39 INFLUENZA.....470-474	40	18	22	-	-
40 PNEUMONIA.....480-486	300	148	112	32	8
41 VIRAL PNEUMONIA.....480	12	-	10	2	-
42 BACTERIAL PNEUMONIA.....481,482	30	14	8	4	4
43 ACUTE INTERSTITIAL PNEUMONIA.....484	4	2	2	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	96	56	28	10	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	158	76	64	16	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	150	116	34	-	-
47 BRONCHITIS, UNQUALIFIED.....490	2	-	2	-	-
48 CHRONIC BRONCHITIS.....491	12	8	4	-	-
49 EMPHYSEMA.....492	122	102	20	-	-
50 ASTHMA.....493	14	6	8	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	8	-	6	-	-
53 PLEURISY.....511	4	-	2	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	32	14	14	-	4
55 BRONCHIECTASIS.....518	6	2	4	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	80	52	20	4	4
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	428	210	160	36	22
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	2	-	2	-	-
59 PEPTIC ULCER.....531-533	38	26	10	2	-
60 ULCER OF STOMACH.....531	16	12	4	-	-
61 ULCER OF DUODENUM.....532	18	12	4	2	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	4	2	2	-	-
63 GASTRITIS AND DUODENITIS.....535	10	6	4	-	-
64 APPENDICITIS.....540-543	2	-	-	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	36	8	26	-	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	16	8	8	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	6	-	4	-	2
69 CIRRHOSIS OF LIVER.....571	194	108	52	24	10
70 ALCOHOLIC.....571.0	90	42	20	20	8
71 OTHER SPECIFIED.....571.8	22	14	6	2	-
72 UNSPECIFIED.....571.9	82	52	26	2	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	30	6	20	2	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	94	46	34	8	6
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	116	52	54	2	8
76 NEPHRITIS AND NEPHROSIS.....580-584	32	14	14	-	4
77 ACUTE NEPHRITIS.....580	4	-	4	-	-
78 NEPHROTIC SYNDROME.....581	-	-	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	28	14	10	-	4
80 INFECTIONS OF KIDNEY.....590	22	8	12	-	2
81 CALCULI OF URINARY SYSTEM.....592,594	4	-	4	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	44	20	20	2	2
83 HYPERPLASIA OF PROSTATE.....600	8	8	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	6	2	4	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	...	2	...	4
87 ECTOPIC PREGNANCY.....631	2	...	2	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	4	-	-	-	4
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	NEW YORK				Total	NORTH CAROLINA				Total	NORTH DAKOTA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
71,722	36,124	30,892	2,510	2,196	15,244	7,246	4,798	1,760	1,440	1,942	1,166	758	16	2	01
7,250	3,938	3,576	332	404	2,326	412	736	412	442	178	86	90	2	2	02
64,472	33,186	27,316	2,178	1,792	12,918	6,510	4,062	1,348	998	1,764	1,080	668	14	2	03
32,946	18,552	12,716	936	742	8,890	4,856	2,428	962	644	1,252	804	436	10	2	04
302	174	112	4	12	118	56	26	22	14	8	6	2	-	-	05
38,466	17,396	18,060	1,570	1,440	6,224	2,324	2,342	776	782	682	356	320	6	-	06
8	2	4	-	-	12	10	2	-	-	-	-	-	-	-	07
2,610	1,196	1,084	172	158	1,104	468	290	198	148	128	76	44	4	4	08
26	16	8	-	-	28	6	4	8	10	-	-	-	-	-	09
74	32	22	16	4	12	6	2	2	2	2	2	2	-	-	10
56	22	30	2	2	30	12	12	-	2	2	-	-	-	-	11
6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	12
12	4	8	-	-	6	2	2	2	-	-	-	-	-	-	13
38	14	22	2	-	24	10	10	2	2	2	2	2	-	-	14
1,764	792	772	90	110	638	260	174	110	94	102	62	32	4	4	15
186	80	94	2	10	92	30	38	14	10	6	2	4	4	-	16
504	254	158	62	30	288	148	56	60	24	16	10	6	-	-	17
16,482	6,412	8,576	698	796	5,806	1,974	2,290	746	796	722	322	396	2	2	18
2,684	904	1,278	220	282	764	186	244	170	164	64	20	44	-	-	19
13,798	5,508	7,298	478	514	5,042	1,788	2,046	576	632	658	302	352	2	2	20
830	288	390	78	74	254	86	98	42	28	24	8	16	-	-	21
3,232	1,288	1,540	206	198	916	310	290	166	150	124	64	60	-	-	22
4,512	1,746	2,568	78	120	1,652	602	700	140	210	162	66	94	2	2	23
60	26	30	4	4	16	8	4	4	-	-	-	-	-	-	24
208	92	94	12	10	86	38	26	4	18	6	4	2	-	-	25
4,606	1,752	2,336	238	280	1,940	600	742	286	312	330	146	182	2	2	26
3,034	1,220	1,618	86	110	942	330	430	104	76	74	34	40	-	-	27
4,578	2,110	2,210	156	102	1,376	530	550	156	186	188	98	90	-	-	28
2,366	882	1,376	70	38	758	240	352	80	80	102	40	62	-	-	29
1,180	820	290	48	22	298	164	30	22	22	50	34	16	-	-	30
256	88	136	18	14	70	20	20	14	16	8	8	-	-	-	31
776	320	408	20	28	250	106	96	32	16	28	16	12	-	-	32
1,868	800	842	110	116	422	122	166	64	70	40	20	18	2	2	33
1,704	720	780	98	106	382	112	144	60	66	36	18	18	-	-	34
164	80	62	12	10	40	10	22	4	4	4	2	-	2	-	35
11,140	5,972	3,826	852	490	2,768	1,382	784	370	232	426	234	186	4	2	36
34	16	10	-	8	10	6	2	2	-	4	2	-	-	-	37
104	58	30	12	4	28	16	8	8	2	8	2	8	-	-	38
212	90	112	6	4	212	70	82	34	26	48	24	22	2	2	39
6,690	3,080	2,674	578	358	1,338	552	454	198	134	230	108	120	2	2	40
118	58	60	6	4	8	-	6	2	2	8	6	2	-	-	41
1,106	512	390	140	64	168	66	50	26	26	34	18	16	-	-	42
30	10	16	2	2	14	6	2	6	-	2	-	-	-	-	43
4,318	1,984	1,782	332	220	450	182	174	62	32	152	70	80	2	2	44
1,118	526	426	98	68	698	298	222	102	76	34	14	20	-	-	45
2,396	1,650	542	146	58	686	462	128	54	42	86	74	12	-	-	46
48	28	16	2	2	34	10	10	6	8	4	4	-	-	-	47
514	332	138	30	14	138	92	24	16	6	12	12	-	-	-	48
1,592	1,210	292	76	14	456	354	68	26	8	64	54	10	-	-	49
242	80	96	38	28	58	6	26	6	20	6	4	2	-	-	50
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	51
144	80	34	18	12	38	14	6	18	-	2	-	2	-	-	52
32	16	14	-	2	8	4	2	2	-	4	-	-	-	-	53
280	182	84	10	4	98	56	36	6	-	4	-	4	-	-	54
78	42	30	4	2	24	14	6	2	2	4	4	-	-	-	55
1,166	756	294	78	38	326	188	66	46	26	40	22	16	2	-	56
8,206	3,920	2,806	962	518	1,690	722	466	316	186	176	94	68	8	6	57
8	2	4	2	-	-	-	-	-	-	-	-	-	-	-	58
860	496	270	74	20	154	80	42	28	4	22	16	4	-	-	59
348	182	132	24	10	172	28	28	14	2	14	10	2	2	2	60
406	260	100	40	6	50	34	6	10	4	6	4	-	-	-	61
106	54	38	10	4	32	18	8	4	2	2	2	-	-	-	62
64	36	24	4	-	8	2	6	2	-	2	-	-	-	-	63
122	66	38	12	6	40	12	10	10	8	4	4	-	-	-	64
704	266	374	34	30	154	42	64	30	18	24	10	14	-	-	65
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	66
394	148	228	4	14	64	24	28	4	8	10	4	6	-	-	67
104	32	60	-	12	34	12	20	2	-	-	-	-	-	-	68
4,060	2,060	1,016	674	310	714	294	154	164	102	52	28	16	4	4	69
1,916	938	374	430	174	372	148	66	88	60	18	16	6	2	2	70
512	230	168	70	44	70	20	18	22	10	4	2	2	-	-	71
1,632	892	474	174	92	272	126	60	54	32	30	18	8	2	2	72
356	138	178	10	10	80	24	46	4	6	14	4	8	2	2	73
1,559	674	612	148	116	442	228	102	72	40	48	28	18	2	2	74
2,480	1,150	924	218	188	864	288	252	140	184	80	52	24	2	2	75
742	314	248	98	82	292	92	46	72	82	30	20	8	-	2	76
112	66	28	6	12	14	6	2	2	4	8	6	-	-	-	77
38	12	16	-	10	4	4	-	-	-	2	2	-	-	-	78
592	236	204	92	69	274	82	44	70	78	20	12	8	-	-	79
490	208	212	34	36	226	64	94	22	46	20	8	12	-	-	80
70	30	36	2	2	28	10	14	2	2	2	-	-	-	-	81
862	370	372	64	56	230	82	76	32	40	20	16	2	2	2	82
194	176	...	18	...	34	26	...	8	...	8	8	83
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	84
120	52	54	2	12	54	14	22	4	14	2	-	2	-	-	85
50	...	28	...	22	14	...	4	...	10	-	...	-	...	-	86
4	...	-	...	4	-	...	-	...	-	-	...	-	...	-	87
8	...	6	...	2	2	...	-	...	2	-	...	-	...	-	88
6	...	4	...	2	2	...	-	...	-	-	...	-	...	-	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	12	6	4	-	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	-	-	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	12	6	4	-	2
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	32	6	26	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	8	-	8	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	24	6	18	-	-
18 XIV. CONGENITAL ANOMALIES.....	80	38	38	4	-
19 SPINA BIFIDA.....741	4	-	4	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	8	2	6	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	28	12	16	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	2	2	2	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	4	2	2	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	30	20	8	2	-
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	210	102	88	16	4
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	340	176	126	22	16
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	16	-	14	-	2
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	324	176	112	22	14
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,216	730	244	168	74
30 ACCIDENTS.....E800-E949	962	572	194	134	62
31 RAILWAY ACCIDENTS.....E800-E807	10	6	2	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	504	276	90	92	46
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	494	268	88	92	46
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	8	2	4	2	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	192	100	38	34	20
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	88	42	12	30	4
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	32	18	6	2	6
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	154	102	20	22	10
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	20	4	8	2	6
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	10	8	2	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	2	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	4	4	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	40	40	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	56	32	12	4	8
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	24	18	6	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	18	10	4	2	2
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	14	4	2	4	6
48 ACCIDENTAL FALLS.....E880-E887	80	38	34	6	6
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	10	8	-	2	-
50 FALL ON SAME LEVEL.....E885, E886	8	8	-	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	62	22	36	4	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	42	22	12	4	4
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	42	28	10	4	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	20	8	8	2	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	20	16	2	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923, E928	56	54	2	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	10	8	2	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	12	12	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	34	34	-	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	12	6	4	2	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	74	40	16	16	2
64 SUICIDE.....E950-E959	144	104	28	12	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	16	6	10	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	10	10	-	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	12	10	-	2	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	104	78	16	10	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	2	-	2	-	-
70 HOMICIDE.....E960-E978	102	48	20	22	12
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	64	32	18	10	4
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	12	4	2	4	2
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E968	22	8	-	8	6
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	4	4	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	6	4	2	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	101,982	50,446	41,416	5,870	4,250
02 I. INFECTIVE AND PARASITIC DISEASES.....	722	312	270	86	54
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	4	2	2	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	88	38	42	6	2
09 TUBERCULOSIS, ALL FORMS.....010-019	204	92	48	46	18
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	166	76	32	42	16
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	6	2	4	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	2	-	2	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	-	-	-	2
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	28	14	10	4	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	-	2	-	-
23 ERYSIPELAS.....035	2	2	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	24	12	12	-	-
25 TETANUS.....037	2	-	2	-	-
26 SEPTICEMIA.....038	204	86	74	24	20
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	16	4	8	2	2
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	2	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	12	10	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	30	6	22	-	2
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	44	18	20	2	4
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	4	2	2	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	20	6	6	4	4
43 CONGENITAL SYPHILIS.....090	2	-	2	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	2	2	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	10	-	4	4	2
47 TABES DORSALIS.....094.0	2	2	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	4	2	-	-	2
50 ALL OTHER SYPHILIS.....095,097,0,097.9	-	-	-	-	-
51 BONDOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	64	32	28	2	2
58 II. NEOPLASMS.....	18,322	9,060	7,598	1,010	654
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	18,056	8,970	7,452	1,000	634
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	376	258	90	20	8
61 OF LIP.....140	8	4	4	-	-
62 OF TONGUE.....141	84	58	22	2	2
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	128	80	36	8	4
64 OF PHARYNX.....146-149	156	116	28	10	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	5,254	2,532	2,258	260	204
66 OF ESOPHAGUS.....150	366	230	62	58	16
67 OF STOMACH.....151	688	356	230	64	38
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	50	20	18	10	2
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,238	948	1,146	56	88
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	264	106	136	12	10
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	84	30	48	2	4
72 DESCENDING COLON.....153.2	66	26	38	-	2
73 SIGMOID COLON.....153.3	320	140	160	6	14
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	1,348	580	678	34	56
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	156	66	86	2	2
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	638	364	234	24	16
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	118	60	44	2	2
78 OF GALLBLADDER AND BILE DUCTS.....156	248	68	164	2	14
79 OF PANCREAS.....157	812	450	302	32	28
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	96	36	58	2	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	4,144	2,956	750	362	76
82 OF LARYNX.....161	196	156	20	4	6
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,874	2,752	708	346	68
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	74	48	22	2	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,998	190	1,676	14	118
86 OF BONE.....170	106	62	32	6	6
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	58	24	28	-	6
88 OF SKIN.....172,173	170	88	72	6	4
89 OF BREAST.....174	1,664	16	1,544	2	102

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,936	13,578	10,784	1,426	1,148	20,158	11,242	8,470	272	174	127,564	62,950	52,748	6,808	5,058	01
266	114	82	34	36	132	64	58	10	-	944	442	284	144	74	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
2	-	-	2	-	-	-	-	-	-	4	-	2	2	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
34	4	22	4	4	18	6	10	2	-	90	36	46	-	-	07
78	40	18	10	10	36	24	12	-	-	324	182	52	64	26	08
66	32	18	10	6	28	20	8	-	-	290	160	46	62	22	09
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
4	-	-	-	4	4	2	2	-	-	4	4	2	-	-	12
6	6	-	-	-	4	2	2	-	-	8	2	-	2	4	13
-	-	-	-	-	4	2	2	-	-	20	16	4	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	21
8	2	2	2	2	2	-	2	-	-	14	6	6	2	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
86	42	28	10	6	36	14	16	6	-	300	136	96	42	26	24
4	-	2	-	2	2	2	-	-	-	50	18	22	8	26	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
6	2	2	-	2	2	-	2	-	-	10	4	6	-	-	32
2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	33
10	8	-	-	2	6	2	4	-	-	22	6	12	2	2	34
6	6	-	-	-	16	10	6	-	-	44	18	14	6	6	35
4	4	-	-	-	-	-	-	-	-	4	-	4	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
8	-	2	2	4	2	-	-	2	-	30	14	2	12	2	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
4	-	-	2	2	2	-	-	2	-	18	8	2	6	2	45
2	-	-	-	2	2	-	-	-	-	4	2	2	2	2	46
2	-	2	-	-	-	-	-	-	-	4	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	48
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	49
-	-	-	-	-	2	-	2	-	-	4	2	-	2	-	50
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
18	6	6	4	2	10	6	4	-	-	44	16	22	4	2	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
4,532	2,332	1,842	178	180	3,582	1,936	1,564	38	44	23,050	11,308	9,752	1,196	794	58
4,468	2,312	1,808	174	174	3,528	1,908	1,542	38	40	22,672	11,144	9,580	1,164	784	59
100	74	20	4	2	76	58	18	-	-	476	316	100	48	12	60
2	2	-	-	-	-	-	-	-	-	12	12	-	-	-	61
22	14	4	4	-	14	6	8	-	-	100	72	20	8	-	62
18	12	4	-	2	18	14	4	-	-	140	74	48	14	4	63
58	46	12	-	-	44	38	6	-	-	224	158	32	26	8	64
1,058	470	486	46	56	990	520	444	20	6	6,550	3,178	2,828	328	216	65
60	40	10	4	6	48	28	20	-	-	424	250	80	68	26	66
146	54	74	10	8	156	94	58	4	-	948	502	326	82	38	67
14	8	6	-	-	-	-	-	-	-	32	16	14	2	-	68
440	164	244	18	14	378	190	184	-	4	2,770	1,246	1,362	82	80	69
38	14	22	2	-	46	24	22	-	-	300	128	148	14	10	70
18	2	16	-	-	22	10	12	-	-	86	46	38	-	2	71
20	14	2	-	4	6	6	-	-	-	84	34	42	8	-	72
50	16	28	-	6	62	36	26	-	-	376	176	182	8	10	73
290	108	162	16	4	226	106	116	-	4	1,666	744	820	50	52	74
24	10	14	-	-	16	8	8	-	-	258	118	132	2	6	75
102	52	40	-	10	118	62	54	2	-	790	404	336	28	22	76
16	10	2	4	-	18	8	10	-	-	106	46	48	8	4	77
64	16	40	-	8	54	12	38	2	2	308	112	190	4	2	78
206	118	70	8	10	198	120	68	10	-	1,064	554	428	44	38	79
10	8	-	2	-	20	6	12	2	-	108	48	44	10	6	80
1,094	822	228	36	8	800	616	176	6	2	4,852	3,468	912	410	62	81
36	26	8	2	-	16	14	2	-	-	170	124	28	14	4	82
1,028	772	214	34	8	768	592	168	6	2	4,608	3,306	852	392	58	83
30	24	6	-	-	16	10	6	-	-	74	38	32	4	-	84
472	72	374	2	24	394	40	342	2	10	2,516	268	2,052	28	168	85
18	10	6	-	2	26	12	14	-	-	106	46	52	8	-	86
16	8	6	2	-	20	6	8	2	4	96	56	6	6	2	87
82	50	32	-	-	42	18	24	-	-	290	152	124	10	4	88
356	4	330	-	22	306	4	296	-	6	2,024	14	1,844	4	162	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,168	824	1,076	156	112
02 OF CERVIX UTERI.....180	348	...	304	...	44
03 OF OTHER PARTS OF UTERUS.....181,182	270	...	244	...	26
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	540	...	500	...	40
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	30	...	28	...	2
06 OF PROSTATE.....185	928	772	...	156	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	52	52
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	778	492	244	28	14
09 OF BLADDER.....188	486	316	140	20	10
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	292	176	104	8	4
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,586	772	684	78	52
12 OF EYE.....190	16	10	6
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	462	268	170	18	6
14 OF THYROID GLAND.....193	56	20	36	2	...
15 OTHER.....194-199	1,052	474	474	58	46
16 LEUKEMIA.....204-207	774	422	300	36	16
17 LYMPHATIC LEUKEMIA.....204	264	146	100	14	4
18 MYELOID LEUKEMIA.....205	312	176	116	12	8
19 MONOCYTTIC LEUKEMIA.....206	54	26	26	2	...
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	144	74	58	8	4
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203, 208, 209	978	524	374	46	34
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	380	220	144	12	4
23 HODGKIN'S DISEASE.....201	162	104	48	8	2
24 MULTIPLE MYELOMA.....203	230	98	94	20	18
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202, 208, 209	206	102	88	6	10
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	266	90	146	10	20
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	16	...	8	...	8
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224, 225	52	6	36	6	4
29 OTHER BENIGN NEOPLASMS.....210-217, 222, 223, 226-228	96	26	26	2	2
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	2	...	2
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	90	36	52	...	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233, 237, 239	50	22	22	2	4
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,784	1,024	1,436	110	214
34 NONTOXIC GOITER.....240, 241	6	...	6
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	16	2	14
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	22	2	16	...	4
37 DIABETES MELLITUS.....250	2,380	878	1,238	82	182
38 DISEASES OF PITUITARY GLAND.....253	12	2	8	2	...
39 DISEASES OF THYMUS GLAND.....254	4	...	4
40 DISEASES OF ADRENAL GLAND.....255	24	4	14	2	4
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260, 261, 263-269	120	40	62	10	8
43 CYSTIC FIBROSIS.....273.0	22	14	8
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251, 252, 256-258, 270-272, 273.1-279	178	82	66	14	16
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	278	104	138	18	18
46 ANEMIAS.....280-285	182	68	92	12	10
47 DEFICIENCY ANEMIAS.....280, 281	42	18	24
48 HEMOLYTIC ANEMIAS.....282, 283	36	6	16	10	4
49 APLASTIC ANEMIA.....284	54	20	32	...	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	50	24	20	2	4
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	32	12	14	2	4
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286, 288, 289	64	24	32	4	4
53 V. MENTAL DISORDERS.....	296	140	74	64	18
54 SENILE AND PRESENILE DEMENTIAS.....290	24	6	12	4	2
55 ALCOHOLIC PSYCHOSES.....291	22	14	...	8	...
56 ALL OTHER PSYCHOSES.....294-299
57 ALCOHOLISM.....303	184	100	30	46	8
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302, 304-309	60	20	28	6	6
59 MENTAL RETARDATION.....310-315	6	...	4	...	2
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	952	400	420	62	70
61 MENINGITIS.....320	68	16	14	18	20
62 HEREDITARY NEUROMUSCULAR DISORDERS.....320	46	32	10	4	...
63 MULTIPLE SCLEROSIS.....340	104	32	66	...	6
64 PARALYSIS AGITANS.....342	178	82	90	2	4
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	56	28	24	...	2
66 EPILEPSY.....345	56	26	14	6	10
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374	2	2	...
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	10	...	4	2	4
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324, 331-333, 341, 344, 346-358, 370-373, 376-380, 384-389	432	184	196	28	24
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	56,106	27,486	24,104	2,384	2,132
73 ACTIVE RHEUMATIC FEVER.....390-392	6	2	4
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	844	358	416	30	40
75 DISEASES OF MITRAL VALVE.....394	206	76	110	8	12
76 DISEASES OF AORTIC VALVE.....395	246	136	86	10	14
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	50	22	22	6	...
78 OTHER RHEUMATIC HEART DISEASES.....393, 396, 398	342	124	198	6	14
79 HYPERTENSIVE DISEASE.....400-404	1,550	620	656	128	146
80 MALIGNANT HYPERTENSION.....400	54	14	16	8	16
81 ESSENTIAL BENIGN HYPERTENSION.....401	58	20	28	...	10
82 HYPERTENSIVE HEART DISEASE.....402	436	130	228	36	42
83 HYPERTENSIVE RENAL DISEASE.....403	302	144	124	14	18
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	700	312	258	70	60

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	OKLAHOMA				Total	OREGON				Total	PENNSYLVANIA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
556	250	238	30	38	442	200	220	8	14	2,614	1,062	1,316	122	114	01
80	...	72	...	8	52	...	48	...	4	390	...	302	...	48	02
90	...	72	...	18	64	...	62	...	3	366	...	342	...	24	03
102	...	92	...	10	112	...	104	...	8	662	...	622	...	40	04
4	...	2	...	2	6	...	6	...	2	52	...	50	...	2	05
274	244	...	30	...	194	188	...	6	...	1,144	1,022	...	122	...	06
6	6	...	-	...	14	12	...	2	...	40	40	...	-	...	07
212	134	62	10	6	154	120	34	-	-	1,026	636	310	46	34	08
120	76	38	2	4	94	74	20	-	-	570	378	148	24	20	09
92	58	24	8	2	60	46	14	-	-	456	258	162	22	14	10
524	258	220	24	22	290	146	136	-	8	2,510	1,110	1,178	112	110	11
-	-	-	-	-	4	-	4	-	-	20	10	8	-	2	12
116	54	54	6	2	82	44	38	-	-	432	220	180	6	26	13
20	8	12	-	-	10	4	6	-	-	66	22	42	2	-	14
368	196	154	18	20	194	98	88	-	8	1,992	858	948	104	82	15
192	102	72	10	8	172	104	68	-	-	896	500	338	32	26	16
60	34	20	4	2	54	34	20	-	-	290	168	104	14	4	17
80	38	34	6	2	72	44	28	-	-	398	196	172	8	22	18
8	4	4	-	-	14	6	8	-	-	26	10	14	2	-	19
44	26	14	-	4	32	20	12	-	-	182	126	48	8	-	20
260	130	108	12	10	210	104	104	2	-	1,232	606	546	38	42	21
92	48	38	2	4	58	24	34	2	-	444	212	218	8	6	22
26	18	8	-	-	28	12	14	2	-	292	128	88	6	10	23
84	40	30	8	6	62	32	30	-	-	278	130	118	12	18	24
58	24	32	2	-	62	36	26	-	-	278	136	122	12	8	25
64	20	34	4	6	54	28	22	-	4	378	164	172	32	10	26
2	...	2	...	-	-	...	-	...	-	10	...	6	...	4	27
8	4	4	-	-	6	6	-	-	-	30	10	18	2	-	28
14	6	4	-	4	6	6	-	-	-	56	24	20	10	2	29
2	...	2	...	-	-	...	-	...	-	2	...	2	...	-	30
28	8	16	4	-	24	8	12	-	4	176	76	88	12	-	31
10	2	6	-	2	18	8	10	-	-	104	54	38	8	4	32
560	174	278	44	64	376	152	214	2	8	3,358	1,226	1,762	160	210	33
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	34
2	-	2	-	-	2	-	2	-	-	18	2	14	2	-	35
8	2	6	-	-	2	-	2	-	-	24	8	16	-	-	36
436	122	226	36	52	290	114	168	2	6	2,858	1,008	1,542	128	180	37
-	-	-	-	-	-	-	-	-	-	12	6	6	-	-	38
8	4	4	-	-	6	2	4	-	-	2	-	-	2	-	39
-	-	-	-	-	-	-	-	-	-	24	8	8	2	6	40
38	22	12	2	2	34	14	18	-	2	170	76	72	12	10	41
12	6	4	-	2	8	2	6	-	-	36	20	14	-	2	42
56	18	24	6	8	34	20	14	-	-	212	98	88	14	12	43
80	36	30	4	10	46	16	28	2	-	304	120	138	22	24	44
52	24	18	2	8	30	8	20	2	-	208	80	92	14	22	45
2	-	2	-	-	2	-	-	-	-	20	10	6	-	4	46
10	4	-	2	4	2	-	2	-	-	38	8	8	10	12	47
30	20	10	-	-	14	2	12	-	-	74	34	38	-	2	48
10	-	6	-	4	12	6	6	-	-	76	28	40	4	4	49
4	2	2	-	-	4	4	4	-	-	42	16	24	2	-	50
24	10	10	2	2	12	8	4	-	-	54	24	22	6	2	51
140	82	38	12	8	92	62	30	-	-	324	168	58	74	24	52
14	8	6	-	-	20	18	2	-	-	22	10	6	2	4	53
-	-	-	-	-	10	8	2	-	-	32	22	6	2	4	54
2	-	-	-	2	4	-	-	-	-	8	-	6	-	-	55
98	64	22	10	2	30	20	10	-	-	182	108	16	46	12	56
18	8	8	2	-	26	12	14	-	-	70	20	28	18	4	57
8	2	2	-	4	2	-	2	-	-	10	8	2	-	-	58
258	134	112	6	6	234	124	96	14	-	986	464	404	64	54	59
24	14	6	2	2	28	16	8	4	-	68	26	22	6	14	60
8	8	-	-	-	18	12	4	2	-	40	22	14	4	-	61
18	8	10	-	-	30	8	22	-	-	126	38	82	2	4	62
68	38	30	-	-	44	24	20	-	-	198	120	72	4	2	63
14	8	8	-	-	4	4	-	-	-	38	20	12	2	4	64
20	8	8	-	4	28	16	10	2	-	112	42	36	26	8	65
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	66
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	67
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	68
4	2	2	-	-	-	-	-	-	-	14	4	6	-	4	69
100	48	48	4	-	82	44	32	6	-	382	190	154	20	18	70
14,548	7,072	6,290	632	546	10,902	5,940	4,816	90	56	71,532	34,414	32,344	2,332	2,442	71
2	2	-	-	-	-	-	-	-	-	22	8	12	-	2	72
134	54	64	10	6	194	110	84	-	-	1,104	428	610	42	24	73
40	10	26	-	4	36	14	22	-	-	272	82	182	8	-	74
30	14	10	6	-	76	46	30	-	-	258	142	92	16	8	75
10	4	4	2	-	6	4	2	-	-	74	26	46	2	-	76
54	26	24	2	2	76	46	30	-	-	500	178	290	16	16	77
334	132	152	28	22	192	82	106	-	4	1,284	500	630	76	78	78
22	8	8	4	2	12	6	6	-	-	74	18	22	16	18	79
8	6	2	-	-	12	4	8	-	-	68	24	40	2	2	80
148	44	84	12	6	52	14	38	-	-	416	138	216	26	36	81
64	22	26	6	10	32	18	10	-	4	318	146	136	16	20	82
94	52	32	6	4	84	40	44	-	-	408	174	216	16	2	83

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	36,690	19,184	14,742	1,538	1,226
02 WITH HYPERTENSIVE DISEASE (.0)	4,876	2,024	2,186	330	336
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	31,814	17,160	12,556	1,208	890
04 ACUTE MYOCARDIAL INFARCTION.....410	17,772	10,468	8,196	568	400
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	196	108	74	10	4
06 CHRONIC ISCHEMIC HEART DISEASE.....412	18,718	8,468	8,468	960	822
07 ANGINA PECTORIS.....413	4	-	4	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	1,770	824	742	104	100
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	28	12	4	4	8
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	36	24	6	4	2
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	44	18	22	2	2
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	-	2	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	6	2	2	2	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	36	16	18	-	2
15 SYMPTOMATIC HEART DISEASE.....427	1,128	526	498	50	54
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	182	82	92	4	4
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	352	162	120	40	30
18 CEREBROVASCULAR DISEASES.....430-438	10,976	4,458	5,654	396	468
19 WITH HYPERTENSION (BENIGN) (.0)	1,424	500	706	110	108
20 WITHOUT MENTION OF HYPERTENSION (.9)	9,552	3,958	4,948	286	360
21 SUBARACHNOID HEMORRHAGE.....430	520	188	254	38	40
22 CEREBRAL HEMORRHAGE.....431	1,922	884	884	100	92
23 CEREBRAL THROMBOSIS.....433	3,118	1,288	1,620	96	114
24 CEREBRAL EMBOLISM.....434	38	12	26	8	6
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	228	120	94	8	8
26 ACUTE BUT UNDEFINED CEREBROVASCULAR DISEASE.....436	3,248	1,278	1,702	110	158
27 OTHER CEREBROVASCULAR DISEASES.....437,438	1,902	726	1,074	44	58
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,398	1,640	1,526	128	104
29 ARTERIOSCLEROSIS.....440	1,962	854	986	64	58
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	802	524	228	38	12
31 GANGRENE.....445	168	58	90	8	12
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	466	204	222	18	22
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	872	400	364	60	48
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	776	356	324	56	40
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	96	44	40	4	8
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,904	3,396	1,918	398	192
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	50	20	12	12	6
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	70	22	34	8	6
39 INFLUENZA.....470-474	286	124	148	12	2
40 PNEUMONIA.....480-486	2,816	1,372	1,128	194	122
41 VIRAL PNEUMONIA.....480	106	52	46	4	4
42 BACTERIAL PNEUMONIA.....481,482	250	130	90	18	12
43 ACUTE INTERSTITIAL PNEUMONIA.....484	78	28	26	16	8
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	1,268	616	506	86	60
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,114	546	460	70	38
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,878	1,366	372	102	38
47 BRONCHITIS, UNQUALIFIED.....490	42	14	18	6	4
48 CHRONIC BRONCHITIS.....491	362	262	86	10	4
49 EMPHYSEMA.....492	1,380	1,062	232	72	14
50 ASTHMA.....493	94	28	36	14	16
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	2	2	-	-	-
52 EMPHYSEMA AND ARDS OF LUNG.....510,513	50	28	14	4	2
53 PLEURISY.....511	22	4	12	4	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	182	128	48	6	-
55 BRONCHIECTASIS.....518	36	18	16	2	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	512	310	134	52	16
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,700	1,852	1,416	258	174
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	2	-	2	-	-
59 PEPTIC ULCER.....531-533	452	238	164	36	14
60 ULCER OF STOMACH.....531	214	94	88	24	8
61 ULCER OF DUODENUM.....532	174	114	44	10	6
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	64	30	32	2	-
63 GASTRITIS AND DUODENITIS.....535	18	10	4	2	2
64 APPENDICITIS.....540-543	66	34	24	8	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	356	120	210	12	14
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	-	2	-	-
67 DIVERTICULA OF INTESTINE.....562	184	84	94	2	4
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....567	72	34	36	-	2
69 CIRRHOSIS OF LIVER.....571	1,438	826	402	134	74
70 ALCOHOLIC.....571.0	496	306	96	62	32
71 OTHER SPECIFIED.....*571.8	302	130	116	30	18
72 UNSPECIFIED.....*571.9	640	390	190	36	24
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	170	62	94	8	6
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	940	444	384	54	58
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,412	678	532	134	68
76 NEPHRITIS AND NEPHROSIS.....580-584	418	200	160	40	18
77 ACUTE NEPHRITIS.....580	46	20	14	8	4
78 NEPHROTIC SYNDROME.....581	28	8	14	6	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	344	172	132	26	14
80 INFECTIONS OF KIDNEY.....590	382	150	180	24	28
81 CALCULI OF URINARY SYSTEM.....592,594	32	18	12	2	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	388	180	144	46	18
83 HYPERTROPHY OF PROSTATE.....600	94	80	-	14	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	98	50	36	8	4
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	24	-	20	-	4
87 ECTOPIC PREGNANCY.....631	2	-	2	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	OKLAHOMA				Total	OREGON				Total	PENNSYLVANIA						
	White		All other			Total	White		All other		Total	White		All other			
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female		Male	Female
9,118	4,794	3,662	366	296	6,768	4,022	2,670	46	30	48,702	24,936	21,044	1,350	1,372	01		
750	306	364	42	38	656	314	318	10	14	5,174	2,090	2,578	226	280	02		
8,368	4,488	3,298	324	258	6,112	3,708	2,352	36	16	43,528	22,846	18,466	1,124	1,092	03		
5,592	3,236	2,004	202	150	2,882	1,846	1,014	16	6	26,454	15,410	9,674	698	672	04		
320	184	96	26	14	30	20	10	-	-	200	106	76	6	6	05		
3,206	1,374	1,562	138	132	3,852	2,152	1,646	30	24	22,040	9,414	11,294	646	686	06		
664	322	270	42	30	322	170	148	-	4	2,644	1,200	1,068	200	176	07		
2	2	-	-	-	2	2	-	-	-	26	8	16	2	-	08		
6	2	4	-	-	10	10	2	-	-	48	26	18	-	4	09		
20	4	14	2	-	8	4	-	-	-	76	36	30	8	2	10		
-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	11		
2	2	2	-	-	2	2	-	-	-	8	4	4	-	-	12		
18	4	12	2	-	6	2	4	-	-	64	32	22	8	2	13		
470	218	204	28	20	200	102	96	-	2	1,770	784	724	136	126	14		
44	20	16	6	2	24	8	16	-	-	280	124	140	8	8	15		
122	76	32	6	8	78	46	30	-	2	444	222	140	46	36	16		
3,240	1,302	1,650	136	152	2,516	1,088	1,374	40	14	12,516	4,942	6,498	482	594	17		
322	120	150	18	34	210	88	120	2	-	1,950	476	762	96	116	18		
2,918	1,182	1,500	118	118	2,306	1,000	1,254	38	14	10,966	4,366	5,736	386	478	19		
102	44	48	2	8	72	28	42	-	2	516	166	270	36	44	20		
450	190	220	18	22	330	124	198	6	2	2,352	962	1,176	88	122	21		
686	268	356	30	32	714	310	386	14	4	3,812	1,554	1,984	106	168	22		
24	14	10	-	-	6	6	-	-	-	56	30	24	-	2	23		
44	32	8	4	-	68	36	32	-	-	174	82	78	8	6	24		
1,268	502	640	58	68	680	314	350	12	4	3,454	1,316	1,750	188	200	25		
666	252	368	24	22	646	276	360	8	2	2,152	832	1,216	56	48	26		
804	366	378	30	30	800	416	380	2	2	3,802	1,758	1,836	98	110	27		
466	182	252	18	14	434	176	256	2	-	2,130	784	1,244	46	56	28		
156	108	36	6	6	200	148	52	-	-	964	668	248	26	22	29		
32	20	10	-	2	22	16	6	-	-	208	94	102	6	6	30		
150	56	80	8	8	144	76	66	-	2	500	212	242	20	26	31		
244	100	114	20	10	110	52	54	2	2	1,458	642	646	84	86	32		
210	88	94	18	10	88	44	40	2	2	1,344	574	610	78	82	33		
34	12	20	2	-	22	8	14	-	-	114	68	36	6	4	34		
1,626	972	532	66	56	1,264	780	456	24	4	7,634	4,924	2,074	428	208	35		
2	2	-	-	-	2	-	2	-	-	10	8	2	-	-	36		
16	4	8	2	2	14	10	4	-	-	52	22	24	2	4	37		
132	56	66	10	10	82	42	36	2	2	252	116	124	6	6	38		
720	372	288	34	26	556	282	264	8	2	3,176	1,526	1,266	248	136	39		
16	10	4	-	2	14	6	8	-	-	136	50	78	4	4	40		
78	48	26	4	-	66	38	28	-	-	362	182	196	32	12	41		
12	8	4	-	-	4	2	2	-	-	24	18	2	4	-	42		
202	102	90	6	4	242	126	110	4	2	1,182	560	492	84	46	43		
412	204	164	24	20	230	110	116	4	-	1,472	716	558	124	74	44		
382	290	76	8	8	394	292	94	8	-	1,530	1,148	302	60	20	45		
6	2	4	-	-	4	2	2	-	-	30	16	10	4	-	46		
30	26	4	-	-	68	50	16	2	-	210	144	54	10	2	47		
324	254	58	8	4	294	230	58	6	-	1,146	940	178	42	6	48		
22	8	12	-	-	28	10	18	-	-	124	48	60	4	12	49		
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	50		
22	16	4	2	-	18	10	6	2	-	92	56	24	12	-	51		
2	2	-	-	-	-	-	-	-	-	26	16	8	-	-	52		
42	24	14	2	2	30	20	10	-	-	224	138	66	10	10	53		
16	8	4	-	-	2	2	-	-	-	48	18	22	6	2	54		
292	196	72	18	6	166	122	40	4	-	2,222	1,876	236	82	28	55		
908	428	360	64	56	666	388	236	28	14	4,584	2,392	1,678	312	202	56		
-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	57		
112	70	26	12	4	64	44	20	-	-	494	274	170	28	22	58		
58	36	12	8	2	22	14	8	-	-	202	100	78	12	12	59		
34	20	8	4	2	28	20	8	-	-	218	126	72	12	8	60		
20	14	6	-	-	14	10	4	-	-	74	48	20	4	2	61		
4	-	2	2	-	2	2	-	-	-	28	16	12	-	-	62		
20	6	6	2	2	4	2	-	2	-	78	52	20	6	-	63		
106	46	52	2	6	60	22	36	2	-	410	168	220	8	14	64		
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	65		
36	4	32	-	-	32	20	12	-	-	244	72	164	6	2	66		
6	2	4	-	-	12	6	6	-	2	52	18	32	-	2	67		
308	158	106	30	14	324	200	92	20	12	1,948	1,198	470	184	96	68		
90	46	22	16	6	186	114	56	12	4	576	366	98	82	30	69		
32	10	18	2	2	52	34	14	4	-	324	166	92	38	28	70		
186	102	66	12	6	86	52	22	4	8	1,048	666	280	64	38	71		
54	26	22	2	4	24	8	16	-	-	186	80	98	4	4	72		
260	114	110	10	26	144	88	52	4	-	1,140	512	492	74	62	73		
582	280	214	56	32	238	124	106	2	6	1,638	784	622	126	106	74		
172	76	60	16	20	64	34	30	-	-	554	256	212	44	42	75		
12	4	6	2	-	10	6	4	-	-	82	52	24	4	2	76		
8	2	4	2	4	4	-	4	-	-	14	8	6	-	-	77		
152	70	50	14	18	50	28	22	-	-	458	196	182	40	40	78		
178	68	94	12	4	60	22	36	-	2	360	154	160	20	26	79		
4	4	-	-	-	6	2	-	2	2	54	20	32	-	2	80		
154	68	54	24	8	80	42	36	-	2	490	238	180	48	24	81		
46	44	-	2	-	16	16	-	-	-	86	78	-	8	-	82		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83		
28	20	6	2	-	12	8	4	-	-	94	38	38	6	12	84		
10	...	4	...	6	4	...	4	...	-	26	...	18	...	8	85		
2	...	-	...	2	-	...	-	...	-	6	...	6	...	-	86		
2	...	-	...	2	-	...	-	...	-	6	...	6	...	-	87		
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	88		
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	89		

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	2	...	-	...	2
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	2	...	-	...	2
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	6	...	4	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	14	...	12	...	2
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	78	28	28	2	20
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	32	12	14	-	6
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	46	16	14	2	14
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	230	82	120	14	14
13 ARTHRITIS AND SPONDYLITIS.....710-715	112	42	66	4	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	6	2	2	2	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	6	2	2	2	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	2	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	102	34	48	6	14
18 XIV. CONGENITAL ANOMALIES.....	820	376	320	48	76
19 SPINA BIFIDA.....741	32	14	16	2	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	170	66	80	6	18
21 CONGENITAL ANOMALIES OF HEART.....746	328	160	118	20	30
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	58	24	30	2	2
23 CLEFT PALATE AND CLEFT LIP.....749	2	2	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	230	110	76	19	26
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	1,702	784	532	196	190
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,140	562	356	146	76
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	12	2	10	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	1,128	560	346	146	76
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	7,512	4,162	2,134	940	276
30 ACCIDENTS.....E800-E949	5,234	3,068	1,590	424	152
31 RAILWAY ACCIDENTS.....E800-E807	26	24	2	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	2,460	1,528	678	188	66
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	2,410	1,502	658	188	62
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	74	44	28	2	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	860	512	274	56	18
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	410	226	118	52	14
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	374	252	74	36	12
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	262	184	46	22	10
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	430	284	118	20	8
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E827	50	26	20	-	4
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	4	4	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	48	44	2	2	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	64	54	10	-	-
44 ACCIDENTAL POISONING.....E850-E877	246	128	70	42	6
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	76	26	28	20	2
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	34	18	12	2	2
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	136	84	30	20	2
48 ACCIDENTAL FALLS.....E880-E887	1,024	476	494	34	20
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	294	166	100	16	12
50 FALL ON SAME LEVEL.....E885,E886	62	32	28	2	-
51 OTHER AND UNSPECIFIED FALLS.....E887	668	278	366	16	8
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	282	136	92	30	24
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	188	136	26	22	4
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	138	60	56	14	8
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	70	44	6	20	4
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	278	220	32	22	4
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	6	4	2	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	30	22	8	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	14	4	4	4	2
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	58	44	8	6	6
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	170	146	10	12	2
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	156	62	68	14	12
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	250	152	54	36	8
64 SUICIDE.....E950-E959	1,286	812	384	62	28
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	164	38	112	4	10
66 SUICIDE FROM POISONING BY GASES.....E951,E952	182	108	70	4	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	174	126	42	6	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	670	492	124	42	12
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	96	48	36	6	6
70 HOMICIDE.....E960-E978	870	230	116	444	80
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	620	158	64	348	50
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	70	14	12	34	10
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	146	46	40	40	20
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	34	12	-	22	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	120	50	44	10	16
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	9,540	4,900	4,440	118	82
02 I. INFECTIVE AND PARASITIC DISEASES.....	54	24	28	-	2
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	6	2	4	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	24	12	10	-	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	20	10	8	-	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	4	2	2	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	2	-	2	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	8	2	6	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	6	2	4	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	-	-	-	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	4	2	2	-	-
38 TYPHUS AND OTHER RICKETTSIOSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	2	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093-0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093-9	2	2	-	-	-
47 TABES DORSALIS.....094-0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097-0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	2	-	-	-
58 II. NEOPLASMS.....	1,958	978	952	16	12
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,938	970	940	16	12
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	34	22	12	-	-
61 OF LIP.....140	2	2	-	-	-
62 OF TONGUE.....141	6	6	-	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	6	4	2	-	-
64 OF PHARYNX.....146-149	20	10	10	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	610	318	282	8	2
66 OF ESOPHAGUS.....150	44	32	10	2	-
67 OF STOMACH.....151	198	80	26	-	2
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	6	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	248	110	134	4	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	32	14	18	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	6	-	4	2	-
72 DESCENDING COLON.....153.2	2	2	-	-	-
73 SIGMOID COLON.....153.3	40	8	32	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	152	76	74	2	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	16	10	6	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	70	30	40	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	8	2	6	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	26	4	22	-	-
79 OF PANCREAS.....157	88	48	38	2	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	12	6	6	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	422	324	94	2	2
82 OF LARYNX.....161	30	26	4	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	384	296	84	2	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	8	2	6	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	266	20	242	-	4
86 OF BONE.....170	12	6	6	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	8	2	6	-	-
88 OF SKIN.....172,173	12	6	6	-	-
89 OF BREAST.....174	234	6	224	-	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23,932	8,976	6,412	4,670	3,874	7,028	3,796	2,766	254	212	39,374	18,410	13,790	4,092	3,082	01
298	80	44	96	78	42	10	16	10	6	370	146	106	62	56	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
4	2	2	-	-	4	-	2	2	-	2	-	-	-	-	06
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	07
62	8	6	20	28	14	4	6	2	2	44	10	18	10	6	08
94	28	10	48	8	10	-	-	6	4	152	72	44	28	8	09
82	20	10	46	6	6	-	-	2	2	114	58	28	20	8	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	12
2	2	-	-	-	-	-	-	-	-	2	-	2	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
10	6	-	2	2	2	-	-	2	-	26	12	8	6	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
4	2	2	-	-	4	-	4	-	-	4	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
48	16	8	12	12	2	-	2	-	-	64	30	14	6	14	25
8	4	2	-	2	2	-	-	-	-	14	4	4	2	4	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	29
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	4	-	-	-	-	-	-	-	-	10	2	2	2	4	32
12	2	4	-	6	4	2	2	-	-	20	-	12	2	6	33
16	6	6	2	2	4	4	-	-	-	16	10	4	2	-	34
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
8	-	-	2	6	-	-	-	-	-	14	2	2	6	4	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	-	-	2	4	-	-	-	-	-	12	2	2	6	4	45
2	-	-	-	2	-	-	-	-	-	2	2	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	55
32	6	4	10	12	-	-	-	-	-	18	10	2	2	4	56
3,506	1,410	1,070	534	492	1,132	596	490	16	30	6,228	2,856	2,352	578	442	57
3,456	1,392	1,062	528	474	1,112	588	480	16	28	6,164	2,840	2,330	564	430	58
88	48	10	16	14	24	18	6	-	-	154	72	56	22	4	59
4	2	-	-	2	2	2	2	-	-	6	4	2	-	-	60
16	8	4	2	2	4	2	2	-	-	32	14	10	8	-	61
26	16	-	4	6	8	6	2	-	-	54	28	24	-	2	62
42	22	6	10	4	10	8	2	-	-	62	26	20	14	2	63
844	298	290	130	126	386	182	180	6	18	1,548	628	696	136	88	64
84	36	8	22	18	18	10	6	-	2	92	40	20	26	6	65
152	46	28	44	34	66	30	26	4	6	252	104	86	40	22	66
6	4	2	-	-	-	-	-	-	-	14	4	3	2	-	67
272	108	106	24	34	146	72	72	-	2	578	194	320	30	32	68
30	12	12	2	4	30	10	20	-	-	50	10	36	2	2	69
4	2	-	-	-	-	-	-	-	-	22	8	12	2	-	70
2	-	2	-	-	4	-	4	-	-	14	4	10	2	-	71
20	8	6	4	2	14	10	4	-	-	74	24	40	4	10	72
206	80	84	16	26	92	48	42	-	2	404	144	216	24	20	73
10	6	2	-	2	6	4	2	-	-	10	4	6	-	-	74
66	10	40	10	6	36	20	16	-	-	134	62	58	4	10	75
16	8	4	-	4	20	12	6	-	2	62	30	16	14	2	76
36	8	22	2	4	30	2	26	-	2	88	26	54	-	8	77
200	72	78	28	22	64	34	26	2	2	298	158	116	16	8	78
12	6	2	-	4	6	2	2	-	2	32	10	18	4	-	79
788	514	94	140	40	156	134	20	-	2	1,452	1,020	212	176	44	80
30	20	2	6	2	6	6	-	-	-	54	40	-	12	2	81
738	484	90	126	38	148	128	18	-	2	1,368	968	200	160	40	82
20	10	2	8	-	2	-	-	-	-	30	12	12	4	2	83
396	46	262	10	78	132	14	118	-	-	748	108	516	14	110	84
28	10	18	4	4	2	-	2	-	-	46	24	20	2	-	85
16	8	2	2	4	6	4	2	-	-	32	10	12	6	4	86
54	26	20	4	4	16	10	6	-	-	132	70	58	4	-	87
258	2	230	-	66	108	-	108	-	-	538	4	426	2	106	88

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH		RHODE ISLAND				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	208	82	124	2	-
02	OF CERVIX UTERI.....180	32	...	32	...	-
03	OF OTHER PARTS OF UTERUS.....181,182	22	...	22	...	-
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	60	...	60	...	-
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....194	10	...	10	...	-
06	OF PROSTATE.....185	80	78	...	2	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	4	4
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	90	62	26	2	-
09	OF BLADDER.....188	56	42	12	2	-
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	34	20	14	-	-
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	124	60	62	-	2
12	OF EYE.....190	2	2	-	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	36	18	18	-	-
14	OF THYROID GLAND.....193	4	2	2	-	-
15	OTHER.....194-199	82	38	42	-	2
16	LEUKEMIA.....204-207	74	34	36	2	2
17	LYMPHATIC LEUKEMIA.....204	28	14	12	-	2
18	MYELOID LEUKEMIA.....205	24	8	14	2	-
19	MONOCYTTIC LEUKEMIA.....206	2	-	2	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	20	12	8	-	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	110	48	62	-	-
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	38	16	22	-	-
23	HODGKIN'S DISEASE.....201	30	14	16	-	-
24	MULTIPLE MYELOMA.....202	20	10	10	-	-
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	22	8	14	-	-
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	20	8	12	-	-
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	...	2	...	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	4	4	-	-	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	6	4	2	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	-	6	-	-
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	-	2	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	282	106	174	2	-
34	NONTOXIC GOITER.....240,241	2	-	2	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	6	-	6	-	-
37	DIABETES MELLITUS.....250	244	94	148	2	-
38	DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADIPAL GLAND.....254	4	-	4	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	8	2	6	-	-
43	CYSTIC FIBROSIS.....273.0	4	2	2	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	14	8	6	-	-
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	34	20	14	-	-
46	ANEMIAS.....280-285	29	14	6	-	-
47	DEFICIENCY ANEMIAS.....280,281	4	4	-	-	-
48	HEMOLYTIC ANEMIAS.....282,283	4	4	-	-	-
49	APLASTIC ANEMIA.....284	8	4	4	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	4	2	2	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	8	4	4	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	6	2	4	-	-
53	V. MENTAL DISORDERS.....	34	20	12	2	-
54	SENILE AND PRESENILE DEMENTIAS.....290	8	4	4	-	-
55	ALCOHOLIC PSYCHOSES.....291	2	2	-	-	-
56	ALL OTHER PSYCHOSES.....294-299	2	-	2	-	-
57	ALCOHOLISM.....303	18	12	4	2	-
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	4	2	2	-	-
59	MENTAL RETARDATION.....310-315	-	-	-	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	66	36	26	4	-
61	MENINGITIS.....320	6	4	2	-	-
62	HEREDITARY NEURDUSCULAR DISORDERS.....330	2	2	-	-	-
63	MULTIPLE SCLEROSIS.....340	12	4	6	2	-
64	PARALYSIS AGITANS.....342	10	6	4	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	2	-	-	-
66	EPILEPSY.....345	8	6	2	-	-
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	-	-	-	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	26	12	12	2	-
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	5,356	2,716	2,544	62	34
73	ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	60	36	24	-	-
75	DISEASES OF MITRAL VALVE.....394	6	2	4	-	-
76	DISEASES OF AORTIC VALVE.....395	18	14	4	-	-
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	4	-	-	-
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	32	16	16	-	-
79	HYPERTENSIVE DISEASE.....400-404	88	32	54	-	2
80	MALIGNANT HYPERTENSION.....400	6	2	4	-	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	6	2	4	-	-
82	HYPERTENSIVE HEART DISEASE.....402	38	12	24	-	2
83	HYPERTENSIVE RENAL DISEASE.....403	24	12	12	-	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	14	4	10	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
470	120	152	108	90	166	76	82	2	6	798	278	342	86	92
66	...	36	...	30	22	...	18	...	4	186	...	116	...	40
80	...	40	...	40	20	...	20	102	...	74	...	28
84	...	46	...	18	46	...	44	...	2	156	...	138	...	18
12	...	10	...	2	20	...	14	...	6
212	112	...	100	...	76	74	...	2	...	352	268	...	84	...
16	8	...	8	...	2	2	12	10	...	2	...
148	70	30	20	28	48	36	10	2	...	194	114	52	18	10
74	28	20	12	14	20	14	6	114	64	34	10	6
74	42	10	8	14	28	22	4	2	...	80	50	18	8	4
396	154	126	56	60	72	38	30	4	...	598	264	226	64	44
12	4	8	2	2	8	6	2
110	58	38	8	6	12	8	4	170	86	72	6	6
4	2	2	6	4	2	20	10	10
270	90	80	48	52	52	24	24	4	...	400	162	142	58	38
152	64	46	20	22	48	40	8	296	160	102	20	16
36	14	8	6	8	16	16	106	56	38	8	4
70	30	24	6	10	20	16	4	124	72	38	6	8
10	8	2	20	16	12	8	4
36	12	12	8	4	12	8	4	4	24	22	6	4
174	78	52	28	16	80	50	26	2	2	374	196	128	28	22
64	30	24	10	...	26	12	14	134	76	42	10	6
30	16	6	6	2	8	6	2	40	32	4
50	16	8	12	14	26	20	6	100	34	40	12	14
30	16	14	20	12	6	...	2	100	54	42	2	2
50	18	8	6	18	20	8	10	...	2	64	16	22	14	12
4	4	4	...	2	...	2
8	4	4	6	4	2	26	8	12	...	6
16	4	6	...	6	2	2	6	18	4	2	8	4
...	2	...	2	30
18	8	2	4	4	4	4	2	8	2	2	4	2
4	2	...	2	...	6	4	8	2	4	...	31
638	152	200	92	194	148	60	74	8	6	736	248	312	58	118
...	34
10	...	6	...	4	6	...	4	2	...
6	...	2	...	2	2	2	35
530	118	168	78	166	114	42	60	6	6	604	202	244	48	110
2	2	36
4	4	2	2	8	6	38
...	39
28	8	4	6	10	16	6	8	2	...	44	20	20	2	40
8	6	2	4	...	4	...	41
50	14	18	6	12	14	8	6	70	20	40	6	42
58	14	12	16	16	26	12	14	100	30	40	12	43
40	6	4	16	14	22	10	12	30	40	12	44
2	2	2	2	2	20	24	28	10	45
24	4	2	14	6	2	20	2	16	6	46
6	2	2	2	2	2	4	2	30	18	8	2	47
...	6	12	4	4	2	48
18	8	8	...	2	...	2	6	4	4	2	49
...	16	6	8	2	50
118	52	16	32	18	20	12	4	4	...	144	72	38	24	51
12	4	6	2	14	8	6	...	52
8	4	4	12	8	...	4	53
2	2	2	2	2	2	2	54
78	38	...	28	12	8	4	...	4	...	100	50	20	20	55
14	4	4	2	4	8	6	2	16	4	12	...	56
4	...	2	...	2	2	2	57
192	68	48	34	42	50	28	16	2	4	336	142	120	46	58
28	2	8	10	8	2	2	34	14	4	12	59
14	8	6	2	2	28	22	...	4	60
12	2	4	2	4	6	2	4	30	12	12	4	61
22	8	10	2	2	16	8	8	28	8	20	...	62
12	8	2	2	2	2	8	2	28	6	14	...	63
26	8	2	8	8	12	8	2	...	2	42	26	2	8	64
...	65
...	66
...	67
...	68
...	2	2	69
78	32	22	10	14	10	6	...	2	2	144	52	68	18	70
12,314	4,656	3,684	2,008	1,966	3,736	2,080	1,548	62	46	21,700	9,978	8,052	1,960	1,710
...	2	2	2	2
108	40	42	16	10	48	18	24	2	4	186	92	76	10	8
26	6	12	6	2	8	4	2	2	...	62	34	2	2	74
28	12	6	8	2	18	8	10	46	24	14	6	75
4	2	2	2	2	10	8	76
20	2	22	2	6	20	4	12	...	4	68	34	30	2	77
328	62	62	106	98	92	42	48	...	2	426	132	156	82	78
22	2	10	10	10	10	6	36	8	6	10	79
34	4	6	6	18	4	2	2	30	10	12	6	80
90	12	14	32	32	26	6	20	92	26	36	14	81
100	24	22	40	14	28	14	12	...	2	162	52	52	40	82
82	20	20	18	24	34	20	14	106	36	50	12	83

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	3,826	2,022	1,740	46	18
02 WITH HYPERTENSIVE DISEASE (.0)	428	176	242	4	6
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	3,398	1,846	1,498	42	12
04 ACUTE MYOCARDIAL INFARCTION.....410	1,898	1,086	786	20	6
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	248	184	56	8	2
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,680	752	898	18	12
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	186	72	74	4	6
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	2	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	-	4	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	2	2	-	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	2	-	-	-
15 SYMPTOMATIC HEART DISEASE.....427	110	52	52	2	4
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	6	-	6	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	32	16	12	2	2
18 CEREBROVASCULAR DISEASES.....430-438	878	368	498	6	6
19 WITH HYPERTENSION (BENIGN) (.0)	136	60	76	-	-
20 WITHOUT MENTION OF HYPERTENSION (.9)	742	308	422	6	6
21 SUBARACHNOID HEMORRHAGE.....430	54	30	22	2	-
22 CEREBRAL HEMORRHAGE.....431	176	60	112	2	2
23 CEREBRAL THROMBOSIS.....433	260	108	148	-	4
24 CEREBRAL EMBOLISM.....434	6	2	4	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	26	12	12	2	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	224	96	128	-	-
27 OTHER CEREBROVASCULAR DISEASES.....437,438	132	60	72	-	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	256	136	114	6	-
29 ARTERIOSCLEROSIS.....440	104	38	64	2	-
30 AORTIC ANEURYSM (NONSPHYLLITIC).....441	96	46	28	2	-
31 GANGRENE.....445	10	4	6	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	46	28	16	2	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	92	50	40	-	2
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	80	46	34	-	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	12	4	6	-	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	516	308	194	4	10
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	-	2	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	6	6	-	-	-
39 INFLUENZA.....470-474	14	4	10	-	-
40 PNEUMONIA.....480-486	288	150	128	2	8
41 VIRAL PNEUMONIA.....480	8	-	8	-	-
42 BACTERIAL PNEUMONIA.....481,482	18	10	6	-	2
43 ACUTE INTERSTITIAL PNEUMONIA.....484	2	2	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	154	76	76	-	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	106	62	38	2	4
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	98	74	24	-	-
47 BRONCHITIS, UNQUALIFIED.....490	6	4	2	-	-
48 CHRONIC BRONCHITIS.....491	22	16	6	-	-
49 EMPHYSEMA.....492	60	50	10	-	-
50 ASTHMA.....493	10	4	6	-	-
51 HYPERTROPHY OF TONSILS AND ADENOTIS.....500	-	-	-	-	-
52 EMPHYEMA AND ABSCESS OF LUNG.....510,513	4	4	-	-	-
53 PLEURISY.....511	8	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	6	6	2	-	-
55 BRONCHIECTASIS.....518	6	4	-	-	2
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	90	60	28	2	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	342	176	154	4	8
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	32	20	10	-	2
60 ULCER OF STOMACH.....531	10	8	2	-	-
61 ULCER OF DUODENUM.....532	18	10	8	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	4	2	-	-	2
63 GASTRITIS AND DUODENITIS.....535	6	2	4	-	-
64 APPENDICITIS.....540-543	4	2	2	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	34	14	18	-	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	20	6	14	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	2	2	-	-	-
69 CIRRHOSIS OF LIVER.....571	166	100	58	4	4
70 ALCOHOLIC.....571.0	38	28	8	2	-
71 OTHER SPECIFIED.....571.8	20	10	10	-	-
72 UNSPECIFIED.....571.9	108	62	40	-	4
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	24	12	12	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	54	20	34	-	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	142	68	72	-	2
76 NEPHRITIS AND NEPHROSIS.....580-584	48	28	20	-	-
77 ACUTE NEPHRITIS.....580	4	2	2	-	-
78 NEPHROTIC SYNDROME.....581	2	-	2	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	42	26	16	-	-
80 INFECTIONS OF KIDNEY.....590	26	10	14	-	2
81 CALCULI OF URINARY SYSTEM.....592,594	4	2	2	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	60	26	34	-	-
83 HYPERPLASIA OF PROSTATE.....600	2	2	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	-	2	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	...	-	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,476	3,166	2,220	1,094	996	2,396	1,412	922	38	24	13,716	6,912	4,676	1,208	920	01
1,354	334	348	314	358	188	82	102	2	2	1,652	570	584	242	256	02
6,122	2,832	1,872	780	638	2,208	1,330	820	36	22	12,064	6,342	4,092	966	664	03
4,370	2,182	1,156	606	426	1,440	896	510	22	12	8,478	4,908	2,572	574	424	04
44	16	4	14	10	14	12	2	-	-	10	-	-	-	-	05
3,062	968	1,060	474	560	942	504	410	16	12	5,228	2,004	2,094	634	496	06
662	258	116	160	120	200	114	76	10	2	748	294	314	84	56	07
6	2	2	2	-	-	4	-	-	-	8	2	6	-	-	08
8	2	4	2	4	4	4	-	-	-	8	4	4	-	-	09
2	2	2	-	-	-	10	8	-	-	16	4	12	-	-	10
2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	11
2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	12
4	-	2	2	2	10	2	8	-	-	16	4	12	-	-	13
390	140	70	92	88	138	82	48	6	2	404	148	174	52	30	14
62	22	18	12	10	14	10	4	-	-	128	46	66	6	10	15
192	92	22	52	26	34	16	14	4	-	184	90	52	26	16	16
2,994	852	1,004	526	612	744	364	368	4	8	5,254	1,972	2,266	458	558	18
400	76	94	102	128	86	32	52	2	2	558	186	188	62	122	19
2,594	776	910	424	484	658	332	316	4	6	4,696	1,786	2,078	396	436	20
126	28	52	16	30	10	4	6	-	-	212	78	84	18	32	21
610	166	186	136	122	150	72	78	-	-	750	278	330	58	84	22
790	248	282	112	148	154	58	96	-	-	1,328	554	602	74	98	23
12	4	2	2	4	-	-	-	-	-	20	10	10	-	-	24
26	8	10	4	4	6	2	2	-	-	42	26	12	4	-	25
1,038	272	278	226	262	256	144	104	2	6	1,884	652	794	186	282	26
392	126	194	30	42	168	82	82	2	2	1,018	374	434	118	92	27
556	220	176	78	82	212	110	96	6	-	1,060	458	452	80	70	28
270	82	104	42	42	110	54	54	2	-	634	224	324	42	44	29
144	96	20	16	12	58	36	18	4	-	206	134	94	12	6	30
26	6	4	4	12	12	6	6	-	-	50	22	18	6	4	31
116	36	48	16	32	14	18	18	-	-	170	72	56	20	16	32
190	58	64	28	40	42	20	16	2	2	308	116	112	38	42	33
166	48	56	28	34	34	20	10	2	2	268	98	98	36	34	34
24	10	8	-	6	8	-	6	2	2	40	18	14	2	6	35
1,244	544	272	270	178	460	278	140	18	24	2,274	1,198	744	228	104	36
8	2	2	2	2	-	-	-	-	-	16	4	6	4	2	37
16	6	4	4	2	12	6	-	-	6	20	12	6	2	-	38
60	20	16	10	14	60	34	26	-	-	100	36	56	6	2	39
662	214	152	164	132	188	94	66	16	12	1,140	498	454	120	68	40
18	2	4	8	4	12	6	2	4	4	16	10	2	4	-	41
86	20	20	24	22	26	16	6	2	2	134	64	38	22	10	42
8	-	-	4	4	2	2	4	-	-	6	4	2	-	4	43
224	78	50	54	42	54	32	20	2	2	460	190	198	40	32	44
326	114	78	74	60	94	40	36	14	4	524	230	214	54	26	45
318	218	52	42	6	128	100	26	-	2	598	486	124	54	14	46
12	4	-	4	4	2	2	2	-	-	22	10	8	2	2	47
40	22	8	10	10	16	12	4	-	-	102	60	30	12	-	48
232	180	32	20	-	102	86	14	2	2	432	328	64	38	2	49
34	12	12	8	2	8	6	-	-	-	42	8	22	2	10	50
22	-	8	12	2	4	4	-	-	-	20	8	6	2	4	51
2	2	2	2	2	2	2	2	-	-	2	2	-	-	-	52
42	24	10	8	-	14	10	4	-	-	76	50	22	4	-	53
2	-	-	-	2	8	4	4	-	-	14	6	8	-	-	54
132	60	28	28	16	44	26	12	2	4	288	176	62	36	14	55
726	282	202	128	114	262	96	102	16	28	1,108	544	360	118	86	56
66	28	18	18	2	22	14	6	-	2	124	70	30	20	4	57
30	8	14	8	-	10	6	4	-	-	48	22	16	8	2	58
24	12	4	2	2	8	8	2	-	-	68	42	14	10	2	59
12	8	-	4	4	4	2	-	-	-	8	6	-	2	-	60
8	4	-	2	2	-	2	-	-	-	10	4	-	4	2	61
12	2	4	-	2	-	6	2	-	-	30	10	6	10	4	62
84	22	34	8	20	28	16	12	-	-	122	30	72	8	12	63
-	-	-	-	-	-	-	-	-	-	14	2	8	-	4	64
26	8	12	4	2	14	8	6	-	-	48	18	22	4	4	65
12	-	8	-	4	4	4	4	-	-	8	4	2	2	-	66
274	130	48	52	44	70	22	22	8	18	356	216	72	46	22	67
108	48	16	28	16	28	8	-	6	14	140	86	18	22	14	68
20	8	6	4	2	20	2	10	2	2	40	26	10	4	-	69
146	74	26	20	26	22	8	12	-	2	176	104	44	20	8	70
40	14	22	2	2	26	8	14	2	2	102	48	48	24	-	71
204	74	56	42	32	68	22	36	6	4	292	142	98	20	28	72
430	132	96	114	88	72	42	26	2	2	726	252	256	134	84	73
134	30	28	42	34	24	18	4	-	2	204	72	58	44	30	74
8	2	2	2	2	6	4	2	-	-	28	12	10	4	2	75
10	6	4	-	4	4	4	-	-	-	12	4	6	2	-	76
116	22	26	36	32	14	10	2	-	2	164	56	42	38	28	77
124	38	48	14	24	16	8	8	-	-	246	72	116	32	26	78
6	-	2	-	4	2	-	2	-	-	32	14	14	2	2	79
120	38	16	48	18	18	10	8	-	-	152	54	46	28	24	80
24	18	6	6	4	4	4	-	-	-	58	36	22	22	8	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
22	8	2	4	8	8	2	4	2	-	34	4	22	6	2	83
14	...	2	...	12	-	...	-	...	-	14	...	8	...	6	84
-	...	-	...	-	-	...	-	...	-	-	-	-	...	-	85
-	...	-	...	-	-	...	-	...	-	-	-	-	...	-	86
-	...	-	...	-	-	...	-	...	-	-	-	-	...	-	87
-	...	-	...	-	-	...	-	...	-	-	-	-	...	-	88
4	...	-	...	4	-	...	-	...	-	-	-	-	...	-	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	4	4	-	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	-	-	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	4	4	-	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	22	14	8	-	-
13 ARTHRITIS AND SPONDYLITIS.....710-715	10	4	6	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	2	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	10	8	2	-	-
18 XIV. CONGENITAL ANOMALIES.....	86	48	34	2	2
19 SPINA BIFIDA.....741	2	-	2	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	24	12	10	2	-
21 CONGENITAL ANOMALIES OF HEART.....746	38	26	12	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	4	2	2	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	18	8	8	-	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	140	82	46	6	6
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	38	18	16	2	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	-	-	-	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	38	18	16	2	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	466	282	166	14	4
30 ACCIDENTS.....E800-E949	360	220	130	8	2
31 RAILWAY ACCIDENTS.....E800-E807	2	2	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	134	94	34	4	2
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	134	94	34	4	2
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	2	2	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	28	16	12	-	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	26	14	12	-	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	22	22	-	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	16	14	-	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	40	26	10	4	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	-	-	-	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	6	6	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	2	2	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	18	12	6	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	6	2	4	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	4	4	-	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	8	6	2	-	-
48 ACCIDENTAL FALLS.....E880-E884	118	52	66	-	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	20	12	8	-	-
50 FALL ON SAME LEVEL.....E885,E886	8	6	2	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	90	34	56	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	20	8	10	2	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	10	8	-	2	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	2	2	-	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2	2	-	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	22	18	4	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	2	-	2	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	4	4	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	8	8	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	8	6	2	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	10	2	8	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	14	12	2	-	-
64 SUICIDE.....E950-E959	62	32	28	2	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	18	6	12	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	6	2	4	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	16	12	4	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	12	8	4	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	10	4	4	2	-
70 HOMICIDE.....E960-E978	22	14	2	4	2
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	12	8	-	2	2
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	-	-	-	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	10	6	2	2	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	22	16	6	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	99,338	48,584	36,514	8,118	6,122
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,090	490	362	142	96
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	4	2	2	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	4	4	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	12	8	4	-	-
07 FOOD POISONING (BACTERIAL).....005	4	2	2	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	184	74	84	18	8
09 TUBERCULOSIS, ALL FORMS.....010-019	198	148	56	38	12
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	114	114	44	28	12
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	6	4	2	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	2	-	-	2	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	14	6	4	4	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	34	24	6	4	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	6	-	6	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	36	18	16	-	2
25 TETANUS.....037	8	4	4	-	-
26 SEPTICEMIA.....038	276	112	88	36	40
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	40	12	14	8	6
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	4	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	4	2	2	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	8	6	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	48	24	20	-	4
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	68	20	30	12	6
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	36	8	4	20	4
43 CONGENITAL SYPHILIS.....099	2	-	-	2	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	6	-	2	4	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	20	6	-	12	2
47 TABES DORSALIS.....094,0	2	2	-	-	-
48 GENERAL PARALYSIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	6	-	2	2	2
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	2	-	-	2	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	90	44	28	4	14
58 II. NEOPLASMS.....	16,978	8,234	6,504	1,312	928
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	16,798	8,156	6,430	1,298	914
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	344	246	74	20	4
61 OF LIP.....140	14	14	-	-	-
62 OF TONGUE.....141	72	48	22	2	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	96	60	28	6	2
64 OF PHARYNX.....146-149	162	124	24	12	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	4,268	1,880	1,762	378	245
66 OF ESOPHAGUS.....150	250	112	64	60	14
67 OF STOMACH.....151	696	338	228	86	44
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	32	18	10	2	2
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,530	570	772	96	92
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	152	58	80	4	10
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	32	6	18	6	2
72 DESCENDING COLON.....153,2	38	16	20	2	-
73 SIGMOID COLON.....153,3	169	64	74	14	8
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	1,122	412	570	68	72
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	26	14	10	2	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	300	124	136	20	20
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	242	130	76	26	10
78 OF GALLBLADDER AND BILE DUCTS.....156	174	70	92	6	6
79 OF PANCREAS.....157	974	496	348	72	58
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	70	22	36	10	2
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	4,212	2,930	772	422	88
82 OF LARYNX.....161	174	134	12	26	2
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,976	2,756	748	392	80
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	62	40	12	4	6
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,816	260	1,370	14	172
86 OF BONE.....170	114	48	52	4	10
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	72	32	30	6	4
88 OF SKIN.....172,173	298	176	112	2	8
89 OF BREAST.....174	1,332	4	1,176	2	150

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,322	4,122	3,028	108	64	4,318	2,328	1,986	2	2	40,960	17,848	13,610	5,454	4,048	01
72	30	32	6	4	28	6	22	-	-	350	126	80	88	56	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
24	14	8	2	-	4	-	4	-	-	60	24	24	8	4	08
10	6	2	-	2	6	4	2	-	-	86	24	6	40	16	09
8	6	2	-	-	6	4	2	-	-	62	16	4	30	12	10
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	-	-	-	2	-	-	-	-	-	2	2	-	-	-	13
-	-	-	-	-	-	-	-	-	-	6	-	-	4	2	14
-	-	-	-	-	-	-	-	-	-	14	6	2	4	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	12	4	2	6	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
14	6	8	-	-	8	2	6	-	-	124	48	26	24	26	26
2	2	-	-	-	2	-	2	-	-	12	4	4	4	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	2	-	2	-	-	6	2	2	-	2	32
-	-	-	-	-	-	-	-	-	-	18	6	4	-	6	34
6	-	4	-	2	-	-	-	-	-	-	-	-	-	-	35
6	-	6	-	-	2	-	2	-	-	14	6	4	2	2	36
-	-	-	-	-	-	-	-	-	-	4	4	4	4	2	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
4	2	2	-	-	2	-	2	-	-	12	4	8	-	-	56
1,016	562	436	12	6	788	424	364	-	-	7,352	3,122	2,600	948	682	58
1,002	550	434	12	6	768	416	352	-	-	7,240	3,080	2,556	928	676	59
18	12	4	2	-	10	6	4	-	-	152	96	20	24	12	60
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	61
6	4	2	-	-	2	2	-	-	-	14	6	6	-	2	62
6	4	-	2	-	2	-	2	-	-	60	36	8	8	8	63
6	4	2	-	-	6	4	2	-	-	76	52	6	16	2	64
268	150	110	6	2	220	116	104	-	-	1,822	716	656	254	196	65
14	14	-	-	-	12	10	2	-	-	152	76	28	32	16	66
48	46	2	-	-	32	12	20	-	-	252	96	76	58	22	67
4	2	2	-	-	-	-	-	-	-	10	2	2	4	2	68
90	38	46	6	-	84	40	44	-	-	712	270	294	70	78	69
12	4	8	-	-	4	6	2	-	-	78	28	34	8	8	70
2	-	-	-	-	4	4	2	-	-	18	4	8	4	2	71
16	6	10	-	-	30	16	14	-	-	30	16	4	6	4	72
52	26	20	6	-	30	12	18	-	-	480	170	224	40	46	74
8	-	8	-	-	8	-	8	-	-	36	18	12	2	4	75
26	12	14	-	-	28	14	14	-	-	180	66	68	20	26	76
4	2	-	-	2	10	4	6	-	-	40	16	12	8	4	77
16	4	12	-	-	10	4	6	-	-	62	20	38	2	2	78
62	28	34	-	-	50	34	16	-	-	390	164	130	56	40	79
4	4	-	-	-	2	2	-	-	-	24	6	8	4	6	80
144	106	34	4	-	156	118	38	-	-	1,782	1,132	268	310	72	81
-	-	-	-	-	4	4	-	-	-	62	46	2	12	2	82
136	102	30	4	-	152	114	38	-	-	1,670	1,050	256	294	70	83
8	4	4	-	-	-	-	-	-	-	50	36	10	4	-	84
134	18	116	-	-	76	14	62	-	-	762	82	552	10	118	85
8	2	6	-	-	-	-	-	-	-	32	10	16	4	2	86
6	4	2	-	-	8	8	-	-	-	46	22	16	4	4	87
28	10	18	-	-	8	6	2	-	-	92	44	42	2	4	88
92	2	90	-	-	60	-	60	-	-	592	6	478	-	108	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).]

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,156	828	930	202	196
02 OF CERVIX UTERI.....180	386	...	310	...	76
03 OF OTHER PARTS OF UTERUS.....181,182	268	...	208	...	60
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	428	...	380	...	48
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	44	...	32	...	12
06 OF PROSTATE.....185	972	776	...	196	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	58	52	...	6	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	486	422	194	42	28
09 OF BLADDER.....188	334	220	82	16	18
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	352	202	112	28	10
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,612	750	634	116	112
12 OF EYE.....190	20	4	14	-	2
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	484	272	180	22	10
14 OF THYROID GLAND.....193	42	16	22	2	2
15 OTHER.....194-199	1,066	658	418	92	98
16 LEUKEMIA.....204-207	764	374	322	44	24
17 LYMPHATIC LEUKEMIA.....204	254	132	86	30	6
18 MYELOID LEUKEMIA.....205	324	144	160	6	14
19 MONOCYtic LEUKEMIA.....206	22	8	14	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	164	90	62	8	4
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	940	466	372	60	42
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	368	182	160	10	16
23 HODGKIN'S DISEASE.....201	130	68	46	12	4
24 MULTIPLE MYELOMA.....203	240	110	82	30	18
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	202	106	84	8	4
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	180	78	74	14	14
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	...	2	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	38	24	10	4	4
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	44	12	24	4	4
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	2	...	2	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....237	56	26	22	4	4
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	38	16	14	2	6
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,290	802	1,100	132	256
34 NONTOXIC GOITER.....240,241	2	-	-	-	2
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	18	-	14	-	4
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	26	-	18	2	6
37 DIABETES MELLITUS.....247-250	1,848	642	906	94	206
38 DISEASES OF PITUITARY GLAND.....251	16	6	8	2	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	22	6	16	-	-
41 NIACIN DEFICIENCY.....262	2	-	2	-	-
42 OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	150	50	60	22	18
43 CYSTIC FIBROSIS.....273-0	22	8	12	2	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	184	90	64	10	20
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	282	96	144	24	18
46 ANEMIAS.....280-285	206	72	96	22	16
47 DEFICIENCY ANEMIAS.....280,281	24	8	14	2	-
48 HEMOLYTIC ANEMIAS.....282,283	44	8	12	14	10
49 APLASTIC ANEMIA.....284	86	38	46	2	2
50 OTHER AND UNSPECIFIED ANEMIAS.....285	52	18	24	6	4
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	22	4	16	-	2
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	54	20	32	2	-
53 V. MENTAL DISORDERS.....	388	194	122	50	22
54 SENILE AND PRESENILE DEMENTIAS.....290	30	12	18	-	-
55 ALCOHOLIC PSYCHOSES.....291	18	12	2	4	-
56 ALL OTHER PSYCHOSES.....294-299	16	-	14	-	2
57 ALCOHOLISM.....303	186	116	36	26	8
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	126	50	48	20	8
59 MENTAL RETARDATION.....310-315	12	4	4	-	4
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	868	378	374	56	60
61 MENINGITIS.....320	104	40	32	14	18
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	38	24	14	-	-
63 MULTIPLE SCLEROSIS.....340	72	28	40	-	4
64 PARALYSIS AGITANS.....342	146	62	80	2	2
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	50	12	32	6	2
66 EPILEPSY.....345	86	34	34	8	10
67 INFLAMMATORY DISEASES OF EYE.....360-369	2	-	2	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	18	10	6	2	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	352	168	134	24	26
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	49,838	23,908	19,344	3,420	3,166
73 ACTIVE RHEUMATIC FEVER.....390-392	6	2	2	2	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	466	200	200	34	32
75 DISEASES OF MITRAL VALVE.....394	128	48	72	4	4
76 DISEASES OF AORTIC VALVE.....395	140	74	42	16	8
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	12	6	2	4	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	186	72	84	10	20
79 HYPERTENSIVE DISEASE.....400-404	1,022	338	394	98	190
80 MALIGNANT HYPERTENSION.....400	56	12	18	6	20
81 ESSENTIAL BENIGN HYPERTENSION.....401	68	16	32	6	14
82 HYPERTENSIVE HEART DISEASE.....402	418	106	182	42	88
83 HYPERTENSIVE RENAL DISEASE.....403	252	110	72	28	42
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	228	94	92	16	26

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	UTAH				Total	VERMONT				Total	VIRGINIA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
156	94	62	-	-	92	48	44	-	-	908	248	404	144	112	01
12	...	12	14	...	14	178	...	126	...	52	02
12	...	12	10	...	10	120	...	88	...	32	03
38	...	38	20	...	20	200	...	176	...	24	04
...	18	...	14	...	4	05
88	88	46	46	374	236	...	138	...	06
...	2	2	18	12	...	6	...	07
46	36	14	36	22	14	286	132	88	30	36	08
26	20	6	20	14	6	162	74	48	16	24	09
20	12	8	16	8	8	124	58	40	14	12	10
108	52	54	-	2	74	42	32	-	-	786	314	304	90	78	11
4	2	2	-	-	2	2	-	-	-	4	-	4	-	-	12
30	20	10	-	-	16	14	2	-	-	176	80	72	12	12	13
...	-	-	-	-	22	4	12	2	4	14
74	30	42	-	2	56	26	30	-	-	584	230	216	76	62	15
64	42	20	-	2	52	26	26	-	-	306	164	102	28	12	16
20	12	6	-	2	20	8	12	-	-	84	40	28	12	4	17
36	26	10	-	-	24	12	12	-	-	126	78	40	8	-	18
2	2	-	-	-	2	2	-	-	-	16	12	-	-	4	19
6	2	4	-	-	6	4	2	-	-	80	34	34	8	4	20
...	-	-	-	-	-	-	...
64	44	20	-	-	52	24	28	-	-	436	196	162	38	40	21
32	20	12	-	-	14	6	8	-	-	162	66	66	20	10	22
12	12	8	-	-	8	4	4	-	-	90	44	36	6	4	23
20	12	8	-	-	12	6	6	-	-	106	42	32	12	20	24
...	-	-	-	-	78	44	28	-	6	25
14	12	2	-	-	20	8	10	-	-	112	42	44	20	6	26
...	-	-	-	-	-	-	27
...	-	-	-	-	-	-	28
2	2	-	-	-	-	-	26	6	12	4	4	29
...	-	-	-	-	-	-	30
6	4	2	-	-	6	2	4	-	-	56	24	24	6	2	31
6	6	-	-	-	14	6	8	-	-	24	8	6	10	-	32
182	78	96	2	6	106	36	70	-	-	870	232	330	106	202	33
...	-	-	-	-	-	-	...
2	2	2	-	-	-	-	10	2	2	2	4	34
2	2	2	-	-	8	2	6	-	-	4	2	4	-	4	35
156	64	84	2	6	66	24	42	-	-	728	190	284	84	170	37
...	-	-	-	-	10	-	-	6	4	38
...	-	-	-	-	2	2	-	-	-	39
...	-	-	-	-	8	-	6	2	-	40
10	6	4	-	-	10	-	19	-	-	-	-	41
...	-	-	-	-	40	16	8	2	14	42
12	6	6	-	-	10	-	-	-	-	10	4	4	-	2	43
...	-	-	-	-	54	18	18	10	8	44
20	16	4	-	-	12	10	2	-	-	118	42	36	14	26	45
6	4	2	-	-	6	4	2	-	-	76	24	20	8	24	46
2	2	-	-	-	2	2	-	-	-	8	2	-	2	4	47
...	-	-	-	-	10	2	2	2	4	48
4	2	2	-	-	4	2	2	-	-	30	12	12	2	4	49
6	6	-	-	-	2	2	-	-	-	28	8	-	-	12	50
8	6	2	-	-	4	4	-	-	-	16	8	4	-	4	51
...	-	-	-	-	26	10	12	2	2	52
92	62	16	10	4	10	8	2	-	-	230	110	48	56	16	53
12	4	8	-	-	-	-	12	4	6	-	2	54
...	-	-	-	-	16	12	-	4	-	55
2	2	-	-	-	-	-	8	-	4	2	2	56
68	48	6	10	4	6	6	-	-	-	170	88	24	50	8	57
8	6	2	-	-	4	2	2	-	-	22	6	14	-	2	58
2	2	-	-	-	-	-	2	-	-	-	2	59
80	40	36	2	2	50	30	20	-	-	336	142	108	52	34	60
10	6	4	-	-	2	2	-	-	-	38	18	8	8	4	61
2	2	4	-	-	4	4	-	-	-	22	12	6	2	2	62
6	2	4	-	-	10	4	6	-	-	20	6	8	4	4	63
20	12	8	-	-	4	2	2	-	-	54	18	32	4	-	64
6	6	-	-	-	-	-	14	8	2	4	-	65
4	2	2	-	-	10	6	4	-	-	52	20	16	12	4	66
...	-	-	-	-	-	-	67
...	-	-	-	-	2	-	-	-	2	68
...	-	-	-	-	-	-	69
...	-	-	-	-	-	-	70
32	16	12	2	2	20	12	8	-	-	134	60	36	18	20	71
3,522	1,886	1,594	24	18	2,382	1,228	1,154	-	-	20,926	8,994	7,590	2,262	2,080	72
...	-	-	-	-	-	-	...
88	34	54	-	-	20	8	12	-	-	4	2	-	-	2	73
10	...	10	-	-	4	2	-	-	-	226	86	106	14	20	74
28	22	6	-	-	8	6	2	-	-	66	16	36	6	8	75
8	2	6	-	-	6	6	6	-	-	64	44	16	4	-	76
...	-	-	-	-	10	6	-	4	4	77
42	10	32	-	-	2	-	2	-	-	86	26	50	2	8	78
58	24	34	-	-	52	22	30	-	-	456	92	158	98	108	79
...	-	-	-	-	26	8	6	8	4	80
10	8	2	-	-	4	2	2	-	-	18	4	-	6	8	81
22	12	20	-	-	28	14	14	-	-	138	24	44	34	36	82
6	...	6	-	-	28	14	14	-	-	132	28	40	26	38	83
10	4	6	-	-	14	4	10	-	-	142	28	68	24	22	84

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	29,452	15,454	10,694	1,796	1,508
02 WITH HYPERTENSIVE DISEASE (.0)	3,092	1,174	1,272	310	336
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	26,360	14,280	9,422	1,486	1,172
04 ACUTE MYOCARDIAL INFARCTION.....410	16,374	9,652	5,296	760	666
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	120	64	42	12	2
06 CHRONIC ISCHEMIC HEART DISEASE.....412	12,954	5,736	5,354	1,024	840
07 ANGINA PECTORIS.....413	4	2	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	4,084	2,044	1,354	408	278
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	24	12	6	2	4
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	32	12	8	10	2
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	36	16	12	4	4
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	-	-	-	2
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	4	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	30	12	12	4	2
15 SYMPTOMATIC HEART DISEASE.....427	1,874	810	754	168	142
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	290	100	152	20	18
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	1,828	1,094	422	204	108
18 CEREBROVASCULAR DISEASES.....430-438	11,076	4,246	5,062	844	924
19 WITH HYPERTENSION (BENIGN) (.0)	1,156	364	498	128	166
20 WITHOUT MENTION OF HYPERTENSION (.9)	9,920	3,882	4,564	716	758
21 SUBARACHNOID HEMORRHAGE.....430	446	162	208	32	44
22 CEREBRAL HEMORRHAGE.....431	1,744	706	740	138	160
23 CEREBRAL THROMBOSIS.....433	2,004	774	938	144	148
24 CEREBRAL EMBOLISM.....434	42	18	22	2	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	128	72	42	8	6
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	4,484	1,730	1,956	384	414
27 OTHER CEREBROVASCULAR DISEASES.....437,438	2,228	784	1,156	136	152
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	2,816	1,230	1,266	172	148
29 ARTERIOSCLEROSIS.....440	1,738	632	914	90	102
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	548	370	114	40	24
31 GANGRENE.....445	124	48	66	6	4
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	406	180	172	36	18
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	916	394	370	66	86
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	792	326	326	58	82
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	124	68	44	8	4
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	6,088	3,290	2,098	442	238
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	42	16	18	2	6
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	54	24	18	8	4
39 INFLUENZA.....470-474	286	136	136	6	8
40 PNEUMONIA.....480-486	3,064	1,434	1,196	266	168
41 VIRAL PNEUMONIA.....480	78	44	22	6	6
42 BACTERIAL PNEUMONIA.....481,482	300	144	96	38	22
43 ACUTE INTERSTITIAL PNEUMONIA.....484	80	40	24	8	6
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	902	434	358	76	34
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,704	772	694	138	100
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,562	1,076	398	62	26
47 BRONCHITIS, UNQUALIFIED.....490	70	26	32	6	6
48 CHRONIC BRONCHITIS.....491	272	212	48	8	4
49 EMPHYSEMA.....492	1,108	810	246	42	10
50 ASTHMA.....493	112	28	72	6	6
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	54	40	8	4	2
53 PLEURISY.....511	14	6	4	4	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	178	102	74	2	-
55 BRONCHIECTASIS.....518	46	20	26	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	768	436	220	88	24
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,570	1,796	1,340	266	168
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	348	218	108	16	6
60 ULCER OF STOMACH.....531	138	82	48	2	6
61 ULCER OF DUODENUM.....532	162	92	42	0	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	68	44	18	6	6
63 GASTRITIS AND DUODENITIS.....535	36	12	18	4	2
64 APPENDICITIS.....540-543	84	42	38	2	2
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	408	144	212	32	20
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	148	56	80	4	8
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	38	16	18	-	4
69 CIRRHOSIS OF LIVER.....571	1,264	742	372	106	44
70 ALCOHOLIC.....571.0	402	242	104	38	18
71 OTHER SPECIFIED.....571.8	182	88	68	20	6
72 UNSPECIFIED.....571.9	680	412	200	48	20
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	188	64	110	6	8
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	1,056	502	384	96	74
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,730	708	684	184	154
76 NEPHRITIS AND NEPHROSIS.....580-584	514	182	184	72	76
77 ACUTE NEPHRITIS.....580	76	30	34	6	6
78 NEPHROTIC SYNDROME.....581	18	2	8	4	4
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	420	150	142	62	66
80 INFECTIONS OF KIDNEY.....590	488	180	250	22	34
81 CALCULI OF URINARY SYSTEM.....592,594	38	16	18	4	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	530	234	196	64	36
83 HYPERPLASIA OF PROSTATE.....600	84	74	...	10	...
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	76	22	36	12	6
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	70	...	56	...	14
87 ECTOPIC PREGNANCY.....631	4	...	4	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	12	...	10	...	2
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	10	...	10	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	UTAH				Total	VERMONT				Total	VIRGINIA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,112	1,238	862	8	4	1,558	850	708	-	-	13,388	6,358	4,602	1,236	1,092	01
258	116	142	-	-	186	82	104	-	-	1,700	568	624	250	278	02
1,854	1,122	720	8	4	1,372	768	604	-	-	11,688	5,790	3,978	1,106	814	03
1,144	782	356	4	2	722	448	274	-	-	5,574	3,004	2,004	550	412	04
4	4	-	-	-	2	2	-	-	-	860	410	152	190	108	05
962	450	506	4	2	834	400	434	-	-	5,952	2,338	2,446	596	572	06
2	2	-	-	-	2	-	-	-	-	2	-	-	-	-	07
226	132	88	4	2	88	38	50	-	-	880	308	282	164	126	08
-	-	-	-	-	-	-	-	-	-	20	6	6	4	4	09
2	2	-	-	-	2	-	2	-	-	14	8	2	2	2	10
10	6	4	-	-	6	4	-	-	-	30	10	18	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	13
8	6	2	-	-	6	4	2	-	-	28	10	16	2	-	14
104	52	48	2	2	58	22	36	-	-	954	188	194	92	80	15
16	10	6	-	-	4	2	-	-	-	166	54	42	46	24	16
94	62	30	2	-	18	10	8	-	-	96	42	20	18	16	17
738	312	414	6	6	432	186	246	-	-	4,358	1,490	1,754	500	614	18
82	36	44	-	2	64	32	32	-	-	532	142	182	84	124	19
656	276	370	6	4	368	154	214	-	-	3,826	1,348	1,572	416	490	20
24	2	20	-	2	26	10	16	-	-	270	74	116	32	48	21
98	42	52	2	2	80	36	44	-	-	690	248	252	102	88	22
134	68	64	2	-	146	66	80	-	-	1,134	404	488	102	140	23
4	2	2	-	-	-	-	-	-	-	16	4	4	4	4	24
8	6	2	-	-	4	2	2	-	-	106	46	34	16	10	25
316	136	176	2	2	76	30	46	-	-	1,380	452	526	170	232	26
154	56	98	-	-	100	34	66	-	-	762	260	334	76	92	27
208	104	96	2	6	192	108	84	-	-	1,178	492	514	92	80	28
116	52	62	2	-	114	52	62	-	-	616	212	306	52	46	29
50	30	18	-	2	40	36	4	-	-	270	166	72	22	10	30
6	4	2	-	-	10	8	2	-	-	62	18	32	6	6	31
36	18	14	-	4	28	12	16	-	-	230	96	104	12	18	32
92	42	46	4	-	40	16	24	-	-	436	166	174	58	38	33
82	38	42	2	-	38	16	22	-	-	374	136	156	48	34	34
10	4	4	2	-	2	-	2	-	-	62	30	18	10	4	35
412	268	128	10	6	298	170	126	2	-	2,574	1,338	708	350	178	36
2	-	2	-	-	2	-	2	-	-	6	2	2	2	-	37
10	2	6	2	-	18	6	12	-	-	14	2	4	6	2	38
184	90	84	6	4	146	66	80	-	-	86	38	36	8	4	39
8	4	4	-	-	8	2	6	-	-	1,370	606	402	238	124	40
16	10	6	-	-	10	8	2	-	-	28	8	12	2	6	41
-	-	-	-	-	-	-	-	-	-	160	66	42	32	20	42
32	16	16	-	-	66	28	38	-	-	8	2	-	6	-	43
128	60	58	6	4	62	34	28	-	-	516	256	130	82	48	44
126	104	18	2	2	68	54	12	2	-	658	274	218	116	50	45
4	-	2	-	2	6	4	2	-	-	574	374	138	38	24	46
24	22	2	-	-	-	-	-	-	-	18	8	8	-	2	47
88	78	10	-	-	-	-	-	-	-	88	64	16	4	4	48
10	4	4	2	-	54	44	8	2	-	422	296	94	30	2	49
2	2	-	-	-	8	6	2	-	-	46	6	20	4	16	50
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	51
4	4	4	-	-	2	-	2	-	-	42	22	4	12	4	52
10	10	-	-	-	12	8	4	-	-	6	4	2	-	-	53
4	4	-	-	-	12	2	2	-	-	74	48	22	4	4	54
68	54	14	-	-	2	2	14	-	-	14	2	12	-	-	55
296	156	126	6	8	170	94	76	-	-	388	240	86	46	16	56
2	2	-	-	-	-	-	-	-	-	516	256	130	82	48	44
20	12	8	-	-	16	14	2	-	-	658	274	218	116	50	45
8	4	4	-	-	4	4	2	-	-	-	-	-	-	-	58
12	8	4	-	-	4	8	2	-	-	146	60	62	14	10	59
-	-	-	-	-	4	4	-	-	-	62	24	28	8	2	60
4	-	-	-	-	4	4	-	-	-	64	32	22	6	4	61
26	2	2	-	-	2	2	-	-	-	20	4	12	-	4	62
-	10	14	2	-	12	4	8	-	-	6	2	-	-	4	63
-	-	-	-	-	-	-	-	-	-	24	14	6	2	2	64
12	6	6	-	-	24	4	20	-	-	144	64	52	22	6	65
2	-	2	-	-	2	-	-	-	-	2	-	-	-	2	66
130	74	50	-	6	62	40	22	-	-	60	20	34	2	4	67
64	40	20	-	4	26	12	14	-	-	22	12	8	-	2	68
24	10	12	-	2	6	2	4	-	-	642	314	186	76	66	69
42	24	18	-	-	30	26	4	-	-	226	120	52	30	26	70
16	8	8	-	-	12	2	12	-	-	102	46	30	14	12	71
84	42	36	4	2	40	28	12	-	-	314	148	104	32	30	72
108	62	44	2	-	52	22	30	-	-	88	24	46	8	10	73
38	20	18	-	-	24	8	16	-	-	418	168	126	84	40	74
2	-	2	-	-	2	2	2	-	-	636	214	186	142	94	75
-	-	-	-	-	-	-	-	-	-	220	80	46	56	38	76
36	20	16	-	-	22	8	14	-	-	22	6	10	4	2	77
20	10	10	-	-	-	-	-	-	-	6	2	2	2	-	78
4	2	2	-	-	2	2	-	-	-	192	72	34	50	36	79
38	26	10	2	-	16	6	10	-	-	144	30	68	28	18	80
2	2	2	-	-	2	2	-	-	-	12	6	6	-	-	81
6	2	4	-	-	4	4	4	-	-	206	76	48	52	30	82
-	-	-	-	-	4	4	-	-	-	22	16	6	6	...	83
8	...	8	...	-	2	2	-	-	-	-	-	-	-	...	84
-	...	-	...	-	-	-	-	-	-	32	6	18	-	8	85
2	...	2	...	-	-	-	-	-	-	12	...	8	...	4	86
-	...	-	...	-	-	-	-	-	-	4	...	4	...	-	87
-	...	-	...	-	-	-	-	-	-	-	...	-	...	-	88
-	...	-	...	-	-	-	-	-	-	2	...	-	...	2	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	10	...	10	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	6	...	6	...	-
04 SPONTANEOUS ABORTION.....643	4	...	4	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	4	...	4	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	16	...	12	...	4
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	18	...	10	...	8
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....656	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	114	32	54	8	20
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	28	12	10	4	2
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	86	20	44	4	18
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	224	68	118	16	22
13 ARTHRITIS AND SPONDYLITIS.....710-715	72	24	40	6	2
14 MONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	10	4	4	-	2
15 OSTEOMYELITIS AND PERIOSTITIS.....719-720	18	6	8	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	6	2	4	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	118	32	62	6	18
18 XIV. CONGENITAL ANOMALIES.....	898	394	406	54	44
19 SPINA BIFIDA.....741	28	6	20	2	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	158	66	80	6	6
21 CONGENITAL ANOMALIES OF HEART.....746	386	184	154	32	16
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	36	12	14	2	8
23 CLEFT PALATE AND CLEFT LIP.....749	4	2	2	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	286	124	136	12	14
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,420	1,128	712	340	240
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	2,346	1,120	652	322	252
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	152	44	72	12	24
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	2,194	1,076	580	310	228
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	10,164	5,946	2,444	1,350	424
30 ACCIDENTS.....E800-E949	7,098	4,214	1,850	760	274
31 RAILWAY ACCIDENTS.....E800-E807	34	22	2	10	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	3,740	2,328	928	374	110
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	3,644	2,266	906	366	106
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	100	52	34	10	4
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	1,822	1,106	490	160	66
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	488	276	106	92	14
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813-E815	482	334	92	44	12
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	612	410	152	42	8
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	140	88	32	18	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	96	62	22	8	4
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	22	12	8	-	2
42 WATER TRANSPORT ACCIDENTS.....E830-E838	106	84	10	12	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	110	82	28	-	-
44 ACCIDENTAL POISONING.....E850-E877	258	128	76	40	14
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	154	68	54	22	10
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	52	30	16	2	4
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	52	30	6	16	-
48 ACCIDENTAL FALLS.....E880-E887	738	310	370	34	24
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	170	112	40	10	8
50 FALL ON SAME LEVEL.....E885,E886	50	28	16	2	4
51 OTHER AND UNSPECIFIED FALLS.....E887	518	170	314	22	12
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	338	142	68	70	58
53 ACCIDENTAL DROWNING AND SUBMERSION.....F910	482	290	86	88	18
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	212	122	58	22	10
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	208	144	36	22	6
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	372	290	38	36	8
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	12	4	2	4	2
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	58	44	12	-	2
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	12	2	2	4	4
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	95	88	6	2	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	194	152	16	26	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	118	56	52	6	4
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-F949	360	204	90	46	20
64 SUICIDE.....E950-E959	1,430	950	410	54	16
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	166	60	100	-	6
66 SUICIDE FROM POISONING BY GASES.....E951,E952	68	34	30	4	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	88	76	6	6	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E954	1,064	750	262	42	10
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	44	30	12	2	-
70 HOMICIDE.....E960-E978	1,534	726	162	520	126
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	1,134	540	100	422	72
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	192	84	20	70	18
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	178	89	42	14	34
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	30	14	-	14	2
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	98	52	22	16	8
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	4	4	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH		WASHINGTON				
		Total	White		All other	
			Male	Female	Male	Female
01	ALL CAUSES.....	29,836	16,250	12,492	744	350
02	I. INFECTIVE AND PARASITIC DISEASES.....	192	84	86	16	6
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	42	12	24	4	2
09	TUBERCULOSIS, ALL FORMS.....010-019	34	18	12	2	2
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	26	12	10	2	2
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14	DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	8	6	2	-	-
16	PLAGUE.....020	-	-	-	-	-
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-	-
19	LEPROSY.....030	-	-	-	-	-
20	DIPHTHERIA.....032	4	4	-	-	-
21	WHOOPING COUGH.....033	2	-	2	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23	ERYSIPELAS.....035	-	-	-	-	-
24	MENINGOCOCCAL INFECTIONS.....036	8	2	2	4	-
25	TETANUS.....037	2	-	2	-	-
26	SEPTICEMIA.....038	42	22	16	2	2
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	6	-	6	-	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	2	-	-	-
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	-	-	-	-	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	4	4	2	-	-
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35	INFECTIOUS HEPATITIS.....070	10	6	4	-	-
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	20	10	8	2	-
38	TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	8	2	4	2	-
43	CONGENITAL SYPHILIS.....090	-	-	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47	TABES DORSALIS.....094.0	-	-	-	-	-
48	GENERAL PARESIS.....094.1	2	2	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	4	-	2	2	-
50	ALL OTHER SYPHILIS.....095,097.0,097.9	2	-	2	-	-
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	2	4	-	-
58	II. NEOPLASMS.....	5,406	2,946	2,302	100	58
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,356	2,922	2,276	100	58
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	94	64	24	6	-
61	OF LIP.....140	4	4	-	-	-
62	OF TONGUE.....141	18	18	-	-	-
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	16	10	6	-	-
64	OF PHARYNX.....146-149	56	32	18	6	-
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,420	786	586	30	18
66	OF ESOPHAGUS.....150	78	52	18	8	-
67	OF STOMACH.....151	230	148	76	6	-
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	12	12	-	-	-
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	520	264	244	2	10
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	68	32	34	-	2
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	14	10	4	-	-
72	DESCENDING COLON.....153.2	8	6	2	-	-
73	SIGMOID COLON.....153.3	46	24	22	-	-
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	340	166	166	2	6
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	44	26	16	-	2
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	160	82	74	4	-
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	22	14	8	-	-
78	OF GALLBLADDER AND BILE DUCTS.....156	80	34	44	-	2
79	OF PANCREAS.....157	302	176	112	10	4
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	16	4	10	-	2
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,216	946	240	24	6
82	OF LARYNX.....161	58	54	4	-	-
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	1,136	876	230	24	6
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	22	16	6	-	-
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	644	82	562	4	16
86	OF BONE.....170	28	14	12	-	2
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	32	20	10	-	-
88	OF SKIN.....172,173	92	46	46	-	-
89	OF BREAST.....174	492	2	474	2	14

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Total	WEST VIRGINIA				Total	WISCONSIN				Total	WYOMING					
	White		All other			White		All other			White		All other			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
20,606	11,226	8,166	678	536	42,120	23,094	16,058	550	418	3,074	1,820	1,166	66	22	01	
150	86	44	14	6	262	164	84	4	10	16	8	8	-	-	02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
14	8	4	-	2	46	28	16	-	2	2	-	2	-	-	08	
66	42	10	12	2	46	32	14	-	-	-	-	-	-	-	09	
60	38	8	12	2	34	26	8	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
6	4	2	-	-	8	4	4	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
4	4	-	-	-	2	2	2	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
28	14	12	2	-	72	42	30	-	-	8	6	2	-	-	-	25
2	-	2	-	-	16	12	4	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	2	-	-	4	4	-	-	-	-	-	-	-	-	-	32
8	4	2	-	2	6	4	2	-	-	-	-	-	-	-	-	34
8	6	2	-	-	22	16	4	2	-	2	2	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
4	2	2	-	-	6	6	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
12	6	6	-	-	30	12	8	2	8	2	-	2	-	-	-	57
3,350	1,768	1,364	124	94	7,480	3,974	3,356	72	78	440	270	164	6	-	-	58
3,322	1,754	1,350	124	94	7,390	3,936	3,304	72	78	432	264	162	6	-	-	59
78	40	28	10	-	132	96	28	6	2	10	4	6	-	-	-	60
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	-	61
8	8	-	-	-	28	22	6	-	-	4	2	2	-	-	-	62
18	10	8	-	-	56	40	16	-	2	4	2	2	-	-	-	63
50	22	18	10	-	44	30	6	6	2	2	-	2	-	-	-	64
914	460	376	42	36	2,194	1,126	1,026	16	26	88	60	26	2	-	-	65
48	32	20	6	-	116	82	26	4	4	6	6	-	-	-	-	66
174	90	60	18	6	362	220	130	6	6	22	14	8	-	-	-	67
-	-	-	-	-	26	10	-	-	-	-	-	-	-	-	-	68
350	150	170	10	20	832	380	446	6	6	32	22	8	2	-	-	69
36	20	14	-	2	106	46	58	-	2	4	2	-	2	-	-	70
20	10	8	2	-	42	18	24	-	-	-	-	-	-	-	-	71
12	2	8	-	2	14	8	6	-	-	4	4	-	-	-	-	72
36	6	22	6	2	104	42	62	-	-	4	2	2	-	-	-	73
222	100	106	2	14	524	252	268	-	4	18	12	6	-	-	-	74
24	12	12	-	-	42	14	28	-	-	2	2	-	-	-	-	75
100	56	42	2	-	252	152	94	-	6	10	4	6	-	-	-	76
18	10	8	-	-	52	28	20	2	2	2	2	-	-	-	-	77
54	24	26	-	4	116	30	86	-	-	2	2	-	-	-	-	78
160	92	58	6	4	404	212	186	4	2	14	10	4	-	-	-	79
10	6	2	-	2	34	12	22	-	-	-	-	-	-	-	-	80
854	656	142	38	18	1,264	1,008	222	30	4	96	74	22	-	-	-	81
32	26	2	4	-	94	4	-	-	-	8	6	2	-	-	-	82
816	626	138	34	18	1,184	944	206	30	4	84	66	18	-	-	-	83
6	4	2	-	-	26	14	-	-	-	4	2	-	-	-	-	84
320	60	254	2	4	920	116	792	-	12	52	18	34	-	-	-	85
26	20	6	-	-	44	34	10	-	-	4	2	2	-	-	-	86
10	10	-	-	-	34	20	14	-	-	2	2	-	-	-	-	87
52	30	20	2	-	92	52	40	-	-	14	14	-	-	-	-	88
232	-	228	-	4	750	10	728	-	12	32	-	32	-	-	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	688	299	372	10	8
02 OF CERVIX UTERI.....180	88	...	86	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	96	...	96
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	178	...	172	...	6
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	18	...	18
06 OF PROSTATE.....185	280	270	...	10	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	28	28
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	252	176	70	2	4
09 OF BLADDER.....188	150	116	34
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	102	60	36	2	4
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	460	276	170	10	4
12 OF EYE.....190	4	4
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	146	106	40
14 OF THYROID GLAND.....193	10	2	6	2	...
15 OTHER.....194-199	300	164	124	8	4
16 LEUKEMIA.....204-207	246	132	108	6	...
17 LYMPHATIC LEUKEMIA.....204	72	44	28
18 MYELOID LEUKEMIA.....205	124	58	60	6	...
19 MONOCYTIC LEUKEMIA.....206	20	12	8
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	30	18	12
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	336	162	164	8	2
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	146	66	78	2	...
23 HODGKIN'S DISEASE.....201	56	30	24	2	...
24 MULTIPLE MYELOMA.....203	52	30	20	2	...
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	82	36	42	2	2
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	50	24	26
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	10	4	6
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	14	8	6
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	18	10	8
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	8	2	6
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	624	252	344	24	4
34 NONTOXIC GOITER.....240,241	4	...	4
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	4	...	4
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	6	...	6
37 DIABETES MELLITUS.....250	468	182	270	14	2
38 DISEASES OF PITUITARY GLAND.....253	6	4
39 DISEASES OF THYMUS GLAND.....254	2	2
40 DISEASES OF ADRENAL GLAND.....255	2	...	2
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	50	16	30	2	2
43 CYSTIC FIBROSIS.....273-0	10	8	2
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	72	40	26	6	...
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	76	28	46	2	...
46 ANEMIAS.....280-285	48	18	30
47 DEFICIENCY ANEMIAS.....280,281	10	2	8
48 HEMOLYTIC ANEMIAS.....282,283	10	4	6
49 APLASTIC ANEMIAS.....284	12	4	8
50 OTHER AND UNSPECIFIED ANEMIAS.....285	16	8	8
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	6	4	2
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	22	6	14	2	...
53 V. MENTAL DISORDERS.....	202	120	64	8	10
54 SENILE AND PRESENILE DEMENTIAS.....290	16	4	12
55 ALCOHOLIC PSYCHOSES.....291
56 ALL OTHER PSYCHOSES.....294-299	6	2	4
57 ALCOHOLISM.....299	130	92	20	8	10
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	42	18	24
59 MENTAL RETARDATION.....310-315	8	4	4
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	316	160	142	6	8
61 MENINGITIS.....320	16	12	4
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	10	10
63 MULTIPLE SCLEROSIS.....340	46	18	28
64 PARALYSIS AGITANS.....342	60	28	32
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	10	...	8	...	2
66 EPILEPSY.....345	30	12	18
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	144	80	52	6	6
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	15,958	8,476	7,068	274	140
73 ACTIVE RHEUMATIC FEVER.....390-392	4	4
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	284	136	134	10	4
75 DISEASES OF MITRAL VALVE.....394	84	38	40	4	2
76 DISEASES OF AORTIC VALVE.....395	98	58	36	4	...
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	12	6	6
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	90	34	52	2	2
79 HYPERTENSIVE DISEASE.....400-404	312	102	182	14	14
80 MALIGNANT HYPERTENSION.....400	12	4	6	...	2
81 ESSENTIAL BENIGN HYPERTENSION.....401	18	...	18
82 HYPERTENSIVE HEART DISEASE.....402	108	34	54	10	10
83 HYPERTENSIVE RENAL DISEASE.....403	58	32	24	2	...
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	116	32	80	2	2

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
392	136	236	6	14	904	432	452	8	12	58	32	24	2	-
74	...	64	...	10	88	...	78	...	10	10	...	10	...	-
80	...	80	...	-	104	...	104	...	-	-
92	...	88	...	4	238	...	236	...	2	12	...	12	...	-
4	...	4	...	-	34	...	34	...	-	2	...	2	...	-
130	124	...	6	...	416	410	...	6	...	32	30	...	2	...
12	24	22	...	2	...	2
138	96	34	4	4	404	276	122	-	6	18	16	2	-	...
80	54	20	4	2	232	158	68	-	6	14	14	-	-	...
58	42	14	-	2	172	118	54	-	-	4	2	2	-	...
350	164	160	12	14	736	396	322	6	12	56	30	24	2	-
8	2	6	-	-	16	12	4	-	-	2	2	2	-	-
40	20	20	-	-	200	126	74	-	-	12	10	2	-	-
10	4	6	-	-	32	14	4	-	-	4	2	2	-	-
292	138	128	12	14	488	244	230	4	10	38	18	18	2	-
120	54	64	-	2	356	206	146	2	2	16	6	10	-	-
50	30	20	-	-	90	54	36	-	-	8	4	4	-	-
40	4	24	-	2	166	88	76	-	2	4	4	4	-	-
4	2	2	-	-	28	14	12	-	2	-	-	-	-	-
26	8	18	-	-	72	50	22	-	-	4	2	2	-	-
156	88	56	10	2	480	280	194	4	2	38	24	14	-	-
46	32	14	-	-	154	82	70	2	-	6	-	6	-	-
40	22	10	8	-	96	68	28	-	-	10	6	4	-	-
44	24	16	2	2	114	64	46	2	2	14	12	2	-	-
26	10	16	-	-	116	66	50	-	-	8	6	2	-	-
28	14	14	-	-	90	38	52	-	-	8	6	2	-	-
-	...	-	...	-	6	...	6	...	-	2	...	2	...	-
-	-	-	-	-	34	...	22	-	-	-	...	-	...	-
2	-	2	-	-	24	12	12	-	-	2	2	-	-	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
12	4	8	-	-	8	2	6	-	-	2	2	-	-	-
14	10	4	-	-	18	12	6	-	-	2	2	-	-	-
448	160	254	14	20	1,104	470	616	4	14	52	20	30	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	2	-	2	12	-	12	-	-	-	-	-	-	-
10	-	8	2	-	16	8	8	-	-	-	-	-	-	-
362	132	210	4	16	878	368	494	4	12	36	12	22	2	-
4	2	2	-	-	2	-	2	-	-	-	-	-	-	-
6	2	4	-	-	10	2	8	-	-	-	-	-	-	-
28	6	16	6	-	84	42	42	-	-	4	-	4	-	-
8	6	2	-	-	14	6	8	-	-	-	-	-	-	-
24	10	10	2	2	88	44	42	-	2	12	8	4	-	-
32	12	16	4	-	108	38	68	-	2	4	4	-	-	-
22	4	14	4	-	68	34	32	-	2	2	2	-	-	-
4	2	2	-	-	18	6	12	-	-	-	-	-	-	-
4	-	2	2	-	4	2	-	-	2	-	-	-	-	-
14	2	10	2	-	22	12	10	-	-	2	2	-	-	-
2	2	-	-	-	24	14	10	-	-	-	-	-	-	-
8	6	2	-	-	20	2	18	-	-	2	2	-	-	-
78	54	20	-	4	162	82	66	10	4	16	8	4	2	2
-	-	-	-	-	14	6	8	-	-	4	2	2	-	-
6	4	2	-	-	20	18	2	-	-	-	-	-	-	-
4	-	4	-	-	14	8	6	-	-	-	-	-	-	-
54	42	10	-	2	64	38	14	10	2	10	4	2	2	2
12	6	4	-	2	44	10	34	-	-	2	2	-	-	-
2	2	-	-	-	6	2	2	-	2	-	-	-	-	-
134	72	56	6	-	434	244	182	6	2	24	16	8	-	-
10	2	8	-	-	22	18	2	2	-	6	4	2	-	-
8	8	-	-	-	34	30	4	-	-	2	2	-	-	-
16	6	8	2	-	46	12	34	-	-	2	2	-	-	-
18	12	6	-	-	122	70	50	2	-	-	-	-	-	-
10	6	2	2	-	14	14	-	-	-	-	-	-	-	-
8	2	6	-	-	22	12	10	-	-	4	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	8	2	6	-	-	-	-	-	-	-
60	34	24	2	-	166	86	76	2	2	10	8	2	-	-
11,300	5,882	4,784	338	296	24,130	13,052	10,692	198	188	1,556	874	652	20	10
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
114	38	74	2	2	262	132	124	4	2	22	8	14	-	-
32	8	24	-	-	64	26	34	4	-	4	-	4	-	-
20	12	8	-	-	80	58	22	-	-	6	4	2	-	-
10	2	8	-	-	24	8	16	-	-	2	2	-	-	-
54	16	34	2	2	94	40	52	-	2	10	4	6	-	-
256	110	124	12	10	484	220	236	14	14	28	10	18	-	-
14	4	8	-	2	16	10	4	2	-	-	-	-	-	-
10	4	6	-	-	34	12	22	-	-	-	-	-	-	-
92	40	48	4	4	182	72	94	6	10	10	4	6	-	-
78	40	26	6	6	140	80	50	6	4	12	6	6	-	-
62	22	36	2	2	112	46	66	-	-	6	-	6	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA).

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	9,916	5,720	3,972	164	60
02 WITH HYPERTENSIVE DISEASE (1.0).....	1,032	486	512	24	10
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (1.9).....	8,884	5,234	3,460	140	50
04 ACUTE MYOCARDIAL INFARCTION.....410	5,078	3,236	1,738	80	24
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	126	82	36	4	2
06 CHRONIC ISCHEMIC HEART DISEASE.....412	4,712	2,402	2,196	80	34
07 ANGINA PECTORIS.....413	2	-	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	646	348	264	24	10
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	10	8	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	8	4	4	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	16	8	8	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	2	2	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	14	6	8	-	-
15 SYMPTOMATIC HEART DISEASE.....427	386	220	146	14	6
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	52	24	24	4	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	174	84	80	6	4
18 CEREBROVASCULAR DISEASES.....430-438	3,486	1,510	1,886	46	44
19 WITH HYPERTENSION (BENIGN) (1.0).....	374	128	230	10	6
20 WITHOUT MENTION OF HYPERTENSION (1.9).....	3,112	1,382	1,656	36	38
21 SUBARACHNOID HEMORRHAGE.....430	186	64	108	10	14
22 CEREBRAL HEMORRHAGE.....431	468	216	238	10	4
23 CEREBRAL THROMBOSIS.....432	812	362	432	12	6
24 CEREBRAL EMBOLISM.....434	8	6	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	46	34	12	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,178	512	640	10	16
27 OTHER CEREBROVASCULAR DISEASES.....437,438	788	316	454	14	4
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,114	562	540	12	-
29 ARTERIOSCLEROSIS.....440	676	290	380	6	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	264	178	82	4	-
31 GANGRENE.....445	36	22	14	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	138	72	64	2	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	196	94	90	4	8
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	164	84	72	2	6
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	32	10	18	2	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,958	1,202	678	54	24
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	18	8	6	2	2
38 ACUTE BRONCHITIS AND BRONCHITIDITIS.....466	18	14	2	2	-
39 INFLUENZA.....470-474	96	42	50	2	2
40 PNEUMONIA.....480-486	846	438	366	30	12
41 VIRAL PNEUMONIA.....480	40	20	18	2	-
42 BACTERIAL PNEUMONIA.....481,482	84	58	20	6	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	16	2	10	4	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	258	130	112	8	8
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	448	228	206	10	4
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	588	434	142	6	6
47 BRONCHITIS, UNQUALIFIED.....490	16	10	6	-	-
48 CHRONIC BRONCHITIS.....491	70	54	14	-	2
49 EMPHYSEMA.....492	462	356	96	6	4
50 ASTHMA.....493	40	14	26	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDIS.....500	-	-	-	-	-
52 EMPHYEMA AND ABSCESS OF LUNG.....510,513	8	4	4	-	-
53 PLEURISY.....511	10	6	4	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	70	44	26	-	-
55 BRONCHIECTASIS.....518	14	6	6	2	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	290	206	72	10	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,212	674	458	50	30
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	144	104	34	4	2
60 ULCER OF STOMACH.....531	64	44	18	-	2
61 ULCER OF DUODENUM.....532	56	42	10	4	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	24	18	6	-	-
63 GASTRITIS AND DUODENITIS.....535	6	2	4	-	-
64 APPENDICITIS.....540-543	16	8	6	2	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	100	46	48	2	4
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	56	22	34	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	18	6	12	-	-
69 CIRRHOSIS OF LIVER.....571	510	290	172	26	22
70 ALCOHOLIC.....571.0	246	144	74	16	12
71 OTHER SPECIFIED.....571.8	64	38	20	4	2
72 UNSPECIFIED.....571.9	200	108	78	6	8
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	54	30	24	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	308	166	124	16	2
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	330	170	128	20	12
76 NEPHRITIS AND NEPHROSIS.....580-584	120	62	42	10	6
77 ACUTE NEPHRITIS.....580	10	2	6	2	-
78 NEPHROTIC SYNDROME.....581	2	2	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	108	58	36	8	6
80 INFECTIONS OF KIDNEY.....590	74	30	42	2	-
81 CALCULI OF URINARY SYSTEM.....592,594	8	2	6	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	104	58	34	6	6
83 HYPERPLASIA OF PROSTATE.....600	14	12	2	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	10	6	4	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	...	4	...	2
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	2	...	2	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1972-Con.

Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
7,416	4,160	2,880	200	176	15,628	8,936	6,490	116	86	938	594	320	16	8
854	360	422	38	34	1,684	750	896	18	20	82	36	40	2	4
6,562	3,800	2,458	162	142	13,944	8,186	5,594	98	66	856	558	280	14	4
4,252	2,622	1,420	126	84	7,978	5,092	2,790	54	42	574	400	158	10	6
22	12	8	-	2	100	66	34	-	-	2	2	-	-	06
3,140	1,524	1,452	74	90	7,548	3,776	3,666	62	44	362	194	160	6	2
2	2	-	-	-	2	2	-	-	-	-	-	-	-	07
460	196	226	24	14	1,050	628	394	16	12	92	52	40	-	08
6	2	4	-	-	4	2	2	-	-	-	-	-	-	09
12	4	8	-	-	46	24	22	-	-	-	-	-	-	10
-	-	-	-	-	4	-	-	-	-	-	-	-	-	11
12	4	8	-	-	42	20	22	-	-	-	-	-	-	12
316	126	166	14	10	474	254	202	12	6	42	22	20	-	13
38	12	22	2	2	110	44	62	2	2	14	10	4	-	14
88	52	26	8	2	410	302	102	2	4	36	20	16	-	15
2,210	974	1,108	62	66	4,866	2,238	2,532	36	60	362	146	212	4	18
296	124	144	10	18	646	274	346	8	18	42	12	30	-	19
1,914	850	964	52	48	4,220	1,964	2,186	28	42	320	134	182	4	20
102	44	50	4	4	166	78	76	2	10	20	6	14	-	21
436	174	234	16	12	758	334	400	10	14	46	18	26	-	22
620	270	320	12	18	1,214	560	632	8	14	64	22	42	-	23
16	10	4	-	2	16	8	8	-	-	4	4	-	-	24
30	18	12	-	2	52	28	24	-	-	-	-	-	-	25
640	296	300	20	24	1,592	782	788	8	14	148	58	88	2	26
366	162	188	10	6	1,068	448	604	8	8	80	38	42	-	27
596	294	268	18	16	1,478	722	738	10	8	88	48	40	-	28
346	150	176	10	10	884	352	524	4	4	54	22	32	-	29
120	76	40	2	2	300	204	92	4	-	24	18	6	-	30
22	8	8	2	4	72	48	24	-	-	2	2	-	-	31
108	60	44	4	-	222	118	98	2	4	8	8	2	-	32
244	108	104	20	12	360	174	178	2	6	26	16	8	-	33
226	102	94	20	10	314	148	158	2	6	24	14	8	-	34
18	6	10	-	2	46	26	20	-	-	2	2	-	-	35
1,452	968	414	44	26	2,258	1,430	760	48	20	250	168	80	2	36
2	2	-	-	-	16	8	8	-	-	2	2	-	-	37
12	6	6	-	-	20	10	10	-	-	-	-	-	-	38
72	42	28	-	-	148	68	79	-	2	8	4	4	-	39
694	408	248	16	22	1,110	636	426	34	14	88	48	38	2	40
20	10	10	-	-	46	28	18	-	-	12	6	6	-	41
54	32	14	2	6	102	66	30	6	-	12	6	6	-	42
4	4	-	-	-	12	8	4	-	-	4	-	-	-	43
256	144	98	10	4	402	232	158	8	4	36	22	14	-	44
360	218	126	4	12	548	302	216	20	10	36	20	14	2	45
400	300	86	14	-	574	450	114	6	4	88	72	16	-	46
18	10	8	-	-	12	8	4	-	-	-	-	-	-	47
58	46	10	2	-	104	74	30	-	-	12	12	-	-	48
298	236	52	10	-	398	344	50	4	4	74	60	14	-	49
26	8	16	2	-	60	24	30	2	4	2	2	-	-	50
-	-	-	-	-	2	-	2	-	-	-	-	-	-	51
6	-	6	-	-	24	18	4	2	-	2	2	-	-	52
-	-	-	-	-	8	6	2	-	-	-	-	-	-	53
30	22	8	-	-	68	38	30	-	-	2	2	-	-	54
16	12	2	-	2	10	6	4	-	-	-	-	-	-	55
220	176	30	14	-	278	190	82	6	-	60	40	20	-	56
686	396	256	18	16	1,366	764	566	24	12	130	66	58	6	57
-	-	-	-	-	2	-	2	-	-	-	-	-	-	58
68	50	18	-	-	206	140	62	2	2	18	10	8	-	59
24	16	8	-	-	92	50	40	2	-	8	4	4	-	60
34	28	6	-	-	80	60	18	-	2	8	6	2	-	61
10	6	4	-	-	34	30	4	-	-	2	-	2	-	62
6	4	2	-	-	6	4	2	-	-	4	-	-	-	63
20	14	6	-	-	14	6	8	-	-	18	10	8	-	64
70	26	38	4	2	118	56	58	-	4	18	10	4	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
34	14	20	-	-	102	38	64	-	-	8	4	4	-	67
4	-	4	-	-	32	8	24	-	-	6	-	-	-	68
262	158	86	10	8	472	300	160	8	4	46	26	18	2	69
96	74	14	2	6	182	124	54	2	2	10	8	-	2	70
28	6	20	2	-	74	30	38	4	2	16	6	10	-	71
138	78	52	6	2	216	146	68	2	-	20	12	8	-	72
40	24	16	-	-	104	50	52	2	-	4	4	-	-	73
182	106	66	4	6	310	162	134	12	2	26	8	16	2	74
238	134	78	20	6	576	326	236	8	6	38	22	16	-	75
50	30	16	2	2	156	88	64	2	2	6	4	2	-	76
4	4	-	-	-	14	6	8	-	-	-	-	-	-	77
2	2	-	-	-	8	6	2	-	-	2	2	-	-	78
44	24	16	2	2	134	76	54	2	2	4	2	2	-	79
48	28	18	2	2	128	56	70	2	-	10	-	6	-	80
16	12	2	2	2	32	20	12	-	-	-	-	-	-	81
92	46	38	8	8	172	92	72	4	4	18	12	6	-	82
24	16	8	-	-	58	32	26	-	-	2	2	-	-	83
-	-	4	-	2	2	2	2	-	-	2	-	-	-	84
8	2	-	-	2	28	12	16	-	-	1	-	-	-	85
2	...	2	...	-	6	...	6	...	-	-	...	-	...	86
-	...	-	...	-	-	...	-	...	-	-	...	-	...	87
-	...	-	...	-	-	...	-	...	-	-	...	-	...	88
-	...	-	...	-	2	...	2	...	-	-	...	-	...	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA).

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	2	...	2	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	2	...	2	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	-	...	2
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	16	4	10	2	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	-	-	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	16	4	10	2	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	70	20	48	-	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	30	10	20	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	-	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	-	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	36	10	24	-	2
18 XIV. CONGENITAL ANOMALIES.....	230	90	120	8	4
19 SPINA BIFIDA.....741	8	-	8	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	30	2	28	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	112	50	58	2	2
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	10	4	6	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	70	34	28	6	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	392	216	148	14	14
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	176	92	80	2	2
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	8	2	6	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	168	90	74	2	2
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,672	1,716	758	164	34
30 ACCIDENTS.....E800-E949	1,958	1,246	560	118	32
31 RAILWAY ACCIDENTS.....E800-E807	12	4	4	4	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	850	528	254	50	18
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	832	512	252	50	18
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	20	12	8	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	264	166	84	8	6
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	118	62	48	4	4
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	106	76	20	8	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	186	114	48	22	2
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	138	82	44	8	4
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	18	16	2	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	6	-	6	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	72	56	10	6	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	54	42	12	-	-
44 ACCIDENTAL POISONING.....E850-E877	84	46	24	10	4
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	32	10	12	8	2
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	18	10	6	-	2
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	34	26	6	2	-
48 ACCIDENTAL FALLS.....E880-E887	290	148	134	6	2
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	80	54	26	-	-
50 FALL ON SAME LEVEL.....E885, E886	20	16	4	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	190	78	104	6	2
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	130	74	36	16	4
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	142	110	18	14	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	42	26	12	2	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	16	12	2	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	122	110	10	2	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	2	2	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	6	6	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	6	4	-	2	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	14	12	2	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	94	86	8	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	56	38	18	-	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	82	54	20	6	2
64 SUICIDE.....E950-E959	518	354	150	14	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	90	38	52	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	64	50	14	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	68	50	14	4	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	236	180	48	8	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	60	36	22	2	-
70 HOMICIDE.....E960-E978	142	78	30	32	2
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E955	84	50	12	20	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	26	8	8	10	-
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	30	18	10	2	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	54	36	18	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-28. Percent of Deaths for Which Autopsies Were Reported, by Age, Color, and Sex: United States, 1972

[Deaths based on a 50-percent sample. Autopsies per 100 deaths in specified group]

Color and sex	Total ¹	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
Total-----	19.1	44.1	45.6	39.3	48.6	51.6	41.5	31.0	23.0	16.1	10.4	5.1
Male----	22.1	44.8	45.5	37.9	46.1	52.7	43.6	32.5	24.1	17.2	12.4	6.6
Female---	15.5	43.1	45.8	41.5	50.0	49.3	56.1	28.5	20.9	14.4	8.5	4.1
White-----	18.3	44.3	45.2	38.9	45.3	48.9	40.6	31.4	23.4	16.4	10.4	5.0
Male----	21.1	45.1	44.9	37.5	44.6	49.1	42.0	32.4	24.5	17.5	12.4	6.5
Female---	14.8	43.1	45.6	41.4	47.5	46.3	58.3	29.7	21.8	14.8	8.6	4.1
All other-----	25.0	43.5	47.0	41.2	60.3	58.6	44.2	29.3	20.1	13.5	10.4	5.9
Male----	28.8	43.8	47.6	40.6	60.8	61.9	49.4	35.0	22.7	15.2	15.2	7.6
Female---	19.9	43.2	46.2	42.0	58.8	61.8	37.5	23.7	16.2	11.4	7.3	4.6

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-29. Deaths From 69 Selected Causes, by Number and Percent for Which Autopsies were Reported and Item "Findings Used" was on Certificate, by Number and Percent for Which Autopsy Findings were Used: United States, 1972

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Total deaths	Reported autopsies		Item "Findings used" on certificate ^a			
		Number	Percent	Number	Autopsy findings used		
					Number	Percent	
All causes	1,963,944	375,820	19.1	289,050	209,840	72.6	
Bacillary dysentery and amebiasis	004-006	90	40	44.4	30	16	53.3
Enteritis and other diarrheal diseases	008-009	2,286	770	33.7	592	420	70.9
Tuberculosis, all forms	010-019	4,376	1,389	31.5	940	696	74.0
Tuberculosis of respiratory system	010-012	3,474	1,072	30.9	704	532	75.6
Tuberculosis, other forms	013-019	902	308	34.1	236	164	69.5
Whooping cough	033	6	2	33.3	2	2	100.0
Streptococcal sore throat and scarlet fever	034	16	6	37.5	6	6	100.0
Meningococcal infections	036	350	232	66.3	168	120	71.4
Septicemia	039	4,214	1,396	33.1	1,000	590	59.0
Acute poliomyelitis	040-043	2	-	0.0	-	-	-
Measles	055	24	2	8.3	-	-	-
Syphilis and its sequelae	090-097	344	72	20.9	44	30	68.2
Other infective and parasitic diseases	Remainder of 000-156	3,910	1,702	43.5	1,296	826	63.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-209	345,618	59,090	17.1	44,992	30,534	67.9
Malignant neoplasms of buccal cavity and pharynx	140-149	7,482	1,202	16.1	922	640	69.4
Malignant neoplasms of digestive organs and peritoneum	150-159	95,808	14,754	15.4	11,326	7,942	70.1
Malignant neoplasms of respiratory system	160-163	76,998	14,808	19.2	11,354	8,062	71.0
Malignant neoplasm of breast	174	31,460	3,992	12.7	3,039	1,896	62.4
Malignant neoplasms of genital organs	180-187	42,366	5,214	12.3	3,692	2,540	65.3
Malignant neoplasms of urinary organs	188,189	15,738	2,460	15.6	1,864	1,300	69.7
Malignant neoplasms of all other and unspecified sites	170-173,190-199	41,724	6,872	16.7	5,254	3,564	64.0
Leukemia	204-207	14,402	4,058	28.2	3,094	1,986	64.2
Other neoplasms of lymphatic and hematopoietic tissues	200-203,206,209	19,640	5,630	28.7	4,248	2,604	66.0
Benign neoplasms and neoplasms of unspecified nature	210-239	4,956	1,410	28.5	1,048	674	64.3
Diabetes mellitus	250	38,674	4,420	11.4	3,390	2,182	64.6
Avitaminoses and other nutritional deficiencies	260-269	2,538	366	14.4	270	194	71.9
Anemias	280-285	3,426	910	26.6	678	398	58.7
Meningitis	320	1,482	828	55.9	616	412	66.9
Major cardiovascular diseases	390-448	1,035,146	124,556	12.0	97,990	71,840	73.3
Diseases of heart	390-396,402,404,410-429	755,864	95,512	12.4	75,908	54,906	74.3
Active rheumatic fever and chronic rheumatic heart disease	390-398	14,118	5,008	35.5	3,810	2,770	72.7
Hypertensive heart disease	402	7,760	898	11.6	692	482	69.7
Hypertensive heart and renal disease	404	5,778	440	7.6	338	252	74.6
Ischemic heart disease	410-413	684,424	79,472	11.6	63,192	47,572	75.3
Acute myocardial infarction	410	357,844	46,906	13.1	37,282	28,016	75.1
Other acute and subacute forms of ischemic heart disease	411	4,528	582	12.9	452	346	76.5
Chronic ischemic heart disease	412	321,894	31,976	9.9	25,452	19,204	75.5
Angina pectoris	413	168	8	4.8	6	6	100.0
Chronic disease of endocardium and other myocardial insufficiency	424,428	5,612	1,008	18.0	788	566	71.8
All other forms of heart disease	420-423,425-427,429	39,172	6,666	17.5	5,088	3,284	64.2
Hypertension	400,401,403	7,754	1,088	14.0	854	594	69.6
Cerebrovascular diseases	430-439	213,344	18,790	8.8	14,394	9,752	67.8
Cerebral hemorrhage	431	36,748	5,630	15.3	4,242	2,992	70.5
Cerebral thrombosis	433	57,482	3,676	6.4	2,814	1,974	70.1
Cerebral embolism	434	976	106	10.9	82	52	63.4
All other cerebrovascular diseases	430,432,435-438	118,138	9,378	7.9	7,246	4,734	65.3
Arteriosclerosis	440	32,486	1,826	5.6	1,474	1,038	70.4
Other diseases of arteries, arterioles, and capillaries	441-448	25,698	9,340	36.3	7,370	5,850	75.3
Acute bronchitis and bronchiolitis	466	1,146	542	47.3	424	326	76.9
Influenza and pneumonia	470-474,480-486	62,580	16,050	25.6	11,854	8,750	73.8
Influenza	470-474	4,986	552	11.1	434	310	71.4
Pneumonia	480-486	57,594	15,498	26.9	11,420	8,440	73.9
Bronchitis, emphysema, and asthma	490-493	30,768	6,350	20.6	5,134	3,854	75.1
Chronic and unqualified bronchitis	490,491	5,862	1,342	22.9	1,074	794	73.9
Emphysema	492	22,580	4,468	19.8	3,650	2,768	75.8
Asthma	493	2,326	540	23.2	410	292	71.2
Peptic ulcer	531-533	7,916	3,502	44.2	2,710	2,082	76.8
Appendicitis	540-543	1,206	552	45.8	406	320	78.0
Hernia and intestinal obstruction	550-553,560	6,790	2,222	32.7	1,790	1,266	70.7
Cirrhosis of liver	571	32,576	12,016	36.9	9,344	7,074	75.7
Cholelithiasis, cholecystitis and cholangitis	574,575	3,666	1,206	32.9	934	684	73.2
Nephritis and nephrosis	580-584	8,548	1,820	21.3	1,344	840	62.5
Acute nephritis and nephrotic syndrome	580,581	1,466	366	25.0	274	156	56.9
Chronic and unqualified nephritis and renal sclerosis	582-584	7,082	1,454	20.5	1,070	684	63.9
Infections of kidney	590	6,946	1,394	20.1	1,034	778	75.2
Hyperplasia of prostate	600	1,862	356	19.1	280	194	74.6
Complications of pregnancy, childbirth, and the puerperium	630-678	612	340	55.6	216	156	72.2
Abortions	640-645	70	84	77.1	28	16	57.1
Other complications of pregnancy, childbirth, and the puerperium	630-639,650-678	542	286	52.8	188	140	74.5
Congenital anomalies	740-759	14,698	7,630	51.9	5,774	3,542	61.3
Certain causes of mortality in early infancy	760-769,772,774-778	33,798	11,576	34.3	8,890	5,042	56.8
Birth injury, difficult labor, and other anoxic and hypoxic conditions	764-768,772,776	18,704	7,940	42.5	6,104	3,644	59.7
Other causes of mortality in early infancy	Remainder of 760-778	15,094	3,636	24.0	2,776	1,398	50.4
Symptoms and ill-defined conditions	780-796	27,500	6,408	23.3	4,280	2,336	54.8
All other diseases	Residual	110,710	34,120	30.8	25,336	17,912	70.7
Accidents	E800-E849	115,448	42,682	37.0	34,584	28,596	82.7
Motor vehicle accidents	E810-E823	56,278	20,042	35.6	16,424	14,068	85.7
All other accidents	E800-E807,E825-E849	59,170	22,640	38.3	18,160	14,528	80.0
Suicide	E850-E859	25,004	9,722	38.9	8,226	6,940	84.4
Homicide	E860-E876	19,638	16,576	84.4	11,238	8,550	75.7
Other external causes	E890-E899	5,074	3,574	70.4	2,290	1,658	74.3

^aFor discussion of this table, see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-30. Deaths From Selected Causes

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International

Cause of death and month	Total	Day of month ¹														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ALL CAUSES																
1 Total	1,966,002
2 January	192,852	S6,489	S6,082	M6,180	T6,206	W6,128	T6,280	F6,340	S6,494	S6,308	M6,500	T6,210	W6,150	T6,120	F6,000	S6,352
3 February	169,726	T5,948	W6,094	T6,110	F6,072	S6,208	S6,192	M6,186	T5,822	W6,028	T5,758	F6,090	S6,084	S6,989	M6,906	T6,684
4 March	163,548	W5,228	T5,334	T5,414	S5,342	S5,292	M5,440	T5,340	W5,374	T5,016	T5,290	S5,484	S5,610	M5,316	T5,220	W5,148
5 April	156,722	S5,348	S5,362	M5,244	T5,128	W5,268	T5,382	F5,276	S5,332	S5,260	M5,376	T5,482	W5,106	T5,354	F5,282	S5,384
6 May	159,624	M5,278	T5,194	W5,100	T5,042	F5,998	S5,348	S5,060	M5,202	T5,040	W4,970	T5,162	F5,100	S5,574	S5,240	M5,152
7 June	152,580	T5,000	F5,082	S5,278	S5,298	M5,216	T5,066	W5,112	T5,112	F5,338	S5,136	S5,184	M5,276	T5,090	W5,138	T4,920
8 July	162,460	S5,284	S5,248	M5,202	T4,902	W4,978	T5,012	F5,042	S5,108	S5,116	M5,124	T5,062	W5,276	T5,234	F5,138	S5,266
9 August	157,118	T5,126	W4,948	T4,918	F5,198	S5,140	S5,038	M5,090	T5,022	W4,832	T4,724	F5,018	S5,146	S5,332	M5,202	T4,962
10 September	150,200	F4,920	S5,064	S5,022	M4,860	T4,880	W4,876	T4,924	F4,984	S5,126	S4,858	M5,138	T4,934	W5,076	T5,018	F4,758
11 October	165,132	S5,162	M5,188	T5,220	W5,012	T5,104	F5,034	S5,462	S5,178	M5,028	T5,156	W5,218	T5,076	F5,342	S5,406	S5,276
12 November	180,618	W5,286	T5,060	F5,258	S5,474	S5,236	M5,332	T5,292	W5,350	T5,222	F5,334	S5,292	S5,284	M5,182	T5,232	W5,170
13 December	177,622	F5,600	S5,540	S5,668	M5,590	T5,378	W5,474	T5,576	F5,550	S5,676	S5,722	M5,758	T5,712	W5,446	T5,352	F5,656
MOTOR VEHICLE ACCIDENTS (E010-E023)																
14 Total	56,528
15 January	4,076	S 240	S 112	M 92	T 112	W 114	T 106	F 144	S 182	S 170	M 112	T 106	W 132	T 94	F 124	S 196
16 February	3,616	T 90	W 94	T 132	F 138	S 166	S 156	M 110	T 98	W 68	T 94	F 160	S 168	S 168	M 110	T 104
17 March	4,178	W 60	T 132	F 136	S 172	S 184	M 110	T 100	W 100	T 106	F 172	S 200	S 192	M 116	T 98	W 92
18 April	4,366	S 184	S 162	M 136	T 118	W 114	T 114	F 160	S 206	S 186	M 96	T 122	W 112	T 106	F 118	S 214
19 May	4,888	M 154	T 116	W 138	T 144	F 152	S 204	S 178	M 154	T 130	W 120	T 140	F 140	S 284	S 208	M 128
20 June	4,774	T 154	F 144	S 184	S 196	M 112	T 128	W 128	T 150	F 156	S 170	S 220	M 136	T 152	W 124	T 144
21 July	5,428	S 222	S 228	M 162	T 230	W 210	T 134	F 186	S 204	S 212	M 146	T 140	W 156	T 128	F 180	S 282
22 August	5,348	T 168	W 144	T 142	F 170	S 240	S 212	M 154	T 150	W 132	T 146	F 204	S 236	M 158	T 162	W 150
23 September	4,978	F 214	S 254	S 192	M 202	T 152	W 142	T 208	F 174	S 236	S 192	M 142	T 100	W 120	T 148	F 148
24 October	5,270	S 182	M 126	T 136	W 154	T 170	F 184	S 200	S 238	M 154	T 110	W 116	T 144	F 196	S 276	S 200
25 November	4,808	W 146	T 150	F 176	S 252	S 198	M 122	T 146	W 164	T 116	F 160	S 246	S 160	M 126	T 128	W 98
26 December	4,800	F 150	S 200	S 192	M 136	T 116	W 110	T 106	F 166	S 226	S 150	M 96	T 106	W 84	T 98	F 146
SUICIDE (E950-E959)																
27 Total	25,028
28 January	2,128	S 102	S 68	M 96	T 84	W 80	T 94	F 72	S 58	S 56	M 86	T 90	W 78	T 76	F 50	S 70
29 February	1,974	T 60	W 56	T 80	F 52	S 66	S 56	M 74	T 78	W 88	T 72	F 78	S 68	S 54	M 66	T 68
30 March	2,132	W 60	T 62	F 90	S 52	S 72	M 78	T 58	W 82	T 48	F 62	S 78	S 62	M 90	T 66	W 66
31 April	2,180	S 76	S 50	M 70	T 84	W 94	T 72	F 70	S 54	S 82	M 86	T 80	W 96	T 72	F 68	S 72
32 May	2,272	M 104	T 84	W 64	T 64	F 64	S 66	S 98	M 94	T 74	W 90	T 94	F 64	S 84	S 84	M 90
33 June	2,136	T 78	F 84	S 48	S 60	M 72	T 70	W 78	T 76	F 76	S 82	S 54	M 70	T 74	W 70	T 84
34 July	2,090	S 52	S 78	M 70	T 54	W 94	T 64	F 74	S 66	S 84	M 46	T 84	W 72	T 58	F 56	S 74
35 August	2,096	T 62	W 56	T 70	F 84	S 68	S 72	M 78	T 48	W 48	T 68	F 42	S 64	S 78	M 68	T 72
36 September	2,042	F 78	S 60	S 60	M 60	T 96	W 92	T 58	F 82	S 78	S 62	M 84	T 64	W 72	T 64	F 62
37 October	2,064	S 58	M 84	T 60	W 82	T 64	F 82	S 80	S 76	M 74	T 44	W 54	T 70	F 70	S 74	T 74
38 November	1,908	W 60	T 52	F 54	S 68	S 80	M 106	T 56	W 72	T 82	F 72	S 64	S 54	M 88	T 58	W 54
39 December	2,006	F 52	S 46	S 70	M 74	T 60	W 66	T 68	F 66	S 54	S 70	M 90	T 60	W 48	T 56	F 62
HOMICIDE (E960-E978)																
40 Total	19,676
41 January	1,572	S 108	S 86	M 52	T 38	W 38	T 52	F 46	S 74	S 54	M 46	T 44	W 30	T 36	F 50	S 66
42 February	1,386	T 30	W 34	T 46	F 72	S 52	S 78	M 44	T 30	W 30	T 46	F 40	S 88	S 66	M 40	T 50
43 March	1,526	W 38	T 54	F 70	S 86	S 56	M 30	T 30	W 28	T 42	F 66	S 86	S 74	M 38	T 24	W 30
44 April	1,466	S 68	S 54	M 48	T 40	W 30	T 46	F 64	S 80	S 44	M 42	T 46	W 32	T 34	F 46	S 74
45 May	1,556	M 14	T 46	W 30	T 40	F 64	S 80	S 100	M 36	T 36	W 36	T 32	F 38	S 78	S 78	M 30
46 June	1,582	T 36	F 66	S 70	T 72	M 42	T 36	W 50	T 36	F 44	S 82	S 72	M 44	T 50	W 34	T 40
47 July	1,844	S 88	S 72	M 80	T 52	W 56	T 38	F 36	S 50	S 56	M 50	T 42	W 54	T 46	F 52	S 86
48 August	1,836	T 52	W 56	T 62	F 64	S 90	S 56	M 54	T 50	W 38	T 60	F 62	S 80	T 102	M 48	T 50
49 September	1,694	F 50	S 118	S 70	M 86	T 44	W 48	T 56	F 80	S 104	S 74	M 68	T 44	W 46	T 60	F 46
50 October	1,616	S 60	M 26	T 32	W 44	T 40	F 58	S 82	S 82	M 32	T 36	W 26	T 38	F 64	S 76	S 64
51 November	1,588	W 50	T 42	F 42	S 92	S 94	M 50	T 44	W 30	T 46	F 54	S 70	S 72	M 36	T 46	W 34
52 December	1,610	F 58	S 74	S 70	M 46	T 56	W 40	T 36	F 52	S 60	S 86	M 48	T 34	W 40	T 46	F 56

¹Letter preceding number of deaths indicates day of week. (S=Sunday, M=Monday, etc., to S=Saturday.)

SECTION 1 - GENERAL MORTALITY

by Date of Death: United States, 1972

Classification of Diseases, Adapted, 1965. Deaths are based on those occurring in the United States, including those to nonresidents]

Day of month—Con.																
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Unknown
...
86,292	M6,494	T6,518	W6,569	T6,518	F6,158	86,450	86,072	M6,199	T6,074	W6,000	T5,760	F6,296	S5,926	85,640	M6,152	18
W5,680	T5,610	F5,582	S5,739	S5,818	M5,626	T5,684	W5,636	T5,674	F5,544	S5,666	S5,399	M5,439	T5,494	2
T5,339	F5,440	S5,412	S5,264	M5,254	T5,238	W4,980	T5,020	F5,176	S5,294	S5,262	M5,180	T5,262	W4,960	T4,946	F5,244	3
S5,140	M5,118	T5,128	W5,134	F5,186	S5,330	S5,124	M5,006	T5,062	W5,024	T5,122	F5,150	S5,324	S5,130	4
T4,994	W5,040	T5,068	F4,998	S5,288	S5,262	M5,208	T5,102	W5,032	T5,004	F5,064	S5,204	S5,372	M5,399	T5,254	W4,966	5
F4,992	S5,182	S5,108	M4,996	T5,078	W4,894	T4,910	F4,858	S5,078	S5,054	M5,150	T5,136	W5,104	T4,816	F4,960	...	6
S5,392	M5,454	T5,142	W5,338	T5,582	F5,488	S5,844	S6,068	M5,956	T5,462	W5,122	T5,182	F5,048	S5,192	S5,170	M5,028	7
W5,014	T4,984	F5,252	S5,350	S5,318	M5,124	T5,088	W5,028	T4,992	F5,058	S5,360	S5,172	M5,028	T4,724	W4,842	T5,052	8
S5,218	S5,288	M5,226	T4,992	W4,736	T4,872	F5,084	S5,108	S5,190	M5,174	T4,998	W5,020	T4,904	F4,886	S5,108	...	9
M5,470	T5,156	W5,024	T5,136	F5,420	S5,570	S5,372	M5,472	T5,306	W5,164	T5,184	F5,186	S5,566	S5,714	M5,304	T5,128	10
T5,210	F5,576	S5,612	S5,428	M5,482	T5,510	W5,324	T5,510	F5,574	S5,636	S5,644	M5,510	T5,280	W5,194	T5,358	...	11
S5,610	S5,522	M6,072	T5,756	W5,738	T5,600	F5,900	S6,032	S5,888	M5,854	T6,048	W6,012	T5,770	F6,138	S5,898	S5,904	12
...
...
S 110	M 86	T 110	W 108	T 122	F 136	S 184	S 148	M 110	T 118	W 124	T 120	F 128	S 170	S 180	M 116	-
W 70	T 78	F 142	S 168	S 124	M 88	T 96	W 142	T 106	F 115	S 212	S 162	M 118	T 138	-
T 102	F 184	S 184	S 184	M 102	T 94	W 86	T 98	F 154	S 218	S 158	M 100	T 124	W 102	T 145	F 174	-
S 186	M 98	T 104	W 124	T 122	F 160	S 184	S 156	M 128	T 124	W 112	T 132	F 190	S 232	S 154	...	-
T 106	W 96	T 134	F 142	S 246	S 214	M 110	T 122	W 128	T 120	F 172	S 260	S 212	M 174	T 140	W 136	-
F 186	S 242	S 252	M 128	T 146	W 126	T 154	F 162	S 250	S 190	M 132	T 136	W 120	T 136	F 174	...	-
S 212	M 138	T 134	W 128	T 122	F 184	S 212	S 192	M 144	T 124	W 114	T 128	F 168	S 236	S 234	M 158	-
W 156	T 154	F 166	S 226	S 206	M 166	T 166	W 160	T 178	F 162	S 290	S 178	M 144	T 122	W 126	T 140	-
S 218	S 200	M 128	T 118	W 142	T 154	F 192	S 190	S 196	M 148	T 134	W 104	T 114	F 180	S 230	...	8
M 158	T 118	W 172	T 178	F 192	S 250	S 200	M 140	T 122	W 128	T 130	F 166	S 186	S 166	M 140	T 160	-
T 106	F 194	S 220	S 200	M 114	T 140	W 186	T 194	F 178	S 244	S 194	M 128	T 92	W 122	T 106	...	2
S 160	S 122	M 132	T 136	W 140	T 168	F 304	S 280	S 186	M 146	T 164	W 106	T 156	F 186	S 154	S 176	-
...
...
S 52	M 52	T 66	W 54	T 48	F 70	S 66	S 66	M 64	T 64	W 68	T 52	F 78	S 58	S 58	M 54	-
W 76	T 76	F 60	S 54	S 54	M 104	T 84	W 44	T 82	F 68	S 64	S 50	M 92	T 50	-
T 78	F 84	S 62	S 64	M 60	T 94	W 60	T 88	F 72	S 50	S 58	M 62	T 82	W 66	T 66	F 62	2
S 76	M 72	T 68	W 70	T 46	F 70	S 50	S 88	M 72	T 88	F 68	T 70	F 84	S 66	S 74	...	4
T 74	W 70	T 74	F 56	S 48	S 86	M 84	T 58	W 68	T 74	F 60	S 44	S 64	M 68	T 64	W 72	-
F 46	S 78	S 74	M 72	T 76	W 78	T 52	F 68	S 68	S 56	M 82	T 68	W 76	T 86	F 72	...	8
S 74	M 82	T 74	W 60	T 64	F 52	S 40	S 68	M 56	T 76	W 84	T 58	F 80	S 62	S 72	M 64	-
W 44	T 52	F 74	S 54	S 80	M 84	T 70	W 60	T 54	F 84	S 72	S 70	M 102	T 64	W 76	T 78	-
S 68	S 74	M 96	T 68	W 40	T 50	F 80	S 64	S 44	M 52	T 76	W 76	T 66	F 54	S 56	...	6
M 64	T 58	W 74	T 44	F 60	S 84	S 74	M 72	T 72	W 48	T 66	F 62	S 68	S 54	M 78	T 60	-
T 72	F 48	S 60	S 60	M 60	T 40	W 56	T 42	F 48	S 74	S 64	M 76	T 58	W 58	T 70	...	2
S 60	S 44	M 86	T 58	W 76	T 64	F 64	S 66	S 70	M 60	T 68	W 74	T 62	F 60	S 66	S 82	4
...
...
S 54	M 42	T 34	W 34	T 38	F 54	S 106	S 68	M 32	T 30	W 30	T 24	F 42	S 82	S 36	M 46	-
W 46	T 32	F 48	S 64	S 66	M 42	T 30	W 42	T 30	F 40	S 72	S 52	M 50	T 24	-
T 34	F 42	S 72	S 74	M 48	T 42	W 42	T 42	F 44	S 70	S 56	M 18	T 44	W 34	T 32	F 72	-
S 44	M 50	T 58	W 44	T 40	F 50	S 64	S 42	M 52	T 36	W 26	T 34	F 44	S 70	S 62	...	4
T 44	W 36	T 38	F 44	S 90	S 76	M 38	T 44	W 36	T 50	F 26	S 80	S 62	M 42	T 44	W 56	2
F 42	S 90	S 82	M 56	T 38	W 42	T 38	F 48	S 106	S 56	M 44	T 38	W 40	T 38	F 48	...	2
S 70	M 62	T 56	W 44	T 48	F 60	S 60	S 94	M 62	T 48	W 52	T 32	F 56	S 84	S 82	M 56	-
W 48	T 40	F 38	S 102	S 82	M 62	T 36	W 32	T 44	F 52	S 104	S 66	M 64	T 44	W 50	T 46	2
S 108	S 110	M 42	T 26	W 46	T 52	F 52	S 82	S 82	M 46	T 34	W 62	T 38	F 50	S 88	...	2
M 58	T 36	W 34	T 36	F 60	S 62	S 46	M 46	T 54	W 56	T 50	F 54	S 92	S 84	M 46	T 42	-
T 38	F 52	S 74	S 68	M 44	T 42	W 58	T 68	F 48	S 62	S 42	M 58	T 40	W 46	T 46	...	2
S 68	S 80	M 44	T 38	W 46	T 36	F 76	S 98	S 98	M 66	T 44	W 50	T 44	F 80	S 88	S 74	-

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-72 -----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1972 -----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race or national origin and sex: United States, 1972-----	2-3
2-4. Infant mortality rates by age and color: United States, 1963-72 -----	2-4
2-5. Infant mortality rates for 65 selected causes by color: United States, 1972 ---	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1968-72 -----	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1968-72 -----	2-7
2-8. Infant and neonatal deaths and mortality rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1972 -----	2-8
2-9. Deaths under 1 year, by age, race, and sex: United States and each State, 1972 -----	2-10
2-10. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1972 -----	2-28
2-11. Infant mortality rates for 65 selected causes: United States, 1968-72 -----	2-37
2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by month: United States, 1972-----	2-38
2-13. Deaths under 1 year and under 28 days, from 65 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1972 -----	2-44
2-14. Deaths under 1 year from 65 selected causes, by age, color, and sex: United States, 1972 -----	2-50
2-15. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by color: United States, and each State, 1972 -----	2-68

SECTION 2 - INFANT MORTALITY

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-72

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	All other	Total	White	All other		Total	White	All other	Total	White	All other
1972 ^{1,2}	18.5	16.4	27.7	13.6	12.4	19.2	1935	27.8	25.0	44.7	19.6	18.3	27.4
1971	19.1	17.1	28.5	14.2	13.0	19.6	1952	28.4	25.5	47.0	19.8	18.5	28.0
1970	20.0	17.8	30.9	15.1	13.8	21.4	1951	28.4	25.8	44.8	20.0	18.9	27.3
1969	20.9	18.4	32.9	15.6	14.2	22.5	1950	29.2	26.8	44.5	20.5	19.4	27.5
1968	21.8	19.2	34.5	16.1	14.7	23.0	1949	31.3	28.9	47.3	21.4	20.3	28.6
1967	22.4	19.7	35.9	16.5	15.0	23.8	1948	32.0	29.9	46.5	22.2	21.2	29.1
1966	23.7	20.6	38.8	17.2	15.6	24.8	1947	32.2	30.1	48.5	22.8	21.7	31.0
1965	24.7	21.5	40.3	17.7	16.1	25.4	1946	33.8	31.8	49.5	24.0	23.1	31.5
1964	24.9	21.6	41.1	17.9	16.2	26.5	1945	38.3	35.6	57.0	24.3	23.3	32.0
1963 ³	25.2	22.2	41.5	18.2	16.7	26.1	1944	39.8	36.9	60.3	24.7	23.6	32.5
1962 ³	25.3	22.3	41.4	18.3	16.9	26.1	1943	40.4	37.5	62.5	24.7	23.7	32.9
1961	25.3	22.4	40.7	18.4	16.9	26.2	1942	40.4	37.5	64.6	25.7	24.5	34.6
1960	26.0	22.9	43.2	18.7	17.2	26.9	1941	45.3	41.2	74.8	27.7	26.1	39.0
1959	26.4	23.2	44.0	19.0	17.5	27.7	1940	47.0	43.2	73.8	28.8	27.2	39.7
1958	27.1	23.8	45.7	19.5	17.8	29.0	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1957	26.3	23.3	43.7	19.1	17.5	27.8	1930-34 ⁴	60.4	55.2	98.6	34.4	32.5	48.2
1956	26.0	23.2	42.1	18.9	17.5	27.0	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1955	26.4	23.6	42.8	19.1	17.7	27.2	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1954	26.6	23.9	42.9	19.1	17.8	27.0	1915-19	95.7	92.8	149.7	43.4	42.3	58.1

¹Deaths based on a 50-percent sample.

²Excludes deaths of nonresidents of the United States.

³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

⁴For 1932-34, Mexicans are included with "all other."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1972

[Deaths based on a 50-percent sample. Rates per 100,000 live births in specified group]

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,847.0	2,078.5	1,605.5	1,863.6	1,863.0	1,397.2	2,773.8	3,041.8	2,498.8
Under 28 days	1,363.6	1,543.1	1,175.0	1,236.8	1,414.1	1,049.4	1,922.2	2,119.5	1,719.6
Under 1 day	786.8	882.8	686.8	799.7	799.7	615.0	1,125.3	1,254.3	992.9
Under 1 hour	165.1	175.2	156.6	152.6	157.6	147.3	220.3	243.0	197.0
1-23 hours	621.7	709.6	529.2	657.3	642.1	467.7	905.0	1,011.3	796.0
1 day	161.9	211.4	150.6	169.2	199.6	137.1	237.5	264.0	210.4
2 days	111.6	134.9	97.1	105.1	129.6	79.3	140.0	158.5	121.0
3 days	57.5	67.5	46.8	52.9	65.8	41.5	77.3	84.5	69.9
4 days	35.9	40.5	31.1	35.2	38.3	27.9	47.8	50.4	45.0
5 days	22.4	24.2	20.5	20.7	21.7	19.7	29.9	35.4	24.2
6 days	15.5	21.6	15.2	16.5	20.2	12.5	27.2	27.5	26.9
7-13 days	75.7	84.8	66.2	68.0	76.4	59.2	109.8	122.5	96.8
14-20 days	39.8	41.6	37.9	35.6	35.8	31.3	67.0	67.5	66.6
21-27 days	33.6	35.9	33.4	27.6	29.2	25.9	60.4	55.0	65.9
28-59 days	119.4	132.9	105.3	97.8	108.5	86.4	215.0	242.3	186.9
2 months	90.4	104.7	75.3	76.7	89.7	62.9	150.6	171.6	129.1
3 months	69.9	77.6	61.8	58.6	67.3	49.4	119.8	123.8	115.6
4 months	49.4	56.9	41.5	38.6	46.2	30.7	86.9	104.8	86.7
5 months	35.2	37.7	32.5	27.9	29.6	26.2	67.0	74.0	59.8
6 months	30.3	31.5	29.0	25.7	26.8	24.5	50.4	52.4	48.4
7 months	25.9	26.9	20.8	20.5	23.7	17.0	39.1	41.3	37.0
8 months	20.7	21.6	19.9	16.8	17.9	15.6	38.2	38.0	38.3
9 months	16.5	17.0	16.0	14.5	15.8	13.0	25.5	22.3	28.9
10 months	14.5	14.0	14.6	11.7	10.8	12.7	25.5	28.2	22.9
11 months	13.5	14.6	12.0	11.0	12.6	9.3	23.6	23.6	23.5

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race or National Origin and Sex: United States, 1972

[Deaths based on a 50-percent sample. Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]

Age	All races			White		Negro		Indian ¹		Chinese		Japanese		Other	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNDER 1 YEAR															
Number	60,182	34,710	25,472	25,422	18,038	8,710	7,028	518	188	28	14	40	36	192	168
Rate	18.5	20.8	16.0	19.6	14.0	32.4	26.8	22.8	14.0	7.1	3.8	10.2	9.1	13.1	12.0
UNDER 28 DAYS															
Number	44,432	25,768	18,664	19,286	13,548	6,108	4,876	160	62	22	8	30	24	152	126
Rate	13.6	15.4	11.7	14.1	10.5	22.7	18.6	11.4	6.1	5.6	2.2	7.6	6.1	10.4	9.0
28 DAYS TO 11 MONTHS															
Number	15,750	8,942	6,808	6,126	4,490	2,602	2,152	158	106	6	6	10	12	40	42
Rate	4.8	5.4	4.3	4.5	3.5	9.7	8.2	11.3	7.9	1.5	1.6	2.5	3.0	2.7	3.0

¹Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1963-72

[Rates per 100,000 live births in specified group]

Age and color	1972 ^{1,2}	1971 ²	1970 ²	1969	1968	1967	1966	1965	1964	1963 ³
TOTAL										
Under 1 year-----	1,847.0	1,911.7	2,031.1	2,085.2	2,178.0	2,244.5	2,371.3	2,469.6	2,477.5	2,522.9
Under 28 days-----	1,565.6	1,420.0	1,508.3	1,557.8	1,612.3	1,650.9	1,717.6	1,766.3	1,788.4	1,821.6
Under 1 day-----	786.8	819.7	882.0	918.1	951.1	964.6	994.7	1,016.5	1,022.6	1,037.5
1 day-----	181.9	200.1	212.9	221.8	232.8	239.9	254.2	258.3	263.2	265.6
2 days-----	111.6	126.5	127.6	131.9	136.8	143.7	151.3	158.9	160.2	168.2
3 days-----	57.5	59.3	58.0	58.6	61.3	62.7	67.0	66.4	72.2	72.9
4 days-----	35.9	34.8	36.1	34.7	35.7	35.2	38.3	37.4	40.0	41.8
5 days-----	22.4	24.7	26.4	24.2	27.2	28.4	27.3	28.9	28.4	30.7
6 days-----	18.5	16.6	19.1	19.0	19.3	20.7	20.7	20.7	21.4	22.4
7-15 days-----	75.7	70.9	72.9	74.9	70.2	74.4	78.4	83.2	85.5	85.7
14-20 days-----	39.8	36.4	39.2	40.1	41.5	42.8	45.4	45.2	51.3	52.8
21-27 days-----	33.6	31.1	34.2	34.5	36.3	38.4	40.3	42.9	43.5	43.9
28-59 days-----	119.4	122.9	124.9	129.9	134.8	149.9	161.7	170.1	165.4	162.5
2 months-----	90.4	93.1	95.4	98.9	108.4	113.9	119.9	129.4	128.7	129.4
3 months-----	69.9	71.0	69.3	76.4	84.5	82.4	92.2	103.5	95.9	99.2
4 months-----	49.4	49.7	50.0	54.9	59.7	59.5	74.3	74.3	69.7	75.0
5 months-----	35.2	36.1	37.0	40.6	42.0	45.9	49.9	52.1	55.4	55.8
6 months-----	30.3	29.2	28.5	31.5	34.3	37.6	39.1	41.7	43.4	45.0
7 months-----	25.9	25.9	23.4	24.7	26.8	27.5	31.6	33.0	34.9	36.4
8 months-----	20.7	19.2	18.2	21.6	20.9	23.5	27.8	28.1	29.1	29.7
9 months-----	16.5	16.9	16.0	17.8	21.6	19.5	22.5	25.6	26.1	24.7
10 months-----	14.3	15.1	15.1	16.1	16.8	17.4	21.0	21.8	21.9	22.1
11 months-----	13.3	14.6	14.9	15.0	16.8	16.4	19.7	21.8	20.6	21.6
WHITE										
Under 1 year-----	1,656.6	1,707.1	1,775.2	1,840.9	1,919.6	1,969.6	2,063.0	2,151.1	2,158.6	2,216.5
Under 28 days-----	1,236.8	1,302.3	1,376.9	1,416.6	1,475.2	1,501.8	1,580.8	1,608.3	1,620.4	1,667.8
Under 1 day-----	709.9	747.6	798.5	827.7	868.9	871.8	903.6	930.1	920.3	954.1
1 day-----	169.2	187.3	197.7	208.8	218.7	224.8	236.8	240.0	244.9	248.1
2 days-----	105.1	121.9	123.4	128.2	129.3	139.8	145.8	152.9	152.4	162.3
3 days-----	52.9	56.0	54.7	55.3	57.1	58.4	63.4	61.9	66.8	67.4
4 days-----	33.2	31.2	32.8	31.1	31.1	31.0	35.1	33.0	36.3	36.6
5 days-----	20.7	21.6	24.1	21.5	24.8	25.1	24.7	24.3	28.4	27.1
6 days-----	16.5	14.9	17.2	16.9	17.0	18.6	17.6	17.7	19.0	19.8
7-15 days-----	69.0	64.3	66.3	64.9	62.4	65.7	65.9	69.4	72.8	74.4
14-20 days-----	33.6	31.5	34.0	33.9	34.6	35.8	36.0	43.8	41.2	42.7
21-27 days-----	27.6	26.0	28.3	28.4	29.2	30.9	31.8	35.2	32.8	35.3
28-59 days-----	97.8	101.5	101.9	104.2	108.8	118.8	125.7	130.0	130.6	129.8
2 months-----	76.7	76.0	76.5	79.2	85.8	90.0	91.4	100.9	99.4	101.9
3 months-----	58.6	59.7	56.1	61.6	66.4	64.5	70.3	80.5	74.8	76.3
4 months-----	38.6	40.8	40.2	43.5	45.9	45.1	51.2	56.1	52.3	57.2
5 months-----	27.9	28.4	28.6	31.6	31.7	35.3	37.7	39.3	40.2	41.7
6 months-----	25.7	25.5	22.9	24.9	26.5	29.4	29.5	32.1	35.8	35.6
7 months-----	20.5	20.0	18.4	20.4	21.1	22.1	24.3	26.0	27.8	28.5
8 months-----	16.8	15.8	15.2	17.9	16.6	19.1	21.9	21.7	22.8	23.4
9 months-----	14.5	13.5	13.3	14.8	16.9	15.6	17.9	20.9	21.7	20.2
10 months-----	11.7	13.2	12.7	13.9	13.2	13.8	16.0	17.4	17.8	18.7
11 months-----	11.0	12.4	12.5	12.2	13.6	13.0	15.9	17.9	17.2	17.4
ALL OTHER										
Under 1 year-----	2,773.8	2,851.0	3,091.8	3,291.3	3,454.9	3,591.7	3,876.3	4,032.7	4,109.6	4,149.3
Under 28 days-----	1,922.2	1,960.2	2,142.7	2,254.7	2,299.5	2,379.0	2,483.3	2,541.6	2,648.1	2,610.0
Under 1 day-----	1,125.3	1,150.7	1,285.2	1,364.0	1,357.3	1,418.0	1,439.7	1,440.5	1,500.0	1,456.8
1 day-----	237.5	258.9	286.5	285.7	302.7	313.6	339.3	348.3	357.0	353.7
2 days-----	140.0	147.3	147.8	150.3	173.8	163.6	178.3	169.1	200.2	203.2
3 days-----	77.3	74.2	73.9	75.3	82.0	83.9	84.3	88.3	99.8	102.4
4 days-----	47.8	51.2	52.0	52.6	58.7	56.0	53.5	58.9	59.4	68.6
5 days-----	29.8	38.8	37.3	37.9	38.4	44.4	40.5	51.2	46.6	50.4
6 days-----	27.2	24.4	28.3	29.3	30.7	30.7	35.9	35.5	37.2	37.2
7-15 days-----	109.8	101.4	105.1	124.0	108.4	116.8	139.3	150.8	150.5	142.3
14-20 days-----	67.0	58.6	64.1	70.9	75.3	76.7	91.0	99.1	102.7	106.1
21-27 days-----	60.4	54.7	62.5	64.6	71.3	75.2	81.6	80.8	98.0	89.4
28-59 days-----	215.0	221.1	236.0	256.7	263.5	301.6	337.7	367.0	343.6	342.0
2 months-----	150.6	171.5	187.0	196.0	220.1	230.8	269.4	275.3	278.9	290.6
3 months-----	119.8	122.6	133.1	149.4	173.8	170.1	198.0	216.3	204.0	225.7
4 months-----	96.9	90.8	97.3	111.6	122.0	129.7	151.7	163.9	158.9	173.4
5 months-----	67.0	71.5	77.5	84.7	93.2	97.6	109.6	115.2	121.4	131.5
6 months-----	50.4	55.0	55.6	64.1	75.0	77.7	86.0	89.1	92.2	107.2
7 months-----	39.1	41.8	47.6	46.2	55.1	53.6	66.6	72.3	71.1	79.2
8 months-----	38.2	35.1	32.5	39.6	42.3	45.1	56.4	59.4	61.5	63.5
9 months-----	25.5	32.5	29.2	33.0	44.8	38.3	44.5	48.7	48.9	50.2
10 months-----	25.5	24.0	26.7	26.9	34.8	35.3	45.2	43.4	42.8	41.0
11 months-----	23.6	24.8	26.4	28.5	32.9	33.1	39.5	40.7	39.3	44.9

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 2 - INFANT MORTALITY

2-5

Table 2-5. Infant Mortality Rates for 65 Selected Causes by Color: United States, 1972

[Deaths based on a 50-percent sample. Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	Total	White	All other
All causes	1,847.0	1,636.6	2,773.8
Diarrheal diseases	19.5	11.3	55.4
Whooping cough	*0.1	-	*0.7
Meningococcal infections	2.9	3.2	*2.0
Tetanus	-	-	-
Septicemia	25.2	20.4	46.1
Viral diseases	8.7	5.8	*10.6
Congenital syphilis	*0.1	-	*0.5
Other infective and parasitic diseases	8.0	4.5	15.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4.8	4.6	4.6
Benign neoplasms and neoplasms of unspecified nature	1.7	1.7	*1.7
Diseases of thymus gland	0.7	0.8	*0.7
Cystic fibrosis	2.8	3.2	*1.0
Diseases of the blood and blood-forming organs	6.7	4.9	14.6
Meningitis	15.8	11.6	34.2
Other diseases of nervous system and sense organs	15.0	14.6	18.6
Acute upper respiratory infections	4.7	3.9	8.3
Bronchitis and bronchiolitis	11.6	8.1	26.9
Influenza and pneumonia	132.9	102.1	268.7
Influenza	1.8	1.3	4.3
Pneumonia	131.1	100.8	264.4
Other chronic interstitial pneumonia	0.7	*0.6	*1.5
All other diseases of respiratory system	15.9	14.2	23.6
Hernia and intestinal obstruction	15.0	14.8	15.6
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	1.4	0.8	4.0
Other diseases of digestive system	11.0	9.1	19.6
Congenital anomalies	290.3	297.2	259.8
Anencephalus	26.1	29.3	11.9
Spina bifida	16.1	18.3	6.3
Congenital hydrocephalus	15.2	14.7	17.3
Other congenital anomalies of central nervous system and eye	10.3	10.3	10.0
Congenital anomalies of heart	113.2	114.7	106.5
Other congenital anomalies of circulatory system	16.4	16.1	17.9
Congenital anomalies of respiratory system	13.6	12.8	17.3
Congenital anomalies of digestive system	19.1	18.2	23.2
Congenital anomalies of genitourinary system	11.1	11.5	9.3
Congenital anomalies of musculoskeletal system	8.6	9.4	5.0
Down's disease	3.1	2.8	4.3
Other congenital syndromes affecting multiple systems	31.4	32.9	24.9
Other and unspecified congenital anomalies	6.1	6.2	6.0
Certain causes of mortality in early infancy	1,035.3	922.7	1,531.4
Chronic circulatory and genitourinary diseases in mother	*0.1	*0.2	-
Other maternal conditions unrelated to pregnancy	9.8	10.2	8.5
Syphilis	-	-	-
Diabetes mellitus	5.1	5.7	*2.3
Rubella	*0.5	*0.5	*0.3
All other maternal conditions unrelated to pregnancy	4.2	3.9	5.6
Toxemia of pregnancy	4.1	3.5	6.6
Maternal antepartum and intrapartum infection	6.0	4.8	11.3
Difficult labor	17.1	15.9	22.2
With mention of birth injury (.0-.3)	5.0	4.3	8.3
Without mention of birth injury (.4-.9)	12.0	11.6	13.9
All other complications of pregnancy and childbirth	109.6	100.0	151.9
Conditions of placenta	50.5	51.2	47.1
Conditions of umbilical cord	12.1	11.9	12.9
Birth injury without mention of cause	54.7	47.7	85.3
Hemolytic disease of newborn	15.3	15.5	14.3
Hyaline membrane disease	143.8	137.9	169.5
Respiratory distress syndrome	131.0	122.5	168.5
Asphyxia of newborn, unspecified	205.7	177.0	332.4
All other anoxic and hypoxic conditions not elsewhere classifiable	20.9	17.4	36.2
Immaturity, unqualified	191.2	155.6	346.0
Postmaturity	*0.1	*0.2	-
Hemorrhagic disease of newborn	13.7	11.4	23.9
All other conditions of newborn	49.7	39.8	92.9
Symptoms and ill-defined conditions	116.4	90.5	230.2
Accidents	54.8	48.4	82.6
Inhalation and ingestion of food or other object causing obstruction or suffocation	16.6	15.1	25.2
Accidental mechanical suffocation	12.5	11.5	16.9
Other accidental causes	25.6	21.8	42.5
Homicide	5.3	3.8	11.6
All other causes	44.1	34.0	86.6

SECTION 2 · INFANT MORTALITY

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1968-72

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1972 ^{1,2}			1971 ²			1970 ²			1969		1968			
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	18.5	16.4	27.7	19.1	17.1	28.5	20.0	17.8	30.9	20.9	18.4	32.9	21.8	19.2	34.5
Geographic Divisions:															
New England-----	16.0	15.5	23.6	16.8	16.1	26.4	17.6	16.8	30.3	19.9	18.5	27.8	19.9	19.2	31.8
Middle Atlantic-----	17.6	15.3	28.3	18.4	16.2	28.8	19.7	17.3	31.7	20.9	18.2	35.0	21.2	18.6	35.0
East North Central-----	18.5	16.2	30.0	19.1	17.0	30.4	19.8	17.8	31.0	20.4	18.4	32.8	21.6	19.4	35.4
West North Central-----	17.6	16.6	27.5	18.4	17.5	27.9	18.4	17.3	31.4	18.8	17.6	32.9	19.5	18.5	31.8
South Atlantic-----	20.1	16.6	28.6	20.9	17.3	30.0	22.1	18.0	32.6	22.9	18.5	34.1	24.3	19.6	36.2
East South Central-----	21.7	17.8	31.8	22.1	18.3	32.5	23.1	18.7	35.2	24.8	20.2	37.3	23.2	20.9	40.5
West South Central-----	20.4	18.6	27.1	20.2	18.2	27.9	22.0	19.5	31.4	21.9	19.0	33.4	22.7	19.4	35.0
Mountain-----	17.3	16.7	25.2	18.4	17.7	25.2	19.9	18.1	27.0	20.6	19.3	33.7	21.2	19.7	36.1
Pacific-----	16.0	15.3	19.9	16.8	16.4	19.4	17.4	16.7	21.9	18.3	17.6	23.0	19.1	18.5	22.9
New England:															
Maine-----	18.4	18.5	*9.4	18.0	18.1	*13.2	21.0	21.0	*25.0	20.2	20.3	*11.5	21.5	21.5	*26.1
New Hampshire-----	16.6	16.7	*15.0	17.4	17.5	*7.1	19.0	18.0	*20.5	20.5	20.6	*17.4	18.8	18.9	*10.4
Vermont-----	15.6	15.7	-	14.8	14.9	-	17.6	17.6	*19.2	20.0	19.9	27.8	19.7	19.8	-
Massachusetts-----	14.7	14.2	21.6	16.7	16.1	25.9	16.8	16.0	31.4	18.3	17.9	24.3	19.9	19.2	34.2
Rhode Island-----	19.2	18.2	33.5	19.5	18.9	28.0	19.8	19.3	27.7	19.8	18.9	35.6	21.3	20.6	33.6
Connecticut-----	16.7	15.6	25.1	15.6	14.0	28.0	17.1	15.5	30.4	18.7	17.1	31.5	19.0	17.8	30.1
Middle Atlantic:															
New York-----	17.6	15.2	27.5	18.3	16.2	27.2	19.4	16.9	30.2	21.2	16.3	34.0	20.9	18.3	33.5
New Jersey-----	17.4	14.4	29.6	18.6	15.6	31.4	19.9	16.9	33.0	20.0	16.7	35.3	21.2	17.9	36.5
Pennsylvania-----	17.5	15.8	29.0	18.4	16.6	30.2	20.2	18.2	34.2	21.0	18.7	37.1	21.7	19.6	37.2
East North Central:															
Ohio-----	18.4	16.5	30.5	18.2	16.6	29.1	18.7	17.2	28.7	19.3	18.0	29.3	20.3	18.7	32.5
Indiana-----	16.7	17.7	26.3	18.8	17.4	31.6	19.4	18.3	27.8	20.5	19.2	33.3	21.8	20.5	36.7
Illinois-----	20.2	16.8	31.2	21.1	17.9	32.0	21.5	18.3	33.6	22.4	19.2	35.4	23.4	20.0	37.6
Michigan-----	18.4	15.6	30.7	19.4	17.2	30.1	20.5	18.6	30.4	20.5	18.3	32.6	21.8	19.3	34.8
Wisconsin-----	14.1	13.6	19.9	15.9	15.4	23.4	16.8	16.0	29.8	17.3	16.6	29.0	19.5	18.8	31.2
West North Central:															
Minnesota-----	17.6	17.5	21.4	17.1	16.8	27.1	17.4	17.3	24.0	16.9	16.7	22.0	18.4	18.1	26.8
Iowa-----	17.6	15.7	22.5	17.5	17.2	26.5	18.7	18.3	31.4	16.9	18.7	29.8	19.1	18.8	32.2
Missouri-----	18.0	15.7	29.2	20.1	18.5	27.8	19.5	17.0	33.4	21.1	18.5	35.7	21.4	19.3	33.4
North Dakota-----	14.8	14.6	*17.9	15.3	14.7	*24.3	14.3	14.3	*14.3	16.7	16.5	*20.2	16.9	16.9	*16.9
South Dakota-----	19.8	17.6	35.9	18.2	16.5	30.0	19.1	16.7	37.3	20.0	18.7	29.9	20.5	19.0	32.4
Nebraska-----	16.7	15.5	34.4	18.1	17.3	30.0	19.4	18.5	34.6	17.1	15.8	39.2	18.0	17.1	33.0
Kansas-----	17.5	17.0	22.2	19.2	18.4	28.0	17.6	16.7	27.5	18.3	17.3	30.1	19.4	18.5	30.7
South Atlantic:															
Delaware-----	19.1	13.3	40.1	15.5	12.7	26.1	19.6	16.3	31.6	22.6	18.2	39.3	20.2	16.0	37.3
Maryland-----	16.0	13.8	22.3	18.1	14.6	28.7	19.4	16.4	29.0	19.6	16.3	30.4	21.3	17.9	33.3
District of Columbia-----	27.4	19.2	28.5	28.1	17.7	29.8	29.1	26.3	29.5	29.8	24.1	30.8	25.9	16.6	27.7
Virginia-----	20.5	17.5	30.2	20.6	17.9	29.7	20.6	17.0	33.3	22.1	18.9	33.2	22.7	18.7	36.2
West Virginia-----	19.3	18.7	31.9	21.0	20.6	29.1	23.0	22.8	27.7	23.0	22.4	36.5	23.4	22.4	42.3
North Carolina-----	23.2	19.3	32.0	21.9	17.7	31.9	24.2	19.3	36.1	25.0	19.9	37.5	26.3	20.9	38.7
South Carolina-----	22.5	16.9	31.5	21.8	16.4	30.8	22.9	18.2	31.1	24.1	18.8	33.3	27.0	20.5	37.4
Georgia-----	19.5	15.3	27.5	21.1	17.8	28.0	22.1	17.2	32.9	22.7	17.5	33.9	25.4	19.4	37.6
Florida-----	18.4	15.7	26.0	20.7	17.2	30.8	21.5	17.8	33.2	22.6	18.3	35.6	24.1	19.8	36.5
East South Central:															
Kentucky-----	17.7	17.2	22.6	18.9	18.1	28.9	19.6	18.8	27.8	20.9	20.5	25.3	21.9	21.0	31.5
Tennessee-----	21.0	17.4	33.7	20.5	18.8	27.1	21.3	18.8	30.6	21.9	18.9	33.4	23.2	19.8	35.8
Alabama-----	22.8	17.6	32.4	25.2	17.8	33.8	24.3	18.6	36.0	26.2	20.7	37.3	26.6	20.9	37.7
Mississippi-----	26.0	20.3	32.1	27.0	18.4	36.2	28.5	18.7	39.2	32.1	21.9	42.7	35.5	22.9	48.1
West South Central:															
Arkansas-----	17.6	17.0	19.4	20.5	18.2	27.7	21.6	18.3	31.1	21.1	18.2	30.0	23.2	18.6	36.0
Louisiana-----	22.0	18.5	27.5	22.1	18.0	28.8	24.5	19.8	32.3	24.6	18.2	35.2	25.3	18.2	36.8
Oklahoma-----	19.1	18.2	23.1	18.4	17.8	21.2	21.3	20.3	26.3	20.4	19.7	24.5	20.0	19.5	22.6
Texas-----	20.6	18.9	29.4	20.0	18.3	28.7	21.4	19.6	31.8	21.4	19.2	34.5	22.2	19.8	35.6
Mountain:															
Montana-----	21.2	20.3	29.5	21.3	21.3	21.4	21.5	21.2	24.7	21.0	20.5	26.2	19.5	18.3	33.2
Idaho-----	16.9	16.2	*42.6	16.9	16.8	*19.7	17.1	17.3	*11.6	19.0	18.4	*42.7	18.4	18.2	28.8
Wyoming-----	25.4	24.9	*35.6	24.5	24.0	*36.3	20.0	19.6	*27.6	27.3	26.5	*43.0	21.3	19.5	55.6
Colorado-----	17.1	17.1	17.7	18.2	18.3	17.2	19.9	19.7	23.5	20.4	19.8	30.6	20.6	20.3	27.3
New Mexico-----	18.3	17.6	22.5	20.6	18.9	30.3	21.0	19.5	28.9	24.0	21.4	39.7	23.9	22.3	33.5
Arizona-----	17.1	15.6	24.6	18.3	17.0	*24.9	17.7	16.0	28.0	21.6	19.3	34.2	23.0	19.7	38.8
Utah-----	14.0	13.9	*17.2	13.8	13.7	16.1	14.9	14.9	*17.5	16.0	15.4	39.2	17.6	16.6	52.4
Nevada-----	16.4	16.0	18.7	22.7	20.4	36.2	24.0	22.2	37.0	18.7	18.4	20.2	26.5	25.5	33.5
Pacific:															
Washington-----	17.1	16.7	21.1	18.3	17.8	24.3	18.7	18.1	26.4	18.9	18.1	28.9	19.7	19.0	28.8
Oregon-----	16.6	16.4	20.8	18.4	18.3	19.4	15.9	16.0	14.1	17.5	17.3	22.7	19.7	19.3	29.0
California-----	15.6	14.8	20.2	16.4	15.8	20.2	17.2	16.5	22.1	18.3	17.5	23.1	19.0	18.4	22.6
Alaska-----	18.2	17.2	20.6	18.2	18.7	16.8	22.6	20.3	29.0	18.5	14.1	34.1	21.8	16.6	34.7
Hawaii-----	16.9	14.7	17.7	15.9	19.2	14.4	18.6	17.8	18.9	19.2	21.0	18.4	18.2	15.6	19.2

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.

SECTION 2 · INFANT MORTALITY

2-7

Table 2-7. Neonatal Mortality Rates by Color: United States, Each Division and State, 1968-72

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1972 ^{1,2}			1971 ²			1970 ²			1969			1968		
	Total	White	All other ²	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	13.6	12.4	19.2	14.2	13.0	19.6	15.1	13.8	21.4	15.6	14.2	22.5	16.1	14.7	23.0
Geographic divisions:															
New England:															
Maine-----	12.0	11.6	17.4	13.0	12.5	19.9	13.7	13.2	22.6	15.0	14.7	20.8	15.4	14.9	23.7
New Hampshire-----	13.3	11.8	20.2	13.9	12.5	20.5	13.3	13.6	25.8	15.9	14.0	25.7	16.3	14.5	25.8
Vermont-----	13.8	12.3	21.3	14.4	13.2	21.4	15.1	13.9	22.3	15.5	14.2	24.0	16.3	14.9	25.0
Massachusetts-----	13.5	12.8	20.1	14.3	13.8	19.9	14.3	13.7	21.7	14.6	14.0	22.8	15.0	14.4	21.5
Rhode Island-----	14.7	12.8	19.5	15.3	13.3	20.2	16.2	14.2	21.7	16.5	14.4	22.2	17.1	15.1	22.3
Connecticut-----	15.6	13.5	21.2	15.9	13.9	21.7	16.7	14.5	22.9	17.8	15.3	24.5	16.7	16.1	25.6
Middle Atlantic:															
New York-----	15.0	13.9	19.1	15.0	13.8	19.4	16.5	15.1	22.0	16.1	14.6	22.1	16.5	14.8	22.9
New Jersey-----	12.2	12.1	12.9	13.1	13.1	13.5	13.9	13.8	14.9	14.9	14.6	18.2	15.3	15.0	18.1
Pennsylvania-----	11.5	11.1	13.5	12.0	11.8	13.1	12.7	12.3	15.2	13.5	13.0	15.0	14.1	13.8	16.1
East North Central:															
Ohio-----	15.4	15.6	-	13.2	13.2	*13.2	16.1	16.1	*12.5	15.8	15.9	*11.5	15.9	15.8	*17.4
Indiana-----	12.0	12.2	-	13.4	13.4	*7.1	13.3	13.2	*20.5	15.6	15.8	-	14.4	14.5	-
Illinois-----	9.8	9.9	-	10.9	10.9	-	14.2	14.2	*19.2	16.4	16.4	*27.8	15.9	16.0	-
Michigan-----	11.2	10.7	17.0	13.0	12.6	19.2	13.1	12.5	22.8	14.8	14.6	18.6	15.7	15.1	25.8
Wisconsin-----	14.6	13.8	24.6	15.6	14.9	25.8	15.3	15.0	19.8	15.3	14.7	25.8	16.4	15.9	25.2
West North Central:															
Minnesota-----	12.4	11.6	17.9	12.3	11.2	20.3	13.7	12.5	25.5	14.7	13.6	23.5	14.4	13.5	22.3
Ohio-----	13.3	12.1	21.1	13.8	12.9	19.8	14.3	13.4	20.6	15.0	14.1	22.1	15.5	14.4	23.5
Indiana-----	14.8	14.1	19.0	14.5	13.6	25.2	14.9	14.3	20.6	15.5	14.8	23.7	16.4	15.6	24.7
Illinois-----	15.0	13.0	21.6	15.8	13.9	22.4	16.5	14.5	24.2	17.0	15.0	25.2	17.5	15.4	26.0
Michigan-----	13.9	11.9	22.9	14.8	13.3	21.8	15.6	14.5	21.7	15.6	14.0	24.4	16.4	14.8	25.8
Wisconsin-----	9.8	9.5	14.5	11.6	11.4	15.2	12.9	12.4	20.2	12.8	12.3	20.1	14.9	14.6	20.8
West South Central:															
Minnesota-----	13.4	13.5	15.8	13.2	12.9	20.2	13.7	13.6	17.1	13.4	13.4	14.1	13.8	13.8	12.5
Iowa-----	14.2	14.1	17.3	13.7	13.6	19.0	15.1	14.9	23.7	14.9	14.7	20.5	15.3	15.1	25.8
Missouri-----	13.8	12.0	22.3	15.7	14.7	20.7	14.8	13.1	25.9	16.3	14.6	25.8	16.0	14.7	23.3
North Dakota-----	10.5	10.7	*7.7	12.4	12.4	*12.9	11.6	11.8	*10.0	13.3	13.5	*10.1	12.8	13.2	*6.8
South Dakota-----	12.3	12.1	*13.5	13.1	13.0	14.3	13.1	13.0	*15.4	14.9	15.3	*11.9	15.7	15.0	20.8
Nebraska-----	12.9	12.1	26.1	14.0	13.7	18.0	15.4	15.0	21.3	13.5	12.6	26.3	14.1	13.7	21.3
Kansas-----	13.8	13.4	18.2	15.3	14.7	21.9	13.8	13.2	21.0	14.2	13.5	21.9	15.3	14.8	21.6
South Atlantic:															
Delaware-----	13.8	10.1	27.4	12.1	10.2	19.0	14.9	12.3	24.6	18.1	15.7	27.5	14.0	12.4	20.4
Maryland-----	11.5	10.2	15.6	13.5	11.2	20.4	14.5	12.6	20.3	14.6	12.6	21.0	16.1	14.2	22.6
District of Columbia-----	20.1	15.1	20.8	21.1	14.1	22.2	22.7	22.9	22.7	23.3	22.3	23.5	10.0	11.2	20.3
Virginia-----	16.0	13.8	23.3	15.7	13.8	21.8	16.1	13.8	24.3	16.7	14.7	23.5	17.0	14.8	24.1
West Virginia-----	16.0	15.5	27.3	16.2	15.9	23.1	17.6	17.5	20.0	17.3	17.0	22.4	16.9	16.3	28.9
North Carolina-----	16.8	14.9	21.3	16.1	13.9	21.3	17.9	15.3	24.3	17.3	15.1	22.9	18.4	16.4	23.1
South Carolina-----	15.2	12.6	19.3	15.0	12.9	18.4	15.2	14.1	17.3	15.3	13.6	18.2	16.7	15.2	19.0
Georgia-----	13.6	11.8	17.0	14.6	13.5	17.0	15.3	13.4	19.3	15.8	13.6	20.5	16.8	14.6	21.5
Florida-----	13.7	11.9	18.9	15.5	13.3	21.8	16.1	13.9	23.1	16.9	14.3	24.8	17.4	15.1	23.9
East South Central:															
Kentucky-----	13.1	12.8	15.8	13.7	13.1	20.4	13.9	13.5	18.7	15.3	15.2	17.3	16.2	15.7	21.5
Tennessee-----	15.2	12.6	24.6	15.2	14.0	19.5	16.2	14.8	21.3	16.2	14.1	24.0	16.8	15.0	23.2
Alabama-----	15.9	13.4	20.5	16.4	13.7	21.7	17.5	14.9	22.9	18.2	15.5	23.8	18.7	16.4	23.3
Mississippi-----	18.6	16.7	20.8	19.2	15.2	23.8	19.7	15.1	24.8	22.6	18.2	27.2	24.5	18.6	30.3
West South Central:															
Arkansas-----	13.0	12.7	13.7	14.9	14.1	17.4	15.5	14.3	19.1	14.2	13.1	17.6	15.8	13.8	21.3
Louisiana-----	16.7	14.4	20.3	16.7	14.3	20.6	18.6	15.7	23.5	17.9	14.8	23.1	18.2	14.8	24.0
Oklahoma-----	13.5	13.4	14.0	13.3	13.2	13.9	16.1	15.8	17.5	15.7	15.5	17.0	14.8	14.9	14.3
Texas-----	15.1	14.1	20.6	14.8	13.8	20.2	16.1	14.9	22.6	15.9	14.6	23.4	18.3	14.9	24.0
Mountain:															
Montana-----	15.4	14.7	22.1	14.7	15.1	*11.1	15.8	15.9	*15.9	15.6	15.5	16.1	14.6	14.4	*17.1
Idaho-----	11.0	10.7	*21.3	12.4	12.4	*14.0	13.1	13.3	*5.8	14.1	13.8	*27.4	15.1	13.0	*16.0
Wyoming-----	20.0	20.0	*20.1	18.5	18.4	*20.2	15.4	15.1	*20.7	22.8	22.1	*36.4	17.3	16.1	*41.7
Colorado-----	12.8	12.7	13.3	13.4	13.5	12.4	15.0	15.1	13.7	15.3	14.9	22.6	15.7	15.5	18.2
New Mexico-----	13.5	14.1	10.0	14.9	14.7	16.2	14.8	14.3	17.2	16.3	15.8	19.0	16.8	16.6	17.8
Arizona-----	11.1	10.8	12.8	11.7	11.9	10.5	12.4	12.3	13.0	15.0	14.7	16.6	14.9	14.8	15.9
Utah-----	9.7	9.9	*4.9	10.6	10.6	*10.4	11.1	11.2	*6.2	11.6	11.5	*13.6	13.3	13.0	*25.4
Nevada-----	11.5	11.3	*12.9	16.5	15.2	24.1	18.2	17.1	25.8	13.5	13.6	*12.9	19.7	19.6	20.3
Pacific:															
Washington-----	12.2	12.3	11.8	12.4	12.2	14.8	13.4	13.3	13.9	13.5	13.0	19.7	14.2	14.0	16.9
Oregon-----	10.7	10.8	*9.1	12.4	12.5	*11.1	10.9	11.1	*7.7	12.1	12.0	14.4	14.3	14.0	19.6
California-----	11.3	10.9	13.7	11.8	11.5	13.7	12.7	12.2	15.7	13.6	13.2	16.2	14.0	13.7	16.3
Alaska-----	11.0	10.8	11.3	12.9	13.3	11.7	14.6	14.6	14.5	12.7	9.9	22.7	15.6	13.7	20.0
Hawaii-----	13.6	12.0	14.3	12.2	13.8	10.7	14.7	14.5	14.8	15.1	16.7	14.5	13.6	13.0	13.9

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.

SECTION 2 - INFANT MORTALITY

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1972

[Metropolitan areas are those defined by the Office of Management and Budget for 1972 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1972. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births. Deaths based on a 50-percent sample]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
50 largest U.S. SMSA's	26,100	17.7	19,514	15.2					
Albany-Schenectady-Troy, N.Y.	184	16.5	152	11.9	Dayton, Ohio	220	16.4	174	12.9
Albany	66	18.2	50	15.8	Montgomery	166	17.5	150	13.7
Rensselaer	39	16.5	32	15.9	Greene	34	17.1	28	14.1
Schenectady	32	15.2	24	11.4	Miami	14	9.9	12	8.5
Montgomery	10	12.8	6	7.7	Preble	6	10.7	4	7.1
Saratoga	39	16.5	20	8.7	Denver-Boulder, Colo.	542	16.4	259	12.4
Anaheim-Santa Ana-Garden Grove, Calif.	328	15.9	246	10.5	Boulder	32	14.4	22	9.9
Orange	328	15.9	246	10.5	Denver	138	16.1	92	10.8
Atlanta, Ga.	494	16.4	376	12.5	Adams	88	19.6	54	15.8
De Kalb	92	15.1	72	10.2	Arapahoe	50	19.3	44	17.0
Fulton	220	21.1	170	16.3	Clipin	-	-	-	-
Burris	4	20.8	4	20.8	Jefferson	54	15.4	46	11.4
Cherokee	4	5.9	2	5.0	Detroit, Mich.	1,406	19.6	1,078	15.1
Clayton	54	15.0	24	10.6	Wayne	978	22.1	732	16.5
Cobb	54	14.0	40	10.4	Lapeer	20	21.2	10	10.6
Douglas	4	5.8	2	2.9	Kirvingston	18	17.8	14	15.7
Fayette	2	8.6	2	8.6	Macon	158	16.5	130	15.5
Forsyth	6	16.8	5	16.8	Oakland	196	14.4	160	11.7
Gwinnett	28	14.5	20	10.4	St. Clair	36	17.1	32	15.2
Henry	4	8.3	2	4.1	Greensboro-Winston-Salem-High Point, N.C.	224	19.3	170	14.7
Newton	24	36.3	20	30.2	Forsyth	72	20.8	58	16.7
Faulding	6	16.2	4	10.8	Guilford	99	21.6	72	15.9
Rockdale	2	4.9	2	4.9	Davidson	22	14.4	12	7.9
Walton	10	20.5	6	12.3	Randolph	26	20.4	22	17.3
Baltimore, Md.	466	15.8	324	11.0	Stokes	4	9.1	4	9.1
Baltimore (city)	256	18.1	180	12.7	Yadkin	2	5.7	2	5.7
Anne Arundel	48	10.2	28	6.0	Hartford, Conn.	202	19.2	150	14.3
Baltimore	94	14.0	70	10.4	Hartford	202	19.2	150	14.3
Carroll	28	28.1	20	21.6	Houston, Tex.	792	19.8	588	14.7
Harford	34	17.7	22	11.4	Harris	686	19.7	522	14.8
Howard	8	7.6	4	5.8	Brazoria	44	24.1	26	14.3
Birmingham, Ala.	230	18.5	178	14.3	Fort Bend	18	15.4	14	12.0
Jefferson	168	16.8	132	13.2	Liberty	8	12.9	4	6.5
St. Clair	16	29.3	16	29.3	Montgomery	18	18.9	16	16.8
Shelby	18	25.0	16	20.4	Waller	8	40.4	6	30.3
Walker	28	26.1	14	15.0	Indianapolis, Ind.	540	17.7	262	13.6
Boston, Mass.	640	14.6	500	11.4	Merrion	270	19.3	206	14.7
Burke	188	19.9	152	15.3	Boone	4	8.3	2	4.1
Essex	116	15.5	94	10.9	Hamilton	10	12.0	9	9.6
Middlesex	256	15.0	180	9.9	Hancock	14	22.3	10	15.9
Norfolk	90	12.9	74	10.5	Hendricks	6	7.3	6	7.3
Bridgeport, Conn.	170	17.8	134	14.0	Johnson	20	18.3	14	12.8
Fairfield	170	17.8	134	14.0	Morgan	4	5.2	4	5.2
Buffalo, N.Y.	364	19.9	282	16.0	Shelby	12	20.0	12	20.0
Erie	302	20.2	246	16.5	Kansas City, Mo.-Kans.	346	16.7	264	12.7
Niagara	62	18.6	46	13.8	Clay, Mo.	34	16.5	28	12.6
Chicago, Ill.	2,354	20.6	1,756	15.2	Jackson, Mo.	190	17.9	138	12.8
Cook	1,992	22.1	1,458	16.2	Cass, Mo.	8	10.1	6	7.6
Du Page	90	12.1	70	9.4	Platte, Mo.	6	11.8	6	11.9
Kane	94	20.7	72	15.9	Ray, Mo.	8	26.6	8	26.6
Lake	66	10.7	50	8.1	Johnson, Kans.	28	8.9	22	7.0
McHenry	34	19.5	30	17.2	Wyandotte, Kans.	72	21.6	60	18.0
Will	78	16.9	56	12.2	Los Angeles-Long Beach, Calif.	1,648	15.6	1,188	11.2
Cincinnati, Ohio-Ky.-Ind.	549	15.8	246	11.2	Los Angeles	1,648	15.6	1,188	11.2
Hamilton, Ohio	256	16.5	170	11.9	Louisville, Ky.-Ind.	234	16.1	172	11.8
Clermont, Ohio	22	12.5	12	6.8	Jefferson, Ky.	164	14.3	118	10.3
Warren, Ohio	22	16.9	20	15.4	Bullitt, Ky.	10	17.1	8	13.7
Boone, Ky.	8	15.8	6	10.4	Oldham, Ky.	2	9.7	2	9.7
Campbell, Ky.	22	16.4	14	10.4	Clark, Ind.	42	29.3	30	29.9
Kenton, Ky.	26	11.5	16	7.1	Floyd, Ind.	18	19.0	14	16.6
Dearborn, Ind.	12	26.5	8	17.7	Memphis, Tenn.-Ark.-Miss.	376	24.6	288	16.8
Cleveland, Ohio	598	20.0	438	14.9	Shelby, Tenn.	324	24.9	246	18.9
Cuyahoga	516	21.5	396	16.1	Hixton, Tenn.	8	16.9	6	12.7
Geauga	24	25.5	14	14.9	Crittenden, Ark.	32	30.7	26	25.0
Lake	34	10.9	30	9.8	De Soto, Miss.	12	15.1	10	12.6
Medina	14	10.9	8	6.2	Miami, Fla.	284	15.5	212	11.6
Columbus, Ohio	308	17.9	216	12.6	Dade	284	15.5	212	11.6
Franklin	274	19.2	192	15.5	Milwaukee, Wis.	548	17.1	236	11.7
Delaware	10	14.4	6	8.6	Milwaukee	274	17.7	186	12.0
Esirfield	8	7.0	8	7.0	Ozaukee	16	19.8	12	14.8
Madison	8	16.3	6	12.2	Washington	22	21.6	14	13.8
Pickaway	8	13.1	4	6.6	Waukesha	36	12.0	26	8.7
Dallas-Fort Worth, Tex.	686	20.7	686	16.1	Minneapolis-St. Paul, Minn.-Wis.	512	17.1	392	13.1
Dallas	522	21.0	368	15.6	Hennepin, Minn.	268	20.4	196	14.9
Tarrant	258	21.4	214	17.7	Ramsey, Minn.	108	15.5	88	12.6
Collin	24	16.2	18	12.1	Anoka, Minn.	44	14.9	38	12.8
Denton	16	11.8	14	10.3	Carver, Minn.	4	7.6	4	7.6
Killia	14	17.1	12	14.6	Chisago, Minn.	8	23.6	6	17.7
Hood	-	-	-	-	Dakota, Minn.	34	13.3	28	10.9
Johnson	20	28.9	20	26.9	Scott, Minn.	6	9.8	2	3.3
Kaufman	12	23.9	6	12.0	Washington, Minn.	16	11.0	12	8.2
Parker	10	23.4	6	14.1	Wright, Minn.	10	13.0	8	10.4
Rockwall	4	37.0	4	37.0	St. Croix, Wis.	14	23.5	10	16.8
Wise	6	19.7	4	13.2					

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1972-Con.

[Metropolitan areas are those defined by the Office of Management and Budget for 1972 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1972. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births. Deaths based on a 50-percent sample]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
Nassau-Suffolk, N.Y.	472	15.1	368	11.8	Sacramento, Calif.	180	14.7	124	10.1
Nassau	204	14.4	168	11.9	Sacramento	144	14.6	104	10.6
Suffolk	268	15.6	200	11.7	Placer	16	15.9	12	11.9
New Haven-West Haven, Conn.	142	14.4	104	10.6	Yolo	20	14.3	8	5.7
New Haven	142	14.4	104	10.6	St. Louis, Mo.-Ill.	724	18.9	568	14.8
New Orleans, La.	458	23.4	354	18.1	St. Louis (city), Mo.	264	25.7	216	21.1
Orleans	286	25.7	218	19.6	Franklin, Mo.	18	17.8	16	15.8
Jefferson	126	19.4	98	15.1	Jefferson, Mo.	34	16.3	26	12.5
St. Bernard	18	21.5	12	14.4	St. Charles, Mo.	32	18.5	26	13.4
St. Tammany	28	25.5	26	23.7	St. Louis, Mo.	186	14.3	138	10.6
New York, N.Y.-N.J.	2,514	18.5	1,888	13.9	Clinton, Ill.	2	4.2	-	-
New York (city), N.Y.	2,172	19.2	1,612	14.3	Madison, Ill.	62	15.2	50	12.3
Putnam, N.Y.	20	22.4	16	17.9	Monroe, Ill.	12	52.4	10	43.7
Rockland, N.Y.	50	16.8	36	12.1	St. Clair, Ill.	114	21.6	86	16.3
Westchester, N.Y.	148	14.7	122	12.1	Salt Lake City-Ogden, Utah	236	14.1	172	10.2
Bergen, N.J.	124	13.6	102	11.2	Salt Lake	156	14.1	120	10.8
Newark, N.J.	518	18.6	424	15.2	Weber	46	16.0	28	9.7
Essex	306	22.0	246	17.7	Davis	28	11.9	20	8.5
Morris	70	12.9	60	11.1	Tooele	6	12.4	4	8.3
Somerset	34	15.2	28	12.6	San Antonio, Tex.	366	18.8	272	14.0
Union	108	17.2	90	14.4	Bevair	356	18.3	250	13.7
Philadelphia, Pa.-N.J.	1,294	19.1	970	14.3	Comal	10	22.8	8	18.2
Philadelphia, Pa.	588	20.9	426	15.2	Gundalup	20	30.0	14	21.0
Bucks, Pa.	106	16.5	78	12.1	San Diego, Calif.	370	17.1	266	12.3
Chester, Pa.	84	16.5	48	12.4	San Diego	370	17.1	266	12.3
Delaware, Pa.	138	19.1	114	15.7	San Francisco-Oakland, Calif.	616	15.1	444	10.9
Montgomery, Pa.	132	17.7	100	13.4	Alameda	260	17.1	212	13.9
Burlington, N.J.	68	13.6	56	11.2	San Francisco	136	15.9	82	9.6
Camden, N.J.	148	21.2	112	16.0	Contra Costa	118	15.3	84	10.9
Gloucester, N.J.	50	19.3	36	13.9	Marin	26	30.6	14	5.7
Phoenix, Ariz.	276	14.6	198	10.4	San Mateo	76	11.2	52	7.7
Maricopa	276	14.6	198	10.4	San Jose, Calif.	242	14.5	176	10.6
Pittsburgh, Pa.	500	17.0	384	13.1	Santa Clara	242	14.5	176	10.6
Allegheny	304	16.2	228	12.1	Seattle-Everett, Wash.	246	13.9	172	9.7
Beaver	60	21.4	48	17.1	King	198	14.4	140	10.2
Washington	56	19.2	48	16.5	Snohomish	48	12.2	32	8.1
Westmoreland	80	16.5	60	12.4	Tempa-St. Petersburg, Fla.	266	16.7	188	11.8
Portland, Oreg.-Wash.	236	16.1	164	11.2	Hillsborough	132	15.0	98	11.1
Multnomah, Oreg.	108	14.7	70	9.5	Pasco	36	32.8	26	23.7
Clackamas, Oreg.	46	18.0	34	13.3	Pinellas	98	16.3	64	10.6
Washington, Oreg.	44	17.4	30	11.9	Toledo, Ohio-Mich.	256	19.2	182	13.6
Clark, Wash.	38	17.1	30	13.5	Lucas, Ohio	182	21.7	128	15.2
Providence-Warwick-Pawtucket, R.I.	192	18.5	148	14.2	Fulton, Ohio	10	14.5	6	8.7
Kent	36	18.1	32	16.1	Ottawa, Ohio	8	11.0	6	8.2
Providence	140	18.0	106	13.6	Wood, Ohio	24	17.0	18	12.8
Bristol	16	25.6	10	16.0	Monroe, Mich.	32	15.1	24	11.3
Riverside-San Bernardino-Ontario, Calif.	310	16.9	232	12.6	Washington, D.C.-Md.-Va.	848	18.3	632	13.7
Riverside	118	16.4	96	13.3	District of Columbia	330	27.4	242	20.1
San Bernardino	192	17.2	136	12.2	Charles, Md.	20	20.6	16	16.5
Rochester, N.Y.	204	14.7	146	10.5	Montgomery, Md.	80	11.8	58	8.5
Monroe	152	15.4	120	12.2	Prince Georges, Md.	184	15.9	130	11.2
Livingston	14	16.5	8	9.5	Alexandria (city), Va.	62	27.5	52	23.1
Ontario	6	5.1	6	5.1	Arlington, Va.	40	17.9	30	13.4
Orleans	8	11.8	2	3.0	Fairfax, Va. ¹	90	13.2	70	10.2
Wayne	24	17.9	10	7.5	Loudoun, Va.	12	17.1	12	17.1
					Prince William, Va.	30	10.5	22	7.7

¹Figures are included for cities of Fairfax and Falls Church.

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

[Deaths based on a

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	UNITED STATES-----	60,182	5,380	20,256	5,926	3,636	1,872	1,170	730	602
2	MALE----	34,710	2,892	11,850	3,530	2,252	1,128	676	404	360
3	FEMALE--	25,472	2,488	8,406	2,396	1,384	744	494	326	242
4	WHITE-----	43,460	4,052	14,800	4,494	2,792	1,406	882	550	438
5	MALE----	25,422	2,150	8,762	2,724	1,768	870	522	296	276
6	FEMALE--	18,038	1,902	6,038	1,770	1,024	536	360	254	162
7	NEGRO-----	15,738	1,224	5,184	1,366	804	446	260	166	160
8	MALE----	8,710	674	2,928	772	458	244	136	98	80
9	FEMALE--	7,028	550	2,256	594	346	202	124	68	80
10	OTHER RACES-----	984	104	272	66	40	20	28	14	4
11	MALE----	578	68	160	34	26	14	18	10	4
12	FEMALE--	406	36	112	32	14	6	10	4	-
13	ALABAMA-----	1,406	96	396	184	80	62	20	14	14
14	MALE----	806	54	230	102	46	40	12	6	12
15	FEMALE--	600	42	166	82	34	22	8	8	2
16	WHITE-----	706	60	200	114	50	32	8	12	8
17	MALE----	418	34	118	62	28	20	4	6	8
18	FEMALE--	288	26	82	52	22	12	4	6	-
19	NEGRO-----	698	36	196	70	30	30	12	2	6
20	MALE----	388	20	112	40	18	20	8	-	4
21	FEMALE--	310	16	84	30	12	10	4	2	2
22	OTHER RACES-----	2	-	-	-	-	-	-	-	-
23	MALE----	-	-	-	-	-	-	-	-	-
24	FEMALE--	2	-	-	-	-	-	-	-	-
25	ALASKA-----	126	12	32	6	8	4	4	2	-
26	MALE----	72	8	20	6	6	4	2	-	-
27	FEMALE--	54	4	12	-	2	-	2	-	-
28	WHITE-----	86	6	22	6	6	4	4	2	-
29	MALE----	54	4	14	6	4	4	2	-	-
30	FEMALE--	32	2	8	-	2	-	2	2	-
31	NEGRO-----	8	2	2	-	-	-	-	-	-
32	MALE----	2	2	-	-	-	-	-	-	-
33	FEMALE--	6	-	2	-	-	-	-	-	-
34	OTHER RACES-----	32	4	9	-	2	-	-	-	-
35	MALE----	16	2	6	-	2	-	-	-	-
36	FEMALE--	16	2	2	-	-	-	-	-	-
37	ARIZONA-----	640	48	164	46	22	18	22	16	12
38	MALE----	352	24	92	28	8	8	14	8	-
39	FEMALE--	288	24	72	18	14	10	8	8	12
40	WHITE-----	494	34	142	36	20	12	18	12	12
41	MALE----	268	12	78	24	8	6	12	6	-
42	FEMALE--	226	22	64	12	12	6	6	6	12
43	NEGRO-----	44	8	4	4	-	6	-	-	-
44	MALE----	22	8	-	2	-	2	-	-	-
45	FEMALE--	22	-	4	2	-	4	-	-	-
46	OTHER RACES-----	102	6	18	6	2	-	4	4	-
47	MALE----	62	4	14	2	-	-	2	2	-
48	FEMALE--	40	2	4	4	2	-	2	2	-
49	ARKANSAS-----	594	58	158	88	30	18	8	-	6
50	MALE----	360	48	92	62	18	14	6	-	4
51	FEMALE--	234	10	66	26	12	4	2	-	2
52	WHITE-----	430	46	122	66	22	10	6	-	4
53	MALE----	270	36	76	48	12	6	6	-	4
54	FEMALE--	160	10	46	18	10	4	-	-	-
55	NEGRO-----	164	12	36	22	8	8	2	-	2
56	MALE----	90	12	16	14	6	8	-	-	-
57	FEMALE--	74	-	20	8	2	-	2	-	2
58	OTHER RACES-----	-	-	-	-	-	-	-	-	-
59	MALE----	-	-	-	-	-	-	-	-	-
60	FEMALE--	-	-	-	-	-	-	-	-	-
61	CALIFORNIA-----	4,794	384	1,470	436	306	180	112	68	56
62	MALE----	2,784	220	890	256	174	106	60	48	36
63	FEMALE--	2,010	164	580	180	132	74	52	20	20
64	WHITE-----	3,876	308	1,172	374	238	158	94	62	46
65	MALE----	2,290	182	720	222	144	92	52	42	32
66	FEMALE--	1,586	126	452	152	94	66	42	20	14
67	NEGRO-----	782	66	266	52	50	14	16	6	10
68	MALE----	412	30	150	28	24	8	6	6	4
69	FEMALE--	370	36	116	24	26	6	10	-	6
70	OTHER RACES-----	136	10	32	10	18	8	2	-	-
71	MALE----	82	8	20	6	6	6	2	-	-
72	FEMALE--	54	2	12	4	12	2	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1972

50-percent sample]

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
39,572	2,468	1,296	1,096	44,432	3,892	2,944	2,278	1,610	1,146	586	760	676	538	466	434	1
23,052	1,416	694	566	25,768	2,220	1,748	1,296	950	630	526	450	360	284	234	244	2
16,480	1,052	602	530	18,664	1,672	1,196	982	660	516	460	330	316	254	232	190	3
29,414	1,806	892	732	32,844	2,596	2,036	1,556	1,026	742	682	544	446	384	312	292	4
17,368	1,042	488	398	19,296	1,480	1,224	918	630	404	366	324	244	216	148	172	5
12,046	764	404	334	13,548	1,116	812	638	396	338	316	220	202	168	164	120	6
9,611	638	382	354	10,984	1,218	852	666	530	378	282	218	198	140	140	132	7
5,391	358	196	164	6,108	688	488	356	288	210	146	114	100	62	80	70	8
4,220	280	186	190	4,876	530	364	310	242	168	126	104	98	78	60	62	9
548	24	22	10	604	78	56	56	54	26	22	18	32	14	14	10	10
334	16	10	4	364	52	36	22	32	16	14	12	16	6	6	2	11
214	8	12	6	240	26	20	34	22	10	8	6	16	8	8	8	12
866	50	34	32	982	124	68	66	44	14	34	18	18	16	10	12	13
502	28	20	20	570	76	46	34	20	10	18	10	8	8	2	4	14
364	22	14	12	412	48	22	32	24	4	16	8	10	8	8	8	15
484	20	18	16	538	44	36	22	14	2	14	12	14	6	2	2	16
260	12	10	8	310	28	26	16	10	2	8	10	6	2	-	-	17
204	8	8	8	228	16	10	6	4	2	6	2	8	4	2	2	18
382	30	16	16	444	80	32	44	30	12	18	6	4	10	8	10	19
222	16	10	12	260	48	20	18	10	8	10	2	2	6	2	4	20
160	14	6	4	184	32	12	26	20	4	8	6	2	4	6	6	21
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	24
68	-	4	4	76	14	12	6	12	-	2	2	-	-	2	-	25
46	-	2	4	52	4	10	-	4	-	-	2	-	-	-	-	26
22	-	2	-	24	10	2	6	8	-	2	-	-	-	2	-	27
50	-	-	4	54	10	2	2	8	-	2	2	-	-	2	-	28
34	-	-	4	38	4	6	-	4	-	-	2	-	-	-	-	29
16	-	-	-	16	6	-	2	4	-	2	-	-	-	2	-	30
4	-	2	-	6	-	2	-	-	-	-	-	-	-	-	-	31
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	32
2	-	2	-	4	-	2	-	-	-	-	-	-	-	-	-	33
14	-	2	-	16	4	4	4	4	-	-	-	-	-	-	-	34
10	-	2	-	12	-	4	-	-	-	-	-	-	-	-	-	35
10	-	-	-	4	4	-	4	4	-	-	-	-	-	-	-	36
348	44	12	14	418	68	42	30	14	8	10	16	20	2	6	6	37
182	28	6	8	224	40	22	18	10	4	8	10	10	2	2	2	38
166	16	6	6	194	28	20	12	4	4	2	6	10	-	4	4	39
286	40	6	10	342	56	26	22	10	8	6	8	8	-	4	4	40
146	24	4	6	180	32	14	14	8	4	4	4	6	-	2	2	41
140	16	2	4	162	24	12	8	2	4	2	4	2	-	4	2	42
22	-	4	2	28	2	6	2	-	-	2	-	2	-	-	2	43
12	-	2	-	16	2	4	-	-	-	2	-	-	-	-	-	44
10	-	2	-	12	2	2	2	-	-	-	2	-	-	-	2	45
40	4	2	2	48	10	10	6	4	-	2	8	10	2	2	2	46
24	4	-	-	28	8	4	4	4	-	2	6	4	2	2	-	47
16	-	2	2	20	2	4	2	2	-	-	2	6	-	-	-	48
366	40	14	18	438	32	36	10	16	10	12	14	8	8	2	8	49
244	18	8	4	274	16	22	4	10	6	10	6	2	4	-	6	50
122	22	6	14	164	16	14	6	6	4	2	8	6	4	2	2	51
276	24	10	12	322	20	20	8	12	10	12	6	8	4	4	8	52
188	10	4	4	208	10	12	2	8	6	10	4	2	2	2	6	53
88	14	4	8	114	10	8	6	4	4	2	2	6	2	2	2	54
90	16	4	6	116	12	16	2	4	-	-	8	4	4	2	-	55
56	8	2	-	66	6	10	2	2	-	-	2	-	2	-	-	56
34	8	2	6	50	6	6	-	2	-	-	6	-	2	2	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
3,012	242	130	88	3,472	336	248	204	138	82	74	70	66	34	36	34	61
1,790	136	74	50	2,050	190	156	114	80	38	40	32	36	16	14	18	62
1,222	106	56	38	1,422	146	92	90	58	44	34	30	30	18	22	16	63
2,452	214	106	80	2,852	260	190	176	110	68	50	54	48	26	22	20	64
1,486	122	60	48	1,716	148	122	100	62	30	24	26	28	16	6	12	65
966	92	46	32	1,136	112	68	76	48	38	26	28	20	10	16	8	66
480	26	24	8	538	66	48	24	20	12	14	12	18	6	12	12	67
256	12	14	2	284	36	26	12	10	6	10	6	8	-	8	6	68
224	14	10	6	254	30	22	12	10	6	4	6	10	6	4	6	69
80	2	-	-	82	10	8	4	8	2	2	4	-	2	2	2	70
48	2	-	-	50	6	8	8	8	2	6	4	-	-	-	-	71
32	-	-	-	32	4	2	2	-	-	-	4	-	2	2	2	72

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

[Deaths based on a

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	HAWAII-----	260	28	110	26	10	2	8	2	4
2	MALE-----	134	16	60	10	4	2	6	-	2
3	FEMALE----	126	12	50	16	4	-	2	2	2
4	WHITE-----	64	4	34	6	4	-	2	-	2
5	MALE-----	38	2	20	4	-	-	2	-	-
6	FEMALE----	26	2	14	2	4	-	-	-	2
7	NEGR-----	4	-	-	-	-	-	-	-	-
8	MALE-----	2	-	-	-	-	-	-	-	-
9	FEMALE----	2	-	-	-	-	-	-	-	-
10	OTHER RACES-----	192	24	76	20	6	2	6	2	2
11	MALE-----	94	14	40	6	6	2	4	2	2
12	FEMALE----	98	10	36	14	-	-	2	2	-
13	IDAHO-----	240	20	62	24	8	18	2	4	2
14	MALE-----	150	10	40	18	8	12	-	4	2
15	FEMALE----	90	10	22	6	-	6	2	-	-
16	WHITE-----	224	20	62	22	8	16	-	2	2
17	MALE-----	140	10	40	16	8	10	-	2	2
18	FEMALE----	84	10	22	6	-	6	-	-	-
19	NEGR-----	-	-	-	-	-	-	-	-	-
20	MALE-----	-	-	-	-	-	-	-	-	-
21	FEMALE----	-	-	-	-	-	-	-	-	-
22	OTHER RACES-----	16	-	-	2	-	-	2	2	-
23	MALE-----	10	-	-	2	-	-	2	2	-
24	FEMALE----	6	-	-	-	-	-	2	-	-
25	ILLINOIS-----	3,604	360	1,278	358	198	84	68	44	22
26	MALE-----	2,064	184	778	196	116	40	42	30	10
27	FEMALE----	1,540	176	500	162	82	44	26	14	12
28	WHITE-----	2,296	246	856	240	136	52	42	28	16
29	MALE-----	1,324	132	510	132	84	32	30	18	8
30	FEMALE----	972	114	346	108	52	20	12	10	8
31	NEGR-----	1,298	106	422	118	62	32	26	16	6
32	MALE-----	734	48	268	64	32	8	12	12	2
33	FEMALE----	564	58	154	54	30	24	14	4	4
34	OTHER RACES-----	10	8	-	-	-	-	-	-	-
35	MALE-----	6	4	-	-	-	-	-	-	-
36	FEMALE----	4	4	-	-	-	-	-	-	-
37	INDIANA-----	1,630	154	620	150	96	52	26	22	12
38	MALE-----	970	82	378	90	70	36	20	8	6
39	FEMALE----	660	72	242	60	26	16	6	14	6
40	WHITE-----	1,384	136	532	124	86	44	20	22	10
41	MALE-----	822	78	318	76	62	30	18	8	4
42	FEMALE----	562	58	214	48	24	14	2	14	6
43	NEGR-----	244	18	88	26	10	8	6	-	2
44	MALE-----	146	4	60	14	8	6	2	-	2
45	FEMALE----	98	14	28	12	2	2	4	-	-
46	OTHER RACES-----	2	-	-	-	-	-	-	-	-
47	MALE-----	2	-	-	-	-	-	-	-	-
48	FEMALE----	-	-	-	-	-	-	-	-	-
49	IOWA-----	720	88	258	72	32	38	16	6	8
50	MALE-----	392	40	156	42	22	20	6	2	6
51	FEMALE----	328	48	102	30	10	18	10	4	2
52	WHITE-----	694	86	246	70	32	38	14	6	6
53	MALE-----	376	38	146	42	22	20	4	2	6
54	FEMALE----	318	48	100	28	10	18	10	4	2
55	NEGR-----	22	-	10	2	-	-	2	-	2
56	MALE-----	12	-	8	-	-	-	2	-	-
57	FEMALE----	10	-	2	2	-	-	-	-	2
58	OTHER RACES-----	4	2	2	-	-	-	-	-	-
59	MALE-----	4	2	2	-	-	-	-	-	-
60	FEMALE----	-	-	-	-	-	-	-	-	-
61	KANSAS-----	580	68	208	72	44	14	14	4	6
62	MALE-----	300	30	92	40	30	4	10	2	4
63	FEMALE----	280	38	116	32	14	10	4	2	2
64	WHITE-----	514	60	184	66	38	12	14	4	6
65	MALE-----	268	28	80	36	26	2	10	2	4
66	FEMALE----	246	32	104	30	12	10	4	2	2
67	NEGR-----	60	6	22	6	6	2	-	-	-
68	MALE-----	30	-	12	4	4	2	-	-	-
69	FEMALE----	30	6	10	2	2	-	-	-	-
70	OTHER RACES-----	6	2	2	-	-	-	-	-	-
71	MALE-----	2	2	-	-	-	-	-	-	-
72	FEMALE----	4	-	2	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

[Deaths based on a

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	MINNESOTA	994	112	320	108	60	38	30	10	4
2										
3	MALE	598	64	186	70	32	26	20	8	4
4	FEMALE	396	48	134	38	28	12	10	2	—
5	WHITE	948	102	304	102	60	38	30	8	4
6	MALE	570	54	180	66	32	26	20	6	4
7	FEMALE	378	48	124	36	28	12	10	2	—
8	NEGR	32	4	14	4	—	—	—	2	—
9	MALE	22	4	6	4	—	—	—	—	—
10	FEMALE	10	—	8	—	—	—	—	—	—
11	OTHER RACES	14	6	2	2	—	—	—	—	—
12	MALE	6	6	—	—	—	—	—	—	—
	FEMALE	8	—	2	2	—	—	—	—	—
13	MISSISSIPPI	1,196	80	398	142	72	32	20	12	4
14										
15	MALE	656	48	240	72	44	22	10	6	4
16	FEMALE	540	32	158	70	28	10	10	6	—
17	WHITE	482	34	188	66	44	20	10	6	—
18	MALE	290	18	120	36	32	14	2	2	—
19	FEMALE	192	16	68	30	12	6	8	4	—
20	NEGR	712	46	208	76	28	12	10	6	4
21	MALE	364	30	118	36	12	8	8	4	4
22	FEMALE	348	16	90	40	16	4	2	2	—
23	OTHER RACES	2	—	2	—	—	—	—	—	—
24	MALE	2	—	2	—	—	—	—	—	—
	FEMALE	—	—	—	—	—	—	—	—	—
25	MISSOURI	1,308	106	436	172	118	42	22	20	16
26										
27	MALE	744	58	276	90	66	18	12	12	12
28	FEMALE	564	48	160	82	52	24	10	8	4
29	WHITE	950	76	324	120	94	30	16	12	10
30	MALE	558	42	216	68	54	16	8	8	8
31	FEMALE	392	34	108	52	40	14	8	4	2
32	NEGR	350	30	112	50	24	12	4	6	6
33	MALE	178	16	60	20	12	2	2	4	4
34	FEMALE	172	14	52	30	12	10	2	2	2
35	OTHER RACES	8	—	—	2	—	—	2	2	—
36	MALE	8	—	—	2	—	—	2	2	—
	FEMALE	—	—	—	—	—	—	—	—	—
37	MONTANA	242	34	78	18	24	4	4	2	2
38										
39	MALE	142	16	44	12	18	2	2	—	—
40	FEMALE	100	18	34	6	6	2	2	2	2
41	WHITE	210	30	64	14	22	4	4	2	2
42	MALE	126	14	38	10	16	2	2	—	—
43	FEMALE	84	16	26	4	6	2	2	2	2
44	NEGR	—	—	—	—	—	—	—	—	—
45	MALE	—	—	—	—	—	—	—	—	—
46	FEMALE	—	—	—	—	—	—	—	—	—
47	OTHER RACES	32	4	14	4	2	—	—	—	—
48	MALE	16	2	6	2	2	—	—	—	—
	FEMALE	16	2	8	2	—	—	—	—	—
49	NEBRASKA	392	44	128	50	16	12	8	4	4
50										
51	MALE	234	20	68	30	14	8	4	—	4
52	FEMALE	158	24	60	20	2	4	4	4	—
53	WHITE	342	32	114	42	14	12	6	4	4
54	MALE	204	16	60	24	12	8	4	—	4
55	FEMALE	138	16	54	18	2	4	2	4	—
56	NEGR	44	12	10	8	2	—	2	—	—
57	MALE	26	4	4	2	—	—	—	—	—
58	FEMALE	18	8	6	6	—	—	2	—	—
59	OTHER RACES	6	—	4	—	—	—	—	—	—
60	MALE	4	—	4	—	—	—	—	—	—
	FEMALE	2	—	—	—	—	—	—	—	—
61	NEVADA	148	4	50	10	8	4	6	2	—
62										
63	MALE	86	2	30	6	8	2	—	—	—
64	FEMALE	62	2	20	4	—	2	6	2	—
65	WHITE	122	4	42	10	8	2	2	2	—
66	MALE	72	2	24	6	8	2	—	—	—
67	FEMALE	50	2	18	4	—	—	2	2	—
68	NEGR	20	—	6	—	—	2	2	—	—
69	MALE	12	—	6	—	—	—	—	—	—
70	FEMALE	8	—	—	—	—	2	2	—	—
71	OTHER RACES	6	—	2	—	—	—	2	—	—
72	MALE	2	—	—	—	—	—	—	—	—
	FEMALE	4	—	2	—	—	—	2	—	—

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

[Deaths based on a

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	NEW HAMPSHIRE-----	202	14	56	30	14	8	4	-	2
2										
3	MALE----	140	10	38	20	8	6	4	-	2
4	FEMALE--	62	4	18	10	6	2	-	-	-
5	WHITE-----	200	14	56	30	14	8	4	-	2
6	MALE----	138	10	38	20	8	6	4	-	-
7	FEMALE--	62	4	18	10	6	2	-	-	-
8	NEGRC-----	2	-	-	-	-	-	-	-	-
9	MALE----	2	-	-	-	-	-	-	-	-
10	FEMALE--	-	-	-	-	-	-	-	-	-
11	OTHER RACES-----	-	-	-	-	-	-	-	-	-
12	MALE----	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-
13	NEW JERSEY-----	1,754	168	696	172	92	40	30	18	12
14										
15	MALE----	996	102	392	114	52	20	13	4	8
16	FEMALE--	758	66	304	58	40	20	12	14	4
17	WHITE-----	1,162	122	478	122	60	33	18	12	10
18	MALE----	672	76	272	78	34	14	12	2	6
19	FEMALE--	490	46	206	44	26	16	6	10	4
20	NEGRC-----	586	46	216	50	32	10	13	6	2
21	MALE----	322	26	120	36	18	6	4	2	2
22	FEMALE--	264	20	96	14	14	4	6	4	-
23	OTHER RACES-----	6	-	2	-	-	-	2	-	-
24	MALE----	2	-	-	-	-	-	-	-	-
	FEMALE--	4	-	2	-	-	-	-	-	-
25	NEW MEXICO-----	380	48	112	30	26	14	8	2	6
26										
27	MALE----	210	26	70	20	12	10	4	-	2
28	FEMALE--	170	22	42	10	14	4	4	2	4
29	WHITE-----	308	38	96	30	26	14	8	2	6
30	MALE----	164	20	58	20	12	10	4	-	2
31	FEMALE--	144	18	38	10	14	4	4	2	4
32	NEGRC-----	10	2	2	-	-	-	-	-	-
33	MALE----	8	2	2	-	-	-	-	-	-
34	FEMALE--	2	-	-	-	-	-	-	-	-
35	OTHER RACES-----	62	8	14	-	-	-	-	-	-
36	MALE----	38	4	10	-	-	-	-	-	-
	FEMALE--	24	4	4	-	-	-	-	-	-
37	NEW YORK-----	4,472	458	1,514	418	304	146	56	50	38
38										
39	MALE----	2,578	238	870	250	192	90	28	34	22
40	FEMALE--	1,894	220	644	168	112	56	28	16	16
41	WHITE-----	3,086	300	1,070	300	236	106	44	38	32
42	MALE----	1,788	144	606	184	154	72	20	26	20
43	FEMALE--	1,298	156	464	114	82	34	24	12	12
44	NEGRC-----	1,342	154	430	116	66	40	10	10	6
45	MALE----	768	92	258	62	36	18	6	6	2
46	FEMALE--	574	62	172	52	30	22	4	4	4
47	OTHER RACES-----	44	4	14	4	2	-	2	2	-
48	MALE----	22	2	6	4	2	-	2	2	-
	FEMALE--	22	2	8	-	-	-	-	-	-
49	NORTH CAROLINA-----	2,064	164	684	192	116	80	30	16	14
50										
51	MALE----	1,166	80	404	114	64	42	14	12	8
52	FEMALE--	898	84	280	76	52	38	16	4	6
53	WHITE-----	1,194	94	420	122	74	46	24	8	6
54	MALE----	668	42	246	80	44	24	10	6	4
55	FEMALE--	526	52	174	42	30	22	14	2	2
56	NEGRC-----	824	70	242	68	40	34	4	8	6
57	MALE----	470	38	146	32	18	18	2	6	2
58	FEMALE--	354	32	96	36	22	16	2	2	4
59	OTHER RACES-----	46	-	22	2	2	-	2	-	2
60	MALE----	28	-	12	2	2	-	2	-	2
	FEMALE--	18	-	10	-	-	-	-	-	-
61	NORTH DAKOTA-----	150	14	54	8	16	4	2	-	2
62										
63	MALE----	82	4	30	6	8	2	-	-	2
64	FEMALE--	68	10	24	2	8	2	2	-	-
65	WHITE-----	136	12	52	8	16	4	2	-	2
66	MALE----	72	4	30	6	8	2	-	-	2
67	FEMALE--	64	8	22	2	8	2	2	-	-
68	NEGRC-----	2	2	-	-	-	-	-	-	-
69	MALE----	-	-	-	-	-	-	-	-	-
70	FEMALE--	2	2	-	-	-	-	-	-	-
71	OTHER RACES-----	12	-	2	-	-	-	-	-	-
72	MALE----	10	-	-	-	-	-	-	-	-
	FEMALE--	2	-	2	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES													
BOTH SEXES													
UNDER 1 YEAR-----	60,182	5,532	4,990	5,140	4,776	5,334	4,846	4,450	5,036	4,710	5,006	4,806	5,156
WHITE-----	43,460	3,862	3,570	3,678	3,550	3,964	3,546	3,486	3,620	3,424	3,606	3,434	3,740
ALL OTHER--	16,722	1,670	1,420	1,462	1,226	1,370	1,300	1,264	1,436	1,286	1,400	1,372	1,416
UNDER 28 DAYS-----	44,432	3,746	3,394	3,610	3,480	4,074	3,828	3,200	4,078	3,702	3,816	3,424	3,480
WHITE-----	32,844	2,690	2,560	2,682	2,606	3,106	2,850	2,772	2,988	2,716	2,780	2,504	2,590
ALL OTHER--	11,588	1,056	834	928	874	968	978	1,028	1,090	986	1,036	920	890
UNDER 7 DAYS-----	39,572	3,368	2,988	3,264	3,084	3,612	3,436	3,410	3,612	3,238	3,388	3,076	3,096
WHITE-----	29,414	2,432	2,266	2,432	2,310	2,776	2,568	2,486	2,656	2,404	2,482	2,278	2,324
ALL OTHER--	10,158	936	722	832	774	836	868	924	956	834	906	798	772
UNDER 1 HOUR-----	5,380	452	396	466	458	494	468	428	486	452	490	378	412
WHITE-----	4,052	328	316	324	352	384	374	328	340	348	368	288	302
ALL OTHER--	1,328	124	80	142	106	110	94	100	146	104	122	90	110
1-23 HOURS-----	20,256	1,710	1,544	1,668	1,612	1,858	1,782	1,656	1,800	1,654	1,718	1,598	1,616
WHITE-----	14,800	1,202	1,148	1,250	1,170	1,382	1,258	1,154	1,284	1,232	1,228	1,168	1,244
ALL OTHER--	5,456	508	396	418	442	476	484	502	516	422	490	430	372
1 DAY-----	5,926	532	434	514	434	560	486	540	526	494	490	506	410
WHITE-----	4,494	388	334	398	336	454	364	412	404	370	372	370	292
ALL OTHER--	1,432	144	100	116	98	106	122	128	122	124	118	136	118
2 DAYS-----	3,636	306	276	300	250	300	320	358	360	312	310	236	308
WHITE-----	2,792	244	212	230	200	232	242	288	292	212	222	194	224
ALL OTHER--	844	62	64	70	50	68	78	70	68	100	88	42	84
3 DAYS-----	1,872	152	140	140	138	144	152	176	188	142	164	158	178
WHITE-----	1,406	110	92	104	100	124	114	126	142	100	138	122	134
ALL OTHER--	466	42	48	36	38	20	38	50	46	42	26	36	44
4 DAYS-----	1,170	104	82	86	110	116	126	84	110	92	90	96	74
WHITE-----	882	78	70	58	86	88	106	58	88	74	62	60	54
ALL OTHER--	288	26	12	28	24	28	20	26	22	18	28	36	20
5 DAYS-----	730	66	68	48	48	82	46	70	82	38	66	62	54
WHITE-----	550	48	54	42	38	72	32	48	64	28	49	48	38
ALL OTHER--	180	18	14	6	10	12	14	22	18	10	26	14	16
6 DAYS-----	602	46	48	42	34	58	56	58	60	54	60	42	44
WHITE-----	438	34	40	26	28	42	38	32	42	40	52	28	36
ALL OTHER--	164	12	8	16	6	16	18	26	18	14	8	14	8
7-13 DAYS-----	2,468	200	188	182	190	274	202	214	250	214	202	168	184
WHITE-----	1,806	144	136	148	140	198	144	154	182	156	160	116	128
ALL OTHER--	662	56	52	34	50	76	58	60	68	58	42	52	56
14-20 DAYS-----	1,296	96	106	96	96	112	118	110	126	130	128	78	100
WHITE-----	892	66	82	60	70	86	90	86	88	80	68	42	72
ALL OTHER--	404	30	24	36	26	24	28	24	38	50	60	36	28
21-27 DAYS-----	1,096	82	112	68	110	76	72	66	90	120	98	102	100
WHITE-----	732	48	76	42	86	44	48	46	62	76	70	68	66
ALL OTHER--	364	34	36	26	24	32	24	20	28	44	28	34	34
28-59 DAYS-----	3,892	370	378	354	302	288	276	268	250	282	326	346	410
WHITE-----	2,896	246	248	226	198	186	198	182	184	188	210	240	290
ALL OTHER--	1,296	124	130	128	104	102	78	86	106	94	116	106	122
2 MONTHS-----	2,944	324	318	258	232	254	142	192	146	200	260	318	300
WHITE-----	2,026	222	214	160	160	186	100	138	88	152	186	216	214
ALL OTHER--	908	102	104	98	72	68	42	54	58	48	74	102	86
3 MONTHS-----	2,278	282	234	232	216	170	142	122	118	116	170	180	296
WHITE-----	1,556	174	152	146	170	110	58	90	84	82	132	124	194
ALL OTHER--	722	108	82	86	46	60	44	32	34	34	38	56	102
4 MONTHS-----	1,610	214	160	182	124	118	118	88	94	84	106	134	186
WHITE-----	1,026	136	88	112	98	76	80	60	50	60	72	74	120
ALL OTHER--	584	80	72	70	26	42	38	28	44	24	34	60	66
5 MONTHS-----	1,146	138	140	110	92	94	68	66	58	74	72	100	132
WHITE-----	742	96	86	74	60	68	46	42	32	50	48	62	78
ALL OTHER--	404	42	54	36	32	28	22	24	26	24	24	38	54
6 MONTHS-----	986	144	88	102	110	76	58	80	46	56	62	68	96
WHITE-----	682	104	56	76	88	46	30	52	32	40	38	48	72
ALL OTHER--	304	40	32	26	22	30	28	28	14	16	24	20	24
7 MONTHS-----	780	82	74	100	66	66	68	56	56	34	40	60	78
WHITE-----	544	56	44	64	42	50	46	42	46	22	34	46	52
ALL OTHER--	236	26	30	36	24	16	22	14	10	12	6	14	26
8 MONTHS-----	676	62	66	60	64	60	42	70	40	40	50	58	64
WHITE-----	446	34	42	36	54	34	28	46	30	22	36	36	48
ALL OTHER--	230	28	24	24	10	26	14	24	10	18	14	22	16
9 MONTHS-----	538	60	56	58	30	50	42	34	44	42	44	36	42
WHITE-----	384	42	42	46	24	36	30	18	32	30	32	22	30
ALL OTHER--	154	18	14	12	6	14	12	16	12	12	12	14	12
10 MONTHS-----	466	58	44	36	36	42	36	38	36	44	26	40	30
WHITE-----	312	32	20	28	30	38	22	22	16	30	14	36	24
ALL OTHER--	154	26	24	8	6	4	14	16	20	14	12	4	6
11 MONTHS-----	434	50	38	38	24	40	26	36	30	36	34	42	40
WHITE-----	292	30	18	28	20	28	18	22	18	32	24	26	28
ALL OTHER--	142	20	20	10	4	12	8	14	12	4	10	16	12

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES--CON.													
MALE													
UNDER 1 YEAR	34,710	3,206	2,936	2,966	2,776	3,118	2,758	2,756	2,868	2,688	2,876	2,714	3,008
WHITE	25,422	2,268	2,140	2,150	2,082	2,390	2,082	1,582	2,104	1,980	2,098	1,954	2,192
ALL OTHER	9,288	938	796	816	694	728	716	774	764	708	778	760	816
UNDER 28 DAYS	25,768	2,148	2,022	2,076	2,070	2,434	2,226	2,166	2,326	2,112	2,166	1,946	2,056
WHITE	19,296	1,570	1,558	1,566	1,560	1,898	1,692	1,588	1,728	1,582	1,596	1,412	1,546
ALL OTHER	6,472	578	464	510	510	536	534	558	598	530	570	534	510
UNDER 7 DAYS	23,092	1,946	1,802	1,926	1,832	2,172	1,994	1,970	2,060	1,864	1,930	1,748	1,848
WHITE	17,368	1,422	1,400	1,452	1,376	1,714	1,514	1,422	1,536	1,406	1,428	1,284	1,404
ALL OTHER	5,724	524	402	474	456	458	480	538	524	458	502	464	444
UNDER 1 HOUR	2,892	246	216	256	268	272	240	218	250	236	252	226	212
WHITE	2,150	178	170	170	204	220	186	158	172	186	176	170	160
ALL OTHER	742	68	46	86	64	52	54	60	78	50	76	56	52
1-23 HOURS	11,850	994	922	998	934	1,114	1,002	958	1,052	942	986	908	1,000
WHITE	8,762	690	696	766	666	892	754	712	764	714	718	654	776
ALL OTHER	3,088	304	226	232	268	262	248	286	288	228	268	254	224
1 DAY	3,530	302	278	314	256	344	308	310	302	304	282	294	236
WHITE	2,724	226	222	252	206	278	234	234	232	236	222	214	168
ALL OTHER	806	76	56	62	50	66	74	76	70	68	60	80	68
2 DAYS	2,252	184	186	174	166	208	214	218	194	196	194	128	190
WHITE	1,768	154	152	132	136	168	168	168	164	136	140	102	148
ALL OTHER	484	30	34	42	30	40	46	50	30	60	54	26	42
3 DAYS	1,128	88	94	76	94	84	88	108	124	84	108	82	108
WHITE	870	72	62	56	70	72	64	84	96	58	92	66	78
ALL OTHER	258	16	22	20	24	12	24	24	28	26	16	16	30
4 DAYS	676	60	42	48	66	76	78	46	74	46	46	48	46
WHITE	522	46	38	30	56	62	64	32	64	34	32	32	32
ALL OTHER	154	14	4	18	10	14	14	14	10	12	14	16	14
5 DAYS	404	38	44	36	22	46	26	30	40	22	30	38	32
WHITE	296	28	34	30	16	46	26	30	26	14	18	28	22
ALL OTHER	108	10	10	6	6	6	8	10	14	6	12	10	10
6 DAYS	360	34	30	24	26	28	38	42	24	34	32	24	24
WHITE	276	28	26	16	22	22	26	24	18	26	30	18	20
ALL OTHER	84	6	4	8	4	6	12	18	6	8	2	6	4
7-13 DAYS	1,416	106	92	80	122	152	116	132	148	126	132	100	110
WHITE	1,042	80	66	68	90	104	90	94	106	102	106	70	66
ALL OTHER	374	26	26	12	32	48	26	38	42	24	26	30	44
14-20 DAYS	694	48	62	42	52	72	74	54	76	58	60	38	58
WHITE	488	34	46	28	42	56	56	42	56	34	26	20	48
ALL OTHER	206	14	16	14	10	16	18	12	20	24	34	18	10
21-27 DAYS	566	48	66	28	64	38	42	30	42	64	44	60	40
WHITE	398	34	46	18	52	24	32	20	30	40	36	38	28
ALL OTHER	168	14	20	10	12	14	10	10	12	24	8	22	12
28-59 DAYS	2,220	210	204	204	168	160	170	166	166	148	202	200	222
WHITE	1,480	140	140	134	106	112	116	110	108	102	124	140	148
ALL OTHER	740	70	64	70	62	48	54	56	58	46	78	60	74
2 MONTHS	1,748	222	186	156	118	150	86	106	74	124	160	180	186
WHITE	1,224	162	120	104	86	102	62	80	54	88	114	128	124
ALL OTHER	524	60	66	52	32	48	24	26	20	36	46	52	62
3 MONTHS	1,296	154	154	142	120	86	76	56	74	68	100	104	162
WHITE	918	102	98	92	94	66	52	42	56	46	86	74	110
ALL OTHER	378	52	56	50	26	20	24	14	18	22	14	30	52
4 MONTHS	950	138	86	112	64	68	66	44	54	58	56	76	128
WHITE	630	84	54	62	52	52	48	34	30	42	42	42	88
ALL OTHER	320	54	32	50	12	16	18	10	24	16	14	34	40
5 MONTHS	630	72	74	58	44	60	36	42	26	46	46	56	70
WHITE	404	50	40	38	34	40	22	26	16	32	28	38	40
ALL OTHER	226	22	34	20	10	20	14	16	10	14	18	18	30
6 MONTHS	526	88	60	62	60	38	20	36	28	22	40	22	50
WHITE	366	54	36	48	48	24	8	28	20	18	30	12	40
ALL OTHER	160	34	24	14	12	14	12	8	8	4	10	10	10
7 MONTHS	450	40	44	48	40	34	36	30	40	22	26	42	48
WHITE	324	28	24	34	28	26	26	20	36	16	22	34	30
ALL OTHER	126	12	20	14	12	8	10	10	4	6	4	8	18
8 MONTHS	360	32	48	28	38	28	26	42	16	20	28	30	24
WHITE	244	16	30	14	28	18	18	28	14	12	22	24	20
ALL OTHER	116	16	18	14	10	10	8	14	2	8	6	6	4
9 MONTHS	284	34	22	36	18	22	22	12	32	24	20	16	26
WHITE	216	24	20	26	18	20	18	8	26	14	12	10	20
ALL OTHER	68	10	2	10	-	2	4	4	6	10	8	6	6
10 MONTHS	234	32	14	18	22	24	18	16	18	22	16	20	14
WHITE	148	18	8	12	18	20	8	8	6	10	10	20	10
ALL OTHER	86	14	6	6	4	4	4	8	12	12	6	-	4
11 MONTHS	244	36	22	26	14	14	16	20	14	22	16	22	22
WHITE	172	20	12	20	10	12	12	10	10	18	12	20	16
ALL OTHER	72	16	10	6	4	2	4	10	4	4	4	2	6

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES--CON.													
FEMALE													
UNDER 1 YEAR	25,472	2,326	2,054	2,174	2,000	2,216	2,048	2,054	2,168	2,022	2,130	2,092	2,148
WHITE	18,038	1,594	1,430	1,528	1,468	1,574	1,464	1,504	1,496	1,444	1,508	1,480	1,548
ALL OTHER	7,434	732	624	646	532	642	584	590	672	578	622	612	600
UNDER 28 DAYS	18,664	1,598	1,372	1,534	1,410	1,640	1,602	1,614	1,752	1,590	1,650	1,478	1,424
WHITE	13,548	1,120	1,002	1,116	1,046	1,208	1,158	1,184	1,260	1,134	1,184	1,092	1,044
ALL OTHER	5,116	478	370	418	364	432	444	430	492	456	466	386	380
UNDER 7 DAYS	16,480	1,422	1,186	1,338	1,252	1,440	1,442	1,440	1,552	1,374	1,458	1,328	1,248
WHITE	12,046	1,010	866	980	934	1,062	1,054	1,054	1,120	998	1,054	994	920
ALL OTHER	4,434	412	320	358	318	378	388	386	432	376	404	334	328
UNDER 1 HOUR	2,488	206	180	210	190	222	228	210	236	216	238	152	200
WHITE	1,902	150	146	154	148	164	188	170	168	162	192	118	142
ALL OTHER	586	56	34	56	42	58	40	40	68	54	46	34	58
1-23 HOURS	8,406	716	622	670	678	744	780	658	748	712	732	690	616
WHITE	6,038	512	452	484	504	530	544	482	520	518	510	514	468
ALL OTHER	2,368	204	170	186	174	214	236	216	228	194	222	176	148
1 DAY	2,396	230	156	200	178	216	178	230	224	190	208	212	174
WHITE	1,770	162	112	146	130	176	130	178	172	134	150	156	124
ALL OTHER	626	68	44	54	48	40	48	52	52	56	58	56	50
2 DAYS	1,384	122	90	126	84	92	106	140	166	114	116	108	118
WHITE	1,024	90	60	98	64	64	74	120	128	76	82	92	76
ALL OTHER	360	32	30	28	20	28	32	20	38	40	34	16	42
3 DAYS	744	64	56	64	44	60	64	68	64	58	56	76	70
WHITE	536	38	30	48	30	52	50	42	46	42	46	56	56
ALL OTHER	208	26	26	16	14	8	14	26	18	16	10	20	14
4 DAYS	494	44	40	38	44	40	48	38	36	46	44	48	28
WHITE	360	32	32	28	30	26	42	26	24	40	30	28	22
ALL OTHER	134	12	8	10	14	14	6	12	12	6	14	20	6
5 DAYS	326	28	24	12	26	36	20	40	42	16	36	24	22
WHITE	254	20	20	12	22	30	14	28	38	12	22	20	16
ALL OTHER	72	8	4	-	4	6	6	12	4	4	14	4	6
6 DAYS	242	12	18	18	8	30	18	16	36	20	28	18	20
WHITE	162	6	14	10	6	20	12	8	24	14	22	10	16
ALL OTHER	80	6	4	8	2	10	6	8	12	6	6	8	4
7-13 DAYS	1,052	94	96	102	68	122	86	82	102	88	70	68	74
WHITE	744	64	70	80	50	94	54	60	76	54	54	46	62
ALL OTHER	288	30	26	22	18	28	32	22	26	34	16	22	12
14-20 DAYS	602	48	44	54	44	40	44	56	50	72	68	40	42
WHITE	404	32	36	32	28	32	34	44	32	46	42	22	24
ALL OTHER	198	16	8	22	16	8	10	12	18	26	26	18	18
21-27 DAYS	530	34	46	40	46	38	30	36	48	56	54	42	60
WHITE	334	14	30	24	34	20	16	26	32	36	34	30	38
ALL OTHER	196	20	16	16	12	18	14	10	16	20	20	12	22
28-59 DAYS	1,672	160	174	150	134	128	106	102	124	134	124	146	190
WHITE	1,116	106	108	92	92	74	82	72	76	86	86	100	142
ALL OTHER	556	54	66	58	42	54	24	30	48	48	38	46	48
2 MONTHS	1,196	102	132	102	114	104	56	86	72	76	100	138	114
WHITE	812	60	94	56	74	84	38	58	34	64	72	88	90
ALL OTHER	384	42	38	46	40	20	18	28	38	12	28	50	24
3 MONTHS	982	128	80	90	96	84	66	66	44	48	70	76	134
WHITE	638	72	54	54	76	44	46	48	28	36	46	50	84
ALL OTHER	344	56	26	36	20	40	20	18	16	12	24	26	50
4 MONTHS	660	78	74	70	60	50	52	44	40	26	50	58	58
WHITE	396	52	34	50	46	24	32	26	20	18	30	32	32
ALL OTHER	264	26	40	20	14	26	20	18	20	8	20	26	26
5 MONTHS	516	66	66	52	48	36	32	24	32	28	26	44	62
WHITE	338	46	46	36	26	28	24	16	16	18	20	24	38
ALL OTHER	178	20	20	16	22	8	8	8	16	10	6	20	24
6 MONTHS	460	56	28	40	50	38	38	44	18	34	22	46	46
WHITE	316	50	20	28	40	22	22	24	12	22	8	36	32
ALL OTHER	144	6	8	12	10	16	16	20	6	12	14	10	14
7 MONTHS	330	42	30	52	26	32	32	26	16	12	14	18	30
WHITE	220	28	20	30	14	24	20	22	10	6	12	12	22
ALL OTHER	110	14	10	22	12	8	12	4	6	6	2	6	8
8 MONTHS	316	30	18	32	26	32	16	28	24	20	22	28	40
WHITE	202	18	12	22	26	16	10	18	16	10	14	12	28
ALL OTHER	114	12	6	10	-	16	6	10	8	10	8	16	12
9 MONTHS	254	26	34	22	12	28	20	22	12	18	24	20	16
WHITE	168	18	22	20	6	16	12	10	6	16	20	12	10
ALL OTHER	86	8	12	2	6	12	8	12	6	2	4	8	6
10 MONTHS	232	26	30	18	14	18	18	12	18	22	10	20	16
WHITE	164	14	12	16	12	18	14	14	10	20	4	16	14
ALL OTHER	68	12	18	2	2	-	4	8	8	2	6	4	2
11 MONTHS	190	14	16	12	10	26	10	16	16	14	18	20	18
WHITE	120	10	6	8	10	16	6	12	8	14	12	6	12
ALL OTHER	70	4	10	4	-	10	4	4	8	-	6	14	6

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ALABAMA													
UNDER 1 YEAR	1,406	136	150	104	92	114	112	104	136	128	132	98	100
WHITE	706	74	74	46	40	60	50	64	62	72	74	44	46
ALL OTHER	700	62	76	58	52	54	62	40	74	56	58	54	54
UNDER 28 DAYS	982	78	86	66	56	82	90	80	106	100	102	64	72
WHITE	538	56	50	32	26	48	44	52	48	56	62	32	32
ALL OTHER	444	22	36	34	30	34	46	28	58	44	40	32	40
ALASKA													
UNDER 1 YEAR	126	14	12	16	12	12	10	4	12	6	10	6	12
WHITE	86	10	10	12	10	6	8	2	4	4	6	6	8
ALL OTHER	40	4	2	4	2	6	2	2	8	2	4	—	4
UNDER 28 DAYS	76	4	6	12	6	4	6	4	8	4	6	6	10
WHITE	54	2	4	8	6	4	6	2	4	2	4	6	6
ALL OTHER	22	2	2	4	—	—	—	2	4	2	2	—	4
ARIZONA													
UNDER 1 YEAR	640	64	32	48	40	62	54	38	50	82	58	48	64
WHITE	494	50	24	34	36	48	48	30	40	56	50	36	42
ALL OTHER	146	14	8	14	4	14	6	8	10	26	8	12	22
UNDER 28 DAYS	418	40	14	22	30	46	40	22	40	60	40	36	28
WHITE	342	32	12	16	26	38	40	20	32	46	32	26	22
ALL OTHER	76	8	2	6	4	8	—	2	8	14	8	10	6
ARKANSAS													
UNDER 1 YEAR	594	60	44	70	44	56	52	42	48	36	52	38	52
WHITE	430	48	38	46	26	40	40	30	32	22	40	26	42
ALL OTHER	164	12	6	24	18	16	12	12	16	14	12	12	10
UNDER 28 DAYS	438	46	32	34	30	46	44	36	30	32	36	30	42
WHITE	322	38	30	24	18	30	36	26	20	18	24	22	42
ALL OTHER	116	8	2	10	12	16	8	10	10	14	12	8	6
CALIFORNIA													
UNDER 1 YEAR	4,794	410	396	404	378	470	340	394	420	352	380	426	424
WHITE	3,876	330	302	342	318	376	282	320	328	294	300	344	340
ALL OTHER	918	80	94	62	60	94	58	74	92	58	80	82	84
UNDER 28 DAYS	3,472	274	278	290	254	356	248	314	332	270	298	278	280
WHITE	2,852	216	216	244	210	302	216	260	270	232	240	224	222
ALL OTHER	620	58	62	46	44	54	32	54	62	38	58	54	58
COLORADO													
UNDER 1 YEAR	660	48	44	38	62	74	68	66	48	56	46	62	48
WHITE	620	46	36	36	58	68	64	60	46	54	44	62	46
ALL OTHER	40	2	8	2	4	6	4	6	2	2	2	—	2
UNDER 28 DAYS	492	30	32	28	52	60	54	56	34	46	38	42	20
WHITE	462	30	28	26	48	56	50	50	32	44	36	42	20
ALL OTHER	30	—	4	2	4	4	4	6	2	2	2	—	—
CONNECTICUT													
UNDER 1 YEAR	662	56	70	54	60	66	50	60	44	48	54	48	52
WHITE	544	46	60	40	44	54	42	46	34	46	50	38	44
ALL OTHER	118	10	10	14	16	12	8	14	10	2	4	10	8
UNDER 28 DAYS	490	48	42	34	48	58	40	36	40	32	40	38	34
WHITE	406	38	36	26	34	46	38	30	34	30	36	30	28
ALL OTHER	84	10	6	8	14	12	2	6	6	2	4	8	6
DELAWARE													
UNDER 1 YEAR	168	8	26	6	20	14	8	6	14	24	16	12	14
WHITE	92	2	10	2	12	12	4	4	6	18	2	12	8
ALL OTHER	76	6	16	4	8	2	4	2	8	6	14	—	6
UNDER 28 DAYS	122	6	14	6	14	14	8	6	10	14	12	8	10
WHITE	70	2	6	2	10	12	4	4	6	10	—	8	6
ALL OTHER	52	4	8	4	4	2	4	2	4	4	12	—	4
DISTRICT OF COLUMBIA													
UNDER 1 YEAR	330	34	38	18	14	32	44	32	28	18	16	26	30
WHITE	28	2	6	6	2	4	2	2	—	2	—	—	2
ALL OTHER	302	32	32	12	12	28	42	30	28	16	16	26	28
UNDER 28 DAYS	242	14	28	16	14	20	28	30	26	16	12	18	20
WHITE	22	—	4	6	2	4	—	2	—	2	—	—	2
ALL OTHER	220	14	24	10	12	16	28	28	26	14	12	18	18
FLORIDA													
UNDER 1 YEAR	2,024	190	166	148	170	160	164	174	204	168	156	156	168
WHITE	1,276	112	114	100	104	114	112	98	130	120	84	82	106
ALL OTHER	748	78	52	48	66	46	52	76	74	48	72	74	62
UNDER 28 DAYS	1,510	132	110	98	120	130	132	146	174	134	120	114	100
WHITE	966	84	74	76	88	92	96	82	108	96	60	62	68
ALL OTHER	544	48	36	22	52	38	36	64	66	38	60	52	32
GEORGIA													
UNDER 1 YEAR	1,702	148	178	132	128	136	126	144	142	130	134	114	190
WHITE	880	56	84	82	66	80	70	78	72	72	72	46	102
ALL OTHER	822	92	94	50	62	56	56	66	70	58	62	68	88
UNDER 28 DAYS	1,188	84	90	94	102	96	102	114	114	102	98	72	120
WHITE	680	40	62	62	58	66	52	56	60	60	58	42	64
ALL OTHER	508	44	28	32	44	30	50	58	54	42	40	30	56

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR		TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
HAWAII														
UNDER 1 YEAR		260	20	30	24	18	24	22	14	18	14	36	22	18
	WHITE	64	4	8	6	8	4	8	8	2	2	8	4	2
	ALL OTHER	196	16	22	18	10	20	14	6	16	12	28	18	16
UNDER 28 DAYS		210	16	22	22	16	22	16	14	8	14	28	18	14
	WHITE	52	2	6	6	8	4	4	8	-	2	6	4	2
	ALL OTHER	158	14	16	16	8	18	12	6	8	12	22	14	12
IDAHO														
UNDER 1 YEAR		240	22	14	34	16	18	28	20	18	14	22	18	14
	WHITE	224	18	14	34	14	18	28	20	16	14	20	18	10
	ALL OTHER	16	4	2	-	2	-	-	-	2	-	2	-	4
UNDER 28 DAYS		156	12	12	18	12	17	16	14	14	6	22	8	12
	WHITE	148	10	12	18	10	10	16	14	14	6	20	8	10
	ALL OTHER	8	2	-	-	2	-	-	-	-	-	2	-	2
ILLINOIS														
UNDER 1 YEAR		3,604	310	306	336	244	314	298	294	308	248	302	334	310
	WHITE	2,296	196	220	192	164	228	176	194	182	158	186	202	198
	ALL OTHER	1,308	114	86	144	80	86	122	100	126	90	116	132	112
UNDER 28 DAYS		2,672	210	210	238	178	222	238	232	230	192	254	260	198
	WHITE	1,768	140	152	142	124	184	146	158	142	124	162	162	132
	ALL OTHER	904	70	58	96	54	48	92	74	88	68	92	98	66
INDIANA														
UNDER 1 YEAR		1,630	162	156	138	156	138	120	110	134	134	122	134	126
	WHITE	1,384	134	126	114	148	98	100	56	124	122	100	108	114
	ALL OTHER	246	28	30	24	8	40	20	14	10	12	22	26	12
UNDER 28 DAYS		1,276	120	128	100	116	106	96	78	118	126	94	104	90
	WHITE	1,098	102	106	82	108	78	80	74	110	114	76	84	84
	ALL OTHER	178	18	22	18	8	28	16	4	8	12	18	20	6
IOWA														
UNDER 1 YEAR		720	64	56	66	62	58	60	48	54	76	54	64	58
	WHITE	694	62	56	66	60	52	60	46	50	74	52	60	56
	ALL OTHER	26	2	-	-	2	6	-	2	4	2	2	4	2
UNDER 28 DAYS		582	40	48	58	50	44	46	38	48	66	46	52	46
	WHITE	562	40	48	58	48	40	46	36	44	64	44	48	46
	ALL OTHER	20	-	-	-	2	4	-	2	4	2	2	4	-
KANSAS														
UNDER 1 YEAR		580	50	50	38	40	44	54	56	48	44	42	54	60
	WHITE	514	44	48	32	36	34	50	50	46	36	36	48	54
	ALL OTHER	66	6	2	6	4	10	4	6	2	8	6	6	6
UNDER 28 DAYS		458	44	40	30	28	36	44	46	30	42	32	38	48
	WHITE	404	40	38	26	26	26	40	40	28	34	28	36	42
	ALL OTHER	54	4	2	4	2	10	4	6	2	8	4	2	6
KENTUCKY														
UNDER 1 YEAR		980	88	60	38	52	86	64	90	80	92	84	106	100
	WHITE	866	82	50	32	78	80	58	82	70	80	82	86	86
	ALL OTHER	114	6	10	6	14	6	6	8	10	12	2	20	14
UNDER 28 DAYS		726	64	38	26	58	54	52	72	66	74	66	89	68
	WHITE	646	58	32	22	52	50	46	68	56	64	64	74	58
	ALL OTHER	80	6	6	4	6	4	6	4	10	10	2	12	10
LOUISIANA														
UNDER 1 YEAR		1,508	138	102	144	100	126	104	120	156	144	108	122	144
	WHITE	774	74	66	80	70	68	44	64	74	66	50	56	62
	ALL OTHER	734	64	36	64	30	58	60	56	82	78	58	66	82
UNDER 28 DAYS		1,140	100	68	102	78	100	78	100	116	120	90	92	96
	WHITE	600	54	44	60	54	60	32	58	62	50	38	42	46
	ALL OTHER	540	46	24	42	24	40	46	42	54	70	52	50	50
MAINE														
UNDER 1 YEAR		298	32	20	24	24	32	16	18	40	22	26	32	12
	WHITE	296	32	20	24	24	32	16	18	40	20	26	32	12
	ALL OTHER	2	-	-	-	-	-	-	-	-	2	-	-	-
UNDER 28 DAYS		218	20	10	20	14	26	12	14	34	16	16	24	10
	WHITE	218	20	10	20	14	26	12	14	34	16	18	24	10
	ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND														
UNDER 1 YEAR		930	96	36	80	88	86	80	68	94	66	74	62	100
	WHITE	598	62	26	50	52	66	58	48	58	40	36	36	66
	ALL OTHER	332	34	10	30	36	20	22	20	36	26	38	26	34
UNDER 28 DAYS		672	60	20	72	64	66	58	50	64	48	58	52	60
	WHITE	440	38	16	48	40	50	44	38	40	28	28	32	38
	ALL OTHER	232	22	4	24	24	16	14	12	24	20	30	20	22
MASSACHUSETTS														
UNDER 1 YEAR		1,132	106	60	114	84	122	116	92	84	90	98	90	76
	WHITE	1,018	90	48	102	78	116	106	76	72	82	94	80	74
	ALL OTHER	114	16	12	12	6	6	10	16	12	8	4	10	2
UNDER 28 DAYS		858	82	50	84	64	92	88	74	66	70	74	62	52
	WHITE	768	66	40	78	58	88	78	62	56	62	74	54	52
	ALL OTHER	90	16	10	6	6	4	10	12	10	8	8	8	-

SECTION 2 - INFANT MORTALITY

2-33

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MICHIGAN													
UNDER 1 YEAR-----	2,706	218	260	210	226	240	224	208	224	212	242	218	224
WHITE-----	1,862	152	184	154	152	168	148	130	146	153	180	142	156
ALL OTHER--	844	66	76	56	74	72	76	78	78	62	62	76	68
UNDER 28 DAYS-----	2,050	154	186	148	164	180	174	156	192	172	182	168	174
WHITE-----	1,420	102	132	116	110	128	124	100	126	118	132	112	120
ALL OTHER--	630	52	54	32	54	52	50	56	66	54	50	56	54
MINNESOTA													
UNDER 1 YEAR-----	994	94	70	70	72	66	82	86	90	80	88	92	98
WHITE-----	948	88	74	66	70	64	82	82	90	78	80	80	94
ALL OTHER--	46	6	2	4	2	2	-	4	-	2	8	12	4
UNDER 28 DAYS-----	756	78	56	56	48	56	68	64	76	66	62	58	68
WHITE-----	722	72	54	52	48	54	68	60	76	64	58	52	64
ALL OTHER--	34	6	2	4	-	2	-	4	-	2	4	6	4
MISSISSIPPI													
UNDER 1 YEAR-----	1,196	86	102	92	82	102	80	104	82	138	120	104	104
WHITE-----	482	30	32	34	40	48	28	34	46	58	60	24	48
ALL OTHER--	714	56	70	58	42	54	52	70	36	80	60	80	56
UNDER 28 DAYS-----	858	60	64	58	60	74	66	80	66	106	98	62	64
WHITE-----	396	22	28	26	32	38	24	30	36	52	56	20	32
ALL OTHER--	462	38	36	32	28	36	42	50	30	54	42	42	32
MISSOURI													
UNDER 1 YEAR-----	1,308	124	106	148	108	108	122	110	102	76	94	94	116
WHITE-----	950	78	88	98	86	80	90	74	80	50	66	66	94
ALL OTHER--	358	46	18	50	22	28	32	36	22	26	28	28	22
UNDER 28 DAYS-----	1,002	84	76	104	88	84	104	78	84	64	74	74	88
WHITE-----	728	52	64	72	72	62	76	50	68	40	54	46	72
ALL OTHER--	274	32	12	32	16	22	28	28	16	24	20	28	16
MONTANA													
UNDER 1 YEAR-----	242	12	18	14	30	34	16	24	8	20	22	28	16
WHITE-----	210	10	18	12	28	30	10	24	6	18	16	26	12
ALL OTHER--	32	2	-	2	2	4	6	-	2	2	6	2	4
UNDER 28 DAYS-----	176	10	8	10	26	30	14	12	6	18	14	18	10
WHITE-----	152	8	8	10	26	26	10	12	4	16	10	16	6
ALL OTHER--	24	2	-	-	-	4	4	-	2	2	4	2	4
NEBRASKA													
UNDER 1 YEAR-----	392	46	28	16	24	46	30	32	38	28	44	32	28
WHITE-----	342	34	26	16	20	40	26	26	34	26	40	28	26
ALL OTHER--	50	12	2	-	4	6	4	6	4	2	4	4	2
UNDER 28 DAYS-----	304	32	16	12	20	34	22	24	32	24	38	28	22
WHITE-----	266	22	16	12	18	28	18	20	28	24	34	26	20
ALL OTHER--	38	10	-	-	2	6	4	4	4	4	4	2	2
NEVADA													
UNDER 1 YEAR-----	148	6	18	16	22	10	8	10	10	20	12	10	6
WHITE-----	122	6	14	12	22	8	8	10	10	16	6	6	4
ALL OTHER--	26	-	4	4	2	2	-	-	-	4	6	4	2
UNDER 28 DAYS-----	104	2	14	2	22	6	8	8	8	16	8	4	6
WHITE-----	86	2	10	2	22	4	8	8	8	14	4	-	4
ALL OTHER--	18	-	4	-	-	2	-	-	-	2	4	4	2
NEW HAMPSHIRE													
UNDER 1 YEAR-----	202	22	22	24	16	12	16	20	22	14	8	12	14
WHITE-----	200	22	22	22	16	12	16	20	22	14	8	12	14
ALL OTHER--	2	-	-	2	-	-	-	-	-	-	-	-	-
UNDER 28 DAYS-----	146	14	16	14	12	8	14	14	20	8	2	10	14
WHITE-----	146	14	16	14	12	8	14	14	20	8	2	10	14
ALL OTHER--	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY													
UNDER 1 YEAR-----	1,754	176	136	174	166	172	122	142	128	122	154	118	144
WHITE-----	1,162	118	86	104	98	120	82	98	84	86	114	74	98
ALL OTHER--	592	58	50	70	68	52	40	44	44	36	40	44	46
UNDER 28 DAYS-----	1,362	132	86	126	124	152	106	108	112	92	128	88	108
WHITE-----	934	94	58	78	70	110	68	82	78	68	96	56	76
ALL OTHER--	428	38	28	48	54	42	38	26	34	24	32	32	32
NEW MEXICO													
UNDER 1 YEAR-----	380	28	26	20	36	36	40	36	30	28	36	26	38
WHITE-----	308	22	22	10	32	30	36	32	26	26	24	22	26
ALL OTHER--	72	6	4	10	4	4	4	4	4	2	12	4	12
UNDER 28 DAYS-----	280	24	22	14	28	24	30	28	20	22	32	18	18
WHITE-----	248	20	20	8	24	22	30	26	20	22	24	16	16
ALL OTHER--	32	4	2	6	4	2	-	2	-	-	8	2	2
NEW YORK													
UNDER 1 YEAR-----	4,472	408	370	426	354	348	362	354	346	360	340	354	450
WHITE-----	3,086	290	252	310	258	232	248	248	240	236	230	244	298
ALL OTHER--	1,386	118	118	116	96	116	114	106	106	124	110	110	152
UNDER 28 DAYS-----	3,354	280	262	320	280	286	300	262	292	252	270	248	302
WHITE-----	2,364	200	170	246	204	194	212	186	212	168	194	174	204
ALL OTHER--	990	80	92	74	76	92	88	76	80	84	76	74	98

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NORTH CAROLINA													
UNDER 1 YEAR	2,064	224	198	198	174	166	142	170	178	116	168	168	162
WHITE	1,194	124	118	122	100	106	84	98	86	68	94	106	88
ALL OTHER	870	100	80	76	74	60	58	72	92	48	74	62	74
UNDER 28 DAYS	1,498	120	128	132	122	128	112	148	152	90	136	118	112
WHITE	920	70	88	94	72	88	62	92	78	54	76	76	70
ALL OTHER	578	50	40	38	50	40	50	56	74	36	60	42	42
NORTH DAKOTA													
UNDER 1 YEAR	150	20	16	10	10	10	10	10	16	14	12	6	16
WHITE	136	16	16	8	10	8	10	10	14	12	10	6	16
ALL OTHER	14	4	—	2	—	2	—	—	2	2	2	—	—
UNDER 28 DAYS	106	18	14	4	6	8	8	6	14	6	8	2	12
WHITE	100	16	14	4	6	6	8	6	12	6	8	2	12
ALL OTHER	6	2	—	—	—	2	—	—	2	—	—	—	—
OHIO													
UNDER 1 YEAR	3,120	296	252	326	242	268	264	248	264	264	260	208	228
WHITE	2,414	228	192	248	184	218	190	194	194	216	200	172	184
ALL OTHER	706	68	60	78	58	50	74	54	70	54	60	36	44
UNDER 28 DAYS	2,258	210	172	220	158	212	202	184	196	206	192	144	162
WHITE	1,770	162	140	172	116	172	156	136	148	172	144	122	130
ALL OTHER	488	48	32	48	42	40	46	48	48	34	48	22	32
OKLAHOMA													
UNDER 1 YEAR	808	76	72	60	56	82	62	52	56	60	76	80	76
WHITE	640	58	48	40	40	68	52	48	46	44	62	68	66
ALL OTHER	168	18	24	20	16	14	10	4	10	16	14	12	10
UNDER 28 DAYS	572	46	46	46	42	58	46	46	46	42	52	56	46
WHITE	470	34	34	32	30	54	36	42	38	34	44	50	42
ALL OTHER	102	12	12	14	12	4	10	4	8	8	8	6	4
OREGON													
UNDER 1 YEAR	520	40	54	54	44	36	38	54	40	26	44	42	48
WHITE	488	38	52	50	42	32	38	52	40	24	38	42	40
ALL OTHER	32	2	2	4	2	4	—	2	—	2	6	—	8
UNDER 28 DAYS	334	20	40	32	24	20	20	42	28	14	32	26	36
WHITE	320	20	40	30	24	18	20	40	28	14	26	26	32
ALL OTHER	14	—	—	2	—	2	—	2	—	—	4	—	4
PENNSYLVANIA													
UNDER 1 YEAR	2,866	276	232	256	246	236	244	250	254	194	234	228	216
WHITE	2,250	212	180	204	198	174	196	188	206	146	192	186	168
ALL OTHER	616	64	52	52	48	62	48	62	48	48	42	42	48
UNDER 28 DAYS	2,174	192	172	188	182	180	190	208	222	156	164	174	146
WHITE	1,740	154	138	150	144	134	160	160	180	120	140	144	116
ALL OTHER	434	38	34	38	38	46	30	48	42	36	24	30	30
RHODE ISLAND													
UNDER 1 YEAR	256	22	18	16	24	30	16	22	20	18	24	30	16
WHITE	226	18	16	14	22	26	16	20	16	16	22	26	14
ALL OTHER	30	4	2	2	2	4	—	2	4	2	2	4	2
UNDER 28 DAYS	194	14	12	12	20	22	16	18	16	14	18	18	14
WHITE	172	10	12	10	18	20	16	16	14	12	16	16	12
ALL OTHER	22	4	—	2	2	2	—	2	2	2	2	2	2
SOUTH CAROLINA													
UNDER 1 YEAR	1,122	144	108	78	104	80	86	90	80	88	108	92	64
WHITE	520	46	52	26	50	46	46	34	42	42	48	58	30
ALL OTHER	602	98	56	52	54	34	40	56	38	46	60	34	34
UNDER 28 DAYS	760	66	56	46	66	56	64	76	76	72	78	66	38
WHITE	390	28	34	20	34	34	38	30	40	32	34	48	18
ALL OTHER	370	38	22	26	32	22	26	46	36	40	44	18	20
SOUTH DAKOTA													
UNDER 1 YEAR	216	20	14	14	22	20	14	4	32	16	30	24	6
WHITE	168	16	14	12	16	18	8	4	22	16	20	16	6
ALL OTHER	48	4	—	2	6	2	—	—	10	—	10	8	—
UNDER 28 DAYS	134	12	12	8	16	10	8	4	22	6	18	14	2
WHITE	116	10	12	8	12	8	4	4	18	8	16	14	2
ALL OTHER	18	2	—	—	4	2	4	—	4	—	2	—	—
TENNESSEE													
UNDER 1 YEAR	1,384	132	130	98	110	140	102	112	92	130	110	104	124
WHITE	902	80	78	60	76	94	70	64	54	88	80	70	88
ALL OTHER	482	52	52	38	34	46	32	48	38	42	30	34	36
UNDER 28 DAYS	1,006	86	76	58	74	106	82	58	88	108	72	72	86
WHITE	654	54	50	32	56	70	54	58	54	72	50	46	58
ALL OTHER	352	32	26	26	18	36	28	40	34	36	22	26	28
TEXAS													
UNDER 1 YEAR	4,426	402	332	364	274	406	388	364	354	378	402	352	410
WHITE	3,394	296	260	270	210	312	314	258	276	294	318	270	316
ALL OTHER	1,032	106	72	94	64	94	74	106	78	84	84	82	94
UNDER 28 DAYS	3,250	276	230	250	222	312	310	276	274	314	294	230	262
WHITE	2,526	198	190	186	176	240	246	202	218	244	240	180	206
ALL OTHER	724	78	40	64	46	72	64	74	56	70	54	50	56

SECTION 2--INFANT MORTALITY

2-35

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1972-Con.

[Deaths based on a 50-percent sample]

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UTAH													
UNDER 1 YEAR-----	378	42	26	16	36	50	24	28	36	24	34	26	36
WHITE-----	364	40	26	16	36	50	24	28	32	24	30	26	32
ALL OTHER--	14	2	-	-	-	-	-	-	4	-	4	-	4
UNDER 28 DAYS-----	262	24	18	12	30	34	20	28	28	16	20	14	18
WHITE-----	258	24	18	12	30	34	20	28	24	16	20	14	18
ALL OTHER--	4	-	-	-	-	-	-	-	4	-	-	-	-
VERMONT													
UNDER 1 YEAR-----	100	4	6	12	4	16	10	4	8	14	4	8	10
WHITE-----	100	4	6	12	4	16	10	4	8	14	4	8	10
ALL OTHER--	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 28 DAYS-----	72	2	6	8	4	8	8	4	6	10	4	6	6
WHITE-----	72	2	6	8	4	8	8	4	6	10	4	6	6
ALL OTHER--	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
UNDER 1 YEAR-----	1,538	148	138	142	118	146	134	112	122	122	134	100	122
WHITE-----	1,010	88	86	94	78	98	92	74	86	70	88	68	88
ALL OTHER--	528	60	52	48	40	48	42	38	36	52	46	32	34
UNDER 28 DAYS-----	1,202	116	100	108	86	114	116	100	104	98	98	80	82
WHITE-----	794	68	68	70	60	76	78	66	74	56	60	54	64
ALL OTHER--	408	48	32	38	26	38	38	34	30	42	38	26	18
WASHINGTON													
UNDER 1 YEAR-----	824	80	48	84	88	90	66	56	80	60	62	50	60
WHITE-----	742	62	46	74	86	80	54	52	74	54	58	44	58
ALL OTHER--	82	18	2	10	2	10	12	4	6	6	4	6	2
UNDER 28 DAYS-----	590	54	30	54	50	60	60	38	68	54	46	30	46
WHITE-----	544	42	28	52	50	56	50	36	64	48	44	28	46
ALL OTHER--	46	12	2	2	-	4	10	2	4	6	2	2	-
WEST VIRGINIA													
UNDER 1 YEAR-----	564	46	56	48	44	50	80	52	42	28	34	36	48
WHITE-----	522	40	48	44	40	48	76	52	38	22	32	34	48
ALL OTHER--	42	6	8	4	4	2	4	-	4	6	2	2	-
UNDER 28 DAYS-----	470	38	44	30	34	48	68	48	36	24	30	30	40
WHITE-----	434	32	36	26	30	46	66	48	36	18	28	28	40
ALL OTHER--	36	6	8	4	4	2	2	-	-	6	2	2	-
WISCONSIN													
UNDER 1 YEAR-----	912	78	64	70	88	78	60	86	84	56	78	76	94
WHITE-----	816	66	60	60	76	68	54	78	76	56	64	70	88
ALL OTHER--	96	12	4	10	12	10	6	8	8	-	14	6	6
UNDER 28 DAYS-----	640	56	42	58	58	54	46	54	68	36	54	52	62
WHITE-----	570	48	40	50	48	44	42	50	62	36	46	46	58
ALL OTHER--	70	8	2	8	10	10	4	4	6	-	8	6	4
WYOMING													
UNDER 1 YEAR-----	152	6	16	10	12	12	14	16	18	12	10	16	10
WHITE-----	142	6	14	8	12	12	12	14	18	12	10	14	10
ALL OTHER--	10	-	2	2	-	-	2	2	-	-	-	2	-
UNDER 28 DAYS-----	120	2	12	10	10	10	10	12	18	10	8	12	6
WHITE-----	114	2	10	8	10	10	8	12	18	10	8	12	6
ALL OTHER--	6	-	2	2	-	-	2	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

2-37

Table 2-11. Infant Mortality Rates for 65 Selected Causes: United States, 1968-72

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1972 ^{1,2}	1971 ²	1970 ²	1969	1968
All causes	1,847.0	1,911.7	2,001.1	2,085.2	2,176.0
Diarrheal diseases	19.5	20.0	20.4	23.1	26.4
Whooping cough	*0.1	*0.4	*0.2	*0.3	0.8
Meningococcal infections	2.9	3.6	3.3	3.9	4.5
Tetanus	-	*0.1	*0.2	*0.2	*0.1
Septicemia	25.2	23.3	23.2	21.1	22.8
Viral diseases	6.7	7.6	7.3	7.5	7.9
Congenital syphilis	*0.1	*0.2	*0.3	0.6	*0.4
Other infective and parasitic diseases	6.0	5.4	6.2	6.8	7.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4.6	4.3	4.4	4.5	4.7
Benign neoplasms and neoplasms of unspecified nature	1.7	2.1	2.0	1.9	2.6
Diseases of thymus gland	0.7	0.8	1.3	0.8	1.2
Cystic fibrosis	2.8	3.0	3.1	3.5	3.6
Diseases of the blood and blood-forming organs	6.7	6.1	3.8	4.4	4.2
Meningitis	15.8	14.9	15.7	15.3	15.0
Other diseases of nervous system and sense organs	15.0	12.8	15.0	13.3	13.9
Acute upper respiratory infections	4.7	5.2	5.7	6.4	8.6
Bronchitis and bronchiolitis	11.6	14.6	15.7	15.9	15.2
Influenza and pneumonia	132.9	151.9	169.9	198.3	225.2
Influenza	1.8	1.2	2.2	3.5	3.6
Pneumonia	131.1	150.7	166.7	194.8	222.0
Other chronic interstitial pneumonia	0.7	0.7	0.6	0.5	0.7
All other diseases of respiratory system	15.9	17.0	18.0	16.6	16.0
Hernia and intestinal obstruction	15.0	14.6	16.8	17.7	18.2
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	1.4	1.3	1.1	1.6	1.3
Other diseases of digestive system	11.0	11.8	11.3	12.0	11.7
Congenital anomalies	290.3	299.8	301.7	314.1	315.6
Anencephalus	26.1	25.9	26.9	26.6	27.4
Spina bifida	16.1	17.9	18.0	19.0	21.2
Congenital hydrocephalus	15.2	14.7	15.1	17.0	15.1
Other congenital anomalies of central nervous system and eye	10.3	12.3	11.6	12.8	12.3
Congenital anomalies of heart	113.2	112.5	119.0	123.8	124.8
Other congenital anomalies of circulatory system	16.4	22.1	19.8	18.9	21.2
Congenital anomalies of respiratory system	13.6	13.0	11.8	14.0	12.9
Congenital anomalies of digestive system	19.1	20.0	19.1	22.0	23.4
Congenital anomalies of genitourinary system	11.1	10.6	10.0	11.3	11.4
Congenital anomalies of musculoskeletal system	8.6	10.2	10.0	9.5	9.4
Down's disease	3.1	3.2	3.6	3.8	3.4
Other congenital syndromes affecting multiple systems	31.4	30.4	30.0	29.4	27.3
Other and unspecified congenital anomalies	6.1	7.1	6.8	6.0	5.7
Certain causes of mortality in early infancy	1,035.3	1,079.8	1,157.1	1,196.0	1,248.2
Chronic circulatory and genitourinary diseases in mother	*0.1	*0.2	*0.3	*0.5	0.8
Other maternal conditions unrelated to pregnancy	9.8	10.6	12.3	13.4	13.2
Syphilis	-	*0.1	*0.2	*0.1	*0.1
Diabetes mellitus	5.1	5.9	7.1	6.9	6.8
Rubella	*0.5	*0.5	*0.4	0.6	0.6
All other maternal conditions unrelated to pregnancy	4.2	4.0	4.6	5.7	5.7
Toxemia of pregnancy	4.1	5.2	5.3	4.9	6.5
Maternal antepartum and intrapartum infection	6.0	6.5	7.5	6.7	7.1
Difficult labor	17.1	14.8	18.0	24.1	20.4
With mention of birth injury (.0-5)	5.0	4.8	6.6	10.6	6.1
Without mention of birth injury (.4, 9)	12.0	10.0	11.5	13.4	14.3
All other complications of pregnancy and childbirth	109.6	122.5	131.7	147.8	159.4
Conditions of placenta	50.5	52.7	61.1	70.0	73.9
Conditions of umbilical cord	12.1	11.5	12.2	13.7	11.9
Birth injury without mention of cause	54.7	56.9	57.6	47.0	58.7
Hemolytic disease of newborn	15.3	17.9	22.2	24.7	27.2
Rh血型 membrane disease	143.8	140.6	142.1	133.5	130.0
Respiratory distress syndrome	131.0	127.0	119.5	114.4	106.2
Asphyxia of newborn, unspecified	205.7	230.2	252.9	266.3	292.9
All other anoxic and hypoxic conditions not elsewhere classifiable	20.9	19.4	20.4	22.3	21.6
Immaturity, unqualified	191.2	207.7	234.6	248.5	269.1
Postmaturity	*0.1	*0.1	*0.1	*0.1	*0.1
Hemorrhagic disease of newborn	13.7	11.3	15.2	12.0	12.5
All other conditions of newborn	49.7	44.6	46.0	46.2	36.8
Symptoms and ill-defined conditions	116.4	100.8	94.2	89.1	84.5
Accidents	54.8	63.3	61.5	67.4	76.0
Inhalation and ingestion of food or other object causing obstruction or suffocation	16.6	18.9	18.9	21.3	22.0
Accidental mechanical suffocation	12.5	15.3	15.2	17.2	21.7
Other accidental causes	25.6	29.1	27.4	29.8	28.2
Homicide	6.3	5.3	4.0	4.2	4.7
All other causes	44.1	41.1	37.9	38.0	39.8

¹Deaths based on a 50-percent sample.

²Excludes deaths of nonresidents of the United States.

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 1 YEAR--ALL CAUSES	60,182	5,532	4,990	5,140
2	DIARRHEAL DISEASES-----009	634	60	70	72
3	WHOOPING COUGH-----033	4	2	-	-
4	MENINGOCOCCAL INFECTIONS-----036	96	20	8	12
5	TETANUS-----037	-	-	-	-
6	SEPTICEMIA-----038	820	72	34	54
7	VIRAL DISEASES-----040-079	218	34	30	20
8	CONGENITAL SYPHILIS-----090	2	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	194	32	16	6
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	150	20	12	14
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	54	8	4	4
12	DISEASES OF THYMUS GLAND-----254	24	2	2	4
13	CYSTIC FIBROSIS-----273.0	92	8	10	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	218	22	26	20
15	MENINGITIS-----320	514	70	48	32
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	488	50	38	54
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	154	16	10	22
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	378	72	40	34
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	4,332	586	474	446
20	INFLUENZA-----470-474	60	24	22	4
21	PNEUMONIA-----480-486	4,272	562	452	442
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	24	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	518	56	58	42
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	488	52	34	52
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	44	4	2	6
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534, 536,537,540-543,562, 564-577	360	22	22	44
27	CONGENITAL ANOMALIES-----740-759	9,458	758	838	782
28	ANENCEPHALUS-----740	850	60	64	70
29	SPINA BIFIDA-----741	524	50	48	28
30	CONGENITAL HYDROCEPHALUS-----742	494	38	46	44
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	334	32	26	32
32	CONGENITAL ANOMALIES OF HEART-----746	3,688	312	344	324
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	536	36	46	48
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	444	28	46	26
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	622	44	56	60
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	362	22	24	28
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	280	24	26	16
38	DOWN'S DISEASE-----759.3	100	8	14	6
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	1,024	84	86	90
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	200	20	12	10
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	33,734	2,888	2,512	2,768
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	2	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	320	30	32	26
44	SYPHILIS-----761.0	-	-	-	-
45	DIABETES MELLITUS-----761.1	166	12	20	16
46	RUBELLA-----761.3	16	-	2	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2, 761.4-761.7, 761.9	138	18	10	10
48	TOXEMIA OF PREGNANCY-----762	134	20	6	16
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	196	12	4	10
50	DIFFICULT LABOR-----764-768	556	46	44	52
51	WITH MENTION OF BIRTH INJURY (.0-.3)	164	14	12	22
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	392	32	32	30
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,572	284	256	284
54	CONDITIONS OF PLACENTA-----770	1,644	124	170	118
55	CONDITIONS OF UMBILICAL CORD-----771	394	36	46	32
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,782	134	112	166
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	498	46	28	40
58	HYALINE MEMBRANE DISEASE-----776.1	4,684	382	336	350
59	RESPIRATORY DISTRESS SYNDROME-----776.2	4,268	328	306	348
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	6,704	642	596	534
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	680	64	36	78
62	IMMATURITY, UNQUALIFIED-----777	6,230	558	486	538
63	POSTMATURITY-----778.1	4	2	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	446	34	44	38
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,618	144	100	138
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	3,792	326	396	370
67	ACCIDENTS-----E800-E949	1,784	176	142	138
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	542	54	40	44
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	408	46	26	24
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	834	76	76	70
71	HOMICIDE-----E960-E978	172	26	18	14
72	ALL OTHER CAUSES-----RESIDUAL	1,436	150	146	128

SECTION 2 - INFANT MORTALITY

Months, From 65 Selected Causes, by Month: United States, 1972

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNF	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DÉCEMBER	
4,776	5,334	4,846	4,850	5,036	4,710	5,006	4,806	5,156	1
36	50	36	52	56	32	52	54	64	2
2	-	-	-	-	-	-	-	-	3
6	8	8	4	10	6	2	8	4	4
-	-	-	-	-	-	-	-	-	5
70	60	64	76	66	78	70	76	100	6
12	26	10	14	14	6	24	10	18	7
-	-	-	-	-	-	-	-	2	8
10	14	8	16	8	32	16	14	22	9
8	26	8	8	4	4	20	12	14	10
2	6	2	10	-	10	6	-	2	11
2	2	6	-	-	-	-	4	2	12
8	8	12	2	12	10	10	2	8	13
14	16	20	18	20	6	22	16	18	14
36	60	46	34	36	36	42	32	42	15
36	40	34	38	34	48	40	44	32	16
10	4	12	6	4	14	16	18	22	17
44	20	34	14	12	22	10	28	48	18
366	348	252	234	238	254	302	340	492	19
2	2	-	-	2	-	2	2	2	20
364	346	252	234	236	254	302	338	490	21
8	-	-	-	2	2	2	2	8	22
44	50	38	30	32	24	62	44	38	23
38	36	36	38	28	34	44	50	46	24
2	4	2	6	2	6	2	2	6	25
18	32	26	24	36	32	46	28	30	26
818	802	812	762	822	736	788	734	806	27
72	82	90	64	64	54	72	66	60	28
44	46	50	32	38	52	38	46	52	29
36	52	42	26	42	46	54	36	36	30
18	32	32	16	36	24	34	18	34	31
320	314	298	310	296	286	312	286	286	32
58	38	30	44	62	44	38	46	46	33
34	44	34	44	32	30	42	32	48	34
64	56	58	50	46	56	48	38	46	35
38	38	48	22	38	26	22	24	32	36
34	20	22	24	32	16	20	32	14	37
8	10	10	4	8	2	4	8	18	38
84	60	74	80	108	88	84	80	106	39
8	8	22	16	18	12	20	22	32	40
2,634	3,136	2,936	2,978	3,082	2,772	2,826	2,624	2,578	41
-	-	-	2	-	-	-	-	-	42
18	28	30	20	24	30	26	28	28	43
-	-	-	-	-	-	-	-	-	44
8	26	16	8	12	10	14	8	16	45
2	-	4	-	-	-	2	4	2	46
8	2	10	12	12	20	10	16	10	47
14	24	10	4	8	16	8	6	2	48
18	14	16	18	24	18	22	16	24	49
32	44	48	62	60	46	36	38	48	50
2	6	8	12	30	14	16	12	16	51
30	38	40	50	30	32	20	26	32	52
304	380	342	328	328	294	282	242	248	53
166	134	94	164	176	108	146	140	104	54
34	28	40	36	34	30	24	30	24	55
124	150	152	178	178	166	164	132	126	56
32	44	58	46	48	32	42	44	38	57
328	432	396	422	412	412	414	386	414	58
314	364	374	378	430	364	372	326	364	59
534	664	572	538	608	546	518	556	486	60
34	50	60	58	50	64	66	56	64	61
508	602	576	516	500	490	530	466	460	62
2	-	-	-	-	-	-	-	-	63
26	42	28	48	40	32	36	48	30	64
146	136	140	160	162	124	140	110	118	65
308	292	226	252	242	258	320	366	436	66
142	158	100	134	140	148	166	176	164	67
48	38	38	40	40	42	42	58	58	68
40	46	18	28	32	32	40	32	44	69
54	74	44	66	68	74	84	86	62	70
8	8	8	6	12	16	16	16	18	71
94	118	110	94	124	124	106	106	136	72

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 28 DAYS--ALL CAUSES-----	44,432	3,746	3,394	3,610
2	DIARRHEAL DISEASES-----009	228	14	14	16
3	WHOOPING COUGH-----033	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	14	2	-	-
5	TETANUS-----037	-	-	-	-
6	SEPTICEMIA-----038	624	40	28	46
7	VIRAL DISEASES-----040-079	58	10	6	2
8	CONGENITAL SYPHILIS-----090	2	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	56	2	6	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	32	6	4	2
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	28	4	-	4
12	DISEASES OF THYMUS GLAND-----254	4	-	2	-
13	CYSTIC FIBROSIS-----273,0	34	2	2	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	96	10	8	6
15	MENINGITIS-----320	168	12	14	4
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	48	4	6	8
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	2	-	-	-
18	BRONCHITIS AND BRONCHOLITIS-----466,490,491	20	2	-	2
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,136	124	94	98
20	INFLUENZA-----470-474	14	4	6	4
21	PNEUMONIA-----480-486	1,122	120	88	98
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	8	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	152	10	18	8
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	374	46	20	42
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	16	2	-	2
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	210	10	12	26
27	CONGENITAL ANOMALIES-----740-759	6,444	466	562	508
28	ANENCEPHALUS-----740	820	60	64	68
29	SPINA BIFIDA-----741	328	28	26	14
30	CONGENITAL HYDROCEPHALUS-----742	262	18	24	20
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	220	22	12	20
32	CONGENITAL ANOMALIES OF HEART-----746	2,248	154	218	188
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	358	22	30	36
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	364	20	36	22
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	290	20	30	20
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	304	18	18	24
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	238	18	20	14
38	DOWN'S DISEASE-----759,3	42	4	6	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	812	66	70	74
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	158	16	8	6
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	33,488	2,870	2,480	2,752
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	2	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	314	30	28	26
44	SYPHILIS-----761.0	-	-	-	-
45	DIABETES MELLITUS-----761.1	166	12	20	16
46	RUBELLA-----761.3	12	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	136	18	8	10
48	TOXEMIA OF PREGNANCY-----762	134	20	6	16
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	194	12	2	19
50	DIFFICULT LABOR-----764-768	554	46	44	52
51	WITH MENTION OF BIRTH INJURY (.0-.3)	164	14	12	22
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	390	32	32	30
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,558	284	254	202
54	CONDITIONS OF PLACENTA-----770	1,634	124	170	116
55	CONDITIONS OF UMBILICAL CORD-----771	390	34	46	32
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,774	132	112	164
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	496	46	26	40
58	HYALINE MEMBRANE DISEASE-----776.1	4,626	376	328	348
59	RESPIRATORY DISTRESS SYNDROME-----776.2	4,192	322	298	344
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	6,688	640	504	534
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	672	64	36	76
62	IMMATURITY, UNQUALIFIED-----777	6,208	558	484	536
63	POSTMATURITY-----778.1	4	2	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	444	34	44	38
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,600	144	98	138
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	606	42	66	46
67	ACCIDENTS-----F800-E949	174	16	16	4
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	66	4	6	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	36	2	4	2
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	72	10	6	-
71	HOMICIDE-----E960-E978	40	6	4	2
72	ALL OTHER CAUSES-----RESIDUAL	370	46	32	30

SECTION 2 - INFANT MORTALITY

Months, From 65 Selected Causes, by Month: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3,480	4,074	3,828	3,800	4,078	3,702	3,816	3,424	3,480	1
10	26	8	22	32	10	28	32	16	2
-	-	-	-	-	-	-	-	-	3
-	2	-	-	4	4	2	-	-	4
-	-	-	-	-	-	-	-	-	5
52	44	46	68	54	66	60	58	62	6
2	8	2	2	8	2	8	4	4	7
2	6	6	2	2	16	8	4	-	8
4	6	-	-	-	2	4	2	2	10
-	2	-	6	-	6	4	-	2	11
-	-	-	-	-	-	-	-	-	12
2	4	2	2	10	4	2	-	4	13
10	8	6	12	10	2	12	8	4	14
12	24	14	12	22	16	20	12	6	15
-	-	8	4	6	10	2	-	-	16
-	-	2	-	-	-	-	-	-	17
8	-	4	-	-	2	2	-	-	18
84	84	92	66	104	96	88	104	102	19
-	-	-	-	2	-	-	2	-	20
84	84	92	66	102	96	88	102	102	21
-	-	-	-	-	-	-	-	8	22
18	22	16	4	14	8	18	8	8	23
26	30	24	34	22	26	32	36	36	24
-	-	-	2	2	4	2	2	-	25
8	24	20	16	28	16	28	6	16	26
554	564	562	532	594	528	570	472	532	27
70	78	86	92	60	54	70	60	58	28
28	34	26	12	26	42	26	28	38	29
24	26	22	14	24	26	28	16	20	30
16	26	24	16	18	16	22	14	14	31
186	192	190	184	206	200	206	166	158	32
36	28	18	34	42	30	30	24	28	33
28	38	32	38	28	24	34	26	38	34
34	34	20	14	26	26	24	14	28	35
32	34	38	16	30	24	20	20	30	36
26	18	22	24	28	14	14	26	14	37
2	6	8	4	2	2	2	2	2	38
68	44	58	68	90	62	74	62	76	39
4	6	18	16	14	8	20	14	28	40
2,610	3,120	2,924	2,960	3,360	2,748	2,808	2,594	2,562	41
-	-	-	2	-	-	-	-	-	42
18	28	30	20	24	30	24	28	28	43
8	26	16	8	12	10	14	8	16	44
2	-	4	-	-	-	-	4	2	45
8	2	10	12	12	20	10	16	10	46
14	24	10	4	8	16	8	6	2	48
18	14	16	18	24	18	22	16	24	49
32	44	48	62	60	46	36	36	48	50
2	6	8	12	30	14	16	12	16	51
30	38	40	50	30	32	20	24	32	52
304	378	342	328	328	288	282	240	248	53
166	134	94	164	174	108	144	138	104	54
32	28	40	36	34	30	24	30	24	55
124	150	152	178	178	166	162	132	124	56
32	44	58	46	48	32	42	44	38	57
322	428	390	416	412	406	412	380	408	58
304	362	370	370	416	360	368	316	362	59
534	660	572	538	608	542	514	556	486	60
34	48	60	58	50	64	66	56	60	61
504	600	576	512	498	488	530	462	460	62
2	-	-	-	-	-	-	-	-	63
24	42	28	48	40	32	36	48	30	64
146	136	138	160	158	122	138	106	116	65
46	44	58	36	48	54	62	42	62	66
12	22	10	6	16	26	22	12	12	67
6	10	4	6	4	10	8	2	4	68
-	2	2	-	4	6	4	6	4	69
6	10	4	-	8	10	10	4	4	70
-	6	4	-	2	6	4	-	6	71
20	28	20	14	40	50	30	28	32	72

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	28 DAYS TO 11 MONTHS--ALL CAUSES-----	15,750	1,786	1,596	1,530
2	DIARRHEAL DISEASES-----009	406	46	56	56
3	WHOOPING COUGH-----033	4	2	-	-
4	MENINGOCOCCAL INFECTIONS-----036	82	18	8	12
5	TETANUS-----037	-	-	-	-
6	SEPTICEMIA-----038	196	32	6	8
7	VIRAL DISEASES-----040-079	160	24	24	18
8	CONGENITAL SYPHILIS-----090	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 090-136	138	30	10	4
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	118	14	8	12
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	26	4	4	-
12	DISEASES OF THYRUS GLAND-----254	20	2	-	4
13	CYSTIC FIBROSIS-----273.0	58	6	8	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	122	12	18	14
15	MENINGITIS-----320	366	58	34	28
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	440	46	32	46
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	152	16	10	22
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	358	70	40	32
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	3,196	462	380	348
20	INFLUENZA-----470-474	46	20	16	4
21	PNEUMONIA-----480-486	3,150	442	364	344
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	16	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	366	46	40	34
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	114	6	14	10
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	28	2	2	4
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	150	12	10	18
27	CONGENITAL ANOMALIES-----740-759	3,014	292	276	274
28	ANENCEPHALUS-----740	30	-	-	2
29	SPINA BIFIDA-----741	196	22	22	14
30	CONGENITAL HYDROCEPHALUS-----742	232	20	22	24
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	114	10	14	12
32	CONGENITAL ANOMALIES OF HEART-----746	1,440	158	126	136
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	178	14	16	12
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	80	8	10	4
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	332	24	26	40
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	58	4	6	4
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	42	6	6	2
38	DOWN'S DISEASE-----759.3	58	4	8	4
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	212	18	16	16
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	42	4	4	4
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	246	18	32	16
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	6	-	4	-
44	SYPHILIS-----761.0	-	-	-	-
45	DIABETES MELLITUS-----761.1	-	-	-	-
46	RUBELLA-----761.3	4	-	2	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	2	-	2	-
48	TOXEMIA OF PREGNANCY-----762	-	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	2	-	2	-
50	DIFFICULT LABOR-----764-768	2	-	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)	-	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	2	-	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	14	-	2	2
54	CONDITIONS OF PLACENTA-----770	8	-	-	2
55	CONDITIONS OF UMBILICAL CORD-----771	4	2	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	8	2	-	2
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	2	2	-	-
58	HYALINE MEMBRANE DISEASE-----776.1	58	6	8	2
59	RESPIRATORY DISTRESS SYNDROME-----776.2	76	6	8	4
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	16	2	2	-
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	8	-	-	2
62	IMMATURITY, UNQUALIFIED-----777	22	-	2	2
63	POSTMATURITY-----778.1	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	-	-	-
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	18	-	2	-
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	3,186	284	330	324
67	ACCIDENTS-----E800-E949	1,610	160	126	134
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	476	50	34	42
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	372	44	22	22
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	762	66	70	70
71	HOMICIDE-----E960-E978	132	20	14	12
72	ALL OTHER CAUSES-----RESIDUAL	1,066	104	114	98

SECTION 2 - INFANT MORTALITY

Months, From 65 Selected Causes, by Month: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1,296	1,260	1,018	1,050	958	1,008	1,190	1,382	1,676	1
26	24	28	30	24	22	24	22	48	2
2	-	-	-	-	-	-	-	-	3
6	6	8	4	6	2	-	8	4	4
-	-	-	-	-	-	-	-	-	5
18	16	18	8	12	12	10	18	38	6
10	18	8	12	6	4	16	6	14	7
-	-	-	-	-	-	-	-	-	8
8	8	2	14	6	16	8	10	22	9
4	20	8	8	4	2	16	10	12	10
2	4	2	4	-	4	2	-	-	11
2	2	6	-	-	-	-	4	-	12
6	4	10	-	2	6	8	2	4	13
4	8	14	6	10	4	10	8	14	14
24	36	32	22	14	20	22	20	36	15
36	40	26	34	28	38	38	44	32	16
10	4	10	6	4	14	16	18	22	17
36	20	30	14	12	20	8	28	48	18
282	264	160	168	134	158	214	236	390	19
2	2	-	-	-	-	-	-	2	20
280	262	160	168	134	158	214	236	388	21
8	-	-	-	2	2	2	2	-	22
26	28	22	26	18	16	44	36	30	23
12	6	12	4	6	8	12	14	10	24
2	4	2	4	-	2	-	-	6	25
10	8	6	8	8	16	18	22	14	26
264	238	250	230	228	208	218	262	274	27
2	4	4	4	6	-	2	4	2	28
16	12	24	20	12	10	12	18	14	29
12	26	20	12	18	20	26	20	12	30
2	6	8	-	18	8	12	4	20	31
134	122	108	126	90	86	106	120	128	32
22	10	12	10	20	14	8	22	18	33
6	8	4	6	4	6	8	6	10	34
30	22	38	36	20	30	24	24	18	35
6	4	10	6	8	2	2	4	2	36
8	2	-	-	4	2	6	6	-	37
6	4	2	-	6	-	2	6	16	38
16	16	16	12	18	26	10	18	30	39
4	2	4	-	4	4	-	8	4	40
24	16	12	18	22	24	18	30	16	41
-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	2	-	-	43
-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	2	-	-	46
-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	2	-	50
-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	2	-	52
-	2	-	-	-	6	-	2	-	53
-	-	-	-	2	-	2	2	-	54
2	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	2	-	2	56
-	-	-	-	-	-	-	-	-	57
6	4	6	6	6	6	2	6	6	58
10	2	4	8	14	4	4	10	2	59
-	4	-	-	-	4	4	-	-	60
-	2	-	-	-	-	-	-	4	61
4	2	-	4	2	2	-	4	-	62
-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	-	-	-	-	64
-	-	2	-	4	2	2	4	2	65
262	248	168	216	194	204	258	324	374	66
130	136	90	128	124	122	144	164	152	67
42	28	34	34	36	32	34	56	54	68
40	44	16	28	28	26	40	26	40	69
48	64	40	66	60	64	74	82	58	70
8	12	4	6	10	10	8	16	12	71
74	90	90	80	84	74	76	78	104	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965, less than 50,000. For definition

CAUSE OF DEATH	ALL INFANTS UNDER 1 YEAR					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES-----	60,182	34,404	25,778	39,486	29,238	10,248
2 DIARRHEAL DISEASES-----009	634	298	336	308	226	82
3 WHOOPING COUGH-----033	4	4	-	2	2	-
4 MENINGOCOCCAL INFECTIONS-----036	96	36	60	60	26	34
5 TETANUS-----037	-	-	-	-	-	-
6 SEPTICEMIA-----038	820	470	350	556	404	152
7 VIRAL DISEASES-----040-079	218	106	112	122	88	34
8 CONGENITAL SYPHILIS-----090	2	2	-	2	2	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	194	94	100	106	78	28
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	150	84	66	108	76	32
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	54	30	24	44	30	14
12 DISEASES OF THYMUS GLAND-----254	24	14	10	10	10	-
13 CYSTIC FIBROSIS-----273.0	92	38	54	58	30	28
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	218	140	78	150	128	22
15 MENINGITIS-----320	514	320	194	366	278	88
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	488	268	220	321	232	94
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	154	82	72	84	72	12
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	378	266	112	288	244	44
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	4,332	2,424	1,908	2,700	2,080	620
20 INFLUENZA-----470-474	60	12	48	18	8	10
21 PNEUMONIA-----480-486	4,272	2,412	1,860	2,682	2,072	610
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	24	8	16	12	8	4
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	518	296	222	312	250	62
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	488	276	212	342	242	100
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	44	20	24	22	14	8
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	360	224	136	242	186	56
27 CONGENITAL ANOMALIES-----740-759	9,458	5,340	4,118	6,376	4,564	1,812
28 ANENCEPHALUS-----740	850	456	394	586	386	200
29 SPINA BIFIDA-----741	524	236	288	318	198	120
30 CONGENITAL HYDROCEPHALUS-----742	494	290	204	350	252	98
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	334	202	132	218	170	48
32 CONGENITAL ANOMALIES OF HEART-----746	3,688	2,070	1,618	2,460	1,780	680
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	536	326	210	358	272	86
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	444	290	154	310	256	54
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	622	346	276	400	284	116
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	362	190	172	246	160	86
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	280	160	120	186	138	48
38 DOWN'S DISEASE-----759.3	100	66	34	78	58	20
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	1,024	604	420	728	520	208
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	200	104	96	138	90	48
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	33,734	19,604	14,130	22,294	16,598	5,696
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	2	2	2	2	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	320	192	128	216	152	64
44 SYPHILIS-----761.0	-	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	166	86	80	112	68	44
46 RUBELLA-----761.3	16	10	6	8	6	2
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	138	96	42	96	78	18
48 TOXEMIA OF PREGNANCY-----762	134	76	58	76	68	8
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	196	132	64	166	122	44
50 DIFFICULT LABOR-----764-768	556	274	282	304	224	80
51 WITH MENTION OF BIRTH INJURY (1.0-.3)-----774.1	164	60	104	76	46	30
52 WITHOUT MENTION OF BIRTH INJURY (1.4,.9)-----774.2	392	214	178	228	178	50
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,572	2,160	1,412	2,502	1,850	652
54 CONDITIONS OF PLACENTA-----770	1,644	912	732	1,058	762	296
55 CONDITIONS OF UMBILICAL CORD-----771	394	212	182	234	170	64
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,782	1,044	738	1,198	898	300
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	498	270	228	354	234	120
58 HYALINE MEMBRANE DISEASE-----776.1	4,684	2,684	2,000	3,144	2,292	852
59 RESPIRATORY DISTRESS SYNDROME-----776.2	4,268	2,422	1,846	2,838	2,060	778
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	6,704	4,026	2,678	4,492	3,424	1,068
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	680	424	256	490	382	108
62 IMMATURETY, UNQUALIFIED-----777	6,230	3,450	2,780	3,744	2,798	946
63 POSTMATURITY-----778.1	4	-	4	2	-	2
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	446	262	184	318	234	84
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,618	1,062	556	1,156	926	230
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	3,792	2,076	1,716	2,438	1,766	672
67 ACCIDENTS-----E800-E949	1,784	896	888	1,024	722	302
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	542	282	260	318	234	84
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	408	188	220	210	142	68
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	834	426	408	496	346	150
71 HOMICIDE-----E960-E978	172	126	46	148	120	28
72 ALL OTHER CAUSES-----RESIDUAL	1,436	862	574	986	762	224

SECTION 2 - INFANT MORTALITY

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1972

*Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but of areas, see Technical Appendix]

NONMETROPOLITAN COUNTIES			WHITE INFANTS UNDER 1 YEAR									
			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
20,656	5,166	15,530	43,460	22,470	20,990	27,526	18,554	8,972	15,934	3,916	12,018	1
326	72	254	300	160	140	194	130	64	106	30	76	2
2	2	-	-	-	-	-	-	-	-	-	-	3
36	10	26	84	28	56	52	20	32	32	8	24	4
-	-	-	-	-	-	-	-	-	-	-	-	5
264	66	198	542	276	266	360	228	132	182	48	134	6
56	18	78	154	66	88	88	56	32	66	10	56	7
-	-	-	-	-	-	-	-	-	-	-	-	8
88	16	72	114	54	60	60	40	20	54	14	40	9
42	8	34	122	60	62	84	52	32	38	8	30	10
10	-	10	44	24	20	36	24	12	8	-	8	11
14	4	10	20	12	8	8	8	-	12	4	8	12
34	8	26	86	32	54	54	26	28	32	6	26	13
68	12	56	130	76	54	88	72	16	42	4	38	14
148	42	106	308	178	130	212	146	66	96	32	64	15
162	36	126	388	188	200	256	162	94	132	26	106	16
70	10	60	104	50	54	52	44	8	52	6	46	17
90	22	68	216	140	76	156	124	32	60	16	44	18
1,632	344	1,288	2,712	1,404	1,308	1,666	1,170	496	1,046	234	812	19
42	4	38	34	10	24	10	6	4	24	4	20	20
1,590	340	1,250	2,678	1,394	1,284	1,656	1,164	492	1,022	230	792	21
12	-	12	16	2	14	4	2	2	12	-	12	22
206	46	160	376	182	194	212	152	60	164	30	134	23
146	34	112	394	208	186	276	178	98	118	30	88	24
22	6	16	20	10	10	10	6	4	10	4	6	25
118	38	80	242	140	102	154	112	42	88	28	60	26
3,682	776	2,906	7,892	4,164	3,728	5,160	3,490	1,670	2,722	674	2,058	27
264	70	194	778	402	376	528	334	194	250	68	182	28
206	38	168	486	272	272	286	176	110	200	38	162	29
144	38	106	390	218	172	270	188	82	120	30	90	30
116	32	84	274	152	122	172	124	48	102	28	74	31
1,228	290	938	3,046	1,580	1,466	1,980	1,342	638	1,066	238	828	32
170	54	124	428	174	254	274	206	154	154	48	106	33
134	34	100	340	204	136	222	172	50	118	32	86	34
222	62	160	482	252	230	304	202	102	176	50	128	35
116	30	86	306	140	166	200	118	82	106	22	84	36
94	22	72	250	136	114	162	114	48	88	22	66	37
22	8	14	74	42	32	52	34	18	22	8	14	38
296	84	212	874	484	390	600	406	194	274	78	196	39
62	14	48	164	86	78	110	74	36	54	12	42	40
11,440	3,006	8,434	24,502	12,726	11,776	15,428	10,436	4,992	9,074	2,290	6,784	41
2	2	4	4	2	2	2	2	2	2	-	2	42
104	40	64	270	154	116	182	120	62	88	34	54	43
-	-	-	-	-	-	-	-	-	-	-	-	44
54	18	36	152	78	74	104	60	44	48	18	30	45
8	4	4	14	8	6	6	4	2	8	4	4	46
42	18	24	104	68	36	72	56	16	32	12	20	47
58	8	50	94	46	48	46	40	6	48	6	42	48
30	10	20	128	72	56	98	62	36	30	10	20	49
252	50	202	422	184	238	214	146	68	208	38	170	50
88	14	74	114	34	80	52	26	26	62	8	54	51
164	36	128	308	150	158	162	120	42	146	30	116	52
1,070	310	760	2,656	1,450	1,206	1,772	1,204	568	884	246	638	53
586	150	436	1,360	714	646	866	594	272	494	120	374	54
160	42	118	316	156	160	182	126	56	134	30	104	55
584	146	438	1,268	664	604	788	542	246	480	122	358	56
144	36	108	412	210	202	288	176	112	124	34	90	57
1,540	392	1,148	3,662	1,906	1,756	2,328	1,572	756	1,334	334	1,000	58
1,430	362	1,068	3,252	1,638	1,614	2,062	1,352	710	1,190	286	904	59
2,212	602	1,610	4,700	2,468	2,232	2,968	2,034	934	1,732	434	1,298	60
190	42	148	462	256	206	322	234	98	130	22	108	61
2,486	652	1,834	4,132	2,024	2,108	2,388	1,580	808	1,744	444	1,300	62
2	2	4	4	4	4	4	2	2	2	-	2	63
128	28	100	302	158	144	204	140	64	98	18	80	64
462	136	326	1,058	624	434	706	512	194	352	112	240	65
1,354	310	1,044	2,404	1,160	1,244	1,534	962	572	870	198	672	66
760	174	586	1,286	576	710	712	446	266	574	130	444	67
224	48	176	402	198	204	230	156	74	172	42	130	68
198	46	152	306	120	186	148	84	64	158	36	122	69
338	80	258	578	258	320	334	206	128	244	52	192	70
24	8	18	102	70	32	88	66	22	14	4	10	71
450	100	350	902	484	418	582	402	180	320	82	238	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965, less than 50,000. For definition

CAUSE OF DEATH	ALL OTHER INFANTS UNDER 1 YEAR					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES-----	16,722	11,934	4,788	11,960	10,684	1,276
2 DIARRHEAL DISEASES-----009	334	138	196	114	96	18
3 WHOOPING COUGH-----033	4	4	-	2	2	-
4 MENINGOCOCCAL INFECTIONS-----036	12	8	4	8	6	2
5 TETANUS-----037	-	-	-	-	-	-
6 SEPTICEMIA-----038	278	194	84	196	176	20
7 VIRAL DISEASES-----040-079	64	40	24	34	32	2
8 CONGENITAL SYPHILIS-----090	2	2	-	2	2	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	80	40	40	46	38	8
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	28	24	4	24	24	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	10	6	4	8	6	2
12 DISEASES OF THYROID GLAND-----254	4	2	2	2	2	-
13 CYSTIC FIBROSIS-----273.0	6	6	-	4	4	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	88	64	24	62	56	6
15 MENINGITIS-----320	206	142	64	154	132	22
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	100	80	20	70	70	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	50	32	18	32	28	4
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	162	126	36	132	120	12
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	1,620	1,020	600	1,034	910	124
20 INFLUENZA-----470-474	26	2	24	8	2	6
21 PNEUMONIA-----480-486	1,594	1,018	576	1,026	908	118
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	8	6	2	8	6	2
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	142	114	28	100	98	2
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	94	68	26	66	64	2
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	24	10	14	12	8	4
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	118	84	34	88	74	14
27 CONGENITAL ANOMALIES-----740-759	1,566	1,176	390	1,214	1,074	142
28 ANENCEPHALUS-----740	72	54	18	58	52	6
29 SPINA BIFIDA-----741	38	22	16	32	22	10
30 CONGENITAL HYDROCEPHALUS-----742	104	72	32	80	64	16
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	60	50	10	46	46	-
32 CONGENITAL ANOMALIES OF HEART-----746	642	490	152	480	438	42
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	108	72	36	84	66	18
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	104	86	18	88	84	4
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	140	94	46	96	82	14
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	56	50	6	46	42	4
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	30	24	6	24	24	-
38 DOWN'S DISEASE-----759.3	26	24	2	26	24	2
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	150	120	30	128	114	14
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	36	18	18	28	16	12
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	9,232	6,878	2,354	6,866	6,162	704
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	50	38	12	34	32	2
44 SYPHILIS-----761.0	-	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	14	8	6	8	8	-
46 RUBELLA-----761.3	2	2	-	2	2	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	34	28	6	24	22	2
48 TOXEMIA OF PREGNANCY-----762	40	30	10	30	28	2
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	68	60	8	68	60	8
50 DIFFICULT LABOR-----764-768	134	90	44	90	78	12
51 WITH MENTION OF BIRTH INJURY (.0-.3)	50	26	24	24	20	4
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)	84	64	20	66	58	8
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	916	710	206	730	646	84
54 CONDITIONS OF PLACENTA-----770	284	198	86	192	168	24
55 CONDITIONS OF UMBILICAL CORD-----771	78	56	22	52	44	8
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	514	380	134	410	356	54
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	86	60	26	66	58	8
58 HYALINE MEMBRANE DISEASE-----776.1	1,022	778	244	816	720	96
59 RESPIRATORY DISTRESS SYNDROME-----776.2	1,016	784	232	776	708	68
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	2,004	1,558	446	1,524	1,390	134
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	218	168	50	158	148	10
62 IMMATURITY, UNQUALIFIED-----777	2,098	1,426	672	1,356	1,218	138
63 POSTMATURITY-----778.1	-	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	144	104	40	114	94	20
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	560	438	122	450	414	36
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,388	916	472	904	804	100
67 ACCIDENTS-----E800-E949	498	320	178	312	276	36
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	140	84	56	88	78	10
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	102	68	34	62	58	4
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	256	168	88	162	140	22
71 HOMICIDE-----E960-E978	70	56	14	60	54	6
72 ALL OTHER CAUSES-----RESIDUAL	534	378	156	404	360	44

SECTION 2 - INFANT MORTALITY

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1972-Con.

Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but of areas, see Technical Appendix]

NONMETROPOLITAN COUNTIES			ALL INFANTS UNDER 28 DAYS									
			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
4,762	1,250	3,512	44,432	25,594	18,838	29,388	21,718	7,670	15,044	3,876	11,168	1
220	42	178	228	126	102	130	108	22	98	18	80	2
2	2	-	-	-	-	-	-	-	-	-	-	3
4	2	2	14	6	8	12	6	6	2	-	2	4
-	-	-	-	-	-	-	-	-	-	-	-	5
82	18	64	624	356	268	434	306	128	190	50	140	6
30	8	22	58	34	24	40	28	12	18	6	12	7
-	-	-	2	2	-	2	2	-	-	-	-	8
34	2	32	56	22	34	28	20	8	28	2	26	9
4	-	4	32	18	14	20	14	6	12	4	8	10
2	-	2	28	12	16	24	12	12	4	-	4	11
2	-	2	4	2	2	-	-	-	4	2	2	12
2	2	-	34	12	22	22	10	12	12	2	10	13
26	8	18	96	62	34	62	54	8	34	8	26	14
52	10	42	168	112	56	126	98	28	42	14	28	15
30	10	20	48	34	14	34	28	-6	14	6	8	16
18	4	14	2	-	2	-	-	-	2	-	2	17
30	6	24	20	14	6	16	14	2	4	-	4	18
586	110	476	1,136	648	488	684	550	134	452	98	354	19
18	-	18	14	-	14	-	-	-	14	-	14	20
568	110	458	1,122	648	474	684	550	134	438	98	340	21
-	-	-	8	4	4	4	4	-	4	-	4	22
42	16	26	152	78	74	84	64	20	68	14	54	23
28	4	24	374	208	166	262	178	84	112	30	82	24
12	2	10	16	10	6	14	8	6	2	2	-	25
30	10	20	210	148	62	148	116	32	62	32	30	26
350	102	248	6,444	3,648	2,796	4,386	3,126	1,260	2,058	522	1,536	27
14	2	12	820	432	388	558	362	196	262	70	192	28
6	-	6	328	142	186	194	114	80	134	28	106	29
24	8	16	262	146	116	184	130	54	78	16	62	30
14	4	10	220	128	92	144	108	36	76	20	56	31
162	52	110	2,246	1,266	982	1,528	1,098	430	720	168	552	32
24	6	18	358	232	126	250	190	60	108	42	66	33
16	2	14	364	242	122	256	216	40	108	26	82	34
44	12	32	290	172	118	184	134	50	106	38	68	35
10	8	2	304	160	144	210	136	74	94	24	70	36
6	-	6	238	142	96	164	124	40	74	18	56	37
-	-	-	42	28	14	28	22	6	14	6	8	38
22	6	16	812	480	332	582	424	158	230	56	174	39
8	2	6	158	78	80	104	68	36	54	10	44	40
2,366	716	1,650	33,488	19,440	14,048	22,110	16,452	5,658	11,378	2,988	8,390	41
-	-	-	4	2	2	2	2	-	2	-	2	42
16	6	10	314	186	128	210	146	64	104	40	64	43
6	-	6	166	86	80	112	68	44	54	18	36	44
-	-	-	12	6	6	4	2	2	8	4	4	46
10	6	4	136	94	42	94	76	18	42	18	24	47
10	2	8	134	76	58	76	68	8	58	8	50	48
-	-	-	194	130	64	164	120	44	30	10	20	49
44	12	32	554	272	282	302	222	80	252	50	202	50
26	6	20	164	60	104	76	46	30	88	14	74	51
18	6	12	390	212	178	226	176	50	164	36	128	52
186	64	122	3,558	2,156	1,402	2,496	1,848	648	1,062	308	754	53
92	30	62	1,636	906	730	1,052	758	294	584	148	436	54
26	12	14	390	210	180	232	168	64	158	42	116	55
104	24	80	1,774	1,042	732	1,194	898	296	580	144	436	56
20	2	18	496	268	228	352	232	120	144	36	108	57
206	58	148	4,626	2,652	1,974	3,102	2,262	840	1,524	390	1,134	58
240	76	164	4,192	2,366	1,826	2,778	2,010	768	1,414	356	1,058	59
480	168	312	6,688	4,014	2,674	4,476	3,412	1,064	2,212	602	1,610	60
60	20	40	672	416	256	484	376	108	188	40	148	61
742	208	534	6,208	3,436	2,772	3,732	2,786	946	2,476	650	1,826	62
-	-	-	4	-	4	2	-	2	2	-	2	63
30	10	20	444	260	184	316	232	84	128	28	100	64
110	24	86	1,600	1,048	552	1,140	912	228	460	136	324	65
484	112	372	606	272	334	348	226	122	258	46	212	66
186	44	142	174	90	84	112	80	32	62	10	52	67
52	6	46	66	40	26	52	38	14	14	2	12	68
40	10	30	36	24	12	24	20	4	12	4	8	69
94	28	66	72	26	46	36	22	14	36	4	32	70
10	2	8	40	28	12	36	28	8	4	-	4	71
130	18	112	370	208	162	250	186	64	120	22	98	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985, less than 50,000. For definition

CAUSE OF DEATH	WHITE INFANTS UNDER 28 DAYS					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES	32,844	17,026	15,818	20,828	14,028	6,800
2 DIARRHEAL DISEASES-----009	128	90	48	84	68	16
3 WHOOPING COUGH-----033	1	1	1	1	1	1
4 MENINGOCOCCAL INFECTIONS-----036	14	6	8	12	6	6
5 TETANUS-----037	1	1	1	1	1	1
6 SEPTICEMIA-----038	418	204	214	280	170	110
7 VIRAL DISEASES-----040-079	44	22	22	28	18	10
8 CONGENITAL SYPHILIS-----090	1	1	1	1	1	1
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	34	14	20	18	12	6
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	24	10	14	12	6	6
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	22	10	12	20	10	10
12 DISEASES OF THYRUS GLAND-----254	4	2	2	2	2	2
13 CYSTIC FIBROSIS-----273.0	32	10	22	20	8	12
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	66	38	28	44	36	8
15 MENINGITIS-----320	108	66	42	74	52	22
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	40	26	14	26	20	6
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	2	1	1	1	1	1
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	12	8	4	10	8	2
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	740	368	372	422	302	120
20 INFLUENZA-----470-474	6	6	6	6	6	6
21 PNEUMONIA-----480-486	734	368	366	422	302	120
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	6	2	4	2	2	2
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	126	56	70	66	46	20
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	322	170	152	228	144	84
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	8	4	4	6	2	4
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	130	88	42	88	64	24
27 CONGENITAL ANOMALIES-----740-759	5,440	2,856	2,584	3,580	2,402	1,178
28 ANENCEPHALUS-----740	752	382	370	504	314	190
29 SPINA BIFIDA-----741	300	128	172	170	100	70
30 CONGENITAL HYDROCEPHALUS-----742	206	106	100	140	94	46
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	192	104	88	124	88	36
32 CONGENITAL ANOMALIES OF HEART-----746	1,864	952	912	1,222	814	408
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	296	184	112	200	146	54
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	286	174	112	190	150	40
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	218	120	98	134	90	44
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	252	114	138	168	98	70
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	220	128	92	150	110	40
38 DOWN'S DISEASE-----759.3	32	20	12	18	14	4
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	694	382	312	478	330	148
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	128	62	66	82	54	28
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	24,342	12,628	11,714	15,312	10,352	4,960
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	2	2	2	2	2
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	268	152	116	180	118	62
44 SYPHILIS-----761.0	1	1	1	1	1	1
45 DIABETES MELLITUS-----761.1	152	78	74	104	60	44
46 RUBELLA-----761.3	12	6	6	4	2	2
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	104	68	36	72	56	16
48 TOXEMIA OF PREGNANCY-----762	94	46	48	46	40	6
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	128	72	56	98	62	36
50 DIFFICULT LABOR-----764-768	422	184	238	214	146	68
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----764	114	34	80	52	26	26
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----764	308	150	158	162	120	42
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	2,646	1,448	1,198	1,766	1,202	564
54 CONDITIONS OF PLACENTA-----770	1,352	708	644	860	590	270
55 CONDITIONS OF UMBILICAL CORD-----771	314	154	160	180	124	56
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,264	662	602	786	542	244
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	410	208	202	286	174	112
58 HYALINE MEMBRANE DISEASE-----776.1	3,616	1,882	1,734	2,296	1,550	746
59 RESPIRATORY DISTRESS SYNDROME-----776.2	3,202	1,604	1,598	2,026	1,324	702
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	4,692	2,464	2,228	2,960	2,030	930
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	458	252	206	328	230	98
62 IMMATURITY, UNQUALIFIED-----777	4,118	2,016	2,102	2,382	1,574	808
63 POSTMATURITY-----778.1	4	4	4	2	2	2
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	302	158	144	204	140	64
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,048	616	432	696	504	192
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	370	146	224	216	116	100
67 ACCIDENTS-----E800-E949	124	64	60	88	56	32
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	48	26	22	38	24	14
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	22	16	6	16	12	4
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	54	22	32	34	20	14
71 HOMICIDE-----E960-E978	22	10	12	18	10	8
72 ALL OTHER CAUSES-----RESIDUAL	266	138	128	174	118	56

SECTION 2 - INFANT MORTALITY

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1972-Con.

Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but of areas, see Technical Appendix]

NONMETROPOLITAN COUNTIES			ALL OTHER INFANTS UNDER 28 DAYS									
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
12,016	2,998	9,018	11,588	8,568	3,020	8,560	7,690	870	3,028	878	2,150	1
44	12	32	100	46	54	46	40	6	54	6	48	2
2	-	2	-	-	-	-	-	-	-	-	-	3
2	-	2	-	-	-	-	-	-	-	-	-	4
138	34	104	206	152	54	154	136	18	52	16	36	5
16	4	12	14	12	2	12	10	2	2	2	-	7
16	2	14	22	8	14	10	8	2	12	-	12	8
12	4	8	8	8	-	8	8	-	-	-	-	10
2	-	2	6	2	4	4	2	2	2	-	2	11
4	2	2	-	-	-	-	-	-	-	-	-	12
12	2	10	2	2	-	2	2	-	-	-	-	13
22	2	20	30	24	6	18	18	-	12	6	6	14
34	14	20	60	46	14	52	46	6	8	-	8	15
14	6	8	8	8	-	8	8	-	-	-	-	16
2	-	2	-	-	-	-	-	-	-	-	-	17
2	-	2	8	6	2	6	6	-	2	-	2	18
318	66	252	396	280	116	262	248	14	134	32	102	19
6	-	6	8	-	8	-	-	-	8	-	8	20
312	66	246	388	280	108	262	248	14	126	32	94	21
4	-	4	2	2	-	2	2	-	-	-	-	22
60	10	50	26	22	4	18	18	-	8	4	4	23
94	26	68	52	38	14	34	34	-	18	4	14	24
2	2	-	8	6	2	8	6	2	-	-	-	25
42	24	18	80	60	20	60	52	8	20	8	12	26
1,860	454	1,406	1,004	792	212	806	724	82	198	68	130	27
248	88	160	88	50	18	54	48	6	14	2	12	28
130	28	102	28	14	14	24	14	10	4	4	4	29
66	12	54	12	40	16	44	36	8	12	4	8	30
68	16	52	28	4	24	20	20	-	8	4	4	31
642	138	504	384	314	70	306	284	22	78	30	48	32
96	38	58	62	48	14	50	44	6	12	4	8	33
96	24	72	78	68	10	66	66	-	12	2	10	34
84	30	54	72	52	20	50	44	6	22	8	14	35
84	16	68	46	46	6	42	38	10	10	8	2	36
70	18	52	18	14	4	14	14	-	4	-	4	37
14	6	8	10	8	2	10	8	2	-	-	-	38
216	52	164	118	98	20	104	94	10	14	4	10	39
46	8	38	30	16	14	22	14	8	8	2	6	40
9,030	2,276	6,754	9,146	6,812	2,334	6,798	6,100	698	2,348	712	1,636	41
2	-	2	-	-	-	-	-	-	-	-	-	42
88	34	54	46	34	12	30	28	2	16	6	10	43
48	18	30	14	8	6	8	8	6	6	-	6	44
8	4	4	-	-	-	-	-	-	-	-	-	45
32	12	20	32	26	6	22	20	2	10	6	4	47
48	6	42	40	30	10	30	28	2	10	2	8	48
30	10	20	66	58	8	66	58	8	-	-	-	49
208	38	170	132	88	44	88	76	12	44	12	32	50
62	8	54	50	26	24	24	20	4	26	6	20	51
146	30	116	82	62	20	64	56	8	18	6	12	52
880	246	634	912	708	204	730	646	84	182	62	120	53
492	118	374	284	198	86	192	168	24	92	30	62	54
134	30	104	76	56	20	52	44	8	24	12	12	55
478	120	358	510	380	130	408	356	52	102	24	78	56
124	34	90	86	60	26	66	58	8	20	2	18	57
1,320	332	988	1,010	770	240	806	712	94	204	58	146	58
1,176	280	896	990	762	228	752	686	66	238	76	162	59
1,732	434	1,298	1,996	1,550	446	1,516	1,382	134	480	168	312	60
130	22	108	214	164	50	156	146	10	58	18	40	61
1,736	442	1,294	2,090	1,420	670	1,350	1,212	138	740	208	532	62
2	-	2	-	-	-	-	-	-	-	-	-	63
98	18	80	142	102	40	112	92	20	30	10	20	64
352	112	240	552	432	120	444	408	36	108	24	84	65
154	30	124	236	126	110	132	110	22	104	16	88	66
36	8	28	50	26	24	24	24	-	26	2	24	67
10	2	8	18	14	4	14	14	-	4	-	4	68
6	4	2	14	8	6	8	8	-	6	-	6	69
20	2	18	18	4	14	2	2	-	16	2	14	70
4	-	4	18	18	-	18	18	-	-	-	-	71
92	20	72	104	70	34	76	68	8	28	2	26	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, BOTH SEXES--ALL CAUSES-----	60,182	5,380	20,256	5,926	3,636	1,872	1,170	730
2	DIARRHEAL DISEASES-----009	634	2	6	-	6	14	12	10
3	WHOOPING COUGH-----033	4	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	96	-	-	-	2	-	-	2
5	TETANUS-----037	3	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	820	8	76	52	58	54	46	46
7	VIRAL DISEASES-----040-079	218	2	10	4	-	-	2	2
8	CONGENITAL SYPHILIS-----090	2	-	-	-	2	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	194	2	2	2	4	4	-	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	150	2	14	4	2	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	54	6	8	2	2	-	2	-
12	DISEASES OF THYMUS GLAND-----254	24	-	-	-	4	-	-	-
13	CYSTIC FIBROSIS-----273.0	92	-	-	2	8	2	2	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	218	-	26	16	10	10	4	2
15	MENINGITIS-----320	514	-	4	8	12	8	6	10
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	488	2	18	6	6	-	-	2
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	156	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	378	-	2	-	-	2	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	4,332	22	226	166	110	68	50	22
20	INFLUENZA-----470-474	60	2	4	-	-	-	-	-
21	PNEUMONIA-----480-486	4,272	20	222	166	110	68	50	22
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	24	-	4	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	518	14	66	16	12	6	2	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	488	54	172	56	24	18	6	2
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	44	-	-	-	-	2	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	360	8	14	6	16	28	20	12
27	CONGENITAL ANOMALIES-----740-759	9,458	1,026	1,858	624	538	388	264	152
28	ANENCEPHALUS-----740	850	308	338	56	20	30	14	8
29	SPINA BIFIDA-----741	524	60	54	28	20	16	8	2
30	CONGENITAL HYDROCEPHALUS-----742	494	68	102	14	12	6	4	2
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	334	30	84	12	10	14	8	8
32	CONGENITAL ANOMALIES OF HEART-----746	3,688	54	362	290	316	232	148	78
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	536	4	42	44	32	28	18	16
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	444	98	178	32	20	6	2	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	622	10	40	14	18	22	28	16
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	362	54	170	12	16	8	4	4
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	280	72	110	14	10	4	2	2
38	DOWN'S DISEASE-----759.3	100	2	12	6	2	4	2	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	1,024	242	316	80	46	6	24	8
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	200	24	50	22	16	12	2	4
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	33,734	4,108	17,554	4,882	2,742	1,206	722	442
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	2	2	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	320	44	168	42	26	10	10	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	166	10	86	26	18	8	10	-
46	RUBELLA-----761.3	16	2	6	2	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	138	32	76	14	8	2	-	-
48	TOXEMIA OF PREGNANCY-----762	134	26	58	26	12	2	2	2
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	196	60	94	20	4	-	4	8
50	DIFFICULT LABOR-----764-768	556	128	258	80	40	10	16	4
51	WITH MENTION OF BIRTH INJURY (.0-.3)	164	30	62	34	16	6	6	2
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	392	98	196	46	24	4	10	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,572	704	2,128	384	156	52	36	26
54	CONDITIONS OF PLACENTA-----770	1,644	464	952	118	54	22	12	2
55	CONDITIONS OF UMBILICAL CORD-----771	394	132	166	34	28	12	8	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,782	64	600	330	234	166	84	66
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	498	114	208	42	48	28	14	8
58	HYALINE MEMBRANE DISEASE-----776.1	4,684	52	1,810	1,148	754	266	160	92
59	RESPIRATORY DISTRESS SYNDROME-----776.2	4,268	126	1,986	928	514	178	106	56
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	6,704	802	3,896	854	450	200	116	64
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	680	98	280	130	52	34	14	8
62	IMMATURITY, UNQUALIFIED-----777	6,230	1,078	3,976	490	236	138	82	50
63	POSTMATURITY-----778.1	4	-	2	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	446	10	154	76	50	26	22	18
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,618	204	816	180	84	62	36	38
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	3,792	66	92	34	22	22	16	12
67	ACCIDENTS-----E800-E949	1,784	14	26	4	12	8	-	4
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	542	-	6	-	8	6	-	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	408	2	4	2	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	834	12	16	2	4	2	-	2
71	HOMICIDE-----E960-E978	172	24	2	-	2	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	1,436	20	76	42	42	32	16	8

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1972

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
602	39,572	2,468	1,296	1,096	44,432	3,892	2,944	2,278	1,610	1,146	986	780	676	538	466	434	1
12	62	62	56	48	228	144	60	34	36	34	10	28	26	16	14	4	2
-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	3
2	6	6	-	2	14	6	12	16	6	8	4	12	6	8	2	2	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
28	368	154	62	40	624	80	30	14	20	8	22	8	8	2	2	2	6
-	20	18	8	12	58	28	20	18	24	16	6	12	10	8	8	10	7
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	8
4	20	16	12	8	56	24	16	16	8	14	22	4	8	8	8	10	9
-	22	4	4	2	32	8	6	12	12	12	6	16	12	6	14	14	10
-	20	4	4	-	28	4	2	-	2	-	-	4	8	4	-	2	11
-	4	-	-	-	4	8	2	4	4	-	-	-	-	-	2	-	12
4	18	10	-	6	34	8	10	12	4	10	-	4	2	4	2	2	13
4	72	10	10	4	96	22	20	12	12	8	12	8	6	6	10	6	14
8	56	40	36	36	168	68	52	36	34	18	30	48	20	20	6	14	15
-	34	10	2	2	48	80	46	46	52	38	60	34	16	24	20	24	16
-	-	-	-	2	2	30	42	22	16	10	16	2	4	4	2	4	17
-	4	4	6	6	20	62	68	54	46	32	26	18	12	10	16	14	18
38	702	164	114	156	1,136	800	606	566	384	222	172	126	110	92	60	58	19
-	6	4	-	4	14	6	8	6	4	4	4	4	6	2	2	2	20
38	696	160	114	152	1,122	794	598	560	380	218	168	122	104	90	58	58	21
-	4	-	2	2	8	2	2	2	2	4	2	-	-	2	-	-	22
-	116	12	10	14	152	94	82	58	30	24	16	14	20	4	16	8	23
4	336	22	8	8	374	34	20	18	6	14	6	4	4	6	-	2	24
6	8	4	-	4	16	6	6	4	2	2	2	2	2	-	2	-	25
24	128	44	22	16	210	38	38	8	14	16	10	10	2	6	2	6	26
128	4,978	716	426	324	6,444	874	502	362	284	222	176	142	156	98	112	86	27
4	778	28	10	4	820	16	6	2	2	2	-	-	-	-	-	-	28
2	190	52	42	44	328	50	32	32	24	12	6	10	14	4	8	4	29
2	210	12	26	14	262	64	38	18	18	18	18	18	18	10	10	8	30
12	178	28	8	6	220	22	20	8	16	4	10	4	4	10	8	8	31
60	1,540	390	186	132	2,248	408	256	188	138	116	66	72	62	52	48	34	32
14	198	84	44	32	358	74	38	14	20	8	6	8	6	-	2	2	33
-	338	14	4	8	364	22	18	14	4	10	4	-	4	-	4	-	34
10	158	56	38	38	290	84	28	34	26	22	38	18	24	12	24	22	35
6	274	10	12	8	304	24	10	2	2	4	2	-	6	4	2	2	36
4	218	6	8	6	238	18	8	2	4	4	4	4	2	2	-	-	37
-	30	4	8	-	42	6	8	8	8	4	8	4	8	2	-	2	38
10	732	22	28	30	812	70	32	34	16	16	16	6	8	4	6	4	39
4	134	10	12	2	158	16	8	6	6	2	2	2	-	-	-	-	40
316	31,972	1,002	336	178	33,488	130	38	28	18	12	10	6	-	-	2	2	41
2	302	8	2	2	314	6	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	158	6	2	-	166	-	-	-	-	-	-	-	-	-	-	-	44
-	10	2	-	-	12	4	-	-	-	-	-	-	-	-	-	-	45
2	134	-	-	2	136	2	-	-	-	-	-	-	-	-	-	-	46
-	128	4	-	2	134	-	-	-	-	-	-	-	-	-	-	-	47
-	190	2	2	-	194	2	-	-	-	-	-	-	-	-	-	-	48
2	538	12	2	2	554	-	-	-	2	-	-	-	-	-	-	-	49
2	158	2	2	2	164	-	-	-	-	-	-	-	-	-	-	-	50
-	380	10	-	-	390	-	-	-	2	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
20	3,506	36	12	4	3,558	6	4	-	-	-	2	2	-	-	-	-	53
6	1,630	6	-	-	1,636	2	-	2	-	-	-	2	-	-	-	-	54
4	384	4	-	2	390	-	2	-	2	-	-	-	-	-	-	-	55
40	1,584	122	52	16	1,774	6	-	-	-	-	-	-	-	-	-	-	56
4	466	16	10	4	496	-	-	2	-	-	-	-	-	-	-	-	57
52	4,334	204	66	22	4,626	22	18	6	6	4	2	-	-	-	-	-	58
44	3,938	188	42	24	4,192	40	8	12	4	2	4	2	-	-	2	2	59
70	6,452	152	50	34	6,688	12	-	2	-	2	-	-	-	-	-	-	60
6	622	24	18	8	672	6	2	-	-	-	-	-	-	-	-	-	61
40	6,090	86	22	10	6,208	18	2	-	2	-	-	-	-	-	-	-	62
16	372	50	16	2	444	2	-	-	-	-	-	-	-	-	-	-	63
10	1,430	88	42	40	1,600	8	2	4	2	-	2	-	-	-	-	-	64
6	270	82	108	146	606	830	830	598	324	194	158	80	68	42	34	28	66
4	72	36	26	40	174	260	220	194	146	152	118	126	112	102	88	92	67
4	26	18	10	12	66	98	90	76	44	44	32	30	14	10	10	28	68
-	8	10	2	16	36	74	50	38	40	42	40	36	20	12	14	6	69
-	38	8	14	12	72	88	80	80	62	66	46	60	78	80	64	58	70
-	28	4	4	4	40	14	26	12	16	8	14	10	4	10	6	12	71
14	250	44	40	36	370	238	186	132	108	68	88	60	60	56	38	32	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, MALE--ALL CAUSES	34,710	2,892	11,850	3,530	2,252	1,128	676	404
2	DIARRHEAL DISEASES-----009	344	-	2	-	4	6	6	6
3	WHOOPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	50	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	448	2	36	22	36	38	32	30
7	VIRAL DISEASES-----040-079	128	2	4	2	-	-	2	2
8	CONGENITAL SYPHILIS-----090	2	-	-	-	2	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	126	2	2	2	2	2	-	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	74	-	10	2	2	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	32	2	4	-	-	-	-	-
12	DISEASES OF THYMUS GLAND-----254	18	-	-	-	4	-	-	-
13	CYSTIC FIBROSIS-----273,0	54	-	-	2	6	2	2	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	122	-	18	10	4	6	2	-
15	MENINGITIS-----320	292	-	4	-	6	6	2	8
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	248	2	12	4	2	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	106	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	220	-	-	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	2,532	14	118	98	82	44	22	14
20	INFLUENZA-----470-474	32	2	-	-	-	-	-	-
21	PNEUMONIA-----480-486	2,500	12	118	98	82	44	22	14
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	18	-	4	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,519	288	8	30	12	2	4	2	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	302	34	96	34	12	10	6	2
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	24	-	-	-	-	2	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	230	4	10	-	8	22	14	12
27	CONGENITAL ANOMALIES-----740-759	5,148	502	1,058	390	364	248	134	80
28	ANENCEPHALUS-----740	348	108	146	36	8	14	8	2
29	SPINA BIFIDA-----741	236	28	18	10	10	8	4	2
30	CONGENITAL HYDROCEPHALUS-----742	248	26	56	10	8	-	-	2
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	178	12	50	10	4	8	4	4
32	CONGENITAL ANOMALIES OF HEART-----746	2,094	28	198	188	236	154	78	48
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	284	2	30	32	18	16	10	6
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	290	66	116	22	12	4	2	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	354	6	22	10	14	20	12	10
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	246	32	128	8	12	4	4	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	164	44	66	6	2	4	-	-
38	DOWN'S DISEASE-----759.3	48	2	10	4	2	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	548	142	194	42	24	6	12	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	110	6	24	12	14	8	-	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	19,716	2,250	10,332	2,906	1,672	696	428	232
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	2	-	2	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	178	24	98	14	12	2	10	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	102	6	54	12	10	2	10	-
46	RUBELLA-----761.3	10	2	2	2	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	66	16	42	-	2	-	-	-
48	TOXEMIA OF PREGNANCY-----762	78	10	30	20	6	2	2	2
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	112	30	64	10	2	-	2	4
50	DIFFICULT LABOR-----764-768	358	78	162	60	22	8	12	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)	108	12	42	28	10	4	6	2
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	250	66	120	32	12	4	6	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,942	376	1,164	202	96	24	22	10
54	CONDITIONS OF PLACENTA-----770	990	284	584	58	30	12	6	-
55	CONDITIONS OF UMBILICAL CORD-----771	226	64	108	16	12	12	4	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,080	32	394	196	142	88	58	34
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	268	50	108	30	36	14	8	6
58	HYALINE MEMBRANE DISEASE-----776.1	3,000	36	1,134	734	508	168	98	68
59	RESPIRATORY DISTRESS SYNDROME-----776.2	2,444	86	1,244	574	310	100	60	36
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	3,816	434	2,256	504	262	108	56	24
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	366	46	150	68	34	18	10	-
62	IMMATURITY, UNQUALIFIED-----777	3,518	562	2,288	284	122	84	54	14
63	POSTMATURITY-----778.1	2	-	2	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	260	8	98	50	30	14	10	10
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	876	130	446	86	48	42	16	22
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	2,242	38	54	20	12	12	16	8
67	ACCIDENTS-----E800-E949	1,050	8	14	4	6	6	-	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	348	-	4	-	4	4	-	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	240	-	4	2	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	462	8	6	2	2	2	-	-
71	HOMICIDE-----E960-E978	92	14	2	-	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	804	10	40	22	26	24	8	6

SECTION 2 - INFANT MORTALITY

2-53

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

	6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
	360	23,092	1,416	694	566	25,768	2,220	1,748	1,296	950	630	526	450	360	284	234	244	1
R	32	36	34	24	126	76	32	20	22	14	4	16	16	10	6	2	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	6	-	2	8	4	6	6	4	2	2	12	4	-	2	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	210	78	30	20	338	42	16	10	8	6	14	6	4	2	-	2	6	6
-	12	14	4	6	36	12	18	10	16	2	4	6	8	6	4	7	8	7
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	16	10	6	2	34	22	16	10	4	14	4	-	8	4	2	8	9	9
-	14	4	-	-	18	2	2	2	6	8	6	6	2	2	8	12	10	10
-	6	4	2	-	12	4	2	-	2	-	-	4	6	2	-	-	-	11
-	4	-	-	-	4	6	2	4	2	-	-	-	-	-	-	-	-	12
2	14	4	-	4	22	4	4	10	4	4	4	4	2	2	2	2	2	13
4	44	4	6	4	58	12	8	6	6	4	10	6	4	2	4	2	4	14
-	32	20	18	18	88	34	26	16	28	12	22	32	12	10	4	8	15	15
6	20	4	2	-	26	38	18	32	20	24	32	20	6	10	10	10	16	16
-	-	-	-	2	2	22	26	18	12	6	12	-	4	2	-	2	17	17
-	-	2	2	4	8	30	48	28	24	14	22	10	8	8	10	10	18	18
24	416	96	54	86	652	448	392	324	238	142	104	66	58	42	30	36	19	19
-	2	2	-	2	6	6	6	2	4	-	2	-	6	-	-	-	-	20
24	414	94	54	84	646	442	386	322	234	142	102	66	52	42	30	36	21	21
-	4	-	-	-	4	2	2	2	2	2	2	-	-	2	-	-	-	22
-	58	8	6	8	80	48	48	36	20	18	6	6	12	2	10	2	23	23
4	198	16	6	6	226	26	12	18	2	8	2	2	4	4	-	-	-	24
-	6	-	-	-	6	2	4	2	2	2	2	2	2	-	-	-	-	25
14	84	32	14	12	142	26	22	4	10	10	4	4	2	2	-	4	26	26
68	2,844	386	242	158	3,630	464	264	172	144	110	74	76	62	46	56	50	27	27
2	324	14	6	2	346	2	-	-	-	-	-	-	-	-	-	-	-	28
-	80	20	34	16	150	20	12	12	14	6	4	4	4	6	4	29	29	29
-	102	10	14	10	136	40	18	8	8	8	10	8	4	2	4	2	30	30
-	92	16	4	2	114	10	12	6	6	2	8	2	2	6	4	8	31	31
38	968	228	106	74	1,376	216	138	84	66	52	20	46	24	26	20	20	32	32
8	122	40	22	12	196	32	20	8	12	6	2	4	4	-	-	-	-	33
-	222	4	4	4	234	18	8	14	4	6	2	2	2	-	2	-	-	34
4	98	32	20	22	172	48	24	14	14	18	14	8	14	6	12	10	35	35
4	196	8	4	2	208	18	8	2	2	2	2	2	2	2	2	2	36	36
4	126	2	6	2	136	16	2	-	4	4	2	-	-	-	-	-	37	37
-	20	2	4	-	26	4	6	4	-	2	2	2	2	-	-	-	38	38
4	426	8	10	12	456	30	8	16	12	6	8	2	4	4	-	-	39	39
2	68	2	8	2	80	10	8	4	4	2	-	2	-	-	-	-	40	40
190	18,706	600	174	86	19,566	78	24	20	12	6	4	6	-	-	-	-	41	41
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	42
-	162	8	2	2	174	4	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	94	6	2	-	102	-	-	-	-	-	-	-	-	-	-	-	-	45
-	6	2	-	-	8	2	-	-	-	-	-	-	-	-	-	-	-	46
2	62	-	-	2	64	2	-	-	-	-	-	-	-	-	-	-	-	47
-	72	4	-	2	78	-	-	-	-	-	-	-	-	-	-	-	-	48
-	112	-	-	-	112	-	-	-	-	-	-	-	-	-	-	-	-	49
2	346	10	-	-	356	-	-	-	2	-	-	-	-	-	-	-	-	50
2	106	2	-	-	108	-	-	-	-	-	-	-	-	-	-	-	-	51
-	240	8	-	-	248	-	-	-	2	-	-	-	-	-	-	-	-	52
12	1,906	16	10	-	1,932	4	2	-	-	-	2	2	-	-	-	-	-	53
4	978	4	-	-	982	2	-	2	2	-	-	-	-	-	-	-	-	54
-	216	4	-	2	222	-	2	2	2	-	-	-	-	-	-	-	-	55
32	976	72	24	6	1,078	-	-	-	-	2	-	-	-	-	-	-	-	56
2	254	12	-	-	266	-	2	2	-	-	-	-	-	-	-	-	-	57
34	2,780	138	40	10	2,968	14	12	4	2	-	-	-	-	-	-	-	-	58
22	2,432	124	22	16	2,594	30	4	10	2	-	2	2	-	-	-	-	-	59
48	3,692	68	30	18	3,808	6	-	-	-	2	-	-	-	-	-	-	-	60
2	328	18	10	4	360	4	2	-	-	-	-	-	-	-	-	-	-	61
24	3,432	58	14	2	3,506	10	-	-	-	2	-	-	-	-	-	-	-	62
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	63
6	226	22	8	4	260	-	-	-	-	-	-	-	-	-	-	-	-	64
-	790	42	14	20	866	4	2	2	2	-	-	-	-	-	-	-	-	65
6	166	48	54	80	348	496	492	374	200	102	86	50	40	28	10	16	66	66
4	44	18	16	22	100	164	132	106	96	84	62	84	58	66	50	48	67	67
4	18	10	2	2	32	70	60	42	36	26	20	20	10	6	8	18	68	68
-	6	4	2	14	26	52	28	18	22	30	20	22	8	8	6	6	69	69
-	20	4	12	6	42	42	44	46	38	28	22	42	40	52	36	30	70	70
-	16	2	-	2	20	10	14	8	4	4	4	6	2	10	2	8	71	71
8	144	24	24	20	212	148	118	58	66	32	46	26	36	20	24	18	72	72

SECTION 2 · INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, FEMALE-ALL CAUSES	25,472	2,488	8,406	2,396	1,384	744	494	326
2	DIARRHEAL DISEASES-----009	290	2	4	-	2	8	6	4
3	WHOOPING COUGH-----033	4	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	46	-	-	-	2	-	-	2
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	372	6	40	30	22	16	14	16
7	VIRAL DISEASES-----040-079	90	-	6	2	-	-	-	-
8	CONGENITAL SYPHILIS-----093	-	-	-	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	68	-	-	-	2	2	-	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	76	2	4	2	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	22	4	4	2	-	-	2	-
12	DISEASES OF THYMUS GLAND-----254	6	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	38	-	-	-	2	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	96	-	8	6	6	4	2	2
15	MENINGITIS-----320	222	-	-	8	6	2	4	2
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	240	-	6	2	4	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	48	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	158	-	2	-	-	2	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,800	8	108	68	28	24	28	8
20	INFLUENZA-----470-474	28	-	4	-	-	-	-	-
21	PNEUMONIA-----480-486	1,772	8	104	68	28	24	28	8
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	4	-	-	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	230	6	36	4	10	2	-	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	186	20	76	22	12	8	-	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	20	-	-	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	130	4	4	6	8	6	6	-
27	CONGENITAL ANOMALIES-----740-759	4,310	524	800	234	174	140	130	72
28	ANENCEPHALUS-----740	502	200	192	20	12	16	6	6
29	SPINA BIFIDA-----741	288	32	36	18	10	8	4	-
30	CONGENITAL HYDROCEPHALUS-----742	246	42	46	4	4	6	4	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	156	18	34	2	6	6	4	4
32	CONGENITAL ANOMALIES OF HEART-----746	1,594	26	164	102	80	78	70	30
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	252	2	12	12	14	12	8	10
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	154	32	62	10	8	2	-	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	268	4	18	4	4	2	16	6
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	116	22	42	4	4	-	-	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	116	28	44	8	8	-	2	2
38	DOWN'S DISEASE-----759.3	52	-	2	2	-	2	2	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	476	100	122	38	22	-	12	6
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	90	18	26	10	2	4	2	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	14,018	1,858	7,222	1,976	1,070	510	294	210
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	2	2	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	142	20	70	28	14	8	-	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	64	4	32	14	8	6	-	-
46	RUBELLA-----761.3	6	-	4	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	72	16	34	14	6	2	-	-
48	TOXEMIA OF PREGNANCY-----762	56	16	28	6	6	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	84	30	30	10	2	-	2	4
50	DIFFICULT LABOR-----764-768	198	50	96	20	18	2	4	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)	56	18	20	6	6	2	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	142	32	76	14	12	-	4	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,630	328	964	182	60	28	14	16
54	CONDITIONS OF PLACENTA-----770	654	180	368	60	24	10	6	2
55	CONDITIONS OF UMBILICAL CORD-----771	168	68	58	18	16	-	4	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	702	32	206	134	92	78	26	32
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	230	64	109	12	12	14	6	2
58	HYALINE MEMBRANE DISEASE-----776.1	1,684	16	676	414	246	98	62	24
59	RESPIRATORY DISTRESS SYNDROME-----776.2	1,624	40	742	354	204	78	46	20
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	2,888	368	1,640	350	188	92	60	40
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	314	52	130	62	18	16	4	8
62	IMMATURITY, UNQUALIFIED-----777	2,712	516	1,688	206	114	54	28	36
63	POSTMATURITY-----778.1	2	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	186	2	56	26	20	12	12	8
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	742	74	370	94	36	20	20	16
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,550	28	38	14	10	10	-	4
67	ACCIDENTS-----E800-E949	734	6	12	-	6	2	-	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	194	-	2	-	4	2	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	168	2	-	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	372	4	10	-	2	-	-	2
71	HOMICIDE-----E960-E978	80	10	-	-	2	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	632	10	36	20	16	8	8	2

SECTION 2 - INFANT MORTALITY

2-55

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
242	16,480	1,052	602	530	18,664	1,672	1,196	982	660	516	460	330	316	254	232	190	1
4	30	26	22	24	102	68	28	14	14	20	6	12	10	6	8	2	2
2	6	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	3
2	6	-	-	-	6	2	6	10	2	6	2	-	2	8	-	2	4
14	158	76	32	20	286	38	14	4	12	2	8	2	4	-	2	-	5
-	8	4	4	6	22	16	2	8	8	14	2	6	2	2	2	6	7
-	4	6	6	6	22	2	-	6	4	-	18	4	-	4	6	2	8
-	8	-	4	2	14	6	4	10	6	4	-	10	10	4	6	2	9
-	14	-	2	-	16	-	-	-	-	-	-	-	2	2	-	2	10
-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	2	-	11
2	4	6	4	2	12	4	6	2	4	6	-	-	2	2	2	-	12
2	28	6	4	-	38	10	12	6	4	4	2	2	2	4	6	4	13
2	24	20	18	18	80	34	26	20	6	6	8	16	8	10	2	6	14
-	14	6	-	2	22	42	28	14	32	14	28	14	10	12	10	14	15
-	-	-	-	-	-	8	16	4	4	4	4	2	-	2	2	2	16
14	286	68	60	70	484	352	214	242	146	80	68	60	52	50	30	22	17
14	4	2	-	2	8	-	2	4	-	4	2	4	-	2	2	2	18
-	282	66	60	68	476	352	212	238	146	76	66	56	52	48	28	22	19
-	-	-	2	2	4	-	-	-	-	2	-	-	-	-	-	-	20
-	58	4	4	6	72	46	34	22	10	6	8	8	2	6	6	6	21
-	138	6	2	2	148	8	8	-	4	6	6	-	-	2	-	-	22
2	2	4	-	4	10	4	2	2	-	-	-	-	-	-	2	-	23
10	44	12	8	4	68	12	16	4	4	6	6	6	-	4	2	2	24
60	2,134	230	184	166	2,814	410	238	190	140	112	102	66	94	52	56	36	25
2	454	14	4	2	474	14	6	2	2	2	2	6	-	-	-	-	26
2	110	32	8	28	178	30	20	20	10	6	6	10	4	2	2	2	27
2	108	2	12	4	126	24	20	10	10	10	2	10	14	8	6	6	28
12	96	12	4	4	106	12	8	2	10	2	4	4	4	4	4	4	29
22	572	162	80	58	872	192	118	104	72	64	46	26	38	26	22	14	30
6	76	44	22	20	162	42	18	6	8	2	4	4	2	-	2	2	31
-	116	10	-	4	130	4	10	-	-	4	-	-	-	-	2	-	32
6	60	24	18	16	118	36	4	20	12	4	24	10	10	6	12	12	33
-	78	2	8	8	96	6	2	-	4	4	-	4	2	2	-	-	34
-	92	4	2	4	102	2	2	2	2	2	2	2	2	2	-	-	35
-	10	2	4	-	16	2	2	4	8	4	6	6	6	2	-	-	36
6	306	14	18	18	356	40	24	18	4	10	8	4	4	-	6	2	37
2	66	8	4	-	78	6	2	2	2	-	2	4	4	-	-	-	38
126	13,266	402	162	92	13,922	52	14	8	6	6	6	-	-	-	2	2	39
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	40
-	140	-	-	-	140	2	-	-	-	-	-	-	-	-	-	-	41
-	64	-	-	-	64	-	-	-	-	-	-	-	-	-	-	-	42
-	4	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	43
-	72	-	-	-	72	-	-	-	-	-	-	-	-	-	-	-	44
-	56	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	45
-	78	2	2	-	82	2	-	-	-	-	-	-	-	-	-	-	46
-	192	2	2	2	198	-	-	-	-	-	-	-	-	-	-	-	47
-	52	-	2	2	56	-	-	-	-	-	-	-	-	-	-	-	48
-	140	2	-	-	142	-	-	-	-	-	-	-	-	-	-	-	49
8	1,600	20	2	4	1,626	2	2	-	-	-	-	-	-	-	-	-	50
2	652	2	-	-	654	-	-	-	-	-	-	-	-	-	-	-	51
4	168	-	-	-	168	-	-	-	-	-	-	-	-	-	-	-	52
8	608	50	28	10	696	6	-	-	-	-	-	-	-	-	-	-	53
2	212	4	10	4	230	-	-	-	-	-	-	-	-	-	-	-	54
18	1,554	66	26	12	1,658	8	6	2	4	4	2	-	-	-	-	-	55
22	1,506	64	20	8	1,598	10	4	2	2	2	2	-	-	-	2	2	56
22	2,760	84	20	16	2,880	6	-	2	-	-	-	-	-	-	-	-	57
4	294	6	8	4	312	2	-	-	-	-	-	-	-	-	-	-	58
16	2,658	28	8	8	2,702	8	2	-	-	-	-	-	-	-	-	-	59
-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	60
10	146	28	8	2	184	2	-	-	-	-	-	-	-	-	-	-	61
10	640	46	28	20	734	4	-	2	-	-	2	-	-	-	-	-	62
-	194	34	54	66	258	334	338	224	124	92	72	30	28	14	24	12	63
-	28	18	10	18	74	96	88	88	50	68	56	42	54	36	38	44	64
-	8	8	8	10	34	28	30	34	8	18	12	10	4	4	2	10	65
-	2	6	-	2	10	22	22	20	18	20	14	12	4	4	8	6	66
-	18	4	2	6	30	46	36	34	24	38	24	18	38	28	28	28	67
-	12	4	4	2	20	4	12	4	12	4	10	4	2	-	4	4	68
6	196	20	16	16	158	90	68	74	42	36	42	34	24	36	14	14	69

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, BOTH SEXES--ALL CAUSES-----	43,460	4,052	14,800	4,494	2,792	1,436	882	550
2	DIARRHEAL DISEASES-----009	300	2	4	-	4	8	8	4
3	WHOOPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	84	-	-	-	2	-	-	2
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	542	4	52	30	40	34	34	34
7	VIRAL DISEASES-----040-079	154	-	10	4	-	-	2	2
8	CONGENITAL SYPHILIS-----090	-	-	-	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDEP OF 000-136	114	-	-	2	4	4	-	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	122	2	8	4	2	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	44	6	4	2	2	-	2	-
12	DISEASES OF THYMUS GLAND-----254	20	-	-	-	4	-	-	-
13	CYSTIC FIBROSIS-----273.0	86	-	-	-	6	2	2	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	130	-	12	10	8	8	2	2
15	MENINGITIS-----320	308	-	4	6	2	8	6	8
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	388	2	16	4	6	-	-	2
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	104	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	216	-	-	-	-	2	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	2,712	14	156	126	82	44	24	16
20	INFLUENZA-----470-474	34	2	2	-	-	-	-	-
21	PNEUMONIA-----480-486	2,678	12	154	126	82	44	24	16
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	16	-	4	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	376	12	50	16	10	6	2	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	394	48	150	50	24	14	4	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	20	-	-	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	242	8	8	6	10	16	10	4
27	CONGENITAL ANOMALIES-----740-759	7,892	890	1,584	518	460	336	212	122
28	ANENCEPHALUS-----740	778	276	312	52	20	28	12	8
29	SPINA BIFIDA-----741	486	52	50	26	18	16	6	2
30	CONGENITAL HYDROCEPHALUS-----742	390	56	84	12	10	4	2	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	274	28	74	10	10	10	6	8
32	CONGENITAL ANOMALIES OF HEART-----746	3,046	44	286	236	274	198	122	62
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	428	4	28	38	28	26	16	14
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	340	78	140	22	16	6	2	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	482	10	34	10	16	18	20	10
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	306	42	146	8	10	8	4	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	250	64	102	14	10	4	2	2
38	DOWN'S DISEASE-----759.3	74	2	8	2	2	4	2	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	874	212	280	70	36	2	16	6
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	164	22	40	18	10	12	2	4
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	24,502	3,002	12,602	3,652	2,076	878	550	334
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	4	2	2	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	270	38	144	34	22	10	10	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	152	10	78	24	16	8	10	-
46	RUBELLA-----761.3	14	2	6	2	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	104	26	60	8	6	2	-	-
48	TOXEMIA OF PREGNANCY-----762	94	18	42	18	8	2	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	128	36	68	14	4	-	2	2
50	DIFFICULT LABOR-----764-768	422	106	182	68	28	6	16	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----764-768	114	24	40	24	12	4	6	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----764-768	308	82	142	44	16	2	10	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	2,656	546	1,532	306	124	38	26	18
54	CONDITIONS OF PLACENTA-----770	1,360	394	772	98	46	20	10	2
55	CONDITIONS OF UMBILICAL CORD-----771	316	106	134	30	22	8	4	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,288	48	412	238	162	116	64	56
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	412	100	170	40	38	18	12	4
58	HYALINE MEMBRANE DISEASE-----776.1	3,662	24	1,402	912	608	198	140	76
59	RESPIRATORY DISTRESS SYNDROME-----776.2	3,252	94	1,498	724	396	148	86	46
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	4,700	568	2,762	600	314	144	80	48
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	462	64	188	82	34	26	12	8
62	IMMATURITY, UNQUALIFIED-----777	4,132	716	2,664	314	170	82	52	30
63	POSTMATURITY-----778.1	4	-	2	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	302	8	100	48	32	20	14	12
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,058	136	528	126	68	42	22	30
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	2,404	34	60	26	8	14	12	8
67	ACCIDENTS-----E800-E949	1,286	8	20	-	-	-	-	4
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	402	-	6	-	4	4	-	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	306	2	2	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	578	6	12	2	4	-	-	2
71	HOMICIDE-----E960-E978	102	12	-	-	-	-	-	-
72	ALL OTHER CAUSES-----PESTICIDE	902	8	56	34	34	28	12	8

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, MALE--ALL CAUSES-----	25,422	2,150	8,762	2,724	1,768	870	522	296
2	DIARRHEAL DISEASES-----009	176	-	2	-	2	4	4	4
3	WHOPPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	46	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	306	2	30	14	26	24	26	22
7	VIRAL DISEASES-----040-079	90	-	4	2	-	-	2	2
8	CONGENITAL SYPHILIS-----093	68	-	-	2	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	68	-	-	2	2	2	-	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	56	-	6	2	2	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	24	2	2	-	-	-	-	-
12	DISEASES OF THYMUS GLAND-----254	14	-	-	-	4	-	-	-
13	CYSTIC FIBROSIS-----273.0	50	-	-	2	4	2	2	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	70	-	6	6	2	6	2	-
15	MENINGITIS-----320	186	-	4	-	2	6	2	8
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	198	2	12	4	2	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	72	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	134	-	-	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,640	8	82	80	60	34	14	8
20	INFLUENZA-----470-474	16	2	-	-	16	-	-	-
21	PNEUMONIA-----480-486	1,624	6	82	80	60	34	14	8
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	14	-	4	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	202	6	22	12	2	4	2	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	240	32	82	32	12	8	4	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	12	-	-	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	152	4	4	-	4	12	8	4
27	CONGENITAL ANOMALIES-----740-759	4,346	428	914	320	314	218	114	62
28	ANENCEPHALUS-----740	318	94	134	34	8	14	6	2
29	SPINA BIFIDA-----741	210	22	16	8	10	8	2	2
30	CONGENITAL HYDROCEPHALUS-----742	198	22	46	8	8	-	-	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	142	12	44	8	4	4	4	4
32	CONGENITAL ANOMALIES OF HEART-----746	1,780	24	158	152	210	138	68	36
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	230	2	22	28	14	14	8	6
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	224	52	96	16	10	4	2	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	288	6	20	6	12	16	12	6
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	206	22	112	6	6	4	4	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	146	40	60	6	2	4	-	-
38	DOWN'S DISEASE-----759.3	40	2	8	2	2	2	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	468	124	174	36	20	2	8	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	96	6	24	10	8	8	-	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	14,518	1,630	7,510	2,212	1,300	520	326	172
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	2	-	2	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	148	20	80	14	10	2	10	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	92	6	48	12	8	2	10	-
46	RUBELLA-----761.3	10	2	2	2	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	46	12	30	-	2	-	-	-
48	TOXEMIA OF PREGNANCY-----762	58	6	24	14	6	2	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	74	22	42	6	2	-	2	-
50	DIFFICULT LABOR-----764-768	276	62	122	48	16	6	12	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----76	76	10	28	18	8	4	6	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----200	200	52	94	30	8	2	6	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,470	292	856	164	80	20	16	8
54	CONDITIONS OF PLACENTA-----770	812	236	470	50	24	12	4	-
55	CONDITIONS OF UMBILICAL CORD-----771	184	54	86	16	10	8	2	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	780	20	274	144	102	66	42	30
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	212	44	84	28	26	8	6	2
58	HYALINE MEMBRANE DISEASE-----776.1	2,414	18	906	586	430	134	84	56
59	RESPIRATORY DISTRESS SYNDROME-----776.2	2,052	62	950	462	236	86	54	32
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	2,714	312	1,602	364	194	80	40	18
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	224	24	84	44	18	14	8	6
62	IMMATURITY, UNQUALIFIED-----777	2,330	368	1,554	182	88	44	28	6
63	POSTMATURITY-----778.1	2	-	2	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	178	8	66	32	18	10	8	6
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	588	82	306	58	40	28	10	14
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,482	20	38	16	4	8	12	6
67	ACCIDENTS-----E800-E949	772	4	10	2	4	2	-	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	258	-	4	-	2	2	-	2
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	182	-	2	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	332	4	4	2	2	-	-	-
71	HOMICIDE-----E960-E978	58	8	-	-	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	496	4	30	18	22	20	4	6

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

4 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
276	17,368	1,042	488	398	19,296	1,480	1,224	918	630	404	366	324	244	216	148	172	1
4	20	28	18	12	78	24	14	6	10	8	4	10	10	8	2	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	6	-	2	8	2	6	4	4	2	2	12	4	-	2	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
10	154	58	16	10	238	22	14	6	4	-	12	6	2	-	-	2	6
-	10	10	4	4	28	8	12	6	10	2	4	2	8	6	2	2	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
4	10	4	4	-	18	8	10	6	2	6	-	-	6	2	2	8	9
-	10	2	-	-	12	2	2	2	-	6	6	6	-	2	8	10	10
-	4	2	2	-	8	2	-	-	2	-	-	4	6	2	-	-	11
-	4	-	-	-	4	4	2	2	2	-	-	-	-	-	-	-	12
2	12	4	-	4	20	4	4	10	-	4	-	4	2	2	-	-	13
4	26	2	6	4	38	8	4	4	4	2	-	4	2	2	-	2	14
2	24	12	12	14	62	22	22	8	16	4	10	18	8	8	2	6	15
-	20	4	2	-	26	26	12	26	16	20	22	18	6	8	8	10	16
-	-	-	-	2	2	18	18	12	6	6	6	-	2	-	-	2	17
-	-	2	4	4	6	18	36	12	14	8	18	6	6	4	4	4	18
20	306	56	28	48	438	270	270	214	154	84	70	42	30	36	14	18	19
-	2	-	-	-	2	4	4	-	4	-	-	-	2	-	-	-	20
20	304	56	28	48	436	266	266	214	150	84	70	42	28	36	14	18	21
-	4	-	-	-	4	2	-	2	-	2	2	-	-	2	-	-	22
-	48	6	4	8	66	28	30	26	14	12	6	6	6	2	4	2	23
4	174	12	4	6	196	16	6	8	-	6	-	-	4	-	-	-	24
4	4	-	-	-	4	2	-	-	2	2	-	2	-	-	-	-	25
10	46	22	6	10	84	22	18	-	4	10	2	4	2	2	-	4	26
54	2,424	330	194	140	3,088	378	236	150	116	82	58	60	50	40	48	40	27
2	294	14	6	2	316	2	-	-	-	-	-	-	-	-	-	-	28
-	68	18	30	16	132	16	12	12	14	4	4	4	2	2	6	4	29
-	84	8	8	8	108	34	16	6	4	2	10	8	4	2	4	4	30
-	80	12	2	2	96	6	12	4	2	2	4	4	2	4	4	4	31
30	816	194	92	66	1,168	188	124	72	56	38	16	32	22	24	22	18	32
4	98	36	14	10	158	28	20	4	6	6	-	4	4	-	-	-	33
-	180	2	4	4	190	10	6	12	2	4	-	-	-	-	-	-	34
4	82	30	12	18	142	36	20	14	12	16	12	8	8	4	10	6	35
4	160	6	4	-	170	18	6	2	-	2	2	2	2	2	2	2	36
4	116	2	4	2	124	12	2	-	4	2	2	-	-	-	-	2	37
-	16	2	4	-	22	-	6	4	-	-	2	2	2	-	-	-	38
4	370	4	6	10	390	22	6	16	12	6	6	-	4	4	-	2	39
2	60	2	8	2	72	6	6	4	4	2	-	2	-	-	-	-	40
146	13,816	418	118	58	14,410	52	18	16	10	4	4	4	-	-	-	-	41
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	42
-	136	6	2	2	146	2	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	86	4	2	-	92	-	-	-	-	-	-	-	-	-	-	-	45
-	6	2	-	-	8	2	-	-	-	-	-	-	-	-	-	-	46
-	44	-	-	2	46	-	-	-	-	-	-	-	-	-	-	-	47
-	52	4	-	2	58	-	-	-	-	-	-	-	-	-	-	-	48
-	74	-	-	-	74	-	-	-	-	-	-	-	-	-	-	-	49
2	268	8	-	-	276	-	-	-	-	-	-	-	-	-	-	-	50
2	76	-	-	-	76	-	-	-	-	-	-	-	-	-	-	-	51
-	192	8	-	-	200	-	-	-	-	-	-	-	-	-	-	-	52
10	1,466	14	4	-	1,464	2	2	-	-	-	2	-	-	-	-	-	53
4	800	4	-	-	804	2	-	2	-	-	-	2	-	-	-	-	54
-	176	4	-	2	182	-	-	-	2	-	-	-	-	-	-	-	55
26	704	52	18	6	780	-	-	-	-	-	-	-	-	-	-	-	56
2	200	10	-	-	210	-	-	2	-	-	-	-	-	-	-	-	57
24	2,238	104	36	8	2,386	10	12	4	2	-	-	-	-	-	-	-	58
20	1,902	88	12	10	2,012	24	4	6	2	-	2	-	-	-	-	-	59
36	2,646	38	16	12	2,712	-	-	-	-	2	-	-	-	-	-	-	60
2	194	14	10	4	222	2	-	-	-	-	-	-	-	-	-	-	61
16	2,286	30	4	2	2,322	6	-	-	-	2	-	-	-	-	-	-	62
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
4	152	16	8	2	176	-	-	-	-	-	-	-	-	-	-	-	64
-	538	26	8	8	580	4	-	2	2	-	-	-	-	-	-	-	65
2	106	30	40	48	224	328	328	266	126	52	64	28	34	16	6	10	66
2	26	14	14	12	66	120	98	84	66	58	50	62	42	52	32	42	67
2	12	8	2	2	24	42	48	34	32	16	12	12	8	4	8	8	68
-	2	2	2	6	12	46	22	14	16	18	20	6	4	4	6	6	69
-	12	4	10	4	30	32	28	36	18	24	30	30	28	44	18	24	70
-	8	2	-	2	8	8	8	6	4	2	2	6	-	8	-	2	71
8	112	18	16	10	156	86	56	42	44	22	24	20	14	10	14	8	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOP, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, FEMALE--ALL CAUSES-----	18,038	1,902	6,038	1,770	1,024	536	360	254
2	DIARRHEAL DISEASES-----009	124	2	2	-	2	4	4	-
3	WHOOPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	38	-	-	-	2	-	-	2
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	236	2	22	18	14	10	8	12
7	VIRAL DISEASES-----040-079	64	-	6	2	-	-	-	-
8	CONGENITAL SYPHILIS-----090	-	-	-	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	46	-	-	-	2	2	-	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	66	2	2	2	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	20	4	2	2	2	-	2	-
12	DISEASES OF THYMUS GLAND-----254	6	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	38	-	-	-	2	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	60	-	6	4	6	2	-	2
15	MENINGITIS-----320	122	-	-	6	-	2	4	-
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	190	-	4	-	4	-	-	2
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	32	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	82	-	-	-	-	2	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,072	6	74	46	22	10	10	8
20	INFLUENZA-----470-474	18	-	2	-	-	-	-	-
21	PNEUMONIA-----480-486	1,054	6	72	46	22	10	10	8
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	2	-	-	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	174	6	28	4	8	2	-	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	154	16	68	18	12	6	-	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	8	-	-	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	90	4	4	6	6	4	2	-
27	CONGENITAL ANOMALIES-----740-759	3,546	462	670	198	146	118	98	60
28	ANENCEPHALUS-----740	460	182	178	18	12	14	6	6
29	SPINA BIFIDA-----741	276	30	34	18	8	8	4	-
30	CONGENITAL HYDROCEPHALUS-----742	192	34	38	4	2	4	2	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	132	16	30	2	6	6	2	4
32	CONGENITAL ANOMALIES OF HEART-----746	1,266	20	128	84	64	60	54	26
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	198	2	6	10	14	12	8	8
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	116	26	44	6	6	2	-	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	194	4	14	4	4	2	8	4
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	100	20	34	2	4	4	-	-
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	104	24	42	-	8	-	2	2
38	DOWN'S DISEASE-----759.3	34	-	-	-	-	2	2	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	406	88	106	34	16	-	8	4
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	68	16	16	8	2	4	2	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	9,984	1,372	5,092	1,440	776	358	224	162
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	2	-	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	122	18	64	20	12	8	-	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	60	4	30	12	8	6	-	-
46	RUBELLA-----761.3	4	-	4	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	58	14	30	8	4	2	-	-
48	TOXEMIA OF PREGNANCY-----762	36	12	18	4	2	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	54	14	26	8	2	-	-	2
50	DIFFICULT LABOR-----764-768	146	44	60	20	12	-	4	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	38	14	12	6	4	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	108	30	48	14	8	-	4	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,186	254	676	142	44	18	10	10
54	CONDITIONS OF PLACENTA-----770	548	158	302	48	22	8	6	2
55	CONDITIONS OF UMBILICAL CORD-----771	132	52	48	14	12	-	2	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	488	26	138	94	60	50	22	26
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	200	56	86	12	12	10	6	2
58	HYALINE MEMBRANE DISEASE-----776.1	1,248	6	496	326	178	64	56	20
59	RESPIRATORY DISTRESS SYNDROME-----776.2	1,200	32	548	262	160	62	32	14
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,986	256	1,160	236	120	64	40	30
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	238	40	104	38	16	12	4	8
62	IMMATURITY, UNQUALIFIED-----777	1,802	348	1,110	132	82	38	24	24
63	POSTMATURITY-----778.1	2	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	124	-	34	16	14	10	6	6
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	470	54	222	68	28	14	12	16
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	922	14	22	10	4	6	-	2
67	ACCIDENTS-----E800-E949	514	4	10	-	4	2	-	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	144	-	2	-	2	2	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	124	2	-	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	246	2	8	-	2	-	-	2
71	HOMICIDE-----E960-E978	44	4	-	-	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	406	4	26	16	12	8	8	2

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
162	12,046	764	404	334	13,548	1,116	812	638	396	338	316	220	202	168	164	120	1
2	16	20	8	6	50	28	10	2	2	2	6	6	4	4	8	2	2
2	6	-	-	-	6	2	2	10	2	4	2	-	2	8	-	-	3
8	92	54	20	14	180	22	8	2	8	2	8	-	4	-	2	-	4
-	8	2	4	2	16	10	2	4	8	10	2	2	2	2	2	4	7
-	4	4	2	6	16	-	-	4	2	-	16	-	-	2	6	-	8
-	6	-	4	2	12	6	2	10	2	4	-	10	8	4	6	2	10
-	12	-	2	-	14	-	-	-	-	-	-	-	2	2	-	2	11
-	4	6	-	-	-	2	-	-	2	-	-	-	-	-	2	-	12
2	4	6	-	2	12	4	6	2	4	4	-	-	-	2	2	-	13
-	20	4	4	-	28	6	10	2	4	2	-	2	-	2	4	-	14
-	12	10	16	8	46	20	18	6	2	6	6	8	6	4	-	-	15
-	10	4	-	-	14	24	22	14	26	14	26	12	8	10	10	10	16
-	-	-	-	-	-	8	10	2	4	2	2	2	-	2	-	-	17
-	2	-	2	2	6	12	10	14	12	6	4	6	4	-	6	2	18
6	182	38	42	40	302	216	136	140	82	40	40	34	28	20	24	10	19
-	2	2	-	-	4	-	-	2	-	4	-	4	-	2	2	2	20
6	180	36	42	40	298	216	136	138	82	36	40	30	28	18	22	10	21
-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	22
-	48	2	4	6	60	32	26	16	4	6	10	4	8	2	2	4	23
-	120	4	2	-	126	2	6	-	4	4	6	2	-	2	-	2	24
-	-	-	-	4	4	-	2	-	-	-	-	-	-	-	2	-	25
8	34	8	2	2	46	4	14	2	4	6	2	6	-	2	2	2	26
42	1,794	284	140	134	2,352	336	192	150	106	98	88	50	68	46	36	24	27
2	418	12	4	2	436	14	4	2	2	2	-	-	-	-	-	-	28
2	104	30	8	26	168	28	20	20	10	6	2	6	10	4	2	-	29
2	86	-	8	4	98	14	18	8	8	8	2	8	10	8	6	4	30
12	78	10	4	4	96	10	6	-	8	2	2	2	2	2	2	-	31
12	448	144	62	42	696	154	88	84	56	58	38	18	26	24	16	8	32
4	64	38	18	18	138	30	14	2	2	2	4	2	-	2	2	2	33
-	86	6	-	4	96	4	10	-	-	2	2	-	2	-	-	-	34
2	42	18	10	6	76	34	2	16	8	2	20	10	6	6	6	8	35
-	64	2	8	8	82	4	2	-	2	4	-	4	4	2	-	-	36
-	86	4	2	4	96	2	4	-	-	2	-	-	-	-	-	-	37
-	6	2	2	-	10	2	2	2	4	2	6	-	6	-	-	-	38
6	262	12	14	16	304	34	22	14	4	10	8	4	2	-	2	2	39
-	50	6	-	-	56	6	-	2	2	-	2	-	-	-	-	-	40
86	9,510	270	106	46	9,932	32	8	2	2	6	2	-	-	-	-	-	41
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	42
-	122	-	-	-	122	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	60	-	-	-	60	-	-	-	-	-	-	-	-	-	-	-	45
-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	46
-	58	-	-	-	58	-	-	-	-	-	-	-	-	-	-	-	47
-	36	-	-	-	36	-	-	-	-	-	-	-	-	-	-	-	48
-	52	-	2	-	54	-	-	-	-	-	-	-	-	-	-	-	49
-	142	2	-	-	146	-	-	-	-	-	-	-	-	-	-	-	50
-	36	2	2	-	38	-	-	-	-	-	-	-	-	-	-	-	51
-	106	2	-	-	108	-	-	-	-	-	-	-	-	-	-	-	52
8	1,162	16	-	4	1,182	2	2	-	-	-	-	-	-	-	-	-	53
-	546	2	-	-	548	-	-	-	-	-	-	-	-	-	-	-	54
4	132	-	-	-	132	-	-	-	-	-	-	-	-	-	-	-	55
4	420	42	18	4	484	4	-	-	-	-	-	-	-	-	-	-	56
2	186	4	8	2	200	-	-	-	-	-	-	-	-	-	-	-	57
8	1,154	52	14	10	1,230	4	4	2	2	4	2	-	-	-	-	-	58
22	1,132	40	16	2	1,190	6	2	-	-	2	-	-	-	-	-	-	59
12	1,918	40	14	8	1,980	6	-	-	-	-	-	-	-	-	-	-	60
2	224	6	6	-	236	2	-	-	-	-	-	-	-	-	-	-	61
12	1,770	18	2	6	1,796	6	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	63
6	92	24	8	-	124	-	-	-	-	-	-	-	-	-	-	-	64
6	420	24	16	8	468	2	-	-	-	-	-	-	-	-	-	-	65
-	58	22	30	36	146	214	206	142	56	56	32	24	14	12	12	8	66
-	22	18	4	14	58	68	72	58	32	46	36	28	30	26	28	32	67
-	6	8	2	8	24	22	24	24	4	14	8	8	2	4	2	6	68
-	2	6	2	2	10	12	18	14	12	10	16	12	6	2	8	4	69
-	14	4	2	4	24	34	28	20	16	22	12	8	22	20	18	22	70
-	4	2	2	2	10	4	6	2	8	-	6	4	-	2	2	2	71
6	82	12	8	8	110	64	44	54	20	20	22	20	14	16	8	14	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, BOTH SEXES--ALL CAUSES-----	16,722	1,328	5,456	1,432	844	466	288	180
2	DIARRHEAL DISEASES-----009	334	-	2	-	2	6	4	6
3	WHOOPING COUGH-----033	4	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	12	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	278	4	24	22	18	20	12	12
7	VIRAL DISEASES-----040-079	64	2	-	-	-	-	-	-
8	CONGENITAL SYPHILIS-----093	2	-	-	-	2	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	80	2	2	-	-	-	-	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEPATOBIOTIC TISSUES-----140-209	28	-	6	-	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	10	-	4	-	-	-	-	-
12	DISEASES OF THYRUS GLAND-----254	4	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	6	-	-	-	2	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	88	-	14	6	2	2	2	-
15	MENINGITIS-----320	206	-	-	2	10	-	-	2
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	100	-	2	2	-	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	50	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466, 490, 491	162	-	2	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474, 480-486	1,620	8	70	40	28	24	26	6
20	INFLUENZA-----470-474	26	-	2	-	-	-	-	-
21	PNEUMONIA-----480-486	1,594	8	68	40	28	24	26	6
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	8	-	-	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492, 493, 500-516, 518, 519	142	2	16	-	2	-	-	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553, 560	94	6	22	6	-	4	2	2
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535, 561, 563	24	-	-	-	-	2	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534, 536, 537, 540-543, 562, 564-577	118	-	6	-	6	12	10	8
27	CONGENITAL ANOMALIES-----740-759	1,566	136	274	106	78	52	52	30
28	ANENCEPHALUS-----740	72	32	26	4	2	2	2	-
29	SPINA BIFIDA-----741	38	8	4	2	2	2	2	-
30	CONGENITAL HYDROCEPHALUS-----742	104	12	18	2	2	2	2	2
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743, 744	60	2	10	2	4	4	2	-
32	CONGENITAL ANOMALIES OF HEART-----746	642	10	76	54	42	34	26	16
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	108	-	14	6	4	2	2	2
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	104	20	38	10	4	-	-	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	140	-	6	4	2	4	8	6
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752, 753	56	12	24	4	6	-	-	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	30	8	8	-	-	-	-	-
38	DOWN'S DISEASE-----759.3	26	-	4	4	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2, 759.4-759.9	150	30	36	10	10	4	8	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745, 757, 758	36	-	10	4	-	-	-	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2, 769.4-772, 774-778	9,232	1,106	4,952	1,230	666	328	172	108
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	50	6	24	8	4	-	-	-
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	14	-	8	2	2	-	-	-
46	RUBELLA-----761.3	2	-	-	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2, 761.4-761.7, 761.9	34	6	16	6	2	-	-	-
48	TOXEMIA OF PREGNANCY-----762	40	8	16	8	4	-	2	2
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	68	24	26	6	-	-	2	6
50	DIFFICULT LABOR-----764-768	134	22	76	12	12	4	-	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	50	6	22	10	4	2	-	2
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	84	16	54	2	8	2	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2, 769.4, 769.5, 769.9	916	158	596	78	32	14	10	8
54	CONDITIONS OF PLACENTA-----770	284	70	180	20	8	2	2	-
55	CONDITIONS OF UMBILICAL CORD-----771	78	26	32	4	6	4	4	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	514	18	188	92	72	50	20	10
57	HEMOLYTIC DISEASE OF NEWBORN-----774, 775	86	14	38	2	10	10	2	4
58	HYALINE MEMBRANE DISEASE-----776.1	1,022	28	408	236	146	68	20	16
59	RESPIRATORY DISTRESS SYNDROME-----776.2	1,016	32	488	204	118	30	20	10
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	2,004	234	1,134	254	136	56	36	16
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0, 776.3, 776.4	218	34	92	48	18	8	2	-
62	IMMATURITY, UNQUALIFIED-----777	2,098	362	1,312	176	66	56	30	20
63	POSTMATURITY-----778.1	-	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	144	2	54	28	18	6	8	6
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0, 778.3, 778.9	560	68	288	54	16	20	14	8
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,388	32	32	8	14	8	4	4
67	ACCIDENTS-----E800-E949	498	6	6	2	4	4	-	-
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911, E912	140	-	-	-	4	2	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	102	-	2	2	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910, E914-E949	256	6	4	-	-	2	-	-
71	HOMICIDE-----E960-E978	70	12	2	-	2	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	534	12	20	8	8	4	4	-

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1966]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDEP 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
164	10,158	662	404	364	11,588	1,296	908	722	584	404	304	236	230	154	154	142	1
6	26	14	30	30	100	92	36	26	24	24	-	12	12	4	4	-	2
-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	3
-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	4
10	122	42	26	16	206	36	8	6	8	6	2	2	2	2	-	-	5
-	2	6	-	6	14	10	6	8	6	4	-	8	-	-	4	4	7
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	8
-	6	8	6	2	22	16	6	6	4	8	6	4	2	4	-	2	9
-	6	2	-	-	8	-	2	-	10	2	-	-	4	-	-	2	10
-	4	2	-	-	6	2	2	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	12
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	13
-	26	4	-	-	30	8	6	6	4	4	2	2	2	2	6	4	14
6	20	18	8	14	60	26	12	22	16	8	14	22	6	8	4	8	15
-	4	2	-	2	8	30	12	6	10	4	12	4	2	6	2	4	16
-	-	-	-	-	-	-	14	8	-	2	8	-	2	2	2	2	17
-	2	2	4	-	8	4	22	28	20	18	4	6	2	6	6	10	18
12	214	70	44	68	396	314	200	212	148	98	62	50	52	36	22	30	19
-	2	2	4	4	8	2	4	4	4	-	4	-	4	-	-	-	20
12	212	68	44	64	388	312	196	208	148	98	58	59	48	36	22	30	21
-	-	-	-	2	-	-	2	-	2	2	-	-	-	-	-	-	22
-	20	4	2	2	26	34	26	16	12	6	-	4	6	-	10	2	23
-	42	6	2	2	52	16	8	10	2	4	-	2	-	-	-	-	24
2	4	4	-	-	8	4	4	4	-	-	2	-	2	-	-	-	25
6	48	14	14	4	80	12	8	6	6	-	6	-	-	2	-	-	26
32	760	102	92	50	1,004	160	74	62	62	42	30	32	38	12	28	22	27
-	66	2	-	-	68	-	2	-	-	-	2	-	-	-	-	-	28
-	18	4	4	2	28	6	-	-	-	2	-	-	2	-	-	-	29
-	40	6	10	2	56	16	4	4	6	8	2	4	4	4	4	4	30
-	20	4	2	-	28	6	2	4	6	2	4	2	2	4	2	2	31
18	276	52	32	24	384	66	44	32	26	20	12	22	14	4	10	8	32
6	36	10	12	4	62	16	4	8	12	-	2	2	2	-	-	-	33
-	72	6	-	-	78	8	2	2	2	4	2	-	2	-	4	-	34
4	34	8	16	14	72	14	6	4	6	4	6	-	10	2	8	8	35
2	50	2	-	-	52	2	2	2	2	-	-	-	-	-	-	-	36
-	16	-	2	-	18	4	2	2	2	2	-	2	2	-	-	-	37
-	8	-	2	-	10	4	-	-	4	-	-	2	-	2	-	-	38
-	100	6	8	4	118	14	4	4	-	-	2	2	2	-	4	-	39
-	24	2	4	-	30	4	2	-	-	-	-	-	-	-	-	-	40
84	8,666	314	112	74	9,146	46	12	10	6	2	4	2	-	-	2	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	44	2	-	-	46	4	-	-	-	-	-	-	-	-	-	-	43
-	12	2	-	-	14	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	32	-	-	-	32	2	-	-	-	-	-	-	-	-	-	-	47
-	40	-	-	-	40	-	-	-	-	-	-	-	-	-	-	-	48
-	64	2	-	-	64	2	-	-	-	-	-	-	-	-	-	-	49
-	128	2	-	2	132	-	-	-	2	-	-	-	-	-	-	-	50
-	46	2	-	2	50	-	-	-	-	-	-	-	-	-	-	-	51
-	82	-	-	-	82	-	-	-	2	-	-	-	-	-	-	-	52
2	898	6	8	-	912	2	-	-	-	-	-	-	-	-	-	-	53
2	284	-	-	-	284	-	-	-	-	-	-	-	2	-	-	-	54
-	76	-	-	-	76	-	-	-	-	-	-	-	-	-	-	-	55
10	460	28	16	6	510	2	-	-	-	2	-	-	-	-	-	-	56
-	80	2	2	2	86	-	-	-	-	-	-	-	-	-	-	-	57
20	942	48	16	4	1,010	8	2	-	2	-	-	-	-	-	-	-	58
2	904	60	14	12	990	10	2	6	2	-	2	-	-	-	2	2	59
22	1,888	74	20	14	1,996	6	-	2	-	-	-	-	-	-	-	-	60
2	204	4	2	4	214	2	2	-	-	-	-	-	-	-	-	-	61
12	2,034	38	16	2	2,090	6	2	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
6	128	10	-	4	142	2	-	-	-	-	-	-	-	-	-	-	64
4	472	38	18	24	552	2	2	2	-	-	2	-	-	-	-	-	65
4	106	30	38	62	236	288	296	190	142	86	62	28	20	14	16	10	66
2	24	4	8	14	50	72	50	52	48	48	32	36	40	24	28	18	67
2	8	2	6	2	18	34	16	18	8	14	12	10	4	2	-	4	68
-	4	2	-	8	14	16	10	10	12	14	6	4	8	6	2	2	69
-	12	-	2	4	18	22	24	24	28	20	14	22	28	16	28	12	70
-	16	-	-	18	18	2	12	4	4	6	6	4	4	2	4	8	71
-	56	14	16	18	104	88	86	36	44	26	42	20	32	30	16	10	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOP, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, MALE--ALL CAUSES-----	9,288	742	3,088	806	484	258	154	108
2	DIARRHEAL DISEASES-----039	168	--	--	--	2	2	2	2
3	WHOOPING COUGH-----033	--	--	--	--	--	--	--	--
4	MENINGOCOCCAL INFECTIONS-----036	4	--	--	--	--	--	--	--
5	TETANUS-----037	--	--	--	--	--	--	--	--
6	SEPTICEMIA-----038	142	--	6	8	10	14	6	8
7	VIRAL DISEASES-----040-079	38	2	--	--	--	--	--	--
8	CONGENITAL SYPHILIS-----093	2	--	--	--	2	--	--	--
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	58	2	2	--	--	--	--	2
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	18	--	4	--	--	--	--	--
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	8	--	2	--	--	--	--	--
12	DISEASES OF THYRUS GLAND-----254	4	--	--	--	--	--	--	--
13	CYSTIC FIBROSIS-----273.0	4	--	--	--	--	--	--	--
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	52	--	12	4	2	--	--	--
15	MENINGITIS-----320	104	--	--	--	4	--	--	--
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	50	--	--	--	--	--	--	--
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	34	--	--	--	--	--	--	--
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	86	--	--	--	--	--	--	--
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	892	6	36	18	22	10	8	6
20	INFLUENZA-----470-474	16	--	--	--	--	--	--	--
21	PNEUMONIA-----480-486	876	6	36	18	22	10	8	6
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	4	--	--	--	--	--	--	--
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	86	2	8	--	--	--	--	--
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	62	2	14	2	--	2	2	2
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	12	--	--	--	--	2	--	--
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	78	--	6	--	4	10	6	8
27	CONGENITAL ANOMALIES-----740-759	802	74	144	70	50	30	20	18
28	ANENCEPHALUS-----740	30	14	12	2	--	--	2	--
29	SPINA BIFIDA-----741	26	6	2	2	--	--	2	--
30	CONGENITAL HYDROCEPHALUS-----742	50	4	10	2	--	--	--	2
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	36	--	6	2	--	4	--	--
32	CONGENITAL ANOMALIES OF HEART-----746	314	4	40	36	26	16	10	12
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	56	--	8	4	4	2	2	--
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	66	14	20	6	2	--	--	--
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	66	--	2	4	2	4	--	4
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	40	10	16	2	6	--	--	--
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	18	4	6	--	--	--	--	--
38	DOWN'S DISEASE-----759.3	8	--	2	2	--	--	--	--
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	80	18	20	6	4	4	4	--
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	14	--	--	2	6	--	--	--
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	5,198	620	2,822	694	372	176	102	60
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	--	--	--	--	--	--	--	--
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	30	4	18	--	2	--	--	--
44	SYPHILIS-----761.0	--	--	--	--	--	--	--	--
45	DIABETES MELLITUS-----761.1	10	--	6	--	2	--	--	--
46	RUBELLA-----761.3	--	--	--	--	--	--	--	--
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	20	4	12	--	--	--	--	--
48	TOXEMIA OF PREGNANCY-----762	20	4	6	6	--	--	2	2
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	38	8	22	4	--	--	--	4
50	DIFFICULT LABOR-----764-768	82	16	40	12	6	2	--	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)	32	2	14	10	2	--	--	2
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	50	14	26	2	4	2	--	--
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	472	84	308	38	16	4	6	2
54	CONDITIONS OF PLACENTA-----770	178	48	114	8	6	--	2	--
55	CONDITIONS OF UMBILICAL CORD-----771	42	10	22	--	2	4	2	--
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	300	12	120	52	40	22	16	4
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	56	6	24	2	10	6	2	4
58	HYALINE MEMBRANE DISEASE-----776.1	586	18	228	148	78	34	14	12
59	RESPIRATORY DISTRESS SYNDROME-----776.2	592	24	294	112	74	14	6	4
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,102	122	654	140	68	28	16	6
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	142	22	66	24	16	4	2	--
62	IMMATURITY, UNQUALIFIED-----777	1,188	194	734	102	34	40	26	8
63	POSTMATURITY-----778.1	--	--	--	--	--	--	--	--
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	82	--	32	18	12	4	2	4
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	288	48	140	28	8	14	6	8
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	760	18	16	4	8	4	4	2
67	ACCIDENTS-----E800-E949	278	4	4	2	4	4	--	--
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	90	--	--	--	2	2	--	--
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	58	--	2	2	--	--	--	--
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	130	4	2	--	--	2	--	--
71	HOMICIDE-----E960-E978	34	6	2	--	--	--	--	--
72	ALL OTHER CAUSES-----RESIDUAL	308	6	10	4	4	4	4	--

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
84	5,724	374	206	168	6,472	740	524	378	320	226	160	126	116	68	86	72	1
4	12	8	16	12	48	52	18	14	12	6	-	6	6	2	4	-	2
-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
4	56	20	14	10	100	20	2	4	4	6	2	2	2	2	-	-	5
-	2	4	-	2	8	4	6	4	6	-	-	-	-	-	-	-	7
2	2	6	2	2	16	14	6	4	2	8	4	-	2	2	-	-	8
-	6	6	2	2	16	14	6	4	2	8	4	-	2	2	-	-	9
-	4	2	-	-	6	2	-	-	6	2	-	-	2	-	-	2	10
-	2	2	-	-	4	2	2	-	2	-	-	-	-	-	-	-	11
-	2	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	12
-	18	2	-	-	20	4	4	2	2	2	10	2	2	-	4	-	13
4	8	8	6	4	26	12	4	8	12	8	12	14	4	2	2	2	14
-	-	-	-	-	-	12	6	6	4	4	10	2	-	4	2	2	15
-	-	-	-	-	-	4	8	6	6	-	6	-	2	2	-	-	16
-	-	-	2	-	2	12	12	16	10	6	4	4	2	4	6	8	17
4	110	40	26	38	214	178	122	110	84	58	34	24	28	6	16	18	18
4	110	38	26	36	210	176	120	108	84	58	32	24	24	6	16	18	19
-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	20
-	10	2	2	-	14	20	18	10	6	6	-	-	6	-	6	-	21
-	24	4	2	-	30	19	6	10	2	2	-	2	-	-	-	-	22
4	38	10	8	2	58	4	4	4	6	-	2	-	2	-	-	-	23
14	420	56	48	18	542	86	28	22	28	28	16	16	12	6	8	10	24
-	30	-	-	-	30	-	-	-	-	-	-	-	-	-	-	-	25
-	12	2	4	-	18	4	-	-	2	2	-	-	2	-	-	-	26
-	18	2	6	2	28	6	2	2	4	6	-	-	-	-	-	2	27
-	12	4	2	-	18	4	-	2	4	-	4	-	-	2	-	-	28
8	152	34	14	8	208	28	14	12	10	14	4	14	2	2	4	2	29
4	24	4	8	2	38	4	-	4	6	-	2	-	-	-	-	-	30
-	42	2	-	-	44	8	2	2	2	2	2	-	2	-	2	-	31
-	16	2	8	4	39	12	4	-	2	2	2	-	6	2	2	4	32
2	36	2	-	-	38	-	-	-	-	-	-	-	-	-	-	-	33
-	10	-	2	-	12	4	-	-	-	2	-	-	-	-	-	-	34
-	4	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	35
-	56	4	4	2	66	8	2	-	-	-	2	2	-	-	-	-	36
-	8	-	-	-	8	4	2	-	-	-	-	-	-	-	-	-	37
44	4,890	182	56	28	5,156	26	6	4	2	2	-	2	-	-	-	-	38
2	26	2	-	-	28	2	-	-	-	-	-	-	-	-	-	-	39
-	8	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-	40
2	18	-	-	-	18	2	-	-	-	-	-	-	-	-	-	-	41
-	20	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	42
-	38	-	-	-	38	-	-	-	-	-	-	-	-	-	-	-	43
-	78	2	-	-	80	-	-	-	2	-	-	-	-	-	-	-	44
-	30	2	-	-	32	-	-	-	-	-	-	-	-	-	-	-	45
-	48	-	-	-	48	-	-	-	2	-	-	-	-	-	-	-	46
2	460	2	6	-	468	2	-	-	-	-	-	2	-	-	-	-	47
-	178	-	-	-	178	-	-	-	-	-	-	-	-	-	-	-	48
6	40	-	-	-	40	-	2	-	-	-	-	-	-	-	-	-	49
-	272	20	6	-	298	-	-	-	-	2	-	-	-	-	-	-	50
-	54	2	-	-	56	-	-	-	-	-	-	-	-	-	-	-	51
10	542	34	4	2	582	4	-	-	-	-	-	-	-	-	-	-	52
2	530	36	10	6	582	6	-	4	-	-	-	-	-	-	-	-	53
12	1,046	30	14	6	1,096	6	-	-	-	-	-	-	-	-	-	-	54
-	134	4	-	-	138	2	2	-	-	-	-	-	-	-	-	-	55
8	1,146	28	10	-	1,184	4	-	-	-	-	-	-	-	-	-	-	56
2	74	6	-	2	82	-	-	-	-	-	-	-	-	-	-	-	57
-	252	16	6	12	286	-	2	-	-	-	-	-	-	-	-	-	58
4	60	18	14	32	124	168	164	108	74	50	22	22	6	12	4	6	59
2	18	4	2	10	34	44	34	22	30	26	12	22	16	14	18	6	60
2	6	2	-	-	8	28	12	8	4	10	8	8	2	2	-	-	61
-	4	2	-	8	14	6	6	4	6	12	2	2	4	4	-	-	62
-	8	-	2	2	12	10	16	10	20	4	2	12	12	8	18	6	63
-	8	-	-	-	8	2	6	2	2	2	2	2	2	2	2	2	64
-	32	6	8	10	56	62	62	16	22	10	22	6	22	10	10	10	65

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, FEMALE--ALL CAUSES-----	7,434	586	2,368	626	360	208	134	72
2	DIARRHEAL DISEASES-----009	166	--	2	--	--	4	2	4
3	WHOOPING COUGH-----033	4	--	--	--	--	--	--	--
4	MENINGOCOCCAL INFECTIONS-----036	8	--	--	--	--	--	--	--
5	TETANUS-----037	--	--	--	--	--	--	--	--
6	SEPTICEMIA-----038	136	4	18	14	8	6	6	4
7	VIRAL DISEASES-----040-079	26	--	--	--	--	--	--	--
8	CONGENITAL SYPHILIS-----090	--	--	--	--	--	--	--	--
9	OTHER INFECTIVE AND PARASITIC DISEASES-----PEMAINDER OF 000-136	22	--	--	--	--	--	--	--
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	10	--	2	--	--	--	--	--
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2	--	2	--	--	--	--	--
12	DISEASES OF THYMUS GLAND-----254	--	--	--	--	--	--	--	--
13	CYSTIC FIBROSIS-----273.0	2	--	--	--	--	--	--	--
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	36	--	2	2	--	2	2	--
15	MENINGITIS-----320	100	--	--	2	6	--	--	2
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	50	--	2	2	--	--	--	--
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	16	--	--	--	--	--	--	--
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	76	--	2	--	--	--	--	--
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	728	2	34	22	6	14	18	--
20	INFLUENZA-----470-474	10	--	2	--	--	--	--	--
21	PNEUMONIA-----480-486	718	2	32	22	6	14	18	--
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	4	--	--	--	--	--	--	--
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	56	--	8	--	2	--	--	--
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	32	4	8	4	--	2	--	--
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	12	--	--	--	--	--	--	--
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	40	--	--	--	2	--	4	--
27	CONGENITAL ANOMALIES-----740-759	764	62	130	36	28	22	32	12
28	ANENCEPHALUS-----740	42	18	14	2	--	2	--	--
29	SPINA BIFIDA-----741	12	2	2	--	2	--	--	--
30	CONGENITAL HYDROCEPHALUS-----742	54	8	8	--	2	--	2	--
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	24	2	4	--	--	--	2	--
32	CONGENITAL ANOMALIES OF HEART-----745	328	6	36	18	16	18	16	4
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	34	--	6	2	--	--	--	2
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	38	6	18	4	2	--	--	--
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	74	--	4	--	--	--	8	2
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	16	2	8	2	--	--	--	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	12	4	2	--	--	--	--	--
38	DOWN'S DISEASE-----759.3	18	--	2	2	--	--	--	--
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	70	12	16	4	6	--	4	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	22	2	10	2	--	--	--	--
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	4,034	486	2,130	536	294	152	70	48
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	--	--	--	--	--	--	--	--
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	20	2	6	8	2	--	--	--
44	SYPHILIS-----761.0	--	--	--	--	--	--	--	--
45	DIABETES MELLITUS-----761.1	4	--	2	2	--	--	--	--
46	RUBELLA-----761.3	2	--	--	--	--	--	--	--
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	14	2	4	6	2	--	--	--
48	TOXEMIA OF PREGNANCY-----762	20	4	10	2	4	--	--	--
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	30	16	4	2	--	--	2	2
50	DIFFICULT LABOR-----764-768	52	6	36	--	6	2	--	--
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	18	4	8	--	2	2	--	--
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	34	2	28	--	4	--	--	--
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	444	74	288	40	16	10	4	6
54	CONDITIONS OF PLACENTA-----770	106	22	66	12	2	--	--	--
55	CONDITIONS OF UMBILICAL CORD-----771	36	16	10	4	--	--	2	--
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	214	6	68	40	32	28	4	6
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	30	8	14	--	--	4	--	--
58	HYALINE MEMBRANE DISEASE-----776.1	436	10	180	88	68	34	6	4
59	RESPIRATORY DISTRESS SYNDROME-----776.2	424	8	194	92	44	16	14	6
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	902	112	480	114	68	28	20	10
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	76	12	26	24	2	4	--	--
62	IMMATURITY, UNQUALIFIED-----777	910	168	578	74	32	16	4	12
63	POSTMATURITY-----778.1	--	--	--	--	--	--	--	--
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	62	2	22	10	6	2	6	2
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	272	20	148	26	8	6	8	--
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	628	14	16	4	6	4	--	2
67	ACCIDENTS-----E800-E949	220	2	2	--	2	--	--	--
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	50	--	--	--	2	--	--	--
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	44	--	--	--	--	--	--	--
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	126	2	2	--	--	--	--	--
71	HOMICIDE-----E960-E978	36	6	--	--	2	--	--	--
72	ALL OTHER CAUSES-----RESIDUAL	226	6	10	4	4	--	--	--

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
80	4,434	288	198	196	5,116	556	384	344	264	178	144	110	114	86	68	70	1
2	14	6	14	18	52	40	18	12	12	18	-	6	6	2	-	-	2
-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	3
-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
6	66	22	12	6	106	16	6	2	4	-	-	2	-	-	-	-	6
-	-	2	-	4	6	6	-	4	-	4	-	4	-	-	-	2	7
-	-	2	4	-	6	2	-	2	2	-	2	4	-	-	-	2	8
-	2	-	-	-	2	-	2	-	4	-	-	-	2	-	-	-	10
-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	8	2	-	-	10	4	2	4	2	2	2	-	2	2	2	2	13
2	12	10	2	10	34	14	8	14	4	-	-	8	2	6	2	6	14
-	4	2	-	2	8	18	6	-	6	-	2	2	2	2	2	4	15
-	-	-	-	-	-	-	6	2	-	2	2	-	-	-	-	2	16
-	2	2	2	2	6	20	10	12	10	12	2	2	-	-	-	2	17
8	104	30	18	30	182	136	78	102	64	40	28	26	24	30	6	12	18
-	2	-	-	2	4	2	2	2	-	-	2	-	-	-	-	-	19
8	102	30	18	28	178	136	76	100	64	40	26	26	24	30	6	12	20
-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	22
-	10	2	-	-	12	14	8	6	6	-	-	4	-	-	4	2	23
-	18	2	-	2	22	6	-	-	-	2	-	-	-	-	-	-	24
2	2	4	-	-	6	4	-	2	-	-	-	-	-	-	-	-	25
2	10	4	6	2	22	8	2	2	-	-	4	-	-	2	-	-	26
18	340	46	44	32	462	74	46	40	34	14	14	16	26	6	20	12	27
-	36	2	-	-	38	-	2	-	2	-	-	-	-	-	-	-	28
-	6	2	-	2	10	2	-	-	-	-	-	-	-	-	-	-	29
-	22	2	4	-	28	10	2	2	2	2	-	2	4	-	2	2	30
-	8	2	-	-	10	2	2	2	2	2	-	2	2	2	2	2	31
10	124	18	18	16	176	38	30	20	16	6	8	8	12	2	6	6	32
2	12	6	4	2	24	12	4	4	6	-	2	2	-	-	-	-	33
-	30	4	-	-	34	-	-	-	-	2	-	-	-	-	2	-	34
4	18	6	8	10	42	2	2	4	4	2	4	-	4	-	6	4	35
-	14	-	-	-	14	2	-	-	-	-	-	-	-	-	-	-	36
-	6	-	-	-	6	-	2	2	2	-	-	-	2	-	-	-	37
-	4	-	2	-	6	-	2	2	4	2	-	2	-	2	-	-	38
-	44	2	4	2	52	6	2	4	-	-	-	-	2	-	4	-	39
2	16	2	4	2	22	-	-	-	-	-	-	-	-	-	-	-	40
40	3,756	132	56	46	3,990	20	6	6	4	-	4	-	-	-	2	2	41
-	18	-	-	-	18	2	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	45
-	14	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	46
-	20	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	47
-	26	2	-	-	28	2	-	-	-	-	-	-	-	-	-	-	48
-	50	-	-	2	52	-	-	-	-	-	-	-	-	-	-	-	49
-	16	-	-	2	18	-	-	-	-	-	-	-	-	-	-	-	50
-	34	-	-	-	34	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	438	4	2	-	444	-	-	-	-	-	-	-	-	-	-	-	53
2	106	-	-	-	106	-	-	-	-	-	-	-	-	-	-	-	54
-	36	-	-	-	36	-	-	-	-	-	-	-	-	-	-	-	55
4	188	8	10	6	212	2	-	-	-	-	-	-	-	-	-	-	56
-	26	-	2	2	30	-	-	-	-	-	-	-	-	-	-	-	57
10	400	14	12	2	428	4	2	-	2	-	-	-	-	-	-	-	58
-	374	24	4	6	408	4	2	2	2	-	2	-	-	-	2	2	59
10	842	44	6	8	900	-	-	2	-	-	-	-	-	-	-	-	60
2	70	-	2	4	76	-	-	-	-	-	-	-	-	-	-	-	61
4	888	10	6	2	906	2	2	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
4	54	4	-	2	60	2	-	-	-	-	-	-	-	-	-	-	64
4	220	22	12	12	266	2	-	2	-	-	2	-	-	-	-	-	65
-	46	12	24	30	112	120	132	82	68	36	40	6	14	2	12	4	66
-	6	-	6	4	16	28	16	30	18	22	20	14	24	10	10	12	67
-	2	-	6	2	10	6	4	10	4	4	4	2	2	-	-	4	68
-	-	-	-	-	-	10	4	6	6	2	4	2	6	2	-	2	69
-	4	-	-	2	6	12	8	14	8	16	12	10	16	8	10	6	70
-	8	-	2	-	10	-	6	2	4	4	4	-	2	-	2	2	71
-	24	8	8	8	48	26	24	20	22	16	20	14	10	20	6	-	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	UNITED STATES							
	TOTAL UNDER 1 YEAR	UNDER 28 DAYS			28 DAYS-11 MONTHS			
		TOTAL	WHITE	ALL OTHER	TOTAL	WHITE	ALL OTHER	
1 ALL CAUSES	60,182	44,432	32,844	11,588	15,750	10,616	5,134	
2 DIARRHEAL DISEASES	009	634	228	128	100	406	172	234
3 WHOOPING COUGH	033	4	-	-	4	-	-	4
4 MENINGOCOCCAL INFECTIONS	036	96	14	14	-	82	70	12
5 TETANUS	037	-	-	-	-	-	-	-
6 SEPTICEMIA	038	820	624	418	206	196	124	72
7 VIRAL DISEASES	040-079	218	58	44	14	160	110	50
8 CONGENITAL SYPHILIS	090	2	2	-	2	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	194	54	34	22	138	80	58
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	150	32	24	8	118	98	20
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	54	28	22	6	26	22	4
12 DISEASES OF THYMUS GLAND	254	24	4	4	-	20	16	4
13 CYSTIC FIBROSIS	273-0	92	34	32	2	58	54	4
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	218	96	66	30	122	64	58
15 MENINGITIS	320	514	168	108	60	346	200	146
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	488	48	40	8	440	348	92
17 ACUTE UPPER RESPIRATORY INFECTIONS	460-465	154	2	2	-	152	102	50
18 BRONCHITIS AND BRONCHIOLITIS	466,490,491	378	20	12	8	358	204	154
19 INFLUENZA AND PNEUMONIA	470-474,480-486	4,332	1,136	740	396	3,196	1,972	1,224
20 INFLUENZA	470-474	60	14	6	8	46	28	18
21 PNEUMONIA	480-486	4,272	1,122	734	388	3,150	1,944	1,206
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	24	8	6	2	16	10	6
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	518	152	126	26	366	250	116
24 HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	488	374	322	52	114	72	42
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	44	16	8	8	28	12	16
26 OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	360	210	130	80	150	112	38
27 CONGENITAL ANOMALIES	740-759	9,458	6,444	5,440	1,004	3,014	2,452	562
28 ANENCEPHALUS	740	850	820	752	68	30	26	4
29 SPINA BIFIDA	741	524	328	300	28	196	186	10
30 CONGENITAL HYDROCEPHALUS	742	494	262	206	56	232	184	48
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	334	220	192	28	114	82	32
32 CONGENITAL ANOMALIES OF HEART	746	3,688	2,248	1,864	384	1,440	1,182	258
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	536	358	296	62	178	132	46
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	444	364	286	78	80	54	26
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	622	290	218	72	332	264	68
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	362	304	252	52	58	54	4
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	280	238	220	18	42	30	12
38 DOWN'S DISEASE	759.3	100	42	32	10	58	42	16
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	1,024	812	694	118	212	180	32
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	200	158	128	30	42	36	6
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769.2,769.4-772,774-778	33,734	33,488	24,342	9,146	246	160	86
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	4	4	4	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	320	314	268	46	6	2	4
44 SYPHILIS	761.0	-	-	-	-	-	-	-
45 DIABETES MELLITUS	761.1	166	166	152	14	-	-	-
46 RUBELLA	761.3	16	12	12	-	4	2	2
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	138	136	104	32	2	-	2
48 TOXEMIA OF PREGNANCY	762	134	134	94	40	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	196	194	128	66	2	-	2
50 DIFFICULT LABOR	764-768	556	554	422	132	2	-	2
51 WITH MENTION OF BIRTH INJURY (.0-.3)		164	164	114	50	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)		392	390	308	82	2	-	2
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2,769.4,769.5,769.9	3,572	3,558	2,646	912	14	10	4
54 CONDITIONS OF PLACENTA	770	1,644	1,636	1,352	284	8	8	-
55 CONDITIONS OF UMBILICAL CORD	771	394	390	314	76	4	2	2
56 BIRTH INJURY WITHOUT MENTION OF CAUSE	772	1,782	1,774	1,264	510	8	4	4
57 HEMOLYTIC DISEASE OF NEWBORN	774,775	498	496	410	86	2	2	-
58 HYALINE MEMBRANE DISEASE	776.1	4,684	4,626	3,616	1,010	58	46	12
59 RESPIRATORY DISTRESS SYNDROME	776.2	4,268	4,192	3,202	990	76	50	26
60 ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	6,704	6,688	4,692	1,996	16	8	8
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	680	672	458	214	8	4	4
62 IMMATURE, UNQUALIFIED	777	6,230	6,208	4,118	2,090	22	14	8
63 PREMATURITY	778.1	4	4	4	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN	778.2	446	444	302	142	2	-	2
65 ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	1,618	1,600	1,048	552	18	10	8
66 SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	3,792	606	370	236	3,186	2,034	1,152
67 ACCIDENTS	E800-E949	1,784	174	124	50	1,610	1,162	448
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	542	66	48	18	476	354	122
69 ACCIDENTAL MECHANICAL SUFFOCATION	E913	408	36	22	14	372	284	88
70 OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	834	72	54	18	762	524	238
71 HOMICIDE	E960-E978	172	40	22	18	132	80	52
72 ALL OTHER CAUSES	RESIDUAL	1,436	370	266	104	1,066	636	430

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

ALABAMA					ALASKA					ARIZONA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
1,406	538	444	168	256	126	54	22	32	18	640	342	76	152	70	1
22	-	-	2	20	2	-	-	2	-	14	-	2	4	8	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
2	2	-	-	-	-	-	-	-	-	2	-	-	2	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
30	6	10	8	6	6	2	-	2	2	20	2	6	8	4	6
4	-	2	-	2	2	-	-	-	-	-	-	-	-	-	7
4	2	-	-	2	-	-	-	-	-	2	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	13
6	2	-	-	4	-	-	-	-	-	2	-	2	-	-	14
24	6	2	2	14	-	-	-	-	-	8	-	2	6	-	15
8	-	-	2	6	-	-	-	-	-	2	-	-	2	-	16
10	-	-	6	4	-	-	-	-	-	2	-	-	2	-	17
4	-	-	2	2	-	-	-	-	-	4	-	-	2	-	18
126	8	20	24	74	12	2	-	6	4	64	12	4	30	18	19
4	2	2	-	-	-	-	-	-	-	2	-	-	2	-	20
122	6	18	24	74	12	2	-	6	4	62	12	4	28	18	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
18	6	4	4	4	-	-	-	-	-	2	-	-	2	-	23
12	8	-	2	2	-	-	-	-	-	6	6	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	2	-	-	-	-	-	-	-	-	2	-	-	-	2	26
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	27
150	94	30	38	28	24	10	-	10	4	110	48	12	42	8	28
16	12	4	-	-	-	-	-	-	-	16	14	2	-	-	29
12	4	-	8	-	-	-	-	-	-	6	4	-	-	-	30
14	4	6	2	2	-	-	-	-	-	-	-	-	-	-	31
4	2	2	-	2	-	-	-	-	-	2	-	-	2	-	32
58	24	10	14	10	14	6	-	6	2	52	14	6	26	6	33
8	4	-	-	4	-	-	-	-	-	6	2	-	2	2	34
2	2	-	-	-	-	-	-	-	-	4	2	-	2	-	35
30	10	6	10	4	2	-	-	-	2	6	2	-	4	-	36
6	2	-	4	-	-	-	-	-	-	-	-	-	-	-	37
2	2	-	-	-	-	-	-	-	-	4	4	-	-	-	38
-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	39
28	24	2	-	2	6	2	-	4	-	8	2	2	4	-	40
10	4	2	-	4	2	2	-	-	-	2	2	-	-	-	41
748	392	350	6	-	60	40	20	-	-	306	260	46	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	44
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	49
10	2	8	-	-	-	-	-	-	-	6	6	-	-	-	50
6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	51
4	2	2	-	-	-	-	-	-	-	6	6	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
32	18	14	-	-	2	2	-	-	-	28	28	-	-	-	54
32	20	12	-	-	2	2	-	-	-	14	12	2	-	-	55
4	2	2	-	-	-	-	-	-	-	10	10	-	-	-	56
64	40	24	-	-	4	4	-	-	-	46	40	6	-	-	57
12	8	4	-	-	-	-	-	-	-	4	4	2	-	-	58
112	78	32	2	-	16	8	8	-	-	36	28	8	-	-	59
88	48	36	4	-	2	2	-	-	-	32	30	2	-	-	60
154	72	82	-	-	10	6	4	-	-	50	42	8	-	-	61
14	8	6	-	-	-	-	-	-	-	16	8	8	-	-	62
178	76	102	-	-	12	8	4	-	-	46	38	8	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
6	2	4	-	-	-	-	-	-	-	6	6	-	-	-	65
30	10	20	-	-	12	8	4	-	-	8	6	2	-	-	66
116	6	22	34	54	16	-	2	6	8	56	8	2	28	18	67
42	2	-	22	18	4	-	-	4	-	18	2	-	14	2	68
12	-	-	6	6	-	-	-	-	-	6	-	-	6	-	69
10	2	-	4	4	-	-	-	-	-	2	-	-	2	-	70
20	-	-	12	8	4	-	-	-	-	10	2	-	6	2	71
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	72
30	-	4	12	14	-	-	-	-	-	18	4	-	8	6	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	ARKANSAS				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	594	322	116	198	48
2 DIARRHEAL DISEASES-----009	8	-	-	4	4
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	2	-	-	2	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	12	6	2	2	2
7 VIRAL DISEASES-----040-079	4	-	-	4	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	6	2	2	-	2
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	-	-	2	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2	-	-	2	-
12 DISEASES OF THYRUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	-	-	2	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	10	-	4	4	2
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	-	-	-	-	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	6	-	-	4	2
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	32	10	4	8	10
20 INFLUENZA-----470-474	2	-	-	-	2
21 PNEUMONIA-----480-486	30	10	4	8	8
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	4	2	-	2	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	8	4	-	4	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	4	2	-	-	2
27 CONGENITAL ANOMALIES-----740-759	88	52	12	18	6
28 ANENCEPHALUS-----740	8	8	-	-	-
29 SPINA BIFIDA-----741	8	4	4	-	-
30 CONGENITAL HYDROCEPHALUS-----742	4	-	-	4	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	-	-	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	32	16	4	6	6
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	-	-	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	4	4	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	10	6	2	2	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	8	6	-	2	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	2	2	-	-	-
38 DOWN'S DISEASE-----759.3	2	-	-	2	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	6	6	-	-	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	4	-	2	2	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	322	232	86	2	2
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	2	-	2	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	2	-	2	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	4	4	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	8	6	2	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	8	6	2	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	24	16	8	-	-
54 CONDITIONS OF PLACENTA-----770	20	18	2	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	4	4	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	8	4	4	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	6	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	50	44	6	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	44	26	16	2	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	56	38	18	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	6	4	2	-	-
62 IMMATURITY, UNQUALIFIED-----777	72	52	20	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	6	4	2	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	12	6	4	-	2
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	44	10	6	24	4
67 ACCIDENTS-----E800-E949	24	-	-	18	6
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	8	-	-	6	2
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	6	-	-	6	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	10	-	-	6	4
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	14	2	-	6	6

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

[numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CALIFORNIA					COLORADO					CONNECTICUT					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
4,794	2,852	620	1,024	298	660	462	30	158	10	662	406	84	138	34	1
44	24	4	12	4	8	4	-	2	2	2	2	-	-	-	2
14	-	-	14	-	6	-	-	6	-	-	-	-	-	-	3
48	32	12	2	2	8	4	-	2	2	4	2	-	2	-	4
20	10	-	8	2	2	-	-	2	-	2	2	-	-	-	5
8	-	-	6	2	4	2	-	2	-	-	-	-	-	-	6
22	-	2	16	4	4	2	-	2	-	-	-	-	-	-	7
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	8
4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	9
10	4	-	4	2	-	-	-	-	-	-	-	-	-	-	10
14	2	-	8	4	8	8	-	-	-	-	-	-	-	-	11
50	14	2	28	6	2	2	-	2	-	8	-	-	4	4	12
32	2	-	28	2	2	-	-	2	-	2	-	-	2	-	13
12	-	-	12	-	2	-	-	2	-	-	-	-	-	-	14
20	-	-	18	2	-	-	-	-	-	2	-	-	2	-	15
418	52	16	264	86	30	6	-	24	-	30	6	-	22	2	16
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	17
416	52	16	262	86	30	6	-	24	-	30	6	-	22	2	18
6	2	-	2	2	-	-	-	-	-	-	-	-	-	-	19
44	8	-	24	12	4	2	-	2	-	12	2	-	2	8	20
52	44	2	4	2	-	-	-	-	-	6	4	2	-	-	21
2	-	2	-	-	-	-	-	-	-	2	-	-	2	-	22
28	12	4	12	-	6	4	-	2	-	8	2	-	6	-	23
840	490	88	206	56	122	76	4	40	2	112	74	8	28	2	24
64	56	4	4	-	8	8	-	-	-	18	16	2	-	-	25
34	22	4	8	-	4	2	-	2	-	4	4	-	-	-	26
38	20	2	12	4	6	2	-	4	-	4	4	-	-	-	27
12	6	2	-	4	2	2	-	2	2	2	2	-	-	-	28
370	186	40	124	20	44	24	2	18	-	40	24	2	12	2	29
52	34	-	12	6	12	10	-	2	-	8	6	2	-	-	30
50	34	8	4	4	6	4	-	2	-	4	2	2	-	-	31
36	16	4	8	8	8	4	-	4	-	8	2	-	6	-	32
28	14	6	8	-	-	-	-	-	-	2	2	-	-	-	33
28	22	2	4	-	-	-	-	-	-	2	2	-	-	-	34
8	2	-	-	6	4	2	-	2	-	4	2	-	2	-	35
100	64	16	18	2	22	16	2	4	-	16	8	-	8	-	36
20	14	-	4	2	2	2	-	-	-	-	-	-	-	-	37
2,586	2,080	474	18	14	374	346	24	4	-	378	304	72	2	-	38
24	18	6	-	-	2	2	-	-	-	4	4	-	-	-	39
2	2	-	-	-	2	2	-	-	-	4	4	-	-	-	40
22	16	6	-	-	-	-	-	-	-	-	-	-	-	-	41
8	6	2	-	-	4	4	-	-	-	-	-	-	-	-	42
22	14	8	-	-	6	6	-	-	-	2	2	-	-	-	43
54	42	12	-	-	6	6	-	-	-	-	-	-	-	-	44
18	14	4	-	-	-	-	-	-	-	-	-	-	-	-	45
36	28	8	-	-	6	6	-	-	-	-	-	-	-	-	46
314	254	60	-	-	30	30	-	-	-	46	32	14	-	-	47
162	140	22	-	-	14	14	-	-	-	8	8	-	-	-	48
30	28	2	-	-	2	2	-	-	-	-	-	-	-	-	49
138	100	38	-	-	30	26	4	-	-	12	12	-	-	-	50
38	32	4	2	-	10	8	2	-	-	2	2	-	-	-	51
452	362	80	4	6	70	64	6	-	-	40	32	8	-	-	52
348	278	52	10	8	64	56	6	2	-	46	36	8	2	-	53
420	354	66	-	-	66	66	-	-	-	102	80	22	-	-	54
56	82	14	-	-	2	-	2	-	-	6	6	-	-	-	55
252	184	68	-	-	58	52	4	2	-	90	70	20	-	-	56
50	42	8	-	-	2	2	-	-	-	4	4	-	-	-	57
178	144	32	2	-	14	14	-	-	-	16	16	-	-	-	58
272	32	4	184	52	40	4	2	34	-	64	2	-	50	12	59
122	12	2	88	20	14	-	-	10	4	12	2	-	8	2	60
28	2	2	22	2	2	-	-	-	2	6	2	-	4	-	61
20	2	-	16	2	-	-	-	-	-	-	-	-	-	-	62
74	8	-	50	16	12	-	-	10	2	6	-	-	4	2	63
30	2	4	14	10	4	-	-	4	-	4	2	-	2	-	64
92	28	4	46	14	20	4	-	16	-	14	4	-	6	4	65

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	DELAWARE				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	168	70	52	22	24
2 DIARRHEAL DISEASES-----009	2	-	2	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	-	-	-	-	-
7 VIRAL DISEASES-----040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	-	-	-	-	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	8	-	-	2	6
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	8	-	-	2	6
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	-	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	2	2	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	2	-	-	2	-
27 CONGENITAL ANOMALIES-----740-759	28	14	6	6	2
28 ANENCEPHALUS-----740	2	2	-	-	-
29 SPINA BIFIDA-----741	2	-	-	2	-
30 CONGENITAL HYDROCEPHALUS-----742	-	-	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	-	-	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	12	4	4	4	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	2	2	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	2	-	2	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	-	-	-	-	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	2	2	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	2	2	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	4	2	-	-	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	92	52	40	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	-	-	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	2	2	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	2	2	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	6	2	4	-	-
54 CONDITIONS OF PLACENTA-----770	2	-	2	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	2	2	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	8	4	4	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	4	2	2	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	8	4	4	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	12	8	4	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	20	12	8	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	-	-	-	-	-
62 IMMATUREITY, UNQUALIFIED-----777	20	10	10	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	4	4	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	4	2	2	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	14	2	-	6	6
67 ACCIDENTS-----E800-E949	8	-	4	-	4
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	-	-	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	-	2	-	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	6	-	2	-	4
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	10	-	-	4	6

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
330	22	220	6	82	2,024	966	544	310	204	1,702	680	508	200	314	1
6	-	4	-	2	28	-	8	4	16	30	-	8	2	20	2
-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
6	-	-	-	6	26	14	6	4	2	24	6	14	2	2	5
-	-	-	-	4	-	-	-	4	-	12	-	-	2	10	7
2	-	-	-	2	6	-	-	2	4	10	2	2	2	4	8
-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	12
2	-	-	-	4	-	2	-	2	-	2	-	-	-	2	13
6	-	-	-	8	-	2	2	-	4	8	-	2	-	6	14
6	-	2	-	4	-	2	2	10	8	16	6	-	4	6	15
-	-	-	-	18	-	2	-	10	6	12	-	-	6	6	16
4	-	-	-	6	-	-	-	4	2	8	-	-	4	4	17
12	-	-	-	10	-	-	-	8	2	6	-	-	2	4	18
12	-	4	-	8	114	12	20	46	36	212	16	32	44	120	19
-	-	-	-	-	-	-	-	-	-	10	-	-	-	10	20
12	-	4	-	8	114	12	20	46	36	202	16	32	44	110	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
2	-	2	-	-	14	-	-	4	10	22	-	2	14	6	23
-	-	-	-	-	16	8	4	4	-	4	4	-	-	-	24
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	25
-	-	-	-	-	18	2	10	4	2	14	6	6	-	2	26
28	4	14	2	8	306	168	40	70	28	204	102	46	30	26	27
2	2	-	-	-	26	24	2	-	-	8	8	-	-	-	28
-	-	-	-	-	16	12	-	4	-	12	12	-	-	-	29
2	-	-	-	2	14	4	2	5	2	20	8	4	4	4	30
2	-	-	-	2	16	10	-	4	2	8	2	2	2	4	31
12	2	6	2	2	126	44	18	44	20	72	36	18	12	6	32
2	-	-	-	2	14	10	2	2	-	16	8	4	2	2	33
-	-	-	-	-	18	12	2	4	-	14	8	2	-	4	34
4	-	2	-	2	30	14	8	4	4	20	4	2	10	4	35
-	-	-	-	-	10	8	2	-	-	4	4	4	-	4	36
-	-	-	-	-	8	8	-	-	-	4	2	2	-	2	37
-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	38
6	-	6	-	-	24	18	4	2	-	14	10	4	-	-	39
-	-	-	-	-	4	4	-	-	-	8	4	4	-	-	40
206	18	188	-	-	1,180	730	438	4	8	892	524	362	2	4	41
2	-	2	-	-	6	4	2	-	-	8	8	-	-	-	42
2	-	2	-	-	2	2	-	-	-	8	8	-	-	-	43
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	44
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	45
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	46
2	-	2	-	-	6	2	4	-	-	8	8	-	-	-	47
2	-	2	-	-	2	2	2	-	-	8	8	6	-	-	48
2	-	2	-	-	18	10	6	-	2	8	2	10	-	-	49
2	-	2	-	-	6	2	4	-	-	10	10	4	-	-	50
2	-	2	-	-	12	8	2	-	2	8	4	4	-	-	51
24	-	24	-	-	114	66	46	2	-	106	58	48	-	-	52
4	2	2	-	-	40	22	18	-	-	38	28	10	-	-	53
2	-	2	-	-	18	14	4	-	-	8	6	2	-	-	54
12	-	12	-	-	76	52	24	-	-	34	24	10	-	-	55
-	-	-	-	-	16	12	4	-	-	4	4	4	-	-	56
24	4	20	-	-	172	120	50	-	2	130	94	34	2	-	57
16	4	12	-	-	146	104	40	2	-	120	78	42	-	-	58
10	2	8	-	-	228	136	90	-	2	184	100	84	-	-	59
2	-	2	-	-	20	12	8	-	-	30	18	12	-	-	60
72	4	68	-	-	244	124	120	-	-	134	54	76	-	4	61
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
2	2	-	-	-	8	4	4	-	-	20	16	4	-	-	63
30	-	30	-	-	66	48	16	-	2	36	16	20	-	-	64
44	-	6	4	34	112	4	12	56	40	104	6	22	34	42	65
8	-	-	-	8	62	2	-	44	16	74	2	4	36	32	66
4	-	-	-	4	10	-	-	4	6	24	-	2	12	10	67
4	-	-	-	4	18	2	-	14	2	18	-	2	10	6	68
2	-	-	-	2	34	-	-	26	8	32	2	-	14	16	69
2	-	-	-	2	2	2	-	-	-	4	2	2	2	2	70
2	-	-	-	2	60	12	2	28	18	36	4	6	8	18	71

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	HAWAII				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	260	52	158	12	38
2 DIARRHEAL DISEASES-----009	-	-	-	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	10	-	8	2	-
7 VIRAL DISEASES-----040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYRUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	2	-	2	-	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	4	-	2	-	2
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	2	-	-	2	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	20	-	6	2	12
20 INFLUENZA-----470-474	2	-	-	-	-
21 PNEUMONIA-----480-486	18	-	4	2	12
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	-	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	2	-	2	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	2	-	2	-	-
27 CONGENITAL ANOMALIES-----740-759	34	6	14	2	12
28 ANENCEPHALUS-----740	2	2	-	-	-
29 SPINA BIFIDA-----741	2	-	-	2	-
30 CONGENITAL HYDROCEPHALUS-----742	-	-	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	-	-	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	14	4	8	-	2
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	4	-	4	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	8	-	2	-	6
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	4	-	-	-	4
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	-	-	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	-	-	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	-	-	-	-	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	164	46	116	-	2
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	-	-	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	6	-	6	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.31)	4	-	4	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	2	-	2	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	18	6	12	-	-
54 CONDITIONS OF PLACENTA-----770	4	2	2	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	2	-	2	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	4	-	2	-	2
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	10	4	6	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	14	-	14	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	24	10	14	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	30	10	20	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	4	-	4	-	-
62 IMMATURITY, UNQUALIFIED-----777	42	14	28	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	-	2	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	4	-	4	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	10	-	4	2	4
67 ACCIDENTS-----E800-E949	4	-	2	2	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	4	-	-	2	2
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	-	-	-	-	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	-	-	-	-	-
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	6	-	2	-	4

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

TOTAL, UNDER 1 YEAR	IDAHO				TOTAL, UNDER 1 YEAR	ILLINOIS				TOTAL, UNDER 1 YEAR	INDIANA						
	UNDER 28 DAYS		28 DAYS-11 MONTHS			TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS			
	WHITE	ALL OTHER	WHITE	ALL OTHER			WHITE	ALL OTHER	WHITE			ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER
240	148	8	76	8	3,604	1,768	904	528	404	1,630	1,098	178	286	68	1		
-	-	-	-	-	14	2	2	6	4	20	10	2	4	4	2		
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	3		
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4		
4	-	2	2	-	22	6	8	2	6	10	6	2	-	2	5		
-	-	-	-	-	8	-	-	8	-	10	4	-	6	-	7		
-	-	-	-	-	8	2	-	2	4	6	-	-	4	2	8		
-	-	-	-	-	10	2	2	4	2	4	2	-	4	-	9		
-	-	-	-	-	4	-	-	2	-	2	2	-	-	-	10		
-	-	-	-	-	2	-	-	2	-	4	2	-	2	-	11		
-	-	-	-	-	2	4	-	2	-	2	2	-	2	-	12		
2	-	-	2	-	8	4	-	2	4	12	-	4	8	-	13		
-	-	-	-	-	36	10	2	14	12	12	2	4	8	2	14		
2	-	-	2	-	14	2	-	12	-	10	2	4	4	-	15		
-	-	-	-	-	4	-	-	-	4	2	-	-	2	-	16		
-	-	-	-	-	116	6	6	38	66	6	-	-	6	-	17		
26	12	-	10	4	284	42	44	108	90	112	36	10	50	16	18		
26	12	-	10	4	280	40	44	106	90	112	36	10	50	16	19		
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	20		
6	-	-	6	-	24	8	-	18	-	18	8	-	8	-	22		
-	-	-	-	-	22	14	4	2	2	22	16	-	4	2	23		
-	-	-	-	-	-	-	-	-	-	6	2	2	2	-	24		
2	2	-	-	-	20	8	4	4	4	18	2	2	6	4	25		
-	-	-	-	-	500	286	74	106	34	274	182	12	74	6	26		
44	26	2	14	2	52	44	6	6	8	34	32	4	4	2	27		
4	4	-	-	-	22	8	6	8	2	22	12	2	10	-	28		
2	2	-	-	-	32	8	2	20	2	24	12	2	10	-	29		
2	2	-	-	-	14	10	8	4	4	8	8	8	8	-	30		
16	6	2	8	-	192	96	30	44	22	98	52	8	38	-	31		
6	4	-	2	-	20	8	4	6	2	10	6	-	4	-	32		
6	4	-	-	-	18	8	8	2	2	10	8	-	2	-	33		
-	-	-	-	-	32	14	4	4	4	10	12	-	4	-	34		
2	-	-	2	-	28	15	6	4	2	14	8	-	2	-	35		
2	-	-	2	-	24	22	2	2	2	8	8	-	2	-	36		
-	-	-	-	-	8	-	-	-	-	2	-	-	-	-	37		
6	4	-	2	-	42	38	2	2	-	26	14	-	6	-	38		
-	-	-	-	-	22	14	2	6	-	10	10	-	-	-	39		
106	104	4	-	-	2,102	1,352	740	-	6	912	782	128	-	-	40		
-	-	-	-	-	20	18	-	-	-	8	-	-	-	-	41		
-	-	-	-	-	10	10	-	-	-	6	-	-	-	-	42		
-	-	-	-	-	10	6	-	-	-	2	-	-	-	-	43		
-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	44		
-	-	-	-	-	18	12	6	-	-	4	4	-	-	-	45		
-	-	-	-	-	18	18	8	-	-	8	8	-	-	-	46		
-	-	-	-	-	10	10	-	-	-	4	4	-	-	-	47		
-	-	-	-	-	14	12	6	-	-	-	-	-	-	-	48		
-	-	-	-	-	14	18	8	-	-	8	8	-	-	-	49		
-	-	-	-	-	10	10	-	-	-	4	4	-	-	-	50		
-	-	-	-	-	14	14	-	-	-	4	4	-	-	-	51		
-	-	-	-	-	14	14	-	-	-	4	4	-	-	-	52		
-	-	-	-	-	14	14	-	-	-	72	64	8	-	-	53		
-	-	-	-	-	67	68	14	2	-	54	48	10	-	-	54		
-	-	-	-	-	37	38	4	-	-	16	14	2	-	-	55		
-	-	-	-	-	17	22	30	-	-	44	30	14	-	-	56		
-	-	-	-	-	28	22	8	-	-	12	12	-	-	-	57		
-	-	-	-	-	24	26	46	2	-	132	118	14	-	-	58		
16	18	-	-	-	192	136	56	-	-	108	98	8	-	-	59		
16	16	2	-	-	800	418	378	-	-	170	132	38	-	-	60		
22	22	-	-	-	40	32	8	-	-	12	10	2	-	-	61		
4	4	-	-	-	298	210	88	-	-	218	186	28	-	-	62		
24	24	2	-	-	12	8	4	-	-	8	8	-	-	-	63		
-	-	-	-	-	12	8	24	-	-	44	40	4	-	-	64		
-	-	-	-	-	22	22	-	-	-	44	40	4	-	-	65		
-	-	-	-	-	78	12	4	52	10	84	12	4	40	8	66		
-	-	-	-	-	78	6	-	48	24	50	14	-	30	6	67		
-	-	-	-	-	26	2	-	18	6	22	8	-	2	2	68		
-	-	-	-	-	14	2	-	8	4	10	2	-	8	-	69		
-	-	-	-	-	2	2	-	22	14	18	4	-	10	4	70		
-	-	-	-	-	2	2	-	16	4	10	4	-	2	2	71		
-	-	-	-	-	226	6	12	82	126	24	12	2	8	2	72		

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	ICWA				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	720	562	20	132	6
2 DIARRHEAL DISEASES-----009	-	-	-	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	10	10	-	-	-
7 VIRAL DISEASES-----040-079	8	-	-	6	2
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	4	-	-	4	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	2	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYRUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	-	-	-	-	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	2	-	-	2	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	40	16	-	24	-
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	40	16	-	24	-
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	2	-	-	2	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	4	4	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	4	4	-	-	-
27 CONGENITAL ANOMALIES-----740-759	128	88	4	34	2
28 ANENCEPHALUS-----740	12	12	-	-	-
29 SPINA BIFIDA-----741	8	4	-	4	-
30 CONGENITAL HYDROCEPHALUS-----742	-	-	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	4	2	-	2	-
32 CONGENITAL ANOMALIES OF HEART-----746	54	32	2	18	2
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	4	4	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	12	10	2	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	4	-	-	4	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	4	4	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	2	2	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	20	14	-	6	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	4	4	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	446	430	14	2	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	6	6	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	4	4	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	2	2	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	6	6	-	-	-
51 WITH MENTION OF BIRTH INJURY (1.0-.3)-----	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (1.4,.9)-----	4	4	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	46	46	-	-	-
54 CONDITIONS OF PLACENTA-----770	22	22	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	6	6	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	20	20	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	6	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	50	50	-	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	62	60	-	2	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	86	76	10	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	8	8	-	-	-
62 IMMATURITY, UNQUALIFIED-----777	100	100	-	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	8	4	4	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	20	20	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	34	2	-	30	2
67 ACCIDENTS-----E800-E949	14	-	-	14	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E8.1,E912	10	-	-	10	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	-	-	2	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	2	-	-	2	-
71 HOMICIDE-----E960-E978	2	2	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	18	4	2	12	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965

KANSAS					KENTUCKY					LOUISIANA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
580	404	54	110	12	980	646	80	220	34	1,508	600	540	174	194	1
2	-	-	-	2	12	6	-	4	2	6	2	-	2	2	2
-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
8	6	-	2	-	20	16	2	-	2	38	22	12	4	-	5
-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	7
-	-	-	-	-	2	-	-	2	-	4	2	-	2	-	8
-	-	-	-	-	4	-	-	4	-	8	-	-	6	2	9
4	-	-	4	-	4	-	-	4	-	2	-	-	2	2	10
-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	11
-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	12
2	2	-	-	-	-	-	-	-	-	4	2	2	2	-	13
-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	14
6	-	-	6	-	4	2	-	2	-	12	4	-	2	6	15
2	-	-	2	-	16	-	-	16	-	14	2	-	8	4	16
2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	17
4	-	-	4	-	2	-	-	2	-	12	-	-	2	-	18
44	12	2	26	4	82	18	-	54	10	142	20	20	38	64	19
2	-	-	2	-	2	-	-	2	-	2	-	-	-	-	20
42	12	2	24	4	80	18	-	52	10	140	20	18	38	64	21
2	-	-	2	-	2	2	-	2	-	-	-	-	-	-	22
4	2	2	4	-	6	2	-	2	2	10	-	-	4	6	23
2	2	-	2	-	10	6	2	2	-	18	8	6	2	2	24
-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	25
2	2	-	-	-	8	4	2	2	-	8	-	4	-	4	26
88	52	4	28	4	166	98	8	54	6	206	82	54	50	20	27
4	4	-	4	-	8	8	-	-	-	16	6	10	-	-	28
8	6	-	2	-	20	12	2	6	-	6	2	4	4	4	29
2	-	-	2	-	4	2	-	2	-	12	-	6	2	4	30
-	-	-	-	-	8	8	-	4	-	4	-	2	2	2	31
34	20	-	14	-	80	38	6	30	6	76	24	14	28	10	32
8	2	-	6	-	8	6	-	2	-	12	2	6	4	-	33
10	6	2	2	2	4	4	-	-	-	6	4	-	2	-	34
2	-	-	2	-	10	4	-	6	-	14	2	4	6	2	35
4	4	-	-	-	4	2	-	2	-	4	2	-	-	-	36
4	4	-	-	-	4	2	-	2	-	2	2	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
10	4	2	4	-	14	8	-	6	-	50	32	14	2	2	39
2	2	-	6	-	6	6	-	4	-	4	4	-	-	-	40
372	324	46	2	-	542	474	62	6	-	876	446	430	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	4	-	-	-	8	6	2	-	-	18	12	6	-	-	43
-	-	-	-	-	4	2	2	-	-	10	10	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	4	-	-	-	4	4	-	-	-	8	2	6	-	-	46
-	-	-	-	-	2	2	-	-	-	4	-	4	-	-	47
2	2	-	-	-	6	4	2	-	-	8	4	4	-	-	48
12	10	2	-	-	18	18	-	-	-	12	10	2	-	-	49
-	-	-	-	-	2	2	-	-	-	6	4	2	-	-	50
12	10	2	-	-	16	16	-	-	-	6	6	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
34	34	-	-	-	50	46	2	2	-	94	42	52	-	-	53
18	16	2	-	-	28	26	2	-	-	30	18	12	-	-	54
10	10	-	-	-	6	6	-	-	-	6	4	2	-	-	55
20	16	4	-	-	44	36	8	-	-	72	34	38	-	-	56
8	6	2	-	-	14	14	-	-	-	16	6	10	-	-	57
62	52	8	2	-	66	56	10	-	-	130	52	78	-	-	58
52	48	4	-	-	90	82	4	4	-	90	52	38	-	-	59
58	48	10	-	-	88	74	14	-	-	130	82	48	-	-	60
8	6	2	-	-	8	8	-	-	-	22	12	10	-	-	61
78	66	12	-	-	100	88	12	-	-	182	94	88	-	-	62
-	-	-	-	-	8	4	4	-	-	22	10	12	-	-	63
6	6	-	-	-	6	4	2	-	-	40	14	26	-	-	64
14	2	-	12	-	64	14	2	38	10	30	2	-	8	20	66
14	-	-	14	-	26	-	-	26	-	56	4	-	18	32	67
2	-	-	2	-	12	-	-	12	-	22	-	-	10	12	68
-	-	-	-	-	6	-	-	6	-	12	4	-	4	4	69
12	-	-	12	-	8	-	-	8	-	22	-	2	4	16	70
-	-	-	-	-	2	-	-	2	-	6	-	2	2	4	71
8	-	-	6	2	10	4	2	2	2	36	4	6	14	12	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	MAINE				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	298	218	-	78	2
2 DIARRHEAL DISEASES-----009	-	-	-	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	2	2	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	4	4	-	-	-
7 VIRAL DISEASES-----040-079	4	-	-	4	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	2	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	-	-	-	-	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	-	-	-	-	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	4	-	-	2	2
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	12	-	-	12	-
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	12	-	-	12	-
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	-	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	2	2	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	-	-	-	-	-
27 CONGENITAL ANOMALIES-----740-759	54	32	-	22	-
28 ANENCEPHALUS-----740	2	2	-	-	-
29 SPINA BIFIDA-----741	2	-	-	2	-
30 CONGENITAL HYDROCEPHALUS-----742	8	6	-	2	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	2	-	-	2	-
32 CONGENITAL ANOMALIES OF HEART-----746	12	4	-	8	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	4	4	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	2	2	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	2	2	-	-	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	10	6	-	4	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	-	-	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	8	4	-	4	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	2	2	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	170	170	-	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	-	-	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	2	2	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	2	2	-	-	-
51 WITH MENTION OF BIRTH INJURY (1.0-.31)-----	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (1.4,.91)-----	2	2	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	14	14	-	-	-
54 CONDITIONS OF PLACENTA-----770	12	12	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	-	-	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	16	16	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	4	4	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	24	24	-	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	10	10	-	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	40	40	-	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	4	4	-	-	-
62 IMMATURETY, UNQUALIFIED-----777	28	28	-	-	-
63 POSTMATURETY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	6	6	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	8	8	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	24	2	-	22	-
67 ACCIDENTS-----E800-E949	12	4	-	8	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	-	-	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	-	-	2	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	10	4	-	6	-
71 HOMICIDE-----E960-E978	2	-	-	2	-
72 ALL OTHER CAUSES-----RESIDUAL	6	-	-	6	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

MARYLAND					MASSACHUSETTS					MICHIGAN					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
930	440	232	158	100	1,132	768	90	250	24	2,706	1,420	630	442	214	1
4	2	-	2	-	8	-	-	8	-	6	-	-	2	4	2
2	-	-	-	2	2	-	-	2	-	2	2	-	-	-	4
6	6	-	-	-	14	8	4	2	-	22	10	8	2	2	6
4	-	2	-	2	12	4	-	4	4	6	-	-	6	-	7
-	-	-	-	-	2	2	-	-	-	4	2	2	-	-	9
-	2	-	-	-	4	-	-	4	-	4	2	-	2	-	10
2	2	-	-	-	2	-	-	2	-	4	-	-	4	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	-	-	2	2	4	-	-	4	-	4	-	-	4	-	13
6	-	2	2	2	6	4	-	2	-	10	6	2	-	2	14
10	-	4	6	-	6	2	2	2	-	16	8	4	4	-	15
8	-	-	8	-	8	-	-	8	-	20	2	-	14	4	16
-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	17
6	2	-	4	-	-	-	-	-	-	4	-	-	4	-	18
38	12	4	12	10	110	18	4	76	12	160	30	14	82	34	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
38	12	4	12	10	110	18	4	76	12	160	30	14	82	34	21
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	22
8	2	2	4	6	18	4	2	12	2	8	4	-	2	2	23
8	2	-	-	-	10	6	2	2	-	20	14	2	4	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
10	-	2	6	2	-	-	-	-	-	26	14	2	6	4	26
168	96	16	46	10	228	162	12	52	2	464	262	50	126	26	27
12	12	-	-	-	26	26	-	-	-	32	28	2	2	-	28
6	4	-	2	-	14	6	-	8	-	32	16	2	12	2	29
8	8	-	-	-	6	6	-	6	-	26	14	4	8	-	30
4	4	-	-	-	10	8	-	2	-	14	8	2	4	-	31
76	44	4	24	4	88	56	2	30	-	198	112	14	58	14	32
4	-	2	2	2	16	10	2	2	2	20	6	6	6	2	33
4	2	2	-	-	14	12	2	-	-	12	8	4	-	-	34
10	2	2	8	-	8	4	-	4	-	28	12	-	14	2	35
4	2	2	-	-	20	16	4	-	-	24	18	4	4	-	36
4	2	2	-	-	2	2	-	-	-	22	14	2	2	2	37
6	-	2	2	2	2	2	-	-	-	4	2	2	2	-	38
26	16	-	8	2	20	14	2	4	-	48	24	8	12	4	39
4	2	2	2	-	2	2	-	2	-	4	2	-	2	-	40
5C2	304	196	-	2	622	544	66	12	-	1,592	1,046	530	4	12	41
6	4	-	-	2	2	2	-	-	-	10	6	4	-	-	42
4	4	-	-	-	2	2	-	-	-	2	2	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	-	-	-	2	-	-	-	-	-	8	4	4	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
4	2	2	-	-	4	4	-	-	-	8	4	4	-	-	47
4	2	2	-	-	6	6	-	-	-	14	10	4	-	-	48
4	4	4	-	-	4	4	-	-	-	22	18	4	-	-	49
2	2	-	-	-	4	4	-	-	-	10	8	2	-	-	50
2	2	-	-	-	4	4	-	-	-	12	10	2	-	-	51
24	22	2	-	-	84	80	4	-	-	200	144	56	-	-	53
22	14	8	-	-	24	24	-	-	-	88	68	20	-	-	54
10	8	2	-	-	2	2	-	-	-	14	10	4	-	-	55
24	10	14	-	-	32	26	6	-	-	86	60	26	-	-	56
8	6	2	-	-	14	12	2	-	-	34	30	4	-	-	57
52	66	26	-	-	94	88	4	2	-	192	130	60	2	-	58
80	52	28	-	-	48	44	4	-	-	186	104	74	2	6	59
96	62	34	-	-	112	102	8	2	-	312	210	102	-	-	60
24	14	10	-	-	12	8	2	2	-	28	12	14	-	2	61
72	28	44	-	-	144	118	24	2	-	290	170	118	-	-	62
4	-	4	-	-	20	14	6	-	-	16	10	6	-	-	63
32	12	20	-	-	20	10	6	4	-	92	60	30	-	2	64
86	4	2	34	46	40	4	-	34	2	210	16	6	94	94	66
34	4	-	20	10	14	4	-	8	2	80	-	4	56	20	67
8	2	-	4	2	10	4	-	4	2	16	-	2	10	4	68
14	-	-	10	4	2	-	-	-	-	22	-	-	18	4	69
12	2	-	6	4	2	-	-	2	-	42	-	2	28	12	70
4	-	-	2	2	-	-	-	-	-	6	-	4	4	2	71
22	4	2	10	6	18	6	-	12	-	36	2	6	22	6	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category.

CAUSE OF DEATH	MINNESOTA				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	994	722	34	226	12
2 DIARRHEAL DISEASES-----009	16	14	-	2	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	2	-	-	2	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	8	8	-	-	-
7 VIRAL DISEASES-----040-079	2	2	-	-	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2	-	-	2	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEPATOBIOTIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	4	2	-	2	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	18	12	-	6	-
15 MENINGITIS-----320	8	2	-	6	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	10	-	-	10	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	10	-	-	10	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	4	-	-	4	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	46	12	-	34	-
20 INFLUENZA-----470-474	2	-	-	2	-
21 PNEUMONIA-----480-486	44	12	-	32	-
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	14	6	-	8	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	10	10	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	-	-	-	-	-
27 CONGENITAL ANOMALIES-----740-759	172	112	-	56	4
28 ANENCEPHALUS-----740	8	4	-	2	2
29 SPINA BIFIDA-----741	6	2	-	4	-
30 CONGENITAL HYDROCEPHALUS-----742	8	8	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	12	8	-	4	-
32 CONGENITAL ANOMALIES OF HEART-----746	62	34	-	28	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	12	12	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	20	12	-	6	2
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	14	6	-	8	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	12	10	-	2	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	4	4	-	-	-
38 DOWN'S DISEASE-----759.3	2	-	-	2	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	12	12	-	-	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	570	532	32	6	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	10	10	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	2	2	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	8	8	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	4	4	-	-	-
50 DIFFICULT LABOR-----764-768	10	6	4	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	8	4	4	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	76	72	4	-	-
54 CONDITIONS OF PLACENTA-----770	40	38	2	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	16	16	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	26	2	2	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	6	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	100	90	4	6	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	52	52	-	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	86	80	6	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	14	14	-	-	-
62 IMMATUREITY, UNQUALIFIED-----777	94	86	8	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	18	16	2	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	18	18	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	64	2	-	56	6
67 ACCIDENTS-----E800-E949	22	-	2	18	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	8	-	-	6	2
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	4	-	-	4	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	10	-	2	8	-
71 HOMICIDE-----E960-E978	2	-	-	2	-
72 ALL OTHER CAUSES-----RESIDUAL	10	8	-	2	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

MISSISSIPPI					MISSOURI					MONTANA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
1,196	396	462	86	252	1,308	728	274	222	84	242	152	24	58	8	1
70	-	28	-	42	4	-	2	2	-	-	-	-	-	-	2
2	-	-	-	2	4	-	-	4	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
20	-	10	2	8	30	12	6	12	-	-	-	-	-	-	5
6	-	-	4	2	4	-	-	4	-	-	-	-	-	-	7
4	-	2	2	-	2	-	-	2	-	-	-	-	-	-	8
2	-	-	2	-	2	2	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
4	-	-	2	2	6	2	-	-	4	2	-	-	2	-	11
8	2	-	-	6	12	6	-	4	4	-	-	-	-	-	12
4	-	-	-	4	8	-	-	8	-	2	-	-	2	-	13
2	-	-	-	2	-	-	-	-	-	4	-	-	4	-	14
2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	15
70	4	18	6	42	76	12	6	36	22	10	-	-	6	4	16
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	17
70	4	18	6	42	74	10	6	36	22	10	-	-	6	4	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
6	-	2	2	2	16	8	2	6	-	4	-	-	4	-	20
10	4	2	-	4	4	4	-	-	-	-	-	-	-	-	21
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	22
2	-	-	2	-	8	-	6	2	-	-	-	-	-	-	23
118	60	22	14	22	194	118	26	42	8	38	24	4	8	2	24
16	14	2	-	-	26	24	2	2	-	-	-	-	-	-	25
4	4	-	-	-	6	6	-	-	-	2	-	-	2	-	26
6	2	-	-	4	12	4	2	4	2	-	-	-	-	-	27
4	2	2	2	8	8	8	-	-	-	4	2	-	2	-	28
42	10	6	8	18	68	38	8	18	4	10	8	-	-	2	29
4	2	-	2	-	8	4	-	4	-	4	2	-	2	-	30
10	4	6	-	-	8	4	2	2	-	-	-	-	-	-	31
12	8	2	2	-	12	-	12	-	-	-	-	-	-	-	32
4	4	-	-	-	8	2	6	-	-	4	4	-	-	-	33
2	2	-	-	-	8	6	2	-	-	4	-	-	-	-	34
4	4	-	-	-	2	2	-	-	-	2	2	-	-	-	35
4	4	-	-	-	24	20	2	2	2	10	6	2	2	-	36
6	-	4	2	-	4	-	2	2	-	2	2	2	2	-	37
662	312	348	2	-	782	558	218	-	6	146	126	20	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
2	-	2	-	-	8	4	4	-	-	-	-	-	-	-	40
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	8	4	4	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	8	4	4	-	-	-	-	-	-	-	47
-	-	-	-	-	6	4	2	-	-	2	2	-	-	-	48
2	2	-	-	-	8	2	4	-	2	-	-	-	-	-	49
12	6	6	-	-	22	14	8	-	-	4	2	2	-	-	50
4	4	2	-	-	2	2	-	-	-	-	-	-	-	-	51
8	6	2	-	-	20	12	8	-	-	4	2	2	-	-	52
50	34	16	-	-	88	60	28	-	-	18	14	4	-	-	53
34	20	14	-	-	24	20	4	-	-	8	8	-	-	-	54
4	2	2	-	-	12	12	-	-	-	2	-	-	-	-	55
24	6	18	-	-	26	20	6	-	-	2	2	-	-	-	56
6	6	6	-	-	4	4	-	-	-	2	2	-	-	-	57
106	66	40	-	-	162	108	54	-	-	24	22	2	-	-	58
56	54	40	2	-	122	100	20	-	2	14	14	-	-	-	59
110	62	48	-	-	152	94	58	-	-	18	14	4	-	-	60
10	-	10	-	-	14	12	2	-	-	2	2	-	-	-	61
178	50	128	-	-	92	68	22	-	2	40	32	8	-	-	62
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	63
4	4	4	-	-	12	8	4	-	-	2	2	-	-	-	64
24	10	14	-	-	28	26	2	-	-	6	6	-	-	-	65
138	8	26	16	88	74	2	4	44	24	20	2	-	16	2	66
46	2	2	28	14	44	2	-	32	10	8	-	-	8	-	67
10	2	-	4	4	14	2	-	8	4	-	-	-	-	-	68
12	-	2	4	6	14	-	-	12	2	-	-	-	2	-	69
24	-	-	20	4	16	-	-	12	4	6	-	-	6	-	70
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	71
18	4	2	4	8	32	2	4	24	2	6	-	-	6	-	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	NEBRASKA				
	TOTAL UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	392	266	38	76	12
2 DIARRHEAL DISEASES-----009	-	-	-	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	4	2	-	2	-
7 VIRAL DISEASES-----040-079	2	-	-	2	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	6	-	-	6	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	-	-	2	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	2	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	4	4	-	-	-
15 MENINGITIS-----320	2	-	-	2	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	24	12	-	10	2
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	24	12	-	10	2
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	6	-	-	6	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	-	-	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	2	2	-	-	-
27 CONGENITAL ANOMALIES-----740-759	62	42	-	20	-
28 ANENCEPHALUS-----760	4	4	-	-	-
29 SPINA BIFIDA-----761	-	-	-	-	-
30 CONGENITAL HYDROCEPHALUS-----762	2	2	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	6	6	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	20	14	-	6	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	2	2	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	2	2	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	10	-	-	10	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	4	2	-	2	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	4	4	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	8	6	-	2	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	238	198	38	2	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	4	4	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	2	2	-	-	-
46 RUBELLA-----761.3	2	2	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	16	12	4	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	6	4	2	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	10	8	2	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	48	42	6	-	-
54 CONDITIONS OF PLACENTA-----770	28	26	2	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	8	6	2	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	10	10	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	2	2	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	40	36	4	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	26	18	6	2	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	24	22	2	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	2	2	-	-	-
62 IMMATURETY, UNQUALIFIED-----777	14	10	4	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	4	4	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	12	4	8	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	18	-	-	14	4
67 ACCIDENTS-----E800-E949	6	-	-	4	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	-	-	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	-	-	-	2
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	4	-	-	4	-
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	12	4	-	4	4

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

[numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
148	86	18	36	8	202	146	-	54	2	1,754	934	428	228	164	1
2	-	2	-	-	2	-	-	2	-	10	4	-	4	2	2
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
6	4	2	-	-	-	-	-	-	-	24	12	8	4	-	5
-	-	-	-	-	-	-	-	-	-	8	2	-	4	2	7
-	-	-	-	-	-	-	-	-	-	6	2	-	2	2	8
-	-	-	-	-	-	-	-	-	-	8	2	-	6	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	6	4	-	2	-	14
-	-	-	-	-	-	-	-	-	-	6	-	4	2	-	15
-	-	-	-	-	-	-	-	-	-	6	-	-	4	2	16
2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	17
16	4	4	8	-	20	4	-	16	2	134	32	10	48	44	18
16	4	4	8	-	20	4	-	16	-	134	32	10	48	44	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
2	-	-	2	-	-	-	-	-	-	18	2	-	10	4	22
-	-	-	-	-	-	-	-	-	-	12	6	2	2	2	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
18	8	2	6	2	26	16	-	10	-	226	112	26	70	18	27
2	2	-	-	-	2	2	-	-	-	20	16	2	2	-	28
-	-	-	-	-	-	-	-	-	-	6	2	-	4	-	29
-	-	-	-	-	-	-	-	-	-	16	4	-	8	2	30
8	4	-	2	2	10	8	-	2	-	10	6	2	2	-	31
-	-	-	-	-	-	-	-	-	-	88	30	14	38	6	32
-	-	-	-	-	-	-	-	-	-	18	12	2	2	2	33
-	-	-	-	-	-	-	-	-	-	16	14	-	-	2	34
4	-	-	4	-	6	2	-	4	-	10	8	-	6	4	35
-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	36
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	37
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	38
4	2	2	-	-	-	-	-	-	-	28	16	4	8	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
74	64	8	2	-	116	116	-	-	-	1,108	738	362	4	4	41
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	42
-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	43
-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	48
2	2	-	-	-	-	-	-	-	-	8	2	6	-	-	49
2	2	-	-	-	-	-	-	-	-	2	2	2	-	-	50
-	-	-	-	-	-	-	-	-	-	6	4	-	-	-	51
6	4	2	-	-	8	8	-	-	-	128	98	30	-	-	53
4	4	-	-	-	6	6	-	-	-	52	46	4	2	-	54
2	2	-	-	-	2	2	-	-	-	14	10	4	-	-	55
4	4	-	-	-	4	4	-	-	-	40	28	12	-	-	56
2	2	-	-	-	-	-	-	-	-	16	14	2	-	-	57
24	20	2	2	-	14	14	-	-	-	112	94	18	-	-	58
4	2	-	-	-	20	20	-	-	-	144	102	42	-	-	59
8	8	-	-	-	24	24	-	-	-	230	138	92	-	-	60
2	2	-	-	-	4	4	-	-	-	30	14	14	-	2	61
14	12	2	-	-	24	24	-	-	-	236	134	102	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	2	-	-	-	-	-	-	-	-	14	6	6	-	2	64
-	-	-	-	-	-	-	-	-	-	64	32	30	2	-	65
12	2	-	4	6	14	-	-	12	2	108	8	8	40	52	66
6	2	-	4	4	4	-	-	4	-	26	4	2	10	10	67
-	-	-	-	-	-	-	-	-	-	8	-	2	4	2	68
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	69
6	2	-	4	-	-	-	-	-	-	16	4	-	-	8	70
-	-	-	-	-	-	-	-	-	-	4	-	-	-	4	71
10	2	-	8	-	10	4	-	6	-	36	4	2	14	16	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	NEW MEXICO				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	380	248	32	60	40
2 DIARRHEAL DISEASES-----009	8	2	-	2	4
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	2	-	-	-	2
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	2	-	2	-	-
7 VIRAL DISEASES-----040-079	6	2	-	-	4
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMSUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	-	-	2	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	4	-	-	2	2
15 MENINGITIS-----320	2	-	-	-	2
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	4	-	-	2	2
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	2	2	-	-	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	32	2	4	14	12
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	32	2	4	14	12
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	4	4	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	4	2	2	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	4	-	-	4	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	4	4	-	-	-
27 CONGENITAL ANOMALIES-----740-759	58	32	-	22	4
28 ANENCEPHALUS-----740	4	4	-	-	-
29 SPINA BIFIDA-----741	4	-	-	4	-
30 CONGENITAL HYDROCEPHALUS-----742	2	-	-	2	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	2	-	-	2	-
32 CONGENITAL ANOMALIES OF HEART-----746	14	6	-	8	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	4	2	-	-	2
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	2	2	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	10	4	-	6	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	-	-	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	4	4	-	-	-
38 DOWN'S DISEASE-----759.3	2	-	-	-	2
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	10	10	-	-	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	210	190	20	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	-	-	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	8	4	4	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	8	4	4	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	-	-	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	20	18	2	-	-
54 CONDITIONS OF PLACENTA-----770	10	8	2	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	2	2	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	12	12	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	8	8	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	28	28	-	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	42	36	6	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	18	16	2	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	2	2	-	-	-
62 IMMATURETY, UNQUALIFIED-----777	50	46	4	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	-	-	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	10	10	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	16	4	2	6	4
67 ACCIDENTS-----E800-E949	12	2	2	4	4
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	2	2	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	-	-	2	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	8	-	2	-	4
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	2	2	-	-	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
4,472	2,364	990	722	396	2,064	920	578	274	292	150	100	6	36	8	1
24	2	4	6	12	40	14	6	2	18	2	-	-	-	2	2
10	2	-	8	-	6	-	-	4	2	-	-	-	-	-	4
50	26	12	6	6	28	12	14	2	-	2	-	-	2	-	6
14	2	2	6	4	6	2	-	-	4	2	-	-	-	2	7
8	-	-	6	2	10	2	-	2	6	-	-	-	-	-	9
16	4	2	8	2	2	2	-	-	-	-	-	-	-	-	10
6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	-	-	2	-	6	4	-	2	-	-	-	-	-	-	13
18	6	4	4	4	6	2	2	2	2	2	-	-	2	-	14
52	10	6	28	8	30	6	4	2	18	-	-	-	-	-	15
36	-	-	30	6	18	2	-	14	2	-	-	-	-	-	16
8	-	-	4	4	2	-	-	-	2	-	-	-	-	-	17
16	-	-	12	4	20	-	-	12	8	6	-	-	6	-	18
332	52	38	126	116	126	26	8	38	54	12	2	-	8	2	19
4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	20
328	52	38	122	116	122	26	8	34	54	12	2	-	8	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
34	8	4	14	8	14	4	-	6	4	2	-	-	2	-	23
44	26	4	8	6	18	8	2	2	6	-	-	-	-	-	24
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	25
28	10	4	12	2	10	2	2	4	2	2	-	-	2	-	26
710	378	104	178	50	284	146	50	56	32	14	6	-	8	-	27
76	62	10	4	-	26	24	2	-	-	-	-	-	-	-	28
40	20	2	16	2	40	16	2	20	2	-	-	-	-	-	29
58	16	10	24	8	10	4	4	4	2	2	-	-	2	-	30
16	12	-	-	4	14	4	6	2	2	2	2	-	-	-	31
262	140	30	74	18	98	40	28	18	12	8	2	-	6	-	32
42	20	8	8	6	20	8	-	8	4	2	2	-	-	-	33
30	10	12	8	-	8	8	-	-	-	-	-	-	-	-	34
26	4	8	10	4	18	6	4	2	6	-	-	-	-	-	35
30	16	6	6	2	10	10	-	-	-	-	-	-	-	-	36
12	6	2	4	-	4	2	-	-	2	-	-	-	-	-	37
12	4	-	6	2	2	-	2	-	-	-	-	-	-	-	38
92	62	14	12	4	30	20	2	6	2	-	-	-	-	-	39
14	6	2	6	-	4	4	-	-	-	-	-	-	-	-	40
2,574	1,774	782	12	6	1,126	652	466	6	2	94	88	6	-	-	41
12	10	-	2	-	14	14	-	-	-	2	2	-	-	-	42
8	8	-	-	-	8	8	-	-	-	-	-	-	-	-	43
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	6	6	-	-	-	2	2	-	-	-	45
12	6	6	-	-	-	-	-	-	-	-	-	-	-	-	46
6	2	4	-	-	8	6	2	-	-	-	-	-	-	-	47
28	24	4	-	-	40	34	6	-	-	-	-	-	-	-	48
8	8	-	-	-	22	20	2	-	-	-	-	-	-	-	49
20	16	4	-	-	18	14	4	-	-	-	-	-	-	-	50
250	178	72	-	-	94	44	50	-	-	14	14	-	-	-	51
104	78	26	-	-	50	34	16	-	-	4	4	-	-	-	52
14	10	4	-	-	12	4	6	-	2	2	2	-	-	-	53
150	92	58	-	-	54	34	20	-	-	6	6	-	-	-	54
44	34	10	-	-	4	4	-	-	-	2	2	-	-	-	55
330	260	66	2	2	104	66	38	-	-	12	12	-	-	-	56
394	278	108	6	2	152	100	48	4	-	10	8	2	-	-	57
488	348	138	-	2	222	136	86	-	-	26	22	4	-	-	58
44	32	10	2	-	16	2	14	-	-	2	2	-	-	-	59
524	314	210	-	-	292	144	146	2	-	12	12	-	-	-	60
26	12	14	-	-	8	4	4	-	-	2	2	-	-	-	61
148	96	52	-	-	56	26	30	-	-	-	-	-	-	-	62
258	24	14	164	96	190	18	12	70	90	8	2	-	4	2	63
62	-	-	46	16	60	8	4	26	22	4	2	-	2	-	64
28	-	-	20	8	22	4	-	-	2	-	-	-	-	-	65
12	-	-	10	2	12	2	-	-	4	2	-	-	-	-	66
22	-	-	16	6	26	2	-	-	8	2	-	-	-	-	67
20	2	4	12	2	26	-	-	-	16	2	2	-	-	-	68
106	34	4	28	40	58	10	8	24	16	-	-	-	-	-	69

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	OHIC				
	TOTAL UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	3,120	1,770	488	644	218
2 DIARRHEAL DISEASES-----009	12	-	-	8	4
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	10	2	-	8	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	50	32	4	10	4
7 VIRAL DISEASES-----040-079	12	2	-	6	4
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	20	4	6	8	2
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	6	-	2	2	2
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	4	2	-	2	-
12 DISEASES OF THYMUS GLAND-----254	2	-	-	2	-
13 CYSTIC FIBROSIS-----273.0	10	2	-	8	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	14	2	-	6	6
15 MENINGITIS-----320	22	-	10	4	8
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	54	-	-	36	18
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	30	-	-	14	16
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	22	-	-	10	12
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	246	38	14	146	48
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	246	38	14	146	48
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	2	-	-	2	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	52	10	2	26	14
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	18	10	-	6	2
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	14	4	4	6	-
27 CONGENITAL ANOMALIES-----740-759	534	324	54	126	30
28 ANENCEPHALUS-----740	70	58	8	2	2
29 SPINA BIFIDA-----741	20	10	2	8	-
30 CONGENITAL HYDROCEPHALUS-----742	32	18	2	10	2
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	28	18	2	6	2
32 CONGENITAL ANOMALIES OF HEART-----746	214	114	12	72	16
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	26	20	2	2	2
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	24	16	4	4	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	24	6	2	14	2
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	12	8	-	4	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	16	12	-	-	4
38 DOWN'S DISEASE-----759.3	6	2	-	4	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	54	36	18	-	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	8	6	2	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	1,702	1,298	384	18	2
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	24	24	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	12	12	-	-	-
46 RUBELLA-----761.3	2	2	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	10	10	-	-	-
48 TOXEMIA OF PREGNANCY-----762	6	6	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	14	8	6	-	-
50 DIFFICULT LABOR-----764-768	24	18	6	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	4	4	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	20	14	6	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	270	216	52	2	-
54 CONDITIONS OF PLACENTA-----770	116	94	20	2	-
55 CONDITIONS OF UMBILICAL CORD-----771	12	8	4	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	50	36	14	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	24	22	2	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	184	146	34	4	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	228	174	46	6	2
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	358	260	96	2	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	34	20	14	-	-
62 IMMATUREITY, UNQUALIFIED-----777	282	204	76	2	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	14	14	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	62	48	14	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	142	30	2	90	20
67 ACCIDENTS-----E800-E949	66	2	2	50	12
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	16	-	-	14	2
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	26	2	2	20	2
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	24	-	-	16	8
71 HOMICIDE-----E960-E978	8	2	-	4	2
72 ALL OTHER CAUSES-----RESIDUAL	68	6	4	46	12

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, [Adapted, 1965]

OKLAHOMA					OREGON					PENNSYLVANIA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
808	470	102	170	66	520	320	14	168	18	2,866	1,740	434	510	182	1
12	-	2	6	4	6	4	-	-	2	18	2	-	10	6	2
2	2	-	-	-	-	-	-	-	-	2	-	-	2	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
24	10	8	6	-	10	6	2	-	2	28	14	6	6	2	5
4	2	-	2	-	-	-	-	-	-	6	2	2	2	-	7
-	-	-	-	-	-	-	-	-	-	8	-	-	6	2	8
4	-	-	2	2	-	-	-	-	-	2	-	-	2	-	10
2	2	-	-	-	2	-	-	2	-	4	4	-	-	-	11
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	12
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	13
4	-	-	4	-	4	4	-	-	-	6	-	-	6	-	14
4	-	-	2	2	4	-	-	4	-	22	2	2	10	8	15
10	6	-	4	-	6	-	-	6	-	34	-	-	24	10	16
2	-	-	2	-	-	-	-	-	-	2	-	-	2	-	17
4	-	-	4	-	2	-	-	2	-	14	2	-	6	6	18
36	6	2	20	8	16	4	-	12	-	134	34	8	64	28	19
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	20
34	6	2	18	8	16	4	-	12	-	134	34	8	64	28	21
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	22
4	-	-	2	2	4	-	-	4	-	36	10	-	22	4	23
10	10	-	-	-	6	6	-	-	-	22	18	-	4	-	24
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	25
16	10	2	4	-	4	2	-	2	-	16	8	6	2	-	26
106	44	8	44	10	92	48	2	38	4	502	294	48	148	12	27
2	2	-	4	-	4	4	-	-	-	58	56	2	-	-	28
2	-	-	2	-	4	-	-	4	-	32	24	-	6	2	29
8	-	2	4	2	4	-	-	-	-	20	20	-	-	-	30
2	-	-	2	-	4	-	-	2	2	14	8	-	6	-	31
50	26	-	18	6	32	12	-	18	2	184	76	20	82	6	32
6	-	2	4	-	14	12	-	2	-	34	14	6	12	2	33
4	2	-	2	-	6	4	2	-	-	18	14	4	-	-	34
12	4	-	4	2	10	4	-	6	-	42	18	4	18	2	35
6	-	2	4	-	2	2	-	-	-	22	16	4	2	-	36
6	4	-	2	-	2	-	-	2	-	10	6	2	2	-	37
-	-	-	-	-	-	-	-	-	-	6	-	-	6	-	38
4	4	-	-	-	12	8	-	4	-	52	36	4	12	-	39
4	2	-	2	-	2	2	-	-	-	10	6	2	2	-	40
444	362	76	6	-	244	230	8	4	2	1,670	1,314	348	4	4	41
12	8	4	-	-	6	6	-	-	-	-	-	-	-	-	42
6	4	2	-	-	2	2	-	-	-	20	16	2	-	2	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	4	2	-	-	4	4	-	-	-	10	8	2	-	-	45
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	46
6	4	2	-	-	4	4	-	-	-	8	8	-	-	-	47
-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	48
2	2	-	-	-	2	2	-	-	-	10	8	2	-	-	49
2	2	-	-	-	8	8	-	-	-	26	18	8	-	-	50
2	2	-	-	-	2	2	-	-	-	4	-	4	-	-	51
-	-	-	-	-	6	6	-	-	-	22	18	4	-	-	52
32	22	10	-	-	36	36	-	-	-	226	174	50	-	2	53
26	20	6	-	-	30	26	2	2	-	92	80	10	2	-	54
6	6	2	-	-	2	2	-	-	-	20	14	6	-	-	55
14	16	2	2	-	14	14	-	-	-	76	64	12	-	-	56
14	14	2	2	-	2	2	-	-	-	24	22	2	-	-	57
56	52	2	2	-	20	18	-	2	-	190	128	62	-	-	58
66	56	10	-	-	28	24	2	-	2	176	144	32	-	-	59
76	60	14	2	-	36	36	-	-	-	358	284	74	-	-	60
6	6	-	-	-	2	-	-	-	-	22	18	4	-	-	61
80	68	12	-	-	50	48	2	-	-	290	252	38	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
16	8	8	-	-	4	4	-	-	-	22	16	6	-	-	64
30	22	8	-	-	4	4	-	-	-	112	70	40	2	-	65
64	8	-	28	28	92	12	2	72	6	188	16	10	96	66	66
38	2	4	26	6	14	4	-	14	-	70	4	-	52	14	67
10	2	-	6	2	-	-	-	-	-	20	2	-	16	2	68
10	-	2	6	2	-	-	-	-	-	20	-	-	18	2	69
18	-	2	14	2	14	-	-	-	-	30	2	-	18	10	70
-	-	-	-	-	-	-	-	14	-	10	2	-	4	4	71
14	2	-	8	4	14	4	-	8	2	66	12	2	38	14	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	RHODE ISLAND				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	256	172	22	54	8
2 DIARRHEAL DISEASES-----009	2	2	-	-	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	4	2	-	2	-
7 VIRAL DISEASES-----040-079	2	-	-	2	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	2	2	-	-	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	-	2
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,492	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	18	-	4	12	2
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	18	-	4	12	2
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	-	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	2	-	2	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	-	-	-	-	-
27 CONGENITAL ANOMALIES-----740-759	56	34	4	18	-
28 ANENCEPHALUS-----740	8	6	2	-	-
29 SPINA BIFIDA-----741	2	-	-	2	-
30 CONGENITAL HYDROCEPHALUS-----742	-	-	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	6	4	-	2	-
32 CONGENITAL ANOMALIES OF HEART-----746	26	14	-	12	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	-	-	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	2	2	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	-	-	-	-	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	4	4	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	2	2	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	4	-	2	2	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	2	2	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	140	128	12	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	-	-	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----765	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	4	4	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	4	4	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	26	24	2	-	-
54 CONDITIONS OF PLACENTA-----770	2	2	-	-	-
55 CONDITIONS OF UNBILICAL CORD-----771	4	4	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	8	6	2	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	2	2	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	14	12	2	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	18	18	-	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	30	28	2	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	2	2	-	-	-
62 IMMATURETY, UNQUALIFIED-----777	18	14	4	-	-
63 POSTMATURETY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	2	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	10	10	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	20	2	-	14	4
67 ACCIDENTS-----E800-E949	4	-	-	4	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	-	-	-	-	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	-	-	2	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	2	-	-	2	-
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	4	2	-	2	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
1,122	390	370	130	232	216	116	18	52	30	1,384	654	352	248	130	1
42	4	16	2	20	6	-	-	2	4	10	2	2	4	2	2
2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	3
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
12	6	-	2	4	2	2	-	-	-	24	12	10	2	-	6
2	-	2	-	-	-	-	-	-	-	12	2	-	8	2	7
8	-	2	-	6	4	-	-	-	4	18	2	4	4	8	8
4	-	-	4	-	2	2	-	-	-	2	-	-	-	2	10
2	-	-	2	-	2	2	-	-	-	2	-	2	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	-	-	2	-	2	-	-	-	-	2	-	2	-	-	13
2	-	-	2	-	2	-	-	2	-	2	-	-	8	-	14
14	2	4	2	8	2	-	-	2	2	14	2	-	8	6	15
4	-	-	2	2	2	-	-	-	2	10	2	-	8	8	16
-	-	-	-	-	-	-	-	-	-	6	-	-	2	4	17
8	-	-	2	6	4	-	-	2	2	82	6	12	46	18	18
120	6	24	14	76	20	-	2	12	6	82	6	12	46	18	19
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	20
114	6	24	14	70	20	-	2	12	6	82	6	12	46	18	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
12	4	2	6	6	2	2	-	-	-	6	-	-	2	4	23
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	24
2	-	-	4	2	-	2	-	-	-	6	-	2	2	2	25
4	-	-	-	-	2	2	-	-	-	6	-	2	4	-	26
138	64	18	38	18	30	18	-	12	-	238	136	32	54	16	27
6	4	2	-	-	4	4	-	-	-	18	14	4	-	-	28
14	10	-	4	-	2	-	-	-	-	22	14	-	8	-	29
2	-	-	-	2	2	-	-	2	-	14	6	2	4	4	30
-	-	-	-	-	4	2	-	2	-	16	6	4	4	2	31
54	22	8	14	10	6	2	-	4	2	88	46	12	28	2	32
8	2	4	4	2	4	2	-	2	-	18	14	-	4	-	33
6	4	-	2	4	-	-	-	-	-	4	-	-	-	4	34
20	6	4	12	4	2	2	-	2	-	26	10	4	8	4	35
8	6	2	-	-	2	2	-	-	-	10	6	4	-	-	36
6	6	-	-	-	-	-	-	-	-	4	2	2	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
10	8	-	2	-	6	6	-	-	-	16	16	-	-	-	39
4	2	2	-	-	-	-	-	-	-	2	2	-	-	-	40
580	292	286	2	-	102	86	14	-	2	750	478	268	2	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
2	2	-	-	-	2	2	-	-	-	6	6	-	-	-	43
2	2	-	-	-	2	2	-	-	-	2	2	-	-	-	44
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	2	4	-	-	-	-	-	-	-	6	6	-	-	-	48
2	2	-	-	-	-	-	-	-	-	8	2	6	-	-	49
12	6	6	-	-	4	4	-	-	-	20	16	4	-	-	50
2	6	2	-	-	-	-	-	-	-	8	6	2	-	-	51
10	6	4	-	-	4	4	-	-	-	12	10	2	-	-	52
56	34	22	-	-	6	6	-	-	-	66	48	18	-	-	53
16	16	-	-	-	8	8	-	-	-	38	28	10	-	-	54
10	6	4	-	-	2	-	2	-	-	16	12	4	-	-	55
32	16	16	-	-	2	2	-	-	-	52	24	26	-	2	56
6	4	2	-	-	4	4	-	-	-	4	2	2	-	-	57
86	48	38	-	-	20	16	2	-	2	114	76	36	2	-	58
52	28	24	-	-	10	8	2	-	-	98	72	26	-	-	59
128	70	58	-	-	28	26	2	-	-	130	72	58	-	-	60
10	-	10	-	-	2	-	2	-	-	8	2	6	-	-	61
128	46	80	2	-	14	10	4	-	-	146	92	54	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
6	4	2	-	-	-	-	-	-	-	6	4	2	-	-	64
28	8	20	-	-	-	-	-	-	-	32	16	16	-	-	65
72	6	14	14	38	14	2	2	6	4	98	8	10	46	34	66
50	-	-	22	28	14	-	-	10	4	80	2	2	48	28	67
24	-	-	12	12	-	-	-	-	-	38	2	2	26	8	68
10	-	-	4	6	2	-	-	2	-	16	-	-	6	10	69
16	-	-	6	10	12	-	-	8	4	26	-	-	16	10	70
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	71
32	4	2	10	16	8	2	-	4	2	14	2	2	8	2	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	TEXAS				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	4,426	2,526	724	868	308
2 DIARRHEAL DISEASES-----009	74	16	4	44	10
3 WHOOPING COUGH-----033	-	-	-	2	2
4 MENINGOCOCCAL INFECTIONS-----036	6	2	-	-	2
5 TETANUS-----037	-	-	-	8	6
6 SEPTICEMIA-----038	82	54	14	8	6
7 VIRAL DISEASES-----040-079	16	4	2	8	2
8 CONGENITAL SYPHILIS-----090	2	-	2	-	2
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	6	2	-	4	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	18	2	-	14	2
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2	-	-	2	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	4	-	-	4	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	10	2	-	4	4
15 MENINGITIS-----320	32	6	2	12	12
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	54	12	-	34	8
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	8	2	-	6	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	38	-	2	28	8
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	382	86	24	204	68
20 INFLUENZA-----470-474	8	-	2	6	-
21 PNEUMONIA-----480-486	374	86	22	198	68
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	24	10	2	4	8
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	40	20	4	12	4
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	20	6	-	8	6
27 CONGENITAL ANOMALIES-----740-759	650	400	54	172	24
28 ANENCEPHALUS-----740	50	46	4	6	-
29 SPINA BIFIDA-----741	22	14	2	4	-
30 CONGENITAL HYDROCEPHALUS-----742	36	10	4	22	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	40	20	4	16	-
32 CONGENITAL ANOMALIES OF HEART-----746	270	158	26	74	12
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	14	4	4	4	2
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	32	22	6	4	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	38	20	4	14	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	20	16	-	4	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	26	20	-	2	4
38 DOWN'S DISEASE-----759.3	12	4	-	6	2
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	72	52	2	14	4
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	18	14	2	2	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	2,416	1,832	576	4	4
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	26	26	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	14	14	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	12	12	-	-	-
48 TOXEMIA OF PREGNANCY-----762	12	10	2	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	16	10	6	-	-
50 DIFFICULT LABOR-----764-768	22	18	4	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	6	4	2	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	16	14	2	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	220	144	74	-	2
54 CONDITIONS OF PLACENTA-----770	102	90	12	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	24	20	4	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	144	108	36	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	28	28	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	378	316	60	2	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	338	256	80	-	2
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	500	400	98	2	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	44	34	10	-	-
62 IMMATURETY, UNQUALIFIED-----777	418	290	128	-	-
63 POSTMATURETY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	50	26	24	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	94	56	38	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	206	26	8	106	66
67 ACCIDENTS-----E800-E949	222	16	8	154	44
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	62	10	2	42	8
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	64	2	4	50	8
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	96	4	2	62	28
71 HOMICIDE-----E960-E978	14	4	2	6	2
72 ALL OTHER CAUSES-----RESIDUAL	100	24	20	28	28

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Deaths based on a 50-percent sample. Numbers after causes of death are category

CAUSE OF DEATH	WASHINGTON				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	824	544	46	198	36
2 DIARRHEAL DISEASES-----009	8	4	--	2	2
3 WHOOPING COUGH-----033	--	--	--	--	--
4 MENINGOCOCCAL INFECTIONS-----036	2	--	--	--	2
5 TETANUS-----037	--	--	--	--	--
6 SEPTICEMIA-----038	12	10	--	2	--
7 VIRAL DISEASES-----040-079	4	--	--	4	--
8 CONGENITAL SYPHILIS-----090	6	2	2	2	--
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	6	2	2	2	--
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	--	--	2	--
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	--	--	--	--	--
12 DISEASES OF THYMUS GLAND-----254	2	--	--	2	--
13 CYSTIC FIBROSIS-----273-0	2	2	--	--	--
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	6	2	2	2	--
15 MENINGITIS-----320	4	4	--	--	--
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	10	2	2	4	2
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	6	--	--	2	4
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	6	--	--	4	2
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	42	10	2	22	8
20 INFLUENZA-----470-474	42	10	--	--	--
21 PNEUMONIA-----480-486	42	10	2	22	8
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	2	--	--	2	--
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	10	4	--	4	2
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	10	10	--	--	--
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	--	--	--	--	--
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	8	4	2	--	2
27 CONGENITAL ANOMALIES-----740-759	150	108	6	34	2
28 ANENCEPHALUS-----740	16	16	--	--	--
29 SPINA BIFIDA-----741	6	2	--	4	--
30 CONGENITAL HYDROCEPHALUS-----742	6	2	--	4	--
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	2	2	--	--	--
32 CONGENITAL ANOMALIES OF HEART-----746	66	44	2	20	--
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	6	4	--	2	--
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	12	12	--	--	--
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	2	2	--	--	--
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	4	4	--	--	--
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	2	2	--	--	--
38 DOWN'S DISEASE-----759.3	2	--	2	--	--
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	24	16	2	4	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	2	2	--	--	--
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	392	362	28	2	--
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	--	--	--	--	--
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	6	6	--	--	--
44 SYPHILIS-----761.0	--	--	--	--	--
45 DIABETES MELLITUS-----761.1	4	4	--	--	--
46 RUBELLA-----761.3	--	--	--	--	--
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	2	2	--	--	--
48 TOXEMIA OF PREGNANCY-----762	2	2	--	--	--
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	2	2	--	--	--
50 DIFFICULT LABOR-----764-768	4	4	--	--	--
51 WITH MENTION OF BIRTH INJURY (.0-.3)	--	--	--	--	--
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	4	4	--	--	--
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	48	46	2	--	--
54 CONDITIONS OF PLACENTA-----770	14	14	--	--	--
55 CONDITIONS OF UMBILICAL CORD-----771	2	2	--	--	--
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	28	24	2	2	--
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	6	--	--	--
58 HYALINE MEMBRANE DISEASE-----776.1	66	66	--	--	--
59 RESPIRATORY DISTRESS SYNDROME-----776.2	78	72	6	--	--
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	56	48	8	--	--
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	4	2	2	--	--
62 IMMATUREITY, UNQUALIFIED-----777	66	58	8	--	--
63 POSTMATURITY-----778.1	--	--	--	--	--
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	2	--	--	--
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	8	8	--	--	--
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	96	8	--	84	4
67 ACCIDENTS-----E800-E949	22	6	--	14	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	2	--	--	2	--
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	2	--	--	2	--
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	18	6	--	10	2
71 HOMICIDE-----E960-E978	4	--	--	4	--
72 ALL OTHER CAUSES-----RESIDUAL	18	6	2	6	4

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1972-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

WEST VIRGINIA					WISCONSIN					WYOMING					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
564	434	36	88	6	912	570	70	246	26	152	114	6	28	4	1
2	-	-	-	2	8	2	-	6	-	2	2	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	16	12	-	4	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	7
2	-	-	2	-	2	-	-	-	2	-	-	-	-	-	8
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	2	-	-	-	2	-	-	2	-	-	-	-	-	-	12
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	13
4	2	-	2	-	6	-	-	6	-	4	2	-	2	-	14
4	-	-	4	-	14	-	-	14	-	-	-	-	-	-	15
2	-	-	2	-	-	-	-	-	-	2	-	-	2	-	16
2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	17
20	6	-	14	-	64	6	2	48	8	12	6	-	6	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
20	6	-	14	-	64	6	2	48	8	12	6	-	6	-	20
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	21
4	2	-	-	2	12	4	-	8	-	4	-	-	4	-	22
-	-	-	-	-	4	4	-	4	-	2	2	-	-	-	23
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	24
6	2	-	4	-	4	-	2	2	-	-	-	-	-	-	25
116	90	-	26	-	170	112	10	46	2	16	14	-	2	-	26
14	14	-	16	-	16	14	-	2	-	4	4	-	-	-	27
8	6	-	2	-	8	6	-	2	-	-	-	-	-	-	28
4	4	-	6	-	6	-	-	6	-	-	-	-	-	-	29
4	4	-	2	-	2	2	-	2	-	2	-	-	2	-	30
52	40	-	12	-	58	32	4	20	2	4	4	-	4	-	31
8	6	-	2	-	18	10	4	4	-	-	-	-	-	-	32
4	4	-	-	-	10	4	2	4	-	2	2	-	-	-	33
6	2	-	4	-	14	8	-	6	-	2	2	-	-	-	34
-	-	-	-	-	12	10	-	2	-	-	-	-	-	-	35
6	4	-	2	-	12	12	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
8	6	-	2	-	12	12	-	-	-	2	2	-	-	-	38
2	-	-	2	-	2	2	-	-	-	-	-	-	-	-	39
352	318	32	2	-	474	412	52	10	-	90	84	6	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	4	2	2	-	-	-	-	-	-	-	42
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	46
2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	47
2	2	-	-	-	4	4	-	-	-	2	2	-	-	-	48
4	4	-	-	-	4	4	-	-	-	-	-	-	-	-	49
2	2	-	-	-	18	18	-	-	-	6	6	-	-	-	50
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	51
2	2	-	-	-	14	14	-	-	-	6	6	-	-	-	52
36	34	2	-	-	54	38	14	2	-	10	8	2	-	-	53
10	8	2	-	-	56	50	6	-	-	10	10	-	-	-	54
4	2	2	-	-	10	8	-	2	-	-	-	-	-	-	55
28	26	2	-	-	46	44	2	-	-	2	2	-	-	-	56
4	4	-	-	-	12	8	-	4	-	2	2	-	-	-	57
56	48	6	2	-	54	46	6	2	-	10	10	-	-	-	58
40	40	-	-	-	40	34	6	-	-	14	14	-	-	-	59
64	56	8	-	-	52	48	4	-	-	6	6	-	-	-	60
2	2	-	-	-	8	8	-	-	-	2	2	-	-	-	61
74	66	8	-	-	84	78	2	4	-	14	12	2	-	-	62
2	-	-	-	-	8	8	-	-	-	-	-	-	-	-	63
2	2	-	-	-	8	8	-	-	-	-	-	-	-	-	64
22	20	2	-	-	20	14	6	-	-	12	10	2	-	-	65
28	6	2	20	-	56	2	4	44	6	8	2	-	6	-	66
14	2	2	10	-	38	4	-	28	6	-	-	-	-	-	67
-	-	-	-	-	14	2	-	12	-	-	-	-	-	-	68
2	-	-	2	-	8	-	-	4	-	-	-	-	-	-	69
12	2	2	8	-	16	2	-	12	-	-	-	-	-	-	70
-	-	-	-	-	6	-	-	4	-	2	-	-	-	2	71
6	4	-	-	2	30	12	-	18	-	4	-	-	4	-	72

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation, by place of occurrence: United States and each State, 1972 -----	3-3
3-2. Fetal deaths and fetal-death ratios by color: United States, 1942-72 -----	3-4
3-3. Number and percent distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1972 -----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 40 reporting areas, 1972 -----	3-5
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1972 -----	3-5
3-6. Fetal deaths by period of gestation and color, and fetal-death ratios by color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1972 -----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1968-72 --	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1972-----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1972 -----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1972 -----	3-16
3-11. Fetal deaths by age of mother and color: United States and each State, 1972 --	3-18
3-12. Fetal deaths by total-birth order and color: United States and each State, 1972 -----	3-22
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1972 -----	3-26
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1972 -----	3-29
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1972 -----	3-30
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1972 -----	3-31
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1972 -----	3-34

SECTION 3 - FETAL MORTALITY

3-3

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation, by Place of Occurrence: United States and Each State, 1972.

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation ¹											
			Under 16 weeks	16-19 weeks	20-25 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
United States-----	...	62,108	13,699	4,459	5,065	4,466	4,422	5,594	2,173	5,864	3,801	2,543	1,532	8,490
Alabama-----	Advanced to 5th month (20 weeks)	1,058	-	10	154	151	122	108	72	114	253	10	7	77
Alaska-----	20 weeks or more ²	61	-	1	10	3	8	2	12	5	2	3	7	7
Arizona-----	Advanced to 20th week	412	2	9	30	37	38	60	20	65	15	45	30	61
Arkansas-----	All periods of gestation	440	² 7	8	58	46	47	41	26	28	100	3	3	73
California-----	Advanced to 20th week ⁴	3,115	23	30	207	309	331	467	147	573	185	271	193	379
Colorado-----	All periods of gestation	2,772	³ 1,525	281	189	90	65	75	23	76	34	31	17	569
Connecticut-----	20 weeks or more	420	-	2	47	54	50	71	32	72	71	11	3	7
Delaware-----	20 weeks or more	85	-	-	8	12	3	8	8	15	15	1	2	13
District of Columbia-----	After 5th month	313	1	8	33	38	40	49	19	49	15	18	12	34
Florida-----	20 weeks or more	1,539	5	20	71	98	104	136	47	135	47	62	55	758
Georgia-----	All periods of gestation	2,669	³ 1,007	276	258	168	145	140	68	109	227	35	9	229
Hawaii-----	All periods of gestation	616	² 54	233	125	42	31	56	12	28	8	8	5	24
Idaho-----	After 20 weeks	199	-	4	15	16	11	6	6	10	21	6	4	60
Illinois-----	20 weeks or more	2,371	³ 35	56	211	267	275	376	91	367	159	171	130	233
Indiana-----	20 weeks or more	1,077	3	9	51	69	73	96	34	111	42	72	38	479
Iowa-----	Advanced to 5th month (20 weeks)	437	1	2	40	43	36	77	28	98	30	48	19	15
Kansas-----	Weight in excess of 350 grams	382	1	9	45	37	40	62	27	53	21	21	28	38
Kentucky-----	20 weeks or more	724	2	9	40	57	52	107	29	116	45	69	32	167
Louisiana-----	After 20 weeks	894	1	9	45	53	61	103	33	119	52	41	31	346
Maine-----	All periods of gestation	199	² 7	4	8	5	17	18	6	15	3	9	5	102
Maryland-----	20 weeks or more ⁵	655	1	6	53	69	73	127	29	120	42	48	24	43
Massachusetts-----	20 weeks or more	817	3	8	27	50	57	85	28	107	41	43	27	341
Michigan-----	Advanced through 20th week	1,773	16	24	138	166	190	240	89	286	76	129	85	334
Minnesota-----	After 20 weeks	555	3	9	38	66	60	75	30	88	36	51	21	108
Mississippi-----	All periods of gestation	2,485	³ 1,018	232	200	123	105	129	34	180	53	55	48	298
Missouri-----	After 20 weeks	873	3	11	60	73	82	106	29	102	45	64	39	259
Montana-----	After 20 weeks	127	-	-	12	13	10	11	5	12	5	17	7	35
Nebraska-----	Advanced to 20th week	268	1	7	21	27	33	40	7	51	18	25	6	32
Nevada-----	After 20 weeks	103	1	-	7	12	9	9	5	14	3	8	3	32
New Hampshire-----	20 weeks or more	109	-	1	3	5	4	10	4	16	6	7	4	49
New Jersey-----	20 weeks or more	1,210	9	26	87	85	134	145	49	178	60	88	60	290
New Mexico-----	20 weeks or more	257	-	3	18	20	20	32	21	36	61	6	3	35
New York-----	All periods of gestation	11,464	³ 5,517	1,116	752	474	435	516	131	504	195	249	118	1,457
North Carolina-----	Advanced to 20th week	1,321	11	19	117	128	172	220	79	232	69	123	75	65
North Dakota-----	20 weeks or more	113	-	-	14	11	12	11	7	26	6	12	6	8
Ohio-----	20 weeks or more	2,037	12	25	146	169	200	269	79	318	104	132	95	469
Oklahoma-----	20 weeks or more	481	3	7	32	53	41	67	24	84	29	50	31	60
Oregon-----	All periods of gestation	858	³ 307	88	103	62	50	47	17	67	21	37	15	44
Pennsylvania-----	After 16 weeks	3,831	3	1,294	652	331	279	296	172	271	411	90	31	1
Rhode Island-----	20 weeks or more ²	133	-	1	15	13	11	25	5	24	7	6	6	20
South Carolina-----	After 20 weeks	797	7	9	61	66	75	121	35	114	54	67	41	147
South Dakota-----	20 weeks or more	149	2	4	18	14	12	22	7	27	6	15	6	16
Tennessee-----	20 weeks or more	985	4	16	72	119	120	159	52	170	85	81	45	82
Texas-----	20 weeks or more	2,777	-	1	322	334	394	364	303	318	608	64	31	38
Utah-----	After 20 weeks	267	1	2	14	23	11	23	7	27	6	11	7	137
Vermont-----	All periods of gestation	255	³ 105	33	23	13	12	8	4	5	3	8	3	38
Virginia-----	All periods of gestation	6,139	³ 3,983	524	306	174	133	152	96	91	262	26	10	382
Washington-----	20 weeks or more	421	1	7	29	35	30	44	20	70	25	30	18	112
West Virginia-----	Advanced to 5th month ⁶	444	4	6	30	48	32	83	21	78	24	34	22	62
Wisconsin-----	After 20 weeks	645	-	-	69	75	60	110	53	69	126	48	14	1
Wyoming-----	After 20 weeks	64	-	-	4	10	9	6	3	13	6	5	5	3

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.³For areas which report fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Total	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	7	-	-	2	5
Colorado-----	1,525	39	164	760	562
Georgia-----	1,007	1	158	516	332
Hawaii-----	64	1	3	8	52
Maine-----	7	-	-	2	5
Mississippi-----	1,018	29	113	459	418
New York-----	5,517	118	732	2,714	1,953
Oregon-----	307	2	21	121	163
Vermont-----	105	-	12	55	38
Virginia-----	3,983	26	693	2,054	1,010

⁴Further stipulated that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."⁵Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."⁶Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-72

[Fetal deaths for 1969-72 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group]

Year	Number			Ratio		
	Total	White	All other	Total	White	All other
1972 ¹	41,300	29,611	11,769	12.7	11.2	19.5
1971 ¹	47,818	34,308	13,510	13.4	11.8	21.2
1970 ¹	52,961	38,481	14,480	14.2	12.4	22.6
1969	50,749	37,091	13,658	14.1	12.4	22.5
1968	55,293	40,205	15,087	15.8	13.8	25.6
1967	54,834	39,500	15,434	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,659	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963 ²	64,640	45,498	17,075	15.8	13.7	26.7
1962 ²	66,421	47,328	17,128	15.9	13.9	26.7
1961	69,767	50,728	18,039	16.1	14.1	27.0
1960	69,480	50,694	17,586	16.1	14.1	26.8
1959	69,615	50,911	17,702	16.2	14.2	27.3
1958	69,355	51,969	17,386	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.3	14.5	26.8
1956	69,659	51,865	16,794	16.5	14.6	27.2
1955	69,133	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,393	53,252	16,141	17.8	15.9	29.8
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,262	52,319	15,943	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,858	56,232	16,626	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	59,494	15,355	22.8	20.4	40.9
1945	85,615	61,242	14,271	23.9	21.4	42.0
1944	69,374	---	---	24.5	---	---
1943	71,873	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

¹Excludes fetal deaths among nonresidents of the United States.

²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-3. Number and Percent Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1972

[Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, Vermont, and Virginia]

Age of mother	Period of gestation ¹							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	27,119	15,728	8,432	2,959	100.0	100.0	100.0	100.0
Under 15 years	190	99	63	28	0.7	0.6	0.7	0.9
15-19 years	4,409	2,318	1,619	472	16.3	14.7	19.2	16.0
20-24 years	8,151	4,714	2,547	870	30.0	30.0	30.2	29.4
25-29 years	7,188	4,356	2,074	758	26.5	27.7	24.8	25.6
30-34 years	4,010	2,414	1,162	434	14.8	15.3	13.8	14.7
35-39 years	2,192	1,249	681	262	8.1	7.9	8.1	8.9
40-44 years	896	517	262	117	3.3	3.3	3.1	4.0
45-49 years	103	61	24	18	0.4	0.4	0.3	0.6

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 40 Reporting Areas, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
Total-----	28,480	23,045	5,435	13.1	12.1	19.9
Under 15 years-----	231	47	184	26.8	28.1	26.4
15-19 years-----	5,960	3,475	2,505	13.9	12.0	17.8
20-24 years-----	8,708	7,283	1,425	11.0	10.3	17.9
25-29 years-----	6,517	5,898	619	11.2	10.6	23.7
30-34 years-----	3,685	3,341	354	15.4	14.6	29.6
35-39 years-----	2,346	2,094	251	25.3	24.1	44.4
40 years and over-----	1,004	907	97	38.8	37.7	54.3
White-----	19,951	18,183	1,768	11.4	11.0	17.0
Under 15 years-----	73	31	42	22.7	22.2	23.2
15-19 years-----	3,506	2,699	807	11.7	10.9	15.5
20-24 years-----	6,285	5,793	492	9.7	9.4	15.5
25-29 years-----	5,031	4,826	205	9.9	9.7	19.3
30-34 years-----	2,722	2,622	100	13.4	13.3	21.1
35-39 years-----	1,626	1,545	81	21.8	21.3	37.2
40 years and over-----	708	667	41	34.9	34.0	58.2
All other-----	8,529	4,862	3,667	20.6	19.8	21.7
Under 15 years-----	158	16	142	29.2	58.8	27.6
15-19 years-----	2,474	776	1,698	18.7	18.0	19.1
20-24 years-----	2,423	1,490	933	17.2	16.1	19.4
25-29 years-----	1,486	1,072	414	19.8	18.0	26.7
30-34 years-----	973	719	254	25.8	23.6	35.1
35-39 years-----	719	549	170	39.7	37.5	48.9
40 years and over-----	296	240	56	53.2	53.6	51.7

¹Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total-----	41,380	21,131	18,532	1,717	12.5	13.0	12.0
Fetal deaths in single deliveries-----	38,724	19,746	17,337	1,641	32.0	12.4	11.5
Fetal deaths in twin deliveries-----	2,595	1,357	1,164	74	42.0	44.8	39.2
Fetal deaths in other plural deliveries-----	61	28	31	2	63.0	59.2	68.1
White-----	29,611	14,973	13,362	1,276	11.0	11.3	10.7
Fetal deaths in single deliveries-----	27,646	13,952	12,473	1,221	10.5	10.8	10.2
Fetal deaths in twin deliveries-----	1,919	1,002	864	53	39.8	42.3	37.3
Fetal deaths in other plural deliveries-----	46	19	25	2	59.2	49.3	70.1
All other-----	11,769	6,158	5,170	441	19.1	20.5	17.7
Fetal deaths in single deliveries-----	11,078	5,794	4,864	420	18.4	19.8	17.1
Fetal deaths in twin deliveries-----	678	355	300	21	50.1	53.8	46.4
Fetal deaths in other plural deliveries-----	15	9	6	-	78.5	97.8	60.6

¹Figures for sex not stated are distributed.

SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1972

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios	
	Total	Period of gestation ¹					
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated		
United States	41,380	5,062	4,460	25,889	5,989	12.7	
	White-----	29,611	3,276	2,986	19,096	4,253	11.2
	All other----	11,769	1,786	1,474	6,773	1,736	19.5
Urban places		23,204	3,000	2,631	14,311	3,262	12.9
	White-----	15,005	1,681	1,548	9,659	2,107	11.0
	All other----	8,199	1,309	1,083	4,652	1,155	18.9
Balance of area		18,176	2,062	1,829	11,538	2,727	12.5
	White-----	14,606	1,585	1,438	9,437	2,146	11.3
	All other----	3,570	477	391	2,121	581	21.0
Metropolitan counties		27,484	3,549	3,075	17,042	3,922	12.5
	White-----	19,154	2,223	1,978	12,327	2,626	10.9
	All other----	8,330	1,322	1,097	4,715	1,196	18.8
Urban places		20,160	2,643	2,304	12,441	2,772	13.0
	White-----	12,799	1,451	1,319	8,268	1,761	11.0
	All other----	7,361	1,192	985	4,173	1,011	18.7
Balance of area		7,324	902	771	4,601	1,050	11.3
	White-----	6,355	772	659	4,059	865	10.7
	All other----	969	130	112	542	185	19.0
Nonmetropolitan counties		13,896	1,517	1,385	8,827	2,167	13.2
	White-----	10,457	1,053	1,008	6,769	1,627	11.7
	All other----	3,439	464	377	2,058	540	21.6
Urban places		3,044	357	327	1,870	490	12.4
	White-----	2,206	240	229	1,391	346	10.7
	All other----	838	117	98	479	144	20.8
Balance of area		10,852	1,160	1,058	6,957	1,677	13.4
	White-----	8,251	813	779	5,378	1,281	11.9
	All other----	2,601	347	279	1,579	396	21.9
New England		1,657	133	139	951	434	10.0
	White-----	1,492	121	123	857	391	9.7
	All other----	165	12	16	94	43	14.6
Metropolitan counties		1,261	89	104	708	361	10.4
	White-----	1,106	77	88	620	321	9.9
	All other----	155	11	16	88	40	15.1
Nonmetropolitan counties		396	45	35	243	73	9.0
	White-----	386	44	35	237	70	9.0
	All other----	10	1	-	6	3	9.9
Middle Atlantic		7,229	1,470	889	4,404	466	14.0
	White-----	5,259	960	619	3,374	306	12.4
	All other----	1,970	510	270	1,030	160	21.5
Metropolitan counties		5,987	1,256	745	3,610	396	14.5
	White-----	4,103	749	485	2,624	245	12.5
	All other----	1,884	487	260	986	151	21.6
Nonmetropolitan counties		1,242	214	144	794	70	12.7
	White-----	1,156	211	134	700	61	12.4
	All other----	86	23	10	44	9	19.7
East North Central		7,815	634	767	4,875	1,539	12.1
	White-----	5,754	410	498	3,643	1,203	10.7
	All other----	2,061	224	269	1,232	336	19.3
Metropolitan counties		5,855	497	612	3,682	1,064	12.3
	White-----	3,919	281	354	2,515	769	10.4
	All other----	1,936	216	258	1,167	295	19.1
Nonmetropolitan counties		1,960	157	155	1,193	475	11.6
	White-----	1,835	129	144	1,128	434	11.2
	All other----	125	8	11	65	41	22.7
West North Central		2,698	241	269	1,716	472	10.9
	White-----	2,329	198	225	1,499	407	10.3
	All other----	369	43	44	217	65	16.7
Metropolitan counties		1,374	127	136	862	249	11.0
	White-----	1,083	97	103	688	195	10.1
	All other----	291	30	33	174	54	17.3
Nonmetropolitan counties		1,324	114	133	854	223	10.8
	White-----	1,246	101	122	811	212	10.6
	All other----	78	13	11	43	11	14.8
South Atlantic		7,615	931	828	4,594	1,282	14.7
	White-----	4,485	494	443	2,652	696	12.2
	All other----	3,130	437	385	1,942	586	20.7
Metropolitan counties		4,038	517	451	2,316	754	13.9
	White-----	2,344	289	234	1,406	415	11.5
	All other----	1,694	228	217	910	339	19.6
Nonmetropolitan counties		3,577	414	377	2,278	508	15.6
	White-----	2,141	205	209	1,446	281	13.0
	All other----	1,436	209	168	832	227	22.1
East South Central		3,814	435	423	2,346	410	15.8
	White-----	2,136	228	228	1,415	265	12.9
	All other----	1,678	207	195	931	145	23.4
Metropolitan counties		1,545	188	162	868	107	14.5
	White-----	787	87	90	550	70	12.1
	All other----	858	91	92	358	37	20.1
Nonmetropolitan counties		2,269	247	241	1,478	303	16.6
	White-----	1,549	131	138	885	195	13.3
	All other----	920	116	103	593	108	26.0

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-7

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1972-Con.

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix.]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central-----	4,516	464	480	3,056	506	12.6
White-----	3,058	301	315	2,197	245	10.9
All other---	1,458	163	165	859	261	18.8
Metropolitan counties-----	2,909	303	330	1,894	282	12.2
White-----	1,389	200	214	1,449	126	10.7
All other---	920	103	116	545	156	19.0
Nonmetropolitan counties-----	1,607	161	150	1,072	224	13.2
White-----	1,069	101	101	748	119	11.2
All other---	538	60	49	324	105	20.3
Mountain-----	1,979	281	220	1,097	381	12.0
White-----	1,714	247	188	939	340	11.5
All other---	265	34	32	158	41	17.3
Metropolitan counties-----	1,170	203	144	631	192	12.5
White-----	1,038	178	122	662	176	11.9
All other---	132	25	22	69	16	19.5
Nonmetropolitan counties-----	809	78	76	466	189	11.5
White-----	676	68	66	377	164	10.9
All other---	133	9	10	89	25	15.5
Pacific-----	4,257	473	445	2,820	519	10.4
White-----	3,384	317	347	2,320	400	9.8
All other---	873	156	98	500	119	13.7
Metropolitan counties-----	3,945	386	371	2,571	417	10.3
White-----	2,785	255	288	1,955	309	9.7
All other---	760	131	83	438	108	13.4
Nonmetropolitan counties-----	712	87	74	449	102	11.1
White-----	589	62	59	387	91	10.6
All other---	113	25	15	62	11	15.5

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1968-72

[Fetal deaths for 1969-72 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1972 ¹			1971 ¹			1970 ¹			1969			1968		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	All other	
United States	12.7	11.2	19.5	13.4	11.8	21.2	14.2	12.4	22.6	14.1	12.4	22.5	15.8	13.8	25.6
Geographic divisions:															
New England:															
Maine	6.8	6.9	-	8.8	8.7	*13.2	9.0	8.9	*16.7	6.9	6.7	*14.4	14.7	14.5	*20.4
New Hampshire	9.9	9.9	*7.5	9.7	9.8	*7.1	11.4	11.6	-	12.4	12.6	-	12.0	12.1	-
Vermont	11.4	11.5	-	15.3	14.9	*105.3	14.1	14.2	-	18.8	18.8	*27.8	22.0	22.0	*22.7
Massachusetts	10.1	9.9	12.9	12.2	11.9	16.2	12.5	12.0	20.2	11.4	10.8	20.7	12.2	11.9	16.3
Rhode Island	9.7	8.9	*21.2	11.5	11.4	*14.0	12.9	12.6	*17.8	12.8	12.2	*23.3	12.0	11.8	*14.4
Connecticut	11.0	10.2	16.4	12.3	11.6	18.4	12.4	11.9	16.5	11.8	11.4	15.4	11.4	10.1	22.7
Middle Atlantic:															
New York	15.8	12.4	19.3	14.2	10.3	30.4	20.1	15.8	38.3	19.2	16.9	29.9	29.5	25.2	44.2
New Jersey	12.1	10.8	17.2	14.8	12.7	23.6	15.4	15.6	23.4	13.2	11.5	21.2	14.1	12.5	21.9
Pennsylvania	15.4	13.1	30.8	16.9	14.5	32.3	17.2	14.9	32.8	16.5	14.7	29.3	16.4	14.7	29.1
East North Central:															
Ohio	11.9	10.9	16.3	12.5	11.8	16.9	13.0	12.1	19.4	12.6	11.5	20.5	13.1	12.0	21.3
Indiana	12.2	11.2	20.5	12.8	11.8	21.9	13.0	12.1	21.7	13.0	12.0	22.4	13.1	12.0	24.3
Illinois	13.0	10.9	19.8	14.3	12.4	20.9	14.1	12.4	20.8	15.6	11.9	20.5	15.7	11.7	21.8
Michigan	12.0	10.3	19.2	12.6	11.5	17.8	12.4	11.1	19.1	13.2	11.6	21.8	13.0	11.3	22.6
Wisconsin	10.2	9.5	16.6	11.1	10.9	14.8	11.1	10.4	22.0	11.7	11.3	18.1	11.5	11.0	20.6
West North Central:															
Minnesota	9.5	9.3	13.0	10.3	10.1	16.3	10.8	10.6	17.1	10.8	10.6	18.0	11.8	11.6	20.2
Iowa	10.4	10.3	*12.1	11.3	11.3	*12.4	10.4	10.4	*11.0	10.5	10.2	20.5	11.6	11.5	*15.7
Missouri	11.6	10.4	17.3	12.6	11.7	16.7	13.3	12.1	19.3	15.0	11.9	19.2	15.1	13.3	25.1
North Dakota	10.5	10.3	*12.8	12.4	12.7	*8.6	12.2	12.2	*12.9	14.0	15.8	*16.8	13.0	12.8	*16.9
South Dakota	15.6	12.8	19.5	12.4	11.4	19.8	13.4	12.1	23.8	10.8	10.1	16.4	13.6	12.4	22.3
Nebraska	10.7	10.6	*13.1	11.9	11.3	21.3	10.9	10.4	19.7	11.9	11.7	15.3	10.6	10.0	19.1
Kansas	11.8	11.0	19.9	11.4	10.8	17.6	11.4	11.0	15.7	12.7	12.1	20.2	11.5	10.4	24.9
South Atlantic:															
Delaware	10.4	9.0	15.8	14.8	12.3	24.2	15.5	12.9	15.8	12.7	10.5	20.8	15.9	12.7	29.1
Maryland	12.4	10.6	17.6	15.8	11.9	19.5	13.0	11.4	18.0	13.4	11.7	18.8	13.6	12.1	18.8
District of Columbia	16.7	15.8	16.9	19.0	17.2	19.3	17.3	12.7	18.0	21.0	15.9	21.8	17.6	11.2	18.9
Virginia	17.5	14.7	26.6	16.6	14.7	23.0	17.7	15.1	26.9	16.9	14.2	26.5	24.1	21.4	32.9
West Virginia	14.8	14.4	22.0	15.9	15.6	20.9	15.9	15.4	26.2	15.1	14.9	17.8	15.8	15.5	23.3
North Carolina	14.6	12.3	19.9	15.4	12.4	22.5	16.0	15.3	22.5	16.4	13.1	24.5	17.0	13.0	26.2
South Carolina	16.0	11.7	22.9	15.3	11.7	21.3	15.4	12.7	20.1	16.3	11.7	24.0	16.8	12.4	23.9
Georgia	14.1	11.2	19.5	15.7	12.1	23.2	15.9	13.1	21.9	15.4	12.8	20.9	18.0	14.5	25.2
Florida	13.8	11.4	20.9	14.3	12.5	19.7	15.2	13.9	22.4	14.2	11.9	21.1	14.7	11.1	25.1
East South Central:															
Kentucky	12.5	11.9	17.6	13.3	12.8	18.4	13.4	12.9	18.9	12.0	11.8	14.2	14.3	13.4	23.5
Tennessee	13.7	12.2	18.8	14.4	12.9	20.1	15.4	13.6	22.2	15.6	12.8	26.0	17.0	14.7	25.7
Alabama	16.7	13.0	23.7	16.3	12.9	22.8	16.5	12.7	24.2	17.3	13.2	25.5	20.1	14.0	31.9
Mississippi	21.5	16.0	27.3	22.2	16.1	26.7	23.2	15.3	31.9	24.0	16.2	32.0	29.5	22.3	36.8
West South Central:															
Arkansas	12.5	10.0	20.1	15.9	11.7	20.3	14.6	11.7	23.2	14.2	11.2	22.9	16.1	12.3	26.8
Louisiana	13.1	9.2	19.3	14.1	10.5	20.0	13.2	9.5	19.2	14.9	9.9	23.2	14.7	9.6	22.8
Oklahoma	11.5	10.6	15.6	12.1	11.0	17.3	11.7	11.1	14.7	11.8	10.5	19.4	12.4	10.7	21.7
Texas	12.6	11.4	18.8	12.9	11.8	18.8	13.6	12.5	20.0	13.7	12.3	21.9	14.2	12.7	22.7
Mountain:															
Montana	11.2	10.5	19.4	10.4	10.2	*12.0	11.1	10.5	*16.8	11.5	11.5	*11.1	12.3	11.5	22.1
Idaho	11.3	11.1	*16.0	10.5	10.3	*19.7	10.1	10.1	*8.7	10.1	9.8	*21.3	11.2	11.2	*9.6
Wyoming	10.8	10.4	*20.1	11.8	10.4	*44.4	12.6	12.6	*13.8	16.2	14.9	*39.7	15.1	14.4	*27.8
Colorado	15.8	15.2	25.2	15.6	15.5	18.0	16.3	15.4	31.2	18.7	17.8	34.8	28.7	28.1	40.1
New Mexico	12.3	11.1	19.1	11.9	10.9	18.0	11.6	11.2	13.9	13.4	12.9	16.5	13.0	13.0	13.1
Arizona	10.7	10.3	12.7	11.0	10.3	14.7	10.4	10.4	10.6	12.0	11.3	15.9	11.5	10.5	16.3
Utah	9.6	9.6	*11.0	9.6	9.7	*9.2	11.1	11.0	*13.7	9.8	9.7	*12.0	10.4	10.2	16.5
Nevada	11.5	9.7	21.6	11.6	10.4	18.4	12.8	12.2	17.2	10.2	9.6	*13.7	14.1	13.4	18.5
Pacific:															
Washington	8.7	8.4	12.9	10.3	9.8	16.7	10.5	10.1	16.3	10.8	10.6	13.5	10.9	10.6	15.6
Oregon	13.3	13.1	15.6	12.0	12.0	*13.2	12.8	12.8	17.1	13.5	13.3	17.2	13.8	13.4	23.5
California	10.0	9.6	12.4	10.6	9.9	14.7	10.9	10.3	14.6	11.4	10.8	15.6	11.8	11.3	15.3
Alaska	8.7	6.2	14.9	8.2	7.9	*9.1	11.7	12.1	10.5	9.6	7.6	16.7	12.1	11.6	13.5
Hawaii	19.4	21.6	18.5	19.6	22.4	18.4	18.1	22.3	16.4	16.2	17.1	15.9	25.3	32.7	22.2

¹Excludes fetal deaths among nonresidents of the United States.

²This State requires reporting of all fetal deaths regardless of period of gestation. Prior to 1969 fetal deaths for which gestation was not stated are included in computing the ratios in this table. The ratios for this State may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES	41,380	3,716	3,238	3,404	3,364	3,538	3,391	3,576	3,597	3,539	3,459	3,262	3,216
WHITE	29,611	2,687	2,349	2,467	2,432	2,530	2,414	2,517	2,554	2,545	2,454	2,330	2,332
ALL OTHER	11,769	1,029	889	1,017	932	1,008	977	1,059	1,043	994	1,005	932	884
ALABAMA	1,033	85	71	85	92	75	81	90	59	98	104	80	73
WHITE	520	48	37	54	45	37	29	41	42	46	52	42	47
ALL OTHER	513	37	34	31	47	38	52	49	57	52	52	38	26
ALASKA	60	4	5	5	5	5	8	3	6	7	4	5	3
WHITE	31	2	1	2	1	4	4	2	5	3	1	4	2
ALL OTHER	29	2	4	3	4	1	4	1	1	4	3	1	1
ARIZONA	400	28	32	28	30	39	42	30	36	43	31	29	32
WHITE	325	26	26	21	27	28	35	23	29	37	24	23	26
ALL OTHER	75	2	6	7	3	11	7	7	7	6	7	6	6
ARKANSAS	423	41	27	38	35	30	30	40	47	38	31	35	31
WHITE	253	23	18	24	20	12	15	21	27	25	23	24	21
ALL OTHER	170	18	9	14	15	18	15	19	20	13	8	11	10
CALIFORNIA	3,061	250	242	269	243	270	270	264	269	243	255	248	238
WHITE	2,496	209	196	220	196	218	219	214	218	210	212	195	189
ALL OTHER	565	41	46	49	47	52	51	50	51	33	43	53	49
COLORADO	607	44	46	51	53	49	58	64	46	47	47	48	54
WHITE	550	42	38	44	51	42	54	61	41	44	44	38	51
ALL OTHER	57	2	8	7	2	7	4	3	5	3	3	10	3
CONNECTICUT	434	38	43	33	35	33	34	31	48	44	28	33	34
WHITE	357	31	36	29	26	28	30	24	35	39	24	28	27
ALL OTHER	77	7	7	4	9	5	4	7	13	5	4	5	7
DELAWARE	92	11	4	6	6	5	14	7	8	9	4	6	12
WHITE	62	8	2	4	6	3	10	6	4	6	1	6	6
ALL OTHER	30	3	2	2	-	2	4	1	4	3	3	-	6
DISTRICT OF COLUMBIA	202	18	20	10	19	22	16	22	16	19	17	9	14
WHITE	23	2	3	3	4	1	2	3	1	1	-	2	1
ALL OTHER	179	16	17	7	15	21	14	19	15	18	17	7	13
FLORIDA	1,521	146	120	119	114	113	131	144	127	140	126	111	130
WHITE	921	91	67	69	74	71	75	81	78	80	83	64	88
ALL OTHER	600	55	53	50	40	42	56	63	49	60	43	47	42
GEORGIA	1,229	115	114	78	96	113	106	100	96	100	109	106	96
WHITE	646	61	56	49	49	51	64	53	45	58	53	60	56
ALL OTHER	583	54	58	38	47	62	42	47	51	42	56	46	40
HAWAII	299	35	20	27	20	29	24	32	20	24	24	21	23
WHITE	94	14	4	7	6	7	6	8	11	8	7	7	9
ALL OTHER	205	21	16	20	14	22	18	24	9	16	17	14	14

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
IDAHO-----	160	11	12	12	13	17	10	9	20	11	13	15	17
WHITE-----	154	11	11	12	13	17	10	9	19	9	11	15	17
ALL OTHER--	6	-	1	-	-	-	-	-	1	2	2	-	-
ILLINOIS-----	2,308	224	180	203	182	186	175	195	194	191	187	203	188
WHITE-----	1,480	140	113	121	127	129	108	124	117	135	126	117	123
ALL OTHER--	828	84	67	82	55	57	67	71	77	56	61	86	65
INDIANA-----	1,068	95	83	94	86	92	102	91	94	82	91	77	81
WHITE-----	876	78	71	81	70	76	91	72	80	71	64	60	62
ALL OTHER--	192	17	12	13	16	16	11	19	14	11	27	17	19
IOWA-----	424	39	44	29	35	38	28	32	39	27	39	32	42
WHITE-----	410	38	42	29	33	36	28	30	37	27	39	30	41
ALL OTHER--	14	1	2	-	2	2	-	2	2	-	-	2	1
KANSAS-----	391	29	31	41	36	41	32	30	23	30	31	35	32
WHITE-----	332	17	28	35	28	36	27	28	22	25	26	32	28
ALL OTHER--	59	12	3	6	8	5	5	2	1	5	5	3	4
KENTUCKY-----	691	63	51	55	52	51	71	49	79	59	53	51	57
WHITE-----	602	58	44	46	47	45	59	45	66	54	44	44	50
ALL OTHER--	89	5	7	9	5	6	12	4	13	5	9	7	7
LOUISIANA-----	899	68	70	82	57	70	69	90	69	102	81	74	67
WHITE-----	384	26	24	37	21	32	29	38	25	50	28	37	37
ALL OTHER--	515	42	46	45	36	38	40	52	44	52	53	37	30
MAINE-----	110	9	10	12	6	14	5	12	9	10	6	8	9
WHITE-----	110	9	10	12	6	14	5	12	9	10	6	8	9
ALL OTHER--	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND-----	723	76	48	69	55	56	71	62	61	71	43	58	53
WHITE-----	460	50	33	37	39	35	42	44	35	45	27	38	35
ALL OTHER--	263	26	15	32	16	21	29	18	26	26	16	20	18
MASSACHUSETTS-----	780	71	73	70	75	68	66	66	75	64	62	39	51
WHITE-----	712	69	69	62	65	65	58	57	68	57	58	37	47
ALL OTHER--	68	2	4	8	10	3	8	9	7	7	4	2	4
MICHIGAN-----	1,758	157	140	148	163	149	142	143	135	163	156	134	128
WHITE-----	1,231	116	95	104	114	105	88	100	99	118	115	95	82
ALL OTHER--	527	41	45	44	49	44	54	43	36	45	41	39	46
MINNESOTA-----	533	48	38	37	43	42	44	55	50	51	40	43	42
WHITE-----	505	46	36	35	41	40	42	54	48	50	36	37	40
ALL OTHER--	28	2	2	2	2	2	2	1	2	1	4	6	2
MISSISSIPPI-----	988	82	66	84	84	74	72	91	100	74	103	76	82
WHITE-----	381	24	31	31	40	28	26	33	28	26	41	35	38
ALL OTHER--	607	58	35	53	44	46	46	58	72	48	62	41	44

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MISSOURI	844	79	66	72	77	70	59	82	69	70	65	76	59
WHITE	631	61	49	55	59	48	48	56	56	49	52	52	46
ALL OTHER	213	18	17	17	18	22	11	26	13	21	13	24	13
MONTANA	128	10	11	10	14	11	10	10	12	9	11	8	12
WHITE	107	9	10	6	10	8	9	10	10	9	8	6	12
ALL OTHER	21	1	1	4	4	3	1	-	2	-	3	2	-
NEBRASKA	252	16	19	22	18	25	21	30	22	25	20	21	13
WHITE	233	13	19	18	14	24	20	29	20	24	19	21	12
ALL OTHER	19	3	-	4	4	1	1	1	2	1	1	-	1
NEVADA	104	7	7	7	11	10	9	11	7	6	9	7	13
WHITE	74	4	5	4	8	8	5	7	7	6	6	5	9
ALL OTHER	30	3	2	3	3	2	4	4	-	-	3	2	4
NEW HAMPSHIRE	120	10	15	10	6	9	9	11	8	12	13	12	5
WHITE	119	10	15	10	6	9	9	10	8	12	13	12	5
ALL OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY	1,213	112	100	102	108	94	107	96	108	101	106	94	93
WHITE	869	84	77	69	71	68	81	64	74	69	69	72	71
ALL OTHER	344	28	23	33	29	26	26	32	34	32	37	22	22
NEW MEXICO	255	26	22	22	20	20	20	27	25	19	21	22	11
WHITE	194	20	14	14	17	17	16	21	16	16	17	18	8
ALL OTHER	61	6	8	8	3	3	4	6	9	3	4	4	3
NEW YORK	3,497	343	270	295	276	312	281	309	293	292	306	272	248
WHITE	2,525	247	194	211	190	224	210	215	213	211	220	207	183
ALL OTHER	972	96	76	84	86	88	71	94	80	81	86	65	65
NORTH CAROLINA	1,302	98	97	122	97	101	89	125	125	123	114	106	105
WHITE	761	62	60	71	59	63	46	73	76	66	67	59	59
ALL OTHER	541	36	37	51	38	38	43	52	49	57	47	47	46
NORTH DAKOTA	106	6	12	9	7	14	12	10	8	7	3	9	9
WHITE	96	5	11	8	7	14	12	9	7	6	2	7	8
ALL OTHER	10	1	1	1	-	-	-	1	1	1	1	2	1
OHIO	2,022	180	162	152	178	182	158	152	179	163	183	175	158
WHITE	1,598	139	126	129	147	141	128	123	145	121	143	135	121
ALL OTHER	424	41	36	23	31	41	30	29	34	42	40	40	37
OKLAHOMA	487	50	35	46	37	39	39	28	53	31	44	44	41
WHITE	373	41	28	33	28	28	29	23	45	26	31	33	28
ALL OTHER	114	9	7	13	9	11	10	5	8	5	13	11	13
OREGON	415	36	29	37	33	41	36	35	29	31	38	33	37
WHITE	391	35	28	37	33	34	35	34	27	30	36	29	33
ALL OTHER	24	1	1	-	-	7	1	1	2	1	2	4	4

SECTION 3 - FETAL MORTALITY

3-15

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more, see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
PENNSYLVANIA-----	2,519	234	195	236	204	216	182	218	223	208	193	207	203
WHITE-----	1,865	179	140	175	153	155	140	158	161	150	146	156	152
ALL OTHER-----	654	55	55	61	51	61	42	60	62	58	47	51	51
RHODE ISLAND-----	129	13	13	10	12	6	12	5	13	13	11	11	10
WHITE-----	110	11	12	9	9	6	10	5	11	12	10	8	7
ALL OTHER-----	19	2	1	1	3	-	2	-	2	1	1	3	3
SOUTH CAROLINA-----	799	73	62	78	58	63	79	69	55	78	59	59	66
WHITE-----	360	34	37	33	26	27	32	29	26	37	23	26	30
ALL OTHER-----	439	39	25	45	32	36	47	40	29	41	36	33	36
SOUTH DAKOTA-----	148	9	15	19	14	16	13	12	8	12	10	12	8
WHITE-----	122	8	12	14	10	13	12	8	7	11	9	11	7
ALL OTHER-----	26	1	3	5	4	3	1	4	1	1	1	1	1
TENNESSEE-----	902	87	77	73	73	79	78	79	73	81	82	61	59
WHITE-----	633	65	60	50	53	50	58	53	53	52	58	44	37
ALL OTHER-----	269	22	17	23	20	29	20	26	20	29	24	17	22
TEXAS-----	2,707	238	207	215	196	228	213	222	261	254	237	226	210
WHITE-----	2,048	181	156	163	142	181	159	173	195	199	179	166	154
ALL OTHER-----	659	57	51	52	54	47	54	49	66	55	58	60	56
UTAH-----	260	30	9	22	29	31	22	24	28	15	19	17	14
WHITE-----	251	28	9	22	29	31	21	23	26	14	19	17	12
ALL OTHER-----	9	2	-	-	-	-	1	1	2	1	-	-	2
VERMONT-----	84	3	9	4	8	12	9	9	5	9	4	8	4
WHITE-----	84	3	9	4	8	12	9	9	5	9	4	8	4
ALL OTHER-----	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA-----	1,315	123	90	119	117	129	109	125	93	109	97	87	117
WHITE-----	849	82	69	76	74	76	63	86	54	72	58	53	86
ALL OTHER-----	466	41	21	43	43	53	46	39	39	37	39	34	31
WASHINGTON-----	422	39	31	36	37	31	27	38	36	36	42	38	31
WHITE-----	372	34	28	30	34	27	23	35	33	33	39	32	24
ALL OTHER-----	50	5	3	6	3	4	4	3	3	3	3	6	7
WEST VIRGINIA-----	432	39	51	30	47	53	36	36	26	25	32	23	34
WHITE-----	403	38	49	27	44	49	32	31	24	23	31	22	33
ALL OTHER-----	29	1	2	3	3	4	4	5	2	2	1	1	1
WISCONSIN-----	659	61	40	45	53	59	55	56	67	56	55	48	64
WHITE-----	569	48	38	34	46	52	47	46	61	48	50	43	56
ALL OTHER-----	90	13	2	11	7	7	8	10	6	8	5	5	8
WYOMING-----	65	7	4	6	7	6	5	5	5	7	-	10	3
WHITE-----	59	7	3	6	6	5	4	4	5	6	-	10	3
ALL OTHER-----	6	-	1	-	1	1	1	1	-	1	-	-	-

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total-----	41,580	14,500	8,102	5,454	3,492	2,299	1,461	980	2,047	2,975
Under 15 years-----	309	263	11	1	-	-	-	-	-	34
15-19 years-----	8,206	5,740	1,331	310	74	14	6	4	1	726
20-24 years-----	12,627	5,322	3,420	1,716	768	284	122	32	27	936
25-29 years-----	9,796	2,261	2,282	1,950	1,211	700	378	181	220	613
30-34 years-----	5,547	662	756	922	845	677	465	328	539	353
35-39 years-----	3,451	274	226	421	447	450	350	301	762	220
40-44 years-----	1,325	76	70	103	143	152	127	122	448	65
45-49 years-----	118	2	6	11	4	12	13	12	50	8
Male-----	21,151	7,666	4,025	2,726	1,783	1,134	746	535	1,051	1,465
Under 15 years-----	175	157	4	1	-	-	-	-	-	13
15-19 years-----	4,279	3,028	677	162	39	6	2	-	1	365
20-24 years-----	6,404	2,762	1,704	862	371	143	64	17	15	466
25-29 years-----	5,024	1,205	1,116	966	641	355	208	112	124	299
30-34 years-----	2,735	327	369	453	422	317	226	179	267	175
35-39 years-----	1,760	143	118	222	237	223	173	156	396	102
40-44 years-----	692	42	35	55	72	85	67	64	232	40
45-49 years-----	62	2	5	5	2	5	6	7	26	5
Female-----	18,532	6,485	3,712	2,440	1,552	1,056	649	407	924	1,307
Under 15 years-----	124	100	7	-	-	-	-	-	-	17
15-19 years-----	3,614	2,538	598	134	32	6	2	4	-	300
20-24 years-----	5,706	2,389	1,561	773	366	135	53	14	10	405
25-29 years-----	4,315	978	1,062	875	512	308	157	60	85	278
30-34 years-----	2,564	320	352	425	379	337	212	136	249	154
35-39 years-----	1,569	126	97	181	194	206	167	134	356	108
40-44 years-----	588	34	31	46	67	59	53	54	202	42
45-49 years-----	52	-	4	6	2	5	5	5	22	3
Sex not stated-----	1,717	449	365	268	157	99	66	38	72	203
Under 15 years-----	10	6	-	-	-	-	-	-	-	4
15-19 years-----	313	174	66	14	4	2	2	-	-	61
20-24 years-----	517	171	155	81	31	6	5	1	2	65
25-29 years-----	457	78	104	109	58	37	15	9	11	36
30-34 years-----	248	15	35	44	44	23	27	13	23	24
35-39 years-----	122	5	11	18	16	21	10	11	20	10
40-44 years-----	46	-	4	2	4	8	7	4	14	3
45-49 years-----	4	-	-	-	-	2	-	-	2	-
White-----	29,611	10,609	6,066	4,047	2,560	1,536	956	648	1,117	2,002
Under 15 years-----	103	92	2	-	-	-	-	-	-	9
15-19 years-----	4,924	3,631	707	123	27	7	1	1	1	426
20-24 years-----	9,278	4,191	2,604	1,180	448	126	58	14	14	643
25-29 years-----	7,670	1,894	1,904	1,568	933	462	229	114	105	461
30-34 years-----	4,143	513	607	757	682	525	324	217	267	251
35-39 years-----	2,454	218	180	333	362	339	253	205	416	148
40-44 years-----	948	68	57	77	115	128	81	85	278	59
45-49 years-----	91	2	5	9	1	11	10	12	38	5
Male-----	14,973	5,507	2,980	2,022	1,304	792	497	345	571	985
Under 15 years-----	61	55	1	-	-	-	-	-	-	5
15-19 years-----	2,504	1,874	331	72	15	2	1	-	1	208
20-24 years-----	4,679	2,163	1,284	587	212	66	35	8	9	315
25-29 years-----	3,908	1,010	926	772	496	232	123	70	61	226
30-34 years-----	2,026	249	296	369	337	248	157	114	126	131
35-39 years-----	1,242	117	93	174	189	166	117	103	212	71
40-44 years-----	506	37	27	44	64	74	48	43	143	26
45-49 years-----	49	2	2	5	1	4	6	7	19	3
Female-----	13,362	4,755	2,826	1,819	1,140	728	419	276	503	696
Under 15 years-----	38	35	1	-	-	-	-	-	-	2
15-19 years-----	2,234	1,635	349	46	11	4	-	1	-	188
20-24 years-----	4,210	1,889	1,202	532	215	57	21	6	4	284
25-29 years-----	3,388	815	888	707	395	201	94	38	36	212
30-34 years-----	1,920	252	281	352	309	256	143	92	130	105
35-39 years-----	1,120	98	76	146	160	156	128	94	190	72
40-44 years-----	413	31	26	32	50	49	29	40	125	31
45-49 years-----	39	-	3	4	-	5	4	5	15	2
Sex not stated-----	1,276	347	280	206	124	78	50	27	43	121
Under 15 years-----	4	2	-	-	-	-	-	-	-	2
15-19 years-----	186	122	27	5	1	-	-	-	-	30
20-24 years-----	389	139	118	61	21	3	2	-	1	44
25-29 years-----	376	69	90	89	52	29	12	6	6	23
30-34 years-----	197	12	30	37	36	21	24	11	11	15
35-39 years-----	92	5	11	15	13	17	8	8	14	5
40-44 years-----	29	-	4	1	1	5	4	2	10	2
45-49 years-----	3	-	-	-	-	2	-	-	1	-
All other-----	11,769	3,991	2,036	1,387	924	691	505	332	930	973
Under 15 years-----	206	171	9	1	-	-	-	-	-	25
15-19 years-----	3,282	2,109	624	187	47	7	5	3	-	300
20-24 years-----	5,349	1,131	815	536	320	158	64	18	13	293
25-29 years-----	2,126	567	378	382	278	238	149	67	116	152
30-34 years-----	1,404	149	149	165	163	152	141	111	272	102
35-39 years-----	997	56	46	68	65	111	97	96	346	72
40-44 years-----	378	8	13	26	28	24	46	37	170	26
45-49 years-----	27	-	1	2	3	1	3	-	14	3

SECTION 3 - FETAL MORTALITY

Table 3-II. Fetal Deaths by Age of Mother and Color: United States and Each State, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES	41,380	309	8,206	12,627	9,796	5,547	3,451	1,326	118
WHITE	29,611	103	4,924	9,278	7,670	4,143	2,454	948	91
ALL OTHER	11,769	206	3,282	3,349	2,126	1,404	997	378	27
ALABAMA	1,033	12	270	325	192	131	79	20	4
WHITE	520	3	125	177	112	67	27	7	2
ALL OTHER	513	9	145	148	80	64	52	13	2
ALASKA	60	-	11	19	18	7	5	-	-
WHITE	31	-	5	11	11	2	2	-	-
ALL OTHER	29	-	6	8	7	5	3	-	-
ARIZONA	400	2	68	135	81	54	39	20	1
WHITE	325	1	50	113	72	42	31	15	1
ALL OTHER	75	1	18	22	9	12	8	5	-
ARKANSAS	423	3	113	135	86	52	17	16	1
WHITE	253	-	57	86	62	27	13	7	1
ALL OTHER	170	3	56	49	24	25	4	9	-
CALIFORNIA	3,061	13	500	952	799	434	257	99	7
WHITE	2,496	8	371	798	678	346	203	86	6
ALL OTHER	565	5	129	154	121	88	54	13	1
COLORADO	607	4	113	199	170	72	36	13	-
WHITE	550	3	95	179	157	69	34	13	-
ALL OTHER	57	1	18	20	13	3	2	-	-
CONNECTICUT	434	2	49	118	143	74	37	11	-
WHITE	357	1	33	100	124	59	31	9	-
ALL OTHER	77	1	16	18	19	15	6	2	-
DELAWARE	92	2	23	30	16	14	6	1	-
WHITE	62	-	14	23	13	8	4	-	-
ALL OTHER	30	2	9	7	3	6	2	1	-
DISTRICT OF COLUMBIA	202	3	51	68	43	21	14	2	-
WHITE	23	-	4	5	7	6	1	-	-
ALL OTHER	179	3	47	63	36	15	13	2	-
FLORIDA	1,521	27	362	445	319	203	132	30	3
WHITE	921	4	177	288	222	144	70	15	1
ALL OTHER	600	23	185	157	97	59	62	15	2
GEORGIA	1,229	22	292	379	266	145	90	32	3
WHITE	646	5	123	214	159	83	50	10	2
ALL OTHER	583	17	169	165	107	62	40	22	1
HAWAII	299	2	82	92	65	37	15	5	1
WHITE	94	2	25	39	18	6	4	-	-
ALL OTHER	205	-	57	53	47	31	11	5	1

Table 3-II. Fetal Deaths by Age of Mother and Color: United States and Each State, 1972—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IDAHO	160	-	35	66	34	14	8	2	1
WHITE	154	-	32	65	33	14	7	2	1
ALL OTHER	6	-	3	1	1	-	1	-	-
ILLINOIS	2,308	17	453	642	575	325	212	78	6
WHITE	1,480	4	215	429	414	225	132	56	5
ALL OTHER	828	13	238	213	161	100	80	22	1
INDIANA	1,068	6	215	362	244	116	66	53	6
WHITE	876	3	163	288	220	95	55	46	6
ALL OTHER	192	3	52	74	24	21	11	7	-
IOWA	424	-	68	121	119	61	37	15	3
WHITE	410	-	65	118	116	59	36	13	3
ALL OTHER	14	-	3	3	3	2	1	2	-
KANSAS	391	2	86	124	85	49	35	9	1
WHITE	332	2	68	103	78	41	31	8	1
ALL OTHER	59	-	18	21	7	8	4	1	-
KENTUCKY	691	7	149	219	140	104	51	21	-
WHITE	602	3	126	193	128	89	46	17	-
ALL OTHER	89	4	23	26	12	15	5	4	-
LOUISIANA	899	13	196	264	195	98	90	42	1
WHITE	384	4	67	124	101	37	36	14	1
ALL OTHER	515	9	129	140	94	61	54	28	-
MAINE	110	-	21	41	23	14	9	2	-
WHITE	110	-	21	41	23	14	9	2	-
ALL OTHER	-	-	-	-	-	-	-	-	-
MARYLAND	723	5	156	217	174	103	50	16	2
WHITE	460	3	80	137	124	74	32	9	1
ALL OTHER	263	2	76	80	50	29	18	7	1
MASSACHUSETTS	780	1	119	204	200	149	72	31	4
WHITE	712	1	109	185	185	133	65	31	3
ALL OTHER	68	-	10	19	15	16	7	-	1
MICHIGAN	1,758	15	384	551	404	212	143	46	3
WHITE	1,231	3	220	401	305	164	99	36	3
ALL OTHER	527	12	164	150	99	48	44	10	-
MINNESOTA	533	-	76	176	123	80	55	21	2
WHITE	505	-	69	166	121	74	52	21	2
ALL OTHER	28	-	7	10	2	6	3	-	-
MISSISSIPPI	988	16	256	275	191	125	86	35	4
WHITE	381	3	86	108	98	48	28	10	-
ALL OTHER	607	13	170	167	93	77	58	25	4

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MISSOURI	844	4	182	246	186	118	74	30	4
WHITE	631	4	116	188	157	91	51	20	4
ALL OTHER	213	-	66	58	29	27	23	10	-
MONTANA	128	-	27	43	27	16	9	6	-
WHITE	107	-	21	37	24	14	6	5	-
ALL OTHER	21	-	6	6	3	2	3	1	-
NEBRASKA	252	1	45	95	55	29	17	9	1
WHITE	233	-	40	89	51	28	15	9	1
ALL OTHER	19	1	5	6	4	1	2	-	-
NEVADA	104	1	20	33	25	14	8	3	-
WHITE	74	-	10	24	21	12	4	3	-
ALL OTHER	30	1	10	9	4	2	4	-	-
NEW HAMPSHIRE	120	-	18	40	35	15	10	2	-
WHITE	119	-	18	40	34	15	10	2	-
ALL OTHER	1	-	-	-	1	-	-	-	-
NEW JERSEY	1,213	10	171	339	347	183	122	36	5
WHITE	869	3	84	247	278	134	93	25	5
ALL OTHER	344	7	87	92	69	49	29	11	-
NEW MEXICO	255	-	40	74	65	40	27	8	1
WHITE	194	-	29	59	48	32	18	7	1
ALL OTHER	61	-	11	15	17	8	9	1	-
NEW YORK	3,497	19	491	1,007	950	557	341	121	11
WHITE	2,525	8	292	730	741	410	248	89	7
ALL OTHER	972	11	199	277	209	147	93	32	4
NORTH CAROLINA	1,302	9	320	388	303	155	88	38	1
WHITE	761	2	158	239	200	103	39	19	1
ALL OTHER	541	7	162	149	103	52	49	19	-
NORTH DAKOTA	106	-	13	34	36	12	9	1	1
WHITE	96	-	12	29	34	11	8	1	1
ALL OTHER	10	-	1	5	2	1	1	-	-
OHIO	2,022	12	371	660	488	245	183	59	4
WHITE	1,598	4	248	527	418	208	144	45	4
ALL OTHER	424	8	123	133	70	37	39	14	-
OKLAHOMA	487	4	130	149	111	47	34	11	1
WHITE	373	3	90	115	92	39	24	9	1
ALL OTHER	114	1	40	34	19	8	10	2	-
OREGON	415	-	79	136	114	52	17	16	1
WHITE	391	-	73	127	111	48	17	14	1
ALL OTHER	24	-	6	9	3	4	-	2	-

SECTION 3 - FETAL MORTALITY

3-21

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
PENNSYLVANIA-----	2,519	26	518	746	586	342	212	81	8
WHITE-----	1,865	9	303	550	467	283	175	71	7
ALL OTHER--	654	17	215	196	119	59	37	10	1
RHODE ISLAND-----	129	-	15	42	33	19	13	6	1
WHITE-----	110	-	13	39	25	16	11	5	1
ALL OTHER--	19	-	2	3	8	3	2	1	-
SOUTH CAROLINA-----	799	8	180	247	161	119	54	27	3
WHITE-----	360	1	67	117	88	60	19	7	1
ALL OTHER--	439	7	113	130	73	59	35	20	2
SOUTH DAKOTA-----	148	-	23	48	37	14	19	5	2
WHITE-----	122	-	18	38	34	12	14	4	2
ALL OTHER--	26	-	5	10	3	2	5	1	-
TENNESSEE-----	902	9	254	267	165	103	64	34	6
WHITE-----	633	3	161	197	134	72	45	17	4
ALL OTHER--	269	6	93	70	31	31	19	17	2
TEXAS-----	2,707	24	575	839	592	341	236	96	4
WHITE-----	2,048	11	376	645	473	271	196	72	4
ALL OTHER--	659	13	199	194	119	70	40	24	-
UTAH-----	260	-	31	96	59	34	26	14	-
WHITE-----	251	-	29	92	56	34	26	14	-
ALL OTHER--	9	-	2	4	3	-	-	-	-
VERMONT-----	84	-	13	31	22	9	7	2	-
WHITE-----	84	-	13	31	22	9	7	2	-
ALL OTHER--	-	-	-	-	-	-	-	-	-
VIRGINIA-----	1,315	8	273	411	296	172	112	39	4
WHITE-----	849	2	125	282	220	123	70	25	2
ALL OTHER--	466	6	148	129	76	49	42	14	2
WASHINGTON-----	422	-	65	155	117	45	30	8	2
WHITE-----	372	-	54	140	102	37	30	7	2
ALL OTHER--	50	-	11	15	15	8	-	1	-
WEST VIRGINIA-----	432	-	90	138	103	45	42	12	2
WHITE-----	403	-	85	126	98	43	39	12	-
ALL OTHER--	29	-	5	12	5	2	3	-	2
WISCONSIN-----	659	-	95	183	162	121	56	39	3
WHITE-----	569	-	72	159	146	107	47	35	3
ALL OTHER--	90	-	23	24	16	14	9	4	-
WYOMING-----	65	-	19	21	16	6	-	3	-
WHITE-----	59	-	17	20	15	5	-	2	-
ALL OTHER--	6	-	2	1	1	1	-	1	-

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
UNITED STATES	41,380	14,600	8,102	5,434	3,492	2,289	1,461	980	2,047	2,975
WHITE	29,611	10,609	6,066	4,047	2,568	1,598	956	648	1,117	2,002
ALL OTHER	11,769	3,991	2,036	1,387	924	691	505	332	930	973
ALABAMA	1,033	392	201	143	79	63	35	25	63	32
WHITE	520	210	130	77	41	24	10	5	8	15
ALL OTHER	513	182	71	66	38	39	25	20	55	17
ALASKA	60	19	9	12	6	3	1	-	4	6
WHITE	31	12	3	7	2	2	-	-	-	5
ALL OTHER	29	7	6	5	4	1	1	-	4	1
ARIZONA	400	130	82	55	45	21	11	9	37	10
WHITE	325	105	68	48	40	17	10	8	23	6
ALL OTHER	75	25	14	7	5	4	1	1	14	4
ARKANSAS	423	156	87	44	38	24	16	11	35	10
WHITE	253	94	63	32	25	12	9	2	12	4
ALL OTHER	170	64	24	12	13	12	7	9	23	6
CALIFORNIA	3,061	1,252	685	416	243	129	83	55	107	91
WHITE	2,496	1,016	566	365	187	105	63	42	87	65
ALL OTHER	565	236	119	51	56	24	20	13	20	26
COLORADO	607	206	145	90	61	34	19	11	19	22
WHITE	550	189	125	82	54	33	19	11	16	19
ALL OTHER	57	17	20	8	7	1	-	-	1	3
CONNECTICUT	434	153	93	62	44	28	14	10	17	13
WHITE	357	128	83	47	38	23	9	6	12	11
ALL OTHER	77	25	10	15	6	5	5	4	5	2
DELAWARE	92	29	22	10	7	4	2	2	4	12
WHITE	62	20	16	9	4	2	1	2	2	6
ALL OTHER	30	9	6	1	3	2	1	-	2	6
DISTRICT OF COLUMBIA	202	88	35	26	7	12	8	3	5	18
WHITE	23	11	3	2	1	1	1	-	1	3
ALL OTHER	179	77	32	24	6	11	7	3	4	15
FLORIDA	1,521	519	252	173	114	75	55	35	60	238
WHITE	921	312	179	115	73	42	29	17	14	140
ALL OTHER	600	207	73	58	41	33	26	18	46	98
GEORGIA	1,229	455	265	164	94	69	46	32	65	39
WHITE	646	246	147	94	50	32	19	18	19	21
ALL OTHER	583	209	118	70	44	37	27	14	46	18
HAWAII	299	132	63	29	19	9	7	3	5	32
WHITE	94	46	27	8	4	-	1	-	-	8
ALL OTHER	205	86	36	21	15	9	6	3	5	24

SECTION 3 - FETAL MORTALITY

3-23

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
IDAHO-----	160	57	25	27	9	8	5	4	4	21
WHITE-----	154	54	25	24	9	8	5	4	4	21
ALL OTHER--	6	3	-	3	-	-	-	-	-	-
ILLINOIS-----	2,308	744	459	319	228	128	99	74	132	125
WHITE-----	1,480	496	301	210	147	78	55	49	60	84
ALL OTHER--	828	248	158	109	81	50	44	25	72	41
INDIANA-----	1,068	282	174	126	79	51	37	23	38	258
WHITE-----	876	242	145	116	63	44	30	16	34	186
ALL OTHER--	192	40	29	10	16	7	7	7	4	72
IOWA-----	424	137	99	59	44	32	14	11	22	6
WHITE-----	410	134	96	57	43	30	14	11	20	5
ALL OTHER--	14	3	3	2	1	2	-	-	2	1
KANSAS-----	391	142	82	56	32	22	16	7	15	19
WHITE-----	332	120	70	46	28	22	14	7	9	16
ALL OTHER--	59	22	12	10	4	-	2	-	6	3
KENTUCKY-----	691	226	148	101	58	36	36	19	38	29
WHITE-----	602	199	132	87	53	29	29	17	28	28
ALL OTHER--	89	27	16	14	5	7	7	2	10	1
LOUISIANA-----	899	255	138	94	72	41	29	25	70	175
WHITE-----	384	124	77	51	42	18	11	9	15	37
ALL OTHER--	515	131	61	43	30	23	18	16	55	138
MAINE-----	110	36	22	18	11	7	4	3	2	7
WHITE-----	110	36	22	18	11	7	4	3	2	7
ALL OTHER--	-	-	-	-	-	-	-	-	-	-
MARYLAND-----	723	324	156	111	48	35	16	4	12	17
WHITE-----	460	201	106	67	38	20	8	4	6	10
ALL OTHER--	263	123	50	44	10	15	8	-	6	7
MASSACHUSETTS-----	780	230	110	96	64	34	19	16	27	184
WHITE-----	712	212	102	93	61	30	18	15	23	158
ALL OTHER--	68	18	8	3	3	4	1	1	4	26
MICHIGAN-----	1,758	688	334	233	152	104	70	45	75	57
WHITE-----	1,231	491	236	158	114	66	47	33	49	37
ALL OTHER--	527	197	98	75	38	38	23	12	26	20
MINNESOTA-----	533	164	121	63	49	27	18	16	42	33
WHITE-----	505	153	119	57	47	26	17	14	40	32
ALL OTHER--	28	11	2	6	2	1	1	2	2	1
MISSISSIPPI-----	988	316	183	113	92	68	40	27	125	24
WHITE-----	381	130	89	56	45	29	12	5	7	8
ALL OTHER--	607	186	94	57	47	39	28	22	118	16

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
MISSOURI-----	844	317	144	103	56	37	36	27	48	76
WHITE-----	631	241	116	78	41	27	28	19	21	60
ALL OTHER--	213	76	28	25	15	10	8	8	27	16
MONTANA-----	128	42	25	19	9	6	3	2	11	11
WHITE-----	107	37	23	17	6	6	3	1	6	8
ALL OTHER--	21	5	2	2	3	-	-	1	5	3
NEBRASKA-----	252	113	49	21	20	18	6	5	13	7
WHITE-----	233	105	47	19	19	18	5	4	11	5
ALL OTHER--	19	8	2	2	1	-	1	1	2	2
NEVADA-----	104	41	26	14	4	7	3	5	2	2
WHITE-----	74	32	14	14	2	5	2	2	2	1
ALL OTHER--	30	9	12	-	2	2	1	3	-	1
NEW HAMPSHIRE-----	120	35	21	14	6	5	3	4	2	30
WHITE-----	119	35	20	14	6	5	3	4	2	30
ALL OTHER--	1	-	1	-	-	-	-	-	-	-
NEW JERSEY-----	1,213	427	262	156	95	62	47	29	47	88
WHITE-----	869	302	207	112	72	47	31	11	24	61
ALL OTHER--	344	125	55	44	23	15	16	18	21	27
NEW MEXICO-----	255	89	28	39	22	19	10	8	19	21
WHITE-----	194	68	22	32	17	13	4	6	12	20
ALL OTHER--	61	21	6	7	5	6	6	2	7	1
NEW YORK-----	3,497	860	635	504	321	218	128	79	164	588
WHITE-----	2,525	672	497	376	238	154	87	52	106	343
ALL OTHER--	972	188	138	128	83	64	41	27	58	245
NORTH CAROLINA-----	1,302	529	285	177	111	64	40	22	64	10
WHITE-----	761	316	173	118	64	33	17	9	23	8
ALL OTHER--	541	213	112	59	47	31	23	13	41	2
NORTH DAKOTA-----	106	38	22	16	9	8	5	1	6	1
WHITE-----	96	35	18	14	8	8	5	1	6	1
ALL OTHER--	10	3	4	2	1	-	-	-	-	-
OHIO-----	2,022	692	369	244	175	137	77	46	78	204
WHITE-----	1,598	545	286	203	148	101	62	35	56	162
ALL OTHER--	424	147	83	41	27	36	15	11	22	42
OKLAHOMA-----	487	180	98	63	44	12	18	11	20	41
WHITE-----	373	144	77	49	34	10	7	10	12	30
ALL OTHER--	114	36	21	14	10	2	11	1	8	11
OREGON-----	415	133	86	45	38	21	13	15	19	45
WHITE-----	391	126	82	40	37	18	12	15	18	43
ALL OTHER--	24	7	4	5	1	3	1	-	1	2

SECTION 3 - FETAL MORTALITY

3-25

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
PENNSYLVANIA	2,519	971	519	338	211	153	88	61	104	74
WHITE	1,865	711	385	241	164	119	63	48	78	56
ALL OTHER	654	260	134	97	47	34	25	13	26	18
RHODE ISLAND	129	42	26	16	15	7	6	4	6	7
WHITE	110	36	22	14	13	5	5	4	5	6
ALL OTHER	19	6	4	2	2	2	1	-	1	1
SOUTH CAROLINA	799	277	138	103	80	57	35	18	61	30
WHITE	360	135	79	42	38	27	12	5	12	10
ALL OTHER	439	142	59	61	42	30	23	13	49	20
SOUTH DAKOTA	148	53	24	15	11	12	11	2	14	6
WHITE	122	48	22	12	8	9	11	1	6	5
ALL OTHER	26	5	2	3	3	3	-	1	8	1
TENNESSEE	902	407	166	105	60	51	28	17	42	26
WHITE	633	303	113	81	41	35	14	9	19	22
ALL OTHER	269	104	53	24	19	16	14	8	27	4
TEXAS	2,707	1,098	542	358	215	152	95	80	154	13
WHITE	2,048	837	404	285	160	116	68	57	110	11
ALL OTHER	659	261	138	73	55	36	27	23	44	2
UTAH	260	61	32	32	23	12	10	4	12	74
WHITE	251	59	31	29	22	12	10	4	12	72
ALL OTHER	9	2	1	3	1	-	-	-	-	2
VERMONT	84	33	22	5	10	3	3	2	4	2
WHITE	84	33	22	5	10	3	3	2	4	2
ALL OTHER	-	-	-	-	-	-	-	-	-	-
VIRGINIA	1,315	474	260	176	129	71	43	24	59	79
WHITE	849	311	176	118	84	42	25	13	20	60
ALL OTHER	466	163	84	58	45	29	18	11	39	19
WASHINGTON	422	143	92	66	32	22	10	11	13	33
WHITE	372	127	82	57	28	19	10	8	11	30
ALL OTHER	50	16	10	9	4	3	-	3	2	3
WEST VIRGINIA	432	151	89	62	38	31	14	15	23	9
WHITE	403	144	81	57	34	30	13	14	21	9
ALL OTHER	29	7	8	5	4	1	1	1	2	-
WISCONSIN	659	235	136	97	55	38	28	16	37	17
WHITE	569	202	123	88	47	34	20	15	28	12
ALL OTHER	90	33	13	9	8	4	8	1	9	5
WYOMING	65	25	16	6	8	2	1	2	2	3
WHITE	59	24	14	6	7	2	1	1	1	3
ALL OTHER	6	1	2	-	1	-	-	1	1	-

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1972

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II--FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III--FETAL DEATHS OF 28 WEEKS GESTATION OR MORE			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
UNITED STATES-----	41,380	40,492	471	158	9,522	9,265	181	25	25,869	25,442	207	104
WHITE-----	29,611	29,170	271	17	6,262	6,118	113	1	19,096	18,906	110	13
ALL OTHER-----	11,769	11,322	200	141	3,260	3,147	68	24	6,773	6,536	97	91
ALABAMA-----	1,033	972	18	38	261	245	5	11	692	653	12	24
WHITE-----	520	517	2	--	115	115	--	--	374	372	2	--
ALL OTHER-----	513	455	16	38	146	130	5	11	318	281	10	24
ALASKA-----	60	56	1	1	13	12	--	--	40	37	1	1
WHITE-----	31	31	--	--	5	5	--	--	23	23	--	--
ALL OTHER-----	29	25	1	1	8	7	--	--	17	14	1	1
ARIZONA-----	400	386	10	1	65	62	3	--	278	270	6	1
WHITE-----	325	317	5	1	57	57	--	--	224	219	4	1
ALL OTHER-----	75	69	5	--	8	5	3	--	54	51	2	--
ARKANSAS-----	423	398	13	1	100	96	3	--	261	243	9	1
WHITE-----	253	247	4	--	54	53	1	--	161	157	2	--
ALL OTHER-----	170	151	9	1	46	43	2	--	100	86	7	1
CALIFORNIA-----	3,061	3,015	20	--	514	507	4	--	2,167	2,144	13	--
WHITE-----	2,496	2,459	15	--	407	402	2	--	1,803	1,783	10	--
ALL OTHER-----	565	556	5	--	107	105	2	--	364	361	3	--
COLORADO-----	607	588	12	--	269	260	6	--	312	304	6	--
WHITE-----	550	532	11	--	239	231	5	--	290	282	6	--
ALL OTHER-----	57	56	1	--	30	29	1	--	22	22	--	--
CONNECTICUT-----	434	428	5	--	109	107	1	--	315	311	4	--
WHITE-----	357	355	1	--	90	88	1	--	260	260	--	--
ALL OTHER-----	77	73	4	--	19	19	--	--	55	51	4	--
DELAWARE-----	92	92	--	--	23	23	--	--	55	55	--	--
WHITE-----	62	62	--	--	18	18	--	--	37	37	--	--
ALL OTHER-----	30	30	--	--	5	5	--	--	18	18	--	--
DISTRICT OF COLUMBIA-----	202	197	4	--	51	51	--	--	123	120	3	--
WHITE-----	23	22	--	--	4	4	--	--	11	11	--	--
ALL OTHER-----	179	175	4	--	47	47	--	--	112	109	3	--
FLORIDA-----	1,521	1,479	22	9	175	169	4	--	597	580	9	6
WHITE-----	921	907	9	--	101	99	2	--	384	381	2	--
ALL OTHER-----	600	572	13	9	74	70	2	--	213	199	7	6
GEORGIA-----	1,229	1,201	12	6	413	405	3	1	719	701	9	5
WHITE-----	646	639	6	--	193	191	2	--	402	397	4	--
ALL OTHER-----	583	562	6	6	220	214	1	1	317	304	5	5
HAWAII-----	299	291	8	--	165	159	6	--	128	126	2	--
WHITE-----	94	92	2	--	51	50	1	--	42	41	1	--
ALL OTHER-----	205	199	6	--	114	109	5	--	86	85	1	--
IDAHO-----	160	156	1	--	34	33	1	--	67	66	--	--
WHITE-----	154	150	1	--	32	31	1	--	64	63	--	--
ALL OTHER-----	6	6	--	--	2	2	--	--	3	3	--	--
ILLINOIS-----	2,308	2,272	26	--	485	473	11	--	1,583	1,569	13	--
WHITE-----	1,480	1,460	13	--	262	257	5	--	1,051	1,042	8	--
ALL OTHER-----	828	812	13	--	223	216	6	--	532	527	5	--
INDIANA-----	1,068	1,035	31	--	124	116	6	--	478	471	7	--
WHITE-----	876	851	23	--	97	91	4	--	423	419	4	--
ALL OTHER-----	192	184	8	--	27	25	2	--	55	52	3	--
IOWA-----	424	421	3	--	82	80	2	--	327	326	1	--
WHITE-----	410	408	2	--	79	78	1	--	317	316	1	--
ALL OTHER-----	14	13	1	--	3	2	1	--	10	10	--	--
KANSAS-----	391	387	2	--	79	77	1	--	263	261	1	--
WHITE-----	332	329	2	--	58	56	1	--	231	230	1	--
ALL OTHER-----	59	58	--	--	21	21	--	--	32	31	--	--
KENTUCKY-----	691	679	5	2	95	93	2	--	433	429	2	1
WHITE-----	602	594	2	1	76	74	2	--	383	381	2	1
ALL OTHER-----	89	85	3	1	19	19	--	--	50	48	2	--
LOUISIANA-----	899	876	11	4	106	106	--	--	451	442	4	2
WHITE-----	384	380	3	1	47	47	--	--	209	206	2	1
ALL OTHER-----	515	496	8	3	59	59	--	--	242	236	2	1
MAINE-----	110	108	1	--	15	13	1	--	75	75	--	--
WHITE-----	110	108	1	--	15	13	1	--	75	75	--	--
ALL OTHER-----	--	--	--	--	--	--	--	--	--	--	--	--

SEE FOOTNOTES AT END OF TABLE.

SECTION 3 - FETAL MORTALITY

3-27

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II--FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III--FETAL DEATHS OF 28 WEEKS GESTATION OR MORE			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
MARYLAND	723	711	6	-	156	151	1	-	517	512	4	-
WHITE	460	456	3	-	94	93	-	-	345	342	3	-
ALL OTHER	263	255	3	-	62	58	1	-	172	170	1	-
MASSACHUSETTS	780	774	3	-	75	72	2	-	377	377	-	-
WHITE	712	706	3	-	70	67	2	-	349	349	-	-
ALL OTHER	68	68	-	-	5	5	-	-	28	28	-	-
MICHIGAN	1,758	1,740	12	-	315	308	5	-	1,102	1,097	5	-
WHITE	1,231	1,219	9	-	185	182	3	-	762	758	4	-
ALL OTHER	527	521	3	-	130	126	2	-	340	339	1	-
MINNESOTA	533	529	3	-	106	104	2	-	320	320	-	-
WHITE	505	501	3	-	99	97	2	-	305	305	-	-
ALL OTHER	28	28	-	-	7	7	-	-	15	15	-	-
MISSISSIPPI	988	927	8	49	320	304	4	11	588	549	3	33
WHITE	381	380	1	-	145	145	-	-	208	207	1	-
ALL OTHER	607	547	7	49	175	159	4	11	380	342	2	33
MISSOURI	844	827	7	3	142	140	2	-	454	453	-	-
WHITE	631	621	5	2	104	102	2	-	325	325	-	-
ALL OTHER	213	206	2	1	38	38	-	-	129	128	-	-
MONTANA	128	128	-	-	25	25	-	-	68	68	-	-
WHITE	107	107	-	-	23	23	-	-	54	54	-	-
ALL OTHER	21	21	-	-	2	2	-	-	14	14	-	-
NEBRASKA	252	248	3	-	45	44	1	-	177	175	2	-
WHITE	233	229	3	-	41	40	1	-	164	162	2	-
ALL OTHER	19	19	-	-	4	4	-	-	13	13	-	-
NEVADA	104	104	-	-	19	19	-	-	55	55	-	-
WHITE	74	74	-	-	8	8	-	-	42	42	-	-
ALL OTHER	30	30	-	-	11	11	-	-	13	13	-	-
NEW HAMPSHIRE	120	120	-	-	12	12	-	-	59	59	-	-
WHITE	119	119	-	-	12	12	-	-	58	58	-	-
ALL OTHER	1	1	-	-	-	-	-	-	1	1	-	-
NEW JERSEY	1,213	1,194	11	-	190	187	3	-	733	729	4	-
WHITE	869	856	9	-	129	126	3	-	558	555	3	-
ALL OTHER	344	338	2	-	61	61	-	-	175	174	1	-
NEW MEXICO	255	249	-	3	39	39	-	-	181	176	-	3
WHITE	194	188	-	3	27	27	-	-	137	132	-	3
ALL OTHER	61	61	-	-	12	12	-	-	44	44	-	-
NEW YORK	3,497	3,455	33	-	1,192	1,172	17	-	2,133	2,114	14	-
WHITE	2,525	2,493	24	-	854	836	15	-	1,550	1,539	7	-
ALL OTHER	972	962	9	-	338	336	2	-	583	575	7	-
NORTH CAROLINA	1,302	1,263	21	13	264	254	9	1	972	949	10	11
WHITE	761	753	4	1	131	129	1	1	597	593	3	-
ALL OTHER	541	510	17	12	133	125	8	-	375	356	7	11
NORTH DAKOTA	106	105	1	-	21	21	-	-	77	76	1	-
WHITE	96	95	1	-	19	19	-	-	71	70	1	-
ALL OTHER	10	10	-	-	2	2	-	-	6	6	-	-
OHIO	2,022	1,991	19	-	331	318	11	-	1,202	1,192	3	-
WHITE	1,598	1,579	11	-	239	231	7	-	964	959	2	-
ALL OTHER	424	412	8	-	92	87	4	-	236	233	1	-
OKLAHOMA	487	481	5	-	88	88	-	-	338	334	3	-
WHITE	373	368	4	-	67	67	-	-	262	259	2	-
ALL OTHER	114	113	1	-	21	21	-	-	76	75	1	-
OREGON	415	406	7	-	151	147	4	-	250	247	2	-
WHITE	391	382	7	-	137	133	4	-	241	238	2	-
ALL OTHER	24	24	-	-	14	14	-	-	9	9	-	-
PENNSYLVANIA	2,519	2,480	32	-	977	953	20	-	1,538	1,523	12	-
WHITE	1,865	1,833	28	-	596	577	17	-	1,266	1,253	11	-
ALL OTHER	654	647	4	-	381	376	3	-	272	270	1	-
RHODE ISLAND	129	128	1	-	27	27	-	-	80	80	-	-
WHITE	110	110	-	-	23	23	-	-	70	70	-	-
ALL OTHER	19	18	1	-	4	4	-	-	10	10	-	-
SOUTH CAROLINA	799	762	11	16	128	126	1	-	525	507	5	6
WHITE	360	355	2	-	50	49	-	-	260	258	-	-
ALL OTHER	439	407	9	16	78	77	1	-	265	249	5	6
SOUTH DAKOTA	148	145	2	-	35	34	1	-	98	96	1	-
WHITE	122	121	1	-	23	23	-	-	86	85	-	-
ALL OTHER	26	24	2	-	12	11	1	-	12	11	1	-

SEE FOOTNOTES AT END OF TABLE.

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1972-Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II--FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III--FETAL DEATHS OF 28 WEEKS GESTATION OR MORE			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
TENNESSEE-----	902	886	9	4	182	180	1	1	633	624	6	2
WHITE-----	633	628	2	2	120	119	1	-	450	448	1	1
ALL OTHER--	269	258	7	2	62	61	-	1	183	176	5	1
TEXAS-----	2,707	2,633	22	8	650	632	11	-	2,016	1,965	10	8
WHITE-----	2,048	1,996	15	6	448	434	7	-	1,565	1,530	7	6
ALL OTHER--	659	637	7	2	202	198	4	-	451	435	3	2
UTAH-----	260	259	1	-	36	35	1	-	88	88	-	-
WHITE-----	251	250	1	-	36	35	1	-	85	85	-	-
ALL OTHER--	9	9	-	-	-	-	-	-	3	3	-	-
VERMONT-----	84	79	5	-	34	31	3	-	45	43	2	-
WHITE-----	84	79	5	-	34	31	3	-	45	43	2	-
ALL OTHER--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA-----	1,315	1,285	20	-	473	460	9	-	789	774	10	-
WHITE-----	849	837	8	-	280	274	4	-	532	526	4	-
ALL OTHER--	466	448	12	-	193	186	5	-	257	248	6	-
WASHINGTON-----	422	417	3	-	75	75	-	-	235	232	2	-
WHITE-----	372	367	3	-	64	64	-	-	211	208	2	-
ALL OTHER--	50	50	-	-	11	11	-	-	24	24	-	-
WEST VIRGINIA-----	432	424	8	-	76	70	6	-	297	296	1	-
WHITE-----	403	397	6	-	66	62	4	-	284	283	1	-
ALL OTHER--	29	27	2	-	10	8	2	-	13	13	-	-
WISCONSIN-----	699	642	12	-	146	138	7	-	510	501	5	-
WHITE-----	569	553	11	-	125	118	6	-	441	432	5	-
ALL OTHER--	90	89	1	-	21	20	1	-	69	69	-	-
WYOMING-----	65	63	1	-	14	12	1	-	48	48	-	-
WHITE-----	59	58	1	-	13	12	1	-	43	43	-	-
ALL OTHER--	6	5	-	-	1	-	-	-	5	5	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."³Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

SECTION 3 - FETAL MORTALITY

3-29

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Plurality of birth, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Total-----	41,380	3,676	7,385	4,348	4,017	4,018	3,914	3,813	2,271	900	405	284	6,349
Fetal deaths in single deliveries-----	38,724	3,104	6,827	4,037	3,749	3,746	3,753	3,736	2,247	895	405	284	5,941
Fetal deaths in twin deliveries-----	2,595	557	535	303	266	270	159	77	24	5	-	-	399
Fetal deaths in other plural deliveries-----	61	15	25	8	2	2	-	-	-	-	-	-	9
Male-----	21,151	1,856	3,917	2,261	2,064	2,125	1,936	1,979	1,249	528	260	187	2,769
Fetal deaths in single deliveries-----	19,746	1,567	3,616	2,099	1,926	1,975	1,844	1,935	1,231	525	260	187	2,586
Fetal deaths in twin deliveries-----	1,357	281	287	162	138	152	91	46	18	3	-	-	179
Fetal deaths in other plural deliveries-----	28	8	14	1	-	-	1	-	-	-	-	-	4
Female-----	18,532	1,545	3,569	2,050	1,930	1,876	1,963	1,823	1,016	371	145	97	2,345
Fetal deaths in single deliveries-----	17,537	1,291	3,117	1,908	1,803	1,756	1,894	1,795	1,012	369	145	97	2,152
Fetal deaths in twin deliveries-----	1,164	247	244	135	125	118	68	30	6	2	-	-	189
Fetal deaths in other plural deliveries-----	31	7	8	7	2	2	1	-	-	-	-	-	4
Sex not stated-----	1,717	275	99	37	23	17	15	11	4	1	-	-	1,235
Fetal deaths in single deliveries-----	1,641	246	94	31	20	17	15	10	4	1	-	-	1,203
Fetal deaths in twin deliveries-----	74	29	4	6	3	-	-	1	-	-	-	-	31
Fetal deaths in other plural deliveries-----	2	-	1	-	-	-	-	-	-	-	-	-	1
White-----	29,611	2,428	4,837	2,950	2,860	2,891	2,912	2,909	1,769	709	305	208	4,833
Fetal deaths in single deliveries-----	27,646	2,035	4,435	2,728	2,642	2,678	2,787	2,855	1,751	706	305	208	4,516
Fetal deaths in twin deliveries-----	1,919	384	383	214	216	212	124	54	18	3	-	-	311
Fetal deaths in other plural deliveries-----	46	9	19	8	2	1	1	-	-	-	-	-	6
Male-----	14,973	1,211	2,526	1,529	1,467	1,529	1,448	1,487	963	412	203	131	2,067
Fetal deaths in single deliveries-----	13,952	1,016	2,313	1,414	1,351	1,406	1,375	1,457	948	411	203	131	1,927
Fetal deaths in twin deliveries-----	1,002	191	202	114	116	123	73	30	15	1	-	-	137
Fetal deaths in other plural deliveries-----	19	4	11	1	-	-	-	-	-	-	-	-	3
Female-----	13,562	1,044	2,246	1,399	1,379	1,349	1,456	1,416	804	297	102	77	1,733
Fetal deaths in single deliveries-----	12,473	864	2,061	1,294	1,260	1,269	1,404	1,393	801	295	102	77	1,643
Fetal deaths in twin deliveries-----	864	175	178	98	97	89	51	23	3	2	-	-	148
Fetal deaths in other plural deliveries-----	25	5	7	7	2	1	1	-	-	-	-	-	2
Sex not stated-----	1,276	173	65	22	14	13	8	6	2	-	-	-	973
Fetal deaths in single deliveries-----	1,221	155	61	20	11	13	8	5	2	-	-	-	946
Fetal deaths in twin deliveries-----	53	18	3	2	3	-	-	1	-	-	-	-	26
Fetal deaths in other plural deliveries-----	2	-	1	-	-	-	-	-	-	-	-	-	1
All other-----	11,769	1,248	2,548	1,398	1,157	1,127	1,002	904	502	191	100	76	1,516
Fetal deaths in single deliveries-----	11,078	1,069	2,392	1,309	1,107	1,068	966	881	496	189	100	76	1,425
Fetal deaths in twin deliveries-----	676	173	152	89	50	58	35	23	6	2	-	-	88
Fetal deaths in other plural deliveries-----	15	6	4	-	-	-	1	-	-	-	-	-	3
Male-----	6,158	645	1,391	732	597	596	488	492	286	116	57	56	702
Fetal deaths in single deliveries-----	5,794	551	1,303	684	575	567	469	476	283	114	57	56	659
Fetal deaths in twin deliveries-----	355	90	85	48	22	28	18	16	3	2	-	-	42
Fetal deaths in other plural deliveries-----	9	4	3	-	-	-	1	-	-	-	-	-	1
Female-----	5,170	501	1,123	651	551	527	507	407	214	74	43	20	552
Fetal deaths in single deliveries-----	4,864	427	1,056	614	523	497	490	400	211	74	43	20	509
Fetal deaths in twin deliveries-----	300	72	66	37	28	29	17	7	3	-	-	-	41
Fetal deaths in other plural deliveries-----	6	2	1	-	-	1	-	-	-	-	-	-	2
Sex not stated-----	441	102	34	15	9	4	7	5	2	1	-	-	262
Fetal deaths in single deliveries-----	420	91	33	11	9	4	7	5	2	1	-	-	257
Fetal deaths in twin deliveries-----	21	11	1	4	-	-	-	-	-	-	-	-	5
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1972

Plurality of birth, color, and sex	Total	Period of gestation ¹								
		20-25 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total-----	41,580	5,062	4,460	4,417	5,588	2,158	5,855	3,776	4,075	5,989
Fetal deaths in single deliveries-----	38,724	4,614	4,066	4,117	5,199	2,016	5,484	3,601	3,969	5,659
Fetal deaths in twin deliveries-----	2,595	435	387	283	386	137	366	175	106	320
Fetal deaths in other plural deliveries-----	61	13	7	17	5	5	-	-	-	11
Male-----	21,151	2,506	2,223	2,277	2,980	1,164	3,013	1,901	2,054	3,113
Fetal deaths in single deliveries-----	19,746	2,271	2,022	2,120	2,681	1,066	2,818	1,806	1,990	2,952
Fetal deaths in twin deliveries-----	1,357	224	198	150	198	75	195	95	64	158
Fetal deaths in other plural deliveries-----	28	11	3	7	1	3	-	-	-	3
Female-----	18,532	1,684	1,880	1,850	2,601	974	2,798	1,859	1,993	2,793
Fetal deaths in single deliveries-----	17,337	1,495	1,699	1,613	2,420	915	2,628	1,784	1,951	2,632
Fetal deaths in twin deliveries-----	1,164	189	177	127	180	57	165	75	42	153
Fetal deaths in other plural deliveries-----	51	1	4	10	1	2	5	-	-	8
Sex not stated-----	1,717	872	357	190	107	20	44	16	28	63
Fetal deaths in single deliveries-----	1,641	848	345	184	98	15	38	11	28	74
Fetal deaths in twin deliveries-----	74	23	12	6	8	5	6	5	-	9
Fetal deaths in other plural deliveries-----	2	1	-	-	1	-	-	-	-	-
White-----	29,611	3,276	2,986	3,074	3,956	1,586	4,384	2,831	3,255	4,253
Fetal deaths in single deliveries-----	27,646	2,933	2,691	2,841	3,667	1,476	4,099	2,701	3,170	4,019
Fetal deaths in twin deliveries-----	1,919	290	293	220	286	117	282	130	85	226
Fetal deaths in other plural deliveries-----	46	13	2	13	3	3	4	-	-	8
Male-----	14,973	1,558	1,476	1,565	2,035	871	2,236	1,399	1,647	2,166
Fetal deaths in single deliveries-----	13,952	1,409	1,324	1,442	1,888	602	2,085	1,330	1,597	2,075
Fetal deaths in twin deliveries-----	1,002	138	151	120	146	67	151	69	50	110
Fetal deaths in other plural deliveries-----	19	11	1	3	1	2	-	-	-	1
Female-----	13,362	1,075	1,241	1,353	1,845	710	2,112	1,422	1,586	2,018
Fetal deaths in single deliveries-----	12,473	948	1,108	1,248	1,711	664	1,982	1,363	1,551	1,898
Fetal deaths in twin deliveries-----	864	126	132	95	133	45	126	59	35	113
Fetal deaths in other plural deliveries-----	25	1	1	10	1	1	4	-	-	7
Sex not stated-----	1,276	643	289	156	76	15	36	10	22	49
Fetal deaths in single deliveries-----	1,221	626	259	151	68	10	31	8	22	46
Fetal deaths in twin deliveries-----	53	16	10	5	7	5	5	2	-	3
Fetal deaths in other plural deliveries-----	2	1	-	-	1	-	-	-	-	-
All other-----	11,769	1,786	1,474	1,343	1,632	562	1,471	945	820	1,736
Fetal deaths in single deliveries-----	11,078	1,631	1,375	1,276	1,532	540	1,386	900	799	1,639
Fetal deaths in twin deliveries-----	676	155	94	63	100	20	84	45	21	94
Fetal deaths in other plural deliveries-----	15	-	5	4	-	2	1	-	-	3
Male-----	6,159	949	747	712	845	293	777	502	407	927
Fetal deaths in single deliveries-----	5,794	862	698	678	793	284	733	476	393	877
Fetal deaths in twin deliveries-----	355	86	47	30	52	8	44	26	14	48
Fetal deaths in other plural deliveries-----	9	-	2	4	-	1	-	-	-	2
Female-----	5,170	609	639	597	756	264	696	437	407	775
Fetal deaths in single deliveries-----	4,864	547	591	565	709	251	646	421	400	734
Fetal deaths in twin deliveries-----	300	62	45	32	47	12	39	16	7	40
Fetal deaths in other plural deliveries-----	6	-	3	-	-	1	1	-	-	1
Sex not stated-----	441	229	88	34	31	5	8	6	6	34
Fetal deaths in single deliveries-----	420	222	86	33	30	5	7	3	6	28
Fetal deaths in twin deliveries-----	21	7	2	1	1	-	1	3	-	6
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-31

Table 3-16 Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
UNITED STATES	41,380	3,676	7,385	4,348	4,017	4,018	3,914	3,813	2,271	900	405	284	6,349
WHITE	29,611	2,428	4,837	2,950	2,860	2,891	2,912	2,909	1,769	709	305	208	4,833
ALL OTHER	11,769	1,248	2,548	1,398	1,157	1,127	1,002	904	502	191	100	76	1,516
MALE	21,131	1,856	3,917	2,261	2,064	2,125	1,936	1,979	1,249	528	260	187	2,769
WHITE	14,973	1,211	2,526	1,529	1,467	1,529	1,448	1,487	963	412	203	131	2,067
ALL OTHER	6,158	645	1,391	732	597	596	488	492	286	116	57	56	702
FEMALE	18,532	1,545	3,369	2,050	1,930	1,876	1,963	1,823	1,018	371	145	97	2,345
WHITE	13,362	1,044	2,246	1,399	1,379	1,349	1,456	1,416	804	297	102	77	1,793
ALL OTHER	5,170	501	1,123	651	551	527	507	407	214	74	43	20	552
SEX NOT STATED	1,717	275	99	37	23	17	15	11	4	1	-	-	1,235
WHITE	1,276	173	65	22	14	13	8	6	2	-	-	-	973
ALL OTHER	441	102	34	15	9	4	7	5	2	1	-	-	262
ALABAMA	1,033	89	210	125	115	97	106	100	56	21	14	6	94
WHITE	520	43	100	65	64	46	57	56	34	12	4	1	38
ALL OTHER	513	46	110	60	51	51	49	44	22	9	10	5	56
ALASKA	60	2	13	8	6	6	4	7	-	1	-	-	13
WHITE	31	2	7	1	3	5	3	3	-	1	-	-	6
ALL OTHER	29	-	6	7	3	1	1	4	-	-	-	-	7
ARIZONA	400	24	61	34	42	45	43	49	18	14	6	5	59
WHITE	325	22	54	25	36	34	36	41	16	14	4	5	38
ALL OTHER	75	2	7	9	6	11	7	8	2	2	2	-	21
ARKANSAS	423	25	89	45	39	41	40	50	19	13	5	5	52
WHITE	253	15	47	26	25	21	28	34	12	11	3	3	28
ALL OTHER	170	10	42	19	14	20	12	16	7	2	2	2	24
CALIFORNIA	3,061	194	641	343	354	344	336	319	213	97	47	21	152
WHITE	2,496	154	507	262	294	285	270	263	188	86	44	20	123
ALL OTHER	565	40	134	81	60	59	66	56	25	11	3	1	29
COLORADO	607	86	74	58	33	33	61	35	12	5	2	3	205
WHITE	550	71	64	53	26	31	56	33	12	4	2	3	195
ALL OTHER	57	15	10	5	7	2	5	2	-	1	-	-	10
CONNECTICUT	434	46	92	56	47	42	46	42	24	12	6	2	19
WHITE	357	41	74	42	41	35	41	31	20	11	6	2	13
ALL OTHER	77	5	18	14	6	7	5	11	4	1	-	-	6
DELAWARE	92	7	24	11	9	5	13	3	7	1	-	-	12
WHITE	62	5	17	7	8	3	7	2	5	1	-	-	7
ALL OTHER	30	2	7	4	1	2	6	1	2	-	-	-	5
DISTRICT OF COLUMBIA	202	21	49	33	18	25	18	16	6	3	1	-	12
WHITE	23	2	6	5	-	5	1	1	-	-	-	-	3
ALL OTHER	179	19	43	28	18	20	17	15	6	3	1	-	9
FLORIDA	1,521	94	268	185	154	164	123	136	85	20	14	11	267
WHITE	921	52	145	107	96	98	75	94	58	13	7	7	169
ALL OTHER	600	42	123	78	58	66	48	42	27	7	7	4	98
GEORGIA	1,229	111	261	133	106	106	104	113	63	25	16	1	190
WHITE	646	62	115	67	61	58	57	68	32	17	10	1	98
ALL OTHER	583	49	146	66	45	48	47	45	31	8	6	-	92
HAWAII	299	94	50	17	23	15	17	9	4	1	1	1	67
WHITE	94	31	15	6	8	4	3	2	2	-	-	-	20
ALL OTHER	205	63	35	11	15	9	14	7	2	1	1	-	47
IDAHO	160	2	27	5	5	9	9	8	8	4	-	3	80
WHITE	154	2	26	5	4	8	9	8	8	4	-	2	78
ALL OTHER	6	-	1	-	1	1	-	-	-	-	-	1	2
ILLINOIS	2,308	202	524	276	248	239	233	214	155	56	24	28	109
WHITE	1,480	122	283	157	149	166	168	139	128	44	20	21	83
ALL OTHER	828	80	241	119	99	73	65	75	27	12	4	7	26
INDIANA	1,068	45	144	88	85	83	83	89	64	21	9	10	347
WHITE	876	35	118	78	68	70	69	80	59	19	8	7	265
ALL OTHER	192	10	26	10	17	13	14	9	5	2	1	3	82
IOWA	424	26	68	50	50	50	43	54	33	17	3	5	25
WHITE	410	25	66	49	47	49	42	53	32	17	2	4	24
ALL OTHER	14	1	2	1	3	1	1	1	1	-	1	1	1
KANSAS	391	42	80	43	37	35	41	42	16	6	6	3	40
WHITE	332	31	64	37	32	34	35	36	14	5	6	3	35
ALL OTHER	59	11	16	6	5	1	6	6	2	1	-	-	5
KENTUCKY	691	42	112	69	90	64	74	78	37	20	8	7	90
WHITE	602	36	96	60	76	56	65	68	28	20	6	6	85
ALL OTHER	89	6	16	9	14	8	9	10	9	-	2	1	5

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-16 Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
LOUISIANA	899	41	143	107	95	121	101	80	62	13	8	8	120
WHITE	384	21	45	41	40	44	46	45	31	6	4	2	59
ALL OTHER	515	20	98	66	55	77	55	35	31	7	4	6	61
MAINE	110	9	15	12	13	8	13	8	3	3	1	25	
WHITE	110	9	15	12	13	8	13	8	3	3	1	25	
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	723	57	167	91	94	79	80	63	40	14	2	33	
WHITE	460	41	91	51	63	53	53	46	28	13	1	18	
ALL OTHER	263	16	76	40	31	26	27	17	12	1	1	15	
MASSACHUSETTS	780	60	116	84	77	61	72	76	30	17	5	179	
WHITE	712	58	106	77	71	53	66	70	28	16	5	159	
ALL OTHER	68	2	10	7	6	8	6	6	2	1	-	20	
MICHIGAN	1,758	148	323	176	175	166	178	159	97	27	19	202	
WHITE	1,231	89	187	110	124	114	127	124	78	20	18	234	
ALL OTHER	527	59	136	66	51	52	51	35	19	7	1	48	
MINNESOTA	533	44	84	62	40	45	64	40	31	12	4	103	
WHITE	505	42	76	59	40	44	62	37	31	11	3	97	
ALL OTHER	28	2	8	3	-	1	2	3	-	1	1	6	
MISSISSIPPI	988	97	139	78	77	78	85	79	57	19	12	255	
WHITE	381	32	52	23	20	27	24	24	20	3	6	147	
ALL OTHER	607	65	87	55	57	51	61	55	37	16	6	108	
MISSOURI	844	49	146	70	65	73	54	86	41	23	8	225	
WHITE	631	35	100	49	38	50	44	66	33	17	6	191	
ALL OTHER	213	14	46	21	27	23	10	20	8	6	2	34	
MONTANA	128	9	16	7	10	11	10	11	13	3	-	37	
WHITE	107	9	10	6	9	11	8	8	11	2	-	32	
ALL OTHER	21	-	6	1	1	-	2	3	2	1	-	5	
NEBRASKA	252	21	29	22	25	28	28	21	22	6	2	46	
WHITE	233	18	26	21	24	24	26	20	21	6	2	43	
ALL OTHER	19	3	3	1	1	4	2	1	1	-	-	3	
NEVADA	104	6	25	10	4	11	7	9	5	1	-	26	
WHITE	74	2	14	7	3	8	6	5	2	1	-	22	
ALL OTHER	30	4	11	3	1	3	1	-	3	-	-	4	
NEW HAMPSHIRE	120	8	9	9	10	8	8	8	3	1	1	55	
WHITE	119	8	9	9	9	8	8	8	3	1	1	55	
ALL OTHER	1	-	-	-	1	-	-	-	-	-	-	-	
NEW JERSEY	1,213	91	247	151	115	128	113	132	63	12	6	148	
WHITE	60	170	108	80	90	88	88	106	50	11	4	97	
ALL OTHER	344	31	77	43	35	38	25	26	13	1	2	51	
NEW MEXICO	255	9	35	27	17	29	31	29	13	8	4	51	
WHITE	194	3	27	15	13	25	23	23	11	8	3	42	
ALL OTHER	61	6	8	12	4	4	8	6	2	-	1	9	
NEW YORK	3,497	329	478	311	274	281	257	230	121	56	26	1,122	
WHITE	2,525	229	288	207	194	204	197	183	85	39	21	871	
ALL OTHER	972	100	190	104	80	77	60	47	36	17	5	251	
NORTH CAROLINA	1,302	87	249	148	168	155	161	142	95	27	12	51	
WHITE	761	49	140	83	99	89	105	88	55	19	4	27	
ALL OTHER	541	38	109	65	69	66	56	54	40	8	8	24	
NORTH DAKOTA	106	10	17	5	18	14	11	9	6	3	-	10	
WHITE	96	9	16	5	18	13	8	7	6	3	-	9	
ALL OTHER	10	1	1	-	-	1	3	2	-	-	-	1	
OHIO	2,022	152	366	228	153	200	192	175	105	53	18	361	
WHITE	1,598	115	275	162	121	158	147	152	95	41	17	297	
ALL OTHER	424	37	91	66	32	42	45	23	10	12	1	64	
OKLAHOMA	487	27	77	56	46	51	60	56	33	10	5	62	
WHITE	373	20	60	40	33	38	49	41	27	7	4	51	
ALL OTHER	114	7	17	16	13	13	11	15	6	3	1	11	
OREGON	415	52	52	23	33	23	28	36	16	10	3	138	
WHITE	391	46	49	22	32	23	28	35	14	9	3	130	
ALL OTHER	24	6	3	1	1	-	-	1	2	1	-	8	
PENNSYLVANIA	2,519	604	447	228	226	215	192	224	133	49	24	159	
WHITE	1,865	348	295	175	172	174	166	197	120	42	21	140	
ALL OTHER	654	256	152	53	54	41	26	27	13	7	3	19	
RHODE ISLAND	129	13	28	18	15	17	9	8	5	3	1	11	
WHITE	110	12	22	16	12	14	6	8	5	3	1	10	
ALL OTHER	19	1	6	2	3	3	3	-	-	-	-	1	
SOUTH CAROLINA	799	36	116	78	81	89	72	77	55	17	13	163	
WHITE	360	19	60	34	35	35	40	35	32	9	4	55	
ALL OTHER	439	17	56	44	46	54	32	42	23	8	9	108	

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-33

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1972-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
SOUTH DAKOTA	148	16	27	12	8	20	16	7	9	5	2	2	24
WHITE	122	10	23	9	6	18	14	6	7	3	1	2	23
ALL OTHER	26	6	4	3	2	2	2	1	2	2	1	-	1
TENNESSEE	902	65	196	109	100	105	81	109	46	25	9	4	53
WHITE	633	46	124	77	71	74	63	76	31	21	7	3	40
ALL OTHER	269	19	72	32	29	31	18	33	15	4	2	1	13
TEXAS	2,707	190	526	339	308	308	307	307	151	74	27	19	151
WHITE	2,048	136	366	247	224	240	233	252	130	59	23	15	123
ALL OTHER	659	54	160	92	84	68	74	55	21	15	4	4	28
UTAH	260	10	19	13	15	8	14	18	6	3	2	1	151
WHITE	251	10	17	12	15	8	14	17	6	3	2	1	146
ALL OTHER	9	-	2	1	-	-	-	1	-	-	-	-	5
VERMONT	84	10	11	6	9	3	9	4	4	1	-	1	26
WHITE	84	10	11	6	9	3	9	4	4	1	-	1	26
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	1,315	151	247	129	123	101	114	101	70	21	9	7	242
WHITE	849	84	145	73	86	74	80	72	52	11	3	4	165
ALL OTHER	466	67	102	56	37	27	34	29	18	10	6	3	77
WASHINGTON	422	31	70	32	37	43	28	35	32	9	7	3	95
WHITE	372	26	59	28	34	38	26	29	29	7	7	2	87
ALL OTHER	50	5	11	4	3	5	2	6	3	2	-	1	8
WEST VIRGINIA	432	34	60	45	43	47	46	31	31	15	4	7	69
WHITE	403	33	52	45	42	43	43	28	25	15	4	7	66
ALL OTHER	29	1	8	-	1	4	3	3	6	-	-	-	3
WISCONSIN	659	56	100	75	75	82	74	75	48	22	9	8	35
WHITE	569	46	86	61	66	70	64	69	44	19	7	6	31
ALL OTHER	90	10	14	14	9	12	10	6	4	3	2	2	4
WYOMING	65	2	18	8	7	7	5	4	5	1	-	-	8
WHITE	59	2	17	8	6	6	4	4	4	1	-	-	7
ALL OTHER	6	-	1	-	1	1	1	-	1	-	-	-	1

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1972

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
UNITED STATES	41,380	5,062	4,460	4,417	5,588	2,158	5,855	3,776	4,075	5,989
WHITE	29,611	3,276	2,986	3,074	3,956	1,596	4,384	2,831	3,255	4,253
ALL OTHER	11,769	1,786	1,474	1,343	1,632	562	1,471	945	820	1,736
MALE	21,131	2,506	2,223	2,277	2,880	1,164	3,013	1,901	2,054	3,113
WHITE	14,973	1,558	1,476	1,565	2,035	871	2,236	1,399	1,647	2,186
ALL OTHER	6,158	948	747	712	845	293	777	502	407	927
FEMALE	18,532	1,684	1,880	1,950	2,601	974	2,798	1,859	1,993	2,793
WHITE	13,362	1,075	1,241	1,353	1,845	710	2,112	1,422	1,586	2,018
ALL OTHER	5,170	609	639	597	756	264	686	437	407	775
SEX NOT STATED	1,717	872	357	190	107	20	44	16	28	83
WHITE	1,276	643	269	156	76	15	36	10	22	49
ALL OTHER	441	229	88	34	31	5	8	6	6	34
ALABAMA	1,033	133	128	125	107	72	120	251	17	80
WHITE	520	58	57	69	57	39	67	130	12	31
ALL OTHER	513	75	71	56	50	33	53	121	5	49
ALASKA	60	10	3	8	8	2	12	5	5	7
WHITE	31	4	1	6	4	1	7	2	3	3
ALL OTHER	29	6	2	2	4	1	5	3	2	4
ARIZONA	400	29	36	38	63	20	66	16	75	57
WHITE	325	26	31	33	49	16	51	12	63	44
ALL OTHER	75	3	5	5	14	4	15	4	12	13
ARKANSAS	423	58	42	51	46	26	32	98	8	62
WHITE	253	28	26	27	27	17	18	66	6	38
ALL OTHER	170	30	16	24	19	9	14	32	2	24
CALIFORNIA	3,061	208	306	332	470	148	567	185	465	380
WHITE	2,496	160	247	261	369	128	487	158	400	286
ALL OTHER	565	48	59	71	101	20	80	27	65	94
COLORADO	607	181	88	61	74	22	75	33	47	26
WHITE	550	161	78	57	69	21	70	29	44	21
ALL OTHER	57	20	10	4	5	1	5	4	3	5
CONNECTICUT	434	54	55	50	72	32	73	71	17	10
WHITE	357	44	46	41	56	28	61	58	16	7
ALL OTHER	77	10	9	9	16	4	12	13	1	3
DELAWARE	92	12	11	4	9	8	17	13	4	14
WHITE	62	10	8	3	7	5	11	9	2	7
ALL OTHER	30	2	3	1	2	3	6	4	2	7
DISTRICT OF COLUMBIA	202	25	24	25	33	13	28	6	18	28
WHITE	23	2	2	3	4	-	3	-	1	8
ALL OTHER	179	23	24	22	29	13	25	6	17	20
FLORIDA	1,521	76	99	106	137	48	137	50	119	749
WHITE	921	42	59	64	79	23	93	33	92	436
ALL OTHER	600	34	40	42	58	25	44	17	27	313
GEORGIA	1,229	253	160	139	141	65	107	219	48	97
WHITE	646	112	81	72	79	44	67	108	32	51
ALL OTHER	583	141	79	67	62	21	40	111	16	46
HAWAII	299	123	42	31	36	12	28	8	13	6
WHITE	94	38	13	12	9	3	14	2	2	1
ALL OTHER	205	85	29	19	27	9	14	6	11	5
IDAHO	160	15	19	14	7	6	10	20	10	59
WHITE	154	14	18	13	7	6	10	19	9	58
ALL OTHER	6	1	1	1	-	-	-	1	1	1
ILLINOIS	2,308	210	275	279	383	91	387	141	302	240
WHITE	1,480	120	142	168	234	59	259	102	229	167
ALL OTHER	828	90	133	111	149	32	128	39	73	73
INDIANA	1,068	56	68	75	97	33	119	44	110	466
WHITE	876	41	56	62	84	32	102	42	101	356
ALL OTHER	192	15	12	13	13	1	17	2	9	110
IOWA	424	40	42	34	77	28	94	28	66	15
WHITE	410	39	40	32	75	28	90	27	65	14
ALL OTHER	14	1	2	2	2	-	4	1	1	1
KANSAS	391	43	36	44	64	27	57	20	51	49
WHITE	332	33	25	38	56	24	51	18	44	43
ALL OTHER	59	10	11	6	8	3	6	2	7	6
KENTUCKY	691	39	56	50	100	28	111	44	100	163
WHITE	602	29	47	45	90	22	99	36	91	143
ALL OTHER	89	10	9	5	10	6	12	8	9	20

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-35

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1972-Con.

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
LOUISIANA	899	52	54	60	106	33	125	53	74	342
WHITE	384	24	23	24	46	13	59	29	38	128
ALL OTHER	515	28	31	36	60	20	66	24	36	214
MAINE	110	10	5	17	17	6	16	4	15	20
WHITE	110	10	5	17	17	6	16	4	15	20
ALL OTHER	-	-	-	-	-	-	-	-	-	-
MARYLAND	723	53	103	80	141	34	134	49	79	50
WHITE	460	37	57	45	88	22	97	36	57	21
ALL OTHER	263	16	46	35	53	12	37	13	22	29
MASSACHUSETTS	780	30	45	55	83	27	104	39	69	328
WHITE	712	29	41	52	76	23	97	35	66	293
ALL OTHER	68	1	4	3	7	4	7	4	3	35
MICHIGAN	1,758	143	172	191	241	90	289	76	215	341
WHITE	1,231	80	105	120	162	66	190	55	169	284
ALL OTHER	527	63	67	71	79	24	99	21	46	57
MINNESOTA	533	38	68	51	72	30	81	33	53	107
WHITE	505	36	63	50	67	29	78	31	50	101
ALL OTHER	28	2	5	1	5	1	3	2	3	6
MISSISSIPPI	988	192	128	108	134	35	155	55	101	80
WHITE	381	94	51	40	43	14	49	22	40	28
ALL OTHER	607	98	77	68	91	21	106	33	61	52
MISSOURI	844	67	75	84	99	28	97	44	102	248
WHITE	631	48	56	60	62	18	64	34	87	202
ALL OTHER	213	19	19	24	37	10	33	10	15	46
MONTANA	128	12	13	9	11	5	12	6	25	35
WHITE	107	11	12	7	11	3	10	3	20	30
ALL OTHER	21	1	1	2	-	2	2	3	5	5
NEBRASKA	252	20	25	32	38	7	53	18	29	30
WHITE	233	18	23	31	35	5	47	17	29	28
ALL OTHER	19	2	2	1	3	2	6	1	-	2
NEVADA	104	7	12	9	10	6	15	4	11	30
WHITE	74	3	5	4	8	6	13	3	8	24
ALL OTHER	30	4	7	5	2	-	2	1	3	6
NEW HAMPSHIRE	120	5	7	6	14	5	16	6	12	49
WHITE	119	5	7	6	14	5	15	6	12	49
ALL OTHER	1	-	-	-	-	-	1	-	-	-
NEW JERSEY	1,213	99	91	139	147	53	181	60	153	290
WHITE	869	63	66	95	118	38	134	52	121	182
ALL OTHER	344	36	25	44	29	15	47	8	32	108
NEW MEXICO	255	19	20	21	32	21	36	63	8	35
WHITE	194	14	13	15	22	20	25	48	7	30
ALL OTHER	61	5	7	6	10	1	11	15	1	5
NEW YORK	3,497	723	469	430	514	130	502	196	361	172
WHITE	2,525	534	320	287	360	99	367	151	286	121
ALL OTHER	972	189	149	143	154	31	135	45	75	51
NORTH CAROLINA	1,302	122	142	169	221	77	231	76	198	66
WHITE	761	62	69	108	134	47	136	45	127	33
ALL OTHER	541	60	73	61	87	30	95	31	71	33
NORTH DAKOTA	106	11	10	12	13	6	24	6	16	8
WHITE	96	9	10	10	13	6	22	5	15	6
ALL OTHER	10	2	-	2	-	-	2	1	1	2
OHIO	2,022	154	177	198	268	82	321	106	227	489
WHITE	1,598	111	128	150	207	65	256	95	193	393
ALL OTHER	424	43	49	48	61	17	65	11	34	96
OKLAHOMA	487	32	56	42	68	25	87	34	82	61
WHITE	373	24	43	33	54	18	63	28	66	44
ALL OTHER	114	8	13	9	14	7	24	6	16	17
OREGON	415	95	56	46	46	18	68	20	52	14
WHITE	391	84	53	44	45	18	65	20	49	13
ALL OTHER	24	11	3	2	1	-	3	-	3	1
PENNSYLVANIA	2,519	648	329	279	293	168	268	410	120	4
WHITE	1,865	363	233	203	228	137	230	358	110	3
ALL OTHER	654	285	96	76	65	31	38	52	10	1
RHODE ISLAND	129	14	13	11	23	5	24	7	10	22
WHITE	110	13	10	9	21	5	21	6	8	17
ALL OTHER	19	1	3	2	2	-	3	1	2	5
SOUTH CAROLINA	799	62	66	81	124	38	115	61	106	146
WHITE	360	26	24	34	49	21	64	33	59	50
ALL OTHER	439	36	42	47	75	17	51	28	47	96

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1972-Con.

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
SOUTH DAKOTA-----	148	22	13	11	23	7	30	6	21	15
WHITE-----	122	15	8	10	22	7	25	6	16	13
ALL OTHER--	26	7	5	1	1	--	5	--	5	2
TENNESSEE-----	902	71	111	101	141	51	164	58	118	87
WHITE-----	633	47	73	67	96	36	114	43	94	63
ALL OTHER--	269	24	38	34	45	15	50	15	24	24
TEXAS-----	2,707	322	328	387	357	287	308	580	97	41
WHITE-----	2,048	225	223	296	259	220	246	465	79	35
ALL OTHER--	659	97	105	91	98	67	62	115	18	6
UTAH-----	260	14	22	11	19	6	28	6	18	136
WHITE-----	251	14	22	10	19	6	27	5	18	130
ALL OTHER--	9	--	--	1	--	--	1	1	--	6
VERMONT-----	84	20	14	11	9	4	7	3	11	5
WHITE-----	84	20	14	11	9	4	7	3	11	5
ALL OTHER--	--	--	--	--	--	--	--	--	--	--
VIRGINIA-----	1,315	298	175	145	155	96	95	255	43	53
WHITE-----	849	176	104	90	102	59	72	171	38	37
ALL OTHER--	466	122	71	55	53	37	23	84	5	16
WASHINGTON-----	422	37	38	30	44	19	68	26	48	112
WHITE-----	372	31	33	26	38	17	64	23	43	97
ALL OTHER--	50	6	5	4	6	2	4	3	5	15
WEST VIRGINIA-----	432	30	46	37	84	20	73	28	55	59
WHITE-----	403	27	39	37	80	18	71	28	50	53
ALL OTHER--	29	3	7	--	4	2	2	--	5	6
WISCONSIN-----	659	71	75	78	112	54	75	130	61	3
WHITE-----	569	58	67	68	91	46	69	114	53	3
ALL OTHER--	90	13	8	10	21	8	6	16	8	--
WYOMING-----	65	4	10	10	5	4	13	6	10	3
WHITE-----	59	4	9	9	5	3	11	6	9	3
ALL OTHER--	6	--	1	1	--	1	2	--	1	--

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Section 4. Accident Mortality

Table	Page
4-1. Deaths from motor vehicle accidents, by person injured, cause of death, color, and sex: United States, 1972 -----	4-2
4-2. Deaths from motor vehicle accidents, by person injured, age, race, and sex: United States, 1972 -----	4-4
4-3. Deaths from motor vehicle accidents, by person injured, color, and sex: United States and each State, 1972 -----	4-12
4-4. Deaths from accidental poisoning, by age, color, and sex: United States, 1972 -----	4-17
4-5. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1972 -----	4-21
4-6. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1972 -----	4-32
4-7. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1972 -----	4-36
	4-1

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Motor Vehicle Accidents, by Person

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E810-E823 of the Eighth Revision

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Unspecified person (.9)-----	14,592	90	60	46	42	38	276	208	408	2,548
2	Male-----	10,505	48	32	22	22	18	142	118	270	1,888
3	Female-----	4,086	42	28	24	20	20	134	90	138	660
4	White-----Male-----	9,316	40	30	16	18	18	122	94	252	1,740
5	Female-----	3,704	32	26	16	20	20	114	84	124	610
6	Negro-----Male-----	1,060	8	2	4	4	-	18	22	18	120
7	Female-----	320	8	2	2	-	-	12	4	14	34
8	Other races--Male-----	130	-	-	2	-	-	2	2	-	28
9	Female-----	62	2	-	6	-	-	8	2	-	16
10	Motor vehicle traffic accidents (E810-E819)-----	55,214	294	334	344	354	362	1,688	1,982	2,158	9,084
11	Male-----	39,414	154	186	196	214	222	972	1,186	1,396	6,746
12	Female-----	15,800	140	148	148	140	140	716	796	762	2,338
13	White-----Male-----	33,900	128	146	138	168	168	748	938	1,226	6,120
14	Female-----	13,938	102	122	106	114	115	560	618	654	2,152
15	Negro-----Male-----	4,790	22	32	52	40	52	198	232	150	528
16	Female-----	1,570	32	24	32	26	22	158	156	92	132
17	Other races--Male-----	724	4	6	6	6	2	26	16	20	98
18	Female-----	292	6	2	10	-	2	20	22	16	54
19	Driver of motor vehicle other than motorcycle (.0)-----	17,876	4	-	2	2	-	8	2	40	2,570
20	Male-----	14,612	2	-	2	2	-	6	-	38	2,120
21	Female-----	3,264	2	-	-	-	-	2	2	2	450
22	White-----Male-----	12,896	-	-	-	2	-	2	-	32	1,994
23	Female-----	3,030	2	-	-	-	-	2	2	2	440
24	Negro-----Male-----	1,502	-	-	2	-	-	2	-	4	108
25	Female-----	202	-	-	-	-	-	-	-	-	6
26	Other races--Male-----	214	2	-	-	-	-	2	-	2	18
27	Female-----	32	-	-	-	-	-	-	-	-	4
28	Passenger in motor vehicle other than motorcycle (.1)-----	10,600	190	170	132	128	104	724	426	658	2,444
29	Male-----	5,436	100	90	58	66	56	370	222	354	1,538
30	Female-----	5,164	90	80	74	62	48	354	206	304	906
31	White-----Male-----	4,470	84	68	42	58	44	286	186	322	1,326
32	Female-----	4,482	66	62	54	58	40	280	180	256	874
33	Negro-----Male-----	808	14	14	14	6	10	58	30	24	194
34	Female-----	548	20	16	16	4	6	62	16	42	80
35	Other races--Male-----	160	2	8	2	2	2	16	8	8	18
36	Female-----	134	4	2	4	-	2	12	10	8	22
37	Motorcyclist (.2)-----	1,842	-	-	-	-	-	-	12	84	526
38	Male-----	1,784	-	-	-	-	-	-	12	78	504
39	Female-----	58	-	-	-	-	-	-	-	8	22
40	White-----Male-----	1,688	-	-	-	-	-	-	12	72	490
41	Female-----	58	-	-	-	-	-	-	-	6	22
42	Negro-----Male-----	78	-	-	-	-	-	-	-	6	8
43	Female-----	-	-	-	-	-	-	-	-	-	-
44	Other races--Male-----	18	-	-	-	-	-	-	-	-	6
45	Female-----	-	-	-	-	-	-	-	-	-	-
46	Passenger on motorcycle (.3)-----	256	-	-	-	-	2	2	10	12	92
47	Male-----	114	-	-	-	-	2	2	8	8	50
48	Female-----	142	-	-	-	-	-	-	2	4	42
49	White-----Male-----	110	-	-	-	-	2	2	6	8	50
50	Female-----	138	-	-	-	-	-	-	-	4	42
51	Negro-----Male-----	4	-	-	-	-	-	-	2	-	-
52	Female-----	-	-	-	-	-	-	-	-	-	-
53	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
54	Female-----	4	-	-	-	-	-	-	2	-	-
55	Occupant of streetcar (.4)-----	6	-	-	-	-	-	-	-	-	4
56	Male-----	4	-	-	-	-	-	-	-	-	2
57	Female-----	2	-	-	-	-	-	-	-	-	2
58	White-----Male-----	2	-	-	-	-	-	-	-	-	2
59	Female-----	2	-	-	-	-	-	-	-	-	2
60	Negro-----Male-----	-	-	-	-	-	-	-	-	-	-
61	Female-----	-	-	-	-	-	-	-	-	-	-
62	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
63	Female-----	-	-	-	-	-	-	-	-	-	-
64	Rider of animal or occupant of animal-drawn vehicle (.5)-----	26	-	-	-	-	-	-	2	4	10
65	Male-----	16	-	-	-	-	-	-	2	-	6
66	Female-----	10	-	-	-	-	-	-	-	4	4
67	White-----Male-----	16	-	-	-	-	-	-	2	-	6
68	Female-----	10	-	-	-	-	-	-	-	4	4
69	Negro-----Male-----	-	-	-	-	-	-	-	-	-	-
70	Female-----	-	-	-	-	-	-	-	-	-	-
71	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
72	Female-----	-	-	-	-	-	-	-	-	-	-
73	Pedal cyclist (.6)-----	854	-	-	4	6	6	16	190	336	162
74	Male-----	682	-	-	2	4	4	10	140	272	138
75	Female-----	172	-	-	2	2	2	6	60	64	24
76	White-----Male-----	582	-	-	2	4	4	10	124	226	120
77	Female-----	154	-	-	2	2	2	6	40	56	24
78	Negro-----Male-----	78	-	-	-	-	-	-	10	39	16
79	Female-----	12	-	-	-	-	-	-	10	2	-
80	Other races--Male-----	22	-	-	-	-	-	-	6	8	2
81	Female-----	6	-	-	-	-	-	-	-	6	-
82	Pedestrian (.7)-----	9,332	10	109	162	180	218	678	1,132	604	772
83	Male-----	6,406	4	65	114	120	144	448	686	364	538
84	Female-----	2,926	6	42	48	60	74	230	446	240	234
85	White-----Male-----	4,958	4	50	78	86	102	320	514	306	430
86	Female-----	2,578	2	36	34	38	58	168	312	202	186
87	Negro-----Male-----	1,294	-	16	32	30	42	120	170	56	82
88	Female-----	492	4	6	14	22	16	62	126	34	34
89	Other races--Male-----	194	-	-	4	-	-	8	-	2	26
90	Female-----	56	-	-	-	-	-	-	8	4	12

SECTION 4 - ACCIDENT MORTALITY

Injured, Age, Race, and Sex: United States, 1972-Con.

International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,548	1,404	958	822	742	654	768	600	624	540	476	354	256	98	24	-	-	4	1
2,028	1,120	716	634	532	604	514	436	432	328	288	224	168	66	18	-	-	4	2
522	284	242	188	210	250	254	244	192	214	208	130	88	32	6	-	-	4	3
1,840	964	620	526	454	526	438	382	386	282	244	210	156	62	16	-	-	2	4
464	254	212	154	184	216	236	224	180	196	200	126	88	32	6	-	-	2	5
170	130	88	104	66	70	74	46	40	42	24	10	4	2	-	-	-	2	6
48	26	28	22	26	34	18	18	12	16	6	2	-	-	-	-	-	-	7
16	26	8	4	12	8	2	8	6	2	4	2	-	-	-	-	-	-	8
10	4	2	12	-	-	-	-	-	2	2	-	-	-	-	-	-	-	9
8,646	4,840	3,294	2,740	2,680	2,958	2,780	2,548	2,368	2,124	1,942	1,678	1,136	416	96	20	4	22	10
6,846	3,836	2,548	2,044	1,886	2,076	1,920	1,746	1,580	1,298	1,138	1,052	760	274	70	18	2	20	11
1,800	1,004	745	696	794	892	860	802	798	826	804	628	376	142	26	2	2	2	12
6,018	3,276	2,064	1,856	1,546	1,698	1,616	1,462	1,348	1,144	1,016	724	250	60	18	-	-	14	13
1,590	872	642	570	676	766	750	728	728	762	758	592	362	130	24	-	-	2	14
682	464	408	344	304	342	282	258	200	142	106	80	32	22	10	-	-	6	15
172	110	90	104	104	108	96	64	56	60	40	26	10	10	2	2	2	-	16
146	96	76	44	36	36	22	26	32	12	16	14	4	2	-	-	-	-	17
38	22	14	22	14	18	14	10	4	4	6	8	4	2	-	-	-	-	18
3,346	2,026	1,482	1,176	1,110	1,198	1,112	948	858	674	506	472	276	86	18	2	-	6	19
2,850	1,708	1,226	948	870	938	862	780	648	522	390	378	232	74	14	2	-	6	20
496	318	236	228	240	260	250	198	130	152	116	94	44	12	4	-	-	-	21
2,504	1,478	1,012	804	758	796	782	674	590	476	352	354	228	72	12	2	-	4	22
458	292	212	200	236	222	222	158	180	152	112	90	44	12	2	-	-	-	23
274	204	172	132	106	134	94	102	82	44	32	22	4	2	2	-	-	2	24
54	26	24	24	16	20	24	10	10	-	-	4	-	-	2	-	-	-	25
72	26	42	12	6	8	6	4	6	2	6	2	-	-	-	-	-	-	26
4	10	-	4	-	4	4	-	-	-	2	-	-	-	-	-	-	-	27
1,580	696	440	368	592	408	366	390	380	390	348	314	172	76	18	4	-	4	28
982	392	246	180	162	148	148	112	126	120	108	104	68	28	8	-	-	-	29
598	304	194	168	230	246	218	278	254	270	240	210	104	48	10	-	-	2	30
802	294	188	130	106	156	118	88	96	108	96	86	66	24	6	-	-	-	31
508	252	154	154	178	198	188	254	236	254	224	192	98	42	10	-	-	2	32
148	78	68	38	46	24	22	22	22	10	8	2	2	2	2	-	-	-	33
74	46	30	30	42	38	22	16	16	14	16	14	4	6	-	-	-	-	34
32	20	10	12	10	2	8	4	8	2	2	2	2	2	-	-	-	-	35
18	6	10	4	10	10	8	8	2	2	-	4	2	-	-	-	-	-	36
572	312	142	60	46	28	14	26	4	8	-	4	-	-	2	2	-	-	37
566	308	134	60	44	28	14	26	4	8	-	4	-	-	2	2	-	-	38
16	4	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	39
534	296	114	52	34	26	14	24	4	8	-	4	-	-	2	2	-	-	40
16	4	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	41
14	8	20	8	10	2	-	2	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
0	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
60	34	24	6	10	4	2	-	-	-	-	-	-	-	-	-	-	-	46
24	12	6	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	47
36	22	18	4	10	4	-	-	-	-	-	-	-	-	-	-	-	-	48
24	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
36	20	18	4	10	4	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	4	-	2	2	-	2	-	-	-	-	-	-	-	-	-	64
-	-	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	65
-	-	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	66
-	-	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	67
-	-	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
38	14	10	8	10	8	6	12	10	20	2	6	2	4	-	-	-	-	73
26	12	6	4	6	8	6	12	10	18	2	6	2	4	-	-	-	-	74
12	2	4	4	4	4	4	4	4	2	2	2	2	2	-	-	-	-	75
22	12	6	4	6	6	2	12	6	14	2	4	2	4	-	-	-	-	76
12	2	4	4	4	4	-	-	-	2	2	-	-	-	-	-	-	-	77
2	-	-	-	-	2	4	-	2	-	-	2	-	-	-	-	-	-	78
2	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
514	376	270	306	380	478	518	498	520	486	614	530	434	152	36	12	4	8	82
396	304	226	224	260	346	380	384	366	308	374	338	292	102	30	10	2	8	83
118	72	44	82	100	132	138	114	154	188	240	192	142	50	6	2	2	-	84
302	232	150	146	192	216	286	284	280	258	326	292	274	88	26	10	-	6	85
96	58	34	52	76	112	104	94	132	158	222	184	134	44	6	-	-	-	86
78	52	60	62	80	110	88	90	76	48	40	38	14	4	-	-	-	2	87
16	12	8	28	20	16	32	20	20	30	16	6	6	4	-	-	-	-	88
16	20	16	16	8	20	6	10	10	4	8	8	2	-	-	-	-	-	89
6	2	2	2	4	4	2	-	2	-	2	2	2	2	-	-	-	-	90

SECTION 4 - ACCIDENT MORTALITY

4-13

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Hawaii	142	66	38	2	-	-	-	4	28	-	4
Male	100	58	20	-	-	-	-	4	14	-	4
Female	42	8	18	2	-	-	-	-	14	-	-
White	44	20	8	-	-	-	-	2	10	-	4
Female	22	6	8	2	-	-	-	-	6	-	-
All other	56	38	12	-	-	-	-	2	4	-	-
Female	20	2	10	-	-	-	-	-	8	-	-
Idaho	310	20	14	4	-	-	-	-	32	-	240
Male	228	18	8	4	-	-	-	-	18	-	180
Female	82	2	6	-	-	-	-	-	14	-	60
White	222	18	8	4	-	-	-	-	16	-	176
Female	82	2	6	-	-	-	-	-	14	-	60
All other	6	-	-	-	-	-	-	-	2	-	4
Female	-	-	-	-	-	-	-	-	-	-	-
Illinois	2,384	452	318	70	8	-	-	30	394	-	1,112
Male	1,806	368	154	64	4	-	-	22	258	-	756
Female	778	84	164	6	4	-	-	8	136	-	356
White	1,452	326	114	58	4	-	-	22	214	-	714
Female	706	76	168	6	4	-	-	8	110	-	354
All other	154	42	20	6	-	-	-	-	44	-	42
Female	72	8	16	-	-	-	-	-	26	-	22
Indiana	1,500	580	298	20	8	-	-	16	188	-	410
Male	1,046	454	158	20	4	-	-	8	124	-	298
Female	454	106	140	-	4	-	-	8	64	-	112
White	984	422	126	20	4	-	-	8	120	-	284
Female	420	104	142	-	4	-	-	8	58	-	104
All other	82	52	12	-	-	-	-	-	4	-	14
Female	34	2	18	-	-	-	-	-	6	-	8
Iowa	928	436	242	44	4	-	2	16	92	-	92
Male	650	346	126	42	-	-	-	12	58	-	66
Female	278	90	116	2	4	-	2	4	34	-	26
White	636	336	186	40	-	-	-	12	56	-	64
Female	276	90	116	2	4	-	2	4	32	-	26
All other	14	8	-	-	-	-	-	-	2	-	2
Female	2	-	-	-	-	-	-	-	2	-	-
Kansas	686	202	126	12	-	-	-	8	58	2	278
Male	486	170	72	12	-	-	-	6	42	2	192
Female	190	32	54	-	-	-	-	2	16	-	86
White	472	168	62	12	-	-	-	6	40	2	184
Female	188	32	54	-	-	-	-	2	14	-	86
All other	24	4	10	-	-	-	-	-	2	-	8
Female	2	-	-	-	-	-	-	-	2	-	-
Kentucky	1,112	492	288	14	2	-	-	4	154	-	168
Male	804	414	154	12	2	-	-	4	96	-	122
Female	308	68	134	2	-	-	-	-	58	-	46
White	760	398	140	12	2	-	-	2	90	-	116
Female	266	64	128	2	-	-	-	-	50	-	42
All other	44	16	14	-	-	-	-	2	6	-	6
Female	22	4	6	-	-	-	-	-	8	-	4
Louisiana	1,102	168	128	16	2	-	2	16	208	-	562
Male	796	124	64	16	2	-	-	16	154	-	420
Female	306	44	64	-	-	-	2	-	54	-	142
White	558	98	52	16	2	-	-	10	92	-	298
Female	210	32	40	-	-	-	2	-	26	-	110
All other	238	26	12	-	-	-	-	6	72	-	122
Female	96	12	24	-	-	-	-	-	28	-	32
Maine	222	104	44	12	-	-	-	4	40	2	16
Male	178	96	28	12	-	-	-	4	22	2	14
Female	44	8	16	-	-	-	-	-	18	-	2
White	178	96	28	12	-	-	-	4	22	2	14
Female	44	8	16	-	-	-	-	-	18	-	2
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	610	212	126	16	2	-	-	10	230	2	212
Male	578	166	60	16	2	-	-	8	168	2	156
Female	232	46	66	-	-	-	-	2	62	-	56
White	468	140	46	16	2	-	-	8	118	-	158
Female	186	40	50	-	-	-	-	2	44	-	80
All other	110	26	14	-	-	-	-	-	50	2	18
Female	46	6	16	-	-	-	-	-	18	-	6
Massachusetts	1,110	368	204	32	6	-	-	16	312	2	170
Male	796	306	114	32	2	-	-	16	206	2	116
Female	314	62	90	-	4	-	-	-	106	-	52
White	750	284	106	32	2	-	-	16	194	2	114
Female	304	60	86	-	4	-	-	-	102	-	52
All other	46	22	8	-	-	-	-	-	12	-	4
Female	10	2	4	-	-	-	-	-	4	-	-
Michigan	2,358	908	524	132	12	-	-	38	446	20	278
Male	1,694	738	280	130	6	-	-	20	300	18	202
Female	664	170	244	2	6	-	-	18	146	2	76
White	1,510	662	244	122	6	-	-	20	250	18	188
Female	606	162	222	2	6	-	-	18	126	2	88
All other	184	76	56	8	-	-	-	-	50	-	14
Female	58	8	22	-	-	-	-	-	20	-	8

SECTION 4 - ACCIDENT MORTALITY

4-15

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Ohio-----	2,460	506	360	66	4	-	-	32	436	2	1,052
Male----	1,716	428	176	64	-	-	-	20	292	2	754
Female----	744	80	184	2	4	-	-	12	144	-	318
White--Male----	1,528	370	154	56	-	-	-	20	240	2	686
Female----	678	76	158	2	4	-	-	12	128	-	300
All other--Male----	188	58	22	8	-	-	-	-	52	-	48
Female----	66	4	28	-	-	-	-	-	16	-	18
Oklahoma-----	606	32	50	4	-	-	-	8	92	-	620
Male----	558	32	16	4	-	-	-	6	54	-	446
Female----	248	-	34	-	-	-	-	2	38	-	174
White--Male----	508	30	12	4	-	-	-	4	46	-	412
Female----	216	-	32	-	-	-	-	2	30	-	152
All other--Male----	50	2	4	-	-	-	-	2	8	-	34
Female----	32	-	2	-	-	-	-	-	8	-	22
Oregon-----	750	196	100	32	4	-	-	14	104	-	500
Male----	536	160	54	28	2	-	-	14	64	-	214
Female----	214	36	46	4	2	-	-	-	40	-	86
White--Male----	524	160	52	28	2	-	-	12	60	-	210
Female----	208	36	46	4	2	-	-	-	38	-	82
All other--Male----	12	-	2	-	-	-	-	2	4	-	4
Female----	6	-	-	-	-	-	-	-	2	-	4
Pennsylvania-----	2,492	474	364	60	12	-	4	32	546	4	996
Male----	1,758	394	178	60	4	-	4	28	344	4	742
Female----	734	80	186	-	8	-	-	4	202	-	254
White--Male----	1,630	368	152	54	4	-	4	26	286	4	752
Female----	668	70	166	-	8	-	-	4	178	-	242
All other--Male----	128	26	26	6	-	-	-	2	58	-	10
Female----	68	10	20	-	-	-	-	-	24	-	12
Rhode Island-----	134	32	14	2	2	-	-	-	26	-	58
Male----	98	30	8	2	-	-	-	-	14	-	44
Female----	36	2	6	-	2	-	-	-	12	-	14
White--Male----	94	30	8	2	-	-	-	-	14	-	40
Female----	34	2	4	-	2	-	-	-	12	-	14
All other--Male----	4	-	-	-	-	-	-	-	-	-	4
Female----	2	-	2	-	-	-	-	-	-	-	-
South Carolina-----	1,062	376	236	26	-	2	-	20	226	2	174
Male----	816	328	132	24	-	2	-	16	178	2	134
Female----	246	48	104	2	-	-	-	4	48	-	40
White--Male----	466	206	84	20	-	-	-	6	68	-	82
Female----	176	44	74	2	-	-	-	4	18	-	54
All other--Male----	350	122	48	4	-	2	-	10	110	2	52
Female----	70	4	30	-	-	-	-	-	30	-	6
South Dakota-----	304	126	110	8	4	-	2	4	34	-	16
Male----	206	102	52	6	2	-	2	4	26	-	14
Female----	98	24	58	2	4	-	-	-	8	-	2
White--Male----	166	66	58	6	-	-	2	2	18	-	14
Female----	90	22	52	2	4	-	-	-	8	-	2
All other--Male----	40	16	14	-	-	-	-	2	8	-	-
Female----	8	2	6	-	-	-	-	-	-	-	-
Tennessee-----	1,398	656	356	54	8	-	-	24	186	2	112
Male----	1,050	548	196	54	4	-	-	20	134	2	92
Female----	348	108	160	-	4	-	-	4	52	-	20
White--Male----	904	490	166	50	4	-	-	18	106	2	78
Female----	298	98	134	-	4	-	-	4	38	-	20
All other--Male----	146	68	30	4	-	-	-	2	28	-	14
Female----	50	10	26	-	-	-	-	-	14	-	-
Texas-----	3,740	1,700	960	136	22	-	-	48	552	-	322
Male----	2,702	1,392	480	128	14	-	-	40	412	-	246
Female----	1,038	318	480	8	8	-	-	8	140	-	76
White--Male----	2,328	1,254	368	120	14	-	-	34	312	-	226
Female----	928	302	412	8	8	-	-	4	124	-	70
All other--Male----	374	128	112	8	-	-	-	6	100	-	20
Female----	110	16	68	-	-	-	-	4	16	-	6
Utah-----	350	130	86	18	2	-	-	2	42	-	70
Male----	254	102	50	18	2	-	-	2	26	-	54
Female----	96	28	36	-	-	-	-	-	16	-	16
White--Male----	240	98	48	18	2	-	-	2	22	-	52
Female----	90	26	34	-	-	-	-	-	16	-	14
All other--Male----	14	6	2	-	-	-	-	-	4	-	2
Female----	6	2	2	-	-	-	-	-	-	-	2
Vermont-----	100	30	18	6	-	-	-	2	6	-	38
Male----	74	24	10	6	-	-	-	-	4	-	30
Female----	26	6	8	-	-	-	-	2	2	-	8
White--Male----	74	24	10	6	-	-	-	-	4	-	30
Female----	24	4	8	-	-	-	-	2	2	-	8
All other--Male----	-	-	-	-	-	-	-	-	-	-	-
Female----	2	2	-	-	-	-	-	-	-	-	-
Virginia-----	1,228	126	126	8	-	-	-	8	266	-	694
Male----	894	102	62	6	-	-	-	4	184	-	536
Female----	334	24	64	2	-	-	-	4	82	-	158
White--Male----	678	96	50	6	-	-	-	4	118	-	404
Female----	250	22	54	2	-	-	-	2	52	-	128
All other--Male----	216	6	12	-	-	-	-	-	66	-	132
Female----	74	2	10	-	-	-	-	2	30	-	30

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1972

[Deaths based on a 50-percent sample. Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850-E859	Accidental poisoning by drugs and medicaments---	2,516	14	70	30	22	6	142	30	834	814	442	252	2
	Male-----	1,576	10	42	12	16	2	82	18	662	546	156	110	2
	Female----	940	4	28	18	6	4	60	12	172	268	286	142	-
	White-----	1,142	8	54	8	8	2	60	10	466	370	130	80	-
	Female----	724	2	22	12	4	2	42	8	112	186	258	110	-
	All other--	434	2	8	4	8	-	22	8	189	176	26	20	2
	Female----	218	2	6	6	2	2	18	4	60	72	30	32	-
E850	By antibiotics and other anti-infectives-----	12	-	2	2	-	-	4	-	-	-	2	4	-
	Male-----	10	-	2	2	-	-	4	-	-	-	2	4	-
	Female----	2	-	-	-	-	-	-	-	-	2	-	-	-
	White-----	6	-	2	-	-	-	2	-	-	-	2	2	-
	Female----	2	-	-	-	-	-	-	-	-	2	-	-	-
	All other--	4	-	-	2	-	-	2	-	-	-	-	2	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Penicillin, any-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	12	-	2	2	-	-	4	-	-	2	2	4	-
	Male-----	10	-	2	2	-	-	4	-	-	2	2	4	-
	Female----	2	-	-	-	-	-	-	-	-	2	-	-	-
	White-----	6	-	2	-	-	-	2	-	-	2	2	2	-
	Female----	2	-	-	-	-	-	-	-	-	2	-	-	-
	All other--	4	-	-	2	-	-	2	-	-	-	-	2	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
E851	By hormones and synthetic substitutes-----	10	-	-	-	-	-	-	-	2	2	6	-	-
	Male-----	6	-	-	-	-	-	-	-	2	2	4	-	-
	Female----	4	-	-	-	-	-	-	-	-	-	2	-	-
	White-----	2	-	-	-	-	-	-	-	2	-	2	-	-
	Female----	4	-	-	-	-	-	-	-	-	2	4	-	-
	All other--	4	-	-	-	-	-	-	-	-	-	2	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Progestogens-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	10	-	-	-	-	-	-	-	2	2	6	-	-
	Male-----	6	-	-	-	-	-	-	-	2	2	2	-	-
	Female----	4	-	-	-	-	-	-	-	-	-	4	-	
	White-----	2	-	-	-	-	-	-	-	2	-	4	-	
	Female----	4	-	-	-	-	-	-	-	-	-	2	-	
	All other--	4	-	-	-	-	-	-	-	-	2	2	-	
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	
E852	By primarily systemic and hematologic agents-----	56	6	10	4	-	-	20	4	2	2	14	14	-
	Male-----	32	4	6	-	-	-	10	2	-	2	8	10	-
	Female----	24	2	4	4	-	-	10	2	2	-	6	4	-
	White-----	24	2	4	-	-	-	6	-	-	2	8	8	-
	Female----	18	-	4	2	-	-	6	2	-	-	6	4	-
	All other--	8	2	2	-	-	-	4	2	-	-	-	2	-
	Female----	6	2	-	2	-	-	4	-	2	-	-	-	-
E853	By analgesics and antipyretics-----	860	4	24	24	8	4	64	4	330	364	66	30	2
	Male-----	656	4	16	10	6	2	59	2	280	290	30	14	2
	Female----	204	-	8	14	2	2	26	2	50	74	36	16	-
	White-----	460	4	12	8	2	2	28	-	198	196	24	14	-
	Female----	126	-	4	10	2	-	16	-	28	44	28	10	-
	All other--	196	-	4	2	4	-	10	2	82	94	5	-	2
	Female----	78	-	4	4	-	2	10	2	22	30	8	6	-
.1	Salicylates and congeners-----	122	4	18	20	2	2	46	-	-	26	28	24	-
	Male-----	48	4	10	6	-	2	22	-	-	6	8	12	-
	Female----	74	-	8	14	2	-	24	-	-	20	18	12	-
	White-----	46	4	10	6	-	2	22	-	-	6	6	12	-
	Female----	56	-	4	10	2	-	16	-	-	16	18	6	-
	All other--	2	-	-	-	-	-	-	-	-	-	2	-	-
	Female----	18	-	4	4	-	-	8	-	-	4	-	6	-
.0,.2-.9	All other analgesics and antipyretics-----	738	-	6	4	6	2	18	4	330	338	40	6	2
	Male-----	608	-	6	4	6	2	16	2	280	294	22	2	2
	Female----	130	-	-	-	-	-	2	2	50	54	18	4	-
	White-----	414	-	2	2	2	2	6	-	198	190	18	2	-
	Female----	70	-	-	-	-	-	-	-	28	28	10	4	-
	All other--	194	-	4	2	4	-	10	2	82	94	4	-	2
	Female----	60	-	-	-	-	2	2	2	22	26	8	-	-
E854	By other sedatives and hypnotics-----	750	-	4	-	2	-	8	6	276	232	164	46	-
	Male-----	416	-	2	-	2	-	4	4	208	144	40	16	-
	Female----	314	-	2	-	-	-	4	2	68	88	124	30	-
	White-----	280	-	2	-	2	-	4	2	138	88	52	16	-
	Female----	264	-	2	-	-	-	2	2	42	64	124	30	-
	All other--	136	-	-	-	-	-	-	2	70	56	8	-	-
	Female----	50	-	-	-	-	-	-	-	26	24	-	-	-
.0	Barbiturates-----	428	-	2	-	2	-	4	6	128	136	120	34	-
	Male-----	188	-	2	-	2	-	4	4	84	62	24	10	-
	Female----	240	-	-	-	-	-	-	2	44	74	96	24	-
	White-----	162	-	2	-	2	-	4	2	72	54	20	10	-
	Female----	210	-	-	-	-	-	-	2	32	56	96	24	-
	All other--	26	-	-	-	-	-	-	2	12	6	4	-	-
	Female----	30	-	-	-	-	-	-	-	12	16	-	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
.1-.9	By other sedatives and hypnotics--Con.													
	ALL other sedatives and hypnotics	302	-	2	-	-	-	2	-	148	96	44	12	-
	Male	228	-	-	-	-	-	-	-	124	82	16	6	-
	Female	74	-	2	-	-	-	2	-	24	14	28	6	-
	White	118	-	-	-	-	-	-	-	66	34	12	6	-
	Female	54	-	2	-	-	-	2	-	10	8	29	6	-
	All other	110	-	-	-	-	-	-	-	58	48	4	-	-
Female	20	-	-	-	-	-	-	-	14	6	-	-	-	
E855	By autonomic nervous system and psychotherapeutic drugs	124	2	12	-	2	2	18	6	18	26	44	12	-
	Male	50	2	6	-	2	2	10	4	8	6	19	4	-
	Female	74	-	6	-	-	2	8	2	10	20	26	8	-
	White	40	2	6	-	-	-	6	2	8	4	14	4	-
	Female	70	-	6	-	-	2	8	2	10	18	26	6	-
	All other	10	-	-	-	2	2	2	2	-	2	4	-	-
	Female	4	-	-	-	-	-	-	-	-	2	-	2	-
.1	Tranquillizers	80	2	4	-	2	-	8	2	8	20	30	12	-
	Male	30	2	2	-	2	-	6	-	6	4	10	4	-
	Female	50	-	2	-	-	-	2	2	2	16	20	8	-
	White	24	2	2	-	-	-	4	-	6	4	6	4	-
	Female	46	-	2	-	-	-	2	2	2	14	20	6	-
	All other	6	-	-	-	2	-	2	-	-	-	4	-	-
	Female	4	-	-	-	-	-	-	-	-	2	-	2	-
.0,.2-.9	ALL other autonomic nervous system and psychotropic drugs	44	-	8	-	-	2	10	4	10	6	14	-	-
	Male	20	-	4	-	-	-	4	4	2	2	8	-	-
	Female	24	-	4	-	-	2	6	-	8	4	6	-	-
	White	16	-	4	-	-	-	4	2	2	2	8	-	-
	Female	24	-	4	-	-	2	6	-	8	4	6	-	-
	All other	4	-	-	-	-	-	-	2	-	2	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
E856	By other central nervous system depressants and stimulants	32	-	2	-	-	-	2	2	12	12	2	2	-
	Male	18	-	-	-	-	-	-	-	12	4	2	2	-
	Female	14	-	2	-	-	-	2	2	2	8	2	-	-
	White	16	-	-	-	-	-	-	-	10	4	2	2	-
	Female	12	-	2	-	-	-	2	-	2	8	2	-	-
	All other	2	-	-	-	-	-	-	-	2	-	-	-	-
	Female	2	-	-	-	-	-	-	2	-	-	-	-	-
.4	Amphetamine	22	-	-	-	-	-	-	-	12	8	-	2	-
	Male	18	-	-	-	-	-	-	-	12	4	-	2	-
	Female	4	-	-	-	-	-	-	-	4	4	-	-	-
	White	16	-	-	-	-	-	-	-	10	4	-	2	-
	Female	4	-	-	-	-	-	-	-	4	4	-	-	-
	All other	2	-	-	-	-	-	-	-	2	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
.0-.3,.8,.9	ALL other central nervous system depressants and stimulants	10	-	2	-	-	-	2	2	-	4	2	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	-	2	-	-	-	2	2	-	4	2	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	2	-	-	-	2	-	-	4	2	-	-
	All other	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	2	-	-	-	-	-
E857	By cardiovascular drugs	160	-	2	-	-	-	2	2	4	8	32	112	-
	Male	68	-	-	-	-	-	-	2	4	2	10	50	-
	Female	92	-	2	-	-	-	2	-	-	6	22	62	-
	White	46	-	-	-	-	-	-	2	4	-	6	34	-
	Female	56	-	2	-	-	-	2	-	-	4	12	38	-
	All other	22	-	-	-	-	-	-	-	-	2	4	16	-
	Female	36	-	-	-	-	-	-	-	-	2	10	24	-
E858	By gastrointestinal drugs	6	-	2	-	2	-	4	-	-	-	-	2	-
	Male	6	-	2	-	2	-	4	-	-	-	-	2	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	2	-	2	-	4	-	-	-	-	2	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
E859	By other and unspecified drugs and medications	526	2	12	-	8	-	22	6	180	166	112	30	-
	Male	314	-	8	-	4	-	12	4	148	96	46	8	-
	Female	212	2	4	-	4	-	10	2	43	70	66	22	-
	White	262	-	6	-	2	-	8	4	122	76	44	8	-
	Female	172	2	2	-	2	-	6	2	32	55	54	22	-
	All other	52	-	2	-	2	-	4	-	28	20	2	-	-
	Female	40	-	2	-	2	-	4	-	10	14	12	-	-
E860-E869	Accidental poisoning by other solid and liquid substances	1,212	10	40	12	6	6	74	26	162	376	446	128	-
	Male	676	6	32	8	6	6	58	14	132	284	308	82	-
	Female	334	4	8	4	4	4	16	12	30	92	138	46	-
	White	684	4	18	4	6	6	38	12	108	188	250	68	-
	Female	252	-	4	4	-	-	8	8	18	68	108	42	-
	All other	214	2	14	4	-	-	20	2	24	96	58	14	-
	Female	82	4	4	-	-	-	8	4	12	24	30	4	-
E860	By alcohol	390	-	-	-	-	-	-	4	22	130	202	32	-
	Male	308	-	-	-	-	-	-	4	14	106	156	28	-
	Female	82	-	-	-	-	-	-	-	8	24	46	4	-
	White	194	-	-	-	-	-	-	2	10	50	112	20	-
	Female	50	-	-	-	-	-	-	-	4	12	32	2	-
	All other	114	-	-	-	-	-	-	2	4	56	44	8	-
	Female	32	-	-	-	-	-	-	-	4	12	14	2	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected four-digit subcategories from E850-to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E861	By cleansing and polishing agents-----	18	2	8	2	2	-	14	2	-	-	-	2	-
	Male-----	16	2	6	2	2	-	12	2	-	-	-	2	-
	Female-----	2	-	2	-	-	-	2	-	-	-	-	-	-
	White-----	10	-	4	-	2	-	6	2	-	-	-	2	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	6	2	2	2	-	-	6	-	-	-	-	-	-
	Female-----	2	-	2	-	-	-	2	-	-	-	-	-	-
E862	By disinfectants-----	10	-	-	-	-	-	-	-	-	-	2	8	-
	Male-----	4	-	-	-	-	-	-	-	-	-	2	2	-
	Female-----	6	-	-	-	-	-	-	-	-	-	-	6	-
	White-----	4	-	-	-	-	-	-	-	-	-	2	2	-
	Female-----	6	-	-	-	-	-	-	-	-	-	-	6	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	By paints and varnishes-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	60	4	14	-	-	2	20	4	8	8	16	4	-
	Male-----	52	2	12	-	-	2	16	2	8	8	16	2	-
	Female-----	8	2	2	-	-	-	4	2	-	-	-	2	-
	White-----	38	2	4	-	-	2	8	2	6	8	12	2	-
	Female-----	6	-	2	-	-	-	2	2	-	-	-	2	-
	All other-----	14	-	8	-	-	-	8	-	2	-	4	-	-
	Female-----	2	2	-	-	-	2	-	-	-	-	-	-	-
E865	By pesticides, fertilizers, or plant foods-----	38	2	8	4	2	2	18	2	4	4	4	6	-
	Male-----	32	2	6	4	2	2	16	2	2	4	4	6	-
	Female-----	6	-	2	-	-	-	2	-	2	-	-	-	-
	White-----	28	-	6	2	2	2	12	2	2	4	4	6	-
	Female-----	4	-	2	-	-	-	4	-	2	-	-	-	-
	All other-----	4	2	2	2	-	-	2	-	-	-	-	-	-
	Female-----	2	-	-	-	-	-	-	-	-	-	-	-	-
E866	By heavy metals and their fumes-----	40	-	4	2	-	-	6	4	-	10	20	-	-
	Male-----	30	-	2	-	-	-	2	2	-	8	18	-	-
	Female-----	10	-	2	2	-	-	4	2	-	2	2	-	-
	White-----	20	-	2	-	-	-	2	2	-	6	10	-	-
	Female-----	4	-	-	2	-	-	2	-	-	2	-	-	-
	All other-----	10	-	-	-	-	-	-	-	-	2	8	-	-
	Female-----	6	-	2	-	-	2	2	-	-	2	2	-	-
E867	By corrosives and caustics not elsewhere classifiable-----	24	-	2	-	-	-	2	-	2	2	8	10	-
	Male-----	14	-	2	-	-	-	2	-	2	2	2	6	-
	Female-----	10	-	-	-	-	-	-	-	-	-	6	4	-
	White-----	6	-	-	-	-	-	-	-	-	-	2	4	-
	Female-----	4	-	-	-	-	-	-	-	-	-	2	2	-
	All other-----	8	-	2	-	-	-	2	-	2	2	4	2	-
	Female-----	6	-	-	-	-	-	-	-	-	4	2	-	-
E868	By noxious foodstuffs and poisonous plants-----	8	-	-	-	-	2	2	-	2	2	2	-	-
	Male-----	6	-	-	-	-	2	2	-	2	-	2	-	-
	Female-----	2	-	-	-	-	-	-	-	-	2	-	-	-
	White-----	6	-	-	-	-	2	2	-	2	2	2	-	-
	Female-----	2	-	-	-	-	-	-	-	-	2	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	624	2	4	4	2	-	12	10	124	220	182	86	-
	Male-----	415	2	2	2	2	-	8	4	104	156	108	36	-
	Female-----	209	-	2	2	-	-	4	6	20	64	74	50	-
	White-----	353	2	2	2	2	-	8	4	88	120	106	32	-
	Female-----	176	-	2	2	-	-	4	4	12	52	74	30	-
	All other-----	58	-	-	-	-	-	-	-	16	36	2	4	-
	Female-----	32	-	-	-	-	-	-	2	8	12	10	-	-
E870-E877	Accidental poisoning by gases and vapors-----	1,690	12	20	6	4	6	48	48	420	518	456	196	4
	Male-----	1,270	6	8	4	2	4	24	26	290	422	372	154	2
	Female-----	420	6	12	2	2	2	24	22	130	96	84	62	2
	White-----	1,084	6	6	4	-	4	20	16	246	350	326	124	2
	Female-----	340	4	10	2	2	2	20	20	100	72	78	48	2
	All other-----	166	-	2	-	2	-	4	10	44	72	46	10	-
	Female-----	60	2	2	-	-	4	2	20	24	6	14	-	-
E870	By gas distributed by pipeline-----	152	2	2	2	-	4	10	6	10	32	56	36	2
	Male-----	94	-	-	2	-	2	4	4	4	18	42	22	-
	Female-----	58	2	2	-	-	2	6	2	6	14	14	14	2
	White-----	78	-	-	2	-	2	4	4	4	14	30	22	-
	Female-----	44	-	2	-	-	2	4	2	4	10	10	12	2
	All other-----	16	-	-	-	-	-	-	-	-	4	12	-	-
	Male-----	14	2	-	-	-	-	2	-	2	4	4	2	-
E871	By liquefied petroleum gas distributed in mobile containers-----	28	-	4	-	-	-	4	6	4	10	2	2	-
	Male-----	16	-	-	-	-	-	4	2	4	6	2	2	-
	Female-----	12	-	4	-	-	-	4	4	-	4	-	-	-
	White-----	14	-	-	-	-	-	2	2	4	4	2	2	-
	Female-----	2	-	2	-	-	-	2	2	-	4	-	-	-
	All other-----	2	-	-	-	-	-	-	-	-	2	-	-	-
	Male-----	4	-	2	-	-	-	2	2	-	-	-	-	-

SECTION 4 · ACCIDENT MORTALITY

4-21

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E850-E859	Accidental poisoning by drugs and medicaments-----	2,516	1,050	2	-	6	8	36	69	24	86	1,256
	Male-----	1,576	630	-	-	6	8	30	54	16	70	782
	Female-----	940	420	2	-	-	-	6	14	8	16	474
	White-----	1,142	470	-	-	2	8	18	44	12	48	540
	Female-----	724	356	2	-	-	-	2	14	6	14	350
	All other-----	454	160	-	-	4	-	12	10	4	22	222
	Female-----	216	84	-	-	-	-	4	-	2	2	124
E850	By antibiotics and other anti-infectives-----	12	2	-	-	-	-	-	-	-	2	8
	Male-----	10	2	-	-	-	-	-	-	-	2	6
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	White-----	6	2	-	-	-	-	-	-	-	-	4
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	All other-----	4	-	-	-	-	-	-	-	-	2	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.0	Penicillin, any-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	12	2	-	-	-	-	-	-	-	2	8
	Male-----	10	2	-	-	-	-	-	-	-	2	6
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	White-----	6	2	-	-	-	-	-	-	-	-	4
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	All other-----	4	-	-	-	-	-	-	-	-	2	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E851	By hormones and synthetic substitutes-----	10	-	-	-	-	-	-	-	-	-	10
	Male-----	6	-	-	-	-	-	-	-	-	-	6
	Female-----	4	-	-	-	-	-	-	-	-	-	4
	White-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----	4	-	-	-	-	-	-	-	-	-	4
	All other-----	4	-	-	-	-	-	-	-	-	-	4
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.6	Progestogens-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	10	-	-	-	-	-	-	-	-	-	10
	Male-----	6	-	-	-	-	-	-	-	-	-	6
	Female-----	4	-	-	-	-	-	-	-	-	-	4
	White-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----	4	-	-	-	-	-	-	-	-	-	4
	All other-----	4	-	-	-	-	-	-	-	-	-	4
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E852	By primarily systemic and hematologic agents-----	56	14	-	-	-	-	-	-	-	-	42
	Male-----	32	8	-	-	-	-	-	-	-	-	24
	Female-----	24	6	-	-	-	-	-	-	-	-	18
	White-----	24	4	-	-	-	-	-	-	-	-	20
	Female-----	18	2	-	-	-	-	-	-	-	-	16
	All other-----	8	4	-	-	-	-	-	-	-	-	4
	Female-----	6	4	-	-	-	-	-	-	-	-	2
E855	By analgesics and antipyretics-----	880	406	-	-	2	2	20	26	12	44	348
	Male-----	656	290	-	-	2	2	18	26	8	40	270
	Female-----	204	116	-	-	-	-	2	-	4	4	78
	White-----	460	202	-	-	2	2	8	16	4	26	200
	Female-----	126	74	-	-	-	-	-	-	2	2	48
	All other-----	196	88	-	-	-	-	10	10	4	14	70
	Female-----	78	42	-	-	-	-	2	-	2	2	30
.1	Salicylates and congeners-----	122	54	-	-	-	-	-	-	2	2	64
	Male-----	48	20	-	-	-	-	-	-	-	-	28
	Female-----	74	34	-	-	-	-	-	-	2	2	36
	White-----	46	20	-	-	-	-	-	-	-	-	26
	Female-----	56	30	-	-	-	-	-	-	2	2	22
	All other-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----	18	4	-	-	-	-	-	-	-	-	14
.0,.2-.9	All other analgesics and antipyretics-----	738	352	-	-	2	2	20	26	10	42	284
	Male-----	608	270	-	-	2	2	18	26	8	40	242
	Female-----	130	82	-	-	-	-	2	-	2	2	42
	White-----	414	182	-	-	2	2	8	16	4	26	174
	Female-----	70	44	-	-	-	-	-	-	-	-	26
	All other-----	194	88	-	-	-	-	10	10	4	14	68
	Female-----	60	38	-	-	-	-	2	-	2	2	16

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E854	By other sedatives and hypnotics-----	730	336	2	-	2	2	4	26	4	22	532
	Male-----	416	170	-	-	2	2	4	18	4	16	200
	Female-----	314	166	2	-	-	-	-	8	-	6	132
	White-----	280	134	-	-	-	2	4	18	4	12	106
	Female-----	264	144	2	-	-	-	-	8	-	6	104
	All other-----	136	36	-	-	2	-	-	-	-	4	94
	Male-----	50	22	-	-	-	-	-	-	-	-	28
	Female-----											
	All other-----											
	Male-----											
.0	Barbiturates-----	428	240	-	-	-	2	2	22	2	14	146
	Male-----	188	105	-	-	-	2	2	14	2	8	54
	Female-----	240	134	-	-	-	-	-	8	-	6	92
	White-----	162	86	-	-	-	2	2	14	2	8	48
	Female-----	210	116	-	-	-	-	-	8	-	6	80
	All other-----	26	20	-	-	-	-	-	-	-	-	6
	Male-----	30	18	-	-	-	-	-	-	-	-	12
	Female-----											
	All other-----											
	Male-----											
.1-.9	All other sedatives and hypnotics-----	302	96	2	-	2	-	2	4	2	8	186
	Male-----	228	64	-	-	2	-	2	2	2	8	146
	Female-----	74	32	2	-	-	-	-	-	-	-	40
	White-----	118	48	-	-	-	-	2	4	2	4	58
	Female-----	54	28	2	-	-	-	-	4	-	-	24
	All other-----	110	16	-	-	2	-	-	-	-	4	88
	Male-----	20	4	-	-	-	-	-	-	-	-	16
	Female-----											
	All other-----											
	Male-----											
E855	By autonomic nervous system and psychotherapeutic drugs-----	124	54	-	-	2	-	2	-	2	-	64
	Male-----	53	23	-	-	2	-	2	-	-	-	26
	Female-----	74	34	-	-	-	-	-	-	2	-	38
	White-----	40	16	-	-	-	-	2	-	-	-	22
	Female-----	70	32	-	-	-	-	-	-	2	-	36
	All other-----	10	4	-	-	2	-	-	-	-	-	4
	Male-----	4	2	-	-	-	-	-	-	-	-	2
	Female-----											
	All other-----											
	Male-----											
.1	Tranquilizers-----	80	32	-	-	2	-	2	-	2	-	42
	Male-----	30	14	-	-	2	-	2	-	-	-	12
	Female-----	50	18	-	-	-	-	-	-	2	-	30
	White-----	24	12	-	-	-	-	2	-	-	-	10
	Female-----	46	16	-	-	-	-	-	-	2	-	28
	All other-----	6	2	-	-	2	-	-	-	-	-	2
	Male-----	4	2	-	-	-	-	-	-	-	-	2
	Female-----											
	All other-----											
	Male-----											
.0,.2-.9	All other autonomic nervous system and psychotherapeutic drugs-----	44	22	-	-	-	-	-	-	-	-	22
	Male-----	20	6	-	-	-	-	-	-	-	-	14
	Female-----	24	16	-	-	-	-	-	-	-	-	8
	White-----	16	4	-	-	-	-	-	-	-	-	12
	Female-----	24	16	-	-	-	-	-	-	-	-	8
	All other-----	4	2	-	-	-	-	-	-	-	-	2
	Male-----											
	Female-----											
	All other-----											
	Male-----											
E856	By other central nervous system depressants and stimulants-----	32	10	-	-	-	-	-	4	-	2	16
	Male-----	18	8	-	-	-	-	-	2	-	-	8
	Female-----	14	2	-	-	-	-	-	2	-	2	8
	White-----	16	6	-	-	-	-	-	2	-	-	8
	Female-----	12	2	-	-	-	-	-	2	-	2	6
	All other-----	2	2	-	-	-	-	-	-	-	-	2
	Male-----	2	2	-	-	-	-	-	-	-	-	2
	Female-----											
	All other-----											
	Male-----											
.4	Amphetamine-----	22	10	-	-	-	-	-	4	-	-	8
	Male-----	18	8	-	-	-	-	-	2	-	-	8
	Female-----	4	2	-	-	-	-	-	2	-	-	-
	White-----	15	6	-	-	-	-	-	2	-	-	8
	Female-----	4	2	-	-	-	-	-	2	-	-	-
	All other-----	2	2	-	-	-	-	-	-	-	-	-
	Male-----											
	Female-----											
	All other-----											
	Male-----											
.0-.3,.8,.9	All other central nervous system depressants and stimulants-----	10	-	-	-	-	-	-	-	-	2	8
	Male-----	10	-	-	-	-	-	-	-	-	-	8
	Female-----	10	-	-	-	-	-	-	-	-	2	8
	White-----	8	-	-	-	-	-	-	-	-	2	6
	Female-----	8	-	-	-	-	-	-	-	-	-	6
	All other-----	2	-	-	-	-	-	-	-	-	-	2
	Male-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----											
	All other-----											
	Male-----											
E857	By cardiovascular drugs-----	160	8	-	-	-	-	-	-	-	-	152
	Male-----	68	6	-	-	-	-	-	-	-	-	62
	Female-----	92	2	-	-	-	-	-	-	-	-	90
	White-----	46	6	-	-	-	-	-	-	-	-	40
	Female-----	56	2	-	-	-	-	-	-	-	-	54
	All other-----	22	-	-	-	-	-	-	-	-	-	22
	Male-----	36	-	-	-	-	-	-	-	-	-	36
	Female-----											
	All other-----											
	Male-----											
E858	By gastrointestinal drugs-----	6	4	-	-	-	-	-	-	-	-	2
	Male-----	6	4	-	-	-	-	-	-	-	-	2
	Female-----	6	4	-	-	-	-	-	-	-	-	2
	White-----	6	4	-	-	-	-	-	-	-	-	2
	Female-----	6	4	-	-	-	-	-	-	-	-	2
	All other-----	6	4	-	-	-	-	-	-	-	-	2

See footnotes at the end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E859	By other and unspecified drugs and medicaments-----	526	216	-	-	-	-	4	10	12	6	16	262
	Male-----	314	122	-	-	-	-	4	6	8	4	12	158
	Female-----	212	94	-	-	-	-	-	4	4	2	4	104
	White-----	262	95	-	-	-	-	4	4	8	4	10	136
	Female-----	172	80	-	-	-	-	-	2	4	2	4	80
	All other-----	52	26	-	-	-	-	-	2	-	-	2	22
Female-----	40	14	-	-	-	-	-	2	-	-	-	24	
E860-E869	Accidental poisoning by other solid and liquid substances-----	1,212	506	6	-	22	-	2	23	20	12	52	564
	Male-----	678	330	6	-	22	-	2	26	16	8	48	420
	Female-----	334	176	-	-	-	-	-	2	4	4	4	144
	White-----	664	246	6	-	18	-	2	22	16	8	38	308
	Female-----	252	142	-	-	-	-	-	2	2	4	4	98
	All other-----	214	84	-	-	4	-	-	4	-	-	10	112
Female-----	82	34	-	-	-	-	-	-	2	-	-	46	
E860	By alcohol-----	390	158	-	-	4	-	2	12	2	-	14	218
	Male-----	308	109	-	-	4	-	2	12	2	-	12	176
	Female-----	82	39	-	-	-	-	-	-	-	-	2	42
	White-----	194	62	-	-	4	-	2	8	2	-	8	108
	Female-----	50	26	-	-	-	-	-	-	-	-	2	22
	All other-----	114	38	-	-	-	-	-	4	-	-	4	68
Female-----	32	12	-	-	-	-	-	-	-	-	-	20	
E861	By cleansing and polishing agents-----	18	10	-	-	-	-	-	-	-	-	2	6
	Male-----	16	8	-	-	-	-	-	-	-	-	2	6
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
	White-----	10	4	-	-	-	-	-	-	-	-	2	4
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	6	4	-	-	-	-	-	-	-	-	-	2
Female-----	2	2	-	-	-	-	-	-	-	-	-	-	
E862	By disinfectants-----	10	2	-	-	-	-	-	-	-	2	-	6
	Male-----	4	-	-	-	-	-	-	-	-	-	-	4
	Female-----	6	2	-	-	-	-	-	-	-	2	-	2
	White-----	4	-	-	-	-	-	-	-	-	-	-	4
	Female-----	6	2	-	-	-	-	-	-	-	2	-	2
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
E863	By paints and varnishes-----	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
E864	By petroleum products and other solvents-----	60	32	2	-	12	-	-	2	-	-	2	10
	Male-----	52	26	2	-	12	-	-	-	-	-	2	10
	Female-----	8	6	-	-	-	-	-	2	-	-	-	-
	White-----	38	16	2	-	10	-	-	-	-	-	-	10
	Female-----	6	4	-	-	-	-	-	2	-	-	-	-
	All other-----	14	10	-	-	2	-	-	-	-	-	2	-
Female-----	2	2	-	-	-	-	-	-	-	-	-	-	
E865	By pesticides, fertilizers, or plant foods-----	38	20	-	-	-	-	-	-	-	4	4	10
	Male-----	32	18	-	-	-	-	-	-	-	2	4	8
	Female-----	6	2	-	-	-	-	-	-	-	2	-	2
	White-----	28	14	-	-	-	-	-	-	-	2	4	8
	Female-----	4	2	-	-	-	-	-	-	-	2	-	-
	All other-----	4	4	-	-	-	-	-	-	-	-	-	-
Female-----	2	-	-	-	-	-	-	-	-	-	-	2	
E866	By heavy metals and their fumes-----	40	6	2	-	2	-	-	-	-	-	-	30
	Male-----	30	4	2	-	2	-	-	-	-	-	-	22
	Female-----	10	2	-	-	-	-	-	-	-	-	-	8
	White-----	20	4	2	-	2	-	-	-	-	-	-	12
	Female-----	4	-	-	-	-	-	-	-	-	-	-	4
	All other-----	10	-	-	-	-	-	-	-	-	-	-	10
Female-----	6	2	-	-	-	-	-	-	-	-	-	4	
E867	By corrosives and caustics not elsewhere classifiable-----	24	16	-	-	-	-	-	-	-	-	-	8
	Male-----	14	10	-	-	-	-	-	-	-	-	-	4
	Female-----	10	6	-	-	-	-	-	-	-	-	-	4
	White-----	6	2	-	-	-	-	-	-	-	-	-	4
	Female-----	4	2	-	-	-	-	-	-	-	-	-	2
	All other-----	8	8	-	-	-	-	-	-	-	-	-	-
Female-----	5	4	-	-	-	-	-	-	-	-	-	2	
E868	By noxious foodstuffs and poisonous plants-----	8	4	-	-	-	-	-	-	-	-	4	-
	Male-----	6	2	-	-	-	-	-	-	-	-	4	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
	White-----	6	2	-	-	-	-	-	-	-	-	4	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E869	By other and unspecified solid and liquid substances-----	624	278	2	-	4	-	14	18	6	26	276
	Male-----	415	162	2	-	4	-	14	14	6	24	190
	Female-----	209	116	-	-	-	-	-	4	-	2	86
	White-----	358	142	2	-	2	-	14	14	6	20	158
	Female-----	176	104	-	-	-	-	-	2	-	2	68
	All other-----	59	20	-	-	2	-	-	-	-	4	32
	Female-----	32	12	-	-	-	-	-	2	-	-	18
E870-E877	Accidental poisoning by gases and vapors-----	1,690	794	20	90	70	4	138	52	6	176	340
	Male-----	1,270	590	16	90	62	2	98	40	2	138	242
	Female-----	420	214	4	-	8	2	40	12	4	38	98
	White-----	1,084	502	16	90	52	2	90	32	2	112	186
	Female-----	540	174	4	-	6	2	36	10	4	30	74
	All other-----	166	78	-	-	10	-	8	8	-	26	56
	Female-----	80	40	-	-	2	-	4	2	-	8	24
E870	By gas distributed by pipeline-----	152	130	-	-	-	2	2	2	-	4	12
	Male-----	94	76	-	-	-	2	2	2	-	4	8
	Female-----	58	54	-	-	-	-	-	-	-	-	4
	White-----	78	66	-	-	-	2	2	-	-	2	6
	Female-----	44	40	-	-	-	-	-	-	-	-	4
	All other-----	16	10	-	-	-	-	-	2	-	2	2
	Female-----	14	14	-	-	-	-	-	-	-	-	-
E871	By liquefied petroleum gas distributed in mobile containers-----	28	18	-	-	-	-	-	-	-	4	6
	Male-----	16	8	-	-	-	-	-	-	-	4	4
	Female-----	12	10	-	-	-	-	-	-	-	-	2
	White-----	14	6	-	-	-	-	-	-	-	4	4
	Female-----	8	6	-	-	-	-	-	-	-	-	2
	All other-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	4	4	-	-	-	-	-	-	-	-	-
E872	By other utility gases-----	6	2	-	-	-	-	-	2	-	-	2
	Male-----	4	-	-	-	-	-	-	-	-	-	2
	Female-----	2	2	-	-	-	-	-	-	-	-	-
	White-----	4	-	-	-	-	-	-	2	-	-	2
	Female-----	2	2	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E873	By motor vehicle exhaust gas-----	890	390	18	-	40	2	126	36	-	134	144
	Male-----	682	302	16	-	32	2	90	24	-	102	116
	Female-----	208	88	2	-	8	2	36	12	-	32	28
	White-----	582	270	16	-	26	2	62	20	-	84	84
	Female-----	170	76	2	-	6	2	32	10	-	24	16
	All other-----	100	32	-	-	6	2	8	4	-	18	32
	Female-----	38	12	-	-	2	-	4	2	-	8	10
E874	By carbon monoxide from incomplete combustion of domestic fuels-----	118	94	2	-	-	-	-	2	-	6	14
	Male-----	84	70	-	-	-	-	-	2	-	4	8
	Female-----	34	24	2	-	-	-	-	-	-	2	6
	White-----	72	62	-	-	-	-	-	-	-	2	8
	Female-----	28	20	2	-	-	-	-	-	-	2	4
	All other-----	12	8	-	-	-	-	-	2	-	2	-
	Female-----	6	4	-	-	-	-	-	-	-	-	2
E875	By other carbon monoxide-----	314	98	-	90	10	-	8	2	2	12	92
	Male-----	236	66	-	90	10	-	4	2	2	8	56
	Female-----	78	32	-	-	-	-	4	-	2	4	36
	White-----	200	48	-	90	8	-	4	2	2	8	40
	Female-----	64	26	-	-	-	-	4	-	2	4	28
	All other-----	36	18	-	2	-	-	-	-	-	-	16
	Female-----	14	6	-	-	-	-	-	-	-	-	8
E876	By other gases and vapors-----	172	60	-	-	18	-	2	8	2	16	66
	Male-----	144	56	-	-	18	-	2	8	-	16	44
	Female-----	28	4	-	-	-	-	-	-	2	-	22
	White-----	124	48	-	-	16	-	2	8	-	12	38
	Female-----	24	4	-	-	-	-	-	-	2	-	18
	All other-----	20	8	-	2	-	-	-	-	-	4	6
	Female-----	4	-	-	-	-	-	-	-	-	-	4
E877	By unspecified gases and vapors-----	10	2	-	-	2	-	-	-	2	-	4
	Male-----	10	2	-	-	2	-	-	-	2	-	4
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	10	2	-	-	2	-	-	-	2	-	4
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E980-E987	Accidental falls-----	16,744	7,206	120	20	392	70	636	426	2,258	782	4,834
	Male-----	8,480	3,406	112	20	364	58	512	316	920	620	2,132
	Female-----	8,264	3,800	8	-	8	12	124	110	1,338	162	2,702
	White-----	7,568	3,024	106	20	342	46	404	276	870	532	1,948
	Female-----	7,762	3,488	8	-	8	10	116	106	1,302	152	2,574
	All other-----	912	382	6	-	42	12	108	40	50	88	184
	Female-----	502	314	-	-	-	2	8	4	36	10	128

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-25

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E899 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E880	Fall on or from stairs or steps-----	1,656	1,300	-	-	4	-	-	16	98	44	78	116
	Male-----	1,000	760	-	-	2	-	-	12	66	16	52	72
	Female-----	656	520	-	-	2	-	-	4	32	28	26	44
	White-----	850	662	-	-	2	-	-	10	60	14	40	62
	Female-----	598	474	-	-	2	-	-	4	30	26	26	36
	All other-----	150	118	-	-	-	-	-	2	6	2	12	10
	Male-----	58	46	-	-	-	-	-	-	2	2	-	6
E881	Fall on or from ladder or scaffolding-----	376	152	14	-	80	-	-	6	34	4	46	36
	Male-----	352	132	14	-	80	-	-	6	32	4	48	36
	Female-----	24	20	-	-	-	-	-	-	2	-	-	2
	White-----	326	128	14	-	66	-	-	6	28	4	44	34
	Female-----	22	18	-	-	-	-	-	-	2	-	-	2
	All other-----	26	4	-	-	12	-	-	-	4	-	4	2
	Male-----	2	2	-	-	-	-	-	-	-	-	-	-
E892	Fall from or out of building or other structure-----	720	300	20	4	130	2	-	36	34	32	106	56
	Male-----	620	238	20	4	130	2	-	36	32	20	92	46
	Female-----	100	62	-	-	-	-	-	-	2	12	14	10
	White-----	536	192	20	4	118	2	-	30	50	16	82	40
	Female-----	86	48	-	-	-	-	-	-	2	12	14	10
	All other-----	84	46	-	-	12	-	-	6	2	2	10	5
	Male-----	14	14	-	-	-	-	-	-	-	-	-	-
E883	Fall into hole or other opening in surface-----	140	20	6	10	16	4	-	6	12	-	56	10
	Male-----	122	12	6	10	16	4	-	2	10	-	54	8
	Female-----	18	8	-	-	-	-	-	4	2	-	2	2
	White-----	104	12	6	10	14	2	-	4	4	-	50	6
	Female-----	14	6	-	-	-	-	-	4	2	-	2	2
	All other-----	18	-	-	-	2	2	-	2	6	-	4	2
	Male-----	4	2	-	-	-	-	-	2	-	-	-	-
E884	Other falls from one level to another-----	1,440	474	50	4	94	38	-	40	28	378	202	132
	Male-----	834	240	48	4	94	28	-	36	28	186	186	84
	Female-----	506	234	2	-	-	10	-	4	-	192	16	48
	White-----	830	204	44	4	88	22	-	32	22	178	162	74
	Female-----	438	176	2	-	-	8	-	4	-	166	16	46
	All other-----	104	35	4	-	5	6	-	4	6	8	24	10
	Male-----	68	58	-	-	-	-	2	-	-	6	-	2
E885	Fall on same level from slipping, stumbling, or tripping-----	726	396	6	-	10	4	-	66	18	120	32	72
	Male-----	372	198	6	-	10	4	-	48	6	50	14	36
	Female-----	354	198	2	-	-	-	-	18	12	70	18	36
	White-----	360	186	6	-	10	2	-	42	6	50	14	34
	Female-----	336	188	2	-	-	-	-	18	12	66	18	34
	All other-----	22	12	-	-	-	2	-	6	-	-	-	2
	Male-----	16	10	-	-	-	-	-	-	-	4	-	2
E896	Fall on same level from collision with or pushing or shoving by another person-----	32	-	-	-	-	6	-	2	2	12	6	4
	Male-----	24	-	-	-	-	6	-	2	2	8	6	2
	Female-----	8	-	-	-	-	-	-	-	-	4	-	2
	White-----	20	-	-	-	-	6	-	2	2	8	4	-
	Female-----	8	-	-	-	-	-	-	2	-	4	-	2
	All other-----	4	-	-	-	-	-	-	-	-	-	2	2
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-
E877	Other and unspecified falls-----	11,654	4,584	22	2	58	16	-	464	200	1,668	254	4,406
	Male-----	5,056	1,806	18	2	52	14	-	372	140	636	168	1,848
	Female-----	6,598	2,758	4	-	6	2	-	92	60	1,032	86	2,558
	White-----	4,552	1,640	16	2	42	12	-	284	124	598	156	1,698
	Female-----	6,258	2,576	4	-	6	2	-	84	60	1,008	76	2,442
	All other-----	504	166	2	-	10	2	-	88	16	38	32	150
	Male-----	340	182	-	-	-	-	8	-	-	24	10	116
E890-E899	Accidents caused by fires and flames-----	6,714	5,762	40	-	84	8	-	28	152	158	120	362
	Male-----	4,072	3,350	28	-	80	8	-	20	136	120	98	232
	Female-----	2,642	2,412	12	-	4	-	-	8	16	38	22	130
	White-----	2,996	2,408	24	-	74	8	-	14	112	98	86	172
	Female-----	1,882	1,718	12	-	4	-	-	6	12	24	14	92
	All other-----	1,076	942	4	-	8	-	-	6	24	22	12	60
	Male-----	760	694	-	-	-	-	2	4	14	8	38	-
E890	By conflagration in private dwelling-----	4,542	4,528	-	-	-	4	-	-	-	-	10	-
	Male-----	2,690	2,680	-	-	-	4	-	-	-	-	6	-
	Female-----	1,852	1,848	-	-	-	-	-	-	-	-	4	-
	White-----	1,898	1,890	-	-	-	4	-	-	-	-	4	-
	Female-----	1,296	1,294	-	-	-	-	-	-	-	-	2	-
	All other-----	792	790	-	-	-	-	-	-	-	-	2	-
	Male-----	556	554	-	-	-	-	-	-	-	-	2	-
E891	By conflagration in other building or structure-----	264	18	6	-	30	-	-	-	104	42	48	16
	Male-----	220	18	4	-	26	-	-	-	94	30	40	8
	Female-----	44	-	2	-	4	-	-	-	10	12	8	8
	White-----	184	16	2	-	20	-	-	-	82	22	34	6
	Female-----	28	-	2	-	4	-	-	-	8	2	4	8
	All other-----	36	-	2	-	6	-	-	-	12	8	6	2
	Male-----	16	-	-	-	-	-	-	2	10	4	-	-

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E892	By conflagration not in building or structure-----	60	10	10	-	14	2	6	-	-	-	6	12
	Male-----	46	6	6	-	14	2	4	-	-	-	6	8
	Female-----	14	4	4	-	-	-	2	-	-	-	-	4
	White-----	44	6	6	-	14	2	4	-	-	-	6	6
	Female-----	14	4	4	-	-	-	2	-	-	-	-	4
	All other-----	2	-	-	-	-	-	-	-	-	-	-	2
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
E893	By ignition of clothing-----	542	432	8	-	6	2	6	4	52	14	18	
	Male-----	246	160	8	-	6	2	4	4	40	12	10	
	Female-----	296	272	-	-	-	-	2	-	12	2	8	
	White-----	206	126	8	-	6	2	-	4	40	12	8	
	Female-----	230	212	-	-	-	-	2	-	10	-	6	
	All other-----	40	34	-	-	-	-	4	-	-	-	2	
Female-----	66	60	-	-	-	-	-	-	2	2	2		
E894	By ignition of highly inflammable material-----	224	144	8	-	12	-	6	18	4	18	14	
	Male-----	166	96	6	-	12	-	4	16	4	18	10	
	Female-----	58	48	2	-	-	-	2	2	-	-	4	
	White-----	132	76	6	-	12	-	4	8	2	16	8	
	Female-----	40	32	2	-	-	-	-	2	-	-	4	
	All other-----	34	20	-	-	-	-	-	8	2	2	2	
Female-----	18	16	-	-	-	-	2	-	-	-	-		
E895	By controlled fire in private dwelling-----	112	112	-	-	-	-	-	-	-	-	-	
	Male-----	46	46	-	-	-	-	-	-	-	-	-	
	Female-----	66	66	-	-	-	-	-	-	-	-	-	
	White-----	34	34	-	-	-	-	-	-	-	-	-	
	Female-----	40	40	-	-	-	-	-	-	-	-	-	
	All other-----	12	12	-	-	-	-	-	-	-	-	-	
Female-----	26	26	-	-	-	-	-	-	-	-	-		
E896	By controlled fire in other building or structure-----	4	-	-	-	2	-	-	-	2	-	-	
	Male-----	4	-	-	-	2	-	-	-	2	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	White-----	2	-	-	-	2	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	All other-----	2	-	-	-	-	-	-	2	-	-	-	
Female-----	-	-	-	-	-	-	-	-	-	-	-		
E897	By controlled fire not in building or structure-----	32	24	-	-	-	-	2	-	-	-	6	
	Male-----	26	18	-	-	-	-	2	-	-	-	6	
	Female-----	6	6	-	-	-	-	-	-	-	-	-	
	White-----	24	16	-	-	-	-	2	-	-	-	6	
	Female-----	6	6	-	-	-	-	-	-	-	-	-	
	All other-----	2	2	-	-	-	-	-	-	-	-	-	
Female-----	-	-	-	-	-	-	-	-	-	-	-		
E898	By other specified fires or flames-----	402	284	4	-	2	-	6	18	52	12	24	
	Male-----	296	206	2	-	2	-	6	14	40	6	20	
	Female-----	106	78	2	-	-	-	-	4	12	6	4	
	White-----	242	168	2	-	2	-	4	12	30	6	18	
	Female-----	92	68	2	-	-	-	-	2	10	6	4	
	All other-----	54	38	-	-	-	-	2	2	10	-	2	
Female-----	14	10	-	-	-	-	-	2	2	-	-		
E899	By unspecified fire-----	532	210	4	-	18	-	2	6	8	12	272	
	Male-----	332	120	2	-	18	-	-	6	6	10	170	
	Female-----	200	90	2	-	-	-	2	-	2	2	102	
	White-----	250	74	-	-	18	-	-	6	4	8	120	
	Female-----	136	62	2	-	-	-	2	-	2	2	66	
	All other-----	102	46	2	-	-	-	-	-	2	2	50	
Female-----	64	28	-	-	-	-	-	-	-	-	36		
E900-8909	Accidents due to natural and environmental factors-----	1,800	186	124	-	30	22	78	28	6	548	778	
	Male-----	1,244	122	106	-	28	16	58	22	4	334	554	
	Female-----	556	64	18	-	2	6	20	6	2	214	224	
	White-----	950	86	96	-	20	16	46	14	4	288	380	
	Female-----	458	56	18	-	2	6	14	6	2	192	162	
	All other-----	294	36	10	-	8	-	12	8	-	46	174	
Female-----	98	8	-	-	-	-	6	-	-	22	62		
E900	Excessive heat-----	234	18	2	-	12	6	4	6	2	20	164	
	Male-----	160	10	2	-	12	4	4	6	2	20	100	
	Female-----	74	8	-	-	-	2	-	-	-	-	64	
	White-----	114	6	2	-	6	4	4	6	2	14	70	
	Female-----	50	4	-	-	-	2	-	-	-	-	44	
	All other-----	46	4	-	-	6	-	-	-	-	6	30	
Female-----	24	4	-	-	-	-	-	-	-	-	20		
E901	Excessive cold-----	490	84	20	-	8	-	28	12	4	84	250	
	Male-----	400	72	18	-	8	-	22	12	2	66	200	
	Female-----	90	12	2	-	-	-	6	-	2	18	50	
	White-----	250	52	8	-	8	-	14	4	2	42	120	
	Female-----	62	12	2	-	-	-	2	-	2	10	34	
	All other-----	150	20	10	-	-	-	8	8	-	24	80	
Female-----	28	-	-	-	-	-	4	-	-	8	16		

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident											
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified		
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)		
E902	High and low air pressure-----	18	-	-	-	-	-	-	-	-	-	-	14	-
	Male-----	16	-	-	-	-	-	-	-	-	-	-	12	4
	Female-----	2	-	-	-	-	-	-	-	-	-	-	2	-
	White-----	16	-	-	-	-	-	-	-	-	-	-	12	4
	Female-----	2	-	-	-	-	-	-	-	-	-	-	2	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E903	Effects of travel and motion-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E904	Hunger, thirst, exposure, and neglect-----	268	8	2	-	-	-	2	-	6	-	-	26	224
	Male-----	192	6	2	-	-	-	4	-	4	-	-	16	164
	Female-----	76	2	-	-	-	-	2	-	2	-	-	10	60
	White-----	126	-	2	-	-	-	-	-	2	-	-	12	110
	Female-----	54	2	-	-	-	-	2	-	-	-	-	10	40
	All other-----	66	6	-	-	-	-	-	-	2	-	-	4	54
E905	Bites and stings of venomous animals and insects-----	42	6	6	-	2	-	2	-	2	-	-	2	22
	Male-----	32	6	6	-	2	-	2	-	2	-	-	2	16
	Female-----	10	4	-	-	-	-	-	-	-	-	-	-	6
	White-----	30	-	6	-	2	-	2	-	2	-	-	2	16
	Female-----	6	2	-	-	-	-	-	-	-	-	-	-	4
	All other-----	2	2	-	-	-	-	-	-	-	-	-	-	-
E906	Other accidents caused by animals-----	146	22	64	-	-	-	4	-	4	2	-	20	30
	Male-----	108	10	52	-	-	-	4	-	2	-	-	16	24
	Female-----	38	12	12	-	-	-	-	-	2	2	-	4	6
	White-----	106	10	52	-	-	-	4	-	2	-	-	16	22
	Female-----	36	12	12	-	-	-	-	-	2	2	-	4	4
	All other-----	2	-	-	-	-	-	-	-	-	-	-	-	2
E907	Lightning-----	94	14	26	-	6	-	8	-	-	2	-	26	12
	Male-----	80	10	24	-	4	-	6	-	-	2	-	24	10
	Female-----	14	4	2	-	2	-	2	-	-	-	-	2	2
	White-----	74	8	24	-	2	-	6	-	-	2	-	24	8
	Female-----	14	4	2	-	2	-	2	-	-	-	-	2	2
	All other-----	6	2	-	-	2	-	-	-	-	-	-	-	2
E908	Cataclysm-----	500	34	4	-	-	-	-	-	32	6	-	352	72
	Male-----	250	12	2	-	-	-	-	-	22	2	-	176	36
	Female-----	250	22	2	-	-	-	-	-	10	4	-	176	36
	White-----	228	10	2	-	-	-	-	-	20	2	-	164	30
	Female-----	232	20	2	-	-	-	-	-	10	4	-	162	34
	All other-----	22	2	-	-	-	-	-	-	2	-	-	12	6
E908	Accidents due to other natural and environmental factors-----	8	-	-	-	2	-	-	-	2	-	-	4	-
	Male-----	6	-	-	-	2	-	-	-	2	-	-	2	-
	Female-----	2	-	-	-	-	-	-	-	-	-	-	2	-
	White-----	6	-	-	-	2	-	-	-	2	-	-	2	-
	Female-----	2	-	-	-	-	-	-	-	-	-	-	2	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E910-E929	Other accidents-----	20,320	4,224	1,400	184	1,270	398	630	504	340	5,324	6,046		
	Male-----	16,344	2,988	1,310	182	1,248	314	588	412	190	4,708	4,394		
	Female-----	3,976	1,226	90	2	22	84	42	92	150	616	1,652		
	White-----	13,216	2,462	1,172	164	1,098	246	486	344	168	3,686	3,420		
	Female-----	3,224	980	82	2	18	68	40	84	142	492	1,316		
	All other-----	3,128	516	138	18	150	68	102	68	22	1,072	974		
E910	Accidental drowning and submersion-----	6,196	752	262	38	19	302	42	70	56	3,654	842		
	Male-----	5,119	452	224	36	16	288	36	54	26	3,320	716		
	Female-----	1,079	300	38	2	2	64	6	16	10	514	126		
	White-----	3,852	584	154	20	12	178	30	56	20	2,480	538		
	Female-----	900	266	32	2	2	52	6	14	10	406	110		
	All other-----	1,266	68	70	16	4	80	6	18	6	840	178		
.0	In recreational activities-----	2,008	44	104	24	8	150	4	22	-	1,526	146		
	Male-----	1,784	36	92	24	6	98	4	20	-	1,372	132		
	Female-----	224	8	12	-	2	32	-	2	-	154	14		
	White-----	1,308	26	48	10	6	70	4	10	-	1,046	88		
	Female-----	176	8	8	-	2	24	-	-	-	120	14		
	All other-----	478	10	44	14	-	28	-	10	-	326	44		
	Female-----	48	-	4	-	-	8	-	2	-	34	-		

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
.9	Accidental drowning and submersion--Con.	4,199	709	159	14	10	172	39	49	36	2,309	696
	Other and unspecified	3,334	416	132	12	10	140	32	34	26	1,949	594
	Male	854	292	26	2	-	32	6	14	10	350	112
	Female	2,544	358	106	10	6	108	26	20	16	1,434	450
	White	724	258	24	2	-	28	8	14	10	286	96
	All other	790	58	26	2	4	32	6	8	6	514	134
Female	130	34	2	-	-	4	-	-	-	74	16	
E911	Inhalation and ingestion of food causing obstruction or suffocation	2,089	468	2	-	10	10	8	108	189	44	1,250
	Male	1,226	276	-	-	8	2	4	70	94	36	720
	Female	862	192	2	-	2	8	4	38	94	8	530
	White	1,024	226	-	-	6	2	4	70	89	32	590
	Female	734	160	2	-	2	2	2	36	90	6	434
	All other	202	50	-	-	2	-	-	-	6	4	140
Female	128	32	-	-	-	-	-	2	2	4	86	
E912	Inhalation and ingestion of other object causing obstruction or suffocation	742	80	4	-	4	-	4	8	12	6	624
	Male	486	48	4	-	4	-	4	6	8	2	410
	Female	256	32	-	-	-	-	-	2	4	4	214
	White	560	42	4	-	4	-	2	6	8	2	512
	Female	194	26	-	-	-	-	-	2	4	4	159
	All other	106	6	-	-	-	-	2	-	-	-	98
Female	62	6	-	-	-	-	-	-	-	-	56	
E915	Accidental mechanical suffocation	1,104	524	48	8	58	4	32	22	22	114	272
	Male	826	356	48	8	58	2	30	22	10	102	190
	Female	278	168	-	-	-	2	2	-	12	12	82
	White	668	290	48	8	52	-	22	16	6	92	142
	Female	222	130	-	-	-	2	2	-	12	8	68
	All other	158	66	-	-	6	2	8	4	4	20	48
Female	56	38	-	-	-	-	-	-	-	4	14	
.0	In bed or cradle	322	228	-	-	-	-	2	-	6	14	72
	Male	182	134	-	-	-	-	-	-	-	4	44
	Female	140	94	-	-	-	-	2	-	6	10	28
	White	134	102	-	-	-	-	-	-	-	4	28
	Female	108	68	-	-	-	-	2	-	6	8	24
	All other	48	32	-	-	-	-	-	-	-	-	16
Female	32	26	-	-	-	-	-	-	-	2	4	
.9	Other and unspecified	782	296	48	8	58	4	30	22	16	100	200
	Male	644	222	48	8	58	2	30	22	10	98	145
	Female	138	74	-	-	-	2	-	-	6	2	54
	White	534	188	48	8	52	-	22	18	6	78	114
	Female	114	62	-	-	-	2	-	-	6	-	44
	All other	110	34	-	-	6	2	8	4	4	20	32
Female	24	12	-	-	-	-	-	-	-	2	10	
E914	Foreign body accidentally entering eye and adnexa	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	
E915	Foreign bodies accidentally entering other orifices	58	2	-	-	-	-	-	-	2	-	54
	Male	40	2	-	-	-	-	-	-	2	-	36
	Female	18	-	-	-	-	-	-	-	-	-	18
	White	38	2	-	-	-	-	-	-	2	-	34
	Female	14	-	-	-	-	-	-	-	-	-	14
	All other	2	-	-	-	-	-	-	-	-	-	2
Female	4	-	-	-	-	-	-	-	-	-	4	
E916	Struck accidentally by falling objects	1,219	252	110	64	294	4	76	44	6	264	102
	Male	1,169	232	110	64	290	2	74	36	4	256	100
	Female	50	20	-	-	4	2	4	8	2	8	2
	White	1,012	216	108	64	250	2	62	34	4	198	74
	Female	42	16	-	-	2	2	4	6	2	8	2
	All other	156	16	2	-	40	-	12	2	-	58	26
Female	8	4	-	-	2	-	-	2	-	-	-	
E917	Striking against or struck accidentally by objects	846	130	152	14	160	26	56	42	16	139	112
	Male	726	86	142	14	160	22	52	36	8	122	84
	Female	120	44	10	-	-	4	4	6	8	16	28
	White	630	76	132	14	140	22	48	30	8	94	66
	Female	108	34	10	-	-	4	4	6	8	16	26
	All other	96	10	10	-	20	-	4	6	-	28	18
Female	12	10	-	-	-	-	-	-	-	-	2	
E918	Caught accidentally in or between objects	536	32	114	22	190	4	28	19	4	84	40
	Male	512	26	104	22	190	2	28	16	4	82	38
	Female	24	6	10	-	-	2	-	2	-	2	2
	White	442	24	100	20	168	2	22	12	4	64	26
	Female	20	4	10	-	-	-	-	2	-	2	2
	All other	70	2	4	2	22	-	6	4	-	18	12
Female	4	2	-	-	-	2	-	-	-	-	-	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident											
			Home ¹	Farm ²	Mine and quarry	Indus- trial places	Place for recre- ation or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied		
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)		
E919	Over exertion and strenuous movements	2	-	-	-	-	-	-	-	-	-	-	-	2
	Male	2	-	-	-	-	-	-	-	-	-	-	-	2
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	2
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
E920	Accident caused by cutting or piercing instrument	126	59	2	-	14	-	4	-	-	-	8	40	
	Male	102	44	2	-	12	-	4	-	-	-	8	32	
	Female	24	14	-	-	2	-	-	-	-	-	-	8	
	White	64	28	2	-	6	-	4	-	-	-	4	20	
	Male	10	4	-	-	2	-	-	-	-	-	-	4	
	Female	38	16	-	-	6	-	-	-	-	-	4	12	
.0	Powered hand tool	8	6	-	-	-	-	-	-	-	-	-	-	2
	Male	6	4	-	-	-	-	-	-	-	-	-	-	2
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-
	White	6	4	-	-	-	-	-	-	-	-	-	-	2
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-
.1	Other hand tools	22	10	-	-	2	-	-	-	-	-	2	6	
	Male	18	6	-	-	2	-	-	-	-	-	2	8	
	Female	4	4	-	-	-	-	-	-	-	-	-	-	
	White	10	-	-	-	2	-	-	-	-	-	2	6	
	Male	2	2	-	-	-	-	-	-	-	-	-	-	
	Female	8	6	-	-	-	-	-	-	-	-	-	2	
.2	Other machinery	14	4	-	-	8	-	-	-	-	-	2	-	
	Male	12	4	-	-	6	-	-	-	-	-	2	-	
	Female	2	-	-	-	2	-	-	-	-	-	-	-	
	White	6	4	-	-	2	-	-	-	-	-	-	-	
	Male	2	-	-	-	2	-	-	-	-	-	-	-	
	Female	6	-	-	-	4	-	-	-	-	-	-	-	
.8	Other	58	34	2	-	4	-	2	-	-	-	2	14	
	Male	46	26	2	-	4	-	2	-	-	-	2	10	
	Female	12	8	-	-	-	-	-	-	-	-	-	4	
	White	32	20	2	-	2	-	2	-	-	-	-	6	
	Male	4	2	-	-	-	-	-	-	-	-	-	2	
	Female	14	6	-	-	2	-	-	-	-	-	2	4	
.9	Unspecified	8	6	-	-	-	-	-	-	-	-	-	2	
	Male	24	4	-	-	-	-	2	-	-	-	2	16	
	Female	20	4	-	-	-	-	2	-	-	-	2	12	
	White	4	-	-	-	-	-	-	-	-	-	-	4	
	Male	10	-	-	-	-	-	2	-	-	-	2	6	
	Female	2	-	-	-	-	-	-	-	-	-	-	2	
E921	Accident caused by explosion of pressure vessel	60	6	4	-	24	-	-	-	10	-	6	10	
	Male	58	6	4	-	24	-	-	-	10	-	6	8	
	Female	2	-	-	-	-	-	-	-	-	-	-	2	
	White	52	4	4	-	24	-	-	-	6	-	6	8	
	Male	2	-	-	-	-	-	-	-	-	-	-	2	
	Female	6	2	-	-	-	-	-	4	-	-	-	-	
.0	Boiler	14	2	-	-	4	-	-	-	-	-	4	4	
	Male	12	2	-	-	4	-	-	-	-	-	4	2	
	Female	2	-	-	-	-	-	-	-	-	-	-	2	
	White	10	-	-	-	4	-	-	-	-	-	4	2	
	Male	2	-	-	-	-	-	-	-	-	-	-	2	
	Female	2	2	-	-	-	-	-	-	-	-	-	-	
.1	Gas cylinder	8	-	-	-	4	-	-	2	-	-	2	-	
	Male	8	-	-	-	4	-	-	2	-	-	2	-	
	Female	-	-	-	-	-	-	-	-	-	-	-	-	
	White	8	-	-	-	4	-	-	2	-	-	2	-	
	Male	-	-	-	-	-	-	-	-	-	-	-	-	
	Female	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other	38	4	4	-	16	-	-	8	-	-	-	6	
	Male	38	4	4	-	16	-	-	8	-	-	-	6	
	Female	-	-	-	-	-	-	-	-	-	-	-	-	
	White	34	4	4	-	16	-	-	4	-	-	-	6	
	Male	4	-	-	-	-	-	-	-	-	-	-	-	
	Female	4	-	-	-	-	-	-	4	-	-	-	-	

See footnotes at end of table.

SECTION 4 · ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
E922	Accident caused by firearm missile-----	2,442	1,044	142	-	8	6	112	74	2	358	696	
	Male-----	2,090	842	136	-	8	4	108	60	-	336	598	
	Female-----	352	202	6	-	-	2	4	14	2	22	108	
	White-----	1,624	654	126	-	8	2	76	50	-	286	422	
	Male-----	244	144	6	-	-	2	4	4	2	16	66	
	Female-----	486	188	10	-	-	2	32	18	-	50	166	
	All other-----	108	58	-	-	-	-	-	2	-	-	6	42
	Male-----	538	292	34	-	2	2	18	16	-	50	124	
	Female-----	504	280	34	-	2	2	18	14	-	50	104	
	White-----	34	12	-	-	-	-	-	2	-	-	20	20
	Male-----	386	214	34	-	2	2	10	12	-	36	76	
	Female-----	30	12	-	-	-	-	-	2	-	-	16	16
All other-----	118	66	-	-	-	-	8	2	-	14	28		
Male-----	4	-	-	-	-	-	-	4	-	-	-	4	
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	1,904	752	108	-	6	4	94	58	2	308	572	
	Male-----	1,588	562	102	-	6	2	90	54	-	286	484	
	Female-----	318	190	6	-	-	2	4	4	2	22	88	
	White-----	1,238	440	92	-	6	-	66	38	-	250	346	
	Male-----	214	132	6	-	-	2	4	2	2	18	50	
	Female-----	348	122	10	-	-	2	24	16	-	36	138	
	All other-----	104	58	-	-	-	-	-	2	-	6	38	
	Male-----	518	190	18	4	152	2	16	28	-	70	38	
	Female-----	422	120	18	4	142	2	14	24	-	64	38	
	White-----	96	70	-	-	10	2	2	4	-	8	2	
	Male-----	368	102	18	4	126	-	10	20	-	58	32	
	Female-----	82	58	-	-	8	2	2	4	-	6	2	
All other-----	54	18	-	-	16	-	4	4	-	8	4		
Male-----	14	12	-	-	2	-	-	-	-	-	-		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
.0	Fireworks-----	10	2	-	-	6	-	-	-	-	-	2	
	Male-----	6	2	-	-	2	-	-	-	-	-	2	
	Female-----	4	-	-	-	4	-	-	-	-	-	-	
	White-----	6	2	-	-	2	-	-	-	-	-	2	
	Male-----	4	-	-	-	4	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	All other-----	-	-	-	-	-	-	-	-	-	-	-	
	Male-----	-	-	-	-	-	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	.1	Blasting material-----	24	2	2	2	10	-	2	-	-	4	2
		Male-----	24	2	2	2	10	-	2	-	-	4	2
		Female-----	-	-	-	-	-	-	-	-	-	-	-
White-----		22	2	2	2	10	-	-	-	-	4	2	
Male-----		-	-	-	-	-	-	-	-	-	-	-	
Female-----		2	-	-	-	-	-	2	-	-	-	-	
All other-----		-	-	-	-	-	-	-	-	-	-	-	
Male-----		-	-	-	-	-	-	-	-	-	-	-	
Female-----		-	-	-	-	-	-	-	-	-	-	-	
.2		Explosive gas-----	242	122	8	2	48	-	10	18	-	22	12
		Male-----	188	78	8	2	48	-	8	16	-	18	10
		Female-----	54	44	-	-	-	-	2	2	-	4	2
	White-----	170	66	8	2	44	-	8	16	-	16	10	
	Male-----	50	40	-	-	-	-	2	2	-	4	2	
	Female-----	18	12	-	-	4	-	-	-	-	2	-	
	All other-----	4	4	-	-	-	-	-	-	-	-	-	
	Male-----	70	18	2	-	24	-	2	-	-	18	6	
	Female-----	68	16	2	-	24	-	2	-	-	18	6	
	White-----	2	2	-	-	-	-	-	-	-	-	-	
	Male-----	60	14	2	-	20	-	2	-	-	16	6	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
All other-----	8	2	-	-	4	-	-	-	-	2	-		
Male-----	2	2	-	-	-	-	-	-	-	-	-		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified-----	172	46	6	-	64	2	2	10	-	26	16	
	Male-----	136	22	6	-	58	-	2	8	-	24	16	
	Female-----	36	24	-	-	6	2	-	2	-	2	-	
	White-----	110	18	6	-	50	-	4	4	-	20	12	
	Male-----	28	18	-	-	4	2	-	2	-	2	-	
	Female-----	26	4	-	-	8	-	2	4	-	4	4	
	All other-----	8	6	-	-	2	-	-	-	-	-	-	
	Male-----	-	-	-	-	-	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	
	E924	Accident caused by hot substance, corrosive liquid, and steam-----	282	174	2	-	40	-	6	12	22	10	16
		Male-----	168	82	2	-	40	-	6	6	10	8	14
		Female-----	114	92	-	-	-	-	-	6	12	2	2
White-----		128	66	2	-	24	-	6	6	6	6	12	
Male-----		88	68	-	-	-	-	6	6	10	2	2	
Female-----		40	16	-	-	16	-	-	4	4	2	2	
All other-----		26	24	-	-	-	-	-	-	2	-	-	
Male-----		-	-	-	-	-	-	-	-	-	-	-	
Female-----		-	-	-	-	-	-	-	-	-	-	-	
E925		Accident caused by electric current-----	1,088	292	64	4	138	8	110	32	4	172	264
		Male-----	1,018	254	60	4	136	8	108	32	4	162	250
		Female-----	70	38	4	-	2	-	2	-	-	10	14
	White-----	934	222	60	4	130	8	102	28	2	148	230	
	Male-----	64	32	4	-	2	-	2	-	-	10	14	
	Female-----	84	32	-	-	6	-	6	4	2	14	20	
	All other-----	6	6	-	-	-	-	-	-	-	-	-	
	Male-----	-	-	-	-	-	-	-	-	-	-	-	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample. Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident												
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified			
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)			
.0	Accident caused by electric current--Con.	206	206	-	-	-	-	-	-	-	-	-	-	-	-
	Home wiring and appliance-----	174	174	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	32	32	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	150	150	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	26	26	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	24	24	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	6	6	-	-	-	-	-	-	-	-	-	-	-	-
.1	Industrial wiring and appliance-----	142	-	-	4	138	-	-	-	-	-	-	-	-	-
	Male-----	140	-	-	4	136	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----	154	-	-	4	130	-	-	-	-	-	-	-	-	-
	Male-----	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female-----	6	-	-	-	6	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	604	86	64	-	-	8	110	32	4	172	128	-	-	-
	Male-----	578	80	60	-	-	8	108	32	4	162	124	-	-	-
	Female-----	26	6	4	-	-	-	2	-	-	10	4	-	-	-
	White-----	536	72	60	-	-	8	102	28	2	148	116	-	-	-
	Male-----	26	6	4	-	-	-	2	-	-	10	4	-	-	-
	Female-----	42	8	-	-	-	-	6	4	2	14	8	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	136	-	-	-	-	-	-	-	-	-	-	-	136	-
	Male-----	126	-	-	-	-	-	-	-	-	-	-	-	126	-
	Female-----	10	-	-	-	-	-	-	-	-	-	-	-	10	-
	White-----	114	-	-	-	-	-	-	-	-	-	-	-	114	-
	Male-----	10	-	-	-	-	-	-	-	-	-	-	-	10	-
	Female-----	12	-	-	-	-	-	-	-	-	-	-	-	12	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E926	Accident caused by radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Nonionizing-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Ionizing-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E927	Vehicle accidents not elsewhere classifiable-----	166	4	12	4	22	18	24	2	-	62	18	-	-	-
	Male-----	152	2	8	4	22	18	20	2	-	58	18	-	-	-
	Female-----	14	2	4	-	-	-	4	-	-	4	-	-	-	-
	White-----	146	2	8	4	20	18	20	2	-	54	18	-	-	-
	Male-----	14	2	4	-	-	-	4	-	-	4	-	-	-	-
	Female-----	6	-	-	-	2	-	-	-	-	4	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E928	Machinery accidents not elsewhere classifiable-----	896	96	452	16	102	4	40	8	4	96	78	-	-	-
	Male-----	872	90	438	16	102	2	40	8	4	94	78	-	-	-
	Female-----	24	6	14	-	-	2	-	-	-	2	-	-	-	-
	White-----	788	88	398	16	94	2	36	6	4	82	62	-	-	-
	Male-----	20	6	14	-	-	-	-	-	-	12	16	-	-	-
	Female-----	84	2	40	-	8	-	4	2	-	12	16	-	-	-
	All other-----	4	-	-	-	-	2	-	-	-	2	-	-	-	-
E929	Other and unspecified accidents-----	1,952	120	12	10	56	10	70	26	22	58	1,588	-	-	-
	Male-----	1,358	80	10	10	56	8	60	22	16	52	1,064	-	-	-
	Female-----	594	40	2	-	-	2	10	4	6	6	524	-	-	-
	White-----	1,064	56	8	10	34	4	42	20	16	42	832	-	-	-
	Male-----	466	30	-	-	-	2	10	4	4	4	412	-	-	-
	Female-----	294	24	2	-	2	4	18	-	-	10	232	-	-	-
	All other-----	128	10	2	-	-	-	-	-	2	2	112	-	-	-

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 · ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision Inter-

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (E850-E929)-----	50,996	1,434	940	1,332	416	4,122	1,648	1,948	3,506
2	Male-----	33,864	862	594	869	278	2,592	1,112	1,540	2,990
3	Female-----	17,132	572	356	464	138	1,530	536	408	516
4	White-----Male-----	27,620	612	462	666	228	1,968	886	1,206	2,342
5	Female-----	14,642	394	246	314	110	1,066	408	294	596
6	Negro-----Male-----	5,754	244	110	194	46	584	222	512	600
7	Female-----	2,508	168	94	142	24	428	120	112	106
8	Other races-----Male-----	510	6	12	18	4	40	24	22	48
9	Female-----	182	10	14	8	4	36	8	2	14
10	Home ¹ (0)-----	19,728	744	664	854	256	2,478	730	654	732
11	Male-----	11,416	422	416	520	150	1,508	439	378	452
12	Female-----	8,312	322	248	334	86	970	292	156	180
13	White-----Male-----	9,218	300	318	398	118	1,122	314	312	442
14	Female-----	6,898	202	170	192	64	628	208	106	130
15	Negro-----Male-----	2,056	122	92	128	32	374	116	60	96
16	Female-----	1,352	112	68	122	20	322	80	50	50
17	Other races-----Male-----	142	-	6	4	2	12	6	6	14
18	Female-----	68	8	10	-	2	20	6	-	-
19	Farm ² (1)-----	1,712	2	18	38	20	78	86	122	192
20	Male-----	1,578	2	14	28	14	56	66	114	180
21	Female-----	134	-	4	10	6	22	20	8	12
22	White-----Male-----	1,420	-	14	28	14	56	60	94	148
23	Female-----	126	2	4	10	6	22	20	8	10
24	Negro-----Male-----	150	-	-	-	-	-	6	20	32
25	Female-----	6	-	-	-	-	-	-	-	2
26	Other races-----Male-----	8	-	-	-	-	-	-	-	2
27	Female-----	2	-	-	-	-	-	-	-	-
28	Mine and quarry (2)-----	294	-	-	-	-	-	4	10	20
29	Male-----	292	-	-	-	-	-	2	10	20
30	Female-----	2	-	-	-	-	-	2	-	-
31	White-----Male-----	274	-	-	-	-	-	-	8	14
32	Female-----	2	-	-	-	-	-	2	-	-
33	Negro-----Male-----	18	-	-	-	-	-	2	2	6
34	Female-----	-	-	-	-	-	-	-	-	-
35	Other races-----Male-----	-	-	-	-	-	-	-	-	-
36	Female-----	-	-	-	-	-	-	-	-	-
37	Industrial places (3)-----	1,874	2	2	-	-	4	6	16	140
38	Male-----	1,830	2	2	-	-	4	6	14	134
39	Female-----	44	-	-	-	-	-	-	2	6
40	White-----Male-----	1,606	2	2	-	-	4	6	14	124
41	Female-----	38	-	-	-	-	-	-	2	6
42	Negro-----Male-----	208	-	-	-	-	-	-	-	8
43	Female-----	6	-	-	-	-	-	-	-	-
44	Other races-----Male-----	16	-	-	-	-	-	-	-	2
45	Female-----	-	-	-	-	-	-	-	-	-
46	Place for recreation or sport (4)-----	512	4	6	34	16	60	82	70	110
47	Male-----	408	-	4	24	14	42	40	48	98
48	Female-----	104	4	2	10	2	18	22	22	14
49	White-----Male-----	328	-	4	18	12	34	28	38	72
50	Female-----	86	4	2	10	2	18	20	14	10
51	Negro-----Male-----	70	-	-	4	-	4	12	10	20
52	Female-----	16	-	-	-	-	-	-	8	4
53	Other races-----Male-----	10	-	-	2	2	4	-	-	4
54	Female-----	2	-	-	-	-	-	2	-	-
55	Street and highway (5)-----	1,574	8	8	12	6	34	24	38	148
56	Male-----	1,332	4	6	10	4	24	20	32	118
57	Female-----	242	4	2	2	2	10	4	6	30
58	White-----Male-----	1,060	4	6	8	4	22	20	30	98
59	Female-----	216	4	2	2	2	8	4	6	28
60	Negro-----Male-----	238	-	-	2	-	2	-	2	28
61	Female-----	22	-	-	2	-	2	-	-	4
62	Other races-----Male-----	14	-	-	-	-	-	-	-	-
63	Female-----	4	-	-	-	-	-	-	-	-
64	Public building (6)-----	1,250	2	-	14	4	20	50	40	112
65	Male-----	996	-	-	6	2	8	36	36	94
66	Female-----	254	2	-	8	2	12	14	4	18
67	White-----Male-----	638	-	-	6	2	8	28	32	74
68	Female-----	234	2	-	8	2	12	10	4	16
69	Negro-----Male-----	138	-	-	-	-	-	10	4	18
70	Female-----	18	-	-	-	-	-	4	-	2
71	Other races-----Male-----	20	-	-	-	-	-	-	-	2
72	Female-----	2	-	-	-	-	-	-	-	-
73	Resident institution (7)-----	2,804	4	2	2	4	12	16	14	30
74	Male-----	1,280	2	-	-	-	2	6	10	24
75	Female-----	1,544	2	2	2	4	10	10	4	6
76	White-----Male-----	1,162	2	-	-	-	2	6	10	20
77	Female-----	1,464	2	-	2	4	8	10	4	6
78	Negro-----Male-----	88	-	-	-	-	-	-	-	4
79	Female-----	56	-	2	-	-	2	-	-	-
80	Other races-----Male-----	10	-	-	-	-	-	-	-	-
81	Female-----	4	-	-	-	-	-	-	-	-
82	Other specified places (8)-----	7,088	40	78	190	78	386	456	748	1,210
83	Male-----	5,016	20	50	132	60	262	344	614	1,110
84	Female-----	1,072	20	28	58	18	124	112	134	100
85	White-----Male-----	4,740	16	42	106	54	218	278	450	852
86	Female-----	898	18	26	48	18	110	94	92	82
87	Negro-----Male-----	1,126	4	6	20	6	36	54	158	244
88	Female-----	142	2	2	2	2	6	18	42	14
89	Other races-----Male-----	150	-	2	6	-	8	12	6	14
90	Female-----	32	-	-	8	-	8	-	-	4

¹Including home premises and any noninstitutional place of residence.

²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

of Accident, Age, Race, and Sex: United States, 1972

national Classification of Diseases, Adapted, 1965. Numbers after place of accident are special-fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
3,326	2,376	1,876	1,758	2,120	2,488	2,602	2,612	2,828	2,510	2,726	3,350	3,686	3,262	1,662	466	84	58
2,832	1,992	1,530	1,356	1,640	1,878	1,922	1,908	2,024	1,658	1,802	1,684	1,548	1,248	592	166	26	54
496	384	346	400	480	610	680	704	804	852	1,124	1,686	2,118	2,014	1,080	302	58	4
2,234	1,602	1,184	976	1,252	1,486	1,582	1,608	1,708	1,390	1,358	1,404	1,466	1,176	550	160	20	40
356	278	254	304	376	506	576	612	694	710	976	1,536	2,010	1,928	1,024	288	46	4
542	342	346	360	362	364	318	278	284	250	218	166	76	64	28	4	2	14
126	98	76	86	92	100	96	90	104	128	146	122	104	78	50	34	12	7
56	48	36	20	26	28	22	24	32	18	26	14	6	8	6	2	4	8
14	8	16	10	12	4	8	2	6	14	2	8	4	8	6	-	-	9
602	712	580	576	744	938	1,006	986	1,150	1,110	1,280	1,480	1,614	1,350	854	172	30	12
656	550	400	374	458	592	624	604	744	668	708	714	684	510	218	56	14	8
226	182	150	202	288	346	382	382	414	442	572	768	950	840	436	116	16	4
504	438	294	272	340	456	480	474	626	558	586	654	626	468	204	54	10	4
154	126	116	154	232	288	328	328	358	368	498	696	882	782	406	94	8	14
144	86	98	96	110	128	154	122	104	104	118	74	38	36	10	2	2	15
68	54	30	42	54	56	52	54	92	70	74	68	66	54	28	22	8	16
8	6	8	6	6	8	10	8	14	6	4	6	6	6	4	2	2	17
4	2	4	6	2	2	2	2	4	4	2	2	2	4	4	-	-	18
112	84	46	58	84	94	134	120	144	124	98	80	28	20	8	-	-	19
108	72	40	56	60	68	130	116	138	116	92	76	26	16	6	-	-	20
4	12	6	2	4	6	4	4	6	8	5	4	2	4	2	-	-	21
94	68	32	42	70	76	122	116	124	106	92	74	26	16	6	-	-	22
4	10	6	2	4	6	4	2	6	6	4	4	2	4	2	-	-	23
14	4	8	14	8	12	8	-	12	10	2	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
32	38	34	42	26	24	28	16	16	-	-	2	-	-	-	-	-	28
32	38	34	42	26	24	28	16	16	-	-	2	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
30	36	34	40	28	24	28	16	14	-	-	2	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
246	188	154	148	196	176	198	194	126	42	18	18	2	2	2	2	-	37
246	184	144	146	190	176	190	194	124	40	10	18	2	-	2	2	-	38
-	4	10	2	6	-	8	-	2	2	-	2	2	-	2	-	-	39
216	168	150	116	164	144	162	180	116	30	10	16	2	-	2	2	-	40
-	4	8	2	4	-	6	-	2	2	-	-	-	-	-	-	-	41
28	12	12	30	26	30	28	12	8	8	2	2	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
66	30	24	14	16	8	8	12	14	6	6	-	4	2	-	-	-	46
82	26	24	12	14	6	6	8	12	6	6	-	-	-	-	-	-	47
4	4	-	2	2	2	2	4	2	2	-	-	-	-	-	-	-	48
54	20	16	10	14	6	6	6	12	6	6	-	4	2	-	-	-	49
4	2	2	2	2	2	2	4	2	-	-	-	4	2	-	-	-	50
8	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
126	112	136	70	108	122	114	108	96	80	82	82	64	58	12	-	-	55
114	98	122	62	100	116	110	98	88	56	48	52	28	38	8	-	-	56
12	14	14	8	8	6	4	10	8	4	14	30	36	20	4	-	-	57
100	80	82	46	72	88	82	84	76	46	38	48	26	36	8	-	-	58
10	14	10	6	4	6	4	8	4	4	14	30	34	20	4	-	-	59
14	18	38	14	26	28	28	12	10	10	8	4	-	2	-	-	-	60
-	-	-	2	4	-	-	-	-	-	-	-	2	-	-	-	-	61
-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	63
100	78	66	60	70	122	96	82	92	72	54	44	38	42	12	-	-	64
82	66	52	48	62	106	84	70	80	52	34	26	18	26	6	-	-	65
8	12	14	12	8	16	12	12	12	20	20	18	20	16	6	-	-	66
74	44	44	36	48	92	76	60	74	44	32	26	26	26	6	-	-	67
8	10	10	12	2	16	10	12	12	20	20	18	20	16	6	-	-	68
18	20	4	10	12	12	8	8	6	6	2	-	-	-	-	-	-	69
-	2	4	-	4	-	2	-	-	-	-	-	-	-	-	-	-	70
-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	71
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	72
38	32	22	34	30	52	70	74	90	176	198	366	544	568	338	88	10	73
26	26	20	26	24	36	38	36	56	104	104	206	206	208	116	32	2	74
12	6	2	8	6	16	32	38	34	68	94	214	338	360	222	56	8	75
22	24	12	24	20	32	34	28	48	96	96	140	200	206	110	30	2	76
10	-	2	8	6	12	30	34	32	54	86	206	332	360	220	56	8	77
2	2	2	2	4	4	2	8	8	14	8	12	4	2	4	-	-	78
2	6	-	-	4	4	2	4	2	12	8	6	6	2	2	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	81
904	508	382	292	330	316	326	334	264	182	146	120	100	48	12	2	2	82
812	488	342	256	298	282	292	280	216	154	110	68	26	26	2	2	-	83
92	40	40	36	32	34	34	34	48	28	36	52	42	22	10	2	-	84
630	378	256	178	226	222	256	238	180	134	92	52	56	22	2	2	-	

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision Inter-

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Place not specified (9)-----	14,160	628	162	208	52	1,050	214	356	612
2	Male-----	8,756	412	92	148	54	686	154	284	662
3	Female---	5,424	216	70	60	18	364	60	72	150
4	White-----	6,954	288	76	112	26	502	128	218	502
5	Male---	4,666	160	44	44	12	260	42	59	110
6	Female---	1,642	118	12	30	8	166	22	56	150
7	Negro-----	880	54	22	18	4	96	18	12	30
8	Male---	140	6	4	6	-	16	4	10	10
9	Female---	68	2	4	-	2	8	-	2	10

SECTION 4 - ACCIDENT MORTALITY

4-35

of Accident, Age, Race, and Sex: United States, 1972-Con.

national Classification of Diseases, Adapted, 1965. Numbers after place of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
822	594	462	462	516	636	622	686	828	758	872	1,158	1,272	1,172	624	204	42	18	1
684	484	352	334	390	452	420	484	550	458	490	556	546	424	224	74	10	18	2
138	110	110	128	126	184	202	202	278	280	382	602	726	748	400	130	32	-	3
510	346	248	212	272	346	336	404	438	372	406	692	514	402	212	72	8	14	4
94	78	70	92	96	144	168	176	236	234	322	550	694	720	376	116	28	-	5
156	124	96	116	110	100	80	78	100	80	70	62	32	20	12	2	-	4	6
40	30	34	34	22	38	28	26	40	44	58	48	30	24	22	12	4	-	7
18	14	6	4	8	6	4	2	12	6	14	2	-	2	-	-	2	-	8
4	2	6	2	8	2	6	-	2	2	2	4	2	4	2	-	-	-	9

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1972

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(a)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
United States-----	50,996	19,728	1,712	294	1,874	512	1,574	1,250	2,904	7,088	14,180
Male-----	33,964	11,416	1,578	292	1,630	408	1,332	995	1,260	6,015	8,736
Female-----	17,132	8,512	134	2	44	104	242	254	1,544	1,072	5,424
White-----	27,620	9,218	1,420	274	1,606	328	1,080	839	1,162	4,740	6,954
Female-----	14,642	6,892	126	2	38	86	216	234	1,484	898	4,666
All other-----	6,244	2,198	158	18	224	80	252	158	98	1,275	1,782
Female-----	2,480	1,420	8	-	6	18	26	20	60	174	758
Alabama-----	1,074	324	26	14	52	8	38	14	22	148	423
Male-----	750	180	26	14	50	4	36	12	12	142	294
Female-----	324	184	-	-	2	4	2	2	10	6	134
White-----	494	108	22	12	38	-	26	12	10	82	184
Female-----	198	100	-	-	-	2	-	2	8	-	86
All other-----	256	52	4	2	12	4	10	-	2	60	110
Female-----	126	64	-	-	2	2	2	-	2	6	48
Alaska-----	154	34	-	2	2	-	2	10	-	40	64
Male-----	116	24	-	2	2	-	2	6	-	38	42
Female-----	38	10	-	-	-	-	-	4	-	2	22
White-----	72	20	-	2	2	-	2	6	-	22	18
Female-----	18	4	-	-	-	-	-	2	-	2	10
All other-----	44	4	-	-	-	-	-	-	-	16	24
Female-----	20	6	-	-	-	-	-	2	-	-	12
Arizona-----	582	302	16	8	14	6	16	22	10	100	150
Male-----	382	126	14	8	14	6	14	20	14	98	78
Female-----	170	76	2	-	-	-	2	2	4	12	72
White-----	304	102	12	8	10	4	14	14	14	72	54
Female-----	138	64	2	-	-	-	2	2	4	10	54
All other-----	78	24	2	-	4	2	-	6	-	16	24
Female-----	52	12	-	-	-	-	-	-	-	2	18
Arkansas-----	676	216	36	-	20	12	18	8	8	80	278
Male-----	452	128	36	-	20	12	18	8	-	74	156
Female-----	224	88	-	-	-	-	-	8	8	6	122
White-----	306	70	34	-	20	6	16	6	-	46	108
Female-----	162	50	-	-	-	-	-	0	0	4	100
All other-----	146	58	2	-	-	6	2	2	-	28	46
Female-----	62	38	-	-	-	-	-	-	-	2	22
California-----	4,784	2,280	54	6	138	48	172	166	402	672	846
Male-----	3,160	1,330	46	6	138	40	148	124	178	592	558
Female-----	1,624	950	8	-	-	8	24	42	224	80	288
White-----	2,746	1,156	44	6	128	32	122	102	168	506	492
Female-----	1,454	842	8	-	-	6	22	54	222	72	248
All other-----	414	174	2	-	10	8	26	22	10	86	76
Female-----	170	108	-	-	-	2	2	8	2	8	40
Colorado-----	606	212	30	4	38	10	14	14	50	84	150
Male-----	396	116	26	4	36	6	14	14	24	66	90
Female-----	210	96	4	-	2	4	-	-	26	18	60
White-----	386	114	26	4	34	6	14	14	24	62	88
Female-----	206	92	4	-	2	4	-	-	28	18	60
All other-----	10	2	-	-	2	-	-	-	-	4	2
Female-----	4	4	-	-	-	-	-	-	-	-	-
Connecticut-----	524	212	2	-	14	4	20	16	40	64	152
Male-----	306	110	-	-	14	2	16	14	20	42	88
Female-----	218	102	2	-	-	2	4	2	20	22	64
White-----	274	102	-	-	10	-	12	14	18	40	78
Female-----	210	100	2	-	-	2	4	-	20	20	62
All other-----	32	8	-	-	4	2	4	-	2	2	10
Female-----	8	2	-	-	-	-	-	2	-	2	2
Delaware-----	120	42	-	-	2	-	2	6	2	20	46
Male-----	82	26	-	-	2	-	2	6	2	12	32
Female-----	38	16	-	-	-	-	-	-	-	8	14
White-----	98	18	-	-	2	-	2	6	2	12	16
Female-----	38	16	-	-	-	-	-	-	-	8	14
All other-----	24	8	-	-	-	-	-	-	-	-	16
Female-----	-	-	-	-	-	-	-	-	-	-	-
District of Columbia-----	304	96	-	-	8	2	6	8	14	30	140
Male-----	214	58	-	-	8	2	6	6	12	24	88
Female-----	90	38	-	-	-	-	-	2	2	6	42
White-----	44	12	-	-	2	-	2	4	-	6	16
Female-----	40	14	-	-	-	-	2	2	2	6	16
All other-----	170	46	-	-	6	2	4	2	12	18	80
Female-----	50	24	-	-	-	-	-	-	-	-	26
Florida-----	1,868	730	26	12	52	18	52	56	88	412	422
Male-----	1,268	426	22	12	50	12	46	42	42	374	242
Female-----	600	304	4	-	2	6	6	14	46	38	180
White-----	956	320	10	4	40	10	40	36	38	258	182
Female-----	492	244	4	-	2	6	6	14	42	30	144
All other-----	332	106	12	8	10	2	6	6	6	116	60
Female-----	108	60	-	-	-	-	-	-	4	8	36

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-37

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Georgia-----	1,290	576	56	2	56	6	32	22	60	186	284
Male-----	896	344	50	2	56	4	28	18	24	172	188
Female-----	394	232	6	-	-	2	4	4	36	14	96
White-----	578	212	52	-	48	2	20	12	22	114	116
Male-----	260	150	4	-	-	2	4	6	34	10	56
Female-----	318	152	18	2	8	2	8	6	2	59	82
All other-----	154	82	2	-	-	2	-	2	2	4	40
Hawaii-----	110	34	2	-	6	6	4	-	2	26	30
Male-----	80	22	2	-	6	4	4	-	-	22	20
Female-----	30	12	-	-	-	2	-	-	2	4	10
White-----	30	12	-	-	2	-	2	-	-	4	10
Male-----	18	10	-	-	-	-	-	-	2	-	6
Female-----	50	10	2	-	4	4	2	-	-	18	10
All other-----	12	2	-	-	-	2	-	-	-	4	4
Idaho-----	358	78	22	90	16	2	4	6	8	46	86
Male-----	264	58	18	90	16	2	2	4	4	40	54
Female-----	94	40	4	-	-	-	2	6	4	6	32
White-----	262	38	18	90	16	2	2	2	4	38	54
Male-----	86	38	4	-	-	-	2	6	4	4	28
Female-----	2	-	-	-	-	-	-	-	-	2	-
All other-----	8	2	-	-	-	-	-	-	-	2	4
Illinois-----	2,506	1,002	108	18	102	48	96	94	120	368	552
Male-----	1,722	620	98	18	98	34	74	92	62	316	310
Female-----	784	382	8	-	4	14	22	2	58	52	242
White-----	1,282	440	90	18	80	30	44	66	52	220	242
Male-----	648	288	8	-	2	10	20	2	56	44	218
Female-----	440	160	8	-	18	4	30	26	10	96	68
All other-----	156	94	-	-	2	4	2	-	2	8	24
Indiana-----	1,244	382	50	2	82	18	34	22	48	112	514
Male-----	790	218	46	2	62	18	30	18	24	98	274
Female-----	454	164	4	-	-	4	4	4	24	14	240
White-----	696	188	44	2	56	14	24	16	22	82	248
Male-----	426	150	4	-	-	4	4	4	24	10	230
Female-----	94	30	2	-	6	4	8	2	2	16	26
All other-----	28	14	-	-	-	-	-	-	-	4	10
Iowa-----	712	194	70	2	28	-	16	14	32	64	292
Male-----	474	130	62	2	28	-	16	12	18	46	180
Female-----	238	64	8	-	-	-	-	2	14	18	132
White-----	468	126	62	2	28	-	14	12	18	46	160
Male-----	238	64	8	-	-	-	-	2	14	18	132
Female-----	6	4	-	-	-	-	2	-	-	-	-
All other-----	-	-	-	-	-	-	-	-	-	-	-
Kansas-----	502	150	50	-	8	8	10	12	44	48	172
Male-----	322	88	42	-	8	6	10	12	20	42	94
Female-----	180	62	8	-	-	2	-	-	24	6	78
White-----	308	88	42	-	8	4	10	12	20	34	90
Male-----	164	56	8	-	-	-	-	-	24	2	72
Female-----	14	-	-	-	-	2	-	-	-	8	4
All other-----	16	6	-	-	-	-	-	-	-	4	6
Kentucky-----	970	386	58	20	34	6	40	10	38	114	256
Male-----	658	216	54	20	34	6	32	8	22	100	166
Female-----	312	180	2	-	-	-	8	2	16	14	90
White-----	600	198	54	18	34	6	28	8	16	86	152
Male-----	286	164	2	-	-	-	8	2	14	12	84
Female-----	58	18	-	2	-	-	-	-	6	14	14
All other-----	26	16	-	-	-	-	-	-	2	2	6
Louisiana-----	1,052	322	22	-	40	10	36	16	22	196	396
Male-----	718	204	20	-	40	10	30	12	8	166	228
Female-----	334	118	2	-	-	-	6	4	14	30	168
White-----	410	100	14	-	30	6	14	12	8	82	134
Male-----	230	68	2	-	-	-	6	4	10	20	120
Female-----	308	104	6	-	10	4	16	-	-	74	94
All other-----	104	50	-	-	-	-	-	-	4	10	40
Maine-----	290	118	8	-	4	2	8	4	26	34	86
Male-----	186	54	8	-	4	2	8	2	16	32	60
Female-----	104	64	-	-	-	-	-	2	10	2	26
White-----	186	54	8	-	4	2	8	2	16	32	60
Male-----	102	62	-	-	-	-	-	2	10	2	26
Female-----	-	-	-	-	-	-	-	-	-	-	-
All other-----	2	2	-	-	-	-	-	-	-	-	-
Maryland-----	824	372	28	-	18	14	44	12	52	136	148
Male-----	544	214	26	-	16	10	36	10	32	114	86
Female-----	280	158	2	-	2	4	8	2	20	22	62
White-----	422	180	22	-	14	10	30	8	30	78	70
Male-----	204	112	2	-	2	2	6	2	18	12	48
Female-----	122	54	4	-	2	-	6	2	2	36	16
All other-----	76	46	-	-	-	2	2	-	2	10	14

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Massachusetts	1,486	672	4	4	24	10	28	44	146	155	399
Male	845	325	4	4	22	8	22	32	60	132	236
Female	640	346	-	-	2	2	6	12	86	24	162
White	798	304	4	4	20	8	20	32	60	120	225
Female	614	334	-	-	2	2	6	12	82	22	154
All other	48	22	-	-	2	-	2	-	-	12	10
Female	26	12	-	-	-	-	-	-	4	2	8
Michigan	1,934	776	30	6	72	26	50	42	68	196	668
Male	1,322	484	28	6	70	20	42	36	36	178	422
Female	612	292	2	-	2	6	8	6	32	18	246
White	1,110	398	28	6	54	14	38	28	34	152	358
Female	514	225	2	-	2	6	6	6	32	14	220
All other	212	86	-	-	16	6	4	8	2	28	64
Female	98	68	-	-	-	-	2	-	-	4	26
Minnesota	1,054	324	80	4	22	16	32	56	76	146	279
Male	686	200	70	4	22	6	28	36	42	130	168
Female	348	124	10	-	-	10	4	20	34	16	130
White	650	188	70	4	22	6	26	36	42	122	144
Female	354	124	10	-	-	10	2	20	34	16	110
All other	26	12	-	-	-	-	2	-	-	8	4
Female	14	-	-	-	-	-	2	-	-	-	12
Mississippi	760	252	52	4	30	4	18	20	10	118	242
Male	550	156	50	4	26	4	14	16	4	106	170
Female	210	106	2	-	4	-	4	4	6	12	72
White	294	98	30	2	18	-	8	10	-	46	82
Female	115	44	-	-	4	-	4	4	4	10	46
All other	256	58	20	2	8	4	4	6	4	60	88
Female	94	62	2	-	-	-	-	2	2	2	26
Missouri	1,306	602	80	6	56	10	40	34	84	108	288
Male	824	318	76	6	56	10	32	26	36	96	168
Female	482	284	4	-	-	-	8	8	48	10	120
White	724	270	76	6	54	10	24	18	34	86	146
Female	420	236	4	-	-	-	8	6	48	8	110
All other	100	48	-	-	2	-	8	8	2	10	22
Female	62	48	-	-	-	-	-	2	-	2	10
Montana	245	78	18	-	12	2	8	10	12	54	52
Male	172	48	18	-	12	2	8	10	-	46	28
Female	74	30	-	-	-	-	-	-	12	8	24
White	164	42	18	-	12	2	8	10	-	44	28
Female	72	30	-	-	-	-	-	-	12	8	22
All other	8	6	-	-	-	-	-	-	-	2	-
Female	2	-	-	-	-	-	-	-	-	-	2
Nebraska	402	164	48	2	12	2	20	6	46	48	54
Male	258	88	46	2	12	2	16	2	18	36	38
Female	144	78	2	-	-	-	4	4	28	12	16
White	244	78	46	2	12	2	16	2	18	36	32
Female	138	74	2	-	-	-	4	4	28	10	16
All other	14	8	-	-	-	-	-	-	-	-	6
Female	6	4	-	-	-	-	-	-	-	2	-
Nevada	164	52	4	-	2	4	8	2	2	36	54
Male	126	36	4	-	2	2	6	2	-	32	42
Female	38	16	-	-	-	2	2	-	2	4	12
White	116	36	4	-	-	2	6	2	-	28	38
Female	38	16	-	-	-	2	2	-	2	4	12
All other	10	-	-	-	2	-	2	-	-	4	4
Female	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	166	78	-	4	2	2	6	4	12	26	32
Male	96	48	-	2	2	2	4	-	4	18	16
Female	70	30	-	2	-	-	2	4	8	8	16
White	96	48	-	2	2	2	4	-	4	18	16
Female	70	30	-	2	-	-	2	4	8	8	16
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,404	686	12	4	36	18	50	22	104	118	356
Male	844	368	12	4	34	16	44	12	36	102	218
Female	560	320	-	-	2	2	6	10	68	14	138
White	682	204	12	4	32	18	34	8	34	78	180
Female	462	265	-	-	2	2	4	10	68	10	100
All other	162	82	-	-	2	-	10	4	2	24	38
Female	98	54	-	-	-	-	2	-	4	4	38
New Mexico	364	140	6	8	14	2	12	8	4	50	140
Male	270	86	4	8	12	2	10	8	2	42	96
Female	114	54	2	-	2	-	2	-	2	8	44
White	232	80	4	8	12	2	6	4	2	32	82
Female	98	42	2	-	2	-	2	-	2	6	42
All other	38	6	-	-	-	-	4	4	-	10	14
Female	16	12	-	-	-	-	-	-	-	-	2

See footnotes at end of table.

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
New York-----	3,110	1,144	36	4	70	20	69	82	194	330	1,172
Male-----	1,932	622	32	4	68	18	56	60	76	274	722
Female-----	1,178	522	4	-	2	2	12	22	108	56	450
White-----	1,672	558	30	4	54	10	48	52	70	232	614
Male-----	1,068	472	4	-	2	2	10	20	108	48	402
Female-----	260	64	2	-	14	8	8	8	6	42	108
All other-----	110	50	-	-	-	-	2	2	-	8	48
Male-----											
Female-----											
North Carolina-----	1,652	578	82	2	68	12	54	28	40	192	598
Male-----	1,178	380	76	2	66	10	46	22	22	168	386
Female-----	474	198	6	-	2	2	8	4	18	24	212
White-----	768	240	50	2	60	10	34	16	18	102	236
Male-----	342	138	2	-	-	-	4	4	16	16	162
Female-----	410	140	26	6	-	-	12	4	4	66	150
All other-----	132	60	4	-	2	2	4	-	2	8	50
Male-----											
Female-----											
North Dakota-----	194	56	26	-	4	-	8	10	22	30	38
Male-----	139	40	24	-	4	-	6	10	12	26	16
Female-----	56	16	2	-	-	-	2	-	10	4	22
White-----	134	38	24	-	4	-	6	10	12	24	16
Male-----	52	16	2	-	-	-	2	-	10	2	20
Female-----	4	2	-	-	-	-	-	-	-	2	-
All other-----	4	-	-	-	-	-	-	-	-	2	2
Male-----											
Female-----											
Ohio-----	2,434	1,028	72	10	112	20	66	56	168	256	666
Male-----	1,544	596	66	10	108	18	56	40	66	200	382
Female-----	890	432	6	-	4	2	10	16	100	56	284
White-----	1,332	512	60	8	100	16	46	38	60	172	320
Male-----	816	394	6	-	4	2	10	14	88	32	266
Female-----	212	84	6	2	8	2	10	2	8	28	62
All other-----	74	38	-	-	-	-	-	2	12	4	18
Male-----											
Female-----											
Oklahoma-----	786	176	32	-	30	12	34	10	30	64	376
Male-----	532	108	28	-	30	12	34	6	16	52	246
Female-----	254	68	4	-	-	-	-	4	14	12	132
White-----	464	92	26	-	28	12	28	6	14	48	210
Male-----	212	60	4	-	-	-	-	4	14	6	124
Female-----	88	16	2	-	2	-	6	-	2	4	36
All other-----	22	8	-	-	-	-	-	-	-	6	8
Male-----											
Female-----											
Oregon-----	520	222	26	-	16	4	20	14	30	118	70
Male-----	368	140	22	-	16	2	20	12	18	96	42
Female-----	152	82	4	-	-	2	-	2	12	22	28
White-----	358	132	22	-	16	2	20	12	18	94	42
Male-----	144	76	4	-	-	2	-	2	12	22	26
Female-----	10	8	-	-	-	-	-	-	-	2	-
All other-----	8	6	-	-	-	-	-	-	-	-	2
Male-----											
Female-----											
Pennsylvania-----	2,502	952	48	16	162	24	98	68	88	282	764
Male-----	1,630	544	46	16	156	20	80	60	34	234	440
Female-----	872	408	2	-	6	4	18	8	54	48	324
White-----	1,402	456	44	16	142	16	62	52	34	200	380
Male-----	784	348	2	-	6	4	18	8	50	42	306
Female-----	228	88	2	-	14	4	18	8	4	34	60
All other-----	88	60	-	-	-	-	-	-	4	6	18
Male-----											
Female-----											
Rhode Island-----	206	114	6	-	8	-	12	2	28	12	24
Male-----	118	54	6	-	8	-	12	2	8	12	16
Female-----	88	60	-	-	-	-	-	-	20	-	8
White-----	114	52	6	-	8	-	12	2	8	10	16
Male-----	88	60	-	-	-	-	-	-	20	-	8
Female-----	4	2	-	-	-	-	-	-	-	2	-
All other-----	-	-	-	-	-	-	-	-	-	-	-
Male-----											
Female-----											
South Carolina-----	858	292	22	-	38	8	16	20	28	112	302
Male-----	558	162	22	-	38	6	14	16	12	100	188
Female-----	280	130	-	-	-	2	2	4	16	12	114
White-----	306	76	6	-	22	4	10	12	10	68	100
Male-----	164	72	-	-	-	-	2	4	14	8	64
Female-----	264	86	16	-	16	2	4	4	2	34	88
All other-----	116	58	-	-	-	2	-	-	2	4	50
Male-----											
Female-----											
South Dakota-----	446	74	12	4	8	2	6	4	34	222	80
Male-----	272	50	12	4	6	2	4	4	18	124	48
Female-----	174	24	-	-	2	-	2	-	16	98	32
White-----	232	42	12	4	4	-	4	4	18	108	36
Male-----	146	18	-	-	2	-	-	-	16	84	26
Female-----	40	8	-	-	2	-	-	-	-	16	12
All other-----	28	6	-	-	-	-	2	-	-	14	6
Male-----											
Female-----											
Tennessee-----	1,118	528	38	2	46	4	20	22	44	144	270
Male-----	766	294	36	2	44	4	14	16	24	140	192
Female-----	352	234	2	-	2	-	6	6	20	4	78
White-----	606	224	32	2	34	4	14	12	24	108	152
Male-----	272	172	2	-	2	-	2	6	20	2	66
Female-----	160	70	4	-	10	-	-	4	-	32	40
All other-----	80	62	-	-	-	-	4	-	-	2	12
Male-----											
Female-----											

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1972-Con.

[Deaths based on a 50-percent sample. Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Texas	2,936	1,066	116	-	118	48	94	52	176	548	718
Male	1,970	572	110	-	118	36	90	44	58	460	492
Female	966	494	6	-	-	12	14	8	118	88	226
White	1,614	446	102	-	100	30	70	36	52	376	402
Male	908	390	6	-	-	12	14	8	108	78	192
Female	356	126	8	-	18	6	10	8	6	84	90
All other	158	104	-	-	-	-	-	-	10	10	34
Female	-	-	-	-	-	-	-	-	-	-	-
Utah	280	114	6	2	14	6	6	2	8	42	80
Male	194	74	6	2	14	6	6	2	8	36	52
Female	86	40	-	-	-	4	-	-	8	6	28
White	188	74	6	2	14	6	6	-	8	34	50
Male	86	40	-	-	-	4	-	-	8	6	28
Female	6	-	-	-	-	-	-	2	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Vermont	84	40	4	-	2	2	4	-	4	8	20
Male	54	24	4	-	2	2	2	-	2	6	12
Female	30	16	-	-	-	2	2	-	2	2	8
White	54	24	4	-	2	2	2	-	2	6	12
Male	30	16	-	-	-	2	2	-	2	2	8
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,378	572	44	6	48	4	50	26	72	204	352
Male	970	354	40	6	48	4	40	26	28	178	248
Female	408	218	4	-	-	-	10	-	44	26	104
White	652	248	30	6	42	4	22	22	26	102	150
Male	314	164	4	-	-	-	10	-	40	12	84
Female	318	108	10	-	6	-	18	4	2	76	96
All other	94	54	-	-	-	-	-	-	4	14	22
Female	-	-	-	-	-	-	-	-	-	-	-
Washington	896	374	20	2	46	6	26	46	74	174	128
Male	630	240	20	2	46	6	18	38	56	144	80
Female	266	134	-	-	-	8	8	8	18	30	48
White	572	212	20	2	46	6	18	32	34	130	72
Male	254	126	-	-	-	8	8	8	38	30	44
Female	58	28	-	-	-	-	-	6	2	14	8
All other	12	8	-	-	-	-	-	-	-	-	4
Female	-	-	-	-	-	-	-	-	-	-	-
West Virginia	638	152	26	24	38	2	20	4	16	160	218
Male	442	94	26	24	38	-	18	4	12	98	130
Female	216	58	-	-	-	2	2	-	4	62	88
White	424	86	26	24	36	-	18	4	12	94	124
Male	204	50	-	-	-	2	2	-	4	62	84
Female	18	8	-	-	-	-	-	-	-	4	6
All other	12	8	-	-	-	-	-	-	-	-	4
Female	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	1,048	400	98	-	42	14	34	18	96	150	196
Male	708	232	90	-	40	12	26	16	44	128	120
Female	340	168	8	-	2	2	8	2	52	22	76
White	664	214	90	-	40	12	24	14	42	118	110
Male	326	160	8	-	2	2	8	2	52	20	72
Female	44	18	-	-	-	2	2	2	2	10	10
All other	14	8	-	-	-	-	-	-	-	2	4
Female	-	-	-	-	-	-	-	-	-	-	-
Wyoming	124	40	4	-	10	-	2	8	2	28	30
Male	86	30	4	-	10	-	2	2	-	22	16
Female	38	10	-	-	-	-	-	6	2	6	14
White	82	28	4	-	10	-	-	2	-	22	16
Male	38	10	-	-	-	-	-	6	2	6	14
Female	4	2	-	-	-	-	2	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

Section 5. Life Tables

	Page
Explanation of the columns of the life table -----	5-2
Tables	
5-1. Abridged life tables by color and sex: United States, 1972 ----	5-4
5-2. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1972 -----	5-7
5-3. Expectation of life at single years of age, by color and sex: United States, 1972 -----	5-8
5-4. Life table values by color and sex: Death-registration States, 1900-1902- to 1919-21, and United States, 1929-31 to 1972 -----	5-9
5-5. Estimated average length of life in years, by color and sex: Death-registration States, <u>1900-1928</u> , and United States, 1929-72 -----	5-11

Explanation of the Columns of the Life Table

Column 1—Age interval (x to $x + n$).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying (${}_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0110—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 11 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 98,168 will complete the first year of life and enter the second; 97,588 begin the sixth year; 96,341 will reach age 20; and 13,357 will live to age 85.

Column 4—Number dying (${}_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,060 die in the first year of life, 352 in the succeeding 4 years, 1,061 in the 5-year period between exact ages 20 and 25, and 13,357 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (${}_nL_x$ and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would

immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 479,086. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 479,086 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,791,022 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,737,509.

Column 7—Average remaining lifetime (e'_x).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 479,086 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,341 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,791,022) in column 6 is the total number of years lived after attaining age 20 by the 96,341 reaching that age. This number of years divided by the number of persons

(4,791,022 divided by 96,341) gives 49.7 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing that the average remaining lifetime of white persons is greater than for those in the all other category, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by

the most long-lived of the all other group. The difference in the average length of life results from the fact that a greater proportion of all other persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among all other persons; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1972.

[Deaths based on a 50-percent sample]

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIDNARY POPULATION		AVERAGE REMAINING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
x to $x+n$	q_x	l_x	$n d_x$	$n L_x$	T_x	e_x
TOTAL						
0-1	0.0183	100,000	1,831	98,375	7,113,638	71.1
1-5	.0032	98,169	317	391,917	7,015,263	71.5
5-10	.0021	97,852	201	488,717	6,623,346	67.7
10-15	.0020	97,651	198	487,808	6,134,629	62.8
15-20	.0055	97,453	539	486,028	5,646,821	57.9
20-25	.0073	96,914	709	482,830	5,160,793	53.3
25-30	.0071	96,205	679	479,352	4,677,963	48.6
30-35	.0084	95,526	804	475,713	4,198,611	44.0
35-40	.0118	94,722	1,115	471,007	3,722,898	39.3
40-45	.0181	93,607	1,691	464,110	3,251,891	34.7
45-50	.0284	91,916	2,606	453,540	2,787,781	30.3
50-55	.0417	89,310	3,726	437,785	2,334,241	26.1
55-60	.0644	85,584	5,511	414,902	1,896,456	22.2
60-65	.0942	80,073	7,543	382,415	1,481,554	18.5
65-70	.1346	72,530	9,762	339,170	1,099,139	15.2
70-75	.1987	62,768	12,472	283,560	759,969	12.1
75-80	.2895	50,296	14,555	215,701	476,409	9.5
80-85	.3955	35,737	14,135	142,631	260,708	7.3
85 AND OVER	1.0000	21,602	21,602	118,077	118,077	5.5
MALE						
0-1	0.0206	100,000	2,060	98,168	6,737,509	67.4
1-5	.0036	97,940	352	390,921	6,639,341	67.8
5-10	.0023	97,588	229	487,329	6,248,420	64.0
10-15	.0025	97,359	246	486,256	5,761,091	59.2
15-20	.0079	97,113	772	483,813	5,274,835	54.3
20-25	.0110	96,341	1,061	479,086	4,791,022	49.7
25-30	.0100	95,280	955	474,007	4,311,936	45.3
30-35	.0112	94,325	1,054	469,097	3,837,929	40.7
35-40	.0151	93,271	1,411	463,064	3,368,832	36.1
40-45	.0230	91,860	2,111	454,413	2,905,768	31.6
45-50	.0368	89,749	3,306	441,110	2,451,355	27.3
50-55	.0554	86,443	4,789	420,962	2,010,245	23.3
55-60	.0868	81,654	7,085	391,476	1,589,283	19.5
60-65	.1290	74,569	9,617	349,802	1,197,807	16.1
65-70	.1821	64,952	11,828	295,925	848,005	13.1
70-75	.2605	53,124	13,836	231,413	552,080	10.4
75-80	.3618	39,288	14,216	160,813	320,667	8.2
80-85	.4673	25,072	11,715	94,940	159,854	6.4
85 AND OVER	1.0000	13,357	13,357	64,914	64,914	4.9
FEMALE						
0-1	0.0159	100,000	1,591	98,593	7,507,966	75.1
1-5	.0029	98,409	281	392,956	7,409,373	75.3
5-10	.0017	98,128	171	490,171	7,016,417	71.5
10-15	.0015	97,957	147	489,437	6,526,246	66.6
15-20	.0031	97,810	299	488,350	6,036,809	61.7
20-25	.0037	97,511	359	486,688	5,548,459	56.9
25-30	.0041	97,152	402	484,799	5,061,771	52.1
30-35	.0058	96,750	557	482,435	4,576,972	47.3
35-40	.0086	96,193	824	479,039	4,094,537	42.6
40-45	.0134	95,369	1,275	473,868	3,615,498	37.9
45-50	.0204	94,094	1,916	465,992	3,141,630	33.4
50-55	.0288	92,178	2,658	454,613	2,675,638	29.0
55-60	.0435	89,520	3,893	438,457	2,221,025	24.8
60-65	.0628	85,627	5,377	415,470	1,782,568	20.8
65-70	.0944	80,250	7,579	383,348	1,367,098	17.0
70-75	.1505	72,671	10,937	337,387	983,750	13.5
75-80	.2370	61,734	14,629	273,480	646,363	10.5
80-85	.3492	47,105	16,448	196,245	372,883	7.9
85 AND OVER	1.0000	30,657	30,657	178,638	178,638	5.8

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample]

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
x to $x+n$	nq_x	l_x	n^d_x	${}_nL_x$	T_x	e_x
WHITE						
0-1	0.0160	100,000	1,603	98,564	7,198,312	72.0
1-5	.0029	98,397	288	392,907	7,099,748	72.2
5-10	.0020	98,109	193	490,026	6,706,841	68.4
10-15	.0019	97,916	191	489,150	6,216,815	63.5
15-20	.0053	97,725	514	487,440	5,727,665	58.6
20-25	.0064	97,211	621	484,517	5,240,225	53.9
25-30	.0059	96,590	570	481,534	4,755,708	49.2
30-35	.0068	96,020	653	478,544	4,274,174	44.5
35-40	.0096	95,367	920	474,698	3,795,630	39.8
40-45	.0155	94,447	1,468	468,851	3,320,932	35.2
45-50	.0253	92,979	2,357	459,454	2,852,081	30.7
50-55	.0384	90,622	3,484	444,932	2,392,627	26.4
55-60	.0608	87,138	5,298	423,220	1,947,695	22.4
60-65	.0903	81,840	7,394	391,680	1,524,475	18.6
65-70	.1308	74,446	9,736	348,904	1,132,795	15.2
70-75	.1937	64,710	12,537	293,229	783,891	12.1
75-80	.2889	52,173	15,073	223,888	490,662	9.4
80-85	.4006	37,100	14,863	147,586	266,774	7.2
85 AND OVER	1.0000	22,237	22,237	119,188	119,188	5.4
WHITE, MALE						
0-1	0.0182	100,000	1,824	98,362	6,826,243	68.3
1-5	.0033	98,176	323	391,949	6,727,881	68.5
5-10	.0023	97,853	220	488,679	6,335,932	64.7
10-15	.0024	97,633	238	487,646	5,847,253	59.9
15-20	.0075	97,395	735	485,302	5,359,607	55.0
20-25	.0096	96,660	927	480,994	4,874,305	50.4
25-30	.0083	95,733	799	476,647	4,393,311	45.9
30-35	.0089	94,934	845	472,645	3,916,664	41.3
35-40	.0123	94,089	1,154	467,767	3,444,019	36.6
40-45	.0198	92,935	1,840	460,444	2,976,252	32.0
45-50	.0331	91,095	3,013	448,548	2,515,808	27.6
50-55	.0516	88,082	4,542	429,763	2,067,260	23.5
55-60	.0827	83,540	6,913	401,365	1,637,497	19.6
60-65	.1255	76,627	9,618	360,144	1,236,132	16.1
65-70	.1793	67,009	12,014	305,829	875,988	13.1
70-75	.2575	54,995	14,160	240,078	570,159	10.4
75-80	.3624	40,835	14,798	167,128	330,081	8.1
80-85	.4745	26,037	12,354	98,082	162,953	6.3
85 AND OVER	1.0000	13,683	13,683	64,871	64,871	4.7
WHITE, FEMALE						
0-1	0.0137	100,000	1,370	98,777	7,587,872	75.9
1-5	.0025	98,630	252	393,917	7,489,095	75.9
5-10	.0017	98,378	164	491,443	7,095,178	72.1
10-15	.0014	98,214	141	490,735	6,603,735	67.2
15-20	.0029	98,073	285	489,691	6,113,000	62.3
20-25	.0032	97,788	314	488,173	5,623,309	57.5
25-30	.0035	97,474	339	486,555	5,135,136	52.7
30-35	.0047	97,135	461	484,588	4,648,581	47.9
35-40	.0071	96,674	687	481,771	4,163,993	43.1
40-45	.0114	95,987	1,093	477,400	3,682,222	38.4
45-50	.0180	94,894	1,710	470,486	3,204,822	33.8
50-55	.0260	93,184	2,425	460,199	2,734,336	29.3
55-60	.0402	90,759	3,649	445,269	2,274,137	25.1
60-65	.0585	87,110	5,096	423,644	1,828,868	21.0
65-70	.0899	82,014	7,370	392,775	1,405,224	17.1
70-75	.1445	74,644	10,784	347,747	1,012,451	13.6
75-80	.2361	63,860	15,078	283,126	664,704	10.4
80-85	.3534	48,782	17,257	200,664	381,584	7.8
85 AND OVER	1.0000	31,545	31,545	180,920	180,920	5.7

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1972-Con.

[Deaths based on a 50-percent sample]

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
		NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	e_x
ALL OTHER						
0-1	0.0291	100,000	2,907	97,485	6,560,530	65.6
1-5	.0048	97,093	465	387,213	6,463,045	66.6
5-10	.0025	96,628	243	482,475	6,075,832	62.9
10-15	.0025	96,385	238	481,384	5,593,357	58.0
15-20	.0072	96,147	688	479,192	5,111,973	53.2
20-25	.0133	95,459	1,270	474,288	4,632,781	48.5
25-30	.0155	94,189	1,464	467,438	4,158,493	44.2
30-35	.0194	92,725	1,795	459,358	3,691,055	39.8
35-40	.0265	90,930	2,407	448,978	3,231,697	35.5
40-45	.0369	88,523	3,266	434,840	2,782,719	31.4
45-50	.0529	85,257	4,508	415,651	2,347,879	27.5
50-55	.0703	80,749	5,680	390,262	1,932,228	23.9
55-60	.0989	75,069	7,421	357,453	1,541,966	20.5
60-65	.1294	67,648	8,755	316,815	1,184,513	17.5
65-70	.1691	58,893	9,961	269,802	867,698	14.7
70-75	.2496	48,932	12,215	213,862	597,896	12.2
75-80	.2959	36,717	10,863	156,144	384,034	10.5
80-85	.3308	25,854	8,551	107,391	227,890	8.8
85 AND OVER	1.0000	17,303	17,303	120,499	120,499	7.0
ALL OTHER, MALE						
0-1	0.0319	100,000	3,186	97,240	6,145,462	61.5
1-5	.0052	96,814	501	386,002	6,048,222	62.5
5-10	.0029	96,313	276	480,822	5,662,220	58.8
10-15	.0031	96,037	294	479,529	5,181,398	54.0
15-20	.0104	95,743	995	476,497	4,701,869	49.1
20-25	.0207	94,748	1,957	469,088	4,225,372	44.6
25-30	.0234	92,791	2,168	458,692	3,756,284	40.5
30-35	.0278	90,623	2,516	447,078	3,297,592	36.4
35-40	.0367	88,107	3,237	432,883	2,850,514	32.4
40-45	.0484	84,870	4,105	414,563	2,417,631	28.5
45-50	.0688	80,761	5,557	390,667	2,003,068	24.8
50-55	.0899	75,204	6,761	359,912	1,612,401	21.4
55-60	.1264	68,443	8,654	321,261	1,252,489	18.3
60-65	.1607	59,789	9,607	275,507	931,228	15.6
65-70	.2081	50,182	10,444	224,930	655,721	13.1
70-75	.2890	39,738	11,486	169,351	430,791	10.8
75-80	.3531	28,252	9,975	115,813	261,440	9.3
80-85	.3821	18,277	6,984	73,362	145,627	8.0
85 AND OVER	1.0000	11,293	11,293	72,265	72,265	6.4
ALL OTHER, FEMALE						
0-1	0.0262	100,000	2,620	97,736	6,988,705	69.9
1-5	.0044	97,380	428	388,456	6,890,969	70.8
5-10	.0022	96,952	210	484,173	6,502,513	67.1
10-15	.0019	96,742	181	483,286	6,018,340	62.2
15-20	.0039	96,561	381	481,947	5,535,054	57.3
20-25	.0066	96,180	638	479,405	5,053,107	52.5
25-30	.0088	95,542	838	475,745	4,573,702	47.9
30-35	.0122	94,704	1,153	470,809	4,097,957	43.3
35-40	.0179	93,551	1,678	463,812	3,627,148	38.8
40-45	.0272	91,873	2,497	453,419	3,163,336	34.4
45-50	.0388	89,376	3,472	438,699	2,709,917	30.3
50-55	.0528	85,904	4,536	418,792	2,271,218	26.4
55-60	.0744	81,368	6,054	392,313	1,852,426	22.8
60-65	.1016	75,314	7,651	357,774	1,460,113	19.4
65-70	.1365	67,663	9,234	315,559	1,102,339	16.3
70-75	.2156	58,429	12,598	260,804	786,780	13.5
75-80	.2486	45,831	11,395	200,672	525,976	11.5
80-85	.2956	34,436	10,178	146,356	325,304	9.4
85 AND OVER	1.0000	24,258	24,258	178,948	178,948	7.4

SECTION 5 - LIFE TABLES

5-7

Table 5-2. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1972

[Deaths based on a 50-percent sample]

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,169	97,940	98,409	98,397	98,176	98,630	97,093	96,814	97,380
2	98,052	97,813	98,303	98,295	98,064	98,538	96,903	96,611	97,204
3	97,969	97,720	98,230	98,220	97,979	98,473	96,780	96,478	97,091
4	97,904	97,647	98,172	98,159	97,910	98,421	96,691	96,386	97,005
5	97,852	97,588	98,128	98,109	97,853	98,378	96,628	96,313	96,952
6	97,791	97,511	98,084	98,053	97,783	98,337	96,541	96,196	96,892
7	97,743	97,454	98,045	98,008	97,729	98,300	96,482	96,124	96,844
8	97,706	97,413	98,012	97,971	97,689	98,267	96,441	96,083	96,805
9	97,676	97,383	97,983	97,941	97,658	98,239	96,411	96,058	96,772
10	97,651	97,359	97,957	97,916	97,633	98,214	96,385	96,037	96,742
11	97,626	97,334	97,933	97,892	97,608	98,191	96,358	96,012	96,713
12	97,598	97,303	97,908	97,865	97,578	98,168	96,324	95,974	96,682
13	97,563	97,260	97,881	97,831	97,536	98,142	96,279	95,919	96,648
14	97,516	97,198	97,849	97,786	97,477	98,111	96,221	95,843	96,608
15	97,453	97,113	97,810	97,725	97,395	98,073	96,147	95,743	96,561
16	97,373	97,002	97,762	97,647	97,287	98,027	96,055	95,616	96,505
17	97,276	96,865	97,706	97,553	97,154	97,973	95,942	95,458	96,439
18	97,164	96,706	97,644	97,445	97,001	97,913	95,807	95,264	96,363
19	97,042	96,530	97,578	97,330	96,834	97,851	95,646	95,028	96,277
20	96,914	96,341	97,511	97,211	96,660	97,788	95,459	94,748	96,180
21	96,779	96,139	97,442	97,089	96,479	97,726	95,244	94,419	96,072
22	96,637	95,926	97,371	96,964	96,291	97,663	95,002	94,045	95,952
23	96,492	95,707	97,299	96,837	96,100	97,600	94,739	93,638	95,823
24	96,347	95,490	97,226	96,712	95,913	97,537	94,466	93,216	95,686
25	96,205	95,280	97,152	96,590	95,733	97,474	94,189	92,791	95,542
26	96,068	95,080	97,077	96,473	95,562	97,410	93,910	92,368	95,392
27	95,934	94,888	97,001	96,359	95,400	97,345	93,626	91,943	95,234
28	95,801	94,701	96,922	96,247	95,244	97,279	93,336	91,514	95,068
29	95,666	94,515	96,839	96,135	95,090	97,209	93,037	91,075	94,892
30	95,526	94,325	96,750	96,020	94,934	97,135	92,725	90,623	94,704
31	95,381	94,129	96,654	95,901	94,776	97,056	92,400	90,157	94,504
32	95,229	93,928	96,551	95,777	94,614	96,971	92,061	89,678	94,290
33	95,069	93,719	96,440	95,648	94,447	96,879	91,705	89,180	94,061
34	94,901	93,501	96,321	95,512	94,273	96,780	91,329	88,658	93,815
35	94,722	93,271	96,193	95,367	94,089	96,674	90,930	88,107	93,551
36	94,531	93,027	96,058	95,212	93,893	96,560	90,506	87,523	93,266
37	94,326	92,766	95,905	95,045	93,683	96,436	90,054	86,906	92,959
38	94,105	92,484	95,742	94,863	93,455	96,300	89,574	86,257	92,627
39	93,866	92,185	95,564	94,665	93,207	96,151	89,064	85,578	92,266
40	93,607	91,860	95,369	94,447	92,935	95,987	88,523	84,870	91,873
41	93,325	91,508	95,156	94,208	92,637	95,808	87,950	84,134	91,446
42	93,019	91,127	94,924	93,945	92,309	95,611	87,343	83,365	90,984
43	92,685	90,711	94,671	93,655	91,946	95,395	86,696	82,554	90,486
44	92,318	90,253	94,395	93,334	91,543	95,157	86,002	81,689	89,950
45	91,916	89,749	94,094	92,979	91,095	94,894	85,257	80,761	89,376
46	91,475	89,194	93,765	92,586	90,598	94,605	84,456	79,765	88,762
47	90,993	88,585	93,408	92,153	90,048	94,288	83,600	78,702	88,107
48	90,470	87,922	93,023	91,681	89,445	93,944	82,692	77,580	87,411
49	89,909	87,208	92,613	91,171	88,790	93,576	81,740	76,411	86,677
50	89,310	86,443	92,178	90,622	88,082	93,184	80,749	75,204	85,904
51	88,671	85,625	91,718	90,033	87,319	92,768	79,720	73,964	85,093
52	87,988	84,749	91,229	89,399	86,494	92,325	78,649	72,684	84,241
53	87,253	83,803	90,704	88,712	85,597	91,848	77,526	71,350	83,341
54	86,454	82,775	90,137	87,961	84,616	91,328	76,336	69,941	82,385
55	85,584	81,654	89,520	87,138	83,540	90,759	75,069	68,443	81,368
56	84,638	80,436	88,850	86,237	82,365	90,136	73,722	66,850	80,286
57	83,614	79,121	88,124	85,258	81,090	89,457	72,298	65,171	79,139
58	82,512	77,706	87,344	84,199	79,711	88,725	70,804	63,421	77,927
59	81,332	76,189	86,512	83,060	78,224	87,942	69,251	61,621	76,652
60	80,073	74,569	85,627	81,840	76,627	87,110	67,648	59,789	75,314
61	78,733	72,844	84,687	80,536	74,917	86,225	65,993	57,930	73,907
62	77,309	71,015	83,685	79,146	73,095	85,280	64,285	56,040	72,430
63	75,800	69,086	82,615	77,668	71,166	84,269	62,528	54,120	70,890
64	74,207	67,063	81,472	76,102	69,135	83,183	60,730	52,168	69,299
65	72,530	64,952	80,250	74,446	67,009	82,014	58,893	50,182	67,663
66	70,770	62,759	78,944	72,700	64,793	80,756	57,030	48,170	65,996
67	68,924	60,485	77,548	70,861	62,487	79,401	55,137	46,136	64,290
68	66,983	58,126	76,048	68,922	60,089	77,939	53,182	44,064	62,498
69	64,934	55,673	74,427	66,874	57,592	76,357	51,122	41,935	60,557
70	62,768	53,124	72,671	64,710	54,995	74,644	48,932	39,738	58,429
71	60,488	50,485	70,778	62,433	52,305	72,800	46,601	37,472	56,094
72	58,101	47,769	68,748	60,048	49,535	70,819	44,155	35,154	53,585
73	55,605	44,988	66,570	57,547	46,692	68,683	41,647	32,817	50,974
74	53,002	42,156	64,234	54,923	43,788	66,368	39,149	30,505	48,364
75	50,296	39,288	61,734	52,173	40,835	63,860	36,717	28,252	45,831
76	47,497	36,401	59,073	49,306	37,850	61,159	34,378	26,079	43,406
77	44,620	33,515	56,262	46,340	34,853	58,277	32,135	23,994	41,084
78	41,686	30,649	53,317	43,299	31,868	55,237	29,975	21,998	38,835
79	38,717	27,826	50,258	40,209	28,920	52,063	27,884	20,091	36,627
80	35,737	25,072	47,105	37,100	26,037	48,782	25,854	18,277	34,436
81	32,771	22,413	43,878	33,999	23,248	45,418	23,891	16,568	32,257
82	29,847	19,879	40,599	30,935	20,584	41,953	22,013	14,984	30,105
83	26,991	17,501	37,288	27,935	18,079	38,527	20,255	13,552	28,014
84	24,233	15,315	33,967	25,027	15,766	35,039	18,664	12,307	26,040
85	21,602	13,357	30,657	22,237	13,683	31,545	17,303	11,293	24,258

SECTION 5 - LIFE TABLES

Table 5-3. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1972

[Deaths based on a 50-percent sample]

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	71.1	67.4	75.1	72.0	68.3	75.9	65.6	61.5	69.9
1	71.5	67.8	75.3	72.2	68.5	75.9	66.6	62.5	70.8
2	70.5	66.9	74.4	71.2	67.6	75.0	65.7	61.6	69.9
3	69.6	65.9	73.4	70.3	66.7	74.1	64.8	60.7	69.0
4	68.7	65.0	72.5	69.3	65.7	73.1	63.8	59.7	68.0
5	67.7	64.0	71.5	68.4	64.7	72.1	62.9	58.8	67.1
6	66.7	63.1	70.5	67.4	63.8	71.2	61.9	57.9	66.1
7	65.8	62.1	69.6	66.4	62.8	70.2	61.0	56.9	65.1
8	64.8	61.1	68.6	65.5	61.9	69.2	60.0	55.9	64.2
9	63.8	60.2	67.6	64.5	60.9	68.2	59.0	54.9	63.2
10	62.8	59.2	66.6	63.5	59.9	67.2	58.0	54.0	62.2
11	61.8	58.2	65.6	62.5	58.9	66.3	57.0	53.0	61.2
12	60.9	57.2	64.7	61.5	57.9	65.3	56.1	52.0	60.2
13	59.9	56.2	63.7	60.5	56.9	64.3	55.1	51.0	59.3
14	58.9	55.3	62.7	59.6	56.0	63.3	54.1	50.1	58.3
15	57.9	54.3	61.7	58.6	55.0	62.3	53.2	49.1	57.3
16	57.0	53.4	60.7	57.7	54.1	61.4	52.2	48.2	56.4
17	56.0	52.5	59.8	56.7	53.2	60.4	51.3	47.3	55.4
18	55.1	51.5	58.8	55.8	52.2	59.4	50.4	46.3	54.4
19	54.2	50.6	57.9	54.8	51.3	58.5	49.4	45.5	53.5
20	53.3	49.7	56.9	53.9	50.4	57.5	48.5	44.6	52.5
21	52.3	48.8	55.9	53.0	49.5	56.5	47.6	43.7	51.6
22	51.4	47.9	55.0	52.0	48.6	55.6	46.8	42.9	50.7
23	50.5	47.0	54.0	51.1	47.7	54.6	45.9	42.1	49.7
24	49.6	46.2	53.1	50.2	46.8	53.6	45.0	41.3	48.8
25	48.6	45.3	52.1	49.2	45.9	52.7	44.2	40.5	47.9
26	47.7	44.3	51.1	48.3	45.0	51.7	43.3	39.7	46.9
27	46.8	43.4	50.2	47.4	44.0	50.8	42.4	38.8	46.0
28	45.8	42.5	49.2	46.4	43.1	49.8	41.5	38.0	45.1
29	44.9	41.6	48.3	45.5	42.2	48.8	40.7	37.2	44.2
30	44.0	40.7	47.3	44.5	41.3	47.9	39.8	36.4	43.3
31	43.0	39.8	46.4	43.6	40.3	46.9	38.9	35.6	42.4
32	42.1	38.9	45.4	42.6	39.4	45.9	38.1	34.8	41.5
33	41.2	37.9	44.5	41.7	38.5	45.0	37.2	34.0	40.6
34	40.2	37.0	43.5	40.7	37.5	44.0	36.4	33.1	39.7
35	39.3	36.1	42.6	39.8	36.6	43.1	35.5	32.4	38.8
36	38.4	35.2	41.6	38.9	35.7	42.1	34.7	31.6	37.9
37	37.5	34.3	40.7	37.9	34.8	41.2	33.9	30.8	37.0
38	36.6	33.4	39.8	37.0	33.8	40.2	33.1	30.0	36.1
39	35.6	32.5	38.8	36.1	32.9	39.3	32.2	29.2	35.3
40	34.7	31.6	37.9	35.2	32.0	38.4	31.4	28.5	34.4
41	33.8	30.8	37.0	34.2	31.1	37.4	30.6	27.7	33.6
42	33.0	29.9	36.1	33.3	30.2	36.5	29.8	27.0	32.8
43	32.1	29.0	35.2	32.4	29.4	35.6	29.1	26.2	31.9
44	31.2	28.2	34.3	31.6	28.5	34.7	28.3	25.5	31.1
45	30.3	27.3	33.4	30.7	27.6	33.8	27.5	24.8	30.3
46	29.5	26.5	32.5	29.8	26.8	32.9	26.8	24.1	29.5
47	28.6	25.7	31.6	28.9	25.9	32.0	26.1	23.4	28.7
48	27.8	24.8	30.8	28.1	25.1	31.1	25.3	22.8	28.0
49	27.0	24.0	29.9	27.2	24.3	30.2	24.6	22.1	27.2
50	26.1	23.3	29.0	26.4	23.5	29.3	23.9	21.4	26.4
51	25.3	22.5	28.2	25.6	22.7	28.5	23.2	20.8	25.7
52	24.5	21.7	27.3	24.7	21.9	27.6	22.5	20.1	24.9
53	23.7	20.9	26.5	23.9	21.1	26.7	21.9	19.5	24.2
54	22.9	20.2	25.6	23.1	20.3	25.9	21.2	18.9	23.5
55	22.2	19.5	24.8	22.4	19.6	25.1	20.5	18.3	22.8
56	21.4	18.8	24.0	21.6	18.9	24.2	19.9	17.7	22.1
57	20.7	18.1	23.2	20.8	18.2	23.4	19.3	17.2	21.4
58	19.9	17.4	22.4	20.1	17.5	22.6	18.7	16.6	20.7
59	19.2	16.7	21.6	19.3	16.8	21.8	18.1	16.1	20.0
60	18.5	16.1	20.8	18.6	16.1	21.0	17.5	15.6	19.4
61	17.8	15.4	20.0	17.9	15.5	20.2	16.9	15.1	18.7
62	17.1	14.8	19.3	17.2	14.9	19.4	16.4	14.5	18.1
63	16.5	14.2	18.5	16.5	14.3	18.6	15.8	14.0	17.5
64	15.8	13.6	17.8	15.9	13.7	17.9	15.3	13.6	16.9
65	15.2	13.1	17.0	15.2	13.1	17.1	14.7	13.1	16.3
66	14.5	12.5	16.3	14.6	12.5	16.4	14.2	12.6	15.7
67	13.9	11.9	15.6	13.9	11.9	15.7	13.7	12.1	15.1
68	13.3	11.4	14.9	13.3	11.4	14.9	13.2	11.7	14.5
69	12.7	10.9	14.2	12.7	10.9	14.2	12.7	11.2	14.0
70	12.1	10.4	13.5	12.1	10.4	13.6	12.2	10.8	13.5
71	11.5	9.9	12.9	11.5	9.9	12.9	11.8	10.5	13.0
72	11.0	9.4	12.3	11.0	9.4	12.2	11.4	10.1	12.6
73	10.5	9.0	11.6	10.4	8.9	11.6	11.1	9.8	12.2
74	10.0	8.6	11.0	9.9	8.5	11.0	10.8	9.5	11.8
75	9.5	8.2	10.5	9.4	8.1	10.4	10.5	9.3	11.5
76	9.0	7.8	9.9	8.9	7.7	9.8	10.1	9.0	11.1
77	8.5	7.4	9.4	8.5	7.3	9.3	9.8	8.7	10.7
78	8.1	7.0	8.9	8.0	6.9	8.8	9.5	8.5	10.3
79	7.7	6.7	8.4	7.6	6.6	8.3	9.1	8.2	9.9
80	7.3	6.4	7.9	7.2	6.3	7.8	8.8	8.0	9.4
81	6.9	6.1	7.5	6.8	5.9	7.4	8.5	7.7	9.0
82	6.5	5.8	7.0	6.4	5.6	6.9	8.2	7.5	8.7
83	6.2	5.5	6.6	6.1	5.4	6.5	7.8	7.2	8.3
84	5.8	5.2	6.2	5.7	5.1	6.1	7.4	6.8	7.8
85	5.5	4.9	5.8	5.4	4.7	5.7	7.0	6.4	7.4

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1972

[Alaska and Hawaii included beginning in 1959. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding "All other" population]

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								
	1972 ^{1,2}	1971 ²	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,176	98,080	97,408	96,931	95,188	93,768	91,975	87,674	86,655
5	97,853	97,759	97,015	96,403	94,150	91,738	88,842	82,972	80,864
10	97,633	97,535	96,758	96,069	93,601	90,810	87,530	81,519	79,109
15	97,395	97,306	96,503	95,728	93,089	90,074	86,546	80,549	78,037
20	96,660	96,588	95,908	95,104	92,293	88,904	84,997	79,116	76,376
25	95,733	95,682	95,106	94,294	91,241	87,371	83,061	77,047	73,907
30	94,934	94,881	94,401	93,489	90,092	85,707	80,888	74,810	71,219
35	94,089	94,022	93,589	92,543	88,713	83,812	78,441	72,108	68,245
40	92,935	92,820	92,427	91,173	86,880	81,457	75,733	68,848	64,954
45	91,095	90,948	90,533	89,002	84,285	78,345	72,696	65,115	61,369
50	88,082	87,955	87,424	85,601	80,521	74,288	69,107	60,741	57,274
55	83,540	83,383	82,463	80,496	75,156	68,981	64,574	55,622	52,491
60	76,827	76,461	75,485	73,172	67,787	61,933	58,498	48,987	46,452
65	67,009	66,983	65,834	63,541	58,305	52,964	50,663	40,862	39,245
70	56,995	56,978	55,825	53,735	46,739	41,880	40,873	31,527	30,640
75	40,835	41,130	40,207	38,104	33,404	29,471	29,205	21,585	21,387
80	26,037	26,498	25,993	24,005	15,860	17,221	17,655	12,160	12,266
85	13,683	14,031	13,065	12,015	9,013	7,572	8,154	5,145	5,252
ALL OTHER, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	96,814	96,858	95,301	94,911	91,696	91,268	89,499	78,065	74,674
5	96,313	96,321	94,570	93,921	89,920	88,412	85,195	68,589	64,385
10	96,037	95,992	94,234	93,453	89,211	87,311	83,768	66,377	61,730
15	95,743	95,680	93,874	92,965	88,417	86,152	82,332	64,478	59,667
20	94,748	94,639	93,108	91,941	86,770	83,621	79,057	61,426	56,733
25	92,791	92,602	91,825	90,285	84,055	79,516	74,540	57,736	53,285
30	90,623	90,341	90,270	88,327	80,865	75,083	70,344	54,073	49,867
35	88,107	87,923	88,331	85,940	77,185	70,049	65,873	49,865	46,541
40	84,870	84,722	85,744	82,832	72,830	64,710	61,353	45,414	42,989
45	80,761	80,719	82,075	78,686	67,514	58,432	56,589	40,563	39,230
50	75,204	75,507	77,239	72,891	60,766	51,748	51,880	35,427	34,766
55	68,443	68,832	70,351	65,122	52,867	44,436	46,581	29,754	29,987
60	59,789	60,407	61,669	55,535	44,370	36,790	40,506	23,750	24,194
65	50,182	50,726	51,392	45,198	35,912	29,314	34,042	17,806	19,015
70	39,738	40,354	39,914	35,018	27,688	21,741	26,923	12,295	13,829
75	28,252	28,988	29,064	25,472	19,765	14,419	18,954	7,494	8,892
80	18,277	19,094	19,994	16,904	12,352	8,239	11,615	3,894	4,831
85	11,293	11,735	11,620	9,898	6,492	3,660	5,605	1,747	2,030
WHITE, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,630	98,537	98,036	97,645	96,211	95,037	93,608	89,774	88,939
5	98,378	98,276	97,709	97,199	95,309	93,216	90,721	85,349	83,426
10	98,214	98,113	97,525	96,960	94,890	92,466	89,564	83,979	81,723
15	98,073	97,974	97,375	96,756	94,534	91,894	88,712	83,093	80,680
20	97,788	97,692	97,135	96,454	93,984	90,939	87,281	81,750	78,978
25	97,474	97,384	96,844	96,072	93,228	89,524	85,163	79,865	76,588
30	97,135	97,027	96,499	95,605	92,320	87,972	82,740	77,676	73,887
35	96,674	96,570	96,026	94,977	91,211	86,248	80,206	75,200	70,971
40	95,987	95,884	95,326	94,080	89,805	84,256	77,624	72,425	67,935
45	94,894	94,771	94,228	92,725	87,920	81,780	74,871	69,341	64,677
50	93,184	93,064	92,522	90,685	85,267	78,572	71,547	65,629	61,005
55	90,759	90,569	89,967	87,699	81,520	74,321	67,323	61,053	56,509
60	87,110	86,938	86,339	83,279	76,200	68,462	61,704	54,900	50,752
65	82,014	81,816	80,739	76,773	68,701	60,499	54,299	47,086	43,806
70	74,644	74,576	72,507	67,545	58,363	49,932	44,638	37,482	35,206
75	63,860	63,961	60,461	54,397	44,685	37,024	32,777	26,569	25,362
80	48,782	49,046	44,676	38,026	28,882	23,053	20,492	15,929	15,349
85	31,545	31,675	26,046	21,348	14,487	10,937	9,909	7,152	7,149
ALL OTHER, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,380	97,447	96,172	95,913	93,318	92,796	91,251	81,493	78,525
5	96,952	97,004	95,543	95,055	91,710	90,185	87,149	72,768	68,056
10	96,742	96,790	95,265	94,679	91,092	89,201	85,607	70,508	65,111
15	96,561	96,598	95,057	94,343	90,363	88,088	83,954	68,218	62,384
20	96,180	96,164	94,660	93,544	88,505	85,078	80,154	64,764	59,053
25	95,542	95,504	94,005	92,336	85,961	81,067	75,359	61,430	55,795
30	94,704	94,643	93,070	90,799	83,147	76,816	70,633	58,281	52,773
35	93,551	93,425	91,670	88,805	79,879	72,192	65,857	54,595	49,567
40	91,873	91,578	89,676	86,052	75,908	67,271	61,130	50,568	46,146
45	89,376	89,034	86,793	82,257	71,061	61,365	56,230	45,947	42,279
50	85,904	85,513	82,979	77,007	64,886	54,920	50,780	40,886	37,681
55	81,368	80,832	77,362	70,196	57,419	47,074	44,742	35,125	33,124
60	75,314	74,801	69,941	61,758	49,102	38,761	37,954	28,908	27,524
65	67,663	67,191	60,825	52,358	40,718	30,852	31,044	22,302	21,995
70	58,429	57,865	51,274	42,612	32,579	23,341	24,107	15,871	16,140
75	45,831	46,014	40,540	32,981	24,668	16,576	17,216	10,657	11,066
80	34,436	34,579	30,315	23,712	17,157	10,822	11,151	6,324	6,708
85	24,258	24,234	19,744	15,550	10,658	6,033	5,972	3,029	3,567

See footnotes at end of table.

SECTION 5 - LIFE TABLES

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1972-Con.

[See headnote at beginning of table]

AGE, COLOR, AND SEX	AVERAGE NUMBER OF YEARS OF LIFE REMAINING(²)								
	1972 ^{1,2}	1971 ²	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0-----	68.3	68.3	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1-----	68.5	68.6	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5-----	64.7	64.8	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10-----	59.9	60.0	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15-----	55.0	55.1	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20-----	50.4	50.5	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25-----	45.9	45.9	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30-----	41.3	41.3	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35-----	36.6	36.6	36.31	35.62	34.36	33.33	33.74	31.08	31.29
40-----	32.0	32.1	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45-----	27.6	27.7	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50-----	23.5	23.5	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55-----	19.6	19.7	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60-----	16.1	16.2	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65-----	13.1	13.2	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70-----	10.4	10.5	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75-----	8.1	8.1	7.92	7.77	7.17	7.02	7.30	6.75	6.84
80-----	6.3	6.3	6.09	5.88	5.38	5.26	5.47	5.09	5.10
85-----	4.7	4.7	4.34	4.35	4.02	3.99	4.06	3.88	3.81
ALL OTHER, MALE									
0-----	61.5	61.6	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1-----	62.5	62.6	63.50	61.06	56.05	51.08	51.63	42.53	42.46
5-----	58.8	59.0	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10-----	54.0	54.2	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15-----	49.1	49.3	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20-----	44.6	44.9	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25-----	40.5	40.8	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30-----	36.4	36.7	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35-----	32.4	32.7	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40-----	28.5	28.8	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45-----	24.8	25.1	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50-----	21.4	21.7	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55-----	18.3	18.5	18.11	17.36	16.67	15.46	17.50	13.82	14.69
60-----	15.6	15.7	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65-----	13.1	13.2	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70-----	10.8	11.0	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75-----	9.3	9.4	8.93	8.83	8.09	6.99	7.61	6.58	6.60
80-----	8.0	7.9	6.87	7.07	6.46	5.42	5.83	5.53	5.12
85-----	6.4	6.4	5.08	5.38	5.08	4.30	4.53	4.48	4.04
WHITE, FEMALE									
0-----	75.9	75.8	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1-----	75.9	75.9	74.68	72.77	68.93	64.93	61.51	58.69	56.39
5-----	72.1	72.1	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10-----	67.2	67.3	66.05	64.24	60.85	57.65	55.17	53.57	52.15
15-----	62.3	62.4	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20-----	57.5	57.5	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25-----	52.7	52.7	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30-----	47.9	47.9	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35-----	43.1	43.1	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40-----	38.4	38.4	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45-----	33.8	33.8	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50-----	29.3	29.4	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55-----	25.1	25.1	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60-----	21.0	21.1	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65-----	17.1	17.2	15.88	15.00	13.56	12.81	12.75	11.97	12.23
70-----	13.6	13.6	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75-----	10.4	10.4	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80-----	7.8	7.8	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85-----	5.7	5.7	4.66	4.83	4.34	4.24	4.24	4.06	4.10
ALL OTHER, FEMALE									
0-----	69.9	69.7	66.47	62.70	55.51	49.51	46.92	37.67	35.04
1-----	70.8	70.5	68.10	64.37	58.47	52.33	50.39	45.15	43.54
5-----	67.1	66.8	64.54	60.93	55.47	49.81	48.70	46.42	46.04
10-----	62.2	62.0	59.72	56.17	50.83	45.33	44.54	42.84	43.02
15-----	57.3	57.1	54.85	51.36	46.22	40.87	40.36	39.18	39.79
20-----	52.5	52.3	50.07	46.77	42.14	37.22	37.15	36.14	36.89
25-----	47.9	47.7	45.40	42.35	38.31	33.93	34.35	32.97	33.90
30-----	43.3	43.1	40.83	38.02	34.52	30.67	31.48	29.61	30.70
35-----	38.8	38.6	36.41	33.82	30.83	27.47	28.58	26.44	27.52
40-----	34.4	34.3	32.16	29.82	27.31	24.30	25.60	23.34	24.37
45-----	30.3	30.2	28.14	26.07	24.00	21.39	22.61	20.43	21.36
50-----	26.4	26.4	24.31	22.67	21.04	18.60	19.76	17.65	18.67
55-----	22.8	22.8	20.89	19.62	18.44	16.27	17.09	14.98	15.88
60-----	19.4	19.4	17.83	16.95	16.14	14.22	14.69	12.78	13.60
65-----	16.3	16.3	15.12	14.54	13.95	12.24	12.61	10.82	11.38
70-----	13.5	13.5	12.46	12.29	11.81	10.38	10.25	9.22	9.62
75-----	11.5	11.3	10.10	10.15	9.80	8.62	8.37	7.55	7.90
80-----	9.4	9.3	7.66	8.15	8.00	6.90	6.58	6.05	6.48
85-----	7.4	7.2	5.44	6.15	6.38	5.48	5.22	5.09	5.10

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.

SECTION 5 - LIFE TABLES

5-11

Table 5-5. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-72

[Estimates based on life table values shown in table 5-4]

AREA AND YEAR	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
UNITED STATES									
1972 ^{1,2}	71.1	67.4	75.1	72.0	68.3	75.9	65.6	61.5	69.9
1971 ²	71.1	67.4	75.0	72.0	68.3	75.8	65.6	61.6	69.7
1970 ²	70.9	67.1	74.8	71.7	68.0	75.6	65.3	61.3	69.4
1969	70.4	66.8	74.3	71.3	67.8	75.1	64.3	60.5	68.4
1968	70.2	66.6	74.0	71.1	67.5	74.9	63.7	60.1	67.5
1967	70.5	67.0	74.2	71.3	67.8	75.1	64.6	61.1	68.2
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 ³	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962 ³	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.4	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Deaths based on a 50-percent sample.²Excludes deaths of nonresidents of the United States.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page		
Sources of data.....	6-3	Mortality by month and date of death.....	6-17
Death and fetal-death statistics...	6-3		
Standard certificates	6-3	Quality of data	6-17
History.....	6-4	Completeness of registration.....	6-17
Classification of data	6-6	Massachusetts data	6-17
Classification by occurrence and residence.....	6-6	Quality control procedures.....	6-17
Geographic classification.	6-7	Estimates of errors arising from 50-percent sample.....	6-18
Age	6-8	Computation of rates and other measures	6-21
Race and color	6-8	Population bases.....	6-21
Fetal deaths.....	6-8	Age-adjusted death rates	6-22
Cause of death.....	6-11	Symbols used in tables	6-22
Maternal deaths.....	6-16		
Report of autopsy	6-16		

Figures

6-A. Standard Certificate of Death.....	6-4
6-B. Standard Certificate of Fetal Death	6-5

Text table

6-A. Percent errors of estimated numbers of deaths by size of estimate and total deaths in the area: United States, 1972	6-19
--	------

Population tables

6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1972	6-23
6-2. Estimates of total resident population of the United States, by age, race, and sex: July 1, 1972	6-24
6-3. Estimates of total resident population by age, for the United States, each division and State: July 1, 1972	6-25

SECTION 6 - TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Mortality statistics for 1972, unlike those for previous years, are based on information obtained from a 50-percent sample of death records instead of from all records received by the National Center for Health Statistics (NCHS). The records are furnished by the registration States, the District of Columbia, and the registration cities. The reduction to a 50-percent sample resulted from personnel and budgetary restrictions and was in effect only for 1972. Processing of all records was resumed for 1973. Fetal death statistics for 1972 are based, as always, on all fetal death records received.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, and Guam in the statistical tabulations, in this report *United States* refers only to the aggregate of the 50 States and the District of Columbia.

Death statistics for Puerto Rico, the Virgin Islands, and Guam are not included for 1972 but will be restored in the 1973 report. The Virgin Islands was admitted to the "registration area" for deaths in 1924; Puerto Rico, in 1932; and Guam, in 1970. Tabulations for Puerto Rico and the Virgin Islands have been regularly shown in the annual volumes from the year of their admission through 1971, except for the years 1967 through 1969. Tabulations for Guam have been included only for the years 1970 and 1971. Information for 1972 for these three areas is published in the respective annual vital statistics reports of the Department of Health of the Commonwealth of Puerto Rico, the Department of Health of the Virgin Islands, and the Department of Public Health and Social Services of the Government of Guam.

Another change from procedures for prior years, begun for 1971 and continued for 1972, is that tabulations of deaths are based on information from two sources. Before 1971 tabulations of deaths and fetal deaths were based solely on information obtained from copies of the original certificates. The information from these copies was edited, classified, and tabulated. For 1960 and for each year thereafter through 1970 all mortality information taken from these records has been transferred by NCHS to magnetic tape for computer processing. However, for 1971 for Florida, and for 1972 for Florida and five

additional States—Maine, Missouri, New Hampshire, Rhode Island, and Vermont—mortality tabulations, except those for cause of death and fetal deaths, are based on information derived from computer tapes of data coded by these States and provided to NCHS through the Cooperative Health Statistics System.

For the remaining 44 States, the District of Columbia, and the registration cities, mortality statistics for 1972, including cause of death and fetal death statistics, are again based on information obtained directly from copies of the original certificates received from the registration offices. The registration cities for 1972 were Baltimore, New Orleans, and New York City (five boroughs).

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the standard certificates of death and fetal death have been recommended for State use beginning January 1, 1968. These standard certificates are shown in figures 6-A and 6-B. The certificate of death shown in figure 6-A is for use by either a physician or a medical examiner or coroner.

Two other forms of the Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one while the other is designed for the medical examiner's or coroner's signature.

of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census

Figure 6-A

(PHYSICIAN, MEDICAL EXAMINER OR CORONER)
U.S. STANDARD
CERTIFICATE OF DEATH

U.S. GOVERNMENT PRINTING OFFICE : 1967 OF--241-659

FORM APPROVED BUDGET BUREAU NO. 08-21901

TYPE, OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER STATE FILE NUMBER

1. DECEASED—NAME FIRST MIDDLE LAST		2. SEX		3. DATE OF DEATH (MONTH, DAY, YEAR)	
4. RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)		5a. AGE—LAST BIRTHDAY (YEARS)		6. DATE OF BIRTH (MONTH, DAY, YEAR)	
7a. CITY, TOWN, OR LOCATION OF DEATH		7b. INSIDE CITY LIMITS (SPECIFY YES OR NO)		7c. HOSPITAL OR OTHER INSTITUTION—NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)	
8. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)		9. CITIZEN OF WHAT COUNTRY		10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY)	
11. SURVIVING SPOUSE (IF WIFE, GIVE MAIDEN NAME)		12. SOCIAL SECURITY NUMBER		13. USUAL OCCUPATION (GIVE KIND OF WORK DONE DURING MOST OF WORKING LIFE, EVEN IF RETIRED)	
14. RESIDENCE—STATE COUNTY		15. CITY, TOWN, OR LOCATION		16. KIND OF BUSINESS OR INDUSTRY	
17. FATHER—NAME FIRST MIDDLE LAST		18. MOTHER—MAIDEN NAME FIRST MIDDLE LAST		19. RESIDENCE—STATE COUNTY	
20. CITY, TOWN, OR LOCATION		21. INSIDE CITY LIMITS (SPECIFY YES OR NO)		22. STREET AND NUMBER	
23. INFORMANT—NAME		24. MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)		25. USUAL RESIDENCE WHERE DECEASED LIVED, IF DEATH OCCURRED IN INSTITUTION, GIVE RESIDENCE BEFORE ADMISSION.	
26. PART I. DEATH WAS CAUSED BY: IMMEDIATE CAUSE		27. ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)		28. APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH	
29. (a) DUE TO, OR AS A CONSEQUENCE OF:		30. (b) DUE TO, OR AS A CONSEQUENCE OF:		31. (c) DUE TO, OR AS A CONSEQUENCE OF:	
32. CONDITIONS, IF ANY, WHICH GAVE RISE TO IMMEDIATE CAUSE (a), STATING THE UNDERLYING CAUSE LAST		33. PART II. OTHER SIGNIFICANT CONDITIONS: CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a)		34. AUTOPSY (YES OR NO)	
35. IF YES WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH		36. ACCIDENT, SUICIDE, HOMICIDE, OR UNDETERMINED (SPECIFY)		37. DATE OF INJURY (MONTH, DAY, YEAR)	
38. INJURY AT WORK (SPECIFY YES OR NO)		39. PLACE OF INJURY AT HOME, FARM, STREET, FACTORY, OFFICE BLDG., ETC. (SPECIFY)		40. HOUR	
41. HOW INJURY OCCURRED (ENTER NATURE OF INJURY IN PART I OR PART II, ITEM 18)		42. LOCATION (STREET OR R.F.D. NO., CITY OR TOWN, STATE)		43. AND LAST SAW HIM/HER ALIVE ON	
44. CERTIFICATION—PHYSICIAN: I ATTENDED THE DECEASED FROM		45. TO		46. AND LAST SAW HIM/HER ALIVE ON	
47. CERTIFICATION—MEDICAL EXAMINER OR CORONER: ON THE BASIS OF THE EXAMINATION OF THE BODY AND/OR THE INVESTIGATION, IN MY OPINION, DEATH OCCURRED ON THE DATE AND DUE TO THE CAUSE(S) STATED.		48. HOUR OF DEATH		49. THE DECEASED WAS PRONOUNCED DEAD	
50. CERTIFIER—NAME (TYPE OR PRINT)		51. SIGNATURE		52. DEGREE OR TITLE	
53. MAILING ADDRESS—CERTIFIER		54. STREET OR R.F.D. NO.		55. CITY OR TOWN	
56. BURIAL, CREMATION, REMOVAL (SPECIFY)		57. CEMETERY OR CREMATORY—NAME		58. LOCATION	
59. DATE (MONTH, DAY, YEAR)		60. FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)		61. CITY OR TOWN	
62. FUNERAL DIRECTOR—SIGNATURE		63. REGISTRAR—SIGNATURE		64. DATE RECEIVED BY LOCAL REGISTRAR	
65. M. TO THE CAUSE(S) STATED.		66. M.		67. M.	

PHS-797-1 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly

enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was

Figure 6-B

U.S. STANDARD
CERTIFICATE OF FETAL DEATH

FORM APPROVED
BUDGET BUREAU NO. 48-81902

TYPE, OR PRINT IN PERMANENT INK
SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER _____ STATE FILE NUMBER _____

FETUS—NAME FIRST MIDDLE LAST DATE OF DELIVERY (MONTH, DAY, YEAR) HOUR

1. _____ 2a. _____ 2b. _____ AM.

SEX THIS DELIVERY—SINGLE, TWIN, TRIPLET, ETC. IF NOT SINGLE DELIVERY BORN FIRST, SECOND, THIRD, ETC. (SPECIFY) COUNTY OF DELIVERY

3. _____ 4a. _____ 4b. _____ 5a. _____

CITY, TOWN, OR LOCATION OF DELIVERY INSIDE CITY LIMITS (SPECIFY YES OR NO) HOSPITAL—NAME (IF NOT IN HOSPITAL, GIVE STREET AND NUMBER)

5b. _____ 5c. _____ 5d. _____

MOTHER—MAIDEN NAME FIRST MIDDLE LAST AGE (AT TIME OF THIS DELIVERY) STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

6a. _____ 6b. _____ 6c. _____

RESIDENCE—STATE COUNTY CITY, TOWN, OR LOCATION INSIDE CITY LIMITS (SPECIFY YES OR NO) STREET AND NUMBER

7a. _____ 7b. _____ 7c. _____ 7d. _____ 7e. _____

FATHER—NAME FIRST MIDDLE LAST AGE (AT TIME OF THIS DELIVERY) STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

8a. _____ 8b. _____ 8c. _____

9. PART I. FETAL DEATH WAS CAUSED BY: [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)] SPECIFY FETAL OR MATERNAL

FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH IMMEDIATE CAUSE (a) _____

FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE (b) _____

10b. _____

10c. _____

PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: CONDITIONS CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (c) _____

10. _____

11a. _____

11b. _____

I CERTIFY THAT THIS DELIVERY OCCURRED ON THE DATE STATED ABOVE AND THE FETUS WAS BORN DEAD DATE SIGNED (MONTH, DAY, YEAR) ATTENDANT—M.D., D.O., MIDWIFE, OR OTHER

12a. SIGNATURE _____ 12b. _____ 12c. (SPECIFY)

CERTIFIER—MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP) AUTHORIZED OFFICIAL (IF DELIVERY NOT ATTENDED BY PHYSICIAN)

12d. _____ 13. SIGNATURE _____

BURIAL, CREMATION, OR REMOVAL (SPECIFY) CEMETERY OR CREMATORY—NAME LOCATION (CITY OR TOWN, STATE)

14a. _____ 14b. _____ 14c. _____

DATE (MONTH, DAY, YEAR) FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

14d. _____ 14e. _____

14f. _____

FUNERAL DIRECTOR—SIGNATURE REGISTRAR—SIGNATURE DATE RECEIVED BY LOCAL REGISTRAR

15a. _____ 15b. _____ 15c. _____

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

FATHER RACE—FATHER EDUCATION—SPECIFY HIGHEST GRADE COMPLETED PREVIOUS DELIVERIES—HOW MANY OTHER CHILDREN

WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) ELEMENTARY HIGH SCHOOL COLLEGE ARE NOW LIVING WERE BORN ALIVE—NOW WERE BORN DEAD (FETAL DEATH AT ANY TIME AFTER CONCEPTION)

17. _____ 18. _____ 19a. _____ 19b. _____ 19c. _____

MOTHER RACE—MOTHER EDUCATION—SPECIFY HIGHEST GRADE COMPLETED DATE OF LAST LIVE BIRTH DATE OF LAST FETAL DEATH

WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) ELEMENTARY HIGH SCHOOL COLLEGE MONTH DAY YEAR MONTH DAY YEAR

20. _____ 21. _____ 22a. _____ 22b. _____

DATE LAST NORMAL MENSTRUATION BEGAN (MONTH, DAY, YEAR) MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2D, ETC. (SPECIFY)) PRENATAL VISITS TOTAL NUMBER IF NONE, SO STATE LEGITIMATE (SPECIFY YES OR NO) BIRTH WEIGHT

23. _____ 24a. _____ 24b. SO STATE 25. _____ 26. _____

COMPLICATIONS RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") BIRTH INJURIES TO FETUS I DESCRIBE OR WRITE "NONE"

27. _____ 28. _____

COMPLICATIONS NOT RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS I DESCRIBE OR WRITE "NONE"

29. _____ 30. _____

FETAL DEATH(S) COMPLICATIONS OF LABOR (DESCRIBE OR WRITE "NONE")

31. _____

GPO : 1967 OF-241-642

PHS-798 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of the States included in the registration system. Both registration areas included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 3, "Classification and Encoder Instructions for Live Births and Fetal-Death Records, 1972,"

and Part 4, "Demographic Classification and Encoder Instructions for Death Records, 1972."

The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for the United States and specified geographic areas in this report are by place of residence unless stated as by place of occurrence. Before 1970 resident mortality statistics for the United States included all deaths occurring in the 50 States and the District of Columbia, with deaths of "nonresidents of the United States" assigned to place of death. "Deaths of nonresidents of the United States" refers to deaths that occur in the United States to nonresident aliens, nationals residing abroad, and residents of Puerto Rico, the Virgin Islands, and other possessions of the United States.

Tables by place of occurrence, on the other hand, include both deaths to residents and to nonresidents of the United States. Consequently for each year during 1970-72 the total number of deaths in the United States by place of occurrence is somewhat greater than the total by place of residence. For 1972 this difference amounts to 2,058 deaths.

Mortality statistics by place of occurrence are shown in tables 1-10, 1-19, 1-20, 1-30, 3-1, 3-8, 7-1, and 7-7.

Except for the years 1964 and 1965, deaths to nonresidents of the United States occurring in the United States have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965 deaths occurring in the United States to nonresidents of the United States were allocated as deaths to residents of the balance of the county in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.¹

A comparison of the results of this study of deaths with those for a previous matched record study of births² shows that considerable improve-

¹National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 30. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1969.

²National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950, *Vital Statistics—Special Reports*, Vol. 47, No. 12. Public Health Service. Washington, D.C., Mar. 1962.

ment in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously.

The geographic codes assigned by the National Center for Health Statistics during data reduction of source information on birth, death, and fetal death records are given in *Vital Statistics Instruction Manual*, Part 8, "Vital Records Geographic Classification, 1970."

For 1972 there is also available upon request an unpublished computer listing of the geographic codes contained in the computer tapes. The 13-digit codes in this listing are not the same codes as the five-digit codes for the State-city or State-balance of county in the above-mentioned manual entitled "Vital Records Geographic Classification, 1970." Instead each of these 13-digit codes is a conversion of the two five-digit codes into a combination code for the State-county-city (seven-digits), together with codes for "population size," SMSA's and MSEA's, and metropolitan and nonmetropolitan counties. This listing for 1972 is the same as that used for 1970 and 1971. It is planned to use it also for each of the remaining years in this decade.

Standard metropolitan statistical areas.—Except in the New England States, a standard metropolitan statistical area (SMSA) is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1970 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character

and are socially and economically integrated with the central city or cities.³

In New England the U.S. Office of Management and Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the U.S. Bureau of the Census, which is made up of county units, is used.⁴

For tables in this report numbered 7-4 and 7-8 the SMSA's and their component counties are those established by the U.S. Office of Management and Budget as of 1970 (except in the New England States) and used by the U.S. Bureau of the Census.

Tables numbered 1-18 and 2-8, however, are limited to the 50 largest SMSA's and MSEA's (in the New England States) established by the Office of Management and Budget for 1972. These 50 largest units and their component counties for 1972 are the same as those for 1971.

But the list of 50 largest units for 1971 and 1972 differs from the list for 1970. Moreover the county components for some of the SMSA's and MSEA's that appear on both lists are different for 1971 and 1972 from the components for 1970.

As a result, sometimes the number of deaths shown for the same-named SMSA or MSEA in tables 7-4 and 7-8 based on units established for 1970 will differ from the number of deaths shown in tables 1-18 and 2-8 based on units established for 1971 and 1972.

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁵

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England

³For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1970, Number of Inhabitants, United States Summary*, Final Report, PC(1)-1A, Washington, U.S. Government Printing Office, 1971, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1967.

⁴For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

⁵See footnote 3.

MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital Statistics data for cities and certain other urban places in 1972 are classified according to the population enumerated in the 1970 Census of Population. In this report "Population-size groups" refers to two groups, "Urban places" and "Balance of area." "Urban places" consists of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 places were classified as "urban" or "rural." The Technical Appendixes for earlier years discuss the previous classification system.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States in 1972 are classified by race for vital statistics into white, Negro, Indian, Chinese, Japanese, and all other.

The category "white" includes in addition to persons reported as "white," those reported as Mexican, Puerto Rican, Cuban, and all other Caucasians. The category Indian includes "American," "Alaskan," "Canadian," "Eskimo," and "Aleut." If the racial entry on the death certificate indicates a mixture of Hawaiian and any other race, the entry is coded to Hawaiian. If the race is given as a mixture of white and any other race, the entry is coded to the appropriate other race. If a mixture of races other than white is given (except Hawaiian), the entry is

coded to the first race listed. This procedure for coding the first race listed has been in use for each year of the period 1969-72. Prior to 1969 if the entry for race was a mixture of Negro and any other race, except Hawaiian, the entry was coded to Negro.

Most of the tables in this report, however, do not show data for this extended classification by race. In some tables the divisions are "white," "Negro," and "other." In other tables where the main purpose is to isolate the major group, the classifications are simply "white" and "all other."

Race not stated.—For 1972 the number of death records for which the race was not stated was 5,598 or 0.3 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment is made to white; if the code is other than white, the assignment is made to Negro. For years prior to 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962-64.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item.

Adjustments made in vital statistics to take into account the omission of the race item in New Jersey for part of the certificates filed during 1962-64 are described in the Technical Appendix of *Vital Statistics of the United States* for each of these data years.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."⁶ The term "fetal

⁶National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as still-birth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.⁷

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)	Group II
28 completed weeks of gestation and over (late fetal deaths)	Group III
Gestation period not classifiable in groups I, II, and III	Group IV

Until 1939 the nationally recommended procedure for registration of fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is

⁷For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

substantial evidence that not all fetal deaths for which registration is required are reported.⁸

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that, for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to maximize the comparability of data by year and by State, most of the tables in Section 3 are based on fetal deaths occurring at gestations of 20 or more weeks. These tables also include fetal deaths of not stated or unknown gestation for those States requiring registration at 20 or more weeks only. Before 1969 all fetal deaths of unknown gestation were included. Beginning with 1969 fetal deaths of not stated gestation were excluded for States requiring registration of all products of conception, unless there was evidence, such as high birth weight, that those fetuses were of 20 or more weeks' gestation.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal deaths.

Massachusetts.—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the city of Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, and by about 23 percent for 1966.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more

⁸Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks
- 6 months to 24-27 weeks
- 7 months to 28-31 weeks
- 8 months to 32-35 weeks
- 9 months to 40 weeks
- 10 months and over to 43 weeks and over

With the adoption of the 1968 revision of the fetal-death certificate and the increased use of the first day of LMP by the reporting areas, the errors in reporting length of gestation have been minimized. The proportion of fetal deaths assigned to gestation of 36 and 40 weeks has diminished, while the proportion of gestations of 37-39 weeks and 41 weeks and gestation length not stated has increased. In 1972 the areas using LMP were as follows:

Alaska	Maine	North Dakota
Arizona	Maryland	Ohio
California	Massachusetts	Oklahoma
Colorado	Michigan	Oregon
District of Columbia	Minnesota	Rhode Island
Florida	Mississippi	South Carolina
Hawaii	Missouri	South Dakota
Illinois	Montana	Tennessee
Indiana	Nebraska	Utah
Iowa	Nevada	Vermont
Kansas	New Hampshire	Washington
Kentucky	New Jersey	West Virginia
Louisiana	New York	Wyoming
	North Carolina	

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

- 500 grams or less = 1 lb. 1 oz. or less
- 501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
- 1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.

- 1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
- 2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
- 2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
- 3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
- 3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
- 4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
- 4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
- 5,001 grams or more = 11 lb. 1 oz. or more

Race and color.—The race of the fetus is ordinarily classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with two exceptions: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is classified as Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated to the specific race of the fetus on preceding record.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 and 1968 revisions of the Standard Certificate of Fetal Death, the item on previous fetal loss included all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration States requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of live birth and fetal death in use during 1972:

Alaska	Florida	Louisiana
Arizona	Georgia	Maine
Arkansas	Hawaii	Maryland
Colorado	Illinois	Massachusetts
Connecticut	Indiana	
Delaware	Iowa	

Michigan	New York	South Dakota
Minnesota	North Carolina	Utah
Mississippi	North Dakota	Vermont
Missouri	Ohio	Virginia
Montana	Oklahoma	Washington
Nebraska	Oregon	West Virginia
Nevada	Pennsylvania	Wyoming
New Hampshire	Rhode Island	
New Jersey	South Carolina	

The total number of fetal deaths shown in tables 3-10 and 3-12 is limited to those with stated or presumed period of gestation of 20 weeks or more. The determination, however, of the total-birth order for these fetal deaths is based on the number of previous live births and fetal deaths for all periods of gestation, except for those live births and fetal deaths occurring to residents of the District of Columbia and the following seven States: Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin. The fetal-death certificates of these States provide total-birth order information only for previous live births and fetal deaths of 20 or more weeks' gestation.

Thus the total-birth order for the District of Columbia and these seven States is based on fewer fetal deaths than would be the case if their fetal-death certificates had requested the number of previous fetal deaths for all periods of gestation, as do the certificates used by the other 43 States. It follows, therefore, that the total-birth order given in table 3-12 for these 43 States is not strictly comparable with that given for the District of Columbia and the remaining seven States.

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1972. These States are as follows:

Alabama	Kentucky	Oregon
Alaska	Louisiana	Pennsylvania
Arizona	Maine	Rhode Island
Colorado	Michigan	South Carolina
Delaware	Minnesota	South Dakota
District of Columbia	Mississippi	Tennessee
Florida	Missouri	Texas
Georgia	Nebraska	Utah
Hawaii	Nevada	Virginia
Illinois	New Hampshire	Washington
Indiana	New Jersey	West Virginia
Iowa	North Carolina	Wisconsin
Kansas	North Dakota	Wyoming
	Oklahoma	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Underregistration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

Cause of death

Beginning with data year 1968 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*,⁹ which is based on the 1965 Revision of the International Classification of Diseases (ICD).¹⁰ The ICDA gives greater detail and specificity in some categories than is provided by the Eighth Revision of the ICD. Complete correspondence between these two classifications was maintained at the three-digit level, but new four-digit subdivisions were created in various parts of the ICDA. Where necessary, existing four-digit subdivisions are renumbered to accommodate the additional subcategories in logical sequence. In the ICDA, subdivisions which do not correspond exactly with the ICD are identified by asterisks. In this report the four-digit subcategory numbers which differ from those in the ICD are also shown with asterisks.

In addition to specifying that the Classification be used, the World Health Organization recommended special lists for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A,

⁹National Center for Health Statistics: *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office. 1967.

¹⁰World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Eighth Revision Conference, 1965. Geneva. World Health Organization, 1967.

the List of 150 Causes for Tabulation of Morbidity and Mortality; List B, the List of 50 Causes for Tabulation of Mortality; and List P, the List of 100 Causes for Tabulation of Perinatal Morbidity and Mortality. The recommended tabulation lists have been modified for use in the National Center for Health Statistics.

The Each-Cause List is made up of each three-digit category of the Detailed List to which deaths may be assigned and each four-digit subcategory of the ICDA to which deaths may be assigned. For category 412 the fourth digits .1, .2, .3, and .4 are used instead of the fourth digits .0 and .9 which appear in the ICDA. The each-cause table (1-23) does not show the fourth-digit subcategories provided for Motor vehicle accidents (E810-E823). However, these subcategories, which identify persons injured, are shown in the accident tables (Sec. 4). Special fifth-digit subcategories are also used in the accident tables to identify place of accident when deaths from nontransport accidents are shown.

The List of 281 Selected Causes of Death is an extension of List A designed so that with one exception the original groups can be obtained by combining titles. The individual titles in List A for Certain causes of mortality in early infancy are shown as one group title in tables using the List of 281 Selected Causes. The individual categories are shown in tables using the List of 65 Selected Causes of Infant Death, which was created by extending some titles in List P and by combining others. Titles in List P not shown in this list may be found in the each-cause table with the exception of causes of death in List P that are applicable only to fetal deaths.

The List of 69 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately. These causes are Cholera, Typhoid fever, Plague, Diphtheria, Smallpox, Typhus and other rickettsioses, and Malaria.

The List of 34 Selected Causes of Death for Detailed Geographic Areas was created by combining titles in the List of 69 Selected Causes.

These lists were designed to be as comparable as possible to the NCHS lists most recently in use under the Seventh Revision. In several instances this could not be done. No attempt will be made here to enumerate these changes. However, the following changes are especially worth noting. The group title Major cardiovascular diseases (ICDA Nos. 390-448) includes all of the titles in "Section VII. Diseases of the circulatory system" of the Eighth Revision except the following one: Diseases of veins and lymphatics

and other diseases of circulatory system (ICDA Nos. 450-458).

The most nearly comparable group title in the Seventh Revision is Diseases of cardiovascular system (ICD Nos. 330-334, 400-468).

Both of these group titles include the first and third leading causes of death—Diseases of heart (ICDA Nos. 390-398; 402, 404, 410-429) and Cerebrovascular diseases (ICDA Nos. 430-438). They also both include Diseases of arteries, arterioles, and capillaries (ICDA Nos. 440-448). The comparable title in the Seventh Revision for these latter diseases is Diseases of arteries (ICD Nos. 450-456). But the group title Diseases of cardiovascular system (ICD Nos. 330-334, 400-468) in the Seventh Revision includes also the title Diseases of veins and other diseases of circulatory system (ICD Nos. 460-468). These diseases of veins and other diseases of circulatory system (assigned by the Eighth Revision to ICDA Nos. 450-458) are not included, however, under the Eighth Revision group title Major cardiovascular diseases (ICDA Nos. 390-448).

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends is not considered a problem of great concern. Van Buren described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death.¹¹ Dunn and Shackley measured the change in mortality statistics by cause due to the Fifth Revision.¹² This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July

¹¹U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics—Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

¹²U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics—Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.^{13,14}

¹³National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with the population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁵ were integrated into the manual.¹⁶ Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume I, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast

States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

¹⁴National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

¹⁵World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, *Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva. World Health Organization, 1953.

¹⁶World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955. Geneva. World Health Organization, 1957.

for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."¹⁷

Eighth Revision.—The Eighth Revision contains major modifications in several sections of the lists. Also, the international rules for selecting the underlying cause have been simplified. In addition, changes have been introduced in the special rules and decisions which adapt the coding procedures to reporting practices in the United States.

The Detailed List of the Eighth Revision consists of 671 categories of diseases and morbid conditions, 182 categories for classification of the external cause of injury, and 187 categories for characterization of injuries according to the nature of the lesion. These detailed categories are designated by three-digit numbers. There are also four-digit subcategories in the ICDA that provide further specificity or more information regarding etiology or manifestations of the disease. The Classification is arranged in 17 main

sections, or chapters. The important changes are summarized for each of these sections in the introduction to the ICDA, pages xxiv-xxviii. Following are some of the many changes made:

Infective and parasitic diseases.—In the Seventh Revision, list titles for diarrheal conditions were scattered over several sections of the Classification. In the Eighth Revision all the Seventh Revision subdivisions for these conditions, including those for infants, are brought together under one category, Diarrheal diseases (009).

Diseases of the nervous system and sense organs.—Vascular lesions affecting central nervous system (330-334) in the Seventh Revision has been transferred in the Eighth Revision to Section VII, Diseases of the circulatory system, where they appear as Cerebrovascular diseases (430-438).

Certain causes of perinatal morbidity and mortality.—This section represents an integration of Section XV (Certain diseases of early infancy) and Classification of causes of stillbirth (Y30-Y39) in the Seventh Revision. The age qualifications used in previous revisions to classify the same conditions in or outside this section have been deleted. For example, Pneumonia of newborn (763) of the Seventh Revision is no longer in this section. Instead, it is included in the Eighth Revision with Pneumonia (480-486), to which pneumonias are assigned without regard to age.

Accidents, poisonings, and violence.—A new subsection (E980-E989) has been introduced for the classification of deaths where it was not possible for the certifier to determine whether the injuries were accidentally or purposely inflicted.

Comparability between the Eighth and Seventh Revisions.—In order to measure the degree of discontinuity in cause-of-death statistics resulting from the introduction of the Eighth Revision, provisional estimates of selected comparability ratios based on dual coding of a stratified sample of 1966 death certificates by the Seventh and Eighth Revisions of the International Classification of Diseases were computed. These ratios appear in the *Monthly Vital Statistics Report* of the National Center for Health Statistics, Volume 17, Number 8, Supplement.

Coding in 1972.—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new develop-

¹⁷National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

ments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures.¹⁸ No significant coding changes occurred in 1972.

Significant coding changes during the Eighth Revision.—Beginning with 1969, a special four-digit subcategory Chronic obstructive lung disease (*519.3) has been added to obtain the number of certificates on which medical certifiers have entered this more general term rather than a more specific diagnosis of chronic bronchitis, emphysema, or asthma. The number of certificates assigned to (*519.3) increased from 2,704 for 1969 to 8,210 for 1972. It is necessary to add together the number of deaths assigned to this new four-digit category and the number of deaths assigned to Bronchitis, emphysema, and asthma (ICDA Nos. 490-493) to obtain a measure of mortality from all chronic obstructive lung diseases.

To provide that deaths would not be assigned to Chronic obstructive lung disease (*519.3) if a more specific diagnosis such as chronic bronchitis, emphysema, or asthma also appeared on the death certificate, the coding procedures were updated for 1971 and 1972 data years in accordance with the linkages below:

*519.3 Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema

Excludes conditions in 519.3 with conditions in:

- 490 Bronchitis (491) (Chronic bronchitis)
- 491 (Chronic bronchitis) (491)
- 492 (Emphysema) (492)
- 493 (Asthma) (493)

But the limitation imposed by these linkage provisions did not alter the upward trend in the number of deaths assigned to Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (*519.3). The number of deaths assigned to (*519.3) increased from 6,321 for 1971 to 8,210 for 1972.

Under the Eighth Revision of the ICDA, deaths assigned to "chronic obstructive lung disease," or "chronic obstructive pulmonary disease," were assigned to Other diseases of lung (ICDA No. 519.2). Despite the transfer of these deaths from this

category to the new category Chronic obstructive lung disease (*No. 519.3), the number of deaths assigned to Other diseases of lung (ICDA No. 519.2) also continued to increase—from 1,306 deaths for 1969 to 1,648 for 1972.

Also beginning with 1971, a special four-digit subcategory (*E854.8) has been added to identify "acute narcotism, not otherwise specified," whether or not the circumstances were undetermined. Also, a preference will be given to Drug dependence (ICDA No. 304) when a statement of drug dependence or a synonymous term appears on the certificate with mention of poisoning by certain addictive drugs.

In addition, beginning with 1971, the term cerebral sclerosis (general) is classified to Generalized ischemic cerebrovascular disease (ICDA No. 437) rather than to Other demyelinating diseases of central nervous system (ICDA No. 341). As a result of this transfer the number of deaths assigned to this latter category decreased from 569 for 1970 to 96 for 1971.

Since 1968 the use of an automated system for obtaining the underlying cause requires special coding procedures in NCHS. (See Quality Control Procedures under Quality of Data.) The automated system was designed to assign the underlying cause according to the international rules just as if a manual process were to be used.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information.

¹⁸National Center for Health Statistics: Vital statistics, instructions for medical classification of death records and the underlying cause of deaths, 1972. *NCHS Instruction Manual*, Part 2. Public Health Service. Rockville, Md., 1972.

For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁹

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to the hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."²⁰

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Eighth Revision category numbers 780-792, 795, and 796, which are the rubrics for symptoms and ill-defined conditions. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1972, 1.3 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.3 to 6.7 percent.

¹⁹ For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, pp. 1376-1387.

²⁰ Moriyama, I. M., and others: Evaluations of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

Ranking causes of death.—The causes included in the List of 69 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular-renal diseases and Symptoms and ill-defined conditions, are not ranked. In addition, category titles that begin with the words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Complications of pregnancy, childbirth, and the puerperium (630-678).

Report of autopsy

The last year for which autopsy data were tabulated was 1958. For 1972 all registration States and cities requested information on the death certificate as to whether autopsies were performed. Autopsies were reported, however, on only 375,820 death certificates (19.1 percent of the total, table 1-28). All but nine registration areas (New York City and Alabama, Delaware, Georgia, Idaho, Massachusetts, Pennsylvania, Texas, and Virginia) also requested for 1972 information on nearly all their certificates as to whether the autopsy findings were used in determining the causes of death.

The distribution of deaths for which autopsies were performed according to the entry for the item "autopsy findings used" was as shown in the table below.

Entry for item "autopsy findings used"	Number	Percent
All autopsies	375,820	100.0
Autopsy findings used	209,840	55.8
Autopsy findings not used	15,196	4.0
Item not checked	63,994	17.0
Item not on certificate	86,790	23.0

Data presented in table 1-29 on "findings used" refer not to all deaths for which autopsies were performed (375,820) but only to those for which information on "findings used" was also requested on the certificates (289,030 deaths for which autopsies were performed).

For only seven of the cause-of-death categories shown in table 1-29 were autopsies reported as performed for 50 percent or more of all deaths: Meningococcal infections; Meningitis; Abortions; Other complications of pregnancy, childbirth, and the puerperium; Congenital anomalies; Homicide; and Other external causes.

There were only six other categories for which 40 percent or more death certificates reported autopsies. Autopsies were reported for only 12.0 percent of the major cardiovascular diseases. Among all causes other than the major cardiovascular group, autopsies were reported for 27.1 percent of all deaths.

Mortality by month and date of death

Deaths by month have been regularly tabulated and published in the annual report for each year beginning with data year 1900. For 1972 deaths by month are shown in this report in tables 1-20, 1-21, 1-24, 1-30, 2-10, 2-12, and 3-9.

Death rates by month reflect most clearly the influence of the respiratory diseases. Again for 1972, as for each year since the early 1920's, when the summer peak of mortality was eliminated, the curve of mortality falls to a low during the summer months, and reaches a peak during the winter months. The curve by month for the number of deaths from influenza and pneumonia for 1972 parallels quite closely that for the curve for the number of deaths from all causes. By far the greatest number of deaths from influenza and pneumonia occurred in January for 1972 (table 1-24).

The year 1972 is the first data year for which not only month of death but also date of death are published (table 1-30). Unpublished data for selected causes, by date of death, however, for 1962 are available in NCHS.

Number of deaths by date of death in this report are shown for 1972 for the total number of deaths and for the number of deaths for the following three causes, for which the greatest general interest in date of occurrence of death has been expressed: motor vehicle accidents, suicide, and homicide.

These data in table 1-30 show the frequency distribution of deaths for the selected causes by day of week. They also make it possible to identify holidays with peak numbers of deaths from specified causes.

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.²¹ A similar situation may exist in other States.

As stated above, reporting requirements for fetal deaths vary from State to State, and registration is probably incomplete in all areas.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

Demographic items on the death certificates.—As indicated above, for 1972 the mortality data for these items were obtained from two sources: (1) microfilm images of the original certificates furnished by 44 States and the District of Columbia; and (2) records on data tape furnished by the remaining six States.

²¹Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

Demographic data were simultaneously coded and entered into the data tape record for a 50-percent systematic sample of the microfilm images. A dependent 10-percent sample of this 50-percent sample was verified.

Demographic data for a 50-percent sample of the records on tape furnished by the six States were also used for 1972. This sample consisted of all records for even-numbered certificates. Verification was done for 100 percent of such records received on tape during the first 3 months of 1972 and for 10 percent of such records received during the remainder of the year.

Except for cause-of-death coding discussed below, the above-mentioned verification procedures involve controlling two types of error (coding and entering into the data record tape) at the same time, and the error rates are a combined measure of both types. While it may be assumed that the entering errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. This type of error is partially controlled by reverifying randomly selected lots from each operator's work.

Medical items on the death certificate.—The "Automated Classification of Medical Entities" (ACME), a computer system for assigning the underlying cause of death which was introduced in 1968, was used for assigning the 1972 underlying causes of death.²² The ACME rules for coding conditions are very specific, fewer in number, and far less complicated than the international rules for selecting the underlying cause of death.²³

The coder produces condition codes which the ACME computer program matches against decision tables to select the underlying cause of death for each record according to the international rules. These decision tables serve two primary purposes. They provide a comprehensive guide for the relationship between conditions classifiable to different categories in ICDA when applying rules of selection and modification, and they also provide decisions used when the underlying cause is assigned by the ACME system.

²²Automated Classification of Medical Entities (ACME) for Selection of Causes of Death. Unpublished paper presented at the annual meeting of the American Public Health Association, Houston, Tex., Oct. 1970.

²³National Center for Health Statistics: Vital statistics, instructions for medical classification of death records and the underlying cause of death, 1972. *NCHS Instruction Manual*, Part 2. Public Health Service. Rockville, Md., 1972. pp. 2 and 79-252.

The tables were developed from the decisions and conclusions employed by NCHS in arriving at the underlying causes of death. Relationships between medical conditions involve varying or contradictory opinions. Therefore further refinements of the decision tables will be required periodically.

The decision table instruction manual for 1970-71²⁴ was again used for 1972.

Medical items were coded for only the same 50 percent of death records for which the demographic items were coded. A dependent 10-percent sample was verified.

For cause-of-death coding, systematic errors in coding infrequent events is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment.

Demographic items on fetal death certificates.—As stated above, fetal-death certificates for 1972 are based on all fetal-death records received. Moreover the coding and entering on data tape of fetal-death records was verified completely because of their relatively small number. (Again for 1972, as for prior years, medical items on the fetal-death certificates were not coded.)

Other control procedures.—After completing coding and entering on data tape, record counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

Estimates of errors arising from 50-percent sample

As stated above death statistics in this report (excluding fetal-death statistics) are based on a 50-percent sample of all deaths occurring in the 50 States and the District of Columbia in 1972.

The sample design is essentially a stratified random sample. Each month the death certificates that have been filed during that month are sent by local registrars to the State registrars, where the records are numbered consecutively as they are received. Therefore the records for each local registration area,

²⁴National Center for Health Statistics: Vital statistics, ICDA Eighth Revision decision tables for classifying underlying causes of death, 1970-1971. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1972.

usually a county, are numbered sequentially, and the total file of death records for each State is grouped by county of occurrence.

Microfilm copies of the death records filed in the States were forwarded each month in 1972 to the National Center for Health Statistics. In addition, as described above, six States prepared and forwarded computerized tapes of the demographic items for the death records filed in their States. The microfilm copies from the other 44 States and the District of Columbia together with the tapes sent by the six States constituted the sampling frame from which the 50-percent sample of death records was drawn on the basis of the terminal digit of the record number, with the even-numbered records being selected for the sample.

Based primarily on this ordering of the death certificates, sample errors for aggregates have been computed on the assumption that simple random samples have been drawn not only for the United States and each State and the District of Columbia, but also for smaller geographic units within these larger units (including SMSA's, MSEA's, individual counties, and special registration areas).

The number of subgroups for which these computed standard errors may be used is limited, of course, to the number of sub-groups for which the total count of deaths (denoted by N in table 6-A, not an estimate from the sample) is known or obtainable.

The total count of deaths by place of occurrence, not only for the United States but for each State,

county, or special registration area may be taken to be the number of deaths for the specified area shown in this report.

It must be remembered, however, that the totals by place of residence are not based on an actual count of one-half the deaths for the specified place of residence. Rather they are estimates obtained from the 50-percent sample. For the United States as a whole, each State, and each SMSA and MSEA, these estimates are believed to be a close approximation to the true number of deaths occurring to residents of these specified areas.

But for smaller geographic units, deaths to residents shown in these tables may be subject to considerable sampling error.

Estimates of the percent errors shown in table 6-A represent the standard error of the estimated number of deaths (denoted by X' in the table) expressed as a percent of the estimate. These estimates of the percent errors are the square root of the rel-variance of the estimate x', multiplied by 100.

The term rel-variance is a shortening of "relative variance."²⁵ It is the square of the following ratio: standard error of the estimate divided by the value being estimated.

²⁵Cf. Hansen, Hurwitz, and Madow, *Sample Survey Methods and Theory*, Vol. 1, ch. 4, p. 124, second printing, 1957.

Table 6-A. Percent errors of estimated numbers of deaths by size of estimate and total deaths in the area: United States, 1972

Estimated number of deaths with a specified characteristic: denoted by x'	Total deaths in the area: ¹ denoted by N																
	30	50	100	250	500	1,000	2,000	5,000	10,000	20,000	50,000	100,000	500,000	1,000,000	2,000,000	4,000,000	
	Relative standard error in percent																
10	26.7	28.9	30.3	31.1	31.4	31.5	31.6	31.6	31.6	31.6	31.6	31.6	31.6	31.6	31.6	31.6	31.6
20	13.4	17.7	20.2	21.5	22.0	22.2	22.3	22.3	22.3	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4
30	0.0	11.8	15.4	17.2	17.7	18.0	18.1	18.2	18.2	18.2	18.3	18.3	18.3	18.3	18.3	18.3	18.3
50		0.0	10.1	12.7	13.4	13.8	14.0	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1
100			0.0	7.8	9.0	9.5	9.8	9.9	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
250				0.0	4.5	5.5	5.9	6.2	6.2	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
500					0.0	3.2	3.9	4.2	4.4	4.4	4.4	4.5	4.5	4.5	4.5	4.5	4.5
1,000						0.0	2.2	2.8	3.0	3.1	3.1	3.1	3.2	3.2	3.2	3.2	3.2
2,000							0.0	1.7	2.0	2.1	2.2	2.2	2.2	2.2	2.2	2.2	2.2
5,000								0.0	1.0	1.2	1.3	1.4	1.4	1.4	1.4	1.4	1.4
10,000									0.0	0.7	0.9	0.9	1.0	1.0	1.0	1.0	1.0
20,000										0.0	0.5	0.6	0.7	0.7	0.7	0.7	0.7
50,000											0.0	0.3	0.4	0.4	0.4	0.4	0.4
100,000												0.0	0.3	0.3	0.3	0.3	0.3
200,000													0.2	0.2	0.2	0.2	0.2
500,000														0.0	0.1	0.1	0.1
1,000,000															0.0	0.1	0.1

¹By place of occurrence "Total deaths in the area" refers to the numbers of deaths occurring in the city, county, or State; by place of residence "Total deaths in the area" refers to the number of deaths to residents of the State.

The estimates of the percent errors in table 6-A may be denoted by $100 V_{x'}$, and are computed as follows:

$$100 V_{x'} = 100 \sqrt{\frac{N - x'}{x' (N - 2)}}$$

where

$V_{x'}$ = the square root of the rel-variance of the estimate x'

$100 V_{x'}$ = the percent error of this estimate

x' = the estimated number of deaths with a specified characteristic

N = the number of registered deaths in 1972 in a specified geographic area or other subgroup.

For an example of how to use the table, consider a State in which 50,000 deaths have been registered, and an estimate of 500 deaths from Malignant neoplasm of respiratory system has been obtained from the 50-percent sample. The chances are about 2 out of 3 that the percent difference between the estimate of 500 deaths and the actual number of registered deaths from this cause is less than the percent error shown in table 6-A (4.4 percent, representing 22 deaths). The chances are about 19 out of 20 that the percent difference is less than twice the percent error shown in the table (8.8 percent, representing 44 deaths).

For another example, consider a State or other geographic area in which only 2,000 deaths have been registered, and an estimate of 500 deaths among the white male population has been obtained from the 50-percent sample. The chances are about 2 out of 3 that the percent difference between the estimate of 500 deaths and the actual number of deaths among the white male population is less than the percent error shown in the table for these values (3.9 percent, representing 20 deaths). The chances are about 19 out of 20 that the percent difference is less than twice the percent error shown in the table (7.8 percent, representing 40 deaths).

The values in table 6-A are presented in the form of "percent errors" rather than standard errors in order that they may also be applied to estimates of death rates and other measures in addition to estimates of numbers of deaths.

Estimated death rates in this report may be defined as follows:

$$R' = (x'/P) \cdot K,$$

where again x' is an estimated number of deaths, P is the appropriate midyear population total (supplied by the U.S. Bureau of the Census, and assumed to have no sampling variability), and K is a constant, usually 1,000 or 100,000. Inasmuch as (K/P) is treated as a constant the percent error of R' reduces to the percent error of x' . Therefore to find the percent error of a death rate in this report, it is only necessary to find in table 6-A the percent error of the numerator of the death rate.

For an example, in table 1-23, the death rate for Cirrhosis of liver (ICDA No. 571) is shown to be 15.6 per 100,000 population. As is also shown in this table, this rate is based on a total of 32,576 deaths.

The nearest value for which a percent error is given in table 6-A is for $x' = 20,000$ deaths, for which the percent error is shown to be 0.7, representing 228 deaths. A closer approximation of the percent error may be obtained, however, by substituting in the above formula for the percent error (taking N to be 1,963,944 registered deaths):

$$100 V_{x'} = 100 \sqrt{\frac{1,963,944 - 32,576}{(32,576)(1,963,942)}}$$

$$100 V_{x'} = 100 (0.005),$$

which gives a percent error of 0.5 for the death rate of 15.6 per 100,000 population. In other words the probability is about 95 percent that the true rate for Cirrhosis of liver lies within the range $15.6 \pm 2 [(15.6) (.005)]$, or lies within the range 15.4 and 15.8 deaths per 100,000 population.

It may also be useful to consider how the values in table 6-A may be used to estimate the percent errors for a group of mortality rates (including infant, neonatal, postneonatal, and maternal) for which the numerator is based on the 50-percent sample of deaths and the denominator is based on the 50-percent sample of births. For such rates let $R'' = (x'/y') \cdot K$, where x' is the estimated number of deaths, y' is the estimated number of live births, and K is a constant (either 1,000 or 100,000).

The mortality and natality registration systems may be taken to be independent, so that the covariance between x' , and y' is zero. As a result the percentage error of this ratio of these two independent

variables (denoted by $100 V_{x'/y'}$) reduces to the following:

$$100 V_{x'/y'} = \sqrt{(100 V_{x'})^2 + (100 V_{y'})^2}.$$

That is, the percent error of the ratio is equal to the square root of the sum of the squares of the percent errors of the numerator and denominator. The values in table 6-A may be used to obtain an approximation of the percent errors for the number of births in the denominator as well as for the number of deaths in the numerator.

For example, an infant mortality rate for white infants of 25 per 1,000 live births in a specified State, based on an estimated 2,000 live births (and, therefore, 50 deaths) would have a percent error of:

$$100 V_{(50/2,000)} = \sqrt{(100 V_{50})^2 - (100 V_{2,000})^2}.$$

If the total number of births and deaths in the specified State in 1972 are 20,000 and 50,000, respectively, table 6-A yields a percent error of 14.1 for the numerator of the infant mortality rate and a percent error of 2.1 for the denominator of this rate. The percent error of the rate itself may be obtained as follows:

$$100 V_{x'/y'} = \sqrt{(14.1)^2 + (2.1)^2} \\ = 14.3.$$

Thus the probability is about 95 percent that the true infant mortality rate for white infants in the specified State lies within the range 25.0 ± 2 (25.0)(.143), or lies within the range of 17.8 and 32.2 deaths per 1,000 live births.

Estimates of percent errors for proportions of the form $p = (x'/y')$, where x' is a subset of y' (e.g., the proportion of deaths in a particular age-color-sex group that were autopsied) may be derived from the following formula:

$$100 V_p = \sqrt{(100 V_{x'})^2 - (100 V_{y'})^2}.$$

That is, the percent error of such a proportion is equal to the square root of the difference between the squares of the percent errors of the numerator and denominator of the estimated proportion. For example, if in a State with 100,000 deaths, an esti-

mated 5,000 were white males aged 45-64 years, and an estimated 20 percent (1,000 deaths) of these were autopsied, the percent error of this proportion, based on the values in table 6-A, would be as follows:

$$100 V_p = \sqrt{(100 V_{1,000})^2 - (100 V_{5,000})^2} \\ = \sqrt{(3.1)^2 - (1.4)^2} \\ = 2.8.$$

As shown in Volume I of *Vital Statistics of the United States, 1972*, live-birth statistics for the following six States that furnished computer tapes of the record for 1972 are based on a complete count of the live births: Florida, Maine, Missouri, New Hampshire, Rhode Island, and Vermont. For these States, of course, the percent errors of infant mortality rates in this report are reduced to the percent errors of their numerators.

COMPUTATION OF RATES AND OTHER MEASURES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, 1960, and 1970 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1972.—Estimates of the total resident population of the United States by age, race, and sex in 1972 are published by the Bureau of the Census in *Current Population Reports, Series P-25, Number 519*, and are shown in table 6-2. Total estimated populations for States shown in table 6-3 are published in *Series P-25, Number 508*; populations by broad age groups were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

The populations of the 50 largest SMSA's and their component counties were obtained from the Bureau of the Census for July 1, 1972, as shown in *Current Population Reports, Series P-25, No. 517, May 1974*.

Population estimates for 1971.—The rates by age, color, and sex in Section 1 of *Vital Statistics of the*

United States, 1971, were based on provisional estimates of the 1971 population; but the life table values for 1971 in Section 5 were based on revised estimates of the 1971 population. These revised estimates are also shown in table 2 of the reference cited above for 1972 populations (*Current Population Reports*, Series P-25, No. 519, Washington, D.C., 1974). These revised estimates differed considerably from the provisional estimates for a number of age-color-sex groups. Table 6-4 of the report for 1971 shows, for example, that the revised estimates are 7 to 25 percent lower than the provisional estimates for persons other than white in the youngest (under 10 years) and oldest (80 years and over) age groups. The limited number of statistics for 1971 shown in this report are based on the revised populations. Also available in NCHS is a set of unpublished trend tables for which the rates for 1971 are based on the revised population. These tables include age-color-sex-cause specific death rates for both the List of 69 Selected Causes of Death and the List of 281 Selected Causes of Death.

Population estimates for 1961-69.—Comparison of revised populations for 1969 (and several earlier years since 1960) with the provisional populations which were used to calculate annual death rates for these same age, color, and sex groups indicated a similar problem. Caution should be exercised in utilizing death rates published in Section 1 and life expectancy values in Section 5 of the 1969 and other volumes until such time as revised rates are published.

Rates and ratios based on live births.—Infant, neonatal, and maternal mortality rates, and fetal death rates and ratios are computed on the basis of the estimated number of live births instead of the estimated population under 1 year of age.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for

1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1972

[Population enumerated as of April 1 for 1940, 1950, 1960, and 1970 and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ¹		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1972	206,842,000	208,230,000	1935	127,562,000	127,250,232				
1971	207,045,000	206,212,000	1934	126,485,000	126,373,773				
1970	204,270,000	205,211,928	1933	125,690,000	125,578,763				
1969	203,216,000	201,921,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1968	201,166,000	199,861,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,149,987
1967	199,118,000	197,885,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,289,279
1966	196,842,000	195,857,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1965	194,585,000	193,618,000	1928	---	120,501,115	44	115,656,160	44	113,656,160
1964	192,119,000	191,371,000	1927	---	119,038,062	40	104,520,830	42	107,084,532
1963	189,417,000	188,658,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1962	186,656,000	185,890,000	1925	---	115,831,965	33	89,294,564	40	102,031,555
1961	185,756,000	185,057,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1960	180,007,000	179,323,175	1923	---	111,949,945	30	81,072,123	38	96,788,197
1959	177,264,000	176,513,000	1922	---	110,054,726	30	79,560,746	37	92,702,901
1958	174,141,000	173,320,000	1921	---	108,541,489	27	70,807,090	34	87,814,447
1957	171,274,000	170,371,000	1920	---	106,466,420	23	65,597,307	34	86,079,263
1956	169,221,000	167,306,000	1919	105,063,000	104,512,110	22	61,212,076	35	83,157,982
1955	165,275,000	164,306,000	1918	104,550,000	103,802,801	20	55,153,782	30	79,008,412
1954	162,391,000	161,164,000	1917	103,414,000	103,265,913	20	55,197,952	27	70,254,775
1953	159,565,000	158,242,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1952	156,954,000	155,687,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1951	154,287,000	153,310,000	1914	---	99,117,567	---	---	24	60,963,309
1950	151,132,000	150,697,361	1913	---	97,226,814	---	---	23	58,158,740
1949	149,189,000	148,665,000	1912	---	95,331,300	---	---	22	54,847,700
1948	146,631,000	146,093,000	1911	---	93,867,814	---	---	22	53,929,644
1947	144,126,000	143,446,000	1910	---	92,406,536	---	---	20	47,470,457
1946	141,389,000	140,054,000	1909	---	90,491,525	---	---	18	44,253,513
1945	139,928,000	138,481,000	1908	---	88,708,976	---	---	17	39,654,759
1944	138,397,000	137,865,000	1907	---	87,000,271	---	---	15	34,552,637
1943	136,739,000	134,245,000	1906	---	85,436,586	---	---	15	33,762,269
1942	134,860,000	133,920,000	1905	---	83,619,666	---	---	10	21,767,980
1941	133,402,000	133,121,000	1904	---	82,164,974	---	---	10	21,332,076
1940	131,820,000	131,669,275	1903	---	80,632,152	---	---	10	20,943,222
1939	131,028,000	130,879,718	1902	---	79,180,196	---	---	10	20,562,907
1938	129,869,000	129,824,939	1901	---	77,585,728	---	---	10	20,237,453
1937	128,961,000	128,824,829	1900	---	76,084,134	---	---	10	19,965,446
1936	128,181,000	128,053,180							

¹Alaska included beginning 1959 and Hawaii, 1960.

²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: The populations in this table were published by the U.S. Bureau of the Census, unless otherwise specified, in Current Population Reports, Series P-25. The numbers of these reports together with the years for which data were furnished are shown below:

Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number
1971-72	519	1966	352	1920-29	VSR ^b
1970	094	1960-65	321	1917-19	499 and VSR ^b
1969	441	1951-59	310	1900-16	VSR ^b
1968	416	1940-50	499		
1967	385	1930-39	499 and VSR ^b		

^aU.S. Bureau of the Census, U.S. Census of Population: 1970, NUMBER OF INHABITANTS, Final Report PC (1)-A 1, United States Summary, 1971.

^bNational Office of Vital Statistics, Vital Statistics Rates in the United States, 1900-1940, 1947.

Table 6-2. Estimates of Total Resident Population of the United States, by Age, Race, and Sex: July 1, 1972

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Negro		
							Both sexes	Male	Female	Both sexes	Male	Female
All ages----	208,230,000	101,471,000	106,759,000	181,899,000	86,879,000	95,021,000	26,531,000	12,592,000	13,739,000	23,471,000	11,186,000	12,285,000
Under 1 year-----	3,290,000	1,682,000	1,607,000	2,755,000	1,412,000	1,343,000	535,000	270,000	264,000	476,000	240,000	236,000
1-4 years-----	13,716,000	6,996,000	6,721,000	11,510,000	5,889,000	5,621,000	2,206,000	1,106,000	1,100,000	1,980,000	982,000	988,000
5-9 years-----	18,719,000	9,539,000	9,180,000	15,788,000	8,058,000	7,710,000	2,951,000	1,482,000	1,470,000	2,658,000	1,335,000	1,325,000
10-14 years-----	20,992,000	10,694,000	10,298,000	17,818,000	9,103,000	8,715,000	3,174,000	1,591,000	1,583,000	2,886,000	1,446,000	1,440,000
15-19 years-----	20,110,000	10,172,000	9,937,000	17,205,000	8,727,000	8,479,000	2,904,000	1,446,000	1,458,000	2,821,000	1,303,000	1,318,000
20-24 years-----	17,733,000	8,767,000	8,966,000	15,376,000	7,650,000	7,726,000	2,357,000	1,117,000	1,240,000	2,071,000	980,000	1,091,000
25-29 years-----	14,994,000	7,411,000	7,584,000	13,214,000	6,588,000	6,627,000	1,780,000	823,000	957,000	1,533,000	709,000	825,000
30-34 years-----	12,242,000	6,013,000	6,229,000	10,675,000	5,295,000	5,380,000	1,568,000	718,000	848,000	1,345,000	611,000	733,000
35-39 years-----	11,099,000	5,404,000	5,695,000	9,710,000	4,777,000	4,935,000	1,389,000	627,000	762,000	1,216,000	549,000	660,000
40-44 years-----	11,674,000	5,695,000	5,979,000	10,303,000	5,071,000	5,232,000	1,371,000	624,000	747,000	1,196,000	545,000	651,000
45-49 years-----	12,025,000	5,807,000	6,219,000	10,729,000	5,205,000	5,524,000	1,296,000	602,000	694,000	1,145,000	530,000	615,000
50-54 years-----	11,654,000	5,613,000	6,041,000	10,475,000	5,061,000	5,414,000	1,179,000	562,000	627,000	1,060,000	493,000	567,000
55-59 years-----	10,108,000	4,828,000	5,280,000	9,172,000	4,393,000	4,779,000	936,000	435,000	500,000	848,000	390,000	458,000
60-64 years-----	8,991,000	4,192,000	4,799,000	8,119,000	3,788,000	4,331,000	872,000	404,000	468,000	798,000	362,000	436,000
65-69 years-----	7,387,000	3,294,000	4,094,000	6,669,000	2,971,000	3,698,000	718,000	322,000	395,000	658,000	289,000	370,000
70-74 years-----	5,514,000	2,330,000	3,184,000	5,042,000	2,117,000	2,925,000	472,000	213,000	259,000	422,000	186,000	235,000
75-79 years-----	3,948,000	1,584,000	2,364,000	3,645,000	1,453,000	2,192,000	303,000	132,000	171,000	271,000	117,000	154,000
80-84 years-----	2,475,000	922,000	1,553,000	2,266,000	845,000	1,441,000	189,000	77,000	111,000	168,000	66,000	102,000
85 years and over-	1,559,000	528,000	1,031,000	1,426,000	477,000	949,000	133,000	51,000	82,000	118,000	43,000	74,000

Source: U.S. Bureau of the Census: Estimates of population of the United States, by age, race, and sex, July 1, 1972, Current Population Reports, Series P-25, No. 519.

Table 6-3. Estimates of Total Resident Population by Age, for the United States, Each Division and State:

July 1, 1972

[Figures include Armed Forces stationed in each area, and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	208,230,000	17,006,000	59,821,000	67,742,000	42,778,000	20,885,000
Geographic divisions:						
New England	12,105,000	935,000	3,415,000	3,878,000	2,575,000	1,300,000
Middle Atlantic	37,621,000	2,860,000	10,266,000	12,004,000	8,495,000	3,998,000
East North Central	40,795,000	3,412,000	12,035,000	13,165,000	8,281,000	3,902,000
West North Central	16,617,000	1,310,000	4,848,000	5,172,000	3,529,000	1,959,000
South Atlantic	31,921,000	2,827,000	9,105,000	10,565,000	6,441,000	3,181,000
East South Central	13,156,000	1,131,000	3,871,000	4,209,000	2,612,000	1,334,000
West South Central	19,982,000	1,765,000	5,915,000	6,506,000	3,869,000	1,941,000
Mountain	8,880,000	800,000	2,721,000	2,940,000	1,670,000	751,000
Pacific	27,156,000	2,172,000	7,649,000	9,303,000	5,517,000	2,515,000
New England:						
Maine	1,026,000	84,000	299,000	315,000	210,000	118,000
New Hampshire	774,000	64,000	221,000	253,000	155,000	82,000
Vermont	460,000	39,000	137,000	147,000	87,000	49,000
Massachusetts	5,796,000	440,000	1,625,000	1,854,000	1,252,000	645,000
Rhode Island	969,000	74,000	264,000	310,000	215,000	107,000
Connecticut	3,080,000	254,000	869,000	999,000	678,000	289,000
Middle Atlantic:						
New York	19,367,000	1,410,000	4,939,000	5,985,000	4,060,000	1,974,000
New Jersey	7,349,000	565,000	2,050,000	2,349,000	1,667,000	720,000
Pennsylvania	11,905,000	887,000	3,277,000	3,672,000	2,766,000	1,304,000
East North Central:						
Ohio	10,722,000	897,000	3,138,000	3,464,000	2,202,000	1,022,000
Indiana	5,286,000	451,000	1,564,000	1,720,000	1,046,000	506,000
Illinois	11,244,000	920,000	3,215,000	3,658,000	2,358,000	1,112,000
Michigan	9,013,000	782,000	2,746,000	2,951,000	1,779,000	775,000
Wisconsin	4,526,000	362,000	1,370,000	1,412,000	896,000	447,000
West North Central:						
Minnesota	3,877,000	317,000	1,182,000	1,224,000	755,000	419,000
Iowa	2,884,000	226,000	839,000	875,000	589,000	354,000
Missouri	4,747,000	369,000	1,356,000	1,486,000	981,000	575,000
North Dakota	654,000	51,000	187,000	192,000	126,000	69,000
South Dakota	680,000	54,000	209,000	198,000	136,000	82,000
Nebraska	1,528,000	121,000	443,000	475,000	301,000	187,000
Kansas	2,268,000	178,000	642,000	720,000	480,000	273,000
South Atlantic:						
Delaware	571,000	47,000	173,000	193,000	113,000	46,000
Maryland	4,048,000	327,000	1,200,000	1,386,000	819,000	317,000
District of Columbia	752,000	60,000	190,000	261,000	151,000	70,000
Virginia	4,785,000	391,000	1,384,000	1,659,000	944,000	337,000
West Virginia	1,795,000	145,000	489,000	531,000	403,000	200,000
North Carolina	5,221,000	447,000	1,516,000	1,783,000	1,032,000	442,000
South Carolina	2,689,000	242,000	827,000	910,000	504,000	205,000
Georgia	4,733,000	432,000	1,411,000	1,611,000	889,000	390,000
Florida	7,347,000	533,000	1,906,000	2,192,000	1,587,000	1,124,000
East South Central:						
Kentucky	3,306,000	278,000	983,000	1,057,000	659,000	349,000
Tennessee	4,072,000	353,000	1,151,000	1,353,000	832,000	404,000
Alabama	3,521,000	305,000	1,050,000	1,118,000	702,000	346,000
Mississippi	2,256,000	215,000	707,000	681,000	419,000	235,000
West South Central:						
Arkansas	2,009,000	165,000	569,000	607,000	416,000	251,000
Louisiana	3,739,000	345,000	1,183,000	1,194,000	693,000	322,000
Oklahoma	2,633,000	208,000	729,000	837,000	546,000	314,000
Texas	11,604,000	1,045,000	3,434,000	3,868,000	2,204,000	1,054,000
Mountain:						
Montana	716,000	58,000	220,000	222,000	146,000	70,000
Idaho	755,000	68,000	232,000	234,000	150,000	72,000
Wyoming	346,000	30,000	104,000	111,000	70,000	31,000
Colorado	2,364,000	198,000	701,000	833,000	436,000	196,000
New Mexico	1,076,000	101,000	356,000	350,000	191,000	78,000
Arizona	1,963,000	177,000	588,000	654,000	379,000	185,000
Utah	1,127,000	123,000	367,000	368,000	187,000	83,000
Nevada	533,000	45,000	153,000	188,000	111,000	36,000
Pacific:						
Washington	3,418,000	275,000	983,000	1,131,000	693,000	336,000
Oregon	2,185,000	168,000	614,000	701,000	464,000	259,000
California	20,411,000	1,620,000	5,693,000	7,046,000	4,165,000	1,884,000
Alaska	325,000	35,000	109,000	128,000	45,000	7,000
Hawaii	816,000	74,000	244,000	297,000	152,000	49,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, No. 508 and official records.

* U. S. GOVERNMENT PRINTING OFFICE: 1976 O - 201-103