DEPARTMENT OF COMMERCE AND LABOR

BUREAU OF THE CENSUS

S. N. D. NORTH, DIRECTOR

MORTALITY STATISTICS

1905

SIXTH ANNUAL REPORT

WITH

REVISED RATES FOR INTERCENSAL YEARS 1901 TO 1904

AND FOR QUINQUENNIAL PERIOD 1900 TO 1904

BASED UPON STATE CENSUSES OF 1905

WASHINGTON

GOVERNMENT PRINTING OFFICE

1907

CONTENTS.

	Page.
Introduction	3–15
Results of recent censuses in establishing rates	3
Annual estimates of population	4
Importance of interdecennial censuses for vital statistics	4
Constitution of registration area, 1900 to 1905	5
Extension of registration area, 1906	6
Cooperation of state authorities	7
Coordination of Federal and state reports	8
Organization of registration officials	8
International vital statistics	9
Comparative birth rates	10
Comparative death rates	12
Scope of this report	14
Summary and rate tables	14
General tables	14
Summary of results	15–18
Population statistics	15
General death rates	15
Death rates in certain countries	15
Death rates in registration areas	16
Death rates in registration states	16
Urban and rural mortality	16
Factors affecting the general death rates	17
Causes of death	18–57
Increase or decrease in death rates by each class of causes	19
Death rates from principal diseases	20
General diseases	21
Typhoid fever	21
Malarial fever	24
Smallpox	25
Measles	26
Scarlet fever	28
Whooping cough	29
Diphtheria and croup	30
Influenza	32
Dysentery	33
All other epidemic diseases	34
Epidemic of yellow fever in 1905	35
Tuberculosis	35
Tuberculosis of the lungs	36
Venereal diseases	38
Cancer	38
Rheumatism	40
Diabetes	41
Alcoholism	42
Diseases of the nervous system	43
Meningitis	43
Apoplexy and paralysis	45
Diseases of the circulatory system	46
Heart disease	46
Diseases of the respiratory system	47
Bronchitis	48
Pneumonia	48
Diseases of the digestive system	50
Diarrhea and enteritis	50
Cirrhosis of the liver	52
Peritonitis	53
Appendicitis	54
Diseases of the genito-urinary system	54
Bright's disease and nephritis	55
Violence	56

SUMMARY AND RATE TABLES.

Page.

Table I.—Population of each registration area: 1901 to 1905 61
Table II.—Death rates in each registration city per 1,000 of population: 1901 to 1905 65
Table III.—Deaths and death rates per 100,000 of population in the registration area, from each cause and class of causes: 1901 to 1905 68
Table IV.—Death rates per 100,000 of population in each registration area, from certain causes and classes of causes: 1901 to 1905 .. 72
Table V.—Deaths and death rates per 100,000 of population in the registration area and its main subdivisions, from each cause and class of causes: 1901 to 1905 158
Table VI.—Death rates per 100,000 of population in cities and rural districts of each registration state, from each cause and class of causes: 1901 to 1905 168

GENERAL TABLES.

Table 1.—Deaths in each registration area, by color, general nativity, parent nativity, and month of death: 1905 198
Table 2.—Deaths in each registration area, by age: 1905 216
Table 3.—Deaths in each registration area, from certain causes and classes of causes: 1905 234
Table 4.—Deaths in the registration area, its main subdivisions, and registration states, by age, and by sex, color, general nativity, and parent nativity: 1905 252
Table 5.—Deaths in the registration area, its main subdivisions, and registration states, from each cause and class of causes: 1905. 270
Table 6.—Deaths in the registration area, from each cause and class of causes, by sex and age: 1905 276
Table 7.—Deaths in each registration state, from each cause and class of causes, by age: 1905 284
Table 8.—Deaths in each city having 100,000 population or over, from certain causes and classes of causes, by age: 1905 306

MAPS AND DIAGRAMS.

Map 1.—Registration area, 1900–1905, and registration states added for 1906 5
Diagram 1.—Average annual birth rates of certain European countries per 1,000 of population, by decades (stillbirths excluded). 11
Diagram 2.—Average annual death rates of certain European countries per 1,000 of population, by decades (stillbirths excluded).. 11

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE AND LABOR,
BUREAU OF THE CENSUS,
Washington, D. C., December 22, 1906.

SIR:

I have the honor to transmit herewith the sixth annual report on mortality statistics, containing data relating to deaths in the registration area during the year 1905.

The report also presents revised death rates for the intercensal years 1901 to 1904, computed upon the basis of the additional population data derived from the state censuses taken in 1905.

The tables are substantially the same in form as those included in the preceding reports comprised in the volume on Mortality Statistics: 1900–1904. They present the principal facts in regard to the deaths returned, including cause of death, with age, sex, race, and nativity of the decedent. Death rates, however, are given only for total enumerated or estimated population without distinction of age, sex, or nativity, since such distinctions are not practicable unless the requisite data can be derived from a contemporaneous or recent census of population.

The progress of the extension of the registration area is referred to in the introduction, and with another year a considerable increase of the territory affording transcripts of deaths will occur. The efforts of the Bureau of the Census have been directed to the promotion of satisfactory legislation, in cooperation with the state authorities, and it is hoped that other states may be added from time to time until the entire area of the United States is embraced in these returns.

The work of compilation of this report was begun under the direction of Mr. William A. King, late chief statistician for vital statistics, whose death was announced by the Director of the Census in the letter of transmittal accompanying the preceding report. After Mr. King's death the work was continued by Mr. Richard C. Lappin, expert chief of division, as acting chief statistician, and has been completed under the direction of Dr. Cressy L. Wilbur, the present chief statistician.

Acknowledgment is made of advice and suggestions received from various authorities in regard to the preparation of this report, and further suggestions will be warmly appreciated. The work is somewhat of a pioneer character, and the Bureau of the Census desires, while proceeding conservatively and only as far as the material will fully warrant, to make the successive annual volumes of direct value to all users of vital statistics, and especially to the state and municipal registration and sanitary authorities upon whose interest and cooperation the completeness and accuracy of the returns must largely depend.

Very respectfully,

S. N. D. North
Director.

Hon. OSCAR S. STRAUS,
Secretary of Commerce and Labor.

MORTALITY STATISTICS

1905

WITH REVISED RATES FOR INTERCENSAL YEARS 1901 TO 1904
AND FOR QUINQUENNIAL PERIOD 1900 TO 1904
BASED UPON STATE CENSUSES OF 1905

RESOLUTION BY CONGRESS.

JOINT RESOLUTION REQUESTING STATE AUTHORITIES TO COOPERATE WITH CENSUS OFFICE IN SECURING A UNIFORM SYSTEM OF BIRTH AND DEATH REGISTRATION.

Whereas, the registration of births and deaths at the time of their occurrence furnishes official record information of much value to individuals; and

Whereas, the registration of deaths, with information upon certain points, is essential to the progress of medical and sanitary science in preventing and restricting disease and in devising and applying remedial agencies; and

Whereas, all of the principal countries of the civilized world recognize the necessity for such registration and enforce the same by general laws; and

Whereas, registration in the United States is now confined to a few states, as a whole, and the larger cities, under local laws and ordinances which differ widely in their requirements; and

Whereas, it is most important that registration should be conducted under laws that will insure a practical uniformity in the character and amount of information available from the records; and

Whereas, the American Public Health Association and the United States Census Office are now cooperating in an effort to extend the benefits of registration and to promote its efficiency by indicating the essential requirements of legislative enactments designed to secure the proper registration of all deaths and births and the collection of accurate vital statistics, to be presented to the attention of the legislative authorities in nonregistration states, with the suggestion that such legislation be adopted: Now, therefore,

Resolved by the Senate and House of Representatives of the United States of America in Congress assembled, That the Senate and House of Representatives of the United States hereby expresses approval of this movement, and requests the favorable consideration and action of the state authorities, to the end that the United States may attain a complete and uniform system of registration.

Approved February 11, 1903.

MORTALITY STATISTICS.

INTRODUCTION.

The present report is the sixth of the series of annual reports on mortality statistics prepared by the Bureau of the Census, and includes, primarily, mortality statistics of the registration area for the calendar year 1905. These are presented in detail in Tables 1 to 8.

The reports for each of the preceding five years were published together in substantially the same form as the data for 1905, in the special report on Mortality Statistics, 1900 to 1904, issued during the present year (1906). In the summary and rate tables of this report comparative figures for the various subdivisions of the registration area during the five-year period were also included in a form convenient for reference and for study of the movement of disease in various localities. The rates for 1900 were based upon populations actually enumerated at the census of that year, but those for each of the following years were based upon populations estimated from the average annual increase of population between 1890 and 1900. To this statement there is, however, one exception; for Michigan a state census taken in 1904 was used in computing the rate of that year and, in conjunction with the United States census of 1900, in estimating the populations for the intercensal years from 1901 to 1903.

Result of recent censuses in establishing rates.—Censuses were taken in 1905 by the state authorities in four registration states, namely, Massachusetts, New Jersey, New York, and Rhode Island. The general results relating to aggregate population are available for the computation of the death rates for the year 1905, and since they furnish an accurate measure of the amount of increase from 1900 to 1905 permit new estimates of population to be made for the intercensal years. It has therefore seemed advisable, although the present report deals mainly with the mortality statistics of the year 1905, to insert the revised summary and rate tables for the previous years, with the exception of those for 1900, which require no correction. Moreover, as much of the practical usefulness of these tables depends upon facility of reference it has seemed proper to include the rates for registration states which have no interdecennial census, although, of course, these rates remain unchanged. These inclusions enable comparisons to be made without consulting another volume and have in addition the great advantage of giving a reasonably long base line of experience, namely, the past five years, for use in considering the mortality from any given cause or class of causes. For the same reason the various analytical tables in the text are presented with revised rates for each of the years 1901–1904, as well as for the year 1905, which is considered chiefly in the textual discussion.

Besides the censuses taken in registration states there were also censuses taken in certain states not included in the registration area for 1905. These states were Florida, Iowa, Kansas, Minnesota, North Dakota, Oregon, South Dakota, Wisconsin, and Wyoming; and all cities situated therein and included in the registration record have likewise had their intercensal rates recomputed.

The net results of changes in rates caused by the employment of actually enumerated populations and new intercensal estimates computed by their aid, instead of the postcensal estimates originally made by the Bureau of the Census for the years 1901 to 1904, may be seen in the following comparison:

AREA.	Statement.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.				
		Annual average: 1900 to 1904.	1901	1902	1903	1904
The registration area	Original	16.6	16.6	16.0	16.2	16.7
	Corrected	16.6	16.6	15.9	16.1	16.6
Registration cities	Original	17.5	17.4	17.0	17.1	17.6
	Corrected	17.5	17.4	17.0	17.1	17.5
Registration states	Original	16.2	16.4	15.5	15.6	16.5
	Corrected	16.2	16.4	15.4	15.6	16.4
Cities in registration states	Original	17.8	17.8	17.1	17.1	17.9
	Corrected	17.7	17.8	17.1	17.1	17.9
Rural part of registration states	Original	14.3	14.6	13.4	13.8	14.5
	Corrected	14.3	14.6	13.4	13.7	14.4
Registration cities in other states	Original	17.3	17.0	16.9	17.1	17.2
	Corrected	17.2	16.9	16.9	17.1	17.1
Massachusetts	Original	16.7	16.8	16.3	16.4	16.0
	Corrected	16.9	16.9	16.5	16.7	16.3
New Jersey	Original	16.6	16.5	15.9	15.9	17.2
	Corrected	16.5	16.4	15.8	15.7	16.9
New York	Original	17.5	17.8	16.6	16.7	18.2
	Corrected	17.3	17.7	16.4	16.5	18.0
Rhode Island	Original	18.6	18.2	17.9	19.0	17.5
	Corrected	18.4	18.1	17.7	18.8	17.2

It will be seen from the preceding table that the differences between the revised rates and those originally printed in the volume of Mortality Statistics, 1900 to

1904, are so small as to be of very little practical importance so far as the registration area and its main subdivisions are concerned. There is only a difference of 0.1 per 1,000 of population in the rates for the registration area for the year 1904, and for the registration cities, registration states, rural part of registration states, and registration cities in other states the same minute difference exists, while for the cities in registration states the original and revised figures are absolutely the same.

For the registration states which had interdecennial censuses the differences, as might have been expected, are somewhat greater, but in no case amount to a variation of over 0.3 per 1,000 of population. In Massachusetts the corrected rate for the year 1904 is 16.3 per 1,000 of population, instead of 16, as originally published. This difference is accounted for by the fact that the estimated population of Massachusetts, as given in Table I of the report on Mortality Statistics, 1900 to 1904, 3,031,906, was somewhat higher than the enumerated population, 2,964,013, given in Table I of this report. In other words, the increase of population in Massachusetts from 1900 to 1905, as measured by the state census taken in the middle of the latter year, did not show quite as large an annual average increment as the increase during the interval between the censuses of 1890 and 1900. On the other hand, the amounts of increase shown for New Jersey, New York, and Rhode Island were greater during the last five years than those estimated on the basis of the preceding censuses, so that the death rates based upon the estimated population were somewhat too high. For 1904 the New Jersey rate fell from 17.2 to 16.9, the New York rate from 18.2 to 18, the Rhode Island rate from 17.5 to 17.2. These changes compensate for the variation in Massachusetts, so that the net effect upon the registration area is extremely small.

Annual estimates of population.—The general method adopted by the Bureau of the Census, after careful consideration of the various plans used or proposed for this purpose, is that of taking the average annual increase between the two preceding censuses, state or Federal, and adding this increment for each successive year since the later of these two censuses. This method was fully explained in Census Bulletin No. 7, "Estimates of Population of the Larger Cities of the United States for 1901, 1902, and 1903." A similar bulletin, now in course of preparation, will bring the estimates of population down to the present date. The results as computed for the years following a census are tested whenever a new enumeration of population is furnished, as, for example, by the state censuses of 1905. The generally satisfactory correspondence between the predicted and actually enumerated populations may be seen from the following statement contained in the report of the Director of the Census to the Secretary of Commerce and Labor:

ANNUAL ESTIMATES OF POPULATION.

In this connection reference may be made to the annual estimates of population which the Census is compelled to compute in order to establish death rates in the vital statistics reports. Thirteen states of the Union took intercensal enumerations of population in 1905 (Michigan in 1904), by which these Census estimates may be tested and by which their substantial accuracy for the purpose in view is strikingly confirmed. The total population returned by these state censuses was 25,793,236. The Census Bureau estimate of the population of these states for 1905 was 25,743,311, the estimate being below the actual enumeration by 49,925, or 0.019 per cent; that is, less than two-tenths of 1 per cent. While in individual states the estimate varies from 8.2 per cent above to 12.8 per cent below the figures of the actual enumeration, in two-thirds of the states it was within 4 per cent of the true figures. These results confirm the conclusion that the Census method of estimating the population for the intercensal years is more nearly accurate than the local methods commonly resorted to for that purpose.

Importance of interdecennial censuses for vital statistics.—While the general results of the state census enumerations have necessitated very little change in the rates previously computed on estimated populations, and it may fairly be assumed that the corresponding rates obtained for states having no interdecennial censuses are approximately correct, the assumption can not be made that this will be invariably true. Probably for the registration area as a whole, unless some very profound change should occur affecting the growth of population, it will be reasonably safe to use rates computed in this manner for a few years following the date of the last enumeration of population. Such an interval, however, should never exceed five years, and it is very desirable that all of the states whose vital statistics are to be studied should have satisfactory interdecennial enumerations of population, even if no more extensive census could be taken at that time.

Another reason why such enumerations are desirable is the fact that, while the original and the revised death rates for the larger subdivisions of the country, down as far as the individual registration states, may show very little variation, those for the smaller areas, where population frequently increases at a very different rate of speed from that during the preceding period, or sometimes even fails to increase at all, may show very marked fluctuations. By examination and comparison of the rates for the various registration cities and rural areas contained in Tables II and IV of this report with the rates for the corresponding years presented in the preceding report,[1] some cases will be found in which the variations are sufficient to be of considerable practical importance.

Not only should all states have interdecennial censuses, so that the constitution of the population, the basic data upon which all vital statistics rest, may be determined not less than once in five years, but also data should be obtained with reference to the essential elements required for the preparation of vital rates and

[1] Mortality Statistics, 1900 to 1904.

in such a form that the vital statistics can be fully analyzed and made most serviceable to sanitarians and other important interests. It will be observed in this report that the census data obtained in 1905 have been utilized simply for the correction of the general death rates. As a rule, information from the interdecennial censuses has not yet been supplied, and in some cases will never be supplied in such form that the variations in the constitution of the population can be satisfactorily studied, especially with reference to age distribution, nativity, and parent nativity. There is little uniformity in the mode of presentation by the various states, and in some cases the data obtained by the state enumeration will never be completely compiled. It is indispensable to the satisfactory progress of vital statistics not only that such enumerations should be taken at more frequent intervals, but also that the results should be compiled and presented in a thoroughly comparable way, so that they may be available for use in the computation of vital rates for all states alike. If this were done, such a report as the present one, instead of dealing solely with the presentation of revised general death rates, based upon the aggregate population, could be made to present a much more detailed analysis of the deaths recorded for the period, and a study of the movement of population, with reference to its different elements, which would be of much greater service and interest than any information that can be obtained solely from the examination of general death rates.

Constitution of registration area, 1900 to 1905.—The "registration area"—that is to say, the states having laws the results of whose operation have been accepted as giving practically complete mortality returns, together with the cities in nonregistration states where deaths are satisfactorily registered under local authority—remained substantially the same from 1900 to 1905. Its geographic distribution is shown in the accompanying map:

MAP [1] —REGISTRATION AREA, 1900-1905,[1] AND REGISTRATION STATES ADDED FOR 1906.



[1] The registration cities, as shown on the map, include only those situated in states that were nonregistration states in 1906.

As shown by the table on page 7, the registration area in 1900 consisted of ten registration states, besides the District of Columbia, which is strictly urban in character, and 134 registration cities in nonregistration states. The ten registration states were Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont. Except for the addition of Indiana, this list is practically identical with that for the census year 1899–1900, the vital statistics of which, contained in Volumes III and IV of the Twelfth Census reports, are the last of the old series that covered the census year instead of the calendar year. As compared with the registration area for the census year 1890, it shows the addition of three states, Indiana, Maine, and Michigan, and the loss of one state, Delaware. Delaware, although accepted as a registration area in 1890, could not be retained in 1900 because, through failure to require the general use of burial permits in its system of registration, it did not afford results of a satisfactory standard. The total population of this area in 1900 was 30,765,618, representing 40.5 per cent of the total population of continental United States. Of this number, 19,960,742 persons, or 26.3 per cent of the total population, were in registration states and 10,804,876 persons, or 14.2 per cent, were in registration cities in nonregistration states.

While the large proportion of the total population included in the registration area would seem to give a fairly accurate basis for knowledge of the vital statistics of the United States, it will readily be seen from examination of the map how inadequately the total area is represented. Until 1900 all of the registration states were in the East. At present all of them are in the East with the exception of Michigan and Indiana, which may be taken as representative of the middle West. None of the Western states are represented, no Southern state appears, and none from the Pacific coast. The few cities scattered through the extensive nonregistration area can not adequately represent the large unreported populations, and so the vital statistics contained in the present report do not stand for the entire continental United States, but for merely a limited geographic section.

Extension of registration area, 1906.—While the data in this report cover 1905 as the latest year, the report is necessarily prepared during the year 1906, and it will be proper to refer to the actual condition of the movement for the extension of the registration area going on at the present time. It is very gratifying that the inadequate representation of the territory of this country will be less marked in the report prepared for the ensuing year. In the map previously referred to representation is made, by lightly shaded areas, of new registration territory that has been accepted for the purpose of securing transcripts of mortality returns for the year 1906. A full explanation of the relations of the Bureau to the extension of registration, together with a tabular exhibit showing the registration states added during 1906, may be found in the following extract from the report of the Director of the Census to the Secretary of Commerce and Labor:

EXTENSION OF REGISTRATION AREA.

The Bureau will continue and increase its efforts to enlarge the registration area by encouraging the enactment of the necessary legislation in states where it is still lacking and by urging more careful registration in other states where the laws exist, but are indifferently enforced. The most encouraging results have already followed the efforts of the Bureau in both of these directions. Dr. Charles V. Chapin, of Providence, R. I., an eminent authority on vital statistics, has recently stated that the year 1905 witnessed a greater advance in the enactment of laws for the proper registration of births and deaths than any previous year in our history. Nearly all of the states have at one time or another enacted registration laws, more or less perfect, which are enforced with more or less rigor. Of these states, eleven, including the District of Columbia, have heretofore been accepted by the Director as affording data which meet the full requirements of the census law. These states contained a population of 19,960,742 in 1900. In July, 1906, five additional states—California, Colorado, Maryland, Pennsylvania, and South Dakota—containing a population of 9,916,482 in 1900, were added to the registration states for census purposes, on the application of their health officials and on the presentation of satisfactory evidence that their registration laws are fully enforced and the results obtained in harmony with methods prevailing elsewhere.

This important step increases by nearly one-fifth the area covered by the Census reports, and will add correspondingly to their value. In two of the states—Nebraska and Utah—which are not yet accepted as having reached the full standard of the registration area, laws were enacted in 1905 requiring burial permits, the thorough enforcement of which will probably result in the recommendation for the admission of the states at an early date. Among the other nonregistration states, six—Florida, Iowa, Minnesota, North Dakota, Oregon, and Wisconsin—have laws requiring a census of population in the interdecennial year, and it is especially important, therefore, that their registration laws be so improved, and enforced with such a degree of efficiency, as to permit their inclusion in the area covered by the Census reports, as very valuable comparisons of mortality and population will thereby be rendered available.

Whenever it shall appear that adequate laws exist and are so enforced as to secure approximately complete records, the proposition to include the returns of the states as a part of the annual Census reports will be favorably considered. On the other hand, evidence that defective registration is permitted and that the laws are carelessly enforced in any of the states whose returns are now included will result in the exclusion of these returns from the subsequent reports, making it sharply evident to the people of the state that their laws either require amendment or are not being properly enforced. The responsibility for the negligence can then be located and the necessary remedy applied. It is believed that the Census Bureau can best establish and encourage accurate and careful registration everywhere by an impartial enforcement of this general policy. The same situation exists in the case of the registration cities, and the same policy will be adopted by the Office with respect to their inclusion or exclusion from the registration areas.

It is gratifying to record the evidence of the substantial progress in the institution of effective mortality records following so quickly the establishment of a permanent Census Office, with facilities for the annual compilation and analysis of the statistics of the whole country, and their correlation and comparison with each other. Results of the greatest medical, sanitary, and scientific value are certain to follow in due course of time. The facts above

stated regarding the registration states are summarized in the appended table. It will be noted that the states and cities with registration laws contained, on the basis of the census of 1900, nearly one-half of the total population of continental United States—a most gratifying progress.

Attention may also be called to the fact that there is no strictly Southern state in which efficient state registration laws exist. Because of the presence of a large negro population, as well as by reason of climatic influences, it is highly important that registration should be undertaken in this section of the Union; and attention is here drawn to the subject in the hope that the movement for proper legislation, now under way in several of the Southern states, may bear fruit before the Thirteenth Census.

Status of effective registration of deaths: 1906.

REGISTRATION STATES, 1900.		ADDED AS REGISTRATION STATES, 1906.		NOT YET ACCEPTED AS REGISTRATION STATES.	
State.	Population, 1900.	State.	Population, 1900.	State.	Population, 1900.
				Alabama	1,828,697
				Arizona	122,931
				Arkansas	1,311,564
		California	1,485,053		
		Colorado	539,700		
Connecticut	908,420				
				Delaware	184,735
District of Columbia	278,718				
				Florida	528,542
				Georgia	2,216,331
				Idaho	161,772
				Illinois	4,821,550
				Indian Territory	392,060
Indiana	2,516,462				
				Iowa	2,231,853
				Kansas	1,470,495
				Kentucky	2,147,174
				Louisiana	1,381,625
Maine	694,466				
		Maryland	1,188,044		
Massachusetts	2,805,346				
Michigan	2,420,982				
				Minnesota	1,751,394
				Mississippi	1,551,270
				Missouri	3,106,665
				Montana	243,329
				Nebraska	1,066,300
				Nevada	42,335
New Hampshire	411,588				
New Jersey	1,883,669				
				New Mexico	195,310
New York	7,268,894				
				North Carolina	1,893,810
				North Dakota	319,146
				Ohio	4,157,545
				Oklahoma	398,331
				Oregon	413,536
		Pennsylvania	6,302,115		
Rhode Island	428,556				
				South Carolina	1,340,316
		South Dakota	401,570		
				Tennessee	2,020,616
				Texas	3,048,710
				Utah	276,749
Vermont	343,641				
				Virginia	1,854,184
				Washington	518,103
				West Virginia	958,800
				Wisconsin	2,069,042
				Wyoming	92,531
Total	19,960,742	Total	9,916,482	Total	46,117,351

Population of registration states, 1900	19,960,742	Population in registration area, 1900	30,765,618
Per cent of total population	26.3	Per cent of total population	40.5
Population of registration cities in states added, 1906	3,835,119	Net population added to registration area, 1906	6,081,363
Per cent of total population	5.0	Per cent of total population	8.0
Population of registration cities in nonregistration states	6,969,757	Population in registration area, 1906	36,846,981
Per cent of total population	9.2	Per cent of total population	48.5

NOTE.—Nearly all of the states not yet accepted as registration states have now or have at some time possessed laws intended to secure the complete registration of deaths. These laws have usually been defective in principle, although in some instances faulty administration may have been responsible for failure to secure results. Only three states—Indiana, Maine, and Michigan—were added to the registration area during the decade 1890 to 1900, while one state—Delaware, which was admitted as a registration state in 1890—was dropped from the list in 1900. Two states—Nebraska and Utah—have adopted legislation in 1905 which requires immediate registration of deaths with compulsory burial permits, and it is hoped that the results obtained will justify their admission at an early date. In addition to the population of the registration states given above, it should be remembered that certain cities in states not yet accepted as registration states, having an aggregate population of 6,969,757 in 1900, are also embraced in the registration area, which makes the total population of that area on the basis of the census of 1900 amount to 36,846,981.

Cooperation of state authorities.—The directive efforts of the Bureau of the Census to secure the extension of the registration area can be of avail only as long as they meet with the cordial cooperation of the state authorities and registration officials concerned. From the census of 1850 to that of 1900 mortality statistics were collected by the census enumerators in connection with the statistics of population, but, as was well known theoretically before a practical demonstration of its inefficiency was made, this plan could not produce satisfactory results. The number of deaths enumerated at the various censuses from 1850 to 1900 was much below the true number of deaths that occurred, and a progressive effort was made, beginning with the census

of 1880, to supplant the use of this imperfect method of enumeration by the employment of records of deaths based upon certificates filed at the time of death, under the requirement of burial permits, in such states and cities as made use of them. From this developed the registration area the recent gratifying extension of which has been referred to; and it is evident that the further improvement of vital statistics must depend upon a more general adoption of adequate state laws and their thorough enforcement by the state authorities upon whom the duty of registration devolves.

The sources of all of the records of deaths, which are used by this Bureau, and upon which the compilations of the annual reports are based, are transcripts of original certificates of deaths prepared by the state authorities, or, in the case of registration cities in non-registration states, by the city authorities. In some few cases where city authorities in registration states do not send the original certificates or exact copies of them to the central registration office, the returns come direct from the cities; but as a rule this Bureau deals with the central state authority whenever it can furnish complete data for the entire state. It is evident, therefore, that the relations of the state registration officials and the Bureau of the Census are very close, and that no marked improvement can be made in the quality of the statistical material available for the Federal compilation, or in the methods of securing data and of making returns, without the most complete understanding and cordial cooperation. Such cooperation has, in fact, characterized the entire history of the permanent Census Bureau, and it is hoped that the results found in these volumes, together with the promotion of improved methods and a more complete union of all of the interests involved, will be considered as a return, in part, for the helpful spirit with which the various requests of this Bureau have been accepted and carried out.

Coordination of Federal and state reports.—Beginning with the year 1900, the first year of this series of annual reports on the mortality statistics of the registration area, the mortality statistics of the various registration states are for the first time brought together in a compilation made by the Government which covers the same periods of time as those contained in the annual registration reports for the individual states. Prior to the report for 1900, the census statistics of mortality related to census years, and the figures were not directly comparable with those published by state authority, but for each of the years from 1900 to 1905 the number of deaths and the death rates for all causes and for individual causes of death relate to identical areas and the same periods of time, and hence there should be the most exact agreement between the reports published by the Bureau of the Census and those published by the various states. Such agreement does not exist at present. Moreover, the deaths compiled from individual causes are not exactly the same, although one system of classification is used in the various state offices and in the Bureau of the Census. The death rates differ sometimes on account of the different number of deaths compiled and sometimes because a different estimate of population is employed as a basis for rates. The data published by municipal registration offices may also be different from the state and Census compilations. While the differences are, as a rule, unimportant, it is most perplexing for any person who desires to make use of statistical data concerning the mortality of any portion of the United States to have *several* sets of official figures purporting to represent the mortality of the same area for the same time.

It is evidently very necessary that all sources of discrepancy between the Federal, state, and municipal compilations of vital statistics be eliminated and the resources of all of the offices be employed to produce vital statistics that will be thoroughly harmonious in every respect. Otherwise the usefulness of such data will be greatly impaired. An effort has been made to insure a closer correspondence between the Census and the state compilations by collaboration in the assignment of deaths reported from several causes to the proper title of the International Classification, and the general employment by the registration states and cities of populations estimated according to a uniform method for other than census years will remove another source of discrepancy; but complete agreement can not be expected until a more intimate degree of cooperation exists than has been reached at present, especially as regards the rigid comparison of the transcripts supplied to this Bureau with the original certificates of death and the systematic correction of all errors and omissions.

Besides the establishment of identical tables of mortality for the present decade, it will be very desirable to thoroughly review and standardize the reports of vital statistics published by the various states for preceding years, for which they constitute the sole statistical authority. Uniformly estimated populations and rates based thereon should be employed and reference should be made to any changes of methods of compilation or of classification affecting the results. In time, with the assistance of the state authorities, a set of standard tables can be prepared that will be more satisfactory than any sources of information at present available.

Organization of registration officials.—At the last meeting of the American Public Health Association, an organization representing the sanitary authorities of Canada, Cuba, Mexico, and the United States, measures were taken for the organization of an association of registration officials which should deal with the practical phases of registration work with which the Association has for some years been actively engaged, in

conjunction with the Bureau of the Census, as explained in the introduction to the Mortality Statistics, 1900–1904, and approved by joint resolution of Congress.[1]

The importance of vital statistics as a necessary adjunct of a modern public-health service is yearly more apparent. This subject, like those of many other departments of modern activity, is becoming more and more specialized. The conduct of a thoroughly efficient registration office for a large state or city can not be considered as a relatively unimportant part of the sanitary service, and therefore liable, by relegation to careless or unskillful direction, to incur serious loss in the accuracy and completeness of the records and the continuity of the statistical data. It must be regarded as of the very first importance, and the necessary equipment for a satisfactory administration of this department should be insured in every budget prepared for the public-health service of a state or city.

The great interest awakened in the subject in recent years and the assurance, incident to the publication of annual registration reports by the Bureau of the Census, that there will be a central office for mortality statistics, which will act as a clearing house and harmonize the results of individual effort in the various state and city offices, thus rendering them available for the service of all, have led to the possibility of thus forming a national—or, rather, international—union of registrars, whose united efforts will undoubtedly lend most effective aid in the standardization of American vital statistics and the extension of the registration area.

The Bureau of the Census is desirous of cooperating fully and efficiently with such an organization, as it has heretofore done with all national associations of similar character. The questions requiring concerted action for their most satisfactory solution are those relating to the general adoption of tables of identical form for use in registration reports; the uniform methods of treatment of jointly reported causes of death—a most difficult technical matter in practical registration work; the introduction of improved methods of collecting, preserving, compiling, and indexing the registration records; the correction of records for legal and statistical purposes; and many other practical matters affecting office administration. It is recognized that such subjects are of importance, because a thoroughly businesslike administration of a registration office, with utmost care as to apparently trivial details, is usually best adapted to produce entirely dependable statistical results. Much may be learned from the methods of registration services abroad, where such matters are treated with great precision, and it will be the aim of the Bureau to place all valuable information derived from foreign sources at the service of American registration officials.

[1] See page 2.

INTERNATIONAL VITAL STATISTICS.

The value of the vital statistics of any country is greatly enhanced by international comparisons. The first question that arises when we consider the variation of the death rates in the United States, or, rather, of that limited portion from which data are collected, the registration area, is whether the observed changes are due to special causes affecting this territory only or whether they form part of a broad world movement which is impressed upon the vital rates of all nations.

Among these changes may be included the diminishing birth rates and death rates from all causes, as well as the lessening special death rates from certain diseases, such as tuberculosis, which have apparently shown the success of the systematized efforts of public-health workers for their restriction, and the apparent progressive increase from year to year of other diseases, such as cancer, which increase most urgently calls the medical investigators of the world to the discovery of the means of prevention and of cure.

A very important work has just been completed by the General Statistical Bureau of France in bringing together for convenient reference and use by statistical offices and by all users of vital statistics the most important data relating to the vital statistics of those countries which publish them in their official reports with sufficient detail to be of service. The figures, with the necessary annotations and brief discussions, are published in the successive annual reports on the movement of population of France, beginning with Volume XXXII (1902) and ending with Volume XXXIV (1904), the last of which appeared during the present year.[2]

From the last two reports are taken the following tables showing birth rates and death rates, by decennial periods, in certain countries of Europe during the past century, and also the diagrams, somewhat modified, and the substance of the descriptive text explaining the chief features of the movements in vital rates:

[2] Direction du travail: Statistique générale de la France; Statistique annuelle du mouvement de la population. Année 1902, Tome XXXII: (Appendix, pages 83 to 164, contains statement of population, marriages, births, stillbirths, and deaths, with marriage, birth, and death rates for each year of registration and for decennial periods in each country). Année 1903, Tome XXXIII: (Appendix, pages 95 to 380, deals with marriages, births, and stillbirths). Année 1904, Tome XXXIV: (Appendix, pages 83 to 594, most valuable of all, is a comprehensive study of mortality, including general death rates, specific death rates by age and sex, average age at death, infant mortality, conjugal condition, life tables, and causes of death, the latter requiring an analytical study of the various systems of classification employed, pages 293 to 318). These reports, especially the latter, should be on the reference table of every registration office and should be freely employed by sanitary workers and other users of vital statistics. The French Government has placed all vital statisticians under a profound obligation by their publication.

AVERAGE ANNUAL NUMBER OF BIRTHS, EXCLUSIVE OF STILLBIRTHS, PER 1,000 OF POPULATION.

TEN YEAR PERIODS.	England and Wales.	Scotland.	Ireland.	Denmark.	Norway.	Sweden	Finland.	Austria	Hungary.	Switzerland.	Germany.	Prussia.	Bavaria.	Saxony	Netherlands.	Belgium.	France.	Portugal.	Spain.	Italy.	Servia.	Roumania.
1801–1810	.....	.....	.....	31.1	27.5	30.9	36.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	31 8	.....	.....	.....	.....	.....
1811–1820	.....	.....	.....	30.7	29.9	33.4	37.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	31.0	.....	.....	.....	.....	.....
1821–1830	.....	.....	.....	31.3	33.3	34.7	38.2	39.0	.....	.....	.....	40.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1831–1840	.....	.....	.....	30.2	29.6	31.5	33.4	38 2	.....	.....	.....	38.0	34.1	38.2	.....	33.5	29.0	.....	.....	.....	.....	.....
1841–1850	32.6	.....	.....	30.5	30.7	31.1	35.5	38.4	.....	.....	36.1	38.0	34.1	39.4	33.0	30.9	27.4	.....	.....	.....	.....	.....
1851–1860	34.1	[1]34.8	.....	32.5	33.0	32.8	35.9	37.6	.....	.....	35.3	37.7	33.2	39.6	33.3	30.3	26.3	.....	.....	.....	.....	.....
1861–1870	35.2	35.0	[2]26.2	30.7	30.9	31.4	34.7	38.7	.....	.....	37.2	38.3	36.9	40.5	35.8	32.0	26.3	.....	37.6	.....	44.6	38.1
1871–1880	35.4	34.9	26.5	31.4	31.0	30.5	37.0	39.0	[3]44.3	30.8	39.1	39.0	40.3	42.9	36.2	32.3	25.4	.....	.....	36.9	40.5	35.0
1881–1890	32.5	32.3	23.4	32.0	30.8	29.0	31.9	37.9	44.0	28.1	36.8	37.4	36.8	41.8	34.2	30.2	23.9	[4]33.0	36.4	37.8	45.0	41.4
1891–1900	29.9	30.2	23.0	30.2	30.3	27.2	32.2	37.1	40.6	28.1	36.1	36.7	36.5	39.5	32.5	29.0	22.2	30.6	35.3	34.9	41.7	40.7

[1] Scotland, 1856–1860. [2] Ireland, 1864–1870. [3] Hungary. 1876–1880. [4] Portugal, 1886–1890.

AVERAGE ANNUAL NUMBER OF DEATHS, EXCLUSIVE OF STILLBIRTHS, PER 1,000 OF POPULATION.

TEN-YEAR PERIODS.	England and Wales.	Scotland.	Ireland.	Denmark.	Norway.	Sweden.	Finland.	Russia (in Europe).	Austria.	Hungary.	Switzerland.	Germany.	Prussia.	Bavaria.	Saxony.	Netherlands.	Belgium.	France.	Portugal.	Spain.	Italy.	Servia.	Roumania.
1801–1810	.....	.....	.....	23.7	25.2	27.9	31.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26.1	.....	.....	.....	.....	.....
1811–1820	.....	.....	.....	21.4	21.2	25.9	26.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25.2	.....	.....	.....	.....	.....
1821–1830	.....	.....	.....	21.9	18.9	23.6	25.0	.....	28.6	.....	.....	.....	26.7	.....	.....	.....	.....	24.8	.....	.....	.....	.....	.....
1831–1840	.....	.....	.....	23.1	20.2	22.8	28.2	.....	32.5	.....	.....	.....	28.8	28.3	28.2	.....	25.9	24.8	.....	.....	.....	.....	.....
1841–1850	22.4	.....	.....	20.4	18.1	20.6	23.5	.....	33.2	.....	.....	26.8	27.6	27.8	28.5	26.2	24.3	23.3	.....	.....	.....	.....	.....
1851–1860	22.2	.....	.....	20.6	17.1	21.7	28.6	.....	31.4	.....	.....	26.4	27.6	27.8	27.1	25.6	22.5	23.9	.....	.....	.....	.....	.....
1861–1870	22.5	22.1	[1]16.6	19.9	18.0	20.2	32.6	.....	30.7	.....	.....	26.9	27.0	29.8	28.1	25.4	24.4	23.6	.....	30.1	.....	30.7	25.0
1871–1880	21.4	21.6	18.4	19.4	17.0	18.2	22.2	.....	31.5	[2]36.6	23.5	27.2	26.6	30.9	29.1	24.3	22.6	23.7	.....	.....	29.9	34.3	31.1
1881–1890	19.1	19.2	18.0	18.6	17.0	16.9	21.0	.....	29.5	32.5	20.8	25.1	24.7	28.3	28.0	21.0	20.5	22.1	[3]22.6	31.4	27.1	25.2	27.5
1891–1900	18.2	18.7	18.2	17.5	16.3	16.1	19.7	[4]33.4	26.6	29.9	19.0	22.2	21.9	25.4	24.0	18.4	19.2	21.5	21.3	30.0	24.2	27.0	29.3

[1] Ireland, 1864–1870. [2] Hungary, 1876–1880. [3] Portugal, 1886–1890. [4] Russia (in Europe), 1891–1899.

Comparative birth rates.—From a comparison of the figures relating to the last period—1891–1900—it is evident that the annual birth rates for infants born alive vary considerably in the different countries. France and Ireland occupy the lowest position on the scale, with, respectively, 22 2 and 23 living births per 1,000 inhabitants. These rates are nearly doubled for the countries standing highest on the list, namely, Hungary with 40.6, Roumania with 40.7, and Servia with 41.7 per 1,000. Between these extreme limits are ranged the other European countries, leaving France and Ireland, however, isolated at the foot of the scale.

Sweden affords, next to France and Ireland, the lowest rate for births, 27.2 per 1,000, but the rate is markedly higher than the rates of those countries. It is interesting to consider that Sweden and Ireland, which are distinguished by their feeble natality, are the two European countries for which the marriage rates have fallen at a rate truly abnormal: 9.6 persons married in Ireland and 11.8 persons married in Sweden are the average annual rates per 1,000 for the period 1891–1900. In France, on the contrary, the marriage rate maintained an average of 15 persons married per 1,000 of population. The corresponding rates for other countries of Europe lie, for the most part, between 14 and 16.5 per 1,000.

After Sweden, and arranged in the order of increasing birth rates in the last decennial period—1891–1900—are Switzerland, with 28.1 living births per 1,000 inhabitants, and Belgium, with 29. The rate is very nearly 30 for Great Britain (England and Wales, 29.9; Scotland, 30.2), and for the Scandinavian countries other than Sweden (Denmark, 30.2; Norway, 30.3), rising, however, in Finland to 32.2—a rate but little lower than that shown for the Netherlands, 32.5.

The birth rate is about the same for Italy, 34.9 living births per 1,000 inhabitants, and for Spain, 35.3; while it is lower for Portugal, 30.6.

In German speaking countries the birtn rate is very high, reaching 36.1 per 1,000 of population for the German Empire, and 37.1 per 1,000 for Austria. The corresponding rates are 36.7 for Prussia, 36.5 for Bavaria, and 39.5 for Saxony, which has the highest natality of any German state.

The last rate, however, is not as high as that for the Kingdom of Hungary (including Croatia and Slavonia), which is 40.6 per 1,000 of population, and those of the Balkan states: Bulgaria, 39.4; Roumania, 40.7; and Servia, 41.7.

DIAGRAM 1.—*Average annual birth rates of certain European countries per 1,000 of population, by decades (stillbirths excluded).*



DIAGRAM 2.—*Average annual death rates of certain European countries per 1,000 of population, by decades (stillbirths excluded).*



As shown in the diagram the birth rate fell in all European countries during the last twenty years of the century just finished. The fall was more or less accentuated in various countries, but it was *general;* the only exception is furnished by Switzerland, where the number of children born alive was maintained at the rate of 28.1 per 1,000 inhabitants during each of the periods 1881–1890 and 1891–1900. The decrease in the birth rate is not, therefore, a phenomenon peculiar to France. The diminution was indeed more rapid in other countries from 1871 to 1900, but in all of them, except Ireland, the birth rate was much higher than in France, and in all of them the excess of births over deaths was maintained at a sufficient rate, or even with increase, while in France the excess of births over deaths became lower and lower, and the natural increase of population tends to reduce itself to zero.

Although the decrease in the birth rate was general in Europe during the last twenty or thirty years of the nineteenth century, it was not so before 1870. The graphic curves in the diagram for the early years show the most diverse changes in different countries, only the curve for the French birth rate showing a nearly constant decrease from 1810 to 1900.

From 1810 to 1820 there was registered in France an annual average of 31.8 children born alive per 1,000 of population. This number gradually decreased to 26.3 per 1,000 toward the middle of the century (period 1851–1860), and to 22.2 per 1,000 for the last ten years (1891–1900). For all of the other countries there were, prior to 1870, fluctuations of increase and decrease corresponding to various economic, political, or social conditions relating to each.

In Sweden the number of infants born alive, according to the decennial average per 1,000 of population, rose from 30.9 during the period 1801–1810 to 34.7 during the period 1821–1830; fell to 31.1 in 1841–1850; and rose again to 32.8 in 1851–1860, while from that period the decrease has been constant.

In England the birth rate rose very noticeably between 1840 and 1870. The average annual rate of children born alive increased from 32.6 per 1,000 of population (1841–1850) to 35.4 (1871–1880). The decrease since that time has been very rapid, the birth rate being 32.5 for the period 1881–1890 and 29.9 for the period 1891–1900.

For the Netherlands the movement of the birth rate was entirely analogous. It rose from 33 per 1,000 in 1841–1850 to 36.2 per 1,000 in 1871–1880, and fell subsequently to 32.5 per 1,000 in 1891–1900.

It will be observed that in the diagram the curves representing the birth rate of Prussia and Austria constantly remain together and undergo the same changes of increase and decrease. The average for the period 1871–1880 in each of these two countries was about 39 children born alive per 1,000 inhabitants. During the period 1891–1900 there were returned only 37.1 births per 1,000 in Austria and 36.7 births per 1,000 in Prussia. The decrease is slight, especially in comparison with that of England, the Netherlands, Belgium, or France.

For Bavaria the curve of the birth rate shows for 1861–1880 an extremely rapid increase dependent upon the increase of the marriage rate, which was affected by the improvement in 1861 and 1862 of the laws relating to marriage, and the suppression in 1868 of the hindrances to marriage, required by the law then in force. These measures had for their immediate effect the increase of the legitimate birth rate and the decrease of the proportion of illegitimate births, the frequency of which had been very great.

Comparative death rates.—For the last decennial period, 1891–1900, the average annual death rates varied in the different countries of Europe from 16.1 per 1,000 of population in Sweden to 33.4 per 1,000 in European Russia. The last rate was obtained from the average annual number of deaths from 1891 to 1899 in fifty governments of Russia in Europe (not including Finland, Poland, and the Caucasus), on the basis of the population as given by the first census of the Russian Empire, taken on February 9, 1897 (new style).

The general death rate of Russia in Europe greatly exceeded the rates of other countries with very high rates for the period 1891–1900—namely, Spain with 30 deaths annually per 1,000 of population, Hungary with 29.9, Roumania with 29.3, Servia with 27, and Austria with 26.6.

In the following countries the death rates remain, on the average, constantly below the extremely high rates given above: Bavaria, 25.4 deaths per 1,000 inhabitants; Italy, 24.2; and Saxony, 24.

The general death rate for the period 1891–1900 is a little less in France (21.5 deaths per 1,000 inhabitants) than in the German Empire (22.2). For Prussia alone it does not exceed 21.9 per 1,000, but it is considerably higher in the other principal states of the Empire—namely, Bavaria with 25.4 and Saxony with 24. This comparison, which is apparently favorable to France, is much less so if the birth rates are compared at the same time as the death rates. The death rate depends to a certain degree on the birth rate on account of the high tribute which infant mortality furnishes during the early ages of life, and France, with only 22 children born alive per 1,000 of population, registers a proportion of deaths nearly equal to that of Prussia, where the births amount to 36.7 per 1,000 of population.

According to the statistics it appears that the death rate of Portugal is noticeably less than that of Spain, being 21.3 deaths per 1,000 inhabitants instead of 30.

Among the countries of Europe having a relatively low death rate are Belgium with 19.2 deaths per 1,000 of population, Switzerland with 19, the Netherlands

with 18.4, Scotland with 18.7, England and Wales with 18.2, and Ireland with 18.2. It may be observed, however, that the occasional long delays permitted in the registration of births in the United Kingdom cause apprehension that a certain number of infants who die soon after birth may not be registered either as births or as deaths.

The Scandinavian countries present the lowest death rates: Denmark, 17.5 deaths on the average per 1,000 population; Norway, 16.3; and Sweden, 16.1.

Such are the general indications furnished by the examination of the death rates in the different countries of Europe during the decennial period 1891–1900. In the table and on the diagram we may follow the variations of the death rates computed for the decennial periods during the course of the nineteenth century so far as the statistical data supplied by each country render it possible.

In all countries of Europe there was a decrease of the death rate from 1871–1880 to 1891–1900. The decrease was more or less rapid, but it was general. If we limit ourselves to the last two periods, 1881–1890 and 1891–1900, the decrease appears more considerable according to the height of the death rate. This is natural, since progress becomes more and more difficult as the death rate approaches the lower limit, which it can not pass. Take, for example, the death rates corresponding to the last two periods for those countries having the highest rates: Hungary, 32.5, 29.9; Austria, 29.5, 26.6; Italy, 27.1, 24.2. The amounts of decrease are a little less for the countries of average mortality. It is more rapid in Germany, 25.1, 22.2, than in France, 22.1, 21.5; in the Netherlands, 21, 18.4, than in Belgium, 20.5, 19.2. Finally, the amounts of decrease are about the same in England, 19.1, 18.2; in Denmark, 18.6, 17.5; in Norway, 17, 16.3; and in Sweden, 16.9, 16.1. It will be remarked that France is one of the countries where the reduction of the death rate has progressed very slowly in the course of the last twenty years of the nineteenth century. The fact is of special significance because the birth rate of France is much less than the rates of the other countries of Europe.

Although a distinct movement in the direction of lower death rates clearly characterized all of the countries from 1871 to 1900, there was no regularity before 1870. The fluctuations were very diverse in character, and even in countries like France, Sweden, Denmark, and Norway, which show a progressive reduction in death rates since the beginning of the nineteenth century, the decrease was not a very uniform one.

The curve showing the variations of the death rate in Finland displays an extreme abruptness in its movements, which results from the climate of the country and the years of scarcity which follow the very severe winters. The average annual rate of deaths per 1,000 of population was 31.9 in 1801–1810; it fell to 25 in 1821–1830, rose to 28.2 in 1831–1840 (cholera in 1833 and 1836), fell again to 23.5 in 1841–1850, rose again to 32.6 in 1861–1870 (1867 year of famine), and descended again to 22.2 in 1871–1880.

In Sweden the general death rate was 27.9 per 1,000 inhabitants at the beginning of the nineteenth century (1801–1810). It was not over 21.7 at the middle of the century (1851–1860), and was only 16.1 at its close (1891–1900). In Norway and in Denmark the decrease was a little less rapid and more irregular than in Sweden.

In England the death rate, whose record begins only with 1841–1850, remained about 22 per 1,000 of population down to 1861–1870. From that time it diminished very rapidly until, in 1891–1900, with the exception of the Scandinavian countries, England afforded the lowest rates of general mortality of all the countries of Europe.

In France the death rate fell during the course of the nineteenth century, but relatively less than in other countries; the average annual number of deaths per 1,000 of population was 26.1 in 1810–1820, 23.9 in 1851–1860, and 21.5 in 1891–1900.

In Belgium the death rate at the middle of the last century was very close to that of France, but from 1870 it has fallen more rapidly. During the period 1871–1880 there were 23.7 deaths per 1,000 of population in France as compared with 22.6 in Belgium. During the last decade, 1891–1900, the corresponding numbers were 21.5 and 19.2 per 1,000.

For the present area of the German Empire progress has been more rapid than in France. In 1841–1850 the annual average death rate for Germany was 26.8 deaths per 1,000 of population, compared with 23.3 for France. In 1891–1900 the corresponding rates fell until they were almost equal, being 22.2 and 21.5. The general death rate of the German Empire rose somewhat from 1841 to 1870; the rates were 26.8 in 1841–1850 and 27.2 in 1861–1870. The increase, as shown by the diagram, was due to increased rates in Bavaria and Saxony. Prussia showed a decrease which, however, was not very great. Beginning in 1870 the decrease in the mortality proceeded very rapidly in Prussia (26.6 per 1,000 in 1871–1880, 21.9 in 1891–1900), while there was also a decrease for Bavaria (30.9 to 25.4) and Saxony (29.1 to 24), and consequently for the entire German Empire.

In Italy and Switzerland, for which countries statistics are not obtainable before 1870, the decrease from 1871–1880 to 1891–1900 has already been noted. The rate for Italy fell from 29.9 to 24.2 per 1,000 of population and that for Switzerland from 23.5 to 19 per 1,000.

For Austria the death rate has always been notably higher than that for Germany. It rose to 32.2 deaths per 1,000 inhabitants at the middle of the last century (1841–1850), but shared in the general decrease which began in 1870 to affect the whole of Europe, and was

only 26.6 per 1,000 of population at the last period, 1891–1900.

For the kingdom of Hungary, which includes Fiume, Croatia, and Slavonia, the death rate is even higher than that of Austria. It reached 36.6 per 1,000 of population during the period 1876–1880, but fell to 29.9 for the period 1891–1900. Its rate for the last decade was not much higher than the rates shown for the same period for Servia, 27, and Roumania, 29.3.

Besides the international comparisons given in the foregoing tables, use will be made in the consideration of deaths from all causes and from the most important individual diseases of the international statistics contained in the report of the Registrar-General of England and Wales. The data are taken, as a rule, from the sixty-seventh annual report (for the year 1904), but by special courtesy of the Registrar-General proofs were kindly sent of the tables showing the mortality of the United Kingdom, prepared for the year 1905, to which have been added, in some cases, statistics received directly from certain other countries. The statistics derived from the report of the Registrar-General and similar sources enable the death rates of the registration area of the United States and its subdivisions to be compared with those of other countries during recent years, while the more general figures by decennial periods, taken from the compilation made by the French Government, enable the general trend of vital statistics in other countries to be appreciated.

It is especially important that the vital statistics presented by official registration services should be designed, not only with a view to utilization at home, but also for comparison with similar data published abroad. The study of international vital statistics is of especial interest to Americans because many of these countries have contributed large numbers of immigrants to the population of the United States, and the vital rates peculiar to each nationality at home may be expected to show some tendency to persist, subject to more or less change from the influence of new environment, in the transplanted race and mixture of races in this country. So also the statistics showing the natality and mortality of the mingled races of Europe, as contrasted with the corresponding figures for the native population of this country, would be of great interest to the peoples from whom our population is derived. Thus far, however, the United States has failed to make proper contribution of national vital statistics to the knowledge of the world. Much of the information necessary to show the true birth rates and death rates of the United States, as a whole, for any portion of the last century is entirely wanting. Until 1900 the only information obtained by the United States consisted of the very imperfect data obtained at the decennial censuses, which can by no means be taken as representative of the actual birth rates or death rates of the intercensal decades. Since 1900 statistics have been collected for deaths, covering only a portion of the entire United States, but absolutely no statistics of births, based on the immediate registration of births, are now, or have been at any previous period, collected by the Federal Government.

SCOPE OF THIS REPORT.

The present report consists of three parts: (1) A textual discussion of the general death rates in the registration area and its subdivisions during the year 1905 from all causes and from various important causes of death, accompanied by subsidiary tables; (2) summary and rate tables, giving death rates for the past five years, 1901 to 1905, thus enabling comparisons to be made of the increase or decrease of mortality from various causes; and (3) the general tables showing the detailed returns for the year 1905, according to the same general grouping as that employed in the preceding report. Each of the sections containing the summary and rate tables and the general tables is preceded by a list of the tables contained, and their general character may be learned from the following description:

Summary and rate tables.—Table I gives the enumerated or estimated population of each state, county, and city in the registration area for each year from 1901 to 1905.

Table II gives, for each registration city, the annual number of deaths from all causes per 1,000 of population for each year from 1901 to 1905, with an average for the quinquennial period 1900–1904.

Table III gives, for the registration area, the annual number of deaths from each cause and class of causes of death, and the corresponding death rates per 100,000 of population for each year from 1901 to 1905, with an average for the quinquennial period 1900–1904.

Table IV gives, for the registration area and its main subdivisions, for each registration state and city, and for each county in the registration states exclusive of cities, the annual death rates per 100,000 of population from certain causes and classes of causes of death for each year from 1901 to 1905.

Table V gives, for the registration area and its main subdivisions, the annual number of deaths per 100,000 of population from each cause and class of causes of death, and the corresponding death rates for each year from 1901 to 1905.

Table VI gives for the cities and rural districts of the registration states, the annual death rates per 100,000 of population from each cause and class of causes of death for each year from 1901 to 1905.

Certain tables of this group in the last report, relating chiefly to the distribution of deaths by months or showing aggregate deaths or ratios for the five-year period, 1900–1904, have been omitted.

General tables.—Table 1 gives the deaths in each registration state, city, and county, by color, general nativity, parent nativity, and month of death, for the year 1905.

Table 2 gives the deaths in each registration state, city, and county, by single years of age under 5 years, and by quinquennial age periods for ages above 5 years, for the year 1905.

Table 3 gives the deaths in each registration state, city, and county, from certain causes and classes of causes of death for the year 1905.

Table 4 gives the deaths in the registration area and its main subdivisions, and in each registration state, by sex, color, general nativity, and parent nativity, in relation to age, for the year 1905.

Table 5 gives the deaths in the registration area and its main subdivisions, and in the cities and rural districts of each registration state, from each cause of death, tabulated separately, for the year 1905.

Table 6 gives the aggregate deaths in the registration area from each cause and class of causes of death, by sex and age, for the year 1905.

Table 7 gives the deaths in each registration state from each cause and class of causes of death, by single years of age under 5, and by decennial periods of ages from 10 years upward, for the year 1905. The list of causes is the same as that given in Table 6 for the entire registration area.

Table 8 gives the deaths from certain specified causes in each registration city of 100,000 or more population in 1900, by single years of age under 5, and by decennial periods of ages from 10 years upward, for the year 1905.

SUMMARY OF RESULTS.

POPULATION STATISTICS.

Vital statistics consist essentially of two factors: (1) The population, and (2) the vital events, such as births, deaths, or marriages, forming the special topic of consideration. Exact knowledge of population is necessary for a registration report, since the first measure applied to a statement of births or deaths in a given area is, what proportion does it bear to the constituent population. As censuses are not taken every year, it is necessary to systematically estimate populations for noncensus years, and the estimates for the registration area and each of its subdivisions will be found in Table I for the year 1905. This table has been recomputed in part, on the basis of information furnished by later state censuses, for the years 1901 to 1904.

The total estimated population of the registration area for the year 1905 was 33,757,811, of which 21,712,888 constituted the population of registration states, and 12,044,923 was the number of persons in registration cities not located in registration states. Less than two-thirds of the total number of persons represented in the registration area are so classed as the result of state legislation, while over one-third of the total population has been admitted to the registration area as a result of the effective administration of local municipal ordinances. The table shows in detail for each registration state, for each registration city wherever located, either in a registration state or in a nonregistration state, and for the rural population of each registration state, by counties exclusive of registration cities contained therein, the population, estimated except for state census years, for each of the years 1901 to 1905.

GENERAL DEATH RATES.

All of the death rates contained in the present volume are general death rates; that is to say, they represent the ratio of deaths to the enumerated or estimated total population, without attempting to consider the constitution of the population by sex, age, or other elements. In the preceding volume certain rates were given for causes of death peculiar to either sex, with reference to the estimated population by sex. For reasons referred to on page xviii of that report, and which have become more urgent with the increasing disproportion of the sexes due to immigration, it has been found to be impracticable to continue longer the estimate of the population by sex, and it was therefore thought expedient to eliminate all specific rates based upon estimated male or female population, replacing them by general death rates, regardless of the fact that the cause in question related only to one sex or the other. The general death rates for these special causes show the relation which the diseases bear to the total mortality.

The total number of deaths from all causes in 1905, returned from the registration area, was 545,533, corresponding to a death rate of 16.2 per 1,000 of population. The number of deaths was slightly less than the number returned for the preceding year, 551,354, but exceeded the number registered for any other year since the annual reports were instituted. The detailed statement of deaths and death rates for each of the causes and classes of causes of the International Classification may be found in Table III, together with comparative figures for the years 1901 to 1905, and the annual average for the quinquennial period 1900–1904. All of the rates given in this table, together with all of those referred to in the following text, have been revised in accordance with the latest state censuses and estimates of population based thereon.

Death rates in certain countries.—The following table gives comparative death rates of various foreign countries on the basis of the international tables published

each year by the Registrar-General of England and Wales:

COUNTRY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	16.6	16.6	15.9	16.1	16.6	16.2
England and Wales	16.6	16.9	16.2	15.4	16.3	15.2
Scotland	17.4	17.9	17.2	16.6	16.9	15.9
Ireland	18.1	17.8	17.5	17.5	18.1	17.1
Germany	20.3	20.7	19.4	20.0	19.6	19.8
Prussia	20.1	20.5	19.2	19.8	19.3	19.6
Norway	14.7	14.9	13.9	14.8	14.4	(1)
Sweden	15.7	16.1	15.4	15.1	15.3	(1)
Hungary	26.0	25.4	27.0	26.1	24.8	(1)
The Netherlands	16.5	17.2	16.3	15.6	15.9	15.3
Belgium	17.6	17.2	17.3	17.0	(1)	(1)
Switzerland	18.0	18.0	17.2	17.6	17.8	(1)
Spain	26.7	27.7	26.1	25.0	25.8	(1)
Italy	22.2	22.0	22.1	22.2	20.9	21.7

[1] No figures available.

It will be noted with great interest that the remarkably low death rates of the United Kingdom continue to be maintained, and that the year 1905 showed the lowest rates of any year of the series for England and Wales, Scotland, Ireland, and the Netherlands. The rates, in fact, are the lowest ever recorded in these countries. The average annual death rate of the registration area of the United States for the five-year period 1900–1904 is precisely the same as that of England and Wales for the same period, but the death rate of England and Wales for the year 1905 was 1 per 1,000 less than that of the registration area of the United States.

Death rates in registration areas.—Death rates per 1,000 of population are given in the following table for the registration area and its main subdivisions for the five years from 1901 to 1905 and the quinquennial period 1900–1904:

AREA.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	16.6	16.6	15.9	16.1	16.6	16.2
Registration cities	17.5	17.4	17.0	17.1	17.5	16.9
Registration states	16.2	16.4	15.4	15.6	16.4	15.9
Cities in registration states	17.7	17.8	17.1	17.1	17.9	17.2
Rural part of registration states	14.3	14.6	13.4	13.7	14.4	14.3
Registration cities in other states	17.2	16.9	16.9	17.1	17.1	16.6

The death rate for the entire registration area in 1905, 16.2 per 1,000 of population, showed a slight decrease from the rate for the preceding year and also from the annual average for the five-year period, each of which was 16.6 per 1,000. The mortality in registration cities decreased from 17.5 per 1,000 of population in 1904, and also for the five-year period 1900–1904, to 16.9 in 1905. Both the cities in the registration states and the registration cities in nonregistration states participated in the decline. The death rate of the rural part of registration states fell from 14.4 in 1904 to 14.3 in 1905, the latter figure being identical with the five-year rate.

Death rates in registration states.—The mortality from all causes in the registration states, including the District of Columbia which is identical with the city of Washington, is shown below:

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Total	16.2	16.4	15.4	15.6	16.4	15.9
Connecticut	16.3	16.1	15.3	16.2	15.9	16.5
District of Columbia	20.9	21.4	20.1	20.3	20.8	20.5
Indiana	13.3	13.8	12.8	12.2	13.5	12.8
Maine	16.2	16.1	15.4	15.9	16.5	16.2
Massachusetts	16.9	16.9	16.5	16.7	16.3	16.8
Michigan	13.4	13.4	12.7	13.2	13.6	13.5
New Hampshire	16.7	16.8	15.9	16.5	16.0	17.0
New Jersey	16.5	16.4	15.8	15.7	16.9	15.8
New York	17.3	17.7	16.4	16.5	18.0	17.0
Rhode Island	18.4	18.1	17.7	18.8	17.2	17.1
Vermont	16.1	16.6	15.0	16.2	16.0	17.0

For the intercensal years 1901 to 1904, slight changes from the rates given in the corresponding table of the preceding report have been made in some cases, affecting the rates of the four states, Massachusetts, New Jersey, New York, and Rhode Island, which had state censuses in 1905. Only slight variations are indicated in the various state areas between 1904 and 1905, the most marked changes being an increased rate of 1 per 1,000 of population in each of the states of New Hampshire and Vermont, and a decrease of 1 per 1,000 of population in the state of New York and of 1.1 per 1,000 of population in the state of New Jersey. The maximum departure from the annual average was in Rhode Island, which showed a decrease for 1905 of 1.3 per 1,000. In general, great uniformity of conditions, with little excessive prevalence of disease affecting individual state areas, is indicated.

Urban and rural mortality.—A comparison of urban and rural mortality, including in the former term cities having 8,000 population or more according to the census of 1900, may be found in the following table for the state areas, omitting the District of Columbia, which is exclusively urban and which is shown in the preceding table:

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.											
	Annual average: 1900 to 1904.		1901		1902		1903		1904		1905	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Total	17.7	14.3	17.8	14.6	17.1	13.4	17.1	13.7	17.9	14.4	17.2	14.3
Connecticut	16.6	15.7	16.4	15.5	15.7	14.5	16.8	15.0	16.1	15.5	16.9	15.5
Indiana	15.3	12.7	15.2	13.3	14.7	12.1	14.6	11.3	15.7	12.8	14.0	12.4
Maine	18.9	15.6	18.4	15.6	18.4	14.8	18.4	15.4	19.5	15.9	17.9	15.9
Massachusetts	17.2	16.2	17.2	16.2	16.9	15.2	16.9	15.9	16.4	16.1	16.9	16.4
Michigan	14.7	12.8	14.5	12.9	14.6	11.9	14.9	12.5	14.3	13.3	14.6	13.0
New Hampshire	17.3	16.4	17.2	16.5	16.8	15.3	16.9	16.2	16.1	15.9	18.1	16.2
New Jersey	18.3	14.1	18.1	14.2	17.7	13.3	17.4	13.3	19.0	14.1	17.5	13.6
New York	18.5	14.9	18.8	15.3	17.6	13.9	17.4	14.4	19.2	15.2	17.8	15.2
Rhode Island	18.5	18.3	18.1	18.1	18.1	16.9	18.9	18.7	17.2	17.3	17.1	17.1
Vermont	16.9	15.9	16.6	16.6	15.4	15.0	17.9	15.9	17.1	15.8	18.3	16.8

For the registration states both the urban and the rural mortality showed a decrease in 1905 as compared with the previous year, but the decrease was somewhat greater in the cities than in the country. The rural rate for the year was the same as that for the preceding five-year period, while the urban rate declined 0.5 per 1,000. The highest urban rates for the year were shown for the cities of New Hampshire (18.1) and Vermont (18.3), and the lowest rates for the cities of Indiana (14) and Michigan (14.6). The highest rural rates occurred in Rhode Island (17.1)—in which state, however, the character of the population classed as rural is in reality largely urban—and Vermont (16.8), while the lowest mortality of rural districts was in Indiana (12.4) and Michigan (13).

Factors affecting the general death rates.—As previously stated this report deals solely with general death rates or rates based upon total population. It is not practicable to make the necessary estimates of population required to compute specific death rates based upon sex, age, color, nativity, parent nativity, and other factors, or upon the distribution by occupations. Nevertheless, these factors are of great importance and must always be considered in making comparisons of general rates computed for different localities. Where general death rates apply to the same area and do not cover a very long period of time, there is evidently little risk of vitiation of results by changes in the constitution of population, but two countries, two states, or two cities, showing precisely the same number of deaths in proportion to total population, may exhibit, under a closer analysis, a very different sanitary condition. In general, we may say that the influence of sex is comparatively trivial, although the death rates of males and females from certain causes show marked and constant differences. The death rates at special age periods are almost uniformly of great importance, and it is of especial importance in examining the general death rate of a population to consider whether it contains a high proportion of infants or children on the one hand, or of elderly persons on the other, or whether it is made up of an unusually large proportion of persons at the middle period of life, which always affords a smaller proportion of deaths than the extreme ages. It has also been found in this country that higher death rates usually attend an increased ratio of colored population, although the influence of color may be modified more or less by the age distribution.

In the following table a list is given of all of the cities of the registration area of the United States in which the "colored" population exceeded 10 per cent of the total population according to the census of 1900, showing for the census year the comparative death rates with distinction of color, and the death rates of the total population for the years 1900 to 1905, inclusive:

CITY.	PER CENT OF POPULATION: 1900.		NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.							
			1900			Aggregate.				
	White.	Colored.	Aggregate.	White.	Colored.	1901	1902	1903	1904	1905
Cities having over 10 per cent colored population in 1900	73.7	26.3	22.4	18.8	32.5	20.6	20.2	19.9	20.9	20.4
Alexandria, Va	68.7	31.3	25.1	20.5	35.2	23.9	20.9	21.9	23.1	21.0
Annapolis, Md	64.7	35.3	27.7	20.0	41.8	20.3	20.3	18.3	24.4	21.3
Atlanta, Ga	60.2	39.8	22.1	18.6	27.4	21.9	22.3	21.1	23.9	24.1
Atlantic City, N. J	76.4	23.6	17.3	17.6	16.1	18.5	16.5	15.1	14.8	16.7
Baltimore, Md	84.3	15.7	21.4	19.2	33.3	20.3	19.6	19.1	20.1	19.6
Carlisle, Pa	88.1	11.9	21.2	20.4	27.0	18.5	13.3	16.4	16.1	14.2
Charleston, S. C	43.4	56.6	35.0	22.9	44.3	31.5	31.1	28.8	30.0	29.0
Evansville, Ind	87.3	12.7	15.8	15.2	19.9	13.0	12.0	12.9	14.9	13.6
Frederick, Md	83.5	16.5	19.6	17.9	28.0	22.2	24 4	23.7	19.3	20.5
Fresno, Cal	87.4	[1]12.6	19.3	16.5	[2]38.8	20.3	18.1	21.4	19.1	20.9
Jacksonville, Fla	42.8	57.2	30.1	26.6	32.8	26.7	28.2	27.0	26.6	28.7
Jeffersonville, Ind	83.1	16.9	19.2	16.4	33.0	23.0	20.4	19.8	18.5	16.7
Kansas City, Mo	89.2	10.8	16.3	15.3	24.8	16.1	15.8	17.4	19.7	16.9
Key West, Fla	67.3	32.7	24.4	23.5	26.3	23.1	22.3	20.9	21.0	21.4
Lawrence, Kans	81.3	18.7	16.3	15.3	20.6	(2)	(2)	(2)	(2)	(2)
Leavenworth, Kans	85.9	14.1	17.7	16.9	22.9	13.4	14.8	14.7	15.2	15.8
Louisville, Ky	80.9	19.1	18.9	16.9	27.3	18.4	18.0	18.6	19.8	18.1
Lynchburg, Va	56.3	43.7	27.3	20.5	36.1	19.3	20.3	19 5	21.8	21.9
Memphis, Tenn	51.2	48.8	22.5	20.7	24.4	18.4	18.0	17.8	19.5	17.9
Mobile, Ala	55.6	44.4	27.2	22.5	33.0	23.8	22.5	23.2	25.4	25.2
Nashville, Tenn	62.8	37.2	23.8	18.8	32.1	20.2	22.1	20.8	23.8	21.9
New Orleans, La	72.8	27.2	26.5	21.2	40.9	22.3	22.3	22.3	22.3	23.7
Norfolk, Va	56.4	43.6	27.2	18.8	38.0	22.1	22.0	20.2	20.9	21.0
Paducah, Ky	70.0	30.0	28.1	23 7	38.5	24.6	23.0	20.8	20.7	19.4
Petersburg, Va	50.7	49.3	30.2	25.2	35.2	26.5	25.3	25.2	30.5	24.4
Portland, Oreg	89.1	[1]10.9	10.2	10.5	[1]7.6	12.4	11.7	12.7	13.5	13.7
Raleigh, N. C	58.1	41.9	30.1	23.1	39.7	29.0	26.2	19.2	22.5	24.8
Richmond, Va	62.1	37.9	29.0	23.7	37.6	24.6	25.5	25.4	24.0	22.1
San Antonio, Tex	85.7	14.3	22.8	22.7	23.2	24.7	26.6	22.5	25.3	24.5
Savannah, Ga	48.1	51.9	31.0	23.4	38.0	29.6	26.1	23.6	26.0	25.6
Steelton, Pa	87.5	12.5	15.6	15.3	17.2	12.9	19.6	20.2	14.5	17.0
Washington, D. C	68.7	31.3	22.3	18.3	30.9	21.4	20.1	20.3	20.8	20.5
Wilmington, Del	87.2	12.8	20.2	19.1	27.5	17.3	17.3	17.9	15.6	16.6
Wilmington, N. C	50.3	49.7	30.8	24.8	36.9	27.0	28.5	26.7	28.1	25.0

[1] Chiefly Chinese and Japanese.

[2] Nonregistration.

In the above table the word "colored" relates chiefly to the negro population, except for the cities of Fresno, Cal., and Portland, Oreg. For the census year 1900 the death rate of the colored population represented (32.5) was nearly double that of the white population (18.8), and presumably a similar relation continued during the subsequent years. For this reason it is necessary to consider the presence of the colored population in comparing death rates of southern cities with those of other sections, although no exact estimates are available on which to base comparative rates for years subsequent to the census. It may be noted that in some cities, as Atlantic City, N. J., and Portland, Oreg., where the colored population is of a special class with unusually favorable age distribution, the colored death rate in 1900 was considerably below the white death rate, but as a rule the reverse is the case.

Frequent reference should be made to the tables showing the general constitution of the population of the registration area as given in Volume III of the Twelfth Census report, and to the specific death rates by sex, periods of age, color, and nativity therein contained, for the purpose of better understanding the relations of the general death rates given in the present report. General death rates, standing alone, should be considered only as indexes suggestive of possible conditions. They must be substantiated by further analysis, and the error must be guarded against of drawing sweeping conclusions as to sanitary condition from such a basis and in the absence of full information as to the character of the population from which the mortality is derived. The necessity of frequent censuses of the population as affording a basis for detailed vital rates has been previously mentioned.

CAUSES OF DEATH.

Although of the most fundamental importance in mortality statistics, and contributing information of priceless value for the use of sanitary authorities in the work of restricting diseases and preventing deaths, the subject of causes of death as a part of general mortality statistics is still in a very immature and undeveloped condition. The nations of the world are not yet agreed even in that indispensable requisite—the adoption of a uniform system of classification for the presentation of such data. The necessities of the case were comprehended by the leading authorities on vital statistics before the middle of the past century and about the time that vital statistics gave origin to the modern scientific and administrative branches of public service de-

voted to the prevention and restriction of disease. It would have been a great gain to science, to sanitation, and to vital statistics, if some one classification of causes of death—no matter how crude or how imperfect, so long as it represented fairly well the essential facts—could have been adopted fifty years ago, and the mortality statistics of all nations could have been compiled from that time in accordance with such standard arrangement. This, however, was not done, and each nation developed along individual lines, with the result that until very recent years there has been no practical agreement in the forms of classification of causes of death used in different countries.

It was a very distinct advance when a considerable number of countries were represented, more or less formally, in an International Commission which met at Paris in 1900 and adopted the International Classification as we have it to-day, which has been used in the annual reports prepared by the Bureau of the Census since 1900. There are undoubtedly many imperfections in this classification, which may be seen as applied to the mortality returns of the years 1901 to 1905, together with a quinquennial average for the period 1900–1904, in Table III. In order to fully understand the titles used in the classification, some of the more important of which are individually discussed in the following text, reference should be made to the Manual of International Classification of Causes of Death, published by the Bureau of the Census in 1902, which sets forth in tabular form each title and the terms that are treated as equivalents of that title in tabulating causes of death.

The International Classification has been employed not only by the Bureau of the Census, but it is in use in all of the registration states and in the great majority of city offices in this country which compile mortality statistics. It has been included also in Census pamphlet No. 102, Relation of Physicians to Mortality Statistics, which is intended to secure a more satisfactory statement of the cause of death on the original certificate filed with the local registrar, and which will be sent to physicians in any part of the country on request.

Increase or decrease in death rates by each class of causes.—Not much stress can be laid upon the general classes of causes of death forming part of the structure of the International Classification. The whole tendency of recent vital statistics is to define the individual titles of a classification with precision and to depend little upon more or less theoretical groupings of titles into so-called "classes" of diseases. Some of these classes include causes which at a later period, with more extensive knowledge in regard to the etiology of disease, will be placed under an entirely different arrangement. As an illustration, the transfer of deaths caused by apoplexy from the time-honored position under diseases of the nervous system formerly assigned under all systems of classification, to a place under diseases of the circulatory system, as has been done in the last classification employed by the Registrar-General of England, indicates the radical changes which may be expected in the manner of grouping, but the essential thing, namely, that the integrity of the title designating a fairly definite cause of death shall be maintained from one period to another, so that rational comparisons can be made, is of chief importance, and all discussions of the classified distribution of diseases according to general groupings are of subsidiary interest.

As it is, however, information of value may be obtained by considering the variations in the deaths and death rates compiled under the classes now accepted as parts of the International system. These are shown in Table III, and in the following table may be seen the differences from year to year, beginning with the first annual report, that of 1900:

CAUSE OF DEATH.	DEATHS PER 100,000 OF POPULATION.						
	Number in 1900.	Increase (+) or decrease (−) from—					
		1900–1	1901–2	1902–3	1903–4	1904–5	1900–5
All causes	1,755.0	−99.0	−61.9	+17.7	+52.1	−47.9	−139.0
I. General diseases	478.6	−13.5	−31.0	+14.9	+2.3	−21.0	−48.3
Epidemic diseases	166.2	−10.1	−18.1	+6.2	−14.3	−14.1	−50.4
Other general diseases	312.4	− 3.4	−12.9	+8.7	+16.7	−7.0	+2.1
II. Diseases of nervous system	208.8	−15.7	−7.2	−6.7	+3.6	−0.5	−26.5
III. Diseases of circulatory system	147.2	+0.6	+6.5	+6.4	+12.0	+0.6	+26.1
IV. Diseases of respiratory system	256.2	−25.9	−7.7	−4.6	+14.3	−26.6	−50.5
V. Diseases of digestive system	226.2	−25.0	−9.4	−3.6	+11.4	+4.6	−22.0
VI. Diseases of genito-urinary system	105.9	+1.1	+1.5	+8.3	+5.3	+0.4	+16.6
VII. Childbirth (the puerperal state)	13.3	+0.4	−0.7	+1.0	+1.4	−0.4	+1.7
VIII. Diseases of skin	8.0	−0.3	−0.6	+0.5	−0.4	−0.1	−0.9
IX. Diseases of locomotor system	2.2	+0.4	+0.1	+0.3	(1)	+0.1	+0.9
X. Malformations	11.5	−0.5	−0.2	+1.6	+0.8	+0.4	+2.1
XI. Early infancy	76.9	−10.7	+2.2	+0.8	+3.2	−2.4	−6.9
XII. Old age	50.4	−3.2	−2.6	−5.3	−0.3	−2.6	−14.0
XIII. Violence	96.0	+10.5	−8.9	+11.6	+1.4	+1.3	+15.9
XIV. Ill-defined causes	73.8	−17.2	−3.8	−7.6	−3.0	−1.7	−33.3

[1] No change.

In the preceding table a column has been added, showing the net results of the various changes for each group of diseases between 1900 and 1905. For all causes a decrease of mortality is shown amounting to 139 per 100,000 of population, a total which, when reduced to the more conventional expression of the death rate, is only 1.4 per 1,000 of population. Corresponding with the decrease in total mortality for the period, and also for the year 1905 as compared with 1904, a decrease is shown for the more important classes of causes of death. The rate for general diseases declined 21 per 100,000 of population from 1904 to 1905, the total decline since 1900 being 48.3. About two-thirds of the decrease for the year was due to diminished mortality from epidemic diseases and one-third to a decline in other general diseases. Epidemic diseases, however, showed a total decrease since 1900 of 50.4 per 100,000 of population, while other general diseases showed a slight increase as compared with that year, namely, 2.1 per 100,000 of population. The most important decrease for 1905, as compared with the preceding year, was in diseases of the respiratory system, 26.6 per 100,000 of population; the total decrease of this class since 1900 was 50.5 per 100,000 of population.

Only slight amounts of increase were shown in any class for 1905 over 1904, the largest, 4.6 per 100,000 of population, being for diseases of the digestive system. Since 1900, however, there has been a considerable increase in diseases of the circulatory system, 26.1 per 100,000 of population; in diseases of the genito-urinary system, 16.6 per 100,000 of population; and in violence, 15.9 per 100,000 of population. In the two latter some part of the increase is due to improved accuracy of statement by the reporting physicians. A gratifying feature of this table is the fact that the last class, ill-defined causes, has shown a diminished mortality for each year, amounting in the aggregate to 33.3 per 100,000 of population. This fact shows that the efforts made by registration officials and the Bureau of the Census to secure more satisfactory returns have been attended with some measure of success. The small amount of the decrease in 1904 and 1905, however, shows that renewed efforts must be made in this direction.

Death rates from principal diseases.—Coming now to the individual causes of death included in Table III, it will be of service to classify them with reference to increasing, diminishing, and varying prevalence as shown by the death rates recorded from year to year. This is done in the following table, which includes only deaths from disease and those in which the death rate amounts to 10 or more per 100,000 of population for the five-year period 1900–1904:

CAUSE OF DEATH	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Causes with increasing rates:						
Nephritis and Bright's disease	94.4	89.5	91.3	97.8	103.8	104.3
Apoplexy	69.0	68.4	68.5	68.6	71.9	72.2
Cancer	66.5	64.5	65.3	68.6	70.6	72.1
Diabetes	10.9	10.3	10.4	11.3	12.9	13.0
Appendicitis	10.6	10.0	10.1	11.0	11.9	12.0
Causes with decreasing rates:						
Old age	44.0	47.2	44.6	39.3	39.0	36.4
Bronchitis	39.4	39.8	39.4	36.4	36.0	33.5
Convulsions	25.2	27.2	25.0	21.0	20.5	19.8
Paralysis	21.9	23.1	20.9	20.3	19.4	17.7
Peritonitis	12.0	13.1	12.0	10.2	10.1	9.2
Scarlet fever	11.8	13.1	12.7	12.3	10.9	6.8
Causes with fluctuating rates:						
Tuberculosis of lungs	172.3	174.9	168.2	165.7	177.3	168.2
Pneumonia	134.6	133.3	124.5	122.2	135.7	115.7
Heart disease	120.6	113.7	117.8	125.1	134.2	132.5
Diarrhea and enteritis	112.8	113.8	105.4	101.5	111.3	116.7
Typhoid fever	33.7	32.4	34.4	34.3	31.9	28.1
Diphtheria and croup	33.6	34.1	30.9	31.8	28.5	23.8
Meningitis	33.0	33.3	31.3	28.3	31.8	34.5
Premature birth	30.9	27.5	28.5	31.2	34.3	32.9
Bronchopneumonia	30.7	28.4	31.8	33.7	36.9	34.4
Congenital debility	21.8	21.0	21.7	21.3	20.7	31.5
Influenza	20.8	32.3	10.1	18.6	20.3	19.0
Lack of care	15.1	15.2	15.8	13.8	14.5	3.0
Cirrhosis of liver	14.1	13.6	14.0	14.5	15.1	14.8
Gastritis	12.1	12.0	11.6	11.7	11.2	10.6
Whooping cough	11.3	9.8	12.1	15.9	6.6	10.7
Endocarditis	11.1	10.5	11.5	9.8	11.7	12.6
Measles	10.1	7.3	9.5	9.9	11.0	7.6

In the preceding table the diseases showing increasing rates of prevalence are mostly those which are of a chronic character and chiefly affect elderly persons. Appendicitis is an exception to this statement, and the increase in this cause of death may be largely apparent and due to greater accuracy of statement, or perhaps to some tendency among physicians to ascribe to this cause deaths that would formerly have been reported otherwise. This remark applies also to apoplexy, the increase in which should be considered with the decrease in paralysis shown in the following group.

Causes with diminishing prevalence are chiefly of an indefinite character. In time the terms "old age" and "convulsions" will disappear from statistical classifications, because the causes of death of old persons and those which produce the "convulsions" will be stated. So also definite forms of diseases of the nervous or circulatory system, instead of vague returns of "paralysis," without indicated cause, and the like, will be given more and more frequently. Physicians have already begun to do this to some extent. One term, however, of this list stands out clearly, and from the precise and definite character of the certificates compiled thereunder there can be no question as to the decrease in the deaths from scarlet fever in each year, and especially the marked diminution which occurred in 1905.

In the causes with fluctuating rates some of the most

important ones show a diminution in 1905 as compared with the annual average, although there is not an unbroken decrease of mortality from year to year. Tuberculosis of lungs shows only a slight decrease; pneumonia (lobar), a more marked one; typhoid fever, a decrease progressive since 1902; diphtheria and croup, a decrease broken only by a slight rise for 1903, and with a remarkably low death rate for 1905. Very irregular variations are shown for whooping cough and measles, which are subject to local epidemic prevalence. In this table an apparent discrepancy is the result of a change in the details of classification due to the inclusion of the indefinite term "inanition," occurring in infants under 3 months of age, under "congenital debility," instead of as formerly under "lack of care." The rates for these two titles should be taken together in making comparisons of change, and frequently each of them should be considered as practically equivalent to a statement of cause of death unknown. The change was made to conform to American usage in dealing with the term "inanition," which is seldom used by physicians with intent to convey the meaning *lack of care.*

GENERAL DISEASES.

The list of causes of death included under this division of the International Classification may be found in Table III. It forms the largest and most important class of causes embraced in the classification. The total number of deaths thus compiled for 1905 was 145,263, of which number 39,089 were from epidemic diseases and 106,174 were from other general diseases, the latter class embracing 65,352 deaths from various forms of tuberculosis and 24,330 deaths from cancer.

Typhoid fever.—There were 9,479 deaths from typhoid fever in the registration area during the year 1905, a considerably smaller number than that shown for any of the past five years. Typhoid fever causes more deaths than any other of the epidemic diseases, as shown in Table III, where the deaths and death rates for the years 1901 to 1905, with the quinquennial average for the period 1900–1904, are stated.

Although the rate was lower in the registration area of the United States than during previous years, it is still far in excess of the average death rate from this cause shown in most European countries, according to the statistics derived from the report of the Registrar-General of England and Wales and given in the following table:

COUNTRY.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	33.7	32.4	34.4	34.3	31.9	28.1
England and Wales	12.9	15.5	12.6	10.0	9.3	8.9
Scotland	12.7	16.0	12.0	12.0	8.9	(1)
Ireland	14.2	19.0	14.0	11.0	10.6	11.4
Germany	8.5	11.0	7.0	6.9	(1)	(1)
Norway	6.2	8.0	5.0	6.4	(1)	(1)
Sweden	12.2	13.0	10.0	(1)	(1)	(1)
Hungary	28.3	29.0	27.0	28.0	25.4	(1)
Belgium	20.2	22.0	18.0	16.0	(1)	(1)
Switzerland	6.5	7.0	6.0	5.0	7.7	(1)
Italy	37.8	36.0	35.0	35.0	36.7	32.4

[1] No figures available.

The average death rate from typhoid fever in the registration area of the United States is nearly three times as great as that of England and Wales for the five-year period 1900–1904, and while the rate for the United States fell from 32.4 in 1901 to 28.1 in 1905, that of England has shown a greater numerical and a much greater proportional reduction, namely, from 15.5 in 1901 to 8.9 in 1905, thus approaching to the average rate for the German Empire, Norway, and Switzerland. The only European country given in the table which has a greater average death rate from this cause than that of the registration area of the United States is Italy.

In the following table comparisons may be made of the mortality from typhoid fever in the various subdivisions of the registration area, including the registration states and the registration cities of 100,000 population or over in 1900:

AREA.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	33.7	32.4	34.4	34.3	31.9	28.1
Registration cities	36.1	33.8	37.5	38.1	35.1	30.1
Registration states	26.6	27.5	26.3	24.6	23.8	22.4
Cities in registration states	25.7	26.5	25.8	24.6	24.0	22.0
Rural part of registration states	27.8	28.8	26.9	24.5	23.7	23.0
Registration cities in other states	46.8	41.4	49.3	51.9	46.4	38.3
Registration states:						
Connecticut	24.4	30.1	21.8	21.7	17.3	21.6
District of Columbia	62.8	61.4	79.1	48.8	47.0	48.2
Indiana	45.6	46.7	49.0	40.7	40.7	37.3
Maine	30.5	32.2	24.5	32.5	35.3	22.4
Massachusetts	19.0	19.9	18.5	18.1	16.7	18.0
Michigan	27.3	26.3	24.5	24.1	25.2	24.2

AREA.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
Registration states—Cont'd.						
New Hampshire	20.3	18.8	18 1	24.4	18.6	15.4
New Jersey	20.2	19.5	21.6	19.5	18.6	16.4
New York	23.8	24.9	23.2	22.2	21 3	19 9
Rhode Island	20.9	23.5	20.3	17.6	14.9	17.1
Vermont	27.2	28.7	19.1	24 8	29.9	24.6
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	**103.4**	75.0	**121.6**	**102.9**	**123.2**	**126.7**
Baltimore, Md	36.5	28.7	42.0	35.0	37.5	35.7
Boston, Mass	22.8	23.8	22.1	20.5	23.6	20.8
Buffalo, N. Y	28.7	27.1	33.7	34.6	24.2	24.4
Chicago, Ill	29.7	29.8	45.1	32.1	20.2	16.5
Cincinnati, Ohio	55.8	54.9	61.9	42.7	80.2	41 1
Cleveland, Ohio	58.7	34.9	35.5	**115.0**	49.6	14 9
Columbus, Ohio	65.8	48.1	37.1	37.6	**147.7**	85.1
Denver, Colo	47.0	48.7	60.6	55.7	30.3	40.6
Detroit, Mich	21.9	20.1	23.5	20.0	17.6	21.2
Fall River, Mass	20.9	25.7	11.4	22.8	18.9	11 3
Indianapolis, Ind	48.2	33.1	44.5	51.1	68.4	30.2
Jersey City, N. J	18.4	16.1	20.3	14.9	18.9	19 8
Kansas City, Mo	48.8	45.5	38.2	80.3	43.1	61.4
Louisville, Ky	58.5	46.0	60.3	59.8	61.6	49.4
Memphis, Tenn	45.5	51.8	39.1	41.3	46.0	33.8
Milwaukee, Wis	17.5	22.1	15.1	16.8	13.6	22.7
Minneapolis, Minn	41.5	58.7	26.9	41.1	40.4	24.4
New Haven, Conn	44.5	94.4	39.1	36.6	27.4	42.8
New Orleans, La	44.9	50.1	44.2	40.9	36.7	32.6
New York, N. Y	19.0	20.6	20.3	17.1	16.8	16.0
Bronx borough	14.4	16.3	15 7	14.8	12.0	14.4
Brooklyn borough	22.6	22.4	24.3	19.4	22.4	21.3
Manhattan borough	17.1	19.9	18.5	15.9	13.4	12.7
Queens borough	19.9	17.9	21.1	16.1	19.6	17.7
Richmond borough	20.2	26.4	14.4	19.8	20.9	15.1
Newark, N. J	20.0	23.8	19.6	22.9	13.6	14.1
Omaha, Nebr	19.1	24.5	21.9	11.5	17.1	24.9
Paterson, N. J	22.3	23.5	34.4	22.0	7.3	14.3
Philadelphia, Pa	49.6	34.6	47.3	72.6	55.0	51.1
Pittsburg, Pa	**137.6**	**123.8**	**140.6**	**136.5**	**139.4**	**107.9**
Providence, R. I	21.1	25.0	21.1	19.5	15.5	20.1
Rochester, N. Y	14.7	17.4	11.8	12.1	15.8	11.5
St. Joseph, Mo	13.9	14.2	13.9	8.1	12.4	7.8
St. Louis, Mo	39.3	33.4	40.0	52.4	37.9	22.6
St. Paul, Minn	14.2	13.5	13.6	10.4	13.7	10.7
San Francisco, Cal	28.2	25 1	29.6	25 0	31.4	23 9
Scranton, Pa	23.3	34.4	19.6	18.2	10.7	17.2
Syracuse, N. Y	18.8	19.1	8.0	17.6	18.2	17.1
Toledo, Ohio	34.7	32.2	34.7	29.5	37.2	45.7
Washington, D. C	62.8	61.4	79.1	48.8	47.0	48 2
Worcester, Mass	16.4	21.6	13.9	15.3	6.3	21.1

In the preceding table, as in the table showing death rates from this disease in minor cities having an unusually high mortality during any of the years 1901 to 1905, rates in excess of 100 per 100,000 of population are indicated by bold face type. This limit, although somewhat arbitrary, may be taken as a convenient line of difference between ordinary and epidemic prevalence for use until sanitarians are agreed upon a more accurate distinction.

The decline in the death rate from typhoid fever in the registration area was due to the decreased death rates from this cause in each one of its main subdivisions. The rates for 1905 were not only lower than those for the preceding year, but were lower than those for any of the individual years given in the table. It will be noted that in 1905 the death rate of the rural population in the registration states was somewhat higher than that of the urban population, contrary to the relations shown for the years 1903 and 1904.

There was some diversity among the registration states; five of them, Indiana (37.3), Maine (22.4), New Hampshire (15.4), New Jersey (16.4), and New York (19.9), showing rates for the year lower than for any of the preceding years shown in the table, while Connecticut (21.6), District of Columbia (48.2), Massachusetts (18), and Rhode Island (17.1) show an increased mortality from this cause as compared with 1904. In each of the registration states, however, the mortality from typhoid fever for 1905 was below the average rate for the preceding five-year period.

In the registration cities of 100,000 population or over in 1900 a considerable number showed a decreased mortality and a rate for the year 1905 lower than that for any preceding year shown in the table. These were Chicago, Ill. (16.5); Cincinnati, Ohio (41.1); Cleveland, Ohio (14.9); Fall River, Mass. (11.3); Indianapolis, Ind. (30.2); Memphis, Tenn. (33.8); Minneapolis, Minn. (24.4); New Orleans, La. (32.6); New York, N. Y. (16); Pittsburg, Pa. (107.9); Rochester, N. Y. (11.5); St. Joseph, Mo. (7.8); St. Louis, Mo. (22.6); and San Francisco, Cal. (23.9).

In contrast to this extended list only the following cities showed rates increasing in 1905 and higher than for any preceding year: Allegheny, Pa. (126.7); Milwaukee, Wis. (22.7); Omaha, Nebr. (24.9); and Toledo, Ohio (45.7).

In order to show the general character of the changes in the death rates from individual diseases for those registration areas covered by the state censuses of 1905, the following comparative table showing the original and corrected figures for typhoid fever has been prepared:

AREA.	Statement.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.				
		Annual average 1900 to 1904.	1901	1902	1903	1904
The registration area	Original	33.8	32.4	34.5	34.4	32.0
	Corrected	33.7	32.4	34.4	34.3	31.9
Registration cities	Original	36.3	33.9	37.5	38.2	35.2
	Corrected	36.1	33.8	37.5	38.1	35.1
Registration states	Original	26.7	27.5	26.3	24.7	24.0
	Corrected	26.6	27.5	26.3	24.6	23.8
Cities in registration states	Original	25.8	26.5	25.9	24.6	24.0
	Corrected	25.7	26.5	25.8	24.6	24.0
Rural part of registration states	Original	27.8	28.8	27.0	24.7	23.8
	Corrected	27.8	28.8	26.9	24.5	23.7
Registration cities in other states.	Original	46.8	41.4	49.4	52.1	46.6
	Corrected	46.8	41.4	49.3	51.9	46.4
Massachusetts	Original	18.8	19 8	18.3	17.8	16.3
	Corrected	19.0	19.9	18.5	18.1	16.7
New Jersey	Original	20.4	19.6	21.8	19.7	18.9
	Corrected	20.2	19.5	21.6	19.5	18.6
New York	Original	23.9	25.0	23.4	22.5	21.6
	Corrected	23.8	24.9	23.2	22.2	21.3
Rhode Island	Original	21.1	23.6	20.4	17.9	15.2
	Corrected	20.9	23.5	20.3	17.6	14.9
Boston, Mass	Original	22.4	23.6	21.8	20.0	22.9
	Corrected	22.8	23.8	22.1	20.5	23.6
Buffalo, N. Y	Original	28.0	26.8	32.8	33.3	23.0
	Corrected	28.7	27.1	33.7	34 6	24.2
Fall River, Mass	Original	19.8	25.0	10.8	21.0	17.1
	Corrected	20.9	25.7	11.4	22.8	18.9
Jersey City, N. J	Original	18.6	16.1	20.5	15.0	19.2
	Corrected	18 4	16.1	20.3	14.9	18.9
Milwaukee, Wis	Original	17.1	21.9	14.7	16.3	13.1
	Corrected	17.5	22.1	15.1	16.8	13.6
Minneapolis, Minn	Original	44.7	61.0	29.0	45.8	46.3
	Corrected	41.5	58.7	26.9	41.1	40.4

AREA.	Statement.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.				
		Annual average: 1900 to 1904.	1901	1902	1903	1904
Registration cities in other states—Continued.						
New York, N. Y.	Original	19.2	20.7	20.6	17.4	17.2
	Corrected	19.0	20.6	20.3	17.1	16.8
Bronx borough	Original	14.8	16.5	16.2	15.4	12.6
	Corrected	14.4	16.3	15.7	14.8	12.0
Brooklyn borough	Original	22.8	22.5	24.5	19.6	22.7
	Corrected	22.6	22.4	24.3	19.4	22.4
Manhattan borough	Original	17.2	20.0	18.7	16.1	13.7
	Corrected	17.1	19.9	18.5	15.9	13.4
Queens borough	Original	20.5	18.2	21.7	16.8	20.6
	Corrected	19.9	17.9	21.1	16.1	19.6
Richmond borough	Original	20.0	26.3	14.3	19.5	20.5
	Corrected	20.2	26.4	14.4	19.8	20.9
Newark, N. J.	Original	20.1	23.8	19.8	23.0	13.6
	Corrected	20.0	23.8	19.6	22.9	13.6
Paterson, N. J	Original	21.7	23.2	33.5	21.2	6.9
	Corrected	22.3	23.5	34.4	22.0	7.3
Providence, R. I	Original	21.3	25.1	21.3	19.8	15.8
	Corrected	21.1	25.0	21.1	19.5	15.5
Rochester, N. Y	Original	14.9	17.5	11.9	12.3	16.1
	Corrected	14.7	17.4	11.8	12.1	15.8
St. Paul, Minn	Original	14.8	13.8	14.2	11.0	14.9
	Corrected	14.2	13.5	13.6	10.4	13.7
Syracuse, N. Y.	Original	18.7	19.0	8.0	17.5	18.0
	Corrected	18.8	19.1	8.0	17.6	18.2
Worcester, Mass	Original	16.0	21.3	13.6	14.8	6.1
	Corrected	16.4	21.6	13.9	15.3	6.3

In the preceding table the original figures are those published in the last report, Mortality Statistics, 1900 to 1904, and the corrected figures are those previously given in this report. As a rule the differences are unimportant, although the rate employed, number of deaths per 100,000 of population, brings out more differences than the rate per 1,000 used for the death rates of all causes. The numerical differences are also smaller for causes of death showing a lower mortality than typhoid fever, and larger for causes with a higher mortality, although, of course, the relative amounts of change are the same for each individual area.

The maximum difference in 1904 for the main subdivisions of the registration area was only 0.2 per 100,000 of population, and, in the four registration states which had censuses in 1905, the greatest difference in rates for the year 1904 was an increase of 0.4 per 100,000 of population in Massachusetts. Greater variations appear in a few of the larger cities. There was an increased rate of 0.7 per 100,000 of population for Boston, Mass.; an increase of 1.2 for Buffalo, N. Y.; an increase of 1.8 for Fall River, Mass.; an increase of 0.5 for Milwaukee, Wis.; a decrease of 5.9 for Minneapolis, Minn.; a decrease of 0.6 for Bronx borough, N. Y.; a decrease of 1 for Queens borough, N. Y., and a decrease of 1.2 for St. Paul, Minn. Similar comparisons could be made for other causes of death, but reference to this table for typhoid fever will show the general tendency, and it is only necessary to make exclusive use of the tables in the present report to avoid any possibility of using uncorrected rates. For minor cities, in addition to the special tables given in the text, reference to Table II for general death rates, and to Table IV for death rates from individual diseases, will afford rates revised according to the latest population data.

The following table shows the minor cities of the registration area having a death rate of 100 or more per 100,000 of population from typhoid fever during any of the years 1901 to 1905:

REGISTRATION CITY.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Alexandria, Va	27.5	68.7	61.7	**102.7**	41.0
Allentown, Pa	46.7	**189.5**	33.8	32.9	41.9
Ashtabula, Ohio	44.9	36.3	49.4	**137.1**	60.0
Augusta, Me	84.8	50.4	**232.7**	49.4	48.9
Bangor, Me	**104.0**	35.7	44.1	**187.4**	77.5
Biddeford, Me	**116.5**	60.7	54.0	65.4	76.5
Bristol town, Conn	40.6	19.8	**126.0**	47.4	18.6
Cohoes, N. Y	66.8	**125.2**	95.8	**104.0**	54.0
Columbia, Pa	80.1	79.0	54.5	**122.3**	45.3
Columbus, Ind	36.3	23.8	35.1	**103.5**	45.3
Cortland, N. Y	**117.6**	10.3	38.0	9.2	26.8
Escanaba, Mich	50.3	67.8	28.0	**351.4**	**182.8**
Fresno, Cal	**182.0**	**117.2**	**123.4**	60.9	82.7
Hammond, Ind	92.3	66.0	**126.2**	40.3	64.4
Harrisburg, Pa	66.5	63.4	**103.9**	59.4	69.3
Hudson, N. Y	61.9	71.0	39.9	**166.7**	48.2
Ithaca, N. Y	44.7	7.3	**336.9**	28.1	13.8
Jacksonville, Fla	53.7	**128.3**	61.4	85.5	93.5
Jacksonville, Ill	32.7	96.7	**101.8**	56.5	31.0
Jeffersonville, Ind	**111.3**	37.0	64.8	46.2	27.7
Johnstown, Pa	**116.4**	36.0	22.5	34.1	45.1
Leadville, Colo	55.3	38.9	22.9	**286.1**	14.8
Lynchburg, Va	78.6	**105.5**	74.9	**114.4**	58.2
McKeesport, Pa	81.5	81.3	81.0	**133.6**	85.7
Marietta, Ohio	**115.5**	90.5	74.0	65.0	31.5
Meadville, Pa	86.8	**105.3**	47.5	17.2	34.2
Menominee, Mich	56.5	25.1	86.8	**117.2**	46.9
Mobile, Ala	68.9	80.1	51.6	57.9	**106.7**
Muscatine, Iowa	35.0	41.4	88.5	**100.8**	59.7
Newcastle, Pa	57.1	**192.5**	**122.7**	64.7	50.8
Niagara Falls, N. Y	**143.9**	**130.4**	**126.9**	**139.8**	**181.6**
Petersburg, Va	82.5	96.3	96.3	**105.5**	64.2
Phillipsburg, N. J	28.8	**102.1**	7.9	15.4	22.5
Pueblo, Colo	**101.7**	**311.7**	**184.7**	**111.5**	68.9
Salt Lake City, Utah	79.0	72.4	61.3	74.1	**101.8**
Sault Ste. Marie, Mich	92.9	**172.9**	**115.9**	52.4	68.6
South Bethlehem, Pa	29.6	57.8	**205.3**	48.5	13.6
Steelton, Pa	32.3	**276.6**	**184.1**	52.5	51.4
Vincennes, Ind	38.5	57.0	55.2	**118.1**	53.8
Washington, Ind	**125.0**	22.1	43.0	41.9	71.5
Watertown, N. Y	49.1	64.9	71.3	**211.7**	23.7
Wichita, Kans	**114.4**	35.2	44.4	28.3	38.6
Youngstown, Ohio	**136.8**	**135.5**	**180.0**	89.8	67.9

Only four of the smaller cities shown in the table had death rates exceeding 100 per 100,000 of population from typhoid fever during the year 1905: Escanaba, Mich. (182.8); Mobile, Ala. (106.7); Niagara Falls, N. Y. (181.6); Salt Lake City, Utah (101.8). The rate in Escanaba for the year 1905, although high, was much lower than the rate for 1904 (351.4). Niagara Falls, N. Y., has shown a mortality from typhoid fever in excess of 100 deaths per 100,000 of population for each of the past five years, and is the only minor city in the registration area of the United States in which such a persistently high death rate occurs from this disease.

The following table shows the sex distribution of typhoid fever for the registration area and also the age distribution in quinquennial periods and single years under 5:

SEX AND AGE.	NUMBER OF DEATHS FROM TYPHOID FEVER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	10,771	10,127	10,980	11,149	10,557	9,479
Sex:						
Male	6,333	5,937	6,467	6,585	6,298	5,532
Female	4,439	4,190	4,513	4,564	4,259	3,947
Age:						
Under 1 year	77	77	87	70	66	49
1 year	97	89	91	98	106	81
2 years	109	88	130	116	105	110
3 years	125	113	133	128	124	124
4 years	120	113	135	111	126	117
Under 5 years	527	480	576	523	527	481
5 to 9 years	620	558	613	666	601	489
10 to 14 years	735	667	676	786	762	662
15 to 19 years	1,426	1,319	1,464	1,491	1,341	1,254
20 to 24 years	1,763	1,601	1,813	1,860	1,737	1,561
25 to 29 years	1,482	1,439	1,587	1,555	1,398	1,279
30 to 34 years	1,093	1,038	1,145	1,123	1,079	932
35 to 39 years	857	829	836	900	854	759
40 to 44 years	634	626	650	658	571	544
45 to 49 years	467	444	442	464	484	443
50 to 54 years	334	314	358	305	338	317
55 to 59 years	249	238	226	259	257	245
60 to 64 years	204	204	213	176	213	191
65 to 69 years	149	154	158	132	149	118
70 to 74 years	103	99	92	97	121	93
75 to 79 years	57	48	63	75	47	55
80 to 84 years	26	27	24	28	30	27
85 to 89 years	9	8	9	7	9	8
90 to 94 years	1	1	1	1	2	1
95 years and over	1	1	1	.....	.....	.....
Unknown	38	32	33	43	37	18

In 1905, as in all of the other years shown, the largest number of deaths from typhoid fever occurred during the ages 20 to 24 years. Males show a considerable excess of deaths over females from this cause.

Malarial fever.—The number of deaths from malarial fever returned for the year 1905 (1,321) is shown in Table III. This number is the smallest of any individual year given in this report, and the rate, 3.9 per 100,000 of population, is also the lowest since the beginning of this series of reports. It is not unlikely that some of this diminution may be due to the more correct statement of typhoid fever instead of malarial fever in some cases reported. Deaths returned from "typho-malarial fever" are compiled under typhoid fever.

In the following table the distribution of mortality from malarial fever is given for the main subdivisions of the registration area, for the registration states, and for cities of 100,000 population or over in 1900:

AREA.	NUMBER OF DEATHS FROM MALARIAL FEVER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	5.6	6.3	5.4	4.3	4.2	3.9
Registration cities	6.0	6.9	5.9	4.6	4.6	4.1
Registration states	4.2	5.0	4.0	3.0	2.9	2.5
Cities in registration states	3.7	4.9	3.7	2.5	2.6	1.8
Rural part of registration states	4.7	5.0	4.3	3.7	3.3	3.5
Registration cities in other states	8.2	8.8	8.2	6.7	6.6	6.4
Registration states:						
Connecticut	8.4	11.2	9.4	5.5	4.7	6.7
District of Columbia	11.1	15.2	11.1	7.5	4.0	3.6
Indiana	8.5	9.3	7.4	5.9	5.6	5.1
Maine	1.9	1.6	3.0	1.6	1.5	1.8
Massachusetts	2.5	3.2	2.0	2.2	2.0	1.4
Michigan	4.1	4.6	4.0	2.6	2.6	2.3
New Hampshire	1.7	1.7	0.5	1.9	2.1	1.6
New Jersey	3.7	4.4	3.2	3.1	2.8	2.4
New York	3.1	3.8	3.1	2.1	2.3	1.7
Rhode Island	6.2	8.0	5.8	6.1	4.3	3.3
Vermont	1.4	1.5	1.2	1.4	1.7	1.7
Registration cities of 100,000 population or over in 1900.						
Allegheny, Pa	0.7	1.5	1.5	.....	.....	0.7
Baltimore, Md	6.5	7.7	6.1	4.1	4.8	3.3
Boston, Mass	1.0	1.6	1.4	.....	0.5	0.5
Buffalo, N. Y	0.8	0.8	0.3	0.5	0.8	.....
Chicago, Ill	1.0	1.2	0.9	1.0	0.5	0.9
Cincinnati, Ohio	2.4	4.6	4.2	1.2	0.9	0.6
Cleveland, Ohio	1.2	1.8	0.7	0.7	1.2	1.1
Columbus, Ohio	3.0	5.4	.....	1.5	2.9	.....
Denver, Colo	0.7	0.7	0.7	0.7	.....	2.0
Detroit, Mich	2.7	3.4	3.0	1.6	2.2	0.9
Fall River, Mass	1.0	1.9	1.0	.....	0.9	1.9
Indianapolis, Ind	5.3	2.8	7.0	3.5	4.4	2.4
Jersey City, N. J	3.7	4.7	3.2	2.3	2.6	1.3
Kansas City, Mo	7.1	7.8	5.9	8.1	7.4	6.7
Louisville, Ky	5.2	7.2	5.2	2.3	5.9	6.3
Memphis, Tenn	**140.2**	**112.2**	**132.0**	**117.0**	**138.8**	**122.1**
Milwaukee, Wis	0.3	.....	0.3	0.3	0.6	0.3
Minneapolis, Minn	0.4	.....	0.4	.....	.....	0.8
New Haven, Conn	9.8	12.7	8.9	5.2	8.6	10.9
New Orleans, La	35.1	38.1	32.8	26.3	22.9	16.1
New York, N. Y	3.7	5.0	3.5	2.0	2.7	1.4
Bronx borough	12.2	21.9	10.0	5.8	6.2	2.6
Brooklyn borough	4.1	4.7	4.1	2.5	4.3	1.8
Manhattan borough	1.9	2.6	2.1	1.1	1.1	0.8
Queens borough	9.9	11.7	4.7	3.9	4.2	3.5
Richmond borough	5.8	8.8	5.8	4.3	2.8	1.4
Newark, N. J	3.9	6.3	4.2	1.1	3.7	1.4
Omaha, Nebr	1.8	.....	2.7	0.9	2.6	1.7
Paterson, N. J	3.7	2.8	4.6	2.8	2.7	2.7
Philadelphia, Pa	1.1	1.2	1.5	0.9	1.2	1.3
Pittsburg, Pa	1.5	2.1	1.8	1.2	.....	1.1
Providence, R. I	7.0	8.3	8.1	5.3	4.6	3.5
Rochester, N. Y	1.2	0.6	0.6	.....	2.8	.....
St. Joseph, Mo	3.7	1.9	3.7	2.7	2.6	5.2
St. Louis, Mo	9.2	7.8	7.3	10.0	10.2	15.4
St. Paul, Minn	[1]	.....	.....	0.5	.....	.....
San Francisco, Cal	2.8	1.4	2.6	2.0	3.9	1.1
Scranton, Pa	2.8	1.0	4.7	0.9	1.7	2.6
Syracuse, N. Y	0.9	1.8	.....	.....	0.9	.....
Toledo, Ohio	4.9	2.9	7.8	2.7	2.6	5.2
Washington, D. C	11.1	15.2	11.1	7.5	4.0	3.6
Worcester, Mass	5.7	6.6	5.7	8.9	4.0	3.1

[1] Less than one-tenth.

There was a decrease in each of the main subdivisions of the registration area in 1905 as compared with 1904, except in the rural part of the registration states, where the death rate rose from 3.3 to 3.5 per 100,000 of population.

For the year 1905 six states and the District of Columbia (urban) show a decrease, and also the lowest annual rate from this cause for any year shown in the table: District of Columbia (3.6); Indiana (5.1); Massachusetts (1.4); Michigan (2.3); New Jersey (2.4); New York (1.7); and Rhode Island (3.3). Connecticut (6.7) and Maine (1.8) showed increased rates for the year, but the rates were not as high as the annual average for the five-year period 1900–1904.

A number of the larger registration cities also showed minimum rates for 1905 from malarial fever. As malarial fever is a quite insignificant cause of death for the most part, and the returns are sometimes of doubt-

ful value, it will hardly be worth while to enumerate the individual cities.

The city of 100,000 population or over showing the greatest mortality for the year from this cause is Memphis, Tenn. (122.1), which rate is lower than that for the preceding year (138.8) and the average for the five-year period 1900–1904 (140.2). Next to Memphis, but separated very widely from it, comes New Orleans, La., with a death rate of 16.1 in 1905 and an annual average rate of 35.1, followed by St. Louis, Mo., whose rate for 1905 (15.4) is a maximum for the series of years, and by New Haven, Conn., whose rate for 1905 (10.9) is the highest for any year since 1901. In this table, as in the following one showing the death rates from malarial fever in minor cities, rates in excess of 50 per 100,000 of population are indicated by bold face type.

Minor cities of the registration area having death rates of 50 or more per 100,000 of population from malarial fever during any one of the past five years are shown in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM MALARIAL FEVER PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Charleston, S. C	**85.9**	**66.1**	46.4	46.3	42.7
Jacksonville, Fla	**278.5**	**150.8**	**147.5**	**59.0**	**90.6**
Meriden town, Conn	**55.1**	40.9	40.4	20.0	16.5
Mobile, Ala	**56.1**	45.1	**51.6**	26.6	33.2
Paducah, Ky	**235.6**	**146.7**	**119.3**	**121.2**	**118.4**
Petersburg, Va	27.5	**91.7**	45.8	**55.0**	**55.0**
San Antonio, Tex	**65.6**	46.1	**75.8**	47.0	11.4
Savannah, Ga	**150.0**	**138.7**	**92.7**	**104.5**	**154.5**
Wilmington, N. C	**246.8**	**264.7**	**178.8**	**206.1**	**116.6**

The sex and age distribution of deaths returned from malarial fever in the registration area may be seen in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM MALARIAL FEVER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	1,791	1,980	1,738	1,410	1,391	1,321
Sex:						
Male	902	1,008	917	673	705	676
Female	889	972	821	737	686	645
Age:						
Under 1 year	167	209	138	126	130	115
1 year	91	99	95	69	68	74
2 years	63	59	58	52	54	48
3 years	50	47	45	35	32	32
4 years	33	29	36	29	24	19
Under 5 years	404	443	372	311	308	288
5 to 9 years	113	145	109	73	94	73
10 to 14 years	65	80	59	52	44	49
15 to 19 years	93	101	94	82	68	61
20 to 24 years	114	129	102	94	84	87
25 to 29 years	105	107	105	91	79	86
30 to 34 years	93	100	95	77	70	65
35 to 39 years	91	111	88	62	76	64
40 to 44 years	76	74	81	64	64	49
45 to 49 years	77	99	63	54	73	73
50 to 54 years	86	93	97	53	75	64
55 to 59 years	84	90	84	67	66	66
60 to 64 years	89	91	96	80	71	81
65 to 69 years	85	80	94	76	60	70
70 to 74 years	85	86	91	62	61	43
75 to 79 years	60	68	45	50	54	52
80 to 84 years	35	42	36	31	24	26
85 to 89 years	17	21	15	16	9	16
90 to 94 years	5	6	7	7	3	.....
95 years and over	2	2	2	1	1	2
Unknown	7	12	3	7	7	6

A slight excess of deaths of males is shown for each year except 1903, but the relative excess is less for this disease than for typhoid fever. The largest number of deaths at any five-year period was for children under 5 years.

Smallpox.—By reference to Table III it will be seen that the number of deaths and the annual death rates from smallpox in the registration area of the United States have been rapidly diminishing since 1902. The number of deaths compiled for the year 1905 (308) is less than one-half of the number recorded for the preceding year, and the death rate of 0.9 per 100,000 of population shows how insignificant the disease has become as a factor of mortality. The mortality from smallpox in this country may be compared with that of certain foreign countries by means of the following table:

COUNTRY.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	3.7	3.5	6.6	4.2	2.1	0.9
England and Wales	2.5	1.0	7.5	2.3	1.5	0.3
Scotland	2.8	6.0	2.0	1.0	4.0	(1)
Germany	0.1	0.1	(2)	(2)	(1)	(1)
Hungary	2.7	4.0	2.0	1.0	2.2	(1)
Belgium	10.0	4.0	9.0	23.0	(1)	(1)
Spain	26.6	28.0	30.0	25.1	15.2	(1)
Italy	9.3	10.0	7.0	18.0	9.3	1.4

[1] No figures available. [2] Less than one-tenth.

The distribution of smallpox in the subdivisions of the registration area and in the principal cities may be seen in the following table:

AREA.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	3.7	3.5	6.6	4.2	2.1	0.9
Registration cities	4.6	4.4	7.9	5.4	2.5	1.1
Registration states	2.6	3.6	6.5	1.5	0.8	0.6
Cities in registration states	3.4	5.5	9.0	1.8	0.6	0.6
Rural part of registration states	1.5	1.3	3.4	1.2	1.1	0.5
Registration cities in other states	5.8	3.2	6.8	9.2	4.5	1.5
Registration states:						
Connecticut	0.4	0.4	1.5	0.1	.....	.....
District of Columbia	0.7	.....	0.3	0.7	0.3	3.0
Indiana	3.2	0.8	3.0	7.5	3.7	1.3
Maine	0.7	.....	1.6	1.0	0.4	.....
Massachusetts	2.9	3.4	9.8	0.8	0.3	0.1
Michigan	1.0	1.1	1.6	1.2	1.1	2.9
New Hampshire	0.7	1.2	1.7	.....	0.5	.....
New Jersey	6.2	7.2	21.6	0.8	1.1	(1)
New York	2.5	5.9	5.8	0.5	0.2	0.1
Rhode Island	2.0	1.1	8.2	0.7	.....	.....
Vermont	0.3	.....	0.6	0.9	.....	.....
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	22.1	0.7	5.9	88.4	12.1	.....
Baltimore, Md	0.6	.....	1.3	0.4	0.7	.....
Boston, Mass	9.6	13.2	32.9	2.2	.....	0.2
Buffalo, N. Y	0.6	0.6	0.8	1.1	.....	.....
Chicago, Ill	1.0	0.2	0.3	2.5	1.5	3.1
Cincinnati, Ohio	2.4	0.3	1.8	4.2	3.5	0.6
Cleveland, Ohio	14.9	5.1	57.8	5.5	1.4	.....
Columbus, Ohio	7.6	.....	0.8	36.9	.....	1.4
Denver, Colo	.....	1.5	.....	.....	.....	.....
Detroit, Mich	1.3	0.3	2.3	3.6	0.3	0.3

AREA.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration cities of 100,000 population or over in 1900—Cont'd.						
Fall River, Mass	1.0	1.0	1.9	0.9	.....	.....
Indianapolis, Ind	12.9	1.1	9.1	**52.1**	.....	0.5
Jersey City, N. J	1.4	1.4	5.1	0.5	.....	.....
Kansas City, Mo	4.7	3.6	4.7	4.6	4.5	13.9
Louisville, Ky	2.8	1.0	1.4	7.9	3.2	0.4
Memphis, Tenn	5.5	9.4	4.6	1.8	7.7	0.8
Milwaukee, Wis	0.3	0.3	0.7	0.3	0.3	0.3
Minneapolis, Minn	3.1	0.5	.....	3.7	6.8	0.4
New Haven, Conn	.....	.....	.....	.....	.....	.....
New Orleans, La	34.8	17.8	1.4	1.3	.....	1.9
New York, N. Y	4.0	11.1	8.4	0.1	0.2	0.2
Bronx borough	**45.9**	**145.3**	**88.2**	1.2	0.4	.....
Brooklyn borough	2.3	4.0	7.1	0.2	0.5	0.7
Manhattan borough	0.6	1.7	0.9	.....	.....	(1)
Queens borough	(1)	1.2	.....	.....	.....	.....
Richmond borough	(1)	.....	1.4	.....	.....	.....
Newark, N. J	20.4	28.1	**72.2**	1.1	.....	.....
Omaha, Nebr	0.9	2.8	2.7	.....	0.9	.....
Paterson, N. J	0.9	0.9	4.6	.....	.....	.....
Philadelphia, Pa	13.5	13.5	16.2	20.6	16.2	.....
Pittsburg, Pa	27.3	1.2	36.5	**91.3**	5.7	.....
Providence, R. I	1.1	1.1	4.3	.....	.....	.....
Rochester, N. Y	11.8	.....	**45.3**	13.8	.....	.....
St. Joseph, Mo	3.7	6.6	8.3	0.9	1.8	.....
St. Louis, Mo	2.5	1.4	1.5	0.6	8.2	**95.8**
St. Paul, Minn	2.3	0.6	.....	8.7	1.1	0.5
San Francisco, Cal	0.6	0.3	.....	0.6	.....	0.3
Scranton, Pa	0.9	.....	0.9	1.8	.....	.....
Syracuse, N. Y	.....	.....	.....	.....	.....	.....
Toledo, Ohio	2.1	.....	7.8	2.1	.....	0.6
Washington, D. C	0.7	.....	0.3	0.7	0.3	3.0
Worcester, Mass	0.8	3.3	0.8	.....	.....	.....

In the above table, as in the table for minor cities below, rates exceeding 40 per 100,000 of population are indicated by bold face type. The decrease in the death rate was shared by each principal subdivision of the registration area, except that the cities in registration states showed the same mortality in 1904 and 1905 (0.6 per 100,000 of population).

Several states—Connecticut, Maine, New Hampshire, Rhode Island, and Vermont—reported no deaths from smallpox for 1905. Of those reporting deaths from this cause the lowest rates per 100,000 of population occurred in the states of Massachusetts (0.1), New Jersey (less than 0.1), and New York (0.1); while the state of Michigan (2.9) showed a higher rate for 1905 than for any of the previous years shown.

In the larger cities the most serious epidemic in 1905 was in St. Louis, Mo., with a mortality of 95.8 per 100,000 of population from this cause. Next, but separated very widely from it, comes Kansas City, Mo., with a death rate of 13.9 per 100,000 of population, followed by Chicago, Ill., with a rate of 3.1, and Washington, D. C., with a rate of 3.

In the following table the death rates are given for minor cities of the registration area in which the mortality from smallpox exceeded 40 per 100,000 of population in any one of the past five years:

REGISTRATION CITY.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Bellaire, Ohio	.....	10.1	**90.8**	.....	.....
Belleville, Ill	.....	.....	33.1	**250.9**	10.8
Ironton, Ohio	.....	8.3	**41.6**	**49.7**	.....
Jackson, Mich	.....	.....	.....	19.8	**43.4**
Johnstown, Pa	.....	**59.1**	27.5	4.9	.....
Marietta, Ohio	.....	.....	**47.1**	.....	.....
Plymouth, Pa	**99.5**	.....	.....	.....	.....
Portsmouth, Ohio	16.4	37.2	**41.5**	.....	.....
Terre Haute, Ind	.....	.....	.....	**50.9**	.....
Washington, Ind	.....	.....	**129.1**	.....	.....
Woonsocket, R. I	.....	**83.9**	.....	.....	.....

The sex and age distribution of deaths from smallpox is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM SMALLPOX.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	1,180	1,085	2,111	1,382	709	308
Sex:						
Male	743	660	1,355	872	446	202
Female	437	425	756	510	263	106
Age:						
Under 1 year	131	156	250	141	66	25
1 year	56	73	108	52	31	6
2 years	42	49	93	31	25	5
3 years	31	47	54	32	16	5
4 years	24	23	48	22	18	6
Under 5 years	284	348	553	278	156	47
5 to 9 years	52	59	104	44	21	10
10 to 14 years	22	18	31	18	14	4
15 to 19 years	62	36	96	80	46	16
20 to 24 years	150	115	230	213	84	39
25 to 29 years	153	113	272	194	96	44
30 to 34 years	113	101	201	137	75	38
35 to 39 years	104	85	182	146	56	28
40 to 44 years	72	65	131	91	44	23
45 to 49 years	51	45	95	56	33	21
50 to 54 years	35	21	66	44	26	13
55 to 59 years	26	28	42	28	16	10
60 to 64 years	15	13	30	14	13	3
65 to 69 years	16	16	27	14	13	4
70 to 74 years	7	6	13	10	4	3
75 to 79 years	6	6	13	3	4	1
80 to 84 years	3	4	6	4	.....	1
85 to 89 years	1	1	2	.....	.....	.....
90 to 94 years	.....	.....	1	.....	.....	.....
95 years and over	.....	.....	.....	1	1	1
Unknown	7	5	16	7	7	2

About twice as many deaths of males as of females are reported from this disease. The age period showing the maximum number of deaths is that under 5 years. In 1905, however, the number of deaths of infants under 5 years (47) is but slightly larger than the number of deaths at the age period 25 to 29 (44). A much less proportion of deaths of young children occurred from this cause in 1905 than in the other years shown in the table, a circumstance which may be characteristic of the diminishing prevalence of the disease.

Measles.—In Table III the deaths and death rates from measles are shown for the individual years 1901 to 1905, together with the annual average for the five-year period 1900-1904. The number of deaths recorded

from this disease for 1905 (2,557) was 1,102 less than the number for the preceding year, and also less than the number returned for any year since 1901.

In the following table the death rates from this cause for the registration area during recent years may be compared with those of certain European countries:

COUNTRY.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	10.1	7.3	9.5	9.9	11.0	7.6
England and Wales	34.0	27.6	39.2	27.4	36.4	32.4
Scotland	33.2	37.0	31.0	25.0	32.7	(1)
Ireland	15.3	10.0	24.0	16.0	11.9	18.4
Germany	25.2	31.0	26.0	25.6	(1)	(1)
Norway	10.1	5.0	13.0	13.2	(1)	(1)
Sweden	9.5	7.0	12.0	(1)	(1)	(1)
Hungary	39.2	41.0	52.0	35.0	29.8	(1)
The Netherlands	38.1	52.0	46.0	23.0	43.9	21.3
Belgium	37.5	30.0	48.0	33.0	(1)	(1)
Switzerland	20.6	25.0	14.0	16.0	24.0	(1)
Spain	65.0	99.0	57.0	53.1	51.1	(1)
Italy	22.6	17.0	30.0	22.0	16.0	20.1

[1] No figures available.

It appears that the average annual rate in the registration area of the United States is lower than that of European countries, with the exception of Norway and Sweden. As measles is a disease of children, the great majority of deaths from this cause occurring under the age of 5 years, it is necessary to take into consideration the age distribution of the population before exact comparisons can be made of international rates.

In the following table the distribution of the mortality from measles is given for the principal subdivisions of the registration area, the registration states, and the larger cities:

AREA.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	10.1	7.3	9.5	9.9	11.0	7.6
Registration cities	11.0	7.5	11.0	11.3	11.7	8.5
Registration states	10.0	7.4	9.3	8.8	11.3	7.4
Cities in registration states	11.9	7.7	12.1	10.6	12.9	9.1
Rural part of registration states	7.7	6.9	5.7	6.4	9.3	5.3
Registration cities in other states	10.2	7.2	9.9	12.0	10.5	7.8
Registration states:						
Connecticut	12.4	7.9	4.8	**22.2**	8.2	5.4
District of Columbia	8.3	3.9	5.2	15.3	1.3	2.6
Indiana	8.5	8.0	4.5	6.4	18.6	0.5
Maine	5.3	4.2	4.3	5.7	3.2	4.8
Massachusetts	9.8	8.0	11.5	9.3	8.7	8.4
Michigan	8.0	3.1	9.4	6.9	7.5	4.0
New Hampshire	4.8	1.4	4.8	9.9	1.6	14.4
New Jersey	7.7	3.6	11.0	2.9	9.9	5.1
New York	12.1	10.0	11.4	8.5	14.4	11.2
Rhode Island	16.7	3.6	5.1	**30.0**	3.4	7.5
Vermont	6.6	9.3	6.4	8.4	0.9	10.9
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	**23.6**	**27.0**	**38.3**	**29.0**	15.7	**55.3**
Baltimore, Md	6.7	1.4	8.2	15.6	1.7	15.4
Boston, Mass	17.1	**21.5**	12.5	10.5	**22.9**	12.6
Buffalo, N. Y	11.6	6.2	18.8	8.7	9.9	17.5
Chicago, Ill	9.7	10.2	8.2	15.4	2.8	12.8
Cincinnati, Ohio	14.2	18.3	17.3	9.9	**23.1**	2.9
Cleveland, Ohio	5.2	4.1	4.5	2.9	12.2	2.3
Columbus, Ohio	9.1	.....	16.6	11.8	7.9	.....
Denver, Colo	10.0	4.4	15.3	2.7	18.2	2.7
Detroit, Mich	12.6	4.4	**22.9**	4.8	12.9	0.9
Fall River, Mass	11.4	1.9	**21.9**	12.3	6.6	**31.2**
Indianapolis, Ind	4.3	2.8	.....	7.1	8.3	0.5
Jersey City, N. J	6.9	7.6	6.9	8.1	4.8	4.7
Kansas City, Mo	6.5	.....	14.7	1.7	10.2	1.1
Louisville, Ky	3.3	1.0	2.4	.....	6.4	0.4
Memphis, Tenn	12.7	1.9	1.8	3.5	17.0	.....
Milwaukee, Wis	6.7	4.8	8.4	1.3	13.3	2.9
Minneapolis, Minn	3.5	7.5	1.3	7.5	0.8	0.8
New Haven, Conn	13.3	10.0	6.2	**26.2**	14.6	2.5
New Orleans, La	6.4	0.3	0.3	0.7	10.5	.....
New York, N. Y	16.3	10.2	17.5	11.4	**21.6**	11.1
Bronx borough	**32.3**	17.2	**57.7**	11.1	**43.9**	17.7
Brooklyn borough	18.1	11.5	18.5	12.0	**23.8**	12.3
Manhattan borough	14.3	9.0	13.7	11.1	19.7	10.3
Queens borough	6.4	1.9	5.9	11.7	1.1	6.1
Richmond borough	10.1	16.1	4.3	5.7	5.6	2.7
Newark, N. J	13.1	6.7	**20.7**	0.8	13.9	4.2
Omaha, Nebr	5.5	.....	13.7	4.4	8.5	1.7
Paterson, N. J	6.5	0.9	17.6	0.9	12.7	2.7
Philadelphia, Pa	16.4	3.5	11.8	17.3	**22.3**	6.6
Pittsburg, Pa	**30.2**	17.3	**54.3**	**26.1**	**24.4**	**37.3**
Providence, R. I	**22.7**	1.7	3.8	**50.7**	3.1	2.5
Rochester, N. Y	6.5	9.0	0.6	15.0	0.6	15.9
St. Joseph, Mo	6.5	0.9	**22.2**	0.9	8.0	.....
St. Louis, Mo	7.3	2.4	1.0	**23.3**	5.1	**81.6**
St. Paul, Minn	4.5	7.1	6.8	7.1	1.6	0.5
San Francisco, Cal	9.4	14.1	12.2	9.3	6.9	0.8
Scranton, Pa	5.6	8.6	1.9	8.2	5.3	17.2
Syracuse, N. Y	7.2	0.9	5.4	14.1	4.3	5.1
Toledo, Ohio	7.1	5.1	11.3	3.4	8.6	1.3
Washington, D. C	8.3	3.9	5.2	15.3	1.3	2.6
Worcester, Mass	12.3	2.5	7.4	**23.3**	2.4	3.9

A general decrease is seen in the above table for each of the main subdivisions of the registration area in passing from 1904 to 1905, and for the rural part of the registration states the death rate, 5.3 per 100,000 of population, is the lowest of any year in the series.

Among the individual states there is great variation. Indiana showed a minimum mortality for the year, 0.5 per 100,000 of population, which is in marked contrast to the high death rate, 18.6 per 100,000 of population, shown for the preceding year. New Hampshire, with a rate of 14.4 for 1905, and Vermont with a rate of 10.9, showed high rates of mortality for the year as compared with those of 1904.

Among the individual cities the highest death rate for 1905 occurred in St. Louis, Mo. (81.6), the next in order being in Allegheny, Pa. (55.3), followed by Pittsburg, Pa. (37.3), and Fall River, Mass. (31.2). In these comparisons the same remarks apply as in the international comparisons; the age distribution of population should always be considered. For convenience all rates of 20 or more per 100,000 of population are indicated by bold face type.

The sex and age distribution of deaths from measles is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM MEASLES.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,213	2,287	3,033	3,221	3,659	2,557
Sex:						
Male	1,653	1,212	1,604	1,680	1,874	1,297
Female	1,560	1,075	1,429	1,541	1,785	1,260
Age:						
Under 1 year	792	533	786	765	938	609
1 year	1,002	666	974	1,036	1,122	841
2 years	452	311	421	461	518	398
3 years	215	156	208	233	235	201
4 years	137	101	122	141	153	106
Under 5 years	2,597	1,767	2,511	2,636	2,966	2,155
5 to 9 years	276	182	254	305	310	202
10 years and over	336	336	267	277	379	196
Unknown	3	2	1	3	4	4

There is an excess of deaths of males in each year, but it is very slight for the year 1905. The largest number of deaths from measles in any single year of age is during the second year of life.

Scarlet fever.—The deaths and death rates from scarlet fever for the past five years are shown in Table III, according to which it appears that the number of deaths registered for 1905 from this cause (2,284) was the smallest of any number returned during recent years.

The death rates are given below and may be compared with corresponding rates for the leading European countries:

COUNTRY.	NUMBER OF DEATHS FROM SCARLET FEVER PER 100,000 OF POPULATION.					
	Annual average, 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	11.8	13.1	12.7	12.3	10.9	6.8
England and Wales	12.7	13.3	14.8	12.5	11.2	11.2
Scotland	10.8	13.0	12.0	9.0	6.0	(1)
Ireland	4.7	5.0	4.0	5.0	4.6	3.9
Germany	23.7	25.0	24.0	25.4	(1)	(1)
Norway	6.8	5.0	5.0	5.3	(1)	(1)
Sweden	8.7	9.0	8.0	(1)	(1)	(1)
Hungary	67.5	59.0	72.0	82.0	72.3	(1)
The Netherlands	2.6	2.0	2.0	2.0	3.2	3.4
Belgium	16.3	21.0	14.0	10.0	(1)	(1)
Switzerland	3.7	2.0	2.0	5.0	8.1	(1)
Spain	5.9	6.0	6.0	5.4	5.2	(1)
Italy	4.6	4.0	4.0	6.0	4.8	5.0

[1] No figures available.

There is a wide variation in the mortality from this disease in different countries, and the rate for the registration area of the United States for the five-year period (11.8) is slightly below the corresponding average of that shown for England and Wales (12.7) and slightly above that for Scotland (10.8). It is far higher than the rate for Ireland (4.7), but here, as in all other cases, the special age distribution of the population must be considered, as the majority of deaths from scarlet fever occurred at early ages.

In the following table the variations in the death rates from scarlet fever may be seen for the registration area, its principal subdivisions, the registration states, and the larger registration cities, during recent years, all rates of 20 or more per 100,000 of population being distinguished by bold face type.

AREA.	NUMBER OF DEATHS FROM SCARLET FEVER PER 100,000 OF POPULATION.					
	Annual average 1900 to 1904	1901	1902	1903	1904	1905
The registration area	11.8	13.1	12.7	12.3	10.9	6.8
Registration cities	13.8	15.5	15.3	14.2	12.4	7.6
Registration states	11.8	13.5	11.9	12.3	11.6	6.8
Cities in registration states	15.6	18.5	16.6	16.2	15.1	8.4
Rural part of registration states	7.0	7.5	6.1	7.3	7.1	4.6
Registration cities in other states	12.0	12.5	14.1	12.3	9.7	6.8
Registration states:						
Connecticut	11.7	9.2	17.9	15.5	8.2	5.2
District of Columbia	3.1	3.9	2.1	0.7	3.7	3.6
Indiana	6.6	6.1	6.0	7.2	8.3	5.5
Maine	2.7	2.9	1.8	2.7	1.3	1.0
Massachusetts	12.3	13.9	10.7	17.7	5.2	4.2
Michigan	10.1	12.4	10.7	8.0	8.3	4.6
New Hampshire	4.8	12.8	0.5	2.6	2.3	0.9
New Jersey	13.6	9.8	11.6	14.9	**21.1**	8.7
New York	15.3	19.8	16.5	14.5	15.9	9.7
Rhode Island	9.4	4.8	6.2	12.8	14.9	7.1
Vermont	5.8	11.3	9.0	1.4	2.6	2.9
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	19.9	**30.0**	**20.6**	**21.0**	16.4	16.8
Baltimore, Md	11.5	2.3	7.1	16.2	**26.9**	6.6
Boston, Mass	**22.1**	**39.1**	17.4	12.4	7.8	8.2
Buffalo, N. Y	6.9	12.3	3.0	7.4	4.3	4.2
Chicago, Ill	15.1	11.1	**26.4**	16.3	7.8	4.1
Cincinnati, Ohio	10.6	7.9	17.9	11.1	7.0	**21.8**
Cleveland, Ohio	6.9	10.2	10.2	4.3	0.9	11.4
Columbus, Ohio	10.6	14.7	6.8	12.5	10.1	2.1
Denver, Colo	**24.9**	**47.2**	**24.1**	19.0	14.1	12.0
Detroit, Mich	13.3	18.0	**24.2**	7.1	11.3	9.5
Fall River, Mass	12.4	1.9	**35.2**	18.0	3.8	.....
Indianapolis, Ind	4.8	5.7	3.8	5.1	1.0	4.2
Jersey City, N. J	**20.3**	15.6	17.5	12.2	**40.4**	6.9
Kansas City, Mo	10.6	16.8	8.8	8.1	11.4	2.2
Louisville, Ky	3.3	2.4	2.4	6.0	3.2	3.6
Memphis, Tenn	8.2	5.7	10.0	5.3	15.3	2.5
Milwaukee, Wis	9.7	5.1	2.0	3.6	13.9	7.7
Minneapolis, Minn	11.0	7.0	14.1	11.7	13.2	3.4
New Haven, Conn	7.1	4.5	7.1	13.1	5.1	6.7
New Orleans, La	7.1	**21.3**	4.7	2.7	0.7	2.6
New York, N. Y	**23.3**	**33.3**	**25.6**	**20.8**	**22.8**	12.2
Bronx borough	**57.7**	**44.2**	**82.1**	**70.7**	**68.8**	**26.1**
Brooklyn borough	**23.4**	**39.1**	**22.9**	**20.5**	**22.5**	14.6
Manhattan borough	**20.7**	**30.6**	**22.2**	16.3	18.3	9.4
Queens borough	11.7	14.8	7.6	12.2	10.1	8.1
Richmond borough	14.4	14.7	**25.9**	4.3	**26.5**	8.2
Newark, N. J	**24.6**	9.1	18.4	**26.6**	**24.7**	16.6
Omaha, Nebr	10.0	12.2	12.8	11.5	6.8	6.6
Paterson, N. J	10.2	7.5	16.7	1.8	14.5	2.7
Philadelphia, Pa	14.1	17.2	10.1	14.7	15.8	4.7
Pittsburg, Pa	**21.9**	**34.9**	**26.4**	**21.2**	11.6	**45.9**
Providence, R. I	10.3	5.0	4.3	13.2	**22.2**	9.1
Rochester, N. Y	8.8	2.4	7.7	6.9	19.7	13.7
St. Joseph, Mo	2.8	3.8	2.8	4.5	3.5	.....
St. Louis, Mo	13.7	10.6	**21.0**	15.8	10.6	2.4
St. Paul, Minn	8.5	10.0	9.6	13.6	4.2	9.6
San Francisco, Cal	3.7	3.7	5.1	3.7	2.5	1.1
Scranton, Pa	**22.4**	7.6	2.8	5.5	2.7	14.6
Syracuse, N. Y	8.0	4.5	5.4	1.8	**26.0**	**35.0**
Toledo, Ohio	7.1	8.1	6.4	2.1	0.7	3.9
Washington, D. C	3.1	3.9	2.1	0.7	3.7	3.6
Worcester, Mass	12.3	10.8	13.1	5.6	2.4	3.1

From the above table it appears that the year 1905 was an unusually favorable one. Each of the principal subdivisions of the registration area showed a death rate from scarlet fever lower than that for any previous year shown in the table. The lowest rate (4.6) per 100,000 of population was that for the rural part

of registration states. Among the individual states the lowest death rate per 100,000 of population was that of New Hampshire (0.9).

The following states had a lower death rate from this cause in 1905 than in any other year shown: Connecticut (5.2), Indiana (5.5), Maine (1.0), Massachusetts (4.2), Michigan (4.6), New Jersey (8.7), New York (9.7). The only state that showed an increase over 1904 was Vermont (2.9), which rate, however, is only 50 per cent of the average annual mortality from scarlet fever in this state for the five-year period 1900–1904.

Among individual cities of 100,000 population or over, the highest mortality from scarlet fever in 1905 occurred in Pittsburg, Pa. (45.9), followed by Syracuse, N. Y. (35). The following cities of this class showed lower rates for 1905 than for any previous year shown in the table: Chicago, Ill. (4.1); Columbus, Ohio (2.1); Denver, Colo. (12); Fall River, Mass., no deaths; Jersey City, N. J. (6.9); Kansas City, Mo. (2.2); Memphis, Tenn. (2.5); Minneapolis, Minn. (3.4); New York, N. Y. (12.2); Omaha, Nebr. (6.6); Philadelphia, Pa. (4.7); St. Joseph, Mo., no deaths; St. Louis, Mo. (2.4); San Francisco, Cal. (1.1). Only a few cities showed maximum rates for 1905: Cincinnati, Ohio (21.8); Cleveland, Ohio (11.4); Pittsburg, Pa. (45.9); Scranton, Pa. (14.6); Syracuse, N. Y. (35).

The following table shows the sex and age distribution of deaths in the registration area from scarlet fever:

SEX AND AGE.	NUMBER OF DEATHS FROM SCARLET FEVER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,778	4,113	4,041	3,991	3,610	2,284
Sex:						
Male	1,925	2,109	2,067	2,016	1,823	1,152
Female	1,853	2,004	1,974	1,975	1,787	1,132
Age:						
Under 1 year	197	210	219	179	189	120
1 year	425	483	458	420	412	246
2 years	551	594	608	536	510	359
3 years	538	589	549	541	508	324
4 years	451	513	465	481	426	243
Under 5 years	2,163	2,389	2,299	2,157	2,045	1,292
5 to 9 years	1,107	1,174	1,219	1,251	1,026	636
10 to 14 years	258	272	284	303	265	179
15 years and over	246	272	235	277	273	176
Unknown	4	6	4	3	1	1

Deaths of males slightly exceed deaths of females in each year. The maximum number of deaths by single years occurred during the third year of life (age 2 to 3 years), on the average and for each individual year except 1903, when a slight excess was shown for children aged 3 years and under 4.

Whooping cough.—The total number of deaths and death rates per 100,000 of population for the entire registration area may be found in Table III. The number compiled for 1905 (3,599) showed a marked increase over the preceding year (2,183), but the rate for 1905, 10.7 per 100,000 of population, was a little below the average annual rate for the five-year period 1900–1904 (11.3). The death rates from whooping cough in the registration area during recent years may be compared with those of certain foreign countries in the following table:

COUNTRY.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	11.3	9.8	12.1	15.9	6.6	10.7
England and Wales	32.1	31.3	29.7	28.5	35.3	25.5
Scotland	47.1	62.0	39.0	43.0	52.0	(1)
Ireland	24.5	25.0	23.0	24.0	35.2	13.2
Germany	32.2	37.0	35.0	28.7	(1)	(1)
Norway	17.9	15.0	21.0	19.4	(1)	(1)
Sweden	16.8	17.0	21.0	(1)	(1)	(1)
Hungary	43.2	36.0	65.0	48.0	26.8	(1)
The Netherlands	21.5	23.0	20.0	16.0	25.8	22.1
Belgium	40.9	35.0	38.0	39.0	(1)	(1)
Switzerland	20.5	25.0	15.0	17.0	24.4	(1)
Spain	23.5	21.0	23.0	24.2	24.4	(1)
Italy	20.2	21.0	22.0	20.0	17.8	17.2

[1] No figures available.

The mortality from whooping cough in the United States is less than it is in any of the countries shown in the above table, in some of which the mortality from this disease is a very considerable factor of the total death rate. It should be remembered that whooping cough is almost entirely confined to the first few years of life, so far as fatal cases are concerned, and that the specific death rates for this age period might show somewhat different relations.

In the following table the distribution of the mortality from whooping cough is given for the registration area, its main subdivisions, the registration states, and the larger cities:

AREA.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	11.3	9.8	12.1	15.9	6.6	10.7
Registration cities	12.1	10.5	13.1	17.4	6.9	11.7
Registration states	10.7	8.7	12.4	14.3	5.8	9.0
Cities in registration states	11.9	9.3	14.6	16.0	5.9	9.8
Rural part of registration states	9.1	7.9	9.6	12.1	5.7	7.9
Registration cities in other states	12.4	11.8	11.5	18.8	8.0	13.7
Registration states:						
Connecticut	14.7	11.5	15.5	**25.2**	6.6	7.4
District of Columbia	**26.7**	**22.2**	**42.3**	**24.2**	13.1	**23.4**
Indiana	9.5	9.7	9.1	10.6	6.0	10.8
Maine	9.1	4.3	7.3	15.3	7.8	5.5
Massachusetts	12.7	9.1	13.7	**21.1**	5.6	9.6
Michigan	9.2	6.6	10.6	15.2	5.7	4.5
New Hampshire	8.8	6.7	7.4	15.2	4.9	8.4
New Jersey	12.1	9.1	15.3	14.3	6.6	8.5
New York	9.4	8.5	11.9	10.1	5.4	9.5
Rhode Island	14.9	8.9	17.6	**34.6**	1.7	9.6
Vermont	7.5	11.0	9.8	4.3	6.6	11.5
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	**26.6**	**40.5**	19.2	**34.8**	**24.9**	**25.9**
Baltimore, Md	11.6	12.6	16.4	13.2	4.8	12.6
Boston, Mass	17.6	12.0	**23.3**	**26.1**	7.5	9.7
Buffalo, N. Y	9.9	17.6	7.5	15.0	3.0	16.7
Chicago, Ill	12.6	12.6	13.3	13.7	7.2	18.3

AREA.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration cities of 100,000 population or over in 1900—Cont'd.						
Cincinnati, Ohio	5.4	5.8	6.7	6.9	2.0	16.6
Cleveland, Ohio	6.7	2.8	9.2	13.0	2.3	7.5
Columbus, Ohio	9.8	3.9	12.1	18.5	1.5	9.9
Denver, Colo	8.5	2.2	11.7	7.5	14.1	**24.6**
Detroit, Mich	11.6	10.2	18.9	18.7	2.2	4.0
Fall River, Mass	9.5	.....	**22.8**	12.3	1.9	**24.6**
Indianapolis, Ind	7.0	2.8	9.1	11.6	1.0	5.2
Jersey City, N. J	12.4	9.4	18.4	10.4	12.8	9.9
Kansas City, Mo	6.5	1.8	12.4	9.8	4.0	7.8
Louisville, Ky	10.8	3.4	7.5	**20.4**	0.9	4.9
Memphis, Tenn	**20.9**	2.8	10.0	**47.5**	10.2	13.2
Milwaukee, Wis	8.1	3.4	8.7	17.1	3.6	12.8
Minneapolis, Minn	7.5	9.3	9.7	7.5	6.8	1.1
New Haven, Conn	**21.3**	**23.6**	**29.4**	**20.1**	11.1	8.4
New Orleans, La	5.7	8.2	4.4	9.3	3.6	9.7
New York, N. Y	10.0	6.5	15.8	8.4	5.4	9.3
Bronx borough	9.6	3.3	18.3	7.8	5.1	12.2
Brooklyn borough	11.9	7.7	17.1	9.7	5.8	9.4
Manhattan borough	8.7	6.4	14.2	7.2	5.2	8.5
Queens borough	9.9	4.3	15.8	12.2	5.3	13.6
Richmond borough	11.5	5.9	**24.5**	8.5	2.8	11.0
Newark, N. J	14.2	14.3	15.8	18.8	4.8	15.5
Omaha, Nebr	10.0	11.3	18.2	3.5	10.3	16.6
Paterson, N. J	10.2	9.4	9.3	16.5	5.4	2.7
Philadelphia, Pa	16.0	18.7	13.9	**31.7**	6.9	11.9
Pittsburg, Pa	**29.1**	**29.1**	**23.7**	**48.7**	19.6	**35.1**
Providence, R. I	16.8	7.2	14.1	**39.1**	1.0	4.0
Rochester, N. Y	4.7	4.2	4.7	4.6	0.6	10.4
St. Joseph, Mo	2.8	1.9	6.5	.....	3.5	2.6
St. Louis, Mo	8.0	6.0	12.2	13.8	6.9	8.6
St. Paul, Minn	6.8	2.9	10.8	5.5	7.9	8.1
San Francisco, Cal	13.9	13.8	1.7	**30.6**	14.4	11.8
Scranton, Pa	8.4	14.3	15.9	4.6	6.2	6.9
Syracuse, N. Y	9.8	7.3	10.7	**20.2**	0.9	4.3
Toledo, Ohio	6.4	11.0	3.6	10.3	.....	3.9
Washington, D. C	**26.7**	**22.2**	**42.3**	**24.2**	13.1	**23.4**
Worcester, Mass	16.4	13.3	**21.3**	12.1	11.1	19.5

In the above table death rates from whooping cough of 20 or more per 100,000 of population are indicated by bold face type. As the same limit is used for measles and scarlet fever, other important diseases of children, the areas having unusually high death rates from diseases of this class may be readily compared.

As an exception to the general rule for other diseases of epidemic character, the mortality from whooping cough showed an increase for the registration area and each one of its main subdivisions for the year 1905 over 1904, which was a year of exceptionally low mortality from this cause. The highest death rate occurred in the registration cities in nonregistration states (13.7). The rates for 1905 were lower than those for the corresponding areas in 1903 and also than the annual average for the five-year period 1900-1904, except for the registration cities in nonregistration states, in which the annual average for the five-year period was slightly lower.

Of the individual states, only Maine (5.5) and Michigan (4.5) showed lower death rates from whooping cough in 1905 than in the preceding year, and in only one state, Michigan, was the rate for the year lower than that for any of the years shown in the table. The other states showed an increase for 1905 over 1904, and in two instances, Indiana (10.8) and Vermont (11.5), the rates for 1905 were the highest of any in the series of five years.

Somewhat similar relations appear among the larger registration cities, the majority showing increased death rates for 1905. Among those which showed higher rates from whooping cough in 1905 than for any other individual year stated above, were Chicago, Ill. (18.3); Cincinnati, Ohio (16.6); Denver, Colo. (24.6); Fall River, Mass. (24.6); New Orleans, La. (9.7), and Rochester, N. Y. (10.4). Three cities showed minimum rates for 1905: Minneapolis, Minn. (1.1); New Haven, Conn. (8.4); and Paterson, N. J. (2.7).

The following table gives the sex and age distribution of deaths from whooping cough, as returned from the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM WHOOPING COUGH.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,596	3,051	3,854	5,171	2,183	3,599
Sex:						
Male	1,617	1,344	1,707	2,374	967	1,624
Female	1,979	1,707	2,147	2,797	1,216	1,975
Age:						
Under 1 year	1,957	1,674	2,152	2,804	1,184	1,997
1 year	844	714	846	1,235	531	866
2 years	351	284	364	522	213	343
3 years	178	143	187	237	101	165
4 years	95	92	102	138	50	90
Under 5 years	3,424	2,907	3,651	4,936	2,082	3,461
5 to 9 years	133	118	150	190	78	111
10 years and over	32	24	47	36	20	25
Unknown	6	2	6	9	3	2

Whooping cough causes more deaths of females than of males. The age of maximum prevalence is during the first year of life; the number of deaths diminishing about 50 per cent with each successive year.

Diphtheria and croup.—The total number of deaths from diphtheria and croup compiled for the year 1905 was 8,039, of which 6,709 were due to diphtheria, and so reported, and 1,330, also due to diphtheria, were returned as due to "croup." These numbers, both for the aggregate and for the individual causes, were the lowest for any year shown in the following table, which gives the deaths and death rates per 100,000 of population for the years 1901 to 1905, together with the annual average for the quinquennial period 1900–1904:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	10,729	10,667	9,859	10,363	9,444	8,039
Diphtheria	8,719	8,434	8,101	8,658	7,898	6,709
Croup	2,010	2,233	1,758	1,705	1,546	1,330

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	33.6	34.1	30.9	31.8	28.5	23.8
Diphtheria	27.3	27.0	25.4	26.6	23.8	19.9
Croup	6.3	7.1	5.5	5.2	4.7	3.9

The comparative mortality of the registration area and certain foreign countries from diphtheria and croup is shown in the following table:

COUNTRY.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904	1901	1902	1903	1904	1905
Registration area of United States	33.6	34.1	30.9	31.8	28.5	23.8
Germany	34.0	40.0	32.0	32.0	(1)	(1)
Norway	10.2	7.0	11.0	14.7	(1)	(1)
Sweden	45.2	51.0	34.0	(1)	(1)	(1)
Hungary	49.0	48.0	46.0	54.0	45.1	(1)
Belgium	24.8	26.0	26.0	20.0	(1)	(1)
Switzerland	23.2	32.0	22.0	16.0	17.7	(1)
Spain	30.6	34.0	28.0	25.3	20.6	(1)
Italy	14.8	17.0	14.0	12.0	13.5	12.7

[1] No figures available.

Much variation exists in the death rates from this cause in these countries, with a general tendency toward a decrease. The death rate of the registration area of the United States for the year 1905 is much lower than for any previous year of registration.

In the following table the distribution of the death rate from diphtheria and croup may be seen for the registration area, its main subdivisions, and the registration states and cities of 100,000 population or over. As in the table for minor cities, the rates exceeding 80 per 100,000 of population are indicated by bold face type. This standard appears to be somewhat high, as only three cases are shown in which the rates of the larger cities exceed this limit, although it is quite frequently exceeded by the rates of smaller cities:

AREA.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	33.6	34.1	30.9	31.8	28.5	23.8
Registration cities	39.0	39.3	36.5	37.5	32.8	27.2
Registration states	32.7	33.4	29.7	31.0	27.3	23.6
Cities in registration states	42.7	43.1	39.8	41.5	38.5	30.1
Rural part of registration states	20.2	21.5	17.0	17.7	17.5	15.0
Registration cities in other states	35.3	35.4	33.2	33.4	27.1	24.2
Registration states:						
Connecticut	29.0	33.4	27.7	26.4	22.2	24.0
District of Columbia	24.3	36.7	17.3	8.5	17.4	16.2
Indiana	20.1	20.8	15.8	17.6	11.9	13.6
Maine	19.1	18.2	16.1	16.2	22.7	15.6
Massachusetts	35.7	41.1	31.0	30.3	24.5	22.2
Michigan	22.0	20.8	19.8	27.3	19.8	18.3
New Hampshire	24.6	20.7	37.5	24.9	16.5	18.6
New Jersey	41.3	36.5	35.0	38.6	47.8	32.5
New York	39.9	40.3	37.7	38.1	38.1	27.9
Rhode Island	39.6	44.2	35.4	42.9	30.9	28.7
Vermont	14.7	14.8	11.0	16.4	16.7	16.3
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	46.5	37.5	32.4	**82.6**	51.3	19.6
Baltimore, Md	32.6	33.1	24.1	29.0	20.8	17.2
Boston, Mass	53.1	60.2	38.3	38.2	37.9	23.9
Buffalo, N. Y	31.8	39.7	37.3	32.7	30.1	16.7
Chicago, Ill	33.2	28.5	34.4	33.7	21.1	21.8
Cincinnati, Ohio	20.8	21.7	23.4	18.6	13.5	23.0
Cleveland, Ohio	46.8	43.8	52.6	48.4	33.4	25.2
Columbus, Ohio	12.1	7.0	9.1	5.2	17.3	24.6
Denver, Colo	34.2	34.7	51.1	34.0	31.6	16.0
Detroit, Mich	42.1	18.0	44.4	71.7	44.4	36.2
Fall River, Mass	32.3	23.8	47.5	40.8	27.5	26.5
Indianapolis, Ind	18.8	20.5	16.1	17.7	9.3	9.9
Jersey City, N. J	58.5	52.4	56.2	53.1	67.3	40.4
Kansas City, Mo	24.7	24.0	11.2	13.3	27.8	25.7
Louisville, Ky	33.0	51.8	41.0	32.4	18.2	13.0
Memphis, Tenn	10.0	4.7	12.7	10.6	14.5	12.4
Milwaukee, Wis	27.5	34.7	23.8	20.8	17.5	13.4
Minneapolis, Minn	44.6	**89.0**	32.7	24.7	23.2	21.0
New Haven, Conn	16.0	23.6	8.9	16.6	14.6	13.4
New Orleans, La	14.2	14.4	14.9	12.0	15.4	13.6
New York, N. Y	56.7	56.2	54.7	55.1	52.7	37.3
Bronx borough	57.7	47.5	52.0	62.9	57.1	72.9
Brooklyn borough	61.2	61.0	58.8	62.2	52.9	42.1
Manhattan borough	54.6	55.2	53.6	50.0	53.5	30.2
Queens borough	49.7	45.1	52.1	58.9	39.2	35.9
Richmond borough	49.0	52.8	28.8	34.0	44.6	24.7
Newark, N. J	47.0	40.8	38.8	43.1	54.2	39.2
Omaha, Nebr	14.6	13.2	14.6	8.8	14.5	10.8
Paterson, N. J	40.8	26.3	45.5	46.8	42.6	36.8
Philadelphia, Pa	51.1	49.3	38.5	45.1	39.3	32.9
Pittsburg, Pa	50.1	48.9	48.6	61.7	46.2	27.5
Providence, R. I	41.7	47.7	39.0	44.3	45.9	36.2
Rochester, N. Y	34.1	13.2	8.2	64.5	52.5	54.4
St. Joseph, Mo	10.2	11.4	8.3	5.4	8.9	9.5
St. Louis, Mo	40.2	47.3	29.5	32.2	27.2	25.4
St. Paul, Minn	27.7	30.6	34.5	11.4	26.3	32.5
San Francisco, Cal	35.8	37.4	67.7	32.0	18.9	16.2
Scranton, Pa	44.8	41.1	15.9	20.0	17.8	31.9
Syracuse, N. Y	18.8	25.4	11.6	18.4	19.1	16.2
Toledo, Ohio	58.8	48.3	52.4	**80.9**	29.2	13.5
Washington, D. C	24.3	36.7	17.3	8.5	17.4	16.2
Worcester, Mass	17.2	15.0	7.4	8.9	7.1	10.9

The decline in the death rate from diphtheria and croup was common to all of the main subdivisions of the registration area, each one of which showed a lower death rate from this cause for the year 1905 than for any other year given in the preceding table. Of the registration states the following showed lower death rates for the year 1905 than for any year of the series: Maine (15.6), Massachusetts (22.2), Michigan (18.3), New Jersey (32.5), New York (27.9), Rhode Island (28.7). The District of Columbia (16.2) and the state of Vermont (16.3) also showed low rates, but not as low as in some recent years. Connecticut (24), Indiana (13.6), and New Hampshire (18.6), gave a slight increase over 1904, but were otherwise lower than in any previous year.

Many of the cities of 100,000 population or over showed lower death rates from diphtheria and croup in 1905 than in any other year of the period 1901–1905. These were Allegheny, Pa. (19.6); Baltimore, Md. (17.2); Boston, Mass. (23.9); Buffalo, N. Y. (16.7); Cleveland, Ohio (25.2); Denver, Colo. (16); Jersey City, N. J. (40.4); Louisville, Ky. (13); Milwaukee, Wis. (13.4); Minneapolis, Minn. (21); New York, N. Y. (37.3); Philadelphia, Pa. (32.9); Pittsburg, Pa. (27.5); Providence, R. I. (36.2); St. Louis, Mo. (25.4); San Francisco, Cal. (16.2); and Toledo, Ohio (13.5). Only one city of this class, Columbus, Ohio (24.6), showed a higher death rate from diphtheria and croup in 1905 than in any other individual year. The maximum death rate in 1905 for

any city of 100,000 population or over was that of Rochester, N. Y. (54.4), followed by Jersey City, N. J. (40.4); Newark, N. J. (39.2); New York, N. Y. (37.3); Paterson, N. J. (36.8); Detroit, Mich. (36.2); and Providence, R. I.(36.2).

The following table shows the minor cities of the registration area having death rates from diphtheria and croup exceeding 80 per 100,000 of population in one or more years of the period 1901–1905:

REGISTRATION CITY.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Allentown, Pa	32.9	50.7	36.4	**144.1**	76.4
Annapolis, Md	**92.8**	34.4	22.7	.....	11.1
Appleton, Wis	19.4	6.3	**92.4**	30.1	41.2
Bath, Me	46.9	27.7	63.6	**125.3**	35.2
Battle Creek, Mich	10.3	**147.2**	42.3	36.0	13.0
Bayonne, N. J	31.8	73.9	**83.2**	59.5	33.1
Camden, N. J	**81.4**	36.8	31.1	**87.9**	40.8
Carbondale, Pa	58.1	35.7	**133.3**	62.1	**95.0**
Chicopee, Mass	51.6	**102.2**	45 5	40.0	54.5
Dunkirk, N. Y	.....	**84.3**	29.1	27.6	26.3
Elizabeth, N. J	39 0	18.0	26.2	**81.6**	56.2
Escanaba, Mich	10.1	29.1	**112.1**	18.0	.....
Frederick, Md	31.9	**84.1**	72.7	.....	10.2
Gloucester, Mass	26.8	**99.7**	**157.4**	42.3	42.3
Harrison, N. J	**135.9**	**130.6**	25.1	40.4	62.4
Hazelton, Pa	13.7	33.8	39.9	**104.6**	51.5
Hoboken, N. J	42.9	69.6	**80.9**	73.2	47.4
Holyoke, Mass	**85.9**	52.7	33.2	32.6	46.1
Ironwood, Mich	51.1	**121.7**	**150.9**	20.0	39.6
Ishpeming, Mich	7.8	**104.5**	**124.7**	43.0	26.7
Johnstown, Pa	39.7	54.0	**85.0**	53.6	23.7
Lockport, N. Y	41.8	17.7	**87.8**	**92.7**	34.4
Lowell, Mass	**121.1**	79.0	34.8	36.9	21.1
Mahanoy City, Pa	**102.0**	14.3	21.2	**90.3**	**130.0**
Manchester town, Conn	**92.3**	63.2	17.7	60.6	59.4
Marlboro, Mass	**94.9**	**159.5**	21.6	21.5	.....
Marquette, Mich	.....	.....	**95.1**	9.4	.....
Milford town, Mass	**104.2**	17.1	50.8	8.4	16.5
Mt. Carmel, Pa	**80.5**	**84.7**	54.6	**92.4**	32.0
Nashua, N. H	**86.2**	**165.2**	47.5	35.0	11.5
New Albany, Ind	**106.7**	48.5	77.6	19.4	19.4
New Brunswick, N. J	19.4	56.5	**141.7**	**88.9**	25.9
New London, Conn	**89.3**	21.9	26.8	36.7	.....
Newport, Ky	17.5	13.8	13 6	53.9	**86.7**
Norfolk, Va	16 7	**96.3**	27.1	22.9	8.6
North Adams, Mass	50.4	59.9	60.9	**84.2**	49.7
Perth Amboy, N. J	**118.9**	71.5	**101.7**	66.0	73.4
Plymouth, Pa	**92.3**	55.1	**120.5**	**97.6**	38.0
Port Jervis, N. Y	42.3	63.1	52.2	**176.5**	41.3
Pottsville Pa	31.5	68.6	43.2	**97.9**	18.2
Pueblo, Colo	42.1	79.6	**88.9**	40.5	13.1
Richmond, Ind	27.2	**156.3**	5.3	31.3	.....
Salt Lake City, Utah	**90.1**	**81.4**	**91.0**	46.5	76.4
Schenectady, N. Y	**84.8**	63.7	43.3	31.2	18.9
Southbridge town, Mass	39.1	19.2	9.4	**203.6**	**227.3**
Union, N. J	**96.5**	25 1	43.0	30.0	29.4
Webster town, Mass	33.2	**86.1**	52.5	20.5	59 9
Westfield town, Mass	**143.2**	70.1	61.1	37.5	7.3
Winona, Minn	40.3	25.0	5.0	**84.1**	**113.1**
Woonsocket, R. I	41.4	60.4	**94.8**	28.7	43.5
Youngstown, Ohio	54.3	29.6	26.6	47.9	**85.4**

The distribution of deaths from diphtheria and croup in the registration area is shown, by sex and by age, in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	10,729	10,667	9,859	10,363	9,444	8,039
Sex:						
Male	5,460	5,346	5,067	5,310	4,827	4,041
Female	5,270	5,321	4,792	5,053	4,617	3,998
Age:						
Under 1 year	747	749	746	702	659	579
1 year	1,600	1,593	1,462	1,538	1,506	1,231
2 years	1,598	1,575	1,439	1,563	1,380	1,204
3 years	1,441	1,467	1,308	1,408	1,220	1,041
4 years	1,198	1,172	1,117	1,112	1,026	891
Under 5 years	6,585	6,556	6,072	6,323	5,791	4,946
5 to 9 years	2,964	2,891	2,692	2,917	2,533	2,159
10 to 14 years	638	645	572	611	610	497
15 years and over	526	551	509	492	496	431
Unknown	17	24	14	20	14	6

There were more deaths of males than of females from this cause, although in some years the excess was very slight. By ages the largest number of deaths in single years occurred during the second and third years of life.

Influenza.—The total number of deaths compiled from this cause in the registration area for the year 1905 was 6,426, a slight decrease from the number reported for the previous year, which was 6,724. There is some doubt as to just how far influenza should be selected in classifying as the primary cause when associated with returns of "pneumonia," "bronchopneumonia," and other possible sequelae. In many cases the existence of the "influenza" or "la grippe" as the primary cause may be very doubtful, and the deaths referred to it may have been nothing more or less than plain cases of pneumonia or bronchopneumonia, with no special influenzal element whatever. For this reason, the mortality ascribed to influenza should be studied in connection with that due to other acute diseases of the respiratory system, and physicians should avoid the use of the term in making out certificates of death except when the disease is definitely understood to be the cause of death, other conditions being simply contributory factors or complications. This caution is of especial importance in reporting the deaths of elderly persons, when there may be few well-marked diagnostic indications. Where a serious organic disease exists, influenza is usually merely a secondary cause.

The following table shows the mortality from influenza, per 100,000 of population, in the registration area, its main subdivisions, the registration states, and cities of 100,000 population or over. Rates exceeding 40 per 100,000 are indicated by bold face type:

AREA.	NUMBER OF DEATHS FROM INFLUENZA PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	20.8	32.3	10.1	18.6	20.3	19.0
Registration cities	17.3	25.8	8.3	16.2	16.7	15.0
Registration states	22.8	36.3	10.4	19.1	21.7	20.5
Cities in registration states	17.5	26.8	7.0	14.7	15.7	13.7
Rural part of registration states	29.4	47.9	14.6	24.7	29.5	29.4
Registration cities in other states	17.1	24.7	9.6	17.7	17.7	16.4
Registration states:						
Connecticut	42.3	60.3	13.1	32.8	36.4	26.5
District of Columbia	37.1	58.5	20.8	29.0	33.9	28.4
Indiana	21.3	39.3	12.4	15.9	20.7	24.8
Maine	28.8	42.7	17.4	26.8	23.6	36.1
Massachusetts	21.1	27.7	7.6	18.9	14.9	21.6
Michigan	22.8	43.4	12.3	18.0	25.0	22.5
New Hampshire	31.3	34.5	12.2	36.0	29.8	38.7
New Jersey	14.0	20.3	4.7	11.7	12.4	9.5
New York	20.8	35.6	9.4	17.4	22.1	15.8
Rhode Island	36.1	39.9	14.7	34.6	23.2	28.3
Vermont	36.1	44.1	21.1	34.3	44.5	51.5
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	14.0	21.8	17.0	7.9	9.3	17.5
Baltimore, Md	24.6	50.5	10.7	20.1	23.9	17.6
Boston, Mass	17.6	24.7	4.4	13.4	10.0	11.9
Buffalo, N. Y	10.2	18.5	4.1	9.3	7.5	6.6
Chicago, Ill	11.9	15.9	8.4	14.0	10.9	10.0
Cincinnati, Ohio	27.4	41.5	14.3	31.8	34.6	22.1
Cleveland, Ohio	7.9	15.8	4.5	7.7	5.2	6.6
Columbus, Ohio	15.9	24.1	12.1	10.3	13.0	15.5
Denver, Colo	11.4	19.2	8.0	9.5	8.1	8.6
Detroit, Mich	12.3	28.9	4.6	11.6	9.4	8.9
Fall River, Mass	15.2	9.5	7.6	16.1	10.4	15.1
Indianapolis, Ind	19.3	35.3	10.7	11.1	18.2	15.6
Jersey City, N. J	9.7	16.5	1.8	6.8	11.0	4.7
Kansas City, Mo	15.3	14.4	5.3	12.7	34.6	22.3
Louisville, Ky	14.6	26.4	3.8	7.4	24.2	18.0
Memphis, Tenn	36.4	45.2	26.4	33.4	42.6	31.3
Milwaukee, Wis	14.1	23.2	3.7	24.4	16.2	7.7
Minneapolis, Minn	6.2	6.5	2.6	10.9	4.0	5.0
New Haven, Conn	28.5	42.6	6.2	15.7	36.0	20.2
New Orleans, La	27.0	24.0	18.2	39.2	38.0	35.2
New York, N. Y	13.0	19.9	5.0	11.0	14.2	8.6
Bronx borough	9.2	20.0	3.1	6.2	9.7	7.7
Brooklyn borough	14.1	17.3	6.4	14.3	15.7	10.3
Manhattan borough	12.7	21.2	4.7	9.4	13.3	7.5
Queens borough	12.9	24.7	1.8	9.4	16.4	7.1
Richmond borough	15.9	20.5	2.9	18.4	22.3	16.5
Newark, N. J	13.9	13.1	5.4	15.8	11.4	6.7
Omaha, Nebr	13.7	23.6	6.4	15.0	12.8	19.1
Paterson, N. J	5.6	9.4	2.8	2.8	3.6	9.0
Philadelphia, Pa	13.3	12.6	4.9	14.4	15.6	17.9
Pittsburg, Pa	18.1	32.5	16.9	14.2	10.5	15.4
Providence, R. I	35.7	41.1	16.8	38.5	18.0	18.6
Rochester, N. Y	12.4	24.7	6.5	9.2	16.8	8.8
St. Joseph, Mo	10.2	15.2	4.6	19.9	4.4	12.1
St. Louis, Mo	16.5	15.1	5.5	26.3	25.3	21.7
St. Paul, Minn	7.4	11.8	5.1	11.4	5.3	4.1
San Francisco, Cal	11.4	16.1	10.2	15.7	4.7	8.2
Scranton, Pa	19.6	34.4	10.2	8.2	33.8	11.2
Syracuse, N. Y	12.5	30.0	1.8	10.6	12.1	8.5
Toledo, Ohio	17.7	28.6	6.4	17.1	12.6	20.6
Washington, D. C	37.1	58.5	20.8	29.0	33.9	28.4
Worcester, Mass	13.9	28.2	6.5	9.7	2.4	7.0

There was a general decline in the death rate from influenza for 1905 as compared with 1904, although for none of the subdivisions were as low rates recorded for 1905 as for other recent years contained in the table. Unusually high rates are found chiefly in the first year of the series, although Vermont showed one for 1905 (51.5) which was greater than that recorded for any other year shown in the above table for that state. New Hampshire also had a high rate for this year (38.7), and increased rates for 1905 as compared with 1904 are shown by Indiana (24.8), Maine (36.1), Massachusetts (21.6), and Rhode Island (28.3).

The highest death rate from this cause in 1905 among the larger cities occurred in New Orleans, La. (35.2), next to which came Memphis, Tenn. (31.3), and then Washington, D. C. (28.4). The rate of Philadelphia, Pa., for this year (17.9) was higher than for any other year of the period, and that of St. Paul, Minn. (4.1), was lower than for any previous year reported.

The sex and age distribution of deaths from influenza is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM INFLUENZA.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	6,627	10,093	3,225	6,064	6,724	6,426
Sex:						
Male	2,935	4,498	1,471	2,685	3,072	2,886
Female	3,692	5,595	1,754	3,429	3,652	3,540
Age:						
Under 1 year	461	690	268	391	447	537
1 year	119	168	80	116	125	126
2 years	58	90	37	44	55	68
3 years	42	57	20	38	47	42
4 years	29	41	19	27	27	26
Under 5 years	709	1,046	424	616	701	799
5 to 9 years	80	115	52	76	80	91
10 to 14 years	61	75	32	63	74	69
15 to 19 years	111	176	57	106	124	96
20 to 24 years	148	217	70	147	171	132
25 to 29 years	150	256	60	128	156	121
30 to 34 years	175	266	89	161	173	154
35 to 39 years	199	310	83	190	217	162
40 to 44 years	223	308	111	227	225	196
45 to 49 years	244	351	138	248	240	230
50 to 54 years	307	468	137	291	327	288
55 to 59 years	352	535	207	303	365	343
60 to 64 years	506	788	218	492	485	474
65 to 69 years	627	941	310	566	611	570
70 to 74 years	735	1,086	339	681	774	739
75 to 79 years	784	1,255	362	724	749	761
80 to 84 years	675	1,060	298	592	657	664
85 to 89 years	352	536	154	294	387	365
90 to 94 years	127	207	58	99	138	121
95 years and over	36	58	13	29	45	40
Unknown	26	39	13	31	25	11

Dysentery.—The number of deaths from dysentery compiled for the year 1905 (2,588) slightly exceeds the number returned for the preceding year (2,567). The death rates for the registration area for these years are, however, precisely the same (7.7), and are somewhat lower than the rate of the annual average for the period 1900–1904, which was 9.4. The variations in mortality from this cause for the principal subdivisions of the registration area are shown in the following table:

AREA.	NUMBER OF DEATHS FROM DYSENTERY.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	2,990	3,331	3,187	2,378	2,567	2,588
Registration cities	1,973	2,232	2,196	1,646	1,704	1,574
Registration states	1,996	2,242	2,082	1,534	1,720	1,805
Cities in registration states	979	1,143	1,091	802	857	791
Rural part of registration states	1,017	1,099	991	732	863	1,014
Registration cities in other states	994	1,089	1,105	844	847	783

AREA.	NUMBER OF DEATHS FROM DYSENTERY PER 100,000 OF POPULATION.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	9.4	10.6	10.0	7.3	7.7	7.7
Registration cities	8.7	10.1	9.7	7.1	7.2	6.5
Registration states	9.7	11.0	10.1	7.3	8.1	8.3
Cities in registration states	8.5	10.2	9.5	6.8	7.1	6.4
Rural part of registration states	11.1	12.0	10.8	7.9	9.2	10.8
Registration cities in other states	8.8	9.9	9.8	7.3	7.2	6.5

The mortality from this cause in registration cities, including both cities in registration states and registration cities in nonregistration states, was lower in 1905 than in any other year shown. A slight increase occurred in the registration states as a whole, and especially in the rural part of such states.

There is considerable uncertainty as to the actual cause of many deaths reported from "dysentery," especially in temperate climates. Deaths from diarrhea and enterocolitis are undoubtedly so reported in many instances. The Monthly Bulletin of the New York state department of health, August, 1902, makes the following statement on this subject in a note on "Dysentery as a reported cause of death:"

During August there was reported to be an extensive epidemic of what was regarded as dysentery in towns in Westchester county. This has been investigated by bacteriologists connected with the state department laboratory and will be reported on later. Very likely in not a few of the cases the disease was rightly named. Epidemic dysentery has, however, been very infrequently brought to the notice of this department and must be of rare occurrence in this state. It has never been widespread, and the number of cases at one occurrence has been small. Sporadic cases occur and deaths from this cause are usually reported during the summer months. During August there were 125 deaths reported as from dysentery outside of New York city, of which 45 were in Westchester county; these latter were deaths in early and middle life. Elsewhere they were chiefly deaths in the senile period of life, a few being in infancy, very few being of deaths occurring at the middle period of life. There is no doubt that the term dysentery is very loosely used as a cause of death. While there is evident propriety in preserving the entity of this disease in statistical records of mortality, and of making a separate report upon it for systems of classification that are to be of universal application, a more exact limitation of its employment on death certificates in temperate regions is necessary to make its report of value. Of the 125 deaths reported from dysentery, constituting nearly 15 per cent of the diarrheal deaths among which they have been placed, it is doubtless true that not a few were enterocolitis, which statistically should not be a synonymous term, even though clinically in early life the two may be interrelated. It is frequently the case that diarrheal mortality at advanced age is reported as dysentery. In its common use among the people the term is loosely employed. It is improbable that a considerable proportion of the deaths thus reported during the month were rightly so named on the returns.

The age and sex distribution of deaths in the registration area returned as due to dysentery are given in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DYSENTERY.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	2,990	3,331	3,187	2,376	2,567	2,588
Sex						
Male	1,468	1,624	1,534	1,176	1,234	1,257
Female	1,522	1,707	1,653	1,202	1,333	1,331
Age:						
Under 1 year	496	165	512	417	487	486
Under 5 years	1,041	1,076	1,126	857	929	928
5 to 14 years	106	131	123	77	71	88
15 to 24 years	92	144	76	56	50	58
25 to 34 years	131	163	135	104	95	61
35 to 44 years	149	160	168	112	120	109
45 to 64 years	500	561	557	407	406	390
65 years and over	959	1,079	990	757	888	950
Unknown	12	17	12	8	8	4

Deaths of females continue to exceed deaths of males from this cause. Over one-third of the deaths registered from dysentery were those of children under 5 years of age.

All other epidemic diseases.—The group entitled "all other epidemic diseases," as employed in Table 3 of the present report, differs somewhat from the group "other epidemic diseases," of the corresponding table for previous years. The diseases included under this head in the present report are shown by the following table, which gives the deaths and death rates from each individual title:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM ALL OTHER EPIDEMIC DISEASES.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
All other epidemic diseases	5,103	5,429	5,188	4,174	4,756	5,076
Exanthematic typhus	3	.....	7	1	2	3
Recurrent fever	2	4	2	1	3	1
Miliary fever	3	.....	9	3	2	.....
Asiatic cholera	.....	.....	.....	.....	.....	.....
Cholera nostras	530	563	516	374	397	449
Dysentery	2,990	3,331	3,187	2,378	2,567	2,588
Plague	23	26	41	17	7	.....
Yellow fever	4	2	1	17	.....	438
Leprosy	5	6	5	4	4	8
Erysipelas	1,468	1,450	1,337	1,300	1,680	1,510
Other epidemic diseases	75	47	83	79	94	79
Total, exclusive of cholera nostras, dysentery, and erysipelas	115	85	148	122	112	529

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
All other epidemic diseases	16.0	17.3	16.3	12.8	14.4	15.0
Exanthematic typhus	(1)	.....	(1)	(1)	(1)	(1)
Recurrent fever	(1)	(1)	(1)	(1)	(1)	(1)
Miliary fever	(1)	.....	(1)	(1)	(1)	.....
Asiatic cholera	.....	.....	.....	.....	.....	.....
Cholera nostras	1.7	1.8	1.6	1.1	1.2	1.3
Dysentery	9.4	10.6	10.0	7.3	7.7	7.7
Plague	0.1	0.1	0.1	0.1	(1)	.....
Yellow fever	(1)	(1)	(1)	0.1	.....	1.3
Leprosy	(1)	(1)	(1)	(1)	(1)	(1)
Erysipelas	4.6	4.6	4.2	4.0	5.1	4.5
Other epidemic diseases	0.2	0.2	0.3	0.2	0.3	0.2
Total, exclusive of cholera nostras, dysentery, and erysipelas	0.4	0.3	0.5	0.4	0.3	1.6

[1] Less than one-tenth.

As formerly used, the title "other epidemic diseases" in Table 3 included only the "total, exclusive of cholera nostras, dysentery, and erysipelas," embracing chiefly deaths from such rare diseases as exanthematic typhus, recurrent fever, miliary fever, Asiatic cholera (no deaths from which have occurred in the registration area since the beginning of these annual reports), plague, yellow fever, leprosy, and the "other epidemic diseases" of the International Classification, a title identical as to form but not precisely the same in its inclusion as that found in Table 3. Only a very small number of deaths were compiled under the group of rare diseases, averaging only 115 for the five-year period 1900–1904. It seemed advisable to make a distinctive title, "all other epidemic diseases," to avoid confusion with the title "other epidemic diseases" of the International Classification, and one which would include *all* of the diseases of the epidemic subclass not separately stated in Table 3, instead of relegating deaths from cholera nostras, dysentery, and erysipelas to "all other causes." In examining the preceding table it will be observed that some of the causes are of quite insignificant numerical importance, although from their very dangerous possibilities they are always given a prominent place in vital statistics prepared for sanitary and especially for quarantine purposes.

Exanthematic typhus caused only three deaths in 1905, according to the returns, and it is not certain that the attending physicians did not mean to report typhoid fever in some or all of these cases. The true typhus fever—the old ship or jail fever—is fortunately excessively rare in this country. The same statements apply to the one death from recurrent fever and to the few deaths reported from miliary fever in recent years, none of which, however, occurred in 1905.

It is very gratifying to observe that in 1905, for the first time in several years, no deaths were reported from plague. The largest number of deaths from this disease reported for any year since the inauguration of the annual reports was in 1903 (41), but the terrible ravages of this disease in India and the Far East fixes the attention of all sanitary officials, and especially those who guard the coasts of the nation, upon any appearance of the disease, no matter how apparently trivial.

Epidemic of yellow fever in 1905.—There was a sharp increase in the reported number of deaths from yellow fever in the registration area. No deaths from this cause were compiled for the year 1904, and the largest number for any year prior to 1904 since this series of annual reports began was that for 1903 (17). In 1905 there were 438 deaths in the registration area, corresponding to a death rate of 1.3 per 100,000 of population. This rate is a very low one as compared with those of other causes of death, but, like the plague, the coming of yellow fever means the coming of pestilence, and in the southern part of the United States no disease carries as much terror, business loss, and inconvenience to the population.

It is unfortunate that the registration area does not include the entire United States, and especially that it does not include any of the Southern states as a whole. Nearly all of the deaths registered from this cause were reported from the city of New Orleans, La., concerning which a brief summary may be given. According to the returns received by the Bureau of the Census there were 434 deaths from yellow fever in the city of New Orleans, La., during the year 1905, of which 304 were deaths of males and 130 were deaths of females. The great majority of the deaths were of white persons, there being only 19 deaths of blacks from this disease—13 males and 6 females. Of the white decedents, there were 102 of native birth, 187 of foreign birth, and 2 of unknown nativity, and of the white female decedents 63 were native born and 61 foreign born. By months the deaths occurred as follows: July, 40; August, 217; September, 110; October, 61; November, 6. These numbers do not exactly agree with those given in the Biennial Report of the Louisiana State Board of Health, 1904–5, pages 39 and 40, according to which there were 56 deaths in July, 220 in August, 111 in September, 58 in October, and 6 in November, or a total of 451 deaths during the epidemic. The difference may come in part from the inclusion of a number of deaths, estimated at 20, at the outset of the epidemic, which were returned to the Bureau of the Census under designations other than yellow fever.

Tuberculosis.—The number of deaths and the death rates per 100,000 of population from tuberculosis in its various forms may be found in Table III. There were 65,352 deaths compiled from all forms of tuberculosis in 1905, of which number 56,770 were ascribed to tuberculosis of the lungs. It is probable that pulmonary tuberculosis also existed in many cases compiled under other forms of tuberculosis, especially under general tuberculosis. The percentage distribution of deaths from the various forms reported for the past five years, and for the quinquennial period 1900–1904, may be seen in the following table as returned for the registration area:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	62,142	61,599	58,938	61,487	66,797	65,352
Tuberculosis of lungs	54,998	54,735	52,079	53,910	58,763	56,770
Tuberculosis of larynx	517	527	541	539	570	610
Tuberculous meningitis	2,787	2,656	2,674	2,905	3,025	3,264
Abdominal tuberculosis	1,834	1,767	1,817	1,854	2,098	2,193
Pott's disease	463	442	421	516	519	563
Tuberculous abscess	52	48	39	72	62	61
White swelling	223	206	237	224	241	261
Tuberculosis of other organs	427	393	391	465	545	539
General tuberculosis	842	825	739	1,002	974	1,091

CAUSE OF DEATH.	PER CENT OF DEATHS FROM VARIOUS FORMS OF TUBERCULOSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	100.0	100.0	100.0	100.0	100.0	100.0
Tuberculosis of lungs	88.5	88.9	88.4	87.7	88.0	86.9
Tuberculosis of larynx	0.8	0.9	0.9	0.9	0.9	0.9
Tuberculous meningitis	4.5	4.3	4.5	4.7	4.5	5.0
Abdominal tuberculosis	3.0	2.9	3.1	3.0	3.1	3.4
Pott's disease	0.7	0.7	0.7	0.8	0.8	0.9
Tuberculous abscess	0.1	0.1	0.1	0.1	0.1	0.1
White swelling	0.4	0.3	0.4	0.4	0.4	0.4
Tuberculosis of other organs	0.7	0.6	0.7	0.8	0.8	0.8
General tuberculosis	1.4	1.3	1.3	1.6	1.5	1.7

It appears that about 90 per cent of all deaths from tuberculosis are reported as due to pulmonary tuberculosis, and that the item next in importance, tuberculous meningitis, is responsible for about 5 per cent, or one-twentieth, of all deaths from this cause. The other forms are mainly unimportant as factors of mortality, and it is doubtful in many instances whether the returns relating to them indicate the proper classification with sufficient precision.

Tuberculosis of the lungs.—The number of deaths returned from pulmonary tuberculosis in the registration area for the year 1905 was 56,770, corresponding to a death rate of 168.2. Comparison may be made in Table III with the preceding years, and also with the rates for the other forms of tuberculosis, which are taken, together with pulmonary tuberculosis, to form the total deaths attributed to the underlying cause, the bacillus tuberculosis. Undoubtedly there are other deaths which are due directly or indirectly to this cause, but which are not returned with sufficient precision to be classified thereunder. Prominent among these are deaths from "hemorrhage of the lungs" and also from "debility" and "marasmus," not to speak of well-marked cases of pulmonary tuberculosis where the physicians ignore the actual cause of death and report some terminal condition, or even make a worthless return, such as "heart failure." There appears to be a prejudice occasionally existent in regard to making a proper statement of cause of death when due to tuberculosis, cancer, and similar diseases.

In the following table the death rate of the registration area from pulmonary tuberculosis may be compared with those of certain European countries during recent years:

COUNTRY.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States.	172.3	174.9	163.2	165.7	177.3	168.2
England and Wales	125.4	126 4	123.3	120.3	124.0	114.0
Scotland	150.1	153.0	146.0	146.0	145.6	(1)
Ireland	218.5	215 0	212.0	217.0	223.4	209.9
Germany	181.9	193.0	188.0	176.1	(1)	(1)
Norway	200.4	195.0	190.0	198.2	(1)	(1)
The Netherlands	138.8	137.0	132.0	132.0	129.4	135.7
Belgium	127.7	135.0	132.0	109 0	(1)	(1)
Switzerland	190.7	187.0	187.0	188.0	188.2	(1)
Spain	144.3	194.0	186.0	143.6	150.8	(1)
Italy	117.0	111.0	101.0	111.6	117 4	118.2

[1] No figures available.

There is much uncertainty in comparing international statistics of tuberculosis, because all deaths may not be correctly reported, or returned in the same way by different countries. Undoubtedly in England and Wales many deaths are returned as due to "bronchitis" which would not be so returned in this country, but would probably be assigned to pulmonary tuberculosis. It is necessary in considering this cause, as well as many others, to take the entire classification into consideration, and ascertain whether certain diseases of similar character show like variations, or whether some terms are not favored at the expense of others in the original reports, or during the process of statistical compilation.

The distribution of pulmonary tuberculosis in the registration area, its main subdivisions, and among registration states and cities of 100,000 population and over, is given in the following table, prominence being given by bold face type to rates exceeding 230 per 100,000 of population:

AREA.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	172 3	174.9	163.2	165.7	177.3	168.2
Registration cities	189.6	191.9	180.4	183.6	195.5	184.4
Registration states	162.0	167.2	152.2	153.7	163.9	155.9
Cities in registration states	188.0	194.7	177.4	179.7	189.4	178.5
Rural part of registration states	129 5	133.6	120.7	120.7	131.1	126.2
Registration cities in other states	191.1	189.1	183.4	187.6	201.7	190.4
Registration states:						
Connecticut	154.4	163.3	147.1	145.5	144.0	147.8
District of Columbia	**276.0**	**296.2**	**246.2**	**266.4**	**279.5**	**274.7**
Indiana	161.9	163.3	152.4	151.3	169.4	148.5
Maine	145.8	155.5	139.5	129.2	147.5	124.6
Massachusetts	172.9	179.0	166.4	158.3	173.6	163.1
Michigan	87.8	88.4	84.1	85.3	91.3	88.4
New Hampshire	140.0	146 5	134.5	128.2	140.1	134.9
New Jersey	172.7	171.7	157.1	169.3	181.6	170.7
New York	178.8	186.8	166.8	170.7	179.7	173.7
Rhode Island	185.2	192.1	178.8	89.6	170.5	175.6
Vermont	124.3	134.0	119.7	115.0	114.6	122.3
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	141.7	131.3	148.2	126.8	146.7	123.2
Baltimore, Md	**233.5**	**237.6**	220.3	222.7	**251.1**	228.7
Boston, Mass	223.3	**234.4**	212.3	205.1	215.8	201.6
Buffalo, N. Y	123.1	126.8	117.6	122.0	135.7	130.0
Chicago, Ill	156.5	147.5	147.0	158.1	163.9	162.8
Cincinnati, Ohio	**230.8**	**236.5**	206.9	**237.9**	**268.9**	**251.9**
Cleveland, Ohio	125.9	108.1	117.4	131.8	143.8	127.7
Columbus, Ohio	208.8	206.4	196.0	217.0	214.0	199.1
Denver, Colo	**410.1**	**396.2**	**406.5**	**409.9**	**457.9**	**460.4**
Detroit, Mich	113.0	110.3	115.7	107.6	118.7	106.6
Fall River, Mass	181.5	154.2	173.9	184.1	212.2	147.5
Indianapolis, Ind	191.8	179.5	167.9	185.6	206.2	165.4
Jersey City, N. J	**233.2**	217.8	208.4	228.2	**259.4**	203.3
Kansas City, Mo	200 6	188.8	177.7	203.4	**235.6**	201.4
Louisville, Ky	208.4	197.0	183.3	214.2	**239.5**	228.2
Memphis, Tenn	221.2	218.7	**249.4**	179.5	218.0	229.3
Milwaukee, Wis	128.6	133.9	102.1	127.6	141.4	133.9
Minneapolis, Minn	114.8	120.2	106.4	118.7	103.5	93.1
New Haven, Conn	179.7	193.2	187.7	164.9	163.5	157.1
New Orleans, La	**326.3**	**306.2**	**325.9**	**317.7**	**338.9**	**316.5**
New York, N. Y	221.7	228.8	207.8	211.6	220.4	211.1
Bronx borough	**481.8**	**526.7**	**506.7**	**528.9**	**549.0**	**532.0**
Brooklyn borough	200.8	206.2	189.0	189.0	202.2	178.8
Manhattan borough	211.9	215.3	191 8	195.8	200.6	197.4
Queens borough	152.7	175.3	135 7	130.1	141.9	137.0
Richmond borough	184.5	190.6	185.9	188.5	149.1	212.5
Newark, N. J	**239.5**	227.8	225.9	**244.2**	**248.0**	**241.1**
Omaha, Nebr	108.0	90.4	100.2	118.2	106.0	83.8
Paterson, N. J	188 5	183.2	176.4	169.7	208.6	176.6
Philadelphia, Pa	215.6	211.4	199.1	217.2	**231.6**	204.6
Pittsburg, Pa	137.9	133.9	135.2	140.9	153.3	151.0
Providence, R. I	213 2	217.5	213 2	214.3	187.6	170.2
Rochester, N. Y	133.6	149.2	110.6	125.6	140.5	147.8
St. Joseph, Mo	74.1	81.5	87 1	59 7	62.8	68.4
St. Louis, Mo	195.9	192 3	181.0	186 5	**230.5**	221.0
St. Paul, Minn	108.7	120.7	104.7	94.3	105.7	112.7
San Francisco, Cal	**285.0**	**292.7**	**284.2**	**289.4**	**274.8**	**275.9**
Scranton, Pa	96.1	91.8	86.7	100.2	104.2	90.4
Syracuse, N. Y	142.1	158.9	118.0	131.1	146.5	120.4
Toledo, Ohio	132 4	128.9	121.1	120.6	161.4	139.1
Washington, D. C	**276.0**	**296.2**	**246.2**	**266.4**	**279.5**	**274.7**
Worcester, Mass	179.9	191.9	165.2	170.6	168.0	171.7

For the registration area and each of its main subdivisions, as shown in the preceding table, there was a decline in the death rate from pulmonary tuberculosis in 1905, as compared with the preceding year, and the rates for the year were below the average for the preceding five-year period. In the registration states the highest death rate (274.7) was in the District of Columbia, which, however, is rather to be considered a registration city, being identical with the city of Washington. The tendencies as to increase and decrease were rather uniformly divided. In two instances, Indiana (148.5) and Maine (124.6), the death rates from pulmonary tuberculosis in 1905 were lower than for any preceding year given in the table.

Quite a number of the larger registration cities showed lower rates for 1905 than for any other year of the period shown. These were Allegheny, Pa. (123.2); Boston, Mass. (201.6); Detroit, Mich. (106.6); Fall River, Mass. (147.5); Indianapolis, Ind. (165.4); Jersey City, N. J. (203.3); Minneapolis, Minn. (93.1); New Haven, Conn. (157.1); Omaha, Nebr. (83.8); and Providence, R. I. (170.2). Only one city of this class, Denver, Colo. (460.4), had a higher rate for 1905 than for any other year of the five-year period. The highest rate shown for any of the larger cities for the year was that for Denver, Colo. (460.4), and the next highest was that for New Orleans, La. (316. 5), followed by those for San Francisco, Cal. (275.9), Washington, D. C. (274.7), and Cincinnati, Ohio (251.9). It is quite evident that these statements of mortality, which are based upon total deaths occurring in the city without regard to length of residence of decedents and which very naturally show the very highest rate of mortality for cities to which many consumptives resort on account of their climatic advantages, must be used with great caution until it is practicable to eliminate deaths of invalids coming from other places.

The minor cities of the registration area having unusually high death rates from tuberculosis of the lungs of over 230 per 100,000 of population during any year from 1901 to 1905 are shown in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Adams town, Mass	166.6	145.6	150.7	131.0	240.3
Albany, N. Y	235.0	199.8	209.7	223.5	211.6
Alexandria, Va	343.7	247.2	205.7	321.8	177.8
Annapolis, Md	406.2	367.5	250.0	348.6	289.4
Atlanta, Ga	251.9	283.1	229.9	262.2	265.8
Barre, Vt	146.4	257.8	174.6	196.7	245.3
Bath, Me	262.9	120.1	127.2	98.4	167.4
Bridgeton, N. J	129.9	130.5	152.8	277.7	110.1
Carlisle, Pa	234.0	149.6	195.5	201.3	141.1
Charleston, S. C	373.9	382.3	387.1	363.3	353.9
Chillicothe, Ohio	243.4	187.8	148.3	212.4	123.0
Cohoes, N. Y	275.7	191.9	220.8	241.3	174.5
Columbus, Ind	205.5	178.3	233.8	287.6	271.6
Covington, Ky	266.7	236.1	198.9	233.9	226.7
Danbury town, Conn	246.5	164.3	195.1	143.8	179.7
Danvers town, Mass	277.6	240.0	271.1	245.6	386.2
Dover, N. H	173.6	112.9	142.5	239.3	156.5
Evansville, Ind	193.9	176.4	240.7	171.7	177.4
Frederick, Md	212.6	378.3	280.5	287.6	193.0
Fresno, Cal	324.5	218.8	231.4	243.7	240.7
Haverhill, Mass	238.6	157.6	165.0	164.5	190.3
Hoboken, N. J	245.9	223.3	241.2	286.4	258.1
Hudson, N. Y	278.5	152.1	169.5	147.1	173.7
Huntington, Ind	226.6	161.0	168.2	164.6	104.4
Ironton, Ohio	293.6	309.0	224.5	149.0	255.5
Jacksonville, Fla	328.8	426.6	285.7	406.8	447.6
Jacksonville, Ill	202.8	264.4	267.2	219.7	235.3
Jeffersonville, Ind	296.7	352.0	231.3	184.9	212.4
Key West, Fla	337.3	330.3	224.6	267.4	346.4
Kokomo, Ind	239.8	189.6	167.9	242.4	169.7
Lafayette, Ind	185.8	189.3	230.2	243.9	194.2
Logansport, Ind	248.6	226.5	134.8	207.4	130.4
Lynchburg, Va	191.7	249.4	295.1	315.8	205.8
Manitowoc, Wis	233.8	148.0	153.8	103.6	149.2
Middletown, N. Y	189.8	166.8	177.4	265.4	165.8
Middletown town, Conn	299.2	256.4	280.7	135.9	300.7
Mobile, Ala	418.3	335.5	385.9	393.5	410.3
Morristown, N. J	244.7	180.8	144.1	192.1	197.6
Nashville, Tenn	268.0	314.2	249.8	353.4	332.4
New Albany, Ind	276.3	218.1	227.8	237.6	213.3
New London, Conn	206.4	240.3	182.0	215.1	154.3
Newburg, N. Y	162.6	219.7	240.6	238.1	247.0
Norfolk, Va	282.4	250.1	289.2	285.9	315.5
Norristown, Pa	395.3	329.5	247.8	240.9	170.2
Oakland, Cal	222.0	193.5	166.2	135.6	145.9
Ogdensburg, N. Y	258.4	278.3	284.5	324.6	310.5
Orange, N. J	228.3	292.9	308.1	287.8	329.5
Paducah, Ky	315.8	371.6	305.4	307.5	337.0
Peekskill, N. Y	183.0	243.6	140.9	126.7	151.5
Petersburg, Va	321.0	311.8	376.0	463.1	275.1
Plainfield, N. J	137.6	204.7	174.1	252.1	178.7
Port Jervis, N. Y	264.6	147.2	177.6	186.9	92.8
Portsmouth, N. H	167.9	101.9	165.4	246.3	172.1
Portsmouth, Ohio	190.8	191.3	269.5	217.6	182.8
Pueblo, Colo	319.1	432.9	311.2	290.6	338.2
Raleigh, N. C	305.7	361.4	373.2	349.2	325.6
Richmond, Va	251.7	260.0	269.3	276.3	236.0
Rochester, N. H	221.6	299.5	182.1	213.6	200.0
Rockland, Me	196.3	196.3	245.4	208.5	220.9
Rome, N. Y	158.8	173.5	133.1	248.1	196.2
Sacramento, Cal	358.4	247.8	252.1	285.8	286.3
San Antonio, Tex	577.6	669.6	444.7	619.3	632.9
San Diego, Cal	395.8	445.6	401.7	434.1	455.0
San Jose, Cal	293.0	279.5	204.2	279.8	254.1
Saratoga Springs, N. Y	247.5	205.6	203.7	201.8	200.0
Savannah, Ga	372.2	324.6	319.7	345.3	280.8
Springfield, Ill	287.0	239.3	204.3	242.7	198.8
Taunton, Mass	212.7	212.8	167.8	196.9	239.0
Troy, N. Y	324.0	255.5	271.8	288.1	262.2
Vincennes, Ind	259.9	180.4	119.6	281.5	197.2
Wakefield town, Mass	126.5	237.6	192.3	168.8	185.0
Ware town, Mass	192.1	250.1	118.2	187.6	174.5
Washington, Ind	227.3	309.4	150.6	199.0	194.0
Wilmington, N. C	251.6	269.4	202.3	257.7	191.3
Windham town, Conn	256.2	157.5	177.0	255.4	225.7
Woburn, Mass	210.0	237.6	167.3	104.4	159.7

Excessively high death rates during four or more of the past five years are shown for Annapolis, Md.; Atlanta, Ga.; Charleston, S. C.; Danvers town, Mass.; Fresno, Cal.; Hoboken, N. J.; Jacksonville, Fla.; Key West, Fla.; Middletown town, Conn.; Mobile, Ala.; Nashville, Tenn.; Norfolk, Va.; Norristown, Pa.; Ogdensburg, N. Y.; Orange, N. J.; Paducah, Ky.; Petersburg, Va.; Pueblo, Colo.; Raleigh, N. C.; Richmond, Va.; Sacramento, Cal.; San Antonio, Tex.; San Diego, Cal.; San Jose, Cal.; Savannah, Ga.; and Troy, N. Y. It is at once apparent that many of these places are health resorts, to which invalids repair from many states in the effort to regain their health, and that the

deaths are not properly chargeable, so far as tending to show unusual natural prevalence of the disease, to the localities in which they happened to occur. It is impracticable, however, at present to attempt to charge deaths to the places where the fatal disease originated, the information not being always obtainable and no criteria having yet been established as to the length of residence which should determine such transfer of deaths. It should be remembered that at present the compilation of deaths is made with reference solely to the places in which they occurred.

The distribution of deaths from tuberculosis of the lungs by sex and by periods of age is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS.					
	Annual average: 1900 to 1904	1901	1902	1903	1904	1905
Aggregate	54,998	54,735	52,079	53,910	58,763	56,770
Sex:						
Male	29,617	29,569	28,250	29,061	31,833	31,047
Female	25,381	25,166	23,829	24,849	26,930	25,723
Age:						
Under 1 year	783	807	702	723	817	707
1 year	424	435	372	411	427	441
2 years	241	224	232	235	245	226
3 years	165	149	153	175	141	137
4 years	122	150	124	108	100	101
Under 5 years	1,735	1,765	1,583	1,652	1,730	1,612
5 to 9 years	494	490	447	472	503	499
10 to 14 years	869	850	818	785	991	863
15 to 19 years	4,086	3,897	3,765	4,081	4,657	4,416
20 to 24 years	7,640	7,601	7,212	7,472	8,218	7,983
25 to 29 years	8,323	8,311	7,849	8,153	8,789	8,306
30 to 34 years	7,305	7,298	6,987	7,190	7,785	7,521
35 to 39 years	6,232	6,167	5,872	6,131	6,704	6,571
40 to 44 years	4,817	4,862	4,715	4,685	5,222	5,083
45 to 49 years	3,540	3,369	3,342	3,589	3,905	3,962
50 to 54 years	2,811	2,808	2,660	2,758	3,018	3,007
55 to 59 years	2,147	2,147	2,047	2,154	2,216	2,167
60 to 64 years	1,772	1,791	1,678	1,731	1,872	1,749
65 to 69 years	1,345	1,418	1,264	1,274	1,338	1,354
70 to 74 years	891	908	877	833	896	842
75 to 79 years	546	569	520	515	514	472
80 to 84 years	210	212	201	196	200	204
85 to 89 years	71	81	69	64	62	58
90 to 94 years	14	13	20	11	11	11
95 years and over	5	6	6	5	4	3
Unknown	146	172	147	159	128	87

The deaths of males considerably exceed the deaths of females for each of the years and for the quinquennial period. The five-year age period showing the largest number of deaths from consumption for each year is from 25 to 29 years, inclusive.

Venereal diseases.—The number of deaths from venereal diseases, according to the transcripts received, was 1,596 in 1905, a slight increase over the preceding year. The death rates for the registration area were the same in 1905 and 1904, namely, 4.7 per 100,000 of population.

The relative mortality of the various subdivisions of the registration area may be seen in the following table:

AREA.	NUMBER OF DEATHS FROM VENEREAL DISEASES.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	1,266	1,161	1,163	1,393	1,569	1,596
Registration cities	1,111	1,020	1,022	1,213	1,387	1,441
Registration states	658	613	629	729	778	746
Cities in registration states	504	472	488	549	596	591
Rural part of registration states	155	141	141	180	182	155
Registration cities in other states	608	548	534	664	791	850

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	4.0	3.7	3.6	4.3	4.7	4.7
Registration cities	4.9	4.6	4.5	5.2	5.8	5.9
Registration states	3.2	3.0	3.0	3.5	3.6	3.4
Cities in registration states	4.4	4.2	4.3	4.7	5.0	4.8
Rural part of registration states	1.7	1.5	1.5	1.9	1.9	1.6
Registration cities in other states	5.4	5.0	4.7	5.8	6.7	7.1

Deaths from venereal diseases are shown in the following table by sex and age, as returned from the registration area for the years 1901 to 1905, together with the annual average for the five-year period, 1900–1904:

SEX AND AGE.	NUMBER OF DEATHS FROM VENEREAL DISEASES.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	1,266	1,161	1,163	1,393	1,569	1,596
Sex:						
Male	728	671	678	803	897	936
Female	539	490	485	590	672	660
Age:						
Under 1 year	657	602	622	676	815	880
Under 5 years	715	661	673	724	888	946
5 to 14 years	14	16	11	14	22	9
15 to 24 years	68	56	59	90	92	88
25 to 34 years	140	114	119	162	192	173
35 to 44 years	137	124	125	177	151	146
45 to 64 years	153	154	146	179	175	194
65 years and over	33	30	27	42	43	38
Unknown	6	6	3	5	6	2

The returns compiled under this head would indicate that deaths of males exceed deaths of females from this group of causes; but it is not likely that any dependence can be placed upon the apparent showing, because it is very probable that a larger proportion of deaths of females than of males is classified under the results of venereal affections tabulated elsewhere.

Cancer.—The number of deaths and the death rates from the various forms of cancer specified by the International Classification may be seen in Table III. There were, in 1905, 24,330 deaths reported from this cause,

a larger number than for any previous year, and the death rates showed a progressive increase for the period covered.

The following table presents the distribution of the various forms of cancer:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM VARIOUS FORMS OF CANCER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	21,224	20,171	20,847	22,325	23,395	24,330
Cancer of mouth	618	612	583	661	737	792
Cancer of stomach and liver	7,687	7,095	7,483	8,193	8,744	8,939
Cancer of intestines	2,138	2,157	2,239	2,134	2,399	2,732
Cancer of female genital organs	3,075	2,919	3,033	3,289	3,436	3,637
Cancer of breast	1,729	1,647	1,750	1,787	2,030	2,010
Cancer of skin	697	683	688	752	758	818
Cancer of other or unspecified organs	5,281	5,058	5,071	5,509	5,291	5,402
	PER CENT.					
CAUSE OF DEATH.	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	100.0	100.0	100.0	100.0	100.0	100.0
Cancer of mouth	2.9	3.0	2.8	3.0	3.2	3.3
Cancer of stomach and liver	36.2	35.2	35.9	36.7	37.4	36.7
Cancer of intestines	10.1	10.7	10.7	9.6	10.3	11.2
Cancer of female genital organs	14.5	14.5	14.5	14.7	14.7	14.9
Cancer of breast	8.1	8.2	8.4	8.0	8.7	8.3
Cancer of skin	3.3	3.4	3.3	3.4	3.2	3.4
Cancer of other or unspecified organs	24.9	25.1	24.3	24.7	22.6	22.2

It appears from the above table that there was a slight increase for 1905 in the proportion of deaths from all forms of definitely specified cancer, as compared with the preceding five-year period.

The following table gives the comparative death rates in recent years from cancer in the registration area of the United States, and in certain European countries. With few exceptions a general increase in the death rate from this disease is observed from year to year.

COUNTRY.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Registration area of United States	66.5	64.5	65.3	68.6	70.6	72.1
England and Wales	85.4	84.2	84.4	87.2	87.9	88.5
Scotland	82.1	82.0	83.0	84.0	84.7	(1)
Ireland	65.8	65.0	65.0	69.0	69.4	74.9
Germany	70.3	75.0	75.0	72.7	(1)	(1)
Norway	91.6	95.0	88.0	93.2	(1)	(1)
Hungary	38.1	36.0	38.0	39.0	40.6	(1)
The Netherlands	95.5	94.0	95.0	99.0	97.9	101.2
Switzerland	129.3	128.0	127.0	131.0	130.3	(1)
Spain	43.2	42.0	43.0	44.2	46.6	(1)
Italy	53.8	53.0	54.0	54.0	56.6	57.6

[1] No figures available.

In the following table the distribution of the mortality from cancer is given for the registration area of the United States, its principal subdivisions, the registration states, and larger cities, rates of 80 or over being indicated by bold face type:

AREA.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	66.5	64.5	65.3	68.6	70.6	72.1
Registration cities	67.2	65.2	66.2	69.5	71.6	72.5
Registration states	67.5	66.2	66.1	69.7	71.4	73.6
Cities in registration states	69.8	69.0	68.4	72.3	74.0	75.7
Rural part of registration states	64.7	62.7	63.2	66.4	68.0	70.9
Registration cities in other states	64.5	61.3	64.0	66.6	69.2	69.3
Registration states:						
Connecticut	70.6	70.3	68.3	76.4	68.8	75.9
District of Columbia	74.5	70.2	74.9	75.4	76.5	75.9
Indiana	47.0	44.1	47.9	49.3	50.4	55.3
Maine	**83.0**	**82.4**	**86.7**	**85.0**	**86.3**	**92.9**
Massachusetts	79.6	76.7	77.4	**80.9**	**88.0**	**89.3**
Michigan	63.2	60.0	59.6	67.5	67.4	64.2
New Hampshire	79.8	**87.7**	**81.2**	77.5	**80.4**	**83.7**
New Jersey	56.3	58.2	58.5	58.3	57.6	63.2
New York	70.2	69.8	68.9	71.7	73.8	76.1
Rhode Island	78.1	72.7	**82.4**	77.3	**86.6**	**80.4**
Vermont	**81.5**	70.5	69.1	**93.7**	**87.0**	**84.2**
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	43.5	48.0	49.4	37.7	44.9	49.7
Baltimore, Md	75.2	76.5	77.9	73.0	**86.5**	**81.1**
Boston, Mass	**89.6**	**88.2**	**87.5**	**93.2**	**95.7**	**105.6**
Buffalo, N. Y	68.7	73.3	66.5	75.2	72.3	**88.1**
Chicago, Ill	63.5	63.7	64.7	64.4	64.0	65.6
Cincinnati, Ohio	78.1	77.8	78.0	**83.5**	**80.0**	73.7
Cleveland, Ohio	58.2	59.4	54.3	62.2	61.1	64.3
Columbus, Ohio	65.1	51.2	65.1	67.2	72.8	73.2
Denver, Colo	65.5	70.8	65.7	63.2	72.0	**86.5**
Detroit, Mich	70.9	63.3	64.0	78.2	74.6	68.5
Fall River, Mass	60.8	69.5	51.3	66.4	63.5	69.0
Indianapolis, Ind	57.8	50.7	61.2	55.6	59.6	51.4
Jersey City, N. J	51.6	52.0	46.6	56.7	54.1	66.2
Kansas City, Mo	55.3	46.7	59.4	55.5	72.7	61.4
Louisville, Ky	59.4	54.7	62.2	55.6	61.6	56.6
Memphis, Tenn	37.3	28.3	36.4	44.9	29.8	34.6
Milwaukee, Wis	67.8	67.1	60.9	70.9	74.3	64.9
Minneapolis, Minn	58.7	57.8	52.6	67.9	57.6	62.6
New Haven, Conn	78.3	**88.9**	**82.7**	79.4	71.9	**92.4**
New Orleans, La	73.6	70.0	71.9	79.8	**82.9**	**84.9**
New York, N. Y	63.5	69.1	66.6	69.5	71.4	72.3
Bronx borough	62.0	61.9	58.5	67.0	61.0	70.7
Brooklyn borough	62.7	62.1	63.9	63.0	64.9	67.6
Manhattan borough	74.3	75.8	71.0	75.1	78.3	77.7
Queens borough	47.4	41.4	47.4	51.1	47.7	50.5
Richmond borough	**82.1**	**92.4**	66.3	**83.6**	**89.2**	67.2
Newark, N. J	68.6	75.3	63.8	71.6	70.3	69.9
Omaha, Nebr	51.9	56.5	46.5	47.6	62.4	72.2
Paterson, N. J	63.1	73.3	54.8	64.2	63.5	73.5
Philadelphia, Pa	69.9	62.3	67.0	71.9	78.7	77.0
Pittsburg, Pa	51.9	44.6	54.9	57.1	50.7	54.9
Providence, R. I	**85.0**	**82.1**	**87.7**	**80.8**	**96.9**	**97.2**
Rochester, N. Y	**80.6**	**86.0**	**88.9**	78.9	**86.9**	**93.9**
St. Joseph, Mo	30.6	31.3	23.1	26.3	43.4	27.7
St. Louis, Mo	62.2	55.3	55.0	73.2	69.5	73.5
St. Paul, Minn	55.5	46.5	51.5	58.9	60.5	57.9
San Francisco, Cal	**124.0**	**115.2**	**128.3**	**125.3**	**134.3**	**125.0**
Scranton, Pa	42.0	43.0	51.3	44.6	35.6	33.6
Syracuse, N. Y	76.0	69.9	76.9	**81.8**	69.3	**81.1**
Toledo, Ohio	57.4	59.3	57.4	54.8	62.4	67.6
Washington, D. C	74.5	70.2	74.9	75.4	76.5	75.9
Worcester, Mass	72.8	64.0	64.6	69.2	**101.4**	**80.4**

The death rates from this disease in 1905 were higher for each of the main subdivisions of the registration area than for any previous year given in the table, and a very marked increase is apparent over the average annual rate for the quinquennial period 1900-1904. The same remark applies to five of the registration states, whose rates for 1905 were the highest for the series of years: Indiana (55.3), Maine (92.9), Massachusetts (89.3), New Jersey (63.2), New York (76.1). Three states and the District of Columbia, whose popu-

lation is urban, showed a decrease for the year as compared with 1904, although the rates are in each case higher than the five-year average. They are District of Columbia (75.9), Michigan (64.2), Rhode Island (80.4), and Vermont (84.2). The highest mortality shown by any state for the year was that of Maine (92.9), followed by Massachusetts (89.3), while the lowest rates were shown by Indiana (55.3) and New Jersey (63.2).

Among the larger registration cities a large number showed higher rates for 1905 than for the previous years: Allegheny, Pa. (49.7); Boston, Mass. (105.6); Buffalo, N. Y. (88.1); Chicago, Ill. (65.6); Cleveland, Ohio (64.3); Columbus, Ohio (73.2); Denver, Colo. (86.5); Jersey City, N. J. (66.2); New Haven, Conn. (92.4); New Orleans, La. (84.9); New York, N. Y. (72.3); Omaha, Nebr. (72.2); Paterson, N. J. (73.5); Providence, R. I. (97.2); Rochester, N. Y. (93.9); St. Louis, Mo. (73.5); and Toledo, Ohio (67.6). Only two cities showed lower rates for 1905 than for previous years—Cincinnati, Ohio (73.7), and Scranton, Pa. (33.6). The highest death rate from cancer for any of the larger cities was that of San Francisco, Cal. (125), and then in order, Boston, Mass. (105.6); Providence, R. I. (97.2); Rochester, N. Y. (93.9); and New Haven, Conn. (92.4). The lowest rate was shown for St. Joseph, Mo. (27.7), and the next lowest for Scranton, Pa. (33.6).

The possibility that sufferers from cancer may resort to a city from its adjacent territory for the purpose of operation, and deaths resulting therefrom be charged to the death rate of the city, and also the peculiarities of various urban populations, especially with reference to age distribution, must be considered before the true incidence of mortality from this cause in the different cities can be determined.

Sex and age distribution of deaths from cancer for the registration area is as follows:

SEX AND AGE.	NUMBER OF DEATHS FROM CANCER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	21,224	20,171	20,847	22,325	23,395	24,330
Sex:						
Male	8,020	7,706	7,798	8,422	8,881	9,189
Female	13,204	12,465	13,049	13,903	14,514	15,141
Age:						
Under 1 year	27	27	33	22	29	24
1 year	17	17	15	17	18	18
2 years	23	25	28	22	19	18
3 years	22	19	23	22	23	18
4 years	18	20	20	17	22	23
Under 5 years	108	108	119	100	111	101
5 to 9 years	48	40	51	55	53	60
10 to 14 years	46	32	51	41	46	48
15 to 19 years	81	66	96	88	88	99
20 to 24 years	141	143	123	140	158	153
25 to 29 years	283	280	266	306	275	290
30 to 34 years	549	534	535	522	637	629
35 to 39 years	1,082	991	1,021	1,138	1,057	1,176
40 to 44 years	1,644	1,647	1,599	1,683	1,823	1,805
45 to 49 years	2,078	2,031	2,041	2,157	2,260	2,463
50 to 54 years	2,566	2,461	2,589	2,699	2,744	2,845
55 to 59 years	2,698	2,551	2,649	2,836	2,941	3,056
60 to 64 years	2,815	2,594	2,773	3,002	3,191	3,215
65 to 69 years	2,546	2,414	2,490	2,707	2,816	3,014
70 to 74 years	2,082	1,926	1,940	2,211	2,438	2,430
75 to 79 years	1,387	1,311	1,353	1,450	1,545	1,656
80 to 84 years	702	646	719	737	777	840
85 to 89 years	266	248	281	273	271	310
90 to 94 years	68	58	73	74	85	81
95 years and over	14	19	10	17	15	20
Unknown	68	71	68	89	64	39

As usual the deaths of females largely exceed deaths of males from this cause. An increasing number of deaths is shown with advancing years until the population becomes too much diminished to maintain the numerical increase. The largest number of deaths is at the age period 60 to 64 years for each of the years shown.

Rheumatism.—Under the accepted statistical classification rheumatism is of much less importance as a cause of death than as a cause of sickness. Many deaths from forms of organic heart disease, due primarily to rheumatic infection, are not compiled under rheumatism according to the International Classification, but are placed under diseases of the circulatory system. For this reason mortality statistics do not adequately show the true prevalence of this class of diseases. An attempt is made to distinguish between acute and chronic forms of rheumatism, but as yet the returns can not be considered as fully trustworthy even in this respect. Under chronic rheumatism are included many deaths returned simply as due to "rheumatism," without specification as to whether the affection was acute or chronic. The number of such returns has been diminishing since 1900 in accordance with the efforts made by the Bureau of the Census to secure greater precision of statement. In 1900 over one-half of all the deaths returned from all forms of rheumatism were included under chronic rheumatism and gout, while in 1905 only one-third of the total number were so included.

CAUSE OF DEATH.	NUMBER OF DEATHS FROM FORMS OF RHEUMATISM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	2,910	2,985	2,661	2,785	3,187	2,827
Acute articular rheumatism	1,599	1,510	1,366	1,594	2,100	1,918
Chronic rheumatism and gout	1,311	1,475	1,295	1,191	1,087	909

In the following table the number of deaths from rheumatism and the death rate per 100,000 of population may be seen for the registration area and its main subdivisions:

AREA.	NUMBER OF DEATHS FROM RHEUMATISM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	2,910	2,985	2,661	2,785	3,187	2,827
Registration cities	2,049	2,137	1,797	2,017	2,287	1,969
Registration states	1,908	1,949	1,759	1,772	2,053	1,846
Cities in registration states	1,047	1,101	895	1,004	1,153	988
Rural part of registration states	861	848	864	768	900	858
Registration cities in other states	1,001	1,036	902	1,013	1,134	981

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	9.1	9.5	8.3	8.6	9.6	8.4
Registration cities	9.0	9.6	7.9	8.7	9.6	8.1
Registration states	9.2	9.6	8.5	8.4	9.6	8.5
Cities in registration states	9.1	9.8	7.8	8.5	9.6	8.0
Rural part of registration states	9.4	9.3	9.4	8.3	9.6	9.1
Registration cities in other states	8.9	9.4	8.0	8.8	9.6	8.1

It will be noted that the death rate from rheumatism was precisely the same in the year 1904 for each subdivison, namely, 9.6 per 100,000 of population. This rate fell to 8.4 in 1905 for the registration area as a whole, the greatest decrease in the mortality being in the cities of registration states and the least in the rural part of registration states.

In the following table the total number of deaths from rheumatism in all forms, as classified under the system now in use, is stated for the five years 1901 to 1905, together with the average for the quinquennial period 1900–1904, by sex and periods of age:

SEX AND AGE.	NUMBER OF DEATHS FROM RHEUMATISM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	2,910	2,985	2,661	2,785	3,187	2,827
Sex:						
Male	1,430	1,503	1,312	1,346	1,558	1,407
Female	1,480	1,482	1,349	1,439	1,629	1,420
Age:						
Under 1 year	32	39	26	25	36	39
Under 5 years	104	108	89	99	118	121
5 to 14 years	365	364	303	315	481	392
15 to 24 years	290	282	258	287	349	287
25 to 34 years	260	267	236	261	285	272
35 to 44 years	294	293	274	264	330	280
45 to 64 years	746	783	699	702	750	709
65 years and over	842	880	794	847	865	764
Unknown	9	8	8	10	9	2

Practically the same number of deaths were returned for males and females for the year 1905 and also for the preceding quinquennial period. About one-half of all deaths reported from this cause are of persons aged 45 years and over. If the results of rheumatism, including organic heart diseases due to this factor, were included, it is probable that a much larger proportion of deaths at older ages would be indicated from this cause.

Diabetes.—There were 4,397 deaths returned from diabetes from the registration area for the year 1905, a number slightly greater, as shown in Table III, than that recorded for the preceding years. The death rate per 100,000 of population in 1905 (13) was about the same as in 1904 (12.9). In the following table the distribution of mortality from this cause is given for the various divisions of the registration area and for the cities of over 100,000 population in 1900:

AREA.	NUMBER OF DEATHS FROM DIABETES PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	10.9	10.3	10.4	11.3	12.9	13.0
Registration cities	10.6	10.1	9.9	11.0	12.7	13.0
Registration states	12.2	11.5	11.7	12.6	14.2	14.1
Cities in registration states	12.6	12.1	11.8	13.0	14.9	14.8
Rural part of registration states	11.8	10.8	11.5	12.1	13.3	13.2
Registration cities in other states	8.6	8.0	8.0	8.9	10.4	11.1
Registration states:						
Connecticut	14.1	12.8	12.9	13.3	17.1	14.9
District of Columbia	10.7	10.2	10.7	12.3	12.4	15.5
Indiana	8.6	8.0	8.8	8.6	9.7	10.0
Maine	12.7	12.6	12.6	13.1	14.7	16.5
Massachusetts	13.7	11.7	13.6	14.4	15.8	15.9
Michigan	11.5	10.5	12.1	11.3	13.4	11.0
New Hampshire	14.8	11.6	12.2	13.9	14.3	17.9
New Jersey	9.5	8.8	8.9	10.3	11.1	11.8
New York	13.1	12.8	12.2	13.6	15.5	15.5
Rhode Island	15.1	13.9	11.8	15.7	15.8	17.1
Vermont	15.3	16.8	12.4	14.1	**21.3**	18.0
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	5.2	2.3	3.7	7.2	7.1	3.5
Baltimore, Md	9.9	10.1	8.8	10.4	11.9	11.4
Boston, Mass	15.1	14.3	13.9	14.1	18.5	17.3
Buffalo, N. Y	14.6	11.2	13.3	16.1	19.4	16.7
Chicago, Ill	8.5	8.2	8.4	9.2	10.0	11.2
Cincinnati, Ohio	9.0	9.8	6.7	9.0	10.3	11.4
Cleveland, Ohio	5.9	5.9	5.2	7.2	7.3	8.2
Columbus, Ohio	8.3	3.9	9.8	9.6	10.1	10.6
Denver, Colo	12.1	11.1	13.9	9.5	12.8	14.6
Detroit, Mich	11.3	12.6	11.9	10.3	11.7	11.1
Fall River, Mass	11.4	6.7	14.3	16.1	12.3	13.2
Indianapolis, Ind	9.6	9.7	7.0	10.6	8.8	11.3
Jersey City, N. J	8.3	7.6	7.4	11.3	8.8	9.9
Kansas City, Mo	6.5	6.6	6.5	5.2	10.2	10.0
Louisville, Ky	7.5	5.3	10.8	6.9	8.2	10.3
Memphis, Tenn	4.6	2.8	3.6	2.6	9.4	1.6
Milwaukee, Wis	9.4	9.2	9.4	10.6	11.4	12.8
Minneapolis, Minn	7.9	10.3	6.6	7.9	8.8	15.3
New Haven, Conn	15.1	17.2	7.1	**20.1**	14.6	17.6
New Orleans, La	6.1	8.2	5.7	6.0	7.5	6.5
New York, N. Y	13.7	14.0	12.9	13.7	16.4	16.4
Bronx borough	15.3	12.1	13.1	15.6	**22.9**	14.0
Brooklyn borough	11.8	10.5	12.0	12.3	13.8	15.3
Manhattan borough	15.2	16.7	13.9	14.4	17.8	17.6
Queens borough	9.4	10.5	8.2	11.1	11.6	11.6
Richmond borough	14.4	14.7	10.1	19.8	12.5	**23.3**
Newark, N. J	11.2	8.7	10.4	12.4	11.0	12.7
Omaha, Nebr	6.4	8.5	3.6	6.2	7.7	7.5
Paterson, N. J	9.3	12.2	8.4	7.3	11.8	11.7
Philadelphia, Pa	9.8	9.1	7.8	11.3	12.6	14.0
Pittsburg, Pa	4.7	3.6	6.2	4.1	4.8	5.5
Providence, R. I	16.2	**21.1**	10.8	18.5	18.0	14.6
Rochester, N. Y	13.5	12.6	11.8	10.3	18.6	**25.3**
St. Joseph, Mo	4.6	4.7	4.6	1.8	4.4	1.7
St. Louis, Mo	6.8	7.1	4.7	7.7	8.6	10.4
St. Paul, Minn	7.4	5.3	5.1	7.6	10.5	10.7
San Francisco, Cal	17.6	18.1	16.8	18.5	**20.3**	**20.0**
Scranton, Pa	9.3	8.6	9.3	8.2	9.8	10.3
Syracuse, N. Y	11.6	8.2	15.2	14.1	12.1	15.4
Toledo, Ohio	10.6	11.0	11.3	9.6	12.0	7.1
Washington, D. C	10.7	10.2	10.7	12.3	12.4	15.5
Worcester, Mass	13.1	10.8	9.0	10.5	19.8	14.8

The death rate from this disease in the registration area was higher for the year 1905 than for any previous

year in the preceding table, which statement is also true of the registration cities, and especially the registration cities in nonregistration states. The registration states as a whole, including both the cities and the rural portion, showed a slight decrease in 1905 as compared with 1904. In the table rates of 20 per 100,000 or more are distinguished by bold face type.

In the following table the age and sex distribution of deaths due to diabetes is stated for the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM DIABETES.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,492	3,212	3,312	3,681	4,259	4,397
Sex:						
Male	1,734	1,593	1,638	1,789	2,120	2,134
Female	1,758	1,619	1,674	1,892	2,139	2,263
Age:						
Under 5 years	58	66	69	40	61	58
5 to 9 years	77	74	78	78	89	90
10 to 14 years	110	109	101	109	133	121
15 to 19 years	102	90	104	98	114	121
20 to 24 years	102	95	103	105	102	112
25 to 29 years	127	127	108	145	145	131
30 to 34 years	135	148	112	144	142	143
35 to 39 years	140	142	126	148	166	167
40 to 44 years	169	173	173	167	187	196
45 to 49 years	217	220	184	225	288	273
50 to 54 years	329	308	299	333	421	425
55 to 59 years	389	343	367	432	483	507
60 to 64 years	456	411	441	491	570	616
65 to 69 years	423	366	397	476	519	584
70 to 74 years	332	276	326	337	436	424
75 to 79 years	201	161	205	206	253	274
80 to 84 years	85	75	80	101	105	108
85 to 89 years	25	19	24	30	30	34
90 to 94 years	5	2	5	6	6	6
95 years and over	1	1	.....	1	.....	2
Unknown	9	6	10	9	9	5

A slight excess of deaths of females over males is shown for each year. The maximum number of deaths by quinquennial age periods is invariably that for the period 60 to 64 years.

Alcoholism.—The title "alcoholism" of the International Classification includes the acute and chronic forms, but does not include certain organic lesions resulting from the use of liquor, such as cirrhosis of the liver. In the following table may be found a statement of the total number of deaths returned for the registration area and its main subdivisions, and also the corresponding death rates per 100,000 of population:

AREA.	NUMBER OF DEATHS FROM ALCOHOLISM.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	1,973	1,870	1,943	2,163	1,927	2,106
Registration cities	1,659	1,591	1,644	1,796	1,608	1,752
Registration states	1,115	1,016	1,080	1,290	1,128	1,293
Cities in registration states	802	737	781	923	809	939
Rural part of registration states	314	279	299	367	319	354
Registration cities in other states	858	851	863	873	799	813

AREA.	NUMBER OF DEATHS FROM ALCOHOLISM PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904	1901	1902	1903	1904	1905
The registration area	6 2	6.0	6.1	6.6	5.8	6.2
Registration cities	7.3	7.2	7.2	7.7	6.8	7.2
Registration states	5.4	5.0	5.2	6.1	5.3	6.0
Cities in registration states	7.0	6.6	6 8	7.9	6.7	7.6
Rural part of registration states	3 4	3.1	3.3	4.0	3.4	3.8
Registration cities in other states	7.6	7.8	7.7	7.6	6.8	6.7

The total death rate from alcoholism for the year 1905 (6.2 per 100,000 of population), showed a slight increase over the preceding year (5.8), but was precisely the same as the average for the preceding quinquennial period, 1900–1904. As compared with the rates of that period, an increase is shown in 1905 for the registration states as a whole, the cities in registration states, and the rural part of registration states, while a slight diminution is shown for registration cities, dependent upon a considerable decrease in registration cities in nonregistration states.

The sex and age distribution of deaths from alcoholism in the registration area may be seen in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM ALCOHOLISM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	1,973	1,870	1,943	2,163	1,927	2,106
Sex:						
Male	1,690	1,598	1,650	1,883	1,654	1,818
Female	283	272	293	280	273	288
Age:						
Under 5 years	4	7	6	4	3	1
5 to 14 years	3	4	3	1	2	8
15 to 24 years	44	49	33	54	43	52
25 to 34 years	408	381	415	457	377	421
35 to 44 years	657	617	656	732	632	690
45 to 64 years	717	672	692	770	738	782
65 years and over	118	122	110	124	117	138
Unknown	21	18	28	21	15	14

Deaths of males compiled under this title largely exceed deaths of females. It will be noted that some very young children are here included, averaging four under 5 years of age for the period 1900 to 1904. It is not likely that such deaths are properly chargeable to alcoholism, although the compilation, which is made on the basis of the official transcripts and in strict accordance with the nomenclature of the International Classification, brings them into prominence. The figures point to a margin of error which attends all statistical compilation, and may indicate both the need for greater care in the examination of original returns and in the preparation and comparison of transcripts, and also the necessity for making adequate provision

in the scheme of classification for the treatment of such anomalous cases.

DISEASES OF THE NERVOUS SYSTEM.

The total number of deaths returned and classified under diseases of the nervous system was 61,556 for the entire registration area during the year 1905. This number shows a slight increase over the number compiled for the previous year and also as compared with the annual average for the quinquennial period 1900–1904. As indicated, however, in the following table, which presents the distribution of deaths and death rates for the main subdivisions of the registration area, the death rate from diseases of the nervous system was somewhat less for 1905 than for the preceding quinquennial period:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	60,575	60,431	59,313	58,319	60,581	61,556
Registration cities	42,690	42,357	42,302	41,046	42,574	43,802
Registration states	39,550	39,550	38,260	38,152	40,696	41,681
Cities in registration states	21,665	21,476	21,249	20,879	22,689	23,927
Rural part of registration states	17,885	18,074	17,011	17,273	18,007	17,754
Registration cities in other states	21,025	20,881	21,053	20,167	19,885	19,875

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	189.7	193.1	185.9	179.2	182.8	182.3
Registration cities	187.8	191 1	186.2	176.3	178.9	179.3
Registration states	191.4	194.7	185.2	181.6	190.5	192.0
Cities in registration states	188.9	192.0	185.2	177.7	188.7	194.3
Rural part of registration states	194.5	198.0	185.1	186.5	192.8	188.9
Registration cities in other states	186.6	190.2	187.2	175.0	168.9	165.0

The number of deaths returned from the entire registration area is given by sex and periods of age in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	60,575	60,431	59,313	58,319	60,581	61,556
Sex:						
Male	32,444	32,416	31,822	31,251	32,318	32,950
Female	28,131	28,015	27,491	27,068	28,263	28,606
Age:						
Under 1 year	11,751	12,363	11,673	10,277	10,268	10,017
Under 5 years	17,266	17,943	16,955	15,011	15,311	15,313
5 to 14 years	2,369	2,250	2,080	2,198	2,574	3,057
15 to 24 years	1,829	1,809	1,718	1,749	1,883	2,128
25 to 34 years	2,425	2,457	2,410	2,269	2,398	2,412
35 to 44 years	3,832	3,854	3,920	3,809	3,752	3,892
45 to 64 years	13,372	13,164	13,222	13,529	13,970	14,110
65 years and over	19,285	18,725	18,797	19,569	20,521	20,541
Unknown	197	229	211	185	172	103

Deaths of males considerably exceed deaths of females for each of the years and for the five-year period. The exact relation of the mortality of the sexes must be considered in connection with the sex distribution of the constituent population, concerning which no estimates have been made for the postcensal years contained in the table. Under age distribution it will be noted that considerably fewer deaths are reported under the age of 1 year, and especially under 5 years, for the year 1905, than for the first year of the period. This is due largely to the diminution in the deaths reported from "convulsions," a title to which are assigned many deaths of children from acute intestinal diseases of which the "convulsions" are merely symptomatic, and which do not properly belong among diseases of the nervous system. The decrease in deaths compiled under this title may be examined in Table III.

Meningitis.—Deaths from tuberculous meningitis, as far as specified, are included under tuberculosis, a separate subdivision being made for this purpose. Many such deaths are probably reported as due simply to "meningitis," without qualification, so that no clue whatever is given to the fact that the disease was tuberculous. For similar reasons it is practically impossible to insure a distinct separation between sporadic cases of meningitis, those depending on traumatism not expressed in the certificate, or other causes, and the definite infectious disease, epidemic cerebro-spinal meningitis or cerebro-spinal fever. For this reason all deaths from meningitis, exclusive of those actually reported from tuberculous meningitis and traumatic meningitis, are best considered together, although the figures given in the following table, which attempts to make the distinction between simple meningitis and epidemic cerebro-spinal meningitis, may be considered in connection with the aggregate:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM MENINGITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	10,551	10,430	9,981	9,213	10,553	11,654
Simple meningitis	8,452	8,643	8,259	7,295	7,269	6,540
Epidemic cerebro-spinal meningitis	2,099	1,787	1,722	1,918	3,284	5,114

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	33.0	33.3	31.3	28.3	31.8	34.5
Simple meningitis	26.5	27.6	25.9	22.4	21.9	19.4
Epidemic cerebro-spinal meningitis	6.6	5.7	5.4	5.9	9.9	15.1

According to the compilation epidemic cerebro-spinal meningitis shows a marked increase for the year 1905.

The rate, 15.1 per 100,000 of population, was nearly three times that shown for the years from 1901 to 1903. The rise began in 1904, and should be considered in examining the rates for total meningitis shown in other tables.

The mortality from meningitis was distributed through the main subdivisions of the registration area, the registration states, and large cities of 100,000 population and over, as follows, all rates in excess of 50 per 100,000 of population being distinguished by bold face type:

AREA.	NUMBER OF DEATHS FROM MENINGITIS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904	1901	1902	1903	1904	1905
The registration area	33.0	33.3	31.3	28.3	31.8	34.5
Registration cities	36.4	36 4	35.2	31.0	35.6	38.9
Registration states	32.9	32.8	29.7	27.8	34.1	39.0
Cities in registration states	39.6	38.6	36.2	32.8	43.3	**51.1**
Rural part of registration states	24 7	25.8	21.6	21.5	22.2	23.1
Registration cities in other states	33.2	34.2	34.2	29.2	27.8	26.5
Registration states:						
Connecticut	37.4	33.3	34.6	34.4	42.7	**50.7**
District of Columbia	25.3	23.6	26.4	17 1	22.8	19.1
Indiana	27.2	29.1	28 9	21.4	26.7	22.4
Maine	36.8	41.3	34.9	33.8	29.4	27.8
Massachusetts	38.9	39.8	38.0	37.6	32.8	42.6
Michigan	17.9	18.1	15.6	15.3	15.5	18.5
New Hampshire	41.6	40.2	45.1	37.7	30.8	**70.8**
New Jersey	43.8	43.9	40.2	40.6	40.4	46.7
New York	33.3	31.3	27.6	25.8	41.8	47.4
Rhode Island	37.0	47.2	42.1	24.4	24.5	26.7
Vermont	34.4	40.6	35.3	27.1	32.7	28.9
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	41.3	42.0	32.4	39.8	38.4	32.9
Baltimore, Md	30.4	28.3	29.9	25.4	26.4	27.6
Boston, Mass	38.3	38.9	38.6	35.4	33.6	46.9
Buffalo, N. Y	34.5	33.3	33.7	32.4	27.4	30.2
Chicago, Ill	31.4	31.5	32.8	30.3	24.2	23.4
Cincinnati, Ohio	**55.2**	**58.0**	**54.0**	44.2	**50.4**	43.1
Cleveland, Ohio	37.9	39.2	39.7	32.3	30.1	32.5
Columbus, Ohio	40.9	38.0	49.2	36.2	34.6	32.4
Denver, Colo	39.2	**56.8**	30.6	35 3	26.9	25.9
Detroit, Mich	30.2	31.3	26.9	26.5	27.1	28.0
Fall River, Mass	**58.0**	**59.0**	**60.8**	**57.9**	47.4	49.2
Indianapolis, Ind	38.0	40.5	25.7	32.4	42 5	33.5
Jersey City, N. J	**69.1**	**61.9**	**70.5**	**55.8**	**74.7**	**92.4**
Kansas City, Mo	37.6	30.0	41.8	38.7	34.1	29.6
Louisville, Ky	44.8	42.4	35.3	**53.3**	42.0	48.5
Memphis, Tenn	30.0	31.1	27.3	23.8	31.5	27.2
Milwaukee, Wis	27.2	29.6	28.8	26.4	20 4	22.7
Minneapolis, Minn	23.0	23.3	23.8	18.0	17.2	15.3
New Haven, Conn	40.9	36.3	41.8	47.1	46.2	**119.3**
New Orleans, La	39.5	39.4	40.9	28.3	36.7	36.5
New York, N. Y	38.2	33.1	30.1	26.7	**56.8**	**63.3**
Bronx borough	36.7	31.7	32.8	26.7	**52.5**	43.4
Brooklyn borough	30.0	30.3	20.6	18.6	36.0	44.8
Manhattan borough	44.9	36.1	35.4	32.5	**74.7**	**81.5**
Queens borough	28.1	23.5	35.7	25.0	26.5	37.9
Richmond borough	27.4	27.9	28.8	11.3	23.7	23.3
Newark, N. J	**60.5**	**61.4**	**57.3**	**53.6**	**56.4**	**56.8**
Omaha, Nebr	23.7	38.6	22.8	15.0	13.7	7.5
Paterson, N. J	**64.1**	**71.4**	**60.3**	**63.3**	**50.8**	**53.8**
Philadelphia, Pa	25.6	30.9	30.7	15.9	15.6	15.7
Pittsburg, Pa	38.3	34.3	35.0	35.9	35.1	31.0
Providence, R. I	30.3	38.8	32.5	22.7	20.6	28.7
Rochester, N. Y	38.3	45.1	35.9	27.7	32.2	30.2
St. Joseph, Mo	13.9	26.5	13.9	12.7	8.0	13.0
St. Louis, Mo	25.5	31.0	24.5	23.5	20.0	18.8
St. Paul, Minn	23.2	21.2	19.2	16.9	27.3	17 8
San Francisco, Cal	31 9	36.6	34.1	23.6	23.9	22 8
Scranton, Pa	42.9	47.8	48.5	33.7	40.1	22.4
Syracuse, N. Y	34.9	31.8	39.3	27 3	27.7	35.0
Toledo, Ohio	29.7	29.3	26.2	29.5	29.2	23 8
Washington, D. C	25.3	23.6	26.4	17 1	22.8	19.1
Worcester, Mass	36.8	34.9	36.8	46.7	20.6	35.9

The death rate from the various causes included in the general term "meningitis" showed an increase for all of the main subdivisions of the registration area for 1905 over 1904, except for the registration cities in non-registration states. For the registration cities as a class, the registration states, and the cities in registration states, as well as for the entire registration area, the death rate from this disease was higher in 1905 than for any preceding year shown in the table. The same statement applies to the rates for the following states: Connecticut (50.7); Massachusetts (42.6); Michigan (18.5); New Hampshire (70.8); New Jersey (46.7); and New York (47.4). The lowest rate shown in Maine for any individual year was that for 1905 (27.8). For the five years 1901 to 1905 the greatest mortality occurred in the last year among the following cities: Boston, Mass. (46.9); Jersey City, N. J. (92.4); New Haven, Conn. (119.3); and New York, N. Y. (63.3). In the following cities the death rate was lower for 1905 than for any other year shown: Chicago, Ill. (23.4); Cincinnati, Ohio (43.1); Columbus, Ohio (32.4); Denver, Colo. (25.9); Kansas City, Mo. (29.6); Minneapolis, Minn. (15.3); Omaha, Nebr. (7.5); Pittsburg, Pa. (31.0); St. Louis, Mo. (18.8); San Francisco, Cal. (22.8); Scranton, Pa. (22.4); and Toledo, Ohio (23.8). The highest death rate from this cause during 1905 for any of the larger cities was that of New Haven, Conn. (119.3), followed by Jersey City, N. J. (92.4), and New York, N. Y. (63.3).

The age and sex distribution of deaths compiled from meningitis for the registration area is as follows:

SEX AND AGE.	NUMBER OF DEATHS FROM MENINGITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	10,551	10,430	9,981	9,213	10,553	11,654
Sex:						
Male	5,769	5,724	5,469	4,996	5,792	6,461
Female	4,782	4,706	4,512	4,217	4,761	5,193
Age:						
Under 1 year	3,548	3,581	3,550	3,161	3,179	3,039
1 year	1,662	1,672	1,556	1,485	1,556	1,567
2 years	802	793	757	722	792	923
3 years	480	484	428	416	510	621
4 years	336	312	290	243	395	441
Under 5 years	6,829	6,842	6,581	6,027	6,432	6,591
5 to 9 years	919	840	794	763	1,094	1,456
10 to 14 years	437	365	358	367	570	748
15 to 19 years	365	327	317	282	495	628
20 to 24 years	285	295	288	240	309	429
25 to 29 years	252	237	240	207	239	325
30 to 34 years	236	237	231	203	223	295
35 to 39 years	219	229	224	196	204	234
40 to 44 years	197	220	169	183	199	230
45 to 49 years	172	169	162	162	192	164
50 to 54 years	141	144	137	136	136	147
55 to 59 years	117	121	114	107	117	113
60 to 64 years	105	113	101	106	101	112
65 to 69 years	89	84	87	81	69	71
70 to 74 years	67	69	69	56	61	47
75 to 79 years	46	52	44	34	47	33
80 to 84 years	33	35	30	32	30	22
85 to 89 years	13	13	14	11	13	1
90 to 94 years	3	3	1	2	.....	2
95 years and over	2	5	1	1	2	.....
Unknown	22	30	19	17	20	6

Deaths of males exceed deaths of females from this cause in each year. A very large proportion of the deaths are of infants under 1 year and of children under 5 years of age. The numbers diminish with advancing age periods. Probably many deaths assigned to this cause are in reality of traumatic origin and should be tabulated under the head "violence." That they are not

so assigned is due to the failure of coroners and physicians to state the primary as well as the immediate cause of death.

Apoplexy and paralysis.—The aggregate number of deaths in the registration area during the year 1905, from apoplexy and paralysis was 30,371, and the death rate per 100,000 of population from the two causes was 89.9, slightly lower than the death rate for the preceding year, 91.3, and that for the quinquennial period 1900–1904, which was 90.9.

The two titles of the International Classification, "apoplexy," or, with closer adherence to the French nomenclature, "cerebral congestion and hemorrhage," and "paralysis," corresponding to "paralysis without indicated cause," are considered jointly, because under them are included many deaths due to practically identical conditions. While many forms of paralysis not due to cerebral hemorrhage are no doubt returned and compiled under paralysis, owing to absence of proper specification, presumably a large proportion of deaths so reported is due more or less remotely to cerebral hemorrhage and should have been so specified in the original returns. It is perhaps a result of greater precision in the transcripts upon which the compilation is based that while the death rate from apoplexy for the year 1905 (72.2) is slightly greater than the rate for the five-year period 1900 to 1904 (69), showing a progressive increase for each of the years given in the following table, the rate for paralysis was lowest for the year 1905 (17.7) and diminished each year as compared with the preceding year shown:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	29,009	28,610	28,536	28,920	30,259	30,371
Apoplexy	22,033	21,390	21,862	22,311	23,828	24,390
Paralysis	6,977	7,220	6,674	6,609	6,431	5,981

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	90.9	91.5	89.4	88.9	91.3	89.9
Apoplexy	69.0	68.4	68.5	68.6	71.9	72.2
Paralysis	21.9	23.1	20.9	20.3	19.4	17.7

In the following table the distribution of deaths and death rates according to the principal subdivisions of the registration area may be seen:

AREA.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	29,009	28,610	28,536	28,920	30,259	30,371
Registration cities	18,937	18,652	18,894	18,776	19,688	20,038
Registration states	20,231	19,982	19,772	20,285	21,414	21,451
Cities in registration states	10,159	10,024	10,130	10,141	10,793	11,118
Rural part of registration states	10,073	9,958	9,642	10,144	10,621	10,333
Registration cities in other states	8,778	8,628	8,764	8,635	8,845	8,920

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	90.9	91.5	89.4	88.9	91.3	89.9
Registration cities	83.3	84.2	83.1	80.6	82.5	82.2
Registration states	97.9	98.4	95.7	96.5	100.2	98.8
Cities in registration states	88.6	89.7	88.3	86.3	89.8	90.3
Rural part of registration states	109.6	109.2	104.9	109.5	113.7	109.9
Registration cities in other states	77.9	78.6	77.9	74.9	75.1	74.1

The number of deaths from apoplexy and paralysis in 1905 (30,371) slightly exceeded the number in the preceding year (30,259); but the death rate, as based upon an estimated increase of population, diminished from 91.3 in 1904 to 89.9 in 1905. The latter rate is slightly lower than the rate for the quinquennial period, 1900–1904, which was 90.9. In the subdivisions of the registration area a decrease from the preceding year appeared, except for the cities in registration states.

Statement is made in the following table of the distribution by sex and periods of age of the total number of deaths from apoplexy and paralysis returned for the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	29,009	28,610	28,536	28,920	30,259	30,371
Sex:						
Male	14,625	14,463	14,357	14,592	15,194	15,155
Female	14,385	14,147	14,179	14,328	15,065	15,216
Age:						
Under 1 year	698	804	676	601	564	533
Under 5 years	1,076	1,213	1,040	913	840	772
5 to 14 years	209	252	195	164	169	152
15 to 24 years	325	343	308	313	271	278
25 to 34 years	727	747	740	690	684	643
35 to 44 years	1,670	1,704	1,709	1,646	1,618	1,681
45 to 64 years	9,240	9,120	9,166	9,210	9,759	9,773
65 years and over	15,656	15,111	15,251	15,885	16,818	17,008
Unknown	106	120	127	99	100	64

The number of deaths of males very slightly exceeds the number of deaths of females from these two causes for each year, except 1905, shown in the above table and

for the quinquennial average, 1900–1904. Slightly more than one-half of the total number of deaths occurring during the five-year period were of persons aged 65 years and over, and the proportion of deaths of elderly persons was greater than usual in 1905. Of the 533 deaths of infants under 1 year of age in 1905, 485 were charged to apoplexy, being returned for the most part from cerebral hemorrhage or cerebral congestion. Probably the great majority of these deaths were due to injuries received during birth.

DISEASES OF THE CIRCULATORY SYSTEM.

The number of deaths compiled from all forms of diseases of the circulatory system continues to show an increase for 1905, as for each of the preceding years. In the following table the distribution of deaths among the main subdivisions of the registration area and the death rates per 100,000 of population are given in detail:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM.					
	Annual average: 1900 to 1904	1901	1902	1903	1904	1905
The registration area	50,051	46,250	49,233	52,275	57,220	58,503
Registration cities	35,251	32,596	35,081	36,743	40,191	41,497
Registration states	33,649	31,103	33,043	35,188	38,690	39,435
Cities in registration states	18,852	17,449	18,891	19,656	21,661	22,429
Rural part of registration states	14,797	13,654	14,152	15,532	17,029	17,006
Registration cities in other states	16,402	15,147	16,190	17,087	18,530	19,068

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	156.8	147.8	154.3	160.7	172.7	173.3
Registration cities	155.1	147.1	154.4	157.9	168.9	170.1
Registration states	162.9	153.1	159.9	167.5	181.1	181.6
Cities in registration states	164.4	156.0	164.7	167.3	180.2	182.2
Rural part of registration states	160.9	149.6	154.0	167.7	182.3	180.9
Registration cities in other states	145.6	137.9	143.9	148.3	157.4	158.3

The increase in the death rate for 1905 was but slight as compared with the amounts of increase shown by preceding years. A diminution was shown in the death rate of the rural part of registration states, being the first decrease from one year to another indicated for any subdivision shown in the above table.

The number of deaths in the registration area, by sex and periods of age, is given in the following table for the year 1905, the years immediately preceding, and the annual average for the five-year period 1900–1904:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	50,051	46,250	49,233	52,275	57,220	58,503
Sex:						
Male	26,602	24,569	26,527	27,812	30,355	30,775
Female	23,450	21,681	22,706	24,463	26,865	27,728
Age:						
Under 1 year	1,164	1,109	1,193	1,074	1,116	1,191
Under 5 years	1,582	1,506	1,622	1,438	1,522	1,577
5 to 14 years	1,476	1,361	1,475	1,354	1,606	1,582
15 to 24 years	2,024	1,982	1,950	2,007	2,161	2,138
25 to 34 years	3,078	2,963	3,105	3,110	3,221	3,251
35 to 44 years	4,666	4,347	4,694	4,874	5,098	5,298
45 to 64 years	15,923	14,828	15,697	16,592	18,140	18,586
65 years and over	21,125	19,084	20,500	22,703	25,305	25,968
Unknown	177	179	190	197	167	103

The deaths of males markedly exceed the deaths of females from this group of causes in each year and in the quinquennial average. The number of deaths at the more advanced age periods shows an increase in recent years, which is somewhat greater in proportion to the number of deaths than the increase in the general mortality from circulatory diseases.

Heart disease.—There were 44,723 deaths from heart disease, including definitely specified forms of organic heart disease, as mitral regurgitation and the like, as well as deaths simply returned as "heart disease" and "heart trouble," but not as "heart failure," the latter term being considered as practically equivalent to cause unknown. The number of deaths compiled under this head and the annual death rates have been increasing for some years past, although a decrease in the rate is indicated for 1905 as compared with the preceding year. In the following table the distribution of deaths and death rates per 100,000 of population is given for the registration area and its main subdivisions:

AREA.	NUMBER OF DEATHS FROM HEART DISEASE.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	38,510	35,586	37,577	40,704	44,472	44,723
Registration cities	26,395	24,378	26,004	27,901	30,436	30,808
Registration states	26,376	24,413	25,710	27,872	30,724	30,789
Cities in registration states	14,261	13,205	14,137	15,069	16,688	16,869
Rural part of registration states	12,115	11,208	11,573	12,803	14,036	13,920
Registration cities in other states	12,134	11,173	11,867	12,832	13,748	13,934

AREA.	NUMBER OF DEATHS FROM HEART DISEASE PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	120.6	113.7	117.8	125.1	134.2	132.5
Registration cities	116.1	110.0	114.5	119.9	127.9	126.5
Registration states	127.7	120.2	124.4	132.6	143.8	141.8
Cities in registration states	124.4	118.1	123.2	128.2	138.8	137.0
Rural part of registration states	131.8	122.8	125.9	138.2	150.3	148.1
Registration cities in other states	107.7	101.7	105.5	111.3	116.8	115.7

In the above table it will be noted that each subdivision of the registration area shows a decreased death rate for 1905 as compared with the preceding year. From 1901 to 1904 an increase is shown for each subdivision with each successive year. The slight check in the increasing prevalence of organic heart disease, as shown by the statistical returns, would seem to be uniformly applicable to the registration territory.

The age and sex distribution of deaths in the registration area from heart disease is given in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM HEART DISEASE.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	38,510	35,586	37,577	40,704	44,472	44,723
Sex:						
Male	20,258	18,782	20,053	21,409	23,280	23,304
Female	18,252	16,804	17,524	19,295	21,192	21,419
Age:						
Under 1 year	733	691	743	674	710	726
Under 5 years	978	923	981	895	967	945
5 to 14 years	1,014	925	978	965	1,169	1,192
15 to 24 years	1,447	1,381	1,379	1,490	1,624	1,617
25 to 34 years	2,215	2,075	2,213	2,349	2,396	2,418
35 to 44 years	3,544	3,251	3,531	3,807	3,978	4,083
45 to 64 years	12,552	11,716	12,302	13,216	14,480	14,556
65 years and over	16,620	15,168	16,044	17,831	19,724	19,821
Unknown	141	147	149	151	134	91

The marked increase in deaths classified under this title is shared by both sexes, so that no special change occurs in their relative proportion. As stated under diseases of the circulatory system, of which organic heart diseases form the principal constituent, the proportion of deaths of elderly persons showed an increase for 1904 and 1905 somewhat greater than the increase in the total number of deaths from this cause.

The figures shown are doubtless excessive, owing to the fact that many unqualified statements of "heart disease" and "heart trouble" are assigned to this title under the International Classification, although it is probable that "heart failure," rather than organic heart disease, was meant in many instances. As commented upon under the subject of rheumatism, many deaths primarily due to rheumatic affections are assigned to this title. There were also 726 deaths of children under 1 year of age in the year 1905 which were charged to this title. Doubtless the majority of these were caused by congenital heart disease or malformation and are assigned here only because of incomplete statements of cause of death on the certificates.

DISEASES OF THE RESPIRATORY SYSTEM.

The total number of deaths from diseases of the respiratory system should be considered in connection with deaths from pulmonary tuberculosis and influenza in addition to the number compiled under this class. The figures showing the deaths and death rates for the registration area and its main subdivisions include only the "diseases of the respiratory system," as given in Table III, and are shown in the following table:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	73,969	72,080	71,027	70,930	76,975	69,445
Registration cities	58,443	55,541	56,842	56,765	61,476	54,561
Registration states	46,480	46,124	44,118	43,945	48,678	43,965
Cities in registration states	30,954	29,585	29,933	29,780	33,179	29,081
Rural part of registration states	15,526	16,539	14,185	14,165	15,499	14,884
Registration cities in other states	27,488	25,956	26,909	26,985	28,297	25,480

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	231.7	230.3	222.6	218.0	232.3	205.7
Registration cities	257.1	250.6	250.2	243.9	258.3	224.0
Registration states	225.0	227.1	213.5	209.1	227.9	202.5
Cities in registration states	269.9	264.5	261.0	253.4	276.0	236.2
Rural part of registration states	168.9	181.2	154.3	152.9	166.0	158.3
Registration cities in other states	244.0	236.4	239.3	234.1	240.4	211.5

The total number of deaths classed under this group (69,445) was the smallest of any year shown, and the death rate (205.7) indicated a marked diminution from the preceding year (232.3). This decrease was shared by all of the subdivisions of the registration area.

Respiratory diseases show the following age and sex distribution in the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	73,969	72,080	71,027	70,930	76,975	69,445
Sex:						
Male	39,589	38,207	38,186	37,780	42,092	37,441
Female	34,379	33,873	32,841	33,150	34,883	32,004
Age:						
Under 1 year	16,551	15,061	17,366	15,736	17,038	16,512
Under 5 years	27,961	25,509	29,168	26,379	27,946	26,561
5 to 14 years	2,591	2,594	2,588	2,445	2,357	2,066
15 to 24 years	3,341	3,410	3,159	3,163	3,408	2,879
25 to 34 years	4,820	4,912	4,388	4,683	5,048	4,214
35 to 44 years	5,722	5,773	5,247	5,458	6,369	5,412
45 to 64 years	13,110	13,148	11,762	12,579	14,283	12,229
65 years and over	16,238	16,521	14,527	16,036	17,430	15,984
Unknown	185	213	188	187	169	100

The total number of deaths of males classified under this title considerably exceeds the number of deaths of

females for each individual year and for the five-year period. A diminution is shown in the number of deaths from this class of diseases for each one of the age periods given in the table above as compared with the preceding year.

Bronchitis.—An attempt is made in the detailed classification of causes of death to state separately the number of deaths reported from acute and chronic bronchitis, but the fact that in many cases of deaths from "bronchitis" the exact form is not specified by the attending physician renders their complete separation quite out of the question. There would appear, however, to be a well-marked difference in the character of deaths thus classified, at least as far as sex distribution is concerned, as shown by the following table:

CAUSE OF DEATH AND SEX.	NUMBER OF DEATHS FROM BRONCHITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Acute bronchitis:						
Both sexes	7,303	7,040	7,588	6,842	6,910	6,598
Males	3,745	3,577	3,890	3,447	3,517	3,399
Females	3,558	3,463	3,698	3,395	3,393	3,199
Chronic bronchitis:						
Both sexes	5,274	5,425	4,993	5,005	5021	4,711
Males	2,296	2,347	2,230	2,175	2,211	2,110
Females	2,978	3,078	2,763	2,830	2,810	2,601

In the above table the number of deaths of males classified under acute bronchitis was larger than the number of deaths of females classified under this cause for the year 1905 and for each of the preceding years shown in the table, while for chronic bronchitis there was a much more marked excess of deaths of females.

The following table shows the number of deaths from all forms of bronchitis and the death rates per 100,000 of population for the registration area and its principal subdivisions:

AREA.	NUMBER OF DEATHS FROM BRONCHITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	12,577	12,465	12,581	11,847	11,931	11,309
Registration cities	9,927	9,703	10,129	9,275	9,400	8,746
Registration states	8,079	8,171	8,112	7,508	7,571	7,120
Cities in registration states	5,429	5,409	5,660	4,936	5,040	4,557
Rural part of registration states	2,650	2,762	2,452	2,572	2,531	2,563
Registration cities in other states	4,498	4,294	4,469	4,339	4,360	4,189
AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	39.4	39.8	39.4	36.4	36.1	33.5
Registration cities	43.7	43.7	44.6	39.8	39.5	35.9
Registration states	39.1	40.2	39.3	35.7	35.4	32.8
Cities in registration states	47.3	48.3	49.4	42.0	41.9	37.0
Rural part of registration states	28.8	30.3	26.7	27.8	27.1	27.3
Registration cities in other states	39.9	39.1	39.8	37.6	37.0	34.8

There were fewer deaths from bronchitis in 1905 than in any preceding year shown in the table, and the death rate, 33.5 per 100,000 of population, was lower than the average death rate of the preceding quinquennial period, 39.4. Each of the subdivisions of the registration area shows a diminished mortality, except the rural part of registration states.

The distribution of deaths from bronchitis by age and sex is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM BRONCHITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	12,577	12,465	12,581	11,847	11,931	11,309
Sex:						
Male	6,040	5,924	6,120	5,622	5,728	5,509
Female	6,536	6,541	6,461	6,225	6,203	5,800
Age:						
Under 1 year	4,499	4,278	4,758	4,037	4,236	4,112
Under 5 years	6,359	6,102	6,618	5,734	5,857	5,626
5 to 14 years	226	240	250	191	175	182
15 to 24 years	195	193	208	196	162	148
25 to 34 years	241	279	246	206	198	183
35 to 44 years	295	330	300	269	262	242
45 to 64 years	1,385	1,448	1,361	1,331	1,281	1,162
65 years and over	3,853	3,843	3,570	3,901	3,976	3,750
Unknown	23	30	28	19	20	16

The sex distribution of the total number of deaths compiled under this title shows an excess of deaths of females on the average, with considerable variations in the relative proportions in individual years. The figures may be compared with the sex distribution of the component elements—acute bronchitis and chronic bronchitis—as given in a preceding table. The age distribution of the deaths returned shows how strikingly this disease affects the extremes of life. Out of the average annual number of deaths from bronchitis (12,577) for the five-year period 1900–1904, 10,212, or 81.2 per cent, were of persons under 5 years of age or 65 years of age and upward.

Pneumonia.—As shown by Table III, the total number of deaths from pneumonia, exclusive of the number stated for bronchopneumonia, was 39,068 for the year 1905, corresponding to a death rate of 115.7 per 100,000 of population. This number and this rate are lower than those of any of the individual years shown in the table and considerably below the annual averages for the five-year period 1900–1904, which were 42,986 deaths and 134.6 per 100,000 of population, respectively.

While it was intended in the construction of the International Classification to confine the term pneumonia to what is more properly qualified as lobar or croupous pneumonia, the accuracy of the compilation is considerably impaired by the inclusion of deaths returned simply from "pneumonia," without qualification, under this head. Such deaths are quite as likely to belong to bronchopneumonia, and the recent practice of the Registrar-General of England and Wales in providing a separate title of the classification for unqualified pneumonia is to be commended, and should be adopted in the next revision of the international system.

In the following table the distribution of the mortality from pneumonia, exclusive of bronchopneumonia as far as the character of the returns and the system of compilation render such exclusion possible, is indicated for the registration area, its principal subdivisions, and the registration states and cities of over 100,000 of population in 1900:

AREA.	NUMBER OF DEATHS FROM PNEUMONIA PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	134.6	133.3	124.5	122.2	135.7	115.7
Registration cities	148.7	143.5	138.2	136.6	150.7	124.6
Registration states	128.1	129.5	116.2	113.1	130.2	112.5
Cities in registration states	150.8	146.5	136.6	134.4	155.7	127.7
Rural part of registration states	99.8	108.6	90.6	86.1	97.3	92.7
Registration cities in other states	146.6	140.4	139.7	138.8	145.7	121.5
Registration states:						
Connecticut	112.7	107.6	99.1	107.9	111.2	110.0
District of Columbia	137.7	119.2	126.9	137.4	146.3	139.0
Indiana	90.2	102.7	78.0	68.8	92.2	81.1
Maine	126.8	123.8	120.5	121.2	124.9	118.8
Massachusetts	128.4	127.4	123.2	127.9	121.6	125.8
Michigan	87.4	99.1	85.9	80.1	80.0	72.5
New Hampshire	135.2	131.8	128.8	124.4	110.4	110.9
New Jersey	132.1	125.5	116.5	117.9	154.8	116.2
New York	153.6	153.5	135.8	128.6	158.7	124.9
Rhode Island	136.3	129.2	119.1	138.4	136.9	152.7
Vermont	136.2	141.8	136.2	116.1	124.7	142.6
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	**226.6**	220.6	**276.4**	**227.4**	181.6	217.7
Baltimore, Md	164.5	149.7	148.3	140.2	155.7	140.4
Boston, Mass	157.8	146.4	154.5	159.9	154.1	160.4
Buffalo, N. Y	88.1	90.7	83.9	86.4	94.9	87.0
Chicago, Ill	165.0	139.2	143.8	180.4	154.7	123.5
Cincinnati, Ohio	133.4	131.5	118.9	120.2	164.0	128.4
Cleveland, Ohio	137.6	128.9	137.5	130.1	129.7	111.6
Columbus, Ohio	124.1	97.8	118.0	150.6	118.9	129.5
Denver, Colo	185.1	222.8	161.3	139.4	214.5	147.0
Detroit, Mich	107.1	112.4	106.4	109.8	94.8	82.9
Fall River, Mass	145.4	101.9	143.5	190.7	134.5	183.4
Indianapolis, Ind	113.0	116.8	83.7	99.6	126.0	102.7
Jersey City, N. J	181.2	154.5	157.6	179.6	222.5	147.0
Kansas City, Mo	202.4	155.8	172.4	182.6	**321.8**	171.8
Louisville, Ky	164.1	170.2	138.5	140.0	203.5	150.9
Memphis, Tenn	170.2	111.2	101.9	132.9	212.8	135.3
Milwaukee, Wis	103.4	90.3	89.7	98.6	103.1	63.9
Minneapolis, Minn	71.5	77.4	75.1	70.0	58.0	69.1
New Haven, Conn	124.5	108.0	100.6	132.6	120.7	147.9
New Orleans, La	156.7	147.1	148.6	135.7	166.2	134.7
New York, N. Y	206.5	200.1	180.5	164.1	215.4	148.6
Bronx borough	168.6	152.3	156.8	128.7	168.2	121.1
Brooklyn borough	195.3	203.2	175.4	150.7	193.0	148.8
Manhattan borough	222.8	208.6	188.0	182.0	**241.4**	154.1
Queens borough	170.8	170.4	181.9	131.2	165.7	129.4
Richmond borough	160.0	132.0	132.6	103.4	182.6	141.2
Newark, N. J	152.5	142.2	129.1	133.9	178.4	118.3
Omaha, Nebr	93.8	97.0	85.6	80.3	85.5	65.5
Paterson, N. J	152.3	143.4	144.8	150.6	176.9	120.1
Philadelphia, Pa	156.5	157.8	154.8	143.2	137.8	97.9
Pittsburg, Pa	215.3	197.0	**255.0**	**227.2**	195.0	211.4
Providence, R. I	143.4	121.5	126.1	156.3	144.8	158.6
Rochester, N. Y	94.2	104.1	61.8	93.9	102.1	96.1
St. Joseph, Mo	77.8	76.8	98.2	51.6	108.9	98.7
St. Louis, Mo	162.9	158.6	160.7	139.3	172.3	130.9
St. Paul, Minn	69.6	60.6	74.7	71.4	68.3	58.9
San Francisco, Cal	116.1	120.1	107.2	124.2	107.7	125.3
Scranton, Pa	168.9	196.9	126.9	136.7	187.9	160.2
Syracuse, N. Y	89.4	76.3	63.5	104.7	105.7	101.6
Toledo, Ohio	78.6	78.4	80.0	74.0	61.8	68.9
Washington, D. C	137.7	119.2	126.9	137.4	146.3	139.0
Worcester, Mass	139.8	141.2	125.1	146.5	131.5	131.1

In the preceding table all rates of 225 per 100,000 of population or more are indicated by bold face type.

Each one of the main subdivisions of the registration area showed a lower death rate from pneumonia for the year 1905 than for any other individual year given in the preceding table, with the exception of the rural part of the registration states, in which lower rates were reported for the years 1902 and 1903.

For the registration states the highest death rate for the year was that of Rhode Island (152.7), and the next was that of Vermont (142.6). The rates for each of these states in 1905 were greater than for any of the previous years. The lowest death rates of the series of years occurred in 1905 in the following states: Maine (118.8); Michigan (72.5); New Jersey (116.2); and New York (124.9). The lowest death rate of the year from pneumonia was that of Michigan (72.5), with Indiana next (81.1). For the larger registration cities there was generally a decreased mortality for 1905 as compared with 1904, and, in the following cases, for any previous year given in the table: Chicago, Ill. (123.5); Cleveland, Ohio (111.6); Detroit, Mich. (82.9); Jersey City, N. J. (147); Milwaukee, Wis. (63.9); New Orleans, La. (134.7); New York, N. Y. (148.6); Newark, N. J. (118.3); Omaha, Nebr. (65.5); Paterson, N. J. (120.1); Philadelphia, Pa. (97.9); and St. Louis, Mo. (130.9). Only four cities of this class showed highest rates for 1905: Boston, Mass. (160.4); New Haven, Conn. (147.9); Providence, R. I. (158.6), and San Francisco, Cal. (125.3).

Minor cities of the registration area in which the death rate for pneumonia was 225 or over per 100,000 of population for one or more of the years of the period 1901–1905 are shown in the following table, rates above the limit stated being indicated by bold face type:

REGISTRATION CITY.	NUMBER OF DEATHS FROM PNEUMONIA PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Alexandria, Va	**261.2**	212.8	192.0	205.4	191.5
Amesbury town, Mass	**310.3**	65.1	88.0	223.0	169.7
Ashtabula, Ohio	179.6	217.9	176.3	**315.2**	213.3
Atlanta, Ga	**241.1**	**267.2**	224.8	**292.6**	**261.9**
Bellaire, Ohio	**373.2**	**272.4**	121.1	**262.3**	**262.3**
Clinton town, Mass	95.9	141.3	**240.0**	181.6	91.6
Danvers town, Mass	**312.3**	182.9	**361.4**	**368.4**	165.5
Hoboken, N. J	160.1	144.0	158.7	**249.0**	209.3
Leadville, Colo	**623.9**	**442.9**	**328.9**	**474.3**	**400.3**
McKeesport, Pa	**250.2**	**243.7**	167.2	168.2	202.3
Mahanoy City, Pa	**247.7**	143.4	218.3	145.9	136.9
Mt. Carmel, Pa	182.9	**296.5**	163.7	204.6	102.3
Nashville, Tenn	177.0	**231.0**	136.9	167.2	162.7
Ogdensburg, N. Y	170.0	122.2	**237.1**	182.6	141.7
Orange, N. J	183.4	180.5	165.9	**241.2**	137.9
Ottawa, Ill	**233.9**	129.8	82.7	109.2	117.2
Paducah, Ky	185.5	180.9	176.6	**256.3**	**214.0**
Plymouth, Pa	206.0	206.8	**368.1**	182.2	170.8
Portsmouth, N. H	**242.6**	148.2	137.8	146.0	126.8
Pueblo, Colo	**284.0**	**419.0**	**318.1**	**260.2**	213.4
Rutland, Vt	190.1	137.3	**230.2**	152.4	134.6
Savannah, Ga	159.0	163.9	146.7	156.0	**258.5**
South Bethlehem, Pa	147.8	159.1	**226.6**	**242.8**	197.1

Remarkably high death rates are shown for each year given in the preceding table for Leadville, Colo., and persistently high rates appear for Atlanta, Ga., Bellaire, Ohio, and Pueblo, Colorado.

In the following table the age and sex distribution of deaths from pneumonia for the registration area may be seen.

SEX AND AGE.	NUMBER OF DEATHS FROM PNEUMONIA.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	42,986	41,715	39,715	39,764	44,957	39,068
Sex:						
Male	23,792	22,878	22,055	22,034	25,622	21,820
Female	19,194	18,837	17,660	17,730	19,335	17,248
Age:						
Under 1 year	7,126	6,438	7,249	6,367	6,899	6,643
1 year	3,327	2,863	3,420	2,916	3,002	2,661
2 years	1,415	1,226	1,447	1,232	1,246	1,077
3 years	743	740	749	610	632	554
4 years	468	485	468	394	405	344
Under 5 years	13,079	11,752	13,333	11,519	12,184	11,279
5 to 9 years	1,124	1,076	1,118	1,024	1,010	824
10 to 14 years	543	544	506	495	542	454
15 to 19 years	1,011	1,042	939	949	1,039	912
20 to 24 years	1,478	1,501	1,358	1,372	1,566	1,273
25 to 29 years	1,762	1,773	1,521	1,755	1,841	1,495
30 to 34 years	1,915	1,896	1,671	1,850	2,139	1,743
35 to 39 years	2,206	2,173	1,949	2,129	2,523	2,143
40 to 44 years	2,170	2,165	1,939	1,999	2,569	2,000
45 to 49 years	2,083	2,002	1,837	1,977	2,389	2,023
50 to 54 years	2,233	2,160	1,965	2,136	2,555	2,091
55 to 59 years	2,200	2,217	1,903	2,002	2,469	2,035
60 to 64 years	2,420	2,414	2,060	2,276	2,720	2,348
65 to 69 years	2,435	2,462	2,112	2,306	2,592	2,280
70 to 74 years	2,215	2,307	1,923	2,063	2,327	2,210
75 to 79 years	1,875	1,922	1,618	1,747	2,046	1,833
80 to 84 years	1,288	1,334	1,151	1,234	1,371	1,176
85 to 89 years	605	610	510	581	711	635
90 to 94 years	178	193	153	179	199	194
95 years and over	48	43	38	54	62	58
Unknown	117	129	111	117	113	62

Deaths of males considerably exceed deaths of females for each year shown. A very large proportion of the deaths are of infants under 1 year of age and of children under 5 years. Probably many deaths returned from "pneumonia," without further qualification, and compiled in the preceding table, are really due to bronchopneumonia. For this reason the age distribution of the deaths compiled from this cause may be considerably different from the true age distribution of the mortality from lobar or croupous pneumonia.

DISEASES OF THE DIGESTIVE SYSTEM.

The total number of deaths from diseases of the digestive system, which group embraces the individual causes shown in Table III, was 68,940 for the entire registration area during the year 1905.

The following table shows the distribution of deaths and death rates from this class of causes for the registration area and its main subdivisions:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	64,219	62,950	61,192	61,219	66,125	68,940
Registration cities	49,508	48,484	47,821	47,671	51,856	53,343
Registration states	40,771	40,526	38,021	38,069	41,427	43,583
Cities in registration states	26,060	26,060	24,650	24,521	27,158	27,986
Rural part of registration states	14,711	14,466	13,371	13,548	14,269	15,597
Registration cities in other states	23,448	22,424	23,171	23,150	24,698	25,357

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	201.1	201.2	191.8	188.2	199.6	204.2
Registration cities	217.8	218.7	210.5	204.8	217.9	219.0
Registration states	197.3	199.5	184.0	181.2	193.9	200.7
Cities in registration states	227.3	233.0	214.9	208.7	225.9	227.3
Rural part of registration states	160.0	158.5	145.5	146.3	152.8	165.9
Registration cities in other states	208.1	204.2	206.0	200.9	209.8	210.5

Both 1904 and 1905 show a considerably greater number of deaths than the preceding three years from diseases of the digestive system. The death rates were 199.6 and 204.2, respectively, as compared with 201.1 for the quinquennial period 1900–1904. From 1904 to 1905 the mortality increased in each subdivision shown in the above table.

The total number of deaths from diseases of the digestive system shows the following distribution by sex and periods of age for the registration area:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM.					
	Annual average: 1900 to 1904	1901	1902	1903	1904	1905
Aggregate	64,219	62,950	61,192	61,219	66,125	68,940
Sex:						
Male	33,549	32,897	32,033	32,080	34,577	36,533
Female	30,669	30,053	29,159	29,139	31,548	32,407
Age:						
Under 1 year	27,058	26,185	24,758	24,967	28,248	30,631
Under 5 years	34,976	34,049	32,543	32,033	36,052	39,017
5 to 14 years	2,152	2,112	2,027	2,107	2,301	2,226
15 to 24 years	2,669	2,671	2,598	2,600	2,706	2,624
25 to 34 years	3,381	3,307	3,352	3,306	3,319	3,294
35 to 44 years	3,864	3,767	3,850	3,934	3,909	3,918
45 to 64 years	8,742	8,725	8,648	8,683	9,093	8,982
65 years and over	8,288	8,159	8,027	8,420	8,612	8,816
Unknown	145	160	147	136	133	63

Deaths of males outnumber deaths of females from this class of causes. The number of deaths of infants under 1 year, due chiefly to diarrheal diseases of this class, was larger than for any preceding year shown in the above table. The same statement is true of the total number of deaths of children under 5 years of age, while for higher age periods up to 64 years the deaths returned compare favorably with any previous year.

Diarrhea and enteritis.—In addition to the deaths returned and compiled from diarrhea, enteritis, cholera infantum, and the various forms of acute intestinal diseases included under this title of the International Classification, it is probable that, as noted in the discussion of that disease, some deaths reported from dysentery also properly belong here. The great majority of deaths from diarrhea and enteritis are those of children under 2 years of age, which period constitutes a separate division of the classification, as seen in Table III. In the following table the relative number of deaths at ages under and over 2 years may be seen for the years 1901 to 1905, and also the average for the five-year period 1900 to 1904:

AGE.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	36,021	35,596	33,627	33,085	36,864	39,399
Under 2 years	29,183	28,523	26,903	26,697	30,315	33,032
2 years and over	6,838	7,073	6,724	6,388	6,549	6,367

The following table exhibits the mortality from diarrhea and enteritis for the subdivisions of the registration area, registration states, and registration cities of 100,000 population or over. Rates of 175 or more per 100,000 of population are indicated by bold face type.

AREA.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	112.8	113.8	105.4	101.5	111.3	116.7
Registration cities	126.0	127.5	119.7	114.6	125.8	128.5
Registration states	113.4	116.3	103.1	98.8	110.2	117.3
Cities in registration states	139.9	145.6	129.6	122.6	138.2	141.1
Rural part of registration states	80.3	80.3	70.0	68.6	74.1	86.1
Registration cities in other states	111.8	109.1	109.6	106.6	113.2	115.6
Registration states:						
Connecticut	122.3	107.1	114.7	106.3	119.5	132.7
District of Columbia	156.0	165.4	159.9	135.4	139.6	141.6
Indiana	82.8	87.7	78.5	73.2	78.1	79.0
Maine	83.3	96.1	64.8	75.4	68.8	96.2
Massachusetts	125.0	117.7	115.1	117.2	114.4	129.1
Michigan	90.7	91.5	74.9	86.1	80.4	97.8
New Hampshire	104.4	108.9	84.6	99.7	95.9	112.3
New Jersey	121.2	123.5	112.1	95.7	131.5	123.5
New York	123.7	131.8	113.1	101.7	125.1	129.1
Rhode Island	**177.4**	**181.2**	**175.2**	**175.2**	149.0	148.1
Vermont	66.8	67.9	45.7	73.5	65.8	84.5
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	164.6	126.1	165.1	152.1	**205.0**	**182.0**
Baltimore, Md	154.6	167.9	151.0	126.5	143.1	158.2
Boston, Mass	128.6	134.4	123.9	120.0	112.5	122.3
Buffalo, N. Y	133.4	138.5	116.2	126.4	140.6	126.3
Chicago, Ill	120.5	125.1	120.5	119.2	111.5	128.9
Cincinnati, Ohio	112.5	106.5	110.5	104.2	135.6	104.0
Cleveland, Ohio	120.7	101.4	118.3	127.0	136.3	137.0
Columbus, Ohio	68.1	55.1	67.3	66.4	80.7	61.9
Denver, Colo	68.3	68.6	77.3	76.8	52.4	63.9
Detroit, Mich	129.9	135.5	116.7	122.4	113.0	105.0
Fall River, Mass	**320.3**	**306.5**	**314.6**	**334.0**	**301.2**	**352.7**
Indianapolis, Ind	83.6	69.5	75.1	90.0	79.1	60.8
Jersey City, N. J	150.3	167.7	144.3	126.5	160.0	155.6
Kansas City, Mo	72.9	71.9	65.9	78.0	61.3	66.4
Louisville, Ky	72.6	63.8	68.3	71.9	79.8	70.1
Memphis, Tenn	121.9	128.2	145.6	132.8	109.0	108.1
Milwaukee, Wis	111.1	106.6	98.1	106.5	115.1	114.7
Minneapolis, Minn	53.9	69.9	42.0	48.6	45.2	55.7
New Haven, Conn	129.0	126.1	147.7	116.9	114.7	136.1
New Orleans, La	159.4	145.4	154.7	157.7	155.7	164.4
New York, N. Y	169.6	**190.5**	156.3	136.7	172.8	168.0
Bronx borough	130.2	124.8	148.5	100.8	133.3	125.9
Brooklyn borough	**182.1**	**216.1**	165.5	136.8	**180.7**	**175.3**
Manhattan borough	164.2	**179.6**	149.2	138.5	169.4	164.3
Queens borough	174.9	**185.8**	150.9	144.0	**199.1**	**191.6**
Richmond borough	**216.2**	**258.0**	**227.7**	**189.9**	**199.3**	**230.3**
Newark, N. J	130.2	141.0	127.9	94.5	142.5	132.7
Omaha, Nebr	52.8	46.2	68.3	26.4	58.1	34.8
Paterson, N. J	137.4	133.4	129.0	100.0	156.9	148.8
Philadelphia, Pa	112.7	104.6	96.5	113.1	133.6	144.5
Pittsburg, Pa	**212.3**	**217.7**	**228.6**	**198.2**	**203.5**	**193.6**
Providence, R. I	171.0	**190.3**	165.0	**182.1**	152.6	118.8
Rochester, N. Y	64.7	67.4	62.4	56.5	55.3	94.5
St. Joseph, Mo	38.9	46.5	43.5	33.5	32.7	44.2
St. Louis, Mo	91.8	93.4	85.7	98.1	87.1	81.3
St. Paul, Minn	55.5	60.6	41.3	44.1	65.2	52.3
San Francisco, Cal	78.2	82.4	76.8	73.6	76.9	68.0
Scranton, Pa	133.4	90.8	110.1	123.0	162.9	167.9
Syracuse, N. Y	81.3	78.1	82.2	80.1	62.4	100.7
Toledo, Ohio	101.3	99.6	103.4	97.3	80.4	100.5
Washington, D. C	156.0	165.4	159.9	135.4	139.6	141.6
Worcester, Mass	119.4	119.6	94.8	126.4	77.7	131.9

In examining the rates shown in the preceding table, it will be remembered that the incidence of the diseases grouped together under this classification falls very largely upon children under 2 years of age, and that the specific death rates with reference to the population of this class are immensely higher than the general death rates based upon total population. It has not been practicable to make estimates of population with reference to age distribution, and hence it is necessary to employ the general death rates, although they are particularly undesirable for this class of diseases.

As measured by the general death rate, the incidence of diarrheal diseases was greater in 1905 for the registration area and for each of its main subdivisions than for any previous year stated in the preceding table, except in the cities in registration states, where it was greater in 1901. This maximum prevalence, as measured by the general death rate, was also shared by the following states: Connecticut (132.7); Maine (96.2); Massachusetts (129.1); Michigan (97.8); New Hampshire (112.3); and Vermont (84.5). Rhode Island was the only state in which the death rate for 1905 (148.1) was lower than the death rate for any preceding year shown in the table, and even then the mortality was the highest shown for any state.

As the mortality from these diseases may be taken as a rough measure of sanitary efficiency, being subject to correction by further study of the specific death rates based on population under 2 years of age and special climatic conditions, it is of great interest to observe the variations from year to year among the individual cities. Those showing lower rates for 1905 than for the previous years included in the table are the following: Cincinnati, Ohio (104); Detroit, Mich. (105); Indianapolis, Ind. (60.8); Memphis, Tenn. (108.1); Pittsburg, Pa. (193.6); Providence, R. I. (118.8); St. Louis, Mo. (81.3); and San Francisco, Cal. (68). Cities showing the highest rate of the series for the last year, 1905, were: Chicago, Ill. (128.9); Cleveland, Ohio (137); Fall River, Mass. (352.7); New Orleans, La. (164.4); Philadelphia, Pa. (144.5); Rochester, N. Y. (94.5); Scranton, Pa. (167.9); Syracuse, N. Y. (100.7); and Worcester, Mass. (131.9).

The range of variation is very great between the highest and lowest general death rates which, however, are only to be taken as suggestive prior to confirmation by examination of specific rates. The highest rate in 1905 was that shown for Fall River, Mass. (352.7), followed by Pittsburg, Pa. (193.6), Allegheny, Pa. (182), and New York, N. Y. (168).

Minor cities of the registration area in which the death rate from diarrhea and enteritis exceeded 175 per 100,000 of total population for one or more of the years of the period 1901 to 1905 are shown in the following table, rates above the limit stated being indicated by bold face type:

REGISTRATION CITY.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION.				
	1901	1902	1903	1904	1905
Adams town, Mass.	157.8	291.2	209.3	237.4	208.2
Alexandria, Va.	103.1	192.2	123.4	184.9	82.1
Annapolis, Md.	104.5	252.6	79.5	247.4	133.6
Ansonia, Conn.	185.9	167.3	134.5	139.6	187.7
Atlanta, Ga.	141.2	181.3	169.9	198.4	143.1
Augusta, Me.	194.9	134.3	149 6	148.2	163.1
Bayonne, N. J.	181.9	120.4	171.7	237.9	184.6
Bellaire, Ohio	100.9	221.9	111.0	262.3	100.9
Berlin, N. H.	287.2	100.8	306.7	228.3	218.0
Biddeford, Me.	306.5	266.9	120.1	121.8	135.3
Bridgeport, Conn.	184.4	164.4	119.8	155.3	169.4
Bristol town, Conn.	50.7	128.8	135.6	161.2	259.9
Burlington, Vt.	178.5	133.7	146.1	172.8	242.0
Central Falls, R. I.	195.4	240.9	322.2	172.0	282.8
Charleston, S. C.	322.1	380.5	305.0	377.6	391.2
Chicopee, Mass.	149.7	275.8	217.4	200.1	237.7
Clinton town, Mass.	118.0	89.3	157.5	136.2	183.1
Cohoes, N. Y.	150.4	108.5	158.3	116.5	211.9
Dover, N. H.	196.2	112.9	37.5	89.7	223.6
Dubois, Pa.	165.0	169.7	183.7	131.3	81.9
Dunkirk, N. Y.	154.1	138.0	196.2	103.6	92.1
Elizabeth, N. J.	189.6	156.8	124.2	221.0	140.5
Escanaba, Mich.	140.9	174.4	140.1	225.3	417.9
Fresno, Cal.	118.7	117.2	138.8	182.8	150.4
Greenwich town, Conn.	145.4	135.2	54.8	184.8	121.3
Hammond, Ind.	46.1	44.0	182.3	107.4	115.9
Holyoke, Mass.	214.8	219.4	252.9	242.4	166.2
Iron Mountain, Mich.	88.1	246.8	137.1	198.0	403.8
Ironwood, Mich.	224.9	172.4	201.2	49.9	128.7
Ishpeming, Mich.	155.7	136.7	241.1	137.7	142.7
Key West, Fla.	309.2	395.3	350.0	338.0	336.6
Lawrence, Mass.	234.2	201.4	228.2	201.3	291.2
Lowell, Mass.	219.1	223.3	279.2	249.7	285.6
McKeesport, Pa.	171.5	154.4	128.0	183.1	133.3
Mahanoy City, Pa.	225.8	236.6	218.8	340.5	246.3
Manchester, N. H.	264.3	220.0	248.2	186.7	249.1
Marquette, Mich.	107.7	106.2	76.1	112.5	184.9
Montclair, N. J.	173.1	154.1	162.3	251.8	317.7
Morristown, N. J.	43.7	43.0	110.2	125.3	321.1
Mt. Carmel, Pa.	226.8	310.6	197.9	158.4	147.0
Mt. Vernon, N. Y.	195.7	123.3	55.4	107.5	84.2
Nashville, Tenn.	153.7	143.0	136.9	214.9	146.0
Naugatuck, Conn.	118.5	131.5	109.8	260.8	189.0
New Bedford, Mass.	222.1	264.8	278.8	252.9	212.5
New Britain town, Conn.	120.2	216.4	206.7	169.4	204.3
New Brunswick, N. J.	101.8	122.3	169.1	191.1	190.2
New Rochelle, N. Y.	113.5	64.8	55.1	93.5	176.6
Newburg, N. Y.	146.7	94.1	97.0	88.3	212.8
Niagara Falls, N. Y.	139.1	134.8	169.2	179.7	158.9
Norfolk, Va.	205.0	211.2	159.1	171.2	168.9
Orange, N. J.	142.7	172.5	126.4	217.8	180.1
Paducah, Ky.	185.5	200.5	200.4	139.8	77.4
Passaic, N. J.	206.7	241.0	203.5	326.1	224.6
Pawtucket, R. I.	147.3	156.5	179.8	117.5	154.4
Peekskill, N. Y.	119.0	234.9	99.5	205.8	113.6
Perth Amboy, N. J.	263.7	214.5	168.0	148.4	220.1
Petersburg, Va.	233.8	288.9	210.9	270.5	210.9
Plymouth, Pa.	184.5	137.8	207.5	169.1	113.9
Pottsville, Pa.	50.4	74.9	61.8	146.8	230.2
Pueblo, Colo.	80.7	245.9	236.0	131.8	141.2
Raleigh, N. C.	218.4	310.8	93.3	249.5	254.8
Richmond, Va.	158.0	205.2	154.4	184.9	179.6
Salem, Mass.	162.6	111.9	157.0	195.8	236.5
San Antonio, Tex.	238.7	320.6	217.2	236.7	220.8
Sault Ste. Marie, Mich.	204.4	263.8	222.9	148.7	205.7
Schenectady, N. Y.	161 1	148.6	175.2	172.5	149.5
South Bethlehem, Pa.	177.3	166.3	198.2	256.6	74.8
Southbridge town, Mass.	137.0	158.6	188.5	120.3	336.4
Steelton, Pa.	72.8	205.5	214.8	127.6	227.5
Stonington town, Conn.	138 3	215.6	111.8	132.1	130.2
Taunton, Mass.	132.2	135.4	148.4	161.4	206.7
Torrington town, Conn.	76.4	123.8	160.0	99.9	191.6
Traverse City, Mich.	91.2	77.5	148.4	195.8	94.1
Union, N. J.	141.5	106.8	110.6	180.3	141.1
Vernon town, Conn.	35.5	118.8	83.5	155.7	180.3
Ware town, Mass.	228.1	381.2	94.6	152 5	197.8
Waterbury town, Conn.	194.6	224.8	159.2	214.4	232.9
Webster town, Mass.	165.8	183.0	157.4	143.2	149 7
Westfield town, Mass.	71 6	54.6	206.3	112.4	73 5
Wilmington, N. C.	213.6	236.3	174.1	229.6	237.9
Windham town, Conn.	187.2	39.4	186.9	147.3	255.1
Woonsocket, R. I.	317.2	271.8	202.6	149.7	285.7
Yonkers, N. Y.	104.7	189.4	167.8	187.3	223.1
Youngstown, O io.	95.6	103.8	171.8	153.7	182.5

Minor cities or, in some cases, densely populated urban areas not incorporated as cities, showing persistently high death rates from diarrhea and enteritis for four or five years of the last quinquennium are: Adams town, Mass.; Berlin, N. H.; Central Falls, R. I.; Charleston, S. C.; Chicopee, Mass.; Holyoke, Mass.; Key West, Fla.; Lawrence, Mass.; Lowell, Mass.; Mahanoy City, Pa.; Manchester, N. H.; New Bedford, Mass.; Passaic, N. J.; Petersburg, Va.; Raleigh, N. C.; San Antonio, Tex.; Sault Ste. Marie, Mich.; Waterbury, Conn.; Wilmington, N. C.; and Woonsocket, R. I. The highest general death rate from this disease among the minor cities in 1905 was that of Escanaba, Mich. (417.9), followed closely by Iron Mountain, Mich. (403.8), and Charleston, S. C. (391.2).

The following table shows the sex and age distribution of deaths occurring in the registration area from diarrhea and enteritis:

SEX AND AGE.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	36,021	35,596	33,627	33,035	36,864	39,399
Sex:						
Male	19,040	18,860	17,739	17,530	19,442	21,091
Female	16,981	16,736	15,888	15,505	17,422	18,308
Age:						
Under 1 year	24,077	23,357	21,912	22,202	25,286	27,455
1 year	5,107	5,166	4,991	4,495	5,029	5,577
2 years	1,023	999	1,072	977	975	1,051
3 years	354	291	328	324	424	363
4 years	197	202	192	172	207	212
Under 5 years	30,758	30,015	28,495	28,170	31,921	34,658
5 to 9 years	330	336	334	282	331	333
10 to 14 years	128	158	121	105	126	90
15 to 19 years	113	127	115	91	91	99
20 to 24 years	162	182	149	144	140	124
25 to 29 years	190	211	178	171	156	136
30 to 34 years	197	202	213	184	150	157
35 to 39 years	221	222	246	180	209	187
40 to 44 years	216	256	208	194	169	182
45 to 49 years	241	226	241	232	230	207
50 to 54 years	300	326	310	290	262	229
55 to 59 years	357	395	347	316	320	287
60 to 64 years	452	504	471	404	398	407
65 to 69 years	522	555	487	489	503	458
70 to 74 years	572	617	524	537	582	529
75 to 79 years	517	544	496	489	512	526
80 to 84 years	406	385	396	405	416	409
85 to 89 years	197	195	177	201	202	264
90 to 94 years	68	74	55	70	82	82
95 years and over	24	18	11	31	24	22
Unknown	51	48	53	50	40	13

An excess of deaths of males is shown for each year. The large proportion of deaths of infants and children from this class of causes is clearly indicated.

Cirrhosis of the liver.—Many deaths included under this title are from alcoholic cirrhosis and should properly be considered in connection with alcoholism, in order to give the total mortality due to excessive use of alcohol.

As shown in the following table, which gives the number of deaths from this cause and the death rates per 100,000 of population for the registration area and its chief subdivisions, there was a slight decrease in the death rate from this disease from 1904 to 1905, although both years exceed the five-year average:

AREA.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	4,489	4,265	4,460	4,731	5,020	4,994
Registration cities	3,620	3,461	3,618	3,813	4,048	4,044
Registration states	2,723	2,647	2,671	2,834	2,958	3,041
Cities in registration states	1,853	1,843	1,829	1,916	1,986	2,091
Rural part of registration states	869	804	842	918	972	950
Registration cities in other states	1,767	1,618	1,789	1,897	2,062	1,953

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	14.1	13.6	14.0	14.5	15.1	14.8
Registration cities	15.9	15.6	15.9	16.4	17.0	16.6
Registration states	13.2	13.0	12.9	13.5	13.8	14.0
Cities in registration states	16.2	16.5	15.9	16.3	16.5	17.0
Rural part of registration states	9.5	8.8	9.2	9.9	10.4	10.1
Registration cities in other states	15.7	14.7	15.9	16.5	17.5	16.2

Deaths returned for the registration area as due to cirrhosis of the liver were distributed as follows, by sex and age periods:

SEX AND AGE.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	4,489	4,265	4,460	4,731	5,020	4,994
Sex:						
Male	2,947	2,812	2,944	3,146	3,276	3,313
Female	1,543	1,453	1,516	1,585	1,744	1,681
Age:						
Under 1 year	16	18	12	16	16	8
Under 5 years	27	28	27	27	31	28
5 to 14 years	23	19	27	22	23	22
15 to 24 years	56	60	65	54	54	61
25 to 34 years	321	306	334	326	336	346
35 to 44 years	827	786	765	884	960	864
45 to 64 years	2,130	2,022	2,119	2,251	2,395	2,420
65 years and over	1,092	1,029	1,113	1,156	1,207	1,246
Unknown	12	15	10	11	14	7

Deaths of males in 1905 were nearly double the deaths of females, corresponding to the relations shown in the quinquennial average. The age distribution likewise shows a quite uniform proportion of deaths at each specified period, nearly one-half of all decedents being between the ages of 45 and 64 years.

Peritonitis.—The total number of deaths in the registration area and its main subdivisions, together with death rates per 100,000 of population, are stated in the following table:

AREA.	NUMBER OF DEATHS FROM PERITONITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	3,844	4,091	3,824	3,333	3,331	3,105
Registration cities	2,841	3,019	2,894	2,503	2,394	2,177
Registration states	2,249	2,391	2,119	1,981	1,991	1,881
Cities in registration states	1,247	1,319	1,189	1,151	1,054	953
Rural part of registration states	1,003	1,072	930	830	937	928
Registration cities in other states	1,594	1,700	1,705	1,352	1,340	1,224

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	12.0	13.1	12.0	10.2	10.1	9.2
Registration cities	12.5	13.6	12.7	10.8	10.1	8.9
Registration states	10.9	11.8	10.3	9.4	9.3	8.7
Cities in registration states	10.9	11.8	10.4	9.8	8.8	7.7
Rural part of registration states	10.9	11.7	10.1	9.0	10.0	9.9
Registration cities in other states	14.1	15.5	15.2	11.7	11.4	10.2

There has been a constant decrease in the death rate from peritonitis, dependent probably to a considerable extent upon greater care in making out certificates of deaths and their acceptance by the local registration offices. Wherever the cause of peritonitis can be ascertained it should be stated, as a more specific statement will frequently enable the death to be properly classified elsewhere than under peritonitis. Many deaths reported from this cause may be due to puerperal septicemia, appendicitis, etc.

The distribution of deaths returned from peritonitis, not of a traumatic character or otherwise specified, for the registration area, may be seen, in connection with their sex and age distribution, in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM PERITONITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,844	4,091	3,824	3,333	3,331	3,105
Sex:						
Male	1,414	1,541	1,413	1,282	1,220	1,144
Female	2,429	2,550	2,411	2,101	2,111	1,961
Age:						
Under 1 year	189	218	196	144	155	140
Under 5 years	327	374	329	255	266	286
5 to 14 years	369	346	360	347	331	297
15 to 24 years	734	807	699	630	643	568
25 to 34 years	835	873	860	710	689	648
35 to 44 years	598	594	625	572	496	507
45 to 64 years	630	697	600	551	586	512
65 years and over	337	376	339	259	307	283
Unknown	13	24	12	9	13	4

The considerable excess of deaths of females in each year and in the quinquennial period suggests that many of these cases may be in reality due to the results of puerperal infection or other affections of the reproductive system. This supposition is supported by the increased number of deaths during the childbearing period from this cause. The diminution in the total number of deaths returned during recent years shown may depend largely upon greater precision in specifying the primary cause of the "peritonitis."

Appendicitis.—The number of deaths from appendicitis compiled in 1905 was 4,062, a slight increase over the preceding year. In the following table the distribution of the deaths and also the death rates per 100,000 of population are given for the principal subdivisions of the registration area:

AREA.	NUMBER OF DEATHS FROM APPENDICITIS.					
	Annual average 1900 to 1904	1901	1902	1903	1904	1905
The registration area	3,374	3,131	3 216	3,589	3,946	4,062
Registration cities	2,759	2,553	2 629	2,965	3,267	3,410
Registration states	1,927	1,794	1,825	2,031	2,224	2,256
Cities in registration states	1 313	1,216	1,238	1,407	1,545	1 604
Rural part of registration states	615	578	587	624	679	652
Registration cities in other states	1,446	1,337	1,391	1,558	1.722	1,806
	NUMBER OF DEATHS PER 100,000 OF POPULATION					
AREA	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	10.6	10.0	10.1	11.0	11 9	12 0
Registration cities	12 1	11 5	11 6	12.7	13 7	14.0
Registration states	9.3	8 8	8.8	9.7	10.4	10.4
Cities in registration states	11.5	10.9	10 8	12 0	12.9	13.0
Rural part of registration states	6 7	6 3	6.4	6 7	7.3	6 9
Registration cities in other states	12.8	12 2	12.4	13.5	14.6	15 0

The mortality from appendicitis is greater for the year 1905 in each of the subdivisions of the registration area than it was during the five-year period 1900–1904, the increase from 6.7 to 6.9 in the rural part of the registration states, however, being quite inconsiderable. Some part of this increase is probably due to transfer of deaths formerly compiled under peritonitis, which are now more accurately assigned, owing to the greater precision of statement required by many local registration offices. With only two exceptions, there has been an increase in the recorded mortality from this cause in each subdivision for each year stated in the above table.

The distribution of the deaths from appendicitis in the registration area, by sex and age, is as follows:

SEX AND AGE.	NUMBER OF DEATHS FROM APPENDICITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	3,374	3,131	3,216	3,589	3,946	4,062
Sex.						
Male	2,076	1,932	1,987	2,216	2,370	2,372
Female	1,298	1,199	1,229	1,373	1,576	1,690
Age.						
Under 1 year	15	19	18	11	12	14
Under 5 years	82	73	84	81	102	101
5 to 14 years	768	715	674	831	946	958
15 to 24 years	903	826	863	969	1,081	1,010
25 to 34 years	635	593	594	707	699	798
35 to 44 years	423	397	406	465	470	498
45 to 64 years	428	398	445	393	503	540
65 years and over	126	121	135	127	136	156
Unknown	10	8	15	13	9	1

For each year a decided excess of deaths of males is shown. The number of deaths is greatest during the period of life from 15 to 24 years and exhibits relatively less frequency at the older ages than deaths returned from peritonitis, as shown in the table giving the age distribution of deaths from the latter disease.

DISEASES OF THE GENITO-URINARY SYSTEM.

This group comprises a large and diverse class of causes of death, some being diseases peculiar to males and some to females, as shown in the list embraced under this division of the classification in Table III. The great bulk of the deaths here compiled are those attributed to Bright's disease and nephritis.

In the following table a comparative statement is given of the deaths and corrected death rates per 100,000 of population from this class of diseases for the registration area and its main subdivisions:

AREA	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	35,825	33,489	34,608	38,013	40,450	41,361
Registration cities	27,878	25,976	26,944	29,752	31,724	32,567
Registration states	22,900	21,650	22,149	23,882	25,629	25,807
Cities in registration states	14,953	14,137	14,485	15,621	16,903	17,013
Rural part of registration states	7,947	7,513	7,664	8,261	8,726	8,794
Registration cities in other states	12,926	11,839	12,459	14,131	14,821	15,554
	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
AREA	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	112.2	107 0	108 5	116.8	122.1	122.5
Registration cities	122 6	117 2	118 6	127 8	133.3	133.7
Registration states	110 8	106.6	107 2	113.7	120.0	118.9
Cities in registration states	130.4	126.4	126 3	132 9	140 6	138.2
Rural part of registration states	86 4	82.3	83 4	89.2	93.4	93.6
Registration cities in other states	111.7	107.8	110.8	122.6	125.9	129.1

It appears in the preceding table that the number of deaths compiled from diseases of the genito-urinary system for the year 1905 (41,361) slightly exceeded the number for the preceding year (40,450). The death rates were 122.1 and 122.5 for the years 1904 and 1905, respectively. Each of these years shows a marked increase in mortality from this group of causes as compared with the rates for the years 1901 to 1903, and with the annual average for the five-year period 1900 to 1904, which was only 112.2. Compared with the annual average, an increase is shown in each subdivision of the registration area for the past two years.

The distribution of the deaths from diseases of the genito-urinary system in the registration area, by sex and age periods, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	35,825	33,489	34,608	38,013	40,450	41,361
Sex:						
Male	19,703	18,353	19,135	20,870	22,322	22,531
Female	16,123	15,136	15,473	17,143	18,128	18,830
Age:						
Under 1 year	538	545	549	499	549	582
Under 5 years	1,103	1,120	1,171	1,016	1,100	1,104
5 to 14 years	748	710	709	743	756	658
15 to 24 years	1,773	1,718	1,719	1,845	1,889	1,835
25 to 34 years	3,332	3,195	3,348	3,431	3,541	3,790
35 to 44 years	4,608	4,386	4,443	4,861	5,087	5,096
45 to 64 years	12,078	11,102	11,623	12,956	13,795	14,353
65 years and over	12,090	11,143	11,526	13,043	14,184	14,470
Unknown	96	115	69	118	98	55

The number of deaths of males exceeds the number of deaths of females from this class of causes for each of the years shown, as well as for the quinquennial period. The heavy incidence of deaths from diseases of the genito-urinary system among elderly persons is clearly indicated.

Bright's disease and nephritis.—This group of causes includes both the acute and chronic forms of certain diseases of the kidneys, some of which are of quite indefinite character. Such a term as "uremia," for example, is entirely inadequate as a cause of death. Taken together, however, the group is an important one, and especially so from its apparent tendency to increase. In order to convey a better understanding of the actual inclusion of causes compiled under this title, the following table has been prepared showing the number of deaths and percentages embraced under certain individual terms:

CAUSE OF DEATH.	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	30,139	28,005	29,119	31,814	34,381	35,196
Acute nephritis	2,887	2,498	2,983	3,173	3,470	3,565
Acute Bright's disease	520	497	546	580	608	558
Acute nephritis	2,367	2,001	2,437	2,593	2,862	3,007
Bright's disease	27,252	25,507	26,136	28,641	30,911	31,631
Bright's disease (unqualified)	6,163	6,419	6,064	5,775	5,717	5,381
Chronic Bright's disease	1,609	1,399	1,534	1,843	2,018	1,895
Nephritis (unqualified)	6,076	5,819	5,672	6,175	6,074	5,999
Chronic nephritis	10,475	8,932	9,886	12,124	14,402	15,430
Uremia (unqualified)	2,929	2,938	3,080	2,724	2,700	2,926

CAUSE OF DEATH.	PER CENT.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	100.0	100.0	100.0	100.0	100.0	100.0
Acute nephritis	9.6	8.9	10.2	10.0	10.1	10.1
Acute Bright's disease	1.7	1.8	1.9	1.8	1.8	1.6
Acute nephritis	7.9	7.1	8.4	8.2	8.3	8.5
Bright's disease	90.4	91.1	89.8	90.0	89.9	89.9
Bright's disease (unqualified)	20.4	22.9	20.8	18.2	16.6	15.3
Chronic Bright's disease	5.3	5.0	5.3	5.8	5.9	5.4
Nephritis (unqualified)	20.2	20.8	19.5	19.4	17.7	17.0
Chronic nephritis	34.8	31.9	33.8	38.1	41.9	43.8
Uremia (unqualified)	9.7	10.5	10.4	8.6	7.9	8.3

It will be seen that about 90 per cent of the deaths were compiled under Bright's disease and about 10 per cent under acute nephritis, the majority of the latter being returned as such. Under Bright's disease, the indefinite returns, "Bright's disease," unqualified, "nephritis," unqualified, and "uremia," show a tendency to decrease, while the terms accepted as satisfactory by registration officials at present, namely, "chronic Bright's disease" and "chronic nephritis," hold their own or show a marked increase. Nothing can be inferred from the above figures as to the exact forms of the disease, but the tendency of physicians to use certain expressions in the certificates which constitute the basis of the mortality statistics is indicated. A statement of the duration of the disease, for which provision is made on the standard certificate, would also lead to greater accuracy of assignment.

The distribution of the mortality from Bright's disease and nephritis is shown for the registration area its

main subdivisions, the registration states, and cities of 100,000 population and over, in the following table:

AREA.	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS PER 100,000 OF POPULATION.					
	Annual average 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	94 4	89 5	91.3	97.8	103.8	104.3
Registration cities	104.4	99.3	100.8	107.7	114.3	114.4
Registration states	93 5	89.6	90.2	95.9	102 3	101.5
Cities in registration states	112 5	109.0	108.4	114 2	122.0	119.4
Rural part of registration states	69 7	65 8	67.6	72.8	76 9	78.1
Registration cities in other states	96.1	89 3	93,2	101.1	106.4	109.2
Registration states:						
Connecticut	94.4	84.8	92.0	93.1	105.7	99.3
District of Columbia	126.9	125.6	115.5	131.3	147.3	**159.1**
Indiana	52 9	49.6	52.1	53.9	59.5	59.0
Maine	83.4	80 4	80.7	90.3	89.9	89.6
Massachusetts	78.5	76.7	74.3	81.2	85.0	86.5
Michigan	52 6	46.6	52.5	55.1	59.6	62.2
New Hampshire	80.7	74.4	79.1	87.4	92.8	101.8
New Jersey	97.7	93 9	96.5	101.1	100.6	108.1
New York	124.0	121.2	119.1	125.5	135.0	129.1
Rhode Island	125 8	118.3	116.9	138.2	137.9	140.6
Vermont	81.0	74.0	80.9	85.6	92.5	92.8
Registration cities of 100,000 population or over in 1900:						
Allegheny, Pa	46 5	45.8	48.6	44.9	51.3	61.6
Baltimore, Md	137.2	123 4	127.1	141.2	**163.4**	**163.3**
Boston, Mass	82.1	82.6	79.0	85.5	81.9	82.6
Buffalo, N. Y	84.8	80.3	78.1	88.3	94.6	92.1
Chicago, Ill	86.6	71.6	85.4	99.2	99.9	111.4
Cincinnati, Ohio	121.0	122.0	117.4	124.1	131.8	122.9
Cleveland, Ohio	69.6	67.0	66.5	79.3	78.2	82.8
Columbus, Ohio	65.1	61.3	64.3	76.8	54.1	64.0
Denver, Colo	101.1	98.1	102.2	99.3	114.3	121.7
Detroit, Mich	66.0	57.5	65.6	75.3	69.3	76.5
Fall River, Mass	85.5	100.9	77.9	91.1	87.1	92.7
Indianapolis, Ind	64.8	56.4	55.3	63.2	76.7	66.4
Jersey City, N. J	113.9	104.9	110.6	120.2	117 4	133.2
Kansas City, Mo	85.3	77.3	84.7	91.9	101.0	84.8
Louisville, Ky	95.7	92.0	96.6	103.4	103.1	111.8
Memphis, Tenn	102.8	113.1	83.7	90.6	123 4	114 7
Milwaukee, Wis	50.7	49.1	46.9	55.4	61.0	61.4
Minneapolis, Minn	58.7	54.5	57.4	60.4	61.6	66.8
New Haven, Conn	97.8	94.4	96.1	82.0	125.8	108.4
New Orleans, La	**187.1**	**163.6**	**168.5**	**214.6**	**196.6**	**200.9**
New York, N. Y	**161.5**	**162.1**	**155.4**	**159.4**	**171.0**	**160.5**
Bronx borough	138.5	137.4	132.8	129.1	**160.9**	137.7
Brooklyn borough	**150.6**	**155.5**	**152.1**	144 3	**151.7**	145.1
Manhattan borough	**174.6**	**171.8**	**163.5**	**177.1**	**187.4**	**175.9**
Queens borough	121.1	130.3	121.7	111.2	126.0	125.4
Richmond borough	**167.2**	**162.7**	141.2	**163.0**	**210.4**	**181.0**
Newark, N. J	136.7	132.3	131.8	145.2	139.2	131.3
Omaha, Nebr	47.4	43.3	52.8	41.5	64.1	53.1
Paterson, N. J	88.2	65 8	84.5	82.6	101.6	102.2
Philadelphia, Pa	144.3	137.8	136.3	**150.0**	**160.0**	**165.7**
Pittsburg, Pa	58.1	56.5	65.8	58.8	55.5	60.4
Providence, R. I	135.3	122.6	126.1	**151.0**	**152.0**	148.0
Rochester, N. Y	88.3	68.0	91.8	89.3	101.6	101.1
St. Joseph, Mo	33.3	28.5	34.3	38.0	32.7	37.2
St. Louis, Mo	116.7	111.1	117.4	111.7	123.6	114.4
St. Paul, Minn	55.5	52.4	56.6	52.9	51.5	52.8
San Francisco, Cal	112.1	99.7	102.4	128.4	123.2	123.1
Scranton, Pa	72.8	55.5	57.8	72.9	83.7	84.4
Syracuse, N. Y	92.1	69.0	79.6	99.5	101.4	100.7
Toledo, Ohio	56.7	54.9	57.4	56.9	67.7	63.1
Washington, D. C	126.9	125.6	115.5	131.3	147.3	**159.1**
Worcester, Mass	68.7	74.8	60.5	67.6	78.5	74.1

In the above table areas showing a death rate of 150 or over per 100,000 of population are indicated by bold face type. There was a general increase of mortality for the year 1905 over the preceding year and, in fact, for each of the principal subdivisions as compared with any previous year shown in the table, with the exception of the registration states and registration cities contained therein for 1904.

The distribution by sex and age of deaths returned from Bright's disease and nephritis for the registration area appears in the following table:

SEX AND AGE	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	30,139	28,005	29,119	31,814	34,381	35,196
Sex:						
Male	16,867	15,624	16,422	17,792	19,362	19,502
Female	13,272	12,381	12,697	14,022	15,019	15,694
Age:						
Under 1 year	439	447	452	408	450	485
1 year	148	151	149	146	163	145
2 years	135	147	144	123	128	138
3 years	135	119	171	126	136	113
4 years	116	134	133	87	96	93
Under 5 years	973	998	1,049	890	973	974
5 to 9 years	403	378	409	386	374	317
10 to 14 years	310	285	279	318	350	292
15 to 19 years	496	473	496	532	528	519
20 to 24 years	888	863	853	898	933	882
25 to 29 years	1,178	1,149	1,201	1,151	1,249	1,304
30 to 34 years	1,335	1,336	1,359	1,454	1,472	1,600
35 to 39 years	1,738	1,627	1,693	1,808	1,911	1,946
40 to 44 years	2,040	1,932	1,918	2,136	2,267	2,200
45 to 49 years	2,252	2,069	2,176	2,394	2,640	2,677
50 to 54 years	2,637	2,380	2,574	2,789	3,037	3,122
55 to 59 years	2,778	2,521	2,744	3,003	3,110	3,334
60 to 64 years	3,124	2,889	2,896	3,360	3,625	3,827
65 to 69 years	3,074	2,906	2,938	3,254	3,607	3,748
70 to 74 years	2,858	2,589	2,764	3,065	3,426	3,355
75 to 79 years	2,123	1,946	2,056	2,252	2,528	2,716
80 to 84 years	1,195	1,068	1,120	1,331	1,445	1,475
85 to 89 years	466	392	418	512	625	659
90 to 94 years	113	81	97	144	165	165
95 years and over	31	33	23	41	37	40
Unknown	76	90	56	96	79	44

Deaths of males from this group of causes greatly exceed those of females. The quinquennial period of age giving the maximum number of deaths is for 1905 and the two years preceding, as well as for the five-year period 1900–1904, from 60 to 64 years. In 1901 and 1902 the largest number of deaths was in the following age period, 65 to 69 years.

VIOLENCE.

As fully explained in the text on this subject in the preceding report, Mortality Statistics, 1900 to 1904, the statistics relating to violence are in a very unsatisfactory condition, especially as regards the comparative incidence of the subdivisions of this class. The classification also, as shown in Table III, is not based throughout on the same principle, and its practical application, if reasonably accurate results are to be hoped for, depends upon unremitting attention on the part of local registration officials to the end that physicians and coroners afford the necessary information for satisfactory statistical compilation in all deaths reported from violent causes.

Very frequently it is impossible to know from the transcript received at the Bureau of the Census whether the violence causing death was the result of suicide, homicide, or accident. Many cases requiring further specification have been returned for correction, and the cordial cooperation of state and city registration authorities supplying the original information has

usually been granted, with the result that the compilation of this class of causes is yearly improving in accuracy. It will be some time, however, before it attains a comparatively fixed basis of precision, and until that time the various definite forms of death from violence—as, for example, suicide—may be expected to show an apparent increase due to the diminished number of indefinite returns received from year to year.

In the following table the total number of deaths from violence, including accidental deaths, suicides, and homicides, and all deaths from external causes, are stated for the registration area and its main subdivisions, together with death rates per 100,000 of population:

AREA.	NUMBER OF DEATHS FROM VIOLENCE.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	33,236	33,330	31,135	35,542	36,644	37,778
Registration cities	25,451	25,642	23,915	27,226	28,058	28,865
Registration states	19,858	20,164	18,294	20,894	22,461	22,590
Cities in registration states	12,072	12,476	11,074	12,578	13,875	13,677
Rural part of registration states	7,785	7,688	7,220	8,316	8,586	8,913
Registration cities in other states	13,378	13,166	12,841	14,648	14,183	15,188

AREA.	NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
The registration area	104.1	106.5	97.6	109.2	110.6	111.9
Registration cities	112.0	115.7	105.3	117.0	117.9	118.5
Registration states	96.1	99.3	88.5	99.4	105.1	104.0
Cities in registration states	105.3	111.5	96.5	107.0	115.4	111.1
Rural part of registration states	84.7	84.2	78.6	89.8	91.9	94.8
Registration cities in other states	118.7	119.9	114.2	127.1	120.5	126.1

The number of deaths from violence for the year 1905 (37,778) as compiled on the basis of the transcripts received exceeded the number returned for any previous year given in the above table. The death rate was 111.9 as compared with 110.6 for 1904, and 104.1 for the quinquennial period 1900–1904. An increased death rate over the preceding five-year period is shown by all of the subdivisions of the registration area.

The age and sex distribution of the total number of deaths from violence in the registration area is as follows:

SEX AND AGE.	NUMBER OF DEATHS FROM VIOLENCE.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Aggregate	33,236	33,330	31,135	35,542	36,644	37,778
Sex:						
Male	25,191	24,938	23,955	26,897	27,472	28,783
Female	8,045	8,392	7,180	8,645	9,172	8,995
Age:						
Under 1 year	2,307	2,317	2,009	2,491	2,782	3,148
Under 5 years	4,314	4,419	3,827	4,473	4,960	5,366
5 to 14 years	2,653	2,543	2,470	2,824	2,943	2,813
15 to 24 years	4,518	4,208	4,393	4,911	4,933	5,272
25 to 34 years	5,462	5,174	5,230	6,068	5,992	6,184
35 to 44 years	5,232	5,121	5,009	5,637	5,650	5,776
45 to 64 years	6,746	7,152	6,308	7,056	7,411	7,571
65 years and over	3,857	4,159	3,497	4,096	4,344	4,505
Unknown	454	554	401	477	411	291

The usual marked excess of deaths of males is shown and also the characteristic age distribution. Probably these figures are too low, owing to failure in many instances to state that traumatic agencies were the exciting causes in cases where unqualified statements of meningitis, peritonitis, cerebral hemorrhage, and the like, are all that appear on the certificates.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905.

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
SUMMARIES.					
The registration area	31,292,130	31,908,655	32,536,989	33,135,453	33,757,811
Registration cities	22,165,897	22,717,594	23,275,577	23,795,988	24,358,177
Registration states	20,311,168	20,661,597	21,012,027	21,362,457	21,712,888
Cities in registration states	11,184,935	11,470,536	11,750,615	12,022,992	12,313,254
Rural part of registration states	9,126,233	9,191,061	9,261,412	9,339,465	9,399,634
Registration cities in other states	10,980,962	11,247,058	11,524,962	11,772,996	12,044,923
REGISTRATION STATES.					
Connecticut	924,636	940,852	957,068	973,284	989,500
District of Columbia	283,551	288,384	293,217	298,050	302,883
Indiana	2,548,868	2,581,274	2,613,680	2,646,086	2,678,492
Maine	697,804	701,142	704,480	707,818	711,156
Massachusetts	2,845,012	2,884,679	2,924,346	2,964,013	3,003,680
Michigan	2,448,240	2,475,498	2,502,757	2,530,016	2,557,275
New Hampshire	415,094	418,600	422,106	425,612	429,118
New Jersey	1,935,763	1,987,858	2,039,953	2,092,048	2,144,143
New York	7,428,576	7,588,259	7,747,942	7,907,625	8,067,308
Rhode Island	438,861	449,166	459,471	469,776	480,082
Vermont	344,763	345,885	347,007	348,129	349,251
REGISTRATION CITIES.					
Adams town, Mass	11,404	11,674	11,944	12,215	12,486
Alameda, Cal	16,994	17,524	18,054	18,584	19,114
Albany, N. Y	94,882	95,613	96,344	97,075	97,806
Alexandria, Va	14,547	14,566	14,585	14,604	14,623
Allegheny, Pa	133,280	135,672	138,064	140,456	142,848
Allentown, Pa	36,435	37,464	38,483	39,552	40,571
Altoona, Pa	39,837	40,701	41,815	42,686	45,557
Amesbury town, Mass	9,347	9,221	9,094	8,967	8,840
Amsterdam, N. Y	22,346	22,711	23,076	23,441	23,807
Anderson, Ind	21,122	22,066	23,010	23,954	24,898
Ann Arbor, Mich	14,531	14,553	14,576	14,599	14,622
Annapolis, Md	8,617	8,709	8,801	8,893	8,985
Ansonia, Conn	12,915	13,149	13,383	13,617	13,851
Appleton, Wis	15,468	15,851	16,234	16,617	17,000
Arlington town, Mass	8,816	9,029	9,242	9,455	9,668
Ashtabula, Ohio	13,360	13,771	14,182	14,593	15,004
Atlanta, Ga	92,098	94,324	96,550	98,776	102,702
Atlantic City, N. J	29,789	31,740	33,691	35,642	37,593
Attleboro town, Mass	11,608	11,881	12,154	12,428	12,702
Auburn, N. Y	30,781	31,217	31,653	32,090	32,527
Augusta, Me	11,799	11,915	12,031	12,147	12,263
Aurora, Ill	24,593	25,039	25,485	25,931	26,377
Baltimore, Md	516,409	523,861	531,313	538,765	546,217
Bangor, Me	22,125	22,400	22,675	22,950	23,225
Barre, Vt	8,878	9,308	9,738	10,168	10,598
Bath, Me	10,652	10,827	11,002	11,177	11,352
Battle Creek, Mich	19,475	20,387	21,300	22,213	23,126
Bay City, Mich	27,632	27,636	27,640	27,644	40,614
Bayonne, N. J	34,630	36,538	38,446	40,354	42,262
Bellaire, Ohio	9,912	9,912	9,912	9,912	9,912
Belleville, Ill	17,696	17,908	18,120	18,332	18,544
Beloit, Wis	10,919	11,403	11,887	12,371	12,855
Bennington town, Vt	8,197	8,361	8,525	8,689	8,853
Berlin, N. H	9,402	9,918	10,434	10,950	11,466
Beverly, Mass	14,151	14,419	14,687	14,955	15,223
Biddeford, Me	16,315	16,485	16,655	16,825	16,995
Binghamton, N. Y	40,336	41,026	41,716	42,406	43,096
Boston, Mass	567,789	574,686	581,584	588,482	595,380
Bridgeport, Conn	73,209	75,422	77,635	79,848	82,061
Bridgeton, N. J	13,856	13,798	13,740	13,682	13,624
Bristol town, Conn	9,869	10,095	10,321	10,547	10,773
Brockton, Mass	41,609	43,155	44,701	46,247	47,794
Brookline town, Mass	20,635	21,335	22,035	22,735	23,436
Buffalo, N. Y	357,292	362,197	367,102	372,008	376,914
Burlington, Iowa	23,624	24,047	24,470	24,894	25,318
Burlington, Vt	19,045	19,450	19,855	20,260	20,665
Cambridge, Mass	92,995	94,104	95,214	96,324	97,434
Camden, N. J	77,420	78,905	80,391	81,877	83,363
Canton, Ohio	31,115	31,563	32,011	32,459	37,907
Carbondale, Pa	13,776	14,016	14,256	14,496	14,736
Carlisle, Pa	9,827	10,028	10,229	10,430	10,631
Central Falls, R. I	18,422	18,678	18,934	19,190	19,446
Charleston, S. C	55,892	55,977	56,062	56,147	56,232
Chelsea, Mass	34,715	35,358	36,001	36,645	37,289
Chicago, Ill	1,757,010	1,815,445	1,873,880	1,932,315	1,990,750
Chicopee, Mass	19,371	19,576	19,781	19,986	20,191
Chillicothe, Ohio	13,145	13,314	13,483	13,652	13,821
Chippewa Falls, Wis	8,277				
Cincinnati, Ohio	327,746	329,590	332,934	341,444	343,337
Cleveland, Ohio	392,400	403,032	414,950	425,632	437,114

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
REGISTRATION CITIES—Continued.					
Clinton town, Mass	13,555	13,443	13,331	13,218	13,105
Cohoes, N. Y	23,940	23,970	24,001	24,032	24,063
Columbia, Pa	12,488	12,660	12,832	13,079	13,251
Columbus, Ind	8,271	8,412	8,553	8,694	8,835
Columbus, Ohio	128,869	132,178	135,487	138,796	142,105
Concord, N. H	19,895	20,158	20,421	20,684	20,947
Corning, N. Y	11,536	12,011	12,486	12,962	13,438
Cortland, N. Y	9,350	9,686	10,522	10,858	11,194
Covington, Ky	43,495	44,052	44,759	45,318	45,877
Danbury town, Conn	19,474	19,474	19,474	19,474	19,474
Danvers town, Mass	8,646	8,750	8,854	8,958	9,063
Davenport, Iowa	36,162	37,070	37,979	38,888	39,797
Dayton, Ohio	87,744	90,155	92,716	95,133	98,350
Decatur, Ill	21,051	21,473	21,772	22,096	24,395
Denver, Colo	135,546	137,041	147,111	148,714	150,317
Detroit, Mich	293,675	301,647	309,619	317,591	325,563
Dover, N. H	13,249	13,291	13,333	13,375	13,417
Dubois Pa	9,698	10,021	10,344	10,667	10,990
Duluth, Minn	55,363	57,757	60,152	62,547	64,942
Dunkirk, N. Y	12,332	13,048	13,764	14,480	15,197
Eau Claire, Wis	17,761	18,005	18,249	18,493	18,737
Elizabeth, N. J	53,805	55,481	57,157	58,833	60,509
Elkhart, Ind	15,591	15,973	16,355	16,737	17,119
Elmira, N. Y	35,682	35,692	35,702	35,713	35,724
Elwood, Ind	13,997	15,044	16,091	17,138	18,185
Erie, Pa	53,943	55,153	56,363	57,573	58,783
Escanaba, Mich	9,936	10,323	10,710	11,098	11,485
Evansville, Ind	59,832	60,657	61,482	62,307	63,132
Everett, Mass	25,291	26,246	27,201	28,156	29,111
Fall River, Mass	105,042	105,222	105,402	105,582	105,762
Findlay, Ohio	17,613	17,613	17,613	17,613	17,613
Fitchburg, Mass	31,829	32,127	32,425	32,723	33,021
Flint, Mich	13,848	14,193	14,538	14,884	15,229
Fort Wayne, Ind	46,087	47,059	48,031	49,003	49,975
Framingham town, Mass	11,351	11,400	11,449	11,498	11,548
Frederick, Md	9,406	9,516	9,626	9,736	9,846
Fresno, Cal	12,635	12,800	12,965	13,130	13,295
Gardner town, Mass	11,052	11,292	11,532	11,772	12,012
Geneva, N. Y	10,778	11,123	11,469	11,815	12,161
Glens Falls, N. Y	13,020	13,427	13,834	14,242	14,650
Gloucester, Mass	26,099	26,077	26,055	26,033	26,011
Gloversville, N. Y	18,394	18,440	18,486	18,532	18,578
Grand Rapids, Mich	89,603	91,641	93,679	95,718	97,756
Green Bay, Wis	19,518	20,352	21,186	22,020	22,854
Greenwich town, Conn	12,376	12,580	12,784	12,988	13,192
Hamilton, Ohio	24,540	25,166	25,792	26,418	27,044
Hammond, Ind	13,006	13,636	14,266	14,896	15,526
Harrisburg, Pa	51,095	52,023	52,951	53,879	54,807
Harrison, N. J	11,041	11,486	11,931	12,377	12,823
Hartford, Conn	82,512	85,174	87,836	90,498	93,160
Haverhill, Mass	37,306	37,437	37,568	37,699	37,830
Hazelton Pa	14,581	14,819	15,057	15,295	15,533
Hoboken, N. J	60,584	61,805	63,026	64,247	65,468
Holyoke, Mass	46,556	47,400	48,244	49,089	49,934
Hudson, N. Y	9,695	9,862	10,029	10,196	10,364
Huntington, Ind	9,722	9,938	10,104	10,325	10,541
Hyde Park town, Mass	13,497	13,750	14,003	14,256	14,510
Indianapolis, Ind	175,537	186,410	197,705	204,772	212,198
Iron Mountain, Mich	9,078	8,914	8,750	8,585	8,421
Ironton, Ohio	11,921	11,974	12,027	12,080	12,133
Ironwood, Mich	9,783	9,861	9,940	10,019	10,098
Ishpeming, Mich	12,847	12,439	12,031	11,623	11,215
Ithaca, N. Y	13,408	13,680	13,952	14,224	14,496
Jackson, Mich	25,210	25,240	25,270	25,300	25,330
Jacksonville, Fla	29,803	31,177	32,551	33,926	35,301
Jacksonville, Ill	15,292	15,506	15,720	15,934	16,148
Jamestown, N. Y	23,514	24,136	24,759	25,382	26,005
Jeffersonville, Ind	10,785	10,796	10,807	10,818	10,829
Jersey City, N. J	211,686	216,939	222,192	227,445	232,699
Johnstown, N. Y	10,057	9,984	9,911	9,838	9,765
Johnstown, Pa	37,800	38,890	39,980	41,070	42,160
Kalamazoo, Mich	25,748	27,092	28,437	29,782	31,127
Kansas City, Mo	166,856	169,960	173,064	176,178	179,272
Keene, N. H	9,337	9,509	9,681	9,853	10,025
Key West, Fla	17,790	18,467	19,144	19,821	20,498
Kingston, N. Y	24,710	24,885	25,060	25,235	25,410
Kokoma, Ind	10,844	11,079	11,314	11,549	11,784
Laconia, N. H	8,042	8,042	8,042	8,042	8,042
Lafayette, Ind	18,303	18,490	18,677	18,864	19,051
Lancaster, Pa	42,404	43,349	44,294	45,239	46,184
Lansing, Mich	17,432	18,380	19,328	20,276	21,224
Lawrence, Mass	64,057	65,555	67,053	68,551	70,050
Leadville, Colo	12,662	12,869	13,076	13,283	13,490
Leavenworth, Kans	22,392	22,441	22,991	22,791	20,934

TABLE I.—POPULATION OF EACH REGISTRATION AREA 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
REGISTRATION CITIES—Continued.					
Leominster town, Mass.	12,773	13,154	13,535	13,916	14,297
Lima, Ohio	22,297	24,871	25,517	26,394	27,048
Lincoln, Nebr.	41,492	42,800	44,158	45,516	46,874
Lockport, N. Y.	16,750	16,919	17,088	17,258	17,428
Logansport, Ind.	16,492	16,780	17,068	17,356	17,644
Louisville, Ky.	208,588	212,253	215,722	219,191	222,660
Lowell, Mass.	94,953	94,937	94,921	94,905	94,889
Lynchburg, Va.	20,350	20,850	21,350	21,850	22,350
Lynn, Mass.	70,218	71,924	73,630	75,336	77,042
McKeesport, Pa.	35,576	36,925	38,274	40,423	42,024
Madison, Wis.	19,991	20,818	21,645	23,473	24,301
Mahanoy City, Pa.	13,726	13,948	14,170	14,392	14,614
Malden, Mass.	34,538	35,412	36,287	37,162	38,037
Manchester, N. H.	58,273	59,559	60,845	62,131	63,417
Manchester town, Conn.	10,839	11,077	11,315	11,553	11,791
Manitowoc, Wis.	11,975	12,164	12,353	12,543	12,733
Mankato, Minn.	10,678	10,757	10,836	10,916	10,996
Marietta, Ohio.	13,856	14,364	14,872	15,380	15,888
Marinette, Wis.	16,027	15,859	15,691	15,523	15,354
Marion, Ind.	18,194	19,051	21,108	22,082	23,056
Marlboro, Mass.	13,701	13,794	13,887	13,980	14,073
Marquette, Mich.	10,209	10,361	10,513	10,665	10,817
Massillon, Ohio.	12,129	12,314	12,499	12,684	12,869
Meadville, Pa.	10,368	10,445	10,522	11,599	11,684
Medford, Mass.	18,532	18,820	19,108	19,397	19,686
Melrose, Mass.	13,228	13,494	13,761	14,028	14,295
Memphis, Tenn.	106,103	109,886	113,669	117,452	121,235
Menominee, Mich.	12,388	11,958	11,527	11,096	10,665
Meriden town, Conn.	29,022	29,349	29,676	30,003	30,330
Michigan City, Ind.	15,257	15,664	16,071	16,478	16,885
Middletown, N. Y.	14,754	14,986	15,218	15,450	15,682
Middletown, Ohio.	9,230	9,245	9,260	9,275	9,290
Middletown town, Conn.	17,714	17,942	18,170	18,398	18,626
Milford town, Mass.	11,521	11,667	11,813	11,959	12,105
Millville, N. J.	10,843	11,103	11,363	11,623	11,884
Milwaukee, Wis.	293,528	298,633	303,238	308,343	312,948
Minneapolis, Minn.	214,569	226,420	238,271	250,122	261,974
Mobile, Ala.	39,208	39,947	40,686	41,425	42,164
Montclair, N. J.	14,443	14,924	15,406	15,888	16,370
Morristown, N. J.	11,442	11,618	11,794	11,970	12,146
Mt. Carmel, Pa.	13,672	14,165	14,658	15,151	15,644
Mt. Vernon, N. Y.	21,968	22,708	23,448	24,189	24,930
Muncie, Ind.	21,992	23,050	24,317	25,309	26,301
Muscatine, Iowa.	14,275	14,478	14,681	14,884	15,087
Muskegon, Mich.	20,837	20,857	20,877	20,897	20,917
Nashua, N. H.	24,357	24,816	25,275	25,734	26,193
Nashville, Tenn.	81,335	81,805	83,275	83,751	84,227
Natick town, Mass.	9,512	9,536	9,560	9,584	9,609
Naugatuck, Conn.	10,973	11,405	11,837	12,269	12,701
New Albany, Ind.	20,628	20,628	20,628	20,628	20,628
New Bedford, Mass.	64,826	67,210	69,594	71,978	74,362
New Britain town, Conn.	29,122	30,042	30,962	31,882	32,802
New Brunswick, N. J.	20,631	21,256	21,881	22,507	23,133
New Haven, Conn.	110,227	112,427	114,627	116,827	119,027
New London, Conn.	17,927	18,306	18,685	19,064	19,443
New Orleans, La.	291,611	296,118	300,625	305,132	309,639
New Rochelle, N. Y.	15,853	16,986	18,119	19,253	20,387
New York, N. Y.	3,549,840	3,662,480	3,775,121	3,887,762	4,000,403
Bronx borough	214,724	228,941	243,158	257,375	271,592
Brooklyn borough	1,204,286	1,241,991	1,279,696	1,317,401	1,355,106
Manhattan borough	1,900,660	1,951,227	2,001,794	2,052,361	2,102,928
Queens borough	161,966	170,934	179,902	188,870	197,838
Richmond borough	68,204	69,387	70,571	71,755	72,939
Newark, N. J.	252,415	260,260	266,605	272,950	283,289
Newark, Ohio.	18,546	18,935	19,324	19,713	20,102
Newburg, N. Y.	25,218	25,493	25,768	26,043	26,318
Newburyport, Mass.	14,517	14,556	14,595	14,635	14,675
Newcastle, Pa.	29,757	31,175	32,593	34,011	35,429
Newport, Ky.	28,639	28,977	29,315	29,653	29,991
Newport, R. I.	22,960	23,479	23,999	24,519	25,039
Newton, Mass.	34,235	34,883	35,531	36,179	36,827
Niagara Falls, N. Y.	20,852	22,247	23,642	25,037	26,432
Norfolk, Va.	47,799	53,974	55,318	56,662	58,006
Norristown, Pa.	22,512	22,759	23,006	23,253	23,500
North Adams, Mass.	23,790	23,380	22,970	22,560	22,150
Northampton, Mass.	18,305	19,168	19,431	19,694	19,957
Norwalk town, Conn.	20,151	20,370	20,589	20,808	21,027
Norwich town, Conn.	24,796	24,955	25,114	25,273	25,432
Oakland, Cal.	68,102	69,244	70,386	71,528	72,670
Ogdensburg, N. Y.	14,708	14,734	14,761	14,788	14,815
Olean, N. Y.	9,585	9,708	9,831	9,955	10,079
Omaha, Nebr.	106,157	109,759	113,361	116,963	120,565
Orange, N. J.	24,533	24,925	25,317	25,709	26,101
Ottawa, Ill.	10,688	10,788	10,888	10,988	11,088
Ottumwa, Iowa.	18,563	18,930	19,447		
Owosso, Mich.	8,808	8,920	9,032	9,145	9,257
Paducah, Ky.	19,949	20,452	20,955	21,458	21,961
Passaic, N. J.	29,989	31,951	33,913	35,875	37,837
Paterson, N. J.	106,442	107,713	108,985	110,257	111,529
Pawtucket, R. I.	40,061	40,891	41,721	42,551	43,381
Peabody town, Mass.	11,838	12,153	12,468	12,783	13,098
Peekskill, N. Y.	10,926	11,494	12,062	12,631	13,200
Perth Amboy, N. J.	19,338	20,977	22,616	24,255	25,895
Peru, Ind.	10,607	10,792	10,977	11,162	11,347
Petersburg, Va.	21,810	21,810	21,810	21,810	21,810
Philadelphia, Pa.	1,318,370	1,343,043	1,367,716	1,392,389	1,417,062
Phillipsburg, N. J.	10,412	10,772	12,632	12,992	13,352
Pittsburg, Pa.	329,425	337,234	345,043	352,852	364,161
Pittsfield, Mass.	22,413	23,060	23,707	24,354	25,001
Plainfield, N. J.	15,988	16,608	17,228	17,848	18,468
Plymouth, Pa.	14,080	14,511	14,942	15,373	15,804
Plymouth town, Mass.	9,897	10,202	10,507	10,813	11,119
Pontiac, Mich.	10,047	10,326	10,605	10,884	11,163
Port Huron, Mich.	19,375	19,592	19,810	20,028	20,246
Port Jervis, N. Y.	9,447	9,509	9,571	9,633	9,695
Portland, Me.	50,982	51,819	52,656	53,493	54,330
Portland, Oreg.	93,169	95,912	98,655	101,398	104,141
Portsmouth, N. H.	10,718	10,799	10,880	10,961	11,042
Portsmouth, Ohio.	18,344	18,818	19,292	19,766	20,240
Pottstown, Pa.	13,737	13,778	13,819	13,860	13,901
Pottsville, Pa.	15,869	16,028	16,187	16,346	16,505
Poughkeepsie, N. Y.	24,252	24,475	24,698	24,922	25,146
Providence, R. I.	180,204	184,811	189,419	194,027	198,635
Pueblo, Colo.	28,517	28,877	29,237	29,597	30,457
Quincy, Ill.	36,728	37,204	37,680	38,156	38,632
Quincy, Mass.	24,734	25,569	26,404	27,240	28,076
Raleigh, N. C.	13,740	13,837	13,934	14,031	14,128
Reading, Pa.	80,991	83,021	85,051	87,081	89,111
Revere town, Mass.	10,847	11,300	11,753	12,206	12,659
Richmond, Ind.	18,388	18,550	18,712	18,874	19,436
Richmond, Va.	85,416	85,782	86,148	86,514	86,880
Rochester, N. H.	8,573	8,680	8,787	8,894	9,001
Rochester, N. Y.	166,261	169,915	173,569	177,223	182,022
Rockland, Me.	8,150	8,150	8,150	8,150	8,150
Rome, N. Y.	15,740	16,137	16,534	16,931	17,329
Rutland, Vt.	11,576	11,653	11,730	11,807	11,884
Sacramento, Cal.	29,572	29,862	30,152	30,442	30,732
Saginaw, Mich.	43,411	44,477	45,543	46,610	47,676
St. Joseph, Mo.	105,479	107,979	110,479	112,979	115,479
St. Louis, Mo.	587,585	599,932	612,279	624,626	636,973
St. Paul, Minn.	169,856	176,647	183,439	190,231	197,023
Salem, Mass.	36,290	36,624	36,958	37,292	37,627
Salt Lake City, Utah	54,400	55,269	57,138	58,026	58,914
San Antonio, Tex.	54,886	56,451	58,016	59,581	61,146
San Diego, Cal.	17,940	18,180	18,420	18,660	18,900
San Francisco, Cal.	347,161	351,540	355,919	360,298	364,677
San Jose, Cal.	21,844	22,188	22,532	22,876	23,220
Saratoga Springs, N. Y.	12,527	12,645	12,763	12,881	12,999
Sault Ste. Marie, Mich.	10,764	10,990	11,216	11,442	11,668
Savannah, Ga.	55,350	63,456	64,741	66,026	67,311
Schenectady, N. Y.	35,388	47,094	50,800	54,506	58,213
Scranton, Pa.	104,603	107,180	109,757	112,334	116,111
Seattle, Wash.	84,454	88,237	92,020	95,803	99,586
Sioux City, Iowa.	34,679	36,247	37,815	39,383	40,952
Somerville, Mass.	63,168	64,694	66,220	67,746	69,272
South Bend, Ind.	37,400	38,876	40,327	41,778	43,204
South Bethlehem, Pa.	13,535	13,829	14,123	14,417	14,711
Southbridge town, Mass.	10,220	10,415	10,610	10,805	11,000
Spokane, Wash.	38,541	40,234	41,927	43,620	45,313
Springfield, Ill.	34,843	35,527	36,211	37,495	38,234
Springfield, Mass.	64,355	66,651	68,947	71,243	73,540
Stamford town, Conn.	19,153	19,467	19,781	20,095	20,409
Steelton, Pa.	12,370	12,654	13,038	13,325	13,624
Stonington town, Conn.	8,676	8,812	8,948	9,084	9,220
Superior, Wis.	32,183	33,275	34,367	35,459	36,551
Syracuse, N. Y.	110,125	111,876	113,627	115,378	117,129
Tacoma, Wash.	36,746	39,934	45,102	48,532	51,962
Taunton, Mass.	31,023	31,009	30,995	30,981	30,967
Terre Haute, Ind.	37,319	37,965	38,611	39,257	51,903
Tiffin, Ohio.	10,983	11,002	11,021	11,040	11,059
Toledo, Ohio.	136,515	141,208	145,901	150,594	155,287
Torrington town, Conn.	13,094	13,735	14,376	15,017	15,658

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
REGISTRATION CITIES—Continued.					
Traverse City, Mich	9,864	10,321	10,779	11,237	11,695
Trenton, N. J	75,481	77,655	79,830	82,005	84,180
Troy, N. Y	75,299	75,542	75,785	76,028	76,271
Union, N. J	15,550	15,913	16,277	16,641	17,005
Utica, N. Y	57,835	59,288	60,741	62,194	63,647
Vernon town, Conn	8,450	8,417	8,384	8,351	8,318
Vincennes, Ind	10,389	10,529	10,869	11,012	11,155
Wabash, Ind	8,839	9,060	9,281	9,502	9,723
Wakefield town, Mass	9,485	9,680	9,876	10,072	10,268
Wallingford town, Conn	9,243	9,485	9,727	9,969	10,211
Waltham, Mass	24,041	24,601	25,161	25,721	26,282
Ware town, Mass	8,329	8,395	8,461	8,527	8,594
Washington, D. C	283,551	288,384	293,217	298,050	302,883
Washington, Ind	8,800	9,049	9,298	9,547	9,796
Waterbury, Conn	52,933	54,727	56,521	58,315	60,109
Watertown, N. Y	22,412	23,128	23,844	24,560	25,276
Watertown town, Mass	10,016	10,326	10,636	10,947	11,258
Watervliet, N. Y	14,353	14,385	14,417	14,449	14,481
Webster town, Mass	9,046	9,289	9,532	9,775	10,018
West Bay City, Mich	13,089	13,059	13,028	12,997	.....
Westfield town, Mass	12,570	12,830	13,090	13,350	13,611
Weymouth town, Mass	11,376	11,428	11,480	11,532	11,585
Wheeling, W. Va	39,314	39,750	40,186	40,622	41,058
Wichita, Kans	24,472	28,163	31,549	31,857	31,110
Williamsport, Pa	28,920	29,083	29,246	29,409	29,572
Wilmington, Del	77,750	79,000	81,300	82,580	83,860
Wilmington, N. C	21,068	21,160	21,252	21,344	21,436
Windham town, Conn	10,148	10,159	10,170	10,181	10,192
Winona, Minn	19,838	19,962	20,086	20,210	20,334
Woburn, Mass	14,283	14,312	14,342	14,372	14,402
Woonsocket, R. I	29,002	29,800	30,598	31,397	32,196
Worcester, Mass	120,364	122,306	124,249	126,192	128,135
Yonkers, N. Y	50,627	53,323	56,020	58,717	61,414
Youngstown, Ohio	46,052	47,219	48,386	50,081	51,516
CONNECTICUT RURAL.					
Fairfield county	43,252	43,714	44,176	44,638	45,100
Hartford county	67,968	68,752	69,536	70,320	71,104
Litchfield county	51,591	51,963	52,335	52,707	53,079
Middlesex county	24,270	24,266	24,262	24,258	24,254
New Haven county	49,861	50,643	51,425	52,207	52,989
New London county	31,971	31,909	31,847	31,785	31,723
Tolland county	16,017	15,994	15,971	15,948	15,925
Windham county	36,883	37,042	37,201	37,360	37,519
INDIANA RURAL.					
Adams county	22,437	22,642	22,847	23,052	23,257
Allen county	32,241	32,328	32,414	32,499	32,585
Bartholomew county	16,396	16,328	16,260	16,192	16,124
Benton county	13,245	13,367	13,489	13,611	13,733
Blackford county	17,888	18,563	19,238	19,913	20,588
Boone county	26,296	26,271	26,246	26,221	26,196
Brown county	9,669	9,611	9,553	9,495	9,437
Carroll county	19,946	19,939	19,932	19,925	19,918
Cass county	18,392	18,443	18,494	18,545	18,596
Clark county	21,208	21,355	21,502	21,649	21,796
Clay county	34,660	35,035	35,410	35,785	36,160
Clinton county	28,285	28,368	28,451	28,534	28,617
Crawford county	13,429	13,382	13,335	13,288	13,241
Daviess county	21,483	21,603	21,723	21,843	21,963
Dearborn county	22,077	21,960	21,843	21,726	21,609
Decatur county	19,542	19,566	19,590	19,614	19,638
Dekalb county	25,851	25,991	26,131	26,271	26,411
Delaware county	29,581	30,472	31,154	32,111	33,068
Dubois county	20,367	20,377	20,387	20,397	20,407
Elkhart county	30,046	30,249	30,452	30,655	30,858
Fayette county	13,582	13,669	13,756	13,843	13,930
Floyd county	9,556	9,622	9,688	9,754	9,820
Fountain county	21,635	21,824	22,013	22,202	22,391
Franklin county	16,190	15,992	15,794	15,596	15,398
Fulton county	17,524	17,595	17,666	17,737	17,808
Gibson county	30,617	31,135	31,653	32,171	32,689
Grant county	38,819	40,282	40,546	41,891	43,237
Greene county	28,945	29,360	29,775	30,190	30,605
Hamilton county	30,293	30,672	31,051	31,430	31,809
Hancock county	19,325	19,461	19,597	19,733	19,869
Harrison county	21,794	21,886	21,978	22,070	22,162
Hendricks county	21,271	21,250	21,229	21,208	21,187
Henry county	25,209	25,330	25,451	25,572	25,693
Howard county	17,970	17,974	17,978	17,982	17,986
Huntington county	19,305	19,215	19,175	19,080	18,990

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
INDIANA RURAL—Continued.					
Jackson county	26,882	27,131	27,380	27,630	27,879
Jasper county	14,603	14,914	15,225	15,536	15,847
Jay county	27,152	27,486	27,820	28,154	28,488
Jefferson county	22,754	22,595	22,436	22,278	22,119
Jennings county	15,872	15,987	16,102	16,217	16,332
Johnson county	20,289	20,355	20,421	20,487	20,553
Knox county	22,827	23,157	23,287	23,614	23,941
Kosciusko county	29,155	29,201	29,247	29,293	29,339
Lagrange county	15,251	15,218	15,185	15,152	15,119
Lake county	26,287	27,058	27,829	28,600	29,371
Laporte county	23,523	23,510	23,497	23,484	23,471
Lawrence county	26,323	26,917	27,511	28,105	28,699
Madison county	38,749	40,156	41,564	42,970	44,377
Marion county	27,298	22,032	16,343	14,883	13,064
Marshall county	25,249	25,379	25,509	25,639	25,769
Martin county	14,785	14,859	14,933	15,007	15,081
Miami county	17,989	18,056	18,123	18,190	18,257
Monroe county	21,193	21,513	21,833	22,153	22,473
Montgomery county	29,524	29,660	29,796	29,932	30,068
Morgan county	20,638	20,819	21,000	21,182	21,363
Newton county	10,613	10,778	10,943	11,108	11,273
Noble county	23,550	23,567	23,584	23,602	23,619
Ohio county	4,701	4,678	4,655	4,632	4,609
Orange county	17,072	17,290	17,508	17,726	17,944
Owen county	15,160	15,171	15,182	15,193	15,204
Parke county	23,270	23,540	23,810	24,080	24,351
Perry county	18,832	18,886	18,940	18,994	19,048
Pike county	20,680	20,874	21,068	21,262	21,456
Porter county	19,287	19,399	19,511	19,623	19,735
Posey county	22,413	22,493	22,573	22,653	22,733
Pulaski county	14,313	14,593	14,873	15,153	15,433
Putnam county	21,392	21,306	21,220	21,134	21,048
Randolph county	28,710	28,767	28,824	28,881	28,938
Ripley county	19,934	19,987	20,040	20,093	20,146
Rush county	20,259	20,370	20,481	20,592	20,703
St. Joseph county	23,123	23,289	23,480	23,671	23,887
Scott county	8,354	8,401	8,448	8,495	8,542
Shelby county	26,595	26,699	26,803	26,907	27,011
Spencer county	22,442	22,477	22,512	22,547	22,582
Starke county	10,740	11,049	11,358	11,667	11,976
Steuben county	15,293	15,367	15,441	15,515	15,589
Sullivan county	26,418	26,831	27,244	27,657	28,070
Switzerland county	11,773	11,706	11,639	11,572	11,505
Tippecanoe county	20,714	20,885	21,056	21,227	21,398
Tipton county	19,212	19,308	19,404	19,500	19,596
Union county	6,722	6,696	6,670	6,644	6,618
Vanderburg county	13,133	13,504	13,875	14,246	14,617
Vermilion county	15,462	15,672	15,882	16,092	16,302
Vigo county	25,900	26,438	26,976	27,514	16,052
Wabash county	19,507	19,397	19,287	19,177	19,067
Warren county	11,413	11,455	11,497	11,539	11,581
Warrick county	22,446	22,563	22,680	22,797	22,914
Washington county	19,488	19,567	19,646	19,725	19,804
Wayne county	20,716	20,688	20,660	20,632	20,204
Wells county	23,643	23,837	24,031	24,225	24,419
White county	19,485	19,832	20,179	20,526	20,873
Whitley county	17,284	17,240	17,196	17,152	17,108
MAINE RURAL.					
Androscoggin county	54,769	55,296	55,822	56,350	56,877
Aroostook county	61,860	62,976	64,091	65,208	66,324
Cumberland county	50,680	50,817	50,955	51,092	51,229
Franklin county	18,583	18,722	18,861	19,000	19,139
Hancock county	37,234	37,227	37,220	37,213	37,206
Kennebec county	47,529	47,624	47,719	47,814	47,909
Knox county	22,149	22,042	21,935	21,827	21,720
Lincoln county	19,436	19,203	18,970	18,736	18,503
Oxford county	32,403	32,568	32,733	32,898	33,063
Penobscot county	54,459	54,522	54,584	54,648	54,711
Piscataquis county	17,031	17,113	17,195	17,276	17,358
Sagadahoc county	9,766	9,679	9,592	9,504	9,417
Somerset county	33,971	34,093	34,215	34,337	34,459
Waldo county	23,828	23,471	23,114	22,757	22,400
Washington county	45,307	45,382	45,457	45,532	45,607
York county	48,776	48,811	48,848	48,884	48,919
MASSACHUSETTS RURAL.					
Barnstable county	27,627	27,428	27,229	27,030	26,831
Berkshire county	38,592	38,617	38,644	38,669	38,693
Bristol county	42,975	43,597	44,221	44,843	45,464
Dukes county	4,559	4,557	4,555	4,553	4,551
Essex county	69,392	69,976	70,559	71,142	71,722

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
MASSACHUSETTS RURAL—Continued.					
Franklin county	41,639	42,069	42,501	42,931	43,362
Hampden county	36,833	37,310	37,787	38,263	38,737
Hampshire county	32,267	32,619	32,972	33,324	33,676
Middlesex county	96,112	97,550	98,982	100,412	101,840
Nantucket county	2,991	2,976	2,961	2,946	2,930
Norfolk county	84,496	85,855	87,215	88,574	89,930
Plymouth county	65,268	66,206	67,144	68,082	69,019
Suffolk county	6,256	6,453	6,646	6,840	7,034
Worcester county	129,741	129,550	129,357	129,166	128,975
MICHIGAN RURAL.					
Alcona county	5,690	5,688	5,686	5,684	5,683
Alger county	6,034	6,201	6,368	6,535	6,702
Allegan county	38,846	38,881	38,915	38,948	38,982
Alpena county	18,627	19,000	19,374	19,748	20,122
Antrim county	16,340	16,112	15,884	15,655	15,427
Arenac county	9,911	10,002	10,093	10,184	10,275
Baraga county	4,516	4,712	4,908	5,104	5,300
Barry county	22,392	22,270	22,148	22,025	21,903
Bay county	21,925	22,218	22,512	22,807	23,102
Benzie county	9,961	10,237	10,513	10,790	11,066
Berrien county	49,222	49,278	49,334	49,390	49,446
Branch county	27,458	27,105	26,751	26,397	26,045
Calhoun county	30,753	30,753	30,751	30,750	30,749
Cass county	20,065	20,454	20,242	20,030	19,820
Charlevoix county	14,536	15,116	15,697	16,278	16,859
Cheboygan county	15,951	16,386	16,821	17,256	17,691
Chippewa county	10,770	10,741	10,712	10,683	10,654
Clare county	8,567	8,774	8,981	9,189	9,396
Clinton county	25,154	25,172	25,190	25,208	25,226
Crawford county	3,170	3,398	3,626	3,854	4,082
Delta county	14,733	15,134	15,535	15,936	16,337
Dickinson county	9,073	9,498	9,924	10,351	10,777
Eaton county	31,428	31,188	30,947	30,706	30,467
Emmet county	16,421	16,911	17,401	17,892	18,382
Genesee county	28,194	28,086	27,977	27,869	27,761
Gladwin county	7,073	7,582	8,091	8,601	9,110
Gogebic county	7,094	7,156	7,217	7,278	7,339
Grand Traverse county	11,295	11,519	11,742	11,965	12,188
Gratiot county	30,050	30,212	30,374	30,536	30,698
Hillsdale county	29,858	29,851	29,844	29,837	29,830
Houghton county	67,204	68,344	69,485	70,625	71,766
Huron county	34,357	34,554	34,750	34,945	35,141
Ingham county	23,334	23,333	23,331	23,331	23,330
Ionia county	34,403	34,477	34,553	34,627	34,702
Iosco county	10,319	10,392	10,466	10,540	10,614
Iron county	8,974	8,958	8,942	8,925	8,909
Isabella county	23,114	23,444	23,775	24,106	24,436
Jackson county	22,738	22,433	22,127	21,822	21,517
Kalamazoo county	19,926	19,945	19,962	19,980	19,998
Kalkaska county	7,251	7,370	7,489	7,608	7,726
Kent county	42,305	42,460	42,616	42,770	42,925
Keweenaw county	3,549	3,881	4,213	4,546	4,878
Lake county	4,967	4,977	4,988	4,999	5,009
Lapeer county	27,494	27,346	27,198	27,050	26,903
Leelanau county	10,623	10,690	10,758	10,826	10,893
Lenawee county	48,579	48,752	48,925	49,097	49,269
Livingston county	19,411	19,157	18,903	18,649	18,396
Luce county	3,207	3,432	3,657	3,882	4,106
Mackinac county	7,839	7,975	8,111	8,247	8,383
Macomb county	33,207	33,170	33,133	33,095	33,058
Manistee county	27,686	27,515	27,344	27,173	27,003
Marquette county	17,877	17,826	17,774	17,722	17,671
Mason county	19,065	19,246	19,427	19,608	19,788
Mecosta county	20,574	20,455	20,336	20,216	20,097
Menominee county	14,513	14,798	15,084	15,369	15,655
Midland county	14,488	14,537	14,586	14,636	14,685
Missaukee county	9,547	9,786	10,026	10,266	10,505
Monroe county	32,795	32,837	32,879	32,921	32,962
Montcalm county	32,880	33,006	33,133	33,260	33,386
Montmorency county	3,304	3,374	3,444	3,515	3,585
Muskegon county	16,283	16,348	16,411	16,476	16,540
Newaygo county	17,860	18,047	18,234	18,421	18,608
Oakland county	34,984	34,943	34,903	34,862	34,821
Oceana county	16,912	17,180	17,448	17,717	17,985
Ogemaw county	8,104	8,443	8,782	9,121	9,460
Ontonagon county	6,439	6,681	6,923	7,166	7,408
Osceola county	18,052	18,245	18,439	18,633	18,826
Oscoda county	1,573	1,678	1,783	1,888	1,993
Otsego county	6,441	6,707	6,973	7,239	7,505
Ottawa county	40,301	40,934	41,567	42,199	42,832

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
MICHIGAN RURAL—Continued.					
Presque Isle county	9,333	9,846	10,359	10,872	11,384
Roscommon county	1,773	1,759	1,745	1,731	1,717
Saginaw county	38,924	38,970	39,016	39,061	39,107
St. Clair county	35,956	35,841	35,725	35,609	35,493
St. Joseph county	23,724	23,559	23,394	23,229	23,064
Sanilac county	35,008	34,962	34,915	34,867	34,820
Schoolcraft county	8,073	8,258	8,443	8,628	8,812
Shiawassee county	25,020	24,869	24,718	24,566	24,416
Tuscola county	35,907	35,926	35,944	35,961	35,978
Van Buren county	33,696	34,119	34,543	34,965	35,387
Washtenaw county	32,985	32,717	32,447	32,177	31,908
Wayne county	64,627	66,163	67,700	69,236	70,772
Wexford county	17,438	18,031	18,624	19,217	19,810
NEW HAMPSHIRE RURAL.					
Belknap county	11,404	11,324	11,244	11,163	11,083
Carroll county	16,772	16,649	16,526	16,403	16,280
Cheshire county	22,158	22,160	22,162	22,163	22,165
Coos county	20,692	20,802	20,912	21,021	21,131
Grafton county	41,207	41,570	41,932	42,295	42,658
Hillsboro county	31,948	32,142	32,337	32,531	32,724
Merrimack county	32,835	32,871	32,908	32,946	32,983
Rockingham county	40,547	40,613	40,678	40,745	40,811
Strafford county	17,605	17,546	17,487	17,428	17,369
Sullivan county	18,080	18,151	18,222	18,293	18,364
NEW JERSEY RURAL.					
Atlantic county	19,305	20,046	20,787	21,528	22,269
Bergen county	82,753	87,065	91,378	95,691	100,003
Burlington county	59,001	59,761	60,521	61,281	62,042
Camden county	33,006	34,304	35,599	36,896	38,192
Cape May county	14,038	14,876	15,715	16,553	17,390
Cumberland county	26,677	26,658	26,640	26,622	26,602
Essex county	77,838	79,296	82,250	85,206	84,168
Gloucester county	32,419	32,933	33,448	33,963	34,477
Hudson county	65,324	68,901	72,474	76,048	79,622
Hunterdon county	34,258	34,008	33,759	33,509	33,258
Mercer county	22,914	23,771	24,625	25,480	26,336
Middlesex county	43,247	44,438	45,630	46,820	48,008
Monmouth county	83,229	84,401	85,574	86,747	87,919
Morris county	54,269	54,648	55,029	55,409	55,788
Ocean county	19,973	20,199	20,427	20,653	20,880
Passaic county	22,903	23,802	24,697	25,594	26,492
Salem county	25,681	25,832	25,984	26,135	26,287
Somerset county	33,612	34,276	34,941	35,605	36,270
Sussex county	23,973	23,811	23,650	23,487	23,325
Union county	33,132	34,408	35,683	36,958	38,234
Warren county	27,893	28,057	26,721	26,886	27,051
NEW YORK RURAL.					
Albany county	33,403	33,617	33,831	34,045	34,259
Allegany county	41,818	42,135	42,453	42,771	43,089
Broome county	29,647	29,790	29,933	30,077	30,220
Cattaraugus county	56,118	56,054	55,990	55,925	55,860
Cayuga county	35,476	35,062	34,648	34,234	33,819
Chautauqua county	54,112	54,417	54,721	55,025	55,328
Chemung county	18,086	17,780	17,474	17,167	16,860
Chenango county	36,613	36,658	36,704	36,750	36,796
Clinton county	47,634	47,837	48,040	48,244	48,447
Columbia county	33,444	33,205	32,966	32,727	32,487
Cortland county	18,585	18,608	18,131	18,154	18,177
Delaware county	46,450	46,487	46,524	46,561	46,598
Dutchess county	57,892	58,142	58,392	58,641	58,890
Erie county	84,442	87,586	90,730	93,873	97,016
Essex county	31,056	31,406	31,756	32,106	32,456
Franklin county	43,657	44,460	45,263	46,067	46,870
Fulton county	14,251	14,138	14,025	13,912	13,799
Genesee county	34,820	35,078	35,336	35,595	35,853
Greene county	31,383	31,287	31,191	31,095	30,999
Hamilton county	4,940	4,932	4,924	4,916	4,908
Herkimer county	51,566	52,084	52,602	53,120	53,638
Jefferson county	55,013	54,975	54,937	54,899	54,861
Lewis county	27,251	27,074	26,897	26,720	26,543
Livingston county	37,110	37,160	37,210	37,260	37,310
Madison county	40,333	40,121	39,908	39,695	39,482
Monroe county	55,927	56,606	57,285	57,965	57,499
Montgomery county	25,586	25,665	25,745	25,825	25,904
Nassau county	58,224	61,000	63,777	66,554	69,331
Niagara county	39,247	39,570	39,893	40,215	40,537
Oneida county	60,759	60,442	60,125	59,809	59,491

TABLE I.—POPULATION OF EACH REGISTRATION AREA: 1901 TO 1905—Continued.

REGISTRATION AREA.	POPULATION ON JUNE 1—				
	1901	1902	1903	1904	1905
NEW YORK RURAL—Continued.					
Onondaga county	60,500	60,640	60,780	60,920	61,060
Ontario county	39,386	39,600	39,813	40,026	40,239
Orange county	55,455	55,902	56,349	56,796	57,243
Orleans county	30,412	30,659	30,906	31,153	31,400
Oswego county	70,662	70,442	70,222	70,001	69,779
Otsego county	48,755	48,571	48,387	48,203	48,019
Putnam county	13,849	13,912	13,975	14,038	14,101
Rensselaer county	46,418	46,196	45,973	45,750	45,527
Rockland county	39,619	40,941	42,262	43,583	44,905
St. Lawrence county	74,841	75,281	75,720	76,159	76,598
Saratoga county	48,810	48,941	49,071	49,200	49,331
Schenectady county	16,318	9,467	10,615	11,762	12,910
Schoharie county	26,525	26,197	25,868	25,537	25,207
Schuyler county	15,654	15,498	15,341	15,183	15,025
Seneca county	27,982	27,850	27,718	27,586	27,454
Steuben county	71,295	70,829	70,364	69,898	69,432
Suffolk county	79,650	81,719	83,788	85,857	87,926
Sullivan county	32,773	33,241	33,709	34,177	34,645
Tioga county	27,715	27,480	27,244	27,007	26,770
Tompkins county	20,450	20,207	19,963	19,718	19,475
Ulster county	63,354	62,821	62,288	61,755	61,221
Warren county	17,295	17,260	17,225	17,190	17,155
Washington county	45,940	46,256	46,573	46,890	47,207
Wayne county	48,711	48,762	48,814	48,866	48,918
Westchester county	93,897	97,774	101,650	105,523	109,397
Wyoming county	30,580	30,747	30,914	31,081	31,248
Yates county	20,114	19,910	19,706	19,502	19,298
RHODE ISLAND RURAL.					
Bristol county	13,524	13,905	14,287	14,668	15,048
Kent county	30,814	31,651	32,488	33,325	34,163
Newport county	10,334	10,510	10,685	10,859	11,034
Providence county	69,269	71,052	72,834	74,616	76,398
Washington county	24,271	24,389	24,506	24,624	24,742
VERMONT RURAL.					
Addison county	21,875	21,838	21,801	21,764	21,727
Bennington county	13,634	13,596	13,558	13,520	13,482
Caledonia county	24,476	24,571	24,666	24,761	24,856
Chittenden county	20,976	20,993	21,008	21,025	21,041
Essex county	7,910	7,764	7,618	7,472	7,326
Franklin county	30,242	30,286	30,331	30,375	30,419
Grand Isle county	4,524	4,586	4,648	4,710	4,772
Lamoille county	12,235	12,181	12,127	12,074	12,020
Orange county	19,287	19,261	19,235	19,210	19,184
Orleans county	22,016	22,008	22,000	21,992	21,984
Rutland county	32,515	32,319	32,123	31,926	31,730
Washington county	28,429	28,699	28,969	29,239	29,510
Windham county	26,671	26,682	26,693	26,704	26,715
Windsor county	32,277	32,329	32,382	32,433	32,485

TABLE II.—DEATH RATES IN EACH REGISTRATION CITY PER 1,000 OF POPULATION: 1901 TO 1905.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Adams town, Mass	16.5	15.5	18.4	15.3	16.4	17.9
Alameda, Cal	14.1	17.5	18.0	9.9	10.7	12.9
Albany, N. Y	18.5	18.8	17.1	18.8	19.0	18.5
Alexandria, Va	23.0	23.9	20.9	21.9	23.1	21.0
Allegheny, Pa	18.3	17.2	19.0	19.0	17.8	18.8
Allentown, Pa	16.8	14.3	18.6	14.3	19.0	17.1
Altoona, Pa	16.7	15.5	14.8	18.7	16.9	17.9
Amesbury town, Mass	16.4	17.4	15.5	15.6	17.8	15.5
Amsterdam, N. Y	15.4	14.3	15.3	17.2	15.1	15.3
Anderson, Ind	14.2	16.4	15.1	11.6	13.8	10.6
Ann Arbor, Mich	14.6	15.1	16.2	13.7	14.5	17.1
Annapolis, Md	22.2	20.3	20.3	18.3	24.4	21.3
Ansonia, Conn	15.4	14.2	14.0	15.6	12.6	14.4
Appleton, Wis	11.7	9.3	11.2	12.7	12.5	11.6
Arlington town, Mass	12.8	12.8	11.3	12.1	12.2	11.9
Ashtabula, Ohio	15.8	16.0	15.4	14.0	16.4	14.0
Atlanta, Ga	22.3	21.9	22.3	21.1	23.9	24.1
Atlantic City, N. J	16.3	18.5	16.5	15.1	14.8	16.7
Attleboro town, Mass	13.6	11.5	12.7	14.5	14.2	13.7
Auburn, N. Y	15.7	13.5	15.2	16.9	15.5	15.9
Augusta, Me	23.7	22.8	23.4	23.8	25.2	23.5
Aurora, Ill	14.0	15.0	12.7	12.6	13.6	11.8
Baltimore, Md	20.1	20.3	19.6	19.1	20.1	19.6
Bangor, Me	17.4	17.9	17.1	16.7	19.5	18.1
Barre, Vt	15.3	13.5	14.1	15.7	12.7	15.5
Bath, Me	15.6	14.0	14.9	16.4	15.3	14.4
Battle Creek, Mich	15.9	15.9	16.6	18.1	14.4	14.7
Bay City, Mich	13.3	12.7	12.4	13.8	14.1	12.6
Bayonne, N. J	17.0	16.8	15.9	17.7	17.6	15.9
Bellaire, Ohio	19.7	19.6	21.9	15.6	23.2	18.1
Belleville, Ill	16.9	15.3	15.9	17.6	20.6	15.9
Beloit, Wis	13.3	13.5	13.2	14.9	11.3	13.5
Bennington town, Vt	14.8	16.7	11.6	13.7	16.5	18.5
Berlin, N. H	16.1	13.1	11.5	16.3	16.7	14.7
Beverly, Mass	14.0	13.1	13.5	14.8	14.1	16.4
Biddeford, Me	20.3	20.0	20.6	18.4	19.6	16.7
Binghamton, N. Y	17.2	16.4	17.4	15.0	18.7	18.3
Boston, Mass	19.2	19.9	19.1	18.3	18.3	18.5
Bridgeport, Conn	16.8	16.8	16.2	17.0	16.5	16.5
Bridgeton, N. J	15.1	13.1	14.1	14.8	17.3	14.0
Bristol town, Conn	15.2	12.3	14.4	16.4	17.1	15.5
Brockton, Mass	12.3	12.9	11.2	11.2	12.4	13.0
Brookline town, Mass	11.2	11.0	11.2	10.4	10.6	11.1
Buffalo, N. Y	15.4	15.4	14.7	16.0	16.0	15.6
Burlington, Iowa	14.1	14.8	14.2	12.3	14.7	12.1
Burlington, Vt	17.7	17.4	16.3	19.2	18.0	21.0
Cambridge, Mass	15.5	16.5	14.8	15.0	14.5	14.8
Camden, N. J	17.7	18.1	17.4	15.9	19.0	16.2
Canton, Ohio	11.4	11.5	11.2	11.5	11.2	11.0
Carbondale, Pa	17.9	16.4	18.9	16.3	17.7	19.1
Carlisle, Pa	17.1	18.5	13.3	16.4	16.1	14.2
Central Falls, R. I	16.8	16.3	15.4	17.9	14.6	18.7
Charleston, S. C	31.3	31.5	31.1	28.8	30.0	29.0
Chelsea, Mass	18.2	16.8	18.6	17.7	18.7	18.7
Chicago, Ill	14.6	13.9	14.6	15.3	13.8	13.8
Chicopee, Mass	19.3	17.6	20.3	20.4	17.0	17.6
Chillicothe, Ohio	17.0	18.6	17.1	15.4	13.6	13.3
Chippewa Falls, Wis	12.8	11.2				
Cincinnati, Ohio	19.1	19.5	18.1	18.8	20.8	19.2
Cleveland, Ohio	16.1	15.2	15.8	16.6	15.4	14.7
Clinton town, Mass	15.7	16.5	17.0	16.4	13.4	16.4
Cohoes, N. Y	19.2	19.6	18.1	19.4	19.1	21.5
Columbia, Pa	16.2	17.4	15.2	13.7	14.5	11.6
Columbus, Ind	17.0	16.9	15.5	14.0	17.1	14.8
Columbus, Ohio	16.0	14.3	15.9	16.9	16.9	15.7
Concord, N. H	16.9	14.0	17.4	17.7	18.2	17.8
Corning, N. Y	15.1	15.5	11.7	13.8	15.7	15.9
Cortland, N. Y	13.1	14.7	9.6	14.4	13.3	9.9
Covington, Ky	18.6	22.0	17.9	15.1	18.6	17.6
Danbury town, Conn	16.7	15.4	17.3	17.4	15.6	17.3
Danvers town, Mass	25.9	25.5	22.7	27.1	31.8	28.5
Davenport, Iowa	14.4	15.6	13.8	14.6	13.4	14.2
Dayton, Ohio	14.9	16.1	14.5	13.8	14.6	14.4
Decatur, Ill	14.8	14.4	15.4	12.9	14.6	11.9
Denver, Colo	19.2	20.0	19.1	18.4	19.6	19.2
Detroit, Mich	15.6	15.3	15.6	15.8	14.9	14.4
Dover, N. H	17.1	17.6	15.0	16.0	18.0	19.6
Dubois, Pa	16.7	16.3	16.1	14.6	14.3	11.4
Duluth, Minn	13.4	13.3	13.1	14.4	11.6	12.9
Dunkirk, N. Y	16.3	12.6	16.4	17.2	18.9	14.9

TABLE II.—DEATH RATES IN EACH REGISTRATION CITY PER 1,000 OF POPULATION: 1901 TO 1905—Continued.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Eau Claire, Wis	11.7	12.7	11.4	10.0	12.5	10 1
Elizabeth, N. J	17.5	17.9	15.2	16.4	18.6	15.6
Elkhart, Ind	12.4	12.2	11.5	12 8	13.4	12.5
Elmira, N. Y	15.1	15.8	13.6	14.7	15.5	15.5
Elwood, Ind	10.8	12.7	11.6	9.9	9.2	8 6
Erie, Pa	14.9	15.5	15.0	13.3	15.1	15 8
Escanaba, Mich	19.0	16.2	17.4	16.0	21.6	21.9
Evansville Ind	13.7	13.0	12.0	12.9	14.9	13.6
Everett, Mass	13.9	15.2	14.6	11.8	12.3	13.9
Fall River, Mass	20.7	18.8	21.0	22.2	19.6	19.9
Findlay, Ohio	13.2	12.0	11.2	11.8	14.1	12.8
Fitchburg, Mass	14.3	15.0	14.1	14.1	12.9	13 7
Flint, Mich	13.4	14.0	13.7	14.4	13.0	15.0
Fort Wayne, Ind	14.3	14.4	13.5	15.5	13.9	13.7
Framingham town, Mass	14.8	14.5	13.9	14.7	13.3	17.3
Frederick, Md	21.8	22.2	24.4	23.7	19.3	20.5
Fresno, Cal	19.6	20.3	18.1	21.4	19.1	20 9
Gardner town, Mass	15.6	14.5	13.9	17.1	15.2	14.3
Geneva, N. Y	14.5	13.9	13.8	13.7	15.2	13.9
Glens Falls, N. Y	16.3	21.4	14.2	12 5	14 1	14.7
Gloucester, Mass	17.7	16.4	18.6	19.2	17.9	15.2
Gloversville, N. Y	13.9	14.8	12.7	15.3	14.0	12.6
Grand Rapids, Mich	13.4	12.9	12 3	13.4	14.8	14.3
Green Bay, Wis	14.0	13.8	11.5	13.8	14.8	15.0
Greenwich town, Conn	16.2	13.9	16.9	15.7	16.4	17.2
Hamilton, Ohio	15.0	14.5	15.4	14.1	15.6	12.2
Hammond, Ind	14.8	14.8	15.5	16.1	12.9	13.8
Harrisburg, Pa	16.5	18.0	16.2	15.1	15.2	14.8
Harrison, N. J	19.1	20.8	18.6	17.5	15.7	18.4
Hartford, Conn	16.6	16.6	15.3	16.3	16.6	16.4
Haverhill, Mass	15.4	14.9	15.9	15.6	14.7	16.0
Hazelton, Pa	14.7	13.0	14.9	13.7	15.8	15.3
Hoboken, N. J	20.2	18.8	18.7	18.2	22.2	20.7
Holyoke, Mass	18.2	18.8	16.2	17.7	16.9	16.5
Hudson, N. Y	19.3	19.3	18.3	17.5	19.8	19.6
Huntington, Ind	14.2	13.2	12.0	15.0	16 7	10.2
Hyde Park town, Mass	13.2	13.3	11.9	12.5	14.3	13.6
Indianapolis, Ind	15.8	15.4	14.3	15 8	16.3	14.1
Iron Mountain, Mich	14.0	14.5	12.7	15.0	12 8	17.9
Ironton, Ohio	16.4	19.4	19.6	14.1	13 4	16 9
Ironwood, Mich	14.7	14.8	18.6	16.9	7.2	13.8
Ishpeming, Mich	13.2	12.0	15.1	14.3	11.4	15 1
Ithaca, N. Y	16.1	14.5	14.3	19.3	15.4	14.4
Jackson, Mich	13.7	13.7	14.1	13.3	14.7	16.4
Jacksonville, Fla	27.6	26.7	28.2	27.0	26.6	28.7
Jacksonville, Ill	21.8	22.9	23.5	23.7	21.3	18.3
Jamestown, N. Y	12.1	12.5	10.3	12.3	12.6	12.2
Jeffersonville, Ind	20.2	23.0	20.4	19.8	18.5	16.7
Jersey City, N. J	19 6	19.2	18.7	18.7	20.8	19.0
Johnstown, N. Y	12.7	11 3	12.2	15.7	12.8	14.6
Johnstown, Pa	17.7	17.1	17.5	17.9	14.7	14.8
Kalamazoo, Mich	17.1	18.1	14.8	17.4	16.6	17.7
Kansas City, Mo	17.1	16.1	15.8	17.4	19.7	16.9
Keene, N. H	14.5	18.1	12.6	13.5	14.2	16.8
Key West, Fla	22.3	23.1	22.3	20.9	21.0	21.4
Kingston, N. Y	17.8	19.0	15.5	17.0	17.6	18 9
Kokomo, Ind	15 9	14.8	14.4	17.0	17.4	15.5
Laconia, N. H	18.2	18.5	16.9	20.4	17.7	19.0
Lafayette, Ind	17.8	16.4	18.6	17.1	18.4	18.1
Lancaster, Pa	15.0	16.2	13.3	13.6	14.9	13.4
Lansing, Mich	12.5	13.0	12.6	11.0	11.5	12.6
Lawrence, Mass	17.9	17.6	17.8	17.1	16.7	19.8
Leadville, Colo	20 1	20.7	17.6	14.9	19.2	15.6
Leavenworth, Kans	15.2	13.4	14.8	14.7	15.2	15.8
Leominster town, Mass	12.9	12.3	11 8	13.2	12.6	14.3
Lima, Ohio	15.7	18 6	13.5	13.6	13.6	12.0
Lincoln, Nebr	10.4	12.4	9.5	8.9	10.0	8.8
Lockport, N. Y	15.7	17.1	12.8	16.5	16 5	14.9
Logansport, Ind	17.2	17.9	17.8	15.4	17.9	18.4
Louisville, Ky	18.8	18.4	18.0	18.6	19.8	18.1
Lowell, Mass	20.0	21.5	20.5	20.5	18.3	20.0
Lynchburg, Va	21.6	19.3	20.3	19.5	21.8	21.9
Lynn, Mass	14.9	14.5	14.1	14.7	15.0	16.4
McKeesport, Pa	18.6	18.2	20.2	17.6	18.4	18.2
Madison, Wis	10.9	11.9	8.7	11.0	12.1	9.5
Mahanoy City, Pa	23.6	24.8	18.0	22.3	23.1	21.1
Malden, Mass	14.1	14.1	13.9	14.3	13.2	13.3
Manchester, N. H	17.9	18.5	17.7	17.5	15.7	20.4
Manchester town, Conn	11.7	12.6	10.3	10.9	11.1	15.4
Manitowoc, Wis	14.0	14.3	13.6	11.3	13.3	13.4
Mankato, Minn	13.2	13.7	13.6	13.3	12.8	15.2
Marietta, Ohio	14.2	18.1	12.5	13.0	11.6	12.0
Marinette, Wis	11.9	10.8	12.7	12.2	9.5	13.2
Marion, Ind	13.7	14.1	13.3	12.6	14.8	11.2
Marlboro, Mass	14.5	15.7	14.2	14.0	12.9	14.9
Marquette, Mich	15.6	12.5	12.9	18.0	15.8	16.5
Massillon, Ohio	13.0	15.7	11.3	10.1	12.2	10.7
Meadville, Pa	14.9	16.9	13.8	14.6	12.9	13.7
Medford, Mass	12.5	13.5	11.6	11.9	11.9	13.5
Melrose, Mass	13.0	12.5	13.3	10.9	13.4	13.4
Memphis, Tenn	19.2	18.4	18.0	17.8	19.5	17.9
Menominee, Mich	13.1	12.7	11.8	15.6	11.5	13.4
Meriden town, Conn	14.1	14.3	12.9	14 2	13.9	13.2
Michigan City, Ind	13.4	12.8	12.0	16.3	12.9	11.0
Middletown, N. Y	19.4	19.5	19.5	16.8	22.1	18.4
Middletown, Ohio	13.2	12.6	15.8	12.5	11.9	11.5
Middletown town, Conn	19.2	20.9	20.0	25.5	11.3	24.1
Milford town, Mass	15.1	15.5	15.6	13.5	14.0	15.1
Millville, N. J	14.6	14.5	15.6	13.3	15.2	13.6
Milwaukee, Wis	13.6	13.2	12.6	13.5	13.6	13.0
Minneapolis, Minn	10.6	11.7	10.0	10.4	9.6	9.4
Mobile, Ala	24.4	23.8	22 5	23.2	25.4	25.2
Montclair, N. J	17.5	16.8	15.9	17.7	19.6	17.7
Morristown, N. J	18.1	18.2	16.7	18.0	19.4	20.1
Mt. Carmel, Pa	20.8	21.6	22.7	13.8	17.8	14.5
Mt. Vernon, N. Y	15.4	17.8	14.8	11.6	14.4	13.0
Muncie, Ind	15.5	13.7	15.1	15.9	15.6	15.2
Muscatine, Iowa	13.5	13.6	11.5	12.3	13.9	13.9
Muskegon, Mich	12.7	12.1	11.9	12.5	13.3	12.8
Nashua, N. H	16.9	17.3	18.0	15.2	14 4	14 3
Nashville, Tenn	22.1	20.2	22.1	20.8	23.8	21.9
Natick town, Mass	14.3	15.8	16.0	13.5	12.8	15.5
Naugatuck, Conn	15.0	12.4	17.0	13.8	14.4	11.7
New Albany, Ind	17.5	18.1	17.0	17.0	17.7	16.7
New Bedford, Mass	20.5	19.3	20.3	23.0	19.0	17.4
New Britain town, Conn	16.2	14.1	13.8	17.5	15.2	16.3
New Brunswick, N. J	18.9	17.9	18 9	17.0	19.8	18.6
New Haven, Conn	17.4	17.9	16.7	17 0	17.2	18.7
New London, Conn	19.6	18.4	19.4	19.2	21.1	17.9
New Orleans, La	23.1	22.3	22.3	22.3	22.3	23.7
New Rochelle, N. Y	14.4	17.2	13.0	11.1	13.9	13.0
New York, N. Y	19.4	19 9	18.6	18.0	20.1	18.4
Bronx borough	20.7	22.0	21.6	19.4	21.5	20.3
Brooklyn borough	18.7	19.3	18.1	17.3	18.8	17.6
Manhattan borough	20.0	20 2	18.7	18 5	21.2	18.8
Queens borough	16.5	17.3	16.3	14.8	16.1	16.1
Richmond borough	19.3	19.8	18.5	17.1	20.4	19.2
Newark, N. J	19.2	19.2	18.9	18.4	19.5	17.7
Newark, Ohio	14.1	13.0	13.2	11.6	17.2	17.6
Newburg, N. Y	19.3	17.4	18.6	18.3	20.1	19.0
Newburyport, Mass	19.5	19.1	19.9	18.0	18.9	19.4
Newcastle, Pa	14.2	12.9	15.9	13.6	12.8	14.8
Newport, Ky	16.3	17.3	13.6	13.1	15.7	19.3
Newport, R. I	16.4	16.8	18.1	15.0	13.9	16.0
Newton, Mass	12.8	12.8	12.6	12.6	11.4	13.2
Niagara Falls, N. Y	16.3	16.1	16.9	15.6	16.6	16.0
Norfolk, Va	22.5	22.1	22.0	20.2	20.9	21.0
Norristown, Pa	23.9	26.5	24.9	24.6	24.3	22.3
North Adams, Mass	15.7	15.9	14 9	16.6	16.4	14.2
Northampton, Mass	16.3	17.2	13.8	14.5	17.6	16.6
Norwalk town, Conn	15.4	14.6	14.4	15.8	15.2	16.7
Norwich town, Conn	18.0	19.1	15.2	19.7	16.4	18.0
Oakland, Cal	15.9	16.2	16.6	15.6	15.0	15.7
Ogdensburg, N. Y	21.8	21.1	22.3	23.4	24.9	24.7
Olean, N. Y	12.1	11.8	10.1	10.4	13.5	11.7
Omaha, Nebr	11.3	11.6	11.9	9.7	11.5	10.8
Orange, N. J	19 7	17.4	20.0	20.7	21.4	21.2
Ottawa, Ill	13.5	15.8	13.1	12.8	11.3	12.4
Ottumwa, Iowa	12.5	11.4	11.1	13.2		
Owosso, Mich	10.1	12.1	11.7	7.2	6.6	11.3
Paducah, Ky	23.4	24.6	23.0	20.8	20.7	19.4
Passaic, N. J	19.3	18.0	17.7	19.2	18.4	18.2
Paterson, N. J	17.2	17.6	16.6	16.0	18.0	16.6
Pawtucket, R. I	17.2	16.6	18.0	15.9	16.0	16.7
Peabody town, Mass	15.1	16 5	13.4	15.2	12.3	13.1
Peekskill, N. Y	18.6	20.8	22.5	15.3	15.4	15.5
Perth Amboy, N. J	13.8	16.0	13.8	11.4	12.1	12.1
Peru, Ind	13.0	12.7	13.9	9.3	12.8	10.5
Petersburg, Va	27.5	26.5	25.3	25.2	30.5	24.4
Philadelphia, Pa	18.8	18.1	17.6	18.8	18.8	17.7
Phillipsburg, N. J	14.3	15.1	14.5	13.1	12.9	10.1
Pittsburg, Pa	20.7	20.0	22.0	21.7	19.8	20.0

TABLE II.—DEATH RATES IN EACH REGISTRATION CITY PER 1,000 OF POPULATION: 1901 TO 1905—Continued.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
Pittsfield, Mass	15.8	15 7	15.1	15.2	16.3	16.5
Plainfield, N. J	16.5	16.5	15.5	15.6	16.4	16.0
Plymouth, Pa	16.8	17.5	11.7	19.3	15.5	12.5
Plymouth town, Mass	14.4	15.9	13.3	13.0	14.2	14.6
Pontiac, Mich	17.2	16.5	16.6	20.4	16.4	17.5
Port Huron, Mich	12.9	13.8	13.3	11.5	11.4	13.7
Port Jervis, N. Y	17.4	18.1	16.3	17.3	18.9	16.0
Portland, Me	18.8	17.8	18.1	18.2	19.0	17.5
Portland, Oreg	12.1	12.4	11.7	12.7	13.5	13.7
Portsmouth, N. H	18.5	20.0	20.0	18.8	14.4	16.6
Portsmouth, Ohio	16.2	15.0	15.6	17.2	14.9	14.0
Pottstown, Pa	15.5	14.9	14.6	15.0	15.9	15.5
Pottsville, Pa	17.2	18.1	15.6	15.9	19.8	20.0
Poughkeepsie, N. Y	19.3	17.5	17.3	18.2	20.9	17.3
Providence, R. I	19.5	19.1	18.4	20.6	18.5	17.5
Pueblo, Colo	26.2	22.3	34.6	27.3	23.9	23.4
Quincy, Ill	15.1	14.8	15.1	14.7	15.4	14.7
Quincy, Mass	14.0	13.1	16.0	13.6	12.8	13.1
Raleigh, N. C	25.4	29.0	26.2	19.2	22.5	24.8
Reading, Pa	16.7	17.4	15.8	15.1	15.7	14.9
Revere town, Mass	13.1	12.7	13.3	12.3	12.7	11.8
Richmond, Ind	17.4	16.6	21.2	15.4	16.6	13.1
Richmond, Va	25.7	24.6	25.5	25.4	24.0	22.1
Rochester, N. H	16.7	13.9	14.4	16.2	16.9	17.2
Rochester, N.Y	14.4	14.4	13.5	14.7	15.0	15.3
Rockland, Me	19.2	19.6	15.8	19.9	20.4	18.9
Rome, N. Y	17.2	18.6	15.9	16.9	17.2	18.3
Rutland, Vt	18.6	17.7	17.8	20.5	19.9	16.1
Sacramento, Cal	20.1	20.6	19.7	18.7	20.1	22.8
Saginaw, Mich	13.4	13.9	13.0	12.6	13.0	12.7
St. Joseph, Mo	7.6	7.6	8.7	6.5	7.9	7.6
St. Louis, Mo	18.1	18.0	17.3	18.2	18.8	16.9
St. Paul, Minn	10.0	10.4	10.0	9.7	10.0	10.0
Salem, Mass	18.9	17.5	17.9	20.1	18.9	19.7
Salt Lake City, Utah	17.8	15.9	19.2	19.4	18.3	18.3
San Antonio, Tex	24.4	24.7	26.6	22.5	25.3	24.5
San Diego, Cal	21.5	21.2	20.8	20.8	25.0	24.2
San Francisco, Cal	21.0	20.6	21.6	21.3	20.8	20.1
San Jose, Cal	15.9	15.8	15.7	15.0	18.1	15.7
Saratoga Springs, N. Y	21.7	24.2	22.2	19.3	21.5	20.5
Sault Ste. Marie, Mich	18.8	18.7	21.0	19.4	14.3	16.5
Savannah, Ga	27.3	29.6	26.1	23.6	26.0	25.6
Schenectady, N. Y	15.6	18.0	13.8	15.7	14.4	13.6
Scranton, Pa	16.7	16.3	14.0	14.9	17.9	18.2
Seattle, Wash	11.8	10.8	12.3	12.1	12.6	11.5
Sioux City, Iowa	12.2	11.5	13.0	11.4	12.4	12.7
Somerville, Mass	14.4	13.2	13.8	14.4	14.2	13.9
South Bend, Ind	13.0	13.3	12.7	12.0	13.9	15.2
South Bethlehem, Pa	17.3	19.1	14.0	17.9	16.7	11.3
Southbridge town, Mass	17.6	15.6	15.9	16.3	17.4	17.8
Spokane, Wash	14.9	12.3	13.9	17.7	15.9	15.5
Springfield, Ill	18.6	19.3	18.0	16.5	21.4	16.8
Springfield, Mass	16.1	14.6	15.2	16.0	16.2	15.3
Stamford town, Conn	19.0	19.0	17.7	19.1	21.3	22.2
Steelton, Pa	16.6	12.9	19.6	20.2	14.5	17.0
Stonington town, Conn	16.7	15.7	15.1	16.1	19.8	17.2
Superior, Wis	11.6	11.6	11.5	12.0	9.0	9.0
Syracuse, N. Y	14.4	14.1	13.3	14.3	15.2	15.5
Tacoma, Wash	12.9	13.7	15.2	11.0	11.1	10.9
Taunton, Mass	19.7	18.2	18.4	20.9	20.3	21.8
Terre Haute, Ind	18.2	18.5	19.5	15.6	21.1	15.0
Tiffin, Ohio	13.6	13.1	15.3	12.5	13.7	12.8
Toledo, Ohio	14.5	14.0	14.3	14.7	13.7	13.7
Torrington town, Conn	12.1	13.1	9.7	11.8	10.3	13.2
Traverse City, Mich	17.8	18.9	17.5	17.6	19.5	17.9
Trenton, N. J	17.2	15.6	17.1	17.6	18.1	16.8
Troy, N. Y	21.1	21.3	18.7	19.3	21.6	21.5
Union, N. J	16.1	16.7	16.4	15.2	17.2	17.8
Utica, N. Y	18.2	15.9	17.7	17.4	20.0	18.1
Vernon town, Conn	14.7	12.1	14.6	15.3	14.5	14.1
Vincennes, Ind	17.7	18.6	16.3	12.1	21.0	18.8
Wabash, Ind	12.1	12 3	13.9	9.4	12.8	10.2
Wakefield town, Mass	12.9	13.7	14.7	11.5	11.9	13.9
Wallingford town, Conn	13.3	12.6	10.8	14.9	14.2	11.6
Waltham, Mass	14.0	14.5	13.3	13.9	13.0	13.8
Ware town, Mass	16.6	17.0	17.5	12.5	14.7	14.8
Washington, D. C	20.9	21.4	20.1	20.3	20.8	20.5
Washington, Ind	14.2	16.4	15.5	12.0	12.8	13.3
Waterbury town, Conn[1]	17.0	16.9	17.1	16.7	15.3	15.9
Watertown, N. Y	15.5	15.4	12.7	14.4	16.7	15.1
Watertown town, Mass	12.8	12.3	12.7	11.5	12.7	12.1
Watervliet, N. Y	16.6	17.2	14.7	16.4	15.8	19.5
Webster town, Mass	15.8	14.4	17.0	16.1	14.9	15.2
West Bay City, Mich	13.7	12.7	14.6	12.5	12.2	(2)
Westfield town, Mass	17.1	17.9	16.3	17.1	15.2	15.6
Weymouth town, Mass	15.1	14.2	13.8	16.7	14.2	15.0
Wheeling, W. Va	16.4	17.4	16.1	15.6	17.5	15.3
Wichita, Kans	15.4	16.8	14.7	14.1	15.5	16.1
Williamsport, Pa	13.2	11.9	13.7	13.3	14.9	16.3
Wilmington, Del	17.7	17.3	17.3	17.9	15.6	16.6
Wilmington, N. C	28.2	27.0	28.5	26.7	28.1	25.0
Windham town, Conn	18.1	16.6	15.8	17.0	19.6	21.2
Winona, Minn	12.6	12.8	10.3	11.8	14.2	12.7
Woburn, Mass	15.9	14.9	16.0	16.0	13.6	15.2
Woonsocket, R. I	17.0	16.5	18.3	16.0	14.8	15.2
Worcester, Mass	16.9	17.1	15.8	17.0	16.2	17.7
Yonkers, N. Y	16.3	16.4	16.2	15.0	17.1	16.6
Youngstown, Ohio	17.1	16.4	18.6	19.5	16.5	19.3

[1] Town and city made coextensive January 1, 1902.

[2] Annexed to Bay City April 1, 1905.

TABLE III.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES, 1901 TO 1905.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
All causes	528,511	518,207	508,640	524,415	551,354	545,533	1,655.3	1,656.0	1,594.1	1,611.8	1,663.9	1,616.0
I.—General diseases	145,382	145,527	138,514	146,082	149,549	145,263	455.3	465.1	434.1	449.0	451.3	430.3
A.—Epidemic diseases	46,788	48,832	44,029	46,925	43,033	39,089	146.5	156.1	138.0	144.2	129.9	115.8
Typhoid fever	10,771	10,127	10,980	11,149	10,557	9,479	33.7	32.4	34.4	34.3	31.9	28.1
Exanthematic typhus	3	.....	7	1	2	3	(1)	.....	(1)	(1)	(1)	(1)
Recurrent fever	2	4	2	1	3	1	(1)	(1)	(1)	(1)	(1)	(1)
Malarial fever	1,791	1,980	1,738	1,410	1,391	1,321	5.6	6.3	5.4	4.3	4.2	3 9
Smallpox	1,180	1,085	2,111	1,382	709	308	3.7	3.5	6.6	4.2	2.1	0.9
Measles	3,213	2,287	3,033	3,221	3,659	2,557	10.1	7.3	9.5	9.9	11.0	7.6
Scarlet fever	3,778	4,113	4,041	3,991	3,610	2,284	11.8	13.1	12.7	12.3	10.9	6.8
Whooping cough	3,596	3,051	3,854	5,171	2,183	3,599	11.3	9.8	12.1	15.9	6.6	10.7
Diphtheria and croup	10,729	10,667	9,859	10,363	9,444	8,039	33.6	34.1	30.9	31.8	28.5	23.8
Diphtheria	8,719	8,434	8,101	8,658	7,898	6,709	27.3	27.0	25.4	26.6	23.8	19.9
Croup	2,010	2,233	1,758	1,705	1,546	1,330	6.3	7.1	5.5	5.2	4.7	3.9
Influenza	6,627	10,093	3,225	6,064	6,724	6,426	20 8	32.3	10.1	18.6	20.3	19.0
Miliary fever	3	.....	9	3	2	.....	(1)	.....	(1)	(1)	(1)	.....
Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras	530	563	516	374	397	449	1.7	1.8	1 6	1.1	1.2	1.3
Dysentery	2,990	3,331	3,187	2,378	2,567	2,588	9.4	10.6	10.0	7.3	7.7	7.7
Plague	23	26	41	17	7	.....	0.1	0.1	0.1	0.1	(1)	.....
Yellow fever	4	2	1	17	.....	438	(1)	(1)	(1)	0.1	.....	1.3
Leprosy	5	6	5	4	4	8	(1)	(1)	(1)	(1)	(1)	(1)
Erysipelas	1,468	1,450	1,337	1,300	1,680	1,510	4.6	4.6	4.2	4.0	5.1	4.5
Other epidemic diseases	75	47	83	79	94	79	0.2	0.2	0.3	0.2	0.3	0.2
B.—Other general diseases	98,594	96,695	94,485	99,157	106,516	106,174	308.8	309.0	296.1	304.8	321 5	314.5
Septicemia	2,158	2,290	2,281	1,754	1,886	1,780	6.8	7 3	7.1	5.4	5.7	5.3
Glanders and farcy	5	2	7	12	3	3	(1)	(1)	(1)	(1)	(1)	(1)
Malignant pustule and charbon	25	32	16	22	25	20	0.1	0.1	0.1	0.1	0.1	0.1
Rabies	40	41	45	43	38	44	0 1	0.1	0.1	0.1	0.1	0.1
Actinomycosis, trichinosis, etc	13	6	18	12	18	15	(1)	(1)	0.1	(1)	0.1	(1)
Pellagra	1	.....	.....	2	1	.....	(1)	.....	.....	(1)	(1)	.....
Tuberculosis (all forms)	62,142	61,599	58,938	61,487	66,797	65,352	194.6	196.9	184.7	189.0	201.6	193.6
Tuberculosis of lungs	54,998	54,735	52,079	53,910	58,763	56,770	172.3	174.9	163.2	165.7	177.3	168.2
Tuberculosis of larynx	517	527	541	539	570	610	1.6	1.7	1.7	1.7	1.7	1.8
Tuberculous meningitis	2,787	2,656	2,674	2,905	3,025	3,264	8.7	8.5	8.4	8.9	9.1	9.7
Abdominal tuberculosis	1,834	1,767	1,817	1,854	2,098	2,193	5.7	5.6	5.7	5.7	6.3	6.5
Pott's disease	463	442	421	516	519	563	1.5	1.4	1.3	1.6	1.6	1.7
Tuberculous abscess	52	48	39	72	62	61	0.2	0.2	0.1	0.2	0.2	0.2
White swelling	223	206	237	224	241	261	0.7	0.7	0.7	0.7	0 7	0.8
Tuberculosis of other organs	427	393	391	465	545	539	1.3	1 3	1.2	1.4	1.6	1.6
General tuberculosis	842	825	739	1,002	974	1,091	2.6	2.6	2.3	3 1	2.9	3.2
Scrofula	160	168	145	153	124	126	0.5	0.5	0.5	0.5	0.4	0.4
Venereal diseases	1,266	1,161	1,163	1,393	1,569	1,596	4 0	3.7	3.6	4.3	4.7	4.7
Syphilis	1,234	1,137	1,131	1,368	1,507	1,534	3.9	3.6	3.5	4.2	4.5	4.5
Gonorrhea of the adult	16	14	15	12	28	27	0.1	(1)	(1)	(1)	0.1	0.1
Gonorrheal infections of children (under 5 years)	16	10	17	13	34	35	0.1	(1)	0 1	(1)	0.1	0.1
Cancer	21,224	20,171	20,847	22,325	23,395	24,330	66.5	64.5	65.3	68.6	70.6	72.1
Cancer of mouth	618	612	583	661	737	792	1.9	2.0	1.8	2.0	2.2	2.3
Cancer of stomach and liver	7,687	7,095	7,483	8,193	8,744	8,939	24.1	22.7	23.5	25.2	26.4	26.5
Cancer of intestines	2,138	2,157	2,239	2,134	2,399	2,732	6.7	6.9	7.0	6 6	7.2	8.1
Cancer of female genital organs	3,075	2,919	3,033	3,289	3,436	3,637	9.6	9.3	9.5	10 1	10.4	10.8
Cancer of breast	1,729	1,647	1,750	1,787	2,030	2,010	5.4	5.3	5.5	5 5	6.1	6.0
Cancer of skin	697	683	688	752	758	818	2.2	2.2	2.2	2 3	2.3	2.4
Cancer of other or unspecified organs	5,281	5,058	5,071	5,509	5,291	5,402	16.5	16.2	15.9	16.9	16.0	16.0
Tumor	504	505	459	531	444	501	1 6	1.6	1.4	1.6	1.3	1.5
Rheumatism	2,910	2,985	2,661	2,785	3,187	2,827	9 1	9.5	8.3	8.6	9.6	8.4
Acute articular rheumatism	1,599	1,510	1,366	1,594	2,100	1,918	5.0	4.8	4.3	4.9	6.3	5.7
Chronic rheumatism and gout	1,311	1,475	1,295	1,191	1,087	909	4.1	4.7	4.1	3.7	3.3	2.7
Diabetes	3,492	3,212	3,312	3,681	4,259	4,397	10.9	10.3	10.4	11.3	12.9	13.0
Exophthalmic goiter	192	185	168	235	247	256	0.6	0.6	0.5	0.7	0.7	0.8
Addison's disease	148	149	149	156	148	141	0.5	0.5	0.5	0.5	0.4	0.4
Leukemia	360	324	371	396	400	480	1.1	1.0	1.2	1.2	1.2	1.4
Anemia, chlorosis	1,567	1,562	1,524	1,512	1,607	1,687	4.9	5.0	4.8	4.6	4.8	5.0
Alcoholism	1,973	1,870	1,943	2,163	1,927	2,106	6.2	6.0	6.1	6.6	5.8	6.2
Lead poisoning	81	71	94	100	81	87	0.3	0.2	0.3	0.3	0.2	0.3
Other occupational poisonings	4	3	1	11	3	8	(1)	(1)	(1)	(1)	(1)	(1)
Other chronic poisonings	152	147	157	189	170	169	0.5	0.5	0.5	0.6	0.5	0.5
Scurvy	48	48	44	55	50	44	0.2	0.2	0.1	0.2	0.2	0.1
Other general diseases	128	164	142	140	137	205	0.4	0.5	0.4	0.4	0.4	0.6
II.—Diseases of nervous system	60,575	60,431	59,313	58,319	60,581	61,556	189.7	193.1	185.9	179.2	182.8	182.3
Encephalitis	743	831	716	609	530	465	2.3	2.7	2.2	1.9	1.6	1.4
Meningitis	10,551	10,430	9,981	9,213	10,553	11,654	33.0	33.3	31.3	28.3	31.8	34.5
Simple meningitis	8,452	8,643	8,259	7,295	7,269	6,540	26.5	27.6	25.9	22.4	21.9	19.4
Epidemic cerebro-spinal meningitis	2,099	1,787	1,722	1,918	3,284	5,114	6.6	5.7	5.4	5.9	9.9	15.1
Locomotor ataxia	728	722	691	813	820	883	2.3	2.3	2.2	2.5	2.5	2.6
Other diseases of spinal cord	1,510	1,428	1,454	1,685	1,653	1,724	4.7	4.6	4.6	5.2	5.0	5.1
Apoplexy	22,033	21,390	21,862	22,311	23,828	24,390	69.0	68.4	68.5	68.6	71.9	72.2
Softening of brain	1,238	1,241	1,197	1,258	1,250	1,042	3.9	4.0	3.8	3.9	3.8	3.1
Paralysis	6,977	7,220	6,674	6,609	6,431	5,981	21.9	23 1	20.9	20.3	19.4	17.7
General paralysis of insane	2,135	2,069	2,238	2,152	2,263	2,450	6.7	6.6	7.0	6.6	6.8	7.3
Other forms of mental disease	1,227	1,232	1,207	1,232	1,139	1,039	3.8	3.9	3.8	3.8	3.4	3.1
Other diseases of brain	1,480	1,550	1,445	1,456	1,341	1,436	4.6	5.0	4.5	4.5	4.0	4.3
Epilepsy	1,446	1,417	1,483	1,512	1,481	1,367	4.5	4.5	4.6	4.6	4.5	4.0
Convulsions	8,030	8,517	7,987	6,833	6,802	6,677	25.2	27.2	25.0	21.0	20.5	19.8
Convulsions (nonpuerperal)	411	438	367	357	310	346	1.3	1.4	1.2	1.1	0.9	1.0
Convulsions of children (under 5 years)	7,619	8,079	7,620	6,476	6,492	6,331	23.9	25.8	23.9	19.9	19.6	18.8
Tetanus	1,214	1,129	1,158	1,326	1,105	1,033	3.8	3.6	3.6	4.1	3.3	3.1
Chorea	86	96	85	88	80	87	0.3	0.3	0.3	0.3	0.2	0.3
Other diseases of nervous system	807	846	825	763	752	787	2.5	2.7	2.6	2.3	2.3	2.3
Diseases of eye and adnexa	21	20	15	22	28	26	0.1	0.1	(1)	0.1	0.1	0.1
Diseases of ear	349	293	295	437	525	515	1.1	0.9	0.9	1.3	1.6	1.5

[1] Less than one-tenth.

TABLE III.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
III.—Diseases of circulatory system	50,051	46,250	49,233	52,275	57,220	58,503	156.8	147.8	154.3	160.7	172.7	173.3
Pericarditis	720	748	753	664	624	594	2.3	2.4	2.4	2.0	1.9	1.8
Endocarditis	3,543	3,299	3,681	3,202	3,880	4,265	11.1	10.5	11.5	9.8	11.7	12.6
Heart disease	38,510	35,586	37,577	40,704	44,472	44,723	120.6	113.7	117.8	125.1	134.2	132.5
Angina pectoris	2,078	1,981	2,080	2,192	2,180	2,281	6.5	6.3	6.5	6.7	6.6	6.8
Diseases of arteries	2,612	2,132	2,629	2,908	3,516	4,145	8.2	6.8	8.2	8.9	10.6	12.3
Embolism and thrombosis	1,327	1,261	1,306	1,449	1,401	1,417	4.2	4.0	4.1	4.5	4.2	4.2
Diseases of veins	172	175	153	176	202	227	0.5	0.6	0.5	0.5	0.6	0.7
Diseases of lymphatics	65	57	53	58	83	73	0.2	0.2	0.2	0.2	0.3	0.2
Hemorrhages	978	959	945	862	826	719	3.1	3.1	3.0	2.6	2.5	2.1
Other diseases of circulatory system	46	52	56	60	36	59	0.1	0.2	0.2	0.2	0.1	0.2
IV.—Diseases of respiratory system	73,969	72,080	71,027	70,930	76,975	69,445	231.7	230.3	222.6	218.0	232.3	205.7
Diseases of nasal fossa	60	95	72	57	44	88	0.2	0.3	0.2	0.2	0.1	0.3
Diseases of larynx	819	838	837	787	710	610	2.6	2.7	2.6	2.4	2.1	1.8
Laryngitis	442	490	456	397	349	258	1.4	1.6	1.4	1.2	1.1	0.8
Other diseases of larynx	377	348	381	390	361	352	1.2	1.1	1.2	1.2	1.1	1.0
Diseases of thyroid body	88	90	93	93	97	110	0.3	0.3	0.3	0.3	0.3	0.3
Bronchitis	12,577	12,465	12,581	11,847	11,931	11,309	39.4	39.8	39.4	36.4	36.0	33.5
Acute bronchitis	7,303	7,040	7,588	6,842	6,910	6,598	22.9	22.5	23.8	21.0	20.9	19.5
Chronic bronchitis	5,274	5,425	4,993	5,005	5,021	4,711	16.5	17.3	15.6	15.4	15.2	14.0
Pneumonia	52,779	50,609	49,868	50,728	57,176	50,676	165.3	161.7	156.3	155.9	172.6	150.1
Bronchopneumonia	9,793	8,894	10,153	10,964	12,219	11,608	30.7	28.4	31.8	33.7	36.9	34.4
Pneumonia	42,986	41,715	39,715	39,764	44,957	39,068	134.6	133.3	124.5	122.2	135.7	115.7
Pleurisy	1,484	1,469	1,442	1,463	1,598	1,627	4.6	4.7	4.5	4.5	4.8	4.8
Congestion of lungs	3,044	3,254	2,978	2,885	2,597	2,297	9.5	10.4	9.3	8.9	7.8	6.8
Gangrene of lungs	156	172	196	132	157	174	0.5	0.5	0.6	0.4	0.5	0.5
Asthma	1,270	1,259	1,264	1,262	1,207	1,109	4.0	4.0	4.0	3.9	3.6	3.3
Emphysema	243	268	257	247	189	176	0.8	0.9	0.8	0.8	0.6	0.5
Other diseases of respiratory system	1,449	1,561	1,439	1,429	1,269	1,269	4.5	5.0	4.5	4.4	3.8	3.8
Hemorrhage of lungs	783	844	773	753	675	707	2.5	2.7	2.4	2.3	2.0	2.1
Other diseases of respiratory system	666	717	666	676	594	562	2.1	2.3	2.1	2.1	1.8	1.7
V.—Diseases of digestive system	64,219	62,950	61,192	61,219	66,125	68,940	201.1	201.2	191.8	188.2	199.6	204.2
Diseases of mouth	249	256	229	235	256	232	0.8	0.8	0.7	0.7	0.8	0.7
Diseases of pharynx	487	469	461	439	520	477	1.5	1.5	1.4	1.3	1.6	1.4
Tonsilitis	288	285	258	258	290	270	0.9	0.9	0.8	0.8	0.9	0.8
Other diseases of pharynx	198	184	203	181	230	207	0.6	0.6	0.6	0.6	0.7	0.6
Diseases of esophagus	113	98	126	113	110	117	0.4	0.3	0.4	0.3	0.3	0.3
Ulcer of stomach	906	871	905	905	1,044	1,094	2.8	2.8	2.8	2.8	3.2	3.2
Other diseases of stomach	5,860	5,604	5,562	5,788	5,943	6,031	18.4	17.9	17.4	17.8	17.9	17.9
Gastritis	3,854	3,764	3,693	3,797	3,710	3,585	12.1	12.0	11.6	11.7	11.2	10.6
Other diseases of stomach	2,005	1,840	1,869	1,991	2,233	2,446	6.3	5.9	5.9	6.1	6.7	7.2
Dentition	349	342	321	210	173	209	1.1	1.1	1.0	0.6	0.5	0.6
Diarrhea and enteritis	36,021	35,596	33,627	33,035	36,864	39,399	112.8	113.8	105.4	101.5	111.3	116.7
Diarrhea and enteritis (under 2 years)	29,183	28,523	26,903	26,697	30,315	33,032	91.4	91.2	84.3	82.1	91.5	97.8
Diarrhea and enteritis (2 years and over)	6,838	7,073	6,724	6,338	6,549	6,367	21.4	22.6	21.1	19.5	19.8	18.9
Intestinal parasites	35	41	35	29	37	48	0.1	0.1	0.1	0.1	0.1	0.1
Hernia	1,313	1,272	1,316	1,412	1,405	1,413	4.1	4.1	4.1	4.3	4.2	4.2
Obstruction of intestines	2,765	2,666	2,691	2,844	3,040	3,219	8.7	8.5	8.4	8.7	9.2	9.5
Other diseases of intestines	938	941	926	915	932	1,013	2.9	3.0	2.9	2.8	2.8	3.0
Acute yellow atrophy of liver	123	104	144	119	143	147	0.4	0.3	0.5	0.4	0.4	0.4
Hydatid tumors of liver	11	8	14	9	12	14	(1)	(1)	(1)	(1)	(1)	(1)
Cirrhosis of liver	4,489	4,265	4,460	4,731	5,020	4,994	14.1	13.6	14.0	14.5	15.1	14.8
Biliary calculi	651	500	668	795	832	883	2.0	1.6	2.1	2.4	2.5	2.6
Other diseases of liver	2,531	2,558	2,483	2,545	2,340	2,289	7.9	8.2	7.8	7.8	7.1	6.8
Diseases of spleen	85	82	89	88	76	90	0.3	0.3	0.3	0.3	0.2	0.3
Peritonitis	3,844	4,091	3,824	3,333	3,331	3,105	12.0	13.1	12.0	10.2	10.1	9.2
Appendicitis	3,374	3,131	3,216	3,589	3,946	4,062	10.6	10.0	10.1	11.0	11.9	12.0
Other diseases of digestive system	76	55	95	85	101	104	0.2	0.2	0.3	0.3	0.3	0.3
VI.—Diseases of genito-urinary system	35,825	33,489	34,608	38,013	40,450	41,361	112.2	107.0	108.5	116.8	122.1	122.5
Nephritis and Bright's disease	30,139	28,005	29,119	31,814	34,381	35,196	94.4	89.5	91.3	97.8	103.8	104.3
Acute nephritis	2,887	2,498	2,983	3,173	3,470	3,565	9.0	8.0	9.3	9.8	10.5	10.6
Bright's disease	27,252	25,507	26,136	28,641	30,911	31,631	85.4	81.5	81.9	88.0	93.3	93.7
Other diseases of kidneys	943	947	938	917	923	906	3.0	3.0	2.9	2.8	2.8	2.7
Calculi of urinary tract	139	126	150	151	154	193	0.4	0.4	0.5	0.5	0.5	0.6
Diseases of bladder	1,493	1,530	1,432	1,450	1,408	1,257	4.7	4.9	4.5	4.5	4.2	3.7
Diseases of urethra, urinary abscess, etc	130	119	122	140	146	152	0.4	0.4	0.4	0.4	0.4	0.5
Diseases of prostate	730	621	666	1,012	927	1,083	2.3	2.0	2.1	3.1	2.8	3.2
Nonvenereal diseases of male genital organs	33	27	32	47	39	31	0.1	0.1	0.1	0.1	0.1	0.1
Metritis	74	51	82	71	86	100	0.2	0.2	0.3	0.2	0.3	0.3
Uterine hemorrhage (nonpuerperal)	92	107	84	87	79	86	0.3	0.3	0.3	0.3	0.2	0.3
Uterine tumor	539	529	536	608	620	611	1.7	1.7	1.7	1.9	1.9	1.8
Other diseases of uterus	478	462	440	545	489	496	1.5	1.5	1.4	1.7	1.5	1.5
Ovarian tumor	412	411	428	439	433	440	1.3	1.3	1.3	1.3	1.3	1.3
Other diseases of female genital organs	608	540	571	714	743	786	1.9	1.7	1.8	2.2	2.2	2.3
Diseases of tubes	491	407	460	583	654	692	1.5	1.3	1.4	1.8	2.0	2.0
Other diseases of female genital organs	117	133	111	131	89	94	0.4	0.4	0.3	0.4	0.3	0.3
Nonpuerperal diseases of breast (cancer excepted)	16	14	8	18	22	24	0.1	(1)	(1)	0.1	0.1	0.1
VII.—Childbirth (the puerperal state)	4,448	4,294	4,164	4,569	5,109	5,077	13.9	13.7	13.0	14.0	15.4	15.0
Accidents of pregnancy	547	526	535	570	579	537	1.7	1.7	1.7	1.8	1.7	1.6
Puerperal hemorrhage	296	287	284	341	360	413	0.9	0.9	0.9	1.0	1.1	1.2
Other accidents of labor	285	306	283	280	321	286	0.9	1.0	0.9	0.9	1.0	0.8
Puerperal septicemia	1,949	1,882	1,813	1,992	2,291	2,309	6.1	6.0	5.7	5.9	6.9	6.8
Puerperal convulsions	849	803	768	929	1,075	981	2.7	2.6	2.4	2.9	3.2	2.9
Puerperal phlegmasia alba dolens	3	1	2	5	3	7	(1)	(1)	(1)	(1)	(1)	(1)
Other puerperal accidents	517	488	478	452	479	542	1.6	1.6	1.5	1.4	1.4	1.6
Puerperal diseases of breast	1	1	1	.....	1	2	(1)	(1)	(1)	.....	(1)	(1)

[1] Less than one-tenth.

TABLE III.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905	Annual average: 1900 to 1904.	1901	1902	1903	1904	1905
VIII.—Diseases of skin	2,403	2,419	2,269	2,470	2,397	2,406	7.5	7.7	7.1	7.6	7.2	7.1
Gangrene	1,423	1,460	1,327	1,482	1,500	1,518	4.5	4.7	4.2	4.6	4.5	4.5
Carbuncle	152	166	154	151	134	142	0.5	0.5	0.5	0.5	0.4	0.4
Abscess	507	464	448	547	476	432	1.6	1.5	1.4	1.7	1.4	1.3
Other diseases of skin	322	329	340	290	287	314	1.0	1.1	1.1	0.9	0.9	0.9
IX.—Diseases of locomotor system	861	807	849	980	990	1,036	2.7	2.6	2.7	3.0	3.0	3.1
Diseases of bones	721	642	715	829	861	929	2.3	2.1	2.2	2.5	2.6	2.8
Diseases of joints	72	79	57	93	82	66	0.2	0.3	0.2	0.3	0.2	0.2
Amputation	44	47	45	39	27	18	0.1	0.2	0.1	0.1	0.1	0.1
Other diseases of organs of locomotion	24	39	32	19	20	23	0.1	0.1	0.1	0.1	0.1	0.1
X.—Malformations	3,768	3,453	3,440	4,025	4,382	4,588	11.8	11.0	10.8	12.4	13.2	13.6
Hydrocephalus	554	571	490	533	541	499	1.7	1.8	1.5	1.6	1.6	1.5
Congenital malformation of heart (cyanosis)	2,023	1,794	1,875	2,141	2,434	2,706	6.3	5.7	5.9	6.6	7.3	8.0
Other congenital malformations	1,191	1,088	1,075	1,351	1,407	1,383	3.7	3.5	3.4	4.2	4.2	4.1
XI.—Diseases of early infancy	22,540	20,722	21,811	22,514	24,001	23,617	70.6	66.2	68.4	69.2	72.4	70.0
Premature birth	9,875	8,615	9,087	10,143	11,361	11,102	30.9	27.5	28.5	31.2	34.3	32.9
Congenital debility	6,968	6,563	6,931	6,942	6,862	10,626	21.8	21.0	21.7	21.3	20.7	31.5
Other diseases of early infancy	875	799	755	937	971	860	2.7	2.6	2.4	2.9	2.9	2.5
Lack of care	4,822	4,745	5,038	4,492	4,807	1,029	15.1	15.2	15.8	13.8	14.5	3.0
XII.—Old age	14,042	14,758	14,225	12,780	12,938	12,301	44.0	47.2	44.6	39.3	39.0	36.4
XIII.—Violence	33,236	33,330	31,135	35,542	36,644	37,778	104.1	106.5	97.6	109.2	110.6	111.9
Suicide	4,167	3,824	4,054	4,510	4,912	5,438	13.1	12.2	12.7	13.9	14.8	16.1
Suicide by poison	1,389	1,254	1,344	1,627	1,698	1,820	4.4	4.0	4.2	5.0	5.1	5.4
Suicide by asphyxia	297	245	280	368	414	516	0.9	0.8	0.9	1.1	1.2	1.5
Suicide by hanging or strangulation	646	608	620	625	772	794	2.0	1.9	1.9	1.9	2.3	2.4
Suicide by drowning	212	210	223	204	242	276	0.7	0.7	0.7	0.6	0.7	0.8
Suicide by firearms	988	913	953	1,052	1,185	1,435	3.1	2.9	3.0	3.2	3.6	4.3
Suicide by cutting instruments	234	209	221	297	273	306	0.7	0.7	0.7	0.9	0.8	0.9
Suicide by jumping from high places	50	41	45	69	66	54	0.2	0.1	0.1	0.2	0.2	0.2
Suicide by crushing	17	14	15	25	22	26	0.1	(1)	(1)	0.1	0.1	0.1
Other suicides	332	330	353	243	240	211	1.0	1.1	1.1	0.7	0.7	0.6
Fractures	2,770	2,648	2,718	2,944	2,867	2,489	8.7	8.5	8.5	9.0	8.7	7.4
Dislocations	52	49	58	59	41	50	0.2	0.2	0.2	0.2	0.1	0.1
Burns and scalds	2,649	2,685	2,575	2,667	2,745	2,846	8.3	8.6	8.1	8.2	8.3	8.4
Burning by corrosive substances	10	10	13	15	11	8	(1)	(1)	(1)	(1)	(1)	(1)
Heat and sunstroke	1,265	4,012	290	520	235	881	4.0	12.8	0.9	1.6	0.7	2.6
Cold and freezing	173	154	163	184	227	228	0.5	0.5	0.5	0.6	0.7	0.7
Lightning	101	127	108	92	81	80	0.3	0.4	0.3	0.3	0.2	0.2
Drowning	3,389	3,380	3,244	3,418	3,378	3,389	10.6	10.8	10.2	10.5	10.2	10.0
Inhalation of poisonous gases	1,242	786	950	1,715	2,167	1,306	3.9	2.5	3.0	5.3	6.5	3.9
Other accidental poisonings	1,428	1,234	1,374	1,551	1,632	1,269	4.5	3.9	4.3	4.8	4.9	3.8
Accidental traumatisms	11,319	10,300	11,091	13,038	13,366	14,223	35.5	32.9	34.8	40.1	40.3	42.1
Accidental gunshot wounds	1,172	1,082	1,196	1,151	1,294	823	3.7	3.5	3.7	3.5	3.9	2.4
Injuries by machinery	240	196	281	280	320	348	0.8	0.6	0.9	0.9	1.0	1.0
Injuries in mines and quarries	254	274	199	305	329	491	0.8	0.9	0.6	0.9	1.0	1.5
Railroad accidents and injuries	4,560	4,102	4,485	5,484	5,084	5,731	14.3	13.1	14.1	16.9	15.3	17.0
Injuries by vehicles and horses	696	557	660	907	949	1,168	2.2	1.8	2.1	2.8	2.9	3.5
Other accidental traumatisms	4,396	4,089	4,270	4,911	5,390	5,662	13.8	13.1	13.4	15.1	16.3	16.8
Other external violence	4,637	4,081	4,459	4,793	4,952	5,549	14.5	13.0	14.0	14.7	14.9	16.4
Suffocation	517	551	439	504	555	548	1.6	1.8	1.4	1.5	1.7	1.6
Injuries at birth	1,411	1,134	1,304	1,669	1,899	2,166	4.4	3.6	4.1	5.1	5.7	6.4
Homicide	774	709	734	834	935	1,540	2.4	2.3	2.3	2.6	2.8	4.6
Other external violence	1,934	1,687	1,982	1,786	1,563	1,295	6.1	5.4	6.2	5.5	4.7	3.8
Starvation, privation, etc	35	40	38	36	30	22	0.1	0.1	0.1	0.1	0.1	0.1
XIV.—Ill-defined causes	17,191	17,697	16,860	14,697	13,993	13,662	53.8	56.6	52.8	45.2	42.2	40.5
"Dropsy"	1,552	1,580	1,609	1,221	1,144	1,002	4.9	5.0	5.0	3.8	3.5	3.0
"Heart failure"	2,346	2,141	2,087	2,189	2,167	1,924	7.3	6.8	6.5	6.7	6.5	5.7
Sudden death	108	109	139	118	96	152	0.3	0.3	0.4	0.4	0.3	0.5
Unspecified or ill-defined causes	1,510	1,739	1,536	1,410	1,105	1,202	4.7	5.6	4.8	4.3	3.3	3.6
Inanition (over 3 months of age)	2,110	2,176	2,196	1,892	1,873	2,117	6.6	7.0	6.9	5.8	5.7	6.3
Debility (over 3 months of age)	2,397	2,510	2,263	2,003	1,499	1,585	7.5	8.0	7.1	6.2	4.5	4.7
Marasmus (over 3 months of age)	4,903	5,113	5,008	4,163	4,298	4,290	15.4	16.3	15.7	12.8	13.0	12.7
Fever	288	288	269	230	218	156	0.9	0.9	0.8	0.7	0.7	0.5
Cause unknown	1,976	2,041	1,753	1,471	1,593	1,234	6.2	6.5	5.5	4.5	4.8	3.7

[1] Less than one-tenth.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
SUMMARIES.														
The registration area	1901	1,656.0	32.4	6.3	3.5	7.3	13.1	9.8	34.1	32.3	.....	174.9	21.9	64.5
	1902	1,594.1	34.4	5.4	6.6	9.5	12.7	12.1	30.9	10.1	.....	163.2	21.5	65.3
	1903	1,611.8	34.3	4.3	4.2	9.9	12.3	15.9	31.8	18.6	.....	165.7	23.3	68.6
	1904	1,663.9	31.9	4.2	2.1	11.0	10.9	6.6	28.5	20.3	.....	177.3	24.2	70.6
	1905	1,616.0	28.1	3.9	0.9	7.6	6.8	10.7	23.8	19.0	15.0	168.2	25.4	72.1
Registration cities	1901	1,738.7	33.8	6.9	4.4	7.5	15.5	10.5	39.3	25.8	.....	191.9	24.4	65.2
	1902	1,697.7	37.5	5.9	7.9	11.0	15.3	13.1	36.5	8.3	.....	180.4	24.0	66.2
	1903	1,708.8	38.1	4.6	5.4	11.3	14.2	17.4	37.5	16.2	.....	183.6	25.8	69.5
	1904	1,750.8	35.1	4.6	2.5	11.7	12.4	6.9	32.8	16.7	.....	195.5	26.9	71.6
	1905	1,687.6	30.1	4.1	1.1	8.5	7.6	11.7	27.2	15.0	14.4	184.4	27.8	72.5
Registration states	1901	1,635.6	27.5	5.0	3.6	7.4	13.5	8.7	33.4	36.3	.....	167.2	22.0	66.2
	1902	1,542.2	26.3	4.0	6.5	9.3	11.9	12.4	29.7	10.4	.....	152.2	21.3	66.1
	1903	1,557.7	24.6	3.0	1.5	8.8	12.3	14.3	31.0	19.1	.....	153.7	22.9	69.7
	1904	1,637.7	23.8	2.9	0.8	11.3	11.6	5.8	29.3	21.7	.....	163.9	23.9	71.4
	1905	1,592.9	22.4	2.5	0.6	7.4	6.8	9.0	23.6	20.5	14.7	155.9	24.5	73.6
Cities in registration states	1901	1,782.7	26.5	4.9	5.5	7.7	18.5	9.3	43.1	26.8	.....	194.7	26.9	69.0
	1902	1,705.8	25.8	3.7	9.0	12.1	16.6	14.6	39.8	7.0	.....	177.4	26.2	68.4
	1903	1,707.3	24.6	2.5	1.8	10.6	16.2	16.0	41.5	14.7	.....	179.7	27.6	72.3
	1904	1,789.3	24.0	2.6	0.6	12.9	15.1	5.9	38.5	15.7	.....	189.4	28.8	74.0
	1905	1,716.8	22.0	1.8	0.6	9.1	8.4	9.8	30.1	13.7	13.1	178.5	28.7	75.7
Rural part of registration states	1901	1,455.3	28.8	5.0	1.3	6.9	7.5	7.9	21.5	47.9	.....	133.6	16.0	62.7
	1902	1,337.9	26.9	4.3	3.4	5.7	6.1	9.6	17.0	14.6	.....	120.7	15.3	63.2
	1903	1,367.8	24.5	3.7	1.2	6.4	7.3	12.1	17.7	24.7	.....	120.7	17.0	66.4
	1904	1,442.6	23.7	3.3	1.1	9.3	7.1	5.7	17.5	29.5	.....	131.1	17.6	68.0
	1905	1,430.6	23.0	3.5	0.5	5.3	4.6	7.9	15.0	29.4	16.7	126.2	19.1	70.9
Registration cities in other states.	1901	1,693.9	41.4	8.8	3.2	7.2	12.5	11.8	35.4	24.7	.....	189.1	21.8	61.3
	1902	1,689.4	49.3	8.2	6.8	9.9	14.1	11.5	33.2	9.6	.....	183.4	21.8	64.0
	1903	1,710.4	51.9	6.7	9.2	12.0	12.3	18.8	33.4	17.7	.....	187.6	24.0	66.6
	1904	1,711.5	46.4	6.6	4.5	10.5	9.7	8.0	27.1	17.7	.....	201.7	24.9	69.2
	1905	1,657.7	38.3	6.4	1.5	7.8	6.8	13.7	24.2	16.4	15.7	190.4	27.0	69.3
REGISTRATION STATES.														
Connecticut	1901	1,607.8	30.1	11.2	0.4	7.9	9.2	11.5	33.4	60.3	.....	163.3	18.5	70.3
	1902	1,529.0	21.8	9.4	1.5	4.8	17.9	15.5	27.7	13.1	.....	147.1	17.9	68.3
	1903	1,618.7	21.7	5.5	0.1	22.2	15.5	25.2	26.4	32.8	.....	145.5	21.8	76.4
	1904	1,591.4	17.3	4.7	.....	8.2	8.2	6.6	22.2	36.4	.....	144.0	20.9	68.8
	1905	1,646.2	21.6	6.7	.....	5.4	5.2	7.4	24.0	26.5	18.4	147.8	24.0	75.9
District of Columbia	1901	2,135.4	61.4	15.2	.....	3.9	3.9	22.2	36.7	58.5	.....	296.2	33.9	70.2
	1902	2,005.0	79.1	11.1	0.3	5.2	2.1	42.3	17.3	20.8	.....	246.2	34.7	74.9
	1903	2,027.5	48.8	7.5	0.7	15.3	0.7	24.2	8.5	29.0	.....	266.4	37.5	75.4
	1904	2,083.9	47.0	4.0	0.3	1.3	3.7	13.1	17.4	33.9	.....	279.5	37.6	76.5
	1905	2,047.3	48.2	3.6	3.0	2.6	3.6	23.4	16.2	28.4	7.9	274.7	43.6	75.9
Indiana	1901	1,378.3	46.7	9.3	0.8	8.0	6.1	9.7	20.8	39.3	.....	163.3	19.4	44.1
	1902	1,276.4	49.0	7.4	3.0	4.5	6.0	9.1	15.8	12.4	.....	152.4	18.5	47.9
	1903	1,218.4	40.7	5.9	7.5	6.4	7.2	10.6	17.6	15.9	.....	151.3	20.1	49.3
	1904	1,353.0	40.7	5.6	3.7	18.6	8.3	6.0	11.9	20.7	.....	169.4	22.0	50.4
	1905	1,284.0	37.3	5.1	1.3	0.5	5.5	10.8	13.6	24.8	19.6	148.5	21.7	55.3
Maine	1901	1,607.2	32.2	1.6	.....	4.2	2.9	4.3	18.2	42.7	.....	155.5	26.4	82.4
	1902	1,542.5	24.5	3.0	1.6	4.3	1.8	7.3	16.1	17.4	.....	139.5	28.2	86.7
	1903	1,592.1	32.5	1.6	1.0	5.7	2.7	15.3	16.2	26.8	.....	129.2	24.6	85.0
	1904	1,649.9	35.3	1.5	0.4	3.2	1.3	7.8	22.7	23.6	.....	147.5	25.3	86.3
	1905	1,622.3	22.4	1.8	.....	4.8	1.0	5.5	15.6	36.1	11.1	124.6	30.9	92.9
Massachusetts	1901	1,694.4	19.9	3.2	3.4	8.0	13.9	9.1	41.1	27.7	.....	179.0	23.8	76.7
	1902	1,646.6	18.5	2.0	9.8	11.5	10.7	13.7	31.0	7.6	.....	166.4	23.1	77.4
	1903	1,670.9	18.1	2.2	0.8	9.3	17.7	21.1	30.3	18.9	.....	158.3	24.8	80.9
	1904	1,634.0	16.7	2.0	0.3	8.7	5.2	5.6	24.5	14.9	.....	173.6	25.7	88.0
	1905	1,676.0	18.0	1.4	0.1	8.4	4.2	9.6	22.2	21.6	12.4	163.1	29.6	89.3
Michigan	1901	1,341.9	26.3	4.6	1.1	3.1	12.4	6.6	20.8	43.4	.....	88.4	15.1	60.0
	1902	1,266.9	24.5	4.0	1.6	9.4	10.7	10.6	19.8	12.3	.....	84.1	14.0	59.6
	1903	1,323.3	24.1	2.6	1.2	6.9	8.0	15.2	27.3	18.0	.....	85.3	16.1	67.5
	1904	1,359.0	25.2	2.6	1.1	7.5	8.3	5.7	19.8	25.0	.....	91.3	16.6	67.4
	1905	1,350.7	24.2	2.3	2.9	4.0	4.6	4.5	18.3	22.5	13.0	88.4	16.5	64.2
New Hampshire	1901	1,675.8	18.8	1.7	1.2	1.4	12.8	6.7	20.7	34.5	.....	146.5	18.8	87.7
	1902	1,588.4	18.1	0.5	1.7	4.8	0.5	7.4	37.5	12.2	.....	134.5	16.0	81.2
	1903	1,650.8	24.4	1.9	.....	9.9	2.6	15.2	24.9	36.0	.....	128.2	17.8	77.5
	1904	1,597.7	18.6	2.1	0.5	1.6	2.3	4.9	16.5	29.8	.....	140.1	19.7	80.4
	1905	1,695.1	15.4	1.6	.....	14.4	0.9	8.4	18.6	38.7	14.2	134.9	16.5	83.7
New Jersey	1901	1,642.3	19.5	4.4	7.2	3.6	9.8	9.1	36.5	20.3	.....	171.7	20.7	58.2
	1902	1,578.7	21.6	3.2	21.6	11.0	11.6	15.3	35.0	4.7	.....	157.1	19.0	53.5
	1903	1,567.5	19.5	3.1	0.8	2.9	14.9	14.3	38.6	11.7	.....	169.3	19.8	58.3
	1904	1,690.8	18.6	2.8	1.1	9.9	21.1	6.6	47.8	12.4	.....	181.6	25.5	57.6
	1905	1,581.6	16.4	2.4	(2)	5.1	8.7	8.5	32.5	9.5	16.7	170.7	26.8	63.2
New York	1901	1,769.7	24.9	3.8	5.9	10.0	19.8	8.5	40.3	35.6	.....	186.8	24.2	69.8
	1902	1,642.8	23.2	3.1	5.8	11.4	16.5	11.9	37.7	9.4	.....	166.8	23.9	68.9
	1903	1,646.9	22.2	2.1	0.5	8.5	14.5	10.1	38.1	17.4	.....	170.7	25.2	71.7
	1904	1,795.9	21.3	2.3	0.2	14.4	15.9	5.4	38.1	22.1	.....	179.7	25.0	73.8
	1905	1,701.0	19.9	1.7	0.1	11.2	9.7	9.5	27.9	15.8	14.0	173.7	24.2	76.1
Rhode Island	1901	1,812.6	23.5	8.0	1.1	3.6	4.8	3.9	44.2	39.9	.....	192.1	30.1	72.7
	1902	1,770.6	20.3	5.8	8.2	5.1	6.2	17.6	35.4	14.7	.....	178.8	30.5	82.4
	1903	1,880.0	17.6	6.1	0.7	30.0	12.8	34.6	42.9	34.6	.....	89.6	36.1	77.3
	1904	1,724.2	14.9	4.3	.....	3.4	14.9	1.7	30.9	23.2	.....	170.5	38.7	86.6
	1905	1,709.7	17.1	3.3	.....	7.5	7.1	9.6	28.7	28.3	17.3	175.6	38.3	80.4

[1] Shown for 1905 only.

[2] Less than one-tenth.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.6	10.3	33.3	159.8	147.8	133.3	97.0	113.8	87.4	89.5	66.2	12.2	94.3	50.0	152.9	6.5
1.4	10.4	31.3	154.6	154.3	124.5	98.1	105.4	86.4	91.3	68.4	12.7	84.9	47.3	145.9	5.5
1.6	11.3	28.3	150.9	160.7	122.2	95.8	101.5	86.6	97.8	69.2	13.9	95.4	40.6	142.4	4.5
1.3	12.9	31.8	151.0	172.7	135.7	96.6	111.3	88.3	103.8	72.4	14.8	95.8	37.4	145.6	4.8
1.5	13.0	34.5	147.8	173.3	115.7	90.0	116.7	87.5	104.3	70.0	16.1	95.8	36.8	127.9	3.7
1.5	10.1	36.4	154.6	147.1	143.5	107.1	127.5	91.2	99.3	73.3	13.7	102.0	51.4	149.4	5.5
1.4	9.9	35.2	151.0	154.4	138.2	112.0	119.7	90.8	100.8	75.4	14.4	90.9	50.2	142.9	4.3
1.6	11.0	31.0	145.3	157.9	136.6	107.3	114.6	90.2	107.7	78.1	15.6	101.3	43.0	140.3	3.6
1.2	12.7	35.6	143.3	168.9	150.7	107.6	125.8	92.1	114.3	79.9	16.7	101.2	38.7	141.9	3.5
1.5	13.0	38.9	140.9	170.4	124.6	99.4	128.5	90.5	114.4	76.5	17.9	100.6	38.1	125.3	2.8
1.6	11.5	32.8	161.9	153.1	129.5	97.6	116.3	83.2	89.6	66.1	10.4	88.9	45.5	151.2	5.5
1.4	11.7	29.7	155.5	159.9	116.2	97.4	103.1	80.9	90.2	68.1	10.3	78.3	40.5	144.1	5.0
1.7	12.6	27.8	153.7	167.5	113.1	96.0	98.8	82.4	95.9	66.9	11.3	88.2	36.4	140.1	4.3
1.4	14.2	34.1	156.4	181.1	130.2	97.7	110.2	83.7	102.3	70.8	12.2	92.9	33.7	145.4	4.9
1.5	14.1	39.0	153.0	181.6	112.5	89.9	117.3	83.4	101.5	69.1	13.5	90.5	33.9	127.1	3.4
1.5	12.1	38.6	153.4	156.0	146.5	118.1	145.6	87.4	109.0	80.0	11.7	99.8	44.6	142.8	2.7
1.3	11.8	36.2	149.1	164.7	136.6	124.3	129.6	85.3	108.4	81.8	11.7	84.9	40.7	136.6	2.2
1.6	13.0	32.8	144.8	167.3	134.4	119.0	122.6	86.1	114.2	82.8	12.8	94.3	37.7	134.3	2.2
1.2	14.9	43.3	145.4	180.2	155.7	120.3	138.2	87.7	122.0	84.2	13.9	101.5	33.3	137.7	2.4
1.4	14.8	51.1	143.2	182.2	127.7	108.5	141.1	86.1	119.4	81.3	15.0	96.0	34.2	121.4	1.6
1.9	10.8	25.8	172.3	149.6	108.6	72.6	80.3	78.2	65.8	49.0	8.7	75.5	46.6	161.6	8.9
1.5	11.5	21.6	163.4	154.0	90.6	63.8	70.0	75.5	67.6	51.0	8.5	70.0	40.2	153.4	8.5
1.8	12.1	21.5	165.0	167.7	86.1	66.9	68.6	77.7	72.8	46.7	9.4	80.4	34.9	147.4	6.9
1.6	13.3	22.2	170.6	182.3	97.3	68.6	74.1	78.7	76.9	53.5	10.1	81.8	34.2	155.2	8.1
1.5	13.2	23.1	165.7	180.9	92.7	65.6	86.1	79.8	78.1	53.1	11.6	83.3	33.5	134.6	5.8
1.6	8.0	34.2	155.9	137.9	140.4	96.0	109.1	95.1	89.3	66.5	15.7	104.2	58.4	156.0	8.4
1.5	8.0	34.2	153.0	143.9	139.7	99.5	109.6	96.4	93.2	68.8	17.2	97.0	59.9	149.2	6.4
1.5	8.9	29.2	145.8	148.3	138.8	95.3	106.6	94.3	101.1	73.4	18.6	108.5	48.3	146.6	4.9
1.3	10.4	27.8	141.1	157.4	145.7	94.7	113.2	96.6	106.4	75.5	19.5	100.9	44.1	146.1	4.6
1.5	11.1	26.5	138.5	158.3	121.5	90.1	115.6	94.9	109.2	71.5	20.7	105.4	42.1	129.3	4.1
2.3	12.8	33.3	166.6	162.8	107.6	89.5	107.1	81.3	84.8	74.1	10.8	89.0	16.4	145.7	7.6
1.3	12.9	34.6	167.4	168.8	99.1	76.0	114.7	82.6	92.0	74.7	11.6	84.4	21.0	139.4	3.5
1.7	13.3	34.4	165.4	180.7	107.9	90.0	106.3	85.2	93.1	75.1	12.3	100.1	22.3	135.7	2.1
2.1	17.1	42.7	163.8	184.6	111.2	77.2	119.5	87.7	105.7	74.3	15.2	98.1	17.6	130.9	6.4
1.3	14.9	50.7	173.3	199.8	110.0	80.0	132.7	87.8	99.3	67.9	16.2	106.3	21.2	117.9	4.2
0.3	10.2	23.6	207.4	224.7	119.2	125.9	165.4	97.0	125.6	105.4	10.2	100.9	39.5	177.7	0.3
0.7	10.7	26.4	183.1	203.2	126.9	141.8	159.9	91.9	115.5	116.2	13.2	72.5	38.8	169.9	0.3
0.7	12.3	17.1	200.5	223.1	137.4	128.6	135.4	104.0	131.3	112.5	20.1	82.2	39.2	168.8	0.3
0.7	12.4	22.8	206.7	222.4	146.3	120.8	139.6	105.0	147.3	107.7	21.1	97.0	37.6	181.5	0.7
1.0	15.5	19.1	184.6	225.2	139.0	111.9	141.6	106.6	159.1	99.4	19.8	105.7	31.7	155.8	----------
1.3	8.0	29.1	140.0	97.4	102.7	67.9	87.7	81.1	49.6	72.2	7.4	63.9	55.9	141.7	4.9
0.7	8.8	23.9	124.2	100.0	78.0	57.1	78.5	79.0	52.1	81.9	7.1	63.2	45.7	143.8	6.4
1.0	8.6	21.4	124.2	111.5	68.8	55.0	73.2	76.5	53.9	55.5	7.9	71.8	33.6	119.2	3.8
1.6	9.7	26.7	132.6	120.6	92.2	62.0	78.1	79.7	59.5	78.4	8.6	71.2	33.8	136.5	4.5
1.7	10.0	22.4	127.7	124.6	81.1	55.1	79.0	81.2	59.0	67.3	12.5	70.7	31.6	112.7	3.4
1.9	12.6	41.3	189.5	175.0	123.8	70.9	96.1	77.5	80.4	34.1	11.3	62.9	55.3	173.5	30.7
1.3	12.6	34.9	195.4	179.0	120.5	71.0	64.8	75.2	80.7	48.5	10.3	63.3	48.5	182.6	23.5
2.0	13.1	33.8	195.9	185.5	121.2	67.4	75.4	80.6	90.3	55.7	10.8	65.0	50.2	179.8	24.8
1.1	14.7	29.4	189.9	194.7	124.9	73.9	68.8	85.2	89.9	62.2	12.9	82.5	44.8	188.2	31.9
1.7	16.5	27.8	194.8	195.9	118.8	69.5	96.2	86.3	89.6	65.9	11.7	68.2	39.2	174.1	19.4
2.4	11.7	39.8	165.8	185.4	127.4	90.2	117.7	77.5	76.7	91.5	10.7	81.0	52.9	153.2	4.4
1.8	13.6	38.0	165.9	192.7	123.2	95.8	115.1	73.2	74.3	92.7	9.3	73.4	53.8	147.7	4.4
2.1	14.4	37.6	158.8	199.1	127.9	93.6	117.2	75.2	81.2	95.0	10.8	78.4	43.9	149.2	4.2
1.3	15.8	32.8	160.8	211.3	121.6	88.1	114.4	74.9	85.0	93.8	10.2	80.7	30.8	144.6	2.7
1.9	15.9	42.6	162.8	226.1	125.8	83.3	129.1	77.4	86.5	85.7	10.6	86.6	34.8	125.0	1.9
1.5	10.5	18.1	147.0	133.8	99.1	80.8	91.5	86.6	46.6	45.4	9.0	82.9	35.8	158.6	12.9
1.5	12.1	15.6	139.0	147.8	85.9	75.4	74.9	86.4	52.5	48.0	9.3	78.0	28.4	148.9	12.6
2.5	11.3	15.3	146.8	152.1	80.1	74.4	86.1	88.3	55.1	50.3	9.8	86.9	29.3	150.5	12.3
2.1	13.4	15.5	149.9	164.0	80.0	74.4	80.4	90.5	59.6	53.4	11.8	84.1	30.6	164.1	14.7
1.3	11.0	18.5	148.0	160.3	72.5	75.2	97.8	92.6	62.2	57.1	11.3	82.4	40.7	143.9	10.8
2.1	11.6	40.2	208.4	187.2	131.8	93.5	108.9	74.9	74.4	36.1	11.8	63.6	73.5	187.7	19.3
2.1	12.2	45.1	210.7	198.5	128.8	82.7	84.6	81.7	79.1	37.7	6.7	54.0	61.9	176.0	12.2
3.1	18.9	37.7	200.4	216.0	124.4	77.5	99.7	82.7	87.4	34.8	11.1	86.5	46.4	178.9	6.9
1.4	14.3	30.8	198.1	213.6	110.4	78.3	95.9	86.9	92.8	41.1	10.8	72.1	44.7	184.4	5.6
2.8	17.9	70.8	189.5	219.5	110.9	66.4	112.3	92.5	101.8	50.1	10.3	76.7	48.7	172.2	5.1
1.3	8.8	43.9	189.1	141.8	125.5	97.9	123.5	81.5	93.9	72.1	12.3	110.4	59.5	117.5	2.3
0.9	8.9	40.2	181.7	149.8	116.5	104.9	112.1	78.3	96.5	69.3	11.2	83.7	58.6	110.8	1.9
0.5	10.3	40.6	177.4	148.9	117.9	93.4	95.7	80.9	101.1	71.0	13.5	97.2	51.8	112.5	1.6
1.0	11.1	40.4	172.7	159.6	154.8	101.3	131.5	80.1	100.6	73.1	14.2	94.9	45.7	121.9	2.6
1.3	11.8	46.7	158.9	156.3	116.2	91.1	123.5	76.8	108.1	68.0	15.6	100.1	44.1	101.2	1.3
1.5	12.8	31.3	156.9	159.8	153.5	119.1	131.8	85.8	121.2	61.0	10.8	101.7	40.8	151.3	0.6
1.5	12.2	27.6	150.7	166.7	135.8	121.2	113.1	82.1	119.1	60.9	11.8	86.3	34.6	139.8	0.9
1.8	13.6	25.8	146.1	174.3	128.6	120.6	101.7	83.1	125.5	64.3	12.1	96.1	33.5	138.0	0.7
1.2	15.5	41.8	152.0	195.7	158.7	124.7	125.1	85.0	135.0	65.8	13.0	109.6	33.6	140.6	0.5
1.3	15.5	47.4	147.2	189.2	124.9	111.4	129.1	82.9	129.1	68.5	15.1	99.6	30.5	125.0	0.4
1.4	18.9	47.2	154.0	161.8	129.2	100.5	131.2	94.3	118.3	81.6	12.3	85.9	24.6	169.1	8.7
1.6	11.8	42.1	152.5	170.5	119.1	104.2	175.2	97.5	116.9	71.7	12.0	84.6	20.7	183.2	2.0
0.4	15.7	24.4	146.3	174.5	138.4	118.8	175.2	96.9	138.2	71.0	11.1	94.7	24.8	165.0	2.4
0.6	15.8	24.5	153.3	176.7	136.9	106.2	149.0	85.1	137.9	67.5	13.0	89.6	19.2	156.4	3.4
0.6	17.1	26.7	138.5	175.2	152.7	102.5	148.1	82.1	140.6	62.7	11.5	81.4	19.6	133.7	3.5

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION STATES—Continued.														
Vermont	1901	1,658.2	28.7	1.5	.....	9.3	11.3	11.0	14.8	44.1	.....	134.0	17.7	70.5
	1902	1,504.8	19.1	1.2	0.6	6.4	9.0	9.8	11.0	21.1	.....	119.7	16.8	69.1
	1903	1,622.2	24.8	1.4	0.9	8.4	1.4	4.3	16.4	34.3	.....	115.0	19.9	93.7
	1904	1,601.7	29.9	1.7	.....	0.9	2.6	6.6	16.7	44.5	.....	114.6	20.4	87.0
	1905	1,701.6	24.6	1.7	.....	10.9	2.9	11.5	16.3	51.5	10.3	122.3	18.9	84.2
REGISTRATION CITIES.														
Adams town, Mass	1901	1,552.1	35.1	.....	.....	.....	35.1	.....	52.6	26.3	.....	166.6	.....	61.4
	1902	1,841.7	42.8	.....	.....	.....	17.1	34.3	8.6	.....	.....	145.6	17.1	51.4
	1903	1,532.2	25.1	.....	.....	.....	58.6	8.4	25.1	.....	.....	150.7	8.4	67.0
	1904	1,637.3	32.7	.....	8.2	8.2	.....	.....	40.9	16.4	.....	131.0	.....	65.5
	1905	1,786.0	80.1	.....	.....	40.0	16.0	80.1	24.0	48.1	8.0	240.3	24.0	40.0
Alameda, Cal	1901	1,747.7	17.6	5.9	.....	.....	5.9	11.8	47.1	.....	.....	170.6	11.8	70.6
	1902	1,797.5	22.8	5.7	.....	.....	.....	.....	39.9	.....	.....	142.7	39.9	108.4
	1903	991.5	33.2	5.5	.....	.....	5.5	5.5	22.2	5.5	.....	60.9	22.2	60.9
	1904	1,065.4	.....	.....	.....	5.4	10.8	.....	10.8	.....	.....	129.1	26.9	86.1
	1905	1,287.0	36.6	.....	.....	.....	.....	26.2	5.2	.....	5.2	130.8	36.6	73.2
Albany, N. Y	1901	1,875.0	21.1	1.1	.....	1.1	4.2	3.2	43.2	37.9	.....	235.0	39.0	91.7
	1902	1,705.8	32.4	1.0	10.5	.....	3.1	7.3	27.2	20.9	.....	199.8	17.8	89.9
	1903	1,881.8	19.7	1.0	2.1	10.4	21.8	21.8	15.6	38.4	.....	209.7	27.0	98.6
	1904	1,902.7	17.5	3.1	.....	.....	9.3	4.1	10.3	34.0	.....	223.5	25.8	109.2
	1905	1,851.6	19.4	1.0	.....	13.3	2.0	9.2	16.4	20.4	9.2	211.6	32.7	95.1
Alexandria, Va	1901	2,385.4	27.5	13.7	.....	.....	.....	6.9	68.7	82.5	.....	343.7	6.9	68.7
	1902	2,093.9	68.7	13.7	.....	6.9	.....	20.6	13.7	27.5	.....	247.2	6.9	34.3
	1903	2,187.2	61.7	6.9	.....	.....	6.9	27.4	34.3	20.5	.....	205.7	13.7	27.4
	1904	2,314.4	102.7	.....	.....	.....	.....	6.8	41.1	41.1	.....	321.8	13.7	54.8
	1905	2,099.4	41.0	.....	.....	.....	.....	6.8	41.0	20.5	6.8	177.8	27.4	47.9
Allegheny, Pa	1901	1,721.9	75.0	1.5	0.7	27.0	30.0	40.5	37.5	21.8	.....	131.3	26.3	48.0
	1902	1,896.5	121.6	1.5	5.9	38.3	20.6	19.2	32.4	17.0	.....	148.2	25.1	49.4
	1903	1,899.1	102.9	.....	88.4	29.0	21.0	34.8	82.6	7.9	.....	126.8	29.7	37.7
	1904	1,779.2	123.2	.....	12.1	15.7	16.4	24.9	51.3	9.3	.....	146.7	26.3	44.9
	1905	1,878.2	126.7	0.7	.....	55.3	16.8	25.9	19.6	17.5	15.4	123.2	32.9	49.7
Allentown, Pa	1901	1,427.2	46.7	2.7	.....	.....	.....	.....	32.9	16.5	.....	151.0	8.2	41.2
	1902	1,857.8	189.5	.....	.....	5.3	24.0	13.3	50.7	2.7	.....	170.8	18.7	64.1
	1903	1,429.2	33.8	.....	.....	.....	20.8	10.4	36.4	7.8	.....	109.1	7.8	62.4
	1904	1,901.3	32.9	.....	.....	5.0	68.3	5.0	144.1	7.6	.....	131.5	10.1	48.1
	1905	1,708.1	41.9	.....	.....	.....	.....	7.4	76.4	2.5	34.5	162.7	7.4	69.0
Altoona, Pa	1901	1,551.3	32.6	.....	.....	7.5	22.6	5.0	50.2	12.6	.....	108.0	10.0	52.7
	1902	1,481.5	24.5	.....	4.9	22.1	2.4	4.9	34.4	.....	.....	110.6	22.1	41.8
	1903	1,867.8	40.7	.....	19.1	9.6	28.7	21.5	47.8	7.2	.....	95.7	9.6	57.4
	1904	1,689.1	60.9	.....	.....	18.7	16.4	18.7	35.1	16.4	.....	98.4	32.8	60.9
	1905	1,791.2	68.0	2.2	.....	11.0	15.4	35.1	35.1	4.4	8.8	116.3	30.7	52.7
Amesbury town, Mass	1901	1,743.9	10.7	.....	.....	.....	21.4	21.4	32.1	64.2	.....	181.9	.....	64.2
	1902	1,550.8	21.7	.....	10.8	43.4	43.4	.....	10.8	32.5	.....	216.9	.....	130.1
	1903	1,561.5	33.0	.....	.....	.....	33.0	11.0	.....	11.0	.....	99.0	11.0	121.0
	1904	1,784.3	55.8	.....	.....	.....	.....	22.3	.....	11.2	.....	189.6	11.2	133.8
	1905	1,549.8	45.2	.....	.....	.....	.....	.....	11.3	22.6	33.9	203.6	.....	33.9
Amsterdam, N. Y	1901	1,432.0	22.4	.....	.....	9.0	.....	.....	17.9	31.3	.....	156.6	9.0	80.6
	1902	1,532.3	17.6	.....	.....	.....	193.7	.....	13.2	4.4	.....	136.5	17.6	35.2
	1903	1,716.1	47.7	.....	.....	8.7	112.7	21.7	21.7	13.0	.....	151.7	17.3	65.0
	1904	1,514.4	12.8	4.3	.....	8.5	8.5	4.3	8.5	8.5	.....	157.8	21.3	81.1
	1905	1,533.2	21.0	.....	.....	21.0	.....	.....	4.2	12.6	16.8	134.4	16.8	63.0
Anderson, Ind	1901	1,638.1	71.0	.....	.....	4.7	14.2	14.2	47.3	47.3	.....	227.3	37.9	61.6
	1902	1,509.1	68.0	.....	.....	13.6	27.2	4.5	45.3	.....	.....	154.1	45.3	49.8
	1903	1,164.7	26.1	.....	.....	.....	8.7	.....	21.7	13.0	.....	165.2	39.1	34.8
	1904	1,381.8	37.6	8.3	.....	29.2	12.5	.....	33.4	.....	.....	196.2	45.9	12.5
	1905	1,064.3	24.1	4.0	.....	.....	.....	.....	8.0	20.1	16.1	132.5	16.1	40.2
Ann Arbor, Mich	1901	1,507.1	6.9	.....	.....	.....	.....	6.9	20.6	34.4	.....	110.1	48.2	123.9
	1902	1,621.7	20.6	6.9	.....	.....	.....	6.9	13.7	13.7	.....	89.3	48.1	164.9
	1903	1,365.3	6.9	.....	.....	.....	27.4	6.9	6.9	13.7	.....	54.9	27.4	144.1
	1904	1,452.2	13.7	.....	.....	13.7	.....	.....	13.7	13.7	.....	89.1	27.4	116.5
	1905	1,709.8	13.7	.....	.....	.....	.....	.....	.....	41.0	6.8	143.6	13.7	150.5
Annapolis, Md	1901	2,030.9	23.2	11.6	.....	.....	.....	.....	92.8	127.7	.....	406.2	58.0	34.8
	1902	2,032.4	57.4	11.5	.....	.....	.....	.....	34.4	34.4	.....	367.5	34.4	91.9
	1903	1,829.3	34.1	22.7	.....	.....	.....	79.5	22.7	68.2	.....	250.0	34.1	79.5
	1904	2,440.1	67.5	.....	.....	.....	11.2	11.2	.....	45.0	.....	348.6	11.2	78.7
	1905	2,125.8	77.9	.....	.....	.....	.....	.....	11.1	44.5	22.3	289.4	.....	22.3
Ansonia, Conn	1901	1,424.7	15.5	7.7	.....	7.7	.....	15.5	38.7	31.0	.....	154.9	31.0	38.7
	1902	1,399.3	7.6	15.2	.....	.....	15.2	38.0	76.1	7.6	.....	174.9	22.8	30.4
	1903	1,561.7	44.8	7.5	.....	7.5	67.2	.....	37.4	59.8	.....	171.9	22.4	52.3
	1904	1,263.1	7.3	.....	.....	.....	7.3	.....	.....	51.4	.....	168.9	7.3	36.7
	1905	1,443.9	36.1	.....	.....	.....	.....	.....	28.9	21.7	7.2	101.1	14.4	57.8
Appleton, Wis	1901	931.0	19.4	.....	.....	6.5	.....	.....	19.4	12.9	.....	155.2	6.5	38.8
	1902	1,116.6	18.9	.....	.....	25.2	6.3	.....	6.3	.....	.....	69.4	.....	69.4
	1903	1,268.9	6.2	.....	6.2	.....	6.2	18.5	92.4	12.3	.....	129.4	18.5	92.4
	1904	1,245.7	12.0	.....	.....	.....	6.0	12.0	30.1	6.0	.....	126.4	24.1	66.2
	1905	1,164.7	17.6	.....	5.9	.....	.....	29.4	41.2	.....	11.8	100.0	11.8	58.8
Arlington town, Mass	1901	1,281.8	34.0	.....	.....	11.3	.....	.....	34.0	11.3	.....	136.1	22.7	56.7
	1902	1,129.7	.....	.....	.....	.....	.....	11.1	11.1	.....	.....	166.1	.....	110.8
	1903	1,211.9	.....	.....	.....	.....	10.8	21.6	21.6	10.8	.....	97.4	32.5	54.1
	1904	1,216.3	.....	.....	.....	.....	10.6	.....	.....	.....	.....	148.1	74.0	84.6
	1905	1,189.5	10.3	.....	.....	.....	10.3	.....	.....	20.7	.....	103.4	31.0	93.1

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
3.2	16.8	40.6	199.8	175.2	141.8	86.1	67.9	78.3	74.0	61.5	10.1	61.2	56.6	224.8	17.4
2.3	12.4	35.3	174.3	171.1	136.2	86.7	45.7	84.1	80.9	66.5	7.5	65.9	42.5	192.0	17.6
2.3	14.1	27.1	208.7	202.9	116.1	88.2	73.5	96.5	85.6	65.1	10.7	84.1	33.1	180.4	13.3
1.7	21.3	32.7	175.2	199.1	124.7	84.2	65.8	94.8	92.5	58.0	12.9	69.5	36.5	193.3	14.6
2.0	18.0	28.9	200.4	215.6	142.6	82.2	84.5	89.9	92.8	64.4	12.3	82.2	40.1	180.7	10.0
8.8	8.8	61.4	149.1	166.6	96.5	43.8	157.8	26.3	87.7	157.8	8.8	52.6	43.8	105.2	.....
.....	8.6	51.4	137.1	111.4	137.1	68.5	291.2	128.5	60.0	179.9	17.1	85.7	111.4	128.5	8.6
.....	.....	41.9	108.8	108.8	100.5	58.6	209.3	67.0	33.5	209.3	8.4	67.0	50.2	117.2	8.4
.....	.....	57.3	131.0	106.4	139.2	98.2	237.4	114.6	49.1	171.9	16.4	24.6	40.9	147.4	.....
.....	24.0	16.0	184.2	152.2	96.1	64.1	208.2	80.1	64.1	120.1	24.0	48.1	40.0	64.1	.....
.....	29.4	82.4	158.9	241.3	135.3	64.7	53.0	141.2	141.2	53.0	5.9	105.9	47.1	135.3	11.8
.....	17.1	17.1	142.7	313.9	148.4	85.6	34.3	97.0	114.1	102.7	28.6	74.2	39.9	216.8	5.7
.....	5.5	22.2	121.9	110.8	72.0	66.5	16.6	94.2	49.9	33.2	.....	66.5	.....	99.7	11.1
.....	10.8	10.8	139.9	182.9	59.2	37.7	48.4	75.3	69.9	10.8	5.4	32.3	16.1	75.3	21.5
.....	15.7	26.2	115.1	204.0	104.6	68.0	41.9	68.0	109.9	52.3	20.9	52.3	5.2	88.9	.....
2.1	2.1	36.9	220.3	246.6	103.3	130.7	66.4	118.0	156.0	30.6	4.2	84.2	58.0	137.0	1.1
2.1	15.7	31.4	187.2	210.2	122.4	103.5	59.6	114.0	154.8	27.2	.....	92.0	42.9	131.8	1.0
4.2	10.4	28.0	187.9	246.0	128.7	100.7	69.5	115.2	160.9	46.7	18.7	88.2	56.0	154.7	.....
4.1	17.5	33.0	177.2	258.6	127.7	95.8	90.7	122.6	201.9	34.0	11.3	91.7	42.2	157.6	.....
2.0	19.4	49.1	189.1	252.5	89.0	102.2	71.6	123.7	185.1	31.7	16.4	105.3	31.7	152.3	.....
6.9	6.9	34.4	247.5	192.5	261.2	110.0	103.1	48.1	171.9	68.7	6.9	89.4	165.0	130.6	123.7
.....	.....	.....	192.2	123.6	212.8	89.2	192.2	54.9	178.5	89.2	13.7	96.1	144.2	96.1	171.7
.....	6.9	48.0	198.8	144.0	192.0	130.3	123.4	41.1	157.7	96.0	.....	157.7	144.0	178.3	164.5
.....	.....	20.5	191.7	157.5	205.4	68.4	184.9	89.0	157.5	82.2	.....	123.3	95.9	226.0	130.1
.....	13.7	47.9	266.7	150.4	191.5	102.6	82.1	88.9	191.5	109.4	20.5	136.8	82.1	157.3	88.9
0.7	2.3	42.0	139.6	104.3	220.6	136.6	126.1	103.5	45.8	66.0	17.3	128.3	34.5	114.0	0.7
1.5	3.7	32.4	148.9	105.4	276.4	137.9	165.1	112.0	48.6	74.4	11.8	120.1	57.5	120.1	1.5
0.7	7.2	39.8	139.1	102.1	227.4	107.9	152.1	107.2	44.9	73.2	14.5	126.0	72.4	120.2	3.6
0.7	7.1	38.4	151.6	116.1	181.6	96.8	205.0	91.1	51.3	81.9	13.5	89.7	67.6	116.0	.....
0.7	3.5	32.9	140.7	105.0	217.7	126.0	182.0	95.9	61.6	97.3	19.6	120.4	71.4	119.7	.....
2.7	19.2	30.2	238.8	151.0	140.0	49.4	43.9	71.4	63.1	52.1	8.2	60.4	120.8	76.8	.....
2.7	18.7	53.4	176.2	157.5	122.8	32.0	90.8	74.7	80.1	82.7	8.0	77.4	184.2	154.8	2.7
.....	10.4	36.4	174.1	145.5	93.5	41.6	90.9	106.5	44.2	75.4	15.6	78.0	119.5	96.1	13.0
2.5	2.5	43.0	192.2	179.5	141.6	45.5	63.2	108.7	116.3	123.9	10.1	55.6	222.5	134.0	7.6
.....	17.3	27.1	197.2	133.1	155.3	61.6	115.8	69.0	98.6	86.3	4.9	103.5	115.8	120.8	.....
5.0	15.1	32.6	190.8	75.3	173.2	70.3	87.9	90.4	55.2	77.8	10.0	118.0	120.5	125.5	2.5
.....	4.9	39.3	186.7	113.0	93.4	29.5	68.8	46.7	54.1	117.9	4.9	211.3	95.8	127.8	19.7
2.4	4.8	62.2	200.9	107.6	181.8	55.0	74.1	47.8	76.5	251.1	16.7	253.5	86.1	102.8	7.2
2.3	11.7	32.8	187.4	140.6	185.1	82.0	96.1	86.7	91.4	72.6	4.7	110.1	77.3	140.6	9.4
.....	13.2	39.5	186.6	111.9	142.7	83.4	90.0	83.4	85.6	76.8	19.8	270.0	65.9	140.5	2.2
.....	10.7	74.9	117.7	267.5	310.3	53.5	74.9	10.7	128.4	74.9	.....	96.3	32.1	96.3	.....
10.8	.....	54.2	119.3	216.9	65.1	32.5	65.1	43.4	184.4	54.2	10.8	65.1	32.5	86.8	.....
.....	33.0	55.0	175.9	318.9	88.0	11.0	11.0	77.0	121.0	55.0	.....	33.0	88.0	175.9	.....
.....	22.3	44.6	200.7	267.6	223.0	33.5	100.4	44.6	89.2	122.7	.....	66.9	44.6	100.4	.....
.....	33.9	33.9	203.6	158.4	169.7	45.2	79.2	.....	135.7	113.1	.....	79.2	45.2	101.8	.....
.....	9.0	22.4	210.3	94.0	161.1	107.4	67.1	49.2	53.7	53.7	22.4	89.5	40.3	125.4	.....
.....	4.4	48.4	167.3	127.7	96.9	61.6	118.9	114.5	44.0	61.6	17.6	79.3	61.6	110.1	.....
.....	4.3	39.0	134.3	169.0	138.7	117.0	121.3	60.7	86.7	99.7	4.3	121.3	43.3	117.0	.....
4.3	12.8	64.0	166.4	157.8	85.3	89.6	110.9	102.4	85.3	68.3	4.3	68.3	59.7	119.4	.....
.....	.....	25.2	117.6	247.8	130.2	79.8	105.0	105.0	63.0	75.6	.....	121.8	63.0	105.0	4.2
4.7	4.7	66.3	156.2	66.3	113.6	75.8	132.6	80.5	56.8	71.0	33.2	80.5	66.3	104.1	.....
.....	13.6	58.9	95.2	95.2	108.8	49.8	58.9	99.7	49.8	149.6	9.1	108.8	63.4	136.0	4.5
.....	4.3	30.4	82.6	95.6	39.1	78.2	82.6	69.5	56.5	43.5	8.7	91.3	34.8	134.7	4.3
.....	4.2	37.6	108.5	150.3	71.0	54.3	71.0	75.1	66.8	54.3	20.9	96.0	50.1	141.9	4.2
4.0	8.0	36.1	88.4	108.4	56.2	60.2	48.2	72.3	28.1	64.3	16.1	80.3	40.2	92.4	.....
6.9	20.6	13.8	130.8	137.6	144.5	75.7	68.8	151.4	34.4	27.5	6.9	75.7	27.5	227.1	6.9
13.7	6.9	13.7	151.2	226.8	151.2	55.0	55.0	137.4	89.3	20.6	27.5	68.7	27.5	213.0	.....
6.9	6.9	13.7	157.8	192.1	75.5	68.6	68.6	130.4	41.2	27.4	27.4	48.0	27.4	185.2	.....
6.8	27.4	6.8	171.3	232.9	41.1	54.8	20.5	130.2	116.5	47.9	27.4	68.5	20.5	191.8	.....
6.8	6.8	13.7	184.7	259.9	102.6	75.2	27.4	191.5	88.9	27.4	20.5	47.9	82.1	198.3	6.8
.....	11.6	.....	208.9	104.5	81.2	104.5	104.5	127.7	58.0	81.2	.....	139.2	58.0	162.5	34.8
.....	11.5	.....	218.2	57.4	91.9	91.9	252.6	57.4	114.8	103.3	.....	103.3	91.9	206.7	.....
.....	11.4	56.8	102.3	193.2	56.8	56.8	79.5	68.2	90.9	125.0	.....	125.0	136.3	136.3	.....
.....	.....	33.7	258.6	135.0	90.0	123.7	247.4	78.7	179.9	191.2	22.5	157.4	179.9	168.7	.....
11.1	11.1	44.5	222.6	133.6	55.6	155.8	133.6	66.8	211.5	77.9	22.3	155.8	222.6	133.6	.....
.....	15.5	92.9	116.1	85.1	108.4	54.2	185.9	46.5	92.9	69.7	15.5	46.5	15.5	116.1	23.2
.....	.....	38.0	98.9	83.7	45.6	114.1	167.3	38.0	38.0	83.7	15.2	83.7	22.8	159.7	22.8
.....	.....	119.6	82.2	97.1	29.9	74.7	134.5	104.6	82.2	104.6	.....	89.7	14.9	134.5	22.4
.....	14.7	80.8	117.5	73.5	88.1	66.1	139.6	80.8	58.8	58.8	7.3	51.4	7.3	132.2	7.3
.....	21.7	93.9	115.5	115.5	72.2	108.3	187.7	86.6	72.2	43.3	7.2	65.0	72.2	79.4	36.1
.....	25.9	25 9	122.8	51.7	51.7	32.3	51.7	45.3	6.5	58.2	6.5	32.3	32.3	116.4	12.9
.....	18.9	18.9	82.0	88.3	94.6	44.2	56.8	75.7	44.2	75.7	.....	31.5	94.6	189.3	6.3
.....	12.3	43.1	160.2	80.1	61.6	30.8	49.3	80.1	67.8	43.1	.....	73.9	55.4	98.6	30.8
.....	12.0	30.1	156.5	90.3	66.2	48.1	30.1	72.2	36.1	90.3	6.0	66.2	60.2	180.5	18.1
.....	17.6	17.6	135.3	76.5	58.8	64.7	47.1	82.4	35.3	82.4	29.4	29.4	76.5	135.3	.....
.....	.....	22.7	68.1	58.8	124.8	68.1	90.7	45.4	34.0	68.1	.....	90.7	56.7	136.1	11.3
.....	11.1	55.4	77.5	177.2	121.8	22.2	22.2	77.5	66.5	44.3	11.1	55.4	22.2	66.5	.....
10.8	32.5	43.3	140.7	194.8	10.8	21.6	10.8	97.4	86.6	32.5	.....	21.6	43.3	119.0	.....
10.6	10.6	21.2	74.0	222.1	63.5	21.2	74.0	84.6	31.7	63.5	31.7	42.3	31.7	105.8	10.6
.....	20.7	10.3	134.5	155.2	124.1	20.7	72.4	20.7	62.1	72.4	10.3	82.7	20.7	113.8	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Ashtabula, Ohio													
1901	1,601 8	44 9	.....	.....	59 9	.....	7.5	15.0	15.0	.....	104 8	7.5	44.9
1902	1,539.5	36.3	.....	.....	7 3	.....	21.8	29.0	.....	.....	152.5	21.8	29.0
1903	1,396 1	49.4	.....	7 0	7.0	.....	63 5	14.1	21.2	.....	134.0	7.0	49.4
1904	1,644 6	137 1	.....	.....	27.4	.....	13 7	.....	20.5	.....	95.9	6.9	41.1
1905	1,399 6	60 0	.....	.....	6.7	.....	.....	.....	6.7	.....	80.0	13.3	60.0
Atlanta, Ga													
1901	2,186 8	77.1	11 9	.....	33.7	23 9	19 5	28.2	46.7	.....	251 9	15.2	39.1
1902	2,228.5	68 9	6 4	4.2	7.4	10 6	23 3	21.2	21.2	.....	283.1	12.7	58.3
1903	2,113.9	66 3	12.4	6.2	12.4	3.1	13.5	23.8	45.6	.....	229.9	7.2	52.8
1904	2,388.2	60.8	7.1	9.1	7 1	4.0	36.4	31.4	52 6	.....	262 2	21.3	51.6
1905	2,414 8	70 1	6.8	.....	19.5	1.9	23.4	51 6	50 6	49.7	265.8	25.3	50.6
Atlantic City, N. J													
1901	1,846.3	23.5	3.4	.....	.....	3 4	33.6	26.9	23.5	.....	151.1	33.6	50.4
1902	1,647.8	15.8	3.2	.....	3 2	3.2	6.3	22.1	6.3	.....	88.2	25.2	44.1
1903	1,513.8	38.6	.....	.....	.....	3.0	35.6	23.7	.....	.....	127.6	26.7	50.5
1904	1,478.6	25 3	.....	.....	.....	2.8	.....	39.3	8.4	.....	115 0	19.6	53.3
1905	1,665 2	18 6	.....	.....	.....	5 3	10 6	16.0	8.0	10.6	122.4	31.9	69.2
Attleboro town, Mass													
1901	1,145.8	8 6	.....	.....	.....	.....	.....	25.8	25.8	.....	146 5	8.6	60.3
1902	1,270.9	8.4	.....	.....	.....	.....	8.4	25.3	.....	.....	134.7	16.8	92.6
1903	1,448 1	24.7	.....	.....	.....	8.2	24.7	.....	8.2	.....	164.6	.....	115.2
1904	1,424.2	8.0	8 0	.....	.....	.....	.....	24.1	8.0	.....	136 8	32.2	96.6
1905	1,369.9	7 9	.....	.....	7.9	7.9	7.9	23.6	7.9	7.9	149.6	23 6	63.0
Auburn, N. Y													
1901	1,354.7	22.7	.....	.....	3.2	6.5	6 5	9 7	26.0	.....	133 2	26.0	45.5
1902	1,515 2	6.4	.....	16.0	.....	.....	16 0	19.2	9.6	.....	92 9	16.0	108 9
1903	1,687.0	25.3	.....	.....	3 2	6.3	.....	50.5	19.0	.....	180.1	19.0	123.2
1904	1,548.8	24.9	6.2	.....	3.1	3.1	.....	43.6	21 8	.....	152.7	15.6	96.6
1905	1,589.4	18.4	3.1	.....	27.7	6.1	9 2	24.6	30 7	9.2	119.9	40 0	77.9
Augusta, Me													
1901	2,279.9	84 8	8.5	.....	.....	.....	.....	8 5	17.0	.....	186.5	8.5	59.3
1902	2,341.6	50.4	8.4	.....	16.8	.....	33 6	8.4	16.8	.....	117.5	42.0	42.0
1903	2,377.2	232.7	.....	8.3	8.3	83.1	16.6	.....	.....	.....	124.7	33.3	66.5
1904	2,519 1	49 4	.....	.....	.....	.....	.....	.....	8.2	.....	222.3	8.2	57.6
1905	2,348 5	48.9	8.2	.....	.....	.....	.....	24 5	32 6	8.2	154.9	16.3	81.5
Aurora, Ill													
1901	1,504.5	48.8	4.1	.....	12 2	24.4	20.3	20.3	20 3	.....	154.5	16.2	89.5
1902	1,274.0	39.9	.....	.....	.....	4.0	8.0	8.0	.....	.....	99.8	12.0	63.9
1903	1,263.5	15.7	3.9	.....	.....	.....	3 9	3.9	.....	.....	94.2	19.6	74.6
1904	1,361.3	46.3	.....	3 9	.....	.....	.....	50.1	7.7	.....	119.5	15.4	92 6
1905	1,175.3	7 6	.....	.....	.....	.....	15 2	15.2	7 6	11.4	91.0	37.9	75 8
Baltimore, Md													
1901	2,029.8	28.7	7 7	.....	1 4	2.3	12.6	33.1	50 5	.....	237.6	33.3	76 5
1902	1,957.6	42.0	6 1	1.3	8.2	7.1	16 4	24 1	10 7	.....	220.3	32.3	77 9
1903	1,908.9	35 0	4.1	0.4	15.6	16.2	13 2	29.0	20.1	.....	222.7	35.0	73.0
1904	2,007.4	37.5	4.8	0.7	1.7	26.9	4.8	20.8	23 9	.....	251.1	32.3	86.5
1905	1,958.6	35.7	3.3	.....	15.4	6.6	12.6	17.2	17 6	11.9	228.7	40.6	81.1
Bangor, Me													
1901	1,794.4	104.0	.....	.....	.....	4.5	.....	9 0	40 7	.....	180 8	49 7	72.3
1902	1,709.8	35.7	4 5	.....	.....	.....	.....	13.4	13 4	.....	178.6	35 7	120.5
1903	1,667.0	44 1	.....	.....	4.4	.....	13.2	.....	17 6	.....	141.1	26.5	83.8
1904	1,947.7	187.4	4.3	.....	.....	.....	13.1	13.1	8.7	.....	204.8	43.6	104.6
1905	1,812.7	77.5	8 6	.....	8.6	.....	.....	.....	38.8	8.6	163.6	51.7	133.5
Barre, Vt													
1901	1,351.7	22 5	.....	.....	11.3	101.4	.....	33.8	.....	.....	146 4	22.5	45.1
1902	1,407 4	43 0	.....	.....	.....	107.4	.....	10 7	.....	.....	257.8	.....	21.5
1903	1,571 2	20.5	.....	.....	30.8	.....	.....	41.1	20 5	.....	174.6	30.8	.....
1904	1,268.7	.....	.....	.....	.....	29.5	39.3	9.8	19 7	.....	196.7	29.5	19.7
1905	1,547.5	37 7	.....	.....	9.4	18.9	.....	18.9	9.4	.....	245.3	28.3	28.3
Bath, Me													
1901	1,398.8	9.4	.....	.....	.....	.....	.....	46.9	18.7	.....	262.9	9.4	56.3
1902	1,487.0	18.5	.....	.....	.....	.....	9 2	27.7	.....	.....	120.1	37.0	55.4
1903	1,636.0	9.1	.....	.....	.....	.....	.....	63.6	18.2	.....	127.2	9.1	72.7
1904	1,529.9	26.8	.....	.....	.....	.....	.....	125.3	17.9	.....	98 4	35 8	62.6
1905	1,444.7	8.8	.....	.....	8.8	.....	.....	35.2	8.8	17.6	167 4	8.8	88.1
Battle Creek, Mich													
1901	1,586.6	56.5	10 3	.....	5.1	.....	.....	10 3	35.9	.....	102.7	20.5	118.1
1902	1,662.8	14.7	9 8	.....	.....	.....	.....	147.2	14.7	.....	98.1	19.6	98.1
1903	1,812.2	42 3	4 7	.....	.....	4.7	32.9	42.3	37.6	.....	122.1	14.1	126.7
1904	1,440.6	22.5	4.5	.....	13.5	.....	4.5	36.0	4.5	.....	112.6	13.5	94.5
1905	1,474 5	38 9	4.3	4.3	.....	.....	13.0	13.0	21.6	4.3	147.0	17.3	73.5
Bay City, Mich													
1901	1,273 9	25.3	3 6	.....	.....	14.5	32.6	25.3	79 6	.....	86.9	39.8	39.8
1902	1,241.1	36.2	.....	.....	3 6	3.6	14.5	10 9	3.6	.....	112.2	7.2	57.9
1903	1,382.1	54.3	.....	.....	54.3	.....	14.5	28.9	3.6	.....	97.7	14.5	65.1
1904	1,407.2	43.4	3.6	7 2	21.7	3.6	.....	39.8	36.2	.....	119.4	18.1	61.5
1905	1,260.6	24.6	4.9	.....	7 4	4.9	2.5	17.2	2.5	12.3	98.5	14.8	68.9
Bayonne, N. J													
1901	1,677 7	11.6	.....	5.8	31 8	11.6	2.9	31.8	26.0	.....	173.3	23.1	49.1
1902	1,592.9	24.6	2 7	.....	19.2	10.9	10.9	73.9	5.5	.....	156.0	16.4	43.8
1903	1,768.7	20 8	2 6	.....	.....	39.0	15 6	83.2	.....	.....	166.5	20.8	54.6
1904	1,764 4	27 3	2 5	.....	22.3	29.7	19.8	59.5	.....	.....	151.2	22.3	42.1
1905	1,585 3	11 8	2.4	.....	2.4	4.7	11.8	33.1	2.4	35.5	151.4	28.4	37.9
Bellaire, Ohio													
1901	1,957.2	20.2	.....	.....	.....	10.1	10.1	20.2	40.3	.....	211.9	20.2	50.4
1902	2,189.3	90.8	.....	10 1	.....	.....	.....	10.1	20.2	.....	131.2	20.2	80.7
1903	1,563.8	60.5	.....	90.8	.....	.....	.....	30.3	10.1	.....	90 8	10.1	20.2
1904	2,320 4	40.4	.....	.....	50.4	10.1	80.7	60.5	30 3	.....	141.3	.....	50.4
1905	1,805.9	20.2	.....	.....	.....	10.1	10.1	20 2	10.1	.....	201.8	30.3	50.4
Belleville, Ill													
1901	1,525.8	56.5	5.6	.....	5.6	11.3	.....	45.2	11.3	.....	113.0	22.6	62.2
1902	1,585 8	39 1	.....	.....	.....	27.9	5.6	55.9	22.3	.....	167 5	5.6	83.8
1903	1,755.0	77.3	16.6	33.1	44.2	22.1	5.5	11.0	11.0	.....	132.5	27.6	126 9
1904	2,056 5	49.1	10.9	250.9	5 5	.....	21 8	5.5	10 9	.....	180.0	16.4	76 4
1905	1,590.8	48.5	.....	10.8	.....	.....	5 4	27.0	10.8	10.8	102.5	16.2	102.5

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
7.5	7.5	15.0	127.2	142.2	179.6	15.0	112.3	127.2	44.9	82.3	15.0	194.6	37.4	187.1	7.5
7.3	7.3	7.3	203.3	145.2	217.9	29.0	36.3	101.7	50.8	116.2	29.0	138.0	58.1	87.1	7.3
.....	.....	7.0	105.8	84.6	176.3	28.2	119.9	42.3	7.0	56.4	7.0	169.2	49.4	176.3	14.1
6.9	6.9	27.4	164.5	54.8	315.2	27.4	116.5	20.5	6.9	89.1	27.4	185.0	109.6	143.9	.....
6.7	6.7	6.7	153.3	86.6	213.3	26.7	73.3	80.0	13.3	73.3	20.0	233.3	46.7	126.6	6.7
.....	5.4	29.3	235.6	124.9	241.1	89.0	141.2	122.7	105.3	78.2	5.4	92.3	162.9	195.4	10.9
4.2	6.4	32.9	207.8	114.4	267.2	82.7	181.3	114.5	123.0	70.0	6.4	92.2	145.2	246.0	17.0
2.1	7.2	24.9	216.5	164.7	224.8	83.9	169.9	140.9	133.0	81.8	6.2	92.2	91.1	171.9	29.0
2.0	15.2	29.4	189.3	152.9	292.6	92.1	198.4	139.7	161.0	82.0	2.0	122.5	116.4	209.6	39.5
3.9	13.6	32.1	219.1	146.1	261.9	105.2	143.1	140.2	168.4	100.3	22.4	146.1	100.3	162.6	34.1
10.1	20.1	40.3	184.6	221.6	107.4	120.8	94.0	130.9	154.4	90.6	.....	117.5	83.9	117.5	3.4
.....	9.5	28.4	163.8	217.4	94.5	97.7	97.7	126.0	148.1	91.4	.....	113.4	94.5	144.9	3.2
.....	11.9	23.7	201.8	157.3	92.0	74.2	68.3	71.2	118.7	77.2	5.9	121.7	59.4	124.7	.....
.....	14.0	28.1	176.8	188.0	70.1	61.7	87.0	101.0	117.8	67.3	16.8	106.6	56.1	117.8	5.6
.....	13.3	16.0	135.7	223.4	119.7	85.1	66.5	111.7	178.2	114.4	16.0	101.1	58.5	130.3	2.7
.....	17.2	25.8	86.1	94.8	86.1	86.1	51.7	43.1	68.9	86.1	8.6	68.9	25.8	120.6	.....
.....	16.8	58.9	117.8	67.3	109.4	58.9	92.6	50.5	67.3	67.3	16.8	75.8	25.3	159.9	.....
.....	24.7	65.8	106.9	164.6	139.9	65.8	106.9	49.4	74.0	65.8	.....	65.8	49.4	123.4	.....
.....	24.1	72.4	144.8	152.9	64.4	56.3	88.5	64.4	72.4	136.8	8.0	120.7	8.0	96.6	.....
.....	15.7	78.7	157.5	141.7	102.3	94.5	63.0	39.4	70.9	110.2	7.9	70.9	7.9	94.5	7.9
6.5	22.7	19.5	146.2	152.7	130.0	65.0	87.7	84.5	74.7	52.0	3.2	94.2	22.7	113.7	.....
3.2	12.8	25.6	157.0	240.3	137.7	60.9	124.9	108.9	57.7	38.4	12.8	57.7	19.2	173.0	.....
.....	6.3	6.3	180.1	214.8	151.6	53.7	94.8	97.9	44.2	63.2	15.8	85.3	53.7	192.7	.....
.....	12.5	43.6	124.6	202.6	124.6	56.1	90.4	71.7	84.1	71.7	18.7	96.6	9.3	174.5	.....
.....	15.4	36.9	206.0	199.8	147.6	46.1	132.2	61.5	70.7	40.0	21.5	52.3	24.6	169.1	.....
.....	8.5	42.3	728.9	186.5	59.3	169.5	194.9	42.3	93.2	42.3	.....	59.3	84.8	186.5	8.5
.....	.....	33.6	755.3	209.8	176.2	100.7	134.3	92.3	83.9	67.1	8.4	83.9	92.3	159.5	8.4
8.3	.....	38.2	664.9	141.3	116.4	74.8	149.6	83.1	49.9	66.5	33.3	41.6	91.4	224.4	.....
.....	16.5	16.5	675.1	197.6	123.5	189.3	148.2	115.2	90.5	107.0	24.7	107.0	74.1	271.7	16.5
8.2	40.8	57.1	758.4	220.2	97.9	73.4	163.1	73.4	97.9	106.0	.....	89.7	73.4	106.0	8.2
8.1	12.2	40.7	183.0	85.4	146.4	61.0	109.8	105.7	52.9	28.5	28.5	61 0	32.5	138.2	.....
.....	12.0	35.9	143.8	127.8	107.8	75.9	51.9	91.9	55.9	35.9	8.0	79.9	67.9	131.8	12.0
3.9	7.9	43.2	129.5	102.0	129.5	82.4	39.2	94.2	54.9	66.7	19.6	86.4	82.4	105.9	.....
3.9	23.1	57.8	165.8	73.3	111.8	42.4	46.3	100.3	69.4	46.3	19.3	61.7	73.3	123.4	7.7
.....	15.2	34.1	147.9	79.6	79.6	45.5	53.1	87.2	49.3	64.5	26.5	45.5	72.0	113.7	.....
0.8	10.1	28.3	188.6	138.8	149.7	134.0	167.9	93.1	123.4	121.8	10.3	122.6	66.6	188.6	1.5
0.9	8.8	29.9	179.1	164.7	148.3	122.2	151.0	103.1	127.1	137.3	11.1	85.1	68.5	173.7	0.4
2.1	10.4	25.4	174.5	160.5	140.2	127.2	126.5	88.3	141.2	122.3	9.4	85.3	62.1	167.7	1.5
1.3	11.9	26.4	171.9	182.8	155.7	129.0	143.1	96.3	163.4	124.6	14.1	83.7	52.2	159.8	0.2
0.7	11.4	27.6	163.1	179.2	140.4	132.7	158.2	86.4	163.3	122.1	15.0	96.1	59.9	131.3	0.4
.....	13.6	27.1	216.9	253.1	131.1	76.8	36.2	149.2	85.9	13.6	9.0	58.8	72.3	162.7	27.1
.....	17.9	40.2	129.5	232.1	160.7	89.3	26.8	66.9	102.6	22.3	22.3	102.7	75.9	209.9	8.9
.....	17.6	39.7	229.3	154.4	220.5	61.8	97.0	97.0	83.8	30.9	8.8	70.6	52.9	167.6	4.4
.....	8.7	17.4	152.5	230.9	213.5	65.4	52.3	100.2	78.4	69.7	13.1	130.7	21.8	161.2	52.3
4.3	17.2	17.2	219.6	202.4	137.8	90.4	68.9	94.7	103.3	30.1	12.9	120.6	25.8	172.2	4.3
.....	.....	112.6	90.1	56.3	56.3	67.6	78.8	101.4	45.1	112.6	11.3	45.1	22.5	157.7	11.3
.....	21.5	75.2	96.7	75.2	75.2	139.7	21.5	107.4	43.0	75.2	21.5	64.5	53.7	75.2	21.5
.....	10.3	82.2	123.2	123.2	113.0	174.6	113.0	102.7	41.1	102.7	10.3	61.6	20.5	154.0	20.5
9.8	9.8	78.7	108.2	59.0	137.7	118.1	59.0	88.6	29.5	39.3	.....	39.3	39.3	108.2	.....
.....	9.4	47.2	151.0	56.6	179.3	122.7	66.1	28.3	18.9	169.8	9.4	94.4	84.9	103.8	9.4
9.4	18.8	37.5	169.0	150.2	75.1	112.7	28.2	37.5	112.7	37.5	9.4	28.2	28.2	131.4	9.4
9.2	37.0	27.7	83.1	212.4	101.6	110.8	46.2	55.4	138.6	83.1	9.2	92.4	27.7	184.7	.....
.....	27.3	45.4	163.6	227.2	172.7	90.9	81.8	72.7	127.2	100.0	18.2	81.8	9.1	109.1	9.1
.....	.....	26.8	196.8	196.8	125.3	89.5	26.8	89.5	125.3	26.8	8.9	125.3	8.9	116.4	.....
.....	8.8	8.8	220.2	211.4	149.8	79.3	61.7	44.0	88.1	35.2	17.6	26.4	.....	149.8	.....
10.3	10.3	5.1	215.7	169.4	66.8	56.5	51.3	118.1	77.0	25.7	30.8	87.3	61.6	236.2	5.1
4.9	4.9	19.6	161.9	161.9	117.7	83.4	63.8	137.4	73.5	73.5	9.8	122.6	54.0	166.8	4.9
4.7	28.2	18.8	192.5	187.8	112.7	79.8	108.0	93.8	98.5	65.7	14.1	145.5	61.0	173.7	.....
.....	31.5	4.5	144.1	162.1	126.1	40.5	49.5	126.1	85.5	58.5	18.0	72.0	54.0	162.1	.....
.....	30.3	.....	185.9	203.2	77.8	47.6	77.8	90.8	82.2	64.9	13.0	69.2	73.5	121.1	.....
.....	.....	18.1	90.5	112.2	133.9	72.4	97.7	119.4	65.1	29.0	.....	43.4	14.5	130.3	.....
.....	10.9	14.5	130.3	133.9	90.5	108.5	39.8	119.4	50.6	36.2	3.6	86.8	28.9	137.5	.....
3.6	10.9	14.5	119.4	130.2	72.4	76.0	101.3	119.4	39.8	68.7	10.9	108.5	21.7	148.3	3.6
7.2	7.2	7.2	97.7	184.5	57.9	90.4	72.4	112.2	79.6	47.0	18.1	65.1	25.3	180.9	.....
.....	9.8	9.8	135.4	118.2	51.7	81.3	105.9	88.6	36.9	78.8	22.2	93.6	9.8	160.0	.....
.....	2.9	43.3	124.2	86.6	135.7	196.4	181.9	101.1	80.9	57.8	11.6	129.9	78.0	80.9	.....
.....	5.5	38.3	142.3	120.4	117.7	175.2	120.4	71.2	95.8	76.6	5.5	106.7	54.7	98.5	.....
.....	7.8	52.0	158.7	96.2	158.7	158.7	171.7	83.2	117.0	70.2	18.2	145.7	15.6	111.8	.....
.....	2.5	47.1	136.3	111.5	146.2	161.1	237.9	74.3	96.6	96.6	12.4	116.5	29.7	118.9	.....
.....	7.1	47.3	125.4	108.8	108.8	111.2	184.6	99.4	104.1	106.5	23.7	137.2	35.5	63.9	.....
.....	.....	70.6	181.6	80.7	373.2	80.7	100.9	141.2	20.2	70.6	.....	131.2	181.6	131.2	10.1
.....	.....	100.9	181.6	121.1	272.4	80.7	221.9	201.8	60.5	80.7	.....	131.2	181.6	161.4	30.2
.....	10.1	40.4	181.6	100.8	121.1	80.7	111.0	60.5	50.5	60.5	20.2	191.7	60.5	161.4	.....
.....	10.1	100.9	171.5	232.1	262.3	60.5	262.3	201.8	151.3	50.4	20.2	121.1	70.6	141.2	.....
.....	10.1	60.5	100.9	121.1	262.3	70.6	100.9	100.9	111.0	80.7	20.2	191.7	131.2	90.8	.....
5.6	5.6	56.5	130.0	96.1	67.8	73.5	96.1	113.0	50.9	90.4	28.3	118.7	141.3	118.7	.....
5.6	5.6	39.1	145.2	128.4	89.3	67.0	89.3	100.5	67.0	78.2	22.3	89.3	94.9	139.6	16.8
5.5	5.5	16.6	160.0	88.3	132.5	71.7	99.3	104.9	60.7	93.8	16.6	165.6	66.2	154.5	5.5
.....	16.4	43.6	180.0	147.3	120.0	98.2	120.0	163.6	98.2	76.4	54.5	130.9	54.5	125.5	.....
.....	5.4	27.0	134.8	145.6	53.9	91.7	140.2	118.6	53.9	97.1	21.6	194.1	64.7	102.5	5.4

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Beloit, Wis.	1901	1,346.3	9.2	9.2	.....	.....	18.3	27.5	.....	64.1	.....	183.2	9.2	55.0
	1902	1,315.4	8.8	.....	.....	.....	17.5	8.8	8.8	.....	.....	131.5	.....	52.6
	1903	1,489.0	16.8	.....	.....	50.5	16.8	8.4	8.4	58.9	.....	159.8	25.2	58.9
	1904	1,131.7	8.1	.....	.....	.....	.....	.....	8.1	8.1	.....	97.0	24.3	72.8
	1905	1,345.8	23.3	.....	.....	7.8	.....	7.8	23.3	7.8	7.8	147.8	15.6	54.5
Bennington town, Vt.	1901	1,671.3	36.6	.....	.....	61.0	.....	24.4	24.4	12.2	.....	97.6	12.2	61.0
	1902	1,160.1	12.0	.....	.....	.....	.....	.....	.....	12.0	.....	95.7	12.0	83.7
	1903	1,372.4	35.3	.....	.....	.....	.....	.....	35.3	11.7	.....	129.0	23.5	58.6
	1904	1,645.8	34.5	.....	.....	.....	.....	11.5	.....	57.6	.....	172.6	46.0	80.6
	1905	1,852.5	67.8	.....	.....	33.9	22.6	.....	.....	56.5	11.3	169.4	45.2	90.4
Berlin, N. H.	1901	1,308.2	63.9	.....	21.3	.....	10.6	.....	.....	.....	.....	148.9	10.6	42.5
	1902	1,149.4	20.2	.....	.....	40.3	.....	.....	20.2	.....	.....	70.6	10.1	20.2
	1903	1,629.3	38.3	.....	.....	.....	.....	9.6	19.2	.....	.....	76.7	9.6	9.6
	1904	1,671.2	54.8	.....	9.1	9.1	.....	54.8	27.4	.....	.....	82.2	27.4	54.8
	1905	1,473.9	8.7	.....	.....	34.9	.....	.....	8.7	8.7	26.2	52.3	17.4	61.1
Beverly, Mass.	1901	1,314.4	7.1	.....	.....	.....	42.4	.....	21.2	28.3	.....	176.7	21.2	113.1
	1902	1,345.4	20.8	.....	.....	.....	.....	.....	6.9	.....	.....	152.6	20.8	111.0
	1903	1,477.5	20.4	.....	.....	27.2	.....	20.4	27.2	34.0	.....	129.4	68.1	61.3
	1904	1,410.9	13.4	6.7	.....	.....	.....	6.7	13.4	6.7	.....	120.4	46.8	86.9
	1905	1,635.7	32.8	.....	.....	.....	6.6	6.6	46.0	13.1	13.1	111.7	13.1	111.7
Biddeford, Me.	1901	2,004.3	116.5	6.1	.....	.....	.....	6.1	18.4	30.6	.....	214.5	24.5	79.7
	1902	2,062.5	60.7	.....	.....	12.1	.....	.....	30.3	6.1	.....	212.3	12.1	66.7
	1903	1,837.3	54.0	.....	.....	.....	.....	90.1	42.0	.....	.....	186.1	36.0	66.1
	1904	1,961.4	65.4	.....	.....	.....	.....	11.9	35.7	5.9	.....	196.1	17.8	41.6
	1905	1,671.1	76.5	.....	.....	.....	.....	5.9	53.0	5.9	11.8	117.7	53.0	23.5
Binghamton, N. Y.	1901	1,643.7	52.1	2.5	.....	5.0	7.4	12.4	42.1	57.0	.....	131.4	9.9	81.8
	1902	1,740.4	29.2	9.7	7.3	.....	21.9	9.7	48.7	7.3	.....	219.4	14.6	70.7
	1903	1,503.0	12.0	2.4	.....	2.4	2.4	7.2	19.2	19.2	.....	141.4	14.4	83.9
	1904	1,870.0	9.4	4.7	.....	42.4	9.4	4.7	40.1	21.2	.....	193.4	14.1	94.3
	1905	1,830.8	16.2	2.3	.....	2.3	27.8	2.3	11.6	13.9	20.9	164.7	18.6	90.5
Boston, Mass.	1901	1,989.6	23.8	1.6	13.2	21.5	39.1	12.0	60.2	24.7	.....	234.4	37.5	88.2
	1902	1,913.9	22.1	1.4	32.9	12.5	17.4	23.3	38.3	4.4	.....	212.3	37.6	87.5
	1903	1,831.0	20.5	.....	2.2	10.5	12.4	26.1	38.2	13.4	.....	205.1	34.6	93.2
	1904	1,827.2	23.6	0.5	.....	22.9	7.8	7.5	37.9	10.0	.....	215.8	32.6	95.7
	1905	1,845.4	20.8	0.5	0.2	12.6	8.2	9.7	23.9	11.9	10.2	201.6	41.5	105.6
Bridgeport, Conn.	1901	1,681.5	26.0	8.2	.....	2.7	23.2	19.1	24.6	42.3	.....	229.5	17.8	71.0
	1902	1,624.2	23.9	6.6	.....	2.7	19.9	25.2	47.7	8.0	.....	167.1	23.9	76.9
	1903	1,702.8	14.2	1.3	.....	25.8	14.2	34.8	34.8	7.7	.....	171.3	28.3	86.3
	1904	1,650.6	17.5	5.0	.....	10.0	21.3	7.5	30.1	8.8	.....	191.6	31.3	61.4
	1905	1,653.6	13.4	2.4	.....	9.7	8.5	7.3	28.0	13.4	12.2	203.5	34.1	45.1
Bridgeton, N. J.	1901	1,306.3	21.7	7.2	.....	.....	14.4	7.2	7.2	36.1	.....	129.9	7.2	72.2
	1902	1,413.2	21.7	.....	.....	.....	.....	.....	.....	.....	.....	130.5	14.5	43.5
	1903	1,477.4	21.8	.....	.....	.....	7.3	.....	43.7	7.3	.....	152.8	.....	65.5
	1904	1,732.2	43.9	.....	.....	21.9	14.6	.....	14.6	7.3	.....	277.7	21.9	43.9
	1905	1,401.9	29.4	7.3	.....	.....	.....	.....	7.3	14.7	22.0	110.1	22.0	66.1
Bristol town, Conn.	1901	1,226.1	40.6	.....	10.1	.....	.....	10.1	20.3	81.1	.....	172.3	.....	60.8
	1902	1,436.4	19.8	29.7	.....	.....	.....	.....	.....	29.7	.....	89.2	29.7	49.5
	1903	1,637.4	126.0	9.7	.....	38.7	29.1	29.1	19.4	96.9	.....	87.2	.....	48.4
	1904	1,706.6	47.4	9.5	.....	.....	.....	9.5	37.9	47.4	.....	85.3	19.0	47.4
	1905	1,550.2	18.6	.....	.....	.....	.....	9.3	9.3	46.4	37.1	130.0	46.4	46.4
Brockton, Mass.	1901	1,293.0	14.4	2.4	.....	2.4	26.4	2.4	31.2	26.4	.....	158.6	24.0	60.1
	1902	1,121.5	13.9	2.3	.....	2.3	4.6	4.6	16.2	2.3	.....	164.5	20.9	90.4
	1903	1,116.3	11.2	4.5	.....	.....	8.9	17.9	11.2	24.6	.....	118.6	24.6	55.9
	1904	1,241.2	19.5	2.2	.....	32.4	2.2	.....	6.5	21.6	.....	123.3	28.1	84.3
	1905	1,303.5	18.8	2.1	.....	.....	8.4	12.6	2.1	39.8	12.6	140.2	31.4	52.3
Brookline town, Mass.	1901	1,104.9	.....	.....	.....	9.7	9.7	.....	38.8	4.8	.....	82.4	4.8	92.1
	1902	1,115.5	9.4	.....	4.7	.....	4.7	4.7	.....	9.4	.....	107.8	18.7	89.1
	1903	1,043.8	4.5	9.1	.....	9.1	27.2	18.2	9.1	13.6	.....	95.3	22.7	77.1
	1904	1,064.4	4.4	.....	.....	4.4	4.4	4.4	4.4	22.0	.....	57.2	8.8	123.2
	1905	1,109.4	.....	.....	.....	.....	4.3	.....	12.8	12.8	.....	64.0	12.8	140.8
Buffalo, N. Y.	1901	1,544.4	27.1	0.8	0.6	6.2	12.3	17.6	39.7	18.5	.....	126.8	21.6	73.3
	1902	1,469.6	33.7	0.3	0.8	18.8	3.0	7.5	37.3	4.1	.....	117.6	17.7	66.5
	1903	1,598.2	34.6	0.5	1.1	8.7	7.4	15.0	32.7	9.3	.....	122.0	23.7	75.2
	1904	1,596.2	24.2	0.8	.....	9.9	4.3	3.0	30.1	7.5	.....	135.7	23.7	72.3
	1905	1,560.6	24.4	.....	.....	17.5	4.2	16.7	16.7	6.6	10.6	130.0	29.2	88.1
Burlington, Iowa.	1901	1,477.3	55.0	4.2	4.2	.....	.....	.....	12.7	12.7	.....	173.6	8.5	88.9
	1902	1,422.2	45.7	.....	.....	.....	4.2	16.6	12.5	4.2	.....	174.7	8.3	70.7
	1903	1,234.2	45.0	.....	.....	12.3	4.1	.....	32.7	16.3	.....	114.4	4.1	85.8
	1904	1,466.2	56.2	4.0	.....	.....	40.2	.....	4.0	12.1	.....	104.4	12.1	80.3
	1905	1,208.6	51.3	.....	.....	.....	19.7	3.9	3.9	3.9	7.9	114.5	11.8	98.7
Burlington, Vt.	1901	1,738.0	21.0	10.5	.....	.....	.....	5.2	5.2	5.2	.....	168.0	42.0	68.3
	1902	1,629.8	10.3	.....	.....	20.6	.....	.....	.....	.....	.....	118.3	15.4	61.7
	1903	1,923.9	15.1	.....	.....	.....	.....	.....	10.1	10.1	.....	130.9	25.2	75.5
	1904	1,796.6	29.6	4.9	.....	.....	4.9	4.9	24.7	9.9	.....	113.5	24.7	49.3
	1905	2,100.2	19.4	.....	.....	9.7	.....	9.7	53.2	4.8	9.7	130.7	24.2	33.9
Cambridge, Mass.	1901	1,650.6	8.6	2.2	3.2	11.8	6.5	11.8	63.4	24.7	.....	222.6	25.8	109.7
	1902	1,475.0	10.6	.....	34.0	5.3	6.4	9.6	37.2	3.2	.....	198.7	28.7	87.1
	1903	1,498.7	10.5	.....	.....	4.2	9.5	14.7	29.4	11.6	.....	174.3	27.3	84.0
	1904	1,445.1	15.6	3.1	.....	7.3	3.1	2.1	24.9	12.5	.....	196.2	27.0	103.8
	1905	1,482.0	12.3	2.1	.....	5.1	5.1	14.4	28.7	7.2	11.3	180.6	25.7	91.3

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	18.3	45.8	119.1	82.4	64.1	55.0	73.3	82.4	82.4	45.8	9.2	45.8	27.5	210.6	9.2
.....	.....	26.3	201.7	140.3	96.5	61.4	87.7	43.8	26.3	43.8	8.8	61.4	70.2	219.2	.....
.....	25.2	42.1	117.8	117.8	101.0	75.7	58.9	101.0	58.9	58.9	8.4	92.5	16.8	210.3	.....
.....	16.2	24.3	80.8	97.0	88.9	80.8	32.3	97.0	64.7	64.7	.....	56.6	32.3	169.8	8.1
.....	15.6	23.3	116.7	116.7	108.9	62.2	46.7	140.0	77.8	54.5	.....	101.1	15.6	171.1	.....
.....	.....	36.6	280.6	207.4	183.0	134.2	85.4	24.4	61.0	97.6	.....	85.4	36.6	109.7	.....
.....	.....	59.8	191.4	95.7	107.6	59.8	47.8	59.8	83.7	47.8	.....	71.7	59.8	59.8	.....
.....	23.5	.....	246.3	175.9	70.4	105.5	46.9	82.1	93.8	70.4	.....	11.7	23.5	129.0	.....
.....	11.5	11.5	161.1	264.7	69.1	46.0	80.6	80.6	195.7	46.0	34.5	23.0	11.5	195.7	11.5
.....	56.5	22.6	101.7	282.4	113.0	101.7	146.8	101.7	101.7	67.8	.....	67.8	33.9	158.1	.....
.....	.....	95.7	42.5	42.5	138.3	53.2	287.2	31.9	53.2	95.7	.....	31.9	85.1	21.3	31.9
.....	.....	60.5	90.7	50.4	181.5	80.7	100.8	60.5	40.3	50.4	.....	70.6	60.5	90.7	30.2
.....	28.7	115.0	115.0	134.2	201.3	47.9	306.7	19.2	28.7	86.3	.....	210.8	76.7	95.8	.....
.....	18.3	109.6	54.8	82.2	191.8	82.2	228.3	63.9	18.3	100.5	.....	146.1	91.3	73.0	91.3
.....	.....	69.8	139.5	61.1	165.7	78.5	218.0	34.9	69.8	95.9	.....	130.8	61.1	78.5	52.3
.....	7.1	14.1	155.5	162.5	106.0	49.5	63.6	63.6	63.6	42.4	7.1	49.5	14.1	106.0	.....
.....	20.8	6.9	111.0	256.6	62.4	104.0	48.5	27.7	97.1	69.4	6.9	76.3	55.5	90.2	.....
.....	20.4	20.4	88.5	224.7	68.1	95.3	95.3	61.3	122.6	68.1	13.6	95.3	20.4	95.3	.....
.....	26.7	26.7	187.2	327.6	113.7	33.4	53.5	20.1	120.4	46.8	6.7	60.2	6.7	80.2	.....
.....	13.1	32.8	164.2	289.0	118.2	65.7	111.7	59.1	85.4	85.4	6.6	118.2	26.3	105.1	.....
.....	18.4	79.7	153.2	98.1	104.2	141.0	306.5	61.3	73.6	110.3	12.3	73.6	91.9	153.2	30.6
.....	30.3	133.5	206.3	109.2	206.3	139.5	266.9	60.7	54.6	157.7	12.1	60.7	103.1	109.2	12.1
.....	6.0	102.1	150.1	198.1	144.1	120.1	120.1	36.0	66.1	174.1	6.0	36.0	96.1	108.1	.....
.....	17.8	83.2	255.6	267.5	160.5	154.5	124.8	29.7	89.2	231.8	.....	23.8	35.7	107.0	5.9
.....	5.9	70.6	135.3	141.2	158.9	105.9	135.3	76.5	88.3	194.2	5.9	58.8	70.6	76.5	.....
.....	17.4	19.8	151.2	111.6	153.7	91.7	62.0	114.0	86.8	91.7	9.9	79.3	54.5	198.3	.....
2.4	9.7	21.9	275.4	158.4	126.7	63.4	63.4	87.7	138.9	41.4	17.1	92.6	34.1	165.7	2.4
.....	24.0	14.4	189.4	167.8	107.9	69.5	62.3	81.5	83.9	55.1	19.2	86.3	24.0	213.4	.....
2.4	9.4	28.3	245.2	240.5	122.6	80.2	117.9	108.5	132.1	51.9	7.1	96.7	35.4	158.0	.....
2.3	11.6	39.4	234.4	255.2	129.9	55.7	127.6	104.4	109.1	81.2	13.9	106.7	23.2	164.7	.....
2.1	14.3	38.9	146.5	215.7	146.4	119.6	134.4	102.7	82.6	96.0	14.4	115.2	39.8	157.6	7.2
1.2	13.9	38.6	143.9	234.2	154.5	120.1	123.9	94.7	79.0	93.8	13.6	103.2	44.7	158.8	6.1
1.9	14.1	35.4	130.7	230.2	159.9	106.6	120.0	88.4	85.5	96.6	13.8	98.2	34.9	151.1	7.6
1.5	18.5	33.6	139.9	229.1	154.1	107.2	112.5	91.8	81.9	96.7	12.6	97.0	31.4	160.2	4.8
1.5	17.3	46.9	145.8	244.4	160.4	95.4	122.3	96.1	82.6	83.5	14.4	116.2	35.3	130.5	6.0
1.4	12.3	38.2	129.8	157.1	135.2	110.7	184.4	71.0	91.5	64.2	8.2	75.1	23.2	113.4	1.4
.....	9.3	33.1	147.2	148.5	123.3	84.9	164.4	83.5	140.5	91.5	5.3	72.9	17.2	99.4	1.3
2.6	15.4	38.6	144.3	171.3	109.5	128.8	119.8	72.1	124.9	90.2	15.4	105.6	19.3	123.7	2.6
.....	11.3	41.3	103.9	164.1	125.2	83.9	155.3	95.2	156.6	72.6	12.5	102.7	17.5	121.5	2.5
2.4	23.2	50.0	125.5	177.9	137.7	79.2	169.4	79.2	135.3	57.3	12.2	126.7	9.7	87.7	2.4
.....	14.4	.....	245.4	122.7	79.4	28.9	57.7	108.3	129.9	72.2	.....	21.7	57.7	65.0	.....
.....	.....	58.0	181.2	137.7	137.7	94.2	144.9	43.5	188.4	14.5	.....	36.2	58.0	108.7	.....
.....	29.1	29.1	182.0	167.4	87.3	101.9	43.7	109.2	196.5	72.8	.....	58.2	43.7	58.2	.....
7.3	7.3	14.6	204.6	131.6	116.9	95.0	109.6	116.9	153.5	29.2	.....	73.1	80.4	131.6	14.6
.....	14.7	7.3	183.5	154.1	139.5	110.1	117.4	73.4	117.4	29.4	.....	51.4	44.0	80.7	.....
10.1	30.4	10.1	91.2	121.6	70.9	30.4	50.7	60.8	81.1	30.4	10.1	70.9	30.4	131.7	.....
.....	29.7	29.7	138.7	128.8	128.8	49.5	128.8	79.3	9.9	59.4	.....	89.2	39.6	277.4	.....
.....	9.7	29.1	184.1	145.3	174.4	67.8	135.6	77.5	58.1	58.1	9.7	87.2	.....	116.3	.....
.....	9.5	208.6	104.3	180.1	189.6	47.4	161.2	47.4	113.7	56.9	9.5	56.9	19.0	199.1	.....
.....	18.6	83.5	130.0	213.5	167.1	18.6	259.9	46.4	83.5	55.7	.....	74.3	.....	55.7	.....
2.4	9.6	48.1	91.3	149.0	120.2	60.1	76.9	48.1	36.0	86.5	19.2	50.5	40.9	105.7	.....
.....	4.6	32.4	111.2	127.4	51.0	53.3	46.3	46.3	62.6	55.6	4.6	39.4	30.1	127.4	7.0
.....	11.2	35.8	132.0	118.6	44.7	33.6	42.5	71.6	55.9	80.5	17.9	47.0	22.4	123.0	2.2
.....	8.6	25.9	121.1	155.7	69.2	58.4	62.7	75.7	45.4	62.7	10.8	51.9	25.9	142.7	4.3
.....	10.5	27.2	131.8	129.7	56.5	52.3	41.8	50.2	81.6	85.8	4.2	186.2	29.3	94.2	2.1
4.8	9.7	9.7	121.2	159.9	77.5	58.2	43.6	53.3	67.8	63.0	4.8	58.2	29.1	96.9	4.8
4.7	14.1	14.1	93.7	150.0	79.7	75.0	75.0	46.9	42.2	37.5	.....	32.8	28.1	168.7	4.7
.....	27.2	.....	131.6	186.1	59.0	45.4	54.5	22.7	31.8	27.2	9.1	27.2	27.2	104.4	4.5
.....	17.6	4.4	105.6	206.7	88.0	57.2	30.8	44.0	74.8	30.8	4.4	39.6	8.8	118.8	.....
4.3	34.1	25.6	68.3	251.7	55.5	64.0	42.7	29.9	76.8	51.2	4.3	38.4	17.1	98.1	.....
2.2	11.2	33.3	123.1	148.1	90.7	128.2	138.5	82.8	80.3	76.4	14.3	101.3	17.6	151.7	.....
1.7	13.3	33.7	127.8	156.8	83.9	129.2	116.2	88.3	78.1	69.0	9.9	93.0	19.3	141.9	.....
1.4	16.1	32.4	137.3	176.2	86.4	112.0	126.4	98.1	88.3	75.5	12.8	119.6	19.6	165.1	1.1
1.6	19.4	27.4	145.7	184.7	94.9	122.6	140.6	89.8	94.6	82.0	10.8	98.9	20.7	150.5	0.5
1.3	16.7	30.2	122.3	187.3	87.0	102.4	126.3	93.7	92.1	84.6	19.6	100.8	19.4	132.7	.....
4.2	8.5	25.4	131.2	139.7	101.6	59.3	63.5	84.7	72.0	38.1	25.4	110.1	59.3	190.5	4.2
.....	12.5	16.6	170.5	104.0	91.5	29.1	79.0	91.5	66.5	33.3	20.8	54.1	49.9	241.2	25.0
4.1	8.2	.....	155.3	114.4	102.2	53.1	28.6	89.9	49.0	16.3	8.2	81.7	28.6	167.6	12.3
.....	20.1	12.1	160.7	128.5	116.5	36.2	44.2	84.4	52.2	52.2	4.0	124.5	68.3	237.0	12.1
.....	15.8	27.6	122.4	110.6	63.2	51.3	43.4	86.9	39.5	59.2	11.8	63.2	15.8	177.7	3.9
.....	15.8	78.8	199.5	141.8	78.8	110.3	178.5	47.3	84.0	94.5	5.2	105.0	78.8	194.3	.....
.....	5.1	108.0	128.5	149.1	87.4	154.2	133.7	61.7	92.6	154.2	.....	51.4	61.7	215.9	.....
5.0	25.2	65.5	176.3	146.1	151.1	141.0	146.1	141.0	85.6	156.1	10.1	60.4	85.6	261.9	.....
.....	14.8	103.7	138.2	138.2	153.0	79.0	172.8	79.0	93.8	148.1	19.7	59.2	128.3	202.4	.....
.....	9.7	62.9	193.6	179.0	135.5	130.7	242.0	101.6	135.5	179.0	4.8	91.9	67.7	271.0	.....
1.1	9.7	39.8	143.0	179.6	135.5	97.9	98.9	53.8	52.7	92.5	7.5	71.0	63.4	112.9	1.1
2.1	15.9	31.9	123.3	172.1	137.1	87.1	91.4	48.9	53.1	83.9	5.3	41.4	48.9	110.5	1.1
4.2	5.3	30.5	148.1	161.7	144.9	99.8	107.1	56.7	70.4	98.7	11.6	47.3	55.7	90.3	1.1
1.0	13.5	32.2	113.2	208.7	110.0	74.7	110.0	54.0	63.3	88.2	4.2	42.6	26.0	106.9	1.0
2.1	5.1	36.9	132.4	193.0	131.4	77.0	110.8	75.9	65.7	75.9	10.3	51.3	39.0	90.3	1.0

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Camden, N. J.	1901	1,805.7	15.5	.....	2.6	.....	5.2	14.2	81.4	25.8	.....	188.6	23.2	63.3
	1902	1,737.5	22.8	.....	24.1	3.8	5.1	19.0	36.8	15.2	.....	157.2	33.0	62.1
	1903	1,592.2	13.7	.....	7.5	.....	10.0	12.4	31.1	10.0	.....	185.3	22.4	63.4
	1904	1,896.7	20.8	1.2	8.5	15.9	17.1	3.7	87.9	8.5	.....	200.3	30.5	66.0
	1905	1,624.2	18.0	3.6	.....	1.2	6.0	2.4	40.8	7.2	10.8	176.3	26.4	55.2
Canton, Ohio	1901	1,147.4	16.1	.....	.....	.....	.....	6.4	19.3	16.1	.....	128.6	9.6	48.3
	1902	1,124.7	12.7	.....	3.2	.....	.....	.....	9.5	3.2	.....	91.9	12.7	31.7
	1903	1,146.5	21.9	.....	.....	.....	12.5	31.2	21.9	18.7	.....	134.3	12.5	43.7
	1904	1,124.4	30.8	.....	.....	3.1	3.1	.....	18.5	9.2	.....	98.6	18.5	58.5
	1905	1,097.4	13.2	.....	.....	.....	.....	5.3	31.7	21.1	10.6	73.9	2.6	29.0
Carbondale, Pa.	1901	1,640.5	14.5	.....	.....	7.3	7.3	.....	58.1	29.0	.....	65.3	7.3	65.3
	1902	1,890.7	42.8	.....	.....	35.7	.....	78.5	35.7	35.7	.....	99.9	28.5	42.8
	1903	1,627.4	63.1	7.0	.....	.....	.....	7.0	133.3	21.0	.....	98.2	7.0	28.1
	1904	1,772.9	34.5	.....	.....	.....	.....	.....	62.1	48.3	.....	89.7	27.6	34.5
	1905	1,906.9	67.9	.....	.....	13.6	27.1	6.8	95.0	27.1	20.4	74.6	6.8	54.3
Carlisle, Pa.	1901	1,852.1	20.4	10.2	.....	.....	.....	20.4	61.0	61.0	.....	234.0	20.4	40.7
	1902	1,326.3	10.0	39.9	.....	.....	.....	10.0	19.9	.....	.....	149.6	29.9	59.8
	1903	1,642.4	48.9	.....	.....	58.6	.....	.....	.....	.....	.....	195.5	9.8	68.4
	1904	1,610.7	.....	9.6	.....	.....	.....	9.6	9.6	19.2	.....	201.3	19.2	95.9
	1905	1,420.4	18.8	9.4	.....	.....	.....	.....	.....	18.8	9.4	141.1	.....	65.8
Central Falls, R. I.	1901	1,633.9	16.3	16.3	10.9	21.7	5.4	.....	43.4	38.0	.....	211.7	27.1	38.0
	1902	1,536.6	32.1	16.1	.....	10.7	26.8	.....	32.1	10.7	.....	107.1	32.1	32.1
	1903	1,785.1	10.6	5.3	5.3	5.3	31.7	47.5	26.4	26.4	.....	163.7	15.8	37.0
	1904	1,464.3	10.4	.....	.....	.....	5.2	.....	20.8	31.3	.....	109.4	41.7	62.5
	1905	1,866.7	10.3	5.1	.....	41.1	5.1	20.6	36.0	46.3	10.3	180.0	36.0	51.4
Charleston, S. C.	1901	3,150.7	85.9	85.9	.....	.....	10.7	.....	17.9	75.1	.....	373.9	26.8	59.0
	1902	3,108.4	80.4	66.1	3.6	5.4	5.4	1.8	14.3	30.4	.....	382.3	33.9	51.8
	1903	2,884.3	64.2	46.4	16.1	1.8	1.8	33.9	3.6	30.3	.....	387.1	37.5	53.5
	1904	3,004.6	58.8	46.3	5.3	.....	1.8	.....	8.9	32.0	.....	363.3	17.8	49.9
	1905	2,900.5	53.4	42.7	1.8	14.2	3.6	60.5	5.3	33.8	21.3	353.9	23.1	60.5
Chelsea, Mass.	1901	1,679.4	28.8	.....	.....	.....	5.8	2.9	46.1	23.0	.....	172.8	11.5	69.1
	1902	1,863.8	31.1	.....	.....	25.5	5.7	25.5	31.1	2.8	.....	175.3	17.0	87.7
	1903	1,772.2	13.9	5.6	.....	2.8	2.8	33.3	11.1	19.4	.....	205.5	16.7	80.6
	1904	1,866.6	32.7	.....	.....	13.6	8.2	.....	40.9	32.7	.....	223.8	8.2	81.9
	1905	1,866.5	24.1	2.7	.....	2.7	2.7	5.4	8.0	34.9	5.4	177.0	10.7	93.9
Chicago, Ill.	1901	1,393.2	29.8	1.2	0.2	10.2	11.1	12.6	28.5	15.9	.....	147.5	20.5	63.7
	1902	1,458.9	45.1	0.9	0.3	8.2	26.4	13.3	34.4	8.4	.....	147.0	18.7	64.7
	1903	1,534.7	32.1	1.0	2.5	15.4	16.3	13.7	33.7	14.0	.....	158.1	24.1	64.4
	1904	1,381.6	20.2	0.5	1.5	2.8	7.8	7.2	21.1	10.9	.....	163.9	20.9	64.0
	1905	1,383.8	16.5	0.9	3.1	12.8	4.1	18.3	21.8	10.0	9.2	162.8	23.0	65.6
Chicopee, Mass.	1901	1,755.2	25.8	.....	.....	.....	.....	46.5	51.6	31.0	.....	139.4	25.8	46.5
	1902	2,033.1	10.2	10.2	.....	10.2	71.5	5.1	102.2	5.1	.....	102.2	15.3	56.2
	1903	2,042.4	20.2	5.1	.....	15.2	217.4	25.3	45.5	5.1	.....	161.8	10.1	30.3
	1904	1,696.2	10.0	.....	.....	5.0	20.0	5.0	40.0	20.0	.....	190.1	25.0	70.0
	1905	1,763.2	9.9	5.0	.....	9.9	.....	5.0	54.5	29.7	19.8	178.3	29.7	49.5
Chillicothe, Ohio	1901	1,856.2	76.1	.....	.....	15.2	.....	.....	15.2	68.5	.....	243.4	7.6	98.9
	1902	1,712.5	82.6	.....	.....	.....	.....	22.5	7.5	7.5	.....	187.8	22.5	90.1
	1903	1,535.3	29.7	.....	.....	37.1	.....	7.4	7.4	22.3	.....	148.3	22.3	81.6
	1904	1,355.1	95.2	.....	.....	.....	.....	29.3	22.0	44.0	.....	212.4	.....	58.6
	1905	1,331.3	57.9	.....	.....	.....	.....	14.5	14.5	7.2	7.2	123.0	21.7	79.6
Chippewa Falls, Wis.	1901	1,123.6	12.1	12.1	.....	.....	24.2	.....	24.2	48.3	.....	120.8	24.2	36.2
Cincinnati, Ohio	1901	1,953.0	54.9	4.6	0.3	18.3	7.9	5.8	21.7	41.5	.....	236.5	29.6	77.8
	1902	1,806.5	61.9	4.2	1.8	17.3	17.9	6.7	23.4	14.3	.....	206.9	28.2	78.0
	1903	1,877.5	42.7	1.2	4.2	9.9	11.1	6.9	18.6	31.8	.....	237.9	30.6	83.5
	1904	2,084.7	80.2	0.9	3.5	23.1	7.0	2.0	13.5	34.6	.....	268.9	36.9	80.0
	1905	1,924.9	41.1	0.6	0.6	2.9	21.8	16.6	23.0	22.1	17.5	251.9	38.4	73.7
Cleveland, Ohio	1901	1,520.9	34.9	1.8	5.1	4.1	10.2	2.8	43.8	15.8	.....	108.1	14.0	59.4
	1902	1,583.0	35.5	0.7	57.8	4.5	10.2	9.2	52.6	4.5	.....	117.4	11.7	54.3
	1903	1,662.9	115.0	0.7	5.5	2.9	4.3	13.0	48.4	7.7	.....	131.8	12.5	62.2
	1904	1,537.9	49.6	1.2	1.4	12.2	0.9	2.3	33.4	5.2	.....	143.8	12.7	61.1
	1905	1,468.5	14.9	1.1	.....	2.3	11.4	7.5	25.2	6.6	7.1	127.7	12.8	64.3
Clinton town, Mass.	1901	1,645.1	29.5	7.4	.....	7.4	.....	.....	22.1	14.8	.....	132.8	.....	36.9
	1902	1,696.0	22.3	14.9	.....	22.3	.....	7.4	22.3	.....	.....	133.9	22.3	44.6
	1903	1,642.8	22.5	7.5	.....	7.5	.....	.....	30.0	15.0	.....	112.5	15.0	45.0
	1904	1,339.1	30.3	.....	.....	.....	.....	.....	.....	15.1	.....	45.4	7.6	37.8
	1905	1,640.6	45.8	7.6	.....	15.3	.....	15.3	15.3	7.6	22.9	114.5	38.2	152.6
Cohoes, N. Y.	1901	1,963.2	66.8	.....	.....	4.2	4.2	4.2	33.4	20.9	.....	275.7	12.5	45.9
	1902	1,806.4	125.2	.....	.....	.....	4.2	50.1	12.5	8.3	.....	191.9	12.5	54.2
	1903	1,941.6	95.8	4.2	.....	.....	54.2	33.3	8.3	16.7	.....	220.8	20.9	87.5
	1904	1,905.8	104.0	.....	.....	.....	20.8	4.2	29.1	25.0	.....	241.3	45.8	87.4
	1905	2,152.7	54.0	.....	.....	91.4	8.3	4.2	29.1	33.2	8.3	174.5	20.8	66.5
Columbia, Pa.	1901	1,737.7	80.1	.....	.....	.....	.....	.....	56.1	8.0	.....	128.1	24.0	56.1
	1902	1,524.5	79.0	.....	15.8	.....	15.8	.....	.....	.....	.....	79.0	7.9	15.8
	1903	1,371.6	54.5	.....	.....	.....	46.8	7.8	.....	.....	.....	116.9	15.6	39.0
	1904	1,452.7	122.3	.....	.....	22.9	.....	.....	.....	.....	.....	91.8	.....	61.2
	1905	1,162.2	45.3	.....	.....	.....	7.5	.....	.....	30.2	7.5	75.5	.....	30.2
Columbus, Ind.	1901	1,692.7	36.3	.....	.....	108.8	.....	.....	24.2	36.3	.....	205.5	36.3	24.2
	1902	1,545.4	23.8	11.9	.....	.....	.....	11.9	59.4	11.9	.....	178.3	35.7	83.2
	1903	1,403.0	35.1	.....	.....	11.7	.....	23.4	46.8	93.5	.....	233.8	11.7	23.4
	1904	1,713.8	103.5	.....	.....	34.5	.....	11.5	46.0	34.5	.....	287.6	34.5	46.0
	1905	1,482.7	45.3	.....	.....	.....	.....	22.6	.....	34.0	22.6	271.6	11.3	67.9

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
3.9	6.5	60.7	211.8	170.5	142.1	78.8	96.9	90.4	121.4	81.4	5.2	122.7	87.8	105.9	.....
.....	7.6	44.4	95.2	172.4	153.3	92.5	78.6	91.2	131.8	106.5	5.1	119.1	59.6	101.4	.....
.....	1.2	39.8	195.3	160.5	109.5	65.9	90.8	73.4	109.5	103.2	6.2	103.2	78.4	99.5	.....
.....	7.3	40.3	166.1	184.4	164.9	92.8	136.8	94.0	162.4	92.8	6.1	109.9	56.2	122.1	.....
4.8	6.0	44.4	159.5	155.9	129.6	79.2	110.4	67.2	158.3	91.2	4.8	115.2	57.6	91.2	1.2
3.2	6.4	19.3	173.5	93.2	118.9	35.3	41.8	80.3	32.1	16.1	3.2	86.8	83.6	106.1	3.2
.....	15.9	25.4	167.9	107.1	88.7	47.6	50.7	72.9	50.7	50.7	15.9	85.6	95.1	82.4	3.2
.....	12.5	21.9	134.3	131.2	65.6	37.5	46.9	56.2	37.5	71.9	9.4	75.0	37.5	106.2	6.2
6.2	15.4	27.7	126.3	98.6	98.6	55.5	24.6	77.0	40.0	52.4	9.2	70.9	64.7	104.7	12.3
2.6	7.9	34.3	116.1	118.7	89.7	42.2	71.2	95.0	34.3	60.7	13.2	81.8	21.1	110.8	10.6
.....	7.3	50.8	181.5	145.2	159.6	137.9	101.6	108.9	79.8	58.0	7.3	145.2	87.1	108.9	7.3
.....	7.1	78.5	228.4	171.2	171.2	164.1	128.4	78.5	78.5	42.8	7.1	128.4	57.1	149.8	.....
.....	35.1	35.1	91.2	154.4	105.2	126.3	70.1	98.2	63.1	70.1	.....	182.4	77.2	154.3	.....
6.9	41.4	41.4	193.1	144.8	200.0	89.7	110.4	124.2	89.7	69.0	.....	227.6	48.3	89.7	.....
.....	33.9	67.9	156.1	169.7	156.1	156.1	169.7	142.5	20.4	27.1	6.8	190.0	74.6	122.1	20.4
10.2	10.2	40.7	203.5	162.8	101.8	111.9	111.9	122.1	50.9	91.6	.....	50.9	81.4	223.9	10.2
.....	.....	.....	219.4	139.6	39.9	79.8	99.7	119.7	19.9	59.8	.....	39.9	39.9	139.6	10.0
.....	.....	39.1	254.2	205.3	68.4	73.2	48.9	97.8	29.3	97.8	.....	88.0	88.0	136.9	29.3
.....	9.6	19.2	210.9	153.4	143.8	76.7	38.3	95.9	57.5	76.7	.....	38.3	95.9	220.5	9.6
.....	18.8	18.8	159.9	254.0	56.4	75.3	84.7	131.7	84.7	37.6	28.2	47.0	75.3	75.3	9.4
.....	10.9	81.4	119.4	86.9	92.3	190.0	195.4	92.3	54.3	86.9	16.3	38.0	10.9	124.9	5.4
.....	.....	80.3	107.1	117.8	112.4	139.2	240.9	85.7	85.7	69.6	5.4	53.5	21.4	117.8	.....
5.3	.....	31.7	121.5	126.8	184.9	206.0	322.2	52.8	105.6	68.7	15.8	52.8	10.6	105.6	.....
.....	5.2	46.9	145.9	78.2	125.1	135.5	172.0	99.0	93.8	78.2	.....	67.7	10.4	125.1	.....
.....	5.1	66.9	123.4	92.6	185.1	205.7	282.8	92.6	97.7	92.6	.....	66.9	30.9	77.1	5.1
3.6	.....	26.8	379.3	182.5	173.6	93.0	322.1	146.7	373.9	173.6	1.8	87.7	153.9	297.0	.....
8.9	8.9	30.4	368.0	210.8	198.3	76.8	380.5	151.8	339.4	157.2	8.9	110.8	130.4	250.1	1.8
5.3	1.8	17.8	344.3	160.5	126.6	82.1	305.0	123.1	347.8	94.5	5.3	83.8	110.6	397.8	1.8
3.6	1.8	23.1	333.1	308.1	124.7	78.4	377.6	110.4	393.6	103.3	1.8	96.2	119.3	340.2	5.3
16.0	.....	14.2	325.4	227.6	108.5	128.0	391.2	94.3	321.9	113.8	3.6	94.3	108.5	279.2	.....
5.8	8.6	57.6	216.0	236.2	86.4	80.7	115.2	74.9	89.3	80.7	5.8	63.4	43.2	152.7	2.9
5.7	8.5	33.9	229.1	209.3	144.2	104.6	124.4	113.1	87.7	118.8	11.3	45.3	90.5	135.8	.....
2.8	16.7	22.2	188.9	227.8	91.7	75.0	105.6	77.8	133.3	127.8	8.3	69.4	36.1	197.2	.....
.....	13.6	46.4	251.1	229.2	120.1	92.8	133.7	73.7	150.1	68.2	16.4	87.3	19.1	122.8	.....
5.4	10.7	45.6	222.6	238.7	120.7	88.5	152.9	83.1	163.6	77.8	8.0	96.5	53.6	131.4	.....
0.8	8.2	31.5	110.1	121.9	139.2	85.3	125.1	76.6	71.6	44.1	22.5	82.7	14.6	117.5	0.3
0.5	8.4	32.8	107.2	125.5	143.8	108.2	120.5	81.2	85.4	37.4	24.1	85.0	14.7	116.3	0.5
0.6	9.2	30.3	108.8	126.2	180.4	105.0	119.2	76.2	99.2	40.9	25.0	116.4	11.9	109.8	0.3
0.7	10.0	24.2	98.2	127.2	154.7	90.3	111.5	74.3	99.9	51.4	21.1	88.8	9.4	98.5	0.6
0.6	11.2	23.4	90.0	122.6	123.5	93.0	128.9	75.0	111.4	47.3	21.8	93.9	9.8	83.4	0.1
.....	5.2	103.2	175.5	160.0	129.1	82.6	149.7	46.5	92.9	206.5	.....	77.4	41.3	118.7	.....
.....	5.1	127.7	158.4	117.5	127.7	112.4	275.8	56.2	97.1	194.1	5.1	71.5	143.0	153.2	.....
.....	20.2	80.9	136.5	111.2	156.7	126.4	217.4	70.8	85.9	171.9	.....	121.3	70.8	136.5	.....
.....	5.0	100.1	145.1	175.1	90.1	90.1	200.1	65.0	80.1	115.1	5.0	110.1	20.0	110.1	.....
.....	14.9	59.4	193.2	109.0	123.8	94.1	237.7	104.0	69.3	109.0	5.0	113.9	59.4	79.2	.....
7.6	.....	38.0	175.0	159.8	106.5	76.1	114.1	76.1	38.0	22.8	15.2	121.7	114.1	266.3	.....
.....	.....	52.6	157.7	195.3	105.2	60.1	60.1	45.1	60.1	52.6	30.0	75.1	105.2	285.4	7.5
.....	.....	44.5	133.5	237.3	74.2	51.9	51.9	89.0	37.1	66.8	14.8	103.8	103.8	170.6	.....
14.6	.....	29.3	73.2	102.5	102.5	65.9	44.0	73.2	44.0	80.6	22.0	80.6	51.3	109.9	.....
.....	.....	43.4	151.9	137.5	79.6	43.4	28.9	115.8	43.4	137.5	14.5	36.2	36.2	137.5	.....
12.1	.....	12.1	132.9	60.4	60.4	72.5	12.1	60.4	36.2	36.2	.....	96.7	24.2	193.3	12.1
0.9	9.8	58.0	166.6	168.7	131.5	152.2	106.5	114.1	122.0	76.0	24.4	117.2	31.7	173.6	0.9
1.8	6.7	54.0	142.9	178.1	118.9	131.7	110.5	119.2	117.4	75.3	21.2	97.1	25.5	145.6	.....
1.8	9.0	44.2	166.7	164.9	120.2	143.3	104.2	108.1	124.1	70.9	24.3	115.3	41.1	161.0	.....
2.3	10.3	50.4	162.3	188.3	164.0	156.1	135.6	113.6	131.8	73.8	25.5	104.8	39.0	176.0	0.3
1.5	11.4	43.1	165.7	184.7	128.4	147.1	104.0	107.2	122.9	67.0	26.2	116.5	37.6	151.2	0.3
1.8	5.9	39.2	163.9	128.4	128.9	84.1	101.4	93.0	67.0	110.6	13.8	83.6	63.7	134.8	0.8
2.7	5.2	39.7	157.1	134.0	137.5	104.7	118.3	82.1	66.5	91.3	15.4	97.3	54.3	118.0	0.5
2.2	7.2	32.3	157.1	137.4	130.1	92.1	127.0	83.4	79.3	116.7	17.4	99.1	54.7	121.9	1.0
1.2	7.3	30.1	151.5	139.3	129.7	83.6	136.3	79.9	78.2	96.8	17.1	86.5	40.4	134.6	1.6
1.8	8.2	32.5	134.5	148.5	111.6	92.0	137.0	85.1	82.8	75.7	22.9	94.5	35.9	124.5	.....
.....	.....	29.5	110.7	206.6	95.9	66.4	118.0	118.0	66.4	118.0	22.1	81.2	147.5	206.6	7.4
.....	14.9	52.1	207.8	178.5	141.3	81.8	89.3	59.5	66.9	163.7	7.4	66.9	59.5	156.2	.....
7.5	7.5	30.0	150.0	127.5	240.0	30.0	157.5	82.5	37.5	112.5	15.0	135.0	45.0	202.5	7.5
.....	15.1	15.1	105.9	136.2	181.6	75.7	136.2	113.5	60.5	75.7	22.7	83.2	37.8	136.2	7.6
.....	.....	22.9	114.5	160.2	91.6	76.3	183.1	76.3	68.7	122.1	.....	83.9	22.9	183.1	.....
.....	16.7	108.6	158.7	146.2	217.2	121.1	150.4	104.4	83.5	96.1	4.2	100.3	41.8	142.0	4.2
.....	8.3	66.8	154.4	125.2	150.2	112.6	108.5	108.5	79.3	112.6	12.5	108.5	62.6	137.7	.....
.....	.....	79.2	162.5	104.2	145.8	141.7	158.3	104.2	58.4	108.4	4.2	104.2	83.4	145.8	.....
.....	4.2	58.3	183.1	83.2	112.4	116.5	116.5	124.8	108.2	104.0	8.3	137.3	87.4	104.0	.....
.....	12.5	91.4	195.3	199.5	120.5	166.2	211.9	91.4	116.4	103.9	16.6	149.6	91.4	95.6	.....
.....	24.0	32.0	264.2	136.1	152.1	24.0	88.1	64.1	56.1	72.1	.....	104.1	104.1	264.3	.....
.....	.....	31.6	158.0	158.0	102.7	63.2	63.2	94.7	39.5	55.3	15.8	150.1	165.9	213.2	.....
.....	7.8	39.0	202.6	140.3	77.9	77.9	54.5	62.4	77.9	54.5	7.8	140.3	23.4	124.7	.....
.....	.....	7.6	191.2	183.5	76.5	68.8	130.0	38.2	114.7	107.0	.....	107.0	38.2	91.8	.....
.....	.....	7.5	135.8	98.1	83.0	113.2	75.5	52.8	67.9	37.7	15.1	128.3	22.6	128.3	.....
.....	.....	60.5	205.5	96.7	145.1	108.8	108.8	60.5	72.5	72.5	12.1	72.5	36.3	169.3	.....
23.8	11.9	59.4	118.9	178.3	83.2	47.5	83.2	107.0	47.5	71.3	.....	47.5	35.7	202.2	11.9
.....	35.1	46.8	140.3	70.1	116.9	81.8	58.4	46.8	.....	46.8	11.7	105.2	23.4	140.3	.....
.....	23.0	57.5	92.0	80.5	126.5	46.0	92.0	46.0	34.5	92.0	11.5	149.6	34.5	230.1	.....
.....	11.3	67.9	113.2	67.9	101.9	34.0	90.5	90.5	67.9	135.8	.....	79.2	34.0	90.5	22.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.

REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Columbus, Ohio	1901	1,434.8	48.1	5.4	.....	.....	14.7	3.9	7.0	24.1	.....	206.4	19.4	51.2
	1902	1,588.8	37.1	.....	0.8	16.6	6.8	12.1	9.1	12.1	.....	196.0	5.3	65.1
	1903	1,688.0	37.6	1.5	36.9	11.8	12.5	18.5	5.2	10.3	.....	217.0	11.1	67.2
	1904	1,685.9	147.7	2.9	.....	7.9	10.1	1.5	17.3	13.0	.....	214.0	43.2	72.8
	1905	1,565.0	85.1	.....	1.4	.....	2.1	9.9	24.6	15.5	11.3	199.1	31.7	73.2
Concord, N. H	1901	1,397.3	10.1	.....	5.0	.....	.....	5.0	35.2	35.2	.....	140.7	25.1	45.2
	1902	1,741.2	14.9	.....	.....	.....	.....	5.0	9.9	29.8	.....	138.9	9.9	74.4
	1903	1,772.7	19.6	.....	.....	39.2	.....	14.7	19.6	24.5	.....	122.4	19.6	73.4
	1904	1,822.7	9.7	.....	.....	.....	.....	4.8	19.3	33.8	.....	140.2	9.7	91.9
	1905	1,775.9	9.5	.....	.....	9.5	.....	.....	4.8	33.4	28.6	176.6	28.6	119.3
Corning, N. Y	1901	1,551.7	34.7	.....	.....	17.3	8.7	.....	8.7	60.7	.....	208.0	26.0	52.0
	1902	1,173.9	16.7	.....	.....	.....	8.3	.....	41.6	16.7	.....	116.6	16.7	33.3
	1903	1,377.5	48.1	.....	.....	16.0	.....	16.0	8.0	.....	.....	80.1	24.0	80.1
	1904	1,566.1	54.0	.....	.....	.....	7.7	7.7	77.1	23.1	.....	108.0	15.4	92.6
	1905	1,592.5	29.8	.....	.....	.....	7.4	14.9	52.1	7.4	7.4	96.7	14.9	67.0
Cortland, N. Y	1901	1,465.2	117.6	.....	.....	85.6	.....	.....	.....	53.5	.....	32.1	42.8	64.2
	1902	960.1	10.3	.....	.....	.....	.....	.....	10.3	10.3	.....	92.9	31.0	41.3
	1903	1,444.6	38.0	.....	.....	9.5	.....	.....	.....	19.0	.....	85.5	28.5	123.6
	1904	1,326.2	9.2	.....	.....	18.4	.....	.....	.....	27.6	.....	101.3	18.4	92.1
	1905	991.6	26.8	.....	.....	.....	8.9	.....	.....	8.9	35.7	53.6	17.9	80.4
Covington, Ky	1901	2,195.7	27.6	9.2	.....	85.1	16.1	25.3	62.1	46.0	.....	266.7	23.0	50.6
	1902	1,786.5	36.3	.....	.....	11.4	18.2	9.1	36.3	15.9	.....	236.1	22.7	68.1
	1903	1,514.8	35.7	.....	2.2	15.6	13.4	6.7	17.9	40.2	.....	198.9	22.3	64.8
	1904	1,864.6	39.7	.....	.....	35.3	6.6	35.3	24.3	44.1	.....	233.9	30.9	61.8
	1905	1,756.9	45.8	.....	.....	.....	19.6	4.4	21.8	30.5	13.1	226.7	15.3	48.0
Danbury town, Conn	1901	1,535.4	25.7	5.1	.....	10.3	10.3	.....	61.6	61.6	.....	246.5	15.4	35.9
	1902	1,730.5	15.4	20.6	.....	5.1	25.7	30.8	66.8	15.4	.....	164.3	15.4	77.0
	1903	1,740.8	46.2	5.1	.....	.....	10.3	.....	30.8	20.6	.....	195.1	15.4	97.6
	1904	1,555.9	5.1	10.3	.....	10.3	.....	10.3	25.7	46.2	.....	143.8	51.3	92.4
	1905	1,730.5	25.7	10.3	.....	.....	.....	10.3	71.9	15.4	20.5	179.7	10.3	102.7
Danvers town, Mass	1901	2,579.2	.....	46.3	.....	23.1	.....	.....	11.6	34.7	.....	277.6	11.6	92.5
	1902	2,274.3	22.9	11.4	.....	.....	.....	.....	.....	.....	.....	240.0	.....	114.3
	1903	2,710.6	11.3	.....	.....	.....	.....	.....	.....	11.3	.....	271.1	33.9	135.5
	1904	3,181.5	33.5	.....	.....	.....	.....	.....	.....	.....	.....	245.6	44.7	100.5
	1905	2,846.7	44.1	.....	.....	.....	.....	22.1	66.2	11.0	.....	386.2	22.1	110.3
Davenport, Iowa	1901	1,559.6	33.2	.....	2.8	13.8	2.8	2.8	13.8	44.2	.....	168.7	8.3	80.2
	1902	1,383.9	29.7	.....	2.7	.....	27.0	5.4	13.5	13.5	.....	137.6	16.2	110.6
	1903	1,455.1	31.6	7.9	.....	7.9	7.9	5.3	7.9	26.3	.....	131.7	29.0	73.7
	1904	1,342.3	33.4	.....	.....	7.7	5.1	.....	2.6	5.1	.....	128.6	15.4	102.9
	1905	1,422.2	15.1	.....	.....	7.5	.....	5.0	40.2	17.6	10.1	125.6	7.5	85.4
Dayton, Ohio	1901	1,612.6	34.2	2.3	.....	4.6	4.6	5.7	28.5	31.9	.....	191.5	37.6	72.9
	1902	1,453.1	44.4	7.8	.....	22.2	4.4	17.7	21.1	5.5	.....	177.5	36.6	68.8
	1903	1,377.3	23.7	1.1	6.5	.....	1.1	7.6	10.8	14.0	.....	178.0	19.4	78.7
	1904	1,460.1	27.3	2.1	24.2	6.3	4.2	7.4	6.3	11.6	.....	182.9	37.8	84.1
	1905	1,443.8	22.4	3.1	.....	10.2	4.1	11.2	15.3	11.2	5.1	182.0	36.6	77.3
Decatur, Ill	1901	1,439.3	42.8	9.5	.....	.....	23.8	33.2	4.7	38.0	.....	152.0	4.7	28.5
	1902	1,541.5	14.0	.....	.....	9.3	51.2	9.3	46.6	9.3	.....	149.0	23.3	79.2
	1903	1,286.1	18.4	.....	.....	36.7	.....	9.2	45.9	23.0	.....	110.2	18.4	59.7
	1904	1,461.8	40.8	9.0	4.5	4.5	.....	22.6	4.5	13.6	.....	172.0	22.6	99.6
	1905	1,192.9	20.5	.....	.....	.....	.....	12.3	12.3	32.8	8.2	110.7	12.3	53.3
Denver, Colo	1901	2,002.3	48.7	0.7	1.5	4.4	47.2	2.2	34.7	19.2	.....	396.2	34.7	70.8
	1902	1,908.2	60.6	0.7	.....	15.3	24.1	11.7	51.1	8.0	.....	406.5	30.6	65.7
	1903	1,839.4	55.7	0.7	.....	2.7	19.0	7.5	34.0	9.5	.....	409.9	30.6	63.2
	1904	1,961.5	30.3	.....	.....	18.2	14.1	14.1	31.6	8.1	.....	457.9	35.6	72.0
	1905	1,920.6	40.6	2.0	.....	2.7	12.0	24.6	16.0	8.6	6.7	460.4	29.9	86.5
Detroit, Mich	1901	1,529.6	20.1	3.4	0.3	4.4	18.0	10.2	18.0	28.9	.....	110.3	17.4	63.3
	1902	1,559.4	23.5	3.0	2.3	22.9	24.2	18.9	44.4	4.6	.....	115.7	15.9	64.0
	1903	1,581.0	20.0	1.6	3.6	4.8	7.1	18.7	71.7	11.6	.....	107.6	13.6	78.2
	1904	1,492.2	17.6	2.2	0.3	12.9	11.3	2.2	44.4	9.4	.....	118.7	23.3	74.6
	1905	1,442.1	21.2	0.9	0.3	0.9	9.5	4.0	36.2	8.9	9.5	106.6	18.7	68.5
Dover, N. H	1901	1,758.6	37.7	15.1	.....	22.7	.....	.....	37.7	67.9	.....	173.6	.....	98.1
	1902	1,504.8	7.5	.....	.....	.....	.....	7.5	22.6	7.5	.....	112.9	7.5	67.7
	1903	1,597.5	22.5	.....	.....	.....	.....	22.5	7.5	15.0	.....	142.5	30.0	45.0
	1904	1,801.9	22.4	7.5	.....	.....	.....	.....	.....	15.0	.....	239.3	37.4	82.2
	1905	1,960.2	44.7	.....	.....	22.4	.....	44.7	7.5	44.7	7.5	156.5	22.4	96.9
Dubois, Pa	1901	1,629.2	20.6	.....	.....	.....	10.3	30.9	20.6	.....	.....	82.5	10.3	10.3
	1902	1,606.6	59.9	.....	39.9	29.9	29.9	10.0	20.0	20.0	.....	49.9	10.0	69.8
	1903	1,459.8	38.7	.....	.....	19.3	9.7	29.0	19.3	19.3	.....	38.7	19.3	38.7
	1904	1,425.0	65.6	.....	18.7	28.1	.....	46.9	65.6	18.7	.....	65.6	9.4	37.5
	1905	1,137.4	27.3	.....	.....	18.2	36.4	.....	18.2	18.2	.....	36.4	9.1	18.2
Duluth, Minn	1901	1,325.8	74.1	.....	1.8	5.4	3.6	3.6	56.0	12.6	.....	108.4	41.5	50.6
	1902	1,305.5	53.7	.....	.....	13.9	19.0	13.9	53.7	6.9	.....	133.3	26.0	38.1
	1903	1,439.7	64.8	.....	.....	16.6	24.9	13.3	48.2	16.6	.....	129.7	26.6	51.5
	1904	1,157.5	54.4	.....	.....	.....	14.4	.....	12.8	.....	.....	147.1	20.8	65.6
	1905	1,285.8	44.7	.....	.....	.....	1.5	3.1	18.5	7.7	4.6	106.2	29.3	57.0
Dunkirk, N. Y	1901	1,256.9	24.3	.....	.....	16.2	.....	8.1	.....	64.9	.....	32.4	24.3	64.9
	1902	1,640.1	76.6	.....	.....	46.0	7.7	.....	84.3	38.3	.....	84.3	.....	38.3
	1903	1,721.9	50.9	.....	.....	.....	94.4	43.6	29.1	29.1	.....	101.7	.....	72.7
	1904	1,885.4	41.4	.....	.....	6.9	269.3	6.9	27.6	34.5	.....	89.8	13.8	55.2
	1905	1,487.1	46.1	.....	.....	.....	.....	.....	26.3	85.5	13.2	92.1	13.2	72.4

[1] Shown for 1905 only

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
0.8	3.9	38.0	169.9	112.5	97.8	45.0	55.1	87.7	61.3	31.8	14.0	82.3	80.7	158.3	15.5
3.8	9.8	49.2	211.8	139.2	118.0	45.4	67.3	99.9	64.3	39.3	15.9	94.6	106.7	155.8	6.8
3.7	9.6	36.2	174.9	135.8	150.6	51.7	66.4	109.2	76.8	84.2	15.5	112.2	48.7	180.0	2.9
1.5	10.1	34.6	168.1	175.8	118.9	64.9	80.7	94.4	54.1	37.5	10.8	116.7	29.6	153.5	4.3
2.1	10.6	32.4	158.3	186.5	129.5	57.0	61.9	99.2	64.0	34.5	19.0	93.6	32.4	130.2	.....
.....	25.1	30.2	221.2	175.9	100.5	75.4	30.2	45.2	45.2	30.2	15.1	65.4	60.3	175.9	5.0
.....	19.8	54.6	322.5	198.4	124.0	59.5	69.5	84.3	99.2	49.6	9.9	44.6	49.6	267.9	.....
4.9	34.3	49.0	288.9	215.5	78.3	88.1	58.8	53.9	73.4	39.2	24.5	117.5	34.3	264.4	14.7
.....	38.7	29.0	290.1	217.6	120.9	67.7	106.4	72.5	96.7	38.7	24.2	101.5	48.3	256.2	4.8
4.8	9.5	52.5	276.9	286.4	76.4	43.0	81.2	81.2	114.6	33.4	19.1	52.5	38.2	195.7	.....
.....	.....	43.3	156.0	173.4	121.4	52.0	78.0	104.0	52.0	26.0	17.3	138.7	8.7	164.7	.....
.....	16.7	33.3	91.6	174.8	124.9	33.3	41.6	99.9	58.3	16.7	.....	158.2	25.0	50.0	.....
.....	24.0	16.0	128.1	144.2	112.1	32.0	24.0	112.1	104.1	40.0	16.0	144.2	24.0	184.2	.....
.....	15.4	30.9	162.0	108.0	138.9	54.0	69.4	123.4	92.6	15.4	7.7	177.4	38.6	131.2	15.4
7.4	22.3	37.2	171.2	148.8	111.6	44.6	81.9	126.5	96.7	89.3	22.3	148.8	29.8	148.8	7.4
.....	21.4	32.1	160.4	139.0	74.9	64.2	74.9	64.2	53.5	107.0	.....	42.8	53.5	181.8	.....
.....	.....	.....	92.9	144.5	31.0	51.6	31.0	51.6	113.6	31.0	.....	61.9	31.0	123.9	.....
.....	28.5	19.0	123.6	247.1	171.1	76.0	47.5	57.0	66.5	28.5	.....	85.5	9.5	180.6	.....
.....	.....	27.6	119.7	184.2	110.5	64.5	36.8	82.9	110.5	55.3	9.2	73.7	46.0	138.1	.....
.....	17.9	17.9	116.1	125.1	53.6	26.8	53.6	35 7	71.5	53.6	8.9	53.6	17.9	107.2	.....
.....	2.3	92.0	158.6	163.2	179.3	96.6	101.2	112.7	179.3	52.9	25.3	119.6	66.7	229.7	4.6
.....	4.5	52.2	179.3	152.1	133.9	99.9	79.5	106.7	172.5	61.3	15.9	59.0	74.9	133.9	6.8
4.5	8.9	82.7	118.4	109.5	134.1	49.2	58.1	111.7	140.8	42.5	6.7	89.3	46.9	89.3	4.5
2.2	8.8	68.4	134.6	158.9	198.6	68.4	64.0	83.9	152.3	59.6	13.2	79.4	70.6	187.6	2.2
.....	4.4	76.3	146.0	174.4	152.6	56.7	87.2	102.4	141.7	74.1	17.4	93.7	69.8	135.1	.....
.....	20.6	41.1	154.0	190.0	71.9	46.2	123.3	46.2	107.8	71.9	10.3	61.6	.....	118.1	.....
5.1	.....	56.5	184.9	231.0	133.5	77.0	61.6	123.3	92.4	77.0	20.6	102.7	25.7	102.7	.....
.....	20.6	41.1	195.1	261.8	102.7	123.3	61.6	97.6	107.8	82.2	5.1	102.7	10.3	107.8	.....
.....	30.8	25.7	205.4	190.0	102.7	56.5	113.0	82.2	92.4	97.6	30.8	35.9	.....	92.4	5.1
.....	15.4	46.2	261.9	251.6	71.9	61.6	97.6	87.3	97.6	71.9	25.7	66.8	20.5	102.7	5.1
.....	.....	92.5	497.3	289.2	312.3	150.4	92.5	69.4	115.7	57.8	11.6	81.0	23.1	289.2	.....
.....	34.3	22.9	537.1	354.3	182.9	114.3	34.3	80.0	160.0	57.1	.....	45.7	22.9	240.0	.....
.....	33.9	33.9	463.1	417.9	361.4	180.7	124.2	56.5	158.1	67.8	56.5	56.5	11.3	225.9	.....
.....	.....	22.3	681.0	424.2	368.4	580.5	55.8	78.1	178.6	44.7	33.5	33.5	33.5	223.3	.....
.....	22.1	33.1	551.7	474.5	165.5	297.9	77.2	121.4	165.5	22.1	33.1	55.2	.....	154.5	11.0
.....	.....	16.6	237.8	143.8	74.7	85.7	83.0	66.4	44.2	33.2	24.9	105.1	52.5	221.2	.....
.....	.....	18.9	153.8	151.1	78.2	102.5	54.0	80.9	35.1	16.2	8.1	67.4	18.9	242.8	.....
.....	15.8	29.0	158.0	147.4	108.0	68.5	36.9	76.4	60.6	63.2	31.6	92.2	108.0	131.7	.....
.....	12.9	18.0	120.9	115.7	72.0	108.0	54.0	74.6	46.3	56.6	41.1	79.7	28.3	210.9	2.6
2.5	17.6	15.1	140.7	188.5	85.4	60.3	42.7	123.1	35.2	57.8	20.1	118.1	22.6	178.4	.....
1.1	10.2	39.9	145.9	175.5	93.5	76.3	80.9	75.2	86.6	65.0	4.6	102.6	23.9	216.5	1.1
.....	8.9	43.2	136.4	140.9	78.8	68.8	64.3	86.5	66.6	74.3	4.4	93.2	36.6	142.0	2.2
2.2	9.7	31.3	125.1	149.9	85.2	53.9	78.7	79.8	78.7	44.2	7.6	113.3	23.7	153.1	.....
1.1	8.4	37.8	131.4	123.0	85.1	52.6	76.7	99.9	92.5	59.9	3.2	87.3	45.2	161.8	.....
1.0	13.2	38.6	138.3	146.4	87.4	46.8	77.3	87.4	78.3	67.1	27.5	81.3	39.7	135.2	.....
4.7	19.0	4.7	190.0	104.5	109.2	66.5	85.5	52.3	99.8	61.8	19.0	99.8	42.8	142.5	.....
4.7	.....	18.6	135.1	107.1	97.8	41.9	102.5	97.8	116.4	107.1	23.3	97.8	60.5	135.0	4.7
4.6	9.2	9.2	142.4	114.8	59.7	64.3	45.9	91.9	68.9	55.1	13.8	105.6	32.2	142.4	4.6
4.5	13.6	27.1	144.8	135.8	81.5	49.8	81.5	86.0	104.1	86.0	27.1	81.5	27.1	117.7	.....
.....	12.3	20.5	135.3	127.1	82.0	24.6	57.4	77.9	127.1	45.1	8.2	65.6	32.8	110.7	4.1
2.9	11.1	56.8	138.0	150.5	222.8	94.4	68.6	115.8	98.1	59.8	22.1	73.8	44.3	183.0	.....
0.7	13.9	30.6	114.6	159.8	161.3	63.5	77.3	124.8	102.2	68.6	25.5	84.6	19.7	186.8	.....
1.4	9.5	35.3	132.6	167.2	139.4	69.3	76.8	110.8	99.3	75.5	27.1	89.7	9.5	161.8	1.4
0.7	12.8	26.9	115.0	162.7	214.5	83.4	52.4	121.0	114.3	58.5	33.6	93.5	10.8	179.5	.....
4.7	14.6	25.9	101.1	181.0	147.0	71.8	63.9	121.7	121.7	63.2	33.9	109.1	6.7	164.3	.....
1.7	12.6	31.3	139.3	116.5	112.4	134.5	135.5	97.0	57.5	81.0	8.5	79.7	47.7	176.4	3.4
1.6	11.9	26.9	120.7	142.2	106.4	140.6	116.7	111.7	65.6	84.5	10.3	69.0	35.5	173.7	2.7
1.9	10.3	26.5	132.7	138.6	109.8	121.4	122.4	106.6	75.3	92.7	11.0	78.5	37.8	174.7	2.3
0.6	11.7	27.1	132.3	134.1	94.8	102.7	113.0	98.6	69.3	94.2	14.8	58.9	40.3	168.4	14.5
0.6	11.1	28.0	130.2	133.3	82.9	105.7	105.0	95.5	76.5	102.3	11.4	60.8	47.0	164.3	2.2
.....	22.7	30.2	226.5	188.7	98.1	45.3	196.2	60.4	83.0	7.5	.....	98.1	60.4	166.0	22.7
.....	15.0	15.0	210.7	263.4	143.0	22.6	112.9	75.2	105.3	15.0	7.5	90.3	82.8	60.2	52.7
.....	7.5	30.0	135.0	420.0	165.0	30.0	37.5	82.5	97.5	52.5	7.5	75.0	7.5	165.0	.....
.....	7.5	29.9	261.7	276.6	89.7	67.3	89.7	59.8	112.2	52.3	.....	74.8	59.8	209.3	7.5
.....	29.8	52.2	156.5	320.5	96.9	52.2	223.6	44.7	186.3	44.7	.....	104.3	74.5	119.3	7.5
.....	.....	20.6	154.7	113.4	154.7	72.2	165.0	134.1	20.6	103.1	10.3	185.6	123.7	134.1	51.6
.....	10.0	20.0	159.7	79.8	69.8	89.8	169.7	49.9	20.0	179.6	.....	139.7	69.8	179.6	29.9
.....	.....	29.0	145.0	48.3	67.7	67.7	183.7	87.0	77.3	125.7	19.3	183.7	58.0	125.7	9.7
9.4	9.4	28.1	65.6	75.0	56.3	121.9	131.3	84.4	56.3	93.7	9.4	112.5	75.0	140.6	.....
.....	.....	18.2	54.6	118.3	45.5	45.5	81.9	18.2	72.8	118.3	.....	118.3	72.8	182.0	9.1
3.6	5.4	56.0	63.2	61.4	88.5	54.2	148.1	70.4	56.0	47.0	12.6	146.3	27.1	126.4	1.8
.....	5.2	27.7	72.7	84.8	79.6	60.6	105.6	65.8	65.8	33.7	19.0	136.8	12.1	154.1	3.5
1.7	6.6	38.2	79.8	134.7	116.4	51.5	96.4	99.7	69.8	68.2	16.6	121.4	24.9	114.7	6.6
.....	8.0	33.6	41.6	92.7	94.3	43.2	86.3	68.7	62.4	70.3	12.8	113.5	12.8	102.3	.....
.....	6.2	60.1	80.1	98.5	83.2	50.8	107.8	112.4	69.3	61.6	16.9	135.5	29.3	100.1	1.5
8.1	8.1	16.2	73.0	146.0	48.7	73.0	154.1	105.4	40.5	64.9	.....	97.3	16.2	162.2	8.1
5.3	.....	30.7	145.6	138.0	115.0	23.0	138.0	183.9	46.0	130.3	7.7	115.0	15.3	160.9	.....
.....	14.5	14.5	87.2	159.8	145.3	36.3	196.2	123.5	58.1	101.7	14.5	159.8	21.8	167.1	.....
.....	6.9	6.9	117.4	131.2	179.6	89.8	103.6	200.3	55.2	89.8	20.7	145.0	34.5	158.8	.....
6.6	.....	26.3	79.0	111.9	144.8	46.1	92.1	131.6	59.2	79.0	13.2	204.0	6.6	138.2	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Eau Claire, Wis	1901	1,266 8	5.6	.....	5.6	33 8	.....	33.8	16.9	22.5	.....	118.2	5.6	33.8
	1902	1,[illegible]3.6	16 7	5.6	.....	.....	.....	16.7	16.7	.....	.....	111.1	33.3	38.9
	1903	997.3	11.0	5.5	.....	11.0	5.5	5.5	27.4	.....	.....	109.6	5.5	71.2
	1904	1,254.5	5.4	.....	.....	.....	5.4	.....	59.5	.....	.....	183.9	21.6	64.9
	1905	1,008.7	16 0	.....	.....	.....	.....	.....	16.0	.....	5.3	133.4	26.7	74.7
Elizabeth, N. J	1901	1,793.5	27.9	1.9	.....	1.9	7.4	1.9	39.0	11.2	.....	202.6	42.7	40.9
	1902	1,517.6	27.0	.....	14.4	3.6	7.2	5.4	18.0	.....	.....	106.3	28.8	37.9
	1903	1,644.5	21.0	.....	.....	3.5	50 7	24.5	26.2	14.0	.....	145.2	22.7	54.2
	1904	1,861 2	18 7	.....	1.7	8.5	10.2	.....	81.6	8.5	.....	156.4	45.9	47.6
	1905	1,556.8	8.3	.....	.....	8.3	18.2	8.3	56.2	5 0	3.3	152.0	39.7	51.2
Elkhart, Ind	1901	1,218.7	32.1	.....	.....	.....	6.4	.....	.....	32 1	.....	134.7	6.4	77.0
	1902	1,145.7	56.3	.....	.....	.....	.....	.....	6.3	.....	.....	137.7	6.3	75.1
	1903	1,277.9	55.0	.....	.....	6 1	.....	12.2	6.1	12.2	.....	140.6	30.6	67.3
	1904	1,338.4	47 8	6.0	.....	.....	6.0	.....	.....	11.9	.....	173.3	11.9	65.7
	1905	1,250.1	52 6	.....	.....	.....	.....	23.4	17.5	17.5	11.7	128.5	35.1	70.1
Elmira, N. Y	1901	1,575.0	28.0	.....	.....	2.8	2.8	36.4	53.2	56.1	.....	120.5	22.4	72.9
	1902	1,361.6	36.4	.....	2 8	.....	.....	2.8	36.4	16.8	.....	145 7	16.8	75.6
	1903	1,467 7	86.8	5.6	.....	16.8	.....	16.8	19.6	28.0	.....	112.0	16.8	75.6
	1904	1,554.1	53.2	.....	.....	.....	5.6	.....	42.0	22.4	.....	120.4	16.8	95.2
	1905	1,550.8	28.0	5.6	.....	.....	.....	.....	33.6	14.0	19.6	137.2	39.2	98.0
Elwood, Ind	1901	1,271.7	57.2	35.7	.....	7.1	42.9	7.1	42.9	7.1	.....	128 6	28.6	42.9
	1902	1,156.6	59 8	13.3	.....	13.3	.....	13.3	.....	.....	.....	146.2	13.3	53.2
	1903	994.3	49.7	12.4	.....	.....	.....	.....	55.9	6.2	.....	93.2	31.1	31.1
	1904	921.9	40.9	5 8	.....	11.7	.....	.....	11 7	5.8	.....	116.7	5.8	17.5
	1905	863 3	49.5	.....	.....	.....	.....	11.0	16.5	5.5	27.5	66.0	16.5	22.0
Erie, Pa	1901	1,549.8	16.7	1.9	.....	63.1	5.6	40.8	18.5	1.9	.....	113.1	18.5	53.8
	1902	1,504.9	25.4	1.8	.....	.....	3.6	1.8	34.4	7.3	.....	116 0	23.6	50.8
	1903	1,328.9	33.7	3.5	7.1	.....	3.5	24.8	40.8	3.5	.....	124.2	10.7	39.0
	1904	1,514.6	48.6	.....	.....	1.7	3.5	3.5	62.5	19.1	.....	114.6	12.2	93.8
	1905	1,578.7	17.0	.....	.....	18.7	3.4	32.3	51.0	13.6	13.6	107.2	23.8	76.6
Escanaba, Mich	1901	1,620.4	50.3	.....	.....	10.1	10.1	.....	10.1	.....	.....	140.9	40.3	50.3
	1902	1,743.7	67.8	.....	19.4	.....	58.1	.....	29.1	.....	.....	155.0	38.7	67.8
	1903	1,596.6	28 0	9.3	.....	.....	9.3	37.3	112.1	.....	.....	140.1	18.7	84.0
	1904	2,162.6	351.4	.....	.....	.....	.....	36 0	18.0	36.0	.....	198.3	54.1	63.1
	1905	2 185.5	182.8	.....	.....	8.7	.....	.....	.....	43.5	69.7	200.3	60.9	43.5
Evansville, Ind	1901	1,297.0	26.7	11.7	.....	.....	.....	5.0	13.4	20.0	.....	193.9	20.0	63.5
	1902	1,196.9	42 9	1.6	.....	.....	1.6	4.9	8.2	8.2	.....	176.4	18.2	42.9
	1903	1,286.6	27 7	14.7	1.6	.....	6.5	.....	6.5	6.5	.....	240.7	27.7	47.2
	1904	1,491.0	40 1	8.0	1 6	4.8	8.0	9.6	43 3	19.3	.....	171.7	19.3	56.2
	1905	1,355.9	42 8	6.3	1 6	.....	3.2	4 8	42.8	17 4	14 3	177.4	28.5	61.8
Everett, Mass	1901	1,522.3	7 9	4.0	.....	11 9	4 0	7 9	51.4	39 5	.....	193 7	7.9	75.1
	1902	1,463.1	26.7	.....	26 7	3 8	3 8	19 1	22.9	15 2	.....	163.8	15.2	102.9
	1903	1,180.1	7 4	.....	.....	.....	7 4	22 1	22.1	7.4	.....	132.3	11.0	73.5
	1904	1,232.4	10.7	.....	.....	3.6	3.6	3.6	24.9	21 3	.....	163.4	17 8	63.9
	1905	1,387.8	24.0	.....	3.4	3.4	3 4	3.4	58.4	30 9	13.7	161.5	44.7	106.5
Fall River, Mass	1901	1,884.0	25.7	1 9	1.0	1 9	1 9	.....	23.8	9.5	.....	154 2	10.5	69.5
	1902	2,096.5	11 4	1.0	1 9	21 9	35 2	22 8	47.5	7.6	.....	173 9	12.4	51 3
	1903	2,222.0	22 8	.....	0 9	12.3	18 0	12 3	40.8	16.1	.....	184 1	19 0	66 4
	1904	1,964 3	18.9	0.9	.....	6.6	3.8	1.9	27.5	10 4	.....	212.2	11.4	63.5
	1905	1,994.1	11.3	1.9	.....	31.2	.....	24.6	26 5	15.1	12.3	147.5	22.7	69.0
Findlay, Ohio	1901	1,198.0	34.1	11.4	11.4	28.4	.....	5 7	39 7	5.7	.....	141.9	22.7	39.7
	1902	1,124.2	34.1	.....	.....	.....	.....	.....	.....	11 4	.....	147.6	11.4	79.5
	1903	1,180.9	34 1	.....	5.7	.....	.....	11.4	.....	5 7	.....	102 2	5.7	51.1
	1904	1,413.7	45 4	11.4	.....	11.4	5.7	.....	.....	17 0	.....	153.3	22.7	39.7
	1905	1,277 5	39 7	.....	.....	.....	17 0	5.7	22.7	11 4	22.7	215.7	17.0	90.8
Fitchburg, Mass	1901	1,495.5	22 6	3.1	6.3	.....	.....	9.4	40.8	12.6	.....	122.5	6.3	84.8
	1902	1,410.0	12 5	6.2	.....	24.9	9.3	.....	31.1	3 1	.....	108.9	12.5	68.5
	1903	1,412.5	3.1	.....	.....	24.7	.....	30 2	21.6	3.1	.....	125.4	27.8	74.0
	1904	1,292.7	9.2	3.1	3 1	.....	.....	12 2	3 1	3.1	.....	107.0	12.2	76.4
	1905	1,365.8	12.1	.....	.....	9.1	.....	6 1	15.1	9.1	9.1	87.8	15.1	48.5
Flint, Mich	1901	1,400.9	36.1	7.2	7.2	.....	7.2	7.2	21.7	43.3	.....	108.3	.....	36.1
	1902	1,366 9	49.3	.....	.....	7.0	.....	28.2	21 1	14.1	.....	126.8	14.1	84.5
	1903	1,437.6	68.8	.....	.....	13.8	6 9	6.9	27.5	20.6	.....	61.9	27.5	61.9
	1904	1,303.4	20.2	.....	6.7	.....	26.9	.....	13.4	.....	.....	60.5	13.4	80.6
	1905	1,503.7	19.7	.....	.....	.....	.....	6.6	13.1	.....	6.6	105.1	6.6	91.9
Fort Wayne, Ind	1901	1,442.9	36.9	.....	2.2	4.3	15.2	4.3	21.5	17.4	.....	160 6	15.2	62.9
	1902	1,351 5	27.6	6.4	.....	.....	6.4	6.4	36 1	4.2	.....	153.0	27.6	80.8
	1903	1,553.2	39.6	.....	4.2	2.1	10.4	4.2	18.7	22.9	.....	170.7	29.2	77.0
	1904	1,391.8	30 6	8.2	.....	2.0	.....	2 0	12.2	8.2	.....	142.9	32.7	59.2
	1905	1,366.7	16.0	2 0	2.0	.....	2.0	2.0	8.0	8.0	4.0	136.1	20.0	82.0
Framingham town, Mass	1901	1,453.6	.....	.....	.....	.....	.....	.....	8.8	35.2	.....	132.1	17.6	79.3
	1902	1,386.0	35.1	8.8	.....	.....	.....	8.8	43.9	43.9	.....	87.7	.....	70.2
	1903	1,467.4	8.7	17.5	.....	.....	.....	52.4	26 2	17.5	.....	96 1	26.2	122.3
	1904	1,328.8	8.7	.....	.....	.....	8.7	.....	.....	26 1	.....	121 8	17.4	95.7
	1905	1,731.9	26 0	.....	.....	.....	.....	17.3	8 7	34.6	8.7	69 3	26.0	69.3
Frederick, Md	1901	2,222.0	31.9	10.6	.....	.....	.....	21.3	31.9	42.5	.....	212 6	53.2	95.7
	1902	2,438 0	63.0	10.5	.....	.....	21.0	73.6	84.1	.....	.....	378.3	31.5	73.6
	1903	2,368 6	31 2	.....	.....	62.3	.....	10.4	72 7	31.2	.....	280 5	31.2	93.5
	1904	1,931 0	61.6	.....	.....	.....	.....	.....	.....	61.6	.....	287 6	.....	71.9
	1905	2,051 6	10.2	.....	.....	.....	20.3	30.5	10.2	.....	.....	193.0	.....	132.0

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.6	16.9	5.6	33.8	39.4	90.1	50.7	50.7	39.4	5.6	22.5	5.6	33.8	39.4	129.5	422.3
11.1	11.1	22.2	111.1	72.2	94.4	11.1	22.2	72.2	11.1	.....	22.2	83.3	66.6	111.1	177.7
.....	11.0	5.5	76.7	60.3	104.1	43.8	11.0	109.6	32.9	27.4	.....	54.8	71.2	104.1	32.9
10.8	16.2	.....	129.8	75.7	91.9	48.7	10.8	70.3	21.6	21.6	.....	70.3	108.1	232.5	5.4
5.3	32.0	10.7	106.7	69.4	53.4	42.7	42.7	69.4	48.0	37.4	10.7	21.3	58.7	128.1	.....
.....	13.0	33.5	165.4	189.6	139.4	115.2	189.6	61.3	100.4	89.2	11.2	139.4	57.6	107.8	3.7
.....	1.8	30.6	165.8	135.2	113.6	144.2	156.8	88.3	75.7	84.7	14.4	113.6	55.9	88.3	.....
.....	8.7	31.5	147.0	147.0	145.2	134.7	124.2	84.0	85.7	94.5	7.0	113.7	59.5	99.7	.....
3.4	22.1	30.6	153.0	158.1	198.9	107.1	221.0	76.5	103.7	93.5	15.3	139.4	51.0	105.4	3.4
.....	14.9	29.7	99.2	148.7	130.6	99.2	140.5	72.7	117.3	72.7	8.3	130.6	57.8	84.3	.....
12.8	6.4	19.2	134.7	153.9	57.7	51.3	44.9	89.8	64.1	32.1	12.8	57.7	44.9	134.7	12.8
6.3	12.5	25.0	125.2	106.4	62.6	62.6	12.5	100.2	56.3	68.9	12.5	37.6	50.1	119.0	6.3
6.1	.....	12.2	116.2	195.7	91.7	36.7	73.4	55.0	61.1	61.1	6.1	55.0	48.9	128.4	.....
.....	17.9	17.9	137.4	179.2	53.8	59.7	41.8	95.6	71.7	47.8	6.0	125.5	29.9	125.5	6.0
.....	23.4	5.8	192.8	157.7	58.4	52.6	46.7	35.0	29.2	70.1	29.2	75.9	23.4	93.5	.....
5.6	19.6	33.6	140.1	140.1	154.1	64.5	58.9	100.9	109.3	84.1	5.6	112.1	8.4	142.9	.....
2.8	2.8	36.4	148.5	98.1	89.7	67.2	78.4	78.4	137.3	64.4	11.2	98.1	33.6	81.3	.....
2.8	2.8	14.0	117.6	182.1	78.4	75.6	67.2	81.2	151.3	53.2	2.8	78.4	28.0	154.1	.....
5.6	14.0	19.6	165.2	198.8	100.8	86.8	78.4	84.0	151.2	39.2	11.2	120.4	11.2	112.0	.....
.....	16.8	25.2	140.0	201.5	117.6	56.0	61.6	70.0	145.6	44.8	33.6	112.0	14.0	137.2	.....
.....	7.1	35.7	142.9	64.3	42.9	42.9	135.8	71.4	21.4	78.6	14.3	50.0	71.4	92.9	.....
.....	6.6	19.9	66.5	53.2	73.1	66.5	133.0	26.6	26.6	113.0	.....	59.8	39.9	159.5	.....
.....	.....	24.9	99.4	43.5	49.7	43.5	87.0	62.2	37.3	55.9	.....	49.7	31.1	130.5	.....
5.8	5.8	11.7	75.9	29.2	70.0	46.7	110.9	81.7	23.3	46.7	5.8	52.5	35.0	105.0	.....
.....	11.0	22.0	71.5	38.5	60.5	49.5	88.0	60.5	16.5	82.5	11.0	49.5	38.5	44.0	5.5
.....	9.3	11.1	178.0	153.9	115.0	87.1	109.4	113.1	68.2	64.9	14.8	81.6	42.7	166.8	.....
.....	14.5	32.6	179.5	145.1	97.9	50.8	110.6	125.1	76.2	97.9	1.8	119.7	25.4	161.3	1.8
1.8	10.7	30.2	150.8	143.7	88.7	37.3	102.9	94.1	63.9	74.5	3.5	78.1	30.2	127.7	.....
1.7	17.4	26.1	130.3	133.7	90.3	74.7	97.3	118.1	111.2	90.3	12.2	88.6	15.6	145.9	1.7
5.1	8.5	23.8	131.0	173.5	103.8	57.8	120.8	136.1	90.2	83.4	5.1	131.0	15.3	136.1	.....
.....	.....	40.3	181.2	50.3	50.3	140.9	140.9	70.4	50.3	60.4	.....	231.5	50.3	191.2	50.3
.....	9.7	58.1	126.0	126.0	77.5	116.2	174.4	48.4	58.1	96.9	.....	155.0	67.8	145.3	48.4
.....	.....	28.0	93.4	102.7	65.4	121.4	140.1	93.4	28.0	102.7	9.3	158.7	37.3	140.1	37.3
.....	.....	36.0	126.2	108.1	81.1	162.2	225.3	108.1	54.1	81.1	9.0	135.2	45.1	198.2	36.0
.....	17.4	34.8	87.1	87.1	104.5	113.2	417.9	130.6	43.5	121.9	.....	148.0	95.8	148.0	26.1
.....	1.7	13.4	122.0	86.9	100.3	71.9	98.6	93.6	60.2	68.5	13.4	75.2	30.1	105.3	1.7
.....	4.9	13.2	118.7	80.8	74.2	61.0	67.6	87.4	80.8	115.4	16.5	54.4	26.4	90.7	.....
1.6	1.6	8.2	117.2	139.9	66.7	74.9	102.5	83.0	66.7	71.1	17.9	60.2	21.2	73.2	1.6
1.6	9.6	36.9	210.2	134.8	83.5	88.3	88.3	94.7	88.3	70.6	20.9	53.0	24.1	101.1	3.2
1.6	12.7	33.3	103.0	131.5	61.8	69.7	82.4	99.8	50.7	103.0	19.0	60.2	36.4	90.3	.....
.....	4.0	75.1	138.4	150.3	87.0	79.1	79.1	94.9	55.4	102.8	7.9	59.3	63.3	118.6	4.0
.....	3.8	61.0	118.1	163.8	87.6	80.0	91.4	53.3	83.8	72.4	11.4	61.0	83.8	91.4	.....
.....	7.4	36.8	128.7	132.3	77.2	66.2	77.2	58.8	44.1	91.9	7.4	40.4	25.7	102.9	.....
7.1	14.2	28.4	120.8	152.7	117.2	53.3	74.6	67.5	49.7	49.7	10.7	60.4	21.3	92.4	.....
.....	17.2	30.9	127.1	140.8	106.5	65.3	61.8	61.8	58.4	85.9	.....	41.2	34.4	103.1	.....
1.9	6.7	59.0	158.0	128.5	101.9	121.9	306.5	84.7	100.9	200.9	4.8	49.5	131.4	125.7	1.9
1.9	14.3	60.8	156.8	113.1	143.5	217.6	314.6	76.0	77.9	231.9	8.6	52.3	123.5	114.0	2.9
0.9	16.1	57.9	171.7	138.5	190.7	194.5	334.0	83.5	91.1	241.0	10.4	68.3	105.3	122.4	2.8
0.9	12.3	47.4	186.6	117.4	134.5	156.3	301.2	78.6	87.1	240.6	2.8	53.0	57.8	126.9	3.8
0.9	13.2	49.2	149.4	153.2	183.4	157.0	352.7	70.9	92.7	179.6	2.8	54.8	65.2	106.8	.....
11.4	17.0	34.1	153.3	136.3	39.7	17.0	56.8	79.5	39.7	17.0	17.0	85.2	28.4	124.9	.....
.....	11.4	22.7	136.3	119.2	45.4	56.8	79.5	45.4	51.1	34.1	22.7	85.2	28.4	96.5	5.7
.....	17.0	.....	113.6	136.3	96.5	28.4	68.1	90.8	96.5	45.4	11.4	85.2	62.5	107.9	5.7
5.7	17.0	34.1	181.7	164.7	56.8	68.1	102.2	85.2	34.1	73.8	28.4	96.5	17.0	141.9	.....
.....	11.4	17.0	187.4	124.9	39.7	45.4	45.4	51.1	56.8	51.1	11.4	96.5	17.0	79.5	.....
6.3	9.4	31.4	97.4	194.8	103.7	66.0	125.7	44.0	31.4	169.7	6.3	78.5	59.7	163.4	.....
.....	9.3	40.5	84.0	193.0	115.2	87.2	108.9	49.8	31.1	174.3	.....	59.1	62.3	115.2	3.1
.....	18.5	55.5	101.8	185.0	80.2	114.1	83.3	61.7	21.6	117.2	9.3	80.2	55.5	70.9	.....
.....	15.3	12.2	107.0	186.4	79.5	91.7	113.1	79.5	30.6	103.9	12.2	91.7	42.8	97.8	.....
.....	18.1	45.4	133.2	242.3	75.7	72.7	124.2	51.5	27.3	121.1	24.2	87.8	27.3	103.0	.....
.....	.....	36.1	151.6	79.4	166.1	86.7	36.1	144.4	28.9	65.0	14.4	115.5	28.9	158.9	14.4
14.1	7.0	14.1	204.3	91.6	133.9	63.4	7.0	84.5	35.2	35.2	7.0	91.6	42.3	169.1	21.1
.....	41.3	13.8	116.9	192.6	68.8	103.2	61.9	116.9	41.3	68.8	.....	96.3	27.5	172.0	20.6
6.7	26.9	20.2	120.9	147.8	127.7	47.0	73.9	67.2	40.3	67.2	20.2	60.5	26.9	221.7	6.7
.....	19.7	39.4	144.5	137.9	118.2	91.9	65.7	111.6	91.9	78.8	13.1	46.0	78.8	203.6	13.1
4.3	15.2	19.5	177.9	78.1	86.8	108.5	60.8	80.3	91.2	58.6	2.2	108.5	67.3	141.0	2.2
.....	17.0	10.6	133.9	82.9	68.0	93.5	72.2	89.3	70.1	95.6	17.0	65.9	44.6	142.4	.....
.....	20.8	29.2	181.1	114.5	75.0	99.9	64.5	139.5	112.4	60.4	22.9	112.4	31.2	108.3	2.1
4.1	20.4	24.5	183.7	102.0	110.2	95.9	69.4	102.0	91.8	67.4	12.2	93.9	24.5	85.7	6.1
6.0	14.0	18.0	166.1	98.0	72.0	84.0	56.0	120.1	122.1	58.0	18.0	106.1	30.0	116.1	.....
.....	8.8	17.6	193.8	141.0	141.0	88.1	70.5	96.9	96.9	105.7	8.8	52.9	17.6	141.0	.....
.....	.....	26.3	210.5	210.5	70.2	43.9	61.4	52.6	52.6	17.5	17.5	87.7	26.3	201.8	8.8
.....	26.2	.....	131.0	174.7	192.2	61.1	43.7	69.9	61.1	61.1	.....	69.9	52.4	157.2	.....
.....	17.4	17.4	191.3	165.2	95.7	17.4	34.8	87.0	43.5	43.5	8.7	139.2	8.7	234.8	.....
.....	26.0	17.3	251.1	329.1	103.9	26.0	43.3	95.3	103.9	112.6	26.0	147.2	17.3	173.2	.....
.....	.....	10.6	276.4	233.9	148.8	74.4	127.6	74.4	95.7	85.1	10.6	159.5	223.3	191.4	10.6
.....	31.5	10.5	367.8	262.7	84.1	157.6	73.6	115.6	147.1	52.6	.....	63.0	84.1	241.7	10.5
.....	.....	20.8	374.0	270.1	176.6	114.3	83.1	135.0	93.5	114.3	.....	114.3	41.5	218.1	.....
.....	10.3	30.8	215.7	174.6	30.8	51.4	51.4	113.0	174.6	133.5	10.3	113.0	30.8	297.8	10.3
.....	30.5	10.2	304.7	182.8	60.9	81.3	152.3	142.2	152.3	81.3	.....	81.3	193.0	182.8	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Fresno, Cal	1901	2,034.0	182.0	15.8	.....	15.8	.....	.....	47.5	15.8	.....	324.5	23.8	47.5
	1902	1,812.5	117.2	39.1	.....	7.8	7.8	.....	70.3	.....	.....	218.8	31.2	46.9
	1903	2,136.5	123.4	30.9	7.7	7.7	38.6	.....	23.1	23.1	.....	231.4	15.4	108.0
	1904	1,911.7	60.9	22.8	.....	38.1	.....	45.7	.....	15.2	.....	243.7	7.6	38.1
	1905	2,091.0	82.7	.....	.....	.....	15.0	75.2	45.1	22.6	22.6	240.7	45.1	60.2
Gardner town, Mass	1901	1,447.7	54.3	.....	.....	.....	.....	.....	9.0	81.4	.....	135.7	27.2	54.3
	1902	1,390.4	26.6	.....	.....	17.7	.....	.....	17.7	44.3	.....	132.8	.....	44.3
	1903	1,708.3	8.7	.....	.....	8.7	.....	43.4	52.0	52.0	.....	112.7	8.7	78.0
	1904	1,520.6	25.5	.....	.....	.....	.....	17.0	51.0	34.0	.....	186.9	17.0	8.5
	1905	1,431.9	8.3	.....	.....	25.0	.....	8.3	8.3	50.0	8.3	66.6	25.0	25.0
Geneva, N. Y.	1901	1,391.7	55.7	.....	.....	37.1	.....	27.8	.....	37.1	.....	55.7	46.4	74.2
	1902	1,375.5	9.0	.....	.....	.....	.....	.....	.....	.....	.....	89.9	45.0	27.0
	1903	1,368.9	43.6	.....	.....	17.4	.....	.....	.....	17.4	.....	78.5	8.7	104.6
	1904	1,515.0	50.8	.....	.....	.....	.....	8.5	42.3	16.9	.....	84.6	16.9	59.2
	1905	1,389.7	32.9	.....	.....	.....	.....	8.2	.....	32.9	32.9	106.9	41.1	90.5
Glens Falls, N. Y.	1901	2,135.2	84.5	.....	.....	23.0	61.4	15.4	15.4	61.4	.....	169.0	7.7	69.1
	1902	1,422.5	14.9	22.3	.....	.....	14.9	.....	14.9	37.2	.....	201.1	37.2	89.4
	1903	1,250.5	28.9	7.2	.....	.....	.....	.....	7.2	.....	.....	94.0	21.7	72.3
	1904	1,411.3	49.2	.....	.....	.....	.....	.....	7.0	35.1	.....	119.4	35.1	56.2
	1905	1,467.6	20.5	6.8	.....	6.8	.....	.....	13.7	20.5	6.8	122.9	27.3	81.9
Gloucester, Mass.	1901	1,636.1	19.2	3.8	.....	.....	7.7	11.5	26.8	23.0	.....	95.8	19.2	80.5
	1902	1,859.9	15.3	.....	.....	15.3	.....	26.8	99.7	.....	.....	161.1	11.5	65.2
	1903	1,919.0	26.9	.....	.....	.....	3.8	15.4	157.4	15.4	.....	172.7	19.2	103.6
	1904	1,790.0	15.4	3.8	.....	7.7	11.5	.....	42.3	23.0	.....	130.6	34.6	69.1
	1905	1,522.4	23.1	.....	.....	3.8	3.8	26.9	42.3	30.8	11.5	157.6	34.6	100.0
Gloversville, N. Y.	1901	1,478.7	5.4	.....	16.3	5.4	.....	27.2	.....	38.1	.....	174.0	.....	48.9
	1902	1,269.0	27.1	.....	.....	.....	10.8	.....	27.1	5.4	.....	75.9	10.8	65.1
	1903	1,530.9	16.2	.....	.....	.....	.....	16.2	21.6	37.9	.....	102.8	16.2	102.8
	1904	1,403.0	5.4	.....	.....	5.4	10.8	.....	27.0	21.6	.....	97.1	27.0	64.8
	1905	1,259.6	21.5	5.4	.....	10.8	10.8	.....	10.8	.....	10.8	91.5	.....	80.7
Grand Rapids, Mich.	1901	1,285.7	33.5	5.6	.....	1.1	11.2	4.5	25.7	40.2	.....	96.0	22.3	79.2
	1902	1,225.4	51.3	2.2	.....	3.3	5.5	5.5	9.8	4.4	.....	100.4	21.8	73.1
	1903	1,341.8	41.6	2.1	1.1	3.2	4.3	9.6	20.3	13.9	.....	114.2	27.8	92.9
	1904	1,480.4	61.6	2.1	.....	4.2	6.3	12.5	12.5	20.9	.....	121.2	27.2	70.0
	1905	1,430.1	49.1	.....	34.8	6.1	3.1	2.0	34.8	13.3	12.3	75.7	25.6	64.4
Green Bay, Wis.	1901	1,378.2	41.0	.....	5.1	5.1	15.4	.....	30.7	30.7	.....	107.6	15.4	92.2
	1902	1,154.7	19.7	.....	9.8	4.9	9.8	.....	4.9	9.8	.....	122.8	14.7	122.8
	1903	1,383.0	9.4	.....	.....	.....	18.9	.....	9.4	9.4	.....	132.2	4.7	80.2
	1904	1,480.5	36.3	.....	.....	4.5	4.5	27.2	18.2	.....	.....	104.5	27.2	77.2
	1905	1,500.8	30.6	.....	.....	8.8	.....	4.4	.....	21.9	8.8	140.6	13.1	65.6
Greenwich town, Conn.	1901	1,389.8	8.1	24.2	.....	.....	.....	8.1	32.3	16.2	.....	129.3	.....	48.5
	1902	1,693.2	23.8	23.8	.....	.....	47.7	23.8	55.7	.....	.....	119.2	15.9	63.6
	1903	1,572.3	39.1	.....	.....	15.6	.....	7.8	15.6	23.5	.....	86.1	7.8	70.4
	1904	1,640.0	15.4	.....	.....	15.4	.....	15.4	30.8	30.8	.....	100.1	15.4	84.7
	1905	1,720.7	37.9	.....	.....	.....	.....	15.2	45.5	15.2	15.2	144.0	22.7	83.4
Hamilton, Ohio	1901	1,454.8	24.5	.....	.....	16.3	28.5	8.1	16.3	28.5	.....	175.2	24.5	48.9
	1902	1,541.8	43.7	.....	.....	11.9	4.0	15.9	51.7	7.9	.....	158.9	27.8	51.7
	1903	1,407.4	42.6	.....	7.8	.....	11.6	.....	31.0	34.9	.....	131.8	31.0	99.8
	1904	1,559.5	26.5	.....	.....	53.0	7.6	11.3	15.1	11.3	.....	170.3	26.5	53.0
	1905	1,220.2	14.8	.....	.....	.....	3.7	25.9	22.2	3.7	14.8	110.9	33.3	55.5
Hammond, Ind.	1901	1,476.2	92.3	.....	.....	.....	.....	7.7	61.5	15.4	.....	100.0	7.7	23.1
	1902	1,554.7	66.0	.....	.....	14.7	29.3	.....	29.3	7.3	.....	176.0	7.3	29.3
	1903	1,612.2	126.2	.....	14.0	7.0	.....	7.0	63.1	14.0	.....	98.1	14.0	70.1
	1904	1,288.9	40.3	.....	.....	6.7	33.6	33.6	6.7	6.7	.....	94.0	47.0	67.1
	1905	1,384.8	64.4	.....	.....	.....	.....	51.5	25.8	12.9	19.3	77.3	32.2	64.4
Harrisburg, Pa.	1901	1,802.5	66.5	5.9	.....	5.9	3.9	7.8	31.3	35.2	.....	176.1	17.6	68.5
	1902	1,616.6	63.4	3.8	.....	3.8	9.6	7.7	48.1	11.5	.....	144.2	21.1	51.9
	1903	1,505.2	103.9	9.4	3.8	9.4	13.2	37.8	11.3	17.0	.....	120.9	18.9	41.5
	1904	1,523.8	59.4	9.3	.....	9.3	5.6	1.8	20.4	35.3	.....	126.2	16.7	50.1
	1905	1,483.4	69.3	3.6	.....	3.6	10.9	5.5	14.6	12.8	12.8	122.2	20.1	45.6
Harrison, N. J.	1901	2,083.1	9.1	36.2	18.1	.....	9.1	.....	135.9	36.2	.....	163.0	36.2	63.4
	1902	1,863.1	34.8	17.4	8.7	34.8	8.7	8.7	130.6	.....	.....	165.4	.....	34.8
	1903	1,751.7	25.1	33.5	.....	.....	33.5	8.4	25.1	33.5	.....	184.4	25.1	25.1
	1904	1,567.4	8.1	40.4	.....	.....	24.2	.....	40.4	8.1	.....	153.5	.....	32.3
	1905	1,840.4	.....	23.4	.....	15.6	7.8	.....	62.4	7.8	31.2	218.4	31.2	39.0
Hartford, Conn.	1901	1,661.6	43.6	6.1	.....	8.5	12.1	1.2	55.7	36.4	.....	180.6	20.6	93.3
	1902	1,528.6	16.4	5.9	2.3	10.6	38.7	12.9	18.8	9.4	.....	132.7	10.6	68.1
	1903	1,625.8	21.6	1.1	.....	22.8	14.8	23.9	37.6	18.2	.....	168.5	23.9	87.7
	1904	1,657.5	13.3	.....	.....	4.4	4.4	7.7	30.9	27.6	.....	140.3	21.0	77.4
	1905	1,639.1	17.2	1.1	.....	5.4	2.1	3.2	69.8	16.1	14.0	166.4	23.6	89.1
Haverhill, Mass.	1901	1,490.4	24.1	5.4	.....	.....	5.4	2.7	37.5	40.2	.....	238.6	21.4	77.7
	1902	1,586.7	26.7	5.3	.....	40.1	2.7	13.4	24.0	.....	.....	157.6	34.7	88.1
	1903	1,562.5	13.3	2.7	2.7	.....	.....	21.3	16.0	13.3	.....	165.0	18.6	79.9
	1904	1,474.8	13.3	.....	.....	18.6	.....	.....	5.3	5.3	.....	164.5	26.5	92.8
	1905	1,599.3	21.1	.....	.....	5.3	.....	10.6	21.1	21.1	5.3	190.3	34.4	108.4
Hazelton, Pa.	1901	1,296.2	27.4	.....	.....	.....	13.7	27.4	13.7	.....	.....	109.7	13.7	34.3
	1902	1,491.3	20.2	.....	.....	13.5	60.7	20.2	33.8	.....	.....	81.0	.....	20.2
	1903	1,368.1	19.9	.....	.....	6.6	6.6	19.9	39.9	6.6	.....	53.1	6.6	13.3
	1904	1,575.7	13.1	.....	.....	6.5	19.6	.....	104.6	6.5	.....	111.2	.....	45.7
	1905	1,532.2	32.2	.....	.....	6.4	12.9	19.3	51.5	.....	25.8	90.1	6.4	32.2

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
7.9	7.9	23.8	126.6	87.1	166.2	87.1	118.7	110.8	31.7	15.8	39.6	118.7	277.0	134.5	7.9
.....	7.8	62.5	101.6	31.2	140.6	109 4	117.2	132.8	31.2	62.5	23.4	156.3	164.1	132.8	.....
.....	7.7	23.1	84.9	146.6	146.6	146.6	138.8	138.8	61.7	77.1	46.3	123.4	177.4	208.2	.....
.....	15.2	30.5	129.5	137.1	121.9	76.2	182.8	213.3	22.8	68.5	30.5	114.2	121.9	175.2	.....
.....	.....	52.7	90.3	150.4	135 4	112.8	150.4	142.9	67.7	75.2	37.6	218.1	188.0	127.9	.....
.....	18.1	99.5	153.8	36.2	90.5	54.3	99.5	36.2	108.6	90.5	18.1	54.3	72.4	153.8	.....
.....	8.9	79.7	88.6	115.1	159.4	35.4	124.0	44.3	124.0	79.7	8.9	26.6	53.1	159.4	.....
.....	17.3	121.4	138.7	104.1	147.4	34.7	86.7	52.0	86.7	156.1	.....	95.4	52.0	251.5	.....
.....	8 5	93.4	118.9	144.4	93.4	93.4	68.0	25.5	84.9	135.9	8.5	76.5	25.5	203.9	.....
.....	16.7	108.2	141.5	116.6	133.2	41.6	74.9	74.9	74.9	174.8	25.0	25.0	8.3	191.5	.....
.....	27.8	9.3	185.6	167.0	83.5	102.1	83.5	83.5	92.8	46.4	.....	55.7	18.6	102.1	.....
9.0	9.0	18.0	233.7	170.8	71.9	89.9	45.0	107.9	53.9	62.9	.....	125.9	27.0	179.8	.....
.....	17.4	34.9	122.1	191.8	87.2	95.9	43.6	139.5	69.8	26.2	.....	113.3	.....	156.9	.....
.....	8.5	42.3	152.3	143.9	135.4	93.1	76.2	93.1	84.6	59.2	16.9	101.6	8.5	220.1	.....
.....	.....	8.2	115.1	180.9	57.6	49.3	98.7	115.1	65.8	24.7	16.4	106.9	41.1	164.5	.....
7.7	15.4	69.1	299.5	253.5	138.2	46.1	115.2	161.3	115.2	61.4	7.7	92.2	30.7	215.1	.....
7.4	7.4	67.0	134.1	201.1	59.6	52.1	7.4	96.8	74.5	14.9	7.4	119.2	.....	134.1	7.4
.....	28.9	21.7	151.8	151.8	57.8	43.4	86.7	94.0	50.6	43.4	.....	57.8	36.1	195.2	.....
7.0	7.0	14.0	196.6	154.5	63.2	42.1	77.2	126.4	98.3	91.3	.....	63.2	14.0	154.5	.....
.....	34.1	34.1	122.9	184.3	122.9	20.5	102.4	88.7	102.4	34.1	6.8	116.0	6.8	184.3	.....
.....	7.7	57.5	107.3	176.3	99.6	65.1	23.0	72.8	72.8	84.3	15.3	352.5	61.3	153.3	.....
3.8	11.5	53.7	157.2	195.6	103.5	46.0	145.7	76.7	65.2	88.2	3.8	329.8	42.2	141.9	.....
3.8	15.4	57.6	168.9	176.5	72.9	61.4	72.9	65.2	80.6	72.9	15.4	349.3	38.4	153.5	.....
3.8	23.0	34.6	195.9	226.6	92.2	69.1	57.6	73.0	92.2	134.4	23.0	230.5	34.6	161.3	.....
3.8	7.7	53.8	123.0	192.2	69.2	57.7	115.3	61.5	76.9	84.6	7.7	76.9	38.4	119.2	.....
10.9	21.7	27.2	168.5	130.5	108.7	87.0	48.9	70.7	119.6	38.1	21.7	97.9	32.6	179.4	.....
.....	10.8	70.5	168.1	157.3	103.0	38.0	43.4	65.1	65.1	38.0	.....	75.9	48.8	162.7	.....
.....	10.8	32.5	205.6	173.1	97.4	92.0	54.1	81.1	119.0	70.3	.....	59.5	21.6	200.2	.....
5.4	10.8	27.0	199.7	237.4	64.8	124.1	16.2	64.8	113.3	59.4	5.4	59.4	27.0	129.5	.....
10.8	16.1	10.8	140.0	183.0	64.6	80.7	75.4	75.4	107.7	86.1	10.8	53.8	10.8	91.5	.....
1.1	15.6	15.6	129.4	123.9	56.9	116.1	79.2	91.5	40.2	53.6	16.7	62.5	21.2	142.9	.....
1.1	7.6	16.4	99.3	185.5	68.7	99.3	51.3	93.8	36.0	40.4	12.0	60.0	30.5	146.2	.....
2.1	10.7	12.8	133.4	154.8	80.1	91.8	84.3	99.3	25.6	52.3	11.7	85.4	28.8	137.7	.....
1.0	16.7	18.8	111.8	180.7	107.6	98.2	104.5	110.8	55.4	56.4	20.9	67.9	38.7	151.5	1.0
2.0	11.3	23.5	118.7	175.9	72.6	74.7	110.5	111.5	59.3	62.4	18.4	55.2	49.1	163.7	.....
.....	.....	35.9	92.2	92.2	189.6	41.0	51.2	102.5	30.7	66.6	15.4	56.4	20.5	189.6	51.2
4.9	4.9	29.5	103.2	122.8	78.6	59.0	54.0	29.5	44.2	78.6	9.8	59.0	49.1	108.1	.....
.....	14.2	42.5	136.9	118.0	85.0	33.0	99.1	122.7	56.6	94.4	4.7	42.5	80.2	160.5	28.3
.....	13.6	27.2	122.6	90.8	131.7	77.2	99.9	122.6	72.7	104.5	4.5	40.9	13.6	254.3	4.5
4.4	8.8	56.9	87.5	78.8	118.1	56.9	78.8	91.9	87.5	100.6	8.8	91.9	96.3	231.9	8.8
.....	.....	.....	153.5	105.0	121.2	129.3	145.4	72.7	129.3	48.5	8.1	88.9	16.2	105.0	.....
.....	.....	23.8	174.9	143.1	79.5	79.5	135.2	151.1	135.2	111.3	.....	79.5	23.8	182.8	.....
.....	15.6	15.6	187.8	179.9	101.7	140.8	54.8	101.7	133.0	46.9	23.5	140.8	.....	164.3	.....
.....	23.1	23.1	115.5	100.1	107.8	92.4	184.8	130.9	115.5	76.9	30.8	130.9	69.3	123.2	7.7
7.6	15.2	45.5	197.1	159.2	83.4	98.5	121.3	98.5	106.1	53.1	22.7	197.1	22.7	113.7	.....
.....	12.2	85.6	126.3	122.2	134.5	57.1	69.3	61.1	57.1	85.6	12.2	93.7	61.1	101.9	4.1
.....	7.9	39.7	131.1	143.1	151.0	83.5	59.6	75.4	95.4	83.5	15.9	75.5	47.7	147.0	11.9
.....	7.8	34.9	131.8	131.8	131.8	27.1	58.2	69.8	54.3	108.6	19.4	116.3	38.8	112.4	3.9
3.8	3.8	37.9	136.3	124.9	151.4	90.8	56.8	83.3	60.6	71.9	41.6	143.8	60.6	113.6	3.8
.....	7.4	37.0	122.0	88.7	110.9	59.2	59.2	110.9	77.7	74.0	18.5	59.2	33.3	77.7	.....
.....	7.7	30.7	123.0	92.3	123.0	69.2	46.1	138.4	30.7	138.4	15.4	38.4	46.1	269.1	.....
.....	7.3	14.7	102.7	95.4	132.0	58.7	44.0	146.7	66.0	146.7	7.3	110.0	73.3	190.7	.....
.....	7.0	63.1	98.1	84.1	70.1	63.1	182.3	168.2	35.1	91.1	7.0	119.2	21.0	189.3	.....
.....	.....	20.1	67.1	53.7	127.6	33.6	107.4	107.4	53.7	73.8	20.1	134.3	40.3	114.1	.....
.....	6.4	12.9	115.9	70.8	90.2	19.3	115.9	109.5	51.5	38.6	19.3	167.5	32.2	186.8	.....
3.9	5.9	27.4	270.1	140.9	88.1	82.2	113.5	84.2	66.5	97.9	7.8	117.4	97.9	144.8	37.2
1.9	3.8	26.9	248.0	125.0	123.0	82.7	78.8	75.0	75.0	73.1	.....	130.7	100.0	101.9	3.8
5.7	7.5	22.7	249.3	128.4	88.8	54.8	73.7	56.7	71.8	47.2	7.5	105.7	92.5	105.8	.....
.....	13.0	20.4	180.1	113.2	126.2	66.8	65.0	79.8	76.1	83.5	3.7	115.1	79.8	167.0	.....
.....	7.3	16.4	180.6	120.4	102.2	54.7	43.8	89.4	78.5	83.9	12.8	178.8	83.9	104.0	5.5
.....	18.1	99.6	199.3	126.8	172.1	154.0	99.6	72.5	99.6	99.6	9.1	208.3	72.5	144.9	.....
.....	.....	52.2	304.7	130.6	174.1	174.1	139.3	52.2	34.8	69.7	17.4	95.8	69.7	104.5	.....
.....	16.8	109.0	125.7	159.2	117.3	134.1	100.6	109.0	75.4	109.0	16.8	117.3	67.1	67.1	33.5
.....	.....	72.7	113.1	153.5	210.1	64.6	80.8	56.6	113.1	97.0	.....	129.3	56.6	88.9	24.2
.....	7.8	148.2	179.4	109.2	85.8	124.8	109.2	78.0	93.6	132.6	23.4	62.4	78.0	163.8	7.8
.....	7.3	44.8	144.2	174.5	123.6	70.3	70.3	97.0	97.0	88.5	9.7	117.6	23.0	133.3	2.4
.....	10.6	37.6	159.7	182.0	131.5	77.5	65.7	86.9	128.0	56.3	8.2	79.8	24.6	153.8	.....
.....	9.1	33.0	141.2	178.8	111.6	66.0	62.6	103.6	99.1	89.9	12.5	101.3	18.2	176.5	2.3
6.6	16.6	100.6	122.7	186.8	118.2	72.9	107.2	97.2	116.0	89.5	15.5	108.3	13.3	158.0	1.1
2.1	17.2	39.7	126.7	184.6	118.1	67.6	96.6	99.8	93.4	78.4	12.9	111.6	14.0	166.4	2.1
2.7	5.4	37.5	152.8	160.8	107.2	53.6	91.1	50.9	72.4	56.3	21.4	77.7	26.8	115.3	5.4
.....	21.4	16.0	189.7	192.3	141.6	77.5	96.2	42.7	77.5	77.5	24.0	64.1	21.4	146.9	5.3
2.7	18.6	18.6	133.1	247.6	143.7	79.9	79.9	77.2	98.2	77.2	24.0	87.8	13.3	127.8	5.3
2.7	21.2	37.1	143.2	260.0	100.8	53.1	53.1	50.4	79.6	82.2	15.9	111.4	13.3	122.0	2.7
2.6	10.6	31.7	153.3	261.7	116.3	50.2	95.2	52.9	92.5	76.7	5.3	81.9	34.4	116.3	.....
.....	6.9	34.3	130.3	82.3	89.2	109.7	96.0	41.1	89.2	27.4	6.9	102.9	82.3	150.9	6.9
.....	13.5	67.5	209.2	108.0	67.5	135.0	155.2	87.7	74.2	47.2	13.5	81.0	81.0	87.7	13.5
.....	6.6	19.9	172.7	146.1	73.1	86.4	119.6	66.4	106.3	73.1	6.6	112.9	73.1	112.9	19.9
.....	19.6	71.9	156.9	78.5	111.2	117.7	117.7	85.0	85.0	98.1	.....	98.1	124.2	91.5	13.1
.....	12.9	32.2	128.8	103.0	96.6	135.2	128.8	77.3	103.0	109.4	.....	122.3	103.0	103.0	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES--Continued														
Hoboken, N. J.	1901	1,875 1	26 4	1 7	3 3	6.6	14.9	.....	42.9	5 0	.....	245.9	18.2	51.2
	1902	1,865 5	9 7	.....	6 5	9.7	27 5	21 0	69.6	.....	.....	223 3	11.3	66.3
	1903	1,818 3	15 9	1.6	.....	11.1	3 2	15 9	80.9	1 6	.....	241.2	27.0	57.1
	1904	2,221 1	20 2	1.6	.....	20.2	14 0	10 9	73.2	1.6	.....	286 4	56.0	85.6
	1905	2,074.3	13.7	.....	.....	10.7	9.2	12 2	47.4	3.1	19 9	258.1	33.6	85.5
Holyoke, Mass.	1901	1,875.2	15 0	4.3	.....	.....	8.6	40 8	85.9	36 5	.....	180.4	17.2	62.3
	1902	1,622.4	16 9	.....	.....	6.3	4 2	.....	52.7	21 1	.....	166 7	29.5	52.7
	1903	1,766.0	10 4	.....	.....	33 2	12.4	24 9	33.2	18 7	.....	153.4	31.1	51.8
	1904	1,694 9	8 1	6 1	.....	.....	4.1	10 2	32 6	16 3	.....	199 6	28 5	87.6
	1905	1,648.2	8 0	2.0	.....	16.0	4 0	10.0	46.1	18 0	18 0	162 2	22.0	68.1
Hudson, N. Y.	1901	1,928.8	61.9	.....	.....	10.3	10.3	20.6	10.3	41.3	.....	278.5	10.3	72.2
	1902	1,825.2	71 0	.....	.....	.....	.....	20.3	20.3	.....	.....	152.1	50.7	131.8
	1903	1,754.9	39 9	19 9	.....	29 9	.....	19.9	39.9	29 9	.....	169.5	19.9	79.8
	1904	1,981.1	166.7	.....	.....	9 8	.....	.....	19.6	88 3	.....	147.1	39.2	88 3
	1905	1,958.7	48 2	9.6	.....	.....	.....	9.6	.....	38 6	.....	173.7	9.6	57.9
Huntington, Ind.	1901	1,316 6	82 3	20.6	.....	.....	.....	.....	10.3	10 3	.....	236.6	.....	51.4
	1902	1,197.4	20.1	.....	.....	.....	.....	.....	.....	.....	.....	161.0	40.2	40.2
	1903	1,504.4	49.5	19.8	.....	19.8	.....	69.3	.....	.....	.....	168.2	29.7	99.0
	1904	1,665.9	38.7	.....	.....	19.4	.....	.....	9.7	19 4	.....	164.6	19.4	135 6
	1905	1,015.1	47.4	.....	.....	.....	.....	.....	.....	9.5	.....	104.4	.....	56.9
Hyde Park town, Mass.	1901	1,326.2	22.2	.....	7.4	.....	7.4	.....	44.5	14.8	.....	177 8	29.6	44.5
	1902	1,185.5	14 5	7.3	7.3	7 3	.....	36.4	29 1	.....	.....	138 2	7.3	50 9
	1903	1,249.7	14 3	7.1	.....	.....	35.7	28.6	.....	14 3	.....	135 7	21.4	85.7
	1904	1,431.0	7 0	.....	.....	14 0	7 0	21 0	.....	35.1	.....	196.4	56.1	70.1
	1905	1,357.7	13.8	20.7	.....	.....	.....	6.9	13.8	20.7	13.8	103.4	20.7	48.2
Indianapolis, Ind.	1901	1,536 4	33.1	2.8	1.1	2.8	5 7	2.8	20.5	35.3	.....	179.5	24.5	50.7
	1902	1,434.5	44.5	7.0	9.1	.....	3.8	9 1	16.1	10.7	.....	167.9	18.2	61.2
	1903	1,576 6	51 1	3 5	52.1	7.1	5.1	11.6	17.7	11.1	.....	185 6	23.3	55.6
	1904	1,634 0	68.4	4.4	.....	8 3	1 0	1 0	9 3	13.2	.....	206.1	28.8	59.6
	1905	1,412.8	30 2	2.4	0.5	0.5	4 2	5.2	9.9	15 6	9.9	165 4	24.5	51.4
Iron Mountain, Mich.	1901	1,454 1	.....	.....	.....	33 1	11.0	.....	11 0	.....	.....	110.2	66.1	11.0
	1902	1,267 7	.....	.....	.....	11.2	.....	22.4	.....	.....	.....	134.7	22.4	11.2
	1903	1,497.1	11 4	.....	.....	22.9	34 3	57.1	.....	.....	.....	57.1	22.9	22.9
	1904	1,281.3	11.6	.....	.....	.....	.....	.....	23.3	.....	.....	93.2	.....	81.6
	1905	1,793 1	23 8	.....	.....	83 1	.....	.....	35 6	.....	11.9	142 5	11.9	59.4
Ironton, Ohio.	1901	1,937.8	58.7	.....	.....	8.4	.....	50 3	16.8	16 8	.....	293.6	8 4	75.5
	1902	1,962.6	66 8	.....	8.3	75.2	.....	.....	8.3	33.4	.....	309.0	41.7	91.9
	1903	1,413 5	66.5	8.3	41 6	16 6	.....	25 0	16.6	8.3	.....	224.5	.....	41.6
	1904	1,341 1	33.1	.....	49 7	8 3	8.3	.....	24.8	.....	.....	149 0	16.6	33.1
	1905	1,689.6	65.9	8 2	.....	.....	33 0	57 7	49.5	8 2	41.2	255 5	16.5	49.5
Ironwood, Mich.	1901	1,482 2	30.7	.....	.....	30 7	92 0	20 4	51.1	.....	.....	61 3	30.7	40.9
	1902	1,855.8	40.6	.....	.....	10.1	10.1	.....	121.7	10 1	.....	71 0	20 3	20.3
	1903	1,690 1	.....	.....	.....	10.1	.....	20 1	150.9	10.1	.....	120 7	30.2	30.2
	1904	718 6	39.9	.....	.....	.....	.....	.....	20.0	20.0	.....	49 9	.....	10.0
	1905	1,376.5	59.4	.....	.....	9.9	.....	.....	39.6	39.6	9.9	79.2	.....	19.8
Ishpeming, Mich.	1901	1,198.7	23 3	.....	.....	23.3	46.7	.....	7.8	.....	.....	101 2	15 6	54.5
	1902	1,511.4	8 0	.....	.....	16 1	40 2	.....	104 5	8 0	.....	128 6	56.3	48.2
	1903	1,429 6	33 2	.....	.....	.....	8 3	91.4	124.7	.....	.....	99 7	24.9	41.6
	1904	1,135 7	.....	.....	.....	.....	8 6	43 0	43.0	.....	.....	154.9	.....	60.2
	1905	1,506.9	8.9	.....	.....	26.7	.....	17.8	26 7	.....	17.8	169.4	17.8	71.3
Ithaca, N. Y.	1901	1,454.4	44.7	.....	.....	.....	.....	14.9	7.5	82 0	.....	126.8	.....	52.2
	1902	1,425.4	7.3	.....	.....	.....	.....	7.3	21.9	29.2	.....	197.4	14.6	87 7
	1903	1,928.0	336 9	.....	.....	.....	7.2	14 3	7.2	28.7	.....	121 8	28.7	86.0
	1904	1,539 7	28.1	7.0	.....	28.1	7.0	.....	7.0	56.2	.....	98.4	21.1	105.5
	1905	1,441.8	13.8	20.7	.....	.....	.....	.....	6.9	20.7	13.8	110.4	6.9	89.7
Jackson, Mich.	1901	1,368.5	55.5	7.9	.....	.....	.....	.....	4.0	79.3	.....	83 3	19.8	63.5
	1902	1,414.4	55.5	7.9	.....	7.9	.....	27.7	11.9	.....	.....	79 2	11.9	95.1
	1903	1,333.6	23.8	3.9	.....	7.9	.....	19.8	11.9	11.9	.....	106 8	31.7	75.1
	1904	1,470.4	47.4	3.9	19.8	.....	.....	.....	19 8	23.7	.....	98 9	11.9	79.0
	1905	1,638 4	63.2	3.9	43.4	.....	.....	7.9	47 4	11.8	19.7	138.2	15.8	75.0
Jacksonville, Fla.	1901	2,667.5	53 7	278.5	.....	3.4	26 8	.....	20.1	16.8	.....	328.8	10.1	36.9
	1902	2,816.2	128.3	150.8	.....	3.2	28.9	.....	3.2	9.6	.....	426 6	38.5	48.1
	1903	2,697.3	61.4	147.5	.....	6 1	.....	58.4	9.2	18.4	.....	285.7	9.2	67.6
	1904	2,664.6	85 5	59.0	.....	17.7	.....	23.6	11.8	2.9	.....	406.8	11.8	53.1
	1905	2,869.6	93.5	90.6	.....	.....	.....	2.8	11.3	5.7	51.0	447.6	28.3	70.8
Jacksonville, Ill.	1901	2,288.8	32.7	.....	6 5	.....	.....	19.6	13.1	32 7	.....	202.8	26.1	32.7
	1902	2,347.5	96.7	12.9	6.5	.....	12.9	6 5	.....	6 5	.....	264 4	38.7	64.5
	1903	2,366 4	101.8	12.7	.....	44.5	.....	19.1	25.4	63 6	.....	267.2	31.8	89 1
	1904	2,127.5	56.5	.....	.....	.....	.....	.....	6.3	18.8	.....	219.7	50.2	69 0
	1905	1,833.0	31.0	.....	.....	6.2	.....	.....	.....	18.6	6.2	235.3	37.2	55.7
Jamestown, N. Y.	1901	1,254.6	21.3	.....	.....	.....	4.3	12.8	21.3	17.0	.....	131.8	25.5	72.3
	1902	1,027.5	4 1	.....	.....	.....	12.4	.....	33.1	4 1	.....	120.2	16.6	37.3
	1903	1,231.9	24.2	.....	.....	4.0	4 0	8.1	48 5	24 2	.....	101.0	16.2	80.8
	1904	1,264 7	39 4	.....	.....	.....	3 9	7.9	19.7	19 7	.....	122.1	11.8	67.0
	1905	1,215.2	30.8	.....	.....	11 5	15.4	7 7	3 8	23 1	26.9	69.2	15.4	61.5
Jeffersonville, Ind.	1901	2,299.5	111 3	27.8	.....	.....	.....	.....	18.5	64.9	.....	296.7	83.4	74.2
	1902	2,037.8	37.0	27.8	.....	.....	.....	.....	.....	9.3	.....	352.0	37.0	74.1
	1903	1,980.2	64.8	18.5	.....	.....	.....	46.3	9.2	37.0	.....	231.3	55.5	74.0
	1904	1,848.8	46.2	37.0	.....	.....	.....	9.2	18.5	27.7	.....	184.9	55.5	129.4
	1905	1,671.4	27.7	.....	.....	.....	18.5	18.5	18.5	36.9	9.2	212.4	92.3	101.6

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.9	82.5	183.2	161.8	160.1	127.1	145.3	95.7	87.5	56.1	38.0	150.2	38.0	117.2	1.7
.....	12.9	82.5	207.1	179.6	144.0	137.5	87.4	82.5	137.5	61.5	37.2	92.2	48.5	110.0	.....
.....	15.9	84.1	160.3	155.5	158.7	100.0	103.1	90.4	141.2	53.9	27.0	112.7	31.7	128.5	.....
.....	15.6	88.7	168.1	193.0	249.0	133.9	133.9	99.6	143.2	82.5	40.5	119.8	60.7	121.4	1.6
1.5	12.2	122.2	145.1	195.5	209.3	139.0	135.9	108.4	142.1	70.3	30.5	134.4	45.8	88.6	.....
.....	19.3	98.8	109.5	131.0	120.3	109.5	214.8	92.4	55.8	124.6	12.9	116.0	68.7	148.2	2.1
.....	16.9	54.9	137.1	130.8	86.5	84.4	219.4	86.5	61.2	139.2	8.4	75.9	61.2	107.6	2.1
2.1	12.4	58.0	111.9	126.4	147.2	118.1	252.9	89.1	87.1	155.5	10.4	64.3	37.3	124.4	.....
.....	16.3	59.1	110.0	140.6	130.4	108.0	242.4	75.4	79.4	140.6	14.3	57.0	38.7	89.6	.....
2.0	6.0	100.1	76.1	142.2	134.2	122.1	166.2	78.1	68.1	122.2	10.0	80.1	56.1	110.1	.....
10.3	20.6	41.3	216.6	206.3	72.2	134.1	72.2	92.8	113.5	61.9	.....	103.1	41.3	226.9	.....
.....	10.1	20.3	314.3	243.4	71.0	101.4	60.8	111.5	50.7	91.3	20.3	91.3	20.3	172.4	.....
.....	19.9	29.9	149.6	209.4	29.9	109.7	59.8	139.6	119.7	69.8	.....	119.7	49.9	189.5	10.0
9.8	19.6	49.0	225.6	235.4	58.8	88.3	49.0	78.5	88.3	117.7	.....	127.5	78.5	196.2	.....
9.6	9.6	57.9	279.8	299.1	86.8	144.7	96.5	67.5	144.7	48.2	.....	173.7	38.6	154.4	.....
.....	.....	30.8	205.7	82.3	82.3	20.6	72.0	61.7	61.7	20.6	.....	51.4	61.7	154.3	.....
.....	.....	30.2	161.0	60.4	60.4	50.3	70.5	80.5	30.2	90.6	.....	40.2	40.2	211.3	10.1
.....	.....	9.9	188.0	108.9	108.9	29.7	39.6	128.6	158.3	29.7	.....	118.8	9.9	108.9	9.9
9.7	29.1	48.4	135.6	135.6	87.1	38.8	87.1	222.8	106.5	48.4	19.4	106.5	9.7	155.0	19.4
.....	9.5	47.4	123.3	85.4	66.4	37.9	85.4	66.4	85.4	28.5	9.5	104.4	9.5	37.9	.....
.....	14.8	7.4	140.8	111.1	133.4	59.3	88.9	66.7	51.9	66.7	7.4	59.3	37.0	133.4	.....
7.3	21.8	21.8	116.4	160.0	50.9	65.5	130.9	29.1	50.9	72.7	.....	14.5	65.5	72.7	7.3
.....	14.3	7.1	71.4	114.3	114.3	42.8	28.6	64.3	57.1	78.6	7.1	64.3	57.1	185.7	.....
.....	14.0	14.0	119.2	133.3	112.2	63.1	140.3	56.1	63.1	49.1	28.1	77.2	21.0	133.3	.....
.....	27.6	41.4	151.6	117.2	130.9	27.6	172.3	41.4	48.2	75.8	13.8	117.2	20.7	110.3	.....
1.1	9.7	40.5	143.0	140.7	116.8	81.5	69.5	93.4	56.4	125.3	6.3	72.9	66.7	152.7	1.1
.....	7.0	25.7	137.9	123.9	83.7	71.9	75.1	84.8	55.3	114.8	9.1	79.4	55.3	160.9	2.1
0.5	10.6	32.4	143.6	137.1	99.6	78.4	90.0	88.5	63.2	95.1	12.1	84.5	49.1	166.9	1.0
2.0	8.8	42.5	157.2	149.4	126.6	78.6	79.1	98.2	76.7	102.1	17.6	90.8	49.8	155.3	.....
1.4	11.3	33.5	128.2	151.7	102.7	73.0	60.8	84.8	66.4	89.1	20.3	72.1	51.8	145.1	0.9
.....	.....	22.0	66.1	143.2	110.2	121.2	88.1	88.1	11.0	132.2	11.0	242.3	33.1	143.2	.....
.....	.....	33.7	67.3	78.5	101.0	67.3	246.8	78.5	.....	67.3	.....	112.2	44.9	123.4	44.9
.....	.....	22.9	114.2	80.0	.....	125.7	137.1	114.2	22.9	194.3	22.9	228.5	22.9	160.0	22.9
11.6	.....	11.6	81.6	46.6	23.3	69.9	198.0	93.2	46.6	151.4	23.3	151.4	11.6	116.5	35.0
.....	11.9	35.6	166.3	95.0	47.5	130.6	403.8	11.9	47.5	130.6	.....	118 8	47.5	142.5	35.6
.....	.....	16.8	117.4	176.2	134.2	159.4	125.8	159.4	33.6	8.4	.....	142.6	41.9	226.5	67.1
.....	.....	16.7	158.7	75.2	142.0	116.9	167.0	75.2	33.4	41.7	.....	125.3	16.7	200.5	158.7
8.3	.....	25.0	116.4	116.4	108.1	74.8	91.5	91.5	8.3	16.6	.....	83.1	58.2	124.7	41.6
.....	8.3	8.3	66.2	140.7	91.1	57.9	82.8	82.8	82.8	66.2	16.6	99.3	41.4	173.8	.....
.....	.....	33.0	49.5	140.1	115.4	82.4	115.4	98.9	123.6	33.0	.....	98.9	74.2	140.1	.....
.....	.....	51.1	71.6	20.4	71.6	92.0	224.9	81.8	.....	81.8	20.4	204.4	.....	92.0	112.4
.....	.....	.....	91.3	71.0	142.0	142.0	172.4	111.5	.....	40.6	10.1	314.4	40.6	182.5	233.2
.....	.....	.....	90.5	60.4	181.1	90.5	201.2	30.2	20.1	80.5	10.1	211.2	30.2	100.6	211.2
.....	.....	.....	49.9	.....	29.9	79.9	49.9	39.9	.....	69.8	.....	79.9	29.9	59.9	89.8
.....	.....	9.9	118.8	19.8	59.4	79.2	128.7	79.2	29.7	39.6	.....	198.1	29.7	99.0	227.8
.....	23.3	38.9	109.0	31.1	77.9	85.6	155.7	46.7	7.8	23.3	.....	155.7	7.8	77.9	85.6
.....	24.1	40.2	80.4	40.2	72.4	160.8	136.7	72.4	16.1	88.4	.....	241.2	16.1	72.3	40.2
.....	8.3	8.3	58.2	74.8	108.1	91.4	241.1	49.9	16.6	66.5	8.3	174.6	8.3	58.2	33.2
.....	.....	60.2	51.6	77.5	51.6	94.7	137.7	51.6	43.0	77.5	.....	68.8	17.2	86.0	8.6
.....	17.8	53.5	124.8	107.0	53.5	196.2	142.7	35.7	62.4	17.8	8.9	151.6	26.7	133.7	17.8
.....	14.9	29.8	149.2	201.4	89.5	29.8	97.0	82.0	104.4	29.8	7.5	67.1	29.8	193.9	.....
.....	21.9	14.6	204.7	212.0	73.1	29.2	58.5	58.5	117.0	58.5	14.6	73.1	29.2	95.0	.....
.....	21.5	21.5	193.5	207.9	100.3	93.2	71.7	93.2	121.8	50.2	7.2	78.8	28.7	207.9	.....
.....	21.1	14.1	140.6	196.9	161.7	84.4	56.2	70.3	175.8	28.1	7.0	98.4	14.1	112.5	.....
.....	27.6	.....	158.7	227.6	110.4	27.6	55.2	75.9	179.4	55.2	.....	62.1	13.8	165.6	.....
.....	11.9	7.9	142.8	162.7	71.4	83.3	63.5	126.9	55.5	43.6	7.9	63.5	27.8	186.5	.....
4.0	15.8	11.9	142.6	210.0	99.1	95.1	43.6	79.2	59.4	43.6	11.9	71.3	27.7	198.1	4.0
3.9	23.8	19.8	142.5	174.1	95.0	35.6	63.3	67.3	55.4	59.4	11.9	91.0	31.7	162.2	3.9
7.9	11.9	11.9	173.9	193.7	102.8	75.1	47.4	79.0	79.0	67.2	19.8	75.1	47.4	173.9	.....
3.9	3.9	31.6	189.5	260.6	67.1	67.1	71.1	110.5	75.0	23.7	7.9	63.2	55.3	181.6	.....
.....	3.4	40.3	278.5	157.7	130.9	97.3	117.4	114.1	140.9	120.8	.....	208.0	214.7	194.6	73.8
.....	.....	41.7	218.1	163.6	118.7	73.8	144.3	144.3	163.6	176.4	9.6	182.8	282.3	214.9	44.9
9.2	9.2	39.9	215.0	267.3	144.4	82.9	101.4	153.6	175.1	190.5	9.2	212.0	184.3	224.3	15.4
.....	11.8	29.5	235.8	135.6	200.4	112.0	150.3	126.7	194.5	188.6	8.8	159.2	179.8	224.0	35.4
2.8	5.7	22.7	257.8	164.3	130.3	113.3	124.6	218.1	209.6	164.3	11.3	198.3	187.0	221.0	36.8
.....	6.5	26.1	575.5	274.7	124.2	91.6	32.7	183.1	58.9	85.0	13.1	58.9	65.4	274.6	52.3
.....	12.9	25.8	606.2	245.1	161.2	77.4	58.0	77.4	90.3	83.8	.....	96.7	70.9	232.2	.....
6.4	12.7	6.4	413.5	216.3	108.1	76.3	108.1	108.1	95.4	38.2	31.8	101.8	38.2	349.9	.....
.....	12.5	25.1	364.0	232.2	194.6	56.5	50.2	113.0	131.8	69.0	18.8	125.5	37.7	276.1	.....
.....	.....	31.0	334.4	328.2	142.4	86.7	43.3	105.3	49.5	49.5	6.2	92.9	12.4	161.0	.....
.....	12.8	34.0	136.1	102.1	76.6	85.1	38.3	93.6	131.8	42.5	.....	55.3	42.5	97.8	.....
8.3	12.4	20.7	120.2	78.7	37.3	41.4	41.4	82.9	66.3	45.6	.....	58.0	33.1	153.3	.....
4.0	12.1	12.1	105.0	157.5	56.5	56.5	32.3	60.6	48.5	52.5	4.0	109.1	64.6	141.4	4.0
3.9	11.8	27.6	130.0	193.1	55.2	51.2	35.5	82.7	90.6	59.1	7.9	67.0	31.5	126.1	.....
3.8	3.8	23.1	107.7	115.4	65.4	76.9	53.8	73.1	76.9	69.2	3.8	103.8	53.8	111.5	7.7
.....	9.3	37.1	194.7	120.5	213.3	176.2	111.3	194.7	92.7	129.8	18.5	64.9	102.0	148.4	9.3
.....	.....	83.4	166.7	138.9	83.4	83.4	92.6	194.5	129.7	148.2	9.3	83.4	101.9	185.2	.....
9.2	9.2	27.8	166.6	101.8	148.1	92.5	120.3	111.0	212.8	185.1	.....	83.3	27.8	148.1	.....
.....	18.5	46.2	184.9	157.1	101.7	101.7	138.7	166.4	147.9	64.7	.....	46.2	37.0	129.4	.....
.....	9.2	36.9	101.6	120.0	101.6	73.9	64.6	110.8	166.2	83.1	.....	129.3	36.9	101.6	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases [1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Jersey City, N. J.	1901	1,919.8	16.1	4.7	1.4	7.6	15.6	9.4	52.4	16.5		217.8	27.4	52.0
	1902	1,866.4	20.3	3.2	5.1	6.9	17.5	18.4	56.2	1.8		208.4	26.3	46.6
	1903	1,865.1	14.9	2.3	0.5	8.1	12.2	10.4	53.1	6.8		228.2	17.1	56.7
	1904	2,078.7	18.9	2.6		4.8	40.4	12.8	67.3	11.0		259.4	23.7	54.1
	1905	1,902.5	19.8	1.3		4.7	6.9	9.9	40.4	4.7	9.0	203.3	27.1	66.2
Johnstown, N. Y.	1901	1,133.5				19.9			9.9	49.7		59.7	19.9	79.5
	1902	1,222.0	20.0				10.0		30.0	20.0		130.2	10.0	90.1
	1903	1,574.0	40.4				10.1	30.3	10.1	20.2		111.0	10.1	111.0
	1904	1,280.7				10.2				20.3		122.0	10.2	81.3
	1905	1,464.4	10.2						20.5	30.7	20.5	102.4	10.2	81.9
Johnstown, Pa.	1901	1,708.9	116.4			2.6	21.2		39.7	7.9		103.2	5.3	37.0
	1902	1,748.5	36.0		59.1	7.7	113.1	2.6	54.0	5.1		131.1	10.3	30.9
	1903	1,785.9	22.5		27.5	17.5	60.0	12.5	85.0	5.0		112.6	7.5	32.5
	1904	1,468.2	34.1	2.4	4.9	2.4	65.7	14.6	53.6	2.4		131.5	7.3	56.0
	1905	1,484.8	45.1			2.4	28.5	11.9	23.7	2.4	4.7	78.3	2.4	26.1
Kalamazoo, Mich.	1901	1,809.8	27.2				11.6			35.0		112.6	38.8	101.0
	1902	1,476.5	18.5	3.7		11.1		3.7	29.5	7.4		92.3	33.2	55.4
	1903	1,740.7	38.7			3.5	14.1	14.1	7.0	24.6		84.4	17.6	112.5
	1904	1,658.7	20.1	3.4		6.7	10.1	3.4	16.8	30.2		114.2	20.1	87.3
	1905	1,767.0	19.3			6.4	3.2	12.9	12.9	12.9	12.9	122.1	22.5	90.0
Kansas City, Mo.	1901	1,611.0	45.5	7.8	3.6		16.8	1.8	24.0	14.4		188.8	5.4	46.7
	1902	1,577.4	38.2	5.9	4.7	14.7	8.8	12.4	11.2	5.3		177.7	5.9	59.4
	1903	1,738.1	80.3	8.1	4.6	1.7	8.1	9.8	13.3	12.7		203.4	13.3	55.5
	1904	1,966.8	43.1	7.4	4.5	10.2	11.4	4.0	27.8	34.6		235.6	15.3	72.7
	1905	1,689.6	61.4	6.7	13.9	1.1	2.2	7.8	25.7	22.3	10.0	201.4	18.4	61.4
Keene, N. H.	1901	1,810.0	21.4				246.3		21.4	53.6		192.8		182.1
	1902	1,262.0	10.5			10.5				31.6		52.6	10.5	84.0
	1903	1,353.2	10.3					20.7	10.3	72.3		82.6		134.3
	1904	1,422.4	10.1					10.1		121.8		131.9		81.2
	1905	1,675.8	39.9			69.8			10.0	69.8		159.6	49.9	119.7
Key West, Fla.	1901	2,310.3	28.1	22.5				16.9	11.2	11.2		337.3	22.5	33.7
	1902	2,231.0	43.3	21.7			59.6		27.1	21.7		330.3	21.7	65.0
	1903	2,094.7	10.4	41.8			26.1	5.2	15.7			224.6	15.7	52.2
	1904	2,098.8	85.8	35.3		5.0	15.1		10.1			267.4	10.1	35.3
	1905	2,141.7	58.5	19.5		4.9	14.6		9.8	9.8	19.5	346.4	24.4	78.1
Kingston, N. Y.	1901	1,898.0	12.1	16.2		4.0	117.4		52.6	24.3		194.3	28.3	89.0
	1902	1,551.1	16.1	8.0			4.0	8.0	32.1	16.1		176.8	24.1	68.3
	1903	1,699.9	27.9	16.0			71.8	16.0	20.0	27.9		171.6	31.9	71.8
	1904	1,759.5	19.8	4.0			4.0	27.7	35.7	27.7		190.2	19.8	91.1
	1905	1,885.1	31.5	7.9			3.9	35.4	35.4	27.5	7.9	220.4	31.5	66.9
Kokomo, Ind.	1901	1,484.7	36.9							18.5		239.8	9.2	129.1
	1902	1,435.1	45.1	9.0						9.0		189.6	9.0	63.2
	1903	1,697.0	17.7			44.2	8.8		35.3	17.7		167.9	35.3	70.7
	1904	1,740.4	8.7						17.3	43.3		242.4	8.7	86.6
	1905	1,553.0	25.5					25.5	8.5	25.5	17.0	169.7	17.0	93.3
Laconia, N. H.	1901	1,852.8	24.9				12.4					199.0	24.9	111.9
	1902	1,691.1	24.9						12.4			161.6		111.9
	1903	2,039.3	12.4			62.2		24.9		24.9		211.4		99.5
	1904	1,765.7	12.4	12.4					12.4			174.1	12.4	136.8
	1905	1,902.5								49.7	12.4	99.5	12.4	136.8
Lafayette, Ind.	1901	1,639.1	43.7	38.2				16.4	16.4	27.3		185.8	38.2	49.2
	1902	1,860.5	81.1	10.8		5.4			5.4	16.2		189.3	43.3	102.8
	1903	1,713.3	26.8	10.7	5.3		5.3	5.3		26.8		230.2	26.8	69.6
	1904	1,839.5	37.1	5.3			5.3		15.9	26.5		243.9	31.8	37.1
	1905	1,810.9	68.2	5.2				15.7	15.7	26.2	26.2	194.2	15.7	73.5
Lancaster, Pa.	1901	1,622.5	21.2	2.3		2.3	7.1	18.9	47.2	77.8		125.0	14.1	47.2
	1902	1,326.4	50.8	2.3				16.1	9.2	18.5		140.7	16.1	60.0
	1903	1,359.1	51.9		2.3		6.8	20.3	27.1	13.5		135.5	20.3	65.5
	1904	1,494.3	79.6			35.4	2.2		28.7	19.9		132.6	22.1	59.7
	1905	1,338.1	43.3	2.2				8.7	26.0	19.5	17.3	129.9	43.3	62.8
Lansing, Mich.	1901	1,296.5	34.4	5.7			5.7	11.5	45.9	45.9		68.8	11.5	45.9
	1902	1,256.8	10.9			16.3		16.3	5.4	27.2		38.1	5.4	76.2
	1903	1,096.9	62.1			5.2	5.2	5.2	36.2	20.7		77.6	31.0	36.2
	1904	1,154.1	44.4			4.9		9.9	9.9	19.7		39.5	9.9	64.1
	1905	1,258.0	42.4	4.7					23.6	18.8	14.1	61.3	4.7	42.4
Lawrence, Mass.	1901	1,764.1	18.7	1.6		1.6		4.7	28.1	26.5		162.4	17.2	76.5
	1902	1,781.7	19.8	3.1	6.1	27.5	9.2	27.5	19.8	1.5		173.9	18.3	65.6
	1903	1,706.1	28.3	4.5	1.5	13.4	13.4	17.9	47.7	7.5		156.6	28.3	59.7
	1904	1,673.2	17.5	1.5		1.5	4.4	8.8	17.5	8.8		167.8	21.9	59.8
	1905	1,975.7	22.8	1.4		40.0	14.3	1.4	17.1	18.6	10.0	162.7	20.0	87.1
Leadville, Colo.	1901	2,069.2	55.3				86.9	7.9	7.9	39.5		31.6		15.8
	1902	1,756.2	38.9				15.6	7.8	7.8	23.3		15.6		46.6
	1903	1,491.3	22.9			38.3	7.6	30.6		22.9		15.3		45.9
	1904	1,919.7	286.1			7.5	7.5		7.5	30.1		22.6	7.5	30.1
	1905	1,564.1	14.8					14.8	7.4	22.2	14.8	22.2		14.8
Leavenworth, Kans.	1901	1,335.3	58.1	8.9	8.9				8.9	22.3		178.6	4.5	44.7
	1902	1,483.9	84.7	17.8		4.4	62.4	13.4	4.4	13.4		138.1		75.8
	1903	1,465.8	52.2	4.3	4.3		4.3		34.8	13.1		143.5	8.7	87.0
	1904	1,518.1	48.3		4.4	4.4	4.4	17.5	39.5	8.8		144.8	8.8	48.3
	1905	1,581.2	33.4	9.6				23.9	66.9	9.6	19.1	162.4	9.6	76.4

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
0.5	7.6	61.9	202.2	140.8	154.5	132.3	167.7	105.8	104.9	76.5	15.1	146.4	45.4	133.2	4.3
0.5	7.4	70.5	196.4	155.8	157.6	129.1	144.3	101.0	110.6	77.0	14.3	100.5	54.9	134.6	1.4
.....	11.3	55.8	183.6	166.1	179.6	112.5	126.5	104.0	120.2	77.9	19.8	110.7	56.3	129.2	1.8
.....	8.8	74.7	173.6	202.7	222.5	123.1	160.0	104.6	117.4	68.6	19.3	118.3	53.7	132.3	4.0
1.7	9.9	92.4	156.0	170.2	147.0	125.5	155.6	96.7	133.2	82.9	20.2	137.9	50.3	129.8	.....
.....	19.9	49.7	139.2	159.1	79.5	59.7	59.7	79.5	39.8	9.9	.....	29.8	9.9	149.1	9.9
.....	10.0	10.0	150.2	170.3	50.1	60.1	30.0	40.1	100.2	20.0	.....	50.1	50.1	170.3	.....
.....	30.3	40.4	282.5	201.8	50.4	60.5	70.6	50.4	90.8	70.6	.....	111.0	40.4	131.2	.....
.....	10.2	40.7	208.3	183.0	81.3	81.3	71.2	40.7	61.0	50.8	.....	50.8	50.8	111.8	.....
.....	20.5	51.2	235.5	194.6	122.9	61.4	71.7	81.9	51.2	81.9	20.5	51.2	51.2	92.2	.....
2.6	5.3	50.3	172.0	74.1	177.2	63.5	153.4	95.2	50.3	66.1	10.6	193.1	116.4	103.2	42.3
2.6	12.8	46.3	180.0	69.4	192.9	46.3	108.0	69.4	64.3	64.3	2.6	216.0	138.9	69.4	15.4
.....	7.5	40.0	127.6	95.1	215.1	65.0	122.6	62.5	60.0	90.1	5.0	227.6	132.6	137.6	15.0
.....	9.7	12.2	133.9	65.7	136.4	34.1	90.1	87.7	36.5	48.7	9.7	158.3	165.6	87.7	17.0
.....	11.9	30.8	144.7	64.0	128.1	30.8	106.7	68.8	54.6	87.8	7.1	251.4	170.8	59.3	42.7
.....	23.3	3.9	403.9	178.7	73.8	85.4	143.7	93.2	58.3	31.1	27.2	89.3	35.0	225.2	11.6
.....	14.8	.....	287.9	203.0	77.5	66.4	70.1	114.4	70.1	44.3	14.8	88.6	11.1	158.7	.....
.....	17.6	21.1	397.4	253.2	84.4	105.5	49.2	98.5	63.3	28.1	10.5	98.5	7.0	186.4	.....
3.4	6.7	16.8	369.3	261.9	70.5	70.5	63.8	80.6	57.1	36.9	3.4	107.4	6.7	188.0	3.4
.....	9.6	22.5	363.0	279.5	80.3	77.1	109.2	102.8	106.0	48.2	19.3	80.3	12.9	138.1	3.2
1.2	6.6	30.0	128.9	115.7	155.8	51.5	71.9	95.3	77.3	103.1	10.2	138.4	119.9	143.2	7.2
3.5	6.5	41.8	110.6	119.4	172.4	74.1	65.9	104.7	84.7	88.9	16.5	100.0	91.2	147.7	5.3
1.2	5.2	38.7	117.3	133.5	182.6	61.8	78.0	104.0	91.9	92.5	23.7	126.0	126.5	144.4	.....
2.8	10.2	34.1	103.3	169.7	321.8	75.5	61.3	118.6	101.0	85.1	19.3	161.2	67.0	166.9	2.3
3.3	10.0	29.6	122.2	167.3	171.8	55.8	66.4	102.6	84.8	77.5	25.1	124.9	69.2	143.4	3.3
10.7	10.7	53.6	139.2	203.5	75.0	42.8	53.6	32.1	96.4	21.4	.....	42.8	107.1	203.5	.....
10.5	31.6	21.0	147.3	189.3	105.2	105.2	21.0	105.2	63.1	10.5	.....	31.6	10.5	210.3	.....
.....	10.3	31.0	196.3	175.6	103.3	41.3	20.7	51.7	41.3	.....	.....	93.0	31.0	227.2	.....
.....	20.3	10.1	182.7	274.0	101.5	71.1	71.1	40.6	71.1	20.3	.....	91.4	20.3	192.8	.....
.....	10.0	29.9	139.7	249.4	119.7	39.9	29.9	59.9	69.8	39.9	29.9	79.8	39.9	209.5	10.0
.....	5.6	95.6	309.2	174.3	157.4	123.7	309.2	84.3	50.6	140.5	.....	39.3	151.8	185.5	.....
5.4	.....	97.5	205.8	124.5	70.4	37.9	395.3	75.8	81.2	151.6	.....	48.7	157.0	184.1	5.4
.....	.....	41.8	266.4	135.8	57.5	73.1	350.0	78.4	78.4	167.2	.....	73.1	198.5	177.6	5.2
.....	5.0	70.6	237.1	151.4	20.2	70.6	338.0	50.5	55.5	206.9	.....	65.6	211.9	146.3	5.0
.....	.....	39.0	307.3	126.8	34.1	82.9	336.6	78.1	68.3	92.7	9.8	29.3	200.0	151.2	.....
.....	4.0	32.4	222.6	238.8	97.1	60.7	60.7	125.5	97.1	68.8	.....	121.4	52.6	174.0	4.0
.....	12.1	32.1	196.9	176.8	136.6	84.4	76.4	88.4	80.4	48.2	.....	88.4	24.1	152.7	.....
.....	12.0	27.9	167.6	223.5	111.7	71.8	71.8	99.8	95.8	83.8	.....	107.7	31.9	139.7	.....
4.0	7.9	31.7	237.8	198.1	114.9	87.2	111.0	87.2	91.1	79.3	4.0	114.9	35.7	134.7	.....
.....	11.8	66.9	247.9	204.6	129.9	63.0	94.5	137.7	74.8	55.1	11.8	125.9	51.2	141.7	.....
.....	9.2	46.1	166.0	129.1	55.3	46.1	55.3	138.3	36.9	73.8	.....	83.0	36.9	175.2	.....
.....	36.1	9.0	90.3	99.3	108.3	45.1	126.4	117.3	54.2	81.2	.....	126.4	27.1	139.5	.....
.....	17.7	53.0	132.6	132.6	123.8	97.2	168.0	114.9	35.3	35.3	17.7	150.3	44.2	176.8	.....
26.0	17.3	17.3	121.2	147.2	155.9	86.6	60.6	147.2	17.3	164.5	17.3	95.2	52.0	207.8	.....
.....	.....	25.4	144.3	186.7	101.8	101.8	50.9	101.8	84.9	76.4	59.4	110.3	33.9	93.3	.....
.....	24.9	49.7	348.2	111.9	136.8	99.5	49.7	49.7	99.5	37.3	24.9	161.7	49.7	236.2	.....
.....	.....	12.4	286.0	198.9	111.9	87.1	87.1	99.5	87.1	24.9	.....	49.7	49.7	286.0	.....
.....	37.3	49.7	323.3	236.2	99.5	62.2	149.2	62.2	87.0	24.9	.....	149.2	37.3	261.1	24.9
.....	24.9	.....	310.9	149.2	149.2	111.9	74.6	124.4	87.0	24.9	12.4	99.5	49.8	186.5	.....
.....	12.4	24.9	261.1	223.8	174.1	87.0	99.5	161.7	74.6	37.3	.....	74.6	62.2	298.4	.....
5.5	16.4	27.3	147.5	180.3	125.7	65.6	81.9	109.3	32.8	54.6	5.5	103.8	76.5	180.3	10.9
.....	21.6	27.0	194.7	221.8	59.5	86.5	48.7	162.3	64.9	92.0	5.4	146.0	43.3	227.1	5.4
.....	5.3	32.1	262.4	230.2	112.5	69.6	32.1	85.7	80.3	26.8	.....	123.2	58.9	137.4	.....
15.9	10.6	26.5	212.1	286.3	127.3	58.3	79.5	106.0	79.5	79.5	.....	90.1	58.3	201.4	5.3
.....	5.2	21.0	204.7	168.0	78.7	52.5	42.0	141.7	131.2	78.7	31.5	94.5	78.7	231.0	10.5
4.7	4.7	16.5	179.2	191.0	188.7	47.2	127.3	108.5	80.2	47.2	7.1	63.7	56.6	136.8	.....
4.6	4.6	6.9	189.2	145.4	69.2	46.1	110.7	71.5	94.6	41.5	6.9	55.4	43.8	122.3	.....
2.3	20.3	29.3	169.3	142.2	70.0	51.9	83.6	90.3	94.8	24.8	11.3	61.0	33.9	130.9	.....
.....	13.3	26.5	207.8	161.4	108.3	59.7	92.8	77.4	92.8	39.8	13.3	61.9	30.9	128.2	.....
.....	19.5	28.1	192.7	166.7	77.9	32.5	95.3	65.0	112.6	39.0	10.8	52.0	17.3	75.8	.....
.....	5.7	11.5	154.9	229.5	86.1	28.7	86.1	80.3	57.4	22.9	11.5	97.5	17.2	131.9	.....
.....	16.3	.....	92.5	272.1	65.3	43.5	92.5	114.3	76.2	49.0	16.3	59.8	10.9	152.3	.....
.....	10.3	5.2	88.0	155.3	113.8	31.0	51.7	67.3	46.6	51.7	5.2	51.7	20.7	113.8	5.2
14.8	4.9	14.8	123.3	202.2	59.2	29.6	83.8	88.8	44.4	9.9	4.9	143.0	4.9	103.6	19.7
.....	.....	9.4	169.6	235.6	94.2	84.8	66.0	98.9	42.4	33.0	9.4	61.3	23.6	108.4	9.4
.....	7.8	74.9	179.5	148.3	140.5	129.6	234.2	81.2	65.6	99.9	18.7	64.0	89.0	93.7	.....
1.5	9.2	65.6	161.7	146.4	178.5	157.1	201.4	102.2	77.8	94.6	4.6	64.1	51.9	88.4	4.6
3.0	14.9	52.2	134.2	122.3	122.3	117.8	228.2	83.5	85.0	82.0	7.5	65.6	61.1	122.3	25.4
.....	14.6	49.6	128.4	137.1	159.0	128.4	201.3	91.9	106.5	87.5	14.6	62.7	52.5	128.4	1.5
.....	8.6	112.8	155.6	151.3	184.2	159.9	291.2	81.4	94.2	98.5	4.3	70.0	60.0	108.5	.....
7.9	.....	23.7	94.8	173.7	623.9	126.4	79.0	165.8	71.1	86.9	15.8	165.8	7.9	173.7	7.9
.....	.....	23.3	124.3	132.1	442.9	93.2	132.1	108.8	85.5	101.0	23.3	178.7	23.3	132.1	.....
.....	15.3	7.6	61.2	76.5	328.9	76.5	68.8	84.1	61.2	145.3	22.9	160.6	.....	198.9	.....
.....	7.5	7.5	135.5	120.5	474.3	135.5	90.4	82.8	82.8	90.4	22.6	60.2	37.7	165.6	7.5
.....	7.4	14.8	89.0	148.3	400.3	133.4	74.1	103.8	89.0	74.1	.....	133.4	22.2	163.1	.....
4.5	8.9	40.2	129.5	84.9	93.8	102.7	49.1	49.1	62.5	44.7	22.3	98.2	71.5	134.0	4.5
.....	4.4	13.4	138.1	133.7	124.8	80.2	53.5	80.2	93.6	17.8	22.3	71.3	62.4	164.9	8.9
17.4	.....	47.9	152.2	147.9	130.5	52.2	39.2	100.0	73.9	47.9	21.7	65.3	39.2	178.3	.....
.....	13.2	21.9	166.7	131.6	215.0	79.0	43.8	92.1	61.4	52.6	8.8	118.5	48.3	109.7	26.3
4.8	.....	9.6	172.0	129.0	138.5	43.0	28.7	81.2	86.0	124.2	4.8	81.2	62.1	200.6	4.8

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Leominster town, Mass	1901	1,229.2	15.7	7.8	.....	.....	.....	.....	62.6	15.7	.....	86.1	15.7	39.1
	1902	1,178.3	7.6	.....	.....	.....	7.6	.....	22.8	.....	.....	159.6	15.2	91.2
	1903	1,315.1	7.4	.....	.....	.....	7.4	7.4	14.8	7.4	.....	118.2	14.8	88.7
	1904	1,264 7	7.2	.....	.....	.....	7.2	.....	.....	7.2	.....	143.7	21.6	50.3
	1905	1,426.9	7.0	7.0	.....	.....	.....	.....	21.0	14.0	14.0	132.9	35.0	97.9
Lima, Ohio	1901	1,856.8	58.3	.....	.....	.....	4.5	13.4	53.8	62.8	.....	219 8	22.4	71.8
	1902	1,347.0	24.1	12.1	.....	.....	4.0	8.1	40.2	20.1	.....	160.8	16.1	48.2
	1903	1,356.0	31.3	.....	.....	39.2	.....	19.6	11.8	11.8	.....	164.6	15.7	47.0
	1904	1,360.2	34.1	7.6	.....	3.8	7.6	15.1	26.5	37.9	.....	109.9	26.5	34.1
	1905	1,197.9	22.2	.....	.....	.....	7.4	.....	51.8	14.8	11.1	140.5	18.5	40.7
Lincoln, Nebr.	1901	1,243.6	36.2	2.4	2.4	4.8	2.4	9.6	60.3	45.8	.....	74.7	16.9	60.3
	1902	946.3	39.7	2.3	.....	16.4	.....	7.0	16.4	2.3	.....	74.8	4.7	46.7
	1903	887.7	15.8	4.5	.....	13.6	.....	13.6	15.8	13.6	.....	47.6	11.3	54.4
	1904	1,004.0	22.0	.....	.....	30.8	2.2	.....	8.8	6.6	.....	72.5	8.8	50.5
	1905	876.8	23.5	.....	.....	4.3	2.1	4.3	49.1	6.4	4.3	57.6	25.6	38.4
Lockport, N. Y	1901	1,707.5	83.6	6.0	6.0	11.9	.....	6 0	41.8	29.9	.....	185.1	11.9	71.6
	1902	1,282.6	29.6	5.9	.....	11.8	23.6	.....	17.7	17.7	.....	76.8	11.8	70.9
	1903	1,650.3	52.7	.....	.....	11.7	17.6	11.7	87.8	17.6	.....	122.9	11.7	41.0
	1904	1,651.4	40.6	.....	.....	.....	11.6	.....	92.7	17.4	.....	156.4	23.2	46.4
	1905	1,486.1	63 1	.....	.....	23.0	.....	5.7	34.4	34.4	23.0	137.7	5.7	74.6
Logansport, Ind	1901	1,788.7	48.5	12.1	.....	6.1	.....	.....	18.2	42.4	.....	248.6	12.1	24.3
	1902	1,775.9	29.8	.....	.....	.....	.....	29.8	5.9	17.9	.....	226.5	11.9	59.6
	1903	1,540.9	52.7	17.6	11.7	.....	.....	.....	23.4	23.4	.....	134.8	11.7	76.2
	1904	1,791.9	51.9	.....	.....	.....	5.8	11.5	28 8	34.6	.....	207.4	46.1	109.5
	1905	1,836.3	73.7	.....	.....	5.7	.....	17.0	5.7	45.3	73.7	130.4	34.0	90.7
Louisville, Ky	1901	1,837.6	46.0	7.2	1.0	1.0	2.4	3.4	51.8	26.4	.....	197.0	21.1	54.7
	1902	1,797.4	60.3	5.2	1.4	2.4	2.4	7.5	41.0	3.8	.....	183.3	26.8	62.2
	1903	1,864.0	59.8	2.3	7.9	.....	6.0	20.4	32.4	7.4	.....	214.2	19.5	55.6
	1904	1,981.8	61.6	5.9	3.2	6.4	3.2	0.9	18.2	24.2	.....	239.5	20.5	61.6
	1905	1,805.4	49.4	6.3	0.4	0.4	3.6	4.9	13.0	18.0	22.0	228.2	16.6	56.6
Lowell, Mass	1901	2,149.5	20.0	3.2	.....	23.2	2.1	15.8	121.1	27.4	.....	166.4	16.9	65.3
	1902	2,046.6	17.9	2.1	4.2	9.5	4.2	8.4	79.0	9.5	.....	164.3	14.7	60.0
	1903	2,047.0	32.7	1.1	.....	1.1	9.5	16.9	34.8	10.5	.....	135.9	24.2	84.3
	1904	1,831.3	20.0	2.1	1.1	20.0	6.3	3.2	36.9	7.4	.....	141.2	23.2	74.8
	1905	2,003.4	19.0	.....	.....	8.4	.....	17.9	21.1	16.9	6.3	153.9	34.8	72.7
Lynchburg, Va	1901	1,926 3	78.6	.....	.....	.....	.....	63.9	19.7	49.1	.....	191.7	9.8	34.4
	1902	2,033.6	105.5	9.6	.....	9.6	4.8	.....	9.6	14.4	.....	249.4	33.6	38.4
	1903	1,953.2	74.9	18.7	4.7	.....	.....	74.9	9.4	4.7	.....	295.1	60.9	42.2
	1904	2,183.1	114.4	.....	4.6	9.1	.....	13.7	22.9	9.1	.....	315.8	41.2	45.8
	1905	2,187.9	58.2	.....	.....	17.9	22.4	4.5	8.9	13.4	22.4	205.8	49.2	62.6
Lynn, Mass	1901	1,452.6	14.2	5.7	.....	.....	10.0	.....	54.1	21.4	.....	146.7	31.3	85.4
	1902	1,408.4	12.5	2.8	.....	30.6	2.8	.....	37.5	2.8	.....	136.3	30.6	65.3
	1903	1,472.2	17.7	4.1	2.7	.....	2.7	40.7	44.8	10.9	.....	124.9	27.2	91.0
	1904	1,496.0	23.9	1.3	.....	1.3	.....	2.7	27.9	6.6	.....	193.8	21.2	85.0
	1905	1,638.1	23.4	.....	.....	3.9	2.6	3.9	10.4	19.5	10.4	132.4	31.2	88.3
McKeesport, Pa	1901	1,818.6	81.5	.....	.....	2.8	39.3	2.8	30.9	2.8	.....	104.0	2.8	56.2
	1902	2,023.0	81.3	.....	29.8	2.7	2 7	13.5	59.6	.....	.....	89.4	5.4	32.5
	1903	1,758.4	81.0	.....	10.5	13.1	10.5	52.3	70.5	7.8	.....	99.3	13.1	36.6
	1904	1,838.1	133.6	.....	.....	2.5	19.8	.....	64.3	9.9	.....	131.1	24.7	37.1
	1905	1,818.0	85.7	.....	.....	7.1	9.5	4.8	52.4	9.5	7.1	109.5	14.3	35.7
Madison, Wis	1901	1,190.5	5.0	.....	.....	20.0	5.0	15.0	75.0	55.0	.....	85.0	10.0	45.0
	1902	869.4	.....	.....	.....	4.8	.....	4.8	4.8	14.4	.....	81.7	19.2	48.0
	1903	1,104.2	.....	.....	.....	.....	23.1	41.6	.....	23.1	.....	120.1	4.6	64.7
	1904	1,205.6	.....	.....	.....	.....	.....	.....	8.5	34.1	.....	132.1	29.8	80.9
	1905	950.6	4.1	.....	4.1	4.1	.....	.....	8.2	16.5	12.3	119.3	20.6	57.6
Mahanoy City, Pa	1901	2,484.3	7.3	.....	.....	.....	7.3	29.1	102.0	7.3	.....	43.7	.....	21.9
	1902	1,799.5	21.5	.....	.....	.....	21.5	.....	14.3	.....	.....	57.4	.....	28.7
	1903	2,230.1	14.1	7.0	.....	.....	218.8	63.5	21.2	.....	.....	42.3	7.0	14.1
	1904	2,313.8	13.9	.....	13.9	13.9	48.6	.....	90.3	.....	.....	83.4	.....	41.7
	1905	2,107.6	34.2	.....	.....	.....	6.8	.....	130.0	6.8	6.8	54.7	.....	47.9
Malden, Mass	1901	1,407.2	29.0	.....	2.9	2.9	5.8	23.2	34.7	34.7	.....	127.4	31.8	69.5
	1902	1,386.5	25.4	.....	5.6	25.4	8.5	5.6	36.7	5.6	.....	158.1	22.6	79.1
	1903	1,433.0	19.3	2.8	.....	5.5	22.0	16.5	19.3	8.3	.....	140.5	16.5	104.7
	1904	1,315.9	26.9	.....	.....	8.1	5.4	5.4	10.8	16.1	.....	150.7	26.9	78.0
	1905	1,330.3	10.5	.....	.....	.....	.....	10.5	13.1	13.1	10.5	139.3	18.4	60.5
Manchester, N. H	1901	1,848.2	17.2	1.7	.....	.....	18.9	20.6	10.3	15.4	.....	175.1	20.6	66.9
	1902	1,774.7	15.1	1.7	.....	8.4	1.7	10.1	53.7	1.7	.....	120.9	31.9	48.7
	1903	1,750.3	18.1	.....	.....	1.6	3.3	29.6	57.5	18.1	.....	126.6	36.2	60.8
	1904	1,572 5	20.9	3.2	1.6	.....	1.6	11.3	27.4	12.9	.....	144.9	32.2	59.6
	1905	2,043.6	18.9	.....	.....	18.9	1.6	9.5	56.8	15.8	15.8	171.9	20.5	53.6
Manchester town, Conn	1901	1,264.0	.....	18.5	.....	55.4	9.2	9.2	92.3	36.9	.....	119.9	9.2	9.2
	1902	1,029.2	.....	9.0	.....	.....	9.0	9.0	63.2	.....	.....	144.4	36.1	45.2
	1903	1,087.1	26.5	8.8	.....	.....	26.5	17.7	17.7	8.8	.....	185.6	.....	61.9
	1904	1,107 9	26.0	.....	.....	.....	8.6	.....	60.6	26.0	.....	129.8	17.3	34.6
	1905	1,543.6	33.9	8.5	.....	.....	.....	33.9	59.4	25.4	50.9	161.1	8.5	42.4
Manitowoc, Wis	1901	1,428.0	25.1	.....	.....	.....	.....	.....	50.1	16.7	.....	233.8	16.7	41.8
	1902	1,364.7	.....	.....	8.2	.....	.....	8.2	8.2	8.2	.....	148.0	16.4	57.5
	1903	1,125.2	8.1	.....	.....	.....	.....	8.1	.....	8.1	.....	153.8	32.4	81.0
	1904	1,331.4	15.9	.....	.....	8.0	.....	.....	15.9	23.9	.....	103.6	23.9	87.7
	1905	1,335.1	15.7	.....	.....	.....	.....	47.1	39.3	7.9	31.4	149.2	.....	47.1

[1] Shown for 1905 only

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
7.8	7.8	23.5	172.2	172.2	93.9	70.5	31.3	39.1	23.5	78.3	.....	47.0	62.6	156.6	.....
.....	22.8	7.6	136.8	136.8	68.4	30.4	68.4	38.0	53.2	83.6	7.6	22.8	53.2	144.4	.....
7.4	14.8	22.2	96.0	140.4	88.7	29.6	96.0	51.7	51.7	66.5	7.4	88.7	66.5	221.6	.....
.....	21.6	21.6	136.5	179.6	50.3	50.3	93.4	28.7	79.0	86.2	7.2	64.7	28.7	179.6	.....
.....	.....	14.0	132.9	202.8	83.9	21.0	69.9	97.9	90.9	97.9	.....	90.9	69.9	125.9	.....
4.5	4.5	35.9	121.1	112.1	139.0	71.8	89.7	125.6	71.8	80.7	13.4	174.9	71.8	197.3	35.9
.....	8.1	20.1	116.6	100.5	100.5	44.2	72.4	68.4	88.5	76.4	4.0	112.6	44.2	116.6	40.2
.....	11.8	27.4	101.9	50.9	141.1	39.2	90.1	117.6	70.5	54.9	3.9	94.0	35.3	156.8	19.6
7.6	15.1	49.2	113.7	144.0	90.9	45.5	34.1	79.6	75.8	75.8	3.8	94.7	72.0	147.7	7.6
.....	.....	40.7	77.6	110.9	92.4	55.5	66.5	81.3	51.8	37.0	11.1	92.4	37.0	136.8	.....
7.2	2.4	28.9	120.5	67.5	94.0	48.2	55.4	57.8	43.4	53.0	19.3	103.6	84.4	135.0	7.2
4.7	11.7	21.0	119.2	58.4	79.4	25.7	58.4	53.7	25.7	44.4	2.3	49.1	86.5	88.8	7.0
2.3	9.0	22.6	83.8	47.6	81.5	24.9	54.4	81.5	31.7	38.5	4.5	67.9	54.4	90.6	2.3
4.4	11.0	24.2	112.0	92.3	85.7	41.7	46.1	50.5	46.1	52.7	13.2	57.1	52.7	107.7	4.4
6.4	8.5	14.9	70.4	68.3	68.3	17.1	55.5	70.4	42.7	34.1	19.2	59.7	40.5	83.2	2.1
.....	11.9	17.9	209.0	155.2	59.7	131.3	125.4	77.6	59.7	77.6	6.0	59.7	53.7	209.0	.....
5.9	23.6	23.6	165.5	135.9	59.1	106.4	47.3	65.0	35.5	41.4	17.7	100.5	41.4	147.8	.....
.....	23.4	5.9	234.1	199.0	81.9	122.9	93.6	111.2	64.4	35.1	11.7	87.8	29.3	175.6	.....
5.8	29.0	29.0	104.3	318.7	63.7	98.5	75.3	121.7	69.5	57.9	5.8	75.3	57.9	150.7	.....
.....	17.2	23.0	189.4	183.6	80.3	63.1	57.4	68.9	97.5	63.1	34.4	51.6	28.7	126.2	.....
.....	6.1	36.4	260.7	127.3	163.7	66.7	66.7	121.3	66.7	78.8	24.3	145.5	48.5	151.6	12.1
.....	17.9	53.6	303.9	143.0	65.6	59.6	77.5	89.4	125.1	101.3	11.9	95.4	29.8	220.5	.....
.....	11.7	17.6	181.6	76.2	76.2	64.4	41.0	87.9	128.9	105.5	23.4	123.1	64.4	187.5	.....
.....	11.5	51.9	167.1	86.4	92.2	57.6	121.0	161.3	92.2	103.7	11.5	126.8	23.0	190.1	.....
5.7	5.7	11.3	198.4	164.4	90.7	68.0	119.0	96.4	107.7	45.3	5.7	170.0	39.7	232.4	.....
1.0	5.3	42.4	192.2	168.8	170.2	126.1	63.8	105.5	92.0	81.0	6.7	82.5	97.8	188.4	1.9
2.4	10.8	35.3	196.0	152.2	138.5	89.5	68.3	109.3	96.6	94.2	13.7	82.4	113.1	195.5	3.3
0.9	6.9	53.3	200.2	149.3	140.0	95.5	71.9	106.2	103.4	96.9	13.4	76.5	105.7	217.0	1.4
2.3	8.2	42.0	187.1	145.5	203.5	118.2	79.8	100.4	103.1	112.2	22.4	72.5	121.8	213.5	4.1
1.8	10.3	48.5	185.0	157.6	150.9	92.1	70.1	101.9	111.8	98.4	14.8	76.8	94.8	171.1	.....
2.1	6.3	73.7	190.6	215.9	208.5	145.3	219.1	95.8	82.1	158.0	9.5	65.3	75.8	140.1	.....
2.1	8.4	79.0	212.8	242.3	168.5	131.7	223.3	94.8	76.9	152.7	8.4	65.3	69.5	134.8	2.1
2.1	7.4	66.4	180.1	207.5	150.7	147.5	279.2	93.8	104.3	137.0	14.7	72.7	87.4	144.3	1.1
1.1	13.7	58.0	161.2	172.8	145.4	115.9	249.7	107.5	90.6	132.8	11.6	63.2	25.3	144.4	2.1
2.1	12.6	99.1	183.4	255.0	140.2	113.8	285.6	133.8	89.6	103.3	9.5	67.4	15.8	141.2	.....
.....	4.9	19.7	196.6	186.7	88.5	73.7	73.7	93.4	34.4	14.7	.....	117.9	98.3	113.0	363.6
.....	9.6	24.0	215.8	225.4	86.3	28.8	110.3	129.5	67.1	24.0	.....	100.7	48.0	139.1	350.1
.....	4.7	9.4	192.1	168.6	84.3	79.6	70.3	93.7	23.4	28.1	.....	84.3	46.8	112.4	370.0
4.6	.....	18.3	196.8	242.6	151.0	73.2	141.9	87.0	45.8	22.9	.....	91.5	59.5	164.8	306.6
4.5	4.5	13.4	201.3	246.1	120.8	76.1	116.3	120.8	76.1	89.5	17.9	138.7	98.4	102.9	295.3
.....	7.1	25.6	151.0	142.4	135.3	54.1	86.9	78.3	79.8	61.2	7.1	69.8	31.3	141.0	12.8
1.4	13.9	33.4	159.9	148.8	105.7	59.8	84.8	58.4	79.3	64.0	5.6	54.2	54.2	155.7	8.3
.....	6.8	31.2	126.3	169.8	96.4	69.3	58.4	92.4	93.7	80.1	4.1	81.5	32.6	146.7	16.3
2.7	14.6	34.5	143.4	142.0	110.2	50.4	90.3	50.4	95.6	108.8	8.0	96.9	31.9	142.0	10.6
.....	22.1	72.7	158.4	190.8	159.7	75.3	114.2	87.0	99.9	79.2	9.1	89.6	32.4	119.4	2.6
5.6	2.8	45.0	180.0	78.7	250.2	75.9	171.5	134.9	33.7	98.4	16.9	213.6	104.0	81.5	2.8
.....	.....	65.0	235.6	100.2	243.7	102.9	154.4	86.7	46.0	138.1	16.3	268.1	105.6	143.5	.....
2.6	5.2	36.6	164.6	104.5	167.2	86.2	128.0	107.1	49.6	130.6	13.1	172.5	70.5	122.8	2.6
.....	9.9	34.6	141.0	108.9	168.2	84.1	183.1	84.1	69.3	118.8	9.9	225.1	61.8	113.8	2.5
.....	4.8	47.6	154.7	121.4	202.3	111.8	133.3	126.1	64.2	116.6	23.8	207.0	50.0	111.8	7.1
5.0	5.0	5.0	105.0	105.0	90.0	35.0	75.0	85.0	60.0	15.0	.....	80.0	45.0	150.1	15.0
4.8	.....	9.6	100.9	76.9	81.7	62.4	33.6	48.0	14.4	43.2	9.6	62.4	52.8	86.5	4.8
4.6	18.5	9.2	138.6	97.0	23.1	73.9	32.3	87.8	64.7	41.6	9.2	78.5	27.7	120.1	.....
.....	12.8	17.0	110.8	132.1	98.0	72.4	29.8	106.5	63.9	34.1	4.3	89.5	21.3	119.3	8.5
.....	4.1	8.2	90.5	115.2	49.4	53.5	20.6	70.0	65.8	65.8	16.5	45.3	8.2	90.5	.....
.....	.....	36.4	276.8	262.3	247.7	123.9	225.8	116.6	51.0	138.4	7.3	284.1	262.3	225.8	7.3
.....	.....	100.4	222.3	172.0	143.4	114.7	236.6	64.5	21.5	71.7	14.3	222.3	186.4	86.0	.....
.....	.....	56.5	218.8	91.8	218.8	211.7	218.8	120.0	70.6	120.0	7.0	211.7	169.4	120.0	7.0
.....	.....	76.5	291.8	132.0	145.9	118.1	340.5	90.3	62.6	90.3	6.9	264.1	215.4	159.8	13.9
.....	20.5	41.1	328.5	75.3	136.9	143.7	246.3	95.8	116.3	116.3	.....	225.8	109.5	136.9	27.4
.....	11.6	20.3	153.5	139.0	141.9	66.6	86.9	69.5	75.3	84.0	8.7	37.6	49.2	95.5	5.8
5.6	11.3	25.4	127.1	189.2	67.8	70.6	50.8	76.2	90.4	87.5	5.6	25.4	36.7	141.2	2.8
5.5	16.5	30.3	159.8	190.2	63.4	82.7	66.1	82.7	63.4	124.0	5.5	44.1	24.8	118.5	.....
.....	18.8	26.9	121.1	234.1	129.2	51.1	80.7	37.7	45.7	61.9	2.7	51.1	10.8	113.0	2.7
2.6	7.9	18.4	165.6	197.2	110.4	60.5	68.4	50.0	97.3	89.4	18.4	52.6	21.0	94.6	.....
1.7	1.7	89.2	166.5	163.0	135.6	144.1	264.3	85.8	73.8	66.9	8.6	54.9	70.4	144.1	30.9
.....	5.0	85.6	189.7	142.7	178.0	159.5	220.0	90.7	47.0	73.9	6.7	47.0	80.6	134.3	20.1
3.3	9.9	52.6	182.4	156.1	147.9	115.1	248.2	83.8	90.4	69.0	13.1	69.0	50.9	103.5	3.3
.....	16.1	53.1	115.9	141.6	117.5	99.8	186.7	104.6	74.0	99.8	9.6	54.7	51.5	132.0	.....
.....	18.9	242.8	197.1	151.4	119.8	113.5	249.1	113.5	82.0	116.7	7.9	72.5	61.5	112.0	1.6
.....	18.5	55.4	101.5	156.8	64.6	73.8	83.0	27.7	27.7	73.8	.....	55.4	9.2	147.6	9.2
.....	9.0	27.1	117.4	144.4	72.2	36.1	36.1	45.2	45.2	63.2	.....	36.1	18.1	63.2	.....
.....	.....	26.5	79.5	150.3	53.0	61.9	35.4	79.5	26.5	88.4	.....	35.4	8.8	88.4	.....
.....	26.0	.....	129.8	103.9	43.3	43.3	121.2	34.6	34.6	86.6	8.6	43.3	17.3	112.5	.....
.....	17.0	33.9	135.7	135.7	93.3	84.8	161.1	42.4	59.4	93.3	42.4	93.3	17.0	101.8	8.5
8.4	8.4	8.4	133.6	125.3	66.8	50.1	83.5	83.5	58.5	50.1	8.4	75.2	91.9	158.7	33.4
.....	8.2	41.1	139.8	139.8	148.0	57.5	41.1	74.0	65.8	49.3	8.2	41.1	82.2	205.5	8.2
.....	.....	24.3	129.5	81.0	64.8	81.0	24.3	40.5	56.7	64.8	8.1	48.6	89.0	105.2	16.2
.....	15.9	.....	127.6	111.6	55.8	159.5	47.8	71.8	47.8	63.8	23.9	55.8	23.9	231.2	15.9
.....	7.9	15.7	133.5	86.4	86.4	141.4	62.8	102.1	23.6	23.6	23.6	31.4	70.7	172.8	15.7

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued														
Mankato, Minn	1901	1,367.3	18 7			18.7	18.7		56.2	37.5		187.3	9.4	46.8
	1902	1,357.3	9.3			102.3	27.9	55.8	46.5			148.7	27.9	102.3
	1903	1,328.9					9.2	9 2	9.2	9.2		138.4	46.1	92.3
	1904	1,282 5	18.3				9.2			18.3		100.8	27.5	82.4
	1905	1,518 7	36.4							63.7	72.8	118.2	9.1	109.1
Marietta, Ohio	1901	1,811.5	115.5	7.2				21.7	43.3	28.9		187.6	28.9	57.7
	1902	1,246.2	90.5	14.0			7.0	7.0	7.0			111.4	27.8	62.6
	1903	1,304.5	74.0	6.7	47.1				53.8			107 6	13.4	100.9
	1904	1,157.3	65.0			13.0	6.5	13.0		13.0		65.0	6.5	65.0
	1905	1,195.9	31.5	6 3				18.9		18.9	25.2	107.0	18.9	62.9
Marinette, Wis	1901	1,079.4	31.2	6.2			31.2		37.4	12.5		68.6	31.2	37.4
	1902	1,273.7	31.5			6.3	31.5	12.6	12.6			107.2	18.9	50.4
	1903	1,217.3	51.0			51.0	38.2		25.5			89.2	25.5	51.0
	1904	953.4	25.8					6.4		25.8		122.4		6.4
	1905	1,322.1	39.1					6.5		19.5	13.0	136.8	45.6	84.7
Marion, Ind	1901	1,412.6	82.4	5.5			5.5	5.5	11.0	11.0		170.4	11.0	49.5
	1902	1,333.3	78.8	5.2		26.3	10.5		5.2	5.2		141.7		47.3
	1903	1,260.2	23.7				23.7		42.6	19.0		161.1	19.0	56.9
	1904	1,480.8	63.4			22.6	77.0		13.6			172.1	13.6	49.8
	1905	1,123.4	47.7						4.3	21.7	39.0	147.5	13.0	30.4
Marlboro, Mass	1901	1,569.2					7.3		94.9			219.0	43.8	21.9
	1902	1,420.9	7.2				7.2		159.5	14.5		101.5	21.7	43.5
	1903	1,404.2	7.2			28.8	21.6	43.2	21.6	7.2		115.2	14.4	64.8
	1904	1,294.7	14.3				14.3		21.5	7.2		93.0	14.3	85.8
	1905	1,485.1	7.1							21.3	64.0	199.0	21.3	85.3
Marquette, Mich	1901	1,253.8	19.6				29.4					156.7	19.6	68.6
	1902	1,293.3	57.9				9.6	9.6		9.6		144.8	29.0	38.6
	1903	1,797.8	28.5				47.6	28.5	95.1	9.5		142.7	19.0	95.1
	1904	1,575.2	37.5				9.4	28.1	9.4	9.4		93 8	28.1	46.9
	1905	1,654.8	37.0									175.6	18.5	83.2
Massillon, Ohio	1901	1,566.5	33.0	8.2						16.5		123.7		49.5
	1902	1,128.8	16.2	8.1					24.4			97.5	8.1	40.6
	1903	1,008.1	16.0					8.0	64.0	32.0		56.0		48.0
	1904	1,222.0	15 8			31 5	15.8	7.9	7.9	23.6		110.4		78.8
	1905	1,072.3	46.6					15.5	23.3	15.5	7.8	62.2	7.8	46.6
Meadville, Pa	1901	1,687.9	86.8	9.6					9 6	57.9		57.9	19.3	28.9
	1902	1,378.7	105.3				9.6		9.6	19.1		76.6	9.6	57.4
	1903	1,463.6	47.5	9 5		38.0		28.5	9.5	38.0		114.1		104.6
	1904	1,293 2	17.2							25.9		69.0	17.2	77.6
	1905	1,369.4	34.2					42.8	25.7	8.6		77.0	8.6	94.1
Medford, Mass	1901	1,349.0	5.4			21.6	37.8	10.8	37.8	27.0		151.1	10.8	113.3
	1902	1,163.0	15.9	5 3	5.3			5.3	5.3	15.9		116.8	5.3	53.1
	1903	1,188.0	15 7	5 2			5.2	10.5	26.2	5.2		120.4	20.9	83.7
	1904	1,190.9	10 3	5 2			5.2		10 3	10.3		108.3	36.1	98.0
	1905	1,351.2	15 2	5 1			10.2	5.1	10.2	25.4	5.2	86.4	15.2	127.0
Melrose, Mass	1901	1,247.4	30.2	7.6		7.6			22.7	15.1		113.4	22.7	60.5
	1902	1,333.9	7.4		29.6		7.4	14.8	14.8	22.2		140.8	14.8	118.6
	1903	1,090.0	7.3					43.6	7.3	14.5		123.5	29.1	109.0
	1904	1,340.2	7.1					21 4	14.3	14.3		106.9	49.9	114.1
	1905	1,343.1				28 0	7.0		7.0	7.0	7.0	125.9	21.0	132.9
Memphis, Tenn	1901	1,842.5	51.8	112.2	9.4	1.9	5.7	2.8	4.7	45.2		218.7	21.7	28.3
	1902	1,802.8	39.1	132 0	4.6	1.8	10.0	10.0	12.7	26.4		249.4	20.0	36.4
	1903	1,779.7	41.3	117.0	1.8	3.5	5.3	47.5	10.6	33.4		179.5	11.4	44.9
	1904	1,949.7	46.0	138.8	7.7	17.0	15.3	10.2	14.5	42.6		218.0	13.6	29.8
	1905	1,785.0	33.8	122.1	0.8		2.5	13.2	12.4	31.3	28.0	229.3	14.0	34.6
Menominee, Mich	1901	1,267.4	56.5					24.2	40.4	24.2	8.1	88.8	32.3	56.5
	1902	1,179.1	25.1		16.7	16.7		8.4	25.1			66.9	8.4	33.4
	1903	1,561.6	86.8			34.7	8.7		34.7	8.7		156.2	52.0	60.7
	1904	1,153.6	117.2					9.0				63.1	9.0	63.1
	1905	1,340.8	46.9						28.1		9.4	75.0	46.9	112.5
Meriden town, Conn	1901	1,426.5	17.2	55.1				13.8	24.1	68.9		175.7	13.8	68.9
	1902	1,291.4	6.8	40.9			10.2	10.2	20.4	44.3		163.6	13.6	54.5
	1903	1,422.0	33.7	40.4		13.5		57.3	13.5	53.9		158.4	40.4	91.0
	1904	1,386.5	6.7	20 0				3.3	6.7	46.7		170.0	16.7	66.7
	1905	1,322.1	9.9	16.5		6.6	3.3	26.4	13.2	59.3	9.9	141.8	26.4	89.0
Michigan City, Ind	1901	1,284.7	13.1		13.1		6.6	13.1	6.6			104.9	26.2	26.2
	1902	1,200.2	31.9		6.4		6.4		12.8	6.4		121.3	25.5	51.1
	1903	1,630.3	68.4		6.2	68.4		18.7	56.0			124.5	12.4	43.6
	1904	1,292 6	54.6						18.2	12.1		145.6	18.2	72.8
	1905	1,095.6	35.5	5.9					47.4	5.9	11.8	118.4	23.7	65.1
Middletown, N. Y	1901	1,945.2	40.7						13.6	54.2		189.8	13.6	67.8
	1902	1,948 5	53.4	6.7		20.0		6.7	6.7	6.7		166.8	60.1	80.1
	1903	1,682.2	19.7					13 1	13.1	19.7		177.4	13.1	92.0
	1904	2,207.1	6.5			25.9			25.9	25.9		265.4	19.4	84.1
	1905	1,842.9	38.3			12.8			38.3	44.6	19.1	165.8	6.4	44.6
Middletown, Ohio	1901	1,256.8	32.5			10 8	21.7		10.8	43.3		184.2	21.7	97.5
	1902	1,579.2	10.8			32 5		75.7	21.6	10.8		216.4	21.6	75.7
	1903	1,252 7	21 6		10.8		10.8	43.2	43.2	10.8		129.5	54.0	43.2
	1904	1,186.0	10.8									194.1	10.8	32.3
	1905	1,151.8					10.8		32.3	10.8		118.4	32.3	107.6

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	46.8	121.7	74.9	84.3	84.3	93.7	84.3	18.7	84.3	9.4	93.7	9.4	149.8	18.7
.....	.....	37.2	93.0	120.9	93.0	93.0	9.3	83.7	27.9	27.9	.....	111.6	37.2	102.3	.....
.....	.....	9.2	156.9	55.4	166.1	64.6	27.7	101.5	64.6	36.9	27.7	64.6	27.7	212.3	.....
.....	.....	18.3	82.4	109.9	128.3	100.8	27.5	82.4	119.1	119.1	9.2	36.6	82.4	100.8	9.2
.....	18.2	.....	127.3	136.4	100.0	54.6	36.4	145.5	90.9	63.7	27.3	100.0	45.5	145.5	18.2
14.4	.....	43.3	144.3	173.2	158.8	57.7	93.8	101.0	43.3	50.5	21.7	108.3	65.0	245.4	.....
7.0	7.0	41.8	146.2	160.1	111.4	34.8	48.7	55.7	48.7	62.6	20.9	20.9	27.8	125.3	.....
6.7	.....	13.4	127.8	174.8	26.9	60.5	100.9	53.8	33.6	53.8	.....	114.3	26.9	107.6	.....
.....	6.5	45.5	143.1	130.1	78.0	65.0	26.0	65.0	13.0	45.5	6.5	97.5	19.5	162.6	6.5
12.6	6.3	12.6	132.2	157.4	69.2	56.6	50.4	113.3	50.4	37.8	31.5	56.6	12.6	107.0	.....
.....	.....	43.7	81.1	74.9	68.6	68.6	93.6	43.7	43.7	81.1	.....	74.9	49.9	87.4	12.5
.....	.....	37.8	138.7	69.4	44.1	145.0	37.8	69.4	25.2	163.9	.....	82.0	69.4	113.5	6.3
.....	.....	19.1	63.7	89.3	44.6	121.1	76.5	121.1	31.9	57.4	12.7	57.4	51.0	133.8	6.4
.....	.....	19.3	70.9	83.7	77.3	51.5	58.0	77.3	38.7	83.7	6.4	77.3	25.8	96.6	.....
.....	13.0	19.5	123.7	58.6	65.1	117.2	91.2	110.7	6.5	117.2	26.1	45.6	52.1	123.7	6.5
5.5	5.5	11.0	148.4	93.4	153.9	65.9	98.9	60.5	33.0	71.5	11.0	55.0	98.9	148.4	.....
.....	.....	21.0	120.7	120.7	52.5	73.5	36.8	78.8	52.5	115.5	15.7	99.7	42.0	178.5	5.2
4.7	9.5	14.2	137.4	94.7	85.3	52.1	61.6	94.7	52.1	23.7	19.0	80.5	37.9	142.1	4.7
.....	4.5	13.6	126.8	99.6	95.1	45.3	77.0	95.1	45.3	172.1	22.6	77.0	36.2	144.9	13.6
4.3	4.3	26.0	86.7	91.1	91.1	26.0	65.1	95.4	78.1	60.7	13.0	43.4	43.4	82.4	8.7
.....	.....	58.4	153.3	219.0	124.1	94.9	29.2	124.1	73.0	65.7	14.6	58.4	14.6	153.3	.....
.....	7.2	72.5	123.2	297.2	116.0	43.5	58.0	43.5	36.2	72.5	.....	29.0	50.7	108.7	7.2
.....	7.2	79.2	136.8	194.4	129.6	36.0	93.6	93.6	64.8	21.6	.....	28.8	43.2	144.0	7.2
7.2	7.2	78.7	143.1	214.6	93.0	50.1	50.1	114.4	42.9	57.2	.....	42.9	21.5	121.6	.....
.....	7.1	28.4	85.3	270.0	127.9	64.0	56.8	78.2	99.5	56.8	.....	64.0	35.5	113.7	.....
.....	29.4	19.6	68.6	78.4	97.9	117.5	107.7	88.1	58.8	49.0	.....	156.7	19.6	68.6	.....
.....	9.6	19.3	106.2	115.8	57.9	96.6	106.2	115.8	38.6	115.8	.....	125.5	19.3	67.6	.....
.....	9.5	28.5	123.7	161.7	133.2	190.3	76.1	104.6	57.1	142.7	.....	152.2	19.0	133.2	.....
.....	37.5	.....	187.5	159.4	112.5	103.1	112.5	112.5	131.3	84.4	9.4	140.6	9.4	112.5	.....
9.2	9.2	9.2	147.9	184.9	46.2	55.5	184.9	147.9	83.2	92.4	.....	129.4	27.7	203.4	9.2
.....	.....	.....	305.1	123.7	115.4	8.2	49.5	148.4	65.9	49.5	8.2	115.4	164.9	181.4	.....
8.1	24.4	8.1	170.6	121.8	65.0	48.7	40.6	81.2	16.2	56.9	8.1	121.8	89.3	73.1	.....
.....	8.0	24.0	160.1	48.0	40.0	40.0	48.0	24.0	56.0	56.0	24.0	128.0	24.0	96.0	8.0
.....	7.9	23.6	181.3	102.5	71.0	47.3	23.6	31.5	23.6	126.2	15.8	94.6	15.8	157.7	7.9
.....	7.8	23.3	139.9	155.4	15.5	54.4	46.6	77.7	54.4	38.9	7.8	101.0	15.5	108.8	.....
.....	9.6	19.3	250.8	115.7	212.2	67.5	77.2	135.1	106.1	28.9	.....	77.2	135.1	173.6	9.6
9.6	.....	19.1	181.9	153.2	47.9	47.9	47.9	86.2	95.7	57.4	9.6	86.2	38.3	210.6	.....
.....	19.0	19.0	237.6	152.1	57.0	38.0	38.0	123.6	95.0	28.5	28.5	76.0	19.0	142.6	.....
8.6	8.6	17.2	232.8	172.4	77.6	17.2	60.4	77.6	138.0	60.4	8.6	146.6	17.2	43.1	.....
.....	17.1	8.6	162.6	222.5	94.1	59.9	51.4	77.0	94.1	85.6	25.7	85.6	8.6	85.6	.....
.....	21.6	21.6	59.4	199.7	134.9	59.4	80.9	48.6	48.6	59.4	5.4	43.2	43.2	107.9	.....
.....	5.3	37.2	132.8	164.6	74.3	74.3	79.7	37.2	63.7	85.0	5.3	37.2	31.9	106.2	.....
.....	5.2	41.9	157.0	183.2	115.1	73.3	20.9	36.6	36.6	68.0	10.5	57.6	26.2	62.8	.....
.....	10.3	41.2	180.4	165.0	98.0	20.6	103.1	25.8	72.2	46.4	5.2	41.2	.....	92.8	.....
5.1	25.4	35.6	157.5	248.9	91.4	45.7	45.7	40.6	86.4	106.7	5.1	30.5	.....	127.0	.....
.....	7.6	60.5	173.9	158.8	60.5	68.0	75.6	52.9	30.2	75.6	.....	30.2	30.2	143.6	.....
.....	7.4	14.8	177.9	252.0	96.3	59.3	59.3	66.7	44.5	44.5	7.4	44.5	7.4	81.5	.....
.....	14.5	.....	101.7	159.9	87.2	36.3	7.3	72.7	72.7	21.8	.....	50.9	14.5	116.3	.....
.....	14.3	21.4	128.3	185.3	121.2	85.5	28.5	85.5	57.0	64.2	14.3	99.8	28.5	78.4	.....
.....	14.0	21.0	111.9	272.8	49.0	49.0	49.0	56.0	90.9	70.0	.....	70.0	14.0	132.9	7.0
0.9	2.8	31.1	99.9	82.9	111.2	77.3	128.2	96.1	113.1	43.4	12.3	164.9	78.2	180.9	116.9
.....	3.6	27.3	107.4	111.0	101.9	54.6	145.6	109.2	83.7	43.7	6.4	107.4	71.0	192.9	94.7
1.8	2.6	23.8	106.4	124.9	132.9	92.4	132.8	116.1	90.6	49.3	7.0	123.2	68.6	169.8	41.3
2.5	9.4	31.5	109.0	114.9	212.8	91.9	109.0	112.4	123.4	38.3	11.9	142.2	42.6	177.1	67.3
3.3	1.6	27.2	101.5	120.4	135.3	70.9	108.1	102.3	114.7	42.1	20.6	164.1	56.1	148.5	46.2
.....	16.1	8.1	129.2	48.4	88.8	56.5	96.9	96.9	8.1	80.7	.....	145.3	40.4	104.9	16.1
.....	16.7	33.4	133.8	41.8	75.3	92.0	75.3	41.8	8.4	192.3	.....	108.7	25.1	100.4	33.4
.....	17.3	43.4	112.8	112.8	86.8	121.5	138.8	104.1	26.0	95.4	26.0	104.1	.....	112.8	17.3
.....	.....	27.0	81.1	108.2	99.1	63.1	72.1	63.1	18.0	81.1	36.1	99.1	27.0	117.2	.....
.....	18.8	18.8	103.1	103.1	65.6	75.0	103.1	112.5	75.0	56.3	28.1	93.8	28.1	140.6	.....
.....	20.7	34.5	155.1	103.4	51.7	72.4	106.8	37.9	68.9	75.8	6.9	75.8	6.9	168.8	3.4
3.4	10.2	27.3	139.7	136.3	44.3	61.3	64.8	81.8	51.1	51.1	40.9	75.0	6.8	132.9	.....
.....	16.8	23.6	148.3	161.8	80.9	47.2	111.2	53.9	67.4	50.5	3.4	50.5	10.1	94.3	.....
3.3	10.0	26.7	133.3	103.4	120.0	103.4	96.7	53.3	83.3	86.7	26.7	46.7	16.7	139.5	.....
3.3	9.9	23.1	171.4	128.6	72.5	62.6	59.3	82.4	102.2	39.6	23.1	52.8	9.9	79.1	.....
.....	.....	39.3	163.8	91.8	52.4	52.4	104.9	85.2	104.9	78.7	19.7	85.2	52.4	144.2	.....
.....	.....	38.3	140.4	146.8	63.8	25.5	57.5	76.6	25.5	127.7	12.8	57.5	57.5	108.5	.....
.....	12.4	37.3	224.0	143.1	68.4	155.6	99.6	99.6	68.4	105.8	6.2	93.4	48.6	74.7	.....
6.1	6.1	30.3	139.6	139.6	78.9	42.5	103.2	60.7	97.1	72.8	6.1	60.7	18.2	109.2	.....
5.9	.....	47.4	130.3	142.1	47.4	35.5	112.5	35.5	59.2	17.8	5.9	65.1	53.3	23.7	.....
6.8	6.8	27.1	528.7	155.9	81.3	81.3	115.2	67.8	128.8	67.8	13.6	142.3	40.7	101.7	.....
13.3	6.7	20.0	440.4	133.5	126.8	73.4	146.8	100.1	140.1	40.0	20.0	113.4	33.4	133.5	.....
.....	6.6	52.6	295.7	177.4	157.7	59.1	13.1	151.1	85.4	39.4	13.1	105.1	19.7	157.7	.....
.....	6.5	19.4	459.5	265.4	135.9	142.4	51.8	103.6	174.8	71.2	12.9	129.4	25.9	155.3	.....
.....	12.8	76.5	255.1	216.8	153.0	70.1	102.0	127.5	108.4	38.3	6.4	146.7	51.0	108.4	.....
.....	.....	10.8	173.4	86.7	86.7	75.8	43.3	32.5	54.2	21.7	10.8	86.7	32.5	119.2	.....
.....	10.8	21.6	216.4	194.7	108.2	75.7	75.7	32.5	64.9	140.6	.....	86.5	.....	86.5	.....
.....	.....	64.8	97.2	86.4	21.6	54.0	64.8	43.2	86.4	97.2	10.8	118.8	10.8	118.8	10.8
.....	21.6	32.3	150.9	107.8	75.5	75.5	32.3	32.3	75.5	129.4	10.8	64.7	21.6	97.0	10.8
.....	10.8	53.8	86.1	139.9	21.5	53.8	43.1	86.1	75.3	53.8	10.8	86.1	10.8	107.6	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Middletown town, Conn	1901	2,094.4	39.5	22.6	.....	.....	.....	5.6	22.6	39.5	.....	299.2	16.9	50.8
	1902	2,000.9	5.6	16.7	.....	.....	.....	11.1	16.7	.....	.....	256.4	44.6	105.9
	1903	2,553.7	22.0	11.0	.....	44.0	16.5	49.5	16.5	49.5	.....	280.7	27.5	121.1
	1904	1,125.1	5.4	.....	.....	.....	.....	.....	5.4	.....	.....	135.9	16.3	38.1
	1905	2,410.6	.....	16.1	.....	10.7	5.4	10.7	5.4	5.4	53.7	300.7	43.0	69.8
Milford town, Mass	1901	1,553.7	8.7	34.7	.....	.....	.....	.....	104.2	.....	.....	199.6	17.4	26.0
	1902	1,560.0	17.1	.....	.....	51.4	.....	25.7	17.1	17.1	.....	120.0	8.6	51.4
	1903	1,354.4	8.5	8.5	.....	.....	.....	.....	50.8	33.9	.....	110.0	25.4	33.9
	1904	1,404.8	8.4	8.4	.....	.....	.....	8.4	8.4	8.4	.....	125.4	16.7	58.5
	1905	1,511.8	.....	.....	.....	8.3	8.3	.....	16.5	16.5	66.1	132.2	16.5	66.1
Millville, N. J	1901	1,447.9	27.7	.....	.....	.....	9.2	.....	9.2	18.4	.....	110.7	18.4	73.8
	1902	1,558.1	45.0	.....	.....	9.0	36.0	27.0	.....	.....	.....	162.1	9.0	99.1
	1903	1,328.9	35.2	.....	.....	.....	26.4	.....	26.4	.....	.....	79.2	8.8	88.0
	1904	1,522.8	25.8	.....	.....	8.6	.....	17.2	68.8	17.2	.....	146.3	25.8	86.0
	1905	1,363.1	16.8	.....	.....	.....	8.4	.....	58.9	16.8	8.4	176.7	.....	67.3
Milwaukee, Wis	1901	1,315.4	22.1	.....	0.3	4.8	5.1	3.4	34.7	23.2	.....	133.9	19.4	67.1
	1902	1,264.8	15.1	0.3	0.7	8.4	2.0	8.7	23.8	3.7	.....	102.1	17.1	60.9
	1903	1,350.4	16.8	0.3	0.3	1.3	3.6	17.1	20.8	24.4	.....	127.6	23.4	70.9
	1904	1,355.0	13.6	0.6	0.3	13.3	13.9	3.6	17.5	16.2	.....	141.4	18.5	74.3
	1905	1,304.7	22.7	0.3	0.3	2.9	7.7	12.8	13.4	7.7	6.1	133.9	28.8	64.9
Minneapolis, Minn	1901	1,172.6	58.7	.....	0.5	7.5	7.0	9.3	89.0	6.5	.....	120.2	35.0	57.8
	1902	1,000.8	26.9	0.4	.....	1.3	14.1	9.7	32.7	2.6	.....	106.4	21.6	52.6
	1903	1,042.0	41.1	.....	3.7	7.5	11.7	7.5	24.7	10.9	.....	118.7	27.2	67.9
	1904	961.5	40.4	.....	6.8	0.8	13.2	6.8	23.2	4.0	.....	103.5	26.4	57.6
	1905	942.5	24.4	0.8	0.4	0.8	3.4	1.1	21.0	5.0	7.3	93.1	19.1	62.6
Mobile, Ala	1901	2,384.7	68.9	56.1	7.7	.....	25.5	2.5	2.5	33.2	.....	418.3	12.7	68.9
	1902	2,253.0	80.1	45.1	.....	.....	.....	12.5	35.0	7.5	.....	335.5	20.0	65.1
	1903	2,315.3	51.6	51.6	.....	.....	.....	19.7	19.7	19.7	.....	385.9	7.4	68.8
	1904	2,539.5	57.9	26.6	2.4	33.8	.....	12.1	24.1	9.6	.....	393.5	26.6	55.5
	1905	2,518.7	106.7	33.2	.....	.....	2.4	7.1	7.1	59.3	49.8	410.3	23.7	87.8
Montclair, N. J	1901	1,682.5	13.8	6.9	.....	.....	.....	20.8	20.8	48.5	.....	131.6	34.6	90.0
	1902	1,588.0	13.4	6.7	20.1	26.8	.....	26.8	13.4	.....	.....	80.4	40.2	60.3
	1903	1,765.5	19.5	.....	.....	6.5	13.0	32.4	38.9	26.0	.....	129.8	19.5	38.9
	1904	1,963.7	44.1	.....	.....	25.2	6.3	.....	18.9	6.3	.....	144.8	50.4	69.2
	1905	1,765.4	18.3	.....	.....	6.1	12.2	6.1	12.2	30.5	6.1	128.3	12.2	91.6
Morristown, N. J	1901	1,817.9	35.0	.....	.....	.....	.....	17.5	17.5	26.2	.....	244.7	26.2	69.9
	1902	1,669.8	34.4	.....	17.2	17.2	34.4	51.6	8.6	8.6	.....	180.8	17.2	68.9
	1903	1,797.5	17.0	.....	.....	.....	.....	17.0	8.5	8.5	.....	144.1	33.9	76.3
	1904	1,938.2	16.7	8.4	.....	.....	8.4	.....	58.5	8.4	.....	192.1	41.8	108.6
	1905	2,008.9	90.6	.....	.....	16.5	.....	16.5	32.9	16.5	8.2	197.6	32.9	65.9
Mt. Carmel, Pa	1901	2,157.7	.....	.....	.....	7.3	95.1	21.9	80.5	.....	.....	124.3	.....	29.3
	1902	2,273.2	7.0	.....	21.2	.....	21.2	42.4	84.7	.....	.....	63.5	.....	35.3
	1903	1,384.9	.....	.....	.....	6.8	27.3	6.8	54.6	.....	.....	88.7	6.8	13.6
	1904	1,782.0	6.6	.....	.....	13.2	145.2	6.6	92.4	.....	.....	85.8	.....	26.4
	1905	1,451.0	.....	6.4	.....	6.4	51.1	.....	32.0	.....	12.8	44.7	.....	25.6
Mt. Vernon, N. Y	1901	1,784.4	13.7	18.2	9.1	4.6	.....	4.6	27.3	.....	.....	145.7	41.0	41.0
	1902	1,475.3	8.8	13.2	8.8	13.2	17.6	8.8	35.2	4.4	.....	118.9	17.6	48.4
	1903	1,160.0	4.3	.....	.....	.....	4.3	8.5	8.5	8.5	.....	102.4	17.1	46.9
	1904	1,438.7	24.8	.....	.....	8.3	24.8	8.3	41.3	4.1	.....	111.6	20.7	49.6
	1905	1,303.7	24.1	.....	.....	4.0	8.0	.....	8.0	8.0	24.1	100.3	12.0	64.2
Muncie, Ind	1901	1,373.2	86.4	9.1	.....	22.7	.....	9.1	18.2	18.2	.....	136.4	36.4	22.7
	1902	1,509.8	95.5	4.3	4.3	.....	4.3	21.7	26.0	13.0	.....	130.2	8.7	43.4
	1903	1,587.4	16.4	4.1	.....	4.1	12.3	8.2	28.8	20.6	.....	148.1	41.1	37.0
	1904	1,560.7	63.2	7.9	3.9	3.9	.....	11.9	11.9	19.7	.....	201.5	27.7	71.1
	1905	1,517.1	76.0	3.8	3.8	.....	.....	3.8	38.0	30.4	19.0	186.3	26.6	34.2
Muscatine, Iowa	1901	1,359.0	35.0	7.0	.....	.....	.....	7.0	14.0	56.0	.....	84.1	14.0	70.1
	1902	1,153.5	41.4	.....	.....	.....	.....	20.7	6.9	6.9	.....	62.2	6.9	55.3
	1903	1,232.9	88.5	6.8	13.6	6.8	6.8	13.6	34.1	13.6	.....	88.5	6.8	34.1
	1904	1,390.8	100.8	.....	.....	.....	6.7	.....	6.7	60.5	.....	73.9	33.6	94.1
	1905	1,391.9	59.7	.....	.....	6.6	.....	6.6	6.6	26.5	.....	99.4	19.9	46.4
Muskegon, Mich	1901	1,214.2	19.2	4.8	.....	.....	.....	4.8	4.8	19.2	.....	124.7	28.8	57.6
	1902	1,189.0	14.4	.....	.....	.....	.....	.....	28.8	.....	.....	95.9	33.5	71.9
	1903	1,250.2	19.2	4.8	.....	43.1	4.8	14.4	4.8	19.2	.....	76.6	14.4	71.8
	1904	1,330.3	28.7	4.8	.....	14.3	9.6	28.7	9.6	19.1	.....	134.0	14.3	52.6
	1905	1,281.3	28.7	.....	4.8	.....	.....	4.8	19.1	33.5	.....	76.5	19.1	86.1
Nashua, N. H	1901	1,732.6	8.2	8.2	.....	.....	.....	12.3	86.2	41.1	.....	160.1	32.8	37.0
	1902	1,801.3	12.1	.....	12.1	4.0	4.0	12.1	165.2	4.0	.....	193.4	20.1	112.8
	1903	1,515.3	15.8	3.9	.....	3.9	3.9	23.7	47.5	27.7	.....	150.4	7.9	59.3
	1904	1,441.7	19.4	.....	.....	23.3	3.9	3.9	35.0	23.3	.....	151.5	23.3	66.1
	1905	1,431.7	7.6	.....	.....	19.1	.....	.....	11.5	19.1	7.6	160.3	19.1	45.8
Nashville, Tenn	1901	2,021.3	43.0	35.6	.....	.....	14.8	7.4	19.7	34.4	.....	268.0	38.1	57.8
	1902	2,212.6	51.4	40.3	.....	1.2	23.2	1.2	11.0	35.5	.....	314.2	41.6	42.8
	1903	2,079.9	69.7	18.0	.....	25.2	8.4	15.6	10.8	56.4	.....	249.8	51.6	54.0
	1904	2,383.3	54.9	34.6	.....	43.0	9.6	20.3	9.6	70.5	.....	353.4	76.4	58.5
	1905	2,194.1	71.2	35.6	.....	.....	.....	80.7	9.5	52.2	32.1	332.4	46.3	64.1
Natick town, Mass	1901	1,577.0	10.5	.....	.....	.....	.....	31.5	10.5	31.5	.....	189.2	10.5	115.6
	1902	1,604.4	41.9	.....	.....	.....	10.5	10.5	.....	52.4	.....	178.3	.....	52.4
	1903	1,349.4	10.5	.....	.....	.....	.....	.....	52.3	31.4	.....	115.1	.....	104.6
	1904	1,283.4	10.4	.....	.....	.....	.....	.....	10.4	20.9	.....	166.9	52.2	114.8
	1905	1,550.6	.....	.....	.....	.....	.....	10.4	10.4	.....	10.4	135.3	..	104.1

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	11.3	22.6	350.0	361.3	107.3	124.2	56.5	84.7	118.6	62.1	11.3	62.1	28.2	191.9	5.6
.....	11.1	27.9	373.4	256.4	128.2	100.3	111.5	117.1	72.5	66.9	.....	61.3	22.3	183.9	11.1
.....	22.0	27.5	335.7	407.3	159.6	231.2	170.6	104.6	77.1	82.6	16.5	66.1	16.5	198.1	.....
.....	10.9	10.9	190.2	250.0	141.3	92.4	27.2	38.1	32.6	32.6	5.4	27.2	.....	59.8	5.4
.....	.....	80.5	483.2	467.1	75.2	161.1	145.0	96.6	85.9	91.3	21.5	107.4	5.4	69.8	.....
17.4	17.4	52.1	138.9	164.9	208.3	78.1	78.1	37.4	78.1	52.1	.....	26.0	26.0	191.0	.....
.....	17.1	8.6	222.9	171.4	128.6	51.4	162.9	68.6	102.9	60.0	8.6	17.1	17.1	214.3	.....
.....	8.5	42.3	110.0	245.4	93.1	67.7	67.7	50.8	84.7	84.7	8.5	67.7	8.5	143.9	.....
.....	8.4	25.1	133.8	175.6	125.4	50.2	75.3	66.9	150.5	75.3	8.4	83.6	16.7	167.2	.....
.....	8.3	66.1	206.5	206.5	148.7	66.1	82.6	82.6	90.9	41.3	16.5	41.3	24.8	99.1	.....
.....	.....	27.7	230.6	156.8	83.0	83.0	73.8	101.4	101.4	55.3	.....	36.9	83.0	147.6	.....
.....	.....	.....	153.1	117.1	117.1	117.1	117.1	126.1	72.1	108.1	.....	45.0	90.1	108.1	.....
.....	.....	17.6	211.2	149.6	26.4	114.4	70.4	96.8	26.4	44.0	.....	44.0	96.8	167.2	.....
.....	34.4	17.2	163.5	120.5	34.4	86.0	172.1	68.8	51.6	60.2	8.6	103.2	77.4	129.1	.....
.....	16.8	16.8	117.8	151.5	16.8	117.8	109.4	117.8	117.8	84.1	8.4	42.2	33.7	58.9	.....
1.7	9.2	29.6	120.9	81.8	90.3	107.0	106.6	73.9	49.1	76.7	20.1	60.6	44.6	125.7	3.4
1.3	9.4	28.8	110.5	95.8	89.7	129.9	98.1	73.3	46.9	77.7	21.4	66.6	62.3	107.5	2.7
1.3	10.6	26.4	108.8	121.4	98.6	114.1	106.5	85.4	55.4	92.0	23.4	76.2	14.2	109.2	0.3
1.0	11.4	20.4	112.5	121.6	103.1	105.1	115.1	94.7	61.0	81.7	23.4	68.8	12.0	109.0	1.0
1.3	12.8	22.7	106.4	133.2	63.9	92.3	114.7	107.0	61.4	63.9	23.3	71.3	19.2	109.6	0.3
0.5	10.3	23.3	78.3	99.3	77.4	58.3	69.9	72.7	54.5	35.4	7.9	64.3	11.7	117.4	.....
1.3	6.6	23.8	83.9	95.0	75.1	61.8	42.0	66.7	57.4	33.6	15.5	43.7	19.4	106.0	0.4
1.6	7.9	18.0	70.9	96.1	70.0	59.1	48.6	65.8	60.4	28.9	11.7	57.0	8.4	115.0	0.4
.....	8.8	17.2	71.2	91.6	58.0	45.2	45.2	60.8	61.6	18.4	17.6	69.6	10.8	103.1	.....
0.4	15.3	15.3	76.0	92.0	69.1	42.0	55.7	63.7	66.8	23.3	19.8	60.3	5.3	98.5	.....
.....	5.1	7.7	339.2	170.9	107.1	71.4	112.2	109.7	206.6	86.7	10.2	89.3	86.7	262.7	22.9
.....	10.0	22.5	250.4	160.2	150.2	70.1	92.6	120.2	200.3	87.6	12.5	127.7	97.6	235.3	15.0
2.5	7.4	27.0	302.3	172.0	115.5	103.2	83.6	103.2	218.8	103.2	9.8	122.9	81.1	226.1	12.3
.....	4.8	29.0	272.8	210.0	171.4	91.7	135.2	152.1	224.5	125.5	19.3	120.7	91.7	236.6	12.1
4.7	11.9	9.5	294.1	215.8	104.4	80.6	123.3	94.9	218.2	97.2	11.9	151.8	80.6	220.6	11.9
.....	6.9	48.5	159.2	76.2	103.9	69.2	173.1	103.9	83.1	69.2	.....	69.2	159.2	193.9	.....
.....	20.1	26.8	60.3	187.6	167.5	67.0	154.1	33.5	33.5	194.3	20.1	73.7	127.3	127.3	6.7
.....	.....	26.0	175.3	175.3	116.8	58.4	162.3	97.4	77.9	110.3	13.0	116.8	77.9	227.2	6.5
.....	12.6	31.5	182.5	144.8	169.9	151.1	251.8	88.1	81.8	107.0	25.2	75.5	18.9	258.1	.....
.....	24.4	24.4	146.6	140.5	134.4	55.0	317.7	85.5	73.3	97.7	18.3	122.2	36.7	164.9	.....
.....	35.0	69.9	270.9	201.0	157.3	78.7	43.7	78.7	69.9	52.4	8.7	104.9	52.4	157.3	.....
8.6	.....	17.2	180.8	206.6	129.1	86.1	43.0	86.1	103.3	60.3	.....	68.9	60.3	180.8	.....
.....	33.9	25.4	118.7	195.0	203.5	127.2	110.2	135.7	67.9	135.7	8.5	76.3	101.7	132.6	.....
.....	25.1	58.5	167.1	192.1	192.1	83.5	125.3	91.9	117.0	66.8	.....	133.7	50.1	192.1	.....
.....	8.2	16.5	238.8	205.8	82.3	65.9	321.1	115.3	107.0	41.2	8.2	115.3	65.9	140.0	.....
.....	.....	51.2	219.4	102.4	182.9	204.8	226.8	95.1	51.2	212.1	29.3	146.3	190.1	80.4	7.3
.....	.....	70.6	338.9	63.5	296.5	113.0	340.6	127.1	35.3	127.1	.....	169.4	247.1	98.8	.....
.....	.....	34.1	136.5	75.0	163.7	75.0	197.9	61.4	54.6	68.2	.....	116.0	109.2	34.1	54.6
.....	6.6	33.0	237.6	39.6	204.6	158.4	158.4	26.4	39.6	99.0	6.6	118.8	145.2	125.4	6.6
.....	.....	19.2	191.8	127.8	102.3	89.5	147.0	76.7	63.9	95.9	6.4	159.8	108.7	83.1	.....
.....	9.1	50.1	200.3	122.9	95.6	227.6	195.7	77.4	113.8	81.9	9.1	72.8	100.1	122.9	.....
.....	13.2	17.6	114.5	105.7	123.3	162.9	123.3	57.2	83.7	70.5	4.4	92.5	39.6	171.7	.....
.....	25.6	21.3	89.6	140.7	55.4	106.6	55.4	89.6	89.6	76.8	.....	68.2	25.6	115.1	.....
.....	8.3	33.1	86.8	161.2	95.1	74.4	107.5	95.1	132.3	66.1	8.3	91.0	62.0	124.0	.....
.....	.....	20.1	112.3	168.5	132.4	48.1	84.2	112.3	128.4	68.2	8.0	56.2	24.1	88.2	.....
.....	4.5	36.4	150.1	54.6	113.7	63.6	50.0	118.2	45.5	109.1	18.2	54.6	13.6	181.9	.....
.....	13.0	30.4	160.5	130.2	82.4	60.8	82.4	104.1	69.4	91.1	26.0	73.8	43.4	190.9	.....
.....	4.1	24.7	139.8	131.6	119.3	49.3	90.5	106.9	82.3	148.1	20.6	111.0	37.0	201.5	.....
.....	.....	35.6	162.0	122.5	83.0	51.4	98.8	102.7	67.2	90.9	31.6	94.8	35.6	158.0	3.9
7.6	.....	15.2	110.3	136.9	117.9	57.0	102.7	95.1	76.0	110.3	26.6	83.6	15.2	136.9	3.8
.....	.....	21.0	98.1	84.1	119.1	84.1	70.1	133.1	35.0	14.0	7.0	84.1	49.0	259.2	14.0
.....	.....	34.5	145.0	62.2	96.7	82.9	27.6	76.0	13.8	27.6	13.8	82.9	69.1	221.0	.....
.....	6.8	27.2	102.2	61.3	61.3	54.5	61.3	109.0	47.7	20.4	6.8	74.9	34.1	245.2	6.8
.....	.....	13.4	134.4	100.8	174.7	40.3	40.3	73.9	127.7	33.6	.....	47.0	26.9	188.1	13.4
.....	6.6	46.4	119.3	119.3	139.2	72.9	72.9	72.9	59.7	19.9	6.6	33.1	59.7	285.0	6.6
.....	28.8	4.8	168.0	86.4	81.5	72.0	86.4	72.0	43.2	28.8	4.8	62.4	33.6	163.2	14.4
.....	24.0	19.2	148.6	115.1	71.9	52.7	38.3	100.7	71.9	33.5	14.4	95.9	19.2	119.9	19.2
9.6	4.8	4.8	191.6	110.2	86.2	91.0	28.7	62.3	76.6	33.5	9.6	86.2	14.4	138.9	28.7
.....	14.3	9.6	138.8	153.1	71.8	57.4	62.2	38.3	105.3	33.5	4.8	119.7	9.6	148.3	47.9
.....	.....	14.3	200.8	110.0	119.5	47.8	86.1	100.4	90.8	47.8	4.8	38.2	19.1	119.5	9.6
.....	4.1	45.2	131.4	180.7	151.9	135.5	168.3	106.7	73.9	90.3	4.1	73.9	53.4	119.1	8.2
.....	16.1	60.5	133.0	169.3	129.0	104.8	108.8	64.5	72.5	80.6	8.1	36.3	92.7	169.2	16.1
7.9	11.9	63.3	130.6	122.7	87.0	95.0	166.2	75.2	55.4	71.2	7.9	79.1	67.3	130.6	.....
.....	3.9	50.5	139.9	151.5	81.6	101.0	163.2	89.4	31.1	62.2	.....	85.5	38.9	93.3	.....
.....	34.4	91.6	129.8	171.8	95.4	72.5	99.3	80.2	53.4	84.0	3.8	80.2	34.4	106.9	3.8
2.5	2.5	29.5	249.6	162.3	177.0	119.2	153.7	83.5	59.0	98.4	2.5	72.5	70.1	186.9	28.3
3.7	7.3	45.2	187.0	172.4	231.0	129.6	143.0	125.9	70.9	62.4	8.6	91.7	105.1	259.1	7.3
2.4	4.8	19.2	160.9	223.4	136.9	102.1	136.9	153.7	66.1	120.1	2.4	130.9	32.4	223.4	4.8
2.4	2.4	14.3	177.9	216.1	167.2	152.8	214.9	133.7	65.7	78.8	3.6	136.1	21.5	256.7	8.4
2.4	8.3	23.7	163.8	212.5	162.7	127.0	146.0	136.5	70.0	90.2	20.2	127.0	19.0	157.9	2.4
.....	21.0	31.5	157.7	252.3	178.7	42.1	31.5	115.6	42.1	21.0	.....	31.5	52.6	189.2	10.5
10.5	41.9	10.5	188.8	167.8	199.2	41.9	41.9	52.4	94.4	104.9	.....	73.4	41.9	188.8	.....
.....	.....	20.9	251.0	177.8	125.5	52.3	20.9	52.3	73.2	41.8	.....	94.1	31.4	94.1	.....
.....	10.4	20.9	114.8	260.9	93.9	20.9	20.9	62.6	83.5	31.3	10.4	73.0	.....	104.3	.....
.....	31.2	.....	176.9	333.0	72.8	31.2	62.4	83.3	104.1	31.2	31.2	187.3	10.4	124.9	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued														
Naugatuck, Conn.	1901	1,239.4	18.2	18.2	.....	.....	54.7	45.6	18.2	27.3	.....	109.4	9.1	27.3
	1902	1,701.0	26.3	.....	.....	.....	184.1	8.8	78.9	26.3	.....	149.1	.....	61.4
	1903	1,377.0	16.9	8.4	.....	33.8	84.5	50.7	50.7	16.9	.....	169.0	33.8	50.7
	1904	1,442.7	16.3	.....	.....	.....	.....	8.2	8.2	.....	.....	203.8	48.9	32.6
	1905	1,165.3	7.9	.....	.....	.....	.....	7.9	7.9	31.5	.....	196.8	7.9	39.4
New Albany, Ind.	1901	1,813.1	34.0	19.4	.....	.....	4.8	.....	106.7	34.0	.....	276.3	34.0	29.1
	1902	1,701.6	29.1	34.0	.....	.....	4.8	19.4	48.5	4.8	.....	218.1	4.8	92.1
	1903	1,696.7	87.3	4.8	.....	.....	.....	19.4	77.6	24.2	.....	227.8	29.1	48.5
	1904	1,774.2	14.5	4.8	.....	14.5	4.8	.....	19.4	34.0	.....	237.6	.....	43.7
	1905	1,672.5	67.9	9.7	.....	.....	19.4	4.8	19.4	24.2	14.5	213.3	24.2	63.0
New Bedford, Mass.	1901	1,926.7	30.9	.....	9.3	6.2	15.4	1.5	21.6	9.3	.....	217.5	29.3	83.3
	1902	2,029.5	35.7	.....	.....	7.4	50.6	25.3	41.7	1.5	.....	181.5	11.9	69.9
	1903	2,301.9	50.3	1.4	.....	15.8	214.1	24.4	47.4	10.1	.....	181.1	24.4	74.7
	1904	1,897.8	20.8	1.4	.....	2.8	.....	13.9	12.5	9.7	.....	209.8	22.2	80.6
	1905	1,744.2	8.1	.....	.....	1.3	2.7	13.4	37.7	9.4	5.4	158.7	29.6	71.3
New Britain town, Conn.	1901	1,407.9	20.6	13.7	3.4	3.4	37.8	13.7	37.8	51.5	.....	113.3	30.9	55.0
	1902	1,378.1	13.3	3.3	10.0	3.3	26.6	.....	36.6	6.7	.....	119.8	13.3	26.6
	1903	1,753.8	19.4	3.2	.....	77.5	32.2	54.9	71.1	32.2	.....	126.0	16.2	51.7
	1904	1,521.2	22.0	.....	.....	6.3	12.5	3.1	28.2	28.2	.....	97.2	15.7	65.9
	1905	1,627.9	18.3	3.0	.....	6.1	6.1	3.0	9.1	12.2	6.1	134.1	24.4	61.0
New Brunswick, N. J.	1901	1,788.6	29.1	4.8	.....	.....	.....	19.4	19.4	33.9	.....	198.7	14.5	77.6
	1902	1,891.2	14.1	.....	9.4	.....	.....	14.1	56.5	14.1	.....	169.4	28.2	51.8
	1903	1,695.5	4.6	4.6	.....	.....	.....	4.6	141.7	13.7	.....	155.4	4.6	50.3
	1904	1,981.6	35.5	.....	.....	13.3	44.4	.....	88.9	4.4	.....	142.2	40.0	40.0
	1905	1,858.8	34.6	.....	.....	4.3	17.3	4.3	25.9	.....	8.6	164.3	38.9	47.6
New Haven, Conn.	1901	1,793.6	94.4	12.7	.....	10.0	4.5	23.6	23.6	42.6	.....	193.2	24.5	88.9
	1902	1,665.1	39.1	8.9	.....	6.2	7.1	29.4	8.9	6.2	.....	187.7	29.4	82.7
	1903	1,695.1	36.6	5.2	.....	26.2	13.1	20.1	16.6	15.7	.....	164.9	25.3	79.4
	1904	1,724.8	27.4	8.6	.....	14.6	5.1	11.1	14.6	36.0	.....	163.5	28.2	71.9
	1905	1,873.5	42.8	10.9	.....	2.5	6.7	8.4	13.4	20.2	24.4	157.1	29.4	92.4
New London, Conn.	1901	1,835.2	11.2	5.6	.....	.....	5.6	.....	89.3	66.9	.....	206.4	16.7	55.8
	1902	1,944.7	38.2	.....	.....	10.9	10.9	71.0	21.9	.....	.....	240.3	5.5	81.9
	1903	1,921.3	16.0	5.4	.....	32.1	5.4	10.7	26.8	42.8	.....	182.0	.....	91.0
	1904	2,113.9	5.2	.....	.....	.....	5.2	10.5	36.7	57.7	.....	215.1	10.5	110.2
	1905	1,789.8	30.9	.....	.....	.....	.....	.....	.....	36.0	20.6	154.3	30.9	102.9
New Orleans, La.	1901	2,229.3	50.1	38.1	17.8	0.3	21.3	8.2	14.4	24.0	.....	306.2	33.3	70.0
	1902	2,226.8	44.2	32.8	1.4	0.3	4.7	4.4	14.9	18.2	.....	325.9	27.0	71.9
	1903	2,230.4	40.9	26.3	1.3	0.7	2.7	9.3	12.0	39.2	.....	317.7	31.6	79.8
	1904	2,234.8	36.7	22.9	.....	10.5	0.7	3.6	15.4	38.0	.....	338.9	31.1	82.9
	1905	2,366.9	32.6	16.1	1.9	.....	2.6	9.7	13.6	35.2	160.2	316.5	29.7	84.9
New Rochelle, N. Y.	1901	1,715.8	37.8	12.6	6.3	.....	6.3	6.3	31.5	31.5	.....	126.2	12.6	75.7
	1902	1,301.1	23.5	.....	.....	11.8	5.9	41.2	23.5	11.8	.....	58.9	17.7	29.4
	1903	1,109.3	22.1	5.5	.....	16.6	5.5	5.5	22.1	16.6	.....	104.9	33.1	16.6
	1904	1,386.8	15.6	.....	.....	.....	5.2	5.2	31.2	15.6	.....	93.5	5.2	46.7
	1905	1,299.8	19.6	4.9	.....	9.8	.....	14.7	29.4	4.9	.....	93.2	9.8	49.1
New York, N. Y.	1901	1,989.0	20.6	5.0	11.1	10.2	33.3	6.5	56.2	19.9	.....	228.8	32.6	69.1
	1902	1,856.3	20.3	3.5	8.4	17.5	25.6	15.8	54.7	5.0	.....	207.8	32.8	66.6
	1903	1,795.6	17.1	2.0	0.1	11.4	20.8	8.4	55.1	11.0	.....	211.6	33.7	69.5
	1904	2,014.7	16.8	2.7	0.2	21.6	22.8	5.4	52.7	14.2	.....	220.4	32.7	71.4
	1905	1,839.1	16.0	1.4	0.2	11.1	12.2	9.3	37.3	8.6	12.6	211.1	29.4	72.3
Bronx borough, N. Y.	1901	2,200.5	16.3	21.9	145.3	17.2	44.2	3.3	47.5	20.0	.....	526.7	30.3	61.9
	1902	2,155.6	15.7	10.0	88.2	57.7	82.1	18.3	52.0	3.1	.....	506.7	31.9	58.5
	1903	1,944.8	14.8	5.8	1.2	11.1	70.7	7.8	62.9	6.2	.....	528.9	35.8	67.0
	1904	2,150.9	12.0	6.2	0.4	43.9	68.8	5.1	57.1	9.7	.....	549.0	35.4	61.0
	1905	2,030.6	14.4	2.6	.....	17.7	26.1	12.2	72.9	7.7	9.9	532.0	26.5	70.7
Brooklyn borough, N. Y.	1901	1,932.3	22.4	4.7	4.0	11.5	30.1	7.7	61.0	17.3	.....	206.2	27.8	62.1
	1902	1,805.7	24.3	4.1	7.1	18.5	22.9	17.1	58.8	6.4	.....	189.0	30.6	63.9
	1903	1,734.6	19.4	2.5	0.2	12.0	20.5	9.7	62.2	14.3	.....	189.0	32.1	63.0
	1904	1,884.8	22.4	4.3	0.5	23.8	22.5	5.8	52.9	15.7	.....	202.2	31.9	64.9
	1905	1,762.2	21.3	1.8	0.7	12.3	14.6	9.4	42.1	10.3	12.1	178.8	29.3	67.6
Manhattan borough, N. Y.	1901	2,023.8	19.9	2.6	1.7	9.0	30.6	6.4	55.2	21.2	.....	215.3	37.0	75.8
	1902	1,873.7	18.5	2.1	0.9	13.7	22.2	14.2	53.6	4.7	.....	191.8	35.3	71.0
	1903	1,847.7	15.9	1.1	.....	11.1	16.3	7.2	50.0	9.4	.....	195.8	36.5	75.1
	1904	2,117.0	13.4	1.1	.....	19.7	18.3	5.2	53.5	13.3	.....	200.6	33.8	78.3
	1905	1,882.7	12.7	0.8	(2)	10.3	9.4	8.5	30.2	7.5	13.3	197.4	30.2	77.7
Queens borough, N. Y.	1901	1,728.8	17.9	11.7	1.2	1.9	14.8	4.3	45.1	24.7	.....	175.3	21.0	41.4
	1902	1,627.5	21.1	4.7	.....	5.9	7.6	15.8	52.1	1.8	.....	135.7	25.2	47.4
	1903	1,480.3	16.1	3.9	.....	11.7	12.2	12.2	58.9	9.4	.....	130.1	16.1	51.1
	1904	1,612.2	19.6	4.2	.....	1.1	10.1	5.3	39.2	16.4	.....	141.9	21.2	47.7
	1905	1,611.9	17.7	3.5	.....	6.1	8.1	13.6	35.9	7.1	11.1	137.0	23.8	50.5
Richmond borough, N. Y.	1901	1,976.4	26.4	8.8	.....	16.1	14.7	5.9	52.8	20.5	.....	190.6	32.3	92.4
	1902	1,846.2	14.4	5.8	1.4	4.3	25.9	24.5	28.8	2.9	.....	185.9	25.9	66.3
	1903	1,713.2	19.8	4.3	.....	5.7	4.3	8.5	34.0	18.4	.....	188.5	19.8	83.6
	1904	2,043.1	20.9	2.8	.....	5.6	26.5	2.8	44.6	22.3	.....	149.1	37.6	89.2
	1905	1,915.3	15.1	1.4	.....	2.7	8.2	11.0	24.7	16.5	15.1	212.5	34.3	67.2
Newark, N. J.	1901	1,918.3	23.8	6.3	28.1	6.7	9.1	14.3	40.8	13.1	.....	227.8	26.5	75.3
	1902	1,891.2	19.6	4.2	72.2	20.7	18.4	15.8	38.8	5.4	.....	225.9	28.4	63.8
	1903	1,842.9	22.9	1.1	1.1	0.8	26.6	18.8	43.1	15.8	.....	244.2	28.9	71.6
	1904	1,954.9	13.6	3.7	.....	13.9	44.7	4.8	54.2	11.4	.....	248.0	33.0	70.3
	1905	1,765.0	14.1	1.4	.....	4.2	16.6	15.5	39.2	6.7	16.2	241.1	35.3	69.9

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	63.8	36.5	63.8	91.1	63.8	118.5	109.4	27.3	63.8	.....	100.3	18.2	136.7	18.2
.....	.....	61.4	114.0	140.3	105.2	114.0	131.5	105.2	52.6	52.6	.....	114.0	.....	157.8	17.5
.....	.....	16.9	84.5	92.9	109.8	67.6	109.8	67.6	67.6	76.0	.....	92.9	16.9	59.1	.....
.....	16.3	16.3	105.9	97.8	57.1	89.6	260.8	57.1	114.1	89.6	.....	89.6	8.2	122.3	.....
.....	.....	23.6	126.0	86.6	86.6	63.0	189.0	15.7	78.7	39.4	7.9	47.2	7.9	86.6	7.9
4.8	4.8	24.2	189.1	160.0	92.1	106.7	92.1	82.4	77.6	155.1	14.5	63.0	92.1	111.5	4.8
.....	4.8	29.1	184.2	145.5	63.0	145.5	106.7	92.1	82.4	87.3	.....	111.5	92.1	97.0	4.8
.....	.....	9.7	174.5	193.9	111.5	87.3	82.4	97.0	53.3	67.8	4.8	87.3	58.2	140.6	9.7
.....	14.5	24.2	232.7	101.8	179.4	121.2	77.6	121.2	63.0	87.3	4.8	116.4	24.2	227.8	4.8
.....	19.4	33.9	169.7	179.4	58.2	77.6	58.2	101.8	97.0	82.4	29.1	106.7	43.6	155.1	.....
.....	18.5	64.8	151.2	206.7	106.4	138.8	222.1	61.7	91.0	158.9	7.7	54.0	77.1	141.9	1.5
.....	10.4	69.9	169.6	163.7	141.3	165.2	264.8	61.0	98.2	181.5	4.5	74.4	74.4	123.5	1.5
1.4	15.8	71.8	152.3	191.1	158.1	183.9	278.8	57.4	113.5	159.5	7.2	54.6	70.4	142.3	.....
.....	18.1	44.5	157.0	211.2	112.5	120.9	252.9	72.2	111.1	158.4	5.6	70.9	58.4	127.8	2.8
1.3	8.1	33.6	166.8	211.1	110.3	103.5	212.5	71.3	98.2	164.1	5.4	57.8	57.8	103.5	1.3
3.4	13.7	48.1	130.5	92.7	92.7	68.7	120.2	79.0	48.1	116.8	13.7	44.7	6.9	127.0	20.6
.....	6.7	66.6	113.2	69.9	89.9	76.6	216.4	99.9	53.3	89.9	26.6	86.5	10.0	109.8	3.3
.....	25.8	58.1	129.2	126.0	90.4	103.4	206.7	113.1	84.0	96.9	12.9	93.7	6.5	119.5	3.2
3.1	15.7	53.3	141.1	163.1	94.1	75.3	169.4	100.4	87.8	109.8	6.3	100.4	12.5	103.5	6.3
3.0	6.1	48.8	131.1	146.3	137.2	112.8	204.3	112.8	64.0	112.8	18.3	97.6	15.2	128.0	6.1
.....	.....	29.1	237.5	184.2	150.3	77.6	101.8	53.3	116.3	87.2	.....	121.2	96.9	135.7	.....
.....	14.1	37.6	296.4	216.4	178.8	47.0	122.3	103.5	112.9	65.9	9.4	89.4	103.5	136.4	.....
.....	9.1	32.0	214.8	150.8	114.3	59.4	169.1	100.5	132.5	54.8	.....	96.0	59.4	123.4	.....
.....	13.3	62.2	302.1	111.1	146.6	93.3	191.1	97.7	97.7	120.0	4.4	93.3	75.5	155.5	8.9
4.3	25.9	56.2	242.1	185.9	185.9	47.6	190.2	77.8	134.0	51.9	4.3	125.4	69.2	103.7	8.6
2.7	17.2	36.3	156.1	168.8	108.0	95.3	126.1	81.6	94.4	75.3	14.5	92.5	17.2	173.3	16.3
2.7	7.1	41.8	163.7	157.4	100.6	98.7	147.7	74.7	96.1	81.8	6.2	92.5	31.1	152.1	5.3
0.9	20.1	47.1	158.8	171.0	132.6	105.5	116.9	80.3	82.0	72.4	15.7	110.8	50.6	124.7	2.6
2.6	14.6	46.2	145.5	184.9	120.7	99.3	114.7	101.9	125.8	78.7	24.0	119.8	20.5	124.1	20.5
.....	17.6	119.3	157.9	221.0	147.9	93.3	136.1	100.0	108.4	78.1	21.0	95.8	37.0	126.0	58.8
.....	5.6	16.7	189.6	195.2	100.4	117.1	156.2	83.7	72.5	72.5	22.3	178.5	11.2	150.6	5.6
.....	16.4	65.6	169.3	207.6	81.9	103.8	153.0	92.9	81.9	114.7	16.4	158.4	21.9	180.3	.....
16.0	5.4	26.8	171.3	187.3	80.3	64.2	165.9	123.1	112.3	112.3	26.8	219.4	32.1	165.9	.....
.....	36.7	47.2	251.8	251.8	94.4	68.2	141.6	120.7	173.1	83.9	5.2	178.4	36.7	173.1	.....
5.1	25.7	20.6	190.3	241.7	113.2	61.7	128.6	87.4	102.9	56.6	20.6	174.9	30.9	144.0	10.3
1.0	8.2	39.4	219.5	222.2	147.1	80.9	145.4	104.9	163.6	72.7	12.0	114.5	76.8	237.1	0.3
1.0	5.7	40.9	221.9	231.0	148.6	90.5	154.7	114.5	168.5	87.8	15.9	116.8	65.2	217.8	0.3
1.0	6.0	28.3	209.9	221.5	135.7	88.8	157.7	118.1	214.6	70.2	12.6	120.7	61.9	221.6	0.3
0.7	7.5	36.7	199.6	227.4	166.2	94.4	155.7	113.7	196.6	74.4	13.8	124.2	52.8	190.4	.....
1.0	6.5	36.5	211.2	246.1	134.7	86.9	164.4	104.6	200.9	72.0	17.4	127.6	45.5	208.6	.....
.....	6.3	94.6	119.9	176.6	157.7	151.4	113.5	88.3	75.7	126.2	.....	107.2	31.5	113.5	6.3
.....	.....	35.3	123.6	123.6	94.2	129.5	64.8	64.8	53.0	94.2	17.7	123.6	53.0	100.1	.....
.....	5.5	33.1	82.8	115.9	66.2	71.7	55.1	77.3	66.2	88.3	5.5	88.3	38.6	66.2	.....
.....	26.0	31.2	145.4	140.2	88.3	77.9	93.5	103.9	77.9	77.9	15.6	114.3	46.7	129.8	.....
.....	.....	39.2	107.9	117.7	68.7	88.3	176.6	49.1	78.5	93.2	4.9	78.5	39.2	122.6	.....
0.6	14.0	33.1	130.0	148.3	200.1	151.5	190.5	85.2	162.1	74.5	14.1	117.3	41.0	133.1	0.2
1.0	12.9	30.1	123.5	155.8	180.5	169.3	156.3	79.5	155.4	76.6	13.9	89.7	33.4	120.5	0.2
1.7	13.7	26.7	115.7	157.9	164.1	162.3	136.7	78.2	159.4	76.9	14.1	100.8	33.1	113.1	0.3
0.5	16.4	56.8	119.6	178.5	215.4	170.8	172.8	79.7	171.0	79.7	16.2	124.2	31.0	121.0	0.1
0.9	16.4	63.3	120.4	173.7	148.6	147.4	168.0	78.4	160.5	82.3	17.2	103.3	28.5	108.4	0.1
.....	12.1	31.7	138.8	131.3	152.3	117.8	124.8	69.4	137.4	81.5	18.6	91.3	41.4	117.4	.....
1.3	13.1	32.8	114.9	142.0	156.8	136.3	148.5	63.8	132.8	65.1	14.4	83.4	29.7	95.7	0.9
2.5	15.6	26.7	111.9	124.8	128.7	112.7	100.8	67.4	129.1	63.7	21.4	93.8	21.4	111.9	1.2
0.4	22.9	52.5	106.1	158.9	168.2	113.5	133.3	59.8	160.9	75.0	17.9	104.5	22.5	106.1	.....
0.7	14.0	43.4	128.1	167.9	121.1	104.2	125.9	63.0	137.7	70.3	14.4	123.0	21.4	102.4	0.4
0.6	10.5	30.3	135.0	152.3	203.2	128.1	216.1	88.2	155.5	66.3	1.2	103.1	41.4	136.3	0.2
0.9	12.0	20.6	126.1	161.4	175.4	165.5	165.5	77.8	152.1	63.5	2.5	80.5	33.0	125.8	0.3
1.6	12.3	18.6	123.5	183.2	150.7	151.4	136.8	76.8	144.3	63.4	0.8	99.0	32.4	116.4	0.2
0.2	13.8	36.0	122.6	198.8	193.0	154.3	180.7	74.9	151.7	58.3	2.1	93.3	32.6	125.1	0.2
0.5	15.3	44.8	127.9	194.7	148.8	137.6	175.3	73.6	145.1	58.4	13.5	87.7	28.5	110.3	0.1
0.8	16.7	36.1	123.3	147.8	208.6	172.9	179.6	86.2	171.8	80.6	21.1	129.4	40.6	133.5	0.1
1.0	13.9	35.4	121.4	153.2	188.0	183.1	149.2	82.0	163.5	86.4	20.2	94.7	31.7	122.1	(2)
1.8	14.4	32.5	111.2	147.3	182.0	182.5	138.5	80.3	177.1	89.0	22.1	101.2	34.7	114.3	0.2
0.8	17.8	74.7	116.3	169.4	241.4	196.2	169.4	86.4	187.4	94.9	24.4	146.9	30.8	123.0	(2)
1.2	17.6	81.5	112.7	159.0	154.1	165.7	164.3	84.5	175.9	101.2	19.1	108.4	29.6	109.6	0.1
.....	10.5	23.5	150.6	137.1	170.4	123.5	185.8	78.4	130.3	65.4	24.1	105.6	45.1	117.9	1.2
0.6	8.2	35.7	135.7	149.2	181.9	104.1	150.9	77.8	121.7	80.1	19.9	96.5	55.6	92.4	.....
0.6	11.1	25.0	118.3	139.0	131.2	102.3	144.0	79.5	111.2	63.4	13.9	98.4	34.5	85.6	0.6
.....	11.6	26.5	137.7	157.3	165.7	101.1	199.1	65.1	126.0	63.5	20.6	113.8	27.0	90.0	0.5
0.5	11.6	37.9	127.4	186.0	129.4	99.1	191.6	64.7	125.4	60.2	28.8	120.3	27.8	86.9	.....
.....	14.7	27.9	152.5	173.0	132.0	142.2	258.0	71.8	162.7	51.3	5.9	140.8	32.3	151.0	.....
1.4	10.1	28.8	132.6	191.7	132.6	118.2	227.7	96.6	141.2	64.9	23.1	119.6	43.2	128.2	.....
.....	19.8	11.3	107.7	164.4	103.4	110.5	189.9	77.9	163.0	60.9	18.4	154.4	38.3	104.9	1.4
.....	12.5	23.7	158.9	195.1	182.6	138.0	199.3	87.8	210.4	98.9	22.3	143.5	46.0	122.6	.....
.....	23.3	23.3	156.3	193.3	141.2	93.2	230.3	85.0	181.0	87.7	12.3	128.9	28.8	122.0	.....
0.4	8.7	61.4	175.1	148.6	142.2	123.2	141.0	89.1	132.3	84.8	28.9	129.9	59.4	121.2	.....
0.4	10.4	57.3	177.1	169.8	129.1	132.9	127.9	85.7	131.8	90.3	20.4	75.3	52.3	116.0	1.2
10.5	12.4	53.6	168.0	156.4	133.9	128.7	94.5	97.1	145.2	86.6	25.9	93.4	50.6	119.3	0.8
1.1	11.0	56.4	153.5	160.5	178.4	148.7	142.5	85.4	139.2	90.9	23.1	85.4	45.8	134.5	1.1
0.7	12.7	56.8	144.7	166.6	118.3	112.6	132.7	90.4	131.3	78.0	27.2	89.3	42.4	99.5	1.4

[2] Less than one-tenth.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Newark, Ohio	1901	1,304.9	26.9	21.6	....	....	16.2	5.4	48.5	48.5	.....	75.5	10.8	43.1
	1902	1,320.3	47.5	21.1	.....	.....	15 8	10.6	31 7	15.8	.....	142.6	5.3	63.4
	1903	1,159.2	25.9	.....	15.5	.....	.....	5.2	20.7	15.5	.....	129.4	10.3	72.4
	1904	1,724.8	10 1	.....	5.1	35 5	.....	25.4	35 5	20.3	.....	142.0	50.7	71.0
	1905	1,756.0	54 7	.....	.....	....	5.0	9.9	9.9	19.9	24.9	208.9	44.8	79.6
Newburg, N. Y	1901	1,740.8	31.7	4.0	.....	4.0	35.7	.....	47.6	15.9	.....	162.6	11.9	47.6
	1902	1,863.3	47 1	3.9	.....	.....	102.0	3.9	31.4	.....	.....	219.7	35.3	62.8
	1903	1,827.8	38.8	.....	.....	.....	11.6	11.6	27.2	19.4	.....	240.6	19.4	62.1
	1904	2,012.1	42 2	.....	.....	38.4	.....	7.7	73.0	11.5	.....	238.1	19.2	92.2
	1905	1,896.0	41 8	3.8	.....	.....	.....	19.0	30.4	11.4	3.8	247.0	3.8	95.0
Newburyport, Mass	1901	1,908.1	41.3	.....	.....	.....	.....	13.8	.....	82.7	.....	137.8	41.3	124.0
	1902	1,992.3	48.1	.....	6.9	20.6	13.7	....	27.5	34.4	.....	144.3	27.5	116.8
	1903	1,802.0	13.7	.....	.....	.....	.....	6.9	48.0	116 5	.....	171.3	20.6	96.0
	1904	1,892.7	20.5	.....	.....	.....	.....	13 7	20.5	34.2	.....	157.2	6.8	177.7
	1905	1,942.1	61.3	.....	.....	....	.....	.....	6.8	54.5	6.8	149.9	34.1	61.3
Newcastle, Pa	1901	1,287.1	57.1	3.4	.....	.....	6.7	16.8	20.2	43.7	.....	100.8	3.4	47.0
	1902	1,587.8	192.5	3.2	.....	48.1	.....	19.2	28.9	22.5	.....	102.7	19.2	22.5
	1903	1,359.2	122.7	.....	.....	6.1	12.3	33.7	21.5	12.3	.....	92.0	6.1	27.6
	1904	1,284.9	64.7	.....	.....	2.9	5.9	.....	35.3	14.7	.....	79.4	5.9	38.2
	1905	1,484.7	50.8	2.8	.....	14.1	8.5	8.5	19.8	36.7	8.5	70.6	19.8	39.5
Newport, Ky	1901	1,728.4	7.0	.....	.....	10.5	14.0	3.5	17.5	41.9	.....	150.1	17.5	80.3
	1902	1,363.2	13.8	.....	3.5	13.8	17.2	10 4	13.8	6.9	.....	162.2	13.8	44.9
	1903	1,313.3	30.7	.....	.....	13.6	6.8	.....	13.6	40.9	.....	160.3	34.1	61.4
	1904	1,571.5	33.7	3.4	.....	3.4	3.4	10 1	53.9	27.0	.....	215.8	33.7	33.7
	1905	1,927.2	33.3	.....	.....	.....	13.3	10.0	86.7	6.7	23.3	183.4	43.3	80.0
Newport, R. I	1901	1,681.2	39.2	4.4	4.4	.....	8.7	4.4	30.5	4.4	.....	178.6	21.8	100.2
	1902	1,805.9	29.8	.....	4 3	.....	17.0	42.6	29.8	.....	.....	140.6	51.1	76.7
	1903	1,495.9	16.7	.....	.....	.....	4.2	.....	54.2	.....	.....	150.0	25.0	66.7
	1904	1,386.7	16 3	.....	.....	.....	.....	.....	.....	8.2	.....	102.0	44.9	73.4
	1905	1,597.5	24.0	.....	.....	8.0	4.0	16.0	8.0	16.0	4.0	139.8	32.0	59.9
Newton, Mass	1901	1,279.4	17.5	2.9	2.9	.....	2.9	2.9	32.1	2.9	.....	105.2	32.1	64.3
	1902	1,258.5	5.7	.....	2.9	8.6	2.9	2.9	17.2	5.7	.....	91.7	43.0	63.1
	1903	1,255.2	8.4	.....	.....	2.8	.....	14.1	16.9	33.8	.....	70.4	25.3	67.5
	1904	1,138.8	8.3	5.5	.....	2.8	2.8	5.5	16.6	11.1	.....	105.0	19.3	71.9
	1905	1,322.4	10.8	.....	.....	2.7	.....	24.4	27.2	19.0	2.7	84.2	27.2	97.8
Niagara Falls, N. Y	1901	1,606.6	143.9	.....	.....	.....	4.8	4.8	28 8	43.2	.....	177.4	14.4	62.3
	1902	1,690 1	130.4	4.5	.....	22.5	71.9	22.5	40.5	4.5	.....	89.9	13.5	18.0
	1903	1,556.6	126.9	.....	.....	.....	80.4	4.2	12.7	.....	.....	88.8	16.9	71.9
	1904	1,661.5	139.8	.....	4.0	8.0	.....	24.0	47.9	24.0	.....	87.9	24 0	71.9
	1905	1,600.3	181.6	3.8	.....	18.9	18.9	15.1	56.7	3.8	15.1	68.1	11.3	68.1
Norfolk, Va	1901	2,211.3	33.5	43.9	.....	4.2	.....	6.3	16.7	37.7	....	282.4	29.3	54.4
	1902	2,199.2	51.9	46.3	1.9	1.9	.....	16.7	96.3	18.5	.....	250.1	40.8	48.2
	1903	2,015.6	59.7	16.3	.....	1.8	1.8	43 4	27.1	34.3	.....	289.2	38.0	81.3
	1904	2,094.9	58.2	17.7	.....	3.5	5 3	14.1	22.9	40.6	.....	285.9	33.5	63.5
	1905	2,096.3	37.9	22.4	1.7	10.3	1.7	17.2	8.6	17.2	25.9	315.5	34.5	69.0
Norristown, Pa	1901	2,651.9	71.1	.....	22.2	.....	.....	13.3	44.4	80.0	.....	395.3	22 2	44.4
	1902	2,486.9	48.3	.....	17.6	.....	.....	4 4	35 2	17.6	.....	329.5	8.8	61.5
	1903	2,464.6	52.2	8.7	.....	13 0	.....	8.7	43.5	21.7	.....	247 8	8.7	34.8
	1904	2,434.1	77.4	4.3	....	8 6	12.9	12.9	12.9	34.4	.....	240.9	21.5	81.7
	1905	2,225.5	46.8	.....	.....	4.3	....	.....	59.6	.....	17.0	170.2	29.8	59.6
North Adams, Mass	1901	1,588.9	21.0	.....	.....	16.8	4.2	8.4	50.4	21.0	.....	189.2	8.4	42.0
	1902	1,492.7	55 6	.....	.....	8.6	12 8	8.6	59.9	.....	.....	166.8	.....	42.8
	1903	1,658.7	56.6	4.4	.....	.....	87.1	21.8	60.9	26.1	.. ..	130.6	17.4	60.9
	1904	1,644 5	44.3	....	22.2	4.4	17.7	4.4	84.2	17.7	.....	128.5	35.5	70.9
	1905	1,422.1	13.5	.....	.. ..	....	.. ..	.....	49.7	36 1	9.0	103.8	18.1	85.8
Northampton, Mass	1901	1,719 1	21 2	5.3	.....	5.3	.....	.....	10 6	58.2	.....	164 0	21.2	100.5
	1902	1,377.3	5.2	.....	.....	....	.....	10.4	5.2	.....	.....	130.4	26.1	52.2
	1903	1,446 1	10 3	.....	.....	.....	10.3	15.4	30 9	10 3	.....	102.9	15.4	36.0
	1904	1,762.0	15.2	5.1	.....	15.2	.....	.....	5.1	10 2	.....	142.2	20 3	86.3
	1905	1,658.6	20.0	.. ..	....	.....	.....	.....	10 0	30.1	10.0	25.1	105.2	25.1	120.3
Norwalk town, Conn	1901	1,459 0	54 6	9.9	.....	.....	9.9	... .	24.8	44.7	.....	139 0	.....	59.3
	1902	1,438,4	54.0	4.9	.....	.....	4.9	.....	19 6	39.3	.....	152 2	9.8	49.1
	1903	1,578 5	24 3	4.9	.....	9.7	29 1	4 9	48 6	92.3	.....	121.4	9 7	77.7
	1904	1,523.5	24 0	4.8	.....	19.2	9.6	4 8	14 4	28.8	.....	187.4	.....	86.5
	1905	1,669.3	23 8	.....	.....	.....	4.8	9.5	19.0	23.8	19.0	161.7	19.0	95.1
Norwich town, Conn	1901	1,907 6	12.1	32.3	... .	16.1	20 2	.....	52 4	56 5	.....	173.4	40.3	108.9
	1902	1,518.7	20 0	4.0	4.0	4.0	4.0	16 0	4.0	12 0	.....	172 3	20.0	104.2
	1903	1,967.0	15 9	11 9	.....	23.9	.....	47 8	23 9	31.9	.....	191.1	39.8	91.6
	1904	1,642 1	7.9	.. ..	....	.....	.....	.....	7 9	27.7	.....	134.5	27.7	75.2
	1905	1,804 8	11.8	11.8	.....	3.9	3.9	.....	3.9	23.6	62.9	133.7	27.5	74.7
Oakland, Cal	1901	1,618 2	11.7	5.9	.....	5.9	4 4	8.8	29.4	17.6	.....	232.0	30 8	73.4
	1902	1,663.5	23 1	4.3	.....	1 4	7 2	1.4	54.9	7 2	.....	193.5	31.8	108.3
	1903	1,562 8	21 3	....	.....	15.6	4.3	11.4	69.6	19 9	.....	166.2	39 8	93.8
	1904	1,500 1	43 3	4.2	.....	2.8	2.8	7.0	11 0	4.2	.....	135.6	47.5	100 7
	1905	1,574.2	35.8	2 8	... .		1 4	23.4	12.4	8.3	5.5	145.9	34.4	115.6
Ogdensburg, N. Y	1901	2,114.5	20.4	.....	.....	13 6	.....	13.6	6.8	20.4	.....	258 4	47.6	81.6
	1902	2,232.9	95.0	.....	.....	.....	.....	.....	.....	20.4	.....	278.3	.....	108.6
	1903	2,344.0	54.2	.....	.....	.....	20.3	.....	6.8	33.9	.....	284.5	20.3	121.9
	1904	2,488.5	60.9	.....	.....	.....	.....	13.5	13.5	6.8	.....	324.6	40.6	148.8
	1905	2,470.5	40.5	.....	.....	27.0	.....	.....	.....	27.0	81.0	310.5	33.7	148.5

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.4	16.2	5.4	151.0	151.0	86.3	32.4	37.7	43.1	80.9	48.5	32.4	107.8	43.1	156.4	10.8
.....	10.6	31.7	206.0	100.3	73.9	52.8	15.8	84.5	42.2	68.7	10.6	89.8	37.0	142.6	.....
.....	10.3	25.9	113.9	119.1	72.4	36.2	62.1	72.4	67.3	41.4	.....	88.0	5.2	150.1	.....
.....	15.2	60.9	157.3	192.8	96.4	66.0	137.0	142.0	45.7	66.0	15.2	167.4	10.1	157.2	.....
.....	9.9	19.9	169.1	169.1	99.5	84.6	119.4	119.4	39.8	49.7	34.8	189.0	39.8	149.2	5.0
4.0	11.9	87.2	174.5	198.3	146.7	63.4	146.7	43.6	134.8	87.2	7.9	107.1	43.6	122.9	.....
.....	7.8	35.3	196.1	133.4	153.0	94.1	94.1	86.3	156.9	66.7	3.9	117.7	39.2	168.7	3.9
.....	3.9	38.8	147.5	205.7	116.4	139.7	97.0	69.9	186.3	66.0	7.8	108.7	46.6	163.0	.....
.....	30.7	65.3	192.0	226.5	142.1	103.7	88.3	96.0	169.0	76.8	.....	145.9	34.6	119.0	.....
.....	22.8	53.2	171.0	212.8	140.6	76.0	212.8	83.6	133.0	38.0	26.6	91.2	45.6	133.0	.....
.....	20.7	13.8	199.8	213.5	124.0	89.6	137.8	62.0	110.2	48.2	.....	124.0	55.1	261.8	6.9
6.9	34.4	27.5	164.9	164.9	103.1	123.7	89.3	130.5	82.4	103.1	20.6	75.6	171.8	240.5	13.7
6.9	20.6	6.9	130.2	205.5	116.5	75.4	68.5	102.8	109.6	75.4	6.9	89.1	130.2	178.1	6.9
.....	.....	13.7	170.8	246.0	88.8	68.3	109.3	129.8	82.0	68.3	20.5	129.8	143.5	184.5	6.8
20.4	20.4	61.3	149.9	347.5	170.4	95.4	115.8	122.7	115.8	40.9	20.4	61.3	115.8	109.0	.....
3.4	3.4	30.2	104.1	53.8	121.0	30.2	90.7	77.3	30.2	43.7	3.4	147.9	37.0	157.9	53.8
3.2	3.2	19.2	99.4	93.0	102.7	57.7	99.4	128.3	57.7	32.1	.....	202.1	57.7	118.7	54.6
6.1	.....	21.5	89.0	98.2	61.4	64.4	147.3	92.0	49.1	58.3	3.1	147.3	39.9	116.6	30.7
5.9	5.9	26.5	97.0	64.7	94.1	70.6	55.8	117.6	64.7	58.8	5.9	173.5	47.0	99.9	50.0
16.9	8.5	11.3	110.1	87.5	135.5	73.4	110.1	143.9	45.2	56.5	8.5	194.8	39.5	124.2	39.5
.....	3.5	76.8	164.1	160.6	167.6	157.1	87.3	83.8	66.3	104.8	.....	76.8	66.3	153.6	17.5
3.5	3.5	62.1	151.8	151.8	86.3	89.7	79.4	89.7	38.0	79.4	3.5	41.4	41.4	117.3	24.1
.....	10.2	44.4	119.4	81.9	98.9	75.1	71.7	68.2	51.2	34.1	6.8	58.0	71.7	143.3	17.0
3.4	10.1	33.7	158.5	101.2	148.4	114.7	104.5	64.1	50.6	80.9	.....	74.2	77.6	121.4	10.1
.....	6.7	60.0	240.1	160.0	120.0	110.0	86.7	116.7	66.7	96.7	13.3	110.0	120.0	136.7	3.3
.....	21.8	82.8	169.9	200.3	108.9	52.3	108.9	52.3	117.6	69.7	4.4	61.0	78.4	148.1	8.7
.....	21.3	76.7	157.6	200.2	123.5	76.7	132.0	46.9	98.0	102.2	25.6	85.2	21.3	242.8	4.3
.....	25.0	25.0	183.3	137.5	79.2	70.8	50.0	95.8	129.2	62.5	16.7	58.3	83.3	162.5	.....
.....	20.4	12.2	138.7	220.2	89.7	73.4	81.6	81.6	89.7	53.0	8.2	73.4	4.1	191.7	4.1
.....	20.0	51.9	151.8	183.7	115.8	79.9	123.8	55.9	131.8	71.9	24.0	79.9	28.0	167.7	.....
.....	17.5	29.2	125.6	154.8	87.6	55.5	93.5	58.4	78.9	55.5	2.9	67.2	52.6	128.5	5.8
2.9	17.2	20.1	129.0	192.1	63.1	77.4	88.9	65.9	63.1	65.9	.....	91.7	31.5	106.1	.....
2.8	8.4	19.7	152.0	171.7	87.2	59.1	50.7	70.4	92.9	47.8	2.8	62.0	25.3	163.2	.....
2.8	13.8	33.2	110.6	168.6	88.4	58.0	47.0	63.6	71.9	58.0	.....	55.3	24.9	94.0	.....
5.4	16.3	21.7	149.3	230.8	65.2	62.5	84.2	48.9	67.9	40.7	.....	73.3	21.7	138.5	.....
.....	9.6	48.0	143.9	48.0	105.5	81.5	139.1	76.7	71.9	71.9	4.8	191.8	52.8	71.9	9.6
.....	9.0	31.5	107.9	71.9	134.8	71.9	134.8	143.8	85.4	71.9	.....	193.3	103.4	103.4	9.0
4.2	12.7	38.1	93.1	84.6	93.1	71.9	169.2	59.2	76.1	101.5	8.5	101.5	93.1	131.1	16.9
.....	12.0	32.0	119.8	107.8	103.8	59.9	179.7	99.9	55.9	111.8	8.0	135.8	71.9	127.8	4.0
.....	7.6	49.2	87.0	75.7	162.7	41.6	158.9	109.7	56.7	60.5	11.3	132.4	75.7	105.9	3.8
.....	8.4	20.9	282.4	119.3	163.2	123.4	205.0	123.4	150.7	125.5	2.1	96.2	96.2	186.2	.....
.....	3.7	31.5	235.3	155.6	155.6	92.6	211.2	131.5	113.0	122.3	9.3	100.0	72.3	192.7	.....
.....	5.4	16.3	204.3	164.5	122.9	74.1	159.1	103.1	144.6	94.0	3.6	108.5	50.6	171.7	.....
.....	3.5	17.7	224.2	188.8	151.8	82.9	171.2	121.8	116.5	98.8	5.3	118.3	35.3	211.8	1.8
.....	3.4	20.7	243.1	196.5	115.5	113.8	168.9	148.3	134.5	82.8	19.0	127.6	15.5	144.8	.....
4.4	.....	44.4	386.5	315.4	124.4	124.4	66.6	97.7	133.3	75.5	.....	155.5	191.0	239.9	.....
.....	4.4	30.8	496.5	276.8	149.4	140.6	74.7	109.8	140.6	48.3	.....	145.0	131.8	210.9	4.4
.....	.....	30.4	421.6	243.4	208.7	139.1	69.5	117.4	191.3	17.4	.....	282.5	160.8	139.1	4.3
.....	8.6	51.6	335.5	352.7	193.5	111.8	90.3	116.1	163.4	55.9	.....	159.1	47.3	240.8	.....
.....	8.5	42.6	378.7	357.4	191.5	102.1	97.9	72.3	140.4	46.8	21.3	157.4	55.3	166.0	.....
8.4	4.2	58.8	142.9	142.9	134.5	63.1	159.7	63.1	54.6	96.7	8.4	84.1	46.2	155.5	4.2
4.3	4.3	42.8	158.3	132.6	128.3	68.4	154.0	85.5	77.0	81.3	4.3	81.3	55.6	59.9	.....
.....	21.8	26.1	113.1	135.0	82.7	108.8	126.3	152.4	95.8	78.3	13.1	56.6	43.5	139.4	.....
.....	4.4	17.7	164.0	137.4	159.6	70.9	141.8	84.2	57.6	84.2	8.9	115.2	13.3	155.1	.....
13.5	22.6	18.1	117.4	167.0	72.2	72.2	140.0	140.0	67.7	81.3	9.0	45.1	13.5	126.4	.....
.....	31.7	26.4	216.9	201.0	84.6	74.1	111.1	95.2	79.3	52.9	.....	127.0	21.2	201.0	10.6
.....	10.4	31.3	208.7	182.6	78.3	52.2	78.3	47.0	57.4	36.5	15.7	67.8	47.0	219.1	15.7
.....	10.3	30.9	231.6	200.7	56.6	82.3	72.0	51.5	51.5	87.5	20.6	92.6	25.7	200.7	.....
.....	10.2	55.9	238.7	238.7	101.6	91.4	142.2	86.3	86.3	86.3	10.2	101.6	10.2	203.1	.....
.....	30.1	20.0	215.5	195.4	105.2	85.2	75.2	70.2	135.3	65.1	10.0	90.2	10.0	200.4	5.0
.....	5.0	19.8	223.3	119.1	74.4	64.5	119.1	59.6	84.3	54.6	5.0	114.2	19.8	124.1	.....
.....	14.7	29.5	117.8	201.3	127.7	58.9	117.8	54.0	88.4	63.8	19.6	68.7	9.8	132.6	.....
.....	4.9	29.1	204.0	228.3	97.1	53.4	102.0	82.6	87.4	34.0	19.4	116.6	9.7	87.4	.....
.....	14.4	19.2	192.3	201.9	91.3	57.7	91.3	57.7	110.6	52.9	9.6	110.6	9.6	124.9	.....
.....	19.0	76.1	252.1	228.3	66.6	52.3	133.2	71.3	123.7	47.6	19.0	99.9	23.8	80.8	.....
.....	.....	8.1	201.7	185.5	201.7	92.8	125.0	96.8	112.9	112.9	12.1	52.4	16.1	177.4	.....
.....	24.0	28.1	196.4	184.4	72.1	60.1	76.2	100.2	72.1	76.2	12.0	64.1	20.0	168.3	.....
4.0	27.9	27.9	191.1	254.9	87.6	87.6	123.4	99.5	131.4	67.7	4.0	91.6	11.9	278.7	.....
4.0	15.8	27.7	225.5	201.8	138.5	83.1	87.1	134.5	91.0	63.3	11.9	91.0	19.8	166.2	.....
3.9	23.6	47.2	184.8	243.8	129.8	118.0	125.8	110.1	78.6	78.6	19.7	110.1	23.6	149.4	.....
.....	22.0	30.8	142.5	295.2	142.5	64.6	41.1	107.2	74.9	19.1	27.9	95.4	10.3	124.8	.....
.....	28.9	34.6	157.4	283.1	131.4	93.9	53.4	109.8	78.0	27.4	15.9	92.4	13.0	111.2	.....
1.4	14.2	31.1	146.3	248.6	99.5	71.0	46.9	106.6	66.8	25.6	38.4	92.4	19.9	112.2	.....
2.8	22.3	32.2	132.8	283.8	88.1	62.9	41.9	104.9	90.9	30.8	32.2	90.9	15.4	107.7	1.4
.....	15.1	38.5	139.0	267.0	106.0	70.2	61.9	96.3	112.8	20.6	30.3	104.6	9.6	117.0	.....
.....	6.8	27.2	278.8	197.2	170.0	88.4	156.4	74.8	115.6	61.2	13.6	95.2	47.6	319.6	.....
.....	27.1	40.7	366.5	251.1	122.2	115.4	115.4	81.4	203.6	13.6	6.8	95.0	33.9	257.9	.....
.....	27.1	40.6	264.2	298.1	237.1	67.7	108.4	121.9	230.3	47.4	6.8	74.5	81.3	189.7	6.8
.....	20.3	27.0	297.5	351.6	182.6	115.0	81.1	74.4	284.0	121.7	6.8	27.0	47.3	243.4	.....
.....	20.2	40.5	276.7	283.5	141.7	135.0	94.5	121.5	290.2	47.2	13.5	81.0	54.0	202.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Olean, N. Y.	1901	1,178.9	10.4	.....	.....	.....	10.4	10.4	.....	52.2	.....	41.7	20.9	62.6
	1902	1,009.5	41.2	10.3	.....	30.9	20.6	10.3	10.3	20.6	.....	41.2	20.6	41.2
	1903	1,037.5	30.5	.....	.....	.....	20.3	.....	10.2	40.7	.....	40.7	10.2	20.3
	1904	1,346.1	20.1	.....	.....	.....	.....	.....	.....	30.1	.....	110.5	.....	60.3
	1905	1,170.8	.....	.....	.....	.....	9.9	19.8	29.8	9.9	9.9	39.7	.....	79.4
Omaha, Nebr.	1901	1,161.5	24.5	.....	2.8	.....	12.2	11.3	13.2	23.6	.....	90.4	19.8	56.5
	1902	1,191.7	21.9	2.7	2.7	13.7	12.8	18.2	14.6	6.4	.....	100.2	13.7	46.5
	1903	967.7	11.5	0.9	.....	4.4	11.5	3.5	8.8	15.0	.....	118.2	8.8	47.6
	1904	1,149.1	17.1	2.6	0.9	8.5	6.8	10.3	14.5	12.8	.....	106.0	17.1	62.4
	1905	1,078.3	24.9	1.7	.....	1.7	6.6	16.6	10.8	19.1	8.3	83.8	15.8	72.2
Orange, N. J.	1901	1,736.4	12.2	4.1	8.2	4.1	4.1	.....	8.2	8.2	.....	228.3	48.9	57.1
	1902	1,998.0	40.1	.....	28.1	56.2	8.0	12.0	28.1	4.0	.....	292.9	12.0	64.2
	1903	2,069.8	19.7	4.0	.....	.....	4.0	27.6	19.7	4.0	.....	308.1	35.5	47.4
	1904	2,139.3	19.4	.....	.....	7.8	27.2	11.7	50.6	19.4	.....	287.8	31.1	112.8
	1905	2,118.7	23.0	.....	.....	7.7	11.5	11.5	46.0	3.8	7.7	329.5	57.5	92.0
Ottawa, Ill.	1901	1,581.2	56.1	9.4	.....	.....	.....	9.4	.....	18.7	.....	121.6	28.1	74.8
	1902	1,307.0	18.5	.....	.....	.....	.....	18.5	9.3	.....	.....	139.1	9.3	64.9
	1903	1,276.6	9.2	.....	.....	.....	.....	.....	.....	.....	.....	128.6	27.5	73.5
	1904	1,128.5	9.1	.....	.....	.....	.....	.....	9.1	27.3	.....	145.7	18.2	54.6
	1905	1,235.6	18.0	.....	.....	.....	.....	.....	9.0	27.1	9.0	81.2	9.0	36.1
Ottumwa, Iowa	1901	1,142.1	59.3	5.4	.....	.....	.....	.....	16.2	26.9	.....	188.5	16.2	53.9
	1902	1,114.6	47.5	5.3	.....	15.8	.....	10.6	5.3	5.3	.....	110.9	21.1	58.1
	1903	1,316.4	36.0	5.1	.....	5.1	.....	15.5	25.7	5.1	.....	118.3	15.5	51.4
Owosso, Mich.	1901	1,214.8	22.7	.....	.....	.....	.....	.....	34.1	90.8	.....	79.5	22.7	56.8
	1902	1,165.9	44.8	.....	.....	22.4	11.2	.....	.....	11.2	.....	134.6	11.2	56.1
	1903	719.7	.....	.....	.....	.....	11.1	22.1	33.2	22.1	.....	77.5	.....	11.1
	1904	656.1	.....	10.9	.....	.....	.....	.....	.....	21.9	.....	21.9	10.9	54.7
	1905	1,134.3	10.8	.....	.....	.....	.....	10.8	.....	43.2	43.2	97.2	10.8	32.4
Paducah, Ky.	1901	2,461.3	75.2	235.6	.....	.....	25.1	.....	5.0	50.1	.....	315.8	20.1	30.1
	1902	2,298.1	92.9	146.7	.....	.....	4.9	9.8	14.7	29.3	.....	371.6	29.3	39.1
	1903	2,080.6	42.9	119.3	4.8	4.8	.....	47.7	38.2	14.3	.....	305.4	4.8	19.1
	1904	2,073.8	60.6	121.2	.....	74.5	4.7	4.7	14.0	28.0	.....	307.5	4.7	18.6
	1905	1,944.4	91.1	118.4	4.6	.....	4.6	45.5	9.1	50.1	41.0	237.0	9.1	36.4
Passaic, N. J.	1901	1,800.7	16.7	6.7	3.3	3.3	3.3	6.7	56.7	3.3	.....	136.7	13.3	50.0
	1902	1,768.3	9.4	.....	.....	53.2	15.6	15.6	40.7	.....	.....	162.7	18.8	37.6
	1903	1,916.7	14.1	2.9	.....	5.9	88.5	32.4	50.1	2.9	.....	157.3	35.4	73.1
	1904	1,842.5	16.7	2.8	.....	13.9	16.7	5.6	30.7	8.4	.....	144.9	27.9	47.4
	1905	1,818.3	7.9	2.6	.....	34.4	13.2	2.6	34.4	5.3	7.9	161.2	60.8	50.2
Paterson, N. J.	1901	1,763.4	23.5	2.8	0.9	0.9	7.5	9.4	26.3	9.4	.....	183.2	16.0	73.3
	1902	1,655.3	34.4	4.6	4.6	17.6	16.7	9.3	45.5	2.8	.....	176.4	17.6	54.8
	1903	1,596.5	22.0	2.8	.....	0.9	1.8	16.5	46.8	2.8	.....	169.7	19.3	64.2
	1904	1,802.2	7.3	2.7	.....	12.7	14.5	5.4	42.6	3.6	.....	208.6	25.4	63.5
	1905	1,657.0	14.3	2.7	.....	2.7	2.7	2.7	36.8	9.0	18.8	176.6	32.3	73.5
Pawtucket, R. I.	1901	1,657.2	12.5	7.5	.....	2.5	2.5	.....	57.4	52.4	.....	167.2	17.5	57.4
	1902	1,802.4	24.5	7.3	2.4	9.8	4.9	22.0	31.8	36.7	.....	163.9	19.6	83.1
	1903	1,586.7	19.2	7.2	.....	7.2	4.8	21.6	28.8	43.1	.....	167.8	12.0	52.7
	1904	1,600.4	23.5	7.1	.....	2.4	18.8	.....	25.9	42.3	.....	148.1	28.2	87.0
	1905	1,671.2	6.9	6.9	.....	9.2	11.5	13.8	23.1	78.4	4.6	172.9	25.4	89.9
Peabody town, Mass.	1901	1,647.2	.....	.....	.....	16.9	59.1	8.4	50.7	42.2	.....	126.7	.....	50.7
	1902	1,341.2	8.2	.....	.....	.....	.....	.....	16.5	.....	.....	131.7	8.2	90.5
	1903	1,523.9	.....	.....	.....	8.0	8.0	40.1	16.0	8.0	.....	184.5	32.1	56.1
	1904	1,228.2	15.6	.....	.....	.....	.....	.....	15.6	7.8	.....	86.1	15.6	86.1
	1905	1,305.5	7.6	7.6	.....	.....	.....	.....	7.6	7.6	38.2	152.7	38.2	45.8
Peekskill, N. Y.	1901	2,077.6	18.3	18.3	.....	.....	9.2	9.2	54.9	64.1	.....	183.0	18.3	54.9
	1902	2,253.3	26.1	.....	.....	34.8	.....	43.5	52.2	.....	.....	243.6	69.6	139.2
	1903	1,533.7	41.5	.....	.....	24.9	.....	.....	16.6	8.3	.....	140.9	41.5	74.6
	1904	1,535.9	7.9	15.8	.....	15.8	.....	7.9	23.8	15.8	.....	126.7	23.8	55.4
	1905	1,545.5	15.2	.....	.....	113.6	.....	53.0	53.0	.....	7.6	151.5	30.3	98.5
Perth Amboy, N. J.	1901	1,597.9	15.5	5.2	.....	.....	5.2	15.5	118.9	10.3	.....	87.9	36.2	25.9
	1902	1,382.5	19.1	4.8	4.8	4.8	14.3	14.3	71.5	.....	.....	81.0	38.1	23.8
	1903	1,136.4	8.8	.....	.....	8.8	17.7	.....	101.7	.....	.....	75.2	13.3	26.5
	1904	1,212.1	28.9	4.1	.....	8.2	53.6	.....	66.0	12.4	.....	90.7	20.6	45.4
	1905	1,208.8	15.4	.....	.....	7.7	15.4	19.3	73.4	3.9	7.7	50.2	15.4	50.2
Peru, Ind.	1901	1,272.7	75.4	.....	.....	9.4	.....	.....	47.2	37.7	.....	103.7	9.4	18.8
	1902	1,389.9	55.6	.....	.....	9.3	.....	.....	9.3	18.5	.....	129.7	9.3	74.1
	1903	929.8	72.9	.....	.....	.....	.....	9.1	9.1	.....	.....	91.2	18.2	45.6
	1904	1,281.1	53.7	.....	.....	17.9	.....	.....	9.0	17.9	.....	179.2	44.8	26.9
	1905	1,048.7	35.3	.....	.....	.....	8.8	.....	8.8	17.6	8.8	88.1	8.8	52.9
Petersburg, Va.	1901	2,650.2	82.5	27.5	.....	.....	4.6	160.5	.....	119.2	.....	321.0	13.8	64.2
	1902	2,530.9	96.3	91.7	4.6	9.2	4.6	13.8	.....	55.0	.....	311.8	32.1	18.3
	1903	2,521.8	96.3	45.8	.....	.....	.....	41.3	73.4	64.2	.....	376.0	18.3	64.2
	1904	3,049.1	105.5	55.0	.....	45.9	.....	.....	22.9	73.4	.....	463.1	22.9	59.6
	1905	2,439.2	64.2	55.0	.....	.....	.....	18.3	22.9	64.2	22.9	275.1	45.9	32.1
Philadelphia, Pa.	1901	1,805.7	34.6	1.2	13.5	3.5	17.2	18.7	49.3	12.6	.....	211.4	21.8	62.3
	1902	1,755.6	47.3	1.5	16.2	11.8	10.1	13.9	38.5	4.9	.....	199.1	23.6	67.0
	1903	1,881.3	72.6	0.9	20.6	17.3	14.7	31.7	45.1	14.4	.....	217.2	28.9	71.9
	1904	1,883.0	55.0	1.2	16.2	22.3	15.8	6.9	39.3	15.6	.....	231.6	31.2	78.7
	1905	1,768.3	51.1	1.3	.....	6.6	4.7	11.9	32.9	17.9	7.7	204.6	32.9	77.0

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	52.2	146.1	146.1	31.3	52.2	41.7	62.6	.....	52.2	10.4	156.5	.....	219.1	.....
.....	10.3	51.5	144.2	92.7	72.1	51.5	72.1	10.3	10.3	.....	30.9	51.5	10.3	154.5	.....
.....	.....	20.3	91.5	172.9	50.9	50.9	61.0	81.3	20.3	20.3	.....	162.8	20.3	111.9	.....
.....	.....	60.3	120.5	110.5	90.4	80.4	40.2	90.4	80.4	70.3	10.0	160.7	30.1	180.8	.....
.....	.....	69.5	99.2	168.7	99.2	49.6	29.8	89.3	69.5	29.8	.....	138.9	9.9	119.1	.....
3.8	8.5	38.6	117.8	67.8	97.0	67.8	46.2	98.0	43.3	47.1	13.2	74.4	34.9	143.1	5.7
8.2	3.6	22.8	142.1	83.8	85.6	70.2	68.3	91.1	52.8	40.1	15.5	70.2	48.3	126.6	9.1
1.8	6.2	15.0	90.9	90.9	80.3	41.5	26.4	67.0	41.5	53.8	11.4	72.3	22.0	115.6	0.9
1.7	7.7	13.7	108.6	101.7	85.5	54.7	58.1	106.9	64.1	35.9	15.4	75.2	23.1	136.9	0.9
5.0	7.5	7.5	97.0	120.3	65.5	44.8	34.8	95.4	53.1	40.6	19.1	87.1	15.8	121.1	2.5
.....	4.1	48.9	154.9	122.3	183.4	126.4	142.7	81.5	134.5	110.1	20.4	89.7	40.8	93.8	.....
.....	16.0	68.2	176.5	132.4	180.5	108.3	172.5	100.3	140.4	92.3	4.0	92.3	48.1	120.4	.....
.....	11.8	71.1	229.1	158.0	165.9	110.6	126.4	110.6	177.7	94.8	39.5	94.8	51.4	158.0	.....
.....	7.8	42.8	178.9	190.6	241.2	97.2	217.8	140.0	120.6	89.5	27.2	101.1	19.4	97 2	.....
.....	23.0	61.3	180.1	226.0	137.9	122.6	180.1	126.4	92.0	107.3	11.5	107.3	46.0	107.3	.....
.....	28.1	37.4	121.6	196.5	238.9	37.4	74.8	112.3	65.5	9.4	9.4	84.2	84.2	140.3	28.1
9.3	.....	27.8	166.9	111.2	129.8	83.4	46.3	129.8	46.3	55.6	.....	92.7	18.5	129.8	.....
.....	.....	36.7	101.0	73.5	82.7	91.8	55.1	156.1	110.2	36.7	.....	119.4	18.4	147.0	9.2
.....	9.1	18.2	45.5	136.5	109.2	91.0	36.4	81.9	45.5	45.5	54.6	81.9	18.2	63.7	27.3
.....	9.0	18.0	126.3	153.3	117.2	126.3	27.1	117.2	99.2	.....	.....	72.2	63.1	108.2	9.0
.....	.....	10.8	91.6	107.7	86.2	26.9	37.7	64.6	16.2	32.3	16.2	75.4	59.3	145.5	5.4
5.3	.....	15.8	116.2	79.2	52.8	68.7	58.1	74.0	37.0	63.4	21.1	52.8	52.8	126.8	10.6
.....	10.3	25.7	164.5	138.9	77.1	41.1	87.4	66.8	41.1	30.9	5.1	108.0	66.8	164.5	10.3
.....	22.7	11.3	136.2	158.9	102.2	79.5	79.5	45.4	45.4	22.7	.....	68.1	34.1	102.2	.....
.....	44.8	11.2	100.9	168.2	78.5	100.9	67.3	33.6	11.2	44.8	.....	44.8	11.2	145.8	11.2
.....	11.1	.....	33.2	66.4	55.4	33.2	33.2	33.2	77.5	11.1	.....	66.4	11.1	110.8	.....
.....	21.9	.....	21.9	120.3	21.9	.....	98.3	10.9	32.8	43.8	.....	10.9	10.9	142.2	.....
.....	32.4	21.6	129.6	129.6	32.4	32.4	64.8	75.6	54.0	43.2	.....	54.0	21.6	183.6	10.8
5.0	.....	65.2	195.5	145.4	185.5	65.2	185.5	125.3	55.1	55.1	15.0	230.6	135.3	215.5	25.1
.....	14.7	53.8	180.9	73.3	180.9	83.1	200.5	127.1	39.1	68.5	14.7	171.1	190.7	156.5	4.9
4.8	14.3	47.7	133.6	66.8	176.6	133.6	200.4	128.9	19.1	47.7	9.5	205.2	143.2	147.9	.....
4.7	4.7	41.9	158.4	116.5	256.3	93.2	139.8	102.5	37.3	46.6	4.7	139.8	135.1	144.5	9.3
4.6	4.6	50.1	95.6	54.6	214.0	86.5	77.4	109.3	27.3	45.5	22.8	132.1	150.3	104.7	18.2
3.3	10.0	53.4	180.1	93.4	160.1	150.1	206.7	86.7	66.7	170.1	13.3	106.7	96.7	100.0	3.3
3.1	6.3	56.3	137.7	68.9	134.6	216.0	241.0	78.2	75.1	144.0	3.1	87.6	56.3	106.4	.....
.....	20.6	61.9	121.9	115.0	115.0	206.4	203.5	97.3	67.8	159.2	8.8	97.3	59.0	138.5	2.9
.....	2.8	39.0	103.1	86.4	161.7	195.1	326.1	72.5	69.7	175.6	16.7	83.6	47.4	147.7	.....
5.3	7.9	50.2	121.6	103.1	150.6	69.1	224.6	84.6	58.1	153.3	7.9	142.7	55.5	100.4	2.6
0.9	12.2	71.4	156.9	173.8	148.4	125.9	133.4	96.8	65.8	111.8	4.7	114.6	64.8	126.8	1.9
.....	8.4	60.3	141.1	152.3	144.8	130.9	129.0	97.5	84.5	85.4	10.2	68.7	53.8	103.1	0.9
.....	7.3	63.3	156.0	170.7	150.6	93.6	100.0	93.6	82.6	83.5	13.8	92.7	53.2	89.0	0.9
.....	11.8	50.8	174.1	173.2	176.9	121.5	156.9	107.9	101.6	80.7	8.2	85.3	37.2	127.9	1.8
1.8	11.7	53.8	143.5	199.1	120.1	95.0	148.8	69.9	102.2	77.1	16.1	94.1	48.4	100.4	2.7
.....	17.5	57.4	137.3	184.7	144 8	112.3	147.3	109.8	72.4	87.4	12.5	54.9	10.0	132.3	.....
4.9	14.7	75.8	154.1	190.8	110.0	107.6	156.5	139.4	112.5	41.6	4.9	61.1	24.5	198.1	.....
.....	7.2	52.7	117.4	151.0	98.3	117.4	179.8	86.3	129.4	59.9	9.6	74.3	12.0	119.9	7.2
.....	9.4	28.2	126.9	148.1	108 1	105.8	117.5	103.4	126.9	61.1	9.4	84.6	7.1	171.6	9.4
.....	20.7	18.4	129.1	200.5	166.0	108.3	154.4	83.0	103.7	73.8	.....	50.7	20.7	96.8	2.3
.....	8.4	33.8	177.4	194.3	101.4	84.5	160.5	67.6	84.5	76.0	8.4	67.6	76.0	152.1	.....
.....	8.2	16.5	115.2	197.5	74.1	90.5	49.4	123.4	98.7	57.6	8.2	57.6	41.1	148.1	.....
.....	16.0	32.1	176.5	272 7	64.2	96.2	120.3	48 1	112.3	80.2	.....	16.0	40.1	96.2	.....
.....	7.8	7.8	101.7	281.6	62.6	78 2	140.8	23.5	62.6	93.9	.....	15.6	39.1	86.1	.....
.....	7.6	30.5	145.1	313.0	53.4	45.8	91.6	30.5	84.0	45.8	15.3	53.4	30.5	53.4	.....
.....	.....	27.5	247.1	109.8	146.4	201.4	119.0	73.2	137.3	146.4	.....	109.8	173.9	155.6	.....
.....	26.1	17.4	243.6	191.4	139.2	165.3	234.9	95.7	121.8	113.1	8.7	121.8	43.5	121.8	.....
.....	.....	33.2	91.2	66.3	132.6	124.4	99.5	82.9	190.7	91.2	.....	91.2	49.7	132.6	.....
.....	7.9	31.7	142.5	158.3	150 4	134.6	205.8	31.7	79.2	79.2	.....	79.2	23.8	118.8	.....
.....	7.6	45.5	151.5	121.2	53.0	98.5	113.6	68.2	106.1	37.9	.....	121.2	30.3	68.2	.....
.....	5.2	36.2	134.5	93.1	93.1	144.8	263.7	77.6	77.6	56.9	15.5	134.5	56.9	82.7	5.2
.....	.....	19.1	66.7	95.3	119.2	109.6	214.5	71.5	85.8	95.3	4.8	42.9	66.7	109.6	4.8
.....	.....	17.7	101.7	66.3	88.4	57.5	168.0	53.1	53.1	48.6	8.8	115.0	31.0	75.2	.....
.....	4.1	28.9	45.4	45.4	94.8	45.4	148.4	74.2	24.7	78.3	4.1	148.4	57.7	74.2	8.2
3.9	3.9	46.3	42.5	30.9	115.9	85.0	220.1	42 5	88.8	54.1	3.9	100.4	50.2	54.1	7.7
.....	9.4	47.2	169.7	75.4	66.0	113.1	37.7	94.3	47.2	56.6	.....	94.3	37.7	113.1	9.4
.....	9.3	83.4	129.7	166.8	83.4	37.1	37.1	74.1	74.1	46.3	.....	176.0	37.1	129.7	.....
.....	.....	.....	72.9	82.1	27.3	72.9	82.1	63.8	72.9	36.5	.....	91.2	18.2	63.8	.....
.....	26.9	.....	161.3	125.4	80.6	89.6	35.8	98.5	35.8	71.7	9.0	89.6	26.9	62.7	17.9
8.8	.....	44.1	105.8	114.6	61.7	61.7	70.5	79.3	52.9	70.5	.....	44.1	26.4	79.3	.....
.....	9.2	59.6	339.3	220.1	110.0	110.0	233.8	114.6	160.5	105.5	4.6	100.9	100.9	169.6	18.3
.....	.....	22.9	311.8	201.7	82.5	110.0	288.9	160.5	160.5	77.9	9.2	77.9	165.1	215.4	9.2
.....	4.6	22.9	275.1	247.6	132.9	50.4	210.9	128.4	210.9	91.7	.....	68.8	73.4	183.4	41.3
.....	4.6	68.8	316.4	275.1	174.2	114.6	270.5	123.8	243.0	160.5	22.9	77.9	137.6	192.6	18.3
.....	9.2	36.7	279.7	275.1	105.5	77.9	210.9	110.0	247.6	100.9	4.6	91.7	128.4	146.7	13.8
1.8	9.1	30.9	175.1	160.4	157.8	104.8	104.6	93 9	137.8	53.8	11.4	103.1	75.4	139.4	0.3
1.2	7.8	30.7	162.0	172.6	154.8	111.9	96.5	96.1	136.3	53.0	13.9	74.0	78.3	131.2	1.4
1.6	11.3	15.9	152.4	191.0	143.2	105.6	113.1	91.5	150.0	78.1	14.7	91.5	48.4	137.5	0.2
1.1	12.6	15.6	143.6	205.6	137.8	108.4	133.6	89.3	160.0	86.4	15.3	87.4	36.8	134.8	0.9
1.3	14.0	15.7	137.8	206.1	97.9	98.7	144 5	85.9	165.7	86.7	13.8	88.7	41.9	120.5	0.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Phillipsburg, N. J.	1901	1,507.9	28 8	9.6	.....	.....	.....	.....	48.0	9.6	.....	163 3	9.6	76.8
	1902	1,448.2	102.1	9.3	.....	9.3	9 3	.....	46 4	.....	.....	120 7	.....	46.4
	1903	1,306.2	7 9	.....	.....	.....	7.9	31.7	55 4	23.7	.....	71.2	7 9	79.2
	1904	1,203.1	15 4	.....	.....	.....	.....	.....	30.8	.....	.....	92.4	7 7	46.2
	1905	1,011.1	22 5	.....	.....	.....	.....	7.5	22.5	.....	15.0	89.9	15.0	52.4
Pittsburg, Pa.	1901	1,996.8	123.8	2.1	1.2	17.3	34 9	29.1	48 9	32.5	.....	133.9	22.5	44 6
	1902	2,200.0	140.6	1 8	36.5	54 3	26.4	23.7	48.6	16 9	.....	135.2	24.6	54 9
	1903	2,166 7	136.5	1.2	91.3	26.1	21 2	48 7	61 7	14.2	.....	140.9	30.7	57.1
	1904	1,975.9	139.4	.....	5.7	24.4	11.6	19.6	46.2	10 5	.....	153 3	28.3	50 7
	1905	1,995 8	107.9	1 1	.....	37 3	45 9	35 1	27.5	15.4	10.2	151.0	34.1	54 9
Pittsfield, Mass.	1901	1,570.5	31.2	.....	.....	.....	.....	40.2	66 9	35 7	.....	120 5	8 9	62 5
	1902	1,509.1	21 7	.....	.....	.....	.....	.....	17.3	4 3	.....	104 1	13.0	65 0
	1903	1,518 5	25 3	4.2	.....	21 1	.....	4.2	8.4	16.9	.....	101.2	29.5	84 4
	1904	1,634 2	32 8	.....	.....	.....	.....	.....	24 6	8 2	.....	156.0	41.1	94.4
	1905	1,651 9	40 0	.....	.....	.....	12 0	36 0	4.0	20.0	8.0	136.0	8 0	100.0
Plainfield, N. J.	1901	1,645.0	43 8	6.3	.....	.....	6 3	.....	31.3	31 3	.....	137.6	12.5	112.6
	1902	1,547.4	12 0	.....	24.1	.....	36.1	.....	30 1	.....	.....	204.7	12.0	42.1
	1903	1,555 6	29.0	.....	.....	.....	5.8	17.4	29.0	11 6	.....	174 1	40.6	58 0
	1904	1,636 0	50.4	.....	.....	.....	5.6	11.2	22 4	16 8	.....	252 1	22 4	61.6
	1905	1,597 4	16.2	.....	.....	10.8	.....	16.2	5 4	5 4	92.1	178.7	16.2	81.2
Plymouth, Pa.	1901	1,754.3	35.5	14.2	99.5	.....	21 3	7 1	92.3	42.6	.....	56 8	.....	35.5
	1902	1,171.5	27 6	.....	.....	6 9	6 9	6 9	55.1	.....	.....	27.6	.....	13.8
	1903	1,934 1	13.4	6.7	.....	133 8	13 4	6.7	120.5	6.7	.....	20.1	6.7	53.5
	1904	1,554.7	6.5	.....	.....	13.0	6 5	13.0	97.6	.....	.....	45 5	.....	32 5
	1905	1,252.8	31 6	.....	.....	.....	.....	.....	38.0	.....	.....	.....	.....	12.7
Plymouth town, Mass.	1901	1,586 3	.....	10.1	10.1	.....	.....	.....	30.3	30 3	.....	80 8	60.6	70.7
	1902	1,333.1	19 6	.....	.....	.....	.....	.....	19.6	9 8	.....	156 8	68 6	117 6
	1903	1,303 9	.....	.....	.....	19.0	38.1	47.6	38.1	.....	.....	142 8	19.0	95.2
	1904	1,415.0	55.5	.....	.....	9.2	.....	.....	18 5	9.2	.....	74 0	37.0	129 5
	1905	1,457.0	18.0	.....	.....	9.0	.....	.....	18.0	.....	18.0	125 9	45 0	45 0
Pontiac, Mich.	1901	1,652.2	49.8	9.9	.....	.....	9.9	.....	9 9	69 7	.....	39 8	19.9	79.6
	1902	1,656 0	9.7	.....	.....	.....	.....	19.4	19.4	19 4	.....	106 5	29.0	67.8
	1903	2,036 8	9.4	.....	9.4	.....	.....	.....	56 6	9.4	.....	103 7	.....	132 0
	1904	1,635 4	18.4	.....	.....	.....	.....	.....	18 4	27 6	.....	91 9	27.6	82 7
	1905	1,746.8	26 9	9.0	.....	.....	.....	.....	9.0	17.9	17.9	71 7	9 0	161 2
Port Huron, Mich.	1901	1,378.1	41.3	10.3	.....	5.2	5.2	5.2	36.1	41.3	.....	72.2	15.5	77.4
	1902	1,332.2	61.2	.....	.....	5.1	5.1	30.6	5.1	15 3	.....	61.2	20.4	56.2
	1903	1,150.9	25.2	5.0	.....	.....	.....	5.0	25.2	20.2	.....	40.4	15.2	116.1
	1904	1,138.4	34.9	.....	.....	5.0	.....	5.0	10.0	20.0	.....	49.9	15.0	30.0
	1905	1,373 1	14.8	.....	.....	4.9	4.9	.....	59.3	14.8	14.8	54 3	4.9	74.1
Port Jervis, N. Y.	1901	1,810.1	31.8	.....	10.6	.....	.....	.....	42.3	180.0	.....	264.6	.....	63.5
	1902	1,630.0	52 6	10.5	.....	.....	.....	10.5	63.1	31.5	.....	147 2	.....	63.1
	1903	1,734.4	62 7	.....	.....	.....	.....	20.9	52.2	62.7	.....	177.6	.....	83.6
	1904	1,889.3	83 0	20.8	.....	.....	.....	.....	176.5	62.3	.....	186.9	10.4	31.1
	1905	1,598.8	92.8	.....	.....	.....	.....	.....	41.3	51.6	30.9	92.8	.....	72.2
Portland, Me.	1901	1,777.1	29.4	3.9	.....	3.9	.....	15.7	47.1	13.7	.....	217.7	29.4	78.5
	1902	1,814.0	28.9	.....	13.5	.....	.....	1.9	28.9	3.9	.....	166 0	67.6	100.4
	1903	1,817.5	32.3	.....	.....	5.7	.....	22.8	17.1	9.5	.....	153.8	34.2	108.2
	1904	1,899 3	28.0	1.9	.....	9.3	1.9	20.6	33 6	7.5	.....	155.2	37.4	104.7
	1905	1,746 7	25.8	.....	.....	.....	.....	9.2	18.4	27.6	9.2	141.7	40.5	112.3
Portland, Oreg.	1901	1,235.4	21.5	1.1	.....	7.5	3.2	.....	23.6	24.7	.....	127.7	27.9	81.6
	1902	1,168.8	36.5	2.1	.....	1.0	7.3	.....	26.1	6.2	.....	120.9	19.8	76.1
	1903	1,271.1	35 5	1.0	2.0	2.0	7.1	2.0	29.4	12.2	.....	131.8	19.3	64.9
	1904	1,353.2	25 6	.....	1.0	2.0	3.9	3.0	22.7	5.9	.....	134 1	10.8	122.3
	1905	1,368.3	34.6	.....	.....	1.9	1.9	2.9	16.3	10.6	11.5	125.8	32.6	89.3
Portsmouth, N. H.	1901	1,996.6	18.7	.....	.....	9.3	.....	9 3	18.7	.....	.....	167.9	9.3	140.0
	1902	2,000 2	35.6	.....	.....	18.5	.....	27.8	74.1	9.2	.....	101.9	9.2	64.8
	1903	1,884.2	36.8	.....	.....	.....	.....	.....	.....	.....	.....	165.4	18.4	128.7
	1904	1,441.5	9.1	.....	.....	.....	.....	.....	.....	.....	.....	246.3	9.1	91.3
	1905	1,657.3	.....	9.1	.....	.....	.....	9.1	9.1	9.1	9.1	172.1	18.1	90.6
Portsmouth, Ohio.	1901	1,504.6	60.0	.....	16.4	.....	10.9	.....	5.5	32.7	.....	190.8	.....	65.4
	1902	1,557.0	69.1	.....	37.2	5.3	21 3	15.9	.....	10.6	.....	191.3	5.3	47.8
	1903	1,720.9	88.1	.....	41.5	10.4	20.7	51.8	25.9	5.2	.....	269.5	25.9	57.0
	1904	1,487.4	75.9	10.1	.....	5.0	15.2	.....	15.2	20.2	.....	217.6	15.2	55.7
	1905	1,398.2	79.0	4.9	.....	.....	9.9	14.8	14.8	24.7	14.8	182.8	19.8	69.2
Pottstown, Pa.	1901	1,492.3	29.1	7.3	.....	.....	.....	.....	29.1	51.0	.....	138.3	21.8	65.5
	1902	1,458 8	43.5	.....	.....	.....	.....	7.2	29.1	14.5	.....	123 4	.....	36.3
	1903	1,497.9	79.6	14.5	.....	.....	.....	21.7	14.5	14.5	.....	152 0	21 7	65.1
	1904	1,587.3	86.6	7.2	21.6	28.9	.....	.....	72.2	21.6	.....	173.2	28 9	28.9
	1905	1,553.8	57.5	.....	.....	.....	.....	.....	14.4	14.4	7.2	194.2	7.2	36.0
Pottsville, Pa.	1901	1,808.6	12.6	.....	.....	44.1	44.1	.....	31.5	50.4	.....	113.4	6.3	50.4
	1902	1,559.8	49 9	.....	.....	.....	43.7	18 7	68 6	6.2	.....	49.9	12.5	43.7
	1903	1,587 7	37.1	.....	.....	.....	6.2	6.2	43.2	.....	.....	98 8	.....	74.1
	1904	1,976 0	12.2	6.1	.....	24.5	18.4	6.1	97.9	12 2	.....	152.9	24.5	55.1
	1905	1,999.4	54.5	.....	.....	.....	6.1	.....	18.2	12.1	12.1	115.1	.....	96.9
Poughkeepsie, N. Y.	1901	1,752.4	45.4	12.4	.....	.....	16.5	4.1	49.5	37 1	.....	160.8	8.2	78.3
	1902	1,728 3	24.5	12.3	.....	.....	4.1	12.3	61.3	16.3	.....	179.8	4.1	110.3
	1903	1,822.0	44.5	12.1	.....	8.1	20.2	4.0	20.2	24 3	.....	149.8	12.1	113.4
	1904	2,094.5	64.2	8.0	.....	44.1	.....	8.0	8 0	28 1	.....	188 6	32.1	96.3
	1905	1,733.9	47.7	4.0	.....	4 0	.....	23.9	19.9	11.9	8.0	127.3	8 0	107.4

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
9.6	9.6	28.8	259.3	124 9	76.8	28.8	76.8	86.4	67.2	28.8	19.2	153.7	76.8	115.3	.....
.....	.....	9.3	213.5	167.1	102.1	18.6	27.8	111.4	65.0	37.1	18.6	130.0	46.4	130.0	27.8
.....	.....	23.7	237.5	126.7	95.0	31.7	63.3	87.1	47.5	95.0	.....	87.1	31.7	87.1	7.9
7.7	15.4	30.8	215.5	123.2	115 5	53.9	77.0	123.2	53.9	30.8	.....	115.5	30.8	107.8	.....
.....	.....	7.5	164.8	82.4	104 9	59.9	59.9	59.9	44.9	44.9	7.5	74.9	30.0	44.9	.....
2.4	3.6	34.3	136.3	112.6	197.0	132.0	217.7	109.9	56.5	90.5	13.7	202.8	41.9	152.7	2.1
0.9	6.2	35.0	141.4	110.0	255.0	154.8	228.6	110 9	65.8	86.9	16.3	203.4	71.2	148.3	1.8
2.0	4.1	35.9	128.4	116.5	227.2	120.0	198.2	104.6	58 8	108.7	16.5	212.2	64.0	139.4	0.6
0.9	4.8	35.1	143.7	125.6	195.0	132.9	203.5	105.1	55.5	109.4	19.6	163.8	49.3	140.9	1.1
0.5	5.5	31.0	135.4	138.9	211.4	113.1	193.6	110.9	60.4	103.0	15.7	177.1	48.1	130.4	0.3
17.8	17.8	35.7	182.9	174.0	98.2	62.5	71.4	120.5	80.3	66.9	8.9	66.9	58.0	138.3	4.5
4.3	17.3	34.7	216.8	199.5	151.8	99.7	60.7	91.1	99.7	43.4	8.7	143.1	30.4	82.4	.....
.....	25.3	29.5	227.8	122.3	126.5	80.1	97.0	118 1	59.1	59.1	12.7	92.8	21.1	151.9	.....
4.1	24.6	28.7	115.0	262.8	110.9	69.8	90.3	102.7	82.1	78.0	.....	110.9	32.8	164.2	.....
.....	12.0	36.0	156.0	276.0	72.0	60.0	76.0	76.0	88.0	64.0	12.0	152.0	32.0	176.0	.....
6.3	25.0	50.0	143.9	118.8	143.9	93.8	93.8	106.3	150.1	62.5	18.8	87.6	18.8	137.6	6.3
.....	.....	36.1	216.8	126 4	126.4	96.3	72 3	102 4	102.4	84.3	6.0	90.3	36.1	90.3	.....
5.8	11.6	40.6	174.1	133.5	63.8	58.0	162.5	92 9	75.5	87.1	17.4	121.9	17.4	127.7	.....
11.2	11.2	33.6	106.5	128 9	134.5	100.9	145.7	44 8	100.9	56.0	5.6	117.7	28.0	162.5	5.6
.....	37.9	54.1	113.7	157.0	97.5	70.4	140.8	119.1	97.5	54.1	16.2	102.9	16.2	97.5	.....
.....	7.1	14.2	163.4	56 8	206.0	92.3	184 7	63.9	78.1	170.5	7.1	170.5	78.1	56.8	.....
.....	.....	34.5	75.8	82 7	206 8	124.0	137.8	75 8	41.3	55.1	.....	55.1	89.6	48.2	.....
.....	.....	40.1	234.2	53 5	368 1	120.5	207.5	26 8	87.0	40.1	.....	113.8	187.4	73.6	.....
.....	.....	91.1	175.6	58 6	182.2	136.6	169.1	39.0	71.6	52.0	13.0	130.1	130.1	91.1	.....
6.3	.....	75.9	164.5	82.3	170 8	126.6	113 9	25.3	50.6	38.0	.....	94.9	139.2	75.9	6.3
.....	10.1	20.2	141.5	262.7	111.1	70.7	60.6	80.3	80.8	80.8	10.1	80.8	101.0	181.9	.....
.....	3.8	9.8	147.0	264 7	19.6	49.0	88.2	58 8	58.8	58.8	.....	29.4	19.6	127.4	.....
.....	9.5	.....	95.2	161.8	9.5	57.1	76.1	85 7	66.6	104.7	38.1	28.6	28.6	142.8	.....
.....	.....	18.5	148.0	166.5	46.2	111.0	101.7	92.5	74.0	37.0	.....	129.5	27.7	129.5	.....
.....	18.0	54.0	98.9	251.8	36.0	54.0	89.9	89.9	63.0	98.9	18.0	71.9	36.0	197.9	.....
.....	.....	29.9	348 4	129.4	179.2	69.7	59.7	79.6	29.9	19.9	.....	109.5	39.8	248.8	19.9
.....	9.7	29.0	552.0	184.0	77.5	87.1	58.1	67.8	58.1	48.4	19.4	38.7	9.7	145.3	.....
.....	37.7	9.4	660.1	207.5	94.3	47.2	75.4	94.3	150.9	37.7	18.9	103.7	.....	179.2	.....
.....	9.1	.....	532 9	156 2	128.6	55.1	27.6	91.9	73.5	27.6	27.6	36.7	9.1	192.9	.....
.....	17.9	9.0	447.9	161.2	170.2	71.7	71.7	98.5	53.7	26.9	26.9	80.6	26.9	161.2	.....
5.2	5.2	25.8	129.0	103.2	139.3	41.3	103.2	67.1	82.6	41.3	5.2	77.4	25.8	216.8	.....
.....	5.1	.....	148.0	97.0	102.1	40.9	168.5	107.2	71.5	25.5	10.2	112.3	15.3	168.4	.....
.....	5.0	5.0	131.3	151.5	50.5	20.2	70.7	60.6	75.7	50.5	5.0	70.7	25.2	176.7	.....
5.0	15.0	10.0	134.8	164.7	54.9	34.9	64.9	74.9	79.9	84.9	5.0	84.9	15.0	134.8	5.0
.....	14.8	29.6	118.5	197.6	123.5	44.5	118.5	93.8	148.2	64.2	.....	59.3	4.9	108.7	.....
.....	21.2	10.6	190.5	232.9	74.1	52.9	42.3	84.7	52.9	31.8	21.2	190.5	42.3	169.4	.....
.....	10.5	31.5	199.8	157.7	105.2	63.1	52.6	84.1	84.1	84.1	10.5	136.7	31.5	199.8	.....
10.4	10.4	31.3	167.2	83.6	94.0	62.7	31.3	62.7	167.2	104.5	.....	209.0	52.2	188.1	.....
.....	20.8	62.3	93.4	186.9	135.0	124.6	83.0	145.3	51.9	51.9	10.4	114.2	103.8	135.0	.....
.....	10.3	30.9	103.1	175.3	92.8	30.9	144.4	175.3	113.5	92.8	20.6	61.9	61.9	103.1	.....
2.0	11.8	70.6	209.9	225.6	123.6	60.8	49.0	72.6	141.2	49.0	5.9	84.4	49.0	174.6	7.8
.....	11.6	50.2	212.3	202.6	117.7	75.3	44.4	84.9	152.5	50.1	9.6	94.6	77.2	212.2	7.7
1.9	13.3	43.7	163.3	208.9	146.2	68.4	60.8	115.8	170.9	91.2	5.7	76.0	58.9	199.4	9.5
.....	24.3	63.5	194.4	224.3	132.7	65.4	56.1	108.4	160.8	69.2	20.6	121.5	50.5	201.9	5.6
3.7	18.4	47.9	202.5	226.4	101.2	57.1	77.3	93.9	143.6	55.2	16.6	82.8	35.0	193.3	7.4
1.1	7.5	29.0	92.3	123.4	124.5	35.4	42.9	99.8	40.8	20.4	16.1	94.5	56.9	127.7	4.3
3.1	11.5	36.5	97.0	136.6	64.7	49.0	36.5	83.4	57.4	21.9	18.8	95.9	50.0	107.4	3.1
3.0	10.1	56.8	98.3	136.8	105.4	40.6	40.6	86.2	53.7	31.4	17.2	100.4	39.5	132.8	11.1
1.0	18.7	47.3	121.3	168.7	80.9	41.4	59.2	96.7	68.1	46.4	3.0	112.4	46.4	105.5	4.9
.....	23.0	27.8	115.2	163.2	83.5	35.5	55.7	97.9	86.4	32.6	29.8	128.7	22.1	139.2	.....
18.7	9.3	28.0	279.9	289.2	242.6	130.6	74.6	140.0	93.3	46.7	.....	102.6	37.3	130.6	.....
9.2	.....	55.6	305.6	314.9	148.2	120.4	92.6	111.1	46.3	55.6	.....	120.4	92.6	157.4	9.2
9.2	9.2	27.6	257.3	248.1	137.8	36.8	27.6	211.4	128.6	36.8	36.8	119.5	36.8	193.0	18.4
.....	9.1	36.5	155.1	200.7	146.0	27.4	82.1	63.9	127.7	36.5	9.1	45.6	27.4	118.6	.....
.....	18.1	27.2	172.1	190.2	126.8	45.3	117.7	99.6	135.8	18.1	9.1	99.6	81.5	190.2	.....
10.9	5.5	21.8	163.6	141.7	141.7	70.9	76.3	43.6	32.7	109.0	.....	119.9	109.0	76.3	.....
5.3	5.3	69.1	127.6	138.2	106.3	79.7	106.3	85.0	26.6	90.3	.....	90.3	58.5	164.7	.....
.....	10.4	46.7	108.9	155.5	103.7	88.1	98.5	72.5	15.6	98.5	.....	82.9	67.4	171.0	5.2
.....	10.1	15.2	101.2	187.2	111.3	55.7	45.5	60.7	45.5	146.7	5.0	60.7	60.7	151.8	.....
4.9	19.8	14.8	93.9	133.4	113.6	29.6	84.0	74.1	34.6	113.6	14.8	74.1	24.7	133.4	.....
.....	.....	21.8	203.8	109.2	189.3	116.5	51.0	80.1	36.4	36.4	7.3	101.9	36.4	145.6	14.5
.....	7.2	.....	196.0	152.4	145.2	58.1	108.9	87.1	43.5	43.5	7.2	123.4	123.4	108.9	.....
.....	7.2	14.5	188.1	159.2	166.4	65.1	72.4	79.6	57.9	50.6	.....	101.3	79.6	72.4	.....
.....	14.4	7.2	202.0	108.2	194.8	43.3	122.6	72.2	86.6	21.6	21.6	86.6	43.3	79.4	14.4
.....	14.4	28.8	208.6	172.6	57.5	86.3	93.5	64.7	50.4	71.9	14.4	93.5	129.5	129.5	7.2
.....	12.6	63.0	252.1	176.5	145.0	163.9	50.4	126.0	31.5	81.9	6.3	94.5	63.0	176.5	12.6
.....	6.2	43.7	199.7	137.3	118.5	99.8	74.9	93.6	106.1	31.2	6.2	106.1	68.6	174.7	.....
.....	6.2	37.1	216.2	135.9	148.3	86.5	61.8	117.4	123.6	80.3	.....	154.4	49.4	105.0	.....
6.1	24.5	24.5	287.5	208.0	159.1	97.9	146.8	189.6	91.8	67.3	6.1	73.4	67.3	116.2	.....
.....	12.1	48.5	254.5	187.8	169.6	12.1	230.2	175.7	199.9	36.4	30.3	145.4	12.1	169.6	.....
8.2	8.2	8.2	263.9	115.5	177.3	140.2	49.5	99.0	70.1	57.7	4.1	82.5	66.0	189.7	.....
.....	8.2	8.2	253.3	204.3	114.4	114.4	85.8	89.9	49.0	44.9	20.4	102.1	53.1	155.3	.....
4.0	4.0	20.2	251.0	202.4	137.7	125.5	72.9	109.3	85.0	56.7	.....	129.6	40.5	174.1	.....
.....	12.0	24.1	284.9	196.6	148.5	132.4	104.3	160.5	120.4	68.2	4.0	96.3	48.2	216.7	.....
4.0	8.0	39.8	205.8	210.8	127.3	119.3	75.6	103.4	82.5	75.6	11.9	135.2	11.9	159.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Providence, R. I.	1901	1,911.2	25.0	8.3	1.1	1.7	5.0	7.2	47.7	41.1	.....	217.5	42.2	82.1
	1902	1,836.5	21.1	8.1	4.3	3.8	4.3	14.1	39.0	16 8	.....	213.2	37.9	87.7
	1903	2,057.9	19.5	5.3	.....	50.7	13.2	39.1	44.3	38.5	.....	214.3	54.4	80.8
	1904	1,852.8	15.5	4.6	.....	3.1	22.2	1.0	45.9	18.0	.....	187.6	44.8	96.9
	1905	1,749 4	20 1	3.5	.....	2.5	9.1	4.0	36.2	18.6	20.1	170.2	50.3	97.2
Pueblo, Colo.	1901	2,233.8	101.7	.....	3.5	17.5	70.1	.....	42.1	38.6	.....	319.1	17.5	52.6
	1902	3,456.0	311 7	.....	3.5	48.5	38.1	3.5	79.6	34.6	.....	432.9	10.4	58.9
	1903	2,729.4	184.7	3.4	3.4	10.3	10.3	47.9	88.9	13.7	.....	311.2	37.6	58.1
	1904	2,392.1	111.5	.....	.....	50.7	10.1	23.6	40 5	43.9	.....	290.6	23.6	84.5
	1905	2,337.7	68.9	.....	.....	6.6	.....	59.1	13.1	16.4	6.6	338.2	23.0	72.2
Quincy, Ill.	1901	1,475 7	40.8	.....	.....	.....	10.9	.....	2.7	27.2	.....	160.7	40.8	49.0
	1902	1,507 9	56.4	2 7	5.4	5.4	16.1	.....	21.5	10.8	.....	180.1	16.1	56.4
	1903	1,465 0	39.8	8.0	2.6	2.6	5.3	2.6	13.3	21 3	.....	140.6	21.3	63.7
	1904	1,535 8	52.4	.....	.....	.....	.....	.....	7.9	13.1	.....	186.1	21.0	62.9
	1905	1,470.3	25.9	2.6	5.2	5.2	7.8	10.4	12.9	18.1	15.5	150.1	44.0	62.1
Quincy, Mass.	1901	1,309 9	8 1	.....	.....	.....	.....	20.2	32.3	20 2	.....	141.5	32.3	48 5
	1902	1,595.7	19.6	.....	15.6	7.8	3 9	3.9	54.8	.....	.....	160.4	19.6	39 1
	1903	1,363 4	7 6	.....	.....	3.8	.....	34 1	41.7	30 3	.....	113.6	22.7	94.7
	1904	1,281 2	3 7	.....	.....	11.0	7 3	3.7	36.7	7.3	.....	143.2	47.7	73 4
	1905	1,307.2	10 7	.....	.....	.....	10.7	3.6	46.3	10.7	.....	149.6	24.9	74.8
Raleigh, N. C.	1901	2,903.9	87 3	43 7	.....	.....	.....	58 2	21.8	72.8	.....	305.7	36.4	14 6
	1902	2,623.4	65 0	43.4	.....	7.2	.....	.....	7 2	.....	.....	361.4	50 6	79.5
	1903	1,916.2	71.8	21.5	.....	.....	.....	28.7	.....	.....	.....	373 2	14 3	71.8
	1904	2,245 0	57 0	7.1	.....	.....	.....	35.7	28.5	28.5	.....	349.2	57.0	106.9
	1905	2,484 4	42 5	21.2	.....	77.9	.....	28.3	49.5	14.2	56.6	325.6	92.5	77.9
Reading, Pa.	1901	1,737 2	53 1	1.2	.....	11 1	33.3	34.6	71.6	38 3	.....	145.7	19.7	49.4
	1902	1,5-0 3	66.2	2.4	.....	3 6	16 9	8.4	45.8	13.2	.....	118.0	25.3	53.0
	1903	1,508.5	31 7	.....	.....	2 4	35.3	18.8	69.4	21.2	.....	124 6	14.1	61.1
	1904	1,566.4	33 3	4 6	.....	37.9	24 1	2.3	70 1	21.8	.....	117.1	24.1	48.2
	1905	1,491.4	25 8	1 1	.....	1.1	4.5	18.0	25.8	16.8	13.5	104.4	15.7	53.9
Revere town, Mass.	1901	1,272.2	9 2	.....	.....	9 2	46.1	18 4	27.7	18.4	.....	83.0	18.4	46.1
	1902	1,327 4	17.7	.....	26.5	8 8	8.8	26 5	17.7	.....	.....	115.0	53 1	61.9
	1903	1,225 2	17 0	.....	.....	.....	.....	42.5	25.5	8.5	.....	102.1	17.0	34 0
	1904	1,269 9	8.2	.....	.....	.....	.....	.....	24.6	24.6	.....	114.7	24.6	73.7
	1905	1,177.0	15.8	.....	.....	7.9	.....	7.9	.....	23 7	15.8	118.5	31.6	86.9
Richmond, Ind.	1901	1,664.1	27.2	.....	.....	5.4	.....	.....	27.2	70 7	.....	146.8	48 9	70 7
	1902	2,118.6	59.3	5 4	.....	.....	5.4	.....	156.3	10 8	.....	221 0	43 1	70 1
	1903	1,544 5	26.7	.....	.....	.....	.....	16.0	5 3	5.3	.....	213 8	48.1	96 2
	1904	1,658.4	26.5	.....	.....	.....	.....	5.3	31.8	15.9	.....	164.2	58 3	68.9
	1905	1,312 0	5.1	5.1	.....	.....	.....	.....	.....	25.7	10 3	133 8	36.0	56 6
Richmond, Va.	1901	2,456.2	51.5	17.6	.....	.....	.....	43 3	12 9	62 0	.....	251 7	23.4	72 7
	1902	2,550 7	72 3	17.5	.....	4 7	2.3	24 5	44 3	17.5	.....	260 0	32.6	42 0
	1903	2,539 8	73 1	20 9	1.2	25 5	4 6	87.1	51 1	52 2	.....	266.3	34 8	67.3
	1904	2,376 1	54.3	19.6	.....	1.2	3 5	5 8	11 6	37.0	.....	276 3	55.5	77.4
	1905	2,211.1	44.9	32.2	1.2	4 6	1.2	1 2	13 8	25 3	34.5	236 0	31.1	66.8
Rochester, N. H.	1901	1,388 1	11.7	.....	.....	.....	.....	.....	.....	46 6	.....	221 6	58 3	81.7
	1902	1,440.1	23 1	.....	.....	.....	.....	.....	46.1	23 1	.....	299.5	11 5	69.1
	1903	1,616 0	34 1	.....	.....	.....	.....	45 5	34 1	45.5	.....	182 1	56 9	45.5
	1904	1,686.5	22 5	.....	.....	.....	.....	22 5	33 7	67 5	.....	213 6	22.5	78.7
	1905	1,722.0	22.2	.....	.....	11.1	.....	11 1	33.3	55 5	22.2	200.0	11.1	77.8
Rochester, N. Y.	1901	1,441.7	17.4	0.6	.....	9 0	2.4	4 2	13 2	24 7	.....	149.2	18.0	86.0
	1902	1,350.7	11.8	0.6	45 3	0.6	7 7	4.7	8.2	6 5	.....	110 6	17.7	88.9
	1903	1,465.7	12.1	.....	13 8	15 0	6.9	4.6	64.5	9.2	.....	125 6	19.0	78.9
	1904	1,503.8	15.8	2.8	.....	0 6	19 7	0.6	52.5	15 8	.....	140.5	19.7	86.9
	1905	1,528.4	11.5	.....	.....	15.9	13 7	10.4	54.4	8.8	13.2	147.8	20 9	93.9
Rockland, Me.	1901	1,963.2	12.3	.....	.....	.....	.....	.....	12.3	24.5	.....	196.3	24.5	208.5
	1902	1,582.9	12.3	.....	.....	.....	.....	24.5	12.3	.....	.....	196 3	12.3	122.7
	1903	1,987.7	12.3	.....	.....	.....	.....	.....	.....	24.5	.....	245.4	36.8	122.7
	1904	2,036.8	24.5	.....	.....	.....	.....	.....	.....	36.8	.....	208 5	49.1	147.2
	1905	1,889.6	12.3	.....	.....	36 8	.....	.....	12.3	61.3	49.1	220.9	.....	110.4
Rome, N. Y.	1901	1,855.1	19.1	.....	6.4	.....	12.7	.....	31.8	95 3	.....	158.8	19 1	19.1
	1902	1,586.4	24.8	.....	.....	.....	.....	.....	18.6	24 8	.....	173.5	12.4	130 1
	1903	1,687.4	18.1	6 0	.....	.....	6 0	30.2	12.1	12 1	.....	133.1	24.2	42.3
	1904	1,724.6	17 7	.....	.....	.....	23.6	.....	5.9	35.4	.....	248 1	65 0	29.5
	1905	1,829.3	40.4	.....	.....	17 3	23.1	.....	51.9	11.5	17.3	196.2	28.9	69.2
Rutland, Vt.	1901	1,770 9	8.6	.....	.....	.....	.....	8.6	8.6	51.9	.....	198.7	25.9	103.7
	1902	1,784.9	17.2	.....	.....	34 3	.....	.....	.....	17.2	.....	145.9	25.7	85 8
	1903	2,054.6	34.1	8.5	8.5	.....	.....	8 5	8.5	25 6	.....	162 0	34.1	85.3
	1904	1,990.3	25.4	.....	.....	.....	.....	16 9	8.5	59 3	.....	135.5	25.4	67.8
	1905	1,607.2	33.7	.....	.....	16.8	.....	16.8	16.8	16.8	.....	126.2	25.2	67.3
Sacramento, Cal.	1901	2,062.8	84.5	13 6	.....	6.8	.....	6.8	27.1	13.6	.....	358.4	6.8	81.1
	1902	1,972.4	36.8	10 0	.....	.....	.....	.....	46.9	13 4	.....	247.8	20 1	67.0
	1903	1,870 5	49.8	13.3	.....	3 3	16.6	29 8	23.2	6.6	.....	252.1	23.2	82.9
	1904	2,010 4	75.6	16.4	.....	6 6	.....	13.1	19.7	9.9	.....	285 8	29.6	111.7
	1905	2,277.8	61.8	13.0	3.3	3 3	3.3	6.5	58.6	6 5	9 8	286.3	71.6	87.9
Saginaw, Mich.	1901	1,389.0	27.6	9.2	2.3	.....	4.6	4.6	43.8	25 3	.....	103 7	18.4	66.8
	1902	1,304.0	9.0	22.5	.....	18 0	9.0	9.0	18.0	4.5	.....	80 9	9.0	85.4
	1903	1,260.3	11.0	2.2	.....	4.4	2.2	4.4	13.2	11.0	.....	85 6	19.8	92.2
	1904	1,298.0	49.3	4.3	2.1	.....	4.3	.....	12.9	21.4	.....	113.7	10 7	81.5
	1905	1,269.0	25.2	.....	2.1	.....	2.1	.....	35.7	4 2	10 5	77.6	10.5	81.8

[1] Shown for 1905 only

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.2	21.1	38.8	133.7	160.9	121.5	114.9	190.3	113.8	122.6	81.6	7.8	105.4	25.0	186.5	6.1
2.7	10.8	32.5	124.5	182.9	126.1	109.8	165.0	110.4	126.1	82.8	10.8	97.9	24.3	179.1	0.5
0.5	18.5	22.7	120.9	183.7	156.3	138.3	182.1	119.8	151.0	87.6	11.1	106.6	22.2	174.3	2.1
0.5	18.0	20.6	137.6	181.9	144.8	116.5	152.6	96.9	152.0	77.8	16.0	103.6	27.3	163.4	3.6
1.0	14.6	28.7	128.4	179.2	158.6	98.2	118.8	98.7	148.0	61.4	14.6	94.1	22.7	148.5	2.0
3.5	7.0	49.1	189.4	129.7	284.0	56.1	80.7	136.8	49.1	84.2	28.1	157.8	38.6	266.5	10.5
.....	17.3	51.9	232.0	183.5	419.0	107.3	245.9	204.3	114.3	180.1	24.2	277.0	45.0	301.3	31.2
.....	10.3	34.2	194.9	119.7	318.1	95.8	236.0	167.6	75.2	133.4	34.2	273.6	27.4	229.2	10.3
3.4	3.4	37.2	219.6	145.3	260.2	71.0	131.8	158.8	128.4	77.7	40.5	192.6	23.6	206.1	13.5
3.3	6.6	32.8	282.4	121.5	213.4	75.5	141.2	157.6	118.2	105.1	39.4	213.4	13.1	210.1	.....
2.7	2.7	32.7	185.2	147.0	79.0	76.2	43.6	95.3	76.2	27.2	13.6	92.6	65.4	198.3	5.4
.....	5.4	40.3	155.9	153.2	110.2	96.8	56.4	69.9	72.6	67.2	21.5	40.3	75.3	172.0	.....
2.6	8.0	13.3	156.6	138.0	98.2	98.2	69.0	87.6	63.7	79.6	8.0	79.6	82.3	148.6	10.6
.....	10.5	7.9	196.5	131.0	159.9	120.5	62.9	81.2	62.9	60.3	7.9	73.4	28.8	178.2	10.5
7.8	10.4	33.7	119.1	173.4	101.0	101.0	113.9	113.9	28.5	28.5	20.7	69.9	38.8	150.1	.....
.....	4.0	24.3	88.9	177.9	76.8	72.8	101.1	60.6	44.5	76.8	20.2	64.7	32.3	161.7	.....
.....	19.6	27.4	125.2	203.4	105.6	70.4	172.1	78.2	54.8	117.3	7.8	101.7	15.6	160.4	11.7
3.8	22.7	37.9	90.9	196.9	83.3	56.8	79.5	64.4	72.0	90.9	15.1	90.9	15.1	94.7	.....
.....	7.3	22.0	58.7	201.9	110.1	51.4	95.4	33.0	40.4	110.1	7.3	102.8	11.0	95.4	.....
3.6	3.6	49.9	67.7	220.8	106.9	46.3	110.4	28.5	39.2	92.6	10.7	96.2	14.2	85.5	.....
7.3	7.3	94.6	349.4	181.5	167.4	145.6	218.4	116.5	152.8	80.1	7.3	72.8	160.2	152.8	349.4
.....	7.2	72.3	231.3	144.5	130.1	101.2	310.8	159.0	57.8	101.2	7.2	108.4	115.6	209.6	252.9
.....	7.2	35.9	129.2	100.5	107.7	93.3	93.3	143.5	93.3	35.9	14.3	122.0	50.2	129.2	179.4
7.1	.....	42.8	171.1	156.8	85.5	64.1	249.5	135.4	64.1	78.4	7.1	121.2	71.3	213.8	106.9
.....	.....	56.6	205.3	141.6	162.8	127.4	254.8	148.6	49.5	70.8	21.2	92.0	92.0	141.6	184.0
2.5	3.7	25.9	222.2	149.4	116.1	55.6	106.2	81.5	67.9	92.6	13.6	108.7	71.6	161.7	.....
1.2	14.5	45.8	215.6	175.9	87.9	54.2	95.2	78.3	71.1	103.6	10.8	92.7	67.5	113.2	.....
1.2	9.4	18.8	192.8	116.4	78.8	62.3	87.0	84.7	61.1	98.8	10.6	85.8	76.4	145.8	.....
1.1	9.2	23.0	168.8	136.7	126.3	62.0	98.8	86.1	58.6	110.3	11.5	105.7	68.9	115.9	.....
1.1	11.2	22.4	218.8	150.4	85.3	49.4	115.6	76.3	76.3	103.2	11.2	103.2	43.8	142.5	.....
.....	9.2	18.4	138.3	101.4	83.0	64.5	110.6	55.3	73.8	119.8	.....	83.0	36.9	101.4	.....
.....	8.8	8.8	132.7	141.6	123.9	53.1	123.9	35.4	97.3	70.8	8.8	79.6	35.4	70.8	.....
.....	8.5	25.5	127.6	136.1	93.6	85.1	110.6	85.1	51.1	51.1	17.0	51.1	17.0	119.1	.....
.....	16.4	49.2	81.9	155.7	73.7	73.7	106.5	122.9	65.5	49.2	.....	73.7	24.6	106.5	.....
.....	7.9	7.9	110.6	126.4	86.9	86.9	86.9	55.3	94.8	15.8	7.9	79.0	23.7	79.0	.....
.....	21.8	76.1	108.8	146.8	119.7	48.9	38.1	97.9	97.9	146.8	27.2	59.8	21.8	255.6	.....
.....	21.6	48.5	328.9	183.3	124.0	86.3	59.3	91.6	91.6	97.0	48.5	86.3	64.7	215.6	.....
5.3	10.7	32.1	272.6	160.3	112.2	32.1	69.5	101.6	101.6	26.7	.....	74.8	42.8	90.8	.....
.....	5.3	26.5	127.1	164.2	95.4	42.4	68.9	53.0	100.7	180.1	21.2	90.1	53.0	259.6	.....
5.1	10.3	36.0	92.6	195.5	56.6	46.3	77.2	97.8	102.9	56.6	30.9	77.2	15.4	138.9	.....
1.2	4.7	42.1	293.8	142.8	181.5	202.5	158.0	139.3	113.6	92.5	3.5	114.7	137.0	237.7	56.2
8.2	4.7	37.3	289.1	205.2	165.5	191.2	205.2	171.3	110.7	125.9	9.3	95.6	123.6	254.1	36.1
1.2	9.3	49.9	280.9	184.6	140.5	224.0	154.4	138.1	116.1	102.2	6.9	116.1	99.8	206.6	22.1
1.2	10.4	32.4	232.3	182.6	171.1	153.7	184.9	153.7	153.7	101.7	8.1	104.0	119.1	213.8	31.2
1.2	9.2	25.3	263.6	189.9	151.9	161.1	179.6	123.2	133.5	88.6	17.3	88.6	93.2	181.9	10.4
.....	11.7	23.3	128.3	128.3	105.0	70.0	81.7	70.0	46.6	35.0	46.6	11.7	35.0	175.0	.....
.....	23.1	23.1	80.6	138.2	69.1	126.7	46.1	57.6	80.6	11.5	11.5	103.7	23.1	172.8	.....
.....	22.7	45.5	68.3	193.5	113.8	56.9	68.3	125.2	113.8	11.4	11.4	68.3	68.3	193.5	11.4
.....	33.7	11.2	236.1	146.2	146.2	67.5	33.7	90.0	90.0	22.5	11.2	134.9	11.2	191.1	.....
.....	11.1	11.1	100.0	200.0	188.9	122.2	88.9	77.8	133.3	33.3	22.2	66.7	66.7	144.4	11.1
3.0	12.6	45.1	166.0	140.7	104.1	99.8	67.4	105.3	68.0	22.9	6.6	75.2	33.7	166.6	.....
1.2	11.8	35.9	147.1	166.6	61.8	81.8	62.4	102.4	91.8	27.7	17.1	70.0	19.4	150.7	0.6
4.0	10.3	27.7	174.6	181 5	93.9	97.4	56.5	109.5	89.3	25.4	12.7	55.8	18.4	159.0	.....
.....	18.6	32.2	164.2	193.5	102.1	85.2	55.3	94.2	101.6	20.9	11.8	71.7	20.9	176.6	.....
2.7	25.3	30.2	139.0	169.8	96.1	98.9	94.5	99.4	101.1	26.4	12.1	73.1	26.4	142.3	0.5
.....	12.3	36.8	282.2	220.8	110.4	61.4	61.4	135.0	110.4	36.8	12.3	61.4	49.1	270.0	24.5
.....	36.8	.....	257.7	135.0	122.7	61.4	49.1	73.6	159.5	36.8	.....	98.1	12.3	159.5	.....
12.3	.....	73.6	220.8	270.0	85.9	12.3	73.6	85.9	147.2	24.5	12.3	159.5	73.6	282.2	12.3
12.3	12.3	.....	233.1	282.2	61.4	24.5	24.5	135.0	245.4	61.4	12.3	36.8	49.1	368.1	12.3
.....	.....	36.8	122.7	208.6	98.2	24.5	135.0	98.2	135.0	61.3	24.5	85.9	12.3	319.0	24.5
6.4	.....	12.7	222.4	393.9	127.1	50.8	114.4	197.0	63.5	19.1	.....	101.7	31.8	146.1	6.4
.....	6.2	24.8	235.5	185.9	111.5	43.4	24.8	74.4	24.8	62.0	12.4	93.0	93.0	210.7	.....
.....	18.1	12.1	199.6	157.3	127.0	54.4	72.6	42.3	60.5	60.5	24.2	127.0	169.3	278.2	.....
.....	.....	23.6	236.3	118.1	112.2	53.2	88.6	112.2	82.7	29.5	11.8	88.6	129.9	212.6	.....
.....	.....	23.1	271.2	173.1	57.7	69.2	17.3	80.8	80.8	23.1	5.8	144.3	144.3	282.8	.....
8.6	8.6	25.9	198.7	198.7	190.1	112.3	51.8	95.0	129.6	60.5	.....	69.1	34.6	181.4	.....
.....	17.2	25.7	154.5	206.0	137.3	77.2	120.1	94.4	94.4	111.5	8.6	120.1	77.2	206.0	8.6
8.5	8.5	34.1	179.0	247.3	230.2	85.3	162.0	144.9	162.0	102.3	.....	110.8	34.1	170.5	.....
.....	25.4	67.8	228.7	288.0	152.4	50.8	76.2	177.9	169.4	42.3	.....	101.6	16.9	245.6	8.5
.....	33.7	33.7	109.4	185.1	134.6	58.9	67.3	168.3	176.7	8.4	8.4	101.0	25 2	159.9	16.8
.....	10.1	33.8	172.5	202.9	172.5	111.6	71.0	108.2	84.5	23.7	10.1	152.2	81.1	226.5	3.4
.....	10.0	36.8	177.5	197.6	140.7	107.2	43.5	147.4	77.0	63.6	10.0	217.7	67.0	234.4	.....
.....	13.3	26.5	142 6	165.8	159.2	89.6	49.8	155.9	46.4	46.4	23.2	142.6	73.0	232.1	3.3
.....	13.1	29.6	174.1	207.0	124.8	92.0	23.0	164.2	62.4	55.8	16.4	151.1	46.0	279.2	3.3
3.3	22.8	39.0	169.2	250.6	166.0	84.6	71.6	136.7	97.6	65.1	65.1	179.0	84.6	221.3	9.8
4.6	9.2	13.8	138.2	156.7	117.5	87.5	64.5	133.6	34.6	53.0	11.5	87.5	34.6	135.9	.....
2.2	9.0	4.5	139.4	170.9	74.2	87.7	45.0	132.6	54.0	47.2	13.5	67.4	18.0	173.1	.....
4.4	13.2	13.2	147.1	140.5	79.0	65.9	74.6	96.6	37.3	52.7	24.1	74.6	19.8	169.1	2.2
4.3	15.0	12.9	139.5	163.1	66.5	68.7	38.6	122.3	47.2	49.3	19.3	94.4	17.2	139.5	.....
2.1	12.6	16.8	123.8	146.8	77.6	79.7	67.1	88.1	56.6	46.1	23.1	94.4	44.0	140.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
St. Joseph, Mo	1901	761.3	14.2	1.9	6.6	3.9	3.8	1.9	11.4	15.2	.....	81.5	5.7	31.3
	1902	866 8	13.9	3.7	8.3	22.2	2.8	6.5	8.3	4.6	.....	87.1	13.0	23.1
	1903	653 5	8.1	2.7	0.9	0.9	4.5	.....	5.4	19.9	.....	59.7	2.7	26.3
	1904	788 6	12 4	2.6	1.8	8.0	3.5	3.5	8.9	4.4	.....	62 8	9.7	43.4
	1905	758.6	7.8	5.2	.....	.....	.....	2.6	9.5	12.1	9.5	68.4	6.9	27.7
St. Louis, Mo	1901	1.804 5	33.4	7.8	1 4	2.4	10.6	6.0	47.3	15.1	.....	192.3	15.5	55.3
	1902	1,727 4	40.0	7.3	1.5	1.0	21.0	12.2	29.5	5.5	.....	181.0	20.0	55.0
	1903	1.817 1	52.4	10.0	0.6	23.3	15.8	13.8	32.2	26.3	.....	186 5	24.7	73.2
	1904	1.883 8	37.9	10.2	8 2	5.1	10.6	6.9	27.2	25 3	.....	230.5	21.6	69.5
	1905	1,686 9	22.6	15.4	95.8	81.6	2.4	8.6	25.4	21.7	10.2	221.0	27.5	73.5
St. Paul, Minn	1901	1,035 0	13.5	.....	0.6	7.1	10.0	2.9	30.6	11.8	.....	120.7	21.8	46.5
	1902	1,002.0	13 6	.....	.....	6.8	9.6	10.8	34.5	5 1	.....	104.7	26.0	51.5
	1903	971. 4	10.4	0.5	8.7	7.1	13.6	5.5	11.4	11.4	.....	94.3	20.2	58.9
	1904	996.7	13.7	.....	1.1	1.6	4.2	7.9	26.3	5 3	.....	105.7	26 3	60.5
	1905	1,000 4	10.7	.....	0.5	0.5	9.6	8.1	32.5	4.1	7.6	112.7	29.9	57.9
Salem, Mass	1901	1,747.0	24.8	2.8	.....	.....	44.1	2.8	38.6	38.6	.....	151.6	30.3	79.9
	1902	1,793.9	24 6	2.7	5.5	10.9	.....	.....	54.6	.....	.....	172 0	24.6	87.4
	1903	2,005.0	46 0	2.7	.....	5.4	.....	37.9	70.4	13.5	.....	167.8	13.5	110.9
	1904	1,885.1	21.5	.....	.....	.....	.....	13.4	29.5	10.7	.....	152.8	21.5	131.4
	1905	1,969.3	26.6	.....	.....	13.3	.....	.....	53.2	8 0	10.6	164.8	21.3	103.6
Salt Lake City, Utah	1901	1,588 2	79.0	.....	7.4	1.8	38.6	3.7	90.1	29 4	.....	102.9	7.4	49.6
	1902	1,916.1	72 4	1.8	1 8	9.0	72.4	1.8	81.4	3.6	.....	103.2	10 9	83.2
	1903	1,935.7	61.3	.....	3.5	1.7	19.2	5.2	91.0	17.5	.....	98.0	14.0	66.5
	1904	1,831.9	74.1	.....	1.7	.....	.....	50.0	46 5	10.3	.....	115.5	12.1	77.6
	1905	1,833 2	101.8	.....	.....	47.5	3.4	5.1	76.4	22.1	10.2	86.6	10.2	64.5
San Antonio, Tex	1901	2,465.1	61.9	65.6	.....	18.2	10.9	7.3	34.6	60 1	.....	577.6	43.7	65.6
	1902	2,664.3	65 5	46.1	.....	.....	1.8	1 8	23.0	49.6	.....	669 6	40.8	79.7
	1903	2.245.9	62 0	75.8	.....	24.1	.....	12.1	39.6	32 7	.....	444.7	22.4	67.2
	1904	2.527.7	50.4	47.0	.....	21.8	1.7	5.0	58.7	48 7	.....	619.3	31.9	68.8
	1905	2,445.0	44.2	11.4	.....	.....	.....	6 5	62.1	58 9	22.9	632.9	31.1	70.3
San Diego, Cal	1901	2.118.2	39.0	11.1	.....	.....	.....	.....	.....	78.0	.....	395.8	16.7	117.1
	1902	2.084.7	5.5	.....	.....	.....	.....	.....	5.5	44.0	.....	445.6	44.0	137 5
	1903	2.079.3	10.9	5.4	.....	10.9	.....	.....	16.3	114.0	.....	401.7	43.4	108.6
	1904	2,502.7	16.1	5.3	.....	.....	.....	.....	16.1	42 9	.....	434.1	64.3	107.2
	1905	2,418.0	15.9	15.9	.....	.....	.....	15.9	5.3	68.8	5.3	455.0	26.5	111.1
San Francisco, Cal	1901	2,060.1	25.1	1.4	0.3	14.1	3.7	13.8	37.4	16.1	.....	292.7	41.8	115.2
	1902	2,159 9	29.6	2.6	.....	12.2	5.1	1.7	67.7	10.2	.....	284.2	40.7	128.3
	1903	2,133.1	25.0	2 0	0.6	9.3	3.7	30.6	32.0	15 7	.....	289.4	50.0	125.3
	1904	2,078.0	31 4	3.9	.....	6 9	2.5	14.4	18 9	4.7	.....	274.8	44.7	134.3
	1905	2,010.5	23 9	1.1	0.3	0 8	1.1	11.8	16.2	8 2	12.1	275.9	46.3	125.0
San Jose, Cal	1901	1,584.0	13.7	.....	.....	9.1	4.6	4.6	9.1	9.1	.....	293.0	27.5	87.0
	1902	1,568.4	4.5	4 5	.....	.....	4.5	.....	54.1	27.0	.....	279.5	22.5	90.1
	1903	1,500 1	31.1	.....	4.4	.....	.....	4.4	35 5	26.6	.....	204.2	44.4	111.0
	1904	1,805 4	21.8	.....	.....	21.8	.....	52.5	30 6	17.5	.....	279.8	43.7	83.1
	1905	1,567.6	12.9	.....	.....	4.3	.....	.....	17.2	21.5	12.9	254.1	56.0	94.7
Saratoga Springs, N. Y	1901	2,418.8	71.8	.....	.....	16.0	8.0	16.0	31.9	47.9	.....	247.5	.....	31.9
	1902	2,222.2	23 7	.....	.....	.....	.....	7.9	7.9	15.8	.....	205 6	.....	94.9
	1903	1,927.4	47 0	.....	.....	.....	.....	31.3	15.7	15 7	.....	203.7	15 7	70.5
	1904	2,150.5	46 6	15 5	.....	7.8	.....	.....	31.1	54.3	.....	201.8	15.5	124.2
	1905	2,054 0	38.5	.....	.....	.....	7.7	7.7	7.7	30.8	.....	200.0	15.4	100.0
Sault Ste. Marie, Mich	1901	1,867 3	92 9	.....	.....	.....	9.3	46.4	74.3	9.3	.....	102.2	27.9	9.3
	1902	2.101 9	172 9	.....	18 2	36.4	18 2	9.1	36.4	.....	.....	81.9	9.1	36.4
	1903	1,943 7	115 9	.....	.....	.....	8 9	53.5	35.7	.....	.....	89.2	26.8	8.9
	1904	1,433 3	52 4	.....	.....	.....	17.5	.....	.....	17.5	.....	104.9	17.5	26.2
	1905	1,645.5	68.6	.....	.....	34.3	8.6	.....	17.1	.....	25.7	111.4	25.7	25.7
Savannah, Ga	1901	2,963.0	28.9	150.0	.....	3 6	21.7	.....	5.4	47.0	.....	372.2	18.1	32.5
	1902	2.614.4	44.1	138 7	.....	4.7	9 5	1.6	12.6	9.5	.....	324.6	15.8	52.0
	1903	2,358 6	54 1	92 7	.....	.....	1 5	30.9	3.1	29 3	.....	319.7	12.4	35.5
	1904	2,602 0	78 8	104.5	.....	6.1	.....	15.1	4.5	43.9	.....	345.3	27.3	60.6
	1905	2,559 8	40 1	154 5	.....	7.4	1.5	.....	10.4	63.9	13.4	280.8	28.2	57.9
Schenectady, N. Y	1901	1,797.2	36.7	2.8	.....	8.5	8 5	5 7	84.8	11.3	.....	178.0	19.8	53.7
	1902	1,376.0	19.1	.....	4 2	8.5	34.0	4.2	63 7	4.2	.....	121.0	19.1	21.2
	1903	1,572 8	31.5	3.9	.....	25.5	19.7	17 7	43.3	3.9	.....	163.4	13.8	43.3
	1904	1,438.4	22.0	.....	.....	1 8	5 5	16.5	31 2	20.2	.....	124.8	5.5	62.4
	1905	1,358 8	6.9	.....	.....	13 7	15.5	3.4	18.9	6.9	6.9	127.1	13.7	46.4
Scranton, Pa	1901	1,629 0	34 4	1.0	.....	8 6	7 6	14 3	41.1	34.4	.....	91.8	10.5	43.0
	1902	1,397.6	19.6	4.7	0 9	1 9	2 8	15.9	15.9	10.2	.....	86 7	5.6	51.3
	1903	1,486.9	18 2	0.9	1 8	8.2	5.5	4.6	20.0	8.2	.....	100.2	2.7	44.6
	1904	1,790 2	10.7	1.7	.....	5 3	2.7	6.2	17.8	33.8	.....	104.2	.....	35.6
	1905	1,818.1	17.2	2.6	.....	17.2	14.6	6.9	31.9	11.2	14.6	90.4	.....	33.6
Seattle, Wash	1901	1,078 7	30.8	1.2	3 6	7.1	10.7	7.1	14.2	8 3	.....	118.4	24.9	48.5
	1902	1,226.2	32 9	.....	.....	2 3	10.2	1.1	12.5	1.1	.....	117.8	13.6	68.0
	1903	1,213 9	36 9	2.2	3.3	16.3	16.4	3.3	8 7	5.4	.....	16.3	29.3	60.8
	1904	1,258 8	36 5	.....	.....	2.1	9.4	13.6	40.7	9.4	.....	127 3	25.1	56.4
	1905	1,154 8	36.1	.....	.....	7 0	1.0	4.0	12.0	5 0	14.1	101.4	38.2	54.2
Sioux City, Iowa	1901	1,153.4	14.4	.....	.....	2 9	5.8	2.9	14.4	17.3	.....	112.5	31.7	51.9
	1902	1,299.4	24.8	2.8	13.8	46 9	2.8	33.1	11.0	19.3	.....	74.5	11.0	80.0
	1903	1,142 4	18.5	2 6	.....	.....	23.8	15.9	29.1	13.2	.....	82 0	5.3	52.9
	1904	1,239.1	17 8	.....	.....	7.6	7.6	5.1	15.2	20.3	.....	88.9	27.9	66.0
	1905	1,267.3	24.4	2.4	.....	4.9	17.1	19.5	26.9	17.1	7.3	75.7	17.1	83.0

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
0.9	4.7	26.5	75.9	44.6	76.8	34.1	46.5	40.8	28.5	19.0	4.7	60.7	49.3	73.0	0.9
2.8	4.6	13.9	115.8	43.5	98.2	44.4	43.5	64.8	34.3	13.9	10.2	48.2	61.1	74.1	.....
1.8	1.8	12.7	75.1	48.9	51.6	28.1	33.5	51.6	38.0	42.7	15.4	48.9	38.0	64.3	.....
0.9	4.4	8.0	44.3	62.8	108.9	50.5	32.7	67.3	32.7	14.2	9.7	74.4	34.5	81.4	0.9
1.7	1.7	13.0	73.6	60.6	98.7	32.0	44.2	58.9	37.2	13.9	16.5	58.0	29.4	69.3	.....
1.4	7.1	31.0	156.4	127.1	158.6	131.2	93.4	108.1	111.1	89.3	22.8	116.6	73.7	187.7	1.9
1.3	4.7	24.5	160.5	120.2	160.7	119.7	85.7	94.7	117.4	100.0	21.9	81.7	77.5	180.1	2.8
0.5	7.7	23.5	150.2	142.6	139.3	133.6	98.1	100.3	111.7	99.5	27.3	98.1	48.0	176.1	1.8
1.0	8.6	20.0	135.0	170.0	172.3	131.6	87.1	110.6	123.6	95.1	34.6	121.2	37.3	180.9	1.9
1.6	10.4	18.8	123.4	159.3	130.9	114.9	81.3	100.6	114.4	86.2	29.2	97.0	29.0	141.3	2.4
.....	5.3	21.2	75.4	77.7	60.6	64.2	60.6	73.0	52.4	52.4	14.1	57.7	30.0	123.6	1.2
0.6	5.1	19.2	79.3	84.3	74.7	58.9	41.3	65.1	56.6	48.7	11.3	54.9	30.6	107.6	1.1
0.5	7.6	16.9	74.7	79.6	71.4	58.3	44.1	66.0	52.9	58.9	14.7	56.1	19.1	107.8	0.5
1.1	10.5	27.3	76.2	76.7	68.3	42.1	65.2	63.6	51.5	63.6	17.3	65.2	23.1	92.0	0.5
.....	10.7	17.8	76.1	95.9	58.9	42.1	52.3	57.9	52.8	62.4	18.8	58.9	18.8	102.5	0.5
2.8	8.3	22.0	195.6	179.1	90.9	66.1	162.6	79.9	107.5	121.2	2.8	52.4	82.7	157.1	2.8
.....	13.7	35.5	210.2	243.0	98.3	111.9	111.9	46.4	101.0	122.9	8.2	57.3	117.4	133.8	.....
2.7	18.9	48.8	189.4	276.0	113.6	138.0	157.0	46.0	97.4	140.7	5.4	75.8	73.0	154.2	.....
5.4	18.8	29.5	177.0	273.5	96.5	83.1	195.8	80.4	99.2	158.2	16.1	85.8	59.0	126.0	.....
2.7	15.9	45.2	223.2	244.5	95.7	77.1	236.5	69.1	103.6	180.7	5.3	79.7	90.4	98.3	.....
.....	9.2	49.6	82.7	136.0	123.2	75.4	51.5	119.5	90.1	51.5	7.4	93.7	34.9	251.8	1.8
1.8	14.5	76.0	124.9	152.0	137.5	115.8	77.8	142.9	92.3	76.0	19.9	133.9	45.2	262.3	1.8
1.7	7.0	57.7	113.8	162.8	182.0	78.8	98.0	148.8	106.8	91.0	21.0	159.3	43.8	274.8	10.5
1.7	13.8	44.8	113.8	149.9	194.8	148.2	60.3	127.5	96.5	70.7	10.3	105.1	53.4	236.1	17.2
5.1	11.9	23.8	108.6	159.6	185.0	88.3	95.1	135.8	100.1	71.3	30.6	125.6	52.6	196.9	15.3
.....	7.3	40.1	149.4	125.7	83.8	63.8	238.7	131.2	92.9	105.7	16.4	142.1	74.7	244.2	3.6
1.8	12.4	28.3	129.3	150.6	122.2	72.6	320.6	122.2	125.8	136.4	7.1	106.3	101.0	246.3	3.5
3.4	6.9	37.9	153.4	91.4	91.4	77.6	217.2	106.9	103.4	127.6	13.8	100.0	86.2	248.2	.....
3.4	6.7	42.0	182.9	100.7	130.9	95.7	236.7	124.2	82.2	124.2	25.2	107.4	78.9	229.9	3.4
4.9	3.3	34.3	197.9	89.9	103.0	94.9	220.8	130.8	83.4	143.9	37.6	75.2	83.4	197.9	3.3
.....	27.9	55.7	189.5	228.6	105.9	100.4	39.0	128.2	105.9	50.2	22.3	128.2	78.0	200.7	.....
.....	11.0	22.0	286.0	308.1	71.5	93.5	60.5	93.5	104.5	22.0	27.5	66.0	55.0	181.5	.....
.....	16.3	27.1	217.2	179.2	92.3	103.2	76.0	119.4	81.4	38.0	76.0	81.4	48.9	195.4	16.3
.....	32.1	32.1	235.8	369.8	123.3	91.1	150.0	96.5	101.8	42.9	58.9	96.5	91.1	251.9	42.9
5.3	42.3	47.6	296.3	280.4	58.2	95.2	95.2	111.1	89.9	31.7	79.4	148.1	58.2	222.2	37.0
0.3	18.1	36.6	132.2	261.8	120.1	140.9	82.4	142.3	99.7	64.5	45.5	103.1	20.5	229.9	0.6
0.6	16.8	34.1	145.4	281.6	107.2	145.1	76.8	157.3	102.4	74.8	57.5	129.7	18.2	229.0	1.1
0.3	18.5	23.6	141.3	293.6	124.2	127.6	73.6	129.3	128.4	82.6	56.2	129.3	12.6	208.4	.....
0.5	20.3	23.9	148.2	296.7	107.7	123.5	76.9	148.8	123.2	73.8	72.7	116.3	11.6	196.0	1.4
1.9	20.0	22.8	141.2	306.3	125.3	103.7	68.0	131.1	123.1	66.9	62.2	116.8	14.8	183.2	0.5
.....	13.7	13.7	137.4	192.3	105.3	68.7	73.3	91.6	96.1	41.2	41.2	105.3	22.9	114.5	9.1
.....	22.5	13.5	139.7	180.3	99.2	85.6	90.1	72.1	99.2	31.6	31.6	58.6	13.5	144.2	.....
.....	26.6	26.6	106.5	244.1	53.3	79.9	57.7	62.1	75.5	31.1	22.2	106.5	39.9	106.5	.....
4.4	13.1	52.5	131.2	266.7	118.0	109.3	91.8	96.2	96.2	43.7	8.7	69.9	21.8	131.1	.....
.....	17.2	34.5	168.0	219.6	73.2	56.0	86.1	73.2	68.9	43.1	34.5	99.1	8.6	112.0	.....
.....	39.9	47.9	311.3	167.6	183.6	175.6	95.8	183.6	367.2	23.9	.....	79.8	87.8	183 6	.....
.....	7.9	31.6	261.0	268.9	158.2	87.0	118.6	181.9	205.6	63.3	7.9	174.0	71.2	229.3	.....
.....	7.8	15.7	242.9	250.7	94.0	133.2	70.5	148.9	211.5	31.3	.....	117.5	15.7	188.0	.....
.....	31.1	23.3	139.7	209.6	124.2	147.5	77.6	170.8	279.5	77.6	.....	209.6	31.1	132.0	.....
.....	7.7	23.1	215.4	261.6	146.2	115.4	76.9	115.4	307.7	115.4	.....	100.0	30.8	130.8	.....
.....	9.3	.....	83.6	74.3	102.2	120.7	204.4	130.1	18.6	92.9	37.2	269.4	74.3	148.6	130.1
.....	9.1	27.3	154.7	109.2	182.0	45.5	263.8	100.1	54.6	118.3	36.4	191.0	36.4	282.1	72.8
.....	.....	62.4	178.3	178.3	115.9	53.5	222.9	124.8	89.2	62.4	17.8	231.8	44.6	187.2	35.7
.....	.....	.....	148.6	139.8	61.2	96.1	148.7	52.4	34.9	122.3	17.5	148.6	26.2	174.8	26.2
.....	8.6	42.9	102.8	111.4	120.0	85.7	205.7	102.8	111.4	68.6	25.7	120.0	51.4	145.7	25.7
3.6	1.8	12.6	299.9	153.6	159.0	169.8	144.5	126.5	164.4	236.7	12.6	148.1	206.0	298.1	146.4
.....	1.6	18.9	291.5	134.0	163.9	141.8	163.9	104.0	118.2	163.9	4.7	149.7	184.4	252.1	108.7
.....	4.6	12.4	265.7	152.9	146.7	129.7	125.1	123.6	120.5	55.6	9.3	106.6	151.4	244.0	131.3
1.5	12.1	18.2	302.9	216.6	156.0	139.3	104.5	142.4	146.9	136.3	9.1	104.5	193.9	219.6	12.1
.....	10.4	20.8	282.3	163.4	258.5	130.7	118.9	111.4	154.5	74.3	10.4	105.5	114.4	216.9	129.3
.....	17.0	39.6	169.5	121.5	163.9	135.6	161.1	107.4	90.4	93.3	2.8	130.0	33.9	121.5	.....
.....	2.1	38.2	123.2	112.5	110.4	76.4	148.6	59.5	63.7	63.7	.....	127.4	29.7	121.0	.....
3.9	3.9	53.1	133.9	110.2	126.0	70.9	175.2	78.7	78.7	94.5	3.9	137.8	35.4	100.4	.....
.....	3.7	64.2	126.6	102.7	86.2	82.6	172.5	84.4	69.7	95.4	7.3	132.1	18.3	102.7	.....
3.4	6.9	68.7	87.6	111.7	135.7	82.5	149.5	70.4	75.6	84.2	6.9	85.9	30.9	99.6	.....
1.0	8.6	47.8	199.8	106.1	196.9	146.3	90.8	96.6	55.5	46.9	3.8	171.1	49.7	121.4	.....
0.9	9.3	48.5	195.0	107.3	126.9	124.1	110.1	81.2	57.8	39.2	.....	115.7	61.6	104.5	.....
2.7	8.2	33.7	203.2	110.2	136.7	103.9	123.0	62.9	72.9	56.5	18.2	144.9	104.8	87.5	2.7
1.7	9.8	40.1	207.4	88.1	187.9	100.6	162.9	82.8	83.7	109.5	7.1	161.1	214.6	112.2	2.7
0.9	10.3	22.4	231.7	81.0	160.2	122.3	167.9	71.5	84.4	134.4	10.3	171.4	209.3	99.0	0.9
.....	5.9	24.9	78.1	98.3	103.0	28.4	49.7	85.3	45.0	43.8	15.4	92.3	34.3	99.5	.....
2.3	9.1	31.7	87.3	130.3	107.6	41.9	43.1	87.3	58.9	36.3	1.1	170.0	55.5	104.3	.....
2.2	4.3	21.7	80.4	154.3	68.5	35.9	38.0	73.9	64.1	40.2	28.3	139.1	21.7	142.4	.....
.....	14.7	16.7	63.7	155.5	53.2	44.9	59.5	86.6	61.6	67.8	38.6	121.1	17.7	135.7	1.0
1.0	11.0	18.1	79.3	130.5	67.3	29.1	68.3	61.3	63.3	62.3	30.1	127.5	19.1	113.5	.....
2.9	11.5	17.3	100.9	75.0	54.8	60.6	92.3	109.6	34.6	54.8	8.7	98.0	40.4	138.4	.....
5.5	13.8	41.4	82.8	113.1	110.4	55.2	85.5	80.0	46.9	77.2	2.8	82.8	27.6	154.5	.....
10.6	5.3	21.2	103.1	113.7	100.5	31.7	31.7	89.9	52.9	23.8	10.6	134.9	47.7	116.4	5.3
5.1	15.2	22.9	55.9	129.5	106.6	43.2	71.1	149.8	55.9	25.4	12.7	86.3	35.5	167.6	.....
.....	24.4	9.8	100.1	122.1	80.6	51.3	48.8	131.9	56.2	51.3	22.0	105.0	36.6	129.4	2.4

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Somerville, Mass.	1901	1,321.9	19.0	.....	.....	7.9	9.5	25.3	44.3	20.6	.....	145.6	20.6	69.7
	1902	1,383.4	7.7	.....	7.7	7.7	4.6	13.9	30.9	4.6	.....	170.0	30.9	69.6
	1903	1,443.7	13.6	.....	.....	3.0	16.6	37.8	31.7	22.7	.....	123.8	18.1	75.5
	1904	1,424.4	17.7	.....	.....	7.4	4.4	.....	25.1	11.8	.....	138.8	26.6	73.8
	1905	1,385.8	13.0	.....	.....	.....	5.8	5.8	24.5	23.1	21.7	109.7	28.9	75.1
South Bend, Ind.	1901	1,334.2	29.4	.....	.....	.....	2.7	10.7	26.7	24.1	.....	136.4	5.3	40.1
	1902	1,270.7	28.3	.....	5.1	7.7	10.3	18.0	33.4	2.6	.....	146.6	20.6	30.9
	1903	1,195.2	14.9	2.5	.....	29.8	12.4	14.9	57.0	9.9	.....	163.7	29.8	39.6
	1904	1,390.7	16.8	.....	2.4	4.8	16.8	21.5	19.1	9.6	.....	119.7	31.1	47.9
	1905	1,516.1	27.8	.....	13.9	.....	13.9	11.6	18.5	13.9	11.6	155.1	16.2	53.2
South Bethlehem, Pa.	1901	1,913.6	29.6	.....	.....	.....	.....	7.4	51.7	29.6	.....	206.8	14.8	29.6
	1902	1,395.6	57.8	.....	14.5	36.2	21.7	.....	14.5	.....	.....	137.4	14.5	50.6
	1903	1,791.4	205.3	.....	.....	7.1	7.1	63.7	7.1	.....	.....	106.2	.....	42.5
	1904	1,671.6	48.5	.....	.....	.....	20.8	.....	13.9	13.9	.....	97.1	13.9	34.7
	1905	1,128.4	13.6	.....	.....	.....	.....	.....	47.6	6.8	13.6	136.0	6.8	20.4
Southbridge town, Mass.	1901	1,555.8	19.6	.....	.....	.....	.....	.....	38.1	.....	.....	107.6	19.6	9.8
	1902	1,593.9	57.6	.....	.....	9.6	.....	9.6	19.2	.....	.....	115.2	19.2	57.6
	1903	1,630.5	9.4	.....	.....	.....	.....	.....	9.4	.....	.....	75.4	9.4	84.8
	1904	1,739.9	.....	.....	.....	.....	.....	27.8	203.6	.....	.....	194.4	37.0	46.3
	1905	1,781.8	36.4	.....	.....	.....	.....	.....	227.3	.....	36.4	190.9	27.3	27.3
Spokane, Wash.	1901	1,232.5	51.9	.....	5.2	2.6	13.0	10.4	13.0	23.3	.....	134.9	10.4	77.8
	1902	1,386.9	47.2	.....	.....	.....	29.8	5.0	34.8	7.5	.....	146.7	12.4	69.6
	1903	1,774.5	88.2	.....	16.7	9.5	11.9	.....	19.1	14.3	.....	176.5	28.6	54.9
	1904	1,588.7	80.3	2.3	11.5	4.6	4.6	2.3	52.7	6.9	.....	151.3	20.3	52.7
	1905	1,549.2	86.1	.....	.....	11.0	4.4	4.4	33.1	8.8	15.4	139.0	28.7	72.8
Springfield, Ill.	1901	1,934.4	25.8	2.9	.....	17.2	8.6	28.7	74.6	31.6	.....	287.0	20.1	66.0
	1902	1,801.4	31.0	.....	22.5	.....	2.8	8.4	53.5	16.9	.....	239.3	31.0	70.4
	1903	1,651.4	49.7	.....	2.8	2.8	11.0	19.3	60.8	5.5	.....	204.3	13.8	58.0
	1904	2,136.3	40.0	2.7	2.7	10.7	18.7	16.0	29.3	21.3	.....	242.7	24.0	66.7
	1905	1,679.1	36.6	.....	2.6	2.6	5.2	5.2	28.8	13.1	15.7	198.8	23.5	68.0
Springfield, Mass.	1901	1,460.6	28.0	6.2	.....	1.6	3.1	10.9	20.2	18.6	.....	166.3	24.9	66.8
	1902	1,521.4	19.5	.....	.....	.....	19.5	10.5	24.0	15.0	.....	139.5	33.0	84.0
	1903	1,601.2	23.2	4.4	.....	24.7	24.7	36.3	31.9	27.6	.....	143.6	18.9	89.9
	1904	1,619.8	15.4	1.4	.....	4.2	15.4	5.6	39.3	21.1	.....	141.8	32.3	101.1
	1905	1,533.9	27.2	4.1	.....	2.7	1.4	2.7	36.7	21.8	6.8	119.7	47.6	104.7
Stamford town, Conn.	1901	1,900.5	15.7	15.7	.....	.....	.....	41.8	20.9	78.3	.....	198.4	10.4	62.7
	1902	1,767.1	61.7	.....	5.1	5.1	.....	15.4	61.7	10.3	.....	138.7	25.7	61.7
	1903	1,910.9	50.5	.....	.....	.....	30.3	.....	60.7	65.7	.....	116.3	25.3	65.7
	1904	2,134.9	29.9	.....	.....	24.9	24.9	.....	64.7	54.7	.....	164.2	9.9	69.7
	1905	2,219.6	29.4	4.9	.....	9.8	4.9	34.3	24.5	49.0	14.7	166.6	39.2	102.9
Steelton, Pa.	1901	1,285.4	32.3	.....	.....	8.1	8.1	24.3	8.1	8.1	.....	129.3	8.1	40.4
	1902	1,959.9	276.6	.....	.....	7.9	.....	7.9	31.6	.....	.....	166.0	31.6	15.8
	1903	2,024.9	184.1	.....	.....	84.4	.....	7.7	46.0	15.3	.....	199.4	15.3	53.7
	1904	1,448.4	52.5	.....	.....	.....	.....	7.5	15.0	15.0	.....	187.6	15.0	15.0
	1905	1,702.9	51.4	.....	.....	.....	.....	7.3	51.4	.....	7.3	139.5	29.4	.....
Stonington town, Conn.	1901	1,567.5	.....	.....	.....	.....	.....	.....	11.5	57.6	.....	184.4	.....	92.2
	1902	1,509.3	.....	11.3	.....	.....	34.0	.....	56.8	.....	.....	113.5	34.0	45.4
	1903	1,609.3	44.7	.....	.....	55.9	22.3	22.3	11.2	.....	.....	134.1	.....	44.7
	1904	1,981.5	33.0	.....	.....	11.0	11.0	.....	22.0	.....	.....	176.1	44.0	110.1
	1905	1,724.5	.....	.....	.....	.....	.....	21.7	21.7	54.2	10.8	141.0	32.5	86.8
Superior, Wis.	1901	1,159.0	49.7	.....	.....	3.1	9.3	3.1	24.9	34.2	.....	105.6	12.4	37.3
	1902	1,151.0	33.1	.....	.....	24.0	18.0	15.0	69.1	.....	.....	93.2	9.0	24.0
	1903	1,201.7	49.5	.....	.....	5.8	113.5	17.5	32.0	2.9	.....	107.7	11.6	37.8
	1904	899.6	33.8	.....	.....	.....	8.5	.....	14.1	2.8	.....	98.7	8.5	25.4
	1905	900.1	30.1	.....	2.7	2.7	2.7	21.9	5.5	2.7	8.2	106.7	8.2	41.0
Syracuse, N. Y.	1901	1,411.1	19.1	1.8	.....	0.9	4.5	7.3	25.4	30.0	.....	158.9	15.4	69.9
	1902	1,329.2	8.0	.....	.....	5.4	5.4	10.7	11.6	1.8	.....	118.0	17.9	76.9
	1903	1,431.9	17.6	.....	.....	14.1	1.8	20.2	18.4	10.6	.....	131.1	17.6	81.8
	1904	1,518.5	18.2	0.9	.....	4.3	26.0	0.9	19.1	12.1	.....	146.5	24.3	69.3
	1905	1,553.8	17.1	.....	.....	5.1	35.0	4.3	16.2	8.5	13.7	120.4	17.9	81.1
Tacoma, Wash.	1901	1,371.6	29.9	.....	.....	13.6	13.6	8.2	29.9	10.9	.....	136.1	10.9	49.0
	1902	1,515.0	35.1	.....	2.5	.....	7.5	.....	50.1	2.5	.....	130.2	12.5	67.6
	1903	1,097.5	59.9	.....	.....	2.2	13.3	2.2	24.4	4.4	.....	146.4	8.9	57.6
	1904	1,114.7	61.8	.....	2.1	.....	4.1	14.4	16.5	2.1	.....	148.4	16.5	55.6
	1905	1,089.3	23.1	.....	.....	.....	.....	1.9	26.9	7.7	7.7	109.7	28.9	55.8
Taunton, Mass.	1901	1,821.2	29.0	6.4	.....	.....	12.9	.....	16.1	22.6	.....	212.7	25.8	41.9
	1902	1,838.2	22.6	.....	.....	.....	3.2	22.6	25.8	12.9	.....	212.8	19.3	77.4
	1903	2,090.7	19.4	9.7	.....	3.2	16.1	12.9	32.3	35.5	.....	167.8	22.6	80.7
	1904	2,030.3	6.5	6.5	.....	.....	9.7	.....	16.1	29.1	.....	196.9	22.6	67.8
	1905	2,183.0	9.7	6.5	.....	3.2	9.7	9.7	32.3	29.1	6.5	239.0	32.3	42.0
Terre Haute, Ind.	1901	1,846.2	75.0	10.7	.....	8.0	29.5	24.1	42.9	53.6	.....	176.9	32.2	72.3
	1902	1,954.4	44.8	10.5	.....	2.6	13.2	5.3	47.4	15.8	.....	179.1	20.0	89.6
	1903	1,559.1	57.0	7.8	.....	2.6	5.2	12.9	41.4	18.1	.....	155.4	20.7	62.1
	1904	2,106.6	61.1	5.1	50.9	30.6	10.2	7.6	22.9	33.1	.....	208.9	43.3	71.3
	1905	1,497.0	48.2	3.9	.....	.....	.....	30.8	34.7	13.5	23.1	142.6	15.4	55.9
Tiffin, Ohio	1901	1,311.1	9.1	.....	.....	.....	.....	.....	36.4	63.7	.....	163.9	.....	72.8
	1902	1,527.0	18.2	.....	.....	.....	.....	27.3	45.4	.....	.....	154.5	18.2	90.9
	1903	1,252.2	27.2	.....	.....	27.2	.....	9.1	72.6	9.1	.....	108.9	18.1	72.6
	1904	1,367.8	54.3	.....	.....	.....	.....	18.1	18.1	45.3	.....	181.2	18.1	54.3
	1905	1,275.0	18.1	.....	.....	.....	.....	.....	18.1	.....	.....	180.8	27.1	72.3

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	11.1	28.5	110.8	150.4	80.7	80.7	69.7	71.2	80.7	64.9	7.9	45.9	26.9	129.8	.....
.....	13.9	30.9	126.8	182.4	146.8	77.3	72.6	72.6	80.4	58.7	4.6	43.3	26.3	98.9	.....
3.0	21.1	42.3	142.0	190.3	129.9	72.5	57.4	48.3	81.5	105.7	7.6	52.9	21.1	123.8	1.5
1.5	19.2	25.1	143.2	227.3	125.5	66.4	62.0	63.5	90.0	84.1	1.5	69.4	26.6	113.7	.....
.....	8.7	23.1	163.1	219.4	129.9	75.1	30.8	66.4	75.1	70.7	5.8	50.5	5.8	103.9	.....
.....	10.7	13.4	115.0	88.2	64.2	93.6	131.0	80.2	61.5	106.9	.....	53.5	101.6	128.3	10.7
.....	10.3	18.0	110.6	90.0	95.2	56.6	102.9	97.8	61.7	38.6	10.3	74.6	54.0	144.0	2.6
.....	12.4	17.4	114.1	91.7	57.0	37.2	76.9	69.4	49.6	42.2	7.4	49.6	79.3	116.5	.....
.....	14.4	31.1	107.7	105.3	67.0	38.3	114.9	95.7	67.0	215.4	2.4	64.6	67.0	102.9	7.2
.....	13.9	41.7	138.9	143.5	76.4	60.2	155.1	111.1	62.5	97.2	9.3	108.8	62.5	97.2	2.3
.....	.....	59.1	229.0	96.0	147.8	73.9	177.3	73.9	81.3	66.5	.....	133.0	81.3	88.6	236.4
.....	.....	.....	180.8	94.0	159.1	43.4	166.3	36.2	14.5	57.8	21.7	130.1	57.8	79.5	7.2
.....	7.1	7.1	134.5	99.1	226.6	85.0	198.2	56.6	49.6	85.0	7.1	169.9	99.1	113.3	14.2
.....	6.9	6.9	222.0	69.4	242.8	41.6	256.6	62.4	76.3	111.0	.....	111.0	104.0	117.9	.....
.....	.....	6.8	88.4	54.4	197.1	40.8	74.8	40.8	61.2	13.6	.....	95.2	88.4	115.6	6.8
.....	19.6	78.3	97.8	127.2	156.6	58.7	137.0	58.7	127.2	58.7	9.8	39.1	117.4	274.0	.....
.....	9.6	38.4	144.0	86.4	144.0	134.4	153.6	38.4	57.6	153.6	9.6	48.0	86.4	201.6	.....
.....	9.4	37.7	141.4	94.3	113.1	94.3	188.5	75.4	56.6	169.7	.....	47.1	84.8	245.1	84.8
.....	.....	83.3	92.5	101.8	37.0	92.5	120.3	129.6	83.3	222.1	9.3	64.8	27.8	166.6	.....
.....	27.3	90.9	90.9	36.4	27.3	90.9	336.4	72.7	109.1	136.4	.....	45.5	72.7	100.0	.....
.....	5.2	44.1	88.2	114.2	77.8	57.1	49.3	111.6	46.7	41.5	25.9	62.3	18.2	132.3	15.6
.....	14.9	37.3	129.2	111.8	124.3	47.2	54.7	129.2	62.1	39.8	32.3	87.0	34.8	124.3	5.0
4.8	21.5	31.0	104.9	119.3	135.9	45.3	135.9	164.6	83.5	76.3	42.9	133.6	54.9	198.0	2.4
4.6	18.3	29.8	91.7	137.6	96.3	41.3	100.9	167.4	82.5	64.2	45.9	112.4	29.8	169.6	6.9
.....	11.0	19.9	88.3	101.5	90.5	66.2	103.7	145.7	88.3	70.6	26.5	132.4	41.9	147.9	11.0
.....	17.2	20.1	134.9	149.2	117.7	103.3	68.9	134.9	126.3	34.4	14.4	157.8	60.3	232.5	.....
2.8	2.8	11.3	171.7	171.7	104.1	84.4	98.5	166.1	112.6	22.5	36.6	115.4	64.7	160.4	.....
.....	16.6	46.9	116.0	124.3	127.0	96.7	46.9	102.2	143.6	38.7	24.9	104.9	82.8	146.4	5.5
5.3	21.3	34.7	125.4	152.0	208.0	98.7	114.7	157.3	141.4	88.0	29.3	184.0	58.7	237.4	5.3
.....	2.6	28.8	136.0	107.2	112.5	78.5	68.0	141.2	117.7	81.1	18.3	112.5	73.2	190.9	10.5
3.1	17.1	20.2	143.0	174.0	105.7	43.5	73.0	55.9	149.2	74.6	6.2	104.1	32.6	111.9	.....
.....	12.0	48.0	133.5	177.0	96.0	67.5	70.5	85.5	136.5	111.0	7.5	64.5	31.5	135.0	.....
1.5	16.0	37.7	145.0	152.3	129.1	78.3	79.8	65.3	121.8	75.4	10.2	103.0	26.1	132.0	2.9
1.4	14.0	23.9	151.6	245.6	71.6	63.2	94.0	77.2	143.2	91.2	7.0	108.1	11.2	139.0	.....
2.7	25.8	32.6	125.1	167.3	123.7	43.5	84.3	72.1	163.2	74.8	6.8	92.5	25.8	118.3	.....
5.2	10.4	47.0	261.1	141.0	130.5	99.2	161.9	135.8	104.4	83.5	5.2	83.5	36.5	151.4	.....
5.1	20.6	46.2	226.0	241.4	113.0	66.8	71.9	77.1	82.2	133.6	5.1	87.3	46.2	159.2	.....
5.1	5.1	55.6	278.0	141.5	151.7	60.7	131.4	91.0	141.5	96.0	5.1	151.7	35.4	146.6	.....
5.0	14.9	49.8	268.7	209.0	214.0	79.6	169.2	139.3	134.4	74.7	5.0	104.5	59.7	164.2	.....
.....	14.7	68.6	323.4	181.3	147.0	142.1	132.3	107.8	225.4	58.8	24.5	127.4	53.9	132.3	.....
.....	.....	48.5	137.4	40.4	145.5	56.6	72.8	64.7	24.3	64.7	.....	129.3	161.7	40.4	32.3
.....	.....	39.5	142.2	71.1	110.6	55.3	205.5	47.4	55.3	158.1	.....	237.1	150.2	134.4	15.8
.....	15.3	53.7	161.1	92.1	107.4	69.0	214.8	69.0	38.3	138.1	7.7	161.1	199.4	76.7	15.3
.....	.....	37.5	165.1	97.6	180.1	75.1	127.6	30.0	15.0	142.6	.....	127.6	82.6	60.0	.....
.....	.....	110.1	146.8	110.1	154.1	36.7	227.5	66.1	51.4	139.5	7.3	102.8	205.5	58.7	.....
.....	11.5	11.5	103.8	195.9	80.7	115.3	138.3	92.2	46.1	46.1	.....	103.8	23.1	242.0	11.5
.....	.....	11.3	147.6	238.3	45.4	79.4	215.6	34.0	68.1	56.8	11.3	68.1	56.8	181.6	.....
.....	11.2	44.7	167.6	257.0	89.4	67.1	111.8	89.4	44.7	67.1	.....	111.8	22.3	190.0	.....
11.0	22.0	55.1	110.1	264.2	143.1	55.1	132.1	121.1	121.1	110.1	22.0	77.0	55.1	275.2	.....
.....	.....	10.8	184.4	314.5	108.5	119.3	130.2	65.1	54.2	65.1	10.8	86.8	43.4	162.7	.....
3.1	3.1	37.3	65.3	49.7	96.3	28.0	133.6	49.7	24.9	37.3	6.2	127.4	65.3	118.1	34.2
3.0	6.0	45.1	90.2	69.1	126.2	39.1	87.2	48.1	39.1	63.1	9.0	114.2	63.1	57.1	6.0
.....	2.9	43.6	96.0	75.7	107.7	61.1	75.7	69.8	26.2	14.5	2.9	110.6	55.3	78.6	2.9
.....	8.5	33.8	39.5	53.6	67.7	39.5	81.8	84.6	45.1	28.2	11.3	112.8	36.7	64.9	.....
.....	8.2	24.6	46.5	52.0	87.5	27.4	104.0	35.6	41.0	19.2	21.9	82.1	35.6	82.1	.....
1.8	8.2	31.8	148.9	190.7	76.3	88.1	78.1	80.8	69.0	55.4	8.2	73.6	22.7	144.4	.....
4.5	15.2	39.3	137.7	194.9	63.5	69.7	82.2	85.8	79.6	59.9	13.4	52.7	22.3	152.0	0.9
0.9	14.1	27.3	132.1	169.9	104.7	65.1	80.1	83.6	99.5	65.5	23.8	72.2	18.5	157.5	.....
2.6	12.1	27.7	156.0	198.5	105.7	76.3	62.4	100.5	101.4	65.9	14.7	73.7	24.3	175.1	.....
4.3	15.4	35.0	151.1	228.0	101.6	79.4	100.7	80.3	100.7	64.9	10.2	88.8	26.5	147.7	.....
2.7	8.2	29.9	117.0	174.2	100.7	49.0	24.5	78.9	51.7	40.8	29.9	138.8	81.7	130.6	10.9
.....	5.0	65.1	102.7	187.8	87.7	35.1	50.1	127.7	112.7	32.6	30.0	85.1	67.6	205.3	12.5
.....	6.7	37.7	64.3	73.2	68.7	24.4	42.1	68.7	39.9	51.0	6.7	57.6	79.8	153.0	4.4
4.1	4.1	22.7	80.3	72.1	84.5	14.4	43.3	72.1	41.2	30.9	20.6	78.3	90.7	133.9	.....
.....	9.6	26.9	80.8	134.7	78.9	36.6	52.0	82.8	53.9	32.7	21.2	75.1	50.0	92.4	.....
22.6	3.2	22.6	338.5	57.9	112.8	99.9	132.2	87.0	67.7	99.9	19.3	54.8	29.0	206.3	.....
12.9	12.9	29.0	280.6	264.4	109.6	106.4	135.4	54.8	38.7	80.6	9.7	77.4	48.4	180.6	.....
3.2	22.6	54.8	367.8	177.4	171.0	164.5	148.4	80.7	109.7	90.3	12.9	54.8	61.3	171.0	.....
3.2	16.1	45.2	297.0	203.4	200.1	145.3	161.4	90.4	113.0	100.1	3.2	87.2	25.8	184.0	.....
3.2	22.6	64.6	332.6	232.5	180.8	129.2	206.7	129.2	90.4	106.6	3.2	74.3	54.9	132.4	.....
2.7	13.4	42.9	117.9	184.9	131.3	64.3	125.9	101.8	59.0	125.9	24.1	104.5	77.7	144.7	.....
2.6	2.6	34.2	171.2	216.0	155.4	81.7	150.1	126.4	76.4	105.4	36.9	110.6	71.1	173.9	2.6
.....	5.2	33.7	132.1	163.1	101.0	80.3	82.9	106.2	77.7	90.6	2.6	111.4	44.0	137.3	7.8
.....	12.7	53.5	142.7	193.6	132.5	104.4	112.1	155.4	94.3	96.8	20.4	168.1	81.5	193.6	.....
1.9	11.6	27.0	113.7	188.8	127.2	46.2	77.1	82.8	73.2	90.6	28.9	109.8	34.7	115.6	.....
.....	18.2	54.6	154.8	182.1	100.2	91.0	9.1	45.5	36.4	18.2	.....	54.6	54.6	145.7	.....
.....	18.2	36.4	218.1	163.6	100.0	27.3	145.4	72.7	9.1	100.0	9.1	90.9	90.9	90.9	.....
27.2	.....	18.1	118.0	190.5	99.8	45.4	27.2	108.9	27.2	18.1	27.2	72.6	.....	127.0	.....
9.1	.....	27.2	154.0	244.6	45.3	45.3	90.6	54.3	63.4	9.1	18.1	72.5	36.2	108.7	.....
.....	9.0	18.1	153.7	198.9	45.2	63.3	72.3	90.4	36.2	9.0	18.1	90.4	18.1	135.6	.....

TABLE IV.—DEATH RATES PER 100.000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Toledo, Ohio	1901	1,403.5	32.2	2.9	.....	5.1	8.1	11.0	48.3	28.6	.....	128.9	11.7	59.3
	1902	1,430.5	34.7	7.8	7.8	11.3	6.4	3.6	52.4	6.4	.....	121.1	14.8	57.4
	1903	1,468.8	29.5	2.7	2.1	3.4	2.1	10.3	80.9	17.1	.....	120.6	8.9	54.8
	1904	1,365.9	37.2	2.6	.....	8.6	0.7	.....	29.2	12.6	.....	161.4	18.6	62.4
	1905	1,365.9	45.7	5.2	0.6	1.3	3.9	3.9	13.5	20.6	16.7	139.1	24.5	67.6
Torrington town, Conn	1901	1,313.6	7.6	.....	.....	7.6	.....	.....	7.6	22.9	.....	137.5	30.6	30.6
	1902	968.3	.....	.....	.....	.....	.....	.....	21.8	21.8	.....	116.5	14.6	21.8
	1903	1,182.5	13.9	6.9	.....	.....	6.9	13.9	62.6	13.9	.....	97.4	6.9	48.7
	1904	1,032.2	6.7	.....	.....	.....	13.3	.....	6.7	6.7	.....	153.1	6.7	33.3
	1905	1,315.6	19.2	.....	.....	19.2	6.4	.....	31.9	19.2	.....	127.7	25.5	76.6
Traverse City, Mich	1901	1,885.6	30.4	.....	.....	.....	20.3	10.1	10.1	30.4	.....	172.4	10.1	81.1
	1902	1,753.7	19.4	.....	.....	.....	58.1	9.7	29.1	19.4	.....	116.3	.....	58.1
	1903	1,762.7	.....	.....	.....	.....	18.6	9.3	.....	27.8	.....	120.6	27.8	27.8
	1904	1,948.9	35.6	.....	.....	.....	17.8	.....	.....	8.9	.....	186.9	35.6	26.7
	1905	1,787.1	25.7	.....	.....	.....	.....	.....	8.6	.....	25.7	213.8	.....	34.2
Trenton, N. J	1901	1,555.4	18.5	1.3	1.3	2.6	.....	14.6	13.2	15.9	.....	157.7	25.2	49.0
	1902	1,712.7	39.9	2.6	3.9	12.9	7.7	7.7	15.5	5.2	.....	135.2	16.7	57.9
	1903	1,762.5	60.1	1.3	.....	.....	5.0	21.3	28.8	8.8	.....	216.7	21.3	66.4
	1904	1,812.1	42.7	1.2	8.5	23.2	23.2	7.3	68.3	12.2	.....	197.5	21.9	50.0
	1905	1,678.5	24.9	3.6	.....	5.9	8.3	13.1	28.5	7.1	14.3	210.3	32.1	65.3
Troy, N. Y	1901	2,126.2	57.1	.....	.....	25.2	9.3	19.9	34.5	70.4	.....	324.0	25.2	90.3
	1902	1,873.1	49.0	1.3	1.3	1.3	2.6	6.6	14.6	10.6	.....	255.5	13.2	72.8
	1903	1,926.5	35.6	.....	.....	.....	5.3	9.2	31.7	27.7	.....	271.8	31.7	77.9
	1904	2,163.7	50.0	.....	.....	9.2	2.6	9.2	15.8	36.8	.....	288.1	26.3	90.8
	1905	2,151.5	51.1	2.6	.....	42.0	27.5	14.4	13.1	30.2	18.4	262.2	26.2	86.5
Union, N. J	1901	1,672.0	6.4	.....	.....	.....	57.9	6.4	96.5	.....	.....	122.2	12.9	57.9
	1902	1,640.2	25.1	.....	6.3	6.3	6.3	6.3	25.1	.....	.....	150.8	12.6	56.6
	1903	1,523.6	6.1	.....	.....	.....	.....	12.3	43.0	.....	.....	147.4	12.3	55.3
	1904	1,724.7	12.0	.....	.....	6.0	18.0	6.0	30.0	6.0	.....	168.3	12.0	42.1
	1905	1,775.9	17.6	.....	.....	.....	17.6	.....	29.4	5.9	5.9	182.3	29.4	76.4
Utica, N. Y	1901	1,587.3	15.6	.....	.....	3.5	3.5	20.7	45.0	32.9	.....	191.9	17.3	57.1
	1902	1,772.7	16.9	1.7	.....	8.4	6.7	5.1	23.6	6.7	.....	180.5	13.5	97.8
	1903	1,741.8	18.1	.....	1.6	.....	6.6	13.2	49.4	9.9	.....	164.6	26.3	62.6
	1904	2,000.2	17.7	.....	.....	12.9	86.8	16.1	33.8	17.7	.....	162.4	33.8	82.0
	1905	1,806.8	12.6	1.6	.....	.....	15.7	6.3	18.9	14.1	17.3	172.8	29.9	100.6
Vernon town, Conn	1901	1,207.1	11.8	.....	.....	.....	11.8	.....	23.7	23.7	.....	71.0	23.7	82.8
	1902	1,461.3	11.9	.....	.....	.....	.....	.....	59.4	11.9	.....	130.7	.....	59.4
	1903	1,526.7	.....	.....	.....	.....	.....	35.8	.....	35.8	.....	107.4	11.9	71.6
	1904	1,448.9	23.9	12.0	.....	.....	.....	23.9	.....	59.9	.....	119.8	47.9	107.8
	1905	1,406.6	24.0	.....	.....	.....	.....	.....	.....	24.0	24.0	108.2	24.0	48.1
Vincennes, Ind	1901	1,857.7	38.5	38.5	.....	.....	9.6	9.6	19.3	38.5	.....	259.9	19.3	86.6
	1902	1,633.6	57.0	19.0	19.0	.....	.....	9.5	28.5	9.5	.....	180.4	47.5	38.0
	1903	1,214.4	55.2	.....	.....	.....	.....	.....	36.8	9.2	.....	119.6	18.4	18.4
	1904	2,097.7	118.1	9.1	.....	72.6	.....	9.1	9.1	.....	.....	281.5	18.2	81.7
	1905	1,882.6	53.8	9.0	.....	9.0	9.0	71.7	.....	.....	62.8	197.2	26.9	71.7
Wabash, Ind	1901	1,233.2	67.9	.....	.....	.....	.....	56.6	.....	45.3	.....	135.8	22.6	33.9
	1902	1,390.7	77.3	.....	.....	.....	11.0	.....	.....	22.1	.....	143.5	11.0	88.3
	1903	937.4	21.5	.....	.....	.....	10.8	32.3	.....	.....	.....	107.7	21.5	43.1
	1904	1,283.9	21.0	.....	21.0	10.5	10.5	.....	10.5	10.5	.....	210.5	.....	31.6
	1905	1,018.2	.....	.....	.....	.....	.....	.....	10.3	.....	.....	174.8	30.9	51.4
Wakefield town, Mass	1901	1,370.6	21.1	.....	.....	.....	.....	.....	10.5	10.5	.....	126.5	31.6	73.8
	1902	1,466.9	20.7	.....	.....	31.0	20.7	.....	.....	.....	.....	237.6	10.3	103.3
	1903	1,154.3	10.1	.....	.....	.....	.....	30.4	.....	.....	.....	192.3	10.1	50.6
	1904	1,191.4	.....	.....	.....	9.9	.....	.....	.....	.....	.....	168.8	9.9	89.4
	1905	1,392.7	9.7	.....	.....	.....	.....	.....	9.7	9.7	19.5	185.0	19.5	97.4
Wallingford town, Conn	1901	1,255.0	.....	10.8	.....	.....	10.8	10.8	43.3	54.1	.....	97.4	.....	119.0
	1902	1,075.4	.....	21.1	.....	10.5	10.5	10.5	21.1	10.5	.....	94.9	21.1	63.3
	1903	1,490.7	10.3	10.3	.....	20.6	72.0	20.6	41.1	30.8	.....	113.1	.....	41.1
	1904	1,424.4	20.1	10.0	.....	.....	20.1	20.1	30.1	60.2	.....	140.4	20.1	110.3
	1905	1,155.6	9.8	9.8	.....	.....	.....	.....	19.6	9.8	9.8	117.5	.....	49.0
Waltham, Mass	1901	1,451.7	29.1	4.2	.....	4.2	4.2	8.3	29.1	29.1	.....	224.6	25.0	58.2
	1902	1,329.2	40.6	4.1	.....	20.3	16.3	16.3	20.3	.....	.....	134.1	36.6	105.7
	1903	1,387.1	31.8	4.0	.....	11.9	4.0	23.8	23.8	23.8	.....	107.3	27.8	63.6
	1904	1,298.5	15.6	7.8	.....	.....	.....	.....	23.3	15.6	.....	159.4	35.0	81.6
	1905	1,381.2	53.3	.....	.....	.....	3.8	7.6	15.2	60.9	.....	102.7	38.0	60.9
Ware town, Mass	1901	1,704.9	12.0	.....	.....	60.0	.....	12.0	36.0	48.0	.....	192.1	72.0	24.0
	1902	1,751.0	.....	.....	.....	.....	11.9	.....	.....	.....	.....	250.1	23.8	59.6
	1903	1,252.8	.....	.....	.....	23.6	47.3	.....	23.6	35.5	.....	118.2	23.6	35.5
	1904	1,465.9	.....	.....	.....	.....	.....	.....	11.7	35.2	.....	187.6	35.2	58.6
	1905	1,477.8	.....	.....	.....	.....	.....	.....	23.3	23.3	.....	174.5	46.5	23.3
Washington, D. C	1901	2,135.4	61.4	15.2	.....	3.9	3.9	22.2	36.7	58.5	.....	296.2	33.9	70.2
	1902	2,005.0	79.1	11.1	0.3	5.2	2.1	42.3	17.3	20.8	.....	246.2	34.7	74.9
	1903	2,027.5	48.8	7.5	0.7	15.3	0.7	24.2	8.5	29.0	.....	266.4	37.5	75.4
	1904	2,083.9	47.0	4.0	0.3	1.3	3.7	13.1	17.4	33.9	.....	279.5	37.6	76.5
	1905	2,047.3	48.2	3.6	3.0	2.6	3.6	23.4	16.2	28.4	7.9	274.7	43.6	75.9
Washington, Ind	1901	1,636.4	125.0	22.7	.....	.....	11.4	.....	45.4	45.4	.....	227.3	.....	68.2
	1902	1,547.1	22.1	11.1	.....	.....	11.1	22.1	11.1	.....	.....	309.4	11.1	11.1
	1903	1,204.6	43.0	21.5	129.1	.....	21.5	.....	10.8	10.8	.....	150.6	43.0	10.8
	1904	1,277.9	41.9	31.4	.....	.....	31.4	.....	.....	21.0	.....	199.0	31.4	.....
	1905	1,327.1	71.5	.....	.....	.....	10.2	10.2	20.4	30.6	.....	194.0	30.6	51.0

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
3.7	11.0	29.3	172.9	115.7	78.4	76.9	99.6	94.5	54.9	30.8	10.3	100.4	38.1	145.8	5.1
2.8	11.3	26.2	189.8	99.9	80.0	72.2	103.4	88.5	57.4	43.9	15.6	96.3	33.3	184.8	1.4
1.4	9.6	29.5	200.8	120.6	74.0	89.8	97.3	98.0	56.9	52.1	21.2	87.1	35.0	163.1	.....
0.7	12.0	29.2	184.6	118.2	61.8	63.7	80.4	96.9	67.7	47.8	17.3	74.4	28.6	146.7	2.6
.....	7.1	23.8	179.7	127.5	68.9	63.8	100.5	91.4	63.1	30.3	14.2	99.2	26.4	126.9	0.6
.....	.....	15.3	198.6	61.1	122.1	45.8	76.4	91.7	53.5	183.3	7.6	122.1	7.6	68.8	15.3
.....	.....	14.6	94.6	29.1	58.3	51.0	123.8	51.0	43.7	94.6	7.3	101.9	29.1	65.5	7.3
.....	6.9	34.8	111.3	62.6	118.3	48.7	160.0	34.8	55.7	55.7	6.9	83.5	20.9	104.4	6.9
.....	.....	13.3	113.2	73.2	86.6	46.6	99.9	46.6	66.6	66.6	13.3	59.9	20.0	79.9	20.0
.....	6.4	31.9	108.6	83.0	44.7	70.3	191.6	57.5	51.1	95.8	6.4	108.6	19.2	115.0	.....
.....	30.4	10.1	486.6	253.5	101.4	111.5	91.3	81.1	60.8	50.7	30.4	20.3	30.4	152.1	10.1
.....	9.7	19.4	358.5	290.7	38.7	96.9	77.5	106.6	48.4	77.5	19.4	125.9	29.1	145.3	.....
.....	9.3	18.6	473.1	287.6	37.1	37.1	148.4	120.6	37.1	83.5	18.6	74.2	9.3	167.0	9.3
.....	17.8	44.5	329.2	302.6	44.5	89.0	195.8	89.0	106.8	44.5	17.8	97.9	35.6	222.4	.....
.....	.....	17.1	427.5	273.6	102.6	85.5	94.1	77.0	42.8	42.8	34.2	42.8	51.3	188.1	.....
2.6	2.6	34.4	223.9	139.1	124.5	75.5	121.9	79.5	74.2	76.8	2.6	103.3	80.8	111.3	2.6
2.6	9.0	41.2	285.9	148.1	118.5	105.6	140.4	85.0	83.7	63.1	5.2	91.4	104.3	122.3	1.3
2.5	13.8	25.1	254.2	126.5	136.5	82.6	125.3	99.0	78.9	80.2	3.8	100.2	71.4	131.5	1.3
3.7	14.6	29.3	235.4	129.3	178.0	101.2	107.3	96.3	93.9	76.8	6.1	81.7	56.1	145.1	1.2
1.2	7.1	29.7	242.3	105.7	136.6	83.2	123.5	79.6	92.7	70.1	9.5	83.2	61.8	135.4	3.6
.....	15.9	41.2	213.8	188.6	209.8	111.6	128.8	99.6	123.5	59.8	5.3	70.4	46.5	154.1	1.3
2.6	18.5	50.3	190.6	209.2	207.8	119.1	101.9	95.3	100.6	83.4	9.3	71.5	46.3	136.3	1.3
.....	9.2	40.9	194.0	200.6	161.0	108.2	62.0	89.7	146.5	102.9	4.0	100.3	60.7	155.7	.....
.....	11.8	26.3	194.7	246.0	159.2	144.7	140.7	146.0	152.6	89.4	3.9	106.5	69.7	143.4	.....
1.3	13.1	53.8	200.6	233.4	145.5	142.9	118.0	139.0	140.3	91.8	7.9	93.1	66.9	129.8	.....
.....	12.9	51.4	167.2	122.2	109.3	96.5	141.5	64.3	135.0	57.9	25.7	83.6	70.7	173.6	.....
.....	25.1	25.1	132.0	106.8	144.5	194.8	106.8	100.5	100.5	75.4	37.7	119.4	44.0	132.0	.....
.....	12.3	30.7	116.7	147.4	184.3	86.0	110.6	49.1	110.6	73.7	24.6	159.7	55.3	73.7	12.3
.....	12.0	66.1	162.2	150.2	186.3	144.2	180.3	60.1	84.1	96.1	66.1	108.2	24.0	84.1	.....
.....	23.5	58.8	135.3	88.2	123.5	100.0	141.1	123.5	117.6	76.4	58.8	164.7	82.3	111.7	5.9
5.2	6.9	53.6	147.0	105.5	183.3	79.5	60.5	89.9	77.8	91.6	6.9	69.2	67.4	155.6	.....
3.4	15.2	28.7	197.3	227.7	161.9	111.3	86.0	102.9	91.1	81.0	10.1	114.7	33.7	146.7	.....
1.6	19.8	42.8	209.1	181.1	154.8	107.0	98.8	84.0	107.0	95.5	8.2	107.0	31.3	141.6	.....
1.6	14.5	49.8	186.5	242.8	188.1	104.5	99.7	127.0	112.6	78.8	4.8	138.3	37.0	151.1	.....
1.6	22.0	44.0	198.0	223.1	149.3	84.8	99.0	97.4	119.4	100.6	9.4	114.7	29.9	122.6	1.6
.....	11.8	82.8	130.2	177.6	59.2	23.7	35.5	71.0	59.2	47.3	47.3	59.2	11.8	130.2	11.8
.....	11.9	11.9	273.2	178.2	47.5	59.4	118.8	130.7	47.5	59.4	23.8	47.5	11.9	154.4	11.9
.....	11.9	.....	202.8	226.6	119.3	23.8	83.5	107.4	119.3	119.3	23.8	83.5	11.9	107.3	23.8
12.0	12.0	12.0	167.6	155.7	83.8	35.9	155.7	83.8	83.8	23.9	35.9	59.9	23.9	107.8	.....
.....	48.1	12.0	192.4	252.5	12.0	72.1	180.3	60.1	36.1	60.1	.....	60.1	48.1	108.2	12.0
.....	.....	28.9	192.5	86.6	202.1	115.5	86.6	96.3	115.5	67.4	.....	86.6	115.5	144.4	.....
.....	.....	28.5	208.9	142.4	114.0	76.0	114.0	57.0	104.5	123.4	.....	57.0	66.5	133.0	.....
.....	18.4	36.8	128.8	101.2	64.4	55.2	64.4	82.8	82.8	119.6	.....	46.0	46.0	101.2	9.2
9.1	36.3	72.6	72.6	154.4	217.9	54.5	154.4	118.1	136.2	90.8	.....	90.8	54.5	227.0	9.1
9.0	9.0	53.8	107.6	179.3	116.5	125.5	89.6	170.3	134.5	134.5	9.0	107.6	17.9	98.6	9.0
.....	11.3	45.3	147.0	101.8	56.6	56.6	90.5	90.5	33.9	22.6	11.3	22.6	45.3	135.8	.....
.....	44.1	110.4	88.3	110.4	110.4	110.4	66.2	44.1	99.3	22.1	22.1	55.2	11.0	143.5	.....
.....	.....	32.3	86.2	97.0	53.9	43.1	64.7	86.2	21.5	75.4	.....	64.7	10.8	64.7	.....
.....	10.5	42.1	94.7	231.5	105.3	31.6	42.1	42.1	31.6	136.8	.....	73.7	.....	115.8	.....
.....	.....	30.9	102.8	164.6	61.7	30.9	20.6	82.3	30.9	41.1	10.3	72.0	10.3	92.6	.....
.....	10.5	31.6	253.0	168.7	63.3	94.9	52.7	63.3	94.9	84.3	10.5	42.2	21.1	105.4	.....
10.3	10.3	31.0	186.0	216.9	103.3	103.3	10.3	31.0	93.0	41.3	.....	41.3	20.7	144.6	.....
.....	10.1	60.8	131.6	111.3	81.0	101.3	10.1	30.4	20.3	101.3	30.4	40.5	10.1	121.5	.....
.....	19.9	19.9	178.7	129.1	79.4	99.3	49.6	29.8	59.5	39.7	.....	49.6	29.8	129.1	.....
.....	9.7	68.2	175.3	194.8	126.6	87.7	87.7	29.2	39.0	48.7	.....	68.2	19.5	87.7	.....
.....	21.7	21.7	119.0	151.4	43.3	54.1	108.2	75.7	64.9	64.9	10.8	10.8	21.7	140.6	.....
10.5	10.5	52.8	168.7	126.6	52.8	73.8	84.4	42.2	10.5	31.6	10.5	94.9	10.5	31.6	.....
.....	10.3	30.8	154.2	143.9	102.8	51.4	154.2	113.1	41.1	92.5	.....	72.0	10.3	154.2	.....
.....	20.1	40.1	90.3	110.3	50.1	30.1	150.5	40.1	60.2	120.4	20.1	140.4	10.0	110.3	.....
.....	9.8	29.4	107.7	58.8	127.3	29.4	97.9	78.3	68.6	117.5	9.8	78.3	9.8	97.9	9.8
.....	12.5	37.4	116.5	224.6	91.5	58.2	99.8	29.1	37.4	58.2	4.2	70.7	54.1	137.3	4.2
.....	28.5	24.4	150.4	146.3	113.8	44.7	36.6	81.3	48.8	44.7	4.1	65.0	24.4	117.9	4.1
.....	15.9	15.9	166.9	202.7	107.3	71.5	35.8	67.5	47.7	75.5	.....	83.5	35.8	139.1	.....
.....	15.6	15.6	140.0	194.4	136.1	35.0	66.1	62.2	38.9	66.1	.....	66.1	3.9	120.5	.....
.....	11.4	30.4	186.4	216.9	129.4	26.6	72.3	64.7	72.3	30.4	7.6	87.5	19.0	83.7	.....
.....	12.0	12.0	204.1	96.0	144.1	96.0	228.1	48.0	48.0	60.0	24.0	48.0	72.0	132.1	24.0
.....	23.8	47.6	142.9	154.9	95.3	119.1	381.2	59.6	35.7	71.5	.....	11.9	71.5	190.6	.....
.....	.....	23.6	118.2	70.9	82.8	59.1	94.6	23.6	59.1	106.4	23.6	82.8	59.1	118.2	23.6
.....	.....	23.5	129.0	164.2	129.0	58.6	152.5	82.1	11.7	140.7	.....	82.1	23.5	129.0	11.7
.....	.....	81.5	116.4	186.2	93.1	93.1	197.8	23.3	93.1	69.8	.....	104.7	46.5	81.5	.....
0.3	10.2	23.6	207.4	224.7	119.2	125.9	165.4	97.0	125.6	105.4	10.2	100.9	39.5	177.7	0.3
0.7	10.7	26.4	183.1	203.2	126.9	141.8	159.9	91.9	115.5	116.2	13.2	72.5	38.8	169.9	0.3
0.7	12.3	17.1	200.5	223.1	137.4	128.6	135.4	104.0	131.3	112.5	20.1	82.2	39.2	168.8	0.3
0.7	12.4	22.8	206.7	222.4	146.3	120.8	139.6	105.0	147.3	107.7	21.1	97.0	37.6	181.5	0.7
1.0	15.5	19.1	184.6	225.2	139.0	111.9	141.6	106.6	159.1	99.4	19.8	105.7	31.7	155.8	.....
.....	11.4	56.8	113.7	79.5	45.4	113.7	125.0	79.5	45.4	102.3	.....	102.3	56.8	147.8	11.4
.....	.....	55.2	198.9	132.6	66.3	33.1	55.2	110.5	66.3	88.4	.....	44.2	55.2	232.1	.....
.....	.....	21.5	86.0	86.0	21.5	64.5	32.3	86.0	43.0	75.3	.....	64.5	64.5	118.4	.....
10.5	21.0	62.8	94.3	125.7	52.4	41.9	104.7	83.8	10.5	104.7	.....	62.8	21.0	125.7	.....
.....	.....	40.8	122.5	132.7	51.0	61.2	30.6	112.3	71.5	30.6	20.4	51.0	40.8	142.9	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.

REGISTRATION AREA.		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Waterbury town, Conn	1901	1,690.8	32.1	9.4	.....	3.8	11.3	35.9	35.9	45.3	.....	162.5	17.0	35.9
	1902	1,712.1	32.9	12.8	5.5	5.5	32.9	9.1	42.0	9.1	.....	173.6	16.4	42.0
	1903	1,666.6	30.1	1.8	.....	51.3	21.2	33.6	42.5	10.6	.....	139.8	19.5	58.4
	1904	1,533.1	20.6	6.9	.....	.....	20.6	10.3	42.9	13.7	.....	154.3	25.7	49.7
	1905	1,592.1	21.6	1.7	.....	8.3	8.3	5.0	33.3	21.6	15.0	146.4	18.3	48.2
Watertown, N. Y	1901	1,539.4	49.1	.....	4.5	22.3	.....	4.5	8.9	22.3	.....	138.3	22.3	44.6
	1902	1,271.2	64.9	.....	.....	.....	.....	.....	17.3	.....	.....	69.2	30.3	64.9
	1903	1,438.5	71.3	.....	.....	.....	4.2	.....	46.1	.....	.....	117.4	46.1	83.9
	1904	1,665.3	211.7	.....	.....	.....	.....	12.2	32.6	48.9	.....	73.3	44.8	61.1
	1905	1,507.4	23.7	.....	.....	27.7	.....	4.0	15.8	4.0	4.0	83.1	23.7	75.2
Watertown town, Mass	1901	1,228.0	10.0	.....	.....	10.0	.....	.....	20.0	20.0	.....	129.8	10.0	30.0
	1902	1,268.6	.....	.....	9.7	.....	29.1	.....	.....	.....	.....	106.5	9.7	106.5
	1903	1,147.0	18.8	.....	.....	.....	.....	9.4	.....	28.2	.....	103.4	9.4	47.0
	1904	1,269.8	.....	.....	.....	9.1	.....	9.1	.....	18.3	.....	127.9	.....	54.8
	1905	1,208.0	.....	.....	.....	8.9	.....	.....	35.5	44.4	8.9	97.7	17.8	44.4
Watervliet, N. Y	1901	1,720.9	55.7	.....	.....	.....	.....	27.9	13.9	83.6	.....	174.2	20.9	13.9
	1902	1,473.8	62.6	7.0	7.0	.....	.....	34.8	7.0	7.0	.....	104.3	13.9	55.6
	1903	1,643.9	69.4	.....	.....	6.9	.....	27.7	27.7	20.8	.....	194.2	20.8	97.1
	1904	1,578.0	48.4	.....	.....	13.8	.....	.....	41.5	27.7	.....	193.8	.....	34.6
	1905	1,954.3	55.2	.....	.....	48.3	27.6	20.7	41.4	41.4	6.9	221.0	13.8	69.1
Webster town, Mass	1901	1,437.1	22.1	33.2	.....	22.1	11.1	11.1	33.2	44.2	.....	66.3	.....	11.1
	1902	1,700.9	10.8	10.8	.....	10.8	140.0	32.3	86.9	10.8	.....	118.4	21.5	21.5
	1903	1,605.1	.....	.....	.....	.....	.....	31.5	52.5	21.0	.....	136.4	.....	62.9
	1904	1,493.6	10.2	.....	.....	.....	.....	10.2	20.5	10.2	.....	163.7	20.5	40.9
	1905	1,517.3	20.0	.....	.....	29.9	.....	39.9	59.9	29.9	20.0	169.7	20.0	79.9
West Bay City, Mich	1901	1,268.2	15.3	.....	.....	.....	15.3	7.6	45.8	61.1	.....	68.8	15.3	53.5
	1902	1,462.6	15.3	30.6	.....	.....	15.3	45.9	7.7	.....	.....	61.3	7.7	99.5
	1903	1,251.2	23.0	7.7	.....	38.4	.....	15.3	53.7	7.7	.....	107.5	.....	30.7
	1904	1,215.7	53.9	.....	.....	23.1	.....	.....	38.5	23.1	.....	46.2	15.4	23.1
Westfield town, Mass	1901	1,790.0	.....	.....	.....	.....	.....	.....	143.2	55.7	.....	143.2	8.0	95.5
	1902	1,629.0	23.4	.....	.....	.....	31.2	15.6	70.1	.....	.....	124.7	39.0	62.4
	1903	1,711.2	30.6	7.6	.....	15.3	15.3	45.8	61.1	15.3	.....	114.6	7.6	107.0
	1904	1,520.6	37.5	.....	.....	7.5	7.5	.....	37.5	.....	.....	157.3	37.5	82.4
	1905	1,557.6	22.0	.....	.....	.....	14.7	.....	7.3	7.3	.....	176.3	22.0	66.1
Weymouth town, Mass	1901	1,424.1	26.4	17.6	.....	8.8	17.6	.....	26.4	8.8	.....	193.4	17.6	52.7
	1902	1,382.6	26.3	.....	17.5	.....	17.5	26.3	8.8	8.8	.....	131.3	.....	96.3
	1903	1,672.5	8.7	.....	.....	.....	.....	17.4	26.1	8.7	.....	130.7	17.4	78.4
	1904	1,422.1	8.7	.....	.....	.....	8.7	.....	26.0	17.3	.....	164.8	26.0	52.0
	1905	1,501.9	.....	.....	.....	.....	.....	8.6	8.6	8.6	8.6	138.1	8.6	69.1
Wheeling, W. Va	1901	1,742.4	86.5	5.1	2.5	10.2	33.1	15.3	63.6	48.3	.....	152.6	22.9	78.8
	1902	1,610.1	95.6	.....	5.0	.....	5.0	15.1	45.3	5.0	.....	140.9	22.6	67.9
	1903	1,562.7	97.0	2.5	22.4	2.5	.....	2.5	32.3	7.5	.....	149.3	24.9	72.1
	1904	1,745.4	78.8	.....	.....	17.2	2.5	34.5	29.5	4.9	.....	108.3	12.3	73.9
	1905	1,532.0	85.2	.....	.....	.....	9.7	12.2	19.5	7.3	4.9	153.4	21.9	58.5
Wichita, Kans	1901	1,675.4	114.4	8.2	4.1	.....	32.7	32.7	57.2	40.9	.....	138.9	16.3	45.0
	1902	1,473.6	85.2	10.6	.....	.....	.....	10.6	7.1	17.8	.....	149.1	17.8	74.6
	1903	1,413.7	44.4	.....	3.2	28.5	3.2	9.5	12.7	15.8	.....	120.5	31.7	53.9
	1904	1,547.5	28.3	.....	.....	3.1	.....	15.7	53.4	43.9	.....	157.0	15.7	75.3
	1905	1,613.6	38.6	.....	.....	.....	.....	.....	35.4	41.8	12.9	118.9	16.1	99.6
Williamsport, Pa	1901	1,192.9	17.3	.....	.....	6.9	10.4	.....	3.5	6.9	.....	138.3	10.4	41.5
	1902	1,371.9	51.6	10.3	.....	.....	.....	24.1	30.9	6.9	.....	113.5	6.9	61.9
	1903	1,333.5	30.8	.....	.....	.....	.....	10.2	17.1	13.7	.....	136.8	23.9	47.9
	1904	1,492.7	40.8	.....	17.0	.....	3.4	3.4	17.0	17.0	.....	98.6	17.0	68.0
	1905	1,629.9	71.0	3.4	.....	3.4	3.4	.....	10.1	44.0	16.9	94.7	13.5	67.6
Wilmington, Del	1901	1,727.3	41.2	2.6	.....	.....	3.8	12.9	43.7	24.4	.....	174.9	6.4	25.7
	1902	1,731.6	60.7	2.5	.....	1.3	5.1	29.1	10.1	7.6	.....	194.9	3.8	43.0
	1903	1,792.1	94.7	1.2	1.2	8.6	3.7	17.2	61.5	12.3	.....	199.3	3.7	45.5
	1904	1,558.5	50.9	2.4	1.2	2.4	3.6	7.3	41.2	6.1	.....	181.7	3.6	53.3
	1905	1,656.3	35.8	.....	.....	1.2	2.4	19.1	28.6	8.3	6.0	189.6	21.5	50.1
Wilmington, N. C	1901	2,700.8	90.2	246.8	.....	4.7	.....	4.7	38.0	75.9	.....	251.6	42.7	38.0
	1902	2,845.0	89.8	264.7	.....	.....	.....	18.9	33.1	80.3	.....	269.4	37.8	66.2
	1903	2,668.0	56.5	178.8	.....	.....	9.4	141.2	14.1	75.3	.....	202.3	42.3	23.5
	1904	2,811.1	75.0	206.1	.....	23.4	4.7	4.7	23.4	121.8	.....	257.7	18.7	14.1
	1905	2,495.8	79.3	116.6	4.7	.....	.....	9.3	37.3	88.6	23.3	191.3	51.3	56.0
Windham town, Conn	1901	1,655.5	19.7	9.8	.....	29.6	9.8	.....	29.6	88.7	.....	256.2	29.6	39.4
	1902	1,575.0	9.8	29.5	9.8	.....	.....	.....	.....	49.2	.....	157.5	19.7	68.9
	1903	1,701.1	29.5	9.8	.....	9.8	.....	19.7	.....	88.5	.....	177.0	68.8	68.8
	1904	1,964.4	19.6	19.6	.....	9.8	.....	.....	.....	49.1	.....	255.4	19.6	58.9
	1905	2,119.3	29.4	.....	.....	.....	88.3	19.6	19.6	68.7	29.4	225.7	39.2	78.5
Winona, Minn	1901	1,275.3	10.1	.....	5.0	.....	20.2	20.2	40.3	10.1	.....	126.0	20.2	55.4
	1902	1,032.0	5.0	.....	.....	20.0	.....	25.0	25.0	15.0	.....	95.2	15.0	75.1
	1903	1,179.9	14.9	.....	14.9	.....	.....	10.0	5.0	29.9	.....	94.6	10.0	89.6
	1904	1,420.1	9.9	.....	.....	.....	34.6	14.8	84.1	39.6	.....	103.9	19.8	89.1
	1905	1,268.8	9.8	.....	.....	.....	.....	9.8	113.1	34.4	4.9	113.1	4.9	118.0
Woburn, Mass	1901	1,491.3	14.0	14.0	.....	14.0	.....	14.0	.....	7.0	.....	210.0	21.0	63.0
	1902	1,600.1	.....	.....	7.0	.....	.....	7.0	7.0	7.0	.....	237.6	21.0	55.9
	1903	1,603.7	.....	13.9	.....	.....	34.9	48.8	13.9	27.9	.....	167.3	41.8	62.8
	1904	1,356.8	.....	.....	.....	7.0	7.0	.....	7.0	13.9	.....	104.4	41.7	76.5
	1905	1,520.6	27.8	.....	.....	13.9	.....	.....	13.9	55.5	6.9	159.7	34.7	90.3

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.9	20.8	47.2	102.0	109.6	143.6	149.3	194.6	83.1	56.7	100.1	1.9	98.2	18.9	171.9	1.9
.....	7.3	47.5	116.9	144.4	120.6	84.0	224.8	85.9	93.2	104.2	7.3	113.3	29.2	146.2	5.5
1.8	7.1	33.6	139.8	123.8	122.1	115.0	159.2	90.2	77.8	115.0	14.1	127.4	14.1	115.0	1.8
.....	18.9	15.4	137.2	156.0	120.0	72.0	214.4	75.5	78.9	84.0	13.7	89.2	10.3	102.9	.....
3.3	10.0	46.6	124.8	124.8	124.8	89.8	232.9	86.5	83.2	79.9	13.3	116.5	15.0	101.5	1.7
4.5	4.5	40.2	138.3	116.0	116.0	133.9	80.3	98.2	89.2	66.9	17.8	80.3	31.2	200.8	4.5
4.3	13.0	47.6	82.2	147.9	82.2	82.2	51.9	82.2	77.8	82.2	4.3	43.2	17.3	203.2	4.3
.....	12.6	46.1	121.6	197.1	71.3	58.7	117.4	79.7	46.1	88.1	12.6	46.1	16.7	155.2	.....
.....	24.4	44.8	122.1	207.7	89.6	97.7	48.9	109.9	36.6	150.7	16.3	52.9	16.3	158.8	4.1
7.9	23.7	31.7	146.4	178.0	79.1	91.0	130.6	134.5	67.3	79.1	11.9	98.9	23.7	142.4	.....
10.0	20.0	20.0	99.8	119.8	119.8	79.9	69.9	30.0	79.9	49.9	.....	79.9	89.9	129.8	.....
.....	9.7	58.1	125.9	116.2	87.2	58.1	116.2	19.4	29.1	58.1	9.7	58.1	87.2	164.6	9.7
.....	9.4	37.6	141.0	131.6	37.6	56.4	56.4	2.8	47.0	75.2	.....	75.2	65.8	169.2	.....
.....	9.1	27.4	91.3	109.6	100.5	82.2	91.3	18.3	45.7	82.2	.....	127.9	82.2	182.7	.....
.....	35.5	35.5	79.9	213.2	79.9	44.4	71.1	71.1	17.8	88.8	.....	17.8	44.4	151.0	.....
.....	7.0	27.9	167.2	118.4	188.1	139.3	76.6	104.5	118.4	48.8	.....	118.4	62.7	153.3	.....
.....	7.0	34.8	104.3	152.9	152.9	139.0	125.1	111.2	111.2	41.7	.....	27.8	48.7	118.2	.....
.....	.....	41.6	166.5	194.2	111.0	145.7	83.2	83.2	117.9	55.5	6.9	48.6	34.7	90.2	.....
.....	.....	34.6	173.0	110.7	166.1	117.7	96.9	103.8	90.0	27.7	6.9	69.2	41.5	179.9	.....
.....	13.8	34.5	186.5	234.8	193.4	145.0	110.5	89.8	96.7	55.2	.....	103.6	41.4	103.6	.....
.....	.....	44.2	154.8	77.4	99.5	66.3	165.8	88.4	22.1	121.6	.....	55.3	154.8	121.6	11.1
.....	10.8	43.1	215.3	53.8	193.8	86.1	183.0	107.7	21.5	53.8	.....	43.1	86.1	129.2	10.8
.....	.....	31.5	188.8	125.9	167.9	52.5	157.4	94.4	73.4	73.4	10.5	31.5	94.4	178.3	21.0
.....	10.2	20.5	122.8	61.4	214.8	30.7	143.2	92.1	71.6	71.6	20.5	20.5	61.4	194.4	81.8
10.0	10.0	50.0	129.8	69.9	109.8	89.8	149.7	39.9	20.0	99.8	.....	49.9	39.9	139.7	39.9
7.6	7.6	15.3	175.7	76.4	122.2	114.6	84.1	84.1	30.6	15.3	7.6	61.1	15.3	160.4	7.6
7.7	7.7	38.3	153.2	176.1	107.2	91.9	68.9	107.2	68.9	137.8	7.7	68.9	15.3	122.5	.....
15.3	.....	15.3	76.8	122.8	38.4	76.8	115.1	99.8	38.4	61.4	.....	168.9	46.1	92.1	.....
.....	15.4	15.4	130.8	138.5	100.0	69.2	84.6	76.9	30.8	61.5	7.7	53.9	15.4	192.3	.....
.....	.....	39.8	183.0	206.8	159.1	103.4	71.6	87.5	87.5	71.6	8.0	95.5	39.8	190.9	.....
.....	23.4	23.4	218.2	163.7	116.9	70.1	54.6	124.7	101.3	116.9	7.8	54.6	70.1	116.9	.....
.....	7.6	38.2	213.9	183.3	107.0	61.1	206.3	68.8	76.4	99.3	.....	84.0	45.8	99.3	.....
7.5	30.0	22.5	150.7	202.2	74.9	37.5	112.4	67.4	74.9	67.4	7.5	119.9	30.0	142.3	.....
.....	14.7	36.7	146.9	213.1	146.9	36.7	73.5	80.8	80.8	146.9	7.3	58.8	44.1	154.3	.....
.....	8.8	.....	149.4	175.8	44.0	44.0	105.5	87.9	87.9	35.2	8.8	17.6	52.7	237.3	.....
8.8	17.5	17.5	166.3	253.8	78.8	43.8	52.5	35.0	78.8	61.3	8.8	61.3	26.3	140.0	.....
.....	34.8	26.1	148.1	322.3	217.5	61.0	104.5	104.5	61.0	104.5	.....	69.7	26.1	104.5	.....
.....	34.7	52.0	95.4	303.5	138.7	17.3	60.7	78.0	95.4	60.7	8.7	43.4	8.7	121.4	.....
8.6	25.9	25.9	207.2	310.7	69.1	95.0	103.6	60.4	86.3	60.4	.....	34.5	43.2	120.8	.....
5.1	7.6	38.1	119.6	124.6	129.7	104.3	89.0	137.4	66.1	45.8	10.2	119.6	50.9	175.5	.....
2.5	7.5	83.0	123.3	105.7	113.2	125.8	78.0	105.7	88.1	60.4	17.6	88.1	62.9	138.4	7.5
.....	7.5	62.2	139.3	92.1	114.5	72.1	92.1	84.6	69.7	69.7	24.9	124.4	67.2	121.9	7.5
.....	7.4	78.8	120.6	108.3	194.5	105.9	120.6	93.6	86.2	44.3	29.5	120.6	108.3	160.0	4.9
2.4	.....	60.9	143.7	102.3	107.2	90.1	97.4	112.0	77.9	41.4	12.2	92.6	63.3	151.0	4.9
4.1	4.1	16.3	102.2	114.4	57.2	40.9	114.4	138.9	77.6	53.1	16.3	130.8	118.5	188.0	8.2
7.1	3.5	42.6	103.0	99.4	71.0	32.0	74.6	92.3	74.6	60.4	.....	124.3	120.7	159.8	35.5
6.3	6.3	28.5	145.8	98.3	69.7	44.4	47.6	155.3	82.4	69.7	3.2	85.6	60.2	155.3	31.7
3.1	12.6	18.8	135.0	103.6	128.7	37.7	69.1	138.1	75.3	59.6	3.1	106.7	69.1	175.8	18.8
12.9	16.1	12.9	147.9	112.5	77.1	48.2	67.5	167.1	73.9	109.3	3.2	90.0	125.4	176.8	9.6
.....	6.9	17.3	134.8	131.4	131.4	65.7	62.2	65.7	55.3	24.2	10.4	27.7	86.4	134.8	3.5
.....	3.4	48.1	127.2	110.0	137.6	72.2	34.4	110.0	61.9	30.9	6.9	89.4	82.5	141.0	10.3
.....	13.7	13.7	133.4	157.3	99.1	61.5	47.9	68.4	99.1	30.8	.....	78.6	119.7	129.9	.....
3.4	.....	51.0	132.6	159.9	112.2	47.6	71.4	115.6	102.0	64.6	3.4	88.4	78.2	176.8	3.4
3.4	20.3	33.8	172.5	182.6	98.1	94.7	67.6	169.1	81.2	50.7	3.4	98.1	54.1	172.5	.....
6.4	2.6	66.9	203.2	172.3	150.5	75.9	102.9	87.5	70.7	96.5	2.6	126.0	95.2	129.9	2.6
5.1	5.1	81.0	194.9	157.0	164.6	63.3	97.5	63.3	77.2	93.6	6.3	134.2	116.5	110.1	3.8
7.4	4.9	50.4	202.9	148.8	184.5	88.6	87.3	92.3	89.8	83.6	8.6	104.6	77.5	109.5	2.5
1.2	2.4	56.9	196.2	157.4	129.6	53.3	104.1	94.5	78.7	56.9	2.4	92.0	79.9	99.3	.....
3.6	9.5	60.8	182.4	138.3	119.2	71.5	85.9	73.9	113.3	77.5	10.7	118.1	100.2	126.4	2.4
.....	.....	42.7	284.8	213.6	147.2	142.4	213.6	85.4	80.7	118.7	.....	99.7	156.6	189.9	132.9
4.7	.....	18.9	335.5	231.6	193.8	94.5	236.3	127.6	56.7	132.3	4.7	141.8	165.4	184.3	56.7
.....	.....	28.2	301.2	310.6	131.8	61.2	174.1	188.2	103.5	70.6	4.7	169.4	89.4	207.0	84.7
.....	4.7	51.5	281.1	238.9	121.8	117.1	229.6	182.7	107.8	126.5	4.7	135.9	173.4	220.2	65.6
4.7	9.3	14.0	275.2	242.6	93.3	51.3	237.9	126.0	135.3	126.0	28.0	135.3	88.6	219.3	51.3
9.8	29.6	69.0	177.4	128.1	88.7	69.0	187.2	69.0	88.7	49.3	19.7	59.1	9.8	88.7	.....
.....	49.2	29.5	167.4	196.9	78.8	128.0	39.4	108.3	157.5	59.1	.....	128.0	9.8	78.7	.....
.....	29.5	49.2	137.7	157.4	88.5	68.8	186.9	68.8	68.8	68.8	9.8	68.8	29.5	196.7	.....
.....	9.8	29.5	226.0	245.6	88.4	147.3	147.3	117.9	117.9	88.4	.....	137.5	49.1	127.7	.....
.....	19.6	29.4	166.8	225.7	107.9	98.1	255.1	157.0	157.0	29.4	.....	107.9	19.6	147.2	.....
.....	10.1	40.3	131.1	110.9	70.6	95.8	65.5	95.8	35.3	20.2	10.1	55.4	30.2	161.3	35.3
.....	10.0	25.0	130.2	85.2	65.1	50.1	20.0	55.1	45.1	30.1	.....	65.1	15.0	135.2	25.0
.....	.....	24.9	114.5	154.3	54.8	59.7	64.7	104.6	64.7	29.9	5.0	39.8	19.9	154.3	19.9
.....	9.9	29.7	74.2	153.4	108.9	108.9	34.6	84.1	14.8	54.4	.....	89.1	29.7	202.9	29.7
.....	29.5	4.9	103.3	113.1	83.6	68.9	39.3	78.7	19.7	54.1	14.8	98.4	19.7	132.8	.....
.....	.....	28.0	161.0	133.0	140.0	49.0	70.0	56.0	154.0	77.0	.....	126.0	35.0	105.0	.....
.....	14.0	21.0	188.7	223.6	69.9	69.9	111.8	62.9	132.8	90.8	7.0	76.9	55.9	132.8	.....
.....	.....	13.9	167.3	237.1	132.5	55.8	104.6	20.9	111.6	76.7	7.0	55.8	27.9	131.3	.....
.....	7.0	13.9	180.9	153.1	90.5	76.5	111.3	69.6	104.4	48.7	13.9	62.6	13.9	153.1	.....
6.9	.....	20.8	145.8	277.7	118.0	104.2	41.7	48.6	104.2	34.7	6.9	69.4	27.8	111.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.														
Woonsocket, R. I.	1901	1,651.6	10 3	3.4	.....	10 3	.....	3.4	41.4	20.7	.....	179.3	24.1	41.4
	1902	1,832.2	3.4	.....	83.9	3.4	.....	3.4	60.4	.....	.....	214.8	30.2	50.3
	1903	1,598.1	3.3	.....	.....	.....	22.9	42.5	94 8	6.5	.....	199.4	22.9	22.9
	1904	1,481.0	6.4	.....	.....	9.6	3.2	9.6	28.7	.....	.....	197.5	31.9	63.7
	1905	1,518.8	12.4	.....	.....	18.6	3.1	9 3	43.5	12.4	18.6	177.0	55.9	24.8
Worcester, Mass.	1901	1,707.3	21.6	6.6	3.3	2.5	10 8	13.3	15.0	28.2	.....	191.9	29.9	64.0
	1902	1,582.9	13.9	5 7	0.8	7.4	13.1	21.3	7.4	6.5	.....	165.2	23.7	64.6
	1903	1,696.6	15.3	8 9	.....	23.3	5.6	12 1	8.9	9.7	.....	170.6	33.0	69.2
	1904	1,622.1	6.3	4.0	.....	2.4	2.4	11.1	7.1	2.4	.....	168.0	30.1	101.4
	1905	1,768.4	21 1	3.1	.....	3 9	3.1	19.5	10.9	7.0	15.6	171.7	33.6	80.4
Yonkers, N. Y.	1901	1,635 5	19.8	5.9	17.8	11.9	2.0	2.0	29.6	25.7	.....	201.5	35.6	51.4
	1902	1,620 3	11.3	3.8	3.8	11.3	20.6	35.6	45.0	3.8	.....	161.3	31.9	43.1
	1903	1,503.0	14.3	3.6	.....	5.4	12.5	12.5	44.6	8.9	.....	203.5	19.6	75.0
	1904	1,709 9	15.3	1.7	.....	8.5	11.9	6.8	39.2	13.6	.....	195.9	40.9	66.4
	1905	1,662.5	4.9	3.3	.....	.....	11.4	27.7	34.2	11.4	3.3	175.9	42.3	65.1
Youngstown, Ohio.	1901	1,635.1	136.8	8.7	.....	13.0	6.5	2.2	54.3	32.6	.....	84 7	4.3	45.6
	1902	1,855.2	135.5	4.2	33 9	29.6	19.1	10.6	29.6	6.4	.....	95.3	21.2	42.4
	1903	1,947.4	180.0	.....	4.1	12.3	2.0	22.5	26.6	16.4	.....	126.8	30.7	53.2
	1904	1,647.3	89 8	4 0	6.0	18.0	6.0	.....	47.9	8 0	.....	129.8	10.0	37.9
	1905	1,929.5	67 9	.....	.....	9.7	31.1	21.4	85 4	21.4	11.6	116 5	19.4	67.9
CONNECTICUT RURAL.														
Fairfield county	1901	1,544 4	13.9	11.6	.....	2.3	6 9	4.6	23.1	74.0	.....	117.9	16.2	67.1
	1902	1,546.4	9.1	4.6	.....	.....	9 1	4.6	41.2	20.6	.....	141.8	18 3	59.5
	1903	1,595.9	4.5	4.5	2.3	13.6	15.8	9.1	15.8	34.0	.....	142.6	11.3	106.4
	1904	1,675.5	17.9	.....	.....	11.2	9.0	4.5	31.4	42 6	.....	109.5	9.0	82.9
	1905	1,603.1	17.7	20.0	.....	.....	4.4	2.2	33.3	33 3	22.2	115.3	17.7	71.0
Hartford county	1901	1,547.8	14.7	5.9	.....	20.6	4 4	5.9	42 7	72.1	.....	128.0	7.3	67.7
	1902	1,332.3	21 8	13.1	1 5	1.5	17 5	5.8	18 9	8.7	.....	107 6	7.3	59.6
	1903	1,423.7	7.2	2.9	.....	23.0	12.9	46.0	23 0	31.6	.....	96.4	23.0	59.0
	1904	1,523.0	8.5	4 3	.....	1.4	7.1	5.7	15.6	49.8	.....	128 0	24.2	75.4
	1905	1,513.3	11.3	2.8	.....	8.4	.....	1.4	14.1	32.3	18.3	101 3	18.3	75.9
Litchfield county	1901	1,599.1	15.5	5.8	.....	1.9	1.9	9.7	11 6	89.2	.....	137 6	29.1	79.5
	1902	1,445.3	11.6	5.8	.....	.....	17.3	9.6	25 0	7.7	.....	119.3	23.1	73.1
	1903	1,421.6	9.6	.....	.....	1.9	13.4	11.5	15 3	42.0	.....	103.2	11.5	80.2
	1904	1,476.1	13.3	.....	.....	20.9	.....	3.8	11 4	49.3	.....	134.7	19.0	60.7
	1905	1,561.8	22.6	3.8	.....	3.8	5.7	5.7	20.7	41.4	5.7	118.7	26.4	94.2
Middlesex county	1901	1,574.0	8.2	.....	8.2	4.1	4.1	4.1	4 1	156.6	.....	144.3	12.4	78.3
	1902	1,458.8	20 6	28.9	.....	.....	.....	8.2	8.2	12.4	.....	94.8	20.6	90.7
	1903	1,492.0	8 2	4.1	.....	33.0	20.6	20 6	16.5	61.8	.....	107.2	24.7	57.7
	1904	1,541.8	16 5	.....	.....	8 2	8.2	8.2	16.5	53.6	.....	103 1	8.2	86.6
	1905	1,471.9	8 2	16.5	.....	4.1	4.1	4.1	20.6	16.5	4.1	140.2	24.7	70.1
New Haven county	1901	1,476.1	22.1	12.0	.....	.....	12 0	6.0	24.1	60 2	.....	148.4	24.1	60.2
	1902	1,388.1	21 7	7.9	.....	21.7	15.8	29.6	13.8	23.7	.....	102 7	17.8	81.0
	1903	1,407.8	7.8	13.6	.....	3.9	3 9	17.5	11.7	36 9	.....	112 8	27.2	73.9
	1904	1,538 1	17.2	15.3	.....	17.2	15 3	5.7	15.3	40 2	.....	101.6	17 2	57.5
	1905	1,500 3	17.0	20.8	.....	.....	1.9	3.8	3.8	28.3	22 6	118.9	13.2	71.7
New London county	1901	1,548.3	6 2	12.5	.....	12.5	6.2	3.1	46.9	115.7	.....	84.4	12.5	62.6
	1902	1,476.1	12.5	.....	.....	6.3	9.4	9.4	18.8	15.7	.....	134.7	9 4	75.2
	1903	1,563.7	12.6	6.3	.....	6.3	6 3	15.7	9.4	53.4	.....	150.7	25.1	97.3
	1904	1,582.5	9.4	3.1	.....	12.6	.....	3.1	15.7	59 8	.....	97.5	22.0	94.4
	1905	1,604.5	22.1	6.3	.....	.....	3.2	12.6	6.3	25.2	15.8	113.5	25.2	75.7
Tolland county	1901	1,692.0	31.2	.....	.....	6.2	.....	.....	56.2	106.1	.....	137.4	12.5	87.4
	1902	1,519.3	43.8	.....	6.3	.....	6.3	.....	56 2	25.0	.....	125.0	12.5	68.8
	1903	1,959.8	12.5	.....	.....	37.6	12.5	25.0	6.3	100.2	.....	131.5	12.5	68.9
	1904	1,655.4	25.1	.....	.....	6.3	.....	6.3	37.6	100.3	.....	119 1	6.3	62.7
	1905	1,582.4	31.4	.....	.....	12.6	12.6	6.3	12.6	56.5	18.8	100.5	18.8	69.1
Windham county	1901	1,531.9	8.1	8 1	.....	29.8	.....	5.4	32.5	75.9	.....	116.6	21.7	84.1
	1902	1,549.6	8.1	.....	2.7	8.1	8.1	13.5	16.2	16.2	.....	145.8	5.4	89.1
	1903	1,537.6	13.4	5.4	.....	10.8	.....	13.4	16.1	37.6	.....	145.2	26.9	64.5
	1904	1,547.1	24.1	5.4	.....	2.7	8.0	5.4	10.7	53.5	.....	125 8	2.7	45.5
	1905	1,612.5	16.0	5 3	.....	24.0	5.3	10.7	10.7	37.3	21.3	135.9	16.0	93.3
INDIANA RURAL.														
Adams county	1901	1,323 7	66.9	4.4	.....	.....	4.4	13.4	13.4	26.7	.....	138.2	26.7	66.9
	1902	1,055.6	57.4	22.1	.....	4.4	.....	4.4	4.4	4.4	.....	123.7	26.5	30.9
	1903	1,002 3	35.0	4.4	4.4	8.7	.....	17.5	4.4	8 7	.....	122.5	21.9	61.3
	1904	997.7	21.7	.....	.....	13 0	17.4	4.3	4.3	13.0	.....	143.2	21.7	21.7
	1905	971.8	34.4	.....	.....	.....	8.6	.....	21.5	34.4	4.3	94.6	21.5	51.6
Allen county	1901	980.1	62.0	9.3	6.2	.....	6.2	.....	24.8	24.8	.....	86.9	12.4	31.0
	1902	983.7	21.7	.....	.....	6.2	12.4	6.2	9.3	12 4	.....	120.6	3.1	27.8
	1903	799.0	24.7	.....	.....	.....	.....	9.3	15.4	6 2	.....	89.4	18.5	15.4
	1904	926 2	43.1	.....	.....	6.2	3.1	3.1	3.1	12.3	.....	73.8	6.2	61.5
	1905	890.0	15.3	.....	.....	.....	.....	9 2	6.1	6 1	9.2	70.6	15 3	61.4
Bartholomew county	1901	1,378.4	36.6	.....	.....	.....	12.2	12.2	24.4	6.1	.....	176.9	6.1	18.3
	1902	1,194.3	36.8	6.1	.....	.....	.....	6.1	.....	.....	.....	171.5	18.4	67.4
	1903	1,107.0	43.1	6.1	12.3	.....	6.1	24.6	12.3	6.1	.....	123.0	18.4	36.9
	1904	1,241.4	24.7	.....	.....	24.7	.....	18.5	24.7	18.5	.....	166.8	6.2	43.2
	1905	1,159.8	31.0	12.4	.....	.....	.....	12.4	12.4	43.4	18.6	173.7	24.8	93.0
Benton county	1901	1,132.5	7.6	.....	.....	15.1	.....	7.6	22.7	.....	.....	173.6	7.6	22.7
	1902	785.5	.....	.....	.....	7.5	.....	.....	7.5	15.0	.....	52.3	7.5	44.9
	1903	785.8	44.5	7 4	.....	7.4	.....	22.2	.....	7.4	.....	111.2	7.4	44.5
	1904	911.0	7.3	.....	7.3	7.3	.....	14.7	.....	14.7	.....	117.6	7.3	44.1
	1905	953.9	21.8	14.6	.....	.....	.....	14.6	7.3	7.3	14.6	51.0	14.6	65.5

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	10.3	58.6	137.9	106.9	96.5	86.2	317.2	82.8	62.1	144.8	17.2	48.3	34.5	113.8	.....
.....	3.4	47.0	147.7	97.3	144.3	120.8	271.8	67.1	97.3	117.4	10.1	60.4	20.1	177.9	.....
.....	13.1	19.6	114.4	107.9	143.8	120.9	202.6	62.1	81.7	88.2	6.5	65.4	36.0	120.9	.....
.....	15.9	44.6	117.8	127.4	191.1	73.3	149.7	63.7	98.7	79.6	12.7	35.0	15.9	105.1	.....
3.1	9.3	34.2	105.6	96.3	121.1	96.3	285.7	65.2	102.5	93.2	.....	43.5	12.4	71.4	3.1
1.7	10.8	34.9	181.9	164.5	141.2	110.5	119.6	80.6	74.8	115.5	10.8	91.4	29.9	152.0	.....
3.3	9.0	36.8	168.4	183.1	125.1	116.9	94.8	58.9	60.5	123.5	12.3	92.4	30.3	134.1	4.1
4.8	10.5	46.7	168.2	178.7	146.5	103.0	126.4	103.0	67.6	129.6	7.2	86.1	25.8	136.0	.....
.....	19.8	20.6	165.6	207.6	131.5	114.9	77.7	71.3	78.5	128.4	11.9	95.1	22.2	140.3	1.6
3.1	14.8	35.9	187.3	234.1	131.1	85.1	131.9	85.1	74.1	133.5	19.5	86.6	32.8	143.6	.....
.....	5.9	67.2	124.4	193.6	122.5	124.4	104.7	79.0	77.0	77.0	2.0	108.6	31.6	112.6	2.0
.....	5.6	43.1	129.4	146.3	106.9	112.5	189.4	103.1	121.9	61.9	9.4	73.1	22.5	123.8	.....
.....	7.1	41.1	121.4	133.9	66.0	101.7	167.8	75.0	107.1	73.2	7.1	80.3	30.3	91.0	.....
.....	8.5	59.6	129.4	129.4	131.1	129.4	187.3	88.6	143.1	61.3	5.1	100.5	13.6	122.6	.....
1.6	14.7	169.3	97.7	148.2	86.3	84.7	223.1	76.5	112.4	57.0	1.6	96.1	6.5	105.8	1.6
4.3	4.3	52.1	134.6	110.8	158.5	89.0	95.6	95.6	36.9	45.6	17.4	180.2	84.7	117.3	19.5
.....	4.2	33.9	141.9	97.4	156.7	80.5	103.8	89.0	52.9	118.6	16.9	281.7	95.3	135.5	19.1
.....	10.2	36.8	106.4	92.0	159.6	94.1	171.8	178.0	61.4	137.1	8.2	188.2	83.9	143.1	2.0
.....	4.0	28.0	135.8	117.8	169.7	85.9	153.7	119.8	45.9	57.9	12.0	173.7	47.9	133.8	4.0
3.9	11.6	38.8	188.3	108.7	205.8	99.0	182.5	104.8	71.8	114.5	5.8	151.4	66.0	118.4	5.8
6.9	9.2	18.5	189.6	182.7	99.4	94.8	64.7	85.5	113.3	55.5	11.6	85.5	18.5	164.2	6.9
4.6	16.0	16.0	242.5	210.5	89.2	75.5	77.8	89.2	100.6	75.5	16.0	84.6	2.3	137.3	.....
.....	15.8	15.8	219.6	237.7	95.1	88.3	65.6	88.3	92.8	67.9	9.1	120.0	13.6	106.4	.....
.....	31.3	26.9	192.7	253.1	103.1	67.2	89.6	82.9	152.4	71.7	17.9	112.0	13.4	141.1	2.2
.....	28.8	22.2	197.3	299.3	84.3	75.4	73.2	71.0	122.0	53.2	17.7	104.2	31.0	86.5	.....
2.9	14.7	27.9	186.9	192.7	119.2	103.0	63.3	78.0	89.7	54.4	5.9	83.9	16.2	133.9	5.9
.....	17.5	14.5	145.5	154.2	100.4	61.1	88.7	66.9	93.1	88.7	16.0	78.5	27.6	110.5	5.8
1.4	7.2	25.9	158.2	175.4	93.5	86.3	100.7	64.7	71.9	47.5	14.4	79.1	25.9	145.2	1.4
4.3	25.6	58.3	166.4	204.8	115.2	62.6	93.8	83.9	75.4	54.0	17.0	93.8	21.3	120.9	5.7
.....	5.6	33.8	166.0	187.0	104.1	81.6	132.2	87.2	67.5	59.1	14.1	130.8	19.7	133.6	7.0
3.9	11.6	21.3	184.2	180.3	122.1	100.8	58.1	95.0	91.1	64.0	9.7	93.0	13.6	153.1	15.5
1.9	25.0	36.6	194.4	173.2	113.6	48.1	77.0	84.7	103.9	55.8	19.3	55.8	25.0	134.7	3.8
7.6	15.3	28.7	181.5	175.8	97.4	80.2	49.7	84.1	95.5	57.3	13.4	84.1	11.5	147.1	3.8
.....	11.4	32.2	218.2	142.3	100.5	56.9	68.3	89.2	117.6	66.4	15.2	77.8	7.6	138.5	20.9
.....	15.1	22.6	209.1	188.4	82.9	54.6	92.3	90.4	109.3	58.4	20.7	120.6	17.0	126.2	5.7
.....	20.6	16.5	214.3	177.2	103.0	41.2	65.9	98.9	65.9	41.2	4.1	111.3	4.1	164.8	20.6
.....	8.2	12.4	164.8	222.5	70.1	41.2	61.8	127.8	119.5	53.6	8.2	61.8	20.6	201.9	.....
.....	8.2	20.6	214.3	193.7	111.3	90.7	49.5	70.1	82.4	41.2	16.5	70.1	33.0	136.0	.....
.....	12.4	20.6	177.3	247.4	61.8	82.5	49.5	94.8	136.0	45.4	8.2	127.8	16.5	152.5	.....
.....	8.2	37.1	206.2	193.8	111.3	45.4	70.1	82.5	107.2	49.5	8.2	82.5	20.6	131.9	4.1
4.0	10.0	20.1	198.5	144.4	64.2	74.2	62.2	74.2	90.3	88.2	24.1	110.3	16.0	124.3	2.0
2.0	13.8	25.7	167.8	138.2	82.9	67.1	88.9	73.1	61.2	65.2	13.8	90.8	11.8	142.2	7.9
.....	9.7	33.0	173.0	155.6	85.6	77.8	87.5	60.3	116.7	64.2	15.5	91.4	13.6	114.7	.....
.....	21.1	23.0	201.2	195.4	122.6	86.2	95.8	70.9	97.7	74.7	5.7	111.1	17.2	107.3	5.7
1.9	17.0	54.7	207.6	194.4	109.5	69.8	81.1	84.9	84.9	60.4	13.2	107.6	20.8	84.9	5.7
3.1	12.5	28.2	187.7	190.8	103.2	87.6	65.7	84.4	75.1	62.6	12.5	81.3	15.6	165.8	9.4
3.1	28.2	37.6	181.8	257.0	106.6	53.3	68.9	43.9	75.2	43.9	6.3	103.4	12.5	156.7	6.3
3.1	18.8	18.8	141.3	185.3	106.8	84.8	87.9	103.6	128.8	62.8	9.4	91.1	18.8	116.2	3.1
6.3	12.6	34.6	214.0	261.1	66.1	75.5	91.3	62.9	72.4	81.8	22.0	91.3	3.1	163.6	6.3
.....	6.3	37.8	154.5	267.9	104.0	53.6	97.7	69.4	126.1	59.9	12.6	97.7	18.9	186.0	6.3
6.2	18.7	31.2	249.8	206.1	112.4	112.4	81.2	87.4	43.7	50.0	31.2	99.9	6.2	112.4	6.2
.....	18.7	25.0	200.1	175.1	75.0	87.5	50.0	93.8	137.5	56.3	18.7	68.8	18.7	143.8	6.3
.....	6.3	31.3	225.4	294.3	156.5	93.9	75.1	112.7	112.7	112.7	12.5	119.0	68.9	131.5	.....
.....	18.8	12.5	188.1	225.8	100.3	112.9	75.2	100.3	81.5	50.2	12.5	106.6	25.1	175.6	6.3
6.3	12.6	18.8	194.7	251.2	75.4	75.4	131.9	100.5	75.4	50.2	6.3	75.4	25.1	138.1	6.3
2.7	5.4	35.3	157.3	198.0	73.2	81.4	97.6	92.2	73.2	75.9	5.4	84.1	8.1	149.1	10.8
.....	16.2	45.9	202.4	197.0	75.6	91.8	148.5	83.7	75.6	56.7	8.1	86.4	10.8	137.7	.....
2.7	13.4	37.6	139.8	201.6	121.0	69.9	118.3	91.4	80.6	61.8	8.1	88.7	29.6	137.1	2.7
2.7	13.4	37.5	224.8	208.8	96.4	77.6	133.8	93.7	56.2	58.9	16.0	99.0	16.0	117.8	10.7
.....	5.3	37.3	181.2	218.6	82.6	82.6	119.9	93.3	90.6	90.6	24.0	98.6	5.3	103.9	2.7
.....	4.4	31.2	164.9	84.7	66.9	66.9	66.9	107.0	53.5	107.0	.....	80.2	26.7	98.0	4.4
4.4	4.4	8.8	114.9	79.5	66.3	53.0	70.7	83.9	35.3	44.2	.....	53.0	26.5	132.5	.....
.....	.....	26.3	96.3	52.5	65.7	52.5	35.0	91.9	61.3	83.2	4.4	52.5	30.6	61.3	.....
.....	4.3	21.7	95.4	73.8	60.7	30.4	69.4	43.4	34.7	69.4	8.7	60.7	47.7	112.8	4.3
.....	8.6	25.8	111.8	38.7	38.7	68.8	47.3	47.3	51.6	73.1	12.9	51.6	34.4	86.0	4.3
.....	3.1	12.4	111.7	43.4	37.2	77.6	34.1	62.0	80.7	27.9	3.1	52.7	31.0	136.5	3.1
.....	.....	15.4	117.5	68.1	49.5	37.1	71.1	68.1	46.4	77.3	3.1	58.8	21.7	126.8	3.1
.....	9.3	9.3	95.6	52.4	43.2	58.6	43.2	37.0	61.7	67.9	3.1	37.0	12.3	83.3	6.2
.....	18.4	6.2	107.7	83.1	46.1	80.0	55.4	33.8	40.0	40.0	12.3	55.4	27.7	104.6	3.1
.....	6.1	6.1	141.2	52.2	49.1	55.2	76.7	67.5	39.9	24.6	6.1	58.3	18.4	92.1	3.1
.....	12.2	30.5	176.9	152.5	134.1	91.5	109.8	67.1	54.9	24.4	12.2	18.3	67.1	134.1	.....
.....	18.4	18.4	98.0	104.1	98.0	36.8	104.1	85.7	85.7	73.5	.....	49.0	24.5	85.7	6.1
.....	6.1	18.4	116.9	110.7	61.5	80.0	67.7	104.6	30.8	30.8	.....	55.3	24.6	104.6	6.1
.....	.....	18.5	148.2	117.3	111.2	37.1	86.5	105.0	43.2	61.8	.....	49.4	24.7	111.2	.....
.....	6.2	18.6	62.0	142.6	105.4	43.4	86.8	24.8	43.4	62.0	6.2	24.8	12.4	99.2	.....
.....	37.7	15.1	128.4	105.7	90.6	98.1	67.9	90.6	37.7	75.5	.....	37.7	.....	90.6	.....
.....	7.5	7.5	82.3	89.8	44.9	29.9	37.4	59.8	44.9	44.9	22.4	22.4	37.4	112.2	7.5
.....	.....	.....	81.6	96.4	37.1	59.3	29.7	22.2	7.4	37.1	14.8	59.3	14.8	74.1	.....
.....	29.4	.....	117.6	14.7	66.2	51.4	44.1	44.1	36.7	102.9	7.3	51.4	14.7	95.5	14.7
.....	14.6	7.3	80.1	87.4	51.0	80.1	65.5	43.7	21.8	80.1	7.3	80.1	21.8	94.7	7.3

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Blackford county	1901	1,324.9	39.1	11.2	.....	22.4	.....	5.6	28.0	44.7	.....	167.7	16.7	33.5
	1902	1,174.4	32.3	5.4	.....	5.4	.....	26.9	5.4	5.4	.....	113.1	16.2	43.1
	1903	1,008.4	36.3	10.4	.....	.....	26.0	5.2	36.3	31.2	.....	140.3	31.2	41.6
	1904	1,094.8	30.1	5.0	5.0	20.1	5.0	.....	25.1	30.1	.....	135.6	10.0	20.1
	1905	1,117.2	38.9	4.9	.....	.....	.....	4.9	38.9	9.7	4.9	116.6	38.9	29.1
Boone county	1901	1,216.9	30.4	7.6	.....	.....	3.8	11.4	22.8	22.8	.....	197.8	26.6	53.2
	1902	1,183.8	64.7	11.4	3.8	.....	3.8	.....	7.6	19.0	.....	133.2	30.5	49.5
	1903	1,177.3	34.3	3.8	7.6	.....	7.6	11.4	3.8	11.4	.....	156.2	26.7	49.5
	1904	1,247.1	64.8	3.8	.....	30.5	7.6	5.8	7.6	11.4	.....	209.8	26.7	38.1
	1905	1,152.8	26.7	3.8	.....	.....	3.8	22.9	15.3	26.7	30.5	175.6	22.9	57.3
Brown county	1901	1,365.2	93.1	20.7	.....	.....	20.7	41.4	.....	31.0	.....	206.8	20.7	10.3
	1902	1,300.6	31.2	52.0	10.4	20.8	31.2	20.8	83.2	20.8	.....	114.5	.....	31.2
	1903	1,266.6	52.3	.....	.....	.....	.....	.....	41.9	20.9	.....	219.9	20.9	31.4
	1904	1,221.7	10.5	10.5	.....	10.5	.....	42.1	.....	31.6	.....	284.4	21.1	52.7
	1905	921.9	.....	.....	.....	.....	.....	10.6	10.6	53.0	31.8	148.4	31.8	31.8
Carroll county	1901	957.6	45.1	.....	.....	5.0	.....	.....	40.1	20.1	.....	130.4	10.0	35.1
	1902	988.0	25.1	5.0	.....	5.0	.....	.....	5.0	20.1	.....	115.3	15.0	10.0
	1903	1,184.0	45.2	5.0	.....	10.0	5.0	10.0	10.0	10.0	.....	145.5	5.0	50.2
	1904	948.6	25.1	10.0	.....	.....	.....	.....	.....	20.1	.....	90.3	5.0	35.1
	1905	1,194.9	60.2	.....	.....	.....	15.1	10.0	5.0	15.1	30.1	120.5	20.1	40.2
Cass county	1901	880.8	38.1	.....	.....	.....	.....	10.9	10.9	32.6	.....	108.8	16.3	21.7
	1902	873.0	21.7	5.4	5.4	.....	5.4	16.3	5.4	5.4	.....	103.0	5.4	38.0
	1903	1,286.9	.....	10.8	.....	.....	.....	.....	37.9	21.6	.....	108.1	10.8	37.9
	1904	1,547.6	10.8	.....	.....	10.8	5.4	.....	.....	16.2	.....	118.6	32.3	53.9
	1905	1,226.1	26.9	.....	.....	.....	.....	5.4	5.4	5.4	59.2	86.0	10.8	16.1
Clark county	1901	1,254.2	61.3	4.7	.....	.....	.....	9.4	14.1	33.0	.....	141.5	14.1	42.4
	1902	1,142.6	84.3	18.7	.....	4.7	4.7	.....	9.4	.....	.....	131.1	14.0	28.1
	1903	1,288.3	46.5	.....	4.6	41.9	18.6	27.9	18.6	18.6	.....	232.6	51.2	55.8
	1904	1,284.1	32.3	.....	.....	18.5	.....	9.2	9.2	13.9	.....	198.6	50.8	73.9
	1905	1,215.8	32.1	.....	4.6	.....	.....	18.4	18.4	32.1	18.4	123.9	27.5	32.1
Clay county	1901	1,208.9	40.4	11.5	.....	8.7	.....	2.9	8.7	31.7	.....	164.4	20.2	11.5
	1902	1,184.5	68.5	.....	.....	2.8	5.7	2.8	40.0	25.7	.....	111.3	11.4	22.8
	1903	946.1	45.2	5.6	5.6	2.8	.....	31.1	25.4	22.6	.....	98.9	5.6	14.1
	1904	1,131.8	30.7	14.0	14.0	36.3	5.6	16.8	14.0	14.0	.....	122.9	2.8	30.7
	1905	1,097.9	27.7	8.3	2.8	.....	11.1	22.1	8.3	16.6	22.1	124.4	16.6	19.4
Clinton county	1901	1,283.4	53.0	3.5	3.5	3.5	.....	10.6	17.7	49.5	.....	141.4	14.2	28.3
	1902	1,357.2	56.4	.....	24.7	.....	10.6	.....	7.1	17.6	.....	119.9	14.1	49.3
	1903	1,314.5	73.8	.....	3.5	10.5	14.0	.....	.....	10.5	.....	119.5	14.0	45.7
	1904	1,293.2	70.1	3.5	.....	10.5	3.5	7.0	17.5	52.6	.....	133.2	24.5	31.5
	1905	1,485.1	38.4	.....	.....	.....	.....	28.0	3.5	41.9	24.5	234.1	17.5	62.9
Crawford county	1901	1,601.0	59.6	7.4	.....	29.8	7.4	.....	22.3	44.7	.....	297.9	7.4	29.8
	1902	1,210.6	112.1	.....	.....	.....	.....	.....	.....	14.9	.....	231.7	29.9	44.8
	1903	1,214.8	97.4	15.0	22.5	.....	.....	.....	.....	15.0	.....	240.0	30.0	37.5
	1904	1,286.9	45.2	7.5	.....	.....	22.6	.....	.....	15.0	.....	361.2	22.6	30.1
	1905	1,223.5	37.8	15.1	15.1	.....	15.1	.....	30.2	22.7	22.7	196.4	7.6	37.8
Daviess county	1901	1,335.9	97.7	27.9	18.6	14.0	.....	32.6	14.0	32.6	.....	186.2	14.0	32.6
	1902	1,171.1	74.1	23.1	.....	.....	.....	23.1	4.6	50.9	.....	148.1	9.3	37.0
	1903	1,118.6	39.9	13.8	46.0	4.6	4.6	4.6	36.8	27.6	.....	147.3	18.4	23.0
	1904	1,387.2	105.3	18.3	.....	41.2	27.5	4.6	13.7	22.9	.....	215.2	13.7	32.0
	1905	1,288.5	45.5	4.6	.....	.....	27.3	36.4	13.7	41.0	9.1	145.7	18.2	36.4
Dearborn county	1901	1,567.2	27.2	9.0	.....	4.5	9.0	9.0	9.0	49.8	.....	172.3	18.1	68.0
	1902	1,325.1	36.4	4.5	.....	4.5	9.1	4.5	13.7	13.7	.....	173.1	9.1	68.3
	1903	1,213.2	50.4	4.6	.....	.....	.....	27.5	.....	9.1	.....	151.1	9.1	54.9
	1904	1,518.9	69.1	9.2	9.2	9.2	4.6	4.6	.....	32.2	.....	179.5	18.4	73.6
	1905	1,462.4	46.3	9.3	.....	.....	4.6	4.6	.....	18.5	18.5	212.9	32.4	55.5
Decatur county	1901	1,688.7	71.6	10.2	.....	5.1	10.2	20.5	10.2	46.1	.....	163.8	10.2	56.3
	1902	1,395.3	46.0	10.2	.....	5.1	10.2	5.1	.....	15.3	.....	189.1	20.5	35.8
	1903	1,306.8	56.2	15.3	.....	15.3	5.1	.....	5.1	25.5	.....	178.7	35.7	71.5
	1904	1,463.2	45.9	15.3	.....	5.1	.....	5.1	10.2	20.4	.....	260.0	30.6	45.9
	1905	1,497.1	25.5	15.3	.....	.....	15.3	20.4	.....	56.0	40.7	183.3	20.4	81.5
Dekalb county	1901	1,268.8	38.7	.....	3.9	7.7	27.1	7.7	11.6	50.3	.....	139.3	19.3	50.3
	1902	1,161.9	53.9	.....	.....	3.8	7.7	15.4	19.2	15.4	.....	138.5	11.5	50.0
	1903	1,040.9	34.4	11.5	.....	.....	11.5	11.5	.....	3.8	.....	118.7	15.3	84.2
	1904	921.2	26.7	3.8	3.8	7.6	11.4	.....	11.4	22.8	.....	99.0	7.6	41.9
	1905	1,139.7	37.9	.....	.....	.....	7.6	11.4	26.5	30.3	3.8	106.0	18.9	87.1
Delaware county	1901	1,257.6	47.3	6.8	.....	23.7	3.4	20.3	23.7	33.8	.....	165.7	13.5	27.0
	1902	1,037.0	49.2	.....	.....	23.0	6.6	9.8	16.4	6.6	.....	101.7	16.4	16.4
	1903	885.9	44.9	3.2	6.4	.....	12.8	3.2	6.4	6.4	.....	118.8	22.5	25.7
	1904	962.3	53.0	3.1	.....	6.2	3.1	.....	28.0	24.9	.....	71.6	18.7	34.3
	1905	916.3	30.2	3.0	.....	.....	.....	6.0	6.0	12.1	18.1	108.9	18.1	39.3
Dubois county	1901	1,419.0	93.3	19.6	4.9	34.4	.....	9.8	44.2	34.4	.....	147.3	4.9	4.9
	1902	1,305.4	88.3	19.6	.....	4.9	.....	39.3	34.4	14.7	.....	186.5	.....	39.3
	1903	976.1	34.3	4.9	4.9	.....	.....	4.9	9.8	39.2	.....	127.6	9.8	34.3
	1904	1,191.4	39.2	.....	29.4	9.8	4.9	9.8	.....	29.4	.....	122.6	24.5	4.9
	1905	1,308.4	58.8	19.6	9.8	.....	.....	19.6	4.9	29.4	73.5	142.1	19.6	39.2
Elkhart county	1901	1,115.0	43.3	.....	.....	.....	.....	.....	10.0	43.3	.....	93.2	10.0	53.3
	1902	1,143.8	39.7	.....	3.3	.....	9.9	3.3	13.2	3.3	.....	142.2	23.1	56.2
	1903	1,116.5	32.8	6.6	.....	9.9	.....	13.1	3.3	19.7	.....	121.5	6.6	39.4
	1904	1,226.6	29.4	.....	6.5	.....	26.1	3.3	3.3	22.8	.....	127.2	9.8	65.2
	1905	1,241.2	29.2	.....	3.2	3.2	.....	3.2	3.2	16.2	16.2	113.4	22.7	84.3

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	32.5	123.0	78.3	89.5	50.3	123.0	72.7	39.1	95.0	5.6	50.3	55.9	139.8	.....
.....	.....	26.9	75.4	97.0	43.1	43.1	102.3	48.5	43.1	161.6	.....	91.6	53.9	129.3	5.4
.....	20.8	10.4	67.6	67.6	62.4	31.2	57.2	88.3	26.0	67.6	.....	67.6	10.4	67.6	5.2
.....	10.0	20.1	90.4	110.5	90.4	40.2	55.3	40.2	45.2	100.5	10.0	90.4	15.1	90.4	.....
4.9	4.9	34.0	126.3	121.4	77.7	4.9	72.9	77.7	34.0	68.0	9.7	68.0	38.9	87.4	.....
7.6	7.6	11.4	144.5	87.5	76.1	72.3	45.6	53.2	34.2	57.1	15.2	60.9	38.0	129.3	.....
.....	3.8	.....	133.2	68.5	57.1	53.3	26.7	83.8	30.5	76.1	3.8	64.7	53.3	197.9	7.6
3.8	19.1	7.6	160.1	125.8	45.7	41.9	80.0	49.5	41.9	38.1	.....	91.5	38.1	121.9	.....
.....	.....	15.3	164.0	95.4	42.0	38.1	49.6	76.3	42.0	45.8	.....	61.0	38.1	171.6	3.8
.....	7.6	30.5	133.6	91.6	61.1	42.0	53.4	72.5	49.6	34.4	11.5	38.2	26.7	106.9	7.6
.....	10.3	51.7	113.8	103.4	134.5	20.7	82.7	51.7	62.0	93.1	.....	20.7	41.4	134.5	.....
.....	10.4	10.4	72.9	135.3	62.4	83.2	41.6	62.4	62.4	135.3	.....	72.9	41.6	93.7	.....
.....	10.5	41.9	115.1	146.6	94.2	20.9	115.1	31.4	73.3	41.9	10.5	31.4	31.4	94.2	20.9
.....	.....	10.5	94.8	137.0	73.7	42.1	84.3	31.6	73.7	10.5	10.5	31.6	10.5	115.9	31.6
.....	10.6	.....	53.0	127.2	42.4	63.6	53.0	63.6	74.2	21.2	10.6	31.8	.....	53.0	.....
.....	20.1	5.0	80.2	60.2	95.2	45.1	70.2	70.2	60.2	55.1	10.0	20.1	10.0	70.2	.....
.....	10.0	10.0	150.5	75.2	20.1	25.1	70.2	85.3	120.4	50.1	.....	20.1	.....	150.5	.....
.....	15.1	30.1	130.4	90.3	55.2	55.2	40.2	85.3	95.3	45.2	.....	75.3	35.1	130.4	5.0
.....	5.0	15.1	105.4	115.5	40.2	50.2	55.2	55.2	50.2	55.2	5.0	55.2	20.1	135.5	.....
5.0	10.0	25.1	150.6	90.4	95.4	55.2	35.1	75.3	70.3	55.2	20.1	65.3	10.0	110.5	5.0
.....	.....	48.9	125.1	32.6	27.2	54.4	48.9	38.1	48.9	43.5	5.4	76.1	16.3	76.1	.....
5.4	5.4	27.1	86.8	65.1	75.9	32.5	21.7	48.8	54.2	43.4	.....	59.7	38.0	92.2	5.4
.....	16.2	16.2	259.5	86.5	54.1	86.5	81.1	59.5	70.3	70.3	5.4	86.5	37.9	129.8	.....
.....	5.4	27.0	269.6	167.2	86.3	145.6	59.3	70.1	64.7	80.9	10.8	53.9	75.5	183.3	.....
.....	5.4	21.5	215.1	112.9	53.8	64.5	107.6	59.2	96.8	37.6	16.1	59.2	43.0	112.9	5.4
.....	9.4	28.3	160.3	84.9	165.1	66.0	66.0	56.6	56.6	47.2	.....	28.3	61.3	94.3	9.4
4.7	4.7	9.4	79.6	107.7	74.9	37.5	79.6	65.5	70.2	74.9	.....	56.2	51.5	121.8	9.4
.....	4.6	23.3	125.6	93.0	46.5	46.5	74.4	55.8	46.5	51.2	9.3	102.3	18.6	74.4	.....
.....	9.2	13.9	134.0	97.0	129.4	73.9	55.4	64.7	50.8	41.6	4.6	73.9	23.1	106.2	.....
4.6	4.6	22.9	114.7	114.7	91.8	18.4	91.8	87.2	78.0	100.9	9.2	78.0	41.3	50.5	.....
.....	5.8	34.6	80.8	60.6	132.7	51.9	77.9	54.8	40.4	115.4	2.9	80.8	57.7	103.9	8.7
2.8	11.4	28.6	88.5	54.2	114.2	79.9	62.8	68.5	37.1	114.2	8.6	59.9	65.7	82.8	14.3
.....	5.6	2.8	62.1	67.8	48.0	31.1	67.8	73.4	28.3	50.9	.....	84.7	50.9	113.0	2.8
.....	5.6	30.7	67.1	100.6	100.6	64.3	50.3	67.1	50.3	58.7	.....	75.4	55.9	103.4	.....
.....	.....	8.3	121.7	116.2	36.0	55.3	80.2	63.6	49.8	88.5	19.4	60.8	22.1	96.8	.....
3.5	.....	17.7	162.7	91.9	116.7	70.7	109.6	99.0	35.4	35.4	3.5	42.4	28.3	134.3	7.1
.....	14.1	28.2	130.4	70.5	84.6	45.8	144.5	88.1	63.5	77.6	3.5	70.5	77.6	148.0	10.6
.....	7.0	17.6	123.0	137.1	112.5	45.7	87.9	45.7	70.3	84.4	28.1	80.9	38.7	144.1	.....
.....	14.0	14.0	108.7	122.7	70.1	63.1	87.6	87.6	59.6	84.1	3.5	73.6	28.0	119.2	3.5
.....	14.0	17.5	118.8	171.2	97.8	38.4	66.4	87.4	66.4	118.8	17.5	66.4	34.9	118.8	.....
.....	.....	44.7	148.9	59.6	201.1	67.0	44.7	52.1	59.6	81.9	22.3	59.6	89.4	126.6	37.2
.....	.....	44.8	89.7	119.6	52.3	59.8	59.8	52.3	44.8	59.8	7.5	59.8	14.9	97.2	14.9
.....	7.5	22.5	75.0	105.0	37.5	37.5	60.0	82.4	30.0	60.0	.....	45.0	15.0	180.0	.....
7.5	.....	22.6	75.3	120.4	112.9	75.3	82.8	37.6	22.6	37.6	.....	37.6	37.6	105.4	7.5
.....	.....	15.1	75.5	105.7	52.9	30.2	105.7	83.1	22.7	60.4	7.6	75.5	60.4	113.3	15.1
.....	.....	65.2	65.2	60.5	135.0	51.2	93.1	60.5	46.5	23.3	.....	69.8	46.5	139.6	9.3
.....	4.6	41.7	64.8	64.8	55.6	46.3	83.3	69.4	37.0	60.2	9.3	78.7	74.1	111.1	.....
.....	.....	32.2	87.5	78.3	32.2	69.1	96.7	82.9	18.4	50.6	9.2	64.5	41.4	69.0	.....
.....	4.6	77.8	68.7	109.9	100.7	73.2	96.1	64.1	50.4	64.1	.....	45.8	22.9	114.5	.....
.....	.....	31.9	118.4	109.3	82.0	63.7	109.3	54.6	27.3	91.1	4.6	82.0	27.3	104.7	4.6
.....	.....	27.2	149.5	163.1	149.5	104.2	86.1	81.5	49.8	36.2	4.5	95.1	81.5	163.1	.....
.....	4.5	4.5	104.8	132.1	104.8	41.0	72.9	86.5	59.2	36.4	4.5	77.4	59.2	186.7	13.7
.....	.....	9.1	146.5	128.2	59.5	96.2	41.2	50.4	54.9	32.1	.....	141.9	18.3	128.2	.....
.....	9.2	18.4	142.7	174.9	92.1	64.5	73.6	92.1	46.0	73.6	4.6	147.3	23.0	147.3	.....
4.6	23.1	23.1	129.6	189.7	120.3	60.2	50.9	74.0	74.0	55.5	4.6	129.6	9.3	111.1	.....
.....	.....	30.7	184.2	127.9	133.1	71.6	122.8	81.9	46.1	61.4	15.4	76.8	66.5	261.0	5.1
.....	10.2	35.8	122.7	132.9	71.4	61.3	122.7	97.1	20.5	86.9	5.1	30.7	81.8	178.9	.....
.....	10.2	5.1	148.0	122.5	71.5	35.7	66.4	97.0	46.0	61.3	15.3	40.8	30.6	148.0	.....
5.1	10.2	15.3	178.5	132.6	76.4	61.2	71.4	76.4	51.0	30.6	25.5	76.4	61.2	152.9	.....
10.2	10.2	10.2	142.6	152.8	91.7	81.5	71.3	76.4	40.7	61.1	40.7	71.3	45.8	132.4	.....
.....	7.7	27.1	108.3	89.0	65.8	58.0	85.1	96.7	46.4	73.5	7.7	73.5	50.3	116.1	7.7
.....	19.2	11.5	123.1	142.4	46.2	30.8	80.8	38.5	46.2	50.0	11.5	42.3	27.0	177.0	.....
3.8	.....	7.7	122.5	141.6	45.9	19.2	42.1	61.2	45.9	34.4	3.8	88.0	26.8	107.1	.....
.....	3.8	11.4	167.5	80.0	22.8	41.9	38.1	57.1	49.5	34.3	3.8	68.5	19.0	83.7	3.8
.....	18.9	15.1	75.7	124.9	53.0	45.4	37.9	87.1	30.3	64.4	.....	98.4	22.7	121.2	15.1
.....	10.1	27.0	165.7	64.2	81.1	57.5	87.9	57.5	47.3	101.4	3.4	40.6	43.9	101.4	3.4
.....	6.6	19.7	95.2	88.6	52.5	45.9	72.2	78.7	52.5	59.1	3.3	59.1	36.1	111.6	9.8
.....	6.4	19.3	83.5	61.0	48.1	28.9	28.9	54.6	67.4	48.1	12.8	38.5	19.3	115.6	3.2
.....	9.3	12.5	109.0	68.5	43.6	49.8	62.3	49.8	56.1	71.6	6.2	53.0	34.3	90.3	3.1
.....	3.0	12.1	87.7	63.5	57.5	27.2	51.4	75.6	27.2	81.6	9.1	72.6	18.1	84.7	3.0
.....	.....	29.5	103.1	44.2	211.1	14.7	93.3	68.7	49.1	117.9	4.9	49.1	39.3	196.4	.....
4.9	.....	19.6	83.4	44.2	157.0	78.5	83.4	88.3	44.2	49.1	.....	44.2	39.3	142.3	.....
.....	.....	4.9	83.4	54.0	78.5	73.6	54.0	63.8	19.6	39.2	4.9	73.6	39.2	107.9	9.8
.....	9.8	29.4	107.9	58.9	88.2	29.4	117.7	58.9	44.1	147.1	4.9	19.6	24.5	176.5	.....
4.9	9.8	29.4	78.4	73.5	132.3	49.0	88.2	58.8	68.6	68.6	19.6	73.5	29.4	107.8	.....
3.3	10.0	13.3	149.8	126.5	63.2	56.6	49.9	83.2	56.6	30.0	10.0	56.6	30.0	123.1	.....
.....	3.3	13.2	165.3	115.7	46.3	33.1	49.6	82.6	43.0	39.7	19.8	59.5	43.0	119.0	13.2
.....	9.9	32.8	151.1	134.6	32.8	36.1	62.4	65.7	32.8	55.8	6.6	52.5	29.6	164.2	.....
.....	3.3	26.1	140.3	179.4	78.3	48.9	42.4	62.0	81.6	35.9	13.0	55.5	13.0	143.5	9.8
.....	9.7	29.2	142.6	200.9	64.8	35.6	61.6	87.5	48.6	45.4	16.2	25.9	42.1	136.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Fayette county	1901	1,612 4	36.8				22.1	7.4	7.4	44 2		162.0	14.7	88.3
	1902	1,338.8	36.6	7.3		7.3	29.3		36.6	36.6		109.7	14.6	95.1
	1903	1,170.4	29.1				7.3	36.3	43.6	14.5		101 8	14.5	80.0
	1904	1,531.5	28.9			21.7	7.2	7.2	7.2	21.7		130.0	14.4	36.1
	1905	1,191.7	14.4				7.2	7.2		43.1	14.4	201.0	28.7	50.3
Floyd county	1901	1,318.5	83.7			10.5		10.5	62.8	52.3		188.4	10.5	52.3
	1902	966.5	52.0	20.8					52 0			103 9	10.4	41.6
	1903	1,011.6	10.3	10.3				10.3	51.6			144.5		31.0
	1904	984.2	10.2	10.2	10.2		10.2		30.8	20.5		153.8	20.5	30.8
	1905	1,089.6	40.7				20.4		10.2	40.7	10.2	173.1	30.5	61.1
Fountain county	1901	1,437.5	37.0	9.3			4.6		27.7	87.8		147.9	27.7	9.3
	1902	1,108.9	13.7			9.2		9.2	9.2	13 7		96.2	9.2	32.1
	1903	1,158.4	27.3			4.5	9.1	40.9	13.6	18.2		149.9	18.2	40 9
	1904	1,135 0	22.5	9.0		9 0	18.0	4.5	4.5	31.5		207.2	9.0	49.6
	1905	1,062.9	31 3	13 4			17.9	8.9	4.5	58.1	35.7	107.2	13.4	31.3
Franklin county	1901	1,500.9	61.8	18.5		12.4			18.5	49.4		117.4	37.0	24.7
	1902	1,600.8	43 8	18.8		6.2	25.0	12.5	18.8	62.5		168 8	43 8	62.5
	1903	1,342.3	19.0	12.7	19 0				25.3	44.3		240.6	19.0	31.6
	1904	1,532.4	76.9		6.4	19.2			6.4	51.3		198.8	12.8	38 5
	1905	1,266.4	13.0				6.5	13.0		39.0		181.8	19.5	52.0
Fulton county	1901	1,147.0	39.9	5 7		5.7	5.7	5 7	22.8	45 7		114.1	5.7	45.7
	1902	1,187.8	39.8			5.7		5.7		28.4		125 1	22.2	68.2
	1903	1,251.0	39.6					17.0	5.7	34.0		158.5	11.3	50.9
	1904	1,172.7		5.6		11.3	5.6		11.3	16.9		101.5	5.6	50.8
	1905	1,285.9	33.7	5.6		5.6	5.6	28.1	5.6	39 3	28.1	89.8	11.2	95.5
Gibson county	1901	1,433.9	68.6	26.1			3.3	13.1	6 5	42 5		215.6	29.4	26.1
	1902	1,165 9	73.9	35.4			3.2	22.5	3 2	9 6		170.2	22.5	57 8
	1903	973.1	37.9	25.3				6 3	9.5	25 3		145.3	25.3	50.6
	1904	1,451.6	65.3	21.8	3.1	37.3	3.1	6.2	12 4	43.5		167.9	31 1	34.2
	1905	1,242.0	39.8	21.4					36.7	33.7	30.6	162.1	9.2	30.6
Grant county	1901	1,365.3	61.8	2.6		2.6	2.6	5.2	12.9	18 0		170.0	15.4	30.9
	1902	1,477.0	47.2	2.5		17 4			19.9	12.4		131.6	22.3	47.2
	1903	1,238.1	39.5	7.4	7.4	2.5	9 9	7 4	32 1	2.5		106.1	19.7	46.9
	1904	1,415.5	26 3	2 4	2.4	28.7	16.7	2.4	9 5	11.9		140.8	9.5	28.7
	1905	1,274.4	30 1	6.9			6.9	20 8	9.3	30.1	32.4	134.1	16.2	37.0
Greene county	1901	1,354.3	55.3	34.5		41.5		13.8	17.3	41.5		196.9	17.3	38.0
	1902	1,314.7	54.5	40.9			3.4	6.8	3.4	13.6		146.5	10.2	37.5
	1903	1,309.8	80.6	6.7	10.1	16.8	13 4	13.4	26.9	3.3		181.4	10.1	40.3
	1904	1,709.2	59.6	16.6	36.4	86.1	33.1	16.6	26 5	23 2		218.6	16.6	49.7
	1905	1,525.9	62.1	26.1	6.5	3.3	19.6	35.9	22 9	22 9	29.4	179.7	19.6	39.2
Hamilton county	1901	1,330.3	33.0	3.3			6.6	9.9	23.1	42.9		168.4	26.4	59.4
	1902	1,186.8	45.7	6.5			3.3	3.3	26.1	22.8		97.8	22 8	39.1
	1903	1,046.7	41.9	12.9					51.5	45 1		119.2	3.2	58.0
	1904	1,135.9	31.8			28.6	6.4	3.2	3.2	35 0		184.6	28.6	76.4
	1905	1,166.3	44.0	9.4			3.1	6.3	6.3	28.3	18.9	150.9	22 0	44.0
Hancock county	1901	1,190.2	31.1				5.2	15 5	10.3	36.2		98.3	10.3	20.7
	1902	1,366.8	56.5	10.3		5.1	5.1	10 3	5.1	5.1		128.5	10.3	51.4
	1903	1,265.5	40 8					40 8	5.1	35.7		178.6	15.3	40.8
	1904	1,454.4	30 4			10.1	5.1		20.3	70.9		197.6	20.3	35.5
	1905	1,469.6	30 2					5.0	15.1	30 2	45.3	161.1	25.2	50.3
Harrison county	1901	1,362.8	55.1			45.9	18.4		22 9	55.1		183.6	22.9	32.1
	1902	1,110.3	109.7	22.8				13.7	18.3	32.0		146.2	27.4	32.0
	1903	1,046.5	54.6	4.5			9.1	4.5	9.1	22.8		159.3	18.2	81.9
	1904	1,304.9	86.1		4.5		18 1	4 5	9.1	22.7		185.8	13.6	54.4
	1905	1,186.7	67.7	4.5			13.5	4.5	9 0	63 2	18.0	139.9	13.5	49.6
Hendricks county	1901	1,316.3	42.3	23 5		9.4	4 7	9.4	14.1	32.9		103.5	18.8	28.2
	1902	1,261.2	28.2	18 8			14.1		28.2	9 4		164.7	28.2	28.2
	1903	1,135.2	23.6			9.4	9.4	4.7	4.7	18 8		122.5	9.4	42.4
	1904	1,306.1	14.1	18.9		42 5	14.1	4.7	4.7	23 6		221 6	42.5	28.3
	1905	1,137.5	14.2						4 7	28.3	9.4	169.9	9.4	42.5
Henry county	1901	1,630.4	67 4	4.0		39.7	7.9	23.8	11.9	39.7		158 7	19.8	27.8
	1902	1,468.6	63 2	7 9	55 3	11.8	7.9	11 8	7.9	11.8		177.7	15.8	51 3
	1903	1,257.3	27.5	15.7				15.7	7 9	11.8		129.7	27.5	66.8
	1904	1,450.8	35.2			19.6		3.9	7.8	19.6		117.3	31.3	50.8
	1905	1,268.8	46.7	3.9		3.9	3.9		7.8	27.2	31.1	144.0	23.4	58.4
Howard county	1901	1,157.5	33.4			27.8			5.6	22.3		128 0	22.3	61.2
	1902	929.1	22.3		16 7				11.1	11.1		105.7	22.3	44.5
	1903	1,068.0	33 4		5.6	16.7	11.1	5.6	11.1	16.7		105.7	27.8	38.9
	1904	1,112.2	44.5				5.6	16.7	27.8	33.4		105.7	16.7	55.6
	1905	1,073.1	16.7						11.1	27.8	11.1	122.3	11.1	89.0
Huntington county	1901	1,041.2	51.8	5.2				5.2	20.7	41.4		119 2	25.9	57.0
	1902	1,072.1	52.0	5.2								78 1	10.4	36.4
	1903	970.0	31 3			10.4		20.9	10.4	15.6		114.7	20.9	31 3
	1904	1,105.9	21 0			31 4	10 5		15.7	26 2		167.7	5.2	36.7
	1905	1,047.9	47.4						5 3	15.8	21.1	105 3	10.5	63 2
Jackson county	1901	1,621.9	85.6	14.9		22.3	18.6	22.3	55.8	52.1		238.1	37.2	44.6
	1902	1,389.6	81.1			7.4	11.0	25.8	7.4	14.7		213.8	29.5	44.2
	1903	1,132.2	36.5	7.3		3.6	18.3	3 6	11.0	21 9		200.8	11.0	14.6
	1904	1,368.1	54.3			25.3	10.9	7.2	3.6	14.5		235.3	47.1	25.3
	1905	1,377.4	53.8	7.2			14.3	7.2	3.6	35.9	28.7	208.0	46.6	39.5

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	22.1	29.5	139.9	88.3	213.5	132.5	139.9	110.4	36.8	36.8	7.4	73.6	36.8	162.0	.....
.....	21.9	21.9	131.7	102.4	95.1	51.2	73.2	73.2	65.8	95.1	29.3	80.5	29.3	95.1	.....
.....	14.5	14.5	87.3	145.4	94.5	65.4	87.3	72.7	43.6	7.3	14.5	72.7	21.8	101.8	.....
.....	14.4	28.9	144.5	108.4	115.6	86.7	72.3	158.9	93.9	115.6	.....	79.5	50.6	180.6	7.2
.....	7.2	21.5	114.9	114.9	100.5	57.4	57.4	93.3	28.7	64.6	7.2	35.9	7.2	114.9	.....
10.5	.....	10.5	146.5	94.2	115.1	94.2	41.8	62.8	10.5	52.3	10.5	73.2	52.3	73.1	.....
.....	.....	20.8	52.0	83.1	72.7	20.8	52.0	62.3	31.1	20.8	.....	124.7	41.6	93.5	10.4
.....	.....	10.3	41.3	134.2	165.2	61.9	61.9	51.6	31.0	31.0	.....	51.6	20.7	92.9	.....
.....	.....	10.2	143.6	133.3	112.8	30.8	30.8	10.2	.....	51.3	10.2	20.5	30.8	102.5	.....
.....	.....	30.5	112.0	122.2	40.7	61.1	40.7	30.5	50.9	61.1	10.2	10.2	20.4	112.0	.....
.....	4.6	23.1	120.2	101.7	138.7	55.5	101.7	106.3	50.9	87.8	4.6	50.8	46.2	189.5	4.6
.....	13.7	45.8	142.1	96.2	50.4	73.3	64.2	68.7	50.4	64.2	9.2	45.8	68.7	119.1	4.6
.....	4.5	45.4	127.2	81.8	95.4	72.7	63.6	50.0	22.7	36.3	.....	50.0	45.4	131.7	9.1
.....	9.0	27.0	103.6	99.1	49.6	36.0	63.1	76.6	40.5	54.0	18.0	49.6	36.0	99.1	9.0
.....	26.8	26.8	138.4	44.7	35.7	35.7	49.1	35.7	67.0	44.7	17.8	62.5	26.8	125.1	4.5
.....	6.2	30.9	216.2	67.9	129.7	98.8	105.0	111.2	37.0	111.2	18.5	30.9	61.8	135.9	.....
.....	6.2	.....	218.8	168.8	100.0	43.8	93.8	106.3	68.8	68.8	18.8	68.8	18.8	137.6	18.8
.....	6.3	.....	164.6	152.0	82.3	50.7	76.0	133.0	44.3	38.0	19.0	76.0	.....	88.6	.....
6.4	.....	6.4	173.1	153.9	83.4	64.1	57.7	115.4	64.1	83.4	6.4	102.6	6.4	192.4	6.4
.....	6.5	6.5	168.9	110.4	77.9	45.5	116.9	77.9	84.4	71.4	6.5	45.5	6.5	110.4	6.5
.....	17.1	17.1	102.7	125.5	91.3	57.1	68.5	68.5	45.7	51.3	.....	5.7	45.7	148.4	5.7
.....	11.4	11.4	136.4	119.4	79.6	28.4	73.9	45.5	45.5	51.2	.....	51.2	51.2	176.2	11.4
.....	5.7	34.0	164.2	130.2	67.9	56.6	62.3	79.2	45.3	.....	.....	62.3	50.9	152.8	22.6
.....	11.3	11.3	107.1	67.7	95.8	84.6	90.2	50.7	67.7	56.4	5.6	78.9	28.2	203.0	5.6
.....	.....	33.7	123.5	123.5	78.6	33.7	56.2	112.3	78.6	44.9	.....	56.2	22.5	174.1	.....
.....	.....	39.2	114.3	91.4	107.8	45.7	147.0	71.8	42.5	88.2	3.3	78.4	35.9	137.2	.....
.....	6.4	35.4	86.7	61.0	73.9	45.0	80.3	77.1	25.7	86.7	3.2	57.8	32.1	93.1	3.2
.....	6.3	22.1	66.3	60.0	69.5	53.7	72.7	28.4	34.8	60.0	3.2	66.3	22.1	79.0	3.2
3.1	6.2	31.1	80.8	83.9	121.2	83.9	108.8	77.7	56.0	152.3	3.1	80.8	18.7	118.1	.....
6.1	6.1	27.5	101.0	97.9	119.3	58.1	88.7	61.2	48.9	64.2	3.1	85.7	18.4	91.8	.....
2.6	.....	28.3	157.1	123.6	95.3	51.5	74.7	79.9	33.5	61.8	10.3	79.9	67.0	172.6	5.2
.....	5.0	19.9	163.8	131.6	79.4	54.6	129.1	124.1	42.2	76.9	7.4	49.6	67.0	220.9	5.0
.....	4.9	19.7	152.9	155.4	71.5	49.3	27.1	71.5	64.1	74.0	7.4	69.0	46.9	138.1	4.9
4.8	4.8	19.1	198.1	143.2	85.9	47.8	74.0	78.8	69.2	124.1	9.5	66.8	54.9	152.8	2.4
.....	9.3	23.1	192.0	148.0	99.5	60.1	53.2	67.1	32.4	57.8	6.9	43.9	37.0	115.6	4.6
.....	.....	48.4	69.1	51.8	96.7	69.1	79.5	36.4	48.4	100.2	.....	44.9	58.7	141.6	3.4
.....	6.8	44.3	112.4	92.0	105.6	61.3	85.1	68.1	30.7	71.5	6.8	47.7	54.5	200.9	10.2
.....	3.3	30.2	131.0	70.5	57.1	47.0	87.4	84.0	30.2	73.9	6.7	107.5	33.6	141.1	3.3
.....	3.3	23.2	122.6	76.2	142.4	92.8	135.8	79.5	49.7	115.9	6.6	79.5	72.9	119.2	6.6
3.3	13.1	22.9	134.0	78.4	85.0	81.7	104.6	91.5	58.8	85.0	16.3	111.1	49.0	120.9	3.3
3.3	.....	6.6	142.0	99.1	95.7	56.1	85.8	89.1	36.3	95.7	.....	46.2	42.9	158.5	.....
3.3	13.0	3.3	136.9	97.8	58.7	55.4	71.7	78.2	35.9	91.3	6.5	45.7	42.4	179.3	.....
.....	.....	12.9	99.8	74.1	54.7	45.1	58.0	54.7	22.5	77.3	6.4	58.0	16.1	135.3	.....
.....	9.5	9.5	143.2	101.8	70.0	57.3	35.0	54.1	38.2	79.5	3.2	35.0	19.1	79.5	3.2
6.3	6.3	6.3	141.5	150.9	72.3	37.7	72.3	81.7	28.3	53.4	3.1	28.3	34.6	106.9	3.1
.....	5.2	31.0	217.4	72.5	67.3	31.0	82.8	93.2	56.9	67.3	.....	62.1	77.6	98.3	.....
.....	5.1	41.1	133.6	113.1	82.2	56.5	113.1	82.2	77.1	30.8	.....	92.5	77.1	169.6	5.1
.....	5.1	20.4	142.9	122.5	30.6	61.3	163.3	81.7	51.0	40.8	5.1	56.2	40.8	86.7	.....
5.1	20.3	60.8	167.2	111.5	81.1	65.9	70.9	81.1	81.1	60.8	.....	70.9	25.3	162.2	.....
.....	5.0	20.1	146.0	120.8	146.0	40.3	110.7	140.9	100.7	80.5	15.1	55.4	30.2	95.6	.....
4.6	.....	27.5	114.7	87.2	146.8	59.7	68.8	87.2	36.7	78.0	4.6	73.4	22.9	100.9	13.8
.....	.....	27.4	91.4	91.4	50.2	32.0	54.8	73.1	36.6	22.8	4.6	64.0	50.2	109.7	.....
.....	18.2	31.9	127.4	72.8	63.7	27.3	45.5	118.3	27.3	13.7	.....	50.0	27.3	54.6	4.5
.....	18.1	63.4	145.0	122.3	108.7	58.9	58.9	54.4	45.3	45.3	.....	49.9	22.7	108.7	4.5
.....	13.5	27.1	117.3	117.3	63.2	54.1	40.6	99.3	54.1	54.1	.....	63.2	18.0	72.2	9.0
4.7	.....	14.1	192.8	89.3	84.6	117.6	47.0	94.0	65.8	61.1	4.7	61.1	70.5	122.2	.....
4.7	.....	23.5	169.4	108.3	94.1	56.5	75.3	42.4	47.1	80.0	.....	80.0	33.0	127.1	.....
4.7	14.2	18.8	146.0	117.8	61.2	56.5	84.8	70.7	42.4	47.1	9.4	28.3	37.7	146.0	4.7
4.7	9.4	14.1	141.5	122.6	61.3	61.3	80.2	61.3	61.3	51.9	4.7	37.7	14.1	160.3	4.7
9.4	14.2	4.7	146.3	103.8	70.8	47.2	56.6	80.2	51.9	66.1	.....	56.6	23.6	118.0	9.4
7.9	4.0	23.8	150.8	123.0	91.2	79.3	71.4	115.0	63.5	138.8	11.9	39.7	71.4	238.0	.....
.....	.....	23.7	146.1	157.9	71.1	67.1	63.2	75.0	75.0	67.1	.....	55.3	43.4	185.5	15.8
3.9	3.9	15.7	192.5	117.9	66.8	58.9	70.7	106.1	55.0	51.1	3.9	55.0	35.4	110.0	7.9
7.8	7.8	35.2	152.5	140.8	101.7	43.0	58.6	105.6	50.8	172.1	3.9	58.6	23.5	203.4	.....
.....	23.4	38.9	155.7	81.7	42.8	46.7	54.5	109.0	46.7	85.6	15.6	50.6	38.9	124.5	3.9
5.6	.....	27.8	89.0	133.5	66.8	50.1	72.3	89.0	44.5	50.1	5.6	72.3	33.4	116.9	.....
.....	.....	5.6	66.7	83.4	55.6	16.7	83.4	77.9	16.7	50.1	5.6	38.9	61.2	128.0	5.6
.....	5.6	22.2	122.4	94.5	77.9	55.6	100.1	61.2	16.7	16.7	16.7	44.5	11.1	144.6	5.6
.....	11.1	27.8	77.8	116.8	77.8	50.0	72.3	72.3	33.4	72.3	5.6	50.0	16.7	122.3	.....
11.1	5.6	11.1	94.5	111.2	105.6	22.2	66.7	61.2	33.4	61.2	11.1	66.7	27.8	89.0	5.6
.....	5.2	15.5	129.5	103.6	25.9	20.7	67.3	62.2	25.9	46.6	.....	25.9	72.5	108.8	5.2
.....	.....	5.2	104.1	67.7	67.7	93.7	62.5	57.2	57.2	62.5	5.2	36.4	52.0	203.0	15.6
.....	20.9	15.6	140.8	52.2	62.6	46.9	36.5	62.6	52.2	52.2	.....	36.5	10.4	88.6	36.5
.....	.....	10.5	141.5	73.4	99.6	36.7	68.1	73.4	57.7	36.7	.....	31.4	21.0	136.3	5.2
.....	10.5	21.1	142.2	73.7	47.4	31.6	63.2	94.8	63.2	15.8	10.5	100.1	21.1	73.7	10.5
3.7	11.2	37.2	119.0	74.4	141.4	70.7	133.9	96.7	44.6	33.5	14.9	44.6	74.4	111.6	18.6
.....	3.7	25.8	106.9	103.2	114.3	47.9	103.2	62.7	29.5	106.9	14.7	55.3	25.8	132.7	22.1
.....	7.3	18.3	62.1	91.3	43.8	43.8	124.2	65.8	32.9	54.8	3.6	65.8	32.9	149.7	7.3
.....	3.6	32.6	90.5	94.1	79.6	29.0	130.3	43.4	97.7	97.7	10.9	39.8	18.1	170.1	7.2
.....	7.2	17.9	96.8	129.1	114.8	46.6	89.7	68.2	35.9	111.2	14.3	86.1	28.7	82.5	3.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Jasper county	1901	1,075.1	20.6	13.7	.....	.....	.....	13.7	47.9	47.9	.....	123.3	13.7	13.7
	1902	751.0	6.7	.....	.....	.....	.....	.....	.....	13.4	.....	73.8	20.1	40.2
	1903	722.5	6.6	6.6	6.6	.....	.....	.....	6.6	.....	.....	65.6	6.6	13.2
	1904	823.9	.....	.....	.....	6.4	12.9	.....	.....	19.3	.....	135.2	6.4	51.5
	1905	763.6	.....	6.3	.....	.....	.....	.....	.....	18.9	50.5	75.7	6.3	50.5
Jay county	1901	1,285.4	44.2	.....	.....	29.5	3.7	.....	14.7	40.5	.....	147.3	18.4	51.6
	1902	1,207.9	43.7	3.6	3.6	3.6	3.6	32.7	21.8	14.6	.....	178.3	21.8	14.6
	1903	1,013.7	35.9	.....	.....	.....	7.2	14.4	7.2	32.4	.....	122.2	14.4	28.8
	1904	1,126.0	42.6	.....	.....	17.7	.....	3.5	7.1	17.7	.....	156.3	21.3	39.1
	1905	1,270.7	35.1	.....	.....	.....	.....	.....	.....	28.1	28.1	154.5	17.6	66.7
Jefferson county	1901	1,700.8	65.9	8.8	4.4	.....	.....	4.4	4.4	74.7	.....	303.3	35.2	57.1
	1902	1,526.9	66.4	8.8	4.4	.....	8.8	.....	8.8	8.8	.....	243.4	26.6	84.1
	1903	1,537.7	75.8	.....	.....	4.5	4.5	13.4	4.5	13.4	.....	263.0	40.1	62.4
	1904	1,620.5	53.9	.....	.....	17.9	13.5	9.0	4.5	35.9	.....	237.9	40.4	67.3
	1905	1,482.9	18.1	.....	.....	.....	9.0	.....	54.3	31.6	4.5	244.1	27.1	58.8
Jennings county	1901	1,486.9	12.6	.....	.....	.....	12.6	.....	.....	25.2	.....	189.1	6.3	50.4
	1902	1,251.0	37.5	6.2	.....	.....	.....	18.8	6.2	12.5	.....	175.2	.....	50.0
	1903	1,204.8	55.9	12.4	.....	.....	.....	6.2	12.4	12.4	.....	223.6	6.2	43.5
	1904	1,331.9	55.5	12.3	.....	24.7	6.2	.....	24.7	.....	.....	197.3	24.7	74.0
	1905	1,304.2	49.0	12.2	.....	.....	30.6	.....	12.2	42.9	18.4	238.8	12.2	85.7
Johnson county	1901	1,399.8	34.5	4.9	.....	9.9	4.9	4.9	9.9	39.4	.....	162.6	14.8	44.4
	1902	1,193.8	59.0	9.8	.....	4.9	14.7	4.9	19.6	.....	.....	211.2	14.7	44.2
	1903	1,366.2	53.9	.....	.....	4.9	9.8	4.9	34.3	24.5	.....	191.0	4.9	58.8
	1904	1,488.7	48.8	.....	.....	14.6	24.4	4.9	9.8	29.3	.....	190.4	48.8	68.3
	1905	1,167.7	14.6	.....	.....	.....	.....	.....	4.9	19.5	14.6	180.0	34.1	38.9
Knox county	1901	1,318.6	70.1	30.7	.....	8.8	8.8	43.8	21.9	48.2	.....	96.4	.....	17.5
	1902	1,140.0	60.4	25.9	4.3	.....	.....	17.3	8.6	8.6	.....	133.9	21.6	17.3
	1903	854.6	42.9	17.2	.....	4.3	8.6	4.3	25.8	12.9	.....	81.6	4.3	34.4
	1904	1,151.9	50.8	16.9	.....	50.8	8.5	25.4	8.5	8.5	.....	114.4	12.7	16.9
	1905	1,228.0	66.8	25.1	.....	.....	16.7	25.1	16.7	4.2	12.5	117.0	12.5	50.1
Kosciusko county	1901	1,149.0	48.0	.....	.....	.....	13.7	6.9	17.1	34.3	.....	85.8	13.7	30.9
	1902	1,133.5	17.1	.....	6.8	.....	13.7	24.0	3.4	20.5	.....	126.7	3.4	61.7
	1903	1,135.2	44.4	3.4	.....	30.8	6.8	23.9	10.3	23.9	.....	119.7	3.4	54.7
	1904	1,099.2	13.7	13.7	.....	20.5	.....	3.4	.....	10.2	.....	143.4	3.4	51.2
	1905	1,179.3	44.3	6.8	.....	.....	3.4	6.8	3.4	23.9	13.6	61.4	6.8	78.4
Lagrange county	1901	1,377.0	19.7	6.6	.....	6.6	.....	6.6	.....	59.0	.....	104.9	19.7	72.1
	1902	1,182.8	32.8	.....	.....	.....	6.6	6.6	19.7	46.0	.....	111.7	13.1	46.0
	1903	1,317.1	13.2	.....	.....	6.6	.....	13.2	19.7	26.3	.....	144.9	26.3	59.3
	1904	1,115.4	33.0	6.6	.....	13.2	19.8	6.6	6.6	26.4	.....	118.8	33.0	79.2
	1905	1,382.4	39.7	.....	.....	.....	13.2	6.6	13.2	46.3	19.8	105.8	19.8	59.5
Lake county	1901	1,278.2	15.2	15.2	.....	11.4	15.2	11.4	26.6	30.4	.....	79.9	19.0	38.1
	1902	1,245.5	25.9	11.1	3.7	.....	33.3	.....	29.6	7.4	.....	73.9	3.7	29.6
	1903	1,257.7	35.9	.....	.....	32.3	10.8	25.2	39.5	10.8	.....	100.6	18.0	21.6
	1904	1,451.0	41.9	.....	3.5	3.5	21.0	21.0	21.0	14.0	.....	94.4	14.0	52.4
	1905	1,290.4	27.2	3.4	3.4	.....	.....	20.4	40.9	17.0	6.8	40.9	3.4	40.9
Laporte county	1901	1,237.1	12.8	12.8	.....	.....	12.8	.....	29.7	29.7	.....	93.5	17.0	68.0
	1902	1,259.0	42.5	4.3	.....	.....	.....	8.5	.....	4.3	.....	131.8	21.3	63.8
	1903	1,468.3	21.3	4.3	.....	29.8	21.3	8.5	4.3	8.5	.....	123.4	12.8	63.8
	1904	1,358.4	12.8	.....	.....	4.3	4.3	.....	12.8	12.8	.....	136.3	25.5	51.1
	1905	1,563.6	25.6	4.3	.....	.....	17.0	.....	8.5	.....	29.8	140.6	25.6	115.0
Lawrence county	1901	1,249.8	87.4	26.6	7.6	3.8	.....	15.2	15.2	22.8	.....	129.1	15.2	15.2
	1902	1,192.5	52.0	26.0	.....	.....	7.4	26.0	18.6	7.4	.....	152.3	29.7	40.9
	1903	1,275.9	43.6	14.5	.....	3.6	3.6	21.8	10.9	10.9	.....	214.5	32.7	32.7
	1904	1,591.0	49.8	24.9	.....	78.3	.....	.....	.....	3.6	.....	181.5	14.2	42.7
	1905	1,425.1	101.0	10.5	3.5	.....	.....	17.4	27.9	38.3	17.4	202.1	34.8	52.3
Madison county	1901	1,215.5	36.1	7.7	2.6	2.6	20.6	10.3	20.6	18.1	.....	152.3	10.3	38.7
	1902	1,150.5	39.8	5.0	.....	5.0	7.5	5.0	24.9	5.0	.....	156.9	17.4	27.4
	1903	947.9	31.3	4.8	4.8	2.4	.....	14.4	9.6	4.8	.....	105.9	19.3	38.5
	1904	877.3	18.6	.....	.....	16.3	9.3	.....	7.0	7.0	.....	130.3	7.0	11.6
	1905	883.3	49.6	2.3	.....	.....	.....	4.5	6.8	13.5	15.8	81.1	15.8	45.1
Marion county	1901	1,897.6	25.6	7.3	.....	.....	7.3	18.3	40.3	65.9	.....	263.8	18.3	40.3
	1902	1,988.1	68.1	.....	4.5	.....	.....	13.6	13.6	13.6	.....	304.1	36.3	59.0
	1903	1,370.6	49.0	.....	18.4	6.1	6.1	12.2	18.4	18.4	.....	177.4	30.6	79.5
	1904	1,921.7	67.2	13.4	.....	33.6	6.7	.....	6.7	20.2	.....	235.2	47.0	94.1
	1905	3,643.6	45.9	.....	.....	.....	.....	7.7	15.3	53.6	53.6	604.7	99.5	84.2
Marshall county	1901	1,140.6	15.8	11.9	.....	4.0	4.0	4.0	35.6	39.6	.....	130.7	7.9	35.6
	1902	1,142.7	11.8	7.9	.....	.....	3.9	3.9	27.6	7.9	.....	122.2	7.9	35.5
	1903	1,238.8	15.7	3.9	.....	11.8	19.6	11.8	15.7	15.7	.....	86.2	11.8	70.6
	1904	1,150.6	35.1	15.6	3.9	3.9	7.8	.....	.....	35.1	.....	136.5	19.5	78.0
	1905	989.6	38.8	11.6	.....	.....	7.8	.....	.....	19.4	15.5	69.9	7.8	81.5
Martin county	1901	1,562.4	81.2	6.8	.....	13.5	6.8	67.6	40.6	47.3	.....	230.0	6.8	27.1
	1902	1,157.5	60.6	13.5	6.7	.....	6.7	.....	40.4	26.9	.....	168.2	.....	40.4
	1903	1,051.1	40.2	13.4	.....	.....	13.4	.....	13.4	13.4	.....	147.3	13.4	20.1
	1904	1,479.3	53.3	33.3	6.6	80.0	26.7	53.3	20.0	26.7	.....	199.9	13.3	53.3
	1905	1,094.1	72.9	6.6	.....	.....	13.3	6.6	13.3	39.8	26.5	212.2	39.8	59.7
Miami county	1901	1,373.1	38.9	5.6	.....	11.1	11.1	.....	22.2	50.0	.....	139.0	27.8	38.9
	1902	1,218.4	55.4	.....	.....	.....	.....	16.6	5.5	16.6	.....	110.8	22.2	66.5
	1903	1,296.7	66.2	5.5	.....	5.5	16.6	.....	22.1	5.5	.....	132.4	11.0	66.2
	1904	1,149.0	5.5	.....	.....	38.5	33.0	.....	11.0	27.5	.....	137.4	16.5	16.5
	1905	1,210.5	38.3	11.0	.....	.....	.....	11.0	.....	38.3	21.9	71.2	16.4	32.9

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	6.8	82.2	61.6	54.8	82.2	123.3	61.6	68.5	34.2	.....	34.2	41.1	102.7	27.4
.....	13.4	20.1	80.5	60.3	73.8	26.8	93.9	20.1	20.1	73.8	.....	20.1	6.7	73.8	13.4
.....	13.2	6.6	91.9	39.4	32.8	45.9	59.1	59.1	19.7	52.6	.....	32.8	26.2	124.8	6.6
.....	6.4	19.3	51.5	57.9	38.6	64.4	57.9	38.6	77.3	19.3	6.4	38.6	25.8	77.3	12.9
6.3	6.3	12.6	75.7	31.6	88.3	31.6	37.9	44.2	63.1	44.2	6.3	37.9	18.9	44.2	6.3
.....	3.7	18.4	143.6	40.5	95.8	66.3	73.7	143.6	36.8	77.4	11.0	58.9	55.3	106.8	3.7
.....	10.9	36.4	94.6	69.1	83.7	43.7	120.1	69.1	43.7	69.1	7.3	36.4	47.3	127.3	7.3
.....	10.8	25.2	129.4	79.1	100.6	53.9	107.8	46.7	39.5	57.5	.....	28.8	18.0	46.7	7.2
.....	10.7	7.1	110.1	106.6	88.8	32.0	95.9	74.6	53.3	53.3	7.1	53.3	24.9	103.0	.....
.....	7.0	24.6	108.8	98.3	56.2	80.7	179.0	107.8	35.1	63.2	.....	52.7	21.1	105.3	7.0
.....	8.8	13.2	167.0	87.9	123.1	61.5	136.2	109.9	52.7	74.7	.....	65.9	43.9	197.8	.....
.....	22.1	.....	115.1	190.3	75.3	79.7	97.4	79.7	48.7	53.1	13.3	62.0	31.0	194.7	4.4
.....	8.9	13.4	133.7	196.1	124.8	57.9	66.8	80.2	93.6	40.1	4.5	66.8	26.7	142.6	.....
.....	9.0	13.5	148.1	184.0	121.2	62.8	76.3	94.3	85.3	85.3	13.5	53.9	13.5	179.5	.....
.....	22.6	4.5	108.5	176.3	135.6	49.7	54.3	90.4	94.9	54.3	.....	49.7	27.1	158.2	9.0
.....	12.6	18.9	182.7	132.3	107.1	50.4	113.4	69.3	37.8	69.3	.....	63.0	157.5	176.4	.....
.....	18.8	25.0	112.6	62.6	62.6	37.5	81.3	81.3	100.1	81.3	.....	75.1	25.0	181.4	.....
12.4	6.2	24.8	130.4	111.8	68.3	31.1	68.3	55.9	62.1	49.7	6.2	87.0	18.6	99.4	.....
.....	6.2	.....	148.0	104.8	86.3	80.2	49.3	74.0	18.5	117.1	.....	86.3	18.5	123.3	.....
.....	6.1	18.4	153.1	110.2	73.5	30.6	67.4	91.8	55.1	36.7	.....	49.0	.....	104.1	6.1
.....	9.9	29.6	157.7	152.8	83.8	69.0	83.8	54.2	59.1	49.3	.....	34.5	133.1	152.8	.....
.....	24.6	24.6	113.0	68.8	59.0	44.2	63.9	34.4	88.4	113.0	4.9	24.6	29.5	117.9	.....
.....	19.6	4.9	166.5	127.3	58.8	78.4	68.5	88.1	93.0	63.6	4.9	73.4	34.3	88.1	9.8
.....	.....	34.2	122.0	131.8	112.3	43.9	68.3	107.4	107.4	97.6	.....	43.9	53.7	126.9	.....
.....	9.7	24.3	102.2	82.7	77.8	43.8	82.7	82.7	43.8	63.3	9.7	53.5	29.2	155.7	.....
4.4	17.5	30.7	105.1	83.2	153.3	43.8	109.5	57.0	21.9	105.1	13.1	48.2	57.0	105.1	17.5
.....	17.3	25.9	77.7	56.1	103.7	64.8	73.4	51.8	38.9	60.4	.....	51.8	43.2	138.2	38.9
.....	4.3	8.6	85.9	51.5	47.2	34.4	55.8	42.9	42.9	55.8	8.6	51.5	21.5	103.1	4.3
4.2	.....	16.9	93.2	80.5	97.4	59.3	80.5	46.6	42.4	84.7	8.5	72.0	16.9	131.2	4.2
.....	.....	37.6	75.2	66.8	121.1	75.2	75.2	45.9	45.9	91.9	8.4	58.5	41.8	133.7	4.2
.....	6.9	54.9	137.2	96.0	89.2	51.4	41.2	68.6	68.6	61.7	13.7	44.6	54.9	106.3	3.4
.....	20.5	27.4	147.3	109.6	82.2	34.3	65.1	68.5	44.5	54.8	3.4	48.0	30.8	116.4	3.4
10.3	13.7	10.3	126.5	133.4	37.6	41.0	58.1	65.0	65.0	27.4	6.8	23.9	37.6	143.6	13.7
.....	10.2	17.1	204.8	112.6	75.1	64.9	34.1	71.7	20.5	20.5	10.2	61.4	27.3	88.8	20.5
3.4	17.0	17.0	160.2	153.4	57.9	57.9	85.2	92.0	47.7	47.7	13.6	51.1	17.0	95.4	13.6
.....	13.1	19.7	157.4	203.3	85.2	91.8	39.3	85.2	52.4	39.3	6.6	78.7	85.2	118.0	6.6
.....	19.7	6.6	118.3	85.4	111.7	59.2	32.8	46.0	46.0	105.1	.....	46.0	52.6	164.3	6.6
.....	26.3	6.6	184.4	171.2	59.3	65.8	79.0	105.4	52.7	39.5	13.2	59.3	32.9	105.4	6.6
.....	6.6	13.2	118.8	72.6	79.2	46.2	52.8	85.8	46.2	19.8	6.6	39.6	39.6	138.6	6.6
.....	26.5	19.8	185.2	218.3	26.5	39.7	79.4	79.4	52.9	39.7	39.7	66.1	39.7	145.5	.....
.....	15.2	11.4	133.2	98.9	64.7	87.5	159.8	95.1	34.2	41.9	19.0	57.1	34.2	163.6	.....
.....	.....	14.8	107.2	103.5	66.5	66.5	107.2	110.9	48.0	88.7	.....	155.2	44.3	107.1	7.4
.....	3.6	21.6	125.7	107.8	50.3	86.2	107.8	71.9	35.9	57.5	10.8	158.1	25.2	97.0	3.6
3.5	24.5	21.0	118.9	118.9	73.4	101.4	146.8	122.4	52.4	69.9	7.0	115.4	28.0	157.3	3.5
.....	6.8	20.4	91.9	91.9	105.5	112.4	163.4	54.5	57.9	57.9	20.4	160.0	13.6	126.0	3.4
.....	21.2	29.7	140.3	170.0	59.5	72.3	55.3	34.0	85.0	12.8	12.8	46.8	63.8	157.3	.....
.....	17.0	25.5	157.4	170.1	29.8	51.0	63.8	38.3	68.0	59.5	4.3	85.1	34.0	174.4	4.3
.....	12.8	12.8	131.9	242.6	46.8	76.6	72.3	131.9	93.6	51.1	4.3	110.6	29.8	153.2	.....
4.3	21.3	29.8	123.5	200.1	55.3	98.0	55.3	93.7	68.1	55.3	12.8	76.6	17.0	187.4	.....
4.3	8.5	42.6	178.9	161.9	59.6	76.7	72.4	85.2	106.5	98.0	12.8	102.3	25.6	161.9	.....
.....	7.5	38.0	79.8	102.6	121.5	26.6	133.0	68.4	30.4	41.8	3.8	110.1	60.8	79.8	7.6
.....	.....	22.3	63.2	85.4	81.7	63.2	115.2	74.3	37.2	74.3	11.1	55.7	37.2	111.4	.....
.....	7.3	18.2	98.2	116.3	94.5	47.3	69.1	65.4	18.2	54.5	3.6	94.5	50.9	141.8	7.3
.....	3.6	46.2	89.0	124.5	156.6	89.0	167.2	81.8	46.2	103.2	.....	99.6	32.0	160.1	.....
.....	.....	17.4	83.6	101.0	94.1	73.2	142.9	52.3	24.4	87.1	3.5	69.7	31.4	132.4	7.0
5.2	5.2	28.4	80.0	74.9	64.5	61.9	121.3	80.0	12.9	54.2	12.9	82.6	69.7	141.9	.....
.....	5.0	17.4	104.6	47.3	87.1	44.8	87.1	42.4	44.8	82.2	2.5	79.7	64.7	142.0	5.0
.....	16.8	14.4	74.6	89.0	43.3	43.3	48.1	69.8	36.1	38.5	2.4	48.1	26.5	154.0	7.2
2.3	2.3	16.3	95.4	67.5	83.8	46.5	55.9	41.9	25.6	51.2	2.3	48.9	37.2	93.1	.....
.....	11.3	27.0	54.1	69.9	20.3	33.8	76.6	78.9	65.3	60.8	9.0	33.8	33.8	72.1	2.3
.....	7.3	33.0	282.1	135.6	87.9	69.6	117.2	69.6	55.0	95.3	7.3	117.2	80.6	252.8	.....
.....	13.6	31.8	381.3	136.2	59.0	68.1	136.2	86.2	95.3	54.5	13.6	77.2	45.4	254.2	22.7
.....	6.1	24.5	134.6	153.0	73.4	61.2	97.9	61.2	36.7	55.1	24.5	73.4	30.6	116.3	6.1
6.7	.....	26.9	228.4	228.4	120.9	87.3	127.7	87.3	94.1	73.9	.....	107.5	47.0	161.3	.....
.....	38.3	30.6	704.2	275.6	183.7	91.9	206.7	160.7	229.6	137.8	23.0	237.3	68.9	290.9	.....
.....	.....	15.8	174.3	87.1	55.5	63.4	67.3	67.3	31.7	59.4	.....	39.6	47.5	134.7	7.9
.....	11.8	27.6	106.4	141.8	27.6	63.0	47.3	63.0	51.2	74.9	3.9	55.2	94.6	145.8	.....
.....	7.8	19.6	160.7	133.3	47.0	62.7	70.6	109.7	35.3	70.6	7.8	54.9	58.8	133.3	3.9
.....	39.0	7.8	144.3	93.6	70.2	58.5	35.1	70.2	54.6	54.6	.....	50.7	39.0	93.7	3.9
.....	15.5	11.6	139.7	112.5	46.6	62.1	46.6	62.1	54.3	19.4	11.6	31.0	15.5	108.7	.....
6.8	13.5	54.1	142.0	54.1	94.7	87.9	108.2	121.7	27.1	54.1	.....	33.8	115.0	108.2	13.5
.....	.....	53.8	80.8	67.3	47.1	47.1	121.1	60.6	6.7	60.6	.....	74.0	47.1	127.9	.....
6.7	.....	113.8	53.5	40.2	87.1	53.5	73.7	87.1	20.1	6.7	13.4	113.8	20.1	67.0	20.1
.....	.....	26.7	80.0	66.6	86.6	86.6	80.0	80.0	33.3	126.6	.....	66.6	60.0	119.9	.....
.....	6.6	33.2	66.3	66.3	53.0	46.4	72.9	53.0	19.9	39.8	13.3	39.8	26.5	59.7	6.6
.....	11.1	38.9	116.8	105.7	77.8	83.4	111.2	77.8	38.9	38.9	.....	94.5	66.7	150.1	16.7
5.5	16.6	27.7	132.9	60.9	138.5	72.0	38.8	60.9	44.3	77.5	5.5	44.3	27.7	166.2	5.5
.....	44.1	22.1	143.5	110.4	60.7	71.8	93.8	88.3	60.7	38.6	5.5	60.7	27.6	132.4	5.5
.....	5.5	22.0	153.9	104.4	88.0	49.5	27.5	77.0	22.0	27.5	.....	82.4	22.0	175.9	5.5
.....	11.0	27.4	142.4	147.9	82.2	49.3	87.6	76.7	65.7	65.7	5.5	54.8	38.3	109.5	5.5

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Monroe county....1901	1,354.2	51.9	14.2	.....	4.7	4.7	37.7	23.6	51.9	.....	165.2	23.6	42.5
1902	1,324.8	65.1	9.3	.....	23.3	.....	18.6	13.9	4.6	.....	218.5	46.5	23.3
1903	1,067.1	55.0	.....	.....	.....	.....	.....	13.7	4.6	.....	201.5	45.8	55.0
1904	1,232.3	36.1	9.0	.....	18.1	4.5	.....	13.5	13.5	.....	171.6	13.5	67.7
1905	1,383.9	57.8	.....	.....	.....	31.1	22.2	22.2	17.8	17.8	146.8	31.1	40.0
Montgomery county....1901	1,314.2	23.7	6.8	.....	13.5	16.9	3.4	3.4	71.1	.....	149.0	33.9	47.4
1902	1,308.2	47.2	.....	6.7	3.4	.....	3.4	3.4	13.5	.....	175.3	13.5	60.7
1903	1,285.4	16.8	3.3	.....	.....	10.1	.....	3.3	20.1	.....	157.7	16.8	94.0
1904	1,409.9	43.4	.....	.....	16.7	.....	3.3	.....	33.4	.....	157.0	46.8	83.5
1905	1,330.3	16.6	.....	.....	.....	.....	16.6	3.3	29.9	13.3	139.6	20.0	83.1
Morgan county....1901	1,293.7	58.1	.....	.....	.....	.....	19.4	4.8	72.7	.....	179.3	24.2	29.1
1902	1,042.3	62.4	.....	.....	.....	.....	.....	.....	4.8	.....	197.0	19.2	48.0
1903	1,204.8	71.4	4.8	4.8	23.8	.....	.....	4.8	4.8	.....	190.5	23.8	52.4
1904	1,482.5	33.0	.....	.....	18.9	.....	.....	4.7	37.8	.....	184.1	23.6	61.4
1905	1,394.9	4.7	4.7	.....	.....	.....	28.1	.....	56.2	.....	177.9	23.4	65.5
Newton county....1901	1,224.9	9.4	9.4	.....	9.4	.....	.....	75.4	18.8	.....	56.5	18.8	37.7
1902	1,020.6	27.8	.....	.....	.....	.....	.....	9.3	.....	.....	55.7	9.3	55.7
1903	1,114.9	54.8	.....	.....	9.1	.....	9.1	18.3	18.3	.....	100.6	9.1	45.7
1904	936.2	9.0	.....	.....	.....	9.0	.....	9.0	18.0	.....	63.0	9.0	27.0
1905	958.0	26.6	.....	.....	.....	.....	.....	.....	8.9	.....	79.8	8.9	8.9
Noble county....1901	1,231.4	25.5	4.2	.....	.....	.....	8.5	12.7	59.4	.....	131.7	12.7	59.4
1902	1,052.3	21.2	.....	.....	8.5	.....	8.5	.....	8.5	.....	84.9	12.7	33.9
1903	1,064.3	17.0	8.5	.....	17.0	8.5	17.0	4.2	25.4	.....	93.3	29.7	59.4
1904	1,368.6	21.2	.....	.....	.....	12.7	.....	.....	25.4	.....	169.5	25.4	50.9
1905	1,075.4	21.2	8.5	.....	4.2	.....	.....	4.2	16.9	8.5	88.9	21.2	46.6
Ohio county....1901	1,148.6	21.3	.....	.....	.....	.....	.....	.....	42.5	.....	255.3	.....	63.8
1902	1,325.4	64.1	.....	.....	21.4	.....	.....	.....	.....	.....	171.0	42.8	.....
1903	1,546.7	64.4	.....	.....	.....	.....	.....	.....	21.5	.....	257.8	.....	64.4
1904	1,511.2	21.6	.....	.....	.....	.....	21.6	21.6	.....	.....	215.9	64.7	43.2
1905	1,258.4	.....	.....	.....	.....	.....	21.7	21.7	21.7	.....	238.7	21.7	86.8
Orange county....1901	1,441.0	70.3	23.4	.....	5.9	5.9	23.4	5.9	82.0	.....	216.7	17.6	23.4
1902	1,058.4	63.6	.....	.....	.....	5.8	5.8	17.4	40.5	.....	208.2	28.9	28.9
1903	1,045.2	68.5	5.7	.....	.....	5.7	5.7	34.3	22.9	.....	211.3	17.1	28.6
1904	1,483.7	45.1	5.6	11.3	62.1	.....	5.6	.....	16.9	.....	293.4	28.2	39.5
1905	1,120.2	61.3	5.6	.....	.....	16.7	16.7	16.7	16.7	27.9	234.1	22.3	44.6
Owen county....1901	1,438.0	39.6	.....	.....	6.5	13.2	13.2	.....	33.0	.....	270.5	19.8	52.8
1902	1,245.8	98.9	6.6	.....	13.2	13.2	.....	6.6	39.5	.....	178.0	6.6	59.3
1903	1,007.8	46.1	.....	19.8	32.9	.....	.....	26.3	.....	.....	158.1	26.3	32.9
1904	1,178.2	26.3	6.6	.....	19.7	6.6	6.6	6.6	39.5	.....	177.7	13.2	46.1
1905	1,118.1	26.3	6.6	.....	.....	13.2	26.3	.....	13.2	6.6	177.6	32.9	52.6
Parke county....1901	1,190.4	60.2	8.6	.....	4.3	4.3	.....	17.2	51.6	.....	167.6	12.9	34.4
1902	1,185.2	29.7	12.7	.....	8.5	4.2	8.5	8.5	29.8	.....	110.5	17.0	34.0
1903	1,087.8	12 6	4.2	4.2	12.6	16.8	12.6	4.2	16.8	.....	163.8	12.6	42.0
1904	1,391.2	45.7	.....	.....	74.8	4.1	4.1	8.3	.....	.....	132.9	20.8	58.1
1905	1,223.8	45.2	12.3	.....	.....	12.3	12.3	16.4	24.6	28.7	143.7	32.9	57.5
Perry county....1901	1,428.4	53.1	10.6	.....	.....	10.6	10.6	37.2	53.1	.....	175.2	.....	42.5
1902	1,355 5	42.4	10.6	10.6	.....	.....	5.3	21.2	10.6	.....	206.5	15.9	47.7
1903	1,056.0	52 8	10.6	15.8	.....	21.1	10.6	26.4	15.8	.....	174.3	15.8	37.0
1904	1,453.1	47 4	5.3	.....	42.1	5.3	10.5	42.1	26.3	.....	205.3	26.3	26.3
1905	1,328.2	36.7	5.2	.....	.....	.....	21.0	10.5	26.2	42.0	215.2	47.2	47.2
Pike county....1901	1,726.3	82.2	38.7	.....	9.7	.....	19.3	9.7	38.7	.....	246.6	24.2	43.5
1902	1,638.4	119.8	14.4	.....	23.9	4.8	52.7	28.7	.....	.....	287.4	28.7	47.9
1903	1,262.6	80 7	14.2	.....	.....	4.7	14.2	47.5	23.7	.....	180.4	9.5	42.7
1904	1,683.8	42.3	14.1	.....	32.9	14.1	18.8	9.4	18.8	.....	296.3	37.6	28.2
1905	1,384.2	46.6	18.6	4.7	.....	4.7	28.0	18.6	32.6	32.6	195.7	14.0	55.9
Porter county....1901	1,234.0	15.6	20.7	.....	10.4	5.2	5.2	46.6	51.8	.....	67.4	15.6	57.0
1902	1,221.7	25.8	.....	.....	.....	5.1	5.1	10.3	10.3	.....	108.3	30.9	56.7
1903	1,342.8	20 5	.....	.....	20.5	5.1	20.5	15.4	20.5	.....	97.4	10.3	66.6
1904	1,488.0	20.4	.....	.....	5.1	.....	.....	30.6	45.9	.....	142.7	10.2	66.2
1905	1,271.9	25.3	.....	.....	10.1	5.1	15.2	10.1	15.2	5.1	96.3	40.5	81.1
Posey county....1901	1,914.1	66.9	49.1	.....	22.3	22.3	40.2	26.8	75.8	.....	196.3	26.8	49.1
1902	1,582.7	102.3	17.8	.....	4.4	31.1	26.7	17.8	8.9	.....	235.6	26.7	26.7
1903	1,103.1	44.3	13.3	.....	.....	8.9	4.4	.....	22.1	.....	155.0	13.3	44.3
1904	1,311.1	53.0	4.4	.....	4.4	.....	4.4	17.7	17.7	.....	198.7	26.5	61.8
1905	1,332.9	22.0	35.2	.....	.....	.....	.....	26.4	35.2	26.4	180.4	39.6	61.6
Pulaski county....1901	1,027.0	27.9	41.9	.....	.....	.....	7.0	21.0	21.0	.....	104.8	7.0	34.9
1902	966.2	27.4	13.7	.....	13.7	.....	27.4	20.6	6.9	.....	143.9	.....	13.7
1903	779.9	20.2	6.7	.....	6.7	6.7	.....	13.4	20.2	.....	67.2	.....	20.2
1904	864.6	19.8	.....	.....	6.6	.....	.....	6.6	.....	.....	79.2	19.8	13.2
1905	861.8	38.9	.....	.....	.....	.....	6.5	13.0	13.0	13.0	97.2	.....	71.3
Putnam county....1901	1,308.9	42.1	.....	.....	9.3	.....	9.3	4.7	46.7	.....	182.3	18.7	56.1
1902	1,337.7	56 3	.....	.....	9.4	14.1	.....	9.4	14.1	.....	183.0	.....	51.6
1903	1,145.1	37.7	9.4	9.4	4.7	4.7	.....	4.7	28.3	.....	174.4	14.1	70.7
1904	1,433.7	23.7	14.2	.....	28.4	.....	14.2	18.9	18.9	.....	231.9	33.1	52.0
1905	1,249.5	33.3	4.8	.....	.....	.....	9.5	4.8	14.3	23.8	199.5	19.0	57.0
Randolph county....1901	1,358.4	31 3	.....	.....	38.3	.....	.....	3.5	31.3	.....	174.2	38.3	59.2
1902	1,234.1	38.2	3.5	.....	3.5	7.0	3.5	3.5	10.4	.....	163.4	24.3	38.2
1903	1,193.4	24 3	6.9	24.3	.....	.....	6.9	3.5	13.9	.....	138 8	24.3	55.5
1904	1,236.1	38 1	.....	.....	17.3	6.9	.....	10.4	24.2	.....	162.8	24.2	48.5
1905	1,282.1	24.2	3.5	.....	.....	.....	.....	13.8	17.3	31.1	159.0	20.7	48.4

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
4.7	.....	23.6	108.5	47.2	84.9	75.5	108.5	66.1	23.6	56.6	.....	94.4	51.9	184.0	4.7
.....	13.9	41.8	97.6	33.7	106.9	60.4	97.6	83.7	13.9	120.9	.....	32.5	65.1	83.7	.....
.....	4.6	32.0	91.6	82.4	50.4	41.2	55.0	64.1	36.6	55.0	.....	41.2	22.9	105.3	9.2
.....	4.5	27.1	162.5	99.3	81.3	54.2	85.8	58.7	40.6	63.2	.....	63.2	22.6	112.8	9.0
.....	17.8	4.4	173.5	93.4	89.0	80.1	120.1	48.9	48.9	84.5	4.4	62.3	44.5	120.1	4.4
3.4	10.2	54.2	132.1	98.2	81.3	57.6	64.3	81.3	20.3	33.9	10.2	54.2	37.3	199.8	6.8
3.4	13.5	23.6	141.6	111.3	67.4	30.4	77.5	94.4	37.1	77.5	.....	50.6	84.3	161.8	6.7
.....	6.7	33.6	157.7	134.3	47.0	40.3	87.3	63.8	83.9	50.3	10.1	63.8	30.2	151.0	3.3
.....	23.4	33.4	160.4	127.0	120.3	36.7	63.5	83.5	53.5	53.5	10.0	66.8	46.8	140.3	6.7
.....	23.3	16.6	156.3	169.6	83.1	33.3	86.5	96.4	53.2	46.6	6.7	43.2	36.6	133.0	3.3
.....	14.5	19.4	106.6	126.0	116.3	48.4	96.9	82.4	58.1	63.0	.....	29.1	38.8	96.	9.7
.....	4.8	9.6	105.7	86.5	48.0	28.8	100.9	33.6	67.3	52.8	.....	19.2	9.6	134.5	9.6
.....	.....	14.3	147.6	128.6	80.9	28.6	66.6	76.2	42.8	19.0	4.8	76.2	9.5	123.8	4.8
.....	23.6	37.8	108.6	155.8	146.3	61.4	85.0	85.0	85.0	61.4	14.2	85.0	42.5	122.7	4.7
.....	.....	14.0	154.5	173.2	103.0	88.9	84.3	65.5	56.2	84.3	9.4	42.1	23.4	126.4	9.4
.....	18.8	37.7	75.4	66.0	103.7	84.8	188.5	66.0	56.5	28.3	.....	56.5	66.0	131.9	9.4
.....	27.8	9.3	83.5	83.5	64.9	37.1	111.3	83.5	83.5	102.1	.....	37.1	.....	139.2	.....
18.3	18.3	27.4	73.1	118.8	73.1	54.8	54.8	73.1	73.1	54.8	18.3	73.1	18.3	100.6	.....
9.0	63.0	36.0	126.1	81.0	27.0	36.0	90.0	45.0	9.0	27.0	9.0	90.0	18.0	117.1	9.0
.....	.....	26.6	133.1	141.9	53.2	62.1	88.7	62.1	26.6	79.8	8.9	62.1	17.7	62.1	.....
4.2	.....	29.7	110.4	148.6	55.2	51.0	34.0	68.0	68.0	63.7	8.5	89.2	25.5	157.1	4.2
.....	.....	25.5	131.5	127.3	25.5	46.7	59.4	76.4	38.2	50.9	.....	42.4	72.1	169.7	8.5
.....	8.5	12.7	131.4	173.9	33.9	33.9	72.1	55.1	38.2	21.2	4.2	55.1	25.4	118.7	.....
8.5	12.7	21.2	144.1	241.5	46.6	67.8	42.4	101.7	72.0	16.9	.....	55.1	21.2	211.8	.....
.....	8.5	4.2	144.0	173.6	55.0	16.9	59.3	67.7	67.7	46.6	.....	84.7	12.7	114.3	.....
.....	.....	21.3	106.4	85.1	42.5	.....	42.5	85.1	42.5	63.8	.....	63.8	42.5	170.2	.....
.....	.....	.....	213.8	171.0	42.8	42.8	21.4	149.6	128.2	.....	.....	21.4	106.9	128.2	.....
.....	.....	.....	128.9	214.8	214.8	85.9	21.5	43.0	85.9	43.0	21.5	171.9	21.5	85.9	.....
.....	.....	21.6	151.1	237.5	129.6	21.6	151.1	64.7	64.7	43.2	43.2	64.7	21.6	108.0	.....
.....	.....	21.7	195.3	65.1	86.8	43.4	65.1	130.2	21.7	.....	21.7	.....	21.7	173.6	.....
.....	5.9	29.3	181.6	46.9	111.3	87.8	93.7	52.7	23.4	46.9	11.7	52.7	70.3	146.4	5.9
.....	.....	23.1	92.5	63.6	46.3	57.8	52.1	57.8	11.6	98.3	.....	17.4	34.7	104.1	.....
.....	11.4	11.4	85.7	74.3	68.5	51.4	51.4	68.5	40.0	68.5	5.7	45.7	22.9	40.0	.....
.....	5.6	16.9	95.9	95.9	107.2	73.3	135.4	67.7	39.5	101.6	.....	56.4	45.1	107.3	28.2
5.6	16.7	.....	66.9	89.2	83.6	55.7	50.2	44.6	50.2	44.6	.....	27.9	27.9	94.7	.....
.....	19.8	13.2	125.3	46.2	92.4	72.6	118.7	72.6	72.6	98.9	6.5	59.4	39.6	145.1	6.5
.....	13.2	19.8	151.6	112.1	118.6	52.7	52.7	59.3	26.4	32.9	6.6	52.7	26.4	98.9	.....
6.6	6.6	19.8	131.7	92.2	79.1	13.2	32.9	59.3	79.1	26.3	6.6	39.5	13.2	59.3	.....
.....	6.6	13.2	118.5	131.6	151.4	65.8	59.2	52.7	39.5	19.7	19.7	52.6	13.2	79.0	6.6
.....	.....	19.7	72.3	210.5	98.7	19.7	59.2	78.9	19.7	32.9	.....	46.0	26.3	78.9	.....
.....	8.6	25.8	167.6	55.9	77.3	60.1	94.5	64.5	17.2	34.4	8.6	85.9	30.1	94.5	4.3
.....	12.7	12.7	123.2	89.2	106.2	46.7	97.7	68.0	25.5	119.0	8.5	85.0	25.5	97.7	4.2
4.2	4.2	21.0	88.2	100.8	84.0	25.2	71.4	75.6	25.2	29.4	21.0	113.4	46.2	71.4	4.2
.....	12.5	58.1	166.1	124.6	99.7	58.1	137.1	66.5	29.1	54.0	8.3	78.9	33.2	112.1	4.1
.....	8.2	4.1	119.1	127.3	123.2	37.0	94.5	53.4	41.1	37.0	.....	73.9	12.3	106.8	.....
.....	5.3	26.6	191.2	74.3	148.7	53.1	95.6	69.0	21.2	85.0	.....	31.9	74.3	138.1	21.2
5.3	10.6	15.9	95.3	95.3	148.2	42.4	90.0	90.0	31.8	63.5	.....	68.8	52.9	169.4	5.3
.....	.....	15.8	73.9	52.8	42.2	52.8	47.5	105.6	37.0	52.8	.....	42.2	68.7	79.2	5.3
.....	10.5	31.6	89.5	84.3	110.6	79.0	79.0	63.2	42.1	121.1	.....	73.7	57.9	163.2	10.5
.....	.....	5.2	89.2	115.5	99.7	57.7	89.2	120.7	47.2	42.0	.....	52.5	31.5	120.7	5.2
.....	.....	33.8	125.7	48.4	207.9	82.2	96.7	87.1	38.7	140.2	.....	82.2	140.2	130.6	.....
.....	.....	47.9	62.3	115.0	134.1	100.6	177.3	81.4	19.2	86.2	9.6	62.3	14.4	105.4	14.4
.....	4.7	57.0	80.7	128.2	66.5	23.7	85.5	52.2	47.5	66.5	.....	61.7	23.7	147.1	.....
.....	9.4	32.9	61.2	75.3	103.5	70.6	225.8	75.3	47.0	183.4	.....	75.3	28.2	178.7	4.7
9.3	18.6	37.3	46.6	79.2	111.9	74.6	107.2	97.9	46.6	79.2	9.3	79.2	28.0	97.9	9.3
.....	5.2	10.4	119.2	124.4	103.7	62.2	77.8	98.5	51.8	72.6	5.2	77.8	15.6	114.1	.....
.....	10.3	10.3	134.0	103.1	92.8	82.5	61.9	92.8	67.0	92.8	.....	87.7	25.8	97.9	10.3
.....	20.5	20.5	112.8	164.0	107.7	87.1	66.6	87.1	87.1	25.6	15.4	87.1	25.6	158.9	.....
.....	5.1	25.5	178.4	163.0	137.6	81.5	86.6	96.8	81.5	30.6	10.2	71.3	20.4	178.4	.....
5.1	5.1	.....	162.1	116.5	101.3	106.4	60.8	86.1	30.4	60.8	15.2	81.1	5.1	131.7	.....
.....	13.4	80.3	102.6	120.5	178.5	129.4	200.8	116.0	53.5	71.4	13.4	75.8	53.5	111.6	17.8
.....	17.8	31.1	93.4	48.9	115.6	66.7	168.9	102.3	62.2	93.4	.....	80.0	40.0	151.1	13.3
.....	.....	22.1	70.9	84.2	39.9	44.3	101.9	88.6	53.2	57.6	4.4	88.6	26.6	101.9	13.3
.....	8.8	22.1	106.0	92.7	88.3	75.0	132.4	97.1	53.0	39.7	8.8	39.7	22.1	132.4	4.4
.....	.....	44.0	83.6	52.8	114.4	61.6	110.0	88.0	48.4	101.2	13.2	66.0	17.6	88.0	17.6
.....	.....	.....	139.7	69.9	104.8	14.0	97.8	7.0	76.8	69.8	.....	21.0	27.9	118.8	14.0
.....	6.9	13.7	54.8	54.8	68.5	20.6	68.5	82.2	27.4	82.2	6.9	41.1	41.1	102.8	27.4
.....	.....	6.7	80.7	67.2	26.9	40.4	47.1	13.4	40.4	67.2	.....	53.8	53.8	107.6	13.4
.....	6.6	13.2	105.6	79.2	59.4	39.6	39.6	59.4	52.8	46.2	6.6	33.0	39.6	132.0	6.6
.....	.....	19.4	103.7	45.4	97.2	71.3	58.3	71.3	38.9	6.5	.....	32.4	32.4	32.4	.....
4.7	14.0	4.7	144.9	112.2	84.2	84.2	60.8	74.8	65.4	70.1	9.3	79.5	18.7	112.2	.....
4.7	4.7	32.9	84.5	84.5	98.6	51.6	98.6	46.9	51.6	154.9	4.7	75.1	61.0	145.5	.....
.....	14.1	14.1	89.6	94.3	80.1	37.7	75.4	56.6	37.7	84.8	4.7	42.4	33.0	122.5	.....
.....	9.5	9.5	123.0	108.8	80.4	66.3	52.0	89.9	75.7	142.0	14.2	61.5	28.4	137.2	.....
.....	4.8	9.5	118.8	147.3	95.0	71.3	42.8	42.8	66.5	66.5	4.8	47.5	57.0	109.3	.....
.....	10.4	59.2	132.4	97.5	83.6	87.1	115.0	66.2	55.7	59.2	7.0	24.4	38.3	146.3	.....
3.5	17.4	27.8	132.1	111.3	45.2	76.5	45.2	83.4	38.2	93.9	7.0	24.3	38.2	184.2	10.4
.....	6.9	17.4	111.0	121.4	79.8	52.0	65.9	93.7	65.9	52.0	13.9	59.0	13.9	142.2	.....
.....	13.9	17.3	107.4	138.5	76.2	62.3	65.8	90.0	72.7	51.9	10.4	34.6	31.2	124.6	6.9
.....	13.8	20.7	133.2	155.5	79.5	44.9	82.9	79.5	48.4	62.2	6.9	44.9	17.3	120.9	3.4

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Ripley county	1901	1,334.4	50.2	10.0	.....	.....	.....	10.0	.....	60.2	.....	150.5	40.1	35.1
	1902	1,050.7	40.0	.....	.....	15.0	.....	.....	5.0	5.0	.....	145.1	35.0	55.0
	1903	1,062.9	44.9	5.0	5.0	.....	.....	5.0	39.9	5.0	.....	174.6	20.0	64.9
	1904	1,244.2	49.8	14.9	.....	24.9	10.0	.....	10.0	39.8	.....	194.1	14.9	29.9
	1905	1,236.0	19.9	.....	.....	.....	14.9	.....	5.0	14.9	19.9	143.9	49.6	34.7
Rush county	1901	1,337.7	24.7	9.9	.....	9.9	4.9	4.9	4.9	44.4	.....	162.9	29.6	54.3
	1902	1,227.3	54.0	.....	.....	.....	.....	4.9	.....	9.8	.....	137.5	34.4	68.7
	1903	1,137.6	43.9	4.9	.....	.....	9.8	4.9	4.9	19.5	.....	107.4	19.5	92.8
	1904	1,248.1	43.7	4.9	.....	9.7	19.4	14.6	.....	24.3	.....	145.7	29.1	102.0
	1905	1,067.5	19.3	9.7	.....	.....	.....	19.3	9.7	38.6	14.5	96.6	33.8	58.0
St. Joseph county	1901	1,172.0	30.3	4.3	.....	.....	8.6	8.6	8.6	51.9	.....	108.1	21.6	26.0
	1902	1,013.4	25.8	4.3	34.3	.....	.....	8.6	21.5	4.3	.....	81.6	25.8	55.8
	1903	1,950.6	42.6	4.2	.....	29.8	34.1	4.2	34.1	17.0	.....	208.7	34.1	76.7
	1904	1,639.1	21.1	.....	.....	8.4	33.8	16.9	8.4	25.3	.....	173.2	25.3	101.4
	1905	1,469.4	41.9	.....	.....	.....	4.2	16.7	8.4	16.7	12.6	163.3	29.3	79.5
Scott county	1901	1,436.4	35.9	.....	.....	.....	35.9	35.9	35.9	83.8	.....	203.5	47.9	59.8
	1902	1,404.6	59.5	.....	.....	.....	.....	.....	.....	47.6	.....	214.3	23.8	35.7
	1903	1,171.9	35.5	.....	.....	.....	.....	.....	11.8	23.7	.....	213.1	11.8	71.1
	1904	1,436.1	47.1	11.8	.....	35.3	.....	11.8	.....	82.4	.....	364.9	11.8	47.1
	1905	1,463.4	70.2	23.4	.....	.....	23.4	11.7	23.4	58.5	23.4	292.7	23.4	58.5
Shelby county	1901	1,312.3	56.4	7.5	.....	3.8	.....	.....	22.6	41.4	.....	191.7	15.0	52.6
	1902	1,367.1	74.9	.....	3.7	22.5	22.5	3.7	7.5	15.0	.....	131.1	7.5	56.2
	1903	1,264.8	52.2	.....	.....	.....	3.7	18.7	7.5	14.9	.....	145.5	44.8	59.7
	1904	1,330.5	44.6	.....	.....	18.6	3.7	7.4	3.7	18.6	.....	171.0	22.3	55.8
	1905	1,303.2	51.8	3.7	.....	.....	14.8	3.7	7.4	55.5	11.1	129.6	40.7	62.9
Spencer county	1901	1,350.1	62.4	17.8	4.4	22.3	8.9	31.2	22.3	31.2	.....	227.2	22.3	31.2
	1902	1,405.9	71.2	8.9	.....	17.8	13.3	22.2	.....	22.2	.....	204.7	4.4	40.0
	1903	937.2	48.9	.....	.....	.....	17.8	22.2	26.6	17.8	.....	106.6	8.9	26.6
	1904	1,139.8	31.1	8.9	.....	.....	13.3	4.4	8.9	22.2	.....	221.8	13.3	17.3
	1905	1,177.9	26.6	4.4	.....	8.9	.....	17.7	8.9	75.3	26.6	208.1	8.9	35.4
Starke county	1901	1,368.7	37.3	27.9	.....	.....	.....	18.6	65.2	27.9	.....	111.7	9.3	65.2
	1902	1,149.4	54.3	45.3	.....	.....	.....	18.1	.....	18.1	.....	81.4	.....	72.4
	1903	1,153.4	52.8	26.4	.....	8.8	.....	17.6	.....	17.6	.....	123.3	8.8	17.6
	1904	1,011.4	17.1	25.7	.....	.....	8.6	17.1	17.1	34.3	.....	77.1	8.6	25.7
	1905	1,144.0	50.1	8.4	.....	.....	8.4	.....	25.1	41.8	8.4	125.3	.....	16.7
Steuben county	1901	1,111.6	13.1	.....	.....	.....	13.1	.....	.....	78.4	.....	85.0	6.5	26.2
	1902	1,080.2	19.5	6.5	.....	.....	19.5	.....	13.0	13.0	.....	104.1	6.5	104.1
	1903	1,133.3	19.4	.....	.....	6.5	6.5	.....	19.4	45.3	.....	97.1	19.4	64.8
	1904	1,140.8	12.9	6.4	.....	12.9	.....	19.3	6.4	19.3	.....	58.0	12.9	64.5
	1905	1,289.4	19.2	.....	.....	.....	12.8	6.4	25.7	38.5	25.7	102.6	32.1	89.8
Sullivan county	1901	1,567.1	37.9	11.4	.....	41.6	.....	26.5	34.1	41.6	.....	219.5	11.4	45.4
	1902	1,267.2	70.8	11.2	3.7	3.7	.....	33.5	14.9	14.9	.....	160.3	7.5	26.1
	1903	1,097.5	29.4	14.7	7.3	3.7	22.0	7.3	22.0	3.7	.....	165.2	18.4	58.7
	1904	1,511.4	39.8	10.8	36.2	50.6	10.8	3.6	25.3	7.2	.....	227.8	18.1	50.6
	1905	1,553.3	42.8	7.1	32.1	.....	10.7	42.8	39.2	14.3	24.9	160.3	21.4	46.3
Switzerland county	1901	1,291.1	25.5	.....	.....	.....	.....	.....	17.0	25.5	.....	212.3	17.0	84.9
	1902	1,341.2	34.2	.....	.....	.....	17.1	8.5	59.8	8.5	.....	179.4	25.6	68.3
	1903	1,091.2	17.2	8.6	.....	.....	.....	34.4	.....	25.8	.....	171.9	.....	68.7
	1904	1,382.6	51.8	8.6	.....	8.6	.....	.....	.....	8.6	.....	267.9	8.6	86.5
	1905	1,199.5	17.4	.....	.....	.....	8.7	.....	8.7	52.2	17.4	199.9	17.4	104.3
Tippecanoe county	1901	1,187.6	24.1	.....	.....	14.5	.....	14.5	9.7	33.8	.....	140.0	24.1	53.1
	1902	833.1	33.5	9.6	.....	.....	4.8	.....	.....	9.6	.....	100.5	9.6	28.7
	1903	949.8	19.0	.....	4.7	.....	.....	.....	4.7	23.7	.....	147.3	19.0	42.8
	1904	1,173.0	9.4	14.1	.....	14.1	4.7	.....	18.8	33.0	.....	141.3	9.4	37.7
	1905	1,257.1	32.7	.....	.....	.....	9.3	.....	9.3	9.3	18.7	149.5	.....	74.8
Tipton county	1901	1,290.9	83.3	.....	.....	5.2	15.6	10.4	31.2	15.6	.....	140.5	31.2	72.9
	1902	1,160.1	36.2	5.2	.....	5.2	.....	15.5	5.2	5.2	.....	150.2	51.8	51.8
	1903	1,205.9	41.2	5.2	.....	.....	10.3	20.6	20.6	5.2	.....	144.3	51.5	46.4
	1904	1,071.8	25.6	.....	.....	35.9	.....	10.2	10.2	5.1	.....	123.1	10.2	41.0
	1905	1,097.2	35.7	.....	.....	5.1	.....	5.1	.....	25.5	15.3	132.7	10.2	81.6
Union county	1901	1,145.5	14.9	.....	.....	.....	.....	.....	.....	14.9	.....	133.9	.....	.....
	1902	1,374.0	29.9	.....	.....	.....	29.9	.....	14.9	.....	.....	149.4	44.8	89.6
	1903	1,244.4	15.0	15.0	.....	.....	.....	.....	45.0	.....	.....	179.9	30.0	15.0
	1904	1,505.1	45.1	.....	.....	45.1	.....	15.1	15.1	15.1	.....	165.6	75.3	45.1
	1905	1,239.0	45.3	.....	.....	.....	.....	45.3	.....	15.1	.....	120.9	.....	120.9
Vanderburg county	1901	1,774.2	45.7	.....	.....	.....	7.6	.....	.....	38.1	.....	220.8	7.6	45.7
	1902	1,451.4	29.6	.....	.....	.....	.....	.....	.....	7.4	.....	148.1	37.0	59.2
	1903	1,160.4	36.0	21.6	14.4	.....	14.4	.....	.....	.....	.....	194.6	.....	36.0
	1904	1,375.8	70.2	.....	.....	.....	14.0	7.0	14.0	28.1	.....	196.5	35.1	28.1
	1905	1,614.6	6.8	13.7	.....	.....	.....	20.5	41.0	47.9	13.7	198.4	41.0	34.2
Vermilion county	1901	1,513.4	32.3	12.9	6.5	.....	.....	12.9	19.4	116.4	.....	239.3	19.4	38.8
	1902	1,429.3	44.7	.....	.....	38.3	.....	.....	6.4	19.1	.....	172.3	12.8	19.1
	1903	1,227.8	18.9	12.6	18.9	6.3	18.9	12.6	6.3	18.9	.....	113.3	18.9	63.0
	1904	1,789.7	43.5	18.7	.....	49.7	12.4	.....	18.7	49.7	.....	161.6	18.7	37.3
	1905	1,484.5	36.8	12.3	.....	6.1	18.4	12.3	6.1	24.5	36.8	171.8	24.5	61.3
Vigo county	1901	1,223.9	42.5	23.2	.....	15.4	3.9	19.3	38.6	30.9	.....	112.0	.....	15.4
	1902	839.7	45.4	3.8	.....	7.6	3.8	15.1	26.5	18.9	.....	98.4	3.8	7.6
	1903	900.8	29.7	11.1	11.1	.....	14.8	11.1	14.8	18.5	.....	137.2	11.1	33.4
	1904	1,119.4	47.2	3.6	72.7	50.9	14.5	10.9	3.6	10.9	.....	145.4	10.9	32.7
	1905	1,569.9	37.4	31.1	18.7	.....	12.5	12.5	31.1	12.5	24.9	155.7	6.2	37.4

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.0	15.1	50.2	100.3	55.2	110.4	95.3	50.2	75.3	40.1	65.2	20.1	70.2	50.2	165.5	10.0
.....	20.0	25.0	70.1	40.0	70 1	50.0	80.1	65.1	50.0	80.1	.....	25.0	35.0	135.1	5.0
.....	5 0	29.9	104.8	44.9	79.8	39.9	44.9	94.8	29.9	25.0	25.0	54.9	25.0	94 8	.....
5.0	5.0	19 9	129.4	69.7	109.5	54 7	79.6	89.6	34.8	59.7	.....	74.6	10.0	99.5	14.9
5.0	19.9	19.9	109.2	119.1	119.1	64.5	24.8	79.4	69.5	44.7	14.9	89.3	29.8	114.2	9.9
.....	34.6	24.7	177.7	69.1	108.6	69.1	69.1	98.8	44.4	64.2	4.9	29.6	59.3	128.3	4.9
.....	4.9	.....	157.1	103 1	98.2	68 7	29.5	63.8	54 0	92.3	.....	63.8	44.2	127.6	9.8
4.9	19.5	53 7	102.5	136 7	34 2	24 4	53.7	117.2	53.7	24.4	4.9	48.8	9.8	141.6	.....
4.9	19.4	29.1	136.0	97.1	43.7	43.7	77.7	68.0	43.7	72.8	4.9	77.7	14.6	116.5	4.9
.....	4.8	9.7	125.6	115 9	38.6	29.0	86.9	101.4	53.1	48.3	.....	48.3	9.7	96.6	.....
.....	13.0	21.6	121.1	90.8	73.5	64 9	64.9	90.8	60.6	60.6	8.6	64.9	47.6	121.1	.....
.....	8 6	17.2	103.1	124 5	77.3	47.2	47.2	64.4	73.0	34.3	.....	38.6	12.9	98.8	4.3
.....	12.8	34.1	217.2	183 1	153.3	72.4	161.8	106.5	93.7	63.9	21.3	76.7	98.0	144.8	25.5
.....	8.4	21.1	139 4	135 2	80.3	88 7	63.4	97.2	109.8	135.2	4.2	105.6	71.8	160.5	4.2
.....	25.1	12.6	108.8	134.0	113.0	67.0	129 8	75.4	71.2	100.5	12.6	79.5	46.1	121.4	.....
12.0	.....	35.9	47.9	95 8	95 8	83 8	47.9	71.8	59.8	.....	23.9	35.9	59.8	215.5	12.0
.....	23 8	23.8	107.1	107.1	142.9	83.4	47.6	71.4	47.6	47.6	11.9	35.7	59.5	214.3	.....
.....	23.7	.....	130.2	118 4	59.2	59.2	47.3	47.3	47.3	23.7	11.8	71.1	35.5	130.2	.....
.....	11.8	.....	94.2	105 9	105 9	23.5	47.1	35.3	70.6	94.2	.....	70.6	.....	164.8	.....
.....	11.7	.....	93.7	163.9	81.9	46.8	117.1	70.2	105.4	35.1	.....	46.8	35.1	46.8	.....
.....	11.3	22.6	97.8	94.0	90.2	56.4	94.0	71.4	56.4	86.5	.....	56.4	56.4	116.6	11.3
.....	15.0	26.2	127.4	78 7	86 1	63.7	59.9	116.1	48 7	149 8	.....	48.7	44.9	157.3	.....
3.7	11.2	7.5	111.9	100 8	74 6	59.7	97.0	74.6	82.1	70 9	14.9	52.2	18.7	138.0	.....
.....	3.7	22.3	152.4	118 9	78.0	66.9	48.3	66.9	66.9	55 8	11.1	92.9	18.6	178.4	3.7
.....	11.1	14 8	85.2	140.7	55.5	74.0	81.4	96.3	48.1	77.7	14.8	55.5	14.8	148.1	3.7
.....	4.4	22.3	142.6	31.2	75 7	62.4	111.4	66.8	44.6	49.0	.....	17.8	62.4	164.9	13.4
.....	8 9	17.8	133.5	66.8	80.1	35.6	111.3	133.5	40.0	106 8	8.9	80.1	40.0	133.5	4.4
.....	4.4	8 9	93.3	57.7	62.2	40.0	57.7	80.0	35.5	31.1	.....	53.3	35.5	102.2	.....
4.4	.....	8 9	93.2	79.9	93.2	31.1	110.9	39.9	26.6	75.4	4.4	48.8	35.5	146.4	.....
.....	4.4	35.4	124.0	62.0	48 7	35.4	93.0	62.0	31.0	62.0	4.4	48.7	44.3	101.9	.....
.....	9.3	9.3	139.7	83.8	121.1	65.2	149.0	111.7	9.3	27.9	9.3	55.9	74.5	111.7	27.9
.....	.....	18.1	36.2	63.4	27.2	72.4	54.3	90.5	36.2	126.7	.....	99.5	81.4	153.9	.....
.....	.....	.....	132.1	114.5	26 4	35.2	140.9	105.7	35.2	35.2	17.6	96.9	44.0	88.0	8.8
.....	.....	8.6	77.1	137.2	25 7	77.1	68.6	60.0	8.6	60.0	17.1	77.1	.....	154.4	8.6
.....	25.1	16.7	66.8	83.5	50.1	100.2	83.5	100.2	41.8	16.7	8.4	83.5	50.1	125.3	8.4
.....	.....	26.2	137.3	150.4	91.5	26.2	32.7	52.3	13.1	39.2	6.5	65.4	52.3	196.2	.....
.....	6.5	26.0	104.1	149.7	84 6	39.1	58.6	78.1	19.5	19.5	6.5	32.6	52.1	110.6	6.5
.....	.....	13.0	148.9	142.5	19.4	45.3	58.3	77.7	51.8	38.9	6.5	58.3	38.9	148.9	6.5
.....	12.9	32.2	167.6	219.2	45 1	51.6	38.7	96.7	32.2	32.2	.....	45.1	19.3	135.4	.....
.....	19.2	12.8	166.8	115.5	12.8	25.7	77.0	134.7	25.7	44.9	6.4	83.4	32.1	179.6	.....
.....	11.4	41.6	132.5	79.5	113.5	71.9	121.1	109.8	30.3	71.9	3.8	49.2	53.0	204.4	3.8
3.7	3.7	52.2	104 3	67.1	70.8	63.4	100.6	100.6	48.5	44.7	11.2	52.2	37.3	149.1	11.2
.....	.....	29.4	99.1	77.1	40.4	25.7	102 8	55.0	40.4	22.0	7.3	88.1	40.4	106.4	11.0
.....	3.6	43.4	112.1	75.9	79.6	57.9	65.1	50.6	57.9	151.9	25.3	97.6	72.3	122.9	14.5
.....	10.7	32.1	121.1	142.5	71.3	60.6	121.1	89.1	71.3	92.6	7.1	110.4	49.9	124.7	7.1
.....	25.5	34.0	118.9	118.9	110.4	68.0	110.4	59.4	34.0	51.0	.....	25.5	34.0	118.9	.....
.....	25.6	8.5	145.3	136.7	76.9	42.7	119.6	42.7	34.2	128.2	.....	34.2	25.6	119.6	.....
.....	8.6	34.4	94.5	189.0	60.1	51.5	51.5	17.2	51.5	34.4	43.0	51.5	.....	77.4	.....
.....	.....	25.9	164.2	181.5	86.5	69.1	8.6	34.6	86.5	86.5	8.6	8.6	51.8	121.0	8.6
.....	.....	26.1	69.5	156.5	78.2	17.4	17.4	69.5	34.8	78.2	8.7	104.3	26.1	86,9	.....
.....	9.7	4.8	197.9	67.6	67.6	67.6	53.1	72.4	48.3	29.0	.....	43.4	62.8	149.6	.....
9.6	14.4	4.8	95.8	57.4	38.3	76.6	47.9	71.8	43.1	28.7	.....	33.5	19.1	86.2	9.6
.....	.....	14.2	128.2	133.0	33.2	42.8	28.5	71.3	23.7	33.2	.....	61.8	33.2	85.5	.....
.....	.....	9.4	131.9	160.2	70.7	75.4	37.7	70.7	56.6	51.8	.....	42.4	37.7	141.3	4.7
.....	18.7	14.0	102.8	172.9	79.4	56.1	56.1	79.4	42.1	65.4	23.4	74.8	46.7	121.5	.....
.....	15.6	20.8	83.3	83.3	57.3	41.6	114.5	78.1	57.3	67.7	10.4	46.9	67.7	140.5	.....
.....	5.2	10.4	62.1	57.0	62.1	62.1	77.7	62.1	20.7	119.1	5.2	51.8	51.8	181.3	5.2
.....	15.5	36.1	77.3	87.6	36.1	61.8	118.5	61.8	25.8	92.8	.....	77.3	46.4	123.6	.....
.....	10.2	25.6	97.5	102.7	51.3	66.7	46.2	71.8	46.2	61.6	10.2	56.4	35.9	128.2	.....
.....	25.5	5.1	117.4	76.5	35.7	40.8	112.3	81.6	51.0	56.1	15.3	40.8	20.4	107.2	.....
.....	14.9	14.9	148.8	133.9	89.2	59.5	44.6	104.1	89.2	29.8	.....	29.8	104.1	104.1	14.9
.....	.....	44.8	209.1	74.7	89.6	14.9	59.7	74.7	74.7	59.7	14.9	89.6	149.4	59.7	.....
.....	15.0	60.0	164 9	119.9	119.9	15.0	60.0	60.0	89.9	30.0	.....	45.0	60.0	104.9	.....
.....	.....	30.1	225.8	180.6	120.4	45.1	30.1	45.1	90.3	60.2	30.1	15.1	45.1	165.6	.....
.....	.....	15.1	166.2	120.9	30.2	90.7	.....	60.4	151.1	.....	30.2	75.6	15.1	136.0	.....
.....	.....	45.7	312.2	121.8	91.4	83.8	83.8	53.3	45.7	76.1	30.4	106.6	83.8	274.1	.....
.....	.....	44.4	192.5	133.3	96.3	74.1	59.2	66.7	66.7	133.3	14.8	37.0	74.1	177.7	.....
7.2	7.2	.....	180.2	122.6	64.9	64.9	64.9	43.2	43.2	50.5	14.4	93.7	14.4	72.1	.....
.....	.....	28.1	168.4	133.4	91.3	56.2	98.3	70.2	63.2	63.2	.....	49.1	21.0	140.4	.....
.....	.....	34.2	301.0	150.5	82.1	41.0	130.0	54.7	47.9	136.8	6.8	102.6	6.8	102.6	.....
.....	6.5	45.3	129.3	64.7	129.3	90.5	71.2	58.2	19.4	97.0	6.5	97.0	71.2	103.5	25.9
.....	.....	31.9	114.8	51.0	140.4	95.7	95.7	95.7	76.6	76.6	12.8	108.5	19.1	165.9	31.9
6.3	6.3	6.3	163.7	107.0	88.1	63.0	94.4	63.0	12.6	63.0	18.9	107.0	63.0	44.0	12.6
.....	12.4	118.1	142.9	99.4	161.6	55.9	105.6	80.8	43.5	87.0	12.4	186.4	55.9	180.2	37.3
6.1	6.1	18.4	116.6	128.8	110.4	55.2	92.0	128.8	12.3	92.0	6.1	92.0	36.8	104.3	67.5
.....	7.7	27.0	142.8	112.0	108.1	38.6	92.7	46.3	57.9	42.5	7.7	112.0	42.5	84.9	.....
.....	.....	34.0	94.6	45.4	56.7	34.0	64.3	49.2	15.1	37.8	.....	41.6	34.0	87.0	15.1
3.7	11.1	25.9	59.3	81.5	40.8	29.7	29.7	33.4	29.7	22.2	.....	85.3	33.4	114.9	7.4
.....	10.9	40.0	50.9	65.4	98.1	29.1	83.6	47.2	29.1	47.2	7.3	80.0	36.4	83.6	7.3
6.2	6.2	18.7	118.4	143.3	130.8	56.1	162.0	81.0	56.1	62.3	12.5	137.1	81.0	118.4	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.														
Wabash county	1901	1,250.8	20.5						20.5	35.9		143.5	15.4	46.1
	1902	1,108.4	56.7				5.1		15.5			72.2	10.3	51.5
	1903	1,037.0	25.9	5.2		5.2	20.7	20.7	5.2	20.7		103.7	36.3	36.3
	1904	1,142.0	31.3		5.2	15.6			20.9	31.3		151.2	5.2	62.6
	1905	1,064.7	26.2				5.2	10.5	26.2	10.5	31.5	115.4	5.2	47.2
Warren county	1901	946.3	43.8				8.8		8.8	26.3		43.8	8.8	26.3
	1902	855.5	43.6	8.7					17.5	26.2		96.1	17.5	34.9
	1903	965.5	17.4		8.7					17.4		173.9	8.7	52.2
	1904	1,022.6	17.3	8.7	8.7	8.7				17.3		173.4		26.0
	1905	1,079.4	60.4					25.9	8.6	34.5	8.6	77.7	8.6	51.8
Warrick county	1901	1,416.7	102.5	44.6					53.5	57.9		138.1	35.6	57.9
	1902	1,285.3	62.0	8.9	13.3	13.3		13.3	13.3	13.3		195.0	31.0	31.0
	1903	965.6	30.9	13.2			8.8	4.4	22.0	8.8		92.6	4.4	17.6
	1904	1,241.4	43.9	21.9	4.4	35.1	17.5	35.1	13.2	8.8		179.8	21.9	57.0
	1905	1,261.2	48.0	8.7			13.1		8.7	43.6	21.8	135.3	21.8	17.5
Washington county	1901	1,529.1	77.0	15.4	5.1	15.4		20.5	10.3	41.1		169.3	25.7	77.0
	1902	1,323.7	81.8	5.1		5.1	10.2	15.3	10.2	5.1		189.1	25.6	46.0
	1903	1,018.0	71.2	10.2			5.1		10.2	20.4		117.1	25.4	66.2
	1904	1,100.1	25.3			15.2	5.1	5.1	5.1	25.3		157.2	35.5	55.8
	1905	1,282.6	50.5					15.1	25.2	45.4	30.3	196.9	10.1	25.2
Wayne county	1901	1,848.8	62.7			9.6				53.1		231.7	19.3	48.3
	1902	1,392.1	48.3	4.8		9.7	9.7	4.8	9.7			135.3	24.2	82.2
	1903	1,181.0	24.2						4.8	29.0		96.8	19.4	38.7
	1904	1,560.7	24.2			4.8	4.8	4.8		24.2		101.8	14.6	106.7
	1905	1,494.8	24.7					4.9	9.9	19.8	4.9	163.3	19.8	69.3
Wells county	1901	1,180.1	38.1						16.9	25.4		143.8	8.5	50.8
	1902	977.5	29.4		8.4		12.6		21.0	8.4		142.6	8.4	33.6
	1903	1,156.8	49.9			16.6	12.5	8.3		4.2		149.8	20.8	62.4
	1904	1,114.6	28.9			16.5			12.4	12.4		177.5	8.2	37.2
	1905	1,097.5	32.8					4.1	8.2	12.3	8.2	118.8	12.3	49.1
White county	1901	1,057.2	20.6			20.5	5.1	10.3	10.3	46.2		87.2	15.4	61.6
	1902	1,038.7	30.2	10.1						30.2		116.0	10.1	35.3
	1903	872.2	39.6	5.0			5.0	5.0	14.9			168.5	9.9	34.7
	1904	989.0	19.5			9.7	4.9	4.9	14.6	24.4		97.4	9.7	58.5
	1905	1,054.0	62.3				4.8	9.6	4.8	33.5	33.5	76.7	9.6	62.3
Whitley county	1901	1,220.8	40.5	5.8			11.6		11.6	17.4		144.6	17.4	57.8
	1902	1,084.7	46.4			5.8		11.6				81.2	11.6	63.8
	1903	1,116.5	23.3			11.6	29.1	17.4	5.8	17.4		116.3		46.5
	1904	1,259.3	58.3			17.5	5.8			17.5		128.2		35.0
	1905	1,040.4	58.5						5.8	5.8	11.7	76.0	17.5	52.6
MAINE RURAL.														
Androscoggin county	1901	1,552.0	29.2				1.8	5.5	21.9	42.0		129.6	32.9	82.2
	1902	1,468.5	10.8	1.8		14.5	1.8	1.8	1.8	10.8		141.1	25.3	76.0
	1903	1,343.6	9.0	1.8	10.8	1.8	3.6	14.3	19.7	21.5		98.5	26.9	77.0
	1904	1,504.9	23.1					5.3	19.5	21.3		120.7	30.2	79.9
	1905	1,607.0	22.9	1.8		3.5	1.8	3.5	15.8	26.4	7.0	103.7	36.9	94.9
Aroostook county	1901	1,324.0	27.5	1.6			4.8	4.8	33.9	63.1		132.6	21.0	35.6
	1902	1,183.0	19.1			7.9	4.8	15.8	47.6	41.3		92.1	20.6	30.2
	1903	1,217.0	15.6	1.6		17.2	4.7	3.1	37.4	51.5		67.1	14.0	35.9
	1904	1,262.1	46.0			1.5	1.5	15.3	27.6	36.8		108.9	24.5	44.5
	1905	1,252.9	21.1				3.0	1.5	21.1	27.1	12.1	89.0	12.1	36.2
Cumberland county	1901	1,681.1	11.8			11.8	3.9	13.8	11.8	51.3		151.9	31.6	98.7
	1902	1,515.2	7.9	5.9		7.9		5.9	9.8	27.5		133.8	15.7	127.9
	1903	1,562.2	31.4			3.9		11.8	23.6	27.5		113.8	21.6	113.8
	1904	1,657.8	17.6			9.8	1.9	5.9	35.2	29.4		144.8	21.5	101.8
	1905	1,631.9	15.6			2.0	2.0	11.7	9.8	48.8	7.8	99.6	42.9	119.1
Franklin county	1901	1,479.8	10.8				5.4		5.4	53.8		102.2	21.5	91.5
	1902	1,388.7	5.3		5.3				5.3	5.3		106.8	10.7	122.9
	1903	1,495.1	15.9					15.9	10.6	21.2		116.7	10.6	100.7
	1904	1,615.8	10.5					21.1	5.3			147.4	5.3	100.0
	1905	1,525.7	5.2			15.7		5.2		52.2	20.9	94.0	15.7	94.0
Hancock county	1901	1,377.8	13.4	5.4		5.4		10.7	10.7	10.7		155.8	10.7	86.0
	1902	1,276.0	29.5					5.4	5.4	5.4		123.6	10.7	85.9
	1903	1,456.2	16.1	2.7		5.4			2.7	34.9		155.8	18.8	67.2
	1904	1,389.3	10.7	2.7		10.7			13.4	16.1		123.6	2.7	75.2
	1905	1,446.0	13.4			8.1			5.4	32.3	5.4	102.1	32.3	67.2
Kennebec county	1901	1,714.7	37.9	2.1		4.2	2.1		18.9	73.6		143.1	27.4	105.2
	1902	1,586.8	35.7	4.2	4.2		2.1	4.2	10.5	16.8		117.5	27.3	94.4
	1903	1,731.0	62.9	2.1			4.2	25.1	23.0	31.4		157.2	23.0	96.4
	1904	1,840.5	16.7			4.2	2.1	2.1	16.7	35.6		140.1	14.6	117.1
	1905	1,772.1	16.7	2.1		4.2		6.3	12.5	48.0	12.5	133.6	16.7	121.1
Knox county	1901	1,526.0	27.1	4.5		9.0			4.5	22.6		135.4	36.1	90.3
	1902	1,456.3	13.6	4.5		9.1	4.5	4.5		13.6		158.8	36.3	95.3
	1903	1,486.2	18.2	4.6				4.6		59.3		141.3	36.5	45.6
	1904	1,571.4	4.6	9.2		4.6		9.2	4.6	22.9		142.0	18.3	82.5
	1905	1,519.3	9.2			23.0		4.6	4.6	18.4	4.6	133.5	41.4	105.9
Lincoln county	1901	1,677.3	25.7						20.6	61.8		133.8	20.6	102.9
	1902	1,333.1	5.2						20.8	10.4		182.3	15.6	78.1
	1903	1,755.4	21.1	5.3			5.3	10.5	15.8	31.6		158.1	5.3	131.8
	1904	1,574.4	21.4				5.3		16.0	16.0		149.4	10.7	69.4
	1905	1,453.8	5.4						10.8	37.8	5.4	75.7	32.4	91.9

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	15.4	20.5	153.8	66.7	107.7	61.5	41.0	71.8	46.1	61.5	5.1	61.5	56.4	184.5	15.4
.....	15.5	20.6	144.4	82.5	41.2	61.9	87.6	72.2	51.5	56.7	5.1	61.9	15.5	154.7	25.8
.....	15.6	31.1	108.9	98.5	57.1	51.9	36.3	67.4	98.5	20.7	.....	41.5	31.1	98.5	.....
.....	10.4	26.1	88.7	99.1	104.3	46.9	31.3	88.7	78.2	41.7	5.2	57.4	10.4	125.1	5.2
5.2	21.0	36.7	131.1	115.4	42.0	31.5	42.0	99.6	42.0	52.4	5.2	73.4	15.7	73.4	.....
.....	17.5	17.5	105.1	78.8	140.2	70.1	52.6	61.3	8.8	43.8	.....	61.3	17.5	96.4	8.8
.....	8.7	26.2	122.2	69.9	17.5	43.6	43.6	43.6	43.6	26.2	8.7	61.1	17.5	69.9	8.7
.....	8.7	.....	104.4	87.0	26.1	52.2	95.6	104.4	17.4	17.4	.....	43.5	34.8	95.7	.....
.....	8.7	26.0	78.0	121.4	52.0	69.3	69.3	60.6	60.6	52.0	.....	60.6	17.3	78.0	8.7
.....	8.6	8.6	95.0	155.4	43.2	34.5	112.3	86.3	77.7	17.3	8.6	60.4	25.9	69.1	.....
.....	4.4	17.8	138.1	57.9	98.0	44.6	129.2	53.5	31.2	57.9	.....	66.8	44.6	173.7	8.9
.....	4.4	17.7	106.4	62.0	79.8	48.8	115.2	70.9	31.0	97.5	.....	79.8	35.5	133.0	8.9
.....	4.4	17.6	83.8	70.6	88.2	35.3	70.6	57.3	57.3	44.1	4.4	75.0	52.9	101.4	.....
.....	.....	4.4	74.6	70.2	96.5	57.0	109.7	100.9	17.5	61.4	4.4	35.1	30.7	136.0	4.4
.....	4.4	17.5	126.6	117.8	117.8	65.5	144.0	65.5	65.5	39.3	4.4	48.0	48.0	78.6	.....
.....	25.7	5.1	128.3	71.8	236.0	51.3	138.5	112.9	15.4	51.3	.....	92.4	35.9	102.6	5.1
.....	5.1	15.3	127.8	81.8	107.3	71.6	61.3	107.3	40.9	66.5	5.1	46.0	30.7	148.2	15.3
.....	5.1	10.2	101.8	86.5	61.1	35.6	81.4	66.2	66.2	30.5	.....	56.0	15.3	76.3	.....
5.1	10.1	10.1	71.0	136.9	101.4	25.3	86.2	65.9	76.0	30.4	.....	30.4	5.1	106.5	10.1
.....	5.0	10.1	95.9	146.4	171.7	30.3	80.8	65.6	45.4	45.4	15.1	30.3	20.2	111.1	10.1
.....	14.5	33.8	294.5	178.6	120.7	67.6	62.7	86.9	86.9	101.4	14.5	38.6	43.4	280.0	.....
.....	19.3	14.5	149.9	120.8	67.7	38.7	48.3	91.8	106.3	87.0	14.5	53.2	53.2	188.5	9.7
.....	4.8	14.5	193.6	111.3	77.5	53.3	67.8	92.0	67.8	29.0	9.7	43.6	14.5	183.9	4.8
4.8	4.8	14.6	295.7	218.1	77.6	29.1	82.4	92.1	101.8	87.3	19.4	43.6	19.4	179.3	4.8
.....	9.9	34.6	321.7	207.9	74.2	14.8	24.7	79.2	79.2	39.6	24.7	59.4	34.6	173.2	.....
.....	4.2	8.5	80.4	101.5	84.6	67.7	122.6	63.4	71.9	76.1	.....	67.7	59.2	88.8	.....
.....	4.2	8.4	113.3	54.5	54.5	54.5	33.6	54.5	62.9	75.5	4.2	37.8	58.7	88.1	8.4
.....	4.2	12.5	137.3	74.9	79.1	54.1	74.9	74.9	41.6	74.9	4.2	70.7	29.1	99.9	.....
.....	4.1	16.5	86.7	78.5	53.7	49.5	74.3	70.2	74.3	49.5	8.2	45.4	37.2	161.0	12.4
.....	12.3	4.1	127.0	77.8	98.3	41.0	110.6	69.6	73.7	45.0	20.5	77.8	8.2	77.8	8.2
.....	10.3	10.3	143.7	51.3	82.1	35.9	51.3	41.0	51.3	35.9	.....	61.6	61.6	133.4	10.3
.....	10.1	5.0	105.9	45.4	50.4	55.5	35.3	80.7	55.5	105.9	5.0	60.5	35.3	121.0	35.3
.....	5.0	24.8	59.4	84.2	44.6	54.5	44.6	49.5	44.6	44.6	.....	69.4	9.9	54.5	.....
.....	24.4	14.6	77.9	107.2	97.4	14.6	53.6	73.1	34.1	43.9	4.9	63.3	19.5	102.3	14.6
9.6	.....	.....	105.4	134.1	38.3	52.7	67.1	52.7	62.3	28.7	19.2	67.1	14.4	105.4	.....
.....	.....	23.1	167.8	81.0	75.2	52.1	57.8	52.1	63.6	46.3	17.4	81.0	34.7	138.9	23.1
.....	5.8	29.0	127.6	98.6	75.4	34.8	34.8	98.6	23.2	58.0	17.4	52.2	29.0	168.3	11.6
5.8	40.7	5.8	110.5	145.4	58.2	29.1	61.0	81.4	69.8	81.4	5.8	52.4	5.8	81.4	11.6
5.8	23.3	11.7	163.2	209.9	93.3	70.0	46.6	70.0	46.6	52.5	5.8	70.0	.....	106.6	11.7
.....	11.7	11.7	146.1	122.7	46.8	29.2	35.1	99.4	81.8	64.3	5.8	58.5	11.7	87.7	.....
7.3	9.1	69.4	175.3	146.1	120.5	80.3	131.5	74.9	56.6	34.7	20.1	60.2	47.5	164.3	9.1
.....	7.2	54.3	188.1	184.5	110.3	85.0	77.8	70.5	74.1	52.4	16.3	47.0	32.6	162.8	19.9
5.4	14.3	43.0	163.0	138.0	96.8	71.7	52.0	84.2	84.2	44.8	17.9	41.0	37.6	148.7	16.1
1.8	17.8	53.2	189.9	179.3	95.8	56.8	76.3	81.6	76.3	67.4	12.4	74.5	53.2	152.6	16.0
1.8	26.4	29.9	172.3	161.8	153.0	79.1	145.9	116.0	75.6	56.3	10.5	73.8	24.6	147.7	14.1
1.6	6.5	30.7	92.2	64.7	71.1	22.6	261.9	51.7	37.2	45.3	4.8	35.6	29.1	147.1	97.0
.....	3.2	30.2	85.7	77.8	71.5	36.5	163.6	49.2	34.9	46.1	1.6	44.5	28.6	154.0	76.2
3.1	9.4	23.4	79.6	78.0	81.1	51.5	182.5	73.3	28.1	35.9	1.6	39.0	25.0	126.4	131.0
3.1	10.7	16.9	81.3	75.2	64.4	39.9	188.6	46.0	38.3	47.5	4.6	58.3	32.2	145.7	102.8
3.0	12.1	19.6	84.4	72.4	87.4	48.2	200.5	63.3	46.7	90.5	4.5	58.8	37.7	110.1	90.5
2.0	7.9	25.7	191.4	250.6	126.3	88.8	82.9	55.2	94.7	37.5	11.8	65.1	37.5	199.3	17.8
.....	17.7	31.5	192.8	198.8	118.1	84.6	43.3	51.2	86.6	66.9	5.9	66.9	43.3	157.4	7.9
.....	25.5	27.5	194.3	200.2	115.8	53.0	45.1	76.6	104.0	45.1	13.7	78.5	27.5	198.2	9.8
.....	11.7	19.6	197.7	225.1	123.3	82.2	60.7	94.0	76.3	68.5	9.8	70.5	33.3	191.8	25.4
2.0	17.6	23.4	212.8	240.1	83.9	64.4	66.4	72.2	111.3	60.5	13.7	64.4	29.3	201.1	9.8
.....	.....	5.4	134.5	204.5	129.2	64.6	64.6	69.9	86.1	48.4	26.9	48.4	53.8	193.7	59.2
.....	21.4	32.0	213.7	165.6	117.5	69.4	21.4	69.4	85.5	42.7	.....	58.8	26.7	165.6	37.4
.....	15.9	26.5	116.7	153.8	143.2	68.9	47.7	68.9	84.8	58.3	21.2	47.7	84.8	228.0	37.1
.....	26.3	15.8	200.0	184.2	168.4	57.9	42.1	94.7	147.4	36.8	10.5	39.5	36.8	189.5	26.3
.....	26.1	36.6	167.2	167.2	94.0	67.9	57.5	109.7	114.9	67.9	26.1	114.9	31.5	120.2	20.9
2.7	10.7	21.5	158.5	185.3	104.8	48.4	56.4	88.6	72.5	16.1	13.4	53.7	40.3	170.0	16.1
.....	16.1	24.2	126.3	163.9	118.2	37.6	40.3	61.8	85.9	40.3	8.0	40.3	45.7	180.0	21.5
.....	8.1	37.6	171.9	239.1	107.5	45.7	56.4	64.5	72.5	45.7	10.7	61.8	48.4	169.3	13.4
5.4	2.7	10.7	115.6	172.0	150.5	53.8	45.7	94.1	83.3	48.4	13.4	94.1	24.2	188.1	32.2
.....	13.4	21.5	153.2	182.8	142.5	83.3	88.7	91.4	77.9	56.4	8.1	34.9	43.0	155.9	26.9
.....	16.8	52.6	191.5	166.2	191.5	80.0	75.7	75.7	75.7	18.9	10.5	84.2	71.5	157.8	31.6
2.1	12.6	39.9	224.6	176.3	140.6	84.9	58.8	98.6	50.4	42.0	8.4	56.7	63.0	197.3	14.7
2.1	4.2	31.4	282.9	194.9	90.1	109.0	39.8	96.4	83.8	52.4	8.4	58.7	62.9	169.8	18.9
.....	25.1	35.6	244.7	213.3	156.9	136.0	77.4	89.9	73.2	35.6	18.8	69.0	77.4	219.6	18.8
4.2	16.7	39.7	238.0	238.0	139.8	98.1	56.4	96.0	89.8	58.4	10.4	85.6	50.1	164.9	12.5
4.5	22.6	18.1	180.6	194.1	81.3	49.7	36.1	67.7	90.3	31.6	4.5	63.2	54.2	266.4	31.6
9.1	4.5	22.7	208.7	208.7	59.0	72.6	36.3	63.5	54.4	27.2	.....	68.1	27.2	254.1	.....
.....	13.7	18.2	227.9	218.8	95.7	54.7	36.5	68.4	91.2	27.3	13.7	72.9	36.5	196.0	4.6
.....	18.3	22.9	219.9	197.0	82.5	82.5	9.2	96.2	96.2	64.1	22.9	105.4	41.2	201.5	13.7
.....	13.8	.....	202.6	267.0	64.5	32.2	46.0	69.1	46.0	64.5	23.0	59.9	41.4	244.0	.....
.....	5.1	5.1	180.1	241.8	185.2	108.1	25.7	56.6	113.2	25.7	15.4	56.6	56.6	200.7	36.0
.....	5.2	5.2	135.4	208.3	72.9	36.5	15.6	88.5	93.7	36.5	.....	36.5	36.5	161.4	88.5
.....	26.3	21.1	263.6	242.5	94.9	63.3	26.3	63.3	89.6	36.9	.....	110.7	47.4	263.6	21.1
.....	16.0	5.3	128.1	234.8	149.4	42.7	16.0	96.1	144.1	32.0	37.4	53.4	21.4	293.5	16.0
.....	16.2	21.6	167.5	221.6	43.2	64.9	43.2	86.5	118.9	27.0	10.8	48.6	54.0	248.6	21.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MAINE RURAL—Continued.														
Oxford county	1901	1,672 7	27.8	.....	.....	3.1	9.3	.....	18 5	64.8	.....	114.2	18.5	80.2
	1902	1,734.8	21 5	9.2	.....	6.1	.....	15.4	18.4	52 2	.....	153 5	39 9	92.1
	1903	1,689.4	27.5	3.1	.....	9.2	.....	3.1	6.1	51 9	.....	113.0	21.4	79 4
	1904	1,769.1	36.5	9 1	.....	3.0	.....	.....	15.2	39.5	.....	109.4	18.2	106.4
	1905	1,527.4	9.1	3.0	.....	.....	.....	.....	15.1	39 3	15.1	87.7	51.4	72.6
Penobscot county	1901	1.588.4	64.3	.....	.....	5.5	5 5	1.8	20.2	47 8	.....	152 4	31.2	86 3
	1902	1,568 2	33 0	1.8	.....	1.8	5.5	20.2	11.0	11.0	.....	117.4	27 5	77.0
	1903	1,702.0	40 3	3.7	.....	9.2	.....	12 8	5 5	14.6	.....	146.6	45.8	102.6
	1904	1,758.6	86 0	1.8	1.8	.....	.....	14 6	31.1	23.8	.....	184.8	31.1	71.4
	1905	1,665.1	23 8	3.7	.....	1.8	.....	14.6	29.2	53.0	11.0	166.3	53.0	73.1
Piscataquis county	1901	1,491.4	11.7	.....	.....	.....	.....	5.9	.....	5.9	64.6	.....	117.4	29.4	47.0
	1902	1,279.7	35.1	.....	.....	.....	.....	5.8	.....	5.8	5.8	.....	151.9	29.2	46.7
	1903	1,262.0	29 1	5.8	.....	5.8	.....	.....	.....	5.8	11.7	.....	87.2	5.8	34.9
	1904	1,470.2	46.3	.....	.....	.....	.....	.....	5.8	11.6	28 9	.....	173.7	46.3	98 4
	1905	1,578.5	17.3	.....	.....	.....	.....	.....	5.8	.....	34.6	23.0	115.2	17.3	109 5
Sagadahoc county	1901	1,474.5	20.5	.....	.....	.....	.....	.....	.....	.....	20.5	.....	163.8	10.2	122.9
	1902	1,601.4	10.3	10.3	.....	.....	.....	10.3	.....	.....	.....	.....	103.3	20.7	155.0
	1903	1,751.5	41.7	.....	.....	.....	.....	31.3	20.8	.....	.....	.....	135.5	31.3	83.4
	1904	1,515.0	31.6	10 5	.....	.....	.....	.....	31.6	.....	.....	.....	105.2	21.0	126.3
	1905	1,699.1	31.9	10.6	.....	.....	.....	10 6	21.2	42 5	10.6	.....	85.0	10 6	191.1
Somerset county	1901	1,460.1	17 7	2 9	.....	5.9	2.9	2.9	14.7	41 2	.....	.....	135.4	26.5	91.3
	1902	1,583 9	5 9	8.8	.....	.....	.....	11.7	11 7	14 7	.....	.....	158.4	44.0	99.7
	1903	1,613 3	29 2	.....	.....	20.5	.....	8.8	32.1	11 7	.....	.....	140.3	14.6	67.2
	1904	1,695.0	11 6	.....	2.9	2.9	2.9	8 7	40.8	40 8	.....	.....	183.5	20 4	116.5
	1905	1,636.7	8 7	2.9	.....	11.6	.....	5 8	26.1	40.6	2.9	.....	119.0	20.3	90.0
Waldo county	1901	1,670.3	16.8	.....	.....	4.2	.....	.....	8 4	33 6	.....	.....	184 7	25.2	75.5
	1902	1,576.4	29.8	8.5	.....	4.3	4.3	.....	12 8	4 3	.....	.....	178.9	21.3	102.3
	1903	1,561 8	8.6	.....	.....	4.3	.....	4.3	.....	17 3	.....	.....	147 1	17.3	86 5
	1904	1,740.1	30 7	4.4	.....	.....	.....	4 4	4 4	30 7	.....	.....	167 0	35 2	52.7
	1905	1,857.1	17.9	.....	.....	4.5	.....	4.5	4.5	22 3	4.5	.....	205 4	17.9	107.1
Washington county	1901	1,441.3	15.5	2.2	.....	15.5	4 4	2.2	6 6	28 7	.....	.....	167.8	24 3	70.6
	1902	1,302.3	11.0	2.2	.....	.....	2 2	4.4	6 6	30 8	.....	.....	154 3	24 2	61.7
	1903	1,390.3	26 4	.....	.....	4.4	.....	37.4	6 6	24 2	.....	.....	145 2	39 6	79.2
	1904	1,295 8	8 8	.....	2.2	6 6	.....	4.4	17 6	28 5	.....	.....	138 4	37.3	72.5
	1905	1,497.6	15 3	4.4	.....	4.4	.....	8.8	11 0	39 5	19.7	.....	155 7	26.3	92.1
York county	1901	1,777.5	32.8	.....	.....	2.0	2.0	2.0	10.3	45 1	.....	.....	164.0	30.8	94.3
	1902	1,829.5	59.4	2 0	2.0	6.1	2.0	2.0	28 7	16 4	.....	.....	127.0	24.6	110.6
	1903	1,842.5	43 0	2.0	.....	.....	2.0	20.5	10 2	41.0	.....	.....	106 5	16.4	126.9
	1904	1,785 9	28.6	.....	.....	.....	6.1	2 0	10 2	14.3	.....	.....	147.3	26.6	102.3
	1905	1,850.0	36.8	2.0	.....	8.2	6.1	4.1	14.3	38.8	12.3	.....	116 5	24.5	118.6
MASSACHUSETTS RURAL.														
Barnstable county	1901	1,733 8	14 5	.....	.....	.....	3.6	7 2	10.9	14.5	.....	.....	170.1	14.5	86.9
	1902	1,895 9	18.2	3.6	.....	.....	.....	18.2	.....	40.1	.....	.....	185.9	10.9	116.7
	1903	1,895.0	3.7	.....	3 7	7.3	.....	14.7	29 4	36.7	.....	.....	139.6	33.1	157.9
	1904	1,864.6	25.9	3.7	.....	7 4	7 4	.....	14 8	18 5	.....	.....	125 8	18.5	111.0
	1905	1,889 6	14 9	.....	.....	26.1	.....	.....	29.8	44 7	.....	.....	149.1	22.4	115.5
Berkshire county	1901	1,445.9	23.3	.....	.....	.....	2 6	2.6	38 9	75.1	.....	.....	103.6	10.4	64 8
	1902	1,365.0	28.5	.....	.....	.....	.....	5.2	13 0	7.8	.....	.....	98.4	.....	69.9
	1903	1,459 5	10.4	.....	.....	12.9	20.7	12 9	12.9	25.9	.....	.....	93.2	12.9	69.9
	1904	1,530.9	7.8	.....	2.6	10.3	5.2	7.8	10.3	49 1	.....	.....	103.4	15.5	87.9
	1905	1,475.7	31.0	.....	.....	5.2	7.8	31.0	18.1	43 9	5.2	.....	124.1	10.3	98.2
Bristol county	1901	1,524.1	20.9	.....	.....	9.3	4.7	.....	23 3	39 6	.....	.....	179.2	18 6	100.1
	1902	1,424.4	6.9	2.3	.....	13.8	.....	11 5	11.5	13 8	.....	.....	114.7	13.8	89.5
	1903	1,519.6	18 1	2.3	.....	9.0	20.4	24 9	27.1	24.9	.....	.....	126.6	11.3	67.8
	1904	1,549 9	13.4	6.7	.....	4.5	4 5	4.5	26.8	22.3	.....	.....	149.4	20.1	87.0
	1905	1,526.5	22.0	.....	.....	.....	6 6	8.8	15.4	24.2	15.4	.....	136.4	19.8	110.0
Dukes county	1901	1,864.4	.....	.....	.....	.....	.....	.....	.....	.....	21 9	.....	87 7	.....	131.6
	1902	1,667.8	21.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	153 6	.....	131.7
	1903	1,997 8	.....	.....	.....	.....	.....	.....	.....	.....	43 9	.....	109 8	.....	43.9
	1904	2,042.6	43 9	.....	.....	.....	.....	.....	.....	.....	22 0	.....	43 9	.....	131.8
	1905	1,933.6	22 0	.....	.....	.....	.....	.....	.....	22.0	22.0	.....	43.9	22.0	197.8
Essex county	1901	1,546.3	21.6	8.6	1.4	.....	2.9	8.6	11.5	41 8	.....	.....	116.7	18.7	93.7
	1902	1,474.8	20.0	2 9	2.9	12.9	.....	7.1	12.9	8 6	.....	.....	125.8	14 3	111.5
	1903	1,510.8	15.6	4.3	1.4	7.1	1.4	14 2	39 7	29 8	.....	.....	131.8	21.3	106.3
	1904	1,477.3	8 4	.....	.....	7 0	8.4	1.4	26.7	18 3	.....	.....	129.3	16.9	104.0
	1905	1,579.7	19 5	1.4	.....	.....	1.4	1 4	19 5	36.3	11.2	.....	138 0	34.9	96.2
Franklin county	1901	1,561 0	16.8	.....	.....	9.6	4 8	7 2	12.0	45 6	.....	.....	120 1	16.8	62.4
	1902	1,480.9	4.8	.....	.....	26.1	4.8	16.6	9.5	26.1	.....	.....	97.5	16.6	90.3
	1903	1,390.6	7.1	4.7	2 4	2.4	.....	4.7	16.5	23.5	.....	.....	89.4	11 8	103.5
	1904	1,560.6	16 3	11.6	.....	.....	4 7	.....	21 0	30.3	.....	.....	132.8	23.3	79.2
	1905	1,685.8	4 6	.....	.....	2.3	.....	.....	11 5	43 8	23 1	.....	133 8	34.6	96.9
Hampden county	1901	1,588.2	27.1	2.7	.....	.....	8 1	8 1	32.6	57 0	.....	.....	157.5	19.0	65.2
	1902	1,659.1	18 8	2.7	.....	5.4	8 0	2.7	26.8	18 8	.....	.....	128 7	24.1	53 6
	1903	1,566 7	21.2	5.3	.....	42.3	47 6	26.5	29.1	21.2	.....	.....	137.6	26.5	68 8
	1904	1,591.6	18.3	5.2	.....	2.6	5.2	23.5	36.6	31.4	.....	.....	125.4	26.1	81.0
	1905	1,505.0	10.3	.....	.....	2.6	.....	.....	5.2	31 0	7.7	.....	147.1	23.2	62.0
Hampshire county	1901	1,531 0	3.1	3.1	3.1	.....	6.2	3.1	31.0	43.4	.....	.....	148.8	15.5	111.6
	1902	1,263.1	12 3	.....	.....	9.2	6.1	15 3	15 3	18.4	.....	.....	92.0	18.4	67.4
	1903	1,370.9	15 2	9.1	.....	12.1	.....	12 1	12.1	24 3	.....	.....	118.3	21 2	30.3
	1904	1,536.4	6.0	6.0	.....	6 0	18.0	6 0	12.0	24 0	.....	.....	108.0	15.0	81.0
	1905	1,413.5	8 9	.....	.....	14.8	.....	3 0	14 8	44.5	17.8	.....	95.0	14.8	77.2

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	24.7	55.6	194.4	157.4	172.8	83.3	64.8	92.6	67.9	37.0	3.1	95.7	83.3	175.9	27.8
3.1	6.1	30.7	214.9	193.5	150.5	79.8	39.9	116.7	58.3	70.6	12.3	64.5	36.9	239.5	9.2
.....	18.3	42.8	171.1	238.3	131.4	94.7	79.4	58.0	91.7	61.1	18.3	67.2	51.9	235.2	15.3
.....	6.1	30.4	212.8	234.1	106.4	85.1	54.7	97.3	97.3	66.9	12.1	115.5	51.7	218.8	42.6
3.0	15.1	24.2	184.5	223.8	87.7	69.6	81.7	81.7	84.7	57.5	15.1	66.5	51.4	178.4	9.1
1.8	7.3	40.4	187.3	132.2	106.5	75.3	97.3	93.7	53.3	42.3	7.3	66.1	71.6	165.3	25.7
1.8	7.3	34.9	166.9	207.3	130.2	69.7	78.9	64.2	77.0	40.4	12.8	66.0	56.9	212.8	34.
3.7	3.7	36.6	164.9	183.2	144.7	75.1	97.1	84.3	71.4	73.3	11.0	91.6	62.3	196.0	22.0
.....	16.5	21.9	177.5	183.0	97.0	97.0	75.0	95.2	78 7	53.1	11.0	97.0	49.4	230.6	29.3
.....	14.6	29.2	162.7	166.3	118.8	87.7	129.8	69.5	71.3	67.6	7.3	74.9	36.6	182.8	16.5
.....	11.7	29.4	205.5	117.4	111.6	76.3	58.7	82.2	82.2	11.7	29.4	111.6	35.2	187.9	58.7
5.8	23.4	46.7	198.7	111.0	116.9	29.2	35.1	52.6	35.1	58.4	35.1	87.7	35.1	128.6	.....
5.8	5.8	23.3	244.3	122.1	104.7	34.9	40.7	87.2	87.2	34.9	5.8	81.4	40.7	133.8	23.3
.....	5.8	23.2	138.9	138.9	104.2	28.9	17.4	92.6	69.5	46.3	28.9	138.9	28.9	167.9	28.9
.....	46.1	51.8	149.8	155.5	103.7	97.9	51.8	121.0	51.8	69.1	23.0	69.1	46.1	218.9	.....
.....	20.5	41.0	153.6	143.3	122.9	61.4	41.0	122.9	92.2	30.7	10.2	61.4	51.2	163.8	20.5
.....	31.0	.....	248.0	258.3	113.7	62.0	31.0	72.3	103.3	31.0	10.3	41.3	51.7	237.6	.....
.....	.....	20.8	208.5	302.4	62.6	62.6	52.1	83.4	177.2	31.3	41.7	41.7	73.0	239.8	10.4
.....	10.5	.....	263.0	147.3	147.3	73.6	21.0	105.2	84.2	42.1	.....	63.1	10.5	189.4	31.6
.....	42.5	.....	244.2	286.7	233.6	53.1	31.9	10.6	138.0	42.5	10.6	21.2	10.6	138.0	21.2
.....	26.5	53.0	167.8	167.8	97.1	70.6	47.1	100.1	44.2	8.8	11.8	44.2	67.7	185.5	26.5
.....	8.8	26.4	181.8	208.2	170.1	67.5	14.7	61.6	61.6	35.2	14.7	70.4	49.9	228.8	29.3
.....	26.3	5.8	219.2	187.1	163.7	29.2	81.8	102.3	76.0	35.1	5.8	73.1	43.9	210.4	29.2
2.9	5.8	32.0	148.5	180.6	177.7	52.4	61.2	96.1	67.0	49.5	8.7	90.3	64.1	192.2	35.0
2.9	11.6	26.1	203.1	182.8	139.3	31.9	87.1	110.3	75.5	72.5	11.6	81.3	37.7	217.6	17.4
.....	12.6	21.0	222.4	268.6	155.3	46.2	33.6	67.1	88.1	16.8	33.6	67.1	54.5	209.8	25.2
.....	8.5	21.3	234.3	174.7	98.0	102.2	34.1	106.5	80.9	21.3	12.8	51.1	46.9	204.5	12.8
.....	17.3	17.3	216.3	250.9	108.2	43.3	43.3	64.9	116.8	34.6	13.0	60.6	43.3	229.3	17.3
.....	22.0	13.2	232.9	259.3	145.0	79.1	30.7	105.5	96.7	70.3	8.8	61.5	44.0	210.9	30.7
.....	8.9	17.9	245.5	290.2	142.9	75.9	31.3	125.0	102.7	62.5	8.9	44.6	49.1	250.0	13.4
.....	11.0	50.8	161.1	147.9	141.3	75.0	134.6	68.4	48.6	26.5	8.8	39.7	35.3	134.6	19.9
.....	8.8	30.8	193.9	125.6	134.4	39.7	52.9	68.3	66.1	48.5	4.4	50.7	35.3	119.0	26.5
.....	8.8	30.8	162.8	158.4	110.0	79.2	52.8	59.4	66.0	59.4	6.6	41.8	41.8	138.5	11.0
.....	2.2	30.8	129.6	169.1	112.0	48.3	41.7	43.9	50.5	68.1	4.4	54.9	46.1	142.7	35.2
.....	11.0	15.3	157.9	199.5	151.3	57.0	74.5	81.1	70.2	46.0	4.4	46.0	37.3	151.3	17.5
4.1	16.4	34.9	239.9	225.5	143.5	57.4	53.3	90.2	145.6	38.9	8.2	67.7	80.0	155.8	32.8
4.1	22.5	22.5	268.4	241.8	108.6	90.2	57.4	120.9	125.0	36.9	20.5	73.8	61.5	180.3	14.3
4.1	16.4	32.8	270.2	223.2	147.4	79.8	81.9	94.2	126.9	69.6	10.2	73.7	73.7	165.8	4.1
2.0	28.6	32.7	263.9	255.7	143.2	79.8	53.2	73.7	122.8	69.6	14.3	61.4	57.3	163.7	26.6
.....	8.2	24.5	278.0	239.2	128.8	75.6	92.0	79.7	122.7	83.8	16.4	67.5	53.1	194.2	4.1
3.6	10.9	32.6	249.8	246.1	112.2	54.3	61.5	68.8	65.2	36.2	7.2	105.0	97.7	238.9	21.7
.....	7.3	29.2	288.0	258.9	94.8	65.6	62.0	87.5	62.0	43.8	7.3	87.5	98.4	302.6	7.3
.....	18.4	22.0	275.4	271.8	51.4	110.2	91.8	84.5	124.9	36.7	.....	66.1	95.5	220.4	.....
.....	25.9	29.6	229.4	292.3	85.1	125.8	96.2	125.8	99.9	66.6	3.7	122.1	37.0	192.4	.....
.....	22.4	22.4	268.3	268.3	85.7	78.3	93.2	130.4	104.4	48.5	14.9	70.8	37.3	238.5	3.7
5.2	10.4	20.7	189.2	194.3	121.8	62.2	44.1	114.0	59.6	49.2	10.4	70.0	31.1	137.3	5.2
2.6	13.0	31.1	160.6	191.7	147.6	85.5	36.3	93.2	57.0	33.7	7.8	80.3	57.0	142.5	2.6
.....	12.9	23.3	173.4	196.7	137.1	82.8	69.9	75.0	85.4	44.0	20.7	67.3	15.5	178.6	5.2
5.2	15.5	12.9	191.4	225.0	108.6	75.0	67.2	95.7	85.3	51.7	10.3	113.8	18.1	150.0	5.2
2.6	20.7	31.0	134.4	204.2	90.5	82.7	82.7	69.8	87.9	51.7	18.1	100.8	15.5	108.5	.....
.....	11.6	14.0	169.9	197.8	97.7	69.8	55.8	58.2	67.5	72.1	16.3	46.5	37.2	204.8	9.3
2.3	13.8	34.4	197.3	169.7	57.3	64.2	87.2	66.5	87.2	68.8	11.5	61.9	52.8	169.7	2.3
2.3	29.4	15.8	160.6	201.3	108.5	58 8	108.5	70.1	99.5	61.1	9.0	67.8	56.5	137.9	.....
.....	20.1	11.2	180.6	240.8	111.5	78.1	91.4	37.9	131.6	66.9	17.8	58.0	40.1	124.9	.....
.....	26.4	26.4	140.8	193.6	114.4	74.8	72.6	66.0	110.0	52.8	11.0	72.6	46.2	158.4	2.2
.....	21.9	21.9	197.4	285.2	87.7	175.5	43.9	153.5	87.7	65.8	.....	153.5	109.7	219.3	.....
21.9	.....	.....	219.4	395.0	87.8	131.7	21.9	43.9	43.9	43.9	.....	87.8	109.7	131.7	21.9
.....	22.0	65.9	351.3	439.1	65.9	109.8	43.9	65.9	87.8	.....	.....	65.9	87.8	373.2	22.0
.....	22.0	.....	285.5	329.5	109.8	131.8	65.9	131.8	87.9	43.9	22.0	175.7	43.9	329.5	22.0
.....	22.0	.....	373.5	395.5	43.9	43.9	43.9	175.8	131.8	22.0	22.0	109.9	22.0	197.8	.....
5.8	18.7	27.4	168.6	214.7	89.3	76.4	79.3	47.6	82.1	35.0	15.9	63.4	49.0	188.8	8.6
2.9	12.9	22.9	180.1	210.1	88.6	55.7	68.6	62.9	58.6	58.6	12.9	62.9	48.6	198.6	11.4
2.9	22.7	18.4	191.3	211.2	90.7	62.4	46.8	52.4	75.1	55.3	14.2	77.9	32.6	184.2	.....
.....	12.7	25.3	174.3	244.6	99.8	66.1	49.2	50.6	80.1	63.3	15.5	56.2	46.4	171.5	1.4
2.8	23.7	34.9	182.6	280.2	89.2	58.6	87.8	62.7	83.7	66.9	8.4	90.6	33.5	112.9	1.4
2.4	16.8	33.6	192.1	199.3	144.1	103.3	62.4	91.3	57.6	52.8	16.8	81.7	69.6	136.9	4.8
.....	19.0	45.2	147.4	173.5	159.3	78.4	42.8	85.6	76.1	64.2	4.8	78.4	57.0	152.1	4.8
2.4	9.4	37.6	150.6	195.3	112.9	84.7	25.9	68.2	65.9	58.8	4.7	72.9	58.8	171.8	4.7
.....	7.0	34.9	184.0	212.0	135.1	65.2	79.2	62.9	104.8	53.6	9.3	88.5	37.3	156.0	11.6
.....	20.8	36.9	175.3	239.8	124.5	73.8	87.6	94.6	117.6	69.2	20.8	92.2	36.9	140.7	4.6
2.7	24.4	43.4	195.5	122.2	133.0	43.4	95.0	81.4	65.2	81.4	19.0	119.5	67.9	108.6	8.1
.....	5.4	37.5	206.4	147.4	158.1	69.7	91.1	72.4	93.8	96.5	16.1	91.1	64.3	214.4	5.4
2.6	21.2	55.6	148.2	132.3	100.6	90.0	76.7	63.5	87.3	74.1	13.2	87.3	21.2	166.7	.....
.....	7.8	39.2	172.5	219.5	125.4	83.6	112.4	62.7	99.3	88.9	5.2	68.0	23.5	128.1	.....
2.6	20.7	20.7	170.4	185.9	100.7	69.7	157.5	35.2	80.0	32.6	7.7	105.8	18.1	108.4	.....
9.3	12.4	21.7	216.9	164.3	111.6	93.0	55.8	62.0	37.2	68.2	6.2	52.7	43.4	189.0	18.6
.....	3.1	30.7	153.3	141.0	58.2	67.4	61.3	85.8	52.1	58.2	3.1	55.2	49.0	180.9	9.2
9.1	21.2	30.3	188.0	172.9	84.9	81.9	51.6	69.8	81.9	72.8	6.1	57.6	39.4	148.6	.....
3.0	18.0	51.0	201.1	168.0	120.0	60.0	117.0	69.0	78.0	66.0	9.0	75.0	21.0	195.1	3.0
8.9	17.8	29.7	193.0	237.6	101.0	74.2	68.3	59.4	65.3	59.4	20.8	56.4	20.8	109.9	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MASSACHUSETTS RURAL—Cont'd.														
Middlesex county	1901	1,845.8	20.8	6.2	1.0	3.1	6.2	12.5	28.1	28.1	.....	275.7	36.4	95.7
	1902	1,801.1	18.5	2.1	2.1	6.2	2.1	1.0	27.7	9.2	.....	258.3	25.6	95.3
	1903	1,894.3	12.1	3.0	.....	9.1	18 2	6.1	14 1	38.4	.....	273.8	39.4	112.1
	1904	1,907.1	8.0	1.0	.....	1.0	4.0	2.0	18.9	21.9	.....	324.7	34.9	117.5
	1905	2,080.7	8.8	2.0	.....	4.9	2.9	2.0	11.8	35.3	20.6	347.6	42.2	124.7
Nantucket county	1901	1,838.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	200.6	66.9	133.7
	1902	2,184.1	33.6	.....	.....	.....	.....	.....	33.6	.....	.....	134.4	33.6	168.0
	1903	1,891.3	.....	.....	.....	.....	.....	.....	.....	67 5	.....	67.5	33.8	67.5
	1904	2,444.0	.....	.....	.....	.....	.....	.....	.....	67.9	.....	101.8	67.9	271.6
	1905	2,252.6	.....	.....	.....	.....	.....	.....	34.1	68.3	.....	136.5	.....	102.4
Norfolk county	1901	1,536.2	8.3	7.1	.....	1.2	3.6	3.6	20.1	21.3	.....	140.8	13.0	79.3
	1902	1,334.8	15.1	4.7	2.3	4.7	1.2	9.3	22.1	4.7	.....	146.8	12.8	64.1
	1903	1,484.8	14.9	1.1	1.1	1.1	10 3	10.3	20 6	26.4	.....	127 3	22.9	76.8
	1904	1,474.5	11.3	2.3	.....	3.4	4.5	1.1	10 2	20.3	.....	159 2	14.7	73.4
	1905	1,424.4	12.2	2.2	.....	4.4	3.3	1.1	10.0	26.7	22.2	141.2	18.9	74.5
Plymouth county	1901	1,634.8	19 9	.....	.....	1.5	3.1	1.5	29.1	24 5	.....	174.7	9.2	85.8
	1902	1,522.5	10.6	.....	3.0	9.1	.....	19.6	13.6	19.6	.....	122.3	19.6	90.6
	1903	1,511.7	14.9	.....	.....	.....	7.4	1.5	6.0	32.8	.....	143.0	22.3	76.0
	1904	1,483.5	8.8	2.9	.....	7.3	1 5	1.5	13.2	17.6	.....	188 0	10.3	104.3
	1905	1,603.9	18.8	7.2	.....	2.9	5.8	1.4	14.5	37.7	14.5	150.7	23.2	115.9
Suffolk county	1901	1,055.0	.....	.....	.....	.....	32.0	.....	.....	.....	.....	127.9	32.0	79.9
	1902	1,131.3	.....	.....	.....	15.5	.....	.....	62.0	.....	.....	93 0	.....	139.5
	1903	1,068 3	45.1	.....	.....	.....	.....	15.0	.....	.....	.....	105 3	15 0	120.4
	1904	979.5	29.2	.....	.....	.....	.....	.....	.....	.....	.....	43.9	.....	87.7
	1905	1,393.2	.....	14.2	.....	.....	.....	.....	.....	14.2	28.4	56.9	.....	71.1
Worcester county	1901	1,648.7	17.0	4.6	.....	6.9	11 6	5.4	26 2	45.5	.....	154.2	15.4	64.0
	1902	1,468.2	16 2	6.9	4.6	17.0	0.8	6.9	17.0	6.2	.....	148.2	13.1	62.5
	1903	1,667.5	12 4	2.3	.....	13.1	7.7	13.9	24.0	29.4	.....	143.8	12.4	52.6
	1904	1,642.1	12.4	3.9	.....	.....	6.2	11.6	12.4	26 3	.....	163.4	24.8	77.4
	1905	1,604.2	16.3	3.1	.....	13.2	.....	14.7	14.7	39 5	17.8	146.5	20.2	79.9
MICHIGAN RURAL.														
Alcona county	1901	1,107.2	17.6	.....	.....	.....	.....	.....	.....	35.1	.....	87.8	17.6	35.1
	1902	791.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	52.7	.....	.....
	1903	984.9	35 2	.....	.....	.....	.....	17 6	35.2	17.6	.....	105.5	17.6	35.2
	1904	1,055.6	35 2	.....	.....	.....	17 6	17.6	.....	.....	.....	87.9	17.6	35.2
	1905	1,055.8	.....	.....	.....	17 6	52.8	.....	.....	52 8	17.6	88.0	.....	35.2
Alger county	1901	795.5	16.6	.....	.....	.....	.....	.....	.....	.....	.....	82.9	16.6	16.6
	1902	1,193.4	32.2	.....	.....	32 2	16.1	.....	32.2	.....	.....	48.4	32.2	32.2
	1903	1,272.0	.....	.....	.....	15.7	.....	172.7	15.7	.....	.....	125.7	15.7	15.7
	1904	1,132.4	15.3	.....	.....	.....	.....	15.3	.....	.....	.....	76.5	30.6	30.6
	1905	1,208.6	.....	.....	.....	.....	.....	.....	.....	.....	14.9	59.7	.....	.....
Allegan county	1901	1,281 9	12.9	10.3	.....	7.7	.....	.....	.....	64.4	.....	103.0	15.4	64.4
	1902	1,216.5	7.7	10.3	.....	2.6	.....	.....	2.6	20.6	.....	95 1	20.6	56.6
	1903	1,187.2	18.0	7.7	.....	12.8	2.6	15 4	10.3	10.3	.....	59.1	18.0	59.1
	1904	1,440.4	12.8	2.6	.....	7 7	7.7	2.6	2.6	48.8	.....	84.7	12.8	92.4
	1905	1,318 6	30.8	5.1	2.6	2.6	10.3	7.7	7.7	33.3	12.8	82.1	15.4	69.3
Alpena county	1901	1,127 4	5.4	.....	.....	.....	5.4	.....	21.5	5.4	.....	85.9	10.7	37.6
	1902	894.7	5.3	.....	5.3	.....	5 3	.....	52.6	10.5	.....	52.6	10.5	42.1
	1903	1,192.3	31.0	5.2	.....	.....	5 2	51.6	15.5	15.5	.....	82.6	5.2	20.6
	1904	1,362.2	10.1	5.1	.....	5.1	116.5	30.4	106.3	30.4	.....	65.8	15.2	60.8
	1905	1,113.2	19.9	.....	9.9	.....	14.9	.....	.....	14.9	19.9	59 6	5.0	59.6
Antrim county	1901	1,279.1	30.6	6.1	.....	.....	12 2	6.1	24.5	61.2	.....	61.2	12.2	42.9
	1902	1,042.7	49.7	6.2	6.2	.....	12.4	6 2	12.4	12.4	.....	49.7	.....	12.4
	1903	1,158.4	50 4	.....	.....	18 9	.....	12.6	.....	25 2	.....	62.9	6.3	31.5
	1904	1,469.2	31 9	.....	.....	12 8	19.2	19 2	19.2	31.9	.....	57.5	12.8	44.7
	1905	1,594.6	38.9	.....	.....	.....	.....	.....	13.0	51.9	13.0	84.3	25.9	51.9
Arenac county	1901	1,210.8	.....	10.1	.....	.....	60.6	10.1	60.6	50.4	.....	20.2	10.1	50.4
	1902	789.9	.....	10.0	10.0	.....	.....	.....	.....	.....	.....	60 0	.....	20.0
	1903	881.7	9 9	.....	.....	.....	9.9	29.7	9.9	.....	.....	49 5	9.9	39.6
	1904	1,207 8	9.8	9.8	.....	9.8	9.8	9.8	39.3	19.6	.....	88 4	19.6	49.1
	1905	924.6	.....	.....	9.7	.....	.....	.....	9.7	.....	9.7	29.2	9.7	29.2
Baraga county	1901	1,328.6	.....	.....	.....	224.5	.....	.....	22 1	.....	.....	155.0	.....	.....
	1902	848.9	.....	.....	.....	.....	.....	63.7	.....	.....	.....	84.9	21.2	21.2
	1903	1,100.2	20.4	.....	.....	.....	.....	20.4	20.4	.....	.....	101.8	20.4	20.4
	1904	862.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	137.2	19.6	19.6
	1905	1,490.6	18 9	.....	.....	.....	.....	18.9	.....	18.9	.....	169 8	.....	.....
Barry county	1901	1,196 8	26.8	.....	.....	4.5	8.9	4.5	4 5	67.0	.....	49.1	.....	84.8
	1902	1,198.9	13 5	.....	.....	18 0	.....	4.5	.....	18 0	.....	85.3	9.0	112.2
	1903	1,173 9	13.5	4.5	.....	.....	4.5	13.5	9.0	18 1	.....	72.3	13.5	67.7
	1904	1,398 4	9 1	.....	.....	9 1	.....	22.7	4.5	68.1	.....	77.2	4.5	95.3
	1905	1,232.7	4 6	9.1	.....	.....	.....	4 6	4.6	32.0	13.7	82.2	13.7	59.4
Bay county	1901	1,213.3	9.1	.....	4.6	.....	36.5	4.6	27.4	68.4	.....	91.2	27.4	36.5
	1902	954.2	18.0	.....	4 5	.....	9.0	.....	9.0	.....	.....	90.1	4.5	54.0
	1903	1,035.0	8.9	4.4	.....	26.7	.....	8.9	44.4	4.4	.....	62.2	13.3	57.7
	1904	1,047.9	13.1	4.4	8.8	8.8	.....	8.8	13.1	17 5	.....	109 6	4.4	48.2
	1905	1,095 1	17.3	.....	.....	17.3	4 3	17.3	13.0	26.0	8.7	82.2	8.7	34.6
Benzie county	1901	1,375.4	10.0	.....	.....	.....	50.2	.....	.....	20.1	.....	150.6	10.0	30.1
	1902	1,055.0	.....	.....	.....	9.8	9.8	9 8	.....	9 8	.....	97.7	19.5	29.3
	1903	1,350.7	47.6	.....	.....	.....	19 0	19 0	28.5	9 5	.....	142.7	19.0	28.5
	1904	1,297.5	9.2	.....	.....	.....	.....	.....	37 1	.....	.....	83.4	27.8	64.9
	1905	1,210.9	27.1	.....	.....	.....	.....	.....	.....	18.1	9.0	99.4	18.1	63.3

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.0	13.5	25.0	232.0	225.8	132.1	74.9	94.7	57.2	69.7	61.4	9.4	68.7	47.9	218.5	.....
2.1	23.6	20.5	207.1	244.0	136.3	81.0	74.8	63.6	68.7	65.6	10.3	73.8	74.8	203.0	4.1
1.0	17.2	42.4	195.0	287.9	118.2	75.8	96.0	73.8	73.8	63.6	11.1	80.8	44.5	182.9	4.0
1.0	14.9	22.9	225.1	350.6	106.6	89.6	67.7	75.7	91.6	58.8	12.0	73.7	22.9	160.3	.....
2.0	23.6	22.6	220.0	387.9	136.5	82.5	85.4	64.8	95.2	51.1	8.8	111.9	27.5	158.1	.....
.....	.....	66.9	501.5	267.5	33.4	33.4	33.4	100.3	33.4	.....	.....	33.4	133.7	200.6	.....
.....	33.6	33.6	201.6	470.4	.....	100.8	100.8	100.8	67.2	67.2	.....	134.4	67.2	403.2	.....
.....	.....	67.5	337.7	472.8	67.5	.....	33.8	135.1	33.8	33.8	33.8	67.5	67.5	304.0	.....
.....	.....	33.9	271.6	509.2	67.9	135.8	101.8	169.7	135.8	67.9	.....	169.7	33.9	237.6	.....
.....	34.1	.....	273.0	546.1	136.5	102.4	68.3	136.5	204.8	34.1	.....	136.5	.....	238.9	.....
2.4	9.5	37.9	227.2	195.3	117.2	59.2	63.9	73.4	93.5	61.5	10.7	62.7	52.1	165.7	5.9
2.3	18.6	19.8	195.7	186.4	82.7	55.9	46.6	72.2	62.9	61.7	8.2	52.4	41.9	135.1	4.7
4.6	10.3	16.1	207.5	248.8	108.9	78.0	66.5	42.4	57.3	58.5	8.0	59.6	39.0	165.1	1.1
3.4	13.5	15.8	223.5	226.9	98.2	63.2	50.8	67.7	81.3	63.2	9.0	70.0	39.5	144.5	3.4
1.1	18.9	16.7	177.9	246.9	102.3	62.3	76.7	53.4	83.4	55.6	5.6	77.8	26.7	101.2	1.1
.....	9.2	32.2	182.3	229.8	154.7	79.7	59.8	93.5	81.2	49.0	10.7	61.3	52.1	173.1	16.9
1.5	18.1	9.1	199.4	246.2	90.6	77.0	77.0	66.5	61.9	43.8	7.6	61.9	52.9	181.3	19.6
3.0	10.4	16.4	190.6	284.5	98.3	62.6	52.1	89.4	70.0	37.2	8.9	73.0	41.7	162.3	7.4
4.4	13.2	11.8	170.4	237.9	82.3	66.1	58.8	58.8	80.8	42.6	14.7	57.3	36.7	192.4	.....
2.9	14.5	17.4	175.3	268.0	88.4	72.4	82.6	69.5	91.3	44.9	14.5	79.7	39.1	149.2	1.4
.....	.....	16.0	159.8	127.9	95.9	16.0	32.0	32.0	48.0	32.0	16.0	63.9	48.0	95.9	.....
.....	.....	.....	170.5	155.0	139.5	46.5	31.0	15.5	31.0	.....	15.5	31.0	31.0	155.0	.....
.....	15.0	.....	120.4	180.6	15.0	60.2	30.1	30.1	90.3	45.1	.....	30.1	45.1	105.3	.....
.....	14.6	14.6	117.0	219.3	58.5	29.2	58.5	.....	102.3	58.5	29.2	73.1	.....	43.9	.....
.....	14.2	28.4	227.5	213.2	184.8	14.2	99.5	99.5	99.5	28.4	.....	56.9	28.4	113.7	.....
3.9	12.3	34.7	204.3	190.4	142.6	74.8	77.1	70.9	67.8	66.3	12.3	74.8	59.3	203.5	3.1
2.3	14.7	34.0	217.7	159.8	111.2	71.8	71.8	49.4	71.0	58.7	13.9	56.3	51.7	179.9	4.6
2.3	13.1	37.9	200.2	219.5	138.4	58.8	92.0	66.5	73.4	77.3	17.8	89.7	48.7	216.5	3.9
1.5	24.0	37.2	220.6	209.8	112.3	72.0	84.4	70.5	96.0	73.5	11.6	75.1	27.1	185.1	3.1
2.3	11.6	44.2	198.5	220.2	110.1	70.6	112.4	58.2	67.5	51.9	14.0	80.6	33.3	161.3	1.6
.....	.....	.....	105.5	175.8	175.8	70.3	17.6	35.1	52.7	52.7	.....	17.6	70.3	105.5	35.1
.....	17.6	.....	70.3	35.2	87.9	.....	17.6	17.6	35.2	52.7	.....	87.9	35.2	193.3	87.9
.....	17.6	17.6	70.4	35.2	105.5	52.7	17.6	35.2	52.7	52.7	.....	70.4	17.6	123.1	52.7
.....	.....	.....	105.5	70.4	52.8	35.2	35.2	70.4	70.4	35.2	.....	123.1	35.2	175.9	35.2
.....	35.2	17.6	52.8	140.8	70.4	.....	70.4	140.8	.....	35.2	.....	35.2	35.2	88.0	70.4
.....	.....	.....	16.6	33.1	33.1	82.9	99.4	49.7	16.6	82.9	.....	33.1	66.3	99.4	49.7
.....	16.1	16.1	96.8	80.7	112.9	96.8	80.7	80.7	.....	64.5	.....	209.7	.....	16.1	96.8
.....	.....	15.7	109.9	31.4	62.8	109.9	141.4	15.7	31.4	78.5	.....	125.7	15.7	109.9	62.8
.....	.....	30.6	45.9	137.7	76.5	122.5	91.8	45.9	15.3	61.2	15.3	122.5	30.6	153.0	15.3
.....	.....	29.8	119.4	149.2	74.6	74.6	164.1	74.6	74.6	89.5	14.9	179.1	14.9	74.6	.....
.....	5.1	5.1	141.6	180.2	90.1	77.2	46.3	90.1	36.0	41.2	20.6	72.1	43.8	154.4	.....
.....	15.4	18.0	200.6	151.7	48.8	90.0	23.1	100.3	66.9	25.7	5.1	38.6	23.1	185.4	7.7
.....	15.4	7.7	156.8	154.2	43.7	74.5	48.8	110.5	54.0	25.7	12.8	79.7	23.1	159.3	7.7
.....	25.7	20.5	133.5	254.2	79.6	74.5	87.3	123.2	59.1	20.5	10.3	74.5	10.3	179.7	12.8
2.6	18.0	10.3	143.7	169.3	48.7	87.2	77.0	100.0	82.1	33.3	15.4	84.7	28.2	125.7	12.8
.....	16.1	10.7	102.0	96.6	69.8	112.7	91.3	91.3	26.8	59.1	.....	64.4	37.6	128.8	48.3
5.3	.....	10.5	63.1	52.6	47.4	68.5	57.9	63.1	15.8	89.5	.....	63.1	26.3	100.0	47.4
.....	10.3	.....	113.6	87.7	98.1	118.7	77.4	77.4	56.8	61.9	10.3	92.9	41.3	92.9	20.6
.....	10.1	.....	91.1	76.0	45.6	121.5	60.8	76.0	40.5	65.8	10.1	101.3	30.4	151.9	35.4
.....	.....	5.0	169.0	84.5	54.7	39.8	129.2	94.4	14.9	69.6	5.0	54.7	49.7	124.2	14.9
.....	6.1	12.2	122.4	116.3	128.5	91.8	73.4	49.0	24.5	24.5	.....	140.8	30.6	183.6	18.4
.....	.....	24.8	86.9	86.9	68.3	80.7	36.9	55.9	18.6	18.6	6.2	43.4	24.8	235.9	37.2
.....	6.3	31.5	75.5	107.0	56.6	37.8	144.8	81.8	25.2	37.8	6.3	107.0	25.2	195.2	12.6
.....	6.4	25.5	108.6	153.3	102.2	140.5	127.8	121.4	25.5	38.3	12.8	70.3	31.9	223.6	31.9
6.5	6.5	97.2	84.3	168.5	58.3	110.2	188.0	84.3	45.4	84.3	13.0	155.6	38.9	155.6	19.4
.....	.....	.....	90.8	70.6	90.8	111.0	100.9	111.0	10.1	80.7	20.2	80.7	10.1	111.0	50.4
.....	.....	10.0	70.0	80.0	139.9	50.0	60.0	40.0	10.0	30.0	.....	70.0	30.0	70.0	30.0
.....	.....	.....	89.2	99.1	59.5	29.7	79.3	39.6	59.5	29.7	.....	49.5	29.7	118.9	39.6
.....	.....	.....	117.8	98.2	88.4	78.6	58.9	108.0	58.9	68.8	.....	39.3	.....	147.3	78.6
9.7	9.7	9.7	68.1	126.5	77.9	87.6	97.3	77.9	9.7	87.6	.....	68.1	29.2	68.1	.....
.....	.....	22.1	66.4	.....	132.9	66.4	88.6	66.4	44.3	.....	.....	177.2	88.6	66.4	110.7
.....	.....	21.2	84.9	21.2	42.4	42.4	63.7	42.4	.....	42.4	.....	106.2	21.2	148.7	21.2
.....	20.4	20.4	40.7	61.1	61.1	40.7	142.6	20.4	20.4	61.1	20.4	81.5	20.4	244.5	40.7
.....	.....	.....	97.9	97.9	78.4	19.6	.....	19.6	.....	39.2	19.6	137.1	.....	117.6	58.8
.....	.....	.....	226.4	94.3	132.1	75.5	113.2	56.6	18.9	56.6	.....	207.5	18.9	132.1	132.1
.....	17.9	4.5	169.7	201.0	71.5	49.1	49.1	75.9	44.6	26.8	8.9	44.6	22.3	156.3	4.5
.....	18.0	13.5	161.6	202.0	71.8	53.9	62.9	58.4	71.8	22.4	13.5	44.9	18.0	125.7	.....
.....	31.6	18.1	158.1	207.7	63.2	54.2	45.2	90.3	40.6	18.1	4.5	63.2	13.5	144.5	4.5
.....	31.8	13.6	172.5	245.2	72.7	54.5	63.6	95.3	59.0	18.2	18.2	81.7	22.7	158.9	.....
4.6	22.8	18.3	182.6	246.5	41.1	63.9	59.4	73.0	54.8	27.4	13.7	86.7	.....	114.1	.....
.....	4.6	13.7	73.0	104.9	100.3	59.3	136.8	73.0	36.5	27.4	9.1	68.4	45.6	123.1	31.9
9.0	.....	18.0	72.0	49.5	81.0	36.0	67.5	58.5	40.5	54.0	9.0	72.0	45.0	130.6	22.5
.....	8.9	8.9	80.0	111.1	66.6	48.9	97.7	31.1	35.5	22.2	.....	80.0	48.9	142.1	22.2
.....	4.4	13.1	122.8	109.6	48.2	65.8	70.2	57.0	35.1	61.4	4.4	70.2	30.7	105.2	13.1
.....	.....	26.0	103.9	86.6	43.3	43.3	125.5	73.6	39.0	69.3	21.6	77.9	26.0	121.2	8.7
.....	.....	10.0	140.6	80.3	160.7	100.4	210.9	60.2	30.1	50.2	.....	50.2	40.2	160.6	10.0
.....	19.5	19.5	39.1	78.1	97.7	87.9	58.6	48.8	58.6	48.8	9.8	166.1	29.3	97.7	9.8
.....	9.5	.....	85.6	171.2	66.6	47.6	104.7	114.2	47.6	66.6	38.0	85.6	38.0	161.7	.....
.....	9.2	9.2	83.4	213.2	83.4	55.6	139.1	83.4	37.1	92.7	.....	102.0	37.1	120.5	9.2
.....	18.1	18.1	99.4	117.5	72.3	81.3	144.6	45.2	45.2	45.2	9.0	126.5	36.1	117.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
Berrien county	1901	1,359.1	8.1	16.2	.....	2.0	10.2	16.3	14.2	52.8	.....	89.4	12.2	67.1
	1902	1,120.2	20.3	.....	.....	8.1	4.1	14.2	.....	12.2	.....	85.2	10.1	52.8
	1903	1,218.2	22.3	6.1	.....	12.1	2.0	2.0	20.3	26.4	.....	60.8	20.3	70.9
	1904	1,283.7	10.1	6.1	.....	2.0	2.0	2.0	10.1	30.4	.....	95.2	16.2	70.9
	1905	1,258.0	20.2	2.0	.....	2.0	.....	4.0	6.1	12.1	16.2	66.7	26.3	56.6
Branch county	1901	1,394.8	25.5	.....	3.6	3.6	.....	7.3	14.6	94.7	.....	76.5	32.8	91.0
	1902	1,398.3	22.1	.....	.....	14.8	.....	18.4	7.4	48.0	.....	62.7	3.7	73.8
	1903	1,371.9	7.5	11.2	3.7	7.5	.....	7.5	37.4	37.4	.....	78.5	18.7	82.2
	1904	1,447.1	11.4	3.8	.....	3.8	.....	.....	.....	60.6	.....	83.4	11.4	53.0
	1905	1,340.0	7.7	.....	.....	.....	11.5	3.8	.....	34.6	23.0	65.3	15.4	49.9
Calhoun county	1901	1,391.8	35.8	6.5	.....	.....	3.3	3.3	3.3	58.5	.....	58.5	6.5	120.3
	1902	1,372.2	6.5	.....	.....	13.0	6.5	6.5	16.3	6.5	.....	81.3	6.5	71.5
	1903	1,271.5	3.3	3.3	.....	.....	3.3	6.5	22.8	42.3	.....	48.8	9.7	52.0
	1904	1,385.4	9.7	.....	3.3	3.3	3.3	6.5	16.3	26.0	.....	97.6	.....	87.8
	1905	1,378.9	9.8	3.3	.....	.....	.....	3.3	.....	32.5	16.3	91.1	6.5	104.1
Cass county	1901	1,311.4	29.0	9.7	.....	.....	.....	4.8	9.7	58.1	.....	96.8	9.7	48.4
	1902	1,403.1	29.3	4.9	.....	4.9	4.9	14.7	4.9	14.7	.....	102.7	14.7	97.8
	1903	1,338.8	24.7	.....	.....	.....	14.8	5.0	24.7	19.8	.....	74.1	14.8	79.0
	1904	1,402.9	30.0	.....	.....	15.0	5.0	.....	15.0	25.0	.....	99.8	15.0	104.8
	1905	1,463.2	10.1	5.0	.....	.....	.....	.....	10.1	40.4	5.0	90.8	15.1	85.8
Charlevoix county	1901	1,217.7	61.9	6.9	.....	.....	13.8	20.6	27.5	34.4	.....	82.5	6.9	55.0
	1902	1,071.7	6.6	.....	.....	.....	6.6	6.6	26.5	13.2	.....	105.9	.....	72.8
	1903	1,306.0	38.2	.....	.....	6.4	.....	12.7	19.1	.....	.....	114.7	19.1	38.2
	1904	1,333.1	24.6	.....	.....	6.1	.....	.....	.....	18.4	.....	116.8	12.3	67.6
	1905	1,382.1	11.9	.....	.....	5.9	.....	11.9	5.9	5.9	11.9	65.2	23.7	41.5
Cheboygan county	1901	1,260.1	18.8	6.3	.....	.....	31.3	25.1	37.6	31.3	.....	81.5	6.3	43.9
	1902	1,098.5	6.1	12.2	12.2	.....	18.3	6.1	6.1	12.2	.....	42.7	.....	30.5
	1903	1,165.2	5.9	.....	.....	.....	.....	11.9	47.6	5.9	.....	77.3	11.9	41.6
	1904	1,124.3	11.6	5.8	.....	.....	.....	23.2	11.6	5.8	.....	63.7	5.8	34.8
	1905	1,221.0	17.0	.....	.....	5.7	5.7	.....	5.7	5.7	17.0	96.1	22.6	33.9
Chippewa county	1901	1,058.5	37.1	.....	9.3	9.3	55.7	27.8	18.6	9.3	.....	74.3	9.3	46.4
	1902	996.2	65.2	.....	.....	.....	27.9	9.3	37.2	9.3	.....	65.2	.....	27.9
	1903	1,138.9	65.4	.....	.....	.....	28.0	.....	9.3	.....	.....	84.0	9.3	28.0
	1904	1,011.0	.....	.....	.....	9.4	.....	.....	18.7	.....	.....	74.9	18.7	9.4
	1905	1,070.0	9.4	.....	.....	.....	9.4	.....	46.9	18.8	37.5	103.2	.....	28.2
Clare county	1901	1,050.5	.....	.....	11.7	.....	.....	11.7	23.3	35.0	.....	58.4	11.7	46.7
	1902	946.0	.....	11.4	.....	.....	11.4	11.4	22.8	11.4	.....	57.0	.....	22.8
	1903	1,113.5	11.1	.....	.....	.....	.....	.....	11.1	11.1	.....	100.3	11.1	33.4
	1904	1,186.2	43.5	.....	.....	43.5	43.5	10.9	10.9	.....	.....	76.2	21.8	65.3
	1905	925.9	10.6	.....	.....	.....	.....	21.3	10.6	21.3	10.6	21.3	10.6	63.9
Clinton county	1901	1,339.7	27.8	4.0	.....	4.0	15.9	8.0	35.8	79.5	.....	63.6	19.9	55.7
	1902	1,183.9	35.8	4.0	.....	11.9	4.0	7.9	.....	19.9	.....	63.6	19.9	91.4
	1903	1,230.6	15.9	4.0	7.9	.....	.....	11.9	7.9	43.7	.....	71.4	4.0	83.4
	1904	1,229.8	27.7	4.0	.....	.....	7.9	11.9	.....	39.7	.....	75.4	7.9	67.4
	1905	1,125.8	35.7	.....	.....	.....	4.0	.....	.....	19.8	7.9	79.3	11.9	103.1
Crawford county	1901	851.8	126.2	.....	.....	.....	94.6	.....	.....	31.6	.....	31.6	.....	.....
	1902	1,383.2	29.4	29.4	.....	.....	.....	.....	.....	.....	.....	58.9	.....	117.7
	1903	1,434.1	55.2	.....	.....	55.2	.....	.....	.....	.....	.....	27.6	27.6	27.6
	1904	1,141.7	26.0	.....	.....	26.0	.....	.....	.....	.....	.....	77.8	.....	26.0
	1905	1,004.4	.....	.....	.....	.....	.....	.....	.....	24.5	.....	24.5	.....	.....
Delta county	1901	902.7	33.9	.....	13.6	6.8	.....	.....	27.1	13.6	.....	67.9	.....	13.6
	1902	938.2	13.2	.....	.....	39.7	6.6	6.6	13.2	.....	.....	72.7	13.2	33.0
	1903	894.8	25.7	.....	6.4	.....	6.4	12.9	25.7	12.9	.....	77.2	.....	6.4
	1904	1,066.8	25.1	.....	.....	.....	6.3	25.1	.....	12.6	.....	50.2	.....	56.5
	1905	1,132.4	36.7	.....	.....	.....	.....	6.1	49.0	24.5	30.6	42.8	6.1	18.4
Dickinson county	1901	1,344.6	33.1	.....	.....	33.1	.....	.....	22.0	11.0	.....	88.2	11.0	44.1
	1902	1,189.7	10.5	.....	.....	21.1	10.5	.....	42.1	10.5	.....	52.6	10.5	10.5
	1903	1,299.9	30.2	.....	.....	.....	20.1	.....	10.1	.....	.....	60.5	30.2	20.1
	1904	985.4	.....	.....	.....	.....	.....	.....	29.0	.....	.....	58.0	9.6	29.0
	1905	1,011.4	9.3	.....	.....	9.3	.....	27.8	27.8	27.8	.....	74.2	27.8	46.4
Eaton county	1901	1,285.5	25.4	6.4	.....	3.2	3.2	3.2	22.3	63.6	.....	57.3	15.9	66.8
	1902	1,282.5	35.3	3.2	.....	16.0	3.2	.....	16.0	22.5	.....	67.4	16.0	60.9
	1903	1,321.6	29.1	3.2	.....	3.2	.....	6.5	6.5	48.5	.....	80.8	12.9	87.2
	1904	1,569.7	22.8	.....	.....	16.3	.....	6.5	13.0	39.1	.....	97.7	6.5	81.4
	1905	1,493.4	19.7	.....	.....	.....	.....	6.6	16.4	59.1	9.8	88.6	16.4	78.8
Emmet county	1901	1,291.0	24.4	6.1	6.1	.....	6.1	.....	18.3	12.2	.....	103.5	6.1	60.9
	1902	1,366.0	23.7	.....	.....	.....	.....	5.9	.....	23.7	.....	106.4	5.9	53.2
	1903	1,453.9	40.2	5.7	.....	28.7	.....	46.0	5.7	23.0	.....	91.9	17.2	69.0
	1904	1,296.7	16.8	.....	5.6	22.3	5.6	5.6	5.6	27.9	.....	100.6	16.8	33.5
	1905	1,447.1	32.6	.....	.....	.....	.....	10.9	10.9	10.9	21.8	97.9	27.2	49.0
Genesee county	1901	1,344.3	10.6	7.1	.....	.....	7.1	3.5	14.2	60.3	.....	60.3	21.3	63.8
	1902	1,306.7	32.0	.....	3.6	3.6	.....	3.6	7.1	7.1	.....	106.8	3.6	57.0
	1903	1,447.6	17.9	7.1	.....	10.7	.....	14.3	25.0	10.7	.....	89.4	10.7	85.8
	1904	1,381.5	17.9	3.6	.....	.....	7.2	.....	10.8	28.7	.....	53.8	21.5	71.8
	1905	1,361.6	32.4	10.8	.....	3.6	.....	.....	21.6	21.6	.....	82.8	18.0	68.4
Gladwin county	1901	904.8	14.1	.....	.....	.....	14.1	.....	.....	28.3	.....	28.3	.....	14.1
	1902	791.4	13.2	.....	.....	.....	.....	26.4	13.2	.....	.....	39.5	13.2	39.5
	1903	716.9	12.4	.....	.....	.....	.....	.....	12.4	.....	.....	37.1	12.4	24.7
	1904	651.1	23.3	11.6	.....	11.6	23.3	.....	.....	.....	.....	11.6	.....	11.6
	1905	724.5	11.0	.....	.....	.....	.....	11.0	11.0	11.0	.....	54.9	.....	11.0

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.0	16.3	16.3	201.1	188.9	58.9	52.8	79.2	95.5	50.6	36.6	8.1	75.2	36.6	148.3	10.2
.....	8.1	14.2	148.2	150.1	52.8	54.8	50.7	71.0	54.8	54.8	8.1	87.3	26.4	125.8	6.1
2.0	12.1	12.1	162.2	152.0	66.9	73.0	83.1	95.3	50.7	40.5	14.2	87.2	22.3	95.3	6.1
.....	8.1	10.1	170.1	180.2	54.7	46.6	56.7	74.9	64.8	52.7	10.1	125.5	12.1	149.8	22.3
2.0	18.2	14.2	155.7	167.9	46.5	62.7	60.7	89.0	82.9	58.6	18.2	99.1	38.4	129.4	2.0
.....	14.6	18.2	222.2	214.9	47.3	36.4	61.9	98.3	54.6	43.7	7.3	58.3	7.3	160.2	.....
.....	18.4	7.4	225.0	250.9	70.1	62.7	48.0	99.6	55.3	29.5	7.4	84.9	7.4	173.4	7.4
.....	7.5	14.9	127.1	276.6	44.9	59.8	67.3	89.7	44.9	18.7	3.7	74.8	29.9	216.8	3.7
3.8	15.2	15.2	189.4	299.3	79.5	56.8	56.8	79.5	49.2	45.4	15.2	49.2	37.9	212.1	15.2
3.8	30.7	15.4	192.0	226.5	57.6	53.8	65.3	84.5	53.8	57.6	7.7	65.3	53.8	157.4	3.8
.....	9.8	19.5	169.1	208.1	107.3	78.0	35.8	100.8	35.8	45.5	13.0	81.3	16.2	165.8	9.8
.....	13.0	9.8	204.9	263.4	87.8	55.3	58.5	94.3	65.0	45.5	6.5	58.5	42.3	149.6	3.2
.....	22.8	19.5	169.1	204.9	71.5	65.0	58.5	68.3	78.0	29.3	19.5	113.8	16.2	136.6	6.5
3.3	19.5	19.5	162.6	276.4	61.8	78.0	32.5	100.8	68.3	26.0	13.0	113.8	19.5	136.6	.....
3.3	6.5	9.8	224.4	253.7	55.3	71.5	58.5	87.8	71.5	32.5	16.3	68.3	52.0	100.8	.....
4.8	19.4	19.4	188.7	193.5	72.6	48.4	53.2	101.6	72.6	19.4	9.7	48.4	14.5	174.2	4.8
.....	29.3	.....	180.9	259.1	83.1	48.9	48.9	88.0	78.2	24.4	4.9	63.5	34.2	166.2	.....
9.9	9.9	5.0	202.5	207.4	39.5	39.5	88.9	93.9	84.0	14.8	5.0	123.5	14.8	138.3	5.0
.....	10.0	30.0	159.8	229.6	49.9	44.9	64.9	84.9	99.8	44.9	10.0	59.9	39.9	154.8	10.0
.....	20.2	10.1	211.9	237.1	45.4	75.7	50.5	121.1	131.2	55.5	15.1	60.5	50.5	111.0	5.0
.....	6.9	6.9	75.7	75.7	34.4	61.9	75.7	55.0	41.3	123.8	6.9	137.6	34.4	144.5	27.5
6.6	6.6	.....	105.9	99.3	59.5	86.0	52.9	72.8	59.5	26.5	.....	119.1	19.8	99.2	19.8
12.7	19.1	.....	102.0	127.4	82.8	127.4	152.9	38.2	51.0	19.1	6.4	133.8	25.5	152.9	6.4
.....	6.1	6.1	104.4	116.8	55.3	110.6	147.5	73.7	49.1	49.1	18.4	110.6	67.6	165.9	6.1
5.9	5.9	23.7	148.3	142.4	41.5	83.0	160.2	106.8	29.7	47.5	17.8	172.0	23.7	172.0	17.8
.....	6.3	18.8	131.7	106.6	119.1	62.7	106.6	87.8	12.5	75.2	6.3	94.0	31.3	119.1	.....
6.1	12.2	30.5	97.7	116.0	97.7	116.0	73.2	73.2	.....	73.2	.....	48.8	48.8	146.5	12.2
.....	.....	29.7	77.3	154.6	53.5	71.3	142.7	53.5	53.5	59.5	5.9	59.5	29.7	142.7	29.7
5.8	29.0	46.4	52.1	104.3	81.1	75.3	133.3	46.4	46.4	75.3	11.6	110.1	11.6	110.1	23.2
5.7	17.0	22.6	56.5	118.7	73.5	45.2	141.3	73.5	67.8	107.4	5.7	118.7	39.6	90.4	28.3
.....	.....	.....	92.9	55.7	92.9	65.0	74.3	46.4	37.1	37.1	9.3	55.7	37.1	139.3	18.6
.....	.....	18.6	83.8	55.9	74.5	27.9	111.8	46.6	18.6	18.6	.....	93.1	9.3	167.6	27.9
.....	.....	9.3	93.4	84.0	74.7	74.7	112.0	46.7	28.0	28.0	9.3	102.7	46.7	149.4	56.0
.....	9.4	.....	84.2	103.0	84.2	65.5	112.3	28.1	9.4	28.1	9.4	131.0	56.2	131.0	28.1
.....	9.4	18.8	75.1	56.3	112.6	65.7	122.0	65.7	56.3	28.2	.....	84.5	9.4	75.1	37.5
.....	.....	35.0	93.4	93.4	70.0	70.0	46.7	58.4	70.0	70.0	11.7	70.0	11.7	116.7	35.0
.....	.....	11.4	182.3	68.4	34.2	68.4	34.2	68.4	22.8	22.8	11.4	34.2	11.4	170.9	57.0
.....	22.3	.....	133.6	100.3	44.5	22.3	100.3	66.8	22.3	33.4	.....	66.8	55.6	222.7	44.5
.....	21.8	21.8	87.1	32.6	54.4	65.3	43.5	119.7	87.1	54.4	10.9	97.9	32.6	119.7	21.8
.....	10.6	10.6	95.8	85.1	53.2	85.1	95.8	63.9	21.3	10.6	21.3	85.1	21.3	95.8	.....
.....	4.0	11.9	178.9	202.7	127.2	43.7	27.8	111.3	51.7	23.8	11.9	43.7	15.9	167.0	4.0
.....	27.8	11.9	127.1	198.6	95.3	39.7	55.6	71.5	47.7	19.9	7.9	55.6	27.8	135.1	4.0
.....	15.9	11.9	170.7	202.5	95.3	71.4	47.6	87.3	27.8	39.7	7.9	23.8	31.8	142.9	4.0
4.0	15.9	15.9	170.6	214.2	39.7	51.6	43.6	63.5	43.6	23.8	23.8	63.5	23.8	186.4	4.0
.....	11.9	11.9	146.7	158.6	51.5	47.6	39.6	115.0	67.4	4.0	7.9	47.6	35.7	111.0	7.9
.....	.....	.....	94.6	63.1	63.1	94.6	94.6	.....	.....	31.6	.....	94.6	.....	.....	31.6
.....	.....	.....	29.4	88.3	147.2	206.0	88.3	.....	88.3	117.7	.....	206.0	29.4	147.2	.....
.....	.....	.....	82.7	110.3	110.3	27.6	110.3	82.7	27.6	82.7	27.6	248.2	27.6	303.3	.....
.....	.....	.....	129.7	77.8	51.9	77.8	77.8	51.9	51.9	51.9	.....	363.3	.....	51.9	.....
.....	24.5	24.5	147.0	49.0	122.5	49.0	49.0	147.0	24.5	24.5	24.5	73.5	49.0	147.0	.....
.....	.....	6.8	54.3	74.6	67.9	54.3	81.5	61.1	27.1	47.5	.....	108.6	27.1	81.5	33.9
6.6	.....	13.2	39.7	26.4	39.7	33.0	138.8	72.7	26.4	33.0	6.6	118.9	26.4	99.1	59.5
.....	.....	12.9	45.1	32.2	64.4	45.1	96.5	57.9	12.9	70.8	12.9	45.1	45.1	115.9	64.4
.....	.....	6.3	62.7	50.2	106.6	62.7	87.9	62.7	18.8	50.2	6.3	131.8	18.8	138.1	87.9
.....	.....	12.2	128.5	91.8	49.0	73.5	140.8	85.7	18.4	42.8	.....	104.1	36.7	85.7	49.0
.....	.....	11.0	99.2	99.2	88.2	77.2	253.5	22.0	55.1	55.1	22.0	209.4	.....	88.2	22.0
.....	.....	31.6	52.6	63.2	52.6	84.2	263.3	63.2	.....	94.8	.....	179.0	.....	94.8	42.1
.....	20.1	.....	60.5	80.6	50.4	60.5	292.3	30.2	40.3	100.8	10.1	201.6	20.1	131.0	30.2
.....	19.3	.....	67.7	86.9	29.0	77.3	193.2	67.7	9.6	67.7	9.6	144.9	9.6	58.0	19.3
.....	9.3	37.1	65.0	18.6	.....	102.1	157.8	37.1	46.4	18.6	.....	130.0	9.3	92.8	37.1
.....	9.5	15.9	194.1	197.3	108.2	31.8	38.2	95.5	63.6	22.3	6.4	73.2	12.7	149.5	.....
3.2	16.0	19.2	170.0	243.7	70.6	64.1	38.5	102.6	48.1	19.2	9.6	48.1	16.0	169.9	3.2
9.7	25.9	9.7	174.5	206.8	58.2	51.7	54.9	87.2	80.8	32.3	9.7	67.8	22.6	145.4	6.5
6.5	13.0	26.0	254.0	228.0	100.9	61.9	55.4	84.7	84.7	52.1	16.3	104.2	13.0	175.9	9.8
3.3	13.1	29.5	196.9	252.7	105.0	65.6	26.3	118.2	82.1	23.0	9.8	55.8	29.5	177.2	9.8
.....	18.3	30.4	91.3	97.4	127.9	36.5	127.9	91.3	30.4	60.9	6.1	85.2	24.4	194.9	24.4
5.9	11.8	47.3	147.8	130.1	82.8	53.2	94.6	76.9	71.0	88.7	5.9	147.8	23.7	136.0	23.7
.....	11.5	23.0	115.0	132.2	143.7	86.2	91.9	40.2	57.5	69.0	5.7	132.2	46.0	149.4	23.0
5.6	11.2	16.8	78.2	111.8	61.6	100.6	72.6	72.6	67.1	111.8	.....	128.5	16.8	184.4	16.8
.....	.....	27.2	125.1	168.6	43.5	103.4	163.2	92.5	49.0	92.5	.....	70.7	70.7	174.1	5.4
3.5	28.4	7.1	191.5	159.6	102.9	88.7	56.7	74.5	63.8	10.6	7.1	70.9	24.8	195.1	10.6
3.6	21.4	7.1	181.6	170.9	99.7	81.9	32.0	49.8	57.0	49.8	14.2	67.6	49.8	181.6	14.2
.....	10.7	7.1	139.4	250.2	150.1	50.0	25.0	100.1	96.5	10.7	21.4	85.8	39.3	182.3	7.1
3.6	10.8	3.6	143.5	258.4	107.7	64.6	46.6	82.5	89.7	21.5	7.2	78.9	46.6	197.4	3.6
.....	14.4	7.2	172.9	223.3	64.8	68.4	61.2	122.5	75.6	28.8	10.8	57.6	75.6	111.7	7.2
.....	.....	28.3	56.6	.....	70.7	14.1	169.7	113.1	14.1	14.1	.....	113.1	14.1	127.3	70.7
.....	26.4	.....	39.5	52.8	79.1	26.4	105.5	52.8	13.2	26.4	.....	52.8	65.9	52.8	52.8
.....	.....	.....	61.8	74.1	49.4	12.4	74.1	86.5	.....	.....	.....	61.8	24.7	160.7	12.4
.....	11.6	11.6	81.4	34.9	46.5	58.2	46.5	23.3	11.6	23.3	.....	93.0	11.6	93.0	11.6
.....	11.0	22.0	109.8	76.8	65.9	54.9	43.9	32.9	.....	43.9	.....	54.9	22.0	43.9	32.9

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
Gogebic county	1901	1,592.9	42.3	.....	.....	56.4	28.2	.....	56.4	.....	.....	112.8	14.1	14.1
	1902	1,704.9	41.9	.....	.....	.....	14.0	14.0	111.8	14.0	.....	41.9	14.0	97.8
	1903	1,635.0	.....	.....	.....	13.9	13.9	13.9	69.2	13.9	.....	166.2	13.9	.....
	1904	1,923.6	27.5	.....	.....	.....	13.7	.....	68.7	.....	.....	68.7	55.0	27.5
	1905	2,043.9	27.3	.....	.....	13.6	.....	.....	27.3	40.9	.....	40.9	13.6	68.1
Grand Traverse county	1901	1,381.1	44.3	.....	17.7	.....	44.3	35.4	35.4	53.1	.....	70.8	8.8	44.3
	1902	998.4	17.4	.....	.....	.....	17.4	17.4	26.0	.....	.....	78.2	8.7	34.7
	1903	953.8	25.6	.....	.....	8.5	8.5	8.5	17.0	8.5	.....	76.7	17.0	25.6
	1904	1,337.2	8.3	.....	8.3	.....	.....	25.1	8.3	25.1	.....	100.3	.....	33.4
	1905	1,222.5	32.8	.....	.....	8.2	.....	.....	.....	24.6	24.6	49.2	.....	16.4
Gratiot county	1901	1,201.3	33.3	3.3	.....	.....	13.3	6.7	6.7	30.0	.....	73.2	13.3	53.3
	1902	1,161.8	19.9	.....	3.3	9.9	.....	13.2	.....	23.2	.....	69.5	16.5	69.5
	1903	1,142.4	26.3	.....	.....	3.3	3.3	9.9	3.3	26.3	.....	118.5	9.9	62.6
	1904	1,264.1	29.5	.....	.....	13.1	6.5	3.3	9.8	55.7	.....	75.3	13.1	68.8
	1905	1,185.7	19.5	.....	3.3	.....	.....	.....	.....	48.9	9.8	81.4	3.3	74.9
Hillsdale county	1901	1,416.7	26.8	6.7	.....	6.7	3.3	3.3	.....	70.4	.....	73.7	16.7	97.1
	1902	1,256.2	43.5	6.7	.....	.....	3.3	.....	6.7	26.8	.....	50.3	6.7	90.5
	1903	1,320.3	20.1	10.0	3.4	10.0	3.4	3.4	6.7	26.8	.....	83.8	20.1	63.7
	1904	1,411.0	10.0	10.0	.....	16.7	3.4	3.4	13.4	36.9	.....	100.5	20.1	77.1
	1905	1,210.2	20.1	.....	6.7	.....	3.4	.....	10.1	16.8	10.1	73.8	13.4	70.4
Houghton county	1901	1,328.8	43.2	1.5	.....	.....	25.3	10.4	17.9	7.4	.....	92.3	20.8	44.6
	1902	1,373.9	16.1	.....	2.9	16.1	16.1	8.8	11.7	2.9	.....	92.2	26.3	64.4
	1903	1,221.8	17.3	.....	1.4	5.8	21.6	31.7	28.8	8.6	.....	102.2	30.2	46.1
	1904	1,299.8	2.8	.....	.....	8.5	46.7	34.0	18.4	7.1	.....	109.0	45.3	62.3
	1905	1,465.9	16.7	.....	.....	19.5	25.1	2.8	26.5	4.2	5.6	112.9	46.0	58.5
Huron county	1901	1,094.4	14.5	.....	.....	.....	26.2	.....	11.6	46.6	.....	78.6	11.6	43.7
	1902	975.3	20.2	.....	.....	2.9	11.6	31.8	11.6	.....	.....	86.8	17.4	31.8
	1903	1,047.5	5.7	2..	5.7	2.9	28.8	20.1	1.7	14.4	.....	72.0	11.5	34.5
	1994	1,018.7	14.3	2.9	2.9	11.4	14.3	.....	25.8	8.6	.....	68.7	11.4	45.8
	1905	1,050.1	14.2	.....	2.8	2.8	5.7	5.7	2.8	34.1	14.2	68.3	14.2	42.7
Ingham county	1901	1,337.2	47.1	8.6	.....	.....	.....	.....	12.9	72.9	.....	90.0	17.1	51.4
	1902	1,401.5	30.0	8.6	.....	25.7	.....	4.3	4.3	38.6	.....	47.1	12.9	60.0
	1903	1,238.7	42.9	8.6	.....	.....	4.3	8.6	4.3	17.1	.....	85.7	12.9	85.7
	1904	1,607.3	25.7	.....	.....	8.6	4.3	8.6	34.3	55.7	.....	72.9	21.4	85.7
	1905	1,363.1	12.9	.....	.....	.....	.....	4.3	21.4	21.4	8.6	64.3	17.1	94.3
Ionia county	1901	1,348.7	23.3	5.8	.....	.....	11.6	.....	34.9	40.7	.....	98.8	11.6	55.2
	1902	1,241.4	23.2	11.6	2.9	2.9	8.7	.....	17.4	37.7	.....	72.5	8.7	40.6
	1903	1,201.1	31.8	5.8	.....	2.9	2.9	8.7	5.8	14.5	.....	60.8	23.2	81.0
	1904	1,435.3	31.8	5.8	.....	.....	8.7	2.9	2.9	17.3	.....	86.6	14.4	121.3
	1905	1,296.8	25.9	17.3	.....	.....	2.9	2.9	2.9	31.7	28.8	98.0	5.8	80.7
Iosco county	1901	1,308.3	19.4	.....	.....	.....	29.1	.....	135.7	19.4	.....	58.1	9.7	77.5
	1902	952.7	9.6	28.9	9.6	.....	9.6	.....	28.9	19.3	.....	86.6	.....	57.7
	1903	1,165.7	28.7	19.1	9.6	.....	19.1	28.7	9.6	19.1	.....	114.6	9.6	57.3
	1904	1,081.6	19.0	9.5	.....	.....	19.0	9.5	9.5	19.0	.....	104.4	28.4	47.4
	1905	1,017.5	.....	.....	.....	.....	47.1	.....	9.4	9.4	18.8	56.5	18.8	47.1
Iron county	1901	1,170.0	22.3	.....	.....	.....	22.3	.....	89.2	11.1	.....	66.9	11.1	.....
	1902	960.0	11.2	.....	.....	.....	.....	.....	22.3	11.2	.....	78.1	11.2	22.3
	1903	1,096.0	22.4	.....	.....	11.2	.....	.....	.....	11.2	.....	11.2	11.2	33.5
	1904	974.8	11.2	.....	.....	.....	.....	.....	11.2	22.4	.....	56.0	.....	89.7
	1905	1,380.6	33.7	.....	.....	.....	.....	112.2	22.4	.....	11.2	78.6	11.2	33.7
Isabella county	1901	1,047.0	26.0	.....	8.7	.....	8.7	8.7	21.6	34.6	.....	69.2	8.7	26.0
	1902	1,117.6	25.6	4.3	.....	12.8	12.8	21.3	17.1	8.5	.....	76.8	12.8	29.9
	1903	996.8	29.4	4.2	.....	.....	4.2	4.2	16.8	8.4	.....	50.5	21.0	50.5
	1904	970.7	16.6	4.1	.....	16.6	.....	4.1	8.3	8.3	.....	58.1	24.9	58.1
	1905	1,178.6	24.6	.....	.....	.....	.....	4.1	20.5	8.2	8.2	77.8	20.5	24.6
Jackson county	1901	1,187.5	13.2	4.4	.....	.....	.....	.....	.....	52.8	.....	70.4	4.4	74.7
	1902	1,257.1	22.3	.....	.....	4.5	.....	.....	4.5	35.7	.....	58.0	8.9	80.2
	1903	1,292.5	18.1	4.5	.....	.....	.....	9.0	4.5	27.1	.....	45.2	13.6	72.3
	1904	1,530.6	9.2	.....	4.6	9.2	4.6	.....	9.2	32.1	.....	55.0	4.6	155.8
	1905	1,357.1	32.5	4.6	23.2	.....	4.6	9.3	4.6	41.8	23.2	74.4	.....	65.1
Kalamazoo county	1901	1,340.0	20.1	20.1	.....	35.1	10.0	.....	15.1	45.2	.....	80.3	15.1	55.2
	1902	1,178.2	20.1	.....	.....	.....	5.0	.....	10.0	15.0	.....	55.2	5.0	110.3
	1903	1,367.7	20.0	10.0	.....	5.0	.....	.....	.....	5.0	.....	75.2	15.0	60.1
	1904	1,496.5	10.0	5.0	.....	15.0	.....	5.0	15.0	55.1	.....	70.1	15.0	90.1
	1905	1,295.1	15.0	.....	.....	15.0	5.0	5.0	5.0	15.0	5.0	75.0	5.0	50.0
Kalkaska county	1901	1,213.6	.....	13.8	.....	13.8	13.8	.....	96.5	69.0	.....	110.3	27.6	13.8
	1902	1,044.7	13.6	13.6	.....	.....	27.1	.....	27.1	13.6	.....	27.1	13.6	13.6
	1903	1,535.6	26.7	.....	.....	.....	.....	.....	40.1	13.3	.....	80.1	40.1	66.8
	1904	1,275.0	.....	.....	13.1	13.1	13.1	13.1	26.3	13.1	.....	52.6	26.3	65.7
	1905	1,397.9	12.9	12.9	.....	.....	12.9	12.9	.....	38.8	.....	129.4	12.9	25.9
Kent county	1901	1,458.5	21.3	2.4	.....	.....	.....	7.1	26.0	61.5	.....	75.6	9.4	61.5
	1902	1,394.3	16.5	.....	4.7	.....	11.8	9.4	2.4	18.8	.....	82.4	25.9	84.8
	1905	1,433.7	25.8	.....	.....	4.7	9.4	11.7	7.0	25.8	.....	103.3	14.1	107.9
	1904	1,613.3	18.7	7.0	.....	.....	.....	4.7	9.4	21.0	.....	60.8	18.7	81.8
	1905	1,518.9	30.3	.....	4.7	2.3	2.3	.....	32.6	14.0	28.0	93.2	18.6	93.2
Keweenaw county	1901	1,155.3	.....	.....	.....	.....	140.9	.....	.....	.....	.....	28.2	28.2	28.2
	1902	850.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	51.5	.....	.....
	1903	1,091.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	47.5	.....	47.5
	1904	989.9	.....	.....	.....	.....	22.0	.....	.....	.....	.....	153.9	.....	.....
	1905	1,250.5	20.5	.....	.....	20.5	.....	.....	20.5	.....	20.5	143.5	41.0	61.5

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.1	28.2	112.8	98.6	98.6	169.2	239.6	14.1	.....	141.0	.....	197.3	70.5	70.5	14.1
.....	27.9	14.0	83.8	41.9	139.8	209.6	223.6	55.9	27.9	223.6	.....	223.6	14.0	69.9	.....
.....	.....	13.9	83.1	13.9	27.7	83.1	193.9	110.8	13.9	152.4	13.9	374.1	97.0	124.7	27.7
.....	.....	68.7	274.8	82.4	96.2	123.7	137.4	96.2	13.7	206.1	27.5	192.3	68.7	178.6	96.2
.....	13.6	13.6	149.9	81.8	122.6	95.4	272.5	68.1	40.9	150.0	27.3	436.0	81.8	177.1	81.8
.....	8.8	17.7	97.4	132.8	53.1	44.3	141.6	97.4	79.7	26.6	.....	97.4	62.0	168.2	.....
.....	26.0	17.4	104.2	147.6	69.4	43.4	69.4	69.4	17.4	43.4	.....	17.4	26.0	130.2	17.4
.....	.....	8.5	102.2	85.2	76.7	25.6	59.6	42.6	68.1	59.6	17.0	68.1	17.0	119.2	8.5
.....	41.8	16.7	133.7	200.6	41.8	75.2	150.5	75.2	33.4	25.1	16.7	108.7	41.8	142.1	25.1
.....	.....	.....	147.7	139.5	57.4	82.0	147.7	90.3	49.2	24.6	8.2	57.4	32.8	229.7	.....
3.3	16.6	26.6	129.8	146.5	126.5	66.5	66.5	63.2	33.3	23.3	6.7	66.5	39.9	153.0	.....
3.3	23.2	16.5	165.5	162.2	56.3	39.7	59.6	79.5	33.1	43.0	16.5	53.0	23.2	158.9	3.3
3.3	9.9	26.3	141.6	131.7	79.0	49.4	36.2	88.9	49.4	32.9	3.3	49.4	23.0	154.7	.....
3.3	13.1	19.6	117.9	206.3	72.1	49.1	62.2	88.5	49.1	49.1	9.8	62.2	39.3	147.4	.....
.....	9.8	13.0	13.0	172.6	71.7	65.2	71.7	81.4	65.2	45.6	9.8	42.3	19.5	140.1	6.5
.....	16.7	26.8	231.1	217.7	107.2	46.9	53.6	87.1	70.3	10.0	10.0	43.6	23.5	167.5	.....
.....	23.4	6.7	157.5	237.9	60.3	36.8	43.5	93.8	83.8	23.4	13.4	83.8	26.8	130.6	.....
3.4	20.1	6.7	177.6	271.4	83.8	50.3	36.8	80.4	70.4	20.1	23.4	53.6	23.4	157.5	.....
3.4	36.9	10.0	207.8	241.3	70.4	53.6	36.9	107.2	63.7	20.1	3.4	63.7	30.2	164.2	6.7
3.4	16.8	13.4	160.9	238.0	33.5	30.2	50.3	97.2	46.9	53.6	6.7	50.3	40.2	134.1	10.1
1.5	10.4	22.3	101.2	99.7	81.8	98.2	160.7	59.5	25.3	77.4	8.9	175.6	32.7	92.3	17.9
.....	13.2	16.1	99.5	67.3	93.7	98.0	178.5	71.7	38.0	99.5	5.9	158.0	35.1	120.0	21.9
.....	5.8	31.7	76.3	79.2	89.2	106.5	107.9	61.9	53.2	60.4	1.4	126.6	27.3	77.7	23.0
.....	4.2	18.4	90.6	86.4	94.9	110.5	99.1	46.7	53.8	69.4	4.2	148.7	17.0	103.4	18.4
.....	7.0	30.7	94.8	86.4	83.6	83.6	225.7	71.1	46.0	93.4	7.0	146.3	36.2	112.9	23.7
2.9	11.6	5.8	101.9	55.3	78.6	81.5	69.9	84.4	43.7	34.9	8.7	49.5	17.5	154.3	61.1
.....	23.2	14.5	92.6	104.2	75.2	69.5	57.9	55.0	31.8	28.9	14.5	46.3	11.6	95.5	40.5
5.7	2.9	14.4	92.1	89.2	57.6	66.2	95.0	60.4	40.3	28.8	17.3	60.4	20.1	123.7	43.2
.....	2.9	11.4	80.1	134.5	42.9	42.9	57.2	100.2	54.4	57.2	2.9	60.1	5.7	125.9	34.3
.....	2.8	8.5	88.2	116.7	54.1	42.7	76.8	82.5	59.8	37.0	5.7	37.0	22.8	179.3	28.5
4.3	8.6	.....	205.7	235.7	94.3	47.1	25.7	107.2	60.0	8.6	.....	25.7	42.9	167.1	4.3
.....	17.1	30.0	188.6	252.9	107.1	47.1	68.6	68.6	68.6	30.0	17.1	34.3	25.7	210.0	4.3
8.6	17.1	8.6	154.3	171.4	81.4	72.9	34.3	94.3	60.0	21.4	.....	64.3	21.4	158.6	.....
4.3	60.0	12.9	210.0	222.9	120.0	64.3	42.9	141.4	90.0	30.0	25.7	85.7	17.1	252.9	.....
.....	17.1	25.7	197.2	227.2	38.6	77.2	51.4	115.7	51.4	30.0	17.1	77.2	38.6	150.0	4.3
5.8	14.5	8.7	197.7	206.4	72.7	75.6	55.2	75.6	43.6	40.7	20.3	61.0	23.3	162.8	2.9
.....	5.8	11.6	174.1	223.4	60.9	34.8	58.0	75.4	60.9	34.8	8.7	72.5	37.7	156.6	.....
2.9	11.6	8.7	188.1	196.8	52.1	57.9	52.1	107.1	60.8	28.9	.....	34.7	31.8	121.5	8.7
5.8	23.1	5.8	210.8	207.9	104.0	60.6	49.1	135.8	63.5	23.1	14.4	69.3	23.1	135.7	11.6
5.8	14.4	5.8	207.5	167.1	72.0	69.2	43.2	89.3	37.5	28.8	5.8	72.0	43.2	129.7	8.6
.....	29.1	29.1	116.3	38.8	106.6	87.2	48.4	87.2	48.4	19.4	9.7	155.0	19.4	145.4	19.4
.....	9.6	38.5	67.4	86.6	77.0	38.5	38.5	57.7	9.6	105.9	.....	57.7	9.6	105.9	.....
9.6	.....	9.6	95.5	57.3	76.4	57.3	86.0	124.2	47.8	38.2	38.2	76.4	47.8	86.0	.....
.....	.....	9.5	38.0	75.9	85.4	38.0	94.9	75.9	28.4	56.9	.....	75.9	28.4	189.7	19.0
.....	9.4	9.4	56.5	131.9	37.7	37.7	113.1	56.5	28.3	47.1	.....	84.8	66.0	131.9	.....
.....	.....	11.1	33.4	22.3	55.7	66.9	133.7	89.2	11.1	55.7	22.3	256.3	55.7	122.6	11.1
.....	.....	.....	67.0	33.5	111.6	89.3	122.8	11.2	.....	55.8	.....	234.4	.....	44.6	33.5
.....	.....	.....	55.9	89.5	55.9	134.2	123.0	44.7	22.4	89.5	11.2	246.0	11.2	67.1	44.7
.....	.....	11.2	33.6	22.4	22.4	123.3	112.0	56.0	.....	89.7	22.4	190.5	22.4	56.0	22.4
.....	11.2	.....	67.3	33.7	56.1	112.2	112.2	89.8	.....	78.6	.....	314.3	44.9	89.8	67.3
.....	13.0	21.6	73.5	73.5	51.9	56.2	121.1	82.2	47.6	47.6	.....	30.3	13.0	164.4	38.9
.....	21.3	17.1	89.6	123.7	81.0	34.1	59.7	123.7	68.3	42.7	8.5	81.0	21.3	115.2	8.5
.....	4.2	12.6	109.4	92.5	50.5	63.1	46.3	84.1	63.1	33.7	16.8	46.3	21.0	151.4	12.6
.....	20.7	8.3	99.6	83.0	78.8	41.5	53.9	70.5	58.1	24.9	4.1	58.1	16.6	132.8	20.7
.....	4.1	8.2	110.5	155.5	73.7	53.2	69.6	106.4	106.4	49.1	12.3	73.7	28.6	122.8	16.4
8.8	13.2	17.6	158.3	138.3	79.2	61.6	44.0	66.0	74.7	22.0	13.2	57.2	30.8	158.3	4.4
4.5	8.9	17.8	147.1	173.8	66.9	53.5	26.7	102.5	71.3	40.1	8.9	89.2	31.2	196.1	4.5
.....	13.6	18.1	198.8	253.1	63.3	54.2	49.7	58.8	90.4	18.1	9.0	99.4	22.6	144.6	4.5
.....	18.3	4.6	256.6	229.1	114.6	91.6	32.1	96.2	64.1	36.7	13.7	82.5	27.5	165.0	13.7
.....	18.6	9.3	181.3	195.2	60.4	79.0	65.1	79.0	37.2	18.6	13.9	69.7	55.8	181.3	9.3
.....	5.0	10.0	215.9	175.6	75.3	80.3	40.1	70.3	65.2	25.1	10.0	80.3	15.1	175.6	.....
5.0	5.0	5.0	165.5	205.6	50.1	45.1	50.1	85.2	55.2	15.0	10.0	100.3	15.0	145.4	.....
.....	5.0	25.1	195.4	245.5	95.2	100.2	35.1	125.3	60.1	25.1	20.0	60.1	5.0	160.3	20.0
.....	10.0	10.0	135.1	335.3	105.1	65.1	60.1	70.1	80.1	30.0	20.0	75.1	20.0	195.2	5.0
5.0	5.0	15.0	220.0	200.0	85.0	60.0	80.0	85.0	50.0	20.0	5.0	95.0	55.0	115.0	5.0
.....	.....	.....	124.1	69.0	82.7	96.5	110.3	110.3	13.8	27.6	13.8	55.2	55.2	82.7	13.8
.....	13.6	.....	108.5	81.4	67.8	108.5	67.8	54.3	40.7	54.3	40.7	67.8	13.6	176.4	.....
.....	.....	.....	120.2	160.2	66.8	120.2	213.6	40.1	80.1	53.4	.....	173.6	66.8	146.8	26.7
.....	.....	52.6	131.5	131.5	65.7	118.3	105.2	105.2	52.6	52.6	13.1	105.2	13.1	78.9	13.1
.....	12.9	38.8	116.5	116.5	77.7	64.7	129.4	51.8	103.5	64.7	.....	181.2	25.9	103.5	51.8
.....	14.2	16.5	191.5	196.2	125.3	70.9	70.9	70.9	99.3	23.6	14.2	54.4	30.7	210.4	4.7
.....	14.1	21.2	207.3	193.1	73.0	58.9	65.9	70.7	73.0	37.7	7.1	82.4	33.0	195.5	4.7
9.4	4.7	14.1	192.4	258.1	42.2	89.2	49.3	89.2	61.0	18.8	.....	86.8	30.5	176.0	2.3
2.3	16.4	25.7	231.5	250.2	93.5	91.2	79.5	100.5	88.8	35.1	11.7	93.5	35.1	226.8	9.4
.....	23.3	25.6	146.8	207.3	79.2	79.2	79.2	102.5	97.8	46.6	21.0	46.6	44.3	198.0	2.3
.....	28.2	28.2	169.1	56.3	28.2	56.3	112.7	84.5	.....	.....	28.2	112.7	.....	197.2	28.2
.....	51.5	25.8	103.1	.....	51.5	128.8	154.6	25.8	25.8	.....	.....	103.1	.....	128.8	.....
.....	.....	23.7	118.7	71.2	47.5	166.1	237.4	71.2	.....	47.5	.....	94.9	.....	118.7	.....
.....	.....	22.0	88.0	44.0	88.0	44.0	176.0	22.0	44.0	44.0	.....	176.0	.....	44.0	22.0
.....	.....	20.5	102.5	41.0	61.5	41.0	225.5	82.0	.....	184.5	20.5	102.5	20.5	20.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer
MICHIGAN RURAL--Continued														
Lake county	1901	1,167 7	40.3							40.3		80.5		40.3
	1902	944 3	20 1	20.1					20 1			80.3		
	1903	1,022 4										60.2		80.2
	1904	1,200 2	40 0	20 0		40.0			20 0	60 0		100.0		60.0
	1905	1,177 9	39 9	20 0		119.8			20 0			20.0		
Lapeer county	1901	1,513 1	40 0				3 6	3.6	50.9	69 1		105.5	21.8	61.9
	1902	1,371 3	25 6	11.0		18 3	11 0	14.6	25.6	29 2		43.9	11.0	65.8
	1903	1,297 9	25 7				14.7	14 7	3 7	14.7		40.4	25 7	58.8
	1904	1,549 0	14 8	3 7	3.7		7.4		11 1	14 8		70 2	3.7	73.9
	1905	1,423 6	18 6	3.7		7 4	3 7		7.4	33.5	7 4	63.2	18 6	63.2
Leelanau county	1901	1,148.5	9 4					18 8	9.4	28.2		56 5		75 3
	1902	1,094.4					9 4	28.0	9 4	18 7		93.5	9 4	9.4
	1903	1,208.4	9 3			18.6		9.3	9.3	18.6		102.2		55.8
	1904	1,330.1					9.2			27 7		138.5		64 7
	1905	1,294.4	9.2						36.7	9.2	9.2	73.4		36.7
Lenawee county	1901	1,455.4	37.0	12.4	2 0		6 2	4.1	10.3	76.2		98 8	10.3	100.9
	1902	1,306.6	32 8	10 2		2.1	6.2	12.3	8.2	45.1		92 3	24.6	80.0
	1903	1,349.0	16.4			2.0	2.0	8.2	8.2	40 9		75.6	26.6	79.7
	1904	1,425 7	28 5			10 2	6 1	6.1	18.3	44 9		77 4	8.1	77.4
	1905	1,382.2	8.1	6 1			2 0	12.2	8.1	52 8	10.1	54 8	16.2	85 2
Livingston county	1901	1,303.4	41 2	5 2					10.3	72.1		87.6	15.4	82 4
	1902	1,174.5	5.2				5 2	5 2	10.4	15 7		88 7	15.7	78.3
	1903	1,423 1	21 2			5 3	10 6	5 3	5.3	21.2		89.9	10 6	84 6
	1904	1,421 0	48.3			5 4	10 7		16.1	37.5		59.0	16 1	91 2
	1905	1,288.3	43 5	5.4			5.4		27.2	65.2	10.9	70 7	10.9	92.4
Luce county	1901	1,340 8	31 2									62.3		31.2
	1902	1,864 8		29.1		58.3	29 1					145 7		58.3
	1903	2,707 1	82 0			82.0		27 3		27.3		164.1		54.7
	1904	1,571.4	77 3			25.7						77.3		
	1905	2,289 3	24.4							73 1	24.4	97.4	24.4	24.4
Mackinac county	1901	1,046.1	25.5						12 8	25 5		140 3		12 8
	1902	1,040.7					12 5					125 4	12.5	12.5
	1903	850 7	12 3		12 3					24 7		123.3	24 7	37.0
	1904	1,200.4	24.3		12.1			24.3		12.1		121 2		
	1905	1,145.2	23.9							11.9		178.9	11.9	11.9
Macomb county	1901	1,457.5	36.1	6 0		3 0	27.1	9 0	21.1	45.2		108 4	3.0	60.2
	1902	1,404.8	21.1	9 0	6 0	18.1	45 2	12.1	18 1	9 0		99.5	9.0	69.3
	1903	1,261 6	3 0		3 0		30 2	18.1	33.2	15.1		54.3	6 0	102.6
	1904	1,535 0	18 1	6 0		9 1	9.1		21 1	18 1		108 8	30 2	75.5
	1905	1,261 4	33 3	6 0			6 0		12.1	6.0	12.1	69.6	18 2	87 7
Manistee county	1901	1,116 1	21 7	7.2			25.3		14 4	25 3		57.8	7 2	65.0
	1902	1,133 9	25 4				10 9	10 9	14 5	3.6		87.2	14.5	54.5
	1903	1,188 6	32 9				11 0	11.0	18 3	11.0		76 8	11.0	91 4
	1904	1,148 2	33 1	3 7			7 4		22.1	18.4		62 5	7 4	33.1
	1905	1,411 0	40 7	3 7		3 7	3.7		51 8	22.2	18.5	133 3	7 4	55.5
Marquette county	1901	1,247 5	16 8		5.6	5 6	5 6		67.1	5 6		67 1	16.8	16 8
	1902	1,071 5	56 1			5 6	11 2		61 7	11 2		67 3	28 1	39 3
	1903	1,282 7	28 1		5 6	5 6	22.5	50 6	45 0	11 3		90 0	11 3	61.9
	1904	1,100 3	33 9			5 6	11 3	11 3	5 6	5 6		56.4	5.6	50.8
	1905	1,284 6	11 3		5 7	5 7	5 7	34 0		5 7		101 9	22.6	50.9
Mason county	1901	1,342 8	31.5	5.2			5 2			31.5		120.7	15.7	41.9
	1902	950 8	20 8		5.2	5.2	20 8	20 8	5 2	10.4		72.7	26.0	36.4
	1903	926 5	15 4	5 1			5 1	15 4				72 1	5.1	41.2
	1904	1,244 4	10 2				5 1	5.1	20 4	61.2		102.0	15.3	35.7
	1905	1,334 1	15 2	5 1		5.1	5 1		50 5		25 3	85.9	5.1	40.4
Mecosta county	1901	1,336.6	24 3	9 7				9 7	4.9	72.9		63.2	19 4	34.0
	1902	1,090 2	29 3	4 9	4 9		4.9		14 6	19 6		78 2	14 7	44.0
	1903	1,209 7	14 8	9 8		9 8		4 9	9 8	14.8		93.5	14 8	73.8
	1904	1,370 2	44 5	4 9			9 9		29 7	54 4		59 4	14 8	59.4
	1905	1,383 3	24 9	19 9	5.0	5 0	5 0		24 9	34.8	10.0	64.7	19.9	64.7
Menominee county	1901	944.0	13 8					13 8	27.6	27.6		27 6	13.8	41.3
	1902	858.2	6 8			13.5	6.8		6 8	13.5		54 1	13.5	13.5
	1903	1,054 1	13 3			13.3	19 9	33 1	33 1	13 3		106 1		26.5
	1904	1,067 1	13 0				6.5	13 0	32 5	19 5		58.6	6.5	13.0
	1905	824.0							12.8	12 8		76 7		31.9
Midland county	1901	1,332 1	62 1	6 9			6.9		41 4	41.4		75 9	13 8	41.4
	1902	1,011 2	20 6	6.9				6 9		13.7		55 0	6.9	34.4
	1903	1,055.8	13 7			13 7	13.7	6 9	13 7	6 9		34.3		20.6
	1904	970.2	47 8			13 7		6 8	6.8	13.7		47.8	13.7	61.5
	1905	1,212 1	20 4					6 8	13 6	40 9		115.8	13 6	34.0
Missaukee county	1901	911 3	31 4						41 9	10.5		10.5		20.9
	1902	868 6	10 2		10 2	10.2			20 4			61 3		20.4
	1903	1,326 6	19 9				19 9	39 6	10 0	29 9		69 8	19.9	39.9
	1904	1,061 8	19 5			29.2			19 5	19 5		68 2	9.7	19.5
	1905	1,247 0	19 0				66 6		9 5	38 1	28 6	76.2	9.5	66.6
Monroe county	1901	1,286 8	33 6	12 2			9 1	3 0	12 2	36.6		82.3	6.1	85.4
	1902	1,123 7	15 2	6 1		15 2	9.1	24.4	15 2	6 1		67.0	6 1	60.9
	1903	1,234.8	18 2	12 2		3 0	9 1	6 1	39 5	15 2		88.2	15.2	70.0
	1904	1,284 9	15 2			6 1	3 0		45.6	18.2		88.1	42 5	82.0
	1905	1,280.3	15 2						12 1	9.1	6 1	103.1	12.1	60.7

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	20.1	100.7	140.9	100.7	80.5	60.4	80.5	.....	.....	.....	60.4	60.4	201.3	60.4
.....	40.2	.....	40.2	140.6	100.5	40.2	40.2	100.5	.....	40.2	.....	80.3	20.1	160.7	.....
.....	.....	20.0	160.4	100.2	20.0	40.1	40.1	100.2	.....	120.3	.....	60.2	60.2	140.3	20.0
20.0	.....	.....	180.1	60.0	.....	20.0	100.0	160.1	.....	20.0	.....	100.0	40.0	140.0	20.0
.....	.....	.....	99.8	119.8	79.9	99.8	119.8	39.9	39.9	20.0	.....	199.6	20.0	119.8	.....
.....	7.3	.....	251.0	152.8	101.9	87.3	98.2	76.4	43.6	47.3	14.5	58.2	50.9	163.7	3.6
.....	11.0	7.3	212.1	179.2	117.0	80.4	65.8	117.0	43.9	25.6	18.3	47.5	32.9	157.3	.....
3.7	18.4	7.4	194.9	198.6	69.9	29.4	36.8	139.7	51.5	40.4	7.4	58.8	47.8	183.8	11.0
3.7	33.3	14.8	240.3	162.7	107.2	103.5	77.6	103.5	62.8	44.4	3.7	59.1	55.5	262.5	11.1
3.7	26.0	11.2	197.0	163.6	89.2	74.3	115.2	111.5	44.6	52.0	3.7	66.9	40.9	197.0	.....
.....	18.8	9.4	160.1	113.0	47.1	28.2	122.4	65.9	47.1	37.7	9.4	37.7	28.2	225.9	.....
.....	.....	9.4	93.5	102.9	112.2	46.8	93.5	65.5	37.4	56.1	.....	56.1	18.7	149.7	74.8
.....	18.6	.....	139.4	92.9	102.2	37.2	92.9	120.9	46.5	27.9	.....	37.2	55.8	148.7	65.1
.....	.....	27.7	157.0	138.5	64.7	64.7	129.3	92.4	36.9	64.7	9.2	64.7	46.2	194.0	.....
.....	9.2	.....	101.0	119.3	91.8	73.4	202.0	82.6	36.7	82.6	.....	73.4	18.4	174.4	55.1
.....	14.4	6.2	156.4	156.4	96.7	76.2	61.8	90.6	30.9	28.8	12.4	119.4	28.8	214.1	4.1
2.1	26.7	4.1	184.6	199.0	51.3	73.8	63.6	73.8	45.1	32.8	12.3	73.8	26.7	121.0	2.1
4.1	10 2	4.1	188.0	206.4	59.3	55.2	75.6	106.3	42.9	45.0	14.3	89.9	22.5	165.6	.....
6.1	14.3	14.3	191.5	242.4	61.1	69.2	59.1	93.7	52.9	24.4	16.3	55.0	30.5	207.7	10.2
2.0	14.2	12.2	160.3	207.0	75.1	64.9	81.2	111.6	67.0	32.5	6.1	93.4	44.7	142.1	12.2
5.2	5.2	5.2	200.9	170.0	118.5	30.9	51.5	87.6	72.1	25.7	5.2	56.7	25.7	128.8	.....
.....	10.4	20.9	151.4	261.0	67.9	36.6	26.1	78.3	88.7	26.1	5.2	31.3	20.9	109.6	15.7
5.3	10.6	15.9	169.3	343.8	84.6	58.2	21.2	58.2	74.0	.....	5.3	58.2	31.7	216.9	15.9
.....	16.1	21.4	176.9	321.7	48.3	59.0	32.2	101.9	32.2	42.9	5.4	80.4	21.4	155.5	21.4
5.4	.....	27.2	141.3	244.6	38.0	76.1	16.3	70.7	38.0	5.4	5.4	43.5	76.1	157.6	10.9
.....	31.2	.....	218.3	62.3	93.6	31.2	218.3	93.6	.....	31.2	62.3	155.9	31.2	124.7	62.3
29.1	.....	29.1	641.0	116.6	58.3	.....	58.3	87.4	29.1	.....	58.3	116.6	87.4	233.1	.....
27.3	.....	54.7	711.0	109.4	82.0	82.0	191.4	191.4	.....	218.8	.....	218.8	136.8	246.1	.....
.....	.....	25.7	257.6	51.5	103.1	77.3	77.3	154.6	77.3	51.5	.....	128.8	154.6	231.8	.....
.....	24.4	.....	681.9	121.8	219.2	73.1	121.8	146.1	24.4	48.7	24.4	292.3	24.4	219.2	.....
.....	25.5	12.8	38.3	76.5	89.3	38.3	140.3	51.0	38.3	12.8	12.8	89.3	25.5	114.8	63.7
.....	.....	12.5	62.7	50.2	125.4	50.2	12.5	50.2	62.7	25.1	.....	163.0	50.2	150.4	62.7
.....	12.3	.....	61.6	86.3	86.3	24.7	61.6	74.0	12.3	24.7	.....	24.7	12.3	98.6	37.0
.....	.....	.....	145.5	84.9	48.5	36.4	24.3	109.1	60.6	36.4	12.1	97.0	48.5	254.6	48.5
.....	11.9	23.9	107.4	95.4	23.9	35.8	47.7	35.8	47.7	47.7	23.9	143.1	47.7	167.0	47.7
.....	6.0	12.0	177.7	174.7	84.3	69.3	90.4	108.4	60.2	42.2	15.1	51.2	48.2	195.7	3.0
.....	18.1	18.1	147.7	168.8	78.4	60.3	72.4	72.4	114.6	42.2	27.1	63.3	30.1	174.9	.....
3.0	15.1	18.1	193.2	135.8	60.4	48.3	84.5	99.6	51.3	48.3	12.1	60.4	12.1	144.9	9.0
6.0	21.1	9.1	232.7	190.4	63.5	42.3	60.4	108.8	99.7	42.3	15.1	66.5	51.4	217.6	12.1
.....	3.0	12.1	148.2	133.1	48.4	84.7	57.5	90.7	130.1	39.3	18.2	51.4	21.2	169.4	3.0
.....	7.2	21.7	101.1	54.2	133.7	47.0	50.6	65.0	50.6	39.7	.....	101.1	43.3	144.5	32.5
.....	21.8	10.9	105.4	69.1	152.7	43.6	50.9	76.4	50.9	50.9	21.8	43.6	29.1	130.8	54.5
.....	14.6	14.6	142.6	113.4	58.5	36.6	95.1	95.1	47.5	43.9	14.6	84.1	18.3	113.4	32.9
.....	7.4	11.0	110.4	88.3	81.0	58.9	92.0	95.7	51.5	55.2	7.4	99.3	25.7	154.6	22.1
.....	7.4	7.4	100.0	122.2	85.2	81.5	88.9	133.3	74.1	85.2	11.1	96.3	33.3	129.6	14.8
.....	11.2	5.6	39.2	72.7	55.9	184.6	139.9	61.5	50.3	55.9	11.2	218.2	22.4	95.1	16.8
1.2	16.8	5.6	56.1	39.3	72.9	95.4	84.2	33.7	39.3	61.7	11.2	157.1	22.4	67.3	16.8
.....	16.9	5.6	84.4	50.6	45.0	106.9	95.6	67.5	50.6	101.3	16.9	185.7	16.9	78.8	28.1
.....	.....	11.3	73.4	67.7	39.5	135.4	101.6	73.4	50.8	45.1	16.9	174.9	33.9	73.4	16.9
.....	11.3	11.3	28.3	79.2	34.0	96.2	220.7	39.6	50.9	45.3	5.7	288.6	28.3	62.2	39.6
5.2	15.7	26.2	125.9	104.9	152.2	26.2	84.0	104.9	31.5	63.0	10.5	57.7	36.7	236.0	10.5
.....	5.2	20.8	62.4	88.3	51.9	46.8	98.7	72.7	51.9	26.0	10.4	77.9	15.6	93.5	5.2
.....	.....	5.1	149.3	108.1	66.9	41.2	92.7	61.8	61.8	20.6	5.1	41.2	10.3	82.4	20.6
15.3	5.1	5.1	127.5	147.9	86.7	96.9	81.6	117.3	51.0	40.8	15.3	71.4	5.1	122.4	.....
.....	15.2	5.1	85.9	166.8	85.9	91.0	176.9	106.1	91.0	15.2	.....	85.9	40.4	121.3	10.1
.....	4.9	29.2	136.1	160.4	150.7	82.6	77.8	102.1	58.3	29.2	9.7	72.9	53.4	121.5	9.7
.....	24.4	24.4	83.1	88.0	102.7	34.2	53.8	68.5	63.6	39.1	14.7	78.2	29.3	171.1	.....
.....	4.9	14.8	142.6	113.1	118.0	39.3	63.9	108.2	88.5	63.9	4.9	49.2	24.6	122.9	4.9
.....	4.9	19.8	128.6	183.0	69.3	44.5	79.2	113.8	103.9	29.7	14.8	89.0	29.7	173.1	9.9
.....	5.0	19.9	149.3	154.3	69.7	49.8	64.7	164.2	94.5	29.9	10.0	54.7	29.9	189.1	19.9
.....	.....	27.6	68.9	41.3	75.8	27.6	103.3	62.0	13.8	62.0	6.9	82.7	41.3	75.8	89.5
.....	6.8	13.5	27.0	54.1	128.3	40.5	81.1	54.1	60.8	47.3	.....	81.1	27.0	47.3	60.8
.....	.....	19.9	112.7	86.2	72.9	26.5	132.6	39.8	13.3	46.4	.....	99.4	13.3	99.4	33.1
.....	6.5	19.5	84.6	91.1	58.6	45.6	130.1	84.6	19.5	52.1	19.5	143.2	26.0	91.1	32.5
.....	6.4	19.2	57.5	57.5	51.1	70.3	89.4	31.9	19.2	70.3	12.8	76.7	19.2	76.7	31.9
6.9	.....	13.8	89.7	89.7	165.7	48.3	193.3	151.9	13.8	62.1	13.8	62.1	13.8	103.6	13.8
.....	6.9	13.7	137.6	158.2	82.6	41.3	48.2	82.6	34.4	13.7	6.9	75.7	13.7	130.7	20.6
6.9	13.7	20.6	116.5	96.0	41.1	75.4	82.3	137.1	41.1	41.1	.....	102.8	13.7	137.1	6.9
6.8	6.8	34.2	82.0	109.3	61.5	54.7	82.0	61.5	34.2	34.2	13.6	82.0	6.8	75.2	13.6
.....	.....	27.2	170.2	136.2	61.3	20.4	170.2	102.1	34.0	27.2	.....	74.9	34.0	109.0	.....
.....	.....	41.9	41.9	52.4	178.1	83.8	62.8	83.8	31.4	31.4	10.5	31.4	10.5	104.8	31.4
10.2	.....	.....	51.1	81.8	143.1	30.7	51.1	61.3	10.2	71.6	.....	61.3	40.9	102.2	20.4
.....	19.9	10.0	109.7	79.8	99.8	119.7	139.6	89.8	49.9	39.9	.....	59.9	39.9	209.5	10.0
.....	9.7	19.5	68.2	58.5	87.7	29.2	194.9	77.9	48.7	29.2	.....	48.7	48.7	146.1	9.7
.....	.....	.....	76.2	123.8	142.8	57.1	123.8	85.7	19.0	38.1	9.5	85.7	47.6	114.2	9.5
.....	.....	24.4	179.9	170.8	88.4	79.3	61.0	79.3	36.6	12.2	3.0	79.3	21.4	161.6	9.1
.....	3.0	30.5	146.2	130.9	73.1	60.9	60.9	70.0	45.7	24.4	6.1	54.8	30.5	152.3	9.1
.....	21.3	18.2	136.9	170.3	73.0	63.9	85.2	73.0	42.6	33.5	9.1	85.2	18.2	127.7	.....
3.0	12.2	12.2	167.1	139.7	100.2	60.7	63.8	112.4	39.5	45.6	.....	72.9	21.3	124.5	9.1
.....	15.2	21.2	142.6	172.9	91.0	88.0	63.7	103.1	45.5	48.5	9.1	72.8	45.5	139.6	3.0

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
Montcalm county	1901	1,271.3	6.1			18 2	9.1	27.4		73.0		106.4	9.1	76.0
	1902	1,136.1	18.2	6.0	3.0	3.0	6.0		6.0	33.3		78.8	3.0	45.5
	1903	1,231.4	24.1	3.0		27 2	3.0	9.1	30.2	27.2		51.3	6.0	63.4
	1904	1,208.9	12.0	3.0	3.0		6.0		9.0	54.1		87.2	15.0	72.2
	1905	1,234.1	12.0	3.0				9.0	12.0	65.9	21.0	41.9	12.0	50.9
Montmorency county	1901	968.5	30.3							30.3		121.0	30.3	
	1902	1,304.0	29.6	29.6					29.6			148.2		
	1903	842.0	29.0	29.0						29.0		116.2		
	1904	1,593.2	56.9			113 8			170.7			85.4		28.4
	1905	1,087.9	27.9				83.7			27.9		111.6	27.9	27.9
Muskegon county	1901	1,179.1	24.6	6 1				6.1	18.4	43.0		73.7	18.4	61.4
	1902	1,015.5	18.4	6.1				6.1	12.2	12.2		91.8	12.2	73.4
	1903	1,127.3	6.1			36.6	12.2	18.3	12.2	6.1		67.0	12.2	67.0
	1904	1,468.8	24.3	6 1	6.1	12.1	24.3	24.3	12.1	12.1		60.7	12.1	85.0
	1905	1,154.8	24.2							12.1	18.1	96.7	12.1	30.2
Newaygo county	1901	1,164.6	44.8				5 6	5 6	5.6	33.6		78.4	28.0	44.8
	1902	1,124.8	33.3	5.5	5.5	5 5		5.5	22.2	16.6		72.0		55.4
	1903	1,272.3	21.9	11.0		5.5		11.0	5 5	21 9		49.3	11.0	65.8
	1904	1,340 9	10.9	5.4						65 1		81.4	10.9	70.6
	1905	1,080.2	5 4	10 7					10 7	64.5	26.9	91.4	16.1	26.9
Oakland county	1901	1,429 2	8 6	2.8			5.7		8.6	74.3		102.9	14.3	85.8
	1902	1,161 9	14.3			5.7	5 7	8 6	8.6	5.7		71.6	8.6	68.7
	1903	1,275.0	14 3	2.9			8.6	14 3	25 8	48.7		74.5	17.2	94.6
	1904	1,333.8	17.2			5 7	17.2		2 9	40.2		74.6	8.6	68.8
	1905	1,384.2	23 0	2.9		5.7			17.2	37.3	20.1	68.9	2 9	97.6
Oceana county	1901	1,247.6	17.7	11.8			5.9		23.7	71.0		59.1		71.0
	1902	937 1	23 3			5 8		5 8	17.5	17.5		69.8		46.6
	1903	1,295.3	17 2			11.5		17.2	11 5	57.3		74.5	5.7	34.4
	1904	1,377.2	22 6	5.6		16.9			16 9	67.8		96.0	16.9	56.4
	1905	1,290.0	11.1			5 6		11.1	16.7	66.7	22.2	83.4	5.6	50.0
Ogemaw county	1901	1,221.6	49.4	12.3				24.7	12.3	98.7		37.0	24 7	
	1902	935.7	11.8				35.6	11.8		11.8		47.4		11.8
	1903	945.1				22.8	11.4		22.8	22.8		79.7		
	1904	1,063.5	21.9	21 9					21 9	21.9		43.9	11.0	32.9
	1905	1,215.6	21.1		10.6					10 6	21 1	31.7	21.1	42.3
Ontonagon county	1901	1,304.6	31.1			15.5	31.1		46 6	62.1		139.8		46.6
	1902	1,392.0	74.8			15.0	29.9	15 0	59.9	15.0		29.9	29.9	44.9
	1903	1,285.6					14.4		28 9	14.4		101 2	14.4	57.8
	1904	1,367.6	83.7					27.9	27 9	41.9		125 6		41.9
	1905	1,376.9	13.5						27 0		13.5	108.0	13.5	27.0
Osceola county	1901	1,019.3	22.2		5.5	5.5		5.5	5.5	16.6		88.6	11.1	27.7
	1902	1,140.0	27.4		5.5				5 5	16.4		65 8		71.3
	1903	1,214.8	27.1	5 1				10.8	10.8	10.8		92.2	10.8	48.8
	1904	1,202.2	32.2	5 4	5.4		5.4		5.4	32.2		123.5	10.7	26.8
	1905	1,301.4	42.5	5.3					10 6	10.6	5.3	53.1	10.6	79.7
Oscoda county	1901	381.5								63 6		63.6		
	1902	595.9	59.6						59.6					
	1903	617.1										112.2		
	1904	582.5										105.9		
	1905	702.5									50.2	100.4		
Otsego county	1901	1,288 6	62.1	15.5			15.5		15.5	15.5		46.6	15.5	31.1
	1902	1,118.2	74.5	14.9			14.9	14.9	29.8			59.7		
	1903	1,505.8	86.1			43.0		71.7	86.1	14.3		71.7		
	1904	1,160.4	69.1				13.8			13.8		13.8		82.9
	1905	1,199.2	40.0			13.3		13.3		40.0	13.3	26.6	13.3	13.3
Ottawa county	1901	1,208.4	29.8	5.0		5.0	2 5	5.0	27.3	39.7		76.9	19.8	62.0
	1902	1,018.7	19.6	4.9			7.3	9.8	2.4	14.7		80.6	17.1	53.8
	1903	1,162.0	24.1	4.8	2.4	16.8	9.6	9.6	7.2	26.5		69.8	21.7	65.0
	1904	1,175.4	23.7	2.4		2.4		9.5	4.7	37.9		92.4	4.7	75 9
	1905	1,265.4	14.0	4.7	7.0	16.3	2.3	7.0	7.0	28.0	4.7	88.7	16.3	81.7
Presque Isle county	1901	1,146.5	42.9						36.4	10.7		53.6		
	1902	944.5	20.3		20.3	20.3		10.2	101.6			40.6		20.3
	1903	1,090.8	77.2				19.3	19.3	9.6			29.0	9.6	
	1904	855.4	18.4				18.4		18.4			27.6		
	1905	975.1	8.8				8.8			8.8	26.4	79.1	17.6	
Roscommon county	1901	1,522.8										225.6		112.8
	1902	511.6												
	1903	1,432.7	57.3	57.3					114.6			171.9		57.3
	1904	1,733.1							173.3			57.8		
	1905	1,689.0							58.2			116.5		
Saginaw county	1901	1,243.4	20.6	5.1	7.7	2.6	10.3	2.6	48.8	43.7		71.9	7.7	51.4
	1902	1,059.8	12.8	2.5	2.5	10.3	25.7	15.4	5.1	12.8		77.0	10.3	33.4
	1903	1,015.0	5.1					7.7	7.7	20.5		71.8	25.6	51.3
	1904	1,216.0	12.8			2.6	2.6		5.1	35.8		84.5	12.8	64.0
	1905	1,201.8	5.3	10.2		2.6	2.6		12.8	20.5	10.2	51.1	7.7	63.9
St. Clair county	1901	1,407.3	41.7	2.8	5.6		5.6		8.3	89.0		44.5	13.9	80.7
	1902	1,300.2	30.7	5.6		36.3	8.4	22.3	25.1	19.5		67.0	13.9	64.2
	1903	1,161.7	19.6				25.2	5.6	13.9	16.8		70.0	13.9	56.0
	1904	1,246.9	28.1	2.8		5.6	8.4	2 8	22.5	30.9		50.6	8.4	87.1
	1905	1,405 9	28.2	2.8		8.5			5.6	45.1	19.7	73.3	14.1	59.2

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	12.2	24.3	146.0	124.7	70.0	39.5	82.1	85.2	39.5	27.4	6.1	85.2	42.6	152.1	9.1
3.0	6.0	6.0	160.6	130.3	81.8	54.6	66.7	109.1	57.6	24.3	3.0	39.4	30.3	151.5	9.1
3.0	6.0	6.0	150.9	160.0	72.4	48.3	51.3	102.6	39.2	57.4	9.1	96.6	27.2	150.9	6.0
.....	15.0	6.0	168.4	150.4	69.2	54.1	84.2	99.2	60.2	36.1	9.0	48.1	39.1	192.4	6.0
.....	15.0	30.0	134.8	191.7	71.9	56.9	62.9	101.8	68.9	47.9	6.0	56.9	18.0	143.8	.....
.....	.....	60.5	30.3	.....	121.0	90.8	90.8	30.3	60.5	30.3	.....	60.5	30.3	151.3	.....
.....	.....	29.6	88.9	177.9	148.2	.....	148.2	59.3	88.9	29.6	.....	59.3	88.9	88.9	59.3
.....	.....	29.0	116.2	58.1	58.1	58.1	87.1	.....	.....	58.1	.....	.....	.....	145.1	29.0
28.4	.....	28.4	85.4	142.2	85.4	85.4	170.7	85.4	28.4	85.4	28.4	56.9	56.9	113.8	56.9
.....	.....	.....	27.9	27.9	83.7	27.9	111.6	139.5	27.9	27.9	27.9	27.9	55.8	195.3	.....
.....	6.1	30.7	92.1	159.7	129.0	49.1	49.1	79.9	36.9	30.7	.....	98.3	30.7	135.1	.....
.....	6.1	.....	97.9	97.9	85.6	42.8	42.8	61.2	55.1	18.4	6.1	97.9	30.6	128.5	12.2
.....	6.1	.....	121.8	121.8	30.5	60.9	79.2	97.5	30.5	30.5	6.1	79.2	30.5	188.9	6.1
.....	24.3	.....	145.7	218.5	60.7	48.5	85.0	85.0	36.4	91.0	12.1	66.8	54.6	248.9	12.1
.....	6.0	18.1	157.2	145.1	60.5	72.6	36.3	72.6	66.5	36.3	6.0	66.5	30.2	181.4	6.0
.....	5.6	5.6	89.6	89.6	95.2	67.2	106.3	100.8	44.8	33.6	.....	56.0	56.0	151.1	16.8
5.5	22.2	5.5	116.4	177.3	38.8	33.3	61.0	88.7	61.0	55.4	.....	49.9	5.5	166.2	16.6
5.5	21.9	16.4	104.2	230.3	115.2	76.8	38.4	104.2	21.9	43.9	5.5	71.3	43.9	164.5	5.5
.....	27.1	10.9	162.8	195.4	48.9	97.7	59.7	135.7	32.6	48.9	16.3	54.3	32.6	168.3	5.4
5.4	5.4	10.7	139.7	166.6	21.5	37.6	96.7	80.6	43.0	26.9	5.4	48.4	32.2	91.4	16.1
.....	8.6	14.3	151.5	165.8	125.8	80.0	57.2	100.1	45.7	14.3	5.7	97.2	60.0	197.2	2.8
2.8	14.3	5.7	143.1	188.9	57.2	42.9	54.4	103.0	77.3	17.2	8.6	68.7	22.9	151.7	5.7
5.7	5.7	2.9	166.2	177.6	63.0	40.1	54.4	94.6	83.1	28.7	17.2	65.9	22.9	140.4	5.7
2.9	.....	5.7	209.4	195.1	63.1	48.8	34.4	88.9	88.9	28.7	17.2	74.6	34.4	192.2	14.3
.....	23.0	5.7	209.6	221.1	97.6	51.7	45.9	109.1	57.4	34.5	20.1	57.4	40.2	132.1	2.9
5.9	5.9	5.9	147.8	141.9	76.9	29.6	165.6	65.0	29.6	59.1	5.9	59.1	41.4	141.9	5.9
.....	.....	11.6	128.1	157.2	87.3	34.9	110.6	40.7	17.5	5.8	17.5	34.9	23.3	81.4	.....
.....	17.2	17.2	126.1	137.5	114.6	86.0	103.2	63.0	74.5	57.3	5.7	40.1	40.1	172.0	11.5
.....	16.9	11.3	146.8	169.3	107.3	56.4	73.4	107.3	33.9	39.5	5.6	73.4	39.5	191.9	5.6
5.6	.....	5.6	172.4	200.2	94.5	55.6	66.7	61.2	50.0	61.2	16.7	77.8	27.8	122.3	.....
.....	.....	12.3	86.4	98.7	148.1	98.7	37.0	61.7	111.1	98.7	.....	98.7	24.7	86.4	.....
.....	.....	.....	35.6	82.9	142.1	35.6	71.1	94.8	59.2	47.4	11.8	82.9	23.7	106.6	11.8
.....	11.4	22.8	79.7	125.2	34.2	45.5	125.2	68.3	34.2	45.5	.....	56.9	34.2	91.1	11.4
.....	.....	11.0	65.8	54.8	131.6	76.7	109.7	76.7	54.8	98.7	11.0	54.8	21.9	120.6	.....
.....	.....	.....	95.1	105.7	74.0	84.6	179.7	116.3	31.7	52.9	21.1	126.8	21.1	105.7	42.3
.....	15.5	15.5	46.6	31.1	139.8	62.1	155.3	62.1	31.1	15.5	.....	108.7	108.7	124.3	15.5
.....	.....	29.9	29.9	59.9	119.8	134.7	194.6	74.8	15.0	104.8	.....	194.6	29.9	89.8	.....
.....	.....	14.4	86.7	86.7	101.1	101.1	130.0	57.8	28.9	43.3	.....	144.5	72.2	144.5	43.3
.....	.....	.....	27.9	111.7	55.8	125.6	125.6	55.8	69.8	97.7	13.9	209.4	13.9	97.7	13.9
.....	13.5	.....	81.0	94.5	54.0	108.0	229.5	54.0	40.5	94.5	.....	283.5	40.5	81.0	.....
.....	.....	38.8	116.3	94.2	77.6	60.9	66.5	44.3	5.5	22.2	.....	66.5	22.2	205.0	11.1
.....	5.5	21.9	98.6	65.8	98.6	60.3	93.2	76.7	27.4	60.3	16.4	87.7	5.5	191.8	38.4
.....	21.7	10.8	119.4	135.6	81.4	59.7	97.7	65.1	38.0	43.4	10.8	86.8	5.4	211.5	10.8
.....	10.7	5.4	128.8	75.1	64.4	59.0	102.0	91.2	75.1	26.8	.....	123.5	5.4	177.1	10.7
10.6	5.3	26.6	100.9	122.2	95.6	122.2	75.3	90.3	42.5	21.2	10.6	69.1	26.6	154.0	10.6
.....	.....	.....	.....	.....	63.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	190.7
.....	.....	.....	59.6	119.2	59.6	.....	.....	59.6	.....	.....	.....	.....	.....	178.7	.....
.....	.....	.....	112.2	.....	56.1	.....	.....	.....	.....	.....	.....	112.2	56.1	112.2	56.1
.....	.....	.....	.....	105.9	105.9	.....	.....	.....	.....	53.0	.....	105.9	.....	.....	105.9
.....	.....	.....	50.2	200.7	.....	50.2	.....	150.5	50.2	.....	.....	.....	.....	50.2	.....
.....	.....	15.5	124.2	93.1	124.2	77.6	155.3	46.6	31.1	15.5	15.5	155.3	31.1	170.8	15.5
.....	.....	.....	89.5	104.4	104.4	59.7	74.5	74.5	14.9	29.8	14.9	119.3	.....	193.8	29.8
.....	.....	28.7	143.4	172.1	86.1	86.1	71.7	86.0	100.3	43.0	.....	71.7	28.7	172.1	43.0
.....	.....	.....	96.7	41.4	138.1	82.9	110.5	55.3	13.8	55.3	13.8	124.4	55.3	138.1	41.4
.....	.....	.....	79.9	79.9	79.9	79.9	119.9	40.0	40.0	60.6	13.3	106.6	53.3	213.2	53.3
2.5	7.4	22.3	121.6	114.1	79.4	114.1	64.5	57.1	54.6	32.2	.....	54.6	42.2	161.3	7.5
.....	7.3	17.1	146.6	114.8	41.5	70.8	29.3	68.4	36.7	17.1	17.1	70.8	39.1	131.9	.....
4.8	7.2	7.2	161.2	129.9	62.5	79.4	69.8	69.8	62.5	33.7	9.6	45.7	36.1	115.5	9.6
2.4	4.7	16.6	123.2	139.8	54.5	68.7	59.3	92.4	68.7	30.8	2.4	54.5	35.6	163.5	4.7
2.3	14.0	4.7	144.8	158.8	49.0	91.1	65.4	95.7	60.7	51.4	11.7	60.7	42.0	126.1	9.3
.....	.....	32.1	75.0	96.4	107.2	42.9	32.1	64.3	.....	53.6	.....	75.0	10.7	75.0	278.6
.....	.....	.....	60.9	30.5	60.9	40.6	40.6	40.6	20.3	50.8	10.2	40.6	71.1	91.5	152.3
.....	.....	19.3	77.3	48.3	67.6	38.6	164.1	67.6	9.6	57.9	9.6	77.3	57.9	154.4	77.3
9.2	27.6	.....	101.1	18.4	46.0	36.8	73.6	55.2	27.6	18.4	.....	27.6	46.0	119.6	165.5
8.8	8.8	17.6	35 1	70.3	43.9	61.5	96.6	52.7	26.4	114.2	.....	123.0	26.4	123.0	17.6
.....	.....	.....	225.6	56.4	56.4	56.4	56.4	112.8	.....	56.4	.....	169.2	56.4	338.4	.....
.....	.....	.....	56.8	113.7	.....	.....	170.6	.....	.....	.....	.....	113.7	.....	56.8	.....
.....	.....	.....	114.6	343.9	.....	.....	.....	.....	57.3	57.3	.....	57.3	.....	114.6	229.3
.....	.....	57.8	231.1	115.5	346.6	.....	.....	173.3	.....	.....	57.8	173.3	57.8	115.5	173.3
.....	.....	58.2	58.2	407.7	174.7	116.5	174.7	58.2	.....	58.2	.....	291.2	58.2	58.2	.....
.....	12.8	36.0	123.3	113.1	149.0	38.5	82.2	59.1	46.2	23.1	7.7	59.1	43.7	164.4	12.8
.....	5.1	10.3	123.2	97.5	84.7	53.9	56.5	74.4	59.0	30.8	7.7	59.0	23.1	154.0	12.8
.....	12.8	5.1	99.9	97.4	59.0	61.5	92.3	79.5	41.0	38.4	15.4	71.8	17.9	120.5	12.8
2.6	23.0	2.6	125.5	138.3	81.9	64.0	94.7	81.9	30.7	48.6	5.1	92.2	48.6	145.9	10.2
2.6	17.9	5.1	107.4	186.7	63.9	58.8	104.8	69.0	51.1	38.4	20.5	89.5	58.8	112.5	17.9
5.6	8.3	13.9	186.4	114.0	91.8	86.2	86.2	102.9	69.5	27.8	5.6	58.4	55.6	194.7	8.3
.....	11.2	13.9	178.5	153.4	117.2	78.1	25.1	89.3	67.0	11.2	5.6	47.4	55.8	150.7	2.8
.....	22.4	28.0	156.8	114.8	75.6	42.0	58.8	78.4	33.6	44.8	2.8	89.6	39.2	140.0	13.9
.....	11.2	22.5	143.2	168.5	73.0	92.7	42 1	95.5	56.2	33.7	5.6	78.6	22.5	148.8	5.6
.....	.....	19.7	171.9	169.0	64.8	73.3	87.3	76.1	56.3	59.2	5.6	132.4	59.2	166.2	8.5

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.														
St. Joseph county	1901	1,496.4	16.9	.....	.....	.....	.....	.....	.....	46.4	.....	113.8	16.9	59.0
	1902	1,281.9	34.0	4.2	.....	.....	4.2	4.2	4.2	21.2	.....	97.7	12.7	55.2
	1903	1,376 4	12.8	4.3	.....	8.5	.....	8.5	12.8	25.7	.....	77.0	12.8	81.2
	1904	1,416.3	4 3	4.3	8.6	4.3	4.3	4.3	8.6	38.7	.....	99.0	17.2	94.7
	1905	1,365 8	17.3	.....	4.3	.....	.....	.....	4.3	34.7	13.0	104.1	26.0	95.4
Sanilac county	1901	991.2	8.6	8.6	.....	.....	8.6	.....	14.3	34.3	.....	57.1	8.6	31.4
	1902	1,072.6	8.6	11.4	2.9	5.7	11.4	14.3	11.4	2.9	.....	88.7	17.2	37.2
	1903	1,200.1	20 0	.....	2.9	.....	25.8	28.7	17.2	20.0	.....	77.3	14.3	37.2
	1904	1,127.1	14.3	8.6	.....	.....	5.7	.....	5.7	25.8	.....	66.0	20.1	45.9
	1905	1,255.0	40.2	.....	.....	17.2	2.9	11.5	11.5	54.6	11.5	103.4	8.6	66.1
Schoolcraft county	1901	1,412.1	12.4	.....	.....	.....	61.9	.....	111.5	12.4	.....	74.3	12.4	49.5
	1902	1,150.4	.....	12.1	.....	.....	24.2	.....	12.1	24.2	.....	24.2	.....	24.2
	1903	1,172.6	11 9	.....	.....	.....	35.5	71.1	.....	.....	.....	59.2	11.9	59.2
	1904	1,054 7	11.6	11.6	.....	11.6	.....	.....	11.6	11.6	.....	57.9	.....	23.2
	1905	1,078.1	34.0	.....	.....	.....	.....	.....	.....	.....	11.3	45.4	34.0	34.0
Shiawassee county	1901	1,386.9	8.0	.....	4.0	.....	8.0	4.0	20.0	52.0	.....	95.9	20.0	44.0
	1902	1,246.5	16.1	.....	.....	8.0	8.0	4.0	.....	28.1	.....	64.3	20.1	48.3
	1903	1,549.5	32.4	.....	.....	4.0	4.0	8.1	12.1	32 4	.....	80.9	8.1	85.0
	1904	1,534.6	32.6	4.1	.....	.....	4.1	.....	12.2	77.3	.....	114.0	12.2	93.6
	1905	1,380.2	20.5	4.1	12.3	.....	.....	20 5	.....	4.1	8.2	90.1	.....	77.8
Tuscola county	1901	1,417.5	16.7	19.5	.....	.....	61.3	.....	27.8	50.1	.....	114.2	8.4	55.7
	1902	1,163.5	22.3	11.1	2.8	5.6	13.9	16 7	13.9	16.7	.....	69.6	8.3	55.7
	1903	1,179 6	8.3	.....	.....	5.6	2.8	30.6	2.8	19.5	.....	66.8	13.9	72.3
	1904	1,176.3	22.2	2 8	.....	8.3	2.8	.....	5.6	19.5	.....	75.1	19.5	61.2
	1905	1,159.0	19.5	.....	.....	2.8	.....	2.8	2.8	16.7	11.1	69.5	22.2	61.1
Van Buren county	1901	1,480.8	11.9	5.9	5.9	3.0	.....	17.8	17.8	32.6	.....	97.9	14.8	86.1
	1902	1,066.8	38.1	2.9	.....	5.9	.....	.....	5.9	2.9	.....	44.0	14.6	73.3
	1903	1,357.7	37.6	2.9	.....	2.9	14.5	20.3	5.8	26.0	.....	69.5	11.6	127.4
	1904	1,510.1	42.9	.....	.....	11.4	5.7	.....	11 4	31.5	.....	85.8	25.7	88.7
	1905	1,367.7	19.8	5.7	.....	.....	.....	5.7	8.5	62.2	17.0	59.3	25.4	93.3
Washtenaw county	1901	1,321.9	18.2	.....	.....	.....	24.3	.....	21.2	45.5	.....	78.8	.....	66.7
	1902	1,292.9	12.2	3.1	.....	.....	12.2	.....	27.5	9.2	.....	73.4	15.3	82.5
	1903	1,454.7	18.5	.....	.....	12.3	15.4	9.2	12.3	43.2	.....	98.6	21.6	101.7
	1904	1,476.2	18.6	9.3	.....	18.6	3.1	3.1	3 1	49.7	.....	108.8	21.8	87.0
	1905	1,259.9	18.8	6.3	.....	3.1	.....	.....	9.4	25.1	15.7	94.0	31.3	78.4
Wayne county	1901	1,547.4	29.4	1.5	.....	.....	6.2	10.8	20 1	48.0	.....	105 2	7.7	57.3
	1902	1,570.4	27.2	3.0	.....	13.6	21.2	19.6	36 3	7.6	.....	102 8	12.1	57.4
	1903	1,725.3	45.8	2.9	4.4	2.9	13.3	8.9	69.4	17.7	.....	112.3	22.2	56.1
	1904	1,717.3	33.2	1.4	2.9	14.4	4.3	2.9	57 8	14.4	.....	121.4	14.4	54.9
	1905	1,661.7	33.9	.....	.....	4.2	2.8	4.2	32 5	24 0	14.1	124.3	26.8	50.9
Wexford county	1901	1,238.7	74.5	5.7	5.7	.....	11.5	11.5	28.7	63.1	.....	97.5	5.7	22.9
	1902	1,153.6	38.8	.....	.....	.....	11.1	.....	22.2	5.5	.....	83.2	16.6	33.3
	1903	1,277.9	37.5	.....	.....	16.1	5.4	10.7	26 8	5.4	.....	96.7	10.7	43.0
	1904	1,311.3	20 8	.....	.....	.....	.....	.....	15.6	26.0	.....	72.9	10.4	31.2
	1905	1,347.8	25.2	5.0	.....	.....	20.2	.....	25.2	55.5	15.1	50.5	10.1	45.4
NEW HAMPSHIRE RURAL.														
Belknap county	1901	1,709.9	35 1	8.8	.....	.....	.....	17.5	8.8	17.5	.....	105.2	.....	114.0
	1902	1,783 8	17.7	.....	.....	.....	.....	.....	8.8	8 8	.....	141.3	8.8	61.8
	1903	1,894.3	17.8	.....	.....	.....	.....	.....	.....	80.0	.....	142.3	8.9	88.9
	1904	1,594.4	8.9	.....	.....	.....	.....	.....	26.9	.....	.....	71.7	8.9	44.8
	1905	1,813.6	27.1	9.0	.....	.....	.....	.....	18.0	36.1	9.0	99.3	18.0	54.1
Carroll county	1901	1,264 0	17.9	.....	.....	.....	.....	.....	.....	11.9	.....	131.2	35.8	107.3
	1902	1,567.7	24.0	.....	6.0	.....	.....	.....	12.0	48.1	.....	144.2	12.0	108.1
	1903	1,682.2	18.2	.....	.....	.....	.....	.....	18.2	78.7	.....	96.8	24.2	96.8
	1904	1,475.3	12.2	.....	.....	.....	.....	6.1	6.1	6.1	.....	140.2	36.6	109.7
	1905	1,701.5	6.1	.....	.....	18.4	6.1	.....	.....	116.7	12.3	159.7	24.6	122.9
Cheshire county	1901	1,660.8	18.1	.....	.....	4.5	18.1	.....	13.5	76.7	.....	130.9	9.0	130.9
	1902	1,421.5	13.5	.....	4.5	4.5	.....	.....	45.1	4.5	.....	90.3	18.1	63.2
	1903	1,471.0	13.5	.....	.....	13.5	.....	.....	13.5	36.1	.....	103.8	18.0	63.2
	1904	1,737.1	9.0	.....	.....	.....	.....	.....	27.1	54.1	.....	130.9	9.0	85.7
	1905	1,484.3	.....	.....	.....	13.5	.....	13.5	49.6	27.1	13.5	103.8	9.0	117.3
Coos county	1901	1,237.2	38.7	.....	.....	.....	4.8	.....	14.5	19.3	.....	106.3	.....	72.5
	1902	1,197.0	24.0	.....	.....	4.8	.....	4.8	19.2	14.4	.....	101.9	4.8	105.8
	1903	1,329.4	33.5	9.6	.....	9.6	.....	4.8	14.3	23.9	.....	114.8	14.3	66.9
	1904	1 274.9	14.3	4.7	.....	.....	.....	.....	14.3	33.3	.....	133.2	9.5	71.4
	1905	1,145.2	.....	.....	.....	.....	.....	.....	23.7	33.1	9.5	99.4	9.5	56.8
Grafton county	1901	1,650.2	19.4	.....	4.9	.....	4.9	4.9	21.8	53.4	.....	94.6	19.4	97.1
	1902	1,469.8	21.7	2.4	.....	7.2	.....	4.8	28.9	26.5	.....	129.9	16.8	108.2
	1903	1,616.9	57.2	.....	.....	9.5	.....	16.7	16.7	26.2	.....	104.9	14.3	97.8
	1904	1,499.0	16.5	4.7	.....	.....	.....	2.4	18.9	52.0	.....	99.3	21.3	85.1
	1905	1,420.6	16.4	7.0	.....	2.3	.....	2.3	2.3	46.9	7.0	100.8	9.4	105.5
Hillsboro county	1901	1,909.3	28.2	.....	.....	.....	.....	3.1	6.3	25.0	.....	200.3	18.8	106.4
	1902	1,664.4	9.3	.....	.....	.....	.....	6.2	18.7	9.3	.....	102.7	24.9	93.3
	1903	1,635.9	27.8	.....	.....	9.3	.....	18.5	37.1	37.1	.....	136.1	15.5	102.0
	1904	1,767.6	15.4	.....	.....	.....	.....	3.1	18.4	30.8	.....	175.2	6.1	86.1
	1905	1,851.9	3.1	3.1	.....	24.4	.....	3.1	15.3	48.9	18.3	140.6	12.2	94.7
Merrimack county	1901	1,629.4	9.1	.....	.....	.....	12.2	12.2	21.3	42.6	.....	112.7	21.3	97.5
	1902	1,536.3	24.3	.....	.....	3.0	.....	3.0	12.2	15.2	.....	158.2	18.3	76.1
	1903	1,783.8	27.3	6.1	.....	9.1	18.2	.....	15.2	60.8	.....	142.8	9.1	73.0
	1904	1,721.1	33.4	3.0	.....	.....	6.1	.....	3.0	42.5	.....	115.4	36.4	94.1
	1905	1,700.9	21.2	3.0	.....	18.2	6.1	3.0	3.0	42.4	12.1	148.6	9.1	63.7

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	16.9	12.6	210.8	227.6	134.9	67.5	37.9	134.9	33.7	37.9	8.4	88.5	46.4	177.0	8.4
.....	12.7	17.0	191 0	208.0	110.4	46.7	38.2	114.6	76.4	8.5	8.5	72.2	21.2	118.9	.....
12.8	8.5	12.8	200.9	230.8	85.5	34.2	59.9	85.5	72.7	17.1	4.3	85.5	21.4	192.4	8.5
.....	17.2	4.3	223.9	198.1	64.6	56.0	38.7	81.8	94.7	25.8	4.3	64.6	56.0	189.4	8.6
.....	8.7	17.3	234.1	169.1	43.4	73.7	39.0	99.7	47.7	34.7	13.0	73.7	73.7	134.4	4.3
5.7	2.9	5.7	114.3	102.8	91.4	54.3	45.7	57.1	51.4	45.7	5.7	51.4	42.8	137.1	5.7
.....	14.3	8.6	103.0	111.5	57.2	62.9	48.6	100.1	45.8	34.3	8.6	62.9	48.6	151.6	2.9
11.5	5.7	22.9	111.7	94.5	88.8	74.5	77.3	97.4	31.5	57.3	2.9	45.8	51.6	160.4	22.9
2.9	20.1	8.6	154.9	123.3	83.2	34.4	63.1	77.4	37.3	34.4	5.7	40.1	45.9	183.6	20.1
2.9	11.5	11.5	149.3	137.9	106.3	60.3	77.5	77.5	20.1	46.0	8.6	48.8	34.5	129.2	5.7
.....	.....	24.8	111.5	74.3	123.9	24.8	210.6	74.3	24.8	61.9	.....	136.2	49.5	123.9	37.2
.....	.....	12.1	96.9	72.7	157.4	12.1	109.0	72.7	12.1	72.7	.....	121.1	72.7	193.7	24.2
.....	.....	23.7	106.6	47.4	35.5	59.2	130.3	82.9	23.7	71.1	11.9	165.8	35.5	94.7	35.5
.....	.....	23.2	173.8	81.1	34.8	34.8	57.9	46.4	23.2	92.7	11.6	185.4	34.8	81.1	34.8
.....	22.7	34.0	124.8	79.4	68.1	56.7	124.8	45.4	45.4	68.1	.....	45.4	34.0	170.2	.....
.....	4.0	4.0	179.3	163.9	79.9	71.9	83.9	123.9	67.9	52.0	.....	83.9	36.0	179.9	.....
.....	20.1	8.0	156.8	168.9	88.5	84.5	48.3	128.7	64.3	32.2	4.0	48.3	32.2	160.8	4.0
4.0	16.2	24.3	186.1	222.5	117.3	72.8	56.6	113.3	76.9	36.4	8.1	178.0	48.6	121.4	.....
.....	4.1	16.3	183.2	187.2	97.7	52.9	61.1	130.3	85.5	32.6	20.3	105.8	20.3	179.1	8.1
4.1	4.1	.....	196.6	208.9	77.8	32.8	36.9	118.8	94.2	36.9	8.2	86.0	24.6	204.8	8.2
2.8	11.1	25.1	142.0	130.9	114.2	111.4	97.5	86.3	30.6	52.9	8.4	66.8	36.2	144.8	2.8
.....	11.1	5.6	155.9	122.5	105.8	64.0	58.4	89.1	33.4	25.0	2.8	69.6	13.9	158.7	11.1
.....	16.7	11.1	169.7	139.1	91.8	55.6	47.3	94.6	25.0	41.7	2.8	61.2	19.5	175.3	5.6
2.8	13.9	11.1	158.5	169.6	80.6	58.4	36.1	86.2	47.3	50.1	.....	75.1	25.0	141.8	2.8
.....	16.7	19.5	164.0	180.7	47.3	50.0	63.9	83.4	33.4	63.9	13.9	61.1	30.6	114.0	8.3
5.9	14.8	11.9	172.1	252.2	112.8	65.3	95.0	77.2	50.5	32.6	5.9	74.2	50.5	154.3	11.9
5.9	20.5	11.7	126.0	237.4	55.7	52.7	32.2	58.6	46.9	17.6	.....	44.0	26.4	143.6	.....
.....	26 0	5.8	153.4	243 2	63.7	28.9	66.6	92.6	66.6	43.4	20.3	60.8	26.0	133.2	8.7
2.8	17.2	5.7	194.5	268.9	74.4	71.5	68.6	94.4	51.5	60.1	2.8	74.4	54.3	151.6	14.3
.....	11.3	8.5	127.2	211.9	67 8	56.5	45.2	101.7	79.1	62.2	5.7	90.4	42.4	152.6	8.5
.....	12.1	21.2	166.8	181.9	84.9	54.6	63.7	84.9	57.6	33.3	21.2	72.8	66.7	142.5	3.0
.....	6.1	3.1	171.2	198.7	100.9	61.1	79.5	94.8	73.4	24.5	15.3	52.0	30.6	137.5	9.2
3.1	9.2	15.4	194.2	191.1	95.6	95.6	24.7	89.4	101.7	27.7	9.2	80.1	30.8	147.9	6.2
3.1	12.4	12.4	192.7	202.0	71.5	87.0	49.7	56.0	74.6	24.9	24.9	77.7	28.0	226.9	9.3
.....	6.3	6.3	134.8	184.9	65.8	75.2	28.2	81.5	78.4	37.6	12.5	65.8	40.7	153.6	6.3
.....	3.1	20.1	157.9	131.5	120.7	111.4	139.3	82.0	55.7	63.5	9.3	106.8	52.6	199.6	7.7
1.5	3.0	18.1	226.7	179.9	116.4	105.8	98.3	93.7	58.9	54.4	6.0	86.2	21.2	182.9	16.6
1.5	4.4	11.8	208.3	169.9	118.2	99.0	127.0	90.1	78.3	47.3	8.9	113.7	44.3	237.8	8.9
1.4	10.1	14.4	228.2	148.8	117.0	95.4	117.0	96.8	75.1	53.5	14.4	96.8	39.0	251.3	36.1
.....	2.8	29.7	226.1	182.3	98.9	103.1	114 5	86.2	65.0	57.9	11.3	103.1	63.6	176.6	22.6
.....	11.5	28.7	120.4	80.3	109.0	57.4	80.3	97.5	22.9	63.1	5.7	63.1	40.1	126.2	5.7
.....	11.1	22.2	127.6	110.9	122.0	22 2	66.6	94.3	27.7	49.9	5.5	83.2	22.2	166.4	11.1
5.4	5.4	10.7	145.0	75.2	64.4	80.5	128.9	123.5	43.0	48.3	5.4	96.7	32.2	134.2	26.8
.....	15.6	10.4	93.7	171.7	98.9	62.4	98.9	83.3	46.8	88.5	20.8	104.1	36.4	197.7	5.2
.....	15.1	25.2	90.9	126.2	116.1	45.4	151.4	85.8	30.3	50.5	5.0	111.1	75.7	166.6	.....
.....	17.5	17.5	280.6	236.8	105.2	52.6	61.4	52.6	78.9	.....	8.8	26.3	96.5	350.8	17.5
.....	8.8	.....	388.6	212.0	123.6	88.3	17.7	114.8	97.1	35.3	17.7	52.9	70.7	291.4	17.7
.....	8.9	8.9	311.3	266.8	222.4	62.2	62.2	88.9	44.5	.....	17.8	115.6	26.7	311.3	8.9
17.9	17.9	26.9	367.3	295.6	89.6	98.5	44.8	80.6	80.6	8.9	.....	44.8	62.7	197.1	.....
9.0	36.1	54.1	252.6	379.0	90.2	63.2	63.2	90.2	81.2	45.1	9.0	81.2	54.1	234.6	.....
6.0	17.9	23.8	137.1	172.9	71.5	83.5	29.8	29.8	101.3	6.0	35.8	17.9	65.6	143.1	17.9
12.0	6.0	30.0	210.2	276.3	114.1	66.1	24.0	42.0	48.1	18.0	18.0	48.1	54.1	228.3	18.0
.....	36.3	18.2	314.6	308.6	139.2	24.2	18.2	78.7	54.4	36.3	6.0	66.6	42.3	181.5	24.2
.....	6.1	12.2	176.8	243.8	134.1	36.6	24.4	91.4	97.5	12.2	12.2	85.4	61.0	152.4	12.2
12.3	18.4	18.4	190.4	221.1	116.7	92.1	43.0	122.9	79.9	30.7	12.3	73.7	24.6	159.7	18.4
4.5	22.6	36.1	248.2	203.1	117.3	99.3	81.2	72.2	45.1	22.6	13.5	63.2	58.7	148.9	22.6
.....	18.1	22.6	225.7	216.6	72.2	49.6	76.7	72.2	40.6	40.6	9.0	49.6	81.2	198.6	4.5
9.0	9.0	27.1	212.1	261.7	67.7	81.2	63.2	54.1	99.3	22.6	22.6	108.3	22.6	144.4	4.5
.....	4.5	22.6	248.2	297.8	81.2	94.7	121.8	108.3	103.8	27.1	18.0	67.7	22.6	198.5	4.5
4.5	13.5	36.1	144.4	234.6	112.8	67.7	90.2	67.7	85.7	27.1	9.0	85.7	31.6	126.3	.....
.....	4.8	38.7	130.5	101.5	87.0	72.5	48.3	67.6	91.8	4.8	24.2	53.2	29.0	188.5	38.7
.....	4.8	33.7	149.0	221.1	91.3	57.7	48.1	38.5	62.5	14.4	4.8	57.7	33.7	76.9	24.0
.....	9.6	38.2	138.7	138.7	100.4	23.9	81.3	86.1	95.6	28.7	4.8	110.0	23.9	157.8	.....
.....	9.5	23.8	180.8	166.5	76.1	42.8	33.3	38.0	123.7	23.8	.....	76.1	47.6	142.7	9.5
.....	23.7	14.2	137.2	123.0	113.6	28.4	66.3	42.6	80.5	14.2	4.7	89.9	28.4	132.5	14.2
.....	9.7	24.3	206.3	174.7	145.6	75.2	55.8	97.1	70.4	31.5	12.1	70.4	75.2	259.7	21:8
.....	12.0	43.3	199.7	151.6	141.9	84.2	33.7	86.6	101.0	21.7	12.0	43.3	48.1	141.9	2.4
2.4	31.0	21.5	198.0	202.7	145.5	45.3	57.2	90.6	112.1	16.7	4.8	93.0	45.3	200.3	7.2
.....	18.9	30.7	160.8	193.9	118.2	35.5	52.0	87.5	113.5	21.3	11.8	78.0	33.1	241.2	2.4
2.3	21.1	35.2	154.7	185.2	72.7	46.9	44.5	96.1	93.8	14.1	7.0	89.1	46.9	211.0	.....
3.1	6.3	25.0	284.8	259.8	112.7	112.7	50.1	81.4	90.8	37.6	12.5	53.2	115.8	253.5	21.9
.....	18.7	37.3	230.2	242.7	108.9	90.2	62.2	115.1	127.6	43.6	6.2	40.4	59.1	214.7	3.1
6.2	6.2	27.8	216.5	197.9	126.8	123.7	58.7	86.6	102.1	18.5	12.4	40.2	49.5	176.3	3.1
3.1	12.3	27.7	249.0	270.5	70.7	104.5	49.2	110.7	116.8	33.8	21.5	67.6	55.3	239.8	.....
9.2	12.2	48.9	284.2	241.4	113.1	67.2	45.8	119.2	165.0	55.0	27.5	64.2	24.4	207.8	3.1
.....	12.2	21.3	265.0	179.7	131.0	82.2	76.1	70.1	57.9	21.3	9.1	73.1	60.9	231.5	9.1
6.1	24.3	42.6	237.3	191.7	143.0	45.6	76.1	100.4	63.9	24.3	3.0	57.8	60.9	146.0	3.0
.....	33.4	33.4	197.5	231.0	142.8	88.1	85.1	109.4	66.9	24.3	15.2	88.1	45.6	255.3	6.1
3.0	6.1	15.2	264.1	236.8	130.5	60.7	88.0	75.9	151.8	27.3	6.1	63.7	60.7	197.3	.....
3.0	9.1	42.4	209.2	294.1	94.0	48.5	94.0	87.9	91.0	33.4	9.1	57.6	48.5	242.5	6.1

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW HAMPSHIRE RURAL—Cont'd.														
Rockingham county	1901	1,706.7	9.9			2.5	4.9		24.7	39.5		128.3	19.7	86.3
	1902	1,632.5	17.2		2.5	2.5		12.3	49.2	4.9		162.5	14.8	91.1
	1903	1,602.8	19.7	2.5			4.9	22.1	19.7	44.2		125.4	9.8	66.4
	1904	1,615.0	9.8	2.5					7.4	19.6		142.3	12.3	90.8
	1905	1,805.9	22.1			4 9		9 8	4.9	51.5	7.4	132.3	19.6	85.8
Strafford county	1901	1,704.1	5.7					11.4	34.1	17.0		159.1	28.4	51.1
	1902	1,550.2	22.8					34.2	22.8	5.7		171.0		68.4
	1903	1,601.2	11.4	11.4		51.5		5.7	5.7	51.5		165.8	22.9	74.4
	1904	1,543.5	34.4				34.4		5.7	45.9		132.0	11.5	74.6
	1905	1,669.6	17.3			11.5		51 8	11.5	63.3	40.3	46.1	11.5	109.4
Sullivan county	1901	1,792.0	11.1	5.5			22.1		11.1	60.8		143.8	11.1	94.0
	1902	1,487.5	11.0		5.5				5.5	5.5		121.2	5.5	93.7
	1903	1,712.2	5.5			16.5		5.5	27.4	49.4		115.3	5.5	120.7
	1904	1,503.3	21.9						5.5	21.9		98.4	16.4	76.5
	1905	1,584.6	32.7			16.3		16 3	21.8	10 9	21.8	119.8	10.9	70.8
NEW JERSEY RURAL.														
Atlantic county	1901	1,429.7	20.7			5.2	15.5	5 2	67.3	41.4		82.9	5.2	36.3
	1902	1,207.2	20.0	5.0		5 0	5.0	5.0	34.9			99.8	15.0	54.9
	1903	1,481.7	19.2				4.8	19.2	14 4	4.8		149.1	24.1	57.7
	1904	1,258.8	9.3			4.6			13.9	13.9		79.0	4.6	41.8
	1905	1,549.2	13.5			4 5		13 5	44.9	18.0	9.0	148.2	35.9	26.9
Bergen county	1901	1,527.4	12.1	8.5	1.2	2.4	14.5	13.3	29.0	14.5		126.9	9 7	50.8
	1902	1,335.8	10.3	5 7	2.3	23.0	3.4	27.6	28.7	6 9		124.0	10 3	52.8
	1903	1,322.0	9.8	5 5	1.1	2 2	19.7	12 0	35.0	12 0		114.9	13 1	38.3
	1904	1,285.4	11 5	2.1		8 4	14.6	7.3	28.2	10 5		88.8	19.9	44.9
	1905	1,268.0	9.0	2.0		2 0	7.0	7 0	20.0	3.0	11.0	111 0	19.0	56.0
Burlington county	1901	1,608.4	30.5		1 7		8.5	1.7	18 6	42.4		149.2	23.7	61.0
	1902	1,375.5	23.4	1.7	3.3	6 7	8 4	6.7	11.7	8.4		123 8	16.7	40.2
	1903	1,553 2	33 0	6 6	8.3	1.7	34.7	9 9	19.8	18.2		137.1	19 8	74.4
	1904	1,594.3	29.4	3.3	3 3	8 2	13.1	9.8	21.2	18.0		177.9	16.3	66.9
	1905	1,415.2	24 2	3.2			8.1	4.8	6.4	17.7	11.3	133.8	21.0	70.9
Camden county	1901	1,608.8	42 4	3.0	33 3		6.1		21.2	27.3		190.9	15.1	39.4
	1902	1,515.9	32.1		2.9	2.9	2.9	5.8	17.5	2.9		198.2	5.8	72.9
	1903	1,567.5	19.7	2.8		5.6	8.4	16 9	28.1	5 6		179.8	16.9	44.9
	1904	1,417.5	27.1		2.7	8 1	2.7	2.7	40.7	19 0		181.6	27 1	56.9
	1905	1,482.0	18.3	2.6				5.2	20 9	18.3	5 2	204.2	18.3	39.3
Cape May county	1901	1,524.4	21.4	14 2			21.4		21.4	7 1		163.8	35.6	64.1
	1902	1,297.4	40.3	6 7				20 2	33.6	6 7		127.7	6.7	73.9
	1903	1,119.9	6 4			12.7	6.4		12.7	12.7		108.2	25.5	25.5
	1904	1,274.7						6 0	24 2	12.1		78.5	6.0	84.6
	1905	1,138.6	17 3						17.3	11 5	34.5	92.0	11 5	63.3
Cumberland county	1901	1,135.8	22.5	3 7			22.5	15.0	7.5	37.5		142.4	15 0	45.0
	1902	1,249.2	11.3	3.8				22.5	7.5	3.8		153 8	15 0	41.3
	1903	1,317.6	3 8	7 5			7.5	7.5	18 8	18.8		161.4	18 8	90.1
	1904	1,419.9	22 5	3.8	3.8	3 8	15.0	7 5	22.5	11 3		154.0	18.8	45.1
	1905	1,405.9	45.1						11.3	30 1	26.3	131.6	11.3	60.1
Essex county	1901	1,178.1	16.7	1.3	3.9		15.4	2.6	34.7	18.0		107 9	12.8	63.0
	1902	1,156.4	22.7	3.8	13.9	2.5	6 3	15.1	34.0	3 8		126.1	13.9	51.7
	1903	1,133.1	14.6	4.9		1.2	29.2	10 9	19.5	8.5		130.1	23.1	57.1
	1904	1,268.7	5.9	3.5		7 0	12.9	5 9	36.4	8 2		137.3	28 2	57.5
	1905	1,203 5	9.5			1 2	10 7	9.5	38.0	5 9	9.5	137.8	28.5	57 0
Gloucester county	1901	1,230.8	24 7	3.1	3.1	6.2	9.3	6.2	33.9	27.8		117.2	24.7	33.9
	1902	1,190.3	27.3	3.0			3.0	24 3	24.3	6.1		88.1	18.2	51.6
	1903	1,166.0	23 9			3.0	3.0	14 9	14.9	12 0		92.7	12.0	32.9
	1904	1,428.0	20 6	2 9		2.9	11.8	5 9	14 7	11.8		141.3	35.3	70.7
	1905	1,258.8	8 7						20 3	31.9	8.7	118.9	20.3	55.1
Hudson county	1901	1,804.8	27.6	7.7	35.2	1 5	15.3	4.6	45.9	9.2		191.4	16.8	58.2
	1902	1,801.1	13.1	4.4	184.3	8 7	20.3	2.9	53.7	2 9		169 8	18.9	52.2
	1903	1,537.1	15 2	9.7	1 4	4.1	6.9	2 8	46.9	5 5		179.4	16.6	69.0
	1904	1,842.3	14.5	3.9	1.3	9.2	28.9	14 5	69 7	5 3		209 1	14.5	53.9
	1905	1,715.6	13.8	5 0	1.3	5 0	16 3	3.8	50.2	5.0	33.9	162.0	21.4	54.0
Hunterdon county	1901	1,497.5	20.4	14.6		11 7			23.4	32.1		110 9	26.3	73 0
	1902	1,340.9	20 6	5 9	2.9	8.8	14.7		23 5	11 8		100.0	23.5	61.8
	1903	1,424.8	14.8	3 0			3.0	3.0	35 5	35 5		74.1	20 7	80.0
	1904	1,372.8	14 9	3 0			3.0		29.8	26.9		104.4	17 9	44.8
	1905	1,304.9	6 0					15.0	6.0	12.0	3.0	126.3	21.0	84.2
Mercer county	1901	1,270.0	13.1				4.4	8.7	4.4	13 1		109.1	30 5	39.3
	1902	963.4	4.2		8.4	4.2	12.6	16.8	4.2	4 2		84.1		42.1
	1903	1,092.4	24 4					36.5	4.1	12.2		65.0	12.2	40.6
	1904	1,106.8	15.7	3 9		3.9	7 8	3 9	23.5	15.7		90 3	3.9	54.9
	1905	972.1	15.2			3.8		3.8	15 2	11.4		144.3	3.8	53.2
Middlesex county	1901	1,294 9	6.9	9.2	9.2		2.3	2.3	18 5	25 4		117.9	16.2	32.4
	1902	1,287.2	15.8	2.3	20.3		4.5	29.3	15.8			119.3	9.0	45.0
	1903	1,400.4	8.8	11.0		6 6	19.7	8.8	50 4	17.5		111.8	8.8	61.4
	1904	1,381.9	17.1	6 4		8 5	25.6	4 3	64.1	17 1		98.2	19 2	47.0
	1905	1,424.8	6 2	12.5		22.9	37.5	2.1	50.0	18.7	33.3	118.7	8.3	50.0
Monmouth county	1901	1,578.8	19.2	3 6	3.6	3.6	10.8	18.0	26 4	25.2		179.0	15 6	74.5
	1902	1,408.8	21.3	4.7	1.2	5.9	7.1	10 7	30.8	5 9		107.8	17.8	62.8
	1903	1,364.9	17.5	3.5		1.2	2.3	8 2	31 6	15 2		123.9	17.5	5[illegible].6
	1904	1,513.6	21.9	8 1		8.1	1.2	6 9	17.3	30 0		145 2	28 8	[illegible].6
	1905	1,434.3	26.2	6.8		8.0	2.3	6 8	30.7	11.4	18.2	146 7	22 7	

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.5	17.3	34.5	241.7	231.8	180.0	66.6	81.4	74.0	59.2	29.4	2.5	59.2	106.1	187.4	17.3
2.5	7.4	41.9	224.1	258.6	125.6	51.7	56.6	68.9	96.0	24.6	.....	59.1	44.3	204.4	9.8
.....	19.7	22.1	233.5	280.3	86.0	68.8	39.3	54.1	91.0	24.6	4.9	81.1	68.8	206.5	7.4
.....	14.7	14.7	245.4	270.0	108.0	81.0	66.3	90.8	81.0	29.5	9.8	68.7	27.0	216.0	7.4
4.9	19.6	34.3	193.6	284.2	151.9	44.1	98.0	107.8	117.6	36.8	.....	85.8	63.7	223.0	2.5
.....	17.0	34.1	193.1	181.8	113.6	119.3	147.7	73.8	79.5	39.8	17.0	85.2	85.2	181.8	28.4
11.4	22.8	45.6	210.9	171.0	51.3	39.9	96.9	108.2	68.4	28.5	11.4	68.4	68.4	199.4	22.8
5.7	5.7	40.0	154.4	217.3	97.2	85.8	102.9	108.7	80.1	40.0	5.7	28.6	74.4	137.2	17.2
.....	.....	40.2	126.2	281.2	63.1	114.8	126.2	103.3	74.6	28.7	17.2	40.2	34.4	137.7	17.2
.....	11.5	34.5	190.0	218.8	74.8	69.1	190.0	120.9	103.6	51.8	11.5	40.3	63.3	120.9	5.8
5.5	11.1	22.1	243.4	232.3	177.0	77.4	60.8	77.4	121.7	11.1	16.6	88.5	83.0	182.5	22.1
.....	.....	38.6	187.3	225.9	159.8	55.1	11.0	38.6	143.2	11.0	.....	49.6	71.6	236.9	11.0
5.5	38.4	43.9	170.1	257.9	142.7	126.2	54.9	82.3	137.2	5.5	16.5	93.3	27.4	159.1	5.5
10.9	27.3	10.9	174.9	196.8	164.0	103.9	38.3	76.5	65.6	5.5	27.3	49.2	49.2	262.4	.....
.....	21.8	32.7	196.0	239.6	98.0	59.9	43.6	65.3	141.6	27.2	27.2	65.3	43.6	201.5	.....
.....	5.2	25.9	202.0	150.2	57.0	88.1	119.1	51.8	77.7	72.5	.....	98.4	82.9	119.1	.....
.....	.....	15.0	149.7	134.7	54.9	54.9	79.8	64.9	94.8	59.9	.....	54.9	44.9	149.7	5.0
.....	9.6	28.9	168.4	187.6	105.8	72.2	77.0	48.1	77.0	77.0	.....	57.7	81.8	197.2	.....
9.3	9.3	13.9	120.8	153.3	102.2	92.9	185.8	60.4	79.0	27.9	4.6	55.7	69.7	102.2	4.6
.....	9.0	13.5	170.6	224.5	35.9	71.8	121.2	98.8	143.7	35.9	4.5	62.9	85.3	157.2	.....
.....	12.1	30.2	219.9	137.8	137.8	87.0	99.1	68.9	65.3	59.2	10.9	117.2	53.2	142.6	3.6
2.3	9.2	27.6	151.6	160.8	88.4	77.0	79.3	62.0	50.5	66.6	6.9	104.5	57.4	95.3	1.1
.....	14.2	32.8	181.7	146.6	91.9	58.0	90.8	60.2	62.4	63.5	4.4	98.5	51.4	101.8	.....
1.0	5.2	26.1	150.5	150.5	130.6	74.2	100.3	53.3	59.6	62.7	6.3	86.7	40.8	100.3	1.0
1.0	12.0	32.0	147.0	158.0	112.0	50.0	96.0	50.0	78.0	58.0	10.0	95.0	40.0	79.0	3.0
.....	10.2	30.5	230.5	145.8	103.4	71.2	125.4	88.1	94.9	57.6	6.8	78.0	79.7	145.8	3.4
.....	11.7	18.4	200.8	162.3	95.4	53.5	100.4	65.3	90.4	56.9	11.7	77.0	78.6	102.1	.....
.....	8.3	46.3	163.6	166.9	104.1	85.9	79.3	74.4	102.4	81.0	8.3	56.2	76.0	133.9	3.3
1.6	9.8	24.5	189.3	181.1	119 1	70.2	97.9	70.2	111.0	58.7	6.5	99.5	66.9	117.5	3.3
1.6	11.3	27.4	164.4	190.2	80.6	70.9	91.9	53.2	114.4	54.8	4.8	101.5	46.7	96.7	3.2
.....	9.1	27.3	239.4	151.5	121.2	60.6	100.0	87.9	81.8	63.6	3.0	97.0	78.8	109.0	.....
.....	2.9	14.6	244.9	157.4	125.3	72.9	107.9	64.1	81.6	49.6	8.7	52.5	67.0	116.6	5.8
.....	5.6	30.9	244.4	162.9	109.6	56.2	118.0	67.4	134.8	50.6	5.6	78.7	50.6	120.8	2.8
.....	2.7	21.7	176.2	173.5	108.4	89.4	84.0	59.6	78.6	48.8	19.0	37.9	48.8	97.6	2.7
.....	13.1	26.2	214.7	175.4	107.4	70.7	112.6	41.9	91.6	60 2	7.9	75.9	34.0	117.8	.....
.....	7.1	28.5	249.3	114.0	35.6	78.4	71.2	71.2	64.1	49.9	7.1	64.1	92.6	242.2	.....
.....	20.2	13.4	188.2	94.1	60.5	60.5	67.2	100.8	60.5	13 4	.....	67.2	114.3	114.3	6.7
.....	6.4	12.7	140.0	133.6	25.5	82.7	63.6	95.5	63.6	12.7	6.4	44.5	89.1	120.9	12.7
.....	12.1	18.1	199.4	132.9	30.2	78.5	114.8	60.4	90.6	42.3	18.1	90.6	84.6	90.6	.....
.....	.....	.....	212.8	92.0	46.0	109.3	69.0	69.0	74.8	23.0	5.8	74.8	57.5	57.5	.....
3.7	15.0	26.2	168.7	108.7	82.5	45.0	26.2	41.2	75.0	33.7	.....	52.5	52.5	93.7	.....
.....	18.8	37.5	165.1	150.0	97.5	41.3	48.8	48.8	78.8	26.3	11.3	63.8	71.3	131.3	.....
.....	11.3	18.8	168.9	135.1	82.6	75.1	71.3	52.6	112.6	33.8	3.8	71.3	48.8	97.6	.....
.....	7.5	11.3	240.4	169.0	78.9	52.6	52.6	71.4	101.4	52.6	.....	67.6	52.6	150.3	3.8
3.8	18.8	22.6	229.3	135.3	127.8	60.1	63.9	75.2	94.0	52.6	15.0	67.7	33.8	90.2	.....
3.9	6.4	27.0	127.2	118.2	89.9	69.4	83 5	66.8	69.4	65.5	9.0	68.1	37.3	60.4	.....
.....	3.8	20.2	141.2	119.8	79.4	69.4	89.5	54.2	79.4	50.4	12.6	42.9	35.3	64.3	.....
1.2	4.9	21.9	137.4	117.9	71.7	75.4	38.9	68.1	71.7	45.0	10.9	52.3	43.8	72.9	.....
.....	18.8	34.0	126.8	137.3	119.7	68.1	89.2	65.7	82.2	56.3	7.0	45.8	22.3	89.2	3.5
1.2	10.7	42.8	124.8	161.6	85.5	76.0	59.4	40.4	79.6	59.4	23.8	41.6	17.8	71.3	.....
.....	.....	9.3	206.7	120.3	89.5	46.3	80 2	49.4	74.0	55.5	3.1	101.8	24.7	77.1	3.1
.....	3.0	15.2	191.3	185.2	75.9	39.5	60.7	48.6	69.8	27.3	12.1	88.1	48.6	75.9	3.0
.....	3.0	29.9	167.4	110.6	104.6	62.8	68.8	56.8	92.7	20.9	9.0	74.7	65.8	89 7	.....
2.9	2.9	23.6	212.0	144.3	117.8	67.7	85.4	79.5	64.8	64.8	2.9	94.2	41.2	106.0	.....
2.9	5.8	20.3	165.3	159.5	98.6	26.1	81.2	75.4	95.7	63.8	2.9	63.8	52.2	81.2	.....
1.5	1.5	49.0	212.8	93.4	189.8	133.2	133.2	71.9	110.2	84.2	16.8	104.1	55.1	131.7	3.1
.....	4.4	49.3	190.1	100.1	132.1	168.4	107.4	65.3	104.5	59.5	23.2	74.0	72.6	116.1	2.9
1.4	8.3	51.1	201.5	126.9	104.9	118.7	91.1	81.4	80.0	48.3	19.3	95.2	31.7	117.3	2.8
.....	15.8	42.1	228.8	160.4	181.5	122.3	157.8	67.1	85.5	67.1	28.9	77.6	36.8	143.3	2.6
.....	28.9	57.8	192.2	133.1	149.5	109.3	138 1	74.1	119.3	55.3	20.1	105.5	41.4	119.3	.....
2.9	8.8	32.1	227.7	230.6	102.2	37.9	75.9	70.1	84.7	52.5	5.8	67.1	49.6	131.4	5.8
.....	14.7	17.6	258.8	185.3	58.8	82.3	52.9	82.3	58.8	35.3	.....	82.3	41.2	97.0	.....
.....	23.7	29.6	260.7	242.9	91.8	41.5	47.4	56.3	74.1	32.6	20.7	65.2	35.5	133.3	.....
3 0	14.9	14.9	238.7	208.9	86 5	65 7	47.7	77.6	86.5	56.7	11.9	68.6	29.8	113.4	3.0
3.0	3.0	15.0	213.5	195.4	30.1	72.2	66.1	48.1	102.2	33.1	9.0	84.2	42.1	108.2	.....
.....	4.4	30.5	165.8	165.8	56.7	69.8	69.8	52.4	34.9	52.4	.....	144.0	39.3	161.5	.....
4.2	12.6	16.8	130.4	105.2	58.9	54.7	54.7	42.1	67.3	46.3	.....	46.3	54.7	88.3	.....
.....	8.1	20.3	146.2	129.9	85.3	48.7	20.3	56.9	44.7	32.5	4.1	138.1	48.7	109.6	4.1
.....	3.9	19.6	188.4	117.7	86.3	35.3	66.7	47.1	35.3	35.3	.....	137.4	27.5	82.4	.....
3.8	7.6	7 6	125.3	105.3	64.6	33.0	60.8	34.2	41.8	30.4	11.4	87.3	34.2	68.3	.....
2.3	6.9	27.7	145.7	148.0	92.5	53.2	113.3	62.4	74.0	33.3	16.2	117.9	57.8	97.1	.....
2.3	9.0	29.3	175.5	92.3	83.3	85.5	121.5	67.5	67.5	38.3	6.8	108.0	51.8	87.8	.....
.....	8.8	26.3	175.3	133.7	89.9	72.3	94.2	87.7	76.7	52.6	17.5	157.8	26.3	74.5	2.2
4.3	2.1	32.0	134.6	132.4	121.7	91.8	117.5	64.1	51.3	38.4	6.4	123.9	36.3	115.3	2.1
2.1	10.4	31.2	141.6	83.3	116.6	79.2	125.0	52.1	80.3	50.0	10.4	147.9	43.7	87.5	.....
2.4	16.8	32.4	210.3	152.6	79.3	67.3	150.2	69.7	93.7	45.7	8.4	97.3	57.7	103.3	12.0
.....	15.4	16.6	169.4	163.5	84.1	68.7	113.7	71 1	91.2	42 7	2.4	75.8	77.0	133.9	7.1
1.2	12.9	17.5	175.3	172.9	79.5	71.3	87.6	76 0	81.8	43.2	10.5	88.8	56.1	109.8	.....
.....	13.8	28.8	193.7	156.8	102.6	69.2	108.4	83 0	91.1	72.6	13.8	84.2	63.4	113.0	2.3
1.1	5.7	28.4	187.7	182.0	73.9	54.6	94.4	80 8	85 3	48.9	4.5	96.7	46.6	104.6	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.												
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW JERSEY RURAL—Continued.														
Morris county	1901	1,380.2	9.2	.....	5.5	3.7	7.4	11.1	31.3	38.7	.....	145.6	9.2	62.7
	1902	1,474.9	11.0	3.7	1.8	5.5	14.6	34.8	20.1	9.1	.....	137.2	14.6	32.9
	1903	1,481.0	18.2	7.3	.....	7.3	7.3	12.7	23.6	27.3	.....	112.7	14.5	40.0
	1904	1,514.2	7.2	.....	.....	5.4	10.8	3.6	43.3	28.9	.....	167.8	18.0	50.5
	1905	1,450.1	5.4	1.8	.....	3.6	3.6	9.0	16.1	23.3	23.3	129.1	17.9	75.3
Ocean county	1901	1,707.3	10.0	5.0	.....	.....	5.0	40.1	10.0	45.1	.....	175.2	15.0	70.1
	1902	1,346.6	29.7	.....	.....	.....	5.0	9.9	19.8	5.0	.....	158.4	9.9	69.3
	1903	1,003.6	4.9	.....	.....	.....	.....	9.8	9.8	24.5	.....	127.3	.....	53.9
	1904	1,317.0	14.5	4.8	.....	4.8	.....	.....	33.9	43.6	.....	130.7	24.2	43.6
	1905	1,173.4	33.5	9.6	.....	4.8	4.8	.....	9.6	14.4	4.8	105.4	19.2	57.5
Passaic county	1901	1,021.7	13.1	4.4	.....	.....	26.2	13.1	30.6	8.7	.....	83.0	8.7	17.5
	1902	1,088.1	8.4	4.2	.....	12.6	4.2	25.2	37.8	.....	.....	50.4	16.8	50.4
	1903	1,113.5	20.2	.....	.....	4.0	4.0	8.1	16.2	8.1	.....	129.6	8.1	44.5
	1904	1,277.6	.....	.....	.....	3.9	3.9	3.9	62.5	7.8	.....	121.1	27.4	27.4
	1905	1,079.6	3.8	.....	.....	3.8	.....	.....	15.1	3.8	7.5	98.1	15.1	49.1
Salem county	1901	1,292.8	.....	.....	3.9	.....	7.8	3.9	3.9	50.6	.....	155.8	3.9	46.7
	1902	1,207.8	19.4	7.7	.....	.....	.....	11.6	11.6	7.7	.....	96.8	3.9	42.6
	1903	1,427.8	34.6	.....	.....	.....	.....	15.4	30.8	30.8	.....	200.1	15.4	73.1
	1904	1,618.5	42.1	.....	15.3	19.1	19.1	7.7	15.3	23.0	.....	179.8	7.7	65.0
	1905	1,388.5	19.0	7.6	.....	3.8	.....	7.6	11.4	22.8	.....	117.9	19.0	57.1
Somerset county	1901	1,249.6	6.0	11.9	.....	3.0	14.9	.....	32.7	17.9	.....	119.0	14.9	38.7
	1902	1,307.0	5.8	2.9	2.9	.....	2.9	32.1	32.1	5.8	.....	113.8	32.1	58.3
	1903	1,267.9	11.4	14.3	.....	.....	2.9	20.0	25.8	8.6	.....	108.8	11.4	57.2
	1904	1,179.6	8.4	.....	.....	8.4	2.8	5.6	25.3	8.4	.....	81.4	16.9	61.8
	1905	1,433.7	16.5	5.5	.....	11.0	13.8	13.8	19.3	13.8	91.0	113.0	33.1	60.7
Sussex county	1901	1,101.2	16.7	8.3	.....	.....	4.2	.....	25.0	33.4	.....	87.6	.....	58.4
	1902	949.1	12.6	4.2	.....	.....	4.2	12.6	25.2	4.2	.....	88.2	.....	54.6
	1903	989.4	8.5	4.2	.....	8.5	4.2	.....	16.9	25.4	.....	114.2	.....	38.1
	1904	1,256.0	21.3	.....	.....	8.5	21.3	4.3	21.3	12.8	.....	76.6	21.3	42.6
	1905	1,089.0	4.3	.....	.....	12.9	.....	.....	12.9	.....	12.9	150.1	12.9	34.3
Union county	1901	1,328.0	18.1	.....	.....	.....	3.0	3.0	54.3	24.1	.....	138.8	12.1	57.3
	1902	1,238.1	32.0	.....	14.5	14.5	2.9	17.4	8.7	2.9	.....	122.1	5.8	52.3
	1903	1,210.7	14.0	.....	.....	2.8	5.6	5.6	16.8	16.8	.....	100.9	19.6	30.8
	1904	1,155.4	21.6	2.7	.....	5.4	8.1	2.7	13.5	16.2	.....	113.6	32.5	46.0
	1905	1,263.3	18.3	5.2	.....	2.6	5.2	18.3	34.0	7.8	23.5	149.1	26.2	73.2
Warren county	1901	1,330.1	14.3	3.6	3.6	.....	.....	.....	10.8	39.4	.....	118.3	7.2	32.3
	1902	1,308.1	24.9	3.6	24.9	7.1	14.3	10.7	10.7	17.8	.....	89.1	.....	60.6
	1903	1,414.6	15.0	.....	.....	3.7	3.7	18.7	26.2	22.5	.....	112.3	22.5	63.6
	1904	1,525.0	26.0	3.7	.....	11.2	7.4	14.9	18.6	29.8	.....	152.5	3.7	52.1
	1905	1,467.6	18.5	.....	.....	.....	.....	7.4	7.4	44.4	29.6	133.1	11.1	107.2
NEW YORK RURAL.														
Albany county	1901	1,550.8	74.8	.....	.....	15.0	3.0	3.0	29.9	44.9	.....	104.8	6.0	65.9
	1902	1,430.8	29.7	.....	.....	.....	11.9	8.9	20.8	23.8	.....	136.8	3.0	89.2
	1903	1,483.8	14.8	.....	.....	.....	17.7	26.6	14.8	50.2	.....	100.5	17.7	65.0
	1904	1,524.5	35.2	.....	.....	.....	.....	2.9	8.8	44.1	.....	149.8	17.6	58.7
	1905	1,485.7	32.1	.....	.....	17.5	11.7	14.6	17.5	11.7	5.8	125.5	11.7	61.3
Allegany county	1901	1,310.4	31.1	2.4	.....	2.4	4.8	16.7	7.2	59.8	.....	64.6	12.0	45.4
	1902	1,331.4	21.4	4.7	2.4	.....	9.5	.....	4.7	35.6	.....	80.7	7.1	80.7
	1903	1,316.8	23.6	2.4	.....	2.4	.....	18.8	.....	49.5	.....	56.5	4.7	68.3
	1904	1,416.8	9.4	2.3	.....	7.0	2.3	2.3	4.7	63.1	.....	53.8	16.4	56.1
	1905	1,195.2	23.2	.....	.....	.....	2.3	11.6	7.0	55.7	34.8	41.8	9.3	71.9
Broome county	1901	1,649.4	33.7	3.4	3.4	20.2	10.1	6.7	30.4	54.0	.....	77.6	6.7	101.2
	1902	1,319.2	13.4	3.4	.....	.....	3.4	10.1	10.1	13.4	.....	94.0	.....	63.8
	1903	1,386.4	10.0	3.3	.....	3.3	.....	6.7	6.7	43.4	.....	90.2	13.4	86.9
	1904	1,732.2	6.6	3.3	.....	49.9	3.3	13.3	13.3	43.2	.....	86.4	10.0	53.2
	1905	1,591.7	23.2	.....	.....	.....	6.6	.....	9.9	56.3	13.2	82.7	6.6	59.6
Cattaraugus county	1901	1,234.9	19.6	.....	.....	3.6	3.6	1.8	7.1	49.9	.....	67.7	8.9	51.7
	1902	1,264.9	19.6	1.8	.....	23.2	7.1	3.6	21.4	17.8	.....	57.1	5.4	58.9
	1903	1,221.6	17.9	.....	.....	.....	5.4	16.1	8.9	25.0	.....	44.7	12.5	58.9
	1904	1,305.3	21.5	.....	.....	3.6	.....	1.8	23.2	19.7	.....	69.7	.....	64.4
	1905	1,213.7	7.2	1.8	.....	3.6	.....	23.3	19.7	16.1	16.1	73.4	5.4	71.6
Cayuga county	1901	1,564.4	19.7	2.8	.....	16.9	.....	8.5	11.3	118.4	.....	118.4	19.7	90.2
	1902	1,477.4	11.4	5.7	.....	2.9	2.9	11.4	8.6	22.8	.....	85.6	14.3	65.6
	1903	1,471.9	20.2	2.9	.....	5.8	.....	5.8	17.3	34.6	.....	115.4	11.5	49.1
	1904	1,641.6	32.1	2.9	2.9	.....	2.9	.....	5.8	26.3	.....	116.8	8.8	99.3
	1905	1,608.6	14.8	.....	.....	.....	5.9	11.8	11.8	38.4	26.6	100.5	17.7	68.0
Chautauqua county	1901	1,267.7	24.0	9.2	.....	7.4	5.5	12.9	11.1	85.0	.....	101.6	20.3	46.2
	1902	1,334.1	22.1	1.8	.....	9.2	7.4	5.5	34.9	25.7	.....	93.7	14.7	60.6
	1903	1,363.3	21.9	1.8	.....	.....	7.3	5.5	14.6	23.8	.....	95.0	20.1	74.9
	1904	1,443.0	20.0	1.8	1.8	5.5	12.7	1.8	3.6	67.2	.....	94.5	14.5	81.8
	1905	1,359.2	9.0	.....	.....	5.4	1.8	7.2	7.2	27.1	7.2	83.1	14.5	79.5
Chemung county	1901	1,669.8	44.2	5.5	.....	11.1	5.5	33.2	22.1	99.5	.....	143.8	11.1	77.4
	1902	1,512.9	56.2	.....	.....	.....	.....	.....	50.6	22.5	.....	118.1	39.4	50.6
	1903	1,442.1	40.1	.....	.....	5.7	5.7	22.9	17.2	11.4	.....	80.1	5.7	68.7
	1904	1,666.0	17.5	11.7	.....	.....	.....	11.7	29.1	29.1	.....	122.3	23.3	104.9
	1905	1,512.5	29.7	5.9	.....	.....	.....	.....	17.8	41.5	17.8	112.7	17.8	106.7
Chenango county	1901	1,778.1	27.3	.....	2.7	16.4	21.9	10.9	8.2	92.9	.....	153.0	13.7	128.4
	1902	1,432.2	27.3	2.7	.....	.....	2.7	.....	2.7	10.9	.....	117.3	13.6	73.7
	1903	1,490.3	10.9	2.7	.....	8.2	2.7	8.2	10.9	27.2	.....	81.7	8.2	92.6
	1904	1,741.5	16.3	.....	.....	2.7	5.4	.....	8.2	54.4	.....	84.4	16.3	122.4
	1905	1,627.9	16.3	2.7	.....	5.4	10.9	2.7	8.2	43.5	16.3	111.4	16.3	70.7

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.8	9.2	24.0	152.9	130.8	73.7	86.6	103.2	62.7	84.8	71.9	5.5	77.4	60.8	103.2	7.4
7.3	14.6	25.6	232.4	153.7	100.6	102.5	84.2	58.6	109.8	62.2	3.7	91.5	42.1	87.8	12.8
.....	7.3	38.2	219.9	139.9	96.3	87.2	69.1	49.1	143.6	81.8	5.5	110.9	29.1	127.2	5.5
.....	7.2	12.6	213.0	171.5	144.4	75.8	77.6	52.3	119.1	43.3	1.8	95.7	18.0	144.4	1.8
.....	12 5	28.7	186.4	177.5	86.0	116.5	78.9	64.5	102.2	41.2	5.4	96.8	19.7	123.7	1.8
.....	20.0	45.1	245.3	135.2	145.2	85.1	100.1	85.1	60.1	70.1	10.0	105.1	90.1	135.2	.....
.....	29.7	19.8	163.4	163.4	34.7	94.1	94.1	84.2	89.1	19.8	5.0	74.3	69.3	99 0	.....
.....	4.9	19.6	107.7	122.4	63.6	63.6	39.2	73.4	68.5	44.1	.....	49.0	58.7	58.7	.....
4.8	4.8	19.4	217.9	125.9	111.4	58.1	92.0	62.9	62.9	43.6	.....	67.8	67.8	72.6	4.8
.....	14.4	19.2	134.1	114.9	105.4	67.0	67.0	86.2	91.0	33.5	14.4	33.5	19.2	105.4	4.8
.....	.....	21.8	157.2	78.6	65.5	52.4	96.1	43.7	39.3	43.7	8.7	96.1	39.3	74.2	.....
.....	4.2	33.6	168.1	96.6	96.6	71.4	113.4	29.4	29.4	33.6	4.2	79.8	25.2	88.2	4.2
.....	4.0	20.2	113.4	129.6	85.0	44.5	64.8	20.2	52.6	85.0	20.2	85.0	52 6	93.1	.....
.....	27.4	11.7	89.9	148.5	109.4	86.0	121.1	15.6	46.9	101.6	15.6	136.8	27.4	82.1	.....
.....	3.8	37.7	113.2	117.0	79.3	67.9	113.2	41.5	83.0	37.7	18.9	83.0	18.9	67.9	.....
.....	.....	19.5	210.3	109.0	112.9	54.5	70.1	62.3	70.1	50.6	7.8	35.0	62.3	151.9	.....
3.9	19.4	7.7	224.5	108.4	89.0	38.7	104.5	58.1	73.6	65.8	.....	46.5	54.2	112.3	.....
.....	.....	19.2	242.5	111 6	84.7	69.3	65.4	38.5	92.4	80.8	.....	50.0	53.9	115.5	3.8
.....	15.3	15.3	199.0	137.7	122.4	65.0	91.8	88.0	88.0	88.0	7.7	76.5	49.7	172.2	7.7
.....	19.0	19.0	209.2	110.3	102.7	60.9	121.7	79.9	102.7	60.9	7.6	72.3	72.3	83.7	.....
3.0	6.0	8.9	208.3	136.9	59.5	62.5	53.6	68.4	74.4	50.6	11.9	101.2	44.6	101.2	.....
2.9	5.8	23.3	154.6	148 8	81.7	81.7	72.9	72.9	78.8	55.4	8.8	61.3	55.4	113.8	.....
.....	11.4	22.9	171.7	163.1	54.4	100.2	68.7	65.8	60.1	54.4	8.6	68.7	71.5	85.9	.....
.....	8.4	11.2	196.6	137.6	92.7	50.6	84.3	39.3	56.2	61.8	5.6	70.2	42.1	98.3	5.6
.....	11.0	24.8	190.2	118.6	77.2	66.2	143.4	71.7	80.0	49.6	13.8	66.2	13.8	113.0	2.8
.....	4.2	20.9	162.7	133.5	137.7	75.1	37.5	50.1	37.5	37.5	4.2	41.7	33.4	91.8	.....
4.2	.....	4.2	126.0	126.0	63.0	54.6	58.8	71.4	54.6	29.4	.....	58.8	21.0	71.4	.....
.....	4.2	12.7	160.7	126.8	80.3	33.8	21.1	59.2	42.3	25.4	12.7	76.1	8.5	105.7	.....
.....	12.8	8.5	170.3	136.2	166.0	55.3	29.8	85.2	46.8	34.1	25.5	85.2	29.8	132.0	8.5
.....	.....	21.4	141.5	132.9	115.8	85.7	60.0	60.0	47.2	25.7	17.1	68.6	25.7	47.2	.....
.....	.....	21.1	163.0	81.5	123.7	60.4	87.5	60.4	102.6	63.4	3.0	108.7	27.2	111.7	3.0
.....	5.8	17.4	127.9	159.8	104.6	55.2	81.4	37.8	87.2	46.5	14.5	87.2	29.1	107.5	2.9
.....	16.8	19.6	145.7	103.7	89.7	89.7	53.2	42.0	134.5	47.6	11.2	162.5	14.0	67.3	.....
.....	16.2	24.4	148.8	135.3	108.2	43.3	54.1	27.1	83.9	46.0	13.5	100.1	24.4	62.2	5.4
.....	13.1	20.9	136.0	107.2	109.8	60.2	68.0	41.8	73.2	49.7	10.5	112,5	15.7	81.1	.....
.....	14.3	7.2	197.2	121.9	114.7	75.3	82.5	100.4	93.2	43.0	7.2	93.2	57.4	93.2	.....
.....	7.1	24.9	181.8	142.6	53.5	74.8	71.3	67.7	71.3	60.6	7.1	103.4	39.2	139.0	.....
.....	22.5	29.9	220.8	146.0	78.6	74.8	48.7	56.1	67.4	59.9	3.7	146.0	52.4	108.5	11.2
.....	18.6	14.9	193.4	200.8	107.9	81.8	89.3	66.9	85.5	59.5	18.6	107.9	29.8	130.2	.....
3.7	14.8	33.3	177.4	210.7	99.8	33.3	48.1	88.7	88.7	33.3	33.3	96.1	29.6	114.6	3.7
.....	9.0	26.9	155.7	173.6	113.8	92.8	74.8	77.8	107.8	41.9	3.0	98.8	29.9	197.6	.....
3.0	8.9	26.8	157.7	193.4	71.4	47.6	50.6	44.6	136.8	53.5	5.9	110.1	23.8	166.6	5.9
.....	14.8	38.4	147.8	147.8	88.7	103.5	68.0	82.8	141.9	23.6	8.9	136.0	38.4	136.0	.....
2.9	26.4	32.3	146.9	226.2	94.0	96.9	73.4	73.4	88.1	41.1	8.8	17.5	44.1	132.2	2.9
.....	17.5	37.9	157.6	178.1	128.4	81.7	61.3	67.1	96.3	64.2	2.9	99.2	64.2	119.7	.....
7.2	4.8	14.3	172.2	215.2	83.7	43.0	33.5	74.1	76.5	21.5	9.6	107.6	33.5	162.6	4.8
4.7	4.7	9.5	151.9	218.3	97.3	57.0	57.0	87.8	90.2	30.9	14.2	33.2	21.4	201.8	4.7
2.4	23.6	33.0	129.6	223.8	87.2	47.1	23.6	91.9	70.7	23.6	7.1	80.1	33.0	214.4	.....
.....	11.7	16.4	187.0	250.2	116.9	79.5	30.4	98.2	58.5	51.4	11.7	93.5	32.7	161.3	.....
.....	18.6	11.6	143.9	204.2	85.9	32.5	53.4	78.9	60.3	23.2	20.9	60.3	16.2	123.0	4.6
10.1	6.7	16.9	202.4	131.5	128.2	70.8	43.8	94.4	101.2	23.6	10.1	101.2	40.5	317.1	3.4
3.4	3.4	26.9	231.6	147.7	73.9	60.4	23.5	67.1	94.0	43.6	13.4	63.8	40.3	211.5	3.4
10.0	10.0	10.0	187.1	170.4	66.8	53.5	33.4	147.0	83.5	36.7	10.0	43.4	20.0	240.5	.....
13.3	26.6	10.0	196.2	262.7	99.7	66.5	43.2	106.4	123.0	43.2	10.0	116.4	43.2	285.9	3.3
6.6	16.5	13.2	182.0	218.4	112.5	82.7	46.3	99.3	115.8	46.3	16.5	142.3	46.3	188.6	.....
.....	7.1	12.5	133.6	187.1	89.1	62.4	55.2	78.4	71.3	44.5	5.3	87.3	33.9	149.7	3.6
.....	16.1	10.7	165.9	185.5	98.1	69.6	53.5	82.1	37.5	35.7	10.7	76.7	39.2	165.9	1.8
1.8	14.3	16.1	157.2	191.1	83.9	50.0	41.1	62.5	42.9	42.9	16.1	96.4	25.0	191.1	.....
1.8	19.7	7.2	144.8	216.4	96.6	44.7	69.7	59.0	66.2	32.2	12.5	125.2	50.2	152.0	3.6
3.6	9.0	25.1	134.3	211.2	71.6	55.5	48.3	50.1	62.7	41.2	12.5	68.0	32.2	146.8	3.6
5.6	5.6	11.3	194.5	152.2	98.7	76.1	42.3	73.3	90.2	47.9	19.7	73.3	37.4	180.4	.....
2.9	11.4	20.0	262.4	228.2	74.2	45.6	48.5	77.0	82.7	39.9	8.6	94.1	37.1	214.0	.....
.....	23.1	23.1	248.2	204.9	89.5	66.4	31.7	83.7	69.3	37.5	28.9	75.0	37.5	187.6	2.9
2.9	23.4	8.8	251.2	327.2	105.2	61.3	23.4	90.6	93.5	46.7	14.6	87.6	26.3	181.1	.....
.....	23.7	8.9	251.3	254.3	103.5	50.3	71.0	82.8	100.5	29.6	17.7	82.8	32.5	204.0	.....
.....	12.9	18.5	205.1	140.4	51.7	38.8	35.1	64.7	62.8	38.8	7.4	53.6	25.9	186.6	1.8
5.5	7.4	9.2	165.4	187.4	88.2	47.8	49.6	82.7	80.9	25.7	9.2	62.5	57.0	174.6	5.5
3.7	18.3	18.3	179.1	182.7	76.8	58.5	56.7	102.3	71.3	29.2	7.3	84.1	31.1	179.1	.....
1.8	16.4	21.8	179.9	245.3	100.0	61.8	41.8	74.5	74.5	32.7	12.7	90.9	34.5	147.2	1.8
.....	9.0	21.7	162.7	204.2	84.9	70.5	48.8	99.4	77.7	28.9	7.2	106.6	28.9	166.3	.....
.....	22.1	22.1	254.3	182.5	110.6	71.9	66.3	105.1	49.8	27.6	16.6	94.0	11.1	182.5	.....
.....	16.9	11.2	202.5	213.7	90.0	61.9	28.1	101.2	101.2	33.7	5.6	56.2	22.5	225.0	5.6
.....	11.4	22.9	154.5	223.2	108.7	63.0	40.1	103.0	63.0	22.9	.....	148.8	17.2	206.0	.....
5.8	5.8	11.7	227.2	238.8	87.4	110.7	29.1	122.3	58.3	35.0	35.0	87.4	23.3	238.8	.....
.....	11.9	29.7	160.1	231.3	94.9	29.7	71.2	83.0	106.7	41.5	11.9	118.6	23.7	148.2	.....
5.5	10.9	35.5	226.7	224.0	103.8	106.5	41.0	95.6	76.5	41.0	21.9	92.9	35.5	185.7	.....
10.9	24.6	10.9	231.9	207.3	92.7	70.9	27.3	114.6	79.1	24.6	8.2	54.6	43.6	180.0	.....
.....	16.3	10.9	185.3	280.6	106.3	92.6	21.8	92.6	89 9	38.1	13.6	81.7	32.7	174.4	.....
2.7	27.2	27.2	217.7	332.0	114.3	70.7	29.9	92.5	103 4	32.7	21.8	98.0	32.7	228.6	.....
.....	32.6	16.3	225.6	255.5	141.3	62.5	70.7	81.5	125.0	40.8	19.0	70.7	19.0	163.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.														
Clinton county	1901	1,131.5	14 7	....	2 1	8.4	21.0	8.4	33.6	48.3	.....	130.2	14.7	44.1
	1902	984.6	8.4	.....	2 1	8.4	6 3	12 5	20.9	25.1	.....	121.2	8.4	41.8
	1903	1,063 7	12 5	.....	.....	10.4	29.1	2 1	8.3	29.6	.....	110.3	12.5	25.0
	1904	1,183.6	10.4	2.1	2 1	.....	31 1	6.2	14.5	47.7	.....	120.2	10.4	43.5
	1905	1.248.8	18 6	.....	.....	6 2	.....	12.4	14.4	45.4	8.3	125.9	12.4	41.3
Columbia county	1901	1,659.5	62 8	.....	.....	.....	.....	3 0	23.9	71.8	.....	110 6	3.0	71.8
	1902	1,406 4	18 1	9.0	.....	3 0	.....	6 0	9.0	12.0	.....	135.5	6.0	87.3
	1903	1,613.8	21 2	3 0	.....	9.1	9.1	3.0	21 2	39.4	.....	112.2	12 1	78 9
	1904	1,674.5	21 4	3.1	.....	6.1	18 3	3 1	6.1	67.2	.....	128 3	15.3	67.2
	1905	1,625.3	24 6	.....	.....	15.4	3.1	3.1	12.3	49.3	3 1	169.3	15.4	86.2
Cortland county	1901	1,587.3	86.1	5.4	.....	5.4	.....	5.4	5 4	43.0	.....	118 4	5.4	91.5
	1902	1,601.5	16 1	.....	.....	.....	.....	5.4	21.5	48 4	.....	75 2	5.4	118 2
	1903	1,582 9	22 1	.....	.....	5.5	.....	5.5	22.1	33 1	.....	71.7	16.5	88.2
	1904	1,735.2	22 0	.....	.....	11 0	.....	.....	.....	55.1	.....	49 6	16 5	126.7
	1905	1,722 0	11 0	.....	.....	.....	5.5	.....	11.0	27 5	16.5	93.5	16.5	93.5
Delaware county	1901	1,334.8	25 8	.....	.....	28.0	4 3	4 3	10.8	62.4	.....	86.1	8.6	62.4
	1902	1,224.0	6 5	.....	.....	.....	2 2	8 6	15.1	17.2	.....	60 2	15.1	81.7
	1903	1,051.1	12.9	.....	.....	.....	4 3	6 4	2.1	21 5	.....	86 0	6.4	77.4
	1904	1,267.2	23 6	.....	.....	10.7	4.3	6 4	25.8	27 9	.....	75 2	12 9	51 5
	1905	1,253.3	15 0	2.1	.....	15 0	.....	6 4	6 4	25 8	19.3	90.1	10.7	92 3
Dutchess county	1901	1,046 7	29.4	12.1	.....	1.7	8.6	5.2	29.4	55 3	....	231.5	25.9	48.4
	1902	1,769.8	25 8	10.3	.....	1.7	1 7	10.3	22.4	20 6	.....	156.5	12 0	75.7
	1903	1,854.7	30 8	5.1	.....	10 3	5 1	6 9	15.4	32 5	.....	220.9	24.0	83.9
	1904	1,971 3	20 5	5 1	.....	13.6	.....	10.2	15.3	44.3	.....	242 2	11.9	83.6
	1905	1,940.9	17 0	3.4	.....	3.4	3.4	11.9	22.1	28 9	8.5	207.2	22 1	86.6
Erie county	1901	1,398.6	17.8	2.4	.....	2.4	3.6	14.2	21.3	43.8	.....	100.7	13.0	63.9
	1902	1,277 6	18.3	.....	.....	6.9	5 7	11.4	26.3	11.4	.....	86.8	12 6	66.2
	1903	1,246.6	26 5	.....	.....	1.1	3 3	11 0	18.7	20.9	.....	77.2	8.8	44.1
	1904	1,268.7	12 8	1.1	.....	8 5	5.3	.....	12.8	21 3	.....	90.5	9.6	52.2
	1905	1,375 0	13 4	.....	.....	6.2	8.2	13.4	16.5	36 1	9.3	84.5	8.2	73.2
Essex county	1901	1,510.2	25.8	.....	.....	12.9	6.4	25.8	6.4	93.4	.....	122 4	9.7	64.4
	1902	1,372.3	28.7	.....	6.4	6.4	3.2	3.2	9.6	12.7	.....	175.1	28.7	57.3
	1903	1,347.8	25 2	3.1	.....	3.1	6.3	9.4	3.1	18.9	.....	129.1	18.9	66.1
	1904	1,398.5	9 3	.....	.....	3 1	18.7	.....	18 7	18.7	.....	196.2	12.5	56.1
	1905	1,506 7	18.5	3.1	.....	.....	3 1	21.6	9.2	46 2	12.3	191.0	18.5	49.3
Franklin county	1901	1.571.3	9 2	2.3	.....	2.3	2.3	9.2	80.2	50 4	.....	265.7	18.3	34.4
	1902	1.529 5	20.2	4.5	13.5	38.2	27.0	11.2	13.5	11.2	.....	285 7	18.0	47.2
	1903	1,416.2	33.1	4.4	.....	2.2	8.8	4.4	13.3	50.9	.....	265.1	19 9	39.8
	1904	1,602 0	13 0	.....	.....	.....	8.7	6.5	26.0	26.0	....	236.6	8.7	60.8
	1905	1,610.8	21.3	4.3	.....	27.7	6.4	53.3	14.9	23 5	14.9	296.6	34.1	55.5
Fulton county	1901	1,677 1	21 1	.....	.....	28 1	....	7.0	28 1	70.2	.....	140.3	14.0	77.2
	1902	1,549.0	28.3	.....	.....	....	7.1	.....	14.1	14 1	.....	70.7	21.2	99.0
	1903	1,390.4	7 1	.....	.....	....	14.3	21.4	14.3	21.4	.....	92 7	7.1	78.4
	1904	1,416 0	....	.....	.....	.....	7.2	.....	50.3	35.9	.....	100.6	7.2	71.9
	1905	1,478 4	7 2	.....	.....	7.2	.....	.....	7.2	43.5	29.0	144.9	.....	58.0
Genesee county	1901	1,533 6	31.6	5.7	....	5.7	8.6	28.7	23.0	71.8	.. ..	97.6	14.4	89.0
	1902	1,234.4	28.5	2.9	.....	....	.....	8.6	5.7	22 8	.. ..	79 8	14.3	68.4
	1903	1,349.9	42.4	.....	.....	....	.....	2.8	5.7	39 6	.....	96 2	.....	73.6
	1904	1,441 2	22.5	2 8	.....	5 6	8.4	.....	19.7	53.4	....	89.9	11 2	89.9
	1905	1,592.6	19.5	2.8	.....	19 5	2.8	11.2	8 4	30.7	19 5	103.2	22.3	92.0
Greene county	1901	1,704.7	54.2	.. ..	.....	19 1	15.9	.....	28.7	35.1	.....	181.6	12.7	51.0
	1902	1,623.7	47.9	3.2	.....	.. ..	3 2	6.4	32 0	22 4	.....	59.8	19.2	60.7
	1903	1,747.3	44.9	3.2	.....	....		9.6	12.8	19 2	..... .	128.2	22.4	83.4
	1904	1,685.2	48 2	.....	.....	....		9 6	12.9	51.5	.. ..	138.3	22 5	99.7
	1905	1,690.4	35 5	3.2	.....	25 8	.....	6.5	6 5	29.0	16.1	177 4	12.9	106.5
Hamilton county	1901	1,093.1	40.5	.....	.....	.....	.....	.....	.....	81.0	....	161.9	40.5	60.7
	1902	892.1	.....	.....	.....	.....	.....	.....	.....	20.3	.....	60.8	60.8	40.6
	1903	995.1	.....	.....	.....	.....	.....	20.3	40.6	40.6	....	20.3	.....	20.3
	1904	1,057.8	20.3	.....	.....	.....	.....	.....	.....	20.3	..... .	101.7	.....	20.3
	1905	855.7	20 4	.....	.....	.....	.....	.....	.....	.....	.....	61.1	.....	81.5
Herkimer county	1901	1,378.8	15.5	3.9	.....	15 5	13.6	5 8	50.4	42.7	.....	122.2	5 8	75.6
	1902	1,061.7	13.4	....	.....	5.8	7 7	3 8	30.7	3.8	.....	74.9	11.5	57.6
	1903	1,325.0	15.2	....	.....	1.9	1.9	24 7	26.6	15.2	.....	116.0	7.6	72.2
	1904	1,270.7	15 1	1 8	.....	1.8	7.5	.....	30 1	15 1	.....	107 3	18.8	65.9
	1905	1,265.9	3 7	1.9	.....	1.9	11 2	3.7	9.3	13 1	20.5	104.4	9.3	57.8
Jefferson county	1901	1,461.5	25 4	1.8	1 8	30 9	3 6	1 8	5.5	74.5	....	125.4	16.4	54.5
	1902	1,282.4	23 6	1 8	.. ..	....	1 8	3 6	5 5	29.1	.....	85.5	14.6	60.0
	1903	1,323.3	18 2	1.8	1 8	....	.....	5 5	16 4	18.2	....	100 1	20.0	69.2
	1904	1,468 2	21 9	.. ..	....	1 8	3.6	9.1	27.3	32.8	.....	105.6	10.9	65.6
	1905	1,370.7	20.1	3 6	.....	1.8	....		9.1	9.1	14.6	93.0	23.7	76.6
Lewis county	1901	1,416 5	18.3	3.7	.....	18 3	.....	7.3	18.3	73.4	.....	128.4	14.7	55.0
	1902	1,207 8	14 8	3.7	.....	....	11.1	.....	.....	29.5	... .	77 6	7.4	77.6
	1903	1,386.8	26 0	7.4	... .	....		3.7	29.7	37.2	....	96.7	11.2	104.1
	1904	1,418.4	15 0	.....	... ...	.....	3.7	11.2	11.2	37.4	.....	86.1	7.5	71.1
	1905	1,363.8	22 6	.....	.....	3.8	... ...	7.5	26.4	18.8	15.1	82.9	7.5	67.8
Livingston county	1901	1,406.6	13.5	8.1	2.7	2.7	.....	18.9	2 7	40.4	.....	140.1	5.4	78.1
	1902	1,337 5	5.4	2.7	2.7	.....	5.4	2.7	16.1	24.2	.....	99.6	10.8	70.0
	1903	1,564.1	8.1	.....	.....	18 8	.....	.....	13.4	43 0	.....	104.8	13.4	91.4
	1904	1,484 2	18.8	5.4	.....	.....	2.7	2.7	21.5	45.6	....	80.5	8.1	75.1
	1905	1,519.7	21.4	.....	.....	.....	5.4	2.7	8 0	24.1	16.1	85.8	13.4	101.8

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.7	37.8	92.4	117.6	44.1	60.9	73.5	58.8	39.9	44.1	4.2	48.3	25.2	142.8	2.1
2.1	4.2	18.8	104.5	106.6	52.3	37.6	37.6	48.1	46.0	41.8	10.5	56.4	33.4	129.6	.....
.....	2.1	31.2	102.0	139.5	58.3	58.3	58.3	64.5	18.7	33.3	6.2	62.4	52.0	120.7	6.2
2.1	6.2	31.1	107.8	147.2	74.6	47.7	45.6	66.3	35.2	62.2	8.3	56.0	37.3	161.7	6.2
.....	6.2	20.6	136.2	163.1	128.0	59.9	84.6	53.7	20.6	51.6	10.3	57.8	55.7	111.5	4.1
.....	15.0	26.9	227.2	134.6	98.7	98.7	59.8	104.7	122.6	53.8	6.0	92.7	20.9	251.2	.....
.....	9.0	15.1	198.8	204.8	87.3	42.2	39.2	87.3	120.5	30.1	9.0	120.5	24.1	132.5	.....
3.0	21.2	12.1	224.5	203.2	88.0	121.3	39.4	94.0	130.4	54.6	6.1	106.2	27.3	166.8	6.1
.....	9.2	6.1	189.4	296.4	103.9	76.4	48.9	113.1	134.4	42.8	3.1	85.6	30.6	195.6	3.1
3.1	3.1	15.4	240.1	221.6	92.3	89.3	49.3	73.9	113.9	55.4	18.5	120.0	12.3	132.4	3.1
.....	16.1	5.4	166.8	161.4	226.0	69.9	48.4	69.9	80.7	37.7	10.8	37.7	59.2	231.4	.....
.....	26.9	10.7	182.7	225.7	96.7	48.4	32.2	145.1	129.0	69.9	10.7	75.2	21.5	225.7	10.7
.....	11.0	5.5	253.7	330.9	159.9	66.2	38.6	55.2	104.8	38.6	5.5	55.2	11.0	176.5	5.5
.....	22.0	11.0	220.3	286.4	104.7	88.1	22.0	148.7	121.2	49.6	16.5	99.2	22.0	236.9	5.5
.....	38.5	5.5	302.6	258.6	115.5	110.0	60.5	60.5	154.0	22.0	11.0	82.5	11.0	209.1	5.5
4.3	15.1	15.1	208.8	236.8	96.9	43.1	49.5	64.6	71.0	21.5	2.2	62.4	21.5	122.7	6.5
.....	6.5	15.1	154.9	174.2	131.2	47.3	62.4	86.0	71.0	10.8	2.2	90.3	17.2	144.1	4.3
.....	8.6	8.6	133.3	135.4	77.4	45.1	36.5	79.5	70.9	27.9	4.3	58.0	8.6	139.7	.....
2.1	21.5	15.0	158.9	221.2	116.0	43.0	36.5	81.6	79.5	17.2	4.3	83.8	19.3	124.6	4.3
2.1	12.9	21.5	141.6	193.1	105.2	53.7	66.5	77.3	88.0	27.9	2.1	47.2	15.0	113.7	2.1
3.5	6.9	24.2	312.7	262.6	126.1	91.5	100.2	84.6	70.8	53.5	1.7	115.7	44.9	198.6	1.7
.....	8.6	22.4	314.7	276.9	106.6	77.4	84.3	84.3	98.0	29.2	8.6	94.6	46.4	178.9	1.7
.....	10.3	22.3	294.6	217.5	142.1	78.8	63.4	94.2	106.2	34.3	8.6	116.5	39.4	191.7	.....
1.7	18.8	35.8	330.8	278.0	134.7	81.9	76.7	87.0	112.5	46.0	10.2	97.2	18.8	194.4	.....
5.1	17.0	28.9	319.2	241.1	129.1	81.5	91.7	96.8	103.6	40.8	11.9	117.2	35.7	207.2	.....
.....	16.6	30.8	174.1	177.6	77.0	68.7	87.6	81.7	71.1	50.9	14.2	106.6	27.2	130.3	1.2
.....	10.3	24.0	161.0	157.6	87.9	74.2	73.1	63.9	52.5	55.9	10.3	90.2	33.1	135.9	2.3
3.3	13.2	11.0	154.3	154.3	74.9	83.8	68.3	72.7	56.2	55.1	6.6	116.8	33.1	129.0	2.2
1.1	7.5	26.6	153.4	172.6	72.4	56.5	74.6	72.4	70.3	57.5	11.7	105.5	34.1	137.4	1.1
1.0	14.4	25.8	158.7	145.3	91.7	78.3	100.0	82.5	62.9	46.4	15.5	146.4	25.8	110.3	1.0
3.2	22.5	25.8	144.9	99.8	157.8	41.9	51.5	74.1	109.5	61.2	3.2	54.7	77.3	215.7	.....
.....	19.1	22.3	168.8	168.8	82.8	66.9	50.9	66.9	66.9	25.5	12.7	60.5	25.5	200.6	3.2
.....	22.0	40.9	176.3	144.9	47.2	94.5	37.8	66.1	78.7	47.2	9.4	113.4	34.6	148.0	3.1
.....	18.7	21.8	190.0	202.5	49.8	68.5	43.6	84.1	68.5	52.9	3.1	90.3	28.0	137.0	6.2
.....	15.4	27.7	172.5	191.0	89.4	73.9	70.9	55.5	80.1	46.2	15.4	80.1	37.0	178.7	.....
2.3	11.5	43.5	109.9	112.2	155.8	82.5	80.2	68.7	55.0	93.9	.....	52.7	61.8	164.9	2.3
.....	11.2	24.7	117.0	128.2	121.5	72.0	72.0	67.5	36.0	54.0	2.2	76.5	85.5	164.2	6.7
6.6	2.2	24.3	101.6	84.0	101.6	59.7	88.4	68.5	37.6	75.1	.....	84.0	70.7	185.6	4.4
4.3	13.0	52.1	143.3	188.9	97.7	89.0	67.3	63.0	67.3	76.0	4.3	80.3	82.5	184.5	2.2
.....	4.3	19.2	121.6	138.7	106.7	68.3	98.1	64.0	72.5	78.9	6.4	78.9	49.1	151.5	.....
.....	7.0	21.1	238.6	161.4	175.4	70.2	56.1	35.1	84.2	49.1	.....	77.2	112.3	203.5	.....
7.1	7.1	49.5	240.5	134.4	99.0	49.5	63.7	56.6	134.4	42.4	7.1	120.2	42.4	240.5	.....
7.1	21.4	7.1	192.5	178.3	156.9	71.3	28.5	85.6	128.3	14.3	.....	57.0	21.4	156.9	7.1
.....	.....	28.8	179.7	136.6	122.2	43.1	43.1	86.3	115.0	14.4	14.4	71.9	43.1	244.4	.....
7.2	21.7	36.2	173.9	268.1	87.0	21.7	29.0	144.9	130.4	43.5	14.5	38.2	36.2	130.4	.....
.....	11.5	17.2	189.5	126.4	155.1	63.2	43.1	51.7	74.7	20.1	17.2	77.5	129.2	180.9	.....
2.9	5.7	20.0	176.7	193.9	74.1	39.9	37.1	65.6	62.7	17.1	22.8	91.2	45.6	145.4	2.9
2.8	17.0	19.8	150.0	158.5	70.7	79.2	42.4	70.7	76.4	59.4	5.7	107.5	50.9	175.5	2.8
2.8	16.9	16.9	199.5	216.3	61.8	42.1	53.4	81.5	73.0	28.1	25.3	109.6	45.0	165.8	.....
5.6	19.5	19.5	212.0	248.2	72.5	61.4	61.4	89.3	86.5	47.4	27.9	97.6	53.0	159.0	.....
6.4	12.7	15.9	213.5	251.7	121.1	51.0	73.3	95.6	111.5	35.1	12.7	114.7	15.9	175.3	.....
6.4	19.2	25.6	278.1	226.9	99.1	83.1	70.3	73.5	92.7	35.2	12.8	63.9	51.1	131.0	.....
12.8	12.8	38.5	230.8	240.5	163.5	105.8	67.3	86.6	99.4	32.1	6.4	99.4	44.9	182.7	.....
.....	9.6	32.2	221.9	238.0	138.3	61.1	67.5	80.4	128.6	32.2	16.1	86.8	38.6	151.1	.....
.....	25.8	19.4	241.9	225.8	106.5	58.1	71.0	71.0	135.5	41.9	6.5	106.5	35.5	125.8	.....
.....	.....	.....	60.7	101.2	101.2	60.7	20.2	101.2	40.5	20.2	.....	20.2	20.2	161.9	.....
.....	20.3	60.8	81.1	60.8	.....	40.6	.....	60.8	40.6	40.6	.....	81.1	60.8	141.9	20.3
.....	20.3	.....	121.9	142.2	101.5	20.3	60.9	20.3	81.2	20.3	.....	101.5	40.6	121.9	.....
.....	.....	20.3	122.1	162.7	81.4	20.3	101.7	122.1	40.7	20.3	.....	101.7	20.3	81.4	.....
.....	.....	.....	122.2	61.1	61.1	.....	20.4	40.7	101.9	20.4	.....	142.6	40.7	81.5	.....
.....	.....	34.9	137.7	147.4	98.9	46.5	65.9	67.9	91.1	38.8	.....	67.9	36.8	192.0	1.9
.....	7.7	28.8	105.6	149.8	78.7	40.3	44.2	49.9	59.5	51.8	13.4	67.2	21.1	132.5	1.9
.....	7.6	49.4	136.9	169.2	64.6	66.5	41.8	108.4	102.7	36.1	7.6	66.5	38.0	148.3	.....
.....	11.3	16.9	107.3	178.8	84.7	52.7	54.6	90.4	90.4	28.2	7.5	80.9	54.6	148.7	.....
.....	5.6	31.7	139.8	179.0	106.3	48.5	61.5	76.4	102.5	28.0	11.2	96.9	33.6	108.1	.....
5.5	12.7	16.4	180.0	236.3	81.8	69.1	43.6	70.9	50.9	36.4	9.1	54.5	23.6	227.2	1.8
.....	12.7	18.2	178.3	181.9	52.8	43.7	41.8	81.9	70.9	61.8	7.3	61.8	29.1	212.8	1.8
7.3	16.4	9.1	154.7	222.1	43.7	89.2	40.0	83.7	65.5	56.4	7.3	43.7	18.2	214.8	.....
1.8	9.1	23.7	184.0	271.4	65.6	52.8	25.5	92.9	71.0	52.8	10.9	94.7	27.3	202.2	3.6
.....	18.2	7.3	153.1	220.6	49.2	51.0	54.7	105.7	80.2	63.8	12.8	83.8	20.1	198.7	.....
3.7	14.7	36.7	168.8	187.1	58.7	106.4	36.7	102.7	58.7	25.7	14.7	36.7	47.7	172.5	7.3
.....	22.2	29.5	181.0	184.7	40.6	40.6	59.1	66.5	62.8	29.5	3.7	62.8	29.5	173.6	.....
.....	7.4	33.5	156.2	204.5	52.1	48.3	55.8	104.1	66.9	33.5	3.7	55.8	22.3	223.1	3.7
.....	22.5	7.5	168.4	209.6	82.3	71.1	71.1	59.9	67.4	29.9	15.0	93.6	22.5	250.7	3.7
3.8	7.5	15.1	135.6	222.3	79.1	79.1	75.3	101.7	64.0	41.4	11.3	67.8	26.4	180.8	.....
2.7	2.7	10.8	223.7	183.2	75.5	62.0	21.6	94.3	97.0	40.4	8.1	91.6	26.9	153.6	.....
5.4	16.1	13.5	191.1	234.1	105.0	45.7	37.7	86.1	78.0	26.9	13.5	61.9	43.1	139.9	.....
5.4	18.8	5.4	239.2	228.4	110.2	67.2	37.6	96.7	91.4	48.4	16.1	86.0	34.9	185.4	.....
2.7	5.4	16.1	238.9	273.8	93.9	45.6	48.3	85.9	80.5	29.5	10.7	120.8	32.2	139.6	.....
.....	5.4	18.8	243.9	214.4	109.9	56.3	61.6	80.4	91.1	42.9	34.8	99.2	42.9	136.7	2.7

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued														
Madison county	1901	1,661.5	34 7				2.5	5 0	9 9	76.9		136.4	29.8	104.1
	1902	1,415 7	24 9				2.5	15 0	12.5	29.9		92.2	24.9	77.3
	1903	1,448.3	12.5	2 5		5 0	5.0	2.5		10.0		90.2	17.5	87.7
	1904	1,574.5	22 7			2.5	2.5		7.6	30.2		110.8	15.1	73.1
	1905	1,735.0	7.6			2 5	10.1	2 5	10.1	25.3	20.3	124.1	12.7	101.3
Monroe county	1901	1,405.4	19 7			17.9		12.5	19.7	50.1		114.4	14.3	57.2
	1902	1,328.5	14.1		5 3	1.8	1.8	7.1	12.4	7.1		121.9	7.1	68.9
	1903	1,365 1	10.5			5.2	3.5	15.7	31.4	27.9		97.8	19.2	80.3
	1904	1,444 0	20.7			1.7	12.1	8.6	31.1	27.6		101.8	22.4	86.3
	1905	1,368 7	8.7			17.4	5.2	5.2	31.3	17.4	12.2	76.5	20.9	76.5
Montgomery county	1901	1,309 3	31.3						7.8	54.7		93.8	15.6	50.8
	1902	1,317.0	15.6	3.9			15.6	7.8	39.0	3.9		116.9		46.8
	1903	1,421.6	42.7	3.9			31.1	3 9	19.4	35.0		101.0	11.7	72.8
	1904	1,448.2	27.1					7.7	11.6	19.4		154.9	19.4	109 7
	1905	1,382.0	23 2			7.7	7.7			27.0	11.6	115 8	15.4	100.4
Nassau county	1901	1 482.2	13.7	3.4	3.4	13.7	12.0	6 9	18 9	20.6		125.4	10.3	94.5
	1902	1,339.3	19.7	6.6		8 2	8.2	14.8	23 0	4.9		118 0	32.8	63.9
	1903	1,350.0	7.8	14.1		4.7	7.8	7.8	28.2	25.1		120.7	18.8	64.3
	1904	1,400.4	15 0	6.0		12.0	4.5	18.0	27.0	10.5		117 2	13.5	61.6
	1905	1,334.2	26 0	7.2		2.9	4.3	7 2	31.7	14.4	14.4	108.2	11.5	63.5
Niagara county	1901	1,289.3	35 7				7.6	10.2	17.8	63.7		84.1	10.2	81.5
	1902	1,238 3	37 9	7.6		10.1	5 1	10.1	17 7	2.5		60.7	2 5	65.7
	1903	1,406 3	35 1	2.5			12 5	12 5	15 0	10.0		122.8	27.6	70.2
	1904	1,395.0	37 3	5.0			7.5	9 9	17.4	42.3		79.6	14 9	84.5
	1905	1,435 7	34.5	2.5		12 3	7.4		4.9	24.7	4.9	115 9	32.1	56.7
Oneida county	1901	1,474.7	18 1	1.6	1.6	11 5	3.3	9.9	14.8	54 3		107.0	11.5	90.5
	1902	1,302 1	19 9				3.3	3.3	13 2	5.0		107.5	8.3	79.4
	1903	1,363.8	20.0		1 7		5 0	8.3	15.0	16.6		98 1	23 3	81.5
	1904	1,539.9	28 4	1.7		3 3	16.7	6 7	23.4	33.4		108.7	1.7	61.9
	1905	1,509.5	18.5	3 4		3.4	6.7	5.0	20.2	11.8	6 7	116.0	18.5	75.6
Onondaga county	1901	1,477.7	31.4	1.7	1.7	11.6	8.3	8.3	18.2	57.9		128 9	13.2	71.1
	1902	1,494 1	26.4	1.6		4.9		9.9	13.2	11.5		153 4	24.7	70.9
	1903	1,464 3	26.3			18.1	3.3	23.0	8.2	39.5		113.5	18.1	69.1
	1904	1,490 5	26.3	1.6			13.1		4.9	19.7		110 0	11.5	80.4
	1905	1,492 0	21.3	3.3		1.6	16.4	6.6	8 2	13.1	9.8	142.5	6.6	68.8
Ontario county	1901	1,401.5	20 3	5.1		10.2		5.1		88.9		106.6	10.2	73.6
	1902	1,467.2	22.7		2.5		2.5	5.1	12 6	12.6		60.6	22.7	85.9
	1903	1,514.6	25.1			7 5	2 5	7.5	7.5	25.1		108.0	15.1	115.5
	1904	1,434.1	15.0	2.5			2 5	7 5	10.0	27.5		99.9	15.0	65.0
	1905	1,535.8	17.4			5 0	7.5	12.4	17.4	12.4	37.3	109.3	9.9	121.8
Orange county	1901	1,507.5	21 6	9 0		1.8	5.4	7.2	30.7	57.7		120.8	10.8	55.9
	1902	1,330.3	17.9	10 7		5.4	8.9	12 5	30.4	8.9		116 3	14.3	42.9
	1903	1,497.8	21.3	1.8			3.5	8.9	26.6	40.8		131.3	24.8	53.2
	1904	1,435.0	21.1	3.5		8.8	5.3	14.1	35.2	37.0		144 4	12 3	58.1
	1905	1,652.6	26.2	8.7			1.7	7.0	28 0	24.5	22.7	172.9	14.0	75.1
Orleans county	1901	1,499.4	32.9			26.3		29.6	6.6	59.2		148.0	16.4	82.2
	1902	1,314.5	45.7					6.5	16.3	16.3		117.4	13.0	48.9
	1903	1,452.8	29.1	6.5			9.7	3.2	12.9	25.9		90.6	12.9	51 8
	1904	1,454.1	3.2	3.2			9.6		28.9	22.5		128.4	22.5	93.1
	1905	1,289.9	6.4	3.2		9.6	6 4		9.6	35.0	6.4	117.8	9 6	57.3
Oswego county	1901	1,600.6	26.9	1 4		1.4		11 3	36.8	59 4		155.7	11.3	84.9
	1902	1,392.6	27.0	7.1		1 4		7 1	8.5	17.0		136.3	27.0	69.6
	1903	1,556.5	37 0	1.4		8.5	4.3	17.1	27.1	21.4		104.0	10.0	71 2
	1904	1,608.5	30 0		1 4		2.9	1 4	22.9	42.9		127.1	8.6	80.0
	1905	1,663.8	40.1	1.4		25.8	8.6	1.4	21.5	20.1	28.7	120.4	21.5	84.6
Otsego county	1901	1,729 1	24.6	2.1		47.2	12.3	8.2	22.6	55.4		119.0	12.3	84.1
	1902	1,354.7	30.9	2.1			6.2	10.3	2.1	12.4		86.5	12.4	88 5
	1903	1,562 4	20.7			4.1	10.3	6.2	10.3	20.7		84.7	18.6	95.1
	1904	1,750 9	20.7			12.4		8.3	8.3	60.2		105 8	20.7	114.1
	1905	1,755.6	14.6	2.1		25.0	2.1	6.2	4.2	37.5	22.9	102.0	12.5	104.1
Putnam county	1901	1,588.6	21.7	7.2		21.7		7.2	21.7	28.9		173 3	14.4	86.6
	1902	1,523.9	7 2	7.2					43.1	14 4		129 4	14.4	79.1
	1903	1,416.8								35.8		128 8	14.3	107.3
	1904	1,738.1					21 4	7.1	35.6	7 1		199 5	14.2	85.5
	1905	1,659.5	7.1	7 1		7.1		28.4	42.6	35 5	21.3	177.3	21.3	57.7
Rensselaer county	1901	1,708.4	62.5			23 7	2.2	6.5	34.5	68.9		155.1	12.9	90.5
	1902	1,476.3	39.0			8.7	2.2	15.2	13 0	19 5		103.9	15.2	90.9
	1903	1,577.0	26.1	2.2		4.4		26.1	10.9	32.6		121.8	13.1	84.8
	1904	1,569.4	35.0	2 2	2.2	6.6	8 7	6.6	10.9	56.8		135 5	8.7	65.6
	1905	1,552.9	35.1			28.6	22 0	4.4	8.8	24.2	22 0	164 7	11.0	74.7
Rockland county	1901	1,453.8	15.1	10.1	2.5		5 0	20.2	32.8	42.9		148.9	2.5	60.6
	1902	1,382.5	17.1	9.8	4 9	17.1	9 8	31.8	19.5	12.2		141 7	12.2	83.0
	1903	1,308.5	11.8	4.7		16.6	2.4	11.8	23.7	26.0		146.7	14.2	47.3
	1904	1,479.9	22.9	6.9		36.7	4.6	9.2	32.1	9.2		112 4	16.1	57.4
	1905	1,382.9	17.8	8.9		6.7	17 8	11.1	24.5	24.5	15.6	106.9	8.9	57.9
St. Lawrence county	1901	1,459.1	34.7	1.3		30.7	6.7	6.7	25.4	53.4		139.0	30.7	61.5
	1902	1,150.4	31.9		1.3	1.3	1.3	8.0	4.0	21.3		101.0	13.3	59.8
	1903	1,205.8	40.9			1.3		6.6	17.2	23.8		85.8	6.6	59.4
	1904	1,192.2	26 3				5.3	7.9	10.5	51.2		101.1	13.1	64.3
	1905	1,404.7	33.9			23.5	1 3	19.6	10.4	30 0	14.4	120.1	23.5	87.5

[1] Shown for 1905 only

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.0	14.9	12.4	200.8	270.3	76.9	89.3	47.1	104.1	71.9	27.3	12.4	89.3	34.7	161.2	.....
2.5	10.0	10.0	196.9	199 4	79.8	74.8	39.9	92.2	69.8	29.9	17.4	89.7	34.9	189.4	.....
2.5	10.0	12.5	182.9	275.6	112.8	45.1	45.1	85.2	85.2	37 6	17.5	67.7	27.6	205.5	2.5
5.0	15.1	17.6	272.1	249.4	131.0	52.9	65.5	73.1	85.7	30.2	10.1	103.3	27.7	168.8	2.5
2.5	38.0	43.1	230.5	288.7	96.2	55.7	58.3	98.8	91.2	60.8	20.3	141.8	20.3	172.2	.....
1.8	12.5	23.2	164.5	128.7	112.6	94.8	46.5	62.6	82.3	44.7	12.5	73.3	66.2	171.7	1.8
.....	8.8	24.7	164.3	187.3	63.6	72.4	76.0	83.0	74.2	38.9	15.9	104.2	31.8	134.3	1.8
.....	10.5	12.2	169.3	202.5	69.8	78 6	50.6	75.1	82.0	52.4	8.7	83.8	20.9	157.1	.....
.....	12.1	17.3	172.5	231.2	98.3	82.8	72 5	70.7	67.3	39 7	17.3	100.1	17.3	132.8	.....
.....	26.1	24.3	161.7	191.3	93 9	53.9	87.0	52.2	85.2	48.7	24.3	106.1	26.1	116.5	.....
.....	11.7	11.7	191.5	129.0	82.1	62.5	31.3	97.7	46.9	15.6	11.7	105.5	62.5	195.4	.....
7.8	11.7	11.7	226.0	190.9	66.2	54.5	39 0	101.3	62.3	31.2	11.7	89.6	42.9	116.9	3.9
.....	27.2	19.4	202.0	244.7	62.1	31.1	27.2	81.6	69.9	19.4	23.3	81.6	38.8	167.0	3.9
.....	15.5	23.2	185.9	220 7	62.0	42.6	46.5	77.4	112.3	19 4	7.7	120.0	34.8	139.4	.....
3.9	.....	7.7	181.4	142.8	38 6	46.3	50.2	61.8	108.1	46 3	19.3	123.5	54.0	189.2	.....
1.7	8.6	32.6	176.9	146.0	109.9	96 2	103.1	73.9	94.5	46.4	8.6	111.6	39.5	109.9	.....
1.6	8.2	13.1	144.3	142.6	82.0	91.8	88 5	62.3	108 2	41 0	11.5	83.6	36.1	123.0	1.6
1.6	14.1	26.7	152.1	144.3	65.9	75 3	80.0	73.7	103.5	59.6	9.4	108.2	36.1	100.3	.....
3.0	12.0	18.0	136.7	166.8	111.2	81 1	115.7	73.6	81.1	51.1	3.0	90.2	42.1	129.2	.....
1.4	10.1	23.1	131.3	155.8	80.8	77.9	138.5	69.2	76.4	64.9	8.7	70.7	36.1	98.1	.....
.....	10.2	20.4	107.0	135.0	89.2	68 8	91.7	61.2	45.9	43.3	5.1	91.7	15.3	193.6	.....
.....	15.2	7.6	166.8	179.4	75.8	58 1	65.7	93.5	40.4	50 5	12.6	88.5	30.3	128.9	5.1
.....	20.1	35.1	198.0	188.0	62.7	72 7	57.7	90.2	32.6	62.7	2.5	75.2	27.6	167.9	5.0
.....	9.9	39.8	124.3	194.0	97.0	47.2	72.1	94.5	54.7	52.2	5.0	111.9	47.2	146.7	.....
.....	14.8	24.7	157.9	229.4	86.3	54.3	83.9	86.3	39.5	71.5	7.4	106.1	59.2	115.9	2.5
.....	18.1	36.2	177.8	179.4	126.7	83.9	44.4	95.5	74.1	31.3	3.3	49.4	60 9	169.5	.....
3.3	3 3	9.9	172.1	183.6	92.7	39.7	41.4	102.6	96.0	39.7	.....	57.9	36.4	183.6	.....
1.7	15 0	28.3	148.0	158.0	106.4	66.5	38.3	78.2	73.2	49.9	10.0	74.8	63.2	183.0	.....
3.3	20.1	36.8	187.3	204.0	108.7	73.6	55.2	90 3	88.6	43.5	21.7	98.6	45.1	175.6	1.7
.....	11.8	31.9	178.2	223.6	117.7	85.7	80.7	90.8	67.2	43.7	8 4	80.7	55.5	147.9	.....
5.0	14.9	23.1	185.1	173.6	86.0	105.8	57.9	82.6	69.4	26.4	8.3	67.8	39.7	180.2	.....
.....	11.5	28.0	222.6	183.0	95.6	72.6	49.5	82.5	67.6	49.5	19.8	69.3	42.9	183.0	.....
4.9	18.1	21.4	169.5	228.7	100.4	62.5	34.6	87.2	70.7	32.9	11.5	74.0	32.9	195.8	.....
3.3	9.8	31.2	203.5	226.5	110.0	68.9	41.0	52.5	90.3	41.0	19.7	73.9	46.0	205.2	.....
.....	11.5	27.8	183.4	248.9	78.6	63.9	52.4	93.4	85.2	45.9	13.1	104.8	22.9	162.1	.....
2.5	17.8	17.8	226.0	109.2	91.4	63.5	40.6	71.1	68.6	50.8	5.1	45.7	81.2	190.4	.....
.....	20.2	17.7	214.6	209.6	108.6	78.3	55.6	98.5	90.9	35.4	7.6	70.7	37.9	191.9	2.5
.....	10.0	10.0	198.4	208.5	123.1	80.4	57.8	118.1	90.4	30.1	15.1	75.4	35.2	148.2	.....
.....	15.0	12.5	234.8	207.4	62.5	79.9	89.9	79.9	97.4	32.5	12.5	82.4	10.0	172.4	.....
2.5	24.9	24.9	208.8	206.3	94.4	59.6	49.7	77.0	82.0	59.6	14.9	92.0	22.4	161.5	5.0
.....	10.8	23.4	192.9	171.3	97.4	108.2	95.6	72.1	59.5	46.9	16.2	106.4	34.3	151.5	.....
3.6	8.9	16.1	200.4	132.4	93.0	71.6	73.3	78.7	73.3	46.5	12.5	110.9	16.1	130.6	.....
.....	19.5	30.2	188.1	181.0	85.2	99.4	62.1	65.7	99.4	44.4	10.6	126.0	40.8	133.1	.....
3.5	10.6	28.2	163.7	163.7	86.3	58.1	91.6	75.7	89.8	45.8	3 5	89.8	37.0	146.1	1.8
.....	19.2	68.1	159.0	178.2	106.6	71.6	110.1	76.9	96.1	55.9	15.7	145.0	45.4	124.0	.....
3.3	16.4	13.2	190.7	253.2	78.9	52.6	65.8	75.6	59 2	16.4	3.3	98.6	32.9	138.1	.....
.....	6.5	6.5	169.6	189.2	110.9	75 0	58 7	65.2	75.0	32.6	13 0	45.7	35.9	163.1	3.3
.....	16.2	19.4	190.9	200.6	93.8	74.4	51.8	74.4	103.5	35.6	6.5	61.5	38.8	242.7	.....
3.2	19.3	9.6	157.3	189.4	115.6	57.8	54.6	86.7	80.2	38.5	6.4	77.1	35.3	211.9	.....
.....	6.4	3.2	149.7	197.5	57.3	57.3	54.1	82.8	63.7	60.5	19.1	70.1	41.4	165.6	.....
1.4	18.4	18.4	229.3	239.2	94.8	69.3	70.8	110.4	69.3	35.4	1.4	73.6	19.8	159.9	.....
1.4	8.5	17.0	183.1	176.0	90.9	45.4	42.6	89.4	107.9	35.5	7.1	69.6	27.0	190.2	.....
2.8	11.4	14.2	230.7	264.9	101.1	62.7	49.8	91.1	96.8	39.9	8.5	96.8	22.8	160.9	.....
2.9	12.9	22.9	241.4	265.7	98.6	45.7	50.0	101.4	105.7	52.9	5.7	85.7	35.7	164.3	.....
2.9	10.0	17.2	225.0	273.7	96.0	51.6	106.0	96.0	100.3	73.1	5.7	60.2	31.5	140.4	.....
.....	10.3	22.6	199.0	258.4	129.2	65.6	45.1	112.8	119.0	32.8	2.1	73.8	45.1	225.6	.....
2.1	28.8	10.3	177.1	189.4	67.9	39.1	47.4	90.6	131.8	30.9	8.2	47.4	30.9	201.8	.....
2.1	33.1	18.6	241.8	245.9	68.2	47.5	31.0	107.5	138.5	31.0	8.3	95.1	22.7	200.5	.....
4.1	24.9	18.7	211.6	280.1	116.2	56.0	47.7	91.3	132.8	60.2	10.4	93.4	37.3	209.5	.....
.....	16.7	10.4	227.0	324.9	154.1	37.5	35.4	108.3	131.2	58.3	18 7	91.6	22.9	185.3	.....
.....	.....	7.2	274.4	151.6	137.2	86.6	57.8	86.6	50.5	43.3	.....	130.0	65.0	115.5	.....
7.2	7.2	7.2	179.7	201.3	93.4	93.4	86.3	122.2	79.1	28.8	14.4	50.3	86.3	165.3	7.2
.....	.....	35.8	136.0	171.7	85.9	78.7	57.2	50.1	85.9	57.2	14.3	128.8	57.2	171.7	.....
.....	14.2	21.4	206.6	185.2	92.6	114.0	64.1	78.4	106.9	64.1	.....	149.6	64.1	206.6	.....
.....	7.1	14.2	184.4	163.1	134.7	92.2	120.6	49.6	156.0	49.6	14.2	127.7	21.3	120.6	.....
2.2	8.6	32.3	200.4	187.4	125.0	79.7	56.0	94.8	79.7	30.2	2.2	105.6	32.3	215.5	.....
2.2	13.0	30.3	197.0	203.5	134.2	77.9	47.6	80.1	95.2	34.6	8.7	77.9	39.0	127.7	.....
2.2	23.9	26.1	193.6	248.0	119.6	78.3	47.9	97.9	126.2	32.6	2.2	87.0	28.3	141.4	.....
2.2	6.6	28.4	196.7	220.8	155.2	69.9	52.5	78.7	102.7	39.3	6.6	87.4	41.5	142.1	.....
4.4	13.2	26.4	142.8	193.3	131.8	50.5	61.5	85.7	118.6	68.1	4.4	116.4	22.0	118.6	.....
2.5	7.6	40.4	181.7	121.2	103.5	63.1	101.0	68.1	80.8	53.0	5.0	88.3	42.9	151.4	2.5
7.3	4.9	24.4	180.7	119.7	61.1	73.3	100.1	44.0	102.6	63.5	2.4	80.6	44.0	112.4	2.4
.....	11.8	21.3	144.3	151.4	94.6	71.0	40.2	71.0	106.5	71.0	7.1	97.0	28.4	85.2	2.4
2.3	18.4	25.2	142.3	197.3	87.2	75.7	121.6	62.0	103.3	64.2	9.2	114.7	32.1	114.7	2.3
2.2	11.1	29.0	147.0	180.4	62.4	53.4	111.3	69.0	149.2	51.2	6.7	113.6	20.0	75.7	.....
.....	16.0	22.7	139.0	149.7	108.2	66.8	56.1	80.2	44.1	38.7	8.0	69.5	37.4	231.1	1.3
1.3	12.0	14.6	152.8	130.2	65.1	67.7	58.4	57.1	47.8	37.2	1.3	54.5	33.2	171.4	2.7
1.3	11.9	11.9	145.3	151.9	88.5	47.5	70.0	70.0	47.5	42.3	7.9	66.0	25.1	177.0	.....
1.3	15.8	9.2	130.0	200.9	56.5	52.5	40.7	67.0	56.5	36.8	7.9	61.7	26.3	147.0	2.6
1.3	14.4	15.7	135.8	190.6	78.3	73.1	88.8	82.2	65.3	41.8	9.1	62.7	22.2	156.7	2.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.														
Saratoga county	1901	1,850.0	43.0	2.0	.....	16.4	8.2	8.2	22.5	110.6	.....	157.8	10.2	82.0
	1902	1,522.2	20.4	2.0	.....	.....	4.1	.....	16.3	8.2	.....	147.1	20.4	73.6
	1903	1,559.0	34.6	.....	.....	4.1	12.2	12.2	8.2	30.6	.....	187.5	16.3	48.9
	1904	1,516.3	20.3	.....	.....	4.1	2.0	2.0	14.2	26.4	.....	126.0	18.3	67.1
	1905	1,619.7	48.7	2.0	.....	6.1	.....	6.1	14.2	36.5	22.3	160.1	18.2	73.0
Schenectady county	1901	1,470.8	49.0	.....	.....	6.1	6.1	6.1	98.1	6.1	.....	128.7	12.3	42.9
	1902	1,933.1	21.1	.....	.....	.....	63.4	10.6	169.0	10.6	.....	105.6	21.1	84.5
	1903	1,601.5	47.1	.....	.....	9.4	18.8	18.8	18.8	9.4	.....	141.3	9.4	65.9
	1904	1,504.8	8.5	.....	.....	.....	.....	25.5	42.5	17.0	.....	102.0	.....	68.0
	1905	1,239.3	31.0	.....	.....	7.7	23.2	.....	7.7	23.2	7.7	131.7	7.7	54.2
Schoharie county	1901	1,636.2	56.6	.....	.....	22.6	3.8	.....	.....	109.3	.....	139.5	15.1	113.1
	1902	1,530.7	15.3	.....	.....	.....	.....	.....	11.5	42.0	.....	137.4	15.3	80.2
	1903	1,720.3	34.8	.....	.....	3.9	.....	11.6	7.7	42.5	.....	135.3	27.1	61.9
	1904	1,648.6	23.5	.....	.....	.....	11.7	7.8	23.5	82.2	.....	125.3	11.7	117.5
	1905	1,487.7	19.8	.....	.....	19.8	.....	7.9	15.9	27.8	31.7	87.3	19.8	99.2
Schuyler county	1901	1,641.8	12.8	.....	.....	12.8	.....	12.8	19.2	51.1	.....	83.0	12.8	89.4
	1902	1,361.5	19.4	.....	.....	.....	.....	.....	25.8	71.0	.....	83.9	12.9	129.0
	1903	1,264.6	19.6	.....	.....	.....	.....	6.5	6.5	19.6	.....	65.2	.....	65.2
	1904	1,501.7	19.8	.....	.....	13.2	.....	6.6	32.9	26.3	.....	98.8	.....	92.2
	1905	1,643.9	20.0	.....	.....	6.7	6.7	.....	20.0	40.0	40.0	106.5	40.0	66.6
Seneca county	1901	2,062.0	10.7	.....	.....	17.9	10.7	14.3	14.3	85.8	.....	221.6	21.4	92.9
	1902	1,827.6	21.5	3.6	.....	.....	.....	3.6	10.8	18.0	.....	219.0	18.0	114.9
	1903	1,904.9	18.0	.....	.....	3.6	.....	7.2	10.8	25.3	.....	187.6	21.6	151.5
	1904	1,982.9	10.9	.....	.....	3.6	.....	3.6	7.3	50.8	.....	221.1	18.1	68.9
	1905	1,959.6	25.5	.....	.....	7.3	.....	7.3	.....	61.9	21.9	211.3	14.6	72.8
Steuben county	1901	1,457.3	16.8	1.4	.....	14.0	5.6	15.4	14.0	44.9	.....	101.0	5.6	75.7
	1902	1,403.4	22.6	.....	.....	2.8	1.4	2.8	12.7	8.5	.....	84.7	7.1	73.4
	1903	1,429.7	18.5	.....	.....	4.3	1.4	9.9	24.2	37.0	.....	92.4	14.2	71.1
	1904	1,613.8	24.3	1.4	.....	25.8	4.3	1.4	38.6	28.6	.....	118.7	11.4	93.0
	1905	1,551.2	17.3	.....	.....	2.9	.....	4.3	20.2	17.3	18.7	135.4	23.0	96.5
Suffolk county	1901	1,639.7	21.3	1.3	.....	1.3	1.3	15.1	11.3	33.9	.....	195.9	16.3	69.1
	1902	1,634.9	17.1	8.6	4.9	8.6	8.6	13.5	17.1	3.7	.....	181.1	9.8	50.2
	1903	1,783.1	11.9	7.2	.....	2.4	7.2	29.8	15.5	16.7	.....	212.4	8.4	65.6
	1904	1,947.4	18.6	3.5	.....	12.8	4.7	7.0	15.1	24.5	.....	205.0	8.2	80.4
	1905	1,740.1	20.5	5.7	.....	4.5	.....	1.1	20.5	17.1	23.9	169.5	17.1	73.9
Sullivan county	1901	1,601.9	24.4	.....	.....	3.1	.....	9.2	15.3	67.1	.....	344.8	30.5	51.9
	1902	1,483.1	33.1	6.0	.....	6.0	3.0	.....	9.0	12.0	.....	294.8	18.0	57.2
	1903	1,597.0	17.8	5.9	.....	8.9	3.0	8.9	26.7	29.7	.....	311.5	14.8	32.6
	1904	1,831.6	8.8	2.9	.....	14.6	2.9	5.9	26.3	67.3	.....	494.5	8.8	76.1
	1905	1,884.8	40.4	5.8	.....	.....	.....	.....	5.8	28.9	11.5	467.6	23.1	49.1
Tioga county	1901	1,677.8	32.5	3.6	.....	32.5	.....	10.8	7.2	72.2	.....	126.3	3.6	79.4
	1902	1,422.9	21.8	.....	.....	.....	3.6	7.3	32.8	32.8	.....	72.8	.....	80.1
	1903	1,626.0	25.7	7.3	.....	.....	11.0	3.7	22.0	36.7	.....	77.1	14.7	95.4
	1904	1,714.4	14.8	.....	.....	14.8	3.7	7.4	11.1	59.2	.....	92.6	14.8	111.1
	1905	1,658.6	29.9	.....	.....	3.7	.....	3.7	7.5	52.3	26.1	59.8	7.5	82.2
Tompkins county	1901	1,525.7	29.3	.....	.....	4.9	.....	9.8	14.7	44.0	.....	92.9	14.7	83.1
	1902	1,504.4	24.7	.....	.....	4.9	.....	4.9	14.8	34.6	.....	133.6	4.9	39.6
	1903	1,577.9	30.1	5.0	.....	.....	.....	20.0	15.0	70.1	.....	85.2	5.0	95.2
	1904	1,567.1	30.4	.....	.....	5.1	.....	.....	5.1	91.3	.....	81.1	10.1	71.0
	1905	1,699.6	30.8	.....	.....	.....	.....	.....	10.3	30.8	25.7	97.6	30.8	113.0
Ulster county	1901	1,671.6	26.8	14.2	6.3	1.6	26.8	3.2	50.5	52.1	.....	170.5	15.8	71.0
	1902	1,453.3	44.6	8.0	.....	4.8	8.0	12.7	33.4	14.3	.....	156.0	14.3	57.3
	1903	1,377.5	24.1	8.0	.....	1.6	16.1	17.7	16.1	41.7	.....	158.9	8.0	72.2
	1904	1,504.3	40.5	8.1	.....	24.3	1.6	11.3	24.3	42.1	.....	149.0	16.2	64.8
	1905	1,440.7	14.7	3.3	.....	1.6	.....	1.6	26.1	47.4	11.4	132.3	19.6	68.6
Warren county	1901	1,532.2	17.3	.....	5.8	11.6	11.6	.....	5.8	69.4	.....	115.6	17.3	52.0
	1902	1,170.3	46.3	5.8	.....	5.8	.....	.....	.....	40.6	.....	63.7	.....	52.1
	1903	1,555.9	23.2	.....	5.8	11.6	.....	.....	.....	29.0	.....	168.4	17.4	98.7
	1904	1,431.1	11.6	.....	.....	.....	.....	11.6	17.5	17.5	.....	139.6	.....	75.6
	1905	1,288.3	40.8	.....	.....	.....	.....	5.8	5.8	23.3	11.7	58.3	5.8	52.5
Washington county	1901	1,591.2	26.1	.....	2.2	4.4	17.4	8.7	37.0	78.4	.....	139.3	19.6	78.4
	1902	1,491.7	23.8	.....	.....	.....	21.6	2.2	34.6	17.3	.....	138.4	19.5	82.2
	1903	1,415.0	10.7	.....	.....	.....	4.3	.....	2.1	19.3	.....	96.6	21.5	68.7
	1904	1,456.6	21.3	2.1	.....	.....	.....	12.8	8.5	51.2	.....	115.2	19.2	53.3
	1905	1,673.5	59.3	.....	.....	33.9	6.4	2.1	8.5	40.2	29.7	135.6	19.1	86.9
Wayne county	1901	1,457.6	26.7	2.1	.....	6.2	6.2	2.1	12.3	69.8	.....	112.9	8.2	71.9
	1902	1,304.3	39.0	.....	.....	.....	.....	.....	6.2	22.6	.....	100.5	8.2	96.4
	1903	1,532.3	14.3	6.1	.....	16.4	14.3	.....	8.2	32.8	.....	108.6	12.3	84.0
	1904	1,483.6	28.6	.....	.....	.....	4.1	2.0	22.5	30.7	.....	108.5	22.5	88.0
	1905	1,670.1	28.6	4.1	.....	12.3	6.1	24.5	10.2	34.8	20.4	108.3	8.2	75.6
Westchester county	1901	1,705.1	19.2	11.7	4.3	12.8	7.5	21.3	38.3	46.9	.....	217.3	13.8	58.6
	1902	1,569.9	11.3	9.2	5.1	3.1	7.2	13.3	36.8	9.2	.....	155.5	13.3	90.0
	1903	1,437.3	12.8	5.9	2.0	3.9	5.9	12.8	20.7	19.7	.....	174.1	12.8	79.7
	1904	1,618.6	23.7	5.7	.....	14.2	7.6	2.8	23.7	18.0	.....	159.2	22.7	77.7
	1905	1,616.1	19.2	8.2	.....	7.3	4.6	17.4	30.2	23.8	15.5	163.6	21.9	86.8
Wyoming county	1901	1,540.2	13.1	.....	.....	3.3	.....	6.5	13.1	81.8	.....	91.6	16.4	62.1
	1902	1,395.3	32.5	3.3	3.3	.....	.....	3.3	.....	22.8	.....	94.3	13.0	81.3
	1903	1,329.5	19.4	.....	.....	.....	.....	.....	6.5	38.8	.....	55.0	12.9	61.5
	1904	1,463.9	6.4	3.2	.....	.....	.....	6.4	9.7	35.4	.....	67.6	32.2	90.1
	1905	1,417.7	9.6	.....	.....	.....	.....	9.6	3.2	57.6	22.4	73.6	19.2	102.4

[1] Shown for 1905 only

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.1	28.7	157.8	157.8	168.0	100.4	75.8	86.0	98.3	51.2	2.0	108.6	118.8	229.5	.....
.....	10.2	28.6	196.2	141.0	120.6	89.9	55.2	71.5	104.2	53.1	2.0	114.4	45.0	198.2	.....
4.1	8.2	24.5	177.3	173.2	75.4	97.8	55.0	65.2	144.7	26.5	.....	106.0	38.7	203.7	4.1
.....	4.1	32.5	201.2	172.8	109.8	87.4	67.1	89.4	101.6	52.8	2.0	101.6	50.8	162.6	.....
2.0	12.2	40.5	172.3	202.7	127.7	113.5	68.9	77.0	109.5	34.5	4.1	85.1	44.6	135.8	2.0
.....	6.1	24.5	153.2	128.7	91.9	128.7	140.9	42.9	73.5	36.8	6.1	134.8	61.3	85.8	.....
.....	42.3	169.0	116.2	200.7	116.2	126.8	63.4	52.8	84.5	21.1	200.7	95.1	158.4	.....	
28.3	9.4	28.3	141.3	197.8	94.2	103.6	103.6	94.2	94.2	65.9	.....	84.8	9.4	197.8	9.4
.....	.....	8.5	161.5	170.0	127.5	119.0	93.5	76.5	93.5	51.0	17.0	127.5	42.5	153.0	.....
.....	.....	38.7	170.4	139.4	93.0	62.0	38.7	38.7	77.5	31.0	7.7	123.9	38.7	85.2	.....
.....	11.3	18.9	192.3	177.2	135.7	64.1	41.5	90.5	105.6	18.9	11.3	64.1	37.7	199.8	7.5
.....	42.0	7.6	206.1	198.5	57.3	80.2	49.6	91.6	106.9	45.8	7.6	68.7	57.3	198.5	11.5
7.7	15.5	30.9	274.5	235.8	81.2	85.0	58.0	81.2	131.4	38.7	7.7	85.0	58.0	204.9	.....
.....	19.6	31.3	270.2	215.4	62.7	70.5	27.4	105.7	70.5	23.5	15.7	74.4	23.5	231.0	3.9
.....	15.9	23.8	210.3	190.4	75.4	35.7	59.5	79.3	107.1	43.6	11.9	59.5	47.6	190.4	7.9
.....	6.4	6.4	274.7	210.8	159.7	83.0	57.5	121.4	83.0	57.5	12.8	63.9	63.9	146.9	.....
.....	.....	25.8	161.3	167.8	116.1	38.7	25.8	109.7	103.2	45.2	12.9	58.1	19.4	129.0	6.5
6.5	19.6	6.5	208.6	234.7	39.1	52.1	26.1	117.3	52.1	19.6	6.5	97.8	26.1	163.0	6.5
6.6	32.9	.....	237.1	217.3	72.4	65.9	39.5	105.4	125.1	19.8	6.6	52.7	19.8	210.8	.....
.....	20.0	20.0	246.3	272.9	99.8	13.3	13.3	153.1	106.5	20.0	26.6	113.1	20.0	173.1	.....
7.1	17.9	14.3	289.5	339.5	142.9	82.2	64.3	92.9	135.8	32.2	14.3	135.8	21.4	182.3	.....
3.6	18.0	10.8	237.0	333.9	132.9	57.5	61.0	93.4	132.9	18.0	18.0	89.8	7.2	201.1	3.6
.....	14.4	7.2	277.8	270.6	158.7	97.4	54.1	122.7	147.9	32.5	14.4	64.9	18.0	194.8	3.6
.....	25.4	10.9	351.6	416.9	141.4	54.4	58.0	90.6	134.1	25.4	14.5	101.5	14.5	159.5	.....
.....	10.9	18.2	342.4	295.0	112.9	76.5	83.8	102.0	138.4	40.1	14.6	94.7	25.5	182.1	.....
1.4	8.4	23.8	176.7	154.3	148.7	94.0	22.4	72.9	68.7	40.7	5.6	67.3	46.3	231.4	.....
2.8	11.3	25.4	155.3	218.8	108.7	60.7	56.5	101.7	73.4	18.4	18.4	90.4	40.9	201.9	2.8
.....	14.2	25.6	170.5	267.2	89.5	66.8	39.8	75.3	83.8	39.8	11.4	65.4	38.4	169.1	.....
1.4	15.7	17.2	210.3	238.9	91.6	70.1	48.6	110.2	87.3	50.1	15.7	83.0	51.5	174.5	.....
.....	17.3	13.0	203.1	266.4	79.2	72.0	37.4	74.9	77.8	37.4	17.3	92.2	30.2	195.9	1.4
2.5	8.8	17.6	277.5	193.3	84.1	81.6	118.0	75.3	94.2	41.4	6.3	74.1	52.7	144.4	1.3
.....	12.2	15.9	286.3	217.8	71.0	73.4	101.6	93.0	121.1	37.9	6.1	86.9	44.1	140.7	3.7
1.2	14.3	26.3	321.0	233.9	95.5	83.5	58.5	93.1	127.7	58.5	10.7	95.5	45.4	138.4	2.4
1.2	15.1	26.8	347.1	302.8	113.0	79.2	95.5	89.7	135.1	31.4	10.5	87.4	64.1	168.9	.....
2.3	12.5	28.4	311.6	243.4	118.3	89.8	93.3	75.1	126.2	48.9	5.7	72.8	23.9	134.2	.....
3.1	12.2	24.4	134.3	186.1	94.6	88.5	79.3	100.7	67.1	6.1	9.2	51.9	42.7	155.6	.....
9.0	12.0	18.0	180.5	171.5	135.4	51.1	78.2	81.2	42.1	24.1	12.0	51.1	57.2	120.3	.....
5.9	5.9	14.8	160.2	192.8	103.8	71.2	53.4	86.0	68.2	44.5	8.9	77.1	44.5	106.8	3.0
2.9	14.6	17.6	163.9	201.9	90.7	64.4	41.0	70.2	108.3	23.4	11.7	90.7	79.0	140.4	2.9
.....	8.7	43.3	233.8	210.7	112.6	66.4	57.7	101.0	95.3	28.9	2.9	98.1	52.0	141.4	.....
3.6	25.3	18.0	274.2	230.9	61.3	54.1	54.1	83.0	72.2	32.5	10.8	140.7	43.3	205.7	.....
.....	3.6	14.6	232.9	222.0	83.7	47.3	65.5	69.1	61.9	25.5	18.2	80.1	47.3	196.5	3.6
.....	14.7	11.0	242.3	242.3	62.4	106.4	62.4	69.7	91.8	73.4	7.3	99.1	51.4	198.2	.....
.....	7.4	25.9	262.9	281.4	92.6	55.5	44.4	92.6	96.3	55.5	7.4	100.0	48.1	214.8	.....
3.7	18.7	11.2	239.1	254.0	160.6	48.6	108.3	85.9	89.7	26.1	22.4	89.7	41.1	183.0	3.7
.....	14.7	14.7	249.4	171.1	97.8	73.3	97.8	83.1	92.9	24.4	4.9	63.6	53.8	190.7	.....
.....	14.8	19.8	207.8	277.1	103.9	39.6	34.6	74.2	74.2	39.6	14.8	49.5	74.2	212.8	4.9
.....	10.0	5.0	240.4	250.5	50.1	85.2	40.1	70.1	80.1	40.1	10.0	70.1	50.1	250.5	.....
.....	5.1	5.1	263.7	263.7	96.4	60.9	30.4	76.1	91.3	25.4	15.2	81.1	55.8	202.9	.....
.....	5.1	15.4	292.7	261.9	87.3	97.6	51.3	97.6	87.3	41.1	20.5	87.3	41.1	174.6	.....
6.3	7.9	28.4	224.1	153.1	120.0	90.0	74.2	118.4	78.9	45.8	3.2	83.7	41.0	157.8	.....
1.6	17.5	25.5	206.9	170.3	109.8	82.8	49.3	74.8	70.0	23.9	3.2	76.4	46.2	141.7	.....
1.6	6.4	25.7	194.3	154.1	85.1	64.2	56.2	81.9	85.1	28.9	16.1	67.4	46.6	97.9	1.6
1.6	6.5	27.5	228.3	205.7	93.9	68.0	66.4	84.2	85.8	32.4	4.9	56.7	48.6	111.7	.....
.....	4.9	16.3	207.4	191.1	106.2	73.5	75.1	86.6	76.8	40.8	14.7	94.7	32.7	91.5	1.6
11.6	.....	23.1	213.9	156.1	127.2	104.1	40.5	109.9	109.9	40.5	5.8	63.6	17.3	196.6	5.8
5.8	11.6	5.8	127.5	156.4	81.1	46.3	57.9	40.6	98.5	29.0	5.8	75.3	46.3	168.0	.....
11.6	11.6	5.8	150.9	203.2	104.5	40.6	40.6	92.9	139.3	11.6	5.8	162.6	17.4	203.2	.....
.....	23.3	17.5	116.3	238.5	64.0	58.2	93.1	69.8	128.0	46.5	5.8	110.5	23.3	157.1	5.8
.....	11.7	35.0	134.1	192.4	99.1	52.5	46.6	93.3	87.4	52.5	.....	81.6	23.3	174.9	.....
.....	15.2	37.0	174.1	148.0	156.7	74.0	69.7	67.5	93.6	32.7	10.9	100.1	19.6	178.5	2.2
2.2	13.0	32.4	166.5	151.3	121.1	62.7	34.6	88.6	67.0	38.9	10.8	97.3	54.0	203.2	8.6
.....	15.0	17.2	182.5	206.1	111.7	66.6	53.7	77.3	137.4	36.5	6.4	88.0	32.2	158.9	2.1
2.1	14.9	25.6	183.4	183.4	130.1	72.5	55.4	83.2	132.2	38.4	8.5	89.6	10.7	138.6	4.3
2.1	8.5	29.7	171.6	197.0	131.3	74.1	82.6	82.6	114.4	42.4	6.4	86.9	40.2	182.2	.....
2.1	26.7	24.6	190.9	158.1	82.1	73.9	41.1	78.0	71.9	57.5	10.3	102.6	51.3	168.3	.....
.....	8.2	14.4	190.7	194.8	51.3	36.9	34.9	94.3	65.6	34.9	10.3	82.0	20.5	192.8	.....
.....	10.2	22.5	237.6	204.9	51.2	90.1	43.0	96.3	77.8	45.1	41.0	108.6	22.5	182.3	2.0
4.1	20.5	16.4	229.2	204.6	75.7	51.2	49.1	90.0	100.3	51.2	14.3	65.5	38.9	163.7	2.0
2.0	22.5	30.7	226.9	257.6	87.9	61.3	69.5	102.2	112.4	45.0	12.3	85.9	34.8	186.0	.....
2.1	11.7	34.1	147.0	140.6	129.9	118.2	98.0	72.4	133.1	52.2	8.5	132.1	39.4	134.2	.....
1.0	4.1	30.7	162.6	166.7	80.8	93.1	117.6	60.3	102.3	69.5	6.1	116.6	52.2	151.4	1.0
1.0	11.8	25.6	166.3	143.6	79.7	78.7	82.6	59.0	116.1	51.2	9.8	110.2	37.4	112.1	2.0
0.9	13.3	40.7	157.3	164.9	110.9	91.9	126.0	64.4	117.5	52.1	6.6	145.9	47.4	122.2	0.9
0.9	15.5	43.0	139.0	170.9	104.2	97.8	128.0	60.3	106.9	68.6	9.1	129.8	43.0	100.6	.....
3.3	13.1	22.9	245.3	255.1	62.1	81.8	49.1	101.4	65.4	22.9	16.4	101.4	39.2	170.0	3.3
9.8	16.3	9.8	182.1	214.7	100.8	52.0	48.8	91.1	65.0	32.5	13.0	74.8	55.3	175.6	.....
.....	9.7	9.7	194.1	249.1	84.1	74.4	25.9	122.9	42.1	51.8	19.4	74.4	6.5	171.4	.....
3.2	22.5	12.9	196.3	270.3	64.3	61.1	35.4	119.0	70.8	45.0	6.4	93.3	38.6	173.7	.....
9.6	12.8	16.0	169.6	243.2	57.6	67.2	57.6	76.8	86.4	28.8	32.0	80.0	25.6	153.6	3.2

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.														
Yates county	1901	1,436.8	24 9	5.0			19 9	9.9	5.0	89.5		104.4	5.0	54.7
	1902	1,331.0	20.1				10.0		10.0	35.2		120.5	10.0	85.4
	1903	1,628.9	20.3			5 1			10.1	40.6		137.0	20.3	71.0
	1904	1,692 1	35.9			5 1			20 5	71.8		102.6	15.4	66.7
	1905	1,476.8	10 4				5.2	5.2		51.8	20.7	98.5	20.7	88.1
RHODE ISLAND RURAL.														
Bristol county	1901	1,774.6	51.8	14.8					14.8	103.5		147.9	37.0	44.4
	1902	1,790.7	14.4		7.2	7.2		14.4	28.8	21 6		165.4	28.8	93.5
	1903	1,931.8	7.0	7.0		14.0	42.0	42.0	35.0	70.0		175.0	14.0	77.0
	1904	1,799.8	20.5			6 8	20.5	6.8	34.1	13.6		115.9	13.6	61.4
	1905	1,960.4		6.6		19.9		6.6	33.2	53.2	19.9	146.2	26.6	106.3
Kent county	1901	1,914.7	13.0	6.5		3.2	6.5	3.2	68.2	26.0		155.8	13.0	48.7
	1902	1.721.9	15.8				15.8	22.1	31.6	9.5		123.2	19.0	66.3
	1903	1,751.4	30.8	6.2	3.1	49.2	18.5	40.0	52.3	18.5		120.0	24.6	64.6
	1904	1,782.4	18.0	12.0		3.0	9.0	3.0	24.0	33.0		195.0	42.0	57 0
	1905	1,662.6	2.9	2.9		5.9	14.6	17.6	32.2	14.6	14.6	219.5	20.5	70.3
Newport county	1901	1,567 6	38.7			9.7			29.0	19.4		77.4	9.7	125.8
	1902	1,750.7	38.1			9 5	9.5	57.1	57.1	9.5		76.1	19.0	114.2
	1903	1,637.8	9.4	9.4		9.4	9.4	18.7	28.1	9.4		93.6	18.7	74.9
	1904	1,399.8								9.2		92.1	27.6	101.3
	1905	1,576 9	9.1					54.4	18.1	18.1	9.1	90.6	9.1	90.6
Providence county	1901	1,871.0	23.1	8.7		2.9	8.7	1.4	41 9	41.9		199.2	23.1	70.7
	1902	1,794.5	15.5	7 0	1.4	9.9	4.2	23.9	31.0	12.7		188.6	25.3	83.0
	1903	2,007.3	15.1	12.4	1.4	19.2	6.9	39.8	33.0	49.4		229.3	37.1	107.1
	1904	1,790.5	9.4	4.0		1.3	12 1	1.3	18.8	33.5		194.3	33.5	85.8
	1905	1,717.3	22.3	3.9		7.9	1 3	9.2	17.0	32.7	23.6	213.4	30.1	64.1
Washington county	1901	1,619.2	28.8	8.2		4 1			12.4	53 6		156.6	24.7	94.8
	1902	1,279.3	24.6					4.1	4 1	8.2		86.1	8.2	123.0
	1903	1,673.1	24.5	4.1		20.4		16.3	20.4	32 6		106.1	122.4	130.6
	1904	1,591.9	24 4	4.1		12.2	8.1		20.3	36 5		117.8	40.6	117.8
	1905	1,645.0	32.3				8.1	4 0	8.1	32 3	20.2	133.4	20.2	88.9
VERMONT RURAL.														
Addison county	1901	1,586.3	59.4				4.6		4.6	68.6		114.3	13.7	64.0
	1902	1,415.0	41 2			9.2			9.2	36.6		137.4	4.6	82.4
	1903	1,527 5	36 7	9 2		22.9			13.8	45.9		96.3	32.1	87.2
	1904	1,295.7	36 7	4 6			4 6			50 5		82.7		78.1
	1905	1,537.3	64.4			18.4		13.8		105.9	9.2	59.8	9.2	96.7
Bennington county	1901	1,855.7	58.7			51.3	7 3		36.7	29.3		146.7	22.0	51.3
	1902	1,316.6	22.1					36.8	7 4	7.4		73.5	7.4	88.3
	1903	1,394.0	29.5				7.4		44 2	29 5		95.9		59.0
	1904	1,693.8	37.0			7.4			7.4	7.4		74.0	22.2	66.6
	1905	1,698.6	66.8			7.4		29 7	7.4	37.1	29.7	96.4	44.5	74.2
Caledonia county	1901	1,675.1	16 3			28.6	16.3	28 6	32.7	20.4		151.2	28.6	85.8
	1902	1,534.3	48.8					8.1	24.4	32 6		105.8	44.8	28.5
	1903	1,731.1	28.4			36.5	4.1	8.1	8.1	32.4		133.8	36.5	105.4
	1904	1,490 2	36.3						24.2	48.5		84.8	28.3	80.8
	1905	1,681.7	24.1	4.0		12 1		28.2	8.0	56.3	12.1	116.7	16.1	100.6
Chittenden county	1901	1,468.3	14.3				4.8	4.8		23 8		119.2	9 5	52.4
	1902	1,448.2	14.3					4.8	19.0	4.8		104.8	19.0	71.4
	1903	1,704.1	14.3					14.3		57.1		104.7	9.5	104.7
	1904	1,512 6	23.8	4 8				4.8	23.8	38.1		142.7	33.3	61.8
	1905	1,734.7	23.8					4 8	38.0	33.3	19.0	142.6	28.5	66.5
Essex county	1901	1,517.1	88 5			25.3				37.9		63.2		75.9
	1902	1,455.4	38.6		12.9	12.9	25.8	25.8	38.6	25.8		77.3	25.8	25.8
	1903	1,286.4	26 2						39 4	13.1		78 8	13.1	39.4
	1904	1,485.5	53.5						66.9	80.3		66.9	13.4	147.2
	1905	1,501.5							41.0	13.7	13.7	122.9	27.3	68.3
Franklin county	1901	1,468.2	39.7				33.1	16.5	6.6	23.2		172.0	6.6	86.0
	1902	1,350.5	13.2		3.3		23.1	3.3	13.2	6.6		115.6	9.9	62.8
	1903	1,569.4	39.6			16.5		3.3	6.6	26.4		145.1	19.8	79.1
	1904	1,695.5	62.6			6 6	6.6	6.6	23.0	42.8		138.3	32.9	105.3
	1905	1,505.6	26.3			3.3		6.6	23.0	59 2	3.3	108.5	3.3	78.9
Grand Isle county	1901	1,282 0					44.2	44.2		22.1		66.3	22.1	22.1
	1902	850.4					21.8					130.9		43.6
	1903	1,204.8	86.1						21.5	43.0		172.1		64.5
	1904	764.3	21.2									85.0	21.2	63.7
	1905	1,466.9								41.9	41.9	188.6		146.7
Lamoille county	1901	1,530 6	24.5					16.3	8.2	98.1		114.4	32.7	98.1
	1902	1,354 6		16.4		8.2	8.2	8.2	8.2	32.8		139.6	32.8	24.6
	1903	1,261.6	8.2						8.2	24.7		57.7	8.2	90.8
	1904	1,341 8		16.6					8.3	41.4		82.8	16.6	99.4
	1905	1,414.3	16.6	16.6				16.6		74.9	8.3	91.5	16.6	49.9
Orange county	1901	1,731.7	15.6			5.2	5.2	10 4		57.0		103.7	31.1	46.6
	1902	1,640.6	20.8				15.6	5.2	26.0	20 8		109.0	10.4	114.2
	1903	1,544.1	36.4					10.4	15.6	46.8		109.2	10.4	104.0
	1904	1,723.2	5 2					5.2	10.4	78 1		93.7	15.6	130.2
	1905	1,980 8	20 9			5.2		10.4	5.2	67.8	5.2	114.7	31.3	130.3

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	14.9	24.9	243.6	169.0	54.7	54.7	29.8	99.4	59.7	29.8	9.9	59.7	54.7	213.8	.....
.....	10.0	10.0	200.9	165.7	40.2	85.4	40.2	65.3	55.2	40.2	20.1	80.4	20.1	200.9	5.0
.....	30.4	20.3	233.4	233.4	91.3	71.0	35.5	86.3	121.8	60.9	15.2	111.6	30.4	182.7	.....
.....	5.1	25.6	169.2	333.3	148.7	66.7	35.9	66.7	143.6	15.4	5.1	92.3	35.9	225.6	5.1
.....	10.4	20.7	191.7	300.5	51.8	36.3	67.4	88.1	57.0	31.1	36.3	77.7	10.4	196.9	.....
7.4	.....	44.4	199.6	162.7	118.3	29.6	199.6	73.9	170.1	37.0	22.2	81.3	14.8	184.9	14.8
.....	7.2	21.6	194.2	172.6	122.3	100.7	194.2	71.9	194.2	43.1	28.8	71.9	7.2	172.6	7.2
.....	7.0	21.0	175.0	203.0	112.0	56.0	245.0	105.0	168.0	35.0	7.0	133.0	28.0	154.0	.....
.....	.....	.....	231.8	163.6	204.5	129 5	184.1	88.6	190.9	75.0	.....	102.3	13.6	122.7	.....
.....	26.6	19.9	179.4	206.0	132.9	166.1	219.3	86.4	139.6	99.7	13.3	86.4	26.6	132.9	6.6
.....	13.0	68.2	181.7	159.0	207.7	84.4	214.2	110.3	110.3	100.6	26.0	74.6	22.7	198.0	.....
.....	22.1	44.2	180.1	135.9	104.3	97.9	274.9	66.3	110.6	60.0	9.5	66.3	25.3	218.0	3.2
.....	12.3	24.6	169.3	141.6	123.1	86.2	169.3	83.1	110.8	86.2	6.2	98.5	27.7	184.7	.....
3.0	15.0	27.0	195.0	168.0	126.0	117.0	246.1	39.0	99.0	60.0	12.0	84.0	21.0	174.0	.....
.....	8.8	32.2	143.4	131.7	120.0	105.4	152.2	84.9	131.7	61.5	11.7	90.7	20.5	149.3	2.9
.....	19.4	67.7	232.2	154.8	77.4	48.4	145.2	87.1	87.1	58.1	9.7	106.4	38.7	125.8	.....
.....	9.5	47.6	209.3	152.2	57.1	38.1	285.4	152.2	19.0	76.1	19.0	76.1	85.6	133.2	.....
.....	9.4	37.4	168.5	187.2	131.0	84.2	149.7	56.2	93.6	102.9	18.7	112.3	18.7	177.8	9.4
.....	.....	18.4	221.0	285.5	55.3	55.3	64.5	92.1	55.3	55.3	.....	128.9	.....	138.1	.....
.....	18.1	18.1	172.2	217.5	154.1	54.4	126.9	90.6	117.8	45.3	.....	117.8	18.1	126.9	.....
1.4	23.1	37.5	186.2	177.6	138.6	83.7	164.6	53.4	183.3	67.9	18.8	96.7	15.9	170.4	30.3
.....	11.3	35.2	215.3	171.7	122.4	99.9	146.4	83.0	137.9	52.1	11.3	98.5	7.0	192.8	7.0
.....	15:1	16.5	219.7	200.5	142.8	107.1	164.8	72.8	164.8	34.3	13.7	94.7	19.2	188.1	2.7
.....	18.8	33.5	187.6	180.9	144.7	105.9	151.4	61.6	175.6	50.9	14.7	85.8	18.8	160.8	5.4
.....	24.9	11.8	167.5	205.5	157.1	74.6	147.9	53.7	159.7	39.3	15.7	82.5	11.8	129.6	10.5
.....	24.7	12.4	177.2	177.2	148.3	98.9	74.2	90.6	86.5	53.6	4.1	74.2	20.6	189.5	4.1
.....	16.4	16.4	131.2	192.7	86.1	86.1	53.3	98.4	65.6	41.0	20.5	69.7	.....	143.5	.....
.....	28.6	8.2	138.7	244.8	110.2	77.5	97.9	118.3	118.3	44.9	8.2	106.1	20.4	179.6	4.1
4.1	20.3	4.1	150.3	239.6	97.5	73.1	101.5	109.6	121.8	48.7	20.3	85.3	12.2	121.8	.....
.....	28.3	4.0	141.5	185.9	177.8	141.5	72.8	64.7	202.1	40.4	8.1	60.6	4.0	165.7	.....
9.1	27.4	22.9	155.4	132.6	109.7	100.6	86.9	105.1	59.4	41.1	.....	59.4	54.9	278.9	13.7
9.2	36.6	22.9	137.4	128.2	187.7	68.7	45.8	96.2	82.4	22.9	13.7	55.0	9.2	164.8	13.7
4.6	9.2	18.3	243.1	192.6	110.1	73.4	32.1	82.6	59.6	59.6	18.3	82.6	13.8	169.7	13.8
.....	18.4	18.4	147.0	147.0	96.5	41.3	45.9	101.1	96.5	50.6	9.2	50.6	27.6	160.8	27.6
4.6	18.4	13.8	184.1	170.3	119.7	73.6	41.4	73.6	92.1	55.2	4.6	87.4	41.4	170.3	9.2
.....	14.7	66.0	220.0	212.7	249.4	66.0	73.4	88.0	88.0	58.7	14.7	73.4	95.4	132.0	.....
.....	14.7	14.7	228.0	154.4	117.7	29.4	36.8	58.8	95.6	58.8	.....	51.5	14.7	198.6	.....
.....	36.9	44.2	221.3	147.5	81.1	59.0	29.5	36.9	73.8	66.4	7.4	103.3	51.6	169.6	.....
.....	14.8	29.6	244.0	214.5	207.1	37.0	66.6	88.7	125.7	74.0	14.8	96.1	66.6	184.9	7.4
.....	7.4	14.8	163.2	229.9	103.8	74.2	59.3	81.6	89.0	96.4	29.7	118.7	44.5	192.8	.....
8.2	8.2	36.8	208.4	192.1	134.9	106.2	32.7	61.3	53.1	44.9	16.3	44.9	57.2	245.1	16.3
4.1	8.1	44.8	183.1	162.8	195.3	97.7	61.0	73.3	77.3	28.5	16.3	44.8	52.9	179.1	12.2
.....	8.1	28.4	247.3	190.6	137.9	93.2	77.0	113.5	68.9	36.5	.....	93.2	28.4	190.5	24.3
4.0	8.1	24.2	145.4	185.8	161.6	109.0	44.4	92.9	60.6	44.4	20.2	40.4	44.4	197.9	4.0
.....	24.1	36.2	181.0	249.4	140.8	52.3	80.5	76.4	64.4	88.5	8.0	84.5	68.4	140.8	8.0
.....	19.1	47.7	162.1	114.4	100.1	52.4	90.6	95.3	109.6	104.9	4.8	47.7	62.0	200.2	28.6
.....	14.3	14.3	147.7	166.7	119.1	109.6	57.2	52.4	104.8	71.4	.....	95.3	47.6	204.9	4.8
.....	4.8	9.5	166.6	180.9	171.4	114.2	128.5	90.4	95.2	100.0	4.8	80.9	33.3	219.0	.....
.....	28.5	19.0	142.7	180.8	128.4	85.6	57.1	66.6	95.1	52.3	14.3	52.3	23.8	214.0	19.0
.....	28.5	23.8	185.4	218.6	209.1	80.8	109.3	66.5	118.8	66.5	4.8	57.0	28.5	180.6	.....
.....	12.6	12.6	164.4	126.4	113.8	37.9	63.2	50.6	88.5	75.9	12.6	75.9	63.2	290.8	37.9
.....	12.9	51.5	115.9	103.0	115.9	103.0	51.5	25.8	103.0	141.7	12.9	38.6	51.5	167.4	51.5
.....	13.1	39.4	183.8	183.8	105.0	13.1	39.4	91.9	118.1	39.4	13.1	78.8	65.6	91.9	.....
.....	13.4	13.4	160.6	214.1	93.7	93.7	40.1	93.7	40.1	13.4	.....	40.1	26.8	200.8	13.4
.....	13.7	41.0	136.5	136.5	163.8	95.6	109.2	95.6	41.0	27.3	13.7	68.3	54.6	191.1	27.3
.....	9.9	46.3	165.3	122.4	109.1	52.9	69.4	69.4	26.5	89.3	16.5	33.1	56.2	205.0	13.2
6.6	9.9	33.0	138.7	145.3	95.8	59.4	42.9	76.0	72.7	66.0	.....	66.0	52.8	211.3	23.1
.....	13.2	26.4	217.6	161.6	89.0	85.7	75.8	79.1	89.0	69.2	9.9	69.2	29.7	194.5	23.1
.....	16.5	29.6	158.0	154.7	108.6	92.2	75.7	102.1	62.6	98.8	6.6	85.6	52.7	200.8	26.3
3.3	13.1	29.6	164.4	144.6	151.2	52.6	121.6	59.2	32.9	46.0	9.9	95.3	36.2	220.3	13.1
.....	44.2	44.2	176.9	132.6	88.4	22.1	66.3	44.2	22.1	.....	22.1	110.5	44.2	199.0	44.2
.....	.....	.....	43.6	152.7	43.6	43.6	.....	65.4	87.2	21.8	.....	43.6	43.6	87.2	21.8
.....	21.5	21.5	107.6	215.2	107.6	21.5	21.5	86.1	43.0	21.5	.....	107.6	.....	43.0	.....
.....	21.2	.....	42.5	63.7	106.1	21.2	21.2	63.7	21.2	63.7	.....	42.5	21.2	85.0	.....
.....	.....	41.9	167.6	146.7	188.6	83.8	21.0	41.9	21.0	83.8	.....	83.8	.....	125.7	41.9
8.2	24.5	32.7	122.6	147.1	106.3	163.5	24.5	57.2	49.0	40.9	8.2	32.7	49.0	245.2	32.7
.....	16.4	32.8	147.8	164.2	98.5	57.5	24.6	106.8	57.5	57.5	8.2	57.5	41.1	180.6	24.6
.....	8.2	.....	173.2	263.9	132.0	66.0	49.5	66.0	57.7	33.0	.....	57.7	24.7	123.7	8.2
.....	24.8	8.3	190.5	149.1	107.7	115.9	8.3	49.7	115.9	41.4	8.3	49.7	8.3	190.5	8.3
.....	16.6	33.3	216.3	174.7	116.5	33.3	83.2	91.5	91.5	25.0	.....	58.2	33.3	133.1	16.6
5.2	20.7	31.1	269.6	248.9	88.1	103.7	62.2	103.7	72.6	36.3	10.4	57.0	57.0	274.8	15.6
.....	5.2	26.0	228.4	249.2	114.2	93.4	20.8	93.4	114.2	72.7	20.8	41.5	36.3	186.9	15.6
5.2	15.6	10.4	166.3	259.9	41.6	78.0	46.8	88.4	88.4	46.8	26.0	78.0	36.4	207.9	15.6
5.2	31.2	15.6	182.2	255.1	125.0	130.2	41.6	119.8	114.5	62.5	20.8	62.5	31.2	171.8	15.6
10.4	26.1	20.9	271.1	328.4	172.0	114.7	41.7	119.9	93.8	62.6	15.6	41.7	31.3	229.4	10.4

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
VERMONT RURAL--Continued.														
Orleans county	1901	1,576.1	50.0	.....	.....	31.8	27.3	4.5	13.6	63.6	.....	86.3	22.7	86.3
	1902	1,590.3	9.1	4.5	.....	.....	.....	40.9	13.6	36.4	.....	140.8	9.1	100.0
	1903	1,463.6	22.7	.....	9.1	13.6	4.5	.....	27.3	31.8	.....	122.7	13.6	90.9
	1904	1,582.4	77.3	4.5	.....	.....	.....	.....	27.3	77.3	.....	100.0	27.3	91.0
	1905	1,783.1	9.1	9.1	.....	4.5	.....	13.6	22.7	63.7	13.6	127.4	22.7	100.1
Rutland county	1901	1,556.2	24.6	.....	.....	3.1	.....	3.1	40.0	64.6	.....	116.9	12.3	55.3
	1902	1,407.8	15.5	.....	.....	6.2	9.3	6.2	9.3	15.5	.....	71.1	18.5	55.7
	1903	1,621.9	28.0	3.1	.....	3.1	3.1	6.2	3.1	12.5	.....	96.5	12.5	143.2
	1904	1,653.8	21.9	.....	.....	.....	3.1	15.7	25.1	28.2	.....	141.0	15.7	62.6
	1905	1,673.5	15.8	.....	.....	9.5	3.2	6.3	9.5	47.3	18.9	135.5	9.5	81.9
Washington county	1901	1,783.4	31.6	3.5	.....	.....	10.6	10.6	21.1	38.7	.....	130.1	10.6	73.9
	1902	1,547.1	24.4	.....	.....	7.0	10.5	17.4	3.5	38.3	.....	125.4	17.4	69.7
	1903	1,746.7	13.8	.....	.....	6.9	3.4	10.3	31.1	27.6	.....	145.0	20.7	93.2
	1904	1,771.5	20.5	.....	.....	.....	3.4	17.1	10.3	23.9	.....	123.1	17.1	106.0
	1905	1,731.6	20.3	.....	.....	20.3	3.4	10.2	16.9	33.9	6.8	125.4	13.6	67.8
Windham county	1901	1,796.0	3.7	.....	.....	3.7	3.7	15.0	7.5	67.5	.....	176.2	11.2	90.0
	1902	1,656.5	7.5	.....	.....	15.0	.....	3.7	7.5	15.0	.....	179.9	22.5	71.2
	1903	1,734.5	3.7	3.7	.....	.....	.....	3.7	15.0	48.7	.....	89.9	18.7	101.2
	1904	1,572.8	22.5	.....	.....	.....	.....	.....	11.2	22.5	.....	101.1	15.0	104.9
	1905	1,811.7	15.0	.....	.....	7.5	15.0	18.7	18.7	52.4	7.5	93.6	15.0	97.3
Windsor county	1901	1,930.2	21.7	6.2	.....	.....	.....	18.6	9.3	52.7	.....	136.3	12.4	62.0
	1902	1,701.2	9.3	3.1	.....	6.2	3.1	12.4	6.2	37.1	.....	95.9	12.4	89.7
	1903	1,658.3	21.6	.....	.....	3.1	.....	.....	18.5	67.9	.....	83.4	27.8	120.4
	1904	1,658.8	12.3	.....	.....	.....	.....	3.1	12.3	89.4	.....	114.1	6.2	107.9
	1905	1,656.1	9.2	3.1	.....	24.6	.....	6.2	6.2	80.0	3.1	129.3	18.5	113.9

[1] Shown for 1905 only.

AREA, FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	13.6	54.5	199.9	186.2	86.3	18.2	54.5	86.3	59.0	72.7	18.2	54.5	31.8	240.7	13.6
4.5	9.1	31.8	154.5	154.5	159.0	95.4	31.8	109.1	77.2	72.7	9.1	59.1	36.4	186.3	45.4
4.5	13.6	27.3	159.1	122.7	59.1	109.1	81.8	95.5	68.2	54.6	18.2	77.3	36.4	172.7	27.3
.....	22.7	54.6	127.3	181.9	100.0	122.8	54.6	113.7	86.4	40.9	.....	81.8	18.2	163.7	9.1
4.5	27.3	36.4	191.0	241.1	136.5	72.8	81.9	136.5	81.9	50.0	13.6	54.6	36.4	218.3	13.6
.....	15.4	36.9	156.8	163.0	196.8	73.8	64.6	64.6	89.2	46.1	12.3	58.4	43.1	187.6	27.7
.....	9.3	12.4	170.1	164.0	157.8	92.8	43.3	99.0	49.5	61.9	6.2	61.9	15.5	232.1	24.7
.....	3.1	34.2	183.7	211.7	137.0	74.7	68.5	112.1	56.0	65.4	6.2	130.7	28.0	180.6	18.7
.....	15.7	25.1	184.8	184.8	166.0	78.3	90.8	100.2	81.4	50.1	9.4	97.1	21.9	203.6	31.3
3.2	18.9	22.1	179.6	189.1	151.3	81.9	104.0	97.7	122.9	47.3	18.9	107.2	28.4	151.3	12.6
10.6	14.1	14.1	263.8	165.3	204.0	91.4	52.8	84.4	119.6	45.7	10.6	56.3	63.3	214.5	42.2
.....	3.5	38.3	170.7	195.1	160.3	101.1	20.9	104.5	76.7	31.4	10.5	87.1	59.2	156.8	17.4
6.9	20.7	17.3	231.3	220.9	124.3	82.8	72.5	96.7	127.7	58.7	24.2	93.2	31.1	172.6	13.8
.....	34.2	34.2	215.5	239.4	133.4	65.0	78.7	109.4	92.3	71.8	30.8	88.9	34.2	205.2	17.1
3.4	10.2	30.5	237.3	223.7	166.0	118.6	40.7	98.3	81.3	37.3	27.1	115.2	64.4	152.5	6.8
.....	22.5	45.0	273.7	228.7	135.0	97.5	41.3	41.3	78.8	41.3	15.0	78.8	60.0	254.9	3.7
3.7	18.7	37.5	232.4	236.1	127.4	60.0	33.7	60.0	78.7	75.0	.....	82.5	45.0	224.8	18.7
.....	26.2	11.2	296.0	269.7	134.9	89.9	71.2	82.4	89.9	45.0	15.0	78.7	33.7	191.1	15.0
3.7	22.5	44.9	232.2	220.9	71.1	82.4	48.7	101.1	116.1	26.2	11.2	63.7	15.0	220.9	15.0
.....	11.2	22.5	325.7	273.3	108.6	67.4	59.9	93.6	108.6	52.4	18.7	82.4	33.7	194.6	18.7
3.1	27.9	27.9	207.6	254.0	207.6	117.7	65.1	123.9	65.1	58.9	3.1	74.3	71.2	288.1	15.5
3.1	15.5	30.9	256.7	207.2	160.8	86.6	30.9	105.2	89.7	71.1	9.3	68.0	40.2	235.1	15.5
3.1	9.3	34.0	240.9	265.6	95.7	74.1	40.1	111.2	101.9	46.3	6.2	83.4	21.6	169.8	12.4
6.2	30.8	6.2	206.6	296.0	104.8	86.3	52.4	61.7	86.3	37.0	12.3	80.2	37.0	200.4	9.3
.....	12.3	18.5	227.8	277.1	110.8	83.1	43.1	77.0	117.0	49.3	9.2	52.3	9.2	169.3	6.2

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
All causes	1901	518,207	385,395	332,203	199,391	132,812	186,004	1,656.0	1,738.7	1,635 6	1,782.7	1,455.3	1 693.9
	1902	508,640	385,670	318,636	195,666	122,970	190.004	1,594.1	1,697.7	1,542.2	1,705.8	1,337.9	1,689.4
	1903	524,415	397,736	327,295	200.616	126,679	197.120	1,611.8	1,708.8	1,557.7	1,707.3	1,367.8	1,710.4
	1904	551,354	416,627	349.855	215,128	134.727	201.499	1,663.9	1,750.8	1,637.7	1,789.3	1,442.6	1,711.5
	1905	545,533	411.062	345,863	211.392	134.471	199,670	1,616.0	1,687.6	1,592.9	1,716.8	1.430.6	1,657.7
I.—General diseases	1901	145,527	108,992	92,290	55,755	36,535	53,237	465.1	491.7	454.4	498.5	400.3	484.8
	1902	138,514	106.681	84,835	53,002	31,833	53,679	434.1	469.6	410.6	462 1	346.3	477.3
	1903	146,082	112.935	88,249	55,102	33,147	57,833	449.0	485.2	420.0	468.9	357.9	501.8
	1904	149,549	114,508	91,752	56,711	35,041	57,797	451.3	481.2	429.5	471.7	375.2	490.9
	1905	145.263	110,755	88.884	54,376	34.508	56,379	430.3	454.7	409.4	441.6	367.1	468.1
Typhoid fever	1901	10,127	7,501	5,585	2,959	2,626	4,542	32.4	33.8	27.5	26.5	28.8	41.4
	1902	10,980	8,511	5,431	2,902	2,469	5,549	34.4	37.5	26.3	25 8	26.9	49.3
	1903	11,149	8,876	5,162	2,889	2,273	5,987	34.3	38.1	24.6	24.6	24.5	51.9
	1904	10,557	8,347	5,094	2,884	2,210	5,463	31.9	35.1	23.8	24 0	23.7	46.4
	1905	9,479	7,321	4,871	2,713	2,158	4,608	28.1	30 1	22.4	22.0	23.0	38.3
Malarial fever	1901	1,980	1,520	1,012	552	460	968	6.3	6.9	5.0	4.9	5.0	8.8
	1902	1,738	1.339	819	420	399	919	5.4	5.9	4.0	3.7	4.3	8.2
	1903	1,410	1,066	636	292	344	774	4.3	4.6	3.0	2 5	3.7	6.7
	1904	1,391	1,087	619	315	304	772	4.2	4.6	2.9	2.6	3.3	6.6
	1905	1.321	992	547	218	329	774	3.9	4.1	2.5	1.8	3.5	6.4
Smallpox	1901	1,085	967	734	616	118	351	3.5	4.4	3 6	5.5	1.3	3 2
	1902	2,111	1,802	1,345	1,036	309	766	6.6	7.9	6.5	9.0	3.4	6.8
	1903	1,382	1,267	321	206	115	1,061	4.2	5.4	1 5	1.8	1.2	9.2
	1904	709	602	176	69	107	533	2 1	2 5	0.8	0.6	1.1	4.5
	1905	308	258	130	80	50	178	0 9	1 1	0.6	0.6	0 5	1.5
Measles	1901	2,287	1,657	1,494	864	630	793	7.3	7.5	7.4	7.7	6 9	7.2
	1902	3,033	2,506	1,914	1,387	527	1,119	9.5	11.0	9.3	12.1	5.7	9.9
	1903	3,221	2,629	1,843	1.251	592	1,378	9.9	11.3	8.8	10.6	6.4	12.0
	1904	3,659	2,793	2,418	1,552	866	1,241	11.0	11.7	11.3	12.9	9.3	10.5
	1905	2,557	2,063	1.614	1,120	494	943	7.6	8.5	7 4	9.1	5.3	7.8
Scarlet fever	1901	4,113	3.433	2,744	2,064	680	1,369	13.1	15.5	13.5	18.5	7.5	12.5
	1902	4,041	3,484	2,456	1,899	557	1,585	12.7	15.3	11.9	16.6	6.1	14.1
	1903	3,991	3,313	2,578	1.900	678	1,413	12.3	14.2	12.3	16.2	7.3	12.3
	1904	3.610	2,950	2,470	1.810	660	1,140	10 9	12.4	11.6	15.1	7.1	9.7
	1905	2.284	1,854	1.470	1,040	430	814	6.8	7.6	6.8	8.4	4.6	6.8
Whooping cough	1901	3.051	2,329	1.759	1,037	722	1,292	9.8	10.5	8.7	9.3	7.9	11.8
	1902	3,854	2.970	2,559	1,675	884	1,295	12.1	13.1	12.4	14.6	9.6	11.5
	1903	5,171	4.046	3,004	1,879	1,125	2,167	15.9	17.4	14.3	16.0	12.1	18.8
	1904	2,183	1.653	1,242	712	530	941	6 6	6.9	5.8	5 9	5.7	8.0
	1905	3,599	2,859	1,945	1,205	740	1,654	10 7	11 7	9.0	9.8	7 9	13.7
Diphtheria	1901	8,434	7,058	5,301	3,925	1,376	3,133	27 0	31 8	26.1	35 1	15.1	28 5
	1902	8,101	6,948	4,976	3,823	1,153	3,125	25.4	30.6	24 1	33.3	12.5	27.8
	1903	8,658	7,391	5,449	4,182	1.267	3,209	26 6	31.8	25 9	35 6	13.7	27.8
	1904	7.898	6,655	5,235	3,992	1.243	2,663	23 8	28.0	24.5	33.2	13.3	22.6
	1905	6,709	5,633	4,248	3.172	1,076	2,461	19.9	23 1	19.6	25 8	11 4	20.4
Croup	1901	2,233	1,643	1.481	891	590	752	7.1	7.4	7.3	8.0	6.5	6.8
	1902	1,758	1,351	1.152	745	407	606	5 5	5.9	5.6	6.5	4.4	5.4
	1903	1,705	1,334	1,067	696	371	638	5.2	5.7	5.1	5.9	4.0	5.5
	1904	1,546	1,155	1,022	631	391	524	4.7	4.9	4.8	5.2	4.2	4.5
	1905	1,330	998	872	540	332	458	3.9	4.1	4.0	4.4	3.5	3.8
Influenza	1901	10,093	5.718	7,378	3,003	4,375	2,715	32 3	25.8	36.3	26 8	47.9	24.7
	1902	3,225	1,886	2,146	807	1,339	1,079	10 1	8.3	10.4	7 0	14.6	9.6
	1903	6,064	3.772	4,020	1,728	2,292	2,044	18 6	16.2	19 1	14.7	24.7	17.7
	1904	6,724	3.972	4,643	1,891	2,752	2,081	20 3	16.7	21.7	15.7	29.5	17.7
	1905	6,426	3.662	4,453	1,689	2,764	1,973	19.0	15.0	20.5	13.7	29.4	16.4
Cholera nostras	1901	563	372	367	176	191	196	1.8	1.7	1.8	1.6	2.1	1.8
	1902	516	368	296	148	148	220	1.6	1.6	1.4	1.3	1.6	2.0
	1903	374	261	243	130	113	131	1.1	1 1	1.2	1.1	1.2	1.1
	1904	397	287	254	144	110	143	1.2	1.2	1.2	1.2	1.2	1.2
	1905	449	282	299	132	167	150	1.3	1 2	1.4	1 1	1.8	1.2
Dysentery	1901	3.331	2,232	2.242	1.143	1,099	1,089	10 6	10 1	11.0	10.2	12.0	9.9
	1902	3,187	2,196	2.082	1,091	991	1,105	10.0	9.7	10.1	9 5	10.8	9.8
	1903	2,378	1,646	1,534	802	732	844	7.3	7.1	7.3	6 8	7.9	7.3
	1904	2,567	1,704	1,720	857	863	847	7.7	7.2	8.1	7.1	9.2	7.2
	1905	2,588	1.574	1,805	791	1,014	783	7.7	6.5	8.3	6.4	10.8	6.5
Erysipelas	1901	1,450	1.090	914	554	360	536	4.6	4 9	4 5	5.0	3.9	4.9
	1902	1,337	1.006	845	514	331	492	4.2	4 4	4.1	4.5	3.6	4.4
	1903	1,300	994	839	533	306	461	4.0	4.3	4.0	4.5	3.3	4.0
	1904	1,680	1.271	1,095	686	409	585	5.1	5.3	5.1	5.7	4.4	5.0
	1905	1,510	1.150	1,025	665	360	485	4 5	4.7	4.7	5.4	3 8	4.0
Other epidemic diseases	1901	85	68	30	13	17	55	0.3	0.3	0.1	0.1	0.2	0.5
	1902	148	125	63	40	23	85	0.5	0.6	0.3	0 3	0.3	0.8
	1903	122	101	40	19	21	82	0.4	0.4	0.2	0.2	0.2	0.7
	1904	112	89	50	27	23	62	0.3	0.4	0.2	0.2	0.2	0.5
	1905	529	504	53	28	25	476	1.6	2.1	0.2	0.2	0.3	4.0
Septicemia	1901	2,290	1,694	1,192	596	596	1,098	7.3	7.6	5 9	5.3	6.5	10.0
	1902	2,281	1,705	1,209	633	576	1,072	7.1	7.5	5.9	5.5	6.3	9.5
	1903	1,754	1,321	982	549	433	772	5.4	5.7	4.7	4.7	4.7	6.7
	1904	1,886	1,367	1,036	517	519	850	5.7	5.7	4.8	4.3	5.6	7.2
	1905	1,780	1,322	967	509	458	813	5.3	5.4	4.5	4.1	4.9	6.7

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Tuberculosis of lungs	1901	54,735	42,546	33,969	21,780	12,189	20,766	174.9	191.9	167.2	194.7	133.6	189.1
	1902	52,079	40,983	31,449	20,353	11,096	20,630	163.2	180.4	152.2	177.4	120.7	183.4
	1903	53,910	42,729	32,291	21,110	11,181	21,619	165.7	183.6	153.7	179.7	120.7	187.6
	1904	58,763	46,517	35,022	22,776	12,246	23,741	177.3	195.5	163.9	189.4	131.1	201.7
	1905	56,770	44,910	33,841	21,981	11,860	22,929	168.2	184.4	155.9	178.5	126.2	190.4
Tuberculosis of larynx	1901	527	397	321	191	130	206	1.7	1.8	1.6	1.7	1.4	1.9
	1902	541	416	322	197	125	219	1.7	1.8	1.6	1.7	1.4	1.9
	1903	539	422	307	190	117	232	1.7	1.8	1.5	1.6	1.3	2.0
	1904	570	455	344	229	115	226	1.7	1.9	1.6	1.9	1.2	1.9
	1905	610	460	351	201	150	259	1.8	1.9	1.6	1.6	1.6	2.2
Tuberculous meningitis	1901	2,656	2,237	1,841	1,422	419	815	8.5	10.1	9.1	12.7	4.6	7.4
	1902	2,674	2,235	1,894	1,455	439	780	8.4	9.8	9.2	12.7	4.8	6.9
	1903	2,905	2,442	2,002	1,539	463	903	8.9	10.5	9.5	13.1	5.0	7.8
	1904	3,025	2,498	2,089	1,562	527	936	9.1	10.5	9.8	13.0	5.6	8.0
	1905	3,264	2,736	2,147	1,619	528	1,117	9.7	11.2	9.9	13.1	5.6	9.3
Abdominal tuberculosis	1901	1,767	1,304	1,083	620	463	684	5.6	5.9	5.3	5.5	5.1	6.2
	1902	1,817	1,416	1,042	641	401	775	5.7	6.2	5.0	5.6	4.4	6.9
	1903	1,854	1,398	1,084	628	456	770	5.7	6.0	5.2	5.3	4.9	6.7
	1904	2,098	1,605	1,245	752	493	853	6.3	6.7	5.8	6.3	5.3	7.2
	1905	2,193	1,664	1,273	744	529	920	6.5	6.8	5.9	6.0	5.6	7.6
Pott's disease	1901	442	330	286	174	112	156	1.4	1.5	1.4	1.6	1.2	1.4
	1902	421	320	282	181	101	139	1.3	1.4	1.4	1.6	1.1	1.2
	1903	516	402	323	209	114	193	1.6	1.7	1.5	1.8	1.2	1.7
	1904	519	415	332	228	104	187	1.6	1.7	1.6	1.9	1.1	1.6
	1905	563	423	358	218	140	205	1.7	1.7	1.6	1.8	1.5	1.7
Tuberculous abscess	1901	48	36	30	18	12	18	0.2	0.2	0.1	0.2	0.1	0.2
	1902	39	26	24	11	13	15	0.1	0.1	0.1	0.1	0.1	0.1
	1903	72	52	45	25	20	27	0.2	0.2	0.2	0.2	0.2	0.2
	1904	62	43	41	22	19	21	0.2	0.2	0.2	0.2	0.2	0.2
	1905	61	46	40	25	15	21	0.2	0.2	0.2	0.2	0.2	0.2
White swelling	1901	206	165	130	89	41	76	0.7	0.7	0.6	0.8	0.4	0.7
	1902	237	202	132	97	35	105	0.7	0.9	0.6	0.8	0.4	0.9
	1903	224	176	132	84	48	92	0.7	0.8	0.6	0.7	0.5	0.8
	1904	241	199	140	98	42	101	0.7	0.8	0.7	0.8	0.4	0.9
	1905	261	215	182	136	46	79	0.8	0.9	0.8	1.1	0.5	0.7
Tuberculosis of other organs	1901	393	296	235	138	97	158	1.3	1.3	1.2	1.2	1.1	1.4
	1902	391	279	228	116	112	163	1.2	1.2	1.1	1.0	1.2	1.4
	1903	465	349	288	172	116	177	1.4	1.5	1.4	1.5	1.3	1.5
	1904	545	402	331	188	143	214	1.6	1.7	1.5	1.6	1.5	1.8
	1905	539	404	333	198	135	206	1.6	1.7	1.5	1.6	1.4	1.7
General tuberculosis	1901	825	638	539	352	187	286	2.6	2.9	2.7	3.1	2.0	2.6
	1902	739	556	486	303	183	253	2.3	2.4	2.4	2.6	2.0	2.2
	1903	1,002	764	630	392	238	372	3.1	3.3	3.0	3.3	2.6	3.2
	1904	974	774	581	381	200	393	2.9	3.3	2.7	3.2	2.1	3.3
	1905	1,091	835	643	387	256	448	3.2	3.4	3.0	3.1	2.7	3.7
Scrofula	1901	168	117	93	42	51	75	0.5	0.5	0.5	0.4	0.6	0.7
	1902	145	96	87	38	49	58	0.5	0.4	0.4	0.3	0.5	0.5
	1903	153	103	89	39	50	64	0.5	0.4	0.4	0.3	0.5	0.6
	1904	124	82	80	38	42	44	0.4	0.3	0.4	0.3	0.4	0.4
	1905	126	83	87	44	43	39	0.4	0.3	0.4	0.4	0.5	0.3
Venereal diseases	1901	1,161	1,020	613	472	141	548	3.7	4.6	3.0	4.2	1.5	5.0
	1902	1,163	1,022	629	488	141	534	3.6	4.5	3.0	4.3	1.5	4.7
	1903	1,393	1,213	729	549	180	664	4.3	5.2	3.5	4.7	1.9	5.8
	1904	1,569	1,387	778	596	182	791	4.7	5.8	3.6	5.0	1.9	6.7
	1905	1,596	1,441	746	591	155	850	4.7	5.9	3.4	4.8	1.6	7.1
Cancer of mouth	1901	612	473	373	234	139	239	2.0	2.1	1.8	2.1	1.5	2.2
	1902	583	429	368	214	154	215	1.8	1.9	1.8	1.9	1.7	1.9
	1903	661	478	427	244	183	234	2.0	2.1	2.0	2.1	2.0	2.0
	1904	737	550	458	271	187	279	2.2	2.3	2.1	2.3	2.0	2.4
	1905	792	579	523	310	213	269	2.3	2.4	2.4	2.5	2.3	2.2
Cancer of stomach and liver	1901	7,095	5,149	4,664	2,718	1,946	2,431	22.7	23.2	23.0	24.3	21.3	22.1
	1902	7,483	5,413	4,881	2,811	2,070	2,602	23.5	23.8	23.6	24.5	22.5	23.1
	1903	8,193	5,954	5,267	3,028	2,239	2,926	25.2	25.6	25.1	25.8	24.2	25.4
	1904	8,744	6,301	5,660	3,217	2,443	3,084	26.4	26.5	26.5	26.8	26.2	26.2
	1905	8,939	6,474	5,824	3,359	2,465	3,115	26.5	26.6	26.8	27.3	26.2	25.9
Cancer of intestines	1901	2,157	1,655	1,471	969	502	686	6.9	7.5	7.2	8.7	5.5	6.2
	1902	2,239	1,658	1,514	933	581	725	7.0	7.3	7.3	8.1	6.3	6.4
	1903	2,134	1,597	1,469	932	537	665	6.6	6.9	7.0	7.9	5.8	5.8
	1904	2,399	1,798	1,633	1,032	601	766	7.2	7.6	7.6	8.6	6.4	6.5
	1905	2,732	2,060	1,852	1,180	672	880	8.1	8.5	8.5	9.6	7.1	7.3
Cancer of female genital organs	1901	2,919	2,246	1,850	1,177	673	1,069	9.3	10.1	9.1	10.5	7.4	9.7
	1902	3,033	2,418	1,844	1,229	615	1,189	9.5	10.6	8.9	10.7	6.7	10.6
	1903	3,289	2,603	2,033	1,347	686	1,256	10.1	11.2	9.7	11.5	7.4	10.9
	1904	3,436	2,713	2,143	1,420	723	1,293	10.4	11.4	10.0	11.8	7.7	11.0
	1905	3,637	2,871	2,267	1,501	766	1,370	10.8	11.8	10.4	12.2	8.1	11.4
Cancer of breast	1901	1,647	1,169	1,119	641	478	528	5.3	5.3	5.5	5.7	5.2	4.8
	1902	1,750	1,221	1,210	681	529	540	5.5	5.4	5.9	5.9	5.8	4.8
	1903	1,787	1,269	1,251	733	518	536	5.5	5.5	6.0	6.2	5.6	4.7
	1904	2,030	1,489	1,367	826	541	663	6.1	6.3	6.4	6.9	5.8	5.6
	1905	2,010	1,451	1,372	813	559	638	6.0	6.0	6.3	6.6	5.9	5.3

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Cancer of skin	1901	683	403	496	216	280	187	2.2	1.8	2.4	1.9	3.1	1.7
	1902	688	406	478	196	282	210	2.2	1.8	2.3	1.7	3.1	1.9
	1903	752	434	536	218	318	216	2.3	1.9	2.6	1.9	3.4	1.9
	1904	758	429	551	222	329	207	2.3	1.8	2.6	1.8	3.5	1.8
	1905	818	494	583	259	324	235	2.4	2.0	2.7	2.1	3.4	2.0
Cancer of other or unspecified organs	1901	5,058	3,355	3,465	1,762	1,703	1,593	16.2	15.1	17.1	15.8	18.7	14.5
	1902	5,071	3,493	3,358	1,780	1,578	1,713	15.9	15.4	16.3	15.5	17.2	15.2
	1903	5,509	3,838	3,667	1,996	1,671	1,842	16.9	16.5	17.5	17.0	18.0	16.0
	1904	5,291	3,760	3,435	1,904	1,531	1,856	16.0	15.8	16.1	15.8	16.4	15.8
	1905	5,402	3,741	3,562	1,901	1,661	1,840	16.0	15.4	16.4	15.4	17.7	15.3
Tumor	1901	505	336	332	163	169	173	1.6	1.5	1.6	1.5	1.9	1.6
	1902	459	321	287	149	138	172	1.4	1.4	1.4	1.3	1.5	1.5
	1903	531	363	355	187	168	176	1.6	1.6	1.7	1.6	1.8	1.5
	1904	444	290	294	140	154	150	1.3	1.2	1.4	1.2	1.6	1.3
	1905	501	359	318	176	142	183	1.5	1.5	1.5	1.4	1.5	1.5
Rheumatism	1901	2,985	2,137	1,949	1,101	848	1,036	9.5	9.6	9.6	9.8	9.3	9.4
	1902	2,661	1,797	1,759	895	864	902	8.3	7.9	8.5	7.8	9.4	8.0
	1903	2,785	2,017	1,772	1,004	768	1,013	8.6	8.7	8.4	8.5	8.3	8.8
	1904	3,187	2,287	2,053	1,153	900	1,134	9.6	9.6	9.6	9.6	9.6	9.6
	1905	2,827	1,969	1,846	988	858	981	8.4	8.1	8.5	8.0	9.1	8.1
Diabetes	1901	3,212	2,230	2,339	1,357	982	873	10.3	10.1	11.5	12.1	10.8	8.0
	1902	3,312	2,256	2,411	1,355	1,056	901	10.4	9.9	11.7	11.8	11.5	8.0
	1903	3,681	2,559	2,650	1,528	1,122	1,031	11.3	11.0	12.6	13.0	12.1	8.9
	1904	4,259	3,017	3,036	1,794	1,242	1,223	12.9	12.7	14.2	14.9	13.3	10.4
	1905	4,397	3,156	3,066	1,825	1,241	1,331	13.0	13.0	14.1	14.8	13.2	11.1
Anemia, leukemia	1901	1,886	1,294	1,289	697	592	597	6.0	5.8	6.3	6.2	6.5	5.4
	1902	1,895	1,293	1,241	639	602	654	5.9	5.7	6.0	5.6	6.5	5.8
	1903	1,908	1,277	1,277	646	631	631	5.9	5.5	6.1	5.5	6.8	5.5
	1904	2,007	1,305	1,376	674	702	631	6.1	5.5	6.4	5.6	7.5	5.4
	1905	2,167	1,459	1,474	766	708	693	6.4	6.0	6.8	6.2	7.5	5.8
Alcoholism	1901	1,870	1,591	1,016	737	279	854	6.0	7.2	5.0	6.6	3.1	7.8
	1902	1,943	1,644	1,080	781	299	863	6.1	7.2	5.2	6.8	3.3	7.7
	1903	2,163	1,796	1,290	923	367	873	6.6	7.7	6.1	7.9	4.0	7.6
	1904	1,927	1,608	1,128	809	319	799	5.8	6.8	5.3	6.7	3.4	6.8
	1905	2,106	1,752	1,293	939	354	813	6.2	7.2	6.0	7.6	3.8	6.7
Chronic poisonings	1901	221	161	137	77	60	84	0.7	0.7	0.7	0.7	0.7	0.8
	1902	252	176	159	83	76	93	0.8	0.8	0.8	0.7	0.8	0.8
	1903	300	222	175	97	78	125	0.9	1.0	0.8	0.8	0.8	1.1
	1904	254	177	148	71	77	106	0.8	0.7	0.7	0.6	0.8	0.9
	1905	264	198	139	73	66	125	0.8	0.8	0.6	0.6	0.7	1.0
Other general diseases	1901	627	425	417	215	202	210	2.0	1.9	2.1	1.9	2.2	1.9
	1902	589	408	377	196	181	212	1.8	1.8	1.8	1.7	2.0	1.9
	1903	677	461	442	226	216	235	2.1	2.0	2.1	1.9	2.3	2.0
	1904	667	475	413	221	192	254	2.0	2.0	1.9	1.8	2.1	2.2
	1905	728	503	465	240	225	263	2.2	2.1	2.1	1.9	2.4	2.2
II.—Diseases of nervous system	1901	60,431	42,357	39,550	21,476	18,074	20,881	193.1	191.1	194.7	192.0	198.0	190.2
	1902	59,313	42,302	38,260	21,249	17,011	21,053	185.9	186.2	185.2	185.2	185.1	187.2
	1903	58,319	41,046	38,152	20,879	17,273	20,167	179.2	176.3	181.6	177.7	186.5	175.0
	1904	60,581	42,574	40,696	22,689	18,007	19,885	182.8	178.9	190.5	188.7	192.8	168.9
	1905	61,556	43,802	41,681	23,927	17,754	19,875	182.3	179.8	192.0	194.3	188.9	165.0
Encephalitis	1901	831	502	526	197	329	305	2.7	2.3	2.6	1.8	3.6	2.8
	1902	716	458	432	174	258	284	2.2	2.0	2.1	1.5	2.8	2.5
	1903	609	423	335	149	186	274	1.9	1.8	1.6	1.3	2.0	2.4
	1904	530	359	312	141	171	218	1.6	1.5	1.5	1.2	1.8	1.9
	1905	465	309	286	130	156	179	1.4	1.3	1.3	1.1	1.7	1.5
Meningitis	1901	10,430	8,079	6,670	4,319	2,351	3,760	33.3	36.4	32.8	38.6	25.8	34.2
	1902	9,981	7,992	6,138	4,149	1,989	3,843	31.3	35.2	29.7	36.2	21.6	34.2
	1903	9,213	7,222	5,851	3,860	1,991	3,362	28.3	31.0	27.8	32.8	21.5	29.2
	1904	10,553	8,482	7,275	5,204	2,071	3,278	31.8	35.6	34.1	43.3	22.2	27.8
	1905	11,654	9,478	8,467	6,291	2,176	3,187	34.5	38.9	39.0	51.1	23.1	26.5
Locomotor ataxia	1901	722	524	456	258	198	266	2.3	2.4	2.2	2.3	2.2	2.4
	1902	691	498	432	239	193	259	2.2	2.2	2.1	2.1	2.1	2.3
	1903	813	579	511	277	234	302	2.5	2.5	2.4	2.4	2.5	2.6
	1904	820	560	545	285	260	275	2.5	2.4	2.6	2.4	2.8	2.3
	1905	883	641	550	308	242	333	2.6	2.6	2.5	2.5	2.6	2.8
Other diseases of spinal cord	1901	1,428	938	1,000	510	490	428	4.6	4.2	4.9	4.6	5.4	3.9
	1902	1,454	1,008	993	547	446	461	4.6	4.4	4.8	4.8	4.9	4.1
	1903	1,685	1,131	1,157	603	554	528	5.2	4.9	5.5	5.1	6.0	4.6
	1904	1,653	1,097	1,177	621	556	476	5.0	4.6	5.5	5.2	6.0	4.0
	1905	1,724	1,167	1,199	642	557	525	5.1	4.8	5.5	5.2	5.9	4.4
Apoplexy	1901	21,390	14,577	15,086	8,273	6,813	6,304	68.4	65.8	74.3	74.0	74.7	57.4
	1902	21,862	14,912	15,427	8,477	6,950	6,435	68.5	65.6	74.7	73.9	75.6	57.2
	1903	22,311	14,931	15,930	8,550	7,380	6,381	68.6	64.1	75.8	72.8	79.7	55.3
	1904	23,828	15,943	17,090	9,205	7,885	6,738	71.9	67.0	80.0	76.6	84.4	57.2
	1905	24,390	16,598	17,440	9,648	7,792	6,950	72.2	68.1	80.3	78.4	82.9	57.7
Softening of brain	1901	1,241	737	814	310	504	427	4.0	3.3	4.0	2.8	5.5	3.9
	1902	1,197	700	761	264	497	436	3.7	3.1	3.7	2.3	5.4	3.9
	1903	1,258	782	792	316	476	466	3.9	3.4	3.8	2.7	5.1	4.0
	1904	1,250	775	816	341	475	434	3.8	3.3	3.8	2.8	5.1	3.7
	1905	1,042	652	643	253	390	399	3.1	2.7	3.0	2.1	4.1	3.3

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Paralysis	1901	7,220	4,075	4,896	1,751	3,145	2,324	23.1	18.4	24.1	15.7	34.5	21.2
	1902	6,674	3,982	4,345	1,653	2,692	2,329	20.9	17.5	21.0	14.4	29.3	20.7
	1903	6,609	3,845	4,355	1,591	2,764	2,254	20.3	16.5	20.7	13.5	29.8	19.6
	1904	6,431	3,695	4,324	1,588	2,736	2,107	19.4	15.5	20.2	13.2	29.3	17.9
	1905	5,981	3,440	4,011	1,470	2,541	1,970	17.7	14.1	18.5	11.9	27.0	16.4
General paralysis of insane	1901	2,069	1,340	1,477	748	729	592	6.6	6.0	7.3	6.7	8.0	5.4
	1902	2,238	1,472	1,609	843	766	629	7.0	6.5	7.8	7.3	8.3	5.6
	1903	2,152	1,410	1,542	800	742	610	6.6	6.1	7.3	6.8	8.0	5.3
	1904	2,263	1,469	1,670	876	794	593	6.8	6.2	7.8	7.3	8.5	5.0
	1905	2,450	1,579	1,751	880	871	699	7.3	6.5	8.1	7.1	9.3	5.8
Other forms of mental disease	1901	1,232	914	802	484	318	430	3.9	4.1	3.9	4.3	3.5	3.9
	1902	1,207	885	775	453	322	432	3.8	3.9	3.8	3.9	3.5	3.8
	1903	1,232	902	794	464	330	438	3.8	3.9	3.8	3.9	3.6	3.8
	1904	1,139	795	725	381	344	414	3.4	3.3	3.4	3.2	3.7	3.5
	1905	1,039	717	679	357	322	360	3.1	2.9	3.1	2.9	3.4	3.0
Other diseases of brain	1901	1,550	1,070	1,040	560	480	510	5.0	4.8	5.1	5.0	5.3	4.6
	1902	1,445	1,051	959	565	394	486	4.5	4.6	4.6	4.9	4.3	4.3
	1903	1,456	1,085	941	570	371	515	4.5	4.7	4.5	4.9	4.0	4.5
	1904	1,341	956	900	515	385	441	4.0	4.0	4.2	4.3	4.1	3.7
	1905	1,436	1,033	922	519	403	514	4.3	4.2	4.2	4.2	4.3	4.3
Epilepsy	1901	1,417	852	1,017	452	565	400	4.5	3.8	5.0	4.0	6.2	3.6
	1902	1,483	933	1,016	466	550	467	4.6	4.1	4.9	4.1	6.0	4.2
	1903	1,512	972	1,065	525	540	447	4.6	4.2	5.1	4.5	5.8	3.9
	1904	1,481	906	1,076	501	575	405	4.5	3.8	5.0	4.2	6.2	3.4
	1905	1,367	844	985	462	523	382	4.0	3.5	4.5	3.8	5.6	3.2
Convulsions	1901	8,517	7,006	4,437	2,926	1,511	4,080	27.2	31.6	21.8	26.2	16.6	37.2
	1902	7,987	6,586	4,089	2,688	1,401	3,898	25.0	29.0	19.8	23.4	15.2	34.7
	1903	6,833	5,672	3,539	2,378	1,161	3,294	21.0	24.4	16.8	20.2	12.5	28.6
	1904	6,802	5,632	3,439	2,269	1,170	3,363	20.5	23.7	16.1	18.9	12.5	28.6
	1905	6,677	5,466	3,443	2,232	1,211	3,234	19.8	22.4	15.9	18.1	12.9	26.8
Tetanus	1901	1,129	947	458	276	182	671	3.6	4.3	2.3	2.5	2.0	6.1
	1902	1,158	1,000	448	290	158	710	3.6	4.4	2.2	2.5	1.7	6.3
	1903	1,326	1,165	472	311	161	854	4.1	5.0	2.2	2.6	1.7	7.4
	1904	1,105	921	445	261	184	660	3.3	3.9	2.1	2.2	2.0	5.6
	1905	1,033	880	357	204	153	676	3.1	3.6	1.6	1.7	1.6	5.6
Other diseases of nervous system	1901	1,255	796	871	412	459	384	4.0	3.6	4.3	3.7	5.0	3.5
	1902	1,220	825	836	441	395	384	3.8	3.6	4.0	3.8	4.3	3.4
	1903	1,310	927	868	485	383	442	4.0	4.0	4.1	4.1	4.1	3.8
	1904	1,385	984	902	501	401	483	4.2	4.1	4.2	4.2	4.3	4.1
	1905	1,415	998	948	531	417	467	4.2	4.1	4.4	4.3	4.4	3.9
III.—Diseases of circulatory system	1901	46,250	32,596	31,103	17,449	13,654	15,147	147.8	147.1	153.1	156.0	149.6	137.9
	1902	49,233	35,081	33,043	18,891	14,152	16,190	154.3	154.4	159.9	164.7	154.0	143.9
	1903	52,275	36,743	35,188	19,656	15,532	17,087	160.7	157.9	167.5	167.3	167.7	148.3
	1904	57,220	40,191	38,690	21,661	17,029	18,530	172.7	168.9	181.1	180.2	182.3	157.4
	1905	58,503	41,497	39,435	22,429	17,006	19,068	173.3	170.4	181.6	182.2	180.9	158.3
Pericarditis	1901	748	553	401	206	195	347	2.4	2.5	2.0	1 8	2.1	3.2
	1902	753	564	404	215	189	349	2.4	2.5	2.0	1.9	2.1	3.1
	1903	664	480	360	176	184	304	2.0	2.1	1.7	1.5	2.0	2.6
	1904	624	452	372	200	172	252	1.9	1.9	1.7	1.7	1.8	2.1
	1905	594	456	306	168	138	288	1.8	1.9	1.4	1.4	1.5	2.4
Endocarditis	1901	3,299	2,888	2,112	1,701	411	1,187	10.5	13.0	10.4	15.2	4.5	10.8
	1902	3,681	3,211	2,337	1,867	470	1,344	11.5	14.1	11.3	16.3	5.1	11.9
	1903	3,202	2,755	1,976	1,529	447	1,226	9.8	11.8	9.4	13.0	4.8	10.6
	1904	3,880	3,348	2,315	1,783	532	1,565	11.7	14.1	10.8	14.8	5.7	13.3
	1905	4,265	3,684	2,554	1,973	581	1,711	12.6	15.1	11.8	16.0	6.2	14.2
Heart disease	1901	35,586	24,378	24,413	13,205	11,208	11,173	113.7	110.0	120.2	118.1	122.8	101.7
	1902	37,577	26,004	25,710	14,137	11,573	11,867	117.8	114.5	124.4	123.2	125.9	105.5
	1903	40,704	27,901	27,872	15,069	12,803	12,832	125.1	119.9	132.6	128.2	138.2	111.3
	1904	44,472	30,436	30,724	16,688	14,036	13,748	134.2	127.9	143.8	138.8	150.3	116.8
	1905	44,723	30,803	30,789	16,869	13,920	13,934	132.5	126.5	141.8	137.0	148.1	115.7
Angina pectoris	1901	1,981	1,201	1,403	623	780	578	6.3	5.4	6.9	5.6	8.5	5.3
	1902	2,080	1,304	1,474	698	776	606	6.5	5.7	7.1	6.1	8.4	5.4
	1903	2,192	1,344	1,589	741	848	603	6.7	5.8	7.6	6.3	9.2	5.2
	1904	2,180	1,375	1,514	709	805	666	6.6	5.8	7.1	5.9	8.6	5.7
	1905	2,281	1,459	1,603	781	822	678	6.8	6.0	7.4	6.3	8.7	5.6
Diseases of arteries	1901	2,132	1,734	1,171	773	398	961	6.8	7.8	5.8	6.9	4.4	8.8
	1902	2,629	2,131	1,532	1,034	498	1,097	8.2	9.4	7.4	9.0	5.4	9.8
	1903	2,908	2,291	1,761	1,144	617	1,147	8.9	9.8	8.4	9.7	6.7	10.0
	1904	3,516	2,720	2,143	1,347	796	1,373	10.6	11.4	10.0	11.2	8.5	11.7
	1905	4,145	3,258	2,556	1,669	887	1,589	12.3	13.4	11.8	13.6	9.4	13.2
Embolism and thrombosis	1901	1,261	931	843	513	330	418	4.0	4.2	4.2	4.6	3.6	3.8
	1902	1,306	965	858	517	341	448	4.1	4.2	4.2	4.5	3.7	4.0
	1903	1,449	1,116	954	621	333	495	4.5	4.8	4.5	5.3	3.6	4.3
	1904	1,401	1,021	942	562	380	459	4.2	4.3	4.4	4.7	4.1	3.9
	1905	1,417	1,036	968	587	381	449	4.2	4.3	4.5	4.8	4.1	3.7
Diseases of veins	1901	175	127	114	66	48	61	0.6	0.6	0.6	0.6	0.5	0.6
	1902	153	119	103	69	34	50	0.5	0.5	0.5	0.6	0.4	0.4
	1903	176	131	107	62	45	69	0.5	0.6	0.5	0.5	0.5	0.6
	1904	202	150	134	82	52	68	0.6	0.6	0.6	0.7	0.6	0.6
	1905	227	169	150	92	58	77	0.7	0.7	0 7	0.7	0.6	0.6

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Diseases of lymphatics	1901	57	49	33	25	8	24	0.2	0.2	0.2	0.2	0.1	0.2
	1902	53	37	34	18	16	19	0.2	0.2	0.2	0.2	0.2	0.2
	1903	58	47	37	26	11	21	0.2	0.2	0.2	0.2	0.1	0.2
	1904	83	69	50	36	14	33	0.3	0.3	0.2	0.3	0.1	0.3
	1905	73	57	45	29	16	28	0.2	0.2	0.2	0.2	0.2	0.2
Other diseases of circulatory system	1901	1,011	735	613	337	276	398	3.2	3.3	3.0	3.0	3.0	3.6
	1902	1,001	746	591	336	255	410	3.1	3.3	2.9	2.9	2.8	3.6
	1903	922	678	532	288	244	390	2.8	2.9	2.5	2.5	2.6	3.4
	1904	862	620	496	254	242	366	2.6	2.6	2.3	2.1	2.6	3.1
	1905	778	575	464	261	203	314	2.3	2.4	2.1	2.2	2.2	2.6
IV.—Diseases of respiratory system	1901	72,080	55,541	46,124	29,585	16,539	25,956	230.3	250.6	227.1	264.5	181.2	236.4
	1902	71,027	56,842	44,118	29,933	14,185	26,909	222.6	250.2	213.5	261.0	154.3	239.3
	1903	70,930	56,765	43,945	29,780	14,165	26,985	218.0	243.9	209.1	253.4	152.9	234.1
	1904	76,975	61,476	48,678	33,179	15,499	28,297	232.3	258.3	227.9	276.0	166.0	240.4
	1905	69,445	54,561	43,965	29,081	14,884	25,480	205.7	224.0	202.5	236.2	158.3	211.5
Laryngitis	1901	490	359	327	196	131	163	1.6	1.6	1.6	1.8	1.4	1.5
	1902	456	350	299	202	97	157	1.4	1.6	1.4	1.8	1.1	1.4
	1903	397	297	251	151	100	146	1.2	1.3	1.2	1.3	1.1	1.3
	1904	349	253	228	132	96	121	1.1	1.1	1.1	1.1	1.0	1.0
	1905	258	187	162	91	71	96	0.8	0.8	0.7	0.7	0.8	0.8
Other diseases of larynx	1901	348	278	216	146	70	132	1.1	1.3	1.1	1.3	0.8	1.2
	1902	381	311	221	151	70	160	1.2	1.4	1.1	1.3	0.8	1.4
	1903	390	311	227	148	79	163	1.2	1.3	1.1	1.3	0.9	1.4
	1904	361	290	226	155	71	135	1.1	1.2	1.1	1.3	0.8	1.1
	1905	352	266	215	129	86	137	1.0	1.1	1.0	1.0	0.9	1.1
Diseases of thyroid body	1901	90	63	54	27	27	36	0.3	0.3	0.3	0.2	0.3	0.3
	1902	93	70	50	27	23	43	0.3	0.3	0.2	0.2	0.3	0.4
	1903	93	68	51	26	25	42	0.3	0.3	0.2	0.2	0.3	0.4
	1904	97	76	58	37	21	39	0.3	0.3	0.3	0.3	0.2	0.3
	1905	110	81	60	31	29	50	0.3	0.3	0.3	0.3	0.3	0.4
Acute bronchitis	1901	7,040	5,571	4,669	3,200	1,469	2,371	22.5	25.1	23.0	28.6	16.1	21.6
	1902	7,588	6,248	4,993	3,653	1,340	2,595	23.8	27.5	24.2	31.9	14.6	23.1
	1903	6,842	5,433	4,478	3,069	1,409	2,364	21.0	23.3	21.3	26.1	15.2	20.5
	1904	6,910	5,646	4,472	3,208	1,264	2,438	20.9	23.7	20.9	26.7	13.5	20.7
	1905	6,598	5,292	4,154	2,848	1,306	2,444	19.5	21.7	19.1	23.1	13.9	20.3
Chronic bronchitis	1901	5,425	4,132	3,502	2,209	1,293	1,923	17.3	18.6	17.2	19.7	14.2	17.5
	1902	4,993	3,881	3,119	2,007	1,112	1,874	15.6	17.1	15.1	17.5	12.1	16.7
	1903	5,005	3,842	3,030	1,867	1,163	1,975	15.4	16.5	14.4	15.9	12.6	17.1
	1904	5,021	3,754	3,099	1,832	1,267	1,922	15.2	15.8	14.5	15.2	13.6	16.3
	1905	4,711	3,454	2,966	1,709	1,257	1,745	14.0	14.2	13.7	13.9	13.4	14.5
Bronchopneumonia	1901	8,894	7,248	6,234	4,588	1,646	2,660	28.4	32.7	30.7	41.0	18.0	24.2
	1902	10,153	8,688	7,063	5,598	1,465	3,090	31.8	38.2	34.2	48.8	15.9	27.5
	1903	10,964	9,235	7,672	5,943	1,729	3,292	33.7	39.7	36.5	50.6	18.7	28.6
	1904	12,219	10,222	8,542	6,545	1,997	3,677	36.9	43.0	40.0	54.4	21.4	31.2
	1905	11,608	9,730	7,965	6,087	1,878	3,643	34.4	39.9	36.7	49.4	20.0	30.2
Pneumonia	1901	41,715	31,800	26,296	16,381	9,915	15,419	133.3	143.5	129.5	146.5	108.6	140.4
	1902	39,715	31,390	23,999	15,674	8,325	15,716	124.5	138.2	116.2	136.6	90.6	139.7
	1903	39,764	31,792	23,763	15,791	7,972	16,001	122.2	136.6	113.1	134.4	86.1	138.8
	1904	44,957	35,869	27,804	18,716	9,088	17,153	135.7	150.7	130.2	155.7	97.3	145.7
	1905	39,068	30,354	24,437	15,723	8,714	14,631	115.7	124.6	112.5	127.7	92.7	121.5
Pleurisy	1901	1,469	1,186	925	642	283	544	4.7	5.4	4.6	5.7	3.1	5.0
	1902	1,442	1,200	872	630	242	570	4.5	5.3	4.2	5.5	2.6	5.1
	1903	1,463	1,199	929	665	264	534	4.5	5.2	4.4	5.7	2.9	4.6
	1904	1,598	1,293	1,032	727	305	566	4.8	5.4	4.8	6.0	3.3	4.8
	1905	1,627	1,345	1,017	735	282	610	4.8	5.5	4.7	6.0	3.0	5.1
Congestion of lungs	1901	3,254	2,337	2,039	1,122	917	1,215	10.4	10.5	10.0	10.0	10.0	11.1
	1902	2,978	2,212	1,747	981	766	1,231	9.3	9.7	8.5	8.6	8.3	10.9
	1903	2,885	2,116	1,824	1,055	769	1,061	8.9	9.1	8.7	9.0	8.3	9.2
	1904	2,597	1,866	1,632	901	731	965	7.8	7.8	7.6	7.5	7.8	8.2
	1905	2,297	1,637	1,454	794	660	843	6.8	6.7	6.7	6.4	7.0	7.0
Gangrene of lungs	1901	172	143	106	77	29	66	0.5	0.6	0.5	0.7	0.3	0.6
	1902	196	161	107	72	35	89	0.6	0.7	0.5	0.6	0.4	0.8
	1903	132	102	82	52	30	50	0.4	0.4	0.4	0.4	0.3	0.4
	1904	157	119	100	62	38	57	0.5	0.5	0.5	0.5	0.4	0.5
	1905	174	141	107	77	30	67	0.5	0.6	0.5	0.6	0.3	0.6
Asthma and emphysema	1901	1,527	1,213	795	481	314	732	4.9	5.5	3.9	4.3	3.4	6.7
	1902	1,521	1,205	784	468	316	737	4.8	5.3	3.8	4.1	3.4	6.6
	1903	1,509	1,237	728	456	272	781	4.6	5.3	3.5	3.9	2.9	6.8
	1904	1,396	1,124	700	428	272	696	4.2	4.7	3.3	3.6	2.9	5.9
	1905	1,285	1,040	638	393	245	647	3.8	4.3	2.9	3.2	2.6	5.4
Hemorrhage of lungs	1901	844	665	450	271	179	394	2.7	3.0	2.2	2.4	2.0	3.6
	1902	773	615	414	256	158	359	2.4	2.7	2.0	2.2	1.7	3.2
	1903	753	615	428	290	138	325	2.3	2.6	2.0	2.5	1.5	2.8
	1904	675	531	386	242	144	289	2.0	2.2	1.8	2.0	1.5	2.5
	1905	707	551	401	245	156	306	2.1	2.3	1.8	2.0	1.7	2.5
Other diseases of respiratory system	1901	812	546	511	245	266	301	2.6	2.5	2.5	2.2	2.9	2.7
	1902	738	502	450	214	236	288	2.3	2.2	2.2	1.9	2.6	2.6
	1903	733	518	482	267	215	251	2.3	2.2	2.3	2.3	2.3	2.2
	1904	638	433	399	194	205	239	1.9	1.8	1.9	1.6	2.2	2.0
	1905	650	480	389	219	170	261	1.9	2.0	1.8	1.8	1.8	2.2

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
V.—Diseases of digestive system	1901	62,950	48,484	40,526	26,060	14,466	22,424	201.2	218.7	199.5	233.0	158.5	204.2
	1902	61,192	47,821	38,021	24,650	13,371	23,171	191.8	210.5	184.0	214.9	145.5	206.0
	1903	61,219	47,671	38,069	24,521	13,548	23,150	188.2	204.8	181.2	208.7	146.3	200.9
	1904	66,125	51,856	41,427	27,158	14,269	24,698	199.6	217.9	193.9	225.9	152.8	209.8
	1905	68,940	53,343	43,583	27,986	15,597	25,357	204.2	219.0	200.7	227.3	165.9	210.5
Diseases of mouth	1901	256	185	161	90	71	95	0.8	0.8	0.8	0.8	0.8	0.9
	1902	229	170	128	69	59	101	0.7	0.7	0.6	0.6	0.6	0.9
	1903	235	177	138	80	58	97	0.7	0.8	0.7	0.7	0.6	0.8
	1904	256	196	146	86	60	110	0.8	0.8	0.7	0.7	0.6	0.9
	1905	232	172	138	78	60	94	0.7	0.7	0.6	0.6	0.6	0.8
Tonsilitis	1901	285	174	184	73	111	101	0.9	0.8	0.9	0.7	1.2	0.9
	1902	258	165	162	69	93	96	0.8	0.7	0.8	0.6	1.0	0.9
	1903	258	151	179	72	107	79	0.8	0.6	0.9	0.6	1.2	0.7
	1904	290	179	198	87	111	92	0.9	0.8	0.9	0.7	1.2	0.8
	1905	270	171	171	72	99	99	0.8	0.7	0.8	0.6	1.1	0.8
Other diseases of pharynx	1901	282	203	181	102	79	101	0.9	0.9	0.9	0.9	0.9	0.9
	1902	329	235	218	124	94	111	1.0	1.0	1.1	1.1	1.0	1.0
	1903	294	213	184	103	81	110	0.9	0.9	0.9	0.9	0.9	1.0
	1904	340	237	232	129	103	108	1.0	1.0	1.1	1.1	1.1	0.9
	1905	324	225	210	111	99	114	1.0	0.9	1.0	0.9	1.1	0.9
Ulcer of stomach	1901	871	645	566	340	226	305	2.8	2.9	2.8	3.0	2.5	2.8
	1902	905	689	608	392	216	297	2.8	3.0	2.9	3.4	2.4	2.6
	1903	905	669	565	329	236	340	2.8	2.9	2.7	2.8	2.5	3.0
	1904	1,044	791	643	390	253	401	3.2	3.3	3.0	3.2	2.7	3.4
	1905	1,094	852	646	404	242	448	3.2	3.5	3.0	3.3	2.6	3.7
Gastritis	1901	3,764	2,681	2,327	1,244	1,083	1,437	12.0	12.1	11.5	11.1	11.9	13.1
	1902	3,693	2,597	2,258	1,162	1,096	1,435	11.6	11.4	10.9	10.1	11.9	12.8
	1903	3,797	2,713	2,340	1,256	1,084	1,457	11.7	11.7	11.1	10.7	11.7	12.6
	1904	3,710	2,703	2,250	1,243	1,007	1,460	11.2	11.4	10.5	10.3	10.8	12.4
	1905	3,585	2,570	2,172	1,157	1,015	1,413	10.6	10.6	10.0	9.4	10.8	11.7
Other diseases of stomach	1901	1,840	1,170	1,296	626	670	544	5.9	5.3	6.4	5.6	7.3	5.0
	1902	1,869	1,188	1,301	620	681	568	5.9	5.2	6.3	5.4	7.4	5.1
	1903	1,991	1,201	1,469	679	790	522	6.1	5.2	7.0	5.8	8.5	4.5
	1904	2,233	1,412	1,598	777	821	635	6.7	5.9	7.5	6.5	8.8	5.4
	1905	2,446	1,527	1,732	813	919	714	7.2	6.3	8.0	6.6	9.8	5.9
Dentition	1901	342	305	158	121	37	184	1.1	1.4	0.8	1.1	0.4	1.7
	1902	321	287	133	99	34	188	1.0	1.3	0.6	0.9	0.4	1.7
	1903	210	185	68	43	25	142	0.6	0.8	0.3	0.4	0.3	1.2
	1904	173	150	57	34	23	116	0.5	0.6	0.3	0.3	0.2	1.0
	1905	209	177	76	44	32	133	0.6	0.7	0.4	0.4	0.3	1.1
Diarrhea and enteritis	1901	35,596	28,264	23,619	16,287	7,332	11,977	113.8	127.5	116.3	145.6	80.3	109.1
	1902	33,627	27,194	21,303	14,870	6,433	12,324	105.4	119.7	103.1	129.6	70.0	109.6
	1903	33,035	26,684	20,754	14,403	6,351	12,281	101.5	114.6	98.8	122.6	68.6	106.6
	1904	36,864	29,946	23,537	16,619	6,918	13,327	111.3	125.8	110.2	138.2	74.1	113.2
	1905	39,399	31,307	25,472	17,380	8,092	13,927	116.7	128.5	117.3	141.1	86.1	115.6
Hernia	1901	1,272	962	820	510	310	452	4.1	4.3	4.0	4.6	3.4	4.1
	1902	1,316	1,038	836	558	278	480	4.1	4.6	4.0	4.9	3.0	4.3
	1903	1,412	1,107	884	579	305	528	4.3	4.7	4.2	4.9	3.3	4.6
	1904	1,405	1,102	870	567	303	535	4.2	4.6	4.1	4.7	3.2	4.5
	1905	1,413	1,122	904	613	291	509	4.2	4.6	4.2	5.0	3.1	4.2
Obstruction of intestines	1901	2,666	1,957	1,657	948	709	1,009	8.5	8.8	8.2	8.5	7.8	9.2
	1902	2,691	2,073	1,644	1,026	618	1,047	8.4	9.1	8.0	8.9	6.7	9.3
	1903	2,844	2,087	1,799	1,042	757	1,045	8.7	9.0	8.6	8.9	8.2	9.1
	1904	3,040	2,289	1,900	1,149	751	1,140	9.2	9.6	8.9	9.6	8.0	9.7
	1905	3,219	2,380	1,994	1,155	839	1,225	9.5	9.8	9.2	9.4	8.9	10.2
Other diseases of intestines	1901	982	665	649	332	317	333	3.1	3.0	3.2	3.0	3.5	3.0
	1902	961	620	641	300	341	320	3.0	2.7	3.1	2.6	3.7	2.8
	1903	944	638	614	308	306	330	2.9	2.7	2.9	2.6	3.3	2.9
	1904	969	665	626	322	304	343	2.9	2.8	2.9	2.7	3.3	2.9
	1905	1,061	714	701	354	347	360	3.1	2.9	3.2	2.9	3.7	3.0
Acute yellow atrophy of liver	1901	104	68	71	35	36	33	0.3	0.3	0.3	0.3	0.4	0.3
	1902	144	95	91	42	49	53	0.5	0.4	0.4	0.4	0.5	0.5
	1903	119	76	76	33	43	43	0.4	0.3	0.4	0.3	0.5	0.4
	1904	143	99	95	51	44	48	0.4	0.4	0.4	0.4	0.5	0.4
	1905	147	101	92	46	46	55	0.4	0.4	0.4	0.4	0.5	0.5
Hydatid tumors of liver	1901	8	8	4	4	----------	4	(1)	(1)	(1)	(1)	----------	(1)
	1902	14	11	10	7	3	4	(1)	(1)	(1)	0.1	(1)	(1)
	1903	9	6	8	5	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	1904	12	7	10	5	5	2	(1)	(1)	(1)	(1)	0.1	(1)
	1905	14	13	9	8	1	5	(1)	0.1	(1)	0.1	(1)	(1)
Cirrhosis of liver	1901	4,265	3,461	2,647	1,843	804	1,618	13.6	15.6	13.0	16.5	8.8	14.7
	1902	4,460	3,618	2,671	1,829	842	1,789	14.0	15.9	12.9	15.9	9.2	15.9
	1903	4,731	3,813	2,834	1,916	918	1,897	14.5	16.4	13.5	16.3	9.9	16.5
	1904	5,020	4,048	2,958	1,986	972	2,062	15.1	17.0	13.8	16.5	10.4	17.5
	1905	4,994	4,044	3,041	2,091	950	1,953	14.8	16.6	14.0	17.0	10.1	16.2
Biliary calculi	1901	500	377	287	164	123	213	1.6	1.7	1.4	1.5	1.3	1.9
	1902	668	513	379	224	155	289	2.1	2.3	1.8	2.0	1.7	2.6
	1903	795	618	440	263	177	355	2.4	2.7	2.1	2.2	1.9	3.1
	1904	832	643	484	295	189	348	2.5	2.7	2.3	2.5	2.0	3.0
	1905	883	672	508	297	211	375	2.6	2.8	2.3	2.4	2.2	3.1

[1] Less than one-tenth.

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Other diseases of liver	1901	2,558	1,688	1,633	763	870	925	8.2	7.6	8.0	6.8	9.5	8.4
	1902	2,483	1,672	1,567	756	811	916	7.8	7.4	7.6	6.6	8.8	8.1
	1903	2,545	1,735	1,593	783	810	952	7.8	7.5	7.6	6.7	8.7	8.3
	1904	2,340	1,593	1,484	737	747	856	7.1	6.7	6.9	6 1	8.0	7.3
	1905	2,289	1,568	1,451	730	721	838	6.8	6.4	6.7	5.9	7.7	7.0
Diseases of spleen	1901	82	50	52	20	32	30	0.3	0.2	0.3	0.2	0.4	0.3
	1902	89	61	63	35	28	26	0.3	0.3	0.3	0.3	0.3	0.2
	1903	88	62	57	31	26	31	0.3	0.3	0.3	0.3	0.3	0.3
	1904	76	51	57	32	25	19	0.2	0.2	0.3	0.3	0.3	0.2
	1905	90	55	61	26	35	29	0.3	0.2	0.3	0.2	0.4	0.2
Peritonitis	1901	4,091	3,019	2,391	1,319	1,072	1,700	13.1	13.6	11.8	11.8	11.7	15.5
	1902	3,824	2,894	2,119	1,189	930	1,705	12.0	12.7	10.3	10.4	10.1	15.2
	1903	3,333	2,503	1,981	1,151	830	1,352	10.2	10.8	9.4	9.8	9.0	11.7
	1904	3,331	2,394	1,991	1,054	937	1,340	10.1	10 1	9.3	8.8	10.0	11.4
	1905	3,105	2,177	1,881	953	928	1,224	9.2	8 9	8.7	7.7	9.9	10.2
Appendicitis	1901	3,131	2,553	1,794	1,216	578	1,337	10.0	11.5	8.8	10.9	6.3	12.2
	1902	3,216	2,629	1,825	1,238	587	1,391	10.1	11.6	8.8	10.8	6.4	12.4
	1903	3,589	2,965	2,031	1,407	624	1,558	11.0	12.7	9.7	12.0	6.7	13.5
	1904	3,946	3,267	2,224	1,545	679	1,722	11.9	13.7	10.4	12.9	7.3	14.6
	1905	4,062	3,410	2,256	1,604	652	1,806	12.0	14.0	10.4	13.0	6.9	15.0
Other diseases of digestive system	1901	55	49	29	23	6	26	0.2	0.2	0.1	0 2	0.1	0 2
	1902	95	72	64	41	23	31	0.3	0.3	0.3	0 4	0.3	0.3
	1903	85	68	55	38	17	30	0 3	0.3	0.3	0.3	0.2	0 3
	1904	101	84	67	50	17	34	0.3	0.4	0.3	0.4	0.2	0.3
	1905	104	86	68	50	18	36	0.3	0.4	0.3	0.4	0.2	0.3
VI.—Diseases of genito-urinary system	1901	33,489	25,976	21,650	14,137	7,513	11,839	107.0	117 2	106.6	126.4	82.3	107 8
	1902	34,608	26,944	22,149	14,485	7,664	12,459	108.5	118 6	107.2	126.3	83.4	110.8
	1903	38,013	29,752	23,882	15,621	8,261	14,131	116.8	127 8	113.7	132.9	89.2	122 6
	1904	40,450	31,724	25,629	16,903	8,726	14,821	122.1	133.3	120.0	140.6	93 4	125.9
	1905	41,361	32,567	25,807	17,013	8,794	15,554	122.5	133.7	118.9	138.2	93 6	129.1
Acute nephritis	1901	2,498	2,033	1,745	1,280	465	753	8.0	9.2	8.6	11.4	5.1	6.9
	1902	2,983	2,470	2,038	1,525	513	945	9.3	10.9	9.9	13 3	5.6	8.4
	1903	3,173	2,613	2,116	1,556	560	1,057	9.8	11.2	10.1	13 2	6.0	9.2
	1904	3,470	2,852	2,277	1,659	618	1,193	10.5	12 0	10 7	13 8	6.6	10.1
	1905	3,565	2,965	2,305	1,705	600	1,260	10.6	12.2	10.6	13.8	6.4	10.5
Bright's disease	1901	25,507	19,968	16,450	10,911	5,539	9,057	81.5	90.1	81.0	97.6	60 7	82.5
	1902	26,136	20,439	16,604	10,907	5,697	9,532	81.9	90.9	80.4	95.1	62.0	84.8
	1903	28,641	22,463	18,042	11,864	6,178	10,599	88.0	96.5	85.9	101.0	66.7	92.0
	1904	30,911	24,349	19,574	13,012	6,562	11,337	93 3	102.3	91.6	108.2	70.3	96.3
	1905	31,631	24,890	19,732	12,991	6,741	11,899	93.7	102.2	90 9	105 5	71.7	98.8
Other diseases of kidneys	1901	947	658	596	307	289	351	3.0	3.0	2.9	2.7	3.2	3.2
	1902	938	700	575	337	238	363	2.9	3.1	2.8	2.9	2.6	3.2
	1903	917	670	555	308	247	362	2.8	2.9	2.6	2.6	2.7	3.1
	1904	923	678	608	363	245	315	2.8	2.8	2.8	3.0	2.6	2.7
	1905	906	690	547	331	216	359	2.7	2.8	2 5	2.7	2.3	3.0
Calculi of urinary tract	1901	126	104	73	51	22	53	0.4	0 5	0 4	0.5	0 2	0.5
	1902	150	113	96	59	37	54	0 5	0.5	0.5	0.5	0.4	0.5
	1903	151	117	88	54	34	63	0.5	0.5	0.4	0 5	0.4	0.5
	1904	154	117	98	61	37	56	0.5	0.5	0.5	0.5	0.4	0.5
	1905	193	160	106	73	33	87	0.6	0 7	0.5	0.6	0.4	0.7
Diseases of bladder	1901	1,530	912	1,100	482	618	430	4.9	4.1	5.4	4.3	6.8	3.9
	1902	1,432	877	1,016	461	555	416	4.5	3.9	4.9	4.0	6.0	3.7
	1903	1,450	899	1,006	455	551	444	4.5	3.9	4.8	3 9	5.9	3.9
	1904	1,408	820	987	399	588	421	4.2	3.4	4.6	3.3	6.3	3.6
	1905	1,257	721	930	394	536	327	3 7	3 0	4.3	3.2	5.7	2.7
Uterine tumor	1901	529	443	294	208	86	235	1.7	2.0	1.4	1.9	0.9	2.1
	1902	536	436	338	238	100	198	1.7	1.9	1.6	2.1	1.1	1.8
	1903	608	508	336	236	100	272	1.9	2.2	1.6	2.0	1.1	2.4
	1904	620	540	365	285	80	255	1.9	2.3	1.7	2.4	0.9	2.2
	1905	611	523	338	250	88	273	1.8	2.1	1.6	2.0	0.9	2.3
Other diseases of uterus	1901	620	520	336	236	100	284	2.0	2.3	1.7	2.1	1 1	2.6
	1902	606	497	329	220	109	277	1.9	2.2	1 6	1.9	1.2	2.5
	1903	703	579	376	252	124	327	2.2	2.5	1.8	2.1	1.3	2.8
	1904	654	537	350	233	117	304	2.0	2.3	1.6	1 9	1.3	2.6
	1905	682	559	395	272	123	287	2.0	2 3	1.8	2.2	1.3	2.4
Ovarian tumor	1901	411	318	260	167	93	151	1.3	1 4	1 3	1.5	1.0	1.4
	1902	428	338	265	175	90	163	1.3	1.5	1.3	1.5	1.0	1.4
	1903	439	362	239	162	77	200	1.3	1.6	1.1	1.4	0.8	1.7
	1904	433	342	255	164	91	178	1.3	1.4	1 2	1.4	1.0	1.5
	1905	440	364	237	161	76	203	1.3	1.5	1.1	1.3	0.8	1.7
Diseases of tubes	1901	407	389	198	180	18	209	1.3	1.8	1.0	1.6	0.2	1.9
	1902	460	437	240	217	23	220	1.4	1.9	1.2	1.9	0.3	2.0
	1903	583	551	265	233	32	318	1.8	2.4	1.3	2.0	0.3	2.8
	1904	654	613	316	275	41	338	2.0	2.6	1.5	2.3	0.4	2.9
	1905	692	657	340	305	35	352	2.0	2.7	1.6	2.5	0.4	2.9
Other diseases of genito-urinary system	1901	914	631	598	315	283	316	2.9	2.8	2.9	2.8	3.1	2.9
	1902	939	637	648	346	302	291	2 9	2.8	3.1	3.0	3.3	2.6
	1903	1,348	990	859	501	358	489	4.1	4.3	4.1	4.3	3.9	4.2
	1904	1,223	876	799	452	347	424	3.7	3.7	3.7	3.8	3.7	3.6
	1905	1,384	1,038	877	531	346	507	4.1	4.3	4.0	4.3	3.7	4.2

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
VII.—Childbirth	1901	4,294	3,197	2,704	1,607	1,097	1,590	13.7	14.4	13.3	14.4	12.0	14.5
	1902	4,164	3,113	2,626	1,575	1,051	1,538	13.0	13.7	12.7	13.7	11.4	13.7
	1903	4,569	3,450	2,778	1,659	1,119	1,791	14.0	14.8	13.2	14.1	12.1	15.5
	1904	5,109	3,861	3,216	1,968	1,248	1,893	15.4	16.2	15.1	16.4	13.4	16.1
	1905	5,077	3,927	3,219	2,069	1,150	1,858	15.0	16.1	14.8	16.8	12.2	15.4
Puerperal septicemia	1901	1,882	1,419	1,124	661	463	758	6.0	6.4	5.5	5.9	5.1	6.9
	1902	1,813	1,431	1,092	710	382	721	5.7	6.3	5.3	6.2	4.2	6.4
	1903	1,992	1,554	1,153	715	438	839	6.1	6.7	5.5	6.1	4.7	7.3
	1904	2,291	1,780	1,403	892	511	888	6.9	7.5	6.6	7.4	5.5	7.5
	1905	2,309	1,845	1,401	937	464	908	6.8	7.6	6.5	7.6	4.9	7.5
Puerperal convulsions	1901	803	583	546	326	220	257	2.6	2.6	2.7	2.9	2.4	2.3
	1902	768	543	517	292	225	251	2.4	2.4	2.5	2.5	2.4	2.2
	1903	929	662	594	327	267	335	2.9	2.8	2.8	2.8	2.9	2.9
	1904	1,075	763	713	401	312	362	3.2	3.2	3.3	3.3	3.3	3.1
	1905	981	740	655	414	241	326	2.9	3.0	3.0	3.4	2.6	2.7
Other causes incident to childbirth	1901	1,609	1,195	1,034	620	414	575	5.1	5.4	5.1	5.5	4.5	5.2
	1902	1,583	1,139	1,017	573	444	566	5.0	5.0	4.9	4.9	4.8	5.0
	1903	1,648	1,234	1,031	617	414	617	5.1	5.3	4.9	5.3	4.5	5.4
	1904	1,743	1,318	1,100	675	425	643	5.3	5.5	5.1	5.6	4.6	5.5
	1905	1,787	1,342	1,163	718	445	624	5.3	5.5	5.4	5.8	4.7	5.2
VIII.—Diseases of skin	1901	2,419	1,611	1,603	795	808	816	7.7	7.3	7.9	7.1	8.9	7.4
	1902	2,269	1,488	1,515	734	781	754	7.1	6.5	7.3	6.4	8.5	6.7
	1903	2,470	1,696	1,610	836	774	860	7.6	7.3	7.7	7.1	8.4	7.5
	1904	2,397	1,576	1,643	822	821	754	7.2	6.6	7.7	6.8	8.8	6.4
	1905	2,406	1,604	1,628	826	802	778	7.1	6.6	7.5	6.7	8.5	6.5
Gangrene	1901	1,460	881	1,024	445	579	436	4.7	4.0	5.0	4.0	6.3	4.0
	1902	1,327	793	938	404	534	389	4.2	3.5	4.5	3.5	5.8	3.5
	1903	1,482	941	1,020	479	541	462	4.6	4.0	4.9	4.1	5.8	4.0
	1904	1,500	914	1,076	490	586	424	4.5	3.8	5.0	4.1	6.3	3.6
	1905	1,518	933	1,068	483	585	450	4.5	3.8	4.9	3.9	6.2	3.7
Carbuncle	1901	166	137	82	53	29	84	0.5	0.6	0.4	0.5	0.3	0.8
	1902	154	120	86	52	34	68	0.5	0.5	0.4	0.5	0.4	0.6
	1903	151	106	88	43	45	63	0.5	0.5	0.4	0.4	0.5	0.5
	1904	134	107	77	50	27	57	0.4	0.4	0.4	0.4	0.3	0.5
	1905	142	102	87	47	40	55	0.4	0.4	0.4	0.4	0.4	0.5
Abscess	1901	464	343	296	175	121	168	1.5	1.5	1.5	1.6	1.3	1.5
	1902	448	335	284	171	113	164	1.4	1.5	1.4	1.5	1.2	1.4
	1903	547	448	316	217	99	231	1.7	1.9	1.5	1.8	1.1	2.0
	1904	476	357	309	190	119	167	1.4	1.5	1.4	1.6	1.3	1.4
	1905	432	331	285	184	101	147	1.3	1.4	1.3	1.5	1.1	1.2
Other diseases of skin	1901	329	250	201	122	79	128	1.1	1.1	1.0	1.1	0.9	1.2
	1902	340	240	207	107	100	133	1.1	1.1	1.0	0.9	1.1	1.2
	1903	290	201	186	97	89	104	0.9	0.9	0.9	0.8	1.0	0.9
	1904	287	198	181	92	89	106	0.9	0.8	0.8	0.8	1.0	0.9
	1905	314	238	188	112	76	126	0.9	1.0	0.9	0.9	0.8	1.0
IX.—Diseases of locomotor system	1901	807	670	504	367	137	303	2.6	3.0	2.5	3.3	1.5	2.8
	1902	849	676	541	368	173	308	2.7	3.0	2.6	3.2	1.9	2.7
	1903	980	817	607	444	163	373	3.0	3.5	2.9	3.8	1.8	3.2
	1904	990	828	614	452	162	376	3.0	3.5	2.9	3.8	1.7	3.2
	1905	1,036	832	653	449	204	383	3.1	3.4	3.0	3.6	2.2	3.2
Diseases of bones	1901	642	539	405	302	103	237	2.1	2.4	2.0	2.7	1.1	2.2
	1902	715	569	470	324	146	245	2.2	2.5	2.3	2.8	1.6	2.3
	1903	829	701	508	380	128	321	2.5	3.0	2.4	3.2	1.4	2.8
	1904	861	723	538	400	138	323	2.6	3.0	2.5	3.3	1.5	2.7
	1905	929	754	582	407	175	347	2.8	3.1	2.7	3.3	1.9	2.9
Diseases of joints	1901	79	61	50	32	18	29	0.3	0.3	0.2	0.3	0.2	0.3
	1902	57	47	31	21	10	26	0.2	0.2	0.2	0.2	0.1	0.2
	1903	93	79	56	42	14	37	0.3	0.3	0.3	0.4	0.2	0.3
	1904	82	64	49	31	18	33	0.2	0.3	0.2	0.3	0.2	0.3
	1905	66	49	46	29	17	20	0.2	0.2	0.2	0.2	0.2	0.2
Other diseases of locomotor system	1901	86	70	49	33	16	37	0.3	0.3	0.2	0.3	0.2	0.3
	1902	77	60	40	23	17	37	0.2	0.3	0.2	0.2	0.2	0.3
	1903	58	37	43	22	21	15	0.2	0.2	0.2	0.2	0.2	0.1
	1904	47	41	27	21	6	20	0.1	0.2	0.1	0.2	0.1	0.2
	1905	41	29	25	13	12	16	0.1	0.1	0.1	0.1	0.1	0.1
X.—Malformations	1901	3,453	2,440	2,426	1,413	1,013	1,027	11.0	11.0	11.9	12.6	11.1	9.4
	1902	3,440	2,458	2,454	1,472	982	986	10.8	10.8	11.9	12.8	10.7	8.8
	1903	4,025	2,875	2,701	1,551	1,150	1,324	12.4	12.4	12.9	13.1	12.4	11.5
	1904	4,382	3,192	2,977	1,787	1,190	1,405	13.2	13.4	13.9	14.9	12.7	11.9
	1905	4,588	3,385	3,056	1,853	1,203	1,532	13.6	13.9	14.1	15.0	12.8	12.7
Hydrocephalus	1901	571	412	411	252	159	160	1.8	1.9	2.0	2.3	1.7	1.5
	1902	490	355	358	223	135	132	1.5	1.6	1.7	1.9	1.5	1.2
	1903	533	396	362	225	137	171	1.6	1.7	1.7	1.9	1.5	1.5
	1904	541	400	387	246	141	154	1.6	1.7	1.8	2.0	1.5	1.3
	1905	499	377	339	217	122	160	1.5	1.5	1.6	1.8	1.3	1.3
Congenital malformation of heart (cyanosis).	1901	1,794	1,293	1,217	716	501	577	5.7	5.8	6.0	6.4	5.5	5.3
	1902	1,875	1,387	1,288	800	488	587	5.9	6.1	6.2	7.0	5.3	5.2
	1903	2,141	1,553	1,408	820	588	733	6.6	6.7	6.7	7.0	6.3	6.4
	1904	2,434	1,817	1,616	999	617	818	7.3	7.6	7.6	8.3	6.6	6.9
	1905	2,706	2,041	1,769	1,104	665	937	8.0	8.4	8.1	9.0	7.1	7.8

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Other congenital malformations	1901	1,088	735	798	445	353	290	3.5	3.3	3.9	4.0	3.9	2.6
	1902	1,075	716	808	449	359	267	3.4	3.2	3.9	3.9	3.9	2.4
	1903	1,351	926	931	506	425	420	4.2	4.0	4.4	4.3	4.6	3.6
	1904	1,407	975	974	542	432	433	4.2	4.1	4.6	4.5	4.6	3.7
	1905	1,383	967	948	532	416	435	4.1	4.0	4.4	4.3	4.4	3.6
XI.—Diseases of early infancy	1901	20,722	16,250	13,423	8,951	4,472	7,299	66.2	73.3	66.1	80.0	49.0	66.5
	1902	21,811	17,128	14,069	9,386	4,683	7,742	68.4	75.4	68.1	81.8	51.0	68.8
	1903	22,514	18,188	14,060	9,734	4,326	8,454	69.2	78.1	66.9	82.8	46.7	73.4
	1904	24,001	19,004	15,116	10,119	4,997	8,885	72.4	79.9	70.8	84.2	53.5	75.5
	1905	23,617	18,626	15,005	10,014	4,991	8,612	70.0	76.5	69.1	81.3	53.1	71.5
Premature birth	1901	8,615	6,527	6,143	4,055	2,088	2,472	27.5	29.4	30.2	36 3	22.9	22.5
	1902	9,087	6,785	6,583	4,281	2,302	2,504	28 5	29.9	31 9	37.3	25 0	22.3
	1903	10,143	7,993	6,873	4,723	2,150	3,270	31.2	34.3	32.7	40.2	23 2	28.4
	1904	11,361	8,789	7,569	4,997	2,572	3,792	34.3	36.9	35.4	41.6	27.5	32.2
	1905	11,102	8,620	7,242	4,760	2,482	3,860	32.9	35 4	33.4	38.7	26 4	32.0
Congenital debility	1901	12,107	9,723	7,280	4,896	2,384	4,827	38.7	43.9	35 8	43.8	26.1	44.0
	1902	12,724	10,343	7,486	5,105	2,381	5,238	39.9	45.5	36.2	44.5	25.9	46.6
	1903	12,371	10,195	7,187	5,011	2,176	5,184	38.0	43.8	34.2	42.6	23.5	45.0
	1904	12,640	10,215	7,547	5,122	2,425	5,093	38.1	42 9	35.3	42.6	26 0	43 3
	1905	12,515	10,006	7,763	5,254	2,509	4,752	37.1	41.1	35 8	42 7	26.7	39.5
XII.—Old age	1901	14,758	9,014	9,771	4,027	5,744	4,987	47.2	40.7	48.1	36.0	62 9	45.4
	1902	14,225	8,839	9,309	3,923	5,386	4,916	44 6	38.9	45.1	34.2	58.6	43 7
	1903	12,780	7,747	8,604	3,571	5,033	4,176	39 3	33.3	40.9	30.4	54.3	36.2
	1904	12,938	7,741	8,702	3,505	5,197	4,236	39.0	32.5	40.7	29.2	55.6	36.0
	1905	12,301	7,332	8,251	3,282	4,969	4,050	36.4	30.1	38 0	26.7	52.9	33.6
XIII.—Violence	1901	33,330	25,642	20,164	12,476	7,688	13,166	106.5	115.7	99.3	111.5	84.2	119.9
	1902	31,135	23,915	18,294	11,074	7,220	12,841	97.6	105.3	88.5	96.5	78.6	114.2
	1903	35,542	27,226	20,894	12,578	8,316	14,648	109 2	117.0	99.4	107.0	89.8	127.1
	1904	36,644	28,058	22,461	13,875	8,586	14,183	110.6	117 9	105.1	115.4	91.9	120.5
	1905	37,778	28,865	22,590	13,677	8,913	15,188	111.9	118 5	104.0	111.1	94.8	126.1
Suicide	1901	3,824	3,028	2,105	1,309	796	1,719	12 2	13.7	10.4	11.7	8 7	15.7
	1902	4,054	3,271	2,124	1,341	783	1,930	12.7	14.4	10.3	11.7	8.5	17.2
	1903	4,510	3,641	2,371	1,502	869	2,139	13.9	15.6	11 3	12.8	9.4	18.6
	1904	4,912	3,969	2,611	1,668	943	2,301	14 8	16.7	12.2	13.9	10.1	19.5
	1905	5,438	4,351	2,940	1,853	1 087	2,498	16.1	17 9	13.5	15.0	11.6	20.7
Fractures and dislocations	1901	2,697	2,038	1,902	1,243	659	795	8.6	9.2	9.4	11.1	7.2	7.2
	1902	2,776	2,136	1,982	1,342	640	794	8.7	9.4	9.6	11.7	7.0	7.1
	1903	3,003	2,263	2,084	1,341	740	919	9.2	9 7	9.9	11.4	8 0	8.0
	1904	2,908	2,080	2,134	1,306	828	774	8.8	8.7	10.0	10 9	8.9	6.6
	1905	2,539	1,779	1,742	982	760	797	7.5	7 3	8.0	8 0	8 1	6.6
Burns and scalds	1901	2,685	2,125	1,575	1,015	560	1,110	8.6	9.6	7.8	9 1	6.1	10.1
	1902	2,575	2,063	1,463	951	512	1,112	8 1	9.1	7.1	8.3	5.6	9.9
	1903	2,667	2,168	1,519	1,020	499	1,148	8.2	9 3	7.2	8 7	5.4	10.0
	1904	2,745	2,193	1,593	1,041	552	1,152	8.3	9 2	7.5	8.7	5.9	9.8
	1905	2,846	2 308	1,640	1,102	538	1,206	8 4	9.5	7.6	8.9	5.7	10.0
Heat and sunstroke	1901	4,012	3,643	2,462	2,093	369	1,550	12.8	16.4	12.1	18.7	4.0	14.1
	1902	290	266	105	81	24	185	0.9	1.2	0.5	0.7	0.3	1.6
	1903	520	449	294	223	71	226	1.6	1.9	1.4	1.9	0.8	2.0
	1904	235	201	136	102	34	99	0.7	0.8	0.6	0.8	0.4	0.8
	1905	881	772	604	495	109	277	2.6	3 2	2.8	4 0	1.2	2.3
Cold and freezing	1901	154	78	122	46	76	32	0.5	0.4	0.6	0 4	0.8	0.3
	1902	163	88	132	57	75	31	0.5	0.4	0.6	0.5	0.8	0.3
	1903	184	82	142	40	102	42	0.6	0.4	0.7	0.3	1.1	0.4
	1904	227	113	182	68	114	45	0.7	0.5	0.9	0.6	1.2	0.4
	1905	228	125	158	55	103	70	0.7	0 5	0.7	0.4	1.1	0.6
Lightning	1901	127	35	101	9	92	26	0.4	0.2	0.5	0.1	1.0	0.2
	1902	108	27	92	11	81	16	0.3	0.1	0.4	0.1	0.9	0.1
	1903	92	24	78	10	68	14	0.3	0.1	0.4	0.1	0.7	0.1
	1904	81	26	67	12	55	14	0.2	0 1	0.3	0 1	0.6	0.1
	1905	80	18	71	9	62	9	0.2	0 1	0.3	0.1	0.7	0.1
Drowning	1901	3,380	2,275	2,396	1,291	1,105	984	10 8	10.3	11.8	11.5	12.1	9.0
	1902	3,244	2,243	2,215	1,214	1,001	1,029	10.2	9.9	10.7	10.6	10.9	9.1
	1903	3,418	2,314	2,399	1,295	1,104	1,019	10.5	9 9	11 4	11.0	11.9	8.8
	1904	3,378	2,273	2,416	1,311	1,105	962	10.2	9 6	11.3	10.9	11.8	8.2
	1905	3,389	2,254	2,408	1,273	1,135	981	10.0	9.3	11.1	10.3	12.1	8.1
Inhalation of poisonous gases	1901	786	719	467	400	67	319	2.5	3.2	2.3	3.6	0.7	2.9
	1902	950	886	600	536	64	350	3.0	3.9	2.9	4.7	0.7	3.1
	1903	1,715	1,643	703	631	72	1,012	5.3	7.1	3.3	5.4	0 8	8.8
	1904	2,167	2,050	1,712	1,595	117	455	6.5	8 6	8.0	13.3	1.3	3.9
	1905	1,306	1,151	854	699	155	452	3.9	4 7	3.9	5.7	1.6	3.8
Other accidental poisonings	1901	1,234	912	783	461	322	451	3.9	4.1	3.9	4.1	3.5	4.1
	1902	1,374	1,038	877	541	336	497	4.3	4.6	4.2	4.7	3.7	4 4
	1903	1,551	1,131	1,083	663	420	468	4.8	4.9	5.2	5.6	4.5	4.1
	1904	1,632	1,205	1,064	637	427	568	4.9	5 1	5.0	5.3	4.6	4.8
	1905	1,269	880	827	438	389	442	3.8	3.6	3.8	3.6	4 1	3.7
Accidental gunshot wounds	1901	1,082	750	558	226	332	524	3.5	3.4	2.7	2.0	3.6	4.8
	1902	1,196	873	623	300	323	573	3.7	3 8	3.0	2.6	3.5	5.1
	1903	1,151	782	653	284	369	498	3.5	3.4	3.1	2.4	4.0	4.3
	1904	1,294	882	730	318	412	564	3 9	3.7	3.4	2 6	4.4	4.8
	1905	823	477	524	178	346	299	2.4	2.0	2.4	1.4	3.7	2.5

TABLE V.—DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Injuries by machinery	1901	196	140	109	53	56	87	0.6	0.6	0.5	0.5	0.6	0.8
	1902	281	222	135	76	59	146	0.9	1.0	0.7	0.7	0.6	1.3
	1903	280	209	150	79	71	130	0.9	0.9	0.7	0.7	0.8	1.1
	1904	320	213	177	70	107	143	1.0	0.9	0.8	0.6	1.1	1.2
	1905	348	286	167	105	62	181	1.0	1.2	0.8	0.9	0.7	1.5
Injuries in mines and quarries	1901	274	185	130	41	89	144	0.9	0.8	0.6	0.4	1.0	1.3
	1902	199	122	113	36	77	86	0.6	0.5	0.5	0.3	0.8	0.8
	1903	305	165	172	32	140	133	0.9	0.7	0.8	0.3	1.5	1.2
	1904	329	207	144	22	122	185	1.0	0.9	0.7	0.2	1.3	1.6
	1905	491	276	252	37	215	239	1.5	1.1	1.2	0.3	2.3	2.0
Railroad accidents and injuries	1901	4,102	3,039	2,208	1,145	1,063	1,894	13.1	13.7	10.9	10.2	11.6	17.2
	1902	4,485	3,428	2,280	1,223	1,057	2,205	14.1	15.1	11.0	10.7	11.5	19.6
	1903	5,484	4,098	2,960	1,574	1,386	2,524	16.9	17.6	14.1	13.4	15.0	21.9
	1904	5,084	3,804	2,812	1,532	1,280	2,272	15.3	16.0	13.2	12.7	13.7	19.3
	1905	5,731	4,329	3,101	1,699	1,402	2,630	17.0	17.8	14.3	13.8	14.9	21.8
Injuries by vehicles and horses	1901	557	411	335	189	146	222	1.8	1.9	1.6	1.7	1.6	2.0
	1902	660	517	375	232	143	285	2.1	2.3	1.8	2.0	1.6	2.5
	1903	907	702	572	367	205	335	2.8	3.0	2.7	3.1	2.2	2.9
	1904	949	744	620	415	205	329	2.9	3.1	2.9	3.5	2.2	2.8
	1905	1,168	968	747	547	200	421	3.5	4.0	3.4	4.4	2.1	3.5
Suffocation	1901	551	372	373	194	179	178	1.8	1.7	1.8	1.7	2.0	1.6
	1902	439	303	271	135	136	168	1.4	1.3	1.3	1.2	1.5	1.5
	1903	504	341	364	201	163	140	1.5	1.5	1.7	1.7	1.8	1.2
	1904	555	379	365	189	176	190	1.7	1.6	1.7	1.6	1.9	1.6
	1905	548	369	365	186	179	183	1.6	1.5	1.7	1.5	1.9	1.5
Other accidental injuries	1901	5,826	4,378	3,437	1,989	1,448	2,389	18.6	19.8	16.9	17.8	15.9	21.8
	1902	6,303	4,800	3,652	2,149	1,503	2,651	19.8	21.1	17.7	18.7	16.4	23.6
	1903	6,748	5,190	3,877	2,319	1,558	2,871	20.7	22.3	18.5	19.7	16.8	24.9
	1904	6,994	5,311	4,076	2,393	1,683	2,918	21.1	22.3	19.1	19.9	18 0	24.8
	1905	6,987	5,387	4,241	2,641	1,600	2,746	20.7	22.1	19.5	21.4	17.0	22.8
Injuries at birth	1901	1,134	873	868	607	261	266	3.6	3.9	4.3	5.4	2.9	2.4
	1902	1,304	958	1,000	654	346	304	4.1	4.2	4.8	5.7	3.8	2.7
	1903	1,669	1,265	1,237	833	404	432	5.1	5.4	5.9	7.1	4.4	3.7
	1904	1,899	1,530	1,339	970	369	560	5.7	6.4	6.3	8.1	4.0	4.8
	1905	2,166	1,709	1,486	1,029	457	680	6.4	7.0	6.8	8.4	4.9	5.6
Homicide	1901	709	641	233	165	68	476	2.3	2.9	1.1	1.5	0.7	4.3
	1902	734	674	255	195	60	479	2.3	3.0	1.2	1.7	0.7	4.3
	1903	834	759	236	161	75	598	2.6	3.3	1.1	1.4	0.8	5.2
	1904	935	878	283	226	57	652	2.8	3.7	1.3	1.9	0.6	5.5
	1905	1,540	1,426	463	349	114	1,077	4.6	5.9	2.1	2.8	1.2	8.9
XIV.—Ill-defined causes	1901	17,697	12,625	10,365	5,293	5,072	7,332	56.6	57.0	51.0	47.3	55.6	66.8
	1902	16,860	12,382	9,402	4,924	4,478	7,458	52.8	54.5	45.5	42.9	48.7	66.3
	1903	14,697	10,825	8,556	4,684	3,872	6,141	45.2	46.5	40.7	39.9	41.8	53.3
	1904	13,993	10,038	8,254	4,299	3,955	5,739	42.2	42.2	38.6	35.8	42.3	48.7
	1905	13,662	9,966	8,106	4,410	3,696	5,556	40.5	40.9	37.3	35.8	39.3	46.1
"Dropsy"	1901	1,580	884	937	241	696	643	5.0	4.0	4.6	2.2	7.6	5.9
	1902	1,609	979	854	224	630	755	5.0	4.3	4.1	2.0	6.9	6.7
	1903	1,221	699	719	197	522	502	3.8	3.0	3.4	1.7	5.6	4.4
	1904	1,144	681	623	160	463	521	3.5	2.9	2.9	1.3	5.0	4.4
	1905	1,002	602	587	187	400	415	3.0	2.5	2.7	1.5	4.3	3.4
"Heart failure"	1901	2,141	1,143	1,351	353	998	790	6.8	5.2	6.7	3.2	10.9	7.2
	1902	2,087	1,315	1,116	344	772	971	6.5	5.8	5.4	3.0	8.4	8.6
	1903	2,189	1,429	1,285	525	760	904	6.7	6.1	6.1	4.5	8.2	7.8
	1904	2,167	1,422	1,213	468	745	954	6.5	6.0	5.7	3.9	8.0	8.1
	1905	1,924	1,171	1,102	349	753	822	5.7	4.8	5.1	2.8	8.0	6.8
Other ill-defined causes	1901	11,935	9,373	6,957	4,395	2,562	4,978	38.1	42.3	34.3	39.3	28.1	45.3
	1902	11,411	9,115	6,399	4,103	2,296	5,012	35.8	40.1	31.0	35.8	25.0	44.6
	1903	9,816	7,869	5,651	3,704	1,947	4,165	30.2	33.8	26.9	31.5	21.0	36.1
	1904	9,089	7,101	5,367	3,379	1,988	3,722	27.4	29.8	25.1	28.1	21.3	31.6
	1905	9,502	7,504	5,674	3,676	1,998	3,828	28.1	30.8	26.1	29.9	21.3	31.8
Unknown causes	1901	2,041	1,225	1,120	304	816	921	6.5	5.5	5.5	2.7	8.9	8.4
	1902	1,753	973	1,033	253	780	720	5.5	4.3	5.0	2.2	8.5	6.4
	1903	1,471	828	901	258	643	570	4.5	3.6	4.3	2.2	6.9	4.9
	1904	1,593	834	1,051	292	759	542	4.8	3.5	4.9	2.4	8.1	4.6
	1905	1,234	689	743	198	545	491	3.7	2.8	3.4	1.6	5.8	4.1

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
All causes	1901	1,637.6	1,551.8	1,517.4	1,332.8	1,839.6	1,558 9	1,718.5	1,617.4
	1902	1,572.9	1,445.7	1,472.8	1,210.4	1,835 6	1,481.0	1,687.2	1,516.0
	1903	1,679.2	1,502 1	1,462.8	1,133.5	1,842.2	1,539.1	1,694.6	1,594.3
	1904	1,610.1	1,554.9	1,573.0	1,275.1	1,952 8	1,585.0	1,641.4	1,609.8
	1905	1,694.0	1,551.4	1,395.6	1,242.7	1,789 2	1,586.2	1,687.2	1,639.7
I.—General diseases	1901	510.9	444.4	456.2	425.9	511 6	403.8	482.8	429.9
	1902	437.3	365.7	435.4	380 2	453.2	365.7	447.9	382.3
	1903	490.6	385.6	452.1	363 4	460.4	376.8	452.5	417.4
	1904	417.4	376.7	460.1	403 7	493.8	393.4	431.2	421.8
	1905	434.9	363.6	393.3	384.1	463 9	376.0	427.1	442.1
Typhoid fever	1901	38.3	14.6	46.2	46 9	57.5	27.0	20.7	17.2
	1902	24.3	17.0	46.9	49.7	34.6	22.5	19.4	15.6
	1903	28.4	8.9	44.6	39.4	53.6	28.0	19.5	13.6
	1904	18.3	15.2	50.3	37.4	64.2	29.1	18.2	11.8
	1905	23.9	17.2	38.7	36.8	42.0	18.1	18.9	14.8
Exanthematic typhus	1901								
	1902								
	1903								
	1904								0.1
	1905			0 3					0.1
Recurrent fever	1901								
	1902								0.1
	1903								
	1904								
	1905								
Malarial fever	1901	13.1	7.8	7.7	9.9	3 3	1.2	3.0	3.8
	1902	10.4	7.7	6.6	7.7	1.6	3.3	1.7	2.9
	1903	5.9	4.9	5.2	6.2		1.9	2.1	2.6
	1904	5.0	4.3	5.2	5.8	1.6	1.5	1.5	3.3
	1905	5.2	9.6	2.8	6.0	2.4	1.7	1 2	2.1
Smallpox	1901	0.3	0.6	0.8	0.8			4.4	0.4
	1902	1.8	0.9	3.5	2.8	5.8	0.7	12.2	2.0
	1903		0.3	18.4	3.6	0.8	1.0	0.8	0.6
	1904			3.6	3.7		0.5	0.4	0.1
	1905			1.4	1.2			0.1	
Measles	1901	6.6	10.3	4.6	9.2	1.7	4.7	9.6	3.2
	1902	4.5	5.3	2.8	5.0	3.3	4.5	11 9	10.2
	1903	26.7	13.8	7.4	6.1	4.1	6.0	9.4	9.3
	1904	7.1	10.3	10.1	21.6	4.0	3 1	10.3	3.6
	1905	5.0	6.0	0.4	0.6	4.8	4 8	9.1	6.3
Scarlet fever	1901	11.5	5.0	7.0	5.8	0.8	3.3	16.4	6.0
	1902	20.8	12.3	5.9	6.1		2.2	13.5	1.6
	1903	18.1	10.4	6.1	7.5	8 1	1.5	19.7	11.3
	1904	9.0	6.7	7.4	8.6	0.8	1.4	5.1	5.6
	1905	5.9	3.6	3 7	6.1		1 2	4.7	2.4
Whooping cough	1901	14.6	5.6	6.7	10.7	7.5	3.6	10.2	5.7
	1902	17.8	11.1	8.2	9.4	6.6	7.4	15.2	8.9
	1903	27.1	21.4	10.4	10.6	26.0	13.1	24.0	11.7
	1904	7.3	5.2	5.1	6.3	12.8	6.7	5.7	5.2
	1905	8.5	5.1	10 2	11.0	4 8	5.6	10.7	5.8
Diphtheria	1901	26.7	20.5	19.8	12 3	20.0	9.9	40.2	17.7
	1902	23.4	17.0	19.4	8 1	18.1	10.4	29.9	13.4
	1903	25.7	12.6	20 2	10.6	13.0	10.8	29.1	16.2
	1904	20.3	13.4	13 9	6.4	28.9	15.1	23.6	12.1
	1905	23.4	13.6	13 1	8.5	16.6	9.4	21.4	11.7
Croup	1901	9.0	8.7	5.7	6.9	10.0	5.9	6.5	5.9
	1902	7.0	5.8	4 9	4.9	4.9	4.3	5.3	4.1
	1903	6.4	3.1	5.3	4.1	5.7	4.8	4.2	4.3
	1904	4.2	4.3	3.3	3.7	4.0	5.5	3.3	5.0
	1905	4.9	1.8	4.0	3.8	4.8	5.0	3.3	2.6
Influenza	1901	46.6	86.1	31.2	41.9	22.5	46.9	24.7	37.4
	1902	12.0	15.1	8.8	13.6	6.6	19.7	6.2	12.3
	1903	27.6	42 9	14.3	16.5	10.6	30.3	15.6	29.4
	1904	28.7	51.3	15.9	22.4	10.4	26.4	12.0	24.3
	1905	23.1	33 2	17.3	27.5	27.7	38.0	17.2	36.0
Miliary fever	1901								
	1902							(1)	
	1903								
	1904								
	1905								
Asiatic cholera	1901								
	1902								
	1903								
	1904								
	1905								
Cholera nostras	1901	2.3	2.8	1.0	1.4	4.2	3.6	1.5	2.4
	1902	2.4	1.9	1.1	1.1	0.8	2.4	2.0	1.8
	1903	1.1	0.3	0.9	1.0		3.8	1.5	1.2
	1904	2.0	0.6	0.7	0.7	2.4	1.9	1.1	1.3
	1905	1.1	1.2	0.6	1.0	2.4	2.9	1.3	1.6

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1,454.3	1,294.3	1,720.2	1,647.4	1,811.3	1,419.8	1,881.6	1,531.7	1,814.6	1,808.9	1,662.6	1,657.5
1,457.7	1,185.0	1,678.7	1,529.8	1,765.9	1,330.8	1,757.6	1,391.4	1,810.1	1,693.0	1,543.9	1,498.4
1,489.0	1,251.3	1,690.5	1,624.6	1,742.5	1,334.8	1,738.9	1,441.5	1,886.0	1,868.2	1,791.4	1,593.8
1,434.9	1,325.5	1,611.1	1,588.7	1,899.7	1,412.6	1,915.1	1,524.6	1,720.3	1,731.9	1,710.4	1,583.1
1,461.0	1,301.4	1,805.8	1,619.9	1,746.7	1,359.7	1,779.2	1,519.3	1,710.7	1,707.7	1,832.7	1,678.7
379.1	326.4	449.8	397.2	458.1	359.2	526.2	425.3	518.2	460.8	417.2	430.2
379.5	282.5	395.1	370.3	457.2	338.6	480.4	342.2	514.7	428.4	336.3	350.1
396.7	305.9	410.3	404.1	463.3	327.8	478.4	356.3	564.5	554.9	377.1	381.3
372.8	319.5	403.8	367.1	508.8	354.6	499.0	376.3	468.4	433.3	394.7	399.0
354.8	297.4	426.4	390.9	444.6	344.4	457.0	375.2	466.6	457.9	413.5	413.1
28.3	25.5	19.8	18.1	20.7	17.8	23.8	27.2	22.4	25.6	20.9	30.0
30.9	21.7	17.6	18.5	23.9	18.5	23.2	23.2	21.2	18.5	18.5	19.2
28.6	22.1	20.9	26.7	21.9	16.3	22.3	21.8	17.1	18.7	24.1	24.9
36.2	20.3	19.9	17.6	20.3	16.4	21.3	21.3	15.4	13.9	23.6	31.0
31.3	21.0	16.7	14.5	17.4	15.1	19.1	21.8	17.3	16.7	34.6	22.9
	0.3										
0.1	0.1					(1)					
							(1)				
				0.1			(1)				
4.1	4.8	3.1	0.8	4.2	4.7	4.1	3.1	7.9	8.1	4.2	1.0
4.2	3.9	0.6	0.4	2.8	3.6	3.0	3.2	7.1	3.3		1.4
1.8	3.0	0.6	2.8	1.8	4.8	1.9	2.5	4.6	9.0	2.0	1.3
2.2	2.8	2.3	2.0	2.6	3.0	2.4	2.1	3.9	5.1	2.0	1.7
1.1	2.8	0.6	2.3	1.8	3.3	1.4	2.4	3.5	3.1		2.0
0.4	1.3	1.8	0.8	7.9	6.2	8.2	0.8	1.7			
1.7	1.6	1.8	1.6	22.9	19.9	8.0	1.2	11.8	1.3		0.7
1.7	1.0			0.9	0.8	0.7	0.2	0.3	1.3	2.0	0.7
1.3	1.0	1.2		1.3	1.0	0.1	0.2				
6.2	1.4				0.1	0.2					
3.6	3.0	2.5	0.8	4.9	1.9	9.4	11.5	3.8	3.4	12.6	8.8
13.9	7.5	7.9	2.8	14.3	6.5	14.6	4.2	4.7	5.9	16.4	4.7
8.2	6.4	8.9	10.6	3.0	2.9	10.4	4.3	32.8	24.5	6.0	8.8
8.5	7.0	4.1		12.0	7.1	17.6	7.1	3.2	3.8		1.0
3.9	4.0	19.6	11.0	5.7	4.4	12.3	8.7	7.8	6.8	15.4	10.1
14.3	11.7	22.3	6.7	9.4	10.4	26.1	6.3	4.5	5.4	18.9	10.1
14.5	9.1	1.2		14.7	7.4	21.6	5.3	6.4	5.9	20.5	7.0
7.1	8.4	1.8	3.1	17.7	11.2	18.5	5.6	13.5	11.6		1.7
7.8	8.5	1.2	3.1	28.3	11.5	20.3	5.8	17.0	10.8	7.8	1.7
5.1	4.4	0.6	1.2	9.9	7.0	11.7	4.8	8.2	5.0	7.7	2.0
8.9	5.6	10.5	4.3	10.5	7.3	7.9	9.9	5.2	1.3	8.4	11.4
14.3	9.0	8.5	6.7	14.4	16.5	13.8	7.6	15.5	21.8		11.5
17.4	14.3	23.2	9.8	16.8	10.9	9.8	10.6	34.5	34.9	2.0	4.7
5.6	5.8	10.5	1.2	6.9	6.4	5.3	5.6	1.6	1.9	15.7	5.0
3.8	4.8	8.1	8.6	9.9	6.6	9.9	8.6	7.8	13.0	7.7	12.1
14.9	14.8	20.4	11.0	31.4	21.2	40.8	16.1	33.0	18.2	14.6	9.1
29.2	9.9	41.3	20.5	32.8	18.8	39.9	14.4	33.3	24.4	2.0	8.1
41.1	14.5	20.9	14.5	38.8	21.4	42.3	11.8	42.3	29.7	16.1	12.8
24.3	12.9	14.6	8.2	47.0	25.2	41.2	14.9	32.7	16.4	9.8	14.1
24.8	10.4	17.3	10.2	31.3	18.7	29.3	12.1	27.9	14.3	21.2	10.4
6.8	5.6	6.2	5.9	11.6	6.6	8.1	5.9	13.8	20.9		5.7
4.3	3.9	15.2	4.7	9.5	6.4	6.9	3.7	5.7	4.0		4.4
6.7	3.9	13.7	3.9	8.6	5.5	6.0	3.3	4.6	5.2	4.0	3.0
3.7	3.2	7.0	4.7	12.1	7.5	5.5	3.6	3.5	3.8	3.9	3.0
4.9	2.7	9.8	2.7	6.9	6.1	4.2	3.0	5.0	6.2	7.7	3.7
34.2	47.2	27.2	39.1	15.8	26.1	24.0	60.2	37.5	44.5	16.8	48.5
6.2	15.0	9.1	14.2	4.1	5.6	6.0	16.8	16.1	11.9	6.2	23.6
13.2	20.1	22.6	44.8	8.9	15.3	12.4	28.5	32.2	39.4	16.1	37.4
15.2	29.3	24.0	33.7	9.0	16.8	15.8	36.6	19.6	30.4	31.4	46.8
11.6	27.3	26.5	47.0	6.4	13.6	10.3	28.6	27.6	29.7	17.3	57.5
						0.1	0.1				
				0.1							
						(1)	(1)				
1.6	1.6	1.8	2.4	2.1	1.0	1.3	2.6	2.4	2.0	4.2	4.4
1.2	1.6	3.0	0.4	1.5	1.1	0.8	2.1	2.7	1.3		2.4
1.4	1.0	2.4		1.2	0.8	0.9	1.4	1.0	0.6	4.0	0.7
1.4	1.1	0.6	3.5	0.9	1.2	1.1	1.2	1.9		5.9	1.7
1.8	2.2	2.3	3.9	1.1	1.0	0.9	2.3	0.6	1.2	3.8	0.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Dysentery	1901	11 6	13.7	12 9	19.5	5.8	7.8	7.6	9.0
	1902	16 5	14 2	18.4	19 7	4.1	4 5	6.0	7.7
	1903	12 3	8.6	11 1	13.2	4.9	4.1	6.2	6.7
	1904	9 3	10 9	11.4	13 9	2.4	5 1	5 9	9.0
	1905	12 5	10.3	9.7	15 5.	4.0	5.0	4.7	9.8
Plague	1901								
	1902								
	1903								
	1904								
	1905								
Yellow fever	1901								
	1902								
	1903								
	1904								
	1905			0 1					
Leprosy	1901								
	1902								
	1903								
	1904								
	1905								
Erysipelas	1901	6.1	4.4	3.9	3 0	3.3	1.6	5 4	4.0
	1902	6.6	2.2	4.5	3.7	3 3	4.1	4.3	3.5
	1903	4.4	4.0	4 6	2.4	0.8	2.4	3.8	3.3
	1904	5.4	2.7	5.8	4.4	3.2	4 4	6.4	4.0
	1905	5.6	4.2	5.3	4.5	6.3	2.9	5.1	4.3
Other epidemic diseases	1901	0.2	0.3		0.1			(1)	0.1
	1902	0.2			0.2	1.6		0.5	0.1
	1903	0.2			0.2		0.2	0.2	0.6
	1904	0.2			0.2			0.2	0.4
	1905	0.2	0.9		0.1			0.1	0.1
Septicemia	1901	4.5	3 1	13 1	10.1	5.0	3.5	7.0	6.3
	1902	4.4	2.2	14 8	9.1	10.7	2.9	6.8	6.6
	1903	5.2	1.5	9.4	5.7	9.7	4.3	6.3	5.2
	1904	3 6	4.6	10.9	6.3	11.2	7.2	5.6	3.9
	1905	5 3	3.3	8.9	6.6	5 5	2.1	5.3	3.4
Glanders and farcy	1901								
	1902								
	1903	0 2						(1)	
	1904						0.2	(1)	
	1905					0 8			0.1
Malignant pustule and charbon	1901				0 1			0 1	0.1
	1902				0 1		0.2	0 1	
	1903				0 1			0 1	
	1904				(1)		0 5	0 2	0.1
	1905		0.3		0 1			0 1	
Rabies	1901				0 1				
	1902				0 1				
	1903			0 3	0 2				
	1904	0 2			0.2				
	1905				0 2			0.1	
Actinomycosis, trichinosis, etc	1901								
	1902				(1)			0.1	0.1
	1903				0 1			(1)	0.1
	1904	0.2			(1)			0.2	0.1
	1905				0 1		0.2	0 2	
Pellagra	1901								
	1902								
	1903								
	1904								
	1905								
Tuberculosis of lungs	1901	182 5	127.4	179.5	158.1	210 0	144.2	183.5	164 6
	1902	161.2	120 3	172.1	145.8	167.8	133.6	172 1	148 1
	1903	159.0	119 7	175 8	142 8	156.8	123.3	161.1	149 1
	1904	157 9	117 0	187 4	163.1	174.8	141 7	174.5	170.5
	1905	163 4	116 7	156.3	145.6	151 2	118 8	161.7	167.9
Tuberculosis of larynx	1901	0 8	1 9	1 9	1.3		2.6	1.1	0.7
	1902	1.3	0 9	2.6	2.0	2.5	0.9	1.2	0.9
	1903	1 4	0 3	2.1	1.3	1.6	1.2	0.9	2.0
	1904	1 2	2 1	2.8	1.5	0.8	1.2	1.3	1.3
	1905	1.1	1.8	2.5	2.0	4.0	2.2	0.9	2.0
Tuberculous meningitis	1901	7.8	5.0	8 4	5.2	15.8	6.9	12.4	7.2
	1902	8 4	5.5	6.5	5.3	18.1	6.6	12.1	5.8
	1903	11 3	7 0	6.7	5.0	8.1	6.5	12.3	6.5
	1904	8.8	6 4	9.5	6.3	11.2	7.4	11.8	7.5
	1905	12.3	8.7	6.4	5.0	13.5	9.1	14.2	8 3
Abdominal tuberculosis	1901	5.5	3.7	7.2	6.0	7.5	8.1	5.1	3.8
	1902	4.9	4.0	7 1	6.0	12.3	7.4	5.6	2.9
	1903	5.4	6 7	9.1	6.5	7.3	7.6	5.5	3.8
	1904	6.7	2.7	9 5	6 8	9.6	6.9	5.9	4.6
	1905	5.8	2 7	7.3	7.6	8.7	8.7	6.4	5.3

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
11.8	7.5	8.0	10.6	9.8	12.4	10.3	10.7	18.6	15.5	4.2	13.1
5.7	5.6	9.1	4.7	9.4	11.3	8.6	9.6	29.6	21.8	8.2	6.7
4.7	5.6	3.6	5.1	7.7	7.7	5.4	6.1	20.0	22.6	4.0	5.7
4.5	6.3	5.9	6.7	9 6	10.1	6.3	8.4	14.4	15.2	3.9	6.1
5.7	7.5	9.2	5.9	8.8	14.3	5.4	10.7	10.7	14.3	----	6.1
----	----	----	----	----	----	----	----	----	----	----	0.3
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
0.3	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	0.1	----	----	----	----	----	----	----
----	(1)	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
6.2	4.4	2.5	3.2	3.6	3.0	5.1	5.2	2.4	2.0	4.2	5.7
5.4	3.4	3.6	5.1	3.7	3.2	4.6	3.5	3.7	7.3	6.2	3.7
5.5	3.2	5.4	2.3	4.6	2.7	4.7	4.1	5.9	9.0	----	3.7
4.5	4.7	8.2	5.1	5.3	3.8	5.9	4.6	6.4	0.6	3.9	7.1
4.4	3.4	3.5	3.9	4.6	3.6	6.2	3.8	3.5	3.7	1.9	3.4
0.4	0.3	----	----	0.1	0.1	(1)	0.2	----	----	----	----
0.4	0.6	0.6	----	----	0.1	0.2	0.1	----	----	----	0.3
0.1	0.4	----	----	0.1	0.1	0.1	(1)	0.7	1.3	----	----
0.3	0.5	0.6	----	0.1	0.1	0.2	0.1	1.0	----	----	0.3
0.3	0.3	----	----	0.2	0.2	0.2	0.3	1.3	0.6	----	1.0
4.1	5.3	13.0	11.4	6.6	5.5	3.5	5.5	1.0	1.3	8.4	10.1
6.5	5.4	15.2	11.8	6.4	5.0	3.5	5.7	3.4	0.7	8.2	9.8
6.5	3.9	3.0	7.1	6.4	2.7	3.0	5.0	1.6	1.9	8.0	8.1
6.3	5.9	7.0	7.4	4.9	4.0	2.6	5.7	1.0	1.3	13.7	5.0
7.5	6.6	6.9	7.4	2.6	3.0	2.7	4.2	3.1	1.2	7.7	5.0
----	----	----	----	0.1	----	----	----	----	----	----	----
0.1	----	----	----	0.1	----	----	0.1	----	----	----	----
----	0.1	----	----	0.1	----	(1)	----	----	0.6	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
0.1	0.3	----	----	----	----	0.2	0.1	0.3	0.7	----	----
0.1	----	----	----	----	0.1	(1)	0.1	----	----	----	----
0.1	0.1	----	----	----	0.1	0.1	----	----	0.6	----	----
0.1	0.1	----	----	0.1	----	(1)	0.1	----	----	----	----
0.1	----	----	----	0.1	----	0.1	(1)	----	----	----	----
----	----	----	----	0.4	0.6	0.1	(1)	----	----	----	0.3
0.3	(1)	----	----	0.3	0.2	0.1	----	----	----	----	----
0.3	0.1	----	----	----	0.2	0.1	----	----	----	----	----
----	0.1	----	----	0.2	0.2	(1)	(1)	----	----	----	----
----	----	----	----	0.4	0.3	0.1	0.1	----	----	----	----
----	0.1	----	----	----	----	(1)	----	----	----	----	----
0.3	----	----	----	----	0.1	----	(1)	----	----	----	----
0.1	----	----	0.4	----	----	----	----	----	----	----	----
0.1	----	----	----	0.1	----	(1)	----	----	----	----	----
----	0.1	----	----	----	----	0.1	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
103.1	82.2	171.2	130.7	196.9	138.4	210.1	137.1	203.3	170.0	159.3	129.9
103.5	75.9	136.6	133.2	183.5	122.2	188.5	119.3	194.2	148.5	147.6	115.1
101.6	78.3	134.8	123.8	201.0	127.0	193.1	120.5	198.2	172.5	146.5	109.7
110.1	83.0	159.4	127.1	216.4	135.3	202.7	127.4	171.6	168.3	145.3	109.4
104.6	81.2	159.0	118.6	197.7	134.3	192.9	129.2	169.4	187.7	159.6	115.7
1.9	0.7	1.8	2.0	3.1	2.0	1.7	1.7	2.1	----	2.1	1.3
0.8	0.9	0.6	----	3.0	2.2	1.7	1.3	1.0	2.0	2.0	1.4
1.2	1.1	1.8	1.6	2.0	1.1	1.8	1.3	1.6	2.6	----	0.3
1.0	1.0	2.3	0.8	4.0	2.0	1.9	0.8	0.6	2.5	----	0.3
1.3	1.4	----	0.8	2.4	2.6	1.6	1.0	3.5	----	1.9	0.7
6.5	2.3	7.4	4.7	9.8	5.6	15.5	3.9	15.1	6.7	12.6	4.0
6.0	3.2	8.5	6.7	10.2	4.1	15.9	4.3	14.1	9.2	6.2	5.4
5.4	4.1	8.9	4.3	10.2	4.7	16.3	4.4	18.7	12.9	18.1	3.7
5.9	4.0	11.1	6.7	12.8	7.7	15.2	3.4	18.0	15.8	17.7	7.7
5.2	4.2	6.3	2.7	15.9	7.7	13.9	4.5	21.3	10.5	17.3	4.4
6.3	4.7	6.2	5.5	4.2	4.8	5.3	4.4	9.6	5.4	4.2	4.4
5.7	3.3	4.9	2.8	4.9	4.3	5.1	3.8	9.7	2.0	2.0	5.0
4.9	4.0	5.4	3.1	4.0	4.2	4.9	4.3	6.9	6.5	2.0	4.0
7.6	4.8	4.7	5.5	5.7	6.1	5.5	4.2	8.7	8.2	3.9	3.7
5.1	4.6	6.9	3.5	6.5	4.6	5.2	5.1	7.8	5.6	1.9	5.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Pott's disease	1901	0.8	2.2	1.1	1 6	4 2	2.4	1.9	1.0
	1902	2.1	0.3	0 8	1.1	4.1	2.1	1.4	1.2
	1903	1.2	1.5	0.9	1 1	2.4	2.1	2 1	1.2
	1904	2.2	1.5	1.4	0.9	0.8	1.4	2.2	1.3
	1905	1.8	1.5	1.9	1.3	0.8	1.9	2.1	2.1
Tuberculous abscess	1901	0.2	.....	.....	0.3	.....	.....	0.1	.....
	1902	0.2	.....	.....	0.2	.....	0.3	0.1	0.1
	1903	0.3	0.3	0.6	0.3	.....	0.5	(1)	0.3
	1904	.....	.....	0.4	0.3	1.6	0.5	0.3	0.1
	1905	.....	.....	0.4	0.2	0.8	1.0	0.2	.....
White swelling	1J01	1.2	0.3	0.5	0.4	.....	0.3	0.7	0.1
	1902	0.8	0.6	0.3	0.2	.....	0.5	1.0	0.4
	1903	0.2	0 3	0.4	0.2	0.8	0.9	0.2	0.3
	1904	0.2	.....	0.4	0.2	1 6	0.8	1.0	0.4
	1905	1.1	0.6	0.4	0.2	.....	0.2	1.1	0.7
Tuberculosis of other organs	1901	1.2	1.2	1.1	1.5	.....	1.7	0 8	0.9
	1902	0.8	0.3	0.9	1.3	0.8	2.2	0.7	1.3
	1903	1.0	1.2	2 2	1.9	0.8	1.4	1.1	1.2
	1904	1.7	1.2	1.7	1 8	0.8	2.1	1.6	1.3
	1905	1.7	1.8	1.9	1.6	1.6	1.5	1.6	1.3
General tuberculosis	1901	1.6	3.1	3.2	1 8	0.8	3.8	3.5	4.4
	1902	1.3	2.5	2.8	1.5	7.4	4.7	3.2	3.1
	1903	1.7	3.1	4.8	1.5	9.7	3.1	3.7	6.2
	1904	2.8	1.5	2.8	1.8	7.2	3.3	3.0	4.4
	1905	2.4	2.4	2.8	3.0	7.1	5.1	4.5	5.4
Scrofula	1901	0.5	0.9	1.0	0.6	1.7	1.0	0.5	0.3
	1902	0.3	0.6	0.5	0.9	0.8	1.5	0.3	0.4
	1903	0.3	0.3	0.4	1.0	0.8	0.9	0.4	0.4
	1904	.....	.....	0.3	0.8	.....	0.3	0.4	0.6
	1905	0.2	0.6	0.4	0.6	.....	0 2	0.3	0.7
Syphilis	1901	2.8	0.3	2.6	1.8	2.5	0.5	2.9	1.9
	1902	3.7	1.2	3.1	2.0	3.3	0.3	2.3	1.0
	1903	3.6	2.1	3.3	1.9	0.8	0.9	2.9	1.6
	1904	3.3	2.1	5.2	2.1	3.2	0.7	3.3	2.6
	1905	4.0	0.9	3.6	2.1	4.8	1.0	3.0	2.4
Gonorrhea of the adult	1901	.....	.....	.....	(1)	.....	.....	(1)	.....
	1902	.....	.....	.....	(1)	.....	.....	(1)	.....
	1903	.....	.....	.....	.....	.....	.....	(1)	.....
	1904	.....	.....	.....	.....	.....	.....	(1)	.....
	1905	.....	.....	.....	.....	.....	.....	(1)	.....
Gonorrheal infections of children	1901	.....	.....	.....	.....	.....	.....	(1)	.....
	1902	.....	.....	.....	.....	.....	.....	0.1	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	0.3	.....	.....	.....	.....	0.1	0.1
	1905	0.2	.....	.....	0.2	.....	.....	0.3	0.1
Cancer of mouth	1901	2.5	0.6	0.8	0.9	3 3	2.9	2.4	1.9
	1902	2.4	1.9	1.4	0.9	2.5	3 8	1.8	1.9
	1903	2.4	2.1	1.3	1.6	.....	3.3	2.3	3.0
	1904	1.7	2.1	2.2	1.0	1.6	3.6	2.6	3.0
	1905	2.4	3.0	1.0	1.7	1.6	3.6	3.7	4.6
Cancer of stomach and liver	1901	24.7	24.3	17.5	14.3	22.5	31.4	21 5	20.0
	1902	21.1	22.8	21.8	15.7	33.8	33.8	24.6	25.0
	1903	26.7	23.9	19.3	18.6	38.2	30.1	25.1	26.2
	1904	24.2	31.0	19.5	19.2	32.9	33.6	27.3	32.7
	1905	27.2	23.8	20.1	20.4	34.0	38.8	26.7	29.2
Cancer of intestines	1901	8.4	11.2	4.5	2.7	10.0	9.2	9.5	6.0
	1902	8.6	10.8	3.5	2.7	14.0	8.6	8.7	9.3
	1903	7.8	9.5	5.0	2.5	10.6	9.5	8.8	8.0
	1904	6.8	5.2	4.0	4.4	13.6	10.1	10.7	8.5
	1905	9.0	11.8	7.1	4.9	14.3	10.3	12.0	10.5
Cancer of female genital organs	1901	19.5	16.4	13.6	10.6	30.3	25.9	9.0	5.5
	1902	21.3	19.3	20.5	10.6	29.9	26.8	10.0	4.5
	1903	23.0	18.6	19.7	10.8	31.0	26.0	11.1	6.2
	1904	24.1	17.8	21.2	12.7	35.2	16.5	12.4	6.6
	1905	10.8	12.5	8.7	6.7	16.6	12.5	12.7	10.8
Cancer of breast	1901	6.8	7.4	3.5	3.3	13.3	6.7	6.7	4.6
	1902	6.5	10.2	4.9	4.3	8.3	9.5	5.8	3.9
	1903	8.9	7.3	3.4	3.6	6.5	7.7	6.0	6.4
	1904	6.5	6.7	4.2	3.2	4.0	6.9	9.0	7.9
	1905	7.0	10.6	3.2	4.6	6.3	7.4	8.6	7.7
Cancer of skin	1901	2.1	2.8	1.7	2.1	4.2	5.2	2.0	3.2
	1902	1.6	3.7	1.1	2.9	2.5	4.7	1.6	2.2
	1903	2.8	3.7	1.2	3.4	2.4	3.3	1.9	1.6
	1904	2.9	3.3	1.6	3.0	2.4	4.1	2.1	3.4
	1905	2.4	3.9	1.5	3.6	4.0	3.1	1.8	3.8
Cancer of other or unspecified organs	1901	15.3	17.1	17.9	12.8	13.3	14.4	24.1	40.7
	1902	15.1	13.9	17.6	12.0	14.8	12.2	23.2	35.6
	1903	16.5	20.2	15.0	12.3	17.9	17.0	25.6	30.3
	1904	14.0	12.8	16.6	10.4	17.7	19.0	22.5	30.1
	1905	15.7	13.3	16.0	12.7	22.2	16.1	21.7	29.3

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.4	1.3	1.2	0.4	2.1	0.4	1.4	1.0	1.0	0.7	2.1	1.0
1.7	1.0	1.8	1.2	1.1	0.5	1.7	1.3	0.7	2.0	----	0.3
2.4	1.5	0.6	1.6	1.5	1.1	1.8	0.9	2.6	0.6	----	2.0
1.2	1.0	0.6	1.2	1.6	0.9	2.0	1.2	3.2	1.9	----	1.7
2.0	1.3	2.3	1.2	1.2	1.3	1.8	1.6	1.9	0.6	----	2.4
0.1	0.1	----	----	0.2	0.1	0.2	0.2	----	----	2.1	0.3
0.1	0.1	----	0.4	0.3	----	0.1	0.1	----	----	----	----
0.1	0.2	----	----	0.5	----	0.2	0.2	----	----	2.0	0.3
0.4	0.2	0.6	----	0.1	----	0.1	0.1	0.3	1.3	2.0	0.3
0.1	0.1	0.6	----	0.2	0.1	0.2	0.1	0.3	----	----	----
1.1	0.6	0.6	----	0.9	----	0.8	0.5	1.7	3.4	2.1	0.7
1.1	0.5	----	0.4	0.5	0.4	1.0	0.3	0.3	----	----	0.7
0.9	0.8	0.6	----	0.9	0.8	0.8	0.6	1.6	----	2.0	0.7
0.8	0.6	0.6	----	0.7	0.3	0.9	0.6	1.3	1.3	2.0	----
1.4	0.8	1.2	----	0.9	0.7	1.1	0.4	3.1	1.2	1.9	0.7
2.1	0.8	1.8	2.8	1.7	0.2	1.3	0.9	0.7	0.7	----	1.0
1.3	1.1	0.6	0.8	1.1	0.7	1.0	1.3	1.7	----	2.0	1.7
1.2	1.4	3.6	0.4	0.9	0.9	1.6	0.9	1.3	----	----	1.7
1.5	1.8	1.2	0.8	1.8	0.9	1.5	1.4	1.9	----	----	2.0
1.6	1.4	----	0.8	1.9	0.5	1.6	1.5	0.9	3.7	3.8	1.7
2.3	1.7	1.8	2.0	3.2	1.7	3.1	1.1	4.1	4.7	4.2	3.0
1.5	1.8	2.4	1.9	2.4	1.2	2.0	1.4	7.7	5.9	2.0	2.7
2.5	2.0	3.0	2.8	2.8	3.0	2.7	1.9	7.9	4.5	4.0	5.7
1.9	1.4	2.3	2.4	2.8	2.3	3.0	1.8	7.1	3.2	3.9	3.0
1.4	1.9	4.6	3.9	2.9	2.5	2.4	1.8	6.3	3.1	1.9	1.7
0.8	0.6	0.6	1.2	0.1	0.5	0.2	0.3	0.3	1.3	----	0.3
0.8	0.5	1.2	----	0.4	0.1	0.2	0.3	0.7	0.7	----	0.3
0.4	0.6	1.2	0.4	0.4	0.2	0.2	0.3	1.3	----	2.0	0.3
0.5	0.5	0.6	----	0.1	0.1	0.3	0.4	0.6	----	----	0.3
0.3	0.2	----	----	0.1	0.8	0.4	0.4	0.3	1.2	----	----
7.6	1.8	1.8	----	2.6	1.4	4.9	1.3	4.5	2.0	2.1	2.0
10.5	1.8	----	1.2	3.4	1.2	4.3	1.2	4.0	5.9	----	1.0
10.6	2.8	1.8	2.0	3.9	1.5	4.9	1.5	5.3	6.5	4.0	1.7
8.4	2.2	1.2	0.8	3.3	1.4	5.2	1.8	5.1	3.2	5.9	1.0
7.6	1.2	1.2	2.0	3.4	1.2	5.1	1.3	5.6	3.7	3.8	1.7
----	0.1	----	----	----	----	(1)	0.1	0.3	----	----	----
----	----	----	----	0.1	----	0.1	----	----	----	----	----
----	0.1	0.6	----	----	----	0.1	(1)	----	0.6	----	----
0.1	(1)	----	----	0.1	----	0.2	(1)	0.3	----	----	----
----	----	----	----	0.1	0.2	0.2	(1)	----	----	----	----
----	----	----	----	----	0.2	(1)	----	----	----	----	----
----	0.1	----	----	----	0.1	(1)	----	0.3	0.7	----	----
----	----	----	----	----	----	0.1	----	0.3	----	----	----
----	----	----	----	0.1	----	0.1	0.1	----	----	----	----
----	----	----	----	0.1	----	0.1	(1)	0.3	----	----	----
1.5	1.5	3.1	2.8	1.4	0.6	2.2	1.7	1.7	2.7	4.2	2.4
1.9	1.7	1.8	2.8	1.4	2.1	1.9	1.4	2.0	3.3	2.0	0.7
1.8	2.0	1.8	2.0	2.1	1.3	2.1	1.8	2.0	1.3	----	2.7
3.0	2.7	2.3	1.2	1.3	2.0	2.3	1.6	1.9	2.5	2.0	2.4
1.4	1.7	0.6	2.0	1.8	1.5	2.6	2.3	2.8	1.2	3.8	3.0
29.3	22.3	13.6	27.6	24.1	19.2	25.9	23.3	25.5	23.0	25.2	25.2
26.5	23.8	23.1	24.8	19.9	19.3	25.8	24.3	24.9	27.7	10.3	22.9
28.6	26.1	22.6	24.4	23.5	20.4	27.0	24.6	27.2	32.9	12.0	36.4
27.9	27.7	18.8	27.8	23.0	20.3	28.5	26.7	27.9	37.3	17.7	33.0
28.4	27.0	28.8	30.1	24.9	22.1	28.6	27.2	29.8	23.5	11.5	33.6
6.0	4.8	8.7	5.5	9.2	4.9	9.1	6.1	10.0	8.1	6.3	8.8
7.1	5.2	6.1	6.3	6.3	5.7	8.4	7.1	14.8	13.2	6.2	11.1
9.5	4.2	7.1	7.5	5.9	5.1	8.3	7.3	8.9	7.8	4.0	7.7
7.9	6.3	10.0	7.4	6.6	5.4	8.7	6.5	12.5	7.6	2.0	11.4
10.3	5.1	6.9	7.4	7.1	7.7	9.5	7.2	10.4	13.0	9.6	9.4
21.2	19.1	22.6	14.5	9.2	7.5	11.2	6.8	15.1	12.8	12.2	13.8
23.9	15.6	19.8	12.1	8.1	5.4	11.0	6.7	12.4	11.2	23.8	9.0
30.2	14.4	16.1	12.1	10.2	7.7	11.1	7.3	10.5	19.4	23.3	22.1
23.0	16.8	24.8	16.8	10.2	7.0	11.2	8.6	19.6	7.6	26.6	25.6
12.0	6.8	10.4	7.0	11.6	8.0	12.1	7.4	20.1	13.0	9.6	11.1
5.4	5.2	5.6	3.5	3.6	4.5	5.4	6.4	8.6	12.8	6.3	4.7
5.1	5.1	2.4	2.8	4.8	4.1	6.0	7.1	11.1	13.9	10.3	3.7
4.9	5.0	5.4	4.7	5.0	4.7	6.5	6.2	9.2	11.0	4.0	9.8
5.9	5.5	7.0	2.0	4.7	5.1	6.6	6.6	12.5	14.5	2.0	10.8
5.4	4.8	4.0	4.3	5.4	4.7	6.5	6.6	9.7	12.4	5.8	6.1
2.1	3.6	----	3.2	2.5	1.9	1.7	3.3	2.8	4.7	----	2.4
2.2	3.1	0.6	3.5	1.5	2.5	1.8	3.1	2.4	5.3	----	2.0
1.7	4.2	----	3.1	1.6	1.3	1.9	3.8	1.6	7.8	4.0	5.0
1.7	3.8	2.3	5.1	2.5	2.3	1.4	4.2	2.9	3.2	3.9	2.0
2.4	3.2	2.9	2.3	2.4	2.5	2.0	3.6	1.9	4.3	1.9	5.7
11.0	10.9	27.8	45.8	11.8	14.7	13.8	23.0	9.6	7.4	23.1	20.2
13.5	9.6	24.3	43.3	12.4	13.4	13.2	20.9	11.4	14.5	22.6	25.2
17.4	13.9	22.1	36.6	12.5	14.4	15.0	20.4	7.9	16.8	24.1	26.9
12.0	12.4	20.5	32.9	13.0	10.5	14.7	20.3	10.9	10.8	11.8	20.9
11.5	12.4	21.9	36.0	12.8	13.1	14.2	23.1	8.5	7.4	7.7	21.2

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION							
		Connecticut		Indiana.		Maine.		Massachusetts.	
		Cities	Rural districts	Cities	Rural districts	Cities	Rural districts.	Cities.	Rural districts.
Tumor	1901	1.5	3.7	1.7	1.2	1.7	1.9	2.2	2.9
	1902	1.1	1.5	0.6	0.8	0.8	1.4	1.7	1.9
	1903	1.4	2.1	0.9	1.0	2.4	1.9	2.0	2.6
	1904	2.3	1.8	2.6	1.2	0.8	1.2	1.2	1.7
	1905	1.7	0.6	2.4	1.5	3.2	1.4	1.9	2.1
Acute articular rheumatism	1901	4.6	5.6	3.5	2.8	4.2	3.8	4.3	3.8
	1902	4.5	6.2	2.5	3.5	1.6	2.6	4.0	2.8
	1903	5.6	5.5	4.0	3.5	6.5	3.8	4.7	3.0
	1904	9.8	5.2	6.5	5.2	7.2	3.4	6.1	5.5
	1905	5.8	4.5	7.9	5.1	4.8	4.3	5.0	7.3
Chronic rheumatism and gout	1901	6.0	8.7	6.4	5.9	3.3	2.8	4.0	4.7
	1902	5.4	6.5	6.3	5.8	1.6	4.0	2.4	5.1
	1903	2.5	4.6	5.0	3.5	3.2	2.7	3.3	4.5
	1904	2.6	3.3	2.8	4.7	1.6	3.3	2.5	3.4
	1905	2.4	4.2	3.2	3.2	0.8	3.1	2.0	4.0
Diabetes	1901	13.1	12.1	8.6	7.9	13.3	12.5	11.3	13.1
	1902	10.1	18.2	9.4	8.6	18.1	11.4	13.1	15.2
	1903	14.0	11.9	8.8	8.5	12.2	13.2	14.0	15.9
	1904	15.8	19.4	11.4	9.1	16.8	14.2	15.7	16.1
	1905	16.0	12.7	10.1	9.9	16.6	16.4	14.9	19.2
Exophthalmic goiter	1901	0.8	0.6	1.0	0.8	....	0.3	0.3	0.7
	1902	0.5	0.3	0.6	0.4	....	.....	0.6	0.3
	1903	0.5	.....	1.5	0.9	.....	0.3	0.4	0.6
	1904	0.2	0.3	0.9	0.7	0.8	0.3	0.8	0.1
	1905	1.5	0.6	0.7	1.0	....	0.3	0.6	0.6
Addison's disease	1901	0.2	0.6	0.6	0.3	.....	0.3	0.5	0.4
	1902	0.2	0.9	0.6	0.6	0.8	0.3	0.5	0.3
	1903	0.3	0.3	0.1	0.4	0.8	0.7	0.3	0.9
	1904	0.5	.....	0.1	0.3	1.6	0.7	0.6	0.7
	1905	0.5	0.6	0.1	0.4	1.6	0.7	0.5	0.9
Leukemia	1901	1.8	0.6	1.7	0.8	0.8	1.4	1.1	0.9
	1902	1.0	0.6	1.2	1.0	0.8	0.7	1.5	2.0
	1903	0.8	1.2	1.6	0.9	0.8	0.7	1.0	1.6
	1904	0.9	1.2	1.7	0.9	1.6	1.4	1.3	1.5
	1905	0.8	1.2	1.1	1.6	2.4	1.5	1.7	1.0
Anemia, chlorosis	1901	3.8	4.7	7.2	4.1	11.7	5.7	7.8	8.8
	1902	2.9	1.5	4.6	4.1	12.3	7.2	5.9	9.9
	1903	3.3	2.5	3.4	3.3	10.6	5.2	6.1	10.1
	1904	3.9	3.6	3.6	3.6	8.8	6.0	5.5	9.0
	1905	4.4	5.7	3.3	2.9	13.5	7.4	6.6	7.4
Alcoholism	1901	8.5	5.0	4.1	1.9	8.3	1.6	5.1	5.3
	1902	7.3	6.5	4.8	2.5	3.3	1.9	6.2	4.7
	1903	9.4	4.6	4.6	1.9	5.7	2.1	6.2	6.1
	1904	7.0	5.5	5.1	2.3	6.4	2.1	5.0	4.4
	1905	7.6	6.0	5.1	3.2	4.8	2.1	5.6	4.6
Lead poisoning	1901	0.7	0.6	0.2	(1)	....	0.2	0.4	0.1
	1902	0.2	....	0.2	....	0.8	0.9	0.3	0.4
	1903	0.3	....	0.6	0.1	....	....	0.5	0.6
	1904	0.2	0.3	....	0.1	....	....	0.3	0.7
	1905	0.2	0.3	0.3	0.1	0.8	....	0.3	0.6
Other occupational poisonings	1901	....	....	....	....	....	....	....	....
	1902	....	....	....	....	....	....	....	....
	1903	....	....	....	....	....	0.2	.....	.....
	1904	....	....	....	....	....	.....	.....	.....
	1905	....	....	....	....	....	....	....	.....
Other chronic poisonings	1901	1.0	1.2	0.6	0.6	.....	0.3	0.3	0.6
	1902	0.3	1.5	0.6	0.5	0.8	0.3	0.1	0.1
	1903	0.8	1.2	0.6	0.2	....	1.0	0.4	0.3
	1904	0.2	1.2	0.6	0.4	....	0.2	0.1	0.7
	1905	0.8	0.3	0.1	0.7	....	0.3	0.3	0.9
Scurvy	1901	....	....	0.2	....	....	....	0.3	....
	1902	0.5	0.3	....	....	....	....	0.1	....
	1903	0.3	....	0.1	0.1	....	0.2	0.1	0.1
	1904	0.2	0.6	....	(1)	....	0.2	0.1	0.3
	1905	0.3	....	....	....	....	....	0.3	0.1
Other general diseases	1901	....	....	0.5	1.0	1.7	....	0.2	1.9
	1902	0.2	....	0.9	1.2	1.6	....	0.3	0.6
	1903	....	0.6	1.2	0.9	....	0.5	0.1	0.7
	1904	....	....	1.0	0.6	....	0.2	0.1	0.4
	1905	0.3	....	1.1	1.1	2.4	0.3	0.3	0.3
II.—Diseases of nervous system	1901	191.8	215.0	183.1	164.5	311.6	213.9	196.6	234.5
	1902	197.8	210.3	176.0	138.7	293.6	217.1	197.5	224.2
	1903	198.2	202.9	171.7	136.7	280.9	218.8	188.8	221.2
	1904	193.8	231.5	187.6	149.2	290.2	204.1	183.1	227.5
	1905	224.7	222.8	158.1	147.1	289.0	208.3	201.9	217.1
Encephalitis	1901	0.5	2.5	7.7	7.3	5.0	2.9	1.6	2.5
	1902	0.5	1.9	6.0	4.9	4.9	2.2	1.9	1.9
	1903	1.4	1.8	3.0	3.1	4.1	3.1	1.3	1.2
	1904	1.1	0.3	3.6	2.9	2.4	1.2	1.2	1.1
	1905	1.8	0.6	2.6	2.6	1.6	1.5	1.0	1.1

(1) Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.8	1.3	2.5	2.0	1.3	1.3	1.1	2.2	1.4	1.3	2.1	3.4
1.9	1.3	1.2	2.8	0.5	1.3	1.3	2.0	2.4	.....	.....	2.7
2.4	2.5	3.6	2.8	0.6	0.3	1.6	2.2	0.7	.....	4.0	2.0
2.2	2.1	.....	2.4	1.0	1.0	0.8	1.9	0.3	1.3	2.0	1.7
1.0	1.5	0.6	4.3	1.5	1.1	1.2	1.4	0.9	.....	.....	2.4
5.5	4.8	1.8	2.0	4.1	4.5	6.1	4.8	10.7	3.4	4.2	6.1
6.2	5.4	1.8	3.5	3.0	2.6	4.9	4.7	7.7	4.6	.....	4.7
6.2	4.7	5.4	2.3	3.6	3.1	6.0	4.6	5.3	4.5	2.0	2.0
5.7	6.6	4.1	6.3	5.4	4.5	8.3	5.8	4.5	3.8	2.0	5.7
4.6	5.6	2.9	6.7	5.5	4.4	6.8	5.1	6.6	6.2	3.8	6.7
3.7	4.9	3.1	2.8	2.6	3.4	4.6	5.6	4.5	2.7	2.1	7.1
3.6	5.7	3.6	5.5	2.5	2.6	3.2	5.5	3.7	5.3	4.1	6.7
5.7	4.4	4.8	2.8	2.2	2.4	2.9	6.4	2.3	1.3	8.0	4.0
3.1	4.0	1.8	5.5	2.7	3.0	2.2	4.8	3.2	1.3	2.0	5.4
2.3	4.0	2.9	3.9	2.3	3.4	1.5	4.5	2.2	1.9	1.9	4.0
12.7	9.5	9.3	13.0	9.3	8.1	13.2	12.0	18.9	18.9	8.4	18.2
11.4	12.4	10.9	13.0	8.4	9.6	12.6	11.4	10.8	13.9	10.3	12.8
11.7	11.1	16.1	20.8	10.8	9.7	13.4	14.0	15.8	15.5	18.1	13.5
12.9	13.6	17.6	12.2	11.1	11.0	16.0	14.4	16.0	15.2	15.7	22.2
11.3	10.9	18.4	17.6	11.8	11.7	16.2	14.1	14.7	21.7	23.1	17.2
0.8	0.6	.....	1.6	0.5	0.5	0.7	0.5	.....	.....	.....	2.0
1.1	1.2	.....	0.4	0.4	0.8	0.5	0.6	0.3	.....	.....	0.3
1.2	1.5	0.6	0.8	0.3	0.3	0.6	1.2	0.7	0.6	.....	1.7
1.3	0.7	.....	1.2	0.4	0.9	0.8	0.7	1.0	.....	.....	1.0
1.5	0.9	0.6	0.4	0.2	0.4	0.7	0.8	0.3	.....	.....	2.0
0.5	0.7	.....	1.6	0.3	0.4	0.5	0.7	.....	.....	2.1	0.7
0.4	0.5	.....	0.4	0.3	0.2	0.4	0.8	0.7	.....	.....	.....
0.5	0.7	1.2	0.4	0.3	0.3	0.7	0.5	.....	0.6	.....	1.0
0.7	0.7	1.2	.....	0.1	0.2	0.5	0.9	0.6	0.6	.....	.....
0.1	0.4	0.6	0.4	0.2	0.5	0.4	0.6	0.6	.....	.....	1.3
1.5	0.8	.....	0.8	0.7	0.7	1.0	0.9	2.1	.....	.....	1.3
0.9	0.8	0.6	.....	0.9	0.5	1.4	0.8	1.0	1.3	.....	2.4
2.0	1.4	.....	0.4	1.6	0.6	1.4	0.9	.....	1.3	2.0	1.7
0.9	0.9	1.2	0.4	0.6	0.9	1.3	1.2	0.6	1.3	3.9	.....
2.3	1.2	.....	0.8	1.3	1.2	1.6	0.9	0.6	1.2	.....	0.7
8.0	7.0	18.6	10.3	3.5	2.9	3.3	4.9	3.8	6.7	10.5	10.1
6.5	5.8	13.4	10.6	3.2	3.9	3.3	5.5	6.4	2.6	8.2	9.1
6.9	6.5	12.5	9.8	3.7	3.8	2.8	6.5	5.9	10.3	4.0	6.1
8.4	8.7	5.9	9.0	3.4	3.7	3.5	7.1	6.1	5.7	5.9	11.8
10.9	10.0	12.7	10.6	3.8	2.5	3.2	6.6	1.6	3.7	7.7	10.1
3.3	2.1	3.7	2.4	8.3	3.2	7.4	3.7	6.2	10.1	6.3	3.4
3.4	3.2	1.2	3.5	10.7	2.8	7.3	3.4	6.7	6.6	.....	2.4
3.3	4.1	7.1	6.7	11.3	4.0	8.7	4.9	8.2	5.8	8.0	3.4
4.6	3.9	5.3	5.1	11.8	4.0	6.8	3.0	7.4	9.5	7.8	2.7
4.6	2.8	7.5	3.5	9.9	4.5	8.5	3.9	9.7	13.0	9.6	4.7
0.3	0.1	.....	.....	0.3	.....	0.3	0.2	.....	0.7	.....	0.7
0.1	0.2	1.2	0.4	0.7	0.2	0.3	0.2	0.3	.....	.....	0.3
0.4	0.1	1.2	0.8	0.2	0.1	0.4	0.3	.....	.....	.....	.....
.....	(1)	.....	0.4	0.4	0.1	0.3	0.2	.....	.....	.....	0.3
.....	.....	.....	1.2	0.6	0.2	0.2	(1)	0.9	0.6	.....	0.3
.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	(1)	.....	0.3	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	0.1	.....	.....	0.2	.....	(1)	.....	.....	.....	.....	.....
0.7	0.5	0.6	.....	0.1	.....	0.4	0.6	.....	0.7	2.1	0.3
2.3	0.9	0.6	0.8	0.2	0.2	0.3	0.7	0.3	.....	.....	1.4
0.4	1.0	.....	0.4	0.2	0.2	0.4	0.9	0.7	.....	2.0	2.0
0.8	1.3	.....	.....	0.2	0.4	0.4	0.3	.....	2.5	.....	1.3
0.4	0.6	0.6	.....	0.2	0.5	0.3	0.4	.....	0.6	.....	0.3
0.1	0.1	0.6	.....	0.1	0.1	0.3	(1)	.....	0.7	.....	.....
0.1	.....	.....	.....	0.2	0.2	0.2	0.1	.....	.....	2.0	0.3
0.4	0.2	0.6	.....	0.6	0.1	0.3	(1)	0.3	.....	.....	1.0
.....	.....	.....	.....	0.2	0.2	0.3	0.1	.....	.....	.....	.....
0.1	.....	0.6	.....	0.2	0.3	0.2	0.1	.....	0.6	.....	.....
0.8	0.6	0.6	0.8	1.0	0.5	0.3	0.6	.....	.....	.....	.....
0.7	0.8	0.6	.....	0.4	.....	0.2	0.7	.....	.....	.....	.....
0.7	0.5	0.6	0.8	0.3	.....	0.2	0.4	0.3	.....	.....	.....
0.8	0.7	1.2	1.6	0.2	0.4	0.2	0.5	.....	.....	.....	.....
1.4	1.3	0.6	0.4	0.5	0.3	0.2	0.8	.....	.....	.....	1.3
175.4	160.7	237.9	255.5	242.2	220.8	175.9	214.5	186.1	230.8	257.9	237.7
159.3	152.6	255.5	256.1	237.9	200.7	166.0	205.2	178.7	225.7	213.2	209.0
173.6	157.1	238.5	237.8	225.9	207.4	156.0	207.5	152.0	207.4	228.7	236.9
164.7	165.7	213.3	239.2	220.1	203.9	183.1	218.1	159.8	213.2	231.7	203.9
176.9	161.8	305.4	229.7	211.5	197.7	186.9	212.3	159.7	176.0	196.2	235.2
3.3	3.1	6.8	3.9	2.0	2.4	0.8	1.9	1.7	4.0	2.1	4.0
2.7	2.9	3.0	5.1	1.9	1.4	0.6	1.2	1.7	9.9	4.1	4.4
2.1	2.1	3.0	3.5	1.6	1.3	0.8	1.2	0.7	1.9	.....	2.0
2.3	2.6	2.9	1.5	2.1	1.8	0.5	1.2	1.3	1.9	2.0	0.3
2.4	1.6	2.3	1.6	0.6	1.4	0.7	1.1	0.6	1.2	1.9	4.4

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Meningitis	1901	30.9	19.9	29.3	19.9	50.0	31.0	37.3	25.5
	1902	32.6	21.9	26.0	18.7	51.8	25.9	35.3	21.9
	1903	31.8	21.4	23.6	13.1	45.5	23.6	34.7	24.5
	1904	23.7	19.1	29.5	17.6	41.7	23.0	29.5	21.2
	1905	27.1	15.7	25.2	13.9	34.8	20.5	26.2	18.2
Epidemic cerebro-spinal meningitis	1901	7.1	4.7	4.9	7.5	5.8	7.3	5.4	4.7
	1902	6.5	4.3	3.8	3.2	0.8	5.3	6.2	4.7
	1903	6.7	5.2	3.1	6.4	8.9	5.9	5.5	4.9
	1904	23.1	15.5	6.5	5.8	4.0	2.9	5.5	4.3
	1905	32.1	18.4	5.7	5.4	7.1	4.3	20.9	10.0
Locomotor ataxia	1901	3.1	3.1	1.6	1.3	3.3	3.5	1.8	2.4
	1902	2.6	1.5	1.4	1.5	3.3	2.1	1.8	2.8
	1903	3.8	3.1	2.7	1.6	1.6	2.6	2.1	2.6
	1904	2.6	4.0	2.0	1.9	3.2	4.1	2.2	4.0
	1905	2.1	4.5	2.9	2.1	4.8	2.2	2.3	3.7
Other diseases of spinal cord	1901	3.8	6.5	5.4	4.6	7.5	5.7	4.8	6.2
	1902	4.1	6.8	5.1	3.8	6.6	5.9	5.3	5.1
	1903	7.1	4.0	5.6	4.8	4.9	7.7	4.8	6.5
	1904	5.0	5.5	4.9	5.6	6.4	7.6	5.1	6.6
	1905	4.4	7.2	5.9	4.9	3.2	7.2	6.1	7.8
Apoplexy	1901	79.6	100.4	53.9	43.2	93.4	82.4	71.4	93.3
	1902	86.6	103.0	57.7	40.0	108.5	93.6	76.5	95.1
	1903	88.1	104.7	54.4	45.3	98.2	98.4	75.9	101.9
	1904	86.2	120.0	57.0	48.4	110.7	98.5	82.0	114.5
	1905	98.8	119.4	52.7	49.2	96.6	101.9	87.6	105.9
Softening of brain	1901	5.5	11.8	4.1	4.5	2.5	5.7	2.5	6.5
	1902	4.1	9.0	3.8	4.4	2.5	7.2	2.5	5.7
	1903	2.5	8.3	3.4	4.7	0.8	5.9	2.6	4.9
	1904	3.0	11.2	3.5	4.7	4.0	6.0	3.1	3.7
	1905	2.1	7.5	2.8	4.8	4.0	4.1	2.0	3.1
Paralysis	1901	12.3	22.4	29.0	36.1	43.3	34.6	19.2	32.9
	1902	9.9	19.5	24.8	29.5	24.7	31.3	19.8	29.4
	1903	10.3	17.7	26.9	29.3	26.0	30.4	16.1	27.1
	1904	10.7	17.9	30.9	30.8	32.9	23.3	13.6	20.8
	1905	8.7	16.6	24.3	30.3	27.7	26.8	12.0	19.5
General paralysis of insane	1901	6.5	4.0	5.4	5.8	13.3	4.3	9.4	11.8
	1902	10.1	4.3	7.1	4.1	7.4	6.0	9.1	13.9
	1903	7.0	4.0	9.8	4.0	7.3	7.7	8.1	10.9
	1904	6.7	5.5	7.8	4.0	16.0	5.8	8.2	11.5
	1905	10.2	3.6	3.9	7.0	21.4	6.8	8.6	12.0
Other forms of mental disease	1901	3.8	2.2	2.1	2.4	48.3	4.3	3.2	5.5
	1902	2.9	3.1	4.3	2.2	44.4	3.3	3.5	6.9
	1903	1.9	2.7	4.0	1.4	39.8	2.4	3.2	7.4
	1904	1.9	3.4	6.2	2.6	33.7	3.9	2.9	6.9
	1905	2.9	3.6	2.6	2.3	48.3	2.7	2.9	6.0
Other diseases of brain	1901	5.0	6.2	4.8	4.4	10.0	7.6	7.2	8.3
	1902	4.4	4.0	5.1	2.5	9.1	9.1	5.5	6.6
	1903	5.4	5.8	3.0	3.1	10.6	5.3	5.6	5.5
	1904	3.6	3.0	4.3	3.3	4.0	5.7	4.8	6.6
	1905	4.9	6.0	3.6	3.4	6.3	7.2	4.8	4.3
Epilepsy	1901	5.0	5.0	6.1	5.2	8.3	3.6	3.6	7.2
	1902	4.9	8.6	4.5	5.2	9.9	3.6	3.3	7.7
	1903	6.5	5.5	6.4	5.0	8.1	5.0	3.5	6.2
	1904	3.6	7.3	6.1	5.2	8.0	2.6	3.8	10.3
	1905	5.2	5.4	4.4	5.9	11.9	4.4	3.6	8.0
Convulsions (nonpuerperal)	1901	0.7	0.6	1.1	1.1	1.7	1.6	1.5	1.5
	1902	0.8	0.9	1.7	0.8	.....	2.4	1.2	1.6
	1903	0.6	.....	2.1	0.4	2.4	1.0	1.7	0.6
	1904	1.4	1.2	2.3	0.7	.....	2.2	0.9	0.4
	1905	0.9	0.3	1.7	0.8	0.8	0.9	1.0	1.3
Convulsions of children	1901	19.4	16.5	20.2	12.6	15.0	12.0	21.1	19.4
	1902	19.8	13.9	14.2	10.1	14.8	14.2	20.0	14.9
	1903	16.1	9.2	14.6	7.9	14.6	11.5	17.1	12.3
	1904	15.2	12.5	15.8	8.9	15.2	9.8	13.9	9.3
	1905	16.0	7.2	11.1	8.0	15.8	10.8	15.9	10.8
Tetanus	1901	2.0	3.1	3.2	2.4	1.7	0.5	2.0	1.5
	1902	3.6	1.2	4.6	2.7	0.8	1.0	1.8	0.9
	1903	3.6	4.0	4.3	2.1	4.1	1.0	2.0	1.2
	1904	2.6	1.8	4.3	2.8	2.4	1.7	1.2	1.0
	1905	3.0	2.4	3.9	2.3	2.4	1.0	1.3	1.8
Chorea	1901	0.3	0.9	0.3	0.7	.....	.....	0.4	0.3
	1902	0.6	.....	0.2	0.3	0.8	0.3	0.2	0.3
	1903	.....	0.3	0.1	0.3	.....	0.2	0.3	.....
	1904	0.5	0.3	.....	0.4	.....	0.2	0.4	.....
	1905	.....	.....	0.4	0.5	.....	.....	0.2	0.3
Other diseases of nervous system	1901	4.0	3.7	3.3	5.0	2.5	6.4	2.5	4.4
	1902	3.2	5.8	5.1	4.1	3.3	3.5	2.2	4.2
	1903	2.4	3.4	3.7	3.4	3.2	6.4	2.6	3.3
	1904	1.1	1.8	2.0	2.7	5.6	5.1	2.6	3.4
	1905	2.4	3.6	3.2	2.6	2.4	5.3	2.3	3.0

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
16.7	10.5	55.6	23.7	52.3	23.7	28.3	19.1	41.6	39.8	56.6	30.0
13.5	8.6	52.8	30.3	48.3	20.1	24.4	15.0	39.0	26.4	69.7	25.9
13.5	8.6	44.1	22.4	44.3	23.3	20.4	15.9	16.4	15.5	44.2	19.9
13.6	8.2	41.0	18.4	36.7	18.2	22.2	17.0	14.1	10.1	66.8	20.6
16.0	9.9	67.4	18.8	28.7	18.9	16.2	15.6	10.7	8.1	34.6	17.5
5.5	5.8	3.7	4.3	4.0	3.8	6.6	4.8	7.9	2.7	8.4	6.7
6.9	5.0	5.5	6.3	4.9	2.9	7.0	4.2	7.4	7.3	4.1	3.0
6.6	4.6	8.3	5.5	5.3	5.3	7.6	5.0	10.8	3.2	6.0	3.4
6.3	5.4	2.3	3.9	16.3	5.6	28.0	5.8	10.9	13.3	7.8	5.0
7.7	6.2	55.3	16.8	30.7	10.6	41.1	8.9	21.3	8.1	11.5	8.4
1.4	1.9	2.5	2.8	2.2	2.6	2.6	2.2	2.4	4.7	2.1	1.3
2.2	2.4	2.4	3.2	1.5	1.8	2.2	2.2	6.0	2.0	----------	2.4
3.2	2.8	2.4	3.9	2.5	2.4	2.1	2.6	1.6	3.9	4.0	4.0
2.1	2.8	1.8	3.1	1.8	2.8	2.5	2.7	1.6	1.3	5.9	2.7
3.4	2.3	2.9	1.2	2.0	2.8	2.6	2.6	1.3	3.7	3.8	3.4
4.4	5.5	9.9	6.7	4.6	4.1	4.0	5.2	5.8	8.1	4.2	8.4
5.5	5.2	7.9	5.1	4.6	3.9	4.4	4.7	2.4	2.6	10.3	9.1
4.3	5.3	4.2	6.3	5.1	5.6	5.1	7.1	4.6	5.2	8.0	6.7
5.4	5.1	5.3	7.5	5.7	5.5	4.7	6.0	5.5	9.5	----------	7.1
7.6	4.7	3.5	9.0	5.2	5.6	4.5	6.2	4.7	5.6	3.8	8.1
51.5	52.9	64.8	97.2	85.4	84.7	74.9	93.6	84.0	102.6	90.1	106.1
49.8	53.5	77.7	112.6	85.2	77.4	72.4	97.2	86.0	105.6	73.8	101.3
58.3	57.0	73.3	114.0	86.2	77.8	68.7	100.3	73.5	100.1	76.3	120.8
55.7	60.4	75.0	114.5	84.6	84.5	73.7	107.0	85.3	105.0	88.4	105.7
56.8	58.1	84.7	111.9	84.7	82.0	75.1	103.0	85.0	89.8	86.5	129.9
2.5	5.0	1.8	9.1	3.5	5.9	2.0	4.8	2.8	4.0	----------	8.1
1.1	4.3	4.9	7.1	3.7	7.8	1.7	5.1	2.0	4.6	----------	4.4
3.0	3.7	2.4	13.0	2.3	3.9	2.4	5.5	4.3	3.2	8.0	7.4
2.6	4.9	4.7	7.5	2.9	4.9	2.5	4.8	2.6	3.2	3.9	5.0
3.7	2.9	4.0	5.5	2.8	5.1	1.3	3.7	0.9	3.7	1.9	5.7
22.8	33.5	37.7	39.5	16.0	35.4	10.1	37.3	15.1	20.9	33.5	22.9
21.2	29.9	31.0	34.3	16.1	32.4	9.1	30.4	12.4	18.5	10.3	14.8
21.2	34.8	29.2	29.5	14.6	34.3	9.2	29.3	11.8	15.5	16.1	22.2
20.9	34.7	28.7	33.7	14.1	34.6	8.6	29.3	10.6	20.9	11.8	16.5
24.4	32.0	25.4	23.5	11.7	25.1	7.9	27.5	12.6	16.1	5.8	16.1
10.5	4.5	11.1	13.4	3.8	9.3	5.8	10.8	3.4	18.2	6.3	9.7
9.5	6.6	9.1	8.3	4.7	8.8	6.8	12.0	5.0	19.8	----------	5.4
9.6	5.3	11.3	9.0	5.4	10.4	5.5	11.6	3.6	17.4	12.0	6.7
10.6	5.7	6.4	11.0	6.1	9.5	6.6	13.2	4.2	19.6	7.8	7.1
8.9	7.2	9.2	9.8	3.7	11.4	6.8	12.1	6.3	17.3	7.7	7.7
4.8	2.5	5.0	10.7	2.8	3.4	4.6	3.8	1.4	3.4	4.2	3.4
3.6	2.9	6.7	7.1	1.9	4.4	3.9	3.5	0.3	7.3	4.1	1.4
5.4	3.3	10.7	3.2	3.2	4.3	3.1	4.0	1.6	9.0	2.0	5.1
4.0	3.5	7.6	6.3	2.3	4.3	2.4	3.3	1.6	5.7	3.9	1.7
1.9	2.4	12.7	7.0	3.2	2.8	1.8	4.0	1.6	5.0	----------	5.0
7.7	4.8	9.3	9.5	4.6	3.6	3.1	4.7	3.4	4.0	4.2	6.7
4.4	3.5	12.1	7.5	4.2	4.0	3.5	3.9	4.4	4.6	4.1	7.0
6.7	3.3	14.9	3.5	4.0	3.2	4.2	3.9	2.3	5.8	8.0	8.4
4.6	3.5	8.2	7.8	4.7	2.3	3.7	4.6	4.2	0.6	3.9	5.7
5.8	4.5	9.8	2.7	4.3	3.9	3.4	4.2	2.2	2.5	7.7	5.4
6.2	7.8	0.6	6.7	3.5	4.8	3.6	6.4	3.4	10.1	6.3	7.4
5.7	6.4	5.5	7.1	3.3	4.3	3.8	6.0	2.4	7.9	4.1	8.7
5.5	6.1	3.6	5.1	3.5	5.1	4.1	6.0	5.3	9.7	6.0	10.1
4.0	6.2	5.3	6.7	3.5	4.9	4.0	6.5	3.2	8.2	2.0	7.7
4.4	4.8	2.9	5.5	3.2	4.8	3.2	5.8	3.5	3.7	5.8	6.4
1.0	1.0	3.1	3.9	2.1	2.6	0.4	1.0	0.7	0.7	----------	0.7
0.8	0.8	3.0	1.6	2.8	1.2	0.3	0.9	1.3	----------	2.0	1.4
1.1	1.0	1.2	1.2	3.6	1.9	0.4	0.8	0.3	----------	2.0	1.0
1.2	1.0	2.9	0.4	1.8	1.2	0.3	1.1	0.3	----------	----------	1.0
0.8	1.5	1.2	1.2	1.7	1.5	0.3	1.1	0.3	----------	----------	0.3
31.6	16.4	23.5	13.8	49.3	27.5	23.6	12.3	8.3	6.1	25.2	16.2
26.5	14.4	29.7	14.5	47.1	25.2	20.0	13.8	8.4	6.6	24.6	13.1
25.8	13.3	23.3	10.6	38.3	22.2	16.4	10.3	6.9	7.8	20.1	12.1
26.7	14.9	13.5	10.2	30.8	16.3	17.3	11.1	7.4	7.0	15.7	9.4
27.9	18.7	16.7	8.2	25.1	16.4	16.3	10.5	4.7	6.2	21.2	8.1
1.5	1.0	----------	2.4	3.8	4.8	2.3	1.9	1.7	----------	4.2	1.7
2.0	1.1	2.4	1.6	4.4	3.3	2.0	1.4	0.7	0.7	----------	1.7
3.7	1.6	1.8	2.0	3.3	4.5	2.0	0.8	2.6	1.3	12.0	0.7
0.8	1.5	1.2	2.0	3.4	3.6	2.0	1.3	1.3	1.9	3.9	3.0
1.1	0.9	0.6	0.4	1.7	2.1	1.5	1.6	0.6	0.6	----------	1.7
0.7	0.5	----------	0.4	0.1	0.1	0.2	0.1	0.3	----------	----------	0.3
0.1	0.6	0.6	0.4	----------	0.1	0.2	0.2	----------	----------	----------	0.3
0.4	0.4	----------	----------	0.3	0.1	0.3	0.3	----------	----------	----------	0.3
0.4	0.6	0.6	0.8	0.3	0.1	0.2	0.1	----------	----------	----------	0.3
0.3	0.7	----------	0.4	0.1	0.1	0.2	0.4	----------	0.6	----------	0.7
2.1	3.0	2.5	6.7	1.5	1.6	1.5	4.0	1.4	1.3	6.3	3.4
2.2	3.5	1.2	3.2	2.8	1.5	1.8	2.9	1.0	1.3	2.0	4.4
2.0	2.5	3.0	4.7	1.8	1.6	1.7	2.3	1.0	3.9	2.0	5.1
1.8	2.7	1.2	2.7	1.7	2.6	1.5	2.4	2.9	2.5	5.9	4.4
2.5	2.4	3.5	5.5	1.5	2.4	1.8	3.5	0.9	0.6	3.8	5.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of eye and adnexa	1901			0.2					0.3
	1902		0 3					(1)	0.3
	1903			0.1	0.1		0.2		
	1904	0.3					0.2	0.1	
	1905	0 2	0.3		0.1				0.1
Diseases of ear	1901	2.3	1.5	0.5	0 5		0.5	1.6	0.6
	1902	0.6	0.3	0.6	0.7		0 2	1.2	0.4
	1903	3.0	1.8	0.9	0.7	0.8	0.5	1.7	0.3
	1904	1.5	1 2	0 9	0.9		0.3	1.9	1 6
	1905	2.0	0.3	1.2	1.2		0 5	3.4	0.3
III.—Diseases of circulatory system	1901	152.6	181.8	116.2	91.2	202 5	169 3	180.5	201.3
	1902	161.1	183.5	123 5	92 0	192.5	176.2	191.4	197.1
	1903	174.8	191.9	128 6	105.6	196.5	183.2	189.0	231.8
	1904	171.7	209 9	138.2	114.4	230.1	187.1	200.9	245.4
	1905	190.3	218.6	140.4	118.8	207.4	193.4	215.6	260.5
Pericarditis	1901	1 6	1 5	3 7	3.3	0.8	3.1	1 3	1 2
	1902	0.8	0 9	3.2	1 9	2 5	4 5	1.5	1.6
	1903	1.0	1.2	2 8	2.1	0 8	1.5	1.4	1.2
	1904	1.4	1.5	3.2	2.6	0 8	1 0	1.2	2.4
	1905	1.1	1 2	2 2	1.7	0.8	1.4	1.0	1.8
Endocarditis	1901	10 8	5.6	6.5	2.8	2.5	2 1	11.4	7.2
	1902	12.0	6.2	8.2	3.6	0.8	4 3	12.9	8.6
	1903	13.0	3 4	6.1	2 6	4.9	4.6	13.4	7.8
	1904	12.9	6 1	8 4	3.2	10 5	6 0	14 6	9.3
	1905	13.4	5 7	7.1	3.7	10 3	4.6	17.6	12.4
Heart disease	1901	117.0	150.8	84 5	70.6	174 2	142.1	141 5	165.2
	1902	122.7	153.3	90.3	71.6	167 0	143.1	149.7	159.9
	1903	132.8	154.5	100.6	86.0	154 3	151.6	145.7	190.9
	1904	131.7	177.1	105 9	93.1	191 6	151 3	154.1	196.5
	1905	142.7	180.6	108.6	96.7	167 0	160.7	162.1	207.3
Angina pectoris	1901	6.3	9 7	5 6	5.5	10 8	11.1	6 2	9.0
	1902	7.6	8.6	5 1	5.9	4 9	11 0	6.2	6.7
	1903	6 7	13.5	5.6	6 1	12.2	13.9	7.1	11.0
	1904	5.9	8.5	6.2	6.1	9 6	11 3	6.4	10.2
	1905	8 8	7.5	6.1	5.9	11.9	11.5	6.3	10.0
Diseases of arteries	1901	8.5	6.2	6.7	3 1	4.2	3.3	9.0	8.1
	1902	7.8	7 1	7.9	4.2	5.8	4.8	10.7	9.2
	1903	12.3	10 1	7.1	4 0	8 1	4.3	12.2	12 0
	1904	10.4	8.8	7 5	4.5	8.0	5.7	16.7	19.2
	1905	16.4	14.5	8.0	5.4	6.3	6.7	20.1	22.5
Embolism and thrombosis	1901	4.6	5.9	1.3	1.5	7 5	4 2	6.6	5.7
	1902	6.8	4.6	2 0	1.1	6.6	5.2	6.2	6.0
	1903	5.7	4 9	2.5	1 5	8.1	4 0	5.8	4.5
	1904	6.8	6 4	2.8	2 0	5.6	6.7	4.7	4.3
	1905	5 5	6 9	3 0	1 9	7.9	5.1	4.9	4.4
Diseases of veins	1901	0.5	0.6	1.1	0.5	0.8	0.5	0 7	0.9
	1902	0.8	0.3		0.2	0.8	0.2	0.6	0.7
	1903	0.5	0 6	0 3	0 3	0.8	0 5	0.4	0.3
	1904	0.8	0.3	0.3	0.2	0.8	0 5	0.8	1.1
	1905	0.3	1 2	0 7	0 8	1 6	0.7	0.7	0.6
Diseases of lymphatics	1901			0 3	(1)			0 2	
	1902	0.2			(1)		0.2	(1)	0.3
	1903		0.6	0.3	0.2		0.2	0.1	
	1904	0.1		0.1	(1)	0.8	0.2	0.4	0.1
	1905	0.2		0.1	0 2			0.3	
Hemorrhages	1901	3 0	1 5	4.9	3.3	1 7	2 9	3.4	4.0
	1902	2.4	1 9	4 2	2.8	4 1	2.9	3 4	4.1
	1903	2.8	3.1	2 4	2.0	7.3	2.1	2 8	3.8
	1904	1.6	1.2	2 8	2.5	2 4	4.1	1.8	2.0
	1905	1.8	0.6	3 2	1.8	1 6	2 6	2 4	1.6
Other diseases of circulatory system	1901	0.3		1 6	0.6			0.1	
	1902		0 6	2 6	0.7			0.1	
	1903			0.9	0.8		0.5	0 1	0 3
	1904	0.1		1 0	0.2		0 3	(1)	0.1
	1905	0.2	0 3	1.4	0.7		0.2		
IV.—Diseases of respiratory system	1901	201.6	188.9	186 0	165.5	200 8	193.5	223 8	197.7
	1902	184.5	157.0	156.9	127.8	233 5	182.7	231.8	177.9
	1903	204.7	184.8	158 6	111.7	228.1	180.3	233.7	181.7
	1904	195.8	173 7	179.2	145.3	234 1	191.2	218 6	180.7
	1905	202.6	164 6	149 8	131.2	190 8	187 7	218.5	178.4
Diseases of nasal fossa	1901		0 3	0 2	0.5		0.2	0.2	
	1902		0 3		0 2			(1)	
	1903	0.1	0.3	0 3	0.5			0.2	
	1904			0 1	0 3			0.2	
	1905			0.3	0.2	0.8	0 5	0.2	
Laryngitis	1901	1 2	2 2	1 9	1 9	3.3	1.6	1 7	1.0
	1902	1 3	1 9	2.5	1.0	8.3	1 0	1.2	0.4
	1903	1 0	1 8	0 7	1.0	2 4	0 9	1.2	1.4
	1904	0.6	1.2	1.4	1 0		2.1	1.0	1.1
	1905	1.4	0 9	0 6	0 5		0.7	0.6	1.0

(1) Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.1	0.1	.....	0.4	0.2	.....	(1)	.....	.....	.....	.....	.....
.....	0.2	.....	.....	.....	0.1	0.1	.....	.....	.....	.....	.....
.....	0.1	.....	.....	0.1	.....	(1)	(1)	0.3	.....	2.0	.....
.....	0.3	0.6	0.4	0 2	.....	0.1	.....	.....	.....	.....	.....
0.1	0.1	.....	0.4	.....	0.1	0.1	(1)	.....	.....	.....	0.3
1.1	0.9	.....	0.4	0.5	0.5	1.5	0.8	0.7	.....	4.2	0.7
1.6	0.8	.....	0.8	0.5	0.1	2.0	0.5	0.3	0.7	.....	0.3
1.2	1.3	1.8	0.4	0.3	0.3	2.0	0.6	4.3	3.9	.....	1.0
1.7	1.7	4.1	0.8	1.1	1.3	2.3	0.7	2.9	2.5	2.0	0.7
1.1	0.8	3.5	0.4	0.7	0.8	2.1	0.7	2.5	3.1	.....	0.3
122.2	138.7	168.7	199.0	148.9	132.5	151.9	176.7	157.2	170.7	151.0	179.1
153.4	145.3	174.2	214.3	156.3	141.2	159.1	183.2	172.7	166.3	139.4	176.4
148.5	153.6	190.8	232.7	152.3	144.4	163.8	197.6	164.4	194.4	170.5	208.3
155.1	168.0	171.1	242.0	163.4	154.4	182.6	225.6	168.4	192.9	178.7	202.6
156.2	162.2	191.9	238.3	159.6	152.0	179.1	212.7	168.8	187.7	173.1	223.0
1.4	2.3	3.1	2.0	1.9	1.4	1.8	1.5	2.4	.....	6.3	2.4
1.9	1.9	3.0	3.9	1.9	2.3	1.9	1.7	1.0	2.6	2.1	1.7
0.9	2.1	0.6	2.0	1.6	1.8	1.5	2.2	1.0	3.9	.....	2.0
2.2	2.0	1.8	1.2	2.2	0.7	1.5	1.7	1.6	1.3	2.0	2.7
2.2	1.9	1.7	1.2	1.1	0.7	1.3	1.2	0.6	1.9	1.9	1.7
4.8	3.9	5.0	8.3	17.4	6.0	20.8	4.9	12.0	6.1	4.2	4.7
5.7	3.1	7.3	5.5	17.3	8.3	22.3	5.2	10.1	6.6	6.2	8.4
6.3	3.1	3.0	3.5	19.7	6.3	14.0	6.3	11.8	7.8	4.0	7.4
7.1	4.2	10.0	6.3	24.5	10.4	16.0	5.6	9.9	5.7	5.9	7.8
5.6	4.5	4.0	5.5	23.7	9.8	17.5	6.7	19.8	6.2	11.5	6.7
98.5	113.8	134.6	157.2	108.8	107.7	110.4	148.7	129.0	140.3	119.5	146.5
122.6	120.8	134.8	170.6	112.3	113.3	114.0	154.3	140.4	135.3	106.6	133.7
119.7	130.5	162.2	200.1	108.6	115.8	124.6	161.8	133.3	156.3	126.4	172.3
122.9	142.6	139.5	200.0	115.5	123.3	141.1	186.8	134.1	162.6	143.3	167.9
120.5	132.3	156.2	208.9	114.6	118.4	133.9	177.0	123.3	153.7	128.8	179.0
4.8	8.8	12.3	11.0	7.2	5.5	4.7	9.8	3.1	14.2	8.4	13.1
8.2	9.1	9.7	14.2	7.4	5.6	5.3	9.4	5.7	11.2	8.2	14.2
7.9	8.7	9.5	10.6	6.4	8.5	5.3	9.7	7.5	5.8	10.1	11.1
7.1	8.5	10.5	16.1	6.9	6.7	4.9	9.9	6.7	7.6	15.7	6.7
8.6	9.8	8.6	14.1	5.4	6.9	5.6	8.8	7.2	11.2	7.7	13.8
5.5	4.3	5.0	3.9	4.8	4.7	6.7	4.4	4.5	3.4	2.1	4.0
8.5	5.7	6.7	6.7	7.4	4.8	9.2	5.3	5.4	5.9	2.0	4.0
7.2	5.8	3.6	6.3	6.6	5.5	10.1	8.1	6.2	10.3	12.0	7.8
9.2	6.1	2.3	8.2	6.7	6.4	11.1	11.9	9.9	12.7	2.0	6.7
9.4	7.6	5.8	3.5	6.8	8.4	13.8	10.8	12.2	9.3	11.5	13.1
2.6	2.6	5.0	9.5	4.5	4.7	4.4	4.0	3.4	2.7	6.3	4.7
4.0	1.8	8.5	8.3	5.5	4.1	3.4	4.7	5.7	3.3	4.1	9.4
3.2	1.5	6.5	6.3	5.4	3.4	5.6	5.9	2.3	5.2	12.0	3.4
3.6	2.2	4.1	6.3	3.7	3.9	5.1	5.8	2.6	2.5	7.8	5.7
4.4	2.1	11.5	4.3	4.9	6.2	4.5	5.6	4.4	2.5	5.8	5.0
1.0	0.3	.....	0.4	0.5	0.5	0.4	0.6	0.7	2.0	.....	.....
0.5	0.5	.....	0.4	0.4	0.1	0.7	0.4	1.3	0.7	.....	.....
0.3	0.5	.....	.....	0.5	0.9	0.6	0.5	0.3	2.6	.....	0.3
0.7	0.5	0.6	0.8	0.4	0.6	0.7	0.7	1.0	.....	.....	0.7
0.6	0.6	.....	0.4	0.7	0.2	0.9	0.5	0.6	1.2	.....	0.7
0.3	0.3	0.6	0.4	0.3	.....	0.2	(1)	0.3	.....	.....	.....
0.3	0.3	.....	.....	0.4	0.1	0.2	0.2	0.3	.....	2.0	.....
0.3	.....	.....	.....	0.3	0.1	0.3	0.2	0.3	.....	.....	.....
.....	0.1	.....	.....	0.5	0.1	0.3	0.3	0.6	.....	.....	0.3
0.6	0.2	.....	.....	0.2	0.2	0.2	0.2	.....	.....	1.9	0.7
2.9	2.3	3.1	5.9	3.5	2.0	2.3	2.5	1.7	0.7	4.2	3.4
1.6	1.8	3.0	4.7	3.6	2.6	2.2	1.9	2.4	0.7	8.2	4.7
2.6	1.1	4.8	3.9	3.0	2.1	1.7	2.6	1.6	2.6	4.0	4.0
2.3	1.4	2.3	3.1	3.0	2.5	1.8	2.7	1.9	0.6	2.0	4.1
4.3	2.8	4.0	0.4	2.3	1.0	1.3	1.7	0.6	1.9	3.8	2.4
0.4	0.1	.....	0.4	.....	.....	0.1	0.1	.....	1.3	.....	0.3
0.1	0.3	1.2	.....	0.1	.....	0.1	0.1	0.3	.....	.....	0.3
0.1	0.3	0.6	.....	0.2	.....	0.1	0.3	.....	.....	2.0	.....
.....	0.4	.....	.....	0.1	.....	0.1	0.2	.....	.....	.....	.....
.....	0.4	.....	.....	.....	0.1	(1)	0.2	.....	.....	.....	.....
208.6	167.7	241.0	215.2	258.9	176.8	314.1	184.1	230.9	227.4	226.4	228.2
203.6	143.1	258.6	180.9	264.6	164.2	304.9	152.0	234.5	201.3	217.3	223.8
190.1	139.0	210.5	196.1	249.1	161.3	289.1	160.2	275.4	221.6	276.8	192.2
172.5	146.5	204.0	178.4	303.6	193.0	335.7	164.3	247.4	234.7	210.1	208.6
171.0	137.3	201.1	161.2	238.8	165.0	266.9	165.3	258.6	248.5	248.1	220.7
.....	0.7	.....	0.4	0.1	0.5	0.2	0.4	.....	.....	.....	.....
0.5	0.7	.....	.....	0.2	.....	0.1	0.4	.....	.....	.....	.....
.....	0.8	.....	.....	.....	0.1	(1)	(1)	.....	.....	.....	0.3
0.1	0.5	.....	.....	.....	.....	0.1	0.3	.....	.....	.....	0.3
0.3	0.7	.....	0.8	.....	.....	0.1	0.5	0.3	.....	.....	0.7
1.6	1.5	3.1	0.4	2.5	2.0	1.5	0.8	2.8	1.3	4.2	2.0
2.2	1.0	0.6	1.2	3.0	1.1	1.6	1.0	1.7	2.6	6.1	2.0
0.8	0.8	1.8	1.6	2.3	1.3	1.1	1.1	3.3	0.6	2.0	1.4
1.0	0.6	.....	1.2	1.7	1.1	1.1	1.0	1.9	1.3	.....	1.0
0.8	0.6	1.2	0.4	1.5	0.9	0.6	0.9	0.3	0.6	1.9	0.3

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of larynx	1901	0.3	2.2	1.3	0.4	.....	0.9	1.1	0.4
	1902	1.0	0.6	1.4	0.6	1.6	0.9	1.4	1.0
	1903	1.9	0.3	1.2	0.8	1.6	1.0	1.3	0.1
	1904	0.9	1.8	1.0	0.8	1.6	0.5	1.3	0.7
	1905	0.6	1.5	1.5	0.7	1.6	0.2	1.0	0.9
Diseases of thyroid body	1901	0.3	.....	0.5	0.2	0.8	0.5	0.2	0.3
	1902	0.2	0.3	0.2	0.4	0.8	0.2	0.1	0.7
	1903	.....	.....	.....	0.1	.....	0.5	0.4	0.4
	1904	.....	.....	0.4	0.4	.....	.....	0.3	0.3
	1905	0.5	0.3	0.3	0.2	0.8	0.2	0.2	0.7
Acute bronchitis	1901	28.2	22.7	12.2	10.5	25.9	15.2	23.1	18.7
	1902	26.9	18.2	11.4	8.0	19.8	19.4	27.7	15.3
	1903	23.2	21.4	12.2	9.2	17.1	17.2	23.8	18.1
	1904	19.9	18.8	10.4	8.2	25.7	15.9	22.4	15.9
	1905	20.4	16.0	9.0	9.5	13.5	13.8	21.7	12.8
Chronic bronchitis	1901	17.4	18.3	16.4	9.1	15.8	13.2	19.7	18.1
	1902	13.0	10.8	13.0	9.3	11.5	15.7	18.8	18.0
	1903	15.3	23.0	13.2	7.9	8.1	13.2	19.4	15.2
	1904	12.9	14.9	12.7	9.8	15.2	13.2	17.8	18.9
	1905	14.7	16.0	11.3	8.9	11.9	17.1	16.6	22.1
Bronchopneumonia	1901	26.7	22.4	15.0	17.5	18.3	14.4	29.0	13.8
	1902	23.5	16.3	14.3	12.6	28.8	13.6	34.3	14.2
	1903	28.7	19.9	19.2	12.7	26.8	17.7	33.6	22.0
	1904	26.2	19.4	23.7	19.6	25.7	21.6	32.8	21.5
	1905	28.3	20.5	19.2	15.6	30.1	21.7	30.1	21.2
Pneumonia	1901	111.7	100.1	106.9	101.3	110.9	126.5	128.1	125.2
	1902	102.5	92.5	86.2	75.2	142.3	116.0	128.1	107.5
	1903	111.1	101.9	86.4	62.6	155.1	114.1	133.6	109.4
	1904	116.4	100.9	108.2	86.5	145.1	120.6	126.4	105.9
	1905	117.2	95.6	86.4	79.1	119.5	118.7	131.5	107.3
Pleurisy	1901	3.3	6.8	2.9	1.9	5.0	2.4	4.7	4.7
	1902	4.7	2.8	3.4	2.3	4.1	1.5	4.5	4.4
	1903	6.5	2.5	2.2	2.1	4.9	1.9	5.2	3.9
	1904	5.9	4.3	2.5	1.8	2.4	2.7	5.3	4.6
	1905	5.2	4.5	3.6	1.9	1.6	3.9	6.2	2.8
Congestion of lungs	1901	8.0	7.8	12.6	10.9	9.2	10.0	8.1	7.4
	1902	5.0	6.2	13.2	8.0	12.3	6.7	8.4	8.8
	1903	10.8	10.4	12 8	7.7	8.9	6.0	8.3	5.4
	1904	8.2	6.7	8.5	8.8	7.2	6.5	6.3	7.2
	1905	8.1	7.5	6 8	7.9	5.5	5.6	5.2	4.1
Gangrene of lungs	1901	0.5	0.9	0.5	0.1	.....	0.3	0.6	0.6
	1902	0.3	.....	0.3	0.2	.....	0.5	0.8	0.7
	1903	0.3	0.3	.....	0.2	.....	0.2	0.4	0.3
	1904	0.2	0.3	0.3	0.3	0.8	0.8	0.4	0.4
	1905	0.3	.....	0.7	0.5	.....	0 2	0.5	0.1
Asthma	1901	1.2	2.8	7.9	4.3	2.5	4.7	2.5	2.9
	1902	3.2	3.1	5.1	4.0	1.6	2.4	2.5	1.8
	1903	1.4	1.2	3.6	2.3	0.8	4.0	2.4	3.3
	1904	3.1	0.9	4.6	2 8	2.4	3.3	1.3	2.3
	1905	3.2	0.6	4.0	2.0	1 6	1.5	1.9	2.1
Emphysema	1901	1.0	1.2	1.1	0.4	.....	0.5	0.5	0.3
	1902	0.6	0.6	0.5	0.8	.....	0.3	0.3	0.7
	1903	1.7	.....	1.0	0.5	.....	0.5	0.3	0.4
	1904	0.2	0.6	0.9	0.5	0.8	0.2	0.1	0.3
	1905	0.3	.....	0.4	0.6	0.8	0.3	0.2	0.3
Hemorrhage of lungs	1901	1.3	0.3	2.1	1.8	5.8	0.9	2.3	2.8
	1902	1.3	1.2	2.6	1.8	1.6	2.8	1.8	2.6
	1903	1.1	0.9	2 4	1.2	.....	0.9	2.1	0.4
	1904	0.2	0.9	1.7	1.5	6.4	1.7	1.4	0.6
	1905	0.6	0.6	2.8	1.3	1.6	1.9	1.7	1.6
Other diseases of respiratory system	1901	0.5	0.9	4.5	4.7	3.3	2.2	2.0	1.3
	1902	1.0	2.2	2.8	3.4	0.8	1.7	1.9	1.8
	1903	1.6	0.9	3.4	2.9	2.4	2.2	1.6	1.2
	1904	1.1	3.0	2.8	3.0	0.8	2.1	1.6	0.9
	1905	2.0	0.6	2.9	2.4	1.6	1.4	1.0	0.9
V.—Diseases of digestive system	1901	207.2	153.2	178.4	165.6	178.3	172 7	211.4	143.2
	1902	213.9	165.6	172.4	152.5	156.3	136.5	205.5	133.5
	1903	207.1	161.3	177.1	140.2	179 4	151.0	208.8	139.4
	1904	224.8	172.8	189 8	146.4	165.9	151.4	203.8	142.4
	1905	238.5	184.8	167.2	157.7	179.7	183.1	220.5	160.9
Diseases of mouth	1901	1.0	2.2	1.6	1.2	.....	0.5	0.6	.....
	1902	0.6	0.3	1.7	0.8	.....	0.8	0.3	0.3
	1903	0.6	0.3	1.0	0.7	0.8	0.7	0.4	0.3
	1904	1.1	0.3	0.9	0.8	.....	.....	0.5	0.1
	1905	0.8	0.9	1.0	0.6	1.6	0 5	0.6	0.7
Tonsilitis	1901	0.5	0.9	0.8	2.1	0 8	1.0	0.4	0.4
	1902	1.5	0.3	1.4	1.8	0.8	0 8	0.3	0.4
	1903	1.8	0.6	0.7	1.3	.....	1.9	0.4	0.9
	1904	0.5	0.6	0.9	1.2	0.8	0.8	0.7	0.9
	1905	0.3	1.2	0.4	1.3	1.6	0.7	0.7	1.6

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.7	1.1	4.9	----	2.3	1.0	1.2	0.7	3.1	1.3	----	0.7
0.9	0.5	1.2	0.8	2.5	0.4	1.1	0.8	2.0	1.3	2.0	2.7
0.9	1.1	4.2	0.4	1.8	1.3	1.1	0.7	1.0	2.6	----	1.0
1.0	0.7	2.9	1.2	1.8	0.4	1.2	0.5	1.3	1.9	2.0	1.7
1.3	1.1	1.2	0.4	1.5	1.1	0.9	1.0	0.6	3.1	----	0.3
0.5	0.6	----	0.4	----	0.2	0.2	0.1	0.3	0.7	----	0.3
0.3	0.1	----	----	0.2	0.1	0.3	0.1	0.3	0.7	----	0.7
0.4	0.1	----	----	0.2	0.1	0.2	0.5	0.3	1.3	----	----
0.3	0.3	----	----	0.2	0.2	0.4	0.2	----	0.6	----	----
----	0.4	----	0.4	0.2	0.1	0.3	0.4	----	----	1.9	----
29.6	17.4	26.0	17.4	25.2	14.8	33.7	17.4	34.1	27.0	35.6	19.8
28.8	15.3	33.4	17.7	24.8	15.5	38.3	15.3	38.6	33.7	43.1	17.5
24.8	16.4	26.2	20.0	20.8	14.0	29.3	15.4	44.6	26.5	36.1	22.2
21.8	16.7	28.1	14.5	24.0	12.8	32.1	12.1	33.7	24.7	17.6	20.9
22.2	19.0	19.0	14.5	20.0	12.0	25.9	12.6	29.5	26.0	34.6	21.9
17.9	13.4	17.3	18.5	18.6	12.9	21.2	16.4	24.1	20.9	12.6	18.2
17.2	11.6	22.5	13.0	15.5	11.8	18.5	11.9	16.1	17.2	8.2	13.5
13.8	11.6	17.9	20.8	14.3	11.7	15.5	13.8	19.7	12.3	22.1	15.8
14.6	14.6	11.1	16.9	16.0	10.8	14.7	13.8	18.3	18.3	7.8	20.9
13.0	13.5	11.5	14.9	14.1	10.9	13.2	13.5	15.4	18.0	13.5	14.1
28.3	16.9	25.3	24.1	37.3	20.3	55.4	19.4	28.9	14.8	29.3	19.2
30.5	15.6	26.1	13.0	53.9	26.1	65.9	14.8	36.6	29.7	28.7	23.9
33.3	18.0	21.5	16.5	42.3	23.5	70.5	19.9	50.2	39.4	30.1	20.9
26.1	18.5	27.6	18.4	48.3	29.5	79.1	20.9	44.3	42.4	27.5	21.8
26.2	16.4	35.1	12.9	43.7	26.0	70.3	22.2	45.2	35.3	26.9	24.2
101.6	98.0	132.9	131.1	141.9	104.0	175.5	106.5	119.4	148.4	119.5	145.5
95.3	81.8	146.3	117.5	138.6	87.2	157.2	88.9	124.6	108.2	100.5	142.0
94.0	74.0	127.6	122.2	140.9	87.4	146.8	88.0	142.8	129.8	148.5	110.7
86.9	77.0	119.0	104.7	181.8	118.9	185.4	97.9	138.9	132.8	135.5	122.8
82.3	68.1	118.7	105.6	132.1	94.9	136.3	98.6	154.1	150.0	140.4	143.0
5.4	2.8	3.7	3.5	6.1	3.5	7.0	3.0	4.1	5.4	8.4	4.0
5.5	2.5	4.9	2.8	4.4	2.8	6.7	2.5	5.7	4.0	2.0	2.7
3.7	2.7	3.0	4.3	4.5	3.3	6.7	3.0	5.9	3.9	8.0	4.0
2.7	3.0	4.7	2.3	6.0	4.0	7.7	3.7	2.6	7.6	2.0	3.7
3.5	3.1	2.9	2.3	6.2	3.0	6.9	3.4	5.6	3.1	7.7	4.0
9.5	6.8	17.9	11.8	13.8	11.5	9.2	12.6	7.6	4.7	10.5	9.4
9.5	5.7	15.8	8.3	11.1	9.7	7.1	10.9	1.7	0.7	14.4	10.1
6.9	5.7	6.5	5.9	12.4	10.3	8.1	11.7	1.0	0.6	12.0	8.7
6.9	6.2	8.8	10.6	14.6	7.7	6.1	8.9	3.2	3.2	9.8	8.7
9.1	6.2	6.3	6.3	11.1	9.3	5.2	7.5	1.9	1.9	13.5	8.4
0.4	0.2	----	0.8	0.7	0.4	0.8	0.3	0.3	0.7	4.2	0.3
0.9	0.3	----	0.4	0.6	0.8	0.7	0.4	----	----	----	0.3
0.5	0.3	----	0.4	0.3	0.2	0.4	0.4	0.3	----	----	1.4
0.7	0.5	----	0.8	0.5	0.8	0.6	0.3	----	----	2.0	----
0.6	0.5	----	0.4	1.1	0.4	0.7	0.2	0.3	----	----	0.3
6.7	3.4	3.7	1.6	3.4	1.6	2.9	1.9	4.1	----	----	3.4
5.0	3.6	3.6	2.3	3.2	2.8	2.9	1.6	3.7	2.6	4.1	3.7
3.6	3.3	1.8	2.8	2.6	2.5	3.3	2.2	3.3	1.9	2.0	1.7
5.7	3.2	0.6	5.1	3.3	2.8	3.2	1.6	2.2	1.3	5.9	1.7
5.4	3.5	2.3	0.4	2.7	2.2	2.3	1.9	2.8	5.6	1.9	1.3
0.3	0.6	0.6	1.2	1.6	0.6	1.3	0.3	0.3	0.7	----	0.7
0.8	0.3	----	----	1.7	1.6	1.2	0.3	0.7	----	----	0.7
0.5	0.6	----	----	1.1	0.1	1.2	0.2	0.7	0.6	----	----
0.1	0.5	----	----	0.8	0.6	0.8	0.4	----	----	----	0.7
0.9	0.5	0.6	0.4	0.6	0.5	0.6	0.2	0.9	1.9	1.9	0.3
2.7	1.6	3.1	3.2	3.5	2.0	2.2	2.5	1.0	0.7	2.1	2.0
2.4	1.0	3.0	1.6	3.2	2.7	2.0	1.7	1.0	----	8.2	----
3.2	1.3	----	0.4	3.4	3.2	2.5	1.9	1.6	1.3	10.0	1.7
1.5	1.7	----	0.4	3.8	1.9	1.9	1.8	0.6	----	----	2.0
2.3	1.9	1.2	0.4	3.1	2.7	1.9	1.7	0.9	3.1	1.9	0.3
3.4	2.7	2.5	0.8	1.9	1.4	1.8	1.7	0.7	0.7	----	2.7
3.8	3.1	1.2	2.3	1.8	1.6	1.4	1.2	1.7	0.7	----	4.0
3.7	2.3	----	0.8	2.1	2.3	2.2	1.5	0.7	0.6	6.0	2.4
3.1	2.5	1.2	2.3	0.9	1.3	1.4	1.1	0.3	0.6	----	2.4
3.2	2.0	1.2	1.2	1.1	0.9	1.6	0.9	0.6	----	1.9	1.3
208.0	165.5	248.4	142.6	234.9	165.5	251.4	145.8	294.9	237.5	178.2	141.0
198.6	145.2	217.3	133.2	220.4	150.8	221.3	137.9	280.2	258.1	172.2	122.8
202.0	162.5	240.3	144.3	208.3	134.4	207.1	135.1	285.6	245.5	250.8	156.5
190.6	162.2	228.0	152.6	251.1	159.2	239.0	144.4	236.5	229.6	216.0	151.1
207.1	182.9	256.4	169.8	235.0	153.6	235.7	156.9	240.4	210.1	251.9	160.8
1.2	1.3	0.6	0.8	1.3	0.5	0.7	0.3	----	0.7	----	----
0.9	1.3	1.2	----	0.2	0.5	0.6	0.3	1.3	0.7	----	----
1.4	1.0	----	0.4	0.9	0.7	0.6	0.5	0.7	0.6	2.0	0.3
0.5	1.0	----	0.8	0.3	0.6	0.9	0.7	0.6	0.6	----	0.3
0.8	0.7	----	0.4	0.9	0.3	0.5	0.7	0.6	1.2	1.9	0.3
0.5	1.7	----	0.8	0.8	1.0	0.8	0.7	0.3	0.7	2.1	0.3
0.7	1.0	1.8	0.8	0.4	0.6	0.5	0.8	0.7	2.6	----	0.7
0.9	1.6	0.6	0.8	0.4	0.8	0.6	0.9	0.7	1.9	----	0.3
0.9	1.8	0.6	1.6	0.6	0.7	0.8	1.2	1.3	0.6	----	0.7
0.3	1.0	2.3	1.2	0.5	1.1	0.6	0.9	0.6	0.6	----	0.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHSPER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of pharynx	1901	0.7	1.5	0.5	0.5	1 7	1.0	0.5	0.9
	1902	0 5	0.3	0.5	0.8	0.8	1.9	0.3	0.4
	1903	0.2	0.6	0.9	0.3	0.8	1.7	0.6	0.4
	1904	0 8	0.9	.....	0.3	0.8	1.4	0.8	0.6
	1905	0 3	0.3	0 6	0 8	0.8	1.4	0 7	0.6
Diseases of esophagus	1901	0 5	0.6	0.2	0.1	.....	.....	0.3	0.3
	1902	1.0	0.3	0.8	0.2	0 8	0.2	0.4	0.7
	1903	0.3	0.6	.....	0.2	.....	0.2	0.4	0.3
	1904	0.3	0 6	0.4	0.2	.....	0.5	0.6	.....
	1905	0.3	.....	0.3	0.2	.....	0.3	0.4	0.6
Ulcer of stomach	1901	2.8	2.2	2 1	2.0	1 7	2.8	2.9	2.8
	1902	3 6	0.6	2 3	1.8	0.8	2.1	3.0	2.5
	1903	2 5	1.2	2 2	2.1	1 6	1.9	2 6	2.0
	1904	2 6	1.5	2 6	2.2	1.6	3.4	2 7	2.6
	1905	4 0	2.7	2.9	1.9	4.8	2.4	2.6	3.6
Gastritis	1901	14 8	14.6	14 0	13 8	9.2	12 6	8.6	11.3
	1902	13.3	18.8	12 8	11 7	4.1	12 1	8 9	12.3
	1903	14.6	18.1	14.3	11 3	8.1	11.0	9 5	11.1
	1904	16.5	14 3	13.0	8.9	11.2	11.7	9.4	9.2
	1905	12.8	14 2	10.9	10.0	7 1	12.3	9.0	8.7
Other diseases of stomach	1901	5.8	6.8	5.6	8.6	6.7	7.6	4.6	6.9
	1902	4.7	9 3	7.7	9.1	10 7	6.4	4.8	5.8
	1903	6 5	6 7	8.4	7.1	6 5	10 3	5.7	6.1
	1904	6.8	10 6	6.8	6.9	13.7	9.9	6.0	7.6
	1905	7.4	10 6	5.8	9.2	12.7	10.9	6.6	8.5
Dentition	1901	0.8	0.9	.....	0.4	.....	0.2	0 6	0.6
	1902	0.3	0.3	0.5	0.6	0 8	0.7	0.6	0.4
	1903	.....	.....	0 1	0.2	.....	0.2	0.4	0.3
	1904	0.2	.....	0.1	0.2	.....	0.2	0.3	0.6
	1905	0.2	0.3	.....	0.3	.....	.....	0.4	0.1
Diarrhea and enteritis	1901	128.1	67 8	84 2	88 9	95.0	96.4	132.3	70.8
	1902	129.6	86.4	78.2	78 7	80.6	61.5	130.4	66.0
	1903	119.2	81.4	84.1	69 5	86.9	72 9	131.0	72.7
	1904	134.8	89.6	86.7	75.1	68.9	68.8	126 8	74 1
	1905	149.0	100.4	74.7	80 6	94.2	96.6	140.6	91.6
Intestinal parasites	1901	0.3	.....	.....	0 3	0.8	1.0	0.3	.....
	1902	.....	.....	.....	.....	.....	0.3	0.2	.....
	1903	.....	0.3	.....	0.2	.....	0.2	(1)	0.1
	1904	.....	.....	0.1	0.2	.....	0.2	.....	.....
	1905	0.2	.....	.....	0 1	.....	0.3	0.2	.....
Hernia	1901	3.6	4 4	3 2	2.2	7.5	4.0	4.2	4.0
	1902	4.1	1.2	3 2	2 2	7 4	3 1	4.5	3.5
	1903	4.3	3.7	2 5	2.6	2 4	3.1	4 3	3.2
	1904	5.7	3 3	4 9	2 8	6.4	2.7	4.4	3.3
	1905	4.1	2 7	3.6	2 1	2.4	3.9	5.0	2.6
Obstruction of intestines	1901	7 5	9.4	7.9	6.7	7 5	6.4	7.8	7.5
	1902	8 9	8.0	9.5	5 9	5.8	5.9	7.7	6.4
	1903	8.6	9.5	11 0	7 5	12.2	8.1	8.6	8.5
	1904	10.7	9.7	11.0	7 2	8.0	8.7	8.9	8.2
	1905	10.5	8.4	9 3	9 8	15.8	8.4	9.1	10.0
Other diseases of intestines	1901	1 6	1.2	3.9	3.8	3.3	2.8	2.9	2.9
	1902	2.1	2.2	3.5	4.0	3.3	3.3	2.0	2.2
	1903	2.2	1 9	4 0	3 7	1.6	3.4	2.2	1.4
	1904	2.0	1.8	4.8	3 7	3.2	2.9	2.5	2.9
	1905	3.0	3.0	4.4	4.9	2.4	3.9	2.6	3.8
Acute yellow atrophy of liver	1901	0 3	.....	0 8	0.2	.....	0.5	0.2	0.6
	1902	0.5	0 3	0 6	0.2	.....	0.8	0.2	0.6
	1903	0.1	1.2	0.1	0.4	.....	.....	0.1	0.1
	1904	0.3	0.3	0.6	0.5	.....	1.4	0.4	0.4
	1905	0.3	1.2	0.6	0 5	0.8	0 7	0.5	0.1
Hydatid tumor of liver	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	(1)	.....	.....	0.1	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	0.3	.....	.....	.....	.....	.....	.....
	1905	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	1901	13.1	15.0	11 2	5 9	9 2	6 4	10.6	8.4
	1902	16.7	12.0	9 7	7 4	9.1	6.0	10.1	8.9
	1903	16.2	9.5	11 0	7 6	8 9	9.6	10.0	9.1
	1904	13.5	18.0	13.6	8 5	7.2	7.9	10.4	7.9
	1905	15.2	14 8	12 4	7.8	3 2	7.9	11.1	13.0
Biliary calculi	1901	0.7	1.5	1.4	1 7	0.8	0 9	2 3	0.7
	1902	1 9	1.2	2.3	1 7	0.8	1.9	2.0	1.3
	1903	3.0	2.8	2.5	2 1	3.3	1.0	3 0	2.2
	1904	3 0	1.8	2 5	2 3	0.8	2.6	2.2	1.9
	1905	1.8	3.0	2 9	2 3	3.2	3.1	3.0	2.7
Other diseases of liver	1901	7.1	9.0	9 2	9.8	7.5	10.2	6.6	8.0
	1902	5 4	7.7	10 9	9.6	6.6	9.5	7.0	7.4
	1903	6.5	10.7	10.6	9.1	15.4	9.1	6 0	7.5
	1904	7.1	7.3	12 0	8.9	4.8	9.3	5.1	8.5
	1905	5.9	5 4	11.1	8 3	6.3	8.9	5.2	4.3

[1] Less than one-tenth

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.9	.....	0.8	1.0	0.6	0.5	0.4	0.3	.....	2.1	.....
0.9	1.2	1.2	0.4	0.5	0.4	0.7	0.3	1.0	1.3	.....	1.0
0.1	1.1	.....	1.6	0.5	0.1	0.6	0.5	0.7	.....	.....	0.3
0.4	1.0	0.6	1.2	1.1	1.1	0.7	1.0	0.3	0.6	.....	0.3
0.5	1.1	1.7	0.4	0.4	0.1	0.5	0.8	.....	.....	.....	1.7
0.3	0.3	0.6	.....	0.6	0.1	0.3	0.2	0.7	.....	.....	1.0
0.8	0.3	.....	.....	0.3	0.4	0.5	0.2	0.7	.....	2.0	1.0
0.4	0.3	.....	.....	0.4	0.1	0.4	0.3	.....	.....	.....	0.3
0.3	0.2	.....	0.4	0.2	0.1	0.4	0.3	.....	.....	.....	0.7
0.4	0.3	0.6	.....	0.3	0.2	0.4	0.2	.....	0.6	.....	0.3
2.2	3.5	1.8	2.8	1.8	2.4	3.5	2.2	3.4	2.0	2.1	1.7
3.0	2.8	4.9	3.2	2.8	2.0	4.1	2.7	1.0	5.3	6.1	1.7
2.9	3.3	1.2	2.4	2.6	1.5	3.1	2.8	1.6	1.3	8.0	6.7
2.8	3.3	5.9	3.1	2.8	2.5	3.6	2.9	5.1	1.9	7.9	2.4
3.4	2.8	4.0	3.9	2.8	2.2	3.5	2.5	2.8	2.5	.....	4.0
12.4	9.9	14.3	9.5	15.0	11.8	9.5	11.3	14.5	15.5	10.5	11.8
13.3	9.2	9.7	13.8	12.6	12.7	8.5	11.9	11.8	10.6	6.1	17.5
11.9	9.2	15.5	11.8	14.5	13.6	8.2	12.6	15.8	11.0	26.1	12.5
9.9	11.7	13.5	12.5	14.1	12.5	7.8	10.5	11.9	10.1	11.8	11.8
8.4	10.7	16.1	14.5	11.3	9.7	7.9	11.5	6.9	3.1	13.5	13.1
8.7	7.2	6.8	6.7	4.7	6.0	4.7	7.3	21.7	8.8	.....	5.4
7.8	6.5	6.1	10.2	3.6	4.3	4.1	8.1	24.9	9.9	10.3	4.7
8.0	8.0	6.6	14.1	5.1	5.8	4.4	10.5	12.5	18.7	14.1	6.7
8.5	7.1	7.6	7.4	5.4	7.5	5.1	11.1	20.2	13.3	5.9	14.5
8.9	9.3	8.6	12.1	5.7	6.9	5.0	11.2	18.5	16.7	13.5	7.4
0.7	0.6	3.7	.....	0.4	0.2	1.6	0.4	1.4	.....	.....	0.3
0.4	0.2	6.1	0.4	0.4	0.4	1.1	0.3	0.7	.....	.....	.....
0.5	0.5	0.6	.....	0.4	0.5	0.4	0.2	1.3	0.6	.....	0.3
0.3	0.3	1.2	.....	0.5	0.4	0.3	0.1	.....	.....	.....	0.3
0.1	0.1	2.3	.....	0.3	1.0	0.4	0.5	0.3	.....	.....	0.3
109.6	83.9	171.8	68.7	142.8	97.9	163.7	63.8	191.0	161.9	113.1	60.6
93.2	67.1	133.5	52.8	130.0	88.5	137.8	58.8	176.7	172.3	94.3	37.8
104.0	78.3	158.0	61.3	114.5	70.6	124.3	51.3	182.1	161.5	126.4	64.7
95.7	73.7	141.8	65.1	157.9	96.4	152.9	61.7	143.1	160.7	111.9	57.9
108.4	93.1	165.9	75.9	146.6	92.5	152.0	75.8	150.9	142.5	150.0	73.0
0.1	0.5	.....	.....	.....	0.2	.....	0.3	.....	.....	.....	.....
.....	0.3	.....	.....	.....	.....	0.1	0.2	0.3	.....	.....	.....
.....	0.3	.....	.....	.....	0.1	(1)	0.3	.....	.....	.....	.....
0.1	0.2	.....	.....	.....	.....	0.1	0.1	0.3	.....	.....	.....
0.1	0.3	.....	0.4	0.2	.....	0.1	0.2	0.3	.....	.....	0.7
4.1	4.1	2.5	2.8	5.1	3.1	4.6	3.6	8.9	4.7	4.2	2.4
5.7	3.5	0.6	3.9	4.4	2.6	5.1	3.3	6.0	3.3	8.2	4.7
4.3	3.8	1.8	4.7	4.8	1.9	5.7	3.3	7.5	2.6	14.1	7.8
3.1	3.2	1.7	5.5	4.2	2.7	5.2	3.5	4.8	3.8	7.9	5.0
2.9	3.7	2.9	4.3	3.6	3.0	6.0	3.4	5.6	1.9	5.8	3.7
11.1	8.8	5.0	9.1	8.5	8.5	8.8	7.9	6.9	4.0	6.3	8.1
10.5	8.0	9.1	7.8	8.6	5.8	9.6	6.8	5.4	5.3	6.1	7.4
11.3	8.1	8.3	4.3	9.3	5.9	8.5	10.1	4.6	4.5	8.0	7.4
10.2	9.2	9.4	9.4	12.0	6.2	9.1	8.5	6.7	2.5	9.8	7.1
11.3	9.2	10.4	7.8	10.1	7.2	8.8	9.1	5.6	4.3	17.3	7.7
2.7	3.4	1.8	2.8	2.7	2.0	2.8	3.7	5.5	1.3	4.2	2.0
5.4	4.0	3.0	3.2	2.1	2.8	2.2	3.7	4.0	7.3	.....	4.0
2.8	3.4	3.0	2.4	3.0	2.7	2.4	3.2	4.6	4.5	4.0	2.0
2.8	3.8	4.7	2.4	2.5	1.7	2.2	3.1	3.5	5.1	5.9	2.7
4.3	3.7	6.3	3.9	2.5	1.7	2.1	2.8	4.1	3.1	5.8	3.7
0.5	0.6	1.8	0.4	0.2	0.1	0.3	0.4	.....	0.7	.....	0.3
0.7	0.8	1.2	.....	0.7	0.4	0.3	0.7	0.3	0.7	.....	0.3
0.3	0.3	.....	2.0	0.4	0.8	0.3	0.5	0.7	.....	2.0	0.7
0.5	0.5	.....	0.4	0.4	0.2	0.5	0.4	0.3	0.6	.....	0.7
0.9	0.5	0.6	0.4	0.3	0.3	0.3	0.5	0.3	0.6	.....	0.3
.....	.....	.....	.....	0.1	.....	(1)	.....	0.3	.....	.....	.....
0.3	(1)	.....	.....	0.2	.....	(1)	(1)	.....	.....	.....	.....
0.3	0.1	.....	.....	0.2	0.1	(1)	.....	.....	0.6	.....	.....
.....	0.2	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....
.....	.....	.....	0.4	0.1	.....	0.1	.....	.....	.....	.....	.....
9.5	8.2	9.9	5.1	19.5	10.5	21.3	11.2	15.5	14.8	8.4	6.7
10.5	8.9	11.6	8.3	19.2	8.2	19.8	11.7	16.1	11.2	10.3	7.8
10.7	11.0	11.9	9.4	20.3	10.2	19.9	11.4	19.4	14.9	10.0	7.1
12.7	11.2	9.4	10.6	18.8	10.3	20.6	11.7	13.8	13.3	3.9	9.4
10.9	10.7	5.2	13.3	20.3	9.6	21.4	11.0	15.4	14.3	7.7	10.1
2.6	1.5	.....	1.2	0.5	0.8	1.3	1.5	0.7	2.0	4.2	1.0
3.6	2.2	.....	0.4	1.7	1.8	1.7	1.5	2.7	3.3	4.1	1.0
4.2	2.0	1.2	2.0	1.5	0.9	1.8	1.8	2.0	3.2	.....	3.7
2.8	2.5	1.2	1.6	2.6	1.6	2.5	1.6	3.9	0.6	3.9	3.0
2.4	2.8	1.2	2.3	2.4	1.9	2.2	1.5	2.8	1.9	.....	3.0
11.1	9.2	11.1	12.6	6.1	5.1	5.3	10.7	6.9	6.7	4.2	14.1
10.2	9.7	6.7	9.1	7.1	6.5	5.3	8.5	7.8	13.2	4.1	8.7
8.2	9.7	6.6	8.6	6.6	6.9	5.9	9.0	8.2	5.2	6.0	6.1
7.1	8.3	8.2	10.6	6.7	4.0	5.5	8.1	3.9	6.3	7.9	7.4
10.3	9.4	10.9	8.2	7.1	5.1	4.5	7.9	6.3	4.3	3.8	8.1

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of spleen	1901	0.2	0.6	0.2	0.4	.....	0.2	0.2	0.7
	1902	0.3	0.3	0.8	0.1	.....	0.5	0.3	0.1
	1903	0.3	.....	0.1	0.4	.....	0.3	0.3	0.3
	1904	0.3	0.6	.....	0.2	.....	0.2	0.2	0.4
	1905	0.3	.....	0.4	0.3	.....	0.5	0.1	0.3
Peritonitis	1901	8.0	8.4	24.1	11.6	20.8	12.5	15.0	10.5
	1902	8.6	10.2	18.4	10.8	16.5	10.2	12.3	7.6
	1903	9.4	6.1	14.6	7.6	13.0	5.2	11.8	7.2
	1904	8.2	6.4	16.8	11.0	16.8	12.5	9.7	6.7
	1905	7.0	8.4	14.2	10.5	10.3	11.5	9.0	6.4
Appendicitis	1901	9.6	6.2	7.2	5.4	5.8	5.5	10.1	5.6
	1902	9.7	5.9	7.4	5.0	7.4	8.5	9.7	5.8
	1903	10.7	6.1	8.9	6.2	17.9	10.0	11.0	5.2
	1904	10.1	5.2	11.8	5.3	21.7	6.3	11.5	6.6
	1905	14.7	7.2	11.6	6.1	12.7	8.7	12.8	4.6
Other diseases of digestive system	1901	0.2	.....	0.3	.....	.....	0.2	0.6	0.1
	1902	0.6	.....	0.2	0.1	.....	.....	0.5	0.6
	1903	0.1	.....	0.1	0.1	.....	0.2	0.4	0.3
	1904	0.3	0.3	0.3	(1)	.....	.....	0.7	.....
	1905	0.5	.....	0.1	0.1	.....	0.2	0.3	0.3
VI.—Diseases of genito-urinary system	1901	104.7	104.4	75.4	57.6	130.0	91.9	96.0	86.0
	1902	106.7	110.7	83.0	58.4	140.6	89.7	94.0	81.2
	1903	112.7	115.1	90.4	61.9	147.8	103.6	101.4	94.0
	1904	126.5	119.4	94.0	67.4	149.9	99.1	102.9	109.6
	1905	119.8	111.9	89.5	65.4	143.3	99.9	105.4	102.2
Acute nephritis	1901	9.1	7.8	5.1	3.1	6.7	7.8	8.4	4.6
	1902	13.8	7.4	5.2	3.2	7.4	5.9	8.2	6.6
	1903	14.0	7.7	6.7	3.2	10.6	7.1	8.6	6.4
	1904	15.5	6.7	5.9	4.5	9.6	7.7	7.9	7.6
	1905	13.4	8.7	7.9	4.2	9.5	6.2	7.5	4.8
Bright's disease	1901	75.1	78.0	56.1	42.8	105.8	66.0	70.0	66.4
	1902	78.7	83.9	60.8	44.3	115.2	66.1	68.3	60.9
	1903	78.2	87.2	64.4	44.7	112.9	76.2	74.1	70.1
	1904	93.9	91.7	69.7	49.4	121.9	75.2	74.8	84.7
	1905	87.7	87.1	65.1	49.6	109.3	77.1	78.6	83.0
Other diseases of kidneys	1901	2.3	1.2	2.1	2.3	5.8	3.1	3.2	3.1
	1902	2.1	2.8	2.8	2.1	6.6	2.4	2.9	2.3
	1903	1.4	2.8	2.7	2.6	3.3	4.3	2.4	3.6
	1904	3.3	2.7	2.6	2.4	2.4	2.4	2.7	1.9
	1905	1.8	2.4	2.5	2.3	5.5	3.1	3.3	0.4
Calculi of urinary tract	1901	0.7	0.3	.....	0.1	.....	.....	0.6	0.1
	1902	0.5	0.6	0.3	0.2	.....	0.3	0.8	0.4
	1903	0.5	.....	0.3	0.3	1.6	0.3	0.4	0.4
	1904	0.6	0.9	0.1	0.4	0.8	0.2	0.7	0.1
	1905	1.2	.....	0.3	0.3	0.8	0.2	0.7	0.3
Diseases of bladder	1901	7.0	8.1	4.6	4.5	7.5	7.3	4.7	6.9
	1902	4.1	7.7	4.9	4.2	4.9	7.2	4.3	6.4
	1903	6.4	8.3	5.5	4.5	9.0	6.9	4.4	6.7
	1904	3.3	6.1	5.5	4.7	6.4	7.9	3.9	6.9
	1905	4.1	5.4	3.5	3.3	4.0	5.8	3.7	6.3
Diseases of uretha, urinary abscess, etc	1901	0.5	0.6	0.2	0.1	.....	0.2	0.6	.....
	1902	0.2	.....	0.2	0.1	.....	0.5	0.5	0.1
	1903	0.6	.....	.....	0.3	0.8	.....	0.4	0.1
	1904	0.6	.....	0.1	0.1	0.8	0.2	0.6	0.3
	1905	0.6	0.3	0.1	0.2	0.8	.....	0.6	0.6
Diseases of prostate	1901	4.3	6.8	1.6	3.2	3.5	6.4	1.8	1.8
	1902	6.5	7.9	3.4	2.7	.....	4.0	2.4	2.5
	1903	8.3	8.5	5.7	5.4	5.1	7.1	3.3	4.1
	1904	6.9	11.4	4.7	4.0	3.4	6.7	4.0	4.6
	1905	4.0	3.0	3.2	2.1	4.8	3.2	4.2	3.6
Nonvenereal diseases of male genital organs	1901	1.0	.....	.....	.....	.....	0.3	.....	.....
	1902	0.3	0.6	0.3	.....	.....	.....	(1)	.....
	1903	.....	0.6	.....	0.3	.....	0.7	0.1	.....
	1904	0.6	.....	.....	.....	.....	.....	0.2	0.1
	1905	0.2	.....	0.1	.....	.....	0.2	0.2	.....
Metritis	1901	.....	.....	0.6	0.2	.....	0.4	0.1	.....
	1902	0.6	0.6	0.3	0.7	.....	.....	0.3	0.1
	1903	.....	1.2	1.2	0.5	.....	.....	0.1	.....
	1904	.....	.....	0.3	0.5	.....	.....	0.4	0.1
	1905	0.6	.....	0.3	0.3	.....	.....	0.2	0.1
Uterine hemorrhage (nonpuerperal)	1901	1.0	.....	0.9	0.5	.....	0.4	0.2	0.4
	1902	0.3	0.6	1.2	.....	.....	1.4	0.1	.....
	1903	0.9	.....	0.3	0.5	.....	0.7	0.2	0.4
	1904	0.9	1.2	1.1	0.8	.....	0.4	0.2	0.3
	1905	0.6	0.6	0.1	0.3	0.8	0.9	0.3	0.1
Uterine tumor	1901	4.0	4.4	3.5	0.9	.....	1.8	1.9	1.0
	1902	1.6	0.6	2.8	1.1	3.1	2.5	1.5	0.6
	1903	4.1	1.9	2.9	1.5	1.6	2.5	2.5	1.0
	1904	4.3	3.7	3.2	1.6	.....	0.7	2.3	0.9
	1905	1.7	1.5	1.5	0.7	1.6	0.9	1.7	1.3

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.2	----	1.2	----	0.2	0.2	0.3	0.3	----	----	----
0.1	0.5	0.6	0.4	0.1	0.1	0.4	0.3	----	----	----	0.3
0.4	0.6	----	0.4	0.2	0.1	0.3	0.1	0.7	----	----	0.3
0.7	0.3	1.2	0.4	0.3	----	0.2	0.2	0.6	----	3.9	0.3
0.6	0.5	----	0.4	0.3	0.7	0.1	0.4	0.3	----	----	----
14.5	10.9	14.3	12.2	15.8	11.3	8.5	13.0	3.4	9.4	8.4	14.8
14.1	9.6	15.2	10.2	16.5	10.1	6.9	10.3	4.4	5.9	10.3	14.8
14.0	10.2	17.9	10.6	12.9	8.1	6.8	10.2	4.9	6.5	16.0	17.5
14.1	11.5	14.0	10.2	9.7	6.4	6.3	10.3	3.5	5.7	15.7	13.1
16.8	12.9	11.5	12.5	8.5	6.1	5.1	8.9	3.1	3.1	11.5	15.1
15.3	8.7	1.8	5.1	7.8	3.1	12.1	6.7	13.1	4.0	8.4	10.5
16.4	7.8	4.2	8.3	8.8	2.8	11.5	7.0	14.1	5.3	10.3	9.4
15.1	9.5	7.1	7.1	9.4	3.0	12.7	5.7	16.7	7.8	14.1	11.1
16.9	11.0	7.0	9.0	10.9	3.8	14.0	7.5	12.2	3.2	19.6	13.5
15.3	9.8	5.2	7.4	10.7	3.9	13.4	6.7	15.1	9.3	21.2	7.1
0.3	0.1	0.6	----	0.2	----	0.1	0.1	----	----	----	----
0.1	0.3	0.6	----	0.3	0.1	0.4	0.4	0.3	----	----	----
0.3	0.2	----	0.4	0.3	----	0.3	0.3	1.0	----	----	0.7
0.3	0.2	----	0.4	0.1	0.7	0.5	0.1	0.3	0.6	----	----
0.3	0.2	0.6	----	0.2	----	0.5	0.4	0.6	----	----	0.3
73.1	65.0	80.9	91.2	118.0	91.3	157.7	97.6	126.3	164.0	104.8	96.0
85.6	69.5	85.6	102.4	120.3	88.4	154.3	99.8	144.1	138.6	88.2	99.6
84.9	71.1	97.2	119.5	123.8	93.9	160.8	105.4	158.5	153.1	120.4	102.6
91.0	76.3	89.7	121.6	129.8	90.5	171.5	109.3	155.6	158.8	141.4	108.7
96.0	72.5	107.7	129.1	136.6	102.1	163.4	111.3	155.6	172.3	140.4	106.6
6.0	3.1	11.1	5.1	13.5	8.0	14.0	5.7	10.0	4.7	12.6	9.4
6.6	3.4	10.3	7.8	17.0	7.8	16.9	7.2	12.8	11.2	2.1	4.7
8.6	5.0	10.7	6.7	17.0	7.2	15.7	7.3	15.4	11.0	6.0	9.4
7.5	5.4	7.6	9.8	17.9	8.2	16.7	8.1	17.3	4.4	7.8	5.1
8.2	3.9	12.1	5.5	19.2	11.2	16.3	7.8	16.0	14.9	7.7	6.7
43.3	42.3	61.2	70.7	92.0	70.6	126.9	73.5	95.0	139.7	71.3	63.0
49.8	47.4	55.8	79.6	93.3	70.5	119.6	73.8	103.8	106.3	79.9	76.1
50.7	48.2	69.8	85.3	96.6	77.2	126.4	81.0	121.1	130.5	90.3	74.4
57.7	51.8	66.8	95.3	98.7	70.9	137.2	83.7	117.4	139.8	108.0	83.4
63.9	53.9	81.8	101.7	102.2	79.2	128.8	84.1	117.0	140.7	107.7	82.1
3.4	4.9	1.2	2.8	2.3	1.7	2.6	3.4	4.5	2.0	2.1	4.0
5.0	3.2	2.4	3.9	1.4	0.8	3.0	3.0	5.0	4.0	2.1	2.7
3.0	2.6	4.2	4.3	1.8	1.3	2.8	2.4	3.6	2.6	----	3.0
4.4	3.1	1.8	1.6	3.0	2.2	2.9	3.2	1.9	1.3	2.0	1.7
3.4	2.7	4.6	4.3	2.8	1.6	2.3	2.5	2.8	1.2	----	2.7
0.4	0.5	----	----	0.4	----	0.4	0.2	1.0	1.3	----	0.3
0.5	0.7	1.2	----	0.2	0.5	0.4	0.4	0.7	----	----	0.3
0.7	0.5	0.6	0.4	0.1	0.5	0.5	0.4	0.3	----	----	0.7
0.4	0.4	----	0.8	0.1	0.1	0.6	0.5	1.0	0.6	----	0.7
0.4	0.5	----	0.8	0.1	----	0.7	0.4	0.3	----	----	1.3
4.4	5.4	1.8	7.9	3.3	6.7	3.9	8.6	3.4	5.4	8.4	11.4
4.2	4.9	10.9	6.7	4.5	5.0	3.4	7.4	4.0	9.9	2.1	8.7
5.1	5.6	3.0	14.5	2.7	4.0	3.2	6.7	2.3	3.9	6.0	5.0
3.5	6.1	3.5	7.4	3.1	5.5	2.5	7.3	3.5	6.3	15.7	7.4
4.9	4.4	4.6	6.3	3.3	5.4	2.6	8.2	0.9	6.2	1.9	8.1
0.3	0.2	----	----	0.5	0.1	0.5	0.1	0.3	----	----	----
0.4	(1)	----	----	0.1	----	0.6	0.1	1.0	0.7	----	0.3
0.7	0.2	----	----	0.3	----	0.3	0.1	0.7	0.6	2.0	0.3
0.9	(1)	----	----	0.3	0.3	0.5	0.2	0.3	0.6	----	0.3
0.3	0.2	----	----	0.6	0.1	0.5	0.2	0.6	----	1.9	0.3
3.9	6.8	2.6	3.1	1.0	1.6	2.0	3.0	2.8	4.7	4.3	3.9
4.1	8.7	1.3	2.3	0.9	1.2	1.9	3.3	3.4	2.0	----	6.6
10.4	7.8	13.7	6.9	1.2	0.7	3.0	3.7	6.2	1.9	12.4	12.4
9.2	8.5	4.9	9.2	1.6	0.8	2.1	3.2	2.9	1.9	4.1	11.1
3.2	2.8	1.7	7.0	2.1	1.7	3.0	4.7	4.7	4.3	5.8	2.7
0.3	0.4	----	----	----	0.2	0.1	0.1	----	----	----	----
0.8	0.8	----	----	----	----	0.1	0.2	0.3	0.7	----	----
0.3	0.1	----	----	0.2	0.1	0.2	0.1	----	----	----	----
0.5	0.2	----	----	0.1	0.2	0.2	0.1	0.6	0.6	----	----
0.3	0.1	----	----	0.2	0.1	0.1	0.1	----	----	----	----
0.5	0.1	----	----	0.1	0.1	0.1	(1)	----	1.3	4.1	0.7
0.3	0.4	----	----	0.1	0.2	0.3	0.2	----	----	----	----
----	0.4	----	----	0.4	0.3	0.2	(1)	----	----	----	----
0.5	0.5	----	----	0.3	----	0.3	0.2	0.6	----	----	----
0.5	0.2	----	----	0.4	0.1	0.4	0.1	0.6	----	----	----
----	0.2	2.4	----	0.6	0.4	0.3	0.2	0.3	0.7	----	0.7
0.3	0.7	----	0.8	0.2	0.8	0.2	0.3	0.7	----	----	----
----	0.5	----	0.8	0.5	0.1	0.2	0.3	0.7	----	----	0.7
0.3	0.6	----	----	0.2	0.2	0.1	0.3	----	0.6	----	0.7
0.3	0.3	----	----	0.2	0.2	0.2	0.2	----	----	----	0.3
6.8	2.7	2.4	3.2	1.0	0.8	1.8	0.8	3.1	2.0	4.1	2.1
7.7	2.8	3.5	3.2	0.6	0.8	2.5	1.6	4.4	0.7	4.0	3.5
3.9	2.4	2.3	----	0.8	1.3	2.0	1.3	3.6	1.9	7.8	2.8
7.1	2.4	5.6	2.4	1.5	0.9	2.4	0.5	4.2	1.3	7.6	4.8
2.3	0.9	1.7	1.2	1.3	0.8	2.2	1.0	2.5	1.2	7.7	1.0

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts	
		Cities	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts	Cities.	Rural districts.
Other diseases of uterus	1901	0.7	0 6	2.8	1.6	3.2	1.4	1.2	0.4
	1902	1.3	0.6	4.9	1.6	.....	1.1	1.0	0.4
	1903	3.2	1.9	5.0	1.8	4.7	2.5	1.3	0.3
	1904	1.5	3.1	3.4	2.2	7.7	3.2	1.3	0.4
	1905	0.8	0.9	1 2	1.0	3.2	1.0	1.5	0.9
Ovarian tumor	1901	4.6	2 5	2.8	1.6	1.6	3 5	1.3	0.4
	1902	1.6	3.7	2 1	1.8	6.3	3.5	1.0	0.6
	1903	4.1	2 5	3 5	1.3	3.1	3.5	1.2	0.6
	1904	1 5	1.2	4 6	2 1	4.6	1.8	1.1	1.0
	1905	1 4	0.6	1.1	1.0	.....	0.9	1.5	0.3
Diseases of tubes	1901	4.0	.....	0 6	0.3	.....	1.1	1.6	0.6
	1902	3.3	.....	1.8	0.3	3.1	1.1	2.3	.....
	1903	1.9	1.2	1.2	0.9	4.7	0 7	1.8	0.1
	1904	2.2	1.8	2.0	0.6	.....	1.8	2.2	0.3
	1905	1.5	1.2	1.9	0 2	2 4	0.5	1.4	.....
Other diseases of female genital organs	1901	0.3	1.3	1.3	0.8	.....	.....	0 2	0.1
	1902	0.3	0 6	0 6	0 4	.....	1 1	0 5	0.1
	1903	0.3	0.6	1.8	0 6	.....	.....	0.4	0.1
	1904	0.6	.....	0.6	0.4	.....	0 7	0.3	0.1
	1905	0.2	.....	0.6	0 1	.....	.....	0.1	0 3
Nonpuerperal diseases of breast (cancer excepted)	1901	.....	1.3	0.3	0.1	.....	.....	(1)	.....
	1902	.....	1.2	.....	.....	.....	.....	.....	.....
	1903	0.3	.....	.....	0.1	.....	.....	0.2	.....
	1904	.....	.....	.....	.....	.....	.....	0.2	0.3
	1905	0.2	.....	.....	.....	0.8	.....	(1)	0.3
VII.—Childbirth	1901	25 4	21 4	19.6	21.2	15.9	23.7	10.1	7.2
	1902	30 3	21.2	18.3	18 2	29.9	31.1	10.3	6.9
	1903	28.1	24 2	19.5	21.7	29.5	26.0	12.8	8.1
	1904	20.6	21 5	22.7	25 2	23 0	26 7	14.1	10.8
	1905	16.3	13.6	10.9	12.3	10.3	12 1	13 0	8.5
Accidents of pregnancy	1901	3 0	1.9	0.9	2.3	.....	2.1	1.0	0.3
	1902	4.8	2.5	2.4	3 3	6.3	3.9	1.5	0.9
	1903	2.5	3.1	1.8	2.9	6.2	5.6	2.2	0.6
	1904	4.6	2.5	4.3	2.1	1.5	3.2	2.2	0.6
	1905	3.2	1.8	1.8	1.2	0.8	1.2	2.1	1.0
Puerperal hemorrhage	1901	2 0	0.6	0.9	1.4	3 2	1.4	0.8	0.4
	1902	2.3	0.6	0.6	0.7	3 1	0.7	0.8	0.3
	1903	3.8	2.5	1.5	1.1	1 6	1.8	1.2	0.7
	1904	1.5	3.1	1.4	1.6	3 1	1.7	1.4	0.4
	1905	1.4	0.6	1.0	0.9	1.6	0 9	1.3	0.7
Other accidents of labor	1901	2.0	0.6	3.2	1.0	1.6	1 1	1.2	0.3
	1902	2.3	1.8	1.5	0.9	1.6	1.8	0.9	0.1
	1903	2.2	0 6	0.9	0.9	3.1	1.8	0.7	0.7
	1904	2.2	0.6	0.6	1.3	.....	2.1	1.1	0.7
	1905	0.6	0.6	0 6	0.3	.....	0.2	0.7	1.1
Puerperal septicemia	1901	8.9	8.8	9.2	10.4	3.2	9.6	3.4	2.7
	1902	11.9	6.9	8.6	7 4	11 0	12.7	3.6	1.5
	1903	9.5	8.1	11.5	10 7	12 4	7.0	4.5	2.2
	1904	10 5	8.6	9.5	12.4	13 8	10.2	4.6	4.0
	1905	5.9	5.7	4.4	7 1	6 3	5.0	4 3	3.1
Puerperal convulsions	1901	5.9	6 3	4.1	3 0	.....	3 5	2.4	1.8
	1902	4.5	6 9	3.4	2.8	4.7	4.9	2.3	1.2
	1903	7.6	9.3	2.0	3 5	1.6	5 6	2.7	2.2
	1904	6.5	6.1	4.6	5.8	3.1	4.2	2.9	3.0
	1905	3.8	2.4	1 7	1.9	1.6	1.7	2 7	1.7
Puerperal phlegmasia alba dolens	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
	1905	.....	0 3	.....	.....	.....	.....	.....	.....
Other puerperal accidents	1901	3.6	3 2	1.3	3.1	7.9	6.0	1.2	1.8
	1902	4 5	2 5	1 8	3.0	3 2	7.1	1.3	2.9
	1903	2 5	0.6	1 8	2.6	4 6	4 2	1.4	1.7
	1904	4.3	0.6	2.3	2.0	1 5	5.3	1.8	2 0
	1905	1.4	2 1	1 5	0 9	.....	3 2	1.9	0.9
Puerperal diseases of breast	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	0.1	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
	1905	.....	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	1901	11.2	10 2	5 4	5.4	9 2	10.4	6.9	9.9
	1902	8.1	8 6	6.8	6.8	12 3	11.9	7.1	9.3
	1903	9 8	8.3	5 6	4 7	14.6	12.0	7.0	10.4
	1904	7 3	9.1	6 5	5 4	8.0	10 8	6.7	9.0
	1905	7.1	0.3	7 9	6 6	7 1	12.7	7.1	8.4
Gangrene	1901	6.3	6.5	2.7	2.8	4 2	8.5	4.5	7.5
	1902	5.4	6.2	3 7	3.8	10.7	9.5	4 1	6.4
	1903	6.2	6.5	3.1	2.4	9.0	10.1	4.3	8.1
	1904	4.8	6.4	3.2	3 7	6.4	8 4	4.4	5.7
	1905	3 5	8.4	4.7	4 4	4.8	10.3	4.3	6 5

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
9.0	2.1	3.6	----	1.0	0.4	1.6	1.0	1.7	0.7	4.1	2.1
7.7	1.9	----	0.8	1.0	0.5	1.4	0.9	2.0	0.7	----	----
4.7	3.9	----	3.2	0.7	0.7	2.0	0.6	1.0	----	7.8	0.7
5.9	2.2	3.4	----	0.7	0.2	1.5	0.6	1.0	----	3.8	1.4
3.9	1.1	----	1.2	1.6	1.0	1.5	0.6	1.9	0.6	----	0.3
4.1	3.3	----	3.2	0.5	0.5	1.5	0.8	3.1	1.3	4.1	4.2
5.3	2.4	4.7	1.6	0.6	0.2	1.8	1.0	2.7	0.7	----	2.8
3.1	1.4	2.3	4.0	0.5	0.3	1.5	1.0	1.0	----	----	2.1
5.1	3.2	1.1	0.8	0.5	0.7	1.5	0.8	1.3	0.6	----	1.4
1.5	1.1	0.6	0.8	0.5	0.1	1.3	0.9	3.1	1.2	5.8	1.0
4.1	0.5	----	----	1.1	----	1.7	0.2	0.7	----	----	----
10.4	1.2	----	----	0.5	----	1.8	0.2	1.7	1.3	----	0.7
7.5	0.8	----	1.6	0.7	0.2	2.4	0.3	2.6	----	3.9	0.7
3.8	1.1	4.5	0.8	1.7	0.1	2.8	0.5	2.9	0.6	----	----
2.5	0.5	0.6	0.4	2.0	0.3	3.1	0.3	4.4	1.9	1.9	----
1.4	1.1	----	----	0.6	0.2	0.3	----	0.3	----	----	2.1
1.3	0.7	----	----	----	----	0.4	0.3	1.3	0.7	----	----
2.1	0.7	----	----	0.3	----	0.4	0.1	----	----	----	----
0.8	0.2	----	----	0.2	0.1	0.2	0.2	0.3	----	----	0.7
0.4	----	----	----	0.3	0.3	0.3	0.1	0.6	----	----	----
0.3	----	----	----	----	----	(1)	----	----	----	----	----
----	----	----	----	----	----	0.1	----	0.3	----	----	----
----	0.1	----	----	----	----	0.1	0.1	----	0.6	----	----
----	----	----	----	----	----	0.1	(1)	0.3	----	----	----
----	0.1	----	----	----	----	0.1	(1)	----	----	----	----
36.4	40.5	14.3	13.7	11.5	7.9	16.6	11.9	20.3	16.2	12.2	20.8
34.0	38.8	11.7	14.5	14.0	7.1	15.1	10.6	15.5	16.5	11.9	24.9
29.2	36.8	16.1	24.1	13.1	9.5	15.3	11.0	14.8	11.0	15.5	32.5
36.5	43.1	16.9	18.4	15.1	9.4	18.0	11.5	22.8	16.4	19.0	37.4
15.7	14.5	12.7	12.1	15.5	10.4	19.4	11.2	23.8	14.9	21.2	18.5
6.5	4.2	1.2	2.4	1.0	0.5	2.4	1.1	2.1	2.7	----	2.1
3.7	3.3	2.3	0.8	1.2	1.1	1.7	1.5	0.7	----	----	4.8
3.9	3.8	----	4.0	1.4	0.7	1.8	0.7	2.0	1.3	----	6.9
3.1	4.1	2.3	2.4	1.3	0.2	1.9	0.7	3.9	0.6	3.8	5.5
1.0	1.5	2.3	2.3	0.8	1.2	1.6	1.0	1.9	1.9	5.8	2.7
1.6	1.8	----	0.8	0.7	1.4	1.2	1.0	2.1	0.7	4.1	0.7
3.2	3.0	1.2	0.8	1.0	0.5	1.3	0.8	1.0	2.0	----	1.4
3.4	2.4	3.5	2.4	1.3	0.1	1.6	0.5	1.0	2.6	----	0.7
0.8	3.5	1.1	4.8	1.5	0.8	1.4	1.1	1.0	0.6	----	0.7
1.3	1.4	0.6	0.4	1.6	0.8	1.6	0.9	1.3	3.7	3.8	1.0
2.7	1.1	----	----	1.3	0.5	1.3	0.7	1.7	3.4	----	1.4
3.4	2.1	----	----	1.3	0.9	1.1	0.7	1.0	0.7	4.0	2.1
1.1	1.7	----	----	1.4	1.3	1.3	0.3	2.0	----	----	1.4
3.3	2.3	1.1	----	1.3	0.6	1.2	0.4	1.9	1.9	3.8	1.4
0.8	0.5	----	0.8	1.2	1.1	1.4	0.6	1.6	----	1.9	1.7
14.7	20.6	7.1	5.7	4.5	3.0	7.2	3.9	8.3	4.0	4.1	6.2
14.1	16.6	4.7	5.7	6.4	2.6	7.5	2.8	6.7	7.9	7.9	7.6
13.0	16.2	8.0	7.3	5.0	4.1	7.0	3.9	6.9	3.9	3.9	7.6
16.6	18.3	5.6	7.2	7.7	4.3	8.8	3.8	12.2	7.6	7.6	11.8
7.3	5.8	3.5	3.1	8.1	3.8	9.7	3.5	10.4	6.2	----	5.0
5.4	6.7	4.8	0.8	2.9	1.9	3.0	3.0	5.2	4.7	4.0	6.9
6.9	7.7	2.3	4.0	2.6	1.6	2.6	3.0	4.7	4.6	----	3.5
6.5	6.5	1.1	5.6	3.3	2.3	2.8	3.6	2.6	1.9	7.7	11.8
9.9	10.7	3.4	1.6	2.7	2.2	3.6	3.4	2.9	3.8	----	10.4
2.7	2.9	2.9	3.9	2.6	2.4	3.8	3.2	6.6	1.2	7.7	3.4
0.3	----	----	----	----	----	----	----	----	----	----	----
----	0.1	----	----	----	----	----	----	----	----	----	----
----	0.2	----	----	----	----	(1)	(1)	----	----	----	----
----	----	----	----	----	----	(1)	----	----	----	----	----
----	0.1	----	----	----	----	----	----	----	----	----	0.3
5.2	6.1	1.2	4.0	1.1	0.6	1.5	2.2	1.0	0.7	----	3.5
2.7	6.0	1.2	3.2	1.3	0.5	1.0	1.8	1.3	1.3	----	5.5
1.3	6.0	3.5	4.8	0.7	1.0	0.9	1.9	0.3	1.3	3.9	4.1
2.8	4.2	3.4	2.4	0.6	1.2	1.1	2.1	1.0	1.9	3.8	7.6
2.7	2.4	3.5	1.6	1.1	1.1	1.3	1.9	2.2	1.9	1.9	4.0
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	0.1	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	0.3
7.6	7.5	8.0	16.2	6.8	6.9	6.8	10.8	6.9	10.8	12.6	14.1
7.2	7.4	7.3	11.4	6.4	6.9	5.5	10.0	3.7	6.6	6.2	8.4
6.7	8.6	10.1	10.6	6.6	6.9	6.6	9.7	9.2	15.5	6.0	6.7
6.0	8.3	8.8	12.5	8.0	8.1	6.4	10.7	6.4	8.2	9.8	12.1
7.0	8.4	6.9	11.3	5.4	7.1	6.3	9.0	6.6	7.4	15.4	10.8
4.0	4.5	5.0	13.0	3.8	5.3	3.6	8.4	2.8	10.1	10.5	11.4
3.2	4.8	5.5	9.4	3.6	5.7	2.9	6.9	1.3	2.6	4.1	6.0
3.4	5.3	7.7	7.5	3.8	5.5	3.5	7.2	5.6	7.8	4.0	4.7
4.3	5.1	4.7	9.8	4.9	5.9	3.6	8.3	3.9	7.6	7.8	7.7
3.5	5.5	4.0	9.8	2.8	4.9	3.8	6.9	3.1	5.0	13.5	7.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Carbuncle	1901	0.5	.....	0.2	0.6	0.8	0.5	0.4	0.1
	1902	0.2	0.6	0.8	0.4	0.8	0.8	0.5	0.1
	1903	0.3	.....	0.3	0.7	0.8	.....	0.6	0.3
	1904	0.3	0.9	0.6	0.2	0.8	.....	0.5	0.3
	1905	0.3	0.3	0.6	0.6	0.8	0.5	0.6	0.4
Abscess	1901	2.8	2.2	1.4	1.2	2.5	1.2	1.1	1.3
	1902	1.9	1.5	1.5	1.4	.....	1.4	1.6	1.3
	1903	2.1	0.9	0.7	0.6	2.4	1.2	1.4	0.9
	1904	1.1	0.9	1.9	0.6	0.8	2.2	1.4	1.4
	1905	2.1	0.3	1.9	1.0	0.8	0.9	1.2	0.9
Other diseases of skin	1901	1.6	1.5	1.1	0.8	1.7	0.2	0.9	0.9
	1902	0.6	0.3	0.8	1.2	0.8	0.2	1.0	1.5
	1903	1.2	0.9	1.5	1.0	2.4	0.7	0.7	1.2
	1904	1.1	0.9	0.8	0.9	.....	0.2	0.5	1.6
	1905	1.2	1.2	0.7	0.6	0.8	1.0	1.0	0.6
IX.—Diseases of locomotor system	1901	2.5	1.5	2.1	1.3	0.8	0.9	2.8	1.3
	1902	2.6	2.2	2.8	1.5	0.8	1.5	2.9	2.2
	1903	2.5	3.4	2.8	1.5	1.6	2.1	3.0	1.4
	1904	3.0	2.1	2.8	1.9	3.2	1.2	3.3	1.6
	1905	2.7	2.4	1.4	1.5	3.2	1.4	3.6	1.7
Diseases of bones	1901	2.1	1.5	1.7	1.2	0.8	0.9	2.4	0.9
	1902	2.6	2.2	1.8	1.2	.....	1.0	2.5	2.2
	1903	1.6	2.8	2.4	1.2	1.6	1.7	2.6	1.2
	1904	2.3	1.5	2.5	1.6	2.4	1.2	3.0	1.4
	1905	2.3	2.1	1.2	1.3	3.2	1.4	3.3	1.6
Diseases of joints	1901	0.2	.....	0.2	0.1	.....	.....	0.2	0.3
	1902	.....	.....	0.5	0.1	0.8	.....	0.1	.....
	1903	0.8	.....	0.4	0.1	.....	0.2	0.3	0.3
	1904	0.2	0.3	0.3	0.2	.....	.....	0.2	0.1
	1905	0.3	0.3	0.1	0.2	.....	.....	0.2	0.1
Amputation	1901	.....	.....	0.2	.....	.....	.....	0.1	.....
	1902	.....	.....	0.3	(1)	.....	0.2	0.1	.....
	1903	.....	0.3	.....	0.1	.....	0.2	0.1	.....
	1904	0.2	.....	.....	.....	0.8	.....	.....	.....
	1905	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of organs of locomotion	1901	0.2	.....	.....	(1)	.....	.....	0.1	0.1
	1902	.....	.....	0.2	0.2	.....	0.3	0.1	.....
	1903	0.1	0.3	.....	0.1	.....	.....	0.1	.....
	1904	0.3	0.3	.....	0.1	.....	.....	0.1	.....
	1905	0.2	.....	.....	0.1	.....	.....	0.1	.....
X.—Malformations	1901	12.6	12.4	9.7	12.4	7.5	9.7	12.2	9.1
	1902	16.0	13.0	10.3	10.5	9.9	9.5	11.5	9.8
	1903	13.1	14.1	9.9	11.1	8 1	8.9	13.6	13.6
	1904	16.0	14.0	9.5	11.7	8 8	8.2	14.7	16.2
	1905	17.2	13.6	9.4	11.4	11.9	11.8	14.5	12.8
Hydrocephalus	1901	3.3	1.9	1.3	1.6	0.8	2.2	2.6	1.5
	1902	1.6	2.5	1.4	1.1	4.1	1.7	2.1	2.2
	1903	2.2	2.8	0.9	1.6	0.8	1.5	2.3	1.4
	1904	2.3	1.5	1.6	1.4	0.8	1.2	2.1	2.0
	1905	1.8	1.5	0.7	0.9	3.2	1.9	1.5	1.7
Congenital malformation of heart (cyanosis)	1901	5.0	6.8	4.3	6.4	1.7	4.9	5.8	4.1
	1902	7.6	6.5	5.5	5.4	3.3	4.0	5.6	4.5
	1903	6.0	7.3	5.6	5.7	4.9	3.3	6.7	8.4
	1904	8.1	7.6	5.2	5.8	5.6	4.3	7.5	7.5
	1905	10.9	8.1	6.2	6.8	5.5	6.5	8.4	7.5
Other congenital malformations	1901	4.3	3.7	4.1	4.4	5.0	2.6	3.7	3.5
	1902	6.8	4.0	3.4	4.0	2.5	3.8	3.8	3.1
	1903	4.9	4.0	3.4	3.8	2.4	4.1	4.6	3.8
	1904	5.6	4.9	2.7	4.5	2.4	2.7	5.1	6.7
	1905	4.4	3.9	2.5	3.7	3.2	3.4	4.6	3.6
XI.—Diseases of early infancy	1901	79.8	63.4	97.1	64.1	48.3	31.2	100.4	62.9
	1902	79.5	65.7	102.5	75.0	63.3	45.4	103.2	59.0
	1903	82.8	60.3	76.8	48.1	85.3	49.4	105.9	59.8
	1904	79.5	64.1	100.0	70.7	90.6	56.1	103.3	63.0
	1905	71.4	60.9	80.3	62.4	72.8	64.5	94.9	55.6
Premature birth	1901	47.5	32.6	42.7	28.1	1.7	12.3	43.7	25.2
	1902	47.4	38.5	48.8	35.3	21.4	19.7	47.0	22.8
	1903	46.3	36.7	33.9	22.9	42.3	24.4	51.8	28.7
	1904	47.8	40.1	52.7	36.6	47.3	29.0	53.9	32.1
	1905	43.3	35.3	32.5	29.8	30.1	33.2	49.3	29.0
Congenital debility	1901	17.9	16.5	15.5	10.5	25.8	13.3	36.8	23.9
	1902	18.0	13.0	14.8	8.5	23.8	18.5	39.1	22.5
	1903	18.6	14.1	12.5	8.3	28.4	16.2	35.9	17.8
	1904	16.8	14.0	12.9	9.3	25.7	19.0	32.2	18.7
	1905	23.3	20.8	44.5	29.4	35.6	26.3	38.2	22.1
Other diseases of early infancy	1901	4.0	4.0	3.0	3.1	6.7	1.6	2.6	2.9
	1902	4.4	3.1	2.6	3.7	3.3	2.4	3.5	2.6
	1903	5.7	1.2	2.1	2.4	1.6	2.8	3.4	2.8
	1904	4.7	2.1	4.2	3.2	2.4	2.6	4.4	2.7
	1905	2.7	3.0	2.1	1.5	3.2	2.2	3.7	2.8

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.5	0.4	----	----	0.5	0.1	0.6	0.2	0.3	----	----	0.3
0.7	0.4	0.6	0.4	0.4	0.2	0.4	0.3	0.3	1.3	2.1	----
0.3	0.6	----	0.8	0.3	0.2	0.3	0.5	0.7	1.9	----	0.3
0.5	0.2	0.6	----	0.3	0.6	0.4	0.3	0.3	----	----	----
0.1	0.3	0.6	0.4	0.5	0.4	0.3	0.3	----	0.6	----	0.7
2.1	1.6	1.2	2.0	1.4	0.6	1.6	1.3	2.1	0.7	----	1.7
1.6	1.0	1.2	1.2	1.6	0.5	1.4	1.3	0.7	2.0	----	1.0
1.6	1.4	1.8	1.9	2.1	0.2	2.0	1.3	2.6	3.9	2.0	0.7
0.8	1.6	1.8	1.2	2.1	1.2	1.7	1.2	0.6	0.6	2.0	3.4
1.4	1.7	1.2	0.4	1.6	0.8	1.5	1.1	1.6	0.6	1.9	1.0
1.0	1.0	1.8	1.2	1.2	1.0	1.0	0.9	1.7	----	2.1	0.7
1.7	1.2	----	0.4	0.9	0.5	0.8	1.4	1.3	0.7	----	1.4
1.4	1.3	0.6	0.4	0.5	0.9	0.7	0.7	0.3	1.9	----	1.0
0.4	1.4	1.7	1.5	0.8	0.4	0.8	0.9	1.6	----	----	1.0
1.9	0.8	1.2	0.8	0.6	1.0	0.8	0.7	1.9	1.2	----	1.3
2.3	2.1	0.6	0.8	2.9	1.7	3.9	1.4	4.8	2.0	----	1.3
3.6	2.2	1.8	2.8	2.5	1.4	3.7	1.8	3.4	4.6	2.0	1.7
2.6	2.0	3.6	0.8	3.6	1.9	4.6	1.5	3.6	3.2	6.0	1.7
2.6	2.1	2.3	2.0	4.6	2.1	4.2	1.2	3.9	3.8	7.9	1.0
3.3	2.4	2.9	2.0	4.4	1.9	4.0	2.5	4.1	5.0	1.9	4.7
2.1	1.6	0.6	0.4	2.6	1.0	3.1	1.0	3.1	2.0	----	0.7
3.4	1.9	1.8	1.6	2.2	1.3	3.3	1.6	3.0	4.6	----	1.4
2.1	1.4	3.0	0.4	3.2	1.4	4.0	1.2	3.0	3.2	6.0	1.7
2.1	1.8	2.3	1.6	4.0	1.7	3.7	1.1	3.9	3.8	7.9	1.0
3.0	2.1	2.9	1.6	4.1	1.9	3.5	2.1	4.1	5.0	1.9	2.7
0.1	0.2	----	----	0.2	0.5	0.4	0.3	0.7	----	----	----
0.1	0.1	----	0.8	----	0.1	0.2	0.1	0.3	----	2.0	----
0.1	0.3	0.6	----	0.2	0.1	0.4	0.2	0.3	----	----	----
0.5	0.2	----	0.4	0.3	0.3	0.2	0.2	----	----	----	----
----	----	----	0.4	0.2	----	0.3	0.3	----	----	----	1.3
----	----	----	----	----	0.1	0.3	0.1	0.3	----	----	0.3
----	----	----	----	0.3	----	0.2	0.1	----	----	----	----
0.4	0.2	----	----	0.3	0.2	0.1	0.2	----	----	----	----
----	----	----	----	0.3	----	0.1	----	----	----	----	----
----	0.1	----	----	0.1	----	0.1	(1)	----	----	----	0.3
0.1	0.3	----	0.4	0.1	0.1	0.2	0.1	0.7	----	----	0.3
0.1	0.2	----	0.4	----	----	(1)	0.1	----	----	----	0.3
----	0.1	----	0.4	----	0.2	(1)	(1)	0.3	----	----	----
----	0.1	----	----	----	0.1	0.1	----	----	----	----	----
0.3	0.2	----	----	----	----	0.1	0.1	----	----	----	0.3
11.9	13.6	8.7	8.7	14.9	8.3	12.9	10.0	18.6	16.2	23.1	9.7
13.9	12.2	8.4	7.8	13.7	12.5	13.2	9.5	16.1	17.8	18.5	8.4
12.6	14.3	9.6	13.8	15.4	12.0	13.3	11.6	16.4	14.9	16.0	17.8
13.2	15.6	17.0	11.8	18.0	11.3	15.0	11.6	17.6	15.2	27.5	15.5
15.7	14.5	20.2	20.0	15.5	13.4	15.7	11.7	16.3	15.5	19.2	12.8
1.4	2.4	----	0.4	2.5	1.2	2.4	1.5	1.0	2.7	----	2.0
2.2	1.8	0.6	0.4	1.1	1.9	2.0	0.9	3.0	2.6	6.2	2.0
1.3	1.3	2.4	2.0	1.7	1.1	1.9	1.2	2.3	2.6	2.0	2.0
0.7	1.7	4.1	0.8	2.8	1.6	2.1	1.3	1.3	1.9	5.9	2.4
1.4	1.5	2.9	2.7	1.3	1.1	2.0	1.0	2.2	4.3	7.7	0.7
5.6	5.8	3.1	5.1	6.4	5.3	7.1	5.3	11.7	6.7	18.9	3.0
7.5	5.6	3.6	5.1	6.7	7.6	7.9	4.6	7.7	9.2	8.2	3.7
6.1	6.2	5.4	7.5	8.0	7.7	7.3	6.1	10.2	6.5	10.0	8.7
8.0	7.5	7.6	7.5	8.5	6.7	9.0	6.2	11.6	8.9	13.7	9.4
8.6	7.1	9.8	11.0	7.7	7.7	9.8	6.6	9.4	6.2	11.5	7.1
4.9	5.4	5.6	3.2	6.1	1.8	3.4	3.2	5.8	6.7	4.2	4.7
4.2	4.8	4.2	2.3	5.8	3.0	3.3	3.9	5.4	5.9	4.1	2.7
4.7	6.8	1.8	4.3	5.7	3.2	4.1	4.3	3.9	5.8	4.0	7.1
4.5	6.4	5.3	3.5	6.8	3.0	4.0	4.1	4.8	4.4	7.9	3.7
5.7	5.9	7.5	6.3	6.4	4.7	3.8	4.1	4.7	5.0	----	5.0
60.1	39.2	55.6	23.7	83.3	57.2	70.9	39.8	88.1	68.8	90.1	56.9
67.8	39.6	55.3	26.4	84.8	48.9	71.0	39.0	81.3	52.8	110.7	59.2
73.3	40.3	54.3	22.0	84.5	53.1	74.0	42.7	80.7	51.7	118.4	56.2
72.7	44.9	66.8	23.9	84.8	57.5	76.0	42.5	73.8	55.0	84.4	53.5
75.6	48.8	76.1	32.5	81.3	49.5	77.5	47.6	69.0	50.2	119.2	54.8
22.8	19.8	----	----	32.9	25.5	34.1	21.2	39.9	34.4	60.8	31.3
29.9	20.7	----	0.4	33.1	23.3	32.4	21.5	38.3	25.1	67.7	39.3
31.4	19.5	1.2	1.6	37.7	25.8	36.3	22.7	40.0	25.2	72.2	31.3
26.2	22.6	4.7	2.3	41.3	27.1	36.9	23.5	33.7	24.7	37.3	26.9
28.0	23.0	3.5	3.9	40.1	25.6	35.7	24.6	35.5	24.2	57.7	32.6
24.9	10.3	32.7	12.6	32.6	19.6	26.4	8.9	14.8	26.3	10.5	15.2
21.5	11.0	32.2	16.9	32.3	15.4	28.6	10.2	30.6	23.8	20.5	13.5
23.5	10.8	35.2	11.8	27.4	17.0	27.3	10.6	24.0	18.7	32.1	14.1
24.8	11.4	38.1	13.3	23.8	17.5	27.6	9.7	24.7	25.3	25.5	13.1
35.1	19.9	66.3	21.1	34.7	20.7	36.2	18.5	27.3	22.3	51.9	16.8
2.5	2.7	3.7	1.2	3.3	2.9	2.6	2.2	4.5	3.4	4.2	4.0
2.3	1.8	5.5	0.4	3.9	2.7	2.3	1.3	3.0	2.0	2.0	1.4
4.2	2.8	3.0	2.7	4.6	2.3	3.2	2.1	3.6	1.9	2.0	4.7
3.1	2.6	5.9	2.4	4.4	2.7	3.3	1.7	3.9	2.5	3.9	2.4
1.6	2.7	3.5	2.0	3.4	1.9	3.3	1.9	4.7	----	3.8	1.0

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Lack of care	1901	10.4	10.3	35.9	22.4	14.1	4.0	17.3	10.9
	1902	9.7	11.1	36.3	27.5	14.8	4.8	13.6	11.1
	1903	12.2	8.3	28.3	14.5	13.0	6.0	14.8	10.6
	1904	10.2	7.9	30.2	21.6	15.2	5.5	12.9	9.5
	1905	2.1	1.8	1.2	1.7	4.0	2.7	3.7	1.7
XII.—Old age	1901	27.7	39.2	45.2	43.7	77.5	88.4	44.7	89.3
	1902	26.3	38.9	46.0	44.5	81.4	91.8	43.0	92.7
	1903	27.1	35.2	37.0	29.9	72.3	89.6	39.6	82.5
	1904	22.2	33.7	42.1	40.5	90.6	97.9	33.3	61.1
	1905	20.8	35.6	40.0	36.8	70.5	97.1	30.2	60.2
XIII.—Violence	1901	97.5	104.1	87.2	66.1	76.6	73.8	94.4	83.2
	1902	97.5	93.1	94.4	62.1	102.0	67.6	84.7	76.1
	1903	117.1	103.4	97.6	73.4	82.8	74.3	90.2	86.1
	1904	112.7	114.5	106.4	70.5	118.6	90.4	92.2	86.5
	1905	121.5	124.5	104.7	75.3	95.8	76.4	96.7	99.0
Suicide by poison	1901	4.8	3.4	4.9	1.2	0.8	1.6	2.2	1.0
	1902	4.2	3.1	3.4	0.8	.....	2.1	2.0	1.6
	1903	6.4	4.9	5.6	1.6	0.8	1.9	2.3	1.9
	1904	6.5	3.3	7.2	1.9	1.6	1.2	2.6	0.9
	1905	8.7	1.8	10.0	3.3	4.0	0.9	2.7	1.8
Suicide by asphyxia	1901	0.7	.....	0.3	.....	.....	.....	0.5	0.3
	1902	0.5	0.3	.....	.....	0.8	.....	0.7	0.1
	1903	0.6	.....	0.3	0.1	0.8	.....	1.2	.....
	1904	1.2	.....	0.1	.....	.....	.....	0.7	0.3
	1905	1.1	0.6	0.7	0.1	0.8	0.2	1.3	0.1
Suicide by hanging or strangulation	1901	1.5	2.8	1.1	1.2	2.5	4.9	1.4	3.8
	1902	2.4	1.9	0.6	0.8	4.9	2.9	1.4	2.3
	1903	1.1	1.5	1.0	1.6	1.6	3.3	1.7	3.3
	1904	2.8	2.4	1.4	1.4	4.0	3.6	1.2	2.6
	1905	1.8	4.8	2.2	1.9	1.6	3.4	1.7	3.7
Suicide by drowning	1901	0.2	0.6	0.6	0.4	1.7	1.2	1.1	2.2
	1902	0.2	3.7	0.2	0.2	0.8	1.0	0.8	0.6
	1903	0.5	0.6	0.4	0.4	1.6	1.9	0.5	1.2
	1904	0.5	0.9	1.3	0.3	0.8	1.0	0.9	2.3
	1905	1.1	1.5	1.0	0.3	.....	2.1	0.8	1.6
Suicide by firearms	1901	2.0	1.5	1.6	0.9	0.8	2.8	2.7	2.4
	1902	1.1	3.1	0.8	0.4	4.1	2.8	2.3	3.1
	1903	2.5	1.5	2.2	1.7	4.1	3.1	2.5	2.0
	1904	2.9	4.0	2.2	2.0	3 2	4.0	2.8	3.9
	1905	2.6	3.0	4.7	2.9	4 0	3.2	2.4	3.4
Suicide by cutting instruments	1901	0.5	0.9	0.2	0.2	0.8	1.2	0.7	0.3
	1902	1.1	0.6	0.2	(1)	0.8	1.0	0.9	0.1
	1903	0.6	1.5	0.3	0.5	.....	0.5	1.2	1.9
	1904	1.1	1.2	0.3	0.3	1.6	0.3	0.9	0.3
	1905	0.8	0.3	.....	0.4	2.4	0.9	0.9	0.9
Suicide by jumping from high places	1901	0.2	.....	.....	.....	.....	.....	(1)	.....
	1902	.....	.....	0.2	.....	.....	.....	.....	.....
	1903	.....	0.3	.....	0 1	0.8	.....	0.3	0.1
	1904	.....	.....	.....	(1)	.....	.....	0.1	.....
	1905	0.2	.....	.....	.....	.....	.....	(1)	.....
Suicide by crushing	1901	0.2	0.3	.....	.....	.....	.....	.....	.....
	1902	0.2	.....	.....	.....	.....	.....	(1)	0.1
	1903	.....	0.6	0.1	0.1	.....	0.2	(1)	.....
	1904	0.2	.....	0.1	(1)	0.8	.....	(1)	0.1
	1905	.....	0.3	.....	0.1	.....	.....	(1)	.....
Other suicides	1901	0.3	2.2	2.1	2.3	0.8	0.5	1.7	2.1
	1902	0.6	1.2	7.7	2.9	.....	0.2	1.0	2.0
	1903	0.5	1.5	0.6	0.9	0.8	.....	1.0	1.0
	1904	0.3	2.7	1.9	0.6	3.2	2.2	0.4	1.3
	1905	0.3	3.3	0.7	1.1	0.8	0.7	0.3	0.4
Fractures	1901	11.9	13.7	5.4	3.7	5.0	4.0	11.5	7.2
	1902	11.8	12.0	9.2	5 4	9.1	4.3	12.1	8.8
	1903	15.3	8.0	8 2	5.9	7.3	4.8	12.4	8.3
	1904	14.3	11.8	10.4	6.4	14.4	7.9	10.1	9.5
	1905	10.0	11.5	8.9	4.8	9.5	4.3	9.9	10.2
Dislocations	1901	0.3	0.3	.....	0.1	.....	0.2	(1)	.....
	1902	0.2	.....	0.3	0.1	0.8	.....	0.3	.....
	1903	.....	.....	.....	0.3	.....	.....	0.2	0.3
	1904	0.3	.....	.....	0.2	.....	.....	0.2	0.3
	1905	.....	0.6	0.1	0.2	.....	.....	0.3	0.6
Burns and scalds	1901	10.3	7.4	7.2	6.6	9.2	6.2	9.1	5.5
	1902	10.9	8.0	9.8	6.7	9.1	6.6	8.3	4.1
	1903	8.9	5.8	8.8	6.1	6.5	5.5	7.9	5.2
	1904	10.7	8.8	8.7	6.6	8.8	5.5	8.2	5.2
	1905	9.3	4.5	7.7	5 4	5.5	5.8	9.2	7.3
Heat and sunstroke	1901	5.3	4.7	6.4	2.6	0.8	1.4	7.2	5.7
	1902	0.3	.....	0.9	0.2	1.0	0.2	0.5	0.3
	1903	1.7	2.2	0.7	0.6	.....	0.2	0.8	0.7
	1904	0.2	.....	0.3	0.3	.....	0.3	0.9	0.6
	1905	2.1	3.6	1.2	0.7	.....	0.5	2.6	1.3

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
9.9	6.4	19.2	9.9	14.5	9.2	7.8	7.5	28.9	4.7	14.6	6.4
14.1	6.1	17.6	8.7	15.5	7.5	7.7	6.0	9.4	2.0	20.5	5.0
14.2	7.2	14.9	5.9	14.8	8.0	7.1	7.4	13.1	5.8	12.1	6.1
18.6	8.5	18.1	5.9	15.4	10.3	8.2	7.6	11.6	2.5	17.7	11.1
10.9	3.2	2.9	5.5	3.6	1.4	2.3	2.6	1.6	3.7	5.3	4.4
42.9	49.7	56.8	114.9	24.8	35.1	31.1	76.4	35.8	62.7	56.6	106.7
33.9	41.1	64.3	91.8	22.6	28.1	27.8	70.4	45.0	58.7	84.1	96.0
39.8	43.4	56.6	86.5	20.3	34.4	23.4	69.3	30.2	57.5	88.3	73.7
42.6	51.0	55.1	101.6	21.1	29.5	22.1	65.1	32.7	49.3	57.0	76.7
47.9	48.7	47.2	89.2	18.1	26.6	19.8	62.3	25.4	45.9	75.0	75.4
99.1	88.9	76.0	75.0	141.0	98.9	122.2	92.1	94.6	105.3	86.0	69.0
94.9	84.1	63.1	59.1	103.3	83.7	102.2	89.0	96.1	97.7	80.0	72.3
105.7	92.8	106.7	91.6	120.3	98.0	112.9	97.9	102.1	113.0	70.2	99.0
90.1	98.4	88.5	79.2	120.0	94.6	130.7	104.1	102.7	102.5	72.7	84.1
84.6	97.7	88.7	85.7	128.6	98.4	118.0	107.2	91.3	96.0	96.2	94.2
4.5	2.0	1.8	2.0	7.6	1.3	5.0	1.2	2.1	4.0	2.1	2.0
4.9	2.0		0.8	6.3	1.5	5.0	1.9	3.0	2.0	2.1	0.3
4.0	2.0	0.6	0.8	8.0	2.7	5.6	2.5	3.0	4.5		3.7
7.4	3.1	1.2	0.8	7.8	3.0	5.1	2.0	4.8	3.2	2.0	3.7
6.3	2.5	1.7	1.2	7.9	3.1	4.0	3.0	2.5	1.9	3.8	1.7
				1.7	0.4	1.3	(1)	1.4			0.7
				2.2	0.1	1.2	(1)	1.7	0.7		
0.1	0.1			1.5	0.5	1.8	(1)	3.0	1.3		
0.7	0.2	1.2		1.8	0.6	2.4		2.2	1.9		
0.1	(1)	0.6		2.4	1.2	3.2	0.1	1.3			
0.6	0.1										
1.8	2.0	2.5	3.2	1.7	2.3	1.9	2.5	1.7	6.1		3.0
1.7	1.8	1.2	1.6	1.6	1.8	2.0	2.6	1.7	3.3		2.4
1.8	2.1	3.0	2.0	1.8	2.5	1.4	3.1	2.0	1.9	2.0	3.4
2.3	2.9	1.2	3.1	2.1	2.7	2.2	4.2	2.2	3.2	3.9	3.7
2.7	3.3	2.3	3.5	2.1	2.8	2.0	3.4	1.3	1.9		5.7
1.1	0.4	1.2	1.2	0.6	0.2	0.2	0.6	1.0	2.0		0.3
0.4	1.0	0.6	0.8	0.6	0.7	0.5	1.1	0.7	2.6		0.3
0.8	1.0	1.2	1.2	0.8	0.2	0.2	0.7	1.0	0.6	2.0	1.0
0.8	0.5	1.8	1.2	0.6	0.3	0.2	0.8	0.6	2.5	2.0	1.0
0.6	0.7	0.6	1.2	0.3	0.8	0.6	0.9	0.6	3.1	1.9	1.7
1.8	1.9	0.6	2.0	2.6	2.4	2.6	1.7	2.4	4.7	2.1	3.4
2.3	1.6	2.4	1.2	2.5	1.8	3.2	1.7	2.0	4.0		1.4
3.3	2.2	5.4	2.4	3.1	2.1	2.8	1.6	1.6	1.9	2.0	1.7
3.1	2.5	2.3	3.9	2.9	2.2	2.9	1.7	2.9	1.9	5.9	2.7
1.3	2.0	2.3	2.0	4.1	3.1	4.5	3.5	3.5	2.5		3.0
0.8	0.7	1.2		1.0	0.6	0.7	0.6	1.0	0.7		1.0
0.5	0.5	0.6		0.4	0.7	0.5	0.9	1.3	1.3	2.1	0.3
1.2	0.7	0.6		0.9	0.7	0.8	1.0	0.3			1.0
0.5	0.8		2.0	1.5	0.6	0.7	0.7	0.3			1.7
0.9	0.5	1.2		0.9	0.3	0.9	0.8	1.3	2.5		0.7
0.1	0.1				0.1	0.3					
0.1				0.1		0.2	(1)		0.7		0.3
				0.1		0.4		0.3	0.6		
0.3	0.1					0.5	(1)				
				0.2		0.4	(1)	0.3			
					0.1	(1)	(1)				
	0.1					0.1					
				0.1		0.1	(1)				
				0.3		(1)	(1)				
0.1	0.1					0.1	0.1		0.6		
0.5	1.2	1.8	5.1	0.3	0.6	0.3	1.0				0.7
0.8	1.6	1.2	2.8	0.1	1.4	0.1	1.5	0.3		2.1	2.7
0.1	0.7	0.6	3.9	0.3	0.8	0.1	0.7				0.7
0.7	0.3	1.2	1.5	0.1	1.1	0.1	0.7				
1.1	1.0	1.2	3.1	0.4	0.7	0.2	0.9	0.3			0.7
8.1	5.3	8.7	11.0	9.6	6.8	12.9	10.3	0.7	2.7	6.3	8.8
7.4	5.7	11.6	6.3	11.2	6.4	12.9	8.4	1.3	2.6	12.3	8.1
10.8	6.7	14.9	9.4	13.2	6.7	11.2	10.2	2.6	1.9	4.0	14.5
11.5	7.4	6.4	5.5	11.3	6.7	11.4	13.0	1.3		3.9	7.1
7.7	6.6	13.8	12.5	9.4	5.4	6.4	12.0	1.9	0.6	9.6	7.7
0.4	0.1				0.4	0.1	0.5				0.3
0.4	(1)				0.2	0.2	0.3				
0.1	0.3	0.6		0.2	0.3	0.2	0.3			2.0	
0.3	0.2			0.2	0.1	0.1	0.2				
0.3	0.2	1.2		0.2		0.1	0.2	0.3			
6.9	6.6	6.8	2.4	12.7	7.3	8.7	5.5	8.6	6.7	8.4	5.7
7.3	5.9	9.1	3.5	8.5	6.3	7.9	4.8	9.4	4.0	4.1	2.0
6.7	6.1	8.3	6.3	11.3	6.0	8.5	4.0	8.9	4.5	6.0	5.7
5.4	6.3	7.6	4.7	11.3	6.8	8.6	5.3	5.5	5.7	9.8	2.7
5.1	6.7	8.6	8.2	11.9	7.2	9.1	4.6	4.7	3.7	3.8	3.7
3.2	1.7	6.2	4.3	33.1	12.3	27.0	4.3	9.6	4.0	6.3	1.7
0.7	0.3			0.5	0.5	0.8	0.2	0.3		2.0	0.3
1.3	0.3		0.4	3.7	1.9	2.3	0.8	1.3	1.9		
0.8	0.3	1.2	0.8	1.8	0.4	0.7	0.3	1.3	1.3		0.3
0.8	0.6	4.0	0.4	7.8	3.2	5.0	1.2	2.2	1.2	1.9	

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts	Cit es.	Rural districts.	Cities.	Rural districts.
Cold and freezing	1901	0.5	1.9	0.2	0.7	0.8	0.9	0.5	0.4
	1902	1.1	0.9	0.3	0.5	2.5	0.3	0.5	1.6
	1903	0.3	0.9	0.3	0.9	.....	0.7	0.6	1.6
	1904	0.9	1.8	0.6	0.6	.....	0.2	0.7	1.7
	1905	0.8	2.4	0.4	0.4	0.8	0.3	0.4	1.1
Lightning	1901	.....	1.2	0.2	1.2	.....	0.2	(1)	0.4
	1902	.....	0.6	.....	1.6	0.8	0.3	(1)	0.3
	1903	.....	0.9	0.4	1.2	.....	.....	(1)	0.3
	1904	.....	1.2	0.3	0.6	.....	0.2	0.1	0.1
	1905	.....	0.3	0.3	1.2	.....	.....	.....	0.3
Drowning	1901	11.5	18.0	4.8	4.4	10.8	16.6	11.4	15.2
	1902	9.2	10.5	5.5	3.8	18.9	15.9	12.0	13.6
	1903	12.6	16.3	6.7	4.5	11.4	19.3	10.5	14.2
	1904	11.3	14.0	7.1	5.3	20.1	21.1	9.6	12.2
	1905	11.2	20.2	7.6	4.4	8.7	12.0	8.6	14.7
Inhalation of poisonous gases	1901	2.8	0.6	2.1	0.3	1.7	0.3	1.6	0.7
	1902	2.3	0.6	0.8	0.2	4.9	0.5	2.9	0.4
	1903	6.2	0.6	0.9	0.6	1.6	0.3	2.7	0.9
	1904	5.0	2.1	2.2	0.4	4.0	1.0	3.0	1.0
	1905	5.2	0.6	0.8	0.6	.....	0.3	2.6	0.3
Conflagration	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	0.8	.....	0.1	.....
	1904	.....	.....	0.1	0.2	.....	.....	.....	.....
	1905	.....	4.8	.....	0.1	.....	2.6	2.7	0.7
Other accidental poisonings	1901	4.3	3.4	5.1	3.5	5.8	2.2	3.0	2.9
	1902	4.7	2.8	7.1	4.6	3.3	1.9	3.1	3.1
	1903	5.4	3.1	6.7	5.0	4.9	3.1	3.2	2.8
	1904	4.6	5.8	7.8	4.6	1.6	5.2	3.3	4.6
	1905	4.6	4.8	3.0	2.8	8.7	2.7	3.2	3.7
Accidental gunshot wounds	1901	1.6	1.9	3.9	4.2	1.7	2.6	1.0	3.1
	1902	2.9	3.7	4.2	4.9	3.3	2.2	1.2	2.2
	1903	2.2	1.8	6.6	5.3	4.1	2.4	1.2	2.8
	1904	2.5	4.6	4.9	6.0	5.6	5.0	1.2	1.3
	1905	2.9	2.7	2.6	3.6	3.2	3.8	0.9	2.8
Injuries by machinery	1901	0.5	0.6	0.8	0.3	0.8	0.5	0.5	0.3
	1902	1.0	0.6	0.9	0.5	0.8	.....	0.2	0.4
	1903	0.5	0.6	0.9	0.5	0.8	1.2	0.6	0.4
	1904	0.6	1.5	0.9	0.4	.....	2.2	0.8	0.9
	1905	0.9	0.3	1.4	0.5	0.8	1.4	1.2	.....
Injuries in mines and quarries	1901	.....	.....	0.5	0.7	.....	0.2	0.1	0.3
	1902	.....	.....	.....	0.2	.....	0.2	.....	.....
	1903	.....	.....	0.9	2.6	0.8	.....	(1)	.....
	1904	.....	0.3	0.4	1.5	.....	0.2	0.1	.....
	1905	0.2	0.9	0.6	2.6	.....	.....	.....	.....
Railroad accidents and injuries	1901	11.9	13.1	16.0	9.6	7.5	3.8	8.0	10.8
	1902	13.3	15.8	10.9	7.2	5.8	4.5	9.4	12.9
	1903	16.2	20.2	23.4	11.3	13.9	5.7	10.9	11.9
	1904	16.8	21.0	19.8	10.7	13.6	4.8	10.6	12.6
	1905	18.7	21.1	18.7	13.6	15.8	5.3	10.5	15.9
Injuries by vehicles and horses	1901	0.8	2.2	0.5	0.9	2.5	1.7	0.4	0.9
	1902	1.0	1.5	0.3	1.1	0.8	1.4	0.6	0.4
	1903	1.4	1.8	1.3	2.2	1.6	2.6	1.7	2.2
	1904	1.7	1.2	1.0	2.0	0.8	2.4	2.5	1.7
	1905	2.7	2.4	3.6	1.8	2.4	1.4	3.0	2.6
Suffocation	1901	2.7	3.1	2.4	3.0	2.5	0.7	2.5	1.2
	1902	2.8	0.6	2.0	2.0	2.5	0.7	1.4	0.9
	1903	2.5	2.2	1.5	2.5	.....	1.2	1.9	1.0
	1904	1.9	0.9	2.2	1.4	2.4	1.0	2.6	1.9
	1905	1.8	2.4	2.4	2.1	0.8	0.7	2.1	2.3
Injuries at birth	1901	7.0	4.4	1.3	1.9	5.0	2.2	7.4	1.5
	1902	9.6	6.5	2.8	2.6	.....	2.4	6.3	2.5
	1903	13.3	5.5	1.5	2.6	0.8	2.9	6.9	3.3
	1904	10.1	7.6	2.8	2.2	5.6	3.3	10.0	3.6
	1905	12.6	6.9	3.3	4.0	3.2	4.1	9.4	5.4
Other accidental traumatisms	1901	13.1	13.4	7.2	6.2	9.2	12.8	13.2	7.8
	1902	12.2	10.8	6.3	5.1	18.1	12.6	9.5	7.4
	1903	14.8	15.9	12.1	8.5	13.0	8.9	12.7	12.4
	1904	13.2	13.1	13.5	9.7	16.1	11.8	13.5	13.8
	1905	17.5	14.8	14.0	10.5	15.8	15.0	15.3	14.5
Burning by corrosive substances	1901	.....	.....	.....	.....	.....	.....	(1)	.....
	1902	.....	1.2	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	(1)	.....
	1904	0.2	.....	.....	.....	.....	.....	.....	.....
	1905	0.2	0.3	.....	0.1	.....	.....	0.1	.....
Other external violence	1901	1.8	2.5	10.0	9.5	4.2	3.5	5.0	5.9
	1902	3.2	2.8	17.8	9.6	8.3	3.1	5.8	6.4
	1903	2.5	4.3	4.6	4.7	2.4	3.6	3.6	5.8
	1904	2.6	4.0	5.3	4.2	8.0	5.7	3.6	3.7
	1905	2.6	2.4	4.1	3.4	4.0	2.7	3.0	3.0

(1) Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.4	0.7	1.2	0.8	0.4	0.6	0.4	1.0	1.0	3.4	----	----
0.1	1.1	----	1.9	0.5	0.5	0.4	0.8	1.0	----	2.0	0.3
0.3	0.6	0.6	1.6	0.7	2.3	0.2	1.3	1.3	1.3	----	----
0.7	1.9	0.6	2.0	0.8	1.3	0.4	1.3	1.0	----	----	0.7
0.8	1.4	0.6	0.8	0.9	0.8	0.3	1.6	----	1.9	1.9	0.3
0.1	1.6	----	0.4	0.1	1.6	0.1	0.8	----	----	----	0.7
0.1	0.8	----	1.6	0.3	0.5	0.1	0.9	----	0.7	----	----
0.3	1.4	----	----	0.1	0.8	(1)	0.3	----	0.6	----	----
0.1	0.8	----	----	0.2	0.4	0.1	0.7	----	----	----	0.7
0.3	0.8	----	----	0.2	0.9	0.1	0.4	----	----	----	1.0
10.5	13.0	8.7	11.8	13.7	15.9	12.5	13.3	8.3	23.6	14.6	9.1
11.8	10.4	10.3	9.1	10.4	15.8	10.8	13.4	7.1	17.2	6.2	8.4
10.7	10.1	13.1	20.4	12.9	15.3	11.4	13.4	7.9	30.4	14.1	7.4
8.8	11.5	12.9	12.1	12.6	13.4	11.6	13.8	6.7	20.9	9.8	10.1
10.3	13.7	14.4	10.6	10.7	16.9	11.2	13.4	8.8	21.1	13.5	8.4
0.8	0.7	----	----	3.4	1.4	5.1	1.1	3.8	----	2.1	0.3
2.4	0.7	0.6	0.4	4.3	0.9	6.7	1.2	6.0	0.7	4.1	0.3
2.4	0.5	4.2	0.4	5.1	1.7	6.5	0.9	6.2	----	----	----
2.2	0.4	4.1	0.8	5.5	3.0	6.9	1.5	3.5	1.3	----	0.3
1.1	0.9	----	----	7.7	2.3	5.7	0.8	3.5	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----
----	----	----	----	----	----	1.0	0.2	----	----	----	----
0.1	0.6	----	----	----	----	17.8	----	----	----	----	----
0.1	1.3	0.6	1.2	0.1	----	1.4	0.7	----	----	----	0.3
4.8	3.0	4.4	3.9	3.0	3.8	4.7	4.3	2.8	2.0	4.2	4.4
3.8	3.7	2.4	1.9	3.4	3.2	5.9	4.0	2.4	1.3	4.1	4.7
6.3	5.3	6.5	3.5	3.8	3.5	7.1	5.2	3.3	3.2	8.1	5.1
5.7	4.7	4.1	4.7	4.5	3.6	6.3	4.7	1.3	3.8	5.9	3.4
4.9	4.3	5.8	5.9	4.0	4.3	3.2	5.1	3.1	1.9	9.6	6.4
3.3	4.7	1.2	2.4	1.3	2.8	2.3	3.8	0.7	1.3	4.2	3.0
3.5	3.7	2.4	1.2	2.9	2.7	3.0	3.7	----	1.3	----	2.7
3.7	5.3	3.0	4.3	2.6	2.9	2.3	3.4	----	2.6	----	4.0
2.2	4.6	0.6	5.5	2.8	4.0	3.2	4.1	0.3	0.6	----	4.1
1.8	4.8	1.2	2.0	2.4	2.2	1.1	4.1	0.3	1.2	5.8	4.4
0.7	1.3	0.6	----	1.3	0.5	0.3	0.7	----	----	----	----
1.6	1.4	1.2	0.4	0.8	0.5	0.4	0.5	3.4	1.3	2.0	0.3
1.1	1.1	1.2	0.4	0.9	0.8	0.6	0.6	1.0	1.3	2.0	1.7
1.0	2.2	----	1.2	0.7	0.9	0.4	0.8	1.0	1.9	2.0	1.3
0.1	0.7	0.6	1.6	1.3	0.7	0.6	0.6	1.9	----	1.9	2.0
4.8	3.9	----	----	----	0.2	(1)	----	----	----	----	0.7
4.4	3.5	----	----	0.1	1.1	(1)	0.1	----	----	----	----
3.0	3.9	----	0.4	----	0.8	(1)	0.5	----	0.6	----	0.3
1.8	4.2	----	----	0.1	0.8	(1)	0.1	----	----	----	2.0
3.4	6.8	----	----	0.4	1.2	----	0.7	----	----	----	5.0
13.9	10.0	13.0	6.3	20.2	17.6	7.9	15.6	10.0	10.8	10.5	6.7
13.5	9.1	4.9	5.5	20.9	17.8	8.4	16.1	12.4	13.2	14.4	9.1
17.2	13.7	10.7	6.7	23.4	23.5	10.7	19.2	11.8	15.5	8.0	13.1
11.5	11.0	11.1	7.8	21.8	19.7	10.4	18.3	14.1	11.4	5.9	12.1
9.4	11.1	8.6	5.9	21.9	17.6	13.0	20.7	11.3	13.0	11.5	9.1
1.4	3.4	0.6	0.8	1.0	0.6	2.6	1.4	4.5	4.0	----	0.7
2.3	3.1	1.8	1.2	0.9	0.6	3.0	1.4	5.0	3.3	2.0	1.7
2.6	2.7	----	2.7	1.4	0.8	4.6	2.1	5.9	4.5	2.0	2.7
1.7	3.1	----	3.1	1.6	1.0	5.2	1.9	3.5	5.7	----	3.0
2.0	3.0	1.7	1.6	2.8	1.1	6.3	1.9	1.3	4.3	3.8	3.0
2.1	1.6	3.1	2.4	1.3	1.3	1.3	1.9	1.7	4.7	----	1.3
1.6	1.7	0.6	1.2	1.1	1.8	0.8	1.1	1.3	1.3	----	2.7
1.8	1.5	1.8	2.0	1.6	1.4	1.6	1.5	1.6	3.2	----	2.7
1.5	2.9	2.9	1.2	0.8	2.2	1.1	1.8	2.6	3.8	2.0	1.0
1.4	2.2	1.7	1.2	1.2	2.2	1.2	1.7	2.5	2.5	----	1.3
4.8	3.1	1.2	0.8	6.1	2.6	4.8	3.9	6.9	8.8	4.2	1.7
4.6	3.0	1.2	1.9	5.3	3.3	5.5	5.0	11.1	13.9	8.2	5.8
4.2	4.8	4.2	2.4	6.5	5.4	7.8	5.3	11.5	11.6	6.0	5.1
4.1	3.8	8.8	0.8	8.0	4.5	7.9	5.0	18.0	12.7	----	2.4
3.5	3.8	1.2	2.7	6.6	5.7	9.3	5.5	15.7	13.0	5.8	4.0
15.3	13.8	4.4	5.9	14.5	11.4	15.6	11.1	21.7	12.1	12.6	8.1
13.2	14.8	6.1	7.1	13.1	8.5	18.0	11.9	20.2	13.9	10.3	11.5
12.7	14.2	15.5	9.8	12.5	10.6	19.4	13.3	23.3	13.6	8.0	14.5
11.2	16.1	15.8	10.6	16.0	10.6	20.3	15.1	24.7	17.1	13.7	16.8
13.4	14.1	9.2	12.5	16.2	10.5	23.2	14.1	18.8	16.1	15.4	18.2
----	----	----	----	----	----	0.1	0.1	----	0.7	----	----
----	----	----	----	----	0.1	0.1	0.1	----	----	----	----
0.1	0.1	----	----	----	0.1	0.1	----	----	----	----	----
0.1	----	----	----	----	----	(1)	0.4	----	----	----	----
0.1	----	----	----	----	----	----	----	----	----	----	----
5.6	4.4	6.2	7.9	2.8	3.5	1.7	4.2	2.1	2.0	8.4	4.4
3.6	5.1	4.9	8.7	4.1	4.4	2.3	4.7	1.7	2.6	2.0	6.4
6.7	3.9	8.9	10.6	3.1	3.4	2.6	5.0	3.0	2.6	4.0	10.1
3.2	5.2	4.1	5.1	1.8	3.7	1.9	4.8	1.3	1.9	3.9	3.0
3.4	3.9	5.2	7.4	2.8	3.0	1.2	4.3	1.6	1.9	3.8	3.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Starvation, privation, etc	1901	0.5	.....	.....	(1)	.....	.....	0.4	.....
	1902	0.2	0.3	0.2	0.1	.....	0.2	(1)	0.1
	1903	0.5	.....	0.3	.....	.....	.....	0.2	.....
	1904	.....	0.3	0.6	(1)	.....	0.3	(1)	.....
	1905	.....	0.3	.....	0.1	.....	0.2	0.1	.....
Homicide	1901	0.3	.....	2.4	0.5	1.7	1.6	1.1	1.3
	1902	0.5	.....	2.0	0.6	.....	0.3	1.3	0.6
	1903	0.6	0.9	1.3	1.1	2.4	1.0	1.3	0.7
	1904	0.3	.....	3.0	0.7	2.4	.....	1.5	0.3
	1905	1.8	0.9	4.7	2.6	3.2	2.1	1.5	0.4
XIV.—Ill-defined diseases	1901	24.7	22.7	65.5	59.2	76.6	87.9	55.9	61.7
	1902	26.4	20.9	53.6	51.6	80.6	70.2	56.4	63.8
	1903	24.6	23.9	44.8	34.8	69.0	76.4	48.4	46.9
	1904	24.5	22.8	45.4	35.8	56.9	81.0	33.4	34.2
	1905	26.0	24.4	42.9	32.1	43.5	61.9	38.1	32.0
"Dropsy"	1901	0.5	0.9	10.9	9.9	4.2	8.7	1.2	4.0
	1902	1.1	1.2	7.4	10.3	2.5	5.7	1.5	4.5
	1903	1.0	3.7	5.6	6.5	4.1	6.7	1.1	1.7
	1904	0.1	3.1	5.6	6.2	0.8	5.2	1.0	1.7
	1905	1.2	1.2	8.9	5.5	1.6	3.2	0.3	1.3
"Heart failure"	1901	.....	.....	9.7	11.9	3.3	18.3	4.0	15.0
	1902	.....	.....	4.9	7.6	11.5	11.2	4.5	15.3
	1903	0.5	0.6	7.3	6.9	9.7	11.9	3.5	10.7
	1904	0.5	0.6	7.7	7.0	1.6	12.5	3.0	6.0
	1905	0.8	.....	5.9	6.3	5.5	13.5	2.3	5.5
Sudden death	1901	0.2	.....	0.9	0.6	.....	0.3	0.6	0.3
	1902	0.5	0.6	.....	0.4	2.5	1.4	0.5	0.7
	1903	0.3	1.2	.....	0.2	1.6	3.4	0.4	.....
	1904	.....	0.6	0.3	0.1	.....	0.7	0.2	0.1
	1905	0.6	0.3	0.4	0.5	0.8	1.7	0.3	0.3
Unspecified or ill-defined causes of death	1901	2.0	1.9	7.9	6.3	15.0	6.4	9.7	9.6
	1902	5.4	1.5	7.4	3.8	12.3	5.3	7.7	7.6
	1903	5.1	6.4	5.8	3.5	13.8	6.2	6.6	8.4
	1904	1.9	2.4	4.8	2.9	11.2	7.2	4.7	5.3
	1905	4.4	4.2	3.2	2.5	7.1	2.9	6.2	6.5
Inanition, over 3 months	1901	3.3	2.2	13.3	8.0	9.2	5.2	5.4	3.5
	1902	4.4	4.6	14.0	8.5	17.3	5.7	5.8	5.1
	1903	2.5	2.2	9.6	4.5	7.3	3.1	5.2	4.8
	1904	3.1	1.8	12.9	5.6	12.0	5.5	3.7	4.0
	1905	2.6	3.3	12.4	6.1	6.3	4.8	5.5	4.0
Debility, over 3 months	1901	3.3	3.4	10.2	11.0	14.1	10.0	11.1	13.1
	1902	3.7	3.1	8.6	7.9	14.8	8.8	9.5	10.4
	1903	2.7	2.2	7.0	5.2	14.6	11.0	8.9	9.0
	1904	3.4	0.6	5.4	4.5	8.8	8.4	3.3	4.2
	1905	3.5	3.9	4.8	3.6	11.9	7.2	4.0	4.7
Marasmus, over 3 months	1901	8.4	4.4	7.5	2.9	15.0	4.5	20.1	8.8
	1902	7.8	5.3	6.2	2.4	12.3	2.9	23.2	13.3
	1903	10.0	4.6	4.3	1.4	11.4	4.3	17.9	8.7
	1904	9.3	4.6	4.3	2.3	7.2	4.8	14.4	9.0
	1905	8.8	6.6	3.9	1.8	4.0	5.6	17.1	8.4
Fever	1901	0.2	0.9	2.2	3.1	.....	0.7	0.2	0.1
	1902	0.3	0.6	3.1	2.8	.....	2.2	0.2	.....
	1903	0.1	1.5	3.3	2.1	.....	1.0	0.2	0.7
	1904	0.6	1.2	1.4	2.2	.....	1.2	0.2	1.3
	1905	0.2	.....	1.7	1.8	.....	0.7	0.1	.....
Unknown causes	1901	6.8	9.0	2.9	5.5	15.8	33.8	3.6	7.2
	1902	3.2	4.0	2.0	7.9	7.4	27.0	3.6	6.9
	1903	2.4	1.5	1.9	4.5	6.5	28.8	4.6	2.9
	1904	5.6	7.9	3.0	5.0	15.3	35.5	2.8	2.4
	1905	4.0	4.8	1.7	4.1	6.3	22.2	2.1	1.3

[1] Less than one-tenth.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1901 TO 1905—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.1	0.6	.....	.....	0.1	0.1	0.4	.....	.....	.....	.....
0.3	0.2	.....	.....	.....	.....	0.1	0.2	.....	2.0	.....	.....
0.4	0.1	0.6	.....	0.1	.....	0.1	0.2	.....	0.6	.....	0.3
.....	(1)	.....	.....	.....	0.1	0.1	0.2	.....	.....	.....	.....
0.1	0.1	.....	.....	0.1	0.1	0.1	0.1	.....	0.6	.....	.....
1.1	1.6	.....	0.4	0.9	0.1	1.8	0.4	2.8	0.7	.....	0.3
1.5	1.2	.....	.....	1.4	0.8	2.0	0.3	2.7	4.0	.....	0.3
1.4	1.3	.....	.....	0.7	0.2	1.4	0.5	2.3	1.9	.....	0.3
1.0	1.0	.....	0.8	1.3	0.6	2.2	0.5	3.5	1.9	2.0	0.3
0.9	0.5	1.2	0.4	1.8	1.4	3.5	0.6	2.5	0.6	1.9	2.0
45.6	50.0	80.4	100.7	65.1	57.6	39.9	44.5	32.0	35.8	52.4	77.5
39.2	41.8	86.2	66.2	62.0	58.3	33.0	40.9	24.2	19.8	69.7	58.6
37.7	43.2	53.7	53.0	56.1	49.9	33.7	35.5	28.6	24.5	54.2	45.1
42.5	46.6	53.9	47.8	51.3	44.5	31.7	39.8	24.3	19.0	68.7	48.1
49.4	52.5	62.2	48.1	51.2	37.6	29.5	34.2	24.5	20.4	61.5	48.1
4.9	8.8	6.8	5.9	2.2	3.8	1.2	9.0	0.3	.....	6.3	4.7
3.4	6.8	7.9	6.3	2.1	6.2	1.1	7.2	0.7	.....	2.0	1.7
5.7	7.3	1.8	4.3	0.9	2.9	1.1	6.6	1.0	1.9	.....	2.0
3.4	7.3	2.3	5.1	1.6	2.1	0.8	5.0	0.6	0.6	2.0	2.7
5.4	6.5	2.3	3.1	1.1	1.6	0.6	4.9	0.3	.....	7.7	2.0
4.1	7.2	8.0	23.7	6.9	11.7	1.5	9.4	0.7	0.7	4.2	18.9
3.2	4.3	6.1	21.3	7.6	10.4	1.4	8.7	1.0	0.7	8.2	10.4
4.7	6.2	10.1	11.0	11.1	13.4	3.6	8.5	0.3	0.6	8.0	8.1
4.8	7.5	6.4	9.8	4.5	8.0	4.1	9.8	1.0	.....	19.6	8.7
5.7	10.1	5.2	10.6	5.4	6.3	2.0	8.6	.....	0.6	9.6	13.5
.....	0.7	1.2	1.2	0.3	0.2	0.2	0.4	.....	.....	.....	1.0
0.3	1.1	1.8	1.6	1.4	0.4	0.1	0.3	0.3	.....	.....	0.7
.....	0.5	1.2	.....	0.2	.....	(1)	0.9	0.7	.....	4.0	2.4
0.5	0.2	1.2	.....	0.1	0.2	0.1	1.0	.....	1.3	2.0	1.3
0.9	0.9	0.6	2.3	0.3	0.3	0.2	0.6	0.6	1.2	3.8	2.4
4.3	6.4	6.2	19.0	4.8	4.7	2.3	5.3	2.4	1.3	14.6	12.8
4.7	5.2	6.1	7.5	3.6	3.7	1.5	4.0	3.0	0.7	12.3	9.1
4.5	4.1	7.8	5.9	3.5	3.5	1.5	3.3	2.6	2.6	18.1	5.0
1.9	3.2	7.6	9.4	2.1	1.7	1.0	3.9	2.6	2.5	7.8	3.4
5.4	5.2	15.0	8.6	4.3	2.2	0.7	2.9	3.8	2.5	3.8	4.0
6.0	2.6	9.3	1.6	7.9	4.1	3.4	4.2	13.4	12.1	8.4	3.7
6.9	2.2	7.9	4.7	7.0	6.0	3.2	3.8	7.7	7.3	6.2	2.4
3.8	3.3	5.4	5.1	5.8	4.2	3.7	2.6	11.2	14.2	10.1	3.7
4.9	3.6	10.6	5.5	6.8	3.2	3.1	4.0	9.6	7.6	15.7	4.0
8.2	5.1	10.4	3.5	6.8	4.2	4.5	3.5	11.6	8.7	3.8	4.4
4.3	5.4	18.6	19.3	5.1	6.8	2.6	9.1	5.8	.....	8.4	11.8
3.8	5.0	18.2	11.1	4.6	7.2	1.5	7.7	6.7	1.3	12.3	6.7
3.2	4.7	10.1	15.3	6.0	5.9	2.5	6.1	7.5	1.3	4.0	5.7
3.4	4.6	4.1	7.8	2.5	6.4	1.6	7.3	1.3	0.6	2.0	6.1
5.6	7.8	6.9	11.7	3.7	4.3	1.6	5.8	0.9	.....	11.5	5.4
11.6	3.4	13.0	7.5	35.3	22.1	28.1	5.1	4.5	5.4	8.4	2.4
7.6	2.4	21.8	3.5	34.2	20.5	23.8	6.2	4.0	5.3	20.5	6.0
7.6	2.2	10.7	3.5	26.7	17.5	20.4	5.3	2.6	1.3	6.0	2.7
12.4	3.0	12.9	4.7	30.9	19.4	20.6	6.7	5.5	3.2	15.7	3.0
11.3	3.5	15.0	3.9	27.9	17.1	19.6	6.7	5.0	1.2	15.4	3.7
1.2	1.0	0.6	1.6	0.8	1.1	0.2	0.8	.....	.....	.....	2.4
0.3	0.6	.....	0.8	0.3	1.3	0.1	0.7	.....	.....	2.0	2.0
0.4	0.7	0.6	0.4	0.3	0.7	0.3	0.8	0.3	.....	.....	0.7
0.4	0.7	1.8	0.8	0.3	0.6	0.3	0.6	.....	0.6	.....	2.4
0.4	0.7	0.6	.....	0.2	0.7	0.1	0.3	.....	.....	.....	2.0
9.2	14.5	16.7	20.9	1.8	3.0	0.4	1.1	4.8	16.2	2.1	19.8
9.0	14.2	16.4	9.4	1.2	2.7	0.3	2.3	0.7	4.6	6.2	19.6
7.8	14.2	6.0	7.5	1.5	1.8	0.4	1.4	2.3	2.6	4.0	14.8
10.8	16.5	7.0	4.7	2.5	2.8	0.2	1.4	3.9	2.5	3.9	16.5
6.5	12.7	6.3	4.3	1.5	1.0	0.2	0.9	2.2	6.2	5.8	10.8

GENERAL TABLES

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.									
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	SUMMARIES.											
1	The registration area	545,533	172,220	98,687	37,903	30,107	12,066	2,883	4,381	140,951	8,517	37,818
2	Registration cities	411,062	105,167	84,827	26,994	22,829	5,881	2,123	4,381	117,160	6,420	35,280
3	Registration states	345,863	119,639	67,414	20,066	21,336	9,769	2,037	.....	89,901	4,182	11,519
4	Cities in registration states	211,392	52,586	53,554	9,157	14,058	3,584	1,277	.....	66,110	2,085	8,981
5	Rural part of registration states	134,471	67,053	13,860	10,909	7,278	6,185	760	.....	23,791	2,097	2,538
6	Registration cities in other states	199,670	52,581	31,273	17,837	8,771	2,297	846	4,381	51,050	4,335	26,299
	REGISTRATION STATES.											
7	Connecticut	16,289	4,849	3,720	976	939	668	114	.....	4,413	271	339
8	District of Columbia	6,201	1,770	289	478	163	34	13	.....	636	58	2,760
9	Indiana	34,392	19,736	2,001	3,426	1,180	2,340	265	.....	3,573	559	1,312
10	Maine	11,537	6,478	995	1,017	747	554	25	.....	1,523	142	56
11	Massachusetts	50,343	14,845	11,839	1,762	3,770	1,530	375	.....	14,985	400	837
12	Michigan	34,542	12,011	5,273	2,047	3,068	1,252	291	.....	9,509	550	541
13	New Hampshire	7,274	2,909	1,185	843	381	380	38	.....	1,284	238	16
14	New Jersey	33,912	11,929	7,058	1,730	1,710	235	150	.....	8,945	331	1,824
15	New York	137,222	39,750	32,409	7,013	8,430	2,363	684	.....	41,621	1,433	3,519
16	Rhode Island	8,208	2,531	2,156	107	561	41	27	.....	2,445	43	297
17	Vermont	5,943	2,831	489	667	387	372	55	.....	967	157	18
	REGISTRATION CITIES.											
18	Adams town, Mass	223	29	83	10	26	2	1	.....	72	.....	.....
19	Alameda, Cal	246	67	34	9	22	11	3	.....	94	.....	6
20	Albany, N. Y	1,811	527	312	269	67	21	6	.....	543	27	39
21	Alexandria, Va	307	.....	.....	.....	.....	.....	.....	163	8	1	135
22	Allegheny, Pa	2,683	729	712	164	174	16	12	.....	743	38	95
23	Allentown, Pa	693	429	73	36	22	28	3	.....	82	18	2
24	Altoona, Pa	816	471	109	30	42	13	4	.....	122	7	18
25	Amesbury town, Mass	137	61	24	3	18	2	.....	.....	29	.....	.....
26	Amsterdam, N. Y	365	122	105	12	12	5	3	.....	99	2	5
27	Anderson, Ind	265	178	9	15	9	23	1	.....	19	3	8
28	Ann Arbor, Mich	250	96	34	9	17	4	2	.....	71	6	11
29	Annapolis, Md	191	61	3	6	5	3	.....	.....	8	.....	105
30	Ansonia, Conn	200	34	61	7	13	4	2	.....	69	3	7
31	Appleton, Wis	198	53	34	6	19	10	.....	.....	75	1	.....
32	Arlington town, Mass	115	41	21	1	14	4	1	.....	33	.....	.....
33	Ashtabula, Ohio	210	98	47	.....	4	.....	.....	.....	51	6	4
34	Atlanta, Ga	2,480	937	17	165	17	4	.....	.....	56	54	1,230
35	Atlantic City, N. J	626	263	59	49	25	4	1	.....	90	7	128
36	Attleboro town, Mass	174	62	36	1	23	3	1	.....	44	2	2
37	Auburn, N. Y	517	214	87	25	28	3	1	.....	138	2	19
38	Augusta, Me	288	96	37	54	15	23	2	.....	54	4	3
39	Aurora, Ill	310	.....	.....	.....	.....	.....	.....	210	82	17	1
40	Baltimore, Md	10,698	3,176	1,287	672	482	232	91	.....	1,884	113	2,761
41	Bangor, Me	421	160	41	65	19	25	2	.....	76	28	5
42	Barre, Vt	164	53	41	6	13	8	1	.....	40	2	.....
43	Bath, Me	164	116	12	.....	12	3	.....	.....	20	.....	1
44	Battle Creek, Mich	341	176	17	33	15	30	1	.....	51	6	12
45	Bay City, Mich	512	116	91	23	69	15	7	.....	184	6	1
46	Bayonne, N. J	670	116	257	9	37	4	.....	.....	226	6	15
47	Bellaire, Ohio	179	77	25	13	12	5	1	.....	27	7	12
48	Belleville, Ill	295	.....	.....	.....	.....	.....	.....	173	104	12	6
49	Beloit, Wis	173	72	17	9	9	10	2	.....	47	5	2
50	Bennington town, Vt	164	65	11	20	10	9	2	.....	34	13	.....
51	Berlin, N. H	169	9	69	6	12	1	.....	.....	63	7	2
52	Beverly, Mass	249	130	33	3	20	5	1	.....	54	1	2
53	Biddeford, Me	284	59	102	6	23	.....	.....	.....	94	.....	.....
54	Binghamton, N. Y	789	403	114	71	26	24	1	.....	132	10	8
55	Boston, Mass	10,987	2,293	2,860	315	768	284	125	.....	3,921	120	301
56	Bridgeport, Conn	1,357	320	400	51	77	27	14	.....	424	20	24
57	Bridgeton, N. J	191	114	3	36	1	2	.....	.....	9	7	19
58	Bristol town, Conn	167	44	50	19	11	10	.....	.....	29	4	.....
59	Brockton, Mass	623	221	126	25	49	18	2	.....	135	39	8
60	Brookline town, Mass	260	121	37	4	18	4	2	.....	74	.....	.....
61	Buffalo, N. Y	5,882	1,353	1,752	94	458	65	22	.....	2,046	30	62
62	Burlington, Iowa	306	98	42	15	25	12	2	.....	100	6	6
63	Burlington, Vt	434	158	48	49	40	20	5	.....	101	8	5
64	Cambridge, Mass	1,444	329	372	25	109	23	11	.....	493	7	75
65	Camden, N. J	1,354	600	177	76	74	12	3	.....	234	14	164
66	Canton, Ohio	416	192	52	36	19	16	8	.....	80	5	8
67	Carbondale, Pa	281	99	50	8	18	7	2	.....	92	3	2
68	Carlisle, Pa	151	96	.....	11	2	.....	.....	.....	7	9	26
69	Central Falls, R. I	363	50	167	1	26	1	2	.....	115	1	.....
70	Charleston, S. C	1,631	191	31	97	28	20	2	.....	89	16	1,157
71	Chelsea, Mass	696	179	168	38	53	17	8	.....	193	7	33
72	Chicago, Ill	27,548	2,950	5,441	6,169	1,132	79	111	.....	9,980	749	937
73	Chicopee, Mass	356	65	148	1	27	6	7	.....	102	.....	.....
74	Chillicothe, Ohio	184	102	17	9	2	3	1	.....	25	3	22
75	Cincinnati, Ohio	6,609	2,189	1,232	244	329	21	5	.....	1,922	51	616
76	Cleveland, Ohio	6,419	1,588	1,970	197	213	16	30	.....	2,227	16	162
77	Clinton town, Mass	215	52	61	3	21	5	1	.....	72	.....	.....

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
49,074	49,288	52,010	46,296	43,700	40,407	48,340	46,890	42,203	41,303	41,687	44,204	131	1
36,982	36,304	38,272	34,843	33,108	31,106	37,733	35,178	31,010	30,923	31,639	33,881	83	2
30,940	31,102	33,501	29,784	27,655	24,951	30,754	30,341	27,204	25,948	26,223	27,378	82	3
18,848	18,118	19,763	18,331	17,063	15,650	20,147	18,629	16,011	15,568	16,175	17,055	34	4
12,092	12,984	13,738	11,453	10,592	9,301	10,607	11,712	11,193	10,380	10,048	10,323	48	5
18,134	18,186	18,509	16,512	16,045	15,456	17,586	16,549	14,999	15,355	15,464	16,826	49	6
1,411	1,362	1,576	1,326	1,301	1,287	1,652	1,417	1,199	1,165	1,256	1,321	16	7
567	551	580	549	423	474	582	535	412	481	503	544	.....	8
3,284	3,608	3,485	2,590	2,491	2,385	2,756	3,014	2,908	2,650	2,579	2,631	11	9
988	1,023	1,227	1,031	979	845	786	1,018	1,029	957	828	810	16	10
4,481	4,495	4,651	4,211	4,185	3,520	4,378	4,795	3,944	3,809	3,853	4,012	9	11
3,120	3,253	3,410	3,028	2,742	2,397	2,461	2,836	3,068	2,862	2,651	2,694	20	12
628	701	785	688	597	439	553	636	583	554	554	554	2	13
3,143	2,949	3,103	2,889	2,677	2,573	3,530	3,073	2,398	2,348	2,620	2,607	2	14
11,982	11,889	13,167	12,322	11,077	10,026	12,924	11,825	10,590	10,064	10,311	11,041	4	15
787	713	828	657	661	568	724	771	612	605	604	678	.....	16
549	558	689	493	522	437	408	421	461	453	464	486	2	17
18	13	20	26	19	12	14	19	17	22	21	22	.....	18
22	25	13	20	18	29	22	16	16	26	16	21	2	19
180	162	161	157	148	109	156	154	165	136	151	132	.....	20
34	33	24	19	17	23	20	30	28	24	28	27	.....	21
282	278	229	193	204	253	215	233	171	225	197	203	.....	22
66	75	60	60	52	50	80	56	46	44	51	53	.....	23
74	65	84	86	59	58	83	78	48	53	68	59	1	24
11	13	14	12	14	11	3	13	15	9	9	13	.....	25
29	33	29	31	36	22	39	37	18	23	22	46	.....	26
26	33	25	20	19	24	36	26	10	15	23	8	.....	27
24	23	26	24	19	22	17	19	9	32	19	16	.....	28
17	23	12	14	8	14	21	20	13	15	15	19	.....	29
14	20	15	17	22	17	13	16	16	17	13	20	.....	30
17	11	20	13	22	11	20	13	16	12	22	20	1	31
5	18	7	13	6	11	11	12	4	9	6	13	.....	32
7	23	19	16	18	22	24	20	11	17	13	20	.....	33
244	257	228	169	226	222	218	224	187	172	155	178	.....	34
42	48	55	49	52	55	77	82	50	47	27	42	.....	35
19	17	18	12	12	15	15	13	13	15	11	14	.....	36
40	37	42	45	47	37	50	57	44	43	38	37	.....	37
24	22	24	25	29	27	18	33	23	23	19	21	.....	38
26	28	28	20	26	26	25	30	27	26	24	24	.....	39
863	881	958	894	774	893	1,155	859	821	823	905	872	.....	40
45	52	48	31	30	24	27	31	29	38	34	31	1	41
16	14	22	11	13	9	11	9	12	10	21	16	.....	42
15	13	21	18	11	8	9	18	12	14	16	9	.....	43
24	31	30	26	27	20	30	38	32	29	31	23	.....	44
41	41	35	38	47	45	25	50	65	41	41	41	2	45
59	54	58	57	50	43	85	67	48	44	52	53	.....	46
14	19	20	15	21	12	10	12	17	9	14	16	.....	47
24	27	25	19	25	30	27	28	25	18	22	25	.....	48
17	12	23	12	13	9	9	13	8	19	13	24	1	49
13	18	13	15	11	11	14	16	16	11	11	15	.....	50
10	10	21	11	16	9	16	15	12	16	20	13	.....	51
28	19	19	25	11	17	14	31	18	27	23	17	.....	52
29	24	37	30	28	16	16	37	25	12	14	16	.....	53
73	68	76	55	71	53	72	86	47	57	58	73	.....	54
1,001	908	992	949	930	784	1,009	978	839	841	858	897	1	55
119	99	106	105	99	122	156	114	114	88	107	127	1	56
17	23	26	14	11	11	25	12	10	11	14	17	.....	57
11	20	16	23	11	13	17	21	9	9	8	9	.....	58
51	61	103	41	44	42	39	62	38	48	42	51	1	59
25	24	23	34	25	18	12	17	20	18	19	25	.....	60
490	521	497	570	462	397	487	550	495	467	469	477	.....	61
36	27	28	26	26	17	21	23	24	15	27	36	.....	62
42	27	51	20	43	34	38	39	31	35	39	35	.....	63
129	126	128	126	124	109	118	126	130	111	116	101	.....	64
131	143	138	117	92	97	150	116	77	89	102	102	.....	65
46	31	49	28	30	31	24	38	31	32	44	32	.....	66
26	17	30	25	19	17	28	35	16	15	22	31	.....	67
10	8	16	13	15	11	11	13	11	14	10	19	.....	68
37	29	32	30	22	20	30	38	31	27	36	31	.....	69
118	137	122	121	158	149	177	125	144	131	106	143	.....	70
78	60	56	57	58	35	52	58	62	67	50	63	.....	71
2,430	2,490	2,587	2,339	2,189	2,023	2,307	2,465	2,152	2,148	2,097	2,321	.....	72
25	30	31	24	33	30	46	36	26	27	17	31	.....	73
30	14	11	13	14	15	15	11	9	15	18	19	.....	74
638	672	693	660	545	489	569	472	398	467	494	512	.....	75
570	553	578	513	518	496	665	544	489	483	497	513	.....	76
8	15	22	20	23	11	14	26	21	23	18	14	.....	77

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
78	Cohoes, N. Y.	518	117	146	11	63	7	4	.....	162	7	1
79	Columbia, Pa.	154	88	14	5	7	1	.....	.....	26	1	12
80	Columbus, Ind.	131	84	1	18	2	6	4	.....	9	2	5
81	Columbus, Ohio	2,224	981	229	140	122	74	13	.....	347	56	262
82	Concord, N. H.	372	146	39	59	18	16	.....	.....	78	14	2
83	Corning, N. Y.	214	98	34	21	10	7	1	.....	40	2	1
84	Cortland, N. Y.	111	41	6	32	2	4	1	.....	15	6	4
85	Covington, Ky.	806	337	98	59	32	2	1	.....	200	4	73
86	Danbury town, Conn.	337	117	44	23	16	27	2	.....	86	6	16
87	Danvers town, Mass.	258	100	27	15	15	9	.....	.....	88	2	2
88	Davenport, Iowa	566	137	93	30	41	13	5	.....	211	24	12
89	Dayton, Ohio	1,420	640	197	90	59	23	6	.....	273	10	122
90	Decatur, Ill.	291	.....	.....	.....	.....	.....	.....	236	33	12	10
91	Denver, Colo.	2,887	894	391	322	186	149	45	.....	718	67	115
92	Detroit, Mich.	4,695	788	1,090	362	446	102	45	.....	1,709	63	90
93	Dover, N. H.	263	78	47	31	8	10	10	.....	64	15	.....
94	Dubois, Pa.	125	54	32	8	2	.....	.....	.....	28	1	.....
95	Duluth, Minn.	835	139	208	26	74	5	3	.....	351	18	11
96	Dunkirk, N. Y.	226	57	66	6	18	7	.....	.....	70	2	.....
97	Eau Claire, Wis.	189	41	39	20	8	5	.....	.....	74	2	.....
98	Elizabeth, N. J.	942	231	255	22	66	1	3	.....	318	5	41
99	Elkhart, Ind.	214	114	11	37	6	12	3	.....	24	6	1
100	Elmira, N. Y.	554	239	74	54	22	24	7	.....	115	3	16
101	Elwood, Ind.	157	102	17	4	10	10	2	.....	10	1	1
102	Erie, Pa.	928	281	200	122	47	6	1	.....	256	8	7
103	Escanaba, Mich.	251	53	64	5	29	6	.....	.....	86	8	.....
104	Evansville, Ind.	856	301	92	53	52	32	10	.....	154	7	155
105	Everett, Mass.	404	135	79	10	46	4	6	.....	115	1	8
106	Fall River, Mass.	2,109	251	917	19	181	21	20	.....	687	9	4
107	Findlay, Ohio	225	128	18	20	12	20	4	.....	15	1	7
108	Fitchburg, Mass.	451	112	135	11	38	12	2	.....	138	3	.....
109	Flint, Mich.	229	98	18	27	24	9	2	.....	42	2	7
110	Fort Wayne, Ind.	683	264	94	67	38	20	8	.....	178	8	6
111	Framingham town, Mass.	200	65	30	16	17	14	1	.....	51	5	1
112	Frederick, Md.	202	101	3	15	5	5	.....	.....	14	18	41
113	Fresno, Cal.	278	.....	.....	.....	.....	.....	.....	185	53	2	38
114	Gardner town, Mass.	172	54	50	11	16	7	.....	.....	33	1	.....
115	Geneva, N. Y.	169	57	24	23	10	5	2	.....	46	.....	2
116	Glens Falls, N. Y.	215	124	29	11	10	3	1	.....	35	1	1
117	Gloucester, Mass.	396	157	81	7	39	9	2	.....	99	1	1
118	Gloversville, N. Y.	234	121	23	28	13	6	.....	.....	36	3	4
119	Grand Rapids, Mich.	1,398	424	294	52	127	47	8	.....	427	6	13
120	Green Bay, Wis.	343	75	55	24	41	26	3	.....	104	12	3
121	Greenwich town, Conn.	227	67	48	16	12	9	1	.....	54	5	15
122	Hamilton, Ohio	330	179	43	1	16	1	.....	.....	83	3	4
123	Hammond, Ind.	215	51	50	9	17	6	2	.....	73	7	.....
124	Harrisburg, Pa.	813	302	21	181	23	6	.....	.....	76	93	111
125	Harrison, N. J.	236	68	75	16	12	.....	.....	.....	63	1	1
126	Hartford, Conn.	1,527	378	391	105	89	32	17	.....	454	16	45
127	Haverhill, Mass.	605	242	104	29	57	22	1	.....	141	2	7
128	Hazelton, Pa.	238	.....	.....	.....	.....	.....	.....	169	69	.....	.....
129	Hoboken, N. J.	1,358	227	418	10	66	4	4	.....	614	10	5
130	Holyoke, Mass.	823	91	276	30	78	24	14	.....	306	4	.....
131	Hudson, N. Y.	203	90	24	12	11	8	2	.....	34	5	17
132	Huntington, Ind.	107	53	12	17	1	10	2	.....	12	.....	.....
133	Hyde Park town, Mass.	197	55	49	3	18	4	1	.....	64	.....	3
134	Indianapolis, Ind.	2,998	1,151	206	329	99	210	38	.....	446	70	449
135	Iron Mountain, Mich.	151	7	80	2	11	1	.....	.....	50	.....	.....
136	Ironton, Ohio	205	132	16	1	7	1	.....	.....	21	.....	27
137	Ironwood, Mich.	139	11	64	1	6	.....	1	.....	55	1	.....
138	Ishpeming, Mich.	169	10	62	2	16	.....	1	.....	78	.....	.....
139	Ithaca, N. Y.	209	96	17	21	4	15	1	.....	41	4	10
140	Jackson, Mich.	415	180	53	20	33	14	4	.....	97	7	7
141	Jacksonville, Fla.	1,013	.....	.....	.....	.....	.....	.....	325	42	13	633
142	Jacksonville, Ill.	296	.....	.....	.....	.....	.....	.....	196	41	18	41
143	Jamestown, N. Y.	316	106	45	18	17	11	3	.....	114	1	1
144	Jeffersonville, Ind.	181	84	19	17	6	6	2	.....	14	3	30
145	Jersey City, N. J.	4,427	1,050	1,263	173	294	19	19	.....	1,453	43	113
146	Johnstown, N. Y.	143	64	13	18	7	16	3	.....	19	1	2
147	Johnstown, Pa.	626	230	106	75	8	20	1	.....	168	4	14
148	Kalamazoo, Mich.	550	206	55	63	39	27	.....	.....	121	20	19
149	Kansas City, Mo.	3,029	1,050	170	480	80	38	14	.....	383	258	556
150	Keene, N. H.	168	81	17	20	6	14	.....	.....	24	6	.....
151	Key West, Fla.	439	.....	.....	.....	.....	.....	.....	162	111	2	164
152	Kingston, N. Y.	479	235	74	4	27	6	2	.....	102	3	26
153	Kokomo, Ind.	183	104	5	22	2	22	.....	.....	16	2	10
154	Laconia, N. H.	153	66	20	24	9	4	.....	.....	27	3	.....
155	Lafayette, Ind.	345	129	33	62	12	13	4	.....	79	7	6
156	Lancaster, Pa.	618	482	44	15	.....	1	.....	.....	65	.....	11
157	Lansing, Mich.	267	135	26	17	19	9	5	.....	39	8	9

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
42	56	71	37	35	20	53	42	47	37	42	36	.....	78
13	15	12	14	17	5	15	16	12	7	13	15	.....	79
11	24	13	10	5	9	6	11	15	10	11	6	.....	80
177	216	243	196	186	162	203	175	148	173	162	182	1	81
45	46	37	27	39	32	19	41	20	24	25	17	.....	82
23	13	20	21	18	11	18	20	19	25	14	12	.....	83
8	8	9	8	12	8	12	11	7	12	3	13	.....	84
68	83	82	70	70	58	66	61	74	52	52	70	.....	85
34	27	35	12	22	36	35	20	31	21	37	26	1	86
21	18	23	24	16	20	18	23	22	28	25	20	.....	87
56	60	67	44	36	44	43	44	49	40	38	45	.....	88
134	121	139	111	123	101	122	125	109	116	104	115	.....	89
38	24	33	23	26	18	23	22	18	21	21	24	.....	90
302	288	254	217	203	192	230	227	217	234	239	284	.....	91
411	385	444	415	390	340	443	402	348	318	398	396	5	92
20	19	21	23	17	18	30	30	32	18	18	17	.....	93
10	10	14	15	6	8	8	12	9	14	9	10	.....	94
57	61	70	62	72	58	70	77	79	80	84	65	.....	95
19	13	25	28	12	23	17	8	18	22	21	20	.....	96
18	15	19	18	17	6	15	16	16	17	20	12	.....	97
75	80	82	74	71	66	104	89	77	66	78	80	.....	98
15	14	24	13	22	14	16	12	13	23	19	29	.....	99
48	48	65	50	41	36	35	55	34	38	42	62	.....	100
14	17	17	12	11	3	14	25	13	5	15	11	.....	101
75	84	105	88	90	66	71	93	65	67	63	61	.....	102
21	29	39	33	22	17	14	17	19	16	8	16	.....	103
70	92	72	69	50	68	73	71	62	73	77	79	.....	104
40	28	36	42	40	35	23	35	30	34	30	31	.....	105
167	212	195	158	183	139	248	215	139	144	146	162	1	106
14	14	22	20	17	22	21	21	22	16	15	21	.....	107
35	33	37	36	33	30	52	40	52	28	47	27	1	108
27	17	25	24	21	21	10	16	16	16	13	23	.....	109
66	66	70	42	51	65	45	67	42	45	59	65	.....	110
15	24	24	24	11	15	13	17	12	15	16	14	.....	111
20	17	11	14	21	9	24	25	15	19	15	12	.....	112
22	22	19	17	18	23	33	17	23	32	23	29	.....	113
17	12	8	27	19	6	14	18	11	19	14	7	.....	114
13	16	21	14	13	9	15	17	16	9	12	14	.....	115
15	20	10	15	22	20	22	16	15	13	23	24	.....	116
29	39	39	22	33	35	27	31	42	32	34	33	.....	117
21	19	23	19	18	11	14	32	14	20	24	19	.....	118
120	127	128	128	110	105	96	124	143	112	120	85	.....	119
29	25	36	24	24	29	22	34	28	36	27	28	1	120
19	13	17	15	18	17	26	25	21	21	13	21	1	121
27	27	36	21	26	29	28	33	25	23	29	26	.....	122
6	18	21	15	20	14	20	26	22	20	22	11	.....	123
71	69	81	72	84	55	60	71	57	62	69	61	1	124
20	16	19	26	21	21	27	18	9	19	19	21	.....	125
162	126	131	137	121	140	147	114	108	109	125	104	3	126
49	52	52	65	55	47	45	61	42	50	44	43	.....	127
25	24	14	17	16	15	27	26	14	15	23	22	.....	128
126	100	128	129	106	108	137	106	86	107	118	107	.....	129
65	67	69	74	98	60	69	80	70	64	48	59	.....	130
19	15	22	14	14	18	16	22	19	14	11	19	.....	131
10	7	5	11	9	11	10	14	6	11	.....	13	.....	132
15	11	17	16	18	15	18	23	19	11	20	14	.....	133
282	300	276	232	254	209	282	250	224	223	230	236	.....	134
6	11	10	16	8	7	7	25	28	13	14	6	.....	135
27	13	26	13	22	22	8	14	23	16	12	9	.....	136
8	15	13	17	14	9	4	9	17	14	9	10	.....	137
12	16	18	12	14	11	18	17	13	15	13	10	.....	138
19	15	21	30	11	14	13	16	17	15	22	16	.....	139
45	38	31	25	33	30	35	46	25	38	37	32	.....	140
83	75	90	94	103	73	70	66	95	88	82	94	.....	141
31	29	28	27	26	21	19	27	20	26	20	22	.....	142
23	28	30	30	25	19	22	38	29	23	26	23	.....	143
26	18	16	14	17	17	15	13	7	12	15	11	.....	144
406	357	455	376	345	338	446	350	329	321	338	366	.....	145
14	16	18	13	18	1	10	10	11	14	9	9	.....	146
49	39	61	52	49	48	71	49	55	48	49	56	.....	147
52	49	62	50	47	35	42	55	43	46	30	39	.....	148
305	317	314	242	231	203	251	250	210	240	228	238	.....	149
16	8	16	20	18	12	12	11	15	21	12	7	.....	150
32	29	39	41	52	43	37	33	34	31	30	38	.....	151
45	44	47	44	39	28	36	33	35	43	40	45	.....	152
17	22	17	13	12	13	13	18	16	15	14	13	.....	153
10	18	14	16	5	8	14	18	10	18	11	11	.....	154
36	34	17	36	30	21	20	28	31	27	33	32	.....	155
56	49	73	56	43	44	56	53	47	41	44	56	.....	156
18	19	34	31	23	12	15	18	27	29	23	18	.....	157

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
158	Lawrence, Mass	1,384	158	539	17	125	7	3		529	3	3
159	Leadville, Colo	211	41	45	23	15	10	2		69	5	1
160	Leavenworth, Kans	331	107	20	24	4	9	2		79	14	72
161	Leominster town, Mass	204	80	34	16	22	6	1		37	4	4
162	Lima, Ohio	324	79	15	129	3	1			36	41	20
163	Lincoln, Nebr	411	157	40	96	12	6			84	8	8
164	Lockport, N. Y	259	81	41	29	18	2	2		81	3	2
165	Logansport, Ind	324	147	18	48	9	22	1		48	26	5
166	Los Angeles, Cal	3,344	1,084	296	570	148	92	30		805	133	186
167	Louisville, Ky	4,020	927	209	781	76	97	40		647	63	1,180
168	Lowell, Mass	1,901	272	685	39	139	34	13		708	8	3
169	Lynchburg, Va	489	35	2	41		3			2	128	278
170	Lynn, Mass	1,262	423	248	39	104	43	9		348	17	31
171	McKeesport, Pa	764	185	248	17	31	7			243	8	25
172	Madison, Wis	231	71	49	12	16	9	6		60	5	3
173	Mahanoy City, Pa	308	82	132		5				88	1	
174	Malden, Mass	506	182	104	14	42	19	5		130	4	6
175	Manchester, N. H	1,296	241	498	62	91	29	8		361	5	1
176	Manchester town, Conn	182	36	59	10	8	9			57	1	2
177	Manitowoc, Wis	170	35	20	6	14	3	4		84	4	
178	Mankato, Minn	167	54	28	2	16				61	5	1
179	Marietta, Ohio	190	96	17	27	11	10	1		22	3	3
180	Marinette, Wis	203	37	53	4	21	2			79	5	2
181	Marion, Ind	259	167	4	21	6	32	3		5	4	17
182	Marlboro, Mass	209	68	35	7	18	9			72		
183	Marquette, Mich	179	21	44	5	16	3	3		79	5	3
184	Massillon, Ohio	138	49	24	11	14		2		34	1	3
185	Meadville, Pa	160	98	14	15	3	2			23	1	4
186	Medford, Mass	266	123	46	4	15	9	1		63		5
187	Melrose, Mass	192	95	23	3	19	9	1		36	2	4
188	Memphis, Tenn	2,164	496	90	139	43	26	4		174	42	1,150
189	Menominee, Mich	143	20	31	4	23	3	2		58	1	1
190	Meriden town, Conn	401	81	95	17	23	20	4		157	3	1
191	Michigan City, Ind	185	39	44	12	16	4	1		64	2	3
192	Middletown, N. Y	289	148	25	29	5	13			50	4	15
193	Middletown, Ohio	107	45	9	17	3	5	1		24	1	2
194	Middletown town, Conn	449	145	100	31	17	6	2		132	8	8
195	Milford town, Mass	183	50	54	10	5	5	1		56	1	1
196	Millville, N. J	162	126	12	2	5		1		10	1	5
197	Milwaukee, Wis	4,083	692	1,233	129	400	29	4		1,554	25	17
198	Minneapolis, Minn	2,469	626	543	100	174	30	16		840	102	38
199	Mobile, Ala	1,062							364	106	12	580
200	Montclair, N. J	289	87	61	16	17	9	5		52	2	40
201	Morristown, N. J	244	84	51	8	11	1	1		57	1	30
202	Mt. Carmel, Pa	227	115	49		7				56		
203	Mt. Vernon, N. Y	325	100	72	9	21	4	1		98	1	19
204	Muncie, Ind	399	266	27	23	17	20	2		29	3	12
205	Muscatine, Iowa	210	88	33	7	15	6	4		54	1	2
206	Muskegon, Mich	268	57	30	23	20	10	5		118	4	1
207	Nashua, N. H	375	93	109	12	33	13	7		102	6	
208	Nashville, Tenn	1,848	652	45	61	22	47	3		83	9	926
209	Natick town, Mass	149	57	27	7	8	2	2		44	2	
210	Naugatuck, Conn	148	35	49	2	14	5			40	3	
211	New Albany, Ind	345	164	19	20	20	6	4		64		48
212	New Bedford, Mass	1,297	273	417	45	103	28	10		347	3	71
213	New Britain town, Conn	534	91	208	13	31	10	1		175	5	
214	New Brunswick, N. J	430	134	64	54	14	5	7		105	27	20
215	New Haven, Conn	2,230	496	596	124	138	68	6		707	18	77
216	New London, Conn	348	124	64	16	18	9	3		86	16	12
217	New Orleans, La	7,329	1,936	970	25	309				1,444	13	2,632
218	New Rochelle, N. Y	265	65	70	3	18				76	2	31
219	New York, N. Y	73,573	13,148	22,693	2,139	4,889	386	336		26,962	563	2,457
220	Bronx borough	5,515	969	1,589	111	431	36	27		2,099	33	220
221	Brooklyn borough	23,880	5,323	7,052	480	1,890	158	109		8,142	102	624
222	Manhattan borough	39,592	5,725	12,863	1,466	2,179	164	183		15,115	402	1,495
223	Queens borough	3,189	779	869	36	274	18	13		1,099	14	87
224	Richmond borough	1,397	352	320	46	115	10	4		507	12	31
225	Newark, N. J	5,000	1,261	1,270	346	238	26	30		1,590	26	213
226	Newark, Ohio	353	225	32	14	8	14	1		47	2	10
227	Newburg, N. Y	499	210	79	38	17	13	5		113	8	16
228	Newburyport, Mass	285	141	31	10	20	10			71		2
229	Newcastle, Pa	526	58	82	212	6	6	2		104	37	19
230	Newport, Ky	578	265	121	4	31	2			144	1	10
231	Newport, R. I	400	133	76	17	31	3	2		95	4	39
232	Newton, Mass	487	210	91	5	35	13	2		125	1	5
233	Niagara Falls, N. Y	423	79	112	8	46	8	2		156	3	9
234	Norfolk, Va	1,216	403	26	25	18	12	1		45	6	680

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
95	105	118	121	121	103	163	118	120	93	108	119	.....	158
21	15	20	22	15	17	12	15	22	10	15	27	.....	159
28	28	46	29	26	23	28	35	21	29	19	18	1	160
21	21	21	15	14	9	16	18	26	10	17	16	.....	161
26	29	29	27	24	21	20	34	26	33	30	25	.....	162
40	40	30	30	37	30	27	41	41	38	23	34	.....	163
22	24	29	25	16	18	16	26	18	21	26	18	.....	164
32	45	28	16	20	15	20	35	33	26	30	24	.....	165
337	317	328	326	293	272	215	234	223	243	248	308	.....	166
353	387	411	356	310	372	342	272	275	296	301	345	.....	167
168	139	160	166	166	148	209	175	138	141	132	157	2	168
51	43	40	30	41	41	47	50	40	34	33	39	.....	169
134	120	109	101	121	85	85	123	96	106	87	95	.....	170
69	58	56	64	40	68	87	64	76	61	52	69	.....	171
27	25	20	19	27	18	14	13	22	18	19	9	.....	172
22	20	21	26	35	28	33	31	28	14	25	25	.....	173
52	44	48	36	45	35	35	45	29	36	39	62	.....	174
110	119	149	126	100	79	128	126	92	80	90	97	.....	175
12	13	14	17	13	11	17	27	13	12	20	13	.....	176
16	6	16	15	18	14	7	23	18	19	16	2	.....	177
8	15	12	13	18	14	11	12	18	16	18	12	.....	178
18	19	19	23	10	13	18	13	20	14	14	9	.....	179
20	17	24	12	15	13	15	15	21	13	16	22	.....	180
30	16	35	19	19	17	17	24	39	15	12	16	.....	181
25	24	25	24	16	8	14	16	12	15	16	14	.....	182
13	12	18	16	17	18	11	15	17	17	15	10	.....	183
11	11	11	8	8	11	13	12	19	12	8	14	.....	184
11	17	13	12	13	11	17	18	10	12	11	14	1	185
32	18	18	31	20	22	21	23	19	21	20	21	.....	186
17	10	22	14	15	21	13	13	14	21	17	15	.....	187
192	207	210	169	131	210	201	189	155	165	167	168	.....	188
15	10	15	13	14	9	7	13	12	16	8	11	.....	189
36	31	37	25	30	27	32	44	35	32	30	42	.....	190
8	19	11	18	17	15	11	23	19	7	19	18	.....	191
23	24	28	34	27	21	18	28	22	24	21	19	.....	192
13	14	5	8	6	9	6	9	5	7	16	9	.....	193
35	34	61	29	44	31	44	37	31	30	38	35	.....	194
14	16	15	17	22	8	13	18	14	16	14	16	.....	195
11	11	12	16	8	19	19	11	11	17	10	17	.....	196
393	302	338	371	362	281	293	342	327	366	326	382	.....	197
201	200	230	186	216	176	216	207	196	220	214	207	.....	198
85	112	71	80	116	85	85	74	69	95	87	103	.....	199
25	23	26	32	14	17	38	29	22	14	27	22	.....	200
21	20	12	18	20	18	32	27	16	12	29	19	.....	201
23	10	19	12	14	13	38	24	11	25	12	26	.....	202
31	31	33	22	25	27	36	27	22	25	31	15	.....	203
46	48	33	30	29	26	25	35	38	25	40	24	.....	204
17	24	36	27	11	9	10	16	16	17	10	17	.....	205
23	24	25	20	20	23	18	17	24	25	25	24	.....	206
27	46	54	27	29	17	27	32	36	22	24	34	.....	207
198	183	162	145	161	151	174	149	129	143	120	133	.....	208
14	9	14	8	16	10	16	20	15	5	15	7	.....	209
19	10	17	10	6	10	21	16	10	10	11	7	1	210
28	24	28	39	28	33	25	34	25	30	32	19	.....	211
132	125	104	90	85	88	139	138	100	84	108	104	.....	212
34	46	55	45	43	47	60	50	35	33	45	41	.....	213
39	38	34	35	35	33	64	31	33	23	27	38	.....	214
199	205	240	162	194	190	219	173	146	159	160	181	2	215
25	34	38	32	22	27	51	30	18	21	27	23	.....	216
683	669	600	505	711	605	549	736	576	564	535	595	1	217
21	22	19	17	21	18	41	23	16	18	22	27	.....	218
6,643	6,135	6,841	6,659	5,958	5,646	7,542	6,094	5,418	5,272	5,399	5,964	2	219
504	430	513	481	469	387	576	458	421	400	412	462	2	220
2,192	1,922	2,106	2,076	1,883	1,924	2,543	2,047	1,796	1,722	1,761	2,001	.....	221
3,542	3,444	3,851	3,735	3,271	3,000	3,844	3,145	2,935	2,824	2,868	3,133	.....	222
258	253	251	264	222	238	391	292	272	227	260	261	.....	223
147	86	120	103	113	97	188	152	87	99	98	107	.....	224
468	408	444	446	431	426	485	391	352	342	371	436	.....	225
25	25	34	25	27	23	44	18	31	28	38	30	5	226
34	30	45	34	33	39	55	69	44	28	44	44	.....	227
26	25	30	15	17	24	28	27	23	24	25	21	.....	228
45	50	50	42	30	30	49	46	53	32	38	61	.....	229
57	45	39	42	37	43	60	59	50	49	54	42	1	230
21	34	35	29	34	21	38	47	37	32	28	44	.....	231
41	31	46	32	36	42	57	43	49	47	34	29	.....	232
38	36	42	25	31	33	48	37	32	30	35	36	.....	233
105	101	107	107	108	115	114	89	83	88	106	93	.....	234

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Color
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
235	Norristown, Pa	523	165	57	125	7	1			123	26	19
236	North Adams, Mass	315	84	75	20	22	15	2		92	4	1
237	Northampton, Mass	331	128	55	3	29	10			103		3
238	Norwalk town, Conn	351	162	47	16	18	17	3		77	4	7
239	Norwich town, Conn	459	125	106	25	24	15	5		143	2	14
240	Oakland, Cal	1,144	327	194	72	72	17	4		406	12	40
241	Ogdensburg, N. Y	366	94	51	41	39	11	2		119	9	
242	Olean, N. Y	118	46	19	11	4	2			32	2	2
243	Omaha, Nebr	1,300	373	184	131	79	14	2		407	34	76
244	Orange, N. J	553	123	132	28	33	1	2		163	2	69
245	Ottawa, Ill	137							75	46	15	1
246	Owosso, Mich	105	50	7	3	13	7	2		23		
247	Paducah, Ky	427	247		1					9	4	156
248	Passaic, N. J	688	87	309	43	24	3	14		190	3	15
249	Paterson, N. J	1,848	407	409	121	140	17	9		697	2	46
250	Pawtucket, R. I	725	180	185	5	63	3	2		280	1	6
251	Peabody town, Mass	171	71	35	2	15	1	1		45		1
252	Peekskill, N. Y	204	110	37	3	11	6			28	2	7
253	Perth Amboy, N. J	313	66	151	6	7	1	3		76	1	2
254	Peru, Ind	119	60	15	15	4	6	3		13	2	1
255	Petersburg, Va	532	178	2	16	2	4			5	7	318
256	Philadelphia, Pa	25,058	8,189	5,002	1,103	1,367	184	63		6,731	245	2,174
257	Phillipsburg, N. J	135	86	13	3	4		1		26	1	1
258	Pittsburg, Pa	7,268	1,814	1,995	191	428	69	36		1,996	157	582
259	Pittsfield, Mass	413	140	73	19	24	13	1		134	4	5
260	Plainfield, N. J	295	140	33	8	12		3		51	1	47
261	Plymouth, Pa	198	28	74	1	23				72		
262	Plymouth town, Mass	162	85	30	3	6	6	1		26	1	4
263	Pontiac, Mich	195	70	27	8	13	6			61	4	6
264	Port Huron, Mich	278	61	41	8	42	4			119	3	
265	Port Jervis, N. Y	155	86	16	12	8	3			28	2	
266	Portland, Me	949	397	108	79	63	53	2		215	23	9
267	Portland, Oreg	1,425	396	160	163	83	61	22		392	62	86
268	Portsmouth, N. H	183	83	19	17	14	4	1		36	4	5
269	Portsmouth, Ohio	283	146	18	24	11	17	9		36	3	19
270	Pottstown, Pa	216	185	16		1				8		6
271	Pottsville, Pa	330	174	51	4	14				69	15	3
272	Poughkeepsie, N. Y	436	172	64	38	25	13	1		103	5	15
273	Providence, R. I	3,475	955	953	28	236	21	14		1,090	13	165
274	Pueblo, Colo	712	251	83	66	33	23	3		143	63	47
275	Quincy, Ill	568							312	161	43	52
276	Quincy, Mass	367	100	107	3	24	10	2		121		
277	Raleigh, N. C	351	130	2	26	1	3				25	164
278	Reading, Pa	1,329	912	117	109	24	4	1		111	37	14
279	Revere town, Mass	149	44	29	9	15	2	1		47	2	
280	Richmond, Ind	255	135	22	12	11	6	1		44	2	22
281	Richmond, Va	1,921	699	48	85	28	9	1		93	28	930
282	Rochester, N. H	155	75	28	9	7	8	1		21	6	
283	Rochester, N. Y	2,782	766	635	138	190	28	18		966	24	17
284	Rockland, Me	154	116	2	5	8	6			15	2	
285	Rome, N. Y	317	114	42	22	12	5	5		104	7	6
286	Rutland, Vt	191	62	25	31	15	13	4		36	2	3
287	Sacramento, Cal	700	116	64	169	19	19	4		178	26	105
288	Saginaw, Mich	605	151	100	20	65	19	8		220	19	3
289	St. Joseph, Mo	876	497	76	26	32	1			152	9	83
290	St. Louis, Mo	10,745	2,607	1,410	1,503	475	129	61		3,104	254	1,202
291	St. Paul, Minn	1,971	334	377	373	60	4	3		687	97	36
292	Salem, Mass	741	226	220	1	80	17	4		184	2	7
293	Salt Lake City, Utah	1,080	307	184	76	100	16	2		354	24	17
294	San Antonio, Tex	1,495	589	196	76	58	9	4		385	22	156
295	San Diego, Cal	457	147	39	81	29	15	1		116	13	16
296	San Francisco, Cal	7,332	1,111	1,285	568	449	149	75		3,051	176	468
297	San Jose, Cal	364	108	42	34	26	7			121	3	23
298	Saratoga Springs, N. Y	267	94	32	31	16	15	1		48	8	22
299	Sault Ste. Marie, Mich	192	24	61	5	22	2	4		63	8	3
300	Savannah, Ga	1,723							490	100	5	1,128
301	Schenectady, N. Y	791	257	232	23	45	14	4		190	18	8
302	Scranton, Pa	2,111	745	579	105	40	4			626	3	9
303	Seattle, Wash	1,150	378	111	89	66	21	8		282	128	67
304	Sioux City, Iowa	519	168	83	45	52	13	3		134	11	10
305	Somerville, Mass	960	308	192	33	83	39	2		300	3	
306	South Bend, Ind	655	211	169	36	50	19	9		138	8	15
307	South Bethlehem, Pa	166	59	38		2				65		2
308	Southbridge town, Mass	196	40	65	1	30	2			57		1
309	Spokane, Wash	702	221	83	69	57	36	7		164	43	22
310	Springfield, Ill	642							413	141	27	61
311	Springfield, Mass	1,128	409	208	50	76	48	7		292	12	26
312	Stamford town, Conn	453	128	100	30	25	26	8		114	16	6
313	Steelton, Pa	232	107	48		1				36		40
314	Stonington town, Conn	159	58	34	5	9	1	1		48	1	2

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
53	48	50	40	44	31	45	53	43	36	37	43	.....	235
24	30	25	34	23	22	30	32	23	23	23	26	.....	236
23	37	28	29	24	26	26	34	29	25	23	27	.....	237
30	27	41	29	22	16	35	33	30	28	30	29	1	238
38	33	37	40	32	44	43	44	22	45	38	43	.....	239
110	93	98	75	97	76	94	86	93	104	101	117	.....	240
20	32	38	22	31	32	23	30	40	35	31	32	.....	241
10	11	4	8	11	11	15	15	5	11	8	9	.....	242
112	161	122	118	81	82	100	100	93	103	106	121	1	243
41	35	54	54	54	56	56	51	28	37	45	42	.....	244
18	12	17	10	10	10	9	8	6	10	15	11	1	245
6	7	11	10	8	6	9	12	10	16	10	.....	.....	246
40	42	38	30	33	32	45	31	35	24	33	44	.....	247
57	52	71	59	55	53	82	63	51	47	51	47	.....	248
178	159	168	135	149	131	201	154	133	138	155	147	.....	249
81	70	81	37	56	48	57	66	61	46	63	59	.....	250
17	16	15	16	7	10	10	17	20	16	11	16	.....	251
18	10	11	15	15	17	35	21	15	11	9	27	.....	252
23	29	30	22	26	22	40	32	20	25	20	24	.....	253
14	14	9	4	2	15	2	15	14	13	4	13	.....	254
47	44	48	29	32	52	55	51	48	42	40	38	6	255
2,284	2,372	2,484	2,193	1,967	1,870	2,338	1,964	1,708	1,778	1,894	2,206	.....	256
9	15	10	13	12	10	16	14	8	10	13	5	.....	257
647	679	595	556	573	633	729	602	529	511	567	647	.....	258
28	55	48	34	26	24	36	49	28	33	26	26	.....	259
20	31	22	20	19	24	29	37	21	14	29	29	.....	260
17	16	20	21	22	14	13	16	19	11	14	15	.....	261
17	11	18	11	13	12	13	16	19	11	9	12	.....	262
18	16	22	20	14	17	10	19	13	16	22	8	.....	263
29	28	26	21	14	13	17	33	27	19	19	32	.....	264
11	10	12	10	10	9	18	23	17	15	9	11	.....	265
89	91	75	80	84	75	65	95	78	77	65	72	3	266
131	104	135	121	116	116	101	152	112	122	110	105	.....	267
20	23	17	18	10	13	12	17	17	14	14	8	.....	268
26	34	36	16	23	11	27	22	29	15	23	21	.....	269
18	27	20	23	16	9	15	14	15	23	15	21	.....	270
20	17	45	30	29	28	39	31	19	23	20	27	2	271
43	42	33	39	32	43	48	31	29	28	34	34	.....	272
369	312	354	287	293	253	286	309	236	246	240	290	.....	273
81	63	50	54	45	77	53	67	50	50	67	55	.....	274
62	47	67	45	40	36	57	57	49	28	31	49	.....	275
29	28	39	35	22	25	31	37	34	37	19	31	.....	276
21	33	33	29	35	36	31	29	23	37	15	28	1	277
133	107	115	99	108	90	145	129	104	98	121	80	.....	278
12	9	10	12	19	12	12	21	11	8	10	13	.....	279
27	30	23	19	24	9	21	22	17	15	24	24	.....	280
135	190	192	160	125	223	185	142	143	137	136	152	1	281
9	15	19	17	16	15	3	8	13	12	15	13	.....	282
213	237	266	266	246	183	241	250	208	226	232	214	.....	283
10	13	14	12	10	17	8	19	17	10	15	9	.....	284
27	18	31	32	23	27	20	23	23	21	34	38	.....	285
20	21	19	20	17	8	10	15	13	16	10	21	1	286
43	36	48	59	66	45	53	61	58	77	75	78	1	287
49	55	50	55	49	47	39	50	55	50	51	55	.....	288
95	110	86	62	52	65	71	69	71	48	71	76	.....	289
1,090	1,077	1,021	844	842	860	912	802	756	798	868	874	1	290
195	194	192	168	172	154	149	166	150	152	125	144	10	291
60	50	57	57	59	59	81	84	57	54	68	55	.....	292
89	81	88	81	57	57	84	98	104	138	95	106	2	293
122	162	133	112	162	138	130	103	92	104	101	136	.....	294
46	35	44	40	42	31	25	29	24	45	43	53	.....	295
677	592	624	615	591	535	569	542	578	641	659	708	1	296
30	23	36	37	37	18	35	21	24	23	32	48	.....	297
19	25	33	13	21	13	20	30	31	25	16	21	.....	298
19	16	16	19	21	11	11	25	19	17	7	11	.....	299
169	189	189	147	150	135	118	115	133	149	104	125	.....	300
67	65	80	80	63	49	68	76	73	60	51	59	.....	301
179	186	170	179	154	200	231	182	167	132	153	178	.....	302
111	95	98	98	100	75	108	113	94	86	73	99	.....	303
42	54	50	37	35	42	36	41	49	42	35	56	.....	304
90	83	107	80	74	58	85	78	73	67	88	77	.....	305
54	49	51	63	49	50	70	62	55	37	49	66	.....	306
11	13	13	21	18	14	17	9	5	13	15	17	.....	307
16	7	11	21	20	10	13	34	19	11	17	17	.....	308
53	56	54	49	54	48	64	71	66	68	62	57	.....	309
59	63	66	60	40	38	55	44	51	48	57	61	.....	310
115	106	106	90	104	86	104	102	79	64	80	92	.....	311
37	40	40	48	35	38	50	35	37	34	29	30	.....	312
9	24	18	19	26	15	30	19	19	22	19	12	.....	313
11	15	14	13	9	17	14	15	20	14	6	11	.....	314

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	REGISTRATION CITIES—Continued.										
315	Superior, Wis.	329	44	82	30	21	.....	1	.....	108	35	8
316	Syracuse, N. Y.	1,820	599	344	104	123	67	27	.....	476	44	36
317	Tacoma, Wash.	566	157	74	41	36	16	.....	.....	189	37	16
318	Taunton, Mass.	676	199	178	33	48	20	8	.....	175	7	8
319	Terre Haute, Ind.	777	397	52	54	32	45	6	.....	123	12	56
320	Tiffin, Ohio.	141	90	7	.....	5	.....	.....	.....	39	.....	.....
321	Toledo, Ohio.	2,121	630	385	172	167	41	22	.....	556	101	47
322	Torrington town, Conn.	206	37	86	8	10	10	.....	.....	50	1	4
323	Traverse City, Mich.	209	62	15	40	13	4	4	.....	60	11	.....
324	Trenton, N. J.	1,413	476	276	112	72	20	4	.....	339	29	85
325	Troy, N. Y.	1,641	505	381	51	121	32	4	.....	514	8	25
326	Union, N. J.	302	61	77	6	31	4	3	.....	117	1	2
327	Utica, N. Y.	1,150	367	253	50	74	15	15	.....	354	16	6
328	Vernon town, Conn.	117	23	23	4	8	5	.....	.....	48	5	1
329	Vincennes, Ind.	210	117	10	22	5	17	.....	.....	32	3	4
330	Wabash, Ind.	99	60	6	8	9	5	.....	.....	7	.....	4
331	Wakefield town, Mass.	143	68	19	2	13	3	.....	.....	37	.....	1
332	Wallingford town, Conn.	118	28	27	5	7	8	2	.....	37	1	3
333	Waltham, Mass.	363	114	81	15	32	12	1	.....	104	4	.....
334	Ware town, Mass.	127	27	48	.....	9	1	2	.....	40	.....	.....
335	Washington, D. C.	6,201	1,770	289	478	163	34	13	.....	636	58	2,760
336	Washington, Ind.	130	71	6	13	11	9	1	.....	9	6	4
337	Waterbury, Conn.	957	188	317	16	82	18	11	.....	315	4	6
338	Watertown, N. Y.	381	167	67	17	37	9	.....	.....	84	.....	.....
339	Watertown town, Mass.	136	40	34	5	9	6	1	.....	39	.....	2
340	Watervliet, N. Y.	283	92	72	8	34	4	1	.....	70	1	1
341	Webster town, Mass.	152	17	66	4	11	5	1	.....	47	1	.....
342	Westfield town, Mass.	212	79	37	28	11	6	1	.....	49	1	.....
343	Weymouth town, Mass.	174	90	21	4	15	4	1	.....	38	.....	1
344	Wheeling, W. Va.	629	207	89	48	41	27	12	.....	151	13	41
345	Wichita, Kans.	502	296	16	70	9	12	.....	.....	51	25	23
346	Williamsport, Pa.	482	232	31	70	15	32	5	.....	58	9	30
347	Wilmington, Del.	1,389	.....	.....	.....	.....	.....	.....	908	228	25	228
348	Wilmington, N. C.	535	173	4	22	2	6	.....	.....	20	8	300
349	Windham town, Conn.	216	57	43	11	20	12	.....	.....	67	5	1
350	Winona, Minn.	258	73	70	3	25	.....	.....	.....	84	3	.....
351	Woburn, Mass.	219	57	44	4	18	7	.....	.....	85	2	2
352	Woonsocket, R. I.	489	86	172	6	55	.....	.....	.....	167	3	.....
353	Worcester, Mass.	2,266	531	557	112	179	84	14	.....	742	13	34
354	Yonkers, N. Y.	1,021	214	374	22	80	8	4	.....	290	4	25
355	Youngstown, Ohio.	994	287	282	29	40	4	1	.....	304	12	35
	CONNECTICUT RURAL											
356	Fairfield county.	723	304	96	83	28	45	5	.....	142	13	7
357	Hartford county.	1,076	370	205	77	61	62	7	.....	241	33	20
358	Litchfield county.	829	328	107	84	40	53	5	.....	177	20	15
359	Middlesex county.	357	170	47	23	15	15	4	.....	73	5	5
360	New Haven county.	795	332	139	59	29	43	4	.....	152	16	21
361	New London county.	509	232	63	31	30	45	2	.....	88	12	6
362	Tolland county.	252	118	28	22	12	17	2	.....	41	9	3
363	Windham county.	605	221	87	43	54	40	3	.....	130	16	11
	INDIANA RURAL.											
364	Adams county.	226	130	18	23	8	11	1	.....	34	1	.....
365	Allen county.	290	157	32	22	18	13	.....	.....	42	5	1
366	Bartholomew county.	187	118	5	19	6	17	1	.....	20	1	.....
367	Benton county.	131	76	6	17	4	7	1	.....	14	5	1
368	Blackford county.	230	179	7	15	2	13	1	.....	12	1	.....
369	Boone county.	302	226	4	25	5	28	1	.....	9	3	1
370	Brown county.	87	45	.....	22	.....	11	2	.....	3	4	.....
371	Carroll county.	238	152	3	42	4	22	2	.....	10	3	.....
372	Cass county.	228	100	6	66	3	17	2	.....	16	18	.....
373	Clark county.	265	136	7	25	12	29	2	.....	16	7	31
374	Clay county.	397	230	20	42	20	38	3	.....	37	4	3
375	Clinton county.	425	315	4	50	5	25	3	.....	14	5	4
376	Crawford county.	162	112	.....	21	2	13	1	.....	7	6	.....
377	Daviess county.	283	227	3	16	5	19	1	.....	6	2	1
378	Dearborn county.	316	138	37	24	14	14	4	.....	67	13	5
379	Decatur county.	294	187	11	33	9	27	1	.....	19	3	4
380	Dekalb county.	301	188	17	33	21	16	.....	.....	21	3	2
381	Delaware county.	303	229	2	29	6	21	1	.....	10	2	3
382	Dubois county.	267	135	29	17	19	13	2	.....	51	1	.....
383	Elkhart county.	383	221	12	54	15	35	6	.....	33	7	.....
384	Fayette county.	166	107	5	9	6	18	1	.....	12	1	7
385	Floyd county.	107	53	8	9	7	9	1	.....	12	1	7
386	Fountain county.	238	176	10	17	7	15	2	.....	8	3	.....
387	Franklin county.	195	93	16	18	15	10	4	.....	34	3	2
388	Fulton county.	229	150	8	21	6	22	1	.....	16	2	3

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
25	29	29	28	21	20	22	38	37	27	32	21	.....	315
139	173	174	142	149	132	166	171	132	131	148	163	.....	316
48	48	53	43	46	33	44	47	48	52	61	42	1	317
59	67	65	49	57	35	60	81	55	51	58	38	1	318
86	76	75	59	58	54	63	49	58	71	58	70	.....	319
7	8	16	17	12	12	9	14	15	10	17	4	.....	320
202	181	182	184	185	144	181	197	198	169	153	144	1	321
22	10	21	15	20	11	24	26	16	11	10	19	1	322
16	20	22	25	18	16	11	15	15	18	17	16	.....	323
135	124	125	113	104	73	160	120	115	99	131	114	.....	324
161	162	172	159	127	126	154	124	105	91	135	125	.....	325
27	23	28	9	23	34	21	21	34	23	30	29	.....	326
76	80	82	85	97	85	93	114	117	93	111	117	.....	327
11	13	8	12	15	5	14	12	5	7	4	11	.....	328
10	21	18	17	18	18	13	17	16	21	14	27	.....	329
11	6	10	5	14	7	7	6	9	7	8	9	.....	330
14	18	17	12	13	8	9	12	10	9	11	10	.....	331
12	7	12	11	9	8	13	9	9	8	8	12	.....	332
36	30	37	25	29	29	27	36	26	21	28	37	2	333
10	8	16	11	8	7	9	16	16	10	8	8	.....	334
567	551	580	549	423	474	582	535	412	481	503	544	.....	335
10	14	14	10	9	13	7	8	11	13	9	12	.....	336
83	68	104	59	75	69	137	87	74	61	68	72	.....	337
36	38	32	31	32	25	20	46	31	38	26	26	.....	338
13	17	21	14	12	6	9	7	12	10	6	9	.....	339
24	18	29	32	19	22	26	24	20	15	32	22	.....	340
13	17	15	12	12	8	15	9	8	12	18	13	.....	341
12	22	29	18	14	12	19	21	23	11	17	14	.....	342
21	22	8	12	11	11	8	28	13	19	10	11	.....	343
60	57	54	52	46	42	53	48	34	53	58	72	.....	344
53	46	42	40	28	42	46	41	43	41	42	38	.....	345
44	40	30	40	35	34	47	59	47	30	38	36	2	346
124	121	102	104	107	113	158	124	112	110	103	110	1	347
38	34	41	37	36	50	50	52	57	57	33	50	.....	348
16	15	26	19	22	13	25	22	15	14	12	17	.....	349
36	26	30	17	17	19	18	23	21	12	21	18	.....	350
21	25	14	16	18	9	10	18	20	19	29	20	.....	351
37	38	43	43	32	38	53	56	33	40	36	40	.....	352
192	197	197	197	189	168	217	226	177	179	163	164	.....	353
84	97	109	83	76	77	120	96	64	84	75	56	.....	354
77	96	93	86	83	81	106	82	75	78	74	63	.....	355
59	74	72	64	67	54	60	72	42	55	50	53	1	356
95	75	105	89	78	76	121	89	85	81	90	92	.....	357
74	70	77	88	67	62	66	68	63	57	71	65	1	358
33	43	38	33	25	25	35	21	20	23	35	26	.....	359
72	72	71	62	73	53	73	67	58	62	64	68	.....	360
35	46	50	41	39	41	41	49	47	38	32	47	3	361
21	21	23	23	17	20	20	23	20	19	24	21	.....	362
43	55	55	51	51	47	43	58	49	46	51	56	.....	363
28	26	18	20	17	15	16	18	22	15	14	17	.....	364
20	30	32	20	33	20	22	20	32	25	18	18	.....	365
18	16	18	9	14	10	18	11	20	16	19	18	.....	366
16	11	14	7	13	19	10	7	11	8	4	11	.....	367
23	32	15	13	15	13	16	34	25	16	13	15	.....	368
27	37	27	28	16	15	28	26	19	24	31	24	.....	369
10	10	12	8	10	6	9	7	6	2	2	5	.....	370
24	31	32	11	15	14	10	29	18	18	22	14	.....	371
28	12	27	26	11	13	15	19	27	16	17	17	.....	372
19	33	32	14	22	25	27	23	22	20	11	17	.....	373
40	38	32	35	30	16	42	44	31	26	31	32	.....	374
40	53	41	35	24	32	40	41	26	23	28	42	.....	375
25	10	12	15	11	15	14	19	15	11	7	8	.....	376
28	27	25	19	18	15	26	25	32	22	24	22	.....	377
35	26	35	31	21	21	18	17	34	22	30	25	1	378
24	34	28	19	25	25	19	33	31	21	23	12	.....	379
24	32	40	25	14	22	15	30	19	27	32	21	.....	380
26	33	26	27	16	24	27	29	23	31	19	22	.....	381
29	34	29	14	20	12	32	23	18	22	17	17	.....	382
28	39	36	26	34	28	34	37	34	32	24	31	.....	383
9	14	19	10	12	6	13	12	16	18	13	24	.....	384
9	12	10	14	4	5	10	13	9	9	5	7	.....	385
31	26	29	19	13	15	17	19	20	12	17	20	.....	386
13	26	20	13	7	18	18	15	13	18	14	19	1	387
19	25	23	26	29	10	14	25	18	7	18	15	.....	388

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	INDIANA RURAL—Continued.											
389	Gibson county	406	269	16	29	9	23	3		26	7	24
390	Grant county	551	298	12	126	11	27	1		54	4	18
391	Greene county	467	316	19	32	13	54	3		24	4	2
392	Hamilton county	371	263	7	34	8	37	1		5	3	13
393	Hancock county	292	194	13	25	9	30	2		16	2	1
394	Harrison county	263	155	14	28	17	19	2		17	5	6
395	Hendricks county	241	195	4	10	1	17	1		10	2	1
396	Henry county	326	228	7	29	5	29	1		8	4	15
397	Howard county	193	138	1	21	5	21	1		2	1	3
398	Huntington county	199	131	10	22	7	13	3		12	1	
399	Jackson county	384	252	20	34	17	29	3		23	4	2
400	Jasper county	121	71	3	13	2	11			19	2	
401	Jay county	362	271	10	33	10	22	1		10	3	2
402	Jefferson county	328	198	14	27	11	24	3		32	1	18
403	Jennings county	213	121	11	25	2	22	2		22	2	6
404	Johnson county	240	163	4	29	1	29	1		4	4	5
405	Knox county	294	213	8	22	9	18			18	3	3
406	Kosciusko county	346	227	6	33	13	34	4		24	3	2
407	Lagrange county	209	141	9	29	7	10	1		11	1	
408	Lake county	379	80	118	19	22	11	2		111	15	1
409	Laporte county	367	109	43	46	24	22	4		107	9	3
410	Lawrence county	409	317	4	31	5	28	2		11	5	6
411	Madison county	392	287	10	24	7	29	3		13	12	7
412	Marion county	476	206	22	81	8	30	5		55	40	29
413	Marshall county	255	131	11	44	9	22	3		30	5	
414	Martin county	165	124	1	13	4	11	4		5	2	1
415	Miami county	221	131	3	35	7	27			16	2	
416	Monroe county	311	213	3	46	5	21			11	4	8
417	Montgomery county	400	297	10	31	10	29	2		13	2	6
418	Morgan county	298	208	1	34	3	36	2		8	6	
419	Newton county	108	70	10	8	4	2	1		12	1	
420	Noble county	254	143	15	28	13	21			33	1	
421	Ohio county	58	34	2	9		4	1		3		5
422	Orange county	201	160		19		14			4	1	3
423	Owen county	170	122	3	18	4	17	1		3		2
424	Parke county	298	210	6	29	4	23	1		14	5	6
425	Perry county	253	133	14	18	8	16	5		48	4	7
426	Pike county	297	217	1	28	8	24	1		13	3	2
427	Porter county	251	100	29	18	11	21	7		62	2	1
428	Posey county	303	181	16	20	11	21			25	7	22
429	Pulaski county	133	75	6	11	3	6			28	3	1
430	Putnam county	263	210	2	15	4	15	4		5	3	5
431	Randolph county	371	262	7	29	9	40	3		17		4
432	Ripley county	249	135	19	21	10	9	4		47	1	3
433	Rush county	221	162	2	22	5	11	1		8		10
434	St. Joseph county	351	179	41	32	27	9	4		55	4	
435	Scott county	125	91	2	17	1	12			2		
436	Shelby county	352	243	9	24	7	31	2		16	3	17
437	Spencer county	266	150	17	24	8	11			31	3	22
438	Starke county	137	73	10	10	8	11	1		23	1	
439	Steuben county	201	133	3	28	5	14	1		15	2	
440	Sullivan county	436	314	9	36	9	35	2		9	14	8
441	Switzerland county	138	93	4	11	6	9	2		9	2	2
442	Tippecanoe county	269	135	19	50	12	14			33	4	2
443	Tipton county	215	159	4	19	5	13	1		10	4	
444	Union county	82	51	2	8	2	10	1		8		
445	Vanderburg county	236	85	20	31	13	8	2		45	12	20
446	Vermilion county	242	157	26	18	3	17	1		14	4	2
447	Vigo county	252	149	10	28	9	20	2		14	7	13
448	Wabash county	203	136	5	29	8	8	1		12	3	1
449	Warren county	125	85	3	15	3	14			2	3	
450	Warrick county	289	189	15	14	3	17	2		28	3	18
451	Washington county	254	210	2	15	6	14			2	3	2
452	Wayne county	302	170	13	53	5	21	2		21	4	13
453	Wells county	268	200	8	16	7	17			15	5	
454	White county	220	135	12	27	6	18			21		1
455	Whitley county	178	109	7	20	9	14	1		16	1	1
	MAINE RURAL.											
456	Androscoggin county	914	383	169	75	60	26	3		190	7	1
457	Aroostook county	831	331	99	33	144	13	4		196	9	2
458	Cumberland county	836	579	47	57	32	44	2		71	3	1
459	Franklin county	292	197	22	25	14	19			11	4	
460	Hancock county	538	383	14	58	19	31			27	3	3
461	Kennebec county	849	515	57	88	51	36	1		86	10	5
462	Knox county	330	232	17	27	10	17			19	6	2
463	Lincoln county	269	193	3	29	11	20			8	4	1

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
45	38	46	26	31	28	32	33	39	26	33	29	.....	389
49	59	67	39	35	30	47	44	39	42	50	50	.....	390
49	47	47	31	31	41	43	39	36	34	26	43	.....	391
43	33	41	33	15	41	36	34	21	32	23	19	.....	392
35	31	33	21	18	22	21	37	19	12	16	27	.....	393
22	26	41	28	20	14	20	23	16	20	21	11	1	394
27	19	30	15	16	22	14	29	15	11	24	19	.....	395
28	39	24	26	21	20	28	32	31	21	29	27	.....	396
13	23	24	11	18	13	12	12	17	11	15	24	.....	397
24	21	20	17	17	9	15	17	28	14	11	6	.....	398
48	45	44	38	24	23	22	33	24	27	27	29	.....	399
10	13	14	7	10	11	8	7	17	7	4	13	.....	400
18	36	37	27	27	25	28	36	46	35	29	17	1	401
32	57	34	19	11	17	25	26	25	29	24	29	.....	402
18	26	34	13	19	7	19	15	11	20	21	10	.....	403
31	21	27	18	20	17	20	21	15	22	13	15	.....	404
33	33	35	25	19	12	35	18	21	26	21	16	.....	405
38	35	34	17	28	23	16	34	47	28	27	19	.....	406
20	22	19	18	11	14	13	18	16	19	15	24	.....	407
36	28	42	27	32	26	29	31	44	36	25	23	.....	408
36	26	54	21	26	29	23	27	36	36	20	33	.....	409
47	32	37	30	36	35	32	39	34	34	26	27	.....	410
37	29	34	27	22	24	35	39	53	34	24	34	.....	411
25	28	55	37	40	31	36	40	44	44	38	58	.....	412
35	25	33	23	12	15	17	23	17	23	21	11	.....	413
12	28	16	10	14	13	13	11	14	7	11	16	.....	414
17	22	21	17	22	11	26	18	21	17	16	13	.....	415
28	39	36	12	27	20	40	30	21	27	15	16	.....	416
40	36	44	28	31	34	34	33	39	22	33	26	.....	417
35	31	30	22	21	15	27	23	21	18	28	27	.....	418
11	13	8	7	11	7	7	6	11	8	9	10	.....	419
16	26	26	21	18	21	18	16	31	23	28	10	.....	420
5	6	9	4	3	3	7	5	3	7	6	.....	.....	421
27	21	24	10	11	10	16	18	10	16	19	19	.....	422
19	24	12	7	11	15	13	15	14	10	15	14	1	423
35	32	36	19	27	16	19	22	26	23	21	22	.....	424
27	29	27	21	20	29	14	25	22	11	16	12	.....	425
39	32	31	27	17	14	15	25	30	25	19	23	.....	426
27	31	18	14	20	15	31	26	14	19	15	21	.....	427
23	26	32	30	17	20	29	21	38	32	21	14	.....	428
26	11	12	16	10	6	6	10	10	9	7	10	.....	429
27	32	37	15	14	19	22	20	18	21	18	20	.....	430
22	34	33	30	32	26	32	38	39	35	22	28	.....	431
23	28	29	18	22	15	23	17	13	24	21	16	.....	432
18	24	15	19	16	13	12	18	18	22	28	18	.....	433
24	35	51	21	29	13	26	35	31	32	34	19	1	434
14	26	10	8	3	9	13	11	7	6	9	9	.....	435
40	45	41	27	20	15	27	32	39	17	20	29	.....	436
26	36	16	25	18	18	26	25	19	17	18	22	.....	437
18	9	8	14	10	12	13	13	8	9	12	11	.....	438
13	25	15	17	20	15	10	13	20	22	18	13	.....	439
44	47	41	35	29	23	29	36	46	42	31	33	.....	440
12	19	20	4	14	10	14	9	15	10	4	7	.....	441
21	35	39	19	25	32	19	11	14	22	8	22	2	442
19	17	20	19	14	14	17	22	17	16	20	20	.....	443
7	12	10	11	3	4	7	8	4	4	7	5	.....	444
24	37	18	10	13	24	24	23	18	18	18	9	.....	445
18	26	27	19	9	25	12	25	21	27	17	16	.....	446
20	28	18	14	18	26	21	27	23	18	16	23	.....	447
18	22	27	16	10	17	13	14	12	21	17	16	.....	448
17	16	15	11	9	5	6	9	7	13	3	14	.....	449
26	34	28	22	21	17	26	25	30	23	17	18	2	450
23	35	32	16	9	22	15	18	21	20	19	24	.....	451
32	40	36	18	18	27	17	24	27	23	19	20	1	452
22	34	29	23	17	11	21	27	23	18	23	20	.....	453
22	27	20	17	13	12	15	23	26	21	11	13	.....	454
20	12	22	13	15	9	14	13	20	12	17	11	.....	455
71	67	70	90	85	58	83	86	72	84	74	72	2	456
53	68	70	71	76	66	41	86	114	82	48	54	2	457
72	78	81	75	73	61	72	73	73	75	58	45	.....	458
22	17	49	34	29	28	16	18	23	23	10	22	1	459
37	42	67	45	50	31	41	39	51	53	40	42	.....	460
88	75	99	78	62	62	61	53	76	66	59	69	1	461
28	25	24	31	28	26	19	21	32	32	32	32	.....	462
34	19	23	18	24	23	18	22	22	24	20	22	.....	463

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MAINE RURAL—Continued.											
464	Oxford county	505	344	32	50	17	30	1		29	2	
465	Penobscot county	911	510	71	95	66	47			93	10	19
466	Piscataquis county	274	182	12	23	16	11			24	5	1
467	Sagadahoc county	160	116	7	11	2	14			10		
468	Somerset county	564	340	35	63	25	36	2		55	8	
469	Waldo county	416	307	9	50	7	22			17	4	
470	Washington county	683	313	46	52	91	25	3		148	4	1
471	York county	905	609	53	72	42	53	3		65	6	2
	MASSACHUSETTS RURAL.											
472	Barnstable county	507	324	54	20	30	22	1		40	3	13
473	Berkshire county	571	253	63	33	33	32	2		128	9	18
474	Bristol county	694	328	106	28	38	37	6		143	2	6
475	Dukes county	88	55	2	3	6	4	1		12	2	3
476	Essex county	1,133	556	152	43	76	48	9		236	8	5
477	Franklin county	731	365	106	65	36	37	4		109	8	1
478	Hampden county	583	198	135	33	43	29	1		137	7	
479	Hampshire county	476	193	70	31	30	42	4		100	3	3
480	Middlesex county	2,119	727	263	128	112	64	17		736	16	56
481	Nantucket county	66	46	4	6	3	3			4		
482	Norfolk county	1,281	532	193	58	85	53	7		333	12	8
483	Plymouth county	1,107	565	100	50	56	57	4		227	11	37
484	Suffolk county	98	42	9	8	8	6			23		2
485	Worcester county	2,069	827	357	109	159	92	14		490	14	7
	MICHIGAN RURAL.											
486	Alcona county	60	10	11	2	8	2	2		23	1	1
487	Alger county	81	15	22	1	10	2			25	2	4
488	Allegan county	514	249	42	45	31	27	4		98	8	10
489	Alpena county	224	38	41	8	41	7	3		86		
490	Antrim county	246	110	22	10	28	13	4		49	6	4
491	Arenac county	95	23	10		14	4	2		36	4	2
492	Baraga county	79	8	20	1	6	2	1		16	8	17
493	Barry county	270	137	15	29	22	19	4		42	2	
494	Bay county	253	64	41	15	34	2	2		85	2	8
495	Benzie county	134	55	8	15	9	7	1		28	2	9
496	Berrien county	622	276	61	46	45	33	4		125	18	14
497	Branch county	349	209	11	38	13	35	1		37	3	2
498	Calhoun county	424	234	20	39	24	30			63	11	3
499	Cass county	290	151	3	28	13	23	4		29	5	34
500	Charlevoix county	233	88	26	10	36	5	1		43	6	18
501	Cheboygan county	216	56	32	13	32	5	3		61	8	6
502	Chippewa county	114	9	38	6	12	1	2		35	2	9
503	Clare county	87	34	6	2	14	4	1		24	2	
504	Clinton county	284	144	17	34	14	16	3		52	4	
505	Crawford county	41	12	6	4	4	2			13		
506	Delta county	185	36	51	3	22				65	7	1
507	Dickinson county	109	9	41	1	10	1			44	2	1
508	Eaton county	455	299	10	40	21	30	2		42	7	4
509	Emmet county	266	130	20	16	20	14	1		33	5	27
510	Genesee county	378	222	26	15	19	29	2		59	6	
511	Gladwin county	66	26	8	4	11	1	1		14		1
512	Gogebic county	150	10	63	1	7				67	1	1
513	Grand Traverse county	149	73	6	13	13	11			30		3
514	Gratiot county	364	216	15	40	25	19	2		40	6	1
515	Hillsdale county	361	231	11	26	19	26	5		36	5	2
516	Houghton county	1,052	103	453	2	95	6	5		380	7	1
517	Huron county	369	54	70	9	54	4	3		175		
518	Ingham county	318	181	19	30	13	20	3		39	7	6
519	Ionia county	450	227	26	44	43	25	6		67	9	3
520	Iosco county	108	22	20		18	5			41		2
521	Iron county	123	15	50	2	6	1			48	1	
522	Isabella county	288	118	23	17	27	16	8		57	6	16
523	Jackson county	292	177	21	21	14	15			35	8	1
524	Kalamazoo county	259	142	14	17	10	17	7		47	2	3
525	Kalkaska county	108	49	4	13	16	5	1		14	2	4
526	Kent county	652	291	71	37	56	26	11		136	21	3
527	Keweenaw county	61	3	25	1	12				20		
528	Lake county	59	27	3	6	6	3			10	4	
529	Lapeer county	383	150	37	20	31	36	7		98	3	1
530	Leelanaw county	141	54	19	6	15	2			28		17
531	Lenawee county	681	404	35	52	35	29	2		112	7	5
532	Livingston county	237	132	19	13	16	17	4		29	5	2
533	Luce county	94	11	30	2	2	2			42	5	
534	Mackinac county	96	25	15	1	6	2	1		36	4	6
535	Macomb county	417	176	38	12	36	8	3		129	8	7

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
56	55	64	47	44	33	33	46	37	30	27	33	.....	464
74	80	103	84	76	67	64	95	72	65	75	54	2	465
24	25	22	19	22	20	26	18	29	23	22	23	1	466
15	21	23	9	10	21	7	13	9	12	9	11	.....	467
41	39	74	59	44	40	26	41	66	49	42	41	2	468
31	51	55	38	48	34	24	17	33	26	30	29	.....	469
58	60	88	67	48	48	41	62	60	57	56	37	1	470
72	86	96	70	68	60	71	95	76	82	63	66	.....	471
32	46	51	42	39	38	42	47	45	39	43	43	.....	472
38	72	57	30	40	33	45	53	60	46	47	50	.....	473
74	73	71	52	49	52	54	68	43	50	51	57	.....	474
3	8	4	5	5	6	8	8	10	9	6	16	.....	475
103	104	105	105	90	76	84	118	89	72	89	98	.....	476
58	88	75	65	66	35	46	79	51	56	45	67	.....	477
43	53	53	38	55	36	54	65	49	48	43	46	.....	478
37	42	60	37	32	31	39	44	27	28	55	44	.....	479
217	203	198	180	200	145	139	186	145	172	177	157	.....	480
2	12	5	4	7	.....	7	5	7	2	4	11	.....	481
134	118	118	113	110	71	101	123	111	91	96	95	.....	482
101	126	96	91	83	91	92	101	83	77	85	81	.....	483
11	8	8	4	5	9	6	14	10	8	3	12	.....	484
184	200	204	163	151	160	154	215	165	160	141	172	.....	485
6	6	6	7	5	3	6	2	4	7	3	5	.....	486
5	5	8	4	4	7	8	12	12	8	4	4	.....	487
51	54	54	42	51	29	37	42	49	37	33	35	.....	488
22	14	12	22	13	18	11	27	26	18	22	18	1	489
13	30	26	24	23	17	12	19	21	25	18	18	.....	490
15	10	10	10	4	7	6	4	9	8	4	8	.....	491
4	6	7	10	10	4	3	7	16	4	2	6	.....	492
31	29	20	21	24	25	8	16	30	18	22	26	.....	493
28	21	31	22	11	17	18	16	29	25	19	16	.....	494
15	10	16	11	13	7	9	12	11	14	7	8	1	495
49	49	71	52	56	30	48	49	59	60	48	50	1	496
26	38	38	25	27	28	24	16	28	30	31	38	.....	497
49	51	44	33	39	26	26	32	31	26	30	36	1	498
23	29	32	28	26	21	20	26	20	23	16	26	.....	499
13	23	24	19	13	20	18	21	25	20	16	21	.....	500
13	15	19	16	17	15	23	22	34	16	16	10	.....	501
7	15	9	8	8	6	11	10	14	7	4	13	2	502
10	13	7	6	5	7	10	4	6	12	7	.....	.....	503
22	20	30	26	28	33	19	17	21	21	24	23	.....	504
1	6	4	3	2	4	5	.....	2	4	5	5	.....	505
17	12	17	16	17	8	12	13	23	18	16	16	.....	506
6	10	17	7	5	3	7	11	11	5	7	20	.....	507
52	40	46	42	51	28	36	30	27	37	34	32	.....	508
31	14	30	29	17	15	18	25	31	23	15	18	.....	509
36	36	43	39	32	24	23	17	32	30	35	31	.....	510
5	12	4	6	2	4	6	5	5	5	4	8	.....	511
11	9	10	16	18	6	12	11	12	11	10	24	.....	512
7	15	13	12	12	8	12	11	15	20	11	13	.....	513
39	32	32	24	22	39	14	36	35	39	28	24	.....	514
30	35	33	33	21	28	21	37	34	41	19	29	.....	515
92	68	89	83	79	75	72	132	112	77	84	89	.....	516
31	45	44	41	21	16	20	27	31	41	23	29	.....	517
34	34	30	35	16	19	30	26	20	27	25	22	.....	518
34	60	56	44	30	33	30	27	43	34	27	32	.....	519
10	11	10	9	8	8	9	6	8	11	8	10	.....	520
10	8	16	14	16	8	6	8	10	12	7	8	.....	521
23	30	28	21	22	22	22	20	30	30	22	18	.....	522
30	24	36	25	22	19	24	20	22	28	23	19	.....	523
21	39	24	21	18	26	20	19	17	15	20	19	.....	524
8	11	9	10	7	8	8	9	11	11	8	8	.....	525
61	54	72	54	54	37	41	44	74	53	49	57	2	526
4	6	5	5	7	5	2	9	10	2	3	3	.....	527
5	5	4	4	10	4	2	6	8	3	7	1	.....	528
44	38	38	32	35	29	34	34	23	25	26	25	.....	529
15	9	17	6	10	8	11	12	23	14	12	4	.....	530
59	71	71	59	47	38	54	41	50	60	53	77	1	531
25	25	21	21	20	17	16	13	21	21	18	19	.....	532
6	14	12	7	6	9	5	3	10	11	5	6	.....	533
8	10	6	7	10	9	3	6	7	10	9	11	.....	534
34	34	35	42	42	32	29	38	36	32	36	26	1	535

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE								Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MICHIGAN RURAL—Continued.											
536	Manistee county	381	88	96	3	45	9	2		133	3	2
537	Marquette county	227	13	72	2	24	2	3		104	7	
538	Mason county	264	99	40	5	29	7	1		71	3	9
539	Mecosta county	278	140	16	15	23	18			56	7	3
540	Menominee county	129	26	39	3	13	3	1		39	2	3
541	Midland county	178	77	23	7	18	10	1		40	1	1
542	Missaukee county	131	56	21	6	10	2			31	1	4
543	Monroe county	422	197	45	21	32	9	4		110	4	
544	Montcalm county	412	221	32	26	34	18	2		75	2	2
545	Montmorency county	39	12	5	2	4	1			14	1	
546	Muskegon county	191	60	16	9	21	7	3		72	3	
547	Newaygo county	201	86	13	21	15	11	1		49	3	2
548	Oakland county	482	255	40	34	34	21	4		91	2	1
549	Oceana county	232	111	11	34	23	12			29	1	11
550	Ogemaw county	115	50	12	10	14	4			23	1	1
551	Ontonagon county	102	14	25	3	9		1		43	7	
552	Osceola county	245	110	15	18	29	6	1		63	3	
553	Oscoda county	14	9				1	1		2	1	
554	Otsego county	90	30	11	5	9	7	2		20	6	
555	Ottawa county	542	143	89	19	60	14	3		208	4	2
556	Presque Isle county	111	36	20	8	10	3	1		28	5	
557	Roscommon county	29	12	2	1	5	3			4	2	
558	Saginaw county	470	142	67	20	46	14	8		159	8	6
559	St. Clair county	499	133	69	11	51	3	2		218	11	1
560	St. Joseph county	315	209	14	15	14	17	3		43		
561	Sanilac county	437	84	82	8	64	9	3		184	3	
562	Schoolcraft county	95	15	25	4	11	4			32	3	1
563	Shiawassee county	337	165	22	25	26	24	2		68	4	1
564	Tuscola county	417	160	51	20	38	14	3		129	2	
565	Van Buren county	484	285	21	43	23	27	3		63	6	13
566	Washtenaw county	402	190	39	19	23	14			96	6	15
567	Wayne county	1,176	314	212	74	113	17	14		399	15	18
568	Wexford county	267	118	29	14	32	10	2		59	3	
	NEW HAMPSHIRE RURAL.											
569	Belknap county	201	112	5	44	6	16	1		6	11	
570	Carroll county	277	163	6	50	10	23			14	11	
571	Cheshire county	329	163	40	38	16	21			40	11	
572	Coos county	242	94	19	48	18	15	2		35	11	
573	Grafton county	606	284	30	109	35	38			74	36	
574	Hillsboro county	606	287	56	55	31	46	2		98	30	1
575	Merrimack county	561	285	45	83	25	35	1		65	20	2
576	Rockingham county	737	382	59	102	13	53	1		102	23	2
577	Strafford county	290	125	51	28	17	17	2		41	9	
578	Sullivan county	291	142	28	46	12	17	2		33	10	1
	NEW JERSEY RURAL.											
579	Atlantic county	345	181	49	17	13	5			66		14
580	Bergen county	1,268	454	250	42	90	4	2		357	22	47
581	Burlington county	878	541	52	36	22	13	2		117	23	72
582	Camden county	566	274	50	36	32	2	1		84	5	82
583	Cape May county	198	134	16	2	8				14	1	23
584	Cumberland county	374	230	29	31	11	4			42		27
585	Essex county	1,013	423	174	47	57	9	2		244	11	46
586	Gloucester county	434	289	28	19	13	1	5		42	5	32
587	Hudson county	1,366	266	350	60	89	5	6		571	8	11
588	Hunterdon county	434	343	19	17	8	4	1		36		6
589	Mercer county	256	161	13	10	6	2			28	2	34
590	Middlesex county	684	243	190	28	26	7	4		155	17	14
591	Monmouth county	1,261	714	104	48	44	9	2		161	16	163
592	Morris county	809	404	84	77	32	7	3		173	8	21
593	Ocean county	245	184	13	3	5	3			20	5	12
594	Passaic county	286	114	63	11	14	4	3		67	1	9
595	Salem county	365	245	7	19	1	4			21	4	64
596	Somerset county	520	256	99	11	19	5	2		91	3	34
597	Sussex county	254	206	11	5	4	3	2		22		1
598	Union county	483	157	69	52	28	4	2		117	8	46
599	Warren county	397	303	23	15	5	7			37	2	5
	NEW YORK RURAL.											
600	Albany county	509	283	66	19	22	18	4		86	6	5
601	Allegany county	515	303	28	66	15	16	1		78	5	3
602	Broome county	481	297	21	69	9	38			32	13	2
603	Cattaraugus county	678	320	65	87	26	30	5		127	11	7
604	Cayuga county	544	316	28	57	22	20	3		87	8	3

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
41	34	34	33	20	30	29	24	35	30	36	34	1	536
12	17	23	13	18	17	11	22	32	28	14	20	.....	537
14	20	25	19	18	18	14	28	33	35	27	12	1	538
37	23	28	32	20	22	14	20	23	26	19	14	.....	539
6	16	20	8	8	8	10	11	15	11	7	9	.....	540
20	21	20	7	15	11	19	12	20	15	8	10	.....	541
12	10	12	10	8	7	8	15	14	16	10	9	.....	542
57	49	45	36	22	33	19	29	38	31	29	34	.....	543
44	50	43	37	42	26	17	23	37	31	32	30	.....	544
4	5	4	1	.....	3	4	3	5	7	2	1	.....	545
16	27	24	19	18	13	10	12	10	14	16	12	.....	546
19	30	19	21	11	9	11	14	22	20	9	16	.....	547
62	63	43	30	32	36	42	26	42	33	32	41	.....	548
19	25	26	22	24	10	13	23	21	24	15	10	.....	549
13	13	10	5	11	7	7	3	13	15	6	12	.....	550
12	11	6	11	10	7	6	7	10	9	6	7	.....	551
17	38	19	13	21	15	22	16	29	22	18	15	.....	552
1	4	.....	2	2	.....	.....	1	1	1	2	.....	.....	553
9	8	6	11	11	8	7	4	11	5	7	3	.....	554
44	54	55	53	43	40	37	53	39	47	37	40	.....	555
14	5	9	10	6	5	6	13	11	11	10	11	.....	556
1	.....	7	2	6	2	.....	3	3	2	1	2	.....	557
47	41	50	33	43	23	33	49	39	39	42	31	.....	558
52	58	45	34	37	31	31	40	54	40	29	48	.....	559
36	33	20	28	27	19	23	24	20	27	28	29	1	560
39	60	47	36	38	32	26	21	35	37	41	25	.....	561
6	6	10	13	7	10	6	6	6	11	5	9	.....	562
32	29	30	24	29	24	24	25	26	30	28	36	.....	563
41	34	45	41	36	35	28	36	33	24	36	28	.....	564
42	57	51	57	33	36	28	37	31	30	35	47	.....	565
35	45	40	47	29	21	28	22	32	33	29	41	.....	566
110	99	122	98	76	79	107	107	88	98	98	94	.....	567
18	24	36	31	15	17	11	22	25	18	32	18	.....	568
17	21	18	18	23	11	17	11	15	15	15	20	.....	569
34	18	39	24	23	19	28	9	25	14	25	19	.....	570
35	26	46	25	25	15	22	32	30	23	18	32	.....	571
19	25	22	40	12	15	20	22	15	23	14	15	.....	572
62	59	56	63	54	38	40	38	48	40	52	56	.....	573
43	60	67	52	55	43	60	42	44	43	48	49	.....	574
44	55	60	58	50	27	27	53	43	51	48	45	.....	575
68	78	75	65	67	36	42	71	63	69	50	51	2	576
18	25	24	27	22	14	20	37	25	29	21	28	.....	577
21	30	30	31	16	18	16	23	28	22	34	22	.....	578
25	28	37	27	29	23	31	27	27	31	32	27	1	579
120	99	101	115	107	85	131	129	78	93	120	90	.....	580
86	100	73	81	67	55	89	85	70	57	62	53	.....	581
56	65	50	57	38	44	52	57	32	35	41	39	.....	582
19	22	13	15	12	13	19	31	14	7	16	17	.....	583
34	48	41	35	31	27	29	35	18	26	28	22	.....	584
124	89	90	95	85	74	82	75	69	69	75	86	.....	585
37	61	35	30	31	27	56	31	35	29	36	26	.....	586
133	105	124	103	130	128	125	132	95	95	98	98	.....	587
30	46	43	34	32	31	42	51	38	28	26	33	.....	588
26	29	27	20	20	16	25	22	21	17	16	17	.....	589
76	89	58	68	59	52	62	56	44	46	44	30	.....	590
119	87	107	102	91	112	142	166	92	96	73	74	.....	591
94	71	63	74	64	45	92	84	51	52	60	59	.....	592
19	17	28	25	23	19	20	27	18	16	17	16	.....	593
27	23	21	17	20	22	38	38	13	20	25	22	.....	594
28	45	40	36	24	24	28	42	27	16	28	27	.....	595
52	33	54	57	34	37	75	58	42	29	22	26	1	596
30	28	16	19	23	21	17	23	18	17	25	17	.....	597
52	38	34	34	36	41	47	49	29	35	43	45	.....	598
26	37	51	31	23	22	34	34	37	29	47	26	.....	599
52	47	49	63	48	39	34	32	37	36	41	31	.....	600
47	47	47	44	39	40	38	35	55	49	24	50	.....	601
46	50	41	40	39	33	35	37	36	41	32	51	.....	602
48	62	62	63	66	42	51	58	65	43	56	62	.....	603
39	51	74	66	26	24	36	47	51	46	33	51	.....	604

TABLE 1.—DEATHS IN EACH REGISTRATION AREA, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	NEW YORK RURAL—Continued.											
605	Chautauqua county	752	372	64	93	31	27	2	.....	136	22	5
606	Chemung county	255	173	11	26	6	20	2	.....	11	5	1
607	Chenango county	599	350	18	118	9	38	5	.....	44	14	3
608	Clinton county	605	304	54	36	45	17	5	.....	132	5	7
609	Columbia county	528	292	36	49	21	25	2	.....	62	14	27
610	Cortland county	313	184	11	55	8	20	2	.....	23	9	1
611	Delaware county	584	346	32	60	29	42	5	.....	57	12	1
612	Dutchess county	1,143	532	126	84	43	53	4	.....	244	25	32
613	Erie county	1,334	407	295	75	75	25	9	.....	410	22	16
614	Essex county	489	257	44	44	28	24	2	.....	78	6	6
615	Franklin county	755	347	102	33	78	19	9	.....	141	8	18
616	Fulton county	204	114	6	32	6	10	2	.....	29	3	2
617	Genesee county	571	264	63	45	24	18	3	.....	142	7	5
618	Greene county	524	289	49	46	26	30	1	.....	62	8	13
619	Hamilton county	42	22	2	8	1	1	.....	.....	7	1	.....
620	Herkimer county	679	294	66	104	31	24	3	.....	138	15	4
621	Jefferson county	752	402	62	71	45	28	6	.....	119	17	2
622	Lewis county	362	173	41	39	16	17	2	.....	68	4	2
623	Livingston county	567	234	62	86	35	20	3	.....	113	11	3
624	Madison county	685	416	40	64	31	36	3	.....	75	10	10
625	Monroe county	787	316	93	52	63	20	2	.....	223	10	8
626	Montgomery county	358	209	30	31	15	19	2	.....	47	4	1
627	Nassau county	925	384	140	42	48	23	3	.....	208	11	66
628	Niagara county	582	207	77	44	39	15	4	.....	169	13	14
629	Oneida county	898	410	127	68	45	25	4	.....	204	12	3
630	Onondaga county	911	421	83	87	38	42	5	.....	210	22	3
631	Ontario county	618	328	58	42	35	19	4	.....	119	8	5
632	Orange county	946	475	111	71	41	33	2	.....	150	24	39
633	Orleans county	405	168	46	32	29	20	3	.....	101	2	4
634	Oswego county	1,161	583	107	150	60	43	8	.....	187	18	5
635	Otsego county	843	559	48	72	22	56	1	.....	67	15	3
636	Putnam county	234	135	20	14	10	11	1	.....	40	.....	3
637	Rensselaer county	707	381	73	47	34	28	2	.....	127	11	4
638	Rockland county	621	259	81	31	39	27	2	.....	134	11	37
639	St. Lawrence county	1,076	520	126	73	97	30	4	.....	211	8	7
640	Saratoga county	799	405	109	51	51	31	8	.....	131	7	6
641	Schenectady county	160	94	12	9	8	6	1	.....	29	1	.....
642	Schoharie county	375	240	11	49	5	34	1	.....	23	4	8
643	Schuyler county	247	164	8	25	7	11	3	.....	22	3	4
644	Seneca county	538	240	40	76	20	24	.....	.....	119	11	8
645	Steuben county	1,077	511	43	270	36	45	4	.....	152	9	7
646	Suffolk county	1,530	598	161	102	55	29	4	.....	481	35	65
647	Sullivan county	653	291	91	37	38	19	3	.....	167	6	1
648	Tioga county	444	256	14	74	17	35	6	.....	31	10	1
649	Tompkins county	331	234	12	38	9	20	1	.....	14	1	2
650	Ulster county	882	554	77	48	36	18	6	.....	124	10	9
651	Warren county	221	138	11	21	9	12	2	.....	24	4	.....
652	Washington county	790	402	90	68	30	39	9	.....	141	7	4
653	Wayne county	817	382	82	75	44	42	6	.....	174	9	3
654	Westchester county	1,768	625	330	100	103	39	9	.....	447	34	81
655	Wyoming county	443	232	39	40	20	17	1	.....	87	5	2
656	Yates county	285	160	11	52	7	20	2	.....	28	4	1
	RHODE ISLAND RURAL.											
657	Bristol county	295	82	89	15	15	2	.....	.....	86	1	5
658	Kent county	568	209	151	1	43	5	2	.....	143	2	12
659	Newport county	174	87	44	2	9	2	.....	.....	22	3	5
660	Providence county	1,312	480	290	27	70	3	4	.....	391	7	40
661	Washington county	407	269	29	5	13	1	1	.....	56	8	25
	VERMONT RURAL.											
662	Addison county	334	204	13	42	15	20	2	.....	32	6	.....
663	Bennington county	229	132	25	20	7	13	2	.....	22	8	.....
664	Caledonia county	418	219	35	37	32	21	2	.....	63	9	.....
665	Chittenden county	365	149	43	35	31	16	3	.....	81	7	.....
666	Essex county	110	41	10	9	12	10	.....	.....	23	4	1
667	Franklin county	458	186	51	38	38	27	8	.....	93	14	3
668	Grand Isle county	70	30	3	4	10	4	2	.....	15	2	.....
669	Lamoille county	170	84	3	29	12	15	1	.....	19	7	.....
670	Orange county	380	237	11	52	21	24	4	.....	24	7	.....
671	Orleans county	392	169	20	45	43	22	7	.....	75	11	.....
672	Rutland county	531	236	61	47	25	27	2	.....	121	9	3
673	Washington county	511	210	46	66	32	46	7	.....	87	14	3
674	Windham county	484	265	28	67	14	42	1	.....	49	18	.....
675	Windsor county	538	331	15	70	17	35	2	.....	52	16	.....

NATIVITY, PARENT NATIVITY, AND MONTH OF DEATH: 1905—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
62	60	175	69	62	55	55	63	74	58	54	65	.....	605
22	23	19	22	28	19	18	24	29	14	15	22	.....	606
62	44	67	58	51	45	48	39	57	46	33	49	.....	607
50	47	64	67	46	51	43	62	48	40	40	47	.....	608
41	55	61	50	56	39	44	34	43	26	35	44	.....	609
24	34	48	23	23	26	29	18	30	19	17	22	.....	610
43	72	71	51	37	43	36	53	49	45	44	40	.....	611
100	109	127	93	112	65	106	91	95	90	84	71	.....	612
91	125	136	116	105	82	118	144	91	100	117	109	.....	613
39	39	55	47	38	46	30	51	42	32	34	36	.....	614
56	59	67	63	52	55	71	79	65	53	63	72	.....	615
20	17	26	15	15	14	12	15	17	16	17	20	.....	616
40	51	67	47	52	49	37	57	37	45	45	44	.....	617
40	36	64	48	44	31	43	48	44	34	54	38	.....	618
4	1	5	3	3	3	5	4	5	5	2	2	.....	619
55	60	62	53	61	46	47	62	54	58	61	60	.....	620
59	66	81	66	56	62	62	64	62	62	54	58	.....	621
20	33	52	33	34	24	28	33	33	26	23	23	.....	622
41	48	66	59	35	40	36	54	50	41	44	53	.....	623
59	78	73	55	62	52	48	52	57	51	40	58	.....	624
68	74	74	56	74	57	75	70	71	49	68	51	.....	625
36	33	40	34	23	23	36	32	25	19	30	27	.....	626
75	69	67	74	72	57	116	118	81	51	65	80	.....	627
45	64	64	59	41	49	39	48	46	40	48	39	.....	628
72	97	73	92	78	70	66	81	72	63	61	74	.....	629
69	99	103	77	77	72	70	75	62	60	71	76	.....	630
56	41	62	50	54	44	49	61	62	43	41	55	.....	631
91	87	79	86	74	59	76	95	74	92	68	65	.....	632
35	41	45	54	31	26	30	31	25	33	30	24	.....	633
99	97	115	114	104	66	66	96	121	96	99	88	.....	634
79	89	104	77	69	60	63	59	55	68	54	66	.....	635
19	22	22	20	25	12	23	32	13	16	16	14	.....	636
69	75	64	64	54	41	56	61	61	51	44	67	.....	637
47	45	46	52	55	33	77	67	46	51	52	50	.....	638
77	97	113	83	92	62	105	100	93	94	99	61	.....	639
76	72	83	59	65	55	75	53	66	64	60	71	.....	640
16	17	17	14	14	12	13	10	15	10	12	10	.....	641
27	35	42	35	40	23	33	22	32	24	32	30	.....	642
21	25	29	30	21	23	21	20	15	12	18	12	.....	643
38	62	63	54	38	37	43	52	41	41	32	37	.....	644
83	102	116	102	84	73	76	81	85	102	91	81	1	645
139	142	143	131	116	104	138	139	121	127	105	124	1	646
42	65	77	59	39	48	59	72	49	55	45	43	.....	647
42	49	53	38	33	32	31	28	44	27	40	27	.....	648
30	35	34	39	26	19	23	26	21	32	21	25	.....	649
83	81	105	61	64	61	68	79	75	66	67	72	.....	650
18	30	20	18	20	13	25	22	10	15	20	10	.....	651
82	73	64	71	63	63	50	77	70	50	64	63	.....	652
63	84	100	81	73	48	44	63	71	67	60	63	.....	653
182	155	170	140	109	113	208	168	153	99	126	145	.....	654
37	41	59	47	29	39	23	25	36	34	35	38	.....	655
25	25	32	24	25	18	27	24	21	24	19	21	.....	656
23	20	29	27	29	15	32	24	33	21	18	24	.....	657
49	47	56	60	42	46	59	53	36	42	36	42	.....	658
17	18	13	16	9	8	13	23	14	16	12	15	.....	659
122	98	139	99	108	89	124	125	110	100	97	101	.....	660
31	47	46	29	36	30	32	30	21	35	38	32	.....	661
41	33	53	27	17	24	35	18	24	23	20	19	.....	662
16	20	26	26	24	14	12	21	20	15	19	16	.....	663
42	36	52	26	30	29	31	27	49	34	25	37	.....	664
35	36	43	35	33	27	21	30	27	37	16	25	.....	665
14	11	9	6	13	10	4	8	11	6	5	13	.....	666
33	39	45	48	36	30	31	37	36	37	45	41	.....	667
5	7	9	4	6	6	6	8	2	5	9	3	.....	668
16	14	24	18	13	15	13	10	11	12	15	9	.....	669
34	40	46	31	38	31	20	22	26	31	33	28	.....	670
47	41	47	34	25	25	24	27	35	29	25	33	.....	671
47	57	58	32	38	44	42	40	49	37	47	40	.....	672
38	52	51	38	58	39	40	25	38	31	59	42	.....	673
37	40	63	50	59	33	31	36	31	36	28	39	1	674
53	52	58	52	48	48	25	33	30	48	37	54	.....	675

TABLE 2.—DEATHS IN EACH

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	SUMMARIES.											
1	The registration area	545,533	105,553	21,960	9,638	5,916	4,317	147,384	12,851	8,835	14,941	22,600
2	Registration cities	411,062	83,826	17,930	7,853	4,769	3,534	117,912	10,197	6,754	11,512	18,100
3	Registration states	345,863	66,894	13,806	6,073	3,757	2,660	93,190	8,197	5,433	8,741	12,592
4	Cities in registration states	211,392	45,167	9,776	4,288	2,610	1,877	63,718	5,543	3,352	5,312	8,092
5	Rural part of registration states	134,471	21,727	4,030	1,785	1,147	783	29,472	2,654	2,081	3,429	4,500
6	Registration cities in other states	199,670	38,659	8,154	3,565	2,159	1,657	54,194	4,654	3,402	6,200	10,008
	REGISTRATION STATES.											
7	Connecticut	16,289	3,147	537	262	162	130	4,238	411	248	377	549
8	District of Columbia	6,201	1,143	230	99	58	35	1,565	115	85	210	329
9	Indiana	34,392	6,223	1,316	564	352	229	8,684	775	660	1,169	1,602
10	Maine	11,537	1,908	272	144	72	55	2,451	197	163	268	381
11	Massachusetts	50,343	10,400	1,840	855	506	342	13,943	1,018	735	1,041	1,647
12	Michigan	34,542	6,904	1,175	501	312	242	9,134	770	670	972	1,322
13	New Hampshire	7,274	1,205	261	111	68	50	1,695	159	103	168	191
14	New Jersey	33,912	7,153	1,465	675	428	329	10,050	1,039	567	911	1,221
15	New York	137,222	26,213	6,174	2,653	1,664	1,145	37,849	3,404	2,022	3,291	4,886
16	Rhode Island	8,208	1,704	381	144	84	74	2,387	187	103	185	280
17	Vermont	5,943	894	155	65	51	29	1,194	122	77	149	184
	REGISTRATION CITIES.											
18	Adams town, Mass	223	70	17	5	3	1	96	2	3	6	8
19	Alameda, Cal	246	24	5	7	2	.....	38	4	1	8	9
20	Albany, N. Y	1,811	239	58	23	14	12	346	26	24	44	68
21	Alexandria, Va	307	69	9	3	5	1	87	5	5	12	14
22	Allegheny, Pa	2,683	638	243	85	54	39	1,059	84	44	86	136
23	Allentown, Pa	693	167	15	12	9	9	212	24	10	20	28
24	Altoona, Pa	816	183	39	11	12	10	255	24	16	32	53
25	Amesbury town, Mass	137	30	5	2	1	1	39	1	3	.....	6
26	Amsterdam, N. Y	365	75	15	2	4	1	97	6	11	9	21
27	Anderson, Ind	265	55	10	3	1	.....	69	6	6	14	10
28	Ann Arbor, Mich	250	14	2	.....	3	.....	19	4	2	8	9
29	Annapolis, Md	191	59	6	1	1	2	69	4	3	9	7
30	Ansonia, Conn	200	53	10	3	3	2	71	11	2	5	8
31	Appleton, Wis	198	56	4	4	3	4	71	5	4	3	8
32	Arlington town, Mass	115	17	2	3	2	.....	24	2	1	2	5
33	Ashtabula, Ohio	210	44	12	1	1	3	61	3	1	6	15
34	Atlanta, Ga	2,480	498	132	64	23	23	740	76	63	106	161
35	Atlantic City, N. J	626	131	16	6	5	1	159	16	12	12	18
36	Attleboro town, Mass	174	45	8	2	2	2	59	5	3	4	7
37	Auburn, N. Y	517	97	15	7	1	4	124	12	7	7	18
38	Augusta, Me	288	42	4	7	2	2	57	2	3	7	7
39	Aurora, Ill	310	48	6	8	2	1	65	7	4	8	19
40	Baltimore, Md	10,698	2,467	525	250	128	104	3,474	200	157	278	454
41	Bangor, Me	421	42	9	6	1	1	59	9	1	10	23
42	Barre, Vt	164	46	5	6	1	.....	58	9	4	5	4
43	Bath, Me	164	19	4	1	3	1	28	4	4	2	5
44	Battle Creek, Mich	341	44	8	5	1	1	59	6	5	8	18
45	Bay City, Mich	512	113	21	12	10	2	158	13	15	19	17
46	Bayonne, N. J	670	192	56	23	9	7	287	16	7	17	23
47	Bellaire, Ohio	179	46	15	7	1	.....	69	5	1	5	5
48	Belleville, Ill	295	64	9	1	.....	1	75	5	6	7	11
49	Beloit, Wis	173	18	7	4	1	2	32	3	6	5	6
50	Bennington town, Vt	164	27	3	1	2	3	36	8	2	3	8
51	Berlin, N. H	169	60	14	4	3	4	85	8	3	5	5
52	Beverly, Mass	249	33	5	3	3	2	46	7	5	3	7
53	Biddeford, Me	284	89	13	9	3	2	116	8	4	8	10
54	Binghamton, N. Y	789	99	16	4	4	7	130	18	11	20	27
55	Boston, Mass	10,987	2,157	447	218	113	85	3,020	253	156	217	379
56	Bridgeport, Conn	1,357	303	52	30	14	8	407	45	29	35	64
57	Bridgeton, N. J	191	35	4	3	1	1	44	4	4	1	6
58	Bristol town, Conn	167	41	8	1	4	4	58	6	5	7	4
59	Brockton, Mass	623	107	19	10	5	4	145	12	10	20	16
60	Brookline town, Mass	260	39	5	4	2	.....	50	3	5	.....	3
61	Buffalo, N. Y	5,882	1,349	275	121	64	38	1,847	153	86	150	220
62	Burlington, Iowa	306	48	8	2	4	5	67	6	2	9	15
63	Burlington, Vt	434	122	22	4	7	3	158	16	7	9	13
64	Cambridge, Mass	1,444	305	52	31	23	5	416	27	20	34	52
65	Camden, N. J	1,354	309	49	21	17	14	410	45	13	44	66
66	Canton, Ohio	416	89	12	6	3	5	115	7	13	12	19
67	Carbondale, Pa	281	47	12	8	5	3	75	14	6	8	12
68	Carlisle, Pa	151	16	2	.....	1	.....	19	1	2	3	7
69	Central Falls, R. I	363	120	37	13	5	1	176	9	4	13	11
70	Charleston, S. C	1,631	378	113	64	22	13	590	35	20	52	108
71	Chelsea, Mass	696	158	30	11	5	3	207	13	9	11	22
72	Chicago, Ill	27,548	6,094	1,509	593	357	230	8,783	671	443	790	1,209
73	Chicopee, Mass	356	124	24	12	3	3	166	7	4	4	8
74	Chillicothe, Ohio	184	31	6	1	1	.....	39	3	4	6	7
75	Cincinnati, Ohio	6,609	948	251	125	77	56	1,457	148	134	204	289
76	Cleveland, Ohio	6,419	1,609	274	115	88	55	2,141	128	93	154	252
77	Clinton town, Mass	215	54	2	4	1	2	63	3	5	5	16
78	Cohoes, N. Y	518	133	39	10	8	4	194	19	8	11	17
79	Columbia, Pa	154	31	5	3	2	1	42	3	2	6	8
80	Columbus, Ind	131	28	7	2	3	1	41	5	3	3	6
81	Columbus, Ohio	2,224	277	51	32	16	12	388	54	55	105	154
82	Concord, N. H	372	34	8	2	2	1	47	3	5	10	9

REGISTRATION AREA, BY AGE: 1905.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,438	24,506	26,296	25,143	25,948	26,671	27,054	31,026	32,037	31,343	27,928	19,889	10,841	3,601	1,158	1,043	1
20,042	20,237	21,932	20,706	21,067	21,227	20,449	22,650	22,021	20,020	16,530	10,946	5,686	1,822	661	591	2
13,795	14,113	15,096	14,681	15,278	16,112	17,244	20,301	21,759	21,829	20,196	14,727	8,282	2,798	821	678	3
9,399	9,844	10,732	10,244	10,397	10,668	10,639	11,925	11,743	10,506	8,798	5,784	3,127	1,019	324	226	4
4,396	4,269	4,364	4,437	4,881	5,444	6,605	8,376	10,016	11,323	11,398	8,943	5,155	1,779	497	452	5
10,643	10,393	11,200	10,462	10,670	10,559	9,810	10,725	10,278	9,514	7,732	5,162	2,559	803	337	365	6
638	633	657	708	700	739	824	995	993	1,064	1,013	788	427	170	37	80	7
332	311	274	263	319	354	318	438	406	333	267	155	83	33	11	.....	8
1,373	1,300	1,372	1,230	1,305	1,441	1,549	1,950	2,270	2,388	2,264	1,638	846	293	87	196	9
353	345	304	336	390	493	562	719	947	980	1,070	799	511	170	46	52	10
1,925	1,995	2,129	2,016	2,106	2,509	2,670	3,068	3,269	3,243	2,866	2,224	1,296	438	138	67	11
1,288	1,191	1,205	1,214	1,416	1,393	1,592	1,953	2,294	2,539	2,376	1,749	990	305	102	67	12
226	236	223	265	274	296	345	418	556	570	604	475	290	105	38	37	13
1,415	1,534	1,561	1,549	1,600	1,572	1,698	1,991	1,865	1,893	1,581	1,041	559	181	57	27	14
5,727	6,032	6,836	6,588	6,570	6,640	6,951	7,953	8,216	7,789	7,198	5,116	2,862	938	252	102	15
340	348	374	351	379	436	441	474	500	489	423	283	147	57	17	7	16
178	188	161	161	219	239	294	342	443	541	534	459	271	108	36	43	17
15	9	6	10	3	9	9	11	8	10	6	8	4	.....	.....	.....	18
8	6	12	18	7	11	8	21	20	24	23	15	9	3	1	.....	19
92	75	93	72	110	110	117	156	142	134	98	55	36	10	3	.....	20
18	15	9	14	19	23	19	20	13	9	12	6	5	2	.....	.....	21
141	121	122	112	97	99	96	116	111	105	75	50	19	8	2	.....	22
28	30	26	25	32	34	32	39	41	34	28	20	15	8	.....	7	23
47	43	39	28	42	21	31	31	26	39	40	27	13	5	1	3	24
5	2	2	5	4	3	4	14	11	12	8	10	5	3	.....	.....	25
15	10	20	16	18	19	15	29	25	17	10	14	8	4	.....	1	26
16	14	8	10	13	16	8	12	17	14	13	12	4	.....	2	1	27
12	21	15	14	17	13	19	20	18	24	13	14	6	1	.....	1	28
9	9	9	8	12	11	8	8	11	3	4	4	3	.....	.....	.....	29
12	3	7	8	9	6	14	9	12	3	10	3	4	2	.....	1	30
6	3	7	1	7	9	5	7	13	15	14	10	5	3	.....	2	31
4	4	7	5	1	6	4	9	11	8	10	3	5	4	.....	.....	32
13	11	9	8	9	13	8	10	7	9	13	10	2	1	.....	1	33
171	152	129	114	124	138	115	95	101	82	50	28	17	8	9	1	34
31	21	36	26	36	40	39	39	39	36	37	15	10	4	.....	.....	35
4	8	4	6	3	6	10	6	11	15	7	12	3	1	.....	.....	36
14	26	20	20	24	23	37	35	29	37	35	23	21	4	1	.....	37
10	12	16	11	19	13	22	19	26	26	14	12	6	3	1	2	38
8	11	5	18	13	17	14	13	18	31	21	16	8	3	2	9	39
487	458	520	479	562	489	557	607	568	501	419	272	148	43	22	3	40
21	18	15	20	26	26	17	20	40	28	30	36	11	4	4	3	41
11	2	10	7	12	7	5	5	7	2	7	3	2	3	1	.....	42
10	5	3	11	3	7	5	14	18	13	18	10	2	1	1	.....	43
21	13	20	12	17	18	13	16	24	36	24	17	8	6	.....	.....	44
19	15	19	21	25	22	23	33	27	38	23	8	9	4	3	1	45
28	30	40	31	32	30	35	25	26	16	10	9	3	3	2	.....	46
9	9	9	9	12	6	9	5	10	5	4	4	1	.....	.....	2	47
16	12	15	4	11	20	13	15	18	21	32	6	4	3	.....	1	48
12	4	8	9	3	8	12	13	8	14	12	9	6	1	.....	2	49
1	7	5	5	9	3	5	19	10	11	14	10	3	2	.....	3	50
5	5	2	6	7	3	6	7	6	3	4	4	.....	1	.....	4	51
10	12	9	9	12	11	12	25	24	23	14	7	7	5	1	.....	52
14	8	12	9	6	12	9	10	15	13	14	10	5	1	.....	.....	53
27	34	38	30	27	52	38	70	66	63	73	37	21	5	2	.....	54
520	556	612	559	601	651	627	677	654	564	407	294	170	51	17	2	55
77	64	59	77	70	66	56	71	55	74	54	34	12	6	.....	2	56
9	4	5	7	6	8	9	16	16	21	15	12	3	1	.....	.....	57
6	3	5	6	4	6	6	3	6	10	10	10	6	5	.....	1	58
23	34	28	28	25	28	35	34	36	39	36	23	13	1	1	36	59
7	17	8	8	14	19	18	22	22	16	22	14	8	4	.....	.....	60
242	249	286	277	311	292	285	323	311	279	255	179	100	26	10	1	61
16	15	15	11	13	15	9	17	17	15	26	23	12	3	.....	.....	62
18	14	9	12	16	10	29	14	27	19	22	20	14	5	1	1	63
64	68	65	65	53	81	93	71	85	69	70	59	39	11	2	.....	64
61	67	58	51	69	59	69	80	68	73	63	32	20	4	1	1	65
16	14	15	17	25	15	24	21	27	31	23	13	6	1	.....	2	66
14	18	7	15	12	17	16	19	13	7	14	6	5	1	.....	2	67
6	3	2	9	7	8	7	12	22	21	9	7	3	1	.....	2	68
11	12	10	9	15	16	12	12	17	14	12	8	1	1	.....	.....	69
82	69	80	97	80	81	54	73	51	58	38	35	20	5	2	1	70
23	19	30	30	29	26	40	53	48	46	43	30	12	4	1	.....	71
1,356	1,413	1,621	1,547	1,594	1,485	1,301	1,327	1,255	1,050	805	519	256	83	34	6	72
16	13	8	10	12	9	17	18	20	15	16	9	2	2	.....	.....	73
6	11	13	10	5	8	10	15	7	12	13	9	4	2	.....	.....	74
320	326	411	361	423	393	322	408	380	382	319	208	101	19	8	1	75
298	294	317	323	303	311	333	352	339	275	218	174	85	20	7	2	76
9	12	8	8	13	10	7	13	14	11	8	5	5	.....	.....	.....	77
17	14	25	20	19	17	24	37	34	21	20	10	3	.....	.....	8	78
6	6	5	6	6	3	7	10	9	11	13	6	4	1	.....	.....	79
4	8	5	2	1	3	3	4	9	19	3	9	1	1	.....	1	80
157	145	135	117	132	102	114	125	122	119	94	46	35	10	1	14	81
15	17	18	19	28	12	20	19	45	34	28	22	17	2	2	.....	82

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
83	Corning, N. Y.	214	34	9	4	2	.....	49	5	5	6	9
84	Cortland, N. Y.	111	17	5	1	2	.....	25	3	.....	.....	4
85	Covington, Ky.	806	128	25	16	6	10	185	23	16	25	39
86	Danbury town, Conn.	337	52	7	2	1	1	63	7	6	6	7
87	Danvers town, Mass.	258	12	4	4	.....	2	22	2	4	3	4
88	Davenport, Iowa	566	70	15	6	7	1	99	14	8	15	28
89	Dayton, Ohio	1,420	228	39	10	9	11	297	39	19	53	66
90	Decatur, Ill.	291	51	4	4	1	3	63	9	5	13	14
91	Denver, Colo.	2,887	402	61	21	18	17	519	55	46	77	178
92	Detroit, Mich.	4,695	1,231	160	82	44	46	1,563	119	80	137	184
93	Dover, N. H.	263	49	11	8	3	1	72	2	5	8	10
94	Dubois, Pa.	125	38	8	3	1	3	53	7	2	2	5
95	Duluth, Minn.	835	175	30	10	4	5	224	25	23	34	54
96	Dunkirk, N. Y.	226	59	10	3	3	2	77	6	5	5	12
97	Eau Claire, Wis.	189	23	6	2	2	3	36	1	6	7	9
98	Elizabeth, N. J.	942	221	46	14	16	14	311	34	12	29	36
99	Elkhart, Ind.	214	33	7	5	.....	1	46	5	3	6	10
100	Elmira, N. Y.	554	54	9	5	3	1	72	4	9	26	28
101	Elwood, Ind.	157	45	15	1	2	3	66	3	9	4	4
102	Erie, Pa.	928	199	43	20	12	8	282	28	16	24	32
103	Escanaba, Mich.	251	83	18	4	3	.....	108	2	8	9	15
104	Evansville, Ind.	856	149	23	17	16	11	216	24	20	25	48
105	Everett, Mass.	404	95	11	11	4	1	122	14	5	5	20
106	Fall River, Mass.	2,109	846	161	61	24	25	1,117	40	19	37	42
107	Findlay, Ohio	225	27	2	2	1	2	34	5	5	10	13
108	Fitchburg, Mass.	451	121	18	7	5	3	154	4	6	11	18
109	Flint, Mich.	229	37	7	1	2	.....	47	.....	4	4	10
110	Fort Wayne, Ind.	683	112	15	9	2	1	139	12	12	25	38
111	Framingham town, Mass.	200	28	3	2	1	1	35	3	3	6	9
112	Frederick, Md.	202	33	4	2	1	1	41	2	.....	2	7
113	Fresno, Cal.	278	50	12	9	2	1	74	5	5	8	23
114	Gardner town, Mass.	172	55	9	2	3	1	70	3	1	1	3
115	Geneva, N. Y.	169	24	5	1	1	1	32	1	3	3	9
116	Glens Falls, N. Y.	215	22	3	3	.....	2	30	9	2	8	10
117	Gloucester, Mass.	396	89	19	6	3	3	120	9	9	5	20
118	Gloversville, N. Y.	234	48	3	2	3	1	57	6	3	5	9
119	Grand Rapids, Mich.	1,398	284	55	28	17	17	401	31	31	42	66
120	Green Bay, Wis.	343	99	11	8	.....	2	120	5	9	11	12
121	Greenwich town, Conn.	227	47	9	.....	3	2	61	4	6	8	9
122	Hamilton, Ohio	330	64	14	7	4	2	91	9	2	6	21
123	Hammond, Ind.	215	52	8	5	1	.....	66	5	7	6	16
124	Harrisburg, Pa.	813	144	26	12	3	4	189	17	14	29	46
125	Harrison, N. J.	236	71	10	11	4	1	97	11	4	9	8
126	Hartford, Conn.	1,527	285	41	25	20	18	389	55	33	32	51
127	Haverhill, Mass.	605	101	25	8	7	3	144	10	11	16	14
128	Hazelton, Pa.	238	66	13	8	5	2	94	4	3	4	16
129	Hoboken, N. J.	1,358	253	64	30	19	17	383	50	28	55	50
130	Holyoke, Mass.	823	259	34	26	19	12	350	28	12	27	18
131	Hudson, N. Y.	203	31	2	1	.....	1	35	2	3	6	10
132	Huntington, Ind.	107	15	3	.....	1	.....	19	2	.....	4	3
133	Hyde Park town, Mass.	197	41	9	3	1	.....	54	5	6	1	3
134	Indianapolis, Ind.	2,998	486	89	42	26	13	656	59	58	105	154
135	Iron Mountain, Mich.	151	60	19	5	1	3	88	2	1	5	6
136	Ironton, Ohio	205	31	14	6	4	6	61	10	3	9	4
137	Ironwood, Mich.	139	45	8	4	1	2	60	8	4	4	10
138	Ishpeming, Mich.	169	41	16	.....	2	1	60	5	8	5	9
139	Ithaca, N. Y.	209	16	4	.....	2	.....	22	2	.....	5	5
140	Jackson, Mich.	415	51	6	3	4	4	68	11	6	10	20
141	Jacksonville, Fla.	1,013	173	32	19	10	5	239	15	29	43	82
142	Jacksonville, Ill.	296	33	1	.....	1	.....	35	4	4	9	12
143	Jamestown, N. Y.	316	54	5	5	1	.....	65	6	6	10	12
144	Jeffersonville, Ind.	181	25	9	2	1	2	39	8	4	7	12
145	Jersey City, N. J.	4,427	990	205	110	66	51	1,422	159	83	128	181
146	Johnstown, N. Y.	143	28	4	2	1	.....	35	2	1	2	6
147	Johnstown, Pa.	626	157	23	21	10	6	217	23	13	26	39
148	Kalamazoo, Mich.	550	67	18	3	4	1	93	7	6	9	18
149	Kansas City, Mo.	3,029	460	72	31	24	21	608	61	52	112	197
150	Keene, N. H.	168	23	8	1	.....	.....	32	1	.....	2	2
151	Key West, Fla.	439	155	25	3	3	8	194	9	3	12	19
152	Kingston, N. Y.	479	75	14	6	8	6	109	10	9	23	19
153	Kokomo, Ind.	183	28	3	4	2	1	38	6	8	8	8
154	Laconia, N. H.	153	21	.....	3	.....	.....	24	2	2	3	4
155	Lafayette, Ind.	345	32	7	3	2	2	46	5	4	7	17
156	Lancaster, Pa.	618	104	23	10	6	5	148	18	11	15	23
157	Lansing, Mich.	267	40	7	3	5	1	56	10	3	7	9
158	Lawrence, Mass.	1,384	413	95	43	22	7	580	42	27	46	46
159	Leadville, Colo.	211	39	5	2	3	2	51	9	1	9	11
160	Leavenworth, Kans.	331	58	4	9	5	3	79	11	5	8	16
161	Leominster town, Mass.	204	44	7	2	1	.....	54	4	1	5	7
162	Lima, Ohio	324	45	9	6	1	1	62	10	13	17	20
163	Lincoln, Nebr.	411	72	18	8	4	6	108	18	10	11	19
164	Lockport, N. Y.	259	29	9	2	.....	2	42	5	5	12	13
165	Logansport, Ind.	324	41	8	5	2	1	57	10	4	7	13
166	Los Angeles, Cal.	3,344	344	66	36	19	16	481	66	51	103	179
167	Louisville, Ky.	4,020	651	125	52	49	31	908	88	74	146	210

AREA, BY AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
16	14	11	10	14	10	14	14	10	12	6	4	2	3			83
4	4	5	4	6	7	3	10	11	6	11	1	3	3		1	84
51	45	34	43	34	36	30	39	51	58	42	29	21	5			85
15	17	11	14	14	21	14	34	25	24	25	21	8	4		1	86
7	15	16	18	17	21	20	16	23	22	24	12	8	3		1	87
33	28	24	20	32	26	21	22	30	50	52	42	12	5	2	3	88
62	70	60	65	72	82	79	120	90	72	83	61	26	4			89
16	10	9	15	14	16	8	20	17	18	18	10	10	2	1	3	90
271	241	244	211	196	147	136	148	137	106	92	50	22	9	2		91
177	182	220	188	239	208	217	224	279	218	209	132	85	22	6	6	92
6	8	9	7	13	15	11	12	14	22	21	12	11	1		4	93
3	6	5	4	7	5	2	6	3	6	5	2	1			1	94
54	42	59	63	57	42	29	24	20	16	20	21	9	1	1	17	95
7	3	15	5	10	11	6	8	14	12	14	8	6	1	1		96
9	6	13	5	7	14	14	12	13	17	6	8	4	1		1	97
39	36	46	53	51	45	40	49	41	34	41	28	11	2	1	3	98
7	9	7	7	8	13	13	15	18	13	17	11	4	2			99
21	24	29	24	25	40	48	48	41	39	32	31	10	3			100
1	8	8	6	5	4	5	7	5	7	8	3	1	2	1		101
32	40	25	42	31	33	37	73	71	56	56	26	18	4	2		102
13	14	9	11	9	12	8	6	7	8	5	2	3	1		1	103
49	47	50	51	52	30	53	45	39	36	32	24	7	3	1	4	104
11	19	15	9	15	27	25	23	25	32	11	15	8	2		1	105
43	74	70	51	83	72	85	101	89	75	46	36	21	8			106
12	13	11	10	8	17	20	18	14	12	11	3	8	1			107
18	12	14	23	13	25	20	21	38	18	24	18	9	4		1	108
10	15	7	8	12	8	10	16	12	23	17	12	11	3			109
30	26	37	35	24	36	49	31	52	47	46	26	13	3		2	110
5	6	8	6	6	6	11	7	19	22	16	13	11	3	2	3	111
8	8	5	4	8	10	9	18	19	15	24	9	7	2		4	112
13	15	16	6	15	16	21	12	20	12	10	4	2			1	113
2	3	4	7	5	11	7	10	13	10	10	11	1				114
7	7	11	8	8	6	7	11	11	13	16	9	7				115
12	9	11	7	15	11	22	10	10	10	17	14	7	1			116
13	13	21	11	14	15	20	21	27	26	20	12	11	7	1	1	117
10	10	7	6	10	17	18	7	18	22	19	6	4				118
66	59	50	40	56	61	69	54	85	92	89	67	26	8	4	1	119
12	12	19	15	14	9	14	17	14	11	20	13	11		4	1	120
10	7	10	8	7	10	9	15	13	14	14	13	5	2		2	121
17	16	15	13	10	13	17	13	19	18	26	15	8		1		122
15	7	15	10	12	7	7	5	10	10	4	5	6	1		1	123
46	39	33	38	34	43	38	47	44	48	31	25	13	2	1	36	124
13	11	10	10	8	11	5	10	11	4	10	3			1		125
85	77	83	82	79	86	76	74	83	82	66	50	29	7	4	4	126
30	28	36	22	23	48	31	30	36	47	39	19	17	2	2		127
9	8	13	3	11	14	13	6	14	11	7	6	2				128
78	81	70	101	81	71	58	77	72	44	33	12	5	6	1	2	129
43	31	35	30	33	36	32	30	37	31	23	19	5	1	2		130
11	7	7	8	7	11	12	14	20	16	12	12	7	2		1	131
8	5	3	5	5	7	4	7	14	6	6	4	4		1		132
3	4	13	9	7	10	12	14	15	15	8	16	2				133
149	150	158	142	142	165	149	185	213	170	144	91	56	15	8	29	134
7	4	2	4	7	2	5	6	3	4	4		1				135
11	9	5	8	8	11	9	14	10	7	5	5	8	2		6	136
10	9	8	6	6	2	3	3	1	1	4						137
8	6	6	11	6	3	9	10	4	5	7	2	4		1		138
6	7	11	7	17	10	18	16	15	26	20	12	6	2	2		139
17	16	21	12	27	21	28	38	30	29	23	21	9	5	3		140
69	62	66	74	71	51	45	45	35	30	20	16	4		4	13	141
11	21	24	17	20	8	19	17	22	22	22	14	4	2	2	7	142
8	13	11	15	23	16	11	20	34	19	17	18	11		1		143
6	9	9	11	9	8	6	11	13	7	10	9	2		1		144
194	285	257	225	210	222	236	231	192	160	117	76	31	14	3	1	145
4		4	9	5	5	6	7	9	14	11	13	8	2			146
46	39	30	22	29	19	19	21	16	22	19	19	3	3	1		147
32	18	26	34	42	26	26	30	50	50	37	25	14	6		1	148
214	198	213	167	185	197	158	166	141	131	108	70	27	8	9	7	149
11	6	7	5	10	8	7	8	12	19	12	12	7	4	2	1	150
13	17	25	13	11	12	18	24	24	11	10	10	9	1	2	2	151
20	19	26	21	13	31	25	36	30	22	32	20	12	1	1		152
3	5	3	6	5	11	6	13	12	14	13	11	7	3	1	2	153
6	8	4	3	6	6	7	14	12	15	14	13	8			2	154
12	15	23	11	12	19	21	34	25	35	20	22	9	5	2	1	155
19	22	25	24	38	26	27	33	37	48	42	40	17	4	1		156
9	9	14	12	13	12	14	21	21	15	21	11	5	2	3		157
47	46	63	62	52	49	43	73	62	59	46	30	11				158
11	6	12	12	17	16	15	10	11	5	8	2	3		2		159
13	9	13	12	14	8	13	21	26	29	26	13	8		4	3	160
10	9	6	3	5	14	12	13	11	11	7	11	5	6			161
17	15	14	14	14	13	16	22	20	18	16	12	2	2		7	162
20	17	13	21	27	12	17	28	25	24	20	12	6	3			163
9	5	12	9	8	14	12	15	25	20	23	14	12	2	2		164
10	14	9	16	20	15	13	22	15	35	31	13	12		4	4	165
232	239	260	215	238	212	183	220	193	185	127	99	44	7	5	5	166
244	212	237	235	200	247	188	245	228	208	184	103	36	15	8	4	167

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
168	Lowell, Mass	1901	496	102	37	30	25	690	40	28	44	70
169	Lynchburg, Va	489	131	22	10	6	3	172	14	15	27	27
170	Lynn, Mass	1,262	246	45	14	13	9	327	29	20	28	47
171	McKeesport, Pa	764	211	43	22	17	11	304	26	15	34	51
172	Madison, Wis	231	39	5	1	2	2	49	5	3	9	13
173	Mahanoy City, Pa	308	105	17	10	10	5	147	16	4	5	14
174	Malden, Mass	506	97	18	9	3	3	130	7	11	8	18
175	Manchester, N. H	1,296	356	103	45	18	24	546	62	23	41	42
176	Manchester town, Conn	182	46	5	5	1	4	61	5	4	6	5
177	Manitowoc, Wis	170	39	6	6	2	2	55	1	3	5	3
178	Mankato, Minn	167	22	5	1	.....	4	32	2	7	5	9
179	Marietta, Ohio	190	22	7	3	1	1	34	7	4	3	10
180	Marinette, Wis	203	49	5	4	1	1	60	3	6	4	9
181	Marion, Ind	259	53	8	4	2	1	68	6	8	14	17
182	Marlboro, Mass	209	33	4	.....	.....	1	38	5	3	7	13
183	Marquette, Mich	179	34	8	.....	1	1	44	5	2	4	8
184	Massillon, Ohio	138	27	2	1	1	1	32	4	3	2	6
185	Meadville, Pa	160	26	4	1	2	.....	33	.....	4	2	3
186	Medford, Mass	266	42	7	3	3	.....	55	5	4	4	11
187	Melrose, Mass	192	23	4	.....	2	2	31	3	4	7	5
188	Memphis, Tenn	2,164	297	74	36	33	16	456	45	41	108	195
189	Menominee, Mich	143	30	3	2	.....	2	37	3	11	5	6
190	Meriden town, Conn	401	56	17	3	5	6	87	7	5	10	10
191	Michigan City, Ind	185	39	11	6	1	2	59	7	2	7	10
192	Middletown, N. Y	289	23	9	1	1	1	35	9	5	8	13
193	Middletown, Ohio	107	13	3	1	.....	1	18	5	6	4	4
194	Middletown town, Conn	449	66	7	4	4	1	82	5	3	5	10
195	Milford town, Mass	183	30	8	4	3	3	48	3	.....	4	2
196	Millville, N. J	162	40	12	3	1	4	60	3	1	5	8
197	Milwaukee, Wis	4,083	1,075	173	67	44	45	1,404	106	75	127	197
198	Minneapolis, Minn	2,469	370	54	31	26	16	497	63	53	80	131
199	Mobile, Ala	1,062	163	23	12	11	4	213	18	15	44	82
200	Montclair, N. J	289	93	11	5	1	3	113	9	6	4	7
201	Morristown, N. J	244	64	8	7	3	3	85	7	5	2	6
202	Mt. Carmel, Pa	227	75	13	8	3	7	106	14	3	3	9
203	Mt. Vernon, N. Y	325	65	22	1	3	3	94	10	2	10	7
204	Muncie, Ind	399	90	13	4	5	1	113	19	9	17	22
205	Muscatine, Iowa	210	27	4	3	2	2	38	8	7	8	12
206	Muskegon, Mich	268	44	8	2	1	4	59	1	5	7	8
207	Nashua, N. H	375	92	17	10	6	4	129	10	8	11	16
208	Nashville, Tenn	1,848	360	106	44	30	16	556	52	38	92	125
209	Natick town, Mass	149	13	2	2	.....	1	18	3	1	3	6
210	Naugatuck, Conn	148	41	5	4	1	.....	51	4	3	6	10
211	New Albany, Ind	345	45	7	9	1	5	67	9	10	17	12
212	New Bedford, Mass	1,297	417	64	26	18	7	532	22	21	28	44
213	New Britain town, Conn	534	187	18	10	8	1	224	6	8	11	14
214	New Brunswick, N. J	430	98	23	12	1	8	142	9	7	11	10
215	New Haven, Conn	2,230	430	84	52	25	28	619	68	36	58	91
216	New London, Conn	348	62	6	1	2	2	73	1	5	6	12
217	New Orleans, La	7,329	1,132	240	83	55	54	1,564	107	132	283	476
218	New Rochelle, N. Y	265	76	18	1	4	3	102	5	6	2	6
219	New York, N. Y	73,573	16,498	4,307	1,824	1,102	747	24,478	2,128	1,106	1,737	2,769
220	Bronx borough	5,515	916	253	123	75	52	1,419	160	120	163	282
221	Brooklyn borough	23,880	5,122	1,384	633	392	245	7,776	728	370	604	894
222	Manhattan borough	39,592	9,408	2,465	987	575	394	13,829	1,112	549	866	1,436
223	Queens borough	3,189	757	151	68	49	39	1,064	100	54	80	116
224	Richmond borough	1,397	295	54	13	11	17	390	28	16	24	41
225	Newark, N. J	5,000	1,008	215	104	66	62	1,455	177	92	115	194
226	Newark, Ohio	353	66	11	4	1	1	83	10	7	8	17
227	Newburg, N. Y	459	74	18	5	2	5	104	12	5	11	18
228	Newburyport, Mass	285	37	9	7	.....	1	54	4	1	4	10
229	Newcastle, Pa	526	125	27	12	1	4	169	15	11	23	25
230	Newport, Ky	578	99	16	10	12	7	144	13	17	23	27
231	Newport, R. I	400	80	14	2	1	3	100	8	5	13	16
232	Newton, Mass	487	92	14	9	1	.....	116	10	12	9	22
233	Niagara Falls, N. Y	423	101	21	7	13	2	144	18	15	15	24
234	Norfolk, Va	1,216	251	53	25	13	10	352	27	8	26	84
235	Norristown, Pa	523	52	16	1	4	3	76	12	6	3	23
236	North Adams, Mass	315	65	8	8	6	2	89	6	6	7	14
237	Northampton, Mass	331	57	7	5	2	.....	71	4	3	5	6
238	Norwalk town, Conn	351	49	6	3	3	2	63	12	3	12	12
239	Norwich town, Conn	459	81	18	7	1	.....	107	10	5	12	13
240	Oakland, Cal	1,144	125	24	16	8	6	179	26	17	43	32
241	Ogdensburg, N. Y	366	46	9	1	3	1	60	11	5	7	8
242	Olean, N. Y	118	23	3	.....	2	2	30	3	1	3	3
243	Omaha, Nebr	1,300	200	35	15	9	7	266	30	27	53	56
244	Orange, N. J	553	118	32	15	9	3	177	5	12	14	26
245	Ottawa, Ill	137	6	1	2	1	2	12	7	.....	3	8
246	Owosso, Mich	105	18	4	3	.....	2	27	1	1	9	3
247	Paducah, Ky	427	54	20	11	6	7	98	19	10	28	36
248	Passaic, N. J	688	249	80	20	11	7	367	20	14	17	25
249	Paterson, N. J	1,848	418	63	25	23	13	542	44	25	66	66

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
84	80	92	72	85	96	97	102	96	93	55	47	26	4			168
27	14	24	18	15	17	21	16	26	19	9	12	9	4	2	1	169
61	50	64	47	57	78	78	80	79	71	62	51	21	7	3	2	170
56	40	42	35	33	26	15	22	21	10	16	12	4	2			171
14	9	10	9	20	11	9	8	7	20	8	15	8	2		2	172
10	13	13	9	10	12	14	14	7	7	8	4		1			173
18	12	15	22	28	23	29	23	34	53	32	22	13	4	4		174
39	44	48	49	39	41	47	67	49	50	48	31	22	6	2		175
4	3	7	8	7	9	8	7	11	8	10	10	6	3			176
3	6	7	5	6	5	4	7	13	18	9	11	5			4	177
7	6	7	9	16	10	9	7	10	7	15	3	3	1		2	178
7	8	11	10	6	8	12	7	16	10	13	11	4	3	1	5	179
10	14	15	6	15	4	8	15	13	8	4	4	1	3	1		180
19	6	12	7	8	20	13	7	12	18	14	4	4	1		1	181
10	12	8	9	5	13	17	11	14	12	12	15	2	2	1		182
14	11	7	12	14	5	5	8	10	12	9	6	2		1		183
6	8	4	5	6	7	11	7	9	12	4	4	7	1			184
7	6	6	6	5	4	17	13	13	18	10	7	5	1			185
2	6	10	9	10	16	11	18	31	22	19	15	16	1	1		186
10	8	8	6	6	13	6	18	13	11	14	15	6	8			187
182	147	167	121	97	157	100	92	89	68	41	34	14	5	3	2	188
9	5	7	5	3	10	7	6	5	6	10	4	3			1	189
19	11	13	19	26	17	32	29	28	29	28	21	8	2			190
6	5	8	6	6	9	8	10	9	9	9	9	4	1		1	191
12	14	18	11	20	10	16	22	27	25	17	21	3	2	1		192
3	5	3	3	2	3	4	5	6	12	10	11	2			1	193
18	19	26	33	28	29	17	33	35	33	42	18	8	4		1	194
7	8	12	8	4	7	7	11	17	12	16	8	6	2	1		195
	6	6	5	3	2	8	10	11	8	16	4	4	1	1		196
170	160	152	185	178	178	176	174	191	209	170	132	68	22	8	1	197
164	136	115	149	134	127	102	131	143	147	133	96	36	21	2	9	198
66	82	84	45	52	57	52	50	69	43	38	29	15	4	4		199
12	10	9	12	11	10	11	16	9	16	18	8	4	4			200
9	14	11	11	10	10	12	11	9	14	9	13	4	2			201
6	12	9	10	5	10	8	9	9	7	4	1	1	1			202
8	11	18	13	15	12	14	17	23	17	23	15	12	4			203
14	14	21	22	27	22	13	19	10	14	18	14	5	3	2	1	204
9	8	9	4	16	10	8	8	15	11	18	14	3	4			205
10	6	13	12	8	12	26	18	22	22	18	14	5	2			206
7	11	12	15	13	16	22	16	17	18	25	16	8	3	1	1	207
96	87	110	80	83	94	78	84	78	67	45	33	31	11	8		208
5	2	3	6	8	9	9	8	20	18	12	10	7	1			209
9	8	3	4	3	5	8	10	5	7	5	3	3			1	210
16	12	12	14	17	19	20	28	18	24	20	18	7	3	1	1	211
38	45	35	52	45	55	48	74	72	58	55	36	20	13	3	1	212
21	25	15	19	24	24	27	21	28	24	21	9	10		2	1	213
17	24	17	13	18	21	22	34	16	23	26	10	6	2	1	1	214
82	108	114	111	106	123	112	159	127	114	86	64	34	13	3	2	215
14	10	15	24	14	22	15	31	19	25	19	20	13	5		5	216
475	455	491	449	449	458	382	387	316	329	275	141	81	34	39	6	217
12	22	6	14	10	8	14	7	9	9	17	9	4		3		218
3,531	3,809	4,349	4,113	3,873	3,763	3,573	3,817	3,520	2,767	2,135	1,228	620	189	59	6	219
335	380	465	320	337	278	224	279	229	193	161	104	48	15		3	220
1,088	1,195	1,266	1,238	1,181	1,145	1,195	1,266	1,273	1,011	818	483	246	78	22	3	221
1,903	2,026	2,357	2,319	2,106	2,109	1,940	2,050	1,760	1,342	986	519	272	77	34		222
144	142	186	157	170	157	153	154	172	124	90	77	33	13	3		223
61	66	75	79	79	74	61	68	86	97	80	45	21	6			224
244	261	254	275	246	261	265	298	263	260	169	91	58	13	5	4	225
17	16	22	15	20	20	14	22	24	25	13	6	10	2	1	1	226
15	22	30	26	37	23	30	31	38	41	27	18	4	7			227
5	14	5	12	7	16	24	23	19	24	20	20	15	5	3		228
28	25	21	15	28	23	20	25	20	20	22	16	4	3		13	229
29	26	21	22	34	28	26	30	32	39	32	15	14	1	3	2	230
16	15	11	15	24	18	12	28	25	30	30	19	5	5	4	1	231
14	13	10	10	10	17	21	38	44	31	49	33	18	7	3		232
16	27	21	16	19	13	23	7	17	23	14	8	1	2			233
84	70	87	62	72	81	45	59	53	36	34	16	14	2	4		234
13	21	37	27	29	33	35	27	31	35	58	18	20	5	2	6	235
12	9	16	12	12	13	21	32	17	16	13	9	8	1	2		236
8	12	10	14	15	19	18	28	34	26	28	16	7	5	2		237
12	16	12	24	13	17	21	28	28	22	24	22	6	3		1	238
18	18	23	11	14	24	31	29	29	39	38	25	8	4	1		239
62	66	56	41	47	70	57	81	85	82	110	60	18	8	1	3	240
14	13	19	24	25	19	18	20	30	38	24	15	14		2		241
3	7	4	6		4	7	11	6	12	6	7	2	2	1		242
78	68	85	76	83	66	80	79	87	62	42	39	15	5	2	1	243
35	28	32	24	25	25	27	33	22	20	25	9	9	2	2	1	244
5	2	6	2	7	7	2	10	12	23	16	6	4	1	2	2	245
4	2	5	4	4	2	6	3	6	4	8	9	3	3		1	246
31	32	30	19	27	15	14	21	14	11	8	4	4	2		4	247
16	24	35	30	12	24	27	21	18	13	9	5	6	4	1		248
77	89	90	81	113	106	86	129	104	79	61	48	26	15	1		249

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
250	Pawtucket, R. I.	725	164	35	10	6	6	221	19	11	10	20
251	Peabody town, Mass.	171	28	7	2	2		39	1	2	3	12
252	Peekskill, N. Y.	204	30	10	18	7	5	70	10	4	3	6
253	Perth Amboy, N. J.	313	117	26	3	8	3	157	19	7	2	9
254	Peru, Ind.	119	26	5			1	32	3	1	2	4
255	Petersburg, Va.	532	118	32	11	8	7	176	10	10	17	33
256	Philadelphia, Pa.	25,058	5,263	1,072	425	233	213	7,206	554	371	673	1,011
257	Phillipsburg, N. J.	135	29	6	4			39	7	2	3	2
258	Pittsburg, Pa.	7,268	1,794	548	223	141	93	2,799	231	124	265	404
259	Pittsfield, Mass.	413	59	4	8	6	1	78	9	5	8	20
260	Plainfield, N. J.	295	44	15	6	4	3	72	6	7	10	9
261	Plymouth, Pa.	198	41	19	6	5	6	77	9	4	6	11
262	Plymouth town, Mass.	162	31	4	4	1		40	2	1	5	3
263	Pontiac, Mich.	195	15	2	4		1	22		1	4	5
264	Port Huron, Mich.	278	52	11	1		5	69	10	12	4	13
265	Port Jervis, N. Y.	155	34	7	2	2	1	46	5	2	1	2
266	Portland, Me.	949	146	16	9	7	2	180	18	21	19	34
267	Portland, Oreg.	1,425	163	33	14	9	11	230	33	25	44	78
268	Portsmouth, N. H.	183	18	6	4			28	1	2	2	7
269	Portsmouth, Ohio	283	56	14	5	3		78	4	8	17	26
270	Pottstown, Pa.	216	48	7	5	4	1	65	2	2	6	6
271	Pottsville, Pa.	330	61	6	1		2	70	14	5	12	26
272	Poughkeepsie, N. Y.	436	61	14	7	4	1	87	8	5	8	19
273	Providence, R. I.	3,475	683	139	67	40	31	960	87	40	81	133
274	Pueblo, Colo.	712	131	18	10	4	6	169	12	14	30	47
275	Quincy, Ill.	568	88	16	8	5	2	119	10	11	11	25
276	Quincy, Mass.	367	82	16	7	5	2	112	7	6	10	11
277	Raleigh, N. C.	351	85	18	9	6	6	124	10	10	7	21
278	Reading, Pa.	1,329	362	39	24	11	11	447	25	15	39	40
279	Revere town, Mass.	149	31	5			2	38	3	3	5	9
280	Richmond, Ind.	255	30	10	4	4	3	51	2	4	7	7
281	Richmond, Va.	1,921	385	68	27	27	10	517	29	34	62	114
282	Rochester, N. H.	155	28	6	2	2		38	4	1	5	4
283	Rochester, N. Y.	2,782	415	84	47	39	27	612	87	46	91	105
284	Rockland, Me.	154	22	4	2		2	30	2	3	4	13
285	Rome, N. Y.	317	22	14	2	2		40	13	4	13	21
286	Rutland, Vt.	191	22	4	3	3	2	34	1	5	4	13
287	Sacramento, Cal.	700	75	12	5	7	5	104	15	14	14	48
288	Saginaw, Mich.	605	110	10	8	8	4	140	12	6	22	34
289	St. Joseph, Mo.	876	111	29	16	7	5	168	12	14	27	57
290	St. Louis, Mo.	10,745	1,752	330	143	97	71	2,393	240	158	323	505
291	St. Paul, Minn.	1,971	402	52	30	23	14	521	72	48	63	95
292	Salem, Mass.	741	198	42	13	11	7	271	18	13	15	19
293	Salt Lake City, Utah.	1,080	182	49	22	15	17	285	44	45	40	57
294	San Antonio, Tex.	1,495	318	54	16	13	11	412	37	29	51	106
295	San Diego, Cal.	457	38	8	5	1	4	56	4	5	11	16
296	San Francisco, Cal.	7,332	868	142	70	47	37	1,164	120	78	143	318
297	San Jose, Cal.	364	39	8	5		1	53	8	5	13	22
298	Saratoga Springs, N. Y.	267	34	1	2	1		38	6	5	10	11
299	Sault Ste. Marie, Mich.	192	58	13	6	5	5	87	4	3	5	14
300	Savannah, Ga.	1,723	315	74	36	11	10	446	44	41	60	139
301	Schenectady, N. Y.	791	217	36	18	20	10	301	13	12	19	38
302	Scranton, Pa.	2,111	615	95	57	43	20	830	40	22	55	91
303	Seattle, Wash.	1,150	197	25	18	7	6	253	28	21	28	58
304	Sioux City, Iowa.	519	86	16	7	6	9	124	25	10	19	29
305	Somerville, Mass.	960	164	19	11	9	5	208	29	12	15	42
306	South Bend, Ind.	655	188	27	12	7	7	241	16	13	22	31
307	South Bethlehem, Pa.	166	21	5	3	1	2	32	9	4	5	7
308	Southbridge town, Mass.	196	58	11	6	9	8	92	15	6	3	7
309	Spokane, Wash.	702	125	29	10	8	7	179	21	16	30	50
310	Springfield, Ill.	642	123	18	13	5	7	166	15	13	17	27
311	Springfield, Mass.	1,128	200	33	8	14	7	262	35	17	27	39
312	Stamford town, Conn.	453	76	20	10	7	2	115	11	2	11	16
313	Steelton, Pa.	232	93	9	5	2	4	113	7	3	11	12
314	Stonington town, Conn.	159	35	3	4	1	1	44	4	1	2	5
315	Superior, Wis.	329	82	16	6	1	2	107	5	4	16	24
316	Syracuse, N. Y.	1,820	328	57	31	12	9	437	41	37	46	56
317	Tacoma, Wash.	566	85	17	5	7	4	118	18	14	21	44
318	Taunton, Mass.	676	149	30	10	4	4	197	10	9	9	22
319	Terre Haute, Ind.	777	141	34	11	12	9	207	16	18	37	46
320	Tiffin, Ohio.	141	9	2				11	2	5	7	4
321	Toledo, Ohio.	2,121	353	56	28	14	15	466	45	42	65	114
322	Torrington town, Conn.	206	76	7	4	2	2	91	3	4	7	7
323	Traverse City, Mich.	209	17	4	4	2	1	28	2		4	11
324	Trenton, N. J.	1,413	319	51	20	17	16	423	39	24	49	56
325	Troy, N. Y.	1,641	277	48	28	25	12	390	36	30	37	51
326	Union, N. J.	302	72	16	11	4	2	105	12	1	5	9
327	Utica, N. Y.	1,150	213	34	13	7	6	273	16	12	32	47
328	Vernon town, Conn.	117	24	4			1	29		2	2	4
329	Vincennes, Ind.	210	46	8	5	3		62	3	2	6	8
330	Wabash, Ind.	99	16	2	4		1	23	2	1	3	11
331	Wakefield town, Mass.	143	18	7	1	1		27	2	1	3	6
332	Wallingford town, Conn.	118	28	2	2			32	2	2	5	5
333	Waltham, Mass.	363	39	7	5	3	1	55	15	17	15	22
334	Ware town, Mass.	127	35	8	2	2	2	49	2	4	1	3

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
27	22	26	33	27	50	43	44	50	54	34	17	11	4	1	1	250
3	8	7	4	11	7	15	11	7	17	6	10	6	2	.....	.....	251
3	14	3	5	5	13	12	13	10	10	8	9	6	.....	.....	.....	252
10	9	13	11	15	13	3	16	9	7	3	6	3	1	.....	.....	253
7	8	6	4	2	7	8	3	10	5	8	5	2	1	1	.....	254
30	19	20	20	14	32	33	39	23	25	14	7	4	2	2	2	255
1,071	1,150	1,275	1,290	1,279	1,354	1,317	1,432	1,374	1,342	1,123	734	338	129	33	2	256
6	4	4	4	3	9	11	9	7	9	5	6	4	1	.....	.....	257
440	358	366	311	304	270	291	295	245	201	157	115	61	24	5	2	258
15	19	12	28	15	23	21	27	30	32	28	23	16	1	3	.....	259
14	14	16	7	14	9	19	21	21	26	10	10	5	2	3	.....	260
6	7	6	10	12	12	9	8	3	6	2	5	3	.....	1	1	261
8	2	6	4	7	4	8	6	11	10	15	18	10	1	1	.....	262
4	11	14	14	16	17	8	16	16	18	11	7	8	2	1	.....	263
12	11	9	12	22	15	13	15	14	16	16	8	7	.....	.....	.....	264
7	9	6	10	7	7	12	5	8	9	11	2	3	2	1	.....	265
31	41	33	40	39	57	49	76	72	87	67	40	23	14	6	2	266
81	87	96	90	78	85	86	92	93	83	73	41	17	3	1	9	267
7	7	11	13	10	7	10	11	22	14	10	10	5	5	.....	1	268
15	15	11	5	9	12	8	12	17	11	11	16	7	.....	1	.....	269
7	10	15	7	9	9	9	11	16	14	13	8	4	1	.....	2	270
17	14	13	21	11	19	15	15	19	25	12	10	11	.....	1	.....	271
14	23	17	17	17	22	30	28	39	29	27	28	12	5	1	.....	272
174	174	194	179	171	197	208	194	204	177	141	85	51	16	8	1	273
43	55	64	49	49	32	36	31	26	26	17	9	1	1	.....	1	274
19	26	30	25	32	29	34	38	31	27	43	32	16	3	1	6	275
16	12	19	12	16	24	13	18	26	27	18	9	5	3	2	1	276
16	16	7	9	12	13	15	19	14	11	14	16	4	1	3	9	277
50	57	44	45	53	60	76	68	78	79	58	52	27	13	2	1	278
8	7	5	13	9	11	8	8	5	8	4	2	2	1	.....	.....	279
13	4	14	5	14	21	11	12	15	19	28	11	9	6	2	.....	280
97	114	103	90	95	119	108	110	87	104	50	50	12	6	1	19	281
6	6	3	7	4	10	9	5	7	15	13	11	3	1	.....	3	282
115	103	112	134	162	144	136	201	150	183	181	107	76	32	4	1	283
3	6	2	2	6	9	7	9	18	9	11	7	6	5	.....	2	284
14	7	15	12	17	12	16	27	14	25	22	27	12	4	2	.....	285
9	10	7	8	7	10	13	12	10	12	15	10	6	2	2	1	286
49	55	41	44	39	36	47	55	34	44	30	18	9	1	.....	3	287
24	24	23	33	26	38	24	41	47	32	45	22	9	3	.....	.....	288
38	46	54	43	45	55	52	54	62	51	43	29	16	5	3	2	289
614	637	763	683	680	599	564	588	602	539	395	275	132	43	9	3	290
83	97	91	105	107	109	102	94	109	87	76	66	30	9	5	2	291
30	19	29	20	18	32	34	40	40	44	50	31	12	2	4	.....	292
61	51	61	46	45	52	46	45	42	52	50	38	16	1	.....	3	293
122	100	90	78	80	54	54	63	58	60	40	28	24	1	5	3	294
20	22	28	27	23	29	20	40	37	52	29	21	12	3	.....	2	295
395	444	519	487	495	543	450	528	517	495	320	181	96	23	9	7	296
21	13	17	18	19	16	19	30	32	25	24	20	7	1	1	.....	297
7	7	14	15	13	11	24	22	20	18	16	17	8	3	2	.....	298
16	9	6	6	7	9	7	5	4	3	3	.....	3	.....	1	.....	299
122	102	88	117	94	109	68	72	67	57	47	20	13	9	4	4	300
42	30	38	35	47	25	29	30	33	35	26	19	12	4	1	2	301
114	86	105	99	92	108	102	105	93	67	57	27	9	5	1	3	302
70	82	81	87	73	78	58	44	55	51	43	20	11	5	1	3	303
29	27	30	24	29	31	30	25	25	11	20	15	8	1	3	4	304
25	36	32	35	43	50	49	65	67	88	83	46	27	6	2	.....	305
26	31	17	24	29	27	23	29	29	21	33	28	7	6	1	1	306
7	15	7	9	10	7	7	11	18	7	4	1	4	1	1	.....	307
7	4	4	3	2	6	4	5	12	9	8	6	2	1	.....	.....	308
42	49	54	39	32	39	30	36	24	21	20	14	2	3	.....	1	309
45	42	21	32	38	26	29	29	34	33	26	29	11	7	2	.....	310
48	61	60	48	42	47	61	72	72	66	84	46	29	9	2	1	311
19	18	19	22	23	24	33	22	27	26	24	17	14	4	2	4	312
12	7	5	6	6	7	7	12	7	10	6	1	.....	.....	.....	.....	313
5	2	7	5	7	7	8	7	17	5	14	7	7	5	.....	.....	314
20	21	19	20	13	15	15	13	10	10	7	6	.....	1	2	1	315
66	79	82	99	98	103	108	100	124	112	100	81	38	8	3	2	316
26	31	35	27	29	23	33	36	38	30	14	18	5	2	.....	4	317
25	24	20	32	35	34	34	43	44	39	36	33	18	9	1	2	318
31	36	38	38	36	49	36	37	35	40	35	23	10	3	1	5	319
8	7	10	7	3	5	8	6	15	17	14	5	6	1	.....	.....	320
103	127	115	90	109	103	118	126	134	114	105	83	44	8	6	4	321
8	9	9	4	5	4	9	13	4	9	6	5	7	1	1	.....	322
15	13	12	8	14	10	12	14	23	16	16	6	4	1	.....	.....	323
59	50	80	62	70	73	78	74	68	87	54	36	24	6	.....	1	324
64	92	88	93	77	85	99	117	121	104	69	54	27	5	2	.....	325
17	16	17	16	18	12	7	20	18	9	9	6	5	.....	.....	.....	326
48	41	56	48	59	60	57	65	78	87	79	48	32	7	4	1	327
4	9	2	5	5	5	7	10	8	9	7	2	3	1	1	2	328
7	12	17	10	7	12	7	11	13	15	10	4	2	2	.....	.....	329
1	4	5	1	4	8	3	9	8	3	4	4	4	1	.....	.....	330
5	7	2	3	7	4	9	9	12	15	16	6	6	2	1	.....	331
7	4	4	3	6	1	8	7	5	7	11	6	1	.....	1	1	332
20	15	12	16	11	13	23	20	23	28	27	17	6	6	1	1	333
8	8	2	2	5	5	5	3	4	5	12	4	3	1	1	.....	334

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
335	Washington, D. C	6,201	1,143	230	99	58	35	1,565	115	85	210	329
336	Washington, Ind	130	18	2	7	.....	.....	27	4	3	3	8
337	Waterbury, Conn	957	249	54	15	11	10	339	40	20	20	53
338	Watertown, N. Y	381	79	15	2	6	5	107	11	6	10	16
339	Watertown town, Mass	136	28	4	2	3	5	42	2	.....	3	4
340	Watervliet, N. Y	283	55	15	7	1	1	79	11	9	6	6
341	Webster town, Mass	152	53	6	4	3	1	67	5	3	7	5
342	Westfield town, Mass	212	40	8	3	.....	.....	51	6	3	4	8
343	Weymouth town, Mass	174	27	3	3	1	1	35	.....	.....	2	2
344	Wheeling, W. Va	629	98	23	14	7	3	145	26	14	19	39
345	Wichita, Kans	502	81	12	8	7	3	111	14	11	18	26
346	Williamsport, Pa	482	69	13	6	2	.....	90	12	14	20	31
347	Wilmington, Del	1,389	276	60	35	12	11	394	28	29	38	62
348	Wilmington, N. C	535	119	29	12	7	4	171	13	11	26	32
349	Windham town, Conn	216	49	9	3	4	4	69	6	4	3	5
350	Winona, Minn	258	41	10	9	4	4	68	10	2	11	13
351	Woburn, Mass	219	31	7	5	2	3	48	2	.....	6	4
352	Woonsocket, R. I	489	150	32	17	7	12	218	16	5	6	17
353	Worcester, Mass	2,266	503	60	25	15	18	621	37	39	49	87
354	Yonkers, N. Y	1,021	262	67	26	15	26	396	34	21	29	30
355	Youngstown, Ohio	994	262	62	23	15	11	373	33	17	25	56
	CONNECTICUT RURAL.											
356	Fairfield county	723	81	21	12	6	5	125	19	6	9	20
357	Hartford county	1,076	199	41	23	4	5	272	17	16	28	25
358	Litchfield county	829	121	18	6	9	5	159	14	13	23	24
359	Middlesex county	357	49	5	8	4	5	71	7	3	9	10
360	New Haven county	795	135	22	8	10	4	179	15	2	16	24
361	New London county	509	76	13	5	3	1	98	10	5	9	10
362	Tolland county	252	36	10	2	3	.....	51	3	4	5	7
363	Windham county	605	114	15	10	3	6	148	14	11	9	14
	INDIANA RURAL.											
364	Adams county	226	45	13	3	3	.....	64	13	3	8	9
365	Allen county	290	58	11	5	3	.....	77	4	12	10	13
366	Bartholomew county	187	36	9	.....	1	.....	46	8	1	4	7
367	Benton county	131	26	8	3	1	1	39	2	4	4	6
368	Blackford county	230	46	4	3	3	3	59	8	5	5	12
369	Boone county	302	51	12	5	4	.....	72	9	8	10	20
370	Brown county	87	9	3	1	1	1	15	2	2	3	3
371	Carroll county	238	46	11	3	2	2	64	3	5	10	18
372	Cass county	228	28	9	5	2	1	45	5	.....	4	7
373	Clark county	265	56	14	6	6	2	84	1	4	4	6
374	Clay county	397	90	15	14	3	4	126	15	7	17	14
375	Clinton county	425	83	12	7	3	1	106	9	9	14	24
376	Crawford county	162	38	6	4	1	.....	49	6	3	8	11
377	Daviess county	283	76	23	3	5	3	110	9	6	8	9
378	Dearborn county	316	47	5	7	3	1	63	6	8	11	15
379	Decatur county	294	40	4	6	3	1	54	5	1	6	14
380	Dekalb county	301	56	7	3	5	.....	71	8	4	11	11
381	Delaware county	303	71	16	4	.....	3	94	7	6	10	11
382	Dubois county	267	55	14	5	4	2	80	5	7	8	20
383	Elkhart county	383	58	11	7	.....	2	78	2	4	10	12
384	Fayette county	166	25	6	2	3	.....	36	5	2	7	7
385	Floyd county	107	16	3	2	.....	.....	21	2	4	2	7
386	Fountain county	238	38	8	6	2	1	55	5	3	6	10
387	Franklin county	195	38	7	.....	.....	.....	45	2	3	7	6
388	Fulton county	229	38	11	4	3	1	57	3	4	6	15
389	Gibson county	406	92	15	11	4	4	126	6	13	14	21
390	Grant county	551	97	22	6	3	4	132	11	12	20	19
391	Greene county	467	97	30	11	9	6	153	13	13	28	28
392	Hamilton county	371	56	10	11	7	1	85	7	6	10	17
393	Hancock county	292	58	14	5	2	.....	79	6	4	9	17
394	Harrison county	263	48	7	2	1	2	60	5	9	16	9
395	Hendricks county	241	33	9	3	5	.....	50	3	2	12	15
396	Henry county	326	53	5	3	3	2	66	9	4	11	15
397	Howard county	193	41	4	2	2	3	52	1	2	8	9
398	Huntington county	199	28	11	3	1	1	44	4	5	2	10
399	Jackson county	384	98	25	6	4	.....	133	10	5	26	14
400	Jasper county	121	25	5	1	3	.....	34	1	2	4	6
401	Jay county	362	85	24	6	6	1	122	6	7	11	16
402	Jefferson county	328	37	11	8	5	4	65	8	3	14	16
403	Jennings county	213	17	6	5	2	2	32	6	3	6	10
404	Johnson county	240	35	6	1	3	3	48	7	5	9	11
405	Knox county	294	78	28	8	5	4	123	10	4	10	11
406	Kosciusko county	346	58	10	10	2	3	83	4	10	3	12
407	Lagrange county	209	27	8	3	1	1	40	4	3	4	12
408	Lake county	379	110	24	6	6	3	149	10	6	7	17
409	Laporte county	367	58	11	3	3	5	80	5	5	12	11
410	Lawrence county	409	91	22	12	10	5	140	13	7	14	27
411	Madison county	392	92	23	5	4	7	131	12	5	12	21
412	Marion county	476	42	13	4	3	2	64	5	7	9	19
413	Marshall county	255	37	5	2	2	1	47	7	5	7	8

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
332	311	274	263	319	354	318	438	406	333	267	155	83	33	11	.....	335
7	3	12	5	8	4	4	3	11	11	7	8	.....	2	.....	.....	336
30	41	54	41	46	47	43	40	42	40	33	19	7	.....	1	1	337
15	10	18	17	18	12	11	24	22	21	23	24	14	2	.....	.....	338
5	2	7	1	5	7	8	9	15	7	4	9	6	.....	.....	.....	339
7	14	18	12	14	12	13	18	21	16	14	7	3	2	.....	1	340
8	4	3	3	7	3	5	6	7	6	4	3	5	1	.....	.....	341
12	11	8	8	8	7	3	16	16	12	15	14	5	5	.....	.....	342
3	7	6	7	10	7	8	14	14	17	24	6	7	4	1	.....	343
38	27	46	31	21	23	27	37	39	18	37	19	11	4	3	5	344
30	24	18	25	20	23	29	33	32	27	20	22	10	4	2	3	345
24	24	17	20	17	26	24	46	34	31	22	21	6	1	.....	2	346
74	53	65	73	60	79	83	79	74	74	46	39	27	7	3	2	347
35	24	17	26	23	33	30	27	25	17	10	5	5	3	1	1	348
3	10	6	6	2	7	18	16	23	12	8	10	6	1	.....	1	349
11	9	9	6	7	8	9	16	17	23	19	11	5	2	1	1	350
4	15	9	10	6	9	16	15	23	17	16	10	4	2	3	.....	351
25	22	14	18	14	16	16	23	16	26	18	11	7	1	.....	.....	352
110	88	104	111	104	106	141	120	139	140	113	94	48	13	2	.....	353
50	44	60	41	36	39	51	47	47	30	28	23	8	4	1	2	354
55	38	38	33	37	44	50	60	38	43	27	19	4	3	.....	1	355
13	17	24	17	31	23	30	59	67	70	67	59	45	17	3	2	356
38	31	27	39	32	43	48	56	72	89	97	70	41	15	2	18	357
31	26	20	30	30	26	47	63	63	59	78	69	28	16	6	4	358
11	7	10	15	8	11	14	24	16	36	36	33	24	8	2	2	359
30	30	26	30	34	30	36	43	57	73	59	58	31	9	6	7	360
15	15	15	16	27	20	25	36	38	46	44	40	17	12	.....	11	361
6	4	11	12	6	4	16	16	16	23	23	23	11	8	1	2	362
16	21	20	15	20	22	36	30	34	52	54	47	25	13	1	3	363
10	6	6	6	9	6	9	14	12	10	17	16	4	4	.....	.....	364
10	10	11	10	13	6	11	13	19	21	19	17	7	7	.....	.....	365
5	3	9	5	3	9	4	13	19	10	21	10	8	2	.....	.....	366
4	3	5	1	2	3	6	4	16	16	7	5	.....	2	.....	2	367
13	14	13	10	10	4	9	15	13	13	14	9	3	.....	.....	1	368
8	12	7	11	12	8	6	20	17	26	24	17	11	3	1	.....	369
4	4	5	1	2	3	4	3	4	8	14	4	3	1	.....	2	370
12	3	9	5	6	7	7	18	12	22	14	9	9	3	2	.....	371
11	8	9	11	13	9	16	14	15	20	19	12	6	2	.....	2	372
13	12	5	8	8	9	10	16	22	21	13	18	7	2	.....	2	373
23	22	10	12	11	9	15	28	24	19	21	12	7	2	.....	3	374
16	16	19	11	16	20	20	21	32	28	26	18	11	5	.....	4	375
9	4	5	4	2	4	9	6	10	8	7	7	6	1	.....	3	376
9	9	8	10	7	12	7	12	12	16	16	12	9	1	.....	1	377
10	7	7	11	16	10	10	21	16	23	35	23	16	2	1	5	378
14	10	15	14	4	14	16	19	20	17	29	30	6	1	2	3	379
11	9	10	8	5	13	14	23	18	20	24	28	7	3	1	2	380
15	12	11	10	7	11	10	10	16	26	17	16	5	7	1	1	381
11	6	10	7	11	12	9	15	13	15	20	10	7	1	.....	.....	382
9	11	16	12	12	17	18	23	38	43	37	26	9	5	1	.....	383
12	10	5	4	6	6	7	8	6	16	12	7	6	2	.....	2	384
6	4	4	3	6	5	4	8	5	8	8	3	5	2	.....	.....	385
6	19	10	6	9	7	15	8	17	14	24	12	9	2	.....	1	386
6	5	9	11	6	3	8	15	9	16	14	12	12	4	.....	2	387
6	8	7	10	1	8	8	18	18	19	24	9	5	2	.....	1	388
17	21	13	9	15	21	17	21	25	21	23	11	6	2	3	1	389
13	22	13	10	16	19	23	61	50	44	38	27	10	6	3	2	390
23	17	17	11	18	14	13	5	26	31	27	18	6	3	.....	3	391
13	14	13	15	15	9	17	17	29	35	25	21	17	5	1	.....	392
7	5	11	10	12	5	19	15	19	32	21	18	2	1	.....	.....	393
8	12	12	9	7	8	9	13	19	14	29	14	5	2	.....	3	394
7	8	7	8	9	14	14	12	19	20	14	16	4	5	.....	2	395
18	11	9	10	11	12	16	24	17	28	35	20	6	4	.....	.....	396
2	3	7	10	13	9	12	12	12	18	8	8	6	1	.....	.....	397
7	8	5	8	9	12	16	12	12	12	14	9	5	3	.....	2	398
15	14	14	9	17	12	13	17	18	35	9	11	8	1	1	2	399
4	2	3	5	.....	7	5	3	9	6	12	10	5	1	.....	2	400
12	13	16	14	8	13	15	20	29	13	16	18	9	2	1	1	401
7	7	11	12	11	7	18	26	20	23	30	22	20	3	1	4	402
7	7	11	7	6	9	9	16	20	23	17	10	10	4	.....	.....	403
9	10	11	10	10	11	12	15	14	17	18	14	8	1	.....	.....	404
9	11	13	11	7	17	4	8	10	14	11	15	4	1	1	.....	405
13	9	5	7	10	15	24	25	28	34	29	20	11	3	1	.....	406
3	5	5	11	5	10	12	18	19	20	13	14	8	2	1	.....	407
6	8	22	14	19	16	9	12	13	18	14	23	7	1	2	6	408
11	14	15	8	10	17	17	32	27	31	20	30	12	6	3	1	409
18	12	9	15	15	11	19	13	17	29	21	15	6	4	1	3	410
17	12	12	11	17	18	19	14	22	24	24	10	7	2	1	1	411
20	20	32	26	31	42	28	36	37	31	30	17	11	2	3	6	412
6	4	8	7	11	8	15	21	15	30	19	22	12	1	.....	2	413

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA RURAL—Continued.											
414	Martin county	165	26	12	1	4	1	44	5	4	5	15
415	Miami county	221	43	8	5	3	1	60	3	2	11	6
416	Monroe county	311	69	15	7	5	1	97	13	4	6	15
417	Montgomery county	400	61	10	1	2	.....	74	10	5	8	14
418	Morgan county	298	55	10	3	1	2	71	4	7	12	17
419	Newton county	108	26	5	2	2	2	37	5	1	3	2
420	Noble county	254	36	7	4	.....	1	48	3	2	8	9
421	Ohio county	58	3	5	.....	2	1	11	.....	1	3	2
422	Orange county	201	31	10	5	5	2	53	8	5	10	9
423	Owen county	170	23	5	2	1	1	32	5	4	2	10
424	Parke county	298	44	15	5	9	3	76	5	5	10	15
425	Perry county	253	42	9	7	2	1	61	3	4	13	11
426	Pike county	297	63	22	3	3	2	93	13	10	12	15
427	Porter county	251	46	5	4	1	.....	56	7	6	6	11
428	Posey county	303	73	16	8	5	3	105	6	5	16	14
429	Pulaski county	133	21	7	2	1	3	34	3	1	5	6
430	Putnam county	263	39	6	.....	.....	1	46	5	4	14	10
431	Randolph county	371	66	15	10	1	1	93	6	3	15	9
432	Ripley county	249	33	3	3	.....	2	41	8	5	10	14
433	Rush county	221	37	6	2	1	2	48	5	3	3	11
434	St. Joseph county	351	94	10	4	2	1	111	7	10	3	13
435	Scott county	125	19	7	4	.....	.....	30	3	2	8	8
436	Shelby county	352	58	11	4	4	4	81	11	4	13	13
437	Spencer county	266	50	11	3	1	1	66	5	8	9	8
438	Starke county	137	27	9	4	2	1	43	3	3	6	8
439	Steuben county	201	28	2	3	1	2	36	4	6	7	6
440	Sullivan county	436	101	32	14	9	6	162	10	12	16	16
441	Switzerland county	138	22	2	2	2	.....	28	4	5	4	7
442	Tippecanoe county	269	33	6	2	4	3	48	6	3	9	8
443	Tipton county	215	36	11	8	3	.....	58	.....	3	8	6
444	Union county	82	5	1	.....	1	1	8	.....	.....	1	4
445	Vanderburg county	236	49	8	3	2	2	64	4	.....	9	11
446	Vermilion county	242	63	13	1	3	2	82	3	5	10	9
447	Vigo county	252	58	16	5	2	2	83	9	8	6	14
448	Wabash county	203	31	6	6	1	3	47	5	1	6	12
449	Warren county	125	17	7	1	2	.....	27	1	1	7	7
450	Warrick county	289	60	12	4	1	3	80	10	10	7	11
451	Washington county	254	46	7	3	2	1	59	6	5	13	8
452	Wayne county	302	28	5	1	1	1	36	.....	3	6	7
453	Wells county	268	49	14	4	7	2	76	7	8	10	17
454	White county	220	29	8	3	1	3	44	3	5	6	16
455	Whitley county	178	27	6	2	2	2	39	3	6	6	5
	MAINE RURAL.											
456	Androscoggin county	914	185	24	17	5	3	234	20	15	19	32
457	Aroostook county	831	286	45	16	9	10	366	17	24	25	31
458	Cumberland county	836	103	16	9	3	3	134	14	6	20	21
459	Franklin county	292	50	4	1	3	3	61	8	6	5	8
460	Hancock county	538	75	13	4	4	4	100	10	2	12	20
461	Kennebec county	849	119	20	9	4	3	155	9	11	18	11
462	Knox county	330	38	4	4	.....	1	47	4	4	9	9
463	Lincoln county	269	24	4	1	2	.....	31	5	1	5	6
464	Oxford county	505	72	12	5	4	.....	93	9	8	2	16
465	Penobscot county	911	172	23	18	8	5	226	14	11	19	42
466	Piscataquis county	274	41	3	1	1	3	49	6	3	12	13
467	Sagadahoc county	160	16	1	.....	.....	.....	17	1	1	3	2
468	Somerset county	564	86	10	6	3	4	109	7	11	19	16
469	Waldo county	416	31	6	2	.....	.....	39	6	2	8	17
470	Washington county	683	110	18	12	6	4	150	11	12	27	25
471	York county	905	140	19	5	4	2	170	13	10	15	20
	MASSACHUSETTS RURAL.											
472	Barnstable county	507	62	16	9	8	.....	95	6	8	9	8
473	Berkshire county	571	85	18	6	4	6	119	7	9	12	18
474	Bristol county	694	111	10	14	6	5	146	13	6	9	26
475	Dukes county	88	8	1	1	.....	.....	10	2	1	1	.....
476	Essex county	1,133	164	28	12	10	8	222	23	19	24	27
477	Franklin county	731	135	17	5	5	.....	162	8	6	16	22
478	Hampden county	583	157	8	6	5	1	177	7	6	19	20
479	Hampshire county	476	73	13	7	2	1	96	10	8	5	11
480	Middlesex county	2,119	232	36	15	3	12	298	26	34	37	59
481	Nantucket county	66	5	.....	.....	.....	1	6	.....	.....	3	.....
482	Norfolk county	1,281	194	28	13	13	5	253	24	20	31	38
483	Plymouth county	1,107	126	19	2	5	4	156	18	13	15	37
484	Suffolk county	98	13	2	2	.....	.....	17	1	.....	2	.....
485	Worcester county	2,069	370	60	40	20	12	502	33	22	41	55
	MICHIGAN RURAL.											
486	Alcona county	60	15	3	3	1	.....	22	1	1	2	2
487	Alger county	81	31	3	3	2	1	40	3	3	2	4
488	Allegan county	514	75	13	3	8	.....	99	9	4	18	13
489	Alpena county	224	70	7	2	3	1	83	2	4	10	8
490	Antrim county	246	70	8	4	1	5	88	8	6	8	10

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	6	8	10	1	7	6	6	11	10	10	6	3	----	----	1	414
8	5	3	4	8	7	6	12	23	13	18	19	8	4	1	----	415
6	11	11	8	15	8	6	21	25	19	20	13	8	2	2	1	416
16	12	16	10	10	22	20	27	31	42	34	33	11	4	----	1	417
13	8	11	12	6	12	13	16	22	27	22	10	8	3	3	1	418
4	5	3	3	3	3	7	6	7	8	----	2	7	2	----	----	419
13	4	8	7	9	9	12	18	19	22	28	20	11	2	1	1	420
2	2	2	1	3	1	5	4	6	3	5	5	2	----	----	----	421
11	9	6	4	9	9	8	7	17	9	15	9	----	1	----	2	422
9	8	3	6	5	9	12	14	13	14	14	3	2	4	----	1	423
11	15	15	7	11	7	18	13	18	29	21	13	6	1	----	2	424
14	10	10	13	10	10	4	17	14	13	17	14	7	2	2	4	425
11	9	11	6	12	12	7	14	20	19	18	5	6	2	----	2	426
8	8	16	10	7	6	9	14	18	20	19	15	14	----	----	1	427
16	5	10	8	9	10	22	10	15	14	16	12	5	----	2	3	428
3	3	2	4	8	6	6	8	10	6	10	7	5	4	2	----	429
13	14	8	8	10	8	12	21	14	24	21	18	8	2	2	1	430
15	14	15	10	11	13	11	21	35	26	33	19	18	3	1	----	431
3	14	11	5	7	6	14	19	19	17	23	16	13	2	1	1	432
8	3	8	10	8	16	11	8	20	16	20	13	4	4	1	1	433
15	7	11	14	14	12	17	16	16	30	25	15	7	5	1	2	434
12	7	5	4	3	2	7	4	5	14	8	4	5	3	----	1	435
17	15	15	15	14	10	15	19	31	20	33	13	13	6	2	2	436
13	15	13	13	8	11	8	8	18	19	20	15	5	2	----	2	437
2	3	4	1	2	3	6	9	8	9	10	9	6	1	----	1	438
5	5	9	5	6	6	7	13	13	28	23	13	6	2	----	1	439
22	11	16	13	13	9	16	21	19	27	24	16	7	2	1	3	440
9	4	2	4	2	6	5	11	6	11	11	11	2	4	----	2	441
15	11	8	11	5	8	13	19	33	32	16	11	5	2	1	5	442
13	7	4	9	5	13	13	13	19	13	12	9	3	2	----	5	443
1	3	----	3	----	4	1	8	11	10	8	13	3	4	----	----	444
5	9	8	14	14	12	11	11	16	16	8	15	6	2	1	----	445
16	8	9	5	7	8	10	9	14	10	19	3	5	2	----	8	446
8	6	14	6	5	10	11	11	23	10	11	9	4	2	1	1	447
4	6	6	6	10	8	14	5	14	22	15	12	6	4	----	----	448
7	7	2	4	9	1	5	6	9	10	7	9	4	1	----	1	449
9	15	11	6	12	16	16	15	20	13	13	9	10	3	----	3	450
10	11	11	5	13	8	10	14	15	22	18	14	9	1	----	2	451
14	14	14	11	20	12	17	17	29	27	36	21	13	3	1	1	452
12	11	8	8	6	9	6	20	16	18	12	18	4	2	----	----	453
6	7	6	8	4	5	12	20	22	19	18	10	7	2	----	----	454
5	5	3	3	6	4	10	13	15	7	27	14	7	----	----	----	455
34	37	20	34	37	38	38	69	73	61	65	38	32	10	3	5	456
24	21	16	13	13	27	20	27	49	39	51	23	27	8	2	8	457
25	15	21	26	26	34	43	45	89	94	74	72	56	17	3	1	458
5	9	4	3	10	14	15	17	21	28	42	16	13	6	----	1	459
18	18	13	7	13	21	35	37	34	53	59	47	29	6	2	2	460
21	30	24	17	29	36	51	53	81	75	88	71	48	8	6	7	461
8	4	8	8	14	12	19	28	21	29	40	37	19	8	----	2	462
6	7	5	8	6	9	17	24	20	19	41	27	21	7	1	3	463
8	16	15	15	24	22	26	34	45	44	50	44	20	12	1	1	464
24	35	20	27	28	35	41	49	67	71	69	68	52	9	2	2	465
4	11	12	12	7	10	8	15	18	29	21	18	19	2	2	3	466
8	5	2	7	7	7	6	9	19	17	22	16	7	4	----	----	467
21	13	15	16	11	17	29	42	42	49	60	44	24	13	3	3	468
13	6	8	12	12	23	27	25	45	29	62	43	24	9	4	2	469
28	12	15	13	23	29	35	31	45	64	76	42	29	12	2	2	470
17	16	25	25	31	35	43	66	89	103	96	78	38	11	3	1	471
10	16	13	7	10	27	27	39	43	42	51	58	29	7	2	----	472
16	14	16	22	16	26	32	33	46	54	48	48	26	7	1	1	473
24	22	18	18	23	29	34	51	44	67	63	54	30	10	6	1	474
1	4	3	2	1	4	7	5	10	8	6	12	10	1	----	----	475
29	24	43	31	42	51	57	70	98	92	100	86	65	22	7	1	476
23	25	15	13	28	32	31	48	62	66	63	64	31	10	5	1	477
27	17	24	12	13	14	32	33	32	36	48	33	23	7	3	----	478
10	13	10	12	14	26	23	28	40	38	50	41	24	11	5	1	479
93	86	116	93	98	128	137	154	150	202	151	126	85	34	8	4	480
----	2	2	----	----	2	3	3	16	2	7	5	10	5	----	----	481
28	39	38	59	49	66	73	87	97	90	102	109	51	19	6	2	482
36	33	34	30	34	52	59	87	91	129	108	78	63	29	5	----	483
2	2	8	5	4	8	6	9	10	5	7	9	2	1	----	----	484
60	64	66	79	78	77	104	136	134	182	181	131	83	24	14	3	485
1	1	2	2	1	5	2	3	4	3	2	3	2	----	----	1	486
1	4	3	4	2	1	4	3	3	----	1	1	2	----	----	----	487
12	13	15	19	16	22	23	32	45	52	54	37	24	6	1	----	488
7	5	10	4	8	9	9	10	15	14	7	11	6	2	----	----	489
5	13	11	14	7	7	8	12	10	11	9	11	5	2	1	----	490

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MICHIGAN RURAL—Continued.											
491	Arenac county	95	27	3	1	2	.....	33	5	2	1	4
492	Baraga county	79	22	8	3	1	.....	34	4	1	5	4
493	Barry county	270	27	6	2	1	3	39	2	5	7	16
494	Bay county	253	76	16	3	5	5	105	2	5	7	8
495	Benzie county	134	40	6	4	.....	.....	50	3	2	4	4
496	Berrien county	622	111	14	8	5	2	140	13	14	11	15
497	Branch county	349	53	9	3	2	2	69	5	8	3	7
498	Calhoun county	424	42	8	5	1	2	58	2	6	6	8
499	Cass county	290	33	5	2	.....	.....	40	4	4	6	6
500	Charlevoix county	233	63	16	6	.....	2	87	4	8	12	10
501	Cheboygan county	216	56	10	2	4	2	74	10	4	6	13
502	Chippewa county	114	36	6	4	2	2	50	7	5	4	6
503	Clare county	87	22	3	5	2	.....	32	3	2	3	3
504	Clinton county	284	27	5	3	1	1	37	6	4	8	9
505	Crawford county	41	9	4	.....	.....	1	14	2	.....	1	2
506	Delta county	185	61	7	2	1	4	75	9	6	6	10
507	Dickinson county	109	38	7	5	2	.....	52	3	.....	1	9
508	Eaton county	455	54	6	5	4	.....	69	6	5	11	9
509	Emmet county	266	68	12	3	1	3	87	10	8	7	11
510	Genesee county	378	45	10	4	4	3	66	8	6	5	12
511	Gladwin county	66	21	4	1	.....	.....	26	5	3	3	.....
512	Gogebic county	150	52	9	5	1	.....	67	6	2	2	11
513	Grand Traverse county	149	36	8	2	1	.....	47	1	1	4	2
514	Gratiot county	364	57	6	.....	4	2	69	4	7	10	16
515	Hillsdale county	361	42	4	2	1	.....	49	7	5	7	15
516	Houghton county	1,052	363	76	22	17	15	493	33	30	29	50
517	Huron county	369	93	12	3	1	4	113	6	7	11	14
518	Ingham county	318	35	8	4	2	1	50	3	3	8	11
519	Ionia county	450	54	8	2	4	3	71	8	8	11	21
520	Iosco county	108	25	3	3	4	1	36	6	3	5	1
521	Iron county	123	43	4	2	5	2	56	2	4	6	4
522	Isabella county	288	54	6	1	1	3	65	11	8	10	8
523	Jackson county	292	28	7	1	1	2	39	7	4	6	6
524	Kalamazoo county	259	31	4	5	1	1	42	4	4	7	3
525	Kalkaska county	108	26	4	2	1	.....	33	5	1	4	3
526	Kent county	652	99	16	8	5	6	134	9	10	11	13
527	Keweenaw county	61	26	4	2	1	2	35	.....	3	1	6
528	Lake county	59	8	2	5	1	1	17	1	1	1	4
529	Lapeer county	383	45	11	1	2	.....	59	14	13	27	18
530	Leelanau county	141	44	11	5	4	2	66	2	4	6	9
531	Lenawee county	681	88	12	6	1	.....	107	9	12	14	17
532	Livingston county	237	23	4	2	2	3	34	1	5	4	8
533	Luce county	94	15	2	2	2	.....	21	1	4	2	4
534	Mackinac county	96	26	1	1	.....	1	29	2	1	6	3
535	Macomb county	417	47	12	7	5	2	73	6	5	6	17
536	Manistee county	381	96	10	4	2	2	114	19	9	12	21
537	Marquette county	227	56	19	7	3	6	91	3	2	3	16
538	Mason county	264	54	16	9	2	2	83	11	11	11	8
539	Mecosta county	278	57	10	3	4	.....	74	9	7	13	9
540	Menominee county	129	47	6	3	3	.....	59	3	5	3	4
541	Midland county	178	29	11	7	.....	.....	47	.....	6	7	6
542	Missaukee county	131	32	11	3	4	.....	50	4	2	8	5
543	Monroe county	422	63	14	4	1	1	83	9	10	11	14
544	Montcalm county	412	83	14	5	3	2	107	5	7	13	16
545	Montmorency county	39	10	.....	2	.....	1	13	1	1	.....	1
546	Muskegon county	191	24	3	4	.....	1	32	3	4	3	9
547	Newaygo county	201	33	11	1	.....	3	48	4	5	7	10
548	Oakland county	482	48	14	4	6	2	74	8	5	14	21
549	Oceana county	232	55	11	1	3	1	71	11	6	8	6
550	Ogemaw county	115	38	2	5	2	.....	47	2	3	2	3
551	Ontonagon county	102	34	2	2	.....	1	39	1	1	3	4
552	Osceola county	245	52	6	6	5	.....	69	8	4	8	6
553	Oscoda county	14	1	.....	.....	.....	.....	1	1	.....	1	.....
554	Otsego county	90	27	6	.....	.....	.....	33	.....	.....	8	1
555	Ottawa county	542	102	20	5	5	4	136	10	11	13	17
556	Presque Isle county	111	34	5	4	1	.....	44	3	1	3	6
557	Roscommon county	29	7	1	.....	.....	.....	8	2	.....	2	3
558	Saginaw county	470	105	8	6	1	1	121	15	9	17	14
559	St. Clair county	499	77	16	6	4	2	105	8	11	12	19
560	St. Joseph county	315	32	4	.....	1	1	38	8	7	11	14
561	Sanilac county	437	97	14	10	3	4	128	15	11	16	15
562	Schoolcraft county	95	25	5	2	3	.....	35	3	1	3	5
563	Shiawassee county	337	40	5	2	1	.....	48	7	3	8	14
564	Tuscola county	417	85	9	7	3	2	106	6	12	10	13
565	Van Buren county	484	78	12	6	3	1	100	8	8	8	18
566	Washtenaw county	402	43	4	3	3	1	54	4	7	8	9
567	Wayne county	1,176	248	48	13	7	10	326	27	20	33	44
568	Wexford county	267	52	17	8	5	1	83	12	6	7	11
	NEW HAMPSHIRE RURAL.											
569	Belknap county	201	20	2	5	2	1	30	4	1	3	5
570	Carroll county	277	30	4	1	2	1	38	1	3	9	6
571	Cheshire county	329	46	7	4	6	1	64	12	6	6	6
572	Coos county	242	36	3	3	2	2	46	6	5	9	8
573	Grafton county	606	58	9	3	6	1	77	7	11	16	20

AREA, BY AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1	4	2	3	3	4	6	2	7	8	4	2	2	1	1	.....	491
2	5	2	2	1	3	2	3	1	3	4	1	1	1	.....	.....	492
4	5	7	10	8	14	12	20	17	27	37	25	12	1	1	1	493
12	5	8	9	2	13	9	14	16	13	13	7	3	2	.....	.....	494
3	2	3	5	6	3	5	11	9	8	5	8	2	1	.....	.....	495
25	12	18	25	28	18	37	43	44	62	50	39	18	7	2	1	496
9	2	6	6	8	6	17	25	27	48	47	30	19	5	2	.....	497
12	11	5	18	16	22	26	32	41	38	47	42	25	6	2	1	498
10	11	8	9	8	9	16	25	27	29	30	29	16	2	.....	1	499
9	6	12	9	8	10	11	10	8	9	7	10	2	.....	1	.....	500
10	11	6	9	10	7	6	7	18	6	6	9	3	.....	.....	1	501
8	4	4	1	1	4	1	8	3	3	.....	1	2	1	.....	1	502
2	3	.....	.....	3	3	8	4	8	4	3	3	3	.....	.....	.....	503
13	5	5	7	11	10	14	22	31	27	35	20	12	5	1	2	504
.....	2	1	.....	1	1	3	.....	1	6	4	1	.....	2	.....	.....	505
10	5	11	4	5	6	3	6	8	7	3	3	3	1	.....	4	506
7	4	6	1	3	5	3	4	1	4	.....	6	.....	.....	.....	.....	507
14	16	11	15	15	14	25	38	40	44	48	40	20	9	4	2	508
12	11	17	6	10	9	9	9	14	16	13	8	6	3	.....	.....	509
9	9	11	13	12	20	15	31	29	42	34	34	19	3	.....	.....	510
3	1	3	3	2	3	4	2	1	3	3	1	.....	.....	.....	.....	511
9	7	10	10	7	2	4	3	5	.....	2	2	.....	1	.....	.....	512
7	3	3	5	8	6	3	8	8	19	12	8	1	.....	3	.....	513
10	14	7	14	16	17	28	26	22	36	30	21	12	4	1	.....	514
12	7	9	10	10	10	17	19	43	42	39	30	20	8	1	1	515
54	54	31	31	41	21	35	32	34	29	27	16	5	1	2	4	516
14	12	9	10	10	16	13	21	14	21	23	38	10	3	4	.....	517
1	7	8	10	16	12	18	31	27	29	36	27	14	6	1	.....	518
10	11	11	10	14	19	28	28	41	51	40	39	21	7	1	.....	519
3	3	3	5	4	4	4	3	8	8	4	4	3	.....	1	.....	520
9	8	6	5	3	6	2	2	.....	1	3	5	.....	.....	1	.....	521
7	9	8	11	13	14	20	14	18	22	24	11	10	2	3	.....	522
9	10	6	9	13	13	16	15	32	35	26	24	14	4	3	1	523
10	9	4	8	11	10	10	15	22	29	28	23	16	4	.....	.....	524
5	4	2	7	3	7	4	8	6	4	4	6	1	1	.....	.....	525
21	13	14	19	22	26	34	51	57	78	66	43	21	4	5	1	526
2	1	3	.....	2	1	3	1	.....	.....	2	.....	1	.....	.....	.....	527
2	2	3	4	2	3	5	2	4	3	.....	2	2	1	.....	.....	528
14	12	7	15	9	11	12	23	24	39	32	19	23	10	1	1	529
3	3	3	2	4	2	5	7	8	4	6	4	1	1	1	.....	530
18	13	18	18	24	32	31	40	62	79	69	62	34	15	6	1	531
7	2	8	4	9	4	12	19	25	23	28	17	19	7	.....	1	532
4	6	3	8	7	8	5	6	3	2	2	4	.....	1	.....	3	533
7	9	5	2	1	5	8	2	1	6	4	1	2	1	.....	1	534
12	15	17	14	15	26	21	31	35	35	44	22	19	2	1	1	535
16	9	12	7	13	20	18	19	31	19	20	14	6	2	.....	.....	536
13	11	10	11	13	3	8	10	9	6	3	8	3	.....	.....	4	537
8	5	5	6	16	10	13	20	20	14	9	5	6	2	1	.....	538
9	10	7	8	6	12	10	21	20	22	24	9	4	1	2	1	539
6	7	1	3	4	5	5	4	1	6	4	5	4	.....	.....	.....	540
10	5	3	7	9	4	9	10	12	16	8	13	5	1	.....	.....	541
5	3	4	3	7	4	5	2	8	5	4	5	5	.....	2	.....	542
19	14	10	9	13	11	19	25	28	42	44	36	19	2	1	3	543
10	14	13	11	14	19	15	24	32	45	35	16	10	4	.....	2	544
1	1	1	3	1	6	.....	2	1	2	3	1	.....	1	.....	.....	545
8	3	3	5	7	3	12	19	17	15	20	20	7	1	.....	.....	546
3	6	7	10	5	6	6	13	13	20	19	13	4	1	1	.....	547
7	13	15	13	26	15	29	27	42	49	51	34	31	7	1	.....	548
8	10	3	3	7	8	10	17	16	18	16	8	5	1	.....	.....	549
4	3	7	3	.....	3	10	3	2	8	7	7	1	.....	.....	.....	550
10	5	7	2	8	2	2	5	3	4	2	2	1	.....	.....	1	551
17	6	9	5	6	11	10	15	12	23	15	13	4	4	.....	.....	552
.....	1	.....	.....	.....	2	.....	1	3	.....	4	.....	.....	.....	.....	.....	553
2	5	4	3	4	5	6	4	3	3	3	4	.....	1	.....	1	554
15	16	18	23	22	22	21	31	31	48	44	38	19	4	2	1	555
6	6	4	3	1	5	5	7	3	4	5	1	1	.....	1	2	556
1	1	1	1	.....	2	.....	3	.....	2	1	1	1	.....	.....	.....	557
14	13	12	11	15	15	24	28	35	37	30	26	25	5	1	3	558
18	18	10	15	15	18	13	27	40	38	48	39	26	14	3	2	559
9	3	8	10	11	20	15	25	26	30	34	26	15	4	1	.....	560
14	22	13	10	16	8	20	22	21	34	36	19	11	6	.....	.....	561
4	2	5	5	7	4	5	3	1	2	5	3	.....	1	.....	1	562
9	10	8	10	16	12	19	21	33	36	36	25	16	4	2	.....	563
10	14	9	14	10	14	21	29	26	43	36	22	10	7	3	2	564
14	7	7	11	18	27	23	18	52	49	52	37	18	7	2	.....	565
12	16	20	20	14	12	16	29	34	41	46	36	19	4	.....	1	566
37	48	63	47	52	41	39	70	77	89	68	55	28	7	5	.....	567
9	7	8	14	11	15	16	13	7	15	15	11	5	2	.....	.....	568
3	10	5	9	6	9	7	7	24	18	20	21	12	4	2	1	569
6	11	6	7	9	7	11	13	31	22	35	38	15	7	1	1	570
14	8	6	10	13	15	14	21	28	32	29	21	14	9	.....	1	571
9	10	7	12	4	9	10	15	10	25	24	18	8	3	1	3	572
25	15	23	27	18	31	28	45	51	56	63	38	31	13	9	2	573

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE RURAL—Continued.											
574	Hillsboro county	606	60	15	3	6	3	87	8	6	7	13
575	Merrimack county	561	76	16	.....	5	1	98	12	7	8	10
576	Rockingham county	737	91	17	4	1	3	116	9	7	12	12
577	Strafford county	290	64	10	6	2	1	83	3	4	5	4
578	Sullivan county	291	43	5	3	2	2	55	4	4	6	8
	NEW JERSEY RURAL.											
579	Atlantic county	345	71	11	5	4	.....	91	13	8	4	4
580	Bergen county	1,268	269	49	23	13	7	361	31	21	38	43
581	Burlington county	878	141	27	7	4	7	186	15	10	25	32
582	Camden county	566	114	19	12	8	6	159	6	8	10	20
583	Cape May county	198	32	10	6	2	.....	50	5	4	5	7
584	Cumberland county	374	61	9	5	1	3	79	9	4	13	14
585	Essex county	1,013	173	37	21	23	10	264	30	16	20	38
586	Gloucester county	434	88	11	3	.....	2	104	13	4	18	10
587	Hudson county	1,366	263	70	36	19	15	403	47	29	32	33
588	Hunterdon county	434	53	6	4	4	2	69	6	2	7	17
589	Mercer county	256	45	11	2	4	.....	62	7	2	9	5
590	Middlesex county	684	153	35	16	15	6	225	38	12	12	23
591	Monmouth county	1,261	214	48	28	9	5	304	38	25	34	46
592	Morris county	809	130	20	11	9	10	180	23	10	16	33
593	Ocean county	245	39	4	5	1	2	51	3	3	4	2
594	Passaic county	286	66	15	3	4	3	91	8	4	9	8
595	Salem county	365	80	15	5	2	2	104	6	7	8	10
596	Somerset county	520	105	33	15	9	7	169	24	8	17	11
597	Sussex county	254	46	3	2	3	1	55	5	4	6	14
598	Union county	483	92	16	10	5	5	128	11	10	13	20
599	Warren county	397	47	8	3	4	3	65	9	10	13	16
	NEW YORK RURAL.											
600	Albany county	509	73	21	2	8	5	109	9	8	18	17
601	Allegany county	515	42	14	8	3	1	68	3	7	11	12
602	Broome county	481	46	7	6	2	.....	61	8	7	11	14
603	Cattaraugus county	678	96	12	7	6	7	128	9	13	17	18
604	Cayuga county	544	49	12	3	3	2	69	9	2	8	5
605	Chautauqua county	752	84	13	9	6	.....	112	11	15	12	14
606	Chemung county	255	28	2	2	1	.....	33	3	3	3	7
607	Chenango county	599	43	10	8	2	.....	63	15	8	9	13
608	Clinton county	605	128	24	8	10	4	174	17	13	15	24
609	Columbia county	528	56	5	3	3	1	68	7	6	14	15
610	Cortland county	313	22	3	2	4	1	32	3	3	5	8
611	Delaware county	584	76	12	3	5	2	98	11	6	13	12
612	Dutchess county	1,143	135	17	15	8	5	180	23	15	29	33
613	Erie county	1,334	240	42	26	13	14	335	21	19	35	49
614	Essex county	489	64	10	5	3	2	84	5	2	13	24
615	Franklin county	755	169	33	19	13	5	239	13	12	20	32
616	Fulton county	204	19	4	1	2	.....	26	1	1	4	4
617	Genesee county	571	68	9	4	3	2	86	7	7	13	11
618	Greene county	524	57	10	3	1	5	76	4	3	13	17
619	Hamilton county	42	3	1	.....	1	.....	5	1	1	2	.....
620	Herkimer county	679	84	11	7	3	4	109	12	13	11	16
621	Jefferson county	752	94	9	4	5	7	119	13	5	18	23
622	Lewis county	362	38	6	10	2	4	60	4	7	7	9
623	Livingston county	567	54	7	8	.....	2	71	5	11	25	19
624	Madison county	685	83	6	4	4	3	100	10	7	13	19
625	Monroe county	787	109	20	4	6	4	143	17	11	13	19
626	Montgomery county	358	37	4	2	2	1	46	3	8	7	12
627	Nassau county	925	219	31	12	6	7	275	19	13	13	35
628	Niagara county	582	111	12	6	6	2	137	4	10	19	26
629	Oneida county	898	101	17	10	5	3	136	13	6	12	30
630	Onondaga county	911	102	22	5	5	4	138	19	14	18	25
631	Ontario county	618	75	19	6	3	2	105	9	10	13	15
632	Orange county	946	144	37	12	6	14	213	19	14	39	29
633	Orleans county	405	64	5	1	2	2	74	5	7	8	15
634	Oswego county	1,161	177	25	13	8	9	232	26	11	30	42
635	Otsego county	843	75	16	9	5	5	110	9	4	16	21
636	Putnam county	234	33	14	2	3	1	53	5	1	5	7
637	Rensselaer county	707	99	18	11	6	4	138	12	11	15	21
638	Rockland county	621	100	21	12	9	9	151	22	7	19	12
639	St. Lawrence county	1,076	167	29	20	10	7	233	10	15	36	32
640	Saratoga county	799	110	22	14	5	2	153	15	14	14	20
641	Schenectady county	160	19	3	2	3	.....	27	5	2	1	2
642	Schoharie county	375	49	6	1	2	.....	48	3	9	6	10
643	Schuyler county	247	14	5	1	1	.....	21	4	8	.....	7
644	Seneca county	538	33	4	3	2	1	43	6	3	11	13
645	Steuben county	1,077	90	13	12	11	1	127	13	8	23	41
646	Suffolk county	1,530	150	31	13	11	5	210	31	14	37	40
647	Sullivan county	653	58	10	5	2	5	80	10	14	25	45
648	Tioga county	444	40	9	4	1	.....	54	5	5	5	10
649	Tompkins county	331	28	3	3	2	4	40	6	3	7	6
650	Ulster county	882	134	24	8	4	3	173	21	7	26	38
651	Warren county	221	31	4	4	1	2	42	4	4	5	10
652	Washington county	790	102	26	4	9	2	143	13	12	23	20

AREA, BY AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	21	10	20	27	24	36	42	56	56	66	51	35	14	7	1	574
18	16	18	16	16	26	30	31	60	57	52	42	29	9	4	2	575
14	20	27	23	27	31	40	47	70	67	74	74	44	16	2	5	576
8	6	4	8	10	8	16	12	16	27	35	22	13	4	1	1	577
8	7	3	9	14	18	14	26	26	20	31	19	8	3	4	4	578
11	10	9	11	12	6	25	21	27	27	26	20	16	3	1	.....	579
48	47	49	48	55	55	62	82	75	84	77	44	30	8	5	5	580
30	33	22	34	39	31	49	61	70	73	73	53	28	9	5	.....	581
22	24	24	26	23	27	36	24	29	42	45	25	9	7	.....	.....	582
10	4	6	5	7	11	17	7	12	14	14	9	6	4	.....	1	583
6	8	13	8	16	13	15	23	38	34	38	22	13	7	.....	1	584
38	32	34	47	37	44	57	69	69	62	68	55	24	6	2	1	585
12	15	10	11	21	19	18	29	30	39	37	24	16	4	.....	.....	586
41	57	62	77	82	73	68	91	81	74	56	40	16	2	.....	2	587
16	10	14	16	11	16	15	23	37	53	53	32	27	7	2	1	588
12	13	8	9	13	6	14	20	17	15	20	15	7	1	1	.....	589
26	30	23	27	22	21	27	36	38	42	28	32	18	2	2	.....	590
46	44	54	52	60	55	75	78	65	109	67	60	28	13	6	2	591
27	39	40	39	42	26	41	61	54	56	58	40	18	3	3	.....	592
10	5	15	15	14	19	12	13	24	18	17	11	7	1	1	.....	593
9	8	11	7	11	13	14	20	13	25	24	3	6	1	1	.....	594
16	8	8	5	18	10	12	19	30	36	34	24	5	5	.....	.....	595
18	13	10	13	17	19	24	28	33	33	33	27	19	2	2	.....	596
14	13	13	7	11	10	11	16	18	17	20	17	3	.....	.....	.....	597
18	24	21	17	23	18	18	27	33	46	18	19	12	5	2	.....	598
16	13	9	20	15	19	21	24	32	35	35	30	10	4	1	.....	599
18	9	23	18	14	16	23	24	42	41	55	39	18	4	2	2	600
15	15	18	12	14	28	30	30	44	59	58	51	29	9	1	1	601
12	11	7	17	10	27	24	33	54	55	55	38	25	8	2	2	602
19	22	17	21	16	32	39	50	53	62	64	62	28	6	2	.....	603
14	15	11	5	21	20	15	35	54	73	81	59	34	10	1	3	604
15	20	14	31	25	23	39	60	67	85	83	74	39	8	3	2	605
9	3	6	7	6	11	19	15	36	31	37	15	9	2	.....	.....	606
10	15	12	24	22	20	46	48	63	56	70	63	27	13	2	.....	607
21	24	17	14	20	16	26	28	27	53	44	37	22	9	4	.....	608
19	15	15	11	20	20	32	31	55	48	64	47	31	6	3	1	609
7	6	8	3	11	13	19	26	29	32	40	33	21	12	2	.....	610
18	12	21	11	16	33	26	37	50	53	74	50	29	9	1	4	611
31	40	45	44	47	49	61	81	114	102	105	79	41	15	4	5	612
48	32	50	60	46	55	62	73	77	104	96	97	60	11	3	1	613
32	19	27	20	15	11	25	25	34	31	41	38	31	10	2	.....	614
41	30	36	30	37	26	25	27	36	53	35	32	18	8	5	.....	615
2	6	4	7	8	11	12	15	10	23	31	21	9	8	1	.....	616
16	20	14	22	26	22	35	28	45	62	68	51	17	16	3	2	617
21	18	18	17	15	23	39	29	56	39	57	45	24	8	2	.....	618
3	.....	4	1	2	5	3	4	2	3	4	1	.....	1	.....	.....	619
14	24	28	26	19	30	39	47	61	63	72	52	32	7	4	.....	620
28	22	27	23	17	32	46	37	53	75	75	72	44	18	3	2	621
10	5	9	5	13	13	30	27	28	32	38	40	15	9	.....	1	622
15	21	26	16	24	23	21	33	55	38	64	52	31	13	2	2	623
11	17	33	16	18	22	32	48	74	66	87	68	30	12	2	.....	624
19	24	21	22	26	31	44	47	65	74	90	56	49	9	7	.....	625
11	8	14	12	12	12	16	23	25	43	41	27	25	10	2	1	626
34	34	27	45	19	36	38	58	67	66	63	46	23	10	3	1	627
18	19	18	25	20	21	27	32	35	40	51	40	26	9	3	2	628
20	24	30	29	38	27	50	55	69	91	105	90	48	20	4	1	629
29	25	24	23	37	33	42	67	70	108	99	72	43	18	3	4	630
15	15	20	18	20	38	34	37	44	59	73	45	33	10	5	.....	631
27	40	33	32	38	38	48	55	81	84	64	50	31	8	.....	3	632
8	8	12	8	16	17	24	19	35	40	41	34	19	10	4	1	633
40	27	22	47	38	28	56	69	84	107	126	93	58	17	6	2	634
19	25	18	24	37	37	47	60	86	84	98	85	46	13	3	1	635
6	7	6	8	5	10	10	20	16	18	24	14	15	3	1	.....	636
29	17	17	28	32	27	38	71	53	60	50	44	28	9	2	5	637
22	18	27	24	19	34	40	33	47	47	51	24	17	3	2	2	638
32	30	19	36	48	46	44	58	73	82	125	76	59	14	6	2	639
37	28	31	26	26	33	43	46	56	64	68	59	43	16	4	3	640
7	6	3	9	6	9	8	14	11	17	19	10	3	.....	1	.....	641
7	12	7	9	10	13	11	36	34	36	53	41	23	7	.....	.....	642
5	3	6	8	5	8	15	29	27	32	18	25	20	4	2	.....	643
16	16	10	20	31	36	36	55	57	53	49	45	27	9	1	1	644
36	26	30	22	34	34	63	110	114	143	105	82	41	17	5	3	645
49	69	71	96	95	91	95	110	115	124	119	82	60	15	3	4	646
43	32	37	30	32	24	26	38	48	45	41	47	23	10	1	2	647
6	17	13	10	13	27	36	34	43	43	38	45	26	11	3	.....	648
4	6	8	8	8	16	9	33	35	41	34	35	20	9	3	.....	649
22	20	21	34	27	39	50	65	76	87	79	52	29	16	.....	.....	650
5	4	7	8	8	10	18	11	14	14	21	21	12	2	.....	1	651
17	23	32	20	32	42	36	67	74	65	80	42	29	17	2	1	652

TABLE 2.—DEATHS IN EACH REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK RURAL—Continued.											
653	Wayne county	817	81	15	6	5	3	110	15	13	14	19
654	Westchester county	1,768	342	89	25	12	16	484	44	20	34	65
655	Wyoming county	443	40	8	3	6	.....	57	8	6	5	6
656	Yates county	285	22	3	8	2	2	37	3	5	3	5
	RHODE ISLAND RURAL.											
657	Bristol county	295	66	21	6	2	1	96	2	4	8	6
658	Kent county	568	124	39	9	7	6	185	7	11	10	17
659	Newport county	174	40	9	4	5	4	62	2	1	2	3
660	Providence county	1,312	231	46	12	8	7	304	30	16	28	45
661	Washington county	407	46	9	4	3	3	65	7	6	14	12
	VERMONT RURAL.											
662	Addison county	334	45	9	2	2	2	60	6	5	10	7
663	Bennington county	229	41	2	4	1	.....	48	2	2	5	10
664	Caledonia county	418	77	15	5	.....	2	99	7	4	10	12
665	Chittenden county	365	66	15	5	7	2	95	7	4	12	12
666	Essex county	110	18	4	.....	1	1	24	5	5	2	2
667	Franklin county	458	64	17	11	3	1	96	14	6	9	18
668	Grand Isle county	70	16	1	.....	.....	1	18	.....	.....	4	3
669	Lamoille county	170	20	2	4	1	.....	27	3	2	1	4
670	Orange county	380	32	9	.....	2	1	44	5	7	11	7
671	Orleans county	392	47	7	4	4	3	65	9	7	15	11
672	Rutland county	531	78	11	5	5	3	102	5	9	3	18
673	Washington county	511	59	13	3	4	2	81	12	4	14	14
674	Windham county	484	65	6	3	5	1	80	6	1	17	11
675	Windsor county	538	49	10	5	3	2	69	7	3	15	17

AREA, BY AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	15	23	30	27	35	42	54	64	93	82	98	40	16	4	2	653
47	72	88	68	67	80	90	108	100	114	104	102	48	24	5	4	654
12	10	11	12	17	19	18	35	44	47	57	43	23	11	2	.....	655
10	3	6	7	6	9	18	18	23	36	44	28	16	6	1	1	656
5	7	8	4	13	15	16	17	28	20	17	16	9	3	.....	1	657
17	23	24	20	19	31	31	28	37	38	30	21	10	8	1	.....	658
6	6	2	7	7	4	4	6	18	12	17	9	5	1	.....	.....	659
52	50	72	54	70	69	75	97	74	77	92	64	29	11	1	2	660
7	17	13	12	19	20	24	25	31	41	32	33	19	7	2	1	661
9	13	6	6	14	12	11	18	24	31	38	32	19	8	4	1	662
4	10	4	3	8	7	12	12	19	26	25	18	6	5	2	1	663
8	14	9	9	17	23	18	24	30	36	33	33	18	5	4	5	664
15	6	9	7	7	15	12	17	26	40	29	27	12	10	1	2	665
2	4	2	2	5	2	12	7	5	5	10	7	4	3	.....	2	666
17	22	11	12	15	22	18	22	38	27	42	26	28	8	3	4	667
1	1	3	2	2	2	1	3	8	11	5	3	3	.....	.....	.....	668
2	5	7	5	4	6	11	13	16	17	16	13	10	3	3	2	669
6	10	6	13	13	22	15	32	25	43	47	42	16	9	3	4	670
11	8	14	11	9	12	18	20	32	31	42	36	25	6	4	6	671
16	19	20	17	26	20	24	33	41	47	49	37	27	11	4	3	672
19	15	17	15	25	21	22	34	54	58	43	33	21	7	1	1	673
12	15	13	13	10	20	42	28	25	61	46	53	16	10	.....	5	674
17	13	9	14	20	25	26	29	46	64	51	56	41	11	3	2	675

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SUMMARIES.													
1	The registration area	545,533	9,479	[illegible]	308	2,557	2,284	3,599	8,039	6,426	5,076	56,770	8,582	24,330
2	Registration cities	411,062	7,321	[illegible]	258	2,003	1,854	2,859	6,631	3,562	3,510	44,010	6,783	[illegible],670
3	Registration states	345,863	4,871	547	130	1,614	1,470	1,945	5,120	4,4[illegible]	[illegible],182	23,841	[illegible]	[illegible],983
4	Cities in registration states	211,392	2,713	218	80	1,120	1,040	1,205	3,712	1,689	1,616	21,981	[illegible]	[illegible]
5	Rural part of registration states	134,471	2,158	329	50	494	430	740	1,408	2,764	1,566	11,860	1,799	[illegible],[illegible]
6	Registration cities in other states	199,670	4,608	774	178	943	814	1,654	2,919	1,973	1,894	22,929	3,255	8,347
	REGISTRATION STATES.													
7	Connecticut	16,289	214	66	.....	53	51	73	237	262	182	1,462	237	751
8	District of Columbia	6,201	146	11	9	8	11	71	49	86	24	832	132	230
9	Indiana	34,392	1,000	137	34	14	146	290	365	663	526	3,977	580	1,482
10	Maine	11,537	159	13	.....	34	7	39	111	257	79	886	220	661
11	Massachusetts	50,343	540	43	2	253	125	287	667	649	371	4,900	889	2,682
12	Michigan	34,542	618	59	74	102	117	114	467	575	332	2,261	421	1,643
13	New Hampshire	7,274	66	7	.....	62	4	36	80	166	61	579	71	359
14	New Jersey	33,912	352	52	1	110	186	182	697	203	357	3,659	575	1,356
15	New York	137,222	1,608	137	10	904	779	767	2,252	1,276	1,131	14,015	1,952	6,139
16	Rhode Island	8,208	82	16	.....	36	34	46	138	136	83	843	184	386
17	Vermont	5,943	86	6	.....	38	10	40	57	180	36	427	66	294
	REGISTRATION CITIES.													
18	Adams town, Mass	223	10	.....	.....	5	2	10	3	6	1	30	3	5
19	Alameda, Cal	246	7	.....	.....	.....	.....	5	1	.....	1	25	7	14
20	Albany, N. Y	1,811	19	1	.....	13	2	9	16	20	9	207	32	93
21	Alexandria, Va	307	6	.....	.....	.....	.....	1	6	3	1	26	4	7
22	Allegheny, Pa	2,683	181	1	.....	79	24	37	28	25	22	176	47	71
23	Allentown, Pa	693	17	.....	.....	.....	.....	3	31	1	14	66	3	28
24	Altoona, Pa	816	31	1	.....	5	7	16	16	2	4	53	14	24
25	Amesbury town, Mass	137	4	.....	.....	.....	.....	.....	1	2	3	18	.....	3
26	Amsterdam, N. Y	365	5	.....	.....	5	.....	.....	1	3	4	32	4	15
27	Anderson, Ind	265	6	1	.....	.....	.....	.....	2	5	4	33	4	10
28	Ann Arbor, Mich	250	2	.....	.....	.....	.....	.....	.....	6	1	21	2	22
29	Annapolis, Md	191	7	.....	.....	.....	.....	.....	1	4	2	26	.....	2
30	Ansonia, Conn	200	5	.....	.....	.....	.....	.....	4	3	1	14	2	8
31	Appleton, Wis	198	3	.....	1	.....	.....	5	7	.....	2	17	2	10
32	Arlington town, Mass	115	1	.....	.....	.....	1	.....	.....	2	.....	10	3	9
33	Ashtabula, Ohio	210	9	.....	.....	1	.....	.....	.....	1	.....	12	2	9
34	Atlanta, Ga	2,480	72	7	.....	20	2	24	53	52	51	273	26	52
35	Atlantic City, N. J	626	7	.....	.....	.....	2	4	6	3	4	46	12	26
36	Attleboro town, Mass	174	1	.....	.....	1	1	1	3	1	1	19	3	8
37	Auburn, N. Y	517	6	1	.....	9	2	3	8	10	3	39	13	25
38	Augusta, Me	288	6	1	.....	.....	.....	.....	3	4	1	19	2	10
39	Aurora, Ill	310	2	.....	.....	.....	.....	4	4	2	3	24	10	20
40	Baltimore, Md	10,698	195	18	.....	84	36	69	94	96	65	1,249	222	443
41	Bangor, Me	421	18	2	.....	2	.....	.....	.....	9	2	38	12	31
42	Barre, Vt	164	4	.....	.....	1	2	.....	2	1	.....	26	3	3
43	Bath, Me	164	1	.....	.....	1	.....	.....	4	1	2	19	1	10
44	Battle Creek, Mich	341	3	1	1	.....	.....	3	3	5	1	34	4	17
45	Bay City, Mich	512	10	2	.....	3	2	1	7	1	5	40	6	28
46	Bayonne, N. J	670	5	1	.....	1	2	5	14	1	15	64	12	16
47	Bellaire, Ohio	179	2	.....	.....	.....	1	1	2	1	.....	20	3	5
48	Belleville, Ill	295	9	.....	2	.....	.....	1	5	2	2	19	3	19
49	Beloit, Wis	173	3	.....	.....	1	.....	1	3	1	1	19	2	7
50	Bennington town, Vt	164	6	.....	.....	3	2	.....	.....	5	1	15	4	8
51	Berlin, N. H	169	1	.....	.....	4	.....	.....	1	1	3	6	2	7
52	Beverly, Mass	249	5	.....	.....	.....	1	1	7	2	2	17	2	17
53	Biddeford, Me	284	13	.....	.....	.....	.....	1	9	1	2	20	9	4
54	Binghamton, N. Y	789	7	1	.....	1	12	1	5	6	9	71	8	39
55	Boston, Mass	10,987	124	3	1	75	49	58	142	71	61	1,200	247	629
56	Bridgeport, Conn	1,357	11	2	.....	8	7	6	23	11	10	167	28	37
57	Bridgeton, N. J	191	4	1	.....	.....	.....	.....	1	2	3	15	3	9
58	Bristol town, Conn	107	2	.....	.....	.....	.....	1	1	5	4	14	5	5
59	Brockton, Mass	623	9	1	.....	.....	4	6	1	19	6	67	15	25
60	Brookline town, Mass	260	.....	.....	.....	.....	1	.....	3	3	.....	15	3	33
61	Buffalo, N. Y	5,882	92	.....	.....	66	16	63	63	25	40	490	110	332
62	Burlington, Iowa	306	13	.....	.....	.....	5	1	1	1	2	29	3	25
63	Burlington, Vt	434	4	.....	.....	2	.....	2	11	1	2	27	5	7
64	Cambridge, Mass	1,444	12	2	.....	5	5	14	28	7	11	176	25	89
65	Camden, N. J	1,354	15	3	.....	1	5	2	34	6	9	147	22	46
66	Canton, Ohio	416	5	.....	.....	.....	.....	2	12	8	4	28	1	11
67	Carbondale, Pa	281	10	.....	.....	2	4	1	14	4	3	11	1	8
68	Carlisle, Pa	151	2	1	.....	.....	.....	.....	.....	2	1	15	.....	7
69	Central Falls, R. I	303	2	1	.....	8	1	4	7	9	2	35	7	10
70	Charleston, S. C	1,631	30	24	1	8	2	34	3	19	12	199	13	34
71	Chelsea, Mass	696	9	1	.....	1	1	2	3	13	2	66	4	35
72	Chicago, Ill	27,548	329	17	61	254	82	365	434	199	183	3,240	457	1,306
73	Chicopee, Mass	356	2	1	.....	2	.....	1	11	6	4	36	6	10
74	Chillicothe, Ohio	184	8	.....	.....	.....	.....	2	2	1	1	17	3	11
75	Cincinnati, Ohio	6,609	141	2	2	10	75	57	79	76	60	865	132	253
76	Cleveland, Ohio	6,419	65	5	.....	10	50	33	110	29	31	558	56	281
77	Clinton town, Mass	215	6	1	.....	2	.....	2	2	1	3	15	5	20

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
501	4,397	11,654	49,902	58,503	39,068	30,377	33,032	6,367	29,541	35,196	5,077	23,617	5,438	32,340	12,428	38,090	1,234	1
359	3,156	9,478	34,324	41,497	30,354	24,207	26,833	4,474	22,036	27,855	3,927	18,626	4,351	24,514	9,277	26,592	689	2
318	3,066	8,467	33,214	39,435	24,437	19,528	21,410	4,062	18,111	22,037	3,219	15,005	2,940	19,650	7,363	24,375	743	3
176	1,825	6,291	17,636	22,429	15,723	13,358	15,211	2,169	10,606	14,696	2,069	10,014	1,853	11,824	4,212	12,877	198	4
142	1,241	2,176	15,578	17,006	8,714	6,170	6,199	1,893	7,505	7,341	1,150	4,991	1,087	7,826	3,151	11,498	545	5
183	1,331	3,187	16,688	19,068	14,631	10,849	11,622	2,305	11,430	13,159	1,858	8,612	2,498	12,690	5,065	13,715	491	6
13	147	502	1,715	1,977	1,088	791	1,150	163	869	983	152	672	160	1,052	210	1,015	42	7
3	47	58	559	682	421	339	358	71	323	482	54	301	60	320	96	418	.....	8
46	267	600	3,420	3,337	2,171	1,477	1,560	556	2,176	1,579	320	1,802	335	1,895	846	2,699	92	9
12	117	198	1,385	1,393	845	494	571	113	614	637	84	469	83	485	279	1,154	138	10
58	478	1,280	4,891	6,791	3,779	2,503	3,392	486	2,326	2,598	359	2,575	319	2,602	1,044	3,396	58	11
34	282	472	3,784	4,100	1,854	1,924	1,961	540	2,367	1,591	381	1,460	288	2,106	1,041	3,298	276	12
12	77	304	813	942	476	285	412	70	397	437	53	215	44	329	209	686	22	13
28	252	1,001	3,408	3,352	2,492	1,953	2,261	387	1,647	2,318	285	1,459	334	2,147	945	1,885	28	14
102	1,254	3,823	11,874	15,267	10,080	8,983	8,914	1,501	6,684	10,413	1,365	5,526	1,219	8,036	2,459	8,717	35	15
3	82	128	665	841	733	492	612	99	394	675	100	301	55	391	94	542	17	16
7	63	101	700	753	498	287	219	76	314	324	66	225	43	287	140	565	35	17
.....	3	2	23	19	12	8	24	2	10	8	.....	15	3	6	5	8	.....	18
.....	3	5	22	39	20	13	6	2	13	21	4	10	4	10	1	13	.....	19
2	19	48	185	247	87	100	53	17	121	181	9	31	16	103	31	140	.....	20
.....	2	7	39	22	28	15	11	1	13	28	2	16	3	20	12	21	13	21
1	5	47	201	150	311	180	220	40	137	88	28	139	28	172	102	143	.....	22
.....	7	11	80	54	63	25	41	6	28	40	6	35	2	42	47	43	.....	23
.....	6	18	85	51	65	38	39	2	38	39	9	35	9	123	30	55	1	24
.....	3	3	18	14	15	4	6	1	.....	12	.....	10	.....	7	4	9	.....	25
.....	.....	6	28	59	31	19	24	1	25	15	3	18	.....	29	15	22	1	26
1	2	9	22	27	14	15	9	3	18	7	3	16	4	20	10	20	.....	27
1	1	2	27	38	15	11	.....	4	28	13	3	4	3	7	12	26	1	28
1	1	4	20	12	5	14	11	1	6	19	2	7	2	14	20	10	.....	29
.....	3	13	16	16	10	15	20	6	12	10	2	6	1	9	10	9	5	30
.....	3	3	23	13	10	11	7	1	14	6	2	14	5	5	13	21	.....	31
.....	2	1	13	15	12	2	5	2	2	6	.....	7	1	8	2	11	.....	32
1	1	1	23	13	32	4	10	1	12	2	.....	11	3	35	7	19	1	33
4	14	33	225	150	269	108	110	37	144	173	31	103	23	150	103	136	35	34
.....	5	6	51	84	45	32	19	6	42	67	5	43	6	38	22	44	1	35
.....	2	10	20	18	13	12	6	2	5	9	1	14	1	9	1	11	1	36
.....	5	12	67	65	48	15	31	12	20	23	1	13	7	17	8	54	.....	37
1	5	7	93	27	12	9	19	1	9	12	2	13	.....	11	9	11	1	38
.....	4	9	39	21	21	12	6	8	23	13	1	17	7	12	19	29	.....	39
4	62	151	891	979	767	725	753	111	472	892	118	667	82	525	327	599	2	40
1	4	4	51	47	32	21	12	4	22	24	1	7	3	28	6	39	1	41
.....	1	5	16	6	19	13	5	2	3	2	1	18	1	10	9	10	1	42
.....	1	1	25	24	17	9	4	3	5	10	2	4	2	3	.....	15	.....	43
.....	7	.....	43	47	18	11	13	5	21	19	1	15	3	16	17	27	.....	44
.....	4	4	55	48	21	33	38	5	36	15	3	32	9	38	4	62	.....	45
.....	3	20	53	46	46	47	68	10	42	44	2	45	10	58	15	25	.....	46
.....	1	6	10	12	26	7	8	2	10	11	.....	8	2	19	13	9	.....	47
.....	1	5	25	27	10	17	24	2	22	10	.....	18	4	36	12	19	1	48
.....	2	3	15	15	14	8	4	2	18	10	1	7	.....	13	2	21	.....	49
.....	5	2	9	25	10	9	8	5	9	9	3	6	.....	6	3	11	.....	50
.....	.....	8	16	7	19	9	22	3	4	8	2	11	.....	15	7	7	6	51
.....	2	5	25	44	18	10	16	1	9	13	3	13	1	18	4	13	.....	52
.....	1	12	23	24	27	18	20	3	13	15	1	33	1	10	12	12	.....	53
1	5	17	101	110	56	24	21	34	45	47	14	35	6	46	10	57	.....	54
9	103	279	868	1,455	955	568	648	80	572	492	87	497	86	692	210	690	36	55
2	19	41	103	146	113	65	131	8	65	111	14	47	10	104	8	58	2	56
.....	2	1	25	21	19	15	10	6	10	16	2	4	.....	7	6	9	.....	57
.....	2	9	14	23	18	2	27	1	5	9	.....	6	.....	8	.....	6	.....	58
.....	5	13	63	62	27	25	16	4	24	39	4	41	2	89	14	41	1	59
1	8	6	16	59	13	15	9	1	7	18	1	12	1	9	4	22	.....	60
5	63	114	461	706	328	386	426	50	353	347	50	319	74	380	73	450	.....	61
.....	4	7	31	28	16	13	6	5	22	10	2	15	3	16	4	43	1	62
.....	2	13	40	37	28	27	41	9	21	28	4	37	1	19	14	52	.....	63
2	5	36	129	188	128	75	90	18	74	64	14	74	10	50	38	74	1	64
4	5	37	133	130	108	66	83	9	56	132	9	76	4	96	48	67	1	65
1	3	13	44	45	34	16	20	7	36	13	4	23	5	31	8	38	4	66
.....	5	10	23	25	23	23	21	4	21	3	2	4	1	28	11	16	3	67
.....	2	2	17	27	6	8	6	3	14	9	.....	4	3	5	8	8	1	68
.....	1	13	24	18	36	40	46	9	18	19	6	18	.....	13	6	9	1	69
9	.....	8	183	128	61	72	165	55	53	181	21	64	2	53	61	136	.....	70
2	4	17	83	89	45	33	53	4	31	61	4	29	3	36	20	45	.....	71
11	222	466	1,792	2,440	2,459	1,851	2,254	313	1,494	2,217	282	941	433	1,870	196	1,379	1	72
.....	3	12	39	22	25	19	45	3	21	14	2	22	1	23	12	14	.....	73
.....	.....	6	21	19	11	6	4	.....	16	6	1	19	2	5	5	18	.....	74
5	39	148	569	634	441	505	245	112	368	422	60	230	90	400	129	459	1	75
8	36	142	588	649	488	402	544	55	372	362	54	331	100	413	157	490	.....	76
.....	.....	3	15	21	12	10	20	4	10	9	1	16	.....	11	3	23	.....	77

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
78	Cohoes, N. Y.	518	13			22	2	1	7	8	2	42	5	16
79	Columbia, Pa.	154	6				1			4	1	10		4
80	Columbus, Ind.	131	4					2		3	2	24	1	6
81	Columbus, Ohio	2,224	121		2		3	14	35	22	16	283	45	104
82	Concord, N. H.	372	2			2			1	7	6	37	6	25
83	Corning, N. Y.	214	4				1	2	7	1	1	13	2	9
84	Cortland, N. Y.	111	3				1			1	4	6	2	9
85	Covington, Ky.	806	21				9	2	10	14	6	104	7	22
86	Danbury town, Conn.	337	5	2				2	14	3	4	35	2	20
87	Danvers town, Mass.	258	4					2	6	1		35	2	10
88	Davenport, Iowa	566	6			3		2	16	7	4	50	3	34
89	Dayton, Ohio	1,420	22	3		10	4	11	15	11	5	179	36	76
90	Decatur, Ill.	291	5					3	3	8	2	27	3	13
91	Denver, Colo.	2,887	61	3		4	18	37	24	13	10	692	45	130
92	Detroit, Mich.	4,695	69	3	1	3	31	13	118	29	31	347	61	223
93	Dover, N. H.	263	6			3		6	1	6	1	21	3	13
94	Dubois, Pa.	125	3			2	4		2	2		4	1	2
95	Duluth, Minn.	835	29				1	2	12	5	3	69	19	37
96	Dunkirk, N. Y.	226	7						4	13	2	14	2	11
97	Eau Claire, Wis.	189	3						3		1	25	5	14
98	Elizabeth, N. J.	942	5			5	11	5	34	3	2	92	24	31
99	Elkhart, Ind.	214	9					4	3	3	2	22	6	12
100	Elmira, N. Y.	554	10	2					12	5	7	49	14	35
101	Elwood, Ind.	157	9					2	3	1	5	12	3	4
102	Erie, Pa.	928	10			11	2	19	30	8	8	63	14	45
103	Escanaba, Mich.	251	21			1				5	8	23	7	5
104	Evansville, Ind.	856	27	4	1		2	3	27	11	9	112	18	39
105	Everett, Mass.	404	7		1	1	1	1	17	9	4	47	13	31
106	Fall River, Mass.	2,109	12	2		33		26	28	16	13	156	24	73
107	Findlay, Ohio	225	7				3	1	4	2	4	38	3	16
108	Fitchburg, Mass.	451	4			3		2	5	3	3	29	5	16
109	Flint, Mich.	229	3					1	2		1	16	1	14
110	Fort Wayne, Ind.	683	8	1	1		1	1	4	4	2	68	10	41
111	Framingham town, Mass.	200	3					2	1	4	1	8	3	8
112	Frederick, Md.	202	1				2	3	1			19		13
113	Fresno, Cal.	278	11				2	1	6	3	3	32	6	8
114	Gardner town, Mass.	172	1			3		1	1	6	1	8	3	3
115	Geneva, N. Y.	169	4					1		4	4	13	5	11
116	Glens Falls, N. Y.	215	3	1		1			2	3	1	18	4	12
117	Gloucester, Mass.	396	6			1	1	7	11	8	3	41	9	26
118	Gloversville, N. Y.	234	4	1		2	2		2		2	17		15
119	Grand Rapids, Mich.	1,398	48		34	6	3	2	34	13	12	74	25	63
120	Green Bay, Wis.	343	7			2		1		5	2	32	3	15
121	Greenwich town, Conn.	227	5					2	6	2	2	19	3	11
122	Hamilton, Ohio	330	4				1	7	6	1	4	30	9	15
123	Hammond, Ind.	215	10					8	4	2	3	12	5	10
124	Harrisburg, Pa.	813	38	2		2	6	3	8	7	7	67	11	25
125	Harrison, N. J.	236		3		2	1		8	1	4	28	4	5
126	Hartford, Conn.	1,527	16	1		5	2	3	65	15	13	155	22	83
127	Haverhill, Mass.	605	8			2		4	8	8	2	72	13	41
128	Hazelton, Pa.	238	5			1	2	3	8		4	14	1	5
129	Hoboken, N. J.	1,358	9			7	6	8	31	2	13	169	22	56
130	Holyoke, Mass.	823	4	1		8	2	5	23	9	9	81	11	34
131	Hudson, N. Y.	203	5	1				1		4		18	1	6
132	Huntington, Ind.	107	5							1		11		6
133	Hyde Park town, Mass.	197	2	3				1	2	3	2	15	3	7
134	Indianapolis, Ind.	2,998	64	5	1	1	9	11	21	33	21	351	52	109
135	Iron Mountain, Mich.	151	2			7			3		1	12	1	5
136	Ironton, Ohio	205	8	1			4	7	6	1	5	31	2	6
137	Ironwood, Mich.	139	6			1			4	4	1	8		2
138	Ishpeming, Mich.	169	1			3		2	3		2	19	2	8
139	Ithaca, N. Y.	209	2	3					1	3	2	16	1	13
140	Jackson, Mich.	415	16	1	11			2	13	3	5	35	4	19
141	Jacksonville, Fla.	1,013	33	32				1	4	2	18	158	10	25
142	Jacksonville, Ill.	296	5			1				3	1	38	6	9
143	Jamestown, N. Y.	316	8			3	4	2	1	6	7	18	4	16
144	Jeffersonville, Ind.	181	3				2	2	2	4	1	23	10	11
145	Jersey City, N. J.	4,427	46	3		11	16	23	94	11	21	473	63	154
146	Johnstown, N. Y.	143	1						2	3	2	10	1	8
147	Johnstown, Pa.	626	19			1	12	5	10	1	2	33	1	11
148	Kalamazoo, Mich.	550	6			2	1	4	4	4	4	38	7	28
149	Kansas City, Mo.	3,029	110	12	25	2	4	14	46	40	18	361	33	110
150	Keene, N. H.	168	4			7			1	7		16	5	12
151	Key West, Fla.	439	12	4		1	3		2	2	4	71	5	16
152	Kingston, N. Y.	479	8	2			1	9	9	7	2	56	8	17
153	Kokomo, Ind.	183	3					3	1	3	2	20	2	11
154	Laconia, N. H.	153								4	1	8	1	11
155	Lafayette, Ind.	345	13	1				3	3	5	5	37	3	14
156	Lancaster, Pa.	618	20	1				4	12	9	8	60	20	29
157	Lansing, Mich.	267	9	1					5	4	3	13	1	9

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	3	22	47	48	29	40	45	6	22	28	5	25	4	36	22	18	.....	78
.....	.....	1	18	13	11	15	6	4	7	9	2	5	2	17	3	15	.....	79
.....	1	6	10	6	9	3	8	.....	8	6	2	12	.....	7	3	6	2	80
3	15	46	225	265	184	81	67	21	141	91	13	49	27	133	46	172	.....	81
1	2	11	58	60	16	9	10	7	17	24	5	7	4	11	8	36	.....	82
1	3	5	23	20	15	6	11	.....	17	13	2	12	3	20	4	18	1	83
.....	2	2	13	14	6	3	4	2	4	8	3	6	1	6	2	9	.....	84
.....	2	35	67	80	70	26	30	10	47	65	8	34	8	43	32	54	.....	85
.....	3	9	51	49	14	12	14	5	17	19	1	14	5	13	4	19	1	86
.....	2	3	50	43	15	27	2	5	11	15	.....	2	3	5	.....	14	1	87
1	7	6	56	75	34	24	13	4	49	14	8	23	8	47	9	63	.....	88
1	13	38	136	144	86	46	60	16	86	77	12	66	27	80	39	121	.....	89
.....	3	5	33	31	20	6	11	3	19	31	2	11	2	16	8	25	1	90
7	22	39	152	272	221	108	77	19	183	183	29	95	51	164	10	218	.....	91
2	36	91	424	434	270	344	284	58	311	249	61	333	37	198	153	474	7	92
.....	4	7	21	43	13	7	27	3	6	25	.....	6	.....	14	10	16	1	93
.....	.....	2	6	13	5	5	8	1	2	8	2	13	.....	13	8	18	1	94
.....	4	39	52	64	54	33	62	8	73	45	11	40	11	88	19	54	1	95
1	.....	4	12	17	22	7	10	4	20	9	1	12	2	31	1	20	.....	96
1	6	2	20	13	10	8	8	.....	13	9	3	7	2	4	11	21	.....	97
.....	9	18	60	90	79	60	79	6	44	71	3	44	5	79	35	48	.....	98
.....	4	1	33	27	10	9	7	1	6	5	3	12	5	13	4	13	.....	99
.....	6	9	50	72	42	20	15	7	25	52	7	16	12	40	5	42	.....	100
.....	2	4	13	7	11	9	14	2	11	3	.....	15	2	9	7	8	1	101
3	5	14	77	102	61	34	58	13	80	53	15	49	3	77	9	65	.....	102
.....	2	4	10	10	12	13	42	6	15	5	.....	14	.....	17	11	17	3	103
1	8	21	65	83	39	44	39	13	63	32	7	65	12	38	23	50	.....	104
.....	5	9	37	41	31	19	15	3	18	17	3	25	.....	12	10	27	.....	105
1	14	52	158	162	194	166	352	21	75	98	8	190	3	58	69	105	.....	106
.....	2	3	33	22	7	8	5	3	9	10	2	9	2	17	3	12	.....	107
.....	6	15	44	80	25	24	35	6	17	9	6	40	8	29	9	28	.....	108
.....	3	6	22	21	18	14	9	1	17	14	2	12	2	7	12	29	2	109
3	7	9	83	49	36	42	22	6	60	61	5	29	9	53	15	53	.....	110
.....	3	2	29	38	12	3	5	.....	11	12	2	13	3	17	2	18	.....	111
.....	3	1	30	18	6	8	12	3	14	15	2	8	.....	8	19	16	.....	112
.....	.....	7	12	20	18	15	15	5	19	9	3	10	5	29	25	14	.....	113
.....	2	13	17	14	16	5	7	2	9	9	.....	21	3	3	1	23	.....	114
.....	.....	1	14	22	7	6	8	4	14	8	6	3	2	13	5	14	.....	115
.....	5	5	18	27	18	3	11	4	13	15	4	5	1	17	1	23	.....	116
1	2	14	32	50	18	15	28	2	16	20	4	22	2	20	10	27	.....	117
2	3	2	26	34	12	15	12	2	14	20	3	16	2	10	2	14	.....	118
2	11	23	116	172	71	73	76	32	109	58	11	61	18	54	48	149	.....	119
1	2	13	20	18	27	13	18	.....	21	20	.....	23	2	21	22	53	2	120
1	2	6	26	21	11	13	15	1	13	14	.....	7	3	26	3	15	.....	121
.....	2	10	33	24	30	16	12	4	30	21	4	20	5	16	9	17	.....	122
.....	1	2	18	11	14	3	15	3	17	8	4	6	3	26	5	25	.....	123
.....	4	9	99	66	56	30	20	4	49	43	7	46	7	98	46	50	3	124
.....	1	19	23	14	11	16	11	3	10	12	3	17	3	8	10	18	1	125
2	16	37	118	172	110	63	80	10	93	87	18	73	12	104	13	137	2	126
1	4	12	58	99	44	19	32	4	20	35	6	29	2	31	13	38	.....	127
.....	2	5	20	16	15	21	19	1	12	16	1	17	.....	19	16	15	.....	128
1	8	80	95	128	137	91	80	9	71	93	14	46	20	88	30	44	.....	129
1	3	50	38	71	67	61	75	8	39	34	7	61	5	40	28	48	.....	130
1	1	6	29	31	9	15	9	1	7	15	1	5	.....	18	4	15	.....	131
.....	1	5	13	9	7	4	8	1	7	9	.....	3	1	11	1	4	.....	132
.....	4	6	22	17	19	4	21	4	6	7	3	11	2	17	3	13	.....	133
3	24	71	272	322	218	155	87	42	180	141	27	189	43	153	110	281	2	134
.....	1	3	14	8	4	11	30	4	1	4	1	11	.....	10	4	11	3	135
.....	.....	4	6	17	14	10	13	1	12	15	1	4	.....	12	9	16	.....	136
.....	.....	1	12	2	6	8	10	3	8	3	3	4	.....	20	3	7	23	137
.....	2	6	14	12	6	22	16	.....	4	7	2	2	1	17	3	13	2	138
.....	4	.....	23	33	16	4	3	5	11	26	1	8	.....	9	2	23	.....	139
1	1	8	48	66	17	17	16	2	28	19	5	6	2	16	14	41	.....	140
1	2	8	91	58	46	40	36	8	77	74	7	58	4	70	66	71	13	141
.....	.....	5	54	53	23	14	3	4	17	8	2	8	1	15	2	24	.....	142
1	1	6	28	30	17	20	13	1	19	20	1	18	1	27	14	28	2	143
.....	1	4	11	13	11	8	6	1	12	18	.....	9	.....	14	4	11	.....	144
4	23	215	363	396	342	292	307	55	225	310	42	193	47	321	117	260	.....	145
.....	2	5	23	19	12	6	5	2	8	5	1	8	2	5	5	8	.....	146
.....	5	13	61	27	54	13	41	4	29	23	1	37	3	106	72	24	18	147
.....	3	7	113	87	25	24	21	13	32	32	5	15	6	25	4	38	1	148
6	18	53	219	300	308	100	93	26	184	152	29	139	45	224	124	228	6	149
.....	1	3	14	25	12	4	2	1	6	7	1	4	3	8	4	20	1	150
.....	.....	8	63	26	7	17	58	11	16	14	3	19	2	6	41	28	.....	151
.....	3	17	63	52	33	16	19	5	35	19	5	14	3	32	13	31	.....	152
.....	.....	3	17	22	12	12	4	2	12	10	.....	9	7	13	4	11	.....	153
.....	1	2	21	18	14	7	6	2	13	6	2	3	.....	6	5	22	.....	154
.....	1	4	39	32	15	10	4	4	27	25	.....	15	6	18	15	44	2	155
.....	9	13	89	77	36	15	28	16	30	52	1	18	5	24	8	34	.....	156
.....	.....	2	36	50	20	18	9	5	21	9	3	7	2	13	5	20	2	157

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
158	Lawrence, Mass	1,384	16	1	.....	28	10	1	12	13	7	114	14	61
159	Leadville, Colo	211	2	.....	.....	.....	.....	2	1	3	2	3	.....	2
160	Leavenworth, Kans	331	7	2	.....	.....	.....	5	14	2	4	34	2	16
161	Leominster town, Mass	204	1	1	.....	.....	.....	.....	3	2	2	19	5	14
162	Lima, Ohio	324	6	.....	.....	.....	2	.....	14	4	3	38	5	11
163	Lincoln, Nebr	411	11	.....	.....	2	1	2	23	3	2	27	12	18
164	Lockport, N. Y	259	11	.....	.....	4	.....	1	6	6	4	24	1	13
165	Logansport, Ind	324	13	.....	.....	1	.....	3	1	8	13	23	6	16
166	Los Angeles, Cal	3,344	55	.....	.....	3	3	32	38	22	17	643	64	175
167	Louisville, Ky	4,020	110	14	1	1	8	11	29	40	49	508	37	126
168	Lowell, Mass	1,901	18	.....	.....	8	.....	17	20	16	6	146	33	69
169	Lynchburg, Va	489	13	.....	.....	4	5	1	2	3	5	46	11	14
170	Lynn, Mass	1,262	18	.....	.....	3	2	3	8	15	8	102	24	68
171	McKeesport, Pa	764	36	.....	.....	3	4	2	22	4	3	46	6	15
172	Madison, Wis	231	1	.....	1	1	.....	.....	2	4	3	29	5	14
173	Mahanoy City, Pa	308	5	.....	.....	.....	1	.....	19	1	1	8	.....	7
174	Malden, Mass	506	4	.....	.....	.....	.....	4	5	5	4	53	7	23
175	Manchester, N. H	1,296	12	.....	.....	12	1	6	36	10	10	109	13	34
176	Manchester town, Conn	182	4	1	.....	.....	.....	4	7	3	6	19	1	5
177	Manitowoc, Wis	170	2	.....	.....	.....	.....	6	5	1	4	19	.....	6
178	Mankato, Minn	167	4	.....	.....	.....	.....	.....	.....	7	8	13	1	12
179	Marietta, Ohio	190	5	1	.....	.....	.....	3	.....	3	4	17	3	10
180	Marinette, Wis	203	6	.....	.....	.....	.....	1	.....	3	2	21	7	13
181	Marion, Ind	259	11	.....	.....	.....	.....	.....	1	5	9	34	3	7
182	Marlboro, Mass	209	1	.....	.....	.....	.....	.....	.....	3	9	28	3	12
183	Marquette, Mich	179	4	.....	.....	.....	.....	.....	.....	.....	.....	19	2	9
184	Massillon, Ohio	138	6	.....	.....	.....	.....	2	3	2	1	8	1	6
185	Meadville, Pa	160	4	.....	.....	.....	.....	5	3	1	.....	9	1	11
186	Medford, Mass	266	3	1	.....	.....	2	1	2	5	.....	17	3	25
187	Melrose, Mass	192	.....	.....	.....	4	1	.....	1	1	1	18	3	19
188	Memphis, Tenn	2,164	41	148	1	.....	3	16	15	38	34	278	17	42
189	Menominee, Mich	143	5	.....	.....	.....	.....	.....	3	.....	1	8	5	12
190	Meriden town, Conn	401	3	5	.....	2	1	8	4	18	3	43	8	27
191	Michigan City, Ind	185	6	1	.....	.....	.....	.....	8	1	2	20	4	11
192	Middletown, N. Y	289	6	.....	.....	2	.....	.....	6	7	3	26	1	7
193	Middletown, Ohio	107	.....	.....	.....	.....	1	.....	3	1	.....	11	3	10
194	Middletown town, Conn	449	.....	3	.....	2	1	2	1	1	10	56	8	13
195	Milford town, Mass	183	.....	.....	.....	1	1	.....	2	2	8	16	2	8
196	Millville, N. J	162	2	.....	.....	.....	1	.....	7	2	1	21	.....	8
197	Milwaukee, Wis	4,083	71	1	1	9	24	40	42	24	19	419	90	203
198	Minneapolis, Minn	2,469	64	2	1	2	9	3	55	13	19	244	50	164
199	Mobile, Ala	1,062	45	14	.....	.....	1	3	3	25	21	173	10	37
200	Montclair, N. J	289	3	.....	.....	1	2	1	2	5	1	21	2	15
201	Morristown, N. J	244	11	.....	.....	2	.....	2	4	2	1	24	4	8
202	Mt. Carmel, Pa	227	.....	1	.....	1	8	.....	5	.....	2	7	.....	4
203	Mt. Vernon, N. Y	325	6	.....	.....	1	2	.....	2	2	6	25	3	16
204	Muncie, Ind	399	20	1	1	.....	.....	1	10	8	5	49	7	9
205	Muscatine, Iowa	210	9	.....	.....	1	.....	1	1	4	.....	15	3	7
206	Muskegon, Mich	268	6	.....	1	.....	.....	1	4	7	.....	16	4	18
207	Nashua, N. H	375	2	.....	.....	5	.....	.....	3	5	2	42	5	12
208	Nashville, Tenn	1,848	60	30	.....	.....	.....	68	8	44	27	280	39	54
209	Natick town, Mass	149	.....	.....	.....	.....	.....	1	1	.....	1	13	.....	10
210	Naugatuck, Conn	148	1	.....	.....	.....	.....	1	1	4	.....	25	1	5
211	New Albany, Ind	345	14	2	.....	.....	4	1	4	5	3	44	5	13
212	New Bedford, Mass	1,297	6	.....	.....	1	2	10	28	7	4	118	22	53
213	New Britain town, Conn	534	6	1	.....	2	2	1	3	4	2	44	8	20
214	New Brunswick, N. J	430	8	.....	.....	1	4	1	6	.....	2	38	9	11
215	New Haven, Conn	2,230	51	13	.....	3	8	10	16	24	29	187	35	110
216	New London, Conn	348	6	.....	.....	.....	.....	.....	.....	.....	7	4	30	6	20
217	New Orleans, La	7,329	101	30	6	.....	8	30	42	109	496	980	92	263
218	New Rochelle, N. Y	265	4	1	.....	2	.....	3	6	1	.....	19	2	10
219	New York, N. Y	73,573	641	57	10	445	489	374	1,493	344	503	8,445	1,177	2,892
220	Bronx borough	5,515	39	7	.....	48	71	33	198	21	27	1,445	72	192
221	Brooklyn borough	23,880	288	25	9	167	198	128	570	140	164	2,423	397	916
222	Manhattan borough	39,592	268	17	1	216	198	178	636	157	279	4,151	636	1,635
223	Queens borough	3,189	35	7	.....	12	16	27	71	14	22	271	47	100
224	Richmond borough	1,397	11	1	.....	2	6	8	18	12	11	155	25	49
225	Newark, N. J	5,000	40	4	.....	12	47	44	111	19	46	683	100	198
226	Newark, Ohio	353	11	.....	.....	.....	1	2	2	4	5	42	9	16
227	Newburg, N. Y	499	11	1	.....	.....	.....	5	8	3	1	65	1	25
228	Newburyport, Mass	285	9	.....	.....	.....	.....	.....	1	8	1	22	5	9
229	Newcastle, Pa	526	18	1	.....	5	3	3	7	13	3	25	7	14
230	Newport, Ky	578	10	.....	.....	.....	4	3	26	2	7	55	13	24
231	Newport, R. I	400	6	.....	.....	2	1	4	2	4	1	35	8	15
232	Newton, Mass	487	4	.....	.....	1	.....	9	10	7	1	31	10	36
233	Niagara Falls, N. Y	423	48	1	.....	5	5	4	15	1	4	18	3	18
234	Norfolk, Va	1,216	22	13	1	6	1	10	5	10	15	183	20	40
235	Norristown, Pa	523	11	.....	.....	1	.....	.....	14	.....	4	40	7	14
236	North Adams, Mass	315	3	.....	.....	.....	.....	.....	11	8	2	23	4	19
237	Northampton, Mass	331	4	.....	.....	.....	.....	2	6	2	5	21	5	24
238	Norwalk town, Conn	351	5	.....	.....	.....	1	2	4	5	4	34	4	20
239	Norwich town, Conn	459	3	3	.....	1	1	.....	1	6	16	34	7	19

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	6	79	109	106	129	112	192	12	57	66	12	69	3	49	42	64	.....	158
.....	1	2	12	20	54	18	7	3	14	12	2	10	.....	18	3	20	.....	159
1	.....	2	36	27	29	9	3	3	17	18	.....	26	1	17	13	42	1	160
.....	.....	2	19	29	12	3	9	1	14	13	1	14	.....	13	10	17	.....	161
.....	.....	11	21	30	25	15	11	7	22	14	4	10	3	25	10	33	.....	162
3	4	7	33	32	32	8	18	8	33	20	4	16	9	28	19	35	1	163
.....	3	4	33	32	14	11	7	5	12	17	2	11	6	9	5	20	.....	164
1	1	2	35	29	16	12	14	7	17	19	3	8	1	30	7	38	.....	165
5	24	73	252	348	178	156	75	57	231	193	15	89	26	243	76	267	4	166
4	23	108	412	351	336	205	110	46	227	249	15	219	33	171	211	366	.....	167
2	12	94	174	242	133	108	248	23	127	85	15	98	9	64	15	119	.....	168
1	1	3	45	55	27	17	21	5	27	17	3	20	4	31	22	20	66	169
.....	17	56	122	147	123	58	76	12	67	77	6	61	7	69	25	86	2	170
.....	2	20	65	51	85	47	49	7	53	27	8	49	10	87	21	39	3	171
.....	1	2	22	28	12	13	2	3	17	16	.....	16	4	11	2	22	.....	172
.....	3	6	48	11	20	21	33	3	14	17	5	17	.....	33	16	15	4	173
1	3	7	63	75	42	23	25	1	19	37	3	34	7	20	8	33	.....	174
.....	12	154	125	96	76	72	143	15	72	52	9	74	5	46	39	62	1	175
.....	2	4	16	16	11	10	16	3	5	7	.....	11	5	11	2	12	1	176
.....	1	2	17	11	11	18	7	1	13	3	2	3	3	4	9	20	2	177
.....	2	.....	14	15	11	6	3	1	16	10	1	7	3	11	5	15	2	178
2	1	2	21	25	11	9	7	1	18	8	1	6	5	9	2	16	.....	179
.....	2	3	19	9	10	18	13	1	17	1	2	18	4	7	8	17	1	180
1	1	6	20	21	21	6	12	3	22	18	3	14	3	10	10	16	2	181
.....	1	4	12	38	18	9	7	1	11	14	1	8	.....	9	5	15	.....	182
1	1	1	16	20	5	6	18	2	16	9	1	10	.....	14	3	21	1	183
.....	1	3	18	20	2	7	6	.....	10	7	1	5	1	13	2	13	.....	184
.....	2	1	19	26	11	7	5	1	9	11	1	10	3	10	1	9	.....	185
1	5	7	31	49	18	9	6	3	8	17	1	21	1	6	.....	24	.....	186
.....	2	3	16	39	7	7	3	4	8	13	3	10	.....	10	2	16	1	187
4	2	33	123	146	164	86	91	40	124	139	29	51	25	199	68	151	56	188
.....	2	2	11	11	7	8	11	.....	12	8	1	6	3	10	3	14	.....	189
1	3	7	52	39	22	19	16	2	25	31	1	12	7	16	3	23	.....	190
1	.....	8	22	24	8	6	13	6	6	10	.....	3	1	11	9	4	.....	191
.....	2	12	40	34	24	11	9	7	20	17	2	6	1	23	8	15	.....	192
.....	1	5	8	13	2	5	4	.....	8	7	.....	5	1	8	1	10	.....	193
.....	.....	15	90	87	14	30	17	10	18	16	.....	17	4	20	1	13	.....	194
.....	1	8	25	25	18	8	9	1	10	11	3	5	2	5	3	9	.....	195
.....	2	2	14	18	2	14	13	.....	14	14	2	10	1	5	4	5	.....	196
4	40	71	333	417	200	289	324	35	335	192	49	200	73	223	60	294	1	197
1	40	40	199	241	181	110	114	32	167	175	25	61	52	158	14	233	.....	198
2	5	4	124	91	44	34	39	13	40	92	8	41	5	64	34	85	5	199
.....	4	4	24	23	22	9	47	5	14	12	7	16	3	20	6	20	.....	200
.....	1	2	29	25	10	8	34	5	14	13	2	5	1	14	8	15	.....	201
.....	.....	3	30	20	16	14	21	2	12	10	1	15	1	25	17	12	.....	202
.....	.....	5	28	42	33	12	18	3	28	32	2	17	2	14	6	20	.....	203
2	.....	4	29	36	31	15	20	7	25	20	2	29	7	22	4	34	1	204
.....	1	7	18	18	21	11	4	7	11	9	3	3	1	5	9	40	1	205
.....	.....	3	42	23	25	10	13	5	21	19	3	10	1	8	4	22	2	206
.....	9	24	34	45	25	19	23	3	21	14	1	22	1	21	9	27	1	207
2	7	20	138	179	137	107	92	31	115	59	18	76	17	107	16	115	2	208
.....	3	.....	17	32	7	3	4	2	8	10	1	3	3	18	1	11	.....	209
.....	.....	3	16	11	11	8	21	3	2	10	4	5	1	6	1	7	1	210
.....	4	7	35	37	12	16	7	5	21	20	3	17	6	22	9	29	.....	211
1	6	25	124	157	82	77	147	11	53	73	6	122	4	43	43	71	1	212
1	2	16	43	48	45	37	61	6	37	21	9	37	6	32	5	33	2	213
1	6	13	56	43	43	11	40	4	18	31	2	12	1	29	16	22	2	214
.....	21	142	188	263	176	111	143	19	119	129	19	93	25	114	44	131	7	215
1	5	4	37	47	22	12	21	4	17	20	1	11	4	34	6	27	2	216
3	20	113	654	762	417	269	393	116	324	622	75	223	54	395	141	571	.....	217
.....	.....	8	22	24	14	18	33	3	10	16	7	19	1	16	8	18	.....	218
36	656	2,531	4,817	6,947	5,945	5,895	6,073	648	3,135	6,419	837	3,294	689	4,134	1,142	3,501	4	219
2	38	118	348	456	329	283	307	35	171	374	63	191	39	334	58	215	1	220
7	207	607	1,733	2,638	2,016	1,864	2,111	265	997	1,966	277	791	183	1,188	386	1,218	1	221
26	371	1,714	2,370	3,344	3,241	3,484	3,151	305	1,777	3,699	441	2,129	401	2,280	622	1,863	2	222
1	23	75	252	368	256	196	352	27	128	248	40	119	57	238	55	132	.....	223
.....	17	17	114	141	103	68	152	16	62	132	16	64	9	94	21	73	.....	224
2	36	161	410	472	335	319	323	53	256	372	49	221	77	253	120	233	4	225
.....	2	4	34	34	20	17	18	6	24	8	6	10	7	38	8	24	1	226
.....	6	14	45	56	37	20	43	13	22	35	4	10	7	24	12	31	.....	227
3	3	9	22	51	25	14	14	3	18	17	1	6	3	9	17	15	.....	228
6	3	4	39	31	48	26	36	3	51	16	6	20	3	69	14	38	14	229
.....	2	18	72	48	36	33	20	6	35	20	2	29	4	33	36	39	1	230
.....	5	13	38	46	29	20	29	2	14	33	6	18	6	20	7	36	.....	231
2	6	8	55	85	24	23	30	1	18	25	3	15	.....	27	8	48	.....	232
.....	2	13	23	20	43	11	39	3	29	15	3	16	3	35	20	25	1	233
.....	2	12	141	114	67	66	78	20	86	78	13	48	11	74	9	71	.....	234
.....	2	10	89	84	45	24	15	8	17	33	.....	11	5	37	13	39	.....	235
3	5	4	26	37	16	16	23	8	31	15	3	18	2	10	3	25	.....	236
.....	6	4	43	39	21	17	12	3	14	27	.....	13	2	18	2	40	1	237
.....	4	16	53	48	14	11	24	4	15	26	3	10	4	21	5	14	.....	238
1	6	12	47	62	33	30	29	3	28	20	6	20	5	28	6	32	.....	239

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA	CAUSES OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued													
240	Oakland, Cal	1,144	26	2			1	17	9	6	4	106	25	84
241	Ogdensburg, N. Y	366	6			4				4	12	46	5	22
242	Olean, N. Y	118					1	2	3	1	1	4		8
243	Omaha, Nebr	1,300	30	2		2	8	20	13	23	10	101	19	87
244	Orange, N. J	553	6			2	3	3	12	1	2	86	15	24
245	Ottawa, Ill	137	2						1	3	1	9	1	4
246	Owosso, Mich	105	1					1		4	4	9	1	3
247	Paducah, Ky	427	20	26	1		1	10	2	11	9	74	2	8
248	Passaic, N. J	688	3	1		13	5	1	13	2	3	61	23	19
249	Paterson, N. J	1,818	16	3		3	3	3	41	10	21	197	36	82
250	Pawtucket, R. I	725	3	3		4	5	6	10	34	2	75	11	39
251	Peabody town, Mass	171	1	1					1	1	5	20	5	6
252	Peekskill, N. Y	201	2			15		7	7		1	20	4	13
253	Perth Amboy, N. J	313	4			2	4	5	19	1	2	13	4	13
254	Peru, Ind	119	4				1		1	2	1	10	1	6
255	Petersburg, Va	532	14	12				4	5	14	5	60	10	7
256	Philadelphia, Pa	25,058	724	19		94	67	168	466	253	109	2,899	466	1,091
257	Phillipsburg, N. J	135	3					1	3		2	12	2	7
258	Pittsburg, Pa	7,268	393	4		136	167	128	100	56	37	550	124	200
259	Pittsfield, Mass	413	10				3	9	1	5	2	34	2	25
260	Plainfield, N. J	295	3			2		3	1	1	17	33	3	15
261	Plymouth, Pa	198	5						6					2
262	Plymouth town, Mass	162	2			1			2		2	14	5	5
263	Pontiac, Mich	195	3	1					1	2	2	8	1	18
264	Port Huron, Mich	278	3			1	1		12	3	3	11	1	15
265	Port Jervis, N. Y	155	9						4	5	3	9		7
266	Portland, Me	949	14					5	10	15	5	77	22	61
267	Portland, Oreg	1,425	36			2	2	3	17	11	12	131	34	93
268	Portsmouth, N. H	183		1				1	1	1	1	19	2	10
269	Portsmouth, Ohio	283	16	1			2	3	3	5	3	37	4	14
270	Pottstown, Pa	216	8						2	2	1	27	1	5
271	Pottsville, Pa	330	9				1		3	2	2	19		16
272	Poughkeepsie, N. Y	436	12	1		1		6	5	3	2	32	2	27
273	Providence, R. I	3,475	40	7		5	18	8	72	37	40	338	100	193
274	Pueblo, Colo	712	21			2		18	4	5	2	103	7	22
275	Quincy, Ill	568	10	1	2	2	3	1	5	7	6	58	17	24
276	Quincy, Mass	367	3				3	1	13	3		42	7	21
277	Raleigh, N. C	351	6	3		11		4	7	2	8	46	6	11
278	Reading, Pa	1,329	23	1		1	4	16	23	15	12	93	14	48
279	Revere town, Mass	149	2			1		1		3	2	15	4	11
280	Richmond, Ind	255	1	1						5	2	26	7	11
281	Richmond, Va	1,921	39	28	1	4	1	1	12	22	30	205	27	58
282	Rochester, N. H	155	2			1		1	3	5	2	18	1	7
283	Rochester, N. Y	2,782	21			29	25	19	99	16	24	269	38	171
284	Rockland, Me	154	1			3			1	5	4	18		9
285	Rome, N. Y	317	7			3	1		9	2	3	34	5	12
286	Rutland, Vt	191	4			2		2	2	2		15	3	8
287	Sacramento, Cal	700	19	1	1	1	1	2	18	2	3	88	22	27
288	Saginaw, Mich	605	12		1		1		17	2	5	37	5	39
289	St. Joseph, Mo	876	9	6				3	11	14	11	79	8	32
290	St. Louis, Mo	10,745	144	98	61	52	15	55	162	138	65	1,408	175	468
291	St. Paul, Minn	1,971	21		1	1	19	16	64	8	15	222	59	114
292	Salem, Mass	741	10			5			20	3	4	62	8	39
293	Salt Lake City, Utah	1,080	60			28	2	3	45	13	6	51	6	38
294	San Antonio, Tex	1,495	27	7				4	38	36	14	387	19	43
295	San Diego, Cal	457	3	3				3	1	13	1	86	5	21
296	San Francisco, Cal	7,332	87	4	1	3	4	43	59	30	44	1,006	169	456
297	San Jose, Cal	364	3			1			4	5	3	59	13	22
298	Saratoga Springs, N. Y	267	5				1	1	1	4		26	2	13
299	Sault Ste. Marie, Mich	192	8			4	1		2		3	13	3	3
300	Savannah, Ga	1,723	27	104		5	1		7	43	9	189	19	39
301	Schenectady, N. Y	791	4			8	9	2	11	4	4	74	8	27
302	Scranton, Pa	2,111	20	3		20	17	8	37	13	17	105		39
303	Seattle, Wash	1,150	36			7	1	4	12	5	14	101	38	54
304	Sioux City, Iowa	519	10	1		2	7	8	11	7	3	31	7	34
305	Somerville, Mass	960	9				1	4	17	16	15	76	20	52
306	South Bend, Ind	655	12		6		6	5	8	6	5	67	7	23
307	South Bethlehem, Pa	166	2						7	1	2	20	1	3
308	Southbridge town, Mass	196	4						25		4	21	3	3
309	Spokane, Wash	702	39			5	2	2	15	4	7	63	13	33
310	Springfield, Ill	642	11		1	1	2	2	11	5	6	76	9	26
311	Springfield, Mass	1,128	20	3		2	1	2	27	16	5	88	35	77
312	Stamford town, Conn	453	6	1		2	1	7	5	10	3	34	8	21
313	Steelton, Pa	232	7					1	7		1	19	4	
314	Stonington town, Conn	159						2	2	5	1	13	3	8
315	Superior, Wis	329	11		1	1	1	8	2	1	3	39	3	15
316	Syracuse, N. Y	1,820	20			6	41	5	19	10	16	141	21	95
317	Tacoma, Wash	566	12					1	14	4	4	57	15	29
318	Taunton, Mass	676	3	2		1	3	3	10	9	2	74	10	13
319	Terre Haute, Ind	777	25	2				16	18	7	12	74	8	29

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	11	28	101	194	77	51	31	14	70	82	16	15	22	76	7	69	.....	240
.....	3	6	41	42	21	20	12	2	18	43	3	7	2	12	8	27	.....	241
.....	.....	7	10	17	10	5	3	.....	9	7	.....	3	.....	14	1	12	.....	242
6	9	9	117	145	79	54	36	6	115	64	11	49	23	105	19	135	3	243
.....	6	16	47	59	35	32	40	7	33	24	3	28	3	28	12	25	.....	244
.....	1	2	14	17	13	14	1	2	13	11	.....	.....	.....	8	7	12	1	245
.....	3	2	12	12	3	3	5	1	7	5	.....	4	.....	5	2	17	1	246
1	1	11	21	12	47	19	12	5	24	6	4	10	5	29	33	19	4	247
2	3	19	46	39	57	64	77	8	32	22	6	58	3	54	21	32	1	248
2	13	60	160	222	134	106	139	27	78	114	16	86	18	105	54	96	3	249
.....	9	8	56	87	72	47	58	9	36	45	6	32	.....	22	9	36	1	250
.....	1	4	19	41	7	6	10	2	4	11	.....	6	2	7	4	7	.....	251
.....	1	6	20	16	7	13	13	2	9	14	1	5	.....	16	4	8	.....	252
1	1	12	11	8	30	22	55	2	11	23	5	14	1	26	13	9	2	253
1	.....	5	12	13	7	7	8	.....	9	6	1	8	.....	5	3	8	.....	254
.....	2	8	61	60	23	17	38	8	24	54	7	22	1	20	28	25	3	255
18	198	223	1,953	2,920	1,388	1,398	1,739	308	1,217	2,348	218	1,229	196	1,257	594	1,490	8	256
.....	.....	1	22	11	14	8	8	.....	8	6	1	6	1	10	4	5	.....	257
2	20	113	493	506	770	412	611	94	404	220	84	375	57	645	175	391	1	258
.....	3	9	39	69	18	15	17	2	19	22	4	16	3	38	8	40	.....	259
.....	7	10	21	29	18	13	20	6	22	18	4	10	3	19	3	14	.....	260
1	.....	12	26	13	27	20	16	2	4	8	1	6	.....	15	22	11	1	261
.....	2	6	11	28	4	6	9	1	10	7	1	11	2	8	4	21	.....	262
.....	2	1	50	18	19	8	6	2	11	6	3	3	3	9	3	15	.....	263
.....	3	6	24	40	25	9	18	6	19	30	3	13	.....	12	1	19	.....	264
.....	1	3	10	17	9	3	12	2	17	11	.....	9	2	6	6	10	.....	265
2	10	26	110	123	55	31	39	3	51	78	7	30	9	45	19	98	4	266
.....	24	29	120	170	87	37	48	10	102	90	11	34	31	134	23	134	.....	267
.....	2	3	19	21	14	5	9	4	11	15	1	2	1	11	9	20	.....	268
1	4	3	19	27	23	6	14	3	15	7	1	23	3	15	5	26	.....	269
.....	2	4	29	24	8	12	9	4	9	7	3	10	2	13	18	15	1	270
.....	2	8	42	31	28	2	33	5	29	33	5	6	5	24	2	23	.....	271
1	2	10	52	53	32	30	14	5	26	21	8	19	3	34	3	32	.....	272
2	29	57	255	356	315	195	201	35	196	294	50	122	29	187	45	245	4	273
1	2	10	86	37	65	23	38	5	48	36	5	32	12	65	4	59	.....	274
3	4	13	46	67	39	39	35	9	44	11	3	11	8	27	15	55	.....	275
1	1	14	19	62	30	13	29	2	8	11	3	26	3	27	4	21	.....	276
.....	.....	8	29	20	23	18	23	13	21	7	2	10	3	13	13	18	26	277
1	10	20	195	134	76	44	89	14	68	68	7	92	10	92	39	120	.....	278
.....	1	1	14	16	11	11	9	2	7	12	1	2	1	10	3	9	.....	279
1	2	7	18	38	11	9	7	8	19	20	2	11	6	15	3	25	.....	280
1	8	22	229	165	132	140	127	29	107	116	17	77	15	77	81	141	9	281
.....	1	1	9	18	17	11	8	.....	7	12	1	3	2	6	6	12	1	282
5	46	55	253	309	175	180	134	38	181	184	34	48	22	133	48	225	1	283
.....	.....	3	10	17	8	2	9	2	8	11	.....	5	2	7	1	26	2	284
.....	.....	4	47	30	10	12	2	1	14	14	2	4	1	25	25	47	.....	285
.....	4	4	13	22	16	7	6	2	20	21	3	1	1	12	3	16	2	286
1	7	12	52	77	51	26	17	5	42	30	5	20	20	55	26	63	3	287
1	6	8	59	70	37	38	24	8	42	27	4	22	11	45	21	63	.....	288
2	2	15	85	70	114	37	35	16	68	43	4	16	19	67	34	76	.....	289
10	66	120	786	1,015	834	732	416	102	641	729	104	549	186	618	185	796	15	290
.....	21	35	150	189	116	83	87	16	114	104	15	123	37	116	37	187	1	291
1	6	17	84	92	36	29	82	7	26	39	6	68	2	30	34	31	.....	292
3	7	14	64	94	109	52	46	10	80	59	12	42	18	74	31	104	9	293
3	2	21	121	55	63	58	117	18	80	51	10	88	23	46	51	111	2	294
1	8	9	56	53	11	18	12	6	21	17	2	6	15	28	11	40	7	295
7	73	83	515	1,117	457	378	204	44	478	449	66	244	227	426	54	602	2	296
.....	4	8	39	51	17	13	14	6	17	16	8	10	8	23	2	18	.....	297
.....	1	3	28	34	19	15	7	3	15	40	1	15	.....	13	4	16	.....	298
.....	1	5	12	13	14	10	20	4	12	13	7	8	3	14	6	10	3	299
.....	7	14	190	110	174	88	66	14	75	104	21	50	7	71	77	125	87	300
2	4	40	51	65	79	48	80	7	41	44	10	49	4	50	18	48	.....	301
1	12	26	269	94	186	142	179	16	83	98	8	156	12	199	243	107	1	302
1	11	18	79	130	67	29	58	10	61	63	8	62	30	127	19	105	.....	303
.....	10	4	41	50	33	21	16	4	54	23	7	21	9	43	15	46	1	304
.....	6	16	113	152	90	52	50	6	46	52	13	49	4	35	4	59	.....	305
.....	6	18	60	62	33	26	58	9	48	27	4	42	4	47	27	38	1	306
.....	.....	1	13	8	29	6	11	.....	6	9	3	2	.....	14	13	14	1	307
.....	3	10	10	4	3	10	30	7	8	12	1	15	.....	5	8	10	.....	308
.....	5	9	40	46	41	30	44	3	66	40	9	32	12	60	19	58	5	309
.....	1	11	52	41	43	30	23	3	54	45	7	31	7	43	28	66	4	310
2	19	24	92	123	91	32	53	9	53	120	12	55	5	68	19	75	.....	311
.....	3	14	66	37	30	29	23	4	22	46	2	12	5	26	11	25	.....	312
.....	.....	15	20	15	21	5	25	6	9	7	.....	19	1	14	28	8	.....	313
.....	.....	1	17	29	10	11	9	3	6	5	2	6	1	8	4	13	.....	314
.....	3	9	17	19	32	10	36	2	13	15	4	7	8	30	13	26	.....	315
5	18	41	177	267	119	93	102	16	94	118	15	76	12	104	31	158	.....	316
.....	5	14	42	70	41	19	25	2	43	28	6	17	11	39	26	42	.....	317
1	7	20	103	72	56	40	56	8	40	28	8	33	1	23	17	33	.....	318
1	6	14	59	98	66	24	27	13	43	38	4	47	15	57	18	56	.....	319

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH. All causes.	Typhoid fever	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
320	Tiffin, Ohio	141	2						2			20	3	8
321	Toledo, Ohio	2,121	71	8	1	2	6	6	21	32	26	216	38	105
322	Torrington town, Conn	206	3			3	1		5	3		20	4	12
323	Traverse City, Mich	209	3						1		3	25		4
324	Trenton, N. J	1,413	21	3		5	7	11	24	6	12	177	27	55
325	Troy, N. Y	1,641	39	2		32	21	11	10	23	14	200	20	66
326	Union, N. J	302	3				3		5	1	1	31	5	13
327	Utica, N. Y	1,150	8	1			10	4	12	9	11	110	19	64
328	Vernon town, Conn	117	2							2	2	9	2	4
329	Vincennes, Ind	210	6	1		1	1	8			7	22	3	8
330	Wabash, Ind	99							1			17	3	5
331	Wakefield town, Mass	143	1						1	1	2	19	2	10
332	Wallingford town, Conn	118	1	1					2	1	1	12		5
333	Waltham, Mass	363	14				1	2	4	16		27	10	16
334	Ware town, Mass	127							2	2		15	4	2
335	Washington, D. C	6,201	146	11	9	8	11	71	49	86	24	832	132	230
336	Washington, Ind	130	7				1	1	2	3		19	3	5
337	Waterbury, Conn	957	19	1		5	5	3	20	13	9	88	11	29
338	Watertown, N. Y	381	6			7		1	4	1	1	21	6	19
339	Watertown town, Mass	136				1			4	5	1	11	2	5
340	Watervliet, N. Y	283	8			7	4	3	6	6	1	32	2	10
341	Webster town, Mass	152	2			3		4	6	3	2	17	2	8
342	Westfield town, Mass	212	3				2		1	1		24	3	9
343	Weymouth town, Mass	174						1	1	1	1	16	1	8
344	Wheeling, W. Va	629	35				4	5	8	3	2	63	9	24
345	Wichita, Kans	502	12						11	13	4	37	5	31
346	Williamsport, Pa	482	21	1		1	1		3	13	5	28	4	20
347	Wilmington, Del	1,389	30			1	2	16	24	7	5	159	18	42
348	Wilmington, N. C	535	17	25	1			2	8	19	5	41	11	12
349	Windham town, Conn	216	3				9	2	2	7	3	23	4	8
350	Winona, Minn	258	2					2	23	7	1	23	1	24
351	Woburn, Mass	219	4			2			2	8	1	23	5	13
352	Woonsocket, R. I	489	4			6	1	3	14	4	6	57	18	8
353	Worcester, Mass	2,266	27	4		5	4	25	14	9	20	220	43	103
354	Yonkers, N. Y	1,021	3	2			7	17	21	7	2	108	26	40
355	Youngstown, Ohio	994	35			5	16	11	44	11	6	60	10	35
	CONNECTICUT RURAL.													
356	Fairfield county	723	8	9			2	1	15	15	10	52	8	32
357	Hartford county	1,076	8	2		6		1	10	23	13	72	13	54
358	Litchfield county	829	12	2		2	3	3	11	22	3	63	14	50
359	Middlesex county	357	2	4		1	1	1	5	4	1	34	6	17
360	New Haven county	795	9	11			1	2	2	15	12	63	7	38
361	New London county	509	7	2			1	4	2	8	5	36	8	24
362	Tolland county	252	5			2	2	1	2	9	3	16	3	11
363	Windham county	605	6	2		9	2	4	4	14	8	51	6	35
	INDIANA RURAL													
364	Adams county	226	8				2		5	8	1	22	5	12
365	Allen county	290	5					3	2	2	3	23	5	20
366	Bartholomew county	187	5	2				2	2	7	3	28	4	15
367	Benton county	131	3	2				2	1	1	2	7	2	9
368	Blackford county	230	8	1				1	8	2	1	24	8	6
369	Boone county	302	7	1			1	6	4	7	8	46	6	15
370	Brown county	87						1	1	5	3	14	3	3
371	Carroll county	238	12				3	2	1	3	6	24	4	8
372	Cass county	228	5					1	1	1	11	16	2	3
373	Clark county	265	7		1			4	4	7	4	27	6	7
374	Clay county	397	10	3	1		4	8	3	6	8	45	6	7
375	Clinton county	425	11					8	1	12	7	67	5	18
376	Crawford county	162	5	2	2		2		4	3	3	26	1	5
377	Daviess county	283	10	1			6	8	3	9	2	32	4	8
378	Dearborn county	316	10	2			1	1		4	4	46	7	12
379	Decatur county	294	5	3			3	4		11	8	36	4	16
380	Dekalb county	301	10				2	3	7	8	1	28	5	23
381	Delaware county	303	10	1				2	2	4	6	36	6	13
382	Dubois county	267	12	4	2			4	1	6	15	29	4	8
383	Elkhart county	383	9		1	1		1	1	5	5	35	7	26
384	Fayette county	166	2				1	1		6	2	28	4	7
385	Floyd county	107	4				2		1	4	1	17	3	6
386	Fountain county	238	7	3			4	2	1	13	8	24	3	7
387	Franklin county	195	2				1	2		6		28	3	8
388	Fulton county	229	6	1		1	1	5	1	7	5	16	2	17
389	Gibson county	406	13	7					12	11	10	53	3	10
390	Grant county	551	13	3			3	9	4	13	14	58	7	16
391	Greene county	467	19	8	2	1	6	11	7	7	9	55	6	12
392	Hamilton county	371	14	3			1	2	2	9	6	48	7	14
393	Hancock county	292	6					1	3	6	9	32	5	10
394	Harrison county	263	15	1			3	1	2	14	4	31	3	11
395	Hendricks county	241	3						1	6	2	36	2	9
396	Henry county	326	12	1		1	1		2	7	8	37	6	15
397	Howard county	193	3						2	5	2	22	2	16
398	Huntington county	199	9						1	3	4	20	2	12

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over										
	1	2	17	22	5	7	3	5	10	4	2	1	2	10	2	13	.....	320
.....	11	37	279	198	107	99	125	31	142	98	18	47	22	154	41	179	1	321
.....	1	5	17	13	7	11	29	1	9	8	3	15	1	17	3	15	.....	322
.....	.....	2	50	32	12	10	4	7	9	5	2	5	4	5	6	20	.....	323
1	6	25	204	89	115	70	97	7	67	78	12	59	8	70	52	102	3	324
1	10	41	153	178	111	109	76	14	106	107	10	70	6	71	51	89	.....	325
.....	4	10	23	15	21	17	21	3	21	20	1	13	10	28	14	18	1	326
1	14	28	126	142	95	54	50	13	62	76	10	64	6	73	19	68	1	327
.....	4	1	16	21	1	6	12	3	5	3	4	5	.....	5	4	5	1	328
1	1	6	12	20	13	14	9	1	19	15	4	15	1	12	2	7	1	329
.....	.....	3	10	16	6	3	2	.....	8	3	.....	4	1	7	1	9	.....	330
.....	1	7	18	20	13	9	5	4	3	4	2	5	.....	7	2	7	.....	331
.....	1	3	11	6	13	3	10	.....	8	7	1	12	1	8	1	9	1	332
.....	3	8	49	57	34	7	16	3	17	19	2	8	2	23	5	20	.....	333
.....	.....	7	10	16	8	8	16	1	2	8	1	6	.....	9	4	6	.....	334
3	47	58	559	682	421	339	358	71	323	482	54	301	60	320	96	418	.....	335
.....	.....	4	12	13	5	6	3	.....	11	7	2	3	2	5	4	12	.....	336
2	6	28	75	75	75	54	124	16	52	50	14	48	8	70	9	47	1	337
2	6	8	37	45	20	23	27	6	34	17	6	20	3	25	6	30	.....	338
.....	4	4	9	24	9	5	7	1	8	2	3	10	.....	2	5	14	.....	339
.....	2	5	27	34	28	21	12	4	13	14	5	8	.....	15	6	10	.....	340
1	1	5	13	7	11	9	15	.....	4	2	.....	10	.....	5	4	14	4	341
.....	2	5	20	29	20	5	7	3	11	11	2	20	1	8	6	19	.....	342
1	3	3	24	36	8	11	11	1	7	10	.....	7	.....	4	5	14	.....	343
1	.....	25	59	42	44	37	27	13	46	32	8	17	5	38	26	54	2	344
4	5	4	46	35	24	15	16	5	52	23	6	34	1	28	39	49	3	345
1	6	10	51	54	29	28	16	4	50	24	7	15	1	29	16	44	.....	346
3	8	51	153	116	100	60	63	9	62	95	7	65	9	99	84	99	2	347
1	2	3	59	52	20	11	41	10	27	29	11	27	6	29	19	36	11	348
.....	2	3	17	23	11	10	26	.....	16	16	3	3	.....	11	2	12	.....	349
.....	6	1	21	23	17	14	7	1	16	4	2	11	3	20	4	25	.....	350
1	.....	3	21	40	17	15	5	1	7	15	4	5	1	10	4	12	.....	351
1	3	11	34	31	39	31	33	9	21	33	8	30	.....	14	4	15	1	352
4	19	46	240	300	168	109	142	27	109	95	21	171	25	111	42	163	.....	353
1	9	104	60	91	53	52	128	9	47	69	15	35	1	59	4	50	1	354
2	6	20	97	56	106	51	86	8	54	37	6	59	3	78	34	55	3	355
.....	13	10	89	135	38	34	30	3	32	55	.....	24	8	47	14	39	.....	356
.....	4	24	118	133	74	58	82	12	62	48	9	42	10	93	14	86	5	357
.....	8	12	111	100	44	29	36	13	48	58	5	31	11	64	9	62	3	358
.....	2	9	50	47	27	11	14	3	20	26	1	12	2	20	5	31	1	359
1	9	29	110	103	58	37	38	5	45	45	12	32	7	57	11	33	3	360
.....	2	12	49	85	33	17	28	3	22	40	10	19	4	31	6	49	2	361
1	2	3	31	40	12	12	18	3	16	12	3	8	1	12	4	19	1	362
.....	2	14	68	82	31	31	36	9	35	34	5	34	9	37	2	34	1	363
.....	2	6	26	9	9	16	7	4	11	12	1	17	3	12	8	19	1	364
.....	2	2	46	17	16	18	17	8	22	13	4	8	2	19	6	26	1	365
.....	1	3	10	23	17	7	12	2	4	7	2	10	1	4	2	14	.....	366
.....	2	1	11	12	7	11	6	3	6	3	1	11	1	11	3	12	1	367
1	1	7	26	25	16	1	9	6	16	7	7	14	2	14	8	11	.....	368
.....	2	8	35	24	16	11	10	4	19	13	.....	9	3	10	7	28	2	369
.....	1	.....	5	12	4	6	4	1	6	7	.....	2	1	3	.....	5	.....	370
1	2	5	30	18	19	11	6	1	15	14	2	11	4	13	2	20	1	371
.....	1	4	40	21	10	12	14	6	11	18	3	7	3	11	8	18	1	372
1	1	5	25	25	20	4	13	7	19	17	1	22	2	17	9	10	.....	373
.....	.....	3	44	42	13	20	20	9	23	18	11	32	7	22	8	24	.....	374
.....	4	5	34	49	28	11	11	8	25	19	2	34	5	19	10	32	.....	375
.....	.....	2	10	14	7	4	10	4	11	3	2	8	1	10	8	13	2	376
.....	.....	7	26	24	18	14	22	2	12	6	7	20	1	18	6	16	1	377
1	5	5	28	41	26	13	6	5	16	16	3	12	1	28	2	21	.....	378
2	2	2	28	30	18	16	6	8	15	8	4	12	8	14	9	22	.....	379
.....	5	4	20	33	14	12	6	4	23	8	2	17	.....	26	6	30	4	380
.....	1	4	29	21	19	9	13	4	25	9	1	27	3	24	6	27	1	381
1	2	6	16	15	27	10	14	4	12	14	5	14	4	15	6	17	.....	382
.....	3	9	44	62	20	11	16	3	27	15	3	14	5	8	13	39	.....	383
.....	1	3	16	16	14	8	7	1	13	4	1	9	1	5	1	15	.....	384
.....	.....	3	11	12	4	6	2	2	3	5	1	6	1	1	2	10	.....	385
.....	6	6	31	10	8	8	9	2	8	15	3	10	4	14	6	25	1	386
.....	1	1	26	17	12	7	13	5	12	13	1	11	1	7	1	16	1	387
.....	.....	6	22	22	14	6	9	1	20	14	4	8	.....	10	4	27	.....	388
2	2	9	33	32	39	19	19	10	20	16	5	21	1	28	6	25	.....	389
.....	4	10	83	64	43	26	18	5	29	14	1	25	3	19	16	49	2	390
1	4	7	41	24	26	25	21	11	28	18	7	26	5	34	15	30	1	391
2	2	2	45	48	23	12	11	12	26	9	2	17	1	9	11	32	1	392
.....	1	4	29	24	29	8	16	6	28	20	1	16	3	11	6	18	.....	393
.....	3	6	26	26	14	12	8	1	22	12	2	12	.....	14	4	14	2	394
2	3	1	31	22	15	10	10	2	17	11	3	14	.....	12	5	22	2	395
.....	6	10	40	21	11	12	10	4	28	12	3	22	4	13	10	29	1	396
2	1	2	17	20	19	4	9	3	11	6	4	11	2	12	5	12	1	397
.....	2	4	27	14	9	6	10	2	18	12	2	3	2	19	4	12	2	398

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH. All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL—Continued.													
399	Jackson county	384	15	2			4	2	1	10	8	58	13	11
400	Jasper county	121		1						3	8	12	1	8
401	Jay county	362	10							8	8	44	5	19
402	Jefferson county	328	4				2		12	7	1	54	6	13
403	Jennings county	213	8	2			5		2	7	3	39	2	14
404	Johnson county	240	3						1	4	3	37	7	8
405	Knox county	294	16	6			4	6	4	1	3	28	3	12
406	Kosciusko county	346	13	2			1	2	1	7	4	18	2	23
407	Lagrange county	209	6				2	1	2	7	3	16	3	9
408	Lake county	379	8	1	1			6	12	5	2	12	1	12
409	Laporte county	367	6	1			4		2		7	33	6	27
410	Lawrence county	409	29	3	1			5	8	11	5	58	10	15
411	Madison county	392	22	1				2	3	6	7	36	7	20
412	Marion county	476	6					1	2	7	7	79	13	11
413	Marshall county	255	10	3			2			5	4	18	2	21
414	Martin county	165	11	1			2	1	2	6	4	32	6	9
415	Miami county	221	7	2				2		7	4	13	3	6
416	Monroe county	311	13				7	5	5	4	4	33	7	9
417	Montgomery county	400	5					5	1	9	4	48	6	25
418	Morgan county	298	1	1				6		12		38	5	14
419	Newton county	108	3							1		9	1	1
420	Noble county	254	5	2		1			1	4	2	21	5	11
421	Ohio county	58						1	1	1		11	1	4
422	Orange county	201	11	1			3	3	3	3	5	42	4	8
423	Owen county	170	4	1			2	4		2	1	27	5	8
424	Parke county	298	11	3			3	3	4	6	7	35	8	14
425	Perry county	253	7	1				4	2	5	8	41	9	9
426	Pike county	297	10	4	1		1	6	4	7	7	42	3	12
427	Porter county	251	5			2	1	3	2	3	1	19	8	16
428	Posey county	303	5	8					6	8	6	41	9	14
429	Pulaski county	133	6					1	2	2	2	15		11
430	Putnam county	263	7	1				2	1	3	5	42	4	12
431	Randolph county	371	7	1					4	5	9	46	6	14
432	Ripley county	249	4				3		1	3	4	29	10	7
433	Rush county	221	4	2				4	2	8	3	20	7	12
434	St. Joseph county	351	10				1	4	2	4	3	39	7	19
435	Scott county	125	6	2			2	1	2	5	2	25	2	5
436	Shelby county	352	14	1			4	1	2	15	3	35	11	17
437	Spencer county	266	6	1		2		4	2	17	6	47	2	8
438	Starke county	137	6	1			1		3	5	1	15		2
439	Steuben county	201	3				2	1	4	6	4	16	5	14
440	Sullivan county	436	12	2	9		3	12	11	4	7	45	6	13
441	Switzerland county	138	2				1		1	6	2	23	2	12
442	Tippecanoe county	269	7				2		2	2	4	32		16
443	Tipton county	215	7			1		1		5	3	26	2	16
444	Union county	82	3					3		1		8		8
445	Vanderburg county	236	1	2				3	6	7	2	29	6	5
446	Vermilion county	242	6	3		1	3	2	1	4	6	28	4	10
447	Vigo county	252	6	5	3		2	2	5	2	4	25	1	6
448	Wabash county	203	5				1	2	5	2	6	22	1	9
449	Warren county	125	7					3	1	4	1	9	1	6
450	Warrick county	289	11	2			3		2	10	5	31	5	4
451	Washington county	254	10					3	5	9	6	39	2	5
452	Wayne county	302	5					1	2	4	1	33	4	14
453	Wells county	268	8					1	2	3	2	29	3	12
454	White county	220	13				1	2	1	7	7	16	2	13
455	Whitley county	178	10						1	1	2	13	3	9
	MAINE RURAL.													
456	Androscoggin county	914	13	1		2	1	2	9	15	4	59	21	54
457	Aroostook county	831	14				2	1	14	18	8	59	8	24
458	Cumberland county	836	8			1	1	6	5	25	4	51	22	61
459	Franklin county	292	1			3		1		10	4	18	3	18
460	Hancock county	538	5			3			2	12	2	38	12	25
461	Kennebec county	849	8	1		2		3	6	23	6	64	8	58
462	Knox county	330	2			5		1	1	4	1	29	9	23
463	Lincoln county	269	1						2	7	1	14	6	17
464	Oxford county	505	3	1					5	13	5	29	17	24
465	Penobscot county	911	13	2		1		8	16	29	6	91	29	40
466	Piscataquis county	274	3					1		6	4	20	3	19
467	Sagadahoc county	160	3	1				1	2	4	1	8	1	18
468	Somerset county	564	3	1		4		2	9	14	1	41	7	31
469	Waldo county	416	4			1		1	1	5	1	46	4	24
470	Washington county	683	7	2		2		4	5	18	9	71	12	42
471	York county	905	18	1		4	3	2	7	19	6	57	12	58
	MASSACHUSETTS RURAL.													
472	Barnstable county	507	4			7			8	12		40	6	31
473	Berkshire county	571	12			2	3	12	7	17	2	48	4	38
474	Bristol county	694	10				3	4	7	11	7	62	9	50
475	Dukes county	88	1						1	1		2	1	9
476	Essex county	1,133	14	1			1	1	14	26	8	99	25	69

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
	2	5	27	36	32	13	20	5	19	10	3	31	4	24	8	20	1	399
1	1	2	12	5	14	5	5	1	7	10	2	7	1	6	3	5	1	400
	2	7	31	28	16	23	39	12	29	10	2	18		15	6	28	2	401
	5	1	24	39	30	11	8	4	20	21	3	12		11	6	32	2	402
	1	3	25	18	12	5	5	6	15	9	1	6		8		16	1	403
	2	5	21	17	16	9	10	7	17	9	3	13	2	11	6	29		404
		9	18	16	29	18	14	4	11	11	1	22	2	14	10	31	1	405
1	5	5	47	45	17	17	17	8	27	14	3	14	4	15	5	25	4	406
	4	3	28	33	4	6	10	2	12	8	3	6	6	10	6	19		407
	2	6	27	27	31	33	45	3	16	17	1	17	6	47	4	36	1	408
1	2	10	42	38	14	18	12	5	20	25	2	23	3	24	6	36		409
		5	24	29	27	21	35	6	15	7	6	25	1	20	9	32	2	410
	5	12	24	31	9	15	30	4	35	29	3	27	4	15	15	29	1	411
	5	4	92	36	24	12	15	12	21	30	5	18	3	31	9	33		412
	4	3	36	29	12	16	9	3	16	14	1	5	3	8	4	27		413
	1	5	10	10	8	7	6	5	8	3	3	6	2	6	4	6	1	414
	2	5	26	27	15	9	11	5	14	12	1	12	1	10	7	19	1	415
	4	1	39	21	20	18	22	5	11	11	6	19	1	14	10	21	1	416
	7	5	47	51	25	10	21	5	29	16	4	14	2	13	11	36	1	417
		3	33	37	22	19	12	6	14	12	1	18	2	9	5	26	2	418
		3	15	16	6	7	6	4	7	3	2	9	1	7	2	5		419
	2	1	34	41	13	4	6	8	16	16	1	11		20	3	26		420
		1	9	3	4	2	2	1	6	1			1		1	8		421
1	3		12	16	15	10	8	1	8	9	3	8		5	5	14		422
		3	11	32	15	3	6	3	12	3	1	5		7	4	11		423
	2	1	29	31	30	9	12	11	13	10	3	9		18	3	23		424
		1	17	22	19	11	11	6	23	9	5	8		10	6	18	1	425
2	4	8	10	17	24	16	18	5	21	10	4	17	2	17	6	17	2	426
1	1		32	23	20	21	12		17	6	4	12	3	16	1	22		427
		10	19	12	26	14	18	7	20	11	4	23	3	15	4	16	4	428
		3	16	7	15	11	5	4	11	6		1		5	5	5		429
	1	2	25	31	20	15	6	3	9	14	1	14	1	10	12	22		430
	4	6	53	45	23	13	19	5	23	14	1	18	2	13	5	34	1	431
1	4	4	22	24	24	13	4	1	16	14	3	9	3	18	6	20	2	432
	1	2	26	24	8	6	12	6	21	11	1	10		10	2	19		433
	6	3	26	32	27	16	26	5	18	17	3	24	3	19	11	26		434
	1		8	14	7	4	9	1	6	9		3		4	3	4		435
	3	4	23	38	15	20	15	7	26	13	6	21	4	15	4	34	1	436
	1	8	28	14	11	8	17	4	14	7	1	14	1	11	10	22		437
	3	2	8	10	6	12	8	2	12	5	2	2	1	10	6	13	1	438
	3	2	26	18	2	4	8	4	21	4	5	7	1	13	5	23		439
	3	9	34	40	20	17	26	8	25	20	9	26	2	31	14	26	2	440
		3	8	18	9	2	2		8	4		9	1	12	3	10		441
	4	3	22	37	17	12	6	6	17	9	3	14	5	16	10	23		442
	5	1	23	15	7	8	18	4	16	10	2	11	3	8	4	19		443
		1	11	8	2	6			4	10			2	5	1	9		444
		5	44	22	12	6	12	7	8	7		20	1	15	1	15		445
1	1	3	19	21	18	9	13	2	21	2	2	15	1	15	6	15	11	446
1	1	3	19	23	21	9	17	9	13	9	4	10	2	22	13	15		447
1	4	7	25	22	8	6	6	2	19	8	1	10	1	14	3	13		448
	1	1	11	18	5	4	12	1	10	9	3	2	1	7	3	5		449
	1	4	29	27	27	15	25	8	15	15		9	1	11	11	18		450
	1	2	19	29	34	6	12	4	13	9	2	9	3	6	4	20	2	451
	2	7	65	42	15	3	4	1	16	16		8	5	12	7	35		452
	3	1	31	19	24	10	22	5	17	18	5	11	5	19	2	14	2	453
2			22	28	8	11	9	5	11	13	3	6	4	14	3	19		454
	2	2	25	21	8	5	5	1	17	14	2	11	1	10	2	13		455
1	15	17	98	92	87	45	76	7	66	43	3	32	6	42	14	81	8	456
2	8	13	56	48	58	32	118	15	42	31	10	60	3	39	25	63	60	457
1	9	12	109	123	43	33	26	8	37	57	7	31	7	33	15	96	5	458
	5	7	32	32	18	13	9	2	21	22	2	13	5	22	6	21	4	459
	5	8	57	68	53	31	25	8	34	29	7	21	3	13	16	51	10	460
2	8	19	114	114	67	47	22	5	46	43	2	28	5	41	24	77	6	461
	3		44	58	14	7	6	4	15	10	1	14	5	13	9	52		462
	3	4	31	41	8	12	3	5	16	22	2	5	2	9	10	44	4	463
1	5	8	61	74	29	23	18	9	27	28	3	19	5	22	17	56	3	464
	8	16	89	91	65	48	62	9	38	39	5	37	4	41	20	95	9	465
	8	9	26	27	18	17	9		21	9	1	12	4	12	8	37		466
	4		23	27	22	5	3		1	13	2	4	1	2	1	11	2	467
1	4	9	70	63	48	11	21	9	38	26	9	25	4	28	13	66	6	468
	2	4	55	65	32	17	5	2	28	23	3	14	2	10	11	53	3	469
	5	7	72	91	69	26	27	7	37	32	8	21	2	21	17	61	8	470
	4	12	136	117	63	37	38	7	39	60	6	41	8	33	26	89	2	471
	6	6	72	72	23	21	20	5	35	28	2	13	4	19	10	62	1	472
1	8	12	52	79	35	32	26	6	27	34	3	20	7	39	6	39		473
	12	12	64	88	52	34	24	9	30	50	1	24	5	33	21	71	1	474
	1		17	18	2	2	1	1	8	6	1	1	1	5	1	8		475
2	17	25	131	201	64	42	52	11	45	60	3	48	6	65	24	78	1	476

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MASSACHUSETTS RURAL—Continued													
477	Franklin county	731	2			1			5	19	10	58	15	42
478	Hampden county	583	4			1			2	12	3	57	9	24
479	Hampshire county	476	3			5		1	5	15	6	32	5	26
480	Middlesex county	2,119	9	2		5	3	2	12	36	21	354	43	127
481	Nantucket county	66							1	2		4		3
482	Norfolk county	1,281	11	2		4	3	1	9	24	20	127	17	67
483	Plymouth county	1,107	13	5		2	4	1	10	26	10	104	16	80
484	Suffolk county	98		1						1	2	4		5
485	Worcester county	2,069	21	4		17		19	19	51	23	189	26	103
	MICHIGAN RURAL.													
486	Alcona county	60				1	3			3	1	5		2
487	Alger county	81									1	4		
488	Allegan county	514	12	2	1	1	4	3	3	13	5	32	6	27
489	Alpena county	224	4		2		3			3	4	12	1	12
490	Antrim county	246	6						2	8	2	13	4	8
491	Arenac county	95			1				1		1	3	1	3
492	Baraga county	79	1					1		1		9		
493	Barry county	270	1	2				1	1	7	3	18	3	13
494	Bay county	253	4			4	1	4	3	6	2	19	2	8
495	Benzie county	134	3							2	1	11	2	7
496	Berrien county	622	10	1		1		2	3	6	8	33	13	28
497	Branch county	349	2				3	1		9	6	17	4	13
498	Calhoun county	424	3	1				1		10	5	28	2	32
499	Cass county	290	2	1					2	8	1	18	3	17
500	Charlevoix county	233	2			1		2	1	1	2	11	4	7
501	Cheboygan county	216	3			1	1		1	1	3	17	4	6
502	Chippewa county	114	1				1		5	2	4	11		3
503	Clare county	87	1					2	1	2	1	2	1	6
504	Clinton county	284	9				1			5	2	20	3	26
505	Crawford county	41								1		1		
506	Delta county	185	6					1	8	4	5	7	1	3
507	Dickinson county	109	1			1		3	3	3		8	3	5
508	Eaton county	455	6					2	5	18	3	27	5	24
509	Emmet county	266	6					2	2	2	4	18	5	9
510	Genesee county	378	9	3		1			6	6		23	5	19
511	Gladwin county	66	1					1	1	1		5		1
512	Gogebic county	150	2			1			2	3		3	1	5
513	Grand Traverse county	149	4			1				3	3	6		2
514	Gratiot county	364	6		1					15	3	25	1	23
515	Hillsdale county	361	6		2		1		3	5	3	22	4	21
516	Houghton county	1,052	12			14	18	2	19	9	4	81	33	42
517	Huron county	369	5		1	1	2	2	1	12	5	24	5	15
518	Ingham county	318	3					1	5	5	2	15	4	22
519	Ionia county	450	9	6			1	1	1	11	10	34	2	28
520	Iosco county	108					5		1	1	2	6	2	5
521	Iron county	123	3					10	2		1	7	1	3
522	Isabella county	288	6					1	5	2	2	19	5	6
523	Jackson county	292	7	1	5		1	2	1	9	5	16		14
524	Kalamazoo county	250	3			3	1	1	1	3	1	15	1	10
525	Kalkaska county	108	1	1			1	1		3		10	1	2
526	Kent county	652	13		2	1	1		14	6	12	40	8	40
527	Keweenaw county	61	1			1			1		1	7	2	3
528	Lake county	59	2	1		6			1			1		
529	Lapeer county	383	5	1		2	1		2	9	2	17	5	17
530	Leelanau county	141	1						4	1	1	8		4
531	Lenawee county	681	4	3			1	6	4	26	5	27	8	42
532	Livingston county	237	8	1			1		5	12	2	13	2	17
533	Luce county	94	1							3	1	4	1	1
534	Mackinac county	96	2							1		15	1	1
535	Macomb county	417	11	2			2		4	2	4	23	6	29
536	Manistee county	381	11	1		1	1		14	6	5	36	2	15
537	Marquette county	227	2		1	1	1	6		1		18	4	9
538	Mason county	264	3	1		1	1		10		5	17	1	8
539	Mecosta county	278	5	4	1	1	1		5	7	2	13	4	13
540	Menominee county	129							2	2		12		5
541	Midland county	178	3					1	2	6		17	2	5
542	Missaukee county	131	2				7		1	4	3	8	1	7
543	Monroe county	422	5						4	3	2	34	4	20
544	Montcalm county	412	4	1				3	4	22	7	14	4	17
545	Montmorency county	39	1				3			1		4	1	1
546	Muskegon county	191	4							2	3	16	2	5
547	Newaygo county	201	1	2					2	12	5	17	3	5
548	Oakland county	482	8	1		2			6	13	7	24	1	34
549	Oceana county	232	2			1		2	3	12	4	15	1	9
550	Ogemaw county	115	2		1					1	2	3	2	4
551	Ontonagon county	102	1						2		1	8	1	2
552	Osceola county	245	8	1					2	2	1	10	2	15
553	Oscoda county	14									1	2		
554	Otsego county	90	3			1		1		3	1	2	1	1
555	Ottawa county	542	6	2	3	7	1	3	3	12	2	38	7	35

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
	9	16	76	104	54	32	34	4	41	51	2	30	9	40	16	59	2	477
1	8	8	66	72	39	27	55	6	33	31	5	32	3	41	7	37		478
3	6	10	65	80	34	25	19	4	20	22	4	20	7	19	7	33		479
2	24	23	224	395	139	84	61	26	66	97	10	52	9	114	28	151		480
	1		8	16	4	3	1	1	4	6		1		4		7		481
1	17	15	160	222	92	56	54	15	48	75	11	50	5	70	24	80	1	482
2	10	12	121	185	61	50	41	16	48	63	2	31	10	55	27	101	1	483
	1	2	16	15	13	1	6	1	7	7		2		4	2	8		484
3	15	57	256	284	142	91	114	31	75	87	16	67	18	104	43	192	2	485
	2	1	3	8	4		2	2	8			2		2	2	5	4	486
		2	8	10	5	5	9	2	5	5		6	1	12	1	5		487
1	7	4	56	66	19	34	20	10	39	32	3	13	6	33	11	46	5	488
		1	34	17	11	8	24	2	19	3	2	14	1	11	10	23	3	489
1	1	15	13	26	9	17	25	4	13	7	7	13	2	24	6	17	3	490
1	1	1	7	13	8	9	8	2	8	1	1	9		7	3	6		491
			12	5	7	4	5	1	3	1	1	3		11	1	6	7	492
1	5	4	40	54	9	14	6	7	16	12	1	6	3	19		24		493
		6	24	20	10	10	27	2	17	9	3	16	5	18	6	25	2	494
	2	2	11	13	8	9	13	3	5	5	4	5	1	14	4	9		495
1	9	7	77	83	23	31	26	4	44	41	4	29	9	49	19	60	1	496
1	8	4	50	59	15	14	13	4	22	14	1	15	2	17	14	40	1	497
1	2	3	69	78	17	22	10	8	27	22	1	10	5	21	16	30		498
	4	2	42	47	9	15	6	4	24	26	4	11	3	12	10	18	1	499
1	1	4	25	24	7	14	21	6	18	5	6	8	3	29	4	23	3	500
1	3	4	10	21	13	8	17	8	13	12	2	19	1	21	7	14	5	501
	1	2	8	6	12	7	11	2	7	6	1	3		9	1	7	4	502
	1	1	9	8	5	8	6	3	6	2		1	2	8	2	9		503
	3	3	37	40	13	12	5	5	29	17	2	1	2	12	9	26	2	504
	1	1	6	2	5	2	2		6	1	1	1	1	3	2	5		505
		2	21	15	8	12	22	1	14	3	3	7		17	6	11	8	506
	1	4	7	2		11	16	1	4	5	3	2		14	1	7	4	507
1	4	9	60	77	32	20	7	1	36	25	3	7	3	17	9	51	3	508
		5	23	31	8	19	24	6	17	9	5	17		13	13	27	1	509
	4	2	48	62	18	19	14	3	34	21	3	8	3	16	21	28	2	510
	1	2	10	7	6	5	4		3		1	4		5	2	3	3	511
	1	1	11	6	9	7	19	1	5	3	6	11	2	32	6	7	6	512
			18	17	7	10	16	2	11	6	4	3	1	7	4	24		513
	3	4	40	53	22	20	16	6	25	20	5	14	3	13	6	38	2	514
1	5	4	48	71	10	9	10	5	29	14	5	16	2	15	12	35	3	515
	5	22	68	62	60	60	156	6	51	33	15	67	5	105	26	66	17	516
	1	3	31	41	19	15	23	4	29	21	5	13	2	13	8	58	10	517
	4	6	46	53	9	18	5	7	27	12	2	7	4	18	9	33	1	518
2	5	2	72	58	25	24	9	6	31	13	2	10	2	25	15	43	3	519
	1	1	6	14	4	4	7	5	6	3	2	5		9	7	12		520
	1		6	3	5	10	9	1	8		2	7		28	4	6	6	521
	1	2	27	38	18	13	13	4	26	26	5	12	3	18	7	25	4	522
	4	2	39	42	13	17	8	6	17	8	6	4	3	15	12	33	2	523
1	1	3	44	40	17	12	7	9	17	10	2	4	1	19	11	21	1	524
	1	3	9	9	6	5	8	2	4	8	1	5		14	2	7	4	525
	10	11	63	89	34	34	18	16	44	42	8	20	9	20	19	77	1	526
		1	5	2	3	2	8	3	4			9	1	5	1	1		527
			5	6	4	5	4	2	2	2		1		10	1	6		528
1	7	3	53	44	24	20	12	19	30	12	5	14	1	18	11	48		529
	1		11	13	10	8	18	4	9	4	2	9		8	2	17	6	530
1	7	6	79	102	37	32	23	17	55	33	4	16	3	46	22	66	6	531
1		5	26	45	7	14	3		13	7		1	1	8	14	29	2	532
	1		28	5	9	3	4	1	6	1		2	1	12	1	9		533
	1	2	9	8	2	3	4		3	4	4	4	2	12	4	10	4	534
	1	4	49	44	16	28	12	7	30	43	5	13	6	17	7	51	1	535
	2	2	27	33	23	22	19	5	36	20	4	23	3	26	9	31	4	536
	2	2	5	14	6	17	33	6	7	9	2	8	1	51	5	9	7	537
	3	1	17	33	17	18	28	7	21	18	3	3		17	8	21	2	538
	1	4	30	31	14	10	7	6	33	19	4	6	2	11	6	34	4	539
	1	3	9	9	8	11	12	2	5	3	1	11	2	12	3	11	5	540
		4	25	20	9	3	17	8	15	5	5	4		11	5	11		541
			8	13	15	6	12	1	9	2	1	4	1	9	5	11	1	542
	5	7	47	57	30	29	14	7	34	15	5	16	3	24	15	41	1	543
	5	10	45	64	24	19	15	6	34	23	6	16	2	19	6	42		544
			1	1	3	1	4		5	1		1	1	1	2	7		545
	1	3	26	24	10	12	3	3	12	11	6	6	1	11	5	24	1	546
1	1	2	26	31	4	7	15	3	15	8	4	5	1	9	6	13	3	547
	8	2	73	77	34	18	9	7	38	20	4	12	7	20	14	42	1	548
1		1	31	36	17	10	7	5	11	9	3	11	3	14	5	19		549
			9	10	7	8	14	3	11	3	2	5	2	12	2	8	4	550
	1		6	7	4	8	16	1	4	3		7		21	3	6		551
2	1	5	19	23	18	23	24	9	17	8		4	2	13	5	29	2	552
			1	4		1			3	1						1		553
			6	6	6	6	9		3	3	4	5	1	8	4	12	4	554
1	6	2	62	68	21	39	23	5	41	26	5	22	5	26	18	49	4	555

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH.											
		All causes	Typhoid fever	Malarial fever.	Smallpox	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL—Continued.													
556	Presque Isle county	111	1				1			1	3	9	2	
557	Roscommon county	29							1			2		
558	Saginaw county	470	6	4		1	1		5	8	4	20	3	25
559	St. Clair county	499	10	1		3			2	16	7	26	5	21
560	St. Joseph county	315	4		1				1	8	3	24	6	22
561	Sanilac county	437	14			6	1	4	4	19	4	36	3	23
562	Schoolcraft county	95	3								1	4	3	3
563	Shiawassee county	337	5	1	3			5		1	2	22		19
564	Tuscola county	417	7			1		1	1	6	4	25	8	22
565	Van Buren county	484	7	2				2	3	22	6	21	9	33
566	Washtenaw county	402	6	2		1			3	8	5	30	10	25
567	Wayne county	1,176	24			3	2	3	23	17	10	88	19	36
568	Wexford county	267	5	1			4		5	11	3	10	2	9
	NEW HAMPSHIRE RURAL.													
569	Belknap county	201	3	1					2	4	1	11	2	6
570	Carroll county	277	1			3	1			19	2	26	4	20
571	Cheshire county	329				3		3	11	6	3	23	2	26
572	Coos county	242							5	7	2	21	2	12
573	Grafton county	606	7	3		1		1	1	20	3	43	4	45
574	Hillsboro county	606	1	1		8		1	5	16	6	46	4	31
575	Merrimack county	561	7	1		6	2	1	1	14	4	49	3	21
576	Rockingham county	737	9			2		4	2	21	3	54	8	35
577	Strafford county	290	3			2		9	2	11	7	8	2	19
578	Sullivan county	291	6			3		3	4	2	4	22	2	13
	NEW JERSEY RURAL.													
579	Atlantic county	345	3			1		3	10	4	2	33	8	6
580	Bergen county	1,268	9	2		2	7	7	20	3	11	111	19	56
581	Burlington county	878	15	2			5	3	4	11	7	83	13	44
582	Camden county	566	7	1				2	8	7	2	78	7	15
583	Cape May county	198	3						3	2	6	16	2	11
584	Cumberland county	374	12						3	8	7	35	3	16
585	Essex county	1,013	8			1	9	8	32	5	8	116	24	48
586	Gloucester county	434	3						7	11	3	41	7	19
587	Hudson county	1,366	11	4	1	4	13	3	40	4	27	129	17	43
588	Hunterdon county	434	2					5	2	4	1	42	7	28
589	Mercer county	256	4			1		1	4	3		38	1	14
590	Middlesex county	684	3	6		11	18	1	24	9	16	57	4	24
591	Monmouth county	1,261	23	6		7	2	6	27	10	16	129	20	52
592	Morris county	809	3	1		2	2	5	9	13	13	72	10	42
593	Ocean county	245	7	2		1	1		2	3	1	22	4	12
594	Passaic county	286	1			1			4	1	2	26	4	13
595	Salem county	365	5	2		1		2	3	6		31	5	15
596	Somerset county	520	6	2		4	5	5	7	5	33	41	12	22
597	Sussex county	254	1			3			3		3	35	3	8
598	Union county	483	7	2		1	2	7	13	3	9	57	10	28
599	Warren county	397	5					2	2	12	8	36	3	29
	NEW YORK RURAL.													
600	Albany county	509	11			6	4	5	6	4	2	43	4	21
601	Allegany county	515	10				1	5	3	24	15	18	4	31
602	Broome county	481	7				2		3	17	4	25	2	18
603	Cattaraugus county	678	4	1		2		13	11	9	9	41	3	40
604	Cayuga county	544	5				2	4	4	13	9	34	6	23
605	Chautauqua county	752	5			3	1	4	4	15	4	46	8	44
606	Chemung county	255	5	1					3	7	3	19	3	18
607	Chenango county	599	6	1		2	4	1	3	16	6	41	6	26
608	Clinton county	605	9			3		6	7	22	4	61	6	20
609	Columbia county	528	8			5	1	1	4	16	1	55	5	28
610	Cortland county	313	2				1		2	5	3	17	3	17
611	Delaware county	584	7	1		7		3	3	12	9	42	5	43
612	Dutchess county	1,143	10	2		2	2	7	13	17	5	122	13	51
613	Erie county	1,334	13			6	8	13	16	35	9	82	8	71
614	Essex county	489	6	1			1	7	3	15	4	62	6	16
615	Franklin county	755	10	2		13	3	25	7	11	7	139	16	26
616	Fulton county	204	1			1			1	6	4	20		8
617	Genesee county	571	7	1		7	1	4	3	11	7	37	8	33
618	Greene county	524	11	1		8		2	2	9	5	55	4	33
619	Hamilton county	42	1									3		4
620	Herkimer county	679	2	1		1	6	2	5	7	11	56	5	31
621	Jefferson county	752	11	2		1			5	5	8	51	13	42
622	Lewis county	362	6			1		2	7	5	4	22	2	18
623	Livingston county	567	8				2	1	3	9	6	32	5	38
624	Madison county	685	3			1	4	1	4	10	8	49	5	40
625	Monroe county	787	5			10	3	3	18	10	7	44	12	44
626	Montgomery county	358	6			2	2			7	3	30	4	26
627	Nassau county	925	18	5		2	3	5	22	10	10	75	8	44
628	Niagara county	582	14	1		5	3		2	10	2	47	13	23
629	Oneida county	898	11	2		2	4	3	12	7	4	69	11	45

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis. Under 2 years.	Diarrhea and enteritis. 2 years and over.	Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
1	1	2	4	8	5	7	10	1	6	3	4	13	.....	14	3	10	2	556
.....	.....	1	1	7	3	2	2	1	1	.....	.....	1	.....	5	1	1	.....	557
1	7	2	42	73	25	23	36	5	27	20	4	15	8	35	23	40	7	558
.....	.....	7	61	60	23	26	22	9	27	20	4	21	2	47	21	55	3	559
.....	2	4	54	39	10	17	2	7	23	11	3	8	3	17	17	28	1	560
1	4	4	52	48	37	21	22	5	27	7	6	16	3	17	12	39	2	561
.....	2	3	11	7	6	5	9	2	4	4	2	6	.....	4	3	13	.....	562
1	1	.....	48	51	19	8	6	3	29	23	5	9	2	21	6	45	2	563
.....	6	7	59	65	17	18	20	3	30	12	5	23	5	22	11	36	3	564
.....	4	3	45	75	24	20	12	4	36	28	.....	22	2	32	15	54	3	565
.....	2	2	43	59	21	24	7	2	26	25	1	12	4	21	13	48	2	566
....	2	21	160	129	70	73	73	8	61	46	12	41	8	73	45	113	16	567
....	3	5	18	25	23	9	21	9	17	6	.....	10	1	22	15	33	.....	568
1	4	6	28	42	10	7	5	2	10	9	1	5	1	9	6	25	.....	569
2	3	3	31	36	19	15	4	3	20	13	.....	5	2	12	4	26	3	570
1	3	8	32	52	25	15	17	3	15	19	3	6	2	19	7	25	.....	571
.....	5	3	29	26	24	6	10	4	9	17	3	3	1	19	6	25	3	572
1	9	15	66	79	31	20	14	5	41	40	4	6	3	38	20	86	.....	573
3	4	16	93	79	37	22	13	2	39	54	7	18	9	21	8	61	1	574
1	3	14	69	97	31	16	27	4	29	30	5	11	3	19	16	75	2	575
2	8	14	79	116	62	18	33	7	44	48	6	15	.....	35	26	85	1	576
.....	2	6	33	38	13	12	31	2	21	18	.....	9	2	7	11	21	1	577
.....	4	6	36	44	18	11	8	.....	12	26	2	5	5	12	8	35	.....	578
.....	2	3	38	50	8	16	23	4	22	32	4	8	1	14	19	31	.....	579
1	12	32	147	158	112	50	87	9	50	78	11	58	10	95	40	68	3	580
1	7	17	102	118	50	44	43	14	33	71	6	34	3	63	29	54	2	581
.....	5	10	82	67	41	27	36	7	16	35	3	23	3	29	13	42	.....	582
.....	.....	.....	37	16	8	19	10	2	12	13	2	4	1	13	10	8	.....	583
1	5	6	61	36	34	16	15	2	20	25	3	14	4	18	9	21	.....	584
1	9	36	105	136	72	64	43	7	34	67	5	50	20	35	15	55	.....	585
1	2	7	57	55	34	9	22	6	26	33	3	22	1	22	18	25	.....	586
.....	23	46	153	106	119	87	97	13	59	95	9	44	16	84	33	86	.....	587
1	1	5	71	65	10	24	13	9	16	34	3	13	3	28	14	33	.....	588
1	2	2	33	28	17	10	9	7	9	11	3	8	3	23	9	15	.....	589
1	5	15	63	40	56	38	49	11	25	40	7	24	5	71	21	35	.....	590
1	5	25	165	160	65	48	64	19	71	75	11	43	4	85	41	81	.....	591
.....	7	16	104	99	48	65	33	11	36	57	7	23	3	54	11	62	1	592
.....	3	4	28	24	22	14	11	3	18	19	2	7	3	7	4	20	1	593
.....	1	10	30	31	21	18	27	3	11	22	2	10	5	22	5	16	.....	594
.....	5	5	55	29	27	16	27	5	21	27	3	16	2	19	19	19	.....	595
.....	4	9	69	43	28	24	45	7	26	29	2	18	5	24	5	39	1	596
.....	.....	5	33	31	27	20	11	3	14	11	1	6	4	16	6	10	.....	597
.....	5	8	52	41	42	23	17	9	16	28	4	19	4	43	6	27	.....	598
1	4	9	48	57	27	9	8	5	24	24	4	9	9	26	8	27	1	599
.....	6	13	54	61	44	28	14	7	23	33	5	22	1	34	22	36	.....	600
.....	8	5	62	88	37	14	16	13	34	26	4	10	9	26	7	49	2	601
2	5	4	55	66	34	25	10	4	30	35	4	14	5	43	14	53	.....	602
2	5	14	75	118	40	31	17	10	28	35	5	23	7	38	18	77	2	603
.....	8	3	85	86	35	17	14	10	28	34	4	10	6	28	11	65	.....	604
.....	5	12	90	113	47	39	17	10	55	43	2	16	4	59	16	90	.....	605
.....	2	5	27	39	16	5	10	2	14	18	2	7	2	20	4	23	.....	606
.....	12	6	83	94	52	23	17	9	30	46	5	15	7	26	7	55	.....	607
.....	3	10	66	79	62	29	37	4	26	10	6	25	5	28	27	48	2	608
1	1	5	78	72	30	29	9	7	24	37	2	18	6	39	4	41	1	609
.....	7	1	55	47	21	20	7	4	11	28	2	4	2	15	2	36	1	610
1	6	10	66	90	49	25	22	9	36	41	2	13	1	22	7	51	1	611
3	10	17	188	142	76	48	38	16	57	61	13	24	7	69	21	109	.....	612
1	14	25	154	141	89	76	80	17	80	61	7	45	15	142	25	100	1	613
.....	5	9	56	62	29	24	20	3	18	26	7	15	5	26	12	51	.....	614
.....	2	9	57	65	50	32	34	12	30	34	8	37	3	37	23	63	.....	615
1	3	5	24	37	12	3	2	2	20	18	1	6	2	5	5	17	.....	616
2	7	7	76	89	26	22	20	2	32	31	1	17	10	35	19	56	.....	617
.....	8	6	75	70	33	18	18	4	22	42	3	13	2	33	11	36	.....	618
.....	.....	.....	6	3	3	.....	.....	1	2	5	1	1	.....	7	2	3	.....	619
.....	3	17	75	96	57	26	22	11	41	55	2	15	6	52	18	56	.....	620
.....	10	4	84	121	27	28	19	11	58	44	9	35	7	46	11	100	.....	621
1	2	4	36	59	21	21	8	12	27	17	1	11	3	18	7	47	.....	622
.....	2	7	91	80	41	21	13	10	30	34	5	16	13	37	16	46	1	623
1	15	17	91	114	38	22	20	3	39	36	9	24	8	56	8	59	.....	624
.....	15	14	93	110	54	31	35	15	30	49	5	28	14	61	15	62	.....	625
1	.....	2	47	37	10	12	8	5	16	28	2	12	5	32	14	47	.....	626
1	7	16	91	108	56	54	78	18	48	53	8	45	6	49	25	60	.....	627
.....	6	10	64	93	35	22	28	6	35	16	9	29	3	43	24	38	1	628
.....	7	19	106	133	70	51	21	27	54	40	7	26	5	48	33	81	.....	629

TABLE 3.—DEATHS IN EACH REGISTRATION AREA,

	REGISTRATION AREA.	CAUSES OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	All other epidemic diseases.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW YORK RURAL—Continued.													
630	Onondaga county	911	13	2		1	10	4	5	8	6	87	4	42
631	Ontario county	618	7			2	3	5	7	5	15	44	4	49
632	Orange county	946	15	5			1	4	16	14	13	99	8	43
633	Orleans county	405	2	1		3	2		3	11	2	37	3	18
634	Oswego county	1,161	28	1		18	6	1	15	14	20	84	15	59
635	Otsego county	843	7	1		12	1	3	2	18	11	49	6	50
636	Putnam county	234	1	1		1		4	6	5	3	25	3	8
637	Rensselaer county	707	16			13	10	2	4	11	10	75	5	34
638	Rockland county	621	8	4		3	8	5	11	11	7	48	4	26
639	St. Lawrence county	1,076	26			18	1	15	8	23	11	92	18	67
640	Saratoga county	799	24	1		3		3	7	18	11	79	9	36
641	Schenectady county	160	4			1	3		1	3	1	17	1	7
642	Schoharie county	375	5			5		2	4	7	8	22	5	25
643	Schuyler county	247	3			1	1		3	6	6	16	6	10
644	Seneca county	538	7			2		2		17	6	58	4	20
645	Steuben county	1,077	12			2		3	14	12	13	94	16	67
646	Suffolk county	1,530	18	5		4		1	18	15	21	149	15	65
647	Sullivan county	653	14	2					2	10	4	162	8	17
648	Tioga county	444	8			1		1	2	14	7	16	2	22
649	Tompkins county	331	6						2	6	5	19	6	22
650	Ulster county	882	9	2		1		1	16	29	7	81	12	42
651	Warren county	221	7				1	1		4	2	10	1	9
652	Washington county	790	28			16	3	1	4	19	14	64	9	41
653	Wayne county	817	14	2		6	3	12	5	17	10	53	4	37
654	Westchester county	1,768	21	9		8	5	19	33	26	17	179	24	95
655	Wyoming county	443	3					3	1	18	7	23	6	32
656	Yates county	285	2				1	1		10	4	19	4	17
	RHODE ISLAND RURAL.													
657	Bristol county	295		1		3		1	5	8	3	22	4	16
658	Kent county	568	1	1		2	5	6	11	5	5	75	7	24
659	Newport county	174	1					6	2	2	1	10	1	10
660	Providence county	1,312	17	3		6	1	7	13	25	18	163	23	49
661	Washington county	407	8				2	1	2	8	5	33	5	22
	VERMONT RURAL.													
662	Addison county	334	14			4		3		23	2	13	2	21
663	Bennington county	229	9			1		4	1	5	4	13	6	10
664	Caledonia county	418	6	1		3		7	2	14	3	29	4	25
665	Chittenden county	365	5					1	8	7	4	30	6	14
666	Essex county	110							3	1	1	9	2	5
667	Franklin county	458	8			1		2	7	18	1	33	1	24
668	Grand Isle county	70								2	2	9		7
669	Lamoille county	170	2	2				2		9	1	11	2	6
670	Orange county	380	4			1		2	1	13	1	22	6	25
671	Orleans county	392	2	2		1		3	5	14	3	28	5	22
672	Rutland county	531	5			3	1	2	3	15	6	43	3	26
673	Washington county	511	6			6	1	3	5	10	2	37	4	20
674	Windham county	484	4			2	4	5	5	14	2	25	4	26
675	Windsor county	538	3	1		8		2	2	26	1	42	6	37

FROM CERTAIN CAUSES AND CLASSES OF CAUSES: 1905—Continued.

CAUSES OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Diseases of early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
------	7	17	112	152	48	39	23	9	57	52	3	28	8	64	14	96	------	630
1	10	10	84	83	38	24	16	4	31	33	5	24	6	37	9	60	2	631
------	11	39	91	102	61	41	49	14	44	55	6	32	9	83	26	65	------	632
------	2	1	47	62	18	18	12	5	26	20	2	19	6	22	13	50	------	633
2	7	12	157	191	67	36	59	15	67	70	7	51	4	42	22	91	------	634
------	8	5	109	156	74	18	8	9	52	63	8	28	9	44	11	81	------	635
------	1	2	26	23	19	13	13	4	7	22	------	7	2	18	3	17	------	636
2	6	12	65	88	60	23	12	16	39	54	1	31	2	53	10	53	------	637
1	5	13	66	81	28	24	44	6	31	67	6	23	3	51	9	28	------	638
1	11	12	104	146	60	56	45	23	63	50	7	32	7	48	17	113	2	639
1	6	20	85	100	63	56	27	7	38	54	3	17	2	42	22	64	1	640
------	------	5	22	18	12	8	4	1	5	10	2	4	1	16	5	9	------	641
------	4	6	53	48	19	9	9	6	20	27	3	11	3	15	12	45	2	642
------	3	3	37	41	15	2	1	1	23	16	1	3	4	17	3	25	------	643
------	3	5	94	81	31	21	6	17	28	38	1	11	4	26	7	49	------	644
------	12	9	141	185	55	50	11	15	52	54	9	26	12	64	21	127	1	645
2	11	25	274	214	104	79	41	41	66	111	9	43	5	64	21	109	------	646
------	3	15	81	73	39	23	11	9	35	33	4	10	1	34	18	45	------	647
1	5	3	64	68	43	13	15	14	23	24	2	7	6	24	11	47	1	648
------	1	3	57	51	17	19	8	2	19	17	2	8	4	17	8	32	------	649
------	3	10	127	117	65	45	37	9	53	47	6	25	9	58	20	50	1	650
------	2	6	23	33	17	9	6	2	16	15	7	9	------	14	4	23	------	651
1	4	14	81	93	62	35	31	8	39	54	10	20	3	41	19	76	------	652
1	11	15	111	126	43	30	24	10	50	55	7	22	6	42	17	84	------	653
1	17	47	152	187	114	107	118	22	66	117	12	75	10	142	47	98	------	654
3	4	5	53	76	18	21	16	2	24	27	5	9	10	25	8	43	1	655
------	2	4	37	58	10	7	6	7	17	11	2	6	7	15	2	36	------	656
------	4	3	27	31	20	25	29	4	13	21	2	15	2	13	4	18	1	657
------	3	11	49	45	41	36	44	8	29	45	5	21	4	31	7	46	1	658
------	2	2	19	24	17	6	14	------	10	13	------	5	------	13	2	14	------	659
------	19	9	128	157	120	57	94	19	41	122	14	30	12	63	9	85	8	660
------	7	1	35	46	44	35	14	4	16	50	3	10	2	15	1	38	------	661
1	4	3	40	37	26	16	9	------	16	20	4	12	1	19	9	33	2	662
------	1	2	22	31	14	10	8	------	11	12	1	13	4	16	6	25	------	663
------	6	9	45	62	35	13	18	2	19	16	4	22	2	21	17	31	2	664
------	6	5	39	46	44	17	17	6	14	25	3	14	1	12	6	35	------	665
------	1	3	10	10	12	7	8	------	7	3	2	2	1	5	4	12	2	666
1	4	9	50	44	46	16	29	8	18	10	9	14	3	29	11	58	4	667
------	------	2	8	7	9	4	1	------	2	1	1	4	------	4	------	5	2	668
------	2	4	26	21	14	4	3	7	11	11	------	3	------	7	4	16	2	669
2	5	4	52	63	33	22	4	4	23	18	4	12	3	8	6	40	2	670
1	6	8	42	53	30	16	10	8	30	18	7	11	3	12	8	41	3	671
1	6	7	57	60	48	26	23	10	31	39	7	15	6	34	9	41	4	672
1	3	9	70	66	49	35	9	3	29	24	7	11	8	34	19	38	2	673
------	3	6	87	73	29	18	12	4	25	29	4	14	5	22	9	48	5	674
------	4	6	74	90	36	27	8	6	25	38	2	16	3	17	3	53	2	675

1820
911
2731

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	THE REGISTRATION AREA.											
1	Total	545,533	105,553	21,960	9,638	5,916	4,317	147,384	12,851	8,835	14,941	22,600
2	Males	292,912	59,047	11,658	5,006	3,025	2,244	80,980	6,559	4,524	7,345	11,637
3	Females	252,621	46,506	10,302	4,632	2,891	2,073	66,404	6,292	4,311	7,596	10,963
4	White	507,715	97,901	20,121	8,784	5,445	4,004	136,255	11,965	8,056	13,273	19,786
5	Males	273,005	54,919	10,729	4,591	2,797	2,086	75,122	6,145	4,190	6,933	10,190
6	Females	234,710	42,982	9,392	4,193	2,648	1,918	61,133	5,820	3,866	6,640	9,596
7	Native	358,247	96,862	19,539	8,461	5,139	3,785	133,786	11,179	7,426	11,007	14,627
8	Males	190,403	54,358	10,416	4,428	2,650	1,968	73,820	5,751	3,876	5,407	7,208
9	Females	167,844	42,504	9,123	4,033	2,489	1,817	59,966	5,428	3,550	5,600	7,419
10	Both parents native (M)	88,928	23,345	4,122	1,828	1,095	880	31,270	2,623	1,867	2,648	3,371
	Both parents native (F)	83,292	18,177	3,691	1,677	1,058	801	25,404	2,534	1,698	2,805	3,703
11	One or both parents foreign (M)	71,622	26,352	5,723	2,361	1,406	971	36,813	2,776	1,691	2,229	2,893
	One or both parents foreign (F)	60,055	20,462	4,916	2,107	1,275	916	29,676	2,562	1,623	2,278	2,861
12	Parentage unknown (M)	27,477	4,075	471	191	132	97	4,966	296	275	464	823
	Parentage unknown (F)	22,492	3,389	429	194	127	81	4,220	279	179	448	744
13	Parentage not stated (M)	2,376	586	100	48	17	20	771	56	43	66	121
	Parentage not stated (F)	2,005	476	87	55	29	19	666	53	50	69	111
14	Foreign	140,951	630	512	294	292	210	1,938	728	573	2,129	4,816
15	Males	76,703	340	276	149	141	112	1,018	364	284	1,133	2,747
16	Females	64,248	290	236	145	151	98	920	364	289	996	2,069
17	Unknown	8,517	409	70	29	14	9	531	58	57	137	343
18	Males	5,899	221	37	14	6	6	284	30	30	93	235
19	Females	2,618	188	33	15	8	3	247	28	27	44	108
20	Colored	37,818	7,652	1,839	854	471	313	11,129	886	779	1,668	2,814
21	Males	19,907	4,128	929	415	228	158	5,858	414	334	712	1,447
22	Females	17,911	3,524	910	439	243	155	5,271	472	445	956	1,367
23	Black (M)	18,834	4,046	918	404	224	154	5,746	409	330	689	1,391
	Black (F)	17,667	3,456	900	433	239	153	5,181	457	432	943	1,350
24	Indian (M)	156	39	6	9	1	.....	55	3	3	12	10
	Indian (F)	143	31	6	3	2	1	43	10	10	9	12
25	Chinese and Japanese (M)	917	43	5	2	3	4	57	2	1	11	46
	Chinese and Japanese (F)	101	37	4	3	2	1	47	5	3	4	5
	REGISTRATION CITIES.											
26	Total	411,062	83,826	17,930	7,853	4,769	3,534	117,912	10,197	6,754	11,512	18,100
27	Males	222,052	46,802	9,491	4,071	2,419	1,838	64,621	5,182	3,449	5,653	9,446
28	Females	189,010	37,024	8,439	3,782	2,350	1,696	53,291	5,015	3,305	5,859	8,654
29	White	375,782	76,685	16,206	7,059	4,329	3,237	107,516	9,383	6,040	9,960	15,434
30	Males	203,481	42,945	8,622	3,690	2,205	1,688	59,150	4,802	3,138	4,990	8,069
31	Females	172,301	33,740	7,584	3,369	2,124	1,549	48,366	4,581	2,902	4,970	7,365
32	Native	252,202	75,786	15,694	6,770	4,073	3,041	105,364	8,704	5,518	8,027	10,965
33	Males	135,336	42,457	8,345	3,543	2,081	1,583	58,009	4,462	2,882	3,952	5,507
34	Females	116,866	33,329	7,349	3,227	1,992	1,458	47,355	4,242	2,636	4,075	5,458
35	Both parents native (M)	54,707	15,933	2,802	1,260	738	632	21,365	1,794	1,212	1,687	2,303
	Both parents native (F)	50,460	12,399	2,545	1,156	755	579	17,434	1,746	1,080	1,760	2,359
36	One or both parents foreign (M)	59,831	22,224	5,013	2,065	1,212	843	31,357	2,351	1,397	1,815	2,407
	One or both parents foreign (F)	49,948	17,348	4,318	1,845	1,097	787	25,395	2,194	1,352	1,896	2,384
37	Parentage unknown (M)	18,422	3,714	430	170	114	88	4,516	261	230	384	676
	Parentage unknown (F)	14,453	3,106	399	171	111	73	3,860	249	154	350	604
38	Parentage not stated (M)	2,376	586	100	48	17	20	771	56	43	66	121
	Parentage not stated (F)	2,005	476	87	55	29	19	666	53	50	69	111
39	Foreign	117,100	530	451	263	246	188	1,678	632	477	1,825	4,189
40	Males	63,619	287	242	134	120	100	883	316	231	967	2,379
41	Females	53,541	243	209	129	126	88	795	316	246	858	1,810
42	Unknown	6,420	369	61	26	10	8	474	47	45	108	280
43	Males	4,526	201	35	13	4	5	258	24	25	71	183
44	Females	1,894	168	26	13	6	3	216	23	20	37	97
45	Colored	35,280	7,141	1,724	794	440	297	10,396	814	714	1,552	2,666
46	Males	18,571	3,857	869	381	214	150	5,471	380	311	663	1,277
47	Females	16,709	3,284	855	413	226	147	4,925	434	403	889	1,289
48	Black (M)	17,643	3,809	864	379	211	146	5,409	378	310	650	1,329
	Black (F)	16,590	3,243	851	409	223	146	4,872	428	400	885	1,283
49	Indian (M)	21	5	.....	.....	.....	.....	5	.....	.....	2	2
	Indian (F)	19	4	.....	1	1	.....	6	1	.....	.....	1
50	Chinese and Japanese (M)	907	43	5	2	3	4	57	2	1	11	46
	Chinese and Japanese (F)	100	37	4	3	2	1	47	5	3	4	5

STATES, BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,438	24,506	26,296	25,143	25,948	26,671	27,054	31,026	32,037	31,343	27,928	19,889	10,841	3,601	1,158	1,043	1
12,743	13,448	15,061	14,637	15,229	15,339	15,048	16,853	16,787	15,868	13,874	9,569	4,897	1,437	392	685	2
11,695	11,058	11,235	10,506	10,719	11,332	12,006	14,173	15,250	15,475	14,054	10,320	5,944	2,164	766	358	3
21,757	22,183	23,825	23,026	23,935	24,638	25,500	29,504	30,869	30,414	27,307	19,483	10,572	3,463	981	923	4
11,338	12,143	13,667	13,406	14,091	14,190	14,227	16,000	16,164	15,402	13,568	9,398	4,778	1,394	345	614	5
10,419	10,040	10,158	9,620	9,844	10,448	11,273	13,504	14,705	15,012	13,739	10,085	5,794	2,069	636	309	6
15,134	14,997	14,509	13,199	14,053	13,260	12,888	14,360	15,497	15,795	15,234	11,507	6,619	2,289	543	338	7
7,528	7,928	8,018	7,288	7,861	7,391	7,043	7,789	8,192	8,129	7,553	5,480	2,895	896	167	183	8
7,606	7,069	6,491	5,911	6,192	5,869	5,845	6,571	7,305	7,666	7,681	6,027	3,724	1,393	376	155	9
2,987	2,842	2,852	2,643	3,058	3,491	3,913	4,636	4,990	5,165	4,731	3,408	1,723	546	79	85	10
3,400	3,007	2,747	2,526	2,825	3,016	3,344	4,054	4,661	4,973	5,033	3,991	2,451	835	218	67	
3,367	3,814	3,797	3,277	3,182	2,227	1,487	1,228	964	697	534	331	206	56	15	38	11
3,233	3,081	2,824	2,380	2,266	1,837	1,292	1,112	961	683	559	441	239	88	27	32	
1,048	1,129	1,244	1,253	1,480	1,540	1,547	1,825	2,133	2,184	2,213	1,691	953	290	70	53	12
868	891	838	927	1,013	940	1,123	1,315	1,598	1,908	2,016	1,551	998	462	124	50	
126	143	125	115	141	133	96	100	105	83	75	50	13	4	3	7	13
105	90	82	78	88	76	86	90	85	102	73	44	36	8	7	6	
6,183	6,677	8,586	9,069	9,162	10,721	12,073	14,551	14,794	14,122	11,660	7,667	3,779	1,117	421	185	14
3,487	3,819	5,086	5,500	5,651	6,307	6,808	7,807	7,585	6,987	5,790	3,770	1,805	471	171	113	15
2,696	2,858	3,500	3,569	3,511	4,414	5,265	6,744	7,209	7,135	5,870	3,897	1,974	646	250	72	16
440	509	730	758	720	657	539	593	578	497	413	309	174	57	17	400	17
323	396	563	618	579	492	376	404	387	286	225	148	78	27	7	318	18
117	113	167	140	141	165	163	189	191	211	188	161	96	30	10	82	19
2,681	2,323	2,471	2,117	2,013	2,033	1,554	1,522	1,168	929	621	406	269	138	177	120	20
1,405	1,305	1,394	1,231	1,138	1,149	821	853	623	466	306	171	119	43	47	71	21
1,276	1,018	1,077	886	875	884	733	669	545	463	315	235	150	95	130	49	22
1,321	1,213	1,287	1,117	1,029	1,010	723	798	589	447	297	165	118	42	46	67	
1,262	1,004	1,069	876	871	878	726	665	538	462	311	230	147	92	127	46	23
5	5	11	4	8	5	4	5	6	7	5	4	1	1	1	1	
3	6	3	6	3	5	5	2	5	1	4	5	3	3	3	2	24
79	87	96	110	101	134	94	50	28	12	4	2	.....	.....	.....	3	
11	8	5	4	1	1	2	2	2	.....	.....	.....	.....	.....	.....	1	25
20,042	20,237	21,932	20,706	21,067	21,227	20,449	22,650	22,021	20,020	16,530	10,946	5,686	1,822	661	591	26
10,675	11,318	12,797	12,324	12,617	12,368	11,508	12,287	11,502	9,839	7,861	4,940	2,422	655	213	375	27
9,367	8,919	9,135	8,382	8,450	8,859	8,941	10,363	10,519	10,181	8,669	6,006	3,264	1,167	448	216	28
17,478	18,047	19,579	18,698	19,165	19,307	19,010	21,248	20,960	19,205	15,982	10,609	5,458	1,713	494	496	29
9,331	10,081	11,476	11,146	11,544	11,283	10,742	11,506	10,937	9,437	7,600	4,812	2,323	624	168	322	30
8,147	7,966	8,103	7,552	7,621	8,024	8,268	9,742	10,023	9,768	8,382	5,797	3,135	1,089	326	174	31
11,669	11,701	11,323	10,073	10,462	9,355	8,271	8,519	8,419	7,845	6,997	4,935	2,748	939	203	165	32
5,983	6,379	6,451	5,754	6,050	5,327	4,607	4,661	4,434	3,921	3,255	2,131	1,111	318	55	87	33
5,686	5,322	4,872	4,319	4,412	4,028	3,664	3,858	3,985	3,924	3,742	2,804	1,637	621	148	78	34
2,092	2,045	2,006	1,804	2,051	2,221	2,336	2,596	2,554	2,421	1,986	1,324	647	202	24	37	
2,201	1,948	1,786	1,575	1,745	1,847	1,972	2,221	2,397	2,479	2,432	1,891	1,077	388	95	27	35
2,865	3,256	3,269	2,802	2,689	1,825	1,174	913	677	423	294	152	111	25	8	21	
2,684	2,578	2,364	1,974	1,858	1,488	975	821	691	450	364	262	135	50	13	20	36
900	935	1,051	1,033	1,169	1,148	1,001	1,052	1,098	994	900	605	340	87	20	22	
696	706	640	692	721	617	631	726	812	893	873	607	389	175	33	25	37
126	143	125	115	141	133	96	100	105	83	75	50	13	4	3	7	
105	90	82	78	88	76	86	90	85	102	73	44	36	8	7	6	38
5,430	5,914	7,627	7,993	8,103	9,419	10,346	12,273	12,135	11,052	8,771	5,532	2,628	754	282	100	39
3,073	3,371	4,540	4,875	5,011	5,543	5,855	6,527	6,220	5,336	4,226	2,623	1,183	298	108	54	40
2,357	2,543	3,087	3,118	3,092	3,876	4,491	5,746	5,915	5,716	4,545	2,909	1,445	456	174	46	41
379	432	629	632	600	533	393	456	406	308	214	142	82	20	9	231	42
275	331	485	517	483	413	280	318	283	180	119	58	29	8	5	181	43
104	101	144	115	117	120	113	138	123	128	95	84	53	12	4	50	44
2,564	2,190	2,353	2,008	1,902	1,920	1,439	1,402	1,061	815	548	337	228	109	167	95	45
1,344	1,237	1,321	1,178	1,073	1,085	766	781	565	402	261	128	99	31	45	53	46
1,220	953	1,032	830	829	835	673	621	496	413	287	209	129	78	122	42	47
1,266	1,150	1,222	1,069	973	952	671	731	535	390	256	126	99	31	45	51	
1,209	945	1,027	826	828	830	671	618	493	413	285	208	129	78	121	41	48
1	.....	4	.....	1	1	1	.....	2	.....	1	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	4	1	1	1	.....	2	1	.....	.....	1	.....	49
77	87	95	109	99	132	94	50	28	12	4	2	.....	.....	.....	1	
11	8	5	4	1	1	1	2	2	.....	.....	.....	.....	.....	.....	1	50

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION STATES.											
51	Total	345,863	66,894	13,806	6,073	3,757	2,660	93,190	8,197	5,433	8,741	12,592
52	Males	183,085	37,489	7,430	3,174	1,941	1,401	51,435	4,211	2,736	4,297	6,355
53	Females	162,778	29,405	6,376	2,899	1,816	1,259	41,755	3,986	2,697	4,444	6,237
54	White	334,344	64,353	13,217	5,786	3,602	2,555	89,513	7,886	5,191	8,252	11,836
55	Males	177,105	36,098	7,117	3,029	1,863	1,349	49,456	4,076	2,645	4,089	5,984
56	Females	157,239	28,255	6,100	2,757	1,739	1,206	40,057	3,810	2,546	4,163	5,852
57	Native	240,261	63,674	12,825	5,575	3,382	2,401	87,857	7,325	4,743	6,758	8,648
58	Males	126,844	35,733	6,906	2,927	1,757	1,258	48,581	3,787	2,431	3,313	4,236
59	Females	113,417	27,941	5,919	2,648	1,625	1,143	39,276	3,538	2,312	3,445	4,412
60	Both parents native {M	61,429	15,162	2,647	1,167	712	547	20,235	1,712	1,209	1,723	2,070
	{F	58,210	11,826	2,335	1,067	668	488	16,384	1,645	1,144	1,791	2,323
61	One or both parents foreign {M	49,479	18,902	4,097	1,700	1,002	689	26,390	1,982	1,146	1,424	1,842
	{F	41,308	14,738	3,451	1,511	915	633	21,248	1,817	1,114	1,461	1,784
62	Parentage unknown {M	15,936	1,669	162	60	43	22	1,956	93	85	166	324
	{F	13,899	1,377	133	70	42	22	1,644	76	54	193	305
63	Foreign	89,901	465	359	200	216	151	1,391	540	428	1,447	3,063
64	Males	47,424	252	193	99	104	88	736	276	204	740	1,653
65	Females	42,477	213	166	101	112	63	655	264	224	707	1,410
66	Unknown	4,182	214	33	11	4	3	265	21	20	47	125
67	Males	2,837	113	18	3	2	3	139	13	10	36	95
68	Females	1,345	101	15	8	2	.....	126	8	10	11	30
69	Colored	11,519	2,541	589	287	155	105	3,677	311	242	489	756
70	Males	5,980	1,391	313	145	78	52	1,979	135	91	208	371
71	Females	5,539	1,150	276	142	77	53	1,698	176	151	281	385
72	Black {M	5,700	1,355	305	136	76	52	1,924	132	88	197	355
	{F	5,403	1,119	270	139	76	52	1,656	167	141	272	373
73	Indian {M	143	34	6	9	1	.....	50	3	3	11	8
	{F	130	29	6	2	1	1	39	9	10	9	11
74	Chinese and Japanese {M	137	2	2	.....	1	.....	5	.....	.....	.....	8
	{F	6	2	.....	1	.....	.....	3	.....	.....	.....	1
	CITIES IN REGISTRATION STATES.											
75	Total	211,392	45,167	9,776	4,288	2,610	1,877	63,718	5,543	3,352	5,312	8,092
76	Males	112,225	25,244	5,263	2,239	1,335	995	35,076	2,834	1,661	2,605	4,164
77	Females	99,167	19,923	4,513	2,049	1,275	882	28,642	2,709	1,691	2,707	3,928
78	White	202,411	43,137	9,302	4,061	2,486	1,788	60,774	5,304	3,175	4,939	7,484
79	Males	107,581	24,124	5,010	2,128	1,271	951	33,484	2,733	1,593	2,446	3,863
80	Females	94,830	19,013	4,292	1,933	1,215	837	27,290	2,571	1,582	2,493	3,621
81	Native	134,216	42,598	8,980	3,884	2,316	1,657	59,435	4,850	2,835	3,778	4,986
82	Males	71,777	23,832	4,835	2,042	1,188	873	32,770	2,498	1,437	1,858	2,535
83	Females	62,439	18,766	4,145	1,842	1,128	784	26,665	2,352	1,398	1,920	2,451
84	Both parents native {M	27,208	7,750	1,327	599	355	299	10,330	883	545	762	1,002
	{F	25,378	6,048	1,189	546	365	266	8,414	857	526	746	979
85	One or both parents foreign {M	37,688	14,774	3,387	1,404	808	561	20,934	1,557	852	1,010	1,356
	{F	31,201	11,624	2,853	1,249	737	504	16,967	1,449	843	1,079	1,307
86	Parentage unknown {M	6,881	1,308	121	39	25	13	1,506	58	40	86	177
	{F	5,860	1,094	103	47	26	14	1,284	46	29	95	165
87	Foreign	66,110	365	298	169	170	129	1,131	444	332	1,143	2,436
88	Males	34,340	199	159	84	83	76	601	228	151	574	1,285
89	Females	31,770	166	139	85	87	53	530	216	181	569	1,151
90	Unknown	2,085	174	24	8	.....	2	208	10	8	18	62
91	Males	1,464	93	16	2	.....	2	113	7	5	14	43
92	Females	621	81	8	6	.....	.....	95	3	3	4	19
93	Colored	8,981	2,030	474	227	124	89	2,944	239	177	373	608
94	Males	4,644	1,120	253	111	64	44	1,592	101	68	159	301
95	Females	4,337	910	221	116	60	45	1,352	138	109	214	307
96	Black {M	4,509	1,118	251	111	63	44	1,587	101	68	158	293
	{F	4,326	906	221	115	60	45	1,347	138	109	214	306
97	Indian {M	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	{F	6	2	.....	.....	.....	.....	2	.....	.....	.....	.....
98	Chinese and Japanese {M	127	2	2	.....	1	.....	5	.....	.....	.....	8
	{F	5	2	.....	1	.....	.....	3	.....	.....	.....	1

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
13,795	14,113	15,096	14,681	15,278	16,112	17,244	20,301	21,759	21,829	20,196	14,727	8,282	2,798	821	678	51
6,979	7,550	8,401	8,255	8,679	8,884	9,316	10,794	11,205	11,019	10,101	7,196	3,801	1,140	281	450	52
6,816	6,563	6,695	6,426	6,599	7,228	7,928	9,507	10,554	10,810	10,095	7,531	4,481	1,658	540	228	53
13,072	13,445	14,461	14,144	14,696	15,535	16,792	19,816	21,350	21,493	19,960	14,572	8,184	2,737	777	632	54
6,619	7,190	8,041	7,964	8,359	8,573	9,092	10,517	10,987	10,853	9,978	7,117	3,760	1,117	269	419	55
6,453	6,255	6,420	6,180	6,337	6,962	7,700	9,299	10,363	10,640	9,982	7,455	4,424	1,620	508	213	56
9,026	8,922	8,711	8,052	8,726	8,599	8,810	10,267	11,568	12,252	12,264	9,513	5,561	1,950	475	234	57
4,428	4,652	4,719	4,330	4,770	4,659	4,720	5,520	6,086	6,338	6,166	4,590	2,473	777	143	125	58
4,598	4,270	3,992	3,722	3,956	3,940	4,090	4,747	5,482	5,914	6,098	4,923	3,088	1,173	332	109	59
1,818	1,702	1,742	1,661	1,964	2,394	2,776	3,453	3,846	4,150	3,952	2,928	1,499	473	70	61	60
2,130	1,903	1,728	1,651	1,916	2,131	2,440	3,037	3,647	3,942	4,048	3,312	2,074	711	199	54	
2,230	2,518	2,471	2,106	2,089	1,435	980	826	661	492	394	256	158	43	10	26	61
2,083	1,973	1,855	1,586	1,472	1,219	861	756	640	470	381	311	175	62	19	21	
380	432	506	563	717	830	964	1,241	1,579	1,696	1,820	1,406	816	261	63	38	62
385	394	409	485	568	590	789	954	1,195	1,502	1,669	1,300	839	400	114	34	
3,901	4,307	5,466	5,751	5,646	6,630	7,718	9,269	9,481	8,950	7,405	4,844	2,507	745	290	122	63
2,081	2,366	3,092	3,354	3,324	3,697	4,196	4,815	4,704	4,355	3,663	2,416	1,233	320	122	77	64
1,820	1,941	2,374	2,397	2,322	2,933	3,522	4,454	4,777	4,595	3,742	2,428	1,274	425	168	45	65
145	216	284	341	324	306	264	280	301	291	291	215	116	42	12	276	66
110	172	230	280	265	217	176	182	197	160	149	111	54	20	4	217	67
35	44	54	61	59	89	88	98	104	131	142	104	62	22	8	59	68
723	668	635	537	582	577	452	485	409	336	236	155	98	61	44	46	69
360	360	360	291	320	311	224	277	218	166	123	79	41	23	12	31	70
363	308	275	246	262	266	228	208	191	170	113	76	57	38	32	15	71
337	338	330	266	299	284	215	271	211	159	118	74	40	22	11	29	72
360	301	272	240	259	265	222	206	187	169	109	72	54	35	30	13	
4	5	9	4	8	5	3	5	6	7	5	4	1	1	1	.....	73
3	6	3	6	3	1	5	2	4	1	4	4	3	3	2	2	
19	17	21	21	13	22	6	1	1	.....	.....	1	.....	.....	.....	2	74
.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9,399	9,844	10,732	10,244	10,397	10,668	10,639	11,925	11,743	10,506	8,798	5,784	3,127	1,019	324	226	75
4,911	5,420	6,137	5,942	6,067	5,913	5,776	6,228	5,920	4,990	4,088	2,567	1,326	358	102	140	76
4,488	4,424	4,595	4,302	4,330	4,755	4,863	5,697	5,823	5,516	4,710	3,217	1,801	661	222	86	77
8,793	9,309	10,215	9,816	9,926	10,204	10,302	11,560	11,441	10,284	8,635	5,698	3,070	987	290	205	78
4,612	5,128	5,850	5,704	5,812	5,666	5,607	6,023	5,760	4,888	4,010	2,531	1,305	347	92	127	79
4,181	4,181	4,365	4,112	4,114	4,538	4,695	5,537	5,681	5,396	4,625	3,167	1,765	640	198	78	80
5,561	5,626	5,525	4,926	5,135	4,694	4,193	4,426	4,490	4,302	4,027	2,941	1,690	600	135	61	81
2,883	3,103	3,152	2,796	2,959	2,595	2,284	2,392	2,328	2,130	1,868	1,241	689	199	31	29	82
2,678	2,523	2,373	2,130	2,176	2,099	1,909	2,034	2,162	2,172	2,159	1,700	1,001	401	104	32	83
923	905	896	822	957	1,124	1,199	1,413	1,410	1,406	1,207	844	423	129	15	13	84
931	844	767	700	836	962	1,088	1,204	1,383	1,448	1,447	1,212	700	264	76	14	
1,728	1,960	1,943	1,631	1,596	1,033	667	511	374	218	154	77	63	12	3	9	85
1,534	1,470	1,395	1,180	1,064	870	544	465	370	237	186	132	71	24	5	9	
232	238	313	343	406	438	418	468	544	506	507	320	203	58	13	7	86
213	209	211	250	276	267	297	365	409	487	526	356	230	113	23	9	
3,148	3,544	4,507	4,675	4,587	5,328	5,991	6,991	6,822	5,880	4,516	2,709	1,356	382	151	37	87
1,667	1,918	2,546	2,729	2,684	2,933	3,243	3,535	3,339	2,704	2,099	1,269	611	147	59	18	88
1,481	1,626	1,961	1,946	1,903	2,395	2,748	3,456	3,483	3,176	2,417	1,440	745	235	92	19	89
84	139	183	215	204	182	118	143	129	102	92	48	24	5	4	107	90
62	107	152	179	169	138	80	96	93	54	43	21	5	1	2	80	91
22	32	31	36	35	44	38	47	36	48	49	27	19	4	2	27	92
606	535	517	428	471	464	337	365	302	222	163	86	57	32	34	21	93
299	292	287	238	255	247	169	205	160	102	78	36	21	11	10	13	94
307	243	230	190	216	217	168	160	142	120	85	50	36	21	24	8	95
282	275	265	218	243	226	163	204	157	102	77	35	21	11	10	13	96
307	242	230	190	216	217	167	159	142	120	83	50	36	21	24	8	
.....	.....	2	.....	1	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	97
.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	
17	17	20	20	11	20	6	1	1	.....	.....	1	.....	.....	.....	.....	98
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RURAL PART OF REGISTRATION STATES.											
99	Total	134,471	21,727	4,030	1,785	1,147	783	29,472	2,654	2,081	3,429	4,500
100	Males	70,860	12,245	2,167	935	606	406	16,359	1,377	1,075	1,692	2,191
101	Females	63,611	9,482	1,863	850	541	377	13,113	1,277	1,006	1,737	2,309
102	White	131,933	21,216	3,915	1,725	1,116	767	28,739	2,582	2,016	3,313	4,352
103	Males	69,524	11,974	2,107	901	592	398	15,972	1,343	1,052	1,643	2,121
104	Females	62,409	9,242	1,808	824	524	369	12,767	1,239	964	1,670	2,231
105	Native	106,045	21,076	3,845	1,691	1,066	744	28,422	2,475	1,908	2,980	3,662
106	Males	55,067	11,901	2,071	885	569	385	15,811	1,289	994	1,455	1,701
107	Females	50,978	9,175	1,774	806	497	359	12,611	1,186	914	1,525	1,961
108	Both parents native (M)	34,221	7,412	1,320	568	357	248	9,905	829	655	961	1,068
	Both parents native (F)	32,832	5,778	1,146	521	303	222	7,970	788	618	1,045	1,344
109	One or both parents foreign (M)	11,791	4,128	710	296	194	128	5,456	425	294	414	486
	One or both parents foreign (F)	10,107	3,114	598	262	178	129	4,281	368	271	382	477
110	Parentage unknown (M)	9,055	361	41	21	18	9	450	35	45	80	147
	Parentage unknown (F)	8,039	283	30	23	16	8	360	30	25	98	140
111	Foreign	23,791	100	61	31	46	22	260	96	96	304	627
112	Males	13,084	53	34	15	21	12	135	48	53	166	368
113	Females	10,707	47	27	16	25	10	125	48	43	138	259
114	Unknown	2,097	40	9	3	4	1	57	11	12	29	63
115	Males	1,373	20	2	1	2	1	26	6	5	22	52
116	Females	724	20	7	2	2	.....	31	5	7	7	11
117	Colored	2,538	511	115	60	31	16	733	72	65	116	148
118	Males	1,336	271	60	34	14	8	387	34	23	49	70
119	Females	1,202	240	55	26	17	8	346	38	42	67	78
120	Black (M)	1,191	237	54	25	13	8	337	31	20	39	62
	Black (F)	1,077	213	49	24	16	7	309	29	32	58	67
121	Indian (M)	135	34	6	9	1	.....	50	3	3	10	8
	Indian (F)	124	27	6	2	1	1	37	9	10	9	11
122	Chinese and Japanese (M)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese and Japanese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	REGISTRATION CITIES IN OTHER STATES.											
123	Total	199,670	38,659	8,154	3,565	2,159	1,657	54,194	4,654	3,402	6,200	10,008
124	Males	109,827	21,558	4,228	1,832	1,084	843	29,545	2,348	1,788	3,048	5,282
125	Females	89,843	17,101	3,926	1,733	1,075	814	24,649	2,306	1,614	3,152	4,726
126	White	173,371	33,548	6,904	2,998	1,843	1,449	46,742	4,079	2,865	5,021	7,950
127	Males	95,900	18,821	3,612	1,562	934	737	25,666	2,069	1,545	2,544	4,206
128	Females	77,471	14,727	3,292	1,436	909	712	21,076	2,010	1,320	2,477	3,744
129	Native	117,986	33,188	6,714	2,886	1,757	1,384	45,929	3,854	2,683	4,249	5,979
130	Males	63,559	18,625	3,510	1,501	893	710	25,239	1,964	1,445	2,094	2,972
131	Females	54,427	14,563	3,204	1,385	864	674	20,690	1,890	1,238	2,155	3,007
132	Both parents native (M)	27,499	8,183	1,475	661	383	333	11,035	911	667	925	1,301
	Both parents native (F)	25,082	6,351	1,356	610	390	313	9,020	889	554	1,014	1,380
133	One or both parents foreign (M)	22,143	7,450	1,626	661	404	282	10,423	794	545	805	1,051
	One or both parents foreign (F)	18,747	5,724	1,465	596	360	283	8,428	745	509	817	1,077
134	Parentage unknown (M)	11,541	2,406	309	131	89	75	3,010	203	190	298	499
	Parentage unknown (F)	8,593	2,012	296	124	85	59	2,576	203	125	255	439
135	Parentage not stated (M)	2,376	586	100	48	17	20	771	56	43	66	121
	Parentage not stated (F)	2,005	476	87	55	29	19	666	53	50	69	111
136	Foreign	51,050	165	153	94	76	59	547	188	145	682	1,753
137	Males	29,279	88	83	50	37	24	282	88	80	393	1,094
138	Females	21,771	77	70	44	39	35	265	100	65	289	659
139	Unknown	4,335	195	37	18	10	6	266	37	37	90	218
140	Males	3,062	108	19	11	4	3	145	17	20	57	140
141	Females	1,273	87	18	7	6	3	121	20	17	33	78
142	Colored	26,299	5,111	1,250	567	316	208	7,452	575	537	1,179	2,058
143	Males	13,927	2,737	616	270	150	106	3,879	279	243	504	1,076
144	Females	12,372	2,374	634	297	166	102	3,573	296	294	675	982
145	Black (M)	13,134	2,691	613	268	148	102	3,822	277	242	492	1,036
	Black (F)	12,264	2,337	630	294	163	101	3,525	290	291	671	977
146	Indian (M)	13	5	.....	.....	.....	.....	5	.....	.....	1	2
	Indian (F)	13	2	.....	1	1	.....	4	1	.....	.....	1
147	Chinese and Japanese (M)	780	41	3	2	2	4	52	2	1	11	38
	Chinese and Japanese (F)	95	35	4	2	2	1	44	5	3	4	4

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,396	4,269	4,364	4,437	4,881	5,444	6,605	8,376	10,016	11,323	11,398	8,943	5,155	1,779	497	452	99
2,068	2,130	2,264	2,313	2,612	2,971	3,540	4,566	5,285	6,029	6,013	4,629	2,475	782	179	310	100
2,328	2,139	2,100	2,124	2,269	2,473	3,065	3,810	4,731	5,294	5,385	4,314	2,680	997	318	142	101
4,279	4,136	4,246	4,328	4,770	5,331	6,490	8,256	9,909	11,209	11,325	8,874	5,114	1,750	487	427	102
2,007	2,062	2,191	2,260	2,547	2,907	3,485	4,494	5,227	5,965	5,968	4,586	2,455	770	177	292	103
2,272	2,074	2,055	2,068	2,223	2,424	3,005	3,762	4,682	5,244	5,357	4,288	2,659	980	310	135	104
3,465	3,296	3,186	3,126	3,591	3,905	4,617	5,841	7,078	7,950	8,237	6,572	3,871	1,350	340	173	105
1,545	1,549	1,567	1,534	1,811	2,064	2,436	3,128	3,758	4,208	4,298	3,349	1,784	578	112	96	106
1,920	1,747	1,619	1,592	1,780	1,841	2,181	2,713	3,320	3,742	3,939	3,223	2,087	772	228	77	107
895	797	846	839	1,007	1,270	1,577	2,040	2,436	2,744	2,745	2,084	1,076	344	55	48	108
1,199	1,059	961	951	1,080	1,169	1,372	1,833	2,264	2,494	2,601	2,100	1,374	447	123	40	
502	558	528	475	493	402	313	315	287	274	240	179	95	31	7	17	109
549	503	460	406	408	349	317	291	270	233	195	179	104	38	14	12	
148	194	193	220	311	392	546	773	1,035	1,190	1,313	1,086	613	203	50	31	110
172	185	198	235	292	323	492	589	786	1,015	1,143	944	609	287	91	25	
753	763	959	1,076	1,059	1,302	1,727	2,278	2,659	3,070	2,889	2,135	1,151	363	139	85	111
414	448	546	625	640	764	953	1,280	1,365	1,651	1,564	1,147	622	173	63	59	112
339	315	413	451	419	538	774	998	1,294	1,419	1,325	988	529	190	76	26	113
61	77	101	126	120	124	146	137	172	189	199	167	92	37	8	169	114
48	65	78	101	96	79	96	86	104	106	106	90	49	19	2	137	115
13	12	23	25	24	45	50	51	68	83	93	77	43	18	6	32	116
117	133	118	109	111	113	115	120	107	114	73	69	41	29	10	25	117
61	68	73	53	65	64	55	72	58	64	45	43	20	12	2	18	118
56	65	45	56	46	49	60	48	49	50	28	26	21	17	8	7	119
55	63	65	48	56	58	52	67	54	57	41	39	19	11	1	16	120
53	59	42	50	43	48	55	47	45	49	26	22	18	14	6	5	
4	5	7	4	7	4	3	5	4	7	4	4	1	1	1	----	121
3	6	3	6	3	1	4	1	4	1	2	4	3	3	2	2	
2	----	1	1	2	2	----	----	----	----	----	----	----	----	----	2	122
----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	
10,643	10,393	11,200	10,462	10,670	10,559	9,810	10,725	10,278	9,514	7,732	5,162	2,559	803	337	365	123
5,764	5,898	6,660	6,382	6,550	6,455	5,732	6,059	5,582	4,849	3,773	2,373	1,096	297	111	235	124
4,879	4,495	4,540	4,080	4,120	4,104	4,078	4,666	4,696	4,665	3,959	2,789	1,463	506	226	130	125
8,685	8,738	9,364	8,882	9,239	9,103	8,708	9,688	9,519	8,921	7,347	4,911	2,388	726	204	291	126
4,719	4,953	5,626	5,442	5,732	5,617	5,135	5,483	5,177	4,549	3,590	2,281	1,018	277	76	195	127
3,966	3,785	3,738	3,440	3,507	3,486	3,573	4,205	4,342	4,372	3,757	2,630	1,370	449	128	96	128
6,108	6,075	5,798	5,147	5,327	4,661	4,078	4,093	3,929	3,543	2,970	1,994	1,058	339	68	104	129
3,100	3,276	3,299	2,958	3,091	2,732	2,323	2,269	2,106	1,791	1,387	890	422	119	24	58	130
3,008	2,799	2,499	2,189	2,236	1,929	1,755	1,824	1,823	1,752	1,583	1,104	636	220	44	46	131
1,169	1,140	1,110	982	1,094	1,097	1,137	1,183	1,144	1,015	779	480	224	73	9	24	132
1,270	1,104	1,019	875	909	885	904	1,017	1,014	1,031	985	679	377	124	19	13	
1,137	1,296	1,326	1,171	1,093	792	507	402	303	205	140	75	48	13	5	12	133
1,150	1,108	969	794	794	618	431	356	321	213	178	130	64	26	8	11	
668	697	738	690	763	710	583	584	554	488	393	285	137	29	7	15	134
483	497	429	442	445	350	334	361	403	406	347	251	159	62	10	16	
126	143	125	115	141	133	96	100	105	83	75	50	13	4	3	7	135
105	90	82	78	88	76	86	90	85	102	73	44	36	8	7	6	
2,282	2,370	3,120	3,318	3,516	4,091	4,355	5,282	5,313	5,172	4,255	2,823	1,272	372	131	63	136
1,406	1,453	1,994	2,146	2,327	2,610	2,612	2,992	2,881	2,632	2,127	1,354	572	151	49	36	137
876	917	1,126	1,172	1,189	1,481	1,743	2,290	2,432	2,540	2,128	1,469	700	221	82	27	138
295	293	446	417	396	351	275	313	277	206	122	94	58	15	5	124	139
213	224	333	338	314	275	200	222	190	126	76	37	24	7	3	101	140
82	69	113	79	82	76	75	91	87	80	46	57	34	8	2	23	141
1,958	1,655	1,836	1,580	1,431	1,456	1,102	1,037	759	593	385	251	171	77	133	74	142
1,045	945	1,034	940	818	838	597	576	405	300	183	92	78	20	35	40	143
913	710	802	640	613	618	505	461	354	293	202	159	93	57	98	34	144
984	875	957	851	730	726	508	527	378	288	179	91	78	20	35	38	145
902	703	797	636	612	613	504	459	351	293	202	158	93	57	97	33	
1	----	2	----	----	----	1	----	----	----	----	----	----	----	----	1	
----	----	----	----	----	4	----	----	1	----	----	1	----	----	1	----	146
60	70	75	89	88	112	88	49	27	12	4	1	----	----	----	1	147
11	7	5	4	1	1	1	2	2	----	----	----	----	----	----	1	

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	CONNECTICUT.											
148	Total	16,289	3,147	537	262	162	130	4,238	411	248	377	549
149	Males	8,596	1,776	271	142	86	62	2,337	226	138	180	287
150	Females	7,693	1,371	266	120	76	68	1,901	185	110	197	262
151	White	15,950	3,077	525	253	159	127	4,141	400	240	363	531
152	Males	8,427	1,739	266	138	85	61	2,289	220	136	176	281
153	Females	7,523	1,338	259	115	74	66	1,852	180	104	187	250
154	Native	11,266	3,062	507	245	147	124	4,085	372	213	297	333
155	Males	5,925	1,728	261	134	79	58	2,260	210	123	150	177
156	Females	5,341	1,334	246	111	68	66	1,825	162	90	147	156
157	Both parents native {M	2,449	506	81	42	22	15	666	86	45	64	76
	{F	2,400	421	65	32	18	19	555	66	27	50	55
158	One or both parents foreign {M	2,631	1,182	175	88	53	41	1,539	117	72	81	91
	{F	2,142	881	176	77	49	47	1,230	94	60	83	88
159	Parentage unknown {M	845	40	5	4	4	2	55	7	6	5	10
	{F	799	32	5	2	1	.....	40	2	3	14	13
160	Foreign	4,413	6	17	8	12	3	46	27	27	66	183
161	Males	2,320	5	4	4	6	3	22	9	13	26	92
162	Females	2,093	1	13	4	6	.....	24	18	14	40	91
163	Unknown	271	9	1	.....	.....	.....	10	1	.....	.....	15
164	Males	182	6	1	.....	.....	.....	7	1	.....	.....	12
165	Females	89	3	.....	.....	.....	.....	3	.....	.....	.....	3
166	Colored	339	70	12	9	3	3	97	11	8	14	18
167	Males	169	37	5	4	1	1	48	6	2	4	6
168	Females	170	33	7	5	2	2	49	5	6	10	12
169	Black {M	163	37	5	4	1	1	48	6	2	4	6
	{F	168	33	7	5	2	2	49	5	6	10	12
170	Indian {M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Chinese and Japanese {M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.											
172	Total	6,201	1,143	230	99	58	35	1,565	115	85	210	329
173	Males	3,325	637	120	57	35	21	870	57	41	79	174
174	Females	2,876	506	110	42	23	14	695	58	44	131	155
175	White	3,441	482	85	37	19	17	640	51	42	83	137
176	Males	1,899	285	41	21	11	9	367	27	26	34	76
177	Females	1,542	197	44	16	8	8	273	24	16	49	61
178	Native	2,747	481	85	36	19	17	638	51	42	76	124
179	Males	1,480	284	41	21	11	9	366	27	26	29	66
180	Females	1,267	197	44	15	8	8	272	24	16	47	58
181	Both parents native {M	928	209	29	16	7	5	266	19	16	16	36
	{F	842	145	30	11	3	7	196	19	11	29	29
182	One or both parents foreign {M	249	49	8	3	2	2	64	2	7	5	14
	{F	216	30	7	3	4	1	45	3	4	8	10
183	Parentage unknown {M	303	26	4	2	2	2	36	6	3	8	16
	{F	209	22	7	1	1	.....	31	2	1	10	19
184	Foreign	636	1	.....	1	.....	.....	2	.....	.....	7	10
185	Males	379	1	.....	.....	.....	.....	1	.....	.....	5	8
186	Females	257	.....	.....	1	.....	.....	1	.....	.....	2	2
187	Unknown	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
188	Males	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
189	Females	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
190	Colored	2,760	661	145	62	39	18	925	64	43	127	192
191	Males	1,426	352	79	36	24	12	503	30	15	45	98
192	Females	1,334	309	66	26	15	6	422	34	28	82	94
193	Black {M	1,419	352	79	36	24	12	503	30	15	45	98
	{F	1,334	309	66	26	15	6	422	34	28	82	94
194	Chinese and Japanese {M	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
638	633	657	708	700	739	824	995	993	1,064	1,013	788	427	170	37	80	148
328	335	373	427	398	421	466	520	501	535	480	348	168	61	13	54	149
310	298	284	281	302	318	358	475	492	529	533	440	259	109	24	26	150
619	611	636	694	680	728	812	983	974	1,050	1,001	784	423	166	37	77	151
319	324	363	416	387	416	458	512	493	524	476	346	165	60	13	53	152
300	287	273	278	293	312	354	471	481	526	525	438	258	106	24	24	153
419	393	342	379	390	360	355	448	515	619	654	575	330	139	29	19	154
215	207	186	222	204	200	197	230	272	316	307	256	127	50	7	9	155
204	186	156	157	186	160	158	218	243	303	347	319	203	89	22	10	156
74	65	50	83	71	99	113	141	164	208	182	151	71	32	4	4	157
72	63	60	58	80	86	89	147	168	184	226	208	133	55	14	4	
128	127	109	109	96	52	31	27	14	6	14	10	3	2	.....	3	158
112	105	82	72	73	50	31	15	13	8	7	7	8	1	.....	3	
13	15	27	30	37	49	53	62	94	102	111	95	53	16	3	2	159
20	18	14	27	33	24	38	56	62	111	114	104	62	33	8	3	
190	208	279	292	272	357	441	518	440	410	330	194	82	24	8	19	160
99	107	163	175	165	208	248	274	206	200	162	84	36	10	6	15	161
91	101	116	117	107	149	193	244	234	210	168	110	46	14	2	4	162
10	10	15	23	18	11	16	17	19	21	17	15	11	3	.....	39	163
5	10	14	19	18	8	13	8	15	8	7	6	2	.....	.....	29	164
5	.....	1	4	.....	3	3	3	4	13	10	9	9	3	.....	10	165
19	22	21	14	20	11	12	12	19	14	12	4	4	4	.....	3	166
9	11	10	11	11	5	8	8	8	11	4	2	3	1	.....	1	167
10	11	11	3	9	6	4	4	11	3	8	2	1	3	.....	2	168
9	11	9	10	10	4	7	8	7	11	4	2	3	1	.....	1	169
10	11	11	3	9	6	4	4	11	3	7	2	1	3	.....	1	
.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	170
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	
.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	171
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
332	311	274	263	319	354	318	438	406	333	267	155	83	33	11	.....	172
181	184	158	145	172	188	167	261	239	167	125	71	28	13	5	.....	173
151	127	116	118	147	166	151	177	167	166	142	84	55	20	6	.....	174
163	169	148	138	176	185	226	301	297	254	214	130	64	21	2	.....	175
95	102	94	75	102	101	121	181	180	130	96	61	21	8	2	.....	176
68	67	54	63	74	84	105	120	117	124	118	69	43	13	.....	.....	177
145	148	119	111	144	145	158	206	196	154	149	85	38	17	1	.....	178
82	91	72	56	81	74	80	121	115	81	61	31	14	6	1	.....	179
63	57	47	55	63	71	78	85	81	73	88	54	24	11	.....	.....	180
45	46	46	28	36	46	50	78	68	51	40	24	10	6	1	.....	181
42	27	25	26	33	45	53	55	66	49	64	47	17	9	.....	.....	
12	20	16	15	20	5	9	17	15	13	9	3	3	.....	.....	.....	182
11	18	12	15	19	14	12	12	7	9	9	2	4	2	.....	.....	
25	25	10	13	25	23	21	26	32	17	12	4	1	.....	.....	.....	183
10	12	10	14	11	12	13	18	8	15	15	5	3	.....	.....	.....	
15	16	22	25	27	29	64	89	96	99	62	42	26	4	1	.....	184
12	8	16	17	17	18	38	55	62	49	35	28	7	2	1	.....	185
3	8	6	8	10	11	26	34	34	50	27	14	19	2	.....	.....	186
3	5	7	2	5	11	4	6	5	1	3	3	.....	.....	.....	.....	187
1	3	6	2	4	9	3	5	3	.....	.....	2	.....	.....	.....	.....	188
2	2	1	.....	1	2	1	1	2	1	3	1	.....	.....	.....	.....	189
169	142	126	125	143	169	92	137	109	79	53	25	19	12	9	.....	190
86	82	64	70	70	87	46	80	59	37	29	10	7	5	3	.....	191
83	60	62	55	73	82	46	57	50	42	24	15	12	7	6	.....	192
86	79	63	69	69	86	46	80	59	37	29	10	7	5	3	.....	193
83	60	62	55	73	82	46	57	50	42	24	15	12	7	6	.....	
.....	3	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	194

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA.											
195	Total	34,392	6,223	1,316	564	352	229	8,684	775	660	1,169	1,602
196	Males	17,907	3,542	713	291	181	111	4,838	395	340	511	709
197	Females	16,485	2,681	603	273	171	118	3,846	380	320	658	893
198	White	33,080	6,010	1,262	535	332	216	8,355	733	625	1,102	1,518
199	Males	17,211	3,417	682	277	169	106	4,651	383	327	482	677
200	Females	15,869	2,593	580	258	163	110	3,704	350	298	620	841
201	Native	28,948	5,991	1,255	534	327	216	8,323	730	620	1,079	1,449
202	Males	14,847	3,406	679	277	166	106	4,634	381	324	466	634
203	Females	14,101	2,585	576	257	161	110	3,689	349	296	613	815
204	Both parents native (M)	9,995	2,877	590	238	137	91	3,933	320	269	388	478
	Both parents native (F)	9,741	2,208	520	228	138	93	3,187	311	262	493	641
205	One or both parents foreign (M)	1,813	352	67	28	21	12	480	50	41	54	96
	One or both parents foreign (F)	1,633	261	42	21	18	11	353	28	25	72	105
206	Parentage unknown (M)	3,039	177	22	11	8	3	221	11	14	24	60
	Parentage unknown (F)	2,727	116	14	8	5	6	149	10	9	48	69
207	Foreign	3,573	11	6	1	4		22	2	3	17	56
208	Males	2,013	6	3		2		11	2	3	12	34
209	Females	1,560	5	3	1	2		11			5	22
210	Unknown	559	8	1		1		10	1	2	6	13
211	Males	351	5			1		6			4	9
212	Females	208	3	1				4	1	2	2	4
213	Colored	1,312	213	54	29	20	13	329	42	35	67	84
214	Males	696	125	31	14	12	5	187	12	13	29	32
215	Females	616	88	23	15	8	8	142	30	22	38	52
216	Black (M)	696	125	31	14	12	5	187	12	13	29	32
	Black (F)	615	87	23	15	8	8	141	30	22	38	52
217	Indian (M)											
	Indian (F)	1	1					1				
	MAINE.											
218	Total	11,537	1,908	272	144	72	55	2,451	197	163	268	381
219	Males	5,933	1,098	141	83	41	31	1,394	103	84	143	180
220	Females	5,604	810	131	61	31	24	1,057	94	79	125	201
221	White	11,481	1,901	271	144	71	55	2,442	197	161	266	375
222	Males	5,900	1,093	141	83	40	31	1,388	103	84	141	175
223	Females	5,581	808	130	61	31	24	1,054	94	77	125	200
224	Native	9,816	1,880	263	140	66	51	2,400	190	142	230	290
225	Males	5,052	1,082	136	81	38	23	1,360	98	77	119	134
226	Females	4,764	798	127	59	28	23	1,035	92	65	111	156
227	Both parents native (M)	3,284	549	70	45	20	16	700	62	48	79	87
	Both parents native (F)	3,194	427	77	32	16	15	567	48	48	82	103
228	One or both parents foreign (M)	990	490	63	35	18	11	617	31	25	32	31
	One or both parents foreign (F)	777	336	49	24	12	8	429	39	15	22	36
229	Parentage unknown (M)	778	43	3	1		1	48	5	4	8	16
	Parentage unknown (F)	793	35	1	3			39	5	2	7	17
230	Foreign	1,523	19	8	3	5	4	39	7	18	34	81
231	Males	769	11	5	2	2	3	23	5	7	20	37
232	Females	754	8	3	1	3	1	16	2	11	14	44
233	Unknown	142	2		1			3		1	2	4
234	Males	79									2	4
235	Females	63	2		1			3		1		
236	Colored	56	7	1		1		9		2	2	6
237	Males	33	5			1		6			2	5
238	Females	23	2	1				3		2		1
239	Black (M)	22	3					3			1	4
	Black (F)	18	2	1				3		1		
240	Indian (M)	11	2			1		3			1	1
	Indian (F)	5								1		1

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,373	1,300	1,372	1,230	1,305	1,441	1,549	1,950	2,270	2,388	2,264	1,638	846	293	87	196	195
608	575	661	616	703	807	828	1,078	1,235	1,254	1,200	854	396	147	34	118	196
765	725	711	614	602	634	721	872	1,035	1,134	1,064	784	450	146	53	78	197
1,291	1,223	1,298	1,180	1,234	1,372	1,484	1,892	2,211	2,343	2,234	1,616	831	287	80	171	198
572	537	617	586	659	772	791	1,043	1,197	1,229	1,180	841	390	143	32	102	199
719	686	681	594	575	600	693	849	1,014	1,114	1,054	775	441	144	48	69	200
1,214	1,157	1,153	1,045	1,068	1,143	1,217	1,484	1,711	1,748	1,662	1,155	614	223	51	102	201
523	499	524	495	549	633	635	814	922	891	859	597	280	114	18	55	202
691	658	629	550	519	510	582	670	789	857	803	558	334	109	33	47	203
354	297	309	264	301	370	359	463	483	457	453	288	120	52	5	32	204
476	458	396	331	313	309	311	395	471	473	397	268	153	54	13	29	
86	109	123	118	115	93	73	81	81	62	53	48	32	9	2	7	205
118	113	123	103	91	72	76	78	63	74	55	42	33	5	4	.....	
83	93	92	113	133	170	203	270	358	372	353	261	128	53	11	16	206
97	87	110	116	115	129	195	197	255	310	351	248	148	50	16	18	
60	50	104	108	123	195	225	366	453	532	523	424	204	59	27	20	207
37	25	67	73	83	120	131	207	240	295	291	229	105	25	13	10	208
23	25	37	35	40	75	94	159	213	237	232	195	99	34	14	10	209
17	16	41	27	43	34	42	42	47	63	49	37	13	5	2	49	210
12	13	26	18	27	19	25	22	35	43	30	15	5	4	1	37	211
5	3	15	9	16	15	17	20	12	20	19	22	8	1	1	12	212
82	77	74	50	71	69	65	58	59	45	30	22	15	6	7	25	213
36	38	44	30	44	35	37	35	38	25	20	13	6	4	2	16	214
46	39	30	20	27	34	28	23	21	20	10	9	9	2	5	9	215
36	38	44	30	44	35	37	35	38	25	20	13	6	4	2	16	216
46	39	30	20	27	34	28	23	21	20	10	9	9	2	5	9	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	217
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
353	345	304	336	390	493	562	719	947	980	1,070	799	511	170	46	52	218
165	145	158	173	190	257	272	375	498	482	531	431	248	63	10	31	219
188	200	146	163	200	236	290	344	449	498	539	368	263	107	36	21	220
351	345	301	331	388	489	560	717	946	975	1,066	796	509	169	46	51	221
163	145	157	170	189	255	270	374	497	480	529	430	247	63	10	30	222
188	200	144	161	199	234	290	343	449	495	537	366	262	106	36	21	223
278	265	218	238	306	383	448	601	791	802	905	674	448	142	40	25	224
129	102	110	128	146	196	213	312	415	408	456	359	213	50	8	14	225
149	163	108	110	160	187	235	289	376	394	449	315	235	92	32	11	226
87	62	80	91	103	140	148	238	308	285	338	247	135	35	4	7	227
105	121	79	73	115	134	173	216	267	279	320	218	161	62	20	3	
30	30	22	16	18	20	15	17	22	20	18	12	9	1	.....	4	228
20	26	19	19	17	22	18	19	20	15	14	9	2	2	1	3	
12	10	8	21	25	36	50	57	85	103	100	100	69	14	4	3	229
14	16	10	18	28	31	44	54	89	100	115	88	72	28	11	5	
69	70	78	86	71	101	106	110	145	160	145	115	57	21	5	5	230
31	35	42	38	37	55	54	57	78	68	66	67	34	10	2	3	231
38	35	36	48	34	46	52	53	67	92	79	48	23	11	3	2	232
4	10	5	7	11	5	6	6	10	13	16	7	4	6	1	21	233
3	8	5	4	6	4	3	5	4	4	7	4	.....	3	.....	13	234
1	2	.....	3	5	1	3	1	6	9	9	3	4	3	1	8	235
2	.....	3	5	2	4	2	2	1	5	4	3	2	1	.....	1	236
2	.....	1	3	1	2	2	1	1	2	2	1	1	.....	.....	1	237
.....	.....	2	2	1	2	.....	1	.....	3	2	2	1	1	.....	.....	238
.....	.....	1	2	.....	2	2	.....	1	1	2	1	1	.....	.....	1	239
.....	.....	2	2	1	2	.....	1	.....	2	.....	2	1	1	.....	.....	
2	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	240
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MASSACHUSETTS.											
241	Total	50,343	10,400	1,840	855	506	342	13,943	1,018	735	1,041	1,647
242	Males	25,936	5,940	987	466	260	197	7,850	518	377	514	836
243	Females	24,407	4,460	853	389	246	145	6,093	500	358	527	811
244	White	49,506	10,252	1,810	831	495	331	13,719	1,003	715	1,007	1,596
245	Males	25,455	5,856	971	449	256	192	7,724	511	371	491	803
246	Females	24,051	4,396	839	382	239	139	5,995	492	344	516	793
247	Native	34,121	10,149	1,755	805	469	310	13,488	921	636	753	1,038
248	Males	18,020	5,800	935	436	237	178	7,586	472	337	376	520
249	Females	16,101	4,349	820	369	232	132	5,902	449	299	377	518
250	Both parents native (M)	7,645	1,489	220	110	57	47	1,923	148	124	162	206
	Both parents native (F)	7,200	1,130	166	87	51	40	1,474	151	89	123	183
251	One or both parents foreign (M)	8,752	4,114	706	325	179	131	5,455	320	206	207	298
	One or both parents foreign (F)	7,232	3,041	647	275	178	91	4,232	296	209	246	317
252	Parentage unknown (M)	1,623	197	9	1	1	.....	208	4	7	7	16
	Parentage unknown (F)	1,669	178	7	7	3	1	196	2	1	8	18
253	Foreign	14,985	89	47	24	25	21	206	78	77	252	546
254	Males	7,192	49	32	12	19	14	126	37	33	114	274
255	Females	7,793	40	15	12	6	7	80	41	44	138	272
256	Unknown	400	14	8	2	1	.....	25	4	2	2	12
257	Males	243	7	4	1	.....	.....	12	2	1	1	9
258	Females	157	7	4	1	1	.....	13	2	1	1	3
259	Colored	837	148	30	24	11	11	224	15	20	34	51
260	Males	481	84	16	17	4	5	126	7	6	23	33
261	Females	356	64	14	7	7	6	98	8	14	11	18
262	Black (M)	454	84	16	17	4	5	126	7	6	23	32
	Black (F)	352	63	14	7	7	6	97	8	14	11	18
263	Indian (M)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Indian (F)	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....
264	Chinese and Japanese (M)	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese and Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.											
265	Total	34,542	6,904	1,175	501	312	242	9,134	770	670	972	1,322
266	Males	18,683	3,880	622	258	154	126	5,040	403	335	504	663
267	Females	15,859	3,024	553	243	158	116	4,094	367	335	468	659
268	White	34,001	6,793	1,152	483	310	239	8,977	752	653	941	1,285
269	Males	18,390	3,818	609	246	154	125	4,952	398	331	490	642
270	Females	15,611	2,975	543	237	156	114	4,025	354	322	451	643
271	Native	23,942	6,736	1,111	469	292	222	8,830	706	616	840	983
272	Males	12,620	3,789	592	240	148	116	4,885	373	311	425	447
273	Females	11,322	2,947	519	229	144	106	3,945	333	305	415	536
274	Both parents native (M)	6,209	1,741	289	111	73	54	2,268	170	147	189	186
	Both parents native (F)	5,802	1,410	255	100	71	43	1,879	159	143	188	253
275	One or both parents foreign (M)	4,619	1,832	295	129	72	62	2,390	202	162	215	235
	One or both parents foreign (F)	4,013	1,362	257	123	71	60	1,873	171	157	212	251
276	Parentage unknown (M)	1,792	216	8	.....	3	.....	227	1	2	21	26
	Parentage unknown (F)	1,507	175	7	6	2	3	193	3	5	15	32
277	Foreign	9,509	38	36	13	18	17	122	44	33	93	281
278	Males	5,301	21	16	6	6	9	58	24	18	57	179
279	Females	4,148	17	20	7	12	8	64	20	15	36	102
280	Unknown	550	19	5	1	.....	.....	25	2	4	8	21
281	Males	409	8	1	.....	.....	.....	9	1	2	8	16
282	Females	141	11	4	1	.....	.....	16	1	2	.....	5
283	Colored	541	111	23	18	2	3	157	18	17	31	37
284	Males	293	62	13	12	.....	1	88	5	4	14	21
285	Females	248	49	10	6	2	2	69	13	13	17	16
286	Black (M)	206	36	9	7	.....	1	53	2	2	6	16
	Black (F)	154	24	4	4	2	1	35	5	5	9	11
287	Indian (M)	87	26	4	5	.....	.....	35	3	2	8	5
	Indian (F)	94	25	6	2	.....	1	34	8	8	8	5

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,925	1,995	2,129	2,016	2,106	2,509	2,670	3,068	3,269	3,243	2,866	2,224	1,296	438	138	67	241
994	1,023	1,140	1,095	1,105	1,333	1,390	1,584	1,561	1,532	1,301	1,005	541	150	43	44	242
931	972	989	921	1,001	1,176	1,280	1,484	1,708	1,711	1,565	1,219	755	288	95	23	243
1,863	1,930	2,072	1,975	2,057	2,461	2,629	3,033	3,243	3,221	2,845	2,210	1,287	436	137	67	244
949	987	1,108	1,072	1,073	1,303	1,370	1,559	1,545	1,527	1,289	998	538	150	43	44	245
914	943	964	903	984	1,158	1,259	1,474	1,698	1,694	1,556	1,212	749	286	94	23	246
1,078	1,075	1,046	979	1,128	1,282	1,264	1,410	1,590	1,734	1,802	1,532	934	337	87	7	247
558	571	573	535	605	701	696	759	815	879	832	697	370	113	22	3	248
520	504	473	444	523	581	568	651	775	855	970	835	564	224	65	4	249
196	191	197	201	255	368	444	534	595	644	585	510	264	84	14	.....	250
170	188	174	170	242	312	374	433	560	618	708	629	411	143	48	.....	
342	354	348	284	296	232	132	104	70	38	34	17	9	2	1	3	251
324	281	262	234	213	186	111	97	65	49	40	35	22	10	.....	3	
20	26	28	50	54	101	120	121	150	197	213	170	97	27	7	.....	252
26	35	37	40	68	83	83	121	150	188	222	171	131	71	17	1	
772	831	999	963	908	1,148	1,338	1,584	1,630	1,468	1,023	661	347	97	50	7	253
384	400	515	513	454	579	659	774	720	641	451	291	166	37	21	3	254
388	431	484	450	454	569	679	810	910	827	572	370	181	60	29	4	255
13	24	27	33	21	31	27	39	23	19	20	17	6	2	.....	53	256
7	16	20	24	14	23	15	26	10	7	6	10	2	.....	.....	38	257
6	8	7	9	7	8	12	13	13	12	14	7	4	2	.....	15	258
62	65	57	41	49	48	41	35	26	22	21	14	9	2	1	.....	259
45	36	32	23	32	30	20	25	16	5	12	7	3	.....	.....	.....	260
17	29	25	18	17	18	21	10	10	17	9	7	6	2	1	.....	261
39	35	28	20	29	24	19	25	15	5	12	6	3	.....	.....	.....	262
17	29	25	18	17	18	20	9	10	17	8	7	6	2	1	.....	
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	263
.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	
6	1	4	3	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	264
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,288	1,191	1,205	1,214	1,416	1,393	1,592	1,953	2,294	2,539	2,376	1,749	990	305	102	67	265
618	601	616	653	792	794	891	1,118	1,202	1,404	1,331	941	528	156	41	52	266
670	590	589	561	624	599	701	835	1,092	1,135	1,045	808	462	149	61	15	267
1,270	1,162	1,180	1,192	1,396	1,373	1,568	1,936	2,270	2,518	2,366	1,732	978	294	97	61	268
609	583	597	641	782	782	878	1,108	1,188	1,392	1,326	923	522	150	38	48	269
661	579	583	551	614	591	690	828	1,082	1,126	1,040	799	456	144	59	13	270
885	761	717	665	803	762	829	1,020	1,222	1,369	1,250	921	544	158	47	14	271
383	361	347	312	424	404	425	555	640	759	687	484	286	84	20	8	272
502	400	370	353	379	358	404	465	582	610	563	437	258	74	27	6	273
159	144	153	131	194	226	252	333	364	446	386	252	155	43	8	3	274
241	180	183	173	195	178	240	276	343	371	329	260	158	39	13	1	
192	179	149	134	162	101	88	83	92	88	70	45	21	8	2	1	275
221	176	146	139	119	111	85	79	81	71	49	37	20	8	4	3	
32	38	45	47	68	77	85	139	184	225	231	187	110	33	10	4	276
40	44	41	41	65	69	79	110	158	168	185	140	80	27	10	2	
367	371	433	492	552	568	699	877	993	1,111	1,071	784	422	131	50	15	277
211	201	226	298	323	344	421	521	511	606	611	431	228	64	18	11	278
156	170	207	194	229	224	278	356	482	505	460	353	194	67	32	4	279
18	30	30	35	41	43	40	39	55	38	45	27	12	5	.....	32	280
15	21	24	31	35	34	32	32	37	27	28	18	8	2	.....	29	281
3	9	6	4	6	9	8	7	18	11	17	9	4	3	.....	3	282
18	29	25	22	20	20	24	17	24	21	10	17	12	11	5	6	283
9	18	19	12	10	12	13	10	14	12	5	8	6	6	3	4	284
9	11	6	10	10	8	11	7	10	9	5	9	6	5	2	2	285
7	14	11	9	9	9	13	7	13	10	2	7	5	5	2	4	286
6	7	4	9	7	7	8	6	7	9	5	7	4	2	.....	.....	
2	4	8	3	1	3	.....	3	1	2	3	1	1	1	1	.....	287
3	4	2	1	3	1	3	1	3	.....	.....	2	2	3	2	1	

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE.											
288	Total	7,274	1,205	261	111	68	50	1,695	159	103	168	191
289	Males	3,694	656	140	61	34	24	915	82	46	70	91
290	Females	3,580	549	121	50	34	26	780	77	57	98	100
291	White	7,258	1,201	261	111	68	50	1,691	159	103	168	190
292	Males	3,688	654	140	61	34	24	913	82	46	70	91
293	Females	3,570	547	121	50	34	26	778	77	57	98	99
294	Native	5,736	1,163	241	107	60	45	1,616	143	87	120	124
295	Males	2,933	635	129	59	31	22	876	73	36	54	53
296	Females	2,803	528	112	48	29	23	740	70	51	66	71
297	Both parents native (M	1,460	193	37	17	10	4	261	24	11	26	25
	Both parents native (F	1,449	183	31	11	11	4	243	22	25	31	34
298	One or both parents foreign (M	867	415	87	42	20	18	582	47	20	24	23
	One or both parents foreign (F	737	316	79	35	15	18	463	47	23	31	28
299	Parentage unknown (M	606	27	5	.....	1	.....	33	2	5	4	5
	Parentage unknown (F	617	26	2	2	3	1	34	1	3	4	9
300	Foreign	1,284	30	17	4	8	4	63	16	16	42	62
301	Males	618	14	9	2	3	1	29	9	10	12	35
302	Females	666	16	8	2	5	3	34	7	6	30	27
303	Unknown	238	8	3	.....	.....	1	12	.....	.....	6	4
304	Males	137	5	2	.....	.....	1	8	.....	.....	4	3
305	Females	101	3	1	.....	.....	.....	4	.....	.....	2	1
306	Colored	16	4	.....	.....	.....	.....	4	.....	.....	.....	1
307	Males	6	2	.....	.....	.....	.....	2	.....	.....	.....	.....
308	Females	10	2	.....	.....	.....	.....	2	.....	.....	.....	1
309	Black (M	6	2	.....	.....	.....	.....	2	.....	.....	.....	.....
	Black (F	10	2	.....	.....	.....	.....	2	.....	.....	.....	1
	NEW JERSEY.											
310	Total	33,912	7,153	1,465	675	428	329	10,050	1,039	567	911	1,221
311	Males	18,309	4,007	796	342	213	164	5,522	558	293	458	618
312	Females	15,603	3,146	669	333	215	165	4,528	481	274	453	603
313	White	32,088	6,715	1,359	623	390	305	9,392	976	520	850	1,117
314	Males	17,386	3,759	737	316	196	154	5,162	526	270	424	570
315	Females	14,702	2,956	622	307	194	151	4,230	450	250	406	547
316	Native	22,812	6,652	1,337	597	368	293	9,247	903	485	659	803
317	Males	12,257	3,724	727	304	186	150	5,091	485	251	333	405
318	Females	10,555	2,928	610	293	182	143	4,156	418	232	326	398
319	Both parents native (M	6,231	1,653	289	127	74	71	2,214	216	132	176	202
	Both parents native (F	5,698	1,335	247	131	82	58	1,853	197	105	163	215
320	One or both parents foreign (M	4,897	1,955	426	172	111	77	2,741	258	109	137	167
	One or both parents foreign (F	4,021	1,506	357	158	95	80	2,196	206	118	149	149
321	Parentage unknown (M	1,129	116	12	5	1	2	136	11	10	20	36
	Parentage unknown (F	836	87	6	4	5	5	107	15	9	14	34
322	Foreign	8,945	44	21	24	22	12	123	71	33	163	308
323	Males	4,881	23	10	10	10	4	57	40	17	85	161
324	Females	4,064	21	11	14	12	8	66	31	16	78	147
325	Unknown	331	19	1	2	.....	.....	22	2	4	8	6
326	Males	248	12	.....	2	.....	.....	14	1	2	6	4
327	Females	83	7	1	.....	.....	.....	8	1	2	2	2
328	Colored	1,824	438	106	52	38	24	658	63	47	81	104
329	Males	923	248	59	26	17	10	360	32	23	34	48
330	Females	901	190	47	26	21	14	298	31	24	47	56
331	Black (M	919	248	59	26	16	10	359	32	23	34	48
	Black (F	901	190	47	26	21	14	298	31	24	47	56
332	Chinese and Japanese (M	4	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	Chinese and Japanese (F		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

BY AGE; AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	236	223	265	274	296	345	418	556	570	604	475	290	105	38	37	288
99	102	110	138	151	152	190	216	291	280	309	244	133	36	13	26	289
127	134	113	127	123	144	155	202	265	290	295	231	157	69	25	11	290
224	236	222	261	274	296	343	418	554	570	604	475	290	105	38	37	291
99	102	110	136	151	152	189	216	290	280	309	244	133	36	13	26	292
125	134	112	125	123	144	154	202	264	290	295	231	157	69	25	11	293
152	106	130	177	186	207	237	285	412	443	487	395	238	93	25	13	294
69	71	66	93	99	104	137	152	217	223	251	203	111	32	6	7	295
83	95	64	84	87	103	100	133	195	220	236	192	127	61	19	6	296
37	34	31	43	56	66	88	96	133	156	161	128	60	19	2	3	297
47	55	33	49	57	68	56	84	131	134	142	116	76	35	8	3	
23	30	26	27	24	9	8	2	5	7	2	5	2	----	----	1	298
26	22	16	16	14	8	9	10	6	7	6	1	2	1	----	1	
9	7	9	23	19	29	41	54	79	60	88	70	49	13	4	3	299
10	18	15	19	16	27	35	39	58	79	88	75	49	25	11	2	
65	64	85	75	79	76	91	117	119	104	89	52	40	10	9	10	300
24	27	40	39	45	40	42	59	60	45	45	25	17	2	6	7	301
41	37	45	36	34	36	49	58	59	59	44	27	23	8	3	3	302
7	6	7	9	9	13	15	16	23	23	28	28	12	2	4	14	303
6	4	4	4	7	8	10	5	13	12	13	16	5	2	1	12	304
1	2	3	5	2	5	5	11	10	11	15	12	7	----	3	2	305
2	----	1	4	----	----	2	----	2	----	----	----	----	----	----	----	306
----	----	----	2	----	----	1	----	1	----	----	----	----	----	----	----	307
2	----	1	2	----	----	1	----	1	----	----	----	----	----	----	----	308
----	----	----	2	----	----	1	----	1	----	----	----	----	----	----	----	309
2	----	1	2	----	----	1	----	1	----	----	----	----	----	----	----	
1,415	1,534	1,561	1,549	1,600	1,572	1,698	1,991	1,865	1,893	1,581	1,041	559	181	57	27	310
749	878	899	896	931	893	957	1,071	985	952	775	516	244	73	18	23	311
666	656	662	653	669	679	741	920	880	941	806	525	315	108	39	4	312
1,296	1,444	1,469	1,472	1,526	1,499	1,622	1,922	1,808	1,839	1,547	1,019	544	174	48	24	313
698	841	846	854	886	854	931	1,034	956	924	759	506	237	72	16	20	314
598	603	623	618	640	645	691	888	852	915	788	513	307	102	32	4	315
872	941	881	819	844	733	800	911	866	998	881	633	375	123	36	4	316
436	539	506	463	463	395	455	505	468	509	429	316	153	44	9	2	317
436	402	375	356	381	338	345	406	393	489	452	317	222	79	27	2	318
200	176	183	186	190	208	300	345	367	404	332	248	116	28	7	1	319
186	170	169	150	200	201	249	290	295	385	363	252	178	57	19	1	
196	304	245	192	188	113	69	66	34	27	21	16	8	4	1	1	320
198	191	173	158	126	91	58	52	48	35	25	28	13	5	1	1	
40	59	78	85	85	74	86	94	67	78	76	52	29	12	1	----	321
52	41	33	48	55	46	38	64	55	69	64	37	31	17	7	----	
411	482	570	621	642	734	802	988	922	821	645	377	166	50	12	4	322
251	282	324	362	387	437	461	513	474	402	317	190	83	27	7	4	323
160	200	246	259	255	297	341	475	448	419	328	187	83	23	5	----	324
13	21	18	32	40	32	20	23	20	20	21	9	3	1	----	16	325
11	20	16	29	36	22	15	16	14	13	13	----	1	1	----	14	326
2	1	2	3	4	10	5	7	6	7	8	9	2	----	----	2	327
119	90	92	77	74	73	76	69	57	54	34	22	15	7	9	3	328
51	37	53	42	45	39	26	37	29	28	16	10	7	1	2	3	329
68	53	39	35	29	34	50	32	28	26	18	12	8	6	7	----	330
51	37	53	42	45	38	24	37	29	28	16	10	7	1	2	3	331
68	53	39	35	29	34	50	32	28	26	18	12	8	6	7	----	
----	----	----	----	----	1	2	----	----	----	----	----	----	----	----	----	332

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK.											
333	Total	137,222	26,213	6,174	2,653	1,664	1,145	37,849	3,404	2,022	3,291	4,886
334	Males	73,432	14,533	3,347	1,371	875	609	20,735	1,727	1,001	1,677	2,563
335	Females	63,790	11,680	2,827	1,282	789	536	17,114	1,677	1,021	1,614	2,323
336	White	133,703	25,374	5,976	2,569	1,624	1,118	36,661	3,317	1,956	3,164	4,639
337	Males	71,630	14,087	3,246	1,338	856	593	20,120	1,689	976	1,620	2,442
338	Females	62,073	11,287	2,730	1,231	768	525	16,541	1,628	980	1,544	2,197
339	Native	90,649	25,038	5,768	2,452	1,508	1,032	35,798	3,035	1,746	2,440	3,183
340	Males	48,445	13,908	3,130	1,278	801	539	19,656	1,542	877	1,237	1,646
341	Females	42,204	11,130	2,638	1,174	707	493	16,142	1,493	869	1,203	1,537
342	Both parents native {M	20,508	5,408	931	421	292	226	7,278	617	381	556	707
	{F	19,242	4,138	872	408	255	194	5,867	607	396	554	728
343	One or both parents foreign {M	22,737	7,710	2,108	822	487	301	11,428	881	462	618	816
	{F	18,786	6,329	1,684	730	432	295	9,470	855	453	587	731
344	Parentage unknown {M	5,200	790	91	35	22	12	950	44	34	63	123
	{F	4,176	663	82	36	20	4	805	31	20	62	78
345	Foreign	41,621	205	195	114	116	84	714	274	205	711	1,415
346	Males	22,154	110	106	60	55	52	383	142	95	373	766
347	Females	19,467	95	89	54	61	32	331	132	110	338	649
348	Unknown	1,433	131	13	3	.....	2	149	8	5	13	41
349	Males	1,031	69	10	.....	.....	2	81	5	4	10	30
350	Females	402	62	3	3	.....	.....	68	3	1	3	11
351	Colored	3,519	839	198	84	40	27	1,188	87	66	127	247
352	Males	1,802	446	101	33	19	16	615	38	25	57	121
353	Females	1,717	393	97	51	21	11	573	49	41	70	126
354	Black {M	1,667	438	97	29	19	16	599	38	24	55	112
	{F	1,687	389	97	50	20	11	567	48	40	69	120
355	Indian {M	37	6	2	4	.....	.....	12	.....	1	2	1
	{F	24	2	.....	.....	1	.....	3	1	1	1	5
356	Chinese and Japanese {M	98	2	2	.....	.....	.....	4	.....	.....	.....	8
	{F	6	2	.....	1	.....	.....	3	.....	.....	.....	1
	RHODE ISLAND.											
357	Total	8,208	1,704	381	144	84	74	2,387	187	103	185	280
358	Males	4,162	926	202	66	41	39	1,274	95	49	96	145
359	Females	4,046	778	179	78	43	35	1,113	92	54	89	135
360	White	7,911	1,657	361	135	83	68	2,304	176	99	179	264
361	Males	4,024	898	193	63	41	37	1,232	90	46	96	138
362	Females	3,887	759	168	72	42	31	1,072	86	53	83	126
363	Native	5,423	1,640	351	132	79	64	2,266	159	88	133	171
364	Males	2,784	889	186	63	40	37	1,215	83	42	67	88
365	Females	2,639	751	165	69	39	27	1,051	76	46	66	83
366	Both parents native {M	1,252	243	48	18	7	9	325	21	9	28	34
	{F	1,279	193	33	11	11	8	256	21	12	29	31
367	One or both parents foreign {M	1,443	637	138	45	33	28	881	60	33	36	45
	{F	1,301	543	132	58	27	19	779	55	34	37	49
368	Parentage unknown {M	89	9	.....	.....	.....	.....	9	2	.....	3	9
	{F	59	15	.....	.....	1	.....	16	.....	.....	.....	3
369	Foreign	2,445	16	10	3	4	4	37	17	11	45	91
370	Males	1,208	9	7	.....	1	.....	17	7	4	28	48
371	Females	1,237	7	3	3	3	4	20	10	7	17	43
372	Unknown	43	1	.....	.....	.....	.....	1	.....	.....	1	2
373	Males	32	.....	.....	.....	.....	.....	.....	.....	.....	1	2
374	Females	11	1	.....	.....	.....	.....	1	.....	.....	.....	.....
375	Colored	297	47	20	9	1	6	83	11	4	6	16
376	Males	138	28	9	3	.....	2	42	5	3	.....	7
377	Females	159	19	11	6	1	4	41	6	1	6	9
378	Black {M	136	28	9	3	.....	2	42	5	3	.....	7
	{F	159	19	11	6	1	4	41	6	1	6	9
379	Chinese and Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5,727	6,032	6,836	6,588	6,570	6,640	6,951	7,953	8,216	7,789	7,198	5,116	2,862	938	252	102	333
2,987	3,439	4,011	3,852	3,924	3,693	3,794	4,128	4,213	3,877	3,548	2,421	1,318	369	86	69	334
2,740	2,593	2,825	2,736	2,646	2,947	3,157	3,825	4,003	3,912	3,650	2,695	1,544	569	166	33	335
5,492	5,808	6,617	6,407	6,391	6,472	6,831	7,818	8,116	7,706	7,136	5,072	2,841	924	241	94	336
2,872	3,311	3,881	3,765	3,829	3,597	3,731	4,056	4,168	3,835	3,518	2,397	1,311	365	84	63	337
2,620	2,497	2,736	2,642	2,562	2,875	3,100	3,762	3,948	3,871	3,618	2,675	1,530	559	157	31	338
3,645	3,673	3,798	3,349	3,519	3,176	3,090	3,463	3,710	3,740	3,794	3,000	1,732	608	125	25	339
1,870	2,049	2,185	1,883	2,031	1,728	1,679	1,836	1,939	1,923	1,909	1,382	783	238	41	11	340
1,775	1,624	1,613	1,466	1,488	1,448	1,411	1,627	1,771	1,817	1,885	1,618	949	370	84	14	341
601	627	640	569	673	739	890	1,056	1,167	1,246	1,216	894	482	146	19	4	342
718	562	531	543	587	690	766	989	1,154	1,234	1,275	1,117	651	221	45	7	
1,137	1,279	1,350	1,141	1,109	746	516	400	305	207	160	92	68	15	4	3	343
952	954	953	776	750	608	419	373	306	185	163	141	67	28	9	6	
132	143	195	173	249	243	273	380	467	470	533	396	233	77	18	4	344
105	108	129	147	151	150	226	265	311	398	447	360	231	121	30	1	
1,790	2,044	2,694	2,894	2,750	3,185	3,659	4,276	4,318	3,892	3,269	2,013	1,069	306	111	32	345
955	1,188	1,590	1,741	1,691	1,786	1,996	2,162	2,171	1,876	1,570	982	504	123	41	19	346
835	856	1,104	1,153	1,059	1,399	1,663	2,114	2,147	2,016	1,699	1,031	565	183	70	13	347
57	91	125	164	122	111	82	79	88	74	73	59	40	10	5	37	348
47	74	106	141	107	83	56	58	58	36	39	33	24	4	2	33	349
10	17	19	23	15	28	26	21	30	38	34	26	16	6	3	4	350
235	224	219	181	179	168	120	135	100	83	62	44	21	14	11	8	351
115	128	130	87	95	96	63	72	45	42	30	24	7	4	2	6	352
120	96	89	94	84	72	57	63	55	41	32	20	14	10	9	2	353
102	114	114	72	82	82	58	70	41	38	28	21	7	4	2	4	354
120	93	88	89	84	72	55	63	54	41	32	18	13	10	9	2	
.....	1	.....	.....	3	2	3	1	3	4	2	2	.....	.....	.....	.....	355
.....	2	1	5	.....	.....	1	.....	1	.....	.....	2	1	.....	.....	.....	
13	13	16	15	10	12	2	1	1	.....	.....	1	.....	.....	.....	2	356
.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
340	343	374	351	379	436	441	474	500	489	423	283	147	57	17	7	357
152	180	203	189	200	211	221	259	240	235	205	131	48	23	4	2	358
188	168	171	162	179	225	220	215	260	254	218	152	99	34	13	5	359
327	333	357	333	357	421	423	459	488	476	414	279	146	53	16	7	360
146	173	196	178	190	206	213	254	233	231	201	127	47	21	4	2	361
181	160	161	155	167	215	210	205	255	245	213	152	99	32	12	5	362
197	197	188	168	170	225	199	195	221	240	259	185	111	35	13	3	363
87	103	100	96	85	120	104	107	110	119	128	78	32	17	3	.....	364
110	94	88	72	85	105	95	88	111	121	131	107	79	18	10	3	365
25	30	29	38	46	71	67	88	94	102	121	78	29	14	3	.....	366
36	30	38	33	45	66	61	78	98	113	122	101	79	17	10	3	
58	70	67	55	34	41	30	15	8	6	2	.....	1	1	.....	.....	367
71	61	49	37	36	36	29	8	11	5	2	2	.....	.....	.....	.....	
4	3	4	3	5	8	7	4	8	11	5	.....	2	2	.....	.....	368
3	3	1	2	4	3	5	2	2	3	7	4	.....	1	.....	.....	
129	134	164	160	181	190	221	263	264	234	152	93	35	18	3	3	369
58	68	91	77	99	82	109	147	121	110	72	49	15	4	1	1	370
71	66	73	83	82	108	112	116	143	124	80	44	20	14	2	2	371
1	2	5	5	6	6	3	1	3	2	3	1	.....	.....	.....	1	372
1	2	5	5	6	4	.....	.....	2	2	1	.....	.....	.....	.....	1	373
.....	.....	.....	.....	.....	2	3	1	1	.....	2	1	.....	.....	.....	.....	374
13	15	17	18	22	15	18	15	12	13	9	4	1	4	1	.....	375
6	7	7	11	10	5	8	5	7	4	4	4	1	2	.....	.....	376
7	8	10	7	12	10	10	10	5	9	5	.....	.....	2	1	.....	377
6	7	7	10	10	4	8	5	7	4	4	4	1	2	.....	.....	378
7	8	10	7	12	10	10	10	5	9	5	.....	.....	2	1	.....	
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	379

TABLE 4.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND REGISTRATION STATES,

	REGISTRATION AREA.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	VERMONT											
380	Total	5,943	894	155	65	51	29	1,194	122	77	149	184
381	Males	3,108	494	91	37	21	17	660	47	32	65	89
382	Females	2,835	400	64	28	30	12	534	75	45	84	95
383	White	5,925	891	155	65	51	29	1,191	122	77	149	184
384	Males	3,095	492	91	37	21	17	658	47	32	65	89
385	Females	2,830	399	64	28	30	12	533	75	45	84	95
386	Native	4,801	882	152	58	47	27	1,166	115	70	131	150
387	Males	2,481	488	90	34	20	15	647	43	27	57	66
388	Females	2,320	394	62	24	27	12	519	72	43	74	84
389	Both parents native (M)	1,468	294	63	22	13	9	[illegible]	29	18	39	33
	Both parents native (F)	1,363	233	39	16	12	7	307	44	26	49	51
390	One or both parents foreign (M)	481	166	24	11	6	6	213	14	9	15	26
	One or both parents foreign (F)	450	133	21	7	14	3	178	23	16	14	20
391	Parentage unknown (M)	532	28	3	1	1	.....	33	.....	.....	3	7
	Parentage unknown (F)	507	28	2	1	1	2	34	5	1	11	13
392	Foreign	967	6	2	5	2	2	17	4	5	17	30
393	Males	529	3	1	3	.....	2	9	1	4	8	19
394	Females	438	3	1	2	2	.....	8	3	1	9	11
395	Unknown	157	3	1	2	2	.....	8	3	2	1	4
396	Males	85	1	.....	.....	1	.....	2	3	1	.....	4
397	Females	72	2	1	2	1	.....	6	.....	1	1	.....
398	Colored	18	3	.....	.....	.....	.....	3	.....	.....	.....	.....
399	Males	13	2	.....	.....	.....	.....	2	.....	.....	.....	.....
400	Females	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....
401	Black (M)	12	2	.....	.....	.....	.....	2	.....	.....	.....	.....
	Black (F)	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....
402	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

BY AGE, AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1905—Continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
178	188	161	161	219	239	294	342	443	541	534	459	271	108	36	43	380
98	88	72	71	113	135	140	184	240	301	296	234	149	49	14	31	381
80	100	89	90	106	104	154	158	203	240	238	225	122	59	22	12	382
176	184	161	161	217	239	294	337	443	541	533	459	271	108	35	43	383
97	85	72	71	111	135	140	180	240	301	295	234	149	49	14	31	384
79	99	89	90	106	104	154	157	203	240	238	225	122	59	21	12	385
141	146	119	122	168	183	213	244	334	405	421	358	197	75	21	22	386
76	59	50	47	83	104	99	129	173	230	247	187	104	29	8	16	387
65	87	69	75	85	79	114	115	161	175	174	171	93	46	13	6	388
40	30	24	27	39	61	65	81	103	151	138	108	57	14	3	7	389
37	49	40	45	49	42	68	74	94	102	102	96	57	19	9	3	
26	16	16	15	27	23	9	14	15	18	11	8	2	1	----	3	390
20	26	20	17	14	21	13	13	20	12	11	7	4	----	----	1	
10	13	10	5	17	20	25	34	55	61	98	71	45	14	5	6	391
8	12	9	13	22	16	33	28	47	61	61	68	32	27	4	2	
33	37	38	35	41	47	72	81	101	119	96	89	59	25	14	7	392
19	25	18	21	23	28	37	46	61	63	43	40	38	16	6	4	393
14	12	20	14	18	19	35	35	40	56	53	49	21	9	8	3	394
2	1	4	4	8	9	9	12	8	17	16	12	15	8	----	14	395
2	1	4	3	5	3	4	5	6	8	5	7	7	4	----	11	396
----	----	----	1	3	6	5	7	2	9	11	5	8	4	----	3	397
2	4	----	----	2	----	----	5	----	----	1	----	----	----	1	----	398
1	3	----	----	2	----	----	4	----	----	1	----	----	----	----	----	399
1	1	----	----	----	----	----	1	----	----	----	----	----	----	1	----	400
1	3	----	----	1	----	----	4	----	----	1	----	----	----	----	----	401
1	1	----	----	----	----	----	1	----	----	----	----	----	----	1	----	
----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	402
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 5.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes	545,533	411,062	345,863	211,392	134,471	199,670	11,143	5,146	6,201	10,092	24,300
2	I.—General diseases	145,263	110,755	88,884	54,376	34,508	56,379	2,861	1,206	1,778	2,844	7,511
3	Typhoid fever	9,479	7,321	4,871	2,713	2,158	4,608	157	57	146	280	720
4	Exanthematic typhus	3	2	3	2	1					2	
5	Recurrent fever	1	1				1					
6	Malarial fever	1,321	992	547	218	329	774	34	32	11	20	117
7	Smallpox	308	258	130	80	50	178			9	10	24
8	Measles	2,557	2,063	1,614	1,120	494	943	33	20	8	3	11
9	Scarlet fever	2,284	1,854	1,470	1,040	430	814	39	12	11	27	119
10	Whooping cough	3,599	2,859	1,945	1,205	740	1,654	56	17	71	74	216
11	Diphtheria	6,709	5,633	4,248	3,172	1,076	2,461	154	45	46	95	166
12	Croup	1,330	998	872	540	332	458	32	6	3	29	75
13	Influenza	6,426	3,662	4,453	1,689	2,764	1,973	152	110	86	125	538
14	Miliary fever											
15	Asiatic cholera											
16	Cholera nostras	449	282	299	132	167	150	7	4	1	4	19
17	Dysentery	2,588	1,574	1,805	791	1,014	783	82	34	17	70	303
18	Plague											
19	Yellow fever	438	438	2	2		436				1	
20	Leprosy	8	8	1	1		7					
21	Erysipelas	1,510	1,150	1,025	665	360	485	37	14	6	38	88
22	Other epidemic diseases	79	55	47	23	24	32	1	3			1
23	Septicemia	1,780	1,322	967	509	458	813	35	11	11	64	130
24	Glanders and farcy	3	2	3	2	1						
25	Malignant pustule and charbon	20	16	13	9	4	7		1			2
26	Rabies	44	34	22	12	10	22					3
27	Actinomycosis, trichinosis etc	15	12	11	8	3	4					1
28	Pellagra											
29	Tuberculosis of lungs	56,770	44,910	33,841	21,981	11,860	22,929	1,075	387	832	1,130	2,847
30	Tuberculosis of larynx	610	460	351	201	150	259	7	6	7	18	40
31	Tuberculous meningitis	3,264	2,736	2,147	1,619	528	1,117	81	29	42	46	98
32	Abdominal tuberculosis	2,193	1,664	1,273	744	529	920	38	9	42	53	148
33	Pott's disease	563	423	358	218	140	205	12	5	3	14	25
34	Tuberculous abscess	61	46	40	25	15	21				3	4
35	White swelling	261	215	182	136	46	79	7	2	3	3	4
36	Tuberculosis of other organs	539	404	333	198	135	206	11	6	6	14	31
37	General tuberculosis	1,091	835	643	387	256	448	16	8	29	20	59
38	Scrofula	126	83	87	44	43	39	1	2	3	3	12
39	Syphilis	1,534	1,387	711	564	147	823	26	3	29	26	41
40	Gonorrhœa of the adult	27	24	15	12	3	12					
41	Gonorrheal infections of children	35	30	20	15	5	15	1				3
42	Cancer of mouth	792	579	523	310	213	269	16	10	7	7	33
43	Cancer of stomach and liver	8,939	6,474	5,824	3,359	2,465	3,115	179	79	85	145	398
44	Cancer of intestines	2,732	2,060	1,852	1,180	672	880	59	39	24	51	96
45	Cancer of female genital organs	3,637	2,871	2,267	1,501	766	1,370	71	41	48	63	131
46	Cancer of breast	2,010	1,451	1,372	813	559	638	46	35	22	23	89
47	Cancer of skin	818	494	583	259	324	235	16	13	10	11	70
48	Cancer of other or unspecified organs	5,402	3,741	3,562	1,901	1,661	1,840	103	44	34	116	249
49	Tumor	501	359	318	176	142	183	11	2	3	17	29
50	Acute articular rheumatism	1,918	1,418	1,252	752	500	666	38	15	22	57	100
51	Chronic rheumatism and gout	909	551	594	236	358	315	16	14	6	23	63
52	Diabetes	4,397	3,156	3,066	1,825	1,241	1,331	105	42	47	73	194
53	Exophthalmic goiter	256	182	160	86	74	96	10	2	3	5	20
54	Addison's disease	141	91	95	45	50	46	3	2		1	7
55	Leukemia	480	367	302	189	113	178	5	4	5	8	32
56	Anemia, chlorosis	1,687	1,092	1,172	577	595	515	29	19	10	24	57
57	Alcoholism	2,106	1,752	1,293	939	354	813	50	20	29	37	62
58	Lead poisoning	87	73	47	33	14	40	1	1		2	1
59	Other occupational poisonings	8	6	5	3	2	3					
60	Other chronic poisonings	169	119	87	37	50	82	5	1	1	1	14
61	Scurvy	44	37	35	28	7	9	2				
62	Other general diseases	205	129	126	50	76	79	2			8	21
63	II.—Diseases of nervous system	61,556	43,802	41,681	23,927	17,754	19,875	1,478	739	617	1,143	2,877
64	Encephalitis	465	309	286	130	156	179	12	2	4	19	51
65	Meningitis	6,540	5,128	4,029	2,617	1,412	2,511	178	52	50	182	272
66	Epidemic cerebro-spinal meningitis	5,114	4,350	4,438	3,674	764	676	211	61	8	41	105
67	Locomotor ataxia	883	641	550	308	242	333	14	15	6	21	41
68	Other diseases of spinal cord	1,724	1,167	1,199	642	557	525	29	24	24	43	96
69	Apoplexy	24,390	16,598	17,440	9,648	7,792	6,950	650	396	291	381	962
70	Softening of brain	1,042	652	643	253	390	399	14	25	18	20	93
71	Paralysis	5,981	3,440	4,011	1,470	2,541	1,970	57	55	54	176	593
72	General paralysis of insane	2,450	1,579	1,751	880	871	699	67	12	24	28	137
73	Other forms of mental disease	1,039	717	679	357	322	360	19	12	8	19	45
74	Other diseases of brain	1,436	1,033	922	519	403	514	32	20	24	26	66
75	Epilepsy	1,367	844	985	462	523	382	34	18	26	32	115
76	Convulsions	346	244	194	92	102	152	6	1	2	12	16
77	Convulsions of children	6,331	5,222	3,249	2,140	1,109	3,082	105	24	67	80	156
78	Tetanus	1,033	880	357	204	153	676	20	8	6	28	44
79	Chorea	87	47	62	22	40	25				3	10
80	Other diseases of nervous system	787	493	543	249	294	244	16	12	3	23	50
81	Diseases of eye and adnexa	26	17	15	6	9	11	1	1			1
82	Diseases of ear	515	441	328	254	74	187	13	1	2	9	24

REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1905.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,260	9,277	38,820	11,523	11,541	23,001	3,134	4,140	21,476	12,436	100,320	36,902	5,452	2,756	953	4,990	1
586	2,199	9,827	3,107	2,803	5,257	740	999	5,467	3,150	25,768	9,112	1,487	739	215	1,228	2
53	106	436	104	247	371	29	37	214	138	1,078	530	55	27	18	68	3
			1													4
																5
3	10	28	15	9	50	1	6	22	30	79	58	11	5		6	6
		2		49	25				1	10						7
6	28	209	44	31	71	34	28	70	40	693	211	25	11	8	30	8
	7	108	17	40	77	1	3	122	64	662	117	26	8	4	6	9
6	33	246	41	30	84	14	22	122	60	557	210	25	21	4	36	10
21	55	492	82	196	184	30	26	385	171	1,653	293	89	23	11	31	11
6	29	75	18	39	48	17	7	85	56	234	72	16	10	4	11	12
35	222	396	253	92	483	46	120	79	124	581	695	88	48	9	171	13
																14
																15
3	17	30	11	14	38	4	10	14	9	51	55	2	2	2	2	16
5	29	109	69	45	132	16	15	108	131	305	260	34	23		18	17
																18
										1						19
										1						20
8	17	118	30	35	60	6	10	57	33	348	92	11	6	1	10	21
		2	1	2	6			3	2	11	7	4	1		3	22
7	12	121	24	59	116	12	19	32	27	154	102	10	2	4	15	23
1			1							1						24
		3		1				1		4	1					25
		2			2			5	3	5	2					26
	1	5			1					3						27
																28
191	695	3,720	1,180	826	1,435	276	303	2,431	1,228	10,877	3,138	540	303	83	344	29
5	13	21	14	10	24		2	29	24	92	25	11		1	2	30
17	53	327	58	41	74	11	7	196	70	781	109	68	17	9	13	31
11	51	147	37	40	82	12	9	80	42	295	125	25	9	1	17	32
1	11	48	15	16	23	4	3	15	12	99	38	6	1		7	33
1	6	4		1	1	1		2	1	12	3	1				34
	1	26	5	11	15	2		11	6	62	9	10	2	1	2	35
2	9	36	9	13	25		2	23	5	88	37	3	6	2	5	36
9	30	104	38	11	34	8	10	36	23	133	44	20	5	1	5	37
	1	8	5	2	3			1	7	25	10	1	2		1	38
6	6	68	17	60	21	2	5	42	11	285	32	18	6	2	5	39
		1						1	2	10	1					40
		6	1					1		6	1	1				41
2	21	85	32	11	30	1	5	22	14	148	57	9	2	2	9	42
43	227	615	205	224	478	50	77	306	202	1,611	661	95	38	6	100	43
18	60	275	74	81	90	12	19	87	70	535	175	33	21	5	28	44
21	73	293	76	95	120	18	18	143	73	680	180	64	21	5	33	45
8	43	198	54	43	85	7	11	67	43	365	161	31	20	3	18	46
5	18	42	27	19	56	5	6	29	23	115	87	6	7	1	17	47
28	94	500	206	91	220	38	92	157	120	803	561	27	12	4	63	48
4	8	43	15	8	26	1	11	18	10	68	34	3			7	49
6	25	115	51	36	99	5	17	68	40	382	123	21	10	2	20	50
1	18	45	28	18	70	5	10	28	31	86	109	7	3	1	12	51
21	96	343	135	89	193	32	45	145	107	911	343	47	35	12	51	52
	2	14	4	12	16	1	1	3	4	37	19	1			6	53
2	4	11	6	1	7	1	1	2	5	22	14	2			4	54
3	9	39	7	18	21		2	16	11	93	23	2	2		2	55
17	43	153	52	86	177	22	27	47	23	180	161	5	6	4	30	56
6	12	128	32	36	49	13	9	122	41	482	94	31	21	5	14	57
1		8	4				3	7	2	11	1	3	1		1	58
					2			2		1						59
	2	8	6	3	10	1		3	5	15	10		1		1	60
		8	1	1		1		2	3	14	2		1			61
3	2	6	2	11	23	1	1	6	3	13	20				4	62
365	1,218	4,645	1,526	1,397	2,859	530	587	2,601	1,808	10,540	5,157	509	284	102	699	63
2	9	23	8	19	28	4	4	7	13	37	26	2	2	1	13	64
44	120	602	128	126	175	117	48	353	173	913	379	34	13	18	52	65
9	25	480	70	61	110	96	43	378	97	2,316	215	68	13	6	25	66
6	13	54	26	27	40	5	3	24	26	145	62	4	6	2	10	67
4	42	140	55	60	83	6	23	64	51	255	150	15	9	2	24	68
122	596	2,015	744	449	1,026	147	286	1,042	750	4,235	2,501	271	145	45	386	69
5	24	45	22	29	52	7	14	35	47	76	90	3	6	1	17	70
35	157	276	137	193	566	44	60	144	230	448	669	40	26	3	48	71
27	40	197	84	70	128	16	25	46	101	381	293	20	28	4	23	72
61	16	66	42	15	42	22	18	39	26	103	98	5	8		15	73
8	42	110	30	46	79	17	7	53	36	192	103	7	4	4	16	74
15	26	82	56	35	85	5	14	39	44	180	140	11	6	3	19	75
1	5	23	9	6	27	2	3	21	14	18	26	1			1	76
20	63	366	76	220	331	29	21	308	150	919	254	15	10	11	24	77
3	6	29	13	9	16	1	1	21	19	85	40	2	1		5	78
		5	2	2	13		1	1	1	11	10		1		2	79
3	31	54	21	20	42	6	14	18	22	101	84	3	1	2	17	80
			1	1	2		1		1	4	1				1	81
	3	78	2	9	14	6	1	8	7	121	16	8	5		1	82

TABLE 5.--DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
83	III.—Diseases of circulatory system	58,503	41,497	39,435	22,429	17,006	19,068	1,252	725	682	1,015	2,322
84	Pericarditis	594	456	306	168	138	288	7	4	9	16	33
85	Endocarditis	4,265	3,684	2,554	1,973	581	1,711	88	19	21	51	72
86	Heart disease	44,723	30,853	30,789	16,869	13,920	13,934	939	599	560	785	1,891
87	Angina pectoris	2,281	1,459	1,603	781	822	678	58	25	26	44	115
88	Diseases of arteries	4,145	3,258	2,556	1,669	887	1,589	108	48	40	58	105
89	Embolism and thrombosis	1,417	1,036	968	587	381	449	36	23	19	22	38
90	Diseases of veins	227	169	150	92	58	77	2	4	1	5	15
91	Diseases of lymphatics	73	57	45	29	16	28	1			1	4
92	Hemorrhages	719	544	423	248	175	296	12	2	6	23	36
93	Other diseases of circulatory system	59	31	41	13	28	18	1	1		10	13
94	IV.—Diseases of respiratory system	69,445	54,561	43,965	29,081	14,884	25,480	1,333	546	760	1,083	1,565
95	Diseases of nasal fossa	88	53	54	19	35	34				2	4
96	Laryngitis	258	187	162	91	71	96	9	3	1	4	10
97	Other diseases of larynx	352	266	215	129	86	137	4	5	7	11	13
98	Diseases of thyroid body	110	81	60	31	29	50	3	1		2	3
99	Acute bronchitis	6,598	5,292	4,154	2,848	1,306	2,444	134	53	104	65	185
100	Chronic bronchitis	4,711	3,454	2,966	1,709	1,257	1,745	97	53	37	82	175
101	Bronchopneumonia	11,608	9,730	7,965	6,087	1,878	3,643	186	68	106	139	306
102	Pneumonia	39,068	30,354	24,437	15,723	8,714	14,631	771	317	421	625	1,546
103	Pleurisy	1,627	1,345	1,017	735	282	610	34	15	11	26	37
104	Congestion of lungs	2,297	1,637	1,454	794	660	843	53	25	39	49	154
105	Gangrene of lungs	174	144	107	77	30	67	2		2	5	10
106	Asthma	1,109	902	536	329	207	573	21	2	13	29	40
107	Emphysema	176	138	102	64	38	74	2			3	11
108	Hemorrhage of lungs	707	551	401	245	156	306	4	2	13	20	25
109	Other diseases of respiratory system	562	427	335	200	135	227	13	2	6	21	46
110	V.—Diseases of digestive system	68,940	53,343	43,583	27,986	15,597	25,357	1,569	613	752	1,209	3,083
111	Diseases of mouth	232	172	138	78	60	94	5	3	1	7	12
112	Tonsilitis	270	171	171	72	99	99	2	4	1	3	26
113	Diseases of pharynx	207	133	139	65	74	68	2	1		4	16
114	Diseases of esophagus	117	92	71	46	25	46	2		3	2	4
115	Ulcer of stomach	1,094	852	646	404	242	448	26	9	14	21	37
116	Gastritis	3,585	2,570	2,172	1,157	1,015	1,413	84	47	67	79	196
117	Other diseases of stomach	2,446	1,527	1,732	813	919	714	49	35	50	42	180
118	Dentition	209	177	76	44	32	133	1	1			5
119	Diarrhea and enteritis under 2 years	33,032	26,833	21,410	15,211	6,199	11,622	868	282	358	403	1,157
120	Diarrhea and enteritis, 2 years and over	6,367	4,474	4,062	2,169	1,893	2,305	112	51	71	137	419
121	Intestinal parasites	48	31	33	16	17	15	1				2
122	Hernia	1,413	1,122	904	613	291	509	27	9	10	26	41
123	Obstruction of intestines	3,219	2,380	1,994	1,155	839	1,225	69	28	35	67	192
124	Other diseases of intestines	1,013	683	668	338	330	345	20	10	11	32	96
125	Acute yellow atrophy of liver	147	101	92	46	46	55	2	4		4	10
126	Hydatid tumors of liver	14	13	9	8	1	5					
127	Cirrhosis of liver	4,994	4,044	3,041	2,091	950	1,953	100	49	36	90	153
128	Biliary calculi	883	672	508	297	211	375	12	10	9	21	44
129	Other diseases of liver	2,289	1,568	1,451	730	721	838	39	18	19	80	162
130	Diseases of spleen	90	55	61	26	35	29	2		1	3	5
131	Peritonitis	3,105	2,177	1,881	953	928	1,224	46	28	25	103	205
132	Appendicitis	4,062	3,410	2,256	1,604	652	1,806	97	24	39	84	119
133	Other diseases of digestive system	104	86	68	50	18	36	3		2	1	2
134	VI.—Diseases of genito-urinary system	41,361	32,567	25,807	17,013	8,794	15,554	788	371	563	647	1,278
135	Acute nephritis	3,565	2,965	2,305	1,705	600	1,260	88	29	79	57	82
136	Bright's disease	31,631	24,890	19,732	12,991	6,741	11,899	577	289	403	471	969
137	Other diseases of kidneys	906	690	547	331	216	359	12	8	9	18	44
138	Calculi of urinary tract	193	160	106	73	33	87	8		4	2	6
139	Diseases of bladder	1,257	721	930	394	536	327	27	18	17	25	64
140	Diseases of urethra, urinary abscess, etc	152	134	83	65	18	69	4	1	4	1	3
141	Diseases of prostate	1,083	774	714	405	309	369	26	10	11	23	41
142	Nonvenereal diseases of male genital organs	31	26	22	17	5	9	1		1	1	
143	Metritis	100	86	60	46	14	40	4		1	2	6
144	Uterine hemorrhage	86	59	56	29	27	30	4	2		1	6
145	Uterine tumor	611	523	338	250	88	273	11	5	13	11	13
146	Other diseases of uterus	496	414	279	197	82	217	5	3	4	9	19
147	Ovarian tumor	440	364	237	161	76	203	9	2	3	8	19
148	Diseases of tubes	692	657	340	305	35	352	10	4	12	14	4
149	Other diseases of female genital organs	94	84	45	35	10	49	1		2	4	2
150	Nonpuerperal diseases of breast (cancer excepted)	24	20	13	9	4	11	1				
151	VII.—Childbirth	5,077	3,927	3,219	2,069	1,150	1,858	107	45	54	79	241
152	Accidents of pregnancy	537	415	333	211	122	204	21	6	5	13	24
153	Puerperal hemorrhage	413	319	273	179	94	140	9	2	3	7	18
154	Other accidents of labor	286	228	192	134	58	94	4	2	5	4	6
155	Puerperal septicemia	2,309	1,845	1,401	937	464	908	39	19	19	32	139
156	Puerperal convulsions	981	740	655	414	241	326	25	8	14	12	37
157	Puerperal phlegmasia alba dolens	7	3	4		4	3		1			
158	Other puerperal accidents	542	376	360	194	166	182	9	7	8	11	17
159	Puerperal diseases of breast	2	1	1		1	1					

REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1905—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
262	1,131	4,960	1,831	1,234	2,866	333	609	1,962	1,390	10,101	5,166	538	303	90	663	83
1	8	23	13	17	33	3	3	13	6	76	30	2	3	1	5	84
13	27	405	87	44	80	7	14	291	90	984	162	63	10	6	20	85
211	940	3,730	1,457	952	2,338	271	534	1,409	1,083	7,552	4,298	393	248	67	532	86
15	67	146	70	68	173	15	36	66	63	316	214	23	18	4	41	87
8	39	463	158	74	134	10	9	84	77	779	263	39	15	6	39	88
10	30	113	31	35	37	20	11	60	57	255	135	14	4	3	15	89
2	4	17	4	5	11		1	8	2	50	13	2	2		2	90
		7		5	4			3	2	11	4			1	2	91
2	15	56	11	34	49	7	1	28	9	76	42	2	3	2	7	92
	1				7				1	2	5					93
241	1,098	5,028	1,254	1,351	2,427	349	412	2,936	1,509	15,047	4,016	824	401	129	656	94
1	3	5		2	12		2			8	12	1			2	95
	4	14	11	6	11	2	1	18	8	35	21	1	1	1	1	96
2	1	22	6	10	20	2	1	19	10	50	24	2	5		1	97
1	1	5	5		7		1	3	1	16	10			1		98
17	81	499	90	175	336	33	37	246	110	1,463	307	94	42	18	65	99
15	100	383	155	103	238	20	38	173	100	743	327	49	29	7	42	100
38	127	693	149	207	289	61	33	537	238	3,962	539	144	57	14	72	101
151	694	3,025	754	650	1,204	206	270	1,624	868	7,686	2,394	491	242	73	425	102
2	23	142	20	28	54	5	6	76	27	389	83	18	5	4	12	103
7	33	119	29	72	109	11	16	136	85	295	181	6	3	7	25	104
	1	12	1	5	8		1	13	4	37	4	1			1	105
2	9	44	15	43	62	4	1	33	20	130	45	9	9	1	4	106
1	2	4	2	7	8	1	1	7	5	35	5	3	3	1	1	107
2	11	39	11	18	33	2	1	38	25	105	42	3	5	1	1	108
2	8	22	6	25	36	2	3	13	8	93	22	2		1	4	109
227	1,071	5,073	1,131	1,636	3,232	445	434	2,890	1,405	13,288	3,811	766	339	131	478	110
2	3	13	5	6	13		1	11	3	30	17	2	2	1	1	111
2	4	16	11	2	17	4	3	6	10	34	21	2	1		2	112
1	8	15	4	4	19	3	1	5	1	31	19				5	113
	2	10	4	3	6	1		4	2	21	5		1		1	114
6	14	60	25	27	50	7	10	34	20	200	61	9	4		12	115
9	72	208	61	66	189	28	37	139	89	448	280	22	5	7	39	116
15	64	153	60	70	164	15	31	70	63	282	273	59	27	7	22	117
		9	1	1	2	4		4	9	24	13	1			1	118
103	468	2,884	508	683	1,278	250	162	1,571	690	7,614	1,300	417	195	60	159	119
16	97	350	136	173	367	38	32	231	156	959	542	64	35	18	58	120
	2	5		1	6		1	2		6	4	1			2	121
3	23	114	18	23	66	5	11	44	27	340	82	18	3	3	11	122
20	49	209	70	89	163	18	20	124	66	497	221	18	7	9	23	123
3	23	60	27	34	65	11	10	31	16	120	67	13	5	3	11	124
1	4	11	1	7	9	1	1	4	3	15	12	1	1		1	125
							1	1		7						126
4	46	255	70	86	189	9	34	250	88	1,208	268	49	23	4	30	127
4	18	70	19	19	49	2	6	29	17	122	36	9	3		9	128
8	52	149	30	81	167	19	21	87	47	256	193	20	7	2	24	129
	3	3	2	5	9		1	4	6	7	9	1				130
13	67	207	45	133	228	20	32	105	56	285	217	10	5	6	45	131
16	51	294	32	121	173	9	19	132	36	753	162	48	15	11	21	132
	1	8	2	2	3	1		2		29	9	2			1	133
181	584	2,426	718	758	1,281	187	330	1,680	934	9,214	2,703	496	278	73	317	134
12	36	173	34	65	69	21	14	236	102	919	190	51	24	4	20	135
138	451	1,808	583	505	952	142	260	1,256	724	7,262	2,042	373	227	56	244	136
7	18	75	3	27	47	8	11	34	15	132	60	9	2		8	137
1	1	16	2	3	8		2	1		37	10	1			4	138
5	34	85	44	39	78	8	16	40	49	144	199	3	10	1	24	139
1		13	4	2	3			7	1	30	5	2		1	1	140
6	19	96	25	25	50	3	18	26	16	171	115	15	7	3	8	141
	1	5		2	1			2	1	5	2					142
		5	1	4	4			5	1	23	2	2				143
1	5	8	1	2	5			3	2	10	5				1	144
2	5	38	9	18	16	3	3	16	7	126	25	8	2	4	3	145
4	6	35	6	31	19		3	20	9	83	15	6	1		1	146
	5	34	2	12	19	1	2	6	1	75	21	10	2	3	3	147
3	3	32		20	9	1	1	24	3	174	8	14	3	1		148
		2	2	3				4	3	17	3	2				149
1		1	2		1					6	1					150
13	71	299	60	124	257	22	31	190	95	1,094	271	76	24	11	55	151
1	7	48	7	8	26	4	6	10	11	92	24	6	3	3	8	152
2	5	29	5	10	24	1	1	20	7	92	23	4	6	2	3	153
	1	17	8	6	9		2	15	10	77	15	5		1	5	154
8	29	98	22	58	102	6	8	99	35	545	85	33	10		15	155
2	10	63	12	21	52	5	10	32	22	215	78	21	2	4	10	156
					2										1	157
	19	44	6	21	42	6	4	14	10	73	46	7	3	1	12	158
															1	159

TABLE 5.—DEATHS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160	VIII.—Diseases of skin	2,406	1,604	1,628	826	802	778	47	34	28	57	130
161	Gangrene	1,518	933	1,068	483	585	450	23	28	21	34	86
162	Carbuncle	142	102	87	47	40	55	2	1	1	4	12
163	Abscess	432	331	285	184	101	147	14	1	6	14	20
164	Other diseases of skin	314	238	188	112	76	126	8	4	.....	5	12
165	IX.—Diseases of locomotor system	1,036	832	653	449	204	383	18	8	11	10	30
166	Diseases of bones	929	754	582	407	175	347	15	7	11	9	25
167	Diseases of joints	66	49	46	29	17	20	2	1	.....	1	3
168	Amputation	18	14	9	5	4	9	.....	.....	.....	.....	.....
169	Other diseases of organs of locomotion	23	15	16	8	8	7	1	.....	.....	.....	2
170	X.—Malformations	4,588	3,385	3,056	1,853	1,203	1,532	113	45	30	68	222
171	Hydrocephalus	499	377	339	217	122	160	12	5	4	5	17
172	Congenital malformation of heart (cyanosis)	2,706	2,041	1,769	1,104	665	937	72	27	19	45	132
173	Other congenital malformations	1,383	967	948	532	416	435	29	13	7	18	73
174	XI.—Diseases of early infancy	23,617	18,626	15,005	10,014	4,991	8,612	470	202	301	581	1,221
175	Premature birth	11,102	8,620	7,242	4,760	2,482	3,860	285	117	192	235	583
176	Congenital debility	10,626	8,542	6,553	4,469	2,084	4,073	153	69	93	322	575
177	Other diseases of early infancy	860	670	582	392	190	278	18	10	7	15	29
178	Lack of care	1,029	794	628	393	235	401	14	6	9	9	34
179	XII.—Old age	12,301	7,332	8,251	3,282	4,969	4,050	137	118	149	289	719
180	XIII.—Violence	37,778	28,865	22,590	13,677	8,913	15,188	799	413	380	757	1,473
181	Suicide by poison	1,820	1,577	843	600	243	977	57	6	17	72	64
182	Suicide by asphyxia	516	495	289	268	21	227	7	2	5	5	1
183	Suicide by hanging or strangulation	794	497	541	244	297	253	12	16	5	16	38
184	Suicide by drowning	276	186	174	84	90	102	7	5	4	7	6
185	Suicide by firearms	1,435	1,157	741	463	278	694	17	10	20	34	57
186	Suicide by cutting instruments	306	250	165	109	56	141	5	1	3	.....	7
187	Suicide by jumping from high places	54	53	31	30	1	23	1	.....	4	.....	.....
188	Suicide by crushing	26	20	14	8	6	12	.....	1	1	.....	1
189	Other suicides	211	116	142	47	95	69	2	11	1	5	22
190	Fractures	2,489	1,747	1,705	963	742	784	66	38	19	64	94
191	Dislocations	50	32	37	19	18	13	.....	2	1	1	3
192	Burns and scalds	2,846	2,308	1,640	1,102	538	1,206	61	15	36	56	105
193	Heat and sunstroke	881	772	604	495	109	277	14	12	12	9	14
194	Cold and freezing	228	125	158	55	103	70	5	8	.....	3	8
195	Lightning	80	18	71	9	62	9	.....	1	.....	2	23
196	Drowning	3,389	2,254	2,408	1,273	1,135	981	74	67	35	55	87
197	Inhalation of poisonous gases	1,034	960	622	548	74	412	34	2	11	6	12
198	Conflagration	272	191	232	151	81	40	.....	16	4	.....	1
199	Other accidental poisonings	1,269	880	827	438	389	442	30	16	5	22	54
200	Accidental gunshot wounds	823	477	524	178	346	299	19	9	6	19	71
201	Injuries by machinery	348	286	167	105	62	181	6	1	1	10	9
202	Injuries in mines and quarries	491	276	252	37	215	239	1	3	.....	4	50
203	Railroad accidents and injuries	5,731	4,329	3,101	1,699	1,402	2,630	123	70	47	135	265
204	Injuries by vehicles and horses	1,168	968	747	547	200	421	18	8	18	26	36
205	Suffocation	548	369	365	186	179	183	12	8	4	17	41
206	Injuries at birth	2,166	1,709	1,486	1,029	457	680	83	23	15	24	79
207	Other accidental traumatisms	5,662	4,418	3,598	2,354	1,244	2,064	115	49	72	101	205
208	Burning by corrosive substances	8	6	6	4	2	2	1	1	.....	.....	1
209	Other external violence	1,295	950	618	273	345	677	17	8	6	30	67
210	Starvation, privation, etc	22	13	19	10	9	3	.....	1	.....	.....	1
211	Homicide	1,540	1,426	463	349	114	1,077	12	3	28	34	51
212	XIV.—Ill-defined causes	13,662	9,966	8,106	4,410	3,696	5,556	171	81	96	310	628
213	"Dropsy"	1,002	602	587	187	400	415	8	4	4	64	107
214	"Heart failure"	1,924	1,171	1,102	349	753	822	5	.....	1	43	123
215	Sudden death	152	81	111	40	71	41	4	1	.....	3	9
216	Unspecified or ill-defined causes of death	1,202	856	731	385	346	471	29	14	4	23	48
217	Inanition, over 3 months	2,117	1,679	1,175	737	438	942	17	11	35	90	120
218	Debility, over 3 months	1,585	1,065	893	373	520	692	23	13	8	35	70
219	Marasmus, over 3 months	4,290	3,738	2,665	2,113	552	1,625	58	22	42	28	36
220	Fever	156	85	99	28	71	57	1	.....	2	12	35
221	Unknown causes	1,234	689	743	198	545	491	26	16	.....	12	80

REGISTRATION STATES, FROM EACH CAUSE AND CLASS OF CAUSES: 1905—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
9	74	164	59	55	148	12	29	67	65	358	219	21	12	8	32	160
6	60	100	46	28	97	7	25	34	45	213	167	10	8	7	23	161
1	3	14	3	1	6	1	1	6	4	17	7	.....	1	.....	2	162
1	5	28	6	11	30	2	1	20	7	82	27	5	1	1	3	163
1	6	22	4	15	15	2	2	7	9	46	18	6	2	.....	4	164
4	8	83	12	26	42	5	5	54	17	224	60	13	8	1	14	165
4	8	76	11	24	37	5	4	51	17	198	50	13	8	1	8	166
.....	.....	5	1	.....	.....	.....	1	2	.....	19	7	.....	.....	.....	4	167
.....	.....	.....	.....	.....	2	.....	.....	1	.....	4	1	.....	.....	.....	1	168
.....	.....	2	.....	2	3	.....	.....	.....	.....	3	2	.....	.....	.....	1	169
15	69	333	90	124	256	35	51	190	123	883	284	52	25	10	38	170
4	11	34	12	11	26	5	7	16	10	115	25	7	7	4	2	171
7	38	194	53	68	126	17	28	95	70	551	160	30	10	6	21	172
4	20	105	25	45	104	13	16	79	43	217	99	15	8	.....	15	173
92	377	2,184	391	597	863	132	83	1,006	453	4,369	1,157	220	81	62	163	174
38	194	1,135	204	221	406	6	10	493	234	2,012	598	113	39	30	97	175
45	154	880	155	277	352	115	54	427	189	2,043	450	87	36	27	50	176
4	13	84	20	13	48	6	5	42	17	186	45	15	.....	2	3	177
5	16	85	12	86	57	5	14	44	13	128	64	5	6	3	13	178
89	568	696	423	378	860	82	228	223	243	1,119	1,512	81	74	39	224	179
121	447	2,225	696	668	1,726	154	219	1,581	900	6,651	2,604	291	155	50	280	180
5	5	62	13	50	44	3	3	97	28	227	72	8	3	2	5	181
1	1	30	1	5	2	.....	.....	30	11	181	3	4	.....	.....	.....	182
2	20	39	26	21	59	4	9	26	26	115	83	4	3	.....	17	183
.....	12	18	11	5	13	1	3	4	7	35	23	2	5	1	5	184
5	19	56	24	10	36	4	5	50	28	256	86	11	4	.....	9	185
3	5	21	6	7	8	2	.....	11	3	53	20	4	4	.....	2	186
.....	.....	1	.....	.....	.....	.....	.....	2	.....	21	1	1	.....	.....	.....	187
.....	.....	1	.....	1	1	.....	.....	.....	.....	5	2	.....	1	.....	.....	188
1	4	7	3	9	17	2	8	5	6	14	22	1	.....	.....	2	189
12	25	228	72	61	116	24	32	116	49	362	292	6	1	5	23	190
.....	.....	6	4	2	4	2	.....	2	.....	4	5	1	.....	.....	.....	191
7	34	211	51	40	118	15	21	146	66	513	111	15	6	2	11	192
.....	3	59	9	6	11	7	1	96	29	284	28	7	2	1	.....	193
1	2	10	8	6	25	1	2	11	7	17	39	.....	3	1	1	194
.....	.....	.....	2	2	15	.....	.....	2	8	3	10	.....	.....	.....	3	195
11	70	197	103	81	242	25	27	131	155	629	325	28	34	7	25	196
.....	2	60	2	9	16	.....	.....	95	21	322	19	11	.....	.....	.....	197
.....	15	63	5	1	23	1	3	1	.....	81	17	.....	.....	.....	1	198
11	16	74	26	39	76	10	15	49	39	183	125	10	3	5	19	199
4	22	20	20	14	84	2	5	29	20	61	100	1	2	3	13	200
1	8	28	.....	1	13	1	4	16	6	34	15	6	.....	1	6	201
.....	.....	.....	.....	27	120	.....	.....	5	11	.....	16	.....	.....	.....	15	202
20	31	241	112	74	197	15	15	269	161	733	503	36	21	6	27	203
3	8	68	18	16	53	3	4	35	10	354	47	4	7	2	9	204
1	4	48	16	11	38	3	3	15	20	67	41	8	4	.....	4	205
4	24	216	38	28	67	2	7	81	52	523	134	50	21	3	12	206
20	88	351	102	106	249	16	32	199	96	1,306	343	60	26	8	54	207
.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	208
5	16	70	21	27	69	9	19	35	27	67	104	5	3	2	11	209
.....	1	3	.....	1	1	.....	.....	1	1	5	3	.....	1	.....	.....	210
4	12	35	3	7	9	2	1	22	13	196	15	8	1	1	6	211
55	362	877	225	390	927	108	123	629	344	1,664	830	78	33	32	143	212
2	19	8	9	43	114	4	8	13	15	36	118	1	.....	4	6	213
7	79	53	39	45	178	9	27	66	58	115	208	.....	1	5	40	214
1	10	7	2	7	16	1	6	4	3	9	15	2	2	2	7	215
9	17	143	46	43	92	26	22	53	20	41	71	12	4	2	12	216
8	23	127	28	65	91	18	9	84	38	254	86	37	14	2	13	217
15	42	94	33	44	137	12	30	45	39	88	140	3	.....	6	16	218
5	33	394	59	89	61	26	10	343	156	1,104	162	16	2	8	11	219
.....	4	2	.....	3	13	1	.....	2	6	5	7	.....	.....	.....	6	220
8	130	49	9	51	225	11	11	19	9	12	23	7	10	3	32	221

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	All causes		545,533	105,553	21,900	9,638	5,916	4,317	147,384	12,851	8,835	14,941	22,600
2	Males		292,912	59,047	11,658	5,006	3,025	2,244	80,980	6,559	4,524	7,345	11,637
3	Females		252,621	46,506	10,302	4,632	2,891	2,073	66,404	6,292	4,311	7,596	10,963
4	I.—General diseases		145,263	8,440	5,204	3,525	2,570	1,950	21,689	5,493	3,374	7,271	11,584
5	Males		73,529	4,508	2,698	1,767	1,281	980	11,234	2,585	1,406	3,133	5,689
6	Females		71,734	3,932	2,506	1,758	1,289	970	10,455	2,908	1,968	4,138	5,895
7	Typhoid fever	M.	5,532	29	42	53	61	54	239	237	287	634	978
		F.	3,947	20	39	57	63	63	242	252	375	620	583
8	Malarial fever	M.	676	61	43	22	16	8	150	39	18	29	38
		F.	645	54	31	26	16	11	138	34	31	32	49
9	Smallpox	M.	202	10	3	2	3	3	21	7	2	9	27
		F.	106	15	3	3	2	3	26	3	2	7	12
10	Measles	M.	1,297	337	432	203	100	55	1,127	89	16	10	8
		F.	1,260	272	409	195	101	51	1,028	113	25	13	17
11	Scarlet fever	M.	1,152	72	123	194	167	129	685	307	80	29	17
		F.	1,132	48	123	165	157	114	607	329	99	37	25
12	Whooping cough	M.	1,024	952	375	143	70	36	1,576	38	5	.....	1
		F.	1,975	1,045	491	200	95	54	1,885	73	8	.....	.....
13	Diphtheria	M.	3,301	224	526	457	420	362	1,989	878	222	88	30
		F.	3,408	178	440	482	416	370	1,886	1,059	257	62	43
14	Croup	M.	740	102	149	139	114	96	600	121	12	.....	1
		F.	590	75	116	126	91	63	471	101	6	3	2
15	Influenza	M.	2,886	313	69	40	16	12	450	41	25	46	66
		F.	3,540	224	57	28	26	14	349	50	44	50	66
16	Cholera nostras	M.	242	43	15	2	5	7	72	6	6	7	1
		F.	207	29	15	4	5	.....	53	8	1	1	7
17	Dysentery	M.	1,357	289	138	55	44	21	547	29	9	6	19
		F.	1,331	197	89	55	26	14	381	43	7	9	24
18	Erysipelas	M.	842	228	10	6	.....	2	246	4	4	10	22
		F.	668	234	12	7	2	3	258	3	7	7	8
19	Other epidemic diseases	M.	365	23	8	1	6	3	41	10	22	27	52
		F.	164	14	4	5	2	3	28	16	9	27	18
20	Septicemia	M.	824	87	9	8	3	6	113	28	32	27	43
		F.	956	100	8	8	4	3	123	20	15	53	126
21	Tuberculosis of lungs	M.	31,047	391	227	117	59	39	833	212	226	1,691	3,752
		F.	25,723	316	214	109	78	62	779	287	637	2,725	4,231
22	Tuberculosis of larynx	M.	405	3	1	1	.....	1	6	1	1	10	30
		F.	205	5	.....	5	.....	1	11	4	5	9	27
23	Tuberculous meningitis	M.	1,713	432	349	201	107	75	1,164	188	77	33	44
		F.	1,551	380	314	176	114	66	1,050	191	73	53	46
24	Abdominal tuberculosis	M.	977	100	45	29	16	9	199	52	32	79	81
		F.	1,216	90	39	22	12	11	174	47	50	101	132
25	Pott's disease	M.	318	14	8	7	10	10	49	30	44	31	30
		F.	245	9	11	12	11	5	48	29	22	16	18
26	Tuberculous abscess	M.	31	3	3	.....	.....	.....	6	2	1	1	2
		F.	30	5	.....	1	.....	.....	6	2	.....	1	3
27	White swelling	M.	152	12	1	2	1	.....	16	22	26	12	15
		F.	109	3	1	3	2	3	12	13	16	9	10
28	Tuberculosis of other organs	M.	299	12	9	8	4	3	36	4	8	22	28
		F.	240	8	6	10	3	3	30	5	9	12	25
29	General tuberculosis	M.	561	45	29	16	7	5	102	24	25	42	69
		F.	530	43	9	16	10	4	82	23	30	44	81
30	Scrofula	M.	67	35	6	6	5	.....	52	4	1	1	2
		F.	59	26	5	2	5	2	40	4	2	.....	2
31	Venereal diseases	M.	936	491	22	11	2	1	527	1	2	11	35
		F.	660	389	19	3	6	2	419	4	2	9	33
32	Cancer of mouth	M.	643	.....	.....	1	.....	1	2	1	1	1	3
		F.	149	.....	1	.....	1	1	3	.....	2	.....	1
33	Cancer of stomach and liver	M.	4,388	2	1	1	1	1	6	4	2	2	7
		F.	4,551	5	2	.....	.....	1	8	6	1	3	14
34	Cancer of intestines	M.	1,129	2	.....	.....	.....	1	3	3	1	8	22
		F.	1,603	.....	.....	1	1	3	5	2	2	3	13
35	Cancer of female genital organs	F.	3,637	.....	.....	.....	.....	.....	.....	.....	4	9	10
36	Cancer of breast	M.	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
		F.	1,994	.....	.....	.....	.....	.....	.....	.....	.....	1	3
37	Cancer of skin	M.	539	.....	.....	.....	1	.....	1	.....	2	2	.....
		F.	279	.....	2	1	.....	.....	3	1	.....	.....	1
38	Cancer of other or unspecified organs	M.	2,474	10	6	8	7	8	39	24	19	42	49
		F.	2,928	5	6	6	7	7	31	19	14	28	28
39	Tumor	M.	137	9	2	2	1	2	16	1	1	1	6
		F.	364	5	3	1	1	1	11	1	.....	8	4
40	Rheumatism	M.	1,407	22	7	9	11	18	67	92	112	92	65
		F.	1,420	17	5	5	10	17	54	83	105	68	62
41	Diabetes	M.	2,134	7	5	7	11	8	38	38	56	73	55
		F.	2,263	5	1	5	5	4	20	52	65	48	57
42	Anemia, leukemia	M.	925	92	24	9	9	3	137	32	19	42	42
		F.	1,242	89	18	11	10	6	134	25	31	50	71
43	Alcoholism	M.	1,818	.....	.....	.....	.....	.....	.....	3	4	5	28
		F.	288	.....	.....	.....	1	.....	1	.....	1	2	17
44	Chronic poisonings	M.	185	1	.....	.....	.....	.....	1	.....	.....	2	6
		F.	79	.....	.....	1	.....	.....	1	.....	.....	1	3
45	Other general diseases	M.	288	55	11	7	4	1	78	13	6	8	13
		F.	440	27	13	7	6	5	58	6	11	17	23

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905.

AGE—continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,438	24,506	26,296	25,143	25,948	26,671	27,054	31,026	32,037	31,343	27,928	19,889	10,841	3,601	1,158	1,043	1
12,743	13,448	15,061	14,637	15,229	15,339	15,048	16,853	16,787	15,868	13,874	9,569	4,897	1,437	392	685	2
11,695	11,058	11,235	10,506	10,719	11,332	12,006	14,173	15,250	15,475	14,054	10,320	5,944	2,164	766	358	3
11,841	11,057	10,596	9,471	8,976	8,314	7,586	7,551	6,863	5,510	4,070	2,364	1,047	292	87	227	4
6,023	6,080	5,934	5,310	4,917	4,407	3,798	3,754	3,239	2,442	1,850	1,066	444	110	27	131	5
5,818	5,027	4,662	4,161	4,059	3,907	3,788	3,797	3,624	3,068	2,220	1,298	603	182	60	96	6
824	586	498	352	276	200	143	114	58	56	23	11	2			14	7
455	346	261	192	167	117	102	77	60	39	32	16	6	1		4	
44	41	37	24	30	30	35	45	34	24	27	16	10		1	4	8
42	24	27	25	43	34	31	36	36	19	25	10	6		1	2	
35	22	14	20	15	11	6	2	3	3	1	1			1	2	9
9	16	14	3	6	2	4	1	1								
6	4	9	4	5	7	3	1	1	1	3					3	10
13	10	6	11	6	1	5	3	3	1	2	2				1	
11	9	6	5	1		1									1	11
10	9	7	3	1	1	1	1		1		1					
	2					1				1						12
1	1	2	2			1									2	
25	20	7	15	8	6	7	1		1	1					3	13
35	21	12	7	8	7	3	2	2	2						2	
2			1	1	1			1								14
2			1	1				1							1	
54	65	81	89	115	137	151	229	214	316	324	279	143	44	12	5	15
67	89	81	107	115	151	192	245	356	423	437	385	222	77	28	6	
7	4	10	10	12	15	9	9	12	13	17	18	10	4			16
2	9	4	6	7	10	5	11	20	23	18	11	10	1			
15	6	31	27	26	39	38	61	84	90	93	74	49	11	1	2	17
21	19	26	25	27	61	57	81	104	128	137	101	60	14	4	2	
20	33	40	49	66	56	47	59	51	50	34	27	16	7	1		18
18	18	23	39	34	32	33	35	35	31	40	22	16	6	3		
43	38	40	28	25	15	13	6	2	1	1					1	19
13	12	8	8	10	4	3	4	3		1						
36	50	65	48	59	52	67	55	45	38	28	25	7	2	1	3	20
155	100	84	53	30	42	32	31	28	31	17	8	3		1	4	
4,145	4,191	3,943	3,203	2,673	2,023	1,412	1,111	797	407	235	107	28	5		53	21
4,161	3,330	2,628	1,880	1,289	984	755	638	557	435	237	97	30	6	3	34	
48	49	47	51	48	42	25	27	8	7	5						22
33	40	15	12	16	4	15	2	5	5	1	1					
48	36	30	27	13	11	18	12	5	4	1					2	23
37	22	30	13	10	6	4	7	4	4			1				
78	71	58	82	53	52	30	44	32	9	16	5	2			2	24
135	107	119	61	63	48	46	42	45	22	15	4	3	1		1	
19	23	18	16	11	10	8	7	10	4	4	1	2		1		25
16	16	12	14	14	7	9	5	7	6	1	2	2			1	
2		1	1	4	2	4	4		1							26
3	3		2	5		1		3			1					
10	6	5	8	6	6	2	7	3	3	3	1	1				27
5	10	4	5	7	7	2	5	1	1	2						
26	24	19	28	27	17	14	12	13	6	9	2	3	1			28
23	15	21	15	21	10	17	11	8	3	5	6	3			1	
70	44	45	34	31	18	18	17	14	3	3	1				1	29
59	39	41	36	20	19	11	17	13	7	5	2				1	
1	1		2				1	2								30
1			2	1	1		1	2			1		1		1	
39	55	49	43	50	49	25	21	17	5	4	2				1	31
38	41	29	25	23	12	8	6	3	4	3					1	
5	10	22	35	55	72	85	88	92	84	44	29	8	3	1	2	32
1	2	4	10	8	14	13	23	22	22	14	5	3	1	1		
21	72	135	276	413	513	622	672	657	492	295	142	45	6	1	5	33
39	71	161	276	386	529	567	679	659	580	355	154	49	8	1	5	
23	32	55	78	94	116	141	158	156	121	75	34	7	1		1	34
29	35	79	138	157	192	191	199	212	176	93	50	19	3	2	3	
68	178	304	438	591	547	499	377	267	173	100	49	13	4		6	35
			1	3		2	1	3	3	1						36
12	59	136	165	251	226	259	256	201	167	133	74	34	10	2	5	
2	3	14	22	26	39	49	56	64	72	93	58	23	10	3		37
3	5	5	6	8	19	11	29	35	46	42	27	18	17	2	1	
45	73	104	136	181	242	260	331	317	236	206	109	47	8	2	4	38
42	89	157	224	290	336	357	346	329	258	205	109	44	10	5	7	
3	3	3	11	12	14	12	12	12	12	9	5	3	1			39
12	22	25	24	38	31	28	36	41	38	24	15	6				
61	68	62	89	86	84	82	88	114	94	97	37	13	1	1	2	40
69	74	71	58	69	77	116	107	109	115	77	62	28	12	4		
77	86	90	107	124	212	229	286	262	190	132	56	15	3	1	4	41
54	57	77	89	149	213	278	330	322	234	142	52	19	3	1	1	
27	34	57	50	72	86	80	76	58	46	38	17	7	3		2	42
63	49	91	90	107	95	94	106	93	58	48	22	7	4	1	3	
121	234	300	291	263	200	124	107	76	28	16	2	2			14	43
25	41	49	50	37	26	11	14	12	1	1						
16	19	16	23	25	15	18	17	16	7	3	1					44
7	12	7	6	4	7	4	8	4	6	4	5					
14	16	23	24	8	15	17	17	6	15	8	6	1				45
40	36	42	40	40	35	22	26	21	9	4	4	1	3	1	1	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
46	II.—Diseases of nervous system	61,556	10,017	2,530	1,346	837	583	15,313	1,930	1,127	1,091	1,037
47	Males	32,950	5,780	1,357	727	440	317	8,621	1,012	599	635	576
48	Females	28,606	4,237	1,173	619	397	266	6,692	918	528	456	461
49	Encephalitis	M. 247	75	33	17	5	5	135	7	6	6	11
		F. 218	55	15	15	2	2	89	14	7	7	11
50	Meningitis	M. 6,461	1,739	845	503	333	249	3,666	739	390	381	253
		F. 5,193	1,300	722	420	288	195	2,925	717	358	247	176
51	Locomotor ataxia	M. 652								2		3
		F. 231		1				1	1	1	1	2
52	Other diseases of spinal cord	M. 939	45	24	13	9	4	95	20	9	19	24
		F. 785	48	17	9	12	7	93	18	13	11	16
53	Apoplexy	M. 12,336	289	51	22	15	8	385	30	22	41	63
		F. 12,054	196	51	19	14	8	288	31	26	36	78
54	Softening of brain	M. 598	1	1				2				1
		F. 444		1				1				3
55	Paralysis	M. 2,819	28	10	12	3	2	55	12	8	13	18
		F. 3,162	20	11	6	2	5	44	8	15	8	21
56	General paralysis of insane	M. 1,676							1		3	4
		F. 774								2	3	3
57	Other forms of mental disease	M. 489									2	12
		F. 550					1	1			8	18
58	Other diseases of brain	M. 834	102	27	15	7	5	156	37	23	29	48
		F. 602	63	22	13	10	6	114	25	22	25	24
59	Epilepsy	M. 819	42	12	12	8	2	76	25	32	63	76
		F. 548	35	3	2	1	4	45	15	25	43	44
60	Convulsions	M. 3,692	3,065	314	114	48	34	3,575	51	4	6	5
		F. 2,985	2,266	297	119	46	28	2,756	52	11	26	36
61	Tetanus	M. 725	298	6	2	3	7	316	59	75	39	25
		F. 308	192	3	3	2	5	205	15	20	3	8
62	Other diseases of nervous system	M. 663	96	34	17	9	4	160	31	28	33	33
		F. 752	62	30	13	20	5	130	22	28	38	21
63	III.—Diseases of circulatory system	58,503	1,191	116	93	78	99	1,577	673	909	1,034	1,104
64	Males	30,775	669	55	53	36	58	871	294	365	491	519
65	Females	27,728	522	61	40	42	41	706	379	544	543	585
66	Pericarditis	M. 340	10	3	4		4	21	10	11	14	11
		F. 254	3	4	2	3	2	14	11	13	13	14
67	Endocarditis	M. 2,066	36	12	10	5	11	74	60	38	60	56
		F. 2,199	44	7	5	4	13	73	86	82	93	69
68	Heart disease	M. 23,304	405	27	23	22	35	512	209	298	391	407
		F. 21,419	321	38	22	30	22	433	260	425	398	421
69	Angina pectoris	M. 1,358	1	2				3	1	3	5	2
		F. 923	2					2	7	4	9	16
70	Diseases of arteries	M. 2,539	2	1	1			4		1	6	8
		F. 1,606	3					3	2	1	2	5
71	Embolism and thrombosis	M. 616	17	2	2		1	22	2	2	6	9
		F. 801	13		4	1	1	19	5	7	18	34
72	Diseases of veins	M. 91	2		1	1	1	5		1		3
		F. 136	3	1		1		5		1	1	2
73	Diseases of lymphatics	M. 35	7	4	6	1	1	19	1			
		F. 38	10	3	1	1		15	3	1		1
74	Other diseases of circulatory system	M. 426	189	4	6	7	5	211	11	11	9	23
		F. 352	123	3	6	2	3	142	5	10	9	23
75	IV.—Diseases of respiratory system	69,445	16,512	6,043	2,282	1,063	661	26,561	1,410	656	1,205	1,674
76	Males	37,441	9,314	3,145	1,174	530	333	14,496	700	309	611	969
77	Females	32,004	7,198	2,898	1,108	533	328	12,065	710	347	594	705
78	Laryngitis	M. 144	25	20	16	10	10	81	25	2	3	4
		F. 114	19	9	16	14	6	64	17	4	4	
79	Other diseases of larynx	M. 218	65	25	19	12	9	130	20	4	1	4
		F. 134	42	19	10	12	7	90	16		1	2
80	Diseases of thyroid body	M. 24	4					4	1	1	2	
		F. 86	4					4	1		4	3
81	Acute bronchitis	M. 3,399	2,238	478	143	54	28	2,941	25	10	3	11
		F. 3,199	1,748	467	156	59	33	2,463	46	13	14	10
82	Chronic bronchitis	M. 2,110	69	33	9	4	4	119	29	11	8	32
		F. 2,601	57	28	12	2	4	103	34	14	36	34
83	Bronchopneumonia	M. 5,917	2,622	1,101	361	152	79	4,315	130	27	25	50
		F. 5,691	2,122	1,013	363	140	87	3,725	141	34	41	44
84	Pneumonia	M. 21,820	3,803	1,385	567	269	177	6,201	412	204	492	751
		F. 17,248	2,840	1,276	510	285	167	5,078	412	250	420	522
85	Pleurisy	M. 978	48	43	22	11	7	131	29	28	38	53
		F. 649	30	36	22	11	10	109	25	13	28	31
86	Congestion of lungs	M. 1,155	348	39	21	12	9	429	16	9	11	13
		F. 1,142	276	37	14	9	6	342	8	10	26	18
87	Gangrene of lungs	M. 120	1	1		1		3	2	3	1	4
		F. 54	1		1			2		1		5
88	Asthma and emphysema	M. 680	14	6	4	1	4	29	2	4	1	7
		F. 605	13	3	1		3	20	2		5	9
89	Hemorrhage of lungs	M. 467	27		1		4	32	1	3	12	25
		F. 240	16	1				17		2	4	16
90	Other diseases of respiratory system	M. 409	50	14	11	4	2	81	8	3	14	15
		F. 241	30	9	3	1	5	48	8	6	11	11

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,099	1,313	1,753	2,139	2,692	3,221	3,629	4,568	5,124	5,423	4,806	3,230	1,519	360	79	103	46
630	756	1,033	1,235	1,577	1,798	1,920	2,438	2,667	2,739	2,300	1,520	668	138	27	61	47
469	557	720	904	1,115	1,423	1,709	2,130	2,457	2,684	2,506	1,710	851	222	52	42	48
7	7	8	9	9	4	13	5	5	7	3	4	1				49
3	13	10	9	4	4	7	11	5	7	9	5	1			2	
199	179	136	116	101	88	61	66	36	33	9	5	1			2	50
126	116	98	114	63	59	52	46	35	14	24	17		2		4	
7	16	27	67	83	96	82	91	71	59	26	19	3				51
5	5	13	12	25	29	37	26	33	27	11	1	1				
23	40	33	56	61	74	87	111	112	81	61	24	6		1	2	52
26	27	46	35	48	54	73	64	89	65	67	28	9	2	1		
114	176	330	441	710	944	1,114	1,519	1,706	1,748	1,460	975	418	89	22	29	53
94	141	245	400	590	867	1,061	1,374	1,574	1,758	1,640	1,109	551	137	29	25	
6	14	10	18	25	35	39	64	82	106	102	53	31	8		2	54
1	8	7	8	14	24	33	59	67	67	70	54	24	4			
27	44	55	78	103	152	222	301	367	455	403	317	147	33	3	6	55
21	26	43	89	115	169	213	319	420	523	485	377	187	57	18	4	
22	78	194	230	250	182	130	122	119	119	116	64	29	5		8	56
15	34	56	58	68	48	67	68	72	93	85	56	39	5	1	1	
24	30	38	43	56	57	40	42	42	46	31	15	7	2		2	57
29	38	51	41	52	44	44	44	67	43	31	22	13	4			
54	44	63	53	81	51	50	32	43	19	29	13	7	1		1	58
26	43	43	36	40	43	29	29	27	27	22	15	6	4	1	1	
72	61	74	59	52	48	33	37	39	22	27	11	5		1	6	59
49	39	55	42	35	33	28	32	21	11	17	5	6	1		2	
4	12	4	4	5	6	4	1	2	1	2	2	2			2	60
29	24	10	12	6	3	3	6	4	1	2	2			1	1	
37	28	28	25	16	26	16	14	12	4	4	1					61
9	6	7	10	6	7	3	4	2	2		1					
34	27	33	36	25	35	29	33	31	39	27	17	11			1	62
36	37	36	38	49	39	59	48	41	46	43	18	14	6	1	2	
1,460	1,791	2,481	2,817	3,470	4,118	4,820	6,178	6,822	6,892	6,100	3,809	1,774	448	123	103	63
689	909	1,347	1,461	1,869	2,315	2,682	3,349	3,682	3,612	3,180	1,979	847	203	44	67	64
771	882	1,134	1,356	1,601	1,803	2,138	2,829	3,140	3,280	2,920	1,830	927	245	79	36	65
18	20	25	21	23	17	25	26	29	30	21	12	4	2			66
13	8	23	15	17	14	16	18	29	11	11	8	4			2	
89	87	121	141	133	158	186	214	186	186	151	72	45	4	4	1	67
99	84	119	114	121	117	155	215	207	216	167	111	48	17	6		
503	689	1,043	1,109	1,414	1,783	2,048	2,577	2,867	2,785	2,380	1,473	588	138	28	62	68
555	671	851	1,080	1,287	1,489	1,713	2,245	2,473	2,548	2,284	1,385	659	160	53	29	
8	31	46	47	90	126	191	206	201	181	126	62	20	7	1	1	69
26	31	37	39	49	58	91	117	118	133	95	59	25	3	1	3	
17	33	59	80	139	153	156	244	320	356	420	309	175	47	11	1	70
11	10	21	26	38	49	90	138	198	287	267	216	162	60	19	1	
31	28	33	35	42	55	52	59	54	60	67	45	8	4		2	71
31	47	46	51	62	54	55	71	79	76	76	41	24	4			
	1	4	9	13	4	11	7	15	5	7	3	2	1			72
8	7	9	11	10	13	13	15	19	2	11	6	3				
2	2	1	1	1		3	3	2								73
1	2	1	2	2	2			5	1	1	1					
21	18	15	18	14	19	10	13	8	9	8	3	5				74
27	22	27	18	14	7	5	10	12	6	8	3	2	1		1	
1,991	2,223	2,783	2,629	2,701	2,929	3,031	3,568	3,798	3,925	3,587	2,575	1,462	485	152	100	75
1,217	1,399	1,840	1,780	1,769	1,769	1,724	1,853	1,779	1,766	1,516	1,081	579	172	51	61	76
774	824	943	849	932	1,160	1,307	1,715	2,019	2,159	2,071	1,494	883	313	101	39	77
3	1		2	3	5	3	2	4	2	1	2		1			78
4	2	3	1	2	2	2	2	1	2	2		2				
7	6	4	5	6	7	5	6	6	2	4	1					79
1		4	2	2	4	1	3	1	5	1	1					
2		1	3	1	1		2	3	3							80
4	5	8	7	5	10	2	17	6	3	4	2	1				
14	12	16	12	18	19	27	32	33	57	52	60	34	14	4	5	81
9	12	9	10	15	24	33	48	73	91	113	106	65	32	10	3	
26	29	48	62	63	78	147	190	233	287	296	249	148	37	14	4	82
47	34	42	43	58	83	137	190	318	361	401	342	212	78	30	4	
50	58	93	88	95	94	107	113	142	139	155	128	72	22	9	5	83
47	51	63	62	61	72	131	173	209	242	249	180	108	49	9		
939	1,126	1,446	1,395	1,360	1,285	1,189	1,252	1,093	1,029	785	482	250	76	17	36	84
556	617	697	605	663	806	846	1,096	1,187	1,181	1,048	694	385	118	41	26	
66	65	81	76	80	70	52	51	54	43	29	18	8	3		3	85
46	29	30	37	36	40	33	34	43	42	42	17	9	3	1	1	
26	18	39	31	40	53	55	61	61	71	90	72	41	13	3	3	86
23	22	28	23	22	44	49	48	78	104	108	98	60	24	7		
7	9	9	11	13	14	11	14	6	7	3	1	2				87
4	7	3	7	4	3	6	4	4	2	2						
8	14	21	29	26	70	66	70	96	89	86	44	12	3	2	1	88
12	20	8	18	37	42	45	68	68	91	73	40	32	2	1	2	
44	44	51	42	40	34	35	30	20	23	10	11	6	2	1	1	89
12	13	20	17	17	18	12	22	20	22	12	9	4	2		1	
25	17	31	24	24	39	27	30	28	14	5	13	6	1	1	3	90
9	12	18	17	10	12	10	10	11	13	16	5	5	5	2	2	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91	V.—Diseases of digestive system		68,940	30,631	6,099	1,329	565	393	39,017	1,194	1,032	1,149	1,475
92	Males		36,533	16,893	3,336	691	321	221	21,462	590	570	580	671
93	Females		32,407	13,738	2,763	638	244	172	17,555	604	462	569	804
94	Diseases of mouth	M	114	88	3	2	2		95	6	1	2	
		F	118	79	8	5	1		93	3		1	
95	Tonsilitis	M	139	13	16	5	10	11	55	24	12	4	6
		F	131	15	6	14	6	10	51	35	9	8	7
96	Other diseases of pharynx	M	208	41	12	6	2	1	62	8	2	4	2
		F	116	23	6	5	3	4	41	6	5	4	2
97	Ulcer of stomach	M	615	1	1			1	3	2		15	15
		F	479	5		1	2		8	4	2	17	35
98	Gastritis	M	1,672	386	74	28	16	10	514	26	9	10	24
		F	1,913	340	57	21	16	9	443	34	14	18	52
99	Other diseases of stomach	M	1,299	556	44	19	7	8	634	17	6	6	11
		F	1,147	436	34	12	12	4	498	16	5	13	10
100	Dentition	M	121	80	36	4		1	121				
		F	88	49	34	4	1		88				
101	Diarrhea and enteritis	M	21,091	15,062	3,043	538	210	126	18,979	175	53	45	49
		F	18,308	12,393	2,534	513	153	86	15,679	158	37	54	75
102	Hernia	M	691	79	7	4	2		92	3	2	2	20
		F	722	13	2	2	1		18	3	1	2	1
103	Obstruction of intestines	M	1,635	312	44	30	25	18	429	49	42	56	74
		F	1,584	190	27	19	12	12	260	35	31	31	82
104	Other diseases of intestines	M	558	108	18	9	6	6	147	18	14	14	23
		F	503	86	11	6	2	6	111	11	6	16	21
105	Acute yellow atrophy of liver	M	66	8					8			2	2
		F	81	4	1				5		1	4	8
106	Hydatid tumors of liver	M	11										2
		F	3										2
107	Cirrhosis of liver	M	3,313	5	3	4	1	2	15	7	3	12	23
		F	1,681	3	3	3	1	3	13	8	4	9	17
108	Biliary calculi	M	263							1		1	3
		F	620	1					1	1		1	6
109	Other diseases of liver	M	1,126	51	11	8	11	3	84	11	8	26	33
		F	1,163	46	9	8	5	5	73	20	18	15	31
110	Diseases of spleen	M	42							1	1	3	3
		F	48	1	1	1	4		7	1	1	3	2
111	Peritonitis	M	1,144	92	21	25	16	18	172	50	78	89	76
		F	1,961	48	28	14	11	13	114	76	93	140	263
112	Appendicitis	M	2,372	8	3	9	13	16	49	192	339	289	304
		F	1,696	6	2	10	14	20	52	193	234	232	185
113	Other diseases of digestive system	M	53	3					3				1
		F	51								1	1	5
114	VI.—Diseases of genito-urinary system		41,361	582	159	147	120	96	1,104	340	318	639	1,196
115	Males		22,531	355	86	80	52	46	619	173	135	218	425
116	Females		18,830	227	73	67	68	50	485	167	183	421	771
117	Acute nephritis	M	1,858	112	35	34	22	16	219	73	34	60	99
		F	1,707	74	24	35	29	22	184	72	60	76	114
118	Bright's disease	M	17,644	180	42	40	27	28	317	87	92	147	294
		F	13,987	119	44	29	35	27	254	85	106	236	375
119	Other diseases of kidneys	M	554	31	3	3	2	2	41	5	4	8	11
		F	352	22	3	3	3		31	5	5	8	17
120	Calculi of urinary tract	M	141	3	3		1		7	7	2	3	6
		F	52		1				1			1	2
121	Diseases of bladder	M	1,079	18	1	3			22	1	2		5
		F	178	6			1		7	1		3	2
122	Uterine tumor	F	611					1	1		1		6
123	Other diseases of uterus	F	682		1				1	1	7	37	91
124	Ovarian tumor	F	440							1	1	5	23
125	Diseases of tubes	F	692								1	55	129
126	Other diseases of genito-urinary system	M	1,255	11	2				13		1		10
		F	129	6					6	1	2		12
127	VII.—Childbirth		5,077								8	381	1,057
128	Puerperal septicemia	F	2,399								4	199	548
129	Puerperal convulsions	F	981								3	102	237
130	Other causes incident to childbirth	F	1,787								1	80	272
131	VIII.—Diseases of skin		2,406	305	40	25	10	13	393	25	15	27	40
132	Males		1,356	169	20	13	4	6	212	13	8	17	26
133	Females		1,050	136	20	12	6	7	181	12	7	10	14
134	Gangrene	M	840	15	5	7	2	2	31	6	3	3	6
		F	678	15	3	7	4	4	33	5	4	1	4
135	Carbuncle	M	106	17	1				18	1		2	3
		F	36	7	2	1	2		12	1			
136	Abscess	M	241	41	7	6	2	3	59	6	5	12	16
		F	191	51	11	2		3	67	5	3	8	9
137	Other diseases of skin	M	169	96	7			1	104				1
		F	145	63	4	2			69	1		1	1

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,643	1,651	1,948	1,970	2,138	2,168	2,220	2,456	2,516	2,222	1,890	1,288	654	194	52	63	91
782	771	977	1,056	1,159	1,220	1,216	1,305	1,291	1,032	893	551	277	79	19	32	92
861	880	971	914	979	948	1,004	1,151	1,225	1,190	997	737	377	115	33	31	93
	2			1		1	1	2		1	1		1			94
4	2	1		3	1	3	2	2	1	1				1		
7	7	1	2	7	2	3	2	3		3		1				95
4	3	2				3	1	2	4		1			1		
5	5	8	9	8	12	12	20	15	13	12	8	2	1			96
2	8	4	1	2	3	2	4	11	7	3	6	1	3		1	
31	41	51	72	79	54	70	39	49	37	34	17	4	1		1	97
36	32	46	45	33	37	37	32	39	34	21	12	4	2		3	
32	47	50	62	70	81	94	131	110	132	125	81	52	15	3	4	98
52	53	55	68	63	79	100	139	160	170	168	152	64	20	5	4	
24	25	39	41	41	53	46	61	71	63	70	47	27	11	2	4	99
20	28	28	27	27	45	34	43	55	71	76	85	42	18	3	3	
																100
74	62	90	80	90	104	146	182	195	224	230	168	103	29	8	5	101
62	95	97	102	117	125	141	225	263	305	296	241	161	53	14	8	
9	18	35	33	36	51	48	67	83	65	50	46	20	5	3	3	102
9	13	37	53	84	69	86	81	93	75	53	30	12	2			
69	70	74	69	82	90	100	82	110	94	83	34	16	4		8	103
84	81	98	80	97	87	98	116	127	105	84	54	23	6	2	3	
25	22	23	32	15	20	23	43	40	27	31	21	14	3	2	1	104
33	30	33	22	33	24	29	14	25	23	31	24	13	3		1	
6	5	7	6	4	6	8	1	3	5	1	2					105
9	7	8	3	6	8	5	4	5	4	3	1					
1		4	1	2			1									106
									1							
79	141	246	341	410	473	386	416	368	209	122	44	12	3		3	107
40	86	126	151	193	177	178	187	168	160	98	41	13	6	2	4	
5	8	12	12	22	31	47	33	36	17	17	12	4	2			108
18	25	43	47	61	79	78	71	81	51	31	19	7				
50	42	80	75	83	101	111	97	106	81	65	51	17	2	1	2	109
27	43	63	76	91	90	107	117	117	108	87	51	25	2	2		
4	4	3	2	2	2	2	3	4	4	3	1					110
4	4	5	4	5	4	2	3		3							
86	53	82	76	68	58	59	61	52	40	23	14	5	2			111
268	241	207	142	93	59	49	65	51	47	26	11	10		2	4	
272	214	163	136	131	78	55	63	41	19	22	4				1	112
186	126	113	86	68	58	48	39	24	19	15	9	2		1		
3	5	9	7	8	4	5	2	3	2	1						113
3	3	5	7	3	3	4	8	2	2	4						
1,731	2,059	2,441	2,655	3,081	3,419	3,622	4,231	4,217	3,925	3,295	1,895	860	223	55	55	114
623	875	1,094	1,273	1,623	1,886	2,104	2,484	2,524	2,449	2,065	1,207	560	135	29	30	115
1,108	1,184	1,347	1,382	1,458	1,533	1,518	1,747	1,693	1,476	1,230	688	300	88	26	25	116
119	134	137	135	149	141	138	110	117	87	54	30	15	4	1	2	117
150	144	148	123	120	93	117	88	73	63	37	32	8	1		4	
471	678	870	1,060	1,377	1,632	1,801	2,038	2,039	1,879	1,519	804	365	84	16	24	118
564	644	791	882	1,031	1,256	1,278	1,541	1,519	1,326	1,106	609	271	76	23	14	
15	26	43	29	38	30	37	53	52	59	44	36	16	3	2	2	119
22	33	32	32	22	24	24	22	20	15	22	10	2	4	1	1	
6	8	7	7	6	7	11	20	12	12	12	7	1				120
	4	4	3	4	6	5	7	7	2	3	2	1				
4	12	18	22	26	37	52	85	130	179	200	157	92	30	5		121
11	5	6	4	7	7	6	12	13	24	33	19	12	5	1		
21	48	106	118	115	64	44	33	21	15	12	3	3				122
113	97	86	91	70	34	10	11	12	7	3	4		2		4	123
41	55	54	54	49	30	29	29	23	21	13	8	3			1	124
160	134	101	63	32	12	2	1			1					1	125
8	17	19	20	27	39	65	128	174	233	236	173	71	14	5	2	126
26	20	19	12	8	7	3	3	5	3		1			1		
1,227	1,094	889	366	46	2										7	127
581	470	357	128	17	2										3	128
236	189	142	66	6												129
410	435	390	172	23											4	130
40	49	57	67	86	96	112	147	228	249	311	247	149	55	8	5	131
30	35	39	43	42	52	62	87	109	150	181	140	77	29	3	1	132
10	14	18	24	44	44	50	60	119	99	130	107	72	26	5	4	133
10	14	19	23	16	25	45	53	78	119	162	125	72	27	2	1	134
6	4	4	10	26	31	30	42	97	87	113	87	63	25	5	1	
6	4	5	4	9	5	5	14	14	7	5	3		1			135
			2	3	3	3	4	3	1	3	1					
12	15	15	10	12	16	7	15	12	13	7	7	1		1		136
4	7	8	9	9	7	11	9	10	6	5	6	4	1		3	
2	2		6	5	6	5	5	5	11	7	5	4	1	0		
	3	6	3	6	3	6	5	9	5	9	13	5				137

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
138	IX.—Diseases of locomotor system		1,036	240	110	50	28	18	446	68	58	32	38
139	Males		627	143	62	29	15	11	260	45	38	22	29
140	Females		409	97	48	21	13	7	186	23	20	10	9
141	Diseases of bones	M	563	136	62	29	15	11	253	42	35	16	26
		F	366	94	47	21	13	6	181	23	20	9	9
142	Diseases of joints	M	36	5					5	1	1	3	2
		F	30	2	1			1	4				
143	Other diseases of locomotor system	M	28	2					2	2	2	3	1
		F	13	1					1			1	
144	X.—Malformations		4,588	4,299	123	44	30	15	4,511	41	14	8	7
145	Males		2,624	2,472	65	22	18	7	2,584	23	8	6	2
146	Females		1,964	1,827	58	22	12	8	1,927	18	6	2	5
147	Hydrocephalus	M	305	221	40	14	11	3	289	10	2	2	1
		F	194	137	29	8	5	4	183	5	1	1	3
148	Congenital malformation of heart (cyanosis)	M	1,580	1,537	15	7	3	2	1,564	7	6	3	
		F	1,126	1,074	18	7	4	3	1,106	11	5	1	1
149	Other congenital malformations	M	739	714	10	1	4	2	731	6		1	1
		F	644	616	11	7	3	1	638	2			1
150	XI.—Diseases of early infancy		23,617	23,617					23,617				
151	Males		13,344	13,344					13,344				
152	Females		10,273	10,273					10,273				
153	Premature birth	M	6,232	6,232					6,232				
		F	4,870	4,870					4,870				
154	Congenital debility	M	7,112	7,112					7,112				
		F	5,403	5,403					5,403				
155	XII.—Old age		12,301										
156	Males		5,306										
157	Females		6,995										
158	XIII.—Violence		37,778	3,148	638	611	538	431	5,366	1,563	1,250	2,022	3,250
159	Males		28,783	1,874	364	351	294	233	3,116	1,064	1,049	1,597	2,671
160	Females		8,995	1,274	274	260	244	198	2,250	499	201	425	579
161	Suicide	M	4,121								11	91	322
		F	1,317								7	135	212
162	Fractures and dislocations	M	1,621	7	4	4	5	12	32	53	54	73	107
		F	918	9	9	5	5	2	30	9	7	10	10
163	Burns and scalds	M	1,177	47	145	174	132	71	569	90	20	32	49
		F	1,669	34	100	118	136	124	512	216	52	63	87
164	Heat and sunstroke	M	609	103	21	4	5	5	138	7	4	12	22
		F	272	89	12	4	5	1	111	4	2	8	7
165	Cold and freezing	M	184	4	1		1		6	1		4	9
		F	44	9	1	1		1	12			1	
166	Lightning	M	63					1	1	5	3	11	8
		F	17							4	2	1	4
167	Drowning	M	3,085	12	25	28	24	28	117	283	361	373	356
		F	304	11	22	8	7	6	54	29	28	50	22
168	Inhalation of poisonous gases	M	877	12	11	4	3	4	34	20	14	35	84
		F	429	8	4	4	6	4	26	16	17	34	40
169	Other accidental poisonings	M	759	77	60	44	28	20	229	37	13	17	26
		F	510	46	57	42	23	12	180	24	10	16	40
170	Accidental gunshot wounds	M	727	1	2	4	2	2	11	28	94	131	99
		F	96	1	1	2	3	3	10	5	9	13	15
171	Injuries by machinery	M	340					1	1	3	9	30	62
		F	8							1	1	1	1
172	Injuries in mines and quarries	M	489				1		1	1	1	39	84
		F	2							1			
173	Railroad accidents and injuries	M	5,285	2	8	22	18	21	71	201	179	320	698
		F	446	2	10	9	9	12	42	62	16	27	25
174	Injuries by vehicles and horses	M	1,029	3	9	12	17	14	55	121	59	54	58
		F	139	2	4	13	7	3	29	30	5	2	4
175	Suffocation	M	366	184	7	4	3	1	199	6	9	11	12
		F	182	139	3	2	5	2	151	1	1	1	1
176	Other accidental injuries	M	5,560	97	69	51	53	53	323	201	203	290	457
		F	1,427	49	48	49	35	26	207	84	35	32	39
177	Injuries at birth	M	1,306	1,306					1,306				
		F	860	860					860				
178	Homicide	M	1,185	19	2		2		23	7	15	74	218
		F	355	15	3	3	3	2	26	13	9	31	72
179	XIV.—Ill-defined causes		13,662	6 571	898	186	77	58	7,790	114	74	82	138
180	Males		7,113	3,526	470	99	34	32	4,161	60	37	35	60
181	Females		6,549	3,045	428	87	43	26	3,629	54	37	47	78
182	"Dropsy"	M	442	10	4		2		16	6	4	7	8
		F	560	14	4	3	1	1	23	4	7	7	7
183	"Heart failure"	M	1,082	112	11	5	7	8	143	17	7	12	19
		F	842	86	4	2	1	3	96	13	9	8	19
184	Other ill-defined causes	M	4,868	3,017	433	88	22	21	3,581	31	21	8	23
		F	4,634	2,651	398	77	36	17	3,179	30	19	25	39
185	Unknown causes	M	721	387	22	6	3	3	421	6	5	8	10
		F	513	294	22	5	5	5	331	7	2	7	13

CAUSE AND CLASS OF CAUSES, BY SEX AND AGE: 1905—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	30	38	34	34	34	31	38	50	34	19	16	6				138
18	16	26	22	21	20	20	22	30	19	9	8	2				139
12	14	12	12	13	14	11	16	20	15	10	8	4				140
15	15	20	18	16	18	19	19	24	14	6	5	2				141
10	12	12	9	9	11	8	11	18	11	6	5	2				
2	1	3	2	3	2		1	6	2	1	1					142
2	2		3		2	2	5	2	1	2	3	2				
1		3	2	2		1	2		3	2	2					143
				4	1	1			3	2						
2	1	1		1						1					1	144
1																145
1	1	1		1						1					1	146
1																147
	1															
1		1														148
																149
				1						1					1	
																150
																151
																152
																153
																154
							219	545	1,481	2,321	3,301	2,635	1,266	514	19	155
							89	252	657	1,058	1,474	1,138	467	166	5	156
							130	293	824	1,263	1,827	1,497	799	348	14	157
3,180	3,004	3,060	2,716	2,421	1,994	1,587	1,569	1,271	1,052	867	665	442	159	49	291	158
2,650	2,547	2,649	2,309	2,093	1,668	1,305	1,203	893	677	486	306	174	56	12	258	159
530	457	411	407	328	326	282	366	378	375	381	359	268	103	37	33	160
382	423	462	458	447	393	323	279	216	139	80	46	22	2		25	161
194	155	132	120	101	89	38	54	36	13	15	7	4	1		4	
111	131	137	147	139	93	73	80	70	85	73	70	58	21	5	9	162
4	8	15	14	10	22	27	51	63	124	135	163	137	57	20	2	
62	61	48	57	37	37	25	21	16	20	16	13	1		2	1	163
97	79	63	64	58	69	47	66	53	49	45	26	16	3	2	2	
33	41	56	62	53	36	33	30	24	21	19	8	5	3		2	164
6	6	10	10	4	8	7	19	16	11	17	14	7	2	3		
9	6	11	10	15	19	23	27	13	10	6	9	1	1		4	165
	4	1	1	1	1	2	6	4	2	2	5		1	1		
8	4	5	3	6	3	2	3						1			166
	2	1	1		1	1										
265	217	265	205	177	139	90	66	55	30	13	8	2	1		62	167
19	19	12	11	12	8	6	7	7	8	2	3	1			6	
68	96	98	87	78	57	49	37	31	28	16	10	7	2		26	168
39	26	22	34	23	16	18	21	20	22	20	15	6	2		12	
32	54	60	67	53	30	36	27	31	19	12	6	4			6	169
33	27	33	26	23	22	18	16	21	9	9	1	2				
60	56	55	46	40	35	23	20	9	6	3	1	1			9	170
10	10	8	9	1	1	1	2	2								
42	39	26	34	27	23	21	12	4	5	1					1	171
1				1						1	1					
87	76	60	45	41	18	14	8	6	3	1					4	172
1																
688	556	595	453	387	292	218	214	149	92	56	27	19	1	1	68	173
27	20	22	26	17	27	31	23	27	24	13	14	2			1	
73	87	86	87	73	64	44	60	39	30	23	10	4	2			174
4	10	3	4	6	3	9	6	8	7	6	3					
18	21	16	12	12	20	9	6	6	2	2	2	1			2	175
1	1	2	3	1	3	4	2	4	2	3	1					
472	509	499	449	448	370	298	296	215	181	158	94	48	22	4	23	176
42	48	49	63	50	46	67	89	116	102	111	105	93	37	11	1	
																177
240	170	170	87	60	39	24	17	9	6	7	2	1			16	178
52	42	38	21	20	10	6	4	1	2	2	1				5	
194	234	249	279	302	376	416	501	603	630	661	499	293	119	39	69	179
80	110	122	148	159	204	217	269	321	325	336	237	131	48	14	39	180
114	124	127	131	143	172	199	232	282	305	325	262	162	71	25	30	181
10	17	15	22	28	27	26	32	45	60	51	42	14	7	2	3	182
21	18	20	22	23	36	40	54	68	50	66	49	27	13	3	2	
21	44	43	53	60	73	88	107	112	102	89	59	22	6	1	4	183
30	27	38	32	39	51	61	64	83	100	74	47	35	14	1	1	
32	36	43	51	47	76	81	97	134	146	182	131	92	34	11	11	184
52	68	58	65	66	78	97	104	119	145	167	155	98	43	18	9	
17	13	21	22	24	28	22	33	30	17	14	5	3	1		21	185
11	11	11	12	15	7	1	10	12	10	18	11	2	1	3	18	

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905.

CONNECTICUT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	16,289	3,147	537	262	162	130	411	625	1,187	1,290	1,408	1,563	1,988	2,077	1,215	207	80
I.—General diseases	4,067	260	135	88	53	63	167	261	568	534	501	456	438	340	158	26	19
Typhoid fever	214	1	.....	4	5	.....	7	34	59	40	37	10	9	7	1	.....	.....
Malarial fever	66	1	4	4	1	2	2	3	5	3	4	7	11	9	8	.....	2
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	53	21	15	9	1	.....	3	.....	1	.....	1	.....	.....	2	.....	.....	.....
Scarlet fever	51	.....	8	3	5	4	20	8	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	73	44	15	4	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	199	15	24	19	18	29	66	21	4	1	2	.....	.....	.....	.....	.....	.....
Croup	38	5	8	6	3	7	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	262	23	5	4	2	2	4	4	7	7	13	30	37	57	50	17	.....
Cholera nostras	11	1	.....	.....	.....	.....	1	.....	.....	2	.....	2	1	2	2	.....	.....
Dysentery	116	20	9	4	.....	.....	7	1	3	2	3	6	23	23	14	1	.....
Erysipelas	51	19	2	.....	.....	.....	.....	.....	1	4	6	8	5	4	2	.....	.....
Other epidemic diseases	4	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	46	4	1	.....	.....	1	1	3	9	8	3	4	7	3	1	.....	1
Tuberculosis of lungs	1,462	33	16	10	4	2	9	134	404	356	223	136	68	52	11	1	3
Tuberculosis of larynx	13	.....	.....	.....	.....	.....	.....	1	2	4	2	2	1	1	.....	.....	.....
Tuberculous meningitis	110	24	22	14	8	11	17	6	2	2	3	.....	.....	.....	1	.....	.....
Abdominal tuberculosis	47	4	.....	1	.....	.....	3	4	15	6	5	6	3	.....	.....	.....	.....
Pott's disease	17	.....	1	1	.....	.....	2	3	2	3	3	1	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	9	1	.....	.....	1	.....	1	1	2	.....	2	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	17	2	.....	1	.....	.....	.....	2	2	2	3	2	1	.....	2	.....	.....
General tuberculosis	24	3	.....	.....	.....	.....	1	7	5	6	.....	1	1	.....	.....	.....	.....
Scrofula	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	30	21	2	.....	.....	.....	.....	.....	2	.....	3	.....	1	1	.....	.....	.....
Cancer of mouth	26	.....	.....	.....	.....	.....	.....	.....	.....	1	6	4	8	6	1	.....	.....
Cancer of stomach and liver	258	.....	.....	.....	.....	.....	1	.....	3	7	43	70	63	55	11	3	2
Cancer of intestines	98	1	.....	.....	.....	.....	.....	.....	3	5	12	19	36	16	6	.....	.....
Cancer of female genital organs	112	.....	.....	.....	.....	.....	.....	1	1	15	32	23	23	11	5	.....	1
Cancer of breast	81	.....	.....	.....	.....	.....	.....	.....	.....	9	13	18	17	14	8	.....	2
Cancer of skin	29	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	3	10	4	4	1
Cancer of other or unspecified organs	147	.....	1	1	.....	1	1	2	3	9	23	25	41	25	14	.....	1
Tumor	13	.....	.....	1	.....	.....	.....	.....	1	.....	3	3	3	2	.....	.....	.....
Rheumatism	83	3	.....	.....	1	1	6	13	6	5	7	8	12	14	7	.....	.....
Diabetes	147	.....	.....	1	.....	.....	3	5	13	9	14	31	45	17	8	.....	1
Anemia, leukemia	57	7	.....	1	.....	.....	.....	4	4	4	7	12	10	5	2	.....	1
Alcoholism	70	.....	.....	.....	.....	.....	.....	.....	5	12	25	18	3	3	.....	.....	4
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3	1	1	.....	.....	.....
Other general diseases	22	2	1	.....	.....	.....	1	2	1	7	2	2	4	.....	.....	.....	.....
II.—Diseases of nervous system	2,217	254	87	64	30	25	84	91	79	89	158	209	335	426	251	26	9
Encephalitis	14	1	.....	.....	.....	.....	1	2	2	.....	3	2	2	.....	1	.....	.....
Meningitis	502	101	64	48	27	23	71	69	35	18	22	9	7	5	1	.....	2
Locomotor ataxia	29	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	10	9	1	.....	.....
Other diseases of spinal cord	53	3	3	1	.....	.....	2	.....	1	6	3	6	8	13	7	.....	.....
Apoplexy	1,046	8	2	3	.....	.....	.....	4	13	23	79	137	250	315	189	21	2
Softening of brain	39	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	6	17	7	1	.....
Paralysis	112	1	2	.....	.....	.....	.....	.....	1	2	5	10	25	40	22	4	.....
General paralysis of insane	79	.....	.....	.....	.....	.....	.....	.....	2	16	16	12	9	11	12	.....	1
Other forms of mental disease	31	.....	.....	.....	.....	.....	.....	.....	4	1	5	7	6	6	2	.....	.....
Other diseases of brain	52	8	1	1	1	1	1	5	4	9	7	5	3	2	3	.....	1
Epilepsy	52	5	2	.....	.....	.....	3	5	10	6	8	4	3	3	1	.....	2
Convulsions	136	105	12	10	1	1	2	.....	2	1	1	1	.....	.....	.....	.....	.....
Tetanus	28	15	.....	.....	.....	.....	3	2	3	2	.....	2	1	.....	.....	.....	.....
Other diseases of nervous system	44	7	1	1	1	.....	1	4	2	2	4	5	5	5	5	.....	1
III.—Diseases of circulatory system	1,977	28	3	2	5	1	27	49	59	103	161	273	438	522	265	35	6
Pericarditis	11	1	.....	.....	.....	.....	2	.....	1	3	.....	1	2	1	.....	.....	.....
Endocarditis	107	3	.....	.....	.....	.....	3	6	6	4	11	13	21	26	12	2	.....
Heart disease	1,538	12	1	1	4	1	19	41	45	87	132	222	357	402	184	24	6
Angina pectoris	83	1	1	.....	.....	.....	.....	1	2	5	8	14	18	25	7	1	.....
Diseases of arteries	156	.....	.....	.....	.....	.....	.....	1	1	.....	3	15	20	54	54	8	.....
Embolism and thrombosis	59	4	.....	.....	.....	.....	2	.....	2	2	4	5	19	14	7	.....	.....
Diseases of veins	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	16	7	1	1	1	.....	1	.....	1	2	1	1	.....	.....	.....	.....	.....
IV.—Diseases of respiratory system	1,879	396	127	36	32	13	34	35	79	126	152	197	247	232	137	28	8
Laryngitis	12	1	2	3	1	1	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
Other diseases of larynx	9	1	1	.....	.....	2	1	.....	.....	.....	1	.....	2	1	.....	.....	.....
Diseases of thyroid body	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
Acute bronchitis	187	111	20	6	4	1	4	1	1	2	2	3	8	4	15	2	3
Chronic bronchitis	150	5	3	.....	.....	.....	.....	2	4	2	6	12	32	44	32	6	2
Bronchopneumonia	254	90	37	7	7	3	5	1	4	6	5	13	19	30	21	5	1
Pneumonia	1,088	160	62	17	20	5	22	28	61	106	116	143	157	121	61	7	2
Pleurisy	49	1	2	.....	.....	.....	2	1	4	4	7	6	13	8	.....	1	.....
Congestion of lungs	78	24	.....	2	.....	1	.....	2	2	2	3	9	6	15	6	6	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Asthma and emphysema	25	1	.....	.....	.....	.....	.....	.....	1	.....	3	6	5	6	2	1	.....
Hemorrhage of lungs	6	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
Other diseases of respiratory system	15	.....	.....	1	.....	.....	.....	.....	1	3	6	2	1	1	.....	.....	.....

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	2,182	1,106	161	37	17	10	33	64	75	89	96	129	134	128	90	13	
Diseases of mouth	8	7			1												
Tonsilitis	6				1	2	2					1					
Other diseases of pharynx	5	1	1						1		1			1			
Ulcer of stomach	35							1	3	4	9	5	4	7	2		
Gastritis	131	34	4	1	1		2	3	4	5	5	9	13	21	23	6	
Other diseases of stomach	84	33	4		1	2			2	3	2	10	7	12	7	1	
Dentition	2	2															
Diarrhea and enteritis	1,313	1,001	149	28	5	2	10	4	11	5	6	11	21	26	28	6	
Hernia	36	1							1	3	5	6	9	8	3		
Obstruction of intestines	97	12	1	4	4		1	5	2	9	7	13	20	9	10		
Other diseases of intestines	31	5		1			1	3		1	3	6	5	5	1		
Acute yellow atrophy of liver	6	1							1	1		2	1				
Hydatid tumors of liver																	
Cirrhosis of liver	149						1	1	4	24	29	39	28	16	7		
Biliary calculi	22								1		3	6	4	7	1		
Other diseases of liver	57		1		1		1	1	6	4	5	14	8	9	7		
Diseases of spleen	2			1					1								
Peritonitis	74	7	1	1	2	3	5	11	15	7	9	1	8	3	1		
Appendicitis	121			1	1	1	10	35	23	23	12	6	6	3			
Other diseases of digestive system	3	2												1			
VI.—Diseases of genito-urinary system	1,159	14	1	2	4	4	10	27	82	95	141	174	248	240	102	12	3
Acute nephritis	117	3	1	1	1	2	2	10	14	18	19	15	17	8	6		
Bright's disease	866	7		1	3	2	7	13	48	54	99	145	203	199	74	8	3
Other diseases of kidneys	20	4							1	4	4	1		2	3	1	
Calculi of urinary tract	8								1	2		2	2	1			
Diseases of bladder	45						1			2	2	3	11	13	10	3	
Uterine tumor	16									3	8	1	1	2	1		
Other diseases of uterus	18							2	10	2	3			1			
Ovarian tumor	11							1	1	3	3	2	1				
Diseases of tubes	14							1	6	4	2	1					
Other diseases of genito-urinary system	44								1	3	1	4	13	14	8		
VII.—Childbirth	152							2	59	73	18						
Puerperal septicemia	58							1	23	27	7						
Puerperal convulsions	33								17	13	3						
Other causes incident to childbirth	61							1	19	33	8						
VIII.—Diseases of skin	81	11			1			2	2	3	4	2	18	18	18	2	
Gangrene	51	1							1	2		2	13	15	15	2	
Carbuncle	3	1												1	1		
Abscess	15	4			1			2	1	1	2		2	2			
Other diseases of skin	12	5									2		3		2		
IX.—Diseases of locomotor system	26	11		1			1	1	1		2	1	2	4	2		
Diseases of bones	22	11		1			1	1	1		2	1	2	2			
Diseases of joints	3													1	2		
Other diseases of locomotor system	1													1			
X.—Malformations	158	147	2	2	4	1	1	1									
Hydrocephalus	17	9	2	1	4	1											
Congenital malformation of heart (cyanosis)	99	97		1				1									
Other congenital malformations	42	41					1										
XI.—Diseases of early infancy	672	672															
Premature birth	402	402															
Congenital debility	270	270															
XII.—Old age	255												13	68	127	46	1
XIII.—Violence	1,212	131	9	28	16	12	53	91	182	165	166	109	102	68	45	10	25
Suicide	160							6	31	26	31	34	19	5	4		4
Fractures and dislocations	106	1					2	4	9	10	9	12	14	17	20	8	
Burns and scalds	76	1	4	12	6	5	4	3	6	12	5	2	7	6	2		1
Heat and sunstroke	26	1		1	1		1		5	4	2	2	4	2	2		1
Cold and freezing	13								1	2	4	1	2	1	2		
Lightning	1								1								
Drowning	141	1		5	4	4	16	28	25	19	19	3	4	4	1		8
Inhalation of poisonous gases	52	1					1	7	13	12	9	4	3	2			
Other accidental poisonings	46	6	1	6	2		3		8	6	4	3	2	3	1		1
Accidental gunshot wounds	28						4	9	4	5	1	1	1	1			2
Injuries by machinery	7								2	1	1	1	2				
Injuries in mines and quarries	4							1			2		1				
Railroad accidents and injuries	193						6	16	55	36	38	17	13	3	3		6
Injuries by vehicles and horses	26			2	1		3	3		3	4	5	3	2			
Suffocation	20	10			1			1	2	2	1	2	1				
Other accidental injuries	192	2	4	2	1	3	13	12	16	24	35	22	25	20	10	2	1
Injuries at birth	106	106															
Homicide	15	2						1	4	3	1		1	2			1
XIV.—Ill-defined causes	252	117	12	2		1	1	1	1	13	9	13	13	31	20	9	9
"Dropsy"	12	2										2	2	3	1	2	
"Heart failure"	5	1									1			2	1		
Other ill-defined causes	193	98	12	2		1	1		1	11	2	7	8	23	16	7	4
Unknown causes	42	16						1		2	6	4	3	3	2		5

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,201	1,143	230	99	58	35	115	295	661	585	582	672	844	600	238	44	.....
I.—General diseases	1,778	87	54	37	28	19	65	176	355	270	196	181	191	89	26	4	.....
Typhoid fever	146	.....	.....	2	6	1	7	33	49	21	13	8	4	1	1	.....	.....
Malarial fever	11	1	.....	.....	1	.....	.....	2	1	1	1	1	2	1	.....	.....	.....
Smallpox	9	.....	.....	.....	.....	.....	.....	.....	5	3	1	.....	.....	.....	.....	.....	.....
Measles	8	1	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	.....	1	1	.....	2	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	71	27	21	12	4	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	46	4	6	9	3	7	10	7	.....	.....	.....	.....	.....	.....	.....	.....	.....
Croup	3	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	86	5	.....	.....	.....	.....	3	6	2	3	10	8	25	16	6	2	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	17	3	.....	.....	.....	.....	1	1	2	.....	1	2	3	4	.....	.....	.....
Erysipelas	6	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	11	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	1	2	1	.....	.....
Tuberculosis of lungs	832	16	10	6	4	1	19	93	249	187	96	69	62	15	4	1	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	3	2	2	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	42	8	8	4	5	3	5	4	2	1	1	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	42	1	1	.....	.....	.....	5	8	12	4	6	2	3	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	1	.....	.....	.....
General tuberculosis	29	2	1	1	1	1	3	6	6	2	3	2	1	.....	.....	.....	.....
Scrofula	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	29	15	.....	1	1	1	.....	1	4	1	.....	3	1	1	.....	.....	.....
Cancer of mouth	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....	.....
Cancer of stomach and liver	85	.....	.....	.....	.....	.....	.....	.....	1	6	15	15	35	12	1	.....	.....
Cancer of intestines	24	.....	.....	.....	.....	.....	.....	.....	2	3	5	3	7	3	1	.....	.....
Cancer of female genital organs	48	.....	.....	.....	.....	.....	.....	1	.....	6	12	18	9	.....	2	.....	.....
Cancer of breast	22	.....	.....	.....	.....	.....	.....	.....	.....	2	3	9	3	5	.....	.....	.....
Cancer of skin	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	1	1	.....
Cancer of other or unspecified organs	34	.....	.....	.....	.....	.....	.....	.....	.....	3	2	12	7	4	6	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....
Rheumatism	28	.....	.....	.....	.....	.....	1	4	.....	4	4	5	2	8	.....	.....	.....
Diabetes	47	.....	.....	.....	.....	.....	.....	3	4	5	5	5	12	11	2	.....	.....
Anemia, leukemia	15	.....	.....	.....	.....	.....	.....	2	1	2	2	6	1	1	.....	.....	.....
Alcoholism	29	.....	.....	.....	.....	.....	.....	.....	3	8	9	4	5	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
II.—Diseases of nervous system	617	91	19	7	3	2	6	7	22	27	61	95	139	104	28	6	.....
Encephalitis	4	1	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Meningitis	58	20	11	1	2	2	3	4	4	5	.....	2	3	1	.....	.....	.....
Locomotor ataxia	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....
Other diseases of spinal cord	24	2	.....	.....	.....	.....	1	.....	2	.....	2	6	8	3	.....	.....	.....
Apoplexy	291	3	2	.....	.....	.....	1	.....	5	8	27	58	80	82	21	4	.....
Softening of brain	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	14	.....	2	.....	.....
Paralysis	54	.....	.....	.....	1	.....	.....	1	1	1	7	12	15	12	2	2	.....
General paralysis of insane	24	.....	.....	.....	.....	.....	.....	.....	1	5	9	5	4	.....	.....	.....	.....
Other forms of mental disease	8	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	1	1	.....	.....
Other diseases of brain	24	1	1	1	.....	.....	1	.....	2	1	2	4	7	2	2	.....	.....
Epilepsy	26	1	.....	1	.....	.....	.....	2	3	2	8	2	4	3	.....	.....	.....
Convulsions	69	59	5	3	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	5	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....
III.—Diseases of circulatory system	682	12	.....	.....	.....	.....	7	17	30	49	105	127	177	117	35	6	.....
Pericarditis	9	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	2	.....	.....	.....	.....
Endocarditis	21	1	.....	.....	.....	.....	2	2	3	2	3	3	3	2	.....	.....	.....
Heart disease	560	7	.....	.....	.....	.....	5	14	24	38	92	103	148	97	28	4	.....
Angina pectoris	26	.....	.....	.....	.....	.....	.....	1	2	3	2	7	7	3	1	.....	.....
Diseases of arteries	40	.....	.....	.....	.....	.....	.....	.....	.....	2	5	8	8	11	4	2	.....
Embolism and thrombosis	19	1	.....	.....	.....	.....	.....	.....	1	2	.....	3	8	2	2	.....	.....
Diseases of veins	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	6	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
IV.—Diseases of respiratory system	760	185	84	33	14	12	9	24	54	51	52	73	75	61	27	6	.....
Laryngitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	7	1	2	1	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	104	52	24	10	3	1	2	.....	1	2	2	1	1	1	3	1	.....
Chronic bronchitis	37	2	.....	1	.....	.....	.....	1	1	2	3	3	8	12	2	2	.....
Bronchopneumonia	106	35	26	4	3	1	2	2	3	1	1	10	7	7	2	2	.....
Pneumonia	421	81	30	17	7	8	4	18	39	34	35	51	47	36	13	1	.....
Pleurisy	11	.....	.....	.....	.....	.....	.....	1	3	1	2	1	.....	2	1	.....	.....
Congestion of lungs	39	13	2	.....	.....	1	1	1	2	4	2	1	6	.....	6	.....	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Asthma and emphysema	13	1	.....	.....	1	.....	.....	.....	1	3	1	1	4	1	.....	.....	.....
Hemorrhage of lungs	13	.....	.....	.....	.....	.....	.....	1	2	4	5	1	.....	.....	.....	.....	.....
Other diseases of respiratory system	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	.....	.....	.....

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	752	335	52	8	5		13	19	39	44	50	50	65	50	18	4	
Diseases of mouth	1	1															
Tonsilitis	1			1													
Other diseases of pharynx	3				1							1	1				
Ulcer of stomach	14								3		4	3	1	2	1		
Gastritis	67	7	2				1		8	6	5	12	13	11	2		
Other diseases of stomach	50	6	1		1		1		2	3	8	7	7	10	2	2	
Dentition																	
Diarrhea and enteritis	429	311	47	5	2		3	5	1	6	5	6	10	16	10	2	
Hernia	10										5	1	1	3			
Obstruction of intestines	35	4		1			1	1	8	6	4	2	4	3	1		
Other diseases of intestines	11	4	1							2		1	2	1			
Acute yellow atrophy of liver																	
Hydatid tumors of liver																	
Cirrhosis of liver	36								1	4	10	6	12	3			
Biliary calculi	9									1	3	1	2	1	1		
Other diseases of liver	19	1			1		1	2		3	1	2	8				
Diseases of spleen	1										1						
Peritonitis	25	1		1			1	3	8	8	1	1			1		
Appendicitis	39		1				5	8	8	5	3	5	4				
Other diseases of digestive system	2											2					
VI.—Diseases of genito-urinary system	563	12	1	2	3		3	10	38	49	84	112	132	78	38	1	
Acute nephritis	79	6		2	1		2	3	13	7	15	15	6	7	2		
Bright's disease	403	4	1		2		1	4	14	30	54	86	113	64	29	1	
Other diseases of kidneys	9	1						1		1	1	2	2	1			
Calculi of urinary tract	4										3		1				
Diseases of bladder	17									1	2	1	5	3	5		
Uterine tumor	13								1	5	4	1	1		1		
Other diseases of uterus	5							1	1	2	1						
Ovarian tumor	3									1	1	1					
Diseases of tubes	12							1	7	2	2						
Other diseases of genito-urinary system	18	1							2		1	6	4	3	1		
VII.—Childbirth	54							10	22	17	5						
Puerperal septicemia	19							4	8	6	1						
Puerperal convulsions	14							4	7	3							
Other causes incident to childbirth	21							2	7	8	4						
VIII.—Diseases of skin	28		1					1	3	1	2	1	7	9	2	1	
Gangrene	21								2	1	2	1	4	8	2	1	
Carbuncle	1							1									
Abscess	6		1						1				3	1			
Other diseases of skin																	
IX.—Diseases of locomotor system	11	2					1	4	1			1	2				
Diseases of bones	11	2					1	4	1			1	2				
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	30	28			1		1										
Hydrocephalus	4	3					1										
Congenital malformation of heart (cyanosis)	19	19															
Other congenital malformations	7	6			1												
XI.—Diseases of early infancy	301	301															
Premature birth	192	192															
Congenital debility	109	109															
XII.—Old age	149												19	61	55	14	
XIII.—Violence	380	27	9	6	3	2	9	26	97	75	27	30	35	26	7	1	
Suicide	60								19	19	6	9	5	2			
Fractures and dislocations	20								4	1	3		4	6	2		
Burns and scalds	36	1	4	3	3		3	1	2	8	2	1	7	1			
Heat and sunstroke	12	4	1						1	2		3	1				
Cold and freezing																	
Lightning																	
Drowning	35					1	2	10	14	2	3	1	1	1			
Inhalation of poisonous gases	15								9	1	1	1	2	1			
Other accidental poisonings	5		1	2		1				1							
Accidental gunshot wounds	6							2	1	1		2					
Injuries by machinery	1							1									
Injuries in mines and quarries																	
Railroad accidents and injuries	47		1				2	5	16	9	5	4	3	2			
Injuries by vehicles and horses	18		1				1	3	3	3		1	2	3	1		
Suffocation	4	3						1									
Other accidental injuries	78	3	1	1			1	1	12	20	7	8	10	9	4	1	
Injuries at birth	15	15															
Homicide	28	1						2	16	8				1			
XIV.—Ill-defined causes	96	63	10	6	1		1	1		2		2	2	5	2	1	
"Dropsy"	4							1		2			1				
"Heart failure"	1			1													
Other ill-defined causes	91	63	10	5	1		1					2	1	5	2	1	
Unknown causes																	

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.															
	All ages	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	34,392	6,223	1,316	564	352	229	775	1,829	2,975	2,672	2,535	2,990	4,220	4,652	2,484	380	196
I.—General diseases	10,355	604	307	196	146	117	378	949	1,729	1,258	1,044	1,021	1,157	965	379	43	62
Typhoid fever	1 000	13	17	21	14	19	79	207	251	119	99	66	54	29	7	.....	5
Malarial fever	137	20	6	5	4	3	7	8	19	7	9	10	15	16	7	.....	1
Smallpox	34	3	1	1	.....	1	1	1	4	5	9	5	.....	1	.....	.....	2
Measles	14	8	1	1	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	1
Scarlet fever	146	9	7	21	21	17	40	17	3	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	290	177	50	32	9	7	11	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	261	9	23	32	32	28	89	36	9	2	.....	1	.....	.....	.....	.....	.....
Croup	104	14	15	17	20	16	19	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	663	60	11	5	4	3	9	13	17	22	38	45	96	179	137	21	3
Cholera nostras	23	1	2	.....	.....	.....	1	1	.....	1	1	4	4	4	4	.....	.....
Dysentery	373	58	62	25	12	2	6	3	3	11	7	27	37	68	43	7	2
Erysipelas	126	45	3	2	.....	.....	2	4	4	6	13	5	10	19	11	2	.....
Other epidemic diseases	4	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	194	25	2	.....	1	1	7	18	34	27	9	18	25	16	7	2	2
Tuberculosis of lungs	3,977	44	36	13	12	2	39	487	1,190	814	474	324	306	173	32	.....	31
Tuberculosis of larynx	58	2	.....	1	.....	.....	1	7	12	15	4	10	4	2	.....	.....	.....
Tuberculous meningitis	144	32	36	10	9	6	16	14	12	3	3	1	1	1	.....	.....	.....
Abdominal tuberculosis	201	15	11	2	.....	1	4	19	33	42	23	21	17	10	1	.....	2
Pott's disease	39	7	2	2	.....	.....	5	6	2	3	5	1	3	2	1	.....	.....
Tuberculous abscess	7	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....	1	.....	1	.....	.....
White swelling	7	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	.....	1	.....	.....	.....
Tuberculosis of other organs	45	1	1	1	1	.....	1	5	9	2	9	8	1	2	3	.....	1
General tuberculosis	79	3	3	1	1	.....	1	10	20	14	7	10	6	2	1	.....	.....
Scrofula	15	5	1	.....	1	.....	2	1	2	.....	1	.....	1	.....	.....	.....	1
Venereal diseases	70	36	1	.....	.....	.....	.....	.....	6	6	8	7	2	4	.....	.....	.....
Cancer of mouth	40	.....	.....	.....	.....	.....	.....	.....	.....	1	1	7	14	12	4	1	.....
Cancer of stomach and liver	543	1	1	.....	.....	.....	3	1	2	19	59	121	173	125	36	.....	2
Cancer of intestines	147	.....	.....	.....	.....	.....	.....	2	7	7	23	28	44	29	6	.....	1
Cancer of female genital organs	194	.....	.....	.....	.....	.....	.....	.....	4	25	53	57	33	19	3	.....	.....
Cancer of breast	112	.....	.....	.....	.....	.....	.....	1	.....	5	25	26	25	22	8	.....	.....
Cancer of skin	81	.....	.....	.....	1	.....	.....	.....	.....	2	5	9	16	30	15	3	.....
Cancer of other or unspecified organs	365	.....	.....	.....	3	3	3	6	9	18	47	69	104	77	19	2	5
Tumor	46	1	.....	.....	.....	2	.....	.....	3	4	7	8	12	7	2	.....	.....
Rheumatism	243	.....	.....	1	.....	4	12	33	17	16	19	36	45	44	15	1	.....
Diabetes	267	2	.....	1	.....	2	10	23	23	15	25	43	64	45	8	4	2
Anemia, leukemia	121	6	3	2	.....	.....	5	11	16	13	13	15	16	16	5	.....	.....
Alcoholism	99	.....	.....	.....	.....	.....	1	1	6	20	33	21	13	3	.....	.....	1
Chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	.....	3	4	3	5	2	1	.....	.....
Other general diseases	68	7	2	.....	1	.....	3	4	2	11	9	13	9	5	2	.....	.....
II.—Diseases of nervous system	4,020	542	165	79	47	33	82	126	142	206	293	422	680	786	365	36	16
Encephalitis	70	23	14	3	4	1	1	5	4	6	4	1	2	.....	2	.....	.....
Meningitis	600	205	90	53	26	19	47	36	29	36	20	19	15	4	1	.....	.....
Locomotor ataxia	62	.....	1	.....	.....	.....	.....	.....	3	6	11	15	16	10	.....	.....	.....
Other diseases of spinal cord	139	12	4	2	1	.....	6	8	6	9	13	27	26	20	5	.....	.....
Apoplexy	1,343	58	15	2	5	4	6	14	30	48	100	183	328	355	178	17	5
Softening of brain	113	.....	.....	.....	.....	.....	.....	.....	1	2	6	12	33	43	15	1	.....
Paralysis	769	6	3	2	1	2	3	4	12	13	33	81	180	270	137	18	4
General paralysis of insane	165	.....	.....	.....	.....	.....	.....	1	1	20	33	28	26	45	9	.....	2
Other forms of mental disease	64	.....	.....	.....	.....	.....	.....	1	3	8	18	13	11	6	3	.....	1
Other diseases of brain	92	13	5	4	.....	2	4	5	8	9	14	10	6	8	4	.....	.....
Epilepsy	147	4	2	.....	.....	.....	2	15	31	25	23	19	13	8	2	.....	3
Convulsions	264	191	27	7	8	3	2	8	4	5	1	3	2	1	2	.....	.....
Tetanus	72	23	.....	1	1	2	5	14	6	8	5	3	3	1	.....	.....	.....
Other diseases of nervous system	120	7	4	5	1	.....	6	15	4	11	12	8	24	15	7	.....	1
III.—Diseases of circulatory system	3,337	95	7	7	4	3	22	84	111	191	252	435	822	886	365	28	25
Pericarditis	49	1	.....	.....	.....	.....	.....	3	2	3	5	6	14	12	3	.....	.....
Endocarditis	123	2	1	.....	.....	2	1	7	8	13	8	10	31	26	14	.....	.....
Heart disease	2,676	54	5	5	3	1	17	65	76	139	204	352	687	732	292	23	21
Angina pectoris	159	.....	.....	.....	.....	.....	1	2	5	15	11	29	37	44	11	1	3
Diseases of arteries	163	1	.....	.....	.....	.....	.....	.....	1	2	12	17	30	57	38	4	1
Embolism and thrombosis	60	1	.....	.....	.....	.....	.....	3	9	8	5	12	11	8	3	.....	.....
Diseases of veins	20	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	6	2	3	.....	.....
Diseases of lymphatics	5	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	1	.....	.....	.....
Other diseases of circulatory system	82	36	1	2	1	.....	2	4	9	8	4	5	5	4	1	.....	.....
IV.—Diseases of respiratory system	3,648	943	262	88	58	24	81	146	156	176	188	264	394	520	287	42	19
Laryngitis	14	1	1	2	1	1	5	1	.....	.....	1	.....	1	.....	.....	.....	.....
Other diseases of larynx	24	8	1	1	2	.....	5	1	2	.....	2	1	1	.....	.....	.....	.....
Diseases of thyroid body	5	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	250	165	27	9	5	1	1	.....	.....	2	1	4	5	9	15	5	1
Chronic bronchitis	257	6	6	4	1	.....	2	4	5	7	13	14	42	82	60	10	1
Bronchopneumonia	445	191	65	18	10	2	10	5	4	5	7	11	32	53	27	5	.....
Pneumonia	2,171	470	146	47	36	14	54	111	114	143	138	188	246	291	141	18	14
Pleurisy	63	2	1	1	2	1	1	8	5	2	9	7	8	10	3	1	2
Congestion of lungs	203	88	10	6	1	2	1	5	5	3	4	9	12	33	21	2	1
Gangrene of lungs	15	.....	.....	.....	.....	.....	.....	.....	2	2	2	4	4	1	.....	.....	.....
Asthma and emphysema	83	1	.....	.....	.....	1	.....	.....	2	3	1	11	19	29	15	1	.....
Hemorrhage of lungs	45	3	1	.....	.....	1	.....	3	4	2	6	8	6	8	3	.....	.....
Other diseases of respiratory system	73	7	4	.....	.....	1	2	7	11	7	4	7	17	4	2	.....	.....

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,292	1,390	450	129	48	26	96	177	216	213	219	295	416	376	201	22	18
Diseases of mouth	19	14	2	1									1		1		
Tonsilitis	29	5	1	2	1	1	10	5	1		1	1	1				
Other diseases of pharynx	26	6	1	1			3			2		1	4	3	2	2	1
Ulcer of stomach	58							1	5	10	12	11	9	6	4		
Gastritis	275	28	5	5	5		3	5	16	20	26	25	46	50	36	2	3
Other diseases of stomach	222	88	6		2	1	4	3	7	10	9	9	14	36	28	4	1
Dentition	5	4	1														
Diarrhea and enteritis	2,116	1,148	412	101	28	11	28	13	23	22	21	46	86	107	60	7	3
Hernia	67	10		2					3	1	9	8	17	11	5	1	
Obstruction of intestines	259	42	10	6	2	6	15	19	17	17	18	33	27	34	8		5
Other diseases of intestines	130	14	4	3	2	3	6	7	8	10	8	5	23	23	13		1
Acute yellow atrophy of liver	14							1		3	3	2	3	1	1		
Hydatid tumors of liver																	
Cirrhosis of liver	243	1						3	13	11	23	57	70	46	15	2	2
Biliary calculi	65								2	6	5	17	19	10	6		
Other diseases of liver	242	13	4	2	3	2	3	7	7	17	30	48	52	33	17	3	1
Diseases of spleen	8								1	1		1	4	1			
Peritonitis	308	16	4	5	3	1	9	50	65	61	34	18	30	9	3		
Appendicitis	203	1		1	2	1	15	63	48	22	18	13	9	6	2	1	1
Other diseases of digestive system	3										2		1				
VI.—Diseases of genito-urinary system	1,925	34	18	10	9	4	20	49	100	148	202	259	395	471	176	18	12
Acute nephritis	139	3	9	2	4	1	9	7	14	19	16	16	12	20	5		2
Bright's disease	1,440	23	9	8	3	3	9	36	54	99	143	214	330	353	133	16	7
Other diseases of kidneys	62	5			1		1	1	1	2	7	7	9	15	11	1	1
Calculi of urinary tract	8	1						1	1			1	3	1			
Diseases of bladder	89	1			1				1	4	3	3	17	39	20		
Uterine tumor	24									4	10	5	3	2			
Other diseases of uterus	43						1	2	11	11	12	3		1			2
Ovarian tumor	27							1	5		7	5	7	2			
Diseases of tubes	18							1	6	7	4						
Other diseases of genito-urinary system	75	1							7	2		5	14	38	7	1	
VII.—Childbirth	320							30	147	119	23						1
Puerperal septicemia	171							19	83	57	11						1
Puerperal convulsions	49							7	25	15	2						
Other causes incident to childbirth	100							4	39	47	10						
VIII.—Diseases of skin	187	21	1	1		2	2		5	11	11	11	33	48	28	11	2
Gangrene	120	2	1			1			3	3	5	7	22	41	24	10	1
Carbuncle	16	3								2	3	1	6	1			
Abscess	34	9		1		1	2		2	4	2	1	5	4	2		1
Other diseases of skin	17	7								2	1	2		2	2	1	
IX.—Diseases of locomotor system	40	6	3	1	4	2	1	3	2	3	2	2	4	4	3		
Diseases of bones	34	6	3	1	4	2	1	3	2	3		2	4	1	2		
Diseases of joints	4										1			3			
Other diseases of locomotor system	2										1				1		
X.—Malformations	290	273	5	5	2		4	1									
Hydrocephalus	22	16	3	1	1		1										
Congenital malformation of heart (cyanosis)	177	168	2	2	1		3	1									
Other congenital malformations	91	89		2													
XI.—Diseases of early infancy	1,802	1,802															
Premature birth	818	818															
Congenital debility	984	984															
XII.—Old age	1,008												40	314	499	149	6
XIII.—Violence	2,230	177	52	33	32	17	80	251	348	315	250	210	165	160	89	22	29
Suicide	335							23	65	65	64	56	32	21	7	1	1
Fractures and dislocations	162	1			1		2	12	6	16	15	16	15	31	34	11	2
Burns and scalds	161	4	16	17	16	9	14	15	19	12	11	8	5	10	3	1	1
Heat and sunstroke	23	1	2		1					4	6	2	3	2	2		
Cold and freezing	11	1								1		3	1	4	1		
Lightning	25						4	5	8	5	1	1				1	
Drowning	142	3	7		1	1	10	51	27	18	7	6	4	3	2		2
Inhalation of poisonous gases	19	1			1		1	2	1	4	3		1	3	2		
Other accidental poisonings	76	11	13	5	4		2	1	3	8	8	6	8	5	1		1
Accidental gunshot wounds	90		1	2	3	1	6	42	15	5	5	9					1
Injuries by machinery	19							2	5	2	3	4		2			1
Injuries in mines and quarries	54						2	6	15	12	7	6	4				2
Railroad accidents and injuries	400		1		1	1	9	44	96	85	57	36	33	17	6		14
Injuries by vehicles and horses	62			1		2	10	5	6	8	6	7	9	6	1	1	
Suffocation	58	40				1	1	2	3	4		4		2	1		
Other accidental injuries	405	12	12	8	4	2	14	34	56	38	49	37	49	52	29	7	2
Injuries at birth	103	103															
Homicide	85						5	7	23	28	8	9	1	2			2
XIV.—Ill-defined causes	938	336	46	15	2	1	9	13	19	32	51	71	114	122	92	9	6
"Dropsy"	171	1	3	1			1	3	5	13	12	28	37	37	25	3	2
"Heart failure"	166	19					2	3	5	8	18	17	38	32	22	1	1
Other ill-defined causes	509	254	40	14	2		4	7	8	10	17	24	36	46	42	4	1
Unknown causes	92	62	3			1	2		1	1	4	2	3	7	3	1	2

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

MAINE.

CAUSE OF DEATH.	AGE.																
	All ages	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,537	1,908	272	144	72	55	197	431	734	649	726	1,055	1,666	2,050	1,310	216	52
I.—General diseases	2,785	130	64	58	24	23	88	198	376	300	278	341	369	358	142	22	14
Typhoid fever	159		2	3		3	10	29	42	30	16	11	8	4			1
Malarial fever	13												9	4			
Smallpox																	
Measles	34	7	6	2	3	1	3	1	2	2	1	4		1			1
Scarlet fever	7		1	1	1	1	2			1							
Whooping cough	39	24	10	2	1		1										1
Diphtheria	76	5	4	10	7	5	19	16	7	1	1	1					
Croup	35	7	8	10		5	5										
Influenza	257	18	2	3	2	2	2	3	2	8	7	24	35	70	65	14	
Cholera nostras	20	6	3	2		1							3	4	1		
Dysentery	34	6	2	1	2	1	3			1		1	4	9	4		
Erysipelas	25	2							2	2	5	3	1	7	3		
Other epidemic diseases																	
Septicemia	19	3						1	3	2		3	3	4			
Tuberculosis of lungs	886	14	5	6	2		12	108	250	163	107	90	64	50	10		5
Tuberculosis of larynx	18		1					1	4	7	2	1	1	1			
Tuberculous meningitis	70	14	14	10	5	2	14	5	2	1	1	1	1				
Abdominal tuberculosis	62		2	1			6	6	15	7	8	5	11		1		
Pott's disease	12						1	3	1		4		2	1			
Tuberculous abscess	7	2	1					1			1		1	1			
White swelling	1											1					
Tuberculosis of other organs	11									2	1	3	1	4			
General tuberculosis	39	5		1			2	5	13	4	2	4	1				2
Scrofula	1	1															
Venereal diseases	12	5							3	1	1	2					
Cancer of mouth	23									1	1	2	11	6	2		
Cancer of stomach and liver	270	1							2	12	27	46	79	83	20		
Cancer of intestines	78	1					1	1		2	11	16	17	23	4		2
Cancer of female genital organs	94								1	17	18	27	18	8	2	1	2
Cancer of breast	51								1	5	9	8	12	8	6	2	
Cancer of skin	23										1	1	5	7	6	3	
Cancer of other or unspecified organs	122		2				1	2	4	8	14	30	23	27	9	2	
Tumor	12										1	6	1	3	1		
Rheumatism	50				1		1	5	6	4	8	2	7	13	3		
Diabetes	117			1		1	3	6	5	5	10	26	42	14	4		
Anemia, leukemia	72	7	1	4		1	2	5	9	6	9	17	6	4	1		
Alcoholism	18								1	3	7	4	3				
Chronic poisonings	3										1	1		1			
Other general diseases	15	2		1					1	5	4	1		1			
II.—Diseases of nervous system	1,583	174	36	19	13	6	19	44	30	55	81	161	335	398	191	14	7
Encephalitis	11	4					1	1			1	1	2	1			
Meningitis	198	79	19	13	9	2	8	23	10	7	6	12	5	3	2		
Locomotor ataxia	19									1		7	7	4			
Other diseases of spinal cord	46	2	2		1			2	1	2	5	5	14	11			1
Apoplexy	718	11	3				2	5	4	6	26	81	187	253	129	8	3
Softening of brain	29										2	5	7	9	6		
Paralysis	192		2					1		1	7	18	47	69	43	4	
General paralysis of insane	67									5	9	11	20	14	6	1	1
Other forms of mental disease	77								3	12	15	9	21	15	1	1	
Other diseases of brain	50	5		1	1		1	4	2	7	6	7	7	6	3		
Epilepsy	41	6			1	1		4	6	5	3	2	7	3	1		2
Convulsions	89	65	10	5	1	2	3		2	1							
Tetanus	9	1				1	2	2			1		1	1			
Other diseases of nervous system	37	1					2	2	2	8		3	10	9			
III.—Diseases of circulatory system	1,393	20	2	2			5	19	39	45	97	185	348	403	209	16	3
Pericarditis	9									2	1	1	2	3			
Endocarditis	40	1					1	2	3		4	4	10	12	3		
Heart disease	1,151	14	1	2			3	16	28	39	79	150	290	338	176	12	3
Angina pectoris	82						1		2	1	4	19	20	23	11	1	
Diseases of arteries	47										2	3	10	13	16	3	
Embolism and thrombosis	40							1	4	1	5	6	9	11	3		
Diseases of veins	6										1		4	1			
Diseases of lymphatics																	
Other diseases of circulatory system	18	5	1						2	2	1	2	3	2			
IV.—Diseases of respiratory system	1,339	249	64	33	13	6	21	27	48	60	83	97	172	276	162	25	3
Laryngitis	4			1			1	2									
Other diseases of larynx	3	2		1													
Diseases of thyroid body	2										1	1					
Acute bronchitis	98	57	5	7	1	1	2	2	1			1	2	11	7	1	
Chronic bronchitis	115	1	1				2	1	3	5	1	9	17	39	30	6	
Bronchopneumonia	165	47	19	9			2	1	1	2	5	7	11	30	23	7	1
Pneumonia	845	122	38	14	11	4	13	19	38	46	69	65	128	177	90	10	1
Pleurisy	25	1						2	1	5	3	5	2	3	3		
Congestion of lungs	40	12	1	1	1		1		2			4	5	9	4		
Gangrene of lungs	1														1		
Asthma and emphysema	14	1									2	2	4	5			
Hemorrhage of lungs	13					1			1	1	1	3	2	1	2	1	
Other diseases of respiratory system	14	6							1	1	1		1	1	2		1

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,298	555	86	18	15	11	26	45	56	37	52	86	113	121	66	7	4
Diseases of mouth	5	2		1					1			1					
Tonsilitis	6	1	1		1		1		1					1			
Other diseases of pharynx	11	1	1		1					1	1	1	2	1	2		
Ulcer of stomach	20							1	1	2	2	4	2	5	3		
Gastritis	81	9	1	1	1	1			4	1	3	8	17	19	15	1	
Other diseases of stomach	80	27	2		1		1	1	1	6	2	5	14	9	6	3	2
Dentition																	
Diarrhea and enteritis	684	495	76	14	7	6	4	3	8	2	4	15	10	20	18	2	
Hernia	26	3			1						2	2	7	8	2	1	
Obstruction of intestines	69	7	2	1	1	1	3	5	4	2	9	8	9	10	6		1
Other diseases of intestines	28	4	1		1	1	1				4	3	4	5	4		
Acute yellow atrophy of liver	5							1	1		1	2					
Hydatid tumors of liver																	
Cirrhosis of liver	50								1	4	4	8	17	14	1		1
Biliary calculi	22								1	1		8	7	5			
Other diseases of liver	60	2					1	1	3	2	7	9	13	16	6		
Diseases of spleen	3								1	1	1						
Peritonitis	80	3	2	1		1	8	18	12	7	4	6	9	6	3		
Appendicitis	67	1			1	1	7	15	17	8	8	5	2	2			
Other diseases of digestive system	1											1					
VI.—Diseases of genito-urinary system	765	8	2	1			5	12	44	49	66	110	187	197	73	6	5
Acute nephritis	48	1	2	1			2	4	9	8	4	6	6	4			1
Bright's disease	589	4					2	6	29	28	51	94	156	150	53	4	3
Other diseases of kidneys	25	2					1	2	1	4	1	1	6	3	3	1	
Calculi of urinary tract	2												1	1			
Diseases of bladder	39	1								1	1	2	9	13	11	1	
Uterine tumor	7										2	2	2	1			
Other diseases of uterus	16								3	2	6	3		1			1
Ovarian tumor	5									1	1	1	1	1			
Diseases of tubes	6								2	4							
Other diseases of genito-urinary system	28									1		1	6	14	6		
VII.—Childbirth	84							5	43	27	7						2
Puerperal septicemia	37							2	22	9	3						1
Puerperal convulsions	12							2	6	4							
Other causes incident to childbirth	35							1	15	14	4						1
VIII.—Diseases of skin	83	5	1					1	3	1		6	12	32	22		
Gangrene	66	2										5	11	28	20		
Carbuncle	4												1	2	1		
Abscess	6	1						1	2	1		1					
Other diseases of skin	7	2	1						1					2	1		
IX.—Diseases of locomotor system	12	2					1	2				2	3	2			
Diseases of bones	12	2					1	2				2	3	2			
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	84	77	2		2	1		1	1								
Hydrocephalus	15	12	1		1				1								
Congenital malformation of heart (cyanosis)	45	43				1		1									
Other congenital malformations	24	22	1		1												
XI.—Diseases of early infancy	469	469															
Premature birth	232	232															
Congenital debility	237	237															
XII.—Old age	657												16	147	382	111	1
XIII.—Violence	568	42	7	12	5	6	25	73	86	61	53	49	60	42	30	8	9
Suicide	83							2	12	8	18	17	15	5	4		2
Fractures and dislocations	37	1			1			2	5	5	3		5	3	8	3	1
Burns and scald	41	1	2	6	1	2	3	5	2	4	2	3	2	5	3		
Heat and sunstroke	3								1				2				
Cold and freezing	3										1	1	1				
Lightning																	
Drowning	81	1	1		1	3	10	31	15	7	3	5	2		1		1
Inhalation of poisonous gases	17	1			1		3	2	4	1	1	1	1	1	1		
Other accidental poisonings	27	4	2	2		1		2	3	5	3	4					1
Accidental gunshot wounds	26						1	10	7	3	1	1	3				
Injuries by machinery	9							1	2	4	1		1				
Injuries in mines and quarries																	
Railroad accidents and injuries	51			2			2	4	18	8	6	4	4	2			1
Injuries by vehicles and horses	11				1		1	1	2	3	1		1	1			
Suffocation	5	3		1					1								
Other accidental injuries	130	3	2	1			5	10	10	8	12	12	22	24	13	5	3
Injuries at birth	28	28															
Homicide	16							3	4	5	1	1	1	1			
XIV.—Ill-defined causes	417	177	8	1		2	7	4	8	14	9	18	51	74	33	7	4
"Dropsy"	21								1	1		2	5	9	3		
"Heart failure"	86	8					1	1	2	5	4	6	21	29	7	2	
Other ill-defined causes	172	76	2	1		1	2	2	2	7	3	7	19	25	21	4	
Unknown causes	138	93	6			1	4	1	3	1	2	3	6	11	2	1	4

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	50,343	10,400	1,840	855	506	342	1,018	1,776	3,572	4,124	4,122	5,179	6,337	6,109	3,520	576	67
I.—General diseases	12,934	780	487	321	216	150	412	786	1,868	1,845	1,495	1,596	1,519	1,025	386	43	5
Typhoid fever	540	5	1	7	5	2	19	100	152	119	67	38	17	7	1		
Malarial fever	43	5	1	1			1	4	4		5	6	7	7	2		
Smallpox	2	1								1							
Measles	253	60	92	37	23	12	13	7	3	3	1		1	1			
Scarlet fever	125	10	11	15	15	9	40	18	5		2						
Whooping cough	287	159	73	29	13	3	6		1	1		1		1			
Diphtheria	574	36	86	89	80	65	153	44	9	7	4	1					
Croup	93	14	21	22	15	9	11		1								
Influenza	649	40	11	3	3	1	12	9	24	29	34	78	122	146	124	13	
Cholera nostras	41	9	2	1		2	2	2			4	4	3	6	5	1	
Dysentery	178	33	6	7	7	3	5	2	2	6	4	13	27	36	24	3	
Erysipelas	148	31	4	3		1		2	6	10	12	19	28	15	14	3	
Other epidemic diseases	4	2	1								1						
Septicemia	145	16	1				1	6	27	41	9	19	9	12	2	1	1
Tuberculosis of lungs	4,900	98	53	28	18	7	40	427	1,387	1,209	716	475	276	131	31	2	2
Tuberculosis of larynx	35								13	7	3	4	6	2			
Tuberculous meningitis	385	109	88	52	25	17	39	20	18	9	3	4		1			
Abdominal tuberculosis	184	20	7	5	3	4	13	28	30	27	11	16	13	4	3		
Pott's disease	63	1	2	3	3	2	8	12	8	7	8	2	5	1	1		
Tuberculous abscess	4	1							1			1	1				
White swelling	31	2	1	1			6	4	3	3	2	3	6				
Tuberculosis of other organs	45	3	1	3		1		3	11	5	8	5	4	1			
General tuberculosis	142	12	11	6	1	1	8	15	34	22	10	7	10	5			
Scrofula	13	7	2	1	1		1				1						
Venereal diseases	93	60	1			1			4	11	8	5	1	2			
Cancer of mouth	117			1				1		4	19	35	25	24	7	1	
Cancer of stomach and liver	820	1				1	1	1	9	29	112	185	275	166	37	2	1
Cancer of intestines	349						1	1	7	21	43	95	101	65	15		
Cancer of female genital organs	369								11	47	95	108	70	31	7		
Cancer of breast	252									24	41	68	63	39	13	4	
Cancer of skin	69		2					1	1	2	2	11	17	17	8	8	
Cancer of other or unspecified organs	706	1	1	2		2		10	15	50	96	165	184	135	42	2	1
Tumor	58	1	1							5	6	6	13	20	5	1	
Rheumatism	239	5	2	1	2	5	12	33	19	22	23	27	35	36	15	2	
Diabetes	478	1			2	1	10	21	25	33	42	105	144	74	20		
Anemia, leukemia	251	29	3	2		1	8	13	17	36	40	41	21	32	8		
Alcoholism	160								11	44	47	34	20	4			
Chronic poisonings	26								3	3	4	6	6	2	2		
Other general diseases	63	8	2	2			2	2	7	8	12	9	9	2			
II.—Diseases of nervous system	6,171	817	254	155	99	57	184	229	206	281	448	676	1,029	1,077	593	63	3
Encephalitis	31	13	3	5					1	3	1	2	1	1	1		
Meningitis	1,280	371	162	102	76	49	146	162	85	43	40	28	10	1	4		1
Locomotor ataxia	80							1		5	16	23	22	11	2		
Other diseases of spinal cord	195	6	3	4	2	1	3	3	12	11	21	26	44	46	13		
Apoplexy	2,759	30	6	4	1		7	8	35	84	194	434	722	754	436	42	2
Softening of brain	67									1	6	10	17	22	7	4	
Paralysis	413	3	2					2	2	9	29	32	98	133	92	11	
General paralysis of insane	281							4	3	43	69	47	44	48	21	2	
Other forms of mental disease	108								9	14	14	25	28	13	5		
Other diseases of brain	140	20	6	2		1	9	9	7	19	23	19	9	11	3	2	
Epilepsy	138	6	1		2	1	5	10	26	23	19	13	17	11	3	1	
Convulsions	474	338	57	31	12	4	10	4	7	4		1	4	1	1		
Tetanus	42	2	1	1			1	14	7	4	3	5	2	2			
Other diseases of nervous system	163	28	13	6	6	1	3	12	12	18	13	11	11	23	5	1	
III.—Diseases of circulatory system	6,791	133	11	6	6	10	69	195	242	397	623	1,066	1,511	1,637	794	87	4
Pericarditis	36	1		1			1	1	3	1	4	4	8	6	5	1	
Endocarditis	492	6	1	1		4	12	21	35	40	58	68	104	93	43	5	1
Heart disease	5,187	85	7	2	6	4	52	163	186	313	487	856	1,180	1,223	568	52	3
Angina pectoris	216		1				1	3	1	12	21	49	55	53	19	1	
Diseases of arteries	621	1							1	8	27	48	134	233	142	27	
Embolism and thrombosis	144	3	1				1	4	10	15	17	30	23	26	13	1	
Diseases of veins	21								1	1	4	6	4	3	2		
Diseases of lymphatics	7		1	1			1					2	1		1		
Other diseases of circulatory system	67	37		1		2	1	3	5	7	5	3	2		1		
IV.—Diseases of respiratory system	6,282	1,355	489	183	81	34	97	118	293	452	478	620	752	795	445	88	2
Laryngitis	25	7	6	4	1		4					1	2				
Other diseases of larynx	28	11	2		4	2	6			1		1		1			
Diseases of thyroid body	10							1		1	1	2	2	3			
Acute bronchitis	589	365	84	30	13	3	5		2	4	5	10	15	22	23	8	
Chronic bronchitis	538	7	1	1	1		4	4	13	12	27	50	94	155	137	32	
Bronchopneumonia	842	341	134	47	14	7	11	5	8	14	28	42	62	73	50	6	
Pneumonia	3,779	560	249	91	45	16	61	88	241	376	367	462	512	473	202	35	1
Pleurisy	162	7	8	7	2	4	6	13	16	18	23	15	26	12	3	2	
Congestion of lungs	148	35	4	2		1		3	5	10	10	15	13	27	20	3	
Gangrene of lungs	13				1				1	3	4	1	3				
Asthma and emphysema	65	4							1	3	3	10	18	18	7	1	
Hemorrhage of lungs	50	10				1		2	5	7	6	6	3	9	1		
Other diseases of respiratory system	33	8	1	1				2	1	3	4	5	2	2	2	1	1

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	6,204	3,257	439	94	48	31	100	138	228	236	271	336	418	354	222	31	1
Diseases of mouth	18	12	1				2		1		1			1			
Tonsilitis	27	2	3	1	4	2	5	2	4	1	1		1	1			
Other diseases of pharynx	33	5	4	1			1	2	1	2	1	4	6	4	1	1	
Ulcer of stomach	85				1			5	11	14	11	15	14	8	6		
Gastritis	269	59	7	4	2	2	8	3	11	10	16	26	41	43	31	6	
Other diseases of stomach	213	86	4	5	2	1	3		8	11	7	13	18	30	18	7	
Dentition	10	8	1	1													
Diarrhea and enteritis	3,878	2,986	406	56	33	13	25	11	13	16	25	36	82	87	78	10	1
Hernia	132	13	1				1		3	6	15	30	29	22	12		
Obstruction of intestines	279	38	6			2	3	12	27	22	24	34	45	38	18	2	
Other diseases of intestines	92	21	1	2			2	2	11	10	6	3	6	10	12	4	
Acute yellow atrophy of liver	12	2						1	1	2	1	3	2				
Hydatid tumors of liver																	
Cirrhosis of liver	325	1		3		1	1	1	14	26	55	75	81	53	13	1	
Biliary calculi	89	1							2	6	14	24	23	11	8		
Other diseases of liver	149	2		1	2	1	1	2	7	11	22	26	33	24	17		
Diseases of spleen	5							1	1				1	2			
Peritonitis	252	21	4	9	2	5	9	26	51	49	22	22	16	11	5		
Appendicitis	326		1	3	2	2	39	70	61	47	47	24	18	9	3		
Other diseases of digestive system	10								1	3	3	1	2				
VI.—Diseases of genito-urinary system	3,144	36	8	8	6	5	22	69	223	301	372	532	678	582	275	26	1
Acute nephritis	207	12	1	4	2	3	9	15	29	21	35	23	29	19	5		
Bright's disease	2,391	14	6	4	4	2	10	45	147	219	275	442	573	444	190	15	1
Other diseases of kidneys	78	2	1				3	3	6	8	8	13	16	11	5	2	
Calculi of urinary tract	18	1									4	6	1	4	2		
Diseases of bladder	129	6							3	3	3	11	17	46	33	7	
Uterine tumor	47								2	12	13	11	3	6			
Other diseases of uterus	56							5	14	16	14	6		1			
Ovarian tumor	36								3	7	9	5	6	5	1		
Diseases of tubes	32							1	16	9	5	1					
Other diseases of genito-urinary system	150	1							3	6	6	14	33	46	39	2	
VII.—Childbirth	359							16	141	175	27						
Puerperal septicemia	120							8	50	56	6						
Puerperal convulsions	75							4	37	30	4						
Other causes incident to childbirth	164							4	54	89	17						
VIII.—Diseases of skin	223	29	3	2	1		1	3	2	8	12	14	28	68	48	4	
Gangrene	146	3		1	1					3	3	8	20	62	42	3	
Carbuncle	17	5	1						1	1	2	2	3	1	1		
Abscess	34	7	1	1			1	3	1	4	4	1	5	3	2	1	
Other diseases of skin	26	14	1								3	3		2	3		
IX.—Diseases of locomotor system	95	30	11	4	3	3	9	5	3	3	8	6	5	5			
Diseases of bones	87	29	10	4	3	3	9	5	3	1	6	6	4	4			
Diseases of joints	6	1	1							1	1		1	1			
Other diseases of locomotor system	2									1	1						
X.—Malformations	423	396	14	5	2	1		4			1						
Hydrocephalus	46	35	8	1	1	1											
Congenital malformation of heart (cyanosis)	247	237	2	3	1			4									
Other congenital malformations	130	124	4	1							1						
XI.—Diseases of early infancy	2,575	2,575															
Premature birth	1,339	1,339															
Congenital debility	1,236	1,236															
XII.—Old age	1,119												69	287	567	195	1
XIII.—Violence	2,921	357	50	64	35	46	120	207	356	393	346	276	259	193	143	20	47
Suicide	319							13	51	61	70	59	40	19	5	1	
Fractures and dislocations	310	3	2	1	1	5	11	11	15	34	31	25	31	53	74	13	
Burns and scalds	262	9	21	34	17	19	28	11	25	22	16	17	21	14	6	2	
Heat and sunstroke	68	13	1		2	2	1	2	7	6	8	8	6	5	4	3	
Cold and freezing	18	1						1	3	5	1	2	4	1			
Lightning	2							1	1								
Drowning	300	1	5	5	1	3	39	72	59	39	39	15	11	5	1		5
Inhalation of poisonous gases	130					1	1	6	13	24	13	10	8	13	4	1	36
Other accidental poisonings	100	10	9	6	3	4	7	4	7	16	7	13	10	3	1		
Accidental gunshot wounds	40	1				1	1	13	11	5		6	1	1			
Injuries by machinery	28							3	5	7	7	2	2	2			
Injuries in mines and quarries																	
Railroad accidents and injuries	353		2	6	2	4	9	27	83	77	61	36	30	9	2	1	4
Injuries by vehicles and horses	88			1	2		9	6	6	17	16	9	13	6	1		
Suffocation	64	43		2					7	4	2	5	1				
Other accidental injuries	549	18	10	9	7	7	14	36	54	64	68	68	79	61	45	8	1
Injuries at birth	254	254															
Homicide	38	4						1	9	12	7	1	2	1			1
XIV.—Ill-defined causes	1,102	635	74	13	9	5	4	6	10	33	41	57	69	86	47	10	3
"Dropsy"	17	2		1								3	4	3	2	2	
"Heart failure"	92	9	3			1		1	2	5	8	13	17	21	9	3	
Other ill-defined causes	935	602	70	12	7	4	3	4	5	19	27	38	43	60	36	4	1
Unknown causes	58	22	1		2		1	1	3	9	6	3	5	2		1	2

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	34,542	6,904	1,175	501	312	242	770	1,642	2,610	2,396	2,630	2,985	4,247	4,915	2,739	407	67
I.—General diseases	8,060	496	214	152	124	107	313	655	1,214	921	893	893	917	816	304	32	9
Typhoid fever	618	2	4	6	6	12	31	107	180	103	68	54	25	17	3	.....	.....
Malarial fever	59	3	3	1	2	1	3	7	8	8	4	4	9	3	3	.....	.....
Smallpox	74	3	1	.....	.....	1	1	6	17	18	14	8	2	2	1	.....	.....
Measles	102	30	30	11	3	6	5	4	5	3	4	.....	.....	.....	.....	.....	1
Scarlet fever	117	10	8	23	19	13	22	17	2	3	.....	.....	.....	.....	.....	.....	.....
Whooping cough	114	78	14	8	7	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	380	18	39	35	39	34	129	68	10	5	1	2	.....	.....	.....	.....	.....
Croup	87	15	14	15	13	12	13	3	.....	.....	.....	1	1	.....	.....	.....	.....
Influenza	575	72	14	4	2	1	12	18	26	25	32	29	73	153	102	12	.....
Cholera nostras	52	17	3	1	2	.....	1	1	5	2	2	2	5	7	4	.....	.....
Dysentery	177	41	17	11	8	5	2	2	2	3	6	3	17	34	21	5	.....
Erysipelas	95	26	.....	1	.....	1	1	.....	3	3	10	10	17	17	6	.....	.....
Other epidemic diseases	8	5	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	175	18	3	1	2	1	8	15	41	21	20	21	11	7	5	.....	1
Tuberculosis of lungs	2,261	24	16	13	1	5	17	264	739	484	319	180	116	64	13	.....	6
Tuberculosis of larynx	34	.....	.....	.....	.....	.....	.....	.....	7	11	8	4	2	2	.....	.....	.....
Tuberculous meningitis	115	26	20	6	7	6	15	9	10	5	2	2	5	2	.....	.....	.....
Abdominal tuberculosis	122	8	5	1	1	.....	4	15	20	22	14	9	16	6	1	.....	.....
Pott's disease	39	2	2	1	1	1	2	9	6	1	6	2	5	.....	.....	1	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
White swelling	26	2	.....	1	.....	.....	3	4	6	4	2	1	.....	2	1	.....	.....
Tuberculosis of other organs	38	.....	.....	.....	1	.....	.....	6	7	6	5	5	6	2	.....	.....	.....
General tuberculosis	45	2	.....	.....	.....	.....	1	6	15	3	7	5	4	1	1	.....	.....
Scrofula	5	3	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	81	52	.....	1	1	.....	.....	1	7	6	7	3	2	1	.....	.....	.....
Cancer of mouth	41	.....	.....	.....	.....	.....	.....	.....	.....	1	1	9	12	15	3	.....	.....
Cancer of stomach and liver	702	.....	1	.....	.....	.....	1	.....	5	25	80	174	206	176	31	3	.....
Cancer of intestines	171	.....	.....	.....	.....	.....	2	1	4	8	23	51	42	33	7	.....	.....
Cancer of female genital organs	215	.....	.....	.....	.....	.....	.....	.....	4	25	62	60	39	17	8	.....	.....
Cancer of breast	128	.....	.....	.....	.....	.....	.....	.....	.....	11	18	32	29	31	6	1	.....
Cancer of skin	75	.....	.....	1	.....	.....	.....	1	1	.....	4	6	19	24	18	1	.....
Cancer of other or unspecified organs	311	.....	1	.....	.....	.....	2	6	7	21	40	61	75	67	29	2	.....
Tumor	34	2	1	.....	.....	.....	.....	.....	2	4	2	6	10	2	5	.....	.....
Rheumatism	223	1	.....	2	.....	2	16	24	21	17	18	30	30	47	13	2	.....
Diabetes	282	2	3	1	2	2	12	37	12	15	28	44	66	50	7	1	.....
Anemia, leukemia	302	25	13	4	4	1	5	20	32	21	39	46	51	26	10	4	1
Alcoholism	85	.....	.....	.....	.....	.....	.....	1	2	23	31	17	6	4	1	.....	.....
Chronic poisonings	15	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	7	.....	3	.....	.....
Other general diseases	75	9	1	3	3	.....	.....	2	7	12	13	11	8	4	2	.....	.....
II.—Diseases of nervous system	4,256	752	134	75	44	26	81	134	121	178	297	406	706	873	387	33	9
Encephalitis	47	17	6	3	1	.....	4	4	4	2	2	1	1	2	.....	.....	.....
Meningitis	472	161	63	37	25	16	42	46	24	15	15	9	10	9	.....	.....	.....
Locomotor ataxia	67	.....	.....	.....	.....	.....	1	.....	2	2	13	19	13	15	2	.....	.....
Other diseases of spinal cord	143	11	10	2	2	1	4	5	6	7	12	19	33	23	7	.....	1
Apoplexy	1,475	46	8	1	4	1	4	13	18	58	104	187	372	451	184	17	7
Softening of brain	81	.....	.....	.....	.....	.....	.....	.....	.....	1	3	7	20	34	15	1	.....
Paralysis	759	4	2	3	1	1	6	9	10	21	44	79	167	251	147	14	1
General paralysis of insane	198	.....	.....	.....	.....	.....	.....	.....	2	25	40	34	34	46	17	.....	.....
Other forms of mental disease	57	.....	.....	.....	.....	.....	.....	2	1	6	15	6	12	11	3	1	1
Other diseases of brain	125	17	1	2	1	2	7	11	18	11	12	17	15	10	1	.....	.....
Epilepsy	120	7	.....	1	1	.....	1	21	23	19	17	12	12	5	1	.....	.....
Convulsions	584	478	38	24	7	4	6	7	6	4	6	.....	1	1	2	.....	.....
Tetanus	25	5	2	.....	1	.....	4	10	2	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	103	6	4	2	1	1	2	6	5	6	14	16	16	15	8	.....	1
III.—Diseases of circulatory system	4,100	134	5	3	1	11	33	101	124	215	319	519	984	1,145	456	42	8
Pericarditis	50	.....	.....	1	.....	1	5	2	7	4	4	3	8	11	4	.....	.....
Endocarditis	124	7	.....	.....	1	1	2	16	4	13	11	18	24	20	6	1	.....
Heart disease	3,290	79	3	2	.....	8	22	72	94	158	251	424	808	951	376	34	8
Angina pectoris	241	.....	.....	.....	.....	.....	1	2	5	12	23	38	71	68	18	3	.....
Diseases of arteries	208	1	.....	.....	.....	.....	.....	.....	.....	5	11	19	47	75	46	4	.....
Embolism and thrombosis	72	4	.....	.....	.....	.....	.....	2	6	9	13	9	9	15	5	.....	.....
Diseases of veins	16	.....	1	.....	.....	.....	.....	1	1	2	1	3	5	2	.....	.....	.....
Diseases of lymphatics	9	1	.....	.....	.....	.....	.....	.....	.....	2	2	1	3	.....	.....	.....	.....
Other diseases of circulatory system	90	42	1	.....	.....	1	3	6	7	10	3	4	9	3	1	.....	.....
IV.—Diseases of respiratory system	3,778	1,055	271	90	48	39	81	131	162	216	217	274	396	460	296	38	4
Laryngitis	17	3	.....	.....	3	2	4	2	1	.....	.....	2	.....	.....	.....	.....	.....
Other diseases of larynx	30	12	5	2	2	.....	2	1	.....	3	1	.....	2	.....	.....	.....	.....
Diseases of thyroid body	7	2	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....
Acute bronchitis	511	319	62	17	8	3	7	5	3	2	1	9	9	31	33	2	.....
Chronic bronchitis	341	8	1	1	.....	1	4	6	12	13	11	21	72	98	81	11	1
Bronchopneumonia	496	219	77	16	10	11	14	11	5	11	13	20	23	39	23	4	.....
Pneumonia	1,854	404	111	50	22	18	39	90	115	146	150	162	210	211	110	14	2
Pleurisy	82	6	2	1	.....	.....	3	6	4	11	12	9	11	13	3	.....	1
Congestion of lungs	181	62	8	1	3	1	5	4	6	6	12	13	20	17	19	4	.....
Gangrene of lungs	13	1	1	.....	.....	.....	.....	.....	1	1	1	1	4	2	1	.....	.....
Asthma and emphysema	120	9	1	1	.....	2	.....	.....	1	6	6	19	23	34	17	1	.....
Hemorrhage of lungs	51	3	.....	.....	.....	1	.....	3	8	5	2	8	11	7	3	.....	.....
Other diseases of respiratory system	75	7	3	1	.....	.....	3	3	6	11	6	10	10	7	6	2	.....

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,868	1,930	396	120	49	22	118	224	227	211	272	306	410	380	171	26	6
Diseases of mouth	19	15							1		1	1				1	
Tonsilitis	19	1	1		1		6	2	3	1		1		2	1		
Other diseases of pharynx	32	4		1		1	4	1	2	2	4	2	4	3	3	1	
Ulcer of stomach	77	1					1	4	8	4	9	18	13	10	5	2	2
Gastritis	255	57	13	4	2		4	3	4	16	10	21	41	48	26	6	
Other diseases of stomach	234	116	9	2	2		2	4	5	4	10	10	26	24	18	1	1
Dentition	3	1	2														
Diarrhea and enteritis	2,501	1,616	345	103	38	15	33	24	19	14	23	42	80	86	54	9	
Hernia	89	13	1	1	1		1		1	2	13	11	18	13	13	1	
Obstruction of intestines	252	32	7		1	2	8	18	22	20	24	35	33	42	6		2
Other diseases of intestines	106	29	5	1			2	1	13	10	5	12	11	7	7	3	
Acute yellow atrophy of liver	16	2						1	3	1	5	2	1	1			
Hydatid tumors of liver																	
Cirrhosis of liver	275	1	2					3	5	18	60	51	71	53	10		1
Biliary calculi	68								2	4	11	19	14	13	5		
Other diseases of liver	248	12	2	3				6	20	13	26	41	62	46	15	2	
Diseases of spleen	14	1	1				1	1		3	2	2	2	1			
Peritonitis	361	28	6	3	2	2	21	56	66	56	39	24	24	26	8		
Appendicitis	294	1	2	2	2	2	35	100	53	42	29	13	9	4			
Other diseases of digestive system	5									1	1	1	1	1			
VI.—Diseases of genito-urinary system	2,039	51	10	6	7	6	20	57	133	157	227	275	412	459	205	11	3
Acute nephritis	134	14	4	2	2	2	8	9	12	18	12	14	18	13	6		
Bright's disease	1,457	27	6	4	4	4	10	31	80	92	148	227	329	346	141	6	2
Other diseases of kidneys	74	6			1		1	4	6	4	12	10	13	11	3	3	
Calculi of urinary tract	11										1	2	4	4			
Diseases of bladder	117	3					1	1	1	2	8	7	20	42	31	1	
Uterine tumor	34								2	4	16	5	4	3			
Other diseases of uterus	65							5	17	20	16	1	4	1	1		
Ovarian tumor	31							1	3	6	8	3	6	3	1		
Diseases of tubes	29							6	11	9	2	1					
Other diseases of genito-urinary system	87	1							1	2	4	5	14	36	22	1	1
VII.—Childbirth	381							29	169	146	37						
Puerperal septicemia	160							10	81	57	12						
Puerperal convulsions	73							10	35	22	6						
Other causes incident to childbirth	148							9	53	67	19						
VIII.—Diseases of skin	203	25	3	1				3	5	9	15	16	26	58	38	4	
Gangrene	125	3		1				1	2	2	4	7	20	50	31	4	
Carbuncle	7									1	2	1	1	2			
Abscess	41	7	2					2	3	4	8	5	5	3	2		
Other diseases of skin	30	15	1							2	1	3		3	5		
IX.—Diseases of locomotor system	68	11	8	1	3		7	5	4	3	5	6	8	7			
Diseases of bones	61	11	8	1	3		7	3	4	3	5	5	7	4			
Diseases of joints																	
Other diseases of locomotor system	7							2				1	1	3			
X.—Malformations	380	357	13	2	1		4	2									1
Hydrocephalus	37	30	6		1												
Congenital malformation of heart (cyanosis)	194	184	5	1			2	2									
Other congenital malformations	149	143	2	1			2										1
XI.—Diseases of early infancy	1,460	1,460															
Premature birth	627	627															
Congenital debility	833	833															
XII.—Old age	1,238												55	374	641	165	3
XIII.—Violence	2,394	165	66	45	32	25	100	277	422	303	290	204	187	132	103	23	20
Suicide	288							19	49	52	54	44	41	18	10		1
Fractures and dislocations	183	2			1	1	8	16	17	18	26	12	14	27	28	12	1
Burns and scalds	158	5	19	20	17	10	19	8	13	8	5	9	8	9	8		
Heat and sunstroke	17	2	1				1	2		3	3	2		2		1	
Cold and freezing	31	5						2	1	1	3	3	6	2	6	2	
Lightning	17						2	5	2	2	3	2	1				
Drowning	323	2	9	7	2	4	26	100	64	41	27	14	12	3	1		11
Inhalation of poisonous gases	49	4	7	3	1		5	4	7	3	4	3	2	2	4		
Other accidental poisonings	115	10	16	8	2	3	7	3	7	13	15	12	12	4	3		
Accidental gunshot wounds	98						3	30	19	14	13	10	6	1	1		
Injuries by machinery	14							2	7	2	1	1	1				
Injuries in mines and quarries	147				1			15	65	31	24	8	1	1			1
Railroad accidents and injuries	271		2	1		2	8	22	70	53	42	24	14	23	6		4
Injuries by vehicles and horses	69	1	1	1			5	9	9	6	11	7	12	5	2		
Suffocation	49	26	4		2		2	2		5	1	3	3		1		
Other accidental injuries	454	13	7	5	5	5	13	37	85	50	55	49	53	35	33	8	1
Injuries at birth	95	95															
Homicide	16				1		1	1	7	1	3	1	1				
XIV.—Ill-defined causes	1,317	468	55	6	3	6	13	24	29	37	58	86	146	211	138	33	4
"Dropsy"	157	5	1		1		1	2	6	4	5	15	38	55	21	3	
"Heart failure"	223	20				1	3	7	9	10	18	30	39	53	27	6	
Other ill-defined causes	661	264	39	5	1	3	6	8	10	13	23	33	59	89	85	22	1
Unknown causes	276	179	15	1	1	2	3	7	4	10	12	8	10	14	5	2	3

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,274	1,205	261	111	68	50	159	271	417	459	539	641	974	1,174	765	143	37
I.—General diseases	1,739	98	68	28	24	21	45	108	201	205	208	180	220	229	83	14	7
Typhoid fever	66			1	1		4	15	14	11	10	5	5				
Malarial fever	7		1						1	1				4			
Smallpox																	
Measles	62	10	21	6	5	2	6	2	2	2	2	1	2		1		
Scarlet fever	4	1				1	1	1									
Whooping cough	36	21	7	5	1		2										
Diphtheria	56	3	5	7	10	10	14	6		1							
Croup	24	3	10	1	3	4	3										
Influenza	166	11	1	1				3	3	5	12	7	19	54	41	9	
Cholera nostras	14	3	2			1	1							2	5		
Dysentery	31	6	3	1			1	1	2	2			5	7	2	1	
Erysipelas	16	2		1				2	1		3	1	1	1	3	1	
Other epidemic diseases																	
Septicæmia	31	2	1						3	6	5	2	7	4	1		
Tuberculosis of lungs	579	12	10	1	1	1	6	55	144	131	99	48	45	21	3		2
Tuberculosis of larynx	2										1		1				
Tuberculous meningitis	18	5	4	1	1	1	2	2	1	1							
Abdominal tuberculosis	21	3		1		1		2	4	3	1	1	3	2			
Pott's disease	7							4	2	1							
Tuberculous abscess	1	1															
White swelling	2							1	1								
Tuberculosis of other organs	2								1		1						
General tuberculosis	18	1						4	3	3	3	2	2				
Scrofula																	
Venereal diseases	7	2			1						1	1	1				1
Cancer of mouth	6										2		1	2	1		
Cancer of stomach and liver	127								2	1	16	21	38	42	6	1	
Cancer of intestines	31									2	5	6	12	2	4		
Cancer of female genital organs	36									5	5	17	4	4			1
Cancer of breast	18										9	2	2	3	2		
Cancer of skin	11										1			8	2		
Cancer of other or unspecified organs	130							1	1	8	10	31	33	37	7	2	
Tumor	12	1								2		1	2	6			
Rheumatism	37						3	3	2	2	5	4	8	7	2		1
Diabetes	77	1	1	1			1	6	6	6	6	17	14	16	1		1
Anemia, leukemia	51	10	2		1		1		2	6	7	4	11	5	2		
Alcoholism	22								6	4	4	5	1	1			1
Chronic poisonings	4											1	3				
Other general diseases	7			1						2		3		1			
II.—Diseases of nervous system	1,117	120	58	32	16	13	57	50	33	42	70	102	200	195	117	11	1
Encephalitis	8		1						1		1		1	2	2		
Meningitis	304	64	42	26	12	12	53	38	20	18	8	4	3	3	1		
Locomotor ataxia	8									1	2	1	2	1	1		
Other diseases of spinal cord	29	6	1		1					2	1	2	8	7	1		
Apoplexy	433	5	1	1			1	3	3	10	30	57	123	116	75	7	1
Softening of brain	21									1		2	7	7	4		
Paralysis	104	1	1					1		2	3	17	25	33	20	1	
General paralysis of insane	41									1	7	5	11	10	6	1	
Other forms of mental disease	40								2	5	5	5	11	7	3	2	
Other diseases of brain	24	5	1		1		1	1	1		8	2	1	1	2		
Epilepsy	19	1						4	4	2	3	1	1	3			
Convulsions	55	35	9	4	1	1	1		2		1		1				
Tetanus	2				1		1										
Other diseases of nervous system	29	3	2	1				3			1	6	6	5	2		
III.—Diseases of circulatory system	942	17	2	1	1		5	13	27	44	66	118	208	273	150	9	8
Pericarditis	6							1			3			2			
Endocarditis	21							2	1	1	1	1	6	4	3	2	
Heart disease	805	12	2	1	1		5	9	21	36	54	102	178	240	129	7	8
Angina pectoris	51	1							2	2	4	8	11	16	7		
Diseases of arteries	19							1				1	7	5	5		
Embolism and thrombosis	31	1							3	4	2	4	5	6	6		
Diseases of veins	1										1						
Diseases of lymphatics																	
Other diseases of circulatory system	8	3								1	1	2	1				
IV.—Diseases of respiratory system	761	154	53	16	12	7	11	22	21	35	47	59	91	121	95	15	2
Laryngitis	3			2			1										
Other diseases of larynx	3		3														
Diseases of thyroid body	1												1				
Acute bronchitis	70	48	5	3	2	1		1					2	4	4		
Chronic bronchitis	58		1	1						1	1	5	13	21	13		2
Bronchopneumonia	94	32	16	4	4	2	3	1	1		1	4	3	7	13	3	
Pneumonia	476	66	27	5	5	3	6	18	18	29	42	42	68	82	56	9	
Pleurisy	11								1	2	2	1	1	1	3		
Congestion of lungs	27	7		1	1	1		1		1		2	2	4	5	2	
Gangrene of lungs	1										1						
Asthma and emphysema	7								1			3	1	2			
Hemorrhage of lungs	3									2					1		
Other diseases of respiratory system	7	1	1				1	1				2				1	

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	879	407	57	22	6	4	16	28	23	39	32	51	74	77	36	4	3
Diseases of mouth	1										1						
Tonsilitis	7		1			2		3		1							
Other disease of pharynx	5	1									1		1	2			
Ulcer of stomach	17							1	2	2		3	1	6	2		
Gastritis	65	7	2	2	1		1	2	3	4	2	6	8	15	9	3	
Other diseases of stomach	46	15	2	1					1	6	1	2	2	8	7		1
Dentition	4	2	1	1													
Diarrhea and enteritis	482	365	47	14	5	2	7	1		2	2	6	11	12	6	1	1
Hernia	16									2		5	6	3			
Obstruction of intestines	38	6	1	2			3	2	2	2	3	2	8	5	2		
Other diseases of intestines	22	3	1				1	3			3	3	3	3	2		
Acute yellow atrophy of liver	2	1										1					
Hydatid tumors of liver	1									1							
Cirrhosis of liver	43		1							2	5	12	11	9	3		
Biliary calculi	8											1	3	4			
Other diseases of liver	40	5	1					1	1	4	5	3	11	5	4		
Diseases of spleen	1								1								
Peritonitis	52	2	1	1			2	5	6	10	8	7	6	2	1		1
Appendicitis	28						2	10	6	3	1		3	3			
Other diseases of digestive system	1								1								
VI.—Diseases of genito-urinary system	517	9				1	3	16	36	33	48	74	110	118	61	5	3
Acute nephritis	35	4					2	3	4	5	4	3	3	4	3		
Bright's disease	402	4				1	1	11	27	23	41	65	91	92	41	2	3
Other diseases of kidneys	19	1							3	2	1	2	5	3	2		
Calculi of urinary tract	2												2				
Diseases of bladder	24											3	3	10	5	3	
Uterine tumor	6								2	1	1		2				
Other diseases of uterus	3							2			1						
Ovarian tumor	3											1		1	1		
Diseases of tubes	2									2							
Other diseases of genito-urinary system	21												4	8	9		
VII.—Childbirth	53							7	21	21	4						
Puerperal septicemia	14							4	5	2	3						
Puerperal convulsions	15							1	6	8							
Other causes incident to childbirth	24							2	10	11	1						
VIII.—Diseases of skin	41											4	4	15	15	2	1
Gangrene	32											1	3	12	14	2	
Carbuncle	2												1	1			
Abscess	3											2					1
Other diseases of skin	4											1		2	1		
IX.—Diseases of locomotor system	10	4	2						1				3				
Diseases of bones	9	4	2						1				2				
Diseases of joints	1												1				
Other diseases of locomotor system																	
X.—Malformations	86	82	2	1					1								
Hydrocephalus	12	11		1													
Congenital malformation of heart (cyanosis)	45	44							1								
Other congenital malformations	29	27	2														
XI.—Diseases of early infancy	215	215															
Premature birth	16	16															
Congenital debility	199	199															
XII.—Old age	310												6	77	154	73	
XIII.—Violence	373	24	8	6	9	2	19	26	48	30	50	36	29	35	35	7	9
Suicide	44								7	5	11	5	5	7	4		
Fractures and dislocations	58							1	5	5	7	5	5	10	14	5	1
Burns and scalds	36	3	3	2	3	1	2		2		2	6	4	3	5		
Heat and sunstroke	8						1	2				2	2		1		
Cold and freezing	3		1			1						1					
Lightning																	
Drowning	52		2	2	2		5	14	12	4	2	2	2	1	1		3
Inhalation of poisonous gases	4										1	1		2			
Other accidental poisonings	25	5	2	2	3		3	1	1	2	1		3	1			1
Accidental gunshot wounds	7							2	3		1						1
Injuries by machinery	5								1	1	3						
Injuries in mines and quarries																	
Railroad accidents and injuries	30							1	8	8	8		1	1	2		1
Injuries by vehicles and horses	7								1		2	3		1			
Suffocation	6	2							1			1		2			
Other accidental injuries	76	5			1		8	5	6	5	10	10	7	7	8	2	2
Injuries at birth	9	9															
Homicide	3								1		2						
XIV.—Ill-defined causes	231	75	11	5		2	3	1	5	10	14	17	29	34	19	3	3
"Dropsy"	12											1	7	2	1		1
"Heart failure"	36	6	1						1	2	3	4	3	10	5		1
Other ill-defined causes	161	56	9	4		1	3	1	4	8	10	12	15	22	13	3	
Unknown causes	22	13	1	1		1					1		4				1

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

NEW JERSEY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	33,912	7,153	1,465	675	428	329	1,039	1,478	2,636	3,095	3,149	3,270	3,856	3,474	1,600	238	27
I.—General diseases	8,617	535	351	240	195	155	412	584	1,249	1,293	1,153	889	858	520	163	18	2
Typhoid fever	352	1	4	2	5	6	17	71	80	64	50	29	14	8	1	.....	.....
Malarial fever	52	4	2	5	2	.....	5	3	7	1	5	8	3	2	5	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles	110	27	37	19	5	5	7	5	1	2	1	.....	1	.....	.....	.....	.....
Scarlet fever	186	13	25	29	23	14	53	19	7	1	1	1	.....	.....	.....	.....	.....
Whooping cough	182	110	37	14	8	6	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria	556	42	86	72	77	61	164	36	7	4	6	1	.....	.....	.....	.....	.....
Croup	141	13	20	32	25	23	25	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	203	16	1	1	1	2	2	7	1	11	18	18	28	56	34	7	.....
Cholera nostras	23	5	3	.....	.....	.....	.....	1	1	2	2	2	4	2	1	.....	.....
Dysentery	239	57	27	13	8	7	15	3	7	3	9	20	25	30	14	1	.....
Erysipelas	90	28	2	2	.....	.....	.....	2	2	4	11	12	13	10	3	1	.....
Other epidemic diseases	5	3	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	59	7	1	.....	.....	.....	1	2	10	9	6	8	8	6	1	.....	.....
Tuberculosis of lungs	3,659	46	32	10	11	13	31	327	987	943	615	321	201	96	21	3	2
Tuberculosis of larynx	53	2	.....	.....	.....	.....	.....	1	11	10	11	11	4	3	.....	.....	.....
Tuberculous meningitis	266	76	59	26	13	8	36	15	9	10	4	4	6	.....	.....	.....	.....
Abdominal tuberculosis	122	21	2	5	5	1	6	14	22	11	13	11	8	2	1	.....	.....
Pott's disease	27	1	.....	1	1	1	4	4	4	4	1	1	2	2	1	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
White swelling	17	2	1	.....	.....	1	1	7	1	.....	1	.....	3	.....	.....	.....	.....
Tuberculosis of other organs	28	.....	1	.....	1	.....	1	3	7	3	6	3	3	.....	.....	.....	.....
General tuberculosis	59	7	2	1	1	.....	3	11	14	7	9	3	.....	1	.....	.....	.....
Scrofula	8	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Venereal diseases	57	35	2	.....	.....	.....	.....	1	6	4	4	2	3	.....	.....	.....	.....
Cancer of mouth	36	.....	.....	.....	.....	.....	.....	.....	.....	4	6	7	12	4	2	1	.....
Cancer of stomach and liver	508	.....	.....	.....	.....	.....	.....	2	1	24	79	137	159	82	24	.....	.....
Cancer of intestines	157	.....	.....	1	.....	1	1	.....	4	5	23	26	56	29	9	2	.....
Cancer of female genital organs	216	.....	.....	.....	.....	.....	.....	1	8	18	62	61	50	13	3	.....	.....
Cancer of breast	110	.....	.....	.....	.....	.....	.....	.....	1	9	31	26	20	19	4	.....	.....
Cancer of skin	52	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	18	17	5	2	.....
Cancer of other or unspecified organs	277	.....	.....	1	3	.....	1	7	4	25	49	52	64	52	19	.....	.....
Tumor	28	2	.....	.....	1	.....	.....	2	1	2	6	4	3	5	2	.....	.....
Rheumatism	167	2	.....	1	2	4	18	16	8	20	21	25	26	22	1	1	.....
Diabetes	252	.....	.....	2	1	.....	7	8	7	17	25	56	79	39	11	.....	.....
Anemia, leukemia	97	6	3	1	.....	2	2	10	11	12	12	10	18	9	1	.....	.....
Alcoholism	163	.....	.....	.....	.....	.....	.....	1	13	52	48	24	18	7	.....	.....	.....
Chronic poisonings	19	.....	.....	.....	.....	.....	.....	1	2	4	4	.....	5	3	.....	.....	.....
Other general diseases	37	5	3	1	2	.....	4	1	4	5	9	1	1	1	.....	.....	.....
II.—Diseases of nervous system	4,409	687	214	94	74	48	198	191	135	193	313	501	700	719	316	26	.....
Encephalitis	20	7	3	.....	.....	.....	.....	1	2	1	2	.....	1	3	.....	.....	.....
Meningitis	1,001	212	138	67	60	40	159	146	56	40	31	24	17	9	1	1	.....
Locomotor ataxia	50	.....	.....	.....	.....	.....	.....	.....	.....	1	16	11	13	8	1	.....	.....
Other diseases of spinal cord	115	5	2	2	2	.....	2	3	3	6	18	27	19	23	3	.....	.....
Apoplexy	1,792	42	12	4	3	1	6	7	24	61	154	305	480	483	194	16	.....
Softening of brain	82	.....	1	.....	.....	.....	.....	.....	1	2	3	9	14	27	23	2	.....
Paralysis	374	3	1	.....	.....	1	.....	.....	7	11	23	50	94	116	62	6	.....
General paralysis of insane	147	.....	.....	.....	.....	.....	.....	1	1	23	16	30	27	26	23	.....	.....
Other forms of mental disease	65	.....	.....	.....	.....	.....	.....	.....	5	14	14	14	11	5	2	.....	.....
Other diseases of brain	89	12	6	1	1	1	4	8	11	7	10	4	12	8	3	1	.....
Epilepsy	83	3	2	1	.....	.....	8	12	10	15	7	13	4	6	2	.....	.....
Convulsions	493	380	47	19	7	5	12	4	9	6	4	.....	.....	.....	.....	.....	.....
Tetanus	40	18	.....	.....	.....	.....	4	7	2	1	6	2	.....	.....	.....	.....	.....
Other diseases of nervous system	58	5	2	.....	1	.....	3	2	4	5	9	12	8	5	2	.....	.....
III.—Diseases of circulatory system	3,352	87	6	7	8	9	54	144	156	240	361	482	753	725	294	25	1
Pericarditis	19	1	2	.....	1	.....	1	1	1	3	2	1	2	2	2	.....	.....
Endocarditis	381	11	2	3	1	4	20	33	35	35	41	53	62	59	22	.....	.....
Heart disease	2,492	62	1	2	4	5	32	106	92	177	283	359	592	552	208	16	1
Angina pectoris	129	.....	.....	.....	.....	.....	.....	1	2	10	11	23	38	37	6	1	.....
Diseases of arteries	161	.....	.....	.....	.....	.....	.....	.....	2	4	6	26	34	45	37	7	.....
Embolism and thrombosis	117	2	.....	.....	.....	.....	1	1	13	9	9	17	17	28	19	1	.....
Diseases of veins	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	2	3	.....	.....	.....	.....
Diseases of lymphatics	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Other diseases of circulatory system	38	10	.....	2	2	.....	.....	2	11	2	4	.....	3	2	.....	.....	.....
IV.—Diseases of respiratory system	4,445	1,105	392	161	60	43	104	121	198	346	352	378	417	495	236	34	3
Laryngitis	26	5	2	3	3	2	4	1	2	1	.....	.....	1	1	1	.....	.....
Other diseases of larynx	29	13	2	4	1	1	3	.....	1	1	.....	2	.....	1	.....	.....	.....
Diseases of thyroid body	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....
Acute bronchitis	356	225	48	19	3	3	3	.....	5	3	6	4	7	16	12	2	.....
Chronic bronchitis	273	10	3	1	.....	.....	5	3	7	13	11	29	59	74	46	12	.....
Bronchopneumonia	775	352	146	48	24	12	17	6	8	8	18	29	34	42	26	5	.....
Pneumonia	2,492	431	173	73	26	19	65	95	145	276	268	261	261	270	114	12	3
Pleurisy	103	4	6	5	.....	4	4	6	10	14	12	10	11	13	4	.....	.....
Congestion of lungs	221	57	11	4	3	1	2	5	11	9	10	14	26	44	21	3	.....
Gangrene of lungs	17	1	.....	1	.....	.....	1	1	1	.....	6	1	1	3	1	.....	.....
Asthma and emphysema	65	1	1	1	.....	1	.....	1	1	4	7	12	8	23	5	.....	.....
Hemorrhage of lungs	63	1	.....	.....	.....	.....	.....	1	7	12	11	13	7	8	3	.....	.....
Other diseases of respiratory system	21	4	.....	2	.....	.....	.....	2	.....	5	3	2	2	.....	1	.....	.....

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,295	2,102	361	96	25	25	73	112	153	209	241	254	302	238	99	5	
Diseases of mouth	14	10		1			1			1			1				
Tonsilitis	16	2		2		1	6	3	1			1					
Other diseases of pharynx	12	1	1			2					1	2	2	3			
Ulcer of stomach	54						1	1	2	13	10	10	9	6	1	1	
Gastritis	228	42	9	5	2		7	3	12	13	15	22	45	33	20		
Other diseases of stomach	133	52	2	5		3	3	3	5	3	10	8	16	18	5		
Dentition	13	11	2														
Diarrhea and enteritis	2,648	1,925	336	72	19	9	25	14	5	23	30	33	40	72	43	2	
Hernia	71	2	3						4	6	11	8	18	13	6		
Obstruction of intestines	190	30	4	5	2	4	4	4	24	15	11	23	36	17	10	1	
Other diseases of intestines	49	14						3	6	6	5	6	3	2	4		
Acute yellow atrophy of liver	7	1							2	1	1	1		1			
Hydatid tumors of liver	1									1							
Cirrhosis of liver	338			1			2	1	14	50	80	85	66	37	2		
Biliary calculi	46								1	4	6	14	12	8	1		
Other diseases of liver	134	11	1	3		1	2	3	2	16	16	26	27	21	4	1	
Diseases of spleen	10				1		1	2	1	1	3		1				
Peritonitis	161	1	3	1	1	2	5	25	33	34	27	7	14	5	3		
Appendicitis	168			1		3	16	50	40	22	15	8	11	2			
Other diseases of digestive system	2								1				1				
VI.—Diseases of genito-urinary system	2,614	49	11	9	10	11	36	77	184	273	339	468	525	431	160	30	1
Acute nephritis	338	14	6	7	2	6	14	32	40	59	48	49	41	15	4	1	
Bright's disease	1,980	28	5	2	7	5	21	37	116	174	260	390	435	360	116	23	1
Other diseases of kidneys	49	2			1		1	1	2	12	7	8	3	8	4		
Calculi of urinary tract	1														1		
Diseases of bladder	89	2							2	1	4	9	19	33	17	2	
Uterine tumor	23								1		5	5	9	2	1		
Other diseases of uterus	40							2	15	14	2	3	1	1	1		
Ovarian tumor	7							1	1	1	1	1	1	1			
Diseases of tubes	27							3	5	9	10						
Other diseases of genito-urinary system	60	3						1	2	3	2	3	16	11	16	3	
VII.—Childbirth	285							18	124	116	26						1
Puerperal septicemia	134							11	61	52	10						
Puerperal convulsions	54							6	20	24	4						
Other causes incident to childbirth	97							1	43	40	12						1
VIII.—Diseases of skin	132	14	3	1		3	3	2	1	8	9	18	19	28	19	4	
Gangrene	79	1	2			1		2		1	6	8	12	23	19	4	
Carbuncle	10	1	1								3	2	1	2			
Abscess	27	3		1		2	2		1	7		4	4	3			
Other diseases of skin	16	9					1					4	2				
IX.—Diseases of locomotor system	71	20	8	5	3	1	5	6	5	5	5	3	4		1		
Diseases of bones	68	19	8	5	3	1	5	5	4	5	5	3	4		1		
Diseases of joints	2	1							1								
Other diseases of locomotor system	1							1									
X.—Malformations	313	303	6	2	1	1											
Hydrocephalus	26	20	2	2	1	1											
Congenital malformation of heart (cyanosis)	165	162	3														
Other congenital malformations	122	121	1														
XI.—Diseases of early infancy	1,459	1,459															
Premature birth	727	727															
Congenital debility	732	732															
XII.—Old age	466												26	149	215	76	
XIII.—Violence	2,481	215	41	49	43	29	137	212	409	391	321	242	198	112	58	9	15
Suicide	334							16	57	69	67	53	42	24	6		
Fractures and dislocations	167		1	1	3	2	9	11	18	24	18	11	16	27	20	5	1
Burns and scalds	212	5	16	21	25	14	33	11	20	20	13	16	6	7	5		
Heat and sunstroke	125	30	8	1	2		1		7	21	17	8	16	7	6		1
Cold and freezing	18								3	1	2	4	5	1			2
Lightning	10					1			3	1	3	1	1				
Drowning	286	1		2	2	4	34	61	61	46	33	23	9	2			8
Inhalation of poisonous gases	117	2		1			6	12	20	16	19	20	10	6	4	1	
Other accidental poisonings	88	5	7	9	2	1	7	6	10	11	15	5	7	2	1		
Accidental gunshot wounds	49			1	1			10	14	8	7	2	4	2			
Injuries by machinery	22						1	5	4	4	3	3	2				
Injuries in mines and quarries	16								7	6	2		1				
Railroad accidents and injuries	430		1	2	2	2	28	49	105	77	74	41	34	10	3		2
Injuries by vehicles and horses	45		1	3		1	5	4	10	10	3	4	4				
Suffocation	35	22						2	1	1	2	1	5				1
Other accidental injuries	359	15	6	8	5	4	13	25	61	63	37	48	35	24	12	3	
Injuries at birth	133	133															
Homicide	35	2	1		1				8	13	6	2	1		1		
XIV.—Ill-defined causes	973	577	72	11	9	4	17	11	22	21	29	35	54	57	39	11	4
"Dropsy"	28					1	2	2	2	2	6	3	2	5	3		
"Heart failure"	124	19	1	1	2		6	3	5	9	10	17	22	20	7	2	
Other ill-defined causes	793	539	70	10	7	3	9	6	15	10	11	15	28	31	29	9	1
Unknown causes	28	19	1								2		2	1			3

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	137,222	26,213	6,174	2,653	1,664	1,145	3,404	5,313	10,613	12,868	13,158	13,591	16,169	14,987	7,978	1,190	102
I.—General diseases	34,880	2,080	1,385	960	715	464	1,319	2,177	5,030	5,446	4,661	3,852	3,533	2,285	859	94	20
Typhoid fever	1,608	3	7	11	16	14	65	305	445	341	175	119	59	36	10	.....	2
Malarial fever	137	10	8	6	5	2	5	8	14	14	12	15	19	13	6	.....	.....
Smallpox	10	1	1	.....	2	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....
Measles	904	245	270	126	70	26	81	32	20	12	12	5	2	2	1	.....	.....
Scarlet fever	779	46	75	120	108	74	221	88	31	12	1	1	1	1	.....	.....	.....
Whooping cough	767	435	181	63	39	20	26	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria	1,946	153	359	314	256	189	452	136	39	26	11	7	1	2	.....	.....	1
Croup	306	39	62	63	45	29	61	3	3	.....	.....	.....	1	.....	.....	.....	.....
Influenza	1,276	100	25	15	12	6	15	36	54	65	82	115	190	314	214	30	3
Cholera nostras	106	12	3	1	7	2	1	4	3	7	9	8	6	22	17	4	.....
Dysentery	565	108	37	21	18	4	15	7	16	17	20	30	71	104	87	10	.....
Erysipelas	440	171	6	.....	.....	2	1	8	20	35	52	40	44	40	19	2	.....
Other epidemic diseases	20	10	2	1	1	1	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....
Septicemia	256	33	3	5	1	.....	9	12	49	36	31	23	15	27	11	1	.....
Tuberculosis of lungs	14,015	121	86	41	33	26	92	1,130	3,696	3,784	2,462	1,364	784	313	75	3	5
Tuberculosis of larynx	117	.....	.....	1	.....	.....	1	4	32	24	25	16	12	2	.....	.....	.....
Tuberculous meningitis	890	224	184	121	62	36	100	58	47	25	18	8	5	2	.....	.....	.....
Abdominal tuberculosis	420	53	23	13	6	5	26	37	67	50	53	31	38	15	3	.....	.....
Pott's disease	137	5	6	4	8	4	19	25	18	18	7	10	5	7	1	.....	.....
Tuberculous abscess	15	1	1	.....	.....	.....	4	.....	2	1	2	3	1	.....	.....	.....	.....
White swelling	71	5	.....	2	1	1	13	15	9	8	6	5	3	2	1	.....	.....
Tuberculosis of other organs	125	3	5	3	2	.....	3	15	19	23	17	14	9	8	4	.....	.....
General tuberculosis	177	21	8	10	2	4	7	21	34	31	18	8	11	2	.....	.....	.....
Scrofula	35	18	2	1	2	1	3	1	1	.....	1	1	3	.....	1	.....	.....
Venereal diseases	335	180	14	2	.....	.....	3	8	27	38	33	17	10	2	1	.....	.....
Cancer of mouth	205	.....	.....	.....	1	1	1	.....	6	8	30	44	56	41	15	2	.....
Cancer of stomach and liver	2,272	2	.....	.....	.....	1	.....	1	24	108	355	580	680	424	92	4	1
Cancer of intestines	710	.....	.....	.....	.....	.....	.....	5	23	61	126	172	179	120	21	2	1
Cancer of female genital organs	860	.....	.....	.....	.....	.....	.....	2	20	109	262	231	153	69	12	1	1
Cancer of breast	526	.....	.....	.....	.....	.....	.....	.....	4	52	105	116	136	77	32	4	.....
Cancer of skin	202	.....	.....	.....	.....	.....	.....	1	2	7	18	30	44	59	33	8	.....
Cancer of other or unspecified organs	1,364	7	2	4	3	2	8	17	43	99	210	286	355	216	98	12	2
Tumor	102	2	1	.....	1	.....	1	6	2	10	16	14	23	19	7	.....	.....
Rheumatism	700	13	3	6	4	7	50	94	65	70	71	84	103	81	42	6	1
Diabetes	1,254	2	2	2	6	4	20	59	56	89	133	286	354	199	41	1	.....
Anemia, leukemia	457	35	5	1	4	1	13	26	41	46	71	74	85	42	11	2	.....
Alcoholism	576	.....	.....	.....	.....	.....	2	2	69	184	178	77	52	9	.....	.....	3
Chronic poisonings	38	.....	.....	1	.....	.....	.....	.....	5	7	10	6	3	6	.....	.....	.....
Other general diseases	157	22	4	2	.....	2	1	9	20	25	26	12	19	9	4	2	.....
II.—Diseases of nervous system	15,697	2,006	650	397	282	196	704	677	561	758	1,215	1,751	2,463	2,658	1,258	113	8
Encephalitis	63	16	1	5	1	.....	3	5	2	6	5	5	7	6	1	.....	.....
Meningitis	3,823	766	453	311	242	168	612	535	274	186	124	64	60	21	6	.....	1
Locomotor ataxia	207	.....	.....	.....	.....	.....	.....	1	5	10	41	60	52	32	6	.....	.....
Other diseases of spinal cord	405	15	7	6	4	3	7	11	25	42	44	74	97	52	17	1	.....
Apoplexy	6,736	101	14	12	1	2	10	20	70	219	595	1,136	1,749	1,874	852	75	6
Softening of brain	166	.....	.....	.....	.....	.....	.....	.....	.....	4	6	17	39	65	34	1	.....
Paralysis	1,117	8	2	3	.....	1	3	7	12	19	53	130	237	379	236	26	1
General paralysis of insane	674	.....	.....	.....	.....	.....	.....	.....	19	117	186	116	82	100	51	3	.....
Other forms of mental disease	201	.....	.....	.....	.....	.....	.....	1	17	25	23	33	40	42	18	2	.....
Other diseases of brain	295	34	9	6	3	2	18	16	25	42	45	33	27	22	13	.....	.....
Epilepsy	320	28	5	5	3	.....	11	31	55	44	40	30	39	22	6	1	.....
Convulsions	1,217	962	139	42	19	11	17	5	8	7	2	1	1	1	1	1	.....
Tetanus	125	41	2	.....	1	3	11	13	9	9	12	14	7	2	1	.....	.....
Other diseases of nervous system	348	35	18	7	8	6	12	32	40	28	39	38	26	40	16	3	.....
III.—Diseases of circulatory system	15,267	242	28	28	22	26	179	525	685	1,084	1,585	2,267	3,404	3,493	1,524	164	11
Pericarditis	106	3	1	2	.....	1	1	11	13	11	16	11	15	17	4	.....	.....
Endocarditis	1,146	20	7	3	4	6	37	62	80	116	131	164	223	209	76	8	.....
Heart disease	11,850	158	17	15	15	15	135	435	520	854	1,238	1,808	2,661	2,705	1,153	111	10
Angina pectoris	530	1	.....	.....	.....	.....	.....	1	13	25	56	104	157	135	37	1	.....
Diseases of arteries	1,042	.....	.....	1	.....	.....	1	2	14	30	58	106	256	324	211	38	1
Embolism and thrombosis	390	7	.....	2	1	.....	1	7	23	32	59	59	73	85	37	4	.....
Diseases of veins	63	1	.....	1	1	1	.....	1	5	5	11	9	13	10	4	1	.....
Diseases of lymphatics	15	8	1	2	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	125	44	2	2	1	3	4	6	17	10	14	6	5	8	2	1	.....
IV.—Diseases of respiratory system	19,063	4,628	2,014	693	293	207	353	451	897	1,336	1,436	1,569	1,958	1,979	1,060	177	12
Laryngitis	56	8	9	4	7	2	9	2	2	2	3	4	1	1	2	.....	.....
Other diseases of larynx	74	22	8	7	4	3	9	1	1	2	5	2	5	4	1	.....	.....
Diseases of thyroid body	26	2	.....	.....	.....	.....	.....	2	.....	4	3	4	7	3	1	.....	.....
Acute bronchitis	1,770	1,109	251	59	20	19	14	13	8	12	15	28	49	82	67	23	1
Chronic bronchitis	1,070	28	14	7	1	1	12	12	22	27	44	123	210	310	221	38	.....
Bronchopneumonia	4,501	1,821	946	306	117	68	97	49	73	104	114	126	234	252	168	26	.....
Pneumonia	10,080	1,488	733	289	135	106	192	317	677	1,054	1,094	1,092	1,257	1,090	474	72	10
Pleurisy	472	30	32	13	4	4	14	32	62	53	69	55	43	42	18	1	.....
Congestion of lungs	476	99	10	2	3	.....	4	11	11	22	21	40	56	109	74	14	.....
Gangrene of lungs	41	.....	.....	.....	.....	.....	.....	2	3	8	10	11	6	1	.....	.....	.....
Asthma and emphysema	215	2	2	.....	.....	1	1	1	5	4	19	48	53	58	20	1	.....
Hemorrhage of lungs	147	5	.....	.....	.....	.....	.....	3	20	31	26	20	24	11	7	.....	.....
Other diseases of respiratory system	135	14	9	6	2	3	1	6	13	13	13	16	13	16	7	2	1

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	17,099	8,069	1,629	315	145	106	260	407	594	800	1,038	1,035	1,168	973	495	61	4
Diseases of mouth	47	34	2	2	1		2			2		1	1	2			
Tonsilitis	55	3	5	4	1	3	9	9	5	4	3	3	3	2	1		
Other diseases of pharynx	76	21	3	2	1	1	2	3	3	9	3	4	11	10	3		
Ulcer of stomach	261	3					2	5	22	49	63	39	38	32	8		
Gastritis	728	149	20	12	8	2	6	5	22	35	57	69	107	141	87	8	
Other diseases of stomach	555	227	18	7	7	1	7	4	11	25	25	36	50	69	59	9	
Dentition	37	22	13	2													
Diarrhea and enteritis	10,415	7,388	1,526	263	96	73	72	27	52	69	97	111	193	254	163	30	1
Hernia	422	20	2	2			1	2	11	35	66	83	104	57	35	4	
Obstruction of intestines	718	113	17	5	13	3	18	28	72	67	90	69	106	84	31	2	
Other diseases of intestines	197	40	3	2	1	2	4	13	23	21	19	18	19	17	14	1	
Acute yellow atrophy of liver	27	2						2	2	5	3	4	2	5	2		
Hydatid tumors of liver	7								4	1	2						
Cirrhosis of liver	1,476	2	3	2	1	1	3	8	40	196	333	361	330	157	34	3	2
Biliary calculi	158							1	6	12	26	45	37	21	10		
Other diseases of liver	449	18	4	4	3	2	4	9	24	42	73	86	70	69	39	1	1
Diseases of spleen	16				1				2	3	4	2	1	3			
Peritonitis	502	26	12	4	5	7	19	50	99	90	70	41	48	24	4	3	
Appendicitis	915	1	1	4	7	11	111	241	193	128	92	59	41	21	5		
Other diseases of digestive system	38								3	7	12	4	7	5			
VI.—Diseases of genito-urinary system	11,917	138	42	45	31	15	90	239	796	1,303	1,664	2,061	2,530	2,043	830	82	8
Acute nephritis	1,109	57	15	21	21	9	47	70	150	166	162	158	125	72	34	1	1
Bright's disease	9,304	69	21	23	10	6	40	130	477	914	1,305	1,765	2,194	1,664	623	56	7
Other diseases of kidneys	192	6	1					6	16	36	27	25	25	32	16	2	
Calculi of urinary tract	47		3				2		1	5	4	10	11	8	3		
Diseases of bladder	343	3		1				2	5	12	13	17	64	125	86	15	
Uterine tumor	151								3	35	59	33	15	6			
Other diseases of uterus	138		1					12	43	29	34	11	6	1	1		
Ovarian tumor	96						1		19	20	21	13	11	6	5		
Diseases of tubes	182							17	75	71	19						
Other diseases of genito-urinary system	355	3	1					2	7	15	20	29	79	129	62	8	
VII.—Childbirth	1,365							91	608	558	105	1					2
Puerperal septicemia	630							50	307	240	32	1					
Puerperal convulsions	293							24	138	108	23						
Other causes incident to childbirth	442							17	163	210	50						2
VIII.—Diseases of skin	577	74	7	11	1	4	6	6	17	26	30	57	95	121	106	16	
Gangrene	380	6	2	9		3	5		7	6	18	37	70	106	96	15	
Carbuncle	24	5							1	4	2	4	6	2			
Abscess	109	28	3	2	1	1	1	6	8	15	4	15	11	7	6	1	
Other diseases of skin	64	35	2						1	1	6	1	8	6	4		
IX.—Diseases of locomotor system	284	48	38	18	7	4	14	23	20	22	20	18	27	16	9		
Diseases of bones	248	45	38	18	7	4	13	20	16	20	14	14	21	12	6		
Diseases of joints	26	2					1	2	3	2	4	4	5	1	2		
Other diseases of locomotor system	10	1						1	1		2		1	3	1		
X.—Malformations	1,167	1,080	37	14	8	4	13	7	3	1							
Hydrocephalus	140	91	22	10	5	2	4	3	3								
Congenital malformation of heart (cyanosis)	711	684	11	2		2	7	4		1							
Other congenital malformations	316	305	4	2	3		2										
XI.—Diseases of early infancy	5,526	5,526															
Premature birth	2,610	2,610															
Congenital debility	2,916	2,916															
XII.—Old age	2,631												142	715	1,375	397	2
XIII.—Violence	9,253	882	151	146	149	113	457	696	1,374	1,488	1,347	886	703	483	294	52	34
Suicide	1,219							43	232	274	256	181	148	61	20	1	3
Fractures and dislocations	663	3	6	3	1	4	11	25	52	62	83	54	84	121	125	27	2
Burns and scalds	624	17	63	65	61	51	83	36	44	51	51	30	31	29	10	2	
Heat and sunstroke	312	75	12	2	4	2	4	9	26	36	48	27	27	27	11	2	
Cold and freezing	56	1	1				1	2	4	3	10	13	12	5	1	1	2
Lightning	13						1	3	2	3	2	1	1				
Drowning	954	7	7	5	9	7	80	172	172	174	153	92	47	17	4		8
Inhalation of poisonous gases	439	5	5	4	4	2	14	36	70	87	92	55	27	20	15	2	1
Other accidental poisonings	308	30	16	15	13	8	14	16	38	35	48	29	24	19	3		
Accidental gunshot wounds	161	1	1			1	7	40	31	28	26	11	9	3	1		2
Injuries by machinery	49						2	7	8	11	6	11	2	1	1		
Injuries in mines and quarries	16							1	7	5	1	2					
Railroad accidents and injuries	1,236		5	7	8	3	58	106	280	258	215	135	90	39	18		14
Injuries by vehicles and horses	401		3	9	13	9	60	42	56	67	49	31	33	22	7		
Suffocation	108	60	2	1	2		1	7	7	10	7	8	2	1			
Other accidental injuries	1,828	24	29	34	34	26	117	133	275	320	268	193	163	115	78	17	2
Injuries at birth	657	657															
Homicide	211	2	1	1			4	18	70	64	32	13	3	3			
XIV.—Ill-defined causes	2,494	1,440	193	26	11	6	9	14	28	46	57	94	146	221	168	34	1
"Dropsy"	154	5					1	1	1	3	9	19	26	43	38	8	
"Heart failure"	323	33	4		1	1	3	6	11	19	25	42	65	65	45	4	
Other ill-defined causes	1,982	1,379	189	25	11	5	5	7	16	22	21	30	54	112	84	22	
Unknown causes	35	23		1						2	2	3	1	1	1		1

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	8,208	1,704	381	144	84	74	187	288	620	722	730	877	974	912	430	74	7
I.—General diseases	2,226	164	107	62	43	35	78	143	323	316	243	259	211	166	65	7	4
Typhoid fever	82	1			5	2	6	15	28	8	3	6	2	4	2		
Malarial fever	16	1	1	1			2		1	1	1	5	1	2			
Smallpox																	
Measles	36	9	20	4		1	1	1									
Scarlet fever	34	1	6	5	6	3	7	5							1		
Whooping cough	46	30	7	4	1	2	2										
Diphtheria	112	7	16	19	13	10	31	10	3	1		1	1				
Croup	26	3	5	9	5	3	1										
Influenza	136	11	1	3		1	1	2	3	4	15	14	22	29	23	6	1
Cholera nostras	4	1					1				1	1					
Dysentery	57	15	8	1	2	1	2				1	4	6	9	8		
Erysipelas	17	5							1	3			5	2	1		
Other epidemic diseases	5	1			2		1							1			
Septicemia	12	1					1	2		1	1	2	2	1	1		
Tuberculosis of lungs	843	20	10	5	1	3	4	75	247	219	121	70	41	24	2		1
Tuberculosis of larynx	11	4		2		1			1	2	1						
Tuberculous meningitis	85	27	24	5	5	5	7	4	3	2	1	1	1				
Abdominal tuberculosis	34	6	4	1		2	1	5	6	4		3	1	1			
Pott's disease	7					1		1	1		1	1	1				1
Tuberculous abscess	1												1				
White swelling	12	1					1	6	2		1		1				
Tuberculosis of other organs	9						1	1	1	3	2				1		
General tuberculosis	25	2		3	1		2	1	7	4	2	2		1			
Scrofula	3	1					1		1								
Venereal diseases	25	14	1		2				1	4	2	1					
Cancer of mouth	11		1									3	1	6			
Cancer of stomach and liver	133								2	8	19	31	36	30	6		1
Cancer of intestines	54									2	10	13	14	13	2		
Cancer of female genital organs	85								2	9	22	25	16	9	1	1	
Cancer of breast	51								1	4	5	22	6	8	5		
Cancer of skin	13										1	2	3	3	4		
Cancer of other or unspecified organs	39	1					1			8	2	9	9	6	3		
Tumor	3								1	1		1					
Rheumatism	41	2	1				3	7	4	3	4	5	5	5	2		
Diabetes	82						1	6		4	11	24	25	8	3		
Anemia, leukemia	15		1					1	1	1	3	4	2	2			
Alcoholism	52							1	4	19	10	9	7	2			
Chronic poisonings	5								2	1	1		1				
Other general diseases	4		1								2		1				
II.—Diseases of nervous system	793	71	27	5	6	8	27	28	23	35	62	116	159	156	66	4	
Encephalitis	4	1						1			2						
Meningitis	128	31	24	5	4	5	21	17	8	3	5	1	1	2	1		
Locomotor ataxia	10									1	3	2	3	1			
Other diseases of spinal cord	24	1			1			2	1	1	3	6	3	4	2		
Apoplexy	416	5						2	4	16	28	82	105	121	50	3	
Softening of brain	9									2		3	2	2			
Paralysis	66	2				1	1				7	7	23	14	11		
General paralysis of insane	48							1		6	10	9	12	8	1	1	
Other forms of mental disease	13								2	1	1	3	4	1	1		
Other diseases of brain	11	1	1		1			1	2		1	1	2	1			
Epilepsy	17	3					2	1	2	2	1	2	3	1			
Convulsions	26	22	2			1	1										
Tetanus	3	1				1				1							
Other diseases of nervous system	18	4					2	3	4	2	1		1	1			
III.—Diseases of circulatory system	841	15	2		2	2	11	16	28	64	88	142	185	194	87	4	1
Pericarditis	5						1		1		1		2				
Endocarditis	73	4				1	6	2	4	6	2	14	16	15	3		
Heart disease	641	8	2		1		4	13	19	51	72	109	138	159	61	3	1
Angina pectoris	41								2	2	4	6	12	8	7		
Diseases of arteries	54								1	1	6	8	14	9	14	1	
Embolism and thrombosis	18					1			1	3	3	4	1	3	2		
Diseases of veins	4	1										1	2				
Diseases of lymphatics																	
Other diseases of circulatory system	5	2			1			1		1							
IV.—Diseases of respiratory system	1,225	302	107	33	18	12	30	28	48	91	115	108	138	115	66	13	1
Laryngitis	2					1	1										
Other diseases of larynx	7	3	1		1		2										
Diseases of thyroid body																	
Acute bronchitis	136	87	22	5	5	1		2	1	2			3	4	2	1	1
Chronic bronchitis	78	1	2				1	1	2	2	2	6	21	22	17	1	
Bronchopneumonia	201	88	26	9	7	2	6	3	3	6	8	8	14	6	11	4	
Pneumonia	733	119	54	18	5	7	17	22	36	77	94	88	90	72	28	6	
Pleurisy	23		1	1			2		3	1	4	3	4	3	1		
Congestion of lungs	9	2				1				1			1	1	2	1	
Gangrene of lungs	1											1					
Asthma and emphysema	24		1				1		2		5	1	5	6	3		
Hemorrhage of lungs	8	2							1	1	1	1		1	1		
Other diseases of respiratory system	3									1	1				1		

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,105	594	108	27	10	10	14	16	23	48	51	65	68	52	18	1	
Diseases of mouth	4	4															
Tonsilitis	3	1		1					1								
Other diseases of pharynx	1													1			
Ulcer of stomach	13								3	1	2		6	1			
Gastritis	27	6	1						1	2	3	3	5	5	1		
Other diseases of stomach	86	56	8	2	1		1		1	2	2	3	2	5	3		
Dentition	1	1															
Diarrhea and enteritis	711	516	96	24	7	7	4	1	2	7	5	7	16	11	7	1	
Hernia	21									3	4	4	4	6			
Obstruction of intestines	25	3							2	3	3	5	3	4	2		
Other diseases of intestines	19	6	2		1		1		1		1	4		1	2		
Acute yellow atrophy of liver	2								1	1							
Hydatid tumors of liver																	
Cirrhosis of liver	72								2	7	16	15	23	8	1		
Biliary calculi	12									1	1	3	4	2	1		
Other diseases of liver	27									3	5	12	2	4	1		
Diseases of spleen	1				1												
Peritonitis	15		1			2	1	2	1	4	1	2		1			
Appendicitis	63	1				1	7	13	8	13	8	7	3	2			
Other diseases of digestive system	2									1				1			
VI.—Diseases of genito-urinary system	774	8	4	2	1		4	16	58	76	110	148	156	143	41	7	
Acute nephritis	75	4	1				1	6	7	14	9	13	10	10			
Bright's disease	600	2	2	2	1		3	9	37	51	82	125	133	116	30	7	
Other diseases of kidneys	11	2							2	1	1		2	2	1		
Calculi of urinary tract	1												1				
Diseases of bladder	13		1								1	2	2	3	4		
Uterine tumor	10								2	1	4	2		1			
Other diseases of uterus	9							1	2	1	3	1	1				
Ovarian tumor	12								2	3	3	2	1	1			
Diseases of tubes	17								5	4	6	2					
Other diseases of genito-urinary system	26								1	1	1	1	6	10	6		
VII.—Childbirth	100							8	52	28	12						
Puerperal septicemia	43							4	26	10	3						
Puerperal convulsions	23							2	13	4	4						
Other causes incident to childbirth	34							2	13	14	5						
VIII.—Diseases of skin	33	5	1				1	1		2	1		5	6	7	4	
Gangrene	18									1			3	4	7	3	
Carbuncle	1															1	
Abscess	6	2					1	1					2				
Other diseases of skin	8	3	1							1	1			2			
IX.—Diseases of locomotor system	21	5	2	1			1	1	2	1	2	2	1	2	1		
Diseases of bones	21	5	2	1			1	1	2	1	2	2	1	2	1		
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	77	69	3	1		1	2	1									
Hydrocephalus	14	11	2	1													
Congenital malformation of heart (cyanosis)	40	38	1					1									
Other congenital malformations	23	20				1	2										
XI.—Diseases of early infancy	301	301															
Premature birth	152	152															
Congenital debility	149	149															
XII.—Old age	155												7	49	68	31	
XIII.—Violence	446	92	10	11	4	5	18	29	61	59	44	33	39	27	10	3	1
Suicide	55							4	11	10	12	7	9	2			
Fractures and dislocations	8									2		2		3	1		
Burns and scalds	21	1	1	3	1	1	1	1	1	2		3	4	2			
Heat and sunstroke	9	1	1	1						3	2	1					
Cold and freezing	3											1	2				
Lightning																	
Drowning	62			2	1	1	5	6	19	10	4	5	6	3			
Inhalation of poisonous gases	11						1		4	1	1		2	2			
Other accidental poisonings	13	4	2	1	2	1	1			1	1						
Accidental gunshot wounds	3		1						2								
Injuries by machinery	6								1	1	3		1				
Injuries in mines and quarries																	
Railroad accidents and injuries	57		3			1	6	7	11	15	4	5	3	1			1
Injuries by vehicles and horses	11							1		2	3	1	2	2			
Suffocation	12	7						1		1	1	1		1			
Other accidental injuries	95	6	2	4		1	4	9	8	10	12	7	9	11	9	3	
Injuries at birth	71	71															
Homicide	9	2							4	1	1		1				
XIV.—Ill-defined causes	111	78	10	2		1	1	1	2	2	2	4	5	2	1		
"Dropsy"	1												1				
"Heart failure"	1									1							
Other ill-defined causes	92	65	7	2		1	1		2	1	2	4	4	2	1		
Unknown causes	17	13	3					1									

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,943	894	155	65	51	29	122	226	362	349	380	533	785	1,075	730	144	43
I.—General diseases	1,443	93	40	21	20	9	47	94	183	134	150	167	177	189	105	8	6
Typhoid fever	86		2	2	1		7	22	18	12	6	5	8	2	1		
Malarial fever	6												2	2	2		
Smallpox																	
Measles	38	6	8	3	1	1	4	3	3	2	3	1	2	1			
Scarlet fever	10		1	2	2	1	3		1								
Whooping cough	40	25	4	4	4	2				1							
Diphtheria	42	3	4	2	4	3	16	7	1		1	1					
Croup	15	4	4	3	2		2										
Influenza	180	22	4	1	1		1	2	3	6	4	10	24	51	45	6	
Cholera nostras	4	1				1			1						1		
Dysentery	18	3			1		1				1	3	2	2	5		
Erysipelas	11	3		1								2	1	2	2		
Other epidemic diseases	3	2	1														
Septicemia	19	1	1					1	6	2	2	2		1	3		
Tuberculosis of lungs	427	9	5	2			3	39	117	76	69	46	33	20	5		3
Tuberculosis of larynx	3								1			2					
Tuberculous meningitis	22	5	4		2		3	2	3		3						
Abdominal tuberculosis	18		1	1				2	5	5	1	2	1				
Pott's disease	7	1						1	1	1	1	1			1		
Tuberculous abscess																	
White swelling	3						1	1	1								
Tuberculosis of other organs	7								2			2		1	2		
General tuberculosis	6	1						1	2	1	1						
Scrofula	1	1															
Venereal diseases	7	1	1								2	1	2				
Cancer of mouth	11									1	2		4		3		1
Cancer of stomach and liver	106									2	16	23	29	26	10		
Cancer of intestines	33								1	1	2	8	10	10	1		
Cancer of female genital organs	38									5	10	8	8	5	1	1	
Cancer of breast	21										3	3	3	8	4		
Cancer of skin	18											2	3	6	6	1	
Cancer of other or unspecified organs	67							1	1	3	5	17	14	20	6		
Tumor	7								1				4	2			
Rheumatism	35	1			1		3	3	3	1	3	2	6	6	6		
Diabetes	63					1	3	8	6	6	8	9	9	12	1		
Anemia, leukemia	36	2			1			1	3	5	2	8	5	9			
Alcoholism	19									4	4	5	3	1			2
Chronic poisonings	2											1	1				
Other general diseases	14	2							3		1	3	3	2			
II.—Diseases of nervous system	801	75	16	11	6	3	14	24	20	26	42	95	118	213	111	16	11
Encephalitis	14	3	2	1				2				3		3			
Meningitis	101	27	12	7	3	3	12	10	8	10	4	3		2			
Locomotor ataxia	12							1			2	4	2	3			
Other diseases of spinal cord	26	4						1		2	2	3	2	10	2		
Apoplexy	431	5	1				2	3		5	24	56	84	146	82	13	10
Softening of brain	18											1	3	8	6		
Paralysis	51	1		1						3	2	5	9	15	12	3	
General paralysis of insane	27										3	7	6	9	1		1
Other forms of mental disease	15							1			2	2	5	3	2		
Other diseases of brain	20	1			1			1	4	3	2	3	2	3			
Epilepsy	22	1						4	4	1	1	4	2	2	3		
Convulsions	36	32	1	2						1							
Tetanus	5	1						1	2	1							
Other diseases of nervous system	22				2				2			4	3	9	3		
III.—Diseases of circulatory system	753	14		1			4	14	16	25	41	83	178	229	129	16	3
Pericarditis	6						2				1		1	1	1		
Endocarditis	26						1	4	3	1	2	5	3	5	2		
Heart disease	599	8		1			1	8	13	20	31	61	148	185	106	14	3
Angina pectoris	45							1		3	3	11	11	10	6		
Diseases of arteries	45										2	2	10	20	9	2	
Embolism and thrombosis	18									1	2	4	3	5	3		
Diseases of veins	2												1		1		
Diseases of lymphatics	3	1						1					1				
Other diseases of circulatory system	9	5												3	1		
IV.—Diseases of respiratory system	785	134	43	15	9	6	23	21	28	50	39	60	92	142	99	18	6
Laryngitis	2	1					1										
Other diseases of larynx	1	1															
Diseases of thyroid body	1												1				
Acute bronchitis	83	42	8	4	1	1		2				1	3	8	12		1
Chronic bronchitis	49		1				1			1	1	1	8	14	18	4	
Bronchopneumonia	86	26	11	2	2	1	5		3	2	1	1	3	19	9		1
Pneumonia	498	52	21	9	5	4	16	18	24	39	33	50	71	86	55	12	3
Pleurisy	16				1			1	1	4	1	2		4	2		
Congestion of lungs	32	10	1							1	1	5	3	9	2		
Gangrene of lungs	1												1				
Asthma and emphysema	7		1							2	1		1	1			1
Hemorrhage of lungs	2													1		1	
Other diseases of respiratory system	7	2								1	1		1		1	1	

TABLE 7.—DEATHS IN EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1905—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	609	209	45	11	10	6	18	28	24	25	25	29	55	78	36	8	2
Diseases of mouth	2	1					1										
Tonsilitis	2	1	1														
Other diseases of pharynx	6	1						1					2	2			
Ulcer of stomach	12									2		1	4	4	1		
Gastritis	46	4	2	1		1				4	5	4	6	12	5	2	
Other diseases of stomach	29	11							1	2	3		6	2	4		
Dentition	1	1															
Diarrhea and enteritis	295	180	39	8	6	5	9	4	1	4	3	3	7	13	10	2	1
Hernia	14	1		1							1	1	3	5	2		
Obstruction of intestines	32	2	1		1		2	1	1	2	1	4	4	10	1	2	
Other diseases of intestines	16	2	1	1			1		2	1		2		5	1		
Acute yellow atrophy of liver	1											1					
Hydatid tumors of liver																	
Cirrhosis of liver	34							1		2	4	5	12	8	1	1	
Biliary calculi	9											2	3	2	1	1	
Other diseases of liver	26							2			4	1	5	5	9		
Diseases of spleen																	
Peritonitis	51	3	1		3		3	10	10	5	1	4	1	8	1		1
Appendicitis	32	2					2	9	9	3	2	1	2	2			
Other diseases of digestive system	1										1						
VI.—Diseases of genito-urinary system	390	7				2	2	8	12	23	34	46	92	103	52	5	4
Acute nephritis	24	1				1		1	2	4	2	1	3	3	5		1
Bright's disease	300	5				1	2	6	9	14	24	40	77	83	34	2	3
Other diseases of kidneys	8	1									2	1	1	2	1		
Calculi of urinary tract	4											1	2		1		
Diseases of bladder	25												5	7	10	3	
Uterine tumor	7									2	3	1	1				
Other diseases of uterus	2							1			1						
Ovarian tumor	6								1	1	2	1		1			
Diseases of tubes	1									1							
Other diseases of genito-urinary system	13									1		1	3	7	1		
VII.—Childbirth	66							8	32	19	7						
Puerperal septicemia	15							2	7	4	2						
Puerperal convulsions	14							2	8	4							
Other causes incident to childbirth	37							4	17	11	5						
VIII.—Diseases of skin	40	5	2						1			2	6	12	12		
Gangrene	30	1										2	5	10	12		
Carbuncle	2								1					1			
Abscess	4	2	2														
Other diseases of skin	4	2											1	1			
IX.—Diseases of locomotor system	15	1						2		2	2	1	4	2	1		
Diseases of bones	9	1						2		2	1		2	1			
Diseases of joints	4											1	2		1		
Other diseases of locomotor system	2										1			1			
X.—Malformations	48	47	1														
Hydrocephalus	6	6															
Congenital malformation of heart (cyanosis)	27	27															
Other congenital malformations	15	14	1														
XI.—Diseases of early infancy	225	225															
Premature birth	127	127															
Congenital debility	98	98															
XII.—Old age	263												7	50	142	64	
XIII.—Violence	330	20	5	6	5	3	12	27	44	38	35	37	33	23	29	6	7
Suicide	43							2	7	5	9	10	3	4	3		
Fractures and dislocations	28				1					1	2	3	1	2	14	3	1
Burns and scalds	13	2		1	1			2	2		1	1	1	1		1	
Heat and sunstroke	1													1			
Cold and freezing	2									1				1			
Lightning	3								1		1	1					
Drowning	32			1			3	12	5	3	1	3	2	1			1
Inhalation of poisonous gases	1												1				
Other accidental poisonings	24		3	1	2	1	2		3	4	2	1	3	1	1		
Accidental gunshot wounds	16						1	6	3		3		2				1
Injuries by machinery	7								1		3	2	1				
Injuries in mines and quarries	15								6	7	2						
Railroad accidents and injuries	33							3	7	5	3	5	4	5			1
Injuries by vehicles and horses	11						1	1	2	2	1	1	1	2			
Suffocation	4	1				1	1			1							
Other accidental injuries	75	2	2	3	1	1	4	1	6	8	7	8	14	5	10	2	1
Injuries at birth	15	15															
Homicide	7								1	1		2			1		2
XIV.—Ill-defined causes	175	64	3		1		2		2	7	5	13	23	34	14	3	4
"Dropsy"	10								1			3	1	3	2		
"Heart failure"	45	4					1			3	3	8	11	11	3	1	
Other ill-defined causes	85	40	3		1		1		1	3	2	1	7	16	8	2	
Unknown causes	35	20								1		1	4	4	1		4

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905.

ALLEGHENY, PA.

CAUSE OF DEATH	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,683	638	243	85	54	39	84	130	277	243	209	195	227	180	69	10	
Typhoid fever	181		1	3	4	2	11	38	74	25	14	8		1			
Malarial fever	1										1						
Smallpox																	
Measles	79	9	26	17	10	8	9										
Scarlet fever	24	1	1	7		1	12	2									
Whooping cough	37	10	13	6	3	2	1	2									
Diphtheria and croup	28	2	5	3	6	2	9	1									
Influenza	25			1				1			2	4	8	5	3	1	
Cholera nostras	3									2	1						
Dysentery	13	1	1							2	1	1		3	4		
Erysipelas	5	2	1									1		1			
Other epidemic diseases	1	1															
Septicemia	8	1				1			2	3			1				
Tuberculosis—total	223	10	10	4	4	2	5	22	62	42	35	18	9				
Tuberculosis of lungs	176	3	3		2		2	19	55	37	30	17	8				
Tuberculosis of larynx	3								1	1	1						
Tuberculous meningitis	20	5	7	4	1		2			1							
Abdominal tuberculosis	12	1				2		3	3	1	1		1				
Pott's disease	5				1		1		2			1					
Tuberculous abscess																	
White swelling	1										1						
Tuberculosis of other organs	1										1						
General tuberculosis	5	1							1	2	1						
Scrofula																	
Venereal diseases	11	6			1				2	1	1						
Cancer	71								1	8	18	17	19	8			
Tumor	1								1								
Rheumatism	12							4	2			2	1	3			
Diabetes	5							1		1	1		1	1			
Anemia, leukemia	2						1				1						
Alcoholism	12								1	4	3	3	1				
Chronic poisonings	3										2	1					
Other general diseases	1								1								
Encephalitis	2							1		1							
Meningitis	47	11	10	4	5	2	2	6	3	2	1	1					
Apoplexy	80	2			1			2	3	7	9	15	20	18	3		
Softening of brain	2		1											1			
Paralysis	10					1					1			6	2		
Epilepsy	5							1		3			1				
Convulsions	63	48	8	2	1	1	1		1	1							
Tetanus	4	2								2							
Other diseases of nervous system	35	5	1				1	1	3	3	5	5	9	1	1		
Pericarditis	1												1				
Endocarditis	12	2							1		2	1	5	1			
Heart disease	117	3	1					6	9	16	15	27	23	12	5		
Angina pectoris	8							1			1	2	2	2			
Embolism and thrombosis	2								1		1						
Other diseases of circulatory system	10	2	1						1			1	2		3		
Laryngitis	1														1		
Acute bronchitis	50	24	15	6		1				1		1	2				
Chronic bronchitis	29		1								3	3	5	11	5	1	
Bronchopneumonia	66	26	13	5							3	3	6	10			
Pneumonia	311	72	32	12	11	4	10	5	25	25	31	27	32	20	5		
Pleurisy	7							1	2	1		1		1	1		
Congestion of lungs	5	1		1								1		2			
Other diseases of respiratory system	22	1	2		1					2	2	7	3	4			
Tonsilitis																	
Diseases of stomach	38	18	2				1	1	1	1	2	3	5	3	1		
Diarrhea and enteritis	260	154	66	9	1	2	1	1		1	3	4	7	7	4		
Hernia and intestinal obstructions	16	2			1				4	4	1	1	2	1			
Cirrhosis of liver	27									5	4	2	9	7			
Other diseases of liver	14								1	3		3	6	1			
Peritonitis	18	2					2	1	8	1	3			1			
Appendicitis	10				1			2	2	4		1					
Other diseases of digestive system	14	2	5			1	1	2	2	1					1		
Acute nephritis	11	2			1	1				2	1	3	1				
Bright's disease	77	2	1	1		2	2	1	8	8	10	12	17	9	4		
Calculi of urinary tract	4		1					1					1	1			
Uterine tumor																	
Ovarian tumor	2										1	1					
Other diseases of genito-urinary system	19	2				1			3	3	3		2	3	2		
Puerperal septicemia	12							1	9	1	1						
Other causes incident to childbirth	16							1	8	6	1						
Diseases of skin	10	3				1				1		1	2	2			
Diseases of locomotor system	6	2		1						1		1	1				
Malformations	16	14					2										
Premature birth	55	55															
Congenital debility	84	84															
Old age	37												3	13	14	7	
Suicide	28							1	5	10	2	3	5	2			
Other violence	172	8	2		2	4	12	23	30	37	23	10	11	7	3		
Ill-defined causes	102	46	23	3	1	1	1		1	2			4	13	6	1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,698	2,467	525	250	128	104	200	435	941	978	1,041	1,046	1,175	920	420	65	3
Typhoid fever	195	.....	1	4	1	2	9	45	54	38	20	9	10	1	1	.....	.....
Malarial fever	18	2	1	1	.....	1	2	1	1	1	3	1	2	1	1	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	84	15	31	21	7	3	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	36	4	6	6	7	5	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	69	43	10	9	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	94	6	22	23	10	11	15	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	96	4	5	.....	1	1	1	4	10	6	10	11	15	17	8	3	.....
Cholera nostras	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....
Dysentery	40	3	1	3	.....	.....	1	2	4	3	3	5	5	6	4	.....	.....
Erysipelas	19	4	1	.....	.....	.....	.....	.....	.....	.....	5	3	2	3	.....	1	.....
Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	22	4	.....	2	.....	.....	.....	1	5	2	3	3	1	1	.....	.....	.....
Tuberculosis—total	1,471	42	29	23	14	13	36	153	413	301	220	123	80	18	6	.....	.....
Tuberculosis of lungs	1,249	18	9	7	5	7	22	126	376	279	199	112	71	13	5	.....	.....
Tuberculosis of larynx	22	.....	.....	.....	.....	.....	.....	1	2	4	11	3	1	.....	.....	.....	.....
Tuberculous meningitis	73	19	17	9	4	6	8	5	3	.....	1	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	33	4	1	.....	1	.....	3	2	7	7	1	1	2	3	1	.....	.....
Pott's disease	16	.....	.....	3	1	.....	.....	5	4	3	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	9	.....	.....	.....	.....	.....	1	3	2	1	1	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	14	.....	.....	1	.....	.....	.....	1	5	3	.....	2	1	1	.....	.....	.....
General tuberculosis	55	1	2	3	3	.....	2	10	14	4	7	5	3	1	.....	.....	.....
Scrofula	4	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	42	21	2	.....	.....	.....	.....	1	2	4	9	2	.....	.....	.....	.....	1
Cancer	443	1	.....	.....	.....	1	1	.....	10	36	87	111	124	60	12	.....	.....
Tumor	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Rheumatism	47	2	3	.....	1	.....	6	6	5	3	4	2	10	4	1	.....	.....
Diabetes	62	.....	.....	.....	.....	.....	1	3	3	7	11	8	16	11	2	.....	.....
Anemia, leukemia	31	3	.....	.....	.....	1	1	1	2	4	5	7	4	2	1	.....	.....
Alcoholism	25	.....	.....	.....	.....	.....	.....	.....	2	6	9	3	5	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Other general diseases	10	2	.....	1	.....	.....	.....	1	.....	2	.....	1	2	1	.....	.....	.....
Encephalitis	5	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....
Meningitis	151	41	32	20	8	6	14	13	2	9	3	.....	3	.....	.....	.....	.....
Apoplexy	407	4	.....	.....	.....	.....	.....	2	5	20	47	72	105	101	46	5	.....
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	6	6	5	.....	.....
Paralysis	147	2	1	2	.....	.....	.....	.....	2	7	14	25	39	37	17	1	.....
Epilepsy	14	1	.....	.....	.....	.....	.....	3	3	3	1	1	.....	1	1	.....	.....
Convulsions	147	122	13	5	1	.....	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	21	6	1	.....	.....	.....	1	4	.....	3	1	3	1	1	.....	.....	.....
Other diseases of nervous system	127	4	4	2	.....	.....	2	6	8	15	17	13	31	18	7	.....	.....
Pericarditis	7	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	2	.....	1	.....	.....
Endocarditis	34	.....	.....	.....	.....	.....	1	4	1	5	9	4	8	1	1	.....	.....
Heart disease	780	18	3	.....	2	2	5	26	33	68	122	142	167	138	48	6	.....
Angina pectoris	42	.....	.....	.....	.....	.....	1	.....	2	4	6	9	12	7	1	.....	.....
Embolism and thrombosis	18	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	4	6	.....	1	.....
Other diseases of circulatory system	98	9	1	.....	1	.....	1	2	5	3	11	8	15	19	20	3	.....
Laryngitis	5	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	152	78	28	13	2	6	1	2	2	.....	.....	6	3	6	4	1	.....
Chronic bronchitis	129	2	1	.....	.....	.....	2	4	10	8	17	17	21	28	18	1	.....
Bronchopneumonia	294	132	50	22	11	7	8	6	5	9	8	7	10	7	11	1	.....
Pneumonia	767	157	88	32	24	5	18	29	71	70	68	71	73	41	17	3	.....
Pleurisy	31	2	3	3	2	.....	.....	.....	3	6	6	1	1	4	.....	.....	.....
Congestion of lungs	43	12	1	1	1	.....	1	1	.....	5	3	3	3	1	10	1	.....
Other diseases of respiratory system	71	6	2	2	1	.....	.....	4	6	6	14	7	11	6	6	.....	.....
Tonsilitis	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	168	48	9	2	1	4	4	6	13	9	15	20	14	13	9	.....	1
Diarrhea and enteritis	864	624	129	25	6	2	7	3	2	7	5	11	17	19	6	1	.....
Hernia and intestinal obstructions	72	7	2	1	.....	1	2	4	6	9	7	9	13	11	.....	.....	.....
Cirrhosis of liver	79	.....	.....	.....	.....	.....	.....	1	1	10	22	18	22	5	.....	.....	.....
Other diseases of liver	38	1	1	.....	.....	.....	.....	1	8	2	5	11	4	4	1	.....	.....
Peritonitis	28	1	.....	1	2	1	.....	2	2	3	7	2	6	1	.....	.....	.....
Appendicitis	55	.....	.....	.....	.....	1	2	12	15	12	6	4	2	1	.....	.....	.....
Other diseases of digestive system	29	5	1	1	2	1	1	1	5	3	2	2	.....	3	2	.....	.....
Acute nephritis	88	3	2	.....	1	2	2	3	13	21	17	10	8	5	1	.....	.....
Bright's disease	804	2	2	.....	3	2	2	8	40	73	116	165	184	156	45	6	.....
Calculi of urinary tract	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....
Uterine tumor	18	.....	.....	.....	.....	.....	.....	.....	2	6	3	4	1	1	1	.....	.....
Ovarian tumor	12	.....	.....	.....	.....	.....	.....	.....	1	6	3	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	70	.....	.....	.....	.....	.....	.....	3	12	10	6	6	10	20	3	.....	.....
Puerperal septicemia	58	.....	.....	.....	.....	.....	.....	7	27	21	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	60	.....	.....	.....	.....	.....	.....	3	29	23	5	.....	.....	.....	.....	.....	.....
Diseases of skin	42	11	2	1	.....	.....	1	.....	3	1	2	3	8	6	4	.....	.....
Diseases of locomotor system	20	1	.....	5	.....	2	.....	6	1	1	2	.....	1	1	.....	.....	.....
Malformations	74	67	1	1	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	289	289	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	378	378	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	175	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	64	69	26	.....
Suicide	82	.....	.....	.....	.....	.....	.....	4	12	20	13	15	12	5	1	.....	.....
Other violence	525	68	8	14	15	15	26	35	73	70	50	54	46	33	14	4	.....
Ill-defined causes	329	203	28	3	2	.....	2	1	2	11	11	18	17	16	13	1	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,987	2,157	447	218	113	85	253	373	899	1,168	1,160	1,278	1,331	971	464	68	2
Typhoid fever	124	2	.....	3	2	.....	3	20	38	32	11	9	4	.....	.....	.....	.....
Malarial fever	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	75	16	37	11	5	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	49	4	5	7	8	3	17	3	1	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	58	27	17	7	5	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	142	16	33	26	10	19	28	4	3	3	.....	.....	.....	.....	.....	.....	.....
Influenza	71	6	2	1	.....	.....	3	1	2	8	5	13	10	11	9	.....	.....
Cholera nostras	9	4	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....
Dysentery	14	.....	.....	1	.....	.....	.....	.....	.....	.....	2	3	7	1	.....	.....	.....
Erysipelas	38	9	.....	2	.....	1	.....	1	1	6	6	2	7	.....	3	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	27	4	1	.....	.....	.....	.....	1	4	6	3	4	1	3	.....	.....	.....
Tuberculosis—total	1,447	71	53	35	13	11	45	121	340	348	197	132	60	19	2	.....	.....
Tuberculosis of lungs	1,200	21	21	13	8	2	14	94	316	328	187	122	53	19	2	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....
Tuberculous meningitis	108	33	24	16	3	6	16	2	5	2	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	51	8	2	2	.....	2	5	10	7	6	3	5	1	.....	.....	.....	.....
Pott's disease	24	1	.....	2	2	1	5	5	2	1	3	1	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	12	.....	1	.....	.....	.....	2	2	1	2	.....	2	2	.....	.....	.....	.....
Tuberculosis of other organs	14	1	.....	1	.....	.....	.....	2	4	3	3	.....	.....	.....	.....	.....	.....
General tuberculosis	34	7	5	1	.....	.....	3	6	3	6	1	.....	2	.....	.....	.....	.....
Scrofula	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	38	32	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	1	.....	.....	.....
Cancer	629	1	.....	2	.....	1	1	8	18	40	122	178	163	79	15	1	.....
Tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	3	.....	1	.....
Rheumatism	37	2	.....	1	1	.....	2	6	4	5	5	1	3	6	1	.....	.....
Diabetes	103	.....	.....	.....	1	.....	1	2	9	6	10	28	33	10	3	.....	.....
Anemia, leukemia	57	7	2	.....	.....	.....	4	2	5	9	12	8	2	4	2	.....	.....
Alcoholism	46	.....	.....	.....	.....	.....	.....	.....	5	13	15	8	4	1	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....
Other general diseases	7	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....	.....
Encephalitis	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	279	50	38	20	17	15	32	39	29	12	13	3	2	.....	.....	.....	.....
Apoplexy	559	8	2	1	.....	.....	1	2	5	23	37	112	166	131	66	5	.....
Softening of brain	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	4	.....	.....	.....
Paralysis	39	1	.....	.....	.....	.....	.....	.....	.....	.....	5	6	10	8	7	2	.....
Epilepsy	7	.....	.....	.....	.....	.....	1	.....	2	2	.....	1	1	.....	.....	.....	.....
Convulsions	50	36	8	1	.....	1	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....
Tetanus	9	.....	.....	.....	.....	.....	.....	5	1	1	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	187	19	6	.....	3	.....	3	5	16	25	31	35	21	14	7	2	.....
Pericarditis	6	1	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....	.....
Endocarditis	150	1	.....	.....	.....	.....	3	7	10	15	22	27	26	26	11	2	.....
Heart disease	1,037	19	4	1	3	2	19	44	49	100	135	208	226	155	66	6	.....
Angina pectoris	43	.....	.....	.....	.....	.....	.....	1	.....	4	9	11	8	9	1	.....	.....
Embolism and thrombosis	36	1	.....	.....	.....	.....	.....	.....	3	5	4	9	7	4	3	.....	.....
Other diseases of circulatory system	183	5	.....	1	.....	1	1	.....	2	7	16	22	49	47	29	3	.....
Laryngitis	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	118	61	17	8	4	1	.....	.....	.....	.....	3	3	5	9	6	1	.....
Chronic bronchitis	120	3	.....	1	1	.....	.....	1	2	5	8	17	18	34	25	5	.....
Bronchopneumonia	206	82	39	14	3	3	3	1	3	6	12	9	9	13	9	.....	.....
Pneumonia	955	128	52	34	10	5	12	10	85	129	119	115	124	93	31	8	.....
Pleurisy	49	4	4	4	.....	1	1	3	6	6	10	3	5	2	.....	.....	.....
Congestion of lungs	40	6	.....	.....	.....	.....	.....	.....	5	4	6	6	3	8	1	1	.....
Other diseases of respiratory system	33	6	.....	.....	.....	.....	.....	1	1	4	3	7	3	4	4	.....	.....
Tonsilitis	4	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diseases of stomach	118	37	3	.....	.....	.....	3	.....	5	15	4	15	12	13	9	2	.....
Diarrhea and enteritis	728	570	78	7	5	.....	6	2	1	4	3	5	19	15	13	.....	.....
Hernia and intestinal obstructions	104	13	.....	2	.....	.....	.....	2	14	9	18	19	15	6	5	1	.....
Cirrhosis of liver	86	.....	.....	1	.....	.....	.....	.....	5	14	14	19	19	11	3	.....	.....
Other diseases of liver	49	.....	.....	.....	1	.....	.....	.....	.....	8	14	11	14	1	.....	.....	.....
Peritonitis	46	3	1	2	.....	2	2	4	8	11	3	2	3	3	2	.....	.....
Appendicitis	114	.....	1	2	.....	1	11	19	26	20	15	6	9	4	.....	.....	.....
Other diseases of digestive system	51	14	2	.....	.....	.....	1	1	5	4	6	2	9	6	.....	1	.....
Acute nephritis	48	3	.....	.....	.....	1	3	2	6	5	9	7	6	4	2	.....	.....
Bright's disease	444	2	2	2	.....	.....	3	9	25	44	73	84	111	72	16	1	.....
Calculi of urinary tract	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	3	1	.....	.....
Uterine tumor	13	.....	.....	.....	.....	.....	.....	.....	1	4	5	1	1	1	.....	.....	.....
Ovarian tumor	14	.....	.....	.....	.....	.....	.....	.....	1	3	4	2	2	1	1	.....	.....
Other diseases of genito-urinary system	113	2	.....	.....	.....	.....	1	3	12	15	11	14	18	22	13	2	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	5	11	16	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	55	.....	.....	.....	.....	.....	.....	2	20	29	4	.....	.....	.....	.....	.....	.....
Diseases of skin	44	9	1	2	.....	.....	.....	2	.....	2	3	1	6	13	4	1	.....
Diseases of locomotor system	30	7	3	2	.....	.....	4	3	1	.....	6	3	1	.....	.....	.....	.....
Malformations	100	95	2	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	275	275	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	222	222	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	145	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	49	62	18	.....
Suicide	36	.....	.....	.....	.....	.....	.....	.....	20	18	16	19	11	2	.....	.....	.....
Other violence	692	103	12	10	14	12	27	27	80	103	102	62	67	37	29	5	2
Ill-defined causes	246	153	22	5	6	1	3	2	3	11	14	11	9	3	3	.....	.....

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,882	1,349	275	121	64	38	153	236	462	535	588	577	634	534	279	36	1
Typhoid fever	92		1		1	1	6	21	24	20	9	6	2				1
Malarial fever																	
Smallpox																	
Measles	66	15	18	19	7		4	2	1								
Scarlet fever	16		1	2	2		9	2									
Whooping cough	63	38	14	4		1	6										
Diphtheria and croup	63	2	9	12	11	4	19	4	2								
Influenza	25	1		1		1	1	1		1	3	4	2	7	3		
Cholera nostras	6				2				1	1			2				
Dysentery	25	16	1	1	1		1		1	1				2	1		
Erysipelas	9	3								2	1	1		2			
Other epidemic diseases																	
Septicemia	7	1						2		4							
Tuberculosis—total	600	18	16	8	5	5	19	69	166	133	89	45	19	7	1		
Tuberculosis of lungs	490	7	4	4	1		6	54	151	117	82	41	16	6	1		
Tuberculosis of larynx	5								3	2							
Tuberculous meningitis	44	8	10	3	2	3	5	6	3	3	1						
Abdominal tuberculosis	32	3	1	1	1	1	3	5	6	4	2	4	1				
Pott's disease	7		1				2	1		2	1						
Tuberculous abscess	3						3										
White swelling	1							1									
Tuberculosis of other organs	10				1			1	1	4	1		1	1			
General tuberculosis	8					1		1	2	1	2		1				
Scrofula																	
Venereal diseases	28	16							4		4	3		1			
Cancer	332					1		2	5	29	70	71	97	41	15	1	
Tumor	5		1					1		1		1		1			
Rheumatism	28						2	2	8	3	4	3	2	2	2		
Diabetes	63							4	3	5	8	15	17	10	1		
Anemia, leukemia	31	1	1				3	2	1	2	3	10	7		1		
Alcoholism	31								3	15	8	2	3				
Chronic poisonings	2										2						
Other general diseases	8	3						1		2	1	1					
Encephalitis	4	2					1							1			
Meningitis	114	27	13	8	8	2	17	11	12	7	4	2	1		2		
Apoplexy	230	6					1		6	10	24	40	60	57	23	3	
Softening of brain	2										1			1			
Paralysis	24		1					1	2		2	3	6	7	2		
Epilepsy	17	5	1	3	1			1	1	1	2	1	1				
Convulsions	79	66	7	6													
Tetanus	5	1				1	1				1	1					
Other diseases of nervous system	100	7			1	1	2	4	4	15	24	16	15	6	4	1	
Pericarditis	3												1	1	1		
Endocarditis	70							1	5	8	10	8	18	15	4	1	
Heart disease	530	9	1			1	8	22	28	38	78	102	113	91	38	1	
Angina pectoris	15								1		3	3	4	4			
Embolism and thrombosis	10	2								1	4		1	1	1		
Other diseases of circulatory system	78	3				1	1	1	1	2	9	6	18	13	20	3	
Laryngitis	1		1														
Acute bronchitis	87	63	16	3	1		1						1		1	1	
Chronic bronchitis	48	1		1				1	1		2	6	10	19	7		
Bronchopneumonia	170	74	28	20	3	5	1	2	1	1	5	4	9	12	5		
Pneumonia	328	75	28	10	4	2	8	8	14	32	34	36	29	30	16	2	
Pleurisy	21	1	3	2		1				4	2	4	1	3			
Congestion of lungs	23	4					1			1	1	4	1	4	7		
Other diseases of respiratory system	36	3		1				1	3	3	6	5	6	6	1	1	
Tonsilitis	3				1		1				1						
Diseases of stomach	73	23	3	1	1				3	10	2	6	10	8	6		
Diarrhea and enteritis	476	341	85	8	8	3	3			2	4	4	7	10	1		
Hernia and intestinal obstructions	65	5	1					3	8	5	10	8	13	7	5		
Cirrhosis of liver	69								3	8	15	18	18	7			
Other diseases of liver	44	2	2					1	1	4	11	13	4	5	1		
Peritonitis	22				1	1		1	3	4	5		3	3	1		
Appendicitis	56						12	15	10	8	2	3	4	2			
Other diseases of digestive system	21	6					1		1	4	1	1	3	4			
Acute nephritis	49	4			1		2	4	2	6	7	12	6	1	4		
Bright's disease	298	15	2	2		2	1	10	16	22	30	63	67	46	21	1	
Calculi of urinary tract	5		1				1					1		1	1		
Uterine tumor	13									5	7	1					
Ovarian tumor	3									1	1						
Other diseases of genito-urinary system	71							1	10	10	6	8	9	19	7	1	
Puerperal septicemia	26								17	8	1						
Other causes incident to childbirth	24								14	7	3						
Diseases of skin	28	7		2					1	1	1	4	1	5	6		
Diseases of locomotor system	7	3	1					1		2							
Malformations	61	57	3					1									
Premature birth	208	208															
Congenital debility	111	111															
Old age	127												7	43	62	15	
Suicide	74							3	20	19	15	8	6	2	1		
Other violence	380	63	6	6	5	5	20	29	51	64	51	22	28	22	5	3	
Ill-defined causes	73	41	10	1				1	3	3	1	2	2	5	2	2	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	All ages	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	27,548	6,094	1,509	593	357	230	671	1,233	2,565	3,034	3,141	2,786	2,582	1,855	775	117	6
Typhoid fever	329	4	7	6	7	4	17	58	98	60	35	20	11	2	.....	.....	.....
Malarial fever	17	1	.....	.....	.....	.....	.....	1	2	2	6	1	2	2	.....	.....	.....
Smallpox	61	3	2	2	.....	1	4	5	16	17	5	4	2	.....	.....	.....	.....
Measles	254	49	100	42	34	10	17	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Scarlet fever	82	3	12	15	6	10	21	6	4	2	2	1	.....	.....	.....	.....	.....
Whooping cough	365	188	99	36	17	12	12	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	434	22	66	67	67	53	117	25	7	4	3	2	.....	1	.....	.....	.....
Influenza	199	25	8	3	.....	1	3	8	8	15	11	26	27	43	18	3	.....
Cholera nostras	16	3	7	.....	1	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....
Dysentery	82	29	6	.....	2	1	.....	.....	2	2	6	10	10	8	6	.....	.....
Erysipelas	80	28	.....	1	2	.....	.....	1	4	6	10	8	8	10	2	.....	.....
Other epidemic diseases	5	2	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	57	8	.....	.....	.....	.....	3	3	6	3	11	12	6	5	.....	.....	.....
Tuberculosis—total	3,697	96	79	41	20	15	65	342	963	869	663	327	155	54	6	2	.....
Tuberculosis of lungs	3,240	38	24	11	7	5	29	296	904	805	616	307	143	50	4	1	.....
Tuberculosis of larynx	24	.....	.....	1	.....	1	1	2	4	4	7	3	1	.....	.....	.....	.....
Tuberculous meningitis	180	41	45	20	10	6	21	15	11	7	1	.....	2	1	.....	.....	.....
Abdominal tuberculosis	127	9	7	4	2	1	3	14	15	36	18	10	5	1	1	1	.....
Pott's disease	25	2	1	1	.....	1	4	7	3	3	.....	3	.....	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	6	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....
Tuberculosis of other organs	28	1	.....	3	.....	1	.....	.....	7	4	11	.....	.....	1	.....	.....	.....
General tuberculosis	66	4	2	1	1	.....	7	8	17	9	9	3	4	.....	1	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	139	87	3	3	1	.....	.....	1	13	12	9	7	3	.....	.....	.....	.....
Cancer	1,306	2	.....	2	.....	3	6	11	30	119	275	349	298	163	48	.....	.....
Tumor	11	.....	1	.....	.....	.....	.....	.....	.....	3	3	3	.....	1	.....	.....	.....
Rheumatism	128	2	1	1	2	2	7	17	18	18	15	12	20	9	4	.....	.....
Diabetes	222	.....	.....	.....	.....	.....	3	11	13	19	30	50	58	28	8	2	.....
Anemia, leukemia	100	3	2	.....	.....	.....	4	5	10	12	20	18	15	6	5	.....	.....
Alcoholism	81	.....	.....	.....	.....	.....	.....	.....	6	25	33	16	1	.....	.....	.....	.....
Chronic poisonings	10	.....	.....	.....	.....	.....	.....	.....	3	2	3	1	1	.....	.....	.....	.....
Other general diseases	28	3	1	1	.....	1	.....	3	5	3	7	3	.....	.....	.....	1	.....
Encephalitis	10	1	1	1	.....	.....	1	.....	.....	3	1	1	1	.....	.....	.....	.....
Meningitis	466	158	98	39	20	8	38	35	27	12	18	7	4	2	.....	.....	.....
Apoplexy	682	20	3	1	1	.....	1	1	15	38	78	125	173	155	63	8	.....
Softening of brain	27	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	13	6	3	.....	.....
Paralysis	121	2	1	2	.....	.....	1	1	4	4	13	19	21	37	13	3	.....
Epilepsy	39	1	1	.....	1	1	2	2	10	9	8	.....	3	.....	1	.....	.....
Convulsions	514	472	26	8	1	1	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	53	18	.....	.....	1	.....	6	9	5	4	4	5	1	.....	.....	.....	.....
Other diseases of nervous system	346	14	4	2	2	3	7	16	30	54	67	60	44	30	12	1	.....
Pericarditis	38	1	2	1	.....	1	3	6	2	5	6	6	3	2	.....	.....	.....
Endocarditis	361	4	3	2	2	1	17	27	25	31	43	65	63	56	19	3	.....
Heart disease	1,593	14	5	.....	1	2	38	102	91	174	257	275	309	236	80	9	.....
Angina pectoris	80	.....	.....	.....	.....	.....	1	1	.....	9	13	14	21	16	3	2	.....
Embolism and thrombosis	55	1	.....	.....	.....	.....	.....	1	5	10	12	10	10	6	.....	.....	.....
Other diseases of circulatory system	313	22	1	2	1	.....	.....	.....	6	21	30	42	68	72	40	8	.....
Laryngitis	13	1	2	1	2	.....	2	.....	1	.....	1	1	1	.....	.....	1	.....
Acute bronchitis	652	369	109	28	13	3	12	5	3	6	9	14	15	34	24	8	.....
Chronic bronchitis	137	8	5	1	.....	2	4	1	3	5	6	20	29	28	22	3	.....
Bronchopneumonia	798	337	152	61	25	12	19	9	12	15	18	24	49	38	25	2	.....
Pneumonia	2,459	475	222	89	39	33	62	77	170	255	276	249	263	167	69	13	.....
Pleurisy	72	.....	.....	1	.....	1	2	6	11	8	13	12	11	7	.....	.....	.....
Congestion of lungs	70	20	.....	1	1	1	.....	2	5	1	4	8	14	5	6	2	.....
Other diseases of respiratory system	109	6	2	1	3	2	1	2	8	12	10	22	18	15	7	.....	.....
Tonsilitis	7	1	2	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
Diseases of stomach	324	87	12	4	1	1	4	12	16	29	36	38	29	34	19	2	.....
Diarrhea and enteritis	2,567	1,881	373	70	22	9	12	8	17	15	27	24	33	43	28	5	.....
Hernia and intestinal obstructions	234	40	2	.....	1	3	4	9	21	22	35	31	26	27	11	2	.....
Cirrhosis of liver	343	.....	.....	.....	.....	.....	2	2	12	48	80	91	67	35	5	1	.....
Other diseases of liver	150	3	.....	.....	.....	.....	3	2	12	28	32	34	21	12	3	.....	.....
Peritonitis	42	.....	1	1	.....	1	3	7	7	7	6	2	2	3	1	1	.....
Appendicitis	333	.....	.....	1	4	3	33	87	85	60	29	16	8	4	3	.....	.....
Other diseases of digestive system	61	25	1	1	1	1	.....	3	2	8	7	2	4	3	3	.....	.....
Acute nephritis	275	23	2	9	5	1	10	21	32	49	45	36	27	10	4	1	.....
Bright's disease	1,942	18	10	8	5	4	14	38	84	228	348	417	397	264	97	10	.....
Calculi of urinary tract	9	.....	.....	.....	1	.....	.....	.....	1	1	1	1	3	1	.....	.....	.....
Uterine tumor	44	.....	.....	.....	.....	.....	.....	.....	3	16	20	1	2	1	1	.....	.....
Ovarian tumor	34	.....	.....	.....	.....	.....	.....	.....	7	8	8	4	3	3	1	.....	.....
Other diseases of genito-urinary system	248	5	.....	.....	.....	.....	1	5	62	45	31	17	33	34	14	1	.....
Puerperal septicemia	158	.....	.....	.....	.....	.....	.....	11	68	68	10	1	.....	.....	.....	.....	.....
Other causes incident to childbirth	124	.....	.....	.....	.....	.....	.....	6	51	56	11	.....	.....	.....	.....	.....	.....
Diseases of skin	69	12	2	1	3	.....	1	3	2	2	12	5	7	13	5	1	.....
Diseases of locomotor system	79	34	9	5	1	.....	4	5	4	2	6	3	3	2	1	.....	.....
Malformations	196	182	6	1	1	.....	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	467	467	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	474	474	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	157	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	54	70	19	.....
Suicide	433	.....	.....	.....	.....	.....	.....	15	86	120	95	64	40	9	4	.....	.....
Other violence	1,870	188	38	29	38	21	77	197	343	348	264	146	106	50	17	3	5
Ill-defined causes	197	152	19	2	2	1	.....	.....	3	.....	.....	.....	5	8	4	.....	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,609	948	251	125	77	56	148	338	609	737	784	715	783	701	309	27	1
Typhoid fever	141	3	1	2	4	5	9	30	33	25	18	2	6	3			
Malarial fever	2										1	1					
Smallpox	2								2								
Measles	10	1	1	2		5	1										
Scarlet fever	75		5	10	15	8	23	12		1	1						
Whooping cough	57	20	20	6	2	2	7										
Diphtheria and croup	79	2	7	8	11	11	26	12	1	1							
Influenza	76	6	1	1				2	5	1	4	7	23	19	7		
Cholera nostras	1						1										
Dysentery	28		2						3		2	6	8	5	2		
Erysipelas	28	9							1	4	7	2	4	1			
Other epidemic diseases	3	2	1														
Septicemia	12						1		2	3	2	1	2	1			
Tuberculosis—total	997	21	12	16	9	3	10	96	236	263	180	96	38	16	1		
Tuberculosis of lungs	865	7	6	5	4		7	84	219	238	159	86	35	14	1		
Tuberculosis of larynx	21								4	6	6	4		1			
Tuberculous meningitis	35	9	5	4	3	2	1	4	1	3	2	1					
Abdominal tuberculosis	35	1	1	2	1			4	4	7	6	5	3	1			
Pott's disease	8			2		1	1		1	2	1						
Tuberculous abscess	1										1						
White swelling	8			1				3		3	1						
Tuberculosis of other organs	3								2	1							
General tuberculosis	21	4		2	1		1	1	5	3	4						
Scrofula																	
Venereal diseases	30	16		2					3	4	4	1					
Cancer	253	1	1				1	1	1	18	57	65	62	37	8	1	
Tumor	5									1		1		1	2		
Rheumatism	40					1	1	6	4	4	3	9	4	5	3		
Diabetes	39							1	1	1	7	5	15	8	1		
Anemia, leukemia	16		1					2	1	1	2	3	5	1			
Alcoholism	14							1	1	4	2	3	3				
Chronic poisonings	3							1	1		1						
Other general diseases	6		1					1	1	1		1	1				
Encephalitis	3	1							1			1					
Meningitis	148	42	21	10	7	5	18	18	8	7	2	6	3	1			
Apoplexy	240	3	1	1	1		1	1	3	6	31	47	62	58	23	2	
Softening of brain	10												2	5	3		
Paralysis	54						1	1	2	1	3	7	14	16	8	1	
Epilepsy	17							1	5	4	4	1	1	1			
Convulsions	102	82	11	3	1				1	1	1	1	1				
Tetanus	14	3					1	1	2	2	2	1	1	1			
Other diseases of nervous system	129	4			2			5	10	19	35	14	20	16	4		
Pericarditis	13						1	1		2	1	5	2		1		
Endocarditis	122							1	7	16	23	28	31	10	6		
Heart disease	407	3		2		1	5	18	25	27	57	81	101	73	14		
Angina pectoris	14									1	3	5	5				
Embolism and thrombosis	17							1	1	1	2	2	4	6			
Other diseases of circulatory system	61	1	1	1	1			1	1	2	7	3	11	17	15		
Laryngitis	2	1										1					
Acute bronchitis	123	53	27	15	2	1	1					1	7	10	5	1	
Chronic bronchitis	142	2	1						2	3	9	13	32	42	35	3	
Bronchopneumonia	140	29	31	11		2	2	1	4	10	5	5	10	24	5	1	
Pneumonia	441	56	33	15	7	2	12	24	35	53	40	45	54	46	19		
Pleurisy	23								5	4	5	5	3	1			
Congestion of lungs	22	2	1						2	1	2	3		5	5	1	
Other diseases of respiratory system	53	2	1	1	1			1	3	4	6	4	10	14	6		
Tonsilitis	4			1			1	1	1								
Diseases of stomach	75	12	4				1	1	7	9	9	12	8	11	1		
Diarrhea and enteritis	357	204	41	9	5	2	2	6	12	9	6	10	9	23	16	2	1
Hernia and intestinal obstructions	63	1	1	1			2	2	6	9	11	4	13	13			
Cirrhosis of liver	83								3	9	24	23	14	8	2		
Other diseases of liver	33			1					1	1	8	7	7	6	2		
Peritonitis	52	2	1	1			1	1	15	12	9	4	4	1	1		
Appendicitis	41						3	12	10	7	8	1					
Other diseases of digestive system	17	7	1				1	1	1	1	1	1	3				
Acute nephritis	31	1	2	1				4	5	5	6	5	1	1			
Bright's disease	391	3	2	1			2	11	16	47	73	76	85	55	19	1	
Calculi of urinary tract	4								2				1	1			
Uterine tumor	10									2	5	2		1			
Ovarian tumor	8								1	2	1	1	2		1		
Other diseases of genito-urinary system	70	1		1					6	10	5	7	15	20	4	1	
Puerperal septicemia	40							5	24	11							
Other causes incident to childbirth	20								8	10	2						
Diseases of skin	37	5	1					1	2	2	2	4	9	8	3		
Diseases of locomotor system	20	2	3	1		1	1	3	2	1		2	3		1		
Malformations	32	28	3			1											
Premature birth	110	110															
Congenital debility	120	120															
Old age	157												6	68	73	10	
Suicide	90							6	11	19	22	18	9	4	1		
Other violence	400	34	4	2	7	5	12	43	60	67	55	41	33	27	8	2	
Ill-defined causes	130	53	7		2	1		1	3	8	8	15	16	11	4	1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,419	1,609	274	115	88	55	128	247	550	611	626	644	691	493	259	27	2
Typhoid fever	65			1		1	1	15	22	13	5	4	2		1		
Malarial fever	5					1		1	1		1		1				
Smallpox																	
Measles	10		5	4	1												
Scarlet fever	50	2	5	6	7	8	15	6			1						
Whooping cough	33	9	18	3	1	1	1										
Diphtheria and croup	110	4	12	19	23	15	24	12	1								
Influenza	29	2	1						1	1	3	3	9	6	3		
Cholera nostras	7	1						1		1	1	2	1				
Dysentery	12	5				1				1	1			4			
Erysipelas	12	4							1	3	2	2					
Other epidemic diseases																	
Septicemia	34	8					2	1	10	5	2	4	2				
Tuberculosis—total	614	14	7	3	1	1	6	42	173	158	96	59	38	14	2		
Tuberculosis of lungs	558	6	2	1	1	1	4	40	161	146	90	56	34	14	2		
Tuberculosis of larynx	6							1	1	2	1	1					
Tuberculous meningitis	22	7	5	2			2		4	2							
Abdominal tuberculosis	10	1							2	3		1	3				
Pott's disease	3								1		1		1				
Tuberculous abscess	1										1						
White swelling	3							1	1		1						
Tuberculosis of other organs	6								2	2	2						
General tuberculosis	5								1	3		1					
Scrofula	1	1															
Venereal diseases	52	46	1	1					2	1		1					
Cancer	281							2	3	21	56	79	73	40	7		
Tumor	8									2	2	1	1	1	1		
Rheumatism	37				1	1	3	8	4	4	9	3	4				
Diabetes	36	1							6	4	5	7	5	7	1		
Anemia, leukemia	29	7	1					1	2	2	3	5	7	1			
Alcoholism	42								4	14	13	8	3				
Chronic poisonings	7								2	4	1						
Other general diseases	11	2					1		1	2		3	2				
Encephalitis	8	3	2								1	1	1				
Meningitis	142	46	16	11	7	6	12	17	12	1	6	2	6				
Apoplexy	213	8			2			2	1	12	23	33	58	45	28		1
Softening of brain	4								2				2				
Paralysis	33								1	1		4	9	9	9		
Epilepsy	5										3	2					
Convulsions	222	198	12	4	2	1	2	1	2								
Tetanus	6	2								2		1	1				
Other diseases of nervous system	97	3			2			4	6	23	21	13	17	7		1	
Pericarditis	9			1				2	1			1	1	1	2		
Endocarditis	70			1			1	5	6	10	7	10	14	12	4		
Heart disease	480	7	2	1		1	6	21	31	50	81	84	99	73	23	1	
Angina pectoris	22								1	2	3	6	3	3	4		
Embolism and thrombosis	11			1				2	2	2	1	1	2				
Other diseases of circulatory system	57	2	1					2	1	3	5	7	8	17	11		
Laryngitis	5	3				1						1					
Acute bronchitis	74	55	4	3	1		1				1		3	3	3		
Chronic bronchitis	66						3				3	14	19	14	12	1	
Bronchopneumonia	167	82	25	9	4	1	5	1	5	3	7	7	6	6	6		
Pneumonia	488	98	34	20	10	4	7	11	33	68	46	49	70	25	12	1	
Pleurisy	27	2	1		1	1		2	4	4	3	4	2	2	1		
Congestion of lungs	20	7	1		1			1		2	2		2		4		
Other diseases of respiratory system	43	3		1	1		2	1	3	3	7	4	9	6	3		
Tonsilitis	2		1						1								
Diseases of stomach	72	11	3			1	2	1	5	7	10	9	8	7	7	1	
Diarrhea and enteritis	599	452	92	8	4	2	1	1	2	5	6	8	8	6	4		
Hernia and intestinal obstructions	54	11	2	1	1	1	2	1	2	4	8	6	7	4	4		
Cirrhosis of liver	62								3	4	13	22	15	5			
Other diseases of liver	53		1	1					5	3	9	16	9	7	2		
Peritonitis	54	1	1	1	1		1	8	12	7	9	4	6	2	1		
Appendicitis	52				1	1	4	17	18	5	2	1	2	1			
Other diseases of digestive system	23	9	2					1	1	2	2	3	2		1		
Acute nephritis	32	2	1				3	3	1	9	4	5	1	2		1	
Bright's disease	330	6	1		1	3	4	5	11	25	44	64	82	60	21	3	
Calculi of urinary tract	1									1							
Uterine tumor	8								1	3	4						
Ovarian tumor	3							1		1			1				
Other diseases of genito-urinary system	65	2							6	11	8	7	12	14	5		
Puerperal septicemia	25							1	14	8	2						
Other causes incident to childbirth	29							1	12	10	6						
Diseases of skin	29	5					1		5	1	2	4	2	3	5	1	
Diseases of locomotor system	10	1	2					2	3	1				1			
Malformations	29	29															
Premature birth	90	90															
Congenital debility	241	241															
Old age	132												12	48	56	16	
Suicide	100							6	19	18	21	19	12	5			
Other violence	413	41	10	13	13	3	17	35	81	61	47	42	26	21	2		1
Ill-defined causes	157	83	10	2	2		1	3	4	3	8	9	6	11	14	1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,224	277	51	32	16	12	54	160	311	280	249	216	247	213	81	11	14
Typhoid fever	121			2	1	1	9	24	48	23	6	5	2				
Malarial fever																	
Smallpox	2									1			1				
Measles																	
Scarlet fever	3		1	1			1										
Whooping cough	14	7	6		1												
Diphtheria and croup	35	1	1	2	4	3	13	10					1				
Influenza	22		1				1	4	1	1	1		5	7	1		
Cholera nostras	2													2			
Dysentery	8	3	1					1	1					1			1
Erysipelas	6	1								1	1	2	1				
Other epidemic diseases																	
Septicemia	20							1	6	7	1	1	2	1			1
Tuberculosis—total	328	4	1	2	1	2	7	49	100	79	44	18	13	5	2		1
Tuberculosis of lungs	283		1			1	4	42	92	70	40	16	12	5			
Tuberculosis of larynx	8								3	2	1	1	1				
Tuberculous meningitis	12	4		2	1	1	2			1							1
Abdominal tuberculosis	18							4	4	5	3	1			1		
Pott's disease	3						1		1	1							
Tuberculous abscess	1							1									
White swelling	1							1									
Tuberculosis of other organs	2							1							1		
General tuberculosis																	
Scrofula																	
Venereal diseases	3	1							1			1					
Cancer	104								3	10	19	32	20	16	3	1	
Tumor	3										2	1					
Rheumatism	7						1	1			2	1	2				
Diabetes	15						1			2		6	2	4			
Anemia, leukemia	13	2						1	3		3	1	1	2			
Alcoholism	9									3	2	3					1
Chronic poisonings	1											1					
Other general diseases	2											1		1			
Encephalitis	2							1		1							
Meningitis	46	2	10	3	4	2	4	4	7	7	2		1				
Apoplexy	70	5					1		1	3	10	6	20	17	6		1
Softening of brain	6										1	2	2		1		
Paralysis	34							1	4	2		7	11	7	2		
Epilepsy	19						1	9	4	3	2						
Convulsions	35	31	2	1				1				1					
Tetanus	2							1		1							
Other diseases of nervous system	57	1		1			2	3	6	6	14	12	9	2	1		
Pericarditis	3							1	1	1							
Endocarditis	6									1	1		2	2			
Heart disease	214	2					1	5	15	21	35	39	42	39	12		3
Angina pectoris	11											2	4	4	1		
Embolism and thrombosis	8									2	2	1	1	2			
Other diseases of circulatory system	23	3							1	3	2	1	6	4	3		
Laryngitis	2			1				1									
Acute bronchitis	10	5		2			1	1	1								
Chronic bronchitis	7											2	2	2		1	
Bronchopneumonia	31	13	2	3							1	1	5	5			1
Pneumonia	184	41	9	7	2	1	3	9	17	25	19	6	17	18	8		2
Pleurisy	3							2						1			
Congestion of lungs	6	1						1				2	1	1			
Other diseases of respiratory system	22	1						1	3	3	4		5	5			
Tonsilitis																	
Diseases of stomach	26	7								6	5	1	4	2			1
Diarrhea and enteritis	88	55	12	2	1	1	1	2		1	2	3	5	3			
Hernia and intestinal obstructions	22	5		1	1			1	3	2	1	3	1	4			
Cirrhosis of liver	17									2	5	5	5				
Other diseases of liver	21								1	2	3	5	8	1	1		
Peritonitis	30	1	1				1	3	9	7	4	2	2				
Appendicitis	20							4	7	5	4						
Other diseases of digestive system	5										1	2	1				
Acute nephritis	12	1					1		4		3	1	1	1			
Bright's disease	79					1	1	1	9	9	11	15	18	10	4		
Calculi of urinary tract	1													1			
Uterine tumor	5									1	2	1			1		
Ovarian tumor	3									1	2						
Other diseases of genito-urinary system	12							1	6	3			2				
Puerperal septicemia	7								3	4							
Other causes incident to childbirth	6							1	1	3	1						
Diseases of skin	4										1	1	1	1			
Diseases of locomotor system	3										1	1		1			
Malformations	16	15					1										
Premature birth	2	2															
Congenital debility	47	47															
Old age	73												5	29	30	9	
Suicide	27							1	8	6	3	6	3				
Other violence	133	5		4		1	3	13	36	21	18	12	6	9	3		2
Ill-defined causes	46	14	4		1			1	1	1	8	4	7	3	2		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

DENVER, COLO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,887	402	61	21	18	17	55	123	449	485	407	283	285	198	72	11	.....
Typhoid fever	61	1	.....	1	.....	1	1	9	22	12	10	2	2	.....	.....	.....	.....
Malarial fever	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Scarlet fever	18	1	2	3	.....	6	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	37	25	6	2	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	24	.....	6	2	4	3	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	13	5	.....	.....	.....	.....	.....	.....	1	2	.....	2	2	.....	1	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Dysentery	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....
Erysipelas	5	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	9	.....	.....	.....	.....	.....	1	.....	2	1	2	2	1	.....	.....	.....	.....
Tuberculosis—total	737	7	4	1	.....	.....	6	38	268	257	106	35	10	4	1	.....	.....
Tuberculosis of lungs	692	5	1	1	.....	.....	3	32	254	247	103	31	10	4	1	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	13	2	2	.....	.....	.....	3	1	4	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	11	.....	.....	.....	.....	.....	.....	1	5	3	1	1	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	1	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
General tuberculosis	7	.....	.....	.....	.....	.....	.....	.....	3	2	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	18	10	.....	.....	.....	.....	1	.....	.....	1	4	.....	2	.....	.....	.....	.....
Cancer	130	.....	.....	.....	.....	.....	.....	.....	2	12	33	28	41	12	2	.....	.....
Tumor	7	1	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	1	.....	.....
Rheumatism	9	.....	.....	.....	.....	.....	2	3	.....	.....	1	.....	2	1	.....	.....	.....
Diabetes	22	.....	.....	.....	.....	.....	.....	1	.....	2	6	6	3	2	2	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	1	4	3	2	1	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	39	17	10	1	.....	1	4	1	3	1	.....	.....	1	.....	.....	.....	.....
Apoplexy	63	2	1	.....	.....	.....	.....	.....	1	4	7	16	12	12	8	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....
Paralysis	14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	2	4	2	.....	.....
Epilepsy	5	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....
Convulsions	17	12	1	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	48	2	1	.....	1	.....	1	1	5	4	14	8	7	4	.....	.....	.....
Pericarditis	4	1	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Endocarditis	13	.....	.....	.....	.....	.....	.....	2	1	.....	1	3	4	2	.....	.....	.....
Heart disease	189	7	.....	2	.....	.....	6	16	13	19	32	29	33	28	4	.....	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	.....	1	5	6	3	.....	.....	.....	.....
Embolism and thrombosis	26	2	.....	.....	.....	.....	.....	.....	.....	4	4	4	7	4	1	.....	.....
Other diseases of circulatory system	25	3	.....	.....	.....	.....	1	1	1	3	4	2	2	6	1	1	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	16	10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....
Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....
Bronchopneumonia	27	12	6	.....	1	.....	1	.....	.....	.....	.....	1	3	1	2	.....	.....
Pneumonia	221	44	3	3	4	1	4	.....	16	24	33	26	35	22	5	1	.....
Pleurisy	12	.....	1	.....	.....	.....	.....	.....	.....	4	3	1	2	1	.....	.....	.....
Congestion of lungs	11	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....
Other diseases of respiratory system	34	1	.....	1	.....	.....	.....	2	3	2	7	7	5	3	2	1	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	36	11	1	.....	.....	.....	.....	.....	3	2	9	3	3	2	2	.....	.....
Diarrhea and enteritis	96	66	11	2	1	1	2	.....	2	2	3	2	2	1	1	.....	.....
Hernia and intestinal obstructions	30	8	.....	.....	.....	.....	.....	2	3	4	3	3	4	3	.....	.....	.....
Cirrhosis of liver	21	1	.....	.....	.....	.....	.....	.....	2	.....	3	10	3	1	1	.....	.....
Other diseases of liver	23	2	.....	.....	.....	.....	.....	.....	2	6	5	2	4	2	.....	.....	.....
Peritonitis	6	.....	.....	.....	.....	.....	1	.....	3	1	1	.....	.....	.....	.....	.....	.....
Appendicitis	57	.....	.....	.....	1	.....	6	16	13	10	9	1	.....	1	.....	.....	.....
Other diseases of digestive system	9	2	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	2	.....	.....
Acute nephritis	20	1	.....	.....	.....	.....	2	5	.....	3	6	1	2	.....	.....	.....	.....
Bright's disease	163	1	.....	.....	.....	.....	1	3	13	13	28	35	38	29	2	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	3	5	.....	1	1	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	1	5	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	42	2	.....	.....	.....	.....	.....	1	7	14	6	3	5	2	1	1	.....
Puerperal septicemia	16	.....	.....	.....	.....	.....	.....	1	10	3	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	13	.....	.....	.....	.....	.....	.....	1	5	7	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	3	.....	.....	.....
Diseases of locomotor system	4	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Malformations	28	27	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	53	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	42	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	26	20	5	.....
Suicide	51	.....	.....	.....	.....	.....	.....	1	11	17	9	7	6	.....	.....	.....	.....
Other violence	164	11	2	.....	4	2	4	13	27	28	26	16	16	8	6	1	.....
Ill-defined causes	10	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,695	1,231	160	82	44	46	119	217	361	402	427	425	503	427	217	28	6
Typhoid fever	69			1		1	2	13	26	11	7	3	2	3			
Malarial fever	3							1		1	1						
Smallpox	1											1					
Measles	3	1	2														
Scarlet fever	31	2	5	5	3	7	6	3									
Whooping cough	13	9		1		1	1	1									
Diphtheria and croup	118	11	13	18	14	13	38	9	2								
Influenza	29	2					1				2	4	8	10	1	1	
Cholera nostras	1							1									
Dysentery	13	3				1							2	4	2	1	
Erysipelas	16	4				1			1	1	1	1	3	4			
Other epidemic diseases	1	1															
Septicemia	19	1	1						4	3	6	2	2				
Tuberculosis—total	408	16	6	2	1		3	53	135	74	66	31	14	6	1		
Tuberculosis of lungs	347	5	2	1				45	127	68	57	27	11	3	1		
Tuberculosis of larynx	6								1	3	2						
Tuberculous meningitis	18	9	3	1			2	1	1	1							
Abdominal tuberculosis	19	1						3	3	2	4	3		3			
Pott's disease	7		1		1			2					3				
Tuberculous abscess	1										1						
White swelling	3						1	1	1								
Tuberculosis of other organs	3								1		2						
General tuberculosis	4	1						1	1			1					
Scrofula																	
Venereal diseases	40	40															
Cancer	223							1	1	25	32	72	50	33	9		
Tumor	2									1	1						
Rheumatism	22						1	5	1	1	4	3	2	4	1		
Diabetes	36			1			2	3		3	3	10	7	5	2		
Anemia, leukemia	42	1			1			8	3	2	5	5	10	7			
Alcoholism	22								1	9	9	3					
Chronic poisonings																	
Other general diseases	12	3		2	1				3	1	1			1			
Encephalitis	7	2						1		1	1			2			
Meningitis	91	37	12	8	4	1	9	2	7	5	2	2	1	1			
Apoplexy	141	6	1					1	3	9	11	24	36	36	12	1	1
Softening of brain	3											1		1	1		
Paralysis	64		1					1	1	1	7	8	20	16	8	1	
Epilepsy	8							3	1	2	1	1					
Convulsions	148	127	8	6	1	1	1		1		3						
Tetanus																	
Other diseases of nervous system	53	1	1	2			1	1	2	10	11	10	10	4			
Pericarditis	6						1	1	1				1	1	1		
Endocarditis	23	2					1	4	2	3	2	4	2	3			
Heart disease	317	9		1		2	5	19	15	28	49	47	69	48	23	2	
Angina pectoris	19									1	3	4	7	3	1		
Embolism and thrombosis	15	2						1	1	2	4	2		3			
Other diseases of circulatory system	54	14	1				1	1	1	4	2	2	14	10	3	1	
Laryngitis	1											1					
Acute bronchitis	89	64	9	4	4	1	2		1			2		2			
Chronic bronchitis	49						1		2	1	1	5	18	14	7		
Bronchopneumonia	112	48	23	4	6	2	3	1	1	2	3	4	7	5	3		
Pneumonia	270	54	12	7	2	5	6	9	17	33	35	24	28	24	12	2	
Pleurisy	14	1	1				2	1		3	3	2	1				
Congestion of lungs	22	4				1			2	1	2	4	4		4		
Other diseases of respiratory system	57	4	1	2			1	1	8	9	3	6	9	10	3		
Tonsilitis	2								1						1		
Diseases of stomach	66	14	2	1				2	3	6	5	13	14	4	1		1
Diarrhea and enteritis	342	248	36	10	3	1	4	2	3	5	6	5	7	6	6		
Hernia and intestinal obstructions	41	5	1				3	3	3	3	9	5	7	2			
Cirrhosis of liver	45							1		3	16	10	9	6			
Other diseases of liver	40	1						1	4	1	6	14	9	3	1		
Peritonitis	50	7					1	9	12	11	4		2	3	1		
Appendicitis	50					2	6	15	8	10	5	3		1			
Other diseases of digestive system	17	4				1			1	2	4	5					
Acute nephritis	23	4					1	1	1	2	1	3	6	2	2		
Bright's disease	226	4	2	1		1	3	4	14	24	31	36	48	43	13		2
Calculi of urinary tract	1													1			
Uterine tumor	8									2	3	1	2				
Ovarian tumor	5									3	2						
Other diseases of genito-urinary system	59	2						3	6	11	8	5	14	7	3		
Puerperal septicemia	34							3	17	11	3						
Other causes incident to childbirth	27							3	9	14	1						
Diseases of skin	18	7								1	1	2	2	2	3		
Diseases of locomotor system	12		1				2		1		3	2	3				
Malformations	41	41															
Premature birth	83	83															
Congenital debility	250	250															
Old age	173												11	68	79	15	
Suicide	37							4	8	9	4	3	8	1			
Other violence	198	17	8	4	3	2	11	19	23	28	30	22	16	8	3	2	2
Ill-defined causes	160	75	13	2	1	2		2	4	9	4	8	18	10	10	2	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,109	846	161	61	24	25	40	56	85	144	134	157	150	121	57	8	.....
Typhoid fever	12	.....	.....	.....	.....	.....	.....	3	1	5	2	1	.....	.....	.....	.....	.....
Malarial fever	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	33	7	15	5	2	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	26	14	9	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	28	2	7	5	3	6	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	16	4	1	1	.....	.....	2	2	.....	.....	1	2	3	.....	.....	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Dysentery	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....
Erysipelas	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....
Tuberculosis—total	180	9	4	9	1	2	4	18	34	49	27	16	5	1	1	.....	.....
Tuberculosis of lungs	156	3	1	2	.....	1	3	16	34	48	27	15	5	.....	1	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	13	5	2	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	5	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
Pott's disease	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cancer	73	.....	.....	.....	.....	1	.....	.....	2	8	13	14	21	12	2	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Rheumatism	10	.....	.....	.....	.....	.....	.....	3	.....	1	1	.....	4	1	.....	.....	.....
Diabetes	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	5	4	.....	.....	.....
Anemia, leukemia	5	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....
Alcoholism	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	52	24	5	6	2	2	8	2	1	.....	.....	1	1	.....	.....	.....	.....
Apoplexy	59	1	.....	.....	.....	.....	1	.....	.....	1	10	10	19	9	8	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....
Paralysis	23	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	9	4	.....	.....
Epilepsy	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	50	37	6	3	1	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Tetanus	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	17	1	.....	.....	.....	.....	2	.....	.....	3	3	1	4	2	1	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	27	.....	.....	.....	.....	.....	1	1	4	1	4	6	5	2	3	.....	.....
Heart disease	121	3	.....	.....	.....	.....	1	5	6	10	14	28	31	20	3	.....	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	7	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	2	.....	.....
Laryngitis	5	.....	2	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	60	36	14	3	1	.....	1	.....	1	.....	.....	.....	.....	4	.....	.....	.....
Chronic bronchitis	29	.....	.....	.....	.....	.....	.....	2	4	3	2	3	7	7	1	.....	.....
Bronchopneumonia	42	28	4	5	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Pneumonia	194	79	38	6	2	1	2	4	7	16	4	9	16	8	2	.....	.....
Pleurisy	6	1	1	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	7	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	.....	1	.....
Other diseases of respiratory system	17	1	1	.....	1	2	1	.....	1	2	2	3	2	1	.....	.....	.....
Tonsilitis	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	20	4	.....	1	1	.....	1	.....	1	2	2	2	3	3	.....	.....	.....
Diarrhea and enteritis	373	308	44	4	2	2	4	.....	1	1	1	.....	3	1	2	.....	.....
Hernia and intestinal obstructions	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	1	.....	.....	.....
Cirrhosis of liver	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....
Other diseases of liver	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	3	3	.....	.....	.....
Peritonitis	16	1	1	.....	.....	.....	.....	2	2	5	2	1	1	1	.....	.....	.....
Appendicitis	6	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	1	.....	.....	.....
Other diseases of digestive system	8	4	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	7	.....	.....	1	.....	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	.....
Bright's disease	91	3	.....	1	.....	.....	.....	3	5	8	12	21	23	12	2	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	2	.....	.....	.....	.....	1	.....	3	2	3	1	2	2	4	.....	.....
Puerperal septicemia	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	4	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	11	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	4	.....	.....
Diseases of locomotor system	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	12	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	103	103	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	87	87	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	12	6	.....
Suicide	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Other violence	58	10	.....	2	1	5	2	5	5	7	7	4	6	2	2	.....	.....
Ill-defined causes	69	49	4	3	.....	1	.....	.....	1	.....	2	4	4	1	.....	.....	.....

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,998	486	89	42	26	13	59	163	303	308	284	314	398	314	147	23	29
Typhoid fever	64	1			1		2	12	24	12	4	5	3				
Malarial fever	5						1	1		1			2				
Smallpox	1											1					
Measles	1	1															
Scarlet fever	9	1	3	1	2		2										
Whooping cough	11	7	2	2													
Diphtheria and croup	21	1	4	5	2	2	5	2									
Influenza	33	1		1			1	1			3	3	4	10	7	2	
Cholera nostras	1											1					
Dysentery	15	1		1				1		1			5	1	3	1	1
Erysipelas	5	1					1	1					2				
Other epidemic diseases																	
Septicemia	23	4			1	1	2	2	4	2		2	3	1	1		
Tuberculosis—total	403	5	9	4	3	1	8	58	122	82	50	32	14	7	1		7
Tuberculosis of lungs	351	3	4	2	3	1	6	48	111	73	46	27	14	7	1		5
Tuberculosis of larynx	4								2		1	1					
Tuberculous meningitis	16	2	4	2			1	3	3			1					
Abdominal tuberculosis	16							3	3	3	3	2					2
Pott's disease	5		1				1	1		2							
Tuberculous abscess	1								1								
White swelling																	
Tuberculosis of other organs	5							3	1	1							
General tuberculosis	5								1	3		1					
Scrofula	1																1
Venereal diseases	10	4							1	1	2	1	1				
Cancer	109						2	1	2	5	26	34	27	10	2		
Tumor	3								1			1	1				
Rheumatism	23						3	3	4	2	1	3	4	3			
Diabetes	24						1	1	2	1	1	4	6	7		1	
Anemia, leukemia	6							3	1		1		1				
Alcoholism	14								1	2	6	2	3				
Chronic poisonings	2									1	1						
Other general diseases	6	1								1	1	2			1		
Encephalitis	5		1							2	1	1					
Meningitis	71	19	9	5	4	2	6	4	2	7	2	5	6				
Apoplexy	131	5	1		1			1	3	6	16	31	30	27	9	1	
Softening of brain	9										3		3	3			
Paralysis	45	1			1				3	3	2	6	11	11	5	1	1
Epilepsy	12		1						3	2	2	1	1	2			
Convulsions	16	9	5						1				1				
Tetanus	2								1	1							
Other diseases of nervous system	52	1						1	1	8	11	12	9	7	1		1
Pericarditis	4											2	1	1			
Endocarditis	29							1	4	4	2	2	11	4	1		
Heart disease	236	9		1			1	10	5	19	25	35	69	42	14	1	5
Angina pectoris	16								1	5	1	3	4	1	1		
Embolism and thrombosis	7							1	1			3	1	1			
Other diseases of circulatory system	30			1					1	2	2	6	5	8	4		1
Laryngitis	2	1									1						
Acute bronchitis	16	7	4	1	1								1	1			1
Chronic bronchitis	29							1	2	2	1	5	4	8	6		
Bronchopneumonia	53	18	7	2	1	1	3			1	2	2	6	9	1		
Pneumonia	218	32	17	7	3		7	11	20	26	16	22	26	24	6	1	
Pleurisy	8							1	1		4	2					
Congestion of lungs	15	5		1		1					1		3	4			
Other diseases of respiratory system	32	1		1			1	1	4	2	3	6	10	2	1		
Tonsilitis																	
Diseases of stomach	33	2					1		2	5	5	5	3	4	3		3
Diarrhea and enteritis	129	72	15	3	1	1	2	2	5	3	2	7	5	5	5	1	
Hernia and intestinal obstructions	23	3			1	1	1	1	3		3	1	6	2	1		
Cirrhosis of liver	24								3	1	7	6	5	1	1		
Other diseases of liver	33							1		3	6	8	7	4	3	1	
Peritonitis	34	1						7	6	7	6	3	3	1			
Appendicitis	20						1	5	6	4	3				1		
Other diseases of digestive system	13	2							1	2		1	3	4			
Acute nephritis	12	1		1			1		1	1	2	2	1	2			
Bright's disease	129	1	1					3	5	18	19	28	32	19	2		1
Calculi of urinary tract																	
Uterine tumor	3									1	2						
Ovarian tumor	3								1				2				
Other diseases of genito-urinary system	33							1	7	4	4		3	7	4		3
Puerperal septicemia	7								6	1							
Other causes incident to childbirth	20							2	10	7	1						
Diseases of skin	19	2		1		1				2	1	1	4	6			1
Diseases of locomotor system	2								1				1				
Malformations	14	14															
Premature birth	54	54															
Congenital debility	135	135															
Old age	122												10	43	55	12	2
Suicide	43							3	7	16	9	3	3	1	1		
Other violence	153	7	5	3	3	2	6	18	22	28	11	9	18	15	5		1
Ill-defined causes	112	56	5	1	1		1	2	2	4	12	5	14	6	2	1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,427	990	205	110	66	51	159	211	375	542	435	458	423	277	107	17	1
Typhoid fever	46	1			1		2	10	8	16	2	3	1	1	1		
Malarial fever	3								1	1		1					
Smallpox																	
Measles	11	3	5	2	1												
Scarlet fever	16	2	3	2	2		3	4									
Whooping cough	23	10	9	1	1		2										
Diphtheria and croup	94	8	14	18	14	12	21	5	1		1						
Influenza	11	2								1	1	1	1	3	2		
Cholera nostras	2	1						1									
Dysentery	12	2	3						1		1	4	1				
Erysipelas	7	1								1	1	2	1	1			
Other epidemic diseases																	
Septicemia	6	2								1		1	2				
Tuberculosis—total	536	15	11	8	3	3	13	36	146	156	82	33	24	6			
Tuberculosis of lungs	473	1	3	1		1	5	31	140	152	79	31	23	6			
Tuberculosis of larynx	5								2	1	2						
Tuberculous meningitis	37	10	8	6	1	1	6	1	1	1		2					
Abdominal tuberculosis	8	2		1	1			2	1	1							
Pott's disease	3					1	1		1								
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	4						1			1	1		1				
General tuberculosis	5	2			1			1	1								
Scrofula	1			1													
Venereal diseases	2	1								1							
Cancer	154				1		1	1	6	11	30	40	41	16	5	2	
Tumor	4	1						1			1			1			
Rheumatism	22				1	1	1	2	1	3	2	7	3			1	
Diabetes	23						1		1	3	1	7	7	3			
Anemia, leukemia	12		1					1	1	3	3	2	1				
Alcoholism	39								5	16	11	5	2				
Chronic poisonings	4							1	2		1						
Other general diseases	2		1		1												
Encephalitis	3	1								1				1			
Meningitis	215	45	20	20	19	12	43	33	8	4	5	4	2				
Apoplexy	216	9	1	2			1	1		4	20	47	59	56	14	2	
Softening of brain	3													2	1		
Paralysis	13										2	1	3	6	1		
Epilepsy	9		1				2	3	3			1					
Convulsions	69	49	7	3	1	2	2	2	1	2							
Tetanus	1							1									
Other diseases of nervous system	49	3		1				3	3	9	11	8	6	4	1		
Pericarditis	2						1				1						
Endocarditis	53	1		1			3	7	4	4	5	9	9	7	3		
Heart disease	282	10				1	6	14	13	33	39	44	72	29	21		
Angina pectoris	18							1	1	3	3	1	3	3	3		
Embolism and thrombosis	15								2			5	3	4	1		
Other diseases of circulatory system	26	2							1	2		7	6	6	2		
Laryngitis	7	1	1	1	1		1			1					1		
Acute bronchitis	65	47	7	2		2				1	1	1	2	1		1	
Chronic bronchitis	33	1					2	2	2	1	2	5	9	6	2	1	
Bronchopneumonia	114	52	28	8	4	2	1		2	2	3	6		4	2		
Pneumonia	342	48	29	11	2	3	7	6	18	58	52	38	34	30	6		
Pleurisy	11		2					1	1	2	2		2	1			
Congestion of lungs	29	12	1	1	1			1	1	3	1	3	2	2	1		
Other diseases of respiratory system	33	3		2		1	1	1	1	4	6	4	3	3	4		
Tonsilitis																	
Diseases of stomach	44	11		1		1	2	3	1	6	1	8	4	5	1		
Diarrhea and enteritis	362	267	40	11	4	1	4	2	1	5	2	6	7	10	2		
Hernia and intestinal obstructions	40	9			2	1			3	6	6	1	9	1	2		
Cirrhosis of liver	62						1		1	13	14	19	11	3			
Other diseases of liver	22	1		1						5	5	8		2			
Peritonitis	16							4	5	3	4						
Appendicitis	31						3	13	8	4	2	1					
Other diseases of digestive system	10	4				1			1	1		1	1		1		
Acute nephritis	66	3		1		1	3	3	8	12	13	12	8	2			
Bright's disease	244	3		1	1		2	8	21	38	36	58	47	23	3	3	
Calculi of urinary tract																	
Uterine tumor	2												1	1			
Ovarian tumor																	
Other diseases of genito-urinary system	42	2						2	4	12	5	6	5	3	2	1	
Puerperal septicemia	15							1	5	8	1						
Other causes incident to childbirth	27							1	12	14							
Diseases of skin	16	1					1			3	1	4	2	2	2		
Diseases of locomotor system	14	1	1			1	1	1	3	2	2	1					
Malformations	58	58															
Premature birth	83	83															
Congenital debility	110	110															
Old age	40												2	15	17	6	
Suicide	47							2	12	8	8	7	5	4	1		
Other violence	321	28	5	8	5	6	24	32	53	51	41	35	18	10	4		1
Ill-defined causes	117	76	15	2	1		4	1	4	4	4	1	4		1		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,029	460	72	31	24	21	61	164	411	411	352	355	307	239	97	17	7
Typhoid fever	110	.....	1	1	1	2	5	21	36	19	10	6	5	1	1	.....	1
Malarial fever	12	.....	.....	.....	1	.....	.....	2	1	4	.....	3	.....	1	.....	.....	.....
Smallpox	25	1	.....	1	1	.....	1	.....	6	6	6	2	1	.....	.....	.....	.....
Measles	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	4	.....	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	14	7	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	46	2	4	2	4	4	19	9	1	.....	.....	1	.....	.....	.....	.....	.....
Influenza	40	3	1	1	1	.....	.....	3	2	2	3	7	8	7	2	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	8	1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	2	.....	.....	.....
Erysipelas	9	2	.....	.....	.....	.....	.....	1	1	2	1	1	1	.....	.....	.....	.....
Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	31	1	.....	.....	.....	1	.....	5	7	7	5	1	2	1	1	.....	.....
Tuberculosis—total	394	8	6	3	4	.....	4	33	121	80	62	47	19	3	3	.....	1
Tuberculosis of lungs	361	7	4	1	1	.....	4	31	115	71	59	42	19	3	3	.....	1
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	4	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	1	.....	1	.....	.....	.....	1	3	4	.....	3	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	9	.....	.....	.....	1	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	2	.....	.....	.....	.....	.....	1	2	1	1	1	1	.....	.....	.....	.....
Cancer	110	.....	1	.....	.....	.....	.....	1	6	14	25	28	22	12	1	.....	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....
Rheumatism	14	.....	.....	.....	.....	.....	.....	1	2	3	1	3	2	2	.....	.....	.....
Diabetes	18	.....	.....	.....	.....	.....	2	1	4	.....	1	5	1	3	1	.....	.....
Anemia, leukemia	18	2	.....	.....	1	.....	1	.....	2	3	2	3	3	1	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	1	1	7	4	1	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
Meningitis	53	20	5	3	.....	1	3	3	8	3	.....	6	1	.....	.....	.....	.....
Apoplexy	97	4	.....	.....	.....	.....	.....	.....	4	5	8	30	18	17	10	1	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....
Paralysis	49	1	.....	.....	.....	.....	.....	2	.....	4	2	10	10	17	3	.....	.....
Epilepsy	8	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	.....	.....	.....	.....	1
Convulsions	21	17	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	2	.....	.....	.....	.....	.....	1	.....	1	2	3	.....	.....	.....	.....	.....
Other diseases of nervous system	28	3	1	.....	.....	.....	.....	2	4	3	5	6	3	1	.....	.....	.....
Pericarditis	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	28	.....	1	.....	.....	.....	1	3	3	4	6	1	4	4	.....	1	.....
Heart disease	217	2	1	.....	.....	1	5	9	17	26	31	42	42	31	10	.....	.....
Angina pectoris	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	3	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	1	.....	1	3	3	1	.....	1	.....	.....
Other diseases of circulatory system	31	2	.....	.....	.....	.....	.....	.....	2	6	6	2	6	5	2	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	20	14	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....
Chronic bronchitis	19	1	.....	1	.....	.....	.....	.....	1	.....	1	2	3	6	3	1	.....
Bronchopneumonia	22	11	2	.....	.....	.....	1	1	.....	1	1	3	.....	2	.....	.....	.....
Pneumonia	308	43	10	5	1	3	2	16	43	48	41	27	36	22	8	2	1
Pleurisy	4	.....	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Congestion of lungs	16	3	1	.....	.....	.....	.....	.....	.....	2	1	2	3	4	.....	.....	.....
Other diseases of respiratory system	19	.....	.....	1	.....	.....	.....	.....	1	3	1	3	2	4	2	1	1
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	45	7	.....	.....	.....	.....	1	.....	4	6	6	8	6	6	1	.....	.....
Diarrhea and enteritis	119	77	16	1	1	2	.....	1	3	2	1	2	4	6	3	.....	.....
Hernia and intestinal obstructions	22	4	2	.....	.....	.....	1	.....	2	6	2	2	2	1	.....	.....	.....
Cirrhosis of liver	10	.....	.....	.....	.....	.....	.....	.....	.....	3	1	4	1	1	.....	.....	.....
Other diseases of liver	19	1	.....	.....	.....	.....	.....	.....	.....	4	5	2	4	3	.....	.....	.....
Peritonitis	48	1	.....	.....	1	.....	.....	4	16	15	5	1	3	2	.....	.....	.....
Appendicitis	21	.....	.....	.....	.....	1	.....	6	6	6	2	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	18	3	.....	1	.....	.....	.....	1	2	1	.....	4	3	3	.....	.....	.....
Acute nephritis	10	2	.....	.....	.....	.....	.....	.....	.....	1	3	4	.....	.....	.....	.....	.....
Bright's disease	142	3	4	1	.....	.....	.....	2	9	17	22	19	33	18	8	1	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	26	.....	.....	1	.....	.....	.....	.....	7	5	2	4	4	3	.....	.....	.....
Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	2	6	7	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	.....	7	7	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	8	1	.....	.....	1	.....	1	.....	.....	1	.....	1	1	2	.....	.....	.....
Diseases of locomotor system	3	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	17	16	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	40	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	25	30	10	.....
Suicide	45	.....	.....	.....	.....	.....	.....	5	12	13	8	2	4	1	.....	.....	.....
Other violence	224	18	2	4	1	5	11	21	45	43	29	21	14	7	2	.....	1
Ill-defined causes	130	33	5	3	1	1	1	3	11	12	17	16	13	9	4	.....	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,344	344	66	36	19	16	66	154	411	499	453	395	413	312	143	12	5
Typhoid fever	55		1	2			1	11	13	12	8	3	3		1		
Malarial fever																	
Smallpox																	
Measles	3		1		1	1											
Scarlet fever	3						2	1									
Whooping cough	32	20	5	4	1		2										
Diphtheria and croup	38	1	4	5	3	3	15	5		1	1						
Influenza	22		1				1		2	2	1	1	5	5	4		
Cholera nostras	1								1								
Dysentery	10	3	3						1				1	2			
Erysipelas	6	1							1		2			2			
Other epidemic diseases																	
Septicemia	39		1	1			1	4	10	8	2	9	3				
Tuberculosis—total	707	7	7		4	2	12	41	202	194	128	68	31	8	2	1	
Tuberculosis of lungs	643	5	3		2	1	5	38	190	183	119	61	27	7	1	1	
Tuberculosis of larynx	8								1	1	4	1	1				
Tuberculous meningitis	16	2	3		2	1	5		1	1	1						
Abdominal tuberculosis	21						1	3	5	4	3	2	2	1			
Pott's disease	2									1		1					
Tuberculous abscess																	
White swelling	2								1			1					
Tuberculosis of other organs	5						1			1	1	1			1		
General tuberculosis	10		1						4	3		1	1				
Scrofula																	
Venereal diseases	11	4	1						2	2		2					
Cancer	175				1		1	3	3	16	34	46	46	20	5		
Tumor	5										1		2	1	1		
Rheumatism	17					1		2		3		2	4	4	1		
Diabetes	24						2	2	1	3	3	8	3	2			
Anemia, leukemia	19							1		3	3	4	6	2			
Alcoholism	30								3	8	10	7	2				
Chronic poisonings	2								1	1							
Other general diseases	7								1		2	1	1	1	1		
Encephalitis	6	1										2	1	2			
Meningitis	73	15	8	2	2	4	2	16	7	5	6	3	1	2			
Apoplexy	121	1					1		1	6	9	26	31	34	12		
Softening of brain	9									1	1	1	3	3			
Paralysis	40	1							1	2	2	8	14	7	5		
Epilepsy	5						1	1	2		1						
Convulsions	18	14	2		1						1						
Tetanus	7	1					2	1	2	1							
Other diseases of nervous system	46	1					1	1	2	7	14	8	8	3	1		
Pericarditis	7							2		1	2		1		1		
Endocarditis	46		1					2	6	6	8	10	8	2	3		
Heart disease	217	4			1		3	6	12	18	26	38	50	41	18		
Angina pectoris	15								1	1	2	3	3	4	1		
Embolism and thrombosis	16	1		1				1	2	3	1	2	3	1	1		
Other diseases of circulatory system	47	1		1					2	5	8	7	10	9	4		
Laryngitis																	
Acute bronchitis	26	12	4	1			2			2		2	1	2			
Chronic bronchitis	19	1					1		1	2	1		3	5	4	1	
Bronchopneumonia	42	13	4	4			3		1	2	5	2	2	3	1	2	
Pneumonia	178	37	6	4	1	2	4	4	16	22	18	14	23	19	8		
Pleurisy	9	1								4	2		1	1			
Congestion of lungs	28	2	1		1			1	1		2	2	6	7	5		
Other diseases of respiratory system	32						1		2	10	5	5	3	4	2		
Tonsilitis	2			1									1				
Diseases of stomach	43	5	1					1	2	5	5	6	13	5			
Diarrhea and enteritis	112	66	9	3	1	1	2	1	1	7	4	3	8	4	2		
Hernia and intestinal obstructions	23	2		1				2	1	6	2	1	3	4	1		
Cirrhosis of liver	44								1	7	12	14	8	1	1		
Other diseases of liver	33				1			3	3	3	4	7	4	7	1		
Peritonitis	40							2	11	7	8	4	5	3			
Appendicitis	31						3	9	6	3	4	4	1	1			
Other diseases of digestive system	15	1		1				2		1	4	2	3			1	
Acute nephritis	12	1			1				4	1	1	1	3				
Bright's disease	181	2						11	13	14	32	35	36	32	5	1	
Calculi of urinary tract	4									1				1	2		
Uterine tumor	4											3	1				
Ovarian tumor	4											2	2				
Other diseases of genito-urinary system	22	1						1	4	2	1	1	4	5	2		1
Puerperal septicemia	4								2	2							
Other causes incident to childbirth	11							1	7	3							
Diseases of skin	9	1							1			2	2	2	1		
Diseases of locomotor system	1												1				
Malformations	12	11								1							
Premature birth	27	27															
Congenital debility	62	62															
Old age	86												11	32	38	5	
Suicide	26								7	8	7	1	1		1		1
Other violence	243	6	2	4		2	3	16	42	63	46	22	20	10	5		2
Ill-defined causes	80	17	4	1					6	14	9	5	10	9	3	1	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,020	651	125	52	49	31	88	220	454	449	435	435	473	392	139	23	4
Typhoid fever	110	2	1	2	4	3	3	35	28	14	10	2	3	1	1		1
Malarial fever	14		1					1	2	5	1	1		3			
Smallpox	1												1				
Measles	1	1															
Scarlet fever	8		1		3	1	1	2									
Whooping cough	11	6	2	2			1										
Diphtheria and croup	29	5	3	3	4	1	9	3	1								
Influenza	40		1						2	3	4	6	10	12	2		
Cholera nostras	3										2		1				
Dysentery	36	6	1				1	2	2	2	3	6	5	6	2		
Erysipelas	10	4								3		2		1			
Other epidemic diseases																	
Septicemia	26	1					1	4	7	6	2	1	2	1	1		
Tuberculosis—total	545	7	6	7	1	1	13	50	179	133	79	42	24	3			
Tuberculosis of lungs	508	5	4	6	1		10	43	173	127	72	40	24	3			
Tuberculosis of larynx	2								1			1					
Tuberculous meningitis	14	2	2	1		1	1	1	2	3	1						
Abdominal tuberculosis	11						1	3	1	2	4						
Pott's disease	4							2			2						
Tuberculous abscess																	
White swelling	1											1					
Tuberculosis of other organs	1									1							
General tuberculosis	4						1	1	2								
Scrofula	1			1													
Venereal diseases	12	6							1	1	1	2	1				
Cancer	126					1		1	6	10	31	29	27	19	2		
Tumor	4									1	2		1				
Rheumatism	18				1		1		3	2	3	4	4				
Diabetes	23							3			2	8	6	4			
Anemia, leukemia	14	3				2		1	2		3	2	1				
Alcoholism	6									3	1	2					
Chronic poisonings	1										1						
Other general diseases	4	1	1							1		1					
Encephalitis	2	1			1												
Meningitis	108	38	14	6	8	4	6	8	9	5	4	4	2				
Apoplexy	169	6	5		1		1	1	4	24	23	29	43	28	4		
Softening of brain	17								2	1	3	2	3	6			
Paralysis	82		1		1		1	1	3	8	12	12	25	15	1	2	
Epilepsy	1	1															
Convulsions	89	72	8	5	1	2		1									
Tetanus	15	6					1	4	1	1	1		1				
Other diseases of nervous system	37	1					1		7	3	4	12	3	4	2		
Pericarditis	9	1						3	1	2	1			1			
Endocarditis	20						1	4	1	4	1	3	4	2			
Heart disease	276	2					6	15	21	34	43	55	41	51	7		1
Angina pectoris	13							1	1		1	2	2	4	2		
Embolism and thrombosis	7									1	2	1	2	1			
Other diseases of circulatory system	26	5						1		5	5	1	4	3	2		
Laryngitis	3				1			1				1					
Acute bronchitis	42	19	6	3	2	1	1	1		1	1	1	4	1	1		
Chronic bronchitis	44						1	3	6	1	3	7	13	7	3		
Bronchopneumonia	29	8	5	1	2	1	1	2				4	1	2	1	1	
Pneumonia	336	53	23	8	9	4	11	13	38	29	34	38	32	30	12	2	
Pleurisy	19	1		2				1	5	1	5	2		1		1	
Congestion of lungs	17	2	1		1		1		3			3	4	2			
Other diseases of respiratory system	51					1		1	6	8	6	12	10	6	1		
Tonsilitis	5	1			1	1	2										
Diseases of stomach	58	5	1		1	2		1	5	11	7	6	12	7			
Diarrhea and enteritis	156	90	20	4	2		1	3	4	6	8	7	7	3	1		
Hernia and intestinal obstructions	27	2	1		1	1		1	3	2	1	6	6	3			
Cirrhosis of liver	30									2	11	9	8				
Other diseases of liver	24								1	4	1	5	7	5	1		
Peritonitis	53						1	10	11	15	12	2	2				
Appendicitis	15						1	2	2	5	1	2	2				
Other diseases of digestive system	15	2					1	1		3	1	1	5	1			
Acute nephritis	21			1	1		3		3	1	1	4	3	3	1		
Bright's disease	228	3				1	1	5	17	34	34	40	53	35	5		
Calculi of urinary tract																	
Uterine tumor	4											1	3				
Ovarian tumor	3										1		1		1		
Other diseases of genito-urinary system	19								2	3	4		7	1	2		
Puerperal septicemia	9							1	5	2	1						
Other causes incident to childbirth	6								3	3							
Diseases of skin	19						1	1	3	2	1	1	6	4			
Diseases of locomotor system	5	2	1				1						1				
Malformations	8	7					1										
Premature birth	70	70															
Congenital debility	149	149															
Old age	226												33	100	77	16	
Suicide	33							3	9	3	9	5	3	1			
Other violence	171	1	1	3	3	2	9	23	32	25	27	18	16	5	4		2
Ill-defined causes	211	61	21	4		2	4	6	13	15	21	28	22	9	4	1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,164	297	74	36	33	16	45	149	377	314	218	257	181	109	48	8	2
Typhoid fever	41	1		1	2		2	4	16	10	2	2	1				
Malarial fever	148	15	10	5	4	1	8	15	24	19	12	19	10	1	3	1	1
Smallpox	1								1								
Measles																	
Scarlet fever	3			2			1										
Whooping cough	16	12	3		1												
Diphtheria and croup	15	4	2	1	1	3	3	1									
Influenza	38	1	1	1			1	2	7	3	1	10	6	3	2		
Cholera nostras																	
Dysentery	26	2	1				1		3	2	2	5	6	1	3		
Erysipelas	7									3	1	2		1			
Other epidemic diseases	1						1										
Septicemia	9								2	3	2	1	1				
Tuberculosis—total	295	4	3	3			7	44	110	60	31	21	6	6			
Tuberculosis of lungs	278	4	2				7	42	104	57	29	21	6	6			
Tuberculosis of larynx	3								2	1							
Tuberculous meningitis	4		1	1				1			1						
Abdominal tuberculosis	6			2					3		1						
Pott's disease																	
Tuberculous abscess																	
White swelling	2							1		1							
Tuberculosis of other organs	1									1							
General tuberculosis	1								1								
Scrofula	4		2			1		1									
Venereal diseases	15	6							3	5	1						
Cancer	42							1	4	4	9	8	12	4			
Tumor	4											2		2			
Rheumatism	14							2	1	2	3	5		1			
Diabetes	2								1			1					
Anemia, leukemia	5						1			1	1	1				1	
Alcoholism	11									5	2		4				
Chronic poisonings																	
Other general diseases	3										1	1	1				
Encephalitis	5	3					1		1								
Meningitis	33	11	4	4	1	1	1	3	2	1	3	2					
Apoplexy	48	4			2		1	2	5	2	11	10	8	3			
Softening of brain	2								1			1					
Paralysis	17								2		2	3	4	3	3		
Epilepsy																	
Convulsions	24	18	2	2			2										
Tetanus	7	3					2	1				1					
Other diseases of nervous system	20	2						1	3	2	4	4	2	2			
Pericarditis	6						1		3	1	1						
Endocarditis	8							2	1	2	1		2				
Heart disease	102		1					3	12	12	21	21	16	15	1		
Angina pectoris	6									2			3	1			
Embolism and thrombosis	6								3	1		1		1			
Other diseases of circulatory system	18					1			1	1		7	1	5	1	1	
Laryngitis																	
Acute bronchitis	13	8	3								1	1					
Chronic bronchitis	17							3	4	2	1	1	3	2	1		
Bronchopneumonia	31	14	5	1	1		1		1	4		1	1	2			
Pneumonia	164	24	2	4	5	2	3	14	27	17	25	23	12	6			
Pleurisy	5							2				1	2				
Congestion of lungs																	
Other diseases of respiratory system	20						1	2	2	4	2	3	3	1	2		
Tonsilitis	1						1										
Diseases of stomach	34	4	1	1	1		2	1	3	6	2	2	7	3	1		
Diarrhea and enteritis	131	69	22	7	2	1	2		3	5	4	9	4	3			
Hernia and intestinal obstructions	22	3	1			1		1	3	2	5	3	2	1			
Cirrhosis of liver	11									1	3	1	4	2			
Other diseases of liver	19				1			2	1	5	3	3	3		1		
Peritonitis	11							1	3	4	2			1			
Appendicitis	18							1	6	4	2	4			1		
Other diseases of digestive system	8	1	1					1	1	3			1				
Acute nephritis	14			1	1				4	5	1	2					
Bright's disease	125	1			1	1		7	12	17	10	30	24	13	9		
Calculi of urinary tract																	
Uterine tumor	8									3	1	2	2				
Ovarian tumor	5									3	1	1					
Other diseases of genito-urinary system	17							1	4	6	1	3	1	1			
Puerperal septicemia	13							3	5	5							
Other causes incident to childbirth	16							6	7	3							
Diseases of skin	11		1		1				1	1	1	2	2	1	1		
Diseases of locomotor system	7	1			1				1	3				1			
Malformations	7	7															
Premature birth	20	20															
Congenital debility	31	31															
Old age	35												6	10	16	3	
Suicide	25							3	11	6	4	1					
Other violence	199	5		2	7	4	2	19	57	47	21	15	6	9	2	2	1
Ill-defined causes	124	23	9	1	1				15	17	17	21	15	5			

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,083	1,075	173	67	44	45	106	202	367	312	363	354	365	379	200	30	1
Typhoid fever	71		2		2	1	3	17	21	17	4	3	1				
Malarial fever	1								1								
Smallpox	1								1								
Measles	9	5	2	1			1										
Scarlet fever	24		1	4	2	4	8	3		2							
Whooping cough	40	26	6	4	2	1	1										
Diphtheria and croup	42	1	8	9	10	6	4	3				1					
Influenza	24	2			1	1			1	1	1	2	4	9	2		
Cholera nostras	6	1	1				1						1	2			
Dysentery	6	1	1	1	2										1		
Erysipelas	6	3							1	1	1						
Other epidemic diseases	1	1															
Septicemia	11	4						1	1	1	3	1					
Tuberculosis—total	509	17	12	7	5	5	11	69	160	95	62	33	26	5	1		1
Tuberculosis of lungs	419	5	5	2	1		2	57	145	87	55	30	24	5	1		
Tuberculosis of larynx	6								2	2		2					
Tuberculous meningitis	43	8	4	3	4	5	7	7	1	2		1					1
Abdominal tuberculosis	16	2					1	3	3	2	3		2				
Pott's disease	5								3	1	1						
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	7	1	1	1					2		2						
General tuberculosis	13	1	2	1			1	2	4	1	1						
Scrofula	1	1															
Venereal diseases	19	9						1	3	2	1	2	1				
Cancer	203						2		2	14	44	53	44	33	10	1	
Tumor	4										1		3				
Rheumatism	22						3	5		3	4	3	2	2			
Diabetes	40							1	5	2	5	10	8	8	1		
Anemia, leukemia	19	1	1	1			1	2	2	6	1	3	1				
Alcoholism	10								1	2	3	1	1	2			
Chronic poisonings	1									1							
Other general diseases	10	1						1	2		2	2	2				
Encephalitis	1					1											
Meningitis	71	22	8	5	4	6	13	2	3	1	2	2	2	1			
Apoplexy	147	4		1			1		3	4	18	16	35	41	23	1	
Softening of brain	5												1		3	1	
Paralysis	15			1							1	2	4	5	1	1	
Epilepsy	1										1						
Convulsions	113	99	9	2	2			1									
Tetanus	2							1									
Other diseases of nervous system	49	4	1		1		1	6	3	4	9	10	6	2	1	1	
Pericarditis	2	1											1				
Endocarditis	39	2	1			1	3	7	1		2	4	7	8	3		
Heart disease	302					1	1	11	24	13	37	51	68	56	36	4	
Angina pectoris	11									1	1	3	1	4	1		
Embolism and thrombosis	16						1			2	2	3	4	4			
Other diseases of circulatory system	47	2									3	2	11	17	11	1	
Laryngitis	3	2		1													
Acute bronchitis	93	65	12	5		1							2	7	1		
Chronic bronchitis	54	1	1			1	3	2	1	2	2	2	8	17	11	3	
Bronchopneumonia	91	51	16	2		3	6		1			2	2	4	4		
Pneumonia	200	37	16	7	1	2	6	6	9	26	19	22	14	30	5		
Pleurisy	11	2	2				2		3			1	1				
Congestion of lungs	10	2							1	1	1		1	1	2	1	
Other diseases of respiratory system	27	4			1		1	1	3	3	4	3	4	3			
Tonsilitis	5		1	1	1	1	1										
Diseases of stomach	115	68	16	1	1		2		2	4	6	4	4	7			
Diarrhea and enteritis	359	285	39	7	4	1	2	2		2	2	2	4	3	5	1	
Hernia and intestinal obstructions	44	5		2		1	1	3	6	2	4	6	6	5	2	1	
Cirrhosis of liver	55						1			5	9	21	9	9		1	
Other diseases of liver	27		1				1	1	3	2	7	6	4	2			
Peritonitis	32	2		1			2	5	5	6	1	4	4	2			
Appendicitis	42						8	10	12	8	4						
Other diseases of digestive system	15	6	3						1	1	1	2			1		
Acute nephritis	23	3		1	1	3	2	2	5		1	4			1		
Bright's disease	169	6	2	1	1	3	3	6	9	14	31	28	29	24	11	1	
Calculi of urinary tract	1										1						
Uterine tumor	5									1	3		1				
Ovarian tumor	1								1								
Other diseases of genito-urinary system	35	1					1		5	5	2	3	2	12	4		
Puerperal septicemia	29								19	9	1						
Other causes incident to childbirth	20							2	6	9	3						
Diseases of skin	23	14								2			3	1	3		
Diseases of locomotor system	11	5	2				1	2	1								
Malformations	31	26	3					1						1			
Premature birth	108	108															
Congenital debility	92	92															
Old age	94												5	33	46	10	
Suicide	73							6	19	8	18	11	7	3	1		
Other violence	223	46	4	2	3	2	8	22	19	29	31	22	17	10	6	2	
Ill-defined causes	61	37	2						1	1	4	4	3	6	3		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,469	370	54	31	26	16	63	133	295	251	283	229	274	280	132	23	9
Typhoid fever	64			2			4	9	23	15	8	2		1			
Malarial fever	2									1				1			
Smallpox	1							1									
Measles	2	1	1														
Scarlet fever	9		1	3	4	1											
Whooping cough	3	2	1														
Diphtheria and croup	55	3	6	9	3	6	18	5	3		1			1			
Influenza	13	2		1				1					3	4	2		
Cholera nostras	3						1						1	1			
Dysentery	4		2														
Erysipelas	12	5	1						2				1	2		1	
Other epidemic diseases																	
Septicemia	5	1						1	1	1			1				
Tuberculosis—total	294	3			3	1	6	36	87	62	49	21	18	7	1		
Tuberculosis of lungs	244						2	26	77	56	41	20	15	6	1		
Tuberculosis of larynx	2								1		1						
Tuberculous meningitis	11	1			2	1	3	3			1						
Abdominal tuberculosis	7	1						2		1	1	1	1				
Pott's disease	5				1			1	2		1						
Tuberculous abscess																	
White swelling	1								1								
Tuberculosis of other organs	7							1	1	2	2		1				
General tuberculosis	17	1					1	3	5	3	2		1	1			
Scrofula																	
Venereal diseases	18	11							2	2		1	2				
Cancer	164							3	3	14	35	47	33	23	5		1
Tumor	1											1					
Rheumatism	16						1	2	1	1	5	3	1	1	1		
Diabetes	40				1			2	8	2	6	5	6	10			
Anemia, leukemia	16				2			1	1	1	5	1	2	3			
Alcoholism	11								2	3	3	2	1				
Chronic poisonings																	
Other general diseases	7	1						1	3	1		1					
Encephalitis																	
Meningitis	40	14	4	2	2	1	2	4	2	3	4	2					
Apoplexy	87	2						2	1	3	5	9	29	24	10	2	
Softening of brain	4										1			3			
Paralysis	17							1			2	1	6	4	3		
Epilepsy	3									1			1		1		
Convulsions	33	27	1	1	1	2		1									
Tetanus	4						2	1	1								
Other diseases of nervous system	51	5			1			2	4	7	16	4	7	4		1	
Pericarditis	5								1	1		1	1	1			
Endocarditis	20	2						3	2	2	2	2	1	3	3		
Heart disease	173	2			1		1	10	10	20	20	23	33	34	17	1	1
Angina pectoris	2												1	1			
Embolism and thrombosis	11	1								2	2	2	1	1	1		1
Other diseases of circulatory system	30	2							2		4	5	3	8	6		
Laryngitis	1			1													
Acute bronchitis	17	12	1	1										1	1	1	
Chronic bronchitis	11												1	4	5	1	
Bronchopneumonia	45	21	5	1	1		1	2	1			2	3	3	4	1	
Pneumonia	181	35	9	3		2	4	5	15	22	21	15	21	18	10	1	
Pleurisy	10						1				2	4	3				
Congestion of lungs	10	2								1	2	1	1	1	2		
Other diseases of respiratory system	16						1	1	1	4	1	2	1	3	2		
Tonsilitis																	
Diseases of stomach	26	1			1				1	1	5	2	5	8	1	1	
Diarrhea and enteritis	146	96	18	2	2	1		2	2		1	1	6	10	4	1	
Hernia and intestinal obstructions	23	5							3	2	3	4	2	3	1		
Cirrhosis of liver	7								2			1	2	1			1
Other diseases of liver	27	1					1		3	5	1	4	6	4	2		
Peritonitis	16						1	2	7	3		3					
Appendicitis	62				1		5	11	18	7	13	4	3				
Other diseases of digestive system	6	1						1				1	3				
Acute nephritis	17	1					1		2	1	4	2		5	1		
Bright's disease	158	1		1			1	3	9	14	24	27	34	32	11		1
Calculi of urinary tract	1									1							
Uterine tumor	6									2	2	2					
Ovarian tumor	7								2	5							
Other diseases of genito-urinary system	43	1			1				9	4	4	1	9	10	4		
Puerperal septicemia	10								7	2	1						
Other causes incident to childbirth	15							1	6	3	5						
Diseases of skin	14	1						2			1	3	1	4	2		
Diseases of locomotor system	6		1			1		1		2	1						
Malformations	29	28					1										
Premature birth	38	38															
Congenital debility	23	23															
Old age	54												3	15	26	10	
Suicide	52							2	18	10	8	8	3	1			2
Other violence	158	9	2	3	2	1	11	14	30	20	15	9	15	18	5	2	2
Ill-defined causes	14	10	1	1							1			1			

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES OR CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,230	430	84	52	25	28	68	94	173	222	217	235	286	200	98	16	2
Typhoid fever	51				1		1	5	17	11	9	1	3	3			
Malarial fever	13		2	2		1		1	2				2	2	1		
Smallpox																	
Measles	3		2	1													
Scarlet fever	8		1		1		5	1									
Whooping cough	10	5	4		1												
Diphtheria and croup	16	2	5	2	1	2	3	1									
Influenza	24	6	2		1			1			2	1	7	3	1		
Cholera nostras																	
Dysentery	19	2	1	1			1						7	3	4		
Erysipelas	10	4	1								1	2	1	1			
Other epidemic diseases																	
Septicemia	3								1	1	1						
Tuberculosis—total	222	9	5	6	3	1	4	22	57	58	34	15	4	3	1		
Tuberculosis of lungs	187	3	1	2	2	1		22	49	54	30	15	4	3	1		
Tuberculosis of larynx	1										1						
Tuberculous meningitis	16	5	3	3	1		2			1	1						
Abdominal tuberculosis	7			1			2		3	1							
Pott's disease	5		1						1	2	1						
Tuberculous abscess																	
White swelling	2								2								
Tuberculosis of other organs	3	1							1		1						
General tuberculosis	1								1								
Scrofula																	
Venereal diseases	7	5									2						
Cancer	110								2	9	19	32	32	15		1	
Tumor																	
Rheumatism	8							1		1			3	2	1		
Diabetes	21								4	2	2	3	9	1			
Anemia, leukemia	6	2										3		1			
Alcoholism	10								1	1	5	3					
Chronic poisonings	2									1		1					
Other general diseases	3									2			1				
Encephalitis	6						1				2	2	1				
Meningitis	142	12	12	14	4	11	28	30	12	6	8	2	1	2			
Apoplexy	105	2		1						2	13	25	18	33	7	4	
Softening of brain	3									1				2			
Paralysis	9											2	3	1	3		
Epilepsy	2												2				
Convulsions	25	19	2	3					1								
Tetanus	9	5					2	1		1							
Other diseases of nervous system	29	3				1	1		2	3	2	4	3	7	3		
Pericarditis	1									1							
Endocarditis	9										4	1	2	2			
Heart disease	206				1	1	2	4	9	17	23	41	50	35	21	2	
Angina pectoris	14								1		3	2	4	3		1	
Embolism and thrombosis	11									1		2	4	3	1		
Other diseases of circulatory system	22			1					1		1	4	2	5	7	1	
Laryngitis	4		1	1		1								1			
Acute bronchitis	32	23	2	2	1				1				2		1		
Chronic bronchitis	18								1	1	2	2	5	3	3	1	
Bronchopneumonia	37	15	6	3	2	2	1		1	2	2		2	1			
Pneumonia	176	25	17	7	3	2	4	3	10	19	20	20	24	16	6		
Pleurisy	6		1						1		1		3				
Congestion of lungs	8	2									1	1	2		2		
Other diseases of respiratory system	6										3	1	1	1			
Tonsilitis																	
Diseases of stomach	30	6					1	2	2	3	2	1	3	7	2	1	
Diarrhea and enteritis	162	127	16	4			2	1			1	2	5	3	1		
Hernia and intestinal obstructions	21	1	1		1			1	1	3	3	4	3	1	2		
Cirrhosis of liver	21									6	5	4	2	3	1		
Other diseases of liver	9										1	4	1	2	1		
Peritonitis	6	1				1		1	2				1				
Appendicitis	26				1	1	3	10	5	3		1	1	1			
Other diseases of digestive system	6	2	1					1				2					
Acute nephritis	15					1			2	3	3	1	3		2		
Bright's disease	114	1			1	1	2	1	6	12	17	23	31	13	6		
Calculi of urinary tract	1												1				
Uterine tumor	3									2	1						
Ovarian tumor	2									2							
Other diseases of genito-urinary system	26	1							2	4	4	4	5	3	2	1	
Puerperal septicemia	7								2	5							
Other causes incident to childbirth	12								4	8							
Diseases of skin	9										1	1	5		2		
Diseases of locomotor system	3	1										1		1			
Malformations	18	17			1												
Premature birth	53	53															
Congenital debility	40	40															
Old age	30												7	7	13	3	
Suicide	25							1	9	6	3	3	2		1		
Other violence	114	15	1	3	2	2	6	6	14	19	14	9	15	6	1		1
Ill-defined causes	51	24	1	1			1			6	2	5	3	4	2	1	1

TABLE S.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,329	1,132	240	83	55	54	107	415	951	946	898	840	703	604	222	73	6
Typhoid fever	101		2	1	1	2	4	23	31	18	10	6	2	1			
Malarial fever	50	2	1	1			1	12	8	7	6	9	3				
Smallpox	6	1							1		2	1				1	
Measles																	
Scarlet fever	8	1		1		2	3	1									
Whooping cough	30	17	10	1	1		1										
Diphtheria and croup	42	2	9	15	2	5	8	1									
Influenza	109	6	3		1	1		4	5	6	17	13	23	22	7	1	
Cholera nostras	8							1	1	2		1	3				
Dysentery	44	2	1					1	5	4	6	10	10	3	2		
Erysipelas	8								1		2	3	1		1		
Other epidemic diseases	436	2	5	4	5	3	17	83	117	88	67	30	12	2			1
Septicemia	26	5						2	2	6	5	3	2		1		
Tuberculosis—total	1,072	14	5	4	5	4	9	82	342	263	182	100	50	9	3		
Tuberculosis of lungs	980	7	3	2	3	1	4	72	322	248	171	95	43	7	2		
Tuberculosis of larynx	8						1		1	1	1	2	1		1		
Tuberculous meningitis	9	1		2	1		2	2		1							
Abdominal tuberculosis	26	2						3	9	3	4	3	2				
Pott's disease	8					1		2	2	2	1						
Tuberculous abscess																	
White swelling	1												1				
Tuberculosis of other organs	8	2	1			2	1		1	1							
General tuberculosis	32	2	1		1		1	3	7	7	5		3	2			
Scrofula																	
Venereal diseases	21	5	1					1	3	5	4		1		1		
Cancer	263	1		1		1	3	2	9	36	47	74	51	31	6	1	
Tumor	3												3				
Rheumatism	24						1	4	2	2	2	2	6	4	1		
Diabetes	20								1	5		7	4	2	1		
Anemia, leukemia	21	2					1	4	3	6	2	2	1				
Alcoholism	30								5	11	9	2	2	1			
Chronic poisonings	4									1	2	1					
Other general diseases	7	1	1			2			1		1			1			
Encephalitis	7	1								4		1	1				
Meningitis	113	51	19	7	6	5	7	3	2	3	4	2	2	1		1	
Apoplexy	262	7	5	1	2		1	2	4	11	40	65	55	45	19	4	1
Softening of brain	19								1	3	4	3	5	2	1		
Paralysis	54							3	2	3	7	13	14	7	4		1
Epilepsy	12							3	2	2	2	2	1				
Convulsions	59	43	7	3		3	3										
Tetanus	137	104	1			1	8	9	4	2	4	1	2	1			
Other diseases of nervous system	104	1		1		1	1	2	10	10	21	29	10	13	5		
Pericarditis	5					1			2		1		1				
Endocarditis	148						2	6	10	19	25	29	31	18	6	2	
Heart disease	494	3				1	1	11	30	51	82	89	109	88	25	4	
Angina pectoris	12									1	3	6	1	1			
Embolism and thrombosis	15								1	1	5		4	4			
Other diseases of circulatory system	88	2							3	8	5	13	20	25	8	4	
Laryngitis																	
Acute bronchitis	64	43	9	3	2	3						1	2	1			
Chronic bronchitis	47	2		1					2	2	2	4	12	12	9	1	
Bronchopneumonia	72	35	14	4	6	1	2	3	1	1	1	1		2	1		
Pneumonia	417	76	32	12	8	5	9	29	51	48	36	44	38	21	6	2	
Pleurisy	16		2	1				1	4	5	1	2					
Congestion of lungs	20	2	1					2		2	1	3	1	6	2		
Other diseases of respiratory system	50		2	1	3	1		1	3	9	12	4	7	4	3		
Tonsilitis	2				1						1						
Diseases of stomach	53	3	3	2			2		3	10	6	10	5	6	3		
Diarrhea and enteritis	509	319	74	10	6	1	3	4	9	16	19	13	13	14	7	1	
Hernia and intestinal obstructions	48	8	1					2	3	7	7	8	4	7		1	
Cirrhosis of liver	100						1		8	15	30	27	14	5			
Other diseases of liver	37							1	9	5	12	5	3	2			
Peritonitis	27	2					1	1	7	8		6	1	1			
Appendicitis	36	1						15	6	6	5	3					
Other diseases of digestive system	21	6	5					2		1	4	1	2				
Acute nephritis	63	1	1			1	2	5	12	12	11	9	7	2			
Bright's disease	559					2	1	11	51	77	108	120	109	68	10	2	
Calculi of urinary tract	2								1	1							
Uterine tumor	9								1	6		2					
Ovarian tumor	10								1	4	1	1	1	2			
Other diseases of genito-urinary system	57							2	12	13	7	9	10	4			
Puerperal septicemia	41							6	20	13	2						
Other causes incident to childbirth	34							6	17	8	3						
Diseases of skin	32	4	2				1	1		3	2	5	7	5	2		
Diseases of locomotor system	10	1	1		2		1		1	1		1	2				
Malformations	40	39	1														
Premature birth	90	90															
Congenital debility	133	133															
Old age	278												8	145	77	48	
Suicide	54							4	14	20	6	9	1				
Other violence	395	11	8	4	3	8	12	59	107	71	50	24	22	7	6		3
Ill-defined causes	141	83	14	5	1		1			4	4	11	4	9	5		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (AGGREGATE.)

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	73,573	16,498	4,307	1,824	1,102	747	2,128	2,846	6,300	8,158	7,986	7,336	7,337	4,902	1,848	248	6
Typhoid fever	641	1	5	3	8	7	22	120	198	162	64	27	18	6	.....	.....	.....
Malarial fever	57	4	2	5	2	1	3	5	7	6	3	6	9	3	1	.....	.....
Smallpox	10	1	1	.....	2	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....
Measles	445	132	164	61	37	14	30	2	5	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	489	29	60	90	73	55	128	30	17	6	.....	.....	1	.....	.....	.....	.....
Whooping cough	374	192	95	38	23	15	10	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1,493	150	341	290	217	144	279	43	12	12	1	1	2	1	.....	.....	.....
Influenza	344	31	14	8	8	2	5	16	27	29	37	36	51	47	31	2	.....
Cholera nostras	26	6	1	.....	.....	.....	.....	4	2	2	3	.....	2	6	.....	.....	.....
Dysentery	188	49	18	8	4	1	6	4	6	10	11	10	17	26	17	1	.....
Erysipelas	277	137	6	.....	.....	1	.....	7	13	20	39	25	18	8	3	.....	.....
Other epidemic diseases	12	6	1	1	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Septicemia	70	22	3	2	.....	.....	3	3	7	8	8	7	1	5	1	.....	.....
Tuberculosis—total	9,622	287	221	148	75	54	170	691	2,359	2,630	1,689	829	384	72	12	1	.....
Tuberculosis of lungs	8,445	60	50	28	18	16	50	607	2,245	2,546	1,611	787	353	64	9	1	.....
Tuberculosis of larynx	71	.....	.....	1	.....	.....	1	2	15	15	18	11	7	1	.....	.....	.....
Tuberculous meningitis	638	158	143	98	46	29	71	32	29	15	11	2	3	1	.....	.....	.....
Abdominal tuberculosis	190	41	15	6	3	4	15	9	33	20	20	10	12	2	.....	.....	.....
Pott's disease	76	2	2	4	4	3	13	16	8	10	6	6	1	.....	1	.....	.....
Tuberculous abscess	6	1	.....	.....	.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....	.....
White swelling	49	5	.....	2	1	1	10	10	6	4	5	4	1	.....	.....	.....	.....
Tuberculosis of other organs	59	3	4	3	1	.....	3	5	10	9	8	5	3	3	2	.....	.....
General tuberculosis	88	17	7	6	2	1	6	10	12	11	8	4	3	1	.....	.....	.....
Scrofula	24	14	2	1	1	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	228	129	10	2	.....	.....	3	7	13	28	22	8	5	1	.....	.....	.....
Cancer	2,892	8	1	4	1	1	7	18	89	274	630	740	703	352	60	4	.....
Tumor	36	2	.....	.....	1	.....	1	3	1	6	8	4	5	4	1	.....	.....
Rheumatism	344	9	2	3	4	3	33	57	32	46	39	39	40	27	7	3	.....
Diabetes	656	.....	.....	1	1	.....	3	13	26	42	80	164	200	106	19	1	.....
Anemia, leukemia	159	13	2	1	3	1	7	14	23	16	27	23	19	9	1	.....	.....
Alcoholism	359	.....	.....	.....	.....	.....	2	2	48	121	115	46	22	3	.....	.....	.....
Chronic poisonings	20	.....	.....	.....	.....	.....	.....	.....	5	6	5	3	.....	1	.....	.....	.....
Other general diseases	58	10	.....	1	.....	1	.....	4	12	11	7	5	5	2	.....	.....	.....
Encephalitis	18	3	1	4	.....	.....	.....	.....	1	1	2	2	3	1	.....	.....	.....
Meningitis	2,531	446	284	218	172	127	475	379	179	121	73	30	24	3	.....	.....	.....
Apoplexy	2,884	63	11	7	.....	.....	3	11	45	134	377	618	754	625	224	12	.....
Softening of brain	54	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	18	18	8	.....	.....
Paralysis	189	4	.....	2	.....	1	2	2	4	7	14	34	48	47	22	2	.....
Epilepsy	110	14	3	.....	2	.....	4	6	28	16	18	7	9	3	.....	.....	.....
Convulsions	649	512	90	20	11	5	7	1	1	1	.....	.....	.....	.....	1	.....	.....
Tetanus	62	24	.....	.....	1	1	5	5	6	5	7	5	3	.....	.....	.....	.....
Other diseases of nervous system	851	52	29	12	9	10	25	40	60	140	163	113	105	72	19	2	.....
Pericarditis	58	1	.....	2	.....	1	1	3	11	6	12	5	8	5	3	.....	.....
Endocarditis	766	15	5	3	3	5	33	44	59	82	90	111	141	123	49	3	.....
Heart disease	5,179	65	11	8	12	9	105	297	346	548	735	949	1,050	767	252	25	.....
Angina pectoris	185	.....	.....	.....	.....	.....	.....	.....	2	14	25	40	57	40	7	.....	.....
Embolism and thrombosis	173	3	.....	1	1	.....	1	3	13	17	36	25	33	27	12	1	.....
Other diseases of circulatory system	586	13	3	4	2	2	2	4	23	22	58	67	135	153	76	22	.....
Laryngitis	25	4	6	3	4	1	3	.....	2	1	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	1,181	764	186	47	16	14	9	9	6	3	7	17	31	38	26	8	.....
Chronic bronchitis	490	23	13	6	.....	1	7	5	13	17	25	78	113	105	71	13	.....
Bronchopneumonia	3,390	1,416	777	243	96	51	80	33	57	88	87	101	144	126	76	15	.....
Pneumonia	5,945	881	533	212	92	74	128	184	466	733	752	678	658	415	121	17	1
Pleurisy	311	26	24	10	4	3	11	23	46	38	45	35	28	14	3	1	.....
Congestion of lungs	156	33	2	1	1	.....	1	1	3	10	10	13	18	38	20	5	.....
Other diseases of respiratory system	342	20	18	10	2	5	5	6	23	41	49	58	49	45	11	.....	.....
Tonsilitis	25	1	4	1	.....	1	5	5	2	3	1	.....	1	1	.....	.....	.....
Diseases of stomach	558	163	15	7	12	.....	7	5	24	57	69	59	57	51	28	4	.....
Diarrhea and enteritis	6,721	5,055	1,018	149	56	34	43	17	30	38	48	39	71	74	41	7	1
Hernia and intestinal obstructions	591	85	10	4	6	1	9	15	45	72	95	87	99	44	18	1	.....
Cirrhosis of liver	952	1	2	1	1	1	2	5	29	145	248	245	181	76	12	2	1
Other diseases of liver	232	11	1	1	.....	.....	1	4	23	36	44	50	37	19	5	.....	.....
Peritonitis	109	6	2	.....	1	.....	9	4	21	22	19	14	9	1	1	.....	.....
Appendicitis	498	1	1	2	5	4	47	127	115	78	57	32	22	6	1	.....	.....
Other diseases of digestive system	170	52	12	5	1	2	4	7	19	15	18	11	17	6	1	.....	.....
Acute nephritis	697	35	13	15	14	7	34	45	98	121	105	97	68	33	12	.....	.....
Bright's disease	5,722	36	14	15	5	2	25	77	332	669	941	1,165	1,340	809	270	22	.....
Calculi of urinary tract	28	.....	1	.....	.....	.....	1	.....	1	5	3	7	7	1	2	.....	.....
Uterine tumor	80	.....	.....	.....	.....	.....	.....	.....	2	20	34	18	5	1	.....	.....	.....
Ovarian tumor	54	.....	.....	.....	.....	.....	1	.....	15	14	10	8	5	1	.....	.....	.....
Other diseases of genito-urinary system	509	7	2	.....	.....	.....	.....	26	102	108	61	39	57	76	27	4	.....
Puerperal septicemia	435	.....	.....	.....	.....	.....	.....	29	216	167	23	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	402	.....	.....	.....	.....	.....	.....	23	163	181	35	.....	.....	.....	.....	.....	.....
Diseases of skin	244	52	3	8	.....	3	5	6	10	17	16	28	40	34	19	3	.....
Diseases of locomotor system	182	36	31	12	4	3	12	12	15	17	13	10	9	6	2	.....	.....
Malformations	678	621	23	10	5	.....	10	5	3	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,460	1,460	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,834	1,834	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	464	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58	168	184	54	.....
Suicide	689	.....	.....	.....	.....	.....	.....	30	141	170	151	96	78	19	3	1	.....
Other violence	4,134	494	84	101	100	75	289	303	587	711	605	358	235	121	58	10	3
Ill-defined causes	1,146	934	126	13	3	3	2	1	7	6	11	7	10	11	10	2	.....

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (BRONX BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,515	916	253	123	75	52	160	283	617	845	657	502	508	354	152	15	2
Typhoid fever	39							12	9	12	1	3	2				
Malarial fever	7	1	1	1	2			1		1							
Smallpox																	
Measles	48	17	18	5	3		3	1	1								
Scarlet fever	71	3	13	20	7	8	13	4	2	1							
Whooping cough	33	22	5	3	1	2											
Diphtheria and croup	198	18	53	40	26	19	29	12					1				
Influenza	21						1	1	1	1		2	5	7	3		
Cholera nostras	5	2								1	1			1			
Dysentery	12	6	2				1					1		2			
Erysipelas	8	3	1							1	3						
Other epidemic diseases	2	2															
Septicemia	3									1	1			1			
Tuberculosis—total	1,517	15	25	10	3	3	15	114	406	497	254	116	50	8	1		
Tuberculosis of lungs	1,445	5	6	5	1	1	7	110	398	492	248	116	48	7	1		
Tuberculosis of larynx	7		1						1	2	2		1				
Tuberculous meningitis	43	10	16	4	2	1	6	1	2		1						
Abdominal tuberculosis	5		1				1	1			1		1				
Pott's disease	6					1		2	1	2							
Tuberculous abscess	1						1										
White swelling	1										1						
Tuberculosis of other organs	7		2							1	1			1			
General tuberculosis	2								2								
Scrofula																	
Venereal diseases	14	8						2		3	1						
Cancer	192	1		1				3	3	12	46	40	55	26	5		
Tumor	2							1			1						
Rheumatism	34						3	5	3	5	3	4	3	4	3	1	
Diabetes	38						1			5	4	7	16	4	1		
Anemia, leukemia	10							1	3	1	4	1					
Alcoholism	26								2	8	11	4	1				
Chronic poisonings	2									1	1						
Other general diseases	4									2	1		1				
Encephalitis	1										1						
Meningitis	118	23	11	6	9	2	26	25	3	5	4	1	2	1			
Apoplexy	229	2	1						5	6	31	45	59	58	22		
Softening of brain	8												2	6			
Paralysis	17											6	3	4	4		
Epilepsy	12	2	1						3	5	1						
Convulsions	24	20	2	1		1											
Tetanus	4	1						1					2				
Other diseases of nervous system	53	2	4	1	1		2		1	4	15	4	14	3	2		
Pericarditis	3									1	2						
Endocarditis	43	1			1		2		6	3	6	5	7	9	2	1	
Heart disease	363	9	2	1		1	5	23	25	36	51	51	69	64	23	3	
Angina pectoris	4											1	2	1			
Embolism and thrombosis	16	1							2	2	3	3		3	2		
Other diseases of circulatory system	27	1							2	1	2	5	6	6	2	2	
Laryngitis	2	1				1											
Acute bronchitis	35	17	3	1	1			1			1	2	2	7			
Chronic bronchitis	31	2					1		1	1	2	2	8	5	7	2	
Bronchopneumonia	156	78	35	7		1	5		1	5	4	5	2	6	7		
Pneumonia	329	48	20	6	5	4	11	15	20	39	56	40	29	24	11		1
Pleurisy	22	1					1	1	5	4		4	3	2	1		
Congestion of lungs	19	2		1						1	3		1	6	5		
Other diseases of respiratory system	18	1		1				2	1		3	1	4	2	3		
Tonsilitis																	
Diseases of stomach	47	15	2	1	3		2			7	3	5	5	2	2		
Diarrhea and enteritis	342	267	40	7	3	1			1	1	1	4	6	7	3	1	
Hernia and intestinal obstructions	31	5		1	1		1	1	1	3	2	7	6	3			
Cirrhosis of liver	51								3	7	13	15	10	3			
Other diseases of liver	6								1		1	1	3				
Peritonitis	3								1		1		1				
Appendicitis	26			1	1		4	5	8	1	4	1	1				
Other diseases of digestive system	7	2							4	1							
Acute nephritis	45	5				1	3	2	2	6	7	10	5	3	1		
Bright's disease	329	1		1		1	4	5	13	35	44	68	84	50	22	1	
Calculi of urinary tract	1											1					
Uterine tumor	2								1				1				
Ovarian tumor	3											2	1				
Other diseases of genito-urinary system	33		1						4	7	6	5	2	7	1		
Puerperal septicemia	42							3	22	15	2						
Other causes incident to childbirth	21							1	3	16	1						
Diseases of skin	15	2					2		1	2	1	1	3	1	2		
Diseases of locomotor system	10	6	3			1											
Malformations	33	29	3				1										
Premature birth	94	94															
Congenital debility	97	97															
Old age	25												3	9	12	1	
Suicide	39							1	2	13	9	5	9				
Other violence	334	29	3	7	8	6	24	40	45	66	45	24	19	9	5	2	2
Ill-defined causes	59	54	4													1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	23,880	5,122	1,384	633	392	245	728	974	1,982	2,461	2,419	2,340	2,539	1,829	729	100	3
Typhoid fever	288		2	2	4	2	11	55	92	70	26	13	9	2			
Malarial fever	25			3			2	3	3	2	2	3	4	2	1		
Smallpox	9	1	1		2				1	2	2						
Measles	167	55	48	29	15	3	15		2								
Scarlet fever	198	16	24	31	36	20	56	9	3	3							
Whooping cough	128	60	36	14	12	2	4										
Diphtheria and croup	570	33	117	114	82	56	138	16	6	5		1	1	1			
Influenza	140	18	6	1	3	1	1	12	9	9	14	14	21	20	11		
Cholera nostras	10	2						4			1			3			
Dysentery	84	15	9	4	1		3	2	3	6	6	6	7	14	8		
Erysipelas	66	28	2					3	3	6	8	8	4	2	2		
Other epidemic diseases	4	2		1						1							
Septicemia	13	3	1	1				1	1	1	1	2	1	1			
Tuberculosis—total	2,820	89	63	37	24	19	49	248	702	732	474	235	128	16	4		
Tuberculosis of lungs	2,423	19	11	2	7	5	12	212	668	700	448	210	113	14	2		
Tuberculosis of larynx	39						1	1	5	10	9	6	6	1			
Tuberculous meningitis	183	45	39	29	13	11	20	15	6	2	2		1				
Abdominal tuberculosis	81	16	8	2	2	2	3	5	11	13	6	8	5				
Pott's disease	26	1	2	1	1		4	5	3	3	2	3			1		
Tuberculous abscess	3	1									2						
White swelling	14	2		1		1	3	1	3			3					
Tuberculosis of other organs	17	1	1				1	3	3	1	1	3	1	1	1		
General tuberculosis	34	4	2	2	1		5	6	3	3	4	2	2				
Scrofula	3		1		1			1									
Venereal diseases	58	30	2				1	1	8	4	9	2	1				
Cancer	916	1		1			4	3	25	80	195	239	226	117	23	2	
Tumor	7	1			1						3	1			1		
Rheumatism	149	2	2		2	2	16	32	11	19	23	9	19	11	1		
Diabetes	207						1	3	8	9	14	56	67	39	9	1	
Anemia, leukemia	42	5	1		1		2	3	6	4	7	5	4	4			
Alcoholism	90								7	40	28	8	7				
Chronic poisonings	4									1	2	1					
Other general diseases	15	4				1		1	2	3	1	1	1	1			
Encephalitis	8	1	1	2					1			2	1				
Meningitis	607	85	66	55	45	37	127	92	43	28	14	6	8	1			
Apoplexy	1,085	14	7	1			1	5	13	45	127	216	288	272	92	4	
Softening of brain	22										1	2	8	6	5		
Paralysis	65	1		2			1	1	3	4	8	7	15	17	5	1	
Epilepsy	37	3	1		1			1	14	3	10	1	2	1			
Convulsions	232	184	32	6	5		3	1		1							
Tetanus	27	11			1		2	2	3	3	3	2					
Other diseases of nervous system	257	19	9	5	1	3	8	11	14	35	42	31	40	29	9	1	
Pericarditis	19							1	3	2	4	1	6	2			
Endocarditis	320	3	1	1	2	3	4	24	26	35	40	51	62	47	20	1	
Heart disease	1,995	31	5	1	5	3	39	107	111	195	254	353	426	338	117	10	
Angina pectoris	86								2	6	16	21	22	14	5		
Embolism and thrombosis	56	2		1					4	4	8	7	13	12	5		
Other diseases of circulatory system	162	6	2	1	2	1	1	2	3	6	11	18	45	45	13	6	
Laryngitis	10	2	1	1	2		3		1								
Acute bronchitis	428	275	62	23	3	9	3	3	4		2	6	8	15	12	3	
Chronic bronchitis	179	4	3	2		1	2	2	6	11	10	23	41	38	32	4	
Bronchopneumonia	959	397	207	80	33	14	21	11	13	20	23	31	40	43	24	2	
Pneumonia	2,016	284	167	83	33	21	54	67	169	255	231	219	229	155	40	9	
Pleurisy	93	2	3	3	2	1	5	6	21	14	15	10	8	1	1	1	
Congestion of lungs	49	10	1				1		2	6	4	2	5	10	5	3	
Other diseases of respiratory system	146	5	8	4	1	2	3	2	12	19	22	29	18	19	2		
Tonsilitis	10		1	1		1	2	2		2			1				
Diseases of stomach	191	43	5	2	4		3	2	10	21	25	14	25	24	11	2	
Diarrhea and enteritis	2,376	1,732	379	62	24	12	22	6	14	17	23	15	26	24	18	1	1
Hernia and intestinal obstructions	189	18	4	2	1	1	3	3	18	23	23	29	42	16	5	1	
Cirrhosis of liver	318						1	2	3	41	84	76	63	39	8		1
Other diseases of liver	65	2						1	9	10	9	17	10	5	2		
Peritonitis	22		1				3	1	2	4	5	1	5				
Appendicitis	156		1		2		12	54	40	25	8	8	5	1			
Other diseases of digestive system	46	11	4	2		1	2	3	5	1	4	6	5	1	1		
Acute nephritis	277	12	4	5	5	2	14	20	46	50	41	38	19	14	7		
Bright's disease	1,689	6	3	5	3		7	15	112	199	275	323	405	233	96	7	
Calculi of urinary tract	11						1		1	2		2	4		1		
Uterine tumor	28									9	11	6	1	1			
Ovarian tumor	23								8	6	3	3	2	1			
Other diseases of genito-urinary system	147	1						9	27	23	10	9	20	30	15	3	
Puerperal septicemia	136							11	68	49	8						
Other causes incident to childbirth	141							11	54	62	14						
Diseases of skin	88	12	1	5		3	2	2	3	4	8	7	14	17	8	2	
Diseases of locomotor system	52	10	7	4	2		4	4	2	6	5	2	1	3	2		
Malformations	298	282	7	2	2		3	1	1								
Premature birth	440	440															
Congenital debility	351	351															
Old age	197												20	69	79	29	
Suicide	183							8	32	40	41	30	22	7	2	1	
Other violence	1,188	199	31	31	28	21	68	84	163	173	155	109	59	39	22	5	1
Ill-defined causes	387	299	45	3	1	3			4	5	6	3	5	7	5	1	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	39,592	9,408	2,465	987	575	394	1,112	1,415	3,339	4,383	4,425	4,049	3,810	2,328	791	111	.....
Typhoid fever	268	1	2	1	4	3	11	45	83	66	34	9	6	3	.....	.....	.....
Malarial fever	17	2	.....	.....	.....	.....	1	1	3	3	1	3	3	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	216	58	94	25	16	10	10	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	198	8	22	36	28	25	52	12	12	2	.....	.....	1	.....	.....	.....	.....
Whooping cough	178	34	51	16	9	11	6	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	636	95	163	124	96	50	84	12	6	5	1	.....	.....	.....	.....	.....	.....
Influenza	157	12	6	5	4	1	3	3	16	17	19	19	23	14	13	2	.....
Cholera nostras	11	2	1	.....	.....	.....	.....	.....	2	1	1	.....	2	2	.....	.....	.....
Dysentery	68	21	3	2	1	1	.....	2	2	4	3	3	9	7	9	1	.....
Erysipelas	195	101	3	.....	.....	1	.....	3	9	13	28	16	14	6	1	.....	.....
Other epidemic diseases	5	2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	47	17	1	1	.....	.....	3	2	5	6	4	4	.....	3	1	.....	.....
Tuberculosis—total	4,787	173	121	93	43	31	98	291	1,131	1,269	870	426	192	43	5	1	.....
Tuberculosis of lungs	4,151	36	33	21	9	10	28	254	1,069	1,229	828	413	178	38	4	1	.....
Tuberculosis of larynx	18	.....	.....	.....	.....	.....	.....	.....	7	2	5	4	.....	.....	.....	.....	.....
Tuberculous meningitis	372	95	77	60	28	17	41	14	16	11	8	2	2	1	.....	.....	.....
Abdominal tuberculosis	99	24	5	4	1	2	11	2	21	7	13	1	6	2	.....	.....	.....
Pott's disease	39	1	.....	2	3	1	9	8	4	4	4	2	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	30	2	.....	1	1	.....	6	8	2	4	4	1	1	.....	.....	.....	.....
Tuberculosis of other organs	31	2	1	1	.....	.....	2	2	5	7	5	2	2	1	1	.....	.....
General tuberculosis	46	13	5	4	1	1	1	3	7	5	3	1	1	1	.....	.....	.....
Scrofula	20	13	1	1	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	145	86	7	2	.....	.....	2	4	4	19	11	6	3	1	.....	.....	.....
Cancer	1,635	5	1	2	1	1	3	12	56	167	363	421	385	190	26	2	.....
Tumor	26	1	.....	.....	.....	.....	1	2	1	5	4	3	5	4	.....	.....	.....
Rheumatism	149	7	.....	3	2	.....	14	20	15	20	13	24	17	10	2	2	.....
Diabetes	371	.....	.....	1	1	.....	1	7	16	23	55	95	109	55	8	.....	.....
Anemia, leukemia	96	8	1	1	1	1	4	10	11	10	14	15	14	5	1	.....	.....
Alcoholism	223	.....	.....	.....	.....	.....	2	2	37	66	68	32	13	3	.....	.....	.....
Chronic poisonings	13	.....	.....	.....	.....	.....	.....	.....	5	4	1	2	.....	1	.....	.....	.....
Other general diseases	34	4	.....	1	.....	.....	.....	2	10	5	4	4	3	1	.....	.....	.....
Encephalitis	8	2	.....	2	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....
Meningitis	1,714	321	194	150	115	85	305	246	124	85	52	22	14	1	.....	.....	.....
Apoplexy	1,330	41	2	6	.....	.....	2	5	24	72	187	316	340	242	87	6	.....
Softening of brain	21	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	7	6	2	.....	.....
Paralysis	89	3	.....	.....	.....	.....	.....	1	1	3	5	17	26	22	10	1	.....
Epilepsy	52	8	1	.....	1	.....	3	3	11	7	7	6	4	1	.....	.....	.....
Convulsions	374	294	53	12	6	3	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	26	10	.....	.....	.....	1	1	2	3	1	4	3	1	.....	1	.....	.....
Other diseases of nervous system	470	25	14	6	7	6	14	23	44	85	95	66	42	34	8	1	.....
Pericarditis	32	1	.....	2	.....	1	.....	1	7	3	6	4	2	2	3	.....	.....
Endocarditis	360	11	4	2	.....	2	23	18	27	40	40	48	67	56	21	1	.....
Heart disease	2,411	21	4	5	7	5	53	148	188	285	383	480	460	280	83	9	.....
Angina pectoris	86	.....	.....	.....	.....	.....	.....	.....	.....	8	9	16	30	22	1	.....	.....
Embolism and thrombosis	88	.....	.....	.....	.....	.....	1	3	6	11	23	12	17	11	3	1	.....
Other diseases of circulatory system	367	5	1	3	.....	1	.....	2	17	15	41	42	79	93	56	12	.....
Laryngitis	12	1	4	2	2	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	648	427	116	21	11	4	6	4	2	2	3	9	16	14	8	5	.....
Chronic bronchitis	249	15	9	4	.....	.....	4	3	6	5	11	47	60	52	26	7	.....
Bronchopneumonia	2,145	893	512	151	60	34	54	22	38	58	56	59	93	68	36	11	.....
Pneumonia	3,241	483	323	115	50	40	51	87	253	395	425	388	359	209	56	7	.....
Pleurisy	191	22	20	7	2	2	5	15	20	20	29	20	17	11	1	.....	.....
Congestion of lungs	81	20	1	.....	1	.....	.....	1	1	3	3	10	12	17	10	2	.....
Other diseases of respiratory system	158	13	9	5	.....	3	1	2	9	18	22	25	25	20	6	.....	.....
Tonsilitis	14	1	3	.....	.....	.....	3	2	2	1	1	.....	.....	1	.....	.....	.....
Diseases of stomach	289	99	8	4	4	.....	2	3	13	28	34	35	25	21	12	1	.....
Diarrhea and enteritis	3,456	2,628	523	68	24	20	20	11	14	20	23	18	35	34	15	3	.....
Hernia and intestinal obstructions	341	56	6	1	4	.....	4	9	24	45	64	48	47	22	11	.....	.....
Cirrhosis of liver	519	1	2	1	1	1	1	2	23	90	134	137	92	30	3	1	.....
Other diseases of liver	145	8	1	1	.....	.....	1	3	13	25	31	30	21	9	2	.....	.....
Peritonitis	75	6	.....	.....	1	.....	6	3	17	16	12	11	3	.....	.....	.....	.....
Appendicitis	290	1	.....	1	2	4	29	61	57	50	45	20	14	5	1	.....	.....
Other diseases of digestive system	104	32	7	2	1	.....	2	4	10	12	12	5	12	5	.....	.....	.....
Acute nephritis	335	16	8	10	6	4	13	20	43	58	52	45	41	15	4	.....	.....
Bright's disease	3,364	27	11	9	2	1	13	49	184	400	560	711	770	475	138	14	.....
Calculi of urinary tract	15	.....	1	.....	.....	.....	.....	.....	.....	3	3	4	3	1	.....	.....	.....
Uterine tumor	50	.....	.....	.....	.....	.....	.....	.....	1	11	23	12	3	.....	.....	.....	.....
Ovarian tumor	27	.....	.....	.....	.....	.....	1	.....	7	8	7	2	2	.....	.....	.....	.....
Other diseases of genito-urinary system	308	6	1	.....	.....	.....	.....	16	71	72	43	22	33	33	10	1	.....
Puerperal septicemia	233	.....	.....	.....	.....	.....	.....	14	114	94	11	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	208	.....	.....	.....	.....	.....	.....	10	90	90	18	.....	.....	.....	.....	.....	.....
Diseases of skin	130	36	1	2	.....	.....	1	4	6	11	7	16	21	16	8	1	.....
Diseases of locomotor system	112	20	21	8	2	2	7	7	13	10	5	7	7	3	.....	.....	.....
Malformations	299	265	13	8	2	.....	6	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	834	834	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,295	1,295	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	195	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	75	73	17	.....
Suicide	401	.....	.....	.....	.....	.....	.....	19	97	100	81	51	42	10	1	.....	.....
Other violence	2,280	241	45	58	55	39	176	156	325	413	355	196	133	60	26	2	.....
Ill-defined causes	624	520	69	7	2	.....	2	1	3	1	5	3	5	3	3	.....	.....

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,189	757	151	68	49	39	100	134	260	328	327	310	326	214	110	16	
Typhoid fever	35		1			2		6	9	12	2	1	1	1			
Malarial fever	7	1	1	1		1							2	1			
Smallpox																	
Measles	12	2	2	2	3	1	2										
Scarlet fever	16	1	1	3	1	1	5	4									
Whooping cough	27	19	2	4	1												
Diphtheria and croup	71	3	7	9	11	14	25	1		1							
Influenza	14		1						1	1	2	1		4	4		
Cholera nostras																	
Dysentery	15	1	2	2	2		1		1		2		1	3			
Erysipelas	7	5						1				1					
Other epidemic diseases																	
Septicemia	3	2	1														
Tuberculosis—total	318	6	9	5	3		4	27	88	85	55	24	10	1	1		
Tuberculosis of lungs	271						1	24	78	82	52	22	10	1	1		
Tuberculosis of larynx	6							1	2	1	2						
Tuberculous meningitis	28	4	9	4	2		2	1	5	1							
Abdominal tuberculosis	3	1							1			1					
Pott's disease																	
Tuberculous abscess	1								1								
White swelling	4	1					1	1	1								
Tuberculosis of other organs	2		1	1													
General tuberculosis	3									1	1	1					
Scrofula	1	1															
Venereal diseases	9	3	1						1	2	1		1				
Cancer	100	1							3	9	15	28	32	10	2		
Tumor	1									1							
Rheumatism	6					1			2			1		1	1		
Diabetes	23								1	3	4	1	7	6	1		
Anemia, leukemia	7				1		1		1		1	2	1				
Alcoholism	13								1	4	5	2	1				
Chronic poisonings																	
Other general diseases	3							1		1	1						
Encephalitis																	
Meningitis	75	16	10	6	3	2	13	15	4	2	3	1					
Apoplexy	164	6	1					1	3	9	21	30	50	29	13	1	
Softening of brain	2											1	1				
Paralysis	10						1					3	2	2	2		
Epilepsy	6	1					1	2					2				
Convulsions	18	13	3	1		1											
Tetanus	4	2					1			1							
Other diseases of nervous system	48	5	1			1	1	4	1	12	8	7	4	4			
Pericarditis	2						1		1								
Endocarditis	26						2	2		3	3	6	3	6	1		
Heart disease	314	3		1			7	18	18	27	36	58	73	49	22	2	
Angina pectoris	4											1	1	1	1		
Embolism and thrombosis	9				1				1		1	2	2		2		
Other diseases of circulatory system	13	1					1		1			1	2	3	3	1	
Laryngitis	1		1														
Acute bronchitis	58	36	5	2	1	1		1			1		5	2	4		
Chronic bronchitis	20	1	1								1	5	1	6	5		
Bronchopneumonia	96	34	21	5	2	2			4	5	3	4	6	3	6	1	
Pneumonia	256	57	18	6	4	6	12	12	16	28	33	20	23	13	8		
Pleurisy	4	1						1			1	1					
Congestion of lungs	3											1		2			
Other diseases of respiratory system	14		1		1					3	2	3	1	3			
Tonsilitis	1							1									
Diseases of stomach	14	3			1					1	3	1	1	2	1	1	
Diarrhea and enteritis	379	305	47	11	4		1				1	1	2	3	2	2	
Hernia and intestinal obstructions	24	5						1	1		6	3	4	3	1		
Cirrhosis of liver	46							1		5	14	13	10	2		1	
Other diseases of liver	8	1									2	1	1	2	1		
Peritonitis	9		1						1	2	1	2		1	1		
Appendicitis	15							5	7	2			1				
Other diseases of digestive system	11	5	1	1		1				1	2						
Acute nephritis	29	1	1		3		3	2	5	6	3	3	1	1			
Bright's disease	219	2					1	7	17	20	37	43	51	33	8		
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor	1											1					
Other diseases of genito-urinary system	14							1		5	2	3		2	1		
Puerperal septicemia	19							1	9	8	1						
Other causes incident to childbirth	21							1	11	9							
Diseases of skin	8	2	1	1								1	2		1		
Diseases of locomotor system	4						1	1			1	1					
Malformations	32	29			1				1	1							
Premature birth	60	60															
Congenital debility	59	59															
Old age	31												3	6	16	6	
Suicide	57							1	7	16	17	9	5	2			
Other violence	238	19	3	5	6	5	16	16	44	43	36	23	13	7	1	1	
Ill-defined causes	55	45	6	3											1		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,397	295	54	13	11	17	28	40	102	141	158	135	154	177	66	6	
Typhoid fever	11							2	5		1	1					
Malarial fever	1								1								
Smallpox																	
Measles	2		2														
Scarlet fever	6	1			1	1	2	1									
Whooping cough	8	7		1													
Diphtheria and croup	18	1	1	3	2	5	3	2		1							
Influenza	12	1	1	2	1					1	2		2	2			
Cholera nostras																	
Dysentery	9	6	2				1										
Erysipelas	1								1								
Other epidemic diseases	1								1								
Septicemia	4								1		2	1					
Tuberculosis—total	180	4	3	3	2	1	4	11	32	47	36	28	4	4	1		
Tuberculosis of lungs	155				1		2	7	32	43	35	26	4	4	1		
Tuberculosis of larynx	1											1					
Tuberculous meningitis	12	4	2	1	1		2	1		1							
Abdominal tuberculosis	2		1					1									
Pott's disease	5			1		1		1		1		1					
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	2			1							1						
General tuberculosis	3							1		2							
Scrofula																	
Venereal diseases	2	2															
Cancer	49								2	6	11	12	5	9	4		
Tumor																	
Rheumatism	6								1	2		1	1	1			
Diabetes	17							3	1	2	3	5	1	2			
Anemia, leukemia	4								2	1	1						
Alcoholism	7								1	3	3						
Chronic poisonings	1										1						
Other general diseases	2	2															
Encephalitis	1												1				
Meningitis	17	1	3	1		1	4	1	5	1							
Apoplexy	76									2	11	11	17	24	10	1	
Softening of brain	1														1		
Paralysis	8					1					1	1	2	2	1		
Epilepsy	3									1			1	1			
Convulsions	1	1															
Tetanus	1						1										
Other diseases of nervous system	23	1	1					2		4	3	5	5	2			
Pericarditis	2							1						1			
Endocarditis	17						2			1	1	1	2	5	5		
Heart disease	96	1					1	1	4	5	11	7	22	36	7	1	
Angina pectoris	5											1	2	2			
Embolism and thrombosis	4										1	1	1	1			
Other diseases of circulatory system	17										4	1	3	6	2	1	
Laryngitis																	
Acute bronchitis	12	9								1					2		
Chronic bronchitis	11	1									1	1	3	4	1		
Bronchopneumonia	34	14	2		1				1		1	2	3	6	3	1	
Pneumonia	103	9	5	2		3		3	8	16	7	11	18	14	6	1	
Pleurisy	1		1														
Congestion of lungs	4	1												3			
Other diseases of respiratory system	6	1					1		1	1			1	1			
Tonsilitis																	
Diseases of stomach	17	3							1		4	4	1	2	2		
Diarrhea and enteritis	168	123	29	1	1	1			1			1	2	6	3		
Hernia and intestinal obstructions	6	1					1	1	1	1					1		
Cirrhosis of liver	18									2	3	4	6	2	1		
Other diseases of liver	8									1	1	1	2	3			
Peritonitis																	
Appendicitis	11						2	2	3			3	1				
Other diseases of digestive system	2	2															
Acute nephritis	11	1					1	1	2	1	2	1	2				
Bright's disease	121							1	6	15	25	20	30	18	6		
Calculi of urinary tract	1														1		
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	7									1			2	4			
Puerperal septicemia	5								3	1	1						
Other causes incident to childbirth	11								5	4	2						
Diseases of skin	3											3					
Diseases of locomotor system	4									1	2		1				
Malformations	16	16															
Premature birth	32	32															
Congenital debility	32	32															
Old age	16												2	9	4	1	
Suicide	9							1	3	1	3	1					
Other violence	94	6	2		3	4	5	7	10	16	14	6	11	6	4		
Ill-defined causes	21	16	2									1		1	1		

TABLE S.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,000	1,008	215	104	66	62	177	207	438	515	521	526	561	429	149	18	4
Typhoid fever	40		2			2	3	8	11	5	3	4	1	1			
Malarial fever	4	1		1			2										
Smallpox																	
Measles	12	4	2	1	2	1	1	1									
Scarlet fever	47	6	7	7	5	4	13	1	3	1							
Whooping cough	44	24	7	7	3	3											
Diphtheria and croup	111	16	19	15	13	13	29	3	1		2						
Influenza	19	5	1						1		1	2	2	3	3	1	
Cholera nostras	2	1										1					
Dysentery	22	5	2				1			1	1	2	4	5		1	
Erysipelas	20	9								1	3	2	3	1	1		
Other epidemic diseases	2	1					1										
Septicemia	9	2					1		1	1	1	3					
Tuberculosis—total	783	26	16	10	6	5	16	58	187	200	136	77	34	11	1		
Tuberculosis of lungs	683	3	5	3		5	4	50	180	192	129	70	31	10	1		
Tuberculosis of larynx	5								1	2		1		1			
Tuberculous meningitis	52	21	7	5	3		6	2	2	2	2	1	1				
Abdominal tuberculosis	15	1	1		2			1	2	1	3	3	1				
Pott's disease	8			1			3	1	1	1			1				
Tuberculous abscess																	
White swelling	4	1	1				1	1									
Tuberculosis of other organs	4		1		1			1			1						
General tuberculosis	12		1	1			2	2	1	2	1	2					
Scrofula																	
Venereal diseases	14	8						1	2		1	2					
Cancer	198				1			1	2	16	49	49	54	23	3		
Tumor	2										1		1				
Rheumatism	18					1	2	1		3	4	1	4	2			
Diabetes	36								3	1	5	8	14	5			
Anemia, leukemia	16							2	2	1	3	1	5	1	1		
Alcoholism	38								3	13	15		5	2			
Chronic poisonings	2										2						
Other general diseases	4	1		1							1	1					
Encephalitis																	
Meningitis	161	23	20	13	5	10	29	30	11	10	3	3	3	1			
Apoplexy	261	3	1			1	1	1	2	14	19	49	81	64	24	1	
Softening of brain	8											3	2	3			
Paralysis	27	1	1						1	1	3	5	6	8	1		
Epilepsy	9							1		2		3		2	1		
Convulsions	37	30	3	1					3								
Tetanus	1	1															
Other diseases of nervous system	67	1	2	1			3	1	5	4	8	21	8	10	3		
Pericarditis	5				1			1		1		1			1		
Endocarditis	68	3	1	1		3	5	4	6	7	4	11	11	9	3		
Heart disease	338	5				1	6	18	14	22	39	54	83	75	18	3	
Angina pectoris	9										2	3	3	1			
Embolism and thrombosis	19								4	1	1	2	3	6	2		
Other diseases of circulatory system	33			1					3	2	6	4	3	9	5		
Laryngitis	1					1											
Acute bronchitis	81	47	12	5	1	1	1		1		3	2	2	2	4		
Chronic bronchitis	36								1		1	6	8	15	5		
Bronchopneumonia	131	67	22	5	8	1	4				1	5	6	6	5	1	
Pneumonia	335	42	27	11	6	5	16	18	28	50	32	39	25	26	7	2	1
Pleurisy	19	3		2		1	2		2	1	5	2	1				
Congestion of lungs	25	6	1					1	3	1		1	2	8	2		
Other diseases of respiratory system	26	3			1	1	1	1	1	3	5	3	3	3	1		
Tonsilitis	2						1					1					
Diseases of stomach	50	9	2	1	1		1	1	5	4	8	4	6	3	5		
Diarrhea and enteritis	376	277	46	11	1	1	2	2		2	2	9	6	7	10		
Hernia and intestinal obstructions	41	8		2					5	1	5	3	8	7	2		
Cirrhosis of liver	61								3	8	16	15	11	7	1		
Other diseases of liver	37	2								7	4	10	8	6			
Peritonitis	16							3	3	4	4	1	1				
Appendicitis	28					2	3	8	6	2	4	1	2				
Other diseases of digestive system	21	13							2	1	3	1	1				
Acute nephritis	51	2	3			1	3	3	7	13	7	7	5				
Bright's disease	321	4	1		4	1	4	6	18	34	43	61	77	51	13	4	
Calculi of urinary tract																	
Uterine tumor	5										2	1	1	1			
Ovarian tumor	2								1	1							
Other diseases of genito-urinary system	39	1							9	4	4	3	8	6	4		
Puerperal septicemia	32							5	13	10	4						
Other causes incident to childbirth	17							1	6	3	7						
Diseases of skin	16		1					1	1		1	6	3	1	1	1	
Diseases of locomotor system	9	2	1				2	2				1	1				
Malformations	20	18	1		1												
Premature birth	116	116															
Congenital debility	105	105															
Old age	41												5	16	17	3	
Suicide	77							5	15	17	12	12	11	4	1		
Other violence	253	23	6	8	5	2	24	17	41	39	31	19	23	8	4	1	2
Ill-defined causes	124	84	8		2	1		1	2	3	4	1	7	10			1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE. 1905—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,300	200	35	15	9	7	30	80	134	153	159	146	166	104	54	7	1
Typhoid fever	30			1		1		9	7	5	5	2					
Malarial fever	2	1								1							
Smallpox																	
Measles	2	2															
Scarlet fever	8		4	1	1		1	1									
Whooping cough	20	13	3	3	1												
Diphtheria and croup	13		1	1	1	2	7	1									
Influenza	23	2	2						3	3	2	2	1	5	2	1	
Cholera nostras	3									1			1		1		
Dysentery	4						1			1				1	1		
Erysipelas	3									1		1	1				
Other epidemic diseases																	
Septicemia	15	1						2	5	1	2	2	2				
Tuberculosis—total	120	6	3		1		1	15	31	30	14	11	6	2			
Tuberculosis of lungs	101	3	2				1	12	28	28	12	9	4	2			
Tuberculosis of larynx																	
Tuberculous meningitis	5	1	1		1			1	1								
Abdominal tuberculosis	2	1									1						
Pott's disease	1								1								
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	6							2				2	2				
General tuberculosis	5	1							1	2	1						
Scrofula																	
Venereal diseases	4	1								1	2						
Cancer	87			1					2	10	20	20	25	6	3		
Tumor	6										2	1	3				
Rheumatism	8							1	1		1	1	3	1			
Diabetes	9							2	2			1	4				
Anemia, leukemia	11	2		1						1	3	1	3				
Alcoholism	8							1		2	4		1				
Chronic poisonings	3									1			1	1			
Other general diseases	3		1						1		1						
Encephalitis	1					1											
Meningitis	9	3	2		1				2		1						
Apoplexy	48						1	1	1	2	5	15	15	4	4		
Softening of brain	2													2			
Paralysis	13	1								1	2	3	1	3	2		
Epilepsy	2			1					1								
Convulsions	23	22		1													
Tetanus	2							1		1							
Other diseases of nervous system	26					1			2	6	4	5	6	2			
Pericarditis																	
Endocarditis	2							1		1							
Heart disease	113	1			1		1	2	6	10	25	25	24	13	5		
Angina pectoris	6										1	2	2	1			
Embolism and thrombosis	9							1			1	1	2	4			
Other diseases of circulatory system	15	1						1	1	1	1	1	3	4	2		
Laryngitis																	
Acute bronchitis	8	5	1		1									1			
Chronic bronchitis	9						1		1			1		4	1	1	
Bronchopneumonia	13	5	2										1	4	1		
Pneumonia	79	11	3	3			3	3	10	9	6	7	13	7	4		
Pleurisy	5				1			2				1			1		
Congestion of lungs	10	3	1							1	3		1		1		
Other diseases of respiratory system	9	2							1	2	2	1	1				
Tonsilitis																	
Diseases of stomach	25	2						2	1	1	3	4	7	3	2		
Diarrhea and enteritis	42	32	4						1	1		1	1	2			
Hernia and intestinal obstructions	19	1	2		1		1	1	2	4	2	2	1	2			
Cirrhosis of liver	10							1			4	2	3				
Other diseases of liver	8								1	4	1	2					
Peritonitis	21						1	2	10	1	3		3	1			
Appendicitis	27						2	11	8	2	2	2					
Other diseases of digestive system	5		1							2	2						
Acute nephritis	8						1			2	2	1	1	1			
Bright's disease	56	1					1	1	2	8	9	15	9	8	2		
Calculi of urinary tract																	
Uterine tumor	6							1			5						
Ovarian tumor																	
Other diseases of genito-urinary system	22			1					1	7	3	3	2	3	2		
Puerperal septicemia	4								1	1	2						
Other causes incident to childbirth	7								2	4	1						
Diseases of skin	3	1								1				1			
Diseases of locomotor system	4	2									1			1			
Malformations	18	18															
Premature birth	27	27															
Congenital debility	22	22															
Old age	30												2	8	16	4	
Suicide	23							2	8	5	3	2	3				
Other violence	105	8	3	1		2	8	15	18	16	8	7	9	5	3	1	1
Ill-defined causes	22	4	2						2	2	1	1	5	4	1		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,848	418	63	25	23	13	44	91	143	179	194	192	233	140	74	16	
Typhoid fever	16				2			5	6	1		2					
Malarial fever	3	1		1	1												
Smallpox																	
Measles	3	1		1		1											
Scarlet fever	3	1			1		1										
Whooping cough	3	2	1														
Diphtheria and croup	41	2	5	7	9	5	11	2									
Influenza	10	2									2		2	3	1		
Cholera nostras	2		1										1				
Dysentery	11	6	1	1	1								2				
Erysipelas	8	2									2	2	1	1			
Other epidemic diseases																	
Septicemia	3								1	2							
Tuberculosis—total	233	8	5	3	1	2	3	26	50	61	42	17	14		1		
Tuberculosis of lungs	197	3	1	2		1	2	21	45	57	38	14	12		1		
Tuberculosis of larynx	5								2		1	2					
Tuberculous meningitis	14	2	4	1		1	1	2		2			1				
Abdominal tuberculosis	9	2			1				1	1	2	1	1				
Pott's disease	1									1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	2							1			1						
General tuberculosis	5	1						2	2								
Scrofula																	
Venereal diseases	3	2							1								
Cancer	82			1					2	8	16	21	16	14	3	1	
Tumor	2								1		1						
Rheumatism	8						1			3	1		3				
Diabetes	13						1	1	1	1	2	2	2	3			
Anemia, leukemia	5	2							1				2				
Alcoholism	5									2	2		1				
Chronic poisonings																	
Other general diseases	1						1										
Encephalitis	1										1						
Meningitis	60	13	9	2	2	1	8	10	4	4	4	1	2				
Apoplexy	90	1	2						4	2	9	19	24	18	11		
Softening of brain	4										1				3		
Paralysis	9										1	2	1	2	3		
Epilepsy	1						1										
Convulsions	38	34	3						1								
Tetanus	4	1					1				2						
Other diseases of nervous system	13						1		1	1	3	4	3				
Pericarditis	1	1															
Endocarditis	46	2						4	4	6	8	4	8	6	4		
Heart disease	159	3					2	11	6	9	24	27	43	28	6		
Angina pectoris	3									1			2				
Embolism and thrombosis	4									1	1	1		1			
Other diseases of circulatory system	9	2										2	3	1	1		
Laryngitis	3	1		1		1											
Acute bronchitis	19	13	2	1						1			1			1	
Chronic bronchitis	19	1									2		6	3	4	3	
Bronchopneumonia	39	12	8		2	1	1	1		2	2	4	5	1			
Pneumonia	134	23	10	1			3	5	5	17	12	21	20	14	3		
Pleurisy	5		1				1	1		1			1				
Congestion of lungs	8	1								1	1		1	2	2		
Other diseases of respiratory system	13	2							2		3	3		3			
Tonsilitis																	
Diseases of stomach	15	1					1	1		3	1	4	3	1			
Diarrhea and enteritis	166	130	9	4			1	2		1	1	2	7	3	6		
Hernia and intestinal obstructions	11	1							1	1		4	2	2			
Cirrhosis of liver	15								1	3	4	2	4	1			
Other diseases of liver	8										1	3	4				
Peritonitis	11		1					2		3	2	1	1	1			
Appendicitis	13						1	2	4	3	2	1					
Other diseases of digestive system	5							1	1	2	1						
Acute nephritis	19	1	1					2	2	3		7	2	1			
Bright's disease	95	2						4	7	7	16	17	24	13	3	2	
Calculi of urinary tract																	
Uterine tumor	1												1				
Ovarian tumor	2												1	1			
Other diseases of genito-urinary system	17							2	2	5	2		2	1	3		
Puerperal septicemia	10								7	3							
Other causes incident to childbirth	6								5	1							
Diseases of skin	7	2												2	2	1	
Diseases of locomotor system	1								1								
Malformations	13	12	1														
Premature birth	37	37															
Congenital debility	49	49															
Old age	30												1	10	14	5	
Suicide	18								1	4	6	4	3				
Other violence	105	7	1	1	4	2	5	9	19	16	14	11	8	3	2	3	
Ill-defined causes	57	37	2	1					2		2	4	6	1	2		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	25,058	5,263	1,072	425	233	213	554	1,044	2,082	2,425	2,569	2,671	2,806	2,465	1,072	162	2
Typhoid fever	724	3	5	5	10	9	51	186	203	132	65	31	15	9			
Malarial fever	19	2	2			1		1	4	2	2	1	2	2			
Smallpox																	
Measles	94	23	34	16	8	3	8		1			1					
Scarlet fever	67	2	7	15	10	12	18	2		1							
Whooping cough	168	81	61	13	7	2	3	1									
Diphtheria and croup	466	22	97	77	51	59	130	19	6	1	2	2					
Influenza	253	17	10		1	1	1	5	10	16	23	37	57	48	23	4	
Cholera nostras	11		1					1	1		2	2	1	3			
Dysentery	46	8	1	3	2	1			1	2		7	6	10	5		
Erysipelas	51	13				1	2			4	10	10	3	3	2	3	
Other epidemic diseases	1	1															
Septicemia	31	8				1	2		1	2	4	3	7	2	1		
Tuberculosis—total	3,365	112	58	39	26	13	38	318	839	803	559	297	191	62	9	1	
Tuberculosis of lungs	2,899	29	21	13	3	6	18	260	772	751	503	281	176	58	8		
Tuberculosis of larynx	40							3	6	13	12	3	3				
Tuberculous meningitis	186	65	26	22	18	3	13	16	7	6	5	4	1				
Abdominal tuberculosis	117	6	8	2	2	1	4	18	29	18	17	3	6	3			
Pott's disease	33	1	1			1	1	9	7	4	5	1	2		1		
Tuberculous abscess	4	1	1						1	1							
White swelling	12				1	1	1	4		1	3		1				
Tuberculosis of other organs	19	2		2	1			1	3	2	5	1	1			1	
General tuberculosis	55	8	1		1	1	1	7	14	7	9	4	1	1			
Scrofula	3	3															
Venereal diseases	95	51	3	1				3	6	9	9	6	5	2			
Cancer	1,091	3	1		2		5	9	29	87	209	274	273	150	46	3	
Tumor	18								1		3	3	6	5			
Rheumatism	109	2	1		2	1	4	11	12	12	12	15	19	10	7	1	
Diabetes	198				1	1	1	3	6	15	21	47	63	37	3		
Anemia, leukemia	69	5	2	1			3	8	6	12	10	11	7	3	1		
Alcoholism	73								4	27	18	13	8	2	1		
Chronic poisonings	9							1	2	2	1	2	1				
Other general diseases	23	3	1	1			1	4	1	5	2	3	1		1		
Encephalitis	13	4	2	3			1		1	1		1					
Meningitis	223	56	32	18	10	9	28	29	17	9	8	6		1			
Apoplexy	978	18	4	1	2	2	1	5	11	22	92	175	258	268	114	5	
Softening of brain	46										4	8	11	16	7		
Paralysis	158	1		1				2	3	2	9	28	38	46	25	3	
Epilepsy	52	2		4		2		6	11	11	6	4	4	1	1		
Convulsions	313	254	34	6	2	1	4	3	4	4	1						
Tetanus	28	10	1				1	1	7	3	3	1	1				
Other diseases of nervous system	365	23	12	3	1	2	9	11	13	48	75	71	43	37	15	2	
Pericarditis	24	1			1			3	4	2	4	1	4	3	1		
Endocarditis	284	5		2	1	2	8	20	22	21	42	42	46	51	19	3	
Heart disease	2,078	53	5	1	4	5	25	81	107	181	289	363	427	385	133	19	
Angina pectoris	110						1	1	1	5	11	28	35	19	9		
Embolism and thrombosis	48							3	2	3	10	4	9	12	5		
Other diseases of circulatory system	376	17		1	1		2	1	5	12	31	38	70	120	68	10	
Laryngitis	11	1	1		1	1					3		2	2			
Acute bronchitis	248	146	39	10	5	2	2	1	2	1	2	2	11	15	8	2	
Chronic bronchitis	205	22	8			2	6	2	2	7	13	16	42	46	33	6	
Bronchopneumonia	525	228	80	42	13	10	9	3	15	17	19	15	20	29	20	5	
Pneumonia	1,388	231	104	34	17	17	39	45	94	141	156	182	152	125	46	5	
Pleurisy	102	4	5	6	2	1	6	3	10	15	12	19	13	5		1	
Congestion of lungs	154	45	5	5		2	2	8	3	5	6	18	20	18	15	2	
Other diseases of respiratory system	153	6	6	2	1	2	3	3	16	22	18	24	24	19	6	1	
Tonsilitis	5	2	2	1													
Diseases of stomach	261	71	9	1	2	3	3	5	19	12	23	26	29	35	21	2	
Diarrhea and enteritis	2,047	1,446	293	43	12	7	15	9	19	21	21	23	35	61	35	7	
Hernia and intestinal obstructions	207	25	1	1	1		5	6	17	21	26	32	30	36	5	1	
Cirrhosis of liver	214					1	2	2	4	27	50	47	49	29	3		
Other diseases of liver	121	8	1		1		1	3	5	13	18	21	22	24	3	1	
Peritonitis	63	1	1	1		1	5	4	10	16	10	9	4	1			
Appendicitis	219			1	1	3	17	53	64	33	23	8	12	3	1		
Other diseases of digestive system	127	65	20	2		1	1	2	4	7	7	3	9	5	1		
Acute nephritis	173	6	3	1	2		6	11	27	22	31	29	15	18	2		
Bright's disease	2,175	14	3	2	5	2	4	39	97	212	279	459	491	414	138	16	
Calculi of urinary tract	12						2		2	4			3	1			
Uterine tumor	24								1	6	10	6	1				
Ovarian tumor	27							1	4	8	7	2	3	2			
Other diseases of genito-urinary system	226	4	1	2		1		5	32	44	42	14	22	37	19	3	
Puerperal septicemia	104							8	55	31	10						
Other causes incident to childbirth	114							8	48	52	6						
Diseases of skin	113	16	2	3	1		4	7	3	2	12	6	17	29	8	3	
Diseases of locomotor system	45	10	4	4		1	3	5	4	3	1	3	4	2	1		
Malformations	283	268	8	3	1	1	1	1									
Premature birth	573	573															
Congenital debility	656	656															
Old age	348												33	115	153	47	
Suicide	196							3	38	41	52	39	19	2	2		
Other violence	1,257	145	40	38	26	24	71	68	146	181	171	125	100	72	42	6	2
Ill-defined causes	602	457	62	12		3		1			5	4	8	13	13	14	

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,268	1,794	548	223	141	93	231	389	844	724	615	561	540	358	176	29	2
Typhoid fever	393		2	3	4	6	20	75	167	76	23	11	6				
Malarial fever	4			1				1	1				1				
Smallpox																	
Measles	136	25	58	29	10	7	6		1								
Scarlet fever	167	4	19	26	29	24	52	8	1	4							
Whooping cough	128	73	33	11	5	3	2					1					
Diphtheria and croup	100	11	20	15	12	11	21	6	2		2						
Influenza	56	6		3		1	2	2	2	4	4	10	11	6	4	1	
Cholera nostras	5		1						1		1	2					
Dysentery	17	2	3						2		2		4	1	2	1	
Erysipelas	13	4						1	1	1	4		1	1			
Other epidemic diseases	2					1	1										
Septicemia	28	3		2			1	3	11	2	4		2				
Tuberculosis—total	674	24	27	8	10	1	14	64	196	151	111	44	18	6			
Tuberculosis of lungs	550	12	10	4	6		9	49	173	133	99	37	13	5			
Tuberculosis of larynx	9							1	1	3	3	1					
Tuberculous meningitis	41	10	12	3	3		3	3	3	3			1				
Abdominal tuberculosis	43	1	3		1	1	1	7	8	8	6	3	3	1			
Pott's disease	5							2	1		1	1					
Tuberculous abscess																	
White swelling	3						1		2								
Tuberculosis of other organs	6		2						1	1	1	1					
General tuberculosis	17	1		1				2	7	3	1	1	1				
Scrofula	2	1			1												
Venereal diseases	32	28	1					1	1	1							
Cancer	200							1	2	18	37	54	52	26	10		
Tumor	2	1											1				
Rheumatism	40	1					3	7	3	7	7	2	7	2	1		
Diabetes	20							2		1	2	6	6	3			
Anemia, leukemia	18	2					1	2	3	2	4	3		1			
Alcoholism	32								5	10	9	6	1		1		
Chronic poisonings	1								1								
Other general diseases	11	3	1				1		3	1		1	1				
Encephalitis	3								1	1	1						
Meningitis	113	39	20	13	5	3	11	10	5	3	2	2					
Apoplexy	206	8	2	2			1	4	4	11	25	38	49	38	20	4	
Softening of brain	2									1		1					
Paralysis	36	2							1	3	2	5	13	6	4		
Epilepsy	6							1		1	1	1	1	1			
Convulsions	132	109	10	4	5	1	1				1			1			
Tetanus	8	7						1									
Other diseases of nervous system	100	6	6	2	1	1	3	9	10	11	16	19	11	1	4		
Pericarditis	3									2		1					
Endocarditis	25	1		1			1	3	2	3	4	4	1	3	1	1	
Heart disease	400	5		1			7	18	23	50	57	86	85	46	19	3	
Angina pectoris	11							2	1	1	1	1	3	1	1		
Embolism and thrombosis	12			1					1	4	1	4	1				
Other diseases of circulatory system	55	6		1			1	2		1	4	5	14	13	7	1	
Laryngitis	3	2					1										
Acute bronchitis	79	50	18		2		1				1	1	2	2	2		
Chronic bronchitis	49	2	1					3	2	1	2	4	11	15	7	1	
Bronchopneumonia	166	69	34	15	6	3	2	1	4	6	4	7	8	4	3		
Pneumonia	770	139	70	32	21	10	16	22	73	95	75	73	72	52	17	2	1
Pleurisy	31	5	6	1	1		1	3	4	3	2	1	1	3			
Congestion of lungs	26	6	2		1				1		2	2	4	2	5	1	
Other diseases of respiratory system	58	4	4	3		1	1	3	4	6		9	14	6	3		
Tonsilitis	7	2	1	2			1			1							
Diseases of stomach	84	32	2		1	1	4	1	4	3	8	6	11	8	2	1	
Diarrhea and enteritis	705	456	155	24	7	5	2	2	3	9	7	8	10	8	8		1
Hernia and intestinal obstructions	69	11		1		1		3	10	8	7	14	7	5	1	1	
Cirrhosis of liver	63							1	6	7	16	11	11	10	1		
Other diseases of liver	46	3			2		1	2	4	9	8	9	5	3			
Peritonitis	54	2	2	2		1	4	11	12	10	4	3	1		2		
Appendicitis	46						2	20	14	7	3						
Other diseases of digestive system	35	10	6	1			1	1	1	2	5	2	3	3			
Acute nephritis	32			4			2	1	6	4	4	8	2	1			
Bright's disease	188	5	3		1	1	2	3	10	22	29	35	42	21	13	1	
Calculi of urinary tract	5							1	1	1	1		1				
Uterine tumor	3									2		1					
Ovarian tumor	4								2		2						
Other diseases of genito-urinary system	46	2	1					1	9	6	5	4	2	10	5	1	
Puerperal septicemia	34							3	14	13	4						
Other causes incident to childbirth	50							4	20	20	6						
Diseases of skin	21	4	2		1	1		3	3		1	2		3	1		
Diseases of locomotor system	21	2	4	1			4	2	2	3	1	1		1			
Malformations	71	69	1		1												
Premature birth	164	164															
Congenital debility	211	211															
Old age	56												5	24	18	9	
Suicide	57							4	20	9	11	8	2	3			
Other violence	645	60	11	10	14	10	36	70	159	104	80	39	31	14	6	1	
Ill-defined causes	176	113	22	4	1		1	1	5	3	2	6	6	4	8		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,475	683	139	67	40	31	87	121	307	368	350	405	398	318	136	24	1
Typhoid fever	40				4	2	4	5	12	5	1	4	1	1	1		
Malarial fever	7			1					1	1	1	1	1	1			
Smallpox																	
Measles	5	1	3	1													
Scarlet fever	18	1	3	4	5	1	3	1									
Whooping cough	8	7		1													
Diphtheria and croup	72	5	10	17	9	7	16	3	3	1			1				
Influenza	37	3		1		1		1	2	2	3	5	9	6	2	2	
Cholera nostras	1										1						
Dysentery	25	8	3				1					2	4	2	5		
Erysipelas	10	2							1	2			3	1	1		
Other epidemic diseases	4	1			2		1										
Septicemia	8						1	2		1	1	1	1		1		
Tuberculosis—total	438	20	20	10	3	4	6	43	112	95	52	33	15	13	2		1
Tuberculosis of lungs	338	11	7	3			1	33	97	84	47	28	13	11	2		1
Tuberculosis of larynx	2								1	1							
Tuberculous meningitis	43	13	12	3	2	2	2	2	3	2	1	1					
Abdominal tuberculosis	20	4	1	1		1		2	4	4		2		1			
Pott's disease	4					1			1		1	1					
Tuberculous abscess	1												1				
White swelling	10	1					1	5	2				1				
Tuberculosis of other organs	2									1	1						
General tuberculosis	18			3	1		2	1	4	3	2	1		1			
Scrofula	1								1								
Venereal diseases	16	9	1		1				1	3	1						
Cancer	193	1							3	21	35	61	32	33	7		
Tumor	2								1	1							
Rheumatism	18	2					3	4	2	1		3	1	2			
Diabetes	29							1		3	5	8	10	2			
Anemia, leukemia	5								1		2	1		1			
Alcoholism	27								2	12	4	5	2	2			
Chronic poisonings	3								1	1	1						
Other general diseases	3										2		1				
Encephalitis	1										1						
Meningitis	57	10	13	1	1	3	12	7	4	2	1	1	1	1			
Apoplexy	177	1						1	4	7	11	39	46	44	19	2	
Softening of brain	2									1			1				
Paralysis	11	1									2	2	4	1	1		
Epilepsy	6						1	1	1			2	1				
Convulsions	9	7	2														
Tetanus	2	1				1											
Other diseases of nervous system	47	3			1		1	4	6	4	7	4	9	6	1	1	
Pericarditis	2						1				1						
Endocarditis	50	4					6	1	4	4	2	11	7	10	1		
Heart disease	245	2			1		1	5	7	22	30	46	62	50	19		
Angina pectoris	17								1	1	1	3	6	2	3		
Embolism and thrombosis	9									3	2		1	2	1		
Other diseases of circulatory system	33	2							1		5	7	8	4	6		
Laryngitis																	
Acute bronchitis	48	20	7	3	3			1		2				1	1		
Chronic bronchitis	31	1	1					1	1	1	1	2	11	9	3		
Bronchopneumonia	88	38	8	4	3	1	4	1	3	2	5	2	7	3	4	2	
Pneumonia	315	58	20	7		2	7	5	22	41	51	41	26	20	14	1	
Pleurisy	10								1	1	2	1	2	3			
Congestion of lungs	4					1				1				1	1		
Other diseases of respiratory system	14	1					1		1	2	3	2	3		1		
Tonsilitis	1	1															
Diseases of stomach	53	34	1						3	3	3	2	3	2	2		
Diarrhea and enteritis	236	170	31	8	3	2				2	1	4	7	5	2	1	
Hernia and intestinal obstructions	29	2							2	4	5	8	2	5	1		
Cirrhosis of liver	34								1	6	8	5	11	3			
Other diseases of liver	20								1	2	3	9	3	2			
Peritonitis	5		1							4							
Appendicitis	43						3	7	8	11	7	4	2	1			
Other diseases of digestive system	11	2	1		1		1		1			3		1	1		
Acute nephritis	30	1	1					2	3	5	3	5	5	5			
Bright's disease	264	1	1	1	1		2	5	20	27	39	62	55	38	10	2	
Calculi of urinary tract	1												1				
Uterine tumor	6								1	1	4						
Ovarian tumor	9								1	3	3	1		1			
Other diseases of genito-urinary system	44							1	7	5	10	2	6	9	4		
Puerperal septicemia	21							2	11	7	1						
Other causes incident to childbirth	29							1	16	11	1						
Diseases of skin	13	4	1				1	1		2	1		2			1	
Diseases of locomotor system	12	2	2	1			1		1	1	1	1	1	1			
Malformations	37	33	1	1		1	1										
Premature birth	74	74															
Congenital debility	48	48															
Old age	42												3	13	16	10	
Suicide	29							3	7	5	4	3	6	1			
Other violence	187	46	5	6	2	4	8	12	23	26	20	6	13	9	6	1	
Ill-defined causes	49	34	3			1	1		2		2	3	2	1			

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,782	415	84	47	39	27	87	137	220	215	296	280	351	364	183	36	1
Typhoid fever	21							5	4	6	2	2	1	1			
Malarial fever																	
Smallpox																	
Measles	29	10	4	4	5	1	3	1			1						
Scarlet fever	25		2	3	5	3	10	1	1								
Whooping cough	19	10	6	1	1	1											
Diphtheria and croup	99	3	13	9	14	9	29	15	3	2	1	1					
Influenza	16										3	1	3	8	1		
Cholera nostras	1											1					
Dysentery	14	2							2		2	2	3	2	1		
Erysipelas	9	2							1			1	3	1	1		
Other epidemic diseases																	
Septicemia	9				1		1	1		1	2	1		1	1		
Tuberculosis—total	307	6	5	4	1	2	6	40	78	71	47	29	10	6	2		
Tuberculosis of lungs	269	1	2		1	1	2	33	70	68	46	28	9	6	2		
Tuberculosis of larynx	1								1								
Tuberculous meningitis	14	4	2	3			3	1	1								
Abdominal tuberculosis	10							4	3	2	1						
Pott's disease	2		1									1					
Tuberculous abscess																	
White swelling	3						1		1				1				
Tuberculosis of other organs																	
General tuberculosis	8	1		1		1		2	2	1							
Scrofula																	
Venereal diseases	4	2								1		1					
Cancer	171							2	2	13	31	44	34	32	9	4	
Tumor	5									1	1		1		2		
Rheumatism	14						2	1			3	1	5	1	1		
Diabetes	46							4	6	4	3	8	15	6			
Anemia, leukemia	10						2			1		4	3				
Alcoholism	8								2	3	2	1					
Chronic poisonings	1												1				
Other general diseases	1								1								
Encephalitis																	
Meningitis	55	14	7	7	5	1	4	6	2	2	3	3	1				
Apoplexy	123	2				1				2	10	22	31	39	15	1	
Softening of brain	1													1			
Paralysis	32										1	4	8	14	5		
Epilepsy	16						1	3	4		1	2	1	3		1	
Convulsions	28	25		2						1							
Tetanus	2									1			1				
Other diseases of nervous system	51	1	1						4	6	11	10	10	6	2		
Pericarditis	1	1															
Endocarditis	33						2	4	1	1	5	5	6	5	4		
Heart disease	225	2	1				2	7	9	15	33	24	57	58	15	2	
Angina pectoris	14									1	1	4	2	2	3	1	
Embolism and thrombosis	6									2	1	1	1		1		
Other diseases of circulatory system	30	2		1						6	2	2	7	6	3	1	
Laryngitis	1		1														
Acute bronchitis	46	34	5	1			1					1		1	1	2	
Chronic bronchitis	46	1					1				4	6	7	16	8	3	
Bronchopneumonia	53	17	13	2		3	1		2	1	1		1	8	4		
Pneumonia	175	27	9	3	3	2	3	9	14	9	19	18	30	13	13	3	
Pleurisy	11	1					1	1	3		3	1		1			
Congestion of lungs	11	1									1		1	6	2		
Other diseases of respiratory system	12	1							1			4	1	4	1		
Tonsilitis	2		1										1				
Diseases of stomach	30	5	1	3		1			2	2	3	1	4	4	4		
Diarrhea and enteritis	172	125	9	4	1		1		1	2	6	4	5	8	2	4	
Hernia and intestinal obstructions	34	2					1	2	3	2	9	4	4	3	4		
Cirrhosis of liver	32									2	8	4	10	6	2		
Other diseases of liver	14	1									1	3	4	1	4		
Peritonitis	17	1	1			1	1		4		4	1	1	1	1	1	
Appendicitis	37						5	11	10	3	5	3					
Other diseases of digestive system	15	2						1	2	4	4			2			
Acute nephritis	16			1			3		3	2	4	1		2			
Bright's disease	168	1					2	3	6	11	23	35	46	30	11		
Calculi of urinary tract	2													2			
Uterine tumor	5									1	2		2				
Ovarian tumor	3								1	1	1						
Other diseases of genito-urinary system	28							1	9	2	2	1	4	7		2	
Puerperal septicemia	18							3	10	4	1						
Other causes incident to childbirth	16							2	7	7							
Diseases of skin	17	2							1	1		1	3	4	4	1	
Diseases of locomotor system	9		1		1	1			1		2		2		1		
Malformations	15	14	1														
Premature birth	5	5															
Congenital debility	43	43															
Old age	99												4	37	49	9	
Suicide	22								3	7	4	4	3	1			
Other violence	133	12	1		1	1	5	14	17	14	23	13	13	12	5	1	1
Ill-defined causes	49	38	3	2								1	1	3	1		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	876	111	29	16	7	5	12	41	95	100	88	107	116	94	45	8	2
Typhoid fever	9						1	1	5	1			1				
Malarial fever	6				1	1			1		1		1		1		
Smallpox																	
Measles																	
Scarlet fever																	
Whooping cough	3	1	1		1												
Diphtheria and croup	11	1	2	3		1	2	2									
Influenza	14		1					1		3		3	3	2	1		
Cholera nostras	3						1						1		1		
Dysentery	6	1		1									1	3			
Erysipelas	2											1	1				
Other epidemic diseases																	
Septicemia	15							1	1	3	4	4		1	1		
Tuberculosis—total	87	3					1	8	21	22	11	12	7	1	1		
Tuberculosis of lungs	79	1						8	19	21	11	10	7	1	1		
Tuberculosis of larynx	1								1								
Tuberculous meningitis	2	1					1										
Abdominal tuberculosis	3								1	1		1					
Pott's disease	1											1					
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	1																
Scrofula	1										1						
Venereal diseases	3								1	1		1					
Cancer	32						1	1	3	1	4	7	8	5	2		
Tumor	2									2							
Rheumatism	5							1		1		2	1				
Diabetes	2	1											1				
Anemia, leukemia	4	1						1	1				1				
Alcoholism	5									4				1			
Chronic poisonings																	
Other general diseases																	
Encephalitis	1											1					
Meningitis	15	4	3	1	2	1	1		2						1		
Apoplexy	35	1		1					1	2	4	4	9	10	3		
Softening of brain	7											1	2	3	1		
Paralysis	10										1	2	3	4			
Epilepsy	2								1	1							
Convulsions	12	11	1														
Tetanus	2										2						
Other diseases of nervous system	16							1		3	3	2	4	1	1		1
Pericarditis	3							1	1	1							
Endocarditis	4											1	2	1			
Heart disease	53	1							3	6	3	4	13	16	6	1	
Angina pectoris	3											2	1				
Embolism and thrombosis	3							1					1	1			
Other diseases of circulatory system	4	2												2			
Laryngitis	2	1	1														
Acute bronchitis	6	6															
Chronic bronchitis	8	1								2	1	1	1	1	1		
Bronchopneumonia	8	3	2				1				1		1				
Pneumonia	114	11	5	2	1	1		2	7	14	21	21	18	5	5	1	
Pleurisy	3		1				1					1					
Congestion of lungs	7	1		1						1	1			3			
Other diseases of respiratory system	3											1	2				
Tonsilitis	2	1					1										
Diseases of stomach	4										1	2			1		
Diarrhea and enteritis	51	28	7	6				2	1			1	4	2			
Hernia and intestinal obstructions	11	2						2	1	1	1	1	2		1		
Cirrhosis of liver	9										2	4	3				
Other diseases of liver	12									2	2	3	2	2	1		
Peritonitis	14				1			2	5	1	2	1	1	1			
Appendicitis	9						1	2	4	1			1				
Other diseases of digestive system	7	1							1	1	2		1	1			
Acute nephritis	3								2		1						
Bright's disease	40	1				1	1		5		5	8	8	8	3		
Calculi of urinary tract	1												1				
Uterine tumor	2									1		1					
Ovarian tumor	1								1								
Other diseases of genito-urinary system	9								3	2	1	2	1				
Puerperal septicemia	2							1	1								
Other causes incident to childbirth	2								1		1						
Diseases of skin	1													1			
Diseases of locomotor system	1									1							
Malformations	6	6															
Premature birth	1	1															
Congenital debility	15	15															
Old age	22												1	7	9	5	
Suicide	19							1	5	5	3	3	2				
Other violence	67	1	3		1			8	16	14	6	5	2	5	4	1	1
Ill-defined causes	34	5	2	1				2	1	3	3	5	4	7	1		

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,745	1,752	330	143	97	71	240	481	1,119	1,400	1,363	1,163	1,190	934	407	52	3
Typhoid fever	144	1	1	1	1	7	33	51	19	14	7	5	4				
Malarial fever	98	2	5	3	1	4	6	15	16	13	10	14	6	2			1
Smallpox	61	6	1	1	2	3	2	5	24	10	3	3		1			
Measles	52	7	15	14	7	2	5	1		1							
Scarlet fever	15		2	1	2	1	3	4	2								
Whooping cough	55	27	13	7	3	1	4										
Diphtheria and croup	162	6	15	25	21	17	60	14	2	1		1					
Influenza	138	6	3	1	3		7	2	12	11	11	14	27	25	13	3	
Cholera nostras	10	3						1	2			1	1	1	1		
Dysentery	30	6	1	1	1				1	3	3	3	6	3	2		
Erysipelas	23	4							1		4	8	4	1	1		
Other epidemic diseases	2						2										
Septicemia	22	3	2			1		3		6	3	1	3				
Tuberculosis—total	1,583	31	21	11	9	4	19	126	435	425	260	147	64	22	8	1	
Tuberculosis of lungs	1,408	12	6	3	1	2	6	111	408	398	241	136	57	18	8	1	
Tuberculosis of larynx	11							1	2	4	3	1					
Tuberculous meningitis	72	15	14	8	4	2	9	3	4	6	3	2	1	1			
Abdominal tuberculosis	57	2			3		2	7	13	10	9	5	3	3			
Pott's disease	8						1	2	1	4							
Tuberculous abscess	5	1								1	2	1					
White swelling	3								1		1	1					
Tuberculosis of other organs	7	1	1					1	1		1		2				
General tuberculosis	12				1		1	1	5	2		1	1				
Scrofula																	
Venereal diseases	54	30	1					1	5	10	3	2	2				
Cancer	468		1	1	1	2	1	4	11	53	94	120	116	54	9	1	
Tumor	10	1								1	2	3	1	2			
Rheumatism	58					1	3	8	5	10	6	13	3	8	1		
Diabetes	66	1					1	3	11	3	8	8	18	11	2		
Anemia, leukemia	32	4	1				1		5	2	8	5	5		1		
Alcoholism	75				1				6	29	23	8	6	1	1		
Chronic poisonings	8								1	2	3		1	1			
Other general diseases	9						1	1	1	3	1	1		1			
Encephalitis	7	3	1	1							1	1					
Meningitis	120	41	21	4	7	3	5	14	5	4	6	3	4	3			
Apoplexy	328	10	4	1	1	1	1	4	10	28	48	55	65	75	19	6	
Softening of brain	42									3	7	4	10	13	5		
Paralysis	74	1	1	2					1	4	9	14	12	19	9	2	
Epilepsy	30	1	1				1	6	2	13	3	2			1		
Convulsions	80	61	13	3		1	1	1									
Tetanus	50	30				3	3	3	3	5	1	1	1				
Other diseases of nervous system	175	4	2	1	2		4	4	8	29	46	38	16	18	2	1	
Pericarditis	35							6		9	6	6	7	1			
Endocarditis	62						3	1	3	8	12	8	13	11	3		
Heart disease	764	3	1	2		1	13	30	47	98	123	149	168	88	41		
Angina pectoris	33								3	5	2	8	8	4	3		
Embolism and thrombosis	22			1				1	3	6	3	2	3	3			
Other diseases of circulatory system	99	1				1	1	2	3	11	13	13	23	22	8	1	
Laryngitis	21	4	2	5	1	1	4		2	2							
Acute bronchitis	181	111	30	5	2	2	2		2	2	2	2	7	9	5		
Chronic bronchitis	203	2	2		1		3	8	12	12	14	12	33	70	32	2	
Bronchopneumonia	135	48	20	10	5	2	4	2	7	4	9	8	5	9	2		
Pneumonia	834	114	51	14	8	5	19	20	75	115	129	103	98	56	25	1	1
Pleurisy	44	3	2	1	1	1	1	3	7	4	6	5	5	4	1		
Congestion of lungs	32	6	1					2			4	7		4	7	1	
Other diseases of respiratory system	116	3				1	2		3	14	20	16	24	23	10		
Tonsilitis	11	1	1		1	1	5	1	1								
Diseases of stomach	143	19	1	2	1	1	1	3	7	10	25	26	18	18	9	2	
Diarrhea and enteritis	518	350	66	6	3	1	8	5	6	9	10	9	17	17	10	1	
Hernia and intestinal obstructions	111	17	1	1		1	2	2	3	12	14	21	20	12	4	1	
Cirrhosis of liver	154							1	4	28	45	33	36	6	1		
Other diseases of liver	84	2		1			2	3	6	12	12	11	23	12			
Peritonitis	34	1	1	1		1		4	7	8	6		2	3			
Appendicitis	75	1				1	2	26	15	15	5	5	3	2			
Other diseases of digestive system	29	6	1			1	2	1	1	5	5	3	4				
Acute nephritis	34			1	2			2	6	8	7	3	4		1		
Bright's disease	695	6	1	2		1	5	14	45	80	126	122	146	112	32	3	
Calculi of urinary tract	3							1					2				
Uterine tumor	20									7	8	3	2				
Ovarian tumor	12								2	4	2	2	1	1			
Other diseases of genito-urinary system	117	1	1					5	25	27	13	10	12	10	12	1	
Puerperal septicemia	58							8	23	22	5						
Other causes incident to childbirth	46							4	15	21	6						
Diseases of skin	68	7						1	1	1	3	6	7	3	8	1	
Diseases of locomotor system	17	5	3				2	1	2	1		1	1		1		
Malformations	57	52	3		2												
Premature birth	199	199															
Congenital debility	350	350															
Old age	274												46	114	94	20	
Suicide	186							9	47	40	43	28	9	8	2		
Other violence	618	31	5	11	6	7	23	68	114	107	96	59	45	31	14	1	
Ill-defined causes	200	121	12	2	2	1	1	3	3	2	9	9	14	12	5	3	1

TABLE S.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,971	402	52	30	23	14	72	111	178	188	212	211	203	163	96	14	2
Typhoid fever	21						2	6	8	3	2						
Malarial fever																	
Smallpox	1								1								
Measles	1		1														
Scarlet fever	19		3	3	4	2	4	3									
Whooping cough	16	10	4	2													
Diphtheria and croup	64	4	11	5	8	7	21	6	1		1						
Influenza	8	2	1								1	1	3				
Cholera nostras	2	2															
Dysentery	3											1	1	1			
Erysipelas	10	4								1		2	2		1		
Other epidemic diseases																	
Septicemia	10	2					1	1	1	1		2	2				
Tuberculosis—total	281	4		6	3	2	9	40	78	57	42	27	10	1	2		
Tuberculosis of lungs	222	2		1		1	2	28	68	50	36	22	9	1	2		
Tuberculosis of larynx	4										2	2					
Tuberculous meningitis	21	1		5	2	1	5	1	3	1	1	1					
Abdominal tuberculosis	16	1					1	3	4	3	3	1					
Pott's disease	6				1		1	3		1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	4							1		2		1					
General tuberculosis	8							4	3				1				
Scrofula	1	1															
Venereal diseases	7	6							1								
Cancer	114						1	3	3	7	25	33	24	16	1	1	
Tumor																	
Rheumatism	14						2	4			4		3	1			
Diabetes	21							2	2	1	5	4	3	2	2		
Anemia, leukemia	11							1		1	4	3	2				
Alcoholism	6									5	1						
Chronic poisonings																	
Other general diseases	6			1				1		1	1		1	1			
Encephalitis	2									1		1					
Meningitis	35	8	1	3		1	3	5	3	4	6		1				
Apoplexy	52	2							2	4	2	9	14	14	4	1	
Softening of brain	4											2	1		1		
Paralysis	10									1		2	1	3	2	1	
Epilepsy	4						1			1	1				1		
Convulsions	40	35	2	1			1			1							
Tetanus	3							1		1	1						
Other diseases of nervous system	35	2					3	1	3	7	3	9	2	2	3		
Pericarditis	3					1			1	1							
Endocarditis	10							1	2	2		1	3	1			
Heart disease	146	2					4	5	8	16	16	25	40	23	7		
Angina pectoris	3									1		1	1				
Embolism and thrombosis	8								1		2	2		1	1	1	
Other diseases of circulatory system	19	1			1				1	1	2	1	5	7			
Laryngitis	2	1	1														
Acute bronchitis	13	8	4									1					
Chronic bronchitis	15							1		1	1	2	4	2	4		
Bronchopneumonia	26	11	5	1			1					1	1	4	2		
Pneumonia	116	18	8	3	1		1	4	4	9	16	12	11	15	12	2	
Pleurisy	2	1								1							
Congestion of lungs	12	3	1							1	1	1	1	2	2		
Other diseases of respiratory system	13								1		1	2	3	4	1	1	
Tonsilitis																	
Diseases of stomach	16	1					1		2	1	2	1	2	5	1		
Diarrhea and enteritis	103	81	6	2	1	1	1	1	3	2	1	2	1		1		
Hernia and intestinal obstructions	24	3	1					1	1	3	2	4	5	2	2		
Cirrhosis of liver	13									3	4	1	5				
Other diseases of liver	10							2	1		3	1	3				
Peritonitis	12				1			3	3	2	1		1	1			
Appendicitis	37						1	6	7	7	5	7	3	1			
Other diseases of digestive system	2	1												1			
Acute nephritis	6			1						4	1						
Bright's disease	98	1			1		1	3	6	8	17	22	11	21	5	2	
Calculi of urinary tract																	
Uterine tumor	2									1	1						
Ovarian tumor	1												1				
Other diseases of genito-urinary system	18						1	1		4	5	1	3	3			
Puerperal septicemia	6								3	3							
Other causes incident to childbirth	9							1	3	2	3						
Diseases of skin	10	2	1								1		3	3			
Diseases of locomotor system	3	1					1	1									
Malformations	27	26		1													
Premature birth	52	52															
Congenital debility	71	71															
Old age	71												10	20	37	4	
Suicide	37								6	7	14	7	3				
Other violence	116	13	1	1	3		12	7	22	8	12	18	11	5	2		1
Ill-defined causes	38	23	1							3	2	2	2	1	2	1	1

TABLE S.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,332	868	142	70	47	37	120	221	713	963	982	993	1,045	815	277	32	7
Typhoid fever	87				1		2	10	41	15	9	6	2	1			
Malarial fever	4						1	1	1					1			
Smallpox	1							1									
Measles	3				1	1	1										
Scarlet fever	4						2	2									
Whooping cough	43	23	11	6	1	1	1										
Diphtheria and croup	59	3	4	7	6	8	23	3	2	3							
Influenza	30	5					1		2	2	1	5	5	5	4		
Cholera nostras																	
Dysentery	16	3							1	1	4	1	3	2	1		
Erysipelas	19	2						1	3	5	3	2	2		1		
Other epidemic diseases	9									2	2	5					
Septicemia	6	1								1	1			2	1		
Tuberculosis—total	1,175	24	31	19	12	7	21	66	266	308	198	138	69	15	1		
Tuberculosis of lungs	1,006	5	7	6		1	10	50	244	288	187	130	64	13	1		
Tuberculosis of larynx	9								1	4		3	1				
Tuberculous meningitis	75	14	22	10	7	4	4	5	4	1	3	1					
Abdominal tuberculosis	36	2	2	2	2		2	1	12	8	2	1	1	1			
Pott's disease	15	1			2		2	5	2	1		1		1			
Tuberculous abscess	1											1					
White swelling	8	1					1	2		1	3						
Tuberculosis of other organs	15			1		1		1	3	3	2	1	3				
General tuberculosis	10	1			1	1	2	2		2	1						
Scrofula																	
Venereal diseases	44	28	1			1	1		2	5	3	2	1				
Cancer	456					1		1	10	40	87	114	126	66	10	1	
Tumor	7		1	1					1		2		2				
Rheumatism	46						1	11	5	8	3	5	4	7	2		
Diabetes	73							2	3	2	12	21	19	13	1		
Anemia, leukemia	31	1	1		1		1	2	3	2	5	11	1	2	1		
Alcoholism	57								7	19	13	13	4	1			
Chronic poisonings	26								1	3	7	7	5	3			
Other general diseases	10								2	3	1	1		3			
Encephalitis	5	1	1	1			1			1							
Meningitis	83	20	18	9	4	2	13	2	2	1	3	4	4	1			
Apoplexy	278	1						1	2	18	29	49	80	72	25	1	
Softening of brain	58								1	3	6	12	21	13	2		
Paralysis	16											4	3	6	3		
Epilepsy	13	1							1	2	2	3	2	1	1		
Convulsions	26	20	5		1												
Tetanus	6			1				2	1	1		1					
Other diseases of nervous system	113	4	2		2			5	10	11	16	16	25	19	3		
Pericarditis	16								2		1	3	6	4			
Endocarditis	70	1				1	2	4	6	9	7	8	11	15	5	1	
Heart disease	860	11	1	1		1	4	15	36	70	110	153	203	190	59	6	
Angina pectoris	46								1	3	6	6	15	12	2	1	
Embolism and thrombosis	16									6	4	3	1	2			
Other diseases of circulatory system	109	3							3	5	17	14	19	29	17	2	
Laryngitis	3	1			1		1										
Acute bronchitis	50	19	6	2	2		2		1	2	2		3	7	2	2	
Chronic bronchitis	58	1			1	1				1	3	2	19	18	11	1	
Bronchopneumonia	203	74	18	7	2		6	2	6	14	12	14	24	19	4	1	
Pneumonia	457	33	12	6	4	2	10	15	30	73	74	59	77	45	15	2	
Pleurisy	26				3			1	5	4	2	6	3		2		
Congestion of lungs	9	3							1			1	2	2			
Other diseases of respiratory system	29	3		1				1	1	4	5	4	6	3	1		
Tonsilitis	5			1			1	1		1				1			
Diseases of stomach	51	2	1				1		3	5	11	7	7	8	4	2	
Diarrhea and enteritis	248	187	17	3	1	2	5	1	3	3	4	5	8	4	5		
Hernia and intestinal obstructions	52	9						4	4	9	6	3	10	5	2		
Cirrhosis of liver	198								6	34	53	54	38	11	2		
Other diseases of liver	46		1						4	5	9	12	8	7			
Peritonitis	13	1						1	1	2	3	2	1	1	1		
Appendicitis	89			1		1	6	22	22	10	13	9	3	2			
Other diseases of digestive system	24	3		1			1		7	3	1	4	1	2	1		
Acute nephritis	50	7	1				1	1	5	14	7	6	6	2			
Bright's disease	399	1	1			1		5	19	36	67	98	79	76	16		
Calculi of urinary tract	6							1	1	1	1	1			1		
Uterine tumor	17								1	8	6	2					
Ovarian tumor	14								2	5	4	2	1				
Other diseases of genito-urinary system	97	1						1	18	19	11	5	18	15	8	1	
Puerperal septicemia	32							3	18	11							
Other causes incident to childbirth	34							1	16	16	1						
Diseases of skin	18	2						1	2	3	2		2	5		1	
Diseases of locomotor system	14	5			1			1	2	3	1	1					
Malformations	57	53	1	1		1			1								
Premature birth	130	130															
Congenital debility	114	114															
Old age	159												25	68	56	10	
Suicide	227							6	49	51	53	32	27	8	1		
Other violence	426	21	5	2	3	6	10	24	69	75	80	56	43	20	6		6
Ill-defined causes	56	46	3							1		2	1	1	1		1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,111	615	95	57	43	20	40	77	205	191	191	210	198	124	36	6	3
Typhoid fever	20					1		3	7	6		2	1				
Malarial fever	3	1						1					1				
Smallpox																	
Measles	20	5	7	6	1		1										
Scarlet fever	17	3	3	2	3	3	3										
Whooping cough	8	3	2	2	1												
Diphtheria and croup	37	2	6	8	10	4	4	2			1						
Influenza	13				1				1		2	2	3	4			
Cholera nostras	7									1	1	3	1	1			
Dysentery	10	2		1	1				2		1	1			2		
Erysipelas																	
Other epidemic diseases																	
Septicemia	37	4			1			2	7	8	9	5		1			
Tuberculosis—total	105	1	1			1		11	31	26	18	12	4				
Tuberculosis of lungs	105	1	1			1		11	31	26	18	12	4				
Tuberculosis of larynx																	
Tuberculous meningitis																	
Abdominal tuberculosis																	
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases	1	1															
Cancer	39				1			1	1	2	10	12	10	2			
Tumor	1										1						
Rheumatism	7								2		2	2		1			
Diabetes	12							1			2	1	6	2			
Anemia, leukemia	6	2			1			1					2				
Alcoholism	7							1		2	1	2	1				
Chronic poisonings																	
Other general diseases	2								1	1							
Encephalitis	3						2				1						
Meningitis	26	3	2	2	2	1	5	1	4	5	1						
Apoplexy	59					1				3	5	17	17	14	2		
Softening of brain	2											1	1				
Paralysis	38	1						1	1	3	7	2	12	9	2		
Epilepsy	3							1				2					
Convulsions	145	109	11	6	2	2	3	2	5	1	3		1				
Tetanus	6	1					1	1	3								
Other diseases of nervous system	13	1			1					1	2	2	2	4			
Pericarditis	1									1							
Endocarditis	18	2		1			4		3	1	1	2	1	3			
Heart disease	59			1			1		7	8	7	13	14	5	2	1	
Angina pectoris	3									1	1		1				
Embolism and thrombosis																	
Other diseases of circulatory system	13	3							4	1	2		1	2			
Laryngitis																	
Acute bronchitis	38	28	3	5	1								1				
Chronic bronchitis	29							1	1	2	3	5	10	4	3		
Bronchopneumonia	30	16	5						2	2	1		3	1			
Pneumonia	186	33	10	5	4	4	4	6	17	18	19	30	22	11	3		
Pleurisy	9				1				2	2	1	1	2				
Congestion of lungs	8	2		1					1			2		1	1		
Other diseases of respiratory system	28	2		1					3	4	4	7	4	3			
Tonsilitis	2	1			1												
Diseases of stomach	21	2								2	3	5	5	3	1		
Diarrhea and enteritis	195	150	29	3	3		1	2		2	1	1	2		1		
Hernia and intestinal obstructions	5	2							1	1			1				
Cirrhosis of liver	7										1	2	4				
Other diseases of liver	8									1	2	3	1	1			
Peritonitis	21	1				1	1	1	8	2	2	2	2		1		
Appendicitis	16			1			2	4	6	2		1					
Other diseases of digestive system	3	1		1			1										
Acute nephritis	7				1			1		2	2			1			
Bright's disease	91	3	2			1	1	2	7	7	19	20	17	11		1	
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	3											1	1	1			
Puerperal septicemia	2									1		1					
Other causes incident to childbirth	6							1	3	1	1						
Diseases of skin	13							1		2	1	2	3	2	2		
Diseases of locomotor system	1						1										
Malformations	6	5							1								
Premature birth	85	85															
Congenital debility	71	71															
Old age	24												4	14	6		
Suicide	12									3	4	2	1	2			
Other violence	199	9	2	5	3		3	18	51	47	35	15	5	1	1	2	2
Ill-defined causes	244	60	12	6	4	1	2	11	19	19	14	31	30	23	9	2	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,820	328	57	31	12	9	41	83	122	161	197	211	224	212	119	11	2
Typhoid fever	20							2	7	5	5		1				
Malarial fever																	
Smallpox																	
Measles	6	2	1	1			2										
Scarlet fever	41	3	3	5	1	4	12	9	2	1				1			
Whooping cough	5	3	2														
Diphtheria and croup	19	1	3	1	4		7	2		1							
Influenza	10									1	1	1	2	1	4		
Cholera nostras	2					1				1							
Dysentery	5	1	1						1					1	1		
Erysipelas	9	1								2	2	2	1	1			
Other epidemic diseases																	
Septicemia	7	1							1	2	1			2			
Tuberculosis—total	162	8	1				3	22	42	33	28	18	5	2			
Tuberculosis of lungs	141	4	1				2	18	37	29	28	15	5	2			
Tuberculosis of larynx																	
Tuberculous meningitis	5	3							1	1							
Abdominal tuberculosis	5	1						2	1			1					
Pott's disease	4							1	2	1							
Tuberculous abscess																	
White swelling	1									1							
Tuberculosis of other organs	4								1	1		2					
General tuberculosis	2						1	1									
Scrofula																	
Venereal diseases	5	1						1	1			1	1				
Cancer	95				1			2	2	5	18	27	14	21	5		
Tumor	5							1				2	1	1			
Rheumatism	11							2	1		2		2	3	1		
Diabetes	18		1				1	2	2	1	1	8			2		
Anemia, leukemia	7							1	1	3	1	1					
Alcoholism	3									1			2				
Chronic poisonings	2										1			1			
Other general diseases	5	2	1								1	1					
Encephalitis	1									1							
Meningitis	41	6	9	8	1		3	3	1	5	1		4				
Apoplexy	98		1					1	2	5	9	19	22	27	9	3	
Softening of brain	3											1	1	1			
Paralysis	22			1					1		5	4	2	7	2		
Epilepsy	3									1	1		1				
Convulsions	28	26	1				1										
Tetanus	1						1										
Other diseases of nervous system	21			1			1	1	1	2	2	3	6	2	2		
Pericarditis	1													1			
Endocarditis	30	2						2	3	4	5	5	6	3			
Heart disease	177	3	1	1			1	6	2	19	17	23	48	38	17		1
Angina pectoris	23								2	1	2	4	8	5	1		
Embolism and thrombosis	10									1	1	2	3	3			
Other diseases of circulatory system	26	1							1	2	1	4	6	8	3		
Laryngitis																	
Acute bronchitis	13	12		1													
Chronic bronchitis	15									1	1	3	5	1	4		
Bronchopneumonia	31	12	4	2				1					3	7	1	1	
Pneumonia	119	22	3	3	2		2	5	9	9	14	16	13	13	6	1	1
Pleurisy	5	1							1		2	1					
Congestion of lungs	8	1	1						1			2	2	1			
Other diseases of respiratory system	21	2							3	5	2	4	4	1			
Tonsilitis																	
Diseases of stomach	23	5								3	3	1	3	5	3		
Diarrhea and enteritis	118	84	18	2	1		2		2	2	1	1	2	3			
Hernia and intestinal obstructions	16		1				1	1	2		3	1	2	4	1		
Cirrhosis of liver	17									1	1	4	3	6	2		
Other diseases of liver	12							1			3	4	1	1	2		
Peritonitis	12	1	1			2		1	2	3	1		1				
Appendicitis	10						1	2	2		3	1	1				
Other diseases of digestive system	4	1									1		1		1		
Acute nephritis	13			1				1	1	2	2	3	3				
Bright's disease	105	1							2	11	16	26	26	14	9		
Calculi of urinary tract	1													1			
Uterine tumor	6									3	3						
Ovarian tumor	4										3	1					
Other diseases of genito-urinary system	25	1							2	2	3	4	4	5	4		
Puerperal septicemia	6								3	3							
Other causes incident to childbirth	9								3	3	3						
Diseases of skin	11								1	2	2	1		1	4		
Diseases of locomotor system	4	1			1						1	1					
Malformations	15	15															
Premature birth	42	42															
Congenital debility	34	34															
Old age	52												2	15	30	5	
Suicide	12							1	4	2	3		2				
Other violence	104	12		4	1	2	3	13	11	12	19	9	8	4	5	1	
Ill-defined causes	31	20	4								2	2	2	1			

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,121	353	56	28	14	15	45	107	217	242	199	221	260	219	127	14	4
Typhoid fever	71		1			2	1	16	29	15	6	1					
Malarial fever	8	1	1	1			1	2	1	1							
Smallpox	1							1									
Measles	2	1		1													
Scarlet fever	6		1	2	2		1										
Whooping cough	6	6															
Diphtheria and croup	21		2	3		2	8	5			1						
Influenza	32	5						1			2	4	8	8	3	1	
Cholera nostras	1	1															
Dysentery	17	1	1								1	6	3	3	2		
Erysipelas	8	3									1	2	1	1			
Other epidemic diseases																	
Septicemia	10								1	6	2	1					
Tuberculosis—total	254	5	2	2		2	4	31	92	55	24	19	13	4	1		
Tuberculosis of lungs	216	1				1	3	24	82	49	23	17	13	3			
Tuberculosis of larynx	6								3			2		1			
Tuberculous meningitis	10	2	1	1			1	2	2	1							
Abdominal tuberculosis	11	1		1				2	3	3					1		
Pott's disease	2					1				1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	9	1	1					3	2	1	1						
Scrofula																	
Venereal diseases	8	4							2	2							
Cancer	105							1	4	11	20	21	31	13	4		
Tumor																	
Rheumatism	9					1			1	2	1	1	1	2			
Diabetes	11							1			1	2	4	3			
Anemia, leukemia	3		1									1	1				
Alcoholism	6								3	2	1						
Chronic poisonings	3								1		1	1					
Other general diseases	7		1					1	2		2	1					
Encephalitis																	
Meningitis	37	13	4	2	1		6	4	2	1	3	1					
Apoplexy	98	1	1						3	10	10	15	18	25	15		
Softening of brain	3											1		1	1		
Paralysis	23											3	7	7	6		
Epilepsy	11							1			4	3	3				
Convulsions	42	35	2	1	2	1		1									
Tetanus	6	3				1		2									
Other diseases of nervous system	96	2	1				2	2	2	23	23	19	12	5	3	1	1
Pericarditis	2												1	1			
Endocarditis	12		1						1	2	2	1	3	2			
Heart disease	155	2	2				2	3	4	16	18	32	27	36	11	2	
Angina pectoris	13									1		8	3		1		
Embolism and thrombosis	4												2	1	1		
Other diseases of circulatory system	12	1	1									1	3	4	2		
Laryngitis	1								1								
Acute bronchitis	17	13			1	1				1			1				
Chronic bronchitis	20										2	2	3	7	6		
Bronchopneumonia	32	12	2	1	1		2		2	1			4	2	4	1	
Pneumonia	107	23	2	7	3	1	1	2	2	12	15	7	12	12	8		
Pleurisy	5										1		3	1			
Congestion of lungs	3		2												1		
Other diseases of respiratory system	21	4					1		1	2	1	2	2	7	1		
Tonsilitis	3	1					1	1									
Diseases of stomach	30	5	1	1	1			2	1	2	4	1	1	5	6		
Diarrhea and enteritis	156	105	20	2	1		1			3	1	3	7	8	4	1	
Hernia and intestinal obstructions	28	2					1	2	3	3	3	3	4	3	3		1
Cirrhosis of liver	16									1	3	3	5	4			
Other diseases of liver	25	1						1	1	2	3	8	7	2			
Peritonitis	15	1						1	3	7			3				
Appendicitis	14							5	1	2	1	4	1				
Other diseases of digestive system	11	3	1						2			2	2		1		
Acute nephritis	8					1			2	1	2	2					
Bright's disease	90	1	1	1			1	1	3	8	13	11	27	16	7		
Calculi of urinary tract	1											1					
Uterine tumor	4								1		2		1				
Ovarian tumor	2								1						1		
Other diseases of genito-urinary system	26								8	5	2	1	5	4	1		
Puerperal septicemia	6								2	4							
Other causes incident to childbirth	12								3	7	2						
Diseases of skin	11	3									2	1	1	1	2	1	
Diseases of locomotor system	7	2	1				1		1			1	1				
Malformations	21	21															
Premature birth	3	3															
Congenital debility	44	44															
Old age	61												9	22	25	5	
Suicide	22								7	7	4	2	1	1			
Other violence	154	8	4	3	2	3	10	20	23	23	14	20	14	4	4	1	1
Ill-defined causes	42	17		1			1		1	4	1	3	5	4	3	1	1

TABLE 8.—DEATHS IN EACH CITY HAVING 100,000 POPULATION OR OVER, FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY AGE: 1905—Continued.

WORCESTER, MASS.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,266	503	60	25	15	18	37	88	197	192	215	247	259	253	142	15	
Typhoid fever	27							2	12	4	7	2					
Malarial fever	4	1							3								
Smallpox																	
Measles	5		1	3		1											
Scarlet fever	4						2	1			1						
Whooping cough	25	15	6	2		1	1										
Diphtheria and croup	14		3	2	1	4	3	1									
Influenza	9							1	1			2	4	1			
Cholera nostras																	
Dysentery	7	1	1		1								1	2	1		
Erysipelas	12	3										1	3	2	1		
Other epidemic diseases	1	1															
Septicemia	17	3							3	5	1	3	1	1			
Tuberculosis—total	263	10	8	3	4	1	7	25	81	49	34	20	15	5		1	
Tuberculosis of lungs	220	4		1	1	1	2	24	75	46	31	14	15	5		1	
Tuberculosis of larynx	3								1	1		1					
Tuberculous meningitis	21	5	6	2	2		3	1	1		1						
Abdominal tuberculosis	9		2		1		1		2			3					
Pott's disease	5						1			1	2	1					
Tuberculous abscess																	
White swelling	1									1							
Tuberculosis of other organs	2	1							1								
General tuberculosis	2								1			1					
Scrofula																	
Venereal diseases	5	2							1	1	1						
Cancer	103								4	4	15	29	25	18	7	1	
Tumor	4										1		1	1	1		
Rheumatism	12					1		1	1	1	2			4	2		
Diabetes	19						1	1		1	3	2	6	4	1		
Anemia, leukemia	7									2	1	3		1			
Alcoholism	5								1	2		2					
Chronic poisonings																	
Other general diseases	7		1	1					1	1		2	1				
Encephalitis	1	1															
Meningitis	46	21	1	2	2	4	1	5	4		2	2	1		1		
Apoplexy	124						1		2	5	12	22	28	34	20		
Softening of brain	2										1			1			
Paralysis	10									1	1	1	4	3			
Epilepsy	14						2		2	1	6	1	1	1			
Convulsions	21	17	3		1												
Tetanus	2						1		1								
Other diseases of nervous system	66	2					1	4	2	11	16	14	9	6	1		
Pericarditis																	
Endocarditis	20								4	4	2	4	2	4			
Heart disease	241	1					4	7	8	17	18	44	45	63	31	3	
Angina pectoris	6										1	1	1	3			
Embolism and thrombosis	9									2	2	1	2	1	1		
Other diseases of circulatory system	24	1									4	1	4	7	7		
Laryngitis																	
Acute bronchitis	22	14			1	1					1	2	1	1		1	
Chronic bronchitis	14									1	1	1	4	3	4		
Bronchopneumonia	49	20	6	5		1	1		1		4	2	5		4		
Pneumonia	168	17	9	5	1	1	1		11	18	21	32	19	25	5	3	
Pleurisy	7							1				2	3		1		
Congestion of lungs	7									1		1	1	1	3		
Other diseases of respiratory system	10	1				1					2	1	4	1			
Tonsilitis																	
Diseases of stomach	19	4				1		1	1		3	3	4	2			
Diarrhea and enteritis	169	126	16	1	3	1	2		2	2	1	3	7	5			
Hernia and intestinal obstructions	14	1						1	2	1		4	3	1	1		
Cirrhosis of liver	14								1		4	4	4	1			
Other diseases of liver	11								1	1		2	5	1	1		
Peritonitis	20	2						4	7	2	2	1	1		1		
Appendicitis	26						3	11	3	2	5	1		1			
Other diseases of digestive system	5	2	1								1	1					
Acute nephritis	8						1	1	2		2	1		1			
Bright's disease	87	1						3	7	9	16	12	22	13	4		
Calculi of urinary tract																	
Uterine tumor	4								1	3							
Ovarian tumor	2									1				1			
Other diseases of genito-urinary system	18								1	2		4	3	7	1		
Puerperal septicemia	8								3	4	1						
Other causes incident to childbirth	13							2	4	7							
Diseases of skin	10	1						1					2	4	2		
Diseases of locomotor system	4	2									1		1				
Malformations	14	14															
Premature birth	100	100															
Congenital debility	71	71															
Old age	58												5	13	34	6	
Suicide	25							1	3	10	3	1	5		2		
Other violence	111	20	1	1	1		5	14	16	14	15	8	5	6	5		
Ill-defined causes	42	28	3							2	1	1	3	4			

INDEX.

Abdominal tuberculosis. *See* Tuberculosis.
Abscess, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 280; in each registration state, 285.
Accidental traumatisms, death rates, by registration areas, 70; by cities and rural districts, 192; number of deaths, 70.
Actinomycosis, trichinosis, etc., death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
Addison's disease, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
Age, as a factor affecting the general death rate, 17; deaths classified by, for registration areas, 216; in relation to sex, 252, 276; color and nativity, 252.
Alcoholism, death rates, by registration areas, 42, 68, 160; by cities and rural districts, 174; number of deaths, 42, 68, 160; according to age, 42, 276; in each registration state, 284; in specified cities, 306; according to sex, 42, 276; in cities and rural districts, 270.
Allegheny, Pa., number of deaths, from certain causes, by age, 306. *See also* Registration cities.
American Public Health Association, 8.
Amputation, death rates, by registration areas, 70; by cities and rural districts, 188; number of deaths, 70; in cities and rural districts, 274.
Anemia, chlorosis, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
Anemia, leukemia, death rates, by registration areas, 160; number of deaths, 160; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Angina pectoris, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Apoplexy and paralysis, death rates, increasing, 20; by registration areas, 45, 68, 160, 161; by cities and rural districts, 176; number of deaths, 45, 68, 160, 161; according to age, 45, 278; in each registration state, 284; in specified cities, 306; according to sex, 45, 278; in cities and rural districts, 270.
Appendicitis, death rates, increasing, 20; by registration areas, 54, 69, 164; by cities and rural districts, 184; number of deaths, 54, 69, 164; according to age, 54, 280; in each registration area, 285; in specified cities, 306; according to sex, 54, 280; in cities and rural districts, 272.
Arteries, diseases of, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
Asiatic cholera, death rates, by registration areas, 68; by cities and rural districts, 168; number of deaths, 68; in cities and rural districts, 270.
Asphyxia, suicide by. *See* Suicide.
Asthma and emphysema, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
Atrophy of liver. *See* Liver, diseases of.
Austria, birth and death rates, 10.

Baltimore, Md., number of deaths, from certain causes, by age, 307. *See also* Registration cities.
Bavaria, birth and death rates, 10.
Belgium, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36.
Biliary calculi, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
Birth, injuries at, death rates, in cities and rural districts of each registration state, 192; number of deaths in cities and rural districts, 274.
Birth rates, in certain European countries, 10.
Blacks, number of deaths in registration areas, by age and sex, 252.
Bladder, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
Bones, diseases of, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Boston, Mass., number of deaths, from certain causes, by age, 308. *See also* Registration cities.
Brain, diseases of, death rates, by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284.
Bright's disease, per cent of Bright's disease and nephritis returned as, 55; death rates, by registration areas, 55, 69, 164; by cities and rural districts, 184; number of deaths, 55, 69, 164; according to age, 280; in each registration state, 285; in specified cities, 306; according to sex, 280; in cities and rural districts, 272.
Bright's disease and nephritis, death rates, fluctuating, 20; by registration areas, 56, 72; number of deaths, by sex and age, 56; in each registration area, 234.
Bronchitis, death rates, fluctuating, 20; by registration areas, 48, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; according to age, 48, 278; in each registration state, 284; in specified cities, 306; according to sex, 48, 278; in cities and rural districts, 272.
Bronchopneumonia, death rates, fluctuating, 20; by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; according to age, 278; in each registration state, 284; in specified cities, 306; according to sex, 278; in cities and rural districts, 272.
Bronx borough, N. Y., number of deaths, from certain causes, by age, 328. *See also* Registration cities.
Brooklyn borough, N. Y., number of deaths, from certain causes, by age, 329. *See also* Registration cities.
Buffalo, N. Y., number of deaths, from certain causes, by age, 309. *See also* Registration cities.
Burning by corrosive substances, death rates, by registration areas, 70; by cities and rural districts, 192; number of deaths, 70; in cities and rural districts, 274.
Burns and scalds, death rates, by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274.

Calculi of urinary tract, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
Cancer (all forms), proportion of deaths caused by specified forms, 39; death rates, fluctuating, 20; international comparisons, 39; by registration areas, 39, 68, 72, 159; by cities and rural districts, 172; number of deaths, 39, 68, 159; according to age, 40, 276; in each registration state, 284; in specified cities, 306; according to sex, 40, 276; in each registration area, 234; in cities and rural districts, 270.
Carbuncle, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 280; in each registration state, 285.
Causes of death, international classification, 19; death rates, by registration areas, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; in each registration area, 234; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Cerebro-spinal meningitis, death rates, 43; by cities and rural districts, 176; number of deaths, 43; in cities and rural districts, 270. *See also* Meningitis.
Charbon. *See* Malignant pustule and charbon.
Chicago, Ill., number of deaths, from certain causes, by age, 310. *See also* Registration cities.
Childbirth, diseases incident to, death rates, fluctuating, 19; by registration areas, 69, 165; by cities and rural districts, 186; number of deaths, 69, 165; in each registration area, 234; in cities and rural districts, 272; according to age, 280; in each registration state, 285; in specified cities, 306.

Chinese and Japanese, number of deaths in registration areas, by age and sex, 252.
Chlorosis. *See* Anemia, chlorosis.
Cholera nostras, death rates, 34; by registration areas, 68, 158; by cities and rural districts, 168; number of deaths, 34, 68, 158; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Chorea, death rates, by registration areas, 68; by cities and rural districts, 176; number of deaths, 68; in cities and rural districts, 270.
Chronic poisonings. *See* Poisonings.
Cincinnati, Ohio, number of deaths, from certain causes, by age, 311. *See also* Registration cities.
Circulatory system, diseases of, death rates, fluctuating, 19; by registration areas, 46, 69, 72, 161; by cities and rural districts, 178; number of deaths, 46, 69, 161; according to age, 46, 278; in each registration state, 284; in specified cities, 306; according to sex, 46, 278; in each registration area, 234; in cities and rural districts, 272.
Cirrhosis of liver, death rates, fluctuating, 20; by registration areas, 53, 69, 163; by cities and rural districts, 182; number of deaths, 53, 69, 163; according to age, 53, 280; in each registration state, 285; in specified cities, 306; according to sex, 53, 280; in cities and rural districts, 272.
Cities. *See* Registration cities.
Cleveland, Ohio, number of deaths, from certain causes, by age, 312. *See also* Registration cities.
Cold and freezing, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Color, death rates by, in specified cities, 18; number of deaths, in registration areas, 198; according to age, by sex and nativity, 252.
Columbus, Ohio, number of deaths, from certain causes, by age, 313. *See also* Registration cities.
Conflagration, death rates, by cities and rural districts, 192; number of deaths, in cities and rural districts, 274.
Congenital debility, death rates, fluctuating, 20; by registration areas, 70, 166; by cities and rural districts, 188; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
Congenital malformations, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Congenital malformations of heart (cyanosis). *See* Congenital malformations.
Congestion of lungs, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272, according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Connecticut, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 258; by certain causes, 284; in cities and rural districts, 270. *See also* Registration states.
Connecticut rural, death rates, by certain causes, 116; number of deaths, by color, nativity, and month, 206; by age, 224; by certain causes, 242. *See also* Rural part of registration states.
Convulsions, death rates, fluctuating, 20; by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Croup, death rates, fluctuating, 20; by registration areas, 30, 68, 158; by cities and rural districts, 168; number of deaths, 30, 68, 158; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284. *See also* Diphtheria and croup.
Crushing, suicide by. *See* Suicide.
Cutting instruments, suicide by. *See* Suicide.

Death rates, result of recent censuses in establishing, 3; international comparisons, 10, 12, 16, 21, 25, 27, 28, 29, 31, 36, 39; in registration areas, 16, 68, 72, 158; in registration states, 16; in cities and rural districts, 16, 168; factors affecting, 17; increase and decrease, 19; principal diseases, 20; in each registration city, 65; annual average and yearly rates, by causes, 68, 158. See also each specified disease.
Deaths, in registration areas, 68, 158; from each cause and class of causes, 68, 158; by color, nativity, and month of death, 198. See also each specified disease.
Debility. *See* Ill-defined causes.
Denmark, birth and death rates, 10.
Dentition, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
Denver, Colo., number of deaths, from certain causes, by age, 314. *See also* Registration cities.
Detroit, Mich., number of deaths, from certain causes, by age, 315. *See also* Registration cities.
Diabetes, death rates, fluctuating, 20; by registration areas, 41, 68, 72, 160; by cities and rural districts, 174; number of deaths, 68, 160; according to age, 42, 276; in each registration state, 284; in specified cities, 306; according to sex, 42, 276; in each registration area, 234; in cities and rural districts, 270.
Diarrhea and enteritis, death rates, fluctuating, 20; by registration areas, 51, 69, 72, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 51, 52, 280; in each registration state, 285; in specified cities, 306; according to sex, 52, 280; in each registration area, 234; in cities and rural districts, 272.
Digestive system, diseases of, death rates, fluctuating, 19; by registration areas, 50, 69, 72, 163; by cities and rural districts, 180; number of deaths, 50, 69, 163; according to age, 50, 280; in each registration state, 285; in specified cities, 306; according to sex, 50, 280; in each registration area, 234; in cities and rural districts, 272.
Diphtheria and croup, death rates, fluctuating, 20; by registration areas, 31, 68, 72, 158; by cities and rural districts, 168; number of deaths, 30, 68, 158; according to age, 32, 276; in each registration state, 284; in specified cities, 306; according to sex, 32, 276; in each registration area, 234; in cities and rural districts, 270.
Dislocations, death rates, by registration areas, 70; in cities and rural districts, 190; number of deaths in registration areas, 70; in cities and rural districts, 274.
District of Columbia, number of deaths, according to age, by sex, color, and nativity, 258; by certain causes, 270, 286. *See also* Registration states.
"Dropsy." *See* Ill-defined causes.
Drowning, death rates, by registration areas, 70, 166; by cities and rural districts, 190, 192; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274. *See also* Suicide.
Dysentery, difficulty in classifying, 34; death rates by registration areas, 34, 68, 158; by cities and rural districts, 170; number of deaths, 33, 68, 158; according to age, 34, 276; in each registration state, 284; in specified cities, 306; according to sex, 34, 276; in cities and rural districts, 270.

Ear, diseases of, death rates, by registration areas, 68; by cities and rural districts, 178; number of deaths, 68; in cities and rural districts, 270.
Embolism and thrombosis, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Emphysema, death rates, by registration areas, 69; by cities and rural districts, 180; number of deaths, 69; in cities and rural districts, 272. *See also* Asthma and emphysema.
Encephalitis, death rates, by registration areas, 68, 160; by cities and rural districts, 174; number of deaths, 68, 160; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Endocarditis, death rates, fluctuating, 20; by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
England and Wales, classification of causes of death, 19; birth rates, 10; death rates, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
Enteritis. *See* Diarrhea and enteritis.
Epidemic diseases, meaning of term in this work, 35; death rates, fluctuating, 19; by registration areas, 68, 72, 158; by cities and rural districts, 170; number of deaths, 68, 158.
Epilepsy, death rates, by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Erysipelas, death rates, 34; by registration areas, 68, 158; by cities and rural districts, 170; number of deaths, 34, 68, 158; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Esophagus, diseases of, death rates, by registration areas, 69; by cities and rural districts, 182; number of deaths, 69; in cities and rural districts, 272.
Exophthalmic goiter, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
Exanthematic typhus, death rates, 34; by registration areas, 68; by cities and rural districts, 168; number of deaths, 34, 68; in cities and rural districts, 270.
Eye and adnexa, diseases of, death rates, by registration areas, 68; by cities and rural districts, 178; number of deaths, 68; in cities and rural districts, 270.

Fall River, Mass., number of deaths, from certain causes, by age, 316. *See also* Registration cities.

Farcy. *See* Glanders and farcy.
Federal and state reports, coordination of, 8.
Fever. *See* Ill-defined causes.
Finland, birth and death rates, 10.
Firearms, suicide by. *See* Suicide.
Fractures and dislocations, death rates, by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
France, birth and death rates, 10.
Freezing. *See* Cold and freezing.

Gangrene, death rates, by registration areas, 70, 165; by cities and rural districts, 186; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 280; in each registration state, 285.
Gangrene of lungs, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
Gastritis, death rates, fluctuating, 20; by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration area, 285.
General diseases (classified lists of), death rates, by registration areas, 68, 158; by cities and rural districts, 168; number of deaths, 68, 158, 270; by age, 276, 284; by sex, 276.
Genito-urinary system, diseases of, death rates, increasing, 19; by registration areas, 54, 69, 164; by cities and rural districts, 184; number of deaths, 54, 69, 164; according to age, 55, 280; in each registration state, 285; in specified cities, 306; according to sex, 55, 280; in cities and rural districts, 272.
Germany, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
Glanders and farcy, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
Gonorrhea. *See* Venereal diseases.
Gunshot wounds (accidental), death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.

Hanging or strangulation, suicide by. *See* Suicide.
Heart disease, death rates, fluctuating, 20; by registration areas, 47, 69, 161; by cities and rural districts, 178; number of deaths, 46, 69, 161; according to age, 47, 278; in each registration state, 284; in specified cities, 306; according to sex, 47, 278; in cities and rural districts, 272.
"Heart failure." *See* Ill-defined causes.
Heat and sunstroke, death rates, by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Hemorrhage of lungs, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
Hemorrhages, death rates, by registration areas, 69; by cities and rural districts, 178; number of deaths, 69; in cities and rural districts, 272.
Hernia, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
Homicide, death rates, by registration areas, 70, 167; by cities and rural districts, 194; number of deaths, 70, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Hungary, birth rates, 10; death rates, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; cancer, 39.
Hydatid tumors of liver, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
Hydrocephalus, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.

Ill-defined causes, death rates by registration areas, 70, 72, 167; by cities and rural districts, 194; number of deaths, 70, 167; according to age, 282; in each registration state, 285; in specified cities, 306; according to sex, 282; in each registration area, 234; in cities and rural districts, 274.
Inanition. *See* Ill-defined causes.
Indiana, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 260; by certain causes, 288; in cities and rural districts, 270. *See also* Registration states.
Indiana rural, death rates, by certain causes, 116; number of deaths, by color, nativity, and month, 206; by age, 224; by certain causes, 242. *See also* Rural part of registration states.
Indianapolis, Ind., number of deaths, from certain causes, by age, 317. *See also* Registration cities.
Indians, number of deaths in registration areas, by age and sex, 252.
Infancy, early, diseases of, death rates, fluctuating, 19; by registration areas, 70, 72, 166; by cities and rural districts, 188; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in each registration area, 234; in cities and rural districts, 274.
Influenza, difficulty in classifying, 32; death rates, fluctuating, 20; by registration areas, 33, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 33, 276; in each registration state, 284; in specified cities, 306; according to sex, 33, 276; in each registration area, 234; in cities and rural districts, 270.
Inhalation of poisonous gases, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274.
Injuries. *See* Accidental injuries.
International Commission, adoption of international classification, 19.
International vital statistics, value of comparisons, 9; work of General Statistical Bureau of France, 9; birth and death rates in certain European countries, 10.
Intestinal parasites, death rates, by registration areas, 69; in cities and rural districts, 182; number of deaths, 69; in cities and rural districts, 272.
Intestines, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
Ireland, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
Italy, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.

Japanese. *See* Chinese and Japanese.
Jersey City, N. J., number of deaths, from certain causes, by age, 318. *See also* Registration cities.
Joints, diseases of, death rates, by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Jumping from high places, suicide by. *See* Suicide.

Kansas City, Mo., number of deaths, from certain causes, by age, 319. *See also* Registration cities.
Kidneys, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.

Lack of care. *See* Infancy, early, diseases of.
Laryngitis, death rates, by registration areas, 69, 162; by cities and rural districts, 178; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Larynx, diseases of, death rates, 69; number of deaths, 69.
Lead poisoning, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270.
Leprosy, death rates, 34; by registration areas, 68; number of deaths, 34, 68; in cities and rural districts, 270.
Leukemia, death rates, by registration areas, 68; by cities and rural districts, 174; number of deaths, 68; in cities and rural districts, 270. *See also* Anemia, leukemia.
Lightning, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Liver, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
Locomotor ataxia, death rates, by registration areas, 68, 160; by cities and rural districts, 176; number of deaths, 68, 160; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284.
Locomotor system, diseases of, death rates, fluctuating, 19; by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
Los Angeles, Cal., number of deaths, from certain causes, by age, 320. *See also* Registration cities.
Louisville, Ky., number of deaths, from certain causes, by age, 321. *See also* Registration cities.

Lymphatics, diseases of, death rates, by registration areas, 69, 162; by cities and rural districts, 178; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.

Machinery, injuries by, death rates, by registration areas, 70, 167; by cities and rural districts, 192; number of deaths, 70, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Maine, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 260; by certain causes, 290; in cities and rural districts, 270. *See also* Registration states.
Maine rural, death rates, by certain causes, 128; number of deaths, by color, nativity, and month, 208; by age, 226; by certain causes, 244. *See also* Rural parts of registration states.
Malarial fever, death rates, by registration areas, 24, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 25, 276; in each registration state, 284; in specified cities, 306; according to sex, 25, 276; in each registration area, 234; in cities and rural districts, 270.
Malformations, death rates, fluctuating, 19; by registration areas, 70, 165; by cities and rural districts, 188; number of deaths, 70, 165; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
Malignant pustule and charbon, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68, in cities and rural districts, 270.
Manhattan borough, N. Y., number of deaths, from certain causes, by age, 330. *See also* Registration cities.
Marasmus. *See* Ill-defined causes.
Massachusetts, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 270; by certain causes, 292; in cities and rural districts, 270. *See also* Registration states.
Massachusetts rural, death rates, by certain causes, 130; number of deaths, by color, nativity, and month, 210; by age, 226; by certain causes, 244. *See also* Rural part of registration states.
Measles, death rates, fluctuating, 20; international comparisons, 27; by registration areas, 27, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 28, 276; in each registration state, 284; in specified cities, 306; according to sex, 28, 276; in each registration area, 234; in cities and rural districts, 270.
Memphis, Tenn., number of deaths, from certain causes, by age, 322. *See also* Registration cities.
Meningitis, death rates, fluctuating, 20; by registration areas, 43, 44, 68, 72, 160; by cities and rural districts, 176; number of deaths, 43, 44, 68, 160; according to age, 44, 278; in each registration state, 284; in specified cities, 306; according to sex, 44, 278; in each registration area, 234; in cities and rural districts, 270.
Metritis, death rates, by registration areas, 69; by cities and rural districts, 184; number of deaths, 69; in cities and rural districts, 272.
Michigan, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 262; by certain causes, 294; in cities and rural districts, 270. *See also* Registration states.
Michigan rural, death rates, by certain causes, 132; number of deaths, by color, nativity, and month, 210; by age, 226; by certain causes, 246. *See also* Rural part of registration states.
Miliary fever, death rates, 34; by registration areas, 68; by cities and rural districts, 168; number of deaths, 34, 68; in cities and rural districts, 270.
Milwaukee, Wis., number of deaths, from certain causes, by age, 323. *See also* Registration cities.
Mines and quarries, injuries in, death rates, by registration areas, 167; by cities and rural districts, 192; number of deaths, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285. *See also* Accidental traumatisms.
Minneapolis, Minn., number of deaths, from certain causes, by age, 324. *See also* Registration cities.
Month, deaths classified by, in registration areas, 198.
Mouth, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 180; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.

Nasal fossa, diseases of, death rates, by registration areas, 69; by cities and rural districts, 178; number of deaths, 69; in cities and rural districts, 272.
Nativity, deaths classified by, 198, 252.
Nephritis, death rates, increasing, 20; per cent of Bright's disease and nephritis returned as, 55; by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; from various forms of, 55; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
Nervous system, diseases of, death rates, fluctuating, 19; by registration areas, 43, 68, 72, 160; by cities and rural districts, 174; number of deaths, 43, 68, 160, 234; according to age, 43, 278; in each registration state, 284; in specified cities, 306; according to sex, 43, 278; in cities and rural districts, 270
Netherlands, birth rates, 10; death rates, all causes, 10, 16; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
New Hampshire, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 264; by certain causes, 296; in cities and rural districts, 270. *See also* Registration states.
New Hampshire rural, death rates, by certain causes, 142; number of deaths, by color, nativity, and month, 212; by age, 228; by certain causes, 248. *See also* Rural part of registration states.
New Haven, Conn., number of deaths, from certain causes, by age, 325. *See also* Registration cities.
New Jersey, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 264; by certain causes, 298; in cities and rural districts, 270. *See also* Registration states.
New Jersey rural, death rates, by certain causes, 144; number of deaths, by color, nativity, and month, 212; by age, 230; by certain causes, 248. *See also* Rural part of registration states.
New Orleans, La., number of deaths, from certain causes, by age, 326. *See also* Registration cities.
New York, death rates, by cities and rural districts, 168; number of deaths according to age, by sex, color, and nativity, 266; by certain causes, 300; in cities and rural districts, 270. *See also* Registration states.
New York rural, death rates, by certain causes, 146; number of deaths, by color, nativity, and month, 212; by age, 230; by certain causes, 248. *See also* Rural part of registration states.
New York, N. Y., number of deaths, from certain causes, by age, 327. *See also* Registration cities.
Newark, N. J., number of deaths, from certain causes, by age, 333. *See also* Registration cities.
Nonpuerperal diseases of breast (cancer excepted), death rates, by registration areas, 69; in cities and rural districts, 186; number of deaths, 69; in cities and rural districts, 272.
Nonvenereal diseases of male genital organs, death rates, by registration areas, 69; by cities and rural districts, 184; number of deaths, 69; in cities and rural districts, 272.
Norway, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.

Old age, death rates, fluctuating, 19; by registration areas, 70, 166; by cities and rural districts, 190; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
Omaha, Nebr., number of deaths, from certain causes, by age, 334. *See also* Registration cities.
Ovarian tumor, death rates, by registration areas, 69, 164; by cities and rural districts, 186; number of deaths, 69, 164; in cities and rural districts, 272; according to age, 280; in each registration state, 285; in specified cities, 306.

Paralysis, death rates, decreasing, 20; by registration areas, 45, 68, 161; by cities and rural districts, 176; number of deaths, 45, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306. *See also* Apoplexy and paralysis.
Paterson, N. J., number of deaths, from certain causes, by age, 335. *See also* Registration cities.
Pellagra, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
Pericarditis, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Peritonitis, death rates, decreasing, 20; by registration areas, 53, 69, 164; by cities and rural districts, 184; number of deaths, 53, 69, 164; according to age, 53, 280; in each registration state, 285; in specified cities, 306; according to sex, 53, 280; in cities and rural districts, 272.
Pharynx, diseases of, death rates, by registration areas, 69, 163, by cities and rural districts, 182; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285.
Philadelphia, Pa., number of deaths, from certain causes, by age, 336. *See also* Registration cities.

Pittsburg, Pa., number of deaths, from certain causes, by age, 337. *See also* Registration cities.
Plague, death rates, 34; by registration areas, 68; by cities and rural districts, 170; number of deaths, 34, 68; in cities and rural districts, 270.
Pleurisy, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69, 162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Pneumonia, death rates, fluctuating, 20; by registration areas, 49, 69, 72, 162; by cities and rural districts, 180; number of deaths, 69, 162, 234; according to age, 50, 278; in each registration state, 284; in specified cities, 306; according to sex, 50, 278; in each registration area, 234; in cities and rural districts, 272.
Poison, suicide by. *See* Suicide.
Poisonings, accidental, death rates, by registration areas, 70, 166; by cities and rural districts, 192; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Poisonings, chronic, death rates, by registration areas, 68, 160; by cities and rural districts, 174; number of deaths, 68, 160; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Population, annual estimates, 4; of each registration area, 61.
Portugal, birth and death rates, 10.
Pott's disease, death rates, by registration areas, 36, 159; by cities and rural districts, 172; number of deaths, 35, 159; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Pregnancy, accidents of, death rates, by registration areas, 69; by cities and rural districts, 186; number of deaths, 69; in cities and rural districts, 272.
Premature birth, death rates, fluctuating, 20; by registration areas, 70, 166; by cities and rural districts, 188; number of deaths, 70, 166; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285; in specified cities, 306.
Privation. *See* Starvation.
Prostate, diseases of, death rates, 69; by cities and rural districts, 184; number of deaths, 69; in cities and rural districts, 272.
Providence, R. I., number of deaths, from certain causes, by age, 338. *See also* Registration cities.
Prussia, birth rates, 10; death rates, 10, 16.
Puerperal diseases, death rates, by registration areas, 69, 165; by cities and rural districts, 186; number of deaths, 69, 165; in cities and rural districts, 272; according to age, 280; in each registration state, 285; in specified cities, 306.

Queens borough, N. Y., number of deaths, from certain causes, by age, 331. *See also* Registration cities.

Rabies, death rates, by registration areas, 68; by cities and rural districts, 170; number of deaths, 68; in cities and rural districts, 270.
Railroad accidents and injuries, death rates, by registration areas, 70, 167; by cities and rural districts, 192; number of deaths, 70, 167; in cities and rural districts, 274; according to age, by sex, 282; in each registration state, 285.
Recurrent fever, death rates, by registration areas, 34, 68; by cities and rural districts, 168; number of deaths, 34, 68; in cities and rural districts, 270.
Registration area, extent and composition, 5; movement for extension, 6; states added, 7; cooperation of state authorities, 7; population, 7, 15, 61; coordination of Federal and state reports, 8; death rates, compared with certain European countries, 16; all causes, 16, 68, 72, 158; typhoid fever, 21, 22; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; influenza, 33; dysentery, 34; tuberculosis (all forms), 36; tuberculosis of lungs, 36; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; diseases of circulatory system, 46; heart disease, 47; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; number of deaths, all causes, 68, 158; by color, nativity, and month, 198; according to age, 216; by sex, color, and nativity, 252; by certain causes, 234.
Registration cities, population, 7, 15, 61; death rates, in cities having over 10 per cent colored population, 18; annual average and yearly death rates from typhoid fever, 22; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31, 32; influenza, 33; dysentery, 34; tuberculosis of lungs, 36, 37; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; heart disease, 46; diseases of circulatory system, 46; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51, 52; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; from all causes per 1,000 of population, 65; from certain causes and classes of causes, 74, 234, 270; number of deaths, by color, nativity, and month, 198; by age, 216; by age, sex, color, and nativity, 252.
Registration officials, organization of, 8.
Registration states, specified, 7; population, 7, 61; death rates, all causes, 16, 68, 72, 168; typhoid fever, 21; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; influenza, 33; dysentery, 34; tuberculosis of lungs, 36; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; diseases of circulatory system, 46; heart disease, 47; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; number of deaths, all causes, 68, 168; by color, nativity, and month, 198; according to age, 216; by sex, color, and nativity, 254; by certain causes, 234, 270.
Respiratory system, diseases of, death rates, fluctuating, 19; by registration areas, 47, 69, 72, 162; by cities and rural districts, 178; number of deaths, 47, 69, 162; according to age, 47, 278; in each registration state, 284; in specified cities, 306; according to sex, 47, 278; in each registration area, 234; in cities and rural districts, 272.
Rheumatism, death rates, by registration areas, 40, 68, 160; by cities and rural districts, 174; number of deaths, 40, 68, 160; according to age, 41, 276; in each registration state, 284; in specified cities, 306; according to sex, 41, 276; in cities and rural districts, 270.
Rhode Island, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 266; by certain causes, 302; in cities and rural districts, 270. *See also* Registration states.
Rhode Island rural, death rates, by certain causes, 154; number of deaths, by color, nativity, and month, 214; by age, 232; by certain causes, 250. *See also* Rural part of registration states.
Richmond borough, N. Y., number of deaths, from certain causes, by age, 332. *See also* Registration cities.
Rochester, N. Y., number of deaths, from certain causes, by age, 339. *See also* Registration cities.
Roumania, birth rates and death rates, 10.
Rural mortality, comparison with urban, 16.
Rural part of registration states, population, by counties, 63; death rates, all causes, 16, 168; typhoid fever, 21; malarial fever, 24; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; influenza, 33; dysentery, 34; tuberculosis of lungs, 36; venereal diseases, 38; cancer, 39; rheumatism, 40; diabetes, 41; alcoholism, 42; diseases of nervous system, 43; meningitis, 44; apoplexy and paralysis, 45; diseases of circulatory system, 46; heart disease, 47; diseases of respiratory system, 47; bronchitis, 48; pneumonia, 49; diseases of digestive system, 50; diarrhea and enteritis, 51; cirrhosis of liver, 53; peritonitis, 53; appendicitis, 54; diseases of genito-urinary system, 54; Bright's disease and nephritis, 56; violence, 57; number of deaths, all causes, 168; by color, nativity, and month, 198, 206; according to age, 216, 224; by sex, color, and nativity, 256.

St. Joseph, Mo., number of deaths, from certain causes, by age, 340. *See also* Registration cities.
St. Louis, Mo., number of deaths, from certain causes, by age, 341. *See also* Registration cities.
St. Paul, Minn., number of deaths, from certain causes, by age, 342. *See also* Registration cities.
San Francisco, Cal., number of deaths, from certain causes, by age, 343. *See also* Registration cities.
Saxony, birth and death rates, 10.
Scarlet fever, death rates, fluctuating, 20; international comparisons, 28; by registration areas, 28, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 29, 276; in each registration state, 284; in specified cities, 306; according to sex, 29, 276; in each registration area, 234; in cities and rural districts, 270.
Scotland, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; tuberculosis of lungs, 36; cancer, 39.
Scranton, Pa., number of deaths, from certain causes, by age, 344. *See also* Registration cities.
Scrofula, death rates, by registration areas, 68, 159; by cities and rural districts, 172; number of deaths, 68, 159; according to age, 276; in each registration state, 284; in specified cities, 306; according to sex, 276; in cities and rural districts, 270.
Scurvy, death rates, by registration areas, 68; by cities and rural districts, 174; num-

ber of deaths, 68; in cities and rural districts, 270.
Septicemia, death rates, by registration areas, 68, 158; by cities and rural districts, 170; number of deaths, 68, 158; according to age, 276; in each registration state, 284; in specified cities, 306; according to sex, 276; in cities and rural districts, 270.
Servia, birth and death rates, 10.
Sex, number of deaths in registration areas, by age, color, and nativity, 252; from each specified cause, by age, 276.
Skin, diseases of, death rates, fluctuating, 19; by registration areas, 70,165; by cities and rural districts, 186; number of deaths, 70,165; according to age, 280; in each registration state, 285; in specified cities, 306; according to sex, 280; in cities and rural districts, 274.
Smallpox, death rates, fluctuating, 25; international comparisons, 25; by registration areas, 25, 68, 72, 158; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 26, 276; in each registration state, 284; in specified cities, 306; according to sex, 26. 276; in each registration area, 234; in cities and rural districts, 270.
Softening of brain, death rates by registration areas, 68,160; by cities and rural districts, 176; number of deaths, 68, 160; according to age, 278; in each registration state, 284; in specified cities, 306; according to sex. 278; in cities and rural districts, 270.
Spain, birth rates, 10; death rates, all causes, 10, 16; smallpox, 25; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
Spinal cord, diseases of, death rates, by registration areas, 160; by cities and rural districts, 176; number of deaths, 160; according to age, 278; in each registration state, 284; according to sex, 278; in cities and rural districts, 270.
Spleen, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
Starvation, death rates, by registration areas, 70; by cities and rural districts, 194; number of deaths, 70; in cities and rural districts, 274. *See also* Violence.
Stomach, diseases of, death rates, by registration areas, 69, 163; by cities and rural districts, 182; number of deaths, 69, 163; according to age, 280; in each registration state, 285; in specified cities, 306; according to sex, 280; in cities and rural districts, 272.
Strangulation. *See* Suicide.
Sudden death. *See* Ill-defined causes.
Suffocation, death rates, by registration areas, 70, 167; by cities and rural districts, 192; number of deaths, 70, 167; according to age, 282; in each registration state, 285; according to sex, 282; in cities and rural districts, 274.
Suicide, death rates, by registration areas, 70, 72, 166; by cities and rural districts, 190; number of deaths, 70, 166; according to age, 282; in each registration state, 285; in specified cities, 306; according to sex, 282; in each registration area, 234; in cities and rural districts, 274.
Summary and rate tables, 14.
Sunstroke. *See* Heat and sunstroke.
Sweden, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31.
Switzerland, birth rates, 10; death rates, all causes, 10, 16; typhoid fever, 21; measles, 27; scarlet fever, 28; whooping cough, 29; diphtheria and croup, 31; tuberculosis of lungs, 36; cancer, 39.
Syphilis, death rates, by cities and rural districts, 172; number of deaths, in cities and rural districts, 270. *See also* Venereal diseases.
Syracuse, N. Y., number of deaths, from certain causes, by age, 345. *See also* Registration cities.

Tables, summary and rate, outline of, 14; general, 14.
Tetanus, death rates, by registration areas, 68, 161; by cities and rural districts, 176; number of deaths, 68, 161; in cities and rural districts, 270; according to age, by sex, 278; in each registration state, 284; in specified cities, 306.
Thrombosis. *See* Embolism and thrombosis.
Thyroid body, diseases of, death rates, by registration areas, 69, 162; by cities and rural districts, 180; number of deaths, 69,162; in cities and rural districts, 272; according to age, by sex, 278; in each registration state, 284.
Toledo, Ohio, number of deaths, from certain causes, by age, 346. *See also* Registration cities.
Tonsilitis, death rates, by registration areas, 69, 163; by cities and rural districts, 180; number of deaths, 69, 163; in cities and rural districts, 272; according to age, by sex, 280; in each registration state, 285; in specified cities, 306.
Trichinosis. *See* Actinomycosis, trichinosis, etc.
Tuberculosis (all forms), death rates, 36; by registration areas, 68, 72, 159; by cities and rural districts, 170; number of deaths, 36, 68, 159; in each registration area, 234; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Tuberculosis of lungs, death rates, fluctuating, 20; international comparisons, 36; by registration areas, 36, 68, 72, 159; by cities and rural districts, 170; number of deaths, 35, 68, 159; according to age, 38, 276; in each registration state, 284; in specified cities, 306; according to sex, 38, 276; in each registration area, 234; in cities and rural districts, 270.
Tubes, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 186; number of deaths, 69, 164; in cities and rural districts, 272; according to age, 280; in each registration state, 285.
Tumor, death rates, by registration areas, 68, 72, 160; by cities and rural districts. 174; number of deaths, 68, 160; in each registration area, 234; in cities and rural districts, 270; according to age, by sex, 276; in each registration state, 284; in specified cities, 306.
Typhoid fever, death rates, fluctuating, 20; international comparisons, 21; original and corrected statements compared, 22; by registration areas, 21, 22, 68, 72, 152; by cities and rural districts, 168; number of deaths, 68, 158; according to age, 24, 276; in each registration state, 284; in specified cities, 306; according to sex, 24, 276, in each registration area, 234; in cities and rural districts, 270.

Ulcer of stomach, death rates, by cities and rural districts, 182; number of deaths, according to age, 280; in each registration state, 285; according to sex, 280; in cities and rural districts, 272.
Urban mortality, comparison with rural, 16.
Urethra, diseases of, death rates, by cities and rural districts, 184; number of deaths in cities and rural districts, 272. *See also* Genito-urinary system.
Uterine tumor, death rates, by registration areas, 164; by cities and rural districts, 184; number of deaths, 164; according to age, 280; in each registration state, 285; in specified cities, 306; in cities and rural districts, 272.
Uterus, diseases of, death rates, by registration areas, 69, 164; by cities and rural districts, 184; number of deaths, 69, 164; according to age, 280; in each registration state, 285.

Vehicles and horses, injuries by, death rates, by registration areas, 167; by cities and rural districts, 192; number of deaths, 167; according to age, 282; in each registration state, 285; by sex, 282; in cities and rural districts, 274.
Veins, diseases of, death rates, by registration areas, 69, 161; by cities and rural districts, 178; number of deaths, 69, 161; according to age, 278; in each registration state, 284; according to sex, 278; in cities and rural districts, 272.
Venereal diseases, death rates, by registration areas, 38, 68, 159; number of deaths, 38, 68, 159; according to age, 38, 276; in each registration state, 284; in specified cities, 306; according to sex, 38, 276.
Vermont, death rates, by cities and rural districts, 168; number of deaths, according to age, by sex, color, and nativity, 268; by certain causes, 304; in cities and rural districts, 270. *See also* Registration states.
Vermont rural, death rates, by certain causes, 154; number of deaths, by color, nativity, and month, 214; by age, 232; by certain causes, 250. *See also* Rural part of registration states.
Violence, deaths from, death rates, fluctuating, 19; by registration areas, 57, 70, 72, 166; by cities and rural districts, 190; number of deaths, 57, 70, 166; according to age, 57, 282; in each registration state, 285; in specified cities, 306; according to sex, 57, 282; in each registration area, 234; in cities and rural districts, 274.

Wales. *See* England and Wales.
White swelling, death rates, 36; by registration areas, 159; by cities and rural districts, 172; number of deaths, 35, 159; according to age, 276; in each registration state, 284; in specified cities, 306; according to sex, 276; in cities and rural districts, 270.
Whites, number of deaths in registration areas, by sex and age, 252.
Whooping cough, death rates, fluctuating, 20; international comparisons, 29; by registration areas, 29, 68, 72, 158; by cities and rural districts, 168; number of deaths, 30, 68, 158; according to age, 30, 276; in each registration state, 284; in specified cities, 306; according to sex, 30, 276; in each registration area, 234; in cities and rural districts, 270.
Worcester, Mass., number of deaths, from certain causes, by age, 347. *See also* Registration cities.

Yellow fever, epidemic of, 35; death rates, by registration areas, 34, 68; by cities and rural districts, 170; number of deaths, 34, 68; in cities and rural districts, 270.

O