

DEPARTMENT OF COMMERCE

BUREAU OF THE CENSUS

WM. J. HARRIS, DIRECTOR

MORTALITY STATISTICS

1910

ELEVENTH ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF CRESSY L. WILBUR, M. D.,
CHIEF STATISTICIAN FOR VITAL STATISTICS



WASHINGTON
GOVERNMENT PRINTING OFFICE
1913

CONTENTS.

	Page.
INTRODUCTION	9-11
Scope of this report	9
Extent of the registration area: 1910	10
Growth of the registration area: 1880 to 1910	10
SUMMARY OF RESULTS	11-19
Average and median ages at death from various causes	11
Deaths, by color and nativity	13
Death rates of the registration area and its subdivisions	15
Death rates of foreign countries and cities	16
Death rates of areas with considerable colored population	16
CAUSES OF DEATH	21-63
Important causes of death in 1910	22
Changes in the detailed International List	23
Typhoid fever	23
Malaria	27
Smallpox	30
Measles	31
Scarlet fever	34
Whooping cough	37
Diphtheria	41
Influenza	44
Other epidemic diseases	45
Pellagra	45
Tuberculosis	46
Tuberculosis of the lungs	50
Cancer	51
Acute anterior poliomyelitis (infantile paralysis)	53
Organic diseases of the heart	54
Pneumonia	55
Diarrhea and enteritis	58
Nephritis and Bright's disease	61
Suicide	62
Violent deaths (excluding suicide)	62

SUMMARY AND RATE TABLES.

Table I.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in the registration area and its subdivisions: 1910	67
Table II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes according to the detailed International List, for the registration area: 1900 to 1910	82
Table III.—Death rates per 100,000 population in the registration area and its subdivisions, by color and cause of death: 1910	88
Table IV.—Deaths (exclusive of stillbirths), with death rates per 100,000 population, in the registration area and its main subdivisions, from each cause and class of causes: 1910	138
Table V.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1910	142

GENERAL TABLES.

Table 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by month of death: 1910	161
Table 2.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color, general nativity, and parent nativity of decedent: 1910	181
Table 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1910	204
Table 4.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1910	252
Table 5.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and each registration state, by age and by sex, color, general nativity, and parent nativity of decedent: 1910	304
Table 6.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1910	332
Table 7.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1910	348
Table 8.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age: 1910	360

	Page.
Table 9.—Deaths (exclusive of stillbirths) in each city having 100,000 population or over in 1910, by causes of death (abridged International List) and by age: 1910.....	455
Table 10.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1910.....	502
Table 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1910	533
Table 12.—Deaths (exclusive of stillbirths) of white persons in the registration area, its main subdivisions, registration states, and cities of 250,000 population and over, by country of birth and age periods: 1910.....	575
Table 13.—Deaths (exclusive of stillbirths) of white persons in the registration area, by country of birth, sex, and age periods, from certain causes: 1910	586
Table 14.—Deaths (exclusive of stillbirths) classified according to sex and according to color, nativity, and parent nativity of decedent, by single years of age at last birthday, for the original registration states: 1910	598

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., July 15, 1913.

SIR:

I have the honor to transmit the annual report on mortality statistics, relating to deaths in the registration area of the United States, for the year 1910. This area, in which the registration of deaths by state authorities or, in some instances, by means of municipal ordinances, is sufficiently complete to justify transcription of the original records and compilation by the Bureau of the Census, embraced, for the calendar year 1910, 58.3 per cent of the population and 33.6 per cent of the land area of the United States. The number of deaths registered and returned was 805,412, and the death rate per 1,000 population estimated as of July 1, 1910, was 15, a slight increase over the rates shown for 1909 (14.4) and 1908 (14.8) but lower than the rates for any previous year since the beginning of the series of annual reports in 1900.

The present report, like the previous annual reports, presents general death rates. Standardized or corrected rates, and also life tables and statistics of occupational mortality, will be shown in subsequent publications, for the preparation of which data of population in detailed form are necessary. The report was prepared, in accordance with plans approved by my predecessor, Hon. E. Dana Durand, under the direction of Dr. Cressy L. Wilbur, chief statistician for vital statistics of this bureau.

Respectfully,



Director of the Census.

HON. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS
1910

MORTALITY STATISTICS.

INTRODUCTION.

The present report is the eleventh of the series of annual reports presenting mortality statistics for the registration area of the United States, the first of which was for the calendar year 1900. It should be noted that the report for the calendar year 1900 is not identical with the report for the census year ending May 31, 1900, which was the last of the series of decennial reports on mortality statistics.

SCOPE OF THIS REPORT.

The report for 1910 is of special importance because the mortality statistics for the year may be compared directly with the statistics of population as enumerated at the Thirteenth Census. The population data, however, are not yet available in full detail, and it is not feasible to present in this volume comparisons of the mortality with respect to color, general nativity, nationality, and occupation of decedents, by sex and age, for all causes and for the various important causes of death. The report should be regarded as a continuation of the series of annual reports in which only general or crude death rates were presented. The presentation of the data in fuller detail and the final comparison of the mortality statistics with population by means of specific death rates, corrected rates, and life tables, together with the analysis of occupational mortality, will form the subject of another volume, the preparation of which has already begun.

In previous volumes of the series of annual reports it has been customary to include death rates for several years preceding the year of the report in order to show the tendency of the mortality from all causes and from individual causes of death, but as the tenth annual report on mortality statistics for 1909 has only recently been issued and is available for reference to all who may desire to study the course of mortality statistics during the past decade. It contains the general death rates for each of the years from 1900 to 1909, revised after the general results of the enumeration of population at the Thirteenth Census for 1910 were known, and it does not seem necessary to repeat the rates in the summary tables of the present report.

In the text tables rates are given in many instances for each of the three years preceding 1910 and also annual averages for the quinquennial periods 1901 to 1905 and 1906 to 1910. By means of the latter, which are directly comparable with the periods given in the International statistics presented by the Registrar-General of England and Wales, the general tendency

of mortality from all causes and from specified causes may be comprehended and comparisons may readily be made with the changes in foreign countries.

It need hardly be said that caution should always be exercised in basing deductions upon the comparison of crude death rates. The crude or general death rate is the result of the comparison of the total number of deaths with the total population, making no allowance for peculiarities of distribution of population by age, sex, color, nativity, or other characteristics which may have a marked influence upon the general mortality. For example, a population in which recent immigration has caused an excessive preponderance of the more healthful ages would normally have a lower mortality, even with the same death rate at each period of age, than a population in which the ordinary proportions of young children and elderly persons were to be found. Furthermore, all the mortality statistics in this and preceding reports of the Census Bureau are based on the total number of deaths that occurred in a given area. In many places, especially in those which are resorted to by persons suffering from tuberculosis, there is a large proportion of deaths of nonresidents or of persons who have been residents only a comparatively short time. It has not yet proved feasible to eliminate such deaths from the figures for the areas in which they occurred or to provide a rule by which they may be distributed, to some extent, to the places in which the diseases originated. The rule requiring compilation of deaths as of the actual place of death appears to be the only definite principle that can be followed at present, although a committee of the American Public Health Association is now dealing with the question. If it shall appear feasible to present in later reports an alternative statement of the number of deaths and of death rates, exclusive of nonresidents, persons dying in institutions, etc., it is evident that the rules for such exclusion must be followed with uniformity and that some provision must be made, as in the similar rules only recently put in force in England and Wales, whereby the deaths deducted from the areas to which they do not properly belong may be added to the areas in which the causes originated. In this country, owing to the large extent of nonregistration territory, many deaths would be lost entirely to compilation if they were not reported, at least as a preliminary statement, in the places where they actually occurred.

EXTENT OF THE REGISTRATION AREA: 1910.

In the statistics of deaths presented in the bulletin and annual registration report are included only deaths returned from the portion of the United States known as the "registration area." This area comprises certain states in which the registration laws are of suitable character and are sufficiently well enforced to insure at least approximately complete returns. It includes also certain cities in nonregistration states in which deaths are registered under effective local ordinances.

Returns of deaths for the year 1910, as compiled in the present report, were received from the following states:

California.	Montana.	Ohio.
Colorado.	New Hampshire.	Pennsylvania.
Connecticut.	New Jersey.	Rhode Island.
Indiana.	New York.	Utah.
Maine.	North Carolina (municipalities of 1,000 population or over in 1900).	Vermont.
Maryland.		Washington.
Massachusetts.		Wisconsin.
Michigan.		
Minnesota.		

In addition, returns were received as heretofore from the District of Columbia (city of Washington), which is included as a state in the group designated "registration states," but otherwise is treated as a city. The registration area comprised also the following 43 cities in nonregistration states:

Alabama:	Kansas:	South Carolina:
Birmingham.	Kansas City.	Charleston.
Mobile.	Leavenworth.	Tennessee:
Montgomery.	Wichita.	Knoxville.
Delaware:	Kentucky:	Memphis.
Wilmington.	Covington.	Nashville.
Florida:	Louisville.	Texas:
Jacksonville.	Newport.	Galveston.
Key West.	Paducah.	San Antonio.
Georgia:	Louisiana:	Virginia:
Atlanta.	New Orleans.	Alexandria.
Savannah.	Missouri:	Danville.
Illinois:	Kansas City.	Lynchburg.
Aurora.	St. Joseph.	Norfolk.
Belleville.	St. Louis.	Petersburg.
Chicago.	Nebraska:	Richmond.
Decatur.	Lincoln.	West Virginia:
Evanston.	Omaha.	Wheeling.
Jacksonville.	Oregon:	
Quincy.	Portland.	
Springfield.		

The returns from North Carolina are of peculiar interest because they represent what may prove to be the beginning of effective state registration in the South.¹ For 1910 they comprise only returns from municipalities (cities, towns, and villages) having a population of 1,000 or over according to the census of 1900. The law under which these returns were made, which was approved March 6, 1909, is a general state law, with all the essential requirements of the model or standard law, providing for the registration by uniform methods of all deaths that occur in such

¹ This anticipation has been fulfilled, a general law for the registration of births and deaths throughout the state having been passed in 1913.

municipalities. The uniform administration and enforcement of the law are made the duty of the state board of health. The standard certificate is required, permits for the interment or removal of bodies must be issued by the local registrar of each municipality, and returns of all original certificates must be made by each local registrar to the secretary of the state board of health by the fifth day of the month following their receipt. Penalties for the violation of the law are prescribed, and the mayor of each city or town is made responsible for its enforcement in his jurisdiction. This system marks a distinct advance over that of registration under independent city ordinances, which is usually employed in registration cities of nonregistration states. By a later act the law has been extended to apply to all municipalities with a population of 500 or over.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1910.

The following table shows the increase of the registration area for deaths from the date of its establishment at the Tenth Census (1880):

YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
	Popu- lation.	Land area in square miles.	Population.		Land area.	
			Number.	Per cent.	Square miles.	Per cent.
Census year 1879-1880 ¹ ..	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6
Census year 1889-1890 ¹ ..	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
Census year 1899-1900 ¹ ..	75,994,575	2,974,159	28,807,269	37.9	176,878	5.9
Calendar year 1900.....			30,765,618	40.5	212,621	7.1
Calendar year 1901.....	77,747,402	2,974,159	31,370,952	40.8	212,770	7.2
Calendar year 1902.....	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1903.....	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1904.....	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1905.....	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1906.....	85,837,372	2,974,159	41,983,419	48.9	608,066	20.3
Calendar year 1907.....	87,455,366	2,974,159	43,016,990	49.2	608,151	20.3
Calendar year 1908.....	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1909.....	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1910.....	92,309,348	2,973,890	53,843,896	58.3	997,978	33.6

¹ Ending May 31.

The registration area, when first established at the Tenth Census (1880), included only two states—Massachusetts and New Jersey—the District of Columbia, and certain cities in other states. For this area returns based upon the state or municipal registration of deaths were used and not the returns obtained by enumeration at the time of the taking of the census of population. The population included was only about one-sixth (17 per cent) of the total population of the United States and the land area of the country represented was much less (six-tenths of 1 per cent).

With the improvement of registration laws and the greater attention given to vital statistics, the number of registration states increased until for the census year 1900, the last year in which an effort was made to obtain reports of deaths by enumeration, there were included Connecticut, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York,

Rhode Island, and Vermont, which, together with the District of Columbia (city of Washington) and certain cities in nonregistration states, comprised 37.9 per cent of the total population and 5.9 per cent of the land area of the country.

Beginning with the calendar year 1900, annual reports have been published and the registration area has been increased from time to time. For the calendar year 1900, the year covered by the first of the series of annual reports, the state of Indiana was added. California, Colorado, Maryland, Pennsylvania, and South Dakota were added for 1906; Washington and Wisconsin for 1908; and Ohio for 1909. For 1910 Minnesota, Montana, and Utah were added, while South Dakota was excluded because of incomplete returns. The estimated population of the entire registration area in 1910 was nearly three-fifths (58.3 per cent) of the total population and the land area embraced more than one-third (33.6 per cent) of the total land area of the United States. The increase in the land area from 1900 to 1910 is much larger in proportion than the increase in population. This was due to the inclusion of several comparatively sparsely populated Western states. The difficulty

of extending adequate registration methods over nearly two-thirds of the land area of the United States suggests the possibility and perhaps the necessity of more effective cooperation of the Federal Government with the authorities of the sparsely settled states now remaining outside the registration area, to the end that the registration of vital statistics shall be thorough and effective for the entire country.

The population figures in the preceding table are as of date of the census (June 1) for the census years ending in 1880, 1890, and 1900, and also for the calendar year 1900. The population for the year 1910 is reduced to a midyear basis (July 1), while for the years 1901 to 1909 the figures are on an approximate midyear basis, as shown in Table I of the report for 1909. In the case of states and cities which took no interdecennial census, the population for the years 1901 to 1909 was estimated as of July 1; while for those that took censuses in either 1904 or 1905, the midyear estimates were computed only for years following the date of the last census prior to 1910. In the aggregate, therefore, the figures may be regarded as representing approximate but not absolute midyear populations.

SUMMARY OF RESULTS.

AVERAGE AND MEDIAN AGES AT DEATH FROM VARIOUS CAUSES.

The following table presents a comparison of the average and median ages at death, by sex, for each of the groups and individual causes of death shown in the International List.

The average age at death from a given cause is the quotient obtained by dividing the aggregate number of years lived by decedents from that cause by the number of such decedents. The median age is that

age which for any particular cause divides the total number of decedents from that cause into two equal groups, one-half being under and one-half over the median. With fairly uniform age distributions the average and the median ages are nearly or quite identical, but with unusual preponderance of deaths at the extremes of life the median age may differ considerably from the average age, as for example bronchopneumonia (average age, 19.7 years; median age, 1.5 years).

International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910						International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910									
		Average age at death, in years.			Median age at death, in years.					Average age at death, in years.			Median age at death, in years.						
		Total.	Male.	Female.	Total.	Male.	Female.			Total.	Male.	Female.	Total.	Male.	Female.				
	All causes ¹	38.7	38.1	39.4	40.6	40.2	41.1												
	I.—General diseases.....	36.5	36.1	36.9	35.9	36.0	35.8		I.—General diseases—Contd.										
1	Typhoid fever.....	29.0	30.0	27.6	26.2	27.5	23.8	20	Purulent infection and septicemia.....	37.6	39.4	34.8	38.7	42.2	32.4				
2	Typhus fever.....	25.0	32.5	17.5	20.0	32.5	17.5	21	Glanders.....	35.4	35.4	—	35.8	35.8	—				
3	Relapsing fever.....	7.5	—	7.5	7.5	—	7.5	22	Anthrax.....	43.8	41.3	59.2	48.3	46.3	62.5				
4	Malaria.....	36.2	37.7	34.5	33.8	36.6	30.9	23	Rabies.....	23.7	27.0	14.8	14.4	17.5	9.4				
5	Smallpox.....	25.1	24.8	25.6	24.7	24.4	24.8	24	Tetanus.....	18.7	19.7	16.3	11.4	13.2	5.1				
6	Measles.....	5.0	4.1	6.1	1.9	1.8	2.0	25	Mycoses.....	48.0	50.7	42.0	47.1	49.0	40.0				
7	Scarlet fever.....	6.9	6.5	7.4	4.5	4.3	4.7	26	Pellagra.....	41.9	42.5	41.6	40.3	43.6	39.4				
8	Whooping cough.....	1.7	1.5	1.8	(2)	(2)	(2)	27	Beriberi.....	32.0	34.4	22.5	27.5	30.0	22.5				
9	Diphtheria and croup.....	6.0	5.7	6.3	3.8	3.6	4.1	28	Tuberculosis (total).....	34.4	36.1	32.2	32.8	35.3	29.8				
10	Influenza.....	56.9	54.3	59.1	66.7	64.3	68.3	29	Tuberculosis of the lungs.....	36.5	38.1	34.3	34.2	36.6	31.2				
11	Miliary fever.....	—	—	—	—	—	—	30	Acute miliary tuberculosis.....	27.9	29.9	25.4	26.5	28.2	23.7				
12	Asiatic cholera.....	—	—	—	—	—	—	31	Tuberculous meningitis.....	8.9	9.4	8.4	2.9	2.8	3.0				
13	Cholera nostras.....	46.4	43.5	49.7	58.7	54.0	63.1	32	Abdominal tuberculosis.....	31.6	31.6	31.5	30.2	31.2	29.5				
14	Dysentery.....	40.9	37.2	44.6	49.1	38.7	59.4	33	Pott's disease.....	28.7	28.7	28.6	25.6	25.5	25.8				
15	Plague.....	32.5	32.5	—	32.5	32.5	—	34	White swellings.....	32.1	32.9	30.5	23.5	30.4	24.3				
16	Yellow fever.....	—	—	—	—	—	—	35	Tuberculosis of other organs.....	32.8	32.6	33.0	31.2	31.7	30.2				
17	Erysipelas.....	39.5	41.7	36.3	45.0	47.5	35.0	36	Disseminated tuberculosis.....	30.6	31.0	30.1	28.8	30.0	27.7				
18	Erysipelas.....	38.3	41.0	34.7	43.3	46.3	34.9	37	Ricketts.....	5.2	3.3	7.3	(2)	(2)	(2)				
19	Other causes.....	7.5	7.8	7.1	1.8	1.8	1.7	38	Syphilis.....	18.2	20.8	14.4	(2)	2.0	(2)				
									Gonococcus infection.....	15.9	17.5	14.8	(2)	(2)	1.7				

¹ Exclusive of stillbirths.

² Under 1 year.

MORTALITY STATISTICS.

International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910						International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910					
		Average age at death, in years.			Median age at death, in years.					Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.			Total.	Male.	Female.	Total.	Male.	Female.
	I.—General diseases—Contd.								V.—Diseases of the digestive system.....	20.6	19.6	21.7	1.3	1.1	1.4
	Cancer and other malignant tumors (total).....	59.2	60.4	58.4	60.3	62.0	58.9	99	Diseases of the mouth and annexa.....	10.2	9.8	10.6	(1)	(1)	(1)
39	Of the buccal cavity.....	63.1	63.0	63.8	64.2	63.6	67.5	100	Diseases of the pharynx.....	24.1	23.8	24.5	12.6	13.5	11.8
40	Of the stomach and liver.....	61.2	61.0	61.4	62.1	61.9	62.3	101	Diseases of the esophagus.....	54.0	55.3	52.4	61.2	59.7	62.9
41	Of the peritoneum, intestines, rectum.....	59.2	58.8	59.5	60.6	60.3	60.8	102	Ulcer of the stomach.....	49.5	49.9	49.0	50.2	50.3	50.1
42	Of the female genital organs.....	53.8	53.8	53.1	53.1	103	Other diseases of the stomach (cancer excepted).....	36.3	33.8	38.7	37.7	31.7	42.2
43	Of the breast.....	58.3	58.3	57.2	57.2	104	Diarrhea and enteritis (under 2 years).....	0.5	0.5	0.5	(1)	(1)	(1)
44	Of the skin.....	68.0	67.0	70.0	70.9	69.6	73.4	105	Diarrhea and enteritis (2 years and over).....	41.2	37.7	44.2	46.2	36.2	52.6
45	Of other organs or of organs not specified.....	56.9	57.7	55.8	59.7	60.8	57.9	106	Ankylostomiasis.....	13.8	15.1	12.3	11.3	13.8	2.5
46	Other tumors (tumors of the female genital organs excepted).....	53.1	50.3	54.0	55.0	56.5	54.5	107	Intestinal parasites.....	10.1	10.4	9.9	4.0	4.7	3.6
47	Acute articular rheumatism.....	39.4	38.9	39.9	38.0	38.4	37.7	108	Appendicitis and typhlitis.....	29.6	30.1	28.9	26.1	27.0	24.9
48	Chronic rheumatism and gout.....	63.8	62.6	64.5	67.0	64.9	67.8	109	Hernia, intestinal obstruction (total).....	44.7	42.1	47.3	50.8	48.2	52.7
49	Scurvy.....	7.8	7.8	7.8	(1)	(1)	(1)	110	Hernia.....	55.5	52.8	58.3	59.9	59.3	60.3
50	Diabetes.....	54.1	52.9	55.2	58.6	57.3	59.6	111	Intestinal obstruction.....	39.4	36.5	42.2	42.5	38.3	45.9
51	Exophthalmic goiter.....	43.0	42.8	43.0	42.6	43.8	42.5	112	Other diseases of the intestines.....	40.6	40.1	41.0	43.5	45.0	42.6
52	Addison's disease.....	46.9	46.2	47.6	47.1	46.9	47.3	113	Acute yellow atrophy of the liver.....	41.0	44.6	38.8	37.6	46.1	35.6
53	Leukemia.....	37.4	36.9	38.3	37.9	37.7	38.5	114	Hydatid tumor of the liver.....	40.2	37.8	52.5	41.7	40.0	60.0
54	Anemia, chlorosis.....	46.6	46.8	46.4	51.7	53.0	50.6	115	Cirrhosis of the liver.....	55.5	55.3	56.0	55.8	55.4	56.7
55	Other general diseases.....	22.1	20.8	23.4	5.8	4.8	7.3	116	Biliary calculi.....	58.1	59.3	57.6	58.5	59.5	58.1
56	Alcoholism (acute or chronic).....	45.8	46.3	41.8	44.3	44.9	40.4	117	Other diseases of the liver.....	51.4	48.8	53.7	55.0	52.3	58.0
57	Chronic lead poisoning.....	46.9	46.6	50.0	46.6	46.4	50.0	118	Diseases of the spleen.....	46.2	44.6	48.0	46.3	41.9	52.5
58	Other chronic occupation poisonings.....	34.2	34.2	35.0	35.0	119	Simple peritonitis (nonpuerperal).....	33.6	34.0	33.3	31.3	31.7	31.2
59	Other chronic poisonings.....	52.6	52.2	53.1	52.8	52.5	53.1	120	Other diseases of the digestive system (cancer and tuberculosis excepted).....	44.3	43.9	44.8	45.4	45.6	45.
	II.—Diseases of the nervous system and of the organs of special sense.....	51.5	50.3	53.0	60.6	58.9	62.5		VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	56.7	58.7	54.1	60.2	62.4	56.5
60	Encephalitis.....	28.4	29.4	26.7	25.1	27.1	21.9	121	Acute nephritis.....	39.5	39.9	38.9	40.6	41.9	39.1
61	Meningitis (total).....	11.5	11.9	11.0	2.6	2.6	2.6	122	Bright's disease.....	59.0	59.5	58.4	61.8	62.1	61.4
	Simple meningitis.....	12.2	12.5	11.8	2.4	2.4	2.5	123	Chyluria.....	72.5	72.5	72.5	72.5
	Cerebrospinal meningitis (undefined).....	9.8	10.4	9.1	2.8	2.9	2.7	124	Other diseases of the kidneys and annexa.....	49.1	52.1	44.7	53.6	58.0	47.1
	Cerebrospinal fever.....	11.4	11.2	11.8	5.0	5.1	4.8	125	Calculi of the urinary passages.....	54.1	55.8	49.4	57.5	59.7	51.3
62	Locomotor ataxia.....	56.4	56.4	56.2	56.8	56.5	57.6	126	Diseases of the bladder.....	70.3	70.8	67.4	75.1	75.4	72.8
63	Other diseases of the spinal cord (total).....	38.5	38.7	38.3	44.1	43.8	44.6	127	Diseases of the urethra, urinary abscess, etc.....	51.7	51.8	49.8	51.7	51.8	50.0
	Acute anterior poliomyelitis.....	7.4	7.6	7.2	3.4	3.4	3.4	128	Diseases of the prostate.....	73.9	73.9	74.6	74.6
	Other diseases of the spinal cord.....	55.7	55.6	55.9	60.2	59.7	60.6	129	Nonvenereal diseases of the male genital organs.....	30.6	30.6	22.5	22.5
64	Cerebral hemorrhage, apoplexy.....	65.5	64.7	66.3	68.2	67.5	69.0	130	Uterine hemorrhage (nonpuerperal).....	36.0	36.0	36.0	35.2	35.2
65	Softening of the brain.....	69.0	68.6	69.5	71.8	71.5	72.1	131	Uterine tumor (noncancerous).....	48.4	48.4	46.4	46.4	46.4
66	Paralysis without specified cause.....	67.6	66.5	68.6	70.7	69.8	71.6	132	Other diseases of the uterus.....	39.0	39.0	39.0	37.2	37.2
67	General paralysis of the insane.....	51.0	49.6	55.4	48.5	47.6	53.0	133	Cysts and other tumors of the ovary.....	49.0	49.0	49.0	47.1	47.1
68	Other forms of mental alienation.....	56.4	57.2	55.5	57.0	59.0	54.8	134	Salpingitis and other diseases of the female genital organs.....	32.8	32.8	31.9	31.9	31.9
69	Epilepsy.....	36.9	36.9	36.9	35.2	35.8	34.4	135	Nonpuerperal diseases of the breast (cancer excepted).....	43.6	0.4	46.6	44.4	(1)	46.3
70	Convulsions (nonpuerperal).....	26.5	26.5	26.5	23.4	16.3	24.5	136	VII.—The puerperal state.....	29.8	29.8	29.4	29.4	29.4
71	Convulsions of infants.....	0.6	0.6	0.6	(1)	(1)	(1)	137	Accidents of pregnancy.....	30.9	30.9	30.7	30.7	30.7
72	Chorea.....	21.7	21.3	22.1	16.8	16.9	16.7	138	Puerperal hemorrhage.....	32.1	32.1	32.2	32.2	32.2
73	Neuralgia and neuritis.....	55.0	55.1	54.9	54.6	54.9	54.3	139	Other accidents of labor.....	31.4	31.4	31.4	31.4	31.4
74	Other diseases of the nervous system.....	42.3	41.0	43.5	44.2	43.6	44.7	140	Puerperal septicemia.....	27.6	27.6	28.4	28.4	28.4
75	Diseases of the eyes and their annexa.....	33.8	26.8	39.8	27.5	22.5	30.0	141	Puerperal albuminuria and convulsions.....	29.3	29.3	28.7	28.7	28.7
76	Diseases of the ears.....	19.6	19.5	19.9	9.5	10.1	8.8	142	Puerperal phlegmasia alba dolens, embolus, sudden death.....	31.1	31.1	30.9	30.9	30.9
	III.—Diseases of the circulatory system.....	60.6	60.7	60.5	65.4	65.2	65.7	143	Following childbirth (not otherwise defined).....	28.5	28.5	28.3	28.3	28.3
77	Pericarditis.....	48.9	49.2	48.5	52.5	52.6	52.3	144	Puerperal diseases of the breast.....	28.5	28.5	28.8	28.8	28.8
78	Acute endocarditis.....	41.6	42.8	40.2	44.5	45.8	42.6	145	VIII.—Diseases of the skin and of the cellular tissue.....	54.8	54.5	55.2	66.6	65.9	67.8
79	Organic diseases of the heart.....	60.4	60.4	60.4	65.1	64.9	65.3	146	Gangrene.....	69.7	69.4	70.0	74.8	74.5	75.1
80	Angina pectoris.....	63.4	63.5	63.3	65.4	65.0	66.2	147	Furuncle.....	45.1	47.3	39.7	52.0	53.1	48.8
81	Diseases of the arteries, atheroma, aneurism, etc.....	72.4	71.1	74.4	74.5	73.3	76.2	148	Acute abscess.....	31.8	32.7	30.4	30.7	33.8	24.1
82	Embolism and thrombosis.....	55.1	54.9	55.3	58.9	59.3	58.4	149	Other diseases of the skin and annexa.....	30.5	27.4	33.2	4.8	(1)	28.1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	54.8	52.9	56.0	56.4	53.8	57.9		IX.—Diseases of the bones and of the organs of locomotion.....	32.3	32.8	31.5	28.5	30.5	26.1
84	Diseases of the lymphatic system (lymphangitis, etc.).....	15.7	16.5	14.4	1.4	2.1	(1)	146	Diseases of the bones (tuberculosis excepted).....	30.3	31.2	28.9	25.4	27.4	21.3
85	Hemorrhage, other diseases of the circulatory system.....	29.8	29.3	30.4	25.5	30.2	24.4	147	Diseases of the joints (tuberculosis and rheumatism excepted).....	42.6	41.0	44.9	41.8	40.3	50.0
	IV.—Diseases of the respiratory system.....	34.5	32.8	36.6	33.6	31.9	36.2	148	Amputations.....	58.9	61.5	52.5	61.3	62.5	45.0
86	Diseases of the nasal fossae.....	25.0	17.3	33.3	2.9	1.5	9.4	149	Other diseases of the organs of locomotion.....	52.3	49.3	58.0	56.7	48.3	60.0
87	Diseases of the larynx.....	14.9	15.0	14.8	3.5	3.3	3.8		X.—Malformations.....	0.7	0.7	0.7	(1)	(1)	(1)
88	Diseases of the thyroid body.....	44.9	41.1	45.7	46.0	46.7	45.9	15	Congenital malformations (stillbirths not included) (total).....	0.7	0.7	0.7	(1)	(1)	(1)
89	Acute bronchitis.....	17.2	12.9	21.6	(1)	(1)	(1)		Hydrocephalus.....	1.7	2.0	1.1	(1)	(1)	(1)
90	Chronic bronchitis.....	66.8	64.8	68.5	73.0	71.3	74.2		Congenital malformations of the heart.....	0.6	0.6	(1)	(1)	(1)
91	Bronchopneumonia.....	19.7	16.5	23.0	1.5	1.3	1.8		Other congenital malformations.....	0.5	(1)	(1)	(1)
92	Pneumonia (total).....	39.0	37.8	40.5	42.3	41.1	44.9								
	Lobar pneumonia.....	41.4	40.5	42.7	44.8	43.5	47.5								
	Pneumonia (undefined).....	36.9	35.3	38.7	38.8	37.1	41.6								
93	Pleurisy.....	40.9	40.7	41.2	42.6	42.5	42.8								
94	Pulmonary congestion, pulmonary apoplexy.....	46.4	42.9	50.1	59.2	51.1	65.4								
95	Gangrene of the lung.....	48.6	51.3	40.7	51.3	53.7	41.3								
96	Asthma.....	62.3	61.8	62.9	66.1	64.7	67.2								
97	Pulmonary emphysema.....	55.0	52.7	58.5	60.9	58.2	66.6								
98	Other diseases of the respiratory system (tuberculosis excepted).....	44.8	45.0	44.4	48.1	48.3	46.9								

¹ Under 1 year.

² Exclusive of acute anterior poliomyelitis (infantile)

SUMMARY OF RESULTS.

International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910						International List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA: 1910							
		Average age at death, in years.			Median age at death, in years.					Average age at death, in years.			Median age at death, in years.				
		Total.	Male.	Female.	Total.	Male.	Female.			Total.	Male.	Female.	Total.	Male.	Female.		
	XI.—Early infancy.....	0.3	0.3	0.3	(1)	(1)	(1)		XIII.—External causes—Contd.								
151	Congenital debility, icterus, and sclerema (total).....	0.3	0.3	0.3	(1)	(1)	(1)	173	Accidental or undefined—Continued.								
	Premature birth.....	0.3	0.3	0.3	(1)	(1)	(1)		Traumatism in mines and quarries (total).....	33.4	33.4	31.0	31.2	31.2	25.0		
	Congenital debility, "atrophy," "marasmus," etc.....	0.4	0.4	0.4	(1)	(1)	(1)		Traumatism in mines.....	33.3	33.3	31.0	31.2	31.2	25.0		
152	Other causes peculiar to early infancy (total).....	0.3	0.3	0.3	(1)	(1)	(1)	174	Traumatism in quarries.....	34.4	34.4		32.3	32.3			
	Injuries at birth.....	0.3	0.3	0.3	(1)	(1)	(1)		Traumatism by machines.....	34.5	34.6	28.3	32.4	32.6	20.0		
	Other diseases peculiar to early infancy ²	0.3	0.3	0.3	(1)	(1)	(1)	175	Traumatism by other crushing (total).....	37.5	37.7	35.7	36.0	36.1	35.6		
153	Lack of care.....	0.3	0.3	0.3	(1)	(1)	(1)		Railroad accidents and injuries.....	37.7	37.6	39.5	35.5	35.3	40.2		
	XII.—Old age.....	82.8	82.6	83.0	83.0	82.8	83.2		Street-car accidents and injuries.....	38.5	39.1	35.6	38.4	38.6	36.9		
154	Senility.....	82.8	82.6	83.0	83.0	82.8	83.2		Automobile accidents and injuries.....	34.0	35.0	29.9	32.2	33.5	25.3		
	XIII.—External causes.....	37.6	37.0	39.5	35.6	35.5	36.3		Injuries by other vehicles.....	38.3	38.9	34.8	39.3	39.7	34.4		
	Suicide (total).....	43.5	45.0	38.5	42.3	44.4	35.9	176	Landslide, other crushing.....	35.6	36.1	23.8	35.2	35.6	12.5		
155	By poison.....	40.1	43.4	34.1	38.1	42.6	30.6		Injuries by animals.....	39.4	40.2	30.4	40.3	41.1	20.8		
156	By asphyxia.....	45.1	46.4	42.4	44.4	46.0	40.0	177	Starvation.....	42.5	42.7	42.2	52.5	52.5	45.0		
157	By hanging or strangulation.....	49.7	50.5	46.6	50.0	50.9	48.7	178	Excessive cold.....	51.9	51.0	57.5	52.1	50.7	65.0		
158	By drowning.....	45.3	47.6	41.0	44.2	47.5	38.0	179	Effects of heat.....	39.1	39.6	37.9	42.3	42.8	39.7		
159	By firearms.....	42.2	42.9	34.9	40.2	41.2	33.7	180	Lightning.....	33.8	33.1	38.0	31.5	30.8	33.8		
160	By cutting or piercing instruments.....	47.0	46.8	48.8	46.2	45.8	50.0	181	Electricity (lightning excepted).....	29.6	29.8	24.0	27.9	28.0	19.0		
161	By jumping from high places.....	41.1	42.3	38.8	39.7	42.2	36.9	185	Fractures (cause not specified).....	59.5	49.6	74.5	62.9	47.2	79.4		
162	By crushing.....	39.9	39.8	40.2	38.8	39.0	32.5	186	Other external violence.....	28.9	31.6	16.9	28.6	31.5	1.3		
163	Other suicides.....	46.2	46.9	45.2	44.7	44.5	45.0		Homicide (total).....	32.3	33.2	28.8	30.8	31.6	28.0		
	Accidental or undefined (total).....	36.8	35.8	40.4	34.5	34.1	38.5	182	By firearms.....	32.9	33.3	31.0	31.0	31.4	29.0		
164	Poisoning by food.....	21.5	23.2	18.6	9.4	10.6	6.7	183	By cutting or piercing instruments.....	31.9	32.3	29.8	29.8	29.8	29.4		
165	Other acute poisonings.....	25.8	27.9	22.8	24.1	28.3	19.1	184	By other means.....	31.2	33.4	25.6	31.2	33.8	25.8		
166	Conflagration.....	33.9	36.0	30.2	33.1	36.0	25.8		XIV.—Ill-defined diseases.....	22.2	22.4	22.0	(1)	(1)	(1)		
167	Burns (conflagration excepted).....	21.8	18.9	24.0	7.7	4.8	9.1	187	Ill-defined organic disease.....	62.5	61.8	63.3	68.2	67.9	68.4		
168	Absorption of deleterious gases (conflagration excepted).....	42.7	42.5	43.0	41.8	41.7	42.2	188	Sudden death.....	40.2	41.1	38.3	45.9	48.0	42.5		
169	Accidental drowning.....	28.3	29.0	21.6	24.9	25.9	17.3	189	Not specified or ill-defined (total).....	19.6	19.9	19.3	(1)	(1)	(1)		
170	Traumatism by firearms.....	24.8	25.1	22.2	21.2	21.5	19.1		Ill-defined.....	19.8	19.7	19.9	(1)	(1)	(1)		
171	Traumatism by cutting or piercing instruments.....	36.3	36.9	30.3	37.5	39.2	27.5		Not specified or unknown.....	18.5	21.2	15.1	(1)	(1)	(1)		
172	Traumatism by fall.....	53.5	46.8	65.3	56.6	46.7	74.8										

¹ Under 1 year.

² Exclusive of injuries at birth.

The figures given in this table may be compared with the corresponding average and median ages for 1909 and 1908 given in the preceding report. A surprising degree of uniformity will be found as a rule for individual causes. Thus typhoid fever showed an average age at death of exactly 29 years for both 1910 and 1909 and 28.8 years for 1908, while the median age at death was 26.2 years for each of the three years. Malaria showed an average age at death for 1910 of 36.2 years; for 1909, 36; and for 1908, 34.1; the median ages were respectively 33.8, 33.8, and 32. Malaria is a somewhat indefinite term, but the close agreement in the average age at death for successive years may indicate that it is fairly uniform in its inclusion.

DEATHS, BY COLOR AND NATIVITY.

The general character of the deaths returned in the registration area, with respect to color, nativity, and parent nativity, may be seen in the next table.

The proportion of deaths of colored persons, which is only between 6 and 7 per cent of the total number of deaths, is not at all in accordance with the propor-

tion of colored population in the United States, because the registration area at present does not include those states of the South in which the colored population is most largely represented. Hence, as this table indicates, the general death rates shown in this and previous reports relate largely to the white population. For 1910 the proportion of the negro population somewhat increased, owing in part to the addition to the registration area of the municipalities of 1,000 population or over in North Carolina; and the proportion of Indian population decreased, owing to the discontinuance of South Dakota as a registration state.

Some changes have occurred in the proportions of deaths for the various groups with respect to parent nativity, due to increased precision of the returns. In this report may be found for the first time tables showing the country of birth of decedents by age periods (Table 12), and by age periods in relation to important causes of death (Table 13). Analyses of these tables and exact comparisons of the mortality of the native and foreign born can not be made until the population data are available in full detail.

MORTALITY STATISTICS.

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA.							COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA.						
	Annual average.		1907	1908	1909	1910	Annual average.		1907	1908	1909	1910			
	1901 to 1905	1906 to 1910					1901 to 1905						1906 to 1910		
	NUMBER.								DISTRIBUTION PER 1,000.						
Aggregate.....	529,630	714,933	687,034	691,574	732,538	805,412		1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0		
White.....	498,291	668,028	640,971	645,562	686,230	753,303		931.4	934.4	933.0	933.5	936.8	935.3		
Native.....	347,953	481,084	456,194	464,085	497,537	546,507		657.0	672.9	664.0	671.1	679.2	678.5		
Both parents native.....	159,081	242,190	227,301	231,745	252,268	281,837		300.4	338.8	330.8	335.1	344.4	349.9		
One of both parents foreign-born.....	116,882	175,820	164,956	171,637	180,626	201,378		220.7	245.9	240.1	248.2	246.6	250.0		
Parentage unknown.....	47,749	59,808	59,569	56,683	61,058	63,292		90.2	83.7	86.7	82.0	83.4	78.6		
Parentage not stated.....	24,242	3,266	4,368	4,020	3,585		45.8	4.6	6.4	5.8	4.9				
Foreign-born.....	135,292	176,798	174,270	171,834	178,788	196,733		255.4	247.3	253.7	248.5	244.1	244.3		
Unknown.....	10,046	10,146	10,507	9,643	9,905	10,068		19.0	14.2	15.3	13.9	13.5	12.5		
Colored.....	36,339	46,905	46,063	46,012	46,303	52,104		68.6	65.6	67.0	66.5	63.2	64.7		
Negro.....	35,042	44,132	43,302	43,113	43,240	49,499		66.2	61.7	63.0	62.3	59.0	61.5		
Chinese.....	1,036	982	958	984	997	1,055		2.0	1.4	1.4	1.4	1.4	1.3		
Japanese.....	617	683	683	609	636	664		0.9	0.9	1.0	0.9	0.9	0.8		
Indian.....	261	1,173	1,120	1,306	1,435	886		0.5	1.6	1.6	1.9	2.0	1.1		

¹ Exclusive of stillbirths.

² Classified as parentages unknown for 1910.

The total numbers of deaths of Chinese (1,055), Japanese (664), and Indians (886) in the registration area in 1910 are too small to be of significance, hence they are grouped in a single column in Table 2 instead of being stated separately, as in former reports. In the fol-

lowing table, however, the number of deaths of Chinese, Japanese, and Indians in 1910 is shown separately for the main divisions of the registration area, the registration states, and minor areas in which the total number of such deaths during the year was 10 or over.

[The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910.]

REGISTRATION AREA.	DEATHS ¹ IN 1910.			REGISTRATION AREA.	DEATHS ¹ IN 1910.		
	Chinese.	Japanese.	Indian.		Chinese.	Japanese.	Indian.
SUMMARY.				REGISTRATION CITIES—Continued.			
The registration area.....	1,055	664	886	New York, N. Y.....	107	13	2
Registration states ²	963	638	872	Bronx Borough.....	3	2	1
Cities in registration states ²	712	366	75	Brooklyn Borough.....	14	3	1
Rural part of registration states.....	251	272	797	Manhattan Borough.....	89	7	1
Registration cities in other states.....	92	26	14	Queens Borough.....	1		
All registration cities ²	804	392	89	Richmond Borough.....		1	
REGISTRATION STATES.				Portland, Oreg.....	45	15	4
California.....	690	429	155	Philadelphia, Pa.....	22	4	3
Colorado.....	8	37	5	Salt Lake City, Utah.....	4	10	1
Connecticut.....	3	1	1	Seattle, Wash.....	18	48	6
Indiana.....	3	1		RURAL PART OF REGISTRATION STATES.⁵			
Maine.....			4	Alameda County, Cal.....	16	9	3
Maryland.....	4			Butte County, Cal.....	15	2	3
Massachusetts.....	25	2	10	Fresno County, Cal.....	22	20	3
Michigan.....	1		199	Humboldt County, Cal.....			14
Minnesota.....	3	3	38	Lake County, Cal.....			14
Montana.....	16	14	17	Los Angeles County, Cal.....	4	17	2
New Hampshire.....				Monterey County, Cal.....	6	13	1
New Jersey.....	6	2	1	Sacramento County, Cal.....	30	28	3
New York.....	110	13	55	San Joaquin County, Cal.....	17	13	
North Carolina ³				Santa Clara County, Cal.....	9	22	
Ohio.....	1	2	2	Shasta County, Cal.....	1		16
Pennsylvania.....	37	6	9	Tehama County, Cal.....	12		4
Rhode Island.....	5	1	1	Yuba County, Cal.....	15	4	1
Utah.....	7	20	15	Las Animas County, Colo.....		16	
Vermont.....			1	Baraga County, Mich.....			12
Washington.....	33	106	249	Chippewa County, Mich.....			11
Wisconsin.....		1	108	Emmet County, Mich.....			32
REGISTRATION CITIES.⁴				Isabella County, Mich.....			24
Bakersfield, Cal.....	13	4	1	Leelanau County, Mich.....			14
Fresno, Cal.....	14	15		Carlton County, Minn.....			15
Los Angeles, Cal.....	38	62	3	Franklin County, N. Y.....			14
Oakland, Cal.....	72	14		Clallam County, Wash.....			29
Sacramento, Cal.....	22	51		Ferry County, Wash.....			20
San Francisco, Cal.....	232	47		King County, Wash.....		12	9
San Jose, Cal.....	17	10		Mason County, Wash.....			13
Stockton, Cal.....	31	12		Okanogan County, Wash.....		7	32
Chicago, Ill.....	26	7	3	Pierce County, Wash.....		2	14
Boston, Mass.....	20	1		Skagit County, Wash.....		7	17
Buffalo, N. Y.....	3		10	Yakima County, Wash.....		1	54
				Ashland County, Wis.....			29
				Sawyer County, Wis.....			12
				Shawano County, Wis.....			20

¹ Exclusive of stillbirths.

² Including District of Columbia.

³ Including only municipalities having a population of 1,000 or over in 1900.

⁴ Including only those from which 10 or more deaths of Chinese, Japanese, or Indians were reported for 1910.

⁵ Exclusive of municipalities having a population of 10,000 or over in 1910. Including only those from which 10 or more deaths of Chinese, Japanese, or Indians were reported for 1910.

SUMMARY OF RESULTS.

DEATH RATES OF THE REGISTRATION AREA AND ITS SUBDIVISIONS.

The following table shows the death rates in the registration area, its main subdivisions, and also in the individual states and cities of 100,000 population or over for 1910, the three years preceding, and the quinquennial periods 1901 to 1905 and 1906 to 1910.

The death rate of the registration area for the year 1910 (15) was higher than that for 1909 (14.4) or 1908 (14.8), but lower than that for any previous year since the publication of annual reports was begun. Comparison of the two quinquennial periods shows a decrease of 1.1 per 1,000, or 6.8 per cent, from the annual average rate for 1901 to 1905 to that for 1906 to 1910. A general decrease in the mortality is indicated for

each of the main subdivisions in passing from the first to the second quinquennium of the decade. It should be remembered, however, that the constitution of the registration area was not the same in each year of the period. The extension of effective registration has caused the addition from time to time of other states and these additions have necessitated the transfer of the previously included registration cities of such states from the group of "registration cities in other states" to the group of "cities in registration states" and the addition of the rural territory of such states to the area designated "rural part of registration states." For this reason comparison of rates for the area or its subdivisions with the area and subdivisions as previously constituted can be made only in a general way.

AREA.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.					AREA.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.						
	Annual average.		1907	1908	1909		1910	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.													
The registration area.....	16.2	15.1	16.0	14.8	14.4	15.0							
Registration states ²	15.9	15.0	15.9	14.7	14.2	14.7							
Cities in registration states ²	17.4	16.3	17.5	15.9	15.4	15.9							
Rural part of registration states.....	14.1	13.4	14.0	13.3	13.0	13.4							
Registration cities in other states.....	16.6	15.9	16.3	15.4	15.6	16.9							
All registration cities ²	17.0	16.2	17.1	15.7	15.4	16.1							
REGISTRATION STATES.													
California.....	(³)	13.9	14.6	14.1	13.4	13.5							
Colorado.....	(³)	14.3	15.3	14.5	14.2	13.8							
Connecticut.....	15.7	15.6	16.5	14.8	15.0	15.6							
Indiana.....	13.2	13.0	13.0	12.8	12.9	13.5							
Maine.....	15.9	16.2	16.4	15.7	15.6	17.1							
Maryland.....		16.0	16.4	15.8	15.5	16.0							
Massachusetts.....	16.6	16.1	17.0	15.9	15.4	16.1							
Michigan.....	13.3	13.6	13.6	13.4	13.1	14.1							
Minnesota.....	(³)	(⁴)	(³)	(³)	(³)	10.9							
Montana.....	(³)	(⁴)	(³)	(³)	(³)	10.6							
New Hampshire.....	16.6	17.2	17.6	16.8	16.9	17.3							
New Jersey.....	16.1	15.4	16.1	14.8	14.7	15.5							
New York.....	17.1	16.4	17.3	15.9	15.7	16.1							
North Carolina ⁵	(³)	(⁴)	(³)	(³)	(³)	18.7							
Ohio.....	(³)	(⁴)	(³)	(³)	12.9	13.7							
Pennsylvania.....	(³)	15.5	15.9	15.1	14.7	15.6							
Rhode Island.....	17.8	16.7	17.8	15.9	15.6	17.1							
Utah.....	(³)	(⁴)	(³)	(³)	(³)	10.8							
Vermont.....	16.2	16.1	16.2	15.9	15.7	16.0							
Washington.....	(³)	(⁴)	(³)	9.3	9.8	10.0							
Wisconsin.....	(³)	(⁴)	(³)	11.7	11.8	12.0							
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
Birmingham, Ala.....	(³)	(⁴)	(³)	17.8	18.2	19.5							
Los Angeles, Cal.....	16.4	14.8	16.5	13.8	13.7	14.0							
Oakland, Cal.....	13.3	15.4	18.6	14.9	14.2	12.7							
San Francisco, Cal.....	20.3	16.1	16.6	15.5	15.0	15.1							
Denver, Colo.....	17.2	17.5	18.7	18.3	17.0	16.4							
Bridgeport, Conn.....	16.0	15.5	17.2	14.5	14.4	15.2							
New Haven, Conn.....	17.3	17.3	18.1	16.4	16.9	16.5							
Washington, D. C.....	20.5	19.6	20.1	19.1	19.0	19.6							
Atlanta, Ga.....	21.1	19.4	21.4	18.1	17.2	18.9							
Chicago, Ill.....	14.5	14.9	15.7	14.5	14.6	15.1							
Indianapolis, Ind.....	15.4	15.2	15.8	14.2	14.3	16.3							
Louisville, Ky.....	19.0	17.4	19.0	17.0	15.5	16.7							
New Orleans, La.....	22.4	21.7	23.5	22.3	20.2	21.3							
Baltimore, Md.....	20.0	19.5	20.5	19.0	18.7	19.2							
Boston, Mass.....	18.8	17.9	18.6	18.3	16.8	17.2							
Cambridge, Mass.....	15.1	15.1	15.1	16.0	14.7	15.0							
Fall River, Mass.....	20.3	19.7	21.3	20.5	19.1	18.4							
Lowell, Mass.....	20.2	19.4	20.6	19.2	18.0	19.7							
Worcester, Mass.....	16.8	17.1	19.1	16.7	15.5	16.9							
Detroit, Mich.....	15.1	14.8	14.9	13.7	14.0	15.9							
Grand Rapids, Mich.....	13.5	13.3	13.1	12.7	11.9	14.6							
Minneapolis, Minn ⁶	10.2	11.0	10.6	10.7	10.7	12.3							
St. Paul, Minn.....	10.0	11.0	10.9	10.5	11.4	11.9							
Kansas City, Mo.....	15.9	14.6	15.3	14.1	14.4	15.9							
St. Louis, Mo.....	17.9	15.6	15.9	14.7	15.8	15.8							
Omaha, Nebr.....	11.5	13.8	13.5	13.2	14.7	15.1							
Jersey City, N. J.....	19.3	17.7	19.1	17.4	16.8	16.3							
Newark, N. J.....	18.7	17.2	18.5	16.2	16.5	16.5							
Paterson, N. J.....	16.9	15.7	15.6	15.5	15.3	14.7							
Albany, N. Y.....	18.4	18.6	19.2	18.6	17.6	19.4							
Buffalo, N. Y.....	15.5	16.0	16.7	15.3	15.2	16.3							
New York, N. Y.....	19.0	16.9	18.3	16.3	16.0	16.0							
Bronx Borough.....	20.9	17.4	18.7	17.0	15.9	15.9							
Brooklyn Borough.....	18.2	16.3	17.6	15.6	15.4	15.6							
Manhattan Borough.....	19.5	17.4	18.7	16.8	16.6	16.5							
Queens Borough.....	16.1	14.9	16.4	14.1	14.2	13.8							
Richmond Borough.....	19.0	18.6	20.4	18.4	18.1	17.0							
Rochester, N. Y ⁶	14.6	14.7	15.5	13.7	14.4	14.6							
Syracuse, N. Y.....	14.5	15.2	15.3	15.7	14.5	15.4							
Cincinnati, Ohio.....	19.1	18.1	18.1	18.0	16.5	17.4							
Cleveland, Ohio.....	14.9	14.1	15.2	13.3	12.9	14.3							
Columbus, Ohio.....	15.4	15.1	15.5	15.2	14.0	15.4							
Dayton, Ohio.....	15.1	15.5	17.1	14.8	15.4	14.8							
Toledo, Ohio.....	14.3	14.9	15.3	14.6	14.6	14.6							
Portland, Oreg.....	10.2	10.3	11.0	9.9	9.8	11.0							
Philadelphia, Pa.....	18.1	17.7	18.6	17.3	16.4	17.4							
Pittsburgh, Pa.....	19.9	18.0	19.3	17.3	15.8	17.9							
Scranton, Pa ⁶	16.2	16.3	15.7	16.4	16.3	16.4							
Providence, R. I.....	18.8	17.6	19.1	16.6	16.1	17.7							
Memphis, Tenn ⁶	19.4	20.6	21.5	20.1	20.1	21.4							
Nashville, Tenn.....	21.5	19.3	19.6	19.4	18.1	18.7							
Richmond, Va.....	23.4	22.5	23.4	21.7	20.7	22.6							
Seattle, Wash.....	9.3	9.8	10.8	9.3	10.0	10.0							
Spokane, Wash.....	11.3	12.8	13.3	13.4	12.6	13.0							
Milwaukee, Wis.....	13.2	13.7	13.8	12.7	13.7	13.8							

¹ Exclusive of stillbirths.
² Including District of Columbia.
³ Not admitted to registration area until a later date.
⁴ Figures for deaths not available for the entire period 1906 to 1910.
⁵ Including only municipalities having a population of 1,000 or over in 1900.

⁶ As shown in Bulletin 112, Mortality Statistics, 1911, page 26, many deaths of infants were omitted from the returns received for 1910, and presumably for previous years, for Minneapolis, Rochester, Scranton, and Memphis. The general death rates of those cities as given above are therefore too low, and all statements of total deaths and especially of deaths of infants under 1 year of age in this and prior reports are subject to correction.

The figures showing the mortality for individual states and for individual cities may be used in studying the increase or decrease of the death rates for a given area, provided the registration may be assumed to be as complete as is usually the case, during the early years of the decade as during the later. As between different states or cities, however, comparisons should be made with great caution because of the unreliability of the crude rates when based upon populations differing markedly in age constitution.¹

DEATH RATES OF FOREIGN COUNTRIES AND CITIES.

The following table, taken from the latest report of the Registrar-General of England and Wales, shows the crude death rates of certain countries from all causes for six consecutive quinquennial periods, and also for the years 1909 and 1910.

COUNTRY.	DEATH RATE FROM ALL CAUSES PER 1,000 POPULATION.									
	Annual average.						1909	1910		
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910				
United States (registration area).....	(¹)	(¹)	(¹)	(¹)	16.2	15.1	14.4	15.0		
Australian Commonwealth.....	15.7	14.8	13.3	12.7	11.7	10.7	10.3	10.4		
Austria.....	30.1	28.9	27.9	25.6	24.2	22.3	22.9	21.2		
Belgium.....	20.6	20.2	20.1	18.1	17.0	(²)	15.8	(²)		
Bulgaria.....	17.7	18.9	27.8	23.9	22.5	(²)	26.6	(²)		
Ceylon.....	(²)	25.1	28.3	27.0	26.7	30.8	31.0	27.3		
Chile.....	26.9	35.2	32.6	28.8	30.2	31.3	31.5	32.5		
Denmark.....	18.4	18.7	18.6	16.4	14.8	13.7	13.2	12.9		
England and Wales.....	19.4	18.9	18.7	17.7	16.0	14.7	14.6	13.5		
Finland.....	22.2	20.0	20.5	19.0	18.6	17.4	16.7	16.6		
France.....	22.2	22.0	22.3	20.7	19.6	19.2	19.3	17.9		
German Empire.....	25.3	24.4	23.3	21.2	19.9	(²)	17.2	(²)		
Hungary.....	33.1	32.1	31.8	27.9	26.4	25.0	25.6	23.6		
Ireland.....	18.0	17.9	18.5	18.1	17.6	17.3	17.1	17.1		
Italy.....	27.3	27.2	25.5	22.9	21.9	21.0	21.5	19.6		
Jamaica.....	(²)	23.5	22.0	22.1	22.6	24.4	21.7	23.1		
Japan.....	(²)	20.6	21.1	20.7	20.9	(²)	22.0	(²)		
Netherlands.....	21.4	20.5	19.6	17.2	16.0	14.3	13.7	13.6		
New Zealand.....	10.9	9.9	10.1	9.6	9.9	9.7	9.2	9.7		
Norway.....	17.2	17.0	16.8	15.6	14.5	13.8	13.4	13.5		
Ontario, Province of.....	11.4	11.0	10.6	11.6	13.0	14.0	14.6	14.0		
Prussia.....	25.4	24.0	22.8	21.0	19.6	17.3	17.0	16.0		
Roumania.....	26.2	28.7	31.0	27.4	25.5	26.0	27.8	25.2		
Russia (European).....	35.4	33.2	35.8	31.9	30.9	(²)	(²)	(²)		
Scotland.....	19.6	18.8	19.0	18.0	17.0	16.1	15.9	15.3		
Servia.....	24.5	25.9	28.9	24.8	22.4	(²)	29.3	(²)		
Spain.....	32.6	30.9	30.1	28.8	26.0	24.3	24.0	23.3		
Sweden.....	17.5	16.4	16.6	16.1	15.5	14.3	13.7	14.0		
Switzerland.....	21.3	20.4	19.8	18.1	17.5	(²)	16.1	(²)		

¹ Figures for deaths not available for the entire period.
² Rate not published.

Similar comparisons may be made for important cities, chiefly European, by means of the following table taken from the Annual Summary of Marriages, Births, and Deaths, published by the Registrar-General of England and Wales.

¹ See discussion of this subject and tables comparing the crude rates with standardized or corrected rates in Bulletin 112, Mortality Statistics: 1911.

CITY.	DEATH RATE FROM ALL CAUSES PER 1,000 POPULATION.										Decrease (per cent) between 1881-5 and 1906-10.
	Annual average.						1909	1910			
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910					
London.....	20.9	19.7	19.8	18.5	16.1	14.0	14.0	12.7	33.0		
Edinburgh.....	19.6	19.7	19.7	19.0	17.3	15.3	15.3	14.0	21.9		
Glasgow.....	26.0	23.1	22.8	21.2	19.5	17.3	17.5	15.1	33.5		
Dublin (registration area).....	27.5	26.6	25.7	25.6	23.3	21.6	20.9	19.9	21.5		
Belfast.....	24.7	24.4	25.1	23.4	20.8	19.6	18.2	18.6	20.6		
Melbourne.....	20.1	21.0	16.7	15.5	14.0	13.1	12.5	12.7	34.8		
Sydney.....	20.8	17.9	14.3	12.1	11.5	10.5	10.3	10.4	49.5		
Montreal.....	31.0	26.7	25.3	23.1	23.3	(¹)	22.0	(²)	(²)		
Toronto.....	20.7	20.1	15.2	14.6	16.3	(¹)	22.3	(²)	(²)		
Paris.....	24.4	23.0	21.2	19.2	18.0	17.5	17.4	16.7	28.3		
Brussels.....	23.4	21.2	20.2	17.2	15.2	14.1	13.9	13.6	39.7		
Amsterdam.....	25.1	22.4	19.2	16.7	14.7	13.1	13.1	12.2	47.8		
Rotterdam.....	24.2	22.0	20.8	18.0	15.6	13.4	12.6	12.2	44.6		
The Hague.....	23.3	20.8	18.7	16.2	14.4	13.2	12.7	12.5	43.3		
Copenhagen.....	22.3	22.3	20.2	17.6	16.1	15.1	14.5	14.2	32.3		
Stockholm.....	24.3	21.2	20.0	18.2	16.1	14.5	14.3	14.6	40.3		
Christiania.....	19.9	22.3	19.0	17.5	15.3	13.0	12.7	11.9	34.7		
St. Petersburg.....	32.8	26.8	25.3	24.6	23.5	25.5	24.6	24.1	22.3		
Moscow.....	33.3	33.6	29.2	28.7	26.6	27.6	29.6	26.9	17.1		
Berlin.....	26.5	22.4	20.5	18.1	17.0	15.5	15.1	14.7	41.5		
Hamburg.....	25.2	25.3	24.2	17.3	16.3	14.8	14.6	14.2	41.3		
Dresden.....	25.0	22.1	20.6	19.0	17.6	14.7	14.0	13.8	41.2		
Breslau.....	31.3	28.8	27.4	25.0	23.7	21.2	20.3	19.1	32.3		
Munich.....	30.4	28.3	25.8	23.9	21.0	17.4	17.6	15.9	42.8		
Vienna.....	28.2	25.1	24.1	21.1	19.1	17.0	16.8	15.8	39.7		
Prague.....	32.7	29.6	27.1	24.3	22.6	19.3	19.1	18.4	41.0		
Budapest.....	31.5	30.8	25.5	21.6	19.8	19.5	19.2	19.3	38.1		
Trieste.....	31.1	30.4	29.8	27.5	26.3	24.5	24.6	22.9	21.2		
Milan.....	30.3	30.4	27.4	23.2	22.1	19.3	20.3	17.1	36.3		
Turin.....	27.2	23.5	21.6	19.8	19.6	17.5	15.4	14.9	35.7		
Venice.....	28.3	28.0	25.1	22.8	22.2	(¹)	22.1	19.0	(²)		
Bucarest.....	(¹)	(¹)	(¹)	24.6	23.3	24.7	26.4	25.6	(²)		
New York.....	27.5	25.8	24.6	20.3	18.9	17.0	16.2	16.0	38.2		
Chicago.....	21.5	19.5	20.6	15.2	14.2	14.5	14.1	15.1	432.6		
Philadelphia.....	22.3	20.6	21.1	19.2	18.1	17.7	15.9	16.8	420.6		
Boston.....	24.9	23.5	23.6	20.9	18.8	17.9	17.7	17.2	428.1		
Rio de Janeiro.....	30.5	33.1	38.2	29.2	27.9	23.1	19.5	20.6	24.3		

¹ Figures for deaths not available for the entire period.
² Figures for deaths not available.
³ Average for four years.
⁴ Figures furnished by the Bureau of the Census.

DEATH RATES OF AREAS WITH CONSIDERABLE COLORED POPULATION.

In the report for 1909 no attempt was made to present the death rates of the white and colored populations separately, because at the time of its preparation the population data from the census of 1910 were not available. Whatever the view as to the reasons for the differences between the death rates of the white and the colored, it is a fact that the proportion of colored population influences to a considerable extent the size of the crude death rate. Thus cities having a large colored population have death rates that usually range much higher than those of cities with exclusively or almost exclusively white population.

The next table shows comparative death rates of the white and colored for cities with a population of 10,000 or over in which the proportion of colored was at least 10 per cent of the total population at the last census (1910); two Maryland cities, in which less than 10 per cent of the population was colored, are also shown in order that all Maryland cities of the specified size may be included.

SUMMARY OF RESULTS.

CITY AND COLOR.	Percent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.												
		Annual average.		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910
		1901 to 1905	1906 to 1910											
Cities in this table (aggregate).....	100.0	21.1	19.9	23.6	21.4	21.0	20.5	21.5	21.0	20.7	21.3	19.4	18.7	19.8
White.....	73.4	17.7	16.6	19.7	18.0	17.6	17.3	18.0	17.6	17.3	17.7	16.2	15.7	16.6
Colored.....	26.6	29.8	29.1	33.3	29.9	29.8	28.8	30.6	29.9	30.2	31.3	28.4	27.3	28.8
Birmingham, Ala. (total).....	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.8	18.2	19.5
White.....	60.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.8	13.7	14.9
Colored.....	39.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	23.8	25.0	26.5
Mobile, Ala. (total).....	100.0	24.8	23.6	27.2	24.1	23.0	23.9	26.5	26.5	27.7	26.1	22.4	20.1	23.0
White.....	55.8	19.7	18.7	22.5	18.7	18.1	18.8	21.4	21.6	22.3	20.3	18.4	15.7	17.8
Colored.....	44.2	31.2	29.7	33.0	30.9	29.2	30.3	32.8	32.7	34.5	33.5	27.4	25.5	29.5
Montgomery, Ala. (total).....	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	21.2	21.7	26.4
White.....	49.3	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.9	14.9	17.4
Colored.....	50.7	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	28.0	28.1	35.2
Riverside, Cal. (total).....	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.4
White.....	88.8	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.2
Colored.....	11.2	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	8.1
Wilmington, Del. (total).....	100.0	17.0	17.0	20.2	17.3	17.4	16.8	17.8	15.9	18.3	17.6	15.8	15.8	17.7
White.....	89.6	15.7	15.9	19.1	16.0	15.7	14.9	16.6	15.0	17.1	16.5	14.4	14.5	16.8
Colored.....	10.4	27.2	26.5	27.5	26.2	29.0	30.7	27.2	22.8	28.0	25.8	27.1	26.5	24.8
Washington, D. C. (total).....	100.0	20.5	19.6	22.3	21.3	20.0	20.1	20.7	20.3	20.3	20.1	19.1	19.0	19.6
White.....	71.3	16.5	15.9	18.3	17.1	15.9	16.5	17.0	16.0	16.3	16.2	15.5	15.6	15.8
Colored.....	28.7	29.5	28.7	30.9	30.6	29.1	28.4	29.1	30.3	29.8	29.3	27.7	27.5	29.1
Jacksonville, Fla. (total).....	100.0	27.5	22.1	30.1	26.7	28.2	27.0	26.6	28.7	23.0	23.9	22.1	21.8	20.3
White.....	49.1	23.3	17.9	26.6	24.3	22.7	22.6	21.0	25.6	18.7	20.6	17.6	16.8	16.7
Colored.....	50.9	30.5	25.8	32.8	28.4	32.2	30.2	30.8	31.0	26.3	26.7	26.1	26.5	23.9
Key West, Fla. (total).....	100.0	21.7	22.0	24.4	23.1	22.3	20.9	21.0	21.4	24.3	23.8	20.2	18.9	22.5
White.....	72.2	20.4	20.1	23.5	22.2	20.9	19.8	19.8	19.8	22.0	21.4	18.7	17.7	20.9
Colored.....	27.8	24.4	26.3	26.3	25.1	25.2	23.4	23.5	24.9	29.4	29.3	24.0	21.9	26.8
Atlanta, Ga. (total).....	100.0	21.1	19.4	22.1	21.3	21.2	19.7	21.8	21.7	22.2	21.4	18.1	17.2	18.9
White.....	66.4	16.1	15.6	18.6	15.3	16.2	15.4	16.2	17.1	17.0	17.0	14.7	14.1	15.5
Colored.....	33.6	29.6	26.8	27.4	30.6	29.3	26.9	31.5	29.9	31.7	29.7	24.6	23.1	25.5
Savannah, Ga. (total).....	100.0	27.1	24.8	31.0	30.0	26.7	24.5	27.3	27.3	25.1	26.4	23.2	22.3	26.9
White.....	48.9	19.2	17.9	23.4	23.4	18.1	17.2	18.6	19.4	18.4	19.3	16.5	16.1	19.4
Colored.....	51.1	34.5	31.3	38.0	36.1	34.9	31.2	35.6	34.7	31.5	33.1	29.5	28.3	34.1
Jeffersonville, Ind. (total).....	100.0	19.9	17.1	19.2	23.1	20.6	20.1	18.8	17.1	19.4	16.8	13.6	16.1	19.7
White.....	85.2	18.1	16.3	16.4	20.7	17.2	17.0	18.6	16.9	18.6	16.1	12.9	16.2	17.6
Colored.....	14.8	29.4	21.8	33.0	35.2	37.5	35.8	19.9	17.9	23.7	21.0	17.0	15.4	32.0
Kansas City, Kans. (total).....	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.6	15.8	16.8
White.....	88.7	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.5	14.7	15.7
Colored.....	11.3	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	21.8	24.0	25.7
Leavenworth, Kans. (total).....	100.0	14.8	15.7	17.7	13.4	14.8	14.7	15.2	15.8	15.2	17.1	15.6	17.0	13.8
White.....	87.2	13.4	14.5	16.9	12.4	13.3	13.0	14.1	14.5	13.9	15.8	14.3	15.9	12.5
Colored.....	12.8	22.5	23.9	22.9	18.8	23.7	24.6	21.5	23.8	23.2	25.2	23.9	24.1	23.0
Louisville, Ky. (total).....	100.0	19.0	17.4	18.9	18.5	18.2	19.0	20.4	18.7	19.0	19.0	17.0	15.5	16.7
White.....	81.9	16.9	15.1	16.9	16.8	16.5	16.8	18.1	16.2	16.7	16.3	14.5	13.7	14.5
Colored.....	18.1	28.1	27.7	27.3	25.6	25.8	28.8	30.6	29.6	28.8	30.9	28.0	23.8	26.8
Paducah, Ky. (total).....	100.0	22.2	17.5	28.1	24.8	23.3	21.3	21.4	20.2	17.0	17.9	17.0	16.4	19.2
White.....	73.4	19.3	13.5	23.7	22.2	21.2	18.6	17.1	17.8	12.4	11.6	14.1	12.6	16.3
Colored.....	26.6	29.2	28.4	38.5	31.0	28.6	27.8	32.1	26.3	28.8	34.4	24.6	26.9	27.1
New Orleans, La. (total).....	100.0	22.4	21.7	26.5	22.2	22.1	22.1	22.1	23.4	21.4	23.5	22.3	20.2	21.3
White.....	73.6	19.2	18.0	21.2	19.0	18.7	19.0	18.8	20.4	17.7	19.5	18.4	17.1	1

MORTALITY STATISTICS.

CITY AND COLOR.	Percent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.												
		Annual average.		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910
		1901 to 1905	1906 to 1910											
Asheville, N. C. (total).....	100.0	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.7
White.....	71.4	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.5
Colored.....	28.6	(2)	(3)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	25.1
Charlotte, N. C. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.7
White.....	65.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.7
Colored.....	34.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	25.4
Durham, N. C. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.9
White.....	62.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	16.4
Colored.....	37.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	25.7
Greensboro, N. C. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	19.0
White.....	64.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.8
Colored.....	35.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	24.9
Raleigh, N. C. (total).....	100.0	25.0	26.8	30.1	29.3	26.7	19.7	28.3	26.0	26.3	433.7	23.6	24.3	27.9
White.....	61.6	21.2	22.7	23.1	23.6	21.8	17.0	20.5	23.1	23.3	427.8	20.6	19.0	24.5
Colored.....	38.4	30.5	33.3	39.7	37.3	33.8	23.6	27.4	30.3	31.0	442.6	28.3	32.9	33.6
Wilmington, N. C. (total).....	100.0	25.6	22.7	30.8	26.5	27.4	25.2	26.1	22.8	25.3	23.2	23.4	21.3	20.8
White.....	52.9	19.9	17.4	24.8	19.4	20.9	20.5	19.2	19.4	20.6	16.9	18.4	16.0	15.6
Colored.....	47.1	31.6	28.7	36.9	33.8	34.1	30.2	33.5	26.6	30.5	30.1	29.0	27.1	26.7
Winston, N. C. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	20.3
White.....	54.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.6
Colored.....	45.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	23.6
Springfield, Ohio (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	12.6
White.....	89.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	11.8
Colored.....	10.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	16.1
Carlisle, Pa. (total).....	100.0	16.3	15.7	21.2	18.8	13.6	17.1	17.0	15.1	13.8	17.0	15.7	15.7	16.1
White.....	89.1	15.3	14.5	20.4	17.8	13.0	16.2	15.6	14.1	13.6	15.4	13.9	15.0	14.7
Colored.....	10.9	23.7	25.0	27.0	26.2	18.4	23.7	27.3	22.9	15.9	30.1	30.1	21.3	27.6
Chester, Pa. (total).....	100.0	(2)	16.1	(2)	(2)	(2)	(2)	(2)	(2)	16.1	15.8	16.0	15.8	16.8
White.....	87.5	(2)	14.4	(2)	(2)	(2)	(2)	(2)	(2)	14.3	13.8	13.8	14.2	16.0
Colored.....	12.5	(2)	27.5	(2)	(2)	(2)	(2)	(2)	(2)	28.1	29.3	31.0	27.0	22.2
Coatesville, Pa. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.3
White.....	86.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	13.0
Colored.....	13.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.0
West Chester, Pa. (total).....	100.0	(2)	19.9	(2)	(2)	(2)	(2)	(2)	(2)	20.1	22.3	20.8	17.1	19.6
White.....	84.0	(2)	17.9	(2)	(2)	(2)	(2)	(2)	(2)	18.5	18.4	18.1	15.5	18.9
Colored.....	16.0	(2)	30.3	(2)	(2)	(2)	(2)	(2)	(2)	27.7	41.6	34.4	25.1	22.9
Charleston, S. C. (total).....	100.0	29.7	27.5	35.0	31.4	30.8	28.5	29.6	28.4	29.3	26.5	26.4	25.7	29.7
White.....	47.2	19.3	17.2	22.9	20.5	19.9	18.7	19.1	18.2	18.1	17.2	16.0	15.9	18.9
Colored.....	52.8	38.2	36.5	44.3	39.8	39.5	36.4	38.1	37.0	38.7	34.4	35.3	34.5	39.3
Knoxville, Tenn. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.4
White.....	79.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	15.0
Colored.....	21.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	26.6
Memphis, Tenn. (total).....	100.0	19.4	20.6	22.5	18.8	18.8	18.9	21.0	19.6	19.7	21.5	20.1	20.1	21.4
White.....	59.9	16.5	16.1	20.7	16.6	15.6	16.0	17.7	16.4	16.1	15.8	15.7	16.0	16.8
Colored.....	40.1	22.9	27.0	24.4	21.2	22.4	22.3	25.1	23.7	24.4	29.3	26.4	26.0	28.4
Nashville, Tenn. (total).....	100.0	21.5	19.3	23.8	20.1	21.9	20.5	23.4	21.4	20.9	19.6	19.4	18.1	18.7
White.....	66.9	17.0	15.2	18.8	16.1	17.6	16.7	18.0	16.4	16.8	15.9	14.8	14.1	15.0
Colored.....	33.1	29.6	27.2	32.1	27.1	29.5	27.4	33.2	30.7	28.6	26.7	28.6	26.2	26.0
Galveston, Tex. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	16.2
White.....	78.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	14.4
Colored.....	21.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	22.6
San Antonio, Tex. (total).....	100.0	21.4	20.7	22.8	23.3	24.1	19.5	21.1	19.8	19.3	21.9	19.8	20.3	22.0
White.....	88.8	21.5	20.8	22.7	23.7	24.1	19.2	21.2	20.2	19.6	22.3	19.6	20.4	22.1
Colored.....	11.2	20.7	19.9	23.2	20.6	24.2	21.6	20.7	16.9	17.3	19.3	21.3	20.0	21.4
Alexandria, Va. (total).....	100.0	21.9	21.4	25.1	23.7	20.8	21.6	22.7	20.6	21.4	24.2	18.7	21.2	21.3
White.....	72.6	18.4	17.4	20.5	20.0	18.0	19.2	18.5	16.3	17.2	22.3	15.4	15.1	16.9
Colored.....	27.4	30.0	31.6	35.2	32.2	27.1	27.1	32.7	30.9	31.9	29.1	27.2	36.9	32.9
Danville, Va. (total).....	100.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	20.4
White.....	67.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	17.2
Colored.....	32.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	27.0
Lynchburg, Va. (total).....	100.0	20.3	17.5	27.3	18.8	19.9	19.2	21.6	21.7	22.3	21.3	15.3	14.2	16.0
White.....	67.9	15.3	13.2	20.5	14.2	15.0	14.2	17.9	14.8	17.5	15.2	12.6	10.2	12.0
Colored.....	32.1	28.1	25.9	36.1	25.3	27.2	27.2	27.6	33.5	31.1	32.7	20.7	22.5	24.4
Norfolk, Va. (total).....	100.0	19.2	23.2	27.2	18.3	20.2	18.6	19.4	19.6	24.9	25.9	21.9	21.4	21.8
White.....	62.8	14.4	16.9	18.2	13.6	15.2	13.7	15.2	14.3	18.5	18.2	16.1	15.4	16.4
Colored.....	37.2	26.3	33.4	38.0	24.8	27.3	25.8	25.8	27.7	35.0	38.2	31.3	31.5	30.9
Petersburg, Va. (total).....	100.0	25.5	27.0	30.2	26.2	24.8	24.4	29.2	23.1	28.5	27.6	26.4	26.1	26.5
White.....	54.3	19.9	19.7	25.2	19.5	20.7	19.3	22.3	17.7	21.7	20.7	18.1	18.1	20.1
Colored.....	45.7	31.6	35.5	35.2	33.2	29.1	29.9	36.7	29.2	36.1	35.6	36.1	35.5	34.2
Richmond, Va. (total).....	100.0	23.4	22.0	29.0	24.2	24.9	24.5	22.9	20.9	21.5	23.4	21.7	20.7	22.6
White.....	63.4	18.5	17.4	23.7	18.8	19.7	19.0	17.9	17.1	17.0	18.0	17.4	16.3	18.1
Colored.....	36.6	31.7	29.9	37.6	33.3	33.5	33.7	31.1	27.2	29.2	32.5	29.0	28.2	30.3

¹ Exclusive of stillbirths.
² Not admitted to registration area until a later date.
³ Average not shown for less than five years.
⁴ Probably including deaths in added territory prior to the date of annexation.
⁵ Included in rural.
⁶ Population not estimated.
⁷ Based on population enumerated April 15, 1910.

SUMMARY OF RESULTS.

As a rule, the colored population is made up almost exclusively of negroes, but in one instance, indicated by a footnote, the colored population is chiefly Chinese and Japanese. The age distribution of the Chinese and Japanese is different from the usual age distribution of the negroes, and the death rate for the colored in this case is lower than that for the white. In most cases, however, the differences between the death rates of the white and colored population are very marked.

For this group of cities, in which the colored population was more than one-fourth of the total, the death rate of the colored for 1910 (28.8 per 1,000) exceeded that of the white population (16.6) by 12.2 per 1,000, or 73.5 per cent. The corresponding excess for the quinquennial period 1906 to 1910 was 12.5, or 75.3 per cent, and for the preceding quinquennial period 12.1, or 68.4 per cent. The excess of the mortality of the colored over that of the white population seems to be fairly constant. Comparing the reductions in the death rates of both white and colored, as shown by the average annual death rates for the quinquenniums 1901 to 1905 and 1906 to 1910, that of the white decreased from 17.7 to 16.6 per 1,000 population, or 6.2 per cent, while that of the colored de-

creased from 29.8 to 29.1 per 1,000, or only 2.3 per cent. In 1900, the first year for which death rates are shown in the foregoing table, that for the white was 19.7 and that for the colored 33.3 per 1,000 population. The decrease for 1910 to 16.6 in the white mortality represents a reduction of 15.7 per cent and that to 28.8 in the colored mortality a reduction of 13.5 per cent.

The most striking feature of this table is the uniform manner in which the rates for the colored exceed those for the white population by approximately 12 per 1,000. Notable exceptions are Atlantic City, N. J., where the colored population is of a transient character, and San Antonio, Tex.

In addition to the cities shown in the preceding table, in which the colored population was at least 10 per cent of the total, there are other cities in which the colored population is large enough to make its mortality statistics of interest, although the per cent to total population is smaller than in the preceding group.

The following table shows the death rates of the colored population in all cities in which there were 10,000 or more colored inhabitants at the date of the last census, but in which the proportion of the colored population was below 10 per cent:

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.												
		Annual average.		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910
		1901 to 1905	1906 to 1910											
Cities in this table (aggregate).....	100.0	17.8	16.5	19.1	18.1	17.6	17.8	18.4	17.3	17.5	17.5	16.0	15.6	16.1
White.....	96.5	17.4	16.2	18.8	17.8	17.2	17.4	17.9	16.9	17.1	17.2	15.7	15.4	15.8
Colored.....	3.5	28.7	25.5	23.5	27.2	27.6	30.0	30.5	28.1	26.9	26.7	25.4	23.8	24.9
Los Angeles, Cal. (total).....	100.0	16.4	14.8	18.8	16.2	16.3	18.5	14.8	16.2	16.8	16.5	13.8	13.7	14.0
White.....	95.7	16.2	14.6	18.4	16.0	16.1	18.5	14.7	16.0	16.5	16.1	13.6	13.5	13.9
Colored ²	4.3	19.6	19.8	27.1	21.6	19.5	19.9	16.8	20.9	23.5	23.8	18.6	17.9	17.0
San Francisco, Cal. (total).....	100.0	20.3	16.1	20.6	20.4	21.2	20.7	20.0	19.2	18.3	16.6	15.5	15.0	15.1
White.....	96.0	19.8	16.1	20.0	19.9	20.5	20.3	19.6	18.9	18.4	16.8	15.5	14.9	14.9
Colored ³	4.0	30.1	15.9	31.8	29.0	34.2	30.7	29.4	27.3	16.6	12.0	15.9	16.3	18.8
Chicago, Ill. (total).....	100.0	14.5	14.9	15.3	14.0	14.7	15.5	14.1	14.1	14.5	15.7	14.5	14.6	15.1
White.....	97.9	14.3	14.7	15.2	13.8	14.5	15.3	13.8	13.9	14.4	15.6	14.3	14.4	15.0
Colored.....	2.1	24.5	23.1	23.1	21.7	24.9	26.1	25.6	24.0	22.5	23.5	23.1	22.5	23.9
Indianapolis, Ind. (total).....	100.0	15.4	15.2	17.1	15.4	14.1	16.0	16.7	14.6	15.1	15.8	14.2	14.3	16.3
White.....	90.6	14.6	14.2	16.3	14.9	13.6	15.0	15.8	13.7	14.1	14.8	13.2	13.7	15.4
Colored.....	9.4	23.1	24.0	24.0	20.7	19.4	25.8	25.9	23.2	25.5	25.7	23.1	21.1	25.0
Boston, Mass. (total).....	100.0	18.8	17.9	20.4	19.9	19.1	18.3	18.3	18.5	18.6	18.6	18.3	16.8	17.2
White.....	97.8	18.6	17.7	20.3	19.7	18.9	18.2	18.1	18.3	18.4	18.5	18.1	16.7	17.0
Colored.....	2.2	26.0	24.3	27.3	27.8	28.4	25.0	25.3	23.4	26.4	24.8	25.9	22.2	22.6
Kansas City, Mo. (total).....	100.0	15.9	14.6	16.3	15.6	14.9	16.1	17.8	15.0	13.3	15.3	14.1	14.4	15.9
White.....	90.5	14.6	13.5	15.3	14.8	13.7	14.8	16.2	13.6	12.4	14.1	13.1	13.2	14.7
Colored.....	9.5	27.1	24.9	24.8	23.1	25.2	27.3	31.9	27.4	22.2	26.6	22.8	25.3	27.3
St. Louis, Mo. (total).....	100.0	17.9	15.6	17.9	18.0	17.3	18.2	18.9	17.0	15.7	15.9	14.7	15.8	15.8
White.....	93.5	17.1	14.8	17.1	17.2	16.7	17.3	18.1	16.1	14.9	15.0	13.9	15.1	15.1
Colored.....	6.5	30.3	26.7	30.7	30.6	26.8	32.8	31.5	29.8	27.4	25.0	25.8	26.8	25.8
New York, N. Y. (total).....	100.0	19.0	16.9	20.6	19.9	18.6	18.0	20.1	18.4	18.3	18.3	16.3	16.0	16.0
White.....	98.0	18.8	16.7	20.4	19.7	18.4	17.7	19.9	18.1	18.1	18.0	16.1	15.8	15.8
Colored.....	2.0	30.0	26.5	30.7	29.0	28.4	28.8	33.7	30.0	27.1	28.5	26.7	24.9	25.6
Brooklyn Borough (total).....	100.0	18.2	16.3	20.1	19.3	18.1	17.3	18.8	17.6	17.7	17.6	15.6	15.4	15.6
White.....	98.5	18.1	16.2	20.0	19.2	17.9	17.2	18.7	17.5	17.7	17.6	15.5	15.2	15.5
Colored.....	1.5	24.5	23.0	27.3	25.2	26.1	24.1	25.0	22.5	19.8	22.7	24.0	23.0	26.0
Manhattan Borough (total).....	100.0	19.5	17.4	21.3	20.2	18.7	18.5	21.2	18.8	18.5	18.7	16.8	16.6	16.5
White.....	97.2	19.2	17.2	21.1	20.0	18.5	18.2	20.8	18.5	18.3	18.5	16.5	16.4	16.3
Colored.....	2.8	32.2	26.9	32.8	29.3	27.8	30.0	39.0	34.7	30.6	30.3	26.9	24.5	23.8
Cincinnati, Ohio (total).....	100.0	19.1	18.1	18.2	19.5	17.9	18.6	20.6	18.9	20.4	18.1	18.0	16.5	17.4
White.....	94.6	18.3	17.3	17.6	18.8	17.2	17.9	19.6	18.1	19.7	17.4	17.1	15.8	16.7
Colored.....	5.4	34.8	31.4	29.7	32.2	32.5	33.2	40.1	35.5	34.6	30.8	34.7	28.7	28.8
Columbus, Ohio (total).....	100.0	15.4	15.1	15.8	14.1	15.5	16.3	16.1	14.9	15.3	15.5	15.2	14.0	15.4
White.....	92.9	14.8	14.5	15.3	13.7	15.1	15.6	15.4	14.1	14.5	14.8	14.4	13.6	15.0
Colored.....	7.1	24.0	23.1	22.9	20.8	21.0	26.3	25.7	25.6	25.3	25.3	25.7	19.7	20.3
Philadelphia, Pa. (total).....	100.0	18.1	17.7	20.9	18.0	17.5	18.7	18.7	17.6	19.1	18.6	17.3	16.4	17.4
White.....	94.5	17.5	17.2	20.4	17.4	16.9	18.0	18.0	17.0	18.4	18.0	16.7	15.9	16.8
Colored.....	5.5	30.1	27.8	30.0	28.7	28.7	32.9	31.3	28.9	31.4	28.8	27.3	25.2	26.8
Pittsburgh, Pa. (total).....	100.0	20.1	17.9	20.0	19.3	21.3	21.1	19.3	19.7	19.9	19.3	17.3	15.8	17.9
White.....	95.1	19.5	17.5	19.7	18.9	20.6	20.1	18.7	19.2	19.4	18.7	17.0	15.6	17.7
Colored.....	4.9	31.0	24.9	26.6	26.3	33.1	38.1	28.6	28.7	28.5	28.5	24.8	20.4	23.5

¹ Exclusive of stillbirths.

² About 40 per cent of colored deaths, 1910, Chinese and Japanese.

³ Chiefly Chinese and Japanese.

Most of the cities included in the preceding table are in the North and therefore the death rates shown afford interesting comparisons with the death rates of the colored population shown in the table on page 17, which included almost exclusively southern cities. For the group as a whole the death rates of both white and colored were lower than those of the group shown in the table on page 17, the rates for 1910 being 15.8 per 1,000 for white and 24.9 for colored. A reduction in mortality for each class was shown for the successive quinquenniums, but the reduction was greater for the colored population in this group than in the preceding one, being from 28.7 to 25.5 per 1,000, or 11.1 per cent, as compared with 2.3 per cent in the former group; the reduction in the rate for the white population from 17.4 to 16.2, or 6.9 per cent, was also greater than that of the preceding group, 6.2 per cent. It is interesting to note that in the latter group there was a greater reduction in the rate for the colored population than for the white; in the former group the contrary was true. The difference

in the white and colored death rates was only about 9 per 1,000 as compared with a difference of 12 in the group composed chiefly of southern cities. As the northern climate is believed to be less favorable to a race of tropical origin, the relatively lower mortality of the negroes in the North may be accounted for by superior conditions of housing or sanitation.

Comparisons of white and colored mortality are difficult, owing to the fact that the data available relate chiefly to urban population. It would be very desirable, indeed, to have exact data showing the mortality of the colored population in rural communities such as comprise largely the distribution of the negroes in the South. Unfortunately, there are no Southern states included within the registration area, with the exception of Maryland, which may be considered a border state; for the following year data from Kentucky and Missouri will be available. The death rates of the rural population of Maryland, by counties, for each year since its admission to the registration area (1906), are shown in the following table:

COUNTY.	ESTIMATED MID-YEAR POPULATION, 1910.		PER CENT OF TOTAL POPULATION, JULY 1, 1910.		DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.																	
					Annual average: 1906 to 1910			1906			1907			1908			1909			1910		
					White.	Colored.	Total.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
Maryland, total for rural districts.....	545,373	143,767	79.1	20.9	12.9	11.6	17.6	12.7	11.5	16.9	12.9	11.6	17.4	13.1	11.8	17.8	12.7	11.4	17.7	13.2	11.9	18.3
Allegany.....	40,208	448	98.9	1.1	8.4	8.3	16.1	9.5	9.4	16.1	8.1	8.1	6.2	8.4	8.2	23.3	7.9	7.8	13.0	8.3	8.1	22.3
Anne Arundel ²	25,420	14,132	64.3	35.7	15.0	11.8	20.6	12.5	9.3	18.1	11.6	9.2	15.8	15.7	13.0	20.4	16.9	13.0	23.9	18.3	14.6	25.0
Baltimore.....	110,381	12,636	89.7	10.3	14.7	14.3	18.3	15.0	14.6	18.7	15.2	14.9	18.1	14.8	14.2	19.4	13.8	13.4	17.5	14.9	14.5	17.8
Calvert.....	5,283	5,045	51.2	48.8	14.6	11.9	17.5	13.0	9.4	16.7	15.3	12.8	17.7	14.3	11.1	17.6	15.0	11.8	18.4	15.6	14.2	17.0
Caroline.....	14,479	4,800	75.1	24.9	13.2	11.1	19.5	8.3	6.5	13.5	13.7	11.1	21.2	14.8	12.2	22.4	15.2	13.1	21.3	13.8	12.2	18.8
Carroll.....	31,924	2,011	94.1	5.9	14.3	14.0	19.6	13.7	13.5	17.4	15.5	15.0	22.9	14.3	13.8	21.1	14.4	14.1	18.8	13.7	13.4	17.9
Cecil.....	20,418	3,322	86.0	14.0	13.6	12.5	20.0	12.4	11.5	17.9	11.2	10.3	17.0	14.0	13.2	19.3	15.0	13.9	21.7	15.0	13.3	24.4
Charles.....	7,809	8,551	47.7	52.3	15.2	12.2	17.8	14.9	12.4	17.0	15.9	12.7	18.8	14.4	11.0	17.6	15.5	11.6	18.9	15.1	13.3	16.7
Dorchester.....	19,263	9,420	67.2	32.8	15.3	12.8	20.4	13.6	11.9	17.0	17.4	14.1	23.9	15.2	13.3	19.1	16.0	13.8	20.6	14.4	11.1	21.2
Frederick.....	38,335	3,920	90.7	9.3	11.6	10.9	18.7	11.4	11.1	14.5	11.1	10.5	16.9	12.5	11.6	21.1	11.3	10.3	20.9	11.7	10.9	20.4
Garrett.....	20,049	106	99.5	0.5	6.4	6.4	10.9	6.6	6.5	17.4	6.8	6.8	17.9	5.0	5.0	9.1	5.0	4.9	9.3	8.4	8.5
Harford.....	22,858	5,101	81.8	18.2	13.3	12.3	17.6	13.3	12.8	15.4	13.9	12.9	18.2	13.4	12.3	18.5	13.4	12.0	19.3	12.6	11.7	16.5
Howard.....	12,333	3,761	76.6	23.4	14.3	12.3	19.4	13.2	10.8	20.7	15.8	13.4	23.3	14.6	13.7	17.2	14.2	13.5	16.5	13.9	12.3	19.1
Kent.....	10,784	6,135	63.7	36.3	16.2	13.0	21.7	16.3	12.4	22.7	16.4	13.1	22.1	13.5	10.7	18.3	17.5	13.7	23.9	17.4	15.2	21.4
Montgomery.....	22,898	9,225	71.3	28.7	10.9	9.3	14.8	11.9	10.0	16.2	11.7	9.9	15.8	10.2	8.3	14.8	10.0	8.6	13.5	10.7	9.6	13.4
Prince Georges.....	24,786	11,492	68.3	31.7	14.2	11.6	19.4	15.0	12.4	20.0	13.8	11.5	18.5	15.4	12.4	21.6	12.8	10.5	17.5	13.9	11.3	19.6
Queen Annes.....	11,003	5,804	65.5	34.5	15.4	12.7	20.5	15.5	14.5	17.4	13.7	10.4	19.9	16.5	13.8	21.8	14.6	11.3	20.3	16.9	13.8	22.7
St. Marys.....	9,743	7,284	57.2	42.8	4.8	5.0	4.6	6.5	6.4	6.6	6.3	6.4	6.2	4.2	4.5	3.9	3.3	4.1	2.9	3.7	3.6	3.8
Somerset.....	16,990	9,476	64.2	35.8	10.3	9.2	12.2	9.1	8.4	10.5	8.5	8.1	9.2	11.1	10.4	12.2	10.1	9.7	10.8	12.6	9.5	18.3
Talbot.....	12,841	6,764	65.5	34.5	15.9	12.1	22.8	15.9	11.1	24.6	16.7	14.2	21.2	16.8	13.6	22.7	15.2	10.6	23.9	14.7	11.1	21.4
Washington.....	32,160	983	97.0	3.0	12.0	11.7	21.4	12.9	12.6	23.3	10.4	10.0	24.7	11.5	11.4	14.6	12.3	12.1	17.9	12.8	12.4	26.4
Wicomico.....	20,577	6,321	76.5	23.5	11.7	11.0	13.8	12.2	11.3	15.0	11.3	10.6	13.8	13.0	12.3	15.3	11.1	10.6	12.6	10.8	10.4	12.2
Worcester.....	14,831	7,030	67.8	32.2	11.9	10.2	15.6	11.8	10.4	14.6	13.7	11.7	13.0	11.9	10.1	15.6	10.8	8.9	14.8	11.5	10.0	14.8
Maryland rural districts, ³ exclusive of counties having very defective registration.....	443,904	121,653	78.5	21.5	13.8	12.4	18.8	13.6	12.3	18.1	13.8	12.4	18.7	14.0	12.6	18.9	13.7	12.2	19.1	14.0	12.7	19.1

¹ Exclusive of stillbirths.
² Annapolis and Anne Arundel County rural shown separately in the reports for the years 1906 to 1909 are combined and shown as Anne Arundel County rural in this table.
³ Exclusive of Allegany, Caroline, Garrett, St. Marys, and Somerset Counties, where the total death rate was less than 10 per 1,000 population in one or more years.

The registration of deaths in Maryland, outside the city of Baltimore, is not as complete as it should be, and in certain counties is practically worthless.¹ For

this reason a supplemental total has been prepared showing the mortality of the rural population of Maryland, exclusive of those counties in which the registration of deaths is known to have been very incomplete, at least for certain years of the period.

¹ Amendments to the state law (1912) may yield more complete records.

CAUSES OF DEATH.

The second revision of the International List of Causes of Death became effective for statistical use January 1, 1910, and the present report shows, in Table II, page 82, the detailed list of causes with the International numbers and also with certain subdivisions that have been made for the special purposes of the census compilation. Not only are the deaths for the year 1910 presented according to the latest revision, but the figures for the years from 1900 to 1909, compiled according to the first revision, which was in effect during those years, have also been rearranged and readjusted to conform as far as practicable to the present classification. The principal changes may be seen by referring to the table on page 23; and in the body of Table II, attention is called by asterisks to figures that may not be strictly com-

parable for the entire series of years. The detailed International List of Causes of Death, which consists of 189 titles intended to include all causes of death deserving separate presentation in statistical reports, is too long and cumbersome for convenient use in certain classes of tables, especially those in which the data relative to an extended list of areas are given. For such purposes a condensed list is desirable, such as the abridged International List, prepared by the International Commission.

The following table shows the titles of the abridged International List, with reference by number to the titles of the detailed International List included in each, and for each title of the abridged list the number and per cent of deaths and death rate in the registration area for 1910:

Abridged International List No.	CAUSE OF DEATH. ¹	DEATHS IN REGISTRATION AREA: 1910			Abridged International List No.	CAUSE OF DEATH. ¹	DEATHS IN REGISTRATION AREA: 1910		
		Number.	Rate per 100,000 population.	Per cent deaths from specified cause form of deaths from all causes.			Number.	Rate per 100,000 population.	Per cent deaths from specified cause form of deaths from all causes.
	All causes ²	805,412	1,495.8	100.0	24	Diseases of the stomach (cancer excepted) (102, 103).....	10,606	19.7	1.3
1	Typhoid fever (1).....	12,673	23.5	1.6	25	Diarrhea and enteritis (under 2 years) (104).....	54,266	100.8	6.7
2	Typhus fever (2).....	2	(³)	(⁴)	26	Appendicitis and typhlitis (108).....	6,128	11.4	0.8
3	Malaria (4).....	1,167	2.2	0.1	27	Hernia, intestinal obstruction (109).....	6,678	12.4	0.8
4	Smallpox (5).....	202	0.4	(⁴)	28	Cirrhosis of the liver (113).....	7,485	13.9	0.9
5	Measles (6).....	6,598	12.3	0.8	29	Acute nephritis and Bright's disease (119, 120).....	53,330	99.0	6.6
6	Scarlet fever (7).....	6,255	11.6	0.8	30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132).....	3,586	6.7	0.4
7	Whooping cough (8).....	6,146	11.4	0.8	31	Puerperal septicemia (puerperal fever, peritonitis) (137).....	3,892	7.2	0.5
8	Diphtheria and croup (9).....	11,521	21.4	1.4	32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141).....	4,563	8.5	0.6
9	Influenza (10).....	7,774	14.4	1.0	33	Congenital debility and malformations (150, 151).....	40,348	74.9	5.0
10	Asiatic cholera (12).....	563	1.0	0.1	34	Senility (154).....	13,604	25.3	1.7
11	Cholera nostras (13).....	6,098	11.3	0.8	35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186).....	48,606	90.3	6.0
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19).....	75,211	139.7	9.3	36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163).....	8,590	16.0	1.1
13	Tuberculosis of the lungs (28, 29).....	4,654	8.6	0.6	37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153).....	119,522	222.0	14.8
14	Tuberculous meningitis (30).....	6,444	12.0	0.8	38	Unknown or ill-defined diseases (187, 188, 189).....	12,462	23.1	1.5
15	Other forms of tuberculosis (31, 32, 33, 34, 35).....	41,039	76.2	5.1					
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45).....	7,619	14.2	0.9					
17	Simple meningitis (61).....	40,767	75.7	5.1					
18	Cerebral hemorrhage and softening (64, 65).....	76,178	141.5	9.5					
19	Organic diseases of the heart (79).....	7,229	13.4	0.9					
20	Acute bronchitis (89).....	5,391	10.0	0.7					
21	Chronic bronchitis (90).....	54,187	100.6	6.7					
22	Pneumonia (92).....	34,028	63.2	4.2					
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98).....								

¹ Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by number in parentheses.
² Exclusive of stillbirths.
³ Less than one-tenth of 1 per 100,000.
⁴ Less than one-tenth of 1 per cent.

The titles of the abridged list, with the abridged title numbers corresponding, are made the basis of various other condensed tables, as, for example, Table III, page 88, and Table 4, page 252, which present the number of deaths and death rates from the more important causes of death for the registration area and

its subdivisions. Lists more condensed than the abridged list are necessary for certain purposes; that used in the table showing country of birth of decedents, its relation to the abridged International List, and through that to the detailed International List, may be seen by the next table.

ABRIDGED INTERNATIONAL LIST NO.	CAUSE OF DEATH. ¹
1	Typhoid fever (1).
13	Tuberculosis of lungs (28, 29).
16	Cancer (39, 40, 41, 42, 43, 44, 45).
(37)	Rheumatism (47, 48).
(37)	Diabetes (50).
(37)	Alcoholism (56).
(37)	Lead poisoning (57).
(37)	Other occupational and chronic poisonings (58, 59).
(18), (37)	Apoplexy and paralysis (64, 65).
17, (18), (37)	Other diseases of nervous system (60, 61, 62, 63, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76).
19	Heart disease (79).
(37)	Other diseases of circulatory system (77, 78, 80, 81, 82, 83, 84, 85).
20, 21	Bronchitis (89, 90).
22, (23)	Pneumonia (all forms) (91, 92).
(23)	Pleurisy (93).
(23)	Asthma (96).
(23)	Other diseases of respiratory system (86, 87, 88, 94, 95, 97, 98).
28	Cirrhosis of liver (115).
(37)	Other diseases of liver (111, 112, 114, 115).
(37)	Peritonitis (117).
26	Appendicitis (108).
(37)	Hernia (109A).
(37)	Other diseases of digestive system (99, 100, 101, 102, 103, 104, 105, 106, 107, 109B, 110, 116, 118).
(29)	Bright's disease (120).
31, 32	Childbirth (134, 135, 136, 137, 138, 139, 140, 141).
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163).
(35)	Poisonous gases, other accidental poisonings (165, 168).
(35)	Other accidents and injuries (164, 166, 167, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186).
	All other causes (2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 31, 32, 33, 34, 35, 36, 37, 38, 46, 49, 51, 52, 53, 54, 55, 119, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 187, 188, 189).

¹ List of causes in table showing country of birth. The title or titles of the detailed International List that are included under each heading are shown by number in parentheses.

IMPORTANT CAUSES OF DEATH IN 1910.

Of the 38 titles representing individual causes or groups of causes shown in the abridged classification, No. 37, "All other causes," may be dismissed from consideration, as it is merely a grouping of the causes not stated separately in titles 1 to 36. The corresponding groups ("All other causes") in other lists, some of which are even more condensed, possess no special significance and are added merely to balance the table and to show in a general way the proportion of deaths not accounted for by the specific titles employed. The final group of "Unknown or ill-defined diseases" may be considered a general factor of correction to specified causes, but as only 1.5 per cent of the deaths are charged to it, it is practically negligible.

The groups of causes are of less significance than the individual diseases, owing to the unrelated character of many of the titles included in them. The following text will discuss only a few of the more important causes of death, showing the death rates in the registration area, its main subdivisions, the registration states, and cities having a population of 100,000 or more, for the past few years and for the quinquennial periods 1901 to 1905 and 1906 to 1910. With respect to causes not mentioned in this discussion reference

may be made to Table III of the present report for rates for 1910 and to Table 4 for the number of deaths in 1910; also to the corresponding tables in the annual report for 1909 for figures for each of the years 1900 to 1909.

For certain important causes of death rates for the five years ending with 1910 are shown in the text tables for cities and other places having a population of between 10,000 and 100,000 in which the death rates from such causes for any of those years reached or exceeded certain assigned limits. These limits, attainment of which is indicated in the tables by bold-faced figures, are selected merely in order that health officers and others who use this report for practical sanitary purposes may see in what portion of the registration area admittedly high rates have occurred during recent years or periods from certain preventable diseases. Undoubtedly with the progress of modern preventive medicine, death rates from typhoid fever, scarlet fever, tuberculosis, and other causes that are now accepted with a certain degree of equanimity as being no greater than those commonly present in many communities, will seem excessive and discreditable. In other words, with the advance of practical hygiene the tacit tolerance of high rates of mortality from causes of death that might readily be prevented will become less and less apparent.

In connection with the discussion of some of the causes of death, comparative data for foreign countries and for foreign cities are presented. These rates have been taken from the latest publications of the Registrar-General of England and Wales, whose office serves as a clearing house where data officially reported by the directors of foreign statistical bureaus are made available for the use of students of vital statistics throughout the world. The statistics for foreign countries are from the Seventy-third Annual Report of the Registrar-General, 1910, and those for foreign cities are from the Annual Summary of Marriages, Births, and Deaths, 1911. The rates have been taken from these publications without recomputation. As the rates for individual diseases are presented therein in the form of rates per 1,000 population carried to the second decimal place, it follows that, when changed to rates per 100,000 in order to be readily comparable with the American rates as usually presented, the figures can be shown only to the last integer, no fractional part being included. This is of no practical consequence, because few if any of the rates per 100,000 population or even of the rates per 10,000 presented in registration reports are accurate beyond the last integer.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

In Table II the changes made in the second revision of the International List, which has been in use since the beginning of 1910, have been carried out as far as practicable for preceding years. It is not always possible, however, to bring the data tabulated under the first and second revisions of the International Classi-

fication into exact correspondence, and the possibility of differences arising from the modifications introduced in the second revision should be borne in mind in comparing statements of deaths from various causes and rates based thereon for 1910 and subsequent years with the figures for 1900 to 1909. In the following table some of the more important changes are noted:

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED—		Title of first revision under which formerly included.	CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED—		Title of first revision under which formerly included.
	1910	1900-1909			1910	1900-1909	
Tetanus.....	24	1 24	72	"Asthenia".....			
Beriberi (new title).....	27	19	19	"Atrophy"..... (under 1 year).....	6 151		
Tuberculosis of the larynx (old title discontinued).....	28	2 I	26	"Debility"..... (under 3 months).....		151	151
Acute miliary tuberculosis (new title).....	29	28	27	"Exhaustion"..... (3 months and over).....		189	179
Scrofula (old title discontinued).....	34	3 I	35	"Malnutrition"..... (1 to 69 years).....	189	189	179
Ricketts (new title).....	36	146	146	"Marasmus"..... (70 years and over).....	6 154	189	179
Rheumatism (unqualified).....	47	48	48	"Weakness".....			
Purpura hemorrhagica.....	55	85	85	Atelectasis (under 3 months).....	152	151	151
Hemophilia.....	55	85	85	Injury at birth (various forms).....	152	(^g)	176
Neuralgia and neuritis (new title).....	73	74	74	"Asthenia".....			
Endocarditis (unqualified, 60 years of age and over).....	79	78	78	"Atrophy".....			
Myocarditis (unqualified, 60 years of age and over).....	79	78	78	"Debility".....			
Ankylostomiasis (new title).....	106	107	107	"Exhaustion"..... (70 years and over).....	6 154	189	179
Chyluria (new title).....	121	122	122	"Inanition".....			
Placenta praevia.....	135	136	136	"Malnutrition".....			
Childbirth, parturition, etc. (not otherwise defined).....	136	140	140	"Marasmus".....			
Puerperal hemorrhage.....	4 135			"Weakness".....			
Other accidents of labor.....	4 136			Poisoning by food (new title).....	164	165	175
Puerperal phlegmasia alba dolens, embolus, sudden death.....	4 139			Conflagration (new title; separately compiled by Bureau of the Census since 1903).....	166	168	174
Following childbirth (not otherwise defined).....	4 140			Traumatism by cutting or piercing instruments (new title).....	171	(^g)	166
"Inanition" (from disease, under 1 year).....	6 151			Traumatism by fall (new title).....	172	(^g)	166
(under 3 months); 1900 to 1904.....		153	153	Traumatism by other crushing (new title).....	175	(^g)	166
(under 3 months); 1905 to 1909.....		151	151	Injuries by animals (new title).....	176	(^g)	166
(2 months and over); 1900 to 1909.....		189	179	Electricity (lightning excepted) (new title).....	181	186	176
(from disease, 1 to 69 years).....		189	179	Homicide by firearms (new title).....	182	(^g)	176
(from disease, 70 years and over).....	6 154	189	179	Homicide by cutting or piercing instruments (new title).....	183	(^g)	176
				Homicide by other means (new title).....	184	(^g)	176

¹ Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
² Discontinued as a separate title and included with "Tuberculosis of the lungs," beginning with 1910.
³ Discontinued as a separate title and included with "Tuberculosis of other organs," beginning with 1910.
⁴ In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which, statistics entered under these titles for 1910 are not comparable with those for earlier years.

⁵ Changes not effective until 1911.
⁶ Formerly included under title 176 of the first revision ("Other external violence"). In effect the title—not title heading or name—has been discontinued, since title 186 of the second revision, although having the same designation, differs considerably in its content from the former title, three out of four subtitles of the former "Other external violence" now being classified under titles other than the present "Other external violence."
⁷ Title under which formerly included (see next column) discontinued.

The first column of the foregoing table shows the title number of the second revision of the International List in use since January 1, 1910; the second and third columns show the titles of the second and the first revision, respectively, under which the term would have been compiled according to the rules followed during the years 1900 to 1909. It will be noted that the numbers of titles of the second revision differ in several cases from the numbers of the same titles in the first revision. Thus, for example, tetanus, now compiled under International title No. 24, Class I (General diseases), was formerly compiled under title No. 72, Class II (Diseases of the nervous system) of the old classification.

TYPHOID FEVER.

Typhoid fever caused 12,673 deaths in the registration area during 1910, the death rate being 23.5 per 100,000 population. Although the number of deaths was only 1.6 per cent of the total number from all causes (805,412), this disease causes a much higher proportion of deaths of effectives, that is to say, men and women at the working ages when they are of the greatest economic importance.

The movement of the death rate from this disease for the registration area, its main subdivisions, the registration states, and the large cities (those of 100,000 population or over in 1910) may be seen in the next table.

MORTALITY STATISTICS.

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.					AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.						
	Annual average.		1907	1908	1909		1910	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.													
The registration area.....	32.0	25.6	29.5	24.3	21.1	23.5							
Registration states ¹	24.9	24.6	28.2	23.4	20.1	22.8							
Cities in registration states ¹	24.5	25.3	30.8	23.5	19.4	22.4							
Rural part of registration states.....	25.4	23.8	25.1	23.2	20.9	23.3							
Registration cities in other states.....	44.7	31.0	34.7	28.8	27.4	29.3							
All registration cities ¹	34.6	26.8	32.0	25.0	21.2	23.7							
REGISTRATION STATES.													
California.....	(2)	23.8	25.6	24.1	19.4	19.2							
Colorado.....	(2)	43.3	55.1	40.4	31.0	41.9							
Connecticut.....	22.1	17.5	19.8	17.8	13.9	14.7							
Indiana.....	43.5	34.7	35.8	34.1	32.8	34.0							
Maine.....	29.2	18.2	17.4	20.4	14.6	20.3							
Maryland.....	(2)	39.1	41.1	39.7	32.6	40.7							
Massachusetts.....	18.2	13.7	12.6	16.1	11.8	12.4							
Michigan.....	24.8	24.4	22.2	25.1	23.7	23.7							
Minnesota.....	(2)	(2)	(2)	(2)	(2)	32.1							
Montana.....	(2)	(2)	(2)	(2)	(2)	39.9							
New Hampshire.....	19.3	15.3	12.2	19.4	12.6	10.7							
New Jersey.....	19.1	14.9	18.3	14.3	11.2	14.5							
New York.....	22.3	17.0	20.0	16.1	14.9	15.3							
North Carolina ⁴	(2)	(2)	(2)	(2)	(2)	57.7							
Ohio.....	(2)	(2)	(2)	(2)	(2)	27.0							
Pennsylvania.....	(2)	36.4	48.6	33.0	22.7	24.6							
Rhode Island.....	18.6	13.1	10.9	12.7	12.0	13.6							
Utah.....	(2)	(2)	(2)	(2)	(2)	37.0							
Vermont.....	25.4	15.7	10.8	19.2	14.9	14.0							
Washington.....	(2)	(2)	(2)	27.8	28.0	28.0							
Wisconsin.....	(2)	(2)	(2)	14.0	14.5	23.3							
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
Birmingham, Ala.....	(2)	(2)	(2)	83.3	59.7	49.5							
Los Angeles, Cal.....	31.9	18.7	22.2	17.3	16.1	14.2							
Oakland, Cal.....	23.0	24.0	41.9	25.3	11.2	16.5							
San Francisco, Cal.....	26.2	27.0	30.1	19.3	13.9	15.5							
Denver, Colo.....	41.8	40.0	83.3	42.4	24.1	27.5							
Bridgeport, Conn.....	18.1	10.8	12.9	16.6	9.0	4.9							
New Haven, Conn.....	47.1	30.4	29.3	33.3	20.5	17.9							
Washington, D. C.....	56.3	36.4	35.1	38.9	34.3	23.2							
Atlanta, Ga.....	63.8	62.1	89.2	58.7	50.6	50.1							
Chicago, Ill.....	28.8	15.7	18.2	15.8	12.6	13.7							
Indianapolis, Ind.....	46.2	29.8	30.7	27.7	22.3	23.5							
Louisville, Ky.....	56.7	52.9	71.4	46.7	45.0	31.7							
New Orleans, La.....	40.4	35.1	54.6	32.5	28.4	31.5							
Baltimore, Md.....	36.3	35.4	42.6	32.2	24.9	42.0							
Boston, Mass.....	22.1	16.2	10.2	24.7	13.8	11.3							
Cambridge, Mass.....	11.6	9.8	7.9	12.7	7.7	9.5							
Fall River, Mass.....	18.0	14.7	17.0	12.2	21.3	15.0							
Lowell, Mass.....	21.9	14.9	11.0	25.4	10.5	19.7							
Worcester, Mass.....	15.6	11.9	14.0	10.0	8.4	15.7							
Detroit, Mich.....	20.3	21.9	25.5	19.6	20.5	23.0							
Grand Rapids, Mich.....	47.5	29.0	31.6	30.7	17.2	28.3							
Minneapolis, Minn.....	37.8	31.9	26.5	18.5	21.0	58.7							
St. Paul, Minn.....	12.3	18.0	17.6	12.5	18.9	19.5							
Kansas City, Mo.....	49.8	36.4	34.1	29.4	29.3	54.4							
St. Louis, Mo.....	37.3	16.3	16.5	15.4	16.2	14.9							
Omaha, Nebr.....	20.7	41.1	25.4	24.1	36.8	86.7							
Jersey City, N. J.....	18.0	12.6	13.7	9.4	8.8	11.5							
Newark, N. J.....	18.6	15.1	22.9	11.4	11.9	13.1							
Paterson, N. J.....	20.2	8.3	11.1	9.1	9.7	7.1							
Albany, N. Y.....	22.0	17.3	21.2	12.1	19.0	14.0							
Buffalo, N. Y.....	28.8	23.1	28.5	19.9	23.8	20.4							
New York, N. Y.....	18.1	13.5	17.1	11.9	12.1	11.6							
Bronx Borough.....	14.6	12.4	14.1	9.9	15.3	9.4							
Brooklyn Borough.....	21.9	14.3	18.7	13.6	11.9	11.9							
Manhattan Borough.....	16.0	13.1	16.8	11.1	11.3	11.4							
Queens Borough.....	18.5	14.0	15.3	12.7	14.1	14.2							
Richmond Borough.....	19.3	12.6	15.3	8.6	13.1	12.7							
Rochester, N. Y.....	13.7	13.3	15.7	11.2	9.4	13.7							
Syracuse, N. Y.....	16.0	16.0	15.1	14.6	11.2	28.2							
Cincinnati, Ohio.....	55.6	30.9	45.4	18.2	13.3	8.8							
Cleveland, Ohio.....	47.8	15.9	17.7	11.8	13.3	17.9							
Columbus, Ohio.....	69.6	41.6	35.8	102.4	19.6	18.1							
Dayton, Ohio.....	31.1	25.4	35.1	18.2	26.9	21.4							
Toledo, Ohio.....	36.7	41.0	37.9	42.0	41.7	37.2							
Portland, Ore.....	24.6	23.5	21.9	23.4	22.0	22.4							
Philadelphia, Pa.....	52.0	41.4	60.3	35.2	22.3	17.5							
Pittsburgh, Pa.....	126.1	66.8	131.2	48.9	24.6	27.8							
Scranton, Pa.....	19.7	35.5	75.2	11.2	16.4	16.9							
Providence, R. I.....	20.2	14.6	8.1	16.8	11.4	17.7							
Memphis, Tenn.....	44.8	41.6	44.0	42.5	48.6	27.4							
Nashville, Tenn.....	57.3	61.8	80.6	57.9	52.0	45.9							
Richmond, Va.....	57.1	35.4	40.6	49.7	24.1	21.9							
Seattle, Wash.....	27.2	24.8	47.7	18.1	23.8	14.2							
Spokane, Wash.....	53.5	50.0	53.1	50.4	43.2	45.4							
Milwaukee, Wis.....	18.1	27.8	24.6	16.3	21.4	45.7							

¹ Including District of Columbia.
² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.
⁴ Including only municipalities having a population of 1,000 or over in 1900.

In the foregoing table rates of 40 or over per 100,000 for any of the years or periods are indicated by boldfaced type. This is a somewhat high limit for a disease which is due to neglect of ordinary sanitary precautions and the mortality from which may be taken as a criterion of sanitary inefficiency.

As shown in the following tables the death rate from typhoid fever for the registration area of the United States is far in excess of those of the majority of European countries.

Compared with statistics for European countries and cities with modern sanitation, American rates are excessively high. The rate of the registration area for the year 1910 (23.5) is about the same as that of England and Wales 30 years ago. Some progress is being made, however, the rate for the quinquennium 1906 to 1910 (25.6) showing a marked decrease from that of the preceding quinquennium (32), and certain cities, some of which formerly had high death rates from typhoid fever, show unusually low rates for 1910, although such rates are not lower than those attained by European cities 15 or 20 years ago.

COUNTRY.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.								
	ANNUAL AVERAGE.							1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910			
United States (registration area).....	(1)	(1)	(1)	(1)	32	26	21	24	
Australian Commonwealth.....	55	51	28	36	21	16	15	15	
Austria.....	73	58	44	27	19	14	13	13	
Belgium.....	56	40	34	24	17	(2)	9	(2)	
England and Wales.....	22	18	17	17	11	7	6	5	
Hungary.....	(2)	(2)	(2)	38	29	27	31	24	
Ireland.....	16	17	17	21	13	8	7	6	
Italy.....	(2)	79	51	50	35	(2)	28	(2)	
Netherlands ⁴	18	13	12	10	9	6	5	5	
New Zealand.....	23	22	17	14	8	7	6	6	
Ontario, Province of.....	27	24	(?)	21	20	31	30	32	
Prussia.....	46	25	17	13	9	5	5	5	
Roumania.....	(2)	(2)	16	12	13	20	29	16	
Scotland.....	27	19	18	16	11	(2)	6	(2)	
Servia.....	(2)	(2)	153	113	68	(2)	(2)	(2)	
Spain.....	(2)	(2)	(2)	(2)	44	32	28	24	
Sweden ⁵	27	23	20	15	9	(2)	4	(2)	
Switzerland.....	29	16	11	8	6	(2)	3	(2)	

¹ Figures for deaths not available for the entire period.
² Rate not published.
³ Average for four years.
⁴ Including typhus.
⁵ Including brain fever and acute poliomyelitis.

CITY.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.										1909	1910
	Annual average.											
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910						
London.....	23	14	13	14	8	4	3	4				
Edinburgh.....	29	15	16	12	8	2	1	2				
Glasgow.....	32	18	19	24	15	10	11	6				
Dublin (registration area).....	33	46	44	41	22	12	15	10				
Belfast.....	28	50	52	103	49	14	5	5				
Sydney.....	67	61	23	21	14	13	14	15				
Melbourne.....	67	91	33	31	13	9	9	9				
Montreal.....	62	41	21	25	31	(1)	54	(2)				
Toronto.....	66	62	45	20	19	(1)	34	(2)				
Paris.....	83	41	22	19	12	9	9	7				
Brussels.....	29	22	24	20	11	12	8	19				
Amsterdam.....	37	21	17	12	9	9	4	7				
Rotterdam.....	21	16	9	22	11	8	7	7				
The Hague.....	33	22	14	8	5	2	5	2				
Copenhagen.....	17	12	9	9	8	4	2	3				
Stockholm.....	24	15	12	5	3	2	1	4				
Christiania.....	7	8	6	12	3	3	2	2				
St. Petersburg.....	103	51	39	79	61	65	26	37				
Moscow.....	42	25	25	22	16	15	16	18				
Berlin.....	23	14	8	5	4	4	4	4				
Hamburg.....	28	57	18	5	4	4	3	5				
Dresden.....	18	11	6	5	4	4	3	3				
Breslau.....	29	15	11	9	8	5	3	7				
Munich.....	17	12	6	4	4	2	2	2				
Vienna.....	17	11	6	6	4	4	3	4				
Prague.....	42	34	39	26	24	11	11	8				
Budapest.....	50	43	19	22	10	15	18	20				
Trieste.....	27	14	16	24	18	15	10	12				
Milan.....	92	71	58	44	44	39	40	35				
Turin.....	77	43	34	23	25	16	13	12				
Venice.....	55	38	26	33	34	(1)	16	23				
New York.....	40	26	21	18	18	14	12	12				
Chicago.....	75	63	82	33	28	15	12	14				
Philadelphia.....	69	68	43	46	50	41	21	18				
Boston.....	50	39	30	30	22	16	15	11				
Rio de Janeiro.....	50	28	23	21	18	7	6	5				

¹ Figures for deaths not available for the entire period.
² Figures for deaths not available.
³ Average for four years.
⁴ Figures furnished by the Bureau of the Census.

Among the large cities with rates under 10 per 100,000 for the year 1910 were Bridgeport (4.9), Cambridge (9.5), Paterson (7.1), and Cincinnati (8.8). All the registration states for which comparisons for the two quinquenniums can be made show a more or less marked decrease in the death rate from typhoid fever during the latter half of the decade. This was true also for the large cities with few exceptions. Among the cities of this group, the only ones in which the annual average death rate from typhoid fever for the past five years was markedly higher than that for the years 1901 to 1905, were Omaha, where there was an epidemic in 1910; Toledo, Scranton, Nashville, and Milwaukee.

In the following table death rates from typhoid fever for the years 1906 to 1910 are shown according to color of decedents for certain areas with a considerable proportion of colored population.

In the majority of the areas shown the annual average death rate of the colored population from this disease for the period 1906 to 1910 was greater than that of the white, although in many of them the mortality of the white was greater in one or more of the individual years. The variations among the cities in this respect or in the same area from year to year may be due to some extent to the more or less inaccurate reporting of causes of death and the tendency in some cities to ascribe a large number of deaths from this cause to malaria.

AREA.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts.....	33.5	59.4	34.5	73.5	30.5	57.5	37.3	66.0	31.7	55.3	33.6	44.5
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)	77.3	92.5	61.2	57.4	49.5	49.5
Mobile, Ala.....	52.7	53.9	44.5	28.0	52.9	38.9	56.3	22.2	62.9	57.3	45.2	114.0
Wilmington, Del.....	39.1	30.4	46.0	53.4	57.3	10.8	23.6	32.5	29.7	32.8	39.5	22.0
Washington, D. C.....	31.2	49.2	37.9	84.8	33.6	38.8	38.6	39.6	28.0	49.8	19.0	33.6
Jacksonville, Fla.....	104.7	83.0	84.9	58.3	136.7	128.3	73.0	92.2	84.3	71.7	135.3	67.2
Atlanta, Ga.....	60.5	65.1	62.5	73.7	85.9	95.4	56.0	63.8	45.5	60.6	56.0	38.3
Savannah, Ga.....	50.4	30.9	48.5	39.8	106.0	63.9	25.5	24.2	38.0	12.1	34.6	15.0
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	49.3	84.3	69.2	117.7	90.0	138.7
Louisville, Ky.....	44.4	90.8	65.7	92.4	63.9	104.6	35.5	96.8	34.1	94.0	23.9	66.6
New Orleans, La.....	32.5	42.3	30.4	25.8	48.3	71.8	28.5	43.4	29.2	25.9	26.8	44.5
Baltimore, Md.....	33.6	45.2	32.2	51.8	39.5	59.8	32.4	30.9	23.2	34.3	40.7	49.3
Charleston, S. C.....	51.6	63.5	75.7	86.4	44.8	54.5	44.2	43.1	47.3	64.3	46.7	64.4
Memphis, Tenn.....	35.1	50.8	40.8	55.9	36.6	54.1	38.5	43.1	43.3	56.8	19.0	40.0
Nashville, Tenn.....	55.8	73.7	66.7	83.1	74.3	92.7	41.5	90.1	49.2	57.4	50.0	46.5
San Antonio, Tex.....	41.8	25.4	24.1	10.4	53.7	30.3	31.8	39.1	44.8	9.5	51.9	36.8
Norfolk, Va.....	66.0	61.0	88.1	60.8	88.4	80.7	76.4	52.2	55.3	64.0	25.8	47.8
Richmond, Va.....	38.3	30.3	47.6	37.5	51.7	21.5	53.8	42.6	24.5	23.5	13.5	27.8

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

The next table shows the death rates from typhoid fever for each year of the period 1906 to 1910 in certain minor cities (that is, municipalities having a population of over 10,000 but less than 100,000 in 1910).

In many cases the death rates are based on small populations, hence their significance may not be especially great for single years, but the continued occurrence of high rates is significant.

MORTALITY STATISTICS.

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.					CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Mobile, Ala.	37.2	46.7	41.2	60.5	75.6	Plainfield, N. J.	10.6	5.2	45.5	14.8	14.5
Montgomery, Ala.	(1)	(1)	66.4	73.9	36.7	Trenton, N. J.	34.5	79.3	52.1	31.7	50.3
Alameda, Cal.	33.8	37.3	40.7	4.4	12.8	Auburn, N. Y.	12.1	6.0	50.2	17.5	8.6
Bakersfield, Cal.	(2)	(2)	(2)	(2)	83.6	Batavia, N. Y.	38.0	18.5	27.0	26.3	42.8
Fresno, Cal.	127.2	52.6	95.3	86.3	59.8	Cohoes, N. Y.	53.7	86.3	73.6	81.3	76.8
Riverside, Cal.	(2)	(2)	(2)	(2)	45.6	Corning, N. Y.	37.0	73.7	95.4	131.6	58.2
Sacramento, Cal.	38.7	59.5	69.0	48.3	28.9	Cortland, N. Y.	8.9	26.5	8.8	26.2	78.1
Santa Barbara, Cal.	(2)	(2)	(2)	(2)	42.5	Dumickirk, N. Y.	38.3	74.7	12.1	5.9	23.1
Pueblo, Colo.	91.3	45.1	48.1	30.1	76.3	Elmira, N. Y.	47.2	30.3	30.0	32.5	26.9
Middletown town, Conn.	30.8	20.2	24.8	43.9	33.6	Geneva, N. Y.	40.9	24.4	32.4	16.1	16.1
Norwalk town, Conn.	26.6	43.5	42.7	8.4	41.2	Glens Falls, N. Y.	54.1	33.6	39.9	6.6	19.6
Wilmington, Del.	44.5	40.3	24.6	30.0	37.7	Hudson, N. Y.	37.7	9.2	18.1	8.9	61.1
Jacksonville, Fla.	70.0	132.1	83.1	77.8	102.3	Little Falls, N. Y.	44.2	17.3	33.8	8.3	16.2
Key West, Fla.	29.4	113.4	49.6	34.9	70.3	Lockport, N. Y.	62.7	51.0	56.3	55.9	11.1
Savannah, Ga.	44.0	84.4	24.9	24.7	24.6	Middletown, N. Y.	25.6	12.9	45.3	19.5	26.1
Belleville, Ill.	28.6	37.9	47.4	61.6	18.9	Newburgh, N. Y.	41.3	37.1	40.4	50.8	46.6
Springfield, Ill.	37.3	73.9	35.7	33.6	52.0	Niagara Falls, N. Y.	150.1	131.5	103.6	87.2	98.0
Anderson, Ind.	27.8	18.3	36.3	31.4	53.3	North Tonawanda N. Y.	28.5	45.8	53.2	51.5	41.6
Elkhart, Ind.	11.3	5.5	5.4	62.3	10.3	Ogdensburg, N. Y.	86.3	39.2	32.2	25.4	50.1
Elwood, Ind.	76.5	60.5	43.9	17.9	54.6	Oswego, N. Y.	66.4	61.4	60.9	21.5	47.0
Gary, Ind.	(2)	(2)	(2)	(2)	101.2	Peekskill, N. Y.	14.6	14.2	207.0	13.4	26.1
Hammond, Ind.	56.4	80.3	154.0	39.4	56.9	Poughkeepsie, N. Y.	42.7	113.0	33.4	21.8	17.8
Huntington, Ind.	9.9	9.9	49.1	24.3	19.5	Saratoga Springs, N. Y.	46.4	54.4	23.4	15.8	15.8
Jeffersonville, Ind.	56.9	95.1	85.9	38.3	67.3	Watertown, N. Y.	48.9	46.3	45.8	41.5	37.0
Kokomo, Ind.	42.6	27.3	77.8	18.1	75.9	Watervliet, N. Y.	47.9	40.7	40.4	6.7	39.7
Lafayette, Ind.	41.4	15.4	45.6	55.2	49.7	Charlotte, N. C.	(1)	(1)	(1)	(1)	49.8
Logansport, Ind.	61.3	16.4	37.8	31.9	47.1	Durham, N. C.	(1)	(1)	(1)	(1)	43.7
Marion, Ind.	31.5	36.6	10.4	31.1	41.3	Greensboro, N. C.	(1)	(1)	(1)	(1)	43.7
Michigan City, Ind.	34.8	51.1	49.1	26.7	47.1	Raleigh, N. C.	74.2	141.2	93.4	26.0	78.1
Muncie, Ind.	39.5	21.7	25.8	58.7	37.4	Wilmington, N. C.	83.6	45.1	56.3	78.9	73.5
New Albany, Ind.	33.9	135.7	33.9	58.2	19.4	Winston, N. C.	(1)	(1)	(1)	(1)	57.7
Peru, Ind.	13.6	37.0	18.4	36.8	55.0	Alliance, Ohio	(1)	(1)	(1)	(1)	41.1
Terre Haute, Ind.	45.9	46.9	35.4	62.7	29.1	Ashtabula, Ohio	37.7	18.3	82.9	40.3	43.6
Vincennes, Ind.	15.2	51.1	14.2	27.5	26.7	Bellaire, Ohio	30.6	56.6	23.9	46.9	7.7
Kansas City, Kans.	(1)	(1)	53.2	74.7	95.5	Cambridge, Ohio	(1)	(1)	(1)	(1)	52.7
Leavenworth, Kans.	24.4	34.6	35.2	56.1	74.9	Canton, Ohio	20.2	56.4	16.8	20.4	27.7
Wichita, Kans.	27.3	39.2	42.2	71.2	43.1	Chillicothe, Ohio	57.5	71.1	49.2	152.9	39.4
Covington, Ky.	51.8	56.7	35.5	20.8	15.0	East Liverpool, Ohio	(1)	(1)	(1)	(1)	64.6
Newport, Ky.	60.9	77.3	50.1	29.9	32.9	Findlay, Ohio	31.4	38.4	46.4	46.4	27.0
Paducah, Ky.	65.2	87.1	58.7	35.6	65.7	Hamilton, Ohio	48.5	28.1	27.1	26.2	16.9
Augusta, Me.	55.5	31.3	38.7	22.9	15.1	Ironton, Ohio	86.9	101.7	69.7	30.7	22.8
Bangor, Me.	42.3	29.2	28.8	36.6	32.2	Mansfield, Ohio	(1)	(1)	(1)	(1)	92.6
Portland, Me.	16.3	19.6	38.6	24.2	52.8	Marietta, Ohio	22.9	38.3	69.2	23.2	7.7
Waterville, Me.	18.4	18.4	18.0	8.9	52.2	Piqua, Ohio	(1)	(1)	(1)	(1)	22.6
Cumberland, Md.	119.8	146.3	76.3	69.9	155.0	Portsmouth, Ohio	56.3	86.8	71.2	47.8	59.3
Frederick, Md.	60.1	39.6	88.2	67.8	86.3	Sandusky, Ohio	(1)	(1)	(1)	(1)	40.1
Hagerstown, Md.	39.0	51.0	18.8	49.2	18.1	Stevensville, Ohio	(1)	(1)	(1)	(1)	66.5
Adams town, Mass.	31.7	55.0	7.7	7.7	7.6	Warren, Ohio	(1)	(1)	(1)	(1)	143.8
Clinton town, Mass.	53.5	15.3	15.3	7.6	7.6	Youngstown, Ohio	53.6	26.3	41.0	34.0	57.7
Hyde Park town, Mass.	13.6	6.7	19.8	6.5	77.2	Zanesville, Ohio	(1)	(1)	(1)	(1)	43.7
Milford town, Mass.	40.6	16.0	7.9	7.8	20.1	Allentown, Pa.	47.5	48.1	24.3	51.2	32.6
Newburyport, Mass.	54.3	27.0	80.8	13.4	18.2	Altoona, Pa.	68.1	56.6	55.5	35.0	40.1
North Adams, Mass.	31.6	40.7	27.2	27.2	18.2	Beaver Falls, Pa.	105.6	77.7	25.4	16.6	16.3
Peabody town, Mass.	7.3	7.0	40.6	19.6	158.2	Braddock, Pa.	128.2	158.4	107.0	52.5	56.6
Southbridge town, Mass.	35.2	8.6	16.6	40.5	15.8	Butler, Pa.	70.9	72.5	37.0	30.1	23.9
Adrian, Mich.	46.7	37.3	18.6	37.2	18.6	Carbondale, Pa.	51.0	6.2	42.7	29.8	23.4
Alpena, Mich.	56.0	23.9	71.4	63.2	15.5	Easton, Pa.	68.0	43.0	26.5	21.0	41.4
Battle Creek, Mich.	34.3	25.2	41.1	36.2	31.5	Connellsville, Pa.	(2)	(2)	(2)	(2)	54.1
Bay City, Mich.	47.3	39.5	45.7	35.9	24.3	Dubois, Pa.	44.0	76.9	16.6	32.4	47.3
Escanaba, Mich.	101.4	221.4	127.4	232.4	60.3	Dunmore, Pa.	63.8	18.5	5.8	5.8	5.8
Flint, Mich.	25.3	25.6	35.1	59.4	101.6	Duquesne, Pa.	98.8	65.1	62.0	26.3	12.6
Ironwood, Mich.	36.3	34.8	41.8	72.3	15.5	Easton, Pa.	47.8	43.6	21.5	32.0	17.5
Ishpeming, Mich.	16.8	49.8	8.1	16.0	16.0	Erie, Pa.	47.4	76.6	60.9	29.0	38.9
Kalamazoo, Mich.	42.2	17.2	35.6	7.9	47.4	Greensburg, Pa.	(2)	(2)	(2)	(2)	107.3
Lansing, Mich.	70.4	15.4	50.2	13.4	47.4	Harrisburg, Pa.	64.3	47.7	50.0	29.4	32.6
Manistee, Mich.	7.9	47.9	40.1	32.2	16.2	Johnstown, Pa.	49.8	69.9	76.8	51.9	64.4
Marquette, Mich.	36.5	72.1	44.5	52.7	95.3	Lancaster, Pa.	82.2	17.5	15.2	25.7	14.8
Monominee, Mich.	73.5	83.4	56.1	56.7	66.7	Lebanon, Pa.	16.1	10.6	26.4	68.0	15.6
Portiac, Mich.	24.0	23.0	7.4	14.2	54.6	McKeesport, Pa.	155.7	106.0	96.8	42.8	65.3
Port Huron, Mich.	56.1	46.3	20.8	57.8	74.4	Meadville, Pa.	32.8	48.6	40.0	31.6	15.6
Sault Ste. Marie, Mich.	59.0	16.6	73.4	56.2	23.7	Nanticoke, Pa.	43.0	5.9	11.3	5.5	5.3
Traverse City, Mich.	95.3	25.6	59.1	33.3	24.7	New Castle, Pa.	66.5	82.7	77.3	39.2	38.4
Duluth, Minn.	45.6	41.0	55.8	51.1	75.9	Norristown, Pa.	6.8	34.2	41.0	36.5	46.4
Mankato, Minn.	37.3	37.3	292.5	38.2	9.7	Oil City, Pa.	66.1	20.0	46.0	25.9	19.1
Stillwater, Minn.	(1)	(1)	(1)	(1)	59.4	Phoenixville, Pa.	78.8	126.2	95.6	28.3	37.1
Virginia, Minn.	(1)	(1)	(1)	(1)	234.5	Plymouth, Pa.	19.1	6.2	42.7	23.4	23.4
Billings, Mont.	(1)	(1)	(1)	(1)	108.1	Pottstown, Pa.	26.9	59.8	72.1	51.8	12.8
Great Falls, Mont.	(1)	(1)	(1)	(1)	201.0	Pottsville, Pa.	37.8	42.2	51.5	20.1	29.5
Missoula, Mont.	(1)	(1)	(1)	(1)	99.6	Reading, Pa.	40.2	47.1	53.8	37.0	32.1
Berlin, N. H.	131.2	9.1	26.7	17.3	42.2	Sharon, Pa.	95.6	171.0	207.2	33.5	117.2
Dover, N. H.	37.8	45.3	52.9	15.1	42.3	South Sharon, Pa.	(2)	(2)	(2)	(2)	117.8
Hackensack, N. J.	17.0	16.2	16.2	22.1	42.3	Steelton, Pa.	126.4	65.9	72.1	14.2	14.2
Long Branch, N. J.	48.3	71.1	62.1	61.0	59.9	Sunbury, Pa.	40.8	63.2	7.7	66.9	36.1
Morristown, N. J.	57.3	32.5	24.2	8.0	47.9	Uniontown, Pa.	(2)	(2)	(2)	(2)	89.1
Phillipsburg, N. J.	36.8	36.8	7.3	7.2	43.1	Warren, Pa.	39.9	38.8	9.5	27.6	71.8

¹ Not admitted to registration area until a later date.

² Included in rural.

³ Based on population enumerated April 15, 1910.

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.					CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Washington, Pa.....	(1)	(1)	(1)	(1)	63.7	Norfolk, Va.....	77.4	85.4	67.2	58.6	34.0
West Chester, Pa.....	91.7	116.8	114.5	34.5	33.9	Petersburg, Va.....	123.1	51.1	46.4	71.0	66.2
Wilkes-Barre, Pa.....	31.0	44.6	23.3	13.7	37.1	North Yakima, Wash.....	(2)	(2)	(1)	(1)	237.6
Wilkesburg, Pa.....	199.1	47.7	44.9	38.0	52.5	Tacoma, Wash.....	35.8	42.8	28.3	24.8	21.3
Williamsport, Pa.....	45.7	67.8	44.7	31.6	40.7	Walla Walla, Wash.....	(2)	(2)	45.7	80.3	76.8
Cumberland town, R. I.....		51.6		10.0		Wheeling, W. Va.....	123.1	107.7	68.1	50.7	50.4
Charleston, S. C.....	81.5	50.0	46.3	56.3	56.0	Ashland, Wis.....	(2)	(2)	55.3	116.0	322.6
Knoxville, Tenn.....	(2)	(2)	50.5	74.9	32.9	Beloit, Wis.....	44.9	14.5		13.6	6.6
San Antonio, Tex.....	22.5	51.0	32.7	40.8	50.2	Eau Claire, Wis.....	43.3	10.8	54.1	38.1	43.7
Ogden, Utah.....	(2)	(2)	25.1	40.3	50.4	Kenosha, Wis.....	(2)	(2)	56.3	34.0	41.7
Salt Lake City, Utah.....	53.4	72.2	35.6	49.1	46.0	Marinette, Wis.....	26.3	39.9	13.4	27.2	48.0
Rutland, Vt.....	23.5			22.4	44.2	Racine, Wis.....	(2)	(2)	19.5	27.0	52.3
Alexandria, Va.....	39.9	66.2	39.5	52.4	130.3	Sheboygan, Wis.....	(2)	(2)	93.9	23.1	26.4
Danville, Va.....	(2)	(2)	69.3	26.5	68.2	Superior, Wis.....	93.6	26.2	15.4	30.2	33.9
Lynchburg, Va.....	65.5	102.9	69.6	34.3	30.4						

¹ Included in rural.

² Not admitted to registration area until a later date.

No comment is needed on the extensive prevalence of typhoid fever throughout the urban communities of the United States, excessively high death rates being recorded in many areas year after year. The highest death rates for 1910 were those of Ashland, Wis. (322.6); North Yakima, Wash. (237.6); Virginia, Minn. (234.5); Great Falls, Mont. (201); Cumberland, Md. (155); Warren, Ohio (143.8); Alexandria, Va. (130.3); South Sharon, Pa. (117.8); Sharon, Pa. (117.2); and Billings, Mont. (108.1).

Special investigations have been made of many of the epidemics of typhoid fever by officers of the United States Public Health Service.¹ In the case of Ashland, Wis., for example, it is stated that the excessively high death rate resulting from the epidemic of 1910 "was due primarily, in all probability, to polluted water and poor efficiency of the filter plant."

An invariably high annual death rate indicates a condition more dangerous, both to the community itself and to other communities to which infection may be taken, than a higher rate occurring only occasionally. The only large cities with rates higher than 40 for a series of years ending with 1910 were Birmingham, Atlanta, Nashville, and Spokane; but several of the minor cities had such rates, notably, Fresno, Cal.; Jacksonville, Fla.; Cumberland, Md.; Escanaba and Menominee, Mich.; Duluth, Minn.; Long Branch, N. J.; Cohoes, Niagara Falls, and Wauertown, N. Y.; Wilmington, N. C.; Chillicothe and Portsmouth, Ohio; Braddock, Johnstown, and McKeesport, Pa.; Charleston, S. C.; Petersburg, Va.; and Wheeling, W. Va. In some of these cities there has been a marked reduction in the mortality from this disease in recent years, although the rates were excessive even in 1910. Active measures have been taken in some cities to improve the water supply, and the rates for succeeding years in those cities will be such, it is hoped, as to remove them from this class.

¹ See Bulletin No. 83, Sewage Pollution of Interstate and International Waters with Special Reference to the Spread of Typhoid Fever, by Allan J. McLaughlin. See also Bulletin No. 72, Report on an Outbreak of Typhoid Fever at Omaha, Nebr. (1909-1910), by L. L. Lumsden.

MALARIA.

Only 1,167 deaths from malaria were reported in the registration area during the year 1910. As this area does not include the population of any of the Southern states, except for certain registration cities, and as the rates in those cities from this cause are, as a rule, higher than in the North, it is certain that the relative importance of this disease as a cause of death in the United States is not properly indicated by the mortality statistics at present available. On the other hand, it is probable that many deaths reported from malaria or malarial fever are actually due to typhoid fever, tuberculosis, or other causes. The very considerable degree of uncertainty with respect to the returns of deaths from malaria is well shown by the following extract from the Annual Report of the Richmond Health Department for 1911:

On the face of the reported mortality figures, the lowering of the death rate from malarial fever in the past four years might well be thought to be the most notable accomplishment of the Richmond Health Department since its reorganization. The number of deaths and the death rate from malarial fever in Richmond for the past eight years are given below:

YEAR.	DEATHS FROM MALA- RIAL FEVER.	
	Number of deaths.	Rate per 100,000.
1904.....	17	18.8
1905.....	28	30.4
1906.....	14	15.0
1907.....	32	28.2
1908.....	7	6.1
1909.....	9	7.7
1910.....	6	4.7
1911.....	1	.8

The above table shows an average of 23.1 deaths per 100,000 inhabitants from malarial fever for the four years 1904-1907, inclusive, and an average of 4.8 for the past four years, 1908-1911, inclusive.

The number of deaths from malarial fever in 1907 was stated to be 23 in the Annual Report of the Richmond Health Department for that year, against 32 as given in the above table. In 9 death certificates received during 1907 malarial fever and some other serious illness were given as the joint cause of death. These were classified by our office under the other cause given on the certificate since we knew, as will be pointed out, the rarity of fatal malaria in our climate. The United States Bureau of the Census, however, assigned these 9 deaths to malarial fever, making a total

of 32 deaths, and we have changed our classification to conform thereto.

It was the high reported death rate from malarial fever in 1907 (32 deaths, equivalent to a rate of 28.2 per 100,000) that led me to investigate the reliability of the returns. I found that out of the 32 deaths assigned to this cause, 11 had been reported by one physician, 6 by another, and 5 by a third. With over 200 physicians practicing in Richmond at that time, 1 had thus reported 34 per cent (or over one-third) of all the deaths from malaria; 2 had reported 53 per cent (or over one-half) of all, and 3 had reported 69 per cent (or over two-thirds) of all. This, of course, showed the utter unreliability of the returns.

In order to throw further light on the matter, a letter was addressed to eight prominent practitioners of the city, asking each how many fatal cases of malarial fever he had had during the entire course of his practice in Richmond. Seven of them replied that they had never had a death from malaria in Richmond and the eighth had had one death, the disease in this instance having been contracted in a Southern state.

Armed with the above facts, the physicians who had reported so many deaths from malaria were interviewed. They were shown that it was impossible that any three doctors should have had 22 deaths from malaria in a single year, while eight other doctors, with very large practices, should have had only one death from this disease during their entire experience—averaging at least 15 years—the proportion being thus 880 to 1. They were respectfully requested to bear these facts in mind and to avoid using the term malaria to cover those cases of fever in which they had simply failed to find any other cause. Since that time we always get further information on every death certificate on which malarial fever is stated as the cause of death.

In the following table the death rates from malaria are shown for the registration area and its principal subdivisions, registration states, and cities having a population of 100,000 or over in 1910, for each year of the period 1906 to 1910:

AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.						AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.							REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
The registration area.....	4.8	2.6	2.7	2.4	2.3	2.2	Indianapolis, Ind.....	4.0	2.7	3.7	3.1	2.2	1.7
Registration states ¹	3.5	1.6	1.8	1.3	1.4	1.3	Louisville, Ky.....	5.5	4.2	5.9	4.1	3.6	3.6
Cities in registration states ¹	3.1	1.3	1.6	1.0	1.0	1.0	New Orleans, La.....	26.8	12.9	12.0	19.1	11.9	9.7
Rural part of registration states.....	4.0	1.9	2.0	1.6	1.8	1.7	Baltimore, Md.....	5.3	2.6	1.8	1.6	2.2	2.0
Registration cities in other states.....	7.2	7.7	6.6	7.4	8.3	8.6	Boston, Mass.....	0.8	0.4	1.3	0.5	0.1
All registration cities ¹	5.1	3.0	3.1	2.8	2.7	2.5	Cambridge, Mass.....	1.5	0.4	1.0	1.0
REGISTRATION STATES.							Fall River, Mass.....	1.1	0.2	0.8
California.....	(2)	3.5	2.4	3.3	4.4	3.5	Lowell, Mass.....	1.7	1.2	3.0	1.0	1.9
Colorado.....	(2)	0.6	0.7	0.4	0.5	1.1	Worcester, Mass.....	5.6	1.3	2.9	1.4	0.7
Connecticut.....	7.4	3.4	3.8	3.3	2.8	2.5	Detroit, Mich.....	2.2	1.0	0.7	1.4	0.4	0.6
Indiana.....	6.8	4.5	4.1	4.0	4.7	4.2	Grand Rapids, Mich.....	2.3	1.7	3.8	1.9	0.9
Maine.....	1.9	0.9	1.4	1.0	0.9	0.4	Minneapolis, Minn.....	0.3	0.1	0.3
Maryland.....	(2)	2.5	3.0	1.9	2.1	1.7	St. Paul, Minn.....	0.1
Massachusetts.....	2.2	0.8	1.2	0.5	0.7	0.7	Kansas City, Mo.....	6.6	2.7	1.4	5.3	2.1	4.0
Michigan.....	3.2	1.3	1.2	1.4	1.0	0.7	St. Louis, Mo.....	10.3	8.3	7.0	7.9	8.7	4.9
Minnesota.....	(2)	(3)	(2)	(2)	(2)	0.1	Omaha, Nebr.....	1.6	1.0	0.8	1.7	1.6	0.8
Montana.....	(2)	(3)	(2)	(2)	(2)	Jersey City, N. J.....	2.8	1.0	2.4	0.4	1.1
New Hampshire.....	1.6	1.1	1.6	0.9	0.5	0.2	Newark, N. J.....	3.3	1.2	3.2	0.3	0.9
New Jersey.....	3.1	1.4	2.0	1.2	0.9	1.0	Paterson, N. J.....	3.1	1.0	0.9	1.7	0.8
New York.....	2.6	1.3	1.7	1.0	1.1	0.9	Albany, N. Y.....	1.5	0.8	1.0	1.0	1.0
North Carolina ⁴	(2)	(3)	(2)	(2)	(2)	33.2	Buffalo, N. Y.....	0.5	0.5	1.0	0.2	0.2
Ohio.....	(2)	(3)	(2)	(2)	1.6	0.8	New York, N. Y.....	2.9	1.1	1.7	0.7	0.9	0.7
Pennsylvania.....	(2)	0.8	0.9	0.7	0.7	0.6	Bronx Borough.....	8.8	1.1	1.8	1.3	0.7	0.9
Rhode Island.....	5.4	1.7	1.4	1.9	1.5	0.9	Brooklyn Borough.....	3.4	1.6	2.6	1.0	1.4	0.9
Utah.....	(2)	(3)	(2)	(2)	(2)	Manhattan Borough.....	1.5	0.6	0.8	0.3	0.3	0.3
Vermont.....	1.5	1.0	2.6	0.3	0.3	0.8	Queens Borough.....	5.4	2.7	3.4	1.2	2.6	2.1
Washington.....	(2)	(3)	(2)	0.6	0.3	0.1	Richmond Borough.....	4.5	2.0	2.5	2.5	2.4
Wisconsin.....	(2)	(3)	(2)	0.3	0.5	0.1	Rochester, N. Y.....	0.8	0.2	0.5	0.5
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	0.5	0.6	0.8	1.5	0.7
Birmingham, Ala.....	(2)	(3)	(3)	22.4	21.3	26.3	Cincinnati, Ohio.....	2.2	1.0	0.6	0.8	1.4	0.3
Los Angeles, Cal.....	1.1	0.8	0.8	1.1	1.0	0.9	Cleveland, Ohio.....	1.1	0.4	0.4	0.8	0.4	0.2
Oakland, Cal.....	2.9	1.4	1.9	0.9	1.7	1.3	Columbus, Ohio.....	1.9	0.2	0.6
San Francisco, Cal.....	2.1	1.4	0.8	1.5	1.7	1.9	Dayton, Ohio.....	3.3	1.8	3.1	2.0	0.9
Denver, Colo.....	0.7	0.7	1.0	1.0	0.5	0.9	Toledo, Ohio.....	4.3	2.0	2.5	0.6	1.8	1.8
Bridgeport, Conn.....	4.5	1.9	4.3	1.0	1.0	1.0	Portland, Ore.....	0.6	0.8	1.7	1.0	0.5
New Haven, Conn.....	9.1	6.0	6.3	6.2	4.6	4.5	Philadelphia, Pa.....	1.2	0.6	0.8	0.7	0.5	0.5
Washington, D. C.....	8.1	3.7	2.8	2.5	3.4	2.7	Pittsburgh, Pa.....	1.2	0.3	0.8	0.2	0.4
Atlanta, Ga.....	8.3	7.3	8.1	10.2	5.9	2.6	Seranton, Pa.....	2.2	0.6	0.8	0.8	0.8
Chicago, Ill.....	0.9	0.5	0.3	0.5	0.4	0.5	Providence, R. I.....	5.9	1.8	2.4	1.4	1.4	0.4
							Memphis, Tenn.....	132.0	104.7	114.4	111.1	97.6	73.8
							Nashville, Tenn.....	32.3	17.7	15.7	14.7	21.0	10.0
							Richmond, Va.....	20.8	12.4	28.2	6.1	7.7	4.7
							Seattle, Wash.....	0.5
							Spokane, Wash.....	0.4	0.9	2.5	1.1	1.0
							Milwaukee, Wis.....	0.3	0.1	0.3	0.3

¹ Including District of Columbia.
² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.
⁴ Including only municipalities having a population of 1,000 or over in 1900.

Only a few areas shown in the table had death rates as high as 10 per 100,000 from this disease for any of the years or periods shown. Among these for 1910 were the municipalities of North Carolina (33.2), Birmingham (26.3), Memphis (73.8), and Nashville (10). A

marked decrease in the mortality is shown for New Orleans, Memphis, Nashville, and Richmond, cities which formerly had rates above 20 per 100,000. Greater attention may, perhaps, be given to the verification of deaths reported from this cause.

CAUSES OF DEATH.

The following table shows the death rates from malaria for minor cities (municipalities having a population of 10,000 or over but less than 100,000 in 1910),

in which for any of the five years 1906 to 1910 the rate was as high as 10 per 100,000. Few northern cities show high rates for consecutive years.

CITY. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.					CITY. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.					
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910	
Mobile, Ala.	32.2	29.5	45.1	42.9	56.2	Long Branch, N. J.	8.0			38.1		
Montgomery, Ala.	(1)	(1)	42.5	63.3	89.0	Morristown, N. J.		16.3			8.0	
Bakersfield, Cal.	(2)	(2)	(2)	(2)	46.8	Corning, N. Y.	14.8					
Fresno, Cal.	16.6	15.8	5.0	4.8		Ithaca, N. Y.	13.7				6.7	
Sacramento, Cal.	2.6		11.9	13.8	4.4	Peekskill, N. Y.	29.3	7.1	6.9			
Ansonia, Conn.				6.7	13.2	Poughkeepsie, N. Y.	11.6	11.4				
Greenwich town, Conn.		13.1	19.1		12.1	Watervliet, N. Y.	13.7			6.7		
Meriden town, Conn.	28.0	9.6	15.9	9.4	6.2	Charlotte, N. C.	(1)	(1)	(1)	(1)	43.9	
Middletown town, Conn.		5.0	9.9		14.4	Durham, N. C.	(1)	(1)	(1)	(1)	21.7	
Wallingford town, Conn.	19.4					Greensboro, N. C.	(1)	(1)	(1)	(1)	25.0	
Jacksonville, Fla.	75.0	67.2	46.6	64.8	71.6	Raleigh, N. C.	29.7	37.2	5.2	46.8	26.0	
Key West, Fla.	29.4	24.7	14.9	10.0		Wilmington, N. C.	117.1	65.6	56.3	31.5	54.2	
Savannah, Ga.	108.5	121.9	135.2	77.2	89.0	Marietta, Ohio.		7.7	7.7	15.4		
Belleville, Ill.	11.4					Massillon, Ohio.	15.2	7.5				
Elkhart, Ind.	11.3				5.2	Chester, Pa.	13.6	5.4	2.7	2.6	2.6	
Evansville, Ind.	13.8	4.5	5.9	14.5	11.5	Dunmore, Pa.		12.4				
Kokomo, Ind.		6.8	25.9	12.1	11.7	Pottstown, Pa.		6.7	13.3			
Lafayette, Ind.	10.3	10.2				Warren, Pa.		10.9		9.5		
New Albany, Ind.	14.5	9.7	9.7	9.7	9.7	Central Falls, R. I.		5.0		13.9	4.5	
Terre Haute, Ind.	5.5		1.8	3.5	10.3	Cranston, R. I. ²		21.8		5.0	4.9	
Vincennes, Ind.	7.6	14.6	14.2	13.7	20.0	Cumberland town, R. I.		10.5				
Paducah, Ky.	55.9	55.0	72.2	106.7	83.2	Charleston, S. C.		34.7	24.1	42.9	11.9	30.6
Chelsea, Mass.	10.5			3.1		San Antonio, Tex.		7.5	26.1	18.0	19.3	13.3
Webster town, Mass.	19.3					Barre, Vt.		10.1				
Hackensack, N. J.	17.0					Alexandria, Va.		13.3				
Harrison, N. J.	7.6		21.6			Danville, Va.		(1)	(1)	16.0	15.9	47.2
Kearny, N. J.	13.6	6.3				Norfolk, Va.		30.0	28.0	21.4	31.5	29.6
						Petersburg, Va.		172.2	51.1	29.5	66.8	37.3

¹ Not admitted to registration area until a later date.

² Included in rural.

³ Including state institutions, 1907 to 1910.

The relative incidence of this disease upon the white and colored population may be seen in the following

table for the years 1906 to 1910, for areas having a considerable proportion of colored population:

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	2.0	4.7	2.5	4.8	3.0	8.2	1.9	3.4	1.3	5.5	1.5	1.4
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	8.0	44.2	9.4	39.5	12.4	47.6
Mobile, Ala.	21.4	68.3	17.8	50.4	17.6	44.5	24.6	71.0	21.0	70.6	24.3	96.4
Wilmington, Del.	0.5				1.3		1.3					
Washington, D. C.	2.5	6.4	4.1	14.1	1.8	5.4	1.8	4.3	3.4	3.2	1.7	5.3
Jacksonville, Fla.	32.6	93.7	45.3	98.6	19.5	107.6	17.2	73.0	34.5	93.2	45.0	97.5
Atlanta, Ga.	4.6	12.3	10.4	11.9	5.0	14.0	3.6	22.8	4.4	8.7	1.0	5.8
Savannah, Ga.	37.6	171.5	48.5	165.2	45.0	194.9	22.3	242.4	25.3	128.7	47.1	139.1
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	3.1	36.1	3.0	11.8	1.4	32.0
Louisville, Ky.	1.6	15.9	1.7	12.5	2.2	22.4	1.1	17.4	2.2	9.9	0.5	17.3
New Orleans, La.	9.4	22.4	9.0	18.8	5.9	28.9	16.1	27.4	8.9	20.3	7.2	16.7
Baltimore, Md.	2.3	4.3	4.2	13.2	2.0	1.2	1.7	1.2	1.9	3.5	1.9	2.3
Charleston, S. C.	16.2	39.8	22.7	44.8		44.9	33.2	51.3		22.5	25.1	35.4
Memphis, Tenn.	55.6	174.1	69.0	215.2	51.8	199.8	60.8	182.1	56.3	157.8	43.0	120.1
Nashville, Tenn.	10.9	31.2	22.8	43.2	9.8	27.3	9.7	24.6	9.6	43.7	5.4	19.2
San Antonio, Tex.	16.8	17.6	7.1	10.4	26.9	20.2	17.8	19.6	18.2	28.4	13.8	9.2
Norfolk, Va.	12.8	53.0	23.3	40.5	12.6	52.4	2.5	52.2	19.2	52.0	7.0	67.7
Richmond, Va.	5.6	23.1	8.5	26.0	8.4	62.1	2.8	11.8	6.8	9.4	2.5	8.5

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

As a rule, the mortality from malaria of the colored population is markedly higher than that of the white population, so far as the returns may be regarded as

conclusive. It is probable, however, that the precision of statement of cause of death is less for the colored than for the whites.

SMALLPOX.

It would not be necessary to present any mortality tables or discussion of this disease, which caused only 202 deaths in the registration area during 1910, were it not for its great historical importance and the possibility of increased epidemic prevalence. As a "scourge,"

this disease now belongs to ancient history. The following table shows the death rates per 100,000 population in the registration area, its main subdivisions, registration states, and large cities, for the years 1907 to 1910, and annual averages for the periods 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.						AREA. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.							REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
The registration area.....	3.4	0.2	0.2	0.2	0.2	0.4	Indianapolis, Ind.....	12.7	0.5	0.9	0.9		
Registration states ¹	2.6	0.2	0.1	0.1	0.1	0.4	Louisville, Ky.....	2.8					
Cities in registration states ¹	3.4	0.2	0.1	0.1	0.1	0.4	New Orleans, La.....	4.4	1.8	3.1	2.7		0.6
Rural part of registration states.....	1.5	0.2	0.1	0.2	0.1	0.4	Baltimore, Md.....	0.5					
Registration cities in other states.....	4.9	0.3	0.3	0.4	0.4	0.2	Boston, Mass.....	9.6	(²)			0.2	
All registration cities ¹	4.2	0.2	0.2	0.2	0.2	0.4	Cambridge, Mass.....	7.4					
REGISTRATION STATES.							Fall River, Mass.....	0.8	0.9	2.7	1.7		
California.....	(²)	0.5	0.3	0.4	0.2	(²)	Lowell, Mass.....	1.1					
Colorado.....	(²)	0.4	0.6	0.4		0.9	Worcester, Mass.....	0.8					
Connecticut.....	0.4						Detroit, Mich.....	1.3	(²)	0.2			
Indiana.....	3.3	0.2	0.3	0.3	0.1	(²)	Grand Rapids, Mich.....	7.5	0.2			0.9	
Maine.....	0.6						Minneapolis, Minn.....	2.4	0.3	0.7	0.7		0.3
Maryland.....	(²)						St. Paul, Minn.....	2.2	0.8	1.0	1.9		0.8
Massachusetts.....	2.8	0.1	0.2	0.1	(²)		Kansas City, Mo.....	5.9	0.7	1.4	0.9		0.8
Michigan.....	1.6	1.1	0.3	0.3	0.1	4.3	St. Louis, Mo.....	4.4	0.1		0.1		
Minnesota.....	(²)	(⁴)	(²)	(²)	(²)	0.5	Omaha, Nebr.....	1.3	1.0		5.0		
Montana.....	(²)	(⁴)	(²)	(²)	(²)	0.5	Jersey City, N. J.....	1.4	0.1				
New Hampshire.....	0.7						Newark, N. J.....	19.6	0.1			0.3	
New Jersey.....	6.0	(²)	(²)	(²)	0.1		Paterson, N. J.....	1.1					
New York.....	2.4	0.1	0.1	(²)	(²)	0.1	Albany, N. Y.....	2.5					
North Carolina ⁵	(²)	(⁴)	(²)	(²)	(²)	1.7	Buffalo, N. Y.....	0.5	0.1	0.3			0.2
Ohio.....	(²)	(⁴)	(²)	(²)	0.1	0.3	New York, N. Y.....	3.8	0.1	0.2	(²)	(²)	0.1
Pennsylvania.....	(²)	(²)	(²)	(²)		0.1	Bronx Borough.....	42.6					
Rhode Island.....	2.0						Brooklyn Borough.....	2.4	0.2	0.5	0.1		0.1
Utah.....	(²)	(⁴)	(²)	(²)	(²)	0.5	Manhattan Borough.....	0.5	0.1	(²)		0.1	0.2
Vermont.....	0.3	0.1		0.3			Queens Borough.....	0.2					
Washington.....	(²)	(⁴)	(²)	0.3	0.3	0.7	Richmond Borough.....	0.3					
Wisconsin.....	(²)	(⁴)	(²)	0.4	0.7	0.1	Rochester, N. Y.....	11.6					
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	2.1	0.3		0.8	0.6	
Birmingham, Ala.....	(²)	(⁴)	(²)				Cleveland, Ohio.....	13.0	0.1				0.4
Los Angeles, Cal.....		0.1		0.4	0.3		Columbus, Ohio.....	7.6					
Oakland, Cal.....							Dayton, Ohio.....	6.4	0.2			1.0	
San Francisco, Cal.....	0.2	1.3	1.0	0.5			Toledo, Ohio.....	2.1					
Denver, Colo.....	0.2						Portland, Ore.....	0.5	0.1				
Bridgeport, Conn.....							Philadelphia, Pa.....	13.1	0.1				0.3
New Haven, Conn.....							Pittsburgh, Pa.....	26.0	0.2				
Washington, D. C.....	0.9	0.2					Scranton, Pa.....	0.5					
Atlanta, Ga.....	3.7	0.3					Providence, R. I.....	1.1					
Chicago, Ill.....	1.6	(²)	(²)			(²)	Memphis, Tenn.....	5.0	0.5			1.7	
							Nashville, Tenn.....		0.2		0.9		
							Richmond, Va.....	0.4					
							Seattle, Wash.....	1.0					
							Spokane, Wash.....	5.0	1.1	3.7	2.1		
							Milwaukee, Wis.....	0.4	0.1	0.3		0.3	

¹ Including District of Columbia.
² Not admitted to registration area until a later date.
³ Less than one-tenth of 1 per 100,000.

⁴ Figures for deaths not available for the entire period 1906-1910.
⁵ Including only municipalities having a population of 1,000 or over in 1900.

The mortality from smallpox in the registration area for 1910, although double that for the preceding year, was only four-tenths of 1 per 100,000 population. Michigan was the only registration state which had a fairly high rate in 1910 (4.3 per 100,000). None of the main subdivisions, registration states, or large cities had a rate as high as 5 per 100,000 in any of the years from 1907 to 1910, nor have death rates of 10 or over per 100,000 from this disease been recorded in the registration area of the United States during

the five years 1906 to 1910, except for the five cities for which figures are shown in the following table:

CITY. [Rates as high as 10 per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Bay City, Mich.....	4.7				66.2
Saginaw, Mich.....	2.1				94.8
South Bethlehem, Pa.....	11.5				
Norfolk, Va.....	4.7			25.5	1.5
Eau Claire, Wis.....				10.9	5.5

MEASLES.

Measles is one of the group of so-called children's diseases, comprising measles, scarlet fever, whooping cough, and diphtheria, diseases from which the mortality is chiefly among children under 10 years of age. About the same number of deaths were due to the first three diseases of this group, namely, measles (6,598), scarlet fever (6,255), and whooping cough (6,146), the death rates being, respectively, 12.3, 11.6, and 11.4 per 100,000, while nearly twice as many

were reported for diphtheria (11,521, or 21.4 per 100,000). In the comparative tables for these causes, death rates as high as 20 per 100,000 for measles, scarlet fever, and whooping cough, and as high as 40 per 100,000 for diphtheria, are indicated by bold-faced type.

The following table shows the death rates for measles in the main subdivisions of the registration area, registration states, and major cities, for each of the years from 1907 to 1910 and the quinquenniums 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area.....	9.0	10.8	10.0	9.9	9.6	12.3
Registration states ¹	8.8	11.1	9.6	10.5	10.0	12.5
Cities in registration states.....	10.5	13.1	11.1	13.0	12.4	13.4
Rural part of registration states.....	6.7	8.9	7.7	7.8	7.3	11.6
Registration cities in other states.....	9.4	8.9	11.8	6.6	6.6	10.1
All registration cities ¹	9.9	12.0	11.3	11.2	11.1	12.8
REGISTRATION STATES.						
California.....	(2)	6.6	8.6	4.0	4.9	7.4
Colorado.....	(2)	11.0	26.6	14.0	4.0	8.0
Connecticut.....	9.5	9.9	6.6	7.8	12.2	8.2
Indiana.....	7.7	8.2	8.5	7.7	5.4	16.6
Maine.....	4.4	8.1	4.4	3.0	4.6	13.0
Maryland.....	(2)	7.4	10.7	6.1	10.5	4.1
Massachusetts.....	9.2	10.7	8.5	15.0	7.8	11.6
Michigan.....	6.2	8.4	9.2	4.4	9.6	9.0
Minnesota.....	(2)	(3)	(2)	(2)	(2)	11.9
Montana.....	(2)	(3)	(2)	(2)	(2)	4.2
New Hampshire.....	6.6	5.9	4.7	4.2	10.0	6.7
New Jersey.....	6.5	8.8	6.4	7.8	9.5	9.9
New York.....	11.1	13.7	11.4	13.3	14.6	13.9
North Carolina ⁴	(3)	(2)	(2)	(2)	(2)	27.1
Ohio.....	(2)	(3)	(2)	(3)	5.3	16.5
Pennsylvania.....	(2)	15.3	9.8	16.4	14.0	16.1
Rhode Island.....	10.0	18.2	6.1	15.6	11.5	32.6
Utah.....	(2)	(3)	(2)	(2)	(2)	1.3
Vermont.....	7.1	8.4	2.6	2.5	21.4	6.7
Washington.....	(2)	(3)	(2)	2.1	4.0	6.6
Wisconsin.....	(2)	(2)	(2)	4.2	7.3	8.0
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.....	(2)	(3)	(2)			18.0
Los Angeles, Cal.....	3.0	8.5	3.2	2.2	6.8	15.5
Oakland, Cal.....	4.3	7.7	9.5	1.8	5.2	4.0
San Francisco, Cal.....	8.4	9.0	13.6	5.0	7.1	5.3
Denver, Colo.....	7.7	8.6	17.6	15.5	4.3	3.3
Bridgeport, Conn.....	9.0	13.3	19.3	6.2	9.0	5.8
New Haven, Conn.....	11.7	13.3	4.7	6.2	23.6	4.5
Washington, D. C.....	5.6	4.9	1.9	0.6	11.9	1.2
Atlanta, Ga.....	14.8	13.3	39.7	17.2		9.0
Chicago, Ill.....	10.0	8.8	12.8	8.1	7.7	8.7
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Indianapolis, Ind.....	3.8	9.6	21.5	1.3	4.8	17.9
Louisville, Ky.....	2.1	2.8	6.9	1.3	2.7	1.3
New Orleans, La.....	2.4	9.2	20.7	3.6	0.6	19.4
Baltimore, Md.....	8.6	6.8	13.6	3.3	11.0	3.6
Boston, Mass.....	16.0	16.5	10.2	27.7	10.6	14.2
Cambridge, Mass.....	6.7	5.7	7.0	8.8	4.8	3.8
Fall River, Mass.....	14.8	17.3	15.2	42.0	0.9	17.5
Lowell, Mass.....	12.4	15.3	9.0	13.7	4.8	28.1
Worcester, Mass.....	7.9	10.3	7.4	13.6	4.9	15.7
Detroit, Mich.....	9.0	10.3	4.4	4.0	18.9	6.6
Grand Rapids, Mich.....	3.6	3.5	2.9	8.4	1.8	
Minneapolis, Minn.....	3.4	8.4	1.8	7.3		15.8
St. Paul, Minn.....	4.5	5.9	3.4	1.9	0.5	14.8
Kansas City, Mo.....	5.1	11.6	23.0	3.1	0.8	28.4
St. Louis, Mo.....	8.1	10.2	15.3	1.6	22.6	9.3
Omaha, Nebr.....	5.9	10.3	23.7	1.7	16.3	5.6
Jersey City, N. J.....	6.4	7.8	6.9	3.5	7.2	8.5
Newark, N. J.....	9.2	10.6	6.4	7.4	10.7	16.0
Paterson, N. J.....	7.0	8.5	2.6	7.5	7.3	8.7
Albany, N. Y.....	5.0	10.3	3.0	13.1	9.0	23.9
Buffalo, N. Y.....	12.3	15.4	18.6	8.4	18.5	22.1
New York, N. Y.....	14.4	18.6	15.3	19.6	20.2	14.4
Bronx Borough.....	29.4	29.6	25.9	51.3	15.1	12.3
Brooklyn Borough.....	15.7	22.5	17.0	18.0	23.3	21.2
Manhattan Borough.....	12.8	15.7	14.3	17.1	16.2	10.9
Queens Borough.....	5.3	8.2	2.1	7.5	10.7	9.7
Richmond Borough.....	6.8	9.6	7.6	7.4	14.3	6.9
Rochester, N. Y.....	8.3	8.0	2.5	8.3	20.3	5.9
Syracuse, N. Y.....	6.0	5.9	4.8	9.2		8.7
Cincinnati, Ohio.....	14.1	14.7	9.3	15.1	0.3	16.2
Cleveland, Ohio.....	5.0	12.5	7.7	8.0	9.8	17.0
Columbus, Ohio.....	7.0	8.7	0.6	3.0	9.5	23.6
Dayton, Ohio.....	8.9	5.7	13.4	2.0	11.0	1.7
Toledo, Ohio.....	6.0	8.8	3.9	1.2	7.9	16.5
Portland, Oreg.....	2.3	3.5	3.0	1.1	4.2	3.8
Philadelphia, Pa.....	12.3	15.5	6.7	17.7	15.1	10.6
Pittsburgh, Pa.....	31.1	25.8	11.5	47.4	8.3	33.1
Scranton, Pa.....	8.3	11.7	6.5	4.0	17.2	8.4
Providence, R. I.....	12.4	24.4	10.0	20.5	18.6	31.9
Memphis, Tenn.....	5.2	4.8	11.4	6.1		6.1
Nashville, Tenn.....	13.8	10.9	35.2	11.9		4.5
Richmond, Va.....	6.9	13.7	34.4	6.1	0.9	21.1
Seattle, Wash.....	5.4	2.7	3.7	1.4	3.1	2.9
Spokane, Wash.....	4.3	4.6	4.9	2.1	6.0	7.6
Milwaukee, Wis.....	6.1	14.5	2.1	8.3	22.8	10.6

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

The mortality from measles was higher for the year 1910 than for any of the previous years or periods shown. High rates in 1910 are shown for the municipalities of North Carolina, for which no earlier data are available for comparison; for Rhode Island (32.6) and for the cities of Lowell (28.1), Kansas City (28.4), Albany (23.9), Buffalo (22.1), Columbus (23.6), Pitts-

burgh (33.1), Providence (31.9), and Richmond (21.1). In the following long list of minor municipalities—too long by far if sanitary officers were awake to the importance of anticipating epidemics—a fairly high degree of epidemic prevalence in one or more of the years 1906 to 1910 is indicated by boldfaced type for rates of at least 20 per 100,000.

MORTALITY STATISTICS.

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.				
	[Rates as high as 20 per 100,000 in boldfaced type.]						[Rates as high as 20 per 100,000 in boldfaced type.]				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Mobile, Ala.		24.6	15.7	2.0		St. Joseph, Mo.	(3)	(3)	(3)	(3)	434.9
Fresno, Cal.	16.6	31.6	10.0		8.0	Concord, N. H.	9.6	4.8		42.2	
Sacramento, Cal.		24.8	2.4	6.9	6.7	Laconia, N. H.	10.7		10.2	20.0	9.8
Pueblo, Colo.		52.6			17.9	Manchester, N. H.		12.1		21.7	2.8
Ansonia, Conn.	7.0	34.6		6.7		Nashua, N. H.	7.9	11.8	31.2		
Bristol town, Conn.	33.3			37.9	36.8	Bayonne, N. J.	17.7	20.9	15.8	5.6	
Danbury town, Conn.	4.6	8.9	4.4	21.6	4.2	Bridgeton, N. J.			21.4		
Greenwich town, Conn.	20.3		31.9	12.4		Harrison, N. J.				21.1	20.6
Middletown town, Conn.		5.0		24.4	14.4	Hoboken, N. J.	54.1	51.8	16.0	23.0	9.9
New Britain, Conn.	37.0	17.7	2.4		38.4	Kearny, N. J.			6.0	5.6	21.2
New London, Conn.	21.2		5.2	5.1	15.2	Millville, N. J.			49.0		
Stamford town, Conn.		11.5	7.4	60.6	6.9	Montclair, N. J.	11.4	5.4	5.1		27.6
Torrington town, Conn.	6.6	12.8		78.8		Orange, N. J.	7.4	3.6	17.6	6.9	23.5
Wallingford town, Conn.	19.4		46.5		17.9	Passaic, N. J.	14.4	24.4		19.2	
Waterbury, Conn.	10.8	4.5	26.0	7.0	8.2	Perth Amboy, N. J.	22.0	3.5	23.5	22.5	15.4
Key West, Fla.	78.5				10.0	Phillipsburg, N. J.		22.1	7.3		21.5
Savannah, Ga.	1.6	3.1	23.3		1.5	Trenton, N. J.	10.3	8.9	28.2	16.9	17.5
Belleville, Ill.		4.7	33.2		14.2	West New York, N. J.	(1)	(1)	(1)	(1)	21.7
Decatur, Ill.	18.0			3.3	22.4	Batavia, N. Y.			27.0		25.7
Springfield, Ill.	11.7	28.3	6.3	25.7	5.8	Binghamton, N. Y.	4.5		38.7	6.3	8.2
Anderson, Ind.					62.2	Cohoes, N. Y.		57.5	12.3	69.1	12.1
East Chicago, Ind.	(1)	(1)	(1)	(1)	36.0	Corning, N. Y.		51.6		14.6	
Elwood, Ind.				8.9	72.8	Dunkirk, N. Y.		6.4	24.9		34.7
Fort Wayne, Ind.	23.4	3.5	3.4	3.2	14.0	Geneva, N. Y.	24.5				
Jeffersonville, Ind.		28.5		9.6	28.8	Gloversville, N. Y.		5.1			24.1
Lafayette, Ind.		25.6	5.1		14.9	Johnstown, N. Y.		39.8			
Marion, Ind.		15.7			20.6	Lackawanna, N. Y.	(1)	(1)	(1)	(1)	226.8
Michigan City, Ind.	11.6	11.3			26.2	Mount Vernon, N. Y.	22.8		31.3	13.4	3.2
Muncie, Ind.		26.1			16.6	New Rochelle, N. Y.	31.4	8.3	7.8	7.3	20.5
New Albany, Ind.		9.7			24.2	Niagara Falls, N. Y.		21.3	20.7	10.1	49.0
South Bend, Ind.	8.6	4.1		21.1		North Tonawanda, N. Y.	47.4	27.5		8.6	24.9
Terre Haute, Ind.		7.2	12.4	1.7	22.3	Ogdensburg, N. Y.		13.1		25.4	
Vincennes, Ind.			106.1		26.7	Olean, N. Y.		9.6			20.3
Kansas City, Kans.	(2)	(2)	2.7	8.0	26.6	Ossining, N. Y.	(1)	(1)	(1)	(1)	68.9
Covington, Ky.	15.8	8.4	27.2	5.6	5.6	Peekskill, N. Y.	29.3		27.6	13.4	45.7
Newport, Ky.	10.2		23.4		13.2	Plattsburg, N. Y.		9.5		18.2	44.7
Paducah, Ky.		41.2	4.5		8.8	Port Chester, N. Y.	(1)	(1)	(1)	(1)	23.3
Ansburn, Me.		6.9			53.0	Saratoga Springs, N. Y.					39.4
Biddeford, Me.	23.9				35.1	Schenectady, N. Y.	6.5	20.2	5.9	2.8	20.4
Lewiston, Me.	75.1				15.2	Troy, N. Y.	1.3	2.6	15.7	1.3	20.8
Waterville, Me.			36.0	8.9		Watertown, N. Y.		7.7			56.0
Cumberland, Md.		24.4	66.7			Watervliet, N. Y.	6.8		6.7	6.7	39.7
Fredrick, Md.	30.1	9.9		9.7		Yonkers, N. Y.	21.4	5.8	8.2	11.7	
Hagerstown, Md.	6.5	6.4		30.7		Charlotte, N. C.	(2)	(2)	(2)	(2)	20.5
Attleborough town, Mass.	7.4			24.4		Durham, N. C.	(2)	(2)	(2)	(2)	97.5
Brockton, Mass.			1.9	21.6	1.7	Raleigh, N. C.	7.4			20.8	31.2
Brookline town, Mass.	24.5		3.8	3.7		Wilmington, N. C.		8.2		20.1	
Chelsea, Mass.	15.8	12.9	40.1	3.1		Winston, N. C.	(2)	(2)	(2)	(2)	23.1
Chicopee, Mass.	4.7	31.2		4.1	7.8	Ashtabula, Ohio			11.8	5.8	32.7
Clinton town, Mass.		30.6	7.6			Bellaire, Ohio		24.3	8.0	93.9	
Everett, Mass.	6.6	3.2	31.3	3.1	5.9	Canton, Ohio	9.0			8.4	4.1
Fitchburg, Mass.	2.9	8.5		24.3	2.6	Chillicothe, Ohio	28.7				21.8
Framingham town, Mass.				55.0		East Liverpool, Ohio	(2)	(2)	(2)	(2)	29.3
Gardner town, Mass.	7.9		7.3	7.0	27.0	Elyria, Ohio	(2)	(2)	(2)	(2)	20.1
Haverhill, Mass.		9.9	21.5	2.3	2.3	Findlay, Ohio					27.0
Lawrence, Mass.	14.9	16.9	8.7	30.0	20.8	Hamilton, Ohio	29.1	18.7	6.0		39.4
Leominster town, Mass.	33.2		36.6	5.9		Ironton, Ohio	31.6	15.6			45.5
Lynn, Mass.	8.8	26.7	10.6	1.1	4.5	Lorain, Ohio	(2)	(2)	(2)	28.7	10.3
Marlborough, Mass.	21.1			6.8		Marion, Ohio	(2)	(2)	(2)	5.6	38.1
Milford town, Mass.	40.6	8.0	23.6	7.6		Massillon, Ohio	7.6		7.4		35.9
New Bedford, Mass.	6.3	5.9	35.0	4.3	41.0	Middletown, Ohio	43.0			46.7	7.6
Newburyport, Mass.	6.8			20.1	22.7	Portsmouth, Ohio	84.4		4.5		190.7
North Adams, Mass.		4.5	22.7			Staubenville, Ohio	(2)	(2)	(2)	23.0	22.2
Northampton, Mass.		5.1	25.4	10.3		Youngstown, Ohio	13.8	48.4	10.9	41.8	35.1
Peabody town, Mass.			60.9			Allentown, Pa.		8.7	2.0		28.8
Plymouth town, Mass.	8.8	25.9		8.3		Altoona, Pa.	57.7	2.0	13.9	3.9	5.7
Revere town, Mass.			6.2	28.9	5.4	Bethlehem, Pa.	(1)	(1)	(1)	(1)	23.3
Southbridge town, Mass.		59.9		32.4	15.3	Braddock, Pa.	94.8		96.3	21.0	36.0
Springfield, Mass.	6.5	21.2		8.1	14.5	Butler, Pa.	47.2	5.6	21.1		38.2
Taunton, Mass.	22.1	3.1	9.1	11.9	26.2	Carnegie, Pa.	(1)	(1)	(1)	(1)	79.5
Waltham, Mass.	30.0		11.0	18.1	3.6	Chambersburg, Pa.			68.6	8.5	
Watertown town, Mass.	8.6		8.1	7.9	23.2	Dubois, Pa.	70.3		16.6	8.1	39.4
Webster town, Mass.	28.9		9.1	17.7	25.9	Dunmore, Pa.	6.4		47.9	40.7	33.9
Alpena, Mich.	24.0		7.9	31.6		Duquesne, Pa.	106.4	28.9	6.9	65.8	25.2
Battle Creek, Mich.	4.3	58.8			11.8	Easton, Pa.		21.8			3.5
Bay City, Mich.		100.0			19.9	Erie, Pa.	1.6	14.4		48.9	6.0
Escanaba, Mich.				23.2	7.5	Greensburg, Pa.	(1)	(1)	(1)	(1)	30.7
Holland, Mich.			(1)		56.9	Hazleton, Pa.	36.9			31.7	3.9
Ishpeming, Mich.	(1)	8.3	123.0			Homestead, Pa.	12.3	47.2	34.0	87.7	31.9
Jackson, Mich.	8.4	7.0			25.3	Lebanon, Pa.	10.7	5.3	26.4		
Manistee, Mich.					64.7	McKees Rocks, Pa.	(1)	(1)	(1)	(1)	33.6
Pontiac, Mich.				35.4	6.8	McKeesport, Pa.	20.1	37.0	19.4		30.3
Sault Ste. Marie, Mich.				24.1		Mahanoy City, Pa.	33.3			12.7	
Duluth, Minn.	28.5	4.2	5.4	5.2	3.8	Monessen, Pa.	(1)	(1)	(1)	(1)	66.8
Winona, Minn.	10.0	5.1	10.4		32.4	Mount Carmel, Pa.	6.3	128.8	6.0	46.6	45.4

1 Included in rural.

2 Not admitted to registration area until a later date.

3 No estimate of population made.

4 Based on population enumerated April 15, 1910.

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
[Rates as high as 20 per 100,000 in boldfaced type.]						[Rates as high as 20 per 100,000 in boldfaced type.]					
Nanticoke, Pa.	49.1				60.0	Cranston, R. I. ¹	21.8	5.2	15.1	4.9	23.5
New Castle, Pa.	13.2	8.9	25.8	11.2	35.7	Cumberland town, R. I.					29.6
Norristown, Pa.	11.7	64.7	7.4	10.9		East Providence town, R. I.	14.1		39.9		
North Braddock, Pa.	(¹)	(¹)	(¹)	(¹)	41.9	Fawtucket, R. I.	11.1	2.1	4.1	6.0	23.1
Phoenixville, Pa.		29.1		37.7	9.3	Warwick town, R. I.	23.8		3.9	3.8	89.9
Pittston, Pa.	47.2		6.4			Woonsocket, R. I.	3.0		27.8	8.1	52.1
Plymouth, Pa.	6.4	31.2	6.1	23.9	35.2	Charleston, S. C.	1.7			8.5	22.1
Reading, Pa.		23.0	5.4	2.1	14.5	Ogden, Utah.			29.3		
Shamokin, Pa.	5.2	15.6		87.3	15.3	Salt Lake City, Utah.		27.4	7.1	1.1	3.2
Sharon, Pa.	7.4	28.5	6.9	6.7	52.1	Barre, Vt.		29.7		66.4	
Shenandoah, Pa.	33.8	8.3	4.0	23.7	27.0	Burlington, Vt.				83.7	4.9
South Bethlehem, Pa.	5.8	5.5		56.6	5.0	Danville, Va.	(⁴)	(⁴)		47.6	
South Sharon, Pa.	(¹)	(¹)	(¹)	(¹)	39.3	Norfolk, Va.	1.6	23.3	6.1		1.5
Steelton, Pa.	22.3	51.2		28.4	7.0	North Yakima, Wash.	(⁴)	(⁴)	(¹)	(¹)	41.9
Warren, Pa.					71.8	Wheeling, W. Va.		17.1		21.7	7.2
Wilkes-Barre, Pa.	24.5	4.8	4.7	18.2	7.4	Kenosha, Wis.	(⁴)	(⁴)		24.3	13.9
Wilkesburg, Pa.	13.7	6.0	5.6		21.0	Racine, Wis.	(⁴)	(⁴)		32.4	15.7
Williamsport, Pa.	22.8			3.2	12.5	Superior, Wis.	37.4	2.6			14.8
York, Pa.		4.8	21.1	4.6	13.3						
Central Falls, R. I.	9.9	4.8	18.6	49.5	21.8						

¹ Included in rural.
² Based on population enumerated April 15, 1910.

³ Including state institutions, 1907 to 1910.
⁴ Not admitted to registration area until a later date.

For comparison with the rates given in the foregoing tables statistics based on compilations of the Registrar-General of England and Wales are presented for certain foreign countries and cities.

the highest. The proportion of young children in the population must be taken into consideration for exact comparisons of the mortality from this disease.

COUNTRY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area)	(¹)	(¹)	(¹)	(¹)	9	11	10	12
Australian Commonwealth	9	3	14	11	4	2	1	3
Austria	48	56	42	38	34	33	44	35
Belgium	52	58	60	40	37	(²)	36	(²)
England and Wales	41	47	41	42	33	29	36	23
Hungary	(³)	(³)	(³)	43	41	44	40	45
Ireland	18	20	17	18	16	14	10	19
Italy	(²)	61	42	25	21	(²)	32	(²)
Netherlands	26	38	20	17	37	23	17	20
New Zealand	9	3	16	6	7	3	3	(⁴)
Ontario, Province of	6	7	?	4	4	7	7	14
Prussia	42	42	27	26	25	19	17	18
Roumania	(³)	13	18	17	26	16	10	21
Scotland	36	41	51	43	32	(²)	19	(²)
Spain	(³)	(²)	(²)	(²)	67	39	40	35
Sweden	21	18	13	11	8	(²)	4	(²)
Switzerland	11	14	16	13	19	(²)	10	(²)

¹ Figures for deaths not available for the entire period.
² Rate not published.
³ Average for four years.
⁴ Less than 1 per 100,000.

The death rates from this disease in the registration area of the United States are lower than those in the majority of the countries shown in the table. The high rates of Austria, Hungary, and Spain are especially notable, while in Australia, New Zealand, and Sweden during recent years the rates are very low. Owing to imperfect registration, the figures for the Province of Ontario can not be accepted as complete.

Even greater variations are shown in the mortality from measles in the list of cities contained in the following table. Belfast showed the maximum rate for 1910 (129 per 100,000 population), but as a rule the death rates of the Russian cities (Moscow and St. Petersburg) and also of the city of Glasgow are among

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London	64	63	59	57	45	40	48	41
Edinburgh	29	53	67	49	34	26	15	34
Glasgow	76	68	80	80	51	60	46	60
Dublin (registration area)	61	48	35	66	39	25	29	5
Belfast	68	70	83	36	64	49	3	129
Sydney	4	11	19	12	3	4	2	7
Melbourne	13	5	17	21	4	2		5
Montreal	29	29	17	17	23	(¹)	19	(²)
Toronto	9	14	8	5	3	(¹)	30	(²)
Paris	53	55	34	32	20	20	18	27
Brussels	21	29	44	25	13	16	15	10
Amsterdam	41	44	24	21	51	32	36	20
Rotterdam	40	45	15	16	48	25	19	16
The Hague	36	45	17	19	24	22	30	22
Copenhagen	52	57	27	15	19	15	22	5
Stockholm	42	34	52	18	11	13	4	38
Christiania	40	73	37	18	27	10	22	7
St. Petersburg	51	68	47	53	70	93	82	107
Moscow	39	36	33	51	43	51	75	48
Berlin	37	25	18	20	21	18	19	13
Hamburg	26	39	28	15	19	14	7	17
Dresden	20	26	19	15	15	9	12	8
Breslau	26	20	24	16	13	10	12	5
Munich	62	66	34	34	25	25	31	24
Vienna	31	47	63	51	38	33	25	33
Prague	35	75	46	41	29	18	16	16
Budapest	29	28	25	34	37	28	25	27
Trieste	13	41	26	28	28	31	31	33
Milan	39	35	8	19	14	12	17	9
Turin	58	37	34	29	17	9	2	11
Venice	49	31	26	33	29	(¹)	6	40
New York	54	42	37	23	16	21	22	16
Chicago	27	21	16	8	9	8	8	8
Philadelphia	9	12	7	14	8	4	16	4
Boston	23	17	8	12	10	4	17	4
Rio de Janeiro	11	21	8	6	15	15	7	36

¹ Figures for deaths not available for the entire period.
² Figures for deaths not available.
³ Average for four years.
⁴ Figures furnished by the Bureau of the Census.

The relative mortality of the white and colored population is shown for the years 1906 to 1910 for areas having a considerable proportion of colored population.

MORTALITY STATISTICS.

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts.....	6.7	10.0	5.2	17.0	7.6	9.6	6.9	6.2	9.1	13.1	5.0	4.2
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)	14.1	17.7	1.3	4.4	13.6	24.7
Mobile, Ala.....	7.6	8.7	2.7	26.5	22.2	6.6	11.0
Wilmington, Del.....	2.1	2.2	8.2	10.9	1.3	3.2	0.9	12.9	9.5	0.4	3.2
Washington, D. C.....	4.7	5.3
Jacksonville, Fla.....	4.3	3.1	9.8	4.1	8.6	3.8	7.2	3.5
Atlanta, Ga.....	14.5	11.0	3.9	37.3	44.2	21.5	9.1	11.6	3.8
Savannah, Ga.....	8.3	3.6	3.2	6.4	28.7	18.2	3.1
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	3.1	7.5	11.8	23.6	10.7
Louisville, Ky.....	2.8	3.0	1.7	6.7	7.5	1.1	5.0	3.3	1.1	2.5
New Orleans, La.....	10.2	6.2	1.7	20.6	20.8	4.5	1.1	0.4	1.1	23.6	7.8
Baltimore, Md.....	6.4	9.3	2.6	3.6	12.2	21.5	3.4	2.4	9.8	17.7	4.0	1.2
Charleston, S. C.....	6.6	6.4	3.8	14.6	3.2	14.4	29.0
Memphis, Tenn.....	4.6	4.5	10.7	12.5	5.9	6.3	6.3	5.7
Nashville, Tenn.....	12.1	8.5	1.8	39.3	27.3	13.8	8.2	4.1	5.5
San Antonio, Tex.....	5.6	11.7	16.1	40.4	8.9	9.8	9.5	3.5
Norfolk, Va.....	5.9	7.2	2.6	15.2	36.3	9.9	2.3
Richmond, Va.....	13.1	13.4	2.9	30.7	40.6	8.3	2.4	1.4	22.2	19.2

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

SCARLET FEVER.

Scarlet fever is not, to the same extent as measles, whooping cough, or even diphtheria, a disease causing

deaths of children under 5 years of age. In 1910 the percentage of mortality among children under 5 years was 80.9 for measles, 55.4 for scarlet fever, 95.3 for whooping cough, and 62.4 for diphtheria.

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.						AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.							REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
The registration area.....	11.0	10.6	10.0	11.9	11.4	11.6	Indianapolis, Ind.....	3.9	5.7	9.6	3.1	5.2	4.3
Registration states ¹	11.2	10.5	9.3	12.4	11.1	11.4	Louisville, Ky.....	3.6	5.8	2.3	4.1	9.0	9.4
Cities in registration states ¹	14.8	13.3	12.3	16.7	13.7	14.2	New Orleans, La.....	6.2	8.1	1.2	7.6	18.5	8.2
Rural part of registration states.....	6.5	7.2	5.9	7.6	8.2	8.2	Baltimore, Md.....	12.1	7.5	2.8	13.1	4.0	8.6
Registration cities in other states.....	10.8	11.6	12.9	9.5	13.2	13.7	Boston, Mass.....	16.8	11.7	8.3	18.8	14.4	9.2
All registration cities ¹	12.8	12.9	12.5	14.6	13.6	14.1	Cambridge, Mass.....	6.1	5.5	7.9	8.8	5.8	2.9
REGISTRATION STATES.							Fall River, Mass.....	11.8	10.3	6.3	34.1	4.3	2.5
California.....	(2)	3.4	3.5	4.8	3.1	2.9	Lowell, Mass.....	4.4	12.9	5.0	2.9	9.6	41.2
Colorado.....	(2)	21.0	31.6	24.1	22.5	12.9	Worcester, Mass.....	6.9	11.6	18.4	29.4	6.3	3.4
Connecticut.....	10.9	8.0	6.2	5.8	10.6	11.5	Detroit, Mich.....	13.8	20.2	17.7	17.7	22.3	16.2
Indiana.....	6.7	5.0	3.7	3.6	5.9	7.5	Grand Rapids, Mich.....	6.0	11.9	6.7	7.4	17.2	17.7
Maine.....	1.9	3.0	1.9	2.3	4.3	5.5	Minneapolis, Minn.....	9.8	8.6	6.1	4.9	10.5	16.5
Maryland.....	(2)	5.0	2.4	7.6	3.4	5.2	St. Paul, Minn.....	9.4	17.5	7.8	8.2	38.2	30.2
Massachusetts.....	10.3	8.7	9.8	12.0	8.6	8.0	Kansas City, Mo.....	8.7	10.1	1.8	4.9	14.4	23.2
Michigan.....	8.8	8.7	6.4	7.1	10.3	10.7	St. Louis, Mo.....	12.0	11.1	4.0	6.3	14.3	27.1
Minnesota.....	(2)	(2)	(2)	(2)	(2)	14.5	Omaha, Nebr.....	10.2	8.2	2.5	9.2	5.7	15.3
Montana.....	(2)	(2)	(2)	(2)	(2)	16.1	Jersey City, N. J.....	18.5	26.3	23.0	41.2	36.2	17.1
New Hampshire.....	3.8	2.6	2.1	1.4	4.2	1.9	Newark, N. J.....	23.3	18.1	13.2	28.1	24.6	12.0
New Jersey.....	13.2	13.3	13.5	17.8	14.6	11.0	Paterson, N. J.....	8.6	9.3	8.5	19.9	4.1	9.5
New York.....	15.2	14.9	12.7	20.1	13.8	18.1	Albany, N. Y.....	8.1	13.1	8.1	39.3	4.0	12.0
North Carolina.....	(2)	(2)	(2)	(2)	(2)	2.2	Buffalo, N. Y.....	6.2	27.5	10.1	24.6	40.4	53.6
Ohio.....	(2)	(2)	(2)	(2)	4.3	6.0	New York, N. Y.....	22.7	20.0	19.2	30.2	17.3	20.0
Pennsylvania.....	(2)	12.8	9.0	16.4	16.1	14.2	Bronx Borough.....	57.8	20.8	23.0	36.5	12.8	17.6
Rhode Island.....	9.2	12.0	28.0	6.9	5.8	4.0	Brooklyn Borough.....	23.6	23.6	22.0	30.6	20.8	23.3
Utah.....	(2)	(2)	(2)	(2)	(2)	28.8	Manhattan Borough.....	19.2	18.4	16.9	31.0	16.1	10.3
Vermont.....	5.4	2.7	2.3	2.3	3.1	3.1	Queens Borough.....	10.5	14.5	18.7	19.4	15.9	11.1
Washington.....	(2)	(2)	(2)	3.5	16.6	7.0	Richmond Borough.....	15.9	11.1	15.3	6.2	11.9	15.0
Wisconsin.....	(2)	(2)	(2)	5.8	16.1	13.2	Rochester, N. Y.....	10.2	11.8	8.1	9.3	9.0	21.4
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	14.8	9.7	4.0	1.5	11.9	16.7
Birmingham, Ala.....	(2)	(2)	(2)	1.4	3.0	Cincinnati, Ohio.....	13.1	4.7	1.7	8.7	4.7	4.4
Los Angeles, Cal.....	6.2	3.8	3.2	4.0	4.4	4.3	Cleveland, Ohio.....	7.1	13.2	26.5	6.9	5.7	12.6
Oakland, Cal.....	3.4	2.4	1.9	0.9	2.6	3.3	Columbus, Ohio.....	8.8	2.3	1.3	0.6	1.2	3.3
San Francisco, Cal.....	3.1	3.4	2.0	4.2	4.9	1.7	Dayton, Ohio.....	3.8	4.7	5.2	4.0	3.0	9.4
Denver, Colo.....	20.3	23.3	36.7	18.9	22.1	17.2	Toledo, Ohio.....	4.2	6.7	3.2	9.3	8.5	5.9
Bridgeport, Conn.....	16.6	13.7	21.4	6.2	18.1	19.5	Portland, Ore.....	3.7	5.4	1.8	1.7	10.5	10.0
New Haven, Conn.....	7.2	6.0	2.4	2.3	16.0	8.2	Philadelphia, Pa.....	12.4	9.3	8.1	13.8	9.6	9.8
Washington, D. C.....	2.8	3.9	0.6	3.1	8.0	4.2	Pittsburgh, Pa.....	27.3	16.1	11.0	16.1	13.3	22.2
Atlanta, Ga.....	7.9	3.0	3.2	3.7	5.1	Scranton, Pa.....	6.7	33.3	22.1	70.4	50.9	7.7
Chicago, Ill.....	13.1	22.9	35.1	19.6	17.2	18.4	Providence, R. I.....	10.9	21.0	49.6	11.2	4.5	6.7
							Memphis, Tenn.....	8.2	6.1	8.8	6.1	8.6	5.3
							Nashville, Tenn.....	10.9	3.4	5.6	6.4	1.8
							Richmond, Va.....	2.2	0.9	0.9	0.9
							Seattle, Wash.....	7.3	5.5	2.7	1.9	11.2	7.1
							Spokane, Wash.....	9.3	17.2	1.2	1.1	58.3	16.1
							Milwaukee, Wis.....	6.5	19.3	6.8	6.0	55.6	22.3

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

Somewhat more than one-fourth of the deaths from scarlet fever were of children from 5 to 9 years of age, and about one-tenth were of persons from 10 to 19 years of age.

Scarlet fever caused 6,255 deaths in the registration area during 1910, equivalent to a rate of 11.6 per 100,000, which is about the same as the rates for 1909 and 1908. The death rates from this disease are shown in the preceding table for the registration area by main subdivisions, registration states, and large cities for the years 1907 to 1910; also annual average rates for the periods 1901 to 1905 and 1906 to 1910.

Utah, which was admitted to the registration area for 1910, was the only state in that year showing a rate (28.8) above the limit of 20 per 100,000. The mortality in Colorado from this cause showed a marked decrease from the high rates of previous years. Among the large cities having high rates in 1910 were Lowell (41.2), St. Paul (30.2), Kansas City (23.2), St. Louis (27.1), Buffalo (53.6), New York (20), Rochester (21.4), Pittsburgh (22.2), and Milwaukee (22.3). High rates for individual years, however, are obviously of less significance than the continued prevalence of high rates. In this connection attention should be called to the great reduction represented by the figures for 1910 for Jersey City and Scranton, cities in which the disease showed epidemic prevalence in the three preceding years. Data for minor municipalities in which rates as high as 20 per 100,000 were recorded in one or more of the years 1906 to 1910 are shown in the following table:

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Fresno, Cal.		21.0	5.0	4.8	4.0
Colorado Springs, Colo.		14.6	25.0	24.5	6.8
Pueblo, Colo.	2.6	12.5	40.9	13.9	4.5
Ansonia, Conn.	7.0		6.8	140.4	92.1
Bristol town, Conn.	25.0			7.6	
Greenwich town, Conn.		13.1	12.8	37.2	30.2
Naugatuck, Conn.	8.4			8.0	47.0
New London, Conn.		15.7	20.8		10.2
Norwalk town, Conn.	8.9	8.7	4.3	32.9	
Norwich town, Conn.	3.6		3.6	3.6	38.9
Stamford town, Conn.	16.0	7.7	14.8	42.8	17.2
Waterbury, Conn.	27.8	1.5	7.2		5.4
Aurora, Ill.	14.5	39.0		10.2	3.3
Springfield, Ill.	2.3	10.9	23.1	2.0	11.5
East Chicago, Ind.	(1)	(2)	(1)	(1)	30.9
Elwood, Ind.		17.3		80.5	
Hammond, Ind.	22.5		15.4		33.2
Huntington, Ind.	9.9			39.1	19.5
Jeffersonville, Ind.		28.5		9.6	
Laporte, Ind.	(1)	(1)	(1)	(1)	56.6
Logansport, Ind.			16.2	5.3	31.4
South Bend, Ind.	6.4	12.4	25.7	15.3	13.0
Terre Haute, Ind.	3.7	5.4	1.8		20.6
Leavenworth, Kans.	4.9		20.1	5.1	
Auburn, Me.	7.0			6.7	26.5
Biddeford, Me.					81.9
Lewiston, Me.				15.4	22.8
Adams town, Mass.	23.8		7.8	30.9	15.3
Arlington town, Mass.		9.7	65.8		8.9
Chicopee, Mass.	32.7	93.5	59.5	8.1	7.8
Gardner town, Mass.	7.9	212.3	7.3	7.0	
Holyoke, Mass.	7.7	33.8	14.6	3.5	
Hyde Park town, Mass.	6.8	20.1	6.6		
Malden, Mass.	5.1	9.8	16.6	13.8	29.1
Milford town, Mass.				31.0	
Newburyport, Mass.	13.6	13.5	20.2		
North Adams, Mass.	9.0	4.5		4.5	22.7
Southbridge town, Mass.					23.7
Springfield, Mass.	5.2	12.5	9.6	28.9	22.3
Taunton, Mass.		6.2	27.2	11.9	2.9
Waltham, Mass.		7.4	11.0	25.4	
Woburn, Mass.	6.8				6.5
Bay City, Mich.	2.4	11.6	32.0	33.7	46.3
Ironwood, Mich.	9.1	8.7	33.4	128.6	38.7
Ishpeming, Mich.	8.4	24.9	16.4	32.4	

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
Marquette, Mich.			8.9		34.7
Menominee, Mich.				28.3	9.5
Pontiac, Mich.		7.7			27.3
Duluth, Minn.	1.5	12.7	5.4	27.5	27.8
Stillwater, Minn.	(2)	(2)	(2)	(2)	49.5
Virginia, Minn.	(2)	(2)	(2)	(2)	46.9
Winona, Minn.		5.1	5.2	15.9	64.8
Butte, Mont.	(2)	(2)	(2)	(2)	50.9
Nashua, N. H.				38.7	11.5
Bayonne, N. J.	4.4	27.1	11.8	9.4	12.5
Bloomfield, N. J.		30.5	28.9	6.9	13.1
Elizabeth, N. J.	17.4	24.3	2.9	2.8	12.2
Harrison, N. J.	15.2	14.8	36.0	21.1	27.5
Hoboken, N. J.	27.0	81.4	40.9	31.6	17.0
Irvington, N. J.	(1)	(1)	(1)	(1)	24.8
Long Branch, N. J.				22.9	7.5
Montclair, N. J.	22.8	5.4	5.1	14.5	13.8
Morris town, N. J.	8.2	24.4	40.4	24.1	24.0
New Brunswick, N. J.	38.8	8.6		4.3	4.3
Orange, N. J.	44.6	10.9	14.1	10.3	6.7
Passaic, N. J.	4.8	31.1	70.0	9.6	12.6
Perth Amboy, N. J.	11.0	7.0	13.4	9.6	21.6
Phillipsburg, N. J.	52.0	7.4	14.6	7.2	14.4
Union, N. J.		26.7	51.2	4.9	37.7
West Hoboken, N. J.	9.8	44.1	24.2	17.5	11.2
Cohoes, N. Y.			4.1		133.4
Dunkirk, N. Y.	6.4			5.9	144.4
Elmira, N. Y.	5.5	30.3	5.5	16.2	2.7
Geneva, N. Y.		32.6			16.1
Hudson, N. Y.	28.3				
Johnstown, N. Y.	10.1		29.4		
Lackawanna, N. Y.	(1)	(1)	(1)	(1)	96.2
Little Falls, N. Y.	8.8		8.5	8.3	24.3
Lockport, N. Y.			5.6	22.4	16.7
Middletown, N. Y.				13.0	32.7
North Tonawanda, N. Y.			8.9	25.7	49.9
Olean, N. Y.				27.6	
Saratoga Springs, N. Y.	46.4		7.8		15.8
Schenectady, N. Y.	9.8	21.7	56.3	28.4	4.1
Troy, N. Y.	6.5	6.5	3.9	7.8	23.4
Utica, N. Y.	24.2	5.9		11.0	
Watervliet, N. Y.	13.7	6.8	33.7		13.2
Yonkers, N. Y.	12.2	11.5	39.7	32.5	23.6
Canton, Ohio		21.7	8.4	24.5	5.9
Chillicothe, Ohio	21.6	14.2			6.9
Elyria, Ohio	(2)	(2)	(2)		26.8
Lakewood, Ohio	(2)	(2)	(2)	(1)	71.3
Marietta, Ohio					23.2
Steuensville, Ohio	(2)	(2)	(2)		28.6
Allentown, Pa.	2.3	2.2	31.2	37.4	19.2
Braddock, Pa.	16.7			236.1	51.5
Butler, Pa.	5.9			35.1	33.4
Carbondale, Pa.	76.5		6.1	23.9	17.5
Carnegie, Pa.	(1)	(1)	(1)	(1)	69.5
Columbia, Pa.		8.5	8.6		61.2
Dunmore, Pa.	38.3	24.7	18.0	5.8	33.9
Duquesne, Pa.	129.2		103.4	19.7	44.1
Hazleton, Pa.	12.3	24.1		15.9	27.4
Homestead, Pa.	24.6		5.7	5.5	63.7
Johnstown, Pa.	14.5	14.0	13.4	70.4	10.7
Lebanon, Pa.	5.4				25.9
McKees Rocks, Pa.	(1)	(1)	(1)	(1)	80.7
McKeesport, Pa.	2.5	17.2	4.8	14.3	112.0
Monessen, Pa.	(1)	(1)	(1)	(1)	25.0
Mount Carmel, Pa.		30.7	23.9		
Nanticoke, Pa.	6.1	88.4	96.3	27.3	21.0
Norristown, Pa.	3.9	22.8		3.6	3.6
Pittston, Pa.		6.6	275.8	212.9	
Plymouth, Pa.	31.8	105.9	152.6	35.9	23.4
Shamokin, Pa.	5.2		5.2	35.9	20.4
Sharon, Pa.	7.4	7.1	6.9	60.3	13.0
Shenandoah, Pa.	4.2	8.3		11.8	51.1
Steelton, Pa.			14.4	14.2	112.0
Wilkes-Barre, Pa.	6.5	19.1	24.9	13.7	8.9
Williamsport, Pa.	3.3	6.5	22.4	3.2	18.8
Central Falls, R. I.		4.8	18.6	27.0	8.7
Cranston, R. I.	5.4	78.6			
Newport, R. I.	3.9	7.7		22.4	3.7
Ogden, Utah	(2)	(2)	54.4	16.1	34.9
Salt Lake City, Utah	5.2	12.5	35.6	52.5	39.6
Norfolk, Va.	4.7	3.1	26.0	18.0	1.5
North Yakima, Wash.	(2)	(2)	(1)	(1)	27.9
Tacoma, Wash.	1.6	1.5	4.2	27.4	7.1
Appleton, Wis.	5.9	(2)	35.6		
Green Bay, Wis.	8.6	8.4	4.1	24.1	15.8
Janesville, Wis.	(2)	(2)	28.9		
La Crosse, Wis.	(2)	(2)	3.3	6.6	26.3
Marquette, Wis.		6.6		13.6	34.3
Superior, Wis.	2.7	7.9	2.6	55.3	19.7
Wausau, Wis.	(2)	(2)	12.7	49.3	84.1

1 Included in rural.
 2 Not admitted to registration area until a later date.
 3 Based on population enumerated April 15, 1910.
 4 Including state institutions, 1907 to 1910.

Scarlet fever, as a rule, is much less prevalent and fatal among the colored population than among the white. This fact is indicated by a comparison of rates

for areas—only a few of which are available—in which there was a considerable proportion of colored population.

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts.....	3.6	0.7	4.4	1.4	2.3	(2)	3.9	0.7	3.7	0.7	3.5	0.7
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)			3.5	3.6	5.0	5.0
Mobile, Ala.....	2.3								3.2		7.0	7.0
Wilmington, Del.....	9.2		2.7		13.3		15.7		11.6		14.0	14.0
Washington, D. C.....	4.4	2.6	3.2	3.3	0.9		3.9	1.1	9.0	5.3	4.6	3.2
Jacksonville, Fla.....	3.4	0.8	5.7		4.9						6.9	3.4
Atlanta, Ga.....	4.4	0.4	3.9		3.7	2.3			5.6		7.7	7.7
Savannah, Ga.....	3.8								3.2		15.7	15.7
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	4.6		10.5		12.3	12.3
Louisville, Ky.....	6.2	4.0	4.5	2.5	2.8	(2)	4.4	2.5	11.0		8.2	14.8
New Orleans, La.....	10.0	2.7	6.0		1.7		8.7	4.6	23.6	4.5	9.6	4.5
Baltimore, Md.....	8.6	1.9	10.5	2.4	3.3		14.6	4.8	4.7		9.7	2.3
Charleston, S. C.....	0.7										3.6	3.6
Memphis, Tenn.....	9.0	2.0	3.1		12.2	4.2	8.9	2.1	13.0	2.1	7.6	1.9
Nashville, Tenn.....	4.6	1.1	5.3		7.0	2.7			8.2	2.7	2.7	
San Antonio, Tex.....												
Norfolk, Va.....	16.3	0.8	7.8		5.1		41.9		26.5	4.0	2.3	
Richmond, Va.....	1.4		5.1				1.4		1.4			

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

The death rates from scarlet fever in the United States are high in comparison with those for most of the foreign countries and cities for which rates are presented in the following tables taken from the International statistics compiled by the Registrar-General of England and Wales:

COUNTRY.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.									
	Annual average.						1909	1910		
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910				
United States (registration area).....	(1)	(1)	(1)	(1)	11	11	11	12		
Australian Commonwealth.....	8	5	4	4	2	1	2	1		
Austria.....	62	56	54	56	45	47	57	48		
Belgium.....	27	17	15	22	13	(2)	16	(2)		
England and Wales.....	44	24	18	13	13	9	9	9		
Hungary.....	(2)	(2)	(2)	³ 56	67	54	52	7		
Ireland.....	27	14	10	9	4	3	3	4		
Italy.....	(2)	³ 31	20	11	5	(2)	8	(2)		
Netherlands.....	15	7	4	3	3	4	3	2		
New Zealand.....	12	3	1	(4)	5	3	3	1		
Ontario, Province of.....	22	8	(?)	8	13	7	9	11		
Prussia.....	58	30	23	27	30	20	21	15		
Roumania.....	(2)	15	32	26	45	64	108	77		
Scotland.....	35	22	20	17	9	(2)	12	(2)		
Serbia.....	(2)	(2)	(2)	(2)	99	(2)	(2)	(2)		
Spain.....	(2)	(2)	(2)	(2)	6	10	9	8		
Sweden.....	57	44	28	9	9	(2)	5	(2)		
Switzerland.....	9	9	7	2	5	(2)	5	(2)		

¹ Figures for deaths not available for the entire period.
² Rate not published.
³ Average for four years.
⁴ Less than 1 per 100,000.

The high death rates in Roumania, Austria, and Hungary are in sharp contrast to the low rates in the other European countries and to the very low rates in Australia. In the following table the highest rates for 1910 are shown for Moscow, St. Petersburg, and Budapest.

CITY.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.									
	Annual average.						1909	1910		
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910				
London.....	42	24	24	14	10	10	8	4		
Edinburgh.....	46	23	23	22	9	10	14	12		
Glasgow.....	65	36	35	24	11	12	18	17		
Dublin (registration area).....	50	37	8	23	10	5	6	9		
Belfast.....	77	22	18	16	6	3	1	5		
Sydney.....	11	14	15	4	5	3	1	1		
Melbourne.....	7	4	4	3	2	2	5	3		
Montreal.....	25	8	23	24	(1)	29	(2)	(2)		
Toronto.....	21	8	33	18	23	(1)	33	(2)		
Paris.....	9	10	7	4	6	6	6	3		
Brussels.....	11	3	5	5	2	7	7	2		
Amsterdam.....	44	4	3	3	2	4	3	1		
Rotterdam.....	32	10	18	6	4	17	6	3		
The Hague.....	20	2	3	3	1	2		6		
Copenhagen.....	23	32	29	15	6	10	17	21		
Stockholm.....	66	76	61	15	14	16	17	29		
Christiania.....	68	71	25	8	6	4	5	4		
St. Petersburg.....	70	70	49	58	43	55	48	46		
Moscow.....	41	54	50	50	50	56	95	70		
Berlin.....	52	17	28	24	20	17	30	19		
Hamburg.....	37	25	21	6	30	11	23	6		
Dresden.....	49	13	12	10	8	6	6	3		
Breslau.....	23	22	33	22	9	5	8	5		
Munich.....	33	32	17	7	4	8	15	5		
Vienna.....	28	24	23	17	11	13	17	9		
Prague.....	62	46	25	33	28	16	36	7		
Budapest.....	35	51	32	34	45	35	26	42		
Trieste.....	23	15	37	52	14	10	13	1		
Milan.....	17	10	4	5	1	5	16	2		
Turin.....	11	11	7	1	3	3	2	3		
Venice.....	³ 6	1	3	1	(4)	(1)	2	5		
New York.....	90	52	43	19	22	20	17	20		
Chicago.....	48	23	24	12	12	22	16	17		
Philadelphia.....	50	22	24	12	12	⁵ 12	8	⁵ 10		
Boston.....	36	20	37	22	16	⁶ 17	13	⁶ 9		
Rio de Janeiro.....	(4)	(4)	1	(4)	1	(4)	(4)			

¹ Figures for deaths not available for the entire period.
² Figures for deaths not available.
³ Average for four years.
⁴ Less than 1 per 100,000.
⁵ Figures furnished by the Bureau of the Census.

WHOOPIING COUGH.

Whooping cough is far more distinctively a disease of very young children than measles, scarlet fever, or diphtheria. Of 6,146 deaths from this cause in the registration area in 1910, no less than 5,858, or 95.3 per cent, were of children under 5 years of age. More than one-half of the deaths from whooping cough (54.4 per cent) were of infants under 1 year, while the corresponding proportion from measles was 23.3 per cent and those for scarlet fever and for diphtheria were only 4.9 and 7.8, respectively. Thus the pre-

vention of whooping cough, which is largely dependent upon greater care against infection of others by children suffering from the disease, should have a considerable influence in the reduction of infant mortality.

The following table shows the mortality from whooping cough in the registration area, its main subdivisions, the registration states, and the principal registration cities of the United States for each year from 1907 to 1910 and the quinquenniums 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					AREA. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.						
	Annual average.		1907	1908	1909		1910	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.													
The registration area.....	10.9	11.5	11.3	10.6	9.6	11.4							
Registration states ¹	10.0	11.8	11.3	10.6	10.0	11.7							
Cities in registration states ¹	11.1	11.7	10.9	10.0	9.9	11.4							
Rural part of registration states.....	8.7	11.9	11.8	11.3	10.1	11.1							
Registration cities in other states.....	12.6	10.0	11.2	10.6	7.4	9.4							
All registration cities ¹	11.8	11.2	11.0	10.2	9.3	11.0							
REGISTRATION STATES.													
California.....	(2)	7.7	6.6	6.0	8.5	11.9							
Colorado.....	(2)	12.2	6.8	19.0	17.9	4.4							
Connecticut.....	13.0	12.8	12.5	7.8	10.9	13.0							
Indiana.....	9.4	12.3	6.1	15.6	12.8	14.7							
Maine.....	8.0	10.8	9.7	10.1	7.7	13.0							
Maryland.....	(2)	18.5	11.2	10.6	17.7	22.4							
Massachusetts.....	11.8	13.2	10.8	12.7	12.0	8.5							
Michigan.....	8.5	10.9	8.0	10.6	7.6	10.9							
Minnesota.....	(2)	(2)	(2)	(2)	(2)	7.5							
Montana.....	(2)	(2)	(2)	(2)	(2)	10.8							
New Hampshire.....	8.8	13.3	15.5	9.6	12.1	9.7							
New Jersey.....	10.7	12.8	10.3	9.9	10.9	16.6							
New York.....	9.1	8.3	9.0	5.9	8.7	8.1							
North Carolina ⁴	(2)	(2)	(2)	(2)	(2)	17.1							
Ohio.....	(2)	(2)	(2)	(2)	6.3	12.4							
Pennsylvania.....	(2)	16.5	17.7	17.0	12.0	14.5							
Rhode Island.....	13.5	12.2	16.8	6.2	10.7	9.4							
Utah.....	(2)	(2)	(2)	(2)	(2)	17.0							
Vermont.....	8.6	10.6	14.8	13.0	3.9	14.6							
Washington.....	(2)	(2)	(2)	2.5	3.1	15.3							
Wisconsin.....	(2)	(2)	(2)	8.4	9.7	7.8							
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
Birmingham, Ala.....	(2)	(3)	(2)	4.8	27.0	9.8							
Los Angeles, Cal.....	6.5	5.2	5.6	4.4	7.9	5.9							
Oakland, Cal.....	8.9	10.8	4.8	3.6	13.8	20.5							
San Francisco, Cal.....	14.1	8.0	9.1	5.9	11.2	7.6							
Denver, Colo.....	10.9	7.6	4.7	16.5	10.6	2.3							
Bridgeport, Conn.....	17.8	14.7	19.3	7.3	6.0	26.3							
New Haven, Conn.....	18.1	15.2	8.7	10.9	19.8	9.7							
Washington, D. C.....	24.8	11.3	9.5	11.5	8.9	10.5							
Atlanta, Ga.....	21.7	18.0	25.1	20.3	16.1	10.3							
Chicago, Ill.....	13.2	8.2	12.0	6.4	6.5	7.9							
Indianapolis, Ind.....	6.0	13.2	1.8	16.1	8.3	17.5							
Louisville, Ky.....	7.6	11.4	6.4	15.4	4.0	18.3							
New Orleans, La.....	7.0	7.5	15.1	7.9	4.8	4.1							
Baltimore, Md.....	12.1	15.4	3.3	7.5	22.0	15.2							
Boston, Mass.....	15.7	14.9	8.8	16.8	11.1	7.6							
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
Cambridge, Mass.....	10.5	20.0	8.9	27.4	17.4	3.8							
Fall River, Mass.....	12.3	15.7	13.4	21.0	9.4	15.9							
Lowell, Mass.....	12.4	10.0	14.0	11.7	8.6	5.6							
Worcester, Mass.....	15.5	13.8	14.0	9.3	16.8	21.8							
Detroit, Mich.....	10.6	16.4	8.3	15.6	10.2	23.0							
Grand Rapids, Mich.....	6.8	4.8	1.9	3.7	3.6	5.3							
Minneapolis, Minn.....	6.7	7.0	10.0	4.9	6.8	2.3							
St. Paul, Minn.....	7.1	6.4	5.4	11.5	5.2	5.1							
Kansas City, Mo.....	6.6	6.0	7.8	14.2	2.1	3.2							
St. Louis, Mo.....	9.5	7.2	7.8	4.9	4.4	8.3							
Omaha, Nebr.....	12.4	12.8	10.2	20.8	17.2	15.3							
Jersey City, N. J.....	12.2	10.9	9.7	8.6	17.2	4.8							
Newark, N. J.....	13.8	14.7	8.4	12.7	8.3	18.6							
Paterson, N. J.....	8.6	11.8	4.3	12.5	6.5	15.1							
Albany, N. Y.....	9.1	10.5	14.2	9.1	9.0	10.0							
Buffalo, N. Y.....	11.9	10.7	13.1	11.8	2.9	16.2							
New York, N. Y.....	9.0	6.8	8.5	3.9	7.9	5.9							
Bronx Borough.....	9.4	7.3	9.1	4.6	7.9	5.9							
Brooklyn Borough.....	9.9	6.5	9.4	2.7	6.9	5.0							
Manhattan Borough.....	8.3	6.8	7.2	4.4	8.8	6.4							
Queens Borough.....	10.3	7.7	11.1	4.4	7.4	7.0							
Richmond Borough.....	10.5	9.1	19.1	6.2	7.2	4.6							
Rochester, N. Y.....	4.9	6.5	8.6	2.9	12.7	5.9							
Syracuse, N. Y.....	8.6	10.3	1.6	7.7	23.9	2.9							
Cincinnati, Ohio.....	7.6	6.3	3.7	8.1	6.1	8.2							
Cleveland, Ohio.....	6.7	8.4	9.4	6.7	7.2	6.6							
Columbus, Ohio.....	8.8	7.0	7.5	9.1	3.0	10.4							
Dayton, Ohio.....	10.2	14.8	4.1	17.2	6.0	19.7							
Toledo, Ohio.....	5.7	7.2	13.3	5.6	4.2	5.9							
Portland, Ore.....	1.3	4.7	9.5	2.8	1.6	7.2							
Philadelphia, Pa.....	16.5	17.0	14.5	15.0	8.0	20.5							
Pittsburgh, Pa.....	30.5	17.3	37.6	9.2	12.9	14.4							
Scranton, Pa.....	9.4	10.2	7.4	10.4	7.0	12.3							
Providence, R. I.....	13.0	13.7	18.1	5.6	10.9	11.1							
Memphis, Tenn.....	17.9	17.8	37.8	24.3	3.4	3.8							
Nashville, Tenn.....	25.0	18.1	4.6	65.2	8.2	5.4							
Richmond, Va.....	31.1	27.4	1.8	27.9	11.2	36.7							
Seattle, Wash.....	4.6	5.7	2.1	0.5	1.3	12.5							
Spokane, Wash.....	3.2	11.2	7.5	9.0	19.9	19.9							
Milwaukee, Wis.....	9.2	11.0	7.7	13.5	8.1	10.1							

¹ Including District of Columbia.
² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.
⁴ Including only municipalities having a population of 1,000 or over in 1900.

The death rate from whooping cough showed a slight increase for 1910 as compared with the years immediately preceding, but was somewhat lower than the average for the quinquennial period 1906 to 1910. The only state showing a rate for 1910 in excess of the limit of 20 per 100,000, indicated by boldfaced type, was Maryland (22.4). Among the larger cities the

highest rate was recorded in Richmond (36.7), followed by Bridgeport (26.3), Detroit (23), Worcester (21.8), and Oakland and Philadelphia (each 20.5).

Statistics for the minor cities in which the reported mortality from this disease equaled or exceeded 20 per 100,000 of population in any one of the five years 1906 to 1910 are shown in the next table.

MORTALITY STATISTICS.

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Bakersfield, Cal.	(1)	(1)	(1)	(1)	23.4	Revere town, Mass.	35.8	19.9	18.5	11.5	10.8
Berkeley, Cal.		9.2		20.9	9.8	Salem, Mass.	56.3	14.9	14.5	9.4	13.7
Fresno, Cal.		21.0	20.1		15.9	Somerville, Mass.	23.9	9.6	16.1	13.2	1.3
San Jose, Cal.		11.2			41.2	Southbridge town, Mass.		68.4	8.3	16.2	
Santa Barbara, Cal.	(1)	(1)	(1)	(1)	25.5	Springfield, Mass.	24.6	10.0	6.0	3.5	23.4
Vallejo, Cal.	(1)	(1)	(1)	(1)	35.1	Taunton, Mass.	37.8	12.3	15.1	32.6	5.8
Colorado Springs, Colo.	22.5		10.7	21.0		Wakefield town, Mass.		9.5	27.9	9.1	17.8
Pueblo, Colo.	23.5	2.5	24.1	2.3	6.7	Webster town, Mass.		9.6	13.7	45.6	17.7
Ansonia, Conn.	70.4			6.7	26.3	Westfield town, Mass.			6.8		38.3
Bristol town, Conn.	25.0	16.1		15.2	14.7	Weymouth town, Mass.		8.4	8.2	8.1	39.4
Danbury town, Conn.	31.9			30.2	12.7	Woburn, Mass.	27.4	13.5	6.7		26.1
Greenwich town, Conn.	33.8			6.2	6.0	Alpena, Mich.	24.0	8.0	7.9		23.6
Hartford, Conn.	28.4	6.4	8.4	13.3	4.0	Battle Creek, Mich.		29.4	8.2	4.0	7.9
Meriden town, Conn.	16.3	19.3	6.4		21.8	Bay City, Mich.		35.5	4.6	6.9	2.2
Middletown town, Conn.		10.1	5.0	29.3	4.8	Escanaba, Mich.		42.2		8.0	
New Britain, Conn.	50.2	2.5	34.1	7.0	4.5	Holland, Mich.	(1)	(1)	(1)	(1)	28.5
New London, Conn.		42.0		15.4	25.4	Ironwood, Mich.		34.8		16.1	
Norwalk town, Conn.	8.9		34.1		8.2	Ishpeming, Mich.	25.2	8.3		8.2	
Norwich town, Conn.	14.5	21.7			17.7	Kalamazoo, Mich.	30.1		11.0	13.1	5.0
Stamford town, Conn.	24.0		14.8	10.7		Manistee, Mich.		8.0	24.0		8.1
Torrington town, Conn.	13.2				53.2	Marquette, Mich.	27.4		8.9	8.8	8.7
Wallingford town, Conn.		56.9		18.2	8.9	Menominee, Mich.	27.6				19.1
Waterbury, Conn.	32.5	25.4	10.1	1.4	24.5	Muskegon, Mich.	4.5		39.0		4.1
Windham town, Conn.	8.6	16.8		40.3		Port Huron, Mich.	25.5	20.6	26.0		5.3
Wilmington, Del.	10.8	16.6	10.5	23.9	16.0	Sault Ste. Marie, Mich.		8.3		24.1	7.9
Jacksonville, Fla.	5.0	11.2	22.3	24.1	10.2	Traverse City, Mich.	17.3	17.1	25.3	8.3	
Key West, Fla.	29.4	9.9		10.0	10.0	Duluth, Minn.	26.5	9.9	5.4	7.9	11.4
Savannah, Ga.	4.7	65.6	4.7	12.4	9.2	Virginia, Minn.	(2)	(2)	(2)	(2)	28.1
Bellefonte, Ill.	28.6	4.7	14.2		18.9	Winona, Minn.	5.0	30.6		15.9	
Jacksonville, Ill.	26.3		6.5			Butte, Mont.	(2)	(2)	(2)	(2)	30.5
Quincy, Ill.		16.4	13.7		21.9	Lincoln, Nebr.	9.4	25.6	6.9	9.2	
Anderson, Ind.	9.3			26.9		Berlin, N. H.		27.4	44.4	26.0	8.4
Elkhart, Ind.	5.6	5.5	21.6		5.2	Concord, N. H.	24.1			14.1	4.6
Elwood, Ind.	34.0			89.4	9.1	Laconia, N. H.	42.7				
Evansville, Ind.	12.3		42.8	4.4	8.6	Manchester, N. H.	32.3	37.7	17.7	29.0	10.0
Fort Wayne, Ind.	10.8	3.5	25.3			Nashua, N. H.	31.8	3.9	19.5	15.5	26.9
Jeffersonville, Ind.	37.9	28.5			57.7	Atlantic City, N. J.	27.9	2.4	4.7	2.2	32.2
Kokomo, Ind.	28.4		32.4		52.5	Bayonne, N. J.	22.1	20.9	15.8	5.6	42.8
Lafayette, Ind.	5.2	5.1	20.3	5.0	5.0	Bloomfield, N. J.	8.0	15.2			39.4
Logansport, Ind.	16.7	5.5	32.4	10.6	5.2	Bridgeton, N. J.	14.5		21.4	35.4	
Marion, Ind.	5.3	5.2	31.2			Camden, N. J.	29.1	6.8	14.4	8.6	26.3
Michigan City, Ind.		11.3	5.5	5.3	26.2	Elizabeth, N. J.	26.8	12.1	7.3	18.2	16.2
Mishawaka, Ind.	(1)	(1)	(1)	(1)	49.9	Hackensack, N. J.		48.6	7.7		14.1
Muncie, Ind.	22.0	4.3	25.8	4.2	4.2	Harrison, N. J.	15.2	7.4	43.2	7.0	48.0
New Albany, Ind.		14.5	14.5	4.8	24.2	Long Branch, N. J.		47.4	23.3	7.6	15.0
Peru, Ind.		9.2	27.7	27.6	9.2	Millville, N. J.	33.3				32.1
Richmond, Ind.	4.8		23.1			Montclair, N. J.	28.5	37.7		9.7	23.0
South Bend, Ind.			25.7	1.0	3.7	Morristown, N. J.			48.5	8.0	16.0
Terre Haute, Ind.	14.7	18.0	3.5	27.9	18.8	New Brunswick, N. J.		4.3	12.9	17.1	34.2
Vincennes, Ind.		7.3	42.5	55.0	40.0	Orange, N. J.	18.6	3.6	7.1	27.5	53.7
Kansas City, Kans.	(2)	(2)	23.2	12.0		Perth Amboy, N. J.	11.0	14.0	50.3	12.9	24.7
Newport, Ky.	27.1	10.1	16.7	3.3	16.5	Phillipsburg, N. J.		14.7	14.6		21.5
Paducah, Ky.	14.0	13.7		26.7	4.4	Plainfield, N. J.	5.3	20.7	10.1	4.9	4.8
Auburn, Me.	14.0	20.7	13.6		19.9	Trenton, N. J.	20.7	3.3	15.2	13.7	34.9
Augusta, Me.	15.8	23.5	7.7	7.6		Amsterdam, N. Y.	19.6	3.7	17.5		28.5
Bangor, Me.	21.1	20.9		4.1		Cohoes, N. Y.	20.7	41.1	12.3	28.5	4.0
Biddeford, Me.	6.0	5.9		53.8	23.4	Corning, N. Y.		22.1	29.4		7.3
Waterville, Me.		9.2		8.9	26.1	Cortland, N. Y.	44.4		35.1		
Cumberland, Md.	74.9		19.1	18.6	45.6	Dunkirk, N. Y.	83.1		36.4		
Frederick, Md.		59.4		19.4	38.3	Geneva, N. Y.	8.2	32.6		8.1	
Hagerstown, Md.		19.1	56.3	24.6	12.1	Hornell, N. Y.	30.2	15.0	22.3		
Adams town, Mass.	7.9			23.2	23.0	Hudson, N. Y.	28.3			26.7	8.7
Beverly, Mass.	37.4	6.0	45.9	5.5		Kingston, N. Y.		7.8			23.1
Brockton, Mass.	28.0	3.9	9.3	19.8		Little Falls, N. Y.	35.4		8.5		16.2
Brookline town, Mass.	32.7	11.8			3.6	Lockport, N. Y.		45.3	5.6	5.6	
Chelsea, Mass.	49.9	10.3	33.9	12.3	3.1	Middletown, N. Y.	32.0	6.4		13.0	
Chicopee, Mass.	42.0	8.9	4.3	16.3	7.8	New Rochelle, N. Y.	44.9	8.3		7.3	34.2
Clinton town, Mass.	30.5	15.3		53.5	22.9	Newburgh, N. Y.		7.5	3.7	10.9	25.1
Everett, Mass.	36.5	16.1	21.9	12.2	3.0	Niagara Falls, N. Y.	47.6	23.4	6.9		32.7
Fitchburg, Mass.	23.4	11.4	22.2	10.3		North Tonawanda, N. Y.		27.5	17.7	8.6	
Gardner town, Mass.	15.8	22.8	43.7		6.8	Oswego, N. Y.	31.0			30.2	21.4
Gloucester, Mass.	27.3	4.0	20.0	16.2		Peekskill, N. Y.	22.0	56.8	55.2	13.4	19.6
Greenfield town, Mass.	(1)	(1)	(1)	(1)	47.7	Plattsburg, N. Y.				27.3	80.5
Holyoke, Mass.	65.7	9.4	5.5	10.6	12.1	Port Chester, N. Y.	(1)	(1)	(1)	(1)	38.8
Hyde Park town, Mass.	33.9			13.0	12.9	Poughkeepsie, N. Y.	15.5	3.8	14.9	25.5	25.0
Lawrence, Mass.	44.7	10.4	13.7	8.4	18.5	Rensselaer, N. Y.	(1)	(1)	(1)	(1)	74.7
Lynn, Mass.	25.0	9.7	20.0	6.9	8.9	Rome, N. Y.	22.2	10.7	10.3	65.1	4.8
Malden, Mass.	22.8	4.9		11.5	2.2	Utica, N. Y.	25.7	4.4	25.5	8.3	17.4
Marlborough, Mass.	14.1	14.0		27.6		Watertown, N. Y.	19.5	7.7	7.6	30.2	3.7
Milford town, Mass.	8.1	32.0		7.8		Watervliet, N. Y.			6.7	26.7	
New Bedford, Mass.	13.8	11.9	14.7	22.6	8.2	Raleigh, N. C.	59.3	29.7	10.4	10.4	36.4
North Adams, Mass.	4.5	27.2	4.5	13.6	4.5	Wilmington, N. C.	33.5	4.1	4.0		
Northampton, Mass.		5.1	45.7	5.1	10.3	Winston, N. C.	(2)	(2)	(2)	(2)	46.2
Pittsfield, Mass.	3.7	24.9		3.2	21.6	Alliance, Ohio	(2)	(2)	(2)	(2)	28.3
Quincy, Mass.	30.9	6.7	3.2	12.5		Ashtabula, Ohio	25.1	15.3		34.5	27.2

1 Included in rural.

2 Not admitted to registration area until a later date.

CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					CITY. [Rates as high as 20 per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Bellaire, Ohio.....		40.4		39.1	30.8	Norristown, Pa.....		15.2	3.7		28.6
Canton, Ohio.....	2.2	4.3	10.5	4.1	27.7	North Braddock, Pa.....	(2)	(2)	(2)	(2)	25.1
Chillicothe, Ohio.....		21.3	7.0		41.3	Oil City, Pa.....	20.4	13.4		6.5	
East Liverpool, Ohio.....	(1)	(1)	(1)	14.9	102.6	Old Forge, Pa.....	(2)	(2)	(2)	(2)	26.2
Findlay, Ohio.....	12.6		26.0			Phoenixville, Pa.....	49.3	9.7	9.6	18.8	65.0
Hamilton, Ohio.....	22.6		18.1	2.0	5.6	Pittston, Pa.....	47.2	13.1	25.7	18.8	6.1
Ironton, Ohio.....	15.8	86.1	7.7	23.0	15.2	Plymouth, Pa.....	50.9			12.0	23.4
Lancaster, Ohio.....	(1)	(1)	(1)		22.8	Pottstown, Pa.....	6.7	33.2	13.1		
Lorain, Ohio.....	(1)	(1)	(1)	18.0	20.6	Pottsville, Pa.....	27.0		15.5	5.0	9.8
Mansfield, Ohio.....	(1)	(1)	(1)	9.7	38.4	Reading, Pa.....	12.3	7.7	20.4	7.4	9.3
Marietta, Ohio.....	7.6		15.4	38.6		Shamokin, Pa.....	10.5	26.0	5.2		25.5
Marion, Ohio.....	(1)	(1)	(1)		32.7	Sharon, Pa.....	7.4	14.2	34.5		13.0
Portsmouth, Ohio.....	28.1	22.8			21.2	Shenandoah, Pa.....	76.0	8.3	32.3	19.7	3.9
Springfield, Ohio.....	(1)	(1)	(1)	8.9	38.2	South Bethlehem, Pa.....	5.8	11.1		41.2	5.0
Steubenville, Ohio.....	(1)	(1)	(1)	9.2	53.2	Steelton, Pa.....	96.6	7.3	7.2	7.1	35.0
Youngstown, Ohio.....	12.3	1.5	20.5	30.1	12.5	Sumbury, Pa.....	8.2	7.9	30.6		
Zanesville, Ohio.....	(1)	(1)	(1)	7.3	49.8	Warren, Pa.....	59.8				26.9
Altona, Pa.....	4.1	6.1	45.6	13.6	26.8	Wilkes-Barre, Pa.....	19.6	28.7	10.9	9.1	8.9
Beaver Falls, Pa.....	26.4		42.4		16.3	York, Pa.....	7.4	24.1	16.4	2.3	17.8
Braddock, Pa.....	44.6	21.8	10.7	31.5	5.1	Central Falls, R. I.....	24.8	28.8		4.5	4.4
Bradford, Pa.....	27.2	6.8	13.7	27.4		Cranston, R. I. ²	21.8	52.4		9.7	9.4
Butler, Pa.....	5.9	11.2	15.8	25.1	43.0	Cumberland town, R. I.....		10.3	10.2	20.0	
Carlisle, Pa.....	10.0	29.7	39.3		9.7	East Providence town, R. I.....	49.3	13.7	6.6	12.9	12.6
Chambersburg, Pa.....	94.6	31.3	8.6	8.5	8.5	Warwick town, R. I.....	4.0	15.6	7.7	7.6	30.0
Chester, Pa.....	35.3	18.8	18.6	5.2	18.1	Charleston, S. C.....	20.8	32.8	12.0	15.4	54.3
Columbia, Pa.....	33.9		34.4			Knoxville, Tenn.....	(1)	(1)	44.9	16.6	
Dubois, Pa.....	8.8		33.2	8.1	15.8	Barre, Vt.....	20.3	49.6			9.3
Dunmore, Pa.....	31.9	12.4		17.4		Burlington, Vt.....	15.2	35.1		4.9	58.5
Duquesne, Pa.....		50.6		85.6	6.3	Rutland, Vt.....			30.4		44.2
Easton, Pa.....	14.7	29.1	3.6	3.6	10.5	Alexandria, Va.....	13.3	33.1		13.1	
Erie, Pa.....	1.6	-3.2	9.4	42.8	4.5	Danville, Va.....	(1)	(1)	64.0	5.3	10.5
Harrisburg, Pa.....	40.0		11.7	6.5	9.3	Lynchburg, Va.....	34.9	102.9	10.4	6.9	6.8
Hazleton, Pa.....	36.9	12.1	5.9	4.0		Norfolk, Va.....	28.4	38.8	19.9	6.0	16.3
Homestead, Pa.....	12.3	35.4	11.3	11.0	42.5	Petersburg, Va.....	99.0	21.3	75.9	75.2	4.1
Johnstown, Pa.....	16.6	2.0	24.9	11.1	1.8	Wheeling, W. Va.....	2.5	9.8	41.3		9.6
Lancaster, Pa.....	48.9	2.2	30.3	10.7	2.1	Ashland, Wis.....	(1)	(1)	23.7		16.6
Lebanon, Pa.....	21.5		5.3		10.4	Beloit, Wis.....					20.3
McKeesport, Pa.....	7.5	4.9	12.1	35.6		Fond du Lac, Wis.....	(1)	(1)	11.0		21.6
Mahanoy City, Pa.....	60.0		12.9			Kenosha, Wis.....	(1)	(1)	30.7		23.2
Monessen, Pa.....	(2)	(2)	(2)	(2)	41.7	Madison, Wis.....	20.3	4.0	8.0	3.9	15.6
Mount Carmel, Pa.....	37.8	12.3	11.9	5.8	28.4	Marinette, Wis.....	26.3		6.7		6.9
Nanticoke, Pa.....	43.0	35.4	17.0		26.3	Superior, Wis.....	5.3	7.9		27.7	12.3
New Castle, Pa.....	15.2	23.6	14.3	33.6	11.0						

¹ Not admitted to registration area until a later date.

² Included in rural.

³ Including state institutions, 1907 to 1910.

Among the cities having a population of at least 10,000 but less than 100,000 in 1910 those which had the highest rates from whooping cough were East Liverpool, Ohio (102.6); Plattsburg, N. Y. (80.5); Rensselaer, N. Y. (74.7); Phoenixville, Pa. (65); Burlington, Vt. (58.5); Jeffersonville, Ind. (57.7); Charleston, S. C. (54.3); Orange, N. J. (53.7); Torrington, Conn. (53.2); Steubenville, Ohio (53.2); and Kokomo, Ind. (52.5). The long list of minor cities in which there has been a high rate of mortality from this cause—a list much longer than those in the corresponding tables for measles and scarlet fever—shows the necessity of adopting more effective measures to prevent the spread of this disease. Moreover, it is probable that a considerable addition to the reported mortality would be made if all deaths from

bronchopneumonia and other complications and sequelae were charged to the primary cause. Occurring as it does so frequently in early infancy and childhood, this disease may also retard the development of children and leave them more susceptible to other diseases.

Whooping cough, unlike scarlet fever, causes much higher mortality and is perhaps more prevalent (although adequate morbidity statistics are not available to confirm this opinion) among colored than among white children. Possibly the disease may not be recognized as frequently in proportion to its actual occurrence. The next table shows the death rates from whooping cough for the years 1906 to 1910 for areas in which there is a considerable proportion of colored population.

MORTALITY STATISTICS.

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts.....	12.4	49.0	22.0	62.6	9.5	42.4	8.4	24.8	7.6	38.0	14.5	77.2
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)	5.3	4.0	21.2	35.9	11.1	7.6
Mobile, Ala.....	5.3	11.6			17.6	16.7	7.0	13.3			3.5	26.3
Wilmington, Del.....	14.2	36.9	8.1	21.4	13.3	53.8	11.8		19.4	109.2	17.8	
Washington, D. C.....	6.0	24.2	11.4	27.2	5.4	19.4	3.5	31.0	6.0	15.9	3.8	27.3
Jacksonville, Fla.....	4.3	24.6		9.0		20.7	12.9	30.7	3.8	43.0	3.5	16.8
Atlanta, Ga.....	12.7	28.2	15.6	28.5	12.4	48.9	16.7	27.3	13.3	21.6	6.8	17.3
Savannah, Ga.....	9.6	28.5	3.2	6.1	35.3	94.4	6.4	3.0	3.2	21.1		18.0
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	18.5	60.2	6.0	58.9		
Louisville, Ky.....	7.7	28.3	10.2	25.0	3.9	17.4	5.6	59.6	4.4	2.5	14.1	37.0
New Orleans, La.....	6.4	10.3	6.0	4.7	12.6	22.0	7.0	10.3	3.7	7.9	3.2	6.7
Baltimore, Md.....	9.5	47.8	16.4	97.5	2.6	7.2	6.0	15.5	12.6	74.4	9.9	44.6
Charleston, S. C.....	15.5	37.2	3.8	35.2	14.9	48.1	14.7	9.6	7.3	22.5	35.9	70.8
Memphis, Tenn.....	10.1	28.7	20.4	24.8	21.3	60.4	7.4	48.1	2.9	4.2	1.3	7.6
Nashville, Tenn.....	10.9	32.3	5.3	3.3	2.8	8.2	36.0	122.9	5.5	13.7	4.1	8.2
San Antonio, Tex.....	5.1	7.8	2.8		2.7		3.8		6.1	37.9	9.2	
Norfolk, Va.....	9.4	41.8	5.2	64.8	22.7	64.5	7.4	40.2		16.0	11.7	23.9
Richmond, Va.....	17.3	42.3	35.7	101.0	2.8		15.2	49.7	6.8	18.8	28.4	51.2

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

As shown by the following tables of International statistics for certain foreign countries and cities whooping cough is far more fatally prevalent in the majority of such countries than in the United States:

COUNTRY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
United States (registration area).....	(1)	(1)	(1)	(1)	11	12	10	11
Australian Commonwealth.....	16	17	17	13	10	11	6	11
Austria.....	110	97	71	53	44	36	30	30
Belgium.....	68	63	55	48	38	(2)	28	(2)
England and Wales.....	46	44	40	36	30	25	20	25
Hungary.....	(2)	(2)	(2)	³ 59	42	36	34	31
Ireland.....	30	28	26	27	24	24	27	30
Italy.....	(2)	³ 37	26	23	20	(2)	15	(2)
Japan.....	(2)	(2)	(2)	(2)	5	(2)	7	(2)
Netherlands.....	35	30	32	26	21	19	17	18
New Zealand.....	22	15	23	7	8	12	4	15
Ontario, Province of.....	10	9	(?)	7	8	10	12	8
Prussia.....	52	51	45	42	36	26	25	23
Roumania.....	(2)	4	12	17	16	23	16	28
Scotland.....	60	61	52	51	49	(2)	47	(2)
Servia.....	(2)	(2)	³ 242	227	196	(2)	(2)	(2)
Spain.....	(2)	(2)	(2)	(2)	23	19	18	13
Sweden.....	19	17	17	20	18	(2)	14	(2)
Switzerland.....	24	22	19	17	20	(2)	23	(2)

¹ Figures for deaths not available for the entire period.

² Rate not published.

³ Average for 4 years.

Whooping cough is of much less importance as a cause of death in the registration area of the United States than in the majority of the European countries for which data are given in the preceding table. The rates for some of the European cities, as given in the following table, are also far higher than those of American cities as a rule.

CITY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.							
	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
London.....	71	67	52	47	35	28	26	28
Edinburgh.....	67	63	45	49	52	31	52	9
Glasgow.....	123	121	91	89	80	67	90	27
Dublin (registration area).....	47	56	45	54	37	35	39	31
Belfast.....	58	68	57	53	46	53	55	66
Sydney.....	16	28	21	15	13	11	1	15
Melbourne.....	22	19	19	10	11	11	12	4
Montreal.....	25	28	29	¹ 32	26	(2)	10	(2)
Toronto.....	22	11	7	6	8	(2)	13	(2)
Paris.....	18	19	15	12	13	10	8	12
Brussels.....	30	20	20	13	11	8	5	9
Amsterdam.....	44	35	35	28	24	19	29	12
Rotterdam.....	28	32	32	32	27	26	22	29
The Hague.....	34	22	30	20	18	12	7	13
Copenhagen.....	48	52	41	28	33	28	27	14
Stockholm.....	24	27	15	25	16	14	15	17
Christiania.....	52	47	37	64	32	16	29	7
St. Petersburg.....	21	20	25	20	21	23	27	22
Moscow.....	26	20	17	15	19	20	25	17
Berlin.....	32	33	27	30	30	19	18	11
Hamburg.....	40	36	23	22	24	17	17	12
Dresden.....	28	26	25	23	25	14	14	12
Breslau.....	22	19	25	26	20	23	25	24
Munich.....	33	25	24	21	24	13	19	12
Vienna.....	20	12	10	10	9	8	8	10
Prague.....	31	34	23	19	14	9	5	7
Budapest.....	21	9	5	8	8	9	6	11
Trieste.....	15	12	22	13	22	23	18	27
Milan.....	10	9	5	4	8	6	7	8
Turin.....	18	18	17	18	12	8	2	13
Venice.....	19	6	9	12	11	(2)	13	4
New York.....	34	32	23	18	10	7	9	6
Chicago.....	19	16	14	12	13	8	7	8
Philadelphia.....	11	14	15	14	14	4	9	4
Boston.....	24	23	16	13	10	4	12	4
Rio de Janeiro.....	7	8	4	3	6	9	9	13

¹ Average for 4 years.

² Figures for deaths not available for the entire period.

³ Figures for deaths not available.

⁴ Figures furnished by the Bureau of the Census.

DIPHTHERIA.

The title for this disease in the International List is "Diphtheria and croup," but it is now so generally understood that the fatal cases of "croup" are in reality diphtheria that the latter part of the title may be eliminated in connection with mortality statistics. In this discussion, therefore, the term "diphtheria" will be used as an equivalent of the International title "Diphtheria and croup."

The total number of deaths from diphtheria in the registration area in 1910 was 11,521, corresponding to a death rate of 21.4 per 100,000 population and constituting 1.4 per cent of the deaths from all causes.

In other words, 14 deaths out of every 1,000 returned for the year were deaths, chiefly of children, from what is known to be a preventable cause. The death rate for the year showed a slight increase over that for 1909 (20.4), but was lower than the annual average rate for the five-year period 1906 to 1910 (22.4) and considerably lower than that for the preceding five-year period 1901 to 1905 (29.6). The fluctuations of the mortality from diphtheria during the years 1907 to 1910 and the quinquennial periods from 1901 to 1910 are shown in the following table for the registration area and main subdivisions, registration states, and cities having a population of 100,000 or more in 1910:

AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.						AREA. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.													
The registration area.....	29.6	22.4	23.6	21.5	20.4	21.4							
Registration states ¹	29.3	22.4	24.2	21.9	19.9	21.1	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Cities in registration states ¹	38.4	27.3	29.3	26.7	24.4	25.7	Indianapolis, Ind.....	14.6	13.1	12.4	21.9	11.8	6.8
Rural part of registration states.....	17.8	16.8	18.1	16.5	15.0	15.9	Louisville, Ky.....	31.7	14.2	11.4	13.2	13.5	10.7
Registration cities in other states.....	30.0	22.1	21.3	19.5	23.4	23.7	New Orleans, La.....	13.9	11.8	11.4	14.6	7.5	10.9
All registration cities ¹	34.2	26.0	26.8	24.7	24.2	25.3	Baltimore, Md.....	25.1	14.5	14.7	12.0	13.7	11.4
REGISTRATION STATES.							Boston, Mass.....	39.5	27.9	24.8	33.9	29.5	23.9
California.....	(²)	13.1	17.6	17.2	10.6	9.2	Cambridge, Mass.....	36.5	23.7	17.9	33.3	18.3	22.8
Colorado.....	(²)	18.2	18.6	24.2	18.6	16.2	Fall River, Mass.....	33.2	20.3	20.6	19.2	17.1	19.2
Connecticut.....	26.2	22.6	24.0	18.6	18.8	25.1	Lowell, Mass.....	58.6	33.4	46.0	26.4	34.4	20.6
Indiana.....	16.1	13.7	13.2	12.1	13.2	14.5	Worcester, Mass.....	9.8	38.3	63.3	43.0	15.4	34.8
Maine.....	17.6	15.0	16.5	13.9	15.2	13.3	Detroit, Mich.....	42.7	23.5	19.6	16.1	24.3	33.8
Maryland.....	(²)	16.2	15.7	14.0	12.4	13.2	Grand Rapids, Mich.....	20.7	21.8	27.7	11.2	8.2	10.6
Massachusetts.....	29.7	23.0	24.3	23.4	21.6	20.8	Minneapolis, Minn.....	36.7	30.2	14.3	31.4	35.6	42.9
Michigan.....	21.1	15.6	15.5	12.7	14.5	17.6	St. Paul, Minn.....	27.0	37.2	25.9	25.0	43.9	64.0
Minnesota.....	(²)	(²)	(²)	(²)	(²)	26.1	Kansas City, Mo.....	18.9	20.3	15.2	16.0	25.2	21.6
Montana.....	(²)	(²)	(²)	(²)	(²)	16.1	St. Louis, Mo.....	32.3	19.3	17.4	19.0	26.0	16.1
New Hampshire.....	23.9	21.0	22.8	25.1	17.7	17.9	Omaha, Nebr.....	12.8	18.6	20.3	15.8	18.8	13.6
New Jersey.....	38.1	27.4	30.0	22.5	25.3	29.2	Jersey City, N. J.....	53.8	33.2	37.5	27.1	32.8	30.8
New York.....	36.3	28.4	30.0	27.7	25.8	26.6	Newark, N. J.....	43.3	29.5	32.2	19.5	31.7	30.6
North Carolina ⁴	(²)	(²)	(²)	(²)	(²)	18.5	Paterson, N. J.....	39.6	24.1	28.9	29.9	17.8	20.6
Ohio.....	(²)	(²)	(²)	(²)	12.5	12.2	Albany, N. Y.....	22.4	30.0	47.5	31.2	19.0	14.9
Pennsylvania.....	(²)	29.1	29.4	26.6	26.5	29.0	Buffalo, N. Y.....	31.2	24.4	17.1	20.7	24.8	37.8
Rhode Island.....	36.3	24.6	24.5	29.1	19.5	24.6	New York, N. Y.....	51.0	38.7	39.3	38.1	36.7	35.6
Utah.....	(²)	(²)	(²)	(²)	(²)	19.4	Bronx Borough.....	59.1	43.9	51.5	42.2	25.4	30.4
Vermont.....	15.0	11.8	10.5	11.3	8.7	9.0	Brooklyn Borough.....	55.2	39.4	40.7	35.5	34.9	34.1
Washington.....	(²)	(²)	(²)	22.3	17.3	12.6	Manhattan Borough.....	48.2	38.1	36.6	40.2	41.5	38.2
Wisconsin.....	(²)	(²)	(²)	18.2	18.0	18.5	Queens Borough.....	45.9	35.6	39.6	34.5	27.0	35.1
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Richmond Borough.....	36.8	28.1	33.1	24.6	23.9	23.1
Birmingham, Ala.....	(²)	(²)	(²)	20.8	7.1	12.0	Rochester, N. Y.....	39.1	26.7	34.9	26.4	9.4	17.3
Los Angeles, Cal.....	23.1	14.0	18.3	17.6	8.5	7.4	Syracuse, N. Y.....	18.1	19.6	23.9	19.2	19.4	18.8
Oakland, Cal.....	29.7	17.7	32.3	11.8	15.5	7.3	Cincinnati, Ohio.....	19.8	14.9	14.9	15.9	11.4	9.9
San Francisco, Cal.....	33.3	13.9	18.4	19.6	11.2	8.8	Cleveland, Ohio.....	38.7	20.3	17.9	16.4	13.0	21.3
Denver, Colo.....	29.5	23.7	25.9	35.4	27.0	18.6	Columbus, Ohio.....	12.4	9.5	9.4	8.5	5.3	11.5
Bridgeport, Conn.....	31.7	28.2	33.2	22.8	16.1	27.3	Dayton, Ohio.....	16.7	17.5	24.8	8.1	11.0	11.1
New Haven, Conn.....	15.2	23.3	28.5	26.4	12.9	12.7	Toledo, Ohio.....	45.1	23.5	24.7	17.9	19.3	19.5
Washington, D. C.....	19.0	10.9	9.2	8.4	14.4	9.3	Portland, Oreg.....	18.8	16.8	18.4	16.2	10.5	22.4
Atlanta, Ga.....	29.4	18.1	13.0	17.2	19.1	18.6	Philadelphia, Pa.....	40.7	33.8	33.5	32.5	33.4	30.8
Chicago, Ill.....	28.1	30.2	27.1	26.5	31.7	37.4	Pittsburgh, Pa.....	45.1	23.7	28.0	18.8	15.5	25.4
							Scranton, Pa.....	25.1	36.5	49.0	32.0	32.1	28.4
							Providence, R. I.....	42.6	28.3	32.0	36.8	26.3	21.7
							Memphis, Tenn.....	11.7	19.2	17.6	28.6	20.5	16.7
							Nashville, Tenn.....	11.9	10.1	8.3	15.6	11.9	6.3
							Richmond, Va.....	25.8	9.7	15.0	3.5	7.7	10.2
							Seattle, Wash.....	13.9	14.3	20.2	19.5	13.0	6.3
							Spokane, Wash.....	23.2	27.5	43.2	37.5	31.2	18.0
							Milwaukee, Wis.....	21.9	27.0	25.5	20.6	31.9	35.4

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

In all the main subdivisions of the registration area the death rate from diphtheria for 1910 was slightly higher than that for the preceding year, but in all of them, with the exception of the registration cities in other states, the rate for 1910 was lower than the annual average for the quinquennial period ending in that year. Slightly higher mortality rates for 1910

than for the preceding year or the second quinquennial period are shown for Connecticut, Indiana, Michigan, and New Jersey. Among the large cities with high death rates from diphtheria were St. Paul (64), Minneapolis (42.9), Buffalo (37.8), Chicago (37.4), and New York (35.6). Rates in excess of the limit indicated in the table are shown for consecutive years only in the

MORTALITY STATISTICS.

case of Worcester (1907 and 1908) and St. Paul (1909 and 1910).

The number of fatal cases of diphtheria per 100,000 population is shown for the minor municipalities

(those having 10,000 population but less than 100,000 in 1910) in which the rate of mortality was as high as 40 per 100,000 during any year of the period 1906 to 1910.

CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.					CITY. [Rates as high as 40 per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Fresno, Cal.	22.1	31.6	55.2	43.1	31.9	West Hoboken, N. J.	55.8	28.3	36.3	55.3	30.8
Vallejo, Cal.	(1)	(1)	(1)	(1)	105.2	West New York, N. J.	(1)	(1)	(1)	(1)	101.2
Trinidad, Colo.	(1)	(1)	(1)	(1)	48.5	Amsterdam, N. Y.	51.1	11.1	35.1	25.6	38.0
Ansonia, Conn.	7.0	90.0	20.4		19.7	Auburn, N. Y.	15.2	44.9	3.0	8.7	17.3
Bristol town, Conn.	25.0	16.1	15.6	7.6	51.5	Cohoes, N. Y.	28.9	32.9	24.5	20.3	52.0
Greenwich town, Conn.	6.8	13.1	51.0	18.6	6.0	Dunkirk, N. Y.	12.8	18.7	12.1	11.8	52.0
Manchester town, Conn.	8.0	23.5		7.5	43.8	Gloversville, N. Y.	10.5	5.1	35.2	44.3	14.5
Meriden town, Conn.	48.8	6.4	19.1	59.8	21.8	Hudson, N. Y.	47.2	37.0			17.4
Naugatuck, Conn.			8.1	47.8	15.7	Ithaca, N. Y.	6.9	54.7	61.3	40.7	
New Britain, Conn.	29.0	27.9	17.0	25.8	65.5	Kingston, N. Y.	23.5	66.3	31.1	34.8	27.0
Waterbury, Conn.	34.0	28.4	31.8	23.8	44.8	Lackawanna, N. Y.	(1)	(1)	(1)	(1)	248.1
Wilmington, Del.	51.7	20.2	23.4	15.0	29.7	Lockport, N. Y.	74.1	11.3	11.3	22.4	22.2
Quincy, Ill.	8.2	60.3	19.2	24.6	27.3	Niagara Falls, N. Y.	29.3	42.6	41.4	28.5	32.7
Springfield, Ill.	49.0	45.8	12.6	5.9	25.0	North Tonawanda, N. Y.		18.3	8.9	60.0	41.6
Anderson, Ind.	23.2	9.2	9.1	49.3	26.6	Olean, N. Y.	19.1	74.1	35.9	6.9	33.8
Gary, Ind.	(1)	(1)	(1)	(1)	241.7	Oswego, N. Y.	61.9	4.4	17.4		4.3
Hammond, Ind.	50.7	21.4	10.3	9.9	14.2	Peekskill, N. Y.	7.3	42.6	34.5		6.5
Jeffersonville, Ind.	19.0		19.1	57.5		Rome, N. Y.	33.3	32.1	10.3	10.0	43.6
Logansport, Ind.	16.7	38.4		63.8	26.2	Utica, N. Y.	42.4	36.6	11.4	9.6	18.7
Marion, Ind.	89.3	57.5		5.2	10.3	Watertown, N. Y.	43.0	69.5	15.3	7.5	14.9
Muncie, Ind.	48.3	17.4	8.6	12.6	16.6	Watervliet, N. Y.	13.7	33.9	74.0		13.2
New Albany, Ind.	43.6	19.4	19.4	24.2	67.9	Ashtabula, Ohio	18.9	42.7	11.8	5.3	5.4
Peru, Ind.	9.3	55.5	27.7	9.2		Bellaire, Ohio	35.8	24.3	55.7	101.7	38.5
Richmond, Ind.	4.8	4.7	4.6		40.2	Chillicothe, Ohio	21.6	21.3	63.3	41.7	27.5
Paducah, Ky.	9.3	4.6	54.2	40.0	13.1	Lorsain, Ohio	(1)	(1)	(1)	59.8	27.4
Auburn, Me.	28.1	41.5	40.9	13.4	6.6	Stenbenville, Ohio	(3)	(3)	(3)	96.6	22.2
Biddeford, Me.	6.0	11.9	11.8	88.2	46.8	Youngstown, Ohio	46.0	27.6	12.3	20.9	37.6
Lewiston, Me.	7.9	19.6	42.6	23.0	34.2	Allentown, Pa.	79.1	54.7	56.8	47.3	42.1
Waterville, Me.	18.7	64.2	36.0	17.7	26.1	Altoona, Pa.	20.6	42.5	17.9	7.8	32.5
Hagerstown, Md.	149.5	63.8	18.8	12.3		Beaver Falls, Pa.	17.6	8.6	8.5	16.6	49.0
Adams town, Mass.	39.6	47.2	15.6	30.9	46.0	Bradford, Pa.	66.9	27.3	21.4	63.2	72.0
Clinton town, Mass.	7.6	7.6	7.6	15.3	45.9	Bradford, Pa.	27.2	40.9	6.8	41.1	
Everett, Mass.	43.1	29.0	37.6	21.4	14.9	Carbondale, Pa.	57.4	31.2	73.2	41.8	
Fitchburg, Mass.	17.6	11.4	24.9	29.7	44.7	Carnegie, Pa.	(1)	(1)	(1)	(1)	59.6
Gloucester, Mass.	74.1	31.6	4.0	12.2	24.7	Chambersburg, Pa.	31.5	52.2	42.9	34.1	
Haverhill, Mass.	45.8	27.1	7.2	32.5	13.0	Chester, Pa.	51.6	18.8	8.0	15.7	15.5
Holyoke, Mass.	36.7	61.9	52.9	19.5	13.9	Columbia, Pa.				43.4	26.2
Hyde Park town, Mass.	54.3	20.1	33.0	6.5	38.6	Dubois, Pa.	70.3	25.6		16.2	15.8
Leominster town, Mass.	79.6	57.2	6.1	17.6	22.6	Dunmore, Pa.	31.9	30.9	35.0	29.1	56.4
Marlborough, Mass.	7.0	7.0	13.9	62.1		Duquesne, Pa.	106.4	72.3	89.6	39.5	25.2
Plymouth town, Mass.		60.5	25.5	25.0	16.4	Easton, Pa.	29.4	47.2	21.5	24.9	14.0
Salem, Mass.	51.2	22.3	19.3	11.7	13.7	Harrisburg, Pa.	13.9	5.1	11.7	44.1	68.3
Southbridge town, Mass.	35.2	25.7	16.6	40.5	55.3	Hazleton, Pa.	18.5	42.2	23.7	11.9	35.3
Springfield, Mass.	32.4	24.9	31.2	39.3	41.3	Homestead, Pa.	49.2	23.6	11.3	11.0	31.9
Waltham, Mass.	41.3	26.0	18.3	21.8	46.6	Johnstown, Pa.	41.5	55.9	30.7	38.9	41.2
Westfield town, Mass.	28.2	27.3	6.6	12.8	74.3	Lebanon, Pa.	43.0	53.2	10.6	10.5	36.3
Weymouth town, Mass.	8.4	8.2	40.3	31.5	7.7	McKeesport, Pa.	57.8	46.8	38.7	33.3	13.7
Alpena, Mich.		8.0	87.2	55.3		Mahanoy City, Pa.	86.7	32.8	58.1	35.1	50.0
Escanaba, Mich.	8.4	24.6	55.8	15.5	75.4	Mount Carmel, Pa.	44.1	36.8	131.4	98.9	22.7
Flint, Mich.	51.6		3.2	2.8	15.2	Nanticoke, Pa.	55.3	35.4	164.3	54.5	115.7
Ironwood, Mich.	9.1	69.6	66.9	144.7	54.2	Norristown, Pa.	42.8	26.6	3.7	3.6	10.7
Ishpeming, Mich.		41.5	131.2	81.1	43.1	Phoenixville, Pa.			76.5	13.3	65.0
Jackson, Mich.	40.0	17.5	6.8	9.8	6.3	Pittston, Pa.	13.5	92.0	134.7	131.5	67.3
Port Huron, Mich.	61.2	5.1			58.4	Plymouth, Pa.	57.3	81.0	48.8	47.3	52.7
Saginaw, Mich.	41.7	18.5	12.2	8.0	7.9	Pottsville, Pa.	10.8	21.1	10.3	15.1	49.2
Sault Ste. Marie, Mich.		41.5	32.6	24.1	7.9	Shamokin, Pa.	36.7	26.0	41.4	20.5	25.5
Duluth, Minn.	28.0	66.5	59.9	44.6	19.0	Shenandoah, Pa.	163.9	66.0	56.5	31.6	73.4
Anaconda, Mont.	(3)	(3)	(3)	(3)	78.3	South Bethlehem, Pa.	57.5	66.4	10.7	10.3	54.7
Great Falls, Mont.	(3)	(3)	(3)	(3)	43.1	Steelton, Pa.	14.9	36.6	7.2	78.1	161.0
Lincoln, Nebr.	63.5	25.6	34.7	25.2	9.1	Warren, Pa.			9.5		53.9
Laconia, N. H.		62.6	10.2	10.0	9.8	Wilkes-Barre, Pa.	22.9	31.9	43.5	31.9	32.6
Manchester, N. H.	66.1	43.7	65.0	50.7	37.0	Williamsport, Pa.	9.8	42.0	28.8	15.8	6.3
Nashua, N. H.	7.9	47.2	50.7	19.4	19.2	York, Pa.	19.8	31.3	25.8	31.9	71.1
Portsmouth, N. H.	9.1	18.0	53.8	44.6	44.3	Cranston, R. I.	5.4	31.4	40.4	4.9	18.8
Asbury Park, N. J.	(1)	(1)	(1)	(1)	48.4	Cumberland town, R. I.	10.5				78.9
Bridgeton, N. J.	72.7	50.5		14.2	42.2	Woonsocket, R. I.	53.7	23.0	36.2	24.2	75.6
Camden, N. J.	71.1	56.7	56.4	47.5	66.3	Salt Lake City, Utah	27.4	72.2	26.1	27.4	34.2
Elizabeth, N. J.	60.0	86.5	39.3	35.0	17.6	Barre, Vt.	40.6				9.3
Garfield, N. J.	(1)	(1)	(1)	(1)	67.1	Burlington, Vt.	35.4	40.1	24.3	9.8	29.3
Harrison, N. J.	37.9	73.9	14.4	28.1	54.9	Petersburg, Va.	17.2	29.8	12.7	4.2	57.9
Hoboken, N. J.	33.1	53.3	37.9	40.3	48.2	North Yakima, Wash.	(3)	(3)	(1)	(1)	48.9
Kearny, N. J.	27.2	50.8	11.9	28.0	15.9	Walla Walla, Wash.	(8)	(8)	40.0	26.8	
Long Branch, N. J.	32.2	55.3	23.3	7.6	37.5	Wheeling, W. Va.	49.3	34.3	26.7		19.2
Millville, N. J.	25.0		24.5	24.3	48.1	Beloit, Wis.	44.9	28.9		13.6	6.6
Morristown, N. J.	8.2	40.7	24.2	16.1	111.8	Fond du Lac, Wis.	(3)	(3)	5.5	21.6	47.7
Orange, N. J.	67.0	18.1	3.5	20.6	13.4	Green Bay, Wis.	29.9	4.2	49.3	56.3	35.5
Perth Amboy, N. J.	47.7	31.5	30.2	41.8	46.3	Manitowac, Wis.	(3)	(3)	54.2	15.4	
Phillipsburg, N. J.	22.3	73.6	14.6	14.5	50.3	Sheboygan, Wis.	(3)	(3)	11.7	50.0	26.4
Union, N. J.	22.4	21.4	25.6	39.3	61.8	Superior, Wis.	24.1	52.4	33.4	22.6	32.1

¹ Included in rural.
² Based on population enumerated April 15, 1910.

³ Not admitted to registration area until a later date.
⁴ Including state institutions, 1907 to 1910.

Continued prevalence of high, or what may be called epidemic, rates of diphtheria is shown throughout the five years for Camden, N. J., and Allentown and Plymouth, Pa.; and for four consecutive years ending with 1910 for Ironwood and Ishpeming, Mich., and Pittston, Pa. For 1910 the highest death rates shown for any of the places in this group were those of Steelton (161) and Nanticoke (115.7), Pa.; Morris-

town, N. J. (111.8); Vallejo, Cal. (105.2); West New York, N. J. (101.2); Cumberland town, R. I. (78.9); Anaconda, Mont. (78.8); Woonsocket, R. I. (75.6); and Escanaba, Mich. (75.4).

The mortality of the white and the colored population, respectively, from diphtheria for the years 1906 to 1910 is shown in the following table for areas which had a considerable proportion of colored:

AREA.	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
	Maryland rural districts	16.9	15.4	28.0	23.8	15.7	12.3	14.0	17.9	11.3	9.0	15.6
Birmingham, Ala.	(1)	(1)	(2)	(2)	(2)	(2)	13.3	32.2	4.7	10.8	14.9	7.6
Mobile, Ala.	9.2	8.7	13.3	22.4	8.8	16.7	3.5	4.4	3.5	-----	17.4	4.4
Wilmington, Del.	29.4	17.3	50.1	53.4	22.7	21.5	26.2	-----	16.8	-----	31.8	11.0
Washington, D. C.	11.6	9.4	13.2	14.1	10.3	6.5	8.3	8.6	14.2	14.8	11.8	3.2
Jacksonville, Fla.	12.0	2.3	22.6	4.5	14.6	4.1	8.6	-----	15.3	-----	3.5	3.4
Atlanta, Ga.	16.6	21.1	15.6	35.7	7.5	23.3	17.9	15.9	21.1	15.2	19.3	17.3
Savannah, Ga.	21.0	9.7	32.3	12.2	25.7	6.1	28.7	9.1	9.5	15.1	9.4	6.0
Kansas City, Kans.	(1)	(1)	(2)	(2)	(2)	(2)	16.9	45.2	36.1	-----	34.1	42.7
Louisville, Ky.	15.5	7.9	23.8	15.0	12.3	7.5	16.1	-----	12.6	17.3	13.1	-----
New Orleans, La.	13.9	5.9	17.5	7.0	13.4	5.8	17.3	6.9	9.3	2.3	12.0	7.8
Baltimore, Md.	15.6	8.3	22.1	13.2	15.8	8.4	12.5	9.5	15.1	5.9	12.6	4.7
Charleston, S. C.	13.3	3.9	7.6	3.2	26.2	-----	3.7	-----	14.6	3.2	14.4	12.9
Memphis, Tenn.	20.3	17.6	12.6	12.4	15.2	20.8	25.2	33.5	30.3	6.3	17.7	15.2
Nashville, Tenn.	13.8	2.8	10.5	3.3	12.6	-----	20.8	5.5	17.8	-----	6.8	5.5
San Antonio, Tex.	10.2	2.0	22.7	10.4	13.4	-----	2.5	-----	4.8	-----	9.2	-----
Norfolk, Va.	12.8	8.0	13.0	20.3	5.1	-----	22.2	4.0	12.0	12.0	11.7	4.0
Richmond, Va.	12.0	4.8	13.6	5.8	19.6	7.2	2.8	4.7	12.2	-----	12.3	6.4

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

As in the case of scarlet fever, the annual average death rates from diphtheria for the five-year period 1906 to 1910 indicate a greater mortality among white persons than among colored. In 1910 there was only a single area (Kansas City, Kans.) of those included in the table in which the death rate of the colored population from diphtheria was greater than that of the white, although four such places are shown for 1909, seven for 1908, three for 1907, and five for 1906.

Comparative figures for foreign countries and cities are shown in the following tables:

COUNTRY.	Annual average.							
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910	1909	1910
	United States (registration area)	(1)	(1)	(1)	(1)	30	22	20
Australian Commonwealth	43	52	36	15	10	10	10	13
Austria	146	134	122	80	43	28	29	26
Belgium	78	66	49	27	21	(2)	15	(2)
England and Wales ³	16	17	25	27	20	15	15	12
Hungary	(2)	(2)	(2)	4	67	47	41	45
Ireland ⁴	6	8	7	8	8	8	9	8
Italy	(2)	4	51	24	14	(2)	17	(2)
Japan	3	4	7	13	9	(2)	11	(2)
Netherlands ³	12	15	16	10	10	6	6	5
New Zealand ⁴	20	18	17	8	4	6	7	8
Ontario, Province of	70	65	44	34	30	19	19	19
Prussia	172	157	134	59	40	25	25	24
Romania	(2)	19	20	29	13	6	5	10
Scotland ⁴	21	22	22	16	15	(2)	18	(2)
Servia	(2)	(2)	(2)	(2)	66	(2)	(2)	(2)
Spain	(2)	(2)	(2)	(2)	25	20	22	22
Sweden	85	52	61	44	34	(2)	13	(2)
Switzerland	64	34	46	29	21	(2)	16	(2)

¹ Figures for deaths not available for the entire period.

² Rate not published.

³ Figures are exclusive of deaths from croup.

⁴ Average for four years.

CITY.	Annual average.						1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910		
	London	41	42	58	47	20		
Edinburgh	38	47	37	23	19	13	12	17
Glasgow	55	47	33	19	15	21	27	23
Dublin (registration area)	8	7	6	14	12	12	14	14
Belfast	11	16	16	18	13	8	5	7
Sydney	36	53	37	12	10	8	8	11
Melbourne	29	72	22	24	10	10	9	13
Montreal	140	152	49	67	30	(1)	28	(2)
Toronto	79	117	123	64	66	(1)	82	(2)
Paris	87	70	45	13	17	8	9	10
Brussels	12	10	20	11	11	9	11	8
Amsterdam	130	61	39	19	11	8	7	6
Rotterdam	44	31	31	30	17	10	10	8
The Hague	50	27	34	15	8	8	4	3
Copenhagen	45	124	104	26	11	8	11	8
Stockholm	107	71	95	52	25	17	17	28
Christiania	86	238	49	10	30	36	29	20
St. Petersburg	109	45	49	107	61	55	46	38
Moscow	63	73	73	64	45	51	63	84
Berlin	172	91	76	31	17	27	32	34
Hamburg	86	90	44	16	18	28	29	52
Dresden	193	117	99	24	17	30	29	27
Breslau	55	113	75	21	20	18	14	13
Munich	104	97	73	34	15	17	16	11
Vienna	59	63	96	32	23	17	16	13
Prague	56	118	65	33	13	13	16	15
Budapest	78	131	119	30	28	17	19	17
Trieste	175	84	155	68	17	12	8	8
Milan	98	92	129	40	29	12	12	6
Turin	69	47	35	16	9	12	12	13
Venice	28	24	39	39	19	(1)	32	20
New York	170	162	130	67	52	39	38	36
Chicago	151	158	118	55	28	30	31	33
Philadelphia	139	83	125	94	40	43	33	43
Boston	151	120	120	75	39	42	31	42
Rio de Janeiro	28	19	7	3	8	5	4	4

¹ Figures for deaths not available for the entire period.

² Figures for deaths not available.

³ Average for four years.

⁴ Figures furnished by the Bureau of the Census.

The mortality from diphtheria has been greatly reduced during the period covered in many of the foreign countries and cities shown in the preceding tables. For example, the excessively high rates of 146, 134, and 122 shown for Austria for the three quinquenniums extending from 1881 to 1895, have been followed by much lower rates for each successive five-year period, the rate for the period 1906 to 1910 being 28 per 100,000. A still greater decrease is shown in the death rates for Prussia. The English rates show only a slight reduction, but were never as high during the whole period as those of Austria, Prussia, and many other countries. No extended comparison of the rates for foreign countries with those for the registration area can be made, because the series of annual mortality reports was not begun until 1900. For the past two quinquenniums and for the years 1909 and 1910 the rates were higher for the registration area than those for the majority of the countries for which figures are shown covering the same period.

INFLUENZA.

As the term "influenza" is not always used with precision, it is problematical how many deaths from

actual influenza are included among those assigned to this cause. When influenza is epidemic there is a tendency to ascribe to it deaths due to many other diseases of the respiratory organs, while in the intervals between periods of epidemic prevalence the tendency is to overlook sporadic cases and to report deaths caused by this disease under some of the sequelae or complications. Hence too much stress should not be laid upon the figures representing the mortality reported from this cause.

In 1910 the number of deaths returned was 7,774, or 14.4 per 100,000 population, the rate being somewhat higher than that for the preceding year (13.1), but considerably lower than the annual average rates for the quinquennial periods 1901 to 1905 and 1906 to 1910, which were 19.9 and 16.4, respectively.

The following table shows the mortality from influenza in the registration area, its main subdivisions, the registration states, and the major cities (those having a population of 100,000 or over in 1910) for the years 1907 to 1910 and for the quinquennial periods 1901 to 1905 and 1906 to 1910:

AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.						AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
[Rates as high as 40 per 100,000 in boldfaced type.]						[Rates as high as 40 per 100,000 in boldfaced type.]							
SUMMARY.						REGISTRATION. CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.							
The registration area.....	19.9	16.4	23.4	21.3	13.1	14.4	Indianapolis, Ind.....	17.0	16.7	18.3	21.0	11.8	23.0
Registration states ¹	21.6	16.5	24.9	21.1	13.3	14.3	Louisville, Ky.....	16.3	15.1	21.0	19.1	11.7	13.4
Cities in registration states ¹	15.5	12.3	18.8	16.1	9.2	10.6	New Orleans, La.....	30.8	32.3	35.8	38.8	14.3	50.6
Rural part of registration states.....	29.3	21.2	32.1	26.6	17.7	18.4	Baltimore, Md.....	24.8	16.6	19.7	27.1	15.1	11.4
Registration cities in other states.....	16.9	15.7	17.2	22.6	11.7	15.7	Boston, Mass.....	12.8	9.5	15.3	9.2	8.4	7.6
All registration cities ¹	16.2	13.2	18.3	18.0	9.8	11.6	Cambridge, Mass.....	11.8	11.6	28.8	12.7	4.8	7.6
REGISTRATION STATES.							Fall River, Mass.....	11.8	10.8	12.5	21.9	6.8	5.8
California.....	(²)	9.7	11.2	13.8	8.5	6.3	Lowell, Mass.....	14.3	11.3	19.0	16.6	7.7	7.5
Colorado.....	(²)	13.7	18.9	19.3	12.6	9.6	Worcester, Mass.....	10.6	7.9	16.2	11.5	2.1	4.8
Connecticut.....	33.1	26.0	42.8	31.5	16.2	21.7	Detroit, Mich.....	12.4	5.9	9.3	6.8	4.2	5.3
Indiana.....	22.9	20.3	25.5	29.5	16.0	19.9	Grand Rapids, Mich.....	18.3	8.6	20.1	12.1	3.6	5.3
Maine.....	29.1	24.3	36.4	30.8	23.8	16.5	Minneapolis, Minn.....	5.8	4.4	5.7	8.0	4.1	1.3
Maryland.....	(²)	20.5	28.3	29.1	18.4	15.5	St. Paul, Minn.....	7.4	3.7	3.9	7.2	6.1	0.9
Massachusetts.....	18.1	15.9	25.7	18.2	12.9	13.2	Kansas City, Mo.....	16.7	12.6	17.5	16.9	5.8	11.2
Michigan.....	24.1	17.5	29.4	19.7	13.2	15.5	St. Louis, Mo.....	19.0	15.4	20.3	16.9	11.1	18.7
Minnesota.....	(²)	(²)	(²)	(²)	(²)	4.7	Omaha, Nebr.....	15.9	14.1	21.2	13.3	15.5	8.0
Montana.....	(²)	(²)	(²)	(²)	(²)	6.3	Jersey City, N. J.....	8.1	6.6	9.3	5.9	5.7	7.1
New Hampshire.....	30.6	27.1	43.0	28.3	23.5	21.6	Newark, N. J.....	10.4	8.5	10.9	7.1	7.7	11.4
New Jersey.....	11.6	9.7	13.8	9.8	7.0	12.2	Paterson, N. J.....	5.5	5.5	7.7	8.3	4.9	4.0
New York.....	19.9	15.1	25.9	17.1	10.6	13.3	Albany, N. Y.....	30.3	22.5	33.4	36.2	7.0	19.9
North Carolina ⁴	(²)	(²)	(²)	(²)	(²)	28.2	Buffalo, N. Y.....	9.2	10.4	16.4	15.7	6.5	7.0
Ohio.....	(²)	(²)	(²)	(²)	16.0	19.0	New York, N. Y.....	11.7	7.9	15.0	7.2	5.8	6.1
Pennsylvania.....	(²)	17.9	23.3	25.1	14.4	15.6	Bronx Borough.....	9.1	6.3	14.1	5.1	2.2	5.3
Rhode Island.....	28.1	19.1	25.8	26.0	14.6	18.2	Brooklyn, Borough.....	12.8	9.9	20.3	8.2	7.1	7.0
Utah.....	(²)	(²)	(²)	(²)	(²)	8.3	Manhattan Borough.....	11.1	6.8	11.9	6.9	5.7	5.4
Vermont.....	39.1	39.2	51.4	43.5	38.0	41.3	Queens Borough.....	11.7	6.4	11.1	5.2	3.7	7.0
Washington.....	(²)	(²)	(²)	9.0	4.7	4.7	Richmond Borough.....	16.2	10.6	17.8	8.6	9.5	11.6
Wisconsin.....	(²)	(²)	(²)	23.7	13.0	10.6	Rochester, N. Y.....	12.9	8.8	10.1	13.7	4.7	7.3
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	12.5	9.6	12.0	14.6	7.5	7.2
Birmingham, Ala.....	(²)	(²)	(²)	14.4	10.0	12.8	Cincinnati, Ohio.....	28.5	24.0	16.9	36.6	20.8	21.1
Los Angeles, Cal.....	13.9	9.1	11.1	14.7	5.5	6.2	Cleveland, Ohio.....	7.5	9.2	15.1	10.5	6.9	9.0
Oakland, Cal.....	9.6	5.0	9.5	2.7	3.5	4.0	Columbus, Ohio.....	14.4	9.3	11.3	18.9	5.3	8.2
San Francisco, Cal.....	10.7	4.8	6.8	4.5	5.8	1.7	Dayton, Ohio.....	15.1	12.2	10.3	16.2	14.9	9.4
Denver, Colo.....	9.4	12.1	16.5	18.0	10.6	9.3	Toledo, Ohio.....	17.3	16.2	26.6	27.2	9.1	9.5
Bridgeport, Conn.....	15.1	10.8	21.4	10.4	4.0	6.8	Portland, Ore.....	9.4	8.9	16.0	13.4	5.2	5.3
New Haven, Conn.....	23.8	20.0	39.6	25.6	11.4	14.2	Philadelphia, Pa.....	13.1	14.4	20.8	19.6	12.0	10.2
Washington, D. C.....	33.8	25.3	37.9	39.8	13.2	23.8	Pittsburgh, Pa.....	17.2	18.4	20.4	35.5	12.9	14.2
Atlanta, Ga.....	40.6	30.4	30.0	54.8	19.1	8.3	Sarantown, Pa.....	19.4	18.7	25.3	23.2	14.1	8.4
Chicago, Ill.....	11.9	9.8	11.6	15.9	8.7	6.6	Providence, R. I.....	26.4	16.3	23.4	20.5	10.4	16.4
							Memphis, Tenn.....	37.9	33.6	38.7	46.9	21.4	30.4
							Nashville, Tenn.....	49.2	41.2	41.7	52.4	31.9	38.0
							Richmond, Va.....	37.4	29.9	51.1	33.1	12.9	25.0
							Seattle, Wash.....	4.6	4.1	7.4	2.9	5.4	3.3
							Spokane, Wash.....	8.9	8.6	2.5	12.9	10.1	10.4
							Milwaukee, Wis.....	15.0	8.3	8.3	15.5	6.1	7.2

¹ Including District of Columbia.² Not admitted to registration area until a later date.³ Figures for deaths not available for the entire period 1906-1910.⁴ Including only municipalities having a population of 1,000 or over in 1900.

All the main subdivisions of the registration area showed some increase in the mortality from influenza for 1910 as compared with the preceding year. The only state having a rate in excess of the limit indicated in the table (40 per 100,000 population) was Vermont (41.3) and the only large city was New Orleans (50.6). The rates in Vermont from this disease have been relatively high throughout the decade, probably many deaths of elderly people due to various other forms of respiratory diseases being attributed to this cause. The high mortality in New Orleans, as compared with that of preceding years, would seem to indicate a condition of epidemic prevalence.

OTHER EPIDEMIC DISEASES.

No deaths from Asiatic cholera occurred in the registration area, nor have any been reported from this cause since the publication of annual mortality reports was begun in 1900. One death from the plague occurred (in San Benito County, Cal.) in 1910, compared with 2 deaths from this cause in 1909, 5 in 1908, and 89 in 1907. Typhus fever was reported as the cause of 2 deaths in 1910, of which 1 occurred in West Hoboken, N. J., and 1 in Columbus, Ohio. One death was caused by relapsing fever, the case being reported from Mount Carmel, Pa. Leprosy caused the death of 10 persons—7 whites, 2 negroes, and 1 Chinese. Of these deaths, 2 each were reported from New Orleans and Charleston, and 1 each from Alameda County, Cal., San Francisco, Key West, Fla., Kandiyohi County, Minn., New York City, and Milwaukee County, Wis. Beriberi was returned as causing the death of 10 persons, of whom 1 was white, 2 were negroes, 2 Chinese, 4 Japanese, and 1 was an East Indian. These deaths were distributed as

follows: California, 6 (2 in San Francisco, 1 in Sacramento, 1 in San Jose, 1 in Butte County, and 1 in Fresno County); Massachusetts, 1 (Boston); and Washington, 3 (1 in Kitsap County, 1 in Seattle, and 1 in Tacoma).

Among the deaths from diseases of rare occurrence or of minor importance included in the 198 deaths classified under "Other epidemic diseases" (International title 19), were 65 from chickenpox; 48 from mumps; 45 returned from "rubeola," which are compiled here according to the International Classification, and not under measles, where they belong; 24 from German measles; 11 from spotted tick fever, or Rocky Mountain tick fever, all of which occurred in Montana (7 in Ravalli County and 4 in Missoula city); 3 from glandular fever; 1 from dengue fever; and 1 from milk sickness.

PELLAGRA.

Pellagra, a disease which has recently received much attention in this country, caused 368 deaths in the registration area during the year 1910. For 1909 only 116 deaths from this cause were returned and for 1908 only 23, while the only deaths reported for previous years were 2 in 1900, 2 in 1903, and 1 in 1904. Although this disease has undoubtedly prevailed a long time in some portions of the United States, it has not been recognized or reported in this country until very recently. For this reason the increase in the number of deaths reported can not be regarded as representing an actual increase in the annual mortality.

Below are shown the areas from which deaths from pellagra have been returned and the number of deaths reported for all the years covered by the mortality returns:

AREA.	NUMBER OF DEATHS FROM PELLAGRA.						AREA.	NUMBER OF DEATHS FROM PELLAGRA.					
	1900	1903	1904	1908	1909	1910		1900	1903	1904	1908	1909	1910
The registration area.....	2	2	1	23	116	368	REGISTRATION CITIES IN NON REGISTRATION STATES—Continued.						
REGISTRATION STATES.							LOUISIANA.						
California.....	(1)	(1)	(1)		1	3	New Orleans.....				14	11	
District of Columbia.....						1	MISSOURI.						
Indiana.....					1	2	Kansas City.....						2
Maryland.....	(1)	(1)	(1)			8	St. Louis.....						1
Massachusetts.....					1	1	NORTH CAROLINA.						
Michigan.....					1	2	Raleigh.....				5	5	(3)
Minnesota.....	(1)	(1)	(1)	(1)	(1)	2	Wilmington.....				2	5	(3)
New Hampshire.....						2	OREGON.						
New York.....	1	1			1	4	Portland.....						1
North Carolina ²	(1)	(1)	(1)	(1)	(1)	111	SOUTH CAROLINA.						
Ohio.....	(1)	(1)	(1)	(1)		1	Charleston.....				5	11	17
Pennsylvania.....	(1)	(1)	(1)			3	TENNESSEE.						
Rhode Island.....						2	Knoxville.....	(1)	(1)	(1)		2	3
Vermont.....						3	Memphis.....					4	6
Washington.....	(1)	(1)	(1)			2	Nashville.....					1	9
REGISTRATION CITIES IN NON REGISTRATION STATES.							TEXAS.						
ALABAMA.							Galveston.....	(1)	(1)	(1)			3
Birmingham.....	(1)	(1)	(1)		2	17	San Antonio.....						1
Mobile.....					7	13	VIRGINIA.						
Montgomery.....	(1)	(1)	(1)		3	14	Danville.....	(1)	(1)	(1)		1	8
FLORIDA.							Lynchburg.....					1	5
Jacksonville.....				1	1	4	Norfolk.....					2	3
GEORGIA.							Petersburg.....						2
Atlanta.....				7	25	69	Richmond.....					2	7
Savannah.....				1	11	13							
ILLINOIS.													
Aurora.....						1							
Chicago.....			1		12	15							
Jacksonville.....		1											

¹ Not admitted to registration area until a later date. ² Including only municipalities having a population of 1,000 or over in 1900. ³ Included in North Carolina.

The deaths thus far reported are not numerous enough or of a sufficiently representative character to indicate the true age and sex incidence of the disease as it occurs in this country. Of the 368 deaths in the registration area of the United States, 263, or 71.5 per cent, were of females. In Italy, where this disease has been more or less prevalent for many years, the number of deaths in 1908, the latest year for which figures are available, was 1,334, of which 575, or 43.1 per cent, were deaths of females. At the earlier age periods an excess of deaths of females over deaths of males was shown for Italy, while in the periods beginning with that from 50 to 54 years the mortality was heavier among the males.

Of the deaths from this cause returned for the registration area of the United States for 1910, three-tenths (111) occurred in North Carolina municipalities having a population of 1,000 or more in 1900; the cities of this state in which the largest numbers of deaths were registered were Raleigh (23), Durham (17), Charlotte (16), and Wilmington (8). The city with the highest mortality from this cause in the registration area in 1910 was Atlanta, for which 69 deaths were reported.

In considering the statistics for pellagra presented in this report it should be borne in mind that a large part of the territory in which the disease is prevalent is not included in the registration area, and for this reason the number of deaths shown represents only a small proportion of those that occurred in the United States.

The inadequacy of the registration returns as an indication of the prevalence of pellagra in this country is clearly shown by comparison with the results of an investigation of "The Prevalence and Geographic Distribution of Pellagra in the United States," by C. H. Lavinder, surgeon, United States Public Health Service.¹ In this report, on the basis of information collected from eight of the principal states of the pellagra area by means of franked return postal cards sent to all physicians, there is presented the next table, showing the number of cases, deaths, and the proportion of fatal cases for the years 1907 to 1911, inclusive.

From the table it appears that this important disease, which is attracting so much attention at the present time from the public and the medical profession, caused more than 6,000 deaths in eight states alone during the five-year period ending in 1911, while only 1,166 deaths were reported from the registration area to the Bureau of the Census for those years. Of the Southern states listed in Dr. Lavinder's table, not one was a registration state at the beginning of the period 1907 to 1911 and only two—Kentucky and North Carolina (for municipalities of 1,000 population or over in 1900)—were included in the registration area for the last year of the period 1911. Registration laws went into operation in Virginia and Mississippi in 1912, hence a larger proportion of the pellagra

area will be covered by the mortality statistics in the future.

STATE.	REPORTS.		RACE AND SEX OF REPORTED CASES.					Total cases.	Deaths.	Death rate per 100 reported cases.
	Cards mailed.	Replies.	White.		Colored.		Race and sex not reported.			
			Male.	Female.	Male.	Female.				
Total.....	18,463	4,657	2,924	6,857	981	3,117	2,041	15,870	6,205	139.1
Virginia.....	2,359	823	174	302	49	103	628	349	55.59
North Carolina.	1,849	521	543	1,201	180	277	261	2,412	1,067	44.37
South Carolina.	1,275	287	357	772	120	351	280	1,880	582	30.95
Georgia.....	3,022	735	985	2,142	166	575	690	4,558	1,582	34.70
Kentucky.....	3,601	723	159	283	15	24	32	513	220	42.88
Alabama.....	2,418	561	150	988	133	680	363	2,314	859	37.12
Mississippi.....	2,009	561	433	954	249	907	352	2,895	1,250	43.17
Louisiana.....	1,930	446	123	215	69	200	63	670	296	44.17

¹ Aggregate fatality rate per 100 reported cases.

TUBERCULOSIS.

The total number of deaths from tuberculosis (all forms) for the registration area in 1910 was 86,309, equivalent to a death rate of 160.3 per 100,000 population. The number of deaths exceeded the number for the previous year (81,835) by 4,474, but this increase was due chiefly to the addition to the registration area of about 3,000,000 estimated population. The death rate was slightly lower than that for 1909 (160.8), the rate for each of these years being lower than any previously reported.

By far the largest proportion of the mortality from tuberculosis (all forms) was due to tuberculosis of the lungs, the number attributed to this form of the disease (including acute miliary tuberculosis) constituting 87.1 per cent of the total. Moreover, it is likely that the lungs were involved in the case of some deaths ascribed to tuberculous meningitis, abdominal tuberculosis, and other forms of the disease. The general distribution of the deaths reported, with the number of deaths from each form of the disease, death rates per 100,000 population, and per cent distribution, is shown for the past four years and two quinquennial periods in the next table.

In using the following figures, and in general in all references to the data for tuberculosis, some changes in the manner of presentation due to the revision of the International List should be noted. Scrofula is no longer shown as a separate title, but the few deaths ascribed to that cause are compiled under the heading of tuberculosis of other organs (title No. 34 of the revised International List). Acute miliary tuberculosis is a new International title (No. 29), this term having been included formerly under tuberculosis of the lungs in the detailed International List, as it is at present in the abbreviated list used as the basis for Table III and other tables presenting condensed statistics. Ordinarily, when the term "tuberculosis of the lungs" is used, it should be understood that reference is made to the abridged list and that deaths from miliary tuberculosis are included.

¹ Public Health Reports, Dec. 13, 1912, p. 2076.

FORM OF DISEASE.	DEATHS FROM TUBERCULOSIS (ALL FORMS).					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
NUMBER.						
Tuberculosis (all forms) ¹	62,978	79,792	76,759	78,409	81,835	86,309
Tuberculosis of the lungs ²	55,809	69,436	67,064	68,074	70,844	73,214
Acute miliary tuberculosis.....	(6)	(6)	(3)	(3)	(3)	1,997
Tuberculous meningitis.....	2,905	4,289	4,062	4,218	4,575	4,654
Abdominal tuberculosis.....	1,946	2,843	2,629	2,723	3,041	3,159
Pott's disease.....	492	692	594	746	740	764
White swellings.....	234	348	269	356	379	422
Tuberculosis of other organs ¹	666	938	887	992	1,072	1,118
Disseminated tuberculosis.....	926	1,195	1,254	1,300	1,184	981
RATE PER 100,000 POPULATION.						
Tuberculosis (all forms) ¹	192.6	168.7	178.5	167.6	160.8	160.3
Tuberculosis of the lungs ²	170.7	146.8	155.9	145.5	139.3	136.0
Acute miliary tuberculosis.....	(8)	(9)	(3)	(3)	(3)	3.7
Tuberculous meningitis.....	8.9	9.1	8.4	9.0	9.0	8.6
Abdominal tuberculosis.....	6.0	6.0	6.1	5.8	5.0	5.9
Pott's disease.....	1.5	1.5	1.4	1.6	1.5	1.4
White swellings.....	0.7	0.7	0.6	0.8	0.7	0.8
Tuberculosis of other organs ¹	2.0	2.1	2.2	2.2	2.0	2.1
Disseminated tuberculosis.....	2.8	2.5	2.9	2.8	2.3	1.8
PER CENT DISTRIBUTION.						
Tuberculosis (all forms) ¹	100.0	100.0	100.0	100.0	100.0	100.0
Tuberculosis of the lungs ²	88.6	87.0	87.4	86.8	86.6	84.8
Acute miliary tuberculosis.....	(3)	(6)	(3)	(3)	(3)	2.3
Tuberculous meningitis.....	4.6	5.4	5.3	5.4	5.6	5.4
Abdominal tuberculosis.....	3.1	3.6	3.4	3.5	3.7	3.7
Pott's disease.....	0.8	0.9	0.8	1.0	0.9	0.9
White swellings.....	0.4	0.4	0.4	0.5	0.5	0.5
Tuberculosis of other organs ¹	1.1	1.2	1.2	1.3	1.3	1.3
Disseminated tuberculosis.....	1.5	1.5	1.6	1.7	1.4	1.1

¹ Including scrofula, reported separately prior to 1910.
² Including tuberculosis of the larynx, reported separately prior to 1910.
³ Acute miliary tuberculosis included under tuberculosis of the lungs prior to 1910.
⁴ Including acute miliary tuberculosis.
⁵ Included under tuberculosis of the lungs, as separate figures are available for only one year of the period.

The mortality from all forms of tuberculosis combined is shown for the registration area, its main subdivisions, the registration states, and cities of 100,000 population or over in 1910 for the years 1907 to 1910, and the quinquennial periods from 1901 to 1910, in the next table.

The general tendency to reduction in the mortality from tuberculosis is shown by the fact that lower rates for the quinquennium 1906 to 1910 than for the preceding quinquennium are shown for the registration area and each of its main subdivisions, for all the registration states for which comparisons are possible, and for 39 of the 49 large cities.

In comparing the death rates for the various states and cities, especially those having rates higher than 175, which are indicated by boldfaced type, it should be remembered that the deaths reported include all deaths that occurred in the given area and that, especially in certain states and cities, there is a large proportion of deaths of nonresidents. It is not yet practicable to eliminate such deaths upon a uniform basis from the figures for the areas in which they occurred. Therefore the rates given in this table should be considered as maximum rates and not as necessarily indicating the natural character of the area in its relation to the causation of the disease.

AREA. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
SUMMARY.						
The registration area.....	192.6	168.7	178.5	167.6	160.8	160.3
Registration states ¹	181.6	163.3	173.9	161.8	156.1	154.5
Cities in registration states ¹	211.3	191.5	204.5	190.1	181.5	179.4
Rural part of registration states.....	143.9	131.5	137.9	130.2	128.5	127.5
Registration cities in other states.....	211.0	196.3	195.7	193.7	191.5	203.7
All registration cities ¹	211.2	192.7	201.8	191.1	183.7	184.1
REGISTRATION STATES.						
California.....	(2)	210.3	219.8	208.4	203.6	204.9
Colorado.....	(2)	244.1	250.5	256.2	246.0	224.8
Connecticut.....	167.3	154.0	162.6	151.0	152.2	150.0
Indiana.....	180.0	170.9	171.3	169.5	169.2	174.2
Maine.....	165.1	154.0	166.3	151.9	146.4	149.6
Maryland.....	(2)	202.9	204.1	201.6	203.2	197.4
Massachusetts.....	193.4	169.6	178.8	166.2	160.7	162.7
Michigan.....	103.0	99.5	100.9	99.3	95.2	97.6
Minnesota.....	(2)	(2)	(2)	(2)	(2)	109.1
Montana.....	(2)	(2)	(2)	(2)	(2)	89.7
New Hampshire.....	156.3	137.0	133.9	133.4	128.9	135.7
New Jersey.....	192.6	184.2	190.9	179.8	173.9	181.7
New York.....	200.0	189.1	195.5	190.6	181.4	180.3
North Carolina ⁴	(2)	(2)	(2)	(2)	(2)	271.6
Ohio.....	(2)	(2)	(2)	(2)	(2)	147.6
Pennsylvania.....	(2)	140.8	148.7	137.6	133.9	133.7
Rhode Island.....	216.0	192.2	198.5	203.0	178.1	182.1
Utah.....	(2)	(2)	(2)	(2)	(2)	44.2
Vermont.....	139.6	127.2	130.8	132.3	126.5	113.4
Washington.....	(2)	(2)	(2)	(2)	(2)	107.6
Wisconsin.....	(2)	(2)	(2)	(2)	(2)	109.8
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.						
Birmingham, Ala.....	(2)	(2)	(2)	250.1	284.3	282.1
Los Angeles, Cal.....	344.3	282.9	324.8	261.2	253.0	259.7
Oakland, Cal.....	177.6	189.8	240.7	178.3	185.5	143.4
San Francisco, Cal.....	319.0	208.7	206.6	212.2	203.6	211.7
Denver, Colo.....	409.5	379.0	386.3	395.9	378.9	330.4
Bridgeport, Conn.....	211.4	189.8	201.5	179.4	175.7	198.6
New Haven, Conn.....	197.9	188.0	205.0	171.4	210.6	175.2
Washington, D. C.....	308.1	268.1	276.6	260.6	263.4	252.9
Atlanta, Ga.....	256.3	199.5	187.3	194.1	181.2	197.1
Chicago, Ill.....	179.9	186.7	187.2	186.6	181.0	178.0
Indianapolis, Ind.....	207.4	228.5	251.1	233.7	227.0	223.6
Louisville, Ky.....	238.8	227.8	225.6	217.3	215.8	241.6
New Orleans, La.....	348.5	291.6	326.1	292.5	243.4	285.1
Baltimore, Md.....	270.4	263.8	271.3	258.6	261.0	250.9
Boston, Mass.....	210.1	214.4	209.9	209.9	201.2	204.7
Cambridge, Mass.....	221.2	262.1	259.2	281.9	291.1	269.1
Fall River, Mass.....	189.6	158.4	185.4	150.3	143.6	156.0
Lowell, Mass.....	175.1	161.3	176.9	151.5	161.7	144.2
Worcester, Mass.....	203.5	161.8	175.0	175.6	143.9	131.5
Detroit, Mich.....	128.4	112.1	111.6	107.6	101.0	115.7
Grand Rapids, Mich.....	126.1	109.3	117.6	100.5	105.1	123.7
Minneapolis, Minn.....	133.5	131.7	121.9	126.2	143.3	140.5
St. Paul, Minn.....	132.5	133.3	158.8	116.7	126.0	136.9
Kansas City, Mo.....	197.5	163.0	177.2	144.9	154.8	168.4
St. Louis, Mo.....	225.5	198.0	197.4	190.3	199.7	184.9
Omaha, Nebr.....	119.0	127.0	122.1	118.9	134.8	145.3
Jersey City, N. J.....	247.8	226.4	256.8	235.0	194.9	192.7
Newark, N. J.....	268.2	257.9	277.7	249.5	232.6	245.3
Paterson, N. J.....	205.2	186.0	168.5	168.6	174.4	183.0
Albany, N. Y.....	244.3	227.5	220.6	228.4	200.2	252.1
Buffalo, N. Y.....	149.7	148.4	148.7	151.0	145.9	144.0
New York, N. Y.....	248.0	226.1	236.4	226.7	214.3	211.0
Bronx Borough.....	561.2	445.8	452.8	431.5	423.8	436.0
Brooklyn Borough.....	223.1	187.8	198.6	186.1	173.0	172.7
Manhattan Borough.....	234.5	225.3	238.5	229.3	215.8	205.0
Queens Borough.....	164.8	140.3	149.2	127.9	130.0	140.1
Richmond Borough.....	215.4	225.7	214.0	238.9	214.7	196.5
Rochester, N. Y.....	154.0	157.4	148.9	157.2	158.8	159.3
Syracuse, N. Y.....	153.5	133.6	143.4	146.2	128.3	109.3
Cincinnati, Ohio.....	270.8	280.5	261.1	278.7	271.4	290.2
Cleveland, Ohio.....	133.1	136.9	139.2	133.5	130.5	146.5
Columbus, Ohio.....	221.2	209.4	217.3	201.3	188.5	213.1
Dayton, Ohio.....	222.7	208.8	205.4	210.0	223.0	189.1
Toledo, Ohio.....	153.3	170.5	175.8	163.2	194.5	160.7
Portland, Oreg.....	120.1	110.8	123.2	114.8	103.2	108.4
Philadelphia, Pa.....	239.6	234.5	251.7	232.2	215.6	216.9
Pittsburgh, Pa.....	166.8	141.7	139.6	146.2	138.0	129.8
Scranton, Pa.....	97.8	97.4	94.8	100.0	102.6	105.0
Providence, R. I.....	246.0	190.6	189.9	195.0	170.4	185.4
Memphis, Tenn.....	249.0	244.1	226.2	237.8	247.3	266.3
Nashville, Tenn.....	349.6	277.6	301.9	261.8	237.1	256.9
Richmond, Va.....	283.8	267.7	272.4	224.8	252.2	254.1
Seattle, Wash.....	111.5	110.2	105.6	109.7	118.7	123.1
Spokane, Wash.....	127.3	119.6	125.9	124.5	112.6	112.6
Milwaukee, Wis.....	149.4	130.0	132.4	125.9	114.2	131.6

¹ Including District of Columbia.
² Not admitted to registration area until a later date.
³ Figures for deaths not available for the entire period 1906-1910.
⁴ Including only municipalities having a population of 1,000 or over in 1900.

MORTALITY STATISTICS.

The high death rates shown for the state of Maryland and the municipalities of North Carolina as well as those for certain of the cities shown separately, are due chiefly to the large proportion of colored population in those areas. Aside from the question whether the colored race is essentially more susceptible to tuberculosis, or to what extent the high incidence of the disease upon this race is due to conditions of housing,

occupation, or other factors, it is a fact that the death rate of the colored population from tuberculosis is markedly higher than that of the white. The following table shows the death rates of the white and colored population of certain areas in which the colored population forms a considerable proportion of the total for the years 1906 to 1910, inclusive, with the annual average rate for the period:

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts.....	118.0	286.0	116.6	272.1	116.8	272.2	115.6	303.3	119.9	301.6	121.0	281.0
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)	111.9	458.6	131.8	517.0	149.8	485.5
Mobile, Ala.....	217.7	638.2	249.1	683.0	189.7	739.1	190.0	576.6	174.8	608.5	285.0	613.8
Wilmington, Del.....	165.9	422.8	189.2	502.2	169.2	452.1	162.7	412.0	146.0	404.2	164.2	341.1
Washington, D. C.....	163.0	524.3	177.0	549.1	171.8	529.4	159.6	506.8	152.7	536.5	153.5	500.5
Jacksonville, Fla.....	188.9	428.7	203.7	470.8	268.5	409.7	240.4	511.0	153.2	398.0	114.1	369.7
Atlanta, Ga.....	145.8	302.2	157.6	397.2	144.4	267.5	151.4	275.5	142.1	257.6	137.1	316.3
Savannah, Ga.....	161.9	395.8	197.3	471.2	176.6	377.6	162.6	351.5	120.2	389.1	153.9	390.2
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	169.4	505.8	167.1	459.1	133.7	490.8
Louisville, Ky.....	182.8	428.9	197.0	422.2	187.8	393.5	170.4	427.0	168.7	427.8	190.5	473.3
New Orleans, La.....	206.2	527.7	221.5	564.4	243.3	554.4	201.2	544.8	171.0	444.1	196.2	532.9
Baltimore, Md.....	206.2	583.0	223.3	579.3	212.8	593.5	204.8	556.3	199.4	602.4	191.2	583.3
Charleston, S. C.....	114.3	498.7	128.7	550.2	93.4	531.9	129.0	532.8	91.0	459.7	129.3	418.6
Memphis, Tenn.....	157.7	366.2	180.5	316.7	141.8	341.3	148.2	364.1	157.2	378.8	160.8	425.1
Nashville, Tenn.....	188.4	453.3	230.0	561.9	216.0	468.9	162.0	458.7	161.4	388.3	182.4	408.0
San Antonio, Tex.....	425.6	504.5	465.8	498.6	471.3	565.5	385.8	518.2	381.4	540.1	431.6	459.6
Norfolk, Va.....	162.6	566.2	183.9	537.4	154.1	500.6	150.3	606.4	175.6	587.7	150.4	489.6
Richmond, Va.....	189.1	379.4	226.3	427.2	197.0	401.4	169.6	319.6	172.7	389.3	187.5	369.4

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

For the quinquennium 1906 to 1910 and for each of the individual years the death rate of the colored population was higher than that of the white population in every area shown, except San Antonio, Tex., for 1906. The rates for the colored population in 1910 were excessively high in Mobile (613.8 per 100,000 population), Baltimore (583.3), and New Orleans (532.9), and the lowest rate shown in the table, that for the Maryland rural (281), is also very high, although the regis-

tration of deaths was very incomplete in that state, perhaps more incomplete for the colored than for the white population.

In the following table the death rates from tuberculosis (all forms) are shown for cities and other places having a population of 10,000 but less than 100,000 in 1910 in which the death rate was as high as 175 per 100,000 during any of the years 1906 to 1910:

CITY.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.					CITY.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
[Rates as high as 175 per 100,000 in boldfaced type.]						[Rates as high as 175 per 100,000 in boldfaced type.]					
Mobile, Ala.....	441.2	432.9	361.0	366.7	430.4	Wallingford town, Conn.....	193.7	218.1	204.4	127.5	89.4
Montgomery, Ala.....	(1)	(1)	318.9	232.1	311.6	Windham town, Conn.....	223.1	193.2	222.1	137.0	94.8
Alameda, Cal.....	130.3	182.0	135.6	144.6	131.9	Wilmington, Del.....	211.5	163.6	189.6	173.4	182.6
Bakersfield, Cal.....	(2)	(2)	(2)	(2)	311.9	Jacksonville, Fla.....	352.7	345.0	383.2	279.7	243.7
Eureka, Cal.....	(2)	(2)	(2)	(2)	234.5	Key West, Fla.....	323.8	404.5	263.0	259.5	261.0
Fresno, Cal.....	226.6	257.8	295.9	187.0	159.5	Savannah, Ga.....	338.0	279.8	259.4	257.9	274.8
Pasadena, Cal.....	546.7	391.4	411.1	348.9	310.0	Belleville, Ill.....	160.0	151.5	184.7	156.3	156.2
Redlands, Cal.....	(2)	(2)	(2)	(2)	492.1	Jacksonville, Ill.....	315.2	301.5	235.6	196.0	280.5
Riverside, Cal.....	(2)	(2)	(2)	(2)	318.9	Quincy, Ill.....	139.9	211.0	205.4	169.6	169.4
Sacramento, Cal.....	224.4	250.4	221.4	204.8	215.4	Springfield, Ill.....	147.0	221.7	172.3	179.8	225.2
San Bernardino, Cal.....	(2)	(2)	(2)	(2)	627.0	Anderson, Ind.....	171.3	174.1	181.4	201.8	155.4
San Diego, Cal.....	311.1	356.3	359.5	245.9	307.2	Elwood, Ind.....	161.5	112.3	123.1	205.7	182.0
San Jose, Cal.....	252.9	223.5	210.2	222.2	226.9	Evansville, Ind.....	167.0	164.7	159.3	174.3	196.1
Santa Barbara, Cal.....	(2)	(2)	(2)	(2)	357.0	Fort Wayne, Ind.....	178.1	187.4	148.3	161.4	161.8
Stockton, Cal.....	361.2	360.6	369.2	368.6	359.4	Huntington, Ind.....	89.2	118.4	108.0	127.0	204.2
Colorado Springs, Colo.....	707.9	647.7	626.0	535.4	571.8	Jeffersonville, Ind.....	246.4	218.8	219.4	229.9	297.9
Pueblo, Colo.....	284.2	290.4	228.7	213.3	154.3	Kokomo, Ind.....	256.2	211.5	239.7	144.9	216.1
Ansonia, Conn.....	183.1	193.7	115.6	147.1	78.9	Lafayette, Ind.....	196.6	174.1	236.3	200.8	188.9
Danbury town, Conn.....	154.8	228.0	184.5	138.1	123.0	Logansport, Ind.....	200.5	169.9	221.3	196.6	167.4
Hartford, Conn.....	171.4	203.1	157.1	210.5	170.2	Marion, Ind.....	168.1	209.1	171.8	129.6	180.6
Meriden town, Conn.....	185.3	154.3	187.6	173.0	211.6	Michigan City, Ind.....	179.8	215.5	147.4	181.6	193.6
Middletown town, Conn.....	302.6	272.4	282.8	283.1	264.2	Muncie, Ind.....	210.8	200.0	224.0	193.1	228.7
Naugatuck, Conn.....	201.9	214.8	113.6	183.3	188.0	New Albany, Ind.....	193.9	169.7	286.0	261.7	382.9
New London, Conn.....	164.5	225.5	129.7	189.8	147.2	Peru, Ind.....	102.0	194.2	119.9	165.4	192.4
Stamford town, Conn.....	132.0	123.1	122.1	178.4	137.7	Richmond, Ind.....	253.6	202.1	230.9	158.9	218.7

¹ Not admitted to registration area until a later date.

² Included in rural.

CAUSES OF DEATH.

CITY. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.					CITY. [Rates as high as 175 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
South Bend, Ind.	165.2	196.6	148.5	172.3	185.1	Binghamton, N. Y.	187.4	158.6	195.8	134.5	178.8
Terre Haute, Ind.	192.7	173.0	168.4	226.5	176.5	Cohoes, N. Y.	276.8	258.8	220.7	296.7	234.5
Vincennes, Ind.	190.5	160.5	233.5	185.5	320.3	Hudson, N. Y.	188.7	249.7	226.7	169.0	270.4
Kansas City, Kans.	(1)	(1)	207.5	200.2	174.2	Ithaca, N. Y.	137.3	184.6	115.7	122.0	121.4
Leavenworth, Kans.	175.4	153.3	90.4	163.3	109.9	Kingston, N. Y.	239.0	214.6	163.3	269.4	208.3
Covington, Ky.	281.4	274.9	256.9	284.8	257.0	Lackawanna, N. Y.	(2)	(2)	(2)	(2)	185.5
Newport, Ky.	250.5	191.7	230.4	175.8	230.7	Lockport, N. Y.	91.2	152.9	191.4	145.4	155.6
Paducah, Ky.	325.8	302.4	261.8	293.4	293.5	Middletown, N. Y.	230.8	238.3	259.0	247.1	307.3
Auburn, Me.	119.2	200.5	115.8	154.4	125.8	Newburgh, N. Y.	236.5	263.4	146.8	185.0	190.2
Augusta, Me.	126.7	156.5	177.8	252.1	177.8	Ogdensburg, N. Y.	451.4	268.1	219.0	323.8	244.0
Bangor, Me.	202.9	217.0	173.1	243.4	217.2	Ossining, N. Y.	(2)	(2)	(2)	(2)	189.4
Biddeford, Me.	221.3	226.0	289.8	205.9	239.8	Oswego, N. Y.	194.6	149.1	143.5	112.0	98.2
Lewiston, Me.	201.6	219.2	197.7	142.0	197.7	Peekskill, N. Y.	227.1	206.0	241.5	147.5	182.6
Portland, Me.	171.7	138.7	185.9	183.1	129.3	Plattsburg, N. Y.	96.7	142.2	83.6	191.5	259.4
Waterville, Me.	163.3	229.5	135.1	141.6	234.8	Rome, N. Y.	188.6	299.7	331.1	175.1	290.7
Cumberland, Md.	204.7	112.2	166.8	163.1	191.5	Saratoga Springs, N. Y.	224.2	178.7	242.0	149.1	189.3
Frederick, Md.	170.4	217.9	147.0	184.1	201.3	Troy, N. Y.	315.5	321.6	287.1	259.4	264.2
Hagerstown, Md.	188.5	184.9	187.7	122.9	187.1	Utica, N. Y.	189.3	237.3	235.6	207.3	188.3
Adams town, Mass.	174.5	110.0	210.4	177.8	84.3	Watervliet, N. Y.	225.8	210.4	208.7	213.7	185.4
Arlington town, Mass.	149.6	116.1	216.2	173.6	133.3	Yonkers, N. Y.	189.4	177.6	199.9	174.4	182.4
Chelsea, Mass.	184.0	157.6	151.0	126.3	151.9	Asheville, N. C.	(1)	(1)	(1)	(1)	727.8
Framingham town, Mass.	185.2	74.0	96.5	157.2	146.0	Durham, N. C.	(1)	(1)	(1)	(1)	346.6
Gloucester, Mass.	210.7	185.7	188.1	162.2	184.9	Greensboro, N. C.	(1)	(1)	(1)	(1)	274.7
Haverhill, Mass.	183.2	197.1	155.3	146.1	160.0	Raleigh, N. C.	296.7	386.5	399.7	389.8	281.0
Holyoke, Mass.	152.7	180.1	176.9	184.1	146.4	Wilmington, N. C.	276.0	327.9	273.3	260.2	197.3
Lawrence, Mass.	168.0	183.2	159.6	187.1	144.4	Winston, N. C.	(1)	(1)	(1)	(1)	335.0
Malden, Mass.	177.1	124.9	128.3	110.6	105.3	Bellaire, Ohio	145.3	121.3	238.5	228.9	192.5
Marlborough, Mass.	176.2	132.9	159.8	75.9	136.9	Cambridge, Ohio	(1)	(1)	(1)	(1)	198.6
Milford town, Mass.	154.1	199.7	165.2	162.8	114.5	Chillicothe, Ohio	145.7	177.6	281.2	284.2	240.7
New Bedford, Mass.	198.5	180.7	163.7	172.9	139.4	East Liverpool, Ohio	(1)	(1)	(1)	(1)	159.1
Newburyport, Mass.	223.9	141.9	128.0	194.5	147.1	Findlay, Ohio	188.5	134.3	149.8	192.4	141.9
Northampton, Mass.	141.0	171.8	131.9	138.5	185.5	Hamilton, Ohio	155.3	180.9	189.7	180.0	143.6
Pittsfield, Mass.	183.6	135.2	108.3	132.4	117.2	Ironton, Ohio	308.2	294.7	189.4	191.7	243.0
Quincy, Mass.	178.4	139.7	132.3	156.7	134.0	Lancaster, Ohio	(1)	(1)	(1)	(1)	125.4
Salem, Mass.	189.5	166.2	151.8	110.0	184.3	Marietta, Ohio	84.1	184.0	169.2	185.3	123.9
Southbridge town, Mass.	149.5	205.2	158.1	121.6	126.4	Middletown, Ohio	128.9	216.0	192.9	155.8	136.0
Taunton, Mass.	217.4	191.3	229.9	198.6	148.2	Piqua, Ohio	(1)	(1)	(1)	(1)	223.7
Wakefield town, Mass.	189.9	102.2	163.8	133.6	244.5	Portsmouth, Ohio	229.8	223.3	276.0	256.2	263.4
Westfield town, Mass.	127.0	122.6	151.7	108.6	439.8	Tiffin, Ohio	104.0	146.1	93.8	110.0	184.7
Weymouth town, Mass.	193.4	172.7	153.0	134.0	169.8	Zanesville, Ohio	(1)	(1)	(1)	(1)	163.7
Woburn, Mass.	266.9	155.4	106.8	204.5	149.9	Beaver Falls, Pa.	96.8	215.8	144.0	133.1	98.1
Ann Arbor, Mich.	204.5	183.5	128.8	128.5	182.2	Braddock, Pa.	150.6	191.1	139.2	110.1	72.0
Ishpeming, Mich.	83.9	207.4	123.0	97.3	120.2	Carlisle, Pa.	99.6	227.5	176.8	185.4	174.5
Manistee, Mich.	150.9	175.5	176.2	80.4	89.0	Chambersburg, Pa.	178.7	125.2	120.1	161.9	177.7
Pontiac, Mich.	144.0	107.4	221.1	212.6	191.3	Chester, Pa.	212.1	179.9	185.6	172.9	196.7
Traverse City, Mich.	259.8	290.6	287.0	216.7	321.1	Homestead, Pa.	153.9	183.0	164.2	131.5	153.9
Mankato, Minn.	184.2	186.4	160.4	124.2	183.7	Lancaster, Pa.	197.7	136.0	153.8	141.2	116.2
Stillwater, Minn.	(1)	(1)	(1)	(1)	198.0	McKeesport, Pa.	168.3	179.8	125.8	102.1	126.0
Winona, Minn.	115.3	178.7	161.2	116.6	97.2	Norris town, Pa.	295.5	254.8	256.9	273.5	264.4
Butte, Mont.	(1)	(1)	(1)	(1)	236.7	Phoenixville, Pa.	177.4	116.4	114.7	65.9	83.5
Concord, N. H.	144.3	147.8	122.9	192.1	167.2	Pottstown, Pa.	188.3	92.9	118.0	97.1	153.5
Dover, N. H.	219.2	241.7	183.8	183.8	188.7	Steelton, Pa.	185.8	190.3	115.3	142.0	98.0
Laconia, N. H.	235.1	156.6	224.6	199.8	127.1	West Chester, Pa.	183.5	188.7	220.1	258.9	160.9
Nashua, N. H.	150.8	165.3	89.7	112.2	176.6	York, Pa.	180.5	154.0	178.1	152.8	197.9
Portsmouth, N. H.	199.5	207.4	206.2	125.7	97.5	Central Falls, R. I.	188.3	225.3	227.5	130.5	131.1
Asbury Park, N. J.	(2)	(2)	(2)	(2)	193.7	Cranston, R. I.	119.9	602.7	555.4	508.5	456.3
Bayonne, N. J.	199.1	183.6	143.0	134.9	133.6	East Providence town, R. I.	126.7	143.6	159.5	181.0	138.4
Bloomfield, N. J.	201.2	53.3	123.0	82.7	105.2	Pawtucket, R. I.	161.5	215.3	181.1	143.1	157.7
Bridgeton, N. J.	152.7	259.5	128.6	184.2	210.7	Warwick town, R. I.	305.7	281.7	350.7	395.0	333.2
Camden, N. J.	206.2	202.0	207.8	164.0	151.6	Woonsocket, R. I.	223.8	123.8	236.5	193.8	198.0
Elizabeth, N. J.	225.9	201.8	164.3	178.0	179.9	Charleston, S. C.	357.2	329.5	344.9	286.8	281.9
Hackensack, N. J.	204.2	169.9	100.3	140.0	176.3	Knoxville, Tenn.	(1)	(1)	311.2	269.1	315.7
Harrison, N. J.	212.2	243.8	216.1	175.8	206.0	Galveston, Tex.	(5)	(5)	(5)	(5)	194.7
Hoboken, N. J.	288.5	290.2	287.0	270.4	258.0	San Antonio, Tex.	462.6	482.4	401.0	399.4	434.7
Long Branch, N. J.	193.0	205.4	178.4	152.5	239.9	Barre, Vt.	182.7	247.9	310.2	237.0	287.4
Millville, N. J.	158.2	189.7	171.5	194.2	168.3	Burlington, Vt.	187.2	175.4	94.4	196.9	122.0
Montclair, N. J.	171.2	145.3	122.2	115.9	183.8	Alexandria, Va.	239.7	231.8	171.3	222.8	202.1
Morristown, N. J.	237.2	268.3	177.7	216.9	215.7	Danville, Va.	(1)	(1)	298.7	248.7	241.5
New Brunswick, N. J.	215.7	215.1	291.9	227.0	209.3	Lynchburg, Va.	353.4	300.0	212.2	243.4	186.0
Orange, N. J.	275.3	329.6	307.1	237.4	282.0	Norfolk, Va.	341.3	310.6	323.8	330.4	276.2
Passaic, N. J.	192.3	175.2	154.5	142.3	127.9	Petersburg, Va.	314.2	336.6	299.5	300.8	364.0
Plainfield, N. J.	142.6	191.2	222.4	148.4	208.3	North Yakima, Wash.	(1)	(1)	(2)	(2)	279.5
Trenton, N. J.	215.0	214.3	202.9	243.8	238.3	Wheeling, W. Va.	165.1	230.1	158.0	193.1	165.5
Union, N. J.	223.5	170.9	179.0	201.3	89.6	Ashland, Wis.	(1)	(1)	173.7	223.8	165.6
West New York, N. J.	(2)	(2)	(2)	(2)	188.0	Eau Claire, Wis.	144.8	113.2	124.5	201.3	180.3
Auburn, N. Y.	197.0	167.5	180.1	131.1	132.4	Green Bay, Wis.	136.8	209.5	135.4	221.3	138.2

1 Not admitted to registration area until a later date.
 2 Included in rural.
 3 Based on population enumerated April 15, 1910.

4 Including state institutions, 1907 to 1910.
 5 No estimate of population made.

In examining the rates shown in the preceding table it should be remembered that, as in the case of cities having a population of 100,000 or over, the deaths reported include all which occurred in the given areas, including those of nonresidents. Furthermore, owing to the small size of certain cities in this group, the addition of a few deaths, possibly of invalids from other cities or from distant states, may cause the death rate from tuberculosis to rise to a very high degree. In other words, the fluctuations incident to small numbers must be considered in comparing these rates. With these reservations it may be noted that the cities included in the table which had the highest death rates from this disease were Asheville, N. C. (727.8); San Bernardino, Cal. (627); and Colorado Springs, Colo. (571.8); but the high rates in these and similar instances have, of course, no significance, as the cities are health resorts. Comparison can fairly be made

of cities in the same state where such cities are alike in respect to the character and mode of life of the population.

TUBERCULOSIS OF THE LUNGS.

Tuberculosis, irrespective of its particular manifestations, is due to a single primary cause, namely, infection by the bacillus of tuberculosis, and sanitarians are coming more and more to study the disease as a unit. It has been customary, however, to lay special stress upon the mortality from pulmonary tuberculosis, and in many registration reports, especially those extending over a long series of years, separate data are not shown for forms of the disease other than tuberculosis of the lungs or "consumption," as it was formerly called. Hence it is deemed advisable to present rates for tuberculosis of the lungs (abridged title, including acute miliary tuberculosis of the detailed list) in the following table:

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS PER 100,000 POPULATION.						AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910 ²		Annual average.		1907	1908	1909	1910 ²
	1901 to 1905	1906 to 1910 ¹						1901 to 1905	1906 to 1910 ¹				
SUMMARY.							REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
The registration area.....	170.7	146.8	155.9	145.5	139.3	139.7	Indianapolis, Ind.....	183.2	186.2	203.4	193.9	182.0	178.9
Registration states ²	158.7	140.5	150.2	138.3	133.2	134.2	Louisville, Ky.....	217.5	205.1	202.7	194.2	196.0	222.5
Cities in registration states ³	183.7	164.4	176.0	162.1	154.6	155.5	New Orleans, La.....	318.3	263.8	298.7	260.3	219.2	266.0
Rural part of registration states.....	126.8	113.6	119.8	111.8	109.9	110.5	Baltimore, Md.....	235.2	232.8	238.8	226.9	228.7	228.0
Registration cities in other states.....	187.4	172.9	171.2	171.1	168.1	183.0	Boston, Mass.....	213.7	175.3	182.9	169.6	158.5	171.7
All registration cities ³	185.6	166.6	174.5	164.6	157.6	160.8	Cambridge, Mass.....	194.3	237.7	235.4	264.3	271.1	245.4
REGISTRATION STATES.							Fall River, Mass.....	174.4	138.8	156.7	131.1	129.8	141.8
California.....	(4)	183.3	192.4	180.7	176.7	180.2	Lowell, Mass.....	152.3	131.4	162.9	121.2	119.6	112.4
Colorado.....	(4)	224.7	231.8	238.0	224.7	207.7	Worcester, Mass.....	173.4	134.3	149.3	148.8	118.1	103.6
Connecticut.....	147.0	133.7	144.9	129.6	130.7	131.1	Detroit, Mich.....	110.7	95.9	97.4	91.3	86.1	98.9
Indiana.....	159.4	143.3	145.2	142.2	138.6	144.9	Grand Rapids, Mich.....	101.2	88.2	93.7	76.3	86.1	101.6
Maine.....	138.2	123.4	132.3	119.7	114.3	120.9	Minneapolis, Minn.....	107.9	111.6	103.6	107.0	123.0	121.1
Maryland.....	(4)	180.2	181.2	177.8	180.2	178.2	St. Paul, Minn.....	107.5	106.3	121.7	92.7	106.2	110.9
Massachusetts.....	168.0	143.5	153.6	140.4	134.0	137.6	Kansas City, Mo.....	186.6	145.3	161.1	131.6	136.6	150.0
Michigan.....	87.4	84.1	86.5	82.3	80.7	82.4	St. Louis, Mo.....	203.4	176.1	172.4	170.2	177.0	166.7
Minnesota.....	(4)	(4)	(4)	(4)	(4)	90.5	Omaha, Nebr.....	103.4	107.5	92.4	107.3	119.3	123.6
Montana.....	(4)	(4)	(4)	(4)	(4)	77.9	Jersey City, N. J.....	223.5	202.6	234.6	209.9	169.0	176.0
New Hampshire.....	138.3	117.1	114.1	112.6	112.8	113.9	Newark, N. J.....	227.7	217.8	231.7	208.7	191.7	213.6
New Jersey.....	170.2	158.9	165.9	154.1	148.5	158.9	Paterson, N. J.....	183.0	161.3	152.3	135.4	153.3	163.2
New York.....	175.5	164.1	169.0	164.3	156.4	158.2	Albany, N. Y.....	215.9	200.7	180.1	208.3	168.2	239.1
North Carolina ⁶	(4)	(4)	(4)	(4)	(4)	247.8	Buffalo, N. Y.....	126.5	125.5	123.5	127.4	124.7	124.0
Ohio.....	(4)	(4)	(4)	(4)	(4)	130.2	New York, N. Y.....	215.8	196.9	205.8	196.6	185.6	185.0
Pennsylvania.....	(4)	121.3	128.0	117.3	115.1	117.0	Bronx Borough.....	529.3	418.5	424.8	402.5	398.9	410.2
Rhode Island.....	181.1	160.1	161.6	167.8	150.1	156.8	Brooklyn Borough.....	192.8	162.8	170.6	163.5	149.5	151.2
Utah.....	(4)	(4)	(4)	(4)	(4)	35.7	Manhattan Borough.....	200.1	191.6	204.7	194.1	181.3	174.5
Vermont.....	120.9	104.2	106.7	108.3	100.9	92.1	Queens Borough.....	143.3	122.2	128.7	111.7	112.6	124.4
Washington.....	(4)	(4)	(4)	84.7	85.2	87.7	Richmond Borough.....	185.3	201.0	183.4	210.6	190.8	175.7
Wisconsin.....	(4)	(4)	(4)	93.9	94.2	92.1	Rochester, N. Y.....	134.9	134.6	125.6	132.8	135.7	137.0
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	134.8	112.0	118.7	119.3	111.1	92.7
Birmingham, Ala.....	(4)	(4)	(4)	211.6	237.4	276.8	Cincinnati, Ohio.....	238.3	243.1	231.8	247.1	234.0	261.7
Los Angeles, Cal.....	314.1	251.5	288.3	230.7	226.3	229.7	Cleveland, Ohio.....	120.9	120.0	125.3	119.0	109.7	127.2
Oakland, Cal.....	146.5	157.6	201.7	144.8	155.3	126.2	Columbus, Ohio.....	199.5	176.6	181.5	172.0	155.3	177.5
San Francisco, Cal.....	275.5	176.7	175.5	179.7	166.9	185.0	Dayton, Ohio.....	188.0	184.2	181.6	186.8	191.1	161.7
Denver, Colo.....	330.7	345.7	354.2	365.5	341.8	301.6	Toledo, Ohio.....	137.1	148.7	152.4	137.2	176.4	138.8
Bridgeport, Conn.....	185.1	160.6	175.8	146.2	141.6	178.2	Portland, Ore.....	102.4	85.7	91.8	91.4	81.7	83.1
New Haven, Conn.....	170.8	162.5	186.0	145.0	175.6	146.9	Philadelphia, Pa.....	211.9	205.7	220.8	201.7	189.0	193.5
Washington, D. C.....	270.9	235.6	242.8	221.4	229.4	233.6	Pittsburgh, Pa.....	139.4	112.4	112.4	114.2	109.0	104.2
Atlanta, Ga.....	240.9	182.9	167.0	175.3	162.9	181.0	Scranton, Pa.....	94.2	81.9	81.7	80.0	84.6	90.5
Chicago, Ill.....	158.1	162.1	171.5	163.0	155.9	158.3	Providence, R. I.....	200.0	152.3	156.5	151.7	137.2	153.5
							Memphis, Tenn.....	232.0	226.7	206.8	223.9	231.9	250.3
							Nashville, Tenn.....	299.5	226.7	244.5	212.2	193.3	211.7
							Richmond, Va.....	249.5	224.9	238.9	194.3	209.2	223.6
							Seattle, Wash.....	90.8	82.8	79.1	79.3	88.1	95.1
							Spokane, Wash.....	112.0	93.1	92.6	103.0	87.5	88.9
							Milwaukee, Wis.....	127.9	114.0	114.3	110.7	100.6	115.4

¹ Based on figures which include deaths from tuberculosis of the larynx for 1910.
² Based on figures which include tuberculosis of the larynx, reported separately prior to 1910.
³ Including District of Columbia.

⁴ Not admitted to registration area until a later date.
⁵ Figures for deaths not available for the entire period 1906-1910.
⁶ Including only municipalities having a population of 1,000 or over in 1900.

For comparison with the death rates from tuberculosis (all forms) and tuberculosis of the lungs in the United States, figures for foreign countries and cities are given in the following tables:

COUNTRY.	DEATH RATE FROM SPECIFIED CAUSE PER 100,000 POPULATION.								
	Annual average.							1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910			
	PULMONARY TUBERCULOSIS.								
United States (registration area).....	(¹)	(¹)	(¹)	(¹)	171	147	139	140	
Australian Commonwealth.....	122	121	107	94	89	75	73	68	
Belgium.....	(²)	(²)	156	142	118	(²)	102	(²)	
England and Wales.....	183	164	146	132	122	111	109	102	
Ireland.....	208	212	214	213	215	191	184	172	
Japan.....	(²)	101	136	145	146	(²)	166	(²)	
Netherlands.....	(²)	(²)	189	165	133	125	123	118	
New Zealand.....	91	84	81	78	70	62	61	55	
Scotland.....	211	189	174	165	146	(²)	127	(²)	
Servia.....	(²)	(²)	³ 251	141	231	280	(²)	(²)	
Spain.....	(²)	(²)	(²)	(²)	148	135	127	125	
Switzerland.....	209	213	199	190	187	(²)	163	(²)	
	PULMONARY AND GENERAL TUBERCULOSIS.								
Italy.....	(²)	³ 137	129	125	116	(²)	122	(²)	
	TUBERCULOSIS (ALL FORMS).								
United States (registration area).....	(¹)	(¹)	(¹)	(¹)	193	169	161	160	
Austria ⁴	390	380	360	345	340	305	303	288	
England and Wales.....	254	232	212	191	174	157	154	143	
Hungary.....	(²)	(²)	(²)	³ 364	397	374	369	348	
Ontario, Province of.....	125	116	114	141	129	113	107	102	
Prussia.....	312	290	247	208	191	162	155	151	

¹ Figures for deaths not available for the entire period.
² Rate not published.
³ Average for four years.
⁴ Figures for deaths for the years 1881 to 1894 represent deaths from pulmonary tuberculosis.

CITY.	DEATH RATE FROM PULMONARY TUBERCULOSIS PER 100,000 POPULATION.								
	Annual average.							1909	1910
	1881 to 1885	1886 to 1890	1891 to 1895	1896 to 1900	1901 to 1905	1906 to 1910			
London.....	222	197	185	175	157	132	131	114	
Edinburgh.....	212	191	180	187	157	114	106	97	
Glasgow.....	311	250	227	195	170	140	135	121	
Dublin (registration area).....	346	341	335	317	309	268	247	234	
Belfast.....	382	402	382	329	307	235	210	211	
Sydney.....	193	157	119	98	98	72	67	72	
Melbourne.....	233	213	182	153	139	109	99	100	
Montreal.....	282	256	235	250	197	(¹)	163	(²)	
Toronto.....	203	207	242	234	174	(¹)	(²)	(²)	
Paris.....	441	440	409	379	390	374	358	366	
Amsterdam.....	238	234	204	185	144	138	142	130	
Rotterdam.....	219	192	188	170	133	127	129	121	
The Hague.....	199	179	163	160	123	124	113	112	
Copenhagen.....	273	246	198	180	144	136	132	114	
Stockholm.....	344	303	269	246	227	230	234	233	
Christiania.....	320	287	282	274	229	(¹)	(²)	183	
St. Petersburg.....	547	449	384	321	305	301	297	290	
Moscow.....	411	393	391	324	268	258	272	250	
Berlin.....	(²)	(²)	(²)	(²)	(²)	188	179	176	
Hamburg.....	(²)	(²)	238	200	169	137	131	126	
Dresden.....	376	334	283	247	224	180	177	152	
Breslau.....	331	313	342	321	318	271	261	259	
Munich.....	389	348	312	303	269	226	229	205	
Vienna.....	685	576	474	381	336	274	271	249	
Prague.....	728	609	512	472	525	(¹)	385	(²)	
Budapest.....	715	591	434	376	367	340	331	(²)	
Trieste.....	522	481	459	402	396	369	373	356	
Milan.....	535	307	284	264	232	220	224	180	
Furin.....	240	222	250	234	225	183	170	166	
New York.....	398	350	286	242	215	197	189	181	
Chicago.....	180	177	176	154	152	² 162	149	² 158	
Philadelphia.....	311	269	233	210	215	² 206	183	² 194	
Boston.....	411	377	289	240	217	² 175	169	² 172	
Rio de Janeiro.....	548	(¹)	446	474	455	402	373	396	

¹ Figures for deaths not available for the entire period.
² Figures for deaths not available.
³ Figures furnished by the Bureau of the Census.

The death rates given in the foregoing tables, originally stated in the Registrar-General's Annual Report and Summary in the form of rates per 1,000 population, have been changed to the form of rates per 100,000 without a decimal, so that the figures given for the registration area of the United States do not exactly correspond to those printed elsewhere in this report. The difficulty in making comparisons of the mortality from tuberculosis (all forms) or from pulmonary tuberculosis is indicated by the fact that the data can not be obtained in like form for all countries.

CANCER.

Cancer, which is the generic term for all forms of malignant new growths, continued to show an increased number of deaths and an increased rate per 100,000 population. For 1910 the deaths from all varieties of malignant neoplasms aggregated 41,039, and the death rate was 76.2 per 100,000 population, a marked increase over the rate for the preceding year (73.8) and those for the two quinquennial periods ending with 1910, which were, respectively, 67.9 and 72.6. The distribution of the deaths from all forms of cancer, reported according to the classification of the International List, with the number of deaths and death rates from each form, is shown for 1907 to 1910, annual averages being shown for the periods 1901 to 1905 and 1906 to 1910, in the following table:

SEAT OF DISEASE.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS (ALL FORMS).					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
	NUMBER.					
Cancer and other malignant tumors (all forms).....	22,214	34,320	30,514	33,465	37,562	41,039
Of the buccal cavity.....	677	1,212	968	1,148	1,427	1,576
Of the stomach and liver.....	8,091	13,395	11,596	13,044	14,915	16,475
Of the peritoneum, intestines, and rectum.....	2,332	4,148	3,570	3,968	4,676	5,258
Of the female genital organs.....	3,263	5,118	4,388	5,250	5,714	6,147
Of the breast.....	1,845	3,070	2,590	3,023	3,585	3,730
Of the skin.....	740	1,268	1,121	1,282	1,492	1,459
Of other organs or of organs not specified.....	5,266	6,110	6,281	5,755	5,753	6,394
	RATE PER 100,000 POPULATION.					
Cancer and other malignant tumors (all forms).....	67.9	72.6	70.9	71.5	73.8	76.2
Of the buccal cavity.....	2.1	2.6	2.3	2.5	2.8	2.9
Of the stomach and liver.....	24.7	28.3	27.0	27.9	29.3	30.6
Of the peritoneum, intestines, and rectum.....	7.1	8.8	8.3	8.5	9.2	9.8
Of the female genital organs.....	10.0	10.8	10.2	11.2	11.2	11.4
Of the breast.....	5.6	6.5	6.0	6.5	7.0	6.9
Of the skin.....	2.3	2.7	2.6	2.7	2.9	2.7
Of other organs or of organs not specified.....	16.1	12.9	14.6	12.3	11.3	11.9
	PER CENT DISTRIBUTION.					
Cancer and other malignant tumors (all forms).....	100.0	100.0	100.0	100.0	100.0	100.0
Of the buccal cavity.....	3.0	3.5	3.2	3.4	3.8	3.8
Of the stomach and liver.....	36.4	39.0	38.0	39.0	39.7	40.1
Of the peritoneum, intestines, and rectum.....	10.5	12.1	11.7	11.8	12.4	12.8
Of the female genital organs.....	14.7	14.9	14.4	15.7	15.2	15.0
Of the breast.....	8.3	8.9	8.5	9.0	9.5	9.1
Of the skin.....	3.3	3.7	3.7	3.8	4.0	3.6
Of other organs or of organs not specified.....	23.7	17.8	20.6	17.2	15.3	15.6

MORTALITY STATISTICS.

As shown in the preceding table, deaths from cancer of the stomach and liver constituted over two-fifths (40.1 per cent) of the total deaths from malignant neoplasms in 1910. The death rates from these forms of cancer, with those from cancer of the buccal cavity and of the peritoneum, intestines, and rectum, show a constant increase throughout the four years 1907 to 1910. This is true also of the death rate from cancer of the female genital organs, except that the rate for 1909 was identical with that for 1908. There was a practically constant decrease in the death rate from "cancer of other organs and organs not specified" and in the per cent which such deaths formed of the total deaths from cancer. This decrease, however, was apparent rather than real, and was due to greater precision of statement of cause of death on certificates of

death, as the result of which such expressions as "cancer," "carcinoma," "sarcoma," "malignant tumor," etc., unqualified, have been supplemented by the addition of the name of the organ or member of the body affected. Some of the increase in the reported mortality from cancer of the several specified organs was therefore only apparent, being due to accessions from that formerly compiled under cancer of "other organs or organs not specified" on account of failure to specify the organs or parts involved.

The following table shows the mortality from cancer in the registration area, its main subdivisions, the registration states, and large cities for the years 1907 to 1910, inclusive, and the five-year periods 1901 to 1905 and 1906 to 1910:

AREA. [Rates as high as 80 per 100,000 in boldfaced type.]	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.						AREA. [Rates as high as 80 per 100,000 in boldfaced type.]	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.							REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
The registration area.....	67.9	72.6	70.9	71.5	73.8	76.2	Indianapolis, Ind.....	56.4	75.8	67.8	78.6	94.7	77.5
Registration states ¹	69.5	72.7	71.3	71.4	73.9	76.1	Louisville, Ky.....	59.4	59.4	52.6	66.7	68.0	60.2
Cities in registration states ¹	71.9	78.7	77.6	77.2	80.1	81.4	New Orleans, La.....	77.3	82.9	82.9	82.5	85.4	85.3
Rural part of registration states.....	66.5	65.8	63.8	64.9	67.1	70.1	Baltimore, Md.....	80.1	87.4	88.7	82.6	82.6	96.2
Registration cities in other states.....	65.1	72.0	69.6	72.3	73.4	77.4	Boston, Mass.....	94.2	101.7	101.4	99.5	104.3	104.5
All registration cities ¹	68.5	77.0	75.1	75.8	78.7	80.6	Cambridge, Mass.....	95.2	81.4	83.4	91.0	66.6	80.8
REGISTRATION STATES.							Fall River, Mass.....	63.9	67.5	60.9	62.9	74.3	80.9
California.....	(2)	80.3	75.6	80.1	86.0	84.0	Lowell, Mass.....	71.4	80.8	81.0	84.1	76.5	84.3
Colorado.....	(2)	51.9	47.7	53.5	53.8	58.2	Worcester, Mass.....	76.1	92.4	93.4	92.4	92.9	95.4
Connecticut.....	70.8	77.9	77.5	73.3	80.3	79.8	Detroit, Mich.....	69.2	64.8	58.7	58.6	66.8	68.9
Indiana.....	50.2	64.3	59.2	67.3	69.1	70.2	Grand Rapids, Mich.....	75.6	76.9	64.1	81.0	64.4	91.0
Maine.....	86.1	95.9	99.7	94.7	98.4	101.4	Minneapolis, Minn.....	59.8	66.5	71.0	65.5	65.4	68.6
Maryland.....	(2)	64.5	62.1	64.3	62.2	72.6	St. Paul, Minn.....	55.3	71.7	66.0	77.3	68.9	84.5
Massachusetts.....	82.6	90.8	91.2	90.5	89.8	93.4	Kansas City, Mo.....	54.9	71.9	70.4	62.7	73.8	80.8
Michigan.....	63.7	69.6	65.0	70.6	70.4	74.9	St. Louis, Mo.....	65.7	80.2	72.9	82.3	86.4	85.1
Minnesota.....	(2)	(2)	(2)	(2)	(2)	67.3	Omaha, Nebr.....	59.5	85.4	91.5	80.7	82.5	91.5
Montana.....	(2)	(2)	(2)	(2)	(2)	41.4	Jersey City, N. J.....	55.3	61.5	65.4	57.3	53.4	68.3
New Hampshire.....	83.0	94.3	98.3	89.9	93.5	98.4	Newark, N. J.....	70.2	78.2	80.5	70.7	80.7	83.4
New Jersey.....	58.2	67.3	63.6	64.9	68.0	74.0	Paterson, N. J.....	65.9	71.1	54.4	68.1	81.9	67.4
New York.....	72.1	79.4	77.7	77.9	81.2	84.4	Albany, N. Y.....	96.9	122.2	110.3	132.9	116.2	138.5
North Carolina ⁴	(2)	(2)	(2)	(2)	(2)	47.2	Buffalo, N. Y.....	75.2	82.1	78.9	76.5	79.1	91.6
Ohio.....	(2)	(2)	(2)	(2)	(2)	75.3	New York, N. Y.....	69.8	75.1	75.0	72.9	76.3	78.0
Pennsylvania.....	(2)	62.3	60.7	60.9	64.1	66.3	Bronx Borough.....	64.1	78.5	75.7	80.3	74.6	75.6
Rhode Island.....	80.0	84.9	90.0	82.2	87.5	86.9	Brooklyn Borough.....	64.4	70.0	67.9	68.9	70.5	74.0
Utah.....	(2)	(2)	(2)	(2)	(2)	35.7	Manhattan Borough.....	75.7	79.4	80.8	77.1	81.0	82.4
Vermont.....	80.8	96.7	98.7	91.9	97.2	110.3	Queens Borough.....	47.8	61.7	55.4	60.6	65.2	66.7
Washington.....	(2)	(2)	(2)	45.3	51.2	51.3	Richmond Borough.....	79.6	88.2	101.9	71.4	102.6	86.7
Wisconsin.....	(2)	(2)	(2)	65.9	71.0	75.4	Rochester, N. Y.....	87.0	90.0	84.6	85.4	88.6	99.2
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	75.9	85.5	77.3	73.9	89.5	92.0
Birmingham, Ala.....	(2)	(2)	(2)	65.7	51.2	62.3	Cincinnati, Ohio.....	77.8	91.4	86.9	96.1	101.2	85.1
Los Angeles, Cal.....	80.8	95.8	88.6	90.0	97.8	104.5	Cleveland, Ohio.....	57.8	66.7	61.3	67.3	69.1	73.1
Oakland, Cal.....	83.0	100.1	95.1	108.6	99.2	86.6	Columbus, Ohio.....	63.9	81.7	64.1	82.3	102.5	91.0
San Francisco, Cal.....	122.3	108.9	110.4	104.3	120.9	113.5	Dayton, Ohio.....	78.9	94.1	85.7	93.9	118.5	90.7
Denver, Colo.....	64.0	81.5	65.7	85.3	83.8	93.5	Toledo, Ohio.....	61.6	73.4	65.8	64.3	87.0	85.1
Bridgeport, Conn.....	65.2	67.8	62.2	65.3	72.2	72.0	Portland, Oreg.....	69.7	66.9	71.1	61.3	66.0	70.2
New Haven, Conn.....	82.1	94.6	88.1	100.8	96.5	95.4	Philadelphia, Pa.....	71.2	83.1	80.8	83.6	88.7	85.0
Washington, D. C.....	74.2	87.0	83.8	86.8	87.2	90.3	Pittsburgh, Pa.....	51.1	65.0	62.5	62.0	69.5	65.6
Atlanta, Ga.....	47.1	59.5	64.1	61.0	57.2	62.9	Seranton, Pa.....	41.2	55.8	51.5	56.8	54.8	65.9
Chicago, Ill.....	65.3	76.2	75.1	74.9	76.7	82.2	Providence, R. I.....	89.1	98.6	107.8	89.8	100.8	101.1
							Memphis, Tenn.....	36.9	56.7	52.8	59.9	51.4	63.9
							Nashville, Tenn.....	54.7	69.1	70.4	73.5	65.6	66.9
							Richmond, Va.....	62.9	82.0	74.1	73.2	79.2	86.0
							Seattle, Wash.....	45.0	52.4	50.9	44.2	60.2	60.1
							Spokane, Wash.....	43.9	56.8	37.0	68.7	48.3	68.1
							Milwaukee, Wis.....	67.6	69.0	68.3	68.9	71.9	70.2

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

Except for the rural part of registration states, the death rate from cancer was higher for the second quinquennium than for the preceding one in each main subdivision and in all the registration states for which

comparisons are possible, while the rate for 1910 was higher than that for any preceding year or period shown in the table, both for the main subdivisions and, with but three exceptions, for the registration states.

In 44 of the 49 cities for which annual average rates for the five-year periods from 1901 to 1910 are presented in the table, the death rate for the second quinquennium was higher than that for the preceding one, and in 43 of the cities the rate for the last year recorded (1910) was higher than that for the quinquennium ending with that year. These crude rates indicate continued increase in mortality from cancer and other malignant tumors, although their evidence requires further confirmation. The increase shown may be due in part to greater precision in diagnoses and to changes in the age and sex distribution of the population. A

full study of all the factors entering into the changes shown can not be made until such details regarding the population are available. Furthermore, it should be borne in mind that many deaths from cancer occurring in cities are of persons from the surrounding country who have come to the city hospitals for operation. This results in an understatement of the rural rate, while the rates for some cities are made excessively high.

As shown in the following table of areas with a considerable proportion of colored population, the death rates of the white and of the colored vary greatly, that of the colored being usually much lower:

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts	48.5	27.2	45.4	19.7	43.7	22.6	49.6	31.0	48.6	26.3	55.0	36.9
Birmingham, Ala.	(¹)	(¹)	(²)	(²)	(²)	(²)	82.6	40.2	56.5	43.1	64.4	39.0
Mobile, Ala.	84.8	59.7	71.2	78.4	79.4	33.3	105.6	48.8	49.0	57.3	114.7	78.9
Wilmington, Del.	54.6	36.9	59.6	32.1	46.6	32.3	52.5	32.5	54.3	21.8	59.8	66.0
Washington, D. C.	94.4	69.1	86.3	70.7	98.0	66.8	91.7	74.8	91.6	76.3	108.8	56.8
Jacksonville, Fla.	64.4	30.7	56.6	31.4	73.2	33.1	73.0	42.3	61.3	35.9	58.8	13.4
Atlanta, Ga.	69.5	40.5	54.7	45.2	79.7	34.9	75.1	34.2	67.7	36.8	69.5	49.8
Savannah, Ga.	72.0	23.6	67.9	21.4	89.9	33.5	70.1	24.2	82.3	21.1	50.3	18.0
Kansas City, Kans.	(¹)	(¹)	(²)	(²)	(²)	(²)	67.7	48.2	66.2	70.6	75.0	106.7
Louisville, Ky.	63.0	43.2	60.0	57.5	57.2	32.4	71.6	44.7	61.0	44.5	65.3	37.0
New Orleans, La.	88.0	74.2	77.4	79.8	84.9	77.6	88.0	67.4	91.4	68.8	87.9	77.9
Baltimore, Md.	90.2	71.8	88.5	75.9	91.8	71.8	83.8	76.1	84.9	69.7	101.6	65.7
Charleston, S. C.	73.7	37.9	75.7	19.2	67.2	64.1	81.1	12.8	54.6	45.0	89.8	48.3
Memphis, Tenn.	68.7	39.7	73.8	29.0	59.5	43.7	69.7	46.0	63.5	33.7	76.0	45.7
Nashville, Tenn.	76.5	54.4	70.2	66.5	81.3	49.1	81.7	57.3	69.8	57.4	78.4	43.8
San Antonio, Tex.	66.7	58.7	63.9	52.2	65.8	70.7	62.4	58.7	65.4	56.9	75.0	55.1
Norfolk, Va.	82.8	70.7	85.5	68.9	80.8	72.6	81.3	80.3	91.4	48.0	75.2	33.6
Richmond, Va.	91.7	58.1	98.7	60.6	79.7	64.5	85.5	52.1	91.1	58.6	103.6	55.5

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS).

The number of deaths from acute anterior poliomyelitis, or "poliomyelitis," as it is now familiarly called, in the registration area in 1910 was 1,459, as compared with 569 in the preceding year, the first in which the disease was segregated from the other diseases of the spinal cord (International title No. 63). The death rates for 1910 and 1909 were 2.7 and 1.1, respectively. Although causing only a small number of deaths, the disease is of much interest and a source of considerable alarm to the public.

The deaths from this cause recorded in the registration area were distributed as follows: California, 29 (including 3 each in Los Angeles and San Francisco); Colorado, 4; Connecticut, 40 (2 in New Haven); District of Columbia (city of Washington), 21; Indiana, 49 (1 in Indianapolis); Maine, 31; Maryland, 35 (7 in Baltimore); Massachusetts, 122 (12 in Boston, 7 in Fall River, 1 in Lowell, and 2 in Worcester); Michigan, 48 (4 in Detroit); Minnesota, 197 (15 in Minneapolis and 1 in St. Paul); Montana, 17; New Hampshire, 19; New Jersey, 50 (3 in Newark and 1 in Paterson); New

York, 170 (3 in Albany, 8 in Buffalo, 55 in New York City, and 1 in Rochester); North Carolina (municipalities of 1,000 population or over in 1900), 3; Ohio, 76 (2 in Cincinnati, 6 in Cleveland, 1 in Columbus, 1 in Dayton, and 1 in Toledo); Pennsylvania, 269 (27 in Philadelphia, 12 in Pittsburgh, and 1 in Scranton); Rhode Island, 44 (13 in Providence); Utah, 7; Vermont, 9; Washington, 81 (14 in Seattle and 9 in Spokane); and Wisconsin, 43 (3 in Milwaukee).

Of the cities in the nonregistration states the following were the only ones from which deaths from this disease were returned: Birmingham, Montgomery, and Mobile, Ala., each 1; Wilmington, Del., 3; Chicago, Ill., 23, and Decatur, Ill., 1; Kansas City, Kans., 3, and Wichita, Kans., 1; Louisville, Ky., 1; New Orleans, La., 2; Kansas City, Mo., 10, St. Joseph, Mo., 2, and St. Louis, Mo., 6; Omaha, Nebr., 3, and Lincoln, Nebr., 1; Portland, Oreg., 19; Charleston, S. C., 1; Memphis, Tenn., 1; and Alexandria, Va., 3, Lynchburg, Va., 1, Norfolk, Va., 5, and Richmond, Va., 6.

The distribution of the deaths from acute anterior poliomyelitis according to the month of occurrence and age and sex of decedent is shown for the years 1909 and 1910 in the tables following.

MONTH OF OCCURRENCE.	DEATHS FROM ACUTE ANTERIOR POLIOMYELITIS, REGISTRATION AREA.					
	1909			1910		
	Total.	Male.	Fe- male.	Total.	Male.	Fe- male.
Total.....	569	326	243	1,459	804	655
January.....	11	5	6	41	18	23
February.....	15	8	7	44	18	26
March.....	16	11	5	44	18	26
April.....	20	14	6	34	16	18
May.....	31	22	9	35	19	16
June.....	14	7	7	47	29	18
July.....	33	9	24	132	77	55
August.....	78	40	38	267	157	110
September.....	115	66	49	310	185	125
October.....	124	77	47	259	135	124
November.....	66	42	24	143	73	70
December.....	46	25	21	103	59	44

AGE OF DECEDENT.	DEATHS FROM ACUTE ANTERIOR POLIO- MYELITIS, REGISTRATION AREA.			
	1909		1910	
	Number.	Per cent distrib- ution.	Number.	Per cent distrib- ution.
All ages.....	569	100.0	1,459	100.0
Under 1 year.....	130	22.8	265	18.2
1 year.....	111	19.5	257	17.6
2 years.....	59	10.4	165	11.3
3 years.....	54	9.5	111	7.6
4 years.....	50	8.8	100	6.9
Under 5 years.....	404	71.0	898	61.5
5 to 9 years.....	67	11.8	239	16.4
10 to 14 years.....	37	6.5	110	7.5
15 to 19 years.....	25	4.4	76	5.2
20 to 24 years.....	11	1.9	47	3.2
25 to 29 years.....	7	1.2	32	2.2
30 to 34 years.....	6	1.1	15	1.0
35 to 39 years.....	2	0.4	5	0.3
40 to 44 years.....	1	0.2	10	0.7
45 to 49 years.....	5	0.9	7	0.5
50 to 54 years.....	5	0.3
55 to 59 years.....	3	0.5	1	0.1
60 to 64 years.....	1	0.2	7	0.5
65 to 69 years.....	3	0.2
70 to 74 years.....	2	0.1
75 to 79 years.....	1	0.1
80 to 84 years.....
85 to 89 years.....	1	0.1

In 1910 the largest number of deaths was registered for the month of September (310), while in 1909 the month of maximum mortality from this cause was October. The deaths of males exceeded those of females in both years, but in a somewhat larger proportion for the year 1909. The number of decedents under 5 years of age (898) formed only 61.5 per cent of the total in 1910, as compared with 71 per cent in 1909. In the proportions represented by persons in the age periods from 5 to 29 years a general increase is noted.

To distinguish the returns of all deaths from this cause is extremely difficult, owing to the large number of more or less synonymous terms for the disease. A list of the terms used in the returns for 1909 was given in the bulletin for that year, and a similar list covering the returns for 1910 is considerably longer. When the statement of cause of death on the transcripts received by the Bureau of the Census did not seem to signify definitely acute anterior poliomyelitis, but at the same time implied the probable presence of that disease, letters of inquiry were sent to reporting physicians;

and only those cases in which the identity of the disease was confirmed were included under this heading in the final compilation. Nevertheless, some deaths from this disease may have escaped recognition, owing to forms of return which were not sufficiently specific; and in order that the chance of such omissions in the future may be reduced to a minimum, it is again recommended urgently that the accepted designation "acute anterior poliomyelitis" be employed in all cases in reporting this disease upon certificates of death. The term "infantile paralysis" used alone may refer to birth palsies, and hence when applied to the disease under consideration in this section it should be accompanied by the more specific term, thus: "Acute anterior poliomyelitis (infantile paralysis)."

ORGANIC DISEASES OF THE HEART.

In 1910, as in all other years covered by the annual mortality reports, the number of deaths classified as due to the various cardiac affections included under title No. 79 of the International List, "Organic diseases of the heart," exceeded the total number charged to all other titles that make up the group known as "Diseases of the circulatory system." In 1910 deaths assigned to organic diseases of the heart numbered 76,178, and constituted 76.1 per cent of the total classified as due to circulatory diseases.

The next table shows for the registration area, its main subdivisions, the registration states, and the cities having a population of 100,000 or more in 1910, the death rates per 100,000 population from organic diseases of the heart for the years 1907 to 1910, and the quinquennial periods of the decade 1901 to 1910.

Compared with the number of deaths (65,971) classified in 1909 under "Heart disease," the corresponding title of the first revision of the International List, the number (76,178) compiled under "Organic diseases of the heart" in 1910 represented an increase of 10,207, the rate per 100,000 population being 141.5 for 1910 and 129.7 for 1909. A part of this increase, however, was only apparent, being due to the fact that prior to the second revision of the International List, all deaths reported as due to "Endocarditis" (unqualified) and "Myocarditis" (unqualified) were compiled under "Acute endocarditis" (International title No. 78), whereas in the compilation of 1910 the classification of the second revision has been used and such deaths of persons 60 years of age or over have been classified under "Organic diseases of the heart." While this change in assignment accounts for some of the difference between the figures for the two years, there was undoubtedly a slight increase in the number of deaths from diseases included under this group in both years. The annual average rate for the quinquennium 1906 to 1910 was 133.2 per 100,000 population, representing an increase of 7.2 per cent over the rate of 124.2 for the preceding quinquennium.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION.					AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION.						
	Annual average.		1907	1908	1909		1910	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.													
The registration area.....	124.2	133.2	137.5	128.3	129.7	141.5	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
Registration states ¹	132.9	136.9	145.3	131.9	131.7	141.8	Indianapolis, Ind.....	104.0	141.3	141.1	146.6	139.2	159.7
Cities in registration states ¹	129.2	139.0	147.8	133.0	131.3	145.4	Louisville, Ky.....	126.7	140.0	142.3	152.9	121.4	157.8
Rural part of registration states.....	137.6	134.5	142.3	130.7	132.1	137.8	New Orleans, La.....	157.5	172.0	170.2	158.4	158.8	207.0
Registration cities in other states.....	108.6	113.1	105.6	111.2	116.3	139.1	Baltimore, Md.....	126.3	155.9	158.5	149.8	147.9	173.7
All registration cities ¹	118.9	132.3	134.7	126.8	127.9	144.2	Boston, Mass.....	172.6	179.7	183.8	165.4	174.9	201.1
REGISTRATION STATES.							Cambridge, Mass.....	136.7	151.9	152.0	160.5	139.9	153.1
California.....	(2)	152.5	160.0	148.9	145.4	160.5	Fall River, Mass.....	100.0	109.3	114.6	86.5	97.3	126.8
Colorado.....	(2)	84.8	86.9	89.0	82.4	86.0	Lowell, Mass.....	161.8	155.1	160.9	145.7	137.8	172.3
Connecticut.....	138.9	150.3	161.6	142.7	142.0	160.7	Worcester, Mass.....	154.0	176.3	182.4	171.3	163.5	196.3
Indiana.....	88.8	121.7	117.1	127.7	123.7	137.2	Detroit, Mich.....	102.3	105.0	111.4	103.0	94.6	109.5
Maine.....	152.4	168.8	172.1	161.4	169.1	184.3	Grand Rapids, Mich.....	129.9	143.3	145.4	142.4	135.1	168.8
Maryland.....	(2)	121.6	127.0	117.9	117.0	131.6	Minneapolis, Minn.....	68.2	77.2	77.8	82.6	61.7	95.7
Massachusetts.....	158.7	169.0	179.2	163.1	160.1	177.5	St. Paul, Minn.....	59.6	79.6	76.7	73.0	76.9	93.3
Michigan.....	124.5	143.7	148.0	141.2	138.4	152.6	Kansas City, Mo.....	88.7	105.1	106.8	93.8	90.3	137.6
Minnesota.....	(2)	(2)	(2)	(2)	(2)	81.6	St. Louis, Mo.....	107.7	119.2	122.4	99.7	121.1	131.3
Montana.....	(2)	(2)	(2)	(2)	(2)	67.8	Omaha, Nebr.....	73.9	110.5	111.9	108.2	120.1	121.2
New Hampshire.....	172.7	195.6	204.4	186.6	195.1	200.7	Jersey City, N. J.....	115.7	122.3	127.2	120.1	110.3	134.4
New Jersey.....	113.7	119.8	121.6	112.3	109.7	137.2	Newark, N. J.....	120.6	124.0	126.5	119.2	121.1	134.5
New York.....	137.8	153.5	159.0	147.1	150.3	164.7	Paterson, N. J.....	122.8	128.7	94.4	127.9	141.9	168.8
North Carolina ⁴	(2)	(2)	(2)	(2)	(2)	120.2	Albany, N. Y.....	165.9	195.7	198.3	192.2	190.3	235.2
Ohio.....	(2)	(2)	(2)	(2)	(2)	141.4	Buffalo, N. Y.....	132.1	144.0	146.4	140.5	128.1	160.0
Pennsylvania.....	(2)	123.2	127.5	119.1	121.2	128.7	New York, N. Y.....	120.5	131.1	137.1	125.3	126.5	137.4
Rhode Island.....	138.0	155.1	167.9	138.0	151.6	160.8	Bronx Borough.....	117.2	130.0	137.2	128.6	125.4	126.8
Utah.....	(2)	(2)	(2)	(2)	(2)	80.2	Brooklyn Borough.....	143.4	152.0	155.9	149.4	147.1	161.2
Vermont.....	154.7	196.4	194.9	190.0	193.8	221.8	Manhattan Borough.....	104.8	117.3	124.0	109.1	111.8	123.9
Washington.....	(2)	(2)	(2)	72.4	77.9	74.3	Queens Borough.....	131.2	127.3	134.7	119.3	129.6	127.9
Wisconsin.....	(2)	(2)	(2)	95.8	90.4	98.8	Richmond Borough.....	135.2	138.2	159.2	159.7	131.2	136.4
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Rochester, N. Y.....	128.5	134.9	136.2	124.5	128.6	157.5
Birmingham, Ala.....	(2)	(2)	(2)	56.1	68.2	126.0	Syracuse, N. Y.....	133.4	155.0	141.0	143.9	161.9	207.1
Los Angeles, Cal.....	106.7	128.1	131.1	116.8	118.6	137.3	Cincinnati, Ohio.....	116.0	134.6	119.3	121.9	134.5	182.6
Oakland, Cal.....	190.3	222.3	254.9	219.9	200.2	201.6	Cleveland, Ohio.....	88.6	95.8	98.8	98.0	83.4	102.7
San Francisco, Cal.....	210.2	184.6	209.9	175.0	171.5	214.8	Columbus, Ohio.....	115.5	141.0	118.1	137.2	157.6	165.5
Denver, Colo.....	96.8	120.3	131.9	128.2	101.6	128.0	Dayton, Ohio.....	120.9	158.0	177.5	169.7	150.3	162.6
Bridgeport, Conn.....	99.1	111.2	120.1	101.6	97.4	114.9	Toledo, Ohio.....	98.4	133.3	119.5	138.4	142.5	150.1
New Haven, Conn.....	146.5	167.0	198.6	159.0	147.5	178.2	Portland, Ore.....	86.2	103.4	107.2	97.0	107.4	106.0
Washington, D. C.....	181.9	203.9	214.4	192.5	193.0	212.2	Philadelphia, Pa.....	137.1	157.5	163.1	147.5	149.2	173.1
Atlanta, Ga.....	106.3	100.7	86.8	103.8	81.4	107.8	Pittsburgh, Pa.....	95.1	112.2	112.9	107.3	106.6	125.9
Chicago, Ill.....	89.1	102.6	75.1	103.1	122.8	134.0	Scranton, Pa.....	66.7	88.5	91.6	89.6	88.5	86.6
							Providence, R. I.....	137.3	156.6	167.0	133.6	153.5	179.2
							Memphis, Tenn.....	83.4	111.7	104.7	112.8	101.8	133.9
							Nashville, Tenn.....	162.9	177.3	161.1	178.2	185.1	181.8
							Richmond, Va.....	140.9	170.5	171.9	170.7	152.4	175.9
							Seattle, Wash.....	87.0	91.7	99.2	93.6	98.9	84.7
							Spokane, Wash.....	66.4	84.6	97.5	82.6	85.5	77.6
							Milwaukee, Wis.....	80.4	92.4	98.9	82.0	90.6	97.3

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

High rates for 1910 are shown in the preceding table for Vermont (221.8), New Hampshire (200.7), Maine (184.3), Massachusetts (177.5), New York (164.7), Rhode Island (160.8), Connecticut (160.7), California (160.5), and Michigan (152.6). Of these states, Maine, Massachusetts, New Hampshire, and Vermont had death rates in excess of 150 per 100,000 population, for each of the four years shown in this table and for the quinquennial periods of the decade closing with 1910. Among the cities having a population of 100,000 or more, Albany had the highest death rate in 1910 (235.2), followed by San Francisco (214.8), Washington (212.2), Syracuse (207.1), New Orleans (207), Oakland (201.6), and Boston (201.1). For each of the cities named, with the exception of Syracuse, death rates very much in excess of 150 per 100,000 population were reported throughout the four years shown in the table and also for the two quinquennial periods.

PNEUMONIA.

There were 79,524 deaths from all forms of pneumonia in the registration area during the year 1910,

representing a death rate of 147.7 per 100,000 population; in 1909 the number of deaths was 70,033 and the rate 137.7. The 79,524 deaths reported for 1910 included 25,337 from bronchopneumonia, or 47.1 per 100,000 population, and 54,187 from pneumonia (lobar and undefined), or 100.6 per 100,000 population. The number of deaths definitely reported as due to lobar or croupous pneumonia was 24,972, while for 29,215 the return was "pneumonia" without qualification. Of the last named, a large proportion, especially of deaths of young children, was undoubtedly caused by bronchopneumonia, while many deaths primarily due to infectious diseases—especially measles and whooping cough—were included in the same total because of the fact that on the certificates of death only a statement of the contributory or terminal "pneumonia" appeared, to the exclusion of the disease that was the primary cause. In cases where pneumonia sets in as a complication of other diseases, it is almost invariably the condition with which the physician is confronted when death occurs, and for this reason it assumes greater importance in his mind than the disease or

MORTALITY STATISTICS.

cause of which it is merely the terminal symptom. It is therefore, under present conditions, impossible to state even approximately the number of deaths caused by the specific, infectious disease, lobar or croupous pneumonia. Of the 54,187 deaths classified as due to "pneumonia," exclusive of bronchopneumonia, 24,972 were positively reported as due to lobar or croupous

pneumonia, which with 29,215 returns of "pneumonia" (undefined) form the basis for the rates shown in the following table for the registration area, its main subdivisions, the registration states and the cities having a population of 100,000 or more in 1910. In this table rates equal to or in excess of 150 per 100,000 population are distinguished by boldfaced type.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.						AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.					
	Annual average.		1907	1908	1909	1910		Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.							REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.						
The registration area.....	125.5	103.0	117.3	95.1	96.3	100.6	Indianapolis, Ind.....	107.1	76.2	90.3	54.5	69.8	81.4
Registration states ¹	120.3	99.5	113.5	91.9	93.2	96.1	Louisville, Ky.....	164.2	147.9	165.6	144.3	131.3	136.0
Cities in registration states ¹	140.0	113.8	130.4	103.3	104.9	110.1	New Orleans, La.....	145.1	133.5	154.4	144.4	113.5	138.5
Rural part of registration states.....	95.3	83.3	93.5	79.1	80.4	80.6	Baltimore, Md.....	148.8	130.4	139.8	118.7	137.1	129.6
Registration cities in other states.....	134.9	121.8	132.8	110.6	117.6	136.3	Boston, Mass.....	155.1	146.9	154.4	137.5	140.2	154.7
All registration cities ¹	137.4	115.9	131.2	105.4	107.7	115.2	Cambridge, Mass.....	131.7	117.7	97.3	110.6	128.3	133.1
REGISTRATION STATES.							Fall River, Mass.....	150.9	153.4	161.2	188.8	168.2	134.3
California.....	(2)	80.4	94.3	79.9	68.8	74.2	Lowell, Mass.....	162.7	151.2	160.9	139.8	133.0	144.2
Colorado.....	(2)	124.4	134.4	132.7	127.9	99.6	Worcester, Mass.....	135.1	126.7	149.3	100.3	117.4	132.2
Connecticut.....	105.5	108.8	124.7	93.9	98.8	116.9	Detroit, Mich.....	100.0	100.1	109.5	92.2	99.1	95.1
Indiana.....	85.8	73.6	78.7	66.0	70.4	73.8	Grand Rapids, Mich.....	77.3	65.7	74.6	62.4	52.6	66.3
Maine.....	121.0	118.9	127.7	109.7	119.7	132.2	Minneapolis, Minn.....	69.6	76.6	93.6	88.9	71.9	62.0
Maryland.....	(2)	99.4	102.6	88.5	102.3	106.4	St. Paul, Minn.....	66.7	62.4	67.0	66.3	60.4	61.3
Massachusetts.....	125.1	119.4	123.3	108.8	116.1	128.8	Kansas City, Mo.....	186.5	123.0	147.7	121.4	122.9	106.4
Michigan.....	83.2	69.7	81.8	64.0	62.5	68.0	St. Louis, Mo.....	152.7	100.8	112.3	90.9	100.3	103.3
Minnesota.....	(2)	(3)	(2)	(2)	(2)	52.6	Omaha, Nebr.....	85.5	95.2	93.2	114.0	89.9	99.6
Montana.....	(2)	(3)	(2)	(2)	(2)	54.8	Jersey City, N. J.....	172.5	155.0	183.7	142.0	152.2	119.6
New Hampshire.....	122.5	110.2	115.2	98.8	113.3	116.9	Newark, N. J.....	140.3	122.8	139.4	108.4	119.0	100.2
New Jersey.....	126.3	120.1	137.1	105.8	117.5	112.0	Patorson, N. J.....	147.9	136.2	138.7	134.5	150.0	108.6
New York.....	140.2	114.2	130.8	101.2	106.9	110.9	Albany, N. Y.....	114.2	103.9	115.3	100.7	70.1	126.5
North Carolina ⁴	(2)	(3)	(2)	(2)	(2)	148.6	Buffalo, N. Y.....	88.6	92.1	102.5	89.3	90.8	82.0
Ohio.....	(2)	(3)	(2)	(2)	(2)	77.4	New York, N. Y.....	181.3	129.8	152.5	110.6	119.7	122.2
Pennsylvania.....	(2)	103.1	107.8	95.7	99.4	109.0	Bronx Borough.....	144.8	107.9	118.0	85.9	97.0	98.7
Rhode Island.....	135.5	128.5	138.9	117.6	111.0	135.5	Brooklyn Borough.....	173.7	130.8	152.8	112.0	122.7	123.7
Utah.....	(2)	(3)	(2)	(2)	(2)	86.6	Manhattan Borough.....	194.6	135.2	160.8	115.9	123.6	127.3
Vermont.....	132.1	119.5	140.2	112.8	103.7	115.1	Queens Borough.....	154.8	110.2	125.7	91.1	102.9	107.0
Washington.....	(2)	(3)	(2)	(2)	(2)	56.4	Richmond Borough.....	138.6	123.7	143.9	110.9	118.1	126.0
Wisconsin.....	(2)	(3)	(2)	(2)	(2)	69.7	Rochester, N. Y.....	91.7	77.0	98.2	67.8	78.2	72.8
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	90.6	87.8	82.9	81.6	76.8	109.4
Birmingham, Ala.....	(2)	(3)	(2)	113.8	129.4	181.5	Cincinnati, Ohio.....	131.4	106.4	105.2	112.9	100.4	103.2
Los Angeles, Cal.....	109.0	76.3	96.5	66.9	63.2	66.5	Cleveland, Ohio.....	122.1	88.5	109.0	74.9	67.3	74.7
Oakland, Cal.....	95.2	94.6	132.2	76.0	75.1	69.4	Columbus, Ohio.....	119.1	89.0	100.5	87.8	67.0	77.8
San Francisco, Cal.....	113.7	102.4	122.7	93.4	80.3	90.3	Dayton, Ohio.....	88.7	89.5	120.8	83.8	74.7	92.4
Denver, Colo.....	157.2	145.0	170.1	176.0	142.5	115.9	Toledo, Ohio.....	73.7	73.3	86.0	70.4	68.9	66.8
Bridgeport, Conn.....	121.4	130.9	170.5	106.8	105.5	128.5	Portland, Ore.....	73.1	52.8	54.5	56.9	37.7	58.3
New Haven, Conn.....	120.8	151.8	177.3	114.8	134.5	157.3	Philadelphia, Pa.....	137.2	99.2	112.9	92.4	88.7	98.0
Washington, D. C.....	133.1	124.6	128.4	116.6	127.6	128.8	Pittsburgh, Pa.....	211.3	152.8	140.7	131.6	141.0	185.1
Atlanta, Ga.....	240.1	174.3	186.5	142.4	154.8	208.0	Scranton, Pa.....	160.8	106.4	103.0	92.0	106.5	113.5
Chicago, Ill.....	180.1	152.1	183.6	127.9	146.8	160.6	Providence, R. I.....	141.9	140.9	164.6	125.2	125.4	139.3
							Memphis, Tenn.....	148.3	122.4	140.8	144.9	119.0	60.9
							Nashville, Tenn.....	172.2	157.0	139.8	140.4	140.4	184.5
							Richmond, Va.....	156.3	133.5	177.2	132.4	103.3	117.3
							Seattle, Wash.....	61.7	50.7	60.5	42.3	53.5	54.7
							Spokane, Wash.....	78.5	93.1	112.3	111.6	103.6	53.9
							Milwaukee, Wis.....	89.0	82.9	95.0	72.5	72.8	80.5

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

The mortality from pneumonia was, according to the rates shown in the preceding table, higher in 1910 than in 1909 and 1908 in the registration area as a whole and in each main subdivision. None of the registration states had a rate as high as 150 per 100,000 population for any of the four years 1907 to 1910, nor did the annual average for either quinquennial period exceed this limit for any of these states. In the following cities with a population of 100,000 or more in 1910, however, the death rate in 1910 exceeded 150: Atlanta (208), Pittsburgh (185.1), Nashville (184.5), Birmingham (181.5), Chicago (160.6), New Haven (157.3), and Boston (154.7). Comparisons of death rates for

different areas or of those for any given area for different years are, however, not entirely satisfactory and reliable. Inaccuracies of statement of cause of death and changes in methods of statistical procedure, especially with reference to jointly returned causes, affect the figures for "pneumonia" to a considerable extent.

The next table shows the mortality of both white and colored in areas having a considerable proportion of colored population. The death rates in the table indicate a higher mortality among the colored than the white population for every year during the quinquennial period 1906 to 1910 for practically every area shown.

CAUSES OF DEATH.

DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.

AREA.	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
	Maryland rural districts.....	63.6	111.7	63.6	109.5	55.9	123.1	53.2	94.2	68.9	94.8	75.9
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)	66.6	185.0	82.4	201.1	122.6	272.2
Mobile, Ala.....	55.9	138.6	44.5	134.4	52.9	205.6	31.7	128.6	24.5	132.3	31.3	105.2
Washington, Del.....	156.9	405.5	197.7	384.7	169.2	430.5	126.0	444.5	147.3	382.3	146.4	385.1
Washington, D. C.....	76.2	242.5	65.8	253.4	80.1	244.8	69.7	230.9	86.4	229.0	78.5	254.5
Jacksonville, Fla.....	93.6	143.7	84.9	107.6	117.2	124.1	64.4	207.5	103.4	118.3	96.3	154.6
Atlanta, Ga.....	86.3	342.7	80.7	344.9	78.4	388.5	69.1	282.3	89.9	281.4	107.1	408.3
Savannah, Ga.....	91.2	213.4	74.4	159.1	73.9	176.6	73.3	233.4	63.3	162.9	169.6	333.2
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	87.8	168.6	96.3	188.3	139.1	192.0
Louisville, Ky.....	100.8	358.9	104.1	424.7	113.8	396.0	94.9	364.9	93.4	301.7	98.0	308.2
New Orleans, La.....	88.4	258.3	77.4	225.3	101.7	299.8	91.3	291.2	79.2	208.5	92.3	267.0
Baltimore, Md.....	102.3	286.0	95.5	299.9	104.4	335.0	89.0	282.9	110.2	285.8	111.9	227.7
Charleston, S. C.....	78.9	173.9	68.2	214.3	100.9	150.6	70.1	141.2	61.9	135.0	93.4	228.6
Memphis, Tenn.....	74.2	190.5	97.3	233.9	80.8	222.7	86.0	228.1	64.9	197.8	48.1	80.1
Nashville, Tenn.....	87.2	294.6	72.0	279.3	88.3	239.9	83.1	352.2	86.2	248.8	102.7	350.5
San Antonio, Tex.....	97.8	105.6	105.1	114.9	122.2	101.0	94.2	48.9	64.2	85.3	106.2	174.6
Norfolk, Va.....	95.6	301.2	67.4	271.4	138.9	403.3	73.9	245.0	91.4	255.9	110.4	330.4
Richmond, Va.....	72.2	227.2	54.4	219.4	97.8	313.0	71.7	236.7	53.0	190.0	80.2	181.5

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

In the following table the death rates for pneumonia for 1910 and the four years immediately preceding are shown for cities and other places with a population of 10,000 but less than 100,000 in 1910 in which the rate equaled or exceeded 150 per 100,000 population in one or more of these years. Such rates are distinguished by boldfaced type.

CITY.	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
[Rates as high as 150 per 100,000 in boldfaced type.]					
Montgomery, Ala.....	(1)	(1)	124.9	121.3	151.9
Bakersfield, Cal.....	(2)	(2)	(2)	(2)	194.9
Sacramento, Cal.....	110.9	151.2	131.0	110.4	106.6
Pueblo, Colo.....	169.5	170.2	185.4	136.8	85.0
Bristol town, Conn.....	141.4	112.8	156.2	128.9	169.3
Danbury town, Conn.....	95.7	161.0	123.0	82.0	122.9
Hartford, Conn.....	127.7	140.1	123.6	123.2	166.1
Middletown town, Conn.....	82.1	111.0	64.5	83.0	254.6
Stamford town, Conn.....	116.0	161.5	144.3	160.5	120.5
Wilmington, Del.....	213.2	173.1	160.4	172.2	171.2
Savannah, Ga.....	117.9	126.6	155.4	114.3	253.3
Aurora, Ill.....	105.0	156.0	69.5	115.8	110.3
Jacksonville, Ill.....	98.5	124.5	124.3	156.8	189.2
Hammond, Ind.....	84.5	166.1	97.6	44.4	99.6
Leavenworth, Kans.....	92.6	173.1	180.8	117.3	104.9
Newport, Ky.....	118.5	100.9	150.3	116.1	121.9
Paducah, Ky.....	190.8	178.7	130.9	97.8	240.9
Augusta, Me.....	103.0	172.2	100.5	198.7	226.5
Bangor, Me.....	139.4	141.9	156.8	162.8	108.6
Biddeford, Me.....	239.3	196.3	94.6	264.7	327.5
Lewiston, Me.....	122.6	101.8	104.7	165.1	152.1
Portland, Me.....	103.0	172.6	133.2	131.3	137.9
Frederick, Md.....	30.1	158.5	39.2	67.8	105.4
Chelsea, Mass.....	165.6	98.2	114.0	101.7	198.4
Chicopee, Mass.....	120.7	200.3	148.8	203.5	132.7
Framingham town, Mass.....	151.6	90.5	128.6	165.0	130.7
Gardner town, Mass.....	134.5	106.2	102.0	105.1	155.3
Gloucester, Mass.....	54.6	102.7	104.1	64.9	156.2
Haverhill, Mass.....	109.4	140.5	81.3	106.7	232.1
Holyoke, Mass.....	139.2	135.1	120.4	115.0	158.5
Lawrence, Mass.....	154.5	126.0	132.2	161.9	164.1
Leominster town, Mass.....	159.3	108.1	103.7	123.1	107.2
Milford town, Mass.....	267.7	143.3	133.7	131.8	313.1
Newburyport, Mass.....	142.5	60.3	114.5	174.4	133.7
Taunton, Mass.....	167.0	212.9	130.0	169.0	218.0
Waltham, Mass.....	150.1	111.3	84.3	170.4	143.4
Westport town, Mass.....	77.3	75.2	81.4	190.2	77.3
Westfield town, Mass.....	98.7	109.0	65.9	166.1	99.1
Weymouth town, Mass.....	117.7	181.0	96.6	78.8	100.4
Aipena, Mich.....	87.9	159.2	63.4	55.3	86.5
Escanaba, Mich.....	92.9	106.6	151.3	31.0	82.9
Pontiac, Mich.....	56.0	69.0	58.9	113.4	198.0
Anaconda, Mont.....	(1)	(1)	(1)	(1)	177.4
Berlin, N. H.....	121.9	118.6	151.1	155.9	101.3

¹ Not admitted to registration area until a later date.

² Included in rural.

CITY.	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
[Rates as high as 150 per 100,000 in boldfaced type.]					
Concord, N. H.....	86.6	128.8	108.7	164.0	92.9
Dover, N. H.....	113.4	105.8	151.1	166.1	75.5
Laconia, N. H.....	181.6	62.6	71.5	59.9	127.1
Bayonne, N. J.....	161.5	129.3	77.0	134.9	117.6
Bridgeton, N. J.....	160.0	86.5	71.5	70.9	56.2
Camden, N. J.....	161.9	161.1	152.6	132.7	158.9
Elizabeth, N. J.....	148.5	201.8	104.7	134.5	132.5
Hackensack, N. J.....	136.1	121.4	131.1	88.4	176.4
Harrison, N. J.....	159.2	221.6	108.1	112.5	75.5
Hoboken, N. J.....	217.9	262.1	162.0	165.4	211.3
Long Branch, N. J.....	104.6	173.8	108.6	137.2	89.9
Montclair, N. J.....	119.9	166.8	122.2	77.3	128.6
Morristown, N. J.....	106.3	243.9	72.7	112.5	191.7
New Brunswick, N. J.....	185.4	197.9	103.0	162.8	141.0
Orange, N. J.....	182.3	166.6	194.1	130.8	181.3
Passaic, N. J.....	149.0	166.4	100.9	159.5	142.3
Phillipsburg, N. J.....	111.3	139.8	102.2	79.6	186.7
Plainfield, N. J.....	89.8	155.0	116.3	108.9	135.7
Trenton, N. J.....	98.9	121.7	133.4	162.5	165.4
Auburn, N. Y.....	175.7	110.6	94.4	78.7	103.6
Batavia, N. Y.....	38.0	101.7	153.2	123.0	145.6
Corning, N. Y.....	88.9	177.0	168.8	124.3	145.5
Dunkirk, N. Y.....	147.0	199.2	127.5	82.9	132.9
Glens Falls, N. Y.....	175.9	73.8	46.6	46.2	104.8
Johnstown, N. Y.....	60.5	29.8	68.7	77.4	171.8
Middletown, N. Y.....	121.8	109.5	129.5	143.1	202.7
Newburgh, N. Y.....	168.9	115.0	102.7	137.9	157.9
North Tonawanda, N. Y.....	56.9	36.7	150.6	154.4	58.2
Ogdensburg, N. Y.....	159.3	261.6	244.8	241.3	118.9
Peekskill, N. Y.....	146.5	149.2	103.5	87.2	215.9
Poughkeepsie, N. Y.....	100.9	110.1	156.1	131.0	103.4
Rome, N. Y.....	110.9	80.3	170.7	110.1	92.1
Saratoga Springs, N. Y.....	185.6	228.3	85.9	78.5	134.1
Troy, N. Y.....	163.6	151.6	96.6	127.7	135.4
Watertown, N. Y.....	203.1	158.3	106.9	64.2	108.2
Watervliet, N. Y.....	116.3	183.3	80.8	140.2	165.6
White Plains, N. Y.....	(2)	(2)	(2)	(2)	167.4
Charlotte, N. C.....	(1)	(1)	(1)	(1)	175.8
Durham, N. C.....	(1)	(1)	(1)	(1)	178.7
Greensboro, N. C.....	(1)	(1)	(1)	(1)	193.5
Raleigh, N. C.....	274.4	237.8	124.6	187.1	187.4
Wilmington, N. C.....	154.7	98.4	104.5	78.9	150.9
Winston, N. C.....	(1)	(1)	(1)	(1)	242.5
Ashtabula, Ohio.....	351.9	243.9	171.7	97.8	130.7
Bellaire, Ohio.....	143.3	282.9	143.1	195.6	146.3
Middletown, Ohio.....	85.9	91.4	72.4	101.3	158.7
Portsmouth, Ohio.....	159.4	109.6	80.1	47.8	46.6
Youngstown, Ohio.....	115.0	172.6	133.9	104.6	141.7
Braddock, Pa.....	156.1	240.3	112.4	141.7	154.4
Carbondale, Pa.....	140.2	124.6	97.5	173.1	216.2
Dunmore, Pa.....	242.3	117.3	173.6	261.5	220.1
Duquesne, Pa.....	190.0	144.6	137.8	171.2	107.1
Easton, Pa.....	102.9	112.6	75.4	53.3	150.4
Greensburg, Pa.....	(2)	(2)	(2)	(2)	178.2
Homestead, Pa.....	166.1	200.7	209.5	109.6	164.6
Johnstown, Pa.....	190.8	111.8	142.0	148.2	182.3

CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (LOBAR AND UNDEFINED) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910
McKeesport, Pa.	158.2	211.9	183.9	125.9	193.7
Mahanoy City, Pa.	146.7	91.8	174.3	133.4	162.6
Nanticoke, Pa.	153.6	229.9	187.0	158.2	205.1
New Castle, Pa.	88.1	141.7	74.4	123.3	150.9
Phoenixville, Pa.	177.4	213.5	86.0	178.9	250.6
Pittston, Pa.	141.5	157.7	89.8	137.9	134.6
Pottstown, Pa.	94.2	152.7	98.3	110.1	140.7
Pottsville, Pa.	75.7	147.7	103.0	151.0	93.5
Shamokin, Pa.	110.2	104.2	129.3	92.4	152.9
Sharon, Pa.	103.0	156.7	89.8	26.8	84.6
Shenandoah, Pa.	206.9	169.2	149.3	153.9	108.2
South Bethlehem, Pa.	166.8	149.4	122.7	236.7	124.3
South Sharon, Pa.	(1)	(1)	(1)	(1)	215.9
Steelton, Pa.	230.4	139.1	108.1	120.7	98.0
Uniontown, Pa.	(1)	(1)	(1)	(1)	163.3
West Chester, Pa.	73.4	107.8	96.8	103.6	152.4
Central Falls, R. I.	178.4	91.1	83.6	76.5	91.7
Cranston, R. I.	81.7	173.0	171.7	131.5	94.1
Cumberland town, R. I.	136.3	175.5	40.7	150.2	143.0
Newport, R. I.	113.7	104.1	98.6	82.1	154.2
Woonsocket, R. I.	158.1	112.3	136.3	102.3	106.8
Charleston, S. C.	147.4	127.6	108.1	100.7	164.7
Knoxville, Tenn.	(3)	(3)	154.2	133.2	98.8
Burlington, Vt.	161.9	195.5	119.2	128.0	102.4
Rutland, Vt.	203.8	146.5	83.5	156.9	147.2
Alexandria, Va.	139.8	185.4	118.6	235.9	176.0
Danville, Va.	(3)	(3)	277.4	148.2	147.0
Lynchburg, Va.	96.0	171.4	100.9	113.1	118.3
Norfolk, Va.	146.9	237.6	139.0	153.2	192.1
Petersburg, Va.	129.1	144.9	206.7	146.2	190.3
Wheeling, W. Va.	138.0	154.2	128.8	128.0	141.5
Beloit, Wis.	82.3	166.4	84.0	94.9	46.0
Green Bay, Wis.	124.0	134.1	156.0	165.0	181.5

¹ Included in rural.

² Based on population enumerated April 15, 1910.

³ Not admitted to registration area until a later date.

Of the places included in the preceding table, Biddeford, Me. had the highest death rate from pneumonia in 1910 (327.5), followed by Milford town, Mass. (313.1); Middletown town, Conn. (254.6); Savannah, Ga. (253.3); Phoenixville, Pa. (250.6); Winston, N. C. (242.5); Paducah, Ky. (240.9); Haverhill, Mass. (232.1); Augusta, Me. (226.5); and Dunmore, Pa. (220.1). Only three of the cities included in the table showed rates in excess of 150 per 100,000 population for each year of the period 1906 to 1910, namely, Wilmington, Del.; Hoboken, N. J.; and Nanticoke, Pa.

DIARRHEA AND ENTERITIS.

On account of the special importance of this disease in its relation to infant mortality, the International List provides two titles, one for deaths of infants under 2 years of age and the other for decedents 2 years of age and over. The incidence of diarrheal diseases, for which the term "diarrhea and enteritis" may be considered a group title, falls largely upon infants under 2 years of age, and deaths of infants below the age of 2 from these affections are commonly spoken of as caused by "infantile diarrhea." Under these two titles are classified the thousands of deaths reported each year as due to cholera infantum, colitis, diarrhea, enteritis, enterocolitis, gastroenteritis, "summer complaint," and many other similar terms.

During the year 1910 the number of deaths from diarrhea and enteritis in the registration area was 63,180, of which 54,266, or 85.9 per cent, were of

infants under 2 years of age and 8,914, or 14.1 per cent, of persons 2 years of age and over. The per cent distribution among the two groups was substantially the same as that for each of the years 1908 to 1910 and the quinquennium 1906 to 1910 shown in the following table:

AGE OF DECEDENT.	DEATHS FROM DIARRHEA AND ENTERITIS.					
	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910				
	NUMBER.					
All ages.....	35,704	53,407	48,739	52,213	52,516	63,180
Under 2 years.....	29,094	45,516	41,563	44,521	44,648	54,266
2 years and over.....	6,610	7,891	7,176	7,692	7,868	8,914
	PER CENT DISTRIBUTION.					
All ages.....	100.0	100.0	100.0	100.0	100.0	100.0
Under 2 years.....	81.5	85.2	85.3	85.3	85.0	85.9
2 years and over.....	18.5	14.8	14.7	14.7	15.0	14.1

The next table shows the death rates per 100,000 population for diarrhea and enteritis (under 2 years) for the registration area, its main subdivisions, the registration states, and the cities having a population of 100,000 or more, for 1910 and the three years immediately preceding, as well as for the quinquennial periods of the decade 1901 to 1910. Death rates of 150 and over are indicated by boldfaced type.

The death rate of infants under 2 years of age per 100,000 of the population of all ages from diarrhea and enteritis was higher in 1910 than in 1909 for the registration area and its main subdivisions; in fact, the rate for 1910 for the area as a whole and for each main subdivision, except cities in registration states for 1907, was higher than for any other year shown in the table and also higher than the annual average for each quinquennium. In every registration state except four (Colorado, New Hampshire, Vermont, and Washington) the death rate for 1910 was higher than that for the preceding year, and in seven states (California, Indiana, Massachusetts, New Jersey, Pennsylvania, Rhode Island, and Wisconsin) the rate for 1910 exceeded that for any year shown in the table. Rhode Island was the only state, however, which had a death rate in excess of 150 per 100,000 population for any year or period shown in this table. The population of Rhode Island is very largely urban, and it is in the cities that the mortality from diarrhea and enteritis is greatest. The fact that in 20 of the larger cities it was higher for 1910 than for any other year shown in the table explains, in part, the high death rate for the registration area in that year, and emphasizes the fact that diarrhea and enteritis must be considered not only as a disease of children, but as a disease which the conditions of urban life favor. It is in the cities that

CAUSES OF DEATH.

the combined effects of the heated season, congested living quarters, poor milk (and in some cases poor water supply), lack of opportunity to enjoy outdoor life, and other conditions react most seriously upon that part of the population which is most susceptible

to diarrheal complaints, namely, infants under 2 years of age. That these diseases may be restricted or prevented has been conclusively demonstrated, and to some extent, at least, sanitary efficiency may be judged by the death rate from this cause.

AREA. {Rates as high as 150 per 100,000 in boldfaced type.}	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.					AREA. {Rates as high as 150 per 100,000 in boldfaced type.}	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.						
	Annual average.		1907	1908	1909		1910	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.						REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.							
The registration area.....	89.0	96.2	96.6	95.2	87.8	100.8	Indianapolis, Ind.....	48.1	68.4	83.4	55.4	56.7	75.4
Registration states ¹	89.7	95.8	97.7	95.1	85.9	98.7	Louisville, Ky.....	50.2	37.9	50.3	33.1	29.2	28.5
Cities in registration states ¹	116.0	115.8	122.4	113.2	103.6	118.0	New Orleans, La.....	113.8	130.3	142.7	141.4	103.0	131.7
Rural part of registration states.....	56.2	73.3	68.6	74.9	66.7	77.3	Baltimore, Md.....	129.4	118.0	141.1	111.7	106.4	114.2
Registration cities in other states.....	87.7	98.4	92.1	95.2	100.4	117.1	Boston, Mass.....	107.4	99.2	86.9	112.5	103.9	100.6
All registration cities ¹	101.9	111.3	113.0	108.1	102.9	117.8	Cambridge, Mass.....	87.8	83.1	82.4	101.8	77.2	94.2
REGISTRATION STATES.							Fall River, Mass.....	297.3	355.1	401.2	320.8	371.4	373.8
California.....	(²)	39.2	38.1	38.4	38.0	39.1	Lowell, Mass.....	226.3	230.5	232.9	179.9	252.0	
Colorado.....	(²)	70.6	78.7	68.0	74.3	65.6	Worcester, Mass.....	93.2	115.0	115.5	102.5	93.6	134.3
Connecticut.....	96.7	105.7	116.5	99.3	99.3	103.8	Detroit, Mich.....	99.6	102.8	96.9	87.3	82.1	123.6
Indiana.....	57.4	66.8	61.8	62.2	69.5	78.2	Grand Rapids, Mich.....	66.7	81.9	65.0	73.5	70.7	95.4
Maine.....	64.1	79.6	54.1	97.2	68.0	87.4	Minneapolis, Minn.....	41.9	55.8	49.5	47.4	43.4	79.2
Maryland.....	(²)	102.0	113.0	102.2	98.4	103.3	St. Paul, Minn.....	43.7	58.0	50.8	46.1	62.3	70.1
Massachusetts.....	102.1	110.0	109.6	106.8	106.7	121.6	Kansas City, Mo.....	46.1	45.7	50.6	40.9	49.1	49.2
Michigan.....	66.7	76.1	54.7	83.3	66.5	83.3	St. Louis, Mo.....	62.8	73.7	73.5	66.4	70.2	86.5
Minnesota.....	(²)	(³)	(²)	(²)	(²)	64.5	Omaha, Nebr.....	39.3	61.4	69.5	55.7	80.1	62.6
Montana.....	(²)	(³)	(²)	(²)	(²)	59.7	Jersey City, N. J.....	125.9	142.7	154.2	137.3	123.6	146.3
New Hampshire.....	85.1	92.0	74.8	94.6	96.3	93.5	Newark, N. J.....	106.5	112.9	127.4	104.7	105.6	113.4
New Jersey.....	98.0	108.2	111.9	106.3	94.6	117.6	Paterson, N. J.....	112.1	107.9	110.6	104.6	90.8	117.3
New York.....	100.6	107.7	115.4	110.6	95.2	106.4	Albany, N. Y.....	49.4	57.2	68.8	61.4	55.1	53.8
North Carolina ⁴	(²)	(³)	(²)	(²)	(²)	137.9	Buffalo, N. Y.....	112.0	139.7	150.7	144.2	128.1	132.2
Ohio.....	(²)	(³)	(²)	(²)	66.8	84.5	New York, N. Y.....	145.0	133.8	150.9	137.2	114.8	123.1
Pennsylvania.....	(²)	127.4	118.4	121.7	115.3	144.0	Bronx Borough.....	110.1	97.6	117.7	103.9	75.5	74.0
Rhode Island.....	137.9	131.8	135.4	114.5	117.4	153.5	Brooklyn Borough.....	150.2	141.3	162.6	141.9	122.2	132.7
Utah.....	(²)	(³)	(²)	(²)	(²)	49.3	Manhattan Borough.....	143.0	131.5	144.6	136.3	113.5	126.0
Vermont.....	49.1	67.3	56.5	73.5	68.7	57.8	Queens Borough.....	155.5	149.0	167.0	147.0	135.2	119.2
Washington.....	(²)	(³)	(²)	36.5	47.2	37.7	Richmond Borough.....	201.2	173.4	205.1	195.9	133.6	122.5
Wisconsin.....	(²)	(³)	(²)	65.7	64.2	72.8	Rochester, N. Y.....	51.6	82.6	66.3	84.0	85.3	99.7
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							Syracuse, N. Y.....	64.9	110.3	103.6	123.2	114.1	122.4
Birmingham, Ala.....	(²)	(³)	(²)	81.7	91.0	144.8	Cincinnati, Ohio.....	77.7	86.2	74.7	84.1	78.2	90.1
Los Angeles, Cal.....	34.6	35.9	43.7	36.4	36.9	24.4	Cleveland, Ohio.....	104.0	132.4	121.4	114.0	135.5	169.9
Oakland, Cal.....	31.3	50.3	47.6	48.0	50.0	39.0	Columbus, Ohio.....	44.8	48.0	49.0	31.1	49.2	63.0
San Francisco, Cal.....	57.7	47.1	51.8	42.6	38.0	40.6	Dayton, Ohio.....	58.7	69.7	71.2	38.4	75.7	91.6
Denver, Colo.....	47.4	55.1	52.2	65.8	51.5	54.0	Toledo, Ohio.....	76.8	73.2	68.9	52.5	70.7	88.6
Bridgeport, Conn.....	133.8	130.1	161.9	122.4	134.6	123.7	Portland, Ore.....	31.6	36.2	39.7	28.4	48.2	33.0
New Haven, Conn.....	110.0	91.7	79.9	93.0	87.4	86.5	Philadelphia, Pa.....	96.8	133.5	127.7	122.1	117.2	150.3
Washington, D. C.....	118.8	99.0	108.5	106.0	80.5	92.4	Pittsburgh, Pa.....	170.2	169.1	184.6	157.7	139.1	177.3
Atlanta, Ga.....	121.1	102.9	122.4	90.0	89.5	98.9	Scranton, Pa.....	112.9	191.9	165.1	188.8	210.6	230.8
Chicago, Ill.....	104.4	138.0	119.7	146.7	145.2	159.9	Providence, R. I.....	134.7	120.2	133.6	111.7	97.2	123.3
							Memphis, Tenn.....	87.6	79.6	95.9	67.7	57.3	98.9
							Nashville, Tenn.....	117.3	100.9	115.8	79.9	110.3	92.3
							Richmond, Va.....	127.2	133.6	143.7	122.0	126.5	133.7
							Seattle, Wash.....	33.3	36.8	39.3	35.6	41.3	31.7
							Spokane, Wash.....	58.5	60.3	34.6	61.1	62.3	90.8
							Milwaukee, Wis.....	95.9	119.0	103.0	117.6	129.7	117.2

¹ Including District of Columbia.

² Not admitted to registration area until a later date.

³ Figures for deaths not available for the entire period 1906-1910.

⁴ Including only municipalities having a population of 1,000 or over in 1900.

The next table shows the mortality from diarrhea and enteritis (under 2 years) for 1910 and each of the four years preceding in cities and other places having a population of 10,000 but less than 100,000 in which rates of 150 or more per 100,000 population were recorded in at least one of those years. Such rates are indicated by boldfaced type.

Very high death rates for 1910 are shown in the

next table for Lackawanna, N. Y. (694.2); Old Forge, Pa. (463.1); East Chicago, Ind. (422.1); Shenandoah, Pa. (409.4); Nanticoke, Pa. (404.9); Gary, Ind. (404.7); Braddock, Pa. (385.9); Berlin, N. H. (380); Key West, Fla. (341.3); and McKees Rocks, Pa. (336.1). Of the cities included in this table, 29 had death rates exceeding 150 per 100,000 population for each year of the period 1906 to 1910.

MORTALITY STATISTICS.

CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.					CITY. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.				
	1906	1907	1908	1909	1910		1906	1907	1908	1909	1910
Bakersfield, Cal.	(1)	(1)	(1)	(1)	163.7	Dunkirk, N. Y.	185.3	112.1	85.0	59.2	144.4
Trinidad, Colo.	(1)	(1)	(1)	(1)	155.2	Lackawanna, N. Y.	(1)	(1)	(1)	(1)	2 694.2
Ansonia, Conn.	183.1	311.4	217.7	160.5	131.5	Mount Vernon, N. Y.	152.3	138.2	149.7	126.9	112.3
Bristol town, Conn.	116.5	88.6	148.4	53.1	191.4	New Rochelle, N. Y.	103.3	187.4	98.2	83.7	82.1
Greenwich town, Conn.	141.8	150.8	140.3	105.5	138.9	Niagara Falls, N. Y.	157.4	227.4	138.1	124.2	179.6
Middletown town, Conn.	128.2	191.7	134.0	151.3	115.3	North Tonawanda, N. Y.	113.9	100.8	106.3	120.1	191.1
Naugatuck, Conn.	92.6	148.7	81.1	135.5	156.6	Ogdensburg, N. Y.	99.6	150.4	122.4	63.5	106.4
New Britain, Conn.	256.1	184.9	160.7	121.9	214.7	Peekskill, N. Y.	131.8	213.2	124.2	169.9	91.3
New London, Conn.	132.6	220.3	134.9	97.5	86.3	Plattsburg, N. Y.	96.7	151.7	92.9	145.8	62.6
Torrington town, Conn.	145.2	166.7	99.7	157.7	100.4	Port Chester, N. Y.	(1)	(1)	(1)	(1)	225.2
Waterbury, Conn.	200.9	192.8	163.4	197.5	160.3	Rome, N. Y.	61.0	74.9	93.1	80.1	150.3
Windham town, Conn.	171.6	42.0	123.4	209.6	71.1	Schenectady, N. Y.	131.6	173.8	131.9	116.4	167.5
Key West, Fla.	353.2	370.0	248.1	239.6	341.3	Utica, N. Y.	125.7	120.1	154.7	141.7	136.2
East Chicago, Ind.	(1)	(1)	(1)	(1)	422.1	Yonkers, N. Y.	161.8	200.7	202.6	184.0	232.2
Gary, Ind.	(1)	(1)	(1)	(1)	2 404.7	Raleigh, N. C.	215.1	222.9	119.4	98.8	208.2
Hammond, Ind.	95.8	144.6	225.9	212.0	132.7	Wilmington, N. C.	196.5	184.4	196.9	193.2	205.0
Jeffersonville, Ind.	151.6	47.5	38.2	105.3	134.6	Ashtabula, Ohio	157.1	109.7	47.4	97.8	87.1
South Bend, Ind.	85.8	118.0	110.9	147.4	179.5	Bellaire, Ohio	26.9	48.5	55.7	140.8	177.1
Augusta, Me.	126.8	109.6	201.0	76.4	90.6	Lorain, Ohio	(3)	(3)	(3)	244.1	223.0
Biddeford, Me.	215.3	130.9	224.7	135.3	251.5	Staubenville, Ohio	(3)	(3)	(3)	124.2	155.1
Lewiston, Me.	174.0	223.2	213.2	195.8	266.2	Youngstown, Ohio	150.2	147.9	131.2	185.6	249.6
Waterville, Me.	159.0	101.0	225.3	115.1	139.1	Allentown, Pa.	122.1	137.8	152.0	112.3	105.3
Cumberland, Md.	79.9	136.5	95.3	153.8	164.1	Beaver Falls, Pa.	70.4	120.8	101.7	116.5	155.3
Adams town, Mass.	182.4	330.1	179.3	208.7	308.5	Braddock, Pa.	479.5	398.7	353.2	392.0	385.9
Chicopee, Mass.	219.5	235.9	165.8	227.9	284.9	Butler, Pa.	177.1	150.5	126.7	135.4	243.6
Fitchburg, Mass.	196.2	105.4	152.4	97.1	157.8	Carbondale, Pa.	267.6	99.7	91.4	95.5	99.3
Gardner town, Mass.	94.9	91.0	87.4	77.1	189.0	Carnegie, Pa.	(1)	(1)	(1)	(1)	178.8
Holyoke, Mass.	179.8	173.3	178.7	267.2	270.4	Chester, Pa.	76.1	96.6	124.6	170.3	145.0
Lawrence, Mass.	239.9	237.7	223.3	237.5	305.0	Coatesville, Pa.	(1)	(1)	(1)	(1)	241.1
New Bedford, Mass.	237.4	274.7	228.0	251.4	324.8	Dunmore, Pa.	223.2	105.0	233.5	191.7	203.1
Southbridge town, Mass.	79.1	188.1	83.2	113.5	165.9	Duquesne, Pa.	357.3	390.3	275.6	283.1	271.0
Taunton, Mass.	122.9	157.4	160.3	151.2	293.6	Hazleton, Pa.	135.3	84.5	94.7	130.5	148.9
Webster town, Mass.	192.9	75.0	145.9	159.7	233.3	Homestead, Pa.	393.7	354.1	271.8	339.8	307.9
Westfield town, Mass.	84.6	109.0	118.7	115.0	154.8	Johnstown, Pa.	105.8	97.8	120.9	190.8	198.7
Alpena, Mich.	207.9	135.4	142.7	276.4	133.7	McKees Rocks, Pa.	(1)	(1)	(1)	(1)	336.1
Escanaba, Mich.	228.0	123.0	246.9	92.9	128.1	McKeesport, Pa.	138.4	221.8	210.5	206.7	235.7
Ironwood, Mich.	90.8	104.4	133.7	176.8	193.5	Mahanoy City, Pa.	266.7	124.6	232.4	152.5	269.0
Ishpeming, Mich.	109.1	58.1	213.2	121.6	104.2	Monessen, Pa.	(1)	(1)	(1)	(1)	150.3
Marquette, Mich.	146.0	99.1	168.9	149.3	121.4	Mount Carmel, Pa.	245.9	227.0	179.2	244.4	210.0
Menominee, Mich.	174.5	46.3	121.6	103.9	85.8	Nanticoke, Pa.	258.0	176.8	243.6	294.5	404.9*
Sault Ste. Marie, Mich.	101.2	116.1	171.3	80.3	94.8	North Braddock, Pa.	(1)	(1)	(1)	(1)	335.1
Virginia, Minn.	(3)	(3)	(3)	(3)	150.1	Oil City, Pa.	115.4	53.4	65.7	103.5	152.8
Berlin, N. H.	328.1	182.5	239.9	225.2	380.0	Old Forge, Pa.	(1)	(1)	(1)	(1)	463.1
Laconia, N. H.	117.5	52.2	81.7	59.9	156.4	Phoenixville, Pa.	216.8	87.3	86.0	122.4	120.6
Manchester, N. H.	159.9	164.2	131.7	244.9	149.3	Pittston, Pa.	208.9	164.3	192.4	150.3	232.5
Nashua, N. H.	198.5	141.7	105.4	209.0	199.6	Plymouth, Pa.	331.0	130.8	274.6	227.2	316.4
Bayonne, N. J.	218.8	202.3	193.4	140.5	208.5	Pottsville, Pa.	124.4	121.3	144.2	110.7	172.2
Elizabeth, N. J.	178.5	153.2	186.2	176.6	159.6	Sharon, Pa.	73.5	163.8	96.7	87.1	91.1
Garfield, N. J.	(1)	(1)	(1)	(1)	278.0	Shenandoah, Pa.	616.6	404.4	411.6	434.2	409.4
Hackensack, N. J.	85.1	169.9	154.3	36.8	148.1	South Bethlehem, Pa.	166.8	233.0	282.7	236.7	318.2
Harrison, N. J.	121.3	133.0	151.3	105.4	192.2	South Sharon, Pa.	(1)	(1)	(1)	(1)	2 323.8
Hoboken, N. J.	129.2	136.2	157.6	109.3	123.4	Steelton, Pa.	193.3	263.5	223.5	220.2	126.0
Morristown, N. J.	302.6	195.1	299.0	136.0	103.8	Central Falls, R. I.	252.7	206.1	157.9	319.6	270.8
New Brunswick, N. J.	228.6	180.7	171.7	265.6	256.4	East Providence town, R. I.	126.7	136.7	59.8	116.3	157.3
Passaic, N. J.	149.0	195.2	177.1	211.4	214.4	Warwick town, R. I.	115.1	179.9	200.4	187.1	191.0
Perth Amboy, N. J.	260.3	231.1	197.8	231.4	284.1	Woonsocket, R. I.	256.6	233.2	228.1	220.7	323.1
Phillipsburg, N. J.	66.8	154.6	14.6	72.4	107.7	Charleston, S. C.	246.2	205.3	241.9	189.5	241.1
Trenton, N. J.	134.5	121.7	120.4	108.6	191.1	San Antonio, Tex.	171.3	203.9	243.4	214.7	298.4
Amsterdam, N. Y.	157.1	140.8	140.2	176.3	300.8	Burlington, Vt.	283.3	225.6	352.6	324.8	165.8
Cohoes, N. Y.	157.0	201.3	126.7	203.2	226.4	Norfolk, Va.	158.0	200.4	100.8	118.7	143.3
						Petersburg, Va.	198.0	179.0	210.9	246.4	227.5
						Kenosha, Wis.	(3)	(3)	127.9	145.9	176.1

* Included in rural.

* Based on population enumerated April 15, 1910.

* Not admitted to registration area until a later date.

The relative incidence of diarrhea and enteritis (under 2 years) upon the white and colored population may be noted in the next table, in which rates are shown for areas having a considerable proportion of colored population, for each of the years 1906 to 1910 and for the quinquennium. The crude rates may be affected by unequal age distribution.

For the five-year period 1906 to 1910 the death rate of the colored population exceeded that of the white in each area shown in the next table with the exception of Jacksonville, Fla., and San Antonio, Tex. In 11 of these areas the rate for the colored was higher for every year of the period, and in 14 of the 18 areas it was higher for 1910.

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.											
	Annual average: 1906 to 1910		1906		1907		1908		1909		1910	
	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.	White.	Colored.
Maryland rural districts.....	82.7	105.9	70.7	81.6	85.4	97.8	88.6	112.1	85.4	107.2	83.1	131.5
Birmingham, Ala.....	(1)	(1)	(2)	(2)	(2)	(2)	71.9	96.5	84.7	100.5	136.2	158.0
Mobile, Ala.....	86.3	126.1	142.3	112.0	61.8	161.2	105.6	128.6	83.9	79.4	45.2	153.4
Wilmington, Del.....	101.6	130.1	108.3	160.3	98.6	139.9	87.9	151.8	94.3	98.3	118.4	99.0
Washington, D. C.....	60.3	193.1	72.6	193.6	61.3	222.1	71.9	189.2	43.0	172.8	54.0	188.2
Jacksonville, Fla.....	85.9	79.9	118.8	85.2	102.5	111.7	133.1	80.7	68.9	68.1	31.1	60.5
Atlanta, Ga.....	95.7	116.6	109.4	130.8	117.0	132.6	87.0	95.6	81.0	106.1	88.8	118.8
Savannah, Ga.....	84.8	140.0	84.1	83.7	77.1	145.2	95.6	159.4	85.4	131.0	81.7	144.1
Kansas City, Kans.....	(1)	(1)	(2)	(2)	(2)	(2)	69.3	96.4	97.8	94.2	70.9	42.7
Louisville, Ky.....	37.1	41.7	44.2	70.0	48.2	59.8	35.5	22.3	30.2	24.7	27.8	32.0
New Orleans, La.....	122.1	153.0	123.6	160.7	138.7	153.9	132.2	166.8	97.9	117.2	119.1	166.9
Baltimore, Md.....	108.1	172.6	109.5	157.8	128.4	210.6	106.6	140.3	87.5	155.9	99.1	196.3
Charleston, S. C.....	110.6	324.1	140.1	335.9	123.3	275.6	88.5	375.5	87.3	279.7	115.0	354.2
Memphis, Tenn.....	75.9	84.8	64.3	91.1	80.8	116.5	63.7	73.2	59.1	54.7	106.4	87.7
Nashville, Tenn.....	87.2	128.6	101.8	119.7	103.8	139.0	62.3	114.7	90.3	150.4	81.1	115.0
San Antonio, Tex.....	238.4	156.4	176.1	135.8	216.2	111.1	250.9	185.8	222.8	151.6	311.6	193.0
Norfolk, Va.....	101.0	213.6	126.9	206.6	141.4	294.4	71.5	148.6	86.6	171.9	82.2	246.8
Richmond, Va.....	94.8	188.8	97.0	155.9	106.2	207.9	100.6	158.6	93.8	182.9	78.9	228.5

¹ Figures for deaths not available for the entire period 1906-1910.

² Not admitted to registration area until 1908.

NEPHRITIS AND BRIGHT'S DISEASE.

Nephritis and Bright's disease caused 53,330 deaths in the registration area in 1910, representing a death rate of 99 per 100,000 population. Of these, 5,665 were reported as due to acute nephritis and 47,665 to Bright's disease; under the latter are compiled deaths reported as due to chronic nephritis and nephritis without qualification. In 1909 the number of deaths assigned to all forms of nephritis was 48,430, and the rate was 95.2 per 100,000 population.

"Nephritis" and "Bright's disease" are terms which, unfortunately, are used rather loosely by many physicians, who do not always state on death certificates whether the "nephritis" was acute or chronic, and in cases described as "acute" frequently do not give the primary cause. Acute nephritis is seldom idiopathic, and it is therefore probable that most of the 794 deaths of children under 5 years of age assigned to this cause (see Table 7) were due to the specific infectious diseases, especially scarlet fever and diphtheria. It is also more than probable that in the 666 deaths of children under 5 years of age tabulated as due to "Bright's disease" the *immediate* cause was *acute* nephritis and the primary cause one of the several infectious diseases of children. Also included under title No. 120 (Bright's disease) are deaths returned as due to "uremia," which, past experience has shown, comprise about 7 per cent of the total compiled under Bright's disease and nephritis, in a

large proportion of which "uremia" was merely the terminal symptom of other conditions. "Uremia," like "nephritis," is a questionable return when reported without explanation in connection with the death of a woman of childbearing age.

The next table shows the death rates per 100,000 population for Bright's disease and nephritis for 1910 and for the three years immediately preceding, with the annual averages for the quinquenniums 1901 to 1905 and 1906 to 1910, for the registration area, its main subdivisions, the registration states, and the larger registration cities. Rates of 150 and over per 100,000 population are in boldfaced type.

The death rate for nephritis and Bright's disease for the registration area for 1910 (99 per 100,000 population) was higher than that for 1909 (95.2), or 1908 (93.7), but lower than that for 1907 (102.4). The rate did not reach the limit of 150 per 100,000 population in any of the principal subdivisions of the area or in any registration state during any of the years 1907 to 1910, or the quinquennial periods 1901 to 1905 and 1906 to 1910. Rates of 150 and over for 1910 were shown by the following large cities: New Orleans (238.4), Richmond (190), Baltimore (178.5), Philadelphia (171.9), Albany (171.4), St. Louis (165.4), Atlanta (162.4), and Washington (161.7). In four of these cities (New Orleans, Baltimore, Albany, and Philadelphia) such rates were shown throughout the four years covered by the next table.

AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.					AREA. [Rates as high as 150 per 100,000 in boldfaced type.]	DEATH RATE FROM NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.						
	Annual average.		1907	1908	1909		1910	Annual average.		1907	1908	1909	1910
	1901 to 1905	1906 to 1910						1901 to 1905	1906 to 1910				
SUMMARY.													
The registration area.....	97.0	97.5	102.4	93.7	95.2	99.0							
Registration states ¹	96.1	94.7	100.7	90.8	92.3	94.9							
Cities in registration states ¹	114.7	114.0	123.4	109.2	109.9	111.3							
Rural part of registration states.....	72.5	72.9	73.9	70.3	73.2	76.6							
Registration cities in other states.....	98.5	112.5	109.2	107.4	114.5	132.2							
All registration cities ¹	106.6	113.6	119.0	108.7	110.9	115.3							
REGISTRATION STATES.													
California.....	(2)	82.3	82.3	84.5	85.3	87.4							
Colorado.....	(2)	73.6	74.0	69.6	78.5	79.2							
Connecticut.....	93.6	103.1	99.9	102.1	107.8	109.3							
Indiana.....	55.7	73.8	72.1	69.0	78.1	81.9							
Maine.....	85.6	98.3	99.9	93.6	93.0	107.1							
Maryland.....	(2)	121.4	122.9	119.8	119.8	128.2							
Massachusetts.....	80.8	85.5	88.4	82.1	85.3	88.2							
Michigan.....	55.2	63.5	62.1	61.5	68.6	68.6							
Minnesota.....	(2)	(2)	(2)	(2)	(2)	56.9							
Montana.....	(2)	(2)	(2)	(2)	(2)	58.6							
New Hampshire.....	88.2	103.5	98.1	96.5	101.2	111.4							
New Jersey.....	100.2	108.7	113.7	103.1	105.8	115.3							
New York.....	74.5	129.4	137.1	122.8	127.5	128.1							
North Carolina ⁴	(2)	(2)	(2)	(2)	(2)	94.5							
Ohio.....	(2)	(2)	(2)	(2)	(2)	76.6							
Pennsylvania.....	(2)	88.4	88.9	85.6	88.6	94.1							
Rhode Island.....	130.7	125.2	142.1	117.0	116.1	123.8							
Utah.....	(2)	(2)	(2)	(2)	(2)	63.7							
Vermont.....	85.1	101.4	96.2	108.6	103.7	107.2							
Washington.....	(2)	(2)	(2)	50.1	51.7	54.9							
Wisconsin.....	(2)	(2)	(2)	52.2	56.2	62.5							
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
Birmingham, Ala.....	(2)	(2)	(2)	97.8	89.6	82.5							
Los Angeles, Cal.....	96.7	97.0	102.9	86.3	100.1	95.2							
Oakland, Cal.....	71.6	110.7	116.0	104.1	113.9	97.2							
San Francisco, Cal.....	112.4	108.8	103.3	111.8	117.8	112.8							
Denver, Colo.....	95.7	110.0	122.6	105.7	107.4	111.2							
Bridgeport, Conn.....	125.4	129.2	135.1	141.1	116.5	114.9							
New Haven, Conn.....	100.3	121.4	108.4	122.5	137.6	126.7							
Washington, D. C.....	135.2	146.0	138.5	139.3	140.7	161.7							
Atlanta, Ga.....	129.6	155.7	143.5	146.3	154.8	182.4							
Chicago, Ill.....	95.3	112.6	121.9	102.0	105.9	113.9							
Indianapolis, Ind.....	64.7	90.0	87.1	82.7	87.7	108.6							
Louisville, Ky.....	103.8	115.6	122.2	109.8	113.7	121.3							
New Orleans, La.....	187.5	216.1	207.2	217.8	217.7	238.4							
Baltimore, Md.....	145.9	171.6	179.4	165.2	160.9	178.5							
Boston, Mass.....	82.3	87.6	86.7	85.6	86.2	89.5							
Cambridge, Mass.....	61.1	70.9	69.5	79.3	59.8	78.0							
Fall River, Mass.....	89.9	99.1	109.2	108.4	87.9	94.3							
Lowell, Mass.....	88.7	100.5	107.0	93.9	90.9	104.0							
Worcester, Mass.....	71.1	76.4	88.3	81.0	64.3	73.6							
Detroit, Mich.....	68.4	66.2	68.0	65.1	63.2	67.0							
Grand Rapids, Mich.....	43.5	68.7	58.3	65.2	61.7	83.1							
Minneapolis, Minn.....	60.4	74.4	77.1	74.2	78.0	73.9							
St. Paul, Minn.....	53.2	65.3	67.0	76.8	58.5	67.3							
Kansas City, Mo.....	81.5	91.2	92.5	99.2	98.2	95.2							
St. Louis, Mo.....	116.1	135.0	124.2	129.6	136.7	165.4							
Omaha, Nebr.....	53.1	71.9	79.7	61.6	61.7	73.1							
Jersey City, N. J.....	117.6	120.4	119.9	118.5	121.0	127.4							
Newark, N. J.....	136.0	130.2	140.6	114.5	131.4	129.1							
Paterson, N. J.....	87.5	122.7	149.7	129.5	111.9	107.0							
Albany, N. Y.....	171.9	186.6	210.4	176.1	194.3	171.4							
Buffalo, N. Y.....	86.8	93.0	99.3	83.6	95.9	98.0							
New York, N. Y.....	161.8	151.0	164.7	140.9	145.5	142.6							
Bronx Borough.....	139.9	141.4	142.8	140.7	134.5	132.5							
Brooklyn Borough.....	149.6	142.7	160.7	133.5	131.7	135.8							
Manhattan Borough.....	175.3	159.3	172.7	145.4	156.9	150.6							
Queens Borough.....	122.8	129.3	135.5	128.8	122.6	120.3							
Richmond Borough.....	172.0	188.7	197.4	192.2	220.6	179.1							
Rochester, N. Y.....	90.7	112.1	117.0	106.9	106.9	112.0							
Syracuse, N. Y.....	90.3	100.5	99.6	103.9	94.0	101.4							
Cincinnati, Ohio.....	122.5	135.0	126.6	125.8	142.2	137.3							
Cleveland, Ohio.....	71.9	86.4	92.7	73.4	86.4	94.0							
Columbus, Ohio.....	61.9	82.3	95.5	80.5	81.2	79.5							
Dayton, Ohio.....	83.1	86.2	81.5	68.7	89.6	91.6							
Toledo, Ohio.....	61.3	69.6	64.5	72.3	67.7	76.8							
Portland, Ore.....	49.4	52.9	55.1	54.1	51.3	60.2							
Philadelphia, Pa.....	149.6	166.8	176.3	158.4	158.9	171.9							
Pittsburgh, Pa.....	57.8	71.4	72.4	70.0	75.1	74.7							
Scranton, Pa.....	70.9	79.3	64.6	84.8	75.9	95.1							
Providence, R. I.....	140.3	135.9	156.5	118.2	119.5	143.3							
Memphis, Tenn.....	111.7	134.2	125.8	141.4	138.7	145.3							
Nashville, Tenn.....	65.4	83.0	85.2	92.8	77.5	82.3							
Richmond, Va.....	121.2	160.1	136.7	155.9	151.5	190.0							
Seattle, Wash.....	46.1	60.0	63.7	55.4	61.6	67.6							
Spokane, Wash.....	54.9	68.9	69.1	76.2	79.4	62.4							
Milwaukee, Wis.....	54.9	63.0	60.0	60.5	66.9	68.3							

¹ Including District of Columbia.² Not admitted to registration area until a later date.³ Figures for deaths not available for the entire period 1906-1910.⁴ Including only municipalities having a population of 1,000 or over in 1900.

SUICIDE.

The number of deaths from suicide recorded in the registration area for 1910 (8,590) slightly exceeded the number returned for the preceding year (8,402), but the death rate for 1910 (16) was somewhat less than that for 1909 (16.5).

Unless a certificate of death from violence states that the case was suicide or homicide, the death is compiled under accidental causes. Since there are doubtless many such cases in which the death was in fact due to suicide, it is probable that with increased precision of reporting the number compiled under suicide would increase from year to year.

Of the various means employed for purposes of suicide in 1910, as shown in Table II, the most important were firearms (2,561), poison (2,456), and hanging or strangulation (1,265). In Table III the death rates for the registration states and minor subdivisions are given for the year 1910. The registration state showing the highest death rate from this cause was California (29),

which was followed by Montana (21.4), Colorado (20.8), and Washington (19.9). For cities of 100,000 population or over, the highest rates were those of San Francisco (44.2), Kansas City, Mo. (34), Oakland (32.4), Seattle (32.3), Bridgeport (32.1), and Denver (31.6).

VIOLENT DEATHS (EXCLUDING SUICIDE).

All forms of violence, exclusive of suicide, were returned as causing 48,606 deaths in the registration area during the year 1910, or 90.3 per 100,000 estimated population, as compared with 43,627, or 85.8 per 100,000 during 1909. Detailed statistics for the registration states and minor subdivisions may be found in Table III. The highest death rates from accident and homicide occurred in Colorado (150.3), Montana (145.4), Washington (122.1), Pennsylvania (107.1), and California (104.7). For the cities of 100,000 population or over, the highest death rates from this group of causes were those of Memphis (195.5), Birmingham (188.3), Scranton (167.1), Pitts-

burgh (134.3), and Richmond (125.1). Of the total number of deaths from violence other than suicide, 3,190 were from homicide, the remaining 45,416 being due to accidental causes, for which the death rate was 84.3 per 100,000. The kinds of accident (of those tabulated separately) that caused the greatest numbers of deaths were—burns, conflagration excepted (4,182, or 8 per 100,000), accidental drowning (4,818, or

8.9), traumatism by fall (8,305, or 15.4), traumatism in mines and quarries (2,484, or 4.6), railroad accidents and injuries (7,877, or 14.6), street-car accidents and injuries (1,949, or 3.6). The number of deaths from automobile accidents reported was 980, representing a rate of 1.8 per 100,000, and the number of deaths from injuries by vehicles other than those mentioned was 1,940.

SUMMARY AND RATE TABLES

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†). The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states." Figures for white and colored are shown separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
SUMMARY.						REGISTRATION STATES—Continued.							
The registration area (total).....	53,620,262	53,843,896	805,412	15.0	15.1	16.2	Ohio (total).....	4,767,121	4,779,981	65,459	13.7	(5)	(4)
White.....	51,473,784	51,690,975	753,308	14.6	(2)	(2)	White.....	4,654,914	4,667,454	63,194	13.5	(5)	(4)
Colored.....	2,146,478	2,152,921	52,104	24.2	(2)	(2)	Colored.....	112,207	112,527	2,265	20.1	(5)	(4)
Registration states ² (total).....	47,610,525	47,807,766	703,608	14.7	15.0	15.9	Pennsylvania (total).....	7,665,111	7,693,866	119,815	15.6	15.5	(4)
White.....	46,232,973	46,425,660	673,203	14.5	(2)	(2)	White.....	7,467,761	7,495,737	115,094	15.4	(2)	(4)
Colored.....	1,377,552	1,382,106	30,405	22.0	(2)	(2)	Colored.....	197,350	198,129	4,721	23.8	(2)	(4)
Cities in registration states ³ (total).....	25,047,702	25,187,805	400,305	15.9	16.3	17.4	Rhode Island (total).....	542,610	545,282	9,305	17.1	16.7	17.8
White.....	24,220,393	24,356,766	379,543	15.6	(2)	(2)	White.....	532,498	535,165	9,051	16.9	(2)	(2)
Colored.....	827,309	831,039	20,762	25.0	(2)	(2)	Colored.....	10,112	10,117	254	25.1	(2)	(2)
Rural part of registration states (total).....	22,562,823	22,619,961	303,303	13.4	13.4	14.1	Utah (total).....	373,351	375,389	4,072	10.8	(5)	(4)
White.....	22,012,580	22,068,894	293,660	13.3	(2)	(2)	White.....	368,602	368,588	3,998	10.8	(5)	(4)
Colored.....	550,243	551,067	9,643	17.5	(2)	(2)	Colored.....	6,749	6,801	74	10.9	(5)	(4)
Registration cities in other states (total).....	6,009,737	6,036,130	101,804	16.9	15.9	16.6	Vermont (total).....	355,956	356,216	5,704	16.0	16.1	16.2
White.....	5,240,811	5,265,315	80,105	15.2	(2)	(2)	White.....	354,298	354,542	5,674	16.0	(2)	(2)
Colored.....	768,926	770,815	21,699	28.2	(2)	(2)	Colored.....	1,658	1,674	30	17.9	(2)	(2)
All registration cities ³ (total).....	31,057,439	31,223,935	502,109	16.1	16.2	17.0	Washington (total).....	1,141,990	1,155,152	11,502	10.0	(5)	(4)
White.....	29,461,204	29,622,081	459,648	15.5	(2)	(2)	White.....	1,109,092	1,122,087	11,017	9.8	(5)	(4)
Colored.....	1,596,235	1,601,854	42,461	26.5	(2)	(2)	Colored.....	32,898	33,065	485	14.7	(5)	(4)
REGISTRATION STATES.						REGISTRATION CITIES.							
California (total).....	2,377,549	2,396,378	32,401	13.5	13.9	(4)	ALABAMA.⁷						
White.....	2,259,815	2,277,905	30,685	13.5	(2)	(4)	Registration cities (total).....	222,342	223,081	4,790	21.5	(5)	124.8
Colored.....	117,734	118,473	1,716	14.5	(2)	(4)	White.....	127,910	128,419	2,046	15.9	(5)	119.7
Colorado (total).....	799,024	804,495	11,069	13.8	14.3	(4)	Colored.....	94,432	94,662	2,744	29.0	(5)	31.2
White.....	783,539	788,909	10,730	13.6	(2)	(4)	Birmingham (total).....	132,685	133,300	2,597	19.5	(5)	(4)
Colored.....	15,485	15,586	339	21.8	(2)	(4)	White.....	80,369	80,772	1,206	14.9	(5)	(4)
Connecticut (total).....	1,114,756	1,119,109	17,498	15.6	15.6	15.7	Colored.....	52,316	52,528	1,391	26.5	(5)	(4)
White.....	1,098,932	1,103,288	17,120	15.5	(2)	(2)	Mobile (total).....	51,521	51,586	1,185	23.0	23.6	24.8
Colored.....	15,824	15,821	378	23.9	(2)	(2)	White.....	28,738	28,776	512	17.8	18.7	19.7
Indiana (total).....	2,700,876	2,704,767	36,448	13.5	13.0	13.2	Colored.....	22,783	22,810	673	29.5	29.7	31.2
White.....	2,640,034	2,643,864	35,011	13.2	(2)	(2)	Montgomery (total).....	38,136	38,195	1,008	26.4	(5)	(4)
Colored.....	60,842	60,903	1,437	23.6	(2)	(2)	White.....	18,803	18,871	328	17.4	(5)	(4)
Maine (total).....	742,371	743,382	12,726	17.1	16.2	15.9	Colored.....	19,333	19,324	680	35.2	(5)	(4)
White.....	740,017	741,026	12,703	17.1	(2)	(2)	CALIFORNIA.						
Colored.....	2,354	2,356	23	9.8	(2)	(2)	Registration cities (total).....	1,266,930	1,277,511	18,609	14.6	15.6	18.0
Maryland (total).....	1,295,346	1,297,610	20,805	16.0	16.0	(4)	White.....	1,211,582	1,221,807	17,578	14.4	(2)	(2)
White.....	1,062,645	1,064,970	15,458	14.5	14.4	(4)	Colored.....	55,348	55,704	1,031	18.5	(2)	(2)
Colored.....	232,701	232,640	5,347	23.0	22.9	(4)	Alameda.....	23,383	23,529	290	12.3	14.8	13.3
Massachusetts (total).....	3,366,416	3,381,657	54,301	16.1	16.1	16.6	Bakersfield.....	12,727	12,825	305	23.8	(5)	(4)
White.....	3,325,087	3,340,108	53,455	16.0	(2)	(2)	Berkeley.....	40,434	41,004	376	9.2	11.3	(4)
Colored.....	41,329	41,549	846	20.4	(2)	(2)	Eureka.....	11,845	11,940	196	16.4	(5)	(4)
Michigan (total).....	2,810,173	2,820,108	39,888	14.1	13.6	13.3	Fresno.....	24,892	25,084	340	13.6	16.2	16.9
White.....	2,785,258	2,795,033	39,262	14.0	(2)	(2)	Long Beach.....	17,809	18,137	250	13.8	(5)	(4)
Colored.....	24,915	25,075	626	25.0	(2)	(2)	Los Angeles (total).....	319,198	323,443	4,538	14.0	14.8	16.4
Minnesota (total).....	2,075,708	2,079,801	22,649	10.9	(5)	(4)	White.....	305,342	309,403	4,299	13.9	14.6	16.2
White.....	2,059,253	2,063,338	22,470	10.9	(5)	(4)	Colored.....	13,856	14,040	239	17.0	19.8	19.6
Colored.....	16,455	16,463	179	10.9	(5)	(4)	Oakland.....	150,174	151,297	1,929	12.7	15.4	13.3
Montana (total).....	376,053	378,853	3,999	10.6	(5)	(4)	Pasadena.....	30,291	30,645	419	13.7	14.3	(4)
White.....	360,587	363,420	3,909	10.8	(5)	(4)	Pomona.....	10,207	10,305	136	13.2	(5)	(4)
Colored.....	15,466	15,433	90	5.8	(5)	(4)	Redlands.....	10,449	10,568	154	14.6	(5)	(4)
New Hampshire (total).....	430,572	430,972	7,452	17.3	17.2	16.6	Riverside.....	15,212	15,364	221	14.4	(5)	(4)
White.....	429,909	430,812	7,438	17.3	(2)	(2)	Sacramento.....	44,696	45,021	734	16.3	16.6	18.0
Colored.....	663	660	14	21.2	(2)	(2)	San Bernardino.....	12,779	12,918	260	20.1	(5)	(4)
New Jersey (total).....	2,537,167	2,553,963	39,504	15.5	15.4	16.1	San Diego.....	39,578	40,040	687	17.2	18.2	16.8
White.....	2,445,927	2,462,224	37,422	15.2	(2)	(2)	San Francisco (total).....	416,912	418,476	6,819	15.1	16.1	20.3
Colored.....	91,240	91,739	2,082	22.7	(2)	(2)	White.....	400,034	401,615	6,002	14.9	16.1	19.8
New York (total).....	9,113,614	9,158,328	147,678	16.1	16.4	17.1	Colored.....	16,878	16,861	517	18.8	15.9	30.1
White.....	8,966,921	9,010,916	144,144	16.0	(2)	(2)	San Jose.....	28,946	29,103	412	14.2	14.9	15.2
Colored.....	146,693	147,412	3,534	24.0	(2)	(2)	Santa Barbara.....	11,659	11,766	223	19.0	(5)	(4)
North Carolina ⁶ (total).....	359,832	361,941	6,752	18.7	(5)	(4)	Santa Cruz.....	11,146	11,261	185	16.4	(5)	(4)
White.....	293,199	294,715	3,728	15.9	(5)	(4)	Stockton*.....	23,253	23,374	469	20.1	21.9	(4)
Colored.....	126,633	127,226	3,024	23.8	(5)	(4)	Vallejo.....	11,340	11,411	166	14.5	(5)	(4)

1 Based on figures for area as constituted in each year.
 2 Not computed.
 3 Including District of Columbia.
 4 Not admitted to registration area until a later date.

5 Figures for deaths not available for the entire period.
 6 Including only municipalities having a population of 1,000 or over in 1900.
 7 Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.							
COLORADO.						ILLINOIS. ⁶							
Registration cities (total).	297,058	299,115	4,705	15.7	17.3	18.3	Registration cities (total).	2,395,921	2,406,888	36,465	15.2	14.9	14.6
White	287,722	289,715	4,494	15.5	(²)	(²)	White	2,341,357	2,351,994	35,189	15.0	(²)	(²)
Colored	9,336	9,400	211	22.4	(²)	(²)	Colored	54,564	54,894	1,276	23.2	(²)	(²)
Colorado Springs	29,078	29,208	478	16.4	17.7	(³)	Aurora	29,927	29,927	433	14.5	14.0	12.9
Denver	213,381	214,874	3,533	16.4	17.5	17.2	Belleville	21,122	21,123	312	14.8	15.6	17.7
Pueblo	44,395	44,727	542	12.1	15.4	23.2	Chicago (total)	2,185,283	2,195,551	39,241	15.1	14.9	14.5
Trinidad	10,204	10,306	152	14.7	(⁴)	(³)	White	2,139,057	2,149,013	32,130	15.0	14.7	14.3
CONNECTICUT.						Colored							
Registration cities (total).	752,224	755,840	12,082	15.9	16.0	16.1	Decatur	31,140	31,310	412	13.2	11.7	12.9
White	740,652	744,216	11,726	15.8	(²)	(²)	Evanston	24,978	25,098	254	10.1	(¹)	(³)
Colored	11,572	11,624	306	26.3	(²)	(²)	Jacksonville*	15,326	15,331	347	22.6	21.0	22.7
Ansonia	15,152	15,204	201	13.2	15.0	14.1	Quincy	36,587	36,594	606	16.6	15.3	15.5
Bridgeport	102,054	102,709	1,562	15.2	15.5	16.0	Springfield	51,678	51,954	860	16.6	17.0	17.4
Bristol town	13,502	13,584	184	13.5	12.6	14.4	INDIANA.						
Danbury town	23,502	23,587	350	14.8	15.6	15.6	Registration cities (total).	819,067	822,638	12,468	15.2	14.4	15.0
Greenwich town	16,463	16,564	273	16.5	16.8	15.2	White	777,984	781,456	11,472	14.7	(²)	(²)
Hartford	98,915	99,317	1,748	17.6	16.8	16.6	Colored	41,083	41,182	996	24.2	(²)	(²)
Manchester town	13,641	13,705	161	11.7	11.0	11.8	Anderson	22,476	22,524	328	14.6	13.0	14.8
Meriden town	32,066	32,137	456	14.2	14.2	13.7	East Chicago	19,098	19,423	269	13.8	(⁴)	(³)
Middletown town*	20,749	20,818	533	25.6	22.7	20.0	Elkhart	19,282	19,368	264	13.6	13.0	12.4
Naugatuck	12,722	12,768	182	14.3	12.9	14.6	Elwood	11,028	10,988	174	15.8	12.5	13.4
New Britain	43,916	44,248	692	15.6	14.3	14.4	Evansville	69,647	69,860	948	13.6	13.2	13.1
New Haven	133,605	134,145	2,219	16.5	17.3	17.3	Fort Wayne	63,933	64,292	840	13.1	13.2	13.5
New London	19,659	19,704	353	17.9	18.4	19.7	Gary	16,802	(⁷)	284	16.9	(⁴)	(³)
Norwalk town	24,211	24,301	366	15.1	15.6	14.9	Hammond	20,925	21,093	296	14.0	14.0	14.0
Norwich town	28,219	28,256	480	17.0	16.6	16.9	Huntington	10,272	10,282	126	12.3	11.3	14.0
Orange town	11,272	11,362	143	12.6	(⁴)	(³)	Indianapolis (total)	233,650	234,759	3,524	16.3	15.2	15.4
Stamford town	28,836	29,047	466	16.0	17.3	17.9	White	211,789	212,798	3,275	15.4	14.2	14.6
Torrington town	16,840	16,933	185	10.9	11.6	12.1	Colored	21,861	21,961	549	25.0	24.0	28.1
Wallingford town	11,155	11,200	141	12.6	13.0	12.9	Jeffersonville (total)	10,412	10,405	205	19.7	17.1	19.9
Waterbury	73,141	73,605	1,140	15.5	15.7	15.9	White	8,875	8,874	156	17.6	16.5	18.1
Windham town	12,604	12,656	197	15.6	16.8	16.8	Colored	1,537	1,531	49	32.0	21.8	29.4
DELAWARE. ⁶						Kokomo							
Wilmington (total)	87,411	87,641	1,547	17.7	17.0	17.0	La Fayette	17,010	17,129	257	15.0	14.2	14.5
White	78,309	78,553	1,322	16.8	15.9	15.7	Laporte	20,081	20,122	353	16.5	16.9	17.7
Colored	9,102	9,088	225	24.8	26.5	27.2	Logansport	10,525	10,596	185	17.5	(⁴)	(⁵)
DISTRICT OF COLUMBIA.						Logansport							
Washington (total)	331,069	332,173	6,511	19.6	19.6	20.5	Marion	19,050	19,110	299	15.6	15.9	17.4
White	236,128	237,069	3,744	15.8	15.9	16.5	Michigan City	19,359	19,376	265	13.7	13.2	14.9
Colored	94,941	95,104	2,767	29.1	28.7	29.5	Mishawaka	19,027	19,108	280	14.7	13.5	13.0
FLORIDA. ⁶						Muncie							
Registration cities (total).	77,644	78,594	1,640	20.9	22.0	25.3	New Albany	11,886	12,019	137	11.4	(⁴)	(³)
White	42,741	43,348	783	18.1	18.7	21.9	Peru	24,005	24,050	352	14.6	14.5	16.7
Colored	34,903	35,246	857	24.3	25.9	29.0	Richmond	20,629	20,629	376	18.2	16.4	17.3
Jacksonville (total)	57,699	58,673	1,192	20.3	22.1	27.5	South Bend	10,910	10,916	145	13.3	11.7	12.3
White	28,331	28,917	482	16.7	17.9	23.3	Terre Haute	22,324	22,402	305	13.6	13.5	16.0
Colored	29,368	29,756	710	23.9	25.8	30.5	Vincennes	53,684	54,040	759	14.0	13.6	13.1
Key West (total)	19,945	19,921	448	22.5	22.0	21.7	White	58,157	58,357	931	16.0	15.6	17.3
White	14,410	14,431	301	20.9	20.1	20.4	Colored	14,895	14,988	286	19.1	16.5	16.1
Colored	5,535	5,490	147	26.8	26.3	24.4	KANSAS. ⁶						
GEORGIA. ⁶						Registration cities (total).							
Registration cities (total).	219,903	220,917	4,689	21.2	21.2	23.3	White	154,144	156,017	2,405	15.4	(⁴)	15.1
White	134,646	135,432	2,225	16.4	16.2	17.1	Colored	139,824	141,531	2,060	14.6	(⁴)	(²)
Colored	85,257	85,485	2,464	28.8	28.7	31.8	Colored	14,320	14,486	345	23.8	(⁴)	(²)
Atlanta (total)	154,839	155,773	2,938	18.9	19.4	21.1	Kansas City (total)	82,331	82,683	1,393	16.8	(⁴)	(³)
White	102,862	103,601	1,609	15.5	15.6	16.1	White	72,997	73,310	1,152	15.7	(⁴)	(³)
Colored	51,977	52,172	1,329	25.5	26.8	29.6	Colored	9,334	9,373	241	25.7	(⁴)	(³)
Savannah (total)	65,064	65,144	1,751	26.9	24.8	27.1	Leavenworth (total)	19,363	19,207	277	13.8	15.7	14.8
White	31,784	31,831	616	19.4	17.9	19.2	White	16,880	16,550	218	12.5	14.5	13.4
Colored	33,280	33,313	1,135	34.1	31.3	34.5	Colored	2,483	2,657	59	23.0	25.9	22.5
						Wichita							
						White							
						Colored							
						KENTUCKY. ⁶							
						Registration cities (total).							
						White							
						Colored							
						Covington							
						Louisville (total)							
						White							
						Colored							

1 Based on figures for area as constituted in each year.

2 Not computed.

3 Not admitted to registration area until a later date.

4 Figures for deaths not available for the entire period.

5 Included in rural.

6 Nonregistration state; cities shown below only those with effective local ordinances.

7 Population not estimated.

8 Based on population enumerated April 15, 1910.

9 Estimate based on Federal census of 1910 and assessors' returns of population

for 1911.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.							
KENTUCKY¹—continued.						MASSACHUSETTS—contd.							
Newport.....	30,309	30,351	444	14.6	15.6	16.0	Medford.....	23,150	23,295	243	10.4	11.6	12.5
Paducah (total).....	22,760	22,829	498	19.2	17.5	22.2	Melrose.....	15,715	15,775	205	13.0	12.3	12.7
White.....	16,710	16,775	274	16.3	13.5	19.3	Methuen town.....	11,448	11,564	150	13.0	(7)	(4)
Colored.....	6,050	6,054	164	27.1	28.4	29.2	Milford town.....	13,055	13,095	239	18.3	16.9	14.8
LOUISIANA.¹						New Bedford.....							
New Orleans (total).....	339,075	340,172	7,250	21.3	21.7	22.4	Newburyport.....	14,949	14,961	280	18.7	17.4	19.1
White.....	249,435	250,290	4,311	17.2	18.0	19.2	Newton.....	39,806	39,931	484	12.1	11.7	12.5
Colored.....	89,640	89,882	2,939	32.7	32.1	31.0	North Adams.....	22,019	22,014	322	14.6	14.8	15.6
MAINE.						Northampton*.....							
Registration cities (total).....	166,433	166,861	3,380	20.3	18.5	18.6	Peabody town.....	19,431	19,415	366	18.9	18.6	15.9
White.....	165,750	166,176	3,369	20.3	(3)	(3)	Peabody town.....	15,721	15,831	203	12.8	13.8	14.1
Colored.....	683	685	11	16.1	(3)	(3)	Pittsfield.....	32,121	32,420	572	17.6	15.4	15.8
Auburn.....	15,064	15,108	231	15.3	14.9	(4)	Plymouth town.....	12,141	12,184	162	13.3	13.5	14.2
Augusta*.....	13,211	13,243	332	25.1	23.0	23.5	Quincy.....	32,642	32,834	384	11.7	12.3	13.7
Bangor*.....	24,803	24,865	504	20.3	18.1	17.8	Revere town.....	18,219	18,452	217	11.8	11.6	12.5
Biddeford.....	17,079	17,098	411	24.0	20.4	19.3	Salem.....	43,697	43,953	691	15.7	17.3	18.8
Lewiston.....	26,247	26,299	586	22.3	19.9	(4)	Somerville.....	77,236	77,571	1,041	13.4	13.2	13.9
Portland.....	58,571	58,749	1,106	18.8	18.2	18.1	Southbridge town.....	12,592	12,659	175	13.8	14.0	16.6
Waterville.....	11,458	11,499	210	18.3	16.7	(4)	Springfield.....	88,926	89,571	1,484	16.6	15.5	15.5
MARYLAND.						Taunton*.....							
Registration cities (total).....	607,242	608,470	11,690	19.2	19.4	20.0	Wakefield town.....	11,404	11,452	150	13.1	12.2	13.1
White.....	518,478	519,597	8,969	17.3	17.3	17.7	Waltham.....	27,834	27,899	389	13.9	13.5	13.7
Colored.....	88,764	88,873	2,721	30.6	31.7	32.2	Watertown town.....	12,875	12,943	143	11.0	11.3	12.2
Baltimore (total).....	558,485	559,529	10,753	19.2	19.5	20.0	Webster town.....	11,509	11,572	178	15.4	13.5	15.5
White.....	473,390	474,321	8,152	17.2	17.3	17.8	Westfield town.....	16,044	16,146	302	18.7	16.2	16.4
Colored.....	85,095	85,208	2,601	30.5	31.5	32.0	Weymouth town.....	12,895	12,950	200	15.4	15.2	14.8
Cumberland (total).....	21,839	21,939	440	20.1	18.7	(5)	Winthrop town.....	10,132	10,262	105	10.2	11.5	11.3
White.....	20,772	20,872	398	19.1	17.9	(5)	Woburn.....	15,308	15,346	241	15.7	15.2	15.1
Colored ⁶	1,067	1,067	42	39.4	33.2	(5)	Worcester.....	145,986	146,736	2,477	16.9	17.1	16.8
Frederick (total).....	10,411	10,434	206	19.7	20.1	22.0	MICHIGAN.						
White.....	8,941	8,965	155	17.3	17.8	18.4	Registration cities (total).....	1,043,746	1,051,417	16,369	15.6	14.6	14.5
Colored.....	1,470	1,469	51	34.7	34.0	41.1	White.....	1,032,902	1,040,485	16,108	15.5	(3)	(3)
Hagerstown (total).....	16,507	16,568	291	17.6	17.5	(5)	Colored.....	10,844	10,932	261	23.9	(3)	(3)
White.....	15,375	15,439	264	17.1	16.7	(5)	Adrian.....	10,763	10,766	169	15.7	15.0	(4)
Colored ⁶	1,132	1,129	27	23.9	28.6	(5)	Alpena.....	12,706	12,716	194	15.3	16.0	(4)
MASSACHUSETTS.						Ann Arbor.....							
Registration cities (total).....	2,606,380	2,619,679	41,996	16.0	16.2	16.9	Battle Creek.....	25,267	25,376	423	16.7	15.4	16.0
White.....	2,572,008	2,585,087	41,274	16.0	(3)	(3)	Bay City.....	45,166	45,325	612	13.5	13.5	13.0
Colored.....	34,372	34,592	722	20.9	(3)	(3)	Detroit.....	465,766	470,118	7,452	15.9	14.8	15.1
Adams town.....	13,026	13,049	171	13.1	14.2	16.7	Escanaba.....	13,194	13,268	206	15.5	17.3	18.7
Arlington town.....	11,187	11,251	148	13.2	12.2	12.1	Flint.....	38,550	39,389	549	13.9	10.9	13.3
Attleborough town.....	16,215	16,363	207	12.7	12.5	13.3	Grand Rapids.....	112,571	113,168	1,648	14.6	13.3	13.5
Beverly.....	18,680	18,794	246	13.1	13.7	14.4	Holland.....	10,490	10,544	141	13.4	(7)	(5)
Boston (total).....	670,585	673,744	11,562	17.2	17.9	18.8	Ironwood.....	12,821	12,920	180	13.9	13.5	14.1
White.....	655,770	658,812	11,224	17.0	17.7	18.6	Ishpeming.....	12,448	12,477	158	12.7	14.2	13.4
Colored.....	14,815	14,932	338	22.6	24.3	26.0	Jackson.....	31,433	31,651	466	14.7	14.4	14.3
Brockton.....	56,878	57,261	707	12.3	12.0	12.2	Kalamazoo*.....	39,437	39,780	743	18.7	17.9	16.9
Brookline town.....	27,792	27,975	320	11.4	11.4	10.9	Lansing.....	31,229	31,617	412	13.0	11.4	12.0
Cambridge.....	104,839	105,150	1,576	15.0	15.1	15.1	Manistee.....	12,381	12,370	160	12.9	12.0	(4)
Chelsea.....	32,452	32,250	605	18.3	17.6	18.1	Marquette.....	11,503	11,532	182	15.8	16.2	15.2
Chicopee.....	25,401	25,620	389	15.2	16.2	18.6	Menominee.....	10,507	10,487	148	14.1	14.4	12.9
Clinton town.....	13,075	13,074	175	13.4	14.4	15.9	Muskegon.....	24,052	24,174	311	12.9	13.1	12.5
Everett.....	33,484	33,667	370	11.0	12.0	13.5	Pontiac*.....	14,532	14,643	369	25.2	19.3	17.2
Fall River.....	119,295	119,364	2,201	18.4	19.7	20.3	Port Huron.....	18,863	18,822	313	16.6	14.2	12.8
Fitchburg.....	37,826	38,029	496	13.0	13.7	13.9	Saginaw.....	50,510	50,648	761	15.0	14.0	13.0
Framingham town.....	12,948	13,007	221	17.0	16.1	14.8	Sault Ste. Marie.....	12,615	12,656	157	12.4	14.1	17.9
Gardner town.....	14,689	14,812	231	15.6	14.7	15.0	Traverse City*.....	12,115	12,146	270	22.2	21.0	18.4
Gloucester.....	24,398	24,331	391	16.1	14.4	17.5	MINNESOTA.						
Greenfield town.....	10,427	10,480	147	14.0	(7)	(4)	Registration cities (total).....	654,837	657,900	8,193	12.5	(7)	10.6
Haverhill.....	44,115	44,379	767	17.3	15.6	15.4	White.....	648,272	651,306	8,070	12.4	(3)	(3)
Holyoke.....	57,730	58,053	1,027	17.7	17.8	17.2	Colored.....	6,565	6,594	123	18.7	(3)	(3)
Hyde Park town.....	15,507	15,549	261	16.8	18.2	13.1	Duluth.....	78,466	79,044	1,052	13.3	13.1	13.0
Lawrence.....	85,892	86,557	1,530	17.7	17.7	17.8	Mankato.....	10,365	10,339	170	16.4	14.6	13.7
Leominster town.....	17,580	17,718	196	11.1	12.0	12.9	Minneapolis.....	301,408	303,693	3,739	12.3	11.0	10.2
Lowell.....	106,294	106,761	2,101	19.7	19.4	20.2	St. Cloud.....	10,600	10,550	131	12.3	(7)	(3)
Lynn.....	89,336	89,853	1,179	13.1	14.1	15.0	St. Paul.....	214,744	215,501	2,558	11.9	11.0	10.0
Malden.....	44,404	44,671	582	13.0	13.1	13.7	Stillwater.....	10,198	10,103	114	11.3	(7)	(3)
Marlborough.....	14,579	14,600	170	11.6	13.5	14.3	Virginia.....	10,473	10,661	176	16.5	(7)	(3)
							Winona.....	18,583	18,509	253	13.7	12.6	12.4

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Based on figures for area as constituted in each year.

³ Not computed.

⁴ Included in rural.

⁵ Not admitted to registration area until a later date.

⁶ Colored population less than 10 per cent of total.

⁷ Figures for deaths not available for the entire period.

⁸ Returns for 1901 to 1909 shown under the head of Suffolk County rural in reports for those years.

⁹ Including for 1901 to 1904 West Bay City, annexed to Bay City in 1905.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1911 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.							
MISSOURI ¹						NEW JERSEY—continued.							
Registration cities (total)	1,012,813	1,016,745	15,909	15.6	² 15.2	² 16.9	Newark	347,469	350,211	5,784	16.5	17.2	18.7
White	940,303	943,945	14,007	14.8	(³)	(³)	Orange	29,630	29,780	538	18.1	18.2	20.2
Colored	72,510	72,800	1,902	26.1	(³)	(³)	Passaic	54,773	55,497	820	14.8	15.8	18.3
Kansas City (total)	248,381	249,955	3,966	15.9	14.6	15.9	Paterson	125,600	126,201	1,857	14.7	15.7	16.9
White	224,680	226,147	3,317	14.7	13.5	14.6	Perth Amboy	32,121	32,387	509	15.7	14.0	12.9
Colored	23,701	23,808	649	27.3	24.9	27.1	Phillipsburg	13,903	13,926	211	15.2	12.7	13.0
St. Joseph	77,403	(⁴)	1,055	13.6	(⁴)	(⁴)	Plainfield	20,550	20,639	325	15.7	16.5	16.0
St. Louis (total)	687,029	680,387	10,888	15.8	15.6	17.9	Trenton *	96,815	97,355	1,976	20.3	18.1	17.1
White	642,495	644,670	9,733	15.1	14.8	17.1	Union	21,023	21,194	252	11.9	14.4	16.7
Colored	44,534	44,717	1,155	25.8	26.7	30.3	West Hoboken	35,403	35,673	387	10.8	11.8	(⁵)
MONTANA.						NEW YORK.							
Registration cities (total)	98,662	99,132	1,527	15.4	(⁶)	(⁷)	Registration cities (total)	6,771,142	6,814,479	110,283	16.2	² 16.7	² 18.1
White	96,506	96,965	1,475	15.2	(⁶)	(⁷)	White	6,652,637	6,695,177	107,278	16.0	(³)	(³)
Colored	2,156	2,167	52	24.0	(⁶)	(⁷)	Colored	118,505	119,302	3,005	25.2	(³)	(³)
Anaconda	10,134	10,148	136	13.4	(⁶)	(⁷)	Albany	100,253	100,358	1,943	19.4	18.6	18.4
Billings	10,031	10,174	152	14.9	(⁶)	(⁷)	Amsterdam	31,267	31,586	543	17.2	15.4	15.5
Butte	39,165	39,283	602	15.3	(⁶)	(⁷)	Auburn	34,668	34,760	532	15.3	15.5	15.4
Great Falls	13,948	13,928	252	18.1	(⁶)	(⁷)	Batavia	11,613	11,673	201	17.2	15.3	(⁶)
Helena	12,515	12,551	184	14.7	(⁶)	(⁷)	Binghamton *	48,443	48,671	904	18.6	18.2	17.2
Missoula	12,869	13,048	201	15.4	(⁶)	(⁷)	Buffalo	423,715	425,715	6,940	16.3	16.0	15.5
NEBRASKA ¹						Buffalo							
Registration cities (total)	168,069	168,604	2,364	14.0	13.3	11.2	Cohoes	24,709	24,737	509	20.6	19.6	19.5
White	162,802	163,319	2,244	13.7	(⁸)	(⁸)	Corning	13,730	13,742	201	14.6	16.1	14.6
Colored	5,267	5,285	120	22.7	(⁸)	(⁸)	Corning	11,504	11,517	218	18.9	15.3	12.3
Lincoln	43,973	44,053	485	11.0	12.0	10.5	Cortland	17,221	17,308	280	16.2	15.0	16.1
Omaha	124,096	124,551	1,879	15.1	13.8	11.5	Dunkirk	37,176	37,238	557	15.0	15.0	15.0
NEW HAMPSHIRE.						Elmira							
Registration cities (total)	174,112	174,610	3,061	17.5	² 17.7	² 17.1	Fulton	10,480	10,550	154	14.6	(⁶)	(⁸)
White	173,789	174,287	3,052	17.5	(⁸)	(⁸)	Geneva	12,446	12,458	172	13.8	14.2	14.1
Colored	323	323	9	27.9	(⁸)	(⁸)	Glens Falls	15,243	15,268	242	15.9	15.5	15.3
Berlin	11,780	11,841	190	16.0	15.2	15.5	Gloversville	20,642	20,730	321	15.5	15.6	13.9
Concord *	21,497	21,536	465	21.6	20.3	17.2	Hornell	13,617	13,637	174	12.8	14.0	(⁹)
Dover	13,247	13,247	236	17.8	18.6	17.4	Hudson	11,417	11,462	236	20.6	17.7	18.9
Keene	10,068	10,087	178	17.6	16.7	15.6	Ithaca	14,802	14,815	244	16.5	15.8	15.6
Laconia	10,183	10,228	187	18.3	17.6	17.1	Jamestown	31,297	31,523	404	12.8	11.2	12.0
Manchester	70,063	70,339	1,163	16.5	18.1	17.9	Johnstown	10,447	10,476	145	13.8	13.8	13.3
Nashua	26,005	26,050	460	17.7	17.1	16.3	Kingston	25,908	25,929	476	18.4	18.6	17.6
Portsmouth	11,269	11,282	182	16.1	16.8	18.0	Lackawanna	14,549	(⁴)	396	⁶ 27.2	(⁶)	(⁸)
NEW JERSEY.						Little Falls							
Registration cities (total)	1,635,863	1,647,386	26,530	16.1	² 16.6	² 17.9	Lockport	17,970	17,993	300	16.7	15.0	15.6
White	1,580,235	1,591,398	25,139	15.8	(³)	(³)	Middletown *	15,313	15,297	372	24.3	21.7	19.3
Colored	55,628	55,988	1,391	24.8	(³)	(³)	Mount Vernon	30,919	31,175	433	13.9	14.1	14.3
Asbury Park	10,150	10,326	170	16.5	(⁶)	(⁶)	New Rochelle	28,867	29,229	342	11.7	13.0	13.5
Atlantic City (total)	46,150	46,515	800	17.2	16.5	16.2	New York (total)	4,766,833	4,799,639	76,787	16.0	16.9	19.0
White	36,231	36,551	627	17.2	16.6	16.8	Bronx Borough	430,980	437,791	6,968	15.9	17.4	20.9
Colored	9,919	9,964	173	17.4	16.1	14.3	Brooklyn Borough	1,634,351	1,646,285	25,686	15.6	16.3	18.2
Bayonne	53,545	56,112	827	14.7	14.8	16.8	Manhattan Borough	2,331,542	2,341,312	38,699	16.5	17.4	19.5
Bloomfield	15,070	15,215	168	11.0	11.5	(⁸)	Queens Borough	284,041	287,725	3,965	13.8	14.9	16.1
Bridgeton	14,209	14,234	217	15.2	14.8	14.7	Richmond Borough	85,969	86,526	1,469	17.0	18.6	19.0
Camden	94,538	95,015	1,629	17.1	16.9	17.3	White	4,669,224	4,701,309	74,274	15.8	16.7	18.8
East Orange	34,371	34,764	372	10.7	9.9	(⁶)	Bronx Borough	426,660	433,524	6,755	15.6	17.0	20.5
Elizabeth	73,409	73,950	1,122	15.2	16.4	16.7	Brooklyn Borough	1,610,499	1,622,600	25,070	15.5	16.2	18.1
Garfield	10,213	10,431	129	12.4	(⁶)	(⁶)	Manhattan Borough	2,266,617	2,275,454	37,129	16.3	17.2	19.2
Hackensack	14,050	14,176	231	16.3	15.3	(⁶)	Queens Borough	280,692	284,406	3,882	13.6	14.8	15.9
Harrison	14,498	14,569	237	16.3	16.4	18.2	Richmond Borough	84,756	85,325	1,438	16.9	18.5	18.9
Hoboken	70,324	70,531	1,328	18.8	19.9	19.7	Colored	97,659	98,330	2,513	25.6	26.5	30.0
Irvington	11,877	12,077	143	11.8	(⁶)	(⁶)	Bronx Borough	4,320	4,267	213	49.9	42.0	46.5
Jersey City	267,779	269,278	4,401	16.3	17.7	19.3	Brooklyn Borough	23,852	23,685	616	26.0	23.0	24.5
Kearny	18,659	18,875	276	14.6	14.0	(⁶)	Manhattan Borough	64,925	65,858	1,570	23.8	26.9	32.2
Long Branch	13,298	13,345	295	22.1	20.2	(⁶)	Queens Borough	3,349	3,319	83	25.0	25.1	23.5
Millville	12,451	12,475	149	11.9	13.5	14.4	Richmond Borough	1,213	1,201	31	25.8	24.3	25.9
Montclair	21,550	21,771	324	14.9	14.1	17.6	Newburgh	27,805	27,868	509	18.3	18.1	18.7
Morristown	12,507	12,522	295	23.6	22.1	18.5	Niagara Falls	30,445	30,617	548	17.9	16.7	16.2
New Brunswick	23,388	23,399	494	21.1	19.9	18.4	North Tonawanda	11,955	12,033	160	13.3	13.2	(⁹)
							Ogdensburg *	15,933	15,981	392	24.5	26.6	23.3
							Olean	14,743	14,814	188	12.7	13.2	11.5

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Based on figures for area as constituted in each year.

³ Not computed.

⁴ Population not estimated.

⁵ Based on population enumerated April 15, 1910.

⁶ Figures for deaths not available for the entire period.

⁷ Not admitted to registration area until a later date.

⁸ Included in rural.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.							
NEW YORK—continued.						OHIO—continued.							
Ossining.....	11,480	11,612	177	15.2	(1)	(2)	Ironton.....	13,147	13,173	196	14.9	15.2	16.4
Oswego.....	23,368	23,410	336	16.5	15.9	(2)	Lakewood.....	15,181	15,430	171	11.1	(1)	(4)
Peekskill.....	15,245	15,332	278	18.1	17.3	17.7	Lancaster.....	13,093	13,179	142	10.8	(1)	(4)
Plattsburg.....	11,138	11,182	197	17.6	14.2	(2)	Lima.....	30,508	30,646	398	13.0	11.9	13.9
Port Chester.....	12,809	12,877	210	16.3	(1)	(2)	Lorain.....	28,883	29,154	374	12.8	(1)	(4)
Poughkeepsie.....	27,936	28,055	469	16.7	18.4	18.3	Mansfield.....	20,768	20,834	288	13.8	(1)	(4)
Rensselaer.....	10,711	10,712	162	15.1	(1)	(2)	Marietta.....	12,923	12,914	164	12.7	12.5	15.0
Rochester.....	218,149	219,693	3,215	14.6	14.7	14.6	Marion.....	18,232	18,366	232	12.6	(1)	(4)
Rome.....	20,497	20,632	457	22.2	19.9	17.4	Massillon.....	13,879	13,919	160	11.5	11.3	11.9
Saratoga Springs.....	12,693	12,680	259	20.4	20.8	21.5	Middletown.....	13,152	13,235	164	12.4	12.0	11.4
Schenectady.....	72,826	73,450	1,070	14.6	14.2	14.9	Newark.....	25,404	25,540	330	12.9	12.3	14.0
Syracuse.....	137,249	138,087	2,123	15.4	15.2	14.5	Norwood.....	16,185	16,389	147	9.0	(1)	(4)
Troy.....	76,813	76,836	1,696	20.8	20.3	20.5	Piqua.....	13,388	13,413	194	14.5	(1)	(4)
Utica*.....	74,419	74,879	1,411	18.8	19.2	17.8	Portsmouth.....	23,481	23,599	356	15.1	14.8	15.1
Watertown.....	26,730	26,792	469	17.5	17.3	14.9	Sandusky.....	19,989	19,995	288	13.4	(1)	(4)
Watervliet.....	15,074	15,099	261	17.3	16.7	16.7	Springfield (total).....	46,921	47,070	623	13.2	(1)	(4)
White Plains.....	15,949	16,132	301	18.7	(1)	(2)	White.....	41,976	42,114	543	12.9	(1)	(4)
Yonkers.....	79,803	80,589	1,226	15.2	15.3	16.3	Colored.....	4,945	4,956	80	16.1	(1)	(4)
NORTH CAROLINA.						STEARNSVILLE.....							
Registration cities (total).....	149,045	149,830	3,075	20.5	(1)	25.4	Tiffin.....	11,894	11,913	175	14.7	12.0	13.2
White.....	92,025	92,573	1,561	16.9	(1)	20.4	Toledo.....	168,497	169,270	2,470	14.6	14.9	14.3
Colored.....	57,020	57,257	1,514	26.4	(1)	31.2	Warren.....	11,081	11,128	156	14.0	(1)	(4)
Asheville (total).....	18,762	18,826	370	19.7	(1)	(4)	Youngstown.....	79,066	79,737	1,340	16.8	14.9	15.9
White.....	13,401	13,458	235	17.5	(1)	(4)	Zanesville.....	28,026	28,121	419	14.9	(1)	(4)
Colored.....	5,361	5,368	135	25.1	(1)	(4)	OREGON. ⁶						
* Charlotte (total).....	34,014	34,138	605	17.7	(1)	(4)	Portland (total).....	207,214	209,404	2,308	11.0	10.3	10.2
White.....	22,259	22,359	306	13.7	(1)	(4)	White.....	193,953	201,186	2,225	11.1	10.3	10.3
Colored.....	11,755	11,779	299	25.4	(1)	(4)	Colored ⁷	8,261	8,218	83	10.1	9.3	9.2
Durham (total).....	18,241	18,469	368	19.9	(1)	(4)	PENNSYLVANIA.						
White.....	11,372	11,509	189	16.4	(1)	(4)	Registration cities (total).....	3,653,461	3,667,517	61,935	16.9	17.0	17.9
Colored.....	6,869	6,960	179	25.7	(1)	(4)	White.....	3,507,665	3,521,048	58,266	16.5	(1)	(4)
Greensboro (total).....	15,895	16,018	305	19.0	(1)	(4)	Colored.....	145,796	146,469	3,669	25.0	(1)	(4)
White.....	10,184	10,273	162	15.8	(1)	(4)	Allentown.....	51,913	52,213	877	16.8	15.9	16.1
Colored.....	5,711	5,745	143	24.9	(1)	(4)	Altoona.....	52,127	52,327	659	12.6	13.2	16.7
Raleigh*(total).....	19,218	19,213	537	27.9	26.8	25.0	Beaver Falls.....	12,191	12,236	168	13.7	13.0	(4)
White.....	11,846	11,853	290	24.5	22.7	21.2	Bethlehem.....	12,837	12,880	170	13.2	(1)	(4)
Colored.....	7,372	7,360	247	33.6	33.3	30.5	Braddock.....	19,357	19,435	409	21.0	22.9	(4)
Wilmington (total).....	25,748	25,848	538	20.8	22.7	25.6	Bradford.....	14,544	14,534	191	13.1	13.3	(4)
White.....	13,627	13,692	213	15.6	17.4	19.9	Butler.....	20,728	20,936	319	15.2	14.6	(4)
Colored.....	12,121	12,156	325	26.7	28.7	31.6	Carbondale.....	17,040	17,113	327	19.1	17.3	17.2
Winston (total).....	17,167	17,318	352	20.3	(1)	(4)	Carlisle (total).....	10,303	10,317	166	16.1	15.7	16.3
White.....	9,336	9,429	166	17.6	(1)	(4)	White.....	9,181	9,195	135	14.7	14.5	15.3
Colored.....	7,831	7,889	186	23.6	(1)	(4)	Colored.....	1,122	1,122	31	27.6	25.0	23.7
OHIO.						Carnegie.....							
Registration cities (total).....	2,145,194	2,155,356	31,921	14.8	(1)	15.7	Chambersburg.....	11,800	11,815	193	16.3	16.5	(4)
White.....	2,078,009	2,087,838	30,432	14.6	(1)	(4)	Chester (total).....	38,537	38,633	649	16.8	16.1	(4)
Colored.....	67,185	67,518	1,489	22.1	(1)	(4)	White.....	33,725	33,813	542	16.0	14.4	(4)
Akron.....	69,067	69,623	928	13.3	(1)	(4)	Colored.....	4,812	4,820	107	22.2	27.5	(4)
Alliance.....	15,033	15,211	181	11.9	(1)	(4)	Coatesville.....	11,084	11,197	149	13.3	(1)	(4)
Ashtabula.....	18,266	18,367	259	14.1	15.2	14.9	Columbia.....	11,454	11,435	181	15.8	13.8	15.4
Bellaire.....	12,946	12,988	189	14.6	15.8	13.5	Connellsville.....	12,845	12,932	204	15.8	(1)	(4)
Cambridge.....	11,327	11,392	148	13.0	(1)	(4)	Dubois.....	12,623	12,691	145	11.4	11.5	14.4
Canton.....	50,217	50,524	616	12.2	10.3	10.3	Dummore.....	17,615	17,721	300	16.9	15.9	(4)
Chillicothe.....	14,503	14,540	259	17.8	16.2	15.6	Duquesne.....	15,727	15,868	196	12.4	15.8	(4)
Cincinnati (total).....	363,591	364,195	6,319	17.4	18.1	19.1	Easton.....	28,523	28,590	467	16.3	15.9	(4)
White.....	343,922	344,428	5,750	16.7	17.3	18.3	Erie.....	66,525	66,815	986	14.8	15.1	14.8
Colored.....	19,669	19,767	569	28.8	31.4	34.8	Greensburg.....	13,012	13,050	259	19.8	(1)	(4)
Cleveland.....	560,663	563,827	8,047	14.3	14.1	14.9	Harrisburg.....	64,186	64,438	941	14.6	14.4	15.6
Columbus (total).....	181,511	182,501	2,810	15.4	15.1	15.4	Hazleton.....	25,452	25,517	431	16.9	13.8	14.3
White.....	168,711	169,618	2,548	15.0	14.5	14.8	Homestead.....	18,713	18,835	308	16.4	16.3	(4)
Colored.....	12,800	12,883	262	20.3	23.1	24.0	Johnstown.....	55,482	55,875	927	16.6	15.2	15.4
Dayton.....	116,577	116,874	1,724	14.8	15.5	15.1	Lancaster.....	47,227	47,348	720	15.2	14.6	14.6
East Liverpool.....	20,387	20,458	333	16.3	(1)	(4)	Lebanon.....	19,240	19,274	326	16.9	15.8	(4)
Elyria.....	14,825	14,952	203	13.6	(1)	(4)	McKees Rocks.....	14,702	14,878	245	16.5	(1)	(4)
Findley.....	14,858	14,800	219	14.8	13.3	13.0	McKeesport.....	42,694	42,852	855	20.0	19.6	19.4
Hamilton.....	35,279	35,519	515	14.5	14.0	13.5	Mahanoy City.....	15,936	15,987	277	17.3	17.5	21.7
							Meadville.....	12,780	12,811	176	13.7	15.1	14.0

¹ Figures for deaths not available for the entire period.
² Included in rural.
³ Based on figures for area as constituted in each year.
⁴ Not admitted to registration area until a later date.

⁵ Not computed.
⁶ Nonregistration state; cities shown below only those with effective local ordinances.
⁷ Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.							
PENNSYLVANIA—continued.						TENNESSEE—continued.							
Monessen.....	11,775	11,977	153	12.8	(1) (2)	Memphis (total).....	131,105	131,438	2,818	21.4	20.6	19.4	
Mount Carmel.....	17,532	17,633	233	13.2	13.9 18.1	White.....	78,590	78,978	1,326	16.8	16.1	16.5	
Nanticoke.....	18,877	19,019	328	17.2	15.5 (2)	Colored.....	52,515	52,460	1,492	28.4	27.0	22.9	
New Castle.....	36,280	36,437	581	15.9	15.3 14.9	Nashville (total).....	110,364	110,541	2,063	18.7	19.3	21.5	
Norristown*.....	27,993	27,993	684	24.4	23.2 23.5	White.....	73,832	74,020	1,113	15.0	15.2	17.0	
North Braddock.....	11,824	11,935	160	13.4	(1) (2)	Colored.....	36,532	36,521	950	26.0	27.2	29.6	
Oil City.....	15,657	15,707	196	12.5	12.3 (2)	TEXAS.¹³							
Old Forge.....	11,324	11,444	199	17.4	(1) (2)	Registration cities (total).....	133,595	134,509	2,750	20.4	19.6	21.4	
Philadelphia (total).....	1,549,008	1,554,395	27,045	17.4	17.7 18.1	White.....	114,696	115,543	2,334	20.2	(8) (9)	21.5	
White.....	1,463,384	1,468,315	24,740	16.8	17.2 17.5	Colored.....	18,899	18,966	416	21.9	(8) (9)	20.7	
Colored.....	85,624	86,080	2,305	26.8	27.8 30.1	Galveston (total).....	36,981	(5)	600	16.2	(5) (2)	(2)	
Phoenixville.....	10,743	10,775	209	19.4	18.0 (2)	White.....	28,895	(5)	417	14.4	(5) (2)	(2)	
Pittsburgh (total).....	533,905	535,384	9,603	17.9	18.0 19.9	Colored.....	8,086	(5)	183	22.6	(5) (2)	(2)	
White.....	508,010	509,388	8,993	17.7	17.5 19.5	San Antonio (total).....	96,614	97,528	2,150	22.0	20.7	21.4	
Colored.....	25,895	25,996	610	23.5	24.9 31.0	White.....	85,801	86,648	1,917	22.1	20.8	21.5	
Pittston.....	16,267	16,345	279	17.1	18.9 (2)	Colored.....	10,813	10,880	233	21.4	19.9	20.7	
Plymouth.....	16,996	17,066	257	15.1	15.3 15.6	UTAH.							
Pottstown.....	15,599	15,639	234	15.0	14.8 14.7	Registration cities (total).....	118,357	119,265	1,553	13.0	(1) (2)	16.0	
Pottsville.....	20,236	20,331	380	18.7	18.3 16.9	White.....	116,415	117,308	1,502	12.8	(1) (2)	(8) (9)	
Reading.....	96,071	96,432	1,475	15.3	14.9 15.9	Colored.....	1,942	1,957	51	26.1	(1) (2)	(8) (9)	
Scranton.....	129,867	130,429	2,140	16.4	16.3 16.2	Ogden.....	25,580	25,775	293	11.4	(1) (2)	(2)	
Shamokin.....	19,588	19,617	269	13.7	13.7 (2)	Salt Lake City.....	92,777	93,490	1,260	13.5	(1) (2)	16.0	
Sharon.....	15,270	15,361	253	16.5	16.5 (2)	VERMONT.							
Shenandoah.....	25,774	25,889	439	17.0	19.3 (2)	Registration cities (total).....	44,748	44,877	774	17.2	17.5	17.5	
South Bethlehem.....	19,973	20,115	334	16.6	15.9 14.5	White.....	44,605	44,734	771	17.2	(8) (9)	(8) (9)	
South Sharon.....	10,190	(8)	164	16.1	(1) (2)	Colored.....	143	143	3	21.0	(8) (9)	(8) (9)	
Steelton.....	14,246	14,289	217	15.2	16.0 17.1	Barre.....	10,734	10,782	150	13.9	13.3	15.2	
Sunbury.....	13,770	13,853	188	13.6	12.6 (2)	Burlington.....	20,468	20,506	397	19.4	21.0	19.0	
Uniontown.....	13,344	13,470	246	18.3	(1) (2)	Rutland.....	13,546	13,589	227	16.7	16.3	17.8	
Warren.....	11,080	11,137	149	13.4	12.1 (2)	VIRGINIA.¹³							
Washington.....	18,778	18,847	299	15.9	(1) (2)	Registration cities (total).....	283,050	283,746	6,193	21.8	22.1	22.0	
West Chester (total).....	11,767	11,814	231	19.6	19.9 (2)	White.....	180,310	180,937	3,086	17.1	(1) (2)	17.1	
White.....	9,888	9,933	188	18.9	17.9 (2)	Colored.....	102,740	102,809	3,107	30.2	(1) (2)	29.6	
Colored.....	1,879	1,881	43	22.9	30.3 (2)	Alexandria (total).....	15,329	15,345	327	21.3	21.4	21.9	
Wilkes-Barre.....	67,105	67,430	1,117	16.6	15.8 (2)	White.....	11,132	11,156	189	16.9	17.4	18.4	
Wilkesburg.....	18,624	19,050	284	14.9	14.2 (2)	Colored.....	4,197	4,189	138	32.9	31.6	30.0	
Williamsport.....	31,860	31,925	490	15.3	16.3 13.8	Danville (total).....	19,020	19,051	388	20.4	(1) (2)	(2)	
York.....	44,750	44,981	743	16.5	14.7 (2)	White.....	12,811	12,856	221	17.2	(1) (2)	(2)	
RHODE ISLAND.						Colored.....	6,209	6,195	167	27.0	(1) (2)	(2)	
Registration cities (total).....	437,627	439,910	7,571	17.2	16.8 17.9	Lynchburg (total).....	29,494	29,581	478	16.0	17.5	20.3	
White.....	429,094	431,337	7,357	17.1	(8) (9)	White.....	20,023	20,127	242	12.0	13.2	15.3	
Colored.....	8,533	8,573	214	25.0	(8) (9)	Colored.....	9,471	9,454	231	24.0	25.9	28.1	
Central Falls.....	22,754	22,895	358	15.6	16.1 16.6	Norfolk (total).....	67,452	67,680	1,477	21.8	23.2	19.2	
Cranston.....	21,107	21,258	229	25.4	25.0 (11)	White.....	42,353	42,559	700	16.4	16.9	14.4	
State institutions.....	(12)	(12)	312	(12)	(12)	Colored.....	25,099	25,121	777	30.9	33.4	26.3	
Cumberland town.....	10,107	10,138	141	13.9	13.7 (11)	Petersburg (total).....	24,127	24,175	641	26.5	27.0	25.5	
East Providence town.....	15,808	15,896	233	14.7	14.6 (11)	White.....	13,112	13,155	264	20.1	19.7	19.9	
Newport.....	27,149	27,239	383	14.1	13.8 15.9	Colored.....	11,015	11,020	377	34.2	35.5	31.6	
Pawtucket.....	51,622	51,974	826	15.9	15.9 16.6	Richmond (total).....	127,628	127,914	2,887	22.6	22.5	23.4	
Providence.....	224,326	225,424	3,980	17.7	17.6 18.8	White.....	80,879	81,084	1,470	18.1	17.4	18.5	
Warwick town.....	26,629	26,708	483	18.1	16.7 (11)	Colored.....	46,749	46,830	1,417	30.3	29.9	31.7	
Woonsocket.....	38,125	38,378	626	16.3	14.4 16.1	WASHINGTON.							
SOUTH CAROLINA.¹³						Registration cities (total).....	521,557	527,423	5,803	11.0	(1) (2)	10.2	
Charleston (total).....	58,833	58,897	1,748	29.7	27.5 29.7	White.....	507,436	513,230	5,632	11.0	(1) (2)	(8) (9)	
White.....	27,764	27,838	526	18.9	17.2 19.3	Colored.....	14,121	14,193	171	12.0	(1) (2)	(8) (9)	
Colored.....	31,069	31,059	1,222	39.3	36.5 38.2	Aberdeen.....	13,860	13,869	121	8.7	(1) (2)	(2)	
TENNESSEE.¹³						Bellingham.....	24,298	24,577	231	9.4	(1) (2)	(2)	
Registration cities (total).....	277,815	278,403	5,516	19.8	19.8 20.3	Everett.....	24,814	25,172	279	11.1	(1) (2)	(2)	
White.....	181,128	181,777	2,871	15.8	(1) (2)	North Yakima.....	14,082	14,312	257	18.0	(1) (2)	(2)	
Colored.....	96,687	96,626	2,645	27.4	(1) (2)								
Knoxville (total).....	36,346	36,424	635	17.4	(1) (2)								
White.....	28,706	28,779	432	15.0	(1) (2)								
Colored.....	7,640	7,645	203	26.6	(1) (2)								

1 Figures for deaths not available for the entire period.
 2 Not admitted to registration area until a later date.
 3 Including Allegheny for the years 1901 to 1907.
 4 Excluding Allegheny for the years 1901 to 1907.
 5 Population not estimated.
 6 Based on population enumerated April 15, 1910.
 7 Based on figures for area as constituted in each year.
 8 Not computed.

9 Including state institutions.
 10 Including state institutions for the years 1907 to 1910.
 11 Included in rural.
 12 Not reported separately.
 13 Nonregistration state; cities shown below only those with effective local ordinances.
 14 Including Manchester for the years 1908 to 1910.
 15 Excluding Manchester for the years 1908 to 1910.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910. ⁷	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
REGISTRATION CITIES—Continued.						RURAL PART OF REGISTRATION STATES ⁷ —Continued.							
WASHINGTON—continued.						CALIFORNIA—continued.							
Seattle (total).....	237,194	239,694	2,408	10.0	9.8	9.3	Placer County†.....	18,237	18,288	249	13.6	8.6	(2)
Spokane.....	104,402	105,700	1,375	13.0	12.8	11.3	Plumas County.....	5,259	5,271	37	7.0	14.6	(2)
Tacoma.....	83,743	84,556	928	11.0	11.5	10.9	Riverside County.....	19,484	19,686	196	10.0	11.8	(2)
Walla Walla.....	19,364	19,543	204	10.4	(1)	(2)	Sacramento County.....	23,110	23,247	405	17.4	18.2	(2)
WEST VIRGINIA. ³						San Benito County.....							
Wheeling (total).....	41,641	41,699	731	17.5	17.5	16.6	San Bernardino County*.....	33,478	33,827	509	15.0	16.2	(2)
White.....	40,433	40,489	700	17.3	(1)	(1)	San Diego County†.....	22,087	(2)	189	8.6	10.5	(2)
Colored ⁵	1,208	1,210	31	25.6	(1)	(1)	San Joaquin County.....	27,478	27,680	442	16.0	16.4	(2)
WISCONSIN.						San Luis Obispo County.....							
Registration cities (total).....	752,948	756,416	10,319	13.6	(1)	6 12.7	San Mateo County.....	26,585	26,890	304	11.3	10.3	(2)
White.....	750,499	753,957	10,274	13.6	(1)	(1)	Santa Barbara County.....	16,079	16,157	145	9.0	12.9	(2)
Colored.....	2,449	2,459	45	18.3	(1)	(1)	Santa Clara County*.....	54,593	54,929	791	14.4	15.6	(2)
Appleton.....	16,773	16,764	263	15.7	(1)	11.5	Santa Cruz County.....	14,994	14,976	179	12.0	14.5	(2)
Ashland.....	11,594	11,469	228	19.9	(1)	(2)	Shasta County.....	18,920	18,953	256	13.5	15.6	(2)
Beloit.....	15,125	15,222	173	11.4	11.3	13.2	Sierra County.....	4,098	4,099	38	9.3	12.2	(2)
Beloit.....	15,125	15,222	173	11.4	11.3	13.2	Siskiyou County.....	18,801	18,889	195	10.4	10.5	(2)
Eau Claire.....	18,310	18,292	276	15.1	13.4	11.3	Solano County.....	16,219	16,220	179	11.0	12.6	(2)
Fond du Lac.....	18,797	18,861	254	13.5	(1)	(2)	Sonoma County.....	48,394	48,603	658	13.5	13.5	(2)
Green Bay.....	25,236	25,338	448	17.7	17.8	13.8	Stanislaus County.....	22,522	22,795	234	10.3	9.1	(2)
Janesville.....	13,894	13,899	194	14.0	(1)	(2)	Sutter County.....	6,328	6,337	64	10.1	9.8	(2)
Kenosha.....	21,371	21,583	268	12.4	(1)	(2)	Tehama County.....	11,401	11,409	174	15.3	14.5	(2)
La Crosse.....	30,417	30,474	435	14.3	(1)	(2)	Trinity County.....	3,301	3,279	53	17.7	12.7	(2)
Madison.....	25,531	25,584	309	12.1	11.1	10.6	Tulare County.....	35,440	35,800	327	9.1	8.3	(2)
Manitowoc.....	13,027	13,039	166	12.7	(1)	13.2	Tuolumne County†.....	9,979	9,954	133	13.4	10.2	(2)
Marinette.....	14,610	14,879	178	12.2	11.5	11.7	Ventura County.....	18,347	18,430	208	11.3	11.6	(2)
Milwaukee.....	373,857	376,201	5,205	13.8	13.7	13.2	Yolo County.....	13,926	13,932	184	13.2	13.0	(2)
Oshkosh.....	33,062	33,168	373	11.2	(1)	(2)	Yuba County.....	10,042	10,072	151	15.0	16.9	(2)
Racine.....	38,002	38,246	495	12.9	(1)	(2)	COLORADO.						
Sheboygan.....	26,898	26,800	351	13.2	(1)	(2)	Total.....	501,966	505,380	6,364	12.6	12.6	(2)
Superior.....	40,384	40,548	466	11.5	10.7	10.6	White.....	495,817	499,194	6,236	12.5	(1)	(2)
Wausau.....	16,560	16,649	237	14.2	(1)	(2)	Colored.....	6,149	6,186	128	20.7	(1)	(2)
RURAL PART OF REGISTRATION STATES. ⁷						Adams County.....							
CALIFORNIA.						Arapahoe County†.....							
Total.....	1,110,619	1,118,867	13,792	12.3	6 12.4	(2)	Archuleta County.....	3,302	3,328	35	10.5	10.2	(2)
White.....	1,048,233	1,056,098	13,107	12.4	(1)	(2)	Baca County†.....	2,516	2,554	30	11.7	4.9	(2)
Colored.....	62,386	62,769	685	10.9	(1)	(2)	Bent County.....	5,043	5,086	66	13.0	15.8	(2)
Alameda County.....	32,140	32,747	593	18.1	15.5	(2)	Boulder County.....	30,330	30,516	400	13.1	15.1	(2)
Alpine County.....	309	306	2	6.5	7.5	(2)	Chaffee County.....	7,622	7,634	124	16.2	18.5	(2)
Amador County.....	9,086	9,045	118	13.0	10.1	(2)	Cheyenne County†.....	3,687	3,755	7	1.9	3.2	(2)
Butte County.....	27,301	27,516	386	14.0	17.5	(2)	Clear Creek County.....	5,001	4,958	79	15.9	16.1	(2)
Calaveras County.....	9,171	9,130	116	12.7	13.4	(2)	Conejos County†.....	11,285	11,338	105	9.3	6.0	(2)
Colusa County†.....	7,732	7,740	100	12.9	10.1	(2)	Costilla County†.....	5,498	5,517	5	0.9	0.8	(2)
Contra Costa County.....	31,674	31,962	355	11.1	11.3	(2)	Custer County.....	1,947	1,927	22	11.4	13.2	(2)
Del Norte County†.....	2,417	2,418	11	4.5	10.8	(2)	Delta County.....	13,688	13,862	127	9.2	8.9	(2)
Eldorado County.....	7,492	7,462	107	14.3	16.7	(2)	Dolores County†.....	642	632	4	6.3	6.8	(2)
Fresno County.....	50,765	51,371	549	10.7	10.6	(2)	Douglas County.....	3,192	3,194	24	7.5	8.5	(2)
Glenn County†.....	7,172	7,214	55	7.6	6.6	(2)	Eagle County.....	2,985	2,985	28	9.4	13.6	(2)
Humboldt County†.....	22,012	22,060	151	6.8	8.5	(2)	El Paso County.....	14,243	14,360	229	15.9	17.1	(2)
Imperial County†.....	13,591	(2)	68	4.9	(1)	(2)	Elbert County†.....	5,331	5,378	33	6.1	4.5	(2)
Inyo County†.....	6,974	7,029	29	4.1	3.8	(2)	Fremont County.....	18,181	18,234	247	13.5	14.4	(2)
Kern County.....	24,988	25,339	225	8.9	10.8	(2)	Garfield County.....	10,144	10,234	161	15.7	14.7	(2)
Kings County.....	16,230	16,364	192	11.7	10.3	(2)	Gilpin County.....	4,131	4,078	67	16.4	13.4	(2)
Lake County.....	5,526	5,516	32	14.9	13.5	(2)	Grand County.....	1,862	1,885	20	10.6	9.9	(2)
Lassen County†.....	4,802	4,808	22	4.6	6.2	(2)	Gunnison County.....	5,897	5,908	84	14.2	11.4	(2)
Los Angeles County.....	126,626	128,644	1,740	13.5	12.7	(2)	Hinsdale County.....	646	626	13	20.8	13.4	(2)
Madera County†.....	8,368	8,410	87	10.3	8.8	(2)	Huerfano County.....	13,320	13,423	237	17.7	17.0	(2)
Marin County.....	25,114	25,312	256	10.1	10.7	(2)	Jackson County.....	1,013	(2)	11	10.9	(1)	(2)
Mariposa County.....	3,956	3,940	32	8.1	11.0	(2)	Jefferson County.....	14,231	14,334	263	18.3	17.4	(2)
Mendocino County*.....	23,929	24,002	334	13.9	12.6	(2)	Kiowa County†.....	2,899	2,945	33	11.2	5.6	(2)
Meredot County.....	15,148	15,273	133	8.7	9.1	(2)	Kit Carson County†.....	7,483	7,607	43	5.7	5.1	(2)
Modoc County†.....	6,191	6,214	37	6.0	6.5	(2)	La Plata County.....	10,812	10,892	123	11.3	12.2	(2)
Mono County†.....	2,042	2,040	2	1.0	2.2	(2)	Lake County.....	10,600	10,443	209	20.0	20.1	(2)
Monterey County.....	24,146	24,246	288	11.9	11.6	(2)	Larimer County.....	25,270	(2)	291	11.5	13.1	(2)
Napa County*.....	19,800	19,870	462	23.3	24.8	(2)	Las Animas County.....	23,439	23,586	593	25.1	18.7	(2)
Nevada County.....	14,955	14,896	221	14.8	15.9	(2)	Lincoln County†.....	5,917	6,022	39	6.5	5.0	(2)
Orange County.....	34,436	34,746	395	11.4	10.8	(2)	Logan County†.....	9,549	9,681	69	7.1	7.4	(2)
							Mesa County.....	22,197	22,469	245	10.9	10.8	(2)
							Mineral County†.....	1,239	1,225	12	9.8	11.0	(2)
							Montezuma County†.....	5,029	5,070	43	8.5	6.2	(2)
							Montrose County.....	10,291	10,412	112	10.8	10.6	(2)
							Morgan County.....	9,577	9,710	88	9.1	9.3	(2)

¹ Figures for deaths not available for the entire period.
² Not admitted to registration area until a later date.
³ Nonregistration state; cities shown below only those with effective local ordinances.
⁴ Not computed.
⁵ Colored population less than 10 per cent of total.

⁶ Based on figures for area as constituted in each year.
⁷ Exclusive of municipalities having a population of 10,000 or over in 1910.
⁸ Population not estimated.
⁹ Based on population enumerated April 15, 1910.
¹⁰ Including Imperial County.
¹¹ Including Jackson County.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	An- nual aver- age, 1906 to 1910.	An- nual aver- age, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	An- nual aver- age, 1906 to 1910.	An- nual aver- age, 1901 to 1905.
RURAL PART OF REGISTRATION STATES ¹ —Continued.						RURAL PART OF REGISTRATION STATES ¹ —Continued.							
COLORADO—continued.						INDIANA—continued.							
Otero County.....	20,201	20,384	276	13.5	16.9	(²)	Jackson County.....	24,727	24,687	351	14.2	14.1	14.5
Ouray County.....	3,514	3,489	51	14.6	15.8	(²)	Jasper County.....	13,044	13,018	119	9.1	10.6	9.0
Park County†.....	2,492	2,482	19	7.7	8.0	(²)	Jay County.....	24,961	24,922	324	13.0	12.4	12.5
Phillips County.....	3,179	3,212	29	9.0	8.3	(²)	Jefferson County*.....	20,483	20,432	356	17.4	16.4	15.9
Pitkin County.....	4,566	4,515	56	12.4	12.0	(²)	Jennings County.....	14,203	14,171	182	12.8	13.4	13.9
Prowers County.....	9,520	9,641	127	13.2	13.7	(²)	Johnson County.....	20,394	20,397	286	14.0	13.1	13.3
Pueblo County*.....	7,828	7,871	298	37.9	29.4	(²)	Knox County.....	24,288	24,334	299	12.3	11.5	11.5
Rio Blanco County†.....	2,332	2,345	12	5.1	6.6	(²)	Kosciusko County.....	27,936	27,912	347	12.4	11.6	11.6
Rio Grande County.....	6,563	6,615	93	14.1	13.6	(²)	Lagrange County.....	15,143	15,146	199	13.1	12.4	12.7
Routt County†.....	7,561	7,643	55	7.2	6.1	(²)	Lake County.....	26,039	26,489	350	13.2	12.5	9.8
Saguache County†.....	4,160	4,166	37	8.9	9.1	(²)	Laporte County.....	16,245	16,249	176	10.8	12.9	13.1
San Juan County.....	3,063	3,078	56	18.2	23.1	(²)	Lawrence County.....	30,625	30,723	411	13.4	13.8	13.6
San Miguel County.....	4,700	4,686	68	14.5	17.1	(²)	Madison County.....	31,720	31,602	366	11.6	11.3	11.8
Sedgwick County†.....	3,061	3,105	24	7.7	7.2	(²)	Marion County*.....	30,011	30,303	408	13.5	13.9	15.6
Summit County.....	2,003	1,988	28	14.1	11.8	(²)	Marshall County.....	24,175	24,156	307	12.7	11.5	11.6
Teller County.....	14,351	14,042	181	12.9	12.9	(²)	Martin County.....	12,950	12,913	144	11.2	12.4	13.4
Washington County†.....	6,002	6,085	41	6.7	4.8	(²)	Miami County.....	18,440	18,455	223	12.1	12.8	12.5
Weld County.....	39,177	39,648	342	8.6	9.9	(²)	Monroe County.....	23,426	23,479	335	14.3	13.2	12.8
Yuma County†.....	8,499	8,611	46	5.3	4.6	(²)	Montgomery County.....	29,296	29,295	383	13.1	12.6	13.5
CONNECTICUT.						Morgan County.....							
Total.....	362,532	363,269	5,466	15.0	14.9	15.1	Newton County.....	10,504	10,505	109	10.4	9.3	11.0
White.....	358,280	359,072	5,394	15.0	(⁴)	(⁴)	Noble County.....	24,009	24,019	266	11.1	11.7	11.5
Colored.....	4,252	4,197	72	17.2	(⁴)	(⁴)	Ohio County.....	4,329	4,321	44	10.2	14.0	13.7
Fairfield County.....	50,256	50,413	775	15.4	15.4	15.6	Orange County.....	17,192	17,199	188	11.5	12.7	12.7
Hartford County.....	80,208	80,482	1,094	13.6	13.5	14.3	Owen County.....	14,053	14,030	162	11.5	11.0	12.3
Litchfield County.....	53,420	53,466	794	14.9	15.4	15.1	Parke County.....	22,214	22,198	255	11.5	12.5	12.7
Middlesex County.....	24,888	24,901	375	15.1	14.6	15.0	Perry County.....	18,078	18,064	217	12.0	11.3	13.5
New Haven County.....	48,169	48,298	748	15.5	14.2	14.4	Pike County.....	19,684	19,668	278	14.1	14.0	16.0
New London County*.....	43,375	43,472	732	16.8	16.5	15.8	Porter County.....	20,540	20,568	264	12.8	11.8	13.1
Tolland County.....	26,469	26,500	331	12.5	14.1	15.4	Posey County.....	21,670	21,657	284	13.1	12.9	14.8
Windham County.....	35,757	35,737	617	17.3	16.0	15.9	Pulaski County.....	13,312	13,297	145	10.9	10.4	9.7
INDIANA.						Putnam County.....							
Total.....	1,881,809	1,882,129	23,980	12.7	12.4	12.6	Randolph County.....	20,520	20,500	250	12.2	12.8	13.0
White.....	1,862,050	1,862,408	23,539	12.6	(⁴)	(⁴)	Randolph County.....	29,013	29,020	371	12.7	11.7	12.6
Colored.....	19,759	19,721	441	22.4	(⁴)	(⁴)	Ripley County.....	19,452	19,443	246	12.7	12.0	12.0
Adams County.....	21,840	21,832	209	9.6	10.1	11.0	Rush County.....	19,349	19,333	234	12.1	11.7	12.4
Allen County.....	29,453	29,433	277	9.4	9.4	9.3	St. Joseph County.....	18,742	18,789	244	13.0	11.8	13.4
Bartholomew County.....	24,813	24,816	329	13.3	13.1	13.5	Scott County.....	8,323	8,323	117	14.1	13.0	14.1
Benton County.....	12,688	12,679	105	8.3	8.9	9.5	Shelby County.....	26,802	26,808	341	12.7	13.1	13.3
Blackford County.....	15,820	15,791	196	12.4	11.1	13.1	Spencer County.....	20,676	20,640	266	12.9	11.4	12.4
Boone County.....	24,673	24,639	310	12.6	12.3	12.2	Starke County.....	10,567	10,569	128	12.1	11.9	12.6
Brown County.....	7,975	7,939	108	13.6	12.2	12.7	Stauben County.....	14,274	14,255	160	11.2	12.8	11.9
Carroll County.....	17,970	17,929	243	13.6	12.6	10.9	Sullivan County.....	32,439	32,574	386	11.8	12.1	13.6
Cass County*.....	17,318	17,295	276	16.0	14.2	11.9	Switzerland County.....	9,914	9,874	138	14.0	15.2	13.1
Clark County.....	19,848	19,821	288	14.5	13.5	12.9	Tippecanoe County.....	19,982	19,970	253	12.7	12.4	11.2
Clay County.....	32,535	32,499	404	12.4	12.3	11.7	Tipton County.....	17,459	17,424	207	11.9	12.3	12.2
Clinton County.....	26,674	26,642	303	11.4	12.9	13.8	Union County.....	6,260	6,250	85	13.6	12.0	13.2
Crawford County.....	12,057	12,028	151	12.6	12.7	13.4	Vanderburg County*.....	7,791	7,697	233	30.3	27.1	18.0
Daviess County.....	27,747	27,701	335	12.1	11.8	13.8	Vermilion County.....	18,865	18,941	255	13.5	13.5	14.4
Dearborn County.....	21,396	21,380	274	12.8	13.3	14.1	Vigo County.....	29,773	30,119	378	12.6	11.1	9.6
Decatur County.....	18,793	18,778	243	12.9	14.0	14.9	Wabash County.....	26,926	26,899	335	12.5	11.6	11.7
Dekalb County.....	25,054	25,041	328	13.1	11.9	11.3	Warren County.....	10,899	10,889	136	12.5	11.2	10.0
Delaware County.....	27,409	27,400	274	10.0	10.1	11.2	Warrick County.....	21,911	21,903	274	12.5	12.3	12.6
Dubois County.....	19,843	19,833	191	9.6	10.9	12.5	Washington County.....	17,445	17,404	223	12.8	12.7	13.1
Elkhart County.....	29,726	29,722	407	13.7	13.0	11.9	Wayne County*.....	21,433	21,456	362	16.9	15.5	14.7
Fayette County.....	14,415	14,434	190	13.2	12.5	13.7	Wells County.....	22,418	22,397	295	13.2	11.4	11.5
Floyd County.....	9,664	9,666	140	14.5	11.8	10.9	White County.....	17,602	17,570	167	9.5	9.8	10.8
Fountain County.....	20,439	20,418	273	13.4	12.6	12.3	Whitley County.....	16,892	16,883	189	11.2	10.9	11.4
Franklin County.....	15,335	15,313	192	12.5	12.7	14.3	MAINE.						
Fulton County.....	16,879	16,867	230	13.6	11.7	12.4	Total.....	575,938	576,521	9,346	16.2	15.4	15.4
Gibson County.....	30,137	30,137	403	13.4	12.8	13.2	White.....	574,267	574,850	9,334	16.2	(⁴)	(⁴)
Grant County.....	32,067	31,981	526	16.4	15.5	15.7	Colored.....	1,671	1,671	12	7.2	(⁴)	(⁴)
Greene County.....	36,873	37,049	467	12.6	12.8	13.8	Androscoggin County.....	18,511	18,533	341	18.4	15.7	14.9
Hamilton County.....	27,026	26,966	360	13.4	12.0	12.5	Aroostook County.....	74,664	74,957	1,068	14.2	13.4	12.3
Hancock County.....	19,030	19,027	251	13.2	14.0	13.8	Cumberland County.....	53,443	53,504	875	16.4	15.4	15.9
Harrison County.....	20,232	20,201	228	11.3	11.9	12.4	Franklin County.....	19,119	19,133	264	13.8	15.7	15.2
Hendricks County.....	20,840	20,831	265	12.7	13.1	12.4	Hancock County.....	35,575	35,540	572	16.1	15.0	14.1
Henry County.....	29,758	29,856	427	14.3	12.5	13.6	Kennebec County.....	38,194	38,201	655	17.1	16.7	17.1
Howard County.....	16,167	16,144	174	10.8	10.5	10.9	Knox County.....	28,981	28,952	488	16.9	16.4	16.2
Huntington County.....	18,710	18,700	230	12.3	12.0	10.4	Lincoln County.....	18,216	18,186	311	17.1	16.0	15.4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.² Not admitted to registration area until later date.³ Based on figures for area as constituted in each year.⁴ Not computed.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES—Continued.						RURAL PART OF REGISTRATION STATES—Continued.							
MAINE—continued.						MARYLAND—continued.							
Oxford County.....	36,256	36,340	606	16.7	16.3	16.4	Talbot County (total).....	19,620	19,605	288	14.7	15.9	(*)
Penobscot County.....	60,482	60,611	917	15.1	15.6	16.1	White.....	12,841	12,841	143	11.1	12.1	(*)
Piscataquis County.....	19,887	19,948	284	14.2	12.9	13.6	Colored.....	6,779	6,764	145	21.4	22.8	(*)
Sagadahoc County.....	18,574	18,537	329	17.7	16.4	16.1	Washington County (total).....	33,110	33,143	424	12.8	12.0	(*)
Somerset County.....	36,301	36,352	604	16.6	14.5	15.8	White.....	32,122	32,160	398	12.4	11.7	(*)
Waldo County.....	23,383	23,367	424	18.1	16.6	16.2	Colored ⁴	988	983	26	26.4	21.4	(*)
Washington County.....	42,905	42,856	660	15.4	14.8	14.2	Wicomico County (total).....	26,815	26,898	291	10.8	11.7	(*)
York County.....	51,447	51,504	948	18.4	17.3	17.9	White.....	20,504	20,577	214	10.4	11.0	(*)
Colored.....							Colored.....	6,311	6,321	77	12.2	13.8	(*)
MARYLAND.						MARYLAND.							
Total.....	688,104	689,140	9,115	13.2	12.8	(*)	Worcester County (total).....	21,841	21,861	252	11.5	11.9	(*)
White.....	544,167	545,373	6,489	11.9	11.6	(*)	White.....	14,814	14,831	148	10.0	10.2	(*)
Colored.....	143,937	143,767	2,626	18.3	17.3	(*)	Colored.....	7,027	7,030	104	14.8	15.6	(*)
MASSACHUSETTS.						MASSACHUSETTS.							
Allegany County (total).....	40,572	40,656	337	8.3	8.4	(*)	Total.....	760,036	761,978	12,305	16.1	15.9	(*)
White.....	40,121	40,208	327	8.1	8.3	(*)	White.....	753,079	755,021	12,181	16.1	(*)	(*)
Colored ⁴	451	448	10	22.3	16.1	(*)	Colored.....	6,957	6,957	124	17.8	(*)	(*)
Anne Arundel County (total).....	39,553	39,552	724	18.3	15.0	(*)	Barnstable County.....	27,542	27,571	497	18.0	17.6	18.6
White.....	25,396	25,420	370	14.6	11.8	(*)	Berkshire County.....	38,093	38,068	581	15.3	14.8	14.6
Colored.....	14,157	14,132	354	25.0	20.6	(*)	Bristol County.....	52,152	52,432	821	15.7	15.5	15.1
Baltimore County* (total).....	122,349	123,017	1,823	14.8	14.7	(*)	Dukes County.....	4,504	4,503	87	19.3	18.6	19.0
White.....	109,733	110,381	1,598	14.5	14.3	(*)	Essex County*.....	88,271	88,578	1,515	17.1	16.4	16.5
Colored.....	12,616	12,636	225	17.8	18.3	(*)	Franklin County.....	33,173	33,130	529	16.0	14.5	15.4
Calvert County (total).....	10,325	10,328	161	15.6	14.6	(*)	Hampden County.....	43,268	43,464	696	16.0	15.7	15.8
White.....	5,279	5,283	75	14.2	11.9	(*)	Hampshire County.....	43,896	43,967	626	14.2	14.7	14.4
Colored.....	5,046	5,045	86	17.0	17.5	(*)	Middlesex County*.....	118,852	119,176	2,275	19.1	18.9	18.7
Caroline County (total).....	19,279	19,279	266	13.8	13.2	(*)	Nantucket County.....	2,962	2,963	60	20.2	23.1	21.2
White.....	14,427	14,479	176	12.2	11.1	(*)	Norfolk County.....	98,670	99,037	1,332	13.4	13.9	14.5
Colored.....	4,789	4,800	90	18.8	19.5	(*)	Plymouth County*.....	75,318	75,582	1,189	15.7	15.9	15.5
Carroll County* (total).....	33,934	33,935	465	13.7	14.3	(*)	Worcester County*.....	133,335	133,517	2,097	15.7	15.9	16.1
White.....	31,921	31,924	429	13.4	14.0	(*)	MICHIGAN.						
Colored ⁴	2,013	2,011	36	17.9	19.6	(*)	Total.....	1,766,427	1,768,691	23,519	13.3	13.1	12.7
Cecil County (total).....	23,759	23,740	357	15.0	13.6	(*)	White.....	1,752,356	1,754,548	23,154	13.2	(*)	(*)
White.....	20,426	20,418	276	13.5	12.5	(*)	Colored.....	14,071	14,143	365	25.8	(*)	(*)
Colored.....	3,333	3,322	81	24.4	20.0	(*)	Alcona County.....	5,703	5,703	55	9.6	11.5	10.0
Charles County (total).....	16,356	16,360	247	15.1	15.2	(*)	Alger County.....	7,675	7,715	107	13.9	12.0	11.2
White.....	7,813	7,809	104	13.3	12.2	(*)	Allegan County.....	39,819	39,849	555	13.9	13.7	12.9
Colored.....	8,573	8,551	143	16.7	17.8	(*)	Alpena County.....	7,259	7,257	80	11.0	10.1	11.4
Dorchester County (total).....	28,669	28,683	413	14.4	15.3	(*)	Antrim County.....	15,692	15,693	187	11.9	13.6	13.0
White.....	19,247	19,263	213	11.1	12.8	(*)	Arenac County.....	9,640	9,621	97	10.1	11.1	10.1
Colored.....	9,422	9,420	200	21.2	20.4	(*)	Baraga County.....	6,127	6,163	62	10.1	12.7	11.3
Frederick County (total).....	42,262	42,255	496	11.7	11.6	(*)	Barry County.....	22,633	22,654	299	13.2	12.8	12.4
White.....	38,331	38,335	416	10.9	10.9	(*)	Bay County.....	23,072	23,083	238	10.3	10.7	10.7
Colored.....	3,931	3,920	80	20.4	18.7	(*)	Benzie County.....	10,638	10,633	128	12.0	12.8	12.6
Garrett County† (total).....	20,105	20,155	170	8.4	6.4	(*)	Berrien County.....	53,622	53,772	701	13.0	13.4	12.4
White.....	19,998	20,049	170	8.5	6.4	(*)	Branch County.....	25,605	25,577	383	15.0	14.7	13.9
Colored ⁴	107	106			10.9	(*)	Calhoun County.....	31,371	31,398	441	14.0	13.6	13.6
Harford County (total).....	27,955	27,959	351	12.6	13.3	(*)	Cass County.....	20,624	20,645	304	14.7	14.3	13.8
White.....	22,849	22,858	267	11.7	12.3	(*)	Charlevoix County.....	19,157	19,259	221	11.5	12.5	12.7
Colored.....	5,116	5,101	84	16.5	17.6	(*)	Cheboygan County.....	17,872	17,893	234	13.1	13.4	11.8
Howard County (total).....	16,106	16,094	224	13.9	14.3	(*)	Chippewa County.....	11,857	11,900	108	9.1	9.5	10.5
White.....	12,332	12,333	152	12.3	12.8	(*)	Clare County.....	9,240	9,241	107	11.6	12.1	10.5
Colored.....	3,774	3,761	72	19.1	19.4	(*)	Clinton County.....	23,129	23,056	307	13.3	12.8	12.3
Kent County (total).....	16,957	16,919	295	17.4	16.2	(*)	Crawford County.....	3,934	3,936	54	13.7	12.3	11.8
White.....	10,795	10,784	164	15.2	13.0	(*)	Delta County.....	16,914	16,950	195	11.5	11.1	9.9
Colored.....	6,162	6,135	131	21.4	21.7	(*)	Dickinson County.....	20,524	20,581	230	11.2	12.0	13.0
Montgomery County (total).....	32,089	32,123	344	10.7	10.9	(*)	Eaton County.....	30,499	30,492	440	14.4	14.3	13.9
White.....	22,847	22,898	220	9.6	9.3	(*)	Emmet County.....	18,561	18,584	231	12.4	13.0	13.8
Colored.....	9,242	9,225	124	13.4	14.8	(*)	Genesee County.....	26,005	25,940	403	15.5	14.9	13.7
Prince Georges County (total).....	36,147	36,278	506	13.9	14.2	(*)	Gladwin County†.....	8,413	8,407	85	10.1	9.8	7.6
White.....	24,644	24,786	281	11.3	11.6	(*)	Gogebic County.....	10,512	10,628	187	17.6	16.0	17.6
Colored.....	11,503	11,492	225	19.6	19.4	(*)	Grand Traverse County.....	11,669	11,659	155	13.3	13.3	11.8
Queen Annes County (total).....	16,839	16,807	284	16.9	15.4	(*)	Gratiot County.....	28,820	28,760	354	12.3	12.4	11.9
White.....	11,023	11,003	152	13.8	12.7	(*)	Hillsdale County.....	29,673	29,668	442	14.9	13.9	13.3
Colored.....	5,816	5,804	132	22.7	20.5	(*)	Houghton County.....	88,098	88,717	1,127	12.7	12.4	13.3
St. Marys County† (total).....	17,030	17,027	63	3.7	4.8	(*)	Huron County.....	34,758	34,752	375	10.8	10.8	10.4
White.....	9,726	9,743	35	3.6	5.0	(*)	Ingham County.....	22,081	22,037	296	13.4	13.0	14.1
Colored.....	7,304	7,284	28	3.8	4.6	(*)	Ionia County*.....	33,550	33,512	436	13.0	13.6	13.1
Somerset County (total).....	26,455	26,466	334	12.6	10.3	(*)	Iscoco County.....	9,753	9,726	119	12.2	12.0	11.1
White.....	16,978	16,990	161	9.5	9.2	(*)	* Colored population less than 10 per cent of total.						
Colored.....	9,477	9,476	173	18.3	12.2	(*)	† Not computed.						

1 Exclusive of municipalities having a population of 10,000 or over in 1910.
 2 Based on figures for area as constituted in each year.
 3 Not admitted to registration area until a later date.

4 Colored population less than 10 per cent of total.
 5 Not computed.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	An- nual average, 1906 to 1910.	An- nual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	An- nual average, 1906 to 1910.	An- nual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES ¹ —Continued.						RURAL PART OF REGISTRATION STATES ¹ —Continued.							
MICHIGAN—continued.						MINNESOTA—continued.							
Iron County.....	15,164	15,385	193	12.5	12.0	10.9	Cook County †.....	1,336	1,331	9	6.8	(3)	(3)
Isabella County.....	23,029	22,991	263	11.4	11.8	10.7	Cottonwood County.....	12,651	12,653	114	9.0	(3)	(3)
Jackson County.....	21,993	21,998	334	15.2	14.3	13.2	Crow Wing County.....	16,861	16,865	241	14.3	(3)	(3)
Kalamazoo County.....	20,990	21,025	301	14.3	13.2	13.3	Dakota County *.....	25,171	25,243	255	10.1	(3)	(3)
Kalkaska County.....	8,097	8,114	128	15.8	14.8	13.0	Dodge County.....	12,094	12,066	113	9.4	(3)	(3)
Kent County.....	46,574	46,709	730	15.6	15.9	14.8	Douglas County.....	17,669	17,622	177	10.0	(3)	(3)
Keweenaw County.....	7,156	7,248	97	13.4	13.5	10.7	Faribault County.....	19,949	19,928	199	10.0	(3)	(3)
Lake County.....	4,939	4,937	47	9.5	11.3	11.0	Fillmore County.....	25,680	25,615	266	10.4	(3)	(3)
Lapeer County.....	26,033	25,997	442	17.0	14.5	14.3	Freeborn County.....	22,282	22,276	223	10.0	(3)	(3)
Leelanau County.....	10,608	10,601	170	16.0	14.8	12.2	Goodhue County.....	31,637	31,637	350	11.1	(3)	(3)
Lenawee County.....	37,144	37,099	538	14.5	13.8	13.9	Grant County.....	9,114	9,091	95	10.4	(3)	(3)
Livingston County.....	17,736	17,704	237	13.4	14.0	13.2	Hennepin County.....	32,072	32,125	254	7.9	(3)	(3)
Luce County*.....	4,004	4,008	109	27.2	25.0	20.0	Houston County.....	14,297	14,264	138	9.7	(3)	(3)
MacKinnon County.....	9,249	9,284	130	14.0	12.4	10.6	Hubbard County.....	9,831	9,866	93	9.4	(3)	(3)
Macomb County.....	32,606	32,589	497	15.3	14.7	13.8	Isanti County.....	12,615	12,602	157	12.5	(3)	(3)
Manistee County.....	14,307	14,301	161	11.3	11.8	12.0	Itasca County.....	17,208	(1)	187	10.9	(3)	(3)
Marquette County.....	22,788	22,968	278	12.1	11.5	11.8	Jackson County.....	14,491	14,477	162	11.2	(3)	(3)
Mason County.....	21,910	21,910	253	11.5	12.0	11.6	Kanabec County.....	6,461	6,472	65	10.0	(3)	(3)
Mecosta County.....	19,466	19,440	252	13.0	13.9	12.8	Kandiyohi County.....	18,969	18,942	174	9.2	(3)	(3)
Menominee County.....	15,141	15,133	152	10.0	9.5	9.5	Kittson County.....	9,669	9,661	70	7.2	(3)	(3)
Midland County.....	14,005	13,983	197	14.1	12.4	11.2	Koochiching County.....	6,431	(1)	61	9.5	(3)	(3)
Missaukee County.....	10,606	10,618	114	10.7	11.4	10.9	Lac qui Parle County.....	15,435	15,445	124	8.0	(3)	(3)
Monroe County.....	32,917	32,917	422	12.8	12.8	12.4	Lake County.....	8,011	8,085	114	14.1	(3)	(3)
Montcalm County.....	32,069	32,027	446	13.9	13.6	12.4	Le Sueur County.....	18,609	18,538	195	10.5	(3)	(3)
Montmorency County.....	3,755	3,763	49	13.0	13.4	11.6	Lincoln County.....	9,874	9,870	70	7.1	(3)	(3)
Muskegon County.....	16,515	16,516	214	13.0	11.6	11.9	Lyon County.....	15,722	15,703	149	9.5	(3)	(3)
Newaygo County.....	19,220	19,248	210	10.9	12.3	12.0	McLeod County.....	18,691	18,665	176	9.4	(3)	(3)
Oakland County.....	35,044	35,068	535	15.3	14.6	13.2	Mahnomen County †.....	3,249	(1)	13	4.0	(3)	(3)
Oceana County.....	18,379	18,402	206	11.2	12.6	12.3	Marshall County.....	16,338	16,279	187	11.5	(3)	(3)
Ogemaw County.....	8,907	8,900	70	7.9	12.2	10.9	Martin County.....	17,518	17,516	135	7.7	(3)	(3)
Ontonagon County.....	8,650	8,702	91	10.5	12.2	13.4	Meeker County.....	17,022	16,983	170	10.0	(3)	(3)
Osceola County.....	17,889	17,863	203	11.4	11.1	11.8	Mille Lacs County.....	10,705	10,740	89	8.3	(3)	(3)
Oscoda County †.....	2,027	2,031	23	11.3	11.1	5.9	Morrison County.....	24,053	24,031	224	9.3	(3)	(3)
Otsego County.....	6,552	6,528	79	12.1	12.8	12.7	Mower County.....	22,640	22,652	201	8.9	(3)	(3)
Ottawa County.....	34,811	34,867	398	11.4	11.8	11.7	Murray County.....	11,755	11,756	89	7.6	(3)	(3)
Presque Isle County.....	11,249	11,262	149	13.2	13.1	10.1	Nicollet County *.....	14,125	14,090	189	13.4	(3)	(3)
Roscommon County †.....	2,274	2,293	21	9.2	10.1	13.6	Nobles County.....	15,210	15,216	114	7.5	(3)	(3)
Saginaw County.....	38,780	38,770	490	12.6	11.3	11.5	Norman County.....	13,446	(1)	110	8.2	(3)	(3)
St. Clair County.....	33,478	33,403	432	12.9	13.6	13.1	Olmsted County *.....	22,497	22,500	505	22.4	(3)	(3)
St. Joseph County.....	25,499	25,579	374	14.6	13.9	13.8	Otter Tail County *.....	46,036	45,943	641	14.0	(3)	(3)
Sanilac County.....	33,930	33,897	374	11.0	10.9	11.3	Pine County.....	15,878	15,921	130	8.2	(3)	(3)
Schoolcraft County.....	8,681	8,682	107	12.3	12.2	11.8	Pipestone County.....	9,553	9,549	77	8.1	(3)	(3)
Shiawassee County.....	33,246	33,230	471	14.2	13.4	13.0	Polk County.....	36,001	35,950	369	10.3	(3)	(3)
Tuscola County.....	34,913	34,876	443	12.7	11.9	12.2	Pope County.....	12,746	12,720	129	10.1	(3)	(3)
Van Buren County.....	33,185	33,122	464	14.0	13.5	13.6	Ramsey County.....	8,931	8,915	83	9.3	(3)	(3)
Washtenaw County.....	29,897	29,817	447	15.0	12.9	13.6	Red Lake County †.....	15,940	15,940	154	9.7	(3)	(3)
Wayne County.....	65,825	66,606	1,168	17.5	17.8	16.3	Redwood County.....	18,425	18,399	133	7.2	(3)	(3)
Wexford County.....	20,769	20,824	267	12.8	13.5	12.7	Renville County.....	23,123	23,085	184	8.0	(3)	(3)
MINNESOTA.						Rice County.....							
Total.....	1,420,871	1,421,901	14,456	10.2	(3)	(3)	Rock County.....	10,222	10,243	79	7.7	(3)	(3)
White.....	1,410,981	1,412,032	14,400	10.2	(3)	(3)	Roseau County.....	11,338	11,344	100	8.8	(3)	(3)
Colored.....	9,890	9,869	56	5.7	(3)	(3)	St. Louis County.....	74,335	75,496	899	11.9	(3)	(3)
Aitkin County.....	10,371	10,405	89	8.6	(3)	(3)	Scott County.....	14,888	14,880	154	10.3	(3)	(3)
Anoka County *.....	12,493	12,508	155	12.4	(3)	(3)	Sherburne County.....	7,327	7,331	75	10.2	(3)	(3)
Becker County.....	18,840	18,841	176	9.3	(3)	(3)	Sibley County.....	15,540	15,506	145	9.4	(3)	(3)
Beltrami County.....	19,337	19,550	265	13.6	(3)	(3)	Stearns County.....	39,122	39,107	352	9.0	(3)	(3)
Benton County.....	10,435	10,444	114	10.9	(3)	(3)	Steele County.....	16,146	16,127	158	9.8	(3)	(3)
Big Stone County.....	9,367	9,362	87	9.3	(3)	(3)	Stevens County.....	8,293	8,254	83	10.1	(3)	(3)
Blue Earth County.....	18,972	18,917	172	9.1	(3)	(3)	Swift County.....	12,949	12,923	125	9.7	(3)	(3)
Brown County.....	20,134	20,118	218	10.8	(3)	(3)	Todd County.....	23,407	23,355	208	8.7	(3)	(3)
Carlton County.....	17,559	17,617	182	10.3	(3)	(3)	Traverse County †.....	8,049	8,051	50	6.2	(3)	(3)
Carver County.....	17,455	17,444	172	9.9	(3)	(3)	Wabasha County.....	18,554	18,548	207	11.2	(3)	(3)
Cass County †.....	11,620	11,644	79	6.8	(3)	(3)	Wadena County.....	8,652	8,624	84	9.7	(3)	(3)
Chippewa County.....	13,458	13,461	122	9.1	(3)	(3)	Waseca County.....	13,466	13,459	136	10.1	(3)	(3)
Chisago County.....	13,537	13,503	167	12.4	(3)	(3)	Washington County.....	15,815	15,788	145	9.2	(3)	(3)
Clay County.....	19,640	19,647	166	8.4	(3)	(3)	Watsonwan County.....	11,382	11,378	83	7.3	(3)	(3)
Clearwater County.....	6,870	6,889	88	12.8	(3)	(3)	Wilkin County.....	9,063	9,054	100	11.0	(3)	(3)
							Winona County.....	14,815	14,785	142	9.6	(3)	(3)
							Wright County.....	28,082	28,023	285	10.2	(3)	(3)
							Yellow Medicine County.....	15,406	15,385	113	7.3	(3)	(3)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.² Figures for deaths not available for the entire period.³ Not admitted to registration area until a later date.⁴ Population not estimated.⁵ Based on population enumerated April 15, 1910.⁶ Including Pennington County, which was organized November 23, 1910.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
MONTANA.						NEW JERSEY—continued.							
Total.....	277,391	279,721	2,472	8.8	(2)	(2)	Somerset County.....	33,820	33,923	518	13.3	12.4	12.9
White.....	264,081	266,455	2,434	9.1	(2)	(2)	Sussex County.....	26,781	26,928	374	13.9	13.7	10.8
Colored.....	13,310	13,266	38	2.9	(2)	(2)	Union County.....	46,233	46,590	573	12.3	11.9	12.4
Beaverhead County.....	6,446	6,464	68	10.5	(2)	(2)	Warren County.....	29,284	29,379	437	14.9	14.3	14.1
Broadwater County.....	3,491	3,509	39	11.1	(2)	(2)	NEW YORK.						
Carbon County.....	13,962	14,098	135	9.6	(2)	(2)	Total.....	2,342,472	2,343,849	37,395	16.0	15.4	14.8
Cascade County.....	14,885	14,970	100	6.7	(2)	(2)	White.....	2,314,284	2,315,739	36,866	15.9	(2)	(2)
Chouteau County.....	17,391	17,323	127	7.3	(2)	(2)	Colored.....	28,188	28,110	529	18.8	(2)	(2)
Custer County.....	14,123	14,286	96	6.7	(2)	(2)	Albany County.....	33,630	33,603	514	15.3	15.0	15.0
Dawson County.....	12,725	12,942	111	8.6	(2)	(2)	Allegany County.....	41,412	41,341	622	15.0	13.9	13.1
Deer Lodge County.....	2,354	2,353	93	34.3	(2)	(2)	Broome County.....	30,366	30,372	542	17.8	16.4	15.4
Fergus County.....	17,385	17,606	112	6.4	(2)	(2)	Cattaraugus County.....	51,176	51,105	716	14.0	13.2	12.5
Flathead County.....	18,785	19,014	213	11.5	(2)	(2)	Cayuga County.....	32,438	32,378	474	14.6	16.0	15.5
Gallatin County.....	14,079	14,175	123	9.0	(2)	(2)	Chautauque County.....	56,608	56,661	853	15.1	14.4	13.5
Granite County.....	2,942	2,913	26	8.9	(2)	(2)	Cheaning County.....	17,486	17,513	311	17.8	16.6	15.6
Jefferson County.....	5,601	5,606	62	11.1	(2)	(2)	Chemung County.....	35,575	35,523	598	16.8	17.1	16.1
Lewis and Clark County.....	9,338	9,358	79	8.4	(2)	(2)	Clinton County.....	37,092	37,039	499	13.5	12.2	11.2
Lincoln County.....	3,638	3,685	41	11.1	(2)	(2)	Columbia County.....	32,241	32,230	532	16.5	16.0	16.0
Madison County.....	7,229	7,220	69	9.6	(2)	(2)	Cortland County.....	17,745	17,727	310	17.5	15.8	16.5
Meagher County.....	4,190	4,225	25	5.9	(2)	(2)	Delaware County.....	45,575	45,532	724	15.9	14.2	12.3
Missoula County.....	10,727	10,779	74	6.9	(2)	(2)	Dutchess County.....	59,725	59,761	1,262	21.1	19.2	19.0
Park County.....	10,731	10,802	133	12.3	(2)	(2)	Essex County.....	90,721	(2)	1,334	14.7	14.5	13.1
Powell County.....	5,904	5,922	56	9.5	(2)	(2)	Franklin County.....	45,717	45,668	817	17.9	15.7	15.5
Ravalli County.....	11,666	11,747	95	8.1	(2)	(2)	Fulton County.....	13,445	13,430	208	15.5	15.4	15.0
Rosebud County.....	7,985	8,080	24	3.0	(2)	(2)	Genesee County.....	26,002	26,017	391	15.0	14.0	14.3
Sanders County.....	3,713	3,763	24	6.4	(2)	(2)	Greene County.....	30,214	30,181	525	17.4	17.1	16.9
Silver Bow County.....	17,683	17,759	280	15.8	(2)	(2)	Hamilton County.....	4,373	4,350	56	12.9	10.3	9.8
Sweet Grass County.....	4,029	4,048	26	6.4	(2)	(2)	Herkimer County.....	44,083	44,146	674	15.3	14.1	12.6
Teton County.....	9,546	9,640	53	5.5	(2)	(2)	Jefferson County.....	53,652	53,600	885	16.5	14.7	13.8
Valley County.....	13,630	13,825	70	5.1	(2)	(2)	Lewis County.....	24,349	24,777	373	15.1	14.3	13.6
Yellowstone County.....	12,913	13,109	103	7.9	(2)	(2)	Livingston County.....	38,037	38,068	613	16.1	15.6	14.6
NEW HAMPSHIRE.						MADISON COUNTY.							
Total.....	256,460	256,362	4,391	17.1	16.9	16.2	Monroe County.....	65,063	65,386	845	12.9	13.3	13.8
White.....	256,120	256,025	4,386	17.1	(2)	(2)	Montgomery County.....	26,300	26,316	447	17.0	15.2	13.8
Colored.....	340	337	5	14.8	(2)	(2)	Nassau County.....	83,930	84,554	1,130	13.4	13.6	13.8
Belknap County.....	11,126	11,118	203	18.3	17.9	17.4	Niagara County.....	31,666	31,719	392	12.4	13.5	13.5
Carroll County.....	16,316	16,304	293	18.0	16.4	15.2	Oneida County.....	59,241	59,230	831	14.0	14.9	14.4
Cheshire County.....	20,591	20,559	353	17.4	16.4	15.9	Oranada County.....	63,049	63,155	934	14.8	14.9	14.8
Cococ County.....	13,973	13,939	259	13.7	14.3	12.9	Ontario County.....	39,840	39,822	605	15.2	14.6	14.7
Grafton County.....	41,652	41,669	655	15.7	16.7	15.6	Orange County.....	72,883	73,133	1,221	16.7	15.5	15.2
Hillsborough County.....	30,004	29,966	566	18.9	18.2	18.3	Orleans County.....	32,000	32,026	500	15.6	14.3	14.0
Merrimack County.....	31,838	31,813	368	17.9	18.0	17.0	Oswego County.....	37,816	37,785	581	15.4	15.9	15.6
Rockingham County.....	40,919	40,928	703	17.2	16.9	16.8	Putnam County.....	14,665	14,689	266	18.1	16.9	15.9
Strafford County.....	25,704	25,696	453	17.6	16.1	16.2	Rensselaer County.....	34,752	34,743	527	15.2	15.4	15.8
Sullivan County.....	19,337	19,365	333	17.2	16.4	16.0	Rockland County.....	46,873	46,957	666	14.2	14.0	14.0
NEW JERSEY.						ST. LAWRENCE COUNTY.							
Total.....	901,304	906,577	12,974	14.3	13.3	13.7	Saratoga County.....	49,224	49,220	822	16.7	15.6	16.1
White.....	865,692	870,826	12,283	14.1	(2)	(2)	Schenectady County.....	15,409	15,516	181	11.7	11.8	10.2
Colored.....	35,612	35,751	691	19.3	(2)	(2)	Schoharie County.....	23,855	23,797	394	16.6	16.2	16.1
Atlantic County.....	25,744	25,894	430	16.6	14.9	13.9	Schuyler County.....	14,004	13,961	214	15.3	16.2	14.8
Bergen County.....	113,739	115,019	1,383	12.0	11.7	13.4	Seneca County.....	26,972	26,952	564	20.9	20.4	19.5
Burlington County.....	66,565	66,753	1,102	16.5	15.9	15.1	Stenben County.....	56,015	56,003	1,054	18.8	17.6	14.9
Camden County.....	47,491	47,890	713	15.0	14.7	15.2	Suffolk County.....	96,138	96,489	2,050	21.2	19.2	17.5
Cape May County.....	19,745	19,845	294	14.8	12.5	12.6	Sullivan County.....	33,808	33,773	669	19.3	18.3	16.6
Cumberland County.....	28,493	28,575	417	14.6	13.2	13.1	Tioga County.....	25,624	25,576	395	15.4	17.2	16.2
Essex County.....	41,939	42,356	667	15.7	12.0	11.9	Tompkins County.....	18,845	18,818	303	16.1	15.5	15.7
Gloucester County.....	37,368	37,491	494	13.2	13.0	12.6	Ulster County.....	65,861	66,060	983	14.9	14.9	14.9
Hudson County.....	40,440	40,902	373	21.3	17.0	17.4	Warren County.....	16,980	16,973	214	12.6	14.9	14.0
Hunterdon County.....	33,569	33,582	489	14.6	14.2	13.9	Washington County.....	47,778	47,802	793	16.6	15.7	15.3
Mercer County.....	28,842	28,950	379	13.1	11.7	10.8	Wayne County.....	50,179	50,233	765	15.2	15.0	14.9
Middlesex County.....	53,917	53,384	754	12.7	12.2	13.6	Westchester County.....	87,983	88,404	1,397	15.8	16.0	15.9
Monmouth County.....	71,236	71,355	1,006	14.1	13.4	14.6	Wyoming County.....	31,880	31,907	487	14.6	13.8	14.3
Morris County.....	62,197	62,471	968	15.5	15.1	14.6	Yates County.....	18,642	18,614	280	15.0	14.3	15.1
Ocean County.....	21,318	21,336	327	15.3	13.6	13.1	NORTH CAROLINA.⁵						
Passaic County.....	35,529	35,915	414	11.5	10.0	11.2	Total.....	210,787	212,111	3,677	17.3	(2)	(2)
Salem County.....	26,999	27,029	357	13.2	12.6	13.9	White.....	141,174	142,142	2,167	15.2	(2)	(2)
							Colored.....	69,613	69,969	1,510	21.6	(2)	(2)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Figures for deaths not available for the entire period.

³ Not admitted to registration area until a later date.

⁴ Based on figures for area as constituted in each year.

⁵ Not computed.

⁶ Population not estimated.

⁷ Based on population enumerated April 15, 1910.

⁸ Including only municipalities having a population of 1,000 or over in 1900 and less than 10,000 in 1910.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.	
RURAL PART OF REGISTRATION STATES ¹ —Continued.						RURAL PART OF REGISTRATION STATES—Continued.								
OHIO.						OHIO—continued.								
Total.....	2,621,927	2,624,625	33,538	12.8	(2)	(3)	Pike County.....	15,723	15,672	212	13.5	(2)	(3)	
White.....	2,578,905	2,579,616	32,762	12.7	(2)	(3)	Portage County.....	30,307	30,329	460	15.2	(2)	(3)	
Colored.....	45,022	45,009	776	17.2	(2)	(3)	Preble County.....	23,834	23,836	277	11.6	(2)	(3)	
Adams County.....	24,755	24,722	266	10.8	(2)	(3)	Putnam County.....	29,972	29,919	348	11.6	(2)	(3)	
Allen County.....	26,072	26,116	310	11.9	(2)	(3)	Richland County.....	26,899	26,904	318	11.8	(2)	(3)	
Ashland County.....	22,975	23,012	278	12.1	(2)	(3)	Ross County.....	25,561	25,511	350	13.7	(2)	(3)	
Ashtabula County.....	41,281	41,351	600	14.5	(2)	(3)	Sandusky County.....	35,171	35,189	378	10.7	(2)	(3)	
Athens County*.....	47,988	47,989	729	15.2	(2)	(3)	Scioto County.....	24,982	25,021	362	14.5	(2)	(3)	
Auglaize County.....	31,246	31,247	385	12.3	(2)	(3)	Seneca County.....	30,527	30,534	360	11.8	(2)	(3)	
Belmont County.....	63,910	64,206	894	13.9	(2)	(3)	Shelby County.....	24,663	24,663	285	11.6	(2)	(3)	
Brown County.....	24,832	24,761	322	13.0	(2)	(3)	Stark County*.....	43,808	43,928	644	14.7	(2)	(3)	
Butler County.....	21,840	21,800	295	13.5	(2)	(3)	Summit County.....	39,186	39,400	546	13.9	(2)	(3)	
Carroll County.....	15,761	15,789	146	9.3	(2)	(3)	Trumbull County.....	41,685	41,768	591	14.1	(2)	(3)	
Champaign County.....	26,351	26,345	351	13.3	(2)	(3)	Tuscarawas County.....	57,035	57,104	599	10.5	(2)	(3)	
Clark County.....	19,514	19,524	220	11.3	(2)	(3)	Union County.....	21,871	21,862	290	13.3	(2)	(3)	
Clermont County.....	29,551	29,508	416	14.1	(2)	(3)	Van Wert County.....	29,119	29,093	336	11.5	(2)	(3)	
Clinton County.....	23,680	23,669	271	11.4	(2)	(3)	Van Winkle County.....	13,096	13,049	186	14.3	(2)	(3)	
Columbiana County.....	56,232	56,331	723	12.9	(2)	(3)	Warren County.....	24,497	24,475	321	13.1	(2)	(3)	
Coshocton County.....	30,121	30,137	392	13.0	(2)	(3)	Washington County.....	32,499	32,449	388	12.0	(2)	(3)	
Crawford County.....	34,036	34,038	408	12.0	(2)	(3)	Wayne County.....	38,058	38,061	476	12.5	(2)	(3)	
Cuyahoga County.....	61,581	62,351	813	13.0	(2)	(3)	Williams County.....	25,198	25,203	291	11.5	(2)	(3)	
Darke County.....	42,933	42,941	518	12.1	(2)	(3)	Wood County.....	46,330	46,220	560	12.1	(2)	(3)	
Defiance County.....	24,498	24,459	292	11.9	(2)	(3)	Wyandot County.....	20,760	20,753	230	11.1	(2)	(3)	
Delaware County.....	27,182	27,198	335	12.3	(2)	(3)	PENNSYLVANIA.							
Erie County.....	18,338	18,346	415	22.6	(2)	(3)	Total.....	4,011,650	4,026,349	57,880	14.4	(2)	(3)	
Fairfield County.....	26,108	26,126	276	10.6	(2)	(3)	White.....	3,960,096	3,974,689	56,828	14.3	(2)	(3)	
Fayette County.....	21,744	21,744	260	12.0	(2)	(3)	Colored.....	51,554	51,660	1,052	20.4	(2)	(3)	
Franklin County.....	40,056	40,270	536	13.3	(2)	(3)	Adams County.....	34,319	34,316	428	12.5	12.7	(2)	(3)
Fulton County.....	23,914	23,937	258	10.8	(2)	(3)	Allegheny County.....	332,608	335,297	5,384	16.1	16.4	(2)	(3)
Gallia County.....	25,745	25,700	453	17.6	(2)	(3)	Armstrong County.....	67,880	68,204	914	13.4	12.8	(2)	(3)
Geauga County.....	14,670	14,669	190	13.0	(2)	(3)	Beaver County.....	66,162	66,580	956	14.4	13.8	(2)	(3)
Greene County.....	29,733	29,694	410	13.8	(2)	(3)	Bedford County.....	38,879	38,867	424	10.9	12.7	(2)	(3)
Guernsey County.....	31,389	31,498	374	11.9	(2)	(3)	Berks County*.....	87,151	87,289	1,268	14.5	14.8	(2)	(3)
Hamilton County.....	80,956	81,229	954	11.7	(2)	(3)	Blair County.....	56,731	57,033	716	12.6	13.4	(2)	(3)
Hancock County.....	23,002	22,973	223	9.9	(2)	(3)	Bradford County.....	54,526	54,424	843	15.5	15.3	(2)	(3)
Hardin County.....	30,407	30,391	409	13.5	(2)	(3)	Bucks County.....	76,530	76,643	1,059	13.8	14.6	(2)	(3)
Harrison County.....	19,076	19,047	254	13.3	(2)	(3)	Butler County.....	51,961	52,085	642	12.3	11.5	(2)	(3)
Henry County.....	25,119	25,074	289	11.5	(2)	(3)	Cambridge County.....	110,649	111,550	1,532	13.7	14.0	(2)	(3)
Highland County.....	28,711	28,664	403	14.1	(2)	(3)	Carbon County.....	7,644	7,656	90	11.8	13.3	(2)	(3)
Hocking County.....	23,650	23,635	320	13.5	(2)	(3)	Center County.....	52,846	53,021	857	16.2	15.3	(2)	(3)
Holmes County.....	17,909	17,876	226	12.6	(2)	(3)	Chester County.....	43,424	43,435	575	13.2	13.4	(2)	(3)
Huron County.....	34,206	34,245	455	13.3	(2)	(3)	Clarion County.....	75,619	75,712	1,142	15.1	15.2	(2)	(3)
Jackson County.....	30,791	30,719	432	14.1	(2)	(3)	Clearfield County.....	36,638	36,687	453	12.3	11.7	(2)	(3)
Jefferson County.....	43,032	43,307	555	12.8	(2)	(3)	Clinton County.....	81,145	81,354	1,043	12.8	12.2	(2)	(3)
Knox County.....	30,181	30,231	429	14.2	(2)	(3)	Columbia County.....	31,545	31,594	410	13.0	13.3	(2)	(3)
Lake County.....	22,927	22,953	340	14.8	(2)	(3)	Crawford County.....	48,467	48,647	617	12.7	12.7	(2)	(3)
Lawrence County.....	26,341	26,314	327	12.4	(2)	(3)	Cumberland County.....	48,785	48,711	739	15.2	14.3	(2)	(3)
Licking County.....	30,186	30,229	391	12.9	(2)	(3)	Dauphin County*.....	44,176	44,249	569	12.9	13.7	(2)	(3)
Logan County.....	30,084	30,077	356	11.8	(2)	(3)	Delaware County.....	57,720	57,883	968	16.7	15.3	(2)	(3)
Lorain County.....	32,329	32,377	381	11.8	(2)	(3)	Elk County.....	79,369	79,761	1,086	13.6	13.0	(2)	(3)
Lucas County.....	24,231	24,284	289	11.9	(2)	(3)	Erie County.....	35,871	35,933	412	11.5	11.9	(2)	(3)
Madison County.....	19,902	19,883	222	11.2	(2)	(3)	Fayette County.....	48,992	49,061	698	14.2	14.0	(2)	(3)
Mahoning County.....	37,085	37,384	531	14.2	(2)	(3)	Forest County.....	141,260	142,250	2,179	15.3	15.3	(2)	(3)
Marion County.....	15,739	15,716	172	10.9	(2)	(3)	Franklin County.....	9,435	9,402	85	9.0	9.3	(2)	(3)
Medina County.....	23,598	23,632	272	11.5	(2)	(3)	Greene County.....	47,975	48,062	771	16.0	14.5	(2)	(3)
Meigs County.....	25,594	25,531	339	13.3	(2)	(3)	Huntingdon County.....	9,703	9,699	126	13.0	13.3	(2)	(3)
Mercer County.....	27,536	27,526	340	12.4	(2)	(3)	Indiana County.....	28,882	28,894	380	13.2	12.4	(2)	(3)
Miami County.....	31,659	31,674	379	12.0	(2)	(3)	Jefferson County.....	38,304	38,381	451	11.8	12.4	(2)	(3)
Monroe County.....	24,244	24,185	250	10.3	(2)	(3)	Juniata County.....	66,210	66,709	915	13.7	13.7	(2)	(3)
Moutgomery County.....	47,186	47,598	755	15.9	(2)	(3)	Lackawanna County.....	63,090	63,173	852	13.5	13.0	(2)	(3)
Morgan County.....	16,097	16,059	206	12.8	(2)	(3)	Lancaster County.....	15,013	14,992	186	12.4	13.7	(2)	(3)
Morrow County.....	16,815	16,793	190	11.3	(2)	(3)	Lawrence County.....	83,724	84,249	1,395	16.6	17.2	(2)	(3)
Muskingum County.....	29,462	29,457	372	12.6	(2)	(3)	Lebanon County.....	108,348	108,410	1,500	13.8	13.2	(2)	(3)
Noble County.....	18,601	18,583	234	12.6	(2)	(3)	Lehigh County.....	33,752	33,869	442	13.1	12.1	(2)	(3)
Ottawa County.....	22,360	22,363	280	12.5	(2)	(3)	Luzerne County.....	40,325	40,412	570	14.1	13.7	(2)	(3)
Paulding County.....	22,730	22,629	249	11.0	(2)	(3)	Lancaster County.....	62,447	62,552	1,036	16.5	16.3	(2)	(3)
Perry County.....	35,396	35,471	400	11.3	(2)	(3)	Lawrence County.....	198,489	199,624	3,169	15.9	15.6	(2)	(3)
Pickaway County.....	26,158	26,140	360	13.8	(2)	(3)								

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Figures for deaths not available for the entire period.
³ Not admitted to registration area until a later date.

⁴ Based on figures for area as constituted in each year.
⁵ Not computed.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	Annual average, 1906 to 1910.	Annual average, 1901 to 1905.
RURAL PART OF REGISTRATION STATES—Continued.						RURAL PART OF REGISTRATION STATES—Continued.							
PENNSYLVANIA—continued.						VERMONT.							
Lycoming County.....	48,953	48,996	556	11.3	11.1	(3)	Total.....	311,208	311,339	4,930	15.8	15.9	15.9
McKean County.....	33,324	33,261	414	12.4	12.1	(3)	White.....	309,693	309,808	4,903	15.8	(4)	(4)
Mercer County.....	52,239	52,576	759	14.4	13.9	(3)	Colored.....	1,515	1,531	27	17.6	(4)	(4)
Mifflin County.....	27,785	27,882	373	13.4	14.4	(3)	Addison County.....	20,010	19,970	304	15.2	15.0	15.1
Monroe County.....	22,941	22,978	341	14.8	13.5	(3)	Bennington County.....	21,373	21,369	304	14.2	15.6	16.1
Montgomery County.....	126,116	126,603	1,698	13.4	13.2	(3)	Caledonia County.....	26,031	26,065	399	15.3	15.9	16.1
Montour County*.....	14,888	14,855	300	20.2	18.7	(3)	Chittenden County.....	21,979	22,000	344	15.6	15.7	15.5
Northampton County.....	70,806	71,165	1,105	15.5	14.7	(3)	Essex County.....	7,384	7,370	84	11.4	15.0	14.1
Northumberland County.....	60,530	60,789	868	14.3	12.9	(3)	Franklin County.....	29,866	29,859	418	14.0	14.8	15.3
Perry County.....	24,136	24,092	356	14.8	13.4	(3)	Grand Isle County.....	3,761	3,747	46	12.3	13.2	12.2
Pike County.....	8,033	8,018	117	14.6	15.2	(3)	Lamoille County.....	12,585	12,591	189	15.0	15.3	13.5
Potter County.....	29,729	29,711	409	13.8	12.2	(3)	Orange County.....	18,703	18,691	337	18.0	17.0	17.3
Schuylkill County.....	145,948	146,424	2,470	16.9	16.2	(3)	Orleans County.....	23,337	23,365	363	15.5	15.5	15.7
Snyder County.....	16,800	16,790	246	14.7	12.6	(3)	Rutland County.....	34,593	34,633	549	15.9	15.6	15.3
Somerset County.....	67,717	68,102	890	13.1	13.5	(3)	Washington County*.....	30,968	31,028	491	15.3	16.2	17.1
Sullivan County.....	11,293	11,276	123	10.9	10.3	(3)	Windham County.....	26,932	26,938	512	19.0	18.1	17.1
Susquehanna County.....	37,746	37,698	649	17.2	15.4	(3)	Windsor County.....	33,681	33,712	590	17.5	16.2	17.1
Tioga County.....	42,829	42,697	570	13.3	13.4	(3)	WASHINGTON.						
Union County.....	16,249	16,221	184	11.3	13.1	(3)	Total.....	620,433	627,729	5,699	9.1	(7)	(7)
Venango County.....	40,702	40,793	540	13.2	12.8	(3)	White.....	601,656	608,857	5,385	8.8	(7)	(7)
Warren County*.....	28,493	28,449	476	16.7	15.5	(3)	Colored.....	18,777	18,872	314	16.6	(7)	(7)
Washington County.....	124,902	125,919	2,002	15.9	15.4	(3)	Adams County.....	10,929	11,049	90	8.1	(7)	(7)
Wayne County.....	29,236	29,217	415	14.2	13.7	(3)	Asotin County †.....	5,331	5,384	51	8.7	(7)	(7)
Westmoreland County.....	206,517	207,777	2,853	13.7	14.4	(3)	Benton County.....	7,937	8,083	70	8.7	(7)	(7)
Wyoming County.....	15,509	15,475	232	15.0	13.6	(3)	Chehalis County.....	21,930	22,153	192	8.7	(7)	(7)
York County.....	91,655	91,845	1,052	11.5	11.4	(3)	Chelan County.....	15,104	15,340	151	9.8	(7)	(7)
RHODE ISLAND.						CLALLAM COUNTY §.....							
Total.....	104,983	105,372	1,734	16.5	16.2	17.6	Clarke County.....	6,755	6,780	87	12.8	(7)	(7)
White.....	103,404	103,828	1,694	16.3	(4)	(4)	Clarke County.....	26,115	26,383	237	9.0	(7)	(7)
Colored.....	1,579	1,544	40	25.9	(4)	(4)	Columbia County.....	7,042	7,042	73	10.4	(7)	(7)
Bristol County.....	17,602	17,711	327	18.5	16.0	18.5	Cowlitz County †.....	12,561	12,660	98	7.7	(7)	(7)
Kent County.....	9,749	9,765	191	19.6	17.1	17.6	Douglas County †.....	9,227	(9)	39	10.4	(7)	(7)
Newport County.....	12,186	12,235	192	15.7	16.2	15.9	Ferry County † †.....	4,800	4,806	39	8.1	(7)	(7)
Providence County.....	40,504	40,710	623	15.3	16.2	18.3	Franklin County †.....	5,153	5,252	33	6.3	(7)	(7)
Washington County.....	24,942	24,910	401	16.1	15.2	15.6	Garfield County.....	4,199	4,205	50	11.9	(7)	(7)
UTAH.						Grant County †.....							
Total.....	254,994	256,124	2,519	9.8	(7)	(7)	Island County †.....	8,698	(9)	34	3.9	(7)	(7)
White.....	250,187	251,280	2,496	9.9	(7)	(7)	Jefferson County.....	4,704	4,764	32	6.7	(7)	(7)
Colored.....	4,807	4,844	23	4.7	(7)	(7)	King County.....	8,337	8,393	89	10.6	(7)	(7)
Beaver County.....	4,717	4,741	42	8.9	(7)	(7)	Kitsap County †.....	47,444	48,628	535	11.0	(7)	(7)
Boxelder County.....	13,894	13,976	122	8.7	(7)	(7)	Kititas County.....	17,647	17,876	129	7.2	(7)	(7)
CACHE COUNTY.....	23,982	23,166	211	9.1	(7)	(7)	Klickitat County †.....	18,561	18,747	223	11.9	(7)	(7)
Carbon County.....	8,624	8,701	97	11.1	(7)	(7)	Lewis County.....	10,180	10,261	62	6.0	(7)	(7)
Davis County.....	10,911	10,238	106	10.4	(7)	(7)	Lincoln County.....	32,127	32,485	336	10.3	(7)	(7)
Emery County †.....	6,750	6,795	43	6.3	(7)	(7)	Mason County.....	17,539	17,656	133	7.5	(7)	(7)
Garfield County.....	3,660	3,666	27	7.4	(7)	(7)	Okanogan County † †.....	5,156	5,184	51	9.8	(7)	(7)
Grand County.....	1,595	1,605	12	7.5	(7)	(7)	Pacific County †.....	12,887	13,059	122	9.3	(7)	(7)
Iron County.....	3,933	3,942	41	10.4	(7)	(7)	Pierce County*.....	12,532	12,670	73	5.8	(7)	(7)
Juab County.....	10,702	10,716	116	10.8	(7)	(7)	San Juan County.....	37,069	37,633	493	13.1	(7)	(7)
Kane County.....	1,652	1,649	18	10.9	(7)	(7)	Skagit County †.....	3,603	3,617	31	8.6	(7)	(7)
Millard County.....	6,118	6,127	51	8.3	(7)	(7)	Skamania County.....	29,241	29,556	260	8.8	(7)	(7)
Morgan County †.....	2,467	2,475	15	6.1	(7)	(7)	Snohomish County.....	2,887	2,912	25	8.6	(7)	(7)
Piute County †.....	1,784	1,780	10	5.8	(7)	(7)	Spokane County*.....	34,395	34,780	329	9.5	(7)	(7)
Rich County.....	1,834	1,882	21	11.2	(7)	(7)	Stevens County †.....	35,002	35,431	338	9.5	(7)	(7)
Salt Lake County.....	38,649	39,068	378	9.7	(7)	(7)	Thurston County.....	25,297	25,608	178	7.0	(7)	(7)
San Juan County †.....	2,377	2,405	7	2.9	(7)	(7)	Wahkiakum County †.....	17,581	17,742	179	10.1	(7)	(7)
Sanpeta County.....	16,704	16,712	195	11.7	(7)	(7)	Walla Walla County †.....	3,285	3,294	10	3.0	(7)	(7)
Sevier County.....	9,775	9,802	86	8.8	(7)	(7)	Whatcom County.....	12,567	12,667	81	6.4	(7)	(7)
Summit County.....	8,200	8,174	112	13.7	(7)	(7)	Whitman County.....	25,213	25,469	204	8.0	(7)	(7)
Tooele County.....	7,324	7,335	100	12.6	(7)	(7)	Whitman County.....	33,280	33,447	261	7.8	(7)	(7)
Uinta County.....	7,050	7,082	64	9.1	(7)	(7)	Yakima County †.....	27,627	28,013	281	10.0	(7)	(7)
Utah County*.....	37,942	38,057	404	10.6	(7)	(7)	WISCONSIN.						
Wasatch County.....	8,920	9,008	85	9.4	(7)	(7)	Total.....	1,580,912	1,581,927	17,751	11.2	(7)	(7)
Washington County.....	5,123	5,133	49	9.5	(7)	(7)	White.....	1,570,058	1,571,033	17,622	11.2	(7)	(7)
Wayne County †.....	1,749	1,746	9	5.2	(7)	(7)	Colored.....	10,854	10,894	129	11.8	(7)	(7)
Weber County.....	9,599	9,613	98	10.2	(7)	(7)	Adams County.....	8,604	8,585	90	10.5	(7)	(7)
							Ashland County.....	10,371	10,412	124	11.9	(7)	(7)
							Barron County.....	29,114	29,145	312	10.7	(7)	(7)
							Bayfield County.....	15,987	15,990	168	10.5	(7)	(7)
							Brown County.....	28,862	28,849	339	11.8	(7)	(7)

1 Exclusive of municipalities having a population of 10,000 or over in 1910.
 2 Not admitted to registration area until a later date.
 3 Based on figures for area as constituted in each year.
 4 Not computed.
 5 Including state institutions for 1906.
 6 Including state institutions.
 7 Figures for deaths not available for the entire period.

8 Including Makah, Ozette, and Quillayute Indian Reservations.
 9 Population not estimated.
 10 Based on enumerated population of April 15, 1910.
 11 Including part of Colville Indian Reservation.
 12 Including Swinomish Indian Reservation.
 13 Including Yakima Indian Reservation.

MORTALITY STATISTICS.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND SUBDIVISIONS: 1910—Continued.

[See note at head of this table.]

REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.			REGISTRATION AREA.	POPULATION.		Deaths, 1910.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	An- nual aver- age, 1906 to 1910.	An- nual aver- age, 1901 to 1905.		Census of Apr. 15, 1910.	Estimated as of July 1, 1910.		1910.	An- nual aver- age, 1906 to 1910.	An- nual aver- age, 1901 to 1905.
RURAL PART OF REGISTRATION STATES—Continued.													
WISCONSIN—continued.													
Buffalo County.....	16,006	15,984	157	9.8	(²)	(³)	Marquette County.....	10,741	10,732	134	12.5	(²)	(³)
Burnett County.....	9,026	9,016	88	9.8	(²)	(³)	Milwaukee County.....	59,330	59,954	1,323	22.1	(²)	(³)
Calumet County.....	16,701	16,693	162	9.7	(²)	(³)	Monroe County.....	28,881	28,865	363	12.6	(²)	(³)
Chippewa County.....	32,103	32,108	431	13.4	(²)	(³)	Oconto County.....	25,657	25,703	255	9.9	(²)	(³)
Clark County.....	30,074	30,105	255	8.5	(²)	(³)	Oneida County.....	11,433	11,441	111	9.7	(²)	(³)
Columbia County.....	31,129	31,127	394	12.7	(²)	(³)	Outagamie County.....	32,329	32,341	337	10.4	(²)	(³)
Crawford County.....	16,283	16,261	191	11.7	(²)	(³)	Ozaukee County.....	17,123	17,108	150	8.8	(²)	(³)
Dane County*.....	51,904	51,936	621	12.0	(²)	(³)	Pepin County.....	7,577	7,577	72	9.5	(²)	(³)
Dodge County.....	47,436	47,507	523	11.0	(²)	(³)	Pierce County.....	22,079	22,021	247	11.2	(²)	(³)
Door County.....	18,711	18,672	183	9.8	(²)	(³)	Polk County.....	21,367	21,387	190	8.9	(²)	(³)
Douglas County †.....	7,038	7,042	44	6.2	(²)	(³)	Portage County.....	30,945	30,948	374	12.1	(²)	(³)
Dunn County.....	25,260	25,226	248	9.8	(²)	(³)	Price County †.....	13,795	13,856	99	7.1	(²)	(³)
Eau Claire County.....	14,411	14,395	125	8.7	(²)	(³)	Racine County.....	19,422	19,485	256	13.1	(²)	(³)
Florence County †.....	3,331	3,375	26	7.7	(²)	(³)	Richland County.....	18,809	18,787	186	9.9	(²)	(³)
Fond du Lac County.....	32,813	32,783	364	11.1	(²)	(³)	Rock County.....	26,519	26,498	297	11.2	(²)	(³)
Forest County.....	6,782	6,816	64	9.4	(²)	(³)	Rusk County.....	11,160	11,220	98	8.7	(²)	(³)
Grant County.....	39,007	38,981	433	11.1	(²)	(³)	St. Croix County.....	25,910	25,876	280	10.8	(²)	(³)
Green County.....	21,641	21,609	212	9.8	(²)	(³)	Sauk County.....	32,869	32,870	371	11.3	(²)	(³)
Green Lake County.....	15,491	15,477	172	11.1	(²)	(³)	Sawyer County.....	6,227	6,277	69	11.0	(²)	(³)
Iowa County.....	22,497	22,477	231	10.3	(²)	(³)	Shawano County.....	31,884	31,920	306	9.6	(²)	(³)
Iron County.....	8,306	8,380	80	9.5	(²)	(³)	Sheboygan County.....	28,490	28,508	295	10.3	(²)	(³)
Jackson County.....	17,075	17,054	168	9.9	(²)	(³)	Taylor County.....	13,641	13,690	113	8.3	(²)	(³)
Jefferson County.....	34,306	34,307	401	11.7	(²)	(³)	Trempealeau County.....	22,928	22,889	227	9.9	(²)	(³)
Juneau County.....	19,569	19,519	236	12.1	(²)	(³)	Vernon County.....	28,116	28,072	309	11.0	(²)	(³)
Kenosha County.....	11,558	11,584	110	9.5	(²)	(³)	Vilas County †.....	6,019	6,043	38	6.3	(²)	(³)
Kewaunee County.....	16,784	16,775	186	11.1	(²)	(³)	Walworth County.....	29,614	29,574	361	12.2	(²)	(³)
La Crosse County.....	13,579	13,571	154	11.3	(²)	(³)	Washburn County.....	8,196	8,226	84	10.2	(²)	(³)
Lafayette County.....	20,075	20,067	197	9.8	(²)	(³)	Washington County.....	23,784	23,797	243	10.2	(²)	(³)
Langlade County.....	17,062	17,118	155	9.1	(²)	(³)	Waukesha County.....	37,100	37,154	502	13.5	(²)	(³)
Lincoln County.....	19,064	19,062	217	11.4	(²)	(³)	Waupaca County.....	32,782	32,753	405	12.4	(²)	(³)
Manitowoc County.....	31,951	31,946	313	9.8	(²)	(³)	Waushara County.....	18,886	18,939	177	9.3	(²)	(³)
Marathon County.....	38,494	38,610	446	11.6	(²)	(³)	Winnebago County*.....	29,054	29,025	406	14.0	(²)	(³)
Marquette County.....	19,202	19,236	177	9.2	(²)	(³)	Wood County.....	30,583	30,591	276	9.0	(²)	(³)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Figures for deaths not available for the entire period.

³ Not admitted to the registration area until a later date.

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, BY CAUSES

[The causes of death, originally classified according to the First Revision of the International List, which was in use for the years 1900 to 1909, are rearranged, as far as figures are indicated by asterisks (*) following the titles. Reference should be

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.									
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909
	All causes.....	539,939	518,207	508,640	524,415	551,354	545,533	658,105	687,034	691,574	732,538
	I.—General diseases *	148,590	146,656	139,672	147,408	150,654	146,296	175,915	182,604	187,433	194,161
1	Typhoid fever.....	11,044	10,127	10,980	11,149	10,557	9,479	13,160	12,670	11,375	10,722
2	Typhus fever.....	5	4	7	1	2	3	4	2	1	3
3	Relapsing fever.....	2	4	2	1	3	1	4	1	1	1
4	Malaria.....	2,434	1,980	1,738	1,410	1,391	1,321	1,415	1,166	1,109	1,175
5	Smallpox.....	611	1,085	2,111	1,382	709	308	95	74	92	79
6	Measles.....	3,865	2,287	3,033	3,221	3,659	2,557	5,037	4,302	4,611	4,860
7	Scarlet fever.....	3,135	4,113	4,041	3,991	3,610	2,284	3,227	4,309	5,577	5,781
8	Whooping cough.....	3,719	3,051	3,854	5,171	2,183	3,599	6,324	4,856	4,969	4,906
9	Diphtheria and croup.....	13,314	10,667	9,859	10,363	9,444	8,039	10,793	10,154	10,052	10,358
10	Influenza.....	7,031	10,093	3,225	6,064	6,724	6,426	4,320	10,066	9,989	6,649
11	Miliary fever.....			9	3	2				1	
12	Asiatic cholera.....										
13	Cholera nostras.....	800	563	516	374	397	449	552	401	492	415
14	Dysentery.....	3,487	3,331	3,187	2,378	2,567	2,588	3,352	2,779	2,930	2,871
15	Plague.....	22	26	41	17	7			89	5	2
16	Yellow fever.....	1	2	1	17		438		1	2	
17	Leprosy.....	4	6	5	4	4	8	3	7	11	9
18	Erysipelas.....	1,574	1,450	1,337	1,300	1,680	1,510	1,768	1,856	1,815	2,004
19	Other epidemic diseases *.....	72	47	83	79	94	79	150	147	133	154
20	Purulent infection and septicemia.....	2,681	2,290	2,281	1,754	1,886	1,780	1,861	1,869	1,727	1,657
21	Glanders.....	3	2	7	12	3	3	8	8	3	8
22	Anthrax.....	31	32	16	22	25	20	22	23	22	14
23	Rabies.....	33	41	45	43	38	44	85	75	82	55
24	Tetanus *.....	1,354	1,129	1,158	1,328	1,105	1,033	1,213	1,253	1,169	1,373
25	Mycoses.....	10	6	18	12	18	15	21	21	35	38
26	Pellagra.....	2			2	1				23	116
27	Beriberi *.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
	Tuberculosis (total).....	62,096	61,767	59,083	61,640	66,921	65,478	75,648	76,759	78,409	81,835
28	Tuberculosis of the lungs *.....	55,910	55,262	52,620	54,449	59,333	57,380	65,986	67,064	68,074	70,844
29	Acute miliary tuberculosis *.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
30	Tuberculous meningitis.....	2,673	2,656	2,674	2,905	3,025	3,264	3,938	4,062	4,218	4,575
31	Abdominal tuberculosis.....	1,635	1,767	1,817	1,854	2,098	2,193	2,663	2,629	2,723	3,041
32	Pott's disease.....	416	442	421	516	519	563	618	594	746	740
33	White swellings.....	207	206	237	224	241	261	315	269	356	379
34	Tuberculosis of other organs *.....	587	609	575	690	731	726	870	887	992	1,072
35	Disseminated tuberculosis.....	668	825	739	1,002	974	1,091	1,258	1,254	1,900	1,184
36	Ricketts *.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
37	Syphilis.....	1,029	1,137	1,131	1,368	1,507	1,534	2,006	2,235	2,432	2,858
38	Gonococcus infection.....	18	24	32	25	62	62	70	87	111	141
	Cancer and other malignant tumors (total).....	19,381	20,171	20,847	22,325	23,395	24,330	29,020	30,514	33,465	37,562
39	Of the buccal cavity.....	495	612	585	661	737	792	941	968	1,148	1,427
40	Of the stomach, liver.....	6,918	7,095	7,483	8,193	8,744	8,939	10,946	11,596	13,044	14,915
41	Of the peritoneum, intestines, rectum.....	1,760	2,157	2,239	2,134	2,399	2,732	3,273	3,570	3,963	4,676
42	Of the female genital organs.....	2,696	2,910	3,033	3,289	3,436	3,637	4,090	4,388	5,250	5,714
43	Of the breast.....	1,433	1,647	1,750	1,787	2,030	2,010	2,421	2,590	3,023	3,585
44	Of the skin.....	602	683	688	752	758	818	934	1,121	1,282	1,492
45	Of other organs or of organs not specified.....	5,477	5,058	5,071	5,509	5,291	5,402	6,365	6,281	5,755	5,753
46	Other tumors (tumors of the female genital organs excepted).....	581	505	459	531	444	501	470	508	458	458
47	Acute articular rheumatism *.....	1,426	1,510	1,366	1,594	2,100	1,918	2,218	2,309	2,432	2,470
48	Chronic rheumatism and gout *.....	1,505	1,475	1,295	1,191	1,087	909	1,118	1,130	1,109	1,163
49	Scurvy.....	41	48	44	55	50	44	62	60	59	84
50	Diabetes.....	2,996	3,212	3,312	3,681	4,259	4,397	5,331	5,801	6,274	7,024
51	Exophthalmic goiter.....	127	185	168	235	247	256	349	389	500	636
52	Addison's disease.....	138	149	149	156	148	141	191	156	199	234
53	Leukemia.....	307	324	371	396	400	480	658	689	832	832
54	Anemia, chlorosis.....	1,632	1,562	1,524	1,512	1,607	1,687	2,093	2,185	2,152	2,421
55	Other general diseases *.....	58	164	142	140	137	205	242	262	262	263
56	Alcoholism (acute or chronic).....	1,962	1,870	1,943	2,163	1,927	2,106	2,707	3,130	2,348	2,578
57	Chronic lead poisoning.....	61	91	94	100	81	87	97	92	95	86
58	Other chronic occupation poisonings.....	4	3	1	11	3	8	6	6	4	5
59	Other chronic poisonings.....	96	147	157	189	170	169	228	195	220	262
	II.—Diseases of the nervous system and of the organs of special sense.*	62,878	59,302	58,155	56,993	59,476	60,523	69,109	72,045	69,921	73,283
60	Encephalitis.....	1,030	831	716	609	530	465	496	520	452	355
61	Meningitis (total).....	12,578	10,430	9,981	9,213	10,553	11,654	10,502	11,109	8,904	7,853
	Simple meningitis.....	10,793	8,643	8,259	7,295	7,269	6,540	7,244	7,265	6,804	5,662
	Cerebrospinal meningitis (undefined).....	1,785	1,787	1,722	1,918	3,284	5,114	3,258	3,744	2,600	2,191
	Cerebrospinal fever.....										
62	Locomotor ataxia.....	593	722	691	813	820	883	1,097	1,127	1,198	1,386
63	Other diseases of the spinal cord (total).....	1,329	1,428	1,464	1,685	1,653	1,724	2,030	2,234	2,412	2,905
	Acute anterior poliomyelitis.....	1,329	1,428	1,454	1,685	1,653	1,724	2,030	2,234	2,412	2,905
	Other diseases of the spinal cord *.....										
64	Cerebral hemorrhage, apoplexy.....	20,772	21,390	21,862	22,311	23,828	24,390	29,434	31,500	32,467	36,463
65	Softening of the brain.....	1,246	1,241	1,197	1,258	1,250	1,042	1,277	1,258	1,087	1,126
66	Paralysis without specified cause.....	7,950	7,220	6,674	6,009	6,431	5,981	6,933	8,128	7,544	7,669
67	General paralysis of the insane.....	1,955	2,069	2,238	2,152	2,263	2,450	2,909	2,116	2,387	2,584
68	Other forms of mental alienation.....	1,325	1,232	1,207	1,232	1,139	1,039	1,736	1,658	1,723	1,717
69	Epilepsy.....	1,337	1,417	1,512	1,481	1,367	1,863	1,863	1,824	1,824	2,066
70	Convulsions (nonpuerperal).....	585	438	367	357	310	346	314	304	273	191
71	Convulsions of infants.....	9,426	8,079	7,620	6,476	6,492	6,331	7,114	6,756	6,177	5,340
72	Chorea.....	82	96	85	88	80	87	88	84	102	117
73	Neuralgia and neuritis *.....										
74	Other diseases of the nervous system *.....	2,454	2,396	2,270	2,219	2,093	2,223	2,650	2,641	2,579	2,693
75	Diseases of the eyes and their annexa.....	20	20	15	22	28	26	23	31	27	29
76	Diseases of the ears.....	196	293	295	437	525	515	643	716	765	789

¹ Less than one-tenth of 1 per 100,000.

² Less than one.

³ Not compiled separately prior to 1910.

DEATHS AND DEATH RATES, BY CAUSES.

ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1900 TO 1910.

as practicable, to correspond with the Second Revision, in use beginning January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the made to the statements in the text (p. 23) relative to changes in classification.]

NUMBER OF DEATHS—contd.			DEATH RATE PER 100,000 POPULATION.													Detailed Int. List No.
1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	Annual average, 1901 to 1905	Annual average, 1906 to 1910	
805,412	529,630	714,933	1,755.0	1,651.9	1,588.0	1,603.7	1,653.5	1,602.0	1,567.5	1,597.1	1,478.0	1,440.0	1,495.8	1,619.7	1,511.5	
215,692	146,137	191,161	483.0	467.5	436.1	450.8	451.8	429.6	419.0	424.5	400.6	381.7	400.6	446.9	404.1	
12,673	10,458	12,120	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	32.0	25.6	1
2	3	1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	2
1	2	1	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	3
1,167	1,568	1,206	7.9	6.3	5.4	4.3	4.2	3.9	3.4	2.7	2.4	2.3	2.2	4.8	2.6	4
202	1,119	108	1.9	3.5	6.6	4.2	2.1	0.9	0.2	0.2	0.2	0.2	0.4	3.4	0.2	5
6,598	2,951	5,092	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	9.0	10.8	6
6,255	3,608	5,030	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	11.0	10.6	7
6,146	3,572	5,440	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	10.9	11.5	8
11,521	9,674	10,576	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	29.6	22.4	9
7,774	6,506	7,760	22.9	32.2	10.1	18.5	20.2	18.9	10.3	23.4	21.3	13.1	14.4	19.9	16.4	10
	3	(2)			(1)	(1)	(1)				(1)			(1)	(1)	11
563	460	485	2.6	1.8	1.6	1.1	1.2	1.3	1.3	0.9	1.1	0.8	1.0	1.4	1.0	12
3,446	2,810	3,076	11.3	10.6	10.0	7.3	7.7	7.6	8.0	6.5	6.3	5.6	6.4	8.6	6.5	13
1	18	19	0.1	0.1	0.1	0.1	(1)			0.2	(1)	(1)	(1)	0.1	(1)	14
	92	1	(1)	(1)	(1)	0.1		1.3		(1)	(1)			0.3	(1)	15
10	5	8	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	16
2,442	1,455	1,977	5.1	4.6	4.2	4.0	5.0	4.4	4.2	4.3	3.9	3.9	4.5	4.5	4.2	17
198	76	156	0.2	0.1	0.3	0.2	0.3	0.2	0.4	0.3	0.3	0.3	0.4	0.2	0.3	18
1,877	1,998	1,798	8.4	7.3	7.1	5.4	5.7	5.2	4.4	4.3	3.7	3.3	3.5	6.1	3.8	19
7	7	7	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	20
22	23	21	0.1	0.1	(1)	0.1	0.1	0.1	0.1	0.1	(1)	(1)	(1)	0.1	(1)	21
64	42	72	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	22
1,373	1,150	1,276	4.4	3.6	3.6	4.1	3.3	3.0	2.9	2.9	2.5	2.7	2.5	3.5	2.7	23
32	14	29	(1)	(1)	0.1	(1)	0.1	(1)	0.1	(1)	0.1	0.1	0.1	(1)	0.1	24
368	(1)	101	(1)			(1)	(1)	(1)	(1)	(1)	(1)	0.2	0.7	(1)	0.2	25
10	(2)	(4)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(1)	(2)	(4)	26
86,309	62,978	79,792	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	192.6	168.7	27
73,214	55,809	69,436	181.8	176.2	164.3	166.5	177.9	168.5	157.1	155.9	145.5	139.3	136.0	170.7	146.8	28
1,997	(2)	(4)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(4)	29
4,654	2,905	4,289	8.7	8.5	8.3	8.9	9.1	9.6	9.4	9.4	9.0	9.0	8.6	8.9	9.1	30
3,159	1,946	2,843	5.3	5.6	5.7	5.7	6.3	6.4	6.3	6.1	5.8	6.0	5.9	6.0	6.0	31
764	492	692	1.3	1.4	1.3	1.6	1.6	1.7	1.5	1.4	1.6	1.5	1.4	1.5	1.5	32
422	234	348	0.7	0.7	0.7	0.7	0.7	0.8	0.6	0.6	0.8	0.7	0.8	0.7	0.7	33
1,118	666	988	1.9	2.0	1.8	2.1	2.2	2.2	2.0	2.2	2.2	2.0	2.1	2.0	2.1	34
981	926	1,195	2.2	2.6	2.3	3.1	2.9	3.2	3.0	2.9	2.8	2.3	1.8	2.8	2.5	35
455	(3)	(4)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(4)	36
3,221	1,335	2,550	3.4	3.6	3.5	4.2	4.5	4.5	4.8	5.2	5.2	5.6	6.0	4.1	5.4	37
197	41	121	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.1	0.3	38
41,039	22,214	34,320	63.0	64.2	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	67.9	72.6	39
1,576	677	1,212	1.6	2.0	1.8	2.0	2.2	2.3	2.2	2.3	2.5	2.8	2.9	2.1	2.6	40
16,475	8,091	13,395	22.5	22.6	23.4	25.1	26.2	26.3	25.1	27.0	27.9	29.3	30.6	24.7	28.3	41
5,258	2,332	4,148	5.7	6.9	7.0	6.5	7.2	8.0	7.8	8.3	8.5	9.2	9.8	7.1	8.3	42
6,147	3,263	5,118	8.3	9.3	9.5	10.1	10.3	10.7	9.7	10.2	11.2	11.2	11.4	10.0	10.8	43
3,730	1,845	3,070	4.7	5.3	5.5	5.5	6.1	5.9	5.3	6.0	6.5	7.0	6.9	5.6	6.5	44
1,459	1,268	1,268	2.0	2.2	2.1	2.3	2.3	2.4	2.3	2.6	2.7	2.9	2.7	2.3	2.7	45
6,394	5,266	6,110	17.8	16.1	15.8	16.8	15.9	15.9	15.2	14.6	12.3	11.3	11.9	16.1	12.9	46
553	488	489	1.9	1.6	1.4	1.6	1.3	1.5	1.1	1.2	1.0	0.9	1.0	1.5	1.0	47
3,328	1,698	2,551	4.6	4.8	4.3	4.9	6.3	5.6	5.3	5.4	5.2	4.9	6.2	5.2	5.4	48
676	1,039	1,039	4.9	4.7	4.0	3.6	3.3	2.7	2.7	2.6	2.4	2.3	1.3	3.6	2.2	49
68	48	67	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	50
8,040	3,772	6,494	9.7	10.2	10.3	11.3	12.8	12.9	12.7	13.5	13.4	13.8	14.9	11.5	13.7	51
687	218	512	0.4	0.6	0.5	0.7	0.7	0.8	0.8	0.9	1.1	1.3	1.3	0.7	1.1	52
220	149	200	0.4	0.5	0.5	0.4	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.4	53
864	394	728	1.0	1.0	1.2	1.2	1.2	1.4	1.4	1.5	1.5	1.6	1.6	1.2	1.5	54
2,614	1,578	2,293	5.3	5.0	4.8	4.6	4.8	5.0	5.0	5.1	4.6	4.8	4.9	4.8	4.8	55
1,359	158	476	0.2	0.5	0.4	0.4	0.4	0.6	0.6	0.6	0.5	0.5	2.5	0.5	1.0	56
2,909	2,002	2,734	6.4	6.0	6.1	6.6	5.8	6.2	6.4	7.3	5.0	5.1	5.4	6.1	5.8	57
136	87	101	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	58
6	5	5	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	59
259	166	233	0.3	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	60
77,991	58,890	72,470	204.4	189.0	181.6	174.2	178.4	177.8	164.6	167.5	149.4	144.1	144.8	180.1	153.2	61
761	630	517	3.3	2.6	2.2	1.9	1.6	1.4	1.2	1.2	1.0	0.7	1.4	1.9	1.1	62
7,619	10,366	9,197	40.9	33.2	31.2	28.2	31.6	34.2	25.0	25.3	19.0	15.4	14.2	31.7	19.4	63
5,347	7,601	6,384	35.1	27.6	25.8	22.3	21.8	19.2	17.3	17.1	13.5	11.1	9.9	23.2	13.5	64
2,052	2,765	2,813	5.8	5.7	5.4	5.9	9.8	15.0	7.8	8.7	5.6	4.3	3.8	8.5	5.9	65
220	786	1,249	1.9	2.3	2.2	2.5	2.5	2.6	2.6	2.6	2.6	2.7	2.7	2.4	2.6	66
1,435	1,589	2,736	4.3	4.6	4.5	5.2	5.0	5.1	4.8	5.2	5.2	5.7	7.6	4.9	5.8	67
1,459	1,589	2,736	4.3	4.6	4.5	5.2	5.0	5.1	4.8	5.2	5.2	1.1	2.7	4.9	5.8	68
2,642	1,589	2,736	4.3	4.6	4.5	5.2	5.0	5.1	4.8	5.2	5.2	1.1	2.7	4.9	5.8	69
39,701	22,756	33,913	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	69.6	71.7	70
1,066	1,198	1,163	4.0	4.0	3.7	3.8	3.7	3.1	3.0	2.9	2.3	2.2	2.0			

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, BY CAUSES

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.									
		1900	1901	1902	1903	1904	1905	1906	1907.	1908	1909
	III.—Diseases of the circulatory system.....	45,279	46,250	49,233	52,275	57,220	58,503	70,666	78,365	80,607	90,456
77	Pericarditis.....	809	748	753	664	624	594	659	634	585	660
78	Acute endocarditis*.....	3,654	3,299	3,681	3,202	3,880	4,265	5,285	5,971	5,994	6,906
79	Organic diseases of the heart*.....	34,210	35,586	37,577	40,704	44,472	44,723	53,581	59,157	60,038	65,971
80	Angina pectoris.....	1,958	1,981	2,080	2,192	2,180	2,281	2,750	2,924	2,997	3,481
81	Diseases of the arteries, atheroma, aneurism, etc.....	1,876	2,132	2,629	2,908	3,516	4,145	5,478	6,727	7,935	10,174
82	Embolism and thrombosis.....	1,219	1,261	1,306	1,449	1,401	1,417	1,717	1,733	1,907	1,981
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	153	175	153	176	202	227	244	258	251	320
84	Diseases of the lymphatic system (lymphangitis, etc.).....	76	57	53	58	83	73	92	92	126	154
85	Hemorrhage; other diseases of the circulatory system*.....	1,324	1,011	1,001	922	862	778	860	869	774	809
	IV.—Diseases of the respiratory system.....	78,832	72,080	71,027	70,930	76,975	69,445	82,174	89,246	81,758	90,868
86	Diseases of the nasal fossae.....	31	95	72	57	44	88	81	85	85	109
87	Diseases of the larynx.....	925	838	837	787	710	610	819	801	770	770
88	Diseases of the thyroid body.....	67	90	93	93	97	110	147	165	185	194
89	Acute bronchitis.....	8,135	7,040	7,588	6,842	6,910	6,598	7,410	7,363	7,089	6,939
90	Chronic bronchitis.....	5,924	5,425	4,993	5,005	5,021	4,711	5,015	5,557	5,043	5,188
91	Bronchopneumonia.....	6,733	8,894	10,153	10,964	12,219	11,608	15,646	16,881	16,758	21,026
92	Pneumonia (total).....	48,780	41,715	39,715	39,764	44,957	39,068	45,431	50,439	44,501	49,007
	Lobar pneumonia.....	48,780	41,715	39,715	39,764	44,957	39,068	45,431	50,439	44,501	49,007
	Pneumonia (undefined).....										
93	Pleurisy.....	1,448	1,469	1,442	1,463	1,598	1,627	1,796	1,898	1,848	2,082
94	Pulmonary congestion, pulmonary apoplexy.....	3,504	3,254	2,978	2,885	2,597	2,297	2,699	2,838	2,596	2,550
95	Gangrene of the lung.....	125	172	196	132	157	174	198	183	146	221
96	Asthma.....	1,359	1,259	1,264	1,262	1,207	1,109	1,340	1,402	1,313	1,419
97	Pulmonary emphysema.....	255	268	257	247	189	176	167	202	176	137
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,546	1,561	1,439	1,429	1,269	1,269	1,425	1,432	1,249	1,226
	V.—Diseases of the digestive system.....	68,908	62,608	60,871	61,009	65,952	68,731	86,110	84,598	89,513	91,863
99	Diseases of the mouth and annexe.....	270	256	229	235	256	232	335	305	324	356
100	Diseases of the pharynx.....	545	469	461	439	520	477	641	710	690	792
101	Diseases of the esophagus.....	119	98	126	113	110	117	124	151	137	129
102	Ulcer of the stomach.....	804	871	905	905	1,044	1,094	1,423	1,481	1,523	1,770
103	Other diseases of the stomach (cancer excepted).....	6,401	5,604	5,562	5,788	5,943	6,031	7,702	7,587	7,830	8,171
104	Diarrhea and enteritis (under 2 years).....	33,479	28,523	26,903	26,697	30,315	33,032	42,581	41,563	44,521	44,648
105	Diarrhea and enteritis (2 years and over).....	7,506	7,073	6,724	6,338	6,549	6,367	7,804	7,176	7,692	7,668
106	Ankylostomiasis*.....	32	41	35	29	37	43	66	58	65	62
107	Intestinal parasites*.....										
108	Appendicitis and typhlitis.....	2,987	3,131	3,216	3,589	3,946	4,062	4,673	4,671	5,289	5,768
109	Hernia, intestinal obstruction (total).....	3,746	3,938	4,007	4,256	4,445	4,632	5,697	5,722	5,976	6,371
	Hernia.....	1,160	1,272	1,316	1,412	1,405	1,413	1,771	1,785	1,867	2,018
	Intestinal obstruction.....	2,586	2,666	2,691	2,844	3,040	3,219	3,926	3,937	4,109	4,353
110	Other diseases of the intestines.....	975	941	926	915	932	1,013	1,221	1,106	1,243	1,411
111	Acute yellow atrophy of the liver.....	104	104	144	119	143	147	152	169	187	211
112	Hydatid tumor of the liver.....	10	8	14	9	12	14	13	9	13	19
113	Cirrhosis of the liver.....	3,970	4,265	4,460	4,731	5,020	4,994	6,079	6,604	6,709	7,045
114	Biliary calculi.....	459	500	668	795	832	883	1,134	1,110	1,275	1,486
115	Other diseases of the liver.....	2,730	2,558	2,483	2,545	2,340	2,239	2,851	2,808	2,746	2,829
116	Diseases of the spleen.....	89	82	89	88	76	90	101	89	84	97
117	Simple peritonitis (nonpuerperal).....	4,639	4,091	3,824	3,333	3,331	3,105	3,357	3,131	2,978	2,611
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	43	55	95	85	101	104	156	148	216	219
	VI.—Nonvenereal diseases of the genito-urinary system and annexe.....	32,567	33,489	34,608	38,013	40,450	41,361	48,038	51,472	51,717	57,070
119	Acute nephritis.....	2,312	2,498	2,983	3,173	3,470	3,565	4,035	4,517	4,632	5,018
120	Bright's disease.....	25,065	25,507	26,136	28,641	30,911	31,631	36,898	39,519	39,203	43,412
121	Chyluria*.....	990	947	938	917	923	906	1,116	1,130	1,280	1,318
122	Other diseases of the kidneys and annexe*.....										
123	Calculi of the urinary passages.....	116	126	150	151	154	193	227	229	250	292
124	Diseases of the bladder.....	1,644	1,530	1,432	1,450	1,408	1,257	1,406	1,491	1,476	1,484
125	Diseases of the urethra, urinary abscess, etc.....	121	119	122	140	146	152	173	186	190	234
126	Diseases of the prostate.....	423	621	666	1,012	927	1,083	1,296	1,456	1,495	1,873
127	Nonvenereal diseases of the male genital organs.....	21	27	32	47	39	31	44	36	39	49
128	Uterine hemorrhage (nonpuerperal).....	104	107	84	87	79	86	76	69	90	79
129	Uterine tumor (noncancerous).....	403	529	536	608	620	611	731	813	845	862
130	Other diseases of the uterus.....	530	513	522	616	575	596	723	696	717	759
131	Cysts and other tumors of the ovary.....	349	411	428	439	433	440	431	456	454	518
132	Salpingitis and other diseases of the female genital organs.....	473	540	571	714	743	786	860	852	1,015	1,146
133	Nonpuerperal diseases of the breast (cancer excepted).....	16	14	8	18	22	24	22	22	31	28
	VII.—The puerperal state.....	4,106	4,294	4,164	4,569	5,109	5,077	6,341	6,719	7,344	7,791
134	Accidents of pregnancy.....	526	526	535	570	579	537	762	757	772	834
135	Puerperal hemorrhage*.....	210	287	284	341	360	413	454	465	425	357
136	Other accidents of labor*.....	236	306	283	280	321	286	469	471	598	788
137	Puerperal septicemia*.....	1,769	1,882	1,813	1,992	2,291	2,309	2,622	2,908	3,271	3,427
138	Puerperal albuminuria and convulsions*.....	671	803	768	929	1,075	981	1,348	1,470	1,619	1,706
139	Puerperal phlegmasia alba dolens, embolus, sudden death*.....	5	1	2	5	3	7	32	8	13	23
140	Following childbirth (not otherwise defined)*.....	689	488	478	452	479	542	654	638	643	650
141	Puerperal diseases of the breast.....		1	1		1	2		2	3	6

1 Less than one-tenth of 1 per 100,000.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, BY CAUSES

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.									
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909
	VIII.—Diseases of the skin and of the cellular tissue.	2,461	2,419	2,269	2,470	2,397	2,406	2,778	2,759	2,817	2,985
142	Gangrene.....	1,345	1,460	1,327	1,482	1,500	1,518	1,592	1,688	1,562	1,691
143	Furuncle.....	153	166	154	151	134	142	205	167	203	257
144	Acute abscess.....	599	464	448	547	476	432	522	485	514	534
145	Other diseases of the skin and annæxa.....	364	329	340	290	287	314	459	419	538	503
	IX.—Diseases of the bones and of the organs of locomotion.	677	807	849	980	990	1,036	1,235	1,252	1,418	1,455
146	Diseases of the bones (tuberculosis excepted) *.....	558	642	715	829	861	929	1,069	1,115	1,296	1,325
147	Diseases of the joints (tuberculosis and rheumatism excepted).	47	79	57	93	82	66	91	106	81	88
148	Amputations.....	63	47	45	39	27	18	31	12	10	3
149	Other diseases of the organs of locomotion.....	9	39	32	19	20	23	44	19	31	39
	X.—Malformations.....	3,540	3,453	3,440	4,025	4,382	4,588	6,220	6,452	6,907	7,755
150	Congenital malformations (stillbirths not included) (total).	3,540	3,453	3,440	4,025	4,382	4,588	6,220	6,452	6,907	7,755
	Hydrocephalus.....	635	571	490	533	541	499	695	622	681	664
	Congenital malformations of the heart.....	1,871	1,794	1,875	2,141	2,434	2,706	3,659	3,937	4,179	4,766
	Other congenital malformations.....	1,034	1,088	1,075	1,351	1,407	1,383	1,866	1,893	2,047	2,325
	XI.—Early infancy *.....	24,704	21,856	23,115	24,183	25,900	25,783	32,286	33,441	35,384	36,782
151	Congenital debility, icterus, and sclerema * (total).....	17,713	15,178	16,018	17,085	18,223	21,728	23,274	29,347	30,890	31,770
	Premature birth.....	10,170	8,615	9,087	10,143	11,361	11,102	14,250	15,245	16,441	18,286
	Congenital debility, "atrophy," "marasmus," etc.....	7,543	6,563	6,931	6,942	6,862	10,626	14,024	14,102	14,449	13,484
152	Other causes peculiar to early infancy * (total).....	1,965	1,933	2,069	2,606	2,870	3,026	3,653	3,982	4,376	4,906
	Injuries at birth.....	1,050	1,134	1,304	1,669	1,899	2,166	2,543	2,804	3,110	3,508
	Other causes peculiar to early infancy 2.....	915	799	765	937	971	860	1,110	1,178	1,266	1,398
153	Lack of care *.....	5,026	4,745	5,038	4,492	4,807	1,029	359	112	118	106
	XII.—Old age *.....	15,510	14,758	14,225	12,780	12,938	12,301	14,048	13,660	13,807	13,456
154	Senility *.....	15,510	14,758	14,225	12,780	12,938	12,301	14,048	13,660	13,807	13,456
	XIII.—External causes *.....	28,479	32,196	29,831	33,873	34,745	35,612	47,009	49,744	49,311	52,029
	Suicide (total).....	3,534	3,824	4,054	4,510	4,912	5,438	5,853	6,745	8,332	8,402
155	By poison.....	1,023	1,254	1,344	1,627	1,698	1,820	1,834	2,141	2,511	2,462
156	By asphyxia.....	180	245	280	368	414	516	509	609	878	989
157	By hanging or strangulation.....	607	608	620	625	772	794	835	938	1,171	1,215
158	By drowning.....	180	210	223	204	242	276	280	307	464	507
159	By firearms.....	835	913	953	1,052	1,185	1,435	1,714	2,027	2,463	2,395
160	By cutting or piercing instruments.....	171	209	221	297	273	306	356	418	507	536
161	By jumping from high places.....	31	41	45	69	66	54	84	108	157	156
162	By crushing.....	11	14	15	25	22	26	37	58	66	84
163.	Other suicides.....	496	330	353	243	240	211	204	139	110	68
	Accidental or undefined (total).....	24,287	27,663	25,043	28,529	28,898	28,634	39,055	40,290	37,976	40,773
164	Poisoning, by food *.....										
165	Other acute poisonings *.....	1,351	1,234	1,374	1,551	1,632	1,269	1,734	1,725	1,652	1,779
166	Conflagration *.....	(⁵)	(⁵)	(⁵)	640	1,015	272	283	371	687	637
167	Burns (conflagration excepted).....	2,575	2,695	2,588	2,682	2,756	2,884	3,600	3,930	3,704	4,007
168	Absorption of deleterious gases (conflagration excepted) *.....	1,130	1,337	1,389	1,579	1,707	1,582	1,712	2,027	1,709	2,004
169	Accidental drowning.....	3,525	3,380	3,244	3,418	3,378	3,389	4,395	4,307	4,677	4,558
170	Traumatism by firearms.....	1,139	1,082	1,196	1,151	1,294	823	1,074	897	956	944
171	Traumatism by cutting or piercing instruments *.....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)
172	Traumatism by fall *.....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)
173	Traumatism in mines and quarries (total).....	162	274	199	305	329	491	1,523	2,130	1,917	1,997
	Traumatism in mines.....	162	274	199	305	329	491	1,523	2,064	1,811	1,863
	Traumatism in quarries.....								66	106	134
174	Traumatism by machines.....	123	196	281	280	320	348	565	1,071	901	1,174
175	Traumatism by other crushing * (total).....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)
	Railroad accidents and injuries.....	3,644	4,102	4,485	5,484	5,084	5,781	7,080	7,676	6,080	6,659
	Street-car accidents and injuries.....							1,488	1,880	1,696	1,723
	Automobile accidents and injuries.....	409	557	660	907	949	1,168	183	294	893	632
	Injuries by other vehicles.....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	1,524	1,810	1,924	2,152
	Landslide, other crushing *.....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)
176	Injuries by animals *.....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)
177	Starvation.....	29	40	38	36	30	22	42	27	34	37
178	Excessive cold.....	138	154	163	184	227	228	203	280	227	251
179	Effects of heat.....	1,266	4,012	290	520	235	881	763	580	829	816
180	Lightning.....	95	127	108	92	81	80	169	133	161	150
181	Electricity (lightning excepted) *.....	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)
185	Fractures (cause not specified).....	2,725	2,697	2,776	3,003	2,908	2,539	3,116	1,926	734	357
186	Other external violence *.....	5,976	5,776	6,252	6,697	6,953	6,957	9,591	9,226	9,665	10,896
	Homicide (total).....	658	709	734	834	935	1,540	2,101	2,709	3,003	2,854
182	By firearms *.....	658	709	734	834	935	1,540	2,101	2,709	3,003	2,854
183	By cutting or piercing instruments *.....										
184	By other means *.....										
	XIV.—Ill-defined diseases.....	23,408	18,039	17,181	14,907	14,166	13,871	16,176	14,677	13,637	12,584
187	Ill-defined organic disease.....	2,204	1,580	1,609	1,221	1,144	1,002	1,084	927	852	725
188	Sudden death.....	77	109	139	118	96	152	201	216	202	273
189	Not specified or ill-defined * (total).....	21,127	16,350	15,433	13,568	12,926	12,717	14,891	13,534	12,583	11,586
	Ill-defined.....	18,103	14,309	13,680	12,097	11,333	11,433	12,679	11,940	11,296	10,273
	Not specified or unknown.....	3,024	2,041	1,753	1,471	1,593	1,284	2,212	1,594	1,287	1,313

1 Less than one-tenth of 1 per 100,000.

2 Exclusive of injuries at birth.

3 Not compiled separately prior to 1903.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums separately for minor subdivisions when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "states." Numbers under causes of death correspond to those of the Abridged International List (see p. 21).]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Dyphoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
SUMMARY.														
1 The registration area (total).....	1,495.8	23.5	2.2	0.4	12.3	11.6	11.4	21.4	14.4	4.5	139.7	8.6	12.0	7.4
2 White.....	1,457.3	22.8	1.4	0.4	12.4	12.0	10.7	21.8	14.0	4.6	128.6	8.5	11.1	7.3
3 Colored.....	2,420.2	41.0	19.8	0.6	9.5	3.4	28.9	11.4	24.3	4.0	404.7	12.1	32.7	10.3
4 Registration states ² (total).....	1,471.7	22.8	1.3	0.4	12.5	11.4	11.7	21.1	14.3	4.6	134.2	8.8	11.8	7.4
5 White.....	1,450.1	22.4	1.2	0.4	12.6	11.6	11.0	21.4	14.1	4.6	126.5	8.6	11.1	7.4
6 Colored.....	2,199.9	36.5	7.7	0.4	10.2	3.7	34.8	11.9	18.7	3.4	393.6	15.1	35.2	9.3
7 Cities in registration states ² (total).....	1,589.3	22.4	1.0	0.4	13.4	14.2	11.4	25.7	10.6	5.2	155.5	11.7	12.2	7.7
8 White.....	1,558.3	22.0	0.8	0.4	13.5	14.5	10.8	26.2	10.3	5.2	145.4	11.4	11.3	7.6
9 Colored.....	2,498.3	34.9	6.1	0.5	9.9	3.2	31.2	13.5	18.0	3.6	449.2	20.1	39.3	9.7
10 Rural part of registration states (total).....	1,340.8	23.3	1.7	0.4	11.6	8.2	11.9	15.9	18.4	3.9	110.5	5.5	11.4	7.1
11 White.....	1,330.7	22.9	1.5	0.4	11.6	8.3	11.2	16.1	18.4	3.9	105.6	5.4	11.0	7.1
12 Colored.....	1,749.9	39.0	10.2	0.4	10.7	4.4	40.3	9.6	19.8	3.1	309.8	7.6	29.0	8.7
13 Registration cities in other states (total).....	1,686.6	29.3	8.6	0.2	10.1	13.7	9.4	23.7	15.7	4.3	183.0	7.8	13.0	7.5
14 White.....	1,521.4	26.4	3.9	0.1	10.4	15.3	8.1	25.6	13.0	4.2	147.6	7.9	10.8	6.9
15 Colored.....	2,815.1	48.9	41.4	0.8	8.2	2.9	18.3	10.5	34.2	5.1	424.6	6.6	28.0	12.5
16 All registration cities ² (total).....	1,608.1	23.7	2.5	0.4	12.8	14.1	11.0	25.3	11.6	5.0	160.8	10.9	12.4	7.6
17 White.....	1,551.7	22.8	1.4	0.4	13.0	14.7	10.3	26.1	10.8	5.1	145.8	10.8	11.2	7.5
18 Colored.....	2,650.7	41.6	23.1	0.6	9.1	3.1	25.0	12.0	25.8	4.3	437.4	13.6	33.9	10.9
REGISTRATION STATES.														
19 California (total).....	1,352.1	19.2	3.5	(⁸)	7.4	2.9	11.9	9.2	6.3	3.2	180.4	9.8	14.7	5.3
20 White.....	1,347.1	18.8	3.2	(⁸)	7.4	3.1	11.9	9.2	6.5	3.3	172.4	9.7	14.1	5.2
21 Colored.....	1,448.4	26.2	11.0		7.6		11.8	8.4	2.5	0.8	333.4	12.7	26.2	6.8
22 Colorado (total).....	1,375.9	41.9	1.1	0.9	8.0	12.9	4.4	16.2	9.6	5.6	207.7	7.2	9.9	7.0
23 White.....	1,360.1	41.3	1.1	0.9	7.9	12.9	4.4	16.4	9.8	5.5	203.7	7.0	9.6	7.1
24 Colored.....	2,175.0	70.6			12.8	12.8		6.4		12.8	410.6	19.2	25.7	
25 Connecticut (total).....	1,563.6	14.7	2.5		8.2	11.5	13.0	25.1	21.7	4.9	131.1	8.3	10.6	8.5
26 White.....	1,551.7	14.7	2.5		8.3	11.7	12.9	25.1	21.8	5.0	127.9	8.2	9.8	8.4
27 Colored.....	2,389.2	19.0					25.3	25.3	19.0		354.0	19.0	69.5	12.6
28 Indiana (total).....	1,347.5	34.0	4.2	(⁸)	16.6	7.5	14.7	14.5	19.9	4.9	144.9	9.4	19.9	6.6
29 White.....	1,324.2	34.1	4.1	(⁸)	16.6	7.5	14.6	14.5	19.7	4.7	137.5	9.4	17.9	6.6
30 Colored.....	2,359.5	29.6	8.2	(⁸)	16.4	8.2	19.7	13.1	27.9	11.5	466.3	11.5	106.7	6.6
31 Maine (total).....	1,711.9	20.3	0.4		13.0	5.5	13.0	13.3	16.5	3.2	120.9	11.7	16.9	6.6
32 White.....	1,714.2	20.4	0.4		13.1	5.5	13.1	13.4	16.5	3.2	120.6	11.7	17.0	6.6
33 Colored.....	976.2								42.4		212.2			
34 Maryland (total).....	1,603.3	40.7	1.7		4.1	5.2	22.4	13.2	15.5	4.9	178.2	6.6	12.7	7.1
35 White.....	1,451.5	39.3	1.7		4.3	6.1	13.3	13.8	14.0	5.2	136.8	6.8	10.5	6.6
36 Colored.....	2,298.4	46.9	1.7		3.0	1.3	64.0	10.3	22.4	3.4	367.5	5.6	22.8	9.5
37 Massachusetts (total).....	1,605.8	12.4	0.7		11.6	8.0	8.5	20.8	13.2	5.2	137.6	13.8	11.4	6.6
38 White.....	1,600.4	12.4	0.7		11.6	8.1	8.4	20.9	13.4	5.3	134.0	13.8	11.0	6.6
39 Colored.....	2,036.2	14.4			12.0	2.4	12.0	16.8	2.4	2.4	423.6	14.4	36.1	12.0
40 Michigan (total).....	1,414.4	23.7	0.7	4.3	9.0	10.7	10.9	17.6	15.5	4.6	82.4	3.8	11.3	8.3
41 White.....	1,404.7	23.5	0.8	4.3	8.9	10.8	10.7	17.6	15.4	4.5	79.0	3.8	11.1	8.1
42 Colored.....	2,496.5	43.9		4.0	19.9	4.0	39.9	12.0	27.9	8.0	462.6		43.9	23.9
43 Minnesota (total).....	1,089.0	32.1	0.1	0.5	11.9	14.5	7.5	26.1	4.7	3.8	90.5	7.7	10.9	6.4
44 White.....	1,089.0	32.2	0.1	0.5	11.7	14.5	7.5	26.2	4.7	3.8	89.9	7.6	10.9	6.4
45 Colored.....	1,087.3	24.3			36.4	6.1	6.1	18.2		6.1	170.1	24.3	12.1	6.1
46 Montana (total).....	1,055.6	39.9		0.5	4.2	16.1	10.8	16.1	6.3	3.7	77.9	3.7	8.2	7.4
47 White.....	1,075.6	39.1		0.6	4.4	16.8	11.0	16.8	6.6	3.9	76.2	3.3	7.7	7.7
48 Colored.....	583.2	58.3					6.5				116.6	13.0	19.4	
49 New Hampshire (total).....	1,729.1	10.7	0.2		6.7	1.9	9.7	17.9	21.6	4.9	113.9	7.2	14.6	5.3
50 White.....	1,728.5	10.7	0.2		6.7	1.9	9.8	17.7	21.6	4.9	114.1	7.0	14.6	5.3
51 Colored.....	2,121.2							151.5				151.5		
52 New Jersey (total).....	1,546.8	14.5	1.0		9.9	11.0	16.6	29.2	12.2	5.1	158.9	11.2	11.6	8.3
53 White.....	1,519.8	14.2	0.9		10.0	11.2	14.5	30.0	12.5	5.2	150.4	10.4	10.5	8.2
54 Colored.....	2,269.5	22.9	3.3		6.5	6.5	73.0	9.8	4.4		389.1	32.7	41.4	10.9
55 New York (total).....	1,612.5	15.3	0.9	0.1	13.9	18.1	8.1	26.6	13.3	5.2	158.2	12.3	9.9	7.9
56 White.....	1,599.7	15.2	0.9	0.1	13.9	18.2	7.9	26.8	13.3	5.2	153.1	12.0	9.5	7.8
57 Colored.....	2,397.4	16.3	3.4	1.4	10.9	7.5	19.0	14.2	16.3	5.4	471.5	27.8	30.5	9.5
58 North Carolina ⁴ (total).....	1,865.5	57.7	33.2	1.7	27.1	2.2	17.1	18.5	28.2	3.6	247.8	6.4	17.4	6.4
59 White.....	1,588.3	54.5	22.2	1.7	32.0	3.0	14.5	20.5	22.6	4.7	178.5	7.2	11.1	4.3
60 Colored.....	2,376.9	63.7	53.4	1.6	18.1	0.8	22.0	14.9	38.5	1.6	375.7	4.7	29.1	10.2
61 Ohio (total).....	1,369.4	27.5	0.8	0.3	16.5	6.0	12.4	12.2	19.0	4.6	130.2	6.9	13.7	8.1
62 White.....	1,353.9	27.3	0.8	0.3	16.5	6.1	12.1	12.3	19.0	4.6	123.4	6.7	13.1	8.0
63 Colored.....	2,012.9	34.7	3.6	0.9	16.0	3.6	24.0	8.0	16.9	3.6	410.6	14.2	39.1	11.6
64 Pennsylvania (total).....	1,557.3	24.6	0.6	0.1	16.1	14.2	14.5	29.0	15.6	4.4	117.0	6.3	10.4	7.8
65 White.....	1,535.5	24.3	0.7	0.1	16.2	14.4	13.6	29.3	15.5	4.4	109.0	5.9	9.5	7.8
66 Colored.....	2,382.8	34.3			9.6	6.1	46.4	19.2	18.7	4.0	421.9	20.7	45.9	6.6

¹ Exclusive of stillbirths.

² Including District of Columbia.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA.

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
REGISTRATION STATES—Contd.														
1 Rhode Island (total).....	1,706.5	13.6	0.9	32.6	4.0	9.4	24.6	18.2	3.3	156.8	15.8	9.5	5.7
2 White.....	1,691.3	13.3	0.9	33.1	4.1	8.8	24.7	18.3	3.4	154.3	15.5	9.7	5.8
3 Colored.....	2,510.6	29.7	9.9	39.5	19.8	9.9	286.6	29.7
4 Utah (total).....	1,084.7	37.0	0.5	1.3	28.8	17.0	19.4	8.3	5.6	35.7	2.7	5.9	10.9
5 White.....	1,084.7	34.7	0.5	1.4	29.3	17.4	19.8	8.4	5.7	34.2	2.7	5.7	10.9
6 Colored.....	1,088.1	161.7	117.6	14.7	14.7
7 Vermont (total).....	1,601.3	14.0	0.8	6.7	3.1	14.6	9.0	41.3	4.2	92.1	9.0	12.4	4.2
8 White.....	1,600.4	14.1	0.8	6.8	3.1	14.4	9.0	41.5	4.2	91.7	9.0	12.4	4.2
9 Colored.....	1,792.1	59.7	179.2
10 Washington (total).....	995.7	28.0	0.1	0.7	6.6	7.0	15.3	12.6	4.7	3.5	87.7	7.5	12.4	4.7
11 White.....	981.8	26.8	0.1	0.7	6.1	7.2	14.9	12.8	4.5	3.6	81.0	7.1	11.8	4.6
12 Colored.....	1,466.8	69.6	24.2	30.2	3.0	12.1	314.5	21.2	33.3	6.0
13 Wisconsin (total).....	1,200.4	23.3	0.1	0.1	8.0	13.2	7.8	18.5	10.6	3.5	92.1	4.6	10.1	8.3
14 White.....	1,199.8	23.4	0.1	0.1	8.0	13.2	7.8	18.5	10.7	3.6	91.5	4.5	10.0	8.3
15 Colored.....	1,303.1	7.5	22.5	7.5	15.0	15.0	187.2	15.0	30.0	7.5
REGISTRATION CITIES.														
ALABAMA. ²														
16 Registration cities (total).....	2,147.2	53.3	43.9	0.4	10.8	3.1	10.3	11.2	18.8	4.5	304.8	2.7	13.9	7.6
17 White.....	1,593.2	47.5	14.8	8.6	5.5	8.6	14.8	14.0	7.0	162.7	3.9	11.7	7.8
18 Colored.....	2,898.7	61.3	83.5	1.1	13.7	12.7	6.3	25.4	1.1	497.6	1.1	16.9	7.4
19 Birmingham (total).....	1,948.2	49.5	26.3	18.0	3.0	9.8	12.0	12.8	4.5	276.8	0.8	4.5	6.0
20 White.....	1,493.1	49.5	12.4	13.6	5.0	11.1	14.9	9.9	6.2	147.3	1.2	1.2	7.4
21 Colored.....	2,648.1	49.5	47.6	24.7	7.6	7.6	17.1	1.9	475.9	9.5	3.8
22 Mobile (total).....	2,297.1	75.6	56.2	3.9	13.6	11.6	27.1	7.8	391.6	7.8	31.0	15.5
23 White.....	1,779.3	45.2	24.3	7.0	3.5	17.4	24.3	13.9	236.3	13.9	34.8	10.4
24 Colored.....	2,950.5	114.0	96.4	26.3	4.4	30.7	587.5	26.3	21.9
25 Montgomery (total).....	2,639.1	36.7	89.0	2.6	2.6	7.9	7.9	28.8	285.4	2.6	23.6	2.6
26 White.....	1,738.1	42.4	10.6	5.3	5.3	10.6	15.9	116.6	21.2	5.3
27 Colored.....	3,518.9	31.0	165.6	5.2	10.3	5.2	41.4	450.2	5.2	25.9
CALIFORNIA.														
28 Registration cities (total).....	1,456.7	16.9	1.9	7.6	3.3	10.0	9.4	5.7	3.1	198.3	11.4	16.3	5.6
29 White.....	1,438.7	16.5	1.6	7.9	3.4	10.1	9.2	6.0	3.2	186.4	10.9	15.1	5.2
30 Colored.....	1,850.9	26.9	9.0	1.8	7.2	12.6	457.8	21.5	41.3	12.6
31 Alameda.....	1,232.5	12.8	4.3	8.5	4.3	106.3	4.3	21.3	12.8
32 Bakersfield.....	2,378.2	93.6	46.8	15.6	7.8	23.4	15.6	15.6	304.1	7.8	15.6
33 Berkeley.....	917.0	2.4	2.4	9.8	12.2	2.4	75.6	7.3	9.8	2.4
34 Eureka.....	1,641.5	16.8	8.4	16.8	25.1	192.6	8.4	33.5	8.4
35 Fresno.....	1,355.4	59.8	8.0	4.0	15.9	31.9	23.9	4.0	139.5	12.0	8.0	8.0
36 Long Beach.....	1,378.4	22.1	5.5	5.5	5.5	126.8
37 Los Angeles (total).....	1,403.0	14.2	0.9	15.5	4.3	5.9	7.4	6.2	3.7	229.7	11.4	18.6	6.8
38 White.....	1,389.5	14.2	0.6	16.2	4.5	6.1	7.8	6.5	3.9	220.7	9.7	16.2	6.8
39 Colored.....	1,702.3	14.2	7.1	427.4	49.9	71.2	7.1
40 Oakland.....	1,275.0	16.5	1.3	4.0	3.3	20.5	7.3	4.0	3.3	126.2	9.3	7.9	4.6
41 Pasadena.....	1,367.3	9.8	3.3	9.8	9.8	9.8	6.5	9.8	274.1	16.3	19.6	13.1
42 Pomona.....	1,319.7	20.1	19.4	19.4	165.0	9.7
43 Redlands.....	1,457.2	28.4	9.5	463.7	9.5	18.9
44 Riverside.....	1,438.4	45.6	6.5	13.0	13.0	279.9	13.0	26.0
45 Sacramento.....	1,630.4	28.9	4.4	6.7	4.4	6.7	11.1	4.4	2.2	166.6	15.5	33.3	6.7
46 San Bernardino.....	2,012.7	38.7	7.7	549.6	15.5	61.9	7.7
47 San Diego.....	1,715.8	2.5	5.0	15.0	5.0	10.0	25.0	274.7	10.0	22.5
48 San Francisco (total).....	1,510.0	15.5	1.9	5.3	1.7	7.6	8.8	1.7	2.4	185.0	13.4	13.4	5.0
49 White.....	1,494.5	15.4	1.2	5.2	1.7	8.0	8.0	1.7	2.5	169.8	13.7	13.4	4.2
50 Colored.....	1,880.1	17.8	17.8	5.9	29.7	545.6	5.9	11.9	23.7
51 San Jose.....	1,415.7	3.4	3.4	3.4	41.2	13.7	3.4	178.7	24.1	24.1	3.4
52 Santa Barbara.....	1,895.3	42.5	8.5	25.5	17.0	34.0	8.5	323.0	34.0
53 Santa Cruz.....	1,642.8	17.8	8.9	8.9	17.8	133.2	26.6	8.9
54 Stockton*.....	2,006.5	8.6	12.8	17.1	4.3	338.0	21.4	8.6
55 Vallejo.....	1,454.7	8.8	35.1	105.2	8.8	140.2	8.8	8.8
COLORADO.														
56 Registration cities (total).....	1,573.0	34.1	1.0	6.0	14.4	2.7	19.7	10.4	8.7	291.5	12.4	16.0	9.7
57 White.....	1,551.2	33.5	1.0	6.2	14.8	2.8	20.0	10.7	8.3	284.8	12.4	15.5	10.0
58 Colored.....	2,244.7	53.2	10.6	21.3	500.0	10.6	31.9
59 Colorado Springs.....	1,636.5	13.7	6.8	6.8	6.8	6.8	3.4	530.7	24.0	17.1	6.8
60 Denver.....	1,644.2	27.5	0.9	3.3	17.2	2.3	18.6	9.3	11.2	301.6	12.1	16.8	10.7
61 Pueblo.....	1,211.8	73.3	2.2	17.9	4.5	6.7	26.8	13.4	2.2	129.7	8.9	15.7	8.9
62 Trinidad.....	1,474.9	38.8	9.7	19.4	48.5	29.1	106.7
CONNECTICUT.														
63 Registration cities (total).....	1,591.9	15.7	2.6	9.1	13.9	14.2	25.8	19.2	6.0	138.8	9.5	11.1	8.1
64 White.....	1,575.6	15.9	2.7	9.3	14.1	14.0	25.7	19.1	6.0	134.5	9.3	10.3	7.9
65 Colored.....	2,632.5	8.6	25.8	34.4	25.8	412.9	25.8	60.2	17.2

¹ Exclusive of stillbirths.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tubercu-losis.	Rheu-matism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
REGISTRATION CITIES—Contd.														
CONNECTICUT—continued.														
1 Ansonia.....	1,322.0		13.2			92.1	26.3	19.7	13.2		78.9			6.6
2 Bridgeport.....	1,520.8	4.9	1.0		5.8	19.5	26.3	27.3	6.8	4.9	178.2	10.7	9.7	6.8
3 Bristol town.....	1,354.5	14.7			36.8		14.7	51.5	73.6	14.7	95.7	7.4		
4 Danbury town.....	1,483.9	25.4			4.2	4.2	12.7	17.0	17.0		114.5		8.5	25.4
5 Greenwich town.....	1,649.1	12.1	12.1			30.2	6.0	6.0	36.2		84.6	6.0	6.0	12.1
6 Hartford.....	1,760.0	19.1			16.1	7.0	4.0	34.2	17.1	12.1	154.1	6.0	10.1	11.1
7 Manchester town.....	1,174.8							43.8	51.1		87.6	7.3	7.3	
8 Meriden town.....	1,418.9	3.1	6.2		3.1			21.8	21.8	3.1	189.8	18.7	3.1	15.6
9 Middletown town*.....	2,560.3	33.6	14.4		14.4		4.8	14.4		4.8	240.2	14.4	9.6	14.4
10 Naugatuck.....	1,425.4	7.8				47.0	15.7	15.7			156.6	15.7	15.7	
11 New Britain.....	1,563.9	20.3	2.3		38.4	15.8	4.5	65.5	27.1	4.5	94.9	13.6	15.8	2.3
12 New Haven.....	1,654.2	17.9	4.5		4.5	8.2	9.7	12.7	14.2	8.2	146.9	15.7	12.7	6.0
13 New London.....	1,791.5	15.2			15.2	10.2	25.4	10.2	25.4	5.1	132.0		15.2	10.2
14 Norwalk town.....	1,506.1	41.2				32.9	8.2	12.3	49.4	4.1	107.0	8.2	8.2	
15 Norwich town.....	1,698.8	10.6	7.1		3.5	38.9	17.7	17.7	35.4	3.5	130.9		31.9	14.2
16 Orange town.....	1,258.6	17.6	8.8				8.8	8.8	26.4	17.6	105.6			8.8
17 Stamford town.....	1,604.3	10.3			6.9	17.2		27.5	13.8	6.9	127.4	3.4	6.9	
18 Torrington town.....	1,092.5	11.8				11.8	53.2		23.6		88.6	5.9		
19 Wallingford town.....	1,258.9	8.9			17.9	8.9	8.9	8.9	17.9	8.9	53.6	17.9	17.9	8.9
20 Waterbury.....	1,548.8	20.4			8.2	5.4	24.5	44.8	13.6	4.1	127.7	10.9	17.7	10.9
21 Windham town.....	1,556.6	31.6				7.9		7.9	31.6		94.8			7.9
DELAWARE. ²														
22 Wilmington (total).....	1,765.2	37.7			1.1	12.6	16.0	29.7	14.8	5.7	162.0	12.6	8.0	6.8
23 White.....	1,682.9	39.5				14.0	17.8	31.8	12.7	6.4	143.9	12.7	7.6	5.1
24 Colored.....	2,475.8	22.0			11.0			11.0	33.0		319.1	11.0	11.0	22.0
DISTRICT OF COLUMBIA.														
25 Washington (total).....	1,960.1	23.2	2.7		1.2	4.2	10.5	9.3	23.8	3.9	233.6	8.1	11.1	11.4
26 White.....	1,579.3	19.0	1.7		0.4	4.6	3.8	11.8	17.7	4.2	139.2	7.6	6.7	10.1
27 Colored.....	2,909.4	33.6	5.3		3.2	3.2	27.3	3.2	38.9	3.2	469.0	9.5	22.1	14.7
FLORIDA. ²														
28 Registration cities (total).....	2,086.7	94.2	56.0		3.8	5.1	10.2	5.1	12.7	5.1	235.4	2.5	10.2	5.1
29 White.....	1,806.3	117.7	30.0		6.9	6.9	6.9	6.9	4.6	9.2	124.6	4.6	9.2	2.3
30 Colored.....	2,431.5	65.3	88.0			2.8	14.2	2.8	22.7		371.7		11.3	8.5
31 Jacksonville (total).....	2,031.6	102.3	71.6		1.7	5.1	10.2	3.4	13.6	6.8	230.1	3.4	10.2	6.8
32 White.....	1,666.8	138.3	45.0		3.5	6.9	3.5	3.5	3.5	13.8	96.8	6.9	10.4	3.5
33 Colored.....	2,386.1	67.2	97.5			3.4	16.8	3.4	23.5		359.6		10.1	10.1
34 Key West (total).....	2,248.9	70.3	10.0		10.0	5.0	10.0	10.0	10.0		251.0		10.0	
35 White.....	2,085.8	76.2			13.9	6.9	13.9	13.9	6.9		180.2		6.9	
36 Colored.....	2,677.6	54.6	36.4						18.2		437.2		18.2	
GEORGIA. ²														
37 Registration cities (total).....	2,122.5	42.5	28.1	0.5	6.8	5.9	10.0	15.4	16.7	2.3	202.3	7.2	10.4	7.7
38 White.....	1,642.9	50.9	11.8		9.6	9.6	5.2	17.0	13.3	0.7	122.6	10.3	8.1	6.6
39 Colored.....	2,882.4	29.2	53.8	1.2	2.3		17.5	12.9	22.2	4.7	328.7	2.3	14.0	9.4
40 Atlanta (total).....	1,886.1	50.1	2.6	0.6	9.0	5.1	10.3	18.6	8.3	1.9	181.0	6.4	9.6	9.0
41 White.....	1,553.1	56.0	1.0		11.6	7.7	6.8	19.3	5.8	1.0	122.6	7.7	6.8	5.8
42 Colored.....	2,547.3	38.3	5.8	1.9	3.8		17.3	17.3	13.4	3.8	297.1	3.8	15.3	15.3
43 Savannah (total).....	2,687.9	24.6	89.0		1.5	7.7	9.2	7.7	36.8	3.1	253.3	9.2	12.3	4.6
44 White.....	1,935.2	34.6	47.1		3.1	15.7		9.4	37.7		122.5	18.8	12.6	9.4
45 Colored.....	3,407.1	15.0	129.1				18.0	6.0	36.0	6.0	378.2		12.0	
ILLINOIS. ²														
46 Registration cities (total).....	1,515.0	15.1	0.6	(9)	8.5	17.5	8.3	35.7	6.8	3.9	157.8	9.6	10.0	7.4
47 White.....	1,496.1	14.8	0.6	(9)	8.5	17.9	8.2	36.3	6.6	4.0	150.1	9.5	9.4	7.4
48 Colored.....	2,324.5	29.1			9.1	1.8	10.9	9.1	12.8		484.6	14.6	34.6	9.1
49 Aurora.....	1,446.9	16.7				3.3	16.7	6.7	3.3		96.9	3.3	20.0	6.7
50 Belleville.....	1,477.1	18.9			14.2	14.2	18.9	4.7	14.2	4.7	146.8	4.7	4.7	4.7
51 Chicago (total).....	1,514.0	13.7	0.5	(9)	8.7	18.4	7.9	37.4	6.6	4.1	158.3	10.1	9.6	7.4
52 White.....	1,495.1	13.4	0.5	(9)	8.7	18.8	7.9	38.0	6.6	4.1	150.8	10.0	9.0	7.4
53 Colored.....	2,387.3	23.6			10.7	2.1	8.6	10.7	10.7		502.8	17.2	36.5	6.4
54 Decatur.....	1,315.9	16.0			22.4	12.8	9.6	22.4	12.8	3.2	118.2	16.0	9.6	
55 Evanston.....	1,012.0	27.9			4.0	8.0	15.9	12.0		8.0	83.7		15.9	12.0
56 Jacksonville*.....	2,263.4	32.6				6.5		6.5	6.5		260.9		19.6	13.0
57 Quincy.....	1,656.0	27.3	8.2				21.9	27.3	8.2		161.2	2.7	5.5	5.5
58 Springfield.....	1,655.3	52.0			5.8	11.5	3.8	25.0	9.6	3.8	202.1	1.9	21.2	11.5
INDIANA.														
59 Registration cities (total).....	1,515.6	33.4	4.0		17.3	9.7	13.5	15.0	16.8	6.4	162.9	9.6	22.6	8.4
60 White.....	1,468.0	33.4	3.7		16.9	10.0	13.3	15.0	15.7	6.1	147.2	9.5	19.7	8.6
61 Colored.....	2,418.5	34.0	9.7		24.3	4.9	17.0	14.6	36.4	12.1	461.4	12.1	77.7	4.9
62 Anderson.....	1,456.2	53.3	4.4		62.2			26.6	22.2		133.2	4.4	17.8	8.9
63 East Chicago.....	1,384.6	25.7			36.0	30.9		5.1	5.1		77.2	5.1	10.3	5.1
64 Elkhart.....	1,363.1	10.3	5.2		5.2		5.2	10.3	5.2	5.2	82.6		15.5	5.2
65 Elwood.....	1,583.5	54.6			72.8			9.1	27.3	9.1	136.5	27.3	18.2	

¹ Exclusive of stillbirths.

² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—

Cancer.	Diabetes.	Menin- gitis.	Cerebral hemor- rhage and soft- ening.	Organic dis- eases (all of the heart).	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and en- teritis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- de- fined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
13.2	19.7	78.9	78.9	111.8	39.5	151.3	6.6	131.5	6.6	6.6	13.2	59.2	13.2	65.8	52.6	19.7	157.9	46.0	1
72.0	25.4	22.4	53.5	114.9	16.6	167.5	19.5	123.7	7.8	9.7	11.7	114.9	5.8	8.8	101.3	73.0	32.1	220.0	20.4	2
66.3	7.4	63.3	110.4	7.4	169.3	14.7	191.4	7.4	14.7	81.0	7.4	4.2	51.5	51.5	14.7	152.0	22.1	3
67.8	29.7	33.9	101.8	186.5	17.0	131.4	12.7	67.8	17.0	12.7	55.1	4.2	4.2	76.3	135.7	8.5	284.1	8.5	4
102.7	12.1	24.2	114.8	132.9	12.1	108.7	138.9	18.1	6.0	151.0	24.2	12.1	175.2	108.7	18.1	247.7	30.2	5
94.6	32.2	18.1	105.7	170.2	24.2	207.4	16.1	75.5	18.1	22.2	23.2	115.8	10.1	6.0	96.7	88.6	15.1	310.1	18.1	6
51.1	14.6	14.6	87.6	145.9	45.8	94.9	65.7	14.6	102.2	7.3	94.9	45.8	7.3	182.4	7.3	7
34.0	24.9	24.9	74.7	164.9	21.8	105.8	6.2	136.9	9.3	24.9	30.9	9.3	77.8	63.5	12.4	174.3	9.3	8
91.3	28.8	206.6	456.3	62.4	297.8	23.8	115.3	33.6	19.2	129.7	9.6	81.7	105.7	19.2	494.8	14.4	9
54.8	23.5	31.3	78.3	101.8	47.0	148.8	156.6	23.5	62.7	15.7	117.5	62.7	15.7	195.8	15.7	10
55.5	13.6	33.9	61.0	81.4	40.7	128.8	33.9	214.7	6.8	11.3	22.6	79.1	11.3	4.5	137.9	61.0	9.0	210.2	40.7	11
95.4	18.6	15.7	84.2	173.2	32.8	208.0	17.1	86.5	13.4	15.7	11.9	126.7	7.5	6.7	75.3	88.7	11.9	261.7	37.3	12
76.1	25.4	10.2	121.8	208.1	30.5	157.3	5.1	86.3	20.3	30.5	15.2	147.2	10.2	5.1	86.3	116.7	10.2	350.2	15.2	13
115.2	4.1	12.3	172.8	148.1	32.9	111.1	16.5	65.8	4.1	16.5	20.6	123.5	4.1	28.8	70.0	32.9	222.2	32.9	14
102.6	35.4	21.2	130.9	173.4	21.2	141.6	31.9	60.2	7.1	17.7	10.6	109.7	14.2	53.1	70.8	7.1	361.0	17.7	15
79.2	79.2	272.8	8.8	96.8	8.8	35.2	3.8	105.6	105.6	70.4	8.8	167.2	8.8	16
93.0	13.8	20.7	117.1	113.6	24.1	144.6	10.3	123.9	6.9	24.1	6.9	154.9	6.9	79.2	93.0	10.3	299.5	41.3	17
65.0	11.8	41.3	41.3	70.9	17.7	112.2	5.9	100.4	11.8	5.9	17.7	70.9	5.9	88.6	41.3	41.3	124.0	23.6	18
35.7	26.8	62.5	133.9	232.1	35.7	53.6	116.1	8.9	17.9	107.1	89.3	44.6	17.9	89.3	8.9	19
55.7	20.4	9.5	76.1	108.7	31.2	191.6	17.7	160.3	23.1	5.4	8.2	78.8	5.4	13.6	111.4	69.3	23.1	232.3	19.0	20
102.7	15.8	55.3	55.3	110.6	47.4	102.7	23.7	71.1	7.9	39.5	197.5	102.7	110.6	15.8	284.5	31.6	21
60.5	4.6	45.6	94.7	111.8	25.1	223.6	35.4	116.4	11.4	11.4	9.1	122.1	3.4	9.1	94.7	89.0	8.0	304.6	77.6	22
59.8	5.1	45.8	96.7	109.5	19.1	198.6	29.3	118.4	11.5	11.5	10.2	122.2	3.8	7.6	95.5	81.5	8.9	235.2	71.3	23
66.0	44.0	77.0	132.0	77.0	440.1	88.0	99.0	11.6	11.0	121.0	22.0	88.0	154.0	473.2	132.0	24
90.3	16.6	12.9	128.2	212.2	36.4	174.0	28.6	92.4	11.1	17.5	10.5	161.7	12.0	9.0	106.9	78.6	24.1	364.3	29.5	25
103.8	21.1	14.3	120.2	133.1	27.8	110.1	19.8	54.0	11.4	15.2	11.8	138.4	7.2	7.6	74.2	62.9	30.4	317.2	21.9	26
66.8	5.3	9.5	148.3	285.0	57.8	333.3	50.5	188.2	10.5	23.1	7.4	219.8	24.2	12.6	188.2	117.8	8.4	481.6	48.4	27
49.6	3.8	20.4	77.6	123.4	16.5	156.5	29.3	120.9	7.6	10.2	6.4	146.3	12.7	14.0	115.8	115.8	16.5	450.4	147.6	28
73.8	4.6	25.4	85.4	140.7	13.8	110.7	23.1	106.1	11.5	11.5	6.9	129.2	16.1	6.9	133.8	80.7	23.1	364.5	108.4	29
19.9	2.8	14.2	68.1	102.1	19.9	212.8	36.9	139.0	2.8	8.5	5.7	167.4	8.5	22.7	93.6	158.9	8.5	556.1	195.8	30
35.8	3.4	10.2	71.6	115.9	13.6	175.5	39.2	46.0	10.2	10.2	5.1	155.1	17.0	11.9	100.6	146.6	15.3	441.4	141.5	31
58.8	3.5	10.4	79.5	124.5	13.8	124.5	34.6	31.1	17.3	10.4	6.9	145.2	24.2	160.3	110.7	20.7	345.8	69.2	32
13.4	3.4	10.1	63.9	107.5	13.4	225.2	43.7	60.5	3.4	10.1	3.4	164.7	10.1	23.5	106.8	181.5	10.1	534.3	211.7	33
90.4	5.0	50.2	95.4	145.6	25.1	100.4	341.3	10.0	10.0	120.5	20.1	160.6	25.1	20.1	476.9	165.7	34
103.9	6.9	55.4	97.0	173.2	13.9	83.2	256.4	13.9	6.9	97.0	20.8	201.0	20.8	27.7	401.9	187.1	35
54.6	36.4	91.1	72.9	54.6	146.7	564.7	18.2	182.1	18.2	54.6	36.4	674.0	109.3	36
54.3	12.2	14.9	77.9	124.9	21.3	252.6	32.6	103.2	18.1	13.1	9.5	164.8	16.3	13.6	96.4	118.6	14.5	514.7	93.2	37
65.0	14.0	12.6	67.2	107.1	10.3	146.2	22.9	87.1	22.2	9.6	8.9	158.8	13.3	11.8	83.4	80.5	18.5	395.0	42.8	38
37.4	9.4	18.7	94.8	153.2	38.6	421.1	48.0	128.7	11.7	18.7	10.5	174.3	21.1	16.4	117.0	179.0	8.2	704.2	173.1	39
62.9	10.9	12.8	68.0	107.8	18.0	240.7	16.0	98.9	19.9	14.8	6.4	162.4	23.1	12.8	89.2	112.3	14.1	425.0	57.1	40
69.5	13.5	9.7	57.9	87.8	8.7	136.1	15.4	88.8	21.2	10.6	4.8	160.2	17.4	13.5	84.9	77.2	16.4	370.7	36.7	41
49.8	5.8	19.2	88.2	147.6	36.4	445.5	17.3	118.8	17.3	23.0	9.6	166.8	34.5	11.5	97.8	182.1	9.6	532.9	97.8	42
33.8	15.4	20.0	101.3	165.8	29.2	280.9	72.1	113.6	13.8	9.2	16.9	176.4	15.4	113.6	133.6	15.4	729.2	179.6	43
50.3	15.7	22.0	97.4	169.6	15.7	179.1	47.1	81.7	25.1	6.3	22.0	153.9	6.3	78.5	91.1	25.1	474.4	62.8	44
18.0	15.0	18.0	105.1	162.1	42.0	378.2	96.1	144.1	3.0	12.0	12.0	186.1	24.0	147.1	174.1	6.0	972.6	291.2	45
83.6	15.7	11.2	41.8	133.2	9.2	230.1	10.1	151.1	15.7	12.8	17.5	113.5	8.1	6.9	54.6	93.3	20.7	201.1	3.6	46
83.4	15.8	11.2	41.5	129.8	9.3	227.3	9.9	152.5	15.8	12.5	17.6	111.6	7.9	7.0	54.5	92.7	20.8	198.1	3.5	47
91.1	14.6	10.9	52.8	276.9	5.5	351.6	14.6	91.1	10.9	27.3	12.8	193.1	16.4	5.5	60.1	120.2	16.4	329.7	7.3	48
96.9	20.0	26.7	110.3	83.5	26.7	120.3	13.4	76.9	36.8	10.0	13.4	113.6	10.0	10.0	63.5	76.9	13.4	324.1	26.7	49
99.4	14.2	37.9	71.0	99.4	33.1	75.7	14.2	52.1	18.9	23.7	23.7	89.9	9.5	4.7	94.7	75.7	33.1	312.5	42.6	50
32.2	15.9	9.7	39.1	134.0	7.8	240.8	9.2	159.9	14.8	11.9	17.6	113.9	8.1	7.2	53.1	95.4	20.9	188.5	1.6	51
81.9	15.8	9.8	38.7	130.7	7.9	237.9	9.1	161.5	14.9	11.5	17.6	111.8	7.9	7.2	53.0	94.5	20.9	185.8	1.6	52
94.5	17.2	8.6	55.9	285.8	4.3	371.7	12.9	86.0	10.7	27.9	15.0	208.4	17.2	6.4	60.2	137.5	19.3	315.9	2.1	53
102.2	6.4	9.6	31.9	86.2	25.6	102.2	22.4	38.3	16.0	19.2	6.4	127.8	3.2	3.2	54.3	70.3	12.8	277.9	57.5	54
79.7	12.0	19.9	39.8	107.6	12.0	71.7	19.9	39.8	23.9	8.0	12.0	69.8	8.0	63.8	67.7	19.9	155.4	4.0	55
97.8	19.6	32.6	73.8	195.7	221.8	52.2	45.7	45.7	58.7	6.5	163.1	6.5	26.1	91.3	769.7	6.5	56
123.0	16.4	21.9	98.4	169.4	46.5	136.6	30.1	46.5	5.5	21.9	35.5	103.8	10.9	62.9	30.1	24.6	379.8	21.9	57
88.5	15.4	36.6	59.7	136.7	15.4	127.0	5.8	86.6	32.7	28.9	15.4	117.4	11.5	3.8	96.2	94.3	21.2	300.3	13.5	58
81.1	15.3	11.4	70.7	139.7	20.1	129.5	12.3	103.4	14.1	13.9	13.5	92.8	12.5	7.1	69.4	99.8	21.9	263.3	4.4	59
82.0	15.6	11.5	70.9	135.6	19.6	121.4	12.2	102.2	14.3	14.1	13.4	87.5	12.4	7.3	67.8	98.1	22.1	256.4	4.2	60
63.1	9.7																			

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.														
INDIANA—continued.														
1	Evansville.....	1,357.0	32.9	11.5	12.9	8.6	8.6	14.3	4.3	178.9	2.9	14.3	7.2	
2	Fort Wayne.....	1,306.5	26.4	1.6	14.0	18.7	14.0	6.2	1.6	126.0	6.2	29.6	4.7	
3	Gary ²	1,690.3	101.2	6.0	17.9	41.7	6.0	65.5	11.9	
4	Hammond.....	1,403.3	56.9	4.7	33.2	19.0	14.2	4.7	104.3	4.7	28.4	14.2	
5	Huntington.....	1,225.4	19.5	9.7	19.5	9.7	165.3	9.7	29.2	
6	Indianapolis (total).....	1,628.9	28.5	1.7	17.9	4.3	17.5	6.8	23.0	11.9	178.9	16.6	28.1	
7	White.....	1,539.0	29.1	1.9	16.4	3.8	18.8	6.6	21.6	11.3	151.8	16.9	21.1	
8	Colored.....	2,499.9	22.8	31.9	9.1	4.6	9.1	36.4	18.2	441.7	13.7	95.6	
9	Jeffersonville (total).....	1,970.2	67.3	28.8	57.7	19.2	249.9	28.8	19.2	
10	White.....	1,757.9	67.6	22.5	56.3	11.3	180.3	22.5	22.5	
11	Colored.....	3,200.5	65.3	65.3	65.3	65.3	653.2	65.3	130.6	
12	Kokomo.....	1,500.4	75.9	11.7	5.8	17.5	52.5	23.4	17.5	5.8	163.5	23.4	29.2	
13	Lafayette.....	1,654.9	49.7	14.9	5.0	9.9	19.9	5.0	169.0	5.0	14.9	
14	Laporte.....	1,745.9	28.3	9.4	9.4	56.6	9.4	9.4	9.4	94.4	9.4	
15	Logansport.....	1,564.6	47.1	5.2	10.5	31.4	5.2	26.2	5.2	141.3	5.2	20.9	
16	Marion.....	1,367.7	41.3	5.2	20.6	10.3	15.5	5.2	160.0	10.3	10.3	
17	Michigan City.....	1,465.4	47.1	26.2	10.5	26.2	15.7	5.2	162.2	5.2	26.2	
18	Mishawaka.....	1,139.9	16.6	8.3	49.9	16.6	8.3	8.3	49.9	16.6	
19	Muncie.....	1,463.6	37.4	4.2	16.6	8.3	4.2	16.6	4.2	4.2	187.1	12.5	29.1	
20	New Albany.....	1,822.7	19.4	9.7	24.2	4.8	24.2	67.9	43.6	4.8	339.3	9.7	33.9	
21	Peru.....	1,328.3	55.0	9.2	9.2	18.3	18.3	174.1	18.3	
22	Richmond.....	1,361.5	8.9	17.9	8.9	40.2	49.1	4.5	183.0	4.5	31.2	
23	South Bend.....	1,404.5	16.7	1.9	13.0	3.7	11.1	13.0	7.4	159.1	13.0	13.0	
24	Terre Haute.....	1,595.4	29.1	10.3	22.3	20.6	18.8	27.4	15.4	3.4	152.5	1.7	22.3	
25	Vincennes.....	1,908.8	26.7	20.0	26.7	40.0	26.7	26.7	6.7	300.3	6.7	13.3	
KANSAS. ³														
26	Registration cities (total).....	1,541.5	75.0	3.8	0.6	21.2	6.4	3.2	29.5	10.9	5.1	114.1	0.6	
27	White.....	1,455.5	63.5	2.1	0.7	22.6	7.1	3.5	28.3	9.9	4.9	84.8	0.7	
28	Colored.....	2,381.6	138.1	20.7	6.9	41.4	20.7	6.9	400.4	27.6	
29	Kansas City (total).....	1,684.7	95.5	4.8	1.2	26.6	10.9	35.1	6.0	7.3	153.6	20.6	
30	White.....	1,571.4	90.0	1.4	1.4	28.6	12.3	34.1	5.5	6.8	111.9	21.8	
31	Colored.....	2,571.2	138.7	32.0	10.7	42.7	10.7	10.7	480.1	10.7	
32	Leavenworth (total).....	1,383.8	74.9	5.0	5.0	29.0	5.0	94.9	15.0	
33	White.....	1,249.3	63.0	5.7	5.7	22.9	5.7	51.6	11.5	
34	Colored.....	2,298.4	158.8	389.6	49.0	
35	Wichita.....	1,378.5	43.1	3.8	18.8	1.9	9.4	30.0	15.0	1.9	60.0	1.9	9.4	
KENTUCKY. ³														
36	Registration cities (total).....	1,662.3	31.4	8.5	3.6	6.7	15.4	10.9	16.2	4.8	225.8	8.5	
37	White.....	1,487.6	24.9	2.1	3.9	5.7	12.8	15.3	3.9	186.0	8.2	12.5	
38	Colored.....	2,640.8	67.9	43.9	2.0	12.0	29.9	27.9	449.1	10.0	12.0	
39	Covington.....	1,614.9	15.0	1.9	5.6	7.5	11.3	26.3	7.5	232.6	11.3	
40	Louisville (total).....	1,674.4	31.7	3.6	1.3	9.4	18.3	10.7	13.4	4.9	222.5	7.1	
41	White.....	1,451.4	23.9	0.5	1.1	8.2	14.1	13.1	10.9	3.3	172.0	6.5	
42	Colored.....	2,684.6	66.6	17.3	2.5	14.8	37.0	24.7	12.3	451.1	9.9	12.3	
43	Newport.....	1,462.9	32.9	13.2	3.3	16.5	9.9	29.7	3.3	204.3	9.9	16.5	
44	Paducah (total).....	1,918.6	65.7	83.2	8.8	4.4	13.1	17.5	271.6	13.1	8.8	
45	White.....	1,633.4	47.7	29.8	11.9	6.0	17.9	11.9	208.6	11.9	11.9	
46	Colored.....	2,709.0	115.6	231.3	446.0	16.5	16.5	
LOUISIANA. ³														
47	New Orleans (total).....	2,131.3	31.5	9.7	0.6	19.4	8.2	4.1	10.9	50.6	3.8	266.0	6.2	
48	White.....	1,722.4	26.8	7.2	23.6	9.6	3.2	12.0	42.8	4.0	181.4	6.8	
49	Colored.....	3,269.8	44.5	16.7	2.2	7.8	4.5	6.7	7.8	72.3	3.3	501.8	4.5	
MAINE.														
50	Registration cities (total).....	2,025.6	33.6	0.6	17.4	15.6	9.0	18.6	12.0	6.0	146.2	15.6	
51	White.....	2,027.4	33.7	0.6	17.5	15.6	9.0	18.7	12.0	6.0	145.0	15.6	
52	Colored.....	1,605.8	438.0	
53	Auburn.....	1,529.0	19.9	6.6	53.0	26.5	19.9	6.6	13.2	99.3	19.9	
54	Augusta*.....	2,507.0	15.1	15.1	15.1	22.7	211.4	7.6	22.7	
55	Bangor*.....	2,026.9	32.2	16.1	4.0	4.0	160.9	8.0	48.3	
56	Biddeford.....	2,403.8	17.5	35.1	81.9	23.4	46.8	5.8	11.7	198.9	35.1	
57	Lewiston.....	2,228.2	11.4	15.2	22.8	11.4	34.2	15.2	7.6	148.3	22.8	
58	Portland.....	1,882.6	52.8	8.5	3.4	3.4	15.3	13.6	3.4	108.9	8.5	
59	Waterville.....	1,826.2	52.2	26.1	26.1	17.4	208.7	26.1	

¹ Exclusive of stillbirths.

² Rates based on population enumerated April 15, 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Can- cer. 16	Dia- betes. (37) 17	Menin- gitis. 18	Cerebral hemor- rhage and soften- ing. 19	Organic dis- eases of the heart. 20,21	Bron- chitis. 22, (23)	Pneu- monia (all forms). (23)	Other respi- ratory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	App- endi- citis. 26	Her- nia, intest- inal obstruc- tion. 27	Cirrho- sis of the liver. 28	Nephri- tis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other causes. (37)	Ill-de- fined and un- known causes. 38	
85.9	11.5	11.5	32.9	127.4	24.3	133.1	14.3	91.6	12.9	5.7	18.6	81.6	15.7	7.2	65.8	83.0	20.0	217.6	1	
99.5	20.2	7.8	68.4	129.1	12.4	118.2	18.7	51.3	20.2	21.8	7.8	90.2	6.2	3.1	46.7	91.8	18.7	225.5	2	
17.9			11.9	53.6		148.8	6.0	404.7	11.9	29.8	6.0	11.9	17.9	11.9	119.0	375.0	29.8	184.5	3	
61.6	9.5	4.7	19.0	58.6		158.4	23.7	132.7	23.7	4.7	9.5	66.4	9.5	14.2	99.6	251.3	9.5	151.7	4	
97.3	29.2	9.7	126.4	194.5	9.7	68.1	19.5	58.4				38.9	9.7		58.4	19.5		223.7	5	
77.5	18.7	8.9	81.4	159.7	19.2	142.7	10.6	75.4	14.1	17.9	21.3	108.6	11.1	5.5	77.5	87.3	23.9	316.9	6	
79.4	19.3	8.5	82.2	152.3	17.9	126.4	10.8	73.3	14.1	17.9	21.6	95.9	10.3	6.1	73.3	79.4	24.0	311.1	7	
59.2	13.7	13.7	72.9	232.2	31.9	300.5	9.1	95.6	13.7	18.2	18.2	232.2	18.2		118.4	163.9	22.8	373.4	8	
105.7	19.2	9.6	144.2	173.0	96.1	124.9	19.2	134.6	9.6		9.6	259.5		9.6	57.7	96.1	19.2	182.6	9	
101.4	22.5	11.3	124.0	180.3	101.4	101.4	22.5	124.0	11.3		11.3	259.2		11.3	45.1	67.6	22.5	146.5	10	
130.6			261.3	130.6	65.3	261.3		196.0				261.3			130.6	261.3		391.9	11	
105.1	17.5	11.7	40.9	169.3	17.5	116.8		99.2	5.8	23.4		46.7	17.5	5.8	64.2	75.9	11.7	227.7	12	
104.4	24.8		124.2	203.8	24.8	79.5	14.9	84.5	19.9	14.9	14.9	84.5		19.9	54.7	139.2	29.8	313.1	13	
151.0	18.9	9.4	103.8	217.1	18.9	56.6	9.4	56.6	47.2	28.3	9.4	122.7			160.4	179.3	9.4	311.4	14	
120.4	20.9	15.7	73.3	83.7	15.7	94.2	20.9	57.6	26.2	10.5	5.2	136.1	36.6	10.5	36.6	120.4	20.9	340.1	15	
77.4	5.2	20.6	129.0	149.7	5.2	103.2	15.5	46.4	5.2	5.2	20.6	56.8	15.5	5.2	56.8	82.6	10.3	268.4	16	
109.9	10.5	57.6	62.8	109.9	20.9	157.0	10.5	141.3	10.5	5.2	10.5	83.7	15.7	10.5	62.8	41.9	26.2	188.2	17	
41.6	25.0		74.9	91.5	33.3	83.2		66.6	8.3	8.3		166.4	33.3	8.3	58.2	49.9	25.0	191.4	18	
95.6	20.8	12.5	74.8	108.1	20.8	116.4	4.2	62.4	16.6	16.6	8.3	99.8		12.5	108.1	70.7	24.9	249.5	19	
111.5	4.8		111.5	140.6	53.3	101.8	24.2	111.5	4.8	14.5	9.7	111.5	4.8	9.7	48.5	53.3	19.4	295.7	20	
82.4	27.5	18.3	82.4	164.9	9.2	91.6	9.2	27.5		9.2		64.1			27.5	82.4		329.8	21	
89.3	8.9	8.9	58.0	165.2	8.9	125.0	13.4	40.2		8.9	4.5	111.6			53.6	40.2	13.4	254.4	22	
55.5	7.4	16.7	48.1	136.9	25.9	88.8	5.6	179.5	11.1	13.0	11.1	87.0	22.2	9.3	57.4	96.2	13.0	257.2	23	
94.2	17.1	18.8	78.8	145.7	22.3	137.1	10.3	111.4	22.3	10.3	15.4	92.5	15.4	8.6	60.0	109.7	49.7	231.3	24	
53:4	6.7	13.3	60.1	133.5	13.3	193.6	20.0	140.2	6.7	6.7	33.4	106.8	6.7	6.7	53.4	160.2	26.7	327.0	25	
80.8	16.7	18.6	62.8	136.5	17.9	137.2	20.5	67.9	11.5	16.0	10.3	98.7	14.1	8.3	89.1	89.7	16.0	304.5	26	
81.3	17.7	17.7	58.6	127.9	17.7	129.3	19.1	69.2	12.7	16.3	9.2	90.4	15.5	8.5	91.1	87.6	17.0	284.7	27	
75.9	6.9	27.6	103.5	220.9	20.7	214.0	34.5	55.2		13.8	20.7	179.5		6.9	69.0	110.5	6.9	497.0	28	
78.6	21.8	23.0	64.1	139.1	24.2	182.6	21.8	67.7	10.9	15.7	15.7	99.2	13.3	6.0	91.9	94.3	15.7	407.8	29	
76.0	23.2	23.2	54.6	124.1	23.2	173.2	21.8	70.9	12.3	16.4	15.0	94.1	15.0	6.8	94.1	91.4	17.7	274.2	30	
108.7	10.7	21.3	138.7	256.1	32.0	256.1	21.3	42.7		10.7		138.7			74.7	117.4		544.1	31	
64.9	5.0	25.0	59.9	144.9		109.9	30.0	10.0		15.0		89.9	15.0	15.0	50.0	84.9	40.0	384.7	32	
74.5	5.7	17.2	68.8	137.5		103.2	28.7	11.5		11.5		57.3	17.2	11.5	45.8	89.2	40.1	349.6	33	
		77.9	194.8			155.8	39.0			39.0		311.6		39.0	77.9	116.9	39.0	623.3	34	
90.0	13.1	9.4	61.9	129.4	15.0	76.9	15.0	90.0	16.9	16.9	5.6	101.3	15.0	9.4	99.4	84.4	7.5	273.8	35	
57.4	9.7	30.5	68.6	143.0	30.5	160.5	35.4	36.0	11.5	13.9	13.9	126.1	4.2	3.3	93.4	75.0	16.0	338.9	36	
61.3	10.0	29.6	68.0	119.3	21.4	129.7	31.7	36.0	12.5	13.5	14.2	121.8	3.9	3.2	90.8	68.8	18.2	300.7	37	
35.9	8.0	35.9	71.9	275.5	81.8	333.3	55.9	35.9	6.0	16.0	12.0	149.7	6.0	4.0	107.8	109.8	4.0	552.9	38	
54.4	9.4	26.3	75.0	125.7	9.4	148.2	22.5	52.5	13.1	9.4	20.6	180.1	3.8	7.5	106.9	88.2	16.9	287.0	39	
60.2	9.8	29.9	62.9	157.8	37.0	152.5	43.7	28.5	12.0	15.2	12.0	121.3	4.5	2.7	97.6	69.5	18.0	365.1	40	
65.2	10.3	23.3	62.0	123.5	25.0	111.0	40.3	27.8	13.1	15.8	12.5	113.2	3.8	2.7	69.4	60.4	18.5	321.1	41	
37.0	7.4	37.0	66.6	313.1	91.2	340.2	59.2	32.0	7.4	12.3	9.9	157.8	7.4	2.5	120.8	110.9	4.9	564.5	42	
49.4	9.9	32.9	98.8	108.7	29.7	174.6	3.3	52.7	3.3	9.9	23.1	79.1	6.6	3.3	56.0	65.9	23.1	247.1	43	
48.2	8.8	43.8	70.1	83.2	17.5	249.7	26.3	48.2	13.1	17.5	4.4	109.5			70.1	109.5	4.4	394.2	44	
53.7	6.0	41.7	53.7	77.5		220.6	17.9	47.7	17.9	11.9		119.2			77.5	107.3	6.0	333.8	45	
33.0	16.5	49.6	115.6	99.1	66.1	330.4	49.6	49.6		33.0	16.5	32.6			49.6	115.6		561.6	46	
85.3	8.5	14.1	75.0	207.0	33.5	193.7	20.6	131.7	12.6	14.1	40.3	238.4	10.0	11.8	63.8	113.8	21.8	390.7	47	
87.9	9.6	13.2	71.5	170.2	25.6	121.1	18.4	119.1	12.4	13.2	37.2	187.4	9.2	11.2	48.7	87.9	26.8	311.6	48	
77.9	5.6	16.7	84.6	309.3	55.6	396.1	26.7	166.9	13.4	16.7	49.0	380.5	12.2	13.4	105.7	185.8	7.8	610.8	49	
104.9	16.2	33.6	127.7	196.6	23.4	200.2	35.4	121.7	28.2	24.0	10.8	126.5	9.6	6.6	73.1	102.5	9.0	428.5	50	
104.7	16.2	33.7	128.2	196.8	23.5	201.0	35.5	122.2	28.3	24.1	10.8	126.4	9.6	6.6	73.4	101.1	9.0	429.7	51	
146.0				146.0								146.0				438.0		146.0	146.0	52
39.7	19.9	33.1	145.6	125.7	19.9	165.5	19.9	72.8		13.2		99.3			72.8	86.0		324.3	53	
98.2	7.6	22.7	151.0	422.9	30.2	271.8	7.6	90.6	22.7	7.6	37.8	90.6	7.6		60.4	139.7	7.6	672.1	54	
112.6	12.1	12.1	164.9	185.0	4.0	164.9	24.1	32.2	45.3	20.1	16.1	92.5	8.0	4.0	56.3	132.7	16.1	530.9	55	
105.3	23.4	87.7	40.9	168.8	17.5	380.2	29.2	251.5	23.4	11.7		169.6		11.7	87.7	81.9	5.8	350.9	56	
83.7	15.2	38.0	110.3	178.7	26.6	231.9	45.6	266.2	38.0	34.2	7.6	167.3	26.6	7.6	72.2	98.9	11.4	403.1	57	
129.4	18.7	17.0	139.6	200.9	30.6	161.7	47.7	73.2	28.9	32.3	8.5	136.2	8.5	5.1	74.9	97.0	8.5	401.7	58	
104.4	8.7	87.0	104.4	121.7	26.1	95.7	34.8	159.1	8.7	17.4		99.6		26.1	95.7	104.4	8.7	373.9	59	

* Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
MARYLAND.															
1	Registration cities (total).....	1,921.2	46.2	2.0		3.3	7.9	16.6	10.8	11.2	6.7	221.9	9.9	14.5	7.1
2	White.....	1,726.1	45.4	1.9		3.7	8.9	12.1	11.9	10.6	7.1	167.4	9.2	12.1	6.7
3	Colored.....	3,061.7	50.6	2.3		1.1	2.3	42.8	4.5	14.6	4.5	540.1	13.5	28.1	9.0
4	Baltimore (total).....	1,921.8	42.0	2.0		3.6	8.6	15.2	11.4	11.4	7.3	228.0	10.2	12.7	7.0
5	White.....	1,718.7	40.7	1.9		4.0	9.7	9.9	12.6	10.8	7.8	172.0	9.5	9.7	6.5
6	Colored.....	3,052.5	49.3	2.3		1.2	2.3	44.6	4.7	15.3	4.7	539.9	14.1	29.3	9.4
7	Cumberland (total).....	2,005.6	155.0	4.6				45.6		9.1		145.9	4.6	41.0	4.6
8	White.....	1,906.9	158.1	4.8				47.9		9.6		129.4	4.8	43.1	4.8
9	Colored ²	3,936.3	93.7									468.6			
10	Frederick (total).....	1,974.3	86.3					38.3	19.2	9.5		162.9	9.6	28.8	9.6
11	White.....	1,728.9	89.2					44.6	22.3	11.2		100.4	11.2	33.5	11.2
12	Colored.....	3,471.7	68.1									544.6			
13	Hagerstown (total).....	1,756.4	18.1					12.1		6.0		150.9	6.0	30.2	12.1
14	White.....	1,710.0	13.0					13.0		6.5		116.6	6.5	32.4	13.0
15	Colored ²	2,391.5	88.6									620.0			
MASSACHUSETTS.															
16	Registration cities (total).....	1,603.1	13.5	0.5		12.4	8.9	8.9	23.2	10.8	5.2	132.4	15.2	10.9	6.2
17	White.....	1,596.6	13.4	0.5		12.4	9.0	8.8	23.2	10.9	5.3	129.3	15.2	10.6	6.1
18	Colored.....	2,087.2	17.3			14.5	2.9	14.5	20.2	2.9		364.2	14.5	34.7	14.5
19	Adams town.....	1,310.4				7.7	15.3	23.0	46.0	15.3		69.0	15.3		
20	Arlington town.....	1,315.4					8.9	8.9	17.8	17.8		124.4	8.9		8.9
21	Attleborough town.....	1,265.0	18.3			24.4	6.1	6.1	6.1	36.7		73.3	12.2	12.2	
22	Beverly.....	1,308.9	5.3						21.3		16.0	101.1	10.6	26.6	5.3
23	Boston (total).....	1,716.1	11.3	0.1		14.2	9.2	7.6	23.9	7.6	8.3	171.7	21.5	11.4	6.4
24	White.....	1,703.7	11.4	0.2		14.4	9.3	7.6	23.7	7.6	8.3	165.8	21.9	10.8	5.8
25	Colored.....	2,263.6	6.7			6.7	6.7	6.7	33.5	6.7	6.7	435.3	6.7	40.2	33.5
26	Brockton.....	1,234.7	15.7			1.7	15.7		8.7	26.2	1.7	87.3	22.7	17.5	3.5
27	Brookline town.....	1,143.9						3.6	3.6	3.6	3.6	39.3	3.6	10.7	3.6
28	Cambridge.....	1,498.8	9.5			3.8	2.9	3.8	22.8	7.6	1.0	245.4	14.3	9.5	3.8
29	Chelsea.....	1,876.0	15.5				3.1	3.1	6.2	12.4	6.2	124.0	12.4	15.5	6.2
30	Chicopee.....	1,513.3	3.9	3.9		7.8	7.8	7.8	11.7	7.8		93.7	7.8	7.8	11.7
31	Clinton town.....	1,338.5	7.6					22.9	45.9	30.6	15.3	107.1	22.9	7.6	
32	Everett.....	1,099.0	8.9			5.9	11.9	3.0	14.9	8.9	3.0	98.0	11.9		3.0
33	Fall River.....	1,836.2	15.0	0.8		17.5	2.5	15.9	19.2	5.8	1.7	141.8	5.8	8.3	4.2
34	Fitchburg.....	1,304.3	28.9			2.6	13.1		44.7		10.5	73.6	7.9	7.9	7.9
35	Frammingham town.....	1,699.1	23.1						15.4	38.4		107.6		38.4	7.7
36	Gardner town.....	1,559.5	13.5			27.0			6.8			101.3	13.5	20.3	
37	Gloucester.....	1,607.0	8.2						24.7	20.5	4.1	164.4	12.3	8.2	
38	Greenfield town.....	1,402.7						47.7	9.5	28.6		85.9	9.5	19.1	38.2
39	Haverhill.....	1,728.3	20.3			2.3	9.0	11.3	18.0	15.8		142.0	9.0	9.0	11.3
40	Holyoke.....	1,769.1	15.5			18.9		12.1	18.9		8.6	129.2	8.6	8.6	5.2
41	Hyde Park town.....	1,678.6	77.2			12.9		12.9	38.6	12.9		128.6	38.6		6.4
42	Lawrence.....	1,767.6	16.2	1.2		20.8	8.1	18.5	39.3	2.3	3.5	108.6	23.1	12.7	10.4
43	Leominster town.....	1,106.2	11.3				5.6		22.6	5.6		124.2	28.2		
44	Lowell.....	1,967.9	19.7	1.9		28.1	41.2	5.6	20.6	7.5	1.9	112.4	19.7	12.2	11.2
45	Lynn.....	1,312.1	16.7	1.1		4.5	5.6	8.9	21.1	16.7	4.5	112.4	11.1	14.5	5.6
46	Malden.....	1,302.9	4.5				29.1	2.2	13.4	4.5	2.2	91.8	9.0	4.5	4.5
47	Marlborough.....	1,164.4	13.7			6.8	6.8			6.8		116.4	20.5		6.8
48	Medford.....	1,043.1				4.3	4.3		12.9	12.9		85.9	12.9	4.3	
49	Melrose.....	1,299.5	6.3					6.3	19.0	25.4		107.8	19.0	19.0	6.3
50	Methuen town.....	1,297.1	17.3			8.6		17.3	17.3	8.6		147.0			
51	Milford town.....	1,825.1	7.6					15.3	30.5	7.6		106.9	7.6		30.5
52	New Bedford.....	1,858.8	21.5	1.0		41.0	5.1	8.2	25.6	3.1	4.1	112.7	15.4	11.3	5.1
53	Newburyport.....	1,871.5	20.1			20.1			6.7	6.7		133.7		13.4	13.4
54	Newton.....	1,212.1	7.5						12.5	15.0	5.0	75.1	10.0		5.0
55	North Adams.....	1,462.7	18.2			22.7	22.7	4.5	36.3	22.7	4.5	90.9	9.1	9.1	9.1
56	Northampton*.....	1,885.1	5.2					10.3	10.3	15.5		159.7		25.8	15.5
57	Peabody town.....	1,232.3		6.3						12.6	19.0	151.6	6.3	6.3	
58	Pittsfield.....	1,764.3	24.7			18.5	6.2	21.6	12.3	12.3	6.2	83.3	15.4	18.5	
59	Plymouth town.....	1,329.6	32.8						16.4	16.4	8.2	73.9	16.4		24.6
60	Quincy.....	1,169.5	12.2			12.2	9.1		9.1	6.1	6.1	100.5	21.3	12.2	3.0
61	Revere town.....	1,176.0	10.8			5.4	16.3	10.8		10.8		97.6	10.8	16.3	
62	Salem.....	1,572.1	6.8				13.7	13.7	13.7	11.4	2.3	147.9	18.2	18.2	6.8
63	Somerville.....	1,342.0	10.3			5.2	6.4	1.3	27.1	10.3	6.4	98.0	14.2	5.2	2.6
64	Southbridge town.....	1,332.4	15.8			15.8	23.7		55.3	23.7		102.7	23.7		7.9
65	Springfield.....	1,656.8	14.5	1.1		14.5	22.3	23.4	41.3	20.1	2.2	81.5	3.3	16.7	6.7
66	Taunton*.....	2,334.5	20.4			26.2	2.9	5.8	23.3	32.0	14.5	136.6		11.6	2.9
67	Wakefield town.....	1,309.8	8.7				17.5	17.5				235.8	8.7		8.7
68	Waltham.....	1,394.3	10.8	3.6		3.6		7.2	46.6	14.3	7.2	96.8	17.9	7.2	7.2
69	Watertown town.....	1,104.8	15.5			23.2	7.7		7.7	7.7		100.4	15.5		15.5
70	Webster town.....	1,538.2				25.9			8.6	34.6	25.9	103.7		8.6	17.3
71	Westfield town.....	1,870.4	24.8			6.2			74.3	18.6		402.6	18.6	18.6	6.2
72	Weymouth town.....	1,544.4	7.7						7.7	15.4		139.0	15.4	15.4	
73	Winthrop town.....	1,023.2							29.2	19.5		29.2	19.5	9.7	9.7
74	Woburn.....	1,570.4	13.0			13.0	6.5	26.1	19.5	13.0	13.0	117.3	6.5	26.1	
75	Worcester.....	1,688.1	15.7	0.7		15.7	3.4	21.8	34.8	4.8	6.8	103.6	17.0	10.9	5.5

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

97

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Can- cer. 16	Dia- betes. (37)	Menin- gitis. 17	Cerebral hemor- rhage and soften- ing. 18	Organic dis- eases of the heart. 19	Bron- chitis. 20,21	Pneu- monia (all forms). 22,(23)	Other respi- ra- tory dis- eases. (23)	Diar- rhea and en- teritis (under 2 years). 25	Ap- pendi- citis. 26	Hern- ia, intesti- nal ob- struc- tion. 27	Cirrho- sis of the liver. 28	Nephri- tis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other causes. (37)	Ill-de- fined and un- known causes. 38
96.8	17.3	21.2	89.9	170.1	30.6	187.0	21.7	114.9	12.3	15.8	13.1	174.5	6.1	10.5	121.3	85.5	14.1	305.4	55.2
101.4	18.5	20.8	86.2	145.5	29.6	160.3	21.4	100.5	11.5	15.8	13.9	160.7	5.2	9.2	108.2	81.0	16.2	276.9	46.2
69.8	10.1	23.6	111.4	313.9	36.0	343.2	23.6	199.2	16.9	15.8	9.0	255.4	11.3	18.0	198.0	111.4	2.3	471.5	108.0
96.2	18.1	22.2	91.1	173.7	30.9	191.4	21.4	114.2	12.3	15.7	13.0	178.5	6.1	10.4	123.9	78.8	14.5	297.7	52.2
101.6	19.4	21.7	87.3	147.6	30.1	164.4	20.9	99.1	11.4	15.6	13.7	165.1	5.1	9.3	110.5	72.5	16.7	267.8	43.9
65.7	10.6	24.6	112.7	319.2	35.2	341.5	24.6	193.3	17.6	16.4	9.4	253.5	11.7	16.4	198.3	113.8	2.3	464.7	98.6
104.8	9.1	13.7	68.4	118.5	9.1	150.4	36.5	164.1	22.8	22.8	18.2	141.3	22.8	22.8	86.6	223.3	4.6	319.1	59.3
100.6	9.6	14.4	62.3	115.0	9.6	124.6	38.3	158.1	24.0	24.0	19.2	124.6	14.4	81.4	225.2	225.2	4.8	311.4	43.1
187.4			187.4	187.4		656.0		281.2				468.6		187.4	187.4	187.4		468.6	374.9
143.8		9.6	105.4	124.6	19.2	134.2	19.2	86.3		9.6	19.2	162.9	9.6		67.1	95.8	9.6	460.0	134.2
127.2		11.2	111.5	100.4	22.3	100.4	22.3	44.6		11.2	22.3	133.9	11.2		55.8	111.5	11.2	435.0	78.1
272.3			68.1	272.3		340.4		340.4				340.4			136.1			612.7	476.5
78.5	12.1	6.0	65.4	144.9	54.3	120.7	12.1	90.5	6.0	12.1	6.0	90.5	12.1	6.0	114.7	120.7	18.1	446.6	102.6
84.2	13.0	6.5	71.2	149.0	45.3	116.6	13.0	97.2	6.5	13.0	6.5	90.7	13.0	6.5	103.6	129.5	19.4	421.0	103.6
				88.6	177.1	177.1						88.6			265.7			797.2	88.6
39.5	18.6	18.9	91.1	167.6	29.5	183.8	13.6	135.3	12.9	13.3	10.1	87.6	5.6		95.0	75.3	12.1	267.3	20.3
89.7	18.6	18.9	91.2	165.3	29.2	182.4	13.6	136.0	13.0	13.3	10.2	86.7	5.7	7.6	95.1	75.4	12.1	266.8	20.1
75.2	14.5	17.3	83.8	263.1	46.3	292.0	11.6	80.9	8.7	11.6	5.8	159.0			89.6	66.5	17.3	309.3	31.8
30.7	23.0	15.3	53.6	137.9	15.3	122.6		306.5	7.7	7.7	7.7	61.3	7.7	7.7	30.7	38.3	23.0	199.2	23.0
124.4	17.8	26.7	133.3	222.2	35.6	177.8	17.8	35.6			8.9	71.1			17.8	26.7		186.6	17.8
67.2	12.2	24.4	67.2	158.9	18.3	177.2		116.1	12.2	6.1	12.2	85.6	12.2	6.1	67.2	55.0	6.1	165.0	21.1
85.1	37.2	21.3	90.5	159.6	16.0	117.1	5.3	47.9	16.0	5.3		127.7	10.6		58.5	101.1	5.3	212.8	5.3
104.5	20.8	15.6	91.6	201.1	24.6	213.0	11.9	100.6	16.3	13.8	14.4	89.5	5.6	8.3	89.5	95.9	15.3	273.2	17.2
104.4	20.8	15.8	92.1	197.6	24.7	209.9	12.0	101.8	16.5	13.8	14.6	88.3	5.8	8.5	89.7	96.2	15.2	272.0	17.2
107.2	20.9	6.7	67.0	354.9	20.1	348.2	6.7	45.9	6.7	13.4	6.7	140.6			80.4	80.4	20.1	328.2	20.1
76.8	27.9	29.7	83.8	122.2	12.2	106.5	22.7	41.9	14.0	15.7	5.2	68.1	14.0	8.7	85.6	54.1	12.2	213.1	19.2
143.0	35.7		107.2	218.1	17.9	92.9	7.1	14.3	14.3	14.3	21.4	78.6	3.6	3.6	39.3	35.7	3.6	221.6	
80.8	15.2	9.5	87.5	153.1	27.6	182.6	15.2	94.2	11.4	15.2	7.6	78.0	1.9	2.9	84.6	58.0	8.6	232.0	8.6
136.4	43.4	15.5	114.7	266.7	27.9	238.8	9.3	86.8	6.2	6.2	21.7	151.9	9.3	12.4	93.0	71.3	15.5	322.5	21.7
42.9	19.5	50.7	62.5	117.1	11.7	195.2	19.5	284.9	3.9		7.8	97.6	7.8		109.3	54.6		238.1	19.5
38.2	15.3	22.9	68.8	114.7	22.9	107.1	15.3	38.2	7.6	15.3	15.3	76.5		15.3	76.5	61.2	3.0	321.2	30.6
77.2	11.9	3.0	68.3	133.7	20.8	118.8	11.9	32.7	8.9	5.9	11.9	74.3	5.9	8.9	80.2	62.4	15.3	184.2	5.9
80.9	10.0	23.4	76.8	126.8	78.4	196.0	16.7	373.8	7.5	15.0	6.7	94.3	5.0	7.5	135.2	47.6	15.9	239.4	40.9
65.7	13.1	10.5	52.6	123.6	28.9	134.1	5.3	157.8	10.5	7.9	7.9	47.3	13.1	10.5	97.3	63.1	15.8	231.4	10.5
107.6	15.4	30.8	107.6	169.1	30.8	192.2	23.1	38.4	7.7	30.8	15.4	115.3			107.6	115.3	53.8	307.5	
60.8	6.8	47.3	162.0	60.8	13.5	202.5	6.8	189.0	40.5	20.3	13.5	81.0	6.8	27.0	87.8	54.0	6.8	243.0	
94.5	28.8	8.2	111.0	254.8	20.5	193.2	24.7	82.2	12.3	28.8	8.2	82.2	4.1		53.4	94.5		250.7	12.3
114.5	9.5	9.5	28.6	162.2	28.6	76.3	28.6	19.1	19.1		9.5	133.6			57.3	66.8	19.1	267.2	114.5
108.2	20.3	33.8	123.9	137.5	20.3	270.4	18.0	74.4	13.5	15.8	13.5	103.7	9.0	11.3	114.9	60.8	11.3	290.7	29.3
68.9	22.4	48.2	67.2	103.4	20.7	232.5	18.9	270.4	12.1	18.9	15.5	112.0	5.2	5.2	174.0	68.9	6.9	232.5	20.7
173.6	19.3	25.7	102.9	96.5	19.3	160.8	19.3	70.7	19.3			70.7		25.7	115.8	96.5	19.3	250.8	64.3
78.6	4.6	28.9	69.8	115.5	38.1	235.7	18.5	305.0	16.2	9.2	4.6	68.2	9.2		105.1	82.0	9.2	246.1	49.7
73.4	5.6		79.0	84.7	16.9	141.1		39.5	5.6	5.6	5.6	56.4		5.6	95.9	33.9	5.6	242.7	11.3
84.3	16.9	23.4	96.5	172.3	84.3	198.7	18.7	252.0	15.0	17.8	15.0	104.0	0.9	6.6	146.1	69.3	15.9	327.8	22.5
66.8	21.1	22.3	65.7	149.1	14.5	155.8	13.4	81.2	11.1	13.9	2.2	81.2	3.3	6.7	61.2	55.6	7.8	237.1	14.5
73.9	15.7	13.4	95.8	194.8	29.1	125.4	4.5	76.1	9.0	6.7	6.7	100.7	4.5	9.0	58.2	53.7	11.2	239.5	6.7
82.2	20.5	27.4	82.2	184.9	27.4	27.4		82.2	13.7	13.7	6.8	34.2			61.6	47.9		260.3	13.7
98.7	17.2		98.7	141.7	4.3	115.9		34.3	4.3	4.3		64.4	8.6		34.3	30.0	17.2	231.8	
120.4	12.7	6.3	88.7	196.5	6.3	133.1		76.1	19.0			31.7	12.7		57.1	38.0	25.4	254.5	19.0
43.2	17.3		121.1	155.7	34.6	112.4	8.6	112.4		8.6		77.8	8.6		86.5	43.2	17.3	190.2	25.9
99.3	30.5	22.9	122.2	122.2	30.5	351.3		114.5	22.9			91.6	7.6		114.5	68.7	15.3	343.6	30.5
58.4	14.3	41.0	72.8	153.7	46.1	186.5	23.6	324.8	10.2	13.3	7.2	62.5	4.1	7.2	130.1	69.7	8.2	321.8	49.2
153.7	6.7	6.7	120.3	274.0	26.7	200.5	26.7	53.5	20.1	53.5		133.7		13.4	33.4	133.7		367.6	33.4
85.1	15.0	12.5	132.7	145.2	15.0	120.2	5.0	42.6	7.5	10.0	7.5	65.1	5.0	5.0	90.2	50.1	7.5	242.9	17.5
118.1	13.6	18.2	63.6	127.2	22.7	172.6	9.1	90.9	22.7	9.1	13.6	95.4	4.5	4.5	77.2	104.5	18.2	218.0	9.1
97.9	25.8	15.5	144.2	133.9	30.9	149.4	15.5	87.6	5.2	10.3	15.5	154.5		20.6	82.4	77.3	10.3	520.2	
50.5		19.0	101.1	113.7	37.9	145.3	6.3	88.4		12.6		56.9		6.3	88.4	88.4		214.8	19.0
111.0	21.6	15.4	135.7	160.4	15.4	166.6	21.6	70.9	24.7	13.5	15.4	108.0	9.3	27.8	129.5	160.4	6.2	308.5	18.5
123.1	24.6	16.4	106.7	205.2	16.4	73.9		32.8	16.4	16.4		41.0			90.3	41.0	8.2	303.7	8.2
54.8	15.2	6.1	70.0	137.1	12.2	149.2	18.3	82.2				39.6			88.3	67.0	18.3	179.7	18.3
81.3	5.4	5.4	65.0	140.9	16.3	135.5		97.6		5.4	10.8	113.8			75.9	32.5	16.3	154.3	5.4
72.8	13.7	9.1	116.0	168.4	31.9	188.8	22.8	109.2	4.6	27.3	2.3	91.0	4.6	4.6	118.3	68.3	4.6	241.2	20.5
86.4	20.6	7.7	99.3	219.2	19.3	158.6	11.6	67.0	14.2	6.4	9.0	61.9	5.2	14.2	55.4	49.0	6.4	285.9	7.7
94.8	31.6	55.3	63.2	110.6	39.5	110.6	31.6	165.9	7.9	7.9		71.1	7.9		102.7	39.5	7.9	142.2	23.7

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous mening-itis.	Other forms of tubercu-losis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
MICHIGAN.															
1	Registration cities (total).....	1,556.9	31.0	0.3	7.7	8.0	13.8	14.2	22.7	11.6	4.9	95.5	4.7	12.8	7.5
2	White.....	1,548.1	30.9	0.3	7.7	8.0	13.8	14.1	22.8	11.5	5.0	93.2	4.7	12.6	7.3
3	Colored.....	2,387.5	36.6		9.1	9.1	9.1	18.3	18.3	18.3		311.0		36.6	27.4
4	Adrian.....	1,569.8	18.6			18.6				130.0		74.3		9.3	
5	Alpena.....	1,525.6	39.3					23.6		15.7	7.9	62.9	7.9	23.6	
6	Ann Arbor.....	2,327.3	33.7							20.2	13.5	128.2		54.0	13.5
7	Battle Creek.....	1,666.9	31.5		7.9	11.8	3.9	7.9	11.8	35.5	3.9	67.0		7.9	3.9
8	Bay City.....	1,350.2	24.3		66.2	19.9	46.3	15.4	8.8	2.2		59.6	4.4	8.8	11.0
9	Detroit.....	1,585.1	23.0	0.6		6.6	16.2	23.0	33.8	5.3	5.3	98.9	4.9	11.9	6.2
10	Escanaba.....	1,552.6	60.3			7.5			75.4		7.5	82.9		7.5	7.5
11	Flint.....	1,393.8	101.6		2.5	10.2			15.2	5.1		101.6	5.1	7.6	7.6
12	Grand Rapids.....	1,456.2	28.3					17.7	5.3	10.6	5.3	101.6	4.4	17.7	7.1
13	Holland.....	1,337.3				56.9		19.0	28.5	9.5	28.5	47.4		9.5	37.9
14	Ironwood.....	1,393.2	15.5					38.7		54.2		108.4	7.7	7.7	
15	Ishpeming.....	1,266.3	16.0					16.0		48.1		96.2	24.0		
16	Jackson.....	1,472.3	31.6			25.3			6.3	19.0	3.2	75.8	3.2	15.8	12.6
17	Kalamazoo*.....	1,867.8	32.7			7.5		5.0	2.5	35.2	22.6	115.6	2.5	12.6	2.5
18	Lansing.....	1,303.1	47.4			6.3	3.2		6.3	50.6		60.1		15.8	9.5
19	Manistee.....	1,293.5	16.2				64.7	8.1	8.1	24.3	24.3	72.8	8.1	8.1	24.3
20	Marquette.....	1,578.2	95.3					34.7	8.7			138.7	17.3	8.7	
21	Menominee.....	1,411.3	66.7					9.5	9.5			57.2		28.6	9.5
22	Muskegon.....	1,286.5	24.8			4.1		4.1	4.1	4.1		82.7	8.3	8.3	4.1
23	Pontiac*.....	2,520.0	54.6			6.8		27.3	6.8	27.3	41.0	177.6		13.7	
24	Port Huron.....	1,662.9	74.4			10.6			5.3	58.4	15.9	69.1	5.3	5.3	5.3
25	Saginaw.....	1,502.5	21.7		94.8	5.9			13.8	7.9	7.9	84.9	3.9	11.8	15.8
26	Sanit Ste. Marie.....	1,240.5	23.7					7.9	7.9	7.9	7.9	31.6	15.8	23.7	15.8
27	Traverse City*.....	2,223.0	24.7						8.2	16.5	24.7	304.6		16.5	16.5
MINNESOTA.															
28	Registration cities (total).....	1,245.3	48.5		0.6	14.1	24.3	5.3	44.5	2.1	5.2	114.6	9.6	12.8	7.3
29	White.....	1,239.0	48.7		0.6	14.3	24.6	5.4	44.5	2.1	5.2	112.2	9.5	12.6	7.4
30	Colored.....	1,365.3	30.3						45.5			348.8	15.2	30.3	
31	Duluth.....	1,330.9	75.9		1.3	3.8	27.8	11.4	19.0	3.8	10.1	105.0	11.4	15.2	11.4
32	Mankato.....	1,644.3	9.7			19.3		19.3	9.7		9.7	125.7	19.3	28.7	9.7
33	Minneapolis.....	1,233.6	58.7		0.3	15.8		16.5	2.3	42.9	1.3	121.1	9.2	10.2	6.9
34	St. Cloud.....	1,230.0	28.2					9.4	18.8	9.4		84.5		9.4	18.8
35	St. Paul.....	1,187.0	19.5		0.5	14.8		30.2	5.1	64.0	0.9	110.9	10.2	15.8	6.5
36	Stillwater.....	1,128.4	59.4					49.5	9.9		19.8	178.2	9.9	9.9	
37	Virginia.....	1,650.9	234.5			18.8		46.9	28.1	37.5		65.7	9.4	9.4	
38	Winona.....	1,366.9	21.6		5.4	32.4	64.8			21.6	16.2	97.2			5.4
MISSOURI. ²															
39	Registration cities (total).....	1,564.7	26.5	4.7	0.2	15.9	24.2	7.8	18.1	16.2	2.7	160.5	5.4	12.9	8.1
40	White.....	1,483.9	25.0	4.7	0.2	16.4	25.2	6.6	18.5	16.1	2.9	131.8	4.9	10.5	7.5
41	Colored.....	2,612.6	45.3	5.5		9.6	11.0	23.4	12.4	17.9		533.0	12.4	44.0	15.1
42	Kansas City (total).....	1,586.7	54.4	4.0	0.8	28.4	23.2	3.2	21.6	11.2	2.8	150.0	4.0	14.4	6.4
43	White.....	1,466.7	51.7	4.4	0.9	28.7	24.8	2.2	20.8	11.1	3.1	99.5	3.5	12.4	6.2
44	Colored.....	2,726.0	79.8			25.2	8.4	12.6	29.4	12.6		630.0	8.4	33.6	8.4
45	St. Joseph.....	1,363.0	38.8	5.2		34.9	1.3	18.1	24.5	10.3	2.6	139.5		18.1	12.9
46	St. Louis (total).....	1,579.4	14.9	4.9		9.8	27.1	8.3	16.1	18.7	2.6	166.7	6.5	11.7	8.1
47	White.....	1,509.8	14.6	4.7		9.8	28.2	6.7	17.1	18.6	2.8	145.3	5.9	9.2	7.4
48	Colored.....	2,582.9	20.1	8.9		2.2	11.2	31.3	2.2	20.1		474.1	15.7	49.2	17.9
MONTANA.															
49	Registration cities (total).....	1,540.4	59.6		1.0	6.1	28.2	16.1	26.2	8.1	7.1	136.2	7.1	12.1	11.1
50	White.....	1,521.2	63.9		1.0	6.2	28.9	16.5	26.8	8.3	7.2	129.9	6.2	11.3	11.3
51	Colored.....	2,399.6	323.0									415.3	46.1	46.1	
52	Anaconda.....	1,340.2	9.9		9.9		9.9		78.8		9.9	9.9		9.9	19.7
53	Billings.....	1,494.0	108.1				19.7		39.3			68.8		19.7	9.8
54	Butte.....	1,532.5	28.0			10.2	50.9	30.5	15.3	2.5	12.7	218.9	5.1	12.7	10.2
55	Great Falls.....	1,809.3	201.0			14.4	14.4	14.4	43.1			93.3	14.4	21.5	14.4
56	Helena.....	1,466.0	39.8				15.9		8.0	39.8	8.0	135.4		8.0	
57	Missoula.....	1,540.5	99.6				7.7	15.3	7.7	15.3		84.3	23.0		15.3
NEBRASKA. ²															
58	Registration cities (total).....	1,402.1	68.8	0.6		5.3	11.3	11.3	12.5	6.5	7.1	114.5	7.1	11.3	5.3
59	White.....	1,374.0	66.1	0.6		5.5	11.6	11.6	12.2	6.1	6.7	97.4	7.3	9.8	5.5
60	Colored.....	2,270.6	151.4						18.9	18.9	18.9	643.3		56.8	
61	Lincoln.....	1,100.9	18.2			4.5			9.1	2.3	6.8	88.5	2.3	6.8	2.3
62	Omaha.....	1,508.6	86.7	0.8		5.6	15.3	15.3	13.6	8.0	7.2	123.6	8.8	12.8	6.4

¹ Exclusive of stillbirths.

² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—

Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal obstruc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- de- fined and un- known causes.	
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
79.2	14.6	20.1	66.2	140.2	30.7	128.6	21.8	102.4	17.1	16.5	12.6	71.7	8.2	10.1	111.6	81.7	19.3	329.7	39.9	1
78.8	14.6	20.1	66.2	139.1	30.4	126.6	21.1	102.8	16.8	16.4	12.4	71.0	8.2	10.1	112.1	81.2	18.9	329.6	39.7	2
118.9	18.3	18.3	64.0	247.0	64.0	320.2	82.3	64.0	45.7	18.3	27.4	137.2	9.1	9.1	64.0	128.1	54.9	347.6	54.9	3
65.0	9.3	37.2	55.7	237.9	9.3	74.3	9.3	46.4	27.9	9.3	-----	111.5	9.3	-----	27.9	46.4	18.6	418.0	55.7	4
78.6	7.9	7.9	47.2	165.1	125.8	125.8	-----	133.7	15.7	15.7	-----	23.6	15.7	7.9	86.5	70.8	-----	385.3	31.5	5
330.5	27.0	6.7	128.2	155.2	33.7	87.7	67.5	27.0	87.7	6.7	27.0	114.7	6.7	20.2	87.7	114.7	27.0	681.3	27.0	6
102.5	35.5	15.8	102.5	248.3	31.5	82.8	11.8	63.1	11.8	15.8	7.9	94.6	7.9	7.9	98.5	102.5	15.8	378.3	39.4	7
61.8	4.4	22.1	61.8	134.6	22.1	110.3	28.7	64.0	17.7	13.2	11.0	55.2	8.8	8.8	64.0	66.2	17.7	275.8	35.3	8
68.9	14.5	27.0	54.2	109.5	30.4	165.5	23.2	123.6	16.0	20.6	16.6	67.0	10.2	10.4	140.8	85.1	26.0	291.0	48.9	9
67.8	15.1	30.1	52.8	143.2	37.7	105.5	30.1	128.1	15.1	15.1	7.5	75.4	-----	15.1	113.1	67.8	-----	352.8	52.8	10
43.2	5.1	12.7	35.5	81.2	20.3	134.5	15.2	132.0	10.2	5.1	-----	78.7	10.2	5.1	104.1	71.1	7.6	317.3	40.6	11
91.0	12.4	15.0	70.7	168.8	28.5	82.2	24.7	95.4	21.2	14.1	4.4	83.1	4.4	13.3	104.3	58.3	11.5	318.1	35.3	12
85.4	19.0	-----	94.8	66.4	47.4	66.4	47.4	94.8	9.5	9.5	9.5	85.4	9.5	9.5	85.4	56.9	9.5	284.0	-----	13
7.7	-----	15.5	46.4	23.2	54.2	85.1	-----	193.5	-----	15.5	23.2	31.0	7.7	7.7	61.9	209.0	-----	263.2	108.4	14
104.2	16.0	16.0	24.0	96.2	24.0	120.2	24.0	104.2	24.0	8.0	8.0	8.0	-----	8.0	104.2	144.3	16.0	200.4	16.0	15
107.4	19.0	15.8	113.7	173.8	53.7	69.5	9.5	79.0	19.0	6.3	6.3	107.4	3.2	9.5	63.2	82.1	6.3	315.9	19.0	16
105.6	20.1	10.1	90.5	198.6	35.2	110.6	15.1	35.2	25.1	17.6	12.6	93.0	10.1	12.6	90.5	95.5	17.6	600.8	15.1	17
63.3	22.1	6.3	63.3	218.2	15.8	72.7	6.3	120.2	3.2	15.8	3.2	44.3	3.2	6.3	63.3	53.8	15.8	287.8	19.0	18
56.6	16.2	24.3	56.6	202.1	-----	64.7	8.1	97.0	32.3	8.1	16.2	32.3	-----	16.2	80.8	40.4	16.2	234.4	32.3	19
95.4	8.7	-----	69.4	156.1	26.0	60.7	34.7	121.4	-----	8.7	-----	164.8	-----	17.3	95.4	147.4	17.3	234.1	17.3	20
124.0	19.1	9.5	19.1	133.5	19.1	85.8	9.5	85.8	9.5	9.5	9.5	85.8	-----	-----	114.4	95.4	-----	352.8	19.1	21
82.7	24.8	16.5	120.0	115.8	20.7	107.6	24.8	66.2	4.1	12.4	4.1	57.9	12.4	4.1	99.3	41.4	12.4	277.2	37.2	22
61.5	20.5	6.8	95.6	225.4	13.7	307.3	41.0	75.1	20.5	13.7	20.5	129.8	-----	20.5	68.3	75.1	34.1	881.0	47.8	23
85.0	10.6	-----	100.9	159.4	31.9	100.9	10.6	90.3	15.9	15.9	31.9	79.7	5.3	26.6	95.6	116.9	31.9	387.8	15.9	24
94.8	15.8	17.8	88.8	159.9	33.6	88.9	17.8	51.3	21.7	17.8	15.8	55.3	11.8	2.0	92.8	84.9	9.9	313.9	35.5	25
7.9	7.9	31.6	47.4	102.7	79.0	134.3	39.5	94.8	7.9	15.8	15.8	31.6	-----	-----	110.6	110.6	23.7	205.4	39.5	26
131.7	8.2	8.2	115.3	419.9	8.2	74.1	16.5	49.4	8.2	16.5	8.2	98.8	8.2	8.2	32.9	41.2	32.9	708.1	16.5	27
74.9	11.4	13.2	45.4	93.0	13.1	110.5	10.5	79.2	19.9	12.5	7.8	66.9	7.8	6.7	64.9	78.9	15.8	214.9	11.1	28
74.9	11.5	13.1	45.3	91.8	13.1	108.9	10.3	79.8	19.8	12.4	7.5	65.4	7.8	6.6	64.8	78.9	15.7	215.1	11.2	29
75.8	-----	30.3	60.7	212.3	15.2	273.0	30.3	15.2	30.3	15.2	30.3	212.3	-----	15.2	75.8	75.8	30.3	197.1	-----	30
63.3	7.6	16.4	41.7	65.8	5.1	110.1	13.9	116.4	24.0	11.4	5.1	59.5	15.2	11.4	78.4	134.1	15.2	222.7	17.7	31
164.4	29.0	19.3	96.7	87.0	38.7	125.7	9.7	19.3	58.0	19.3	8.2	58.0	-----	29.0	106.4	77.4	29.0	406.2	9.7	32
68.6	10.6	13.5	41.9	95.7	10.2	118.4	10.9	79.2	18.5	13.5	8.2	73.9	8.2	4.6	48.8	73.2	17.5	224.0	4.0	33
112.7	18.8	-----	46.9	84.5	9.4	93.9	-----	84.5	28.2	18.8	9.4	65.7	9.4	28.2	75.1	103.3	28.2	206.6	18.8	34
84.5	10.7	11.6	46.9	93.3	17.2	97.9	9.3	70.1	19.0	11.6	7.9	67.3	5.1	6.5	71.0	53.8	13.9	190.3	16.7	35
89.1	39.6	-----	89.1	118.8	-----	69.3	19.8	19.8	9.9	-----	19.8	39.6	19.8	9.9	29.7	29.7	-----	178.2	9.9	36
18.8	9.4	9.4	84.4	84.4	9.4	178.2	-----	150.1	18.8	-----	9.4	84.4	-----	-----	197.0	234.5	18.8	215.7	18.8	37
70.2	21.6	27.0	64.8	162.1	43.2	113.5	10.8	48.6	16.2	16.2	5.4	32.4	-----	-----	113.5	81.0	5.4	237.7	27.0	38
82.4	12.4	12.7	57.4	131.6	34.5	152.3	16.1	73.9	15.2	16.2	25.5	143.1	9.9	7.0	72.1	95.4	29.9	263.1	9.8	39
83.3	12.6	12.8	58.9	123.4	33.1	141.1	15.9	73.5	15.4	16.3	25.0	137.8	9.3	7.0	70.8	90.7	31.8	248.5	8.5	40
71.4	9.6	11.0	64.6	251.4	53.6	296.7	19.2	78.3	13.7	15.1	31.6	211.5	17.9	6.9	89.3	156.6	5.5	451.9	27.5	41
80.8	11.2	19.2	56.4	137.6	13.2	146.4	15.6	49.2	22.0	15.2	14.4	95.2	11.2	6.8	95.2	123.6	34.0	294.9	20.0	42
83.1	12.4	19.5	57.5	126.0	11.9	127.4	16.4	43.8	23.0	15.0	13.7	89.8	9.3	6.2	94.6	114.5	36.7	281.7	15.0	43
58.8	-----	16.8	46.2	247.8	25.2	327.6	8.4	100.8	12.6	16.8	21.0	147.0	29.4	12.6	100.8	210.0	8.4	420.0	67.2	44
63.3	11.6	7.8	67.2	115.0	14.2	98.2	14.2	41.3	33.6	15.5	16.8	99.5	7.8	10.3	41.3	73.8	25.8	235.9	3.9	45
85.1	12.9	10.9	58.2	131.3	44.5	160.4	16.5	86.5	10.7	16.7	30.5	165.4	9.7	6.7	67.2	87.6	28.9	247.9	6.8	46
85.3	12.7	11.0	56.9	122.4	43.0	151.7	16.1	87.8	10.4	16.8	29.9	159.5	9.6	6.8	65.6	84.1	30.7	232.4	6.8	47
82.7	15.7	8.9	76.0	259.4	67.1	286.2	22.4	67.1	15.7	15.7	38.0	250.5	11.2	4.5	89.5	138.6	2.2	471.9	6.7	48
76.7	19.2	20.2	47.4	88.8	13.1	126.1	23.2	85.7	40.4	19.2	20.2	84.7	10.1	15.1	77.7	142.2	31.3	240.1	30.3	49
77.3	17.5	19.6	46.4	87.7	13.4	123.8	22.7	86.6	41.3	19.6	19.6	82.5	9.3	15.5	79.4	141.3	30.9	239.3	29.9	50
46.1	92.3	46.1	92.3	138.4	-----	230.7	46.1	46.1	-----	-----	46.1	184.6	46.1	-----	-----	184.6	46.1	276.9	46.1	51
39.4	29.6	9.9	39.4	49.3	29.6	216.8	29.6	88.7	29.6	-----	19.7	78.8	-----	-----	78.8	98.5	29.6	206.9	108.4	52
39.3	29.5	-----	29.5	108.1	-----	117.9	39.3	127.8	59.0	-----	9.8	59.0	-----	19.7	68.8	176.9	39.3	245.7	49.1	53
81.5	7.6	22.9	58.5	91.6	17.8	117.1	20.4	76.4	28.0	-----	22.9	78.9	15.3	22.9	53.5	134.9	30.5	224.0	7.6	54
35.9	21.5	-----	35.9	57.4	14.4	93.3	21.5	129.2	43.1	21.5	21.5	57.4	14.4	14.4	172.3	201.0	14.4	344.6	64.6	55
159.3	39.8	47.8	55.8	103.6	-----	95.6	23.9	47.8	15.9	31.9	23.9	135.4	8.0	8.0	95.6	103.6	31.9	175.3	8.0	56
84.3	15.3	30.7	38.3	115.0	7.7	153.3	15.3	69.0	92.0	23.0	15.3	107.3	-----	7.7	38.3	145.6	46.0	260.6	7.7	57
84.2	10.7	11.9	58.1	110.9	9.5	142.9	13.6	58.7	37.4	23.7	14.8	70.0	7.1	4.7	63.5	89.0	23.7	206.6	9.5	58
84.5	10.4	12.2	58.8	103.5	9.8	142.7	13.5	58.2	38.6	24.5	14.7	68.0	6.7	4.3	63.7	87.6	23.3	239.4	9.2	59
75.7	18.9	-----	37.8	340.6	-----	151.4	18.9	75.7	-----	-----	18.9	132.4	18.9	18.9	56.8	132.4	37.8	208.1	18.9	60
63.6	18.2	15.9	63.6	81.7	4.5	95.3	11.3	47.7	25.0	22.7										

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.		DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
NEW HAMPSHIRE.															
1	Registration cities (total)	1,753.0	11.5			3.4	2.3	10.3	23.5	13.2	4.0	123.7	13.7	16.6	7.4
2	White	1,751.1	11.5			3.4	2.3	10.3	23.0	13.2	4.0	123.9	13.8	16.6	7.5
3	Colored	2,786.4							309.6						
4	Berlin	1,604.6	42.2			16.9		8.4	8.4			76.0		16.9	8.4
5	Concord*	2,159.2						4.6	9.3	32.5	4.6	148.6		18.6	9.3
6	Dover	1,781.5				7.5		7.5		22.6	15.1	166.1	7.5	15.1	7.5
7	Keene	1,764.6	29.7						9.9	9.9		89.2		19.8	
8	Laconia	1,828.3	9.8			9.8			9.8	19.6		117.3		9.8	19.6
9	Manchester	1,653.4	11.4			2.8			37.0	10.0	4.3	116.6	29.9	18.5	4.3
10	Nashua	1,765.8	3.8						26.9	19.2	7.7	157.4	7.7	11.5	7.7
11	Portsmouth	1,613.2	17.7					8.9	44.3	8.9		79.8		17.7	17.7
NEW JERSEY.															
12	Registration cities (total)	1,610.4	15.0	0.5		11.2	12.8	17.7	32.5	9.6	5.8	168.4	13.4	11.8	9.2
13	White	1,579.7	14.6	0.5		11.3	13.1	15.8	33.2	9.8	6.0	160.0	12.4	10.5	9.0
14	Colored	2,484.5	25.0	1.8		8.9	3.6	69.7	12.5	3.6		405.4	39.3	50.0	14.3
15	Asbury Park	1,646.3				9.7			48.4	9.7		184.0		9.7	
16	Atlantic City (total)	1,719.9	21.5			10.7	6.4	32.2	19.3	10.7		118.2	17.2	12.9	2.1
17	White	1,715.4	21.9			13.7	8.2	21.9	19.2	13.7		84.8	16.4	8.2	2.7
18	Colored	1,738.3	20.1					70.3	20.1			240.9	20.1	30.1	
19	Bayonne	1,473.8	1.8					42.8	37.4	3.6	1.8	115.8	16.0	1.8	8.9
20	Bloomfield	1,104.2				13.1	13.1	39.4	13.1	19.7	6.6	105.2			6.6
21	Bridgeton	1,524.5	28.1						42.2	14.1		203.7		7.0	21.1
22	Camden	1,714.5	16.8			12.6	9.5	26.3	66.3	9.5	4.2	124.2	11.6	15.8	8.4
23	East Orange	1,070.1				5.8	14.4	8.6	11.5	17.3	2.9	89.2	5.8	11.5	5.8
24	Elizabeth	1,517.2	18.9	1.4		6.8	12.2	16.2	17.6	6.8	1.4	156.9	13.5	9.5	6.8
25	Garfield	1,236.7	9.6					9.6	67.1			57.5	38.3	9.6	
26	Hackensack	1,629.5	42.3					14.1	28.2	7.1		134.0	28.2	14.1	21.2
27	Harrison	1,626.7	6.9			20.6		43.0	54.9	20.6	13.7	192.2	6.9	6.9	27.5
28	Hoboken	1,882.9	15.6			9.9		17.0	8.5	43.2	2.8	5.7	224.0	19.8	14.2
29	Irvington	1,184.1	8.3					24.8				124.2	8.3	8.3	
30	Jersey City	1,634.4	11.5	1.1		8.5	17.1	4.8	30.8	7.1	7.4	176.0	7.4	9.3	13.7
31	Kearny	1,462.3				21.2	15.9	15.9	15.9	21.2		143.3	10.6	15.9	5.3
32	Long Branch	2,210.6	59.9					15.0	37.5	37.5		157.4	30.0	52.5	
33	Millville	1,194.4	16.0					32.1	48.1	40.1	8.0	144.3		24.0	
34	Montclair	1,488.2				27.6	13.8	23.0	13.8	13.8		147.0	23.0	13.8	4.6
35	Morristown	2,355.9	47.9	8.0		8.0	24.0	16.0	111.8	16.0	8.0	183.7	8.0	24.0	
36	New Brunswick	2,111.2	17.1			12.8	4.3	34.2	12.8	12.8	12.8	170.9	8.5	29.9	8.5
37	Newark	1,651.6	13.1	0.9		16.0	12.0	18.6	30.6	11.4	8.9	213.6	20.6	11.1	8.0
38	Orange	1,806.6	20.1			23.5	6.7	53.7	13.4	16.8	3.4	231.7	30.2	20.1	10.1
39	Passaic	1,477.6	16.2				12.6	7.2	23.4	7.2	7.2	104.5	18.0	5.4	10.8
40	Paterson	1,471.5	7.1			8.7	9.5	15.1	20.6	4.0	5.5	163.2	7.1	12.7	5.5
41	Perth Amboy	1,571.6	6.2			15.4	21.6	24.7	46.3		3.1	111.2	6.2		9.3
42	Phillipsburg	1,515.2	43.1			21.5	14.4	21.5	50.3	43.1		122.1	14.4	28.7	14.4
43	Plainfield	1,574.7	14.5				9.7	4.3	14.5	4.8	4.8	193.8		14.5	4.8
44	Trenton*	2,029.7	50.3	1.0		17.5	10.3	34.9	30.8	14.4	6.2	210.6	7.2	20.5	12.3
45	Union	1,189.0				18.9	37.7		61.3	4.7	9.4	70.8	9.4	9.4	9.4
46	West Hoboken	1,084.9				8.4	11.2		30.8			98.1	8.4	2.8	5.6
47	West New York	1,221.9	7.2			21.7	7.2	14.5	101.2		7.2	166.3	21.7	21.7	21.7
48	West Orange	854.9				18.0		18.0		9.0		99.0	27.0		9.0
NEW YORK.															
49	Registration cities (total)	1,618.4	15.0	0.7	0.1	15.3	21.2	7.7	32.2	7.8	5.6	170.5	14.6	9.7	7.8
50	White	1,602.3	15.0	0.7	0.1	15.3	21.5	7.5	32.4	7.7	5.6	164.6	14.8	9.3	7.8
51	Colored	2,518.7	15.9	2.5	1.7	11.7	4.2	19.3	17.6	15.1	4.2	302.9	31.0	31.9	8.4
52	Albany	1,936.1	14.0	1.0		23.9	12.0	10.0	14.9	19.9	3.0	239.1	5.0	8.0	10.0
53	Amsterdam	1,719.1	22.2			12.7	12.7	28.5	38.0	3.2	3.2	104.5	3.2	9.5	3.2
54	Auburn	1,530.5	8.6	2.9		8.6	14.4	2.9	17.3	2.9	8.6	129.5		2.9	8.6
55	Batavia	1,721.9	42.8	8.6		25.7		17.1	34.3			67.0		8.6	
56	Binghamton*	1,857.4	16.4			8.2	6.2	12.3	20.5	8.2	6.2	168.5	4.1	6.2	8.2
57	Buffalo	1,630.2	20.4	0.2	0.2	22.1	53.6	16.2	37.8	7.0	4.7	124.0	10.3	9.6	4.9
58	Cohoes	2,057.6	76.8			12.1	133.4	4.0	52.6	12.1	4.0	206.2	4.0	24.3	8.1
59	Corning	1,462.7	58.2				7.3	7.3			7.3	58.2	7.3	7.3	7.3
60	Cortland	1,892.9	78.1						17.4	17.4		34.7			17.4
61	Dunkirk	1,617.7	23.1			34.7	144.4		52.0	17.3		75.1		11.6	
62	Elmira	1,495.8	26.9	5.4				13.4	21.5	24.2	2.7	69.8	8.1	5.4	13.4
63	Fulton	1,459.7	9.5			9.5		9.5	28.4	37.9		113.7		28.4	28.4
64	Geneva	1,380.6	16.1					16.1	8.0	16.1	16.1	112.4			
65	Glens Falls	1,585.0	19.6	6.5				6.5	6.5	13.1		124.4	6.5	13.1	13.1
66	Gloversville	1,548.5	9.6			24.1	4.8		14.5	24.1	4.8	82.0		9.6	19.3
67	Hornell	1,275.9	36.7			14.7	7.3			29.3		44.0	7.3	22.0	7.3
68	Hudson	2,059.0	61.1					8.7	17.4			218.1	17.4	34.9	
69	Ithaca	1,647.0	33.7	6.7				13.5		27.0		101.2	6.7	13.5	6.7
70	Jamestown	1,281.6	28.6			3.2	12.7	8.2	19.0	19.0		79.3	6.3	15.9	12.7

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and en- teritis (under 2 years).	Apen- dicitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Un- de- fined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
75.0	20.0	47.5	101.4	159.8	39.5	156.9	20.6	143.2	10.9	14.3	5.2	100.2	2.9	9.7	122.0	65.3	13.7	375.1	40.1	1
74.6	20.1	47.6	99.8	160.1	39.6	157.2	20.7	143.4	10.9	14.3	5.2	100.4	2.9	9.8	121.6	65.4	13.2	374.7	40.2	2
309.6	928.8	309.6	309.6	619.2	3
25.3	8.4	143.6	25.3	25.3	50.7	160.5	16.9	380.0	16.9	8.4	33.8	16.9	135.1	109.8	219.6	50.7	4
65.0	32.5	23.2	181.1	422.5	32.5	125.4	13.9	65.0	13.9	9.3	120.7	18.6	4.6	51.1	83.6	46.4	603.6	13.9	5
98.1	37.7	7.5	166.1	181.2	30.2	128.3	7.5	67.9	7.5	30.2	7.5	166.1	7.5	75.5	90.6	15.1	377.4	30.2	6
148.7	39.7	9.9	89.2	128.9	29.7	178.4	49.6	69.4	19.8	29.7	19.8	119.0	9.9	69.4	79.3	39.7	465.9	9.9	7
78.2	9.8	39.1	97.8	68.4	29.3	166.2	9.8	156.4	29.3	9.8	136.9	19.6	146.7	88.0	19.6	488.9	39.1	8
61.1	17.1	65.4	82.5	115.2	51.2	167.8	15.6	149.3	11.4	12.8	1.4	35.3	4.3	156.4	39.8	4.3	314.2	54.0	9
65.3	11.5	30.7	69.1	157.4	26.9	157.4	42.2	199.6	7.7	15.4	3.8	69.1	3.8	26.9	142.0	57.6	11.5	372.4	38.4	10
169.5	17.7	8.9	159.5	168.4	26.6	150.7	17.7	8.9	17.7	168.4	62.0	97.5	301.4	35.5	11
74.8	17.7	18.9	82.7	136.7	24.9	182.8	16.0	132.2	11.4	12.1	19.3	118.7	9.7	8.7	89.6	91.2	19.3	211.4	24.3	12
75.5	17.7	18.7	81.8	134.0	24.0	178.0	15.8	130.1	11.3	11.9	19.6	117.6	9.7	8.8	88.3	90.5	19.5	206.9	23.4	13
57.2	17.9	25.0	109.0	212.5	50.0	317.9	21.4	192.9	14.3	19.6	10.7	150.0	8.9	7.1	126.8	109.0	12.5	337.6	50.0	14
58.1	38.7	9.7	106.5	232.4	29.1	87.2	9.7	106.5	9.7	9.7	193.7	9.7	106.5	67.8	19.4	242.1	48.4	15
90.3	32.2	6.4	98.4	210.8	21.5	163.4	6.4	126.8	10.7	12.9	15.0	184.9	4.3	8.6	73.1	75.2	32.2	298.8	25.8	16
95.8	32.8	8.2	112.2	188.8	19.2	131.3	8.2	131.3	10.9	10.9	19.2	205.2	2.7	10.9	79.3	84.8	41.0	290.0	21.9	17
70.3	30.1	50.2	180.5	30.1	281.0	110.4	10.0	20.1	110.4	10.0	50.2	40.1	331.2	40.1	18
48.1	1.8	21.4	55.2	89.1	30.3	187.1	12.5	208.5	7.1	7.1	16.0	121.2	7.1	8.9	83.8	112.3	3.6	171.1	39.2	19
39.4	19.7	85.4	157.7	13.1	105.2	13.1	65.7	65.7	59.2	6.6	32.9	52.6	6.6	223.5	6.6	20
77.3	14.1	14.1	98.4	210.8	56.2	70.3	14.1	28.1	7.0	28.1	238.9	14.1	21.1	49.2	14.1	238.9	14.1	21
69.5	14.7	29.5	76.8	161.0	8.4	221.0	29.5	103.1	11.6	11.6	11.6	135.8	13.7	4.2	101.0	120.0	15.8	228.4	38.9	22
83.4	23.0	94.9	155.3	20.1	117.9	8.6	31.6	5.8	2.9	103.6	5.8	34.5	28.8	14.4	164.0	2.9	23
71.7	13.5	16.2	90.6	102.8	16.2	189.3	16.2	159.6	6.8	14.9	17.6	83.8	12.2	8.1	90.6	85.2	23.0	204.2	27.0	24
9.6	9.6	19.2	28.8	9.6	230.1	9.6	278.0	9.6	9.6	47.9	19.2	153.4	47.9	9.6	143.8	9.6	25
42.3	21.2	21.2	63.5	134.0	7.1	218.7	14.1	148.1	35.3	14.1	21.2	91.7	14.1	14.1	84.7	105.8	7.1	239.8	28.2	26
68.6	34.3	48.0	89.2	34.3	137.3	6.9	192.2	6.9	20.6	75.5	13.7	68.6	137.3	6.9	212.8	48.0	27
30.8	22.7	32.6	99.2	171.6	35.4	270.8	17.0	123.3	12.8	14.2	29.8	136.1	7.1	5.7	76.6	104.9	26.9	222.6	14.2	28
99.4	24.8	16.6	58.0	107.6	33.1	124.2	16.6	41.4	8.3	115.9	74.5	24.8	41.4	157.3	49.7	29
66.3	13.7	21.2	78.7	134.4	23.0	179.7	18.6	146.3	10.0	11.9	29.3	127.4	9.7	7.4	86.5	104.4	22.7	217.2	29.0	30
53.0	26.5	31.8	164.2	143.0	31.8	106.0	26.5	37.1	10.6	5.3	21.2	116.6	5.3	5.3	37.1	47.7	21.2	275.5	26.5	31
142.4	52.5	15.0	82.4	172.3	15.0	127.4	30.0	119.9	59.9	74.9	37.5	217.3	7.5	22.5	89.9	194.8	15.0	322.2	15.0	32
72.1	8.0	32.1	80.2	16.0	72.1	8.0	80.2	8.0	8.0	72.1	24.0	56.1	64.1	8.0	232.5	40.1	33
73.5	13.8	4.6	50.5	105.6	9.2	192.9	4.6	142.4	9.2	23.0	9.2	137.8	4.6	4.6	55.1	124.0	23.0	215.9	4.6	34
143.7	16.0	55.9	151.7	231.6	16.0	255.5	8.0	103.8	47.9	24.0	16.0	103.8	16.0	16.0	111.8	183.7	327.4	71.9	35
136.8	12.8	38.5	76.9	205.1	8.5	192.3	17.1	256.4	17.1	21.4	4.3	115.4	4.3	8.5	111.1	21.4	21.4	363.3	47.0	36
83.4	21.7	16.6	99.4	134.5	37.1	179.3	16.8	113.4	13.1	11.1	22.8	129.1	9.4	8.6	91.9	86.2	21.1	179.9	11.4	37
110.8	26.9	16.8	87.3	161.2	26.9	218.3	10.1	94.0	10.1	16.8	20.1	110.8	3.4	6.7	120.9	80.6	10.1	231.7	13.4	38
63.1	5.4	12.6	34.2	95.5	23.4	236.0	16.2	214.4	18.0	5.4	14.4	59.5	21.6	10.8	149.6	91.9	9.0	153.2	30.6	39
67.4	24.6	23.0	63.4	168.8	20.6	161.6	15.1	117.3	7.1	11.1	13.5	107.0	7.1	14.3	61.0	73.7	21.4	211.6	23.0	40
37.1	12.4	30.9	55.6	67.9	34.0	135.8	3.1	284.1	18.5	6.2	12.4	83.4	24.7	3.1	129.7	105.0	15.4	191.4	77.2	41
57.4	7.2	21.5	114.9	93.4	201.1	14.4	107.7	14.4	14.4	71.8	71.8	86.2	14.4	237.0	28.7	42
96.9	14.5	4.8	82.4	155.0	19.4	164.7	14.5	158.1	14.5	19.4	19.4	135.7	4.8	9.7	111.4	87.2	24.2	261.6	9.7	43
79.1	19.5	18.5	104.8	125.3	25.7	228.0	19.5	191.1	16.4	20.5	13.4	131.5	21.6	14.4	133.5	115.0	20.5	291.7	23.6	44
70.8	18.9	14.2	28.3	113.2	9.4	155.7	9.4	84.9	14.2	14.2	18.9	70.8	9.4	4.7	75.5	47.2	28.3	146.3	23.6	45
75.7	8.4	5.6	36.9	98.1	22.4	145.8	8.4	58.9	5.6	22.4	86.9	11.2	5.6	75.7	30.8	11.2	134.6	25.2	46
65.1	14.5	14.5	21.7	115.7	14.5	195.2	7.2	50.6	7.2	14.5	36.2	72.3	50.6	21.7	130.1	21.7	47
54.0	9.0	72.0	153.0	54.0	54.0	9.0	27.0	18.0	81.0	36.0	90.0	48
82.0	18.3	12.7	65.9	148.9	28.3	205.6	14.7	121.3	13.7	13.4	19.8	134.7	7.5	8.7	80.1	83.2	16.5	220.7	14.0	49
82.3	18.6	12.6	65.7	148.4	27.8	202.3	14.7	120.7	13.6	13.3	19.8	133.4	7.3	8.7	79.0	82.6	16.7	219.3	13.8	50
63.7	5.9	15.1	75.4	171.8	54.5	394.8	17.6	157.6	20.1	19.3	21.0	205.3	18.4	9.2	143.3	118.2	10.1	303.4	27.7	51
138.5	26.9	20.9	101.6	235.2	16.9	162.4	24.9	53.8	14.0	29.9	22.9	171.4	4.0	7.0	60.8	80.7	16.9	366.7	19.9	52
47.5	22.2	34.8	72.8	114.0	50.7	180.4	19.0	300.8	15.8	15.8	12.7	101.3	6.3	15.8	76.0	98.1	12.7	265.9	15.8	53
109.3	14.4	2.9	126.6	189.9	25.9	158.2	2.9	103.6	11.5	8.6	8.6	94.9	8.6	5.8	83.4	66.2	25.9	276.2	54
145.6	42.8	8.6	128.5	119.9	8.6	179.9	17.1	85.7	8.6	17.1	102.8	17.1	8.6	68.5	85.7	445.5	34.3	55
92.5	18.5	22.6	119.2	232.2	37.0	180.8	26.7	90.4	16.4	14.4	24.7	143.8	10.3	12.3	71.9	80.1	28.8	355.4	14.4	56
91.6	18.1	9.9	72.8	160.0	30.1	167.5	16.0	132.2	14.8	14.3	22.6	98.0	6.1	6.3	87.1	96.5	13.2	256.5	5.4	57
56.6	64.7	101.1	137.4	8.1	262.8	32.3	226.4	8.1	16.2	84.9	4.0	12.1	88.9	64.7	28.3	299.1	24.3	58
43.7	29.1	7.3	123.7	123.7	29.1	167.4	14.6	43.7	29.1	29.1	29.1	65.5	72.8	116.4	7.3	363.8		

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuberou-losis.	Rheu-ma-tism.	
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Contd.															
NEW YORK—continued.															
1	Johnstown.....	1,384.1	9.5							9.5	114.5				
2	Kingston.....	1,835.8	23.1		7.7	7.7	23.1	27.0	42.4	7.7	181.3		27.0	3.9	
3	Lackawanna ²	2,721.8	6.9		226.8	96.2	6.9	48.1	6.9	6.9	144.3		41.2		
4	Little Falls.....	1,565.8	16.2			24.3	16.2		24.3		89.2		16.2		
5	Lockport.....	1,667.3	11.1	5.6		16.7	16.7		22.2	11.1	144.5	11.1		5.6	
6	Middletown*.....	2,431.8	26.1	6.5		6.5	32.7		13.1	13.1	248.4	13.1	45.8		
7	Mount Vernon.....	1,388.9	9.6			3.2	6.4	12.8	22.5	16.0	118.7	25.7	3.2	3.2	
8	New Rochelle.....	1,170.1		3.4		20.5		34.2	27.4	3.4	92.4	6.8	6.8	6.8	
9	New York (total).....	1,599.8	11.6	0.7	0.1	14.4	20.0	5.9	35.6	6.1	185.0	17.0	9.0	8.1	
10	Bronx Borough.....	1,591.6	9.4	0.9		12.3	17.6	5.9	30.4	5.3	410.2	19.6	6.2	6.2	
11	Brooklyn Borough.....	1,560.2	11.9	0.9	0.1	21.2	23.3	5.0	34.1	7.0	151.2	12.3	9.2	11.2	
12	Manhattan Borough.....	1,652.9	11.4	0.3	0.2	10.9	19.3	6.4	38.2	5.4	174.5	20.9	9.7	6.2	
13	Queens Borough.....	1,378.1	14.2	2.1		9.7	11.1	7.0	35.1	7.0	124.4	8.7	7.0	8.3	
14	Richmond Borough.....	1,697.8	12.7			6.9	15.0	4.6	23.1	11.6	175.7	11.6	9.2	9.2	
15	New York (white).....	1,579.9	11.5	0.6	0.1	14.5	20.3	5.7	35.9	5.9	178.0	16.6	8.6	8.1	
16	Bronx Borough.....	1,558.2	9.0	0.9		12.2	17.5	5.3	30.4	5.3	397.7	18.2	5.5	6.0	
17	Brooklyn Borough.....	1,545.1	11.8	0.8		21.3	23.6	4.9	34.1	6.4	147.7	12.2	8.9	11.2	
18	Manhattan Borough.....	1,631.7	11.4	0.3	0.1	11.0	19.8	6.2	38.8	5.4	164.8	20.7	9.3	6.2	
19	Queens Borough.....	1,365.0	14.4	1.8		9.8	11.3	7.0	35.5	6.7	121.7	8.8	6.0	8.1	
20	Richmond Borough.....	1,685.3	11.7			7.0	15.2	4.7	23.4	11.7	175.8	9.4	9.4	9.4	
21	New York (colored).....	2,555.7	15.3	3.1	2.0	11.2	4.1	15.3	20.3	16.3	521.7	34.6	27.5	9.2	
22	Bronx Borough.....	4,991.8	46.9			23.4	23.4	70.3	23.4		1,687.4	164.0	70.3	23.4	
23	Brooklyn Borough.....	2,600.8	16.9	4.2	4.2	16.9	4.2	12.7	29.6	50.7	392.7	21.1	29.6	12.7	
24	Manhattan Borough.....	2,383.9	12.1	1.5	1.5	9.1	3.0	13.7	18.2	4.6	507.1	30.4	21.3	6.1	
25	Queens Borough.....	2,500.8		30.1						30.1	361.6		90.4	30.1	
26	Richmond Borough.....	2,581.2	83.3								166.5	166.5			
27	Newburgh.....	1,826.5	46.6	3.6		17.9	7.2	25.1	17.9	14.4	183.0	7.2		10.8	
28	Niagara Falls.....	1,789.9	98.0			49.0	16.3	32.7	32.7	19.6	111.0	13.1	29.4	6.5	
29	North Tonawanda.....	1,329.7	41.6			24.9	49.9	41.6	8.3	8.3	74.8	16.6	8.3		
30	Ogdensburg*.....	2,452.9	50.1				6.3	25.0		12.5	206.5	12.5	25.0	18.8	
31	Olean.....	1,269.1	6.8			20.3		33.8			54.0	6.8	6.8	6.8	
32	Ossineoge.....	1,524.3	17.2			68.9	8.6		25.8		146.4	25.8	17.2	8.6	
33	Oswego.....	1,648.9	47.0			12.8	4.3	21.4	4.3		76.9	8.5	12.8		
34	Peekskill.....	1,813.2	26.1			45.7	13.0	19.6	6.5	13.0	150.0	19.6	13.0		
35	Plattsburg.....	1,761.8	26.8			44.7	8.9	80.5		8.9	223.6	17.9	17.9	8.9	
36	Port Chester.....	1,630.8	15.5			23.3	7.8	38.8	31.1	15.5	77.7			7.8	
37	Poughkeepsie.....	1,671.7	17.8					25.0	14.3	3.6	139.0	7.1	10.7	7.1	
38	Rensselaer.....	1,512.3	28.0	9.3		9.3	9.3	74.7	9.3	28.0	140.0			9.3	
39	Rochester.....	1,463.4	13.7	0.5		5.9	21.4	5.9	17.3	7.3	137.0	7.3	15.0	7.3	
40	Rome.....	2,215.0	24.2			14.5		4.8	43.6	24.2	252.0	14.5	24.2	9.7	
41	Saratoga Springs.....	2,042.6	15.8			39.4	15.8	7.9	15.8	15.8	189.3				
42	Schenectady.....	1,456.8	6.8			20.4	4.1	13.6	19.1	5.4	102.1	12.3	4.1	5.4	
43	Syracuse.....	1,537.4	28.2			8.7	16.7	2.9	18.3	7.2	92.7	10.9	5.8	8.0	
44	Troy.....	2,077.2	19.5			20.8	23.4	5.2	16.9	28.6	238.2	9.1	16.9	15.6	
45	Utica*.....	1,884.4	6.7			18.7		17.4	18.7	18.7	150.9	20.0	17.4	4.0	
46	Watertown.....	1,750.5	97.0	3.7		56.0		3.7	14.9	14.9	74.6		11.2	14.9	
47	Watervliet.....	1,728.6	39.7			39.7	13.2		13.2	19.9	159.0	13.2	13.2	13.2	
48	White Plains.....	1,865.9	31.0	6.2			6.2	6.2	18.6		111.6	6.2		12.4	
49	Yonkers.....	1,521.3	18.6	2.5			23.6	16.1	33.5	7.4	157.6	13.6	11.2	3.7	
NORTH CAROLINA.															
50	Registration cities (total).....	2,052.3	56.1	28.0	0.7	24.0	3.3	12.0	13.3	32.7	2.7	273.6	9.3	22.7	5.3
51	White.....	1,686.2	49.7	14.0	1.1	27.0	4.3	9.7	16.2	27.0	4.3	221.4	10.8	14.0	2.2
52	Colored.....	2,644.2	66.4	50.6		19.2	1.7	15.7	8.7	41.9		358.0	7.0	36.7	10.5
53	Asheville (total).....	1,965.4	37.2					5.3	15.9	37.2	5.3	658.7	37.2	31.9	5.3
54	White.....	1,746.2	22.3					7.4	14.9	44.6	7.4	720.8	37.2	37.2	7.4
55	Colored.....	2,514.9	74.5						18.6	18.6	503.0	37.3	18.6		
56	Charlotte (total).....	1,772.2	49.8	43.9	2.9	20.5		8.8	35.2		126.0	2.9	17.6	2.9	
57	White.....	1,368.6	49.2	4.5	4.5	26.8		13.4	17.9		80.5	4.5	4.5	4.5	
58	Colored.....	2,538.4	50.9	118.9		8.5			67.9		212.2		42.4		
59	Durham (total).....	1,992.5	48.7	21.7		97.5	10.8	5.4	10.8	54.1	324.9		21.7		
60	White.....	1,642.2	34.8	26.1		95.6	17.4	8.7	17.4	52.1	208.5		8.7		
61	Colored.....	2,571.8	71.8	14.4		100.6				57.5	517.2		43.1		
62	Greensboro (total).....	1,904.1	43.7	25.0		6.2		6.2	12.5	31.2	231.0	12.5	31.2		
63	White.....	1,576.9	58.4	19.5		9.7			19.5		107.1	19.5	19.5		
64	Colored.....	2,489.1	17.4	34.8				17.4		87.0	452.6		52.2		
65	Raleigh (total)*.....	2,795.0	78.1	26.0		31.2		36.4	10.4	20.8	255.0	5.2	20.8	20.8	
66	White.....	2,446.6	75.9	16.9		33.7		33.7		25.3	168.7	8.4	8.4		
67	Colored.....	3,356.0	81.5	40.8		27.2		40.8		13.6	394.0		40.8	54.3	
68	Wilmington (total).....	2,081.4	73.5	54.2			3.9		19.3	23.2	3.9	174.1	7.7	15.5	7.7
69	White.....	1,555.7	65.7	36.5			7.3		29.2	14.6	7.3	131.5			
70	Colored.....	2,673.6	82.3	74.0					8.2	32.9	222.1	16.5	32.9	16.5	
71	Winston (total).....	2,032.6	57.7			23.1	11.5	46.2	17.3	28.9	300.3	5.8	28.9		
72	White.....	1,790.5	42.4			31.8	10.6	31.8	21.2	42.4	180.3	10.6	31.8		
73	Colored.....	2,357.7	76.1			12.7		63.4	12.7	12.7	443.7		25.4		

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

103

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and en- teritis (under 2 years).	App- endi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirr- rhosis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill-de- fined and un- known causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
133.6	38.2	95.5	171.8	19.1	190.9	19.1	66.8			38.2	9.5	66.8	9.5	9.5	47.7	9.5	28.6	286.4	9.5	1
81.0	27.0	34.7	135.0	270.0	15.4	119.6	15.4	69.4	23.1	19.3	11.6	69.4	15.4	5.6	81.0	127.3	3.9	343.2	23.1	2
13.7	34.4	13.7	89.4	41.2	213.1	6.9	694.2			6.9	13.7	41.2			151.2	268.1		543.0	6.9	3
48.7	48.7	16.2	48.7	275.8	16.2	162.3	16.2	81.1	24.3		24.3	89.2	8.1	8.1	89.2	154.1		235.3	32.5	4
72.3	33.3	11.1	105.6	272.3	22.2	122.3	33.3	66.7	11.1	11.1	22.2	72.3		5.6	66.7	144.5	5.6	322.3	16.7	5
137.3	39.2	52.3	124.2	261.5	32.7	281.1	19.6	6.5	28.1	39.2	39.2	196.1	6.5	6.5	45.8	176.5	45.8	477.2	13.1	6
64.2	16.0	9.6	86.6	160.4	12.8	173.2	32.1	112.3	19.2	12.8	6.4	112.3	3.2	6.4	67.4	60.9	9.6	195.7	6.4	7
78.7	13.7	3.4	54.7	99.2	20.5	116.3	20.5	82.1	3.4	3.4	10.3	106.1	3.4	13.7	58.2	109.5	10.3	150.5	6.8	8
78.0	18.6	11.4	54.9	137.4	28.9	222.9	14.1	123.1	13.1	12.1	20.4	142.6	7.8	8.9	81.0	78.3	16.9	194.6	15.1	9
75.6	18.3	11.0	67.2	126.8	16.7	167.0	11.0	74.0	10.1	9.8	19.2	132.5	7.8	7.3	57.6	64.9	15.3	180.4	12.1	10
74.0	15.9	8.8	58.8	161.2	42.4	225.4	13.5	132.7	13.3	12.2	22.3	135.8	7.2	10.0	64.4	66.5	14.9	186.1	2.6	11
82.4	21.1	13.7	47.7	123.9	22.7	238.0	15.3	126.0	14.0	13.0	19.2	150.6	8.7	8.5	98.5	87.7	18.8	208.6	22.9	12
66.7	13.2	10.1	69.5	127.9	22.9	176.6	12.2	119.2	8.0	8.3	19.1	120.3	5.9	5.6	74.4	83.8	14.2	104.0	19.1	13
86.7	25.4	6.9	64.7	136.4	18.5	205.7	16.2	122.5	15.0	9.2	26.6	179.1	3.5	16.2	67.0	97.1	18.5	256.6	45.1	14
78.2	18.9	11.4	54.7	136.7	28.2	219.2	14.0	122.2	13.0	11.9	20.4	141.1	7.6	8.8	79.5	77.6	17.1	192.7	14.8	15
75.0	18.5	10.8	65.5	123.4	16.4	163.1	10.6	73.6	9.7	9.9	18.9	129.6	7.8	7.2	57.4	64.4	15.2	157.5	12.0	16
74.0	16.1	8.8	58.7	161.0	40.9	222.4	13.4	131.5	13.2	12.1	22.1	134.7	7.0	10.0	63.1	65.9	15.0	184.8	2.6	17
83.1	21.5	13.7	47.5	123.1	22.3	233.7	15.2	126.2	14.0	12.7	19.2	149.2	8.3	8.5	96.6	87.2	19.1	208.6	22.4	18
68.8	13.4	9.8	69.6	127.6	23.2	174.8	12.3	118.5	8.1	8.1	19.3	118.3	5.6	5.3	73.5	81.9	14.4	161.7	19.0	19
85.6	25.8	7.0	63.3	135.9	17.6	202.8	16.4	121.9	14.1	9.4	27.0	179.3	3.5	16.4	68.0	93.8	18.8	255.5	44.5	20
69.2	5.1	14.2	66.1	170.9	62.0	402.7	19.3	165.8	18.3	20.3	21.4	212.5	20.3	10.2	153.6	113.9	7.1	287.8	30.5	21
140.6	23.4	23.4	234.4	468.7	46.9	562.5	46.9	117.2	46.9	46.9	20.3	421.3	23.4	23.4	70.3	117.2	23.4	445.3	23.4	22
76.0	4.2	12.7	63.3	173.1	143.6	426.4	21.1	211.1	21.1	21.1	33.8	211.1	21.1	8.4	109.8	109.8	8.4	282.9	41.0	23
69.7	6.1	13.7	54.7	151.8	36.4	387.2	18.2	151.8	15.2	21.3	16.7	198.9	21.3	9.1	162.5	104.8	6.1	274.8	41.0	24
69.3	30.1	30.1	60.3	180.6	331.4	431.4	180.8	180.8	30.1	30.1	30.1	241.0	30.1	30.1	150.6	241.0	30.1	361.6	30.1	25
166.5	166.5	166.5	166.5	416.3	83.3	416.3	166.5	166.5	83.3	83.3	83.3	166.5	30.1	30.1	150.6	333.1	150.6	333.1	83.3	26
89.7	7.2	43.1	139.9	193.8	14.4	211.7	25.1	86.1	25.1	10.8	7.2	175.8	7.2	7.2	68.2	114.8	21.5	236.8	7.2	27
42.5	16.3	26.1	71.9	120.8	9.8	189.4	3.3	179.6	9.8	9.8	26.1	184.9	6.5	6.5	104.5	199.2	20.4	222.1	22.9	28
49.9	16.6	24.9	66.5	24.9	157.9	16.6	191.1	8.3	8.3	8.3	16.6	58.2	16.6	16.6	66.5	99.7	8.3	241.0		29
131.4	18.8	25.0	112.6	219.0	25.0	287.8	25.0	106.4	31.3	31.3	6.3	181.5	6.3	6.3	100.1	68.8	12.5	675.8	31.3	30
114.8	13.5	13.5	74.3	148.5	6.8	135.0	6.8	60.8	20.3	20.3	13.5	60.8	13.5	13.5	67.5	101.3	33.8	222.8	31.3	31
68.9	8.6	103.3	137.8	25.8	137.8		43.1	17.2	17.2	8.6	8.6	146.4		17.2	68.9	129.2	60.3	215.3	8.6	32
81.2	8.5	21.4	158.1	226.4	17.1	72.6	8.5	85.4	4.3	25.6	17.1	141.0	8.5	21.4	106.8	132.4	25.6	281.9	17.1	33
84.8	26.1	13.0	123.9	123.9	26.1	280.5	26.1	91.3	13.0	19.6	13.0	137.0	13.0	13.0	91.3	110.9		287.0	6.5	34
80.5	8.9	53.7	62.6	187.8	35.8	161.0		62.6	17.9	8.9	26.8	35.8			214.6	44.7	17.9	250.4	26.8	35
69.9	31.1	31.1	77.7	98.2	46.6	132.0	7.8	225.2		15.5	23.3	108.7	7.8	23.3	46.6	101.0	23.3	295.1	54.4	36
99.8	28.5	14.3	164.0	231.7	17.8	146.1	7.1	74.9	7.1	7.1	7.1	121.2	10.7	3.6	82.0	114.1	7.1	281.6	14.3	37
130.7	9.3	9.3	65.3	149.4	28.0	130.7	28.0	28.0	9.3	9.3	18.7	65.3	9.3	9.3	102.7	140.0		261.4	9.3	38
99.2	15.9	6.8	94.2	157.5	36.0	131.5	14.1	99.7	15.9	17.8	21.4	112.0	7.7	9.1	27.8	71.0	16.4	258.5	5.5	39
116.3	9.7	9.7	121.2	319.9	72.7	111.5	14.5	150.3	14.5	14.5	29.1	184.2	4.8		92.1	92.1	29.1	402.3	9.7	40
173.5	23.7	7.9	134.1	142.0	15.8	212.9	15.8	78.9	15.8	31.5	39.4	268.1	15.8	7.9	86.8	94.6		347.0	31.5	41
57.2	15.0	13.6	74.9	100.7	25.9	197.4	8.2	167.5	17.7	15.0	6.8	96.7	10.9	2.7	93.9	81.7	17.7	243.7	15.0	42
92.0	19.6	10.1	79.7	207.1	23.2	152.1	10.9	122.4	15.2	11.6	11.6	101.4	5.8	9.4	92.7	89.1	21.7	249.1	9.4	43
108.0	27.3	27.3	110.6	256.4	26.0	221.2	23.4	91.1	22.1	26.0	36.4	140.6	3.9	7.8	79.4	96.3	7.8	344.9	24.7	44
90.8	17.4	36.1	93.5	200.3	37.4	200.3	28.0	136.2	17.4	33.4	14.7	118.9	2.7	14.7	100.2	78.8	16.0	341.9	21.4	45
85.8	14.9	14.9	134.4	186.6	14.9	160.5	13.7	78.4	11.2	18.7	7.5	97.0	18.7	11.2	119.4	112.0	22.4	309.8	11.2	46
59.6	19.9	39.7	132.5	192.1	26.5	245.0	13.2	73.9			26.5	119.2			92.7	59.6		264.9	26.5	47
105.4	6.2	12.4	111.6	124.0	12.4	210.8	43.4	99.2	6.2	6.2	43.4	161.2	12.4	12.4	105.4	204.6	24.8	328.5	31.0	48
80.7	9.9	5.0	69.5	134.0	26.1	145.2	12.4	212.2	13.6	7.4	16.1	120.4	13.6	8.7	68.2	64.5	11.2	209.7		49
62.1	10.0	23.4	62.7	134.8	28.0	195.6	26.0	132.8	12.0	9.3	10.7	108.1	5.3	20.7	88.8	92.8	10.0	432.5	104.8	50
67.0	9.7	20.5	57.3	94.0	21.6	135.0	20.5	122.1	14.0	8.6	16.2	102.6	1.1	16.2	81.0	65.9	14.0	365.1	51.9	51
54.1	10.5	27.9	71.6	200.8	38.4	293.4	34.9	150.2	8.7	10.5	1.7	111.8	12.2	27.9	101.3	136.2	3.5	541.4	190.4	52
42.5	5.3	15.9	63.7	63.7	21.2	159.4	37.2	53.1	26.6	5.3	10.6	85.0		15.9	74.4	74.4	5.3	302.8	69.1	53
37.2	7.4	22.3	66.9	59.4		66.9	22.3	44.6	29.7	7.4	14.9	59.4		7.4	74.3	66.9	7.4	215.5	37.2	54
55.9			55.9	74.5	74.5	391.2	74.5	74.5	18.6			149.0			74.5	93.1		521.6	149.0	55
49.8	11.7	17.6	46.9	102.5	43.9	202.1	8.8	102.5	11.7	8.8	5.9	90.8			14.6	70.3	8.8	480.4	111.3	56
67.1	17.9	17.9	44.7	76.0	22.4	138.6	4.5	107.3	13.4	8.9	8.9	67.1			17.9	76.0	8.9	366.7	26.8	57
17.0		17.0	50.9	152.8	84.9	322.6	17.0	93.4	8.5	8.5		135.8			8.5	59.4	8.5	696.2	271.7	58
75.8		32.5	48.7	97.5	43.3	194.9	27.1	113.7	10.8	16.2	10.8	43.3	5.4	16.2	75.8	59.6	10.8	400.7	113.7	59
104.3		34.8	60.8	60.8	43.4	130.3	8.7	121.6	17.4	8.7	17.4	52.1	8.7		78.2	34.8	17.4	295.4	78.2	60
28.7		28.7	28.7	168.0	43.1	301.7	57.5	100.6		28.7		28.								

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(87)
REGISTRATION CITIES—Contd.															
OHIO.															
1	Registration cities (total).....	1,481.0	24.2	0.6	0.2	18.5	8.2	13.3	16.2	13.5	5.4	150.9	9.1	13.8	8.5
2	White.....	1,457.6	24.2	0.5	0.1	18.5	8.4	12.8	16.5	13.5	5.5	140.1	8.8	12.8	8.5
3	Colored.....	2,205.3	23.7	3.0	1.5	16.3	1.5	29.6	7.4	11.8	4.4	484.3	19.3	43.0	8.9
4	Akron.....	1,332.9	30.2	2.9	17.2	12.9	15.8	27.3	12.9	10.1	74.7	4.3	15.8	8.6
5	Alliance.....	1,189.9	19.7	6.6	6.6	26.3	6.6	6.6	6.6	111.8	6.6	6.6	13.1
6	Ashtabula.....	1,410.1	43.6	32.7	27.2	5.4	16.3	5.4	108.9	5.4	10.9	10.9
7	Bellaire.....	1,455.2	7.7	30.8	38.5	23.1	161.7	7.7	23.1	7.7
8	Cambridge.....	1,299.2	52.7	17.6	17.6	8.8	52.7	114.1	17.6	17.6
9	Canton.....	1,219.2	27.7	2.0	21.8	5.9	27.7	9.9	2.0	69.3	5.9	5.9	2.0
10	Chillicothe.....	1,781.3	89.4	6.9	6.9	6.9	41.3	27.5	220.1	20.6	13.8
11	Cincinnati (total).....	1,735.1	8.8	0.3	16.2	4.4	8.2	9.9	21.1	6.6	261.7	13.7	14.8	6.6
12	White.....	1,669.4	8.7	15.4	4.4	8.1	9.9	22.1	6.7	229.9	13.4	13.1	6.4
13	Colored.....	2,878.5	10.1	5.1	30.4	5.1	10.1	10.1	5.1	5.1	814.5	20.2	45.5	10.1
14	Cleveland.....	1,427.2	17.9	0.2	0.4	17.0	12.6	6.6	21.3	9.0	5.5	127.2	10.8	8.5	10.1
15	Columbus (total).....	1,539.7	18.1	23.6	3.3	10.4	11.5	8.2	6.0	177.5	7.1	28.5	7.7
16	White.....	1,502.2	17.7	24.2	3.5	9.4	12.4	8.3	6.5	163.9	5.9	27.1	8.3
17	Colored.....	2,035.7	23.3	15.5	23.3	7.8	357.1	23.3	46.6
18	Dayton.....	1,475.1	21.4	0.9	1.7	9.4	19.7	11.1	9.4	3.4	161.7	11.1	16.3	6.8
19	East Liverpool.....	1,627.7	83.1	29.3	9.8	102.6	29.3	4.9	171.1	4.9	4.9
20	Elyria.....	1,357.7	33.4	20.1	26.8	13.4	93.6	13.4	6.7
21	Findlay.....	1,479.7	27.0	6.8	27.0	6.8	27.0	20.3	6.8	135.1	6.8	6.8
22	Hamilton.....	1,449.9	16.9	39.4	14.1	5.6	19.7	11.3	129.5	11.3	2.8	19.7
23	Ironton.....	1,487.9	22.8	45.5	15.2	15.2	212.6	7.6	22.8	7.6
24	Lakewood.....	1,108.2	13.0	71.3	6.5	19.4	6.5	58.3	13.0	13.0
25	Lancaster.....	1,077.5	7.6	15.2	22.8	15.2	166.9	15.2	22.8
26	Lima.....	1,298.7	35.9	3.3	9.8	3.3	6.5	6.5	6.5	13.1	97.9	13.1	9.8	19.6
27	Lorain.....	1,282.8	27.4	10.3	20.6	27.4	6.9	3.4	96.0	3.4	10.3	6.9
28	Mansfield.....	1,382.4	19.2	9.6	38.4	9.6	19.2	4.8	134.4	4.8	4.8	4.8
29	Marietta.....	1,269.9	7.7	23.2	15.5	108.4	15.5	15.5
30	Marion.....	1,263.2	10.9	38.1	32.7	10.9	21.8	125.2	21.8	5.4
31	Massillon.....	1,149.5	21.6	35.9	14.4	35.9	79.0	7.2	7.2
32	Middletown.....	1,239.1	15.1	7.6	7.6	22.7	7.6	83.1	30.2	22.7	7.6
33	Newark.....	1,292.1	19.6	19.6	19.6	43.1	78.3	3.9	15.7	7.8
34	Norwood.....	896.9	6.1	6.1	12.2	12.2	103.7	12.2	18.3
35	Piqua.....	1,446.4	44.7	7.5	6.1	6.1	29.8	7.5	193.8	7.5	22.4	7.5
36	Portsmouth.....	1,508.5	59.3	190.7	8.5	21.2	8.5	4.2	156.8	16.9	29.7	8.5
37	Sandusky.....	1,340.3	30.0	5.0	15.0	15.0	80.0	5.0	5.0	15.0
38	Springfield (total).....	1,323.6	10.6	2.1	2.1	38.2	17.0	23.4	10.6	125.3	2.1	6.4	6.4
39	White.....	1,289.4	9.5	2.4	40.4	16.6	26.1	11.9	109.2	2.4	7.1
40	Colored.....	1,614.2	20.2	20.2	20.2	20.2	262.3	20.2	40.4
41	Stewenville.....	1,790.8	66.5	22.2	26.6	53.2	22.2	53.2	4.4	97.5	4.4	22.2	8.9
42	Tiffin.....	1,469.0	25.2	16.8	8.4	8.4	8.4	134.3	8.4	42.0
43	Toledo.....	1,459.2	37.2	1.8	16.5	5.9	5.9	19.5	9.5	7.7	138.8	4.7	17.1	9.5
44	Warren.....	1,401.9	143.8	9.0	18.0	44.9	9.0	9.0	9.0
45	Youngstown.....	1,680.5	57.7	35.1	8.8	12.5	37.6	7.5	5.0	82.8	8.8	12.5	6.3
46	Zanesville.....	1,490.0	53.3	3.6	49.8	3.6	7.1	160.0	7.1	21.3	3.6
OREGON. ²															
47	Portland (total).....	1,102.2	22.4	0.5	3.8	10.0	7.2	22.4	5.3	5.3	83.1	10.0	15.3	6.2
48	White.....	1,105.9	21.9	0.5	4.0	10.4	7.0	22.9	4.5	5.0	80.0	10.4	14.9	6.5
49	Colored ³	1,010.0	36.5	12.2	12.2	24.3	12.2	158.2	24.3
PENNSYLVANIA.															
50	Registration cities (total).....	1,688.7	25.1	0.6	0.1	15.9	14.9	15.9	30.8	12.4	4.7	140.0	9.4	11.4	8.0
51	White.....	1,654.8	24.6	0.6	0.1	16.0	15.3	14.4	31.1	12.2	4.7	127.9	8.8	9.9	8.1
52	Colored.....	2,505.0	35.5	12.3	6.1	53.3	23.2	17.1	4.8	432.9	24.6	47.1	5.5
53	Allentown.....	1,679.7	32.6	26.8	19.2	15.3	42.1	5.7	1.9	124.5	9.6	9.6	13.4
54	Altoona.....	1,259.4	40.1	5.7	26.8	32.5	13.4	63.1	3.8	7.6	9.6
55	Beaver Falls.....	1,373.0	16.3	16.3	49.0	16.3	98.1	24.5
56	Bethlehem.....	1,319.9	15.5	23.3	7.8	7.8	15.5	77.6	23.3	15.5
57	Braddock.....	2,104.5	56.6	36.0	51.5	5.1	72.0	5.1	56.6	5.1	10.3	5.1
58	Bradford.....	1,314.2	13.8	6.9	6.9	61.9
59	Butler.....	1,523.7	23.9	38.2	33.4	43.0	33.4	14.3	19.1	62.1	9.6	19.1	4.8
60	Carbondale.....	1,910.8	23.4	11.7	17.5	17.5	23.4	5.8	64.3	5.8	23.4
61	Carlisle (total).....	1,609.0	9.7	9.7	87.2	19.4	106.6	9.7	58.2
62	White.....	1,468.2	10.9	10.9	87.0	21.8	76.1	21.8
63	Colored.....	2,762.9	9.9	9.9	89.1	356.5	89.1	356.5
64	Carnegie.....	1,341.3	79.5	69.5	9.9	59.6	19.9	99.4	9.9
65	Chambersburg.....	1,633.5	25.4	16.9	8.5	25.4	25.4	135.4	16.9	25.4	8.5

¹ Exclusive of stillbirths.

² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Menigitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diar- rhea and en- teritis (under 2 years).	Ap- pendi- citis.	Hernia, intesti- nal ob- struction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Feer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- de- fined and un- known causes.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
77.6	14.3	17.5	69.4	135.3	23.3	133.6	14.1	114.0	13.3	13.3	17.8	88.1	8.9	8.5	72.4	99.9	17.6	246.6	8.3	1
78.2	14.6	17.5	69.4	132.0	23.4	129.1	13.9	114.4	13.3	13.1	18.0	86.8	8.8	8.6	72.2	98.6	17.8	244.8	8.1	2
57.8	7.4	16.3	69.6	237.0	25.2	272.5	19.3	102.2	13.3	20.7	18.3	128.9	13.3	5.9	78.5	140.7	10.4	305.1	13.3	3
60.3	14.4	18.7	61.8	77.6	18.7	117.8	21.5	116.3	12.9	11.5	2.9	56.0	10.1	8.6	63.2	132.1	24.4	252.8	18.7	4
78.9	-----	-----	46.0	92.0	6.6	85.5	-----	39.4	46.0	26.3	26.3	72.3	-----	6.6	46.0	98.6	13.1	269.5	19.7	5
49.0	16.3	76.2	27.2	152.4	21.8	157.9	10.9	87.1	21.8	-----	16.3	32.7	5.4	21.8	81.7	163.3	5.4	174.2	21.8	6
38.5	7.7	38.5	53.9	130.9	30.8	177.1	15.4	177.1	15.4	7.7	23.1	38.5	15.4	-----	77.0	100.1	7.7	169.4	30.8	7
87.8	-----	17.6	96.6	122.9	-----	131.7	17.6	35.1	8.8	8.8	-----	70.2	8.8	35.1	79.0	79.0	8.8	184.3	8.8	8
93.0	15.8	9.9	71.3	170.2	7.9	126.7	4.0	91.0	7.9	11.9	13.9	45.5	15.8	13.9	71.3	102.9	17.8	142.5	5.9	9
75.7	13.8	27.5	123.8	185.7	34.4	123.8	20.6	123.8	6.9	13.8	13.8	103.2	-----	13.9	82.5	137.6	13.8	220.1	27.5	10
85.1	18.9	22.8	78.5	182.6	47.0	159.5	15.1	90.1	13.7	17.6	30.2	137.3	8.0	7.1	70.8	96.4	17.3	257.8	6.9	11
88.3	19.5	23.5	77.8	176.8	46.7	146.9	14.8	86.8	13.9	17.7	30.8	134.1	8.1	7.3	69.7	91.5	18.3	252.9	6.1	12
30.4	10.1	10.1	91.1	283.3	50.6	379.4	20.2	146.7	10.1	15.2	20.2	192.2	5.1	5.1	91.1	182.1	-----	344.0	20.2	13
73.1	13.3	10.5	62.3	102.7	39.0	127.3	15.3	169.9	14.5	11.5	16.3	94.0	9.0	8.7	72.9	83.5	18.3	233.9	4.1	14
91.0	14.8	19.7	79.5	165.5	13.7	135.9	12.1	63.0	17.0	15.9	12.6	79.5	12.1	7.7	65.2	112.9	24.1	282.2	13.7	15
92.0	15.9	20.0	80.8	158.6	13.6	127.3	11.2	61.9	18.3	13.6	13.6	77.8	11.2	8.3	64.3	107.9	24.8	281.2	13.0	16
77.6	-----	15.5	62.1	258.2	15.5	248.4	23.3	77.6	-----	46.6	-----	100.9	23.3	-----	77.6	178.5	15.5	295.0	23.3	17
90.7	12.8	31.7	83.9	162.6	8.6	160.0	11.1	91.6	13.7	13.7	17.1	91.6	13.7	4.3	81.3	86.4	23.1	200.2	4.3	18
73.3	4.9	63.5	34.2	123.1	14.7	127.1	19.6	132.0	9.8	19.6	19.6	48.9	9.8	14.7	88.0	73.3	9.8	322.6	34.2	19
66.9	33.4	6.7	60.2	180.6	13.4	86.9	6.7	107.0	26.8	13.4	6.7	46.8	6.7	20.1	53.5	173.9	13.4	227.4	-----	20
54.1	54.1	13.5	182.4	195.9	27.0	54.1	20.3	40.5	27.0	27.0	13.5	108.1	-----	20.3	60.8	67.6	6.8	239.7	6.8	21
76.0	11.3	33.8	70.4	109.8	22.5	135.1	22.5	70.4	8.4	14.1	19.7	78.8	8.4	5.6	98.5	129.5	22.5	219.6	16.9	22
83.5	15.2	7.6	33.0	113.9	45.5	121.5	7.6	98.7	7.6	-----	15.2	53.1	-----	15.2	98.7	113.9	22.8	273.3	7.6	23
64.8	6.5	6.5	32.4	178.1	51.8	64.8	-----	142.6	19.4	13.0	6.5	19.4	-----	6.5	77.8	77.8	6.5	200.9	-----	24
106.2	-----	7.6	45.5	68.3	45.5	37.9	30.4	30.4	15.2	7.6	30.4	53.1	-----	-----	75.9	68.3	22.8	151.8	15.2	25
78.3	13.1	6.5	62.0	104.4	9.8	81.6	16.3	94.6	9.8	29.4	22.8	65.3	6.5	3.3	34.8	88.1	22.8	251.3	-----	26
34.3	-----	10.3	30.9	54.9	6.9	144.1	13.7	223.0	10.3	3.4	10.3	72.0	6.9	-----	102.9	137.2	6.9	192.1	-----	27
91.2	14.4	9.6	110.4	124.8	19.2	52.8	24.0	76.8	14.4	14.4	9.6	134.4	4.8	4.8	76.8	110.4	24.0	216.0	-----	28
154.9	31.0	31.0	46.5	173.1	-----	92.9	15.5	31.0	-----	15.5	15.5	85.2	-----	-----	46.5	92.9	-----	240.0	7.7	29
38.1	21.8	10.9	49.0	108.9	27.2	54.4	10.9	81.7	5.4	10.9	-----	70.8	10.9	5.4	108.9	103.5	5.4	266.8	5.4	30
79.0	21.6	14.4	43.1	100.6	28.7	86.2	7.2	64.7	14.4	-----	21.6	14.4	14.4	14.4	21.6	136.5	7.2	244.3	14.4	31
60.4	15.1	22.7	60.4	90.7	7.6	188.9	22.7	68.0	-----	-----	-----	68.0	15.1	-----	68.0	98.2	22.7	226.7	-----	32
58.7	-----	19.6	78.3	125.3	15.7	109.6	-----	31.3	11.7	15.7	19.6	62.6	3.9	15.7	97.9	113.5	11.7	274.1	19.6	33
54.9	12.2	-----	42.7	146.4	18.3	61.0	12.2	30.5	6.1	-----	6.1	85.4	6.1	6.1	48.8	30.5	12.2	115.9	-----	34
67.1	14.9	14.9	96.9	156.6	14.9	119.3	22.4	96.9	14.9	22.4	-----	74.6	7.5	14.9	82.0	59.6	14.9	201.3	-----	35
80.5	16.9	16.9	63.6	89.0	8.5	110.2	8.5	122.9	-----	8.5	16.9	46.6	8.5	4.2	89.0	76.3	8.5	228.8	-----	36
60.0	20.0	15.0	115.0	180.0	5.0	115.0	10.0	65.0	5.0	5.0	40.0	75.0	-----	15.0	65.0	165.0	10.0	200.1	5.0	37
68.0	21.2	27.6	72.2	163.6	12.7	78.6	17.0	42.5	10.6	14.9	19.1	59.5	12.7	12.7	53.1	91.4	4.2	288.9	8.5	38
66.5	23.7	28.5	73.6	159.1	14.2	73.6	19.0	40.4	7.1	11.9	16.6	57.0	14.2	9.5	54.6	95.0	4.7	284.9	-----	39
80.7	-----	20.2	60.5	201.8	-----	121.1	-----	60.5	40.4	40.4	40.4	80.7	-----	40.4	40.4	60.5	-----	322.8	-----	40
53.2	4.4	17.7	97.5	84.2	22.2	164.0	22.2	155.1	4.4	13.3	4.4	70.9	4.4	8.9	79.8	195.0	8.9	359.0	39.9	41
83.9	33.6	8.4	100.7	184.7	42.0	50.4	25.2	16.8	8.4	8.4	16.8	67.2	-----	8.4	75.5	109.1	8.4	361.0	8.4	42
85.1	7.7	12.4	59.1	150.1	20.1	127.6	12.4	88.6	14.2	14.2	20.7	76.8	7.1	8.9	63.8	82.1	21.9	311.3	1.2	43
89.9	18.0	9.0	134.8	80.9	9.0	170.7	9.0	62.9	27.0	18.0	-----	89.9	9.0	9.0	53.9	62.9	35.9	261.0	18.0	44
64.0	10.0	16.3	38.9	110.4	31.4	249.6	8.8	249.6	3.8	7.5	15.0	53.9	12.5	10.0	84.0	178.1	13.8	238.3	10.0	45
88.9	28.4	10.7	113.8	149.4	28.4	78.2	14.2	49.8	17.8	10.7	10.7	96.0	10.7	14.2	64.0	96.0	7.1	273.8	17.8	46
70.2	11.0	10.5	52.5	106.0	11.9	76.4	10.5	33.0	11.0	15.8	10.5	60.2	7.6	9.1	60.6	79.8	24.4	239.3	10.5	47
72.1	11.4	9.9	54.2	107.9	12.4	77.0	10.9	32.8	10.9	16.4	9.4	58.7	7.5	9.4	61.1	80.5	23.4	242.1	9.9	48
24.3	-----	24.3	12.2	60.8	-----	60.8	-----	36.5	12.2	-----	36.5	97.3	12.2	-----	48.7	60.8	48.7	170.4	24.3	49
74.2	15.4	11.6	76.0	140.7	33.0	194.1	23.5	156.8	12.5	14.4	16.2	122.0	10.5	11.0	85.8	111.5	16.9	247.4	26.1	50
75.0	15.6	11.7	75.9	138.8	32.0	186.9	23.0	155.0	12.7	14.3	16.4	120.1	10.4	10.8	84.9	111.5	17.2	243.6	25.4	51
53.3	10.2	7.5	79.2	186.4	58.0	367.3	34.8	200.7	7.5	17.8	11.6	168.0	14.3	15.0	107.9	112.7	8.9	338.0	43.7	52
99.6	28.7	15.3	141.7	132.2	9.6	153.2	19.2	105.3	11.5	15.3	7.7	86.2	15.3	13.4	97.7	130.2	13.4	226.0	57.5	53
42.0	17.2	21.0	66.9	97.5	13.4	114.7	22.9	49.7	13.4	7.6	15.3	84.1	9.6	9.6	116.6	93.6	15.3	219.8	26.8	54
65.4	8.2	49.0	16.3	81.7	8.2	130.8	16.3	155.3	24.5	16.3	16.3	65.4	-----	-----	138.9	138.9	8.2	147.1	65.4	55
77.6	46.6	7.8	201.9	116.5	-----	170.8	7.8	77.6	-----	7.8	7.8	38.8	7.8	-----	93.2	15.5	15.5	240.7	-----	56
36.0	-----	25.7	20.6	82.3	41.2	411.6	46.3	385.9	5.1	20.6	20.6	102.9	20.6	15.4	82.3	200.7	20.6	226.4	36.0	57
55.0	20.6	13.8	82.6	178.9	20.6	110.1	6.9	48.2	6.9	6.9	6.9	110.1	-----	13.8	117.0	123.8	6.9	295.9	-----	58
62.1	19.1	33.4	62.1	47.8	14.3	191.1	4.8	243.6	9.6	14.3	9.6	57.3	19.1	14.3	81.2	109.9	9.6	210.2	9.6	59
58.4	17.5	5.3	99.3	122.7	76.0	251.3	17.5	99.3	17.5	23.4	11.7	122.7	29.2	23.4	76.0	298.0	23.4	315.5	29.2	60
116.3	48.5	9.7	155.1	126.0	9.7	193.8	19.4	87.2	-----	19.4	-----	29.1	-----	-----	116.3	48.5	-----	271.4	58.2	61
119.6	43.5	10.9	152.3	130.5	10.9	174.0</														

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
PENNSYLVANIA—continued.															
1	Chester (total).....	1,679.9	41.4	2.6	2.6	2.6	18.1	15.5	25.9	5.2	168.2	10.4	18.1	5.2
2	White.....	1,602.9	35.5	3.0	3.0	3.0	17.7	17.7	23.7	5.9	165.6	11.8	11.8	5.9
3	Colored.....	2,219.9	83.0	20.7	41.5	186.7	62.2
4	Coatesville.....	1,330.7	26.8	8.9	8.9	8.9	26.8	26.8	89.3
5	Columbia.....	1,582.9	17.5	8.7	61.2	26.2	17.5	17.5	8.7	8.7
6	Connellsville.....	1,577.5	54.1	15.5	15.5	15.5	108.3	7.7	7.7
7	Dubois.....	1,142.5	47.3	39.4	15.8	15.8	15.8	47.3	23.6
8	Dunmore.....	1,692.9	33.9	33.9	56.4	5.6	11.3	62.1	5.6	11.3
9	Duquesne.....	1,235.2	12.6	25.2	44.1	6.3	25.2	6.3	113.4	12.6
10	Easton.....	1,633.4	17.5	3.5	10.5	14.0	14.0	7.0	129.4	10.5	14.0	7.0
11	Erie.....	1,475.7	38.9	3.0	6.0	15.0	4.5	16.5	12.0	4.5	125.7	4.5	6.0	4.5
12	Greensburg.....	1,984.7	107.3	30.7	7.7	7.7	7.7	15.3	153.3	7.7	7.7	15.3
13	Harrisburg.....	1,460.3	32.6	1.6	4.7	7.8	9.3	68.3	14.0	3.1	125.7	3.1	9.3	14.0
14	Hazleton.....	1,689.1	23.5	3.9	27.4	35.3	3.9	98.0	19.6
15	Homestead.....	1,635.3	5.3	31.9	63.7	42.5	31.9	5.3	127.4	10.6	15.9	10.6
16	Johnstown.....	1,659.1	64.4	17.9	10.7	1.8	41.2	5.4	109.2	8.9	10.7	5.4
17	Lancaster.....	1,520.7	14.8	2.1	10.6	2.1	2.1	23.2	16.9	2.1	101.4	10.6	4.2	6.3
18	Lebanon.....	1,691.4	15.6	5.2	25.9	10.4	36.3	15.6	5.2	88.2	5.2	10.4
19	McKees Rocks.....	1,646.7	20.2	33.6	80.7	6.7	6.7	114.3	6.7
20	McKeesport.....	1,995.2	65.3	30.3	112.0	18.7	4.7	4.7	109.7	16.3	11.7
21	Mahanoy City.....	1,732.7	6.3	50.0	12.5	12.5	75.1	6.3	6.3
22	Meadville.....	1,373.8	15.6	7.8	7.8	15.6	46.8	15.6	7.8
23	Monessen.....	1,277.4	33.4	66.8	25.0	41.7	16.7	75.1	16.7	8.3	8.3
24	Mount Carmel.....	1,322.1	5.7	45.4	28.4	22.7	5.7	51.1	17.0	5.7
25	Nanticoke.....	1,724.6	5.3	21.0	26.3	115.7	5.3	5.3	47.3	26.3
26	New Castle.....	1,594.5	38.4	5.5	35.7	11.0	11.0	2.7	24.7	2.7	87.8	13.7	2.7
27	Norristown *.....	2,443.5	46.4	3.6	10.7	60.0	225.1	10.7	28.6	25.0
28	North Braddock.....	1,340.6	8.4	41.9	8.4	25.1	8.4	8.4	16.8	58.7
29	Oil City.....	1,247.9	19.1	6.4	6.4	6.4	6.4	44.6	19.1	31.8
30	Old Forge.....	1,738.9	17.5	8.7	26.2	17.5	96.1
31	Philadelphia (total).....	1,739.9	17.5	0.5	0.3	10.6	9.8	20.5	30.8	10.2	5.1	193.5	11.8	11.6	7.8
32	White.....	1,684.9	16.4	0.5	0.3	10.8	9.9	18.5	30.8	10.2	5.1	173.5	10.8	9.4	8.0
33	Colored.....	2,677.7	36.0	7.0	7.0	54.6	31.4	10.5	5.8	533.2	30.2	48.8	5.8
34	Phoenixville.....	1,939.7	37.1	9.3	65.0	65.0	9.3	83.5	9.3
35	Pittsburgh (total).....	1,793.7	27.8	6.4	33.1	22.2	14.4	25.4	14.2	4.1	104.2	12.5	13.1	7.7
36	White.....	1,765.5	27.9	0.4	33.0	23.2	12.2	26.3	14.5	4.1	95.8	12.0	11.4	7.7
37	Colored.....	2,346.5	26.9	34.6	3.8	57.7	7.7	7.7	3.8	269.3	23.1	46.2	7.7
38	Pittston.....	1,706.9	12.2	6.1	6.1	67.3	55.1	12.2	12.2	6.1
39	Plymouth.....	1,505.9	23.4	5.9	35.2	23.4	52.7	11.7	41.0	5.9	23.4
40	Pottstown.....	1,496.3	12.8	19.2	19.2	12.8	12.8	6.4	127.9	25.6	6.4
41	Pottsville.....	1,869.1	29.5	14.8	19.7	9.8	49.2	14.8	93.5	24.6	4.9	19.7
42	Reading.....	1,529.6	32.1	14.5	13.5	9.3	30.1	20.7	1.0	107.8	6.2	8.3	4.1
43	Scranton.....	1,640.7	16.9	0.8	8.4	7.7	12.3	28.4	8.4	5.4	90.5	9.2	5.4	6.9
44	Shamokin.....	1,371.3	15.3	15.3	20.4	25.5	20.4	51.0	10.2
45	Sharon.....	1,647.0	117.2	52.1	13.0	13.0	6.5	32.5	110.7	6.5	6.5
46	Shenandoah.....	1,685.7	3.9	27.0	81.1	3.9	73.4	7.7	11.6	100.4	3.9	3.9
47	South Bethlehem.....	1,660.5	19.9	5.0	5.0	54.7	5.0	84.5	9.9
48	South Sharon ²	1,609.4	117.8	39.3	9.8	19.6	9.8	88.3	19.6	9.8
49	Steelton.....	1,518.7	7.0	112.0	35.0	161.0	28.0	7.0	91.0	7.0
50	Sunbury.....	1,357.1	36.1	14.4	28.9	7.2	14.4	57.7	28.9
51	Uniontown.....	1,826.3	89.1	7.4	22.3	29.7	14.8	96.5	22.3	7.4	14.8
52	Warren.....	1,337.9	71.8	71.8	26.9	53.9	18.0	71.8	35.9	9.0
53	Washington.....	1,586.5	63.7	5.3	15.9	15.9	10.6	95.5	10.6	5.3	5.3
54	West Chester (total).....	1,955.3	33.9	16.9	8.5	118.5	8.5	33.9
55	White.....	1,892.7	40.3	20.1	10.1	110.7	10.1	10.1
56	Colored.....	2,286.0	159.5	159.5
57	Wilkes-Barre.....	1,656.5	37.1	1.5	7.4	8.9	8.9	32.6	10.4	4.4	71.2	3.0	11.9	8.9
58	Wilkesburg.....	1,490.8	52.5	21.0	15.7	5.2	47.2	5.2	105.0	5.2	21.0
59	Williamsport.....	1,534.8	40.7	12.5	18.8	6.3	3.1	3.1	84.6	9.4	3.1	12.5
60	York.....	1,651.8	11.1	13.3	17.8	71.1	24.5	6.7	160.1	8.9	28.9	8.9
RHODE ISLAND.															
61	Registration cities (total).....	1,721.0	14.5	0.7	32.5	4.3	10.9	25.0	16.6	3.4	169.1	17.0	10.5	5.7
62	White.....	1,705.6	14.1	0.7	32.9	4.4	10.2	25.0	16.7	3.5	166.7	16.7	10.7	5.8
63	Colored.....	2,496.2	35.0	11.7	46.7	23.3	11.7	291.6	35.0
64	Central Falls.....	1,563.7	17.5	21.8	8.7	4.4	17.5	21.8	4.4	109.2	17.5	4.4	17.5
65	Cranston ³	2,544.9	9.4	23.5	9.4	18.8	32.9	4.7	423.1	4.7	23.5	9.4
66	Cumberland town.....	1,390.8	29.6	78.9	39.5	157.8	9.9
67	East Providence town.....	1,465.8	12.6	18.9	6.3	6.3	125.8	6.3	6.3	6.3
68	Newport.....	1,406.1	18.4	7.3	3.7	11.0	7.3	11.0	11.0	95.5	22.0	7.3
69	Pawtucket.....	1,589.3	7.7	23.1	5.8	13.5	13.5	3.8	138.5	9.6	9.6	9.6
70	Providence.....	1,765.6	17.7	0.4	31.9	6.7	11.1	21.7	16.4	2.2	153.5	18.6	13.3	4.0
71	Warwick town.....	1,808.4	15.0	3.7	89.9	30.0	15.0	22.5	7.5	299.5	30.0	3.7	7.5
72	Woonsocket.....	1,631.1	13.0	2.6	52.1	2.6	10.4	75.6	7.8	177.2	18.2	2.6	5.2

¹ Exclusive of stillbirths.

² Rates based on population enumerated April 15, 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Dia-betes.	Menin-gitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	App-endicitis.	Hernia, intestinal obstruction.	Cirrho-sis of the liver.	Nephritis, Bright's disease.	Puer-peral fever.	Other puer-peral affections.	Congenital debility and mal-formations.	Violent deaths (excluding suicide).	Sui-cide.	All other causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
46.6	18.1	15.5	90.6	126.8	15.5	227.8	25.9	145.0	18.1	15.5	7.8	95.8	5.2	23.3	95.8	137.2	2.6	214.8	36.2
50.3	20.7	17.7	94.6	118.3	17.7	183.4	23.7	144.9	17.7	14.8	5.9	103.5	3.0	23.7	94.6	136.0	3.0	192.2	32.5
20.7			62.2	186.7		539.4	41.5	145.2	20.7	20.7		41.5	20.7	20.7	103.7	145.2		373.4	62.2
35.7	8.9	17.9	17.9	107.2	8.9	125.0	35.7	241.1		17.9	8.9	80.4	8.9	26.8	107.2	53.6		196.5	35.7
26.2	26.2	17.5	122.4	122.4		61.2	17.5	70.0		26.2	8.7	104.9			131.2	122.4		367.3	70.0
100.5	7.7	15.5	54.1	85.1	30.9	208.8	7.7	69.6	15.5	15.5		30.9			146.9	317.0	7.7	185.6	38.7
70.9	7.9	7.9	86.7	39.4	15.8	173.3	23.6	86.7	7.9			23.6	7.9	15.8	47.3	118.2		204.9	
39.5	22.6	16.9	50.8	124.1	84.6	293.4	22.6	203.1	16.9	16.9	22.6	56.4		16.9	124.1	67.7		259.6	33.9
12.6		6.3	31.5	25.2	12.6	157.5	37.8	271.0		6.3	12.6	12.6		6.3	126.0	69.3	12.6	151.2	37.8
111.9	21.9	14.0	111.9	132.9	24.5	183.9	35.0	66.5	17.5	14.0	3.5	97.9	14.0	21.0	56.0	150.4	14.0	272.8	35.0
76.3	16.5	4.5	100.3	175.1	18.0	131.7	19.5	127.2	13.5	16.5	21.0	35.3	16.5	13.5	88.3	35.3	15.0	209.5	1.5
32.0	30.7	7.7	76.6	137.9		193.2	15.3	114.9	30.7	15.3	7.7	53.6	15.3	15.3	69.0	421.5	7.7	275.9	33.3
59.0	15.5	4.7	125.7	149.0	15.5	114.8	9.3	59.0	6.2	12.4	9.3	93.1	4.7	7.8	79.1	108.6	14.0	242.1	37.2
70.5	19.6	7.8	86.2	113.6	54.9	168.5	15.7	148.9	58.8	23.5	27.4	105.8	11.8	11.8	101.9	188.1	7.8	235.1	19.6
21.2		10.6	31.9	100.9	42.5	297.3	31.9	307.9		15.9	15.9	26.5	5.3		95.6	79.6	15.9	191.1	15.9
51.9	7.2	8.9	37.6	89.5	10.7	213.3	16.1	198.7	17.9	26.8	14.3	54.1	16.1	21.5	107.4	180.8	7.2	220.1	48.3
111.9	31.7	10.6	107.7	180.1	31.7	99.3	8.4	88.7	8.4	19.0	6.3	152.1	2.1	6.3	80.3	80.3	14.8	264.0	10.6
37.1	20.8	5.2	166.0	109.0	5.2	140.1	51.9	77.8	5.2	10.4	5.2	98.6	10.4	5.2	119.3	93.4	15.6	368.4	109.0
20.2	6.7	20.2	20.2	53.8	26.9	282.3	20.2	336.1	13.4		13.4	33.6		6.7	188.2	100.8	13.4	174.8	47.0
77.0	11.7	32.7	32.7	102.7	65.3	252.0	23.3	235.7	16.3		23.3	60.7		11.7	142.4	168.0	30.3	233.4	53.7
25.0		6.3	31.3	81.3	18.8	200.2	37.5	209.0		12.5	12.5	50.0	18.8	25.0	100.1	137.6	12.5	437.9	37.6
101.5	39.0	23.4	35.9	203.0	7.8	101.5	23.4	15.6		23.4	31.2	78.1		15.6	70.3	156.1	7.8	249.8	23.4
			25.0	25.0	50.1	167.0	58.4	150.3		16.7		33.4	8.3	8.3	125.2	58.4	16.7	192.0	50.1
22.7	17.0	5.7	51.1	73.8	45.4	170.2	22.7	210.0		22.7		73.8	11.3		90.8	102.1	5.7	170.2	39.7
21.0		5.3	26.3	36.3	31.5	257.6	36.8	404.9		10.5	21.0	99.9	21.0	5.3	115.7	142.0	5.3	134.0	47.3
52.1	5.5	13.7	52.1	76.8	27.4	203.1	16.5	131.7	19.2	13.7	11.0	93.3	11.0	13.7	126.2	93.3	16.5	283.5	118.0
92.9	21.4	25.0	150.0	260.8	28.6	250.1	35.7	103.6	7.1	21.4	17.9	217.9	10.7	7.1	60.7	150.0	21.4	523.7	3.6
25.1		16.8	50.3	75.4	8.4	243.0	16.8	335.1				33.5	8.4	16.8	67.0	83.8		167.6	16.8
89.1	25.5	63.7	114.6	70.0	12.7	89.1	6.4	152.8	25.5	19.1	12.7	95.5	6.4	6.4	70.0	50.9		171.9	25.5
43.7	8.7	69.9	35.0	52.4	17.5	209.7	17.5	463.1	8.7		17.5	69.9	8.7	8.7	166.0	213.5		139.8	17.5
85.0	16.1	7.7	75.0	173.1	33.5	167.1	23.1	150.3	11.9	14.2	18.1	171.9	9.1	9.5	74.5	83.6	19.8	249.0	17.5
37.0	16.4	7.8	75.3	171.8	31.9	157.1	22.1	145.9	12.1	14.0	18.6	170.1	8.6	9.2	72.1	81.4	20.4	242.9	16.1
51.1	10.5	5.8	69.7	196.3	61.6	336.9	39.5	225.4	8.1	17.4	9.3	202.1	17.4	15.1	116.2	120.8	8.1	354.3	41.3
55.7	46.4	37.1	129.9	157.8	18.6	269.1	18.6	120.6		9.3		102.1	9.3	9.3	129.9	129.9	9.3	361.9	46.4
65.6	8.6	13.6	65.2	125.9	52.7	323.7	26.0	177.3	11.2	13.6	18.1	74.7	13.3	9.2	94.3	134.3	22.8	245.1	19.6
65.8	8.8	13.7	63.4	122.9	51.2	314.9	26.1	175.3	11.6	13.5	18.5	72.8	13.5	9.0	98.8	136.6	23.6	242.8	19.0
61.5	3.8	11.5	100.0	134.6	30.8	496.2	23.1	215.4	3.8	15.4	11.5	111.6	7.7	11.5	103.9	88.5	7.7	288.5	30.8
42.8	36.7	12.2	30.6	85.7	30.6	195.8	12.2	232.5	6.1	12.2	18.4	85.7	6.1	12.2	91.8	232.5		312.0	73.4
64.5	5.9	11.7	17.6	46.9	17.6	158.2	23.4	316.4	5.9	11.7	17.6	105.5	35.2	17.6	64.5	111.3	5.9	175.8	46.9
51.2	12.8	6.4	76.7	140.7	6.4	185.4	19.2	89.5	19.2	25.6	6.4	57.5	19.2	6.4	70.3	166.3	6.4	236.6	51.2
63.9	24.6	24.6	113.1	123.0	9.8	132.8	19.7	172.2	24.6	24.6	14.8	226.3	44.3	4.9	38.5	231.2	14.8	226.3	
79.8	17.6	12.4	93.3	122.4	32.1	127.6	33.2	106.8	9.3	13.5	11.4	98.5	10.4	11.4	94.4	70.5	22.8	255.1	59.1
65.9	16.1	10.7	91.2	86.6	46.8	207.8	26.8	230.8	19.2	20.7	21.5	95.1	4.6	17.6	56.0	167.1	10.7	235.4	10.0
35.7	30.6	10.2	56.1	91.8	30.6	183.5	56.1	127.4	5.1	15.3	15.3	71.4	5.1	15.3	31.6	86.7	10.2	188.6	56.1
123.7	6.5	6.5	97.6	104.2	39.1	175.8	13.0	91.1	6.5	13.0	19.5	52.1	13.0	32.5	91.1	84.6	13.0	247.4	58.6
19.3	11.6	23.2	50.2	33.6	27.0	139.1	50.2	409.4		23.2		50.2	3.9	7.7	35.0	150.6	7.7	235.6	46.4
89.5	34.8	14.9	64.6	104.4	14.9	193.9	29.8	318.2	5.0	9.9	14.9	74.6	5.0		124.3	109.4	9.9	213.8	34.8
49.1		9.8	19.6	39.3	19.6	255.2		323.8			9.8	19.6	39.3	9.8	38.3	117.8		186.5	107.9
42.0		7.0	42.0	119.0	21.0	133.0	21.0	126.0	7.0		7.0	56.0	7.0	7.0	126.0	63.0	7.0	251.9	28.0
86.6	14.4	7.2	79.4	144.4	14.4	122.7	7.2	36.6	14.4		7.2	86.6		14.4	79.4	65.0		288.7	50.5
103.9	22.3		66.8	66.8	7.4	185.6	22.3	96.5		7.4		96.5		7.4	52.0	334.1	59.4	319.2	74.2
62.9	44.9	26.9	53.9	89.8	9.0	39.8		26.9	26.9	9.0		98.8		9.0	62.9	107.7	9.0	224.5	26.9
90.2	26.5	10.6	106.1	122.0	21.2	153.9	21.2	100.8	26.5	10.6	5.3	47.8	15.9	15.9	116.7	116.7	10.6	313.0	26.5
160.8	33.9	8.5	101.6	270.9	16.9	194.7	16.9	50.8	50.8	50.8	8.5	211.6	8.5	16.9	33.9	135.4		347.0	16.9
161.1	30.2	10.1	110.7	271.8	20.1	161.1	10.1	50.3	40.3	40.3		201.3	10.1	20.1	30.2	140.9		372.5	10.1
159.5	53.2		53.2	265.8		372.1	53.2	53.2	106.3	106.3	53.2	265.8			53.2	106.3		212.7	53.2
60.8	10.4	14.8	56.4	97.9	28.2	142.4	35.6	135.0	25.2	22.2	23.7	94.9	16.3	14.8	118.6	225.4	4.4	264.0	59.3
57.7	26.2	21.0	63.0	157.5	15.7	225.7	15.7	68.2	36.7	10.5	15.7	63.0	10.5	21.0	68.2	120.7	10.5	194.2	10

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gititis.	Other forms of tuber-culosis.	Rheu-ma-tism.	
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(87)	
REGISTRATION CITIES—Contd.															
SOUTH CAROLINA. ²															
1	Charleston (total).....	2,967.9	56.0	30.6	22.1	1.7	54.3	13.6	18.7	6.8	259.8	3.4	18.7	6.8
2	White.....	1,889.5	46.7	25.1	14.4	3.6	35.9	14.4	10.8	7.2	111.4	3.6	14.4	10.8
3	Colored.....	3,984.4	64.4	35.4	29.0	70.8	12.9	25.8	6.4	392.8	3.2	22.5	3.2
TENNESSEE. ²															
4	Registration cities (total).....	1,981.3	36.6	39.2	7.2	4.0	4.0	12.6	32.7	14.7	232.4	9.3	27.3	9.7
5	White.....	1,579.4	33.0	21.5	7.2	5.5	2.2	13.8	20.4	11.6	154.6	8.3	18.2	6.6
6	Colored.....	2,737.4	43.5	72.4	7.2	1.0	7.2	10.3	55.9	20.7	378.8	11.4	44.5	15.5
7	Knoxville (total).....	1,743.4	32.9	2.7	19.2	5.5	16.5	24.7	2.7	230.6	13.7	71.4	11.0
8	White.....	1,501.1	27.8	3.5	17.4	6.9	20.8	24.3	3.5	177.2	10.4	45.2	13.9
9	Colored.....	2,655.3	52.3	26.2	26.2	431.7	26.2	170.0
10	Memphis (total).....	2,144.0	27.4	73.8	6.1	5.3	3.8	16.7	30.4	28.2	250.3	6.1	9.9	9.9
11	White.....	1,678.9	19.0	43.0	6.3	7.6	1.3	17.7	16.5	22.8	145.6	8.9	6.3	6.3
12	Colored.....	2,844.1	40.0	120.1	5.7	1.9	7.6	15.2	51.5	36.2	407.9	1.9	15.2	15.2
13	Nashville (total).....	1,866.3	48.9	10.0	4.5	1.8	5.4	6.3	38.0	2.7	211.7	11.8	33.5	9.0
14	White.....	1,503.6	50.0	5.4	4.1	2.7	4.1	6.8	23.0	2.7	155.4	6.8	20.3	4.1
15	Colored.....	2,601.2	46.5	19.2	5.5	8.2	5.5	68.5	2.7	325.8	21.9	60.2	19.2
TEXAS. ²															
16	Registration cities (total).....	2,044.5	45.4	11.2	1.5	3.0	5.9	8.2	49.1	0.7	354.6	3.0	11.2	4.5
17	White.....	2,020.0	45.9	11.3	1.7	3.5	6.9	9.5	53.7	0.9	348.8	3.5	8.7	5.2
18	Colored.....	2,193.4	42.2	10.5	21.1	390.2	26.4
19	Galveston ³ (total).....	1,622.5	32.4	5.4	2.7	2.7	8.1	10.8	2.7	186.6	8.1	2.7
20	White.....	1,443.2	27.7	3.5	3.5	3.5	10.4	13.8	3.5	141.9	6.9	3.5
21	Colored.....	2,263.2	49.5	12.4	346.3	12.4
22	San Antonio (total).....	2,204.5	50.2	13.3	1.0	3.1	8.2	8.2	63.6	418.3	4.1	12.3	5.1
23	White.....	2,212.4	51.9	13.8	1.2	3.5	9.2	9.2	66.9	417.8	4.6	9.2	5.8
24	Colored.....	2,141.5	36.8	9.2	36.8	422.8	36.8
UTAH.															
25	Registration cities (total).....	1,302.1	47.0	0.8	2.5	38.6	5.0	31.0	5.9	4.2	64.6	5.0	13.4	10.9
26	White.....	1,280.4	40.9	0.9	2.6	39.2	5.1	31.5	6.0	4.3	59.7	5.1	12.8	10.2
27	Colored.....	2,606.0	408.8	357.7	51.1	51.1
28	Ogden.....	1,136.8	50.4	34.9	11.6	19.4	15.5	3.9	66.0	11.6
29	Salt Lake City.....	1,347.7	46.0	1.1	3.2	39.6	3.2	34.2	3.2	4.3	64.2	6.4	17.1	10.7
VERMONT.															
30	Registration cities (total).....	1,724.7	26.7	2.2	8.9	42.3	20.1	13.4	2.2	138.2	11.1	11.1
31	White.....	1,723.5	26.8	2.2	8.9	42.5	20.1	13.4	2.2	138.6	11.2	11.2
32	Colored.....	2,097.9
33	Barre.....	1,391.2	27.8	18.5	9.3	9.3	18.5	250.4	18.5	18.5
34	Burlington.....	1,936.0	14.6	4.9	58.5	29.3	4.9	4.9	107.3	9.8	4.9
35	Rutland.....	1,670.5	44.2	14.7	44.2	14.7	22.1	95.7	7.4	14.7
VIRGINIA. ²															
36	Registration cities (total).....	2,182.6	38.4	15.5	1.1	10.6	2.8	22.2	17.6	28.5	1.4	219.9	10.9	27.1	6.0
37	White.....	1,705.6	35.9	4.4	0.6	11.1	3.9	15.5	17.1	23.2	1.7	148.1	12.2	21.6	3.9
38	Colored.....	3,022.1	42.8	35.0	1.9	9.7	1.0	34.0	18.5	37.9	1.0	346.3	8.8	37.0	9.7
39	Alexandria (total).....	2,131.0	130.3	6.5	19.6	176.0	26.1	13.0
40	White.....	1,694.2	98.6	9.0	17.9	98.6	26.9	9.0
41	Colored.....	3,294.3	214.8	23.9	352.0	23.9	23.9
42	Danville (total).....	2,036.6	68.2	47.2	10.5	10.5	36.7	31.5	5.2	231.0	10.5	5.2
43	White.....	1,719.0	70.0	23.3	7.8	46.7	31.1	7.8	233.4	7.8
44	Colored.....	2,695.7	64.6	96.9	16.1	32.3	16.1	32.3	226.0	16.1	16.1
45	Lynchburg (total).....	1,599.0	30.4	3.4	6.8	13.5	6.8	33.8	27.0	3.4	94.7	16.9	74.4	3.4
46	White.....	1,202.4	29.8	5.0	19.9	29.8	24.8	5.0	59.6	24.8	44.7
47	Colored.....	2,443.4	31.7	10.6	10.6	21.2	42.3	31.7	169.2	137.5	10.6
48	Norfolk (total).....	2,182.3	34.0	29.6	1.5	1.5	1.5	16.3	8.9	22.2	242.3	10.3	23.6	4.4
49	White.....	1,644.8	25.8	7.0	2.3	11.7	11.7	23.5	122.2	16.4	11.7
50	Colored.....	3,093.0	47.8	67.7	4.0	23.9	4.0	19.9	445.8	43.8	11.9
51	Petersburg (total).....	2,651.5	66.2	37.2	4.1	4.1	57.9	70.3	310.2	24.8	29.0	12.4
52	White.....	2,006.8	98.8	7.6	30.4	15.2	243.3	38.0	38.0	7.6
53	Colored.....	3,421.1	27.2	9.1	90.7	136.1	390.2	9.1	18.1	18.1
54	Richmond (total).....	2,257.0	21.9	4.7	21.1	36.7	10.2	25.0	1.6	223.6	10.2	20.3	5.5
55	White.....	1,812.9	18.5	2.5	28.4	12.3	23.4	1.2	161.6	6.2	19.7	6.2
56	Colored.....	3,025.8	27.8	8.5	19.2	51.2	6.4	27.8	2.1	331.0	17.1	21.4	4.3

¹ Exclusive of stillbirths.² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—

Can- cer. 16	Dia- betes. (87) 17	Menin- gitis. 17	Cerebral hemor- rhage and soften- ing. 18	Organic dis- eases of the heart. 19	Bron- chitis. 20,21	Pneu- monia (all forms). 22, (23)	Other respi- ratory dis- eases. (23)	Diar- rhea and en- teritis (under 2 years). 25	Ap- pendi- citis. 26	Her- nia, intesti- nal ob- struc- tion. 27	Cirrho- sis of the liver. 28	Nephri- tis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral afec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other causes. (37)	Ill-de- fined and un- known causes. 38	
67.9	6.8	6.8	174.9	244.5	17.0	203.7	34.0	241.1	3.4	18.7	11.9	349.8	11.9	22.1	202.0	98.5	15.3	614.6	130.7	
89.8	14.4	3.6	129.3	112.8	18.0	111.4	18.0	115.0	7.2	21.6	14.4	226.3	3.6	10.8	79.0	82.6	21.6	434.7	39.5	
48.3	-----	9.7	215.7	328.4	16.1	286.6	48.3	354.2	-----	16.1	9.7	480.4	19.3	32.2	312.3	112.7	9.7	775.9	212.5	
62.5	7.9	29.1	60.3	154.5	25.5	199.4	29.1	91.2	27.3	25.5	14.0	113.5	14.7	8.6	60.3	146.9	20.1	398.3	67.9	
73.2	8.8	25.3	61.6	112.8	14.3	125.4	18.2	89.7	27.5	28.6	17.1	102.3	9.4	4.4	57.8	108.4	28.1	328.4	35.8	
42.4	6.2	36.2	58.0	232.9	46.6	338.4	49.7	94.2	26.9	19.7	8.3	134.5	24.8	16.6	65.2	219.4	5.2	515.4	128.3	
43.9	-----	24.7	96.1	145.5	22.0	151.0	30.2	60.4	30.2	16.5	11.0	93.3	11.0	8.2	68.6	115.3	16.5	343.2	24.7	
52.1	-----	20.8	93.8	125.1	17.4	100.8	10.4	66.0	27.8	20.8	13.9	97.3	6.9	6.9	52.1	100.8	17.4	305.8	13.9	
13.1	-----	39.2	104.6	222.4	39.2	340.1	104.6	39.2	39.2	-----	-----	78.5	26.2	13.1	130.8	170.0	13.1	484.0	65.4	
63.9	8.4	37.3	45.6	133.9	30.4	196.3	30.4	98.9	27.4	25.1	19.0	145.3	18.3	9.9	44.1	195.5	22.8	407.8	115.6	
76.0	7.6	31.7	50.6	97.5	10.1	130.4	21.5	106.4	27.9	29.1	24.1	132.9	11.4	5.1	54.4	124.1	34.2	339.3	63.3	
45.7	9.5	45.7	38.1	188.7	61.0	295.5	43.8	87.7	26.7	19.1	11.4	163.9	28.6	17.2	28.6	303.1	5.7	510.9	194.4	
66.9	10.0	20.8	66.0	181.8	20.8	218.9	27.1	92.3	26.2	28.9	9.0	82.3	11.8	7.2	76.9	99.5	18.1	392.6	25.3	
78.4	13.5	20.3	60.8	124.3	17.6	129.7	17.6	81.1	27.0	31.1	10.8	71.6	8.1	2.7	63.5	94.6	25.7	325.6	14.9	
43.8	2.7	21.9	76.7	298.5	27.4	399.8	46.5	115.0	24.6	24.6	5.5	104.0	19.2	16.4	104.0	109.5	2.7	528.5	46.5	
75.1	14.1	20.8	49.8	95.9	37.9	125.6	25.3	226.0	14.9	11.9	25.3	139.8	6.7	10.4	111.5	65.4	20.1	403.7	66.2	
77.0	15.6	22.5	50.2	92.6	39.8	121.2	22.5	243.2	15.6	9.5	23.4	133.3	7.8	9.5	113.4	61.4	21.6	376.5	64.0	
63.3	5.3	10.5	47.5	116.0	26.4	152.9	42.2	121.3	10.5	26.4	36.9	179.3	-----	15.8	100.2	89.6	10.5	569.4	79.1	
81.1	10.8	10.8	46.0	132.5	10.8	121.7	18.9	35.2	13.5	16.2	27.0	208.2	-----	5.4	97.3	75.7	21.6	386.7	40.6	
83.1	10.4	10.4	38.1	121.1	10.4	128.0	13.8	38.1	17.3	10.4	20.8	190.3	-----	-----	100.4	65.8	20.8	311.5	34.6	
74.2	12.4	12.4	74.2	173.1	12.4	95.9	37.1	24.7	-----	37.1	49.5	272.1	-----	24.7	86.6	111.3	24.7	655.5	61.8	
72.8	15.4	24.6	51.3	82.0	48.2	127.1	27.7	298.4	15.4	10.3	24.6	113.8	9.2	12.3	116.9	61.5	19.5	410.1	75.9	
75.0	17.3	26.5	54.2	83.1	49.6	118.9	25.4	311.6	15.0	9.2	24.2	114.3	10.4	12.7	117.7	60.0	21.9	398.2	73.9	
55.1	-----	9.2	27.6	73.5	36.8	193.0	46.0	193.0	18.4	18.4	27.6	110.3	-----	9.2	110.3	73.5	-----	505.5	91.9	
47.8	20.1	18.4	41.9	93.9	14.3	125.8	15.9	58.7	23.5	15.1	7.5	100.6	12.6	11.7	64.6	107.3	21.8	237.3	34.4	
48.6	19.6	18.8	42.6	94.6	14.5	121.9	16.2	58.8	23.9	15.3	7.7	100.6	12.8	11.1	65.6	102.3	20.5	232.7	34.1	
51.1	-----	-----	-----	51.1	-----	357.7	-----	51.1	-----	-----	-----	102.2	-----	51.1	-----	408.8	102.2	511.0	51.1	
23.3	19.4	31.0	23.3	104.8	7.8	112.5	7.8	34.9	23.3	11.6	-----	85.4	7.8	11.6	54.3	131.9	11.6	190.1	31.0	
54.6	20.3	15.0	47.1	90.9	16.0	129.4	18.2	65.2	23.5	16.0	9.6	104.8	13.9	11.8	67.4	100.5	24.6	250.3	35.3	
95.8	24.5	20.1	120.3	189.4	37.9	140.4	6.7	111.4	37.9	38.4	2.2	98.0	8.9	8.9	129.2	69.1	6.7	298.6	8.9	
93.9	24.6	20.1	120.7	190.0	38.0	138.6	6.7	111.8	35.8	38.5	2.2	98.4	8.9	8.9	129.7	69.3	6.7	299.5	8.9	
699.3	-----	-----	-----	-----	-----	699.3	-----	-----	699.3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
64.9	18.5	9.3	92.7	111.3	55.6	74.2	9.3	46.4	18.5	37.1	-----	74.2	9.3	9.3	83.5	64.9	-----	222.6	18.5	
87.8	34.1	24.4	136.5	219.4	43.9	160.9	4.9	165.8	63.4	34.1	4.9	112.2	-----	4.9	156.1	58.5	9.8	370.6	4.9	
132.5	14.7	22.1	117.7	206.0	14.7	161.9	7.4	80.9	14.7	29.4	-----	95.7	22.1	14.7	125.1	88.3	7.4	250.2	7.4	
69.1	8.8	24.7	112.4	179.0	34.9	197.0	48.3	136.0	18.3	16.2	15.5	176.9	11.3	14.1	110.7	117.0	15.5	396.1	78.6	
76.8	11.1	25.4	95.6	153.1	21.0	115.5	27.1	86.2	22.7	17.7	17.7	150.9	5.0	16.0	94.5	87.3	19.9	315.6	47.5	
55.4	4.9	23.3	142.0	224.7	59.3	340.4	85.6	223.7	10.7	13.6	11.7	222.7	22.4	10.7	139.1	169.2	7.8	537.9	133.3	
53.7	13.0	26.1	45.6	189.0	39.1	195.5	39.1	91.2	6.5	19.6	26.1	176.0	-----	-----	91.2	71.7	26.1	501.8	143.4	
71.7	17.9	17.9	26.9	170.3	9.0	125.5	-----	71.7	-----	26.9	26.9	179.3	-----	-----	107.6	53.8	17.9	421.3	89.6	
23.9	-----	47.7	95.5	238.7	119.4	382.0	143.2	143.2	23.9	-----	-----	167.1	-----	-----	47.7	119.4	47.7	716.2	286.5	
15.7	-----	73.5	52.5	131.2	26.2	157.5	26.2	99.7	10.5	26.2	10.5	157.5	15.7	5.2	73.5	105.0	-----	524.9	68.2	
15.6	-----	85.6	23.3	54.4	23.3	54.4	23.3	116.7	15.6	23.3	7.8	101.1	15.6	-----	35.6	77.8	-----	513.4	54.4	
16.1	-----	48.4	113.0	290.6	32.3	371.3	32.3	64.6	-----	32.3	16.1	274.4	16.1	16.1	48.4	161.4	-----	548.8	96.9	
27.0	6.8	20.3	64.2	158.9	47.3	162.3	23.7	101.4	6.8	27.0	3.4	77.8	10.1	33.8	71.0	47.3	13.5	273.8	108.2	
29.8	9.9	19.9	64.6	139.1	29.8	94.4	19.9	94.5	9.9	24.8	5.0	44.7	-----	-----	54.7	39.7	19.9	198.7	39.7	
21.2	-----	21.2	63.5	201.0	84.6	306.7	31.7	137.5	-----	31.7	-----	148.1	31.7	42.3	105.8	63.5	-----	453.7	253.9	
78.3	8.9	22.2	70.9	205.4	31.0	215.7	44.3	143.3	14.8	14.8	13.3	155.1	17.7	14.8	106.4	141.8	28.1	425.5	34.0	
75.2	14.1	23.5	82.2	166.8	23.5	124.5	35.2	82.2	18.8	16.4	11.7	126.9	7.0	21.1	89.3	94.0	37.6	336.0	23.5	
83.6	-----	19.9	51.7	270.7	43.8	370.2	59.7	246.8	8.0	11.9	15.9	203.0	35.8	4.0	135.3	222.9	11.9	577.2	51.7	
53.8	-----	33.1	153.1	177.9	20.7	219.2	24.8	227.5	20.7	4.1	8.3	306.1	12.4	12.4	132.4	128.2	20.7	380.6	99.3	
53.2	-----	45.6	121.6	129.2	-----	144.4	7.6	129.2	22.8	-----	7.6	288.9	-----	-----	129.2	76.0	30.4	288.9	38.0	
54.4	-----	18.1	190.6	235.9	45.4	308.5	45.4	344.8	18.1	9.1	9.1	326.7	27.2	9.1	136.1	190.6	9.1	490.0	172.4	
86.0	11.7	18.0	154.8	175.9	37.5	197.0	64.9	133.7	25.0	14.9	20.3	190.0	8.6	12.5	125.9	125.1	9.4	379.9	35.2	
103.6	12.3	16.0	127.0	168.5	22.2	119.6	32.1	78.9	32.1	17.3	25.9	171.4	4.9	14.8	101.1	103.6	12.3	292.3	56.7	
55.5	10.7	21.4	202.9	192.2	64.1	331.0	121.7	228.5	12.8	10.7	10.7	222.1	14.9	8.5	168.7	162.3	4.8	531.7	134.5	

* Rates based on population enumerated April 15, 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.														
WASHINGTON.														
1 Registration cities (total).....	1,100.3	30.5	0.2	0.6	4.7	8.5	14.6	13.3	5.1	3.0	96.3	9.1	18.0	5.3
2 White.....	1,097.4	29.8	0.2	0.6	4.7	8.8	15.0	13.6	5.1	3.1	91.2	9.0	17.0	5.3
3 Colored.....	1,204.8	56.4			7.0				7.0		281.8	14.1	56.4	7.0
4 Aberdeen.....	872.4	14.4					7.2	7.2			86.5			7.2
5 Bellingham.....	939.9	8.1		8.1			16.3	36.6			85.4	12.2	16.3	
6 Everett.....	1,108.4	31.8					11.9		4.1	4.1	99.3	11.9	31.8	11.9
7 North Yakima.....	1,795.7	237.6	7.0		41.9	27.9	14.0	48.9	21.0		230.6	14.0	34.9	
8 Seattle.....	1,004.6	14.2			2.9	7.1	12.5	6.3	3.3	2.9	95.1	9.2	18.8	5.8
9 Spokane.....	1,300.9	45.4			7.6	16.1	19.9	18.0	10.4	5.7	88.9	7.6	16.1	7.6
10 Tacoma.....	1,097.5	21.3			2.4	7.1	18.9	22.5	3.5	2.4	94.6	8.3	11.8	2.4
11 Walla Walla.....	1,043.9	76.8		5.1	10.2	5.1			5.1		76.8	15.4	30.7	
WEST VIRGINIA. ²														
12 Wheeling (total).....	1,753.0	50.4	2.4		7.2	7.2	9.6	19.2	7.2	7.2	153.5	4.8	7.2	19.2
13 White.....	1,728.9	49.4	2.5		7.4	7.4	9.9	19.8	7.4	7.4	138.3	4.9	7.4	19.8
14 Colored ³	2,562.0	82.6									661.2			
WISCONSIN.														
15 Registration cities (total).....	1,364.2	44.9	0.3	0.1	9.1	18.5	9.3	26.0	8.5	4.6	110.7	6.9	10.7	8.5
16 White.....	1,362.7	45.0	0.3	0.1	9.2	18.6	9.2	26.1	8.5	4.6	110.1	6.8	10.3	8.5
17 Colored.....	1,830.0	40.7					40.7				284.7	40.7	122.0	
18 Appleton.....	1,568.8	35.8			11.9		17.9		6.0		107.4		11.9	6.0
19 Ashland.....	1,988.0	322.6						17.4	8.7		148.2	8.7	8.7	8.7
20 Beloit.....	1,136.5	6.6			6.6	19.7	6.6	6.6	6.6	13.1	65.7		19.7	
21 Eau Claire.....	1,508.9	43.7		5.5		10.9		16.4	10.9	16.4	142.1	27.3	10.9	5.5
22 Fond du Lac.....	1,346.7	10.6			10.6		5.3	47.7	10.6	5.3	79.5	5.3	10.6	
23 Green Bay.....	1,768.1	31.6				15.8	3.9	35.5		3.9	106.6	15.8	15.8	11.8
24 Janesville.....	1,395.8	7.2							43.2		50.4	7.2		7.2
25 Kenosha.....	1,241.7	41.7			13.9	4.6	23.2	4.6	9.3		69.5	9.3	9.3	
26 La Crosse.....	1,427.4	13.1			6.6	26.3		6.6	9.8		114.9	3.3	9.8	3.3
27 Madison.....	1,207.8	19.5			3.9		15.6	3.9	19.5	15.6	113.4	7.8	11.7	11.7
28 Manitowoc.....	1,273.1	15.3				15.3	7.7		15.3	23.0	84.4	15.3	30.7	23.0
29 Marinette.....	1,220.9	48.0			6.9	34.3	6.9	13.7	13.7		109.7	20.6	20.6	
30 Milwaukee.....	1,385.6	45.7	0.3		10.6	22.3	10.1	35.4	7.2	4.3	115.4	5.8	10.4	6.6
31 Oshkosh.....	1,124.6	36.2					3.0	6.0	6.0		84.4		12.1	21.1
32 Racine.....	1,294.3	52.3			15.7	15.7	15.7	18.3	18.3	7.8	125.5	7.8		20.9
33 Sheboygan.....	1,324.5	26.4	3.8		18.9	11.3		26.4	3.8	3.8	132.1	11.3	3.8	7.5
34 Superior.....	1,149.3	83.9			14.8	19.7	12.3	32.1			125.8	4.9	12.3	9.9
35 Wausau.....	1,423.5	30.0				84.1	18.0	30.0			90.1		18.0	24.0
RURAL PART OF REGISTRATION STATES. ⁴														
CALIFORNIA.														
36 Total.....	1,232.7	21.8	5.5	0.1	7.2	2.5	13.9	8.9	7.0	3.3	159.9	8.1	12.9	4.9
37 White.....	1,241.1	21.6	5.0	0.1	6.8	2.7	13.8	9.2	7.1	3.4	156.1	8.3	12.9	5.1
38 Colored.....	1,091.3	25.5	12.7		12.7		15.9	4.8	4.8	1.6	223.0	4.8	12.7	1.6
39 Alameda County.....	1,810.9	24.4	6.1		3.1	6.1	27.5	15.3	3.1	9.2	262.6	3.1	15.3	3.1
40 Alpine County †.....	653.6													
41 Amador County.....	1,304.6	22.1	11.1		11.1						187.9		11.1	11.1
42 Butte County.....	1,402.8	18.2	36.3		7.3		18.2		3.6	7.3	138.1	7.3	25.4	7.3
43 Calaveras County.....	1,270.5	11.0	11.0				11.0		32.9		175.2	11.0		
44 Colusa County.....	1,292.0	168.0					12.9		51.7		116.3	12.9		12.9
45 Contra Costa County.....	1,110.7	15.6				3.1	23.2	3.1	3.1		118.9	3.1	6.3	
46 Del Norte County †.....	454.9													
47 Eldorado County.....	1,433.9		26.8		13.4		13.4	13.4			134.0	13.4		13.4
48 Fresno County.....	1,068.7	37.0	1.9		1.9	11.7	3.9	25.3	7.8	5.8	126.5	3.9	15.6	
49 Glenn County.....	762.4	41.6							13.9		41.6			
50 Humboldt County †.....	684.5	4.5					45.3			4.5	86.1	9.1	9.1	4.5
51 Imperial County † ⁵	485.6	7.4	7.4					7.4			95.7			
52 Inyo County †.....	412.6	14.2									28.5			
53 Kern County.....	888.0	19.7	3.9		23.7	3.9	3.9	3.9	3.9	3.9	82.9		7.9	
54 Kings County.....	1,173.3	79.4	36.7					12.2	6.1		152.8	12.2	18.3	12.2
55 Lake County.....	1,486.6	72.5							54.4		145.0			
56 Lassen County †.....	457.6									20.8	20.8			
57 Los Angeles County.....	1,352.6	14.8	1.6		17.1	3.9	5.4	7.8	10.9	2.3	253.4	10.9	17.1	3.9
58 Madera County.....	1,034.5	11.9					23.8		11.9	23.8	190.2	11.9	11.9	23.8
59 Marin County.....	1,011.4	23.7						15.8	7.9		173.8	4.0	15.8	
60 Mariposa County.....	812.2										101.5	50.8		
61 Mendocino County *.....	1,391.6	12.5			12.5			33.3	12.5		108.3	12.5	4.2	4.2
62 Merced County.....	870.8	19.6	6.5				26.2		13.1		91.7	13.1		
63 Modoc County †.....	595.4	32.2							32.2		16.1			16.1
64 Mono County †.....	98.0										49.0			
65 Monterey County.....	1,187.8	4.1			4.1		37.1	8.2			94.9	12.4	16.5	4.1
66 Napa County *.....	2,325.1	20.1					30.2		5.0	5.0	241.6	5.0		10.1
67 Nevada County.....	1,483.6	40.3	6.7				26.9	6.7			107.4			20.1
68 Orange County.....	1,136.8	34.5			11.5	5.8	5.8	5.8	11.5	8.6	141.0	25.9	11.5	5.8

¹ Exclusive of stillbirths.

² Nonregistration state; cities shown below only those with effective local ordinances.

³ Colored population less than 10 per cent of total.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Menin- gitis.	Cerebral hemor- hage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and en- teritis (un- der 2 years).	Ap- pendi- citis.	Her- nia, intes- tinal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- de- fined and un- known causes.
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
64.3	12.5	7.8	49.9	84.6	7.8	84.8	9.1	45.5	18.6	12.5	8.7	66.5	10.2	8.9	59.2	100.3	25.6	201.4	12.9
65.3	12.7	7.2	50.5	85.1	7.8	84.0	9.4	45.8	18.9	12.9	8.6	66.1	10.5	9.0	59.4	99.4	25.7	202.8	13.2
28.2	7.0	28.2	28.2	63.4	7.0	112.7	-----	35.2	7.0	-----	14.1	84.5	-----	7.0	49.3	133.9	21.1	148.0	-----
72.1	14.4	-----	14.4	72.1	-----	64.9	-----	50.5	21.6	14.4	-----	50.5	7.2	7.2	36.1	158.6	21.6	115.4	28.8
57.0	12.2	4.1	52.9	109.9	12.2	61.0	8.1	16.3	16.3	20.3	4.1	57.0	8.1	4.1	32.6	52.9	16.3	183.1	20.3
71.5	15.9	19.9	63.6	115.2	15.9	59.6	4.0	27.8	15.9	11.9	7.9	43.7	19.9	11.9	75.5	135.1	11.9	158.9	23.8
76.9	14.0	-----	62.9	97.8	14.0	111.8	7.0	90.8	21.0	14.0	7.0	69.9	14.0	48.9	62.9	167.7	14.0	216.6	7.0
60.1	14.2	5.4	44.6	84.7	6.3	81.4	9.2	31.7	16.7	8.8	7.1	67.6	8.8	7.5	48.0	94.7	32.1	191.1	6.7
68.1	8.5	15.1	59.6	77.6	6.6	110.7	11.4	90.8	19.9	20.8	16.1	62.4	10.4	9.5	56.1	112.6	23.7	233.7	14.2
65.0	10.6	7.1	43.8	81.6	9.5	85.1	9.5	36.7	20.1	10.6	8.3	84.0	13.0	7.1	62.7	89.9	23.7	212.9	21.3
76.8	15.4	-----	81.9	61.4	10.2	40.9	10.2	30.7	30.7	10.2	5.1	51.2	5.1	5.1	61.4	71.6	5.1	230.3	15.4
107.9	7.2	40.8	52.8	124.7	16.8	187.0	31.2	79.1	21.6	16.8	9.6	98.3	2.4	9.6	91.1	172.7	28.8	330.9	28.8
106.2	7.4	42.0	54.3	113.6	17.3	185.2	29.6	76.6	22.2	14.8	9.9	93.9	2.5	9.9	93.9	170.4	29.6	338.4	29.6
165.3	-----	-----	495.9	-----	-----	247.9	82.6	165.3	-----	82.6	-----	247.9	-----	-----	-----	247.9	-----	82.6	-----
80.8	14.5	19.7	52.5	100.5	30.1	113.4	16.4	99.7	16.4	13.7	14.3	68.3	5.4	7.4	81.7	72.4	20.4	255.5	22.9
80.9	14.6	19.8	52.7	100.5	30.2	112.9	16.4	99.6	16.4	13.8	14.2	68.4	5.4	7.4	81.3	72.3	20.4	255.3	22.8
40.7	-----	-----	81.3	-----	-----	284.7	-----	122.0	-----	-----	40.7	40.7	-----	-----	203.3	122.0	-----	325.3	40.7
125.3	29.8	17.9	53.7	161.1	6.0	131.2	35.8	71.6	29.8	35.8	11.9	29.8	17.9	17.9	95.4	119.3	23.9	292.3	65.6
87.2	-----	43.6	61.0	156.9	34.9	87.2	26.2	87.2	17.4	17.4	8.7	139.5	17.4	8.7	104.6	226.7	43.6	252.9	34.9
98.5	19.7	19.7	46.0	124.8	19.7	65.7	6.6	32.8	19.7	6.6	6.6	59.1	-----	6.6	72.3	59.1	6.6	282.5	32.8
147.6	21.9	10.9	54.7	103.9	16.4	131.2	10.9	43.7	27.3	27.3	5.5	114.8	5.5	10.9	43.7	76.5	5.5	333.5	27.3
98.4	5.3	37.1	79.5	63.6	15.9	68.9	10.6	63.6	37.1	21.2	21.2	100.7	-----	15.9	84.8	74.2	21.2	307.5	37.1
122.3	31.6	63.1	59.2	75.0	7.9	217.1	35.5	130.2	35.5	15.8	3.9	138.1	-----	11.8	102.6	86.8	15.8	339.4	35.5
129.5	28.8	21.6	36.0	179.9	24.6	79.1	14.4	86.3	7.2	7.2	7.2	71.9	-----	7.2	64.8	93.5	21.6	388.5	14.4
60.2	9.3	32.4	27.8	41.7	18.5	129.7	9.3	176.1	4.6	4.6	4.6	51.0	4.6	-----	134.4	83.4	9.3	245.6	9.3
111.6	13.1	9.8	59.1	137.8	16.4	82.0	16.4	59.1	19.7	32.8	6.6	78.8	13.1	3.3	62.3	68.9	23.0	403.6	16.4
82.1	27.4	11.7	86.0	82.1	23.5	93.8	15.6	31.3	15.6	7.8	7.8	78.2	3.9	15.6	74.3	74.3	11.7	222.8	19.5
107.4	-----	7.7	53.7	76.7	7.7	61.3	30.7	53.7	30.7	23.0	7.7	53.7	7.7	7.7	84.4	69.0	23.0	283.8	53.7
68.6	6.9	13.7	27.4	130.3	20.6	130.3	6.9	41.2	41.2	6.9	-----	82.3	13.7	-----	89.2	54.9	20.6	205.8	27.4
70.2	13.3	15.2	51.6	97.3	42.0	126.5	15.2	117.2	14.9	13.0	18.6	68.3	5.1	6.4	88.8	63.5	23.4	237.6	21.5
81.4	12.1	12.1	57.3	129.6	12.1	75.4	27.1	66.3	24.1	9.0	15.1	42.2	-----	3.0	78.4	39.2	6.0	241.2	24.1
83.7	13.1	36.6	52.3	96.7	34.0	99.3	7.8	117.7	13.1	7.8	5.2	47.1	2.6	15.7	44.4	75.8	10.5	217.0	15.7
109.4	18.9	3.8	41.5	132.1	34.0	98.1	18.9	75.5	18.9	7.5	26.4	71.7	3.8	3.8	64.2	90.6	26.4	128.9	11.3
44.4	9.9	39.5	41.9	59.2	4.9	59.2	17.3	111.0	7.4	9.9	12.3	19.7	7.4	2.5	56.7	106.0	24.7	192.4	7.4
54.1	18.0	12.0	66.1	90.1	24.0	120.1	12.0	72.1	-----	18.0	12.0	72.1	12.0	18.0	72.1	42.0	18.0	360.4	36.0
63.5	12.7	14.2	63.5	141.4	11.1	86.0	12.9	39.1	6.0	9.8	14.0	68.7	4.8	7.5	42.3	115.4	24.5	227.4	11.9
65.4	13.4	13.6	65.9	145.3	11.1	84.7	12.8	38.7	6.2	10.1	14.5	70.0	4.9	7.8	43.0	116.1	24.2	229.6	11.6
31.9	1.6	23.9	23.9	74.9	11.2	108.3	14.3	44.6	3.2	4.8	6.4	47.8	3.2	3.2	30.3	103.6	28.7	189.6	15.9
109.9	15.3	12.2	100.8	232.1	12.2	216.8	30.5	64.1	-----	9.2	18.3	128.3	6.1	6.1	58.0	122.1	21.4	268.7	-----
132.7	-----	-----	88.4	326.8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	326.8	-----	-----	-----
65.4	14.5	14.5	61.8	152.6	3.6	109.0	11.1	33.2	22.1	33.2	22.1	95.5	11.1	-----	33.2	110.6	44.2	298.5	-----
11.0	11.0	11.0	153.3	208.1	54.8	87.6	10.9	32.7	7.3	7.3	14.5	33.6	7.3	-----	29.1	141.7	40.0	316.2	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
25.8	25.8	12.9	38.8	129.2	12.9	90.4	12.9	-----	-----	-----	-----	51.7	-----	-----	64.6	155.0	25.8	271.3	-----
56.3	15.6	12.5	31.3	84.5	21.9	109.5	15.6	59.4	9.4	-----	-----	53.2	-----	6.3	46.9	194.0	21.9	172.1	-----
41.4	-----	-----	41.4	-----	-----	41.4	-----	-----	-----	-----	-----	-----	-----	-----	41.4	41.4	41.4	206.8	-----
107.2	26.8	-----	67.0	227.8	-----	80.4	-----	13.4	26.8	13.4	13.4	241.2	-----	13.4	160.8	26.8	-----	187.6	-----
50.6	5.8	19.5	27.3	81.8	3.9	74.0	5.8	77.9	11.7	11.7	9.7	54.5	-----	5.8	72.0	101.2	19.5	190.8	3.9
13.9	-----	-----	13.9	97.0	-----	55.4	13.9	69.3	27.7	-----	13.9	13.9	13.9	13.9	41.6	124.8	13.9	124.8	13.9
45.3	4.5	9.1	36.3	58.9	4.5	22.7	9.1	31.7	9.1	4.5	4.5	31.7	-----	-----	27.2	81.6	9.1	126.9	4.5
-----	-----	-----	29.4	36.8	-----	29.4	7.4	22.1	-----	-----	-----	36.8	-----	-----	14.7	80.9	29.4	66.2	-----
71.1	14.2	-----	14.2	14.2	-----	14.2	-----	-----	14.2	14.2	-----	28.5	-----	-----	42.7	28.5	-----	99.6	14.2
11.8	3.9	15.8	15.8	71.0	11.8	55.2	-----	78.9	3.9	7.9	3.9	39.5	3.9	7.9	43.4	193.4	35.5	110.5	15.8
61.1	12.2	12.2	18.3	79.4	-----	85.6	6.1	79.4	-----	12.2	-----	73.3	12.2	-----	48.9	79.4	24.4	232.2	6.1
54.4	-----	36.3	126.9	90.6	90.6	163.2	-----	18.1	-----	-----	72.5	108.8	-----	-----	36.3	108.8	36.3	271.9	-----
20.8	-----	-----	-----	20.8	-----	62.4	-----	-----	-----	-----	20.8	62.4	-----	20.8	-----	41.6	20.8	124.8	20.8
92.5	11.7	14.0	84.0	153.9	14.8	75.4	12.4	36.5	0.8	14.0	12.4	77.0	3.9	4.7	38.1	93.3	18.7	236.3	9.3
35.7	11.9	-----	23.8	83.2	11.9	107.0	-----	23.8	-----	-----	11.9	23.8	-----	11.9	23.8	166.5	11.9	154.6	23.8</

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tubercu-losis.	Rheu-matism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ² —Continued.														
CALIFORNIA—continued.														
1	Placer County.....	1,361.5	32.8	10.9		5.5	10.9	16.4	5.5	5.5	185.9	5.5	16.4	5.5
2	Plumas County.....	702.0	37.9	19.0			19.0				56.9			
3	Riverside County.....	995.6	30.5					10.2		5.1	223.5	10.2	10.2	15.2
4	Sacramento County.....	1,742.2	17.2	8.6						21.5	271.0	17.2	25.8	
5	San Benito County.....	1,288.7	12.4				62.0	12.4	24.8		161.1			
6	San Bernardino County *.....	1,504.7	29.6			17.7	3.0	8.9	8.9	3.0	260.1	3.0	26.6	3.0
7	San Diego County ²	855.7	4.5					4.5	5.9	4.5	194.7	4.5	9.1	4.5
8	San Joaquin County.....	1,596.8	28.9	7.2		7.2		14.5	3.6	14.5	195.1	3.6	28.9	7.2
9	San Luis Obispo County.....	1,219.1	36.0	5.1		5.1		25.7	5.1		149.2		25.7	10.3
10	San Mateo County.....	1,130.5	3.7			3.7		22.3	11.2		100.4	11.2	11.2	11.2
11	Santa Barbara County.....	897.4	30.9			6.2		30.9	18.6		68.1	18.6	6.2	
12	Santa Clara County *.....	1,440.0	12.7	1.8		5.5	7.3	27.3	12.7	1.8	225.7	14.6	10.9	3.6
13	Santa Cruz County.....	1,195.2	26.7	6.7				13.4	26.7	6.7	140.2	13.4	6.7	
14	Shasta County.....	1,350.7	31.7	15.8		36.9		10.6	15.8		100.2		15.8	
15	Sierra County.....	927.1	24.4								24.4			
16	Siskiyou County.....	1,045.1	21.2	5.3			5.3		5.3		69.0	10.6	15.9	10.6
17	Solano County.....	1,103.6	6.2			12.3		18.5	6.2		80.1			6.2
18	Sonoma County.....	1,353.8	14.4	4.1		6.2	4.1	10.3	4.1	8.2	166.7	10.3	12.3	12.3
19	Stanislaus County.....	1,026.5	26.3	4.4		4.4		4.4	8.8	4.4	105.3		26.3	4.4
20	Sutter County.....	1,009.9						15.8		15.8	78.9	31.6		
21	Tehama County.....	1,525.1	26.3	87.7				61.4		17.5	192.8	8.8		
22	Trinity County.....	1,768.8								61.0	122.0			
23	Tulare County.....	913.4	22.3	2.8		5.6	2.8	11.2	14.0	5.6	108.9	14.0	14.0	2.8
24	Tuolumne County.....	1,336.1	30.1		10.0	20.1		10.0		10.0	200.9			
25	Ventura County.....	1,128.6	21.7			21.7			5.4	10.9	141.1		32.6	
26	Yolo County.....	1,320.7	7.2			14.4		7.2	21.5		136.4	7.2	14.4	21.5
27	Yuba County.....	1,499.2		39.7				19.9	19.9		99.3		9.9	
COLORADO.														
28	Total.....	1,259.3	46.5	1.2	1.4	9.1	12.1	5.3	14.0	9.1	153.1	4.2	6.3	5.3
29	White.....	1,249.2	45.9	1.2	1.4	8.8	11.8	5.4	14.2	9.2	156.7	3.8	6.2	5.4
30	Colored.....	2,069.2	97.0			32.3	32.3				274.8	32.3	16.2	
31	Adams County.....	911.5	11.1				11.1	11.1			200.1			11.1
32	Arapahoe County.....	1,174.2	38.5	9.6				9.6		19.2	471.6		9.6	
33	Archuleta County.....	1,051.7	120.2					30.0			30.0			
34	Baca County.....	1,174.6	117.5						39.2					
35	Bent County.....	1,297.7	39.3				19.7	19.7	19.7	19.7	570.2			
36	Boulder County.....	1,310.8	22.9			9.8	9.8	6.6	26.2		213.0	3.3	13.1	3.3
37	Chaffee County.....	1,624.3	91.7	26.2			26.2	26.2			52.4			
38	Cheyenne County†.....	186.4				53.3								
39	Clear Creek County.....	1,593.4	20.2				20.2	20.2		20.2	100.8			
40	Conejos County.....	926.1	35.3		8.8		52.9	26.5			79.4		17.6	
41	Costilla County †.....	90.6												
42	Custer County.....	1,141.7									103.8			
43	Delta County.....	916.2	21.6			7.2	7.2	7.2	7.2		108.2	14.4	7.2	7.2
44	Dolores County†.....	632.9												
45	Douglas County.....	751.4						62.6						
46	Eagle County.....	938.0	33.5				33.5		33.5		67.0			
47	El Paso County.....	1,594.7	20.9			7.0		7.0	27.9	7.0	585.0		13.9	7.0
48	Elbert County†.....	613.6							18.6		18.6			
49	Fremont County.....	1,354.6	65.8			16.5		11.0	16.5	5.5	205.4		5.5	
50	Garfield County.....	1,573.2	68.4				39.1	9.8	19.5		48.9		9.8	
51	Gilpin County.....	1,643.0				49.0					24.5			
52	Grand County.....	1,061.0	53.1								53.1			
53	Gunnison County.....	1,421.8					67.7			16.9	67.7			
54	Hinsdale County.....	2,076.7							159.7		159.7			
55	Huerfano County.....	1,765.6	29.8	7.4		59.6	7.4	7.4	7.4		111.7			7.4
56	Jackson County ²	1,035.9						197.4	98.7		98.7			
57	Jefferson County.....	1,334.8	7.0				7.0	14.0	14.0	7.0	1,004.6		7.0	
58	Kiowa County.....	1,120.5						34.0			34.0			
59	Kit Carson County †.....	565.3	26.3								26.3			
60	La Plata County.....	1,129.3	45.9				18.4				36.7		27.5	9.2
61	Lake County.....	2,001.3	38.3					28.7	28.7	9.6	33.3			19.2
62	Larimer County ²	1,151.6	19.8			15.8	15.8	19.8	15.8		106.8	15.8	11.9	7.9
63	Las Animas County.....	2,514.2	55.1		8.5	12.7	8.5	25.4	29.7	4.2	114.5		4.2	17.0
64	Lincoln County †.....	647.6	33.2					16.6	16.6	16.6	66.4			
65	Logan County.....	712.7	72.3	10.3	10.3	10.3	10.3	10.3	10.3		103.3			
66	Mesa County.....	1,090.4	89.0			8.9	17.8	26.7	31.2		111.3		4.5	4.5
67	Mineral County.....	979.6												81.6
68	Montezuma County.....	848.1	39.4			19.7		19.7	19.7		39.4			
69	Montrose County.....	1,075.7	153.7		9.6			9.6	9.6		124.9	9.6		
70	Morgan County.....	906.3	30.9					10.3	10.3		164.8		10.3	
71	Otero County.....	1,354.0	132.5			14.7		4.9	14.7	9.8	220.8	19.6		9.8
72	Ouray County.....	1,461.7	28.7					28.7		57.3	28.7		28.7	
73	Park County.....	765.5	40.3							40.3	40.3			
74	Phillips County.....	902.9	62.3								155.7			
75	Pitkin County.....	1,240.3	22.1					44.3			66.4	22.1		

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

		DEATH RATE PER 100,000 POPULATION FROM—													
REGISTRATION AREA.		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ² —Continued.															
COLORADO—continued.															
1	Prowers County	1,317.3	114.1			20.7	10.4			10.4		166.0	10.4	20.7	
2	Pueblo County*	3,786.1	177.9	12.7	12.7		12.7		50.8	76.2	12.7	419.3	38.1	25.4	38.1
3	Rio Blanco County †	511.7													
4	Rio Grande County	1,405.9	30.2												
5	Routt County	719.6	52.3			52.3	39.3		15.1	26.2	13.1	136.1		15.1	15.1
6	Saguache County	888.1	24.0								24.0	24.0			
7	San Juan County	1,819.4	32.5							65.0		32.5			
8	San Miguel County	1,451.1	42.7		21.3			42.7	21.3		42.7	42.7			
9	Sedgwick County	772.9	32.2									32.2			
10	Summit County	1,408.5								50.3		50.3			
11	Teller County	1,289.0	21.4				35.6			7.1		42.7	7.1		
12	Washington County †	673.8	16.4			98.6						65.7			16.4
13	Weld County	862.6	45.4				7.6	5.0	10.1		2.5	80.7	7.6	5.0	7.6
14	Yuma County †	534.2	11.6									69.7		23.2	
CONNECTICUT.															
15	Total	1,504.7	12.7	2.2		6.3	6.6	10.7	23.7	27.0	2.8	115.1	5.8	9.6	9.4
16	*White	1,602.2	12.3	2.2		6.4	6.7	10.6	24.0	27.3	2.8	114.2	5.8	8.6	9.5
17	Colored	1,715.5	47.7					23.8				190.6		95.3	
18	Fairfield County	1,537.3	4.0	6.0		2.0	9.9	11.9	23.8	17.9	9.9	123.0	4.0	7.9	13.9
19	Hartford County	1,359.3	11.2	1.2		5.0	5.0	5.0	33.5	18.6	1.2	99.4	9.9	9.9	14.9
20	Litchfield County	1,485.1	11.2			7.5	1.9	13.1	7.5	29.9		125.3	3.7	3.7	7.5
21	Middlesex County	1,506.0		8.0		4.0		8.0	36.1	28.1	8.0	100.4		4.0	4.0
22	New Haven County	1,548.7	29.0	2.1		6.2	24.8	14.5	24.8	18.6		115.9	8.3	6.2	6.2
23	New London County*	1,683.8	18.4	2.3		16.1	4.6	13.8	16.1	27.6		156.4		6.9	4.6
24	Tolland County	1,249.1	3.8			7.5		11.3	26.4	41.5	3.8	86.8		11.3	3.8
25	Windham County	1,726.5	16.8			2.8		11.2	22.4	53.2	2.8	103.5	14.0	30.8	11.2
INDIANA.															
26	Total	1,274.1	34.2	4.3	0.1	16.3	6.5	15.2	14.3	21.2	4.2	137.0	9.4	18.8	5.8
27	White	1,263.9	34.4	4.2	0.1	16.4	6.4	15.1	14.3	21.3	4.1	133.4	9.3	17.2	5.7
28	Colored	2,236.2	20.3	5.1			15.2	25.4	10.1	10.1	10.1	476.6	10.1	167.3	10.1
29	Adams County	957.3	45.8	4.6		4.6	9.2	9.2	9.2	9.2		132.8		18.3	
30	Allen County	941.1	20.4	3.4		13.6	17.0		17.0	6.8		71.3	3.4	3.4	
31	Bartholomew County	1,825.8	48.4			44.3		8.1		20.1		193.4	20.1	24.2	8.1
32	Benton County	828.1	15.8			7.9	7.9	7.9		15.8		39.4			7.9
33	Blackford County	1,241.2	19.0			38.0	6.3	6.3	6.3	31.7	6.3	139.3	25.3	12.7	6.3
34	Boone County	1,258.2	28.4	4.1		16.2	4.1	8.1	4.1	16.2		142.1	12.2	36.5	12.2
35	Brown County	1,360.4	88.2			50.4		25.2		12.6		126.0		12.6	25.2
36	Carroll County	1,355.3	27.9			5.6	11.2	5.6	11.2	16.7	5.6	106.0	5.6	22.3	
37	Cass County*	1,595.8	11.6	5.8		5.8	28.9	23.1	11.6	5.8		127.2	5.8	28.9	17.3
38	Clark County	1,453.0	30.3	5.0		30.3		20.2	10.1	35.3		116.0	15.1	90.8	5.0
39	Clay County	1,243.1	18.5	6.2		15.4	12.3	36.9	15.4	40.0	3.1	144.6	9.2	12.3	
40	Clinton County	1,137.3	22.5			3.8	11.3	7.5	7.5	18.8	3.8	127.6	7.5	15.0	7.5
41	Crawford County	1,255.4	66.5			8.3		33.3	8.3	58.2	24.9	307.6	8.3	33.3	
42	Davies County	1,209.3	25.3	3.6		7.2	14.4	21.7	36.1	14.4		184.1	10.8	25.3	10.8
43	Dearborn County	1,281.6	28.1			9.4		18.7	9.4	14.0	4.7	163.7	9.4	18.7	4.7
44	Decatur County	1,294.1	32.0	5.3		5.3		10.7	10.7	42.6	5.3	170.4	5.3	10.7	5.3
45	Dekalb County	1,309.9	47.9	4.0		4.0			12.0	4.0	4.0	103.8	16.0	12.0	8.0
46	Delaware County	1,000.0	21.9			29.2			10.9	10.9	3.6	109.5	7.3	21.9	10.9
47	Dubois County	963.0	55.5	10.1				30.3	10.1	5.0		196.6		15.1	
48	Elkhart County	1,369.4	50.5				3.4	6.7	16.8		10.1	137.9	10.1	13.5	6.7
49	Fayette County	1,316.3	13.9					27.7	13.9	27.7	20.8	76.2	6.9	27.7	
50	Floyd County	1,448.4	20.7	10.3		31.0			20.7	31.0		206.9	20.7	41.4	10.3
51	Fountain County	1,337.1	53.9	4.9		19.6		19.6	9.8	19.6	4.9	146.9	4.9	19.6	
52	Franklin County	1,253.8	32.7			6.5		6.5	13.1	26.1		150.2		32.7	
53	Fulton County	1,363.6	23.7	5.9		17.8	5.9	23.7	5.9	65.2	11.9	124.5	5.9		5.9
54	Gibson County	1,337.2	63.0	23.2		23.2	10.0		26.5	26.5	10.0	175.9	16.6	13.3	3.3
55	Grant County	1,644.7	21.9		3.1	25.0	6.3	6.3	15.6	12.5	9.4	178.2		18.8	6.3
56	Greene County	1,260.5	40.5	13.5		40.5	5.4	27.0	37.8	24.3	2.7	140.4	8.1	16.2	8.1
57	Hamilton County	1,335.0	55.6			26.0	11.1	11.1	18.5	37.1		118.7	3.7	29.7	3.7
58	Hancock County	1,319.2	36.8			21.0	5.3	10.5	10.5	42.0	5.3	168.2	10.5	15.8	5.3
59	Harrison County	1,128.7	64.4			14.9	5.0	5.0	9.9	14.9	5.0	133.7	5.0	9.9	
60	Hendricks County	1,272.1	33.6			14.4		9.6	4.8	24.0	9.6	115.2	4.8	24.0	4.8
61	Henry County	1,430.2	23.4			26.8	6.7	16.7	16.7	10.0	6.7	120.6	13.4	16.7	13.4
62	Howard County	1,077.8	12.4	6.2		12.4	18.6	12.4	6.2	12.4	6.2	111.5	6.2	49.6	
63	Huntington County	1,229.9	26.7			21.4	16.0	5.3		10.7	16.0	112.3	21.4	10.7	10.7
64	Jackson County	1,421.8	85.1	4.1		12.2	4.1	36.5	28.4	20.3	4.1	198.5	12.2	4.1	8.1
65	Jasper County	914.1	15.4			15.4	15.4		15.4	7.7		69.1		7.7	7.7
66	Jay County	1,300.1	52.2			24.1	8.0	20.1	20.1	12.0	4.0	148.5	16.1	20.1	4.0
67	Jefferson County*	1,742.4	29.4	4.9		14.7		53.8	9.8	9.8	9.8	156.6	14.7	48.9	14.7
68	Jennings County	1,284.3	7.1			35.3		14.1	7.1	35.3		141.1	7.1	7.1	
69	Johnson County	1,402.2	39.2			19.6	14.7	19.6	9.8	24.5	4.9	137.3	19.6	14.7	24.5
70	Knox County	1,228.7	53.4	20.5		28.8	8.2	24.7	65.8	24.7	4.1	119.2			
71	Kosciusko County	1,245.2	14.3			3.6	7.2	7.2	7.2	28.7	7.2	75.2	3.6	14.3	7.2
72	Lagrange County	1,313.9	13.2			26.4		6.6	6.6	19.8	6.6	72.6	6.6	6.6	13.2
73	Lake County	1,321.3	26.4			7.6	15.1	15.1	11.3	3.8		101.9		15.1	3.8

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility (ex- clud- ing sui- cide).	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill-de- fined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
83.0	10.4			103.7	10.4	124.5		124.5	20.7		-10.4				62.2	72.6	20.7	238.6	10.4
101.6		12.7	114.3	228.7	12.7	228.7	25.4	101.6	38.1	12.7		20.7		31.1	38.1	622.5	63.5	1,130.7	
42.6			42.6									127.9				42.6		42.6	
30.2			90.7	90.7	15.1	186.1		60.5	15.1	30.2		45.4			166.3	60.5		208.2	30.2
26.2	13.1		13.1	13.1		39.3		13.1	13.1			13.1		26.2	39.3	143.9		130.8	
48.0	24.0			72.0	24.0	72.0	24.0	168.0	48.0		24.0	72.0			72.0	48.0	24.0	120.0	
	32.5		32.5	227.4	32.5	422.3	32.5	130.0	32.5		32.5	65.0			162.4	292.4		162.4	
	21.3	21.3	21.3	85.4	21.3	256.1	21.3	21.3	42.7		21.3	85.4		42.7	108.7	256.1	21.3	213.4	
		32.2						32.2	32.2			96.6			161.0	96.6		225.4	
			100.6	201.2		150.9	50.3					50.3			50.3	402.4	50.3	201.2	50.3
28.5	14.2	7.1	42.7	71.2		142.4	42.7	42.7		7.1	21.4	113.9		21.4	170.9	213.6	7.1	199.4	7.1
16.4			16.4			49.3	16.4	65.7		16.4	16.4				82.2	65.7	16.4	98.6	16.4
47.9	2.5	7.6	53.0	50.4	2.5	78.2	7.6	65.6		5.0	2.5	25.2		2.5	100.9	85.3	5.0	138.7	2.5
23.2			11.6	81.3		69.7		23.2		34.8		46.5			34.8	11.6		81.3	
80.1	18.2	15.7	123.9	174.8	27.8	115.3	13.5	88.1	4.7	8.0	13.8	109.6		9.1	75.2	77.6	18.4	273.9	21.5
80.2	18.4	15.6	123.7	175.2	27.6	115.9	13.6	87.7	4.7	8.1	13.9	108.1		8.9	75.2	77.4	18.7	273.8	21.4
71.5		23.8	143.0	143.0	47.7	71.5		119.1				238.3		23.8	71.5	95.3		285.9	23.8
101.2	23.8	11.9	148.8	180.5	15.9	126.9	15.9	67.4	6.0	6.0	15.9	128.9		6.0	65.5	67.4	31.7	265.8	13.9
55.9	16.2	14.9	108.1	170.2	33.5	103.1	11.2	82.0	2.5	6.2	14.9	89.5		1.2	77.0	73.3	13.7	234.8	16.2
80.4	20.6	15.0	134.7	162.7	16.8	112.2	18.7	67.3	9.4	3.7	15.0	106.6		5.6	72.9	86.0	18.7	288.0	31.8
96.4	20.1	12.0	136.5	168.7	16.1	123.5	16.1	76.3	4.0	12.0	4.0	128.5		4.0	56.2	72.3	12.0	309.2	16.1
53.8	12.4	33.1	120.1	132.5	29.0	136.7	6.2	107.7	6.2	10.4	10.4	105.6		6.2	91.1	113.9	16.6	256.7	33.1
105.8	16.1	4.6	133.4	223.1	41.4	98.9	13.8	98.9		18.4	16.1	115.0		2.3	66.7	75.9	11.5	363.5	11.5
83.0	15.1	7.5	86.8	154.7	37.7	101.9	15.1	86.8	7.5	3.8	15.1	94.3		11.3	56.6	52.3	18.9	177.4	26.4
95.1	22.4	22.4	120.3	212.7	30.8	111.9	14.0	131.5	2.8	5.6	14.0	128.7		2.8	103.5	64.4	25.2	313.4	25.2
65.4	13.3	8.8	76.5	136.2	15.7	94.8	9.2	67.2	7.6	9.9	10.4	77.1		8.2	59.6	70.0	10.7	235.9	3.4
65.6	13.4	8.7	76.0	135.6	15.5	94.3	9.1	66.9	7.4	9.8	10.4	76.2		8.1	59.4	69.6	10.6	234.7	3.3
45.6	10.1	15.2	121.7	187.6	35.5	136.9	15.2	96.3	25.4	25.4	10.1	162.3		20.3	76.1	106.5	20.3	344.8	15.2
68.7	18.3	4.6	77.9	82.4	9.2	64.1	18.3	32.1		4.6	9.2	73.3			36.6	45.8	4.6	155.7	
61.2	17.0	10.2	57.3	90.4	13.6	112.1	10.2	61.2	3.4	13.6	13.6	64.6		3.4	73.1	64.6	3.4	159.7	
72.5	16.1	4.0	80.6	145.1	8.1	92.7	8.1	68.5	12.1	20.1	16.1	28.2		4.0	48.4	48.4		236.1	
47.3		7.9	31.5	58.3	23.7	55.2	15.8	39.4		7.9	8.9	55.2			71.0	31.5		236.6	7.9
57.0	12.7	25.3	63.3	107.7	6.3	57.0	12.7	57.0		19.0	31.7	114.0			57.0	101.3	6.3	202.6	
85.2	20.3	4.1	101.5	138.0	20.3	81.2	8.1	60.9		16.2	28.4	36.5		8.1	81.2	36.5	8.1	225.4	
12.6		37.8	50.4	163.7	37.8	138.6	25.2	50.4	12.6	25.2	25.2	75.6		25.2	37.8	63.0	12.6	214.1	12.6
78.1	22.3	5.6	94.8	167.3		78.1	11.2	89.2	27.9		11.2	89.2		5.6	44.6	106.0	33.5	267.7	
69.4	17.3	23.1	121.4	144.6		138.8		57.8	11.6	23.1	17.3	86.7		11.6	57.8	57.8	11.6	497.3	
70.6	20.2	5.0	80.7	131.2	30.3	136.2		75.7	15.1	5.0	5.0	126.1		5.0	65.6	80.7	5.0	222.0	
36.9	3.1	6.2	24.6	132.3	12.3	76.9	9.2	67.7	9.2	24.6	6.2	89.2		9.2	95.4	80.0	15.4	215.4	6.2
75.1	11.3	3.8	105.1	150.1	18.8	90.1	3.8	48.8	15.0	7.5	7.5	41.3		11.3	37.5	45.0	11.3	217.7	3.8
33.3	8.3	8.3	58.2	83.1	8.3	83.1	8.3	49.9	8.3	8.3	24.9	91.5			49.9	24.9		158.0	
46.9	21.7	7.2	65.0	122.7	25.3	97.5	14.4	79.4	3.6	10.8	18.0	54.1		3.6	57.8	61.4	10.8	155.2	
65.5	18.7	4.7	65.5	168.4	23.4	149.7		32.7	4.7	28.1	14.0	88.9		4.7	14.0	112.3	4.7	191.8	
74.6	16.0	5.3	85.2	154.4	5.3	63.9	5.3	53.3		16.0	16.0	21.3		5.3	32.0	63.9		308.9	
87.9	20.0	8.0	139.8	171.7	24.0	51.9	4.0	83.9		8.0	4.0	75.9		8.0	67.9	63.9	12.0	243.6	8.0
40.1	3.6	7.3	54.7	120.4	10.9	51.1	3.6	40.1		3.6	3.6	76.6		7.3	51.1	83.9	14.6	178.8	3.6
20.2	15.1	5.0	30.3	65.5	20.2	121.0	10.1	55.5	5.0			25.2		15.1	40.3	45.4	10.1	146.2	10.1
84.1	26.9	10.1	134.6	131.2	13.5	90.8	13.5	50.5	13.5	13.5	6.7	80.7		6.7	53.8	70.7	10.1	292.7	6.7
103.9	13.9		55.4	200.9	6.9	41.6	6.9	124.7		6.9	34.6	27.7			90.1	48.5	13.9	318.7	6.9
72.4			72.4	217.3	20.7	62.1		41.4			31.0	93.1			41.4	62.1		331.1	10.3
53.9	9.8	9.8	112.6	107.7	19.6	73.5	14.7	49.0	29.4	14.7	9.8	58.8		9.8	44.1	83.3	19.6	239.0	4.9
98.0	6.5		65.3	130.6	32.7	137.1		65.3	13.1	13.1	6.5	84.9		6.5	26.0	65.3	6.5	222.0	
94.9	29.6	23.7	65.2	136.4	23.7	83.0		35.6	11.9	5.9		106.7		5.9	53.4	83.0		302.4	
49.8	16.6	19.9	63.0	106.2	13.3	96.2	3.3	92.9	16.6	13.3	16.6	56.4		13.3	63.0	69.7	13.3	195.8	6.6
71.9	9.4	3.1	137.6	256.4	12.5	115.7	6.3	31.3	3.1	9.4	25.0	115.7		9.4	71.9	53.2	9.4	337.7	
24.3		10.8	37.8	86.4	2.7	118.8	8.1	126.9	5.4	2.7	8.1	43.2		2.7	67.5	91.8	2.7	242.9	5.4
74.2	11.1		85.3	137.2	11.1	48.2	3.7	66.8	3.7	3.7	26.0	111.3		3.7	77.9	55.6	18.5	270.7	
68.3		15.8	89.3	110.4	15.8	47.3		78.8	5.3	5.3	15.8	73.6		10.5	68.3	84.1	5.3	283.8	
74.3	5.0		34.7	153.5	9.9	59.4	14.9	34.7		9.9	5.0	79.2		9.9	49.5	69.3	5.0	242.6	5.0
57.6	33.6	4.8	81.6	123.6	33.6	91.2	9.6	67.2	9.6	19.2	14.4	81.6		9.6	28.8	57.6	14.4	233.2	
50.2	16.7	20.1	110.5	110.5	26.8	100.5	6.7	100.5	10.0	3.3	20.1	70.3		6.7	50.2	90.4	23.4		

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.		DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRA-TION STATES ² —Continued.															
INDIANA—continued.															
1	Laporte County	1,083.1	6.2	6.2	6.2	6.2	18.5	49.2	6.2	6.2	
2	Lawrence County	1,337.5	65.3	3.3	35.8	3.3	26.0	16.3	192.0	22.8	42.3	
3	Madison County	1,158.2	25.3	3.2	19.0	6.3	3.2	31.6	136.1	6.3	22.2	
4	Marion County [*]	1,346.4	16.5	6.6	13.2	3.3	23.1	3.3	6.6	141.9	6.6	38.3	
5	Marshall County	1,270.9	33.1	8.3	4.1	16.6	4.1	12.4	4.1	107.6	4.1	16.6	
6	Martin County	1,115.2	62.0	31.0	31.0	185.9	15.5	23.2	
7	Miami County	1,208.3	32.5	5.4	10.8	32.5	5.4	97.5	5.4	10.8	
8	Monroe County	1,426.8	38.3	34.1	17.0	42.6	153.3	12.8	17.0	
9	Montgomery County	1,307.4	20.5	20.5	6.8	129.7	13.7	17.1	
10	Morgan County	1,471.9	37.7	4.7	4.7	28.3	9.4	174.6	18.9	18.9	
11	Newton County	1,037.6	19.0	28.6	9.5	9.5	76.2	
12	Noble County	1,107.5	16.7	8.3	4.2	4.2	4.2	87.4	8.3	
13	Ohio County	1,018.3	23.1	115.7	
14	Orange County	1,151.2	46.5	29.1	17.4	129.7	5.8	40.7	
15	Owen County	1,154.7	14.3	14.3	7.1	7.1	14.3	7.1	163.9	28.5	14.3	
16	Parke County	1,148.8	27.0	4.5	18.0	4.5	4.5	36.0	90.1	13.5	
17	Perry County	1,201.3	33.2	22.1	22.1	60.9	138.4	16.6	22.1	
18	Pike County	1,413.5	66.1	10.2	35.6	45.8	203.4	25.4	30.5	
19	Porter County	1,283.5	19.4	4.9	4.9	43.8	4.9	34.0	82.7	14.6	9.7	
20	Posey County	1,311.4	32.3	13.9	36.9	4.6	4.6	18.5	4.6	189.3	9.2	13.9	
21	Pulaski County	1,090.5	52.6	30.1	15.0	7.5	7.5	7.5	15.0	97.8	15.0	
22	Putnam County	1,219.5	4.9	34.1	34.1	9.8	151.2	19.5	29.3	
23	Randolph County	1,278.4	20.7	27.6	10.3	6.9	3.4	124.1	13.8	37.9	
24	Ripley County	1,265.2	46.3	5.1	10.3	10.3	10.3	174.9	10.3	
25	Rush County	1,210.4	25.9	5.2	25.9	134.5	10.3	20.7	
26	St. Joseph County	1,298.6	26.6	10.6	5.3	10.6	149.0	5.3	16.0	
27	Scott County	1,405.7	48.1	12.0	24.0	144.2	24.0	
28	Shelby County	1,272.0	29.8	14.9	3.7	3.7	11.2	29.8	205.2	7.5	14.9	
29	Spencer County	1,288.8	53.3	24.2	9.7	9.7	19.4	164.7	9.7	4.8	
30	Starke County	1,211.1	18.9	9.5	9.5	18.9	9.5	18.9	123.0	9.5	18.9	
31	Steuben County	1,122.4	21.0	7.0	7.0	7.0	14.0	70.2	21.0	21.0	
32	Sullivan County	1,185.0	30.7	12.3	43.0	12.3	18.4	128.9	9.2	6.1	
33	Switzerland County	1,397.6	20.3	20.3	50.6	10.1	40.5	121.5	10.1	10.1	
34	Tippecanoe County	1,266.9	10.0	10.0	5.0	5.0	30.0	85.1	15.0	
35	Tipton County	1,188.0	23.0	28.7	28.7	11.5	5.7	5.7	114.8	11.5	
36	Union County	1,360.0	16.0	16.0	16.0	16.0	80.0	80.0	48.0	16.0	
37	Vanderberg County [*]	3,027.2	103.9	13.0	13.0	26.0	13.0	39.0	39.0	285.3	52.0	
38	Vermilion County	1,546.3	26.4	10.6	15.8	10.6	37.0	15.8	10.6	116.2	5.3	21.1	
39	Vigo County	1,255.0	59.8	6.6	26.6	6.6	26.6	46.5	13.3	132.3	6.6	29.9	
40	Wabash County	1,245.4	26.0	7.4	3.7	14.9	26.0	99.4	14.9	14.9	
41	Warren County	1,249.0	18.4	9.2	18.4	18.4	101.0	9.2	9.2	
42	Warrick County	1,251.0	68.5	18.3	22.8	50.2	22.8	127.8	9.1	27.4	
43	Washington County	1,281.3	34.5	40.2	17.2	5.7	206.8	11.5	17.2	
44	Wayne County	1,687.2	28.0	9.3	14.0	9.3	18.6	9.3	195.7	18.6	
45	Wells County	1,317.1	58.0	26.8	4.5	4.5	142.9	8.9	8.9	
46	White County	950.5	39.8	11.4	5.7	159.4	11.4	
47	Whitley County	1,119.5	23.7	35.5	11.8	23.7	5.9	94.8	5.9	17.8	
MAINE.															
48	Total	1,621.1	16.5	0.3	11.8	2.6	14.2	11.8	17.9	2.4	113.6	10.6	
49	White	1,623.7	16.5	0.3	11.8	2.6	14.3	11.8	17.7	2.4	113.6	10.6	
50	Colored	718.1	59.8	119.7	16.5	
51	Androscoggin County	1,840.0	48.6	21.6	129.5	10.8	21.6	
52	Aroostook County	1,424.8	17.3	1.3	20.0	8.0	25.3	22.7	17.3	109.4	8.0	2.7	
53	Cumberland County	1,635.4	22.4	3.7	7.5	1.9	11.2	125.2	22.4	13.1	
54	Franklin County	1,379.8	15.7	20.9	5.2	5.2	10.5	78.4	5.2	10.5	
55	Hancock County	1,609.5	16.9	8.4	22.5	98.5	14.1	19.7	
56	Kennebec County	1,714.6	15.7	10.5	5.2	10.5	13.1	117.8	7.9	
57	Knox County	1,685.5	10.4	3.5	17.3	162.3	13.8	20.7	
58	Lincoln County	1,710.1	11.0	5.5	5.5	16.5	16.5	88.0	11.0	
59	Oxford County	1,667.6	11.0	13.8	19.3	11.0	22.0	92.6	11.0	8.3	
60	Penobscot County	1,512.9	18.1	24.7	1.6	24.7	4.9	18.1	113.3	14.8	29.7	
61	Piscataquis County	1,423.7	5.0	5.0	5.0	15.0	15.0	135.4	5.0	30.1	
62	Sagadahoc County	1,774.8	10.8	16.2	27.0	27.0	118.7	5.4	16.2	
63	Somerset County	1,661.5	11.0	27.5	55.0	11.0	22.0	104.5	5.5	33.0	
64	Waldo County	1,814.5	17.1	4.3	4.3	12.8	124.1	12.8	8.6	
65	Washington County	1,540.0	11.7	2.3	11.7	7.0	30.3	35.0	163.3	11.7	16.3	
66	York County	1,840.6	19.4	13.6	9.7	3.9	11.6	15.5	68.0	11.6	21.4	
MARYLAND.															
67	Total	1,322.7	35.8	1.5	4.8	2.9	27.6	15.2	19.3	3.2	139.6	8.6	
68	White	1,189.8	33.6	1.5	5.0	3.5	14.5	15.6	17.2	3.3	107.6	4.4	
69	Colored	1,826.6	44.5	1.4	4.2	0.7	77.2	13.9	27.1	2.8	260.8	0.7	
70	Allegany County (total)	828.9	49.2	7.4	2.5	12.3	17.2	19.7	34.4	2.5	
71	White	813.3	49.7	7.5	2.5	12.4	17.4	19.9	27.4	2.5	
72	Colored ³	2,232.1	669.6	
73	Anne Arundel County (total)	1,830.5	53.1	2.5	5.1	93.5	12.6	40.5	171.9	2.5	22.8	
74	White	1,456.5	55.1	3.9	7.9	31.5	19.7	31.5	122.0	3.9	19.7	
75	Colored	2,505.0	49.5	205.2	66.6	261.8	28.3	

¹ Exclusive of stillbirths.² Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Infuenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES—Continued.														
MARYLAND—continued.														
1 Baltimore County* (total).....	1,481.9	36.6			2.4	1.6	19.5	13.8	19.5	2.4	171.5	8.1	7.3	6.5
2 White.....	1,447.7	37.1			2.7	1.8	17.2	13.6	17.2	1.8	166.7	9.1	8.2	7.2
3 Colored.....	1,730.6	31.7					39.6	15.8	39.6	7.9	213.7			
4 Calvert County (total).....	1,558.9	29.0					19.4		9.7		174.3		9.7	
5 White.....	1,419.6	37.9							18.9		113.6		18.9	
6 Colored.....	1,704.7	19.8					39.6				237.9			
7 Caroline County (total).....	1,379.7	62.2			31.1		25.9	15.6	31.1		181.5			5.2
8 White.....	1,215.6	62.2			34.5		13.8	13.8	34.5		110.5			
9 Colored.....	1,875.0	62.5			20.8		62.5	20.8	20.8		395.8			20.8
10 Carroll County* (total).....	1,370.3	47.1			11.8	2.9	20.6	8.8	20.6	14.7	76.6	2.9	5.9	
11 White.....	1,343.8	50.1			12.5	3.1	9.4	9.4	21.9	15.7	78.3	3.1	6.3	
12 Colored*.....	1,790.2						198.9				49.7			
13 Cecil County (total).....	1,503.8	33.7	8.4			8.4	12.6	4.2	25.3	12.6	143.2	4.2	4.2	16.8
14 White.....	1,351.7	29.4	4.9			9.8		4.9	19.6	9.8	112.6	4.9		14.7
15 Colored.....	2,438.3	60.2	30.1				90.3		60.2	30.1	331.1		30.1	30.1
16 Charles County (total).....	1,509.8	55.0					24.4	36.7	24.4	6.1	140.6	6.1	24.4	12.2
17 White.....	1,331.8	38.4						38.4	38.4	12.8	89.6	12.8	25.6	12.8
18 Colored.....	1,672.3	70.2					46.8	35.1	11.7		187.1		23.4	11.7
19 Dorchester County (total).....	1,439.9	41.8					76.7	10.5	13.9		160.4		20.9	3.5
20 White.....	1,105.7	41.5					36.3	10.4	15.6		77.9		5.2	
21 Colored.....	2,123.1	42.5					159.2	10.6	10.6		329.1		53.1	10.6
22 Frederick County (total).....	1,173.8	49.7	4.7			9.5	2.4	14.2	7.1	2.4	113.6	2.4	21.3	2.4
23 White.....	1,085.2	47.0	5.2			10.4	2.6	15.7	7.8	2.6	107.0	2.6	15.7	2.6
24 Colored.....	2,040.8	76.5									178.6		76.5	25.5
25 Garrett County (total).....	843.5	29.8			14.9	5.0	9.9	9.9	14.9	5.0	24.8	5.0	5.0	5.0
26 White.....	847.9	29.9			15.0	5.0	10.0	10.0	15.0	5.0	24.9	5.0	5.0	5.0
27 Colored*.....														
28 Harford County (total).....	1,255.4	14.3					32.2	14.3	17.9	7.2	100.1		3.6	17.9
29 White.....	1,168.1	17.5					30.6	17.5	21.9	8.7	78.7		4.4	13.1
30 Colored.....	1,646.7						39.2				196.0			39.2
31 Howard County (total).....	1,391.8	43.5					43.5	24.9	12.4	6.2	93.2	6.2		12.4
32 White.....	1,232.5	32.4					8.1	32.4	16.2		56.8			8.1
33 Colored.....	1,914.4	79.8					159.5			26.6	212.7	26.6		26.6
34 Kent County (total).....	1,743.6	41.4	5.9		5.9		23.6	5.9	35.5		171.4		17.7	
35 White.....	1,520.3	37.1	9.3		9.3		37.1	9.3	27.8		102.0		18.5	
36 Colored.....	2,135.3	48.9							48.9		293.4		16.3	
37 Montgomery County (total).....	1,070.9	12.5			3.1		12.5	9.3	18.7		180.6		3.1	6.2
38 White.....	960.8	13.1			4.4			13.1	13.1		152.9			8.7
39 Colored.....	1,344.2	10.8					43.4		32.5		248.3		10.8	
40 Prince Georges County (total).....	1,394.8	35.8					19.3	30.3	19.3	5.5	179.2	2.8	16.5	2.8
41 White.....	1,133.7	24.2					12.1	24.2	8.1	8.1	83.8	4.0	12.1	4.0
42 Colored.....	1,957.9	60.9					34.8	43.5	43.5		374.2		26.1	
43 Queen Annes County (total).....	1,689.8	29.7	5.9		11.9	5.9	29.7	23.8	5.9	5.9	243.9	5.9	29.7	17.8
44 White.....	1,381.4	9.1	9.1		18.2	9.1	18.2	36.4	9.1		199.9		9.1	9.1
45 Colored.....	2,274.3	68.9					51.7			17.2	327.4		68.9	34.5
46 St. Marys County† (total).....	370.0	5.9	5.9					11.7	5.9		88.1		5.9	
47 White.....	359.2	10.3	10.3					20.5	10.3		82.1			
48 Colored.....	384.4										96.1		13.7	
49 Somerset County (total).....	1,262.0	26.4				3.8	86.9	37.8	18.9		192.7		7.6	11.3
50 White.....	947.6	11.8					29.4	17.7	11.8		123.6		5.9	11.8
51 Colored.....	1,825.7	52.8				10.6	190.0	73.9	31.7		316.6		10.6	10.6
52 Talbot County (total).....	1,469.0	35.7	10.2		10.2		30.6	5.1	35.7	5.1	198.9		10.2	15.3
53 White.....	1,113.6	7.8	7.8		7.8		15.6	7.8	23.4	7.8	93.5		15.6	23.4
54 Colored.....	2,143.7	88.7	14.8		14.8		59.1		59.1		399.2			
55 Washington County (total).....	1,279.3	21.1				9.1	12.1	18.1	9.1		96.6	9.1	15.1	12.1
56 White.....	1,237.6	21.8				9.3	9.3	18.7	9.3		93.3	9.3	15.5	12.4
57 Colored*.....	2,645.0						101.7				203.5			
58 Wicomico County (total).....	1,081.9	29.7			7.4		26.0	18.6	22.3		126.4	3.7	22.3	
59 White.....	1,040.0	29.2			9.7		19.4	19.4	14.6		116.6	4.9	24.3	
60 Colored.....	1,218.2	31.6					47.5	15.8	47.5		158.2		15.8	
61 Worcester County (total).....	1,152.7	18.3	4.6		22.9		9.1	4.6	9.1	4.6	123.5	9.1	9.1	18.3
62 White.....	997.9	6.7	6.7		6.7		6.7	6.7	13.5	6.7	87.7	13.5	6.7	20.2
63 Colored.....	1,479.4	42.7			56.9		14.2				199.1		14.2	14.2
MASSACHUSETTS.														
64 Total.....	1,614.9	8.9	1.4		8.7	5.1	7.1	12.9	21.5	5.2	155.4	8.9	12.9	8.1
65 White.....	1,613.3	9.0	1.5		8.7	5.2	7.2	13.0	21.7	5.3	150.2	8.9	12.6	8.2
66 Colored.....	1,782.4										718.7	14.4	43.1	
67 Barnstable County.....	1,802.6	3.6	3.6		3.6	3.6	7.3	10.9	14.5	3.6	101.6	7.3	14.5	7.3
68 Berkshire County.....	1,526.2	2.6			10.5		7.9		21.0	2.6	94.6	5.3	10.5	10.5
69 Bristol County.....	1,565.3	7.6			15.3		9.5	28.6	24.8		124.0	3.8	9.5	5.7
70 Dukes County.....	1,932.0								22.2		66.6			
71 Essex County*.....	1,710.4	20.3			9.0	1.1	6.8	7.9	19.2	5.6	108.4	16.9	13.5	7.9

¹ Exclusive of stillbirths.² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

119

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diphtheria and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
73.1	14.6	12.2	55.3	117.1	27.6	128.4	16.3	143.1	0.8	5.7	9.8	106.5	3.3	9.8	71.5	78.9	12.2	257.7	43.8	1
75.2	16.3	12.7	56.2	115.1	29.0	120.5	16.3	134.1		6.3	10.9	105.1	2.7	10.0	71.6	65.2	13.6	258.2	46.2	2
55.4		7.9	47.5	134.5	15.8	197.8	15.8	221.6	7.9			118.7	7.9	7.1	71.2	197.8		253.2	71.2	3
48.4		9.7	87.1	87.1	29.0	106.5	19.4	145.2	9.7		9.7	87.1		9.7	154.9	48.4	19.4	309.8	135.6	4
18.9		18.9	56.8	132.5	13.9	94.6	18.9	75.7			18.9	151.4			113.6	37.9	37.9	378.6	56.8	5
79.3			118.9	39.6	39.6	118.9	19.8	218.0	19.8			19.8		19.8	198.2	59.5		237.9	218.0	6
57.1		5.2	46.7	119.3	15.6	62.2	10.4	98.6		20.7		124.5	10.4	10.4	98.6	51.9	15.6	212.7	67.4	7
69.1		6.9	41.4	124.3	6.9	55.3		89.8		13.8		131.2	6.9	6.9	89.8	55.3	13.8	186.5	48.3	8
20.8			62.5	104.2	41.7	83.3	41.7	125.0		41.7		104.2	20.8	20.8	125.0	41.7	20.8	291.7	125.0	9
53.0	8.3	8.8	123.8	132.6	29.5	150.3	8.8	44.2		11.8	5.9	103.1	2.9	5.9	50.1	47.1	8.8	324.1	38.3	10
56.4	9.4	9.4	122.2	134.7	21.9	144.1	6.3	43.9		12.5	6.3	109.6	3.1	6.3	47.0	43.9	6.3	316.4	34.5	11
			149.2	99.5	149.2	248.6	49.7	49.7							99.5	99.5	49.7	447.5	99.5	12
59.0	4.2	12.6	117.9	151.6	16.8	164.3	16.8	54.8	16.8	4.2	4.2	143.2		12.6	37.9	80.0	16.8	269.6	46.3	13
68.6	4.9	14.7	122.4	142.0	19.6	127.3	14.7	53.9	19.6	4.9	4.9	142.0		9.8	34.3	63.7	14.7	235.1	44.1	14
			90.3	210.7		391.3	30.1	60.2				150.5		30.1	60.2	180.6	30.1	481.6	60.2	15
48.9	6.1	6.1	85.6	79.5	6.1	122.2	18.3	103.9			12.2	73.3	6.1	6.1	42.8	79.5	6.1	330.1	146.7	16
51.2	12.8		89.6	89.6	12.8	89.6		102.4			25.6	76.8			25.6	64.0	12.8	256.1	153.7	17
46.8		11.7	81.9	70.2		152.0	35.1	105.3				70.2	11.7	11.7	58.5	93.6		397.6	140.3	18
34.9	7.0	3.5	76.7	108.1	20.9	111.6	10.5	108.1	7.0	7.0		83.7	3.5	10.5	83.7	62.8	10.5	254.5	108.1	19
31.1	10.4	5.2	72.7	83.1	10.4	88.3	10.4	88.3	5.2	5.2		57.1	5.2	5.2	83.1	72.7	5.2	218.0	62.3	20
42.5			84.9	159.2	42.5	159.2	10.6	148.6	10.6	10.6		138.0		21.2	84.9	42.5	21.2	329.1	201.7	21
61.5	7.1	18.9	71.0	97.0	23.7	120.7	16.6	56.8	7.1	7.1	7.1	71.0	7.1	4.7	49.7	45.0	7.1	213.0	52.1	22
62.6	7.8		70.4	91.3	26.1	104.3	15.7	57.4	7.8	2.6	2.6	65.2	7.8	2.6	49.6	41.7	7.8	185.2	41.7	23
51.0		25.5	76.5	153.1		280.6	25.5	51.0		51.0	51.0	127.6		25.5	51.0	76.5		484.7	153.1	24
19.8		19.8	19.8	29.8	5.0	104.2	5.0	49.6	5.0			39.7	5.0	5.0	39.7	109.2		153.8	104.2	25
20.0		20.0	20.0	29.9	5.0	104.7	5.0	49.9	5.0			39.9	5.0	5.0	39.9	109.7		154.6	104.7	26
39.3	14.3	14.3	46.5	135.9	35.8	82.3	10.7	46.5		7.2	10.7	82.3	10.7	3.6	42.9	85.8		296.9	82.3	28
43.7	13.1	17.5	56.9	144.4	26.2	74.4	4.4	48.1		4.4	8.7	56.9	13.1		39.4	83.1		293.1	48.1	29
19.6	19.6		98.0	78.4		117.6	39.2	39.2		19.6	19.6	196.0		19.6	58.8	98.0		313.7	235.2	30
80.8	12.4	12.4	87.0	105.6	24.9	136.7	6.2	111.8				99.4	12.4		55.9	62.1		298.2	43.5	31
105.4	16.2	8.1	81.1	105.4	24.3	121.6	8.1	97.3				113.5	16.2		48.6	48.6		259.5	24.3	32
		26.6	106.4	106.4	26.6	186.1		159.5				53.2			79.8	106.4		425.4	106.4	33
70.9	11.8	17.7	59.1	130.0	29.6	159.6		189.1	5.9			106.4		17.7	88.7	47.3		366.5	118.2	34
74.2	9.3	18.5	27.8	166.9	18.5	74.2	18.5	213.3				83.5		18.5	64.9	37.1		324.6	120.5	35
65.2	16.3		114.1	65.2	48.9	309.7	16.3	146.7	16.3			146.7		16.3	130.4	65.2		114.1	440.1	36
18.7	3.1	15.6	68.5	96.5	31.1	102.7		43.6		9.3	9.3	87.2			31.1	43.6	6.2	211.7	46.7	37
26.2	4.4	17.5	74.2	87.3	26.2	74.2		52.4		8.7	13.1	78.6			26.2	26.2	4.4	200.9	34.9	38
		10.8	54.2	119.2	43.4	173.4		21.7		10.8		108.4			43.4	86.7	10.8	238.5	75.9	39
38.6	5.5	16.5	52.4	121.3	22.1	132.3	13.8	124.0		5.5	8.3	63.4	5.5	5.5	77.2	60.6		242.6	82.7	40
36.3	8.1	12.1	56.5	113.0	20.2	113.0	16.1	80.7		8.1	12.1	60.5	4.0	4.0	84.7	56.5		209.8	44.4	41
43.5		26.1	43.5	139.2	26.1	174.0	8.7	217.5				69.6	8.7	8.7	60.9	69.6		313.3	165.3	42
53.5	11.9	11.9	59.5	142.8	17.8	136.8	5.9	101.1	17.8	17.8	11.9	41.6	5.9		83.3	71.4		362.9	119.0	43
54.5	18.2	18.2	72.7	109.1	9.1	72.7	9.1	63.6	18.2	9.1		27.3			54.5	72.7		327.2	118.1	44
51.7			34.5	206.8	34.5	258.4		172.3	34.5	34.5	34.5	68.9	17.2		137.8	68.9		430.7	120.6	45
17.6			23.5	5.9		29.4		17.6		5.9		17.6		11.7	29.4	17.6		70.5		46
20.5			10.3	10.3		41.1		10.3		10.3		10.3			30.8	10.3		71.8		47
13.7			41.2			13.7		27.5				27.5		27.5	27.5	27.5		68.6		48
30.2		15.1	52.9	26.4	7.6	105.8	7.6	102.0	3.8	11.3	11.3	71.8	3.8	7.6	52.9	26.4	3.8	249.4	86.9	49
23.5		17.7	53.0	17.7		64.7	11.8	94.2		17.7	11.8	76.5	5.9	11.8	47.1	29.4	5.9	200.1	47.1	50
42.2		10.6	52.8	42.2	21.1	179.4		116.1	10.6		10.6	63.3			63.3	21.1		337.7	153.3	51
56.1	15.3	15.3	76.5	66.3	15.3	122.4	30.6	61.2	5.1	15.3	10.2	132.6	10.2	5.1	40.8	102.0		229.5	102.0	52
62.3	23.4	7.8	85.7	46.7	15.6	46.7	38.9	15.6		7.8	7.8	124.6	7.8		31.2	85.7		218.1	85.7	53
44.4		29.6	59.1	103.5	14.8	266.1	14.8	147.8	14.8	44.4	14.8	147.8	14.8	14.8	59.1	133.1		251.3	133.1	54
57.3	8.0	24.1	39.2	132.8	15.1	129.7	12.1	45.3		18.1	9.1	75.4	6.0	18.1	57.3	69.4	12.1	292.7	60.4	55
59.1	3.1	21.8	31.1	127.5	15.5	127.5	12.4	46.6		18.7	9.3	74.6	6.2	15.5	59.1	65.3	12.4	273.6	59.1	56
		101.7	305.2	305.2		203.5						101.7		101.7	203.5	203.5		915.6	101.7	57
18.6	11.2		40.9	37.2	7.4	78.1	11.2	81.8	14.9	7.4	3.7	74.4	14.9		59.5	44.6	3.7	237.9	66.9	58
19.4	14.6		43.7	43.7	9.7	53.5	9.7	87.5	14.6			77.8	9.7		72.9	48.6	4.9	233.3	48.6	59
15.8		15.8	31.6			158.2	15.8	63.3	15.8	31.6	15.8	63.3	31.6		15.8	31.6		253.1	126.6	60
59.5	13.7		45.7	105.2	13.7	73.2		64.0				59.5	9.1	18.3	45.7	73.2	4.6	215.0	118.9	61
67.4	20.2		53.9	94.4	20.2	74.2		40.5				60.7		20.2	20.2	53.9	6.7	215.8	67.4	62
42.7			28.4	123.0		71.1		113.8				56.9		14.2	99.6	113.8		213.4	227.6	63
107.0	21.5	12.2	121.9	211.7	32.0	139.9	13.9	74.4	4.3	8.8	9.8	89.9	2.4	6.6	71.3	70.2	14.3	328.9	17.7	64
107.1	21.7	12.2	122.5	212.6	31.9	140.1	14.0	74.8	4.4	8.9	9.9	90.5	2.3	6.6	70.9	70.5	14.3	329.1	17.6	65
86.2		14.4	57.5	115.0	43.1	115.0		28.7				28.7	14.4		115.0	43.1		301.9	28.7	66
192.2	36.3		181.3	293.8	25.4	79.8	21.8	50.8		3.6	14.5	145.1		7.3	65.3	58.0				

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.		DEATH RATE PER 100,000 POPULATION FROM—																
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gititis.	Other forms of tuber-culosis.	Rheu-ma-tism.			
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)				
RURAL PART OF REGISTRATION STATES ² —Continued.																		
MASSACHUSETTS—continued.																		
1	Franklin County	1,596.7				3.0	12.1	18.1	12.1	15.1	6.0	81.5	3.0	15.1				
2	Hampden County	1,601.3	20.7	9.2		9.2	32.2	9.2	36.8	16.1	6.9	101.2	13.8	4.6			13.8	
3	Hampshire County	1,424.1	9.1	4.5		18.2	6.8	2.3	9.1	31.8	4.5	75.1	6.8	9.1			9.1	
4	Middlesex County*	1,908.9	8.4			8.4	5.0	3.4	7.6	25.2	8.4	336.5	9.2	22.7			7.6	
5	Nantucket County	2,025.0										135.0						
6	Norfolk County*	1,345.0	4.0	1.0		3.0	2.0	6.1	10.1	22.2	5.0	120.2	12.1	8.1			8.1	
7	Plymouth County*	1,573.1	13.2	2.6		5.3	1.3	4.0	7.9	17.2	9.3	177.3	4.0	6.6			4.0	
8	Worcester County*	1,570.6	5.2	0.7		11.2	5.2	10.5	18.0	22.5	3.0	145.3	8.2	16.5			12.0	
MICHIGAN.																		
9	Total	1,329.7	19.3	1.0	2.2	9.7	8.9	9.0	14.5	17.8	4.4	74.7	3.3	10.5			8.7	
10	White	1,319.7	19.0	1.0	2.2	9.5	9.0	8.6	14.5	17.7	4.3	70.6	3.3	10.1			8.6	
11	Colored	2,580.8	49.5			28.3		56.6	7.1	35.4	14.1	579.8		49.5			21.2	
12	Alcona County	964.4	17.5				17.5	87.7	35.1			105.2						
13	Alger County	1,386.9	51.8			13.0	77.8	38.9	103.7			38.9					13.0	13.0
14	Allegan County	1,392.8	30.1	2.5		7.5	7.5	7.5	7.5	12.5	7.5	100.4	10.0				10.0	12.5
15	Alcona County	1,102.4				68.9		27.6	13.8			52.7					13.8	13.8
16	Antrim County	1,191.6	31.9					6.4	31.9	12.7		38.2	6.4				6.4	6.4
17	Arenac County	1,008.2				52.0	10.4	10.4	10.4			103.9					10.4	
18	Baraga County	1,006.0										16.2					16.2	32.5
19	Barry County	1,319.9	13.2			4.4	4.4	4.4	8.8	66.2		22.1					13.2	
20	Bay County	1,031.1	13.0		17.3	13.0	47.7	8.7	4.3	13.0	8.7	65.0					4.3	4.3
21	Benzie County	1,203.8	9.4	18.8				9.4		18.8		56.4						9.4
22	Berrien County	1,303.7	31.6	3.7		5.6	9.3	11.2	5.6	16.7	3.7	86.0	3.7				22.3	3.7
23	Branch County	1,497.4	7.8	3.9		3.9	11.7		19.5	39.1	11.7	62.6					3.9	11.7
24	Calhoun County	1,404.8	28.7	3.2		3.2	3.2	15.9	3.2	54.2	6.4	47.8					12.7	6.4
25	Cass County	1,472.5	29.1			4.8		9.7	4.8			57.2					9.7	4.8
26	Charlevoix County	1,147.5	10.4				15.6		20.8	20.8	10.4	98.7					10.4	
27	Cheboygan County	1,307.8	39.1			22.4	22.4	27.9	5.6		5.6	72.7					16.8	5.6
28	Chippewa County	1,907.6	8.4			16.8	8.4	25.2	8.4	8.4		58.8						8.4
29	Clare County	1,157.9	21.6			32.5						45.3					21.6	
30	Clinton County	1,331.5	4.3			26.0			4.3	8.7		34.7	4.3					
31	Crawford County	1,372.0				25.4		25.4	25.4	25.4		152.4					25.4	
32	Delta County	1,150.4	17.7			5.9	5.9	29.5	29.5		5.9	64.9	5.9					
33	Dickinson County	1,117.5	4.9			14.6	53.4		19.4		9.7	58.3					14.6	
34	Baton County	1,443.0	19.7			16.4	9.8	23.0	9.8	13.1		104.9					13.1	13.1
35	Emmet County	1,243.0	16.1			5.4	5.4	5.4	5.4	16.1		80.7					5.4	5.4
36	Genesee County	1,553.6	7.7	3.9		3.9	3.9	15.4	11.6	23.1	7.7	46.3					19.3	11.6
37	Gladwin County	1,011.1	11.9		23.8			23.8				23.8						
38	Gogebie County	1,759.5	9.4				28.2		108.5			103.5	9.4				28.2	18.8
39	Grand Traverse County	1,329.4	8.6				17.2	17.2	17.2	17.2		94.3					8.6	8.6
40	Gratiot County	1,230.9	27.8			17.4			7.0	13.9		66.1	7.0				20.9	20.9
41	Hillsdale County	1,489.8	30.3			6.7	6.7		13.5	37.1	6.7	67.4					3.4	16.9
42	Houghton County	1,270.3	13.5		1.1	20.3	16.9	11.3	60.9	1.1	6.8	87.9	14.7				10.1	5.6
43	Huron County	1,079.1	11.6		2.9	8.6		5.8	20.1	5.8		48.9	5.8				2.9	8.6
44	Ingham County	1,343.2	27.2	4.5		9.1		4.5	40.8			68.5	4.5				4.5	9.1
45	Ionia County*	1,301.0	26.9	3.0		3.0	9.0		3.0	26.9	3.0	50.7					9.0	17.9
46	Iosco County	1,223.5	20.6						41.1	30.8		51.4	10.3				20.6	10.3
47	Iron County	1,254.5	6.5			32.5		26.0	6.5	6.5	6.5	32.5					19.5	6.5
48	Isabella County	1,143.9	17.4			34.8		4.3		4.3		78.3					17.4	
49	Jackson County	1,513.3				9.1			9.1	22.7		31.8	4.5					22.7
50	Kalamazoo County	1,431.6	9.5	4.8			14.3	4.8		33.3	9.5	66.6					9.5	9.5
51	Kalkaska County	1,577.5	86.3			24.6	12.3		12.3			98.6					12.3	
52	Kent County*	1,562.9	10.7	2.1		2.1	10.7	8.6	12.8	19.3	2.1	102.8	2.1				10.7	6.4
53	Keweenaw County	1,338.3					13.8		55.2			124.2	13.8				27.6	13.8
54	Lake County	952.0						20.3		20.3		101.3						
55	Lapeer County	1,700.2	30.8		73.1	19.2		19.2	7.7	26.9	7.7	76.9	3.8				30.8	3.8
56	Leelanau County	1,603.6	28.3				9.4		9.4			150.9	9.4				37.7	9.4
57	Lenawee County	1,450.2	18.9			18.9		5.4	2.7	35.0	2.7	51.2	2.7				2.7	16.2
58	Livingston County	1,333.7				5.6		5.6		11.3	5.6	84.7	5.6				5.6	11.3
59	Luce County*	2,719.6	99.8					49.9				274.5					49.9	25.0
60	Mackinac County	1,400.3	32.3					21.5	10.8			75.4						10.8
61	Macomb County	1,525.1	18.4	3.1		3.1	15.3	15.3	36.8	15.3	9.2	107.4	3.1				12.5	12.3
62	Manistee County	1,125.8	7.0		7.0	14.0				7.0		139.9	7.0				14.0	
63	Marquette County	1,210.4	26.1			4.4		8.7	30.2	4.4		32.2	4.4				4.4	13.1
64	Mason County	1,154.7	13.7	4.6		4.6		9.1	13.7	22.8	9.1	91.3					4.6	4.6
65	Mecosta County	1,296.3	5.1			15.4	10.3	5.1	10.3	5.1	20.6	66.9					15.4	5.1
66	Menominee County	1,004.4	13.2			6.6		13.2	33.0	13.2	13.2	79.3	6.6				6.6	19.8
67	Midland County	1,408.9	28.6			28.6				14.3	7.2	100.1					14.3	
68	Missaukee County	1,073.6	28.3				7.2			9.4	65.9	75.3	9.4					28.3
69	Monroe County	1,282.0	30.4			12.2		12.2	3.0	6.1		79.0					6.1	9.1
70	Montcalm County	1,392.6	21.9			3.1	12.5		6.2	31.2		93.7	3.1				9.4	12.5
71	Montmorency County	1,302.2							26.6			106.3					26.6	
72	Muskegon County	1,295.7	6.1			6.1			6.1	30.3		54.5					6.1	12.1
73	Newaygo County	1,091.0	15.6				36.4		5.2	46.8		57.1	10.4				28.3	5.2
74	Oakland County	1,525.6	17.1			5.7		5.7	14.3	22.8		31.4	2.9				8.6	11.4
75	Oceana County	1,119.4	16.3				5.4		5.4	32.6		59.8	5.4				21.7	5.4
76	Ogemaw County</																	

DEATH RATES FROM PRINCIPAL CAUSES.

121

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enteritis (under 2 years).	Ap- pendicitis.	Hernia, intestinal ob- struction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral af- fect- ions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Il-def- ined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
114.7	30.2	15.1	157.0	238.5	30.2	138.8	12.1	54.3	15.1	9.1	18.1	99.6	3.0	9.1	69.4	87.5	12.1	280.7	36.2	1
48.3	9.2	32.2	82.8	126.5	32.2	197.9	16.1	119.6	-----	9.2	13.8	92.0	4.6	6.9	75.9	78.2	9.2	345.1	27.6	2
88.7	20.5	15.9	88.7	191.1	29.6	141.0	6.8	120.6	2.3	4.5	11.4	86.4	2.3	4.5	79.6	61.4	13.6	252.5	15.9	3
143.5	19.3	8.4	139.3	214.0	36.1	145.2	17.6	49.5	5.0	5.0	12.6	88.9	1.7	10.1	67.1	78.0	11.7	397.7	15.9	4
168.7	67.5	-----	202.5	371.2	-----	270.0	33.7	-----	-----	-----	33.7	135.0	-----	33.7	101.2	-----	-----	405.0	67.5	5
86.8	28.3	12.1	109.0	168.6	29.3	114.1	5.0	41.4	5.0	12.1	4.0	63.6	2.0	3.0	68.7	52.5	15.1	304.9	17.2	6
117.8	22.5	13.2	138.9	242.1	39.7	91.3	14.6	59.5	4.0	6.6	2.6	79.4	4.0	6.6	62.2	79.4	11.9	305.6	18.5	7
72.6	21.0	14.2	116.8	193.2	27.0	163.3	12.0	87.6	4.5	9.0	12.7	95.1	0.7	5.2	74.1	65.2	14.2	307.1	16.5	8
72.3	14.9	11.2	80.3	160.0	23.9	74.6	17.6	72.0	10.1	12.3	12.0	66.8	6.2	9.7	71.8	77.0	10.3	314.3	28.4	9
72.3	15.0	11.1	80.2	159.6	24.0	73.5	17.3	71.7	10.0	12.3	12.1	66.3	6.2	9.7	72.0	76.3	10.4	313.1	27.8	10
70.7	7.1	21.2	91.9	205.0	14.1	205.0	56.6	106.1	21.2	7.1	7.1	120.2	7.1	14.1	49.5	169.7	-----	459.6	106.1	11
70.1	-----	-----	-----	70.1	-----	17.5	-----	70.1	-----	-----	17.5	-----	-----	-----	122.7	35.1	-----	280.6	17.5	12
38.9	13.0	13.0	38.9	38.9	51.8	103.7	25.9	285.2	-----	-----	38.9	-----	-----	13.0	116.7	90.7	-----	116.7	38.9	13
57.7	30.1	10.0	87.8	198.2	42.7	62.7	10.0	65.2	10.0	15.1	7.5	100.4	-----	10.0	60.2	65.2	7.5	323.7	22.6	14
13.8	-----	-----	13.8	82.7	41.3	96.4	27.6	110.2	13.8	-----	-----	13.8	27.6	13.8	27.6	110.2	-----	220.5	55.1	15
31.9	31.9	6.4	31.9	223.0	19.1	57.4	-----	70.1	6.4	19.1	-----	57.4	25.5	6.4	89.2	51.0	6.4	286.8	31.9	16
52.0	10.4	-----	41.6	135.1	21.2	52.0	10.4	62.4	10.4	20.8	-----	31.2	10.4	20.8	93.5	20.8	10.4	166.3	10.4	17
64.9	-----	-----	81.1	81.1	-----	113.6	16.2	-----	-----	16.2	16.2	64.9	16.2	16.2	16.2	146.0	16.2	243.4	32.5	18
114.8	22.1	-----	70.6	256.0	17.7	66.2	4.4	17.7	8.8	30.9	4.4	79.5	-----	8.8	61.8	61.8	8.8	331.1	17.7	19
47.7	8.7	13.0	47.7	104.0	4.3	86.6	13.0	52.0	8.7	17.3	21.7	17.3	8.7	-----	69.3	82.3	4.3	194.9	30.3	20
28.2	18.8	-----	75.2	178.7	28.2	65.8	9.4	75.2	-----	9.4	18.8	28.2	9.4	18.8	122.3	94.0	-----	263.3	37.6	21
76.2	11.2	7.4	65.1	200.8	16.7	44.6	24.2	52.1	9.3	9.3	16.7	94.8	5.6	7.4	63.2	98.6	11.2	271.5	20.5	22
82.1	31.3	11.7	121.2	218.9	23.5	62.6	7.8	50.8	7.8	11.7	7.8	78.2	7.8	11.7	62.6	74.3	3.9	430.1	15.6	23
117.9	41.4	6.4	111.5	232.5	31.9	79.6	9.6	44.6	12.7	6.4	6.4	35.0	19.1	6.4	57.3	60.5	12.7	312.2	15.9	24
125.9	19.4	9.7	111.4	188.9	9.7	77.5	38.8	43.6	4.8	19.4	9.7	121.1	4.8	14.5	38.8	58.1	14.5	392.3	19.4	25
36.3	10.4	15.6	46.7	129.8	36.3	67.5	15.6	77.9	-----	15.6	10.4	26.0	10.4	26.0	83.1	46.7	5.2	264.8	36.3	26
22.4	11.2	22.4	50.3	117.4	50.3	89.4	22.4	100.6	11.2	16.8	5.6	27.9	16.8	-----	55.9	111.8	-----	329.7	27.9	27
64.9	21.6	10.8	58.8	84.0	8.4	84.0	8.4	92.4	-----	8.4	16.8	16.8	-----	16.8	92.4	58.8	8.4	193.3	16.8	28
91.1	26.0	21.7	64.9	162.3	43.3	10.8	10.8	86.6	32.5	32.5	10.8	43.3	10.8	10.8	75.7	54.1	-----	238.1	64.9	29
-----	-----	-----	76.2	25.4	25.4	50.8	50.8	56.4	17.3	8.7	13.0	69.4	8.7	-----	69.4	39.0	8.7	360.0	30.4	30
82.6	5.9	-----	23.6	88.5	23.6	70.8	29.5	159.3	11.8	11.8	17.7	17.7	5.9	-----	82.6	70.8	29.5	194.7	59.0	32
24.3	4.9	14.6	34.0	87.5	19.4	77.7	14.6	204.1	14.6	4.9	9.7	34.0	-----	4.9	77.7	97.2	4.9	160.3	43.7	33
101.7	13.1	19.7	101.7	193.5	9.8	68.9	19.7	45.9	23.0	19.7	23.0	82.0	6.6	9.8	36.1	62.3	9.8	354.2	19.7	34
64.6	10.8	10.8	70.0	118.4	48.4	86.1	21.5	70.0	10.8	5.4	10.8	86.1	10.8	26.9	75.3	107.6	5.4	236.8	32.3	35
84.8	19.3	15.4	134.9	196.6	30.8	73.2	19.3	81.0	3.9	11.6	-----	65.5	3.9	19.3	69.4	100.2	-----	408.6	61.7	36
83.3	11.9	11.9	35.7	83.3	47.6	11.9	-----	71.4	-----	-----	-----	59.5	11.9	23.8	107.1	71.4	11.9	261.7	23.8	37
56.5	18.8	-----	28.2	28.2	28.2	37.6	37.6	319.9	18.8	-----	-----	18.8	9.4	9.4	216.4	235.2	18.8	291.7	75.3	38
51.5	60.0	-----	68.6	145.8	25.7	77.2	17.2	77.2	8.6	17.2	8.6	42.9	-----	8.6	60.0	85.8	34.3	334.5	17.2	39
73.0	10.4	20.9	97.4	146.0	17.4	73.0	13.9	55.6	17.4	7.0	7.0	55.6	-----	10.4	52.2	48.7	13.9	312.9	17.4	40
94.4	13.5	16.9	94.4	168.5	20.2	47.2	6.7	60.7	10.1	20.2	30.3	77.5	3.4	3.4	50.6	53.9	10.1	492.1	27.0	41
62.0	5.6	15.8	39.5	80.0	25.9	98.1	12.4	137.5	19.2	12.4	9.0	41.7	7.9	15.8	91.3	109.3	6.8	202.9	27.1	42
71.9	-----	2.9	63.3	123.7	23.0	77.7	11.5	71.9	20.1	14.4	14.4	57.6	8.6	-----	54.7	43.2	2.9	273.4	23.0	43
104.4	18.2	13.6	122.5	190.6	-----	90.8	31.8	22.7	13.6	4.5	4.5	54.5	4.5	4.5	54.5	77.1	13.6	331.3	18.2	44
68.6	23.9	14.9	101.5	223.8	17.9	44.8	3.0	50.7	3.0	9.0	20.9	95.5	3.0	9.0	68.6	62.7	11.9	304.4	11.9	45
30.8	10.3	-----	51.4	185.1	10.3	30.8	20.6	102.8	10.3	-----	20.6	72.0	41.1	10.3	72.0	72.0	-----	267.3	30.8	46
65.0	-----	-----	26.0	26.0	65.0	110.5	26.0	169.0	13.0	-----	13.0	19.5	-----	19.5	97.5	227.5	6.5	143.0	84.5	47
65.2	21.7	17.4	69.6	169.6	39.1	87.0	17.4	43.5	-----	-----	21.7	47.8	-----	4.3	69.6	65.2	13.0	221.8	13.0	48
113.6	31.8	9.1	145.5	215.2	40.9	118.2	13.6	31.8	4.5	13.6	9.1	72.7	-----	4.5	72.7	118.2	9.1	350.0	36.4	49
104.6	33.3	4.8	147.4	195.0	23.8	57.1	23.8	19.0	-----	-----	-----	66.6	4.8	9.5	61.8	85.6	23.8	361.5	19.0	50
37.0	12.3	12.3	98.6	184.9	37.0	61.6	37.0	135.6	12.3	-----	-----	123.2	12.3	12.3	110.9	110.9	12.3	308.1	12.3	51
107.0	17.1	10.7	113.5	284.7	34.3	79.2	21.4	34.3	10.7	2.1	15.0	109.2	2.1	8.6	53.5	64.2	8.6	378.9	17.1	52
20.3	-----	-----	60.8	101.3	40.5	81.0	20.3	40.5	-----	-----	-----	41.4	13.8	-----	110.4	124.2	-----	275.9	13.8	53
57.7	11.5	7.7	103.9	196.2	23.1	142.3	30.8	42.3	15.4	15.4	30.8	84.6	3.8	11.5	60.8	141.8	-----	202.6	-----	54
37.7	28.3	-----	56.6	103.8	18.9	28.3	28.3	103.8	18.9	9.4	18.9	94.3	28.3	18.9	103.8	103.8	28.3	457.7	26.9	55
105.1	10.8	13.5	134.8	223.7	18.9	43.1	18.9	29.7	5.4	24.3	8.1	70.1	10.8	10.8	56.6	91.6	16.2	372.0	29.7	57
67.8	28.2	11.3	73.4	254.2	11.3	73.4	16.9	39.5	11.3	16.9	11.3	62.1	11.3	-----	62.1	62.1	11.3	344.6	33.9	58
74.9	-----	25.0	224.6	174.7	-----	99.8	49.9	124.8	25.0	-----	74.9	25.0	-----	25.0	99.8	124.8	49.9	973.1	49.9	59
64.6	-----	32.3	-----	86.2	10.8	107.7	86.2	140.0	21.5	32.3	10.8	53.9	-----	21.5	53.9	161.6	21.5	323.1	21.5	60
104.3	12.3	3.1	144.2	110.5	27.6	92.1	9.2	52.2	9.2	15.3	12.3	147.3	3.1	12.3	70.6	64.4	9.2	340.6	33	

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES—Continued.														
MICHIGAN—continued.														
1	Ontonagon County.....	1,045.7	23.0			23.0		11.5			68.9		11.5	11.2
2	Osceola County.....	1,136.4	16.8			5.6	11.2		5.6	11.2	33.6	5.6	22.4	
3	Osceola County.....	1,132.4							49.2		49.2		49.2	
4	Otsego County.....	1,210.2	30.6						15.3	46.0	30.6			30.6
5	Ottawa County.....	1,141.5	2.9			2.9	8.6	2.9	2.9	25.8	71.7		11.5	2.9
6	Presque Isle County.....	1,323.0	8.9			8.9		44.4		35.5	88.8			
7	Roscommon County.....	915.8									130.8			
8	Saginaw County.....	1,263.9	18.1		28.4	7.7	2.6		5.2	5.2	54.2	5.2	10.3	10.3
9	St. Clair County.....	1,293.3	18.0	3.0		9.0	6.0	12.0	9.0	23.9	95.8	3.0	3.0	6.0
10	St. Joseph County.....	1,462.1	3.9	7.8		3.9	7.8		7.8	31.3	70.4		11.7	19.5
11	Sanilac County.....	1,103.3	17.7			11.8	8.9	8.9	17.7	20.7	53.1	3.0	5.9	3.0
12	Schoolcraft County.....	1,232.4	11.5			11.5	69.1	11.5	23.0	23.0	57.6		11.5	11.5
13	Shiawassee County.....	1,417.4	24.1			6.0		9.0	9.0	12.0	75.2		3.0	9.0
14	Tuscola County.....	1,270.2	11.5			22.9	8.6	14.3	8.6	17.2	57.3		5.7	5.7
15	Van Buren County.....	1,400.9	36.2			3.0	3.0	18.1	3.0	12.1	57.4	6.0	6.0	12.1
16	Washtenaw County.....	1,499.1	10.1			13.4	10.1		6.7	30.2	73.8	3.4	13.4	10.1
17	Wayne County.....	1,753.6	42.0	1.5		3.0	10.5	9.0	24.0	9.0	172.7		13.5	10.5
18	Wexford County.....	1,282.2	52.8			24.0	24.0		9.6	28.8	48.0	9.6	4.8	9.6
MINNESOTA.														
19	Total.....	1,016.7	24.5	0.1	0.4	10.8	9.9	8.4	17.6	5.9	79.4	6.9	10.0	6.0
20	White.....	1,019.8	24.6	0.1	0.4	10.5	9.9	8.4	17.7	5.9	79.6	6.7	10.1	6.0
21	Colored.....	567.4	20.3			60.8	10.1	10.1			50.7	30.4		10.1
22	Aitkin County.....	855.4	28.8				28.8		19.2	9.6	57.7		19.2	9.6
23	Anoka County*.....	1,239.2	48.0			32.0	16.0		8.0	8.0	135.9	16.0	48.0	16.0
24	Becker County.....	934.1	15.9				15.9		10.6		47.3	5.3	5.3	5.3
25	Beltrami County.....	1,355.5	81.8			30.7		15.3	51.2		112.5	15.3	15.3	15.3
26	Benton County.....	1,091.5	9.6					38.3	19.1	9.6	95.7		9.6	9.6
27	Bigstone County.....	929.3	42.7							10.7	53.4		10.7	10.7
28	Blue Earth County.....	909.2				15.9			15.9	5.3	53.1		5.3	5.3
29	Brown County.....	1,083.6	5.0			14.9	29.8		14.9	5.0	74.6	5.0	14.9	5.0
30	Carlton County.....	1,033.1	39.7			11.4		17.0	28.4		119.2		5.7	5.7
31	Carver County.....	986.0	11.5			11.5			34.4	5.7	68.3		22.9	22.9
32	Cass County†.....	678.5	25.8				8.6		8.6	8.6	85.9	8.6		
33	Chippewa County.....	906.3	7.4			7.4	29.7		7.4		44.6	7.4	14.9	7.4
34	Chisago County.....	1,236.8	22.2					20.4	22.2	22.2	103.7			
35	Clay County.....	844.9	35.6			30.5	30.5		15.3		45.8	10.2		5.1
36	Clearwater County.....	1,277.4	58.1			14.5		14.5	72.6		118.1		14.5	14.5
37	Cook County†.....	676.2	75.1								55.3	23.7		
38	Cottonwood County.....	901.0	15.8			71.1		7.9	23.7	7.9	53.4	5.9	11.9	
39	Crow Wing County.....	1,429.0	118.6			29.6	5.9		53.4	17.3	103.0	4.0	23.8	
40	Dakota County*.....	1,010.2				4.0			39.6		66.3	16.6		24.9
41	Dodge County.....	936.5					8.3		24.9	8.3				
42	Douglas County.....	1,004.4	11.3			5.7		5.7	5.7	11.3	102.1	5.7	22.7	5.7
43	Faribault County.....	998.6			5.0	5.0		5.0	35.1	10.0	75.3			5.0
44	Fillmore County.....	1,038.5	11.7			11.7	11.7	3.9	11.7		85.9	3.0		19.5
45	Freeborn County.....	1,001.1	4.5	4.5			4.5	18.0	18.0	4.5	71.8	9.0	4.5	
46	Goodhue County.....	1,106.3	42.6			6.3	9.5	3.2	12.6	12.6	107.5	6.3	3.2	
47	Grant County.....	1,045.0	22.0			11.0	22.0				154.0			
48	Hennepin County.....	790.7	6.2			6.2	24.9	6.2	18.7		49.8	9.3	3.1	3.1
49	Houston County.....	967.5						7.0	7.0		56.1		7.0	
50	Hubbard County.....	942.6	30.4			10.1	10.1		40.5		40.5			
51	Isanti County.....	1,245.8	7.9			31.7	31.7				134.9	7.9		23.8
52	Itasca County ³	1,086.7	81.4			11.6	5.8		5.8		58.1	5.8	5.8	5.8
53	Jackson County.....	1,119.0				55.3	27.6	27.6	6.9	6.9	69.1	13.8		6.9
54	Kanabec County.....	1,004.3	30.9			15.5	15.5	15.5	15.5		46.4		15.5	
55	Kandiyohi County.....	918.6	5.3			10.6	5.3	5.3	15.8	15.8	84.5	5.3	5.3	
56	Kitson County.....	724.6	20.7				10.4	10.4			93.2		10.4	10.4
57	Koochiching County ³	948.5	62.2			15.5	46.6				46.6			
58	Lac qui Parle County.....	802.8	12.9			6.5			32.4		58.3		32.4	
59	Lake County.....	1,410.0	173.2			37.1			61.8	12.4	61.8	24.7		
60	Le Sueur County.....	1,051.9	10.8		5.4	32.4	5.4	16.2	21.6	5.4	53.9			10.8
61	Lincoln County.....	709.2	10.1			20.3		10.1	10.1	20.3	50.7			
62	Lyon County.....	948.9	19.1			6.4	19.1	25.5	6.4	12.7	70.1	6.4	12.7	12.7
63	McLeod County.....	942.9	21.4			10.7	5.4		10.7	5.4	80.4	10.7	5.4	
64	Mahnomen County†.....	400.1	30.8								61.6	61.6		
65	Marshall County.....	1,148.7	67.6		6.1	6.1	6.1	12.3	18.4	18.4	104.4	6.1	12.3	6.1
66	Martin County.....	770.7	11.4						17.1	5.7	40.0	11.4	17.1	
67	Meeker County.....	1,001.0							11.8		106.0	5.9	11.8	23.6
68	Mille Lacs County.....	828.7	9.3			9.3		9.3	37.2		46.6		9.3	
69	Morrison County.....	932.1	16.6			25.0	20.8	12.5	41.6		95.7	12.5	4.2	12.5
70	Mower County.....	837.3	17.7					17.7	17.7	4.4	66.2	13.2	8.8	8.8
71	Murray County.....	757.1					8.5		8.5	8.5	25.5			
72	Nicollet County*.....	1,341.4	120.7						14.2	14.2	212.9	14.2	7.1	7.1
73	Nobles County.....	749.2	6.6						19.7		52.6	6.6	19.7	
74	Norman County ³	818.1	22.3					29.7	14.9		119.0	7.4		7.4
75	Olmsted County*.....	2,244.4	26.7	4.4			4.4		22.2	4.4	137.8	13.3	57.8	4.4
76	Otter Tail County*.....	1,395.2	47.9			6.5	15.2	6.5	10.9	8.7	148.0	4.4	32.6	6.5

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																					
Cancer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and en- teritis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill-de- fined and un- known causes.		
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
34.5	23.0		34.5	57.5	68.9	80.4	23.0	103.4	11.5			34.5			68.9	68.9	34.5	241.3	23.0	1	
56.0		16.8	44.8	145.6	39.6	28.0	5.6	67.2	16.8		11.2	100.8	5.6	22.4	89.6	61.6	5.6	285.5		2	
98.5			49.2	246.2		98.5		49.2				49.2			49.2	49.2		295.4		3	
91.9	15.3		15.3	46.0	15.3	76.6	30.6	133.8	15.3		15.3	76.6			137.9	46.0		275.7	15.3	4	
71.7	5.7	8.6	94.6	120.5	14.3	71.7	28.7	69.1	5.7	17.2	5.7	69.1	2.9	2.9	74.6	60.2	11.5	266.7	14.3	5	
53.3	26.6		35.5	97.7	8.9	71.0	17.8	142.1		35.5		17.8			124.3	26.6	8.9	346.3	79.9	6	
130.8				130.8		43.6		130.8				43.6			43.6	87.2		174.4		7	
54.2	23.2	23.2	61.9	149.6	33.5	69.6	18.1	80.0	5.2	7.7	15.5	74.8		5.2	87.7	80.0	2.6	294.0		8	
56.9	9.0	6.0	98.3	131.7	18.0	104.8	23.9	44.9	15.0	15.0	9.0	50.9	6.0	3.0	50.9	62.9	3.0	380.2	15.0	9	
70.4	27.4	27.4	156.4	195.5	19.5	89.9	15.6	31.3	7.8	3.9	11.7	97.7	7.8	15.6	58.6	66.5	3.9	359.7	23.5	10	
59.0	11.8	23.6	76.7	103.3	8.9	73.8	14.8	35.4	11.8	8.9	5.9	56.1	5.9	8.9	91.5	29.5	8.9	298.0	20.7	11	
11.5	11.5		34.6	149.7	23.0	80.6	11.5	92.1		23.0		46.1	23.0		161.3	34.6	11.5	253.4	34.6	12	
78.2	33.1	12.0	81.3	231.7	27.1	66.2	21.1	63.2	9.0	15.0	6.0	81.3		3.0	42.1	90.3	6.0	364.1	24.1	13	
71.7	14.3	5.7	103.2	157.7	17.2	97.5	8.6	33.2	5.7	8.6	8.6	57.3	5.7	11.5	57.3	48.7		298.2	25.8	14	
99.6	24.2	21.1	81.5	196.2	15.1	75.5	15.1	48.3	6.0	3.0	15.1	114.7	3.0	9.1	69.4	60.4	3.0	353.2	27.2	15	
114.0	16.8	20.1	140.9	201.2	6.7	80.5	20.1	63.7	3.4	23.5	10.1	80.5		6.7	33.5	33.8	13.4	379.0	26.8	16	
73.6	10.5	13.5	91.6	150.1	21.0	111.1	24.0	32.6		10.5	7.5	88.6	3.0	9.0	88.6	83.8	22.5	434.9	64.6	17	
67.2		9.6	67.2	163.3	9.6	62.4	19.2	36.4	4.8	19.2	19.2	43.2	9.6		120.1	72.0	4.8	244.9	43.2	18	
63.8	11.8	8.3	42.3	76.4	13.2	75.9	11.7	57.7	13.3	10.5	6.1	52.3	4.4	6.3	51.1	74.4	9.7	216.3	28.1	19	
64.1	11.9	8.4	42.5	76.6	13.1	75.7	11.8	57.9	13.4	10.6	6.2	52.6	4.5	6.3	51.3	74.5	9.7	217.3	28.3	20	
20.3			10.1	40.5	20.3	101.3		20.3							10.1	60.8	10.1	60.8	10.1	21	
96.1		19.2	9.6	67.3		57.7	8.6	67.3			9.6	28.8		9.6	38.4	57.7	28.8	153.8	19.2	22	
64.0	16.0	24.0	87.9	111.9	8.0	71.9	8.0	32.0		8.0	40.0	111.9		8.0	40.0	48.0	16.0	207.9	8.0	23	
37.2	26.5	5.3	42.5	61.4	10.6	68.7	5.3	63.7		5.3	10.6	69.0	15.9	5.3	26.5	74.3	21.2	254.8	47.8	24	
30.7	5.1	15.3	51.2	61.4	5.1	97.2	5.1	107.4	30.7	10.2		40.9	5.1	15.3	76.7	143.2	46.0	225.1	46.0	25	
47.9			47.9	95.7	9.6	114.9	19.1	162.8				9.6		9.6	19.1	76.6	19.1	172.3	86.2	26	
53.4		32.0	53.4	21.4	21.4	85.5		85.5	21.4	21.4		42.7			53.4	42.7	32.0	224.3	10.7	27	
34.6	10.6	5.3	58.1	95.2	15.9	84.6	5.3	10.6		5.3		79.3	5.3		25.4	100.4		195.6	15.9	28	
69.6	19.9	19.9	69.6	54.7	19.9	74.6	9.9	39.8	14.9	14.9		39.8	5.0	14.9	79.5	39.8	9.9	278.4	29.8	29	
34.1			28.4	68.1	17.0	73.8	22.7	136.2				22.7		5.7	85.1	113.5	11.4	164.6	28.4	30	
40.1	22.9	17.2	74.5	97.5	34.4	86.0	34.4	22.9	11.5		5.7	22.9			63.1	45.9	11.5	194.9	17.2	31	
51.5		8.6	34.4	17.2	8.6	42.9	17.2	34.4							25.8	42.9	17.2	180.4	51.5	32	
96.6	7.4		22.3	59.4		111.4		111.4							59.4	104.0	14.9	148.6	37.1	33	
96.3	22.2	14.8	81.5	133.3	7.4	162.9	14.8	22.2	7.4	22.2		88.9	22.3		29.6	74.1	7.4	237.0	29.6	34	
56.0	5.1	5.1	40.7	45.8	15.3	45.8	15.3	45.8	10.3		10.2	15.3	5.1	15.3	40.7	86.5	20.4	162.9	10.2	35	
43.5			43.5	72.6	14.5	72.6	29.0	87.1		14.5		29.0		29.0	43.5	72.6	14.5	275.8	130.6	36	
							75.1														
55.3	15.8	7.9	71.1	31.6		39.5		55.3		23.7		63.2		7.9	39.5	375.7		150.3		37	
77.1	5.9	17.8	53.4	71.2	17.8	160.1	5.9	112.7	11.9	29.6	17.8	53.4			39.5	39.5	7.9	189.7	47.4	38	
114.9	19.8	11.9	150.7	130.7		51.5	7.9	27.7		15.8		27.7		4.0	41.5	112.7	5.9	308.3	17.8	39	
116.0	41.4	8.3	49.7	74.6		74.6	8.3	24.9			11.9	41.4		16.6	79.2	95.1	4.0	166.4	15.8	40	
															33.2	49.7		232.1	16.6	41	
73.8	17.0		79.4	102.1	5.7	39.7	5.7	39.7	22.7	11.3	5.7	90.8	17.0	5.7	22.7	39.7	11.3	221.3	17.0	42	
75.3	20.1		55.2	95.3	10.0	60.2	10.0	50.2	20.1	15.1		45.2			40.1	80.3	10.0	245.9	20.1	43	
78.1	15.6	3.9	46.8	124.9	19.5	62.5	7.8	46.8	11.7	19.5	7.8	27.3			50.8	35.1	3.9	296.7	15.6	44	
94.3	13.5	13.5	76.3	71.8	18.0	58.4	9.0	49.4	9.0	9.0	9.0	35.9	9.0	13.5	58.4	53.9	5.5	237.9	13.5	45	
69.5	12.6	6.3	66.4	104.3	15.8	79.0	19.0	34.8	12.6	12.6	12.6	72.7	9.5	9.5	50.6	56.9	3.2	243.4	37.9	46	
77.0		22.0	44.0	44.0	33.0	55.0	22.0	44.0		11.0		66.0			44.0	55.0	11.0	264.0	44.0	47	
52.9	3.1	9.3	40.5	59.1	24.9	49.8	21.8	31.1		6.2	3.1	43.6	9.3	6.2	37.4	80.9	15.6	158.8	6.2	48	
70.1	14.0	14.0	42.1	154.2	14.0	77.1	14.0	28.0	14.0			84.1			42.1	49.1	7.0	231.4	35.1	49	
30.4	20.3		50.7	111.5	30.4	81.1	10.1	71.0	10.1	10.1	10.1	50.7	10.1		50.7	81.1	20.3	141.9	20.3	50	
47.6	7.9	23.8	23.8	174.6	7.9	111.1	15.9	95.2	23.8		7.9	71.4	15.9	15.9	71.4	55.5		198.4	39.7	51	
17.4		5.8	5.8	63.9	11.6	52.3		127.8	11.6	11.6		40.7		5.8	75.5	278.9		145.3		52	
103.6	6.9	6.9	27.6	103.6	13.8	69.1	13.8	49.4	34.5	20.7	6.9	103.6		27.6	34.5	55.3		193.4	27.6	53	
46.4			30.9	108.2		123.6		46.4		30.9		46.4		15.5	46.4	46.4	30.9	216.3	77.3	54	
89.7	15.8	5.3	63.4	73.9	26.4	68.6	5.3	10.6	5.3	15.8		31.7		15.8	52.3	31.7	15.8	190.1	47.5	55	
10.4	20.7		31.1	10.4	82.8	10.4	10.4	93.2	10.4	10.4		20.7	10.4		31.1	72.5		144.9	10.4	56	
46.6	15.5		15.5	31.1	6.2	15.5	6.2	46.6		12.9		45.3	15.5	15.5	31.1	264.3	15.5	139.9	62.2	57	
32.4	25.9		6.5	45.3	6.5	45.3	6.5	38.8	45.3			45.3			45.3	58.3	6.5	200.7	32.4	58	
49.5	24.7		24.7	74.2		111.3		37.1	24.7	12.4	12.4	49.5		12.4	37.1	197.9	37.1	235.0	37.1	59	
48.5		10.8	32.4	97.1	27.0	91.7	5.4	27.0		10.8	16.2	64.7	5.4		75.5	59.3	16.2	280.5	21.6	60	
40.5	10.1		60.8	10.1	30.4	10.1	10.1	70.9		20.3		30.4			40.5	30.4		212.8	20.3	61	
63.7	6.4		44.6	57.3	19.1	44.6	19.1	63.7	6.4			80.1		6.4	70.1	70.1	6.4	222.9	31.8	62	
75.0	10.7	16.1	48.2	96.4	16.1	37.5	16.1	48.2	10.7	21.4		19.1		5.4	26.8	42.9	10.7	208.9	21.4	63	
30.8						30.8									30.8			61.6		92.3	64
92.1	30.7	6.1	30.7	49.1	12.3	92.1	12.3	86.0	55.3	24.6		36.9	12.3		24.6	61.4		215.0	43.0	65	
51.4		17.1	40.0	51.4	5.7	68.5	11.4	34.3	11.4	11.4	5.7	11.4			85.6	57.1		171.3	2		

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ² —Continued.														
MINNESOTA—continued.														
1 Pine County.....	816.5	25.1			6.3	6.3	31.4		6.3		87.9	12.6	12.6	6.3
2 Pipestone County.....	806.4						10.5		20.9		104.7		10.5	10.5
3 Polk County.....	1,026.4	30.6			27.8	8.3	19.5	27.8	5.6	2.8	83.4	5.6	5.6	11.1
4 Pope County.....	1,014.2	15.7		7.9	7.9		47.2	7.9	7.9		55.0	23.6	31.4	7.9
5 Ramsey County.....	931.0				11.2	33.7	22.4	44.9	11.2		67.3	11.2		11.2
6 Red Lake County ³	866.1	56.5			31.4	6.3	18.8	43.9	6.3	6.8	81.0			
7 Redwood County.....	722.9	5.4			32.6	10.9	5.4	5.4	5.4		76.1			10.9
8 Renville County.....	797.1	8.7			8.7	4.3	4.3	21.7	13.0		47.6	4.3	4.3	13.0
9 Rice County.....	1,270.4	11.6		3.9	3.9	11.6	7.7	19.3		3.9	208.5		3.9	3.9
10 Rock County.....	771.3	9.8		9.8							48.8			
11 Roseau County.....	881.5	26.4			8.8	35.3	35.3	26.4		8.8	70.5		8.8	8.8
12 St. Louis County.....	1,190.8	57.0			5.3	15.9	17.2	15.9		4.0	75.5	11.9	6.6	4.0
13 Scott County.....	1,034.9	6.7			6.7	33.6		13.4	6.7		73.9		20.2	13.4
14 Sherburne County.....	1,023.1	40.9					13.6	40.9	13.6		54.6			
15 Sibley County.....	935.1	6.4			19.3	12.9		6.4			58.0		25.8	
16 Stearns County.....	900.1	17.9			12.8	2.6	5.1	12.8	2.6	2.6	79.3	10.2	10.2	5.1
17 Steele County.....	979.7	6.2					18.6	12.4	12.4		42.0	6.2	12.4	6.2
18 Stevens County.....	1,005.6	36.3				24.2		12.1		12.1	24.2		24.2	12.1
19 Swift County.....	967.3	7.7				31.0	38.7	15.5	31.0		69.6	23.2	7.7	15.5
20 Todd County.....	869.2	25.7			25.7	4.3		4.3		4.3	47.1	8.6	8.6	8.6
21 Traverse County [†]	621.0	49.7				12.4	12.4	12.4						
22 Wabasha County.....	1,116.0	16.2			5.4	16.2	5.4	27.0	10.8	5.4	32.3		10.8	10.8
23 Wadena County.....	974.0	11.6						11.6	11.6		81.2	11.6	11.6	11.6
24 Waseca County.....	1,010.5	14.9				7.4			7.4		74.3	14.9	22.3	
25 Washington County.....	918.4	6.3			6.3		19.0	19.0			69.7		6.3	
26 Watonwan County.....	729.5	8.8			17.6				8.8		26.4	26.4	8.8	
27 Wilkin County.....	1,104.5	99.4			11.0			11.0	22.1		33.1			
28 Winona County.....	960.4				13.5			20.3	6.8		20.3		6.8	6.8
29 Wright County.....	1,017.0	7.1				7.1		14.3	14.3	7.1	85.6	14.3	7.1	3.6
30 Yellow Medicine County.....	734.5	6.5			19.5	13.0		6.5			52.0	6.5		6.5
MONTANA.														
31 Total.....	883.7	29.3		0.4	3.6	11.8	8.9	12.5	5.7	2.5	57.2	2.5	6.8	6.1
32 White.....	913.5	30.0		0.4	3.8	12.4	9.0	13.1	6.0	2.6	56.7	2.3	6.4	6.4
33 Colored.....	286.4	15.1					7.5				67.8	7.5	15.1	
34 Beaverhead County.....	1,052.0	30.9				46.4		46.4			77.4	15.5		
35 Broadwater County.....	1,111.4					114.0			28.5				28.5	
36 Carbon County.....	957.6	21.3			7.1	14.2	28.4	14.2	21.3	7.1	28.4			7.1
37 Cascade County [†]	668.0	46.8			20.0			20.0			20.0			6.7
38 Chouteau County.....	733.1	28.9			17.3	5.8	11.5	17.3		5.8	80.8		11.5	5.8
39 Custer County [†]	672.0	70.0		7.0		14.0		7.0			28.0		7.0	14.0
40 Dawson County.....	857.7							30.9	7.7	15.5	30.9		7.7	15.5
41 Deer Lodge County*.....	3,435.0							35.1			140.2		35.1	
42 Fergus County [†]	636.1	45.4					28.4	17.0	5.7		5.7			5.7
43 Flathead County.....	1,146.5	63.1				31.6	10.5			5.3	78.9	5.3		
44 Gallatin County.....	903.0	35.3					7.1	7.1	21.2		21.2		7.1	
45 Granite County.....	892.6										137.3			34.3
46 Jefferson County.....	1,106.0	35.7					10.7	10.7	17.8		35.7			10.7
47 Lewis and Clark County.....	844.2	10.7						27.1			64.1			
48 Lincoln County.....	1,112.6										27.1			
49 Madison County.....	955.7					13.9		27.7	13.9		97.0			
50 Meagher County [†]	591.7					23.7		23.7			47.3		23.7	23.7
51 Missoula County [†]	886.5	9.3						9.3			37.1		9.3	9.3
52 Park County.....	1,231.3	37.0				18.5		9.3	9.3	9.3	83.3		9.3	9.3
53 Powell County.....	945.6										67.5	16.9		
54 Ravalli County.....	808.7	8.5				8.5	25.5	8.5	17.0		85.1	8.5	8.5	
55 Rosebud County [†]	297.0	12.4							12.4		12.4		12.4	
56 Sanders County [†]	637.8				26.6									
57 Silver Bow County.....	1,576.7	22.5				10.9	16.9	28.2	5.6		214.0	11.3	16.9	16.9
58 Sweet Grass County [†]	642.3	24.7									49.4		24.7	
59 Teton County [†]	549.8	41.5			20.7	10.4				10.4			10.4	10.4
60 Valley County [†]	506.3	79.6						7.2			57.9	7.2	7.2	
61 Yellowstone County.....	785.7					38.1		15.3	7.6		38.1		7.6	
NEW HAMPSHIRE.														
62 Total.....	1,712.8	10.1	0.4		9.0	1.6	9.4	14.0	27.3	5.5	107.3	2.7	13.3	3.9
63 White.....	1,713.1	10.2	0.4		9.0	1.6	9.4	14.1	27.3	5.5	107.4	2.3	13.3	3.9
64 Colored.....	1,483.7										296.7			
65 Belknap County.....	1,825.9	9.0									107.9		9.0	9.0
66 Carroll County.....	1,797.1				18.4				42.9		104.3		6.1	
67 Cheshire County.....	1,741.3						29.2	24.3	19.5	19.5	77.8		24.3	9.7
68 Coos County.....	1,367.5	21.1			15.8		10.6		26.4	5.3	37.0			
69 Grafton County.....	1,571.9	12.0			2.4		2.4	9.6	38.4	2.4	74.4	4.8	9.6	
70 Hillsborough County.....	1,888.8	6.7				6.7	10.0	10.0	30.0	10.0	123.5		13.3	6.7
71 Merrimack County.....	1,785.2	15.7			6.3		3.1	18.9	34.6		116.3	6.3	31.4	3.1
72 Rockingham County.....	1,717.7	4.9	2.4		4.9	4.9	7.3	29.3	26.9	7.3	117.3		12.2	7.3
73 Strafford County.....	1,762.9	19.5			46.7		23.3	19.5	23.3	3.9	190.7	7.8	15.6	3.9
74 Sullivan County.....	1,719.6	10.3					10.3	5.2	5.2		108.4	5.2		

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

125

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																					
Cancer.	Diabetes.	Menin- gitis.	Cerebral hemor- rage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and en- teritis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Un- de- fined and un- known causes.		
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
44.0		12.6	18.8	12.6		81.7	6.3	50.2	12.6	18.8		18.8	25.1		44.0	100.5	12.6	150.7	12.6	1	
94.3		20.9	10.5	41.9	20.9	73.3	31.4	41.9	10.5			62.3			20.9	157.1		157.1	20.9	2	
55.6	5.6	2.8	33.4	69.5	16.7	69.5	2.8	80.7	25.0	11.1	5.6	44.5	8.3	5.6	30.6	77.9	5.6	233.7	13.9	3	
78.6	7.9	7.9	47.2	102.2		62.9		102.2	47.2	7.9	7.9	55.0			23.6	23.6	15.7	180.8	31.4	4	
11.2			67.3	33.7	22.4	78.5	11.2	78.5		11.2		22.4			33.7	89.7	22.4	235.6		5	
50.2	6.3	6.3	62.7	31.4	6.3	50.2	12.5	43.9	18.8	31.4	12.5	25.1			25.1	31.4		276.0	25.1	6	
16.3			38.0	16.3	10.9	65.2	10.9	32.6	32.6	5.4	5.4	21.7		16.3	27.2	59.8		201.1	10.9	7	
13.0	8.7		39.0	52.0	26.0	43.3	4.3	65.0		17.3		30.3	4.3		60.6	52.0	17.3	199.3	26.0	8	
85.0	15.4	11.6	38.6	154.5	7.7	115.8	3.9	38.6	19.3		11.6	46.3	3.9	19.3	57.9	61.8		289.6	11.6	9	
29.3	29.3		58.6	39.1	9.8	97.6		68.3	39.1			29.3		19.5	78.1	78.1	9.8	117.2		10	
35.3	8.8		8.8	52.9	17.6	44.1	8.8	44.1	17.6		8.8	26.4		8.8	70.5	44.1		185.1	70.5	11	
19.9	2.6	7.9	9.3	29.1	6.6	141.7	6.6	164.2	6.6	5.3		27.8	5.3	9.3	100.7	227.8	17.2	157.6	26.5	12	
107.5	13.4		60.5	80.6	40.3	60.5	13.4	26.9	13.4	6.7	6.7	80.6	6.7	6.7	13.4	60.5	6.7	215.1	40.3	13	
40.9			54.6	150.0	13.6	40.9		54.6				95.5			27.3	40.9		313.7	27.3	14	
58.0		6.4	45.1	122.5	6.4	77.4	12.9	51.6		6.4	32.2	83.8		6.4	77.4	12.9		187.0	19.3	15	
48.6	12.8	5.1	28.1	74.2	12.8	51.1	15.3	46.0	7.7	15.3		30.7	2.6	7.7	46.0	40.9	7.7	248.0	38.4	16	
105.4	18.6	6.2	48.4	99.2	31.0	99.2	18.6	37.2	12.4	6.2	6.2	43.4		18.6	31.0	49.6	12.4	186.0	18.6	17	
72.7	12.1	48.5	36.3	60.6		72.7		84.8	12.1	12.1		48.5			24.2	60.6	12.1	254.4	24.2	18	
38.7	7.7	7.7	31.0	46.4	7.7	92.9		92.9	15.5	15.5	7.7	38.7	7.7	7.7	61.9	38.7	7.7	147.0	54.2	19	
72.8	17.1	12.8	25.7	102.8	12.8	72.8	8.6	34.3	25.7	12.8	4.3	51.4	4.3	4.3	42.8	51.4	4.3	145.6	25.7	20	
37.3	12.4		24.8	49.7		49.7	24.8	24.8	12.4			74.5	12.4		49.7	24.8		111.8	24.8	21	
80.9	10.8	5.4	64.7	134.8	10.8	64.7	16.2	10.8	5.4		5.4	118.6		16.2	64.7	53.9	10.8	285.7	16.2	22	
46.4		11.6	34.8	116.0		34.8	23.2	46.4		11.6	11.6	46.4		11.6	116.0	34.8		243.5	34.8	23	
66.9	37.1	14.9	81.7	104.0	81.7	22.3		38.7	37.1			52.0		14.9	81.7	29.7	14.9	208.0	22.3	24	
88.7	6.3	6.3	25.3	95.0	6.3	76.0	19.0	25.3	19.0	6.3	12.7	38.0			31.7	101.3	19.0	196.4	19.0	25	
26.4		8.8	52.7	105.5	17.6	61.5	17.6	35.2	8.8			26.4	8.8	8.8	79.1	52.7		96.7	26.4	26	
55.2	11.0	22.1	44.2	88.4		66.3	11.0	110.4	44.2	11.0		77.3			55.2	99.4	22.1	187.8	22.1	27	
74.4	20.3	6.8	101.5	67.6	40.6	74.4	20.3	6.8	6.8	27.1	6.8	67.6	6.8	6.8	47.3	47.3	13.5	230.0	13.5	28	
71.4	21.4		35.7	89.2		74.9	17.8	35.7	7.1	10.7		50.0	3.6	10.7	67.8	53.5	3.6	278.3	25.0	29	
58.5			13.0	65.0	13.0	84.5		32.5	6.5			26.0	13.0		58.5	65.0		169.0	19.5	30	
29.0	6.8	10.4	26.1	60.4	8.6	56.1	11.4	50.4	8.9	9.3	6.1	49.3	6.1	7.1	46.5	146.6	17.9	162.7	16.8	31	
30.4	7.1	10.5	26.6	62.7	9.0	58.9	12.0	51.8	9.0	9.4	6.4	51.8	6.4	7.5	48.8	150.9	18.8	168.9	17.6	32	
	7.5		15.1	15.1				22.6	7.5	7.5					60.3			37.7		33	
30.9	15.5		46.4	92.8	15.5	77.4		30.9			15.5	139.2			61.9	108.3	46.4	139.2	15.5	34	
28.5		85.5	28.5	57.0				28.5		28.5		28.5			85.5	28.5		285.0	28.5	35	
21.3			21.3	63.8	7.1	127.7	21.3	78.0	7.1		7.1	21.3	14.2	7.1	78.0	21.3		149.0	14.2	36	
26.7			13.4	20.0		20.0		40.1	6.7	13.4	6.7	6.7	13.4	13.4	80.2	140.3	13.4	126.9	13.4	37	
17.3			11.5	46.2	5.8	28.9		30.8	11.5	5.8	5.8	34.6	11.5	5.8	17.3	127.0	23.1	98.1	17.3	38	
14.0	7.0	14.0	28.0	84.0	7.0	56.0	7.0	21.0	21.0	21.0		14.0	7.0	28.0		91.0	14.0	91.0		39	
54.1	7.7	15.5	23.2	30.9	23.2	38.6	15.5	54.1	23.2			61.8		7.7	69.5	108.2		170.0	46.4	40	
105.2	35.1		210.3	140.2		70.1		70.1				70.1			245.4	35.1	210.3	105.2	210.3	41	
22.7	5.7	11.4	5.7	11.4	5.7	51.1	17.0	56.8		5.7		28.4	11.4	11.4	17.0	56.8	17.0	170.4	22.7	42	
63.1	21.0	15.8	31.6	105.2		42.1	10.5	110.4	10.5	15.8	10.5	68.4	15.8	10.5	36.8	231.4	10.5	142.0		43	
63.5		21.2	25.3	56.4	7.1	42.3		21.2	21.2	7.1	14.1	119.0	7.1	7.1	105.8	77.6	7.1	183.4	7.1	44	
35.7			68.7	103.0		103.0		68.7		68.7		34.3			34.3	34.3		240.3		45	
10.7		10.7	17.8	142.7	35.7	107.0	35.7	35.7				71.4		17.8	17.8	231.9	35.7	196.2	35.7	46	
27.1	27.1		32.1	117.5	21.4	64.1	10.7	21.4		10.7		64.1		10.7	32.1	245.8	10.7	64.1	10.7	47	
			81.4	27.1	27.1	108.5			27.1			27.1			108.5	298.5	54.3	217.1	27.1	48	
69.3	27.7			97.0		55.4	13.9			13.9		69.3	13.9		41.6	166.2		180.1	27.7	49	
			71.0	23.7		47.3		23.7				23.7			71.0	94.7	47.3	47.3		50	
18.6	9.3	9.3	55.7			9.3	18.6	9.3	9.3	9.3		9.3			46.4	231.9	9.3	139.2		51	
46.3		9.3	92.6	64.8		83.3	27.8	46.3	18.5	9.3	27.8	111.1			92.6	138.9		222.2	18.5	52	
16.9	16.9	16.9	33.8	84.4	16.9	50.7		50.7	16.9			135.1		16.9	101.3	168.9		135.1		53	
68.1		8.5	17.0	76.6	8.5	42.6		8.5			8.5	25.5	8.5		51.1	42.6	25.5	195.8	8.5	54	
			12.4	37.1			24.8								99.0	99.0		61.9		55	
53.1			79.7			26.6		53.1				26.6			239.2	53.1		79.7		56	
16.9	11.3	28.2	11.3	123.9	28.2	146.4	39.4	123.9	11.3	28.2	22.5	101.4	5.6		50.7	220.9	11.3	225.2	5.6	57	
	24.7	24.7	24.7			49.4	24.7	74.1								49.4	123.5	24.7	98.8	24.7	58
	10.4	10.4	10.4			31.1	10.4	20.7	20.7			51.9			20.7	124.5	10.4	83.0		59	
	15.3	15.3	22.9			28.9	7.2	28.9	7.2	7.2	7.2	14.5	7.2	7.2	86.8	190.7	7.2	72.3	7.2	60	
			22.9			61.0		68.7		7.6		22.9		15.3	53.4		45.8	106.8	7.6	61	
114.3	17.6	17.2	135.0	228.6	30.8	143.2	26.9	59.7	6.2	11.7	7.8	119.0	5.1	6.6	80.0	69.8	11.7	392.8	24.6	62	
114.4	17.6	17.2	135.1	228.5	30.9	143.3	26.6	59.8	6.2	11.7	7.8	119.1	5.1	6.6	80.1	69.9	11.7	392.5	24.6	63	
			296.7			296.7										593.5				64	
152.9	9.0	9.0	134.9	341.8	9.0	72.0	27.0	9.0		36.0	27.0	98.9	9.0		72.0	54.0		593.6	36.0	65	
153.3	30.7	30.7	147.2	257.6	49.1	220.8	55.2	42.9	18.4	24.5	18.4	61.3		6.1	85.9	36.8	24.5	345.5	18.4	66	
102.1	19.5	34.0	180.8	194.6	48.6	141.1	29.2	97.3	4.9	14.6	9.7	111.9	19.5	4.9	116.7	48.6		355.1	34.0	67	
95.0	15.8	10.6	84.5	195.4	26.4	110.9	21.1	37.0	5.3	15.8		89.8		5.3	100.3	79.2	37.0	316.8	5.3	68	
98.4	12.0	12.0	115.2	192.0	26																

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA.

[See note at head of this table.]

REGISTRATION AREA.		DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Malari-a.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tubercu-losis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRA-TION STATES ² —Continued.															
NEW JERSEY.															
1	Total.....	1,431.1	13.7	1.9	7.5	7.7	14.8	23.3	17.0	3.8	141.7	7.2	11.1	6.5
2	White.....	1,410.5	13.4	1.7	7.7	7.6	12.2	24.0	17.5	3.9	132.6	6.5	10.4	6.5
3	Colored.....	1,932.8	19.6	5.6	2.8	11.2	78.3	5.6	363.6	22.4	28.0	5.6
4	Atlantic County.....	1,680.6	11.6	11.6	7.7	11.6	27.0	23.2	3.9	162.2	3.9	19.3	11.6
5	Bergen County.....	1,202.4	7.0	0.9	4.3	7.0	17.4	22.6	14.8	3.5	110.4	7.0	14.8	2.6
6	Burlington County.....	1,650.7	30.0	1.5	6.0	1.5	16.5	30.0	18.0	6.0	134.8	7.5	15.0	4.5
7	Camden County.....	1,499.3	20.9	2.1	2.1	6.3	29.2	16.7	8.4	2.1	169.1	2.1	8.4	2.1
8	Cape May County.....	1,481.5	15.1	10.1	10.1	126.0	5.0	10.1	5.0
9	Cumberland County.....	1,459.3	17.5	7.0	21.0	10.5	10.5	24.5	14.0	126.0	10.5	35.0	10.5
10	Essex County.....	1,574.7	9.4	2.4	11.8	75.6	23.3	106.2	9.4	9.4	191.2	11.8	11.8	9.4
11	Gloucester County.....	1,317.6	8.0	8.0	8.0	24.0	40.0	13.3	144.0	8.0	8.0
12	Hudson County.....	2,134.4	7.3	2.4	24.4	2.4	39.1	12.2	4.9	518.3	14.7	19.6
13	Hunterdon County.....	1,456.1	11.9	3.0	3.0	3.0	6.0	23.8	6.0	140.0	6.0	8.9
14	Mercer County.....	1,309.2	6.9	3.5	10.4	6.9	20.7	13.8	41.5	3.5	145.1	6.9	10.4
15	Middlesex County.....	1,269.7	6.7	3.4	10.1	3.4	15.2	21.9	16.8	5.1	87.6	15.2	5.1	5.1
16	Monmouth County.....	1,409.9	15.4	2.8	15.4	14.0	16.8	21.0	2.8	96.7	9.8	8.4	9.8
17	Morris County *.....	1,549.5	4.8	6.4	4.8	6.4	20.8	3.2	126.5	6.4	9.6	3.2
18	Ocean County.....	1,532.6	32.8	9.4	9.4	14.1	9.4	9.4	145.3	9.4	4.7	23.4
19	Passaic County.....	1,152.7	16.7	2.8	2.8	19.5	22.3	8.4	5.6	94.7	2.8	8.4
20	Salem County.....	1,320.8	14.8	11.1	7.4	14.8	14.8	159.1	3.7	3.7	7.4
21	Somerset County.....	1,330.7	15.4	12.8	5.1	18.0	5.1	18.0	84.8	2.6	15.4	2.6
22	Sussex County.....	1,388.9	18.6	7.4	11.1	7.4	29.7	7.4	66.8	11.1	3.7
23	Union County.....	1,229.9	15.0	8.6	15.0	6.4	17.2	4.3	115.9	17.2	21.5	6.4
24	Warren County.....	1,487.5	20.4	13.6	20.4	30.6	13.6	119.1	3.4	10.2
NEW YORK.															
25	Total.....	1,595.5	16.0	1.4	0.1	9.8	8.8	9.3	10.3	29.3	4.1	122.5	5.6	10.3	8.1
26	White.....	1,592.0	15.9	1.3	0.1	9.8	8.7	9.2	10.5	29.4	4.0	119.9	5.5	10.1	8.0
27	Colored.....	1,882.4	17.8	7.1	7.1	21.3	17.8	21.3	10.7	338.0	14.2	24.9	14.2
28	Albany County.....	1,529.6	8.9	11.9	23.8	6.0	3.0	20.8	110.1	14.9	6.0	3.0
29	Alegany County.....	1,504.6	16.9	12.1	4.8	2.4	26.6	4.8	43.5	2.4	9.7
30	Broome County.....	1,784.5	16.5	29.6	3.3	6.6	29.6	95.5	13.2	13.2	13.2
31	Cattaraugus County.....	1,401.0	15.7	11.7	9.8	2.0	5.9	33.3	5.9	68.5	11.7	2.0
32	Cayuga County.....	1,464.0	52.5	3.1	3.1	6.2	34.0	89.6	3.1	9.3	3.1
33	Chautauque County.....	1,505.4	3.5	12.4	8.8	10.6	15.9	42.4	7.1	61.8	7.1	14.1	5.3
34	Chemung County.....	1,775.8	22.8	5.7	5.7	5.7	28.6	5.7	205.6	5.7	5.7
35	Chenango County.....	1,683.4	11.3	2.8	14.1	2.8	11.3	64.7	2.8	73.2	8.4	5.6	11.3
36	Clinton County *.....	1,347.2	8.1	16.2	24.3	24.3	16.2	40.5	5.4	129.6	16.2	2.7	8.1
37	Columbia County.....	1,650.6	18.6	6.2	3.1	46.5	117.9	9.3	3.1	6.2
38	Cortland County.....	1,748.7	16.9	11.3	11.3	5.6	28.2	56.4	11.3	5.6	16.9
39	Delaware County.....	1,590.1	37.3	28.6	11.0	24.2	6.6	35.1	4.4	65.9	2.2	8.8	8.8
40	Dutchess County *.....	2,111.7	13.4	5.0	3.3	8.4	3.3	16.7	20.1	3.3	235.9	5.0	11.7	18.4
41	Erie County *.....	1,470.4	7.7	16.5	27.6	5.5	14.3	23.1	3.3	106.9	3.3	9.9	4.4
42	Essex County.....	1,632.8	17.9	17.9	14.9	35.8	50.7	3.0	179.1	6.0	6.0	11.9
43	Franklin County.....	1,789.0	24.1	46.0	50.4	28.5	39.4	383.2	19.7	15.3	10.9
44	Fulton County.....	1,548.8	7.4	7.4	14.9	7.4	96.8	7.4	14.9	7.4
45	Genesee County.....	1,502.9	19.2	3.8	19.2	3.8	46.1	73.0	11.5	15.4
46	Greene County.....	1,739.5	33.1	3.3	6.6	6.6	6.6	9.9	6.6	212.1	6.6	33.1
47	Hamilton County.....	1,287.4	69.0	23.0	23.0	137.9	23.0
48	Herkimer County.....	1,526.8	2.3	6.8	2.3	11.3	11.3	22.7	115.5	2.3	13.6	4.5
49	Jefferson County.....	1,651.1	29.9	1.9	26.1	1.9	3.7	3.7	35.4	1.9	93.3	5.6	7.5	7.5
50	Lewis County.....	1,505.4	8.1	4.0	8.1	44.4	12.1	113.0	16.1	12.1
51	Livingston County.....	1,610.3	13.1	10.5	15.8	7.9	15.8	7.9	162.9	5.3	10.5	13.1
52	Madison County.....	1,578.4	12.7	2.5	7.6	5.1	10.2	2.5	43.3	73.8	2.5	15.3	12.7
53	Monroe County.....	1,292.3	13.8	1.5	10.7	12.2	13.8	18.4	4.6	68.8	9.2	10.7	12.2
54	Montgomery County.....	1,698.6	19.0	7.6	3.8	11.4	11.4	22.8	15.2	106.4	3.8	7.6	7.6
55	Nassau County.....	1,336.4	7.1	2.4	2.4	10.6	5.9	15.4	8.3	7.1	88.7	2.4	10.6	7.1
56	Niagara County.....	1,235.9	15.8	15.8	9.5	3.2	18.9	6.3	69.4	6.3	3.2	9.5
57	Oneida County.....	1,403.0	11.8	3.4	1.7	3.4	6.8	10.1	13.5	3.4	111.4	6.8	11.8	3.4
58	Onondaga County.....	1,478.9	25.3	1.6	7.9	4.8	17.4	23.8	6.3	102.9	1.6	14.3	7.9
59	Ontario County.....	1,519.3	15.1	2.5	5.0	7.5	5.0	25.1	2.5	57.8	25.1	5.0
60	Orange County.....	1,669.4	15.0	1.4	1.4	16.4	15.0	13.7	21.9	27.3	4.1	132.6	8.2	9.6	13.7
61	Orleans County.....	1,561.2	9.4	6.2	18.7	6.2	28.1	6.2	121.8	15.6	12.5	6.2
62	Oswego County.....	1,537.6	10.6	2.6	7.9	15.9	2.6	26.5	7.9	97.9	2.6	13.2	7.9
63	Otsego County.....	1,788.8	8.5	4.2	2.1	6.4	4.2	48.7	2.1	72.1	4.2	10.6	17.0
64	Putnam County.....	1,810.9	13.6	27.2	6.8	6.8	40.8	129.3	6.8	6.8	6.8
65	Rensselaer County.....	1,516.6	20.1	11.5	2.9	14.4	25.9	2.9	109.4	11.5	14.4	5.8
66	Rockland County.....	1,418.3	10.6	12.8	8.5	6.4	10.6	8.5	14.9	6.4	142.7	6.4	12.8
67	St. Lawrence County.....	1,455.0	17.8	31.5	1.4	9.6	6.9	37.0	2.7	76.8	9.6	5.5	2.7
68	Saratoga County.....	1,670.1	26.4	16.3	26.4	6.1	8.1	36.6	6.1	113.8	4.1	6.1	8.1
69	Schenectady County.....	1,166.5	19.3	19.3	6.4	83.8	12.9	12.9	6.4
70	Schoharie County.....	1,655.7	8.4	4.2	29.4	8.4	42.0	8.4	37.8	88.2	12.6	8.4
71	Schuyler County.....	1,532.8	7.2	7.2	14.3	64.5	7.2	64.5	7.2	7.2	14.3
72	Seneca County *.....	2,092.6	29.7	3.7	7.4	3.7	3.7	37.1	11.1	185.5	3.7	18.6	18.6
73	Steuben County.....	1,882.0	8.9	3.6	7.1	8.9	1.8	23.2	75.0	3.6	7.1	10.7
74	Suffolk County *.....	2,124.6	17.6	1.0	14.5	10.4	14.5	11.4	31.1	7.3	197.9	5.2	9.3	5.2
75	Sullivan County.....	1,980.9	26.6	20.7	5.9	8.9	35.5	3.0	568.5	3.0	17.8	3.0
76	Tioga County.....	1,544.4	7.8	3.9	3.9	3.9	46.9					

DEATH RATES FROM PRINCIPAL CAUSES.

127

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
72.6	15.6	12.7	104.9	138.1	21.7	126.4	15.3	91.1	6.0	7.3	13.3	109.0	3.5	6.8	64.2	79.8	13.0	251.8	21.8	1
74.3	15.8	12.2	105.9	139.1	21.0	123.2	15.3	89.9	6.1	7.2	13.4	107.3	3.4	7.0	62.1	80.6	13.6	248.4	20.6	2
30.8	8.4	25.2	81.1	114.7	39.2	204.2	16.8	120.3	2.8	8.4	11.2	151.0	5.6	2.8	114.7	58.7	-----	335.7	53.1	3
69.5	19.3	23.2	146.8	146.8	30.9	142.9	34.8	85.0	-----	7.7	7.7	131.3	7.7	-----	69.5	108.1	11.6	293.5	30.9	4
59.1	9.6	18.3	80.9	145.2	19.1	131.3	13.0	84.3	8.7	8.7	16.5	73.0	2.6	3.5	53.9	80.9	20.0	144.3	17.4	5
100.4	16.5	10.5	122.8	130.3	21.0	140.8	18.0	134.8	1.5	4.5	21.0	140.8	6.0	12.0	95.9	62.9	7.5	292.1	40.4	6
45.9	12.5	6.3	116.9	152.4	12.5	131.5	14.6	96.1	6.3	4.2	6.3	125.3	4.2	6.3	60.6	60.6	6.3	327.8	33.4	7
105.8	40.3	15.1	151.2	115.9	20.2	80.6	35.3	115.9	-----	15.1	15.1	95.7	-----	15.1	60.5	131.0	-----	246.9	40.3	8
87.5	14.0	21.0	126.0	175.0	10.5	91.0	28.0	66.5	14.0	10.5	10.5	91.0	3.5	10.5	70.0	56.0	7.0	269.5	10.5	9
59.0	23.6	14.2	101.5	132.2	23.6	148.7	18.9	61.4	-----	7.1	14.2	120.4	-----	11.8	54.3	37.8	11.8	252.6	4.7	10
93.4	-----	5.3	61.3	138.7	26.7	138.7	16.0	104.0	-----	-----	8.0	90.7	-----	2.7	69.3	58.7	2.7	232.1	8.0	11
68.5	17.1	26.9	73.3	117.4	24.4	166.2	19.6	112.5	17.1	12.2	19.6	122.2	9.8	7.3	80.7	110.0	29.3	432.7	22.0	12
116.1	14.9	14.9	172.7	172.7	8.9	83.4	17.9	56.6	6.0	17.9	-----	142.9	8.9	8.9	53.6	65.5	14.9	247.2	20.8	13
65.6	20.7	10.4	65.6	120.9	48.4	72.5	-----	58.7	17.3	-----	17.3	120.9	10.4	6.9	41.5	96.7	17.3	245.3	3.5	14
43.8	16.8	10.1	80.8	106.1	20.2	99.3	8.4	146.5	1.7	8.4	5.1	77.5	5.1	10.1	82.5	109.5	15.2	203.8	23.6	15
78.5	16.8	8.4	107.9	148.6	29.4	112.1	14.0	88.3	9.8	4.2	9.8	130.3	1.4	7.0	49.1	72.9	8.4	256.5	43.4	16
68.8	20.8	11.2	107.2	128.1	25.6	153.7	24.0	84.8	3.2	8.0	14.4	153.7	4.8	1.6	72.0	78.4	12.8	366.6	17.6	17
79.7	23.4	4.7	98.4	145.3	14.1	150.0	14.1	70.3	9.4	23.4	42.2	126.5	-----	-----	93.7	56.2	4.7	309.3	9.4	18
52.9	11.1	27.8	61.3	130.9	22.3	155.9	5.6	119.7	8.4	8.4	8.4	72.4	-----	8.4	44.5	55.7	13.9	147.6	13.9	19
48.1	11.1	-----	96.2	159.1	14.8	114.7	11.1	48.1	-----	14.8	7.4	88.8	7.4	7.4	59.2	77.7	18.5	277.5	22.2	20
82.2	5.1	-----	110.5	161.8	23.1	107.9	12.8	69.4	7.7	2.6	20.6	113.0	2.6	2.6	59.1	107.9	10.3	244.0	7.7	21
104.0	29.7	14.9	137.4	170.8	29.7	156.0	3.7	66.8	7.4	-----	26.0	66.8	-----	7.4	81.7	122.5	11.1	167.1	22.3	22
81.6	10.7	6.4	122.3	81.6	12.9	120.2	10.7	79.4	4.3	4.3	10.7	105.2	-----	10.7	49.4	68.7	19.3	191.0	12.9	23
64.7	20.4	17.0	153.2	163.4	20.4	112.3	13.6	88.5	-----	3.4	6.8	102.1	-----	6.8	54.5	102.1	13.6	279.1	34.0	24
91.3	18.9	12.3	128.0	210.7	25.1	131.9	15.7	62.9	6.1	12.7	13.3	109.1	4.5	7.5	63.4	97.8	17.3	318.1	13.6	25
91.7	19.1	12.2	128.4	211.1	25.1	130.9	15.6	62.6	6.1	12.6	13.4	109.4	4.4	7.5	63.3	96.9	17.4	318.4	13.5	26
56.9	7.1	17.8	96.1	177.9	28.5	209.9	17.8	89.0	3.6	21.3	3.6	81.8	10.7	7.1	64.0	170.8	3.6	295.3	24.9	27
104.2	8.9	8.9	116.1	223.2	23.8	119.0	20.8	56.5	-----	14.9	14.9	122.0	8.9	8.9	56.5	116.1	26.8	258.9	11.9	28
82.2	29.0	9.7	108.9	229.8	36.3	108.9	12.1	31.4	12.1	14.5	7.3	128.2	12.1	9.7	67.7	91.9	19.4	358.0	12.1	29
115.2	6.6	9.9	174.5	266.7	49.4	108.7	16.5	39.5	9.9	16.5	13.2	118.5	3.3	16.5	59.3	95.5	23.0	408.3	13.2	30
103.7	17.6	17.6	123.3	187.8	23.5	123.3	15.7	56.7	9.8	15.7	7.8	68.5	2.0	13.7	52.8	76.3	17.6	295.5	5.9	31
95.7	21.6	3.1	169.9	216.2	15.4	86.5	15.4	37.1	9.3	6.2	12.4	95.7	-----	6.2	58.7	64.9	30.9	302.7	12.4	32
100.6	22.9	12.4	95.3	250.6	33.5	111.2	10.6	65.3	-----	7.1	8.8	86.5	3.5	3.5	54.7	88.2	10.6	340.6	10.6	33
102.8	34.3	17.1	137.0	279.8	5.7	177.0	17.1	40.0	-----	-----	17.1	119.9	11.4	11.4	79.9	97.1	17.1	302.6	17.1	34
98.5	19.7	31.0	168.9	236.5	28.2	135.1	25.3	47.9	11.3	19.7	14.1	143.6	5.6	11.3	53.5	73.2	2.8	337.8	11.3	35
51.3	2.7	16.2	86.4	183.6	18.9	132.3	8.1	78.3	-----	10.8	10.8	45.9	-----	10.8	45.9	64.8	-----	283.5	5.4	36
102.4	18.6	6.2	148.9	176.9	15.5	139.6	18.6	59.0	-----	9.3	15.5	158.2	-----	3.1	59.0	152.0	15.5	316.5	24.8	37
101.5	50.8	5.6	158.0	253.8	39.5	191.8	22.6	28.2	-----	16.9	22.6	186.2	5.6	-----	50.8	79.0	22.6	344.1	5.6	38
105.4	11.0	13.2	109.8	228.4	28.6	149.3	24.2	39.5	11.0	22.0	17.6	90.0	6.6	13.2	52.7	92.2	28.6	294.3	19.8	39
92.0	26.8	11.7	157.3	269.4	25.1	220.9	21.8	65.3	5.0	6.7	8.4	145.6	1.7	8.4	72.0	113.8	11.7	483.6	15.1	40
81.6	16.5	12.1	86.0	197.3	22.0	155.4	9.9	16.5	4.4	11.0	19.8	78.3	4.4	5.5	75.0	103.6	7.7	264.5	11.0	41
71.6	23.9	20.9	71.6	206.0	26.9	140.3	17.9	77.6	9.0	-----	6.0	80.6	6.0	20.9	68.7	110.4	9.0	310.4	11.9	42
72.3	8.8	15.3	61.3	159.8	10.9	146.7	10.9	89.8	4.4	10.9	6.6	81.0	4.4	13.1	118.2	59.1	17.5	267.1	13.1	43
111.7	29.8	-----	74.5	156.4	29.8	111.7	14.9	37.2	7.4	7.4	14.9	163.8	-----	7.4	67.0	111.7	29.8	387.2	22.3	44
88.4	23.1	3.8	149.9	180.7	26.9	103.8	7.7	65.3	-----	3.8	3.8	92.2	-----	3.8	50.0	111.5	7.7	380.5	7.7	45
99.4	13.3	6.6	202.1	228.6	26.5	86.1	13.3	59.6	6.6	9.9	19.9	125.9	3.3	6.6	86.1	79.5	6.6	318.1	16.6	46
46.0	23.0	23.0	46.0	69.0	-----	46.0	-----	69.0	-----	23.0	-----	92.0	-----	46.0	92.0	114.9	-----	298.9	23.0	47
79.3	38.5	20.4	97.4	222.0	31.7	135.9	18.1	52.1	15.9	13.6	6.8	131.4	6.8	6.8	68.0	90.6	6.8	278.6	13.6	48
106.3	11.2	18.7	143.7	253.7	26.1	119.4	14.9	44.8	3.7	16.8	18.7	87.7	3.7	3.7	97.0	69.0	20.5	361.9	14.9	49
104.9	32.3	20.2	133.2	209.9	20.2	96.9	4.0	48.4	-----	12.1	16.1	117.0	-----	16.1	64.6	84.8	8.1	286.6	12.1	50
89.3	13.1	10.5	105.1	204.9	28.9	136.6	10.5	68.3	-----	7.9	7.9	81.4	10.5	5.3	60.4	99.8	18.4	365.1	23.6	51
101.8	17.8	5.1	188.4	274.9	20.4	96.7	25.5	63.6	2.5	20.4	17.8	43.3	5.1	2.5	61.1	101.8	15.3	320.8	5.1	52
79.5	12.2	4.6	87.2	174.3	35.2	73.4	6.1	119.3	1.5	15.3	13.8	73.4	4.6	4.6	68.8	85.6	21.4	227.9	7.6	53
91.2	38.0	7.6	110.2	224.2	30.4	148.2	34.2	41.8	3.8	3.8	11.4	114.0	3.8	7.6	53.2	144.4	38.0	330.6	45.6	54
73.3	11.8	13.0	88.7	121.8	14.2	115.9	15.4	113.5	10.6	20.1	17.7	100.5	9.5	8.3	84.0	118.3	16.6	192.8	22.5	55
85.1	12.6	6.3	100.9	176.6	28.4	85.1	12.6	28.4	3.2	18.9	-----	69.4	3.2	9.5	56.7	66.2	15.8	283.7	15.8	56
99.6	27.0	8.4	121.6	175.6	30.4	155.3	5.1	60.8	5.1	3.4	10.1	103.0	3.4	3.4	57.4	79.4	11.8	246.5	8.4	57
80.8	12.7	7.9	137.8	228.0	30.1	115.6	14.3	61.8	6.3	17.4	9.5	77.6	1.6	4.8	49.1	91.8	20.6	288.2	9.5	58
135.6	27.6	-----	188.3	188.3	27.6	97.9	20.1	50.2	10.0	10.0	15.1	120.5	-----	-----	70.3	87.9	22.6	291.3	10.0	59
80.7	30.1	32.8	108.9	205.1	24.6	124.4	17.8	77.9	9.6	9.6	16.4	99.8	1.4	9.6	99.8	143.6	20.5	268.0	13.7	60
109.3	9.4	8.1	134.3	206.1	15.6	143.6	12.5	59.3	-----	9.4	18.4	137.4	-----	3.1	65.6	74.9	25.0	293.5	9.4	61
95.3	10.6	13.2	172.0	246.1	23.8	82.0	13.													

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes. ¹	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tubercu-losis.	Rheu-ma-tism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
	RURAL PART OF REGISTRA-TION STATES ² —Continued.														
	NEW YORK—continued.														
1	Tompkins County.....	1,610.2	10.6				5.3	5.3	10.6	21.3		79.7	10.6	10.6	
2	Ulster County.....	1,488.0	19.7	4.5		3.0	1.5	7.6	30.3	25.7	3.0	128.7	3.0	6.1	
3	Warren County.....	1,260.8	23.6						5.9	29.5		117.8		5.9	
4	Washington County.....	1,658.9	14.6	2.1		6.3	6.3	12.6	2.1	41.8	2.1	113.0	4.2	14.6	
5	Wayne County.....	1,522.9	15.9	2.0		6.0	2.0	11.9	4.0	41.8	6.0	71.7	2.0	6.0	
6	Westchester County.....	1,580.2	9.0	3.4	1.1	4.5	15.8	11.3	13.6	14.7	4.5	185.5	9.0	7.9	
7	Wyoming County.....	1,463.6	31.3			12.5	3.1		6.3	18.8		47.0	3.1	6.3	
8	Yates County.....	1,504.2	26.9				5.4			21.5	10.7	80.6	5.4	10.7	
	NORTH CAROLINA. ³														
9	Total.....	1,733.5	58.9	36.8	2.4	29.2	1.4	20.7	22.2	25.0	4.2	229.6	4.2	13.7	
10	White.....	1,524.5	57.7	27.4	2.1	35.2	2.1	17.6	23.2	19.7	4.9	150.6	4.9	9.1	
11	Colored.....	2,153.1	61.5	55.7	2.9	17.2		27.2	20.0	35.7	2.9	390.2	2.9	22.9	
	OHIO.														
12	Total.....	1,277.8	30.2	1.1	0.3	14.8	4.3	11.6	9.0	23.5	3.9	113.2	5.0	13.7	
13	White.....	1,270.0	29.8	1.0	0.3	14.8	4.2	11.5	9.0	23.5	4.0	109.9	5.0	13.4	
14	Colored.....	1,724.1	51.1	4.4		15.6	6.7	15.6	8.9	24.4	2.2	299.9	6.7	33.3	
15	Adams County.....	1,076.0	16.2	12.1		8.1		24.3	4.0	36.4	4.0	153.7		24.3	
16	Allen County.....	1,187.0	38.3			19.1	3.8	15.3	11.5	19.1	3.8	134.0		7.7	
17	Ashland County.....	1,208.1	26.1	4.3		17.4	4.3	8.7	8.7	39.1	13.0	73.9	4.3	17.4	
18	Ashtabula County.....	1,451.0	41.1			24.2	12.1	21.8	2.4	29.0	2.4	87.1	2.4	12.1	
19	Athens County*.....	1,519.1	35.4			14.6	2.1	29.2	20.8	20.8	8.3	191.7	4.2	20.8	
20	Auglaize County.....	1,232.1	6.4			22.4	6.4	6.4	25.6	28.8	6.4	118.4	12.8	25.6	
21	Belmont County.....	1,392.4	31.1	1.6		10.9	4.7	7.8	24.9	32.7	3.1	123.0	3.1	7.8	
22	Brown County.....	1,300.4	36.3	4.0		12.1	4.0	4.0	4.0	40.4		234.2	12.1	12.1	
23	Butler County.....	1,353.2	22.9			4.6		9.2	4.6	36.7	4.6	55.0		18.3	
24	Carroll County.....	927.6	25.4					12.7	6.2	19.1		57.2		6.4	
25	Champaign County.....	1,332.3	19.0	3.8		7.6		3.8	19.0	26.6		155.6	3.8	19.0	
26	Clark County.....	1,126.8	10.2			10.2	5.1	15.4	5.1	35.9		66.6		10.2	
27	Clermont County.....	1,409.8	27.1						3.4	40.7	6.8	132.2	3.4	6.8	
28	Clinton County.....	1,145.0	12.7			16.9	4.2	25.3	8.4	42.2		143.6	4.2	8.4	
29	Columbiana County.....	1,292.4	26.6			23.1	14.2	17.8	1.8	33.7	1.8	99.4	7.1	10.7	
30	Coshocton County.....	1,300.7	39.8			16.6		6.6	6.6	26.5	6.6	109.5		3.3	
31	Crawford County.....	1,198.7	35.3			2.9		5.9	11.8	20.6	5.9	94.0	5.9	17.6	
32	Cuyahoga County.....	1,303.9	16.0		12.8	9.6	1.6	9.6	6.4	12.8	1.6	99.4	9.6	1.6	
33	Darke County.....	1,206.3	30.3	2.3		7.0		7.0	4.7	16.3	4.7	153.7	21.0	21.0	
34	Defiance County.....	1,193.8	45.0			20.4	36.8		8.2			114.5	4.1	20.4	
35	Delaware County.....	1,231.7	55.2			3.7		3.7	11.0	25.7		161.8		18.4	
36	Erle County.....	2,262.1	10.9			5.5		5.5		16.4	21.8	185.3		5.5	
37	Fairfield County.....	1,056.4	19.1			3.8	3.8	11.5	30.6	11.5	3.8	84.2	7.7	19.1	
38	Fayette County.....	1,195.7	46.0			13.8	9.2		9.2	27.6		110.4	4.6	27.6	
39	Franklin County.....	1,331.0	22.3			34.8	2.5	9.9	2.5	22.3	12.4	154.0	14.9	9.9	
40	Fulton County.....	1,077.8	16.7			16.7	8.4		4.2	16.7	4.2	100.3	4.2	16.7	
41	Gallia County.....	1,762.6	15.6			7.8	3.9	15.6	11.7	27.2		167.3	7.8	15.6	
42	Geauga County.....	1,295.2	13.6			40.9	6.8	34.1		27.3	13.6	47.7		13.6	
43	Greene County.....	1,380.8	16.8			10.1			3.4	26.9	3.4	148.2		16.8	
44	Guernsey County.....	1,187.4	22.2			31.7	3.2	9.5	9.5	22.2	6.3	101.6	3.2	12.7	
45	Hamilton County.....	1,174.5	32.0	3.7		7.4	4.9	9.8	3.7	27.1		128.0	6.2	8.6	
46	Hancock County.....	992.5	13.1			17.4	4.4	8.7	8.7	26.1		104.5	4.4	8.7	
47	Hardin County.....	1,345.8	42.8			13.2	6.6	9.9	6.6	36.2	6.6	138.2	13.2	19.7	
48	Harrison County.....	1,333.5	31.5			21.0		5.3		21.0	5.3	110.3	5.3	5.3	
49	Henry County.....	1,152.6	31.9	4.0		16.0		4.0		27.9	8.0	87.7	12.0	8.0	
50	Highland County.....	1,405.9	41.9	3.5						41.9	3.5	118.6	7.0	14.0	
51	Hocking County.....	1,353.9	29.6			55.0		12.7	42.3	16.9	4.2	114.2		12.7	
52	Holmes County.....	1,264.3	22.4						16.8			67.1	5.6	22.4	
53	Huron County.....	1,328.7	14.6			2.9			8.8	17.5	2.9	75.9	2.9	26.3	
54	Jackson County.....	1,406.3	52.1	9.8		63.4	6.5	32.6	26.0	29.3	3.3	133.5	3.3	19.5	
55	Jefferson County.....	1,281.5	48.5			20.8	20.8	20.8	6.9	16.2		80.8	2.3	4.6	
56	Knox County.....	1,419.1	23.2			6.6		9.9	6.6	26.5	6.6	109.2	3.3	26.5	
57	Lake County.....	1,481.3	39.2			4.4	17.4	17.4	26.1	30.5	8.7	104.6	4.4	13.1	
58	Lawrence County.....	1,242.7	38.0			19.0	3.8	19.0	7.6	15.2	3.8	159.6		19.0	
59	Licking County.....	1,293.5	16.5	3.3		6.6		16.5		52.9	6.6	109.2	6.6	3.3	
60	Logan County.....	1,183.6	19.9			3.3		13.3	3.3	16.6		89.8	6.6	29.9	
61	Lorain County.....	1,176.8	9.3			3.1		6.2	3.1	24.7	9.3	89.6	6.2	18.5	
62	Lucas County.....	1,190.1	37.1			37.1	8.2	8.2	4.1	4.1		82.4	12.4	12.4	
63	Madison County.....	1,116.3	30.2	5.0		10.1	10.1	5.0	25.1	10.1		115.6		5.0	
64	Mahoning County.....	1,420.4	34.8			29.4	2.7	13.7	18.7	16.0	8.0	80.2		5.3	
65	Marion County.....	1,094.4	38.2			6.4	12.7	31.8		44.5		95.4		44.5	
66	Medina County.....	1,151.0	16.9			12.7			4.2	8.5	8.5	63.5		21.2	
67	Meigs County.....	1,327.8	31.3			3.9		7.8	11.8	19.6	3.9	148.3		11.8	
68	Mercer County.....	1,235.2	14.5					3.6	29.1	21.8	7.3	116.3	3.6	29.1	
69	Miami County.....	1,196.6	18.9					6.3	9.5	12.6		91.6	12.6	6.3	
70	Monroe County.....	1,083.7	28.9			8.3			4.1	28.9	4.1	148.9	8.3	12.4	
71	Montgomery County.....	1,586.2	16.8					2.1	8.4	2.1	8.4	124.0	2.1	8.4	
72	Morgan County.....	1,282.8	18.7	12.5		6.2		13.7	12.5	49.8		105.9		6.2	
73	Morrow County.....	1,131.4	35.7			6.0				17.9		65.5	6.0	17.9	
74	Muskingum County.....	1,262.9	33.9			6.8			64.5	3.4		115.4	6.8	20.4	

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic dis- eases of the heart.	Bronchitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	App- endicitis.	Her- nia, intes- tinal ob- struction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Il- de- fined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
170.0	5.3	5.3	159.4	292.3	10.6	106.3	37.2	21.3	5.3	31.9	5.3	95.7	15.9	5.3	42.5	132.9	15.9	281.6	5.3	1
75.7	12.1	19.7	115.0	189.2	24.2	139.3	25.7	40.9	7.6	15.1	9.1	110.5	3.0	6.1	57.5	134.7	13.6	233.1	15.1	2
82.5	17.7	5.9	94.3	147.3	11.8	88.4	5.9	5.9		11.8	17.7	147.3	11.8	5.9	41.2	70.7	17.7	288.7	5.9	3
79.5	10.5	10.5	150.6	215.5	33.5	154.8	14.6	64.9	4.2	12.6	14.6	148.5	6.3	12.6	54.4	110.9	14.6	305.4	12.6	4
75.6	19.9	19.9	155.3	219.0	19.9	113.5	11.9	55.7	6.0	15.9	25.9	97.5	4.0	4.0	63.7	85.6	11.9	328.5	17.9	5
114.2	20.4	9.0	104.1	160.6	20.4	160.6	12.4	100.7	13.6	12.4	9.0	118.8	4.5	7.9	69.0	136.9	14.7	198.0	14.7	6
78.4	28.2	3.1	153.6	288.3	28.2	90.9	15.7	62.7	9.4	12.5	18.8	59.5	3.1	6.3	56.4	56.4	25.1	325.9	6.3	7
75.2	21.5	5.4	139.7	263.2	53.7	118.2	5.4	37.6		10.7	10.7	102.1	5.4	5.4	43.0	69.8	21.5	333.1	16.1	8
36.8	7.1	22.2	57.0	109.8	21.7	149.4	14.6	141.4	11.3	9.4	9.4	86.3	9.0	25.0	62.7	62.2	5.2	326.7	110.8	9
44.3	9.1	24.6	55.6	91.5	16.9	132.3	9.8	133.7	15.5	9.1	8.4	79.5	4.9	23.9	67.5	52.1	7.7	305.3	72.5	10
21.4	2.9	17.2	60.0	147.2	31.4	184.4	24.3	157.2	2.9	10.0	11.4	100.0	17.2	27.2	52.9	82.9		370.2	188.7	11
73.4	13.1	14.0	81.7	146.5	16.3	95.3	12.8	60.2	6.3	10.2	10.8	69.7	7.2	6.2	60.6	80.0	11.4	249.3	14.5	12
73.5	13.3	14.0	81.5	146.1	16.3	94.4	12.9	60.0	6.4	10.1	10.8	68.7	7.3	6.2	60.6	80.1	11.5	248.4	14.2	13
71.1	2.2	15.6	93.3	166.6	15.6	146.6	8.9	73.3	4.4	17.8	11.1	124.4	4.4	4.4	64.4	77.8	8.9	297.7	31.1	14
60.7	20.2	16.2	40.4	145.6	4.0	68.8	16.2	52.6	4.0	16.2	4.0	40.4		16.2	32.4	32.4	12.1	198.2	8.1	15
84.2	7.7	19.1	38.3	99.6	11.5	88.1	23.0	45.9	15.3	7.7	26.8	76.6	7.7	7.7	45.9	80.4	3.8	225.9	19.1	16
60.8	17.4	17.4	78.2	204.2	21.7	99.9	13.0	17.4	4.3	8.7	8.7	47.8	8.7	4.3	39.1	91.3	13.0	226.0	4.3	17
96.7	21.8	9.7	120.9	181.4	21.8	104.0	9.7	60.5	7.3	7.3	7.3	32.2	4.8	9.7	65.3	99.2	7.3	278.1	7.3	18
50.0	22.9	22.9	43.8	158.4	8.3	108.4	12.5	97.9	2.1	4.2	6.3	79.2	10.4	8.3	89.6	127.1	12.5	285.4	14.6	19
60.8	25.6	16.0	86.4	70.4	19.2	73.6	25.6	64.0	6.4	19.2	19.2	48.0	3.2	3.2	83.2	64.0	19.2	240.0	16.0	20
59.2	6.2	12.5	71.6	121.5	10.9	169.8	15.6	127.7	6.2	6.2	7.8	60.7	4.7	4.7	62.3	137.1	9.3	214.9	26.5	21
80.8		12.1	80.8	189.8	12.1	52.5	4.0	40.4				52.5	8.1	12.1	88.8	80.8	16.2	185.8	16.2	22
73.4	9.2	27.5	91.7	169.7	32.1	78.0	13.8	82.6		9.2	13.8	105.5	4.6	4.6	41.3	68.8	13.8	248.1	100.9	23
63.5	6.4		120.7	95.3		101.7	12.7	25.4		6.4	12.7	38.1		6.4	44.5	69.9		190.6		24
113.9	19.0	7.6	56.9	155.6	11.4	60.7	3.8	22.8	11.4	22.8	7.6	106.3	11.4	3.8	56.9	79.7	11.4	288.5	15.2	25
87.1	25.6	15.4	97.3	128.0	15.4	76.8	35.9	41.0	10.2	5.1	20.5	41.0			41.0	35.9	25.6	256.1	8.8	26
67.8	13.6	3.4	88.1	250.8	20.3	67.8	16.9	81.3	3.4	16.9	13.6	77.9	6.8		44.1	71.2	3.8	285.1	6.8	27
71.8	16.9	16.9	71.8	147.9	8.4	50.7	12.7	12.7	16.9	8.4	4.2	63.4	8.4		46.5	29.6	12.7	231.9	8.4	28
81.7	8.9	28.4	67.5	138.5	24.9	101.2	14.2	65.7		8.9	12.4	53.3	17.8	10.7	69.2	88.8	16.0	230.8	12.4	29
89.6	19.9	13.3	89.6	149.3	13.3	106.2	6.6	76.3	13.3		13.3	79.6	6.6	6.6	56.4	63.0	3.3	262.1	6.6	30
76.4	8.8	17.6	114.6	94.0	11.8	76.4	8.8	29.4	2.9	20.6	5.9	117.5	2.9	5.9	41.1	94.0	17.6	246.8	5.9	31
62.5	12.8	6.4	86.6	173.2	25.7	110.7	17.6	83.4	8.0	9.6	6.4	99.4	1.6	3.2	49.7	102.6	4.7	221.3	4.8	32
65.2	2.3	9.3	81.5	128.1	14.0	79.2	18.6	37.3	2.3	16.3	11.6	65.2	4.7	4.7	58.2	44.2	4.7	265.5	14.0	33
85.9	12.3	20.4	53.2	122.7	20.4	85.9	8.2	36.8	8.2	28.6		49.1	8.2	12.3	69.5	73.6	4.1	220.8	24.5	34
95.6	18.4	14.7	99.3	136.0	14.7	66.2	33.1	36.8	14.7	3.7	11.0	36.8	11.0	3.7	69.9	51.5	11.0	216.9	7.4	35
119.9	38.2		228.9	447.0		54.5	27.3	43.6	10.9	21.8	27.3	152.6			70.9	228.9	32.7	490.6	16.4	36
84.2		30.6	65.1	134.0	11.5	57.4	11.5	30.6	19.1	3.8	15.3	37.4		11.5	53.6	42.1	3.8	206.7	11.5	37
64.4	18.4	13.8	46.0	151.8	4.6	64.4	4.6	59.8	9.2	4.6	4.6	64.4	9.2	9.2	50.6	59.8	9.2	275.9	18.4	38
77.0	7.4	17.4	94.4	151.5	14.9	94.4	19.9	57.1		2.5	7.4	67.0	7.4		47.2	116.7	19.9	233.4	7.4	39
58.5	20.9	20.9	112.8	108.6	16.7	66.8	8.4	37.6	8.4	16.7	16.7	54.3	4.2	8.4	58.5	58.5	4.2	183.8	16.7	40
62.3	3.9	35.0	112.8	159.5	7.8	208.2	7.8	85.6	11.7	11.7	7.8	54.5	15.6	7.8	35.0	54.5	7.8	537.5	7.8	41
75.0	20.5	6.8	88.6	245.4	27.3	156.8		20.5	20.5	6.8	20.5	34.1		6.8	40.9	47.7	6.8	212.7	15.6	42
84.2	10.1	13.5	84.2	205.4	30.3	104.4	13.5	60.6	10.1	10.1	3.4	77.5		10.1	70.7	33.7	6.7	239.6	30.3	43
76.2	3.2	15.9	57.1	107.9	6.3	95.2	12.7	114.3	3.2	3.2	3.2	57.1	9.5	3.2	79.4	85.7	6.3	208.2	9.5	44
71.4	11.1	19.7	46.8	120.6	41.9	94.8	6.2	51.7	2.5	7.4	14.8	78.8	9.8	8.6	48.0	64.0	7.4	211.7	18.5	45
43.5	13.1	8.7	43.5	108.8	4.4	65.3	4.4	34.8	8.7	8.7	21.8	52.2	4.4	8.7	78.4	30.5	26.1	222.0	4.4	46
69.1	23.0	16.5	82.3	111.9	6.6	62.5	19.7	92.1	6.6	3.3	6.6	82.3	16.5	16.5	46.1	131.6	6.6	230.3	16.5	47
99.8	10.5	21.0	105.0	120.8	10.5	136.5	21.0	42.0	5.3	10.5	10.5	94.5		10.5	73.5	63.0		278.0	21.0	48
103.7	8.0	23.9	95.7	115.7	19.9	67.8	23.9	27.9	4.0	8.0	19.9	63.8	8.0		35.9	63.8	12.0	223.3	12.0	49
73.3	14.0	10.5	118.6	191.9	14.0	115.1	7.0	34.9	3.5	27.9	17.4	76.8	3.5	7.0	55.8	76.8	14.0	268.6	27.9	50
71.9	16.9	21.2	63.5	122.7	16.9	105.8	8.5	143.9	16.9	4.2	12.7	76.2	4.2		76.2	63.5	8.5	211.6	21.2	51
67.1	16.8	16.8	78.3	156.6	16.8	106.3	5.6	28.0	5.6	16.8	5.6	67.1	11.2	5.6	67.1	78.3	22.4	324.5	22.4	52
102.2	17.5	2.9	116.8	181.0	23.4	81.8	5.8	43.8	8.8	8.8	20.4	52.6	8.8		46.7	99.3	8.8	318.3	8.8	53
87.9	9.8	9.8	42.3	130.2	26.0	81.4	13.0	94.4		9.8	9.8	58.6	6.5		97.7	113.9	3.3	182.3	29.3	54
34.6	4.6	4.6	46.2	71.6	27.7	140.8	4.6	157.0	4.6	4.6	4.6	43.9	13.9	4.6	90.1	196.3	9.2	170.9	16.2	55
135.6	23.2	13.2	132.3	178.6	13.2	115.8	3.3	59.5	19.8	3.3	3.3	56.2	9.9		43.0	49.6	13.2	301.0	6.6	56
95.8	13.1	21.8	69.7	169.9	26.1	165.5	13.1	47.9	8.7	17.4	4.4	69.7	8.7	8.7	43.6	130.7	4.4	278.8	17.4	57
22.8	19.0	19.0	45.6	95.0	22.8	174.8	19.0	72.2	11.4	11.4		79.8	3.8	7.6	83.6	57.0	7.6	171.0	30.4	58
79.4	6.6	26.5	129.0	178.6	13.2	76.1	3.3	36.4	3.3	3.3	3.3	69.5	13.2	19.8	62.9	66.2	19.8	248.1	6.6	59
103.1	16.6	6.6	73.1	182.9	6.6	66.5	10.0	26.6	16.6	3.3	3.3	89.8		3.3	46.5	56.5	6.6	266.0	10.0	60
98.8	15.4	12.4	71.0	169.9	18.5	98.8	12.4	40.2	9.3	6.2	9.3	55.6	3.1	6.2	30.9	80.3	21.6	240.9	6.2	61
57.7	8.2	8.2	65.9	123.5	16.5	74.1	16.5	49.4	8.2	24.7	20.6	70.0	12.4	4.1	65.9	94.7	12.4	238.8	16.5	62
80.5	10.1	25.1	55.3	110.6	10.1	80.4														

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ² —Continued.														
OHIO—continued.														
1 Noble County.....	1,259.2	43.1			5.4		5.4	5.4	5.4		113.0		26.9	
2 Ottawa County.....	1,252.1	8.9			4.5	4.5	4.5	4.5	4.5	4.5	102.8		4.5	4.5
3 Paulding County.....	1,100.4	53.0	4.4		17.7		26.5	8.8	17.7		119.3	8.8	22.1	8.8
4 Perry County.....	1,127.7	28.2	2.8		19.7	2.8	39.5	14.1	19.7		98.7		11.3	2.8
5 Pickaway County.....	1,377.2	26.8			34.4	7.7		11.5	34.4	7.7	114.8	11.5	11.5	7.7
6 Pike County.....	1,352.7	19.1			83.0	6.4	6.4	25.5	25.5	6.4	159.5			
7 Portage County.....	1,516.7	42.9			23.1		23.1	13.2	13.2	6.6	98.9	3.3	3.3	3.3
8 Preble County.....	1,162.1	21.0				4.2	12.6	4.2	8.4		88.1	8.4	21.0	8.4
9 Putnam County.....	1,163.1	53.5			20.1	3.3	16.7	16.7	33.4	3.3	107.0	6.7	13.4	10.0
10 Richland County.....	1,182.0	33.5			3.7		3.7		14.9	7.4	107.8	11.2	14.9	3.7
11 Ross County.....	1,372.0	31.4			11.8	3.9	7.8	19.6	23.5	3.9	152.9		31.4	3.9
12 Sandusky County.....	1,074.2	34.1			5.7		11.4		22.7	2.8	78.7	11.4	8.5	5.7
13 Scioto County.....	1,446.8	52.0	8.0		99.9		24.0	24.0	23.0		191.8	12.0	24.0	8.0
14 Seneca County.....	1,179.0	13.1			13.1		6.6	3.3	13.1		140.8		13.1	6.6
15 Shelby County.....	1,165.6	32.4	4.1			4.1		4.1	20.3		117.6		8.1	4.1
16 Stark County*.....	1,466.0	18.2			4.6	6.8	6.8	9.1	20.5	11.4	104.7	2.3	13.7	4.6
17 Summit County.....	1,335.8	22.8	5.1		30.5	5.1	5.1	2.5	10.2	7.6	111.7	2.5	5.1	25.4
18 Trumbull County.....	1,415.0	67.0			38.3	7.2	16.8	16.8	47.9	2.4	62.2	7.2	9.6	9.6
19 Tuscarawas County.....	1,049.0	49.0			10.5	12.3	15.8	3.5	12.3	3.5	56.0	3.5	5.3	3.5
20 Union County.....	1,326.5	27.4			9.1				27.4	9.1	118.9		18.3	4.6
21 Van Wert County.....	1,154.9	37.8		3.4	10.3		10.3		6.9		116.9	3.4	10.3	
22 Vinton County.....	1,425.4	69.0						7.7	30.7		130.3	30.7	30.7	
23 Warren County.....	1,311.5	24.5			20.4			12.3	20.4	4.1	102.1		24.5	16.3
24 Washington County.....	1,195.7	46.2			12.3		15.4	15.4	18.5		126.4		12.3	12.3
25 Wayne County.....	1,250.6	23.6			2.6	2.6	5.3	7.9	23.6	7.9	102.5	7.9	15.8	10.5
26 Williams County.....	1,154.6	31.7			4.0	4.0	7.9	4.0	15.9		95.2	4.0	19.8	7.9
27 Wood County.....	1,211.6	41.1			19.5	13.0	6.5	2.2	17.3	2.2	93.0	4.3	17.3	10.8
28 Wyandot County.....	1,108.3	38.5	4.8		9.6	4.8			14.5	4.8	130.1		14.5	
PENNSYLVANIA.														
29 Total.....	1,437.5	24.2	0.7	0.1	16.3	13.6	13.2	27.5	18.5	4.1	96.0	3.4	9.5	7.6
30 White.....	1,429.7	24.1	0.7	0.1	16.5	13.7	13.0	27.7	18.4	4.1	92.2	3.3	9.1	7.6
31 Colored.....	2,036.4	31.0			1.9	5.8	27.1	7.7	23.2	1.9	391.0	9.7	42.6	9.7
32 Adams County.....	1,247.2	11.7			2.9		14.6	17.5	2.9	2.9	96.2	5.8	20.4	5.8
33 Allegheny County.....	1,605.7	27.1	0.6		42.1	20.9	17.3	27.4	12.5	2.7	152.4	2.1	13.4	8.1
34 Armstrong County.....	1,340.1	22.0			17.6	13.2	20.5	27.9	24.9	4.4	85.0	7.3	10.3	13.2
35 Beaver County.....	1,435.9	39.1			16.5	6.0	22.5	19.5	19.5	1.5	79.6	4.5	9.0	6.0
36 Bedford County.....	1,090.9	41.2			5.1		25.7	25.7	18.0		72.0	5.1	2.6	7.7
37 Berks County *.....	1,452.6	26.3			4.6	9.2	6.9	30.9	32.1	8.0	77.9	1.1	10.3	12.6
38 Blair County.....	1,255.4	17.5			12.3		26.3	28.1	10.5	1.8	63.1	1.8	10.5	7.0
39 Bradford County.....	1,548.9	27.6	3.7			3.7	9.2	12.9	33.1	3.7	80.8	1.8	11.0	7.3
40 Bucks County.....	1,381.7	18.3	1.3		5.2	11.7	11.7	17.0	30.0	2.6	100.5	5.2	7.8	3.9
41 Butler County.....	1,232.6	19.2			3.8	11.5	13.4	11.5	11.5	3.8	94.1		5.8	11.5
42 Cambria County.....	1,373.4	25.1			16.1	17.9	24.2	25.1	9.9	5.4	70.8	3.6	12.6	7.2
43 Cameron County.....	1,175.5				52.2		26.1		39.2		52.2		13.1	
44 Carbon County.....	1,616.3	9.4			9.4	17.0	7.5	39.6	22.6	7.5	98.1	1.9	9.4	5.7
45 Center County.....	1,323.8	23.0			9.2	2.3	11.5	6.9	43.7		66.8		9.2	6.9
46 Chester County.....	1,508.3	25.1			6.6	4.0	11.9	18.5	30.4	5.3	109.6	5.3	18.5	5.3
47 Clarion County.....	1,234.8	13.6			8.2	8.2	5.5	2.7	2.7		73.6	10.9	5.5	8.2
48 Clearfield County.....	1,282.1	25.8			39.3	2.5	25.8	8.6	19.7	2.5	56.5	2.5	2.5	7.4
49 Clinton County.....	1,297.7	19.0	3.2				19.0		6.3	9.5	98.1	6.3	9.5	9.5
50 Columbia County.....	1,265.3	28.8	2.1		10.3	4.1	12.3	14.4	24.7	4.1	61.7		2.1	8.2
51 Crawford County.....	1,517.1	28.7	2.1		6.2	6.2	4.1	2.1	30.8	2.1	71.9		10.3	8.2
52 Cumberland County.....	1,285.9	15.8			2.3		9.0	24.9	18.1		126.6	2.3	4.5	18.1
53 Dauphin County *.....	1,672.3	13.8	1.7		34.6	93.3	3.5	62.2	15.5	5.2	179.7	1.7	15.5	10.4
54 Delaware County.....	1,361.6	16.3			3.8	5.0	15.0	28.8	21.3	3.8	127.9	2.5	13.8	6.3
55 Elk County.....	1,146.6	41.7			16.7	22.3	19.5	16.7	33.4	2.8	55.7		13.9	2.8
56 Erie County.....	1,422.7	18.3	2.0		6.1	8.2	4.1	6.1	36.7	2.0	89.7	4.1	10.2	
57 Fayette County.....	1,531.8	37.3	0.7		23.9	14.1	17.6	33.0	9.8	4.9	75.2	3.5	14.8	4.9
58 Forest County.....	904.1				10.6		42.5	10.6	31.9		31.9			10.6
59 Franklin County.....	1,604.2	35.4				4.2	4.2	20.8	12.5	2.1	391.2	14.6	12.5	10.4
60 Fulton County.....	1,299.1	72.2	10.3				10.3	20.6	61.9	30.9	92.8		20.6	20.6
61 Greene County.....	1,315.1	27.7		3.5	13.8	3.5	6.9	13.8	20.8	6.9	138.4	3.5	10.4	10.4
62 Huntingdon County.....	1,175.1	20.8				2.6	18.2	2.6	28.7	5.2	88.6	5.2	2.6	5.2
63 Indiana County.....	1,371.6	22.5			45.0	7.5	6.0	18.0	6.0	3.0	57.0	4.5	6.0	10.5
64 Jefferson County.....	1,348.7	39.6			53.3	3.2	36.4	12.7	17.4	3.2	49.1	7.9	14.2	9.5
65 Juniata County.....	1,240.7	6.7					13.3	40.0	28.7		86.7		20.0	13.3
66 Lackawanna County.....	1,655.8	3.6	1.2		11.9	36.8	11.9	41.5	11.9	1.2	86.6	5.9	9.5	5.9
67 Lancaster County.....	1,383.6	19.4			2.8	6.5	1.8	13.8	21.2	5.5	107.9	4.6	7.4	12.9
68 Lawrence County.....	1,305.0	14.8			20.7	11.8	3.0	26.6	11.8	5.9	62.0	3.0	11.8	5.9
69 Lebanon County.....	1,410.5	42.1	2.5		2.5	7.4	9.9	32.2	17.3	4.9	99.0	4.9	7.4	7.4
70 Lehigh County.....	1,653.6	19.2			17.6	8.0	4.8	35.1	11.2	4.8	132.5	3.2	8.0	12.8
71 Luzerne County.....	1,537.5	9.5	1.0	0.5	6.0	11.0	20.0	78.1	10.0	6.5	85.7	3.0	5.0	9.5
72 Lycoming County.....	1,134.8	20.4			12.2	6.1	6.1	12.2	20.4	4.1	67.4		4.1	10.2
73 McKean County.....	1,244.7	39.1			12.0	15.0	6.0	12.0	24.1	15.0	72.2	3.0	6.0	6.0
74 Mercer County.....	1,443.6	22.8	1.9		38.0	9.5	19.0	22.8	17.1		89.4		15.2	5.7
75 Mifflin County.....	1,337.8	10.8			14.3	3.6	25.1	10.8	14.3		132.7	7.2	25.1	3.6
76 Monroe County.....	1,484.0	4.4			30.5			8.7	34.8	4.4	95.7		4.4	8.7

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

131

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and en- teritis (under 2 years).	Ap- pend- icitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- de- fined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38	
86.1	16.1	10.8	75.3	177.6	21.5	139.9	16.1	64.6	5.4	5.4	-----	48.4	10.8	16.1	70.0	59.2	10.8	199.1	21.5	1
85.0	13.4	13.4	62.6	129.7	22.4	80.5	17.9	67.1	8.9	4.5	31.3	85.0	17.9	4.5	76.0	120.7	8.9	214.6	-----	2
57.4	4.4	13.3	39.8	97.2	17.7	92.8	4.4	53.0	8.8	4.4	13.3	75.1	4.4	3.8	66.3	44.2	-----	17.7	-----	3
62.0	8.5	14.1	62.0	104.3	19.7	107.1	11.3	59.2	2.8	8.5	8.5	45.1	2.8	8.5	93.0	87.4	16.9	152.2	5.6	4
49.7	3.8	19.1	114.8	99.5	19.1	133.9	7.7	61.2	7.7	3.8	3.8	72.7	15.3	7.7	103.3	76.5	-----	286.9	19.1	5
38.3	-----	6.4	89.3	197.8	12.8	82.9	19.1	25.5	-----	-----	19.1	31.9	-----	-----	63.8	108.5	12.8	280.8	31.9	6
118.7	19.8	9.9	69.2	204.4	39.6	72.5	6.6	65.9	9.9	16.5	13.2	82.4	3.3	3.3	46.2	122.0	19.8	336.3	26.4	7
67.1	4.2	16.8	96.5	142.6	8.4	96.5	12.6	16.8	21.0	-----	21.0	79.7	21.0	-----	58.7	37.8	16.8	247.5	21.0	8
56.8	13.4	26.7	63.5	66.8	3.3	70.2	16.7	70.2	3.3	16.7	23.4	73.5	3.3	10.0	73.5	73.5	6.7	200.5	6.7	9
48.3	7.4	14.9	111.5	122.7	3.7	66.9	14.9	18.6	7.4	3.7	11.2	78.1	14.9	7.4	70.6	85.5	3.7	287.6	22.3	10
70.6	11.8	7.8	58.8	141.1	11.8	156.8	11.8	66.6	-----	11.8	19.6	66.6	11.8	23.5	66.6	98.0	-----	231.3	15.7	11
79.6	5.7	2.8	90.9	127.9	11.4	65.4	11.4	39.8	8.5	8.5	2.8	65.4	2.8	2.8	48.3	56.8	11.4	233.0	19.9	12
48.0	4.0	16.0	36.0	135.9	8.0	107.9	-----	87.9	-----	16.0	12.0	63.9	8.0	-----	103.9	63.9	8.0	235.8	20.0	13
78.6	19.7	13.1	78.6	153.9	22.9	78.6	9.8	55.7	3.3	16.4	9.8	85.2	6.6	3.3	39.3	85.2	13.1	183.4	13.1	14
68.9	48.7	8.1	85.1	133.8	20.3	68.9	24.3	73.0	8.1	12.2	-----	89.2	8.1	4.1	48.7	44.6	8.1	202.7	4.1	15
75.1	18.2	6.8	127.5	220.8	13.7	84.2	20.5	36.4	2.3	13.7	15.9	50.1	13.7	4.6	56.9	75.1	9.1	398.4	20.5	16
63.5	2.5	22.8	91.4	134.5	17.8	101.5	10.2	104.1	7.6	15.2	12.7	76.1	12.7	2.5	63.5	104.1	17.8	281.7	10.2	17
59.9	12.0	14.4	86.2	141.3	23.9	155.6	4.8	76.6	2.4	9.6	9.6	47.9	4.8	19.2	67.0	95.8	14.4	256.2	23.9	18
68.3	14.0	5.3	77.1	143.6	14.0	45.5	15.8	50.8	1.8	10.5	7.0	68.3	8.8	3.5	57.8	64.8	8.8	199.6	8.8	19
114.4	22.9	13.7	109.8	132.7	4.6	132.7	9.1	50.3	9.1	13.7	9.1	59.5	4.6	4.6	77.8	45.7	13.7	279.0	4.6	20
65.3	17.2	20.6	85.9	127.2	13.7	72.2	13.7	72.2	3.4	20.6	10.3	72.2	-----	13.7	68.7	41.2	10.3	226.9	-----	21
23.0	23.0	7.7	53.6	153.3	-----	84.3	23.0	84.3	-----	23.0	-----	61.3	-----	7.7	115.0	76.6	7.7	344.9	38.3	22
81.7	20.4	8.2	89.9	151.2	16.3	85.8	12.3	49.0	4.1	8.2	16.3	89.9	4.1	8.2	32.7	114.4	24.5	237.4	12.3	23
61.6	6.2	15.4	67.8	144.8	12.3	89.4	15.4	49.3	6.2	3.1	3.1	46.2	9.2	9.2	46.2	64.7	15.4	233.9	12.3	24
65.7	2.6	7.9	113.0	141.9	21.0	70.9	7.9	26.3	13.1	7.9	7.9	76.2	10.5	5.3	68.3	118.2	10.5	249.6	15.8	25
59.5	19.8	7.9	79.4	166.6	15.9	71.4	7.9	43.6	7.9	7.9	15.9	39.7	11.9	11.9	59.5	55.5	19.8	233.9	4.0	26
77.9	26.0	15.1	75.7	127.7	17.3	77.9	13.0	51.9	3.7	19.5	13.0	69.2	4.3	4.3	60.6	80.1	15.1	213.5	8.7	27
86.7	9.6	24.1	96.4	106.0	9.6	33.7	19.3	38.5	4.8	9.6	24.1	23.9	4.8	4.8	48.2	53.0	19.3	260.2	4.8	28
59.1	10.4	11.4	82.1	117.8	21.6	142.0	20.5	132.4	4.6	9.1	9.9	68.8	6.7	9.5	87.3	103.1	8.9	254.6	43.1	29
59.3	10.5	11.3	82.2	117.0	21.4	141.0	20.3	132.6	4.6	9.1	10.0	68.3	6.8	9.4	87.1	103.2	8.9	233.8	42.7	30
44.5	1.9	23.2	73.6	176.2	38.7	224.5	34.8	120.0	5.8	7.7	5.8	102.6	1.9	19.4	108.4	94.9	7.7	317.5	75.5	31
72.9	11.7	8.7	151.5	142.8	11.7	90.3	23.3	55.4	5.8	2.9	2.9	102.0	8.7	8.7	58.3	46.6	8.7	221.5	32.1	32
48.9	7.2	17.3	53.7	105.3	32.8	215.9	20.6	173.9	4.5	6.0	13.7	52.5	8.6	7.2	91.9	108.6	12.2	270.5	28.0	33
44.0	8.8	19.1	57.2	95.3	13.2	137.8	10.3	111.4	2.9	8.8	5.9	60.1	5.9	11.7	77.7	120.2	13.2	250.7	39.6	34
49.6	3.0	15.0	60.1	93.1	15.0	187.7	22.5	121.7	10.5	10.5	7.5	34.5	4.5	9.0	34.6	136.7	13.5	286.9	36.0	35
61.7	7.7	2.6	72.0	102.9	7.7	92.6	12.9	48.9	2.6	-----	5.1	66.9	2.6	10.3	64.3	48.9	5.1	244.4	28.3	36
72.2	19.5	9.2	123.7	116.9	22.9	123.7	17.2	82.5	1.1	6.9	16.0	76.8	6.9	6.9	71.0	57.3	19.5	313.9	68.7	37
47.3	14.0	14.0	89.4	94.7	19.3	122.7	28.1	101.7	3.5	5.3	7.0	92.9	7.0	12.3	92.9	54.4	7.0	229.7	33.3	38
112.1	18.4	5.5	139.6	237.0	20.2	117.6	23.9	49.6	14.7	12.9	5.5	84.5	7.3	5.5	69.8	99.2	9.2	288.5	33.1	39
87.4	13.0	15.7	101.8	142.2	24.8	87.4	22.2	99.2	-----	14.4	13.0	95.2	1.3	5.2	77.0	78.3	9.1	263.6	15.7	40
71.0	7.7	13.4	76.8	99.8	21.1	126.7	13.4	128.6	3.8	3.8	19.2	33.8	5.8	3.8	55.7	80.6	1.9	218.9	40.3	41
30.5	2.7	6.3	35.0	56.5	19.7	148.8	16.1	229.5	3.6	9.9	7.2	40.3	9.0	9.9	150.6	115.6	6.3	203.5	54.7	42
13.1	13.1	-----	65.3	91.4	-----	65.3	13.1	65.3	-----	13.1	-----	52.2	-----	13.1	117.6	143.7	-----	287.4	39.2	43
58.5	20.7	13.2	85.0	105.6	33.9	181.1	37.7	220.7	1.9	9.4	11.3	77.3	9.4	11.3	113.2	143.3	9.4	205.6	41.5	44
73.7	6.9	9.2	103.6	175.0	18.4	94.4	23.0	92.1	-----	16.1	9.2	78.3	6.9	9.2	66.8	73.7	2.3	253.3	32.2	45
67.4	7.9	17.2	95.1	180.9	15.8	100.4	22.5	83.5	1.3	13.2	10.6	116.2	2.6	7.9	71.3	109.6	10.6	285.3	43.6	46
73.6	5.5	10.9	84.5	185.4	21.8	92.7	5.5	46.3	5.5	10.9	10.9	81.8	5.5	5.5	73.6	81.8	5.5	264.4	27.3	47
45.5	7.4	14.8	53.3	89.7	16.0	164.7	28.3	148.7	4.9	9.8	3.7	38.1	6.1	13.5	113.1	71.3	13.5	201.6	43.0	48
41.1	12.7	6.3	85.5	123.4	6.3	101.3	19.0	57.0	19.0	6.3	6.3	76.0	6.3	19.0	82.3	91.8	12.7	322.8	22.2	49
65.8	6.2	4.1	119.2	162.4	14.4	106.9	8.2	76.1	4.1	20.6	6.2	61.7	4.1	10.3	102.8	61.7	8.2	209.7	43.2	50
80.1	20.5	18.5	137.5	188.9	30.8	94.4	14.4	69.8	4.1	12.3	20.5	141.7	8.2	10.3	65.7	92.4	12.3	303.8	18.5	51
58.8	11.3	15.8	146.9	153.7	11.3	90.4	24.9	72.3	4.5	9.0	6.8	72.3	4.5	9.0	56.5	61.0	4.5	214.7	36.2	52
50.1	13.8	8.6	89.3	139.9	19.0	138.5	25.9	112.3	3.5	13.8	6.9	79.5	8.6	8.6	88.1	69.1	6.9	317.9	33.3	53
55.2	8.8	8.8	97.8	130.1	30.1	130.4	26.3	94.0	5.0	6.3	8.8	99.0	5.0	15.0	66.4	82.7	7.5	219.4	21.3	54
55.7	19.5	13.9	66.8	80.7	8.3	105.7	8.3	100.2	8.3	2.8	2.8	61.2	-----	8.3	91.8	59.1	5.6	169.8	25.0	55
124.3	20.4	6.1	106.0	207.9	18.3	67.3	20.4	44.8	2.0	12.2	14.3	65.2	2.0	8.2	79.5	106.0	10.2	283.3	36.7	56
45.0	5.6	14.1	42.2	60.5	17.6	210.2	7.0	219.3	2.8	8.4	6.3	43.6	8.4	13.4	106.9	149.7	5.6	234.1	91.4	57
21.3	21.3	21.3	95.7	74.5	-----	95.7	21.3	35.1	-----	10.6	10.6	31.9	10.6	10.6	42.5	42.5	-----	148.9	31.9	58
74.9	12.5	10.4	110.3	126.9	12.5	105.1	22.9	45.8	2.1	4.2	10.4	99.9	6.2	14.6	66.6	49.9	6.2	280.9	33.3	59
41.2	20.2	20.6	72.2	123.7	20.6	82.5	30.9	30.9	-----	30.9	-----	92.8	10.3	-----	41.2	41.2	10.3	257.8	51.6	60
90.0	13.8	13.8	58.8	138.4	6.9	121.1	10.4	86.5	6.9	3.5	6.9	55.4	3.5	3.5	58.8	58.8	13.8	276.9	27.7	61
33.9	13.0	5.2	86.6	114.6	18.2	91.2	20.8	59.9	-----	5.2	10.4	73.0	7.8	5.2</						

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tubercu-losis.	Rheu-ma-tism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ² —Continued.														
PENNSYLVANIA—continued.														
1 Montgomery County.....	1,341.2	22.9	0.8		3.9	8.7	11.1	37.9	20.5		127.2	3.2	4.7	11.1
2 Montour County*.....	2,019.5	60.6	13.5		6.7		33.7	20.2	26.9	13.5	161.6		6.7	13.5
3 Northampton County.....	1,552.7	19.7			11.2	4.2	7.0	50.6	16.9	1.4	98.4	4.2	4.2	4.2
4 Northumberland County.....	1,428.6	14.8	4.9		19.8	18.1	14.8	28.0	23.0		74.1	3.3	3.3	4.9
5 Perry County.....	1,477.7	20.8				20.8		16.6	20.8		70.6	4.2	8.3	4.2
6 Pike County.....	1,459.2	12.5					24.9	12.5	49.9		62.4		12.5	
7 Potter County.....	1,376.6	10.1	3.4		6.7	20.2		20.2	53.9	10.1	50.5	3.4	10.1	10.1
8 Schuylkill County.....	1,686.9	17.1	0.7		8.2	42.3	8.2	44.4	15.0	7.5	70.3	3.4	4.8	2.7
9 Snyder County.....	1,465.2	47.6			17.9		17.9	11.9	17.9	6.0	77.4	6.0	23.8	
10 Somerset County.....	1,306.9	45.5			17.6	17.6	4.4	35.2	2.9	4.4	64.6	1.5	7.3	2.9
11 Sullivan County.....	1,090.8	26.6			17.7	26.6	8.9	26.6	8.9		88.7			
12 Susquehanna County.....	1,721.6	29.2	2.7		2.7	15.9	8.0	18.6	39.8	8.0	100.8	2.7		18.6
13 Tioga County.....	1,335.0	44.5				7.0	4.7	11.7	25.8	4.7	58.6	7.0	4.7	2.3
14 Union County.....	1,134.3	12.3			6.2	12.3		12.3	12.3		55.5		18.5	
15 Venango County.....	1,323.8	22.1			7.4	7.4	9.8	2.5	22.1	2.5	105.4	4.9	7.4	14.7
16 Warren County*.....	1,673.2	17.6			7.0		7.0	14.1	56.2	10.5	168.7	3.5	14.1	7.0
17 Washington County.....	1,589.9	35.7	0.8		24.6	22.2	19.1	41.3	18.3	3.2	87.4	2.4	14.3	7.9
18 Wayne County.....	1,420.4	20.5			3.4	6.8		13.7	6.8	3.4	92.4		13.7	6.8
19 Westmoreland County.....	1,373.1	34.7	0.5	0.5	30.3	24.5	12.5	28.9	13.0	6.7	65.0	2.9	10.1	2.9
20 Wyoming County.....	1,499.2				25.8			6.5	12.9	12.9	51.7	12.9	12.9	12.9
21 York County.....	1,145.4	20.7			9.8	1.1	8.7	25.0	15.2	2.2	94.7	4.4	8.7	9.8
RHODE ISLAND.														
22 Total.....	1,645.6	9.5	1.9		33.2	2.8	2.8	22.8	24.7	2.8	105.3	10.4	5.7	5.7
23 White.....	1,631.5	9.6	1.9		33.7	2.9	2.9	23.1	25.0	2.9	103.1	10.6	5.8	5.8
24 Colored.....	2,590.7										259.1			
25 Bristol County.....	1,846.3	5.6			118.6	5.6		22.6	22.6	5.6	101.6	16.9		11.3
26 Kent County.....	1,956.0	10.2	10.2		51.2		10.2	30.7	20.5	10.2	133.1			
27 Newport County.....	1,569.3	32.7						8.2	8.2		49.0	8.2	8.2	
28 Providence County.....	1,530.3	4.9	2.5		19.7	4.9	4.9	34.4	27.0		125.3	12.3	9.8	9.8
29 Washington County.....	1,607.2	8.0			4.0			8.0	32.1	4.0	92.2	8.0	4.0	
UTAH.														
30 Total.....	983.5	32.4		0.4	0.8	24.2	22.6	14.1	9.4	6.2	22.3	1.6	2.3	10.9
31 White.....	993.3	31.8		0.4	0.8	24.7	23.1	14.3	9.6	6.4	22.3	1.6	2.4	11.1
32 Colored.....	474.8	61.9									20.6			
33 Beaver County.....	885.9	42.2						21.1			21.1			
34 Boxelder County.....	872.9	28.6						7.2	7.2		14.3	7.2	7.2	21.5
35 Cache County.....	910.8	21.6						4.3	4.3	13.0	4.3		4.3	13.0
36 Carbon County.....	1,114.8	34.5						11.5	11.5		11.5		11.5	11.5
37 Davis County.....	1,035.4	39.1						9.8	9.8		19.5		19.5	29.3
38 Emery County †.....	632.8	29.4						14.7			14.7			
39 Garfield County.....	736.5													62.3
40 Grand County.....	747.7	62.3									62.3			62.3
41 Iron County.....	1,040.1	101.5						25.4	50.7		25.4			
42 Juab County.....	1,082.5	56.0			9.3	34.0	28.0	9.3	9.3		46.7			9.3
43 Kane County.....	1,091.6							60.6	727.7					32.6
44 Millard County.....	832.4							81.6	32.6					
45 Morgan County †.....	606.1									40.4				57.8
46 Piute County †.....	578.0													
47 Rich County.....	1,115.8									53.1	53.1			
48 Salt Lake County.....	967.5	2.6			2.6	33.3	12.8	20.5	5.1	10.2	43.5	2.6	2.6	12.8
49 San Juan County †.....	291.1	166.3				41.6		41.6						
50 Sanpete County.....	1,166.8	71.8				29.9	35.9	23.9	6.0	18.0				6.0
51 Sevier County.....	877.4	40.8				10.2	61.2	30.6	20.4					
52 Summit County.....	1,370.2	48.9				48.9	12.2	12.2	12.2					36.7
53 Tooele County.....	1,260.2	100.8				37.8		12.6		12.6	50.4	12.6		12.6
54 Uinta County.....	906.3	42.5				14.2			42.5					
55 Utah County*.....	1,061.6	23.6				10.5	39.4	10.5	5.3	13.1	31.5	2.6		5.3
56 Wasatch County.....	943.6	55.5		11.1				44.4		22.2	33.3			11.1
57 Washington County.....	954.6	19.5				19.5		19.5						
58 Wayne County †.....	515.5						57.3							
59 Weber County.....	1,019.5	10.4				31.2	10.4	31.2	10.4		20.8			
VERMONT.														
60 Total.....	1,583.5	12.2	1.0		7.4	2.2	10.6	7.4	45.3	4.5	85.4	8.7	12.5	4.8
61 White.....	1,582.6	12.3	1.0		7.4	2.3	10.3	7.4	45.5	4.5	84.9	8.7	12.6	4.8
62 Colored.....	1,763.6						65.3				196.0			
63 Addison County.....	1,522.3	5.0					20.0		60.1	5.0	110.2	10.0	15.0	
64 Bennington County.....	1,422.6	9.4				4.7	23.4	14.0	51.5		74.9	4.7	28.1	4.7
65 Caledonia County.....	1,530.7	15.3	3.8			7.7	7.7	3.8	61.4	3.8	88.2	15.3	15.3	3.8
66 Chittenden County.....	1,563.6	13.6			9.1		4.5		31.8		72.7	9.1	9.1	9.1
67 Essex County.....	1,139.8	13.6							13.6	13.6	122.1			13.6
68 Franklin County.....	1,399.9	10.0			3.3			3.3	40.2	3.3	93.8	10.0	16.7	3.3
69 Grand Isle County.....	1,227.6				106.8				53.4		80.1	26.7		
70 Lamoille County.....	1,501.1	7.9	7.9				15.9	15.9	23.8	7.9	47.7		23.8	
71 Orange County.....	1,803.0	10.7			10.7		5.4	5.4	58.9		74.9	5.4	10.7	
72 Orleans County.....	1,553.6	8.6					8.6	4.3	21.4	4.3	98.4	30.0	17.1	4.3

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

133

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																					
Cancer.	Dia- betes.	Meningi- tis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneum- onia (all forms).	Other respi- ratory dis- eases.	Diarr- hea and enteri- tis (under 2 years).	Ap- pendi- citis.	Herni- a, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- de- fined and un- known causes.		
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
69.5	12.6	8.7	101.9	128.7	19.0	111.4	20.5	94.0	6.3	9.5	11.8	79.0	4.7	5.5	61.6	71.1	10.3	238.5	24.5	1	
121.2	13.5	6.7	168.3	228.9	154.8	40.4	67.3	20.2	13.5	87.5	6.7	60.6	94.2	572.2	6.7	2	
67.4	18.3	16.9	120.8	123.7	26.7	146.1	16.9	125.1	2.8	14.1	11.2	95.6	1.4	2.8	109.6	125.1	9.8	260.0	36.5	3	
49.4	14.8	8.2	69.1	139.9	18.1	169.5	44.4	177.8	3.3	8.2	3.3	42.8	13.2	8.2	75.7	87.2	4.9	232.1	49.4	4	
74.7	12.5	8.3	124.5	236.6	16.6	107.9	8.3	66.4	8.3	4.2	95.5	4.2	12.5	58.1	70.6	16.6	323.8	62.3	5	
87.3	99.8	212.0	24.9	149.7	12.5	62.4	12.5	162.1	24.9	49.9	99.8	24.9	237.0	24.9	6	
63.9	10.1	10.1	70.7	144.7	30.3	127.9	23.6	70.7	16.8	10.1	10.1	70.7	10.1	10.1	57.2	94.2	3.4	292.8	50.5	7	
56.0	11.6	14.3	99.0	96.3	22.5	163.9	44.4	236.3	10.2	13.0	13.0	90.1	8.2	15.0	88.1	148.9	3.4	269.8	58.1	8	
119.1	29.8	148.9	208.5	35.7	137.0	71.5	11.9	6.0	71.5	11.9	6.0	101.3	59.6	172.7	47.6	9	
42.6	11.7	10.3	39.6	73.4	14.7	113.1	14.7	164.5	2.9	5.9	39.6	13.2	13.2	113.1	142.4	4.4	238.5	49.9	10	
17.7	8.9	8.9	88.7	159.6	26.6	88.7	53.2	8.9	44.3	106.4	62.1	141.9	70.9	11	
108.8	21.2	18.6	100.8	201.6	31.8	156.5	18.6	114.1	13.3	13.3	13.3	95.5	10.6	39.8	140.6	5.3	331.6	39.8	12	
110.1	9.4	14.1	63.2	217.8	25.8	96.0	14.1	49.2	4.7	14.1	11.7	86.7	4.7	2.3	49.2	51.5	9.4	299.8	30.4	13	
37.0	30.8	86.3	191.1	104.8	6.2	49.3	6.2	18.5	80.1	12.3	61.6	49.3	6.2	221.9	43.2	14	
61.3	2.5	22.1	115.2	152.0	19.6	93.2	4.9	63.7	4.9	7.4	9.8	51.5	19.6	61.3	103.0	2.5	301.5	22.1	15	
70.3	10.5	10.5	109.0	119.5	24.6	70.3	21.1	63.3	3.5	10.5	21.1	123.0	3.5	49.2	91.4	21.1	520.2	24.6	16	
53.2	4.0	7.9	50.8	80.2	27.0	152.5	17.5	189.8	5.6	8.7	11.9	42.1	6.4	9.5	142.9	186.6	16.7	252.5	46.9	17	
58.2	20.5	13.7	126.6	188.2	20.5	106.1	17.1	34.2	10.3	17.1	17.1	136.9	6.8	6.8	65.0	71.9	6.8	290.9	37.6	18	
39.5	5.3	10.6	45.7	69.8	23.1	141.5	15.4	167.5	3.4	3.9	8.2	52.9	8.2	10.6	99.1	137.2	9.6	198.3	91.0	19	
90.5	6.5	96.9	219.7	25.8	135.7	12.9	64.6	12.9	12.9	12.9	71.1	12.9	19.4	64.6	129.2	6.5	342.5	12.9	20	
65.3	3.3	2.2	98.0	127.4	9.8	135.0	22.9	56.6	2.2	4.4	4.4	38.1	2.2	7.6	80.6	41.4	10.9	203.6	29.4	21	
82.6	22.8	13.3	108.2	152.8	27.5	214.5	14.2	150.9	1.9	9.5	13.3	112.9	2.8	8.5	77.8	91.1	19.0	272.4	21.8	22	
82.8	22.2	13.5	107.9	148.3	25.0	214.8	14.4	149.3	1.9	9.6	13.5	111.7	2.9	8.7	77.1	90.5	19.3	268.7	22.2	23	
64.8	64.8	129.5	453.4	194.3	194.3	259.1	194.3	129.5	129.5	518.1	24	
73.4	11.3	16.9	135.5	141.2	39.5	259.7	16.9	197.6	5.6	5.6	11.3	124.2	5.6	5.6	96.0	129.9	11.3	231.5	16.9	25	
81.9	41.0	20.5	184.3	215.1	10.2	245.8	61.4	71.7	10.2	102.4	30.7	92.2	112.6	30.7	368.7	26	
106.3	16.3	8.2	106.3	163.5	8.2	171.6	196.2	8.2	8.2	65.4	98.1	106.3	16.3	326.9	49.0	27	
68.8	19.7	12.3	66.3	103.2	22.1	235.8	4.9	162.1	14.7	14.7	105.6	2.5	7.4	66.3	71.2	22.1	241.2	28.1	28	
100.2	32.1	12.0	128.3	212.4	44.1	156.3	16.0	108.2	4.0	8.0	16.0	144.3	4.0	8.0	68.1	80.2	16.0	276.5	12.0	29	
30.1	11.3	9.4	33.6	73.8	19.1	110.9	15.6	44.9	13.3	14.4	3.5	46.5	5.9	9.8	83.6	85.5	5.5	181.9	37.9	30	
30.6	11.5	9.6	34.2	74.4	19.5	112.2	15.9	45.0	13.1	14.7	3.6	47.0	6.0	9.9	84.8	85.2	5.6	183.5	38.6	31	
.....	41.3	41.3	41.3	41.3	20.6	20.6	20.6	103.2	103.2	32	
42.2	42.2	63.3	105.5	21.1	105.5	42.2	21.1	63.3	63.3	126.6	21.1	33	
35.8	7.2	7.2	28.6	78.7	28.6	100.2	14.3	14.3	14.3	21.5	7.2	7.2	64.4	100.2	150.3	64.4	34	
17.3	17.3	4.3	25.9	77.7	8.6	146.8	13.0	60.4	13.0	17.3	47.5	13.0	73.4	34.5	233.1	21.6	35	
.....	11.5	34.5	57.5	46.0	126.4	11.5	34.5	11.5	23.0	11.5	149.4	241.4	149.4	91.9	36	
39.1	9.8	9.8	48.8	48.8	19.5	107.4	19.5	58.6	19.5	48.8	48.8	9.8	37.9	78.1	9.8	205.1	37	
29.4	29.4	14.7	58.9	14.7	58.9	29.4	44.2	14.7	73.6	14.7	14.7	88.3	44.2	14.7	29.4	38	
54.6	27.3	27.3	54.6	109.1	27.3	81.8	27.3	62.3	109.1	109.1	27.3	39	
.....	62.3	186.9	249.2	249.2	40	
.....	50.7	9.3	25.4	126.8	101.5	50.7	25.4	50.7	25.4	101.5	101.5	126.8	50.7	41	
28.0	9.3	9.3	37.3	65.3	46.7	149.3	37.3	74.7	9.3	9.3	9.3	9.3	84.0	93.3	18.7	102.7	37.3	42	
60.6	60.6	60.6	60.6	60.6	43	
16.3	16.3	16.3	81.6	16.3	146.9	16.3	16.3	81.6	114.2	97.9	65.3	44	
40.4	40.4	40.4	40.4	40.4	40.4	40.4	40.4	80.8	161.6	80.8	45	
.....	57.8	57.8	57.8	57.8	57.8	173.4	57.8	46	
.....	53.1	53.1	212.5	159.4	53.1	53.1	53.1	53.1	53.1	212.5	53.1	47	
28.2	7.7	15.4	51.2	46.1	17.9	84.5	23.0	48.6	7.7	7.7	48.6	7.7	2.6	79.3	138.2	2.6	176.6	25.6	48	
.....	41.6	41.6	49	
23.9	35.9	119.7	35.9	143.6	6.0	59.8	6.0	6.0	38.8	6.0	107.7	47.9	239.3	47.9	50	
30.6	20.4	10.2	61.2	10.2	71.4	10.2	81.6	10.2	20.4	20.4	153.0	20.4	153.0	40.8	51	
24.5	48.9	85.6	222.4	73.4	73.4	24.5	61.2	36.7	24.5	36.7	73.4	61.2	244.7	97.9	52	
50.4	37.8	63.0	12.6	229.4	12.6	88.2	25.2	25.2	12.6	12.6	75.6	113.4	37.8	176.4	37.8	53	
42.5	127.4	14.2	85.0	70.8	42.5	14.2	14.2	14.2	14.2	28.3	155.8	14.2	169.9	54	
36.8	21.0	13.1	39.4	99.8	26.3	89.3	5.3	34.2	18.4	13.1	7.9	47.3	13.1	76.2	60.4	10.5	273.3	34.2	55	
44.4	22.2	22.2	66.6	11.1	133.2	33.3	11.1	33.3	77.7	66.6	22.2	133.2	77.7	56	
77.9	58.4	39.0	155.8	19.5	19.5	19.5	58.4	77.9	39.0	175.3	97.4	57	
.....	57.3	114.5	114.5	58
31.2	41.6	41.6	93.6	10.4	32.0	41.6	20.8	208.1	114.4	72.8	156.0	20.8	59	
112.4	20.9	10.9	129.1	226.4	28.6	145.5	11.6	50.1	13.8	10.0	10.0	108.6	5.8	11.2	61.7	74.2	14.1	328.9	7.7	60	
113.0	21.0	11.0	129.4	226.6	28.7	144.9	11.3	50.4	13.9	10.0	10.0	108.1	5.8	11.3	62.0	72.3	13.9	329.6	7.7	61	
.....	65.3	196.0	261.3	65.3	196.0	457.2	65.3	196.0	62	
110																					

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ² —Continued.														
VERMONT—continued.														
1 Rutland County.....	1,585.2	8.7	2.9		2.9	8.7	31.8	11.5	43.3		106.8	8.7	8.7	5.8
2 Washington County*.....	1,582.4	16.1			3.2		3.2	9.7	38.7	9.7	83.8		3.2	
3 Windham County.....	1,900.7	11.1			40.8	3.7	14.8	11.1	44.5	14.8	78.0	3.7	18.6	7.4
4 Windsor County.....	1,750.1	23.7			3.0			11.9	65.3	3.0	65.3	5.9	3.0	11.9
WASHINGTON.														
5 Total.....	907.9	26.0		0.8	8.1	5.7	15.9	11.9	4.3	3.8	80.4	6.2	7.6	4.1
6 White.....	884.4	24.3		0.8	7.2	5.9	14.8	12.2	3.9	3.9	72.4	5.6	7.4	4.1
7 Colored.....	1,663.8	79.5			37.1		53.0	5.3	15.9		339.1	26.5	15.9	5.3
8 Adams County.....	814.6	27.2			18.1		9.1			18.1	54.3			
9 Asotin County.....	866.8	68.0				17.0	17.0	17.0			68.0			17.0
10 Benton County.....	866.0	86.6			49.5			12.4			99.0			
11 Chehalis County.....	886.7	27.1			9.0		9.0	4.5	9.0	4.5	58.7	13.5		4.5
12 Chelan County.....	984.4	32.6					39.1	6.5	13.0	19.6	78.2		13.0	6.5
13 Clallam County ³	1,283.2		59.0		14.7	14.7	14.7		14.7		132.7	14.7		14.7
14 Clarke County.....	898.3	11.4			7.6	11.4	19.0	15.2	3.8		94.8		3.8	3.8
15 Columbia County.....	1,036.6	42.6			14.2		28.4	14.2		14.2	14.2		14.2	
16 Cowlitz County.....	774.1	7.9					31.6	39.5			71.1			
17 Douglas County ⁴	422.7	10.8			21.7		43.4			10.8	32.5			
18 Ferry County ⁵	811.5	41.6			20.8		62.4			41.6	124.8		20.8	20.8
19 Franklin County ⁶	628.3										19.0			
20 Garfield County.....	1,189.1	47.6							23.8		118.9		23.8	
21 Grant County ⁷	390.9									11.5	11.5		23.0	
22 Island County ⁸	671.7	21.0						21.0	21.0		63.0	21.0		
23 Jefferson County.....	1,060.4	11.9			23.8		11.9	11.9			47.7		23.8	
24 King County.....	1,100.2	14.4			10.3	4.1	10.3	6.2		2.1	90.5	6.2	2.1	2.1
25 Kitsap County.....	721.6	11.2		5.6			16.8	11.2	5.6	5.6	72.7			
26 Kittitas County.....	1,189.5	37.3			5.3	21.3	80.0	16.0			48.0	10.7	5.3	
27 Klickitat County ⁹	604.2							19.5			29.2			
28 Lewis County.....	1,034.3	30.8			15.4	9.2	18.5	43.1	3.1		77.0	12.3	12.3	3.1
29 Lincoln County.....	753.3	17.0				17.0	11.3		5.7		73.6		17.0	5.7
30 Mason County.....	983.8				19.3		19.3			19.3	231.5	19.3		
31 Okanogan County ⁵	934.2	84.2			38.3				7.7	7.7	122.5		7.7	
32 Pacific County ¹⁰	576.2						15.8	7.9			47.4	7.9	15.8	
33 Pierce County*.....	1,310.0	13.3				13.3	18.6	10.6	5.3	2.7	116.9	8.0	10.6	5.3
34 San Juan County.....	857.1										82.9	27.6		
35 Skagit County ⁶	879.7	13.5			3.4	6.8	13.5	13.5		3.4	94.7	16.9	3.4	13.5
36 Skamania County.....	858.5							103.0			68.7			
37 Snohomish County.....	945.9	25.9			8.6	2.9	25.9	2.9	14.4	2.9	66.1	17.3	14.4	2.9
38 Spokane County*.....	954.0	8.5				14.1	5.6	8.5		11.3	127.0	5.6	16.9	8.5
39 Stevens County ¹¹	695.1	19.5				7.8	7.8	7.8			43.0			7.8
40 Thurston County.....	1,008.9	22.5			5.6	5.6		11.3	16.9		84.5	11.3	22.5	
41 Wahkiakum County ¹²	303.6										30.4	30.4		
42 Walla Walla County ¹³	639.5	15.8			7.9	7.9		23.7			47.4	7.9	15.8	
43 Whatcom County.....	801.0	19.6			3.9		15.7	7.9			47.1	3.9	7.9	3.9
44 Whitman County.....	780.3	41.9			3.0	3.0	6.0	9.0	6.0	3.0	83.7	3.0	3.0	6.0
45 Yakima County ¹⁴	1,003.1	117.8			32.1	3.6	21.4	21.4	3.6	7.1	128.5		3.6	7.1
WISCONSIN.														
46 Total.....	1,122.1	12.9		0.1	7.5	10.7	7.1	14.9	11.6	3.0	83.2	3.5	9.9	8.2
47 White.....	1,121.7	13.0		0.1	7.4	10.7	7.1	14.8	11.7	3.1	82.6	3.4	9.9	8.1
48 Colored.....	1,184.1				27.5	9.2	9.2	18.4			165.2	9.2	9.2	9.2
49 Adams County.....	1,048.3	11.6					11.6		11.6		139.8	11.6	11.6	11.6
50 Ashland County.....	1,190.9	96.0			9.6			28.8	9.6	9.6	67.2	9.6	9.6	
51 Barron County.....	1,070.5	20.6			17.2	10.3	10.3	6.9	10.3	3.4	68.6		6.9	6.9
52 Bayfield County.....	1,050.7				62.5	18.8	6.3	56.3	25.0		37.6	6.3	6.3	18.8
53 Brown County.....	1,175.1	13.9				20.8	6.9	17.3	10.4	3.5	55.5	3.5	10.4	6.9
54 Buffalo County.....	982.2	12.5			12.5			6.3	25.0		50.1		12.5	18.8
55 Burnett County.....	976.0	22.2					22.2	22.2			77.6		22.2	22.2
56 Calumet County.....	970.5	18.0			6.0		6.0				77.9	12.0	6.0	
57 Chippewa County.....	1,342.3	21.8			15.6	3.1		15.6	37.4	6.2	115.2	3.1	12.5	6.2
58 Clark County.....	847.0	16.6			3.3		13.3	10.0	16.6		53.1		3.3	3.3
59 Columbia County.....	1,265.8	16.1			3.2	3.2	3.2	25.7	16.1		73.9		9.6	6.4
60 Crawford County.....	1,174.6	18.4			12.3		6.1	18.4			86.1	6.1	6.1	6.1
61 Dane County*.....	1,195.7	13.5			3.9	1.9	9.6	7.7	9.6	11.6	86.6	3.9	19.3	13.5
62 Dodge County.....	1,100.9	6.3			4.2		2.1	2.1	6.3	4.2	73.7		8.4	4.2
63 Door County.....	980.1	21.4				5.4	16.1	16.1	5.4		37.5			10.7
64 Douglas County ¹⁵	624.8							14.2	14.2		42.6			
65 Dunn County.....	983.1	7.9				4.0	4.0	19.8		7.9	79.3		7.9	11.9
66 Eau Claire County.....	868.4	13.9		6.9	13.9	6.9		41.7	6.9	6.9	27.8			13.9
67 Florence County.....	770.4													29.6
68 Fond du Lac County.....	1,110.3	6.1			6.1	3.1		6.1	6.1		112.9	9.2		3.1
69 Forest County.....	939.0	14.7					14.7		44.0		29.3	14.7		
70 Grant County.....	1,110.8	2.6			10.3		2.6	20.5	15.4	5.1	79.5		5.1	5.1
71 Green County.....	981.1	4.6			4.6						78.7	4.6	13.9	4.6
72 Green Lake County.....	1,111.3				19.4	45.2		19.4	12.9		77.5	12.9	19.4	12.9
73 Iowa County.....	1,027.7						4.4	13.3	4.4	17.8	111.2	4.4	4.4	

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

³ Including Makah, Ozette, and Quillayute Indian Reservations.

⁴ Rates based on population enumerated April 15, 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
92.4	11.5	5.8	118.4	184.8	20.2	170.4	28.9	63.5	5.8	17.3	5.8	75.1	-----	2.9	86.6	124.2	11.5	317.6	2.9	1
132.1	12.9	9.7	125.7	196.6	25.8	170.8	9.7	51.6	19.3	16.1	3.2	112.8	12.9	9.7	67.7	54.8	19.3	364.2	-----	2
138.6	37.1	14.8	189.3	319.3	22.3	144.8	18.6	44.5	7.4	-----	3.7	126.2	-----	7.4	44.5	89.1	18.6	412.1	18.6	3
127.6	26.7	8.9	192.8	284.8	47.5	127.6	5.9	41.5	5.9	8.9	17.8	115.7	3.0	14.8	71.2	89.0	8.9	350.0	8.9	4
40.5	9.2	5.7	43.3	65.6	5.9	62.8	8.3	31.1	7.0	6.5	4.6	45.1	6.7	8.1	48.6	140.5	15.1	156.3	21.8	5
41.2	9.4	5.6	44.2	66.0	5.4	60.9	8.2	30.4	7.1	6.2	4.4	45.7	6.7	8.2	49.1	137.0	14.5	153.9	17.7	6
15.9	5.3	10.6	15.9	53.0	21.2	121.9	10.6	53.0	5.3	15.9	10.6	26.5	5.3	5.3	31.8	254.3	37.1	233.1	153.7	7
27.2	-----	-----	18.1	36.2	-----	63.4	27.2	27.2	9.1	9.1	-----	18.1	18.1	18.1	63.4	81.5	27.2	181.0	63.4	8
68.0	-----	17.0	102.0	34.0	17.0	51.0	17.0	51.0	-----	34.0	17.0	68.0	17.0	-----	17.0	51.0	17.0	68.0	17.0	9
12.4	-----	12.4	24.7	61.9	-----	61.9	-----	12.4	-----	-----	-----	49.5	-----	-----	86.6	136.1	12.4	111.3	24.7	10
36.1	13.5	-----	40.6	54.2	-----	54.2	9.0	22.6	-----	-----	-----	36.1	-----	9.0	81.3	194.1	13.5	135.4	13.5	11
32.6	6.5	6.5	39.1	84.7	-----	39.1	-----	71.7	19.6	6.5	-----	39.1	6.5	13.0	45.6	149.9	6.5	156.5	52.2	12
44.2	-----	14.7	59.0	44.2	14.7	44.2	-----	29.5	-----	14.7	-----	118.0	-----	-----	14.7	162.2	14.7	236.0	191.7	13
60.6	3.8	-----	45.5	64.4	7.6	121.3	7.6	15.2	3.8	3.8	11.4	64.4	3.8	7.6	34.1	98.5	15.2	140.2	19.0	14
56.8	-----	-----	42.6	156.2	14.2	71.0	-----	28.4	-----	-----	14.2	56.8	-----	14.2	99.4	99.4	14.2	213.0	14.2	15
7.9	15.8	-----	7.9	39.5	-----	55.3	-----	15.8	-----	-----	-----	15.8	-----	15.8	55.3	173.8	15.8	181.7	23.7	16
10.8	-----	10.8	65.0	32.5	-----	10.8	10.8	21.7	10.8	-----	-----	10.8	-----	-----	10.8	32.5	-----	65.0	10.8	17
62.4	-----	20.8	20.8	-----	-----	20.8	-----	-----	-----	-----	-----	-----	-----	20.8	41.6	145.7	20.8	104.0	20.8	18
-----	-----	-----	19.0	38.1	-----	57.1	19.0	57.1	-----	-----	-----	38.1	-----	19.0	19.0	228.5	19.0	95.2	-----	19
118.9	-----	-----	142.7	95.1	-----	23.8	-----	71.3	-----	-----	-----	47.6	-----	-----	190.2	47.6	-----	190.2	47.6	20
34.5	11.5	-----	23.0	34.5	-----	46.0	11.5	-----	-----	-----	11.5	11.5	-----	11.5	34.5	57.5	-----	46.0	11.5	21
-----	-----	-----	42.0	42.0	-----	42.0	-----	21.0	-----	21.0	-----	84.0	-----	-----	105.0	105.0	21.0	105.0	21.0	22
23.8	23.8	11.9	35.7	166.8	-----	119.1	11.9	35.7	-----	11.9	-----	47.7	-----	-----	35.7	143.0	47.7	190.6	23.8	23
39.1	6.2	2.1	53.5	92.5	4.1	74.0	6.2	53.5	6.2	6.2	-----	28.8	4.1	10.3	41.1	409.2	10.3	94.6	4.1	24
72.7	28.0	-----	55.9	55.9	5.6	44.8	-----	5.6	-----	11.2	-----	28.0	5.6	-----	33.6	67.1	22.4	134.3	11.2	25
37.3	16.0	5.3	32.0	80.0	-----	112.0	-----	112.0	10.7	5.3	10.7	16.0	10.7	5.3	106.7	176.0	21.3	170.7	37.3	26
39.0	-----	9.7	78.0	48.7	9.7	19.5	19.5	9.7	19.5	-----	-----	39.0	-----	-----	9.7	87.7	9.7	146.2	-----	27
61.6	6.2	6.2	43.1	46.2	3.1	61.6	9.2	33.9	15.4	6.2	6.2	64.6	18.5	18.5	55.4	141.6	6.2	181.6	24.6	28
56.6	11.3	5.7	22.7	56.6	-----	39.6	5.7	28.3	5.7	-----	5.7	39.6	11.3	5.7	62.3	45.3	17.0	141.6	45.3	29
19.3	38.6	-----	19.3	96.5	19.3	19.3	57.9	19.3	-----	-----	-----	38.6	-----	-----	135.0	19.3	30.3	192.9	-----	30
45.9	7.7	15.3	38.3	61.3	7.7	45.9	15.3	23.0	15.3	7.7	-----	7.7	15.3	7.7	45.9	61.3	15.3	176.1	53.6	31
15.8	-----	-----	31.6	63.1	7.9	31.6	-----	47.4	7.9	-----	-----	15.8	7.9	15.8	23.7	102.6	7.9	94.7	7.9	32
58.5	13.3	2.7	85.0	82.4	8.0	82.4	15.9	31.9	-----	13.3	2.7	66.4	5.3	5.3	63.8	183.3	15.9	348.1	21.3	33
27.6	-----	27.6	82.9	-----	55.3	55.3	-----	-----	27.6	-----	-----	55.3	-----	-----	27.6	138.2	27.6	221.2	-----	34
44.0	13.5	10.2	37.2	54.1	16.9	57.5	6.8	23.7	6.8	10.2	13.5	50.8	3.4	16.9	47.4	125.2	20.3	121.8	16.9	35
68.7	-----	-----	34.3	34.3	-----	34.3	-----	-----	-----	-----	-----	68.7	-----	34.3	34.3	137.4	68.7	206.0	-----	36
40.3	17.3	5.8	31.6	89.1	5.8	46.0	17.3	20.1	8.6	8.6	2.9	43.1	5.8	5.8	40.3	184.0	20.1	143.8	25.9	37
28.2	8.5	5.6	45.2	64.9	14.1	81.8	5.6	31.0	2.8	14.1	-----	53.6	5.6	2.8	59.3	96.0	14.1	208.2	11.3	38
27.3	3.9	3.9	27.3	35.1	3.9	31.2	7.8	35.1	3.9	3.9	11.7	70.3	27.3	11.7	58.6	97.6	11.7	121.1	-----	39
62.0	16.9	22.5	67.6	112.7	11.3	84.5	11.3	16.9	5.6	5.6	11.3	56.4	-----	-----	33.8	118.4	16.9	140.9	33.8	40
-----	-----	-----	30.4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	30.4	-----	-----	182.1	-----	41
39.5	7.9	7.9	71.1	-----	31.6	7.9	-----	-----	-----	-----	-----	23.7	-----	-----	55.3	94.7	7.9	134.2	31.6	42
39.3	15.7	-----	62.8	66.7	3.9	78.5	3.9	19.6	3.9	-----	11.8	58.9	3.9	11.8	35.3	109.9	11.8	141.3	11.8	43
29.9	9.0	9.0	41.9	74.7	3.0	74.7	3.0	29.9	20.9	9.0	3.0	50.8	9.0	6.0	32.9	35.9	12.0	149.5	9.0	44
28.6	-----	10.7	21.4	28.6	7.1	67.8	3.6	39.3	3.6	10.7	-----	50.0	10.7	3.6	50.0	121.4	25.0	142.8	32.1	45
72.8	12.6	13.7	61.6	98.0	20.4	76.9	12.6	59.9	8.3	10.7	9.4	59.7	4.6	6.3	64.2	59.2	11.2	259.1	28.4	46
73.0	12.7	13.6	61.6	98.0	20.5	76.6	12.5	59.8	8.4	10.7	9.5	59.8	4.6	6.2	64.2	58.6	11.2	259.8	28.4	47
45.9	-----	18.4	55.1	91.8	9.2	128.5	18.4	73.4	-----	9.2	-----	45.9	-----	9.2	55.1	137.7	9.2	165.2	55.1	48
46.6	-----	-----	46.6	81.5	23.3	34.9	-----	69.9	11.6	11.6	-----	81.5	23.3	23.3	58.2	46.6	-----	244.6	34.9	49
38.4	9.6	28.8	48.0	38.4	9.6	96.0	38.4	144.1	-----	9.6	-----	19.2	19.2	28.8	19.2	153.7	9.6	220.9	28.8	50
61.8	17.2	3.4	37.7	78.9	20.6	92.6	6.9	78.9	10.3	13.7	3.4	68.6	10.3	10.3	72.1	65.2	10.3	226.5	20.6	51
6.3	-----	25.0	12.5	50.0	6.3	87.6	6.3	81.3	-----	-----	-----	18.8	-----	-----	87.6	143.8	31.3	181.4	12.5	52
97.1	3.5	20.8	86.7	76.3	10.4	86.7	-----	65.9	-----	10.4	3.5	83.2	3.5	13.9	65.9	48.5	17.3	273.8	58.9	53
93.8	12.5	-----	37.5	75.1	25.0	62.6	6.3	37.5	-----	25.0	6.3	56.3	-----	-----	50.1	68.8	-----	250.3	37.5	54
55.5	33.3	33.3	22.2	44.4	33.3	66.5	22.2	33.3	22.2	22.2	-----	88.7	-----	22.2	44.4	22.2	22.2	188.6	11.1	55
107.8	18.0	18.0	95.8	107.8	6.0	35.9	18.0	30.0	30.0	12.0	12.0	35.9	-----	6.0	53.9	53.9	-----	185.7	18.0	56
52.9	6.2	24.9	31.1	124.6	37.4	121.5	12.5	40.5	12.5	6.2	9.3	40.5	18.7	12.5	87.2	84.1	6.2	339.5	37.4	57
46.5	10.0	6.6	36.5	86.4	6.6	83.0	10.0	56.5	6.6	13.3	13.3	33.2	6.6	3.3	63.1	46.5	10.0	172.7	16.6	58
77.1	22.5	12.9	96.4	106.0	22.5	80.3	19.3	45.0	19.3	3.2	9.6	80.3	-----	-----	70.7	70.7	19.3	324.5	28.9	59
49.2	-----	-----	55.3	104.5	30.7	129.1	12.3	36.9	12.3	12.3	12.3	98.4	-----	6.1	92.2	36.9	6.1	301.3	18.4	60
96.3	13.5	11.6	96.3	82.8	21.2	57.8	11.6	42.4	9.6	17.3	9.6	69.3	7.7	5.8	71.2	63.5	13.5	288.8	25.0	61
90.5	14.7	16.8	65.3	111.6	21.0	42.1	21.0	58.9	4.2	8.4	12.6	61.0	-----	8.4	75.8	63.1	12.6	280.0	21.0	62
58.9	10.7	16.1	26.8	69.6	21.4	32.1	10.7	58.9	5.4	5.4	5.4	58.9	10.7	21.4	75.0	48.2	5.4	278.5	48.2	63
28.4	-----	14.2	28.4	14.2	-----	28.4	-----	1												

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

REGISTRATION AREA.	DEATH RATE PER 100,000 POPULATION FROM—													
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.														
WISCONSIN—continued.														
1 Iron County.....	954.7	11.9				23.9		71.6			11.9			
2 Jackson County.....	985.1	11.7				11.7			35.2		70.4		11.7	
3 Jefferson County.....	1,168.9	2.9				2.9	5.8	14.6	11.7		104.9		11.7	20.4
4 Juneau County.....	1,209.1	15.4			5.1	15.4		41.0	15.4		92.2	5.1	15.4	10.2
5 Kenosha County.....	949.6						34.5	17.3	17.3		43.2		8.6	25.9
6 Kewaunee County.....	1,108.8					71.5	6.0	17.9			71.5		6.0	23.8
7 La Crosse County.....	1,134.8	29.5			14.7			22.1			103.2		14.7	14.7
8 Lafayette County.....	981.7	10.0			10.0		14.9		10.0	5.0	74.7		5.0	14.9
9 Langlade County.....	905.5	11.7			17.5			11.7		5.8	35.1		5.8	5.8
10 Lincoln County.....	1,138.4	21.0			42.0	68.2	21.0	21.0	15.7		47.2	5.2	10.5	
11 Manitowoc County.....	979.8					12.5	9.4	6.3	3.1	3.1	84.5		15.7	3.1
12 Marathon County.....	1,155.1	33.7				106.2	23.3	44.0	13.0		69.9		7.8	13.0
13 Marinette County.....	920.1	10.4				26.0	15.6	10.4	10.4		88.4		5.2	5.2
14 Marquette County.....	1,248.6	18.6						37.3			83.9	9.3	28.0	9.3
15 Milwaukee County.....	2,206.7	56.7			11.7	18.3	5.0	40.0	15.0	10.0	245.2	6.7	26.7	10.0
16 Monroe County.....	1,257.6	6.9			17.3	10.4	27.7	38.1	27.7		103.9		3.5	17.3
17 Oconto County.....	992.1	7.8			11.7	7.8	23.3	3.9	15.6	3.9	70.0	7.8	3.9	15.6
18 Oneida County.....	970.2	52.4			17.5	52.4	17.5	8.7			96.1		17.5	
19 Outagamie County.....	1,042.0	12.4			6.2	21.6	15.5	9.3	6.2		86.6	9.3	3.1	3.1
20 Ozaukee County.....	876.8	17.5				5.8			11.7		52.6	5.8	11.7	5.8
21 Pepin County.....	950.2	13.2				26.4		26.4	26.4		26.4		13.2	
22 Pierce County.....	1,121.7	13.6			9.1			4.5	4.5		68.1	4.5	22.7	4.5
23 Polk County.....	888.4	28.1					28.1	18.7			70.1	9.4	18.7	
24 Portage County.....	1,208.5	9.7			12.9	9.7	3.2	22.6	9.7	3.2	90.5	6.5		6.5
25 Price County.....	714.5	7.2		7.2	14.4	7.2	14.4	14.4			57.7			7.2
26 Racine County.....	1,313.8	5.1			20.5	5.1	5.1	5.1	25.7		92.4			20.5
27 Richland County.....	990.0	5.3					5.3		5.3		85.2	5.3	10.6	
28 Rock County.....	1,120.8	7.5					3.8	7.5	18.9	3.8	94.3	3.8	3.8	7.5
29 Rusk County.....	873.4	8.9			17.8			26.7	26.7		62.4		8.9	
30 St. Croix County.....	1,082.1					11.6	3.9	15.5			69.6	7.7	11.6	
31 Sauk County.....	1,128.7	3.0			3.0	9.1	9.1	6.1	24.3	6.1	66.9		15.2	9.1
32 Sawyer County.....	1,099.3				31.9					15.9	95.6		15.9	
33 Shawano County.....	958.6	6.3				6.3	3.1	18.8	6.3		59.5	3.1	12.5	3.1
34 Sheboygan County.....	1,034.8						3.5		14.0	10.5	45.6	10.5	14.0	14.0
35 Taylor County.....	825.4	7.3						14.6	7.3		43.8	7.3	7.3	7.3
36 Trempealeau County.....	991.7				8.7	4.4	4.4	17.5	30.6		69.9			4.4
37 Vernon County.....	1,100.7	17.8			10.7	10.7		10.7	24.9		121.1	17.8	14.2	3.6
38 Vilas County.....	628.8										66.2			
39 Walworth County.....	1,220.7	6.8			10.1	3.4	3.4	10.1	3.4	10.1	84.5		16.9	13.5
40 Washburn County.....	1,021.2	12.2			12.2			24.3	12.2		72.9			12.2
41 Washington County.....	1,021.1	16.8			8.4	16.8	4.2	4.2	4.2		54.6	8.4	8.4	4.2
42 Waukesha County.....	1,351.1	13.5			2.7	2.7	5.4	5.4	8.1		129.2	5.4	18.8	21.5
43 Waupaca County.....	1,236.5	6.1				6.1	3.1	6.1	15.3	3.1	70.2		6.1	6.1
44 Waushara County.....	934.6						10.6	10.6	15.8		68.6		5.3	15.8
45 Winnebago County.....	1,398.8				34.5	3.4		31.0	6.9	10.3	93.0		10.3	
46 Wood County.....	902.2	13.1			3.3	3.3	19.6			3.3	42.5	3.3	3.3	

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR AND CAUSE OF DEATH: 1910—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diar- rhea and enteritis (under 2 years).	Ap- pendicitis.	Her- nia, intestinal obstruction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- formations.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill-de- fined and un- known causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
35.8			11.9	23.9	59.7	23.9	11.9	131.3			23.9	11.9	11.9		71.6	262.5	11.9	119.3	23.9	1
64.5	17.6		58.6	76.2	17.6	58.6	23.5	76.2	11.7	5.9	17.6	23.5		5.9	46.9	23.5	11.7	287.3	17.6	2
67.0	17.5	11.7	52.5	137.0	35.0	72.9	14.6	58.3	14.6	23.3	8.7	46.6	2.9		40.8	53.3	14.6	300.2	17.5	3
76.8	30.7	5.1	66.6	153.7	35.9	61.5	15.4	61.5		35.9	10.2	41.0		5.1	41.0	61.5		256.2	35.9	4
51.8	8.6	17.3	25.9	77.7		51.8		69.1		8.6		51.8		8.6	51.8	77.7	17.3	250.3	34.5	5
77.5		41.7	65.6	77.5	17.9	77.5	23.8	29.8	6.0	6.0	17.9	59.6	6.0		65.6	65.6	6.0	238.5	29.8	6
95.8	14.7		51.6	95.8	14.7	73.7	14.7	58.9	7.4	22.1	14.7	73.7		7.4	44.2	66.3	7.4	280.3	22.1	7
74.7	5.0	14.9	44.8	144.5	14.9	29.9	5.0	39.9	19.9	10.0		24.9	10.0	5.0	59.8	54.8	5.0	254.1	19.9	8
58.4	11.7	5.8	46.7	111.0	11.7	116.8		58.4	5.8		23.4	29.2			75.9	17.5	5.8	216.1	17.5	9
57.7		10.5	73.4	57.7	21.0	104.9	5.2	83.9	21.0	10.5	26.2	57.7	5.2	10.5	83.9	42.0	10.5	187.9	36.7	10
65.7	9.4	6.3	43.8	87.6	15.7	62.6	9.4	56.3	6.3	9.4	15.7	50.1	6.3	6.3	75.1	43.8	9.4	228.5	34.4	11
46.6	2.6	18.1	36.3	181.6	18.1	69.9	10.4	95.8	2.6	7.8	5.2	41.4	5.2	7.8	62.2	57.0		246.1	46.6	12
26.0	5.2	10.4	41.6	88.4	15.6	46.8	5.2	130.0	5.2	10.4	10.4	26.0			57.2	93.6		135.2	41.6	13
74.5		18.6	55.9	130.5	46.6	55.9	9.3	37.3	37.3	28.0		37.3		18.6	37.3	46.6	9.3	326.1	93.2	14
113.4	11.7	40.0	71.7	155.1	31.7	206.8	20.0	118.4	6.7	13.3	35.0	138.4	3.3	6.7	135.1	85.1	35.0	495.4	38.4	15
97.0	24.3	17.3	45.0	103.9	17.3	121.3	13.9	72.8	3.5	10.4	3.5	48.5		6.9	48.5	65.8	6.9	287.5	10.4	16
70.0	11.7	15.6	31.1	58.4	11.7	54.5		58.4	3.9	11.7	11.7	35.0	3.9		85.6	58.4	7.8	237.3	54.5	17
35.0	26.2		17.5	61.2	8.7	61.2	17.5	61.2	8.7	26.2		43.7	8.7	8.7	52.4	148.6	17.5	87.4	17.5	18
64.9	9.3	15.5	49.5	83.5	18.6	105.1	12.4	71.1	6.2	21.6	9.3	30.9			68.0	34.0		228.8	40.2	19
70.1	11.7	11.7	105.2	70.1	17.5	52.6	11.7	70.1		5.8	5.8	23.4			17.5	58.5	29.2	187.0	17.5	20
39.6			66.0	105.6	39.6	105.6	13.2	52.8				39.6		13.2	39.6	92.4		198.0	13.2	21
86.3	9.1	13.6	81.7	181.6	36.3	59.0	9.1	68.1	4.5	4.5	4.5	72.7		4.5	45.4	50.0	22.7	222.5	13.6	22
65.5	9.4	4.7	46.8	107.5	23.4	51.4	9.4	9.4	4.7	9.4		51.4	9.4	14.0	65.5	28.1	9.4	187.0	9.4	23
84.0	19.4	9.7	51.7	100.2	25.8	71.1	19.4	90.5	25.8		3.2	35.5	6.5	12.9	93.7	51.7	12.9	297.3	22.6	24
36.1	7.2	7.2	21.7	43.3	14.4	43.3		79.4	14.4			14.4		21.7	36.1	65.0	21.7	93.8	65.0	25
118.0	25.7	10.3	92.4	92.4	25.7	97.5	5.1	66.7	20.5	10.3	30.8	92.4			35.9	61.6	30.8	287.4	30.8	26
69.2	5.3	37.3	69.2	85.2	10.6	85.2	10.6	37.3				74.5	5.3	10.6	69.2	31.9	5.3	250.2	16.0	27
64.2	22.6	11.3	94.3	109.4	30.2	79.2	18.9	49.1	7.5	7.5	11.3	75.5		11.3	15.1	45.3	11.3	286.8	18.9	28
35.7	17.8	8.9	26.7	44.6		35.7	17.8	44.6	8.9	44.6	8.9	26.7	8.9	8.9	89.1	89.1		169.3	35.7	29
81.2	7.7	11.6	88.9	104.3	30.9	65.7	19.3	61.8	7.7	11.6	7.7	73.4	3.9		50.2	42.5	11.6	231.9	50.2	30
106.5	9.1	6.1	85.2	170.4	9.1	57.8	6.1	30.4	6.1	15.2	6.1	66.9	3.0		42.6	36.5	18.3	273.8	27.4	31
47.8	15.9		15.9	63.7	15.9	95.6		47.8				31.9	15.9		79.7	175.2	15.9	223.0	95.6	32
62.7	6.3	12.5	43.9	62.7	25.1	59.5	15.7	90.9	12.5	9.4	6.3	65.8	6.3	6.3	68.9	59.5	15.7	181.7	23.2	33
87.7	7.0	21.0	70.2	136.8	28.1	45.6	14.0	38.6	10.5	14.0	17.5	42.1	3.5	7.0	28.1	63.1	14.0	259.6	14.0	34
80.4	21.9		43.8	51.1		21.9	21.9	21.9	7.3	14.6	7.3	21.9	7.3	7.3	73.0	73.0		233.7	21.9	35
78.6	17.5	13.1	56.8	96.1		78.6	17.5	69.9	13.1	4.4		61.2			56.8	21.8	4.4	222.8	39.3	36
49.9	7.1	17.8	74.8	85.5	10.7	67.7	10.7	71.2	7.1		7.1	74.8	10.7	3.6	81.9	39.2	7.1	235.1	7.1	37
16.5		33.1	99.3	16.5	16.5	49.6		82.7		33.1		16.5			49.6	66.2		66.2	16.5	38
87.9	13.5	3.4	104.8	108.2	30.4	84.5	16.9	37.2	10.1	3.4	13.5	98.1		3.4	44.0	64.2	6.8	307.7	20.3	39
12.2	36.5	12.2	12.2	72.9	24.3	109.4	12.2	72.9		36.5		36.5	12.2	24.3	158.0	36.5		145.9	60.8	40
88.2	4.2	16.8	88.2	88.2	25.2	100.9	12.6	42.0		21.0	8.4	71.4		12.6	36.6	42.0	4.2	222.7	8.4	41
75.4	29.6	10.8	83.4	107.7	24.2	70.0	21.5	56.5	8.1	13.5	10.8	80.7	2.7	10.8	70.0	94.2	21.5	336.4	10.8	42
97.7	12.2	15.3	91.6	88.5	18.3	106.9	3.1	36.6	9.2	3.1	3.1	122.1	9.2	3.1	58.0	58.0	12.2	329.7	36.6	43
63.4	5.3	10.6	47.5	68.6	26.4	63.4		58.1		5.3		58.1	15.8		73.9	37.0		253.4	21.1	44
86.1	24.1	13.8	72.4	158.5	10.3	86.1	20.7	51.7	6.9	10.3	3.4	68.9	3.4	3.4	58.6	58.6	20.7	385.9	65.5	45
55.6	6.5	6.5	39.2	88.3	6.5	81.7	9.8	78.5	9.8	3.3	13.1	19.6	6.5	9.8	78.5	55.6	3.3	232.1	6.5	46

* Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.					DEATH RATE PER 100,000 POPULATION: 1910.						
		Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹	Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹
			Total. ¹	Cities. ¹	Rural districts.				Total. ¹	Cities. ¹	Rural districts.		
	All causes.....	805,412	703,608	400,305	303,303	101,804	602,109	1,495.8	1,471.7	1,539.3	1,340.8	1,686.6	1,608.1
	I.—General diseases.....	215,692	187,170	108,167	79,003	28,522	136,689	400.6	391.5	429.5	349.2	472.5	437.8
1	Typhoid fever.....	12,673	10,904	5,640	5,264	1,769	7,409	23.5	22.9	22.4	23.3	29.3	23.7
2	Typhus fever.....	2	2	2	2	2	2	(²)	(²)	(²)	(²)	(²)	(²)
3	Relapsing fever.....	1	1	1	1	1	1	(²)	(²)	(²)	(²)	(²)	(²)
4	Malaria.....	1,167	645	258	387	522	780	2.2	1.3	1.0	1.7	8.6	2.5
5	Smallpox.....	202	189	107	82	13	120	0.4	0.4	0.4	0.4	0.2	0.4
6	Measles.....	6,598	5,990	3,377	2,613	608	3,985	12.3	12.5	13.4	11.6	10.1	12.8
7	Scarlet fever.....	6,255	5,430	3,567	1,863	825	4,392	11.6	11.4	14.2	8.2	13.7	14.1
8	Whooping cough.....	6,146	5,579	2,381	2,698	567	3,448	11.4	11.7	11.4	11.9	9.4	11.0
9	Diphtheria and croup.....	11,521	10,090	6,482	3,608	1,431	7,913	21.4	21.1	25.7	15.9	23.7	25.3
10	Influenza.....	7,774	6,824	2,663	4,161	950	3,613	14.4	14.3	10.6	18.4	15.7	11.6
11	Miliary fever.....												
12	Asiatic cholera.....												
13	Cholera nostras.....	563	528	192	336	35	227	1.0	1.1	0.8	1.5	0.6	0.7
14	Dysentery.....	3,446	2,971	1,096	1,875	475	1,571	6.4	6.2	4.4	8.3	7.9	5.0
15	Plague.....	1	1	1	1	1	1	(²)	(²)	(²)	(²)	(²)	(²)
16	Yellow fever.....												
17	Leprosy.....	10	5	2	3	5	7	(²)	(²)	(²)	(²)	0.1	(²)
18	Erysipelas.....	2,442	2,183	1,308	875	259	1,567	4.5	4.6	5.2	3.9	4.3	5.0
19	Other epidemic diseases.....	198	189	94	95	9	103	0.4	0.4	0.4	0.4	0.1	0.3
20	Purulent infection and septicemia.....	1,877	1,557	858	699	320	1,178	3.5	3.3	3.4	3.1	5.3	3.8
21	Glanders.....	7	7	7	7	7	7	(²)	(²)	(²)	(²)	(²)	(²)
22	Anthrax.....	22	20	14	6	2	16	(²)	(²)	0.1	(²)	(²)	0.1
23	Rabies.....	64	57	36	21	7	43	0.1	0.1	0.1	0.1	0.1	0.1
24	Tetanus.....	1,373	936	512	424	437	949	2.5	2.0	2.0	1.9	7.2	3.0
25	Mycoses.....	32	26	20	6	6	26	0.1	0.1	0.1	(²)	0.1	0.1
26	Pellagra.....	368	143	90	53	225	315	0.7	0.3	0.4	0.2	3.7	1.0
27	Beriberi.....	10	10	7	3		7	(²)	(²)	(²)	(²)	(²)	(²)
	Tuberculosis (total).....	86,309	74,011	45,178	28,833	12,298	57,476	160.3	154.8	179.4	127.5	203.7	184.1
28	Tuberculosis of the lungs.....	73,214	62,436	37,995	24,441	10,778	48,773	136.0	130.6	150.9	108.0	178.6	156.2
29	Acute miliary tuberculosis.....	1,997	1,730	1,164	566	267	1,431	3.7	3.6	4.6	2.5	4.4	4.6
30	Tuberculous meningitis.....	4,654	4,185	2,943	1,242	469	3,412	8.6	8.8	11.7	5.5	7.8	10.9
31	Abdominal tuberculosis.....	3,159	2,746	1,500	1,246	413	1,913	5.9	5.7	6.0	5.5	6.8	6.1
32	Pot's disease.....	764	671	400	271	93	493	1.4	1.4	1.6	1.2	1.5	1.6
33	White swellings.....	422	372	204	168	50	254	0.8	0.8	0.8	0.7	0.8	0.8
34	Tuberculosis of other organs.....	1,118	1,001	555	446	117	672	2.1	2.1	2.2	2.0	1.9	2.2
35	Disseminated tuberculosis.....	981	870	417	453	111	528	1.8	1.8	1.7	2.0	1.8	1.7
36	Rickets.....	455	370	251	119	85	336	0.8	0.8	1.0	0.5	1.4	1.1
37	Syphilis.....	3,221	2,529	1,849	680	692	2,541	6.0	5.3	7.3	3.0	11.5	8.1
38	Gonococcus infection.....	197	163	134	29	34	168	0.4	0.3	0.5	0.1	0.6	0.5
	Cancer and other malignant tumors (total).....	41,039	36,364	20,505	15,859	4,675	25,180	76.2	76.1	81.4	70.1	77.4	80.6
39	Of the buccal cavity.....	1,576	1,381	764	617	195	959	2.9	2.9	3.0	2.7	3.2	3.1
40	Of the stomach, liver.....	16,475	14,675	7,992	6,683	1,800	9,792	30.6	30.7	31.7	29.5	29.8	31.4
41	Of the peritoneum, intestines, rectum.....	5,258	4,750	2,889	1,861	508	3,397	9.8	9.9	11.5	8.2	8.4	10.9
42	Of the female genital organs.....	6,147	5,253	3,264	1,989	894	4,158	11.4	11.0	13.0	8.8	14.8	13.3
43	Of the breast.....	3,730	3,380	1,840	1,540	350	2,190	6.9	7.1	7.3	6.8	5.8	7.0
44	Of the skin.....	1,459	1,307	513	794	152	665	2.7	2.7	2.0	3.5	2.5	2.1
45	Of other organs or of organs not specified.....	6,394	5,618	3,243	2,375	776	4,019	11.9	11.8	12.9	10.5	12.9	12.9
46	Other tumors (tumors of the female genital organs excepted).....	553	479	246	233	74	320	1.0	1.0	1.0	1.0	1.2	1.0
47	Acute articular rheumatism.....	3,328	2,942	1,647	1,295	386	2,033	6.2	6.2	6.5	5.7	6.4	6.5
48	Chronic rheumatism and gout.....	676	608	286	322	68	354	1.3	1.3	1.1	1.4	1.1	1.1
49	Scurvy.....	68	62	44	18	6	50	0.1	0.1	0.2	0.1	0.1	0.2
50	Diabetes.....	8,040	7,282	4,232	3,050	758	4,990	14.9	15.2	16.8	13.5	12.6	16.0
51	Exophthalmic goiter.....	687	595	335	260	92	427	1.3	1.2	1.3	1.1	1.5	1.4
52	Addison's disease.....	220	199	112	87	21	133	0.4	0.4	0.4	0.4	0.3	0.4
53	Leukemia.....	864	757	423	334	107	530	1.6	1.6	1.7	1.5	1.8	1.7
54	Anemia, chlorosis.....	2,614	2,377	1,224	1,153	237	1,461	4.9	5.0	4.9	5.1	3.9	4.7
55	Other general diseases.....	1,359	1,182	605	577	177	782	2.5	2.5	2.4	2.6	2.9	2.5
56	Alcoholism (acute or chronic).....	2,909	2,626	1,694	932	283	1,977	5.4	5.5	6.7	4.1	4.7	6.3
57	Chronic lead poisoning.....	136	118	83	35	18	101	0.3	0.2	0.3	0.2	0.3	0.3
58	Other chronic occupation poisonings.....	6	3	2	1	3	5	(²)	(²)	(²)	(²)	(²)	(²)
59	Other chronic poisonings.....	259	216	103	113	43	146	0.5	0.5	0.4	0.5	0.7	0.5
	II.—Diseases of the nervous system and of the organs of special sense.....	77,991	70,483	34,593	35,890	7,508	42,101	144.8	147.4	137.3	158.7	124.4	134.8
60	Encephalitis.....	761	650	341	309	111	452	1.4	1.4	1.4	1.4	1.8	1.4
61	Meningitis (total).....	7,619	6,661	3,937	2,724	958	4,895	14.2	13.9	15.6	12.0	15.9	15.7
	Simple meningitis.....	5,347	4,688	2,724	1,964	669	3,383	9.9	9.8	10.8	8.7	10.9	10.8
	Cerebrospinal meningitis (undefined).....	2,052	1,809	1,118	691	243	1,361	3.8	3.8	4.4	3.1	4.0	4.4
	Cerebrospinal fever.....	220	164	95	69	56	151	0.4	0.3	0.4	0.3	0.9	0.5
62	Locomotor ataxia.....	1,435	1,267	678	589	168	846	2.7	2.7	2.7	2.6	2.8	2.7
63	Other diseases of the spinal cord (total).....	4,101	3,751	1,717	2,034	350	2,067	7.6	7.8	6.8	9.0	5.8	6.6
	Acute anterior poliomyelitis.....	1,459	1,364	544	820	95	639	2.7	2.9	2.2	3.6	1.6	2.0
	Other diseases of the spinal cord.....	2,642	2,387	1,173	1,214	255	1,428	4.9	5.0	4.7	5.4	4.2	4.6
64	Cerebral hemorrhage, apoplexy.....	39,701	36,292	18,195	18,097	3,409	21,604	73.7	75.9	72.2	80.0	56.5	69.2

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000.

³ Exclusive of acute anterior poliomyelitis (infantile paralysis).

DEATHS AND DEATH RATES, BY CAUSES.

139

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Contd.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.					DEATH RATE PER 100,000 POPULATION: 1910.						
		Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹	Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹
			Total. ¹	Cities. ¹	Rural districts.				Total. ¹	Cities. ¹	Rural districts.		
II.—Diseases of the nervous system and of the organs of special sense—Continued.													
65	Softening of the brain.....	1,066	917	342	575	149	491	2.0	1.9	1.4	2.5	2.5	1.6
66	Paralysis without specified cause.....	7,756	6,873	2,532	4,341	883	3,415	14.4	14.4	10.1	19.2	14.6	10.9
67	General paralysis of the insane.....	2,944	2,652	1,276	1,376	292	1,568	5.5	5.5	5.1	6.1	4.8	5.0
68	Other forms of mental alienation.....	1,761	1,606	589	1,017	155	744	3.3	3.4	2.3	4.5	2.6	2.4
69	Epilepsy.....	2,287	2,111	818	1,293	176	994	4.2	4.4	3.2	5.7	2.9	3.2
70	Convulsions (nonpuerperal).....	200	173	79	94	27	106	0.4	0.4	0.3	0.4	0.4	0.3
71	Convulsions of infants.....	4,802	4,376	2,331	2,045	426	2,757	8.9	9.2	9.3	9.0	7.1	8.8
72	Chorea.....	123	111	50	61	12	62	0.2	0.2	0.2	0.3	0.2	0.2
73	Neuralgia and neuritis.....	362	334	177	157	28	205	0.7	0.7	0.7	0.7	0.5	0.7
74	Other diseases of the nervous system.....	2,069	1,807	938	869	262	1,200	3.8	3.8	3.7	3.8	4.3	3.8
75	Diseases of the eyes and their annexa.....	37	35	19	16	2	21	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears.....	967	867	574	293	100	674	1.8	1.8	2.3	1.3	1.7	2.2
III.—Diseases of the circulatory system													
		100,106	88,664	48,876	39,788	11,442	60,318	185.9	185.5	194.1	175.9	189.6	193.2
77	Pericarditis.....	650	544	280	264	106	386	1.2	1.1	1.1	1.2	1.8	1.2
78	Acute endocarditis.....	4,792	4,041	3,046	995	751	3,797	8.9	8.5	12.1	4.4	12.4	12.2
79	Organic diseases of the heart.....	76,178	67,780	36,618	31,162	8,398	45,015	141.5	141.8	145.4	137.8	139.1	144.2
80	Angina pectoris.....	3,869	3,534	1,688	1,866	335	2,003	7.2	7.4	6.6	8.2	5.5	6.4
81	Diseases of the arteries, atheroma, aneurism, etc.....	11,657	10,153	5,753	4,400	1,504	7,257	21.6	21.2	22.8	19.5	24.9	23.2
82	Embolism and thrombosis.....	1,990	1,757	1,018	739	233	1,251	3.7	3.7	4.0	3.3	3.9	4.0
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	349	316	205	111	33	238	0.6	0.7	0.8	0.5	0.5	0.8
84	Diseases of the lymphatic system (lymphangitis, etc.).....	255	220	142	78	35	177	0.5	0.5	0.6	0.3	0.6	0.6
85	Hemorrhage; other diseases of the circulatory system.....	366	319	146	173	47	193	0.7	0.7	0.6	0.8	0.8	0.6
IV.—Diseases of the respiratory system													
		100,835	86,874	54,172	32,702	13,961	68,133	187.3	181.7	215.1	144.6	231.3	213.2
86	Diseases of the nasal fossae.....	135	118	47	71	17	64	0.3	0.2	0.2	0.3	0.3	0.2
87	Diseases of the larynx.....	746	669	319	350	77	395	1.4	1.4	1.3	1.5	1.3	1.3
88	Diseases of the thyroid body.....	224	187	101	86	37	138	0.4	0.4	0.4	0.4	0.6	0.4
89	Acute bronchitis.....	7,229	6,643	4,230	2,412	586	4,815	13.4	13.9	16.8	10.7	9.7	15.4
90	Chronic bronchitis.....	5,391	4,785	2,680	2,105	606	3,286	10.0	10.0	10.6	9.3	10.0	10.5
91	Bronchopneumonia.....	25,337	21,913	15,352	6,561	3,424	18,776	47.1	45.8	61.0	29.0	56.7	60.1
92	Pneumonia (total).....	54,187	45,958	27,725	18,233	8,229	35,954	100.6	96.1	110.1	80.6	136.3	115.2
	Lobar pneumonia.....	24,972	21,333	15,544	5,789	3,639	19,183	46.4	44.6	61.7	25.6	60.3	61.4
	Pneumonia (undefined).....	29,215	24,625	12,181	12,444	4,590	16,771	54.3	51.5	48.4	55.0	76.0	53.7
93	Pleurisy.....	2,150	1,890	1,245	645	280	1,505	4.0	4.0	4.9	2.9	4.3	4.8
94	Pulmonary congestion, pulmonary apoplexy.....	2,499	2,180	1,189	991	319	1,508	4.6	4.6	4.7	4.4	5.3	4.8
95	Gangrene of the lung.....	138	123	77	46	15	92	0.3	0.3	0.3	0.2	0.2	0.3
96	Asthma.....	1,454	1,228	647	581	226	873	2.7	2.6	2.6	2.6	3.7	2.8
97	Pulmonary emphysema.....	166	149	73	76	17	90	0.3	0.3	0.3	0.3	0.3	0.3
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,179	1,031	487	544	148	635	2.2	2.2	1.9	2.4	2.5	2.0
V.—Diseases of the digestive system.....													
		104,801	90,732	53,772	36,960	14,069	67,841	194.6	189.8	213.5	163.4	233.1	217.3
99	Diseases of the mouth and annexa.....	423	361	184	177	62	246	0.8	0.8	0.7	0.8	1.0	0.8
100	Diseases of the pharynx.....	840	772	384	388	68	452	1.6	1.6	1.5	1.7	1.1	1.4
101	Diseases of the esophagus.....	120	103	59	44	17	76	0.2	0.2	0.2	0.2	0.3	0.2
102	Ulcer of the stomach.....	2,203	1,924	1,211	713	279	1,490	4.1	4.0	4.8	3.2	4.6	4.8
103	Other diseases of the stomach (cancer excepted).....	8,403	7,494	3,434	4,060	909	4,343	15.6	15.7	13.6	17.9	15.1	13.9
104	Diarrhea and enteritis (under 2 years).....	54,266	47,197	29,712	17,485	7,069	36,781	100.8	98.7	118.0	77.3	117.1	117.8
105	Diarrhea and enteritis (2 years and over).....	8,914	7,676	3,682	3,994	1,238	4,920	16.6	16.1	14.6	17.7	20.5	15.8
106	Ankylostomiasis.....	9	4	1	3	5	6	(²)	(²)	(²)	(²)	0.1	(²)
107	Intestinal parasites.....	76	61	24	37	15	39	0.1	0.1	0.1	0.2	0.2	0.1
108	Appendicitis and typhlitis.....	6,128	5,154	3,528	1,626	974	4,502	11.4	10.8	14.0	7.2	16.1	14.4
109	Hernia, intestinal obstruction (total).....	6,678	5,775	3,493	2,282	903	4,396	12.4	12.1	13.9	10.1	15.0	14.1
	Hernia.....	2,192	1,883	1,255	628	309	1,564	4.1	3.9	5.0	2.8	5.1	5.0
	Intestinal obstruction.....	4,486	3,892	2,238	1,654	594	2,832	8.3	8.1	8.9	7.3	9.8	9.1
110	Other diseases of the intestines.....	1,571	1,356	703	653	215	918	2.9	2.8	2.8	2.9	3.6	2.9
111	Acute yellow atrophy of the liver.....	224	190	89	101	34	123	0.4	0.4	0.4	0.4	0.6	0.4
112	Hydatid tumor of the liver.....	24	19	16	3	5	21	(²)	(²)	0.1	(²)	0.1	0.1
113	Cirrhosis of the liver.....	7,485	6,352	4,042	2,310	1,133	5,175	13.9	13.3	16.0	10.2	18.8	16.6
114	Biliary calculi.....	1,501	1,277	714	563	224	938	2.8	2.7	2.8	2.5	3.7	3.0
115	Other diseases of the liver.....	3,092	2,628	1,296	1,332	464	1,760	5.7	5.5	5.1	5.9	7.7	5.6
116	Diseases of the spleen.....	96	85	40	45	11	51	0.2	0.2	0.2	0.2	0.2	0.2
117	Simple peritonitis (nonpuerperal).....	2,419	2,019	967	1,052	400	1,367	4.5	4.2	3.8	4.7	6.6	4.4
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	329	285	193	92	44	237	0.6	0.6	0.8	0.4	0.7	0.8

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000.

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Contd.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.					DEATH RATE PER 100,000 POPULATION: 1910.						
		Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹	Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹
			Total. ¹	Cities. ¹	Rural districts.				Total. ¹	Cities. ¹	Rural districts.		
	VI.—Nonvenereal diseases of the genitourinary system and annexa.....	62,559	53,251	32,660	20,591	9,308	41,968	116.2	111.4	129.7	91.0	154.2	134.4
119	Acute nephritis.....	5,665	4,886	3,230	1,656	779	4,009	10.5	10.2	12.8	7.3	12.9	12.8
120	Bright's disease.....	47,665	40,464	24,801	15,663	7,201	32,002	88.5	84.6	98.5	69.2	119.3	102.5
121	Chyluria.....	1	1	1	1	1	1	(²)	(²)	(²)	(²)	(²)	(²)
122	Other diseases of the kidneys and annexa.....	1,389	1,215	683	532	174	857	2.6	2.5	2.7	2.4	2.9	2.7
123	Calculi of the urinary passages.....	329	281	167	114	48	215	0.6	0.6	0.7	0.5	0.8	0.7
124	Diseases of the bladder.....	1,561	1,433	599	334	128	727	2.9	3.0	2.4	3.7	2.1	2.3
125	Diseases of the urethra, urinary abscess, etc.	237	179	133	46	58	191	0.4	0.4	0.5	0.2	1.0	0.6
126	Diseases of the prostate.....	2,020	1,779	859	920	241	1,100	3.8	3.7	3.4	4.1	4.0	3.5
127	Nonvenereal diseases of the male genital organs.....	75	65	39	26	10	49	0.1	0.1	0.2	0.1	0.2	0.2
128	Uterine hemorrhage (nonpuerperal).....	81	72	31	41	9	40	0.2	0.2	0.1	0.2	0.1	0.1
129	Uterine tumor (noncancerous).....	933	764	554	210	169	723	1.7	1.6	2.2	0.9	2.8	2.3
130	Other diseases of the uterus.....	774	628	422	206	146	568	1.4	1.3	1.7	0.9	2.4	1.8
131	Cysts and other tumors of the ovary.....	500	432	290	142	68	358	0.9	0.9	1.2	0.6	1.1	1.1
132	Salpingitis and other diseases of the female genital organs.....	1,298	1,029	837	192	269	1,106	2.4	2.2	3.3	0.8	4.5	3.5
133	Nonpuerperal diseases of the breast (cancer excepted).....	31	23	15	8	8	23	0.1	(²)	0.1	(²)	0.1	0.1
	VII.—The puerperal state.....	8,455	7,394	4,271	3,123	1,061	5,332	15.7	15.5	17.0	13.8	17.6	17.1
134	Accidents of pregnancy.....	877	760	454	306	117	571	1.6	1.6	1.8	1.4	1.9	1.8
135	Puerperal hemorrhage.....	754	680	374	306	74	448	1.4	1.4	1.5	1.4	1.2	1.4
136	Other accidents of labor.....	820	743	380	363	77	457	1.5	1.6	1.5	1.6	1.3	1.5
137	Puerperal septicemia.....	3,892	3,334	2,029	1,305	558	2,587	7.2	7.0	7.1	5.8	9.2	8.3
138	Puerperal albuminuria and convulsions.....	1,824	1,614	889	725	210	1,099	3.4	3.4	3.5	3.2	3.5	3.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	230	212	127	85	18	145	0.4	0.4	0.5	0.4	0.3	0.5
140	Following childbirth (not otherwise defined).....	53	47	15	32	6	21	0.1	0.1	0.1	0.1	0.1	0.1
141	Puerperal diseases of the breast.....	5	4	3	1	1	4	(²)	(²)	(²)	(²)	(²)	(²)
	VIII.—Diseases of the skin and of the cellular tissue.....	3,008	2,690	1,322	1,368	318	1,640	5.6	5.6	5.2	6.0	5.3	5.3
142	Gangrene.....	1,743	1,599	694	905	149	843	3.2	3.3	2.8	4.0	2.5	2.7
143	Furuncle.....	273	239	151	88	34	185	0.5	0.5	0.6	0.4	0.6	0.6
144	Acute abscess.....	506	439	274	165	67	341	0.9	0.9	1.1	0.7	1.1	1.1
145	Other diseases of the skin and annexa.....	481	413	203	210	68	271	0.9	0.9	0.8	0.9	1.1	0.9
	IX.—Diseases of the bones and of the organs of locomotion.....	1,317	1,165	822	343	152	974	2.4	2.4	3.3	1.5	2.5	3.1
146	Diseases of the bones (tuberculosis excepted).....	1,145	1,013	725	288	132	857	2.1	2.1	2.9	1.3	2.2	2.7
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	119	102	71	31	17	88	0.2	0.2	0.3	0.1	0.3	0.3
148	Amputations.....	7	5	4	1	2	6	(²)	(²)	(²)	(²)	(²)	(²)
149	Other diseases of the organs of locomotion.....	46	45	22	23	1	23	0.1	0.1	0.1	0.1	(²)	0.1
	X.—Malformations.....	7,998	7,258	3,911	3,347	740	4,651	14.9	15.2	15.5	14.8	12.3	14.9
150	Congenital malformations (stillbirths not included) (total).....	7,998	7,258	3,911	3,347	740	4,651	14.9	15.2	15.5	14.8	12.3	14.9
	Hydrocephalus.....	685	590	330	260	95	425	1.3	1.2	1.3	1.1	1.6	1.4
	Congenital malformations of the heart.....	4,821	4,385	2,394	1,991	436	2,830	9.0	9.2	9.5	8.8	7.2	9.1
	Other congenital malformations.....	2,492	2,283	1,187	1,096	209	1,396	4.6	4.8	4.7	4.8	3.5	4.5
	XI.—Early infancy.....	39,388	35,020	21,014	14,006	4,368	25,382	73.2	73.3	83.4	61.9	72.4	81.3
151	Congenital debility, icterus, and sclerema (total).....	32,350	28,790	17,072	11,718	3,560	20,632	60.1	60.2	67.8	51.8	59.0	66.1
	Premature birth.....	20,275	18,038	10,703	7,335	2,237	12,940	37.7	37.7	42.5	32.4	37.1	41.4
	Congenital debility, "atrophy," "marasmus," etc.....	12,075	10,752	6,369	4,383	1,323	7,692	22.4	22.5	25.3	19.4	21.9	24.6
152	Other causes peculiar to early infancy (total).....	6,908	6,120	3,888	2,232	786	4,674	12.8	12.8	15.4	9.9	13.0	15.0
	Injuries at birth.....	3,725	3,313	2,142	1,171	412	2,554	6.9	6.9	8.5	5.2	6.8	8.2
	Other causes peculiar to early infancy.....	3,181	2,807	1,746	1,061	374	2,120	5.9	5.9	6.9	4.7	6.2	6.8
153	Lack of care.....	132	110	54	56	22	76	0.2	0.2	0.2	0.2	0.4	0.2
	XII.—Old age.....	13,604	12,218	4,655	7,563	1,386	6,041	25.3	25.6	18.5	33.4	23.0	19.3
154	Senility.....	13,604	12,218	4,655	7,563	1,386	6,041	25.3	25.6	18.5	33.4	23.0	19.3
	XIII.—External causes.....	57,196	49,855	27,095	22,760	7,341	34,436	106.2	104.3	107.6	100.6	121.6	110.3
	Suicide (total).....	8,580	7,809	4,513	2,796	1,281	5,794	16.0	15.3	17.9	12.4	21.2	18.6
155	By poison.....	2,456	1,964	1,327	637	492	1,819	4.6	4.1	5.3	2.8	8.2	5.8
156	By asphyxia.....	941	785	730	55	156	886	1.7	1.6	2.9	0.2	2.6	2.8
157	By hanging or strangulation.....	1,265	1,163	535	628	102	637	2.3	2.4	2.1	2.8	1.7	2.0
158	By drowning.....	517	463	249	214	54	303	1.0	1.0	1.0	0.9	0.9	1.0
159	By firearms.....	2,561	2,181	1,210	971	380	1,590	4.8	4.6	4.8	4.3	6.3	5.1
160	By cutting or piercing instruments.....	544	476	285	191	68	353	1.0	1.0	1.1	0.8	1.1	1.1
161	By jumping from high places.....	187	119	106	13	18	124	0.3	0.2	0.4	0.1	0.3	0.4
162	By crushing.....	88	84	43	41	4	47	0.2	0.2	0.2	0.2	0.1	0.2
163	Other suicides.....	81	74	28	46	7	35	0.2	0.2	0.1	0.2	0.1	0.1

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000.

³ Exclusive of injuries at birth.

DEATHS AND DEATH RATES, BY CAUSES.

TABLE IV.—DEATHS (EXCLUSIVE OF STILLBIRTHS), WITH DEATH RATES PER 100,000 POPULATION, IN THE REGISTRATION AREA AND ITS MAIN SUBDIVISIONS, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Contd.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS: 1910.					DEATH RATE PER 100,000 POPULATION: 1910.						
		Registration area.	Registration states.			Registration cities in other states.	Registration area.	Registration states.			Registration cities in other states.	All registration cities. ¹	
			Total. ¹	Cities. ¹	Rural districts.			Total. ¹	Cities. ¹	Rural districts.			
XIII.—External causes—Continued.													
	Accidental or undefined (total).....	45,416	40,361	21,160	19,201	5,055	26,215	84.3	84.4	84.0	84.9	83.7	84.0
164	Poisoning by food.....	157	145	67	78	12	79	0.3	0.3	0.3	0.3	0.2	0.3
165	Other acute poisonings.....	1,227	1,080	548	532	147	695	2.3	2.3	2.2	2.4	2.4	2.2
166	Conflagration.....	745	623	352	271	122	474	1.4	1.3	1.4	1.2	2.0	1.5
167	Burns (conflagration excepted).....	4,182	3,575	2,270	1,305	607	2,877	7.8	7.5	9.0	5.8	10.1	9.2
168	Absorption of deleterious gases (conflagration excepted).....	1,379	1,093	925	168	286	1,211	2.6	2.3	3.7	0.7	4.7	3.9
169	Accidental drowning.....	4,818	4,441	2,050	2,391	377	2,427	8.9	9.3	8.1	10.6	6.2	7.8
170	Traumatism by firearms.....	1,161	998	327	671	163	490	2.2	2.1	1.3	3.0	2.7	1.6
171	Traumatism by cutting or piercing instruments.....	89	79	48	31	10	58	0.2	0.2	0.2	0.1	0.2	0.2
172	Traumatism by fall.....	8,305	7,424	4,459	2,965	881	5,340	15.4	15.5	17.7	13.1	14.6	17.1
173	Traumatism in mines and quarries (total).....	2,484	2,428	557	1,871	56	613	4.6	5.1	2.2	8.3	0.9	2.0
	Traumatism in mines.....	2,366	2,318	524	1,794	48	572	4.4	4.8	2.1	7.9	0.8	1.8
	Traumatism in quarries.....	118	110	33	77	8	41	0.2	0.2	0.1	0.3	0.1	0.1
174	Traumatism by machines.....	1,299	1,145	707	438	154	861	2.4	2.4	2.8	1.9	2.6	2.8
175	Traumatism by other crushing (total).....	13,302	11,639	6,178	5,460	1,663	7,842	24.7	24.3	24.5	24.1	27.6	25.1
	Railroad accidents and injuries.....	7,877	7,011	3,307	3,704	866	4,173	14.6	14.7	13.1	16.4	14.3	13.4
	Street-car accidents and injuries.....	1,949	1,568	1,181	887	331	1,562	3.6	3.3	4.7	1.7	6.3	5.0
	Automobile accidents and injuries.....	980	834	575	259	146	721	1.8	1.7	2.3	1.1	2.4	2.3
	Injuries by other vehicles.....	1,940	1,733	915	818	207	1,122	3.6	3.6	3.6	3.6	3.4	3.6
	Landslide, other crushing.....	556	493	201	292	63	264	1.0	1.0	0.8	1.3	1.0	0.8
176	Injuries by animals.....	502	467	168	299	35	203	0.9	1.0	0.7	1.3	0.6	0.7
177	Starvation.....	38	34	15	19	4	19	0.1	0.1	0.1	0.1	0.1	0.1
178	Excessive cold.....	254	247	66	181	7	73	0.5	0.5	0.3	0.8	0.1	0.2
179	Effects of heat.....	826	734	460	274	92	552	1.5	1.5	1.8	1.2	1.5	1.8
180	Lightning.....	156	150	12	138	6	18	0.3	0.3	(?)	0.6	0.1	0.1
181	Electricity (lightning excepted).....	478	425	223	202	58	276	0.9	0.9	0.9	0.9	0.9	0.9
185	Fractures (cause not specified).....	623	570	284	286	53	337	1.2	1.2	1.1	1.3	0.9	1.1
186	Other external violence.....	3,391	3,064	1,443	1,621	327	1,770	6.3	6.4	5.7	7.2	5.4	5.7
	Homicide (total).....	3,190	2,185	1,422	763	1,005	2,427	5.9	4.6	5.6	3.4	16.6	7.8
182	By firearms.....	1,852	1,190	753	437	662	1,415	3.4	2.5	3.0	1.9	11.0	4.5
183	By cutting or piercing instruments.....	452	292	187	105	160	347	0.8	0.6	0.7	0.5	2.7	1.1
184	By other means.....	886	703	482	221	183	665	1.6	1.5	1.9	1.0	3.0	2.1
	XIV.—Ill-defined diseases.....	12,462	10,834	4,975	5,859	1,628	6,603	23.1	22.7	19.8	25.9	27.0	21.1
187	Ill-defined organic disease.....	622	486	124	362	136	260	1.2	1.0	0.5	1.6	2.3	0.8
188	Sudden death.....	271	255	72	183	16	88	0.5	0.5	0.3	0.8	0.3	0.3
189	Not specified or ill-defined (total).....	11,569	10,093	4,779	5,314	1,476	6,255	21.5	21.1	19.0	23.5	24.5	20.0
	Ill-defined.....	9,932	8,702	4,497	4,205	1,230	5,727	18.4	18.2	17.9	18.6	20.4	18.3
	Not specified or unknown.....	1,637	1,391	282	1,109	246	528	3.0	2.9	1.1	4.9	4.1	1.7

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000.

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes ¹	1,456.7	1,232.7	1,573.0	1,259.3	1,591.9	1,504.7	1,515.6	1,274.1	2,025.6	1,621.1
	I.—General diseases.....	453.2	370.5	573.0	355.0	411.9	359.0	465.7	406.3	472.2	373.1
1	Typhoid fever.....	16.9	21.8	34.1	46.5	15.7	12.7	33.4	34.2	33.6	16.5
2	Typhus fever.....										
3	Relapsing fever.....										
4	Malaria.....	1.9	5.5	1.0	1.2	2.6	2.2	4.0	4.3	0.6	0.3
5	Smallpox.....		0.1		1.4				0.1		
6	Measles.....	7.6	7.2	6.0	9.1	9.1	6.3	17.3	16.3	17.4	11.8
7	Scarlet fever.....	3.3	2.5	14.4	12.1	13.9	6.6	9.7	6.5	15.6	2.6
8	Whooping cough.....	10.0	13.9	2.7	5.3	14.2	10.7	13.5	15.2	9.0	14.2
9	Diphtheria and croup.....	9.4	8.9	19.7	14.0	25.8	23.7	15.0	14.3	18.6	11.8
10	Influenza.....	5.7	7.0	10.4	9.1	19.2	27.0	16.8	21.2	12.0	17.9
11	Miliary fever.....										
12	Asiatic cholera.....										
13	Cholera nostras.....	0.3	0.4	0.7	1.0	0.5	1.4	0.7	0.9		2.6
14	Dysentery.....	3.5	6.3	2.3	6.1	4.4	4.1	9.5	16.4	5.4	3.5
15	Plague.....		0.1								
16	Yellow fever.....										
17	Leprosy.....	0.1	0.1								
18	Erysipelas.....	3.1	3.3	8.7	3.8	6.0	2.8	6.4	4.2	6.0	2.4
19	Other epidemic diseases.....	0.1	0.3	0.3	0.2	0.5	0.3	0.2	0.4	1.8	
20	Purulent infection and septicemia.....	3.2	1.6	5.7	2.0	3.6	3.0	2.9	2.4	7.8	3.8
21	Glanders.....							0.1			
22	Anthrax.....	0.2			0.2					0.1	0.2
23	Rabies.....	0.2	0.1						0.2		
24	Tetanus.....	2.0	2.0	1.3	0.8	2.1	1.1	4.9	2.3	1.8	1.4
25	Mycoses.....	0.4	0.1								0.2
26	Pellagra.....	0.2	0.1								
27	Beriberi.....	0.3	0.2								
	Tuberculosis (total).....	225.9	180.9	319.9	168.6	159.4	130.5	195.1	165.1	180.4	140.7
28	Tuberculosis of the lungs.....	193.3	156.2	288.2	155.9	134.7	112.3	158.5	134.5	145.6	110.5
29	Acute miliary tuberculosis.....	5.0	3.7	3.3	2.2	4.1	2.8	4.4	2.5	0.6	3.1
30	Tuberculous meningitis.....	11.4	8.1	12.4	4.2	9.5	5.8	9.6	9.4	15.6	10.6
31	Abdominal tuberculosis.....	8.5	6.3	7.4	2.2	4.4	3.6	14.2	11.2	6.6	8.5
32	Pott's disease.....	1.6	1.6	2.7		1.6	1.4	1.2	1.6	1.8	1.4
33	White swellings.....	0.9	1.0	0.3	0.2	1.1	0.8	0.7	1.2	1.2	0.7
34	Tuberculosis of other organs.....	3.2	2.0	2.3	1.8	2.5	1.7	2.4	2.3	1.2	2.3
35	Disseminated tuberculosis.....	2.0	2.0	3.3	2.2	1.6	2.2	4.0	2.5	7.8	3.6
36	Rickets.....	0.8	0.4	1.7	0.4	0.5	1.1	1.3	0.4	1.2	0.7
37	Syphilis.....	9.0	5.0	12.0	2.8	3.3	0.6	8.8	4.5	3.0	0.9
38	Gonococcus infection.....	0.5	0.1	0.7	0.2	0.3		0.5	0.4		0.2
	Cancer and other malignant tumors (total).....	101.9	63.5	83.9	42.9	79.6	80.1	81.1	65.4	104.9	100.4
39	Of the buccal cavity.....	3.9	3.8	3.0	1.8	3.6	2.8	2.9	2.6	3.6	3.8
40	Of the stomach, liver.....	40.0	27.5	31.8	18.2	30.2	28.6	30.8	28.4	37.2	39.7
41	Of the peritoneum, intestines, rectum.....	13.9	6.6	10.7	4.9	10.8	10.5	10.0	6.5	18.6	14.4
42	Of the female genital organs.....	16.0	6.8	14.7	4.4	10.5	10.2	17.4	9.5	14.4	13.4
43	Of the breast.....	8.8	5.2	6.4	2.8	8.6	10.7	7.8	6.0	10.2	10.6
44	Of the skin.....	2.8	2.4	2.3	3.2	1.9	3.6	2.9	3.8	2.4	4.9
45	Of other organs or of organs not specified.....	16.5	11.3	15.0	7.7	14.2	13.8	9.4	8.6	18.6	13.7
46	Other tumors (tumors of the female genital organs excepted).....	0.9	0.7	0.7	0.4	1.9	2.5	1.3	0.6	4.2	1.9
47	Acute articular rheumatism.....	4.0	3.7	8.7	4.9	6.6	6.3	7.1	5.0	5.4	4.5
48	Chronic rheumatism and gout.....	1.6	1.3	1.0	0.4	1.5	3.0	1.3	0.7	1.8	1.9
49	Scurvy.....	0.2				0.1		0.4	0.1		
50	Diabetes.....	18.5	12.7	11.4	6.5	20.5	18.2	15.3	13.3	16.2	17.5
51	Exophthalmic goiter.....	1.3	0.9	1.7	0.4	0.9	0.3	2.4	1.9	1.8	1.0
52	Addison's disease.....	0.6	0.3	1.3		0.3	1.1	0.1	0.4	1.2	0.3
53	Leukemia.....	2.3	1.8	3.0	1.8	1.7	0.3	1.6	1.1	1.2	1.6
54	Anemia, chlorosis.....	4.9	3.7	4.7	2.6	5.3	5.2	4.4	3.8	10.2	6.6
55	Other general diseases.....	2.7	3.2	3.0	3.4	2.8	1.9	2.8	2.1	3.0	3.1
56	Alcoholism (acute or chronic).....	7.7	9.7	9.7	5.9	8.7	5.5	6.6	1.8	6.0	1.9
57	Chronic lead poisoning.....	0.6		0.7		0.1	0.3	0.5	0.2	0.6	0.2
58	Other chronic occupation poisonings.....										
59	Other chronic poisonings.....	1.6	1.4	1.7	1.0	0.7	0.3	0.7	0.7	1.8	0.5
	II.—Diseases of the nervous system and of the organs of special sense.....	129.2	135.5	126.0	95.0	162.7	208.9	125.5	133.8	270.3	206.2
60	Encephalitis.....	2.4	1.4	1.0	0.8	1.6	1.1	1.8	1.9	5.4	1.9
61	Meningitis (total).....	15.2	14.2	22.1	10.5	22.0	15.7	11.4	8.8	33.6	19.3
	Simple meningitis.....	10.4	9.7	15.0	6.5	17.5	12.1	7.3	5.4	24.6	15.6
	Cerebrospinal meningitis (undefined).....	4.5	4.5	6.7	4.0	4.5	3.6	3.8	2.5	8.4	3.5
	Cerebrospinal fever.....	0.2	0.1	0.3				0.4	0.9	0.6	0.2
62	Locomotor ataxia.....	4.4	2.0	3.3	1.4	2.5	3.3	4.5	2.4	7.8	2.3
63	Other diseases of the spinal cord (total).....	8.2	6.5	3.3	4.6	9.7	10.7	6.0	9.8	14.4	11.3
	Acute anterior poliomyelitis.....	0.9	1.6			3.2	4.7	1.1	2.1	7.8	3.1
	Other diseases of the spinal cord ²	7.4	4.9	3.3	3.8	6.5	6.3	4.9	7.7	6.6	8.2
64	Cerebral hemorrhage, apoplexy.....	66.8	60.3	60.5	40.2	89.3	118.9	69.0	73.7	124.1	116.4
65	Softening of the brain.....	3.0	3.2	1.3	1.0	1.3	5.0	1.7	2.8	3.6	4.0
66	Paralysis without specified cause.....	12.5	17.1	12.7	11.7	7.1	16.8	10.2	13.7	28.8	21.9
67	General paralysis of the insane.....	3.6	10.2	4.3	4.7	4.4	6.3	4.4	4.1	15.6	4.5
68	Other forms of mental alienation.....	1.5	5.2	3.7	3.2	2.2	2.8	1.2	3.4	12.6	4.2

¹ Exclusive of stillbirths.² Less than one-tenth of 1 per 100,000.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.	
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.			
Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.												
1,921.2	1,322.7	1,726.1	1,189.8	3,061.7	1,826.6	1,603.1	1,614.9	1,556.9	1,329.7	1,245.3	1,016.7	1,540.4	883.7	1,753.0	1,712.8		
515.4	362.6	454.8	314.3	869.8	546.0	396.8	431.4	377.1	312.4	412.5	290.5	500.3	217.4	367.7	383.8		
46.2	35.8	45.4	33.6	50.6	44.5	13.5	8.9	31.0	19.3	48.5	24.5	69.6	29.3	11.5	10.1	1	
2.0	1.5	1.9	1.5	2.3	1.4	0.5	1.4	0.3	1.0		0.1				0.4	2	
								7.7	2.2	0.6	0.4	1.0	0.4			3	
3.3	4.8	3.7	5.0	1.1	4.2	12.4	8.7	8.0	9.7	14.1	10.8	6.1	3.6	3.4	9.0	6	
7.9	2.9	8.9	3.5	2.3	0.7	8.9	5.1	13.8	8.9	24.3	9.9	28.2	11.8	2.3	1.6	7	
16.6	27.6	12.1	14.5	42.8	77.2	8.9	7.1	14.2	9.0	5.3	8.4	16.1	8.9	10.3	9.4	8	
10.8	15.2	11.9	15.6	4.5	13.9	23.2	12.9	22.7	14.5	44.5	17.6	26.2	12.5	23.5	14.0	9	
11.2	19.3	10.6	17.2	14.6	27.1	10.8	21.5	11.6	17.8	2.1	5.9	8.1	5.7	13.2	27.3	10	
																	11
1.0	1.3	1.0	0.7	1.1	3.5	0.8	1.3	1.0	1.1	0.5	3.7	1.0			1.6	12	
5.1	8.3	3.8	7.9	12.4	9.7	4.7	9.8	6.2	6.6	3.2	7.2	5.0	4.3	9.7	8.2	13	
																	14
																	15
																	16
6.7	3.2	7.1	3.3	4.5	2.8	5.2	5.2	4.9	4.4	5.2	3.2	7.1	2.5	4.0	5.5	17	
0.5		0.6				0.2	0.3	0.4	0.2	0.2	0.2	6.1	2.5		0.4	18	
																	19
2.6	3.6	2.7	4.2	2.3	1.4	4.8	3.1	4.9	5.4	5.5	3.1	11.1	2.1	4.6	3.5	20	
0.2		0.2				0.1											21
0.2		0.2				0.1		0.1	0.1								22
														0.6	0.4		23
3.5	3.0	2.7	2.0	7.9	7.0	1.8	0.8	1.5	2.1	1.7	1.8	2.0	1.8	1.1	1.6	24	
0.8	0.4	1.0	0.4		0.7	0.2	0.3	0.1		0.2							25
						(*)		0.2			0.1						26
																	27
246.2	154.4	188.8	121.0	581.7	281.0	158.6	177.2	113.0	88.4	137.0	96.3	155.3	66.5	154.1	123.3	28	
214.1	136.8	163.8	105.8	508.6	254.6	128.2	152.2	92.1	72.9	109.4	76.4	132.1	55.8	119.1	104.9	29	
7.7	2.8	3.7	1.8	31.5	6.3	4.2	3.1	3.4	1.8	5.2	3.0	4.0	1.4	4.6	2.3	30	
9.9	3.6	9.2	4.4	13.5	0.7	15.2	8.9	4.7	3.3	9.6	6.9	7.1	2.5	13.7	2.7	31	
6.2	6.2	5.4	5.0	11.3	11.1	5.0	4.5	6.4	4.7	6.2	4.1	4.0	1.4	8.6	7.0	32	
2.6	1.0	1.9	0.9	6.8	1.4	1.4	1.0	1.5	1.4	1.5	1.1	4.0	0.4	0.6	0.8	33	
1.3	0.4	1.2	0.4	2.3	0.7	0.8	2.0	1.0	1.2	0.9	0.7					34	
2.0	2.0	1.7	1.5	3.4	4.2	2.2	1.6	2.6	2.0	2.1	2.2	1.0	0.7	4.6	3.9	35	
2.3	1.5	1.9	1.3	4.5	2.1	1.6	3.8	1.4	1.2	2.0	1.8	3.0	3.6	2.9	1.6	36	
																	37
1.0	0.9	0.4	0.7	4.5	1.4	1.0	0.4	1.1	0.4	0.8	0.4		0.7		0.4	38	
12.2	2.8	7.9	0.4	37.1	11.8	4.5	3.9	5.0	1.6	5.9	1.6	2.0	3.9	3.4	1.2	39	
0.2		0.2				0.6		0.2	0.1	0.5	0.1	1.0	0.4		0.4	40	
96.8	51.2	101.4	55.0	69.8	36.9	89.5	107.0	79.2	72.3	74.9	63.8	76.7	29.0	75.0	114.3	41	
2.8	1.5	2.9	1.8	2.3		3.4	3.7	2.6	3.3	3.5	2.8	2.0	0.4	4.6	3.5	42	
43.1	21.6	45.6	23.5	28.1	14.6	31.6	34.3	31.1	31.2	32.5	32.7	40.4	12.5	22.3	44.5	43	
9.2	4.4	10.0	4.8	4.5	2.8	14.9	18.6	8.9	7.9	7.8	8.2	5.0	1.8	8.0	17.9	44	
17.1	7.4	16.7	7.0	19.1	9.0	13.3	12.5	12.9	9.2	10.9	4.7	10.1	3.6	13.2	17.6	45	
9.4	4.4	9.2	4.4	10.1	4.2	8.5	11.9	7.1	6.2	5.8	4.1	3.0	3.6	7.4	11.3	46	
3.5	3.0	3.7	3.5	2.3	1.4	2.3	5.2	2.7	2.9	1.8	2.0	2.0	1.8	3.4	9.0	47	
11.8	9.0	13.3	10.1	3.4	4.9	15.5	20.7	13.9	11.6	12.6	9.2	14.1	5.4	16.0	10.5	48	
																	49
0.8	0.9	0.8	0.7	1.1	1.4	1.3	1.7	1.9	1.9	0.2	0.5	1.0	0.4	1.1	3.5	50	
6.2	5.8	5.8	5.0	9.0	9.0	4.8	6.8	6.4	6.7	6.4	4.4	11.1	5.0	5.7	3.1	51	
0.8	1.3	1.0	1.5		0.7	1.4	1.3	1.1	2.0	0.9	1.7		1.1	1.7	0.8	52	
0.2	0.1	0.2	0.2			0.5	0.3	0.2	0.1								53
17.3	8.6	18.5	10.5	10.1	1.4	18.6	21.5	14.6	14.9	11.4	11.8	19.2	6.8	20.0	17.6	54	
																	55
1.2	0.1	1.2	0.2	1.1		0.9	0.7	2.6	2.4	1.2	1.2	4.0	1.1	1.1	0.4	56	
0.3		0.4				0.6	1.0	0.3	0.5	0.5	0.4		0.4	1.7	0.4	57	
1.2	0.9	1.3	0.9		0.7	1.7	2.9	1.3	1.2	2.1	1.8	1.0	1.1	1.1	2.7	58	
4.4	3.0	4.6	3.1	3.4	2.8	6.9	8.9	11.5	10.9	4.3	3.9	5.0	2.5	9.2	10.5	59	
2.6	1.6	2.7	1.7	2.3	1.4	3.1	4.5	4.7	3.7	2.6	1.8	4.0	1.1	5.2	4.3	60	
																	61
5.1	3.9	5.4	4.0	3.4	3.5	6.6	5.6	4.8	2.9	8.2	3.7	28.2	10.0	4.0	7.0	62	
0.3		0.4				0.2	0.5	0.3			0.1	1.0			1.2	63	
																	64
0.2	0.1	0.2	0.2			0.3	0.5	0.3	0.3		0.1	3.0	2.1		0.4	65	
																	66
187.5	160.2	170.5	155.3	286.9	178.8	156.9	204.9	159.9	164.8	90.7	97.9	91.8	86.2	245.7	232.5	67	
																	68
1.0	1.3	1.0	1.7	1.1		1.2	1.4	2.7	1.6	1.4	0.8		0.7	2.9	0.4	69	
21.2	13.8	20.8	13.4	23.6	15.3	18.9	12.2	20.1	11.2	13.2	8.3	20.2	10.4	47.5	17.2	70	
15.1	10.7	14.2	10.3	20.3	12.5	14.7	9.6	14.5	7.9	8.8	5.4	10.1	5.0	42.4	12.9	71	
5.1	3.0	5.8	3.1	1.1	2.8	3.7	2.1	5.5	3.1	4.3	2.0	10.1	5.0	5.2	4.3	72	
1.0		0.8		2.3		0.6	0.5	0.1	0.3	0.2	0.9		0.4				73
																	74
2.5	3.0	2.3	3.3	3.4	2.1	2.6	2.4	3.1	3.5	2.1	1.2		0.7	4.6	5.9	75	
5.8	7.0	5.4	7.5	7.9	4.9	8.1	11.5	4.9	7.5	8.1	15.5	6.1	7.9	9.7	13.7	76	
1.3	3.9	1.0	4.0	3.4	3.5	3.2	5.0	1.0	2.1	2.9	12.5	4.0	4.6	5.2	3.9	77	
4.4	3.0	4.4	3.5	4.5	1.4	4.8	6.6	3.9	5.4	5.2	3.0	2.0	3.2	4.6	9.3	78	
88.3	59.2	84.5	57.8	110.3	64.7	90.5	119.2	64.5	77.7	44.7	41.7	43.4	24.7	98.5	132.2	79	
																	80
1.6	3.3	1.7	3.5	1.1	2.8	0.6	2.8	1.7	2.7	0.8	0.6	4.0	1.4	2.9	2.7	81	
26.5	39.2	21.9	37.4	52.9	45.9	7.8	12.2	18.8	31.3	4.3	7.9	3.0	5.0	24.6	26.9	82	
2.8	3.2	2.3	3.9	5.6	0.7	6.5	10.1	9.5	4.5	2.0	2.9	2.0	10.7	9.7	3.5	83	
2.1	5.5	1.7	6.4	4.5	2.1	1.6	6.3	3.8	1.9	1.4	2.1	1.0	10.7	12.6	4.3	84	

* Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.										
69	Epilepsy.....	3.1	5.9	3.3	7.3	4.9	9.1	6.3	6.1	3.0	5.4
70	Convulsions (nonpuerperal).....	0.1				0.9	1.1	0.1	0.1	1.8	0.3
71	Convulsions of infants.....	1.9	2.9	2.3	4.4	8.2	10.7	2.1	1.8	9.0	5.4
72	Chorea.....	0.1	0.1	0.7	0.2	0.4	0.3	0.1	0.3		
73	Neuralgia and neuritis.....	0.9	0.4	0.7	0.4	1.5	0.8	0.6	0.4	1.8	1.0
74	Other diseases of the nervous system.....	3.9	5.2	5.0	2.0	4.8	5.0	3.3	3.1	6.6	6.9
75	Diseases of the eyes and their annexa.....					0.1			0.1	0.6	
76	Diseases of the ears.....	1.6	0.9	1.7	2.8	1.9	1.4	2.7	1.4	1.8	1.6
	III.—Diseases of the circulatory system.....	231.2	177.1	153.8	90.0	205.3	225.2	186.2	172.8	272.1	231.6
77	Pericarditis.....	2.4	1.2	1.0	0.6	0.3	1.9	1.7	1.4	1.8	1.9
78	Acute endocarditis.....	11.8	5.2	4.7	4.6	12.0	6.3	7.8	3.8	7.8	4.7
79	Organic diseases of the heart.....	177.1	141.4	113.0	70.0	153.9	174.8	139.7	136.2	196.6	180.7
80	Angina pectoris.....	7.7	7.8	9.0	4.7	9.5	10.7	8.0	9.1	17.4	12.5
81	Diseases of the arteries, atheroma, aneurism, etc.....	26.7	17.7	16.7	7.3	22.2	25.3	24.2	18.5	34.2	23.6
82	Embolism and thrombosis.....	3.8	2.8	8.7	1.8	5.3	5.2	2.8	2.6	9.0	6.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	0.3	0.1	0.3	0.6	0.9	0.3	1.2	0.6	1.8	0.5
84	Diseases of the lymphatic system (lymphangitis, etc.).....	0.7	0.3			0.5	0.3	0.1	0.2	0.6	0.2
85	Hemorrhage; other diseases of the circulatory system.....	0.6	0.7	0.3	0.4	0.7	0.3	0.7	0.5	3.0	1.2
	IV.—Diseases of the respiratory system.....	138.7	109.9	163.5	148.8	211.9	156.6	161.8	119.7	258.9	205.0
86	Diseases of the nasal fossae.....		0.4		0.2	0.1		0.2	0.2	0.6	
87	Diseases of the larynx.....	0.5	0.6	2.0	1.4	1.2	0.6	1.3	1.2	2.4	1.7
88	Diseases of the thyroid body.....	0.4	0.1	0.7	0.6	0.3	0.6	0.4	0.5	0.6	0.3
89	Acute bronchitis.....	8.5	4.8	5.7	7.9	17.6	15.1	11.1	7.7	16.8	17.9
90	Chronic bronchitis.....	10.3	6.3	4.3	4.2	10.5	12.7	9.0	8.0	6.6	12.0
91	Bronchopneumonia.....	26.6	17.4	26.7	23.0	37.7	25.6	43.2	26.5	45.5	30.9
92	Pneumonia (total).....	79.2	68.6	109.0	94.0	129.9	89.7	86.3	68.3	154.6	125.8
	Lobar pneumonia.....	39.1	26.9	50.5	26.5	42.1	23.9	47.7	28.3	18.6	14.9
	Pneumonia (undefined).....	40.1	41.6	58.5	67.5	87.8	65.8	38.7	40.0	136.0	110.8
93	Pleurisy.....	3.9	2.5	2.3	1.4	4.5	3.0	3.2	2.1	4.2	3.5
94	Pulmonary congestion, pulmonary apoplexy.....	4.2	4.8	2.0	2.4	6.1	5.0	0.7	1.5	21.6	7.8
95	Gangrene of the lung.....	0.5	0.6	0.3	0.2	0.3		0.1	0.2	1.2	0.2
96	Asthma.....	2.7	1.8	5.0	4.4	2.2	1.9	4.9	2.3	1.2	1.7
97	Pulmonary emphysema.....	0.4	0.1		0.2	0.1		0.1	0.2	1.2	0.5
98	Other diseases of the respiratory system (tuberculosis excepted).....	1.3	2.0	5.3	9.1	1.5	2.5	1.3	1.0	2.4	2.8
	V.—Diseases of the digestive system.....	140.6	114.0	160.5	142.3	200.7	170.4	205.9	154.0	260.7	172.1
99	Diseases of the mouth and annexa.....	0.4	0.6	0.7	0.6	1.1	0.3	1.2	0.8	1.2	0.7
100	Diseases of the pharynx.....	1.0	0.9	1.7	3.8	2.8	2.2	1.9	1.7	0.6	1.6
101	Diseases of the esophagus.....	0.5	0.2			0.1	0.3	0.2	0.2		
102	Ulcer of the stomach.....	6.4	3.7	5.7	3.8	4.0	3.6	4.3	3.3	4.8	3.3
103	Other diseases of the stomach (cancer excepted).....	11.4	11.8	12.4	11.9	15.5	16.8	16.0	16.7	21.6	25.8
104	Diarrhea and enteritis (under 2 years).....	39.1	39.1	64.2	66.5	111.4	88.1	103.4	67.2	121.7	77.5
105	Diarrhea and enteritis (2 years and over).....	10.6	13.0	9.4	13.3	11.1	19.5	17.9	18.9	19.8	18.9
106	Ankylostomiasis.....	0.1									
107	Intestinal parasites.....	0.1	0.2			0.1			0.2		0.3
108	Appendicitis and typhlitis.....	15.3	6.0	21.7	12.1	10.6	4.7	14.1	7.6	28.2	7.8
109	Hernia, intestinal obstruction (total).....	14.7	9.8	13.7	9.3	14.2	8.0	13.9	9.9	24.0	11.3
	Hernia.....	5.2	2.9	4.0	1.8	4.4	2.5	3.6	2.4	6.6	2.3
	Intestinal obstruction.....	9.5	7.0	9.7	7.5	9.8	5.5	10.2	7.5	17.4	9.0
110	Other diseases of the intestines.....	3.3	2.9	2.3	2.0	1.7	1.1	4.1	3.3	3.6	3.3
111	Acute yellow atrophy of the liver.....	0.4	0.9	0.3	0.4	0.4	0.6		0.5		0.2
112	Hydatid tumor of the liver.....	0.2				0.1					
113	Cirrhosis of the liver.....	22.3	14.0	12.4	7.7	14.7	13.8	13.5	10.4	10.8	7.6
114	Biliary calculi.....	2.8	1.3	4.7	2.0	3.4	1.9	4.0	2.9	1.8	1.6
115	Other diseases of the liver.....	6.7	5.2	6.0	4.6	4.9	4.7	6.2	7.4	8.4	5.6
116	Diseases of the spleen.....	0.3	0.2		0.6	0.1	0.3	0.2	0.1		0.2
117	Simple peritonitis (nonpuerperal).....	3.8	4.1	4.7	4.0	4.1	3.6	3.9	2.7	13.2	5.9
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1.3	0.2	0.7		0.4	1.1	1.0	0.3	1.2	0.5

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."¹

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.		
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.			New Hampshire.	
Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		Cities.	Rural districts.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.											
4.8	4.9	3.1	4.6	14.6	6.3	3.1	10.9	4.9	4.2	2.6	3.8	2.0	4.3	7.4	6.6	69
0.7	0.6	0.8	0.2		2.1	0.6	0.5	0.5	0.3			1.0	0.4		2.0	70
21.0	11.6	15.2	8.6	55.1	23.0	6.1	7.0	17.3	11.8	5.2	7.9	3.0	3.6	17.8	6.6	71
	0.4		0.6			0.3	0.3	0.5	0.3		0.4	1.0				72
1.3	1.0	1.3	1.1	1.1	0.7	0.5	0.4	1.0	1.1	0.5	0.4		0.7	0.6	1.6	73
5.3	5.2	5.6	4.8	3.4	7.0	5.6	6.0	4.8	3.4	2.9	2.7	5.0	3.2	4.6	7.8	74
2.8	0.9	2.9	0.7	2.3	1.4	0.1		0.1	0.1		0.1				0.8	75
						2.8	1.7	1.7	1.5	1.8	1.1		1.8	2.3	0.4	76
219.2	117.7	194.0	115.7	366.8	125.2	235.0	288.5	184.9	196.1	132.4	97.1	123.1	81.2	221.1	285.5	
0.8	0.7	0.6	0.7	2.3	0.7	0.8	0.7	1.2	1.5	0.9	0.3	2.0	0.7	1.7	3.1	77
10.0	2.9	8.5	2.8	19.1	3.5	13.3	9.1	9.5	3.5	13.7	4.6	11.1	6.8	9.2	5.1	78
170.1	97.7	145.5	95.7	313.9	105.0	167.6	211.7	140.2	160.0	93.0	76.4	88.8	60.4	159.8	228.6	79
9.2	3.3	10.2	4.0	3.4	0.7	7.6	10.2	6.5	8.8	3.6	3.2	7.1	2.1	14.9	13.7	80
21.5	10.2	22.1	10.3	18.0	9.7	38.5	49.5	20.9	16.7	13.1	10.0	10.1	7.9	25.8	27.3	81
3.6	1.0	4.0	0.9	1.1	1.4	4.4	5.5	4.4	2.9	5.8	1.6	3.0	1.8	6.3	6.2	82
1.5	0.7	1.2	0.4	3.4	2.1	1.3	0.5	0.8	0.6	0.8	0.4	1.0	0.4	1.1	1.2	83
0.2	0.1	0.2	0.2			0.6	0.4	0.4	0.7	0.6	0.2		0.4	1.7		84
2.3	1.0	1.7	0.7	5.6	2.1	0.9	0.9	1.0	1.4	0.9	0.4		0.7	0.6	0.4	85
239.3	151.5	211.3	132.2	402.8	224.7	226.9	185.8	181.1	116.1	134.1	100.8	162.4	76.1	217.1	200.9	
0.2	0.4	0.2	0.2		1.4	0.2		0.2	0.5	0.3	0.6		0.7	0.6	0.8	86
0.5	1.2	0.4	1.1	1.1	1.4	1.3	1.4	2.4	2.0	0.9	0.8	4.0	2.9		1.6	87
	0.1	0.2	0.2			0.5	0.7	0.7	0.2	0.9	0.6	1.0	0.4	0.6		88
15.4	12.6	13.9	10.5	24.8	20.9	18.6	14.0	16.9	14.7	6.5	6.0	9.1	6.4	29.8	12.5	89
15.1	9.6	15.8	9.7	11.3	9.0	10.8	18.0	13.8	9.2	6.5	7.2	4.0	2.1	9.7	18.3	90
60.5	27.3	51.6	23.1	112.5	43.1	48.9	32.2	43.5	16.7	44.4	29.5	33.3	14.7	44.1	23.4	91
125.5	88.7	108.7	75.9	230.7	137.0	134.9	107.7	85.1	57.8	66.1	46.4	92.8	41.5	112.8	119.8	92
65.6	18.6	56.6	17.2	118.1	23.6	50.1	37.7	36.7	12.3	44.4	32.8	54.5	15.4	16.6	13.3	
61.0	70.1	52.2	58.7	112.5	113.4	84.8	70.1	48.4	45.6	21.7	13.6	38.3	26.1	96.2	106.5	
5.1	2.2	5.2	2.0	4.5	2.8	4.6	3.7	4.6	3.7	2.3	2.5	7.1	1.4	2.9	4.7	93
8.9	4.8	9.0	5.1	7.9	3.5	3.8	5.0	5.3	5.5	2.4	1.8	5.0	1.8	13.7	13.7	94
0.8	0.3	1.0	0.4			0.1	0.1	0.4	0.3			0.1				95
3.3	1.6	2.7	1.7	6.8	1.4	1.0	1.4	4.3	2.7	2.3	3.4	3.0	1.8	2.3	2.3	96
0.2	0.3	0.2	0.4			0.2		0.3	0.2		0.3			0.4		97
2.8	2.5	2.7	2.0	3.4	4.2	1.8	1.6	3.7	2.5	1.2	1.6	3.0	2.5	0.6	3.5	98
213.7	164.8	192.5	147.6	337.6	230.2	222.4	150.8	220.5	177.4	164.3	130.7	217.9	104.4	252.6	163.4	
0.7	2.3	0.8	1.5		5.6	1.0	0.8	0.7	0.8	0.5	0.1	1.0		0.6	0.8	99
1.2	1.5	0.8	1.5	3.4	1.4	1.9	0.5	2.5	1.9	0.8	1.0	2.0	1.1	1.7	1.6	100
0.3		0.4				0.4	0.1	0.3	0.3	0.2	0.2			0.4		101
2.6	2.2	2.3	2.2	4.5	2.1	5.1	3.0	3.8	3.3	5.3	3.9	3.0	0.7	5.7	3.1	102
21.0	22.8	16.4	19.3	48.4	36.2	13.6	16.8	21.4	21.0	7.6	10.3	17.1	7.1	25.8	27.7	103
114.9	93.2	100.5	83.1	199.2	131.5	135.3	74.4	102.4	72.0	79.2	57.7	85.7	50.4	143.2	59.7	104
17.3	13.2	15.0	13.6	30.4	11.8	12.8	18.1	17.3	20.1	11.7	15.7	8.1	8.2	16.0	21.1	105
0.2	0.6	0.2	0.2		2.1	0.1	0.1			0.2	0.1					106
12.3	3.6	11.5	2.8	16.9	7.0	12.9	4.3	17.1	10.1	19.9	13.3	40.4	8.9	10.9	6.2	107
15.8	7.3	15.8	6.4	15.8	10.4	13.3	8.8	16.5	12.3	12.5	10.5	19.2	9.3	14.3	11.7	108
5.3	2.0	5.6	2.0	3.4	2.1	5.4	2.2	4.6	3.4	4.9	2.7	3.0	2.5	2.9	3.9	109
10.5	5.2	10.2	4.4	12.4	8.3	7.9	6.6	11.9	8.9	7.6	7.7	16.1	6.8	11.5	7.8	110
3.0	2.5	2.9	2.4	3.4	2.8	2.6	2.5	4.9	3.7	3.2	2.2	4.0	1.8	1.7	3.1	111
0.3	0.4	0.4	0.6			0.3	0.1	0.2	0.3	0.5	0.5				0.4	112
13.1	6.5	13.9	6.4	9.0	7.0	10.1	9.8	12.6	12.0	7.8	6.1	20.2	6.1	5.2	7.8	113
3.9	1.2	4.6	1.5			3.0	2.6	2.7	3.0	2.7	2.7	2.0	1.4	3.4	3.5	114
5.1	3.0	5.4	2.2	3.4	6.3	3.6	4.1	7.3	7.9	5.9	3.6	6.1	4.6	8.6	7.8	115
	0.3		0.4			0.2	0.3	0.3	0.5		0.3					116
1.5	4.4	1.2	3.9	3.4	6.3	5.3	4.1	9.9	7.5	5.8	2.5	7.1	4.6	13.7	8.2	117
0.5		0.6				0.9	0.3	0.7	0.6	0.6	0.3	2.0		1.7	0.4	118

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	124.7	82.6	130.4	80.5	124.5	126.1	119.4	92.4	160.6	116.9
119	Acute nephritis.....	9.9	6.3	9.7	7.1	15.1	6.9	10.0	6.4	18.0	9.5
120	Bright's disease.....	93.9	62.4	91.9	58.8	94.1	102.7	82.8	70.7	108.5	91.9
121	Chyluria.....										
122	Other diseases of the kidneys and annexa.....	2.4	1.4	3.0	1.8	2.5	1.9	2.7	2.7	5.4	2.8
123	Calculi of the urinary passages.....	0.9	0.4	0.3	0.6	0.4	0.6	0.9	0.5	0.6	0.3
124	Diseases of the bladder.....	2.9	3.2	3.0	2.8	3.8	6.1	2.8	2.8	4.2	4.5
125	Diseases of the urethra, urinary abscess, etc.....	0.5	0.3	0.3		0.3		0.4	0.1	1.2	0.2
126	Diseases of the prostate.....	4.6	3.8	5.3	3.6	2.4	3.3	5.2	5.1	6.6	4.2
127	Nonvenereal diseases of the male genital organs.....			0.3	0.2		0.6	0.1	0.2		0.2
128	Uterine hemorrhage (nonpuerperal).....	0.2	0.5	0.3	0.4	0.1		0.1	0.1		0.3
129	Uterine tumor (noncancerous).....	2.9	0.9	5.0	1.0	0.9	1.9	3.9	0.7	3.0	0.7
130	Other diseases of the uterus.....	2.3	1.0	2.7	0.8	1.6	0.8	1.2	0.8	6.0	1.7
131	Cysts and other tumors of the ovary.....	1.1	0.8	3.3	1.0	1.1	0.6	2.2	0.9	1.8	0.3
132	Salpingitis and other diseases of the female genital organs.....	3.2	1.5	5.0	2.6	2.2	0.8	7.2	1.5	5.4	0.2
133	Nonpuerperal diseases of the breast (cancer excepted).....										
	VII.—The puerperal state.....	11.8	12.3	22.1	17.4	13.4	12.9	19.6	15.3	16.2	14.4
134	Accidents of pregnancy.....	1.0	2.1	2.7	2.0	1.2	3.0	1.7	1.5	1.8	0.9
135	Puerperal hemorrhage.....	1.5	1.3	1.7	1.8	0.8	0.8	1.2	1.1		1.2
136	Other accidents of labor.....	1.0	1.3	3.0	1.2	1.1	1.4	1.1	1.7	1.2	2.6
137	Puerperal septicemia.....	4.1	4.8	11.7	10.1	6.7	3.9	12.5	7.1	9.6	5.2
138	Puerperal albuminuria and convulsions.....	3.3	2.5	2.3	1.8	2.9	3.0	2.8	3.5	3.0	4.0
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	0.9	0.2	0.7	0.4	0.7	0.3	0.2	0.4	0.6	0.3
140	Following childbirth (not otherwise defined).....		0.1		0.2		0.6		0.1		0.2
141	Puerperal diseases of the breast.....										
	VIII.—Diseases of the skin and of the cellular tissue ..	5.7	4.6	4.7	3.0	6.7	5.5	4.4	5.6	10.8	9.0
142	Gangrene.....	3.7	3.0	3.0	1.0	4.2	3.9	2.8	3.9	9.6	6.6
143	Furuncle.....	0.7	0.4	0.7	0.2	0.1		0.2	0.4		0.9
144	Acute abscess.....	0.5	0.4	0.7	0.8	1.5	1.1	0.2	0.5	0.6	0.7
145	Other diseases of the skin and annexa.....	0.8	0.9	0.3	1.0	0.9	0.6	1.1	0.9	0.6	0.9
	IX.—Diseases of the bones and of the organs of locomotion.	2.7	1.0	3.3	1.0	1.7	0.6	2.4	2.1	2.4	2.1
146	Diseases of the bones (tuberculosis excepted).....	2.4	0.7	2.7	0.8	1.6	0.3	2.4	1.6	1.8	1.7
147	Diseases of the joints (tuberculosis and rheumatism excepted).....				0.2	0.1	0.3		0.2	0.6	0.3
148	Amputations.....	0.1									
149	Other diseases of the organs of locomotion.....	0.2	0.3	0.7					0.2		
	X.—Malformations.....	12.6	11.9	15.7	14.8	15.1	13.5	19.3	15.8	11.4	10.4
150	Congenital malformations (stillbirths not included) (total).....	12.6	11.9	15.7	14.8	15.1	13.5	19.3	15.8	11.4	10.4
	Hydrocephalus.....	0.9	0.9	0.7	1.0	1.2	1.4	1.3	0.9	1.2	1.7
	Congenital malformations of the heart.....	7.6	7.7	11.7	10.3	8.7	8.3	12.8	9.0	4.8	4.3
	Other congenital malformations.....	4.1	3.3	3.3	3.6	5.2	3.9	5.2	5.9	5.4	4.3
	XI.—Early infancy.....	50.7	37.1	74.2	70.0	98.6	75.2	64.7	55.8	81.5	70.1
151	Congenital debility, icterus and sclerema (total).....	42.3	30.4	63.9	57.0	76.2	61.7	50.1	43.8	61.7	62.4
	Premature birth.....	30.6	23.0	42.1	36.0	45.5	36.3	40.6	36.5	27.6	35.0
	Congenital debility, "atrophy," "marasmus," etc.....	11.7	7.4	21.7	21.0	30.7	25.3	9.5	7.3	34.2	27.4
152	Other causes peculiar to early infancy (total).....	8.2	6.5	10.4	12.9	22.0	13.5	14.5	11.7	19.8	7.6
	Injuries at birth.....	5.5	3.6	4.7	4.7	13.6	7.4	8.5	5.2	7.2	3.5
	Other causes peculiar to early infancy.....	2.7	2.9	5.7	8.1	8.3	6.1	6.0	6.6	12.6	4.2
153	Lack of care.....	0.2	0.2		0.2	0.4		0.1	0.3		
	XII.—Old age.....	21.7	24.5	30.1	24.9	17.3	33.3	14.7	16.3	49.7	85.2
154	Senility.....	21.7	24.5	30.1	24.9	17.3	33.3	14.7	16.3	49.7	85.2
	XIII.—External causes.....	128.5	139.9	111.7	206.2	97.5	96.1	121.7	80.7	111.5	73.5
	Suicide (total).....	33.0	24.5	27.4	16.8	17.6	18.4	21.9	10.7	9.0	12.1
155	By poison.....	6.3	3.9	12.4	4.9	7.0	3.0	12.8	3.1	1.8	1.0
156	By asphyxia.....	6.0	0.3	2.7	0.4	2.2	0.8	1.0		0.6	0.2
157	By hanging or strangulation.....	2.1	2.9	1.3	1.0	2.4	5.2	1.7	2.7	1.8	2.9
158	By drowning.....	1.4	1.6	0.3	0.8	0.9	3.6	1.0	0.7		1.2
159	By firearms.....	13.4	11.8	8.7	7.9	3.4	4.4	4.0	3.3	4.8	4.9
160	By cutting or piercing instruments.....	2.8	2.6	1.3	1.0	0.8	0.6	0.7	0.3		0.9
161	By jumping from high places.....	0.2	0.2	0.7		0.1	0.3	0.2	0.1		0.3
162	By crushing.....	0.5	0.8		0.4	0.5	0.3	0.2	0.3		
163	Other suicides.....	0.3	0.4		0.4	0.1	0.3	0.2	0.1		0.7

1 Less than one-tenth of 1 per 100,000.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.		
Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.											
194.9	96.9	179.8	92.2	283.6	114.8	105.3	107.2	94.7	83.3	83.4	65.3	97.8	56.5	118.0	139.6	
18.4	6.2	14.0	5.1	43.9	10.4	8.1	7.1	8.6	6.5	7.0	6.0	14.1	3.9	12.6	10.9	119
156.1	81.1	146.7	77.9	211.5	93.2	79.6	82.8	63.2	60.3	59.9	46.2	70.6	45.4	87.6	108.1	120
2.5	1.6	2.9	1.3	2.8	2.8	3.1	2.8	3.0	3.3	1.5	2.4	1.0	2.1	2.9	3.5	121
1.3	0.9	1.2	0.9	2.3	0.7	0.7	0.4	0.7	0.6	0.2	0.2	2.0	0.4	0.6	0.4	122
2.3	2.2	2.3	2.2	2.3	2.1	2.5	6.0	4.1	3.9	2.1	2.6	1.0	1.1	7.4	7.8	124
0.7	0.1	0.6	0.2	1.1	1.1	0.6	0.5	0.4	0.1	0.3	0.3	1.0	0.4	0.4	0.4	125
2.8	1.3	3.1	1.5	1.1	0.7	3.2	4.2	4.1	4.0	3.3	5.1	1.0	0.4	1.7	5.5	126
0.5	0.2	0.2	0.2	2.3	1.4	0.2	0.2	0.3	0.1	0.2	0.1	1.0	0.4	0.4	0.4	127
0.2	0.4	0.2	0.2	1.4	0.7	0.2	0.3	0.2	0.3	0.2	0.2	1.0	0.4	0.6	0.4	128
3.3	0.7	2.5	0.9	7.9	1.4	1.8	1.3	2.5	1.2	1.8	0.7	0.4	0.4	2.3	2.3	129
2.1	0.7	1.9	0.6	3.4	1.4	1.6	0.8	2.8	1.5	2.3	1.1	2.0	1.1	2.9	0.4	130
1.2	0.9	1.2	0.7	1.1	1.4	1.2	0.8	1.1	0.6	1.2	0.4	0.4	0.4	0.4	0.4	131
3.6	0.7	3.1	0.7	6.8	0.7	2.5	0.3	3.8	0.7	3.5	0.4	4.0	1.1	1.7	0.4	132
						0.1		0.1	0.1							133
16.6	13.1	14.4	11.0	29.3	20.9	13.1	8.9	18.3	15.9	14.4	10.7	25.2	13.2	12.6	11.7	
2.3	1.6	1.9	1.5	4.5	2.1	1.5	0.5	2.5	1.4	1.4	0.6	3.0	1.8	1.1	0.4	134
1.5	2.0	1.5	1.8	1.1	2.8	1.2	1.2	1.3	1.6	0.9	1.2	2.0	2.1	1.7	1.2	135
1.8	1.5	1.7	0.9	2.3	3.5	1.3	1.2	1.8	1.9	1.1	1.4	2.0	1.4	2.9	2.0	136
6.1	5.1	5.2	4.2	11.3	8.3	5.6	2.4	8.2	6.2	7.8	4.4	10.1	6.1	2.9	5.1	137
4.9	2.8	4.0	2.4	10.1	4.2	2.7	3.0	3.7	4.1	2.9	2.3	6.1	1.1	3.4	2.3	138
						0.8	0.7	0.6	0.5	0.5	0.5	2.0	0.7	0.6	0.4	139
	0.1		0.2					0.2	0.3		0.3				0.4	140
																141
8.5	3.6	7.9	3.1	12.4	5.6	5.8	6.0	6.7	7.6	3.6	4.6	5.0	1.1	6.9	12.9	
4.1	2.2	2.9	1.5	11.3	4.9	2.8	3.3	3.8	5.8	1.7	2.4	3.0	1.1	5.2	9.8	142
1.2	0.3	1.3	0.4			0.7	0.5	0.3		0.5	0.4			0.6	0.8	143
2.6	0.7	2.9	0.7	1.1	0.7	1.5	1.2	1.5	0.7	0.6	1.2	1.0		0.6	0.4	144
0.7	0.4	0.8	0.6			0.9	1.0	1.0	1.1	0.9	0.7	1.0		0.6	2.0	145
3.8	1.7	4.0	1.8	2.3	1.4	3.7	2.1	3.7	1.5	2.3	1.5	5.0	0.4	2.3	1.6	
3.3	1.6	3.5	1.7	2.3	1.4	3.1	1.3	2.9	1.4	2.1	1.3	4.0	0.4	1.7	1.2	146
0.3		0.4				0.5	0.7	0.7	0.1		0.1	1.0				147
0.2	0.1	0.2	0.2			(1)	0.1	0.1		0.2	0.1			0.6	0.4	148
																149
13.1	9.1	13.5	9.5	11.3	7.7	17.9	14.4	16.0	15.9	10.0	8.6	21.2	11.8	12.0	15.6	
13.1	9.1	13.5	9.5	11.3	7.7	17.9	14.4	16.0	15.9	10.0	8.6	21.2	11.8	12.0	15.6	150
1.0	0.9	1.0	0.9	1.1	0.7	1.9	0.9	1.0	1.8	0.9	1.1	1.0	1.1	2.9	2.3	
9.0	4.9	9.2	5.3	7.9	3.5	10.6	9.7	8.8	8.2	5.6	3.9	14.1	7.5	4.0	9.0	
3.1	3.3	3.3	3.3	2.3	3.5	5.4	3.8	6.1	5.9	3.5	3.7	6.1	3.2	5.2	4.3	
121.5	61.1	106.4	54.8	209.3	84.9	94.8	67.5	108.8	67.2	64.1	49.3	69.6	44.3	129.4	74.9	
108.1	52.4	94.7	46.8	186.8	73.7	77.1	56.8	95.6	55.9	54.9	42.5	56.5	34.7	110.0	64.4	151
43.7	20.2	36.8	20.2	84.4	20.2	48.5	31.9	49.8	33.4	34.7	25.0	38.3	22.9	57.8	36.3	
64.4	32.2	57.9	26.6	102.4	53.6	28.6	24.9	45.7	22.6	20.2	17.4	18.2	11.8	52.1	28.1	
13.0	8.4	11.7	7.9	20.3	10.4	17.4	10.5	13.0	11.1	9.1	6.8	13.1	9.7	18.9	10.5	152
8.7	3.5	8.1	3.7	12.4	2.8	9.5	5.8	7.8	5.9	3.6	3.5	8.1	2.5	6.9	5.1	
4.3	4.9	3.7	4.2	7.9	0.7	7.9	4.7	5.2	5.2	5.5	3.3	5.0	7.1	12.0	5.5	
0.3	0.3	0.2	0.2	2.3	0.7	0.3	0.1	0.2	0.1	0.2				0.6		153
32.9	36.9	33.7	33.0	28.1	51.5	16.7	45.1	44.4	55.7	29.5	47.5	17.1	10.0	48.7	84.3	
32.9	36.9	33.7	33.0	28.1	51.5	16.7	45.1	44.4	55.7	29.5	47.5	17.1	10.0	48.7	84.3	154
99.6	72.8	97.2	67.1	113.6	94.6	87.5	84.5	101.0	87.4	92.7	84.1	173.5	164.4	79.0	81.5	
14.1	7.0	16.2	7.7	2.3	4.2	12.1	14.3	19.3	10.3	15.8	9.7	31.3	17.9	13.7	11.7	
4.6	0.9	5.4	1.1			2.3	2.6	9.8	3.2	5.0	1.5	19.2	4.6	1.1	3.1	155
1.6		1.9				2.5	0.4	1.3	0.1	2.4	0.1			1.7		156
1.3	1.6	1.5	1.7		1.4	1.8	3.8	1.9	2.7	1.2	3.6	1.0	2.5	4.6	2.7	157
1.0	0.9	0.8	0.6	2.3	2.1	1.5	2.2	0.9	0.3	1.1	0.7	1.0	0.4	2.9	0.8	158
4.3	3.0	5.0	3.7		0.7	2.7	3.8	4.2	3.0	4.6	2.5	6.1	9.7	2.9	3.9	159
0.8	0.3	1.0	0.4			1.0	0.9	0.8	0.6	1.1	0.8	4.0	0.7	0.6	1.2	160
0.2	0.1	0.2	0.2			0.1		0.1		0.5						161
0.2		0.2				0.2	0.3	0.2	0.1		0.1					162
0.2	0.1	0.2	0.2			0.3		0.2	0.3		0.4					163

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		California.		Colorado.		Connecticut.		Indiana.		Maine.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.										
	Accidental or undefined (total).....	84.0	105.1	71.9	178.1	77.5	75.2	90.9	67.5	98.9	60.2
164	Poisoning by food.....	0.7	1.3	0.3	0.3	0.2	0.4
165	Other acute poisonings.....	2.5	2.3	5.7	4.0	2.0	3.6	3.6	2.2	4.8	2.8
166	Conflagration.....	1.1	1.4	0.3	0.8	1.5	0.6	0.5	0.4	1.2	1.4
167	Burns (conflagration excepted).....	6.2	5.6	5.3	4.6	8.5	6.1	8.5	5.5	12.0	3.3
168	Absorption of deleterious gases (conflagration excepted).....	4.5	0.4	1.3	2.2	3.7	1.4	3.0	0.3	3.0	0.5
169	Accidental drowning.....	9.2	14.1	1.3	10.5	8.5	15.7	5.3	4.7	18.6	16.0
170	Traumatism by firearms.....	2.0	6.2	3.7	7.1	0.8	0.8	2.4	2.2	4.8	2.8
171	Traumatism by cutting or piercing instruments.....	0.2	0.2	0.1	0.2	0.1	0.6	0.2
172	Traumatism by fall.....	15.5	12.6	11.0	7.9	20.0	17.1	15.4	13.9	17.4	9.9
173	Traumatism in mines and quarries (total).....	0.7	4.6	1.0	79.9	0.3	1.7	2.6	0.5
	Traumatism in mines.....	0.2	4.0	1.0	79.7	1.7	2.5
	Traumatism in quarries.....	0.5	0.6	0.2	0.3	0.1	0.5
174	Traumatism by machines.....	2.8	3.0	2.0	4.7	1.3	1.1	3.5	1.4	1.2	1.7
175	Traumatism by other crushing (total).....	29.6	34.6	29.4	35.2	21.7	20.1	34.9	21.7	23.4	11.6
	Railroad accidents and injuries.....	10.9	19.2	21.1	22.8	11.0	11.6	21.2	12.7	16.2	5.7
	Street-car accidents and injuries.....	8.9	2.7	1.0	0.4	4.4	1.4	7.1	4.2	3.6	0.5
	Automobile accidents and injuries.....	3.9	3.2	2.3	1.8	3.3	1.7	2.6	0.6	0.6	1.0
	Injuries by other vehicles.....	4.5	7.9	3.7	9.3	2.8	5.0	3.2	3.8	2.4	3.6
	Landslide, other crushing.....	1.4	1.6	1.3	1.0	0.3	0.6	1.0	0.4	0.6	0.7
176	Injuries by animals.....	1.3	3.2	3.0	1.8	1.1	0.6	0.4	2.2	0.6	0.5
177	Starvation.....	0.3	0.2	0.2	0.1
178	Excessive cold.....	0.1	0.4	0.3	3.6	0.4	0.8	0.2	0.4	0.6	0.7
179	Effects of heat.....	0.2	2.0	0.6	1.3	0.8	0.9	0.8	0.6	0.5
180	Lightning.....	4.6	0.3	0.2	1.1	0.3
181	Electricity (lightning excepted).....	1.4	2.2	0.7	1.8	0.7	0.3	2.7	0.5	0.6	0.2
185	Fractures (cause not specified).....	1.6	1.0	0.3	0.6	1.3	0.3	1.0	0.9	1.2	0.9
186	Other external violence.....	4.0	9.7	6.0	8.1	4.5	5.5	6.1	6.2	8.4	6.4
	Homicide (total).....	11.4	10.3	12.4	11.3	2.4	2.5	8.9	2.5	3.6	1.2
182	By firearms.....	6.4	5.6	6.7	8.1	0.9	0.6	5.5	1.6	1.2	0.7
183	By cutting or piercing instruments.....	0.9	2.0	2.3	2.2	0.1	0.8	1.0	0.2	0.6	0.3
184	By other means.....	4.1	2.7	3.3	1.0	1.3	1.1	2.4	0.7	1.8	0.2
	XIV.—Ill-defined diseases.....	5.5	11.9	4.0	10.3	24.5	21.5	4.4	3.4	47.3	51.5
187	Ill-defined organic disease.....	0.5	1.5	0.3	0.6	0.3	0.3	0.2	0.4	1.2	2.1
188	Sudden death.....	0.3	0.1	0.6	0.1	0.1	11.4	1.4
189	Not specified or ill-defined (total).....	5.0	10.1	3.7	9.7	24.1	20.6	4.0	2.9	34.8	48.0
	Ill-defined.....	4.3	7.9	3.7	7.7	22.2	18.2	3.2	2.3	27.0	26.4
	Not specified or unknown.....	0.7	2.2	2.0	1.9	2.5	0.9	0.6	7.8	21.7

* Less than one-tenth of 1 per 100,000.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.															Detailed Int. List No.	
Maryland.						Massachusetts.		Michigan.		Minnesota.		Montana.		New Hampshire.		
Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		Rural districts.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.											
82.0	63.0	77.8	58.1	106.9	81.4	72.3	68.8	77.4	75.5	72.7	71.6	134.2	136.2	63.6	69.4	164
0.2	0.4	0.6	0.6	1.1	1.1	0.1	0.1	0.1	0.4	0.5	0.2	5.0	2.9	1.7	2.0	165
1.6	2.2	1.9	2.0	2.8	2.8	1.7	1.8	2.5	2.8	2.4	1.6	5.0	2.9	1.7	2.0	166
1.2	0.3	0.8	0.2	3.4	0.7	1.1	0.5	1.0	1.0	1.5	1.8	6.1	2.5	1.1	1.2	166
15.1	6.2	12.1	4.8	32.6	11.8	8.5	3.7	8.4	5.3	5.3	5.9	1.0	2.5	8.6	5.5	167
2.8	0.1	3.3	0.2	11.8	11.8	3.2	0.4	2.7	0.6	3.5	0.9	1.0	0.7	1.1	0.4	168
8.4	11.3	6.2	9.7	21.4	17.4	7.5	15.0	7.9	10.0	7.3	11.8	1.0	17.2	10.3	12.5	169
1.6	3.0	1.2	1.7	4.5	8.3	0.5	0.9	1.7	3.6	2.3	4.2	8.1	8.9	1.7	2.7	170
0.3	0.1	0.2	0.2	1.1	0.7	0.1	0.1	0.1	0.1	0.3	0.1	1.0	0.7	13.7	14.8	171
14.6	5.7	16.0	5.0	6.8	8.3	18.7	17.2	11.2	11.5	11.6	5.2	12.1	7.1	14.8	14.8	172
0.2	1.2	0.2	1.3	0.7	0.7	0.1	0.3	2.3	7.1	0.9	3.9	27.2	18.2	173	173	
0.2	1.0	0.2	1.3	0.7	0.7	0.1	0.1	2.3	7.1	0.8	3.9	27.2	18.2	173	173	
2.8	0.9	2.5	0.9	4.5	0.7	0.1	0.1	0.2	0.2	2.1	1.8	3.0	2.1	0.6	2.7	174
22.2	13.9	23.1	14.1	16.9	13.2	19.2	17.6	25.0	17.0	23.9	17.6	48.4	49.3	13.7	13.3	175
12.2	10.6	13.3	11.0	5.6	9.0	9.5	11.4	14.1	9.5	15.4	11.6	34.3	34.7	8.0	9.0	
5.3	1.3	5.2	1.3	1.4	1.4	4.0	2.0	4.7	1.5	1.5	0.1	2.0	2.0	1.7	0.4	
1.2	0.3	1.3	0.2	0.7	0.7	2.1	1.7	3.2	0.9	2.6	0.4	2.0	1.1	1.7	0.8	
3.1	1.0	2.9	0.9	4.5	1.4	3.2	1.7	2.9	4.0	3.6	4.0	8.1	11.1	1.7	3.1	
0.5	0.7	0.4	0.7	1.1	0.7	0.5	0.8	0.2	1.1	0.8	1.4	2.0	2.5	0.6	0.6	
0.5	0.9	0.6	1.1	0.7	0.7	0.5	0.8	0.7	1.6	0.5	1.9	5.0	4.3	0.6	0.8	176
0.3	0.4	0.4	2.1	0.1	0.1	(1)	0.2	0.1	0.1	0.1	0.1	5.0	0.4	0.4	0.4	177
1.8	1.9	1.2	5.6	4.2	0.8	0.2	0.7	0.4	0.7	0.3	1.5	3.2	3.2	2.0	2.0	178
0.7	0.7	0.7	4.2	0.7	1.0	0.8	1.0	1.8	1.5	2.7	0.8	1.1	1.1	1.2	1.2	179
1.5	0.3	1.5	0.7	0.7	0.4	(1)	0.4	0.6	0.6	0.2	0.9	2.5	2.5	0.4	0.4	180
1.2	3.8	1.3	0.2	1.1	0.7	0.5	1.3	1.3	0.4	1.1	0.3	5.0	1.8	1.7	2.0	181
5.8	9.6	5.4	4.2	2.1	2.1	0.6	1.0	2.0	1.8	1.4	3.2	11.1	11.1	1.1	0.4	185
3.5	2.9	3.3	7.9	7.7	7.7	6.3	4.9	6.6	7.8	5.0	7.7	11.1	11.1	6.3	7.0	186
2.0	1.7	1.9	1.1	2.3	4.2	1.1	0.7	4.3	1.5	4.3	2.8	8.1	10.4	1.7	0.4	182
1.0	0.1	1.0	1.1	0.7	4.2	0.4	0.3	2.4	0.6	2.1	1.3	6.1	6.4	0.4	0.4	183
0.5	1.0	0.4	1.1	1.1	4.2	1.5	0.5	1.3	0.7	1.4	1.1	2.0	3.6	1.1	0.4	184
55.2	70.5	46.2	52.1	108.0	140.5	20.3	17.7	39.9	28.4	11.1	28.1	30.3	16.8	40.1	24.6	
1.2	3.6	0.4	3.3	5.6	4.9	0.2	0.2	2.4	2.9	0.3	1.7	0.4	0.4	2.9	2.0	187
0.2	2.8	0.2	2.9	2.1	2.1	0.2	0.4	0.3	0.5	0.2	0.8	0.7	0.7	1.6	1.6	188
53.9	64.1	45.6	45.8	102.4	133.5	19.9	17.3	37.2	25.0	10.6	25.7	30.3	15.7	37.2	21.1	189
53.1	52.7	44.8	40.5	101.3	98.8	18.7	16.3	33.7	19.7	9.9	11.0	26.2	13.6	35.5	19.9	
0.8	11.5	0.8	5.3	1.1	34.8	1.2	1.0	3.5	5.3	0.8	14.6	4.0	2.1	1.7	1.2	

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
		Cities.	Rural districts.	Cities.	Rural districts.	Total.		White.		Colored.	
						Cities.	Rural districts. ¹	Cities.	Rural districts. ¹	Cities.	Rural districts. ¹
	All causes ²	1,610.4	1,431.1	1,618.4	1,595.5	2,052.3	1,733.5	1,686.2	1,524.5	2,644.2	2,158.1
	I.—General diseases.....	435.5	374.2	443.9	384.3	691.5	595.0	595.2	498.8	847.1	790.3
1	Typhoid fever.....	15.0	13.7	15.0	16.0	56.1	58.9	49.7	57.7	66.4	61.5
2	Typhus fever.....	0.1									
3	Relapsing fever.....										
4	Malaria.....	0.5	1.9	0.7	1.4	28.0	36.8	14.0	27.4	50.6	55.7
5	Smallpox.....			0.1	0.1	0.7	2.4	1.1	2.1		2.9
6	Measles.....	11.2	7.5	15.3	9.8	24.0	29.2	27.0	35.2	19.2	17.2
7	Scarlet fever.....	12.8	7.7	21.2	8.8	3.3	1.4	4.3	2.1	1.7	
8	Whooping cough.....	17.7	14.8	7.7	9.3	12.0	20.7	9.7	17.6	15.7	27.2
9	Diphtheria and croup.....	32.5	23.3	32.2	10.3	13.3	22.2	16.2	23.2	8.7	20.0
10	Influenza.....	9.6	17.0	7.8	29.3	32.7	25.0	27.0	19.7	41.9	35.7
11	Miliary fever.....										
12	Asiatic cholera.....										
13	Cholera nostras.....	0.5	1.1	0.5	1.5	0.7	0.5	1.1	0.7		
14	Dysentery.....	5.0	6.2	3.2	7.6	36.0	27.8	31.3	24.6	43.7	34.3
15	Plague.....										
16	Yellow fever.....										
17	Leprosy.....			(³)							
18	Erysipelas.....	5.8	3.8	5.6	4.1	2.7	4.2	4.3	4.9		2.9
19	Other epidemic diseases.....	0.3	0.6	0.4	0.6	1.3	0.9	1.1		1.7	2.9
20	Purulent infection and septicemia.....	3.0	3.0	1.9	2.5	6.7	7.1	6.5	7.7	7.0	5.7
21	Glanders.....			0.1							
22	Anthrax.....			(³)							
23	Rabies.....	0.2	0.3	0.1		0.7		1.1			
24	Tetanus.....	2.7	2.3	1.3	1.7	14.0	10.4	3.2	2.8	31.4	25.7
25	Mycoses.....			0.1	(³)						
26	Pellagra.....			(³)	0.1	46.7	19.3	49.7	24.6	41.9	8.6
27	Beriberi.....										
28	Tuberculosis (total).....	193.6	160.1	194.8	138.4	305.7	247.5	246.3	164.6	401.7	415.9
29	Tuberculosis of the lungs.....	162.0	138.7	165.7	120.1	263.6	223.0	211.7	149.1	347.6	373.0
30	Acute miliary tuberculosis.....	6.4	3.1	4.8	2.4	10.0	6.6	9.7	1.4	10.5	17.2
31	Tuberculous meningitis.....	13.4	7.2	14.6	5.6	9.3	4.2	10.8	4.9	7.0	2.9
32	Abdominal tuberculosis.....	5.7	4.2	4.2	4.7	14.0	8.0	8.6	6.3	22.7	11.4
33	Pott's disease.....	1.8	2.2	1.8	1.3	2.7	1.4	2.2	0.7	3.5	2.9
34	White swellings.....	1.0	0.6	0.9	0.7		0.5				1.4
35	Tuberculosis of other organs.....	1.7	1.4	1.9	2.0	4.7	1.4	1.1	0.7	10.5	2.9
36	Disseminated tuberculosis.....	1.7	2.8	1.0	1.6	1.3	2.4	2.2	1.4		4.3
37	Rickets.....	1.3	0.6	1.0	0.5	2.0	3.3	1.1	1.4	3.5	7.1
38	Syphilis.....	4.3	3.4	9.0	3.0	10.0	7.5	2.2	4.2	22.7	14.3
39	Gonococcus infection.....	0.4	0.4	0.5	(³)	0.7				1.7	
40	Cancer and other malignant tumors (total).....	74.8	72.6	82.0	91.3	62.1	36.8	67.0	44.3	54.1	21.4
41	Of the buccal cavity.....	2.2	2.2	2.9	3.1						
42	Of the stomach, liver.....	29.3	27.1	32.3	37.1	18.0	10.8	20.5	13.4	14.0	5.7
43	Of the peritoneum, intestines, rectum.....	9.7	9.3	13.3	12.2	6.0	1.9	8.6	2.8	1.7	
44	Of the female genital organs.....	14.0	11.5	12.0	12.2	13.3	10.4	13.0	11.3	14.0	8.6
45	Of the breast.....	7.0	8.6	7.5	10.3	3.3	3.3	1.1	2.8	7.0	4.3
46	Of the skin.....	0.8	2.6	1.8	4.4	0.7	0.5	1.1	0.7		
47	Of other organs or of organs not specified.....	11.8	11.3	12.3	12.0	20.7	9.9	22.7	13.4	17.5	2.9
48	Other tumors (tumors of the female genital organs excepted).....	0.8	1.4	0.7	1.2	2.7	3.3	1.1	2.8	5.2	4.3
49	Acute articular rheumatism.....	8.4	5.1	6.9	6.0	4.0	6.1	1.1	4.9	8.7	8.6
50	Chronic rheumatism and gout.....	0.8	1.4	0.9	2.1	1.3	0.9	1.1	0.7	1.7	1.4
51	Scurvy.....	0.2	0.4	0.1	0.1						
52	Diabetes.....	17.7	15.6	18.3	18.9	10.0	7.1	9.7	9.1	10.5	2.9
53	Exophthalmic goiter.....	1.3	0.2	1.2	1.6	1.3	0.5	2.2			1.4
54	Addison's disease.....	0.4	0.1	0.3	0.5		0.9		1.4		
55	Leukemia.....	1.9	0.7	1.7	1.8	0.7	0.9	1.1	0.7		1.4
56	Anemia, chlorosis.....	3.6	2.9	3.5	7.8	6.0	3.3	5.4	1.4	7.0	7.1
57	Other general diseases.....	1.9	1.7	1.9	2.9	4.0	5.2	6.5	6.3		2.9
58	Alcoholism (acute or chronic).....	6.7	4.6	7.3	4.4	2.0	3.3	3.2	4.2		1.4
59	Chronic lead poisoning.....	0.2		0.3	0.2						
60	Other chronic occupation poisonings.....										
61	Other chronic poisonings.....	0.1		0.3	0.7		1.4		2.1		
62	II.—Diseases of the nervous system and of the organs of special sense.....	139.7	194.1	117.1	214.1	180.2	145.2	166.4	145.6	202.6	144.3
63	Encephalitis.....	1.3	1.0	0.7	1.4	0.7	1.4	1.1	1.4		1.4
64	Meningitis (total).....	18.9	12.7	12.7	12.3	23.4	22.2	20.5	24.6	27.9	17.2
65	Simple meningitis.....	13.2	9.7	6.9	9.3	20.0	18.4	18.4	21.1	22.7	12.9
66	Cerebrospinal meningitis (undefined).....	5.3	2.8	5.4	2.9	2.7	3.3	2.2	3.5	3.5	2.9
67	Cerebrospinal fever.....	0.4	0.2	0.3	0.2	0.7	0.5			1.7	1.4
68	Locomotor ataxia.....	2.2	3.0	2.6	3.1	1.3	0.9	2.2	0.7		1.4
69	Other diseases of the spinal cord (total).....	5.0	7.5	5.7	10.2	2.7	3.3	3.2	2.8	1.7	4.3
70	Acute anterior poliomyelitis.....	1.3	3.1	1.4	3.3	1.3	0.5	2.2			1.4
71	Other diseases of the spinal cord ⁴	3.6	4.4	4.3	6.9	1.3	2.8	1.1	2.8	1.7	2.9
72	Cerebral hemorrhage, apoplexy.....	81.2	103.0	65.2	125.0	60.7	52.8	54.0	50.7	71.6	57.2
73	Softening of the brain.....	1.6	1.9	0.6	3.0	2.0	4.2	3.2	4.9		2.9
74	Paralysis without specified cause.....	7.5	25.5	5.6	22.0	52.7	35.8	45.4	38.0	64.6	31.4
75	General paralysis of the insane.....	2.9	12.4	4.8	15.1	2.0	1.4	3.2	1.4		1.4
76	Other forms of mental alienation.....	1.8	8.4	1.6	3.8	8.7	0.9	14.0	0.7		1.4

¹ Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

² Exclusive of stillbirths.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,481.0	1,277.8	1,688.7	1,437.5	1,721.0	1,645.6	1,302.1	983.5	1,724.7	1,583.5	1,100.3	907.9	1,364.2	1,122.1	
416.5	359.4	413.1	337.1	457.8	360.6	337.9	215.9	443.4	374.5	332.7	250.4	392.5	290.2	
24.2	30.2	25.1	24.2	14.5	9.5	47.0	32.4	26.7	12.2	30.5	26.0	44.9	12.9	1
(3)		(3)												2
0.6	1.1	0.6	0.7	0.7	1.9				1.0	0.2		0.3	0.1	3
0.2	0.3	0.1	0.1			0.8	0.4			0.6	0.8	0.1	0.1	4
18.5	14.8	15.9	16.3	32.5	33.2	2.5	0.8	2.2	7.4	4.7	8.1	9.1	7.5	6
8.2	4.3	14.9	13.6	4.3	2.8	38.6	24.2	8.9	2.2	8.5	5.7	18.5	10.7	7
13.3	11.6	15.9	13.2	10.9	2.8	5.0	22.6	42.3	10.6	14.6	15.9	9.3	7.1	8
16.2	9.0	30.8	27.5	25.0	22.8	31.0	14.1	20.1	7.4	13.3	11.9	26.0	14.9	9
13.5	23.5	12.4	18.5	16.6	24.7	5.9	9.4	13.4	45.3	8.1	4.3	8.5	11.6	10
														11
1.1	1.1	1.2	1.9	1.6	0.9	0.8	1.2		1.9	0.4		1.7	2.2	12
4.6	11.2	3.4	7.2	6.4	6.6	3.4		7.4		1.3	2.7	4.9	7.6	13
														14
														15
														16
5.4	3.9	4.7	4.1	3.4	2.8	4.2	6.2	2.2	4.5	3.0	3.8	4.6	3.0	17
0.3	0.3	0.5	0.7	1.1			0.4		0.6	0.6		0.3	0.3	18
3.6	2.2	3.8	3.2	2.0	4.7	4.2	7.0	6.7	2.9	2.1	1.9	5.3	3.9	19
														20
														21
0.3	0.1	0.2	(3)									0.4	0.1	22
0.3	0.1	0.2	0.2											23
(3)	1.5	(3)	2.4	1.4		1.7	1.6	4.5	0.6	0.6	0.6	1.7	1.0	24
(3)	(3)	(3)	0.1	0.7					0.6	0.4	0.2	0.4	0.4	25
										0.4	0.2			26
										0.4	0.2			27
173.8	131.9	160.8	109.0	196.6	121.5	83.0	26.2	160.4	106.6	123.4	94.3	123.2	96.5	28
146.7	110.8	136.1	94.0	165.9	102.5	59.5	21.9	127.0	81.6	92.5	78.5	107.3	80.7	29
4.2	2.4	4.0	2.1	3.2	2.8	5.0	0.4	11.1	3.9	3.8	1.9	3.3	2.5	30
9.1	5.0	9.4	3.4	17.0	10.4	5.0	1.6	11.1	8.7	9.1	6.2	6.9	3.5	31
7.4	7.6	5.9	4.5	6.8	3.8	5.9	1.6	2.2	6.7	8.7	3.0	4.8	3.6	32
1.0	1.2	1.3	0.8	1.6		2.5	0.8	4.5	1.9	2.5	1.1	1.6	1.3	33
0.7	0.4	0.5	0.7	0.7	0.9				0.6	1.1	0.2	0.8	0.5	34
2.4	2.2	2.3	1.9	0.7		3.4			1.9	4.0	1.4	1.6	2.5	35
2.3	2.3	1.4	1.6	0.7	0.9	1.7		4.5	1.3	1.7	1.9	2.0	2.0	36
0.6	0.6	0.9	0.4	2.3				0.4	2.2	0.3	0.3	1.1	0.6	37
10.8	3.2	6.4	3.5	7.7	5.7	3.4		4.5	4.2	6.3	3.3	4.1	1.0	38
0.6	0.2	0.8	0.1	0.7				2.2	0.3	0.2	0.2	0.1	0.1	39
77.6	73.4	74.2	59.1	88.0	82.6	47.8	30.1	95.8	112.4	64.3	40.5	80.8	72.8	40
2.5	3.2	3.2	2.2	4.5	6.6	2.5	1.6	2.2	3.9	2.8	1.8	3.4	2.3	41
31.6	29.6	29.3	25.4	28.2	31.3	18.4	13.7	44.6	45.3	29.0	19.3	35.7	36.2	42
9.6	7.8	9.4	6.3	12.7	19.0	5.9	2.3	15.6	12.8	6.8	4.0	12.6	7.4	43
13.6	9.6	12.1	8.0	16.1	5.7	6.7	1.6	13.4	16.1	9.7	4.0	9.8	5.9	44
5.7	7.7	7.1	6.2	9.1	6.6	3.4	1.2	6.7	12.8	4.6	3.0	5.0	4.9	45
2.3	5.1	1.7	2.8	3.4	4.7	2.5	2.0	4.5	5.1	0.9	2.4	2.0	3.4	46
12.2	10.3	11.3	8.1	13.9	8.5	8.4	7.8	8.9	16.4	10.4	6.1	12.3	12.7	47
														48
0.6	1.0	0.8	0.6	1.1		2.5	1.6		1.3	1.7	0.2	0.8	0.9	49
7.0	6.3	6.8	6.6	4.3	5.7	6.7	10.5		1.9	4.9	3.2	7.5	6.4	50
1.5	1.4	1.2	1.1	1.4		4.2	0.4		2.9	0.4	1.0	0.9	1.7	51
0.2		0.2	0.1									0.3	0.3	52
14.3	13.1	15.4	10.4	18.4	22.8	20.1	11.3	24.5	20.9	12.5	9.2	14.5	12.6	53
														54
1.4	1.2	1.3	0.9	0.7		3.4	0.4		1.9	1.7	0.6	1.5	1.3	55
0.7	0.5	0.5	0.2	0.2		1.7			0.3	0.9	0.5	0.4	0.4	56
1.3	1.9	1.5	1.1	2.3		1.7	1.2	2.2	0.3	2.8	1.4	2.2	1.9	57
5.5	4.6	3.7	3.6	4.3	1.9	3.4	1.6	15.6	7.7	4.7	2.2	5.4	4.7	58
1.9	1.9	1.8	2.2	2.7	1.9	2.5	4.7		3.2	4.4	2.1	2.2	2.5	59
														60
5.8	2.4	4.3	3.9	5.9	5.7	6.7	3.9	8.9	3.2	17.4	8.8	6.3	3.4	61
0.5	0.2	0.4	0.2						1.0	0.4	0.4	0.3	0.2	62
(3)	0.6	(3)	0.3			5.9	0.4		1.3	0.2	0.3	0.5	0.2	63
138.2	162.1</													

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
		Cities.	Rural districts.	Cities.	Rural districts.	Total.		White.		Colored.	
						Cities.	Rural districts. ¹	Cities.	Rural districts. ¹	Cities.	Rural districts. ¹
II.—Diseases of the nervous system and of the organs of special sense—Continued.											
69	Epilepsy.....	2.3	7.3	2.9	5.0	6.7	4.2	6.5	3.5	7.0	5.7
70	Convulsions (nonpuerperal).....	0.2	0.1	0.1	0.3
71	Convulsions of infants.....	10.1	7.2	7.6	6.5	9.3	8.0	4.3	7.0	17.5	10.0
72	Chorea.....	0.3	0.2	0.2	0.3	0.9	1.4
73	Neuralgia and neuritis.....	0.4	0.9	0.8	1.2	1.3	0.9	0.7	3.5	1.4
74	Other diseases of the nervous system.....	2.7	2.4	3.2	4.1	7.3	7.1	7.6	6.3	7.0	8.6
75	Diseases of the eyes and their annexa.....	0.1	0.1
76	Diseases of the ears.....	1.3	0.8	2.7	0.9	1.3	0.9	1.1	1.4	1.7
III.—Diseases of the circulatory system.....		176.7	179.1	198.4	273.7	166.2	128.2	122.1	107.6	237.5	170.1
77	Pericarditis.....	1.0	1.4	0.9	1.1	1.3	1.4	1.1	1.7	4.3
78	Acute endocarditis.....	12.1	7.4	15.2	4.7	3.3	3.8	2.2	4.2	5.2	2.9
79	Organic diseases of the heart.....	136.7	138.1	148.9	210.7	134.8	109.8	94.0	91.5	200.8	147.2
80	Angina pectoris.....	5.2	7.8	5.5	12.1	6.0	3.8	5.4	5.6	7.0
81	Diseases of the arteries, atheroma, aneurism, etc.....	15.8	18.0	22.4	36.9	11.3	7.1	13.0	4.9	8.7	11.4
82	Embolism and thrombosis.....	4.5	4.9	3.7	6.5	3.3	1.4	1.1	1.4	7.0	1.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	0.4	0.3	0.9	0.8	0.7	1.1
84	Diseases of the lymphatic system (lymphangitis, etc.).....	0.8	0.7	0.6	0.3	2.0	2.2	1.7
85	Hemorrhage, other diseases of the circulatory system.....	0.3	0.6	0.3	0.6	3.3	0.9	2.2	5.2	2.9
IV.—Diseases of the respiratory system.....		223.6	163.5	248.6	172.7	249.6	185.8	177.2	159.0	366.8	240.1
86	Diseases of the nasal fossae.....	0.1	(²)	0.7	2.4	1.1	0.7	5.7
87	Diseases of the larynx.....	1.3	1.4	1.1	1.4	1.3	1.4	1.1	1.4	1.7	1.4
88	Diseases of the thyroid body.....	0.1	0.3	0.4	0.6
89	Acute bronchitis.....	15.3	12.2	17.6	12.3	16.0	14.1	16.2	9.8	15.7	22.9
90	Chronic bronchitis.....	9.6	9.5	10.7	12.8	12.0	7.5	5.4	7.0	22.7	8.6
91	Bronchopneumonia.....	60.1	33.8	88.6	38.8	16.0	22.6	13.0	19.7	21.0	28.6
92	Pneumonia (total).....	122.7	92.7	117.1	93.1	179.5	126.8	122.1	112.6	272.5	155.8
	Lobar pneumonia.....	63.1	33.9	91.2	37.5	14.7	17.9	16.2	12.7	12.2	28.6
	Pneumonia (undefined).....	59.6	58.8	25.8	55.6	164.9	108.9	105.9	99.9	260.2	127.2
93	Pleurisy.....	4.6	3.5	6.0	3.5	3.3	1.4	3.2	1.4	3.5	1.4
94	Pulmonary congestion, pulmonary apoplexy.....	6.6	5.6	3.4	5.6	11.3	4.2	8.6	4.2	15.7	4.3
95	Gangrene of the lung.....	0.2	0.1	0.3	0.3	0.7	0.5	1.7	1.4
96	Asthma.....	1.9	1.3	1.9	1.8	4.7	4.2	4.3	2.1	5.2	8.6
97	Pulmonary emphysema.....	0.1	0.8	0.3	0.6	0.7	1.1
98	Other diseases of the respiratory system (tuberculosis excepted).....	1.2	2.2	1.3	1.9	3.3	0.5	1.1	7.0	1.4
V.—Diseases of the digestive system.....		221.4	171.0	209.0	165.9	269.0	257.4	242.0	253.3	312.6	265.8
99	Diseases of the mouth and annaxa.....	0.9	0.9	0.5	0.8	1.3	1.4	1.4	3.5	1.4
100	Diseases of the pharynx.....	1.5	1.9	1.3	2.0	3.3	3.5	2.9
101	Diseases of the esophagus.....	0.1	0.1	0.2	0.3
102	Ulcer of the stomach.....	3.8	2.2	5.1	4.4	5.3	1.9	7.6	2.1	1.7	1.4
103	Other diseases of the stomach (cancer excepted).....	13.2	17.6	8.4	22.2	34.7	25.5	22.7	23.9	54.1	28.6
104	Diarrhea and enteritis (under 2 years).....	132.2	91.1	121.3	62.9	132.8	141.4	122.1	133.7	150.2	157.2
105	Diarrhea and enteritis (2 years and over).....	14.1	19.3	13.3	21.0	34.0	25.5	32.4	26.0	36.7	24.3
106	Ankylostomiasis.....	1.4	1.4	1.4
107	Intestinal parasites.....	0.1	0.1	0.1	0.2	0.9	2.9
108	Appendicitis and typhlitis.....	11.4	6.0	13.7	6.1	12.0	11.3	14.0	15.5	8.7	2.9
109	Hernia, intestinal obstruction (total).....	12.1	7.3	13.4	12.7	9.3	9.4	8.6	9.1	10.5	10.0
	Hernia.....	4.7	2.9	5.3	3.4	4.0	3.3	5.4	2.1	1.7	5.7
	Intestinal obstruction.....	7.4	4.4	8.1	9.3	5.3	6.1	3.2	7.0	8.7	4.3
110	Other diseases of the intestines.....	3.1	3.4	2.2	3.5	5.3	5.2	3.2	3.5	8.7	8.6
111	Acute yellow atrophy of the liver.....	0.4	0.6	0.5	0.6	1.4	1.4	1.4
112	Hydatid tumor of the liver.....	0.1	0.1
113	Cirrhosis of the liver.....	19.3	13.3	19.8	13.3	10.7	9.4	16.2	8.4	1.7	11.4
114	Biliary calculi.....	1.8	1.7	2.2	2.3	3.8	4.9	1.4
115	Other diseases of the liver.....	4.6	3.8	4.1	7.1	8.7	8.0	7.6	10.6	10.5	2.9
116	Diseases of the spleen.....	0.2	0.1	0.1	0.1
117	Simple peritonitis (nonpuerperal).....	1.8	1.1	1.9	5.8	13.3	6.6	6.5	7.0	24.5	5.7
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	0.7	0.6	0.7	0.6	1.3	0.9	1.1	0.7	1.7	1.4

¹ Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."*]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
2.0	7.3	3.4	5.0	3.2	2.8	2.5	3.9	4.5	8.0	2.8	3.8	2.0	5.8	69
0.2	0.1	0.3	0.7	0.7	0.7	0.7	1.2	1.2	0.6	0.8	0.6	0.9	0.8	70
6.4	4.6	15.6	18.5	6.4	6.6	1.7	8.6	2.2	4.8	2.5	3.3	25.5	15.0	71
0.2	0.3	0.1	0.3	0.2	0.2	0.2	0.4	0.4	0.4	0.4	0.3	0.3	0.2	72
0.5	0.5	0.5	0.4	0.5	0.9	0.4	0.4	0.4	2.9	0.9	0.2	0.5	0.7	73
3.3	4.0	3.2	3.3	2.7	2.8	2.5	5.1	6.7	4.5	3.0	2.4	3.6	3.9	74
(2)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	75
2.9	1.7	2.3	1.5	1.6	4.7	1.7	0.8	4.5	1.0	1.7	1.0	1.6	0.8	76
182.4	185.7	184.0	149.2	209.8	192.7	129.1	93.7	260.7	292.9	111.5	84.9	136.8	129.5	
1.2	1.2	1.3	1.2	0.2	0.9	0.8	1.2	2.2	1.3	1.5	0.8	0.7	1.0	77
12.9	3.2	10.3	3.8	8.2	4.7	13.4	8.6	4.5	4.2	6.8	4.1	7.0	3.6	78
135.3	146.5	140.7	117.8	162.8	152.8	93.9	73.8	189.4	226.4	84.6	65.6	100.5	98.0	79
6.1	9.9	6.8	8.0	5.9	13.3	8.4	3.5	20.1	14.8	5.5	5.3	5.3	5.2	80
21.8	20.5	19.4	14.2	26.6	20.9	5.9	2.3	37.9	38.9	10.4	6.5	17.6	17.1	81
3.7	2.6	3.8	2.4	3.9	-----	3.4	2.7	4.5	6.7	1.7	1.8	4.1	3.0	82
0.6	0.6	0.7	0.4	1.4	-----	0.8	-----	2.2	-----	0.6	-----	0.3	0.5	83
0.5	0.4	0.7	0.4	0.5	-----	1.7	0.4	-----	0.6	0.2	0.2	0.5	0.3	84
0.4	0.8	0.4	0.9	0.5	-----	0.8	1.2	-----	-----	0.2	0.6	0.9	0.9	85
175.9	124.4	250.6	184.1	233.0	256.2	156.0	145.6	184.9	185.6	101.6	76.9	160.0	109.9	
0.2	0.3	0.2	0.4	0.5	-----	0.8	0.4	-----	0.3	0.8	0.3	0.3	0.2	86
1.4	1.4	1.5	2.4	1.6	5.7	1.7	2.0	2.2	1.6	0.2	1.1	1.9	1.3	87
0.6	0.6	0.3	0.2	0.2	0.9	0.8	0.3	0.2	0.3	0.2	-----	0.7	0.4	88
16.0	7.5	22.1	13.3	24.6	19.0	7.5	10.9	33.4	16.7	3.0	2.7	18.1	9.3	89
12.2	8.8	10.9	8.3	10.0	8.5	6.7	8.2	4.5	11.9	4.7	3.2	12.0	11.1	90
48.8	23.9	74.8	42.5	55.5	48.4	40.2	23.8	33.4	29.2	33.0	28.8	30.3	15.6	91
84.8	71.4	119.3	99.6	128.2	166.1	85.5	87.1	107.0	116.3	51.8	33.9	88.2	61.4	92
49.4	22.6	68.1	26.7	45.5	39.9	59.5	16.4	26.7	24.4	48.7	32.2	17.5	13.3	
35.4	48.7	51.2	72.9	82.7	126.2	26.0	70.7	80.2	91.9	3.0	1.8	65.7	47.5	
4.2	2.1	6.2	3.2	5.7	3.8	1.7	2.3	2.2	3.2	1.7	2.2	4.4	2.7	93
2.5	3.4	7.7	5.9	3.2	1.9	2.5	4.7	-----	2.6	1.3	1.8	3.0	2.8	94
0.3	0.2	0.5	0.2	-----	-----	-----	-----	-----	-----	0.2	0.2	0.1	0.2	95
2.7	2.9	4.0	3.7	1.8	0.9	2.5	1.2	2.2	2.2	2.7	1.4	2.8	2.7	96
0.4	0.5	0.5	0.5	0.5	0.5	1.7	0.4	0.4	0.4	0.4	0.3	0.1	0.1	97
1.8	1.4	2.6	3.9	1.4	0.9	4.2	4.7	-----	1.3	1.9	1.0	3.2	2.2	98
212.1	141.3	260.8	223.4	250.5	245.8	155.1	108.2	245.1	151.9	119.4	79.2	197.4	143.4	
0.9	0.9	1.0	1.0	0.2	0.9	0.8	0.4	-----	0.3	0.4	0.3	-----	0.6	99
1.4	1.4	1.6	2.1	2.0	1.9	1.7	1.6	-----	1.6	1.7	1.4	1.2	1.9	100
0.2	0.3	0.1	0.1	0.5	0.5	0.5	0.5	-----	1.0	-----	-----	0.3	0.2	101
4.3	2.9	4.3	2.1	5.5	5.7	7.5	2.3	8.9	5.5	4.2	2.5	5.4	3.9	102
12.8	15.1	17.8	23.3	17.5	28.5	5.9	8.2	11.1	19.6	3.9	8.1	15.3	13.7	103
114.0	60.2	156.8	132.4	154.1	150.9	58.7	44.9	111.4	50.1	45.5	31.1	99.7	59.9	104
15.5	14.8	19.1	20.5	19.5	19.9	9.2	5.5	17.8	18.6	7.4	9.4	11.8	17.3	105
0.1	-----	0.1	0.3	-----	-----	23.5	-----	-----	0.6	-----	-----	-----	0.1	106
13.3	6.3	12.5	4.6	12.3	1.9	13.3	13.3	37.9	13.8	18.6	7.0	16.4	8.3	107
13.3	10.2	14.4	9.1	13.0	9.5	15.1	14.4	33.4	10.0	12.5	6.5	13.7	10.7	109
4.3	3.3	5.3	2.3	5.5	1.9	5.9	2.7	15.6	3.5	3.4	0.8	4.6	3.4	
9.0	6.9	9.1	6.7	7.5	7.6	9.2	11.7	17.8	6.4	6.4	5.7	9.1	7.3	
3.4	2.6	2.6	2.8	2.3	2.8	0.8	3.5	4.5	3.2	2.3	1.3	2.8	3.2	110
0.3	0.5	0.4	0.5	0.7	-----	-----	0.4	-----	0.3	-----	0.3	0.3	0.1	111
(2)	(2)	-----	(2)	-----	-----	-----	-----	-----	-----	-----	-----	0.1	0.1	112
17.8	10.8	16.2	9.9	14.1	13.3	7.5	3.5	2.2	10.0	8.7	4.6	14.3	9.4	113
3.3	3.9	3.5	2.5	2.5	3.8	4.2	1.2	8.9	2.9	2.3	2.1	3.4	1.6	114
6.0	6.3	5.9	6.1	2.7	2.8	6.7	3.9	4.5	7.1	5.5	3.5	5.7	6.3	115
0.1	0.2	0.1	0.1	0.5	0.5	0.5	0.5	0.3	0.3	0.2	0.2	0.5	0.3	116
4.3	4.5	3.6	5.4	2.5	3.8	11.7	5.1	4.5	7.1	0.8	0.8	5.6	5.4	117
0.4	0.5	0.8	0.5	0.7	0.7	1.7	1.7	-----	-----	0.6	0.2	0.8	0.4	118

* Less than one-tenth of 1 in 100,000.

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
		Cities.	Rural districts.	Cities.	Rural districts.	Total.		White.		Colored.	
						Cities.	Rural districts. ¹	Cities.	Rural districts. ¹	Cities.	Rural districts. ¹
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	133.7	121.1	151.3	128.5	130.1	99.0	119.9	87.9	146.7	121.5
119	Acute nephritis.....	16.8	10.9	15.1	11.6	14.7	9.4	11.9	10.6	19.2	7.1
120	Bright's disease.....	101.9	98.1	119.6	97.4	91.4	76.8	90.7	68.9	92.6	92.9
121	Chyluria.....										
122	Other diseases of the kidneys and annexa.....	2.7	2.4	2.7	2.8	7.3	2.8	5.4	1.4	10.5	5.7
123	Calculi of the urinary passages.....	0.2	0.4	0.8	0.6	1.3	0.5	2.2			1.4
124	Diseases of the bladder.....	2.5	3.8	1.7	5.8	4.0	3.3	4.3	2.8	3.5	4.3
125	Diseases of the urethra, urinary abscess, etc.....	0.5	0.2	0.6	0.3	1.3	0.5			3.5	1.4
126	Diseases of the prostate.....	2.3	2.2	3.0	5.4	2.7	0.5		0.7	7.0	
127	Nonvenereal diseases of the male genital organs.....	0.1		0.2	0.1						
128	Uterine hemorrhage (nonpuerperal).....			0.1	0.2	2.0	0.9	2.2		1.7	2.9
129	Uterine tumor (noncancerous).....	1.8	1.0	2.3	1.6	3.3	0.9			8.7	1.4
130	Other diseases of the uterus.....	1.4	0.9	1.3	0.9		1.4		1.4		1.4
131	Cysts and other tumors of the ovary.....	0.8	0.7	0.7	0.8	0.7	0.9	1.1	1.4		
132	Salpingitis and other diseases of the female genital organs.....	2.5	0.6	3.1	1.0	1.3	0.9	2.2			2.9
133	Nonpuerperal diseases of the breast (cancer excepted).....	0.1		0.1							
	VII.—The puerperal state.....	18.4	10.4	16.2	12.0	26.0	33.9	17.3	28.8	40.2	44.3
134	Accidents of pregnancy.....	1.5	0.7	1.7	1.2		6.1		7.7		2.9
135	Puerperal hemorrhage.....	1.6	0.9	1.6	1.0	2.7	2.8	1.1	1.4	5.2	5.7
136	Other accidents of labor.....	2.0	1.1	1.5	1.5	4.7	4.2	3.2	2.8	7.0	7.1
137	Puerperal septicemia.....	9.7	3.5	7.5	4.5	5.3	9.0	1.1	4.9	12.2	17.2
138	Puerperal albuminuria and convulsions.....	3.3	3.5	3.4	3.4	11.3	10.8	9.7	11.3	14.0	10.0
139	Puerperal plegmasia alba dolens, embolus, sudden death.....	0.2	0.6	0.5	0.3	0.7				1.7	
140	Following childbirth (not otherwise defined).....	0.1	0.1	(²)	(²)	1.3	0.9	2.2	0.7		1.4
141	Puerperal diseases of the breast.....										
	VIII.—Diseases of the skin and of the cellular tissue.....	4.6	6.2	4.5	7.5	8.7	6.6	5.4	6.3	14.0	7.1
142	Gangrene.....	2.5	4.4	2.0	5.2		5.2	3.2	4.9	10.5	5.7
143	Furuncle.....	0.4	0.6	0.6	0.4	6.0	0.5		0.7		
144	Acute abscess.....	1.3	0.7	1.1	1.0		0.5	1.1		3.5	1.4
145	Other diseases of the skin and annexa.....	0.3	0.6	0.8	0.9	2.0	0.5	1.1	0.7		
	IX.—Diseases of the bones and of the organs of locomotion.....	2.2	0.7	4.1	1.8	3.3	2.4	3.2	2.1	3.5	2.9
146	Diseases of the bones (tuberculosis excepted).....	1.9	0.4	3.7	1.5	2.7	1.9	2.2	2.1	3.5	1.4
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	0.2		0.3	0.1	0.7	0.5	1.1			1.4
148	Amputations.....			(²)							
149	Other diseases of the organs of locomotion.....	0.1	0.2	0.1	0.2						
	X.—Malformations.....	18.4	15.1	14.6	15.1	7.3	7.5	9.7	11.3	3.5	
150	Congenital malformations (stillbirths not included) (total).....	18.4	15.1	14.6	15.1	7.3	7.5	9.7	11.3	3.5	
	Hydrocephalus.....	1.3	1.3	1.4	1.1	0.7	1.4	1.1	2.1		
	Congenital malformations of the heart.....	10.3	10.4	9.2	9.1	2.7	4.2	4.3	6.3		
	Other congenital malformations.....	6.8	3.4	4.0	4.9	4.0	1.9	4.3	2.8	3.5	
	XI.—Early infancy.....	88.0	59.3	84.4	59.0	90.1	63.6	79.9	61.9	106.5	67.2
151	Congenital debility, icterus and sclerema (total).....	71.2	49.1	65.5	48.3	81.4	55.2	71.3	56.3	97.8	52.9
	Premature birth.....	47.3	29.1	40.5	34.4	47.4	29.7	47.5	34.5	47.2	20.0
	Congenital debility, "atrophy," "marasmus," etc.....	23.9	20.0	25.0	13.9	34.0	25.5	23.8	21.8	50.6	32.9
152	Other causes peculiar to early infancy (total).....	16.3	9.7	18.8	10.3	8.7	8.5	8.6	5.6	8.7	14.3
	Injuries at birth.....	10.0	5.0	9.4	6.6	1.3	2.8	2.2	2.1		4.3
	Other causes peculiar to early infancy ³	6.3	4.7	9.3	3.7	7.3	5.7	6.5	3.5	8.7	10.0
153	Lack of care.....	0.5	0.6	0.1	0.4						
	XII.—Old age.....	13.5	21.8	12.4	32.3	22.7	30.6	16.2	29.5	33.2	32.9
154	Senility.....	13.5	21.8	12.4	32.3	22.7	30.6	16.2	29.5	33.2	32.9
	XIII.—External causes.....	110.5	92.8	99.8	115.1	102.8	67.4	79.9	59.8	139.7	82.9
	Suicide (total).....	19.3	13.0	16.5	17.3	10.0	5.2	14.0	7.7	3.5	
155	By poison.....	5.3	2.2	2.8	4.4	2.7	2.4	4.3	3.5		
156	By asphyxia.....	4.1	1.2	4.5	0.6						
157	By hanging or strangulation.....	2.7	2.4	2.1	4.1	1.3	0.5	1.1	0.7	1.7	
158	By drowning.....	1.0	0.8	0.6	1.7						
159	By firearms.....	4.4	5.4	4.5	4.5	2.0	2.4	2.2	3.5	1.7	
160	By cutting or piercing instruments.....	1.0	0.8	1.1	1.6	1.3		2.2			
161	By jumping from high places.....	0.4	0.1	0.9	0.1						
162	By crushing.....	0.4	0.1	0.2	0.3						
163	Other suicides.....	0.1		(²)	0.2	2.7		4.3			

¹ Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

155

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts.")

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
107.0	85.7	140.7	80.8	142.3	124.3	127.4	57.8	129.2	128.2	84.8	53.4	81.8	72.8	
12.3	5.9	14.4	8.0	14.3	8.5	17.6	3.9	6.7	10.3	5.5	3.0	7.5	4.5	119
75.8	63.7	107.6	60.7	112.1	104.4	83.0	42.6	91.4	98.3	61.1	42.1	60.8	55.2	120
2.3	2.1	2.8	2.2	1.8	0.9	0.8	2.0	2.2	0.6	3.2	0.8	1.7	2.7	121
0.6	0.6	0.6	0.4	0.9	0.9	1.7	0.4	1.0	1.0	0.6	0.2	0.1	0.6	122
2.5	3.4	2.2	3.3	2.5	3.8	4.2	3.9	2.2	4.8	1.7	1.0	2.4	3.9	124
0.4	0.2	0.6	0.3	0.2	0.2	2.5	1.2	2.2	1.2	0.6	0.3	0.3	0.1	125
3.7	6.0	3.4	2.8	3.6	2.8	6.7	2.3	13.4	8.4	3.4	2.1	3.6	4.0	126
0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.1	0.1	127
0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.2	128
2.6	1.0	1.7	0.7	2.3	2.8	0.8	0.4	4.5	1.3	2.3	0.3	0.5	0.1	129
1.3	0.9	1.9	0.7	0.9	0.8	3.4	0.8	0.6	0.6	0.9	1.4	2.0	0.6	130
1.7	0.6	1.4	0.5	1.8	0.9	3.4	1.6	2.2	1.6	1.1	0.5	0.8	0.4	131
3.8	0.9	3.7	0.8	1.8	0.8	3.4	0.4	6.7	0.6	4.4	1.3	1.7	0.4	132
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.3	0.4	133
17.4	13.4	21.5	16.2	15.9	11.4	24.3	15.6	17.8	17.0	19.1	14.8	12.8	10.8	
2.1	1.3	2.1	1.4	0.9	0.9	2.5	2.0	2.2	2.6	3.4	2.2	1.9	0.7	134
1.3	1.1	1.8	1.6	1.6	1.9	2.5	2.3	2.2	2.6	0.8	1.0	1.7	1.5	135
1.0	1.1	1.8	2.0	1.8	0.9	1.7	1.6	1.9	1.9	1.9	2.7	1.1	1.2	136
8.9	7.2	10.5	6.7	5.5	2.8	12.6	5.9	8.9	5.8	10.2	6.7	5.4	4.6	137
3.5	2.4	4.7	4.2	5.9	4.7	4.2	1.6	4.5	3.9	2.7	2.1	2.1	2.1	138
0.5	0.2	0.4	0.3	0.2	0.2	0.8	1.6	4.5	0.3	0.2	0.2	0.7	0.7	139
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.8	0.2	0.2	0.1	0.1	140
(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	141
5.1	5.6	6.1	7.0	4.8	5.7	1.7	2.0	2.2	10.0	1.9	3.0	4.4	5.1	
2.3	4.2	3.3	4.2	2.7	4.7	1.7	1.2	2.2	7.7	0.8	1.8	2.0	2.7	142
0.6	0.3	0.9	0.6	0.7	0.9	0.7	0.9	0.6	0.6	0.4	0.3	0.4	0.3	143
0.8	0.2	1.1	1.1	0.7	0.7	0.4	0.4	1.0	1.0	0.4	0.5	1.3	0.7	144
1.3	0.9	0.8	1.2	0.7	0.7	0.4	0.4	0.6	0.6	0.4	0.5	0.7	1.5	145
2.8	1.7	3.3	1.7	1.8	2.8	2.5	0.4	4.5	1.9	3.4	0.3	1.6	1.1	
2.7	1.5	2.8	1.5	1.4	2.8	2.5	0.4	4.5	1.3	3.0	0.2	1.5	0.9	146
0.1	0.1	0.4	0.1	0.5	0.5	0.5	0.5	0.6	0.6	0.4	0.2	0.1	0.1	147
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	148
15.2	15.9	18.4	19.6	13.2	20.9	9.2	11.3	33.4	16.7	12.5	11.6	13.0	12.2	149
15.2	15.9	18.4	19.6	13.2	20.9	9.2	11.3	33.4	16.7	12.5	11.6	13.0	12.2	150
0.8	0.7	1.4	1.4	1.4	0.9	0.4	0.4	0.3	0.3	1.3	0.8	1.6	1.4	
9.3	10.4	12.2	12.2	7.7	15.2	5.9	5.9	31.2	11.6	6.4	6.2	6.3	5.6	
5.1	4.8	4.8	6.0	4.1	4.7	3.4	5.1	2.2	4.8	4.7	4.6	5.0	5.2	
71.5	54.2	80.4	78.9	92.3	77.8	67.1	82.0	102.5	55.2	58.0	43.2	81.6	61.8	
57.2	44.7	67.4	67.7	66.4	56.9	55.3	72.2	95.8	45.0	46.6	37.0	68.7	52.0	151
44.3	30.8	41.6	37.1	41.8	32.3	44.4	58.2	84.7	35.0	30.9	23.1	38.9	32.7	
12.9	13.9	25.8	30.6	24.6	24.7	10.9	14.1	11.1	10.0	15.7	13.9	29.9	19.2	
14.1	9.3	12.8	10.7	25.5	19.9	11.7	9.8	6.7	10.0	11.0	6.2	12.4	9.8	152
7.7	5.0	7.8	6.1	17.7	14.2	7.5	1.2	6.7	5.8	4.7	2.9	5.9	5.3	
6.4	4.3	5.0	4.6	7.7	5.7	4.2	8.6	4.2	4.2	6.3	3.3	6.5	4.5	
0.2	0.2	0.2	0.5	0.5	0.9	0.9	0.9	0.3	0.3	0.4	0.4	0.4	0.1	153
11.2	22.5	13.8	22.1	23.4	46.5	32.7	40.6	35.7	54.0	19.7	19.9	35.3	50.4	
11.2	22.5	13.8	22.1	23.4	46.5	32.7	40.6	35.7	54.0	19.7	19.9	35.3	50.4	154
117.5	91.5	128.4	112.0	93.0	110.1	129.1	91.0	75.8	88.3	125.9	155.6	92.8	70.4	
17.6	11.4	16.9	8.9	13.6	19.0	21.8	5.5	6.7	14.1	25.6	15.1	20.4	11.2	
7.4	2.8	6.2	2.2	2.5	0.9	10.1	0.8	4.5	4.2	8.3	4.1	6.5	2.3	155
0.3	0.2	2.3	0.1	3.2	0.1	0.1	0.1	0.3	1.3	1.3	0.2	1.1	0.1	156
2.4	2.3	2.2	2.4	2.0	4.7	0.8	0.4	2.6	2.6	1.5	1.8	3.6	3.4	157
1.3	0.9	0.6	0.5	0.9	3									

MORTALITY STATISTICS.

TABLE V.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		New Jersey.		New York.		North Carolina.					
		Cities.	Rural districts.	Cities.	Rural districts.	Total.		White.		Colored.	
						Cities.	Rural districts. ¹	Cities.	Rural districts. ¹	Cities.	Rural districts. ¹
	XIII.—External causes—Continued.										
	Accidental or undefined (total).....	86.0	76.9	77.7	94.6	84.8	56.6	60.5	50.7	124.0	68.6
164	Poisoning by food.....	0.3	0.4	0.3	0.4	0.7	0.5	1.1	0.7
165	Other acute poisonings.....	1.9	1.4	1.7	2.3	4.0	2.8	4.3	3.5	3.5	1.4
166	Conflagration.....	2.9	1.3	1.5	1.8	0.5	0.7
167	Burns (conflagration excepted).....	10.8	4.6	8.3	4.2	14.0	9.4	5.4	7.0	27.9	14.3
168	Absorption of deleterious gases (conflagration excepted).....	3.7	1.7	5.1	1.2	0.5	0.7
169	Accidental drowning.....	9.3	16.1	9.4	16.3	6.7	2.8	3.2	2.1	12.2	4.3
170	Traumatism by firearms.....	0.9	2.0	0.4	1.9	8.7	8.5	8.6	7.7	8.7	10.0
171	Traumatism by cutting or piercing instruments.....	0.2	0.1	0.2	0.1
172	Traumatism by fall.....	16.8	13.6	19.8	20.3	7.3	3.8	8.6	4.2	5.2	2.9
173	Traumatism in mines and quarries (total).....	0.2	1.5	0.1	1.1
	Traumatism in mines.....	0.1	1.4	(²)	0.9
	Traumatism in quarries.....	0.1	0.1	(²)	0.1
174	Traumatism by machines.....	2.5	1.0	2.4	1.9	0.7	0.5	1.1	0.7
175	Traumatism by other crushing (total).....	23.9	23.4	19.6	32.0	20.7	8.0	10.8	8.4	36.7	7.1
	Railroad accidents and injuries.....	15.1	16.8	7.8	23.2	12.7	6.6	8.6	7.7	19.2	4.3
	Street-car accidents and injuries.....	3.5	1.3	4.2	2.5	1.3	1.1	1.7
	Automobile accidents and injuries.....	1.6	1.7	2.4	2.0	0.5	1.4
	Injuries by other vehicles.....	3.2	3.0	4.7	3.6	1.3	0.5	1.1	1.7	1.4
	Landslide, other crushing.....	0.5	0.7	0.6	0.7	5.3	0.5	0.7	14.0
176	Injuries by animals.....	0.4	0.6	0.6	0.9	0.5	0.7
177	Starvation.....	0.2	0.2	(²)	0.1
178	Excessive cold.....	0.4	0.8	0.2	1.1
179	Effects of heat.....	3.3	1.3	2.0	0.6
180	Lightning.....	(²)	0.6	0.9	1.4
181	Electricity (lightning excepted).....	0.7	0.2	0.6	1.4	0.7	0.9	1.1	1.4
185	Fractures (cause not specified).....	1.4	1.2	1.0	0.4	7.3	4.2	7.6	4.9	7.0	2.9
186	Other external violence.....	6.1	5.4	4.5	6.0	14.0	12.7	8.6	6.3	22.7	25.7
	Homicide (total).....	5.2	2.9	5.5	3.2	8.0	5.7	5.4	1.4	12.2	14.3
182	By firearms.....	1.8	1.5	3.0	1.7	4.7	4.2	2.2	1.4	8.7	10.0
183	By cutting or piercing instruments.....	0.9	0.2	0.7	0.4	1.3	0.5	3.5	1.4
184	By other means.....	2.4	1.1	1.8	1.1	2.0	0.9	3.2	2.9
	XIV.—Ill-defined diseases.....	24.3	21.8	14.0	13.6	104.8	110.8	51.9	72.5	190.4	188.7
187	Ill-defined organic disease.....	0.1	0.3	0.1	0.4	8.0	5.7	2.2	1.4	17.5	14.3
188	Sudden death.....	0.2	0.1	(²)	0.3	8.0	7.1	4.3	5.6	14.0	10.0
189	Not specified or ill-defined (total).....	24.0	21.4	14.0	12.9	88.8	98.1	45.4	65.4	158.9	164.4
	Ill-defined.....	23.7	20.8	13.9	12.8	52.7	67.9	36.7	52.1	78.6	100.0
	Not specified or unknown.....	0.3	0.6	0.1	0.1	36.0	30.2	8.6	13.4	80.3	64.3

¹ Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1910—Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
Ohio.		Pennsylvania.		Rhode Island.		Utah.		Vermont.		Washington.		Wisconsin.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
92.9	77.8	106.0	99.2	75.5	86.4	93.9	83.6	69.1	71.9	91.0	135.4	70.1	57.8	
0.5	0.2	0.1	0.4	0.2	0.2	0.2	0.2	0.6	0.6	0.6	0.5	0.3	0.1	164
2.2	3.2	2.5	2.1	2.3	6.6	10.1	3.1	4.5	3.2	2.7	1.8	0.9	1.6	165
0.8	1.2	1.9	1.4	0.9	0.9	0.9	0.9	2.3	3.0	2.3	3.0	0.7	0.8	166
8.8	6.6	12.7	9.1	11.1	1.9	4.2	6.2	4.5	4.5	4.2	3.2	5.6	3.5	167
2.1	0.9	3.4	0.5	4.8	0.5	1.7	1.2	4.5	0.3	3.4	0.8	1.5	0.6	168
7.1	4.8	5.4	7.4	9.8	27.5	5.9	9.4	2.2	10.6	14.6	25.2	10.4	7.8	169
1.6	2.4	1.6	1.8	0.2	2.8	7.5	5.1	2.6	2.6	3.4	4.8	1.2	3.2	170
(2)	0.2	0.2	0.1	0.2	0.2	0.8	0.4	0.4	0.4	0.4	0.4	0.1	0.2	171
17.0	15.9	21.0	15.0	19.1	14.2	5.9	3.9	35.7	18.3	15.4	7.6	11.9	8.9	172
1.1	5.3	11.8	21.1	0.2	0.2	5.0	13.7	0.2	1.9	0.2	6.9	0.6	0.6	173
1.0	5.1	11.4	20.0	0.2	0.2	5.0	13.7	0.2	1.9	0.2	6.7	0.4	0.4	174
0.1	0.2	0.4	1.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	175
3.6	1.4	4.6	2.6	2.5	0.9	1.7	0.8	2.9	2.9	3.2	4.1	2.5	1.2	176
35.9	24.0	29.4	27.1	15.5	12.3	26.8	14.4	11.1	14.8	29.6	56.7	22.2	15.4	175
23.1	17.5	18.2	21.2	5.9	4.7	14.3	9.0	2.2	10.3	17.6	31.7	12.3	10.5	177
6.8	2.1	5.0	1.8	3.2	0.9	2.5	0.4	4.5	0.6	4.2	0.6	3.8	0.6	178
2.3	1.0	1.8	0.9	3.6	2.8	4.2	0.8	2.2	0.6	1.7	1.3	1.6	0.4	179
2.8	2.8	3.5	2.6	2.5	3.8	0.8	3.9	2.9	2.9	3.2	3.5	3.4	3.2	180
0.9	0.6	0.9	0.5	0.2	0.2	5.0	0.4	2.2	0.3	2.8	19.6	1.1	0.7	181
0.4	1.3	0.5	0.8	1.1	1.9	0.8	1.2	0.2	1.3	1.1	1.1	1.1	1.0	182
0.1	0.1	0.1	0.1	0.7	3.8	0.8	1.6	0.3	0.3	0.3	0.8	0.1	1.1	183
0.2	0.2	0.3	0.4	0.9	7.6	1.7	0.8	0.3	0.2	0.2	0.2	0.4	1.6	184
1.3	1.3	3.3	1.7	0.2	0.2	0.8	0.8	1.3	1.3	0.9	1.0	1.1	0.6	185
0.4	0.4	0.1	0.4	0.5	0.5	3.4	3.9	0.3	0.3	0.9	1.0	1.1	0.6	186
1.0	0.4	0.8	1.2	0.1	0.9	5.9	5.1	2.2	1.3	0.4	0.3	2.4	1.9	187
1.8	1.9	0.4	0.1	4.5	5.7	10.9	12.9	4.5	7.1	8.7	17.7	5.6	7.4	188
7.5	6.2	6.2	5.7	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	189
7.1	2.3	5.5	3.9	3.9	4.7	13.4	2.0	2.2	2.2	9.3	5.1	2.4	1.3	
4.2	1.4	2.8	2.3	1.4	1.9	12.6	1.6	1.0	1.0	6.4	3.0	1.2	0.6	192
1.0	0.2	0.7	0.6	0.7	0.9	0.8	0.4	0.3	0.3	0.9	0.6	0.7	0.1	193
1.9	0.6	2.1	1.0	1.8	1.9	0.8	0.4	1.0	1.0	1.9	1.4	0.5	0.6	194
8.3	14.5	26.1	43.1	22.3	21.8	34.4	37.9	8.9	7.7	12.9	21.8	22.9	23.4	
0.3	0.9	0.9	2.7	0.7	0.7	0.8	1.6	2.2	0.3	0.2	0.6	1.2	3.1	197
(3)	0.7	0.4	1.6	0.7	0.7	0.8	0.4	1.0	1.0	0.2	0.5	0.4	0.5	198
8.0	12.9	24.9	38.8	21.6	21.8	32.7	35.9	6.7	6.4	12.5	20.7	21.3	24.8	199
6.5	7.7	23.9	34.5	20.9	20.9	32.7	28.9	4.5	3.5	11.8	10.7	20.0	21.2	
1.4	5.2	1.0	4.3	0.7	0.9	0.9	7.0	2.2	2.9	0.8	10.0	1.3	3.6	

* Less than one-tenth of 1 per 100,000.

GENERAL TABLES

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area.....	805,412	70,765	65,957	76,237	67,931	64,487	60,827	69,983	69,999	63,762	62,521	62,900	70,043
Registration states ¹	703,608	61,734	57,394	66,837	59,488	55,689	52,469	61,453	61,708	56,382	54,871	54,558	61,025
Cities in registration states ¹	400,305	35,817	32,887	38,247	34,360	32,111	30,511	36,349	33,856	30,411	30,344	30,631	34,741
Rural part of registration states.....	303,303	25,917	24,507	28,590	25,128	23,578	21,958	25,104	27,852	25,971	24,527	23,927	26,284
Registration cities in other states.....	101,804	9,081	8,563	9,400	8,443	8,798	8,358	8,530	8,291	7,880	7,650	8,342	9,018
All registration cities ¹	502,109	44,848	41,450	47,647	42,803	40,909	38,869	44,879	42,147	37,791	37,994	38,973	43,799
REGISTRATION STATES.													
California.....	32,401	2,994	2,631	2,768	2,589	2,779	2,576	2,620	2,570	2,365	2,739	2,755	3,015
Colorado.....	11,069	1,020	879	929	857	840	839	949	957	837	941	950	1,021
Connecticut.....	17,498	1,498	1,421	1,630	1,509	1,418	1,265	1,736	1,425	1,388	1,382	1,251	1,575
Indiana.....	36,443	3,027	2,967	3,612	2,959	2,745	2,745	3,064	3,367	2,996	2,885	2,929	3,132
Maine.....	12,726	1,132	1,064	1,175	1,127	1,029	874	936	1,150	1,097	1,064	1,028	1,050
Maryland.....	20,805	2,009	1,886	1,786	1,638	1,466	1,528	1,955	1,825	1,634	1,667	1,672	1,739
Massachusetts.....	54,301	4,799	4,379	5,165	4,743	4,325	3,969	4,893	4,729	4,365	4,173	4,105	4,655
Michigan.....	39,888	3,247	3,144	3,825	3,373	3,182	3,097	3,101	3,785	3,498	3,198	3,118	3,232
Minnesota.....	22,649	1,774	1,660	2,053	1,903	1,790	1,787	1,703	2,212	2,007	1,813	1,817	2,130
Montana.....	3,999	335	261	272	313	292	322	438	425	375	301	321	344
New Hampshire.....	7,452	701	579	657	653	629	513	573	700	657	581	581	623
New Jersey.....	39,504	3,597	3,164	3,579	3,256	2,982	3,005	4,074	3,393	2,928	2,942	3,025	3,579
New York.....	147,678	13,230	12,182	14,372	13,048	12,057	11,015	13,098	12,218	11,416	11,081	10,956	13,005
North Carolina ²	6,752	612	569	554	500	615	589	589	546	511	589	547	577
Ohio.....	65,459	5,545	5,279	6,548	5,481	5,279	4,815	5,538	5,886	5,257	5,162	5,111	5,558
Pennsylvania.....	119,815	10,585	10,111	11,719	10,044	9,016	8,495	10,948	10,887	9,833	9,205	9,206	10,666
Rhode Island.....	9,305	826	792	848	848	691	718	915	848	626	686	661	739
Utah.....	4,072	364	287	327	353	308	302	327	319	337	325	382	441
Vermont.....	5,704	480	432	536	513	469	382	407	447	504	487	441	546
Washington.....	11,502	937	905	1,089	887	978	830	952	1,024	1,008	923	997	962
Wisconsin.....	28,070	2,338	2,172	2,628	2,343	2,344	2,296	2,031	2,485	2,533	2,275	2,152	2,418
REGISTRATION CITIES.													
ALABAMA.³													
Registration cities (total).....	4,790	414	391	373	366	463	380	434	389	352	385	434	409
Birmingham.....	2,597	211	216	222	200	264	204	232	213	187	200	220	228
Mobile.....	1,185	115	98	75	93	111	95	110	90	84	86	124	104
Montgomery.....	1,008	88	77	76	73	88	81	92	86	81	99	90	77
CALIFORNIA.													
Registration cities (total).....	18,609	1,746	1,512	1,706	1,523	1,622	1,437	1,469	1,415	1,331	1,583	1,535	1,730
Alameda.....	290	33	25	22	26	41	19	20	18	20	14	19	33
Bakersfield.....	305	19	15	24	29	31	23	34	27	20	26	27	30
Berkeley.....	376	34	33	32	31	37	30	34	21	30	28	34	34
Eureka.....	196	17	12	15	13	18	19	17	20	14	19	13	14
Fresno.....	340	18	20	21	25	29	38	25	34	30	27	42	31
Long Beach.....	250	19	20	23	24	19	18	26	16	20	23	20	22
Los Angeles.....	4,538	441	387	400	359	381	356	337	324	333	395	351	474
Oakland.....	1,929	201	154	192	160	162	149	130	160	158	149	159	155
Pasadena.....	419	51	33	49	23	29	41	28	19	28	33	31	54
Pomona.....	136	16	12	9	13	7	10	8	8	9	13	12	19
Redlands.....	154	16	15	12	17	11	6	7	10	9	12	15	24
Riverside.....	221	17	23	25	19	15	20	18	10	22	14	14	24
Sacramento.....	734	58	54	63	46	80	51	65	54	52	63	74	74
San Bernardino.....	260	28	24	29	25	25	30	21	20	13	11	14	20
San Diego.....	687	61	57	59	54	68	50	51	51	47	63	57	69
San Francisco.....	6,319	601	501	584	538	536	443	532	501	454	575	524	530
San Jose.....	412	27	47	38	39	40	37	30	28	21	30	37	38
Santa Barbara.....	223	21	23	20	17	23	19	24	9	9	19	24	15
Santa Cruz.....	185	8	17	15	12	20	16	14	24	12	17	15	15
Stockton.....	469	43	28	53	37	37	44	35	28	35	41	42	46
Vallejo.....	166	17	12	21	11	13	18	15	20	4	9	17	9
COLORADO.													
Registration cities (total).....	4,705	426	402	430	383	357	336	406	401	357	368	393	446
Colorado Springs.....	478	33	44	36	39	42	29	46	54	29	40	45	41
Denver.....	3,533	329	315	333	298	262	241	302	286	267	285	234	331
Pueblo.....	542	43	32	48	38	41	55	47	45	45	35	53	60
Trinidad.....	152	21	11	13	8	12	11	11	16	16	8	11	14
CONNECTICUT.													
Registration cities (total).....	12,032	1,012	996	1,128	1,026	1,019	867	1,217	934	932	950	867	1,084
Ansonia.....	201	12	23	16	21	16	22	26	13	10	13	9	20
Bridgeport.....	1,562	138	130	154	137	142	127	150	115	115	115	110	129
Bristol town.....	184	13	15	27	11	13	11	23	16	21	16	7	11
Danbury town.....	350	27	23	37	32	27	25	24	31	21	33	24	46
Greenwich town.....	273	19	19	29	22	19	11	22	32	25	30	18	27

¹ Including District of Columbia.

² Including only municipalities having a population of 1,000 or over in 1900.

³ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
CONNECTICUT—continued.													
Hartford.....	1,748	154	143	159	144	139	123	177	139	132	151	123	164
Manchester town.....	161	11	17	17	12	14	7	13	10	17	12	19	12
Meriden town.....	456	35	38	52	37	37	20	45	38	47	31	36	40
Middletown town.....	533	47	33	51	51	52	36	31	32	45	67	36	52
Naugatuck.....	182	16	10	8	17	15	17	24	16	17	16	13	13
New Britain.....	692	45	59	60	60	47	67	82	64	58	45	56	49
New Haven.....	2,219	197	198	204	191	213	162	233	167	146	170	137	196
New London.....	353	39	33	32	30	26	22	23	26	31	29	31	31
Norwalk town.....	366	32	24	35	39	43	24	34	35	10	28	28	34
Norwich town.....	480	54	36	50	40	37	21	45	39	56	30	34	38
Orange town.....	143	13	16	12	9	9	13	18	11	10	5	16	11
Stamford town.....	466	31	35	39	34	33	40	59	35	38	36	36	50
Torrington town.....	185	14	21	19	12	20	7	17	13	19	19	9	15
Wallingford town.....	141	15	6	15	9	14	4	17	11	11	13	14	12
Waterbury.....	1,140	90	99	93	99	86	95	133	77	81	69	100	118
Windham town.....	197	10	18	19	19	17	13	16	14	22	22	11	16
DELAWARE. ¹													
Wilmington.....	1,547	136	133	158	105	115	130	179	132	110	101	111	137
DISTRICT OF COLUMBIA.													
Washington.....	6,511	624	580	658	546	475	514	596	490	459	472	553	544
FLORIDA. ¹													
Registration cities (total).....	1,640	155	107	116	139	180	118	128	135	133	142	134	153
Jacksonville.....	1,192	117	78	78	92	120	82	89	107	104	106	103	116
Key West.....	448	38	29	38	47	60	36	39	28	29	36	31	37
GEORGIA. ¹													
Registration cities (total).....	4,689	389	336	401	410	434	393	359	387	345	366	445	424
Atlanta.....	2,938	229	228	267	261	281	244	231	243	204	236	275	239
Savannah.....	1,751	160	108	134	149	153	149	128	144	141	130	170	185
ILLINOIS. ¹													
Registration cities (total).....	36,465	3,194	3,042	3,603	3,119	3,116	2,833	3,028	3,018	2,731	2,656	2,902	3,223
Aurora.....	433	46	34	33	24	37	40	28	45	30	28	47	41
Belleisle.....	312	24	35	31	33	24	21	35	22	18	24	23	22
Chicago.....	33,241	2,913	2,775	3,288	2,852	2,863	2,574	2,765	2,740	2,490	2,429	2,645	2,907
Decatur.....	412	35	34	42	34	36	20	26	40	36	39	30	40
Evanston.....	254	17	26	25	14	24	21	23	19	25	13	19	28
Jacksonville.....	347	28	22	35	34	32	30	24	35	22	28	26	31
Quincy.....	606	63	48	60	56	43	47	50	46	46	44	41	62
Springfield.....	860	68	68	89	72	57	80	77	71	64	51	71	92
INDIANA.													
Registration cities (total).....	12,468	1,008	990	1,209	1,026	948	1,026	1,069	1,134	1,032	959	1,012	1,055
Anderson.....	328	27	24	43	17	30	26	29	40	20	13	33	26
East Chicago.....	269	15	22	26	23	12	17	24	25	31	22	19	33
Elkhart.....	264	20	24	31	23	24	20	16	21	15	22	26	22
Elwood.....	174	11	18	22	9	10	10	13	21	19	15	13	13
Evansville.....	948	95	86	82	72	63	76	73	92	74	76	88	71
Fort Wayne.....	840	78	65	72	80	64	64	62	84	83	67	56	65
Gary.....	284	14	17	25	10	14	25	37	29	32	23	32	26
Hammond.....	296	23	17	38	29	22	22	21	30	22	22	21	29
Huntington.....	126	11	10	14	11	10	8	8	10	16	5	10	13
Indianapolis.....	3,824	302	296	405	341	313	347	328	313	287	292	278	322
Jeffersonville.....	205	27	12	16	15	16	16	26	19	12	11	16	19
Kokomo.....	257	16	18	19	25	17	26	20	26	28	23	22	17
Lafayette.....	333	30	31	33	27	32	32	22	22	17	26	31	30
Laporte.....	185	16	24	15	9	17	18	13	18	18	13	8	16
Logansport.....	299	28	23	24	23	23	15	15	28	33	29	30	28
Marion.....	265	19	26	23	27	17	11	23	25	27	20	22	25
Michigan City.....	280	16	25	23	21	24	23	28	25	21	19	25	30
Mishawaka.....	137	10	7	8	17	15	13	9	19	4	8	13	14
Muncie.....	352	26	23	36	21	21	28	32	43	34	28	33	27
New Albany.....	376	32	30	31	37	28	35	33	33	25	27	40	25
Peru.....	145	9	11	8	14	10	6	10	14	18	15	13	17
Richmond.....	305	34	35	30	24	24	25	23	29	27	18	21	15
South Bend.....	759	53	57	73	52	51	53	62	72	72	82	55	77
Terre Haute.....	931	80	60	81	80	73	84	102	66	84	62	86	73
Vincennes.....	286	16	29	31	19	18	26	40	30	13	21	21	22

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
KANSAS.¹													
Registration cities (total).....	2,405	191	195	227	194	224	196	242	172	173	175	192	224
Kansas City.....	1,393	101	113	143	104	120	114	132	104	99	100	122	136
Leavenworth.....	277	32	24	23	25	25	21	25	19	18	17	25	23
Wichita.....	735	58	53	61	65	79	61	85	49	66	58	45	65
KENTUCKY.¹													
Registration cities (total).....	5,499	479	513	485	468	426	443	456	479	371	433	471	475
Covington.....	861	64	100	94	76	51	64	82	71	59	52	77	71
Louisville.....	3,756	338	331	305	326	309	327	300	337	241	314	317	311
Newport.....	444	39	46	58	35	41	22	32	40	33	33	28	37
Paducah.....	438	38	36	28	31	25	30	42	31	38	34	49	56
LOUISIANA.¹													
New Orleans.....	7,250	675	622	614	648	682	580	547	544	504	551	625	658
MAINE.													
Registration cities (total).....	3,380	301	274	326	279	259	220	261	332	305	277	282	264
Auburn.....	231	23	30	16	19	28	11	14	24	17	19	16	14
Augusta.....	332	23	27	29	43	28	13	21	24	30	33	30	31
Bangor.....	504	46	27	59	45	36	41	39	41	40	43	58	34
Biddeford.....	411	30	41	60	21	33	26	31	39	33	31	30	26
Lewiston.....	586	47	45	54	46	50	35	45	70	62	44	45	45
Portland.....	1,106	109	85	86	92	71	81	85	113	102	94	89	94
Waterville.....	210	23	21	22	13	13	13	16	16	21	13	19	20
MARYLAND.													
Registration cities (total).....	11,690	1,176	1,060	993	939	841	883	1,052	987	871	924	931	1,033
Baltimore.....	10,753	1,085	975	921	855	778	814	974	910	797	853	856	935
Cumberland.....	440	41	38	26	37	27	36	41	38	29	36	46	45
Frederick.....	206	20	20	25	18	13	16	13	21	18	13	11	18
Hagerstown.....	291	30	27	21	29	23	17	24	18	27	22	18	35
MASSACHUSETTS.													
Registration cities (total).....	41,996	3,731	3,405	4,015	3,658	3,339	3,090	3,864	3,613	3,344	3,200	3,127	3,560
Adams town.....	171	16	9	16	12	14	5	33	23	11	11	15	6
Arlington town.....	148	15	11	17	16	12	8	12	11	10	13	8	15
Attleborough town.....	207	16	21	20	16	17	10	20	21	12	18	11	25
Beverly.....	246	15	19	29	28	23	23	18	21	17	18	15	20
Boston.....	11,562	1,019	1,019	1,128	1,067	943	825	923	910	919	909	872	982
Brockton.....	707	46	62	73	72	58	54	57	64	50	63	50	58
Brookline town.....	320	33	28	32	31	20	22	23	23	25	32	19	32
Cambridge.....	1,576	146	134	160	149	121	101	149	121	114	117	141	123
Chelsea.....	605	45	46	62	46	57	37	38	52	53	57	50	62
Chicopee.....	389	30	31	29	26	37	24	74	45	22	28	18	25
Clinton town.....	175	18	13	17	11	19	14	19	12	14	11	8	19
Everett.....	370	29	25	54	38	39	22	23	29	18	31	33	29
Fall River.....	2,201	165	150	175	161	161	220	319	233	167	145	157	148
Fitchburg.....	496	34	37	46	51	36	23	43	43	51	42	38	47
Framingham town.....	221	23	11	19	18	18	16	19	20	19	17	17	24
Gardner town.....	231	27	18	21	9	17	20	22	22	17	25	11	22
Gloucester.....	391	31	35	38	36	25	27	33	39	25	34	34	34
Greenfield town.....	147	10	14	15	18	8	8	8	8	9	10	15	16
Haverhill.....	767	62	57	106	78	60	60	45	74	51	46	65	63
Holyoke.....	1,027	85	76	99	100	84	90	95	102	65	79	61	91
Hyde Park town.....	261	28	18	26	19	20	16	25	21	26	22	24	16
Lawrence.....	1,530	155	122	143	134	105	105	159	154	132	104	99	118
Leominster town.....	196	21	22	24	20	12	11	7	13	19	12	15	20
Lowell.....	2,101	186	187	208	172	145	153	224	157	160	181	146	182
Lynn.....	1,179	109	93	109	100	94	92	93	92	104	89	106	98
Malden.....	582	53	47	59	41	56	40	41	57	46	33	44	65
Marlborough.....	170	23	11	10	15	16	16	12	22	9	14	13	9
Medford.....	243	29	25	14	20	22	18	21	19	14	20	23	18
Melrose.....	205	20	17	15	14	15	17	20	14	22	14	14	23
Methuen town.....	150	12	8	13	11	11	14	17	13	15	8	14	14
Milford town.....	239	25	21	24	21	17	13	26	20	21	20	19	12
New Bedford.....	1,814	133	127	153	146	152	149	223	162	152	137	127	153
Newburyport.....	280	19	21	25	35	30	21	20	12	21	26	24	26
Newton.....	484	52	45	44	46	49	32	29	39	29	31	36	52
North Adams.....	322	23	23	22	38	25	27	29	29	22	33	25	26
Northampton.....	366	31	43	32	34	24	21	25	28	34	24	27	43
Peabody town.....	203	30	15	20	19	19	11	16	14	16	14	11	18
Pittsfield.....	572	45	32	44	32	52	51	52	53	55	43	38	75
Plymouth town.....	162	13	16	16	11	11	13	10	15	18	10	8	14
Quincy.....	384	23	35	40	34	26	27	25	45	34	21	30	35

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Revere town.....	217	15	15	20	15	18	22	20	18	19	18	13	24
Salem.....	691	68	53	68	48	67	32	71	67	59	50	50	58
Somerville.....	1,041	120	85	109	94	99	80	80	65	65	68	86	90
Southbridge town.....	175	18	9	19	19	13	9	15	22	12	13	11	10
Springfield.....	1,434	145	110	151	106	127	124	147	124	103	114	112	121
Taunton.....	803	75	60	62	65	72	52	84	84	88	52	55	54
Wakefield town.....	150	14	15	8	14	8	12	5	17	14	13	9	21
Waltham.....	389	45	42	43	35	22	23	34	26	34	28	20	37
Watertown town.....	143	14	10	11	13	16	9	9	12	12	16	9	12
Webster town.....	178	12	15	15	14	12	16	15	16	21	14	11	17
Westfield town.....	302	14	17	28	28	34	23	29	40	23	20	28	18
Weymouth town.....	209	12	22	22	16	18	16	11	18	18	12	17	18
Winthrop town.....	105	7	13	12	8	8	5	10	4	12	9	9	8
Woburn.....	241	15	27	21	16	22	14	29	27	27	16	14	13
Worcester.....	2,477	197	171	229	222	178	197	245	221	219	195	202	201
MICHIGAN.													
Registration cities (total).....	16,369	1,331	1,241	1,590	1,417	1,262	1,297	1,407	1,533	1,367	1,300	1,299	1,325
Adrian.....	169	12	14	18	17	19	8	12	29	11	15	10	7
Alpena.....	194	17	10	18	16	19	12	18	13	14	12	17	28
Ann Arbor.....	345	30	37	31	29	24	35	32	22	31	21	24	29
Battle Creek.....	423	36	37	38	22	38	40	29	35	44	35	33	36
Bay City.....	612	55	49	64	66	54	48	48	64	53	37	34	40
Detroit.....	7,452	605	540	734	652	579	623	736	664	606	570	575	568
Escanaba.....	206	17	9	16	23	9	13	14	22	24	22	13	24
Flint.....	549	35	48	60	53	34	36	38	68	44	41	47	45
Grand Rapids.....	1,648	152	115	142	134	123	132	132	158	153	130	120	157
Holland.....	141	16	18	9	8	6	9	8	15	12	13	9	18
Ironwood.....	180	14	8	23	14	15	14	21	13	13	14	17	14
Ishpeming.....	158	15	20	9	15	12	13	9	10	7	13	18	17
Jackson.....	466	36	43	39	41	40	37	36	47	54	30	30	33
Kalamazoo.....	743	55	58	86	72	40	53	46	74	63	62	73	61
Lansing.....	412	32	24	40	31	29	28	41	48	38	42	31	28
Manistee.....	160	16	13	9	12	12	14	25	18	8	14	3	16
Marquette.....	182	8	15	20	14	20	12	9	11	15	28	13	17
Menominee.....	148	14	12	18	11	12	10	8	16	10	12	12	13
Muskegon.....	311	27	21	28	25	31	25	25	21	31	16	37	24
Pontiac.....	369	37	33	28	35	34	24	23	40	25	34	29	27
Port Huron.....	313	19	29	39	20	23	23	22	30	21	25	28	34
Saginaw.....	761	61	53	78	66	50	55	50	64	63	78	89	54
Sault Ste. Marie.....	157	9	15	18	13	13	10	3	25	13	10	10	18
Traverse City.....	270	13	20	25	28	29	23	22	26	14	26	27	17
MINNESOTA.													
Registration cities (total).....	8,193	640	617	761	699	660	678	687	781	658	610	656	746
Duluth.....	1,052	75	78	90	77	82	71	74	140	91	80	84	110
Mankato.....	170	12	13	14	12	19	15	14	18	13	10	15	15
Minneapolis.....	3,739	268	303	345	326	301	309	324	342	295	294	300	332
St. Cloud.....	131	11	5	10	11	9	9	11	7	17	14	7	20
St. Paul.....	2,558	229	175	254	227	217	239	222	218	194	173	196	214
Stillwater.....	114	8	14	8	13	7	10	9	11	5	7	9	13
Virginia.....	176	12	10	8	16	8	8	14	21	27	16	19	17
Winona.....	253	25	19	32	17	17	17	19	24	16	16	26	25
MISSOURI.¹													
Registration cities (total).....	15,909	1,438	1,432	1,581	1,263	1,347	1,318	1,390	1,221	1,098	1,159	1,260	1,402
Kansas City.....	3,966	346	370	425	315	335	319	374	307	246	256	322	351
St. Joseph.....	1,055	97	92	102	106	90	65	85	83	74	85	81	95
St. Louis.....	10,888	995	970	1,054	842	922	934	931	831	778	818	857	956
MONTANA.													
Registration cities (total).....	1,527	139	119	115	125	106	109	145	162	149	112	122	124
Anaconda.....	136	13	15	4	11	9	4	10	18	14	8	15	15
Billings.....	152	19	12	7	14	10	10	18	11	12	12	13	14
Butte.....	602	49	44	52	47	45	53	54	68	52	41	52	45
Great Falls.....	252	19	18	21	15	15	21	32	32	34	14	15	16
Helena.....	184	19	18	12	19	13	9	12	14	18	17	19	14
Missoula.....	201	20	12	19	19	14	12	19	19	19	20	8	20
NEBRASKA.¹													
Registration cities (total).....	2,364	203	196	248	195	192	217	178	217	156	174	186	202
Lincoln.....	485	41	39	51	38	40	36	33	53	41	38	30	45
Omaha.....	1,879	162	157	197	157	152	181	145	164	115	136	156	157

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
NEW HAMPSHIRE.													
Registration cities (total).....	3,061	302	232	260	266	247	214	241	293	256	248	247	255
Berlin.....	190	16	10	12	18	16	6	25	21	18	11	16	11
Concord.....	465	53	30	42	36	35	29	40	44	41	37	40	38
Dover.....	236	22	17	25	30	21	20	17	15	14	12	21	22
Keene.....	178	16	8	14	21	15	6	11	19	17	12	15	24
Laconia.....	187	19	14	16	9	9	17	17	18	16	21	18	13
Manchester.....	1,163	126	105	100	99	98	91	75	98	99	94	87	91
Nashua.....	460	33	32	38	41	42	33	43	52	34	39	36	37
Portsmouth.....	182	17	16	13	12	11	12	13	16	17	22	14	19
NEW JERSEY.													
Registration cities (total).....	26,530	2,411	2,129	2,376	2,191	2,017	2,057	2,760	2,186	1,950	1,940	2,035	2,478
Asbury Park.....	170	16	8	13	8	10	23	27	21	10	14	13	7
Atlantic City.....	800	72	56	78	58	53	71	103	87	67	58	46	51
Bayonne.....	827	79	53	59	74	62	63	99	79	55	65	61	78
Bloomfield.....	168	12	14	17	14	15	17	18	14	11	7	12	17
Bridgeton.....	217	22	25	17	17	20	17	15	12	24	12	16	20
Camden.....	1,629	147	137	139	118	127	133	170	120	116	122	144	156
East Orange.....	372	40	35	29	33	32	24	26	28	18	24	36	47
Elizabeth.....	1,122	110	84	90	85	76	109	107	89	89	83	90	110
Garfield.....	129	15	3	7	6	8	9	24	10	10	12	14	11
Hackensack.....	231	20	16	19	22	21	20	28	18	17	16	12	22
Harrison.....	237	20	19	23	21	17	25	28	22	16	21	13	12
Hoboken.....	1,328	125	107	150	114	122	98	136	91	94	71	93	127
Irrington.....	143	15	12	12	11	9	7	13	14	7	12	14	17
Jersey City.....	4,401	369	356	378	363	297	305	487	377	339	334	367	429
Kearny.....	276	22	27	24	21	27	20	24	25	17	23	21	25
Long Branch.....	295	21	26	33	25	19	18	25	31	28	28	20	21
Millville.....	149	14	14	13	14	11	11	13	8	14	13	10	14
Montclair.....	324	25	24	25	29	26	25	41	34	24	15	19	37
Morristown.....	295	15	30	29	24	24	21	20	28	20	28	26	30
New Brunswick.....	494	37	38	48	37	50	33	61	45	30	37	36	42
Newark.....	5,784	562	463	529	497	465	417	545	422	426	419	463	576
Orange.....	538	50	33	55	40	43	32	48	47	45	46	39	60
Passaic.....	820	75	72	77	59	58	84	87	62	54	66	52	74
Paterson.....	1,857	184	148	171	159	128	130	187	150	147	145	140	168
Perth Amboy.....	509	34	32	35	31	34	49	66	59	52	39	39	39
Phillipsburg.....	211	24	13	17	17	17	15	17	15	15	18	19	24
Plainfield.....	325	26	35	27	26	32	23	32	20	22	28	30	24
Trenton.....	1,976	174	180	181	181	144	186	219	188	125	122	120	156
Union.....	252	30	17	27	26	17	19	25	18	18	16	19	20
West Hoboken.....	387	33	30	34	36	32	27	42	31	29	21	31	41
West New York.....	169	13	14	15	12	9	18	19	15	11	18	12	13
West Orange.....	95	10	8	5	13	12	8	8	6	7	8	10
NEW YORK.													
Registration cities (total).....	110,283	10,101	9,072	10,629	9,772	9,019	8,342	9,988	8,925	8,295	8,152	8,110	9,878
Albany.....	1,943	171	173	198	180	171	128	202	110	127	137	138	208
Amsterdam.....	543	42	37	52	49	49	52	59	52	52	26	36	40
Auburn.....	532	51	49	42	48	48	42	54	34	44	34	37	49
Batavia.....	201	13	19	27	12	17	11	18	15	13	13	19	19
Binghamton.....	904	92	89	101	74	63	72	88	64	62	65	60	74
Buffalo.....	6,940	629	547	660	632	589	484	564	640	565	528	556	546
Cohoes.....	509	32	49	63	52	46	39	38	32	24	43	54	37
Corning.....	201	25	15	19	20	14	15	17	15	11	16	12	19
Cortland.....	218	17	14	21	18	22	17	12	15	21	27	17	17
Dunkirk.....	280	21	13	21	26	27	20	25	31	29	20	20	27
Elmira.....	557	51	53	69	39	38	52	42	44	50	40	42	37
Fulton.....	154	9	11	13	7	17	12	11	18	18	12	9	17
Geneva.....	172	18	11	11	10	14	15	15	17	10	15	17	12
Glens Falls.....	242	19	20	30	23	29	19	25	20	16	8	8	25
Gloversville.....	321	27	20	37	36	22	24	26	26	27	21	28	27
Hornell.....	174	13	25	15	15	10	13	9	12	14	15	13	20
Hudson.....	236	21	25	16	25	17	16	29	19	16	18	16	18
Ithaca.....	244	28	22	38	20	13	19	14	19	13	25	15	18
Jamestown.....	404	31	23	31	34	43	26	26	34	35	37	33	51
Johnstown.....	145	8	6	17	10	21	15	6	16	9	7	16	14
Kingston.....	476	43	35	58	43	32	42	25	42	42	47	35	32
Lackawanna.....	396	27	22	41	29	38	38	34	58	27	28	22	32
Little Falls.....	193	21	14	20	6	10	16	22	20	18	8	22	16
Lockport.....	300	24	30	25	28	28	16	19	28	26	30	21	25
Middletown.....	372	34	23	55	42	27	17	27	30	26	29	25	37
Mount Vernon.....	433	40	42	33	41	37	24	44	31	36	41	35	29
New Rochelle.....	342	44	25	45	24	26	29	32	24	27	19	21	26

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
New York.....	76,787	7,143	6,337	7,254	6,983	6,293	5,908	7,067	6,030	5,652	5,573	5,588	7,059
Bronx Borough.....	6,968	635	614	660	640	574	525	568	522	549	546	496	639
Brooklyn Borough.....	25,686	2,497	2,059	2,432	2,271	2,118	2,020	2,429	1,949	1,875	1,775	1,876	2,443
Manhattan Borough.....	38,099	3,537	3,269	3,714	3,539	3,189	2,930	3,456	3,044	2,871	2,855	2,809	3,486
Queens Borough.....	3,965	356	282	317	309	303	313	443	377	315	287	304	354
Richmond Borough.....	1,409	113	113	131	124	104	120	171	138	100	110	103	137
Newburgh.....	509	35	42	47	45	42	23	37	48	55	37	40	58
Niagara Falls.....	548	49	36	58	48	46	52	45	61	42	28	45	38
North Tonawanda.....	160	19	6	11	12	8	15	17	13	19	14	13	13
Ogdensburg.....	392	30	43	40	31	35	29	32	33	25	32	34	28
Olean.....	188	26	14	17	19	12	12	13	15	21	13	10	16
Ossining.....	177	22	11	12	19	16	13	25	14	11	13	9	12
Oswego.....	386	35	29	52	29	27	29	23	33	32	33	19	40
Peekskill.....	278	26	35	23	28	24	21	23	21	13	17	24	23
Plattsburg.....	197	23	22	17	11	14	14	14	14	20	16	15	17
Port Chester.....	210	20	20	15	8	17	11	30	16	12	18	14	29
Poughkeepsie.....	469	38	38	57	45	31	37	37	28	31	30	48	49
Rensselaer.....	162	15	16	22	16	15	12	9	11	9	11	15	11
Rochester.....	3,215	317	250	334	262	242	229	255	276	266	280	238	268
Rome.....	457	29	33	45	47	31	31	39	49	34	31	47	35
Saratoga Springs.....	259	20	16	24	13	23	27	25	31	22	18	22	18
Schenectady.....	1,070	77	76	107	74	84	75	109	114	102	96	67	89
Syracuse.....	2,123	183	194	193	202	182	153	188	204	156	175	134	159
Troy.....	1,596	133	144	191	145	145	114	152	117	114	108	120	113
Utica.....	1,411	103	123	145	127	101	98	149	126	105	110	105	119
Watertown.....	469	42	42	53	44	32	36	35	42	41	39	32	31
Watervliet.....	261	23	20	31	19	20	15	19	20	18	22	18	25
White Plains.....	301	29	13	22	19	30	18	33	23	30	32	20	29
Yonkers.....	1,226	113	88	100	83	94	94	126	104	105	96	106	117
NORTH CAROLINA.													
Registration cities (total).....	3,075	282	257	269	237	288	265	263	242	208	247	252	265
Asheville.....	370	25	34	40	38	20	28	25	37	27	34	33	29
Charlotte.....	605	71	43	48	52	58	46	43	59	38	53	40	49
Durham.....	368	39	39	44	24	37	32	41	24	17	21	26	24
Greensboro.....	305	34	36	34	17	29	29	20	11	15	27	25	28
Raleigh.....	537	44	39	35	39	54	50	42	41	43	35	55	60
Wilmington.....	538	41	32	33	42	52	42	55	44	45	52	49	51
Winston.....	352	28	34	35	25	38	38	32	26	23	25	24	24
OHIO.													
Registration cities (total).....	31,921	2,663	2,596	3,178	2,689	2,673	2,460	2,887	2,838	2,449	2,444	2,451	2,593
Akron.....	928	75	73	83	69	86	60	94	86	76	68	72	86
Alliance.....	181	16	16	16	26	18	9	11	13	11	18	11	16
Ashtabula.....	259	18	19	31	21	24	25	14	26	30	16	16	19
Bellaire.....	189	13	20	11	12	18	14	16	10	19	15	21	20
Cambridge.....	148	10	7	21	8	20	9	10	15	11	12	10	15
Canton.....	616	53	49	51	58	59	43	61	52	45	56	55	34
Chillicothe.....	259	18	23	24	21	14	14	23	31	19	22	29	21
Cincinnati.....	6,319	570	619	645	549	493	472	527	476	436	471	515	546
Cleveland.....	8,047	654	620	792	676	684	664	799	767	628	573	566	624
Columbus.....	2,810	208	208	283	246	241	225	240	246	208	224	223	258
Dayton.....	1,724	150	122	162	133	149	125	168	159	128	140	132	156
East Liverpool.....	333	30	30	39	30	24	19	34	25	16	23	29	34
Elyria.....	203	21	14	17	11	9	12	21	20	23	13	22	20
Findlay.....	219	21	25	16	21	16	23	21	17	16	15	16	12
Hamilton.....	515	44	44	46	32	50	52	58	32	39	36	43	39
Ironton.....	196	13	15	29	14	18	13	22	18	14	13	11	16
Lakewood.....	171	15	11	11	15	17	12	16	12	12	20	16	14
Lancaster.....	142	7	12	17	13	9	9	12	16	17	17	5	8
Lima.....	398	34	20	36	44	27	33	34	40	48	27	31	24
Lorain.....	374	30	25	50	25	25	33	29	54	25	28	23	27
Mansfield.....	288	23	18	34	18	28	25	18	19	31	23	19	32
Marietta.....	164	12	15	13	14	15	9	12	17	16	12	13	16
Marion.....	232	21	13	26	16	15	14	22	30	15	19	18	23
Massillon.....	160	21	9	19	13	8	13	7	17	19	9	12	13
Middletown.....	164	14	21	20	7	9	10	13	10	17	12	14	17
Newark.....	330	12	20	31	23	34	30	42	25	26	32	26	29
Norwood.....	147	14	18	14	13	19	15	15	10	6	7	5	11
Piqua.....	194	17	17	14	17	13	8	10	23	17	20	21	17
Portsmouth.....	356	23	32	58	30	30	26	39	25	22	13	31	27
Sandusky.....	268	17	22	22	19	26	28	17	26	25	22	26	18
Springfield.....	623	54	49	47	56	65	44	59	60	52	49	46	42
Steubenville.....	404	42	30	38	29	33	32	44	37	30	28	31	30
Tiffin.....	175	17	12	18	22	17	9	16	14	12	12	13	13
Toledo.....	2,470	212	183	245	215	222	195	185	218	196	217	199	133
Warren.....	156	9	15	19	15	14	8	10	14	12	13	13	14
Youngstown.....	1,340	113	111	131	117	102	105	130	141	103	110	85	92
Zanesville.....	419	42	39	49	41	22	23	38	37	29	39	33	27

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
OREGON.¹													
Portland.....	2,308	198	179	180	209	192	169	167	204	205	204	197	204
PENNSYLVANIA.													
Registration cities (total).....	61,935	5,704	5,337	6,088	5,392	4,777	4,669	5,840	5,269	4,369	4,546	4,721	5,223
Allentown.....	877	53	69	92	77	70	70	106	100	46	64	64	66
Altoona.....	659	45	53	57	61	48	39	54	71	60	50	54	62
Beaver Falls.....	168	15	15	13	13	16	6	22	11	8	22	11	16
Bethlehem.....	170	16	9	21	18	13	13	16	14	13	14	9	14
Braddock.....	409	25	35	41	39	26	24	43	58	21	32	31	34
Bradford.....	191	20	16	14	19	13	14	11	20	13	20	13	18
Butler.....	319	26	23	19	28	31	28	38	51	20	21	16	18
Carbondale.....	327	29	32	21	35	28	30	34	36	20	23	24	15
Carlisle.....	166	11	15	14	14	13	12	15	17	7	17	14	17
Carnegie.....	135	7	8	11	7	8	7	17	12	15	13	18	12
Chambersburg.....	193	21	20	17	7	22	13	13	19	10	16	14	21
Chester.....	649	51	68	69	53	56	35	56	66	47	50	45	53
Coatesville.....	149	8	14	11	16	6	9	14	17	20	11	11	12
Columbia.....	181	12	12	13	16	18	25	16	17	18	5	18	11
Connellsville.....	204	13	8	25	22	13	12	15	24	17	21	15	19
Dubois.....	145	12	13	16	10	13	8	17	9	10	13	7	17
Dunmore.....	300	34	24	30	31	27	24	34	15	22	12	22	25
Duquesne.....	196	13	8	22	11	12	11	20	33	15	16	15	20
Easton.....	467	48	45	39	49	39	42	33	45	28	30	30	39
Erie.....	*986	73	69	100	92	77	80	77	104	81	65	69	99
Greensburg.....	259	26	23	31	23	22	13	22	17	19	18	15	30
Harrisburg.....	941	32	63	94	96	76	67	73	60	74	78	82	96
Hazleton.....	431	50	36	44	23	41	27	37	45	32	35	30	31
Homestead.....	308	21	31	24	24	17	27	31	26	25	32	22	28
Johnstown.....	927	67	62	94	68	71	74	100	92	67	75	83	74
Lancaster.....	720	55	64	57	68	59	45	65	67	47	58	68	67
Lebanon.....	326	29	25	37	36	16	18	28	25	33	30	31	18
McKees Rocks.....	245	16	15	15	17	23	19	40	20	24	18	14	24
McKeesport.....	855	82	49	83	67	62	70	87	85	73	78	64	55
Mahanoy City.....	277	20	18	32	15	18	23	43	33	16	25	12	22
Meadville.....	176	11	17	14	11	15	8	16	19	11	18	18	18
Monessen.....	153	7	11	25	11	8	9	16	16	18	8	11	13
Mount Carmel.....	233	23	23	27	16	20	19	17	25	17	16	12	18
Nanticoke.....	328	22	17	27	26	24	35	43	46	13	23	25	27
New Castle.....	581	50	44	68	56	30	38	58	49	45	42	35	57
Norristown.....	684	65	76	65	62	45	49	51	58	48	50	61	54
North Braddock.....	160	14	10	10	16	14	13	23	13	19	10	12	6
Oil City.....	196	18	12	25	12	15	16	17	25	16	12	17	11
Old Forge.....	199	15	8	7	14	18	22	39	19	14	13	17	13
Philadelphia.....	27,045	2,665	2,529	2,803	2,284	2,117	2,135	2,522	2,078	1,751	1,898	2,112	2,351
Phoenixville.....	209	19	16	24	16	16	15	15	18	18	16	13	23
Pittsburgh.....	9,603	872	789	1,100	958	745	671	857	727	657	733	713	781
Pittston.....	279	16	22	22	30	16	21	34	32	24	22	18	22
Plymouth.....	257	29	13	18	21	20	30	35	18	22	11	21	19
Pottstown.....	234	20	18	33	19	17	16	17	23	25	11	18	17
Pottsville.....	380	26	35	23	31	30	40	27	35	35	45	22	26
Reading.....	1,475	120	134	134	132	94	130	122	133	100	122	117	117
Scranton.....	2,140	194	154	183	187	167	174	256	209	159	163	132	162
Shamokin.....	269	19	22	29	26	19	16	29	33	26	24	12	14
Sharon.....	253	22	31	20	23	27	18	23	21	15	20	19	14
Shenandoah.....	439	28	28	39	25	22	31	60	56	51	28	37	34
South Bethlehem.....	334	20	21	23	25	17	33	36	53	32	13	23	33
South Sharon.....	164	24	12	11	15	14	10	12	19	18	14	8	7
Steelton.....	217	15	27	23	14	13	17	18	22	19	15	15	19
Sunbury.....	188	17	20	14	17	10	8	13	24	22	15	14	14
Uniontown.....	246	22	20	22	22	15	16	26	29	19	14	17	24
Warren.....	149	19	17	19	13	9	13	9	13	10	10	9	8
Washington.....	299	23	22	36	31	21	20	27	25	28	26	23	17
West Chester.....	231	20	21	23	15	14	27	16	17	24	18	15	16
Wilkes-Barre.....	1,117	114	99	99	93	76	82	124	92	73	67	81	117
Williamsburg.....	284	33	25	31	26	24	22	19	14	15	21	30	24
Williamsport.....	490	57	37	48	42	32	30	24	47	40	42	40	51
York.....	743	76	74	72	58	52	36	54	63	51	66	78	63
RHODE ISLAND.													
Registration cities (total).....	7,571	675	641	786	673	567	609	744	671	492	549	560	604
Central Falls.....	358	27	32	34	41	23	28	41	31	33	23	24	21
Cranston.....	229	18	18	19	26	19	17	22	22	19	16	17	16
State institutions.....	312	24	24	33	30	15	14	26	28	21	39	25	33
Cumberland town.....	141	19	16	10	6	10	8	9	17	5	12	15	14
East Providence town.....	233	28	27	23	15	13	20	25	26	15	12	13	16
Newport.....	383	40	31	51	26	27	23	28	45	25	26	22	39
Pawtucket.....	826	66	70	84	87	56	78	95	69	46	57	61	57
Providence.....	3,980	380	357	431	348	314	318	370	305	243	284	306	324
Warwick town.....	483	34	28	49	46	48	39	41	61	44	30	34	34
Woonsocket.....	626	39	38	52	48	47	64	87	67	41	50	48	50

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
SOUTH CAROLINA. ¹													
Charleston.....	1,748	143	127	123	158	158	177	140	161	122	144	147	148
TENNESSEE. ¹													
Registration cities (total).....	5,516	502	449	482	421	427	434	465	479	380	422	480	525
Knoxville.....	635	56	55	48	52	45	61	44	51	41	51	65	66
Memphis.....	2,818	237	220	281	215	223	256	225	242	181	221	251	266
Nashville.....	2,063	209	174	153	154	159	167	196	186	158	150	164	193
TEXAS. ¹													
Registration cities (total).....	2,750	270	235	228	215	245	251	230	228	193	195	194	266
Galveston.....	600	56	49	48	41	26	49	46	61	52	53	51	68
San Antonio.....	2,150	214	186	180	174	219	202	184	167	141	142	143	198
UTAH.													
Registration cities (total).....	1,553	139	90	123	138	108	109	144	139	117	128	143	175
Ogden.....	293	21	13	32	23	19	25	19	24	26	25	32	34
Salt Lake City.....	1,260	118	77	91	115	89	84	125	115	91	103	111	141
VERMONT.													
Registration cities (total).....	774	59	65	84	60	65	50	60	69	88	68	49	57
Barre.....	150	10	19	23	6	7	15	10	8	15	15	10	12
Burlington.....	397	27	30	45	35	39	25	30	37	45	38	25	21
Rutland.....	227	22	16	16	19	19	10	20	24	28	15	14	24
VIRGINIA. ¹													
Registration cities (total).....	6,193	569	551	503	462	532	611	526	473	463	494	504	505
Alexandria.....	327	32	27	29	25	21	29	31	31	34	24	15	29
Danville.....	388	30	32	31	35	34	42	34	33	33	25	37	22
Lynchburg.....	473	25	58	45	33	37	46	41	34	34	41	43	36
Norfolk.....	1,477	145	143	124	99	140	136	108	115	100	125	127	115
Petersburg.....	641	43	59	55	52	50	69	54	45	48	71	51	44
Richmond.....	2,887	294	232	219	218	250	289	258	215	214	208	231	259
WASHINGTON.													
Registration cities (total).....	5,803	464	452	497	441	497	425	497	531	537	467	499	496
Aberdeen.....	121	15	6	12	10	5	6	10	14	13	12	13	5
Bellingham.....	231	23	31	27	12	20	16	14	20	17	17	13	21
Everett.....	279	28	29	20	17	24	25	21	23	33	25	15	19
North Yakima.....	257	21	25	21	18	27	12	25	23	22	18	29	16
Seattle.....	2,408	188	188	204	192	218	162	189	214	227	191	200	235
Spokane.....	1,375	104	100	117	104	96	117	159	144	144	103	116	106
Tacoma.....	928	62	62	85	76	88	73	63	79	92	81	85	82
Walla Walla.....	204	23	11	11	12	19	14	16	14	24	20	28	12
WEST VIRGINIA. ¹													
Wheeling.....	731	75	55	78	71	65	58	61	52	44	49	60	63
WISCONSIN.													
Registration cities (total).....	10,319	883	820	1,026	880	915	854	752	911	845	800	787	846
Appleton.....	263	18	17	23	23	26	26	24	18	20	28	16	24
Ashland.....	228	22	16	15	15	11	15	20	24	24	25	25	16
Beloit.....	173	11	15	16	12	11	13	7	15	20	13	18	22
Eau Claire.....	276	24	31	26	18	30	19	14	21	32	18	19	24
Fond du Lac.....	254	20	17	23	15	20	17	15	20	31	25	27	24
Green Bay.....	448	38	27	39	35	44	42	34	33	49	36	35	36
Janesville.....	194	25	13	26	16	16	14	10	13	15	16	13	17
Kenosha.....	268	25	19	23	25	20	14	16	37	20	24	22	23
La Crosse.....	435	31	41	34	45	36	37	33	43	24	44	32	35
Madison.....	309	28	32	31	18	27	17	24	34	25	24	17	32
Manitowoc.....	166	17	11	17	8	14	11	12	16	17	18	13	12
Marinette.....	178	23	18	13	22	15	9	7	12	11	11	16	14
Milwaukee.....	5,205	437	429	555	475	491	449	398	439	378	364	379	411
Oshkosh.....	373	39	24	43	21	30	37	22	34	30	37	27	29
Racine.....	495	47	43	45	47	35	27	32	46	60	35	36	42
Sheboygan.....	351	29	29	33	38	25	32	18	32	25	33	31	26
Superior.....	466	23	20	37	40	39	46	38	55	45	35	45	43
Wausau.....	237	26	18	22	16	18	23	26	24	18	14	16	16

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY MONTH OF OCCURRENCE.

169

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES.¹													
CALIFORNIA.													
Total.....	13,792	1,248	1,119	1,062	1,066	1,157	1,139	1,151	1,155	1,034	1,156	1,220	1,285
Alameda County.....	593	54	60	43	45	52	55	38	47	47	44	55	53
Alpine County.....	2												2
Amador County.....	118	7	13	5	7	8	8	9	9	7	17	12	16
Butte County.....	386	37	19	27	17	27	40	32	38	23	44	43	34
Calaveras County.....	116	7	11	8	11	6	10	12	9	8	12	12	10
Colusa County.....	100	6	5	6	8	10	11	9	7	9	8	10	11
Contra Costa County.....	355	24	26	33	34	36	28	33	32	27	25	29	28
Del Norte County.....	11	1				2	2		1	3	1		
Eldorado County.....	107	18	6	10	10	8	15	8	8	4	4	6	10
Fresno County.....	549	57	27	43	29	50	54	52	45	41	54	55	42
Glenn County.....	55		3	1	3	5	10	7	9	1	5	7	4
Humboldt County.....	151	13	11	18	13	7	14	11	11	9	12	16	16
Imperial County.....	66	6	3	6	6	1	5	11	2	2	5	6	13
Inyo County.....	4					2	3	2	1	3	3	3	1
Kern County.....	225	17	21	19	22	29	29	11	12	10	21	19	15
Kings County.....	192	14	15	14	6	18	16	19	21	13	17	22	17
Lake County.....	32	9	6	3	11	7	5	4	3	8	7	11	8
Lassen County.....	22	2	3	1	1	3		3	2		3	1	3
Los Angeles County.....	1,740	169	137	133	135	160	142	127	147	144	138	148	160
Madera.....	87	7	5	6	6	9	6	12	7	6	6	8	9
Marin County.....	256	23	13	16	26	20	25	22	36	18	26	12	19
Mariposa County.....	32	9	2	4		6	3	1	3			1	3
Mendocino County.....	334	26	26	22	23	36	25	25	32	31	28	31	29
Merced County.....	133	15	8	11	13	11	9	16	4	14	11	7	14
Modoc County.....	37	1	4	3	4	2	2	2	2	5	4	4	4
Mono County.....	2									1		1	
Monterey County.....	285	22	26	21	24	21	19	25	27	24	26	20	33
Napa County.....	462	42	42	32	37	39	40	33	30	38	44	52	33
Nevada County.....	221	21	20	21	13	19	9	16	26	19	22	24	11
Orange County.....	395	34	27	27	37	32	26	29	37	36	29	31	50
Placer County.....	249	23	21	16	16	19	35	18	22	18	16	15	30
Plumas County.....	37	4	2	4	4	1	6	5	3	2	3	1	2
Riverside County.....	196	16	21	16	12	18	17	9	11	16	18	21	21
Sacramento County.....	405	33	34	35	34	30	34	28	43	31	29	37	37
San Benito County.....	104	10	7	5	2	7	10	13	13	7	9	10	11
San Bernardino County.....	509	51	35	41	38	45	43	51	33	42	36	38	56
San Diego County.....	189	20	18	17	17	23	13	13	8	11	14	21	14
San Joaquin County.....	442	35	39	39	40	36	33	43	33	26	41	42	35
San Luis Obispo County.....	237	23	22	23	12	25	11	28	23	17	21	16	16
San Mateo County.....	304	36	27	20	30	29	27	21	23	17	24	24	26
Santa Barbara County.....	145	7	12	17	14	6	9	9	16	12	13	14	16
Santa Clara County.....	791	92	62	75	69	50	61	57	63	50	65	66	81
Santa Cruz County.....	179	18	19	18	11	17	10	15	11	18	15	10	17
Shasta County.....	256	26	30	22	20	19	21	20	25	14	19	21	21
Sierra County.....	38	4	7	1	1	3	2	5	4	1	3	5	2
Siskiyou County.....	195	13	17	14	12	21	12	20	28	11	12	23	12
Solano County.....	179	16	9	17	14	10	13	15	9	19	17	19	21
Sonoma County.....	658	43	60	48	42	46	52	85	53	51	66	58	54
Stanislaus County.....	234	16	29	20	28	13	16	22	16	17	11	22	24
Sutter County.....	64	10	4	3	6	5	6	3	4	6	5	5	7
Tehama County.....	174	9	18	13	15	10	11	15	23	7	19	15	19
Trinity County.....	58	6	3	5	4	4	4	7	3	8	2	5	7
Tulare County.....	327	23	29	18	22	32	23	32	32	22	26	34	34
Tuolumne County.....	133	18	10	8	6	11	11	7	8	10	16	14	14
Ventura County.....	208	19	19	12	21	17	12	13	21	15	16	16	22
Yolo County.....	184	16	12	13	19	21	23	13	10	14	9	13	21
Yuba County.....	151	16	11	8	12	13	13	10	9	16	15	11	17
COLORADO.													
Total.....	6,364	594	477	499	474	483	503	543	556	530	573	557	575
Adams County.....	82	6	6	7	5	7	9	5	5	6	6	10	10
Arapahoe County.....	122	10	7	6	15	8	14	13	9	5	11	8	16
Archuleta County.....	35	4	3	1	3			7	2	7	2	5	1
Baca County.....	30		2	1	1		6	1	7	5	1	6	
Bent County.....	66	8	6	4	6	6	6	6	5	9	3	5	2
Boulder County.....	400	47	34	31	33	27	25	42	34	32	30	24	41
Chaffee County.....	124	8	5	16	8	11	7	10	11	12	11	16	9
Cheyenne County.....	7	1	1	1	1			1					1
Clear Creek County.....	79	7	6	4	7	5	3		12	5	9	7	10
Conejos County.....	105	12	12	11	4	9	14	5	14	10	8	5	1
Costilla County.....	5	1						1	2	1			
Custer County.....	22	1	1	4	2	3			3	2	3	2	1
Delta County.....	127	13	8	8	7	12	11	11	11	10	14	11	11
Dolores County.....	4						1	1	1		1		
Douglas County.....	24	3	4	1	1	1	1	3	2	2	2	2	4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES¹—Continued.													
COLORADO—continued.													
Eagle County.....	28	1	1	3	6	2	1	3	3	4	1	3	
El Paso County.....	229	20	15	16	21	12	18	21	32	27	15	18	
Elbert County.....	33	5	3	3	4	2	2	2	1	3	3	2	
Fremont County.....	247	21	22	26	19	17	15	13	22	31	22	19	
Garfield County.....	161	11	11	14	9	15	17	11	9	10	11	25	
Gilpin County.....	67	11	3	8	8	6	4	5	4	5	9	2	
Grand County.....	20	3	2	1	3	2	2	4	4	1	3	1	
Gunnison County.....	84	8	8	6	6	5	4	4	8	6	6	14	
Hinsdale County.....	13	1	1	3	2	1	1	2	1	1	2	2	
Huerfano County.....	237	12	16	16	8	12	29	15	29	21	30	24	
Jackson County.....	11	1	1	1	1	2	2	2	1	2	1	1	
Jefferson County.....	263	21	27	23	25	30	29	16	18	16	19	12	
Kiowa County.....	33	4	2	1	2	4	6	5	3	1	1	3	
Kit Carson County.....	43	2	2	3	3	3	4	6	7	2	4	2	
La Plata County.....	123	8	11	6	13	10	14	10	8	11	13	5	
Lake County.....	209	25	17	10	19	16	18	18	15	18	21	15	
Larimer County.....	291	23	22	35	29	16	18	29	24	24	24	27	
Las Animas County.....	593	110	25	30	34	30	28	40	30	25	80	110	
Lincoln County.....	39	3	1	5	5	3	3	4	3	2	2	4	
Logan County.....	69	2	3	6	9	7	6	7	7	8	6	6	
Mesa County.....	245	15	32	25	19	16	18	28	19	22	14	16	
Mineral County.....	12	1	3	3	1	1	1	1	1	1	2	2	
Montezuma County.....	43	3	6	5	4	6	3	2	3	3	2	4	
Montrose County.....	112	17	3	3	8	8	7	6	9	14	12	13	
Morgan County.....	88	5	10	7	6	7	10	6	5	10	7	10	
Otero County.....	276	17	25	22	17	22	23	30	21	30	22	24	
Ouray County.....	51	5	2	4	4	7	1	6	2	5	3	7	
Park County.....	19	3	1	1	1	3	1	2	2	2	1	3	
Phillips County.....	29	1	4	1	3	3	2	2	7	2	3	3	
Pitkin County.....	56	2	7	3	3	5	3	5	4	7	2	3	
Prowers County.....	127	9	11	12	4	10	13	10	14	7	12	10	
Pueblo County.....	298	28	19	22	20	15	27	31	28	22	37	26	
Rio Blanco County.....	12	1	3	1	1	1	1	1	1	2	1	2	
Rio Grande County.....	93	5	8	12	9	6	12	9	7	6	10	6	
Routt County.....	55	7	2	2	4	6	5	8	8	5	2	4	
Saguache County.....	37	4	1	2	1	1	2	8	3	3	3	6	
San Juan County.....	56	9	6	2	4	3	1	7	10	7	3	1	
San Miguel County.....	68	3	8	6	4	11	7	5	6	3	5	6	
Sedgwick County.....	24	2	4	5	2	2	2	1	3	2	2	1	
Summit County.....	28	4	3	3	3	3	3	2	3	3	1	2	
Teller County.....	181	20	17	12	12	24	15	12	13	21	12	8	
Washington County.....	41	1	3	8	4	3	3	1	5	3	3	2	
Weld County.....	342	21	20	30	28	30	24	43	27	26	33	25	
Yuma County.....	46	4	5	4	4	4	5	2	3	4	4	7	
CONNECTICUT.													
Total.....	5,466	486	425	502	483	399	398	519	491	456	432	384	491
Fairfield County.....	775	80	62	76	57	53	49	62	67	76	61	57	75
Hartford County.....	1,094	92	92	89	89	83	83	96	116	69	103	78	104
Litchfield County.....	794	82	64	77	78	48	57	80	69	58	57	59	65
Middlesex County.....	375	30	31	45	30	36	23	35	36	33	15	25	36
New Haven County.....	748	76	50	59	69	55	70	85	59	58	52	47	68
New London County.....	732	67	58	64	61	49	58	73	60	75	62	50	55
Tolland County.....	331	23	28	30	41	21	14	34	31	29	32	19	29
Windham County.....	617	36	40	62	58	54	44	54	53	58	50	49	59
INDIANA.													
Total.....	23,980	2,019	1,977	2,403	1,933	1,797	1,719	1,995	2,253	1,964	1,926	1,917	2,077
Adams County.....	209	10	14	18	17	17	13	8	22	28	24	16	22
Allen County.....	277	28	16	24	18	28	17	22	29	17	27	21	30
Bartholomew County.....	329	32	21	38	25	23	28	19	31	22	25	30	35
Benton County.....	105	10	16	7	6	9	7	8	13	5	10	9	5
Blackford County.....	196	11	14	19	11	22	13	22	12	25	19	11	17
Boone County.....	310	27	23	34	32	23	18	21	28	30	27	23	24
Brown County.....	108	13	5	11	4	10	5	13	7	12	17	4	7
Carroll County.....	243	24	20	26	16	17	20	22	16	20	21	16	25
Cass County.....	276	24	20	29	19	26	20	30	24	20	16	21	27
Clark County.....	288	27	22	32	19	22	20	25	23	27	27	16	28
Clay County.....	404	34	44	41	40	28	26	28	39	29	37	30	28
Clinton County.....	303	23	26	24	20	24	25	25	24	29	29	34	20
Crawford County.....	151	17	14	14	17	10	9	14	9	10	17	10	10
Daviess County.....	335	25	27	26	29	33	19	24	34	29	35	25	29
Dearborn County.....	274	27	20	37	28	22	26	20	21	15	19	22	17
Decatur County.....	243	18	21	29	22	19	14	21	22	14	18	17	28
Dekalb County.....	328	24	24	27	30	27	22	24	20	32	41	24	33
Delaware County.....	274	14	31	21	12	20	23	25	35	30	20	23	20
Dubois County.....	191	20	16	21	9	13	16	14	20	13	12	14	23
Elkhart County.....	407	30	31	41	32	35	36	22	34	35	29	42	40

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES—Continued.													
COLORADO—continued.													
Fayette County.....	190	17	12	23	17	12	20	15	16	16	15	15	12
Floyd County.....	140	12	15	16	13	13	11	6	10	13	7	16	8
Fountain County.....	273	31	25	25	20	19	18	21	21	19	25	24	25
Franklin County.....	192	13	18	19	14	15	12	16	14	20	14	16	21
Fulton County.....	230	17	23	23	13	15	22	14	29	17	14	21	22
Gibson County.....	403	40	35	48	29	26	18	42	45	22	39	27	32
Grant County.....	526	39	45	50	50	43	36	46	44	33	42	41	57
Greene County.....	467	32	42	38	38	37	36	45	49	36	39	33	42
Hamilton County.....	360	19	38	35	34	30	23	34	31	26	35	25	30
Hancock County.....	251	17	27	23	23	13	20	27	24	18	16	22	21
Harrison County.....	228	15	20	23	22	11	26	17	19	13	16	29	17
Hendricks County.....	265	13	35	25	25	27	18	24	23	16	18	23	13
Henry County.....	427	36	36	42	37	31	26	43	57	35	24	25	35
Howard County.....	174	12	16	16	14	17	10	20	14	12	18	10	15
Huntington County.....	230	28	26	20	22	23	16	18	22	17	11	12	15
Jackson County.....	351	29	25	20	29	18	23	26	28	35	34	41	43
Jasper County.....	119	10	10	14	11	6	9	14	12	8	6	14	5
Jay County.....	324	26	16	32	21	21	19	33	43	40	30	18	25
Jefferson County.....	356	22	31	34	32	23	16	32	38	22	34	40	32
Jennings County.....	182	16	8	16	14	12	12	22	13	20	9	12	28
Johnson County.....	286	32	25	29	21	33	16	27	22	14	21	21	25
Knox County.....	299	23	21	28	22	20	19	24	31	21	33	33	24
Kosciusko County.....	347	26	19	39	33	33	33	17	30	30	26	30	31
Lagrange County.....	199	16	18	19	11	12	19	16	19	13	21	14	21
Lake County.....	350	43	29	37	31	21	24	26	35	36	19	22	27
Laporte County.....	176	8	13	17	8	17	16	17	15	19	12	19	15
Lawrence County.....	411	41	38	44	26	35	30	35	48	24	29	26	35
Madison County.....	366	35	27	27	38	25	25	27	44	23	36	24	35
Marion County.....	408	23	36	29	36	34	35	42	45	36	27	37	28
Marshall County.....	307	29	29	38	25	13	18	26	33	26	30	17	25
Martin County.....	144	19	12	17	6	10	7	15	13	7	13	8	17
Miami County.....	223	22	19	20	16	12	17	18	23	13	24	9	25
Monroe County.....	335	24	22	33	29	36	43	30	25	29	18	20	26
Montgomery County.....	383	34	38	50	44	32	31	32	28	22	21	29	22
Morgan County.....	312	24	31	32	21	25	29	30	27	24	21	23	25
Newton County.....	109	12	5	10	12	8	6	7	14	11	10	6	8
Noble County.....	266	29	20	33	25	21	18	14	26	28	18	22	12
Ohio County.....	44	3	2	6	5	1	3	7	3	2	3	4	5
Orange County.....	198	8	18	24	22	12	16	20	9	14	17	17	21
Owen County.....	162	12	17	14	14	13	11	13	17	14	11	14	12
Parke County.....	255	30	21	17	21	21	17	24	24	14	14	21	31
Perry County.....	217	22	19	23	17	19	11	16	20	13	13	23	21
Pike County.....	278	19	29	25	28	14	27	21	26	18	28	27	16
Porter County.....	264	29	19	28	18	13	13	28	12	32	25	20	27
Posey County.....	284	25	26	32	20	19	15	21	34	21	22	25	24
Pulaski County.....	145	15	10	16	7	8	16	16	10	11	11	10	15
Putnam County.....	250	29	17	28	28	16	23	18	13	15	13	25	25
Randolph County.....	371	28	24	36	34	25	18	24	40	37	34	36	35
Ripley County.....	246	29	19	16	19	15	11	21	23	27	17	20	29
Rush County.....	234	18	17	28	22	22	18	25	22	18	11	11	22
St. Joseph County.....	244	19	22	21	21	23	14	17	26	23	17	18	23
Scott County.....	117	5	16	14	14	6	7	10	13	4	4	13	11
Shelby County.....	341	32	32	34	17	24	28	33	38	30	25	31	17
Spencer County.....	266	25	20	22	14	14	22	23	27	14	28	22	25
Starke County.....	128	11	14	6	13	12	13	7	13	15	6	8	10
Steuben County.....	160	12	8	15	16	15	8	16	17	18	18	6	11
Sullivan County.....	386	31	28	28	22	37	30	48	33	34	40	33	22
Switzerland County.....	138	9	10	19	12	14	13	13	11	12	9	8	8
Tippecanoe County.....	253	31	18	32	23	16	16	15	26	18	13	18	27
Tipton County.....	207	14	21	20	17	14	10	17	19	24	14	23	14
Union County.....	85	4	9	7	8	8	4	4	8	14	5	10	4
Vanderburg County.....	233	15	22	28	19	19	25	10	22	13	16	26	18
Vermilion County.....	255	14	15	36	17	16	17	24	17	22	20	25	32
Vigo County.....	378	29	24	46	24	20	29	38	47	31	28	26	36
Wabash County.....	335	35	26	41	33	18	20	17	28	24	32	33	28
Warren County.....	136	20	13	12	5	11	5	9	14	8	20	9	10
Warrick County.....	274	31	29	32	19	17	10	17	28	20	26	17	28
Washington County.....	223	16	12	17	14	16	21	24	26	17	22	19	19
Wayne County.....	362	23	27	41	35	27	27	25	32	40	26	33	26
Wells County.....	295	24	15	28	28	17	22	17	25	58	18	21	22
White County.....	167	15	13	20	10	14	13	15	23	12	10	9	13
Whitley County.....	189	15	15	18	9	14	14	17	14	16	15	24	18

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES¹—Continued.													
MAINE.													
Total.....	9,346	831	790	849	848	770	654	675	818	792	787	746	786
Androscoggin County.....	341	41	25	26	30	28	22	32	18	25	34	33	27
Aroostook County.....	1,068	76	81	79	91	93	64	72	140	134	78	101	59
Cumberland County.....	875	64	88	83	75	61	58	65	65	83	78	84	71
Franklin County.....	264	26	20	22	23	28	20	15	24	24	23	15	24
Hancock County.....	572	48	58	50	49	44	45	50	41	36	58	46	47
Kennebec County.....	655	62	57	66	42	47	45	51	62	55	63	48	57
Knox County.....	488	52	37	41	34	39	40	42	46	31	40	36	50
Lincoln County.....	311	34	25	34	30	29	15	35	28	18	15	28	20
Oxford County.....	606	46	66	52	60	49	48	40	45	49	51	42	58
Penobscot County.....	917	87	71	82	96	84	70	52	76	65	75	74	85
Piscataquis County.....	284	22	29	22	31	26	27	13	25	21	25	18	25
Sagadahoc County.....	329	29	24	29	29	30	25	28	28	24	33	26	24
Somerset County.....	604	46	58	65	58	59	34	29	53	50	57	42	53
Waldo County.....	424	45	34	41	44	30	28	29	29	42	30	34	38
Washington County.....	680	62	54	62	64	49	48	46	48	51	59	49	68
York County.....	948	91	63	95	92	74	65	76	90	84	68	70	80
MARYLAND.													
Total.....	9,115	833	826	793	699	625	645	903	838	763	743	741	706
Allegany County.....	337	24	22	36	33	18	21	33	27	33	32	30	28
Anne Arundel County.....	724	58	65	50	60	45	75	76	61	64	65	44	61
Baltimore County.....	1,823	161	165	149	137	118	117	207	185	121	148	154	161
Calvert County.....	161	13	16	10	14	10	19	25	7	10	15	14	8
Caroline County.....	266	20	26	27	28	11	22	36	26	16	12	22	20
Carroll County.....	465	49	52	43	43	29	26	27	49	44	27	41	35
Cecil County.....	357	33	36	37	27	28	20	29	21	39	26	27	34
Charles County.....	247	19	34	15	15	15	19	30	18	20	17	26	19
Dorchester County.....	413	40	28	42	36	25	23	33	44	44	36	42	20
Frederick County.....	496	39	50	48	43	39	30	50	49	49	34	34	31
Garrett County.....	170	3	15	14	14	23	11	11	13	22	17	15	12
Harford County.....	351	35	35	30	28	29	13	21	19	41	30	36	29
Howard County.....	224	25	23	16	9	20	20	18	26	17	19	15	16
Kent County.....	295	26	22	28	20	26	15	37	31	27	29	16	18
Montgomery County.....	344	42	35	34	25	27	17	32	35	28	15	22	32
Prince Georges County.....	506	54	54	45	32	30	39	48	52	32	48	42	30
Queen Annes County.....	284	23	24	27	20	20	28	32	25	19	19	29	18
St. Marys County.....	63	8	8	5	3	1	7	2	8	6	6	4	5
Somerset County.....	334	25	19	29	23	30	26	38	17	35	39	29	24
Talbot County.....	288	35	27	19	30	17	20	24	27	21	22	24	22
Washington County.....	424	50	39	51	30	21	22	37	29	27	40	37	41
Wicomico County.....	291	29	21	21	19	19	29	30	34	23	23	20	23
Worcester County.....	252	22	10	17	10	24	21	27	35	25	24	18	19
MASSACHUSETTS.													
Total.....	12,305	1,068	974	1,150	1,085	936	879	1,029	1,116	1,022	973	978	1,095
Barnstable County.....	497	30	39	42	41	43	31	45	36	49	44	53	44
Berkshire County.....	581	62	39	58	46	48	60	60	50	46	45	47	45
Bristol County.....	821	79	60	65	67	61	53	82	87	68	72	47	80
Dukes County.....	87	9	3	5	8	8	4	11	9	2	8	9	13
Essex County.....	1,515	121	120	140	132	114	99	125	126	157	125	134	122
Franklin County.....	529	34	40	50	44	36	46	37	49	46	54	52	41
Hampden County.....	696	72	49	66	62	51	52	69	72	43	48	52	60
Hampshire County.....	626	58	57	77	63	34	25	56	52	39	60	43	62
Middlesex County.....	2,275	232	174	219	192	180	172	167	203	190	165	167	214
Nantucket County.....	60	2	6	9	3	6	6	6	5	6	6	3	4
Norfolk County.....	1,332	90	118	123	141	99	94	107	129	115	92	108	116
Plymouth County.....	1,189	94	102	112	96	90	97	86	120	92	83	104	113
Worcester County.....	2,097	185	167	184	190	168	165	178	179	170	171	159	181
MICHIGAN.													
Total.....	23,519	1,916	1,903	2,235	1,956	1,920	1,800	1,694	2,252	2,131	1,898	1,819	1,995
Alcona County.....	55	5	1	6	4	7	3	4	5	4	3	7	6
Alger County.....	107	7	3	4	5	6	7	5	18	28	8	7	9
Allegan County.....	555	33	42	53	45	42	52	45	45	55	54	43	46
Alpena County.....	80	7	8	8	4	8	12	6	4	6	5	5	7
Antrim County.....	187	12	19	20	15	19	13	15	16	17	14	13	14
Arenac County.....	97	4	10	8	7	8	3	9	9	9	14	13	4
Baraga County.....	62	8	6	4	3	4	6	5	6	5	5	6	4
Barry County.....	299	25	27	30	20	33	24	10	26	25	23	24	32
Bay County.....	238	25	26	28	8	18	13	15	24	22	14	23	22
Benzie County.....	128	4	12	15	13	10	10	8	10	16	9	10	11
Berrien County.....	701	53	55	65	60	65	52	58	62	45	63	57	66
Branch County.....	383	35	38	30	37	27	26	29	31	33	32	27	38
Calhoun County.....	441	31	30	45	41	39	45	29	39	34	33	30	45
Cass County.....	304	30	27	26	24	29	13	27	29	18	31	23	27
Charlevoix County.....	221	24	13	28	19	21	24	13	25	13	8	16	17

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES—Continued.													
MICHIGAN—continued.													
Cheboygan County.....	234	13	15	20	13	23	21	17	28	26	21	19	18
Chippewa County.....	108	10	6	10	9	11	9	8	14	11	8	3	9
Clare County.....	107	15	6	16	10	7	2	12	8	10	9	6	6
Clinton County.....	307	30	26	24	24	29	22	29	17	28	22	20	36
Crawford County.....	54	6	2	7	6	6	4	4	5	6	3	1	4
Delta County.....	195	18	19	13	9	21	17	14	21	19	13	17	14
Dickinson County.....	230	15	25	16	19	20	15	16	40	19	13	16	16
Eaton County.....	440	37	32	37	39	32	31	25	41	45	34	46	41
Emmet County.....	231	18	17	23	24	12	22	19	18	16	17	20	25
Genesee County.....	403	41	36	36	36	31	25	28	40	31	30	27	42
Gladwin County.....	85	7	9	5	13	2	6	5	5	17	4	6	6
Gogebic County.....	187	11	12	18	16	10	13	27	25	15	15	18	12
Grand Traverse County.....	155	13	17	9	20	10	14	19	8	15	13	5	12
Grafton County.....	354	22	26	45	32	30	26	24	33	32	33	18	33
Hillsdale County.....	442	48	41	44	29	39	40	28	38	52	29	23	40
Houghton County.....	1,127	80	85	86	76	109	93	77	142	104	106	76	93
Huron County.....	375	28	25	31	40	36	26	30	31	39	30	34	25
Ingham County.....	296	25	20	37	25	29	22	26	29	19	19	23	22
Ionia County.....	436	24	43	40	31	29	39	25	49	42	37	36	41
Iosco County.....	119	12	11	9	5	13	8	7	14	11	10	13	6
Iron County.....	193	19	8	10	17	15	15	9	17	32	18	14	19
Isabella County.....	263	14	25	31	16	29	18	13	25	26	19	24	23
Jackson County.....	334	33	29	40	21	23	22	20	26	27	28	30	35
Kalamazoo County.....	301	23	26	42	27	24	24	20	23	26	17	18	31
Kalkaska County.....	128	4	11	15	12	10	7	7	13	15	11	11	12
Kent County.....	730	65	49	66	61	57	48	38	72	61	64	66	83
Keweenaw County.....	97	9	6	7	6	8	6	9	13	11	6	10	6
Lake County.....	47	2	5	8	4	2	1	6	3	7	2	4	3
Lapeer County.....	442	37	25	50	47	22	26	45	43	35	23	59	30
Leelanau County.....	170	15	14	20	12	19	15	11	13	16	9	11	15
Lenawee County.....	538	41	50	52	35	47	40	35	48	45	54	38	53
Livingston County.....	237	22	21	26	22	16	13	16	23	27	21	17	13
Luce County.....	109	9	10	10	9	6	7	12	11	11	4	8	10
Mackinac County.....	130	7	13	10	13	10	7	12	17	15	9	5	12
Macomb County.....	497	41	44	33	67	41	36	47	42	30	42	44	30
Manistee County.....	161	12	9	20	19	10	14	12	18	14	6	14	13
Marquette County.....	278	26	16	18	19	32	14	25	31	28	30	19	20
Mason County.....	253	21	28	27	13	19	18	19	25	30	16	18	14
Mecosta County.....	252	23	16	23	23	22	18	25	27	24	20	13	18
Menominee County.....	152	12	16	13	11	9	7	7	13	23	18	10	13
Midland County.....	197	17	18	22	18	14	22	10	15	17	17	16	11
Missaukee County.....	114	15	8	13	12	10	5	8	5	13	12	5	8
Monroe County.....	422	32	31	46	38	29	37	34	40	33	35	24	43
Montcalm County.....	446	38	37	41	42	45	30	32	36	43	30	34	38
Montmorency County.....	49	8	2	2	8	4	5	3	3	4	2	3	5
Muskegon County.....	214	19	20	21	19	17	25	11	16	15	17	15	19
Newaygo County.....	210	20	21	21	21	11	27	15	12	17	17	16	12
Oakland County.....	535	36	40	54	37	48	39	43	64	44	42	41	47
Oceana County.....	206	18	15	18	15	11	17	19	21	24	20	16	12
Ogemaw County.....	70	3	6	11	6	7	3	4	6	6	10	4	4
Ontonagon County.....	91	10	8	4	6	8	6	7	8	5	13	7	9
Oscoda County.....	203	16	13	19	25	14	20	13	18	16	15	20	14
Oscoda County.....	23	2	3	2	2	3	2	2	2	3	1	1	2
Otsego County.....	79	7	6	6	6	5	3	5	9	11	10	7	4
Ottawa County.....	398	32	37	48	33	26	29	25	36	43	23	29	37
Presque Isle County.....	149	10	9	17	12	11	9	9	22	18	7	12	13
Roscommon County.....	21	1	3	1	1	2	3	3	6	6	1	2	1
Saginaw County.....	490	33	53	36	43	43	39	31	45	44	36	41	46
St. Clair County.....	432	35	35	45	38	33	30	26	45	33	40	39	33
St. Joseph County.....	374	31	42	35	37	38	34	23	31	23	32	20	28
Sanilac County.....	374	31	35	44	27	28	32	24	32	31	29	32	29
Schoolcraft County.....	107	12	10	8	5	14	8	9	8	9	13	4	7
Shiawassee County.....	471	42	20	53	42	36	22	34	48	44	35	45	50
Tuscola County.....	443	35	40	43	32	39	38	33	44	43	38	32	26
Van Buren County.....	464	38	38	41	32	35	43	31	49	51	39	34	33
Washtenaw County.....	447	43	37	39	37	27	42	32	44	26	38	43	39
Wayne County.....	1,168	94	52	105	111	104	88	113	106	83	95	89	98
Wexford County.....	267	27	23	23	11	16	24	9	27	26	32	24	25
MINNESOTA.													
Total.....	14,456	1,134	1,043	1,292	1,204	1,130	1,109	1,016	1,431	1,349	1,203	1,161	1,384
Aitkin County.....	89	8	11	8	5	8	6	4	11	10	4	9	5
Anoka County.....	155	11	8	20	18	12	7	13	12	14	12	15	13
Becker County.....	176	11	11	14	12	16	14	8	20	18	26	12	14
Beltrami County.....	265	11	14	24	30	21	18	26	32	27	30	15	17
Benton County.....	114	9	11	4	12	5	7	7	19	15	7	10	10

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
MINNESOTA—continued.													
Big Stone County.....	87	7	11	11	7	9	5	1	7	13	9	4	3
Blue Earth County.....	172	13	11	13	15	14	10	12	20	16	20	13	15
Brown County.....	218	18	16	22	22	12	15	23	20	11	16	13	30
Carlton County.....	182	9	14	12	12	10	18	16	27	19	14	15	18
Carver County.....	172	16	8	15	19	15	8	10	12	15	11	13	30
Cass County.....	79	7	10	11	4	4	4	3	9	6	6	11	4
Chippewa County.....	122	8	10	10	13	6	13	4	16	10	14	6	12
Chisago County.....	167	17	10	11	14	18	12	14	11	12	20	13	15
Clay County.....	166	19	14	14	20	10	15	11	19	14	10	9	11
Clearwater County.....	88	5	7	8	6	7	5	8	9	10	7	7	9
Cook County.....	9				2	1	1		1	1		2	1
Cottonwood County.....	114	7	9	3	12	5	11	9	13	14	8	9	14
Crow Wing County.....	241	15	18	32	18	17	23	14	28	21	27	13	15
Dakota County.....	255	25	23	24	19	22	20	20	25	24	27	12	21
Dodge County.....	113	10	8	12	12	6	11	12	5	13	8	8	8
Douglas County.....	177	19	12	22	15	16	22	8	9	18	11	13	12
Faribault County.....	199	16	12	30	15	24	14	10	15	17	19	10	17
Fillmore County.....	266	19	21	27	25	25	25	18	22	26	22	20	16
Freeborn County.....	223	14	20	21	16	16	20	13	25	22	11	25	20
Goodhue County.....	350	35	23	33	30	23	27	21	33	32	27	23	43
Grant County.....	95	8	7	10	3	4	6	10	6	11	11	9	10
Hennepin County.....	254	16	16	22	16	21	23	18	34	22	26	26	14
Houston County.....	138	18	9	18	9	7	7	7	14	9	13	13	14
Hubbard County.....	93	4	6	6	7	9	7	9	6	11	11	7	10
Isanti County.....	157	12	7	14	15	17	15	8	24	6	13	7	19
Itasca County.....	187	13	11	12	17	14	18	20	24	16	18	11	13
Jackson County.....	162	6	13	14	12	19	12	13	12	13	13	12	23
Kanabec County.....	65	3	2	4		9	8	3	5	3	3	13	12
Kandiyohi County.....	174	11	12	17	15	16	19	13	20	10	11	15	15
Kittson County.....	70	3	6	4	7	3	5	10	6	8	6	5	7
Koochiching County.....	61	6	3	5	4	4	8	8	5	1	6	6	5
Lac qui Parle County.....	124	9	9	15	11	11	3	13	17	10	10	10	6
Lake County.....	114	11	5	5	9	10	6	4	20	21	6	10	7
Le Sueur County.....	195	13	14	14	20	17	15	18	23	12	14	15	20
Lincoln County.....	70	5	7	4	11	3	6	5	4	4	6	8	7
Lyon County.....	149	14	6	17	10	8	11	7	20	21	13	7	15
McLeod County.....	176	11	15	16	13	20	12	16	7	15	13	20	13
Mahnomen County.....	13	1		2	1	2	1		1	1	3		1
Marshall County.....	187	10	17	13	11	19	12	14	14	27	18	19	13
Martin County.....	135	17	12	12	5	9	12	7	11	14	9	11	16
Meeker County.....	170	9	17	14	17	14	12	16	9	15	14	9	24
Mille Lacs County.....	89	5	12	12	6	6	8	5	7	12	7	1	8
Morrison County.....	224	19	21	21	19	8	14	10	28	14	21	28	21
Mower County.....	201	20	16	11	13	15	17	13	20	23	14	22	17
Murray County.....	89	11	5	5	10	5	3	5	9	15	4	4	13
Nicollet County.....	189	21	12	14	13	12	13	13	12	19	21	18	21
Nobles County.....	144	10	6	7	9	10	10	10	13	13	8	11	7
Norman County.....	110	8	15	13	7	6	9	10	9	11	8	8	6
Olmsted County.....	505	43	29	51	45	33	42	39	37	37	33	50	66
Otter Tail County.....	641	38	45	46	50	44	54	53	73	67	64	61	46
Pine County.....	130	8	7	9	10	10	9	11	13	19	11	9	14
Pipestone County.....	77	11	6	3	8	6	11	4	5	5	6	4	8
Polk County.....	369	36	39	33	31	22	28	28	26	32	30	28	28
Pope County.....	129	10	5	12	11	11	6	8	17	13	7	18	11
Ramsey County.....	83	12	3	4	7	8	10	4	8	10	7	1	9
Red Lake County ²	154	13	6	17	13	15	9	10	18	14	9	14	16
Redwood County.....	133	13	4	13	9	14	11	9	16	4	11	14	15
Renville County.....	184	12	20	20	17	14	12	14	17	12	15	11	20
Rice County.....	329	37	21	25	34	35	25	21	25	26	16	28	36
Rock County.....	79		6	5	6	10	5	7	8	10	5	8	9
Roseau County.....	100	7	13	7	7	11	5	6	15	11	4	10	4
St. Louis County.....	899	57	60	76	78	71	68	86	120	79	70	60	74
Scott County.....	154	14	10	10	20	18	8	9	10	13	15	9	18
Sherburne County.....	75	5	4	4	12	6	6	3	3	8	5	4	15
Sibley County.....	145	9	7	17	15	7	12	10	11	10	15	17	15
Stearns County.....	352	29	24	30	28	28	28	15	23	41	38	24	44
Steele County.....	158	11	7	17	9	14	9	10	21	14	13	14	19
Stevens County.....	83	8	4	5	4	6	1	4	11	9	10	11	10
Swift County.....	125	9	13	10	5	12	6	11	16	13	11	6	13
Todd County.....	203	15	10	17	19	11	17	12	22	22	17	19	22
Traverse County.....	50	5	6	5	4	5	2	5	3	6	5	2	2
Wabasha County.....	207	25	18	18	18	16	17	11	11	20	18	16	19
Wadena County.....	84	9	6	7	6	4	4	2	14	8	8	8	8
Waseca County.....	136	11	9	8	10	8	9	9	19	13	12	14	14
Washington County.....	145	13	13	16	9	15	13	5	14	15	9	11	12
Watson County.....	83	4	6	17	4	5	4	8	2	9	4	8	12
Wilkin County.....	100	5	10	6	8	7	6	5	12	16	12	4	9
Winona County.....	142	9	15	15	12	14	11	6	14	11	8	12	15
Wright County.....	285	25	18	29	19	27	25	16	21	20	24	30	31
Yellow Medicine County.....	113	8	6	18	13	3	7	7	11	6	8	11	15

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Including Pennington County, which was organized November 23, 1910.

DEATHS BY MONTH OF OCCURRENCE.

175

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES—Continued.													
MONTANA.													
Total.....	2,472	196	142	157	188	186	213	293	263	226	189	199	220
Beaverhead County.....	68	7	6	9	2	7	6	6	5	7	2	5	6
Broadwater County.....	39	2	2	6	4	4	5	3	2	7	4
Carbon County.....	135	9	12	12	11	8	9	17	16	14	5	10	12
Cascade County.....	100	11	4	5	5	6	7	15	14	9	7	9	8
Chouteau County.....	127	6	8	2	9	11	10	21	11	5	12	13	19
Custer County.....	96	5	3	7	5	11	4	17	6	13	7	9	9
Dawson County.....	111	5	4	6	8	11	7	12	16	14	8	5	15
Deer Lodge County.....	98	9	6	5	7	5	10	10	9	11	9	7	10
Fergus County.....	112	10	4	6	10	5	7	10	13	10	10	17	10
Flathead County.....	218	14	12	14	9	21	18	32	25	20	22	16	15
Gallatin County.....	128	17	4	9	8	12	14	13	11	9	15	8	8
Granite County.....	26	3	1	1	3	1	4	2	3	1	3	4
Jefferson County.....	62	4	3	4	4	6	5	10	6	7	1	6	6
Lewis and Clark County.....	79	7	8	4	4	9	6	6	6	9	7	6	5
Lincoln County.....	41	1	3	3	7	2	9	2	1	2	1	3	7
Madison County.....	69	9	7	4	2	6	7	6	7	7	5	6	3
Meagher County.....	25	3	2	2	3	6	3	3	1	2
Missoula County.....	74	5	2	5	3	4	10	8	7	11	9	5	5
Park County.....	133	12	7	10	11	12	13	21	11	7	7	7	15
Powell County.....	56	5	8	3	6	6	3	5	6	2	4	3	5
Ravalli County.....	95	9	5	5	9	5	6	7	17	9	9	5	9
Rosebud County.....	24	2	2	2	3	1	4	1	3	3	2	1
Sanders County.....	24	3	2	3	1	4	2	2	2	1
Silver Bow County.....	280	23	19	24	31	14	28	28	28	19	22	23	21
Sweet Grass County.....	26	2	1	3	3	3	2	3	5	2	1	5
Teton County.....	53	2	3	3	3	5	3	7	7	5	6	4	7
Valley County.....	70	2	4	2	6	1	10	11	6	11	4	6	7
Yellowstone County.....	103	12	6	4	8	6	3	9	15	11	7	14	8
NEW HAMPSHIRE.													
Total.....	4,391	399	347	397	387	382	304	332	407	401	333	334	368
Belknap County.....	203	21	15	11	26	22	9	16	23	21	6	15	18
Carroll County.....	293	23	25	23	28	24	26	18	22	20	27	24	28
Cheshire County.....	358	23	28	27	28	34	29	25	34	43	19	20	33
Coccs County.....	259	20	22	28	16	22	24	17	29	21	22	16	22
Grafton County.....	655	58	44	60	59	52	47	53	59	50	61	53	59
Hillsborough County.....	566	55	50	47	49	36	41	35	64	58	47	38	46
Merrimack County.....	568	52	50	55	42	56	42	53	39	53	59	43	44
Rockingham County.....	703	62	45	78	58	61	45	46	69	62	51	74	52
Strafford County.....	453	45	31	30	44	48	27	39	35	44	40	32	38
Sullivan County.....	333	30	37	28	37	27	14	30	33	29	21	19	28
NEW JERSEY.													
Total.....	12,974	1,186	1,035	1,203	1,065	945	948	1,314	1,207	978	1,002	990	1,101
Atlantic County.....	430	44	32	47	44	26	25	50	31	31	27	30	43
Bergen County.....	1,383	124	86	141	114	98	93	130	128	118	111	115	125
Burlington County.....	1,102	111	94	110	67	79	94	130	108	67	81	82	79
Camden County.....	718	77	49	57	62	49	60	70	84	37	52	48	73
Cape May County.....	294	20	28	22	26	14	13	49	42	22	22	16	20
Cumberland County.....	417	35	38	44	35	35	31	33	42	26	30	30	38
Essex County.....	667	61	65	74	55	51	65	47	55	47	38	53	56
Gloucester County.....	494	39	45	46	43	31	39	61	54	30	25	42	39
Hudson County.....	873	59	57	77	74	64	64	100	68	79	77	69	85
Hunterdon County.....	489	41	43	48	45	34	27	42	43	39	36	52	39
Mercer County.....	379	38	25	38	28	33	37	48	22	18	32	26	34
Middlesex County.....	754	76	60	63	55	58	50	105	78	61	53	40	55
Monmouth County.....	1,006	88	102	103	71	63	66	100	106	88	80	74	65
Morris County.....	968	87	71	94	89	76	71	81	87	73	77	80	82
Ocean County.....	327	33	14	24	24	20	31	31	28	33	36	29	24
Passaic County.....	414	36	25	34	35	22	27	58	42	26	37	36	36
Salem County.....	357	33	33	25	35	25	28	33	28	29	24	26	38
Somerset County.....	518	43	45	36	51	47	37	35	42	36	49	42	55
Sussex County.....	374	43	44	34	27	35	16	30	25	39	27	23	31
Union County.....	573	57	45	46	55	51	38	55	54	36	54	38	44
Warren County.....	437	41	34	40	30	34	36	26	40	43	34	39	40
NEW YORK.													
Total.....	37,395	3,129	3,110	3,743	3,276	3,038	2,673	3,110	3,293	3,121	2,929	2,846	3,127
Albany County.....	514	52	34	59	50	44	35	53	31	45	34	36	41
Allegany County.....	622	50	63	56	50	37	48	43	56	53	59	46	61
Broome County.....	542	45	53	56	52	39	37	36	40	49	41	47	47
Cattaraugus County.....	716	56	60	63	63	60	39	48	63	75	82	47	60
Cayuga County.....	474	37	32	59	40	38	31	38	45	45	32	37	40
Chautauqua County.....	853	61	90	72	79	73	76	76	67	76	51	68	64
Chemung County.....	311	20	35	28	27	23	23	34	25	30	23	17	26
Chenango County.....	593	59	42	59	45	62	38	55	42	65	41	51	39
Clinton County.....	499	35	31	64	43	41	42	36	40	47	43	36	41
Columbia County.....	532	47	40	58	48	42	41	39	49	37	35	45	51

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
NEW YORK—continued.													
Cortland County.....	310	28	22	28	21	21	23	35	31	27	22	24	28
Delaware County.....	724	70	67	97	75	65	45	52	49	61	53	45	45
Dutchess County.....	1,262	111	105	134	122	99	85	102	87	94	113	92	118
Erie County.....	1,334	99	106	115	115	134	110	123	124	122	78	86	122
Essex County.....	547	41	43	73	48	38	38	38	53	51	44	43	37
Franklin County.....	817	54	67	70	71	75	59	52	88	79	70	67	65
Fulton County.....	208	10	21	22	20	16	14	17	22	16	21	14	15
Genesee County.....	391	36	26	40	37	32	29	45	28	40	38	27	33
Greene County.....	525	39	45	44	43	42	40	55	42	52	36	36	51
Hamilton County.....	56	4	1	4	4	5	3	4	8	8	5	6	4
Herkimer County.....	674	51	67	64	79	52	50	62	70	45	53	44	37
Jefferson County.....	885	70	74	100	74	68	60	74	74	74	67	70	80
Lewis County.....	373	34	33	28	37	28	34	22	32	36	31	24	34
Livingston County.....	613	46	62	67	54	45	34	33	65	48	60	46	53
Madison County.....	620	49	49	61	56	63	39	34	49	65	54	49	52
Monroe County.....	845	71	79	67	77	60	64	37	97	64	59	70	50
Montgomery County.....	447	39	39	34	32	38	30	32	35	39	42	43	44
Nassau County.....	1,130	91	99	98	88	78	90	116	103	97	95	80	95
Niagara County.....	392	35	34	30	40	42	33	26	38	34	35	17	28
Oneida County.....	831	70	63	80	70	61	63	59	58	81	72	64	60
Onondaga County.....	934	65	85	96	82	84	80	79	61	79	74	82	67
Ontario County.....	605	55	64	50	54	48	39	51	58	42	57	37	50
Orange County.....	1,221	103	95	126	100	86	94	94	124	93	91	113	102
Orleans County.....	500	29	51	60	43	39	35	44	46	35	37	41	35
Oswego County.....	581	50	43	70	49	46	30	53	51	45	50	45	49
Otsego County.....	844	71	63	87	87	67	62	52	77	63	68	82	65
Putnam County.....	266	39	19	20	18	22	16	29	21	18	12	17	35
Rensselaer County.....	527	51	48	56	46	39	37	54	44	36	37	36	43
Rockland County.....	666	61	44	73	53	56	55	76	51	40	61	44	52
St. Lawrence County.....	1,061	97	97	143	92	74	59	77	84	95	85	80	78
Saratoga County.....	822	66	65	78	87	74	53	77	78	67	61	56	60
Schenectady County.....	181	16	8	17	14	19	11	16	15	18	14	23	10
Schoharie County.....	394	30	35	29	38	38	24	27	46	40	30	29	28
Schuyler County.....	214	11	15	26	29	19	14	19	15	20	17	15	14
Seneca County.....	564	56	49	57	44	45	35	46	49	44	35	46	58
Stauben County.....	1,054	80	94	104	91	79	56	90	102	95	80	97	86
Suffolk County.....	2,050	162	147	178	173	173	151	202	195	145	147	146	231
Sullivan County.....	669	52	42	68	60	63	45	80	64	56	56	49	34
Tioga County.....	395	29	40	43	44	26	23	36	39	24	22	30	39
Tompkins County.....	303	24	21	33	26	26	20	24	24	31	28	27	19
Ulster County.....	983	102	100	111	69	86	81	75	73	59	84	66	77
Warren County.....	214	22	20	8	21	21	17	20	21	19	15	12	18
Washington County.....	793	79	69	88	67	57	64	56	76	62	44	49	82
Wayne County.....	765	65	67	80	67	52	60	58	71	57	66	60	62
Westchester County.....	1,397	118	116	108	104	111	103	128	122	114	113	127	133
Wyoming County.....	467	40	40	46	40	39	40	22	25	49	34	36	56
Yates County.....	280	31	20	40	20	22	19	19	20	20	22	24	23
NORTH CAROLINA. ²													
Total.....	3,677	330	312	285	263	327	312	326	304	303	322	295	298
OHIO.													
Total.....	33,538	2,882	2,683	3,370	2,792	2,606	2,355	2,651	3,043	2,808	2,718	2,660	2,965
Adams County.....	266	24	16	23	18	22	15	30	29	18	20	20	31
Allen County.....	310	27	31	32	19	19	23	24	26	29	32	29	19
Ashland County.....	278	24	15	42	22	28	13	19	18	21	21	25	30
Ashtabula County.....	600	57	48	56	47	54	38	51	49	53	48	47	52
Athens County.....	729	46	60	66	47	60	58	46	68	65	76	62	75
Auglaize County.....	385	39	28	44	28	36	29	20	33	36	33	28	31
Belmont County.....	894	94	59	92	83	58	61	73	67	78	78	73	78
Brown County.....	322	30	21	34	31	31	18	20	29	33	19	18	38
Butler County.....	295	20	30	29	19	20	14	44	30	16	24	25	24
Carroll County.....	146	15	11	17	14	15	8	12	14	8	11	9	12
Champaign County.....	351	36	27	35	20	25	24	30	27	36	33	26	32
Clark County.....	220	10	17	20	22	16	16	14	28	17	16	16	28
Clermont County.....	416	41	37	42	42	33	23	43	34	29	22	43	27
Clinton County.....	271	26	24	23	29	12	21	27	24	18	17	21	29
Columbiana County.....	729	63	65	78	64	60	50	59	55	65	59	50	60
Coshocton County.....	392	29	25	29	31	43	28	30	39	37	39	34	28
Crawford County.....	403	39	32	36	39	30	27	32	36	26	39	39	33
Cuyahoga County.....	813	77	77	78	51	74	54	58	91	68	57	56	72
Darke County.....	518	46	47	48	40	33	34	35	52	41	52	42	48
Defiance County.....	292	21	16	26	30	22	13	30	21	24	27	26	36
Delaware County.....	335	31	20	29	26	30	23	23	41	33	25	29	25
Erie County.....	415	49	35	36	40	24	39	32	29	33	29	33	36
Fairfield County.....	276	21	29	24	26	24	18	17	35	23	18	21	20
Fayette County.....	260	20	22	25	18	14	15	25	35	19	22	22	23
Franklin County.....	536	49	57	62	43	33	40	40	50	42	41	43	36

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.² Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

DEATHS BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
OHIO—continued.													
Fulton County.....	258	25	27	26	25	18	18	18	23	26	18	9	25
Gallia County.....	453	36	49	57	36	34	41	31	43	32	28	32	34
Geauga County.....	190	19	19	26	13	19	13	13	12	11	12	17	16
Greene County.....	410	36	25	42	37	29	28	38	41	24	43	38	29
Guernsey County.....	374	38	30	32	27	19	34	33	22	37	39	43	20
Hamilton County.....	954	82	77	98	77	77	71	73	85	80	60	76	98
Hancock County.....	228	25	10	36	17	15	22	21	24	21	11	11	21
Hardin County.....	409	33	30	43	34	24	26	31	38	31	39	32	45
Harrison County.....	254	18	20	27	27	21	24	14	11	28	18	20	26
Henry County.....	289	19	23	43	28	23	27	15	22	31	21	15	22
Highland County.....	403	41	43	34	36	34	24	33	28	29	25	44	32
Hocking County.....	320	25	23	25	27	22	14	28	36	30	35	30	25
Holmes County.....	226	22	21	24	13	14	13	20	15	18	17	23	26
Huron County.....	455	48	36	52	40	36	31	27	35	39	38	27	46
Jackson County.....	432	31	39	34	46	29	30	33	41	33	37	45	34
Jefferson County.....	555	42	52	44	57	41	38	47	58	43	44	48	41
Knox County.....	429	43	28	39	36	43	27	32	37	34	40	33	47
Lake County.....	340	25	32	27	31	30	20	29	39	18	24	27	38
Lawrence County.....	327	28	30	52	23	19	10	33	32	23	29	23	15
Licking County.....	391	33	25	35	33	37	25	33	33	34	33	34	36
Logan County.....	356	30	35	35	25	29	22	25	41	31	26	27	30
Lorain County.....	381	39	27	37	39	40	22	22	32	34	31	25	33
Lucas County.....	289	23	21	29	30	32	25	21	27	22	18	18	23
Madison County.....	222	22	12	21	14	22	11	15	17	20	31	14	23
Mahoning County.....	531	36	33	47	67	18	42	41	53	52	50	45	47
Marion County.....	172	16	6	24	14	12	13	15	16	11	18	12	15
Medina County.....	272	26	26	20	27	23	21	23	17	21	29	15	24
Meigs County.....	339	16	28	42	21	21	30	25	30	35	28	31	32
Mercer County.....	340	26	30	30	16	24	22	30	44	29	42	25	22
Miami County.....	379	25	21	41	32	27	32	32	34	34	38	26	37
Monroe County.....	250	20	16	31	15	25	23	16	19	20	23	14	28
Montgomery County.....	755	61	55	75	78	58	57	72	56	63	66	63	51
Morgan County.....	206	17	15	21	24	14	16	12	15	13	17	19	23
Morrow County.....	190	14	10	19	17	18	10	17	23	13	14	24	11
Muskingum County.....	372	34	24	46	33	27	30	39	25	28	24	32	30
Noble County.....	294	28	14	26	11	20	12	16	20	26	27	13	21
Ottawa County.....	280	32	16	31	23	16	22	24	26	26	27	17	20
Paulding County.....	249	18	16	16	26	21	19	14	24	35	20	17	23
Perry County.....	400	27	19	45	32	37	35	21	44	33	24	43	40
Pickaway County.....	360	33	32	34	27	19	24	21	39	28	37	31	35
Pike County.....	212	16	15	23	22	21	10	20	20	15	20	16	14
Portage County.....	460	40	38	40	28	38	29	35	48	41	30	34	59
Preble County.....	277	25	22	27	23	21	20	25	22	19	21	18	34
Putnam County.....	348	24	26	37	30	29	22	35	33	26	24	28	34
Richland County.....	318	30	35	35	30	24	30	22	21	24	24	29	14
Ross County.....	350	25	30	28	29	38	23	32	34	32	24	22	33
Sandusky County.....	378	34	32	32	27	31	34	31	37	24	23	36	37
Scioto County.....	362	20	29	42	23	18	22	50	32	81	22	31	42
Seneca County.....	360	27	30	26	42	30	26	30	25	35	30	38	21
Shelby County.....	285	33	21	24	21	21	21	17	31	36	15	20	25
Stark County.....	644	58	53	60	53	55	44	42	65	42	57	55	60
Summit County.....	546	46	55	44	40	37	36	50	60	49	39	45	45
Trumbull County.....	591	50	59	76	45	45	44	56	54	42	40	33	47
Tuscarawas County.....	599	53	46	55	50	51	31	51	61	48	50	52	51
Union County.....	290	20	17	22	25	22	22	23	28	30	26	24	31
Van Wert County.....	336	21	29	34	22	34	26	27	30	29	27	23	34
Vinton County.....	186	21	16	18	10	17	11	13	14	24	14	11	17
Warren County.....	321	25	21	40	20	25	22	28	29	32	20	24	35
Washington County.....	388	35	30	43	29	28	23	24	40	25	26	37	48
Wayne County.....	476	38	42	59	37	31	47	26	34	42	48	38	34
Williams County.....	291	25	27	29	23	23	17	23	28	26	23	21	26
Wood County.....	560	53	45	61	56	44	59	35	47	47	45	28	40
Wyandot County.....	290	17	21	23	24	20	17	18	21	22	21	12	14
PENNSYLVANIA.													
Total.....	57,880	4,881	4,774	5,631	4,652	4,239	3,826	5,108	5,618	5,164	4,659	4,485	4,843
Adams County.....	423	37	34	44	40	30	23	28	50	30	33	34	45
Allegheny County.....	5,384	420	409	570	488	409	366	534	485	457	419	393	434
Armstrong County.....	914	81	90	98	77	56	51	79	84	74	80	70	74
Beaver County.....	956	93	70	79	78	69	77	102	89	74	78	64	83
Bedford County.....	424	42	40	49	26	40	29	27	43	38	32	32	26
Berks County.....	1,263	105	87	144	91	91	84	72	116	120	107	124	127
Blair County.....	716	50	55	74	50	59	39	58	63	61	67	67	72
Bradford County.....	843	91	91	89	57	62	52	60	72	67	77	63	62
Bucks County.....	1,059	107	85	109	74	73	63	101	93	87	73	86	108
Butler County.....	642	58	52	62	41	43	55	58	57	49	49	44	45

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES—Continued.													
PENNSYLVANIA—continued.													
Cambria County.....	1,532	124	116	122	101	105	84	150	195	148	133	130	124
Cameron County.....	90	8	1	5	12	6	9	9	6	10	13	6	5
Carbon County.....	857	68	80	87	66	64	64	103	69	79	68	68	41
Center County.....	575	49	52	63	48	44	33	36	47	54	52	42	55
Chester County.....	1,142	101	93	104	82	88	70	106	111	109	87	87	104
Clarion County.....	453	51	37	50	52	29	27	27	39	42	33	38	28
Clearfield County.....	1,043	79	97	115	88	83	61	71	105	100	105	66	73
Clinton County.....	410	35	35	32	33	30	29	34	30	42	38	26	46
Columbia County.....	617	53	59	59	59	49	29	55	60	41	50	51	52
Crawford County.....	739	70	60	81	62	65	40	52	62	79	59	53	56
Cumberland County.....	569	43	51	51	54	47	39	36	48	40	50	47	63
Dauphin County.....	968	92	88	117	87	73	66	71	71	68	88	68	79
Delaware County.....	1,086	85	92	104	84	90	75	129	105	89	70	68	95
Elk County.....	412	40	21	42	41	31	34	31	53	34	31	24	30
Erie County.....	698	70	69	69	56	55	51	31	67	68	52	65	53
Fayette County.....	2,179	172	138	179	161	164	130	237	228	215	194	168	198
Forest County.....	85	3	5	7	8	7	6	6	9	11	8	8	7
Franklin County.....	771	59	66	76	69	59	50	34	65	58	83	67	85
Fulton County.....	126	15	10	13	7	6	12	12	10	12	9	11	9
Greene County.....	380	19	34	31	42	26	24	34	36	44	32	33	25
Huntingdon County.....	451	40	40	53	36	30	25	38	39	42	35	36	37
Indiana County.....	915	81	89	89	70	70	57	75	104	88	57	62	73
Jefferson County.....	852	73	89	89	75	69	48	52	86	86	63	63	56
Juniata County.....	186	15	22	19	14	14	10	12	19	19	14	13	15
Lackawanna County.....	1,395	107	98	120	103	110	118	177	130	104	103	107	118
Lancaster County.....	1,500	117	156	164	121	104	106	113	136	139	111	110	123
Lawrence County.....	442	36	37	41	46	46	24	34	45	44	26	33	30
Lebanon County.....	570	47	48	63	42	41	29	43	65	52	47	51	42
Lehigh County.....	1,036	107	94	95	83	71	70	79	113	82	81	77	84
Luzerne County.....	3,169	261	235	256	240	219	237	411	321	274	241	226	248
Lycoming County.....	556	43	50	65	50	35	38	29	46	59	35	48	58
McKean County.....	414	33	33	41	36	25	29	35	45	36	37	36	28
Mercer County.....	759	69	67	86	72	59	49	41	83	60	53	57	63
Mifflin County.....	373	24	37	41	35	26	30	29	36	39	29	23	24
Monroe County.....	341	44	17	30	29	34	17	32	27	30	27	25	29
Montgomery County.....	1,698	158	149	156	130	134	135	153	169	128	119	133	134
Montour County.....	300	33	30	43	21	22	18	17	25	22	26	18	25
Northampton County.....	1,105	96	100	99	98	72	75	92	102	111	85	79	96
Northumberland County.....	868	69	65	95	75	55	54	89	82	87	73	64	61
Perry County.....	356	28	36	34	34	23	26	27	32	34	22	31	29
Pike County.....	117	11	13	10	8	5	9	11	11	10	4	9	16
Potter County.....	409	40	47	39	23	27	28	31	40	37	30	34	33
Schuylkill County.....	2,470	198	176	220	181	160	165	260	269	218	218	220	185
Snyder County.....	246	30	33	27	23	17	12	10	13	29	11	8	33
Somerset County.....	890	60	67	65	63	64	71	82	98	80	80	77	83
Sullivan County.....	123	13	10	12	8	7	13	9	10	9	9	16	7
Susquehanna County.....	649	46	44	68	57	46	42	54	69	58	54	49	62
Tioga County.....	570	47	53	53	51	53	25	34	47	56	52	51	48
Union County.....	184	17	11	15	12	16	11	15	16	16	15	17	23
Venango County.....	540	51	47	57	44	41	38	42	47	40	43	38	52
Warren County.....	476	36	35	46	46	41	30	35	39	45	43	42	49
Washington County.....	2,002	133	141	181	138	139	124	202	234	195	169	163	183
Wayne County.....	415	34	35	39	38	40	28	28	42	30	34	35	32
Westmoreland County.....	2,853	259	247	267	207	184	175	249	293	292	227	213	240
Wyoming County.....	232	16	21	24	15	19	24	19	22	19	15	24	14
York County.....	1,052	89	90	115	94	68	64	66	74	86	101	95	110
RHODE ISLAND.													
Total.....	1,734	151	151	169	175	124	109	171	177	134	137	161	135
Bristol County.....	327	29	30	33	35	32	15	33	31	19	25	21	24
Kent County.....	191	16	20	18	18	13	10	16	17	13	21	10	19
Newport County.....	192	11	18	18	11	12	19	20	24	22	12	4	21
Providence County.....	623	52	46	66	60	42	43	67	61	52	48	43	43
Washington County.....	401	43	37	34	51	25	22	35	44	28	31	23	28
UTAH.													
Total.....	2,519	225	197	204	215	200	193	183	180	220	197	239	266
Beaver County.....	42	2	5	1	7	4	3	4	2	3	7	1	3
Boxelder County.....	122	9	7	7	9	9	6	9	11	10	16	14	15
Cache County.....	211	17	18	18	14	8	17	17	16	26	9	31	20
Carbon County.....	97	9	3	7	5	7	8	8	6	8	8	5	21
Davis County.....	106	9	9	12	12	5	9	6	10	11	8	6	9
Emery County.....	43	1	5	3	3	4	8	5	1	3	6	4
Garfield County.....	27	3	1	5	2	2	5	3	3	2
Grand County.....	12	3	1	2	2	1	2	1
Iron County.....	41	3	1	5	1	3	5	3	4	2	5	4	5
Juab County.....	116	4	8	10	17	8	15	8	6	5	10	13	12

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY MONTH OF OCCURRENCE.

179

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES¹—Continued.													
UTAH—continued.													
Kane County.....	18		8	3	2		1		1				2
Millard County.....	51	7	3	8	6	6	3	3	5	3	2	4	
Morgan County.....	15	2			2	1		1	1	1	2	1	
Piute County.....	10		2	2	1			1	1			2	
Rich County.....	21	2		4	3			1	3	3	2	1	
Salt Lake County.....	378	32	32	32	28	30	31	24	23	33	25	49	
San Juan County.....	7			1					1		1	3	
Sanpete County.....	195	21	15	13	22	21	12	17	10	21	12	19	
Sevier County.....	86	6	11	10	4	6	3	2	7	11	13	6	
Summit County.....	112	8	11	8	11	8	16	5	8	9	9	14	
Tooele County.....	100	13	6	6	7	9	11	9	7	10	5	7	
Uinta County.....	64	4	8	3	8	4	6	8	3	6	3	5	
Utah County.....	404	48	30	31	31	36	27	26	33	30	33	40	
Wasatch County.....	85	7	7	5	7	12	5	6	9	6	7	8	
Washington County.....	49	5	4	4	4	6	4	4	2	1	4	3	
Wayne County.....	9	2		1			1		1	1	1	2	
Weber County.....	98	11	4	7	10	7	7	7	8	9	7	10	
VERMONT.													
Total.....	4,930	431	417	452	453	404	332	347	378	416	419	392	489
Addison County.....	304	30	28	25	21	23	26	23	26	30	21	30	21
Bennington County.....	304	30	26	28	27	28	15	21	17	27	26	25	34
Caledonia County.....	399	33	18	26	27	31	34	32	38	43	36	36	45
Chittenden County.....	344	37	20	28	34	28	23	27	27	27	40	24	29
Essex County.....	84	7	7	10	3	11	6	4	11	5	8	5	7
Franklin County.....	418	41	32	46	36	34	29	23	31	26	32	43	45
Grand Isle County.....	46	7	2	1	3	5	2	1	5	1	6	7	6
Lamoille County.....	189	14	22	21	23	16	14	13	13	12	11	9	21
Orange County.....	337	33	34	23	32	25	28	25	19	29	24	32	33
Orleans County.....	363	20	41	36	41	25	28	26	24	29	33	29	31
Rutland County.....	549	46	40	48	54	43	36	43	42	50	52	40	55
Washington County.....	491	43	43	40	32	41	29	27	47	41	46	41	61
Windham County.....	512	45	50	49	64	40	32	40	38	37	37	31	49
Windsor County.....	590	45	54	71	56	54	30	42	40	59	47	40	52
WASHINGTON.													
Total.....	5,699	473	453	592	446	481	405	465	493	471	456	498	466
Adams County.....	90	8	6	8	7	5	10	5	7	9	12	6	7
Asotin County.....	51	6	6	2	7	2	2	3	4	6	6	2	5
Benton County.....	70	6	8	5	6	8	6	3	6	7	3	5	7
Chehalis County.....	192	16	16	21	20	16	9	13	14	13	16	25	13
Chelan County.....	151	10	14	18	8	14	8	16	12	15	12	10	14
Clallam County ²	87	5	13	10	5	10	7	4	5	6	5	13	4
Clarke County.....	237	29	21	15	16	16	20	18	22	21	30	12	17
Columbia County.....	73	6	4	4	4	7	10	4	8	7	3	8	8
Cowlitz County.....	98	7	6	5	9	4	9	12	19	7	5	7	8
Douglas County.....	39	4	2	4	3	5	3	6	1	3	3	4	1
Ferry County ³	39	1	1	3	9	4	1	4	3	4	4	2	3
Franklin County.....	33	5	3	2	3	2	2	2	8	3	3	3	2
Garfield County.....	50	5	6	4	4	5	1	3	6	6	3	3	4
Grant County.....	34	3	2	3	1	3	3	3	3	3	1	7	2
Island County.....	32	1	4	4	1	3	3	1	1	2	5	1	6
Jefferson County.....	89	5	10	6	10	5	4	7	4	8	12	9	9
King County.....	535	45	28	157	36	27	24	33	33	30	34	56	32
Kitsap County.....	129	9	12	7	10	14	11	9	15	9	10	8	15
Kittitas County.....	223	16	17	15	13	20	5	22	36	23	15	20	21
Klickitat County.....	62	9	6	5	2	10	4	7	3	6	4	3	3
Lewis County.....	336	20	25	26	33	31	31	36	13	35	27	27	32
Lincoln County.....	133	9	14	15	8	6	17	17	14	10	12	9	7
Mason County.....	51	6	5	3	4	8	5	6	1	4	3	3	3
Okanogan County ³	122	12	14	5	9	5	12	16	19	4	9	7	10
Pacific County.....	73	6	12	3	8	8	5	5	12	14			
Pierce County.....	493	38	37	44	36	42	33	41	42	55	41	51	33
San Juan County.....	31	2	4	5	4		1	1	2	1	4	2	5
Skagit County ⁴	260	21	16	20	24	19	21	19	21	28	20	29	22
Skanania County.....	25	3	1	1	2	2	6	2	2	1	3	2	2
Snohomish County.....	329	24	25	31	26	33	17	15	22	30	33	31	42
Spokane County.....	338	28	27	26	20	31	28	34	36	22	23	34	29
Stevens County.....	178	14	20	19	17	17	14	19	18	10	6	11	13
Thurston County.....	179	18	13	26	16	20	11	7	14	14	9	16	15
Wahkiakum County.....	10	2	1	2					1				
Walla Walla County.....	81	8	10	7	5	9	5	7	8	4	3	6	9
Whatcom County.....	204	17	17	20	18	21	17	14	10	16	25	17	12
Whitman County.....	261	26	13	24	22	22	18	26	22	11	28	24	25
Yakima County ⁵	281	23	17	17	18	29	22	30	26	23	24	24	28

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Including Mokah, Ozette, and Quillayute Indian Reservations.
³ Including part of Colville Indian Reservation.

⁴ Including Swinomish Indian Reservation.
⁵ Including Yakima Indian Reservation.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
WISCONSIN.													
Total.....	17,751	1,505	1,352	1,602	1,468	1,429	1,442	1,279	1,574	1,688	1,475	1,365	1,572
Adams County.....	90	6	7	7	7	6	11	6	15	8	9	2	6
Ashland County.....	124	15	6	6	10	9	13	15	7	15	6	12	10
Barron County.....	312	37	27	27	13	24	22	25	34	30	21	25	27
Bayfield County.....	168	4	7	14	11	11	11	20	24	17	7	10	32
Brown County.....	339	29	21	33	22	28	27	16	32	30	43	23	35
Buffalo County.....	157	21	17	26	14	7	10	7	14	16	5	12	8
Burnett County.....	88	5	8	7	10	6	10	6	3	5	11	8	9
Calumet County.....	162	15	13	16	15	11	12	12	11	16	13	17	11
Chippewa County.....	431	52	35	51	36	36	25	30	34	24	34	35	39
Clark County.....	255	13	21	28	26	28	19	23	18	25	13	15	26
Columbia County.....	394	28	41	46	30	33	35	20	24	46	33	21	37
Crawford County.....	191	12	17	24	15	13	10	13	15	21	21	15	15
Dane County.....	621	56	60	48	49	49	52	45	46	41	67	50	58
Dodge County.....	523	54	34	35	35	50	35	38	47	72	44	38	41
Door County.....	183	16	17	9	13	13	9	17	11	20	22	16	20
Douglas County.....	44	6	10	4	1	2	1	7	2	3	7	1
Dunn County.....	248	22	20	17	26	25	21	11	16	25	22	17	26
Eau Claire County.....	125	11	7	10	10	12	11	6	10	9	12	13	14
Florence County.....	26	3	4	2	1	3	4	3	4	4	1
Fond du Lac County.....	364	27	23	20	25	25	26	33	27	51	39	29	39
Forest County.....	64	7	5	7	1	2	5	8	7	2	5	6	9
Grant County.....	433	41	24	49	30	31	46	31	38	42	30	32	39
Green County.....	212	18	10	25	17	13	17	12	23	18	16	14	29
Green Lake County.....	172	19	13	14	18	18	11	14	16	16	9	14	10
Iowa County.....	231	20	16	24	20	15	15	17	25	24	20	11	24
Iron County.....	80	11	6	6	11	6	5	6	7	7	3	8	4
Jackson County.....	168	16	19	8	8	17	14	13	19	15	22	5	12
Jefferson County.....	401	32	29	18	39	36	32	31	49	34	30	29	42
Juneau County.....	236	23	27	23	13	18	18	15	31	16	20	14	18
Kenosha County.....	110	10	10	10	12	5	6	7	18	8	5	13	6
Kewaunee County.....	186	19	21	10	11	16	16	19	11	23	15	13	12
La Crosse County.....	154	17	10	14	7	18	16	9	10	17	14	7	15
Lafayette County.....	197	12	19	15	15	14	15	16	19	22	10	30	10
Langlade County.....	155	15	9	13	11	12	17	11	11	10	20	12	14
Lincoln County.....	217	15	13	19	16	19	19	19	14	19	19	18	27
Manitowoc County.....	313	26	22	34	25	29	25	26	26	33	21	26	20
Marathon County.....	446	45	29	34	46	40	39	28	35	40	42	38	30
Marquette County.....	177	15	15	17	16	9	11	22	21	16	18	13	13
Marquette County.....	134	11	12	16	12	14	13	5	14	11	7	6	13
Milwaukee County.....	1,323	99	102	119	120	120	131	100	119	104	89	111	109
Monroe County.....	363	32	27	37	39	19	37	27	39	31	22	22	31
Oconto County.....	255	22	20	18	22	28	16	20	27	21	27	17	17
Ontonagon County.....	111	6	7	9	10	10	11	8	14	7	10	7	12
Outagamie County.....	337	29	17	22	21	26	30	22	30	35	39	33	33
Ozaukee County.....	150	9	6	16	16	13	16	15	18	14	8	8	11
Pepin County.....	72	6	10	9	4	2	5	4	7	6	5	6	8
Pierce County.....	247	17	21	16	29	22	23	18	20	22	12	21	26
Polk County.....	160	17	10	18	22	18	7	18	11	22	13	14	20
Portage County.....	374	30	28	42	30	37	25	20	30	42	30	25	37
Price County.....	99	9	6	8	8	6	10	8	10	12	7	6	9
Racine County.....	256	19	19	29	19	18	21	15	29	24	18	23	22
Richland County.....	186	22	16	21	16	10	11	11	20	18	12	13	16
Rock County.....	297	24	24	28	24	19	9	28	27	34	26	23	31
Rusk County.....	98	10	6	10	11	8	6	3	11	10	12	6	5
St. Croix County.....	280	15	17	19	22	36	22	25	28	23	23	24	26
Sauk County.....	371	27	28	45	37	29	36	20	21	29	33	33	33
Sawyer County.....	69	4	7	3	6	8	5	7	6	5	6	7	7
Shawano County.....	306	20	23	30	31	19	15	13	37	30	24	24	30
Sheboygan County.....	295	20	23	30	26	33	20	22	18	28	22	29	19
Taylor County.....	113	15	6	12	13	3	11	6	8	10	9	10	10
Trimpaleau County.....	227	23	17	22	22	13	19	8	24	19	22	17	21
Vernon County.....	309	22	22	38	22	24	23	25	24	33	27	21	28
Vilas County.....	38	6	2	1	4	1	4	3	4	4	4
Walworth County.....	361	35	30	23	29	30	36	34	17	37	27	28	35
Washburn County.....	84	13	6	7	3	11	8	6	8	3	4	8	7
Washington County.....	243	21	19	14	14	16	24	22	18	25	24	17	22
Waukesha County.....	502	36	35	56	42	46	48	28	45	44	42	39	41
Waupaca County.....	405	19	26	41	41	19	28	42	38	45	42	34	30
Waushara County.....	177	14	14	21	15	14	18	12	13	17	14	11	14
Winnebago County.....	406	36	30	30	30	23	49	29	31	47	35	25	41
Wood County.....	276	27	18	16	20	27	18	15	29	33	36	22	15

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

181

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
						Native.	Foreign born.						
SUMMARY.													
The registration area.....	805,412	753,308	546,507	281,837	148,475	47,617	21,549	5,286	41,743	196,733	10,068	49,499	2,605
Registration states ¹	703,608	673,203	490,920	256,960	132,653	42,965	19,595	4,720	34,027	173,365	8,918	27,932	2,473
Cities in registration states ¹	400,305	379,543	258,996	111,745	54,328	25,921	8,398	2,784	15,822	115,825	4,722	19,609	1,153
Rural part of registration states.....	303,303	293,660	231,924	145,215	78,325	17,044	11,197	1,936	18,205	57,540	4,196	8,323	1,320
Registration cities in other states.....	101,304	80,105	55,587	24,877	15,822	4,652	1,954	566	7,716	23,368	1,150	21,567	132
All registration cities ¹	502,109	459,648	314,583	136,622	110,148	30,573	10,352	3,350	23,538	139,193	5,872	41,176	1,285
REGISTRATION STATES.													
California.....	32,401	30,685	20,198	8,592	4,012	1,937	1,387	411	3,859	9,529	958	442	1,274
Colorado.....	11,069	10,730	7,897	4,318	1,373	626	514	123	943	2,488	347	289	50
Connecticut.....	17,498	17,120	12,018	4,954	1,398	645	603	141	977	4,882	220	373	5
Indiana.....	36,448	35,011	30,768	21,600	2,573	1,352	2,217	285	2,741	3,916	327	1,433	4
Maine.....	12,726	12,703	10,794	7,625	1,319	1,014	306	26	504	1,772	137	19	4
Maryland.....	20,805	15,458	12,725	8,153	1,672	793	618	125	1,364	2,495	238	5,343	4
Massachusetts.....	54,301	53,455	36,760	18,582	13,295	3,974	1,662	463	1,784	16,359	336	809	37
Michigan.....	39,888	39,262	28,020	14,129	6,417	3,510	1,467	336	2,161	10,781	461	426	200
Minnesota.....	22,649	22,470	13,291	4,996	4,848	2,094	470	166	717	8,694	485	135	44
Montana.....	3,999	3,999	2,522	1,080	640	312	133	40	317	1,136	251	43	47
New Hampshire.....	7,452	7,438	5,861	2,971	1,134	439	302	31	924	1,361	216	14	9
New Jersey.....	39,504	37,422	26,508	13,554	9,028	2,194	475	261	996	10,321	593	2,073	6
New York.....	147,678	144,144	97,536	43,206	36,773	9,321	2,380	645	5,211	45,386	1,222	3,350	184
North Carolina ²	6,752	3,728	3,605	3,042	49	46	227	4	237	63	60	3,024	5
Ohio.....	65,459	63,194	50,499	32,011	9,235	2,852	2,294	414	3,693	11,769	326	2,260	5
Pennsylvania.....	119,815	115,094	90,651	50,975	6,697	6,697	2,876	807	4,283	23,427	1,016	4,669	52
Rhode Island.....	9,305	9,051	6,207	2,714	2,468	723	92	36	174	2,786	58	248	6
Utah.....	4,072	3,998	2,664	1,443	557	395	78	36	155	1,218	116	32	42
Vermont.....	5,704	5,674	4,697	2,896	526	363	350	50	512	902	75	29	1
Washington.....	11,602	11,017	3,776	1,333	755	521	125	105	1,065	2,788	654	97	388
Wisconsin.....	28,070	27,896	17,106	5,662	2,439	529	186	105	1,040	10,424	366	65	109
REGISTRATION CITIES.													
ALABAMA.³													
Registration cities (total).....	4,790	2,046	1,776	1,128	82	48	70	7	441	213	57	2,744
Birmingham.....	2,597	1,206	1,054	739	63	36	47	3	166	111	41	1,391
Mobile.....	1,185	512	424	179	17	10	6	3	209	86	2	673
Montgomery.....	1,008	328	298	210	2	2	17	1	66	16	14	680
CALIFORNIA.													
Registration cities (total).....	18,609	17,578	11,209	4,660	2,610	1,159	773	240	1,767	5,872	497	316	715
Alameda.....	290	277	156	60	42	23	14	2	15	116	5	5	8
Bakersfield.....	305	278	190	74	18	4	17	2	75	66	22	9	18
Berkeley.....	376	364	250	136	47	22	13	7	25	111	3	1	11
Eureka.....	196	194	108	31	21	13	4	4	30	87	4	1	1
Fresno.....	340	306	229	90	63	19	22	7	28	71	6	5	29
Long Beach.....	250	247	201	118	18	8	24	1	32	38	8	3
Los Angeles.....	4,538	4,299	3,062	1,454	535	285	288	72	428	1,104	133	136	103
Oakland.....	1,929	1,791	1,119	464	297	131	71	21	135	653	19	52	86
Pasadena.....	419	411	341	168	27	27	26	10	83	69	1	7	1
Pomona.....	136	136	121	90	12	4	9	6	12	3
Redlands.....	154	150	122	74	15	5	12	2	14	27	1	4
Riverside.....	221	207	155	84	20	11	11	2	27	47	5	6	8
Sacramento.....	734	642	442	157	79	45	32	14	115	184	16	19	73
San Bernardino.....	269	252	167	74	31	10	18	11	23	73	12	6	2
San Diego.....	687	666	482	235	49	47	52	13	86	165	19	14	7
San Francisco.....	6,319	6,002	3,169	950	1,199	421	113	47	439	2,638	195	38	279
San Jose.....	412	381	266	125	48	32	18	11	32	112	3	4	27
Santa Barbara.....	223	214	160	98	15	20	6	6	15	43	11	1	8
Santa Cruz.....	185	179	127	59	10	11	12	4	31	49	3	6
Stockton.....	469	420	242	74	35	12	8	2	111	157	21	6	43
Vallejo.....	166	162	105	45	29	9	3	2	17	50	7	2	2
COLORADO.													
Registration cities (total).....	4,705	4,494	3,287	1,637	651	305	217	58	419	1,047	160	196	15
Colorado Springs.....	478	443	365	221	54	32	27	5	26	75	3	35
Denver.....	3,533	3,389	2,393	1,136	466	242	166	47	336	877	119	132	12
Pueblo.....	542	514	404	201	111	23	17	6	45	73	38	25	3
Trinidad.....	152	148	125	79	20	8	7	11	23

¹ Including District of Columbia.

² Including only municipalities having a population of 1,000 or over in 1900.

³ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents un- known.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
CONNECTICUT.													
Registration cities (total).....	12,032	11,726	7,928	2,839	3,406	671	324	107	581	3,671	127	301	5
Ansonia.....	201	192	121	25	83	7	2	2	2	71	9
Bridgeport.....	1,562	1,525	1,020	328	488	81	35	11	77	492	13	37
Bristol town.....	184	184	139	56	52	12	6	4	9	44	1
Danbury town.....	350	343	255	122	70	23	16	1	23	85	3	7
Greenwich town.....	273	261	179	67	80	21	6	5	76	6	12
Hartford.....	1,748	1,692	1,114	407	406	83	55	14	149	558	20	55	1
Manchester town.....	161	160	95	33	38	9	6	1	8	65	1
Meriden town.....	456	447	309	117	142	24	8	4	14	136	2	9
Middletown town.....	533	525	360	157	129	26	9	6	33	153	12	8
Naugatuck.....	182	181	128	34	72	16	4	2	52	1	1
New Britain.....	692	691	502	113	317	38	9	7	18	187	2	1
New Haven.....	2,219	2,126	1,351	481	596	107	59	19	89	749	26	91	2
New London.....	353	342	259	123	75	33	8	2	18	73	10	11
Norwalk town.....	366	358	257	142	58	24	15	2	16	95	6	8
Norwich town.....	480	462	298	115	108	22	22	8	23	162	2	18
Orange town.....	143	140	103	54	22	7	14	2	4	35	2	2	1
Stamford town.....	466	458	306	116	121	24	14	6	25	143	9	7	1
Torrington town.....	185	179	131	45	54	11	8	1	12	45	3	6
Wallingford town.....	141	141	102	41	43	6	4	3	5	35	4
Waterbury.....	1,140	1,122	761	207	413	84	15	14	28	356	5	18
Windham town.....	197	197	138	56	39	13	9	21	59
DELAWARE.¹													
Wilmington.....	1,547	1,322	1,070	491	206	59	33	19	262	247	5	225
DISTRICT OF COLUMBIA.													
Washington.....	6,511	3,744	3,018	2,093	328	184	34	9	370	670	56	2,759	8
FLORIDA.¹													
Registration cities (total).....	1,640	783	584	323	14	5	3	1	238	166	33	857
Jacksonville.....	1,192	482	392	323	14	5	3	1	46	64	26	710
Key West.....	448	301	192	192	102	7	147
GEORGIA.¹													
Registration cities (total).....	4,689	2,225	2,015	1,285	40	43	54	4	589	187	23	2,462	2
Atlanta.....	2,938	1,609	1,525	1,285	40	43	54	4	99	64	20	1,328	1
Savannah.....	1,751	616	490	490	123	3	1,134	1
ILLINOIS.¹													
Registration cities (total).....	36,465	35,189	21,252	5,586	10,022	2,347	491	243	2,563	13,623	314	1,240	36
Aurora.....	433	429	296	86	60	29	7	5	109	125	8	4
Belleisle.....	312	308	190	63	34	8	85	116	2	4
Chicago.....	33,241	32,130	19,071	5,019	9,760	2,260	428	220	1,384	12,817	242	1,075	36
Decatur.....	412	396	323	323	54	19	16
Evanston.....	254	231	160	48	25	12	11	3	61	69	2	23
Jacksonville.....	347	328	234	40	12	1	7	4	170	71	23	19
Quincy.....	606	574	368	150	74	8	14	5	117	201	5	32
Springfield.....	860	793	610	180	57	29	24	6	314	170	13	67
INDIANA.													
Registration cities (total).....	12,468	11,472	9,308	5,739	1,513	608	576	116	751	2,038	126	993	3
Anderson.....	323	322	295	215	17	16	28	2	17	23	4	6
East Chicago.....	269	268	193	27	152	9	2	2	75	1
Elkhart.....	264	264	228	155	18	12	14	4	25	31	5
Elwood.....	174	174	166	125	19	7	7	2	6	8
Evansville.....	948	831	667	367	108	62	40	20	70	156	8	117
Fort Wayne.....	840	828	611	336	120	66	32	10	47	204	13	12
Gary.....	284	275	184	41	117	12	5	3	6	86	5	8	1
Hammond.....	296	295	185	67	75	21	9	2	11	100	10	1
Huntington.....	126	126	112	71	11	3	11	4	12	14
Indianapolis.....	3,824	3,275	2,742	1,849	332	168	156	19	218	507	26	548	1
Jeffersonville.....	205	156	130	83	13	3	12	3	16	25	1	49
Kokomo.....	257	242	222	170	8	3	19	1	21	19	1	15
Lafayette.....	333	326	244	136	32	18	18	3	37	79	3	7
Laporte.....	185	183	122	69	28	8	5	5	7	58	3	1	1
Logansport.....	299	299	237	155	29	14	18	3	18	58	4

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Certificate of death fails to provide for statement of nativity of parents.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
INDIANA—continued.													
Marion.....	265	242	234	169	6	3	19	3	34	4	4	23	
Michigan City.....	280	268	176	79	63	26	6	2	92	12	1	12	
Mishawaka.....	137	137	110	60	20	5	12	2	11	26	1		
Muncie.....	352	333	310	245	14	12	14	2	23	21	2	19	
New Albany.....	376	327	269	188	24	18	17	13	9	58		49	
Peru.....	145	145	121	70	10	10	11	1	19	19	5		
Richmond.....	305	280	243	161	34	18	11	2	17	35	2	25	
South Bend.....	759	738	548	233	186	54	26	6	43	183	7	21	
Terre Haute.....	931	864	717	490	64	28	69	3	63	129	13	67	
Vincennes.....	286	274	242	178	18	12	15	2	17	28	4	12	
KANSAS.¹													
Registration cities (total).....	2,405	2,060	1,646	803	139	97	150	31	376	339	75	341	4
Kansas City.....	1,393	1,152	898	465	137	69	72	15	140	211	43	237	4
Leavenworth.....	277	218	145	27	26	11	9	2	70	66	7	59	
Wichita.....	735	690	603	311	26	17	69	14	166	62	25	45	
KENTUCKY.¹													
Registration cities (total).....	5,499	4,176	3,250	1,918	476	158	102	24	572	875	51	1,323	
Covington.....	861	802	583	418	119	30	3	2	11	205	14	59	
Louisville.....	3,756	2,667	2,110	1,229	268	94	58	22	439	528	29	1,039	
Newport.....	444	433	312	177	89	31	8		7	119	2	11	
Paducah.....	438	274	245	94		3	33		115	23	6	164	
LOUISIANA.¹													
New Orleans.....	7,250	4,311	3,176	1,892	833	322	19	10	100	1,123	12	2,933	6
MAINE.													
Registration cities (total).....	3,380	3,369	2,550	1,379	665	277	71	11	147	754	65	10	1
Auburn.....	231	231	208	145	35	18	4	1	5	22	1		
Augusta.....	332	331	262	165	40	13	6		38	56	13	1	
Bangor.....	504	500	335	237	59	35	18	2	34	102	13	3	1
Biddeford.....	411	411	299	97	141	49	4	2	6	109	3		
Lewiston.....	586	585	407	162	157	56	11	1	20	171	7	1	
Portland.....	1,106	1,101	828	500	188	78	25	4	33	247	26	5	
Waterville.....	210	210	161	73	45	28	3	1	11	47	2		
MARYLAND.													
Registration cities (total).....	11,690	8,969	6,903	3,729	1,328	530	347	94	875	1,923	143	2,717	4
Baltimore.....	10,753	8,152	6,164	3,154	1,276	505	307	87	835	1,863	125	2,597	4
Cumberland.....	440	398	344	240	38	14	24	6	22	42	12	42	
Frederick.....	206	155	141	118	6	4	6		7	9	5	51	
Hagerstown.....	291	264	254	217	8	7	10	1	11	9	1	27	
MASSACHUSETTS.													
Registration cities (total).....	41,996	41,274	27,650	10,298	11,400	3,197	1,174	386	1,195	13,369	255	697	25
Adams town.....	171	171	120	33	71	7	2	3	4	51			
Arlington town.....	148	148	96	49	27	9	2	3	6	52			
Attleborough town.....	207	200	146	74	42	19	8	2	1	50	4	7	
Beverly.....	246	244	184	115	31	17	8	2	11	60		2	
Boston.....	11,562	11,224	6,946	2,335	3,001	833	353	129	295	4,155	123	317	21
Brockton.....	707	698	516	260	137	60	35	5	19	179	3	9	
Brookline town.....	320	317	225	139	39	20	13	1	13	89	3	3	
Cambridge.....	1,576	1,501	926	343	412	100	28	10	33	567	8	75	
Chelsea.....	605	596	391	169	131	29	17	7	38	200	5	9	
Chicopee.....	389	389	270	44	173	33	9	8	3	118	1		
Clinton town.....	175	175	108	34	55	10	2	2	3	69			
Everett.....	370	363	231	123	60	30	7	4	7	130	2	7	
Fall River.....	2,201	2,195	1,478	271	947	220	19	10	11	713	4	6	
Fitchburg.....	496	496	333	102	152	41	16	7	15	161	2		
Framingham town.....	221	221	160	78	41	21	12	1	7	58	3		
Gardner town.....	231	229	174	58	70	21	4		21	53	2	2	
Gloucester.....	391	390	264	141	61	39	15	2	6	124	2	1	
Greenfield town.....	147	144	109	71	9	12	8	1	8	33	2	3	
Haverhill.....	767	762	573	289	142	64	39	4	35	187	2	5	
Holyoke.....	1,027	1,025	674	117	322	88	49	30	68	347	4	2	
Hyde Park town.....	261	258	174	77	70	17	5	2	3	83	1	3	
Lawrence.....	1,530	1,525	992	206	641	105	13	5	22	530	3	5	
Leominster town.....	196	196	148	72	36	15	10	1	14	46	2		
Lowell.....	2,101	2,096	1,353	316	796	144	40	19	38	734	9	4	1
Lynn.....	1,179	1,156	813	373	242	95	46	13	44	339	4	23	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Malden.....	582	572	408	227	100	53	14	2	12	163	1	10	
Marlborough.....	170	170	120	59	31	15	9	1	5	50			
Medford.....	243	237	181	115	27	23	11	2	3	55	1	6	
Melrose.....	205	203	163	112	22	16	7	3	3	40		2	
Methuen town.....	150	150	109	49	41	11	3	2	3	41			
Milford town.....	239	237	162	68	71	15	3	2	3	74	1	2	
New Bedford.....	1,814	1,727	1,255	318	689	171	28	20	29	470	2	85	2
Newburyport.....	280	278	221	142	41	22	12		4	57		2	
Newton.....	484	476	342	207	90	34	6	2	3	134		8	
North Adams.....	322	320	218	80	70	29	9	4	26	100	2	2	
Northampton.....	366	364	238	118	72	23	14	2	9	125	1	2	
Peabody town.....	203	203	133	65	46	16	3	1	2	68	2		
Pittsfield.....	572	562	399	199	108	49	16	4	23	156	7	10	
Plymouth town.....	162	159	128	65	41	10	6	2	4	31		3	
Quincy.....	384	384	253	107	102	27	3	4	10	128	3		
Revere town.....	217	215	152	62	53	22	5	3	7	62	1	2	
Salem.....	691	685	473	205	183	54	15	5	11	212		6	
Somerville.....	1,041	1,039	691	361	190	76	29	1	34	343	5	2	
Southbridge town.....	175	175	124	40	53	29	2		2	51			
Springfield.....	1,484	1,461	1,080	478	350	118	49	12	73	371	10	23	
Taunton.....	803	801	574	211	254	46	35	9	19	225	2	2	
Wakefield town.....	150	149	114	70	21	14	3		6	35		1	
Waltham.....	389	388	259	116	84	30	16	1	12	124	5	1	
Watertown town.....	143	141	102	30	40	6	16	4	6	39		2	
Webster town.....	178	177	122	16	76	21	4	3	2	54	1	1	
Westfield town.....	302	297	219	70	85	21	8	2	33	76	2	4	1
Weymouth town.....	200	200	145	87	28	8	11	1	10	54	1		
Winthrop town.....	105	103	73	41	16	8	5		3	30		2	
Woburn.....	241	235	148	73	46	17	4		8	87		6	
Worcester.....	2,477	2,447	1,642	618	662	164	70	23	105	786	19	30	
MICHIGAN.													
Registration cities (total).....	16,369	16,108	10,913	4,532	3,373	1,534	473	145	856	4,981	214	254	7
Adrian.....	169	163	129	75	18	8	10	1	17	32	2	6	
Alpena.....	194	194	113	44	34	29	1	1	4	80	1		
Ann Arbor.....	345	331	254	133	48	28	22	4	19	74	3	14	
Battle Creek.....	423	410	355	233	32	26	28	5	31	45	10	13	
Bay City.....	612	610	397	160	113	90	8	7	19	212	1	2	
Detroit.....	7,452	7,305	4,833	1,540	1,952	740	163	59	379	2,379	93	146	1
Escanaba.....	206	205	127	39	47	23	5	5	8	74	4	1	
Flint.....	549	540	442	267	59	57	29	5	25	91	7	9	
Grand Rapids.....	1,648	1,636	1,126	548	327	127	55	14	55	503	7	12	
Holland.....	141	141	86	47	21	15	2		1	55			
Ironwood.....	180	180	107	14	83	7	2	1		72	1		
Ishpeming.....	158	158	76	12	46	17	1			81	1		
Jackson.....	466	456	352	193	69	34	19	2	35	94	10	10	
Kalamazoo.....	743	732	534	297	91	36	41	4	65	180	18	11	
Lansing.....	412	402	345	210	40	36	24	5	30	54	3	9	1
Manistee.....	160	160	104	35	37	24	2	2	4	54	2		
Marquette.....	182	181	89	31	33	19	2		4	89	3	1	
Menominee.....	148	148	73	27	29	12	1	1	3	71	4		
Muskegon.....	311	309	180	84	38	30	5	2	21	125	4	2	
Pontiac.....	369	364	254	135	55	39	5	3	17	105	5	5	
Port Huron.....	313	310	182	63	48	49	7	2	13	126	2	3	
Saginaw.....	761	753	484	227	96	64	26	19	52	252	17	8	
Sault Ste. Marie.....	157	152	90	25	36	14	5	2	8	57	5	1	4
Traverse City.....	270	268	181	93	21	10	10	1	46	76	11	1	1
MINNESOTA.													
Registration cities (total).....	8,193	8,070	4,978	1,818	1,543	671	224	88	334	2,843	249	117	6
Duluth.....	1,052	1,039	546	150	264	84	20	12	16	453	40	10	3
Mankato.....	170	170	121	48	29	18	7	3	16	47	2		
Minneapolis.....	3,739	3,681	2,297	840	818	307	115	38	179	1,218	166	56	2
St. Cloud.....	131	131	86	43	24	14	2		2	44	1		
St. Paul.....	2,558	2,508	1,604	615	585	197	68	31	108	870	34	49	1
Stillwater.....	114	113	67	24	23	9	2	1	8	44	2	1	
Virginia.....	176	176	99	22	60	13	1	1	2	76	1		
Winona.....	253	252	158	76	40	29	9	1	3	91	3	1	
MISSOURI. ¹													
Registration cities (total).....	15,909	14,007	9,788	4,866	2,482	886	495	133	926	3,953	266	1,891	11
Kansas City.....	3,966	3,317	2,664	1,537	334	181	237	37	338	552	101	644	5
St. Joseph.....	1,055	957	751	467	89	54	53	3	85	160	46	98	
St. Louis.....	10,888	9,733	6,373	2,862	2,059	651	205	93	503	3,241	119	1,149	6

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MONTANA.													
Registration cities (total).....	1,527	1,475	895	344	286	118	46	20	81	497	83	31	21
Anaconda.....	136	132	79	28	33	10	2	6	49	4	4	4	5
Billings.....	152	141	102	51	22	12	7	1	9	26	13	6	7
Butte.....	602	582	330	100	143	49	9	6	23	233	19	13	7
Great Falls.....	252	251	163	66	51	20	9	3	14	67	21	1	1
Helena.....	184	179	106	48	18	9	10	6	15	65	8	4	1
Missoula.....	201	190	115	51	19	18	9	4	14	57	18	3	8
NEBRASKA.¹													
Registration cities (total).....	2,364	2,244	1,546	680	338	115	43	13	357	623	70	115	5
Lincoln.....	485	475	367	140	52	17	11	1	146	93	15	10	5
Omaha.....	1,879	1,769	1,179	540	286	98	32	12	211	535	55	105	5
NEW HAMPSHIRE.													
Registration cities (total).....	3,061	3,052	2,215	850	756	223	96	16	274	774	63	9
Berlin.....	190	190	139	17	86	28	1	7	50	1
Concord.....	465	464	343	192	44	18	19	2	68	106	15	1
Dover.....	236	235	178	90	41	14	6	27	52	5	1
Keene.....	178	177	138	80	25	7	5	1	20	32	7	1
Laconia.....	187	187	151	66	31	17	12	3	22	32	4
Manchester.....	1,163	1,162	813	220	393	97	24	5	74	337	12	1
Nashua.....	460	460	318	117	114	27	20	4	36	134	8
Portsmouth.....	182	177	135	68	22	15	10	20	31	11	5
NEW JERSEY.													
Registration cities (total).....	26,530	25,139	16,984	7,185	7,093	1,580	272	193	656	7,903	252	1,383	8
Asbury Park.....	170	121	106	67	19	11	4	1	4	14	1	48	1
Atlantic City.....	800	627	501	321	102	46	14	1	17	120	6	172	1
Bayonne.....	827	810	540	147	325	43	10	6	9	264	6	17
Bloomfield.....	168	161	123	65	35	10	2	2	2	37	1	7
Bridgeton.....	217	206	196	163	9	8	6	1	9	7	3	11
Camden.....	1,629	1,437	1,194	745	251	117	25	7	49	222	21	192
East Orange.....	372	348	258	171	49	17	12	3	6	89	1	24
Elizabeth.....	1,122	1,083	723	254	355	75	7	11	21	355	5	39
Garfield.....	129	129	93	6	81	4	2	2	36
Hackensack.....	231	210	147	67	53	17	2	8	61	2	21
Harrison.....	237	235	154	49	80	14	1	3	7	78	3	2
Hoboken.....	1,328	1,324	696	178	421	84	1	3	9	613	15	4
Irvington.....	143	140	89	53	18	10	2	1	5	50	1	3
Jersey City.....	4,401	4,278	2,748	1,020	1,331	258	22	32	85	1,475	55	123
Kearny.....	276	274	170	53	53	17	1	2	44	100	4	2
Long Branch.....	295	249	189	127	45	12	1	1	3	57	3	46
Millville.....	149	146	131	113	7	4	7	15	3	
Montclair.....	324	273	209	103	60	18	7	1	20	62	2	51
Morristown.....	295	264	186	106	54	20	2	1	3	70	3	31
New Brunswick.....	494	470	346	135	130	25	17	8	31	115	9	24
Newark.....	5,784	5,484	3,586	1,406	1,581	318	58	62	161	1,853	45	296	4
Orange.....	538	467	303	140	120	31	5	4	3	164	71
Passaic.....	820	808	570	122	393	37	3	6	9	235	5	12
Paterson.....	1,857	1,816	1,072	380	464	155	19	13	41	725	19	41
Perth Amboy.....	509	504	346	80	232	17	2	7	8	158	5
Phillipsburg.....	211	211	181	125	35	11	5	1	6	30
Plainfield.....	325	281	214	137	50	20	1	6	64	3	44
Trenton.....	1,976	1,886	1,382	662	495	102	35	16	72	473	31	89	1
Union.....	252	250	162	63	69	25	2	3	87	1	1	1
West Hoboken.....	387	387	193	54	104	36	5	188
West New York.....	169	165	110	44	51	13	1	1	54	1	4
West Orange.....	95	95	60	29	23	5	1	2	34	1
NEW YORK.													
Registration cities (total).....	110,283	107,278	68,153	24,004	32,505	7,269	989	406	2,980	38,354	771	2,864	141
Albany.....	1,943	1,913	1,331	638	417	128	35	17	96	555	27	30
Amsterdam.....	543	543	404	149	197	32	11	5	10	134	5
Auburn.....	532	525	385	204	129	29	8	5	11	137	2	7
Batavia.....	201	201	152	86	41	11	6	1	7	45	1
Binghamton.....	904	884	724	434	169	45	32	6	38	145	15	20
Buffalo.....	6,940	6,874	4,533	1,495	2,170	669	117	37	45	2,318	23	53	13
Cohoes.....	509	509	357	125	175	47	3	3	4	143	4
Corning.....	201	199	169	105	19	14	14	3	13	29	1	2
Cortland.....	213	216	177	114	14	10	6	1	32	36	3
Dunkirk.....	280	280	204	70	96	25	2	3	8	76

¹ Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent un-known, the other—				Both parents un-known.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
Elmira.....	557	545	424	270	83	25	20	2	24	112	9	12	
Fulton.....	54	154	128	80	16	20	3	2	7	25	1		
Geneva.....	172	171	129	68	28	14	11	1	7	38	4	1	
Glens Falls.....	242	242	185	135	30	15	2		3	55	2		
Gloversville.....	321	316	250	142	40	19	11	2	36	63	3	5	
Hornell.....	174	173	137	90	21	10	11	1	4	36			
Hudson.....	236	224	168	107	34	9	4	2	12	52	4	11	1
Ithaca.....	244	234	144	24	15	5	7		14	28	4	9	1
Jamestown.....	404	403	259	124	80	30	7	1	17	144		1	
Johnstown.....	145	145	117	73	14	2	9		19	28			
Kingston.....	476	462	339	241	72	13	4	3	6	121	2	14	
Lackawanna.....	366	392	325	53	152	25	33	12	50	61	6	4	
Little Falls.....	193	193	142	64	49	6	10	1	12	49			
Lockport.....	300	296	208	109	53	21	9	2	14	80	8	4	
Middletown.....	372	364	268	159	46	16	8	2	37	85	11	8	
Mount Vernon.....	433	411	287	125	120	38	2	1	1	120	4	22	
New Rochelle.....	342	309	204	87	76	34	2		5	103	2	33	
New York.....	76,787	74,274	44,869	13,418	24,322	4,846	226	176	1,881	28,940	465	2,391	122
Bronx Borough.....	6,968	6,755	3,924	1,178	2,159	516	10	14	47	2,815	16	208	5
Brooklyn Borough.....	25,686	25,070	15,858	5,435	8,282	1,896	51	30	164	9,142	70	598	18
Manhattan Borough.....	38,699	37,129	21,703	5,430	12,379	2,004	148	123	1,619	15,067	359	1,473	97
Queens Borough.....	3,965	3,882	2,469	952	1,145	334	11	6	21	1,403	10	82	1
Richmond Borough.....	1,469	1,438	915	423	357	96	6	3	30	513	10	30	1
Newburgh.....	509	496	355	238	75	23	7	4	8	139	2	13	
Niagara Falls.....	548	535	343	109	182	39	5	3	5	184	8	13	
North Tonawanda.....	160	160	116	30	76	9			1	43			
Ogdensburg.....	392	389	262	100	56	42	23	9	32	117	10	3	
Olean.....	188	187	148	74	35	13	9	1	16	37	2	1	
Ossining.....	177	162	113	59	36	4	6		8	47	2	15	
Oswego.....	386	384	271	129	73	34	12	5	18	112	1	2	
Peekskill.....	278	267	217	152	37	10	5	2	11	44	6	11	
Plattsburg.....	197	197	150	100	20	23	9		7	35	3		
Port Chester.....	210	205	145	51	70	7	2		7	59	1	5	
Poughkeepsie.....	469	453	344	197	83	27	12	2	23	103	6	16	
Rensselaer.....	162	162	125	73	29	10	3		10	33	4		
Rochester.....	3,215	3,199	2,068	891	769	228	50	10	120	1,106	25	15	1
Rome.....	457	455	334	163	107	25	9	3	27	109	12	2	
Saratoga Springs.....	259	244	190	105	34	16	17	1	17	47	7	15	
Schenectady.....	1,070	1,061	813	360	332	75	19	5	22	242	6	8	1
Syracuse.....	2,123	2,098	1,546	749	470	151	94	22	60	542	10	24	1
Troy.....	1,596	1,581	1,054	464	365	105	46	15	59	512	15	15	
Utica.....	1,411	1,398	966	419	384	66	29	9	59	416	16	13	
Watertown.....	469	467	344	194	77	44	3		19	119	4	2	
Watervliet.....	261	260	186	86	61	30	1		7	68	6	1	
White Plains.....	301	273	195	109	50	19	3		8	75	3	27	1
Yonkers.....	1,226	1,193	781	242	397	101	10		9	399	13	33	
NORTH CAROLINA.													
Registration cities (total).....	3,075	1,561	1,474	1,182	33	24	114	2	119	51	36	1,514	
Asheville.....	370	235	212	184	20	4	3		1	18	5	135	
Charlotte.....	605	306	293	237	2	4	29	1	20	7	6	299	
Durham.....	368	189	186	167	2		12		5	3		179	
Greensboro.....	305	162	155	133	2		12		8	5	2	143	
Raleigh.....	537	290	267	179	1	8	30		49	6	17	247	
Wilmington.....	538	213	198	153	5	7	12		16	12	3	325	
Winston.....	352	166	163	124	1	1	16	1	20		3	186	
OHIO.													
Registration cities (total).....	31,921	30,432	22,161	11,711	6,519	1,597	775	213	1,346	7,814	457	1,486	3
Akron.....	928	920	708	474	154	49	11	2	18	204	8	8	
Alliance.....	181	177	152	106	23	9	5	2	7	22	3	4	
Ashtabula.....	259	256	203	103	64	11	8	1	11	44	9	3	
Bellaire.....	189	181	144	89	35	11	4		5	37	8		
Cambridge.....	148	140	131	101	7	6	9	2	6	9		8	
Canton.....	616	611	465	285	99	30	21	9	21	142	4	5	
Chillicothe.....	259	244	208	158	23	7	14		6	33	3	15	
Cincinnati.....	6,319	5,750	3,983	1,928	1,287	340	96	60	222	1,776	41	569	
Cleveland.....	8,047	7,830	4,969	1,600	2,525	431	135	45	233	2,791	120	167	
Columbus.....	2,810	2,548	2,089	1,317	279	109	114	13	257	405	54	262	
Dayton.....	1,724	1,625	1,328	852	262	78	51	5	80	288	9	99	
East Liverpool.....	333	323	289	210	30	30	12	2	5	32	2	10	
Elyria.....	203	193	141	73	44	12	8	1	3	50	2	10	
Findlay.....	219	216	193	142	15	13	14	2	7	23		3	
Hamilton.....	515	499	390	268	67	30	10	2	13	108	1	16	

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
OHIO—continued.													
Ironton.....	196	179	162	122	15	3	11	3	8	14	3	17	
Lakewood.....	171	170	128	47	59	15	2	2	3	42		1	
Lancaster.....	142	140	126	91	10	4	5	1	15	13	1	2	
Lima.....	398	387	235	258	26	9	14	2	26	46	6	11	
Lorain.....	374	366	276	98	141	25	7	1	4	87	3	8	
Mansfield.....	288	287	232	150	44	13	7	1	17	54	1	1	
Marietta.....	164	161	142	91	15	12	9	3	12	16	3	2	1
Marion.....	232	232	198	143	23	10	8		14	32	2		
Massillon.....	160	158	122	69	32	15	3	2	1	34	2	2	
Middletown.....	164	156	132	92	17	4	6	1	12	22	2	8	
Newark.....	330	328	292	196	34	17	19	4	22	31	5	2	
Norwood.....	147	146	109	64	26	7	2	1	9	37		1	
Piqua.....	194	187	160	110	23	7	4	1	15	27		7	
Portsmouth.....	356	336	302	254	9	9	10	3	17	30	4	20	
Sandusky.....	268	266	165	87	57	12	4	1	4	93	8	2	
Springfield.....	623	543	465	349	32	22	24	3	35	68	10	78	2
Staubenville.....	404	386	297	152	94	16	11	2	22	85	4	18	
Tiffin.....	175	175	134	81	30	6	7	2	8	38	3		
Toledo.....	2,470	2,425	1,682	885	443	124	56	23	151	632	111	45	
Warren.....	156	155	129	88	20	7	6	1	7	25	1	1	
Youngstown.....	1,340	1,290	888	325	425	80	24	7	27	376	26	50	
Zanesville.....	419	396	342	248	30	14	24	3	23	48	6	23	
OREGON. ¹													
Portland.....	2,308	2,225	1,559	740	291	138	128	38	224	615	51	19	64
PENNSYLVANIA.													
Registration cities (total).....	61,935	58,266	42,847	21,174	14,155	3,805	1,212	453	2,048	14,854	565	3,625	44
Allentown.....	877	877	775	573	157	16	14	5	10	101	1		
Altoona.....	659	655	564	429	71	31	15	5	13	91		4	
Beaver Falls.....	168	167	132	59	49	9	8	1	6	32	3	1	
Bethlehem.....	170	167	150	122	10	10	3		5	16	1	3	
Braddock.....	409	399	275	74	171	15	3	2	10	121	3	10	
Bradford.....	191	187	142	84	22	12	13	3	8	40	5	4	
Butler.....	319	318	277	132	111	23	5	1	5	41			1
Carbondale.....	327	325	219	95	75	32	10	1	6	104	2	2	
Carlisle.....	166	135	133	115	6	2	5	2	3	2		28	3
Carnegie.....	135	126	98	32	59	5	2			26	2	9	
Chambersburg.....	193	180	166	121	10	5	12	2	16	10	4	13	
Chester.....	649	542	408	214	132	32	12	5	13	132	2	107	
Coatesville.....	149	126	116	74	36	2	2		2	10		23	
Columbia.....	181	166	144	109	9	11	7	2	6	20	2	15	
Connellsville.....	204	190	141	119	15	6	1		4	46	3	14	
DuBois.....	145	145	110	58	36	10	4		2	35			
Dunmore.....	300	300	224	67	77	20	7	3	50	65	11	1	
Duquesne.....	196	195	152	32	104	14	1	1	42	42		1	
Easton.....	467	462	374	265	59	24	15	3	8	87	1	5	
Erie.....	986	980	679	274	241	71	13	7	73	294	7	6	
Greensburg.....	259	253	177	118	30	9	4		16	71	5	6	
Harrisburg.....	941	842	759	584	71	34	34	4	32	79	4	98	1
Hazleton.....	431	430	303	119	134	39	6	1	4	127		1	
Homestead.....	308	289	234	61	152	16	1	1	3	53	2	19	
Johnstown.....	927	915	657	329	222	61	11	12	22	255	3	12	
Lancaster.....	720	699	613	507	52	26	14		14	80	6	21	
Lebanon.....	326	326	296	238	21	8	20		9	28	4	3	
McKees Rocks.....	245	244	196	46	139	5	2	1	3	43	5	1	
McKeesport.....	855	836	602	228	308	53	5	6	2	227	7	18	1
Mahanoy City.....	277	277	196	60	97	17	4	10	8	79	2		
Meadville.....	176	174	139	94	20	16	4	2	3	35		2	
Monessen.....	153	146	125	34	75	10	2	3	1	21		7	
Mount Carmel.....	233	232	172	53	78	28	5	1	9	60		1	
Nanticoke.....	328	328	238	39	155	39	2	2	1	89	1		
New Castle.....	581	574	470	239	148	46	12	2	23	94	10	7	
Norristown.....	684	663	506	293	97	47	19	7	43	141	16	21	
North Braddock.....	160	153	114	34	65	9	3	1	2	39		7	
Oil City.....	196	190	156	109	28	3	7	1	8	34		6	
Old Forge.....	199	199	136	27	90	16	1	2		62	1		
Philadelphia.....	27,045	24,740	17,390	8,068	5,718	1,740	529	205	1,130	7,100	250	2,276	29
Phoenixville.....	209	204	164	80	70	7	4		3	37	3	5	
Pittsburgh.....	9,603	8,993	6,246	2,430	2,686	662	174	93	191	2,642	105	601	9
Pittston.....	279	279	185	59	96	21	3		5	84			
Plymouth.....	257	255	171	59	82	22	4		3	84		2	
Pottstown.....	234	228	197	139	33	13	7		5	28	3	6	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent un- known, the other—		Both parents un- known.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
PENNSYLVANIA—continued.													
Pottsville.....	380	376	297	196	55	23	5	4	14	77	2	4	
Reading.....	1,475	1,454	1,312	1,070	177	37	14	1	13	132	10	21	
Seranton.....	2,140	2,127	1,364	504	664	137	12	10	37	743	20	13	
Shamokin.....	269	267	221	149	50	15	1	2	4	46	2	2	
Sharon.....	253	250	179	85	54	25	10		5	69	2	3	
Shenandoah.....	439	439	343	61	237	28	2	4	11	94	2		
South Bethlehem.....	334	332	265	82	153	9	4		17	66	1	2	
South Sharon.....	164	161	116	19	84	10		3		44	1	3	
Steelton.....	217	191	160	77	72	7	1	1	2	31		26	
Sunbury.....	188	188	174	136	5	7	12	1	13	8	6		
Uniontown.....	246	218	159	82	23	13	11	1	29	42	17	28	
Warren.....	149	149	118	61	22	19	7	1	8	29	2		
Washington.....	293	260	219	161	26	11	8	1	12	40	1	39	
West Chester.....	231	188	153	107	15	7	15	1	3	33	2	43	
Wilkes-Barre.....	1,117	1,107	741	310	283	93	26	8	21	354	12	10	
Wilkesburg.....	284	265	224	138	44	18	8	2	14	38	3	19	
Williamsport.....	490	464	409	273	36	36	21	5	38	51	4	26	
York.....	743	719	672	568	28	15	26	9	26	42	5	24	
RHODE ISLAND.													
Registration cities (total).....	7,571	7,357	4,879	1,964	2,073	604	73	32	133	2,439	39	208	6
Central Falls.....	358	358	243	53	143	43		2	2	115			
Cranston.....	229	228	171	97	55	16			3	53	4	1	
State institutions.....	312	296	151	62	40	15	4	3	27	138	7	16	
Cumberland town.....	141	141	82	32	37	11	1		1	59			
East Providence town.....	233	218	167	92	50	13	6		6	51		15	
Newport.....	383	355	240	124	64	24	1	2	25	111	4	27	
Pawtucket.....	826	820	489	197	211	65	8	2	6	329	2	6	
Providence.....	3,980	3,837	2,533	1,051	1,084	296	48	20	54	1,264	20	139	
Warwick town.....	483	480	347	142	148	42	4	3	8	131	2	3	
Woonsocket.....	626	624	436	114	241	79	1		1	188		1	
SOUTH CAROLINA. ¹													
Charleston.....	1,748	526	403	226	37	25	18	5	92	99	24	1,221	1
TENNESSEE. ¹													
Registration cities (total).....	5,516	2,871	2,521	1,873	143	77	130	10	288	263	87	2,645	
Knoxville.....	635	432	405	329	12	8	18	2	36	26	1	203	
Memphis.....	2,818	1,326	1,093	755	82	31	28	5	162	159	74	1,492	
Nashville.....	2,063	1,113	1,023	759	49	38	84	3	90	78	12	950	
TEXAS. ¹													
Registration cities (total).....	2,750	2,334	1,640	752	412	221	79	21	155	659	35	416	
Galveston.....	600	417	248	121	52	35	10	4	26	156	13	183	
San Antonio.....	2,150	1,917	1,392	631	360	186	69	17	129	503	22	233	
UTAH.													
Registration cities (total).....	1,553	1,502	964	461	215	149	38	24	77	474	64	27	24
Ogden.....	293	279	191	97	41	32	9	4	8	77	11	5	9
Salt Lake City.....	1,260	1,223	773	364	174	117	29	20	69	397	53	22	15
VERMONT.													
Registration cities (total).....	774	771	595	307	113	52	68	10	45	171	5	3	
Barre.....	150	150	91	44	32	10	4		1	59			
Burlington.....	397	395	319	151	46	31	55	6	30	72	4	2	
Rutland.....	227	226	185	112	35	11	9	4	14	40	1	1	
VIRGINIA. ¹													
Registration cities (total).....	6,198	3,086	2,837	2,001	120	70	124	4	518	208	41	3,104	3
Alexandria.....	327	189	182						² 182	7		138	
Danville.....	388	221	215	158	2	2	17		36	4	2	167	
Lynchburg.....	473	242	228	161	5	1	10		51	10	4	231	
Norfolk.....	1,477	700	626	503	36	22	23	2	40	61	13	775	
Petersburg.....	641	264	253	238	3	5			7	8	3	377	
Richmond.....	2,887	1,470	1,333	941	74	40	74	2	202	118	19	1,416	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Certificate of death fails to provide for statement of nativity of parents.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
WASHINGTON.													
Registration cities (total).....	5,803	5,632	3,778	1,747	776	383	272	76	524	1,522	332	62	109
Aberdeen.....	121	120	71	31	25	3	4	1	7	43	6	1
Bellingham.....	231	228	145	73	32	13	11	2	14	74	9	1	2
Everett.....	279	275	184	77	33	17	13	3	41	73	13	2	2
North Yakima.....	257	247	185	95	18	16	23	3	30	45	17	5	5
Seattle.....	2,408	2,304	1,468	662	299	155	120	44	188	689	147	32	72
Spokane.....	1,375	1,353	959	462	191	101	45	13	147	304	90	12	10
Tacoma.....	928	905	601	264	159	68	32	9	69	264	40	9	14
Walla Walla.....	204	200	165	83	19	10	24	1	28	30	5	4
WEST VIRGINIA.¹													
Wheeling.....	731	700	524	313	137	41	15	3	15	170	6	31
WISCONSIN.													
Registration cities (total).....	10,319	10,274	6,307	2,092	2,680	981	230	80	244	3,804	163	37	8
Appleton.....	263	262	151	66	52	25	4	1	3	109	2	1
Ashland.....	228	226	97	17	50	17	2	1	10	116	13	2
Beloit.....	173	168	126	71	28	7	5	3	12	40	2	5
Eau Claire.....	276	274	157	72	41	24	8	3	9	114	3	2
Fond du Lac.....	254	252	163	76	45	22	8	5	7	84	5	2
Breen Bay.....	448	447	321	110	66	51	54	7	33	119	7	1
Janesville.....	194	194	127	71	27	13	5	11	67
Kenosha.....	268	268	184	62	93	24	1	2	2	80	4
La Crosse.....	435	432	254	93	90	36	9	7	14	163	15	2	1
Madison.....	309	308	192	88	64	22	4	3	11	114	2	1
Manitowoc.....	166	166	84	35	37	10	1	1	80	2
Marinette.....	178	176	110	32	56	21	1	59	7	2
Milwaukee.....	5,186	5,186	3,245	925	1,545	539	114	38	84	1,893	48	19
Oshkosh.....	305	372	212	86	72	38	7	2	7	155	5	1
Racine.....	495	495	296	97	157	29	1	2	10	193	6
Sheboygan.....	351	351	184	52	95	29	3	5	163	4
Superior.....	466	460	246	62	113	48	3	4	16	179	35	4	2
Wausau.....	237	237	158	72	49	26	1	2	8	76	3
RURAL PART OF REGISTRATION STATES.²													
CALIFORNIA.													
Total.....	13,792	13,107	8,989	2,932	1,402	778	614	171	2,092	3,657	461	126	559
Alameda County.....	593	552	315	123	101	47	9	8	27	226	11	13	28
Alpine County.....	2	1	1	1	1
Amador County.....	118	111	63	26	11	9	6	4	7	47	1	7
Butte County.....	386	362	275	122	15	18	29	2	89	74	13	4	20
Calaveras County.....	116	111	55	17	11	6	7	2	12	53	3	1	4
Colusa County.....	100	94	70	40	7	4	4	1	14	21	3	1	5
Contra Costa County.....	355	351	192	61	48	22	13	6	42	135	24	1	3
Del Norte County.....	11	11	5	2	6
Eldorado County.....	107	100	65	22	8	8	7	1	19	30	5	1	6
Fresno County.....	549	494	357	166	79	12	27	13	60	125	12	10	45
Glenn County.....	55	55	42	22	2	3	1	1	13	10	3
Humboldt County.....	151	137	89	41	15	9	5	4	15	44	4	14
Imperial County.....	66	65	45	21	4	5	7	8	15	1	1
Inyo County.....	29	28	18	9	2	1	6	5	1	1
Kern County.....	225	223	151	69	17	6	12	5	42	44	28	2
Kings County.....	192	173	148	74	23	5	12	1	33	22	3	3	16
Lake County.....	82	68	55	21	6	1	7	1	19	11	2	14
Lassen County.....	22	22	14	11	1	2	7	1
Los Angeles County.....	1,740	1,689	1,350	618	144	106	90	23	369	305	44	18	23
Madera County.....	87	83	50	31	6	6	2	5	30	3	1	3
Marin County.....	256	249	151	49	40	17	7	4	34	94	4	1	6
Mariposa County.....	32	30	16	6	1	1	1	7	13	1	2
Mendocino County.....	394	324	200	79	38	15	5	3	60	110	14	3	7
Merced County.....	133	132	85	29	28	11	3	1	13	40	7	1
Modoc County.....	37	36	32	21	2	1	2	1	3	3	1
Mono County.....	2	2	1	1
Monterey County.....	288	264	192	88	36	30	8	3	27	76	2	4	20
Napa County.....	462	450	270	88	23	14	11	7	127	164	16	8	4
Nevada County.....	221	207	121	45	20	8	8	2	38	77	9	1	13
Orange County.....	395	390	299	159	46	24	26	7	37	81	10	2	3
Placer County.....	249	235	139	44	32	7	10	2	44	80	16	1	13
Plumas County.....	37	35	19	11	3	1	1	3	11	5	2
Riverside County.....	196	191	144	85	18	13	7	2	19	39	8	1	4
Sacramento County.....	405	340	213	45	27	19	16	3	103	118	9	4	61
San Benito County.....	104	101	78	28	15	16	8	3	8	19	4	3

¹ Nonregistration state; cities shown below only those with effective local ordinances.
² Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent un-known, the other—						
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
CALIFORNIA—continued.													
San Bernardino County.....	509	493	341	147	40	21	27	14	92	135	17	5	11
San Diego County.....	189	189	145	79	7	13	22	6	18	42	2	6	30
San Joaquin County.....	442	406	254	106	40	14	13	1	80	126	26	4	3
San Luis Obispo County.....	237	230	164	82	19	19	10	3	31	62	4	4	3
San Mateo County.....	304	294	174	48	68	35	5	18	112	8	3	7
Santa Barbara County.....	145	142	121	79	11	13	7	11	21	3
Santa Clara County.....	791	755	482	195	99	57	31	3	97	266	7	5	31
Santa Cruz County.....	179	172	107	56	18	8	9	16	62	3	7
Shasta County.....	256	239	165	73	15	17	14	1	45	61	13	17
Sierra County.....	38	36	20	7	5	1	1	14	2	2
Siskiyou County.....	195	186	136	67	22	9	8	2	28	43	7	1	8
Solano County.....	179	165	96	34	24	10	10	4	14	61	8	2	12
Sonoma County.....	658	635	438	202	77	42	37	6	74	187	10	3	20
Stanislaus County.....	234	230	170	67	18	10	9	6	60	52	8	1	3
Sutter County.....	64	62	44	18	6	3	4	2	11	14	4	2
Tehama County.....	174	156	106	48	8	9	8	1	32	40	10	2	16
Trinity County.....	58	49	34	11	5	4	3	11	8	7	9
Tulare County.....	327	319	250	154	24	12	16	4	40	52	17	2	6
Tuolumne County.....	133	125	73	24	13	7	6	1	22	49	3	1	7
Ventura County.....	208	196	139	72	27	13	9	1	17	52	5	4	8
Yolo County.....	184	176	120	57	17	9	8	29	45	11	3	5
Yuba County.....	151	126	89	32	11	7	4	6	29	32	5	5	20
COLORADO.													
Total.....	6,364	6,236	4,610	2,681	722	321	297	65	524	1,439	187	93	35
Adams County.....	82	80	54	26	14	4	1	1	8	23	3	2
Arapahoe County.....	122	118	75	40	11	8	6	1	9	39	4	4
Archuleta County.....	35	35	33	29	2	2	1	1	2
Baca County.....	30	30	30	20	1	3	6
Bent County.....	66	65	56	26	3	1	2	24	4	5	1
Boulder County.....	400	394	315	195	41	27	23	6	23	76	3	5	1
Chaffee County.....	124	123	87	41	15	6	4	3	18	30	6	1
Cheyenne County.....	7	7	6	5	1	1
Clear Creek County.....	79	79	49	18	15	8	2	1	5	28	2
Conejos County.....	105	104	93	68	7	7	7	4	10	1	1
Costilla County.....	5	5	5	5
Custer County.....	22	22	14	8	4	1	1	7	1
Delta County.....	127	127	112	83	4	7	7	11	12	3
Dolores County.....	4	4	2	2	2	2
Douglas County.....	24	24	17	9	1	1	4	2	7
Eagle County.....	28	28	18	10	2	3	3	7	3
El Paso County.....	229	227	182	123	23	11	12	1	12	45	2
Elbert County.....	33	32	22	12	2	2	1	5	5	5	1
Fremont County.....	247	238	175	87	35	7	14	3	29	57	6	8	1
Garfield County.....	161	160	113	56	23	11	6	3	14	44	3	1
Gilpin County.....	67	66	40	11	14	9	1	5	25	1	1
Grand County.....	20	20	16	8	2	5	1	4
Gunnison County.....	84	83	59	22	20	6	3	1	7	24	1
Hinsdale County.....	13	13	9	9	4	4
Huerfano County.....	237	226	172	121	21	5	17	1	7	47	7	10	1
Jackson County.....	11	11	10	8	1	1	1
Jefferson County.....	263	253	136	61	37	13	13	3	9	116	6	2	3
Kiowa County.....	33	33	27	18	3	2	1	3	5	1
Kit Carson County.....	43	43	40	29	2	4	1	1	3	3
La Plata County.....	123	120	87	39	9	12	15	2	11	26	7	2	1
Lake County.....	209	207	123	39	52	14	8	10	78	6	2
Larimer County.....	291	290	255	153	46	14	17	5	20	32	3	1
Las Animas County.....	593	562	285	163	73	9	10	3	27	264	13	15	16
Lincoln County.....	39	39	32	18	5	2	2	1	4	6	1
Logan County.....	69	69	57	31	14	6	2	1	3	11	1
Mesa County.....	245	238	201	141	14	16	4	5	21	30	7	3	4
Mineral County.....	12	12	8	4	1	1	2	4
Montezuma County.....	43	43	37	25	2	1	5	4	4	2
Montrose County.....	112	112	98	65	4	3	6	1	19	12	2
Morgan County.....	88	87	72	46	11	7	5	3	15	1
Otero County.....	276	266	231	159	20	7	26	4	15	25	10	6	4
Ouray County.....	51	51	28	13	2	2	1	10	22	1
Park County.....	19	19	14	8	2	2	1	1	4	1
Phillips County.....	29	29	26	16	1	5	1	3	3
Pitkin County.....	56	56	35	12	12	3	1	2	5	19	2

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES—Continued.													
COLORADO—continued.													
Prowers County.....	127	126	112	74	9	8	5	16	12	2	1		
Pueblo County.....	298	287	169	73	30	7	9	48	82	36	11		
Rio Blanco County.....	12	12	8	2	1		4	1	3	1			
Rio Grande County.....	93	93	80	54	3	3	3	17	11	2			
Routt County.....	55	52	45	30	4	4	3	4	5	2	2		1
Saguache County.....	37	37	34	30	2			2	3				
San Juan County.....	56	56	31	11	8	4	2	5	20	5			
San Miguel County.....	68	68	41	11	15	2	2	10	22	5			
Sedgwick County.....	24	23	19	15	3		1	4	4				1
Summit County.....	28	28	21	7	4	2		7	5	2			
Teller County.....	181	175	134	70	21	12	8	21	33	8	6		
Washington County.....	41	39	37	26	8	2		2	2				
Weld County.....	342	339	284	178	48	22	15	18	47	8	1		2
Yuma County.....	46	46	39	19	2	4	8	6	7				
CONNECTICUT.													
Total.....	5,466	5,394	4,090	2,115	992	274	279	34	396	1,211	93	72	
Fairfield County.....	775	762	597	316	115	26	41	5	94	153	12	13	
Hartford County.....	1,094	1,079	799	383	228	60	48	10	70	262	15	15	
Litchfield County.....	794	783	606	311	135	31	55	5	69	166	11	11	
Middlesex County.....	375	372	290	180	58	15	19	2	16	81	1	3	
New Haven County.....	748	732	553	253	192	36	31	5	36	166	13	16	
New London County.....	732	722	563	322	117	32	39	4	49	143	16	10	
Tolland County.....	331	331	232	114	58	16	18	1	25	92	7		
Windham County.....	617	613	450	236	89	58	28	2	37	148	15	4	
INDIANA.													
Total.....	23,980	23,539	21,460	15,861	1,055	744	1,641	169	1,990	1,878	201	440	1
Adams County.....	209	209	176	116	17	16	10	5	12	31	2		
Allen County.....	277	277	218	148	26	9	14	3	18	49	10		
Bartholomew County.....	329	322	305	213	15	8	28	2	39	16	1	7	
Benton County.....	105	105	90	62	6	6	7	2	7	14	1		
Blackford County.....	196	195	185	140	8	6	13	1	17	8	2	1	
Boone County.....	310	310	298	242	4	3	18	2	29	11	1		
Brown County.....	108	108	107	79	1	1	9		17	1			
Carroll County.....	243	243	225	171	6	7	18	4	19	16	2		
Cass County.....	276	276	244	158	3	4	22	1	56	18	14		
Clark County.....	288	263	244	183	7	5	19	2	28	16	3	25	
Clay County.....	404	393	342	257	22	15	19	1	28	48	3	11	
Clinton County.....	303	301	294	241	5	2	22	1	23	7		2	
Crawford County.....	151	150	146	117	2	1	13		13	3	1	1	
Daviess County.....	335	333	311	242	20	7	28	1	13	16	6	2	
Dearborn County.....	274	271	196	119	31	15	13		18	64	11	3	
Decatur County.....	243	240	218	176	9	6	15	1	11	22		3	
Dekalb County.....	328	328	302	210	18	16	17	3	38	23	3		
Delaware County.....	274	270	264	208	3	12	18		23	6		4	
Dubois County.....	191	190	155	113	13	9	3	4	8	35		1	
Elkhart County.....	407	406	362	256	18	19	26	5	38	34	10	1	
Fayette County.....	190	185	175	140	12	6	12		5	10		5	
Floyd County.....	140	137	118	70	8	10	12	4	14	19		3	
Fountain County.....	273	271	256	182	6	11	31	5	21	12	3	2	
Franklin County.....	192	192	156	103	24	9	8	1	11	35	1		
Fulton County.....	230	230	212	156	12	6	19	3	16	15	3		
Gibson County.....	403	372	350	261	16	12	28	3	30	19	3	31	
Grant County.....	526	500	448	338	4	9	27		70	43	9	26	
Greene County.....	467	467	442	340	12	15	36	3	36	24	1		
Hamilton County.....	360	350	345	261	8	9	25	2	40	4	1	10	
Hancock County.....	251	248	241	196	11	9	10	3	12	7		3	
Harrison County.....	228	221	200	150	11	14	13		12	20	1	7	
Hendricks County.....	265	259	250	200	4	4	16	1	25	7	2	6	
Henry County.....	427	414	401	321	3	13	34		30	12	1	13	
Howard County.....	174	171	168	135	1	1	11		20	3		3	
Huntington County.....	230	230	217	164	6	9	17	2	19	13			
Jackson County.....	351	350	317	227	22	13	30	4	21	31	2	1	
Jasper County.....	119	119	101	70	4	4	8		15	18			
Jay County.....	324	322	303	252	5	8	19	3	16	18	1	2	
Jefferson County.....	356	341	307	208	34	8	18	4	35	30	4	15	
Jennings County.....	182	177	160	123	10	6	7	1	13	17		5	
Johnson County.....	286	271	264	203	5	4	26	3	23	7		15	
Knox County.....	299	296	275	220	3	16	17	2	17	19	2	3	
Kosciusko County.....	347	347	329	226	8	14	33	8	40	18			
Lagrange County.....	199	199	190	140	2	10	16	1	21	9			
Lake County.....	350	348	214	81	79	25	7	6	16	123	11	2	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—						
							Native.	Foreign born.					
INDIANA—continued.													
Laporte County.....	176	176	116	75	13	12	7	1	8	57	3		
Lawrence County.....	411	405	386	332	10	2	22	1	19	16	3	6	
Madison County.....	366	360	347	274	8	10	23	1	31	13		6	
Marion County.....	408	374	325	233	23	16	25	7	21	44	5	33	1
Marshall County.....	307	306	267	168	16	14	20	4	45	33	6	1	
Martin County.....	144	144	140	115	3	2	10		10	1	3		
Miami County.....	223	222	201	146	8	5	22	1	19	15	6	1	
Monroe County.....	335	327	316	252	4	6	23	2	29	9	2	8	
Montgomery County.....	383	370	353	275	5	8	31	2	32	17		13	
Morgan County.....	312	311	299	208	2	7	34		48	8	4	1	
Newton County.....	109	109	95	70	4	3	9	2	7	14			
Noble County.....	266	266	225	146	12	13	29	3	22	35	6		
Ohio County.....	44	41	35	17	4	3	4	1	6	6		3	
Orange County.....	198	191	189	160	2	1	10		16	2	7		
Owen County.....	162	161	157	126	3	2	13		13	3	1	7	
Parke County.....	255	252	234	194	9	1	14	1	15	17	1	3	
Perry County.....	217	213	183	126	24	10	11	1	11	30		4	
Pike County.....	278	277	275	219	4	8	29		15	2		1	
Porter County.....	264	264	190	108	24	20	22	3	13	72	2		
Posey County.....	284	260	234	171	19	8	16	1	19	23	3	24	
Pulaski County.....	145	145	114	77	9	9	12		7	28	3		
Putnam County.....	250	243	238	197	6	2	23	2	8	5		7	
Randolph County.....	371	367	354	289	9	4	17	2	33	11	2	4	
Ripley County.....	246	245	191	128	21	11	15	1	15	52	2	1	
Rush County.....	234	226	217	179	7	5	9	2	15	7	2	8	
St. Joseph County.....	244	243	195	128	11	8	12	3	33	47	1	1	
Scott County.....	117	117	112	92	2	2	10		6	5			
Shelby County.....	341	332	313	252	9	7	21	1	23	18	1	9	
Spencer County.....	266	253	230	169	16	6	19	2	18	23		13	
Starke County.....	128	128	104	58	15	9	11		11	24			
Steuben County.....	160	160	151	107	4	3	18	3	16	9			
Sullivan County.....	386	384	359	261	16	6	39	2	35	22	3	2	
Switzerland County.....	138	137	134	101	8	6	13	1	5	3		1	
Tiptecanoe County.....	253	249	229	146	22	7	14	2	38	17	3	4	
Tipton County.....	207	207	200	153	2	1	19	1	24	7			
Union County.....	85	83	77	59	1	1	7		9	6		2	
Vanderburg County.....	233	209	166	75	28	8	11	3	41	39	4	24	
Vermilion County.....	255	252	234	164	31	6	14	2	17	15	3	3	
Vigo County.....	378	361	323	231	26	15	22		29	37	1	17	
Wabash County.....	335	330	302	234	12	6	29	3	18	27	1	5	
Warren County.....	136	136	126	90	6	3	6	1	20	10			
Warrick County.....	274	270	251	194	6	9	31		11	19		4	
Washington County.....	223	223	220	185	3	4	18		10	3			
Wayne County.....	362	352	320	208	12	15	27		58	25	7	10	
Wells County.....	295	295	281	212	12	14	15	2	26	9	5		
White County.....	167	167	156	113	7	7	7	3	14	10	1		
Whitley County.....	189	189	175	121	8	7	16	5	18	14			
MAINE.													
Total.....	9,346	9,334	8,244	6,246	654	737	235	15	357	1,018	72	9	3
Androscoggin County.....	341	341	298	245	23	22	4		4	41	2		
Aroostook County.....	1,068	1,068	823	460	139	179	18	7	20	234	11		
Cumberland County.....	875	873	772	606	64	64	18		20	97	4	2	
Franklin County.....	264	264	246	201	21	10	5		9	16	2		
Hancock County.....	572	572	538	451	15	20	16		36	33	1		
Kennebec County.....	655	653	611	500	23	43	23		22	35	7	2	
Knox County.....	488	484	438	373	20	15	10	1	19	44	2	4	
Lincoln County.....	311	311	298	260	7	11	9		11	13			
Oxford County.....	606	606	561	438	43	45	8		27	41	4		
Penobscot County.....	917	914	800	563	88	76	34		39	101	13		3
Piscataquis County.....	284	284	253	166	14	18	8	2	45	29	2		
Sagadahoc County.....	329	329	289	228	14	22	11		14	39	1		
Somerset County.....	604	604	534	387	51	44	26	1	25	60	10		
Waldo County.....	424	423	408	363	6	9	12	1	17	14	1	1	
Washington County.....	660	660	533	354	45	106	8	1	19	125	2		
York County.....	948	948	842	651	81	53	25	2	30	96	10		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
						Native.	Foreign born.						
MARYLAND.													
Total.....	9,115	6,489	5,822	4,424	344	263	271	31	489	572	95	2,626	
Allegany County.....	337	327	251	158	41	28	10	2	12	74	2	10	
Anne Arundel County.....	724	370	320	199	53	27	11	3	27	42	8	354	
Baltimore County.....	1,823	1,593	1,302	852	154	110	34	12	140	269	27	225	
Calvert County.....	161	75	73	60	2		4		7		2	86	
Caroline County.....	266	176	171	142	2		5		6	4	1	90	
Carroll County.....	465	429	400	292	10	8	22	5	63	21	8	36	
Cecil County.....	357	276	255	192	11	10	21	3	18	15	6	81	
Charles County.....	247	104	101	86	1		7		7	2	1	143	
Dorchester County.....	413	213	201	171	3	2	15		10	10	2	200	
Frederick County.....	496	416	398	350	6	10	15		17	14	4	80	
Garrett County.....	170	170	153	112	11	3	9		18	13	4		
Harford County.....	351	267	233	179	13	8	12	1	20	32	2	84	
Howard County.....	224	152	128	99	6	10	7	1	5	20	4	72	
Kent County.....	295	164	157	132	1	1	14		9	6	1	131	
Montgomery County.....	344	220	207	173	6	7	4		17	10	3	124	
Prince Georges County.....	506	281	261	196	14	14	9	1	27	16	4	225	
Queen Annes County.....	284	152	145	128	3	1	9		5	4	2	132	
St. Marys County.....	63	35	34	23		1	2		3	1		28	
Somerset County.....	334	161	159	138		1	9		11		2	173	
Talbot County.....	288	143	135	111	2	6	8		8	6	2	145	
Washington County.....	424	398	388	325	2	10	20	2	29	5	5	26	
Wicomico County.....	291	214	206	180	2	2	15	1	8	4	4	77	
Worcester County.....	252	148	143	121	1	1	8		12	4	1	104	
MASSACHUSETTS.													
Total.....	12,305	12,181	9,110	5,284	1,895	777	488	77	589	2,990	81	112	12
Barnstable County.....	497	488	436	321	36	25	28	1	27	49	1	5	4
Berkshire County.....	581	572	442	256	75	23	33	4	51	127	3	9	
Bristol County.....	821	817	664	404	161	54	20	1	24	149	4	4	
Dukes County.....	87	86	75	60	1	2	7		4	7	4	1	
Essex County.....	1,515	1,508	1,123	699	188	119	52	5	60	376	9	7	
Franklin County.....	529	529	440	288	60	21	35	3	33	83	6		
Hampden County.....	696	693	532	247	170	56	29	12	18	155	6	3	
Hampshire County.....	626	625	487	236	150	33	30	2	36	133	5		1
Middlesex County.....	2,275	2,230	1,408	749	320	121	87	20	111	812	10	40	5
Nantucket County.....	60	59	55	47	3	4			1	3	1	1	
Norfolk County.....	1,332	1,325	961	553	216	84	37	9	62	351	13	6	1
Plymouth County.....	1,189	1,157	896	578	139	79	40	8	52	256	5	31	1
Worcester County.....	2,097	2,092	1,589	846	376	156	90	11	110	489	14	5	
MICHIGAN.													
Total.....	23,519	23,154	17,107	9,597	3,044	1,976	994	191	1,305	5,800	247	172	193
Alcona County.....	55	53	31	16	3	8	2	1	1	21	1		2
Alger County.....	107	106	79	21	36	21			1	25	2	1	
Allegan County.....	555	537	415	234	48	52	30	6	45	117	5	14	4
Alpena County.....	80	79	53	15	17	17		1	3	26		1	
Antrim County.....	187	181	139	92	8	21	7	2	9	36	6	1	5
Arenac County.....	97	92	62	28	7	15	8		4	28	2		5
Baraga County.....	62	50	21	5	10	3		1	2	25	4		12
Barry County.....	299	299	246	152	13	15	28	6	32	49	4		
Bay County.....	238	229	148	71	49	23	1	1	3	79	2		9
Benzie County.....	128	122	103	67	5	16	5		10	18	1		6
Berrien County.....	701	682	526	311	72	49	34	6	54	142	14	19	
Branch County.....	383	383	361	253	18	20	33		37	17	5		
Calhoun County.....	441	438	366	244	37	26	22	3	34	68	4	1	2
Cass County.....	304	274	242	166	7	12	28	2	27	25	7	29	1
Charlevoix County.....	221	213	161	95	22	23	12	1	8	51	1		8
Cheboygan County.....	234	229	158	72	34	35	5	4	8	65	6	1	4
Chippewa County.....	108	97	60	11	28	16	2	1	2	36	1		11
Clare County.....	107	107	82	55	9	4	5	1	8	22	3		
Clinton County.....	307	307	251	169	17	23	20	2	20	51	5		
Crawford County.....	54	54	36	21	9	4	1		1	14	4		
Delta County.....	195	192	114	43	44	22	2	1	2	70	8		3
Dickinson County.....	230	223	160	19	105	34			2	66	2	1	1
Eaton County.....	440	438	389	272	17	30	17	3	50	43	6	2	
Emmet County.....	231	198	159	97	23	20	8	2	9	39		1	32
Genesee County.....	403	403	329	227	27	28	17	4	26	71	3		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES—Continued.													
MICHIGAN—continued.													
Gladwin County.....	85	83	66	38	9	10	4	5	16	1	2		
Gogebie County.....	187	187	126	9	103	11	1	2	57	4			
Grand Traverse County.....	155	154	122	7	7	16	10	9	32		1		
Grandt County.....	354	353	310	217	18	21	18	2	34	42	1		
Hillsdale County.....	442	442	397	239	17	24	33	3	31	44	1		
Houghton County.....	1,127	1,126	691	110	466	98	3	4	10	433	2	1	
Huron County.....	375	375	198	79	63	43	2	1	10	175	2		
Ingham County.....	296	296	256	176	19	20	23	3	15	35	5		
Ionia County.....	436	436	367	234	36	29	27	7	34	66	3		
Iosco County.....	119	119	69	35	14	19		1	1	48	3		
Iron County.....	193	193	118	20	79	17	1	1	75				
Isabella County.....	263	237	179	116	7	18	19	1	18	56	2	24	
Jackson County.....	334	333	290	187	22	27	29	2	23	39	4		
Kalamazoo County.....	301	300	254	179	25	15	12	2	21	44	2		
Kalkaska County.....	128	123	111	77	6	12	3	1	12	12		5	
Kent County.....	730	725	539	323	65	37	51	6	57	180	6	5	
Keweenaw County.....	97	97	68	13	41	10	1	2	1	29			
Lake County.....	47	46	36	25		2	3	1	5	9	1	1	
Leapeer County.....	442	441	319	185	46	39	22	6	21	115	7		
Leelanau County.....	170	155	103	56	22	14	1	2	8	52	1	14	
Lenawee County.....	538	535	458	321	34	34	40	5	24	75	2	3	
Livingston County.....	237	236	189	125	16	18	12	1	18	45	2	1	
Luce County.....	109	107	48	13	26	5	2		2	56	3	1	
Mackinac County.....	130	122	80	37	18	20	2	2	3	40	2	1	
Macomb County.....	497	495	325	195	65	36	16	3	10	166	4	2	
Manistee County.....	161	158	111	54	30	15	4	2	6	46	1	1	
Marquette County.....	278	277	142	27	93	19	2	1	133	2		2	
Mason County.....	253	244	175	74	48	24	16	1	12	65	4	9	
Mecosta County.....	252	250	186	108	23	18	14	2	21	56	8	2	
Menominee County.....	152	150	95	35	46	12			2	53	2	1	
Midland County.....	197	196	153	97	11	24	7		14	41	2	1	
Missaukee County.....	114	111	86	38	9	19	6	1	13	25		3	
Monroe County.....	422	421	328	210	53	32	13	3	17	84	9		
Montcalm County.....	446	444	354	231	25	29	27	3	39	86	4	2	
Montmorency County.....	49	49	33	15	10		2	2	4	14	2		
Muskegon County.....	214	214	129	69	23	10	6	2	19	80	5		
Newaygo County.....	210	209	168	98	19	16	8	3	24	37	4	1	
Oakland County.....	535	535	417	262	48	39	27	5	36	114	4		
Oceana County.....	206	199	155	90	7	23	16	3	16	41	3	7	
Ogemaw County.....	70	70	43	19	6	9	3	1	5	26	1		
Ontonagon County.....	91	91	51	21	20	6	1		3	39	1		
Osceola County.....	203	202	155	91	16	12	10	2	24	46	1	1	
Oscoda County.....	23	23	19	11	1	3	3		1	4			
Otsego County.....	79	79	64	32	16	12	2	1	1	15			
Ottawa County.....	398	397	236	121	57	39	8	2	9	158	3	1	
Presque Isle County.....	149	149	100	48	22	19	4	1	6	48	1		
Roscommon County.....	21	21	14	7	3	2	1		1	7			
Saginaw County.....	490	483	312	150	60	55	16	7	24	167	4	3	
St. Clair County.....	432	432	240	113	56	45	12	3	11	188	4	4	
St. Joseph County.....	374	373	320	241	18	15	16	5	25	52	1		
Sanilac County.....	374	374	206	88	48	63		2	5	165	3		
Schoolcraft County.....	107	105	69	32	15	12	3	1	6	34	2	2	
Shiawassee County.....	471	470	374	229	30	29	34	7	35	93	3	1	
Tuscola County.....	443	440	312	178	47	49	17	3	18	125	3	2	
Van Buren County.....	464	448	392	244	22	32	31	6	57	51	5	13	
Washtenaw County.....	447	430	321	213	47	27	20	2	12	107	2	17	
Wayne County.....	1,168	1,139	719	397	206	107	36	13	50	413	7	29	
Wexford County.....	267	264	218	150	20	18	9	5	16	42	4	2	
MINNESOTA.													
Total.....	14,456	14,400	8,313	3,178	3,005	1,423	246	78	383	5,851	236	18	38
Aitkin County.....	89	88	57	21	26	5		1	4	31		1	
Anoka County.....	155	154	88	39	24	10	5	2	8	60	6	1	
Becker County.....	176	173	110	32	38	36			4	61	2		3
Beltrami County.....	265	265	177	68	56	38	4	4	7	73	15		
Benton County.....	114	114	80	27	29	20	3			33	1		
Big Stone County.....	87	86	56	23	18	13		1	1	29	1	1	
Blue Earth County.....	172	172	99	44	25	7	3	4	16	71	2		
Brown County.....	218	218	117	45	39	29	1	4	2	98	3		
Carlton County.....	182	167	95	30	50	13	2			68	4		15
Carver County.....	172	172	84	44	24	14		1	1	87	1		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
MINNESOTA—continued.													
Cass County.....	79	79	58	25	17	8	2	2	4	18	3		
Chippewa County.....	122	122	63	21	22	12	4		4	56	3		
Chisago County.....	167	167	65	21	24	13		1	1	102			
Clay County.....	166	165	92	23	37	22	1	1	8	69	4	1	
Clearwater County.....	88	88	61	18	28	13	1		1	27			
Cook County.....	9	9	3		1	1			1	4	2		
Cottonwood County.....	114	114	77	27	28	20	2			37			
Crow Wing County.....	241	240	142	63	39	16	9	3	12	73	25	1	
Dakota County.....	255	255	152	46	62	29	5	4	6	94	9		
Dodge County.....	113	113	78	37	18	10	4		9	33	2		
Douglas County.....	177	175	85	32	33	14	1	1	4	90			2
Faribault County.....	199	199	129	69	31	10	8	2	9	70			
Filmore County.....	266	266	159	74	74	23	11	2	11	106	1		
Freeborn County.....	223	223	132	69	32	22	7		2	90	1		
Goodhue County.....	350	349	177	82	51	31	6	1	6	169	3	1	
Grant County.....	95	95	54	16	21	14	1		2	40	1		
Hennepin County.....	254	253	165	81	47	23	8		5	85	3		1
Houston County.....	138	138	59	27	19	8	3	1	2	79			
Hubbard County.....	93	93	80	49	14	9	6		3	9	4		
Isanti County.....	157	157	75	19	32	20	1		3	82			
Itasca County.....	187	184	100	36	42	15	2		5	66	18	2	1
Jackson County.....	162	162	100	47	34	14	3		2	61	1		
Kanabe County.....	65	65	31	8	17	4	1		1	33	1		
Kandiyohi County.....	174	174	83	33	30	15		1	4	90	1		
Kittson County.....	70	70	33	2	24	6	1			36	1		
Koochiching County.....	61	61	37	12	10	10	4		1	16	8		
Lac qui Parle County.....	124	124	74	16	35	23				50			
Lake County.....	114	112	51	9	28	9			5	59	2		2
Le Sueur County.....	195	195	114	70	25	10	6	1	2	81			
Lincoln County.....	70	70	36	13	15	6	1		1	34			
Lyon County.....	149	149	100	48	34	11	4		3	48	1		
McLeod County.....	176	176	80	37	20	14	1	2	6	96			
Mahnomen County.....	13	10	10	7	3								3
Marshall County.....	187	187	92	18	56	15	1		2	95			
Martin County.....	135	135	95	46	21	16	5	1	6	38	2		
Meeke County.....	170	170	81	33	33	14		1		89			
Mille Lacs County.....	89	89	56	23	18	7			3	33			
Morrison County.....	224	224	142	46	55	32	4		5	82			
Mower County.....	201	201	135	59	36	24	5	2	9	65	1		
Murray County.....	89	89	54	20	18	15		1		34	1		
Nicollet County.....	189	189	94	34	41	11		2	6	92	3		
Nobles County.....	114	114	70	43	16	8		1	2	44			
Norman County.....	110	110	62	16	28	17				48			
Olmsted County.....	505	505	304	131	66	36	16	7	48	179	22		
Otter Tail County.....	641	639	314	104	136	51	9	2	12	321	4	1	1
Pine County.....	130	129	75	25	37	8	1	1	3	52	2	1	
Pipestone County.....	77	77	49	21	11	9	2	1	5	28			
Polk County.....	369	368	212	48	96	54	6	2	6	145	11	1	
Pope County.....	129	129	75	30	24	18	1		2	53	1		
Ramsay County.....	83	83	55	21	20	11	3			25	3		
Red Lake County.....	154	153	88	21	38	23			1	65		1	
Redwood County.....	133	128	87	44	21	18	2		2	40	1	3	2
Renville County.....	184	184	97	34	38	17	1	1	6	87			
Rice County.....	329	329	215	99	66	31	4	2	13	109	5		
Rock County.....	79	79	56	18	24	11	2	1		23			
Roseau County.....	100	100	63	18	30	11	1		3	37			
St. Louis County.....	899	895	534	51	408	54	4	4	13	332	29		4
Scott County.....	154	154	73	24	26	15	1	2	5	81			
Sherburne County.....	75	75	40	18	8	7	2	2	3	33	2		
Sibley County.....	145	145	66	32	20	12			2	79			
Stearns County.....	352	351	218	85	57	54	12	5	5	129	4	1	
Steele County.....	158	158	89	36	27	12	5		8	67	2		
Stevens County.....	83	83	48	14	18	15			1	34	1		
Swift County.....	125	125	75	33	25	15	1		1	50			
Todd County.....	203	203	145	82	27	18	11		7	57	1		
Traverse County.....	50	50	31	12	13	5			1	19			
Wabasha County.....	207	204	100	49	21	10	6		14	101	3	2	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Including Pennington County, which was organized November 23, 1910.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—						
							Native.	Foreign born.			Both parents unknown.		
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
MINNESOTA—continued.													
Wadena County.....	84	84	59	29	18	9	2	1	25	1			
Waseca County.....	136	136	77	38	23	11		5	58	1			
Washington County.....	145	145	77	37	17	16	4	1	66	2			
Watsonwan County.....	83	83	48	23	17	7			35				
Wilkin County.....	100	100	55	22	17	11	2	3	40	5			
Winona County.....	142	142	77	36	25	9	4	3	65				1
Wright County.....	285	284	155	69	49	22	6	1	129				1
Yellow Medicine County.....	113	111	57	21	20	14		2	53	1			2
Total.....	2,472	2,434	1,627	736	354	194	87	20	639	168	12	26	
MONTANA.													
Beaverhead County.....	68	68	38	17	9	3	3	2	18	12			
Broadwater County.....	39	39	25	12	1	5	3	4	13	1			
Carbon County.....	135	135	102	50	32	9	4	7	32	1			
Cascade County.....	100	100	59	10	32	9		2	32	9			
Chouteau County.....	127	120	80	41	15	7	8	2	26	14	2	5	
Custer County.....	96	93	67	37	10	7	4	9	19	7	2	1	
Dawson County.....	111	111	81	40	11	8	3	16	22	8			
Dear Lodge County.....	98	96	46	8	9	7		22	46	4	1	1	
Fergus County.....	112	110	86	48	13	12	6	7	15	9		2	
Flathead County.....	218	212	156	84	21	21	6	1	47	9		6	
Gallatin County.....	128	126	102	65	10	7	5	14	18	6	1	1	
Granite County.....	26	26	14	7	1	4		2	11	1			
Jefferson County.....	62	61	38	13	7	4	2	12	14	9		1	
Lewis and Clark County.....	79	77	40	11	8	3	5	11	22	15	1	1	
Lincoln County.....	41	40	29	13	4	9		3	4	7		1	
Madison County.....	69	69	53	18	8	7	6	13	15	1			
Meagher County.....	25	25	15	9		4		2	9	1			
Missoula County.....	74	73	45	20	8	6	4	7	24	4		1	
Park County.....	133	133	98	45	17	12	7	16	26	9			
Powell County.....	56	52	31	14	5	6	1	5	17	4	2	2	
Ravalli County.....	95	94	79	50	7	2	7	12	13	2	1		
Rosebud County.....	24	24	17	12	1			4	5	2			
Sanders County.....	24	24	14	6	2	2	1	3	5	5			
Silver Bow County.....	280	277	135	22	88	14	5	4	135	7	2	1	
Sweet Grass County.....	26	26	16	12	2		1	1	9	1			
Teton County.....	53	52	41	18	6	6	2	8	10	1		1	
Valley County.....	70	69	50	22	7	10	3	7	11	8		1	
Yellowstone County.....	103	102	70	32	20	10	1	7	21	11		1	
Total.....	4,391	4,386	3,046	2,121	378	216	266	15	650	587	153	5	
NEW HAMPSHIRE.													
Belknap County.....	203	203	175	109	9	5	11	41	18	10			
Carroll County.....	293	293	264	166	7	10	27	53	16	13			
Cheshire County.....	358	358	302	169	51	15	17	50	49	7			
Coos County.....	259	258	208	89	25	25	19	49	40	10	1		
Grafton County.....	655	652	536	315	28	41	44	104	84	32	3		
Hillsborough County.....	566	566	460	285	46	21	35	72	88	18			
Merrimack County.....	568	568	452	268	44	23	34	83	91	25			
Rockingham County.....	703	703	591	361	64	36	33	93	91	21			
Strafford County.....	453	453	378	205	72	24	25	48	70	5			
Sullivan County.....	333	332	230	154	32	16	21	57	40	12	1		
Total.....	12,974	12,283	9,524	6,369	1,935	614	203	63	340	2,618	141	690	1
NEW JERSEY.													
Atlantic County.....	430	413	311	195	77	22	6	8	98	4	17		
Bergen County.....	1,383	1,325	896	453	282	116	14	10	413	16	58		
Burlington County.....	1,102	1,025	641	129	43	29	4	39	130	10	77		
Camden County.....	718	635	513	327	87	49	11	4	118	4	83		
Cape May County.....	294	269	241	196	22	10	4	1	23	5	25		
Cumberland County.....	417	379	304	224	39	14	9	17	68	7	38		
Essex County.....	667	633	468	252	151	39	8	14	160	5	34		
Gloucester County.....	494	440	373	293	37	20	8	13	63	4	54		
Hudson County.....	873	862	466	158	216	40	3	10	383	13	11		
Hunterdon County.....	489	483	441	388	25	10	8	10	37	5	6		
Mercer County.....	379	348	293	239	23	7	7	3	53	2	31		
Middlesex County.....	754	738	529	243	223	45	4	9	196	13	16		
Monmouth County.....	1,006	918	759	608	67	35	20	4	140	19	88		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

197

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES—Continued.													
NEW JERSEY—continued.													
Morris County.....	968	951	706	460	140	48	18	4	36	235	10	17
Ocean County.....	327	316	289	242	24	18	3	1	1	27	10
Passaic County.....	414	412	297	148	107	24	5	2	11	111	4	2
Salem County.....	357	310	283	245	5	6	19	8	27	47
Somerset County.....	518	487	390	268	76	30	6	10	91	6	31
Sussex County.....	374	372	317	251	42	8	7	9	48	7	2
Union County.....	573	540	393	250	111	22	7	3	142	5	33
Warren County.....	437	427	370	288	52	8	7	1	14	55	2	10
NEW YORK.													
Total.....	37,395	36,866	29,383	19,202	4,268	2,052	1,391	239	2,231	7,032	451	486	43
Albany County.....	514	512	431	317	78	18	7	2	9	75	6	2
Allegany County.....	622	619	597	389	35	20	45	4	64	57	5	3
Broome County.....	542	539	495	353	29	19	50	3	41	37	7	3
Cattaraugus County.....	716	705	575	373	53	37	36	6	70	118	12	7
Cayuga County.....	474	472	397	290	33	20	30	5	19	72	3	2
Chautauqua County.....	853	849	683	451	79	41	44	4	64	158	8	1
Chemung County.....	311	306	273	210	23	7	16	17	25	8	5
Chenango County.....	598	592	541	404	25	26	42	4	40	45	6	6
Clinton County.....	499	494	380	249	63	38	10	8	12	113	1	5
Columbia County.....	532	518	436	293	37	27	27	3	49	75	7	14
Cortland County.....	310	310	280	188	16	8	21	2	45	27	3
Delaware County.....	724	720	649	462	45	43	43	3	53	61	10	4
Dutchess County.....	1,262	1,224	909	583	159	64	33	6	64	298	17	38
Erie County.....	1,334	1,325	892	467	268	85	21	11	40	412	21	5
Essex County.....	547	547	453	280	79	31	27	7	29	88	6
Franklin County.....	817	800	657	379	110	93	32	11	32	136	7	3
Fulton County.....	208	208	182	120	12	10	15	5	24	24	2
Genesee County.....	391	388	292	199	50	14	8	5	16	92	4	2
Greene County.....	525	502	435	321	48	23	18	4	21	63	4	23
Hamilton County.....	56	56	49	36	1	4	3	5	4	3
Herkimer County.....	674	671	544	333	72	53	30	6	50	109	18	2
Jefferson County.....	885	880	751	484	81	79	36	6	65	124	5	4
Lewis County.....	373	373	296	211	32	25	5	1	22	76	1
Livingston County.....	613	601	466	264	91	32	16	1	62	125	10	12
Madison County.....	620	609	524	358	49	25	32	3	57	75	10	11
Monroe County.....	845	842	611	366	128	61	20	8	28	223	8	3
Montgomery County.....	447	443	365	270	41	14	16	2	22	64	14	4
Nassau County.....	1,130	1,078	801	471	229	64	14	3	20	271	6	52
Niagara County.....	392	388	266	152	52	28	11	2	21	111	6	2
Oneida County.....	831	828	634	357	138	58	33	3	45	189	5	2
Onondaga County.....	934	929	730	481	119	50	28	5	47	191	8	4
Ontario County.....	605	601	470	333	54	33	15	3	32	127	4	3
Orange County.....	1,221	1,185	940	642	156	54	30	6	52	233	12	35
Orleans County.....	500	496	366	224	58	33	17	2	32	128	2	4
Oswego County.....	581	581	498	317	27	21	44	8	81	81	2
Otsego County.....	844	841	760	573	38	31	49	7	62	64	17	3
Putnam County.....	266	262	188	140	19	10	5	1	13	60	14	4
Rensselaer County.....	527	523	431	275	66	38	26	1	25	87	5	4
Rockland County.....	666	635	474	291	99	39	14	6	25	154	7	31
St. Lawrence County.....	1,061	1,061	840	502	142	112	31	6	47	212	9
Saratoga County.....	822	819	666	416	128	43	27	7	45	149	4	3
Schenectady County.....	181	181	145	93	22	20	3	2	5	33	3
Schoharie County.....	394	387	367	318	11	8	19	1	10	16	4	7
Schuyler County.....	214	213	197	158	13	7	10	2	7	13	3	1
Seneca County.....	564	562	422	294	49	16	18	3	42	130	10	1
Stauben County.....	1,054	1,044	896	553	58	22	45	7	211	121	27	10
Suffolk County.....	2,080	1,978	1,249	700	294	106	25	15	109	705	19	75
Sullivan County.....	669	667	498	294	109	52	18	3	22	163	6	2
Tioga County.....	395	393	352	249	14	14	37	38	31	10	2
Tompkins County.....	303	302	283	232	8	13	11	19	14	5	1
Ulster County.....	983	962	787	561	120	40	36	6	24	164	11	21
Warren County.....	214	213	195	146	14	4	13	1	17	18
Washington County.....	793	791	647	417	92	46	30	8	54	134	10	2
Wayne County.....	765	762	605	406	73	54	38	1	33	151	6	3
Westchester County.....	1,397	1,345	904	486	263	88	22	8	37	417	24	52
Wyoming County.....	467	467	402	278	53	20	26	2	23	60	5
Yates County.....	280	277	247	193	13	11	13	17	29	1	3

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
NORTH CAROLINA. ²													
Total.....	3,677	2,167	2,131	1,860	16	22	113	2	118	12	24	1,510	
OHIO.													
Total.....	33,538	32,762	28,338	20,300	2,716	1,255	1,519	201	2,347	3,955	469	774	2
Adams County.....	266	266	251	199	6	2	22		22	13	2		
Allen County.....	310	310	266	211	16	10	16	2	11	38	6		
Ashland County.....	278	278	260	193	10	13	19	3	22	14	4		
Ashtabula County.....	600	599	555	361	53	23	29	9	60	56	8	1	
Athens County.....	729	707	577	418	32	15	28	2	82	38	92	22	
Auglaize County.....	385	384	320	230	41	19	7	2	21	61	3	1	
Belmont County.....	394	373	757	455	165	43	38	6	50	111	3	21	
Brown County.....	322	293	266	202	18	7	19	2	18	24	3	29	
Butler County.....	295	281	231	152	32	6	16	1	24	46	4	13	1
Carroll County.....	146	146	136	97	12	14	4	2	7	9	1		
Champaign County.....	351	332	305	238	13	1	26	1	26	23	4	19	
Clark County.....	220	207	192	151	5	7	14		15	14	1	13	
Clarmont County.....	416	406	359	242	18	9	41	1	48	42	5	10	
Clinton County.....	371	259	249	212	4	7	10	2	14	8	2	12	
Columbiana County.....	728	715	611	457	58	38	22	6	30	102	2	13	
Coshocton County.....	392	391	353	262	27	21	24	4	15	37	1	1	
Crawford County.....	408	408	313	213	53	26	11	1	9	92	3		
Cuyahoga County.....	813	804	518	279	158	43	14	6	18	279	7	9	
Darke County.....	518	514	474	369	28	13	28	3	33	35	5	4	
Defiance County.....	292	291	266	187	25	10	17	4	13	34	1	1	
Delaware County.....	335	325	294	241	8	11	15	1	18	29	2	9	1
Eric County.....	415	408	291	160	39	21	21	3	47	94	23	7	
Fairfield County.....	276	276	266	201	9	9	18	2	27	8	2		
Fayette County.....	260	236	226	195	4		15		12	7	3	24	
Franklin County.....	536	500	433	311	40	14	27	3	38	59	8	36	
Fulton County.....	258	258	216	132	18	16	19	4	27	34	8		
Gallia County.....	453	420	390	211	16	3	20		140	21	9	33	
Geauga County.....	190	190	157	116	14	5	13		9	32	1		
Greene County.....	410	352	326	267	12	11	17		19	24	2	58	
Guernsey County.....	374	371	341	238	46	12	20	2	23	30		3	
Hamilton County.....	954	867	653	401	108	53	26	10	55	209	5	87	
Hancock County.....	228	227	213	174	9	7	10	1	12	13	1		
Hardin County.....	409	404	375	286	18	20	21	1	29	26	3	5	
Harrison County.....	254	242	229	174	13	7	13	4	18	10	3	12	
Henry County.....	289	289	228	130	30	20	15	6	27	60	1		
Highland County.....	403	377	365	290	11	7	30		18	11	1	26	
Hocking County.....	320	313	300	242	21	6	16	2	13	12	1	7	
Holmes County.....	226	226	208	159	13	7	10	3	16	17	1		
Huron County.....	455	448	361	263	41	13	23		21	86	1	7	
Jackson County.....	432	423	392	307	24	11	23	4	23	27	4	9	
Jefferson County.....	555	541	431	251	132	20	7	2	19	108	2	14	
Knox County.....	429	421	396	300	23	16	25		32	25		8	
Lake County.....	340	333	274	171	49	13	13	2	21	54	5	7	
Lawrence County.....	327	319	305	262	9	1	16		17	12	2	8	
Licking County.....	391	390	371	291	13	9	28	3	27	18	1	1	
Logan County.....	356	342	328	278	9	14	13	1	13	14		14	
Lorain County.....	381	370	275	170	53	21	12	2	17	88	7	11	
Lucas County.....	289	288	223	138	40	14	12	4	15	61	4	1	
Madison County.....	222	211	186	155	3	7	12		9	22	3	11	
Mahoning County.....	531	528	416	205	135	17	21	7	31	103	9	3	
Marion County.....	172	172	146	106	13	5	6	1	15	22	4		
Medina County.....	272	270	235	182	25	9	4	4	11	31	4	2	
Meigs County.....	339	323	301	228	13	11	25	1	23	18	4	16	
Mercer County.....	340	337	284	190	34	16	15	1	28	48	5	3	
Miami County.....	379	365	332	264	8	13	23	3	21	31	2	14	
Monroe County.....	250	250	217	163	18	6	10	5	15	23	10		
Montgomery County.....	755	733	627	385	33	21	36	3	149	76	30	22	
Morgan County.....	206	202	198	152	9	11	6	1	19	4		4	
Morrow County.....	190	189	183	139	3	14	10	1	16	6		1	
Muskingum County.....	372	366	359	283	13	15	13	2	13	27		6	
Noble County.....	234	232	215	165	25	11	5		9	17		2	
Ottawa County.....	280	280	167	86	50	14	6	2	9	104	9		
Paulding County.....	249	244	229	164	13	13	13	1	25	14	1	5	
Perry County.....	400	394	348	262	32	17	13	4	20	44	2	6	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent un-known, the other—				Both parents un-known.		
							Native.	Foreign born.					
OHIO—continued.													
Pickaway County.....	360	343	319	250	7	9	15	3	35	20	4	17	
Pike County.....	212	201	188	157	9	2	11	2	7	9	4	11	
Portage County.....	460	457	385	278	46	9	27	1	24	69	3	3	
Preble County.....	277	268	244	208	12	3	17		4	23	1	9	
Putnam County.....	348	347	301	215	27	20	16	1	22	43	3	1	
Richland County.....	318	317	284	217	17	14	16	1	19	29	4	1	
Ross County.....	350	333	315	258	7	4	24		22	15	3	17	
Sandusky County.....	378	376	312	213	40	17	14	2	26	63	1	2	
Scioto County.....	362	358	337	277	12	11	11	2	24	19	2	4	
Seneca County.....	360	360	313	238	31	8	14		22	46	1	1	
Shelby County.....	285	282	249	176	17	14	13	3	26	31	2	3	
Stark County.....	644	640	469	275	61	20	21		92	119	52	4	
Summit County.....	546	542	437	288	60	32	24	3	30	96	9	4	
Trumbull County.....	591	591	464	304	93	30	16	1	20	120	7	1	
Tuscarawas County.....	599	594	458	338	62	29	14	3	42	103	3	5	
Union County.....	290	287	275	223	9	8	14	2	19	10	2	3	
Van Wert County.....	336	329	298	224	15	11	12	1	35	24	7	7	
Vinton County.....	186	185	179	136	4	5	12	1	21	3	3	1	
Warren County.....	321	312	286	219	10	16	20		21	22	4	9	
Washington County.....	388	370	325	234	17	17	28	4	25	42	3	18	
Wayne County.....	476	475	422	309	41	26	12	5	29	49	4	1	
Williams County.....	291	291	264	191	14	15	14	6	24	25	2	2	
Wood County.....	560	558	466	306	61	39	19	6	35	90	2	2	
Wyandot County.....	230	230	199	141	21	8	9	1	19	30	1		
PENNSYLVANIA.													
Total.....	57,880	56,828	47,804	29,801	10,858	2,892	1,664	354	2,235	8,573	451	1,044	8
Adams County.....	428	422	414	339	9	10	22		34	5	3	6	
Allegheny County.....	5,384	5,236	3,801	1,555	1,565	413	74	45	149	1,373	62	147	1
Armstrong County.....	914	902	782	559	130	38	21	5	29	113	7	12	
Beaver County.....	956	922	824	529	215	48	21	9	39	149	17	34	
Bedford County.....	424	415	398	311	23	12	27	3	22	14	3	9	
Berks County.....	1,268	1,262	1,211	1,123	22	16	20	1	29	46	5	6	
Blair County.....	716	704	657	514	47	37	31	7	21	43	4	12	
Bradford County.....	843	837	774	566	46	29	54	5	74	61	2	6	
Bucks County.....	1,059	1,022	892	684	85	41	29	6	47	121	9	37	
Butler County.....	642	642	554	323	133	40	26	10	22	86	2		
Cambria County.....	1,532	1,526	1,240	535	524	115	30	6	30	280	-6	6	
Cameron County.....	90	89	76	58	9	1	4		4	13		1	
Carbon County.....	857	857	670	385	216	49	7	1	12	176	11		
Center County.....	575	573	485	393	48	25	24	1	34	45	3	2	
Chester County.....	1,142	1,013	891	669	93	47	30	4	48	112	10	128	1
Clarion County.....	453	452	409	300	34	23	26	3	23	42	1	1	
Clearfield County.....	1,043	1,039	855	488	200	81	29	13	44	173	11	4	
Clinton County.....	410	408	370	276	39	18	19		13	34	4	2	
Columbia County.....	617	613	559	413	68	22	21	4	31	52	2	4	
Crawford County.....	739	734	650	460	49	35	41	3	57	78	6	5	
Cumberland County.....	569	556	543	448	8	14	31	2	40	6	7	13	
Dauphin County.....	938	940	851	675	90	30	23	2	31	83	6	28	
Delaware County.....	1,086	970	796	533	132	65	28	8	30	167	7	115	
Elk County.....	412	411	314	144	116	26	10	4	14	93	4	1	
Erie County.....	698	697	535	386	55	34	42	8	60	102	10	1	
Fayette County.....	2,179	2,102	1,752	733	830	95	42	14	38	322	28	77	
Forest County.....	85	85	71	48	9	2	3		9	14			
Franklin County.....	771	740	702	557	34	27	33	4	42	36	2	31	
Fulton County.....	126	124	120	103	4	4	4		7	3	1	2	
Greene County.....	380	372	364	320	6	10	13	1	14	6	2	8	
Huntingdon County.....	451	448	420	337	22	17	25	2	17	22	6	3	
Indiana County.....	915	912	794	438	257	44	27	2	26	114	4	3	
Jefferson County.....	852	851	716	415	194	48	23	3	33	131	4	1	
Juniata County.....	186	186	181	155	2	8	5	1	10	3	2		
Lackawanna County.....	1,395	1,391	993	294	532	113	16	6	32	393	5	4	
Lancaster County.....	1,500	1,469	1,391	1,250	25	20	61	2	33	66	12	31	
Lawrence County.....	442	440	375	220	87	18	16	7	27	57	8	2	
Lebanon County.....	570	566	549	462	25	5	33	2	22	13	4	4	
Lehigh County.....	1,036	1,035	891	696	136	22	15	5	17	137	7	1	
Luzerne County.....	3,169	3,160	2,329	779	1,197	236	33	20	59	316	15	7	

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
PENNSYLVANIA—continued.													
Lycoming County.....	556	552	506	391	23	29	27	4	32	44	2	4	
McKean County.....	414	411	307	194	41	26	19	3	24	97	7	3	
Mercer County.....	759	752	686	411	94	53	20	14	44	105	11	7	
Mifflin County.....	373	370	358	305	9	7	19	2	16	10	2	3	
Monroe County.....	341	341	314	272	12	10	7	2	11	25	2		
Montgomery County.....	1,698	1,606	1,335	953	214	70	32	10	56	249	22	92	
Montour County.....	300	296	242	139	9	8	10	3	73	44	10	4	
Northampton County.....	1,105	1,100	942	660	196	37	21	3	25	155	3	5	
Northumberland County.....	868	863	750	492	186	26	24	5	17	107	6	5	
Perry County.....	356	355	348	285	4	9	24	4	22	5	2	1	
Pike County.....	117	115	83	67	8	4	2	1	1	31	1	2	
Potter County.....	409	406	343	224	32	16	26	5	40	55	8	1	
Schuylkill County.....	2,470	2,469	1,908	990	704	138	25	9	40	569	4	1	
Snyder County.....	246	246	245	214		2	12		17	1			
Somerset County.....	890	887	775	489	203	41	21	5	16	105	7	3	
Sullivan County.....	123	123	102	66	18	3	8		7	19	2		
Susquehanna County.....	649	643	528	317	109	34	33	3	32	108	7	6	
Tioga County.....	570	569	484	313	37	36	40	4	54	82	3	1	
Union County.....	184	183	182	141	3	1	17	1	19		1	1	
Venango County.....	540	531	474	326	32	33	26	7	50	47	10	9	
Warren County.....	476	473	368	170	45	18	21	4	110	100	5	2	
Washington County.....	2,002	1,919	1,551	713	597	124	49	15	53	359	9	83	
Wayne County.....	415	415	316	205	49	19	21	6	16	91	8		
Westmoreland County.....	2,853	2,812	2,274	1,071	883	184	50	15	71	525	13	41	
Wyoming County.....	232	231	214	151	13	8	15	2	25	15	2	1	
York County.....	1,052	1,037	1,000	874	23	18	46	3	36	35	2	15	
RHODE ISLAND.													
Total.....	1,734	1,694	1,328	750	395	119	19	4	41	347	19	40	
Bristol County.....	327	323	248	90	123	23	3		9	67	8	4	
Kent County.....	191	187	163	111	30	15	2	1	4	24		4	
Newport County.....	192	188	163	96	57	5	2		3	24	1	4	
Providence County.....	623	622	442	217	146	64	4	2	9	177	3	1	
Washington County.....	401	374	312	236	39	12	8	1	16	55	7	27	
UTAH.													
Total.....	2,519	2,496	1,700	982	342	246	40	12	78	744	52	5	
Beaver County.....	42	42	29	17	3	6	1		2	11	2		
Boxelder County.....	122	119	79	47	16	14	1		1	33	7	3	
Cache County.....	211	211	139	72	37	24	1	2	3	72			
Carbon County.....	97	95	64	29	19	5	6	1	4	31		2	
Davis County.....	106	106	73	45	11	12	2		3	32	1		
Emery County.....	43	43	32	19	7	5		1		11			
Garfield County.....	27	27	24	13	3	4			4	3			
Grand County.....	12	12	10	5	2	1	1		1	1	1		
Iron County.....	41	40	29	15	9	4	1			11		1	
Juab County.....	116	115	74	40	19	12	2		1	37	4	1	
Kane County.....	18	18	18	17	1								
Millard County.....	51	51	40	28	5	2	1		4	11			
Morgan County.....	15	15	11	6	3	1			1	4			
Piute County.....	10	10	8	6					2	2			
Rich County.....	21	21	16	10	2	1	1		2	5			
Salt Lake County.....	378	372	214	99	60	31	8	5	11	145	13	3	
San Juan County.....	7	6	6	6								1	
Sanpete County.....	195	195	131	74	22	23	3	1	3	64			
Sevier County.....	86	86	63	44	10	6			3	23			
Summit County.....	112	112	69	27	21	15	1		5	43			
Tooele County.....	100	100	74	32	19	16	2	1	4	23	3		
Uinta County.....	64	58	50	32	5	3	6		5	5	3	6	
Utah County.....	404	403	281	176	51	40	2	1	11	105	17	1	
Wasatch County.....	85	84	61	49	6	3			3	22	1	1	
Washington County.....	49	49	41	29	3	6			3	8			
Wayne County.....	9	9	7	6		1				2			
Weber County.....	98	97	57	39	8	6	1		3	40			

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR, NATIVITY, AND PARENT NATIVITY.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES ¹ —Continued.													
VERMONT.													
Total.....	4,936	4,903	4,102	2,589	413	311	282	40	467	731	70	26	1
Addison County.....	304	304	260	174	26	17	11	1	31	41	3	2
Bennington County.....	304	302	269	172	21	16	22	2	36	30	3	2
Caledonia County.....	399	398	324	191	33	37	20	3	40	73	1	1
Chittenden County.....	344	332	258	137	44	30	15	4	28	65	9	12
Essex County.....	84	84	57	35	7	5	2	8	23	4
Franklin County.....	418	415	312	176	42	41	17	6	30	99	4	3
Grand Isle County.....	46	46	37	25	3	5	1	1	2	9
Lamoille County.....	189	189	170	117	8	6	10	3	26	15	4
Orange County.....	337	335	301	223	17	10	16	1	34	33	1	2
Orleans County.....	363	362	282	140	30	49	25	5	33	76	4	1
Rutland County.....	549	545	425	265	78	21	30	2	29	114	6	4
Washington County.....	491	491	414	237	50	32	34	5	56	61	16
Windham County.....	512	512	456	317	23	10	34	5	67	48	8
Windsor County.....	590	588	537	380	31	32	45	2	47	44	7	1	1
WASHINGTON.													
Total.....	5,699	5,385	3,797	2,029	557	372	249	49	541	1,266	322	35	279
A.Gams County.....	90	90	67	37	16	8	2	4	18	5
Asotin County.....	51	51	48	34	4	3	2	5	3
Benton County.....	70	68	44	25	5	6	3	5	11	13	2
Chehalis County.....	192	189	136	77	21	11	11	2	14	45	8	3
Chelan County.....	151	148	116	81	4	15	3	1	12	23	9	3
Clallam County ²	87	58	37	19	4	2	3	9	15	6	29
Clarke County.....	237	235	174	83	17	14	17	6	37	47	14	2
Columbia County.....	73	73	60	32	3	2	4	3	16	10	3
Cowlitz County.....	98	94	62	39	5	7	1	10	18	14	2	2
Douglas County.....	39	39	32	23	1	3	2	2	4	3
Ferry County ³	39	19	15	5	4	2	4	3	1	20
Franklin County.....	33	32	17	7	4	2	4	10	5	1
Garfield County.....	50	50	47	30	2	2	5	2	6	1	2
Grant County.....	34	34	23	17	2	4	9	2
Island County.....	32	29	23	7	6	4	2	4	5	1	1	2
Jefferson County.....	89	84	44	14	7	6	4	13	34	6	5
King County.....	535	509	286	140	54	34	18	3	37	170	53	5	21
Kitsap County.....	129	118	67	27	8	6	1	2	23	47	4	11
Klittitas County.....	223	217	155	53	68	14	7	1	12	44	18	6
Klickitat County.....	62	62	47	27	6	7	3	4	8	7
Lewis County.....	336	330	250	148	26	15	27	5	29	63	17	1	5
Lincoln County.....	133	123	102	56	19	16	4	2	5	21	1	9
Mason County.....	51	38	27	13	3	4	4	1	2	9	2	13
Okanogan County ⁴	122	90	70	44	6	6	5	9	13	7	32
Pacific County.....	73	71	53	24	9	6	6	8	15	3	2
Pierce County.....	493	468	306	133	73	32	16	1	51	147	15	4	21
San Juan County.....	31	29	20	10	3	5	2	7	2	2
Skagit County ⁴	260	239	164	94	29	13	9	19	67	8	2	19
Skamania County.....	25	22	16	5	4	2	3	1	6	1	2
Snohomish County.....	329	326	196	94	31	30	9	1	31	101	29	2	1
Spokane County.....	338	335	226	113	22	18	13	1	59	94	15	3
Stevens County.....	178	172	135	72	16	14	9	4	20	28	9	6
Thurston County.....	179	175	131	75	22	8	14	1	11	37	7	4
Wahkiakum County.....	10	9	4	1	1	1	1	5	1
Walla Walla County.....	81	78	60	40	4	3	4	9	13	5	2	1
Whatcom County.....	204	197	140	74	21	17	5	4	19	53	4	7
Whitman County.....	261	260	216	130	16	17	23	5	25	35	9	1
Yakima County ⁵	281	224	181	126	15	16	8	1	15	7	16	2	55

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Including Makah, Ozette, and Quillayute Indian Reservations.
³ Including part of Colville Indian Reservation.
⁴ Including Swinomish Indian Reservation.
⁵ Including Yakima Indian Reservation.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1910—Continued.

[The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states."]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, and Japanese.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—				Both parents unknown.		
							Native.	Foreign born.					
RURAL PART OF REGISTRATION STATES—Continued.		WISCONSIN.											
Total.....	17,751	17,622	10,799	5,158	2,982	1,458	299	106	796	6,620	203	28	101
Adams County.....	90	90	70	44	11	5	3	1	6	20
Ashland County.....	124	95	54	16	25	8	2	3	37	29
Barron County.....	312	310	200	85	67	32	9	1	6	109	4	1	1
Bayfield County.....	168	162	113	30	51	21	2	3	6	46	3	6
Brown County.....	339	329	180	90	47	38	2	1	2	148	1	3	7
Buffalo County.....	157	157	93	55	18	14	2	4	62	2
Burnett County.....	88	87	52	24	14	13	1	35	1
Calumet County.....	162	159	86	40	31	12	3	72	1	1	2
Chippewa County.....	431	430	294	109	78	42	5	2	58	130	6	1
Clark County.....	255	255	176	93	36	28	4	2	13	79
Columbia County.....	394	394	242	124	53	33	13	1	18	147	5
Crawford County.....	191	191	125	80	23	7	3	2	10	64	2
Dane County.....	621	619	356	159	101	57	6	3	30	253	10	2
Dodge County.....	523	523	270	133	91	28	5	13	244	9
Door County.....	183	183	113	57	27	22	2	3	2	69	1
Douglas County.....	44	38	27	10	12	4	1	11	6
Dunn County.....	243	243	148	77	48	12	2	9	95	5
Eau Claire County.....	125	125	72	38	17	8	2	7	53
Florence County.....	26	26	16	6	8	2	10
Fond du Lac County.....	364	364	215	114	58	20	8	1	14	141	8
Forest County.....	64	64	52	32	7	4	1	1	7	8	4
Grant County.....	433	430	286	169	57	27	11	2	20	144	3
Green County.....	212	211	144	80	32	17	5	10	64	3	1
Green Lake County.....	172	172	107	62	25	10	2	4	4	64	1
Iowa County.....	231	230	140	80	40	14	3	3	88	2	1
Iron County.....	80	80	52	7	37	7	1	25	3
Jackson County.....	168	167	102	53	20	15	4	10	64	1	1
Jefferson County.....	401	401	222	115	62	28	7	2	8	179
Juneau County.....	236	236	155	87	40	11	7	3	7	78	3
Kenosha County.....	110	110	66	28	20	14	4	42	2
Kewaunee County.....	186	185	100	56	27	12	1	4	85	1
La Crosse County.....	154	154	75	34	19	10	1	1	10	78	1
Lafayette County.....	197	197	124	57	40	14	5	8	73
Langlade County.....	155	155	112	62	30	15	2	3	43
Lincoln County.....	217	217	158	71	46	31	4	6	57	2
Manitowoc County.....	313	313	162	90	51	19	2	150	1
Marathon County.....	446	446	297	140	81	65	4	4	3	148	1
Marquette County.....	177	177	119	42	53	14	1	3	6	58
Marquette County.....	134	134	74	38	21	11	4	59	1
Milwaukee County.....	1,323	1,317	758	181	285	93	21	10	168	526	33	6
Monroe County.....	363	361	252	123	53	23	15	2	36	106	3	1	1
Oconto County.....	255	251	152	62	49	28	4	2	7	96	3	3	1
Oneida County.....	111	109	75	33	23	14	1	2	2	28	6	2
Outagamie County.....	337	333	196	106	54	29	3	4	135	2	4
Ozaukee County.....	150	149	65	31	24	10	83	1	1
Pepin County.....	72	72	38	21	5	7	2	2	1	33	1
Pierce County.....	247	247	141	70	35	16	6	14	102	4
Polk County.....	190	188	117	41	38	26	3	3	6	71	2
Portage County.....	374	374	251	114	83	39	7	1	7	122	1
Price County.....	99	99	57	17	24	11	2	3	39	3
Racine County.....	256	256	133	64	43	18	2	4	2	120	3
Richland County.....	186	186	157	118	8	6	5	20	27	2
Rock County.....	297	297	186	102	43	14	5	2	20	107	4
Rusk County.....	98	96	73	42	14	6	4	2	5	18	5	2
St. Croix County.....	280	280	134	57	31	27	5	3	11	145	1
Sauk County.....	371	371	221	118	44	23	14	1	21	148	2
Sawyer County.....	69	67	36	16	9	3	2	1	5	19	2	12
Shawano County.....	306	286	171	70	59	35	3	4	114	1	20
Sheboygan County.....	295	295	166	83	48	26	3	1	5	127	2
Taylor County.....	113	113	61	25	18	10	3	1	4	51	1
Trempealeau County.....	227	227	111	56	34	17	1	3	116
Vernon County.....	309	308	212	136	27	25	6	2	15	93	3	1
Vilas County.....	38	38	23	10	9	1	1	2	13	2
Walworth County.....	361	361	262	164	45	21	10	5	17	93	6
Washburn County.....	84	82	69	34	12	17	3	3	13	2
Washington County.....	243	243	134	65	47	18	1	3	108	1
Waukesha County.....	502	501	299	142	80	46	8	6	17	192	10	1
Waupaca County.....	405	404	244	116	50	30	11	6	31	158	2	1
Waushara County.....	177	177	131	76	19	10	8	18	44	2
Winnebago County.....	406	404	243	107	87	26	5	2	16	151	10	2
Wood County.....	276	276	182	71	58	40	8	2	3	90	4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part"

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
SUMMARY.												
1 The registration area (total).....	805,412	154,373	33,080	14,727	8,808	6,331	217,319	17,943	11,736	19,772	30,216	32,741
2 White.....	753,308	144,650	30,683	13,652	8,236	5,935	203,156	16,854	10,737	17,658	26,844	29,124
3 Colored.....	52,104	9,723	2,397	1,075	572	396	14,163	1,089	999	2,114	3,372	3,617
4 Registration states ¹ (total).....	703,608	136,350	28,978	12,746	7,657	5,485	191,216	15,666	10,180	16,713	25,201	27,251
5 White.....	673,203	130,221	27,404	12,109	7,323	5,245	182,302	15,013	9,585	15,547	23,477	25,339
6 Colored.....	30,405	6,129	1,574	637	334	240	8,914	653	595	1,166	1,724	1,912
7 Cities in registration states ¹ (total).....	400,305	82,168	17,983	7,741	4,658	3,270	115,820	9,187	5,445	9,333	14,933	17,114
8 White.....	379,543	78,008	16,974	7,340	4,419	3,115	109,856	8,768	5,097	8,633	13,757	15,705
9 Colored.....	20,762	4,160	1,009	401	239	155	5,964	419	348	700	1,176	1,409
10 Rural part of registration states (total).....	303,303	54,182	10,995	5,005	2,999	2,215	75,396	6,479	4,735	7,380	10,268	10,137
11 White.....	293,660	52,213	10,430	4,769	2,904	2,130	72,446	6,245	4,488	6,914	9,720	9,634
12 Colored.....	9,643	1,969	565	236	95	85	2,950	234	247	466	548	503
13 Registration cities in other states (total).....	101,804	18,023	4,102	1,981	1,151	846	26,103	2,277	1,556	3,059	5,015	5,490
14 White.....	80,105	14,429	3,279	1,543	913	690	20,854	1,841	1,152	2,111	3,367	3,785
15 Colored.....	21,699	3,594	823	438	238	156	5,249	436	404	948	1,648	1,705
16 All registration cities ¹ (total).....	502,109	100,191	22,085	9,722	5,809	4,116	141,923	11,464	7,001	12,392	19,948	22,604
17 White.....	459,648	92,437	20,233	8,883	5,332	3,805	130,710	10,609	6,249	10,744	17,124	19,490
18 Colored.....	42,461	7,754	1,852	839	477	311	11,213	855	752	1,648	2,824	3,114
REGISTRATION STATES.												
19 California (total).....	32,401	3,720	747	370	246	180	5,263	508	367	742	1,244	1,621
20 White.....	30,685	3,480	708	350	229	170	4,937	486	351	692	1,170	1,503
21 Colored.....	1,716	240	39	20	17	10	326	22	16	50	74	118
22 Colorado (total).....	11,069	1,789	334	155	106	83	2,467	243	194	384	670	765
23 White.....	10,730	1,753	323	155	106	82	2,419	239	185	376	643	734
24 Colored.....	339	36	11	11	106	1	48	4	9	8	27	31
25 Connecticut (total).....	17,498	3,476	620	287	184	136	4,703	366	228	345	501	537
26 White.....	17,120	3,416	599	276	182	131	4,604	357	223	328	492	529
27 Colored.....	378	60	21	11	2	5	99	9	5	17	9	8
28 Indiana (total).....	36,448	5,996	1,434	642	353	270	8,695	772	588	1,046	1,545	1,401
29 White.....	35,011	5,777	1,367	618	341	258	8,361	743	562	974	1,442	1,318
30 Colored.....	1,437	219	67	24	12	12	334	29	26	72	103	83
31 Maine (total).....	12,726	2,108	382	150	115	82	2,837	252	186	271	353	367
32 White.....	12,703	2,107	382	150	115	82	2,836	252	185	270	352	366
33 Colored.....	23	1	1	1	1	1	1	1	1	1	1	1
34 Maryland (total).....	20,805	4,239	849	382	190	148	5,808	417	364	602	800	838
35 White.....	15,458	2,975	571	248	128	106	4,028	296	235	365	499	550
36 Colored.....	5,347	1,264	278	134	62	42	1,780	121	129	237	301	288
37 Massachusetts (total).....	54,301	11,377	2,151	843	575	387	15,333	1,093	679	1,003	1,562	1,774
38 White.....	53,455	11,235	2,108	833	565	376	15,117	1,078	661	978	1,523	1,713
39 Colored.....	846	142	43	10	10	11	216	15	18	25	39	61
40 Michigan (total).....	39,888	7,912	1,378	613	394	296	10,593	926	626	1,025	1,465	1,338
41 White.....	39,262	7,816	1,359	604	389	293	10,461	906	608	989	1,435	1,357
42 Colored.....	626	96	19	9	5	3	132	20	18	36	30	31
43 Minnesota (total).....	22,649	4,261	804	446	275	210	5,996	769	531	759	1,037	1,000
44 White.....	22,470	4,233	799	437	274	209	5,952	767	528	754	1,026	987
45 Colored.....	179	28	5	9	1	1	44	2	3	5	11	13
46 Montana (total).....	3,999	714	139	54	49	37	992	142	87	130	228	236
47 White.....	3,909	706	137	53	48	37	981	140	85	128	223	275
48 Colored.....	90	8	2	1	1	1	12	2	2	2	5	11
49 New Hampshire (total).....	7,452	1,373	179	82	54	50	1,738	126	75	124	196	195
50 White.....	7,438	1,372	178	80	54	50	1,734	126	75	124	196	195
51 Colored.....	14	1	1	2	1	1	4	1	1	1	1	1
52 New Jersey (total).....	39,504	8,363	1,719	764	476	300	11,622	919	573	868	1,290	1,431
53 White.....	37,422	7,858	1,589	715	445	282	10,889	874	525	799	1,190	1,325
54 Colored.....	2,082	505	130	49	31	18	733	45	48	69	100	106
55 New York (total).....	147,678	27,503	6,453	2,930	1,737	1,141	39,764	3,141	1,888	3,080	4,884	5,590
56 White.....	144,144	26,784	6,238	2,860	1,690	1,108	38,680	3,068	1,826	2,970	4,680	5,345
57 Colored.....	3,534	719	215	70	47	33	1,084	73	62	110	204	245
58 North Carolina ² (total).....	6,752	1,330	484	191	88	73	2,166	127	127	285	423	379
59 White.....	3,728	704	260	101	51	46	1,162	58	61	130	189	171
60 Colored.....	3,024	626	224	90	37	27	1,004	69	66	155	234	208
61 Ohio (total).....	65,459	11,445	2,464	1,043	561	450	15,963	1,275	887	1,618	2,380	2,496
62 White.....	63,194	11,089	2,382	1,014	540	438	15,463	1,227	844	1,530	2,250	2,350
63 Colored.....	2,265	356	82	29	21	12	500	48	43	88	130	146
64 Pennsylvania (total).....	119,815	28,377	6,639	2,758	1,570	1,151	40,495	2,975	1,637	2,684	4,097	4,538
65 White.....	115,094	27,313	6,327	2,650	1,513	1,107	38,910	2,863	1,605	2,522	3,857	4,236
66 Colored.....	4,721	1,064	312	108	57	44	1,585	112	82	162	240	302
67 Rhode Island (total).....	9,305	2,129	454	180	102	74	2,939	180	115	208	229	322
68 White.....	9,051	2,070	446	173	99	72	2,860	177	115	203	226	313
69 Colored.....	254	59	8	7	3	2	79	3	3	3	3	9

¹ Including District of Columbia.

DEATHS BY COLOR AND AGE OF DECEDENT.

205

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															100 or over.	Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
32,731	35,665	35,523	37,412	40,958	40,582	46,021	50,630	50,500	45,500	33,372	18,029	6,175	1,427	372	738	1
29,282	32,136	32,280	34,396	37,974	38,290	43,727	48,756	49,074	44,534	32,623	17,635	5,970	1,314	246	698	2
3,449	3,529	3,243	3,016	2,984	2,292	2,294	1,874	1,426	966	749	394	205	113	126	90	3
27,389	29,886	29,891	31,405	34,822	35,189	40,564	45,266	45,755	41,654	30,733	16,759	5,754	1,304	303	707	4
25,558	27,931	28,087	29,760	33,153	33,856	39,218	44,075	44,812	41,041	30,229	16,494	5,622	1,232	226	646	5
1,831	1,955	1,804	1,645	1,669	1,333	1,346	1,191	943	613	504	265	132	72	77	61	6
17,727	19,579	19,746	20,219	21,999	21,114	23,116	23,692	21,681	17,909	12,416	6,318	2,125	478	145	209	7
16,342	18,110	18,344	18,982	20,717	20,163	22,214	22,941	21,137	17,588	12,174	6,192	2,088	440	108	197	8
1,385	1,469	1,402	1,227	1,282	951	902	751	544	321	242	126	57	38	37	12	9
9,662	10,307	10,145	11,186	12,823	14,075	17,448	21,574	24,074	23,745	18,317	10,441	3,629	826	158	498	10
9,216	9,821	9,743	10,768	12,436	13,693	17,004	21,134	23,675	23,453	18,055	10,302	3,554	792	118	449	11
446	486	402	418	387	382	444	440	399	262	262	139	75	34	40	49	12
5,342	5,779	5,632	6,007	6,136	5,393	5,457	5,364	4,745	3,846	2,639	1,270	421	123	69	81	13
3,724	4,205	4,193	4,636	4,821	4,434	4,509	4,681	4,262	3,493	2,394	1,141	348	82	20	52	14
1,618	1,574	1,439	1,371	1,315	959	948	683	483	353	245	129	73	41	49	29	15
23,069	25,858	25,273	26,226	28,135	26,507	28,573	29,056	26,426	21,755	15,055	7,588	2,546	601	214	290	16
20,066	22,315	22,537	23,628	25,538	24,597	26,723	27,622	25,399	21,081	14,568	7,333	2,416	522	128	249	17
3,003	3,043	2,841	2,598	2,597	1,910	1,850	1,434	1,027	674	487	255	130	79	86	41	18
1,682	1,819	1,818	1,936	2,079	1,805	2,194	2,340	2,272	2,048	1,589	766	211	66	14	17	19
1,587	1,680	1,696	1,805	1,899	1,688	2,060	2,278	2,212	2,031	1,569	756	200	60	11	14	20
95	139	122	131	180	117	134	62	60	17	20	10	11	6	3	3	21
827	870	845	879	912	842	942	930	845	757	589	274	124	49	10	7	22
786	830	810	861	911	830	930	919	805	700	569	269	122	48	9	6	23
41	40	35	18	21	12	11	11	5	8	5	2	1	1	1	1	24
661	783	756	712	838	870	1,076	1,170	1,298	1,086	845	463	155	43	9	53	25
640	763	729	698	809	838	1,054	1,149	1,284	1,077	833	460	153	40	8	52	26
21	20	27	14	29	32	22	21	14	9	12	3	2	3	1	1	27
1,320	1,330	1,337	1,474	1,651	1,821	2,199	2,524	2,777	2,699	1,916	943	301	75	14	24	28
1,241	1,233	1,260	1,388	1,558	1,755	2,127	2,453	2,726	2,654	1,887	930	293	69	11	21	29
30	97	77	86	93	66	72	71	51	35	29	13	8	6	3	3	30
337	389	411	441	563	590	717	973	1,083	1,176	939	542	199	74	2	24	31
333	387	410	439	563	588	715	972	1,082	1,175	938	542	199	73	2	24	32
4	2	1	2	2	2	2	1	1	1	1	1	1	1	1	1	33
835	886	854	909	1,056	1,076	1,248	1,357	1,296	1,100	751	375	136	36	14	47	34
586	609	589	656	798	882	1,021	1,126	1,099	1,000	637	323	104	24	3	28	35
249	277	265	253	253	194	227	231	197	100	114	52	32	12	11	19	36
1,940	2,167	2,286	2,324	2,702	2,782	3,417	3,754	3,647	3,320	2,454	1,392	502	161	23	46	37
1,887	2,117	2,218	2,265	2,652	2,740	3,375	3,722	3,625	3,297	2,438	1,384	500	99	22	44	38
53	50	68	59	50	42	42	32	22	23	16	8	2	2	1	2	39
1,225	1,333	1,297	1,567	1,774	1,902	2,304	2,773	2,987	2,894	2,084	1,169	405	84	24	43	40
1,190	1,301	1,272	1,531	1,739	1,880	2,270	2,737	2,955	2,871	2,056	1,158	403	83	18	42	41
35	32	25	36	35	22	34	36	32	23	28	11	2	1	6	1	42
876	869	878	994	1,065	977	1,061	1,204	1,261	1,345	1,084	666	200	42	7	28	43
898	855	865	977	1,055	968	1,053	1,199	1,257	1,338	1,083	662	200	42	6	28	44
8	14	13	17	10	9	8	5	4	7	1	4	4	1	1	45	45
220	248	254	245	237	171	169	172	134	145	73	30	9	4	-----	22	46
212	239	243	239	231	167	163	168	131	144	72	30	8	4	-----	21	47
8	9	6	6	6	4	6	4	3	1	1	-----	-----	-----	-----	1	48
187	243	230	278	329	393	451	623	596	622	534	292	146	24	5	45	49
186	243	228	277	329	393	450	623	596	621	533	291	145	24	5	44	50
1	-----	2	1	-----	-----	1	-----	-----	1	1	1	1	1	-----	1	51
1,624	1,908	1,824	1,818	2,037	2,003	2,293	2,463	2,440	1,956	1,366	749	237	58	7	18	52
1,500	1,780	1,695	1,713	1,943	1,923	2,209	2,385	2,383	1,903	1,335	736	232	56	4	18	53
124	128	129	105	94	75	84	78	57	53	31	13	5	2	3	-----	54
6,015	6,898	7,109	7,485	8,018	7,969	8,939	9,392	9,221	7,840	5,783	3,191	1,119	249	69	34	55
5,739	6,632	6,874	7,289	7,845	7,831	8,806	9,272	9,153	7,779	5,739	3,166	1,112	245	59	34	56
276	266	235	196	173	133	133	120	68	61	44	25	7	4	10	-----	57
347	303	283	255	314	302	313	319	260	229	169	82	33	11	11	14	58
185	158	152	136	184	191	193	222	171	176	114	52	16	2	-----	5	59
162	145	131	119	130	111	120	97	89	53	55	30	17	9	11	9	60
453	2,631	2,533	2,734	3,142	3,269	3,909	4,598	4,844	4,610	3,430	1,846	619	125	25	67	61
-----	2,466	2,397	3,014	3,144	3,144	3,804	4,510	4,763	4,535	3,387	1,812	608	121	17	72	62
-----	455	136	154	128	125	105	88	81	75	43	34	11	4	8	5	63
-----	-----	4,724	4,800	5,328	5,474	6,278	7,003	6,963	6,080	4,320	2,265	781	151	36	24	64
-----	-----	4,428	4,548	5,094	5,292	6,092	6,844	6,833	6,008	4,269	2,231	766	145	27	23	65
-----	-----	296	252	234	182	186	159	130	72	51	34	15	6	9	1	66
-----	-----	-----	409	480	498	557	626	590	487	335	149	66	12	5	6	67
-----	-----	-----	397	485	485	547	609	574	481	330	147	63	12	5	5	68
-----	-----	-----	12	17	13	10	17	16	6	5	2	3	3	-----	1	69

* Including only municipalities having a population of 1,000 or over in 1900.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA.

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION STATES—Contd.												
1 Utah (total).....	4,072	896	159	67	66	44	1,232	163	121	120	188	170
2 White.....	3,998	889	157	67	65	44	1,222	162	119	118	182	159
3 Colored.....	74	7	2	1	1	1	10	1	2	2	6	11
4 Vermont (total).....	5,704	791	110	60	39	23	1,023	98	61	101	142	128
5 White.....	5,674	787	110	59	38	23	1,017	98	61	101	138	123
6 Colored.....	30	4	1	1	1	1	6	1	1	1	4	5
7 Washington (total).....	11,502	1,862	331	153	123	82	2,551	342	261	394	661	733
8 White.....	11,017	1,785	315	141	117	76	2,434	322	245	370	625	691
9 Colored.....	485	77	16	12	6	6	117	20	16	24	36	42
10 Wisconsin (total).....	28,070	5,621	987	484	299	242	7,633	733	459	770	1,051	973
11 White.....	27,896	5,585	976	484	298	239	7,582	722	452	759	1,045	963
12 Colored.....	174	36	11	1	1	3	51	11	7	11	6	10
REGISTRATION CITIES.												
ALABAMA.¹												
13 Registration cities (total).....	4,790	685	247	77	56	39	1,104	111	77	205	385	357
14 White.....	2,046	281	117	36	30	14	478	54	27	57	126	116
15 Colored.....	2,744	404	130	41	26	25	626	57	50	148	259	241
16 Birmingham (total).....	2,597	391	162	53	32	22	660	76	41	116	230	215
17 White.....	1,206	193	88	24	21	9	335	40	14	34	87	79
18 Colored.....	1,391	198	74	29	11	13	325	36	27	82	143	136
19 Mobile (total).....	1,185	146	36	12	11	9	214	18	18	43	91	75
20 White.....	512	44	12	5	5	3	69	8	8	18	32	22
21 Colored.....	673	102	24	7	6	6	145	10	10	25	59	53
22 Montgomery (total).....	1,008	148	49	12	13	8	230	17	18	46	64	67
23 White.....	328	44	17	7	4	2	74	6	5	7	15	15
24 Colored.....	680	104	32	5	9	6	156	11	13	41	49	52
CALIFORNIA.												
25 Registration cities (total).....	18,609	2,112	402	207	155	96	2,972	266	178	396	701	954
26 White.....	17,578	1,975	378	200	144	88	2,785	251	169	373	643	830
27 Colored.....	1,031	137	24	7	11	8	187	15	7	23	58	74
28 Alameda.....	290	26	5	2	1	1	34	3	4	8	8	5
29 Bakersfield.....	305	43	2	2	3	6	62	7	2	11	18	22
30 Berkeley.....	376	38	12	4	4	2	60	6	6	10	9	19
31 Eureka.....	196	18	2	2	3	3	26	3	3	7	11	11
32 Fresno.....	340	65	15	8	9	2	99	7	3	10	23	11
33 Long Beach.....	250	21	5	1	1	2	30	3	4	7	7	13
34 Los Angeles (total).....	4,538	531	95	66	35	31	758	52	40	101	202	280
35 White.....	4,299	504	90	65	32	29	720	49	38	95	186	256
36 Colored.....	239	27	5	1	3	2	38	3	2	6	16	24
37 Oakland.....	1,929	253	50	29	14	11	357	36	13	50	55	78
38 Pasadena.....	419	35	4	5	1	1	46	6	6	10	15	24
39 Pomona.....	186	19	1	1	1	1	21	1	1	1	4	6
40 Redlands.....	154	17	4	1	1	1	22	2	2	3	7	8
41 Riverside.....	221	17	4	1	2	2	26	1	3	5	21	14
42 Sacramento.....	734	114	17	16	9	4	160	11	9	12	48	48
43 San Bernardino.....	260	27	4	2	1	1	35	6	3	9	14	20
44 San Diego.....	687	51	15	7	7	1	81	8	6	12	30	32
45 San Francisco (total).....	6,319	699	136	51	50	26	962	86	54	111	200	292
46 White.....	6,002	657	129	51	46	26	909	80	51	105	190	270
47 Colored.....	317	42	7	4	4	1	53	6	3	6	10	22
48 San Jose.....	412	61	10	2	5	1	78	11	1	9	13	15
49 Santa Barbara.....	223	18	5	3	2	1	29	6	5	8	8	10
50 Santa Cruz.....	185	8	1	1	1	1	11	4	3	2	4	10
51 Stockton.....	469	31	6	5	3	2	47	3	2	6	10	27
52 Vallejo.....	166	20	2	1	3	2	28	4	7	4	10	9
COLORADO.												
53 Registration cities (total).....	4,705	661	114	62	33	23	893	85	65	137	259	318
54 White.....	4,494	630	108	62	33	22	855	83	61	135	244	300
55 Colored.....	211	31	6	1	1	1	38	2	4	2	15	18
56 Colorado Springs.....	478	51	10	3	3	2	69	3	3	19	39	38
57 Denver.....	3,533	464	65	37	23	12	601	65	47	92	190	244
58 Pueblo.....	542	104	30	14	6	8	162	15	15	18	25	27
59 Trinidad.....	152	42	9	8	1	1	61	2	1	8	5	9
CONNECTICUT.												
60 Registration cities (total).....	12,032	2,541	486	218	134	105	3,484	265	159	252	367	359
61 White.....	11,726	2,493	472	210	132	101	3,408	256	154	237	359	359
62 Colored.....	306	48	14	8	2	4	76	9	5	15	8	10
63 Ansonia.....	201	52	16	8	7	6	89	9	5	1	1	1
64 Bridgeport.....	1,562	367	61	28	22	15	493	38	16	29	29	29
65 Bristol town.....	184	51	8	5	2	2	68	5	1	2	2	2
66 Danbury town.....	350	61	6	3	3	5	78	9	4	4	4	4
67 Greenwich town.....	273	77	8	3	2	4	94	2	3	3	3	3

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
210	178	164	171	154	176	166	167	184	193	143	109	40	4	1	18
200	169	161	168	150	170	164	166	184	192	143	108	40	4	1	16
10	9	3	3	4	6	2	1	1	1	1	1	1	1	1	2
148	174	171	198	224	330	379	491	581	583	442	273	121	28	5	4
148	173	168	197	222	329	379	488	581	582	442	271	121	27	5	3
1	1	3	1	2	1	1	3	1	1	2	2	1	1	1	5
635	632	605	603	620	628	614	586	535	492	322	149	39	11	5	84
595	608	575	582	602	611	598	568	525	485	316	146	35	7	2	75
40	24	30	21	18	17	16	18	10	7	6	3	4	4	3	9
898	930	947	1,154	1,210	1,235	1,314	1,707	1,808	1,976	1,671	1,076	345	11	5	7
886	924	941	1,147	1,200	1,229	1,309	1,703	1,806	1,969	1,667	1,074	343	8	2	11
12	6	6	7	10	6	5	4	2	7	4	2	2	2	1	12
327	329	259	284	249	232	199	202	138	140	101	47	15	13	13	13
120	119	96	107	111	137	102	124	88	93	57	24	6	2	2	14
207	210	163	177	138	95	97	78	50	47	44	23	9	11	1	15
193	178	148	141	124	110	90	92	62	61	27	17	5	4	6	16
72	66	54	58	58	69	51	69	45	44	15	12	3	3	1	17
121	112	94	88	66	41	39	23	17	17	12	5	2	2	6	18
80	95	57	52	59	76	52	65	41	49	43	16	4	4	2	19
28	34	29	32	31	35	26	36	26	34	27	8	7	7	2	20
52	61	28	50	28	35	26	29	15	15	16	3	3	2	2	21
54	56	54	61	68	47	57	45	35	30	31	14	6	5	5	22
20	19	13	17	22	28	25	19	17	15	15	4	2	2	1	23
34	37	41	44	44	19	32	26	18	15	16	10	4	5	5	24
1,010	1,122	1,109	1,185	1,328	1,086	1,301	1,374	1,248	1,053	800	389	104	28	3	25
947	1,035	1,029	1,103	1,196	1,014	1,232	1,341	1,217	1,049	795	385	102	27	2	26
63	87	80	82	132	72	69	33	31	4	5	4	2	1	1	27
19	17	11	22	18	18	18	18	29	28	24	3	3	3	3	28
22	19	28	21	14	15	24	13	12	7	5	3	3	3	3	29
17	18	12	18	16	17	26	26	40	36	24	14	1	1	1	30
13	5	14	9	9	6	10	21	15	14	11	6	1	1	1	31
16	16	12	15	27	17	24	18	13	7	13	7	1	1	1	32
12	6	11	17	12	20	20	26	18	17	16	8	3	3	3	33
282	297	259	282	321	255	318	332	269	212	160	83	27	6	1	34
256	271	241	264	299	243	311	328	260	209	158	82	27	5	1	35
28	26	18	18	22	12	7	4	9	3	2	1	1	1	1	36
92	91	95	94	136	113	137	167	148	110	91	40	19	6	1	37
23	20	20	29	26	28	28	41	36	24	22	11	3	1	1	38
6	2	4	8	9	11	10	12	14	14	7	6	3	1	1	39
14	13	6	7	11	8	8	10	8	12	7	6	6	1	1	40
7	14	12	8	12	15	14	13	21	17	13	5	5	1	1	41
31	38	48	51	49	34	52	39	33	39	33	9	6	1	1	42
17	29	23	17	10	17	10	10	14	8	5	7	1	1	1	43
34	29	41	44	50	25	45	69	63	58	35	18	6	1	1	44
350	422	447	447	508	413	455	444	397	334	253	110	24	8	1	45
337	397	414	422	452	389	433	434	390	333	252	110	24	8	1	46
13	25	33	25	56	24	22	10	7	1	1	1	1	1	1	47
12	19	14	26	19	21	29	32	45	28	20	16	3	1	1	48
11	13	8	12	17	9	13	19	8	18	15	10	3	1	1	49
5	6	7	14	14	11	10	15	20	24	17	7	1	1	1	50
17	40	26	33	39	25	42	40	38	30	25	14	3	1	1	51
10	8	11	11	6	8	8	9	7	16	4	6	6	1	1	52
327	302	277	296	273	241	225	233	205	107	42	19	3	3	3	53
19	283	269	281	263	230	215	230	200	104	41	18	1	1	1	54
19	19	8	15	10	11	10	3	5	3	1	1	1	1	1	55
37	25	28	24	20	28	28	23	25	8	2	2	1	1	1	56
235	211	232	213	204	179	179	182	147	86	37	12	2	2	2	57
22	33	30	32	14	16	16	22	28	8	2	3	2	2	2	58
8	8	6	4	3	2	2	6	5	5	1	1	2	2	2	59
571	520	619	618	731	743	780	595	451	218	79	21	7	7	7	60
544	510	595	593	712	731	768	588	445	216	79	20	2	2	2	61
27	10	24	25	19	17	12	7	6	2	2	1	1	1	1	62
9	5	6	10	12	9	12	9	7	3	3	3	3	3	3	63
92	60	95	77	83	79	79	88	48	49	21	5	3	3	3	64
5	7	10	8	15	10	15	10	12	6	1	1	1	1	1	65
20	15	17	23	22	18	19	24	25	20	7	4	4	4	4	66
9	8	16	13	13	13	14	14	17	12	10	10	10	10	10	67

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
CONNECTICUT—continued.												
1 Hartford.....	1,748	286	57	24	19	12	398	39	28	42	52	74
2 Manchester town.....	161	28	8	5	1	3	42	4	5	2	5	4
3 Meriden town.....	456	96	22	2	4	3	127	10	3	13	12	17
4 Middletown town.....	533	74	23	6	7	1	111	8	7	6	15	12
5 Naugatuck.....	182	56	11	1	3	1	72	4	7	6	4	7
6 New Britain.....	692	236	53	23	9	12	333	26	6	10	29	25
7 New Haven.....	2,219	406	83	35	16	17	557	46	28	41	65	79
8 New London.....	353	64	7	8	2	4	85	8	2	11	11	9
9 Norwalk town.....	366	57	4	5	6	72	5	3	9	11	12
10 Norwich town.....	480	67	15	10	9	4	105	13	8	5	17	17
11 Orange town.....	143	24	3	27	1	1	1	1	6
12 Stamford town.....	466	95	15	5	6	2	123	9	4	9	15	9
13 Torrington town.....	185	52	13	4	2	4	75	1	3	3	4	6
14 Wallingford town.....	141	34	8	5	1	48	4	5	1	4
15 Waterbury.....	1,140	320	58	36	12	12	438	23	23	36	36	52
16 Windham town.....	197	38	7	2	1	1	49	1	2	6	6	3
DELAWARE. ¹												
17 Wilmington (total).....	1,547	355	64	34	23	18	494	41	39	49	59	68
18 White.....	1,322	307	52	24	21	17	421	35	28	37	50	56
19 Colored.....	225	48	12	10	2	1	73	6	11	12	9	12
DISTRICT OF COLUMBIA.												
20 Washington (total).....	6,511	1,068	161	92	55	26	1,402	99	76	154	255	319
21 White.....	3,744	487	73	41	36	16	653	56	38	67	94	136
22 Colored.....	2,767	581	88	51	19	10	749	43	38	87	161	183
FLORIDA. ¹												
23 Registration cities (total).....	1,640	329	48	23	19	10	429	27	27	62	101	97
24 White.....	783	179	19	12	8	4	222	14	9	25	44	31
25 Colored.....	857	150	29	11	11	6	207	13	18	37	57	66
26 Jacksonville (total).....	1,192	171	24	14	14	7	230	21	21	50	81	83
27 White.....	482	69	5	5	6	3	88	9	5	18	31	23
28 Colored.....	710	102	19	9	8	4	142	12	16	32	50	60
29 Key West (total).....	448	158	24	9	5	3	199	6	6	12	20	14
30 White.....	301	110	7	2	2	1	134	5	4	7	13	8
31 Colored.....	147	48	10	2	3	2	65	1	2	5	7	6
GEORGIA. ¹												
32 Registration cities (total).....	4,689	851	214	96	39	28	1,228	80	89	169	303	337
33 White.....	2,225	374	108	44	15	14	555	40	40	55	104	122
34 Colored.....	2,464	477	106	52	24	14	673	40	49	114	199	215
35 Atlanta (total).....	2,938	521	140	57	21	22	761	46	59	110	193	217
36 White.....	1,609	232	80	32	10	13	421	29	28	43	77	91
37 Colored.....	1,329	289	60	25	11	9	340	17	31	67	116	126
38 Savannah (total).....	1,751	330	74	39	18	6	467	34	30	59	110	120
39 White.....	616	88	28	12	5	1	134	11	12	12	27	31
40 Colored.....	1,135	242	46	27	13	5	333	23	18	47	83	89
ILLINOIS. ¹												
41 Registration cities (total).....	36,465	7,301	1,782	822	477	368	10,750	869	489	903	1,421	1,650
42 White.....	35,182	7,162	1,742	798	460	364	10,524	844	470	863	1,344	1,558
43 Colored.....	1,276	141	40	24	17	4	226	25	19	40	77	92
44 Aurora.....	433	77	13	6	1	97	3	8	11	17	14
45 Belleville.....	312	47	8	5	2	2	64	9	6	11	13	9
46 Chicago (total).....	33,241	6,844	1,685	782	456	353	10,120	811	440	806	1,304	1,511
47 White.....	32,130	6,729	1,651	763	440	349	9,932	790	425	774	1,236	1,425
48 Colored.....	1,111	115	34	19	16	4	188	21	15	32	68	86
49 Decatur.....	412	54	22	6	7	2	91	11	4	8	9
50 Evanston.....	254	42	10	7	1	1	61	4	6	9
51 Jacksonville.....	347	20	2	1	2	1	26	4	3	17
52 Quincy.....	606	65	19	4	1	4	93	7	9	13
53 Springfield.....	860	152	23	11	8	4	198	20	13	28
INDIANA.												
54 Registration cities (total).....	12,468	2,194	467	218	114	85	3,078	269	175	391
55 White.....	11,472	2,034	424	199	107	77	2,841	245	160	341
56 Colored.....	996	160	43	19	7	8	237	24	15	50
57 Anderson.....	328	62	15	5	3	2	87	9	10	10
58 East Chicago.....	269	130	28	7	6	2	173	4	3	5
59 Elkhart.....	264	33	5	3	4	45	5	6	9
60 Elwood.....	174	49	11	7	2	69	3	3	3
61 Evansville.....	948	172	26	18	8	9	233	14	10	37
62 Fort Wayne.....	840	104	16	15	5	7	147	21	27	36
63 Gary.....	284	96	27	4	3	2	132	5	4	7
64 Hammond.....	296	65	16	10	2	1	94	11	6	11
65 Huntington.....	126	17	1	1	19	3

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910.—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
82	102	101	97	108	84	118	110	120	81	59	29	20	4		1
1	6	5	5	8	6	11	14	11	17	12	1	1	1		2
18	29	17	18	17	28	27	37	33	21	17	8	3	1		3
28	25	29	28	31	28	42	35	58	34	19	14	3			4
6	8	7	6	8	10	7	10	7	6	5	1				5
16	25	21	17	22	27	28	32	27	19	17	6	3	1	1	6
99	119	96	105	121	136	157	157	150	121	82	41	14	2	1	7
15	15	16	23	13	13	21	23	29	16	20	11	2		10	8
13	14	18	17	17	28	24	26	37	24	20	13	2	1		9
20	19	18	17	23	24	28	35	43	42	25	14	3	3	1	10
7	7	1	7	9	5	12	12	16	10	6	4	4	2		11
23	25	20	18	28	30	31	23	28	27	28	8	3	1		12
3	3	10	6	5	10	11	12	11	7	9	3	3			13
1	2	3	5	7	3	10	10	14	10	11	2	1			14
49	61	62	45	49	42	54	60	34	38	20	11	4	1	2	15
8	8	12	9	12	11	12	10	17	13	11	6	1			16
63	50	61	76	81	66	88	84	84	70	43	21	7		1	17
51	44	50	64	66	54	76	76	82	65	41	19	6		1	18
12	6	11	12	15	12	12	8	2	5	2	2	1		1	19
325	331	348	319	389	376	436	510	473	321	209	108	41	14	6	20
152	151	168	167	212	217	310	378	372	269	172	93	33	6		21
173	180	180	152	177	159	126	132	101	52	37	15	8	8	6	22
110	127	103	88	75	72	71	81	61	42	30	15	7	3	4	23
41	45	38	35	35	41	42	47	44	30	23	11	2		1	24
69	82	65	53	40	31	29	34	17	12	7	4	5	3	3	25
95	106	88	76	61	51	48	60	47	25	21	10	5	2	3	26
30	35	29	28	26	27	25	29	33	18	17	8			8	27
65	71	59	48	35	24	23	31	14	7	4	2	5	2	3	28
15	21	15	12	14	21	23	21	14	17	9	2	2	1	1	29
11	10	9	7	9	14	17	13	11	12	6	3	2		1	30
4	11	6	5	5	7	6	3	3	5	3	2		1		31
296	320	237	265	292	187	205	213	159	146	83	47	11	5	6	32
118	136	87	93	142	108	125	159	126	116	56	32	5	4	2	33
178	184	150	172	150	79	80	59	33	30	27	15	6	1	6	34
190	196	142	153	172	137	138	144	108	84	50	23	6	2	1	35
86	94	64	59	96	90	97	115	96	71	32	15	2	1		36
104	102	78	94	76	47	41	29	12	13	18	8	4	1	1	37
106	124	95	112	120	50	67	74	51	62	33	24	5	3	5	38
32	42	23	34	46	18	28	44	30	45	24	17	3	3		39
74	82	72	78	74	32	39	30	21	17	9	7	2		5	40
1,646	1,859	2,079	2,222	2,197	1,968	1,842	1,894	1,656	1,375	965	467	160	34	7	41
1,529	1,742	1,953	2,129	2,124	1,893	1,775	1,841	1,630	1,355	953	457	156	31	6	42
117	117	126	93	73	75	67	53	26	20	12	10	4	3	1	43
20	18	20	19	27	18	27	34	26	30	25	12	6	1		44
7	12	13	14	10	13	17	21	24	23	27	12	1	1		45
1,520	1,691	1,932	2,060	2,017	1,827	1,656	1,682	1,429	1,151	762	379	125	26	6	46
1,415	1,585	1,814	1,973	1,954	1,760	1,599	1,623	1,407	1,132	755	373	123	24	5	47
105	106	118	87	63	67	57	39	22	19	7	6	2	2	1	48
19	20	14	27	23	12	25	26	28	28	24	7	5	4		49
7	16	8	8	18	9	11	19	17	19	13	6	3	1		50
12	18	16	17	22	16	23	29	44	32	28	12	1			51
21	28	33	31	26	38	32	53	46	52	32	25	10	1	1	52
40	56	38	46	54	35	51	50	42	40	34	14	9	1		53
560	612	588	648	647	649	744	763	716	674	444	219	65	13	7	54
494	542	536	587	574	601	697	719	692	655	430	210	63	10	4	55
66	70	52	61	73	48	47	44	24	19	14	9	2	3	2	56
22	11	14	13	25	13	25	9	15	15	15	7	1	1		57
11	13	8	4	8	8	1	6	4	2	1		1	1		58
12	13	13	13	9	18	19	24	16	21	13	3	7			59
7	4	4	3	5	7	7	7	12	10	2	5	1			60
46	61	52	52	38	43	60	56	52	43	24	15	4	1	1	61
38	31	41	58	41	41	41	58	57	56	35	18	1			62
14	15	18	11	4	5	5	3	3	3	3	3				63
14	17	18	21	13	16	7	7	10	6	1	2	-1		1	64
6	5	4	7	3	7	13	5	15	10	16	2	1			65

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part"

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
INDIANA—continued.												
1 Indianapolis (total).....	3,824	557	133	55	33	21	799	70	37	107	186	176
2 White.....	3,275	478	108	42	32	18	678	56	29	82	143	146
3 Colored.....	549	79	25	13	1	3	121	14	8	25	43	30
4 Jeffersonville (total).....	205	36	10	1	2	2	49	3	7	9	7	7
5 White.....	156	28	8	1	2	2	39	1	6	4	4	6
6 Colored.....	49	8	2	—	—	—	10	2	1	5	1	1
7 Kokomo.....	257	51	15	8	2	1	77	6	3	15	7	11
8 Lafayette.....	333	36	6	2	—	—	44	7	3	7	8	16
9 Laporte.....	185	31	1	1	1	1	35	4	2	6	5	6
10 Logansport.....	299	36	6	1	4	2	49	6	7	11	22	12
11 Marion.....	265	51	13	4	3	1	72	7	3	12	10	10
12 Michigan City.....	280	67	10	4	4	3	88	8	3	11	10	11
13 Mishawaka.....	137	30	7	3	2	1	43	7	1	1	7	4
14 Muncie.....	352	64	13	8	3	1	89	10	9	16	12	17
15 New Albany.....	376	45	13	12	2	2	74	12	4	10	29	17
16 Peru.....	145	15	3	2	2	1	23	1	2	5	10	9
17 Richmond.....	305	43	7	5	1	3	59	10	1	9	7	9
18 South Bend.....	759	201	33	10	9	6	259	21	13	12	38	36
19 Terre Haute.....	931	146	37	23	14	9	229	18	12	31	43	39
20 Vincennes.....	286	57	15	10	2	6	90	7	—	12	13	18
KANSAS. ¹												
21 Registration cities (total).....	2,405	408	77	44	26	21	576	57	42	78	114	132
22 White.....	2,060	369	68	39	23	16	515	47	35	59	96	99
23 Colored.....	345	39	9	5	3	5	61	10	7	19	18	33
24 Kansas City (total).....	1,393	243	50	29	15	15	352	34	24	49	70	80
25 White.....	1,152	214	44	26	12	11	307	29	20	35	59	51
26 Colored.....	241	29	6	3	3	4	45	5	4	14	11	29
27 Leavenworth (total).....	277	31	4	3	1	4	39	4	6	13	15	7
28 White.....	218	28	3	3	1	—	35	3	3	9	11	5
29 Colored.....	59	3	1	—	—	—	4	1	3	4	4	2
30 Wichita.....	735	134	23	12	10	6	185	19	12	16	29	45
KENTUCKY. ¹												
31 Registration cities (total).....	5,499	764	192	100	53	57	1,166	113	74	212	253	275
32 White.....	4,176	602	146	62	37	40	887	87	52	152	160	190
33 Colored.....	1,323	162	46	38	16	17	279	26	22	59	93	85
34 Covington.....	861	135	33	15	8	9	200	14	8	25	30	35
35 Louisville (total).....	3,756	503	118	71	34	40	766	82	52	147	181	190
36 White.....	2,667	372	81	37	24	26	540	62	34	96	107	124
37 Colored.....	1,089	131	37	34	10	14	226	20	18	51	74	66
38 Newport.....	444	65	22	5	5	6	103	7	8	18	14	16
39 Paducah (total).....	438	61	19	9	6	2	97	10	6	22	28	34
40 White.....	274	41	16	5	3	—	65	4	2	16	12	19
41 Colored.....	164	20	3	4	3	2	32	6	4	6	16	15
LOUISIANA. ¹												
42 New Orleans (total).....	7,250	1,061	232	118	65	47	1,523	140	108	205	404	417
43 White.....	4,311	618	147	78	37	27	907	77	56	97	162	191
44 Colored.....	2,939	443	85	40	28	20	616	63	52	108	242	226
MAINE.												
45 Registration cities (total).....	3,380	580	123	45	35	29	812	83	59	81	101	132
46 White.....	3,369	580	123	45	35	29	812	83	58	80	101	131
47 Colored.....	11	—	—	—	—	—	—	—	1	1	—	1
48 Auburn.....	231	41	9	5	4	2	61	9	3	5	10	7
49 Augusta.....	332	38	7	4	3	—	52	—	5	3	12	10
50 Bangor.....	504	52	11	3	—	4	70	10	6	13	12	25
51 Biddeford.....	411	112	27	10	14	9	172	18	9	9	9	12
52 Lewiston.....	586	122	35	11	8	8	184	21	10	22	17	23
53 Portland.....	1,106	167	27	7	6	1	208	20	20	25	33	44
54 Waterville.....	210	48	7	5	—	5	65	5	6	4	8	11
MARYLAND.												
55 Registration cities (total).....	11,690	2,338	440	179	108	73	3,138	216	191	301	448	529
56 White.....	8,969	1,729	340	127	75	55	2,326	170	127	208	309	346
57 Colored.....	2,721	609	100	52	33	18	812	46	64	93	139	183
58 Baltimore (total).....	10,753	2,146	401	170	99	71	2,887	193	181	267	410	475
59 White.....	8,152	1,567	305	119	66	54	2,111	150	118	180	274	298
60 Colored.....	2,601	579	96	51	33	17	776	43	63	87	136	177
61 Cumberland (total).....	440	89	20	5	4	—	118	13	3	21	28	29
62 White.....	398	79	17	4	4	—	104	10	3	18	27	27
63 Colored ²	42	10	3	1	—	—	14	3	—	3	1	2
64 Frederick (total).....	206	36	12	1	2	1	52	5	3	7	2	7
65 White.....	155	22	11	1	2	—	36	5	2	5	—	6
66 Colored.....	51	14	1	—	—	—	16	—	1	2	—	1
67 Hagerstown (total).....	291	67	7	3	3	1	81	5	4	6	8	18
68 White.....	264	61	7	3	3	1	75	5	4	5	8	15
69 Colored ²	27	6	—	—	—	—	6	—	—	1	—	3

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states.")

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
176	224	200	235	254	227	255	252	211	197	125	61	23	4	5	1	
140	182	170	200	208	196	232	228	200	186	117	56	22	2	2	2	
36	42	30	35	46	31	23	24	11	11	8	5	1	2	3	3	
10	7	9	10	13	10	16	13	13	15	8	5	1			4	
5	5	8	7	8	7	13	10	12	13	8	4				5	
5	2	1	3	5	3	3	3	1	2		1				6	
9	11	7	7	13	11	13	17	15	15	12	1	3			7	
17	17	14	21	14	19	27	26	34	33	16	7	3			8	
11	5	8	3	8	7	12	13	11	21	9	10	4			9	
5	13	17	16	25	13	23	24	15	23	8	8	2			10	
6	11	14	9	19	13	20	20	11	11	12	4	2			11	
13	11	9	8	11	16	9	16	22	16	14	4				12	
2	6	5	4	5	9	11	9	14	4	5					13	
15	16	12	19	17	18	20	20	13	13	13					14	
12	4	13	16	14	19	23	20	25	33	13	8	1			15	
4	4	11	5	10	11	9	8	31	33	19	11	1			16	
12	18	10	11	16	15	22	24	30	20	22	5	3			17	
31	27	26	36	34	39	35	36	32	46	17	15	4			18	
46	53	48	54	42	45	59	62	51	43	34	17	3			19	
21	10	10	13	10	15	12	13	7	14	12	7				20	
126	111	96	124	150	135	125	145	158	108	71	32	5		2	21	
105	91	74	98	135	116	112	128	141	100	65	22	2		2	22	
21	20	22	26	15	19	13	17	17	8	6	6	3		2	23	
77	66	59	77	97	77	71	70	88	47	28	15	2		2	24	
59	54	43	59	85	66	61	57	77	43	27	13	1		2	25	
18	12	16	18	12	11	10	13	11	4	1	2	1		2	26	
13	18	13	11	13	19	15	17	29	20	16	6	2		2	27	
12	13	8	7	11	13	12	17	25	18	12	3			1	28	
1	5	5	4	2	6	3	3	4	2	4	3	2		2	29	
36	27	24	36	40	39	39	58	41	41	27	17	1		2	30	
301	314	276	309	356	307	315	341	325	263	176	81	19		3	16	
188	222	181	214	258	238	253	293	287	243	161	77	17		2	31	
113	92	95	95	98	69	62	48	38	20	15	4	2		1	32	
																33
41	49	36	46	44	39	54	63	67	41	41	18	5		2	3	
219	217	197	220	265	222	214	212	217	179	106	53	12		1	34	
122	141	117	140	185	159	162	177	184	163	93	49	10		1	35	
97	76	80	80	80	63	52	35	33	16	13	4	2		1	36	
																37
18	22	21	22	19	27	25	38	25	28	22	8	2			1	
23	26	22	21	28	19	22	28	16	15	7	2	2			10	
13	15	13	10	17	15	14	20	12	12	6	2	2			5	
10	11	9	11	11	4	8	8	4	3	1					5	
414	456	451	437	454	409	467	392	361	267	198	86	40	13	8	42	
186	266	254	267	278	234	304	276	272	199	152	66	28	6	3	43	
228	190	197	170	176	145	163	116	89	68	46	20	12	7	5	44	
126	127	159	157	172	169	201	235	237	228	168	85	31	11		6	
123	125	153	157	172	168	201	235	237	228	168	85	31	10		6	
3	2	1			1								1		47	
4	4	3	6	7	9	14	23	16	19	14	12	4			48	
11	18	19	16	23	22	17	27	31	28	19	14	4			49	
20	21	32	28	25	29	33	36	34	43	39	16	5			50	
13	10	12	10	21	14	23	20	20	21	12	3	2			51	
27	20	29	20	30	23	30	37	31	33	22	6				52	
44	48	61	63	57	60	73	77	93	75	58	29	14			2	
7	6	3	14	9	12	11	15	12	9	4	5	2			1	
																54
496	586	566	597	693	680	738	740	648	510	335	178	73	16	8	3	
345	399	383	437	512	568	619	631	573	485	296	160	61	9	3	2	
151	187	183	160	181	112	119	109	75	25	39	18	12	7	5	1	
																57
461	545	533	563	639	624	673	674	597	468	302	168	67	16	8	2	
317	367	356	406	484	519	562	573	526	447	265	151	55	9	3	1	
144	178	177	157	175	105	111	101	71	21	37	17	12	7	5	1	
20	21	16	20	26	27	27	26	18	10	12	3	2			60	
17	18	14	18	25	25	25	24	18	8	12	3	2			61	
3	3	2	2	1	2	2	2	2	2	2	3	2			62	
																63
6	7	5	4	12	15	18	22	15	13	7	3	2			1	
5	3	4	4	9	13	13	17	11	11	5	3	2			1	
1	4	1		3	2	5	5	4	2	2					65	
9	13	12	10	16	14	20	18	18	19	14	4	2			67	
6	11	9	9	11	11	19	17	18	19	14	3	2			68	
3	2	3	1	2	3	1	1	1	1	1	1	2			69	

* Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
MASSACHUSETTS.												
1 Registration cities (total).....	41,996	9,569	1,845	707	468	324	12,913	890	527	791	1,222	1,450
2 White.....	41,274	9,440	1,805	698	458	313	12,714	880	514	772	1,191	1,408
3 Colored.....	722	129	40	9	10	11	199	10	13	19	31	42
4 Adams town.....	171	63	11	5	3	1	82	3	1	5	2	4
5 Arlington town.....	148	22	1	1	1	1	25	4	2	3	2	5
6 Attleborough town.....	207	40	22	4	3	1	70	3	1	5	6	8
7 Beverly.....	246	35	7	1	1	2	45	5	1	8	5	9
8 Boston (total).....	11,562	2,246	462	194	138	78	3,118	246	162	220	323	429
9 White.....	11,224	2,201	443	193	130	73	3,040	244	154	211	314	408
10 Colored.....	338	45	19	1	8	5	78	2	4	9	9	21
11 Brockton.....	707	134	24	7	4	11	180	22	12	17	17	20
12 Brookline town.....	320	27	5	1	1	2	34	2	2	2	3	10
13 Cambridge.....	1,576	293	57	27	13	12	402	25	31	30	64	50
14 Chelsea.....	605	106	18	5	3	1	133	3	3	10	20	23
15 Chicopee.....	389	141	35	8	6	3	193	5	4	3	9	10
16 Clinton town.....	175	35	12	1	1	3	51	2	2	4	5	9
17 Everett.....	370	65	11	8	2	2	88	8	6	10	12	12
18 Fall River.....	2,201	854	167	36	30	19	1,106	43	16	44	46	72
19 Fitchburg.....	496	125	24	8	9	7	173	12	9	13	13	29
20 Framingham town.....	221	31	6	3	1	1	42	6	5	4	8	14
21 Gardner town.....	231	60	14	2	2	2	80	6	3	3	9	9
22 Gloucester.....	391	51	7	4	3	1	66	12	9	9	13	13
23 Greenfield town.....	147	19	5	1	1	1	26	3	3	1	3	5
24 Haverhill.....	767	145	24	13	5	4	191	10	13	14	22	26
25 Holyoke.....	1,027	362	69	19	12	8	470	22	18	25	39	35
26 Hyde Park town.....	261	58	17	5	1	3	84	4	2	7	9	8
27 Lawrence.....	1,530	529	108	43	20	15	715	28	10	22	35	54
28 Leominster town.....	196	45	5	5	1	1	56	4	2	2	5	3
29 Lowell.....	2,101	607	125	47	34	22	835	46	19	39	57	65
30 Lynn.....	1,179	216	49	16	9	8	298	24	18	15	47	30
31 Malden.....	582	104	10	7	3	5	129	16	10	13	18	25
32 Marlborough.....	170	32	3	3	1	1	35	6	1	6	5	5
33 Medford.....	243	29	4	1	1	1	33	5	4	1	5	10
34 Melrose.....	205	35	4	3	1	1	44	1	2	5	6	7
35 Methuen town.....	150	36	8	1	1	3	49	5	2	6	4	4
36 Milford town.....	239	60	4	5	5	2	76	2	3	5	9	4
37 New Bedford.....	1,814	685	122	39	24	17	887	45	14	41	38	71
38 Newburyport.....	280	35	7	2	2	1	45	5	6	8	10	8
39 Newton.....	484	78	15	7	1	4	106	5	4	7	15	12
40 North Adams.....	322	55	11	6	2	4	78	14	4	4	13	11
41 Northampton.....	366	43	4	3	1	1	52	7	3	5	10	15
42 Peabody town.....	203	41	5	1	2	1	49	2	2	2	9	10
43 Pittsfield.....	572	109	16	12	7	4	148	12	8	9	27	20
44 Plymouth town.....	162	34	1	1	2	1	38	6	2	2	3	4
45 Quincy.....	384	89	18	3	4	2	114	11	3	12	14	12
46 Revere town.....	217	55	16	5	2	2	80	4	3	2	5	5
47 Salem.....	691	147	24	10	8	3	192	13	14	8	29	23
48 Somerville.....	1,041	174	24	14	17	10	239	19	8	16	22	32
49 Southbridge town.....	175	54	16	6	2	2	80	9	3	3	2	2
50 Springfield.....	1,484	302	66	38	25	22	453	40	20	32	42	53
51 Taunton.....	803	202	28	16	7	4	257	26	8	14	20	22
52 Wakefield town.....	150	29	3	2	1	1	35	4	1	1	6	4
53 Waltham.....	389	45	10	2	6	3	66	24	6	9	20	17
54 Watertown town.....	143	36	4	3	2	1	46	1	3	1	3	4
55 Webster town.....	178	58	13	2	1	3	77	5	3	1	5	6
56 Westfield town.....	302	68	11	3	5	2	89	4	4	10	17	13
57 Weymouth town.....	200	28	5	2	1	2	37	1	1	5	1	3
58 Winthrop town.....	105	16	2	1	1	1	20	1	3	1	2	3
59 Woburn.....	241	45	7	9	2	2	65	2	3	4	3	5
60 Worcester.....	2,477	536	102	41	29	23	731	48	27	44	85	90
MICHIGAN.												
61 Registration cities (total).....	16,369	3,741	615	251	170	139	4,916	420	241	424	698	678
62 White.....	16,108	3,701	605	248	169	137	4,860	416	235	423	686	662
63 Colored.....	261	40	10	3	1	2	56	4	6	11	12	16
64 Adrian.....	169	13	4	5	1	1	24	1	2	1	4	7
65 Alpena.....	194	63	7	1	1	1	71	2	1	7	7	10
66 Ann Arbor.....	345	35	2	2	1	4	44	4	7	11	17	11
67 Battle Creek.....	423	62	12	4	2	1	81	4	3	7	9	16
68 Bay City.....	612	116	26	11	11	6	170	24	16	15	24	37
69 Detroit.....	7,452	2,138	324	135	94	65	2,756	213	108	198	345	283
70 Escanaba.....	57	6	4	4	5	5	76	14	1	4	12	8
71 Flint.....	549	136	29	11	6	6	188	20	7	21	28	27
72 Grand Rapids.....	1,648	329	59	23	13	11	435	34	17	42	62	73
73 Holland.....	141	29	5	5	3	3	45	9	3	2	6	7
74 Ironwood.....	180	58	15	3	4	2	82	3	6	8	12	10
75 Ishpeming.....	158	41	4	1	2	1	48	5	3	4	14	11
76 Jackson.....	466	64	14	4	1	1	84	9	2	13	11	17
77 Kalamazoo.....	743	79	12	5	4	4	104	16	8	15	23	31
78 Lansing.....	412	82	17	7	4	6	116	8	7	10	20	14

DEATHS BY COLOR AND AGE OF DECEDENT.

213

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants smaller places being included of registration states.")

DEATHS AT AGE OF—															100 or over.	Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
1,555	1,750	1,855	1,852	2,139	2,160	2,634	2,751	2,483	2,258	1,533	843	233	62	15	25	1
1,512	1,711	1,797	1,800	2,094	2,121	2,597	2,723	2,462	2,235	1,527	837	231	60	14	24	2
43	39	58	52	45	39	37	28	21	23	11	6	2	2	1	1	3
2	6	6	2	8	9	10	10	11	5	5	4	1	2			4
3	7	8	4	15	7	15	7	11	13	11	4	1	1			5
4	10	11	5	5	9	10	12	18	12	12	10	7	1			6
6	11	13	9	10	14	14	18	26	22	13	7	7	2			7
509	610	659	656	731	630	793	714	609	538	354	182	60	11	5	3	8
488	586	627	622	705	608	778	705	601	528	349	179	59	10	5	3	9
21	24	32	34	26	22	15	9	8	10	5	3	1	1	1	1	10
34	23	17	31	32	41	40	53	53	38	22	17	7	4	1	1	11
10	14	9	12	27	19	29	35	28	40	28	13	2	2			12
65	80	80	85	90	85	115	104	80	84	58	40	6	1	1	1	13
27	24	19	20	27	28	38	73	62	39	25	21	7	1	1	1	14
11	14	12	12	14	16	19	14	21	14	9	7	2	2			15
3	10	8	6	6	16	9	8	13	11	4	2	3	2			16
14	14	17	18	15	23	30	28	26	22	15	11	1	1			17
66	75	71	62	91	99	109	94	84	61	38	14	7	2			18
13	18	25	15	15	23	30	35	20	29	19	10	4	1			19
9	5	9	7	14	17	9	13	17	18	11	9	2	1			20
6	10	6	5	10	14	16	16	10	5	11	8	3	3			21
15	15	12	15	21	22	28	40	22	39	18	17	4	1			22
7	6	6	5	8	8	12	11	12	12	6	8	2	3			23
33	37	40	33	42	41	41	55	54	55	34	15	11	11			24
31	44	41	35	37	34	42	63	29	36	13	8	3	2			25
8	6	13	8	9	21	12	16	18	18	16	6	1	1			26
43	62	51	56	51	70	71	83	70	55	28	20	4	1			27
7	6	8	10	7	12	18	14	12	14	5	4	4	1			28
74	86	74	96	92	85	119	123	98	85	62	35	5	3	1	1	29
53	33	68	43	70	60	85	93	85	63	50	24	16	2			30
15	23	24	29	28	25	30	40	47	42	40	21	5	2			31
6	3	6	9	4	5	15	22	12	12	10	5	2	1			32
5	11	13	15	18	15	14	20	29	16	16	6	7	1			33
5	6	3	13	10	9	21	15	22	13	18	2	2	1			34
4	8	1	2	6	10	5	10	14	9	9	1	1	1			35
8	13	7	14	10	13	13	15	12	15	14	6	6	1			36
55	47	58	45	54	66	74	81	84	75	43	23	8	3	1	1	37
7	7	8	7	13	11	22	26	22	29	26	11	6	2			38
14	13	24	21	22	20	38	44	40	43	31	18	5	2			39
12	11	17	14	18	14	24	19	26	18	12	6	4	2			40
17	11	17	14	16	26	29	30	37	34	21	15	4	1	1	1	41
6	10	10	11	10	9	16	22	10	10	6	7	1	1			42
22	12	28	22	38	27	28	48	30	38	25	11	7	1			43
4	2	6	6	3	5	14	12	18	11	11	9	5	1			44
15	13	11	17	15	19	14	35	16	34	16	10	2	1			45
12	6	6	5	13	16	9	10	10	10	11	4	4	1			46
20	26	38	23	34	41	47	49	37	48	27	14	6	2			47
31	39	32	41	51	75	91	87	79	90	55	24	8	2			48
4	9	2	67	5	8	10	11	8	14	7	30	6	1			49
53	56	66	67	66	78	96	93	87	79	62	18	6	1			50
26	27	39	40	39	47	41	54	46	48	30	18	6	1			51
7	3	7	4	5	12	8	13	21	7	9	3	1	1			52
9	12	20	13	24	23	20	36	33	22	16	15	3	1			53
5	4	3	7	10	6	11	11	7	7	11	4	1	1			54
5	4	4	4	6	6	8	8	15	9	6	3	1	1			55
17	10	12	7	14	14	21	17	19	14	8	7	4	1			56
5	8	10	12	11	10	15	10	22	21	14	12	2	1			57
3	3	5	6	5	7	8	15	7	7	4	5	4	1			58
9	8	9	11	12	12	15	19	17	19	14	9	4	1			59
101	119	86	120	135	124	169	147	157	138	86	50	19	1			60
610	675	649	769	828	821	859	986	903	823	586	323	107	18	9	16	61
593	663	633	751	809	816	843	968	887	816	578	321	106	18	8	16	62
17	12	16	18	19	5	16	18	16	7	8	2	1	1	1	1	63
6	3	6	4	9	12	12	11	17	22	17	10	1	1			64
6	7	10	5	7	13	14	8	7	7	7	2	1	1			65
17	20	20	23	28	19	28	30	20	14	18	7	5	1			66
17	22	21	27	23	25	27	28	35	34	25	13	6	1			67
20	19	26	33	23	29	21	41	40	34	22	13	5	1			68
266	319	283	335	372	353	339	373	309	271	183	98	37	6	2	3	69
6	6	11	9	10	10	9	7	6	7	5	4	4	1			70
21	23	24	20	25	20	18	33	24	27	11	7	5	1			71
54	66	50	73	83	88	104	116	108	108	86	36	8	4			72
1	4	5	1	4	4	10	12	13	9	7	1	2	1			73
8	4	9	6	6	6	4	4	5	3	2	1	1	1			74
7	6	4	12	5	9	5	7	5	5	4	2	1	1			75
13	19	19	26	31	38	32	33	36	27	27	18	9	1			76
31	37	36	38	48	39	52	61	74	63	32	26	5	1			77
14	16	16	18	19	17	15	22	29	31	23	12	3	1			78

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	
REGISTRATION CITIES—Contd.													
MICHIGAN—continued.													
1	Manistee.....	160	32	8	5	4	3	52	3	2	5	4	7
2	Marquette.....	182	33	9	2	2	3	49	2	2	7	11	8
3	Menominee.....	148	29	7	1	1	1	38	7	2	4	5	7
4	Muskegon.....	311	60	7	6	1	2	76	5	5	9	13	9
5	Pontiac.....	369	45	6	1	5	57	2	3	2	10	15
6	Port Huron.....	313	52	11	5	3	3	74	13	12	10	16	15
7	Saginaw.....	761	130	18	10	5	6	169	18	16	25	27	37
8	Sault Ste. Marie.....	157	44	8	1	1	2	56	3	6	7	6	10
9	Traverse City.....	270	14	5	2	21	1	3	7	12	8
MINNESOTA.													
10	Registration cities (total).....	8,193	1,522	308	146	103	85	2,164	283	168	254	435	441
11	White.....	8,070	1,508	306	142	102	85	2,143	282	166	252	428	431
12	Colored.....	123	14	2	4	1	21	1	2	2	7	10
13	Duluth.....	1,052	229	45	17	7	12	310	28	21	31	69	80
14	Mankato.....	170	28	1	4	2	2	37	7	4	5	15	9
15	Minneapolis.....	3,739	621	141	68	44	33	907	108	68	110	203	200
16	St. Cloud.....	131	30	2	1	33	1	3	6	6	7
17	St. Paul.....	2,558	498	94	43	45	32	712	117	68	79	117	122
18	Stillwater.....	114	11	1	1	13	5	7	7	6
19	Virginia.....	176	49	11	9	3	72	11	1	7	9	13
20	Winona.....	253	56	13	4	4	3	80	6	3	9	9	4
MISSOURI. ¹													
21	Registration cities (total).....	15,909	2,473	462	252	154	126	3,467	376	215	422	716	817
22	White.....	14,007	2,221	403	212	137	114	3,087	334	189	350	577	648
23	Colored.....	1,902	252	59	40	17	12	380	42	26	72	139	169
24	Kansas City (total).....	3,966	654	91	50	29	35	859	116	65	132	229	251
25	White.....	3,317	559	74	42	24	31	730	96	54	98	165	189
26	Colored.....	649	95	17	8	5	4	129	20	11	34	64	62
27	St. Joseph.....	1,055	130	28	13	14	11	196	23	20	30	51	56
28	St. Louis (total).....	10,888	1,689	343	189	111	80	2,412	237	130	260	436	510
29	White.....	9,733	1,542	303	159	99	73	2,176	217	116	227	367	410
30	Colored.....	1,155	147	40	30	12	7	236	20	14	33	69	100
MONTANA.													
31	Registration cities (total).....	1,527	271	53	17	17	13	371	55	22	55	86	114
32	White.....	1,475	267	52	16	17	13	365	55	22	53	83	106
33	Colored.....	52	4	1	1	6	2	3	8
34	Anaconda.....	136	30	3	1	6	2	42	7	4	6	6	6
35	Billings.....	152	33	3	2	2	40	7	2	4	13	15
36	Butte.....	602	97	26	8	5	3	139	24	11	19	29	45
37	Great Falls.....	252	57	13	3	2	5	80	7	2	11	15	22
38	Helena.....	184	31	4	1	1	2	39	3	1	6	9	4
39	Missoula.....	201	23	4	2	1	1	31	7	2	9	14	22
NEBRASKA. ¹													
40	Registration cities (total).....	2,364	370	57	30	22	14	493	52	51	78	120	147
41	White.....	2,244	359	57	30	22	13	481	51	47	74	109	135
42	Colored.....	120	11	1	12	1	4	4	11	12
43	Lincoln.....	485	77	17	8	5	3	110	7	5	14	22	34
44	Omaha.....	1,879	293	40	22	17	11	383	45	46	64	98	113
NEW HAMPSHIRE.													
45	Registration cities (total).....	3,061	772	103	40	26	20	961	63	29	49	98	92
46	White.....	3,052	771	103	38	26	20	958	63	29	49	98	92
47	Colored.....	9	1	2	3
48	Berlin.....	190	94	13	2	2	3	114	7	2	5	9	2
49	Concord.....	465	44	5	1	1	51	2	3	2	15	13
50	Dover.....	236	36	4	2	1	43	4	2	4	7	8
51	Keene.....	178	24	4	1	1	3	33	2	4	4	4
52	Laconia.....	187	43	5	4	1	53	4	5	11	9
53	Manchester.....	1,163	375	54	22	15	8	474	28	15	24	36	31
54	Nashua.....	460	140	15	4	6	4	169	6	4	3	9	22
55	Portsmouth.....	182	16	3	4	1	24	10	3	2	7	3
NEW JERSEY.													
56	Registration cities (total).....	26,530	6,016	1,279	533	351	216	8,395	658	394	532	905	1,030
57	White.....	25,139	5,695	1,192	502	329	205	7,923	622	363	541	837	949
58	Colored.....	1,391	321	87	31	22	11	472	36	31	41	68	81
59	Asbury Park.....	170	34	9	1	44	6	3	3	2	5
60	Atlantic City (total).....	300	166	25	10	11	4	216	14	10	14	22	29
61	White.....	627	123	16	10	3	3	160	9	8	9	15	20
62	Colored.....	173	43	9	3	1	56	5	2	5	7	9
63	Bayonne.....	327	243	73	18	11	9	354	25	8	21	35	29
64	Bloomfield.....	168	29	8	1	3	4	45	4	2	3	5	3
65	Bridgeton.....	217	31	4	3	2	40	7	2	6	12	6
66	Camden.....	1,629	373	83	49	20	13	538	58	36	39	48	56
67	East Orange.....	372	44	8	8	4	2	66	5	3	6	7	5
68	Elizabeth.....	1,122	287	65	16	11	7	386	26	10	26	36	55

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
7	1	9	7	6	2	5	22	7	10	4	5	1		1	1
10	9	12	3	4	6	9	17	12	10	5	4	2			2
7	7	4	16	7	4	11	10	6	5	4	3	1			3
12	11	7	14	16	23	15	24	24	30	8	7	3			4
13	21	26	24	23	27	28	24	30	21	23	15	2		1	5
19	9	10	12	15	13	12	17	19	15	15	10	3	3		6
26	29	27	36	42	38	54	59	52	50	33	18	5			7
3	8	5	9	7	3	7	6	7	7	7	4	4			8
23	11	9	17	19	23	28	21	25	13	18	7	3			9
396	377	375	451	440	398	390	418	356	364	269	150	49	11	1	10
390	365	365	436	433	390	383	414	353	359	268	148	49	11	1	11
6	12	10	15	7	8	7	4	3	5	1	2	2			12
73	58	65	58	54	40	33	45	20	31	22	8	4	2		13
4	5	14	8	6	5	8	15	12	7	4	3	2			14
196	185	188	217	207	184	180	202	182	164	123	79	29	5	1	15
5	1	2	11	7	7	5	8	8	7	8	3	2	1		16
101	103	89	131	142	139	139	120	111	121	87	44	12	3		17
4	5	7	9	10	6	2	8	6	8	6	5	5			18
10	9	5	11	5	6	5	6	1	5	6	5	5			19
3	11	5	6	9	11	18	14	16	21	19	8				20
863	963	871	995	977	900	970	933	905	720	463	220	68	22	7	19
693	790	752	867	871	799	883	876	855	686	443	213	64	15	2	21
170	173	119	128	106	101	87	57	50	34	20	7	4	7	5	22
207	250	192	225	260	218	227	210	189	152	105	46	16	7	2	8
160	196	159	183	226	183	198	191	172	146	102	43	15	3	1	24
47	54	33	42	34	35	29	19	17	6	3	3	1	4	1	25
65	86	53	63	61	52	63	77	77	55	34	13	7	4	1	26
591	647	628	707	656	630	630	659	639	513	324	161	45	14	5	27
452	533	549	626	591	571	625	622	609	490	308	157	42	11	1	28
109	114	77	81	65	59	55	37	30	23	16	4	3	3	4	29
90	101	113	109	104	63	55	61	61	36	13	11	3			30
85	97	108	105	99	61	50	59	60	38	13	11	3			31
5	4	5	4	5	2	5	2	1							32
3	5	13	10	8	8	4	5	7	4	1		1			33
14	7	7	7	8	5	6	6	6	4		2				34
44	49	43	46	43	23	20	26	18	8	4	2				35
15	14	16	17	10	12	6	3	9	3	3	4	1			36
5	10	13	10	24	13	10	12	12	8	2	3				37
9	16	16	19	11	2	10	9	9	11	3					38
127	127	139	144	146	148	134	135	98	96	87	22	15	3	2	39
113	116	127	133	135	142	131	130	97	94	87	22	15	3	2	40
14	11	12	11	11	6	3	5	1	2						41
17	22	23	25	22	28	25	36	31	29	27	3	5			42
110	105	116	119	124	120	109	99	67	67	60	19	10	3	2	43
99	117	111	117	133	153	160	214	181	196	151	83	34	5	1	44
98	117	111	116	133	153	159	214	181	195	151	83	33	5	1	45
1			1			1			1			1	5	1	46
3	5	4	9	6	2	3	4	5	5	2	1	1			47
24	21	27	25	29	32	35	38	39	46	37	17	8			48
6	6	7	10	11	17	18	26	16	23	15	10				49
7	8	4	7	10	10	8	18	17	15	16	7	3	1		50
1	7	2	8	5	7	14	13	13	17	11	5	2			51
39	42	43	36	44	51	54	71	43	52	38	24	13	3	1	52
16	21	15	11	17	25	18	26	32	24	15	15	3	3	1	53
3	7	9	11	11	9	10	18	16	14	17	4	4	1		54
1,199	1,392	1,348	1,295	1,426	1,387	1,490	1,492	1,386	1,002	675	327	111	23	2	56
1,111	1,299	1,259	1,219	1,358	1,330	1,434	1,444	1,350	972	663	321	111	22	1	57
88	93	89	76	68	57	56	48	36	30	12	6		1	2	58
4	13	7	10	10	14	12	11	9	8	3	4	1			59
40	47	51	40	45	41	65	52	44	35	19	2	2		1	60
22	34	33	30	32	36	58	43	42	34	19	11	2			61
18	13	13	10	13	5	7	4	2	1		1				62
40	42	41	30	30	43	29	29	31	17	14	9				63
6	6	6	4	6	10	11	11	19	7	8	10	1			64
8	8	4	4	14	21	14	16	12	15	20	5	2	1		65
52	73	77	71	84	101	96	105	93	59	33	8	2			66
14	15	13	15	24	26	21	26	41	30	30	12	6	2		67
56	54	48	61	59	53	64	50	50	31	34	13	3	2		68

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
NEW JERSEY—continued.												
1 Garfield.....	129	66	11	2	4	4	87	4	2	2	1	4
2 Hackensack.....	231	53	14	2	1	3	73	9	3	5	11	8
3 Harrison.....	237	71	17	7	6	1	101	9	1	4	8	9
4 Hoboken.....	1,328	240	64	25	15	15	359	34	17	31	52	54
5 Irvington.....	143	26	6	32	3	3	2	6	4
6 Jersey City.....	4,401	954	218	84	48	31	1,335	95	77	67	148	178
7 Kearny.....	276	32	10	6	5	2	55	5	5	9	6	10
8 Long Branch.....	295	40	6	4	4	2	56	7	8	5	17	16
9 Millville.....	149	31	3	6	1	41	6	5	3	4	1
10 Montclair.....	324	85	15	8	7	1	116	8	6	11	11	18
11 Morristown.....	295	44	9	11	5	3	72	13	4	7	18	8
12 New Brunswick.....	494	132	24	8	6	2	172	7	5	18	22	12
13 Newark.....	5,784	1,242	273	120	81	55	1,771	146	78	130	197	251
14 Orange.....	538	101	28	13	7	3	152	10	7	12	20	16
15 Passaic.....	820	330	48	13	15	7	413	27	9	13	36	30
16 Paterson.....	1,857	379	75	32	16	12	514	42	33	35	62	82
17 Perth Amboy.....	509	180	47	13	9	4	253	18	5	8	11	17
18 Phillipsburg.....	211	47	13	5	4	3	72	3	3	2	9	7
19 Plainfield.....	325	55	5	10	3	2	75	10	7	8	14	14
20 Trenton.....	1,976	495	78	41	25	15	654	28	30	46	64	72
21 Union.....	252	65	14	5	9	3	96	8	4	5	8	8
22 West Hoboken.....	387	75	14	4	6	6	105	13	4	11	8	13
23 West New York.....	169	43	10	9	6	2	70	8	3	2	5	6
24 West Orange.....	95	23	5	2	1	1	32	1	3	4
NEW YORK.												
25 Registration cities (total).....	110,283	22,693	5,637	2,506	1,478	951	33,265	2,578	1,443	2,399	3,824	4,540
26 White.....	107,278	22,060	5,443	2,445	1,438	923	32,309	2,516	1,400	2,311	3,645	4,322
27 Colored.....	3,005	633	194	61	40	28	956	62	43	88	179	218
28 Albany.....	1,943	249	50	22	21	18	360	36	13	50	58	67
29 Amsterdam.....	543	160	34	17	8	2	221	13	10	8	12	19
30 Auburn.....	532	101	13	6	1	2	123	12	3	9	22	16
31 Batavia.....	201	32	5	37	3	2	3	6	7
32 Binghamton.....	904	137	19	9	5	4	174	15	9	19	30	30
33 Buffalo.....	6,940	1,623	352	151	117	79	2,322	194	95	157	227	271
34 Cohoes.....	509	127	34	22	11	7	201	24	8	8	15	21
35 Corning.....	201	30	1	2	3	2	38	5	5	2	10	12
36 Cortland.....	218	36	5	1	47	1	4	4	8
37 Dunkirk.....	280	72	17	10	5	8	112	22	1	6	12	7
38 Elmira.....	557	74	8	2	5	5	94	10	8	15	21	22
39 Fulton.....	154	31	4	1	2	38	2	3	8	6	7
40 Geneva.....	172	18	5	1	24	1	2	9	3	7
41 Glens Falls.....	242	32	5	2	1	40	3	10	9	3
42 Gloversville.....	321	61	6	4	1	2	74	5	2	5	9	5
43 Hornell.....	174	20	3	2	1	1	27	7	3	4	3	9
44 Hudson.....	236	38	4	1	43	3	3	8	9	9
45 Ithaca.....	244	21	6	4	31	5	4	7	6	12
46 Jamestown.....	404	67	9	6	2	3	87	5	9	9	20	17
47 Johnstown.....	145	20	1	3	24	1	1	3	4	2
48 Kingston.....	476	70	13	8	4	1	96	6	10	10	21	17
49 Lackawanna.....	396	244	40	18	5	7	314	5	2	1	15	3
50 Little Falls.....	193	29	3	4	1	1	38	7	4	8	3	9
51 Lockport.....	300	37	5	2	1	1	46	8	2	10	9	7
52 Middletown.....	372	20	6	4	1	1	32	6	4	5	11	15
53 Mount Vernon.....	433	84	20	9	3	3	119	10	8	7	16	15
54 New Rochelle.....	342	65	20	14	2	3	104	10	5	7	7	15
55 New York (total).....	76,787	16,159	4,349	1,910	1,107	690	24,215	1,850	1,015	1,659	2,694	3,272
56 Bronx Borough.....	6,968	1,047	271	149	89	66	1,622	163	91	214	341	403
57 Brooklyn Borough.....	25,686	5,063	1,519	710	386	255	7,933	705	371	554	846	1,037
58 Manhattan Borough.....	38,699	8,900	2,299	940	562	317	13,018	845	472	733	1,307	1,637
59 Queens Borough.....	3,965	865	201	94	59	40	1,269	109	58	80	150	139
60 Richmond Borough.....	1,469	284	59	17	11	12	383	28	23	28	50	56
61 White.....	74,274	15,624	4,179	1,856	1,074	665	23,398	1,799	980	1,589	2,541	3,079
62 Bronx Borough.....	6,755	1,027	261	144	86	65	1,583	159	89	208	330	384
63 Brooklyn Borough.....	25,070	4,927	1,469	700	374	248	7,718	688	357	540	809	996
64 Manhattan Borough.....	37,129	8,543	2,194	905	545	303	12,490	818	457	736	1,210	1,513
65 Queens Borough.....	3,882	849	198	90	58	38	1,233	106	54	79	144	131
66 Richmond Borough.....	1,438	278	57	17	11	11	374	28	23	23	48	55
67 Colored.....	2,513	535	170	54	33	25	817	51	35	70	153	193
68 Bronx Borough.....	213	20	10	5	3	1	39	4	2	6	11	19
69 Brooklyn Borough.....	616	136	50	10	12	7	215	17	14	14	37	41
70 Manhattan Borough.....	1,570	357	105	35	17	14	528	17	15	47	97	124
71 Queens Borough.....	83	6	2	4	1	2	26	3	4	1	2	8
72 Richmond Borough.....	31	1	9	1
73 Newburgh.....	509	75	18	5	9	3	110	6	15	14	22	18
74 Niagara Falls.....	548	142	37	15	4	3	201	18	5	10	33	28
75 North Tonawanda.....	160	58	12	2	6	2	85	7	1	4	7	4
76 Ogdensburg.....	392	55	8	3	4	4	70	3	6	3	7	11
77 Olean.....	188	28	5	3	2	38	7	5	8	5	8

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															100 or over.	Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
3	4	1	2	5	2	2	4	4	2							1
7	14	7	9	10	12	13	13	19	8							2
16	13	14	12	10	11	11	3	5	5							3
74	92	84	84	82	75	79	73	59	46							4
6	4	5	5	8	8	7	7	18	11							5
241	266	257	247	259	224	236	235	208	165							6
11	6	11	7	11	10	20	33	35	22							7
13	16	21	15	13	17	21	12	22	16							8
3	7	3	2	7	10	11	11	13	9							9
15	6	10	5	11	11	23	14	16	16							10
8	19	8	17	13	19	18	23	15	10							11
18	19	19	19	20	22	35	32	23	17							12
271	298	341	323	318	328	294	299	316	197							13
31	25	24	27	27	32	40	41	19	29							14
32	27	39	30	25	21	30	22	26	11							15
67	109	97	90	106	101	122	145	100	72							16
21	23	20	17	22	16	15	18	21	10							17
7	9	3	10	5	9	14	14	11	13							18
9	16	10	14	21	13	23	19	30	17							19
93	110	85	92	122	93	106	116	83	80							20
5	17	11	4	15	9	15	14	17	6							21
18	23	13	18	27	20	28	26	13	24							22
7	8	11	5	9	6	8	9	2	5							23
3	3	2	6	3	4	8	9	4	5							24
4,969	5,640	5,860	6,032	6,352	6,001	6,386	6,197	5,617	4,200							25
4,726	5,404	5,650	5,861	6,209	5,886	6,273	6,107	5,571	4,164							26
243	236	210	171	143	115	113	90	46	36							27
96	98	113	108	134	142	153	143	141	107							28
24	19	19	29	23	24	26	17	34	18							29
22	20	16	22	27	32	34	38	39	25							30
13	7	8	10	6	16	11	13	21	16							31
44	44	46	50	55	57	55	83	65	59							32
257	305	314	357	384	352	335	393	332	283							33
13	13	18	17	29	24	35	20	31	14							34
6	7	13	7	14	13	17	15	13	9							35
2	6	5	9	12	13	24	24	17	12							36
5	14	10	12	8	10	16	11	16	7							37
17	20	26	20	26	44	38	62	54	38							38
8	4	1	4	7	5	8	9	11	16							39
2	11	7	6	12	10	13	10	21	18							40
11	7	8	15	10	16	15	25	24	18							41
7	11	14	16	14	27	33	25	24	20							42
5	4	5	14	9	12	14	12	14	20							43
11	17	7	8	12	13	12	17	20	24							44
7	9	10	10	14	15	14	26	15	23							45
17	18	14	22	19	24	20	23	36	22							46
1	5	6	8	4	14	11	16	17	12							47
12	16	26	20	24	23	29	44	50	30							48
11	14	5	6	2	4	7	7	3	2							49
3	7	13	8	5	16	11	12	13	17							50
16	10	10	11	20	13	23	34	18	25							51
13	30	26	14	24	25	34	38	39	27							52
12	18	28	17	27	30	28	24	22	20							53
9	13	17	18	13	16	25	27	21	13							54
3,702	4,198	4,340	4,393	4,566	4,095	4,349	3,978	3,441	2,404							55
447	461	487	456	410	344	376	347	340	229							56
1,139	1,357	1,348	1,364	1,493	1,377	1,535	1,435	1,264	909							57
1,899	2,079	2,258	2,301	2,334	2,090	2,110	1,858	1,541	1,034							58
170	207	187	204	247	193	235	228	184	176							59
47	94	60	68	82	91	93	105	112	56							60
3,490	3,988	4,163	4,248	4,462	4,007	4,265	3,899	3,412	2,372							61
428	444	464	444	397	340	362	334	338	221							62
1,093	1,310	1,314	1,339	1,465	1,360	1,512	1,417	1,251	893							63
1,759	1,943	2,143	2,198	2,272	2,024	2,067	1,822	1,581	1,025							64
165	201	183	200	246	192	232	225	182	173							65
45	90	59	67	82	91	92	101	110	55							66
212	210	177	145	104	88	84	74	29	32							67
19	17	23	12	13	4	14	13	2	8							68
46	47	34	25	28	17	23	18	13	11							69
140	136	115	103	62	66	43	36	10	9							70
5	6	4	4	1	3	3	3	2	3							71
2	4	1	1	1	1	1	4	2	1							72
19	22	21	19	26	29	30	37	52	31							73
27	33	30	27	30	19	3	19	12	16							74
4	8	6	4	1	4	3	5	7	9							75
22	20	22	31	27	22	12	33	31	24							76
5	14	11	12	5	13	12	12	9	8							77

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
NEW YORK—continued.												
1 Ossining.....	177	25	11	7	1	44	5	4	5	6	10
2 Oswego.....	386	77	9	5	3	94	10	7	7	11	18
3 Peekskill.....	278	42	10	10	4	3	69	6	7	7	11	9
4 Plattsburg.....	197	53	6	1	4	3	67	5	2	7	7	5
5 Port Chester.....	210	51	18	6	5	2	82	2	1	5	5	10
6 Poughkeepsie.....	469	77	8	2	3	4	94	8	2	16	10	7
7 Rensselaer.....	162	32	3	1	1	37	3	2	5	8	5
8 Rochester.....	3,215	443	104	47	36	19	649	58	38	72	114	128
9 Rome.....	457	71	15	4	3	2	95	15	5	7	20	22
10 Saratoga Springs.....	259	36	7	4	2	3	52	2	3	4	8	11
11 Schenectady.....	1,070	287	63	29	14	6	399	23	12	17	35	59
12 Syracuse.....	2,123	447	63	26	17	10	563	45	31	51	72	75
13 Troy.....	1,596	223	49	22	12	20	326	39	17	27	48	64
14 Utica.....	1,411	312	63	20	15	6	416	15	19	29	38	51
15 Watertown.....	469	86	9	8	9	3	115	5	5	16	23	22
16 Watervliet.....	261	50	9	8	3	2	72	8	1	3	7	10
17 White Plains.....	301	56	12	2	1	1	72	5	8	9	18	5
18 Yonkers.....	1,226	310	61	37	13	13	434	21	13	22	50	62
NORTH CAROLINA.												
19 Registration cities (total).....	3,075	575	185	80	35	25	900	55	52	128	202	209
20 White.....	1,561	271	93	42	16	14	436	19	22	45	84	96
21 Colored.....	1,514	304	92	38	19	11	464	36	30	83	118	113
22 Asheville (total).....	370	50	9	9	5	3	76	8	5	21	31	36
23 White.....	235	26	5	3	2	1	37	1	4	12	23	26
24 Colored.....	135	24	4	6	3	2	39	7	1	9	8	10
25 Charlotte (total).....	605	92	53	15	9	8	177	18	7	26	43	29
26 White.....	306	46	30	8	3	4	91	7	5	9	13	13
27 Colored.....	299	46	23	7	6	4	86	11	2	17	30	16
28 Durham (total).....	368	74	27	20	6	3	130	11	5	24	31	19
29 White.....	189	37	18	11	4	2	72	4	2	6	10	10
30 Colored.....	179	37	9	9	2	1	58	7	3	18	21	9
31 Greensboro (total).....	305	63	18	5	6	1	93	3	5	8	21	27
32 White.....	162	29	8	3	4	1	45	3	2	5	8	8
33 Colored.....	143	34	10	2	2	48	3	3	13	19
34 Raleigh (total).....	537	94	20	6	1	3	124	3	13	19	28	30
35 White.....	290	40	7	4	1	2	54	1	4	3	11	18
36 Colored.....	247	54	13	2	1	70	2	9	16	17	12
37 Wilmington (total).....	538	127	31	16	3	4	181	7	9	15	25	41
38 White.....	213	48	10	9	1	3	71	2	3	4	7	12
39 Colored.....	325	79	21	7	2	1	110	5	6	11	18	29
40 Winston (total).....	352	75	27	9	5	3	119	5	8	15	23	27
41 White.....	166	45	15	4	1	1	66	1	2	6	12	9
42 Colored.....	186	30	12	5	4	2	53	4	6	9	11	18
OHIO.												
43 Registration cities (total).....	31,921	6,212	1,337	542	306	230	8,627	686	390	834	1,347	1,459
44 White.....	30,432	5,988	1,288	521	288	224	8,309	652	368	778	1,249	1,346
45 Colored.....	1,489	224	49	21	18	6	318	34	22	56	98	113
46 Akron.....	928	210	37	19	11	4	281	29	18	29	38	40
47 Alliance.....	181	26	2	4	4	1	37	2	3	6	10	8
48 Ashtabula.....	259	60	15	10	1	86	10	3	6	12	13
49 Bellaire.....	189	52	11	6	4	1	74	6	4	8	6	12
50 Cambridge.....	148	31	5	2	1	39	2	2	7	10	8
51 Canton.....	616	123	26	2	6	4	161	14	8	15	28	32
52 Chillicothe.....	259	45	9	4	1	2	61	7	4	5	8	10
53 Cincinnati (total).....	6,319	917	216	91	43	27	1,294	96	58	154	263	333
54 White.....	5,750	834	195	82	37	25	1,173	86	50	137	232	280
55 Colored.....	569	83	21	9	6	2	121	10	8	17	31	53
56 Cleveland.....	8,047	2,033	431	159	91	80	2,794	161	103	194	296	338
57 Columbus (total).....	2,810	397	80	32	21	18	543	47	39	97	142	135
58 White.....	2,548	354	76	29	21	17	497	45	33	81	116	114
59 Colored.....	262	43	4	3	1	51	2	1	16	26	21
60 Dayton.....	1,724	325	51	30	17	8	431	38	18	43	73	77
61 East Liverpool.....	333	80	20	12	7	5	124	15	5	10	15	11
62 Elyria.....	203	42	6	2	2	51	2	4	2	5	5
63 Findlay.....	219	24	1	5	3	33	9	2	2	12	5
64 Hamilton.....	515	86	23	12	3	9	133	14	17	13	22	23
65 Ironton.....	196	32	13	2	1	1	49	9	5	8	9	5
66 Lakewood.....	171	48	8	5	3	64	4	6	10
67 Lancaster.....	142	22	2	2	2	27	2	2	5	7	8
68 Lima.....	328	81	17	8	3	2	111	7	7	8	18	19
69 Lorain.....	374	130	28	10	7	3	173	11	3	10	16	18
70 Mansfield.....	288	46	7	3	3	2	61	5	2	2	15	10
71 Marietta.....	164	17	5	2	2	26	8	4	2	6	4
72 Marion.....	232	51	11	1	1	64	7	1	6	12	8
73 Massillon.....	160	21	8	3	5	3	40	4	3	4	3	8
74 Middletown.....	164	34	9	4	1	2	50	6	1	3	6	6

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at un- known age.	
80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
8	10	7	9	6	10	6	11	10	13	6	3	3	1	1		
14	9	14	11	22	18	24	32	41	20	16	13	2	3	2		
14	13	15	16	13	19	13	22	14	14	10	2	4	2	3		
5	8	7	5	8	10	9	14	13	6	9	8	1	1	4		
5	6	13	5	11	9	12	11	15	6	8	1	1	2	5		
19	14	23	25	17	31	33	46	43	40	24	12	5	5	6		
7	4	4	10	5	12	8	17	10	11	4	5	4	1	7		
124	137	171	178	200	215	229	229	225	191	162	70	21	5	8		
11	15	18	21	26	26	30	37	30	29	32	13	5	1	9		
15	9	11	16	19	15	15	16	19	20	15	8	3	1	10		
40	44	41	55	44	58	48	45	49	48	29	18	5	1	11		
61	84	93	104	132	119	153	137	132	112	86	56	13	4	12		
96	85	75	86	99	114	122	125	122	85	55	27	10	3	13		
44	52	51	68	67	62	93	97	98	100	64	28	11	5	14		
17	23	21	20	16	23	39	22	37	27	23	10	3	2	15		
12	9	14	10	13	22	21	17	16	14	3	7	1	1	16		
16	17	12	16	18	15	18	13	19	22	7	9	1	1	17		
68	59	55	53	56	52	64	57	52	46	37	14	6	2	18		
161	163	141	124	169	153	149	136	106	96	88	27	12	6	19		
73	78	61	61	91	94	83	94	67	73	58	16	6	1	20		
88	75	80	63	78	59	66	42	39	30	30	11	6	5	21		
27	35	25	21	18	13	17	13	10	7	5	1	1	1	22		
17	27	16	13	10	9	15	11	7	4	2	2	1	1	23		
10	8	9	8	8	4	2	2	3	3	3	3	1	3	24		
26	34	28	21	41	34	24	28	27	18	18	3	1	2	25		
11	10	14	11	19	16	16	22	18	15	14	2	2	2	26		
15	24	14	10	22	18	8	6	9	3	4	1	1	2	27		
17	15	17	11	14	22	18	9	5	10	7	1	2	1	28		
8	8	5	4	8	15	13	6	4	2	5	1	1	1	29		
9	7	12	7	6	7	5	3	2	2	2	1	1	3	30		
16	8	14	13	16	18	15	11	11	8	13	2	3	3	31		
8	6	4	10	11	13	5	7	9	6	9	2	2	2	32		
8	2	10	3	5	5	10	4	2	2	4	1	1	1	33		
22	27	20	19	38	29	38	37	30	24	17	11	3	3	34		
11	16	12	12	22	25	18	25	15	21	11	7	2	1	35		
11	11	8	7	16	4	20	12	15	3	6	4	1	2	36		
33	24	20	20	29	20	22	25	16	21	18	6	2	1	37		
11	8	4	6	13	9	12	15	9	13	10	2	2	2	38		
22	16	16	14	16	11	10	10	7	8	8	4	1	2	39		
20	10	19	19	13	17	15	13	7	8	10	4	4	1	40		
7	3	6	5	8	7	4	8	6	6	7	3	1	1	41		
13	7	11	14	5	10	11	5	2	2	3	1	1	1	42		
1,478	1,570	1,535	1,608	1,782	1,670	1,799	1,939	1,786	1,545	1,074	557	171	37	7	20	
1,365	1,446	1,425	1,483	1,689	1,594	1,742	1,889	1,750	1,515	1,061	543	163	37	4	19	
113	124	110	125	93	76	57	50	86	30	13	14	3	3	3	1	45
47	35	34	32	41	49	37	60	46	54	35	14	6	6	3	46	
5	1	8	14	10	10	11	14	20	11	6	3	2	1	1	47	
9	10	6	16	14	9	9	16	17	6	12	4	1	1	1	48	
10	4	5	4	9	6	8	8	6	6	8	2	1	1	1	49	
7	8	7	4	3	5	10	7	8	14	2	4	1	1	1	50	
24	31	30	32	36	25	40	32	37	30	20	14	5	2	51		
10	15	10	14	13	12	19	17	20	11	16	5	1	1	52		
355	368	371	363	412	398	398	408	355	324	225	102	30	6	3	53	
300	318	324	313	370	375	374	394	347	316	221	101	30	6	2	54	
55	50	47	50	42	23	24	14	8	8	4	1	30	6	1	1	55
327	371	383	414	445	396	424	422	339	292	205	97	40	5	1	56	
157	167	157	142	168	166	170	190	169	155	90	52	12	3	2	57	
139	148	137	123	154	152	157	179	160	153	87	51	11	3	1	58	
18	19	20	19	14	14	13	11	9	2	3	1	1	1	1	59	
72	88	87	84	97	85	90	119	109	91	79	31	9	2	1	60	
18	13	14	10	10	14	12	11	19	14	6	4	1	1	1	61	
9	13	10	8	13	14	9	10	13	10	7	3	2	1	1	62	
9	10	8	7	13	11	20	25	16	15	9	8	3	2	1	63	
17	27	24	31	18	26	36	31	32	20	18	10	3	2	1	64	
12	12	6	5	8	8	11	14	7	13	9	5	1	1	1	65	
4	5	2	6	10	5	11	11	11	8	3	4	1	1	1	66	
4	5	7	6	6	5	14	11	10	7	5	8	1	1	1	67	
12	21	17	22	21	12	23	25	29	20	14	10	3	1	1	68	
21	15	17	19	8	12	12	15	11	4	3	5	1	1	1	69	
14	5	17	7	16	28	14	17	32	15	12	11	4	1	1	70	
7	5	5	12	11	6	12	10	14	15	11	3	2	1	1	71	
9	8	6	9	11	14	10	15	30	9	6	6	1	1	1	72	
7	8	5	12	9	5	13	8	13	9	5	4	1	1	1	73	
8	5	5	5	7	9	9	12	14	7	7	3	1	1	1	74	

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
OHIO—continued.												
1 Newark.....	330	58	9	3	3	73	7	2	10	18	9	
2 Norwood.....	147	19	4	1	3	24	3	2	3	4	5	
3 Piqua.....	194	31	2	2	2	35	2	5	6	10	4	
4 Portsmouth.....	356	71	27	17	10	128	13	3	23	11	19	
5 Sandusky.....	268	43	6	2	1	52	4	5	6	9	12	
6 Springfield (total).....	623	93	12	11	6	125	16	7	14	26	21	
7 White.....	543	82	11	10	4	110	10	6	14	22	23	
8 Colored.....	80	11	1	1	2	15	6	1	1	4	8	
9 Steubenville.....	404	87	23	6	7	128	12	3	8	22	17	
10 Tiffin.....	175	17	3	2	2	27	2	1	1	4	4	
11 Toledo.....	2,470	402	88	35	22	572	61	30	70	94	104	
12 Warren.....	156	25	4	3	2	34	1	1	3	11	8	
13 Youngstown.....	1,340	373	105	34	12	535	40	13	27	78	85	
14 Zanesville.....	419	60	17	3	2	82	7	4	10	22	15	
OREGON. ¹												
15 Portland (total).....	2,308	325	47	39	31	456	64	49	58	130	126	
16 White.....	2,225	313	44	38	30	439	63	49	57	128	121	
17 Colored ²	83	12	3	1	1	17	1	1	1	2	5	
PENNSYLVANIA.												
18 Registration cities (total).....	61,935	13,906	3,402	1,456	781	614	20,159	1,513	860	1,387	2,270	2,635
19 White.....	58,266	13,068	3,160	1,372	730	579	18,909	1,425	800	1,270	2,082	2,399
20 Colored.....	3,669	838	242	84	51	35	1,250	88	60	117	188	236
21 Allentown.....	877	202	51	22	9	300	24	9	30	33	35	
22 Altoona.....	659	166	18	13	6	210	22	18	16	26	27	
23 Beaver Falls.....	168	50	10	2	2	65	3	4	3	7	10	
24 Bethlehem.....	170	34	9	5	3	54	2	2	6	1	5	
25 Braddock.....	409	142	42	17	5	212	13	3	10	24	20	
26 Bradford.....	191	28	3	2	2	37	6	1	2	4	11	
27 Butler.....	319	88	34	16	9	154	10	3	2	16	14	
28 Carbondale.....	327	59	10	6	1	80	8	4	12	24	14	
29 Carlisle (total).....	166	29	6	1	1	37	3	4	4	3	9	
30 White.....	135	23	3	1	1	27	3	2	1	2	8	
31 Colored.....	31	6	3	1	1	10	2	2	3	1	1	
32 Carnegie.....	135	38	15	7	2	65	9	2	4	1	5	
33 Chambersburg.....	193	29	7	5	1	42	3	1	4	5	8	
34 Chester (total).....	649	155	36	15	7	220	19	15	18	22	30	
35 White.....	542	135	22	9	7	178	17	14	17	17	23	
36 Colored.....	107	20	14	6	2	42	2	1	1	5	7	
37 Coatesville.....	149	56	2	7	3	68	5	4	4	2	4	
38 Columbia.....	181	44	3	4	3	56	9	3	6	8	7	
39 Connellsville.....	204	48	6	4	3	63	1	4	6	8	9	
40 Dubois.....	145	31	13	2	3	49	6	4	2	6	5	
41 Dunmore.....	300	119	21	10	12	166	9	1	7	10	7	
42 Duquesne.....	196	88	21	8	7	124	6	4	4	13	6	
43 Easton.....	467	73	13	7	5	98	8	6	11	16	19	
44 Erie.....	956	197	33	8	9	255	21	18	31	34	36	
45 Greensburg.....	259	49	6	5	2	64	6	4	8	23	16	
46 Harrisburg.....	941	169	28	14	10	228	35	14	20	49	54	
47 Hazleton.....	431	99	22	11	8	145	16	14	11	21	21	
48 Homestead.....	308	108	43	20	7	185	8	1	4	6	10	
49 Johnstown.....	927	268	51	25	8	365	24	15	21	52	66	
50 Lancaster.....	720	117	23	11	8	162	23	5	12	12	30	
51 Lebanon.....	326	72	10	11	5	101	8	2	10	9	15	
52 McKees Rocks.....	245	112	29	9	2	155	7	3	3	11	8	
53 McKeesport.....	855	238	73	30	18	373	30	7	25	52	57	
54 Mahanoy City.....	277	123	15	6	1	148	6	3	4	10	9	
55 Meadville.....	176	21	5	2	1	29	2	5	2	4	12	
56 Monessen.....	153	66	25	10	3	108	7	1	2	4	9	
57 Mount Carmel.....	233	85	29	7	2	125	5	2	5	7	4	
58 Nanticoke.....	328	126	32	20	4	185	12	4	6	9	10	
59 New Castle.....	581	155	37	19	5	221	15	9	15	26	27	
60 Norristown.....	684	80	15	2	3	105	10	7	18	20	24	
61 North Braddock.....	160	64	18	6	3	88	6	2	1	2	6	
62 Oil City.....	196	49	6	3	1	59	4	1	6	5	7	
63 Old Forge.....	199	91	24	2	2	117	3	3	7	7	8	
64 Philadelphia (total).....	27,045	5,334	1,817	552	330	7,784	585	345	527	904	1,093	
65 White.....	24,740	4,789	1,778	496	302	6,990	529	308	458	775	931	
66 Colored.....	2,305	545	139	56	28	794	56	37	69	129	162	
67 Phoenixville.....	209	58	12	12	2	88	5	5	5	6	7	
68 Pittsburgh (total).....	9,603	2,259	690	274	157	3,492	246	133	228	367	445	
69 White.....	8,983	2,119	639	261	140	3,267	231	121	211	346	416	
70 Colored.....	610	140	51	13	17	225	15	12	17	21	29	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states.")

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
15	16	21	7	20	19	22	19	28	24	11	6	1	2		1
6	5	5	5	18	13	6	11	15	10	7	3	2			2
9	8	6	9	6	14	13	8	14	17	19	7	1			3
15	13	5	10	17	13	17	17	15	21	11	8	1			4
8	12	11	11	20	11	16	28	23	18	9	8	4			5
33	30	16	35	31	36	35	47	38	44	32	19	7			6
27	20	16	28	24	34	33	46	32	42	31	17	7			7
6	10	7	7	7	2	2	1	6	2	1	2				8
18	17	15	13	21	23	20	24	15	22	15	8	2			9
10	3	7	7	7	13	17	17	12	25	5	9	3			10
107	123	122	148	153	134	155	161	157	123	92	45	10	6	1	11
4	3	40	4	5	5	9	13	16	11	13	4		1		12
61	71	44	60	57	43	47	50	44	42	28	16	2	2		13
18	19	28	16	25	12	24	38	32	28	19	12	7			14
114	121	138	121	150	133	145	147	124	109	71	35	14	2		15
109	116	134	115	139	125	137	141	122	108	71	34	14	2		16
5	5	4	6	11	8	8	6	2	1		1				17
2,609	2,902	2,904	2,860	3,126	3,085	3,381	3,450	3,168	2,590	1,773	855	318	63	17	18
2,377	2,629	2,654	2,659	2,939	2,941	3,242	3,347	3,080	2,545	1,745	835	307	58	13	19
232	273	250	201	187	144	139	103	88	45	28	20	11	5	4	20
38	27	36	30	42	38	51	48	55	37	23	14	5	1		21
28	27	23	25	29	37	28	44	37	32	15	12	3			22
5	7	2	7	7	7	9	12	6	5	9					23
3	8	3	5	5	7	12	12	16	12	7	4	5	1		24
13	24	18	14	11	10	12	7	9	4	2	1	1			25
3	11	6	8	14	15	16	18	12	10	12	3	2			26
9	12	9	11	4	10	14	15	14	10	7	4	1			27
12	17	19	23	22	13	15	12	25	14	6	5	2			28
3	2	2	3	11	11	10	16	17	14	9	5	2			29
3	2	2	2	9	9	8	14	17	13	7	4	2			30
			1	2	2	2	2	1	2	1	1	2			31
3		1	4	1	9	9	8	5	4	3	1	1			32
5	9	2	6	6	11	18	17	18	23	4	7	4			33
28	24	29	31	29	28	32	43	34	20	17	7	2			34
21	16	24	26	23	22	30	37	30	20	17	7	2	1		35
7	8	5	5	6	6	2	6	4							36
7	6	6	6	6	3	4	5	6	9	6	2				37
2	4	6	6	7	12	10	10	6	6	12	6	2	1		38
15	11	11	10	9	8	7	8	9	13	6	5	1			39
10	4	9	8	8	7	3	5	10	2	3	3	1			40
6	9	11	9	11	6	16	7	9	5	6	3	1	1		41
7	8	6	3	5	1	4	4	2	2	1	1				42
24	18	20	26	21	28	26	34	33	34	27	11	6	1		43
43	35	47	34	43	43	50	87	79	63	40	15	5	1		44
18	20	17	8	10	7	9	8	11	13	9	4	4			45
39	33	45	39	45	51	57	68	59	48	39	14	4			46
18	29	24	23	19	15	12	20	20	8	9	6				47
10	13	12	8	12	9	12	5	5	6	1	1				48
50	41	48	26	33	40	36	28	32	24	21	3				49
28	28	33	34	42	48	52	40	53	56	39	17	6	2		50
10	9	9	10	16	25	24	18	20	13	17	8	2			51
9	14	1	3	4	6	5	5	4	2	4		1			52
37	41	39	41	35	19	27	23	24	14	6	2	2			53
6	12	8	7	11	12	6	12	4	10	6	1	2			54
6	10	4	8	9	10	13	14	18	12	11	4	3			55
5	6	4			2	3	1			1					56
5	7	10	6	3	9	14	11	10	9	1					57
8	10	13	12	13	9	16	11	5	1	3		1			58
19	20	27	15	21	14	29	35	35	29	12	8		1		59
32	38	33	48	46	47	46	43	57	59	26	19	5			60
6	2	10	7	2	3	6	5	5	4	4	1				61
4	9	10	5	6	15	13	13	15	9	12	2				62
6	11	6	9	7	1	4	4	3	3	3					63
1,155	1,337	1,384	1,415	1,545	1,486	1,652	1,654	1,500	1,190	842	432	165	36	11	3
999	1,167	1,225	1,432	1,432	1,402	1,570	1,594	1,449	1,166	827	419	156	32	9	3
156	170	159	116	113	84	82	60	51	24	15	13	9	4	2	66
9	2	5	5	5	12	12	11	7	11	11	4	2			67
454	500	449	424	466	464	472	453	379	317	189	92	25	8		68
418	455	402	386	430	439	445	437	366	313	186	91	25	8		69
36	45	47	38	36	25	27	16	13	4	3	1				70

* Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
PENNSYLVANIA—continued.												
1 Pittston.....	279	81	15	10	3	5	114	6	5	4	9	17
2 Plymouth.....	257	33	29	3	2	1	124	7	4	4	10	7
3 Pottstown.....	234	51	7	9	5	1	70	5	3	11	12	11
4 Pottsville.....	380	72	13	5	2	3	98	14	6	8	14	23
5 Reading.....	1,475	336	66	44	12	9	467	38	30	31	48	53
6 Scranton.....	2,140	520	135	44	24	19	742	47	38	60	73	95
7 Shamokin.....	269	32	19	6	3	2	112	10	7	6	8	6
8 Sharon.....	253	64	10	5	2	4	86	2	2	7	17	20
9 Shenandoah.....	489	192	47	14	10	5	268	17	8	9	19	7
10 South Bethlehem.....	334	135	26	11	4	3	179	4	3	4	12	10
11 South Sharon.....	164	70	27	8	2	2	107	3	2	3	6	6
12 Steelton.....	217	68	12	13	8	2	103	22	2	5	3	6
13 Sunbury.....	188	42	9	5	4	3	63	1	3	3	3	6
14 Uniontown.....	246	48	7	3	3	3	62	5	3	3	9	9
15 Warren.....	149	22	11	4	1	1	39	5	6	5	13	5
16 Washington.....	299	52	13	2	3	2	72	7	4	10	10	9
17 West Chester (total).....	231	20	7	3	2	1	33	7	1	4	12	16
18 White.....	188	17	5	2	2	1	27	5	1	2	11	11
19 Colored.....	43	3	2	1	1	1	6	2	2	2	3	5
20 Wilkes-Barre.....	1,117	269	41	24	12	17	363	22	16	38	56	53
21 Wilkesburg.....	284	43	11	5	1	1	60	3	2	16	16	9
22 Williamsport.....	490	82	17	8	5	1	113	9	15	13	27	19
23 York.....	743	155	17	18	5	7	202	32	15	21	24	22
RHODE ISLAND.												
24 Registration cities (total).....	7,571	1,719	379	142	75	60	2,375	147	88	175	199	277
25 White.....	7,357	1,672	371	136	72	58	2,309	142	84	171	196	270
26 Colored.....	214	47	8	6	3	2	66	5	4	4	3	7
27 Central Falls.....	358	129	30	10	4	4	177	7	9	9	5	9
28 Cranston.....	229	55	7	5	1	2	70	3	1	5	4	5
29 State institutions.....	312	11	1	1	1	1	12	3	3	4	8	16
30 Cumberland town.....	141	25	6	2	1	3	37	8	4	2	3	4
31 East Providence town.....	233	55	10	5	1	1	72	2	1	5	10	10
32 Newport.....	383	71	6	5	1	2	85	6	3	26	16	16
33 Pawtucket.....	826	191	38	12	7	4	252	6	6	14	16	25
34 Providence.....	3,980	827	193	72	45	33	1,175	74	50	94	110	157
35 Warwick town.....	483	139	25	13	2	6	185	15	5	4	14	15
36 Woonsocket.....	626	216	59	18	12	5	310	16	5	16	18	20
SOUTH CAROLINA. ¹												
37 Charleston (total).....	1,748	392	90	54	27	10	573	39	27	57	82	89
38 White.....	526	85	17	8	7	3	120	13	5	12	13	16
39 Colored.....	1,222	307	73	46	20	7	453	26	22	45	69	73
TENNESSEE. ¹												
40 Registration cities (total).....	5,516	735	196	107	52	39	1,129	105	116	252	412	382
41 White.....	2,871	333	102	57	28	18	688	51	48	103	174	164
42 Colored.....	2,645	352	94	50	24	21	541	54	68	149	238	218
43 Knoxville (total).....	635	101	17	13	9	5	145	5	14	33	45	47
44 White.....	432	65	11	6	4	3	89	3	9	20	31	28
45 Colored.....	203	36	6	7	5	2	56	2	5	13	14	19
46 Memphis (total).....	2,818	345	84	54	28	18	529	56	59	135	220	220
47 White.....	1,326	176	38	28	15	6	263	29	20	42	73	86
48 Colored.....	1,492	169	46	26	13	12	266	27	39	93	147	134
49 Nashville (total).....	2,063	289	95	40	15	16	455	44	43	84	147	115
50 White.....	1,113	142	53	23	9	9	236	19	19	41	70	50
51 Colored.....	950	147	42	17	6	7	219	25	24	43	77	65
TEXAS. ¹												
52 Registration cities (total).....	2,750	561	128	39	20	12	760	51	41	90	156	171
53 White.....	2,334	490	113	37	20	10	670	48	36	70	122	134
54 Colored.....	416	71	15	2	2	2	90	3	5	20	34	37
55 Galveston (total).....	600	77	15	8	3	2	105	7	9	15	35	39
56 White.....	417	54	11	7	3	1	76	5	6	5	22	23
57 Colored.....	183	23	4	1	1	1	29	2	3	10	13	16
58 San Antonio (total).....	2,150	484	113	31	17	10	655	44	32	75	121	132
59 White.....	1,917	436	102	30	17	9	594	43	30	65	100	111
60 Colored.....	233	48	11	1	1	1	61	1	2	10	21	21
UTAH.												
61 Registration cities (total).....	1,553	251	46	23	27	18	365	67	42	42	88	94
62 White.....	1,502	249	45	23	27	18	362	67	41	41	84	84
63 Colored.....	51	2	1	1	1	1	3	1	1	1	4	10
64 Ogden.....	293	41	12	5	4	4	62	16	8	9	15	20
65 Salt Lake City.....	1,260	210	34	23	22	14	303	51	34	33	73	74

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

223

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
15	11	9	15	12	9	19	12	7	8	5	2				1
7	9	7	10	14	17	7	6	12	8	1	1				2
11	5	6	10	6	14	9	13	9	22	6	8				3
16	25	16	23	24	24	14	26	12	19	12	2				4
58	61	70	53	65	83	84	95	83	71	48	26				5
94	99	99	108	123	85	109	117	111	82	42	13				6
5	9	5	4	13	7	17	20	9	13	10	4				7
14	12	13	6	5	14	14	15	10	9	7	4				8
13	12	21	12	13	8	8	8	7	3	3	2				9
12	15	12	12	8	11	12	10	13	11	5	1				10
7	8	3	8	1	2	2	2	2	1		1				11
9	3	5	11	5	8	5	8	11	9	2					12
7	7	5	7	7	20	10	13	13	7	8	3				13
23	18	10	9	12	11	5	15	14	4	11	9				14
5	8	5	8	10	5	15	4	9	7	6	2				15
11	26	14	16	17	14	10	20	14	24	10	7				16
5	7	11	12	13	6	13	16	18	17	21	9				17
5	5	6	9	10	3	10	14	17	15	21	9				18
	2	5	3	3	3	3	2	1	2		1				19
47	56	61	59	60	52	56	58	49	33	24	10				20
12	8	17	14	14	18	16	16	21	21	11	5				21
21	18	22	19	28	30	33	35	30	28	22	7				22
21	30	36	22	30	39	58	47	48	36	38	15				23
270	323	375	348	400	402	482	486	463	370	232	101				24
258	308	362	338	385	393	472	470	452	365	228	99				25
12	15	13	10	15	9	10	16	11	5	4	2				26
7	8	15	7	10	18	17	14	18	13	12	2				27
9	10	6	12	8	12	15	20	15	16	10	3				28
19	25	22	20	36	26	27	29	14	27	17	5				29
6	7	6	2	5	9	11	13	8	8	3	4				30
5	11	9	7	11	12	21	18	16	15	14	3				31
11	19	18	15	17	19	20	36	21	20	20	5				32
33	32	36	42	45	48	64	57	59	41	22	13				33
150	179	205	206	229	214	266	246	258	184	106	48				34
15	19	30	12	16	17	19	30	28	30	16	9				35
15	13	28	25	23	27	22	23	26	16	12	9				36
97	98	93	109	103	66	90	60	60	53	37	10				37
19	26	18	29	32	29	37	35	41	40	28	10				38
78	72	75	80	71	37	53	25	19	13	9					39
360	360	311	310	359	292	285	260	217	158	106	56				40
159	174	153	157	180	162	173	189	159	109	79	42				41
201	186	158	153	179	130	112	71	67	49	27	14				42
50	35	33	21	39	30	35	28	27	24	11	8				43
31	21	23	14	28	21	23	26	23	22	8	8				44
19	14	10	7	11	9	12	2	4	2	3					45
204	214	176	171	199	153	145	114	79	62	46	21				46
76	94	77	83	93	79	86	84	49	40	34	15				47
128	120	99	88	106	74	59	30	30	22	12	6				48
106	111	102	118	121	109	105	118	111	72	49	27				49
52	59	53	60	59	62	64	79	78	47	37	19				50
54	52	49	58	62	47	41	39	33	25	12	8				51
165	175	145	181	148	137	111	129	105	81	51	36				52
133	143	113	150	128	122	94	116	92	75	46	30				53
32	32	32	31	20	15	17	13	13	6	5	6				54
43	45	39	51	43	36	26	28	28	23	12	7				55
25	29	25	38	31	28	18	23	23	20	9	4				56
18	16	14	13	12	8	8	5	5	3	3	3				57
122	130	106	130	105	101	85	101	77	58	39	29				58
108	114	88	112	97	94	76	93	69	55	37	26				59
14	16	18	18	8	7	9	8	8	3	2	3				60
105	88	82	87	62	86	75	59	65	62	42	27				61
96	83	79	84	59	81	74	58	65	61	42	27				62
9	5	3	3	3	5	1	1								63
24	18	10	14	12	17	21	9	18	6	6	-3				64
81	70	72	73	50	69	54	50	47	56	36	24				65

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part"

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
REGISTRATION CITIES—Contd.												
VERMONT.												
1 Registration cities (total).....	774	165	17	12	7	4	205	14	18	14	18	19
2 White.....	771	165	17	12	7	4	205	14	18	14	17	18
3 Colored.....	3										1	1
4 Barre.....	150	29	2	2	2		35	4	12	2	1	6
5 Burlington.....	397	102	8	8	2	4	124	7	3	8	9	5
6 Rutland.....	227	34	7	2	3		46	3	3	4	8	8
VIRGINIA. ¹												
7 Registration cities (total).....	6,193	1,277	243	130	77	42	1,769	136	99	201	325	382
8 White.....	3,086	556	122	52	28	21	779	67	49	82	125	164
9 Colored.....	3,107	721	121	78	49	21	990	69	50	119	200	218
10 Alexandria (total).....	327	52	10	9	3	1	75	2	9	11	13	23
11 White.....	189	33	4	3	1		41	1	4	7	4	11
12 Colored.....	138	19	6	6	2	1	34	1	5	4	9	12
13 Danville (total).....	388	74	23	19	8		124	12	9	19	27	23
14 White.....	221	50	21	9	2		82	8	4	11	17	13
15 Colored.....	167	24	2	10	6		42	4	5	8	10	10
16 Lynchburg (total).....	473	107	23	8	7	5	150	13	6	14	29	25
17 White.....	242	49	12	6	4	3	74	6	4	8	9	13
18 Colored.....	231	58	11	2	3	2	76	7	2	6	20	12
19 Norfolk (total).....	1,477	270	55	18	19	13	375	39	25	47	83	109
20 White.....	700	107	25	7	6	7	152	13	13	12	27	44
21 Colored.....	777	163	30	11	13	6	223	26	12	35	56	65
22 Petersburg (total).....	641	153	20	13	9	5	205	21	10	25	27	40
23 White.....	264	51	10	4	2	2	69	9	3	13	11	18
24 Colored.....	377	107	10	9	7	3	136	12	7	12	16	22
25 Richmond (total).....	2,837	616	112	63	31	18	840	49	40	85	146	162
26 White.....	1,470	266	50	23	13	9	361	30	21	31	57	65
27 Colored.....	1,417	350	62	40	18	9	479	19	19	54	89	97
WASHINGTON.												
28 Registration cities (total).....	5,803	945	164	64	57	36	1,266	158	114	182	333	381
29 White.....	5,632	922	159	60	55	36	1,232	156	113	179	322	358
30 Colored.....	171	23	5	4	2		34	2	1	3	11	23
31 Aberdeen.....	121	21	4	4	4		33	4	3	3	9	8
32 Bellingham.....	231	27	5		2	3	37	14	5	13	10	8
33 Everett.....	279	7	3				62	2	2	15	14	22
34 North Yakima.....	257	31	9	4	6	2	52	7	9	16	18	18
35 Seattle.....	2,408	348	61	23	11	10	453	50	44	63	139	170
36 Spokane.....	1,375	292	44	14	19	13	332	45	23	40	83	92
37 Tacoma.....	928	148	29	15	15	5	212	33	25	25	51	45
38 Walla Walla.....	204	28	5	1		1	35	3	3	7	9	18
WEST VIRGINIA. ¹												
39 Wheeling (total).....	731	136	23	16	10	1	186	16	13	13	34	43
40 White.....	700	132	22	16	10	1	181	16	12	17	33	40
41 Colored.....	31	4	1				5		1	1	1	3
WISCONSIN.												
42 Registration cities (total).....	10,319	2,317	420	201	123	98	3,159	317	156	295	478	428
43 White.....	10,274	2,303	417	201	123	98	3,142	315	155	293	477	425
44 Colored.....	45	14	3				17	2	1	2	1	3
45 Appleton.....	263	47	7	2	2		58	6	4	4	17	6
46 Ashland.....	228	38	5	4	1	2	50	4	3	8	13	22
47 Beloit.....	173	31	6	7	2	1	47	3	2	6	7	4
48 Eau Claire.....	276	23	6	3	3	4	39	11	5	13	13	12
49 Fond du Lac.....	254	46	3	2		3	54	13		11	3	13
50 Green Bay.....	448	134	13	5	10	6	168	16	7	8	18	15
51 Janesville.....	194	28	8	1			37	1		3	5	4
52 Kenosha.....	268	87	22	12	2	5	123	4	3	7	6	9
53 La Crosse.....	435	53	13	3	4	2	75	15	4	11	24	25
54 Madison.....	309	41	7	2	4		54	6	5	2	20	20
55 Manitowoc.....	166	28	1	5		2	36	5	2	4	2	8
56 Marinette.....	173	29	8	3	1	1	42	11	5	5	6	6
57 Milwaukee.....	5,205	1,368	235	116	69	54	1,842	169	82	161	229	217
58 Oshkosh.....	373	61	8	3	1	2	75	4	4	9	10	16
59 Racine.....	495	97	23	10	10	5	145	12	7	16	32	10
60 Sheboygan.....	351	60	15	6	4	5	90	8	8	9	23	10
61 Superior.....	466	86	32	11	4	5	138	17	11	10	33	24
62 Wausau.....	237	60	8	6	6	1	81	12	4	8	12	7

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at un- known age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
29	31	24	41	29	49	53	67	46	51	40	20	5			1	1
29	31	24	41	29	49	53	67	46	50	40	20	5			1	1
									1							
4	10	7	12	9	12	8	9	7	7	1	3	1				4
13	14	9	21	15	24	19	36	21	25	27	13	3				5
12	7	8	8	5	13	26	22	18	19	12	4	1				6
294	325	338	297	359	301	369	302	261	200	128	77	16	8	3	3	7
122	134	129	136	152	165	225	211	204	162	104	60	10	4	1	1	8
172	191	209	161	207	136	144	91	57	38	24	17	6	4	2	2	9
19	17	19	17	13	17	21	15	20	17	10	8	1				10
8	7	9	9	7	9	16	13	14	14	8	6	1				11
11	10	10	8	6	8	5	2	6	3	2	2	2				12
17	17	17	18	20	17	19	18	14	8	3	2	2				13
9	8	5	7	9	6	13	9	14	7	1	2	2				14
8	9	12	11	11	11	6	9	8	1	2	2	2				15
14	19	17	14	26	27	26	24	25	18	12	11	2				16
5	6	10	3	14	15	10	18	21	13	8	5	2				17
9	13	7	11	12	12	16	6	4	5	4	6	2				18
84	89	97	77	92	69	82	64	56	41	23	22	1	2			19
30	32	31	40	39	45	55	52	46	31	18	18	1	1			20
54	57	66	87	53	24	27	12	10	10	5	4	1	1			21
32	24	28	34	32	20	37	37	26	15	15	7	3	1			22
13	8	6	11	10	11	16	18	18	11	10	6	2				23
19	16	22	23	22	9	21	19	8	4	5	1	1				24
128	159	160	137	176	151	184	144	120	101	65	27	7	1			25
57	73	68	66	73	79	115	101	97	86	59	23	4	3			26
71	86	92	71	103	72	69	43	23	15	6	4	3	1			27
331	356	350	336	355	331	340	280	233	223	140	67	14	1	2	10	28
306	343	335	323	341	327	337	276	232	223	138	66	14	1	1	10	29
25	13	15	13	14	4	3	4	1	2	2	1	14	1	1	1	30
7	7	5	7	7	10	3	5	4	4	1	1					31
7	12	12	11	16	13	15	11	14	18	8	5	1				32
12	14	10	16	19	18	19	14	16	13	6	2	2				33
17	17	11	15	19	11	12	8	7	11	6	1	2				34
155	159	180	156	149	140	141	123	95	88	61	32	7	1	2		35
77	86	77	70	76	75	77	45	43	41	24	13	1				36
49	47	45	47	61	55	62	62	42	32	24	9	1				37
7	14	10	14	8	9	11	12	12	16	10	4	2				38
39	44	35	45	40	40	41	41	33	18	29	12	2				39
38	41	34	42	35	39	40	39	31	18	28	12	2				40
1	3	1	3	5	1	1	2	2		1	12	2				41
412	392	381	487	510	504	471	561	492	507	422	232	79	17	6	13	42
407	389	380	485	507	503	471	561	492	505	422	232	79	17	5	12	43
5	3	1	2	3	1				2			79	17	1	4	44
7	6	7	18	17	10	16	17	17	20	16	10	5				45
15	10	16	17	17	7	8	14	6	6	3	2	1				46
5	6	8	7	6	15	7	11	12	9	9	5	2				47
8	11	9	13	15	18	23	20	19	22	15	6	3				48
11	10	9	8	16	14	15	14	17	15	19	4	4	2			49
19	15	15	19	16	20	19	32	18	20	13	7	2	1			50
2	4	11	8	9	8	13	11	12	23	24	15	3				51
13	6	13	8	10	8	9	11	7	5	8	8	1	1			52
12	19	17	29	24	21	34	19	27	35	23	16	4				53
15	7	13	14	11	17	15	28	23	21	22	10	4	1			54
9	5	11	6	11	5	9	9	9	10	14	9	1				55
14	8	2	7	7	13	9	11	15	9	5	1	2				56
195	191	181	232	254	252	226	255	206	203	169	95	34	10	2		57
13	21	13	16	18	21	16	27	40	31	25	10	3				58
27	26	15	25	21	29	16	22	23	29	26	10	4				59
10	17	10	13	15	14	15	25	19	27	14	15	4				60
25	26	24	38	31	21	12	16	13	11	10	4	1				61
7	4	7	9	12	11	9	19	9	11	7	5	1	1			62

* Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
CALIFORNIA.												
1 Total.....	13,792	1,608	345	163	91	84	2,291	242	191	346	543	667
2 White.....	13,107	1,505	330	150	85	82	2,152	235	182	319	527	623
3 Colored.....	685	103	15	13	6	2	139	7	9	27	16	44
4 Alameda County.....	593	80	17	5	3	4	109	13	10	13	15	25
5 Alpine County.....	2											
6 Amador County.....	118	8	2	1			11	2	2	4	6	3
7 Butte County.....	386	46	5	2	1	2	56	3	2	9	17	27
8 Calaveras County.....	116	8	1	1			10	2	3		2	2
9 Colusa County.....	100	10			1	1	12	2	1	5	5	6
10 Contra Costa County.....	355	53	8	6	2	1	70	6	7	7	18	25
11 Del Norte County.....	11	1					1					
12 Eldorado County.....	107	2	5				7	1	1	2	4	3
13 Fresno County.....	549	111	17	10	5	4	147	17	9	16	20	28
14 Glenn County.....	55	7	3				10	1	1	1	2	2
15 Humboldt County.....	151	19	7	4	1	2	33	3	4	4	6	11
16 Imperial County.....	66	6	5				11		2		2	6
17 Inyo County.....	29	1			1		2	1			1	1
18 Kern County.....	225	49	9	7	1	3	69	3	5	4	10	12
19 Kings County.....	192	39	5	4	3	2	53	5	4	8	5	15
20 Lake County.....	82	5	2				9	1	1	4	2	1
21 Lassen County.....	22	4	1	1			6	3		1	1	1
22 Los Angeles County.....	1,740	182	49	19	16	7	273	30	21	45	71	92
23 Madera County.....	87	17		3			20			4	5	5
24 Marin County.....	256	16	2	4		1	23	6	4	8	10	22
25 Mariposa County.....	32	2	1	4			3			2		1
26 Mendocino County.....	334	39	4	9	3	1	56	5	6	7	13	21
27 Merced County.....	133	22	6	3	3	1	35		1	2	5	3
28 Modoc County.....	37	6	1		1		8	1	2	1		2
29 Mono County.....	2											1
30 Monterey County.....	288	42	12	2	2	2	60	4	4	8	11	11
31 Napa County.....	462	17	1	1	1	1	21	3	3	3	7	13
32 Nevada County.....	221	24	3	2		1	30	2	1	4	4	9
33 Orange County.....	395	62	18	3	1	4	88	6	7	13	15	20
34 Placer County.....	249	11	10	4	4		29	3	3	4	9	10
35 Plumas County.....	37	4					4	3				1
36 Riverside County.....	196	26	7	3	1	1	38	5	5	8	11	16
37 Sacramento County.....	405	39	5	4	3	1	52	3	5	7	19	26
38 San Benito County.....	104	17	2	2		3	24	3	1	3	3	3
39 San Bernardino County.....	509	50	15	4	3	2	74	10	3	8	21	26
40 San Diego County.....	189	13	7	2	2		24	3	2	6	10	10
41 San Joaquin County.....	442	53	9	2		1	65	4	8	9	21	20
42 San Luis Obispo County.....	237	30	9	3	3	3	48	8	3	6	6	15
43 San Mateo County.....	304	52	7	3	2	4	68	5	2	9	8	10
44 Santa Barbara County.....	145	27	8	4	1	2	42	1	1	9	7	7
45 Santa Clara County.....	791	70	13	12	4	5	104	17	13	15	31	32
46 Santa Cruz County.....	179	27	2	2	1	1	33	3	6	7	6	6
47 Shasta County.....	256	35	5	2		1	43	7	4	5	14	11
48 Sierra County.....	38	2					2	1			1	3
49 Siskiyou County.....	195	24	2	2	1	2	31	4		9	8	9
50 Solano County.....	179	21	4	2			27	4	1	4	6	11
51 Sonoma County.....	658	48	15	6	6	4	79	16	13	25	30	22
52 Stanislaus County.....	234	31	6	3	3	2	45	2	5	3	17	4
53 Sutter County.....	64	6	1				7	1	1		2	2
54 Tehama County.....	174	12	4		1	1	18	5	4	6	2	5
55 Trinity County.....	58	4	1		2		7	1	2	2	5	
56 Tulare County.....	327	59	15	6	2	5	87	3	2	8	16	17
57 Tuolumne County.....	133	7	1	1	1	2	12	1	2	1	7	3
58 Ventura County.....	208	36	8	4	5	2	55	6	2	7	14	15
59 Yolo County.....	184	14	2	3	1	1	21	1	3	5	7	6
60 Yuba County.....	151	12	3	2		2	19	2	1	3	5	9
COLORADO.												
61 Total.....	6,364	1,128	220	93	73	60	1,574	158	129	247	411	447
62 White.....	6,236	1,123	215	93	73	60	1,564	156	124	241	399	434
63 Colored.....	128	5					10	2	5	6	12	13
64 Adams County.....	82	16	3				19	1	3	2	4	3
65 Arapahoe County.....	122	8		1	1		10	3	2	7	9	12
66 Archuleta County.....	35	8	1	1			10	4	2	2	1	4
67 Baca County.....	30	8	3	2			13		1	2	2	1
68 Bent County.....	66	13	1	1	1	2	18	1		2	12	10
69 Boulder County.....	400	67	17	4	3	3	94	11	2	10	15	28
70 Chaffee County.....	124	14	1	1		1	17	3	3	1	6	3
71 Cheyenne County.....	7	4					4					
72 Clear Creek County.....	79	7	1	3			11	2	2		4	8
73 Conejos County.....	105	24	6	1	5	4	40	7	5	3	8	7
74 Costilla County.....	5	2	1				3					1
75 Custer County.....	22	3	1				4				1	
76 Delta County.....	127	25	5	2	1		33	3	1	8	5	7
77 Dolores County.....	4								1			
78 Douglas County.....	24	3	1	1			5		1	1	2	

† Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT:

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
672	697	709	751	751	719	893	966	1,024	995	789	377	107	38	11	13	1
640	645	667	702	703	674	828	937	995	982	774	371	98	33	9	11	2
32	52	42	49	48	45	65	29	29	13	15	6	9	5	2	2	3
27	31	29	34	42	34	39	47	35	39	34	12	3	2			4
2	6	1	6	10	8	7	12	8	11	12	2	1				5
19	20	17	14	23	30	24	25	27	28	35	5	2	3			6
5	6	2	2	5	6	9	5	11	17	17	10	2				7
6	6	2	10	3	3	4	7	9	8	8	3					8
16	21	21	19	18	19	18	17	24	20	13	9	4		1	2	9
1	1						1	3	1	2	1					10
3	4	3	4	2	8	5	9	12	22	9	6	1	1			11
24	26	32	25	23	26	33	23	32	27	21	17	2	1			12
1	6	2	2	5	2	3	5	2	5	3	2					13
4	7	6	7	7	3	10	9	13	12	8	4					14
7	4	5	10	5	6	2	2	4	1	1						15
19	11	16	3	1	1	3	1	3	3	1	2			1	1	16
8	9	9	13	10	11	11	8	8	8	4	2					17
1	2	7	2	3	5	7	6	7	10	9	2	3				18
1									1	2						19
87	81	71	75	86	68	120	174	160	118	107	49	9	3	1		20
5	7	3	4	4	4	6	5	7	1	4	1		1			21
17	13	21	24	19	10	19	9	8	19	17	6	1				22
1	2	4	2	1	2	2	4	3	3	4	1					23
14	23	21	21	28	16	22	12	17	19	18	8	5	1	1		24
3	9	6	7	9	8	12	4	7	10	5	3					25
1	1		3	2	2	4	1	4	3	2						26
																27
																28
																29
9	13	13	19	10	15	16	19	20	1	20	7	3	1			30
36	24	33	30	30	30	39	64	45	25	24	17	3	1			31
11	11	10	12	13	4	22	16	15	36	18	9	2	1			32
18	17	15	15	21	22	28	28	24	26	8	8	4				33
19	22	22	19	20	12	16	16	20	9	9	5	1				34
1	3	2	1	1	4	2	1	1	6	2		3				35
12	10	11	5	9	12	9	7	13	9	12	3					36
18	31	23	30	22	35	37	29	22	21	13	8	1	1	1	1	37
3	6	5	4	9	3	5	5	6	9	6	4	1				38
42	36	35	36	23	32	36	29	30	31	19	10	4	3	1		39
8	4	8	9	11	8	12	15	18	21	10	8	2		1		40
27	19	32	31	24	26	32	36	31	19	21	15	2				41
11	11	8	9	12	15	18	17	16	12	16	4	2				42
12	18	12	11	27	20	12	17	26	23	14	6	2	2			43
6	3	2	6	6	8	7	9	9	13	4	2	1				44
36	32	40	55	37	38	56	60	75	68	47	19	16	1			45
10	6	7	7	1	9	9	14	16	17	15	3	3	1			46
6	13	22	14	14	11	16	16	19	15	14	9	2		1		47
3	3		2	2	2	1	1	4	3	4	3					48
8	10	10	11	11	14	9	9	13	20	13	5					49
9	5	8	9	8	13	15	12	16	11	13	4					50
31	26	29	30	30	39	45	53	54	46	54	22	9	4			51
9	11	10	12	15	5	10	19	13	23	18	10	2		1		52
5	2	2	2	7	5	2	5	6	6	6	2		1			53
7	7	15	9	10	13	7	14	18	16	10	4	3				54
2	1	3	4	4	2	3	6	6	3	4	1	2				55
16	18	15	16	15	10	16	15	17	20	17	14	3	2			56
7	8	4	13	8	6	6	10	14	13	8	9	1				57
8	8	7	9	12	10	11	11	7	15	6	7	1	1			58
8	11	10	9	10	9	14	17	13	15	11	8	1				59
2	5	13	8	5	8	13	8	13	16	10	5	1				60
429	343	343	302	316	269	289	289	272	252	167	82	30	7	1	7	61
413	324	327	292	310	267	289	288	270	249	165	81	30	6	1	6	62
16	19	16	10	6	2	2	1	2	3	2	1		1		1	63
5	5	6	5	5	3	3	3	6	3	3	3					64
16	11	8	4	5	5	1	5	7	7	4	5	1				65
1	2	2	2	2	1	2	2	2	2	2	2					66
2		1	1	1		1	2	1	1							67
6	3	2		3		1	2	1	3		1			1		68
28	17	16	23	19	19	22	22	30	21	12	7	4				69
10	9	6	9	12	10	3	11	10	3	6	2					70
6	4	1	6	6	6	3	7	5	1	2	3	1				71
2	3	7	5	6	3	1	3	2	3							72
																73
				1												74
3	1			1	2	3	2	1	3		1					75
2	5	2	1	10	6	3	13	9	11	5	2	1				76
																77
1					3	6	1	1	1	1						78

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES—Continued.												
COLORADO—continued.												
1 Eagle County.....	28	5					5					2
2 El Paso County.....	229	27	7	1	1	1	37	1	6	7	16	17
3 Elbert County.....	33	1	2				3		1	2	1	
4 Fremont County.....	247	39	6	4	4	2	55	6	2	8	17	12
5 Garfield County.....	161	18	2	2	2	2	26	5	3	14	8	8
6 Gilpin County.....	67	12	5			1	18	2	1	3	1	4
7 Grand County.....	20	3					3	2			1	4
8 Gunnison County.....	84	22	2	3		2	29	1		2	5	7
9 Hinsdale County.....	13	3		1			4				1	
10 Huerfano County.....	237	59	31	12	4	4	110	7	8	4	14	16
11 Jackson County.....	11	2					2	1	1			
12 Jefferson County.....	263	15	2		2		19	2	4	14	35	42
13 Kiowa County.....	33	9	1	1	2	1	14		1		2	1
14 Kit Carson County.....	43	15	2		1		18	1		3	2	
15 La Plata County.....	123	19		1	4	1	25	2	2	5	2	7
16 Lake County.....	209	46	8	1	3	1	59	4	3		18	14
17 Larimer County.....	291	72	15	5	6	3	101	6	8	12	12	12
18 Las Animas County.....	593	76	18	7	6	8	115	9	6	43	71	76
19 Lincoln County.....	39	6	2	3	1		12				2	
20 Logan County.....	69	17	3	1	1	1	23	1	2	4	4	4
21 Mesa County.....	245	40	10	5	3	4	62	12	8	18	13	18
22 Mineral County.....	12	3					3					3
23 Montezuma County.....	43	11	4	2			17			2		
24 Montrose County.....	112	22	1		3	1	27	5	1	4	14	8
25 Morgan County.....	88	19	2	1	1	1	24	1		4	5	5
26 Otero County.....	276	59	11	2	1	3	76	9	9	10	26	16
27 Ouray County.....	51	3					3	3	1	1	2	5
28 Park County.....	19	1	1		1		3	1			1	1
29 Phillips County.....	29	10		1			11		1	1	4	1
30 Pitkin County.....	56	10	2				14		1	1	2	1
31 Prowers County.....	127	32	5	5	1	2	45	5	2	7	7	9
32 Pueblo County.....	298	19	7	1	4	3	34	4	9	10	15	21
33 Rio Blanco County.....	12							1		1	2	
34 Rio Grande County.....	93	18	3	4		1	26	1	1	2	1	3
35 Routt County.....	55	7		3	1	3	14	4		1	7	3
36 Saguache County.....	37	11	3	1			15		1	1		1
37 San Juan County.....	56	16					16	1			5	5
38 San Miguel County.....	63	16	2	1	1	2	22	2	2		1	11
39 Sedgwick County.....	24	8			1		9	1			1	1
40 Summit County.....	28	2	1				3				1	3
41 Teller County.....	181	36	2	1	2	1	42	3	6	2	12	6
42 Washington County.....	41	16	2	1	2	1	22	2	1	3		1
43 Weld County.....	342	92	16	3	3	1	115	12	11	17	16	11
44 Yuma County.....	46	9	1	1	1		12	1	1	2	3	4
CONNECTICUT.												
45 Total.....	5,466	935	134	69	50	31	1,219	101	69	93	134	121
46 White.....	5,394	923	127	66	50	30	1,196	101	69	91	133	120
47 Colored.....	72	12	7	3		1	23			2	1	1
48 Fairfield County.....	775	103	12	3	4	4	126	12	9	9	19	18
49 Hartford County.....	1,094	202	27	16	10	9	264	22	20	18	26	20
50 Litchfield County.....	794	113	9	14	8	4	148	15	9	23	23	13
51 Middlesex County.....	375	48	12	2	5	1	68	6	7	2	10	9
52 New Haven County.....	748	170	24	11	11	5	221	22	11	12	16	28
53 New London County.....	732	100	19	8	3	3	133	11	6	9	22	14
54 Tolland County.....	331	67	10	4	2	2	85	5		6	2	5
55 Windham County.....	617	132	21	11	7	3	174	8	7	14	16	14
INDIANA.												
56 Total.....	23,980	3,802	967	424	239	185	5,617	503	413	655	946	802
57 White.....	23,539	3,743	943	419	234	181	5,520	498	402	633	914	781
58 Colored.....	441	59	24	5	5	4	97	5	11	22	32	21
59 Adams County.....	209	31	5	3	2	3	44	7	4	8	6	10
60 Allen County.....	277	57	13	5	1	5	81	8	5	8	7	3
61 Bartholomew County.....	329	49	15	4	3	3	72	5	6	10	14	15
62 Benton County.....	105	22	3	2	3	3	35		4	2	3	2
63 Blackford County.....	196	35	7	5	6	6	59	8	3		3	1
64 Boone County.....	310	45	9	3	5	3	65	7	4	11	13	10
65 Brown County.....	108	18	5	4	1	1	29	1		5	5	7
66 Carroll County.....	243	33	8	5	2	2	50	8		8	7	7
67 Cass County.....	276	25	7	5	5	5	42	4	6	9	9	15
68 Clark County.....	288	45	15	3	2	2	67	1	6	12	21	13
69 Clay County.....	404	71	25	4	3	2	105	12	8	13	26	19
70 Clinton County.....	305	46	4	3	5	2	60	7	7	12	8	14
71 Crawford County.....	151	22	9	1	2	1	35	2	5	6	7	6
72 Daviess County.....	335	51	15	7	5	4	82	13	9	10	14	16
73 Dearborn County.....	274	20	6	4	2	2	34	4	4	7	10	12

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
19	16	4	2	2	2	4	2	1	1	7	4	1			1
18	12	1	12	13	6	8	17	10	12	3	4				2
8	12	16	7	10	7	2	3	15	15	9	3				3
1	4	7	3	4	2	7	2	2	4	1	1				4
6	1	3	2	5	2	1	2	1	1	5	1				7
15	7	11	9	9	1	2	4	6	2	1					8
2	2		1				2								9
31	20	21	7	12	8	10	11	10	9	4	3				10
1	1	1	1	1	1	1	2	3	3	2	2				11
2	5	8	3	3	4	4	3	1	8	2	1				12
4			4	10		14	6	10		5					13
9	9	13	13	24	8	18	11	3	5	3	2				14
18	14	7	6	10	16	10	10	12	16	13	4				15
70	40	47	32	21	13	10	5	10	10	7	3				16
3	1	1	4	2	5	4	4	2	1	1	2				17
4															18
14	7	11	13	7	10	11	11	10	7	8	3				19
1	1	1	1	1	2	1	1	1	1	1	1				20
8	7	2	5	3	3	2	3	2	5	4	1				21
8	4	8	3	3	5	4	3	3	5	5	2				22
24	15	10	6	11	12	15	16	7	9	4	1				23
3	2	4	4	5	4	5	3	2	1	1	2				24
1	1	2	1	3	1	1	2	1	1	1	1				25
	3	1	3	3	2	7	6	1	2	4	1				26
10	4	6	5	5	6	3	2	2	4	3	1				27
21	28	26	25	21	17	11	20	13	12	9	1				28
4	1	1	1	6	4	4	1	1	1	2	6				29
4	8	4	1	1	3	2	8	2	6	3	6				30
	7	2	2	1	3	2	2	3	3	3	1				31
4	1	8	3	2	1	4	2	5	1	2	2				32
6	2	3	4	1	7	1	1	4	1	1	1				33
1	2	3	6	1	3	2	1	2	1	1	1				34
1		2	1	3	2	3	3	1	1	1	1				35
9	15	12	21	9	9	11	9	6	5	1	2				36
1	3	1	1	1	1	1	3	1	1	1	1				37
14	17	9	9	13	13	18	13	21	16	10	6				38
1	2	1			3	1	2	3	6	3	3				39
															40
162	176	185	192	219	252	345	422	518	491	394	245	76	22	2	41
158	174	185	188	214	245	342	418	516	489	388	244	74	20	1	42
4	2		4	5	7	3	4	2	2	6	1	2	2	1	43
22	27	25	19	30	43	52	66	91	98	51	34	14	2	2	44
32	35	48	37	36	57	51	68	100	104	91	43	14	5		45
30	27	27	29	29	33	55	69	74	65	64	38	13	4		46
5	11	17	16	12	11	26	33	35	43	27	24	8	3		47
30	21	25	28	34	24	43	38	64	54	38	23	10	3		48
26	26	22	36	34	35	46	65	79	55	61	40	8	2		49
4	12	7	11	14	16	25	32	33	26	25	14	4	3		50
13	17	14	16	30	33	47	51	42	46	37	29	5			51
761	718	749	826	1,004	1,172	1,455	1,761	2,061	2,020	1,472	724	236	62	7	52
747	691	724	801	984	1,154	1,430	1,734	2,034	2,004	1,457	720	230	59	7	53
14	27	25	25	20	18	25	27	27	16	15	4	6	3	1	54
3	5	12	11	1	18	14	16	16	19	9	5	1			55
4	3	7	15	10	13	20	20	23	24	8	14	1			56
16	9	8	14	15	22	21	21	20	29	21	10		3		57
3	1	3	2	4	5	8	10	6	10	4	5		1		58
8	7	7	8	9	9	10	16	12	16	10	5				59
9	7	9	16	10	14	12	22	26	30	28	13	3	1		60
	4		5	2	7	11	10	8	10	5	4				61
7	6	6	3	8	17	10	23	30	24	15	8		1		62
11	7	11	11	20	14	15	33	21	24	13	10				63
6	6	7	10	12	10	16	28	25	24	15	7		2		64
17	9	12	12	20	18	20	21	22	29	26	12	2	1		65
5	2	3	14	15	17	26	32	26	21	18	12	3	2		66
4	6	6	3	6	5	12	12	17	9	2	6				67
11	9	8	12	11	22	30	23	21	18	16	5	4			68
11	4	17	14	15	19	13	23	33	27	11	11	4			69

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES—Continued.												
INDIANA—continued.												
1 Decatur County.....	243	30	7	6			43	2	4	7	6	6
2 DeKalb County.....	328	57	15	2		2	76	5	4	10	10	9
3 Delaware County.....	274	48	7	4	2	3	64	8	5	12	8	5
4 Dubois County.....	191	33	12	3	4		52	5	4	7	10	11
5 Elkhart County.....	407	57	7	10	3	1	78	6	2	14	12	13
6 Fayette County.....	190	42	10	4			56	4	2	1	4	5
7 Floyd County.....	140	16	3	1	1	2	23	3		2	5	8
8 Fountain County.....	273	38	13	7	4		62	5	5	10	10	11
9 Franklin County.....	192	24	3	3	2	2	34	3	2	7	9	2
10 Fulton County.....	230	34	6	5		3	48	6	5	5	3	8
11 Gibson County.....	403	69	28	8	4	1	110	15	9	15	19	20
12 Grant County.....	526	57	12	3	9	2	83	8	9	10	13	9
13 Greene County.....	467	110	26	10	15	7	168	14	14	15	27	16
14 Hamilton County.....	380	46	19	2	2	1	70	7	2	14	10	8
15 Hancock County.....	251	30	7	3		1	41	7	6	9	18	12
16 Harrison County.....	228	35	8	2	1	1	47	10	4	9	10	6
17 Hendricks County.....	265	36	7	4	2	1	50	4	5	9	11	8
18 Henry County.....	427	71	19	9	4	3	106	7	4	11	24	13
19 Howard County.....	174	36	4	3	1		44	5	4	4	3	6
20 Huntington County.....	230	29	7	4	1	3	44	4	4	6	9	11
21 Jackson County.....	351	72	13	4	4		97	9	5	11	15	12
22 Jasper County.....	119	17	5	3		4	25	1	2	4	3	2
23 Jay County.....	324	51	16	4			77	12	8	14	19	15
24 Jefferson County.....	356	52	9	4	2		68	7	8	7	8	16
25 Jennings County.....	182	31	4	7	3		45	6	3	3	6	7
26 Johnson County.....	286	45	15	11	5	2	78	6	6	9	18	4
27 Knox County.....	299	73	28	8	10	3	122	16	4	7	14	14
28 Kosciusko County.....	347	36	8	7	6	3	60	8	5	10	13	10
29 Lagrange County.....	199	27	3	1		2	33	5	4	5	8	7
30 Lake County.....	350	75	18	8	1	2	104	10	7	5	17	12
31 Laporte County.....	176	27	1	3		1	32	2	2	3	5	5
32 Lawrence County.....	411	75	32	12	8	5	132	10	8	12	18	23
33 Madison County.....	366	67	12	8	6	1	94	12	8	12	13	10
34 Marion County.....	408	71	9	6	1	2	89	2	3	11	13	16
35 Marshall County.....	307	54	9	7	3	4	77	6	5	8	7	8
36 Martin County.....	144	28	9	1	2	3	43	1	2	3	6	6
37 Miami County.....	223	29	6	2		1	39	5	2	5	7	10
38 Monroe County.....	335	58	23	10	4	1	96	8	3	7	13	19
39 Montgomery County.....	383	48	15	5	2	1	71	2	3	6	20	10
40 Morgan County.....	312	45	14	2	4	1	66	3	5	5	17	11
41 Newton County.....	109	26	4	2	1		33	1	3	4	4	2
42 Noble County.....	266	33	4	6	2	1	46		5	11	4	
43 Ohio County.....	44	3		1			4	1				
44 Orange County.....	198	42	5	1		2	50	4	3	11	9	7
45 Owen County.....	162	25	8	3	1	2	39	1	6	3	3	4
46 Parke County.....	255	46	14	5	6	3	74	8	4	9	10	5
47 Perry County.....	217	46	10	7	3	1	67	8	3	5	13	5
48 Pike County.....	278	62	19	7	1	5	94	9	4	9	14	14
49 Porter County.....	264	25	11	2	4	2	44	7	5	10	10	7
50 Posey County.....	284	48	16	7	4	4	79	4	6	9	11	10
51 Pulaski County.....	145	24	5	3	2	1	35	1	6	4	5	3
52 Putnam County.....	250	31	10	4	3	2	50	6	3	5	10	8
53 Randolph County.....	371	50	13	6	2	2	73	6	7	11	12	13
54 Ripley County.....	246	34	12	9	1	1	57	3	3	3	8	6
55 Rush County.....	234	39	6	4			49	4	2	2	8	5
56 St. Joseph County.....	244	31	11	5	2	2	51	3	2	7	9	7
57 Scott County.....	117	16	6	4	1	1	28	2	3	4	5	5
58 Shelby County.....	341	47	14	6	2	2	71	5	6	10	11	12
59 Spencer County.....	266	42	16	2	3	2	65	3	3	6	12	4
60 Starke County.....	128	24	3	5	2	3	37	6		2	5	5
61 Steuben County.....	160	24	5	1	2	1	33	3		6	7	3
62 Sullivan County.....	386	97	24	6	3	5	135	11	5	8	18	8
63 Switzerland County.....	138	16	8	2	1	1	28		2	1	2	3
64 Tippecanoe County.....	253	26	3	4	2	1	36		4	4	11	4
65 Tipton County.....	207	43	8	3	1	2	57	2	5	4	7	9
66 Union County.....	85	15	1	2	1	3	22	1	3	1	3	
67 Vanderburg County.....	233	22	8	6	5		41	3	4	1	10	8
68 Vermillion County.....	255	73	10	3	3	3	91	7	5	7	9	8
69 Vigo County.....	378	69	25	15	6	4	119	15	10	10	18	15
70 Wabash County.....	335	50	3	7	3	1	64	7	7	8	8	14
71 Warren County.....	136	25	3	1	2		31	2	4	4	3	
72 Warrick County.....	274	48	26	5	5	3	87	7	7	6	11	12
73 Washington County.....	223	39	12	4	4	2	61	3	4	3	9	10
74 Wayne County.....	362	18	7	4	1	2	32	1	8	10	16	13
75 Wells County.....	295	36	8	6	2	2	54	5	4	13	11	13
76 White County.....	167	28	5			1	34	5	3	4	11	6
77 Whitley County.....	189	30	9	1	1		41	4	1	4	5	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part"

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES—Continued.												
MAINE.												
1 Total.....	9,346	1,528	259	105	80	53	2,025	169	127	190	252	235
2 White.....	9,334	1,527	259	105	80	53	2,024	169	127	190	251	235
3 Colored.....	12	1					1				1	
4 Androscoggin County.....	341	47	8	3	6	1	65	4	3	8	13	6
5 Aroostook County.....	1,068	383	70	23	13	7	501	27	20	39	31	36
6 Cumberland County.....	875	129	16	7	3	5	160	9	13	16	27	24
7 Franklin County.....	264	39	6	2	1	5	53	5	5	3	6	7
8 Hancock County.....	572	59	7	6	5	4	81	6	6	12	14	7
9 Kennebec County.....	655	76	10	5	6		97	7	8	15	21	11
10 Knox County.....	488	50	4	1	1	2	58	7	4	8	8	17
11 Lincoln County.....	311	21		1		2	24	4	4	2	8	5
12 Oxford County.....	606	104	27	8	7	1	147	11	4	8	16	9
13 Penobscot County.....	917	155	40	17	9	4	225	23	15	13	32	33
14 Piscataquis County.....	284	39	5	1	4	2	51	1	7	8	10	11
15 Sagadahoc County.....	329	35	2	2		2	41	12	5	2	7	7
16 Somerset County.....	604	108	20	8	8	5	149	7	7	10	16	9
17 Waldo County.....	424	31	2	1	4	2	40	5	3	9	8	14
18 Washington County.....	600	106	19	5	5	6	141	18	14	24	19	13
19 York County.....	948	146	23	10	8	5	192	23	9	13	21	21
MARYLAND.												
20 Total.....	9,115	1,901	409	203	82	75	2,670	201	173	301	352	309
21 White.....	6,489	1,246	231	121	53	51	1,702	126	108	157	190	204
22 Colored.....	2,626	655	178	82	29	24	968	75	65	144	162	105
23 Allegany County (total).....	337	70	24	4	5	2	105	6	5	11	9	16
24 White.....	327	68	24	4	5	2	103	6	5	10	9	16
25 Colored.....	10	2					2			1		
26 Anne Arundel County (total).....	724	198	41	23	7	7	278	20	15	25	28	38
27 White.....	370	91	17	12	5	7	130	5	6	10	12	15
28 Colored.....	354	107	24	14	2	2	148	15	9	15	16	23
29 Baltimore County (total).....	1,823	402	73	33	15	13	536	25	29	54	70	66
30 White.....	1,598	332	63	27	11	13	446	24	25	37	59	58
31 Colored.....	225	70	10	6	4	1	90	1	4	17	11	8
32 Calvert County (total).....	161	50	5	1	4	1	61	1	1	6	10	8
33 White.....	75	15	2	1	4		22	1	1	1	9	5
34 Colored.....	86	35	3			1	39		2	5	1	3
35 Caroline County (total).....	266	49	19	5	3	4	80	11	3	11	14	7
36 White.....	176	29	10		1	3	43	11	1	3	7	5
37 Colored.....	90	20	9	5	2	1	37		2	8	7	2
38 Carroll County (total).....	465	64	15	5	5	3	82	4	10	7	9	10
39 White.....	429	51	13	5	4	3	76	3	8	6	6	10
40 Colored.....	36	13	2		1		16	1	2	1	3	
41 Cecil County (total).....	357	43	10	3	2	2	60	10	6	15	16	13
42 White.....	276	32	4	1		2	39	6	5	9	11	10
43 Colored.....	81	11	6	2	2		21	4	1	6	5	3
44 Charles County (total).....	247	64	11	9	1	2	37	9	3	7	14	7
45 White.....	104	24	1	2			27	4	1	3	2	4
46 Colored.....	143	40	10	7	1	2	60	5	2	4	12	3
47 Dorchester County (total).....	413	107	15	17	3	3	145	7	10	15	11	14
48 White.....	213	55	7	11	1	1	74	3	5	8	3	9
49 Colored.....	200	52	8	6	2	3	71	4	5	7	8	5
50 Frederick County (total).....	496	90	16	11	3	3	123	11	9	12	23	14
51 White.....	416	74	11	10	2	2	99	9	8	10	15	11
52 Colored.....	80	16	5	1	1	1	24	2	1	2	8	3
53 Garrett County (total).....	170	46	9	7	1	1	64	5	3	5		5
54 White.....	170	46	9	7	1	1	64	5	3	5		5
55 Colored.....												
56 Harford County (total).....	351	52	7	2		4	65	9	8	10	10	12
57 White.....	287	39	4	1		4	48	9	4	5	5	10
58 Colored.....	84	13	3	1			17		4	5	5	2
59 Howard County (total).....	224	55	9	4	1	1	70	4	3	7	8	3
60 White.....	152	29	5	3			37	1		5	3	1
61 Colored.....	72	26	4	1	1	1	33	3	2	2	5	2
62 Kent County (total).....	295	75	10	7		2	94	5	7	10	16	8
63 White.....	164	45	3	3		1	52	4	4	3	6	1
64 Colored.....	131	30	7	4		1	42	5	3	7	10	7
65 Montgomery County (total).....	344	55	19	3	3	5	85	9	5	10	7	12
66 White.....	220	31	6	2	2	3	44	5	2	6	6	9
67 Colored.....	124	24	13	1	1	2	41	4	3	4	1	3
68 Prince Georges County (total).....	506	115	31	13	5	7	171	9	14	15	18	16
69 White.....	281	66	9	7	1	3	86	5	6	7	5	6
70 Colored.....	225	49	22	6	4	4	85	4	8	8	13	10
71 Queen Annes County (total).....	284	64	12	2	3	4	85	10	10	11	12	10
72 White.....	152	30	5		3	2	40	5	6	4	4	1
73 Colored.....	132	34	7	2		2	45	5	4	7	8	9
74 St. Marys County (total).....	63	11	2	1		1	15	1	2	3	3	2
75 White.....	35	6	2				8	1	1	2	1	1
76 Colored.....	28	5	1		1		7		1	1	2	1

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states.²]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
211	262	252	284	391	421	516	738	846	948	771	457	168	63	2	18	1
210	262	252	282	391	420	514	737	845	947	770	457	168	63	2	18	2
1			2		1	2	1	1	1	1						3
8	13	10	7	15	16	21	24	28	34	32	25	5	2		2	4
29	23	30	21	28	30	37	33	47	47	48	29	6	4		2	5
25	16	16	21	42	41	56	66	99	104	75	39	20	3	1	2	6
6	2	10	7	13	12	8	32	28	28	20	13	3			7	7
11	20	14	15	25	31	36	55	65	65	52	39	13	4		1	8
18	18	19	20	21	27	42	63	70	84	56	35	17	4		2	9
10	23	18	23	17	32	31	29	40	73	50	20	16	4		10	9
12	5	3	12	16	14	25	32	36	27	41	24	12	5		11	11
11	18	16	20	28	27	42	57	42	58	45	28	13	5		1	12
26	26	23	25	42	47	54	72	78	74	69	27	8	3		2	13
4	10	6	9	17	14	16	19	29	28	25	14	2	1		2	14
5	9	7	9	19	15	19	34	37	42	25	20	9	5		15	15
14	16	21	32	22	23	28	48	44	59	53	32	7	3	1	3	16
7	14	14	10	17	23	27	44	52	55	37	25	13	7		17	17
12	25	24	23	27	28	29	52	38	65	58	28	11	5		1	18
13	24	21	30	42	41	45	78	113	105	85	59	13	5		19	19
339	300	288	312	363	396	510	617	648	590	416	197	63	20	6	44	20
241	210	206	219	286	314	402	495	526	515	341	163	43	15		26	21
98	90	82	93	77	82	108	122	122	75	75	34	20	5	6	18	22
11	12	10	7	13	16	27	27	14	18	18	8	2	1		1	23
10	10	10	7	11	16	27	27	13	18	18	8	2	1		1	24
1	2	2	2	2	2	2	2	1	1	1	1	1	1		2	25
18	25	23	25	30	37	29	28	39	25	20	11	3		2	4	26
9	15	15	15	13	24	22	20	21	17	15	8	1		2	2	27
9	15	8	10	13	13	7	8	18	18	5	3	2		2	2	28
83	75	66	78	81	81	96	136	109	108	72	37	9	3	1	8	29
68	67	58	70	77	76	89	121	104	102	66	36	8	2	1	5	30
15	8	8	8	7	5	7	8	5	6	6	1	1	1	1	3	31
3	4	7	3	4	4	3	3	15	6	9	1	1	1		3	32
3	2	2	2	3	4	3	5	8	4	6	3	1	1		3	33
2	2	2	1	4	4	3	7	7	2	3	1	1	1		3	34
11	8	8	4	7	12	15	16	20	18	13	6	2			35	35
6	5	5	2	5	10	12	13	17	15	11	4	1			36	36
5	3	3	2	2	2	3	3	3	3	2	2	1			37	37
13	14	14	19	26	18	25	43	47	51	39	11	7	1		38	38
12	14	13	19	25	17	25	41	45	49	37	11	7	1		39	39
1		1	1	1	1	2	2	2	2	2	7	7	1		40	40
11	7	12	21	15	18	22	32	33	37	15	7	4			3	41
9	7	5	11	15	15	18	25	30	34	14	7	4			2	42
2	3	7	10	3	4	4	7	3	3	1	4	4			1	43
9	2	9	6	7	11	17	16	19	8	7	5	2			1	44
4	2	4	1	2	4	9	9	11	5	6	2	2			1	45
5	1	5	5	5	4	8	7	8	3	1	3	2			1	46
13	10	11	14	13	19	28	26	23	20	23	4	4			3	47
6	2	5	7	6	10	14	11	15	14	15	3	3			3	48
7	8	6	7	7	9	14	15	8	6	8	1	1			3	49
21	7	16	16	11	28	34	28	43	47	24	16	4	6		3	50
16	6	15	12	11	26	31	25	36	43	18	14	4	6		1	51
5	1	1	4		2	3	3	7	4	6	2	4	6		2	52
8	9	4	6	4	1	5	16	12	12	5	2	1	1		2	53
8	9	4	6	4	1	5	16	12	12	5	2	1	1		2	54
10	9	14	12	20	17	18	32	35	24	25	14	4			3	55
8	5	8	9	17	15	15	23	28	24	19	13	1			1	56
2	4	6	3	3	2	3	9	7	7	6	1	3			2	57
7	4	9	6	9	10	11	14	13	20	14	7	4			1	59
6	4	7	6	9	8	8	13	13	15	7	7	1			1	60
1	4	2	2	2	2	3	1	5	7	3	3	3			1	61
6	8	6	9	10	16	17	22	17	28	9	3	1	1		2	62
3	2	2	3	7	10	10	15	13	23	7	1	1			2	63
3	6	4	6	3	6	7	7	4	5	2	2	1	1		2	64
9	18	12	8	15	12	21	27	30	33	15	9	5	1	1	1	65
3	11	6	6	14	8	13	19	24	26	13	7	3	1		1	66
6	7	6	2	1	4	8	8	6	7	2	2	2			1	67
19	23	14	15	23	20	21	27	41	25	20	8	4	1	1	1	68
10	13	8	5	12	11	11	21	32	21	15	5	1	1		1	69
9	10	6	10	11	9	10	6	9	4	5	3	3			1	70
11	8	8	8	10	12	20	18	21	16	6	8					71
6	6	6	3	6	7	12	10	16	13	4	3					72
5	2	2	5	4	5	8	8	5	3	2	3					73
4	4		4	4	3	3	6	3	4	2	2					74
1	2		1	3	3	2	4	2	1	1	2					75
3	2			1	1	1	2	1	3	1	1					76

² Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES ¹ —Continued.												
MARYLAND—continued.												
1 Somerset County (total).....	334	77	22	13	3	5	120	11	5	17	16	13
2 White.....	161	41	6	2	1	3	53	1	4	6	3	6
3 Colored.....	173	36	16	11	2	2	67	10	1	11	13	7
4 Talbot County (total).....	288	37	14	7	3	1	62	9	7	11	22	8
5 White.....	143	12	5	2	2	2	21	2	2	2	7	2
6 Colored.....	145	25	9	5	1	1	41	7	5	9	15	6
7 Washington County (total).....	424	70	13	12	4	1	100	13	8	13	14	10
8 White.....	398	66	12	12	4	1	95	13	7	11	11	9
9 Colored.....	26	4	1	1	1	1	5	1	1	2	3	1
10 Wicomico County (total).....	291	58	22	10	3	3	96	6	5	14	12	10
11 White.....	214	46	10	6	2	2	66	4	4	7	9	5
12 Colored.....	77	12	12	4	1	1	30	2	1	7	3	5
13 Worcester County (total).....	252	49	10	8	7	1	75	6	3	12	10	7
14 White.....	148	18	3	3	4	1	29	3	2	1	5	5
15 Colored.....	104	31	7	5	3	1	46	3	1	11	5	2
MASSACHUSETTS.												
16 Total.....	12,305	1,808	306	136	107	63	2,420	203	152	212	340	324
17 White.....	12,181	1,795	303	135	107	63	2,403	198	147	206	332	305
18 Colored.....	124	13	3	1	1	1	17	5	5	6	8	19
19 Barnstable County.....	497	51	13	1	3	1	69	6	11	8	10	12
20 Berkshire County.....	581	83	9	6	3	3	104	9	2	10	18	19
21 Bristol County.....	821	181	38	15	8	5	247	14	10	15	14	12
22 Dukes County.....	87	8	1	1	1	1	9	1	1	1	1	3
23 Essex County.....	1,515	195	26	15	9	5	250	17	14	22	35	32
24 Franklin County.....	529	65	9	2	4	5	85	9	7	11	13	6
25 Hampden County.....	686	170	39	17	18	4	248	18	14	17	40	14
26 Hampshire County.....	626	135	24	3	11	4	177	19	12	6	12	16
27 Middlesex County.....	2,275	233	36	25	18	8	320	28	29	41	77	86
28 Nantucket County.....	60	4	1	1	1	1	4	1	2	1	3	1
29 Norfolk County.....	1,332	182	31	22	5	8	248	20	15	16	35	32
30 Plymouth County.....	1,139	144	24	10	9	4	191	16	14	25	32	37
31 Worcester County.....	2,097	357	57	20	18	16	468	46	22	40	50	54
MICHIGAN.												
32 Total.....	23,519	4,171	763	362	224	157	5,677	506	385	591	767	710
33 White.....	23,154	4,115	754	356	220	156	5,601	490	373	566	749	695
34 Colored.....	365	56	9	6	4	1	76	16	12	25	18	15
35 Alcona County.....	55	15	2	1	1	1	19	2	1	3	2	1
36 Alger County.....	107	44	7	7	2	1	60	4	5	6	3	3
37 Allegan County.....	555	83	11	4	1	4	102	5	7	22	13	22
38 Alpena County.....	80	23	4	2	1	1	30	3	1	6	2	7
39 Antrim County.....	187	33	11	4	3	2	53	8	4	3	7	6
40 Arenac County.....	97	27	1	1	2	1	32	1	2	3	4	3
41 Baraga County.....	62	7	1	1	1	1	9	3	1	6	4	4
42 Barry County.....	299	29	6	1	3	1	40	7	6	3	2	5
43 Bay County.....	238	51	10	6	5	1	73	10	2	6	9	9
44 Benzie County.....	128	28	8	1	1	1	39	2	4	6	6	1
45 Berrien County.....	701	114	12	10	8	1	145	15	8	17	25	23
46 Branch County.....	333	39	5	6	3	4	57	5	6	6	9	9
47 Calhoun County.....	441	48	6	6	4	1	62	8	6	9	7	10
48 Cass County.....	304	34	5	5	4	1	49	5	4	6	6	7
49 Charlevoix County.....	221	55	7	1	1	3	66	8	1	8	10	6
50 Cheboygan County.....	234	50	17	6	1	3	77	5	7	7	18	10
51 Chippewa County.....	108	27	4	6	2	1	40	7	3	2	4	6
52 Clare County.....	107	19	4	1	1	1	25	2	2	5	6	3
53 Clinton County.....	307	46	13	2	3	1	65	8	3	2	6	2
54 Crawford County.....	54	12	2	1	1	1	16	1	1	2	4	3
55 Delta County.....	195	72	6	2	3	3	86	3	1	5	3	6
56 Dickinson County.....	230	39	23	7	8	2	129	9	1	9	5	8
57 Eaton County.....	440	49	10	8	2	1	70	14	6	10	12	16
58 Emmet County.....	231	40	9	2	1	1	51	5	3	10	9	11
59 Genesee County.....	403	69	7	5	3	2	86	5	5	9	7	10
60 Gladwin County.....	85	23	2	1	1	1	27	1	1	6	2	7
61 Gogebic County.....	187	74	12	8	5	3	102	9	5	8	4	14
62 Grand Traverse County.....	155	26	6	4	1	3	39	4	3	2	8	4
63 Gratiot County.....	354	63	8	4	2	1	77	6	10	8	12	7
64 Hillsdale County.....	442	47	10	4	4	1	66	14	8	6	13	13
65 Houghton County.....	1,127	344	71	32	21	22	490	37	32	35	67	48
66 Huron County.....	375	92	10	1	6	1	110	9	8	12	13	8
67 Ingham County.....	296	36	6	4	1	3	50	3	4	6	8	5
68 Ionia County.....	436	59	13	2	4	3	81	6	3	6	10	7
69 Iosco County.....	119	24	6	1	1	1	32	4	1	3	7	6
70 Iron County.....	193	69	13	4	5	3	94	7	2	4	13	14
71 Isabella County.....	263	44	12	2	2	2	60	6	7	7	6	3
72 Jackson County.....	334	39	6	3	2	4	54	1	6	7	5	6
73 Kalamazoo County.....	301	25	4	3	1	2	24	4	3	6	7	4
74 Kalkaska County.....	128	27	10	2	2	1	40	2	3	6	10	4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

235

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
9	11	5	10	12	11	19	16	24	12	14	4		2		3	1
6	5	4	4	8	8	12	9	13	7	8	3		1		1	2
3	6	1	6	4	3	7	7	11	5	6	1		1		3	3
15	9	7	13	12	15	22	18	20	14	14	6			1	1	4
6	3	3	7	9	8	13	13	12	17	11	4				1	5
9	6	4	6	3	7	9	5	4	3	3	2			1	6	6
24	14	15	7	11	20	36	33	32	29	32	12				1	7
22	13	14	7	11	18	34	33	30	28	30	11				1	8
2	1	1			2	2	2	2	1	2	1				1	9
13	10	9	14	15	6	12	10	22	13	10	10				2	10
11	6	5	10	11	5	11	7	18	13	9	9	2			2	11
2	4	4	4	4	1	1	3	4		1	1					12
11	8	9	10	8	8	9	18	20	16	10	6	4	2			13
8	6	4	6	7	7	6	17	13	15	6	4	3	1			14
3	2	5	4	1	1	3	1	7	1	4	2	1	1			15
385	417	431	472	563	622	783	1,003	1,164	1,062	916	549	219	39	8	21	16
375	406	421	465	553	619	778	999	1,163	1,062	911	547	219	39	8	20	17
10	11	10	7	5	3	5	4	1		5	2			1	1	18
6	9	13	9	17	28	31	41	64	66	47	36	11	2	1		19
15	16	19	18	17	31	44	49	64	68	37	31	8	2			20
22	19	24	20	29	43	46	66	60	60	55	43	14	2			21
3		2		4	6	10	11	10	12	10	3	1				22
46	64	54	69	84	87	100	120	163	135	120	64	28	7	2		23
16	11	16	17	27	29	35	46	58	52	47	25	17		1	1	24
22	22	19	18	22	23	29	37	47	38	36	23	7			1	25
11	15	20	19	26	25	25	53	53	59	37	28	11	1		1	26
103	107	108	124	123	125	170	174	213	173	145	89	27	10		3	27
1				1	1	5	5	10	10	7	5	2	1			28
39	49	44	49	78	72	73	121	136	95	108	64	32	2		4	29
31	38	37	51	46	56	83	99	112	122	168	53	33	4	1	2	30
70	66	75	78	89	96	132	181	170	172	161	85	28	7	3	4	31
615	658	648	798	946	1,081	1,445	1,787	2,084	2,071	1,498	846	298	66	15	27	32
597	638	639	780	930	1,064	1,427	1,769	2,068	2,055	1,473	837	297	65	10	26	33
18	20	9	18	16	17	18	18	16	16	20	9	1	1	5	1	34
	1	1	2	2	3	4	3	4	4	1	2	1				35
2	1	3	4	1	3	3	5	5	2	1						36
18	13	22	12	22	23	23	48	54	62	46	29	9	1	2		37
1	3	1	1	1	7	3	2	3	5	4						38
4	6	9	4	11	6	9	18	14	13	6	5	1				39
	5	2	6	3	4	9	5	4	5	3	2	4				40
	8	2	6	5	14	1	5	5	3	3	1			1		41
1	3	8	6	10	23	30	45	40	42	42	9	5				42
9	5	6	9	9	6	17	16	10	15	16	8	2		1		43
1	1	4	4	3	4	13	5	11	4	4	4	1	1			44
18	17	26	38	19	27	60	65	62	64	47	17	5	2	1		45
6	6	10	10	10	19	31	40	39	55	38	18	9	2			46
9	13	11	12	27	26	27	51	58	40	37	21	6	1			47
11	10	5	8	12	21	27	35	28	24	30	13	2		1		48
8	6	6	6	7	8	16	17	13	15	12	7	1				49
4	5	3	8	11	7	11	15	13	12	13	6			1	1	50
2	2	2	4	4	3	6	5	1	4	2	2			1		51
3	3	2	2	2	7	9	11	9	5	5	2				2	52
4	5	8	9	10	19	17	20	36	52	27	12	2				53
4	1	2	3	2	1	1	5	3	3	2						54
10	10	10	6	3	6	12	11	5	10	3	2	1	2			55
6	11	4	4	10	6	7	5	5	4	1	1					56
12	10	9	12	26	18	26	32	41	51	43	18	12	2			57
9	18	9	5	16	10	11	16	16	16	11	3			1	1	58
1	12	6	11	16	18	25	39	34	55	29	24	7	4			59
1		1	4	9	2	5	5	8	3	1	1					60
12	2	6	5	3	1	3	3	4	2	1	1	1				61
6	5	3	8	4	5	9	14	13	8	17	4	3				62
9	9	6	14	11	12	22	28	40	41	27	7	5	3			63
11	7	15	7	17	22	38	38	46	54	37	21	9	5			64
49	39	39	34	37	35	49	29	38	36	22	8	3				65
5	9	4	12	18	19	29	28	39	21	19	9	3				66
6	10	12	8	12	16	18	32	31	28	28	16	7	1			67
10	4	10	6	20	24	38	52	55	42	35	19	7			1	68
2	2	1	5	3	6	7	9	14	7	6	4					69
9	6	8	5	10	5	3	5	5	2		1					70
5	9	11	5	14	20	23	19	28	16	14	6	3				71
6	6	3	11	19	11	22	29	57	36	34	15	5	1			72
13	8	9	15	13	11	23	30	37	30	29	16	7	1		1	73
6	4	7	5	2	5	9	5	10	4	2	3	1				74

²Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES—Continued.												
MICHIGAN—continued.												
1 Kent County.....	730	66	8	7	1	1	83	8	6	20	16	16
2 Keweenaw County.....	97	42	7	3	2	1	55	5	1	2	11	2
3 Lake County.....	47	6	1	1	2	1	10	3	1	2	1	1
4 Leapeer County.....	442	45	7	6	2	4	64	12	10	24	31	13
5 Leelanau County.....	170	35	6	6	1	3	51	1	5	6	8	10
6 Lenawee County.....	538	52	14	4	5	75	9	6	8	15	10	10
7 Livingston County.....	237	32	4	2	3	41	5	3	6	5	4	4
8 Luce County.....	109	13	2	3	3	18	3	1	4	5	5	5
9 Mackinac County.....	130	28	2	6	1	37	4	3	6	5	9	9
10 Macomb County.....	497	72	11	9	5	102	11	8	10	13	14	14
11 Manistee County.....	161	31	10	6	1	50	2	5	6	6	7	7
12 Marquette County.....	278	72	16	5	2	96	14	8	10	13	22	22
13 Mason County.....	253	50	10	5	4	72	4	4	8	14	10	10
14 Mecosta County.....	252	39	10	6	1	57	4	4	3	7	9	9
15 Menominee County.....	152	49	4	3	1	60	7	3	3	14	5	5
16 Midland County.....	197	43	8	6	4	61	5	6	8	7	6	6
17 Missaukee County.....	114	30	7	1	2	40	1	3	5	1	2	2
18 Monroe County.....	422	67	14	3	1	85	13	9	9	19	15	15
19 Montcalm County.....	446	59	17	6	7	91	5	5	10	10	12	12
20 Montmorency County.....	49	10	2	1	1	13	3	3	3	5	2	2
21 Muskegon County.....	214	26	7	1	1	35	3	4	2	4	4	4
22 Newaygo County.....	210	35	6	3	2	47	5	8	8	2	7	7
23 Oakland County.....	535	64	9	9	3	91	8	11	10	8	7	7
24 Oceana County.....	206	41	3	5	3	49	4	2	7	8	6	6
25 Ogemaw County.....	70	11	3	2	1	16	1	1	2	1	2	2
26 Ontonagon County.....	91	28	6	1	2	37	2	1	1	1	5	5
27 Osceola County.....	203	38	7	1	1	49	3	5	6	3	8	8
28 Oscoda County.....	23	3	1	1	1	6	1	1	1	1	1	1
29 Otsego County.....	79	28	4	1	1	34	1	1	3	3	1	1
30 Ottawa County.....	398	69	12	8	3	93	7	10	6	10	11	11
31 Presque Isle County.....	149	47	15	1	1	62	3	2	5	2	4	4
32 Rosecommon County.....	21	5	1	1	1	6	1	1	1	1	1	1
33 Saginaw County.....	490	110	17	7	3	142	11	7	10	11	11	11
34 St. Clair County.....	432	66	13	2	3	87	7	4	11	11	13	13
35 St. Joseph County.....	374	36	8	1	5	52	3	6	11	8	10	10
36 Sanilac County.....	374	76	13	9	7	106	11	9	11	9	11	11
37 Schoolcraft County.....	107	29	4	7	1	41	5	1	1	9	1	1
38 Shiawassee County.....	471	61	16	4	3	89	5	9	6	6	10	10
39 Tuscola County.....	443	76	20	7	2	106	9	5	6	11	15	15
40 Van Buren County.....	464	64	9	5	5	85	8	10	5	11	7	7
41 Washtenaw County.....	447	41	11	8	3	63	6	9	8	15	10	10
42 Wayne County.....	1,168	211	29	14	18	280	22	12	24	51	47	47
43 Wexford County.....	267	70	11	9	10	103	8	1	5	11	6	6
MINNESOTA.												
44 Total.....	14,456	2,739	496	300	172	3,832	486	363	505	602	559	559
45 White.....	14,400	2,725	493	295	172	3,809	485	362	502	598	556	556
46 Colored.....	56	14	3	5	1	23	1	1	3	4	3	3
47 Aitkin County.....	89	16	4	3	2	28	4	5	2	2	1	1
48 Anoka County.....	155	11	3	2	6	22	2	2	7	7	10	10
49 Becker County.....	176	42	9	3	2	57	8	6	9	9	6	6
50 Beltrami County.....	265	61	11	8	8	92	7	7	10	24	22	22
51 Benton County.....	114	34	8	3	1	46	3	6	7	1	3	3
52 Big Stone County.....	87	19	3	2	1	24	3	4	5	4	5	5
53 Blue Earth County.....	172	19	3	2	2	28	6	2	7	7	4	4
54 Brown County.....	218	50	6	4	1	61	13	6	5	5	5	5
55 Carlton County.....	182	50	15	8	3	78	6	4	4	9	11	11
56 Carver County.....	172	32	10	1	1	47	8	2	6	5	6	6
57 Cass County.....	79	15	5	2	1	26	2	3	2	2	6	6
58 Chippewa County.....	122	19	5	2	1	26	6	1	2	3	3	3
59 Chisago County.....	167	24	5	2	1	31	2	5	1	6	5	5
60 Clay County.....	166	28	9	5	2	47	8	1	5	9	11	11
61 Clearwater County.....	88	21	8	4	3	39	3	3	4	3	3	3
62 Cook County.....	9	2	1	1	1	2	1	1	1	1	3	3
63 Cottonwood County.....	114	27	6	1	1	34	14	4	5	2	3	3
64 Crow Wing County.....	241	36	9	16	4	70	9	6	11	13	7	7
65 Dakota County.....	255	46	4	3	1	57	14	6	6	11	11	11
66 Dodge County.....	113	16	4	1	1	22	4	3	5	3	3	3
67 Douglas County.....	177	25	1	1	2	29	3	2	9	8	12	12
68 Faribault County.....	199	33	6	2	2	44	11	4	7	7	5	5
69 Fillmore County.....	266	39	13	4	1	60	9	5	4	6	6	6
70 Freeborn County.....	223	36	7	3	3	52	9	3	3	14	10	10
71 Goodhue County.....	350	56	7	3	6	76	6	2	5	18	8	8
72 Grant County.....	95	19	3	2	3	28	6	1	9	2	3	3
73 Hennepin County.....	254	43	6	6	5	61	10	7	9	9	9	9
74 Houston County.....	138	19	1	2	2	24	3	2	4	4	4	4
75 Hubbard County.....	93	23	3	1	3	31	4	2	6	3	3	3
76 Isanti County.....	157	27	4	5	3	40	6	4	4	5	10	10

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at un- known age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
9	15	17	21	25	35	64	98	89	89	59	42	15	3		1	
3	3	2	1	2	3	2	2	2	3	3	1				2	
2	2	1	2	1	3	3	3	7	3	3					3	
19	14	7	14	15	23	29	35	38	48	27	12	7			4	
7	4	4	7	5	7	7	11	11	11	9	2	4			5	
14	11	14	17	18	25	41	52	64	66	46	32	13	2		6	
4	6	11	7	5	14	11	23	30	22	21	11	6	1		7	
4	3	10	9	12	8	8	5	2	5	4	1				8	
4	3	2	7	9	8	7	3	2	6	7	1				9	
12	21	14	18	24	23	28	40	50	43	38	23	2	3		10	
5	2	4	9	11	6	12	11	11	14	5	1				11	
8	17	10	12	10	13	5	6	10	10	6	3	2			12	
12	8	9	8	12	10	11	12	15	23	14	4		1		13	
6	8	7	8	16	11	19	20	28	28	8	3		2		14	
3	5	3	8	5	6	9	5	6	4	2	2		1		15	
1	2	3	8	2	9	4	14	13	22	10	5	1			16	
2	2	6	2	7	7	10	7	6	9	2	1	2			17	
11	15	9	14	19	18	26	30	37	33	28	22	3	4		18	
4	16	15	14	20	24	36	38	48	48	19	24	4	3		19	
1	2	1	2	2	5	2	1	4	2	3					20	
6	4	2	12	8	18	23	23	23	19	14	7	3			21	
8	3	7	2	4	13	8	18	18	16	19	8	4			22	
15	6	13	25	29	27	29	49	50	66	28	12	2		1	23	
2	3	5	11	7	6	9	16	18	25	11	5				24	
6	2	3	4	2	6	4	5	6	7	5	1				25	
4	4	1	5	5	3	3	1	9	2	3	4				26	
6	2	3	6	2	15	9	19	20	21	12	10	3			27	
1	1	3	2	2	2	4	3	4	4	1					28	
2	1	1	1	1	5	7	5	6	3	1		1			29	
5	5	15	16	16	27	25	30	32	34	31	17	5	2		30	
5	5	4	5	6	10	6	7	4	8	4	3	3			31	
11	8	14	14	16	24	24	40	40	52	33	15	5		2	32	
7	7	12	17	21	19	27	34	39	33	42	26	13	1	1	33	
3	6	7	14	17	18	20	30	44	49	31	40	4	1		34	
8	7	9	14	13	13	17	21	32	35	24	17	6			35	
3	7	2	4	3	7	3	5	6	7	2	2				36	
10	19	19	16	22	24	31	42	44	56	31	8	1	1		37	
10	16	13	11	15	21	31	30	38	49	32	18	5	1	1	38	
10	9	9	14	18	25	34	45	43	48	46	27	9	1		39	
14	11	13	20	13	14	23	47	62	56	33	19	10	1		40	
44	54	37	56	52	57	63	66	106	89	55	34	13	4		41	
11	7	4	8	13	16	13	13	18	13	10	3	2			42	
															43	
480	492	503	543	625	579	671	786	905	981	815	516	151	31	6	25	44
478	490	500	541	622	578	670	785	904	979	815	514	151	31	5	25	45
2	2	3	2	3	1	1	1	1	2		2			1	25	46
2	2	1	4	4	3	6	9	2	6	6	2					47
3	5	9	8	9	12	8	8	13	11	13	5	1				48
3	8	4	6	4	4	9	13	8	14	4	3	1				49
12	9	16	15	14	8	6	7	7	6	1					2	50
3	5		4	3	3	1	2	9	4	6	4	3			1	51
4		2	3	6	5	4	7	3	2	6						52
2	3	6	2	6	8	9	10	18	21	19	9	3	2			53
5	9	5	8	8	5	9	17	17	15	13	9	2			1	54
3	5	6	4	5	5	11	6	5	7	1	3		1			55
5	3	4	7	8	7	3	13	10	14	19	6	2				56
1	4	4	3	5	1	7	2	4	3	2	1				3	57
5	3	5	4	9	6	5	8	7	12	11	3	2			1	58
1	5	3	6	4	4	9	20	20	24	9	10	2				59
5	6	7	4	7	7	10	4	6	10	6	3	3	1		1	60
4	4	4	1	6	3	1	3	3	4	2						61
2										1						62
3	6	13	12	14	2	5	9	7	5	5	4		2			63
13	11	10	7	19	11	11	12	10	6	4	5	2				64
9	12	10	4	5	14	13	10	19	15	11	9	1	1			65
4	3	2	4	5	10	8	8	6	5	8	5	4			1	66
6	8	4	6	8	12	10	13	13	20	9	7	1				67
1	5	5	10	6	6	13	11	15	20	21	5	2	1			68
7	5	8	14	8	9	10	19	24	27	32	19	2	1			69
14	3	6	9	4	14	10	14	16	17	13	13	6				70
	15	14	12	20	11	19	25	34	26	22	15	7	1			71
	3	2	4	1	2	8	4	7	5	7	3					72
12	8	9	7	13	7	10	12	17	19	23	9	2		1		73
3	2	6	5	1	3	3	11	12	20	11	12	2				74
2	2	2	3	5	5	9	2	8	7	2	1	1				75
7	5	6	4	4	7	9	5	8	11	13	9	4	3			76

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part"

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES ¹ —Continued.												
MINNESOTA—continued.												
1 Itasca County.....	187	54	9	2	1	2	67	2	3	8	18	16
2 Jackson County.....	162	27	7	2	1	1	38	4	4	7	10	8
3 Kanabec County.....	65	10	3	2	1	1	15	2	1	1	4	2
4 Kandiyohi County.....	174	34	2	3	1	1	41	4	3	3	4	10
5 Kittson County.....	70	16	4	2	1	1	23	2	3	6	3	10
6 Koochiching County.....	61	13	2	2	2	2	19	2	2	5	3	6
7 Lac qui Parle County.....	124	22	3	9	2	3	39	8	3	5	3	4
8 Lake County.....	114	13	6	3	3	2	25	2	7	6	10	12
9 Le Sueur County.....	195	33	6	4	2	5	50	7	3	5	5	10
10 Lincoln County.....	70	16	2	1	2	2	21	1	2	5	5	1
11 Lyon County.....	149	39	7	5	2	1	54	5	4	4	4	6
12 McLeod County.....	176	24	3	3	2	2	32	2	3	5	8	4
13 Mahanomen County.....	13	6	1	1	1	1	8	1	1	1	1	4
14 Marshall County.....	187	36	5	2	4	2	47	9	6	11	8	8
15 Martin County.....	135	33	4	2	2	2	43	3	3	7	4	4
16 Meeker County.....	170	26	5	3	2	2	36	5	3	6	8	6
17 Mille Lacs County.....	89	21	3	2	2	2	26	5	3	3	4	4
18 Morrison County.....	224	45	12	8	4	3	72	13	11	6	8	5
19 Mower County.....	201	28	7	6	1	1	43	5	6	6	4	6
20 Murray County.....	89	23	4	6	1	1	34	3	3	1	2	2
21 Nicollet County.....	189	17	5	2	1	1	25	3	3	3	6	5
22 Nobles County.....	114	29	1	4	4	1	39	5	1	3	3	3
23 Norman County.....	110	23	4	1	4	1	29	5	6	9	5	3
24 Olmsted County.....	505	33	8	5	2	2	48	1	5	18	15	22
25 Otter Tail County.....	641	80	21	18	10	4	133	24	17	21	24	22
26 Pine County.....	130	30	2	2	1	1	36	7	5	9	2	6
27 Pipestone County.....	77	16	1	1	1	1	17	2	1	1	2	4
28 Polk County.....	369	77	17	12	4	4	110	14	11	19	19	12
29 Pope County.....	129	27	6	2	1	1	37	3	7	4	5	6
30 Ramsey County.....	83	17	3	3	3	1	24	6	4	4	4	2
31 Red Lake County ²	154	26	5	2	4	1	38	11	9	7	9	5
32 Redwood County.....	133	26	5	3	1	2	37	8	5	8	2	7
33 Renville County.....	184	41	5	3	2	2	53	8	7	7	9	5
34 Rice County.....	329	38	4	5	1	2	50	10	15	19	21	18
35 Rock County.....	79	17	4	4	1	1	26	5	3	2	4	4
36 Roseau County.....	100	31	8	4	2	1	46	2	5	4	3	2
37 St. Louis County.....	899	327	55	30	17	12	441	26	15	23	70	58
38 Scott County.....	154	12	4	2	1	2	21	3	7	8	5	6
39 Sherburne County.....	75	11	1	1	1	1	12	4	1	1	1	1
40 Sibley County.....	145	31	2	2	2	2	35	2	4	4	2	4
41 Stearns County.....	352	78	12	5	5	1	101	11	9	10	11	9
42 Steele County.....	158	25	5	2	2	3	37	3	4	4	6	5
43 Stevens County.....	83	17	3	2	2	2	22	5	4	1	1	4
44 Swift County.....	125	35	3	3	3	4	45	5	5	4	2	6
45 Todd County.....	203	35	6	4	4	4	45	10	11	5	12	4
46 Traverse County.....	50	14	2	2	1	1	17	3	2	2	3	2
47 Wabasha County.....	207	25	2	3	2	2	32	4	1	6	7	4
48 Wadena County.....	84	15	5	2	2	2	26	3	2	4	3	1
49 Waseca County.....	136	29	2	2	1	1	35	1	4	4	6	3
50 Washington County.....	145	25	2	2	2	2	29	3	5	9	5	2
51 Watonwan County.....	83	20	4	1	1	2	27	3	3	2	2	2
52 Wilkin County.....	100	16	3	3	1	1	24	4	3	5	5	1
53 Winona County.....	142	16	3	5	1	1	25	4	1	3	3	1
54 Wright County.....	285	52	7	2	2	2	65	4	6	9	11	10
55 Yellow Medicine County.....	113	21	5	3	3	1	30	4	3	6	3	2
MONTANA.												
56 Total.....	2,472	443	86	37	32	24	622	87	65	75	142	172
57 White.....	2,434	439	85	37	31	24	616	85	63	75	140	169
58 Colored.....	38	4	1	1	1	1	6	2	2	2	2	3
59 Beaverhead County.....	68	9	2	1	1	1	13	4	2	2	4	2
60 Broadwater County.....	39	5	3	2	2	2	10	4	2	2	2	4
61 Carbon County.....	135	40	8	5	2	4	59	5	3	1	8	7
62 Cascade County.....	100	30	1	4	1	2	38	4	3	4	10	9
63 Chouteau County.....	127	22	6	6	2	2	36	4	5	7	9	10
64 Custer County.....	96	9	3	1	1	1	15	8	2	6	11	6
65 Dawson County.....	111	28	1	2	5	1	36	4	4	1	8	9
66 Deer Lodge County.....	98	2	1	1	1	1	4	1	1	1	1	1
67 Fergus County.....	112	24	10	1	1	3	39	3	4	4	8	8
68 Flathead County.....	218	35	7	3	6	1	52	5	6	8	16	25
69 Gallatin County.....	128	26	4	3	3	3	33	6	2	5	2	8
70 Granite County.....	26	2	1	1	1	1	3	1	1	1	1	2
71 Jefferson County.....	62	5	2	1	1	1	8	1	3	1	2	7
72 Lewis and Clark County.....	79	16	1	1	1	1	17	1	1	1	5	4
73 Lincoln County.....	41	11	1	1	1	1	12	2	1	2	2	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.				
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.					
9	6	14	8	11	4	8	3	2	5	1	1				1	1			
7	1	5	7	7	1	3	8	5	14	7	12	2				2			
6	6	1	4	1	2	3	5	6	4	4	1	1				3			
6	2	3	3	1	4	1	9	14	4	12	3	1				4			
2	2	3	4	1	4	1	1	5	2	5	2	1				5			
6	2	2	3	1	1	1	2	2								6			
3	7	2	2	4	3	3	12	4	7	5	5					7			
4	4	2	2	4	5	5	3	2	4	4	1					8			
1	2	2	4	3	4	5	12	19	19	15	13	4				9			
6	3	4	5	7	4	7	7	4	5	6	2	2				10			
3	3			3	8	12	10	25	10	10	4	1				11			
5	9	7	10	10	11	9	9	8	10	7	14	3				12			
1	5	1	7	3	5	4	10	8	8	6	2					13			
3	4	5	5	10	4	4	9	12	10	7	9					14			
2	1	3	7	3	10	3	12	4	8	7						15			
12	3	3	2	2	3	10	12	16	11	13	8					16			
6	7	3	3	6	6	7	4	16	4	12	3					17			
3	2	7	3	4	10	4	10	11	13	9	10					18			
13	13	16	10	16	11	12	13	10	14	14	6					19			
3	2	4	8	2	5	6	7	3	4	5	8					20			
30	35	33	34	50	39	35	32	36	36	55	22					21			
24	29	24	37	31	37	41	25	42	46	32	24					22			
9	4	8	3	4	7	6	9	2	4	3	2					23			
1	2	6	3	4	6	4	6	7	5	4	1					24			
13	10	16	13	20	21	16	13	14	19	10	16					25			
5	2	5	5	2	5	9	7	6	5	8	3					26			
1	7	3	5	8	7	5	7	11	8	6	4					27			
3	7	8	6	6	4	5	7	8	8	7	1					28			
3	4	8	5	5	10	7	8	16	10	8	3					29			
17	11	9	5	13	14	15	19	17	29	24	17					30			
		2		2	2	3	8	6	5	3	8					31			
3	2	3	3	3	3	2	4	5	6	4	3					32			
55	38	37	34	19	16	15	15	16	8	4	5					33			
2	2	6	7	7	6	9	11	9	20	11	3					34			
2	2	5	3	4	4	3	8	6	11	10	3					35			
2	3		6	4	1	5	8	13	15	15	7					36			
7	10	8	11	20	10	19	16	33	22	30	8					37			
3	4	2	4	7	9	2	12	21	16	13	9					38			
2	4	3	2	5	2	2	3	8	7	2	3					39			
4	3	5	8	5	5	7	7	8	4	9	1					40			
4	6	4	5	10	8	12	16	9	17	12	9					41			
1	2	3	2		1	2	4	3	4	2	1					42			
1	1	3	5	11	4	14	19	19	35	23	11					43			
5	2	2	1	7	2	8	7	5	7	2	2					44			
1	5	6	7	4	4	7	4	11	16	12	6					45			
1	1	5	6	8	6	7	8	9	19	12	4					46			
2	5	2	1	3	1	5	3	9	8	6	1					47			
3	7	5	7	4	3	5	3	7	2	5	5					48			
9	11	9	6	7	6	7	14	15	16	11	12					49			
3	4	10	4	6	3	3	9	25	24	25	10					50			
																	51		
																	52		
																	53		
																	54		
																	55		
130	147	141	136	133	108	114	111	73	109	60	19					18	56		
127	142	140	134	132	106	113	109	71	108	59	19					17	57		
3	5	1	2	1	2	1	2	2	1	1	1					1	58		
2	3	3	7	3	4	7	3	1	4	3							59		
6	1	2	5	1	1	3	1	1	3	2	1						60		
3	4	7	2	6	5	5	6	2	3	2							61		
5	9	6	6	3	2	1	3	1	5	3							62		
									4	1							2	63	
8	5	6	3	6	3	4	4		1	4							2	64	
10	5	2	4	8	6	4	5	2	5	1							1	65	
12	11	12	10	11	5	4	6	9	8	3							1	66	
9	4	6	2	5	7	1	3	2	3	2							1	67	
8	20	11	10	10	5	11	7	9	9	3							1	68	
6	5	7	8	7	4	10	9	4	7	4								69	
5	1	2	1	3	3	3	3	2	1	1								70	
4	4	4	4	4	1	5	4	2	4	6								71	
1	4	3	2	4	6	4	2	2	2	6								72	
																		1	73

* Including Pennington County, which was organized November 23, 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES ¹ —Continued.												
MONTANA—continued.												
1 Madison County.....	69	5	4			3	12	6	1	2	2	2
2 Meagher County.....	25			1			6	2		1	1	1
3 Missoula County.....	74	10	1	1			12	2	3	6	6	6
4 Park County.....	133	30	1		2		33	6	6	7	7	4
5 Powell County.....	56	12		1			13		3	2	1	3
6 Ravalli County.....	95	17	6	2			25	2	2	4	3	5
7 Rosebud County.....	24		1				1	1	2	1	3	3
8 Sanders County.....	24	2	1				3				1	3
9 Silver Bow County.....	280	49	10	1	4	4	68	9	7	3	11	16
10 Sweet Grass County.....	26	4	3			1	8			3	3	2
11 Teton County.....	53	8	3	2	1		14	2	1	2	1	7
12 Valley County.....	70	10	2	2	1		13	3	2	2	10	10
13 Yellowstone County.....	103	27	5	2	4	1	39	7	2		8	8
NEW HAMPSHIRE.												
14 Total.....	4,391	601	76	42	28	30	777	63	46	75	98	103
15 White.....	4,386	601	75	42	28	30	776	63	46	75	98	103
16 Colored.....	5		1				1					
17 Belknap County.....	203	17	2	2	2		23	1	2	3	4	1
18 Carroll County.....	293	42	3	1		1	47	5	1	6	4	6
19 Cheshire County.....	358	72	5	4	8	2	91	5	7	7	7	6
20 Coos County.....	259	41	2	3		1	47	5	4	7	6	10
21 Grafton County.....	655	89	11	2	1	6	109	7	5	10	10	16
22 Hillsborough County.....	566	60	6	4	2	3	75	5	4	6	14	15
23 Merrimack County.....	568	63	12	6	4	4	89	8	8	8	11	14
24 Rockingham County.....	703	87	14	11	4	7	123	17	6	14	21	15
25 Strafford County.....	453	84	18	8	5	5	120	7	5	11	14	10
26 Sullivan County.....	333	46	3	1	2	1	53	3	4	3	7	10
NEW JERSEY.												
27 Total.....	12,974	2,347	440	231	125	84	3,227	261	179	286	385	401
28 White.....	12,283	2,163	397	213	116	77	2,966	252	162	253	353	376
29 Colored.....	691	184	43	18	9	7	261	9	17	28	32	25
30 Atlantic County.....	430	81	14	7	2	4	108	12	6	10	12	10
31 Bergen County.....	1,383	296	38	29	22	10	395	34	23	28	43	43
32 Burlington County.....	1,102	240	37	31	4	9	321	19	15	29	39	19
33 Camden County.....	718	140	25	6	7	2	180	10	10	14	18	22
34 Cape May County.....	294	53	13	3	1		70	3	4	5	10	5
35 Cumberland County.....	417	53	14	5	4	5	81	6	4	13	6	17
36 Essex County.....	687	89	29	27	13	9	167	22	12	10	23	21
37 Gloucester County.....	494	98	20	14	6	8	146	14	5	16	8	11
38 Hudson County.....	873	125	21	15	9	6	176	11	12	18	48	52
39 Hunterdon County.....	489	59	9	5	2	1	76	6		10	12	18
40 Mercer County.....	379	56	12	7	1		76	4	7	9	10	11
41 Middlesex County.....	754	199	39	16	10	8	272	19	8	11	18	26
42 Monmouth County.....	1,006	174	32	14	7	8	235	19	20	21	21	29
43 Morris County.....	968	165	22	10	7	3	207	16	10	14	25	42
44 Ocean County.....	327	50	13	5			68	3	6	5	7	9
45 Passaic County.....	414	96	24	10	5		135	17	7	15	15	10
46 Salem County.....	357	46	10	6	3		65	12	3	12	9	10
47 Somerset County.....	518	76	24	7	3	2	112	8	10	15	21	8
48 Sussex County.....	374	70	4	2	4	3	83	6	3	6	14	14
49 Union County.....	573	108	24	7	5	5	147	12	10	18	12	20
50 Warren County.....	437	75	16	5	10	1	107	8	4	7	14	4
NEW YORK.												
51 Total.....	37,395	4,810	816	424	259	190	6,499	563	445	681	1,060	1,050
52 White.....	36,866	4,724	795	415	252	185	6,371	552	426	659	1,035	1,023
53 Colored.....	529	86	21	9	7	5	128	11	19	22	25	27
54 Albany County.....	514	79	14	5	7	3	108	12	9	7	18	14
55 Allegany County.....	622	58	11	6	2	1	78	6	2	14	18	11
56 Broome County.....	542	52	13	3	2	5	75	8	5	5	12	16
57 Cattaraugus County.....	716	86	20	14	9	2	131	7	11	18	20	13
58 Cayuga County.....	474	45	2	4	2	3	56	5	6	10	14	13
59 Chautauqua County.....	853	110	16	4	7	4	141	16	9	9	15	16
60 Chemung County.....	311	38	7	2	1	2	50	3	1	3	10	9
61 Chenango County.....	598	48	9	8	7	5	77	4	6	6	14	7
62 Clinton County.....	499	88	30	5	15	2	140	22	4	5	16	19
63 Columbia County.....	532	65	7	3	1		76	5	7	6	13	14
64 Cortland County.....	310	23	6	4	1	2	36	2	3	5	6	5
65 Delaware County.....	724	68	12	7	4	4	95	18	12	14	20	22
66 Dutchess County.....	1,262	138	20	12	6	10	186	16	12	20	22	36
67 Erie County.....	1,334	245	43	19	11	12	330	33	17	24	42	49
68 Essex County.....	547	88	19	8	4	3	122	13	10	17	24	21
69 Franklin County.....	817	158	35	25	10	7	235	17	13	19	45	42
70 Fulton County.....	208	28	1	1		2	32	3	2	2	4	4
71 Genesee County.....	391	41	4	2	1	2	50	7	3	6	12	6
72 Greene County.....	525	75	8	1	3		87	7	8	10	19	8
73 Hamilton County.....	56	9	2	1	1	1	13	1	1	2	4	3

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
2	3	4	5	3	3	4	3	6	7	1	3				1
2	3	4	5	1	1	1	1	1	2	1	1				2
4	2	3	3	4	4	4	6	6	2	2	1				3
5	8	10	10	4	10	6	10	6	5	2	2				4
1	5	2	6	1	1	2	5	1	5		2				5
2	7	4	3	5	5	4	3	7	6	5	1	1			6
2	2	1	1	1	2	2	3	1	2	1					7
3		1	1	1	2	2	3	1	2	1					8
20	26	18	25	23	17	12	11	4	2	6		1			9
1	1				2	1	2	2	1	1					10
1	2	3	4	1	4	2	2	1	4	2					11
4	2	3	5	4	4	2	1	1	1	2					12
4	6	4	5	4	4	2	3	2	3	1					13
88	126	119	161	196	240	291	409	415	426	383	209	112	19	4	31
88	126	117	161	196	240	291	409	415	426	382	208	112	19	4	31
		2								1	1				16
4	8	5	10	7	11	13	22	33	23	17	10	4	1		17
5	13	6	7	9	16	24	30	29	35	28	5	12	1		18
3	6	7	9	13	8	28	26	34	42	30	20	6	1		19
5	1	12	16	10	18	14	28	21	23	12	12	5	1		20
16	25	15	26	34	32	47	56	69	73	54	27	16			21
15	16	8	15	26	43	44	51	50	54	58	32	26	4	2	22
8	19	19	24	22	40	37	58	61	51	43	26	17	5		23
7	18	25	24	36	33	39	74	60	66	65	41	12	2		24
11	9	11	17	25	22	17	34	28	33	44	20	8	2		25
14	11	11	13	14	17	28	30	30	26	32	16	6	3	1	26
425	516	476	523	611	616	803	971	1,054	954	691	422	126	35	5	7
389	481	436	494	585	598	775	941	1,033	931	672	415	121	34	4	7
36	35	40	29	26	18	28	30	21	23	19	7	5	1	1	28
12	21	15	21	18	25	25	36	31	31	24	22	2	1		30
41	65	55	50	72	64	89	96	114	70	40	37	10	3		31
26	30	31	32	35	55	74	60	104	83	60	39	12	5		32
25	29	23	26	38	44	42	57	66	45	32	26	7	3		33
7	6	19	11	17	15	15	22	23	31	17	8	5	1		34
14	16	10	16	19	15	30	33	58	41	24	5	8	1		35
26	40	25	37	32	31	38	33	49	45	28	18	8	2		36
10	15	7	21	21	28	29	45	41	32	28	18	2	1		37
51	66	54	66	54	51	50	42	52	36	23	9	2			38
12	11	8	15	21	31	30	43	51	60	46	24	10	4		39
15	17	13	15	22	10	29	27	34	24	30	17	5	3		40
20	28	29	30	32	37	37	52	40	38	31	22	9			41
27	29	35	41	47	42	68	85	86	85	65	33	14	4		42
48	41	39	43	44	55	65	72	84	74	49	30	7	2	1	43
12	10	19	5	20	17	23	29	23	34	17	13	2			44
13	13	14	19	15	16	23	29	18	20	18	15	1			45
11	11	9	11	20	13	20	27	33	39	27	16	8	1		46
11	26	20	19	23	19	28	41	44	43	45	20	3	1	1	47
11	13	12	18	15	15	28	37	23	38	22	13	1	1		48
19	17	27	13	30	33	34	47	40	36	32	18	7			49
14	12	15	9	16	14	26	44	35	49	33	19	3	2	1	50
1,046	1,258	1,249	1,453	1,666	1,968	2,553	3,195	3,604	3,640	2,924	1,735	647	126	24	9
1,013	1,228	1,224	1,423	1,636	1,945	2,533	3,165	3,582	3,615	2,909	1,723	645	125	20	9
33	30	25	25	30	23	20	30	22	25	15	12	2	1	4	53
14	9	16	14	24	36	25	41	42	54	41	18	8	4		54
10	23	15	20	19	33	37	59	74	74	70	37	17	3	2	55
18	15	20	14	20	34	38	51	55	55	62	29	9	1		56
9	19	15	28	35	31	32	59	87	85	73	28	13	2		57
7	12	14	17	20	29	33	34	61	60	37	33	11	2		58
12	28	21	29	28	45	67	67	81	104	90	51	17	5	1	59
14	6	10	10	13	19	22	24	35	37	21	14	5			60
8	15	17	28	32	28	46	66	61	80	54	38	13	3		61
19	10	11	16	13	17	33	28	41	44	36	19	4	2		62
13	17	14	17	32	26	32	51	55	60	54	24	14	2		63
3	3	13	9	9	14	28	33	35	44	31	22	6	2	1	64
27	24	23	25	31	44	67	50	65	74	60	28	19			65
50	64	56	79	66	83	109	83	127	122	85	43	12			66
19	45	34	53	56	66	87	58	107	110	103	44	17	5	2	67
27	22	20	28	17	30	35	32	38	38	33	20	12	1		68
46	40	38	26	25	38	41	29	39	49	41	21	6	5	2	69
6	8	4	4	14	10	17	19	23	19	21	11	4			70
7	11	7	19	14	33	22	40	36	43	41	31	7			71
17	18	2	25	26	42	42	44	47	47	41	31	6	2		72
3	6	3	3	3	3	2	2	1	1	6	25	2			73

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES ¹ —Continued.												
NEW YORK—continued.												
1 Herkimer County.....	674	98	19	4	3	6	130	10	5	19	18	19
2 Jefferson County.....	885	113	18	15	5	3	154	14	8	15	20	15
3 Lewis County.....	373	43	4	4	3	2	56	9	4	3	11	14
4 Livingston County.....	613	65	19	8	9	1	102	13	11	27	27	30
5 Madison County.....	620	75	8	5	3	1	92	9	8	11	10	14
6 Monroe County.....	845	156	24	14	4	1	199	11	10	17	21	23
7 Montgomery County.....	447	54	6	5	1	1	66	3	7	6	17	9
8 Nassau County.....	1,130	247	47	25	15	9	343	23	14	25	39	37
9 Niagara County.....	392	52	8	2	3	3	65	5	2	8	6	14
10 Oneida County.....	831	108	18	11	4	3	144	8	7	15	25	29
11 Onondaga County.....	934	118	12	10	6	4	150	16	11	21	35	28
12 Ontario County.....	605	69	7	2	1	1	79	8	2	9	7	11
13 Orange County.....	1,221	209	36	25	14	9	293	18	16	29	40	31
14 Orleans County.....	500	59	17	3	3	6	88	9	1	3	13	10
15 Oswego County.....	581	55	12	10	1	1	78	6	9	6	10	9
16 Otsego County.....	844	82	11	4	1	1	98	4	8	13	17	21
17 Putnam County.....	266	30	5	1	1	3	40	9	1	4	3	5
18 Rensselaer County.....	527	55	13	2	5	1	76	7	9	9	12	13
19 Rockland County.....	666	127	16	7	7	5	162	8	15	11	23	33
20 St. Lawrence County.....	1,061	157	28	16	11	9	221	26	12	25	30	22
21 Saratoga County.....	822	118	18	12	8	8	164	14	8	12	26	22
22 Schenectady County.....	181	32	4	1	5	2	44	2	5	2	11	8
23 Schoharie County.....	394	35	9	7	2	2	53	8	4	5	12	7
24 Schuyler County.....	214	17	5	2	1	1	25	2	1	1	3	3
25 Seneca County.....	564	32	2	5	2	1	42	5	3	6	9	18
26 Steuben County.....	1,054	81	12	6	2	3	104	10	11	11	12	13
27 Suffolk County.....	2,050	219	27	14	11	14	285	20	22	37	56	63
28 Sullivan County.....	669	60	11	8	6	3	88	6	15	28	34	44
29 Tioga County.....	395	31	5	3	2	1	42	3	3	10	6	3
30 Tompkins County.....	303	25	1	4	1	1	31	2	1	2	2	2
31 Ulster County.....	983	115	22	17	10	6	170	17	19	23	38	39
32 Warren County.....	214	15	1	1	1	1	17	2	1	6	7	6
33 Washington County.....	793	109	10	8	3	3	133	14	15	6	19	22
34 Wayne County.....	765	95	13	3	4	1	115	7	7	11	24	12
35 Westchester County.....	1,397	222	56	26	11	9	324	28	19	36	54	55
36 Wyoming County.....	467	55	10	3	3	3	68	5	8	6	7	13
37 Yates County.....	280	35	3	2	1	1	40	2	2	3	8	5
NORTH CAROLINA. ²												
38 Total.....	3,677	755	299	111	53	48	1,266	72	75	157	221	170
39 White.....	2,167	433	167	59	35	32	726	39	39	85	105	75
40 Colored.....	1,510	322	132	52	18	16	540	33	36	72	116	95
OHIO.												
41 Total.....	33,538	5,233	1,127	501	255	220	7,336	589	497	784	1,033	1,037
42 White.....	32,762	5,101	1,094	493	252	214	7,154	575	476	752	1,001	1,004
43 Colored.....	776	132	33	8	3	6	182	14	21	32	32	33
44 Adams County.....	266	39	8	6	1	1	54	2	2	10	10	8
45 Allen County.....	310	46	9	7	3	1	65	7	6	11	13	3
46 Ashland County.....	278	34	8	4	2	2	48	7	3	5	4	9
47 Ashtabula County.....	600	85	11	11	3	2	112	13	7	13	13	17
48 Athens County.....	729	146	33	10	7	10	206	14	4	20	25	25
49 Auglaize County.....	385	68	18	6	4	6	102	10	9	10	13	6
50 Belmont County.....	894	215	51	16	12	11	305	22	17	31	32	21
51 Brown County.....	322	48	9	3	1	3	64	4	5	7	11	12
52 Butler County.....	295	33	8	8	2	1	51	3	3	5	7	7
53 Carroll County.....	146	21	1	1	1	1	24	1	2	3	5	2
54 Champaign County.....	351	36	7	5	1	1	48	3	8	10	10	11
55 Clark County.....	220	28	5	1	2	1	37	3	3	3	5	6
56 Clermont County.....	416	42	11	3	1	1	58	1	3	5	11	15
57 Clinton County.....	271	36	3	4	2	1	46	3	5	7	7	7
58 Columbiana County.....	728	122	35	18	6	5	186	16	11	9	15	23
59 Coshocton County.....	392	53	17	3	4	5	82	11	5	8	9	10
60 Crawford County.....	408	41	6	5	2	3	57	2	5	13	15	14
61 Cuyahoga County.....	813	142	22	12	4	2	182	12	7	23	31	24
62 Darke County.....	518	72	13	5	6	5	101	11	14	14	19	20
63 Defiance County.....	292	44	12	5	1	2	64	6	8	5	10	16
64 Delaware County.....	335	38	7	3	2	2	52	6	8	8	16	15
65 Erie County.....	415	32	2	1	1	1	36	3	4	6	10	5
66 Fairfield County.....	276	37	8	5	1	1	51	8	7	6	5	6
67 Fayette County.....	260	44	16	3	3	1	67	4	6	3	13	10
68 Franklin County.....	536	58	23	12	2	6	101	13	7	14	17	16
69 Fulton County.....	258	41	3	4	1	2	50	3	5	6	6	8
70 Gallia County.....	453	50	16	9	2	3	80	5	15	22	19	26
71 Geauga County.....	190	19	5	3	3	1	30	2	2	3	3	4
72 Greene County.....	410	58	12	11	1	1	82	4	1	4	9	8
73 Guernsey County.....	374	92	22	7	5	1	126	8	4	8	13	21

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
19	28	25	31	27	35	43	55	65	59	41	33	12			1
23	19	23	36	41	38	56	83	88	84	74	62	23	8	1	2
8	13	7	11	16	16	21	37	49	34	37	24	3			3
16	25	26	16	17	23	39	50	45	50	52	29	13	1	1	4
11	14	15	17	29	35	47	64	57	74	53	46	11	3		5
26	26	25	25	29	27	50	63	98	85	65	31	11	3		6
11	18	20	23	17	30	33	45	40	44	35	16	5	2		7
29	42	29	47	59	47	65	79	66	80	59	35	8	4		8
7	9	9	18	18	25	24	21	45	46	29	30	9	2		9
17	22	18	25	32	41	55	76	90	99	61	49	17		1	10
16	21	24	40	37	60	61	84	100	88	75	45	19	3		11
15	18	22	15	27	20	48	61	75	89	49	29	17	3	1	12
40	40	44	47	63	72	92	85	104	86	73	29	17	1	1	13
8	10	13	16	22	36	27	42	55	52	51	26	13	5		14
9	13	15	19	23	35	47	45	59	68	76	34	14	6		15
19	30	29	21	32	41	70	92	95	103	80	55	12	4		16
10	17	11	15	17	16	17	15	15	27	17	15	8			17
12	24	14	27	29	43	46	46	44	58	34	41	9			18
20	28	34	19	38	34	48	48	53	44	25	27	6	1	1	19
28	38	29	23	32	46	74	81	95	89	105	53	25	5	2	20
29	18	29	28	27	51	51	77	84	73	55	44	9	1		21
5	8	6	6	11	8	14	8	11	11	10	5	3			22
6	10	12	5	17	25	36	42	33	35	42	26	14		2	23
3	4	6	7	12	10	17	30	19	33	21	13	1	3		24
17	19	18	18	32	40	49	67	66	60	52	27	14	2		25
20	23	20	25	35	59	90	161	144	125	114	54	16	6		26
80	121	136	150	147	120	154	165	156	156	100	62	16	3		27
47	42	33	32	29	29	33	44	42	42	40	24	15	2		28
11	10	6	23	16	28	42	38	46	43	37	20	8			29
7	7	6	9	13	17	21	32	43	35	40	23	10		2	30
34	33	32	44	42	51	62	83	102	88	69	26	11			31
3	9	4	7	17	15	13	24	27	25	19	7	3	1		32
22	20	22	30	37	34	57	72	88	99	49	36	13	5		33
23	16	28	26	29	42	51	61	91	85	64	54	16	3		34
54	53	72	75	64	76	89	113	88	80	61	33	16	3		35
10	6	9	10	23	19	33	43	62	51	45	30	17	2	2	36
2	9	6	8	11	12	18	26	43	40	21	11	12		1	37
186	150	142	131	145	149	164	183	154	133	81	55	21	5	8	38
112	80	91	75	93	97	110	128	104	103	56	36	10	1	2	39
74	70	51	56	52	52	54	55	50	30	25	19	11	4	8	40
975	1,061	998	1,126	1,360	1,599	2,110	2,659	3,058	3,065	2,356	1,289	448	88	18	52
940	1,020	972	1,097	1,325	1,350	2,062	2,621	3,013	3,020	2,325	1,269	440	84	13	48
35	41	26	29	35	49	48	38	45	45	30	20	8	4	5	43
7	5	10	11	14	11	14	20	14	25	14	10	4			44
14	12	9	6	17	17	22	24	27	22	19	10	6			45
11	6	4	6	6	14	34	26	34	24	24	17	5			46
21	10	24	9	27	26	43	42	66	56	39	39	7	1		47
18	36	32	34	30	35	48	46	54	46	31	17	6	1		48
8	11	11	12	15	20	14	27	42	37	26	8	3			49
27	27	30	35	28	27	42	53	64	49	42	29	9	2	1	50
5	17	9	9	12	18	22	18	29	36	24	14	9			51
10	11	13	14	13	11	24	17	24	39	26	12	5	1		52
1	8	4	8	4	9	7	13	12	27	14	4	1	1		53
14	5	12	6	14	21	26	30	30	42	29	20	6	2	2	54
11	5	5	8	12	13	10	15	19	30	19	10	4	2		55
14	17	11	16	13	16	23	36	34	66	47	22	6	2		56
12	10	5	14	9	12	13	25	36	24	18	13	3	1		57
26	27	23	23	30	28	44	59	59	62	52	21	12	2	1	58
19	14	7	16	23	19	17	27	37	32	24	22	7	3		59
15	18	10	20	10	27	30	37	43	28	34	21	5		1	60
26	17	28	38	38	36	51	73	70	70	40	31	9	4		61
7	16	8	22	22	27	37	43	44	43	40	16	13			62
4	3	9	6	12	13	17	31	28	20	21	11	7		1	63
10	11	10	12	14	13	23	34	37	27	23	8	8			64
7	11	12	13	9	8	34	72	69	69	25	13	6	3		65
9	17	9	5	9	9	30	21	26	23	26	8	3	2		66
3	7	7	6	10	7	15	20	27	17	25	7	3	2		67
18	22	20	23	27	28	34	46	44	45	28	21	11			68
9	9	7	4	12	11	14	12	39	30	19	11	1	1		69
27	27	10	21	21	20	29	38	27	33	15	12	5		1	70
1	4	5	6	9	16	12	21	21	21	19	10	4			71
13	14	12	14	25	23	37	28	41	39	25	18	3			72
15	12	4	16	12	12	12	27	18	28	30	11	8	1		73

² Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part"

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
OHIO—continued.												
1 Hamilton County.....	954	135	33	10	6	10	194	20	17	23	33	41
2 Hancock County.....	228	44	2	3	2	1	52	5	3	4	12	11
3 Hardin County.....	409	55	28	4	3	4	89	7	8	13	24	14
4 Harrison County.....	254	45	5	3	3	1	54	3	2	7	7	8
5 Henry County.....	289	31	12	3	1	1	48	4	6	4	10	8
6 Highland County.....	403	40	10	3	3	3	59	5	6	13	11	14
7 Hocking County.....	320	77	17	15	3	2	114	16	7	7	13	11
8 Holmes County.....	226	40	6	6	3	2	48	4	6	5	7	3
9 Huron County.....	455	50	6	3	1	1	61	6	4	4	15	10
10 Jackson County.....	432	88	32	12	3	9	144	10	7	14	12	18
11 Jefferson County.....	555	163	28	11	12	9	223	12	10	15	18	28
12 Knox County.....	429	51	8	2	2	3	64	6	8	14	6	13
13 Lake County.....	340	36	11	8	4	5	64	9	7	7	8	11
14 Lawrence County.....	327	89	19	12	2	5	127	5	6	10	21	8
15 Licking County.....	391	52	6	5	2	3	68	5	4	6	13	10
16 Logan County.....	356	41	5	7	6	1	60	9	7	5	10	8
17 Lorain County.....	381	45	10	3	2	2	62	5	3	6	9	8
18 Lucas County.....	289	51	8	3	4	1	67	13	5	9	7	4
19 Madison County.....	222	37	10	4	3	3	54	6	6	4	8	8
20 Mahoning County.....	531	141	31	14	4	3	193	7	8	11	12	15
21 Marion County.....	172	26	4	2	2	1	32	4	4	4	7	10
22 Medina County.....	272	36	5	3	3	1	45	5	3	4	5	12
23 Meigs County.....	339	44	13	8	3	1	69	8	3	12	12	11
24 Mercer County.....	340	62	18	4	4	2	90	6	5	6	8	11
25 Miami County.....	379	63	6	5	2	1	77	8	6	14	4	4
26 Monroe County.....	250	48	4	2	2	1	57	1	4	7	7	13
27 Montgomery County.....	755	83	19	6	3	4	115	10	5	16	15	14
28 Morgan County.....	206	22	4	1	1	1	28	3	4	3	7	4
29 Morrow County.....	190	17	3	3	2	2	25	2	1	3	4	3
30 Muskingum County.....	372	46	12	6	4	3	71	3	2	8	8	8
31 Noble County.....	234	39	8	3	4	1	55	4	4	6	8	6
32 Ottawa County.....	280	49	8	3	2	2	62	8	4	3	10	7
33 Paulding County.....	249	53	11	1	5	3	73	10	5	3	15	8
34 Perry County.....	400	90	22	2	5	6	125	10	4	10	12	17
35 Pickaway County.....	360	75	19	6	1	4	105	8	6	6	14	9
36 Pike County.....	212	30	9	5	4	1	49	9	7	9	11	8
37 Portage County.....	460	60	10	7	5	2	84	8	7	7	8	8
38 Preble County.....	277	39	5	4	2	1	50	4	5	5	3	8
39 Putnam County.....	348	67	17	11	3	1	99	1	10	14	19	6
40 Richland County.....	318	38	6	3	1	1	49	2	1	10	10	10
41 Ross County.....	350	63	9	8	4	2	86	11	8	7	9	8
42 Sandusky County.....	378	55	14	7	4	1	81	2	4	8	6	14
43 Scioto County.....	362	82	33	13	6	3	137	9	10	13	13	16
44 Seneca County.....	360	56	7	4	4	1	72	5	1	8	9	12
45 Shelby County.....	285	35	13	5	3	1	56	1	4	11	12	10
46 Stark County.....	644	76	13	1	4	5	95	8	7	11	27	21
47 Summit County.....	546	100	21	4	4	2	131	11	3	8	15	26
48 Trumbull County.....	591	106	23	9	7	4	149	14	6	8	13	18
49 Tuscarawas County.....	599	102	13	9	6	6	136	7	6	14	18	21
50 Union County.....	290	39	9	1	1	1	50	1	1	8	7	10
51 Van Wert County.....	336	74	15	3	6	1	99	6	4	12	9	8
52 Vinton County.....	186	34	7	3	2	1	46	2	3	3	4	6
53 Warren County.....	321	36	6	3	2	4	51	5	5	4	8	4
54 Washington County.....	388	50	16	5	3	3	77	3	8	13	13	10
55 Wayne County.....	476	63	8	7	4	4	86	8	5	13	10	13
56 Williams County.....	291	35	8	5	3	3	51	6	6	6	11	13
57 Wood County.....	560	86	22	11	8	3	130	10	11	12	13	13
58 Wyandot County.....	230	23	4	2	1	1	31	2	4	5	10	11
PENNSYLVANIA.												
59 Total.....	57,880	14,471	3,237	1,302	789	537	20,336	1,462	827	1,297	1,827	1,903
60 White.....	56,828	14,245	3,167	1,278	783	528	20,001	1,438	805	1,252	1,775	1,837
61 Colored.....	1,052	226	70	24	6	9	335	24	22	45	52	66
62 Adams County.....	428	79	14	6	7	2	108	9	7	9	7	17
63 Allegheny County.....	5,384	1,387	405	171	90	72	2,125	147	86	115	199	253
64 Armstrong County.....	914	220	51	23	13	11	318	25	10	21	30	28
65 Beaver County.....	956	248	64	27	21	7	367	15	20	20	44	34
66 Bedford County.....	424	85	14	5	3	5	112	12	7	9	10	12
67 Berks County.....	1,288	259	42	12	16	6	335	37	26	36	25	21
68 Blair County.....	716	195	43	17	13	4	272	15	10	17	22	25
69 Bradford County.....	843	112	12	10	4	1	139	14	11	14	19	20
70 Bucks County.....	1,059	191	30	13	10	13	257	28	11	24	24	26
71 Butler County.....	642	137	22	16	5	5	185	15	7	9	26	15
72 Cambria County.....	1,532	631	141	57	23	24	876	34	14	40	39	52
73 Cameron County.....	90	26	3	1	1	1	29	2	2	2	3	2
74 Carbon County.....	857	256	64	15	9	10	354	28	10	19	34	30
75 Center County.....	575	118	22	6	7	3	156	7	3	13	17	16
76 Chester County.....	1,142	226	46	12	5	10	299	22	13	32	39	39

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

245

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."}]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
36	34	27	42	58	52	62	70	72	69	52	41	9	1	1	1
5	3	5	7	13	17	14	9	22	20	14	11	1	1		2
9	12	9	12	23	23	30	21	34	37	25	11	3	2		3
1	4	5	7	7	13	18	25	24	22	18	18	2			4
8	8	8	7	10	25	24	25	30	29	24	7	4			5
12	10	15	13	10	18	33	42	42	42	31	16	9	2		6
10	5	9	11	11	9	12	20	25	16	13	9	1			7
9	5	7	3	13	16	12	19	19	21	21	5	3			8
14	14	18	6	26	20	24	43	45	52	53	28	2			9
13	14	11	17	14	24	23	27	26	23	23	9	2			10
23	24	25	18	15	19	20	21	29	25	10	11	8			11
11	13	13	22	15	26	42	25	51	40	29	20	6	5		12
9	19	9	11	16	12	26	21	30	34	30	12	5			13
6	11	11	6	6	11	15	15	15	26	15	8	1			14
7	12	12	7	14	25	25	40	49	36	31	18	6	2		15
11	9	15	14	10	20	18	40	39	29	37	12	2	1		16
11	10	15	15	13	19	32	40	44	35	29	16	7			17
10	13	11	10	10	9	24	19	17	25	20	11	4			18
7	5	4	5	9	5	9	13	17	24	24	12	2			19
16	15	17	22	18	26	27	24	37	36	24	10	8	3		20
3	7	4	3	10	7	10	21	10	13	13	9	1			21
7	7	11	8	16	16	18	25	35	27	18	11	7	1		22
11	7	4	10	17	18	13	27	31	40	23	15	8			23
9	9	9	19	12	17	27	20	33	27	20	7	4			24
10	10	11	9	12	20	19	25	44	49	35	14	5	3		25
9	3	3	4	10	12	14	29	15	35	15	8	3			26
9	25	26	27	41	37	61	91	84	82	29	29	7			27
7	1	5	5	9	12	12	22	27	29	12	9	5	1		28
4	4	8	6	3	13	12	16	31	28	17	6	6	1		29
7	6	9	9	15	24	28	36	39	35	39	20	4	1		30
4	7	4	6	10	15	12	16	24	24	16	10	1	1		31
7	15	13	10	10	14	13	20	18	31	16	14	3	1		32
3	9	8	6	5	9	17	19	19	19	16	5	2	2		33
15	12	8	9	13	15	15	28	31	31	23	15	3	2		34
11	11	7	7	7	13	21	22	38	30	22	16	7			35
4	4	7	3	6	6	11	13	14	19	14	12	5	1		36
6	12	15	12	16	26	33	48	37	49	34	28	10	3		37
8	10	11	12	15	15	13	18	27	35	26	16	2			38
11	12	12	6	17	18	18	18	27	29	11	13	5	1		39
7	13	8	11	16	19	21	26	29	28	32	15	11			40
17	20	16	12	9	15	12	21	32	25	26	11	3	2		41
13	7	8	6	17	20	34	34	41	36	25	18	3	1		42
10	8	8	9	11	10	19	19	22	19	18	6	6			43
14	6	10	12	21	24	25	31	44	26	22	16	1			44
10	8	4	10	16	16	18	31	19	27	16	13	3			45
25	25	21	30	36	21	51	57	65	63	55	21	4			46
14	27	11	27	32	28	28	47	41	42	31	18	2			47
17	19	22	15	18	26	34	45	45	60	46	21	11	3		48
14	20	16	15	33	34	41	51	43	59	39	23	6	1		49
9	7	13	15	12	13	14	24	31	32	23	19	2			50
9	11	8	13	10	14	19	29	25	28	21	7	6			51
4	5	7	6	6	9	10	9	22	20	14	9	1			52
10	10	11	14	20	15	14	31	30	36	32	15	3	2		53
14	9	13	12	15	19	21	22	27	41	40	20	8	2		54
10	17	13	16	19	22	31	42	49	51	39	22	8	1		55
2	7	6	12	14	14	19	18	34	35	22	7	6	2		56
15	20	16	23	21	30	48	49	53	39	33	13	6			57
6	7	9	10	10	8	16	25	30	16	19	7	3			58
1,706	1,895	1,820	1,940	2,202	2,389	2,897	3,553	3,795	3,490	2,547	1,410	463	88	19	14
1,661	1,834	1,774	1,889	2,155	2,351	2,850	3,497	3,753	3,463	2,524	1,396	459	87	14	13
45	61	46	51	47	38	47	56	42	27	23	14	4	1	5	1
11	10	8	13	19	16	28	28	41	42	25	21	6	3		62
239	238	224	219	197	205	222	250	250	196	116	78	22			3
38	32	37	29	35	36	32	41	64	56	49	25	8			63
39	35	28	33	43	32	37	48	44	44	41	23	3			64
9	13	9	12	19	24	28	34	32	38	22	18	4			1
25	31	24	38	60	66	64	119	125	93	89	41	12	1		66
16	20	18	21	27	35	31	47	49	39	31	16	4	1		67
14	21	21	32	40	58	59	91	79	89	64	41	13	3		68
25	22	35	47	36	47	75	75	103	86	70	44	18	6		69
10	12	16	25	17	26	38	47	49	57	46	33	8	1		70
45	45	41	47	39	37	45	42	46	45	23	13	6	2	1	72
2	4	5	1	3	4	6	9	7	5	2	3	1			73
33	38	28	31	25	26	36	51	43	37	7	7	6			74
9	11	15	21	24	28	34	55	59	58	27	16	1			75
23	25	43	39	53	52	85	76	97	73	71	42	15	2	1	1

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES ¹ —Continued.												
PENNSYLVANIA—continued.												
1 Clarion County.....	453	82	14	9	5	2	112	7	5	4	9	12
2 Clearfield County.....	1,043	339	76	31	19	8	473	22	16	21	26	31
3 Clinton County.....	410	87	7	8	3	5	110	5	4	9	24	15
4 Columbia County.....	617	149	20	8	3	5	185	19	8	17	19	10
5 Crawford County.....	739	92	18	4	2		116	8	5	15	13	17
6 Cumberland County.....	569	103	22	12	2	1	140	12	8	12	11	16
7 Dauphin County.....	968	196	50	24	18	13	301	46	13	16	32	25
8 Delaware County.....	1,086	210	43	21	14	6	294	29	22	19	31	48
9 Elk County.....	412	126	23	8	6	7	170	10	8	8	14	10
10 Erie County.....	698	86	18	4	1	4	113	9	11	13	18	15
11 Fayette County.....	2,179	841	219	64	36	25	1,185	52	21	55	84	84
12 Forest County.....	85	20	4		1		25	1	3	1	3	2
13 Franklin County.....	771	125	24	14	3		166	14	8	31	52	43
14 Fulton County.....	126	18	4	2	3	1	28	2	5	5	3	4
15 Greene County.....	380	63	15	5	2	3	88	13	5	11	8	7
16 Huntingdon County.....	451	86	14	9	3	4	116	11	4	8	20	11
17 Indiana County.....	915	301	74	20	10	12	417	18	11	17	31	27
18 Jefferson County.....	852	233	62	30	15	11	351	18	10	17	29	32
19 Juniata County.....	186	39	3	1	2		45	3		4	6	2
20 Lackawanna County.....	1,395	450	107	36	23	15	631	37	13	32	42	51
21 Lancaster County.....	1,500	250	51	16	15	9	341	41	21	27	32	40
22 Lawrence County.....	442	100	26	13	4	5	148	11	5	9	16	11
23 Lebanon County.....	570	110	32	10	9	3	164	21	14	12	16	7
24 Lehigh County.....	1,036	255	47	27	12	6	347	29	19	18	34	27
25 Luzerne County.....	3,169	1,081	255	92	64	37	1,529	84	36	86	104	116
26 Lycoming County.....	556	90	19	5	8	7	129	13	3	12	7	14
27 McKean County.....	414	81	14	7	4	1	107	12	7	13	15	14
28 Mercer County.....	759	125	36	12	13	6	192	18	9	14	25	28
29 Mifflin County.....	373	87	20	6	5	2	120	8	8	8	11	12
30 Monroe County.....	341	45	16	2	4	5	72	6	6	8	11	9
31 Montgomery County.....	1,698	341	64	30	13	11	459	52	37	40	49	48
32 Montour County.....	300	35	9	1	2	3	50	5	6	6	9	9
33 Northampton County.....	1,105	293	60	29	17	12	411	41	14	30	29	36
34 Northumberland County.....	868	268	51	23	8	10	390	17	20	17	21	21
35 Perry County.....	356	57	1	3	3		71	13	6	6	7	12
36 Pike County.....	117	22	1	1		1	25		1	1	5	3
37 Potter County.....	409	77	11	14	8	2	112	10	7	9	11	7
38 Schuylkill County.....	2,470	744	165	66	44	31	1,050	71	41	50	68	86
39 Snyder County.....	246	47	5	7	1	1	61	4	2	5	4	6
40 Somerset County.....	390	286	50	24	22	5	387	22	12	16	43	34
41 Sullivan County.....	123	34	3	3	2	2	44	2	1	4	1	16
42 Susquehanna County.....	649	113	13	6	7	5	144	14	5	10	25	16
43 Tioga County.....	370	77	11	10	3	4	105	14	12	11	12	13
44 Union County.....	184	22	6	1	2		31	1	2	3	1	6
45 Venango County.....	540	80	17	9	1	2	109	19	21	23	28	22
46 Warren County.....	476	55	11	4	1	1	72	9	2	11	7	14
47 Washington County.....	2,002	650	166	51	43	18	928	63	30	37	76	73
48 Wayne County.....	415	51	10	5	3		69	10	3	6	10	11
49 Westmoreland County.....	2,853	905	226	107	59	38	1,335	77	44	33	97	117
50 Wyoming County.....	232	33	5	3	2	1	44	6	1	1	6	6
51 York County.....	1,052	241	40	17	13	11	322	23	21	26	34	33
RHODE ISLAND.												
52 Total.....	1,734	410	75	38	27	14	564	33	27	33	30	45
53 White.....	1,694	398	75	37	27	14	551	31	27	32	30	43
54 Colored.....	40	12		1			13	2		1		2
55 Bristol County.....	327	96	22	11	7	3	139	6	8	3	8	11
56 Kent County.....	191	32	11	7	5	1	56	1	4	4	3	4
57 Newport County.....	192	53	11	2	5	2	73	3	3	6	1	2
58 Providence County.....	623	162	25	17	9	5	218	13	9	12	10	21
59 Washington County.....	401	67	6	1	1	3	78	10	3	8	8	7
UTAH.												
60 Total.....	2,519	645	113	44	39	26	867	96	79	78	100	76
61 White.....	2,496	640	112	44	38	26	860	95	78	77	98	75
62 Colored.....	23	5	1		1		7	1	1	1	2	1
63 Beaver County.....	42	9		1	1	2	13	1	2	1	2	1
64 Boxelder County.....	122	34	2	1	3		40	10	4	1	6	9
65 Cache County.....	211	49	13	4	3	4	73	6	9	4	7	4
66 Carbon County.....	97	40	6	1	1		48		1	3	6	2
67 Davis County.....	106	29	8	1	2	1	41	4	1	4	4	
68 Emery County.....	43	13	1		1		15	2	1	3	3	2
69 Garfield County.....	27	8			1		9		1	2	2	2
70 Grand County.....	12	3			1		3		2	2	2	
71 Iron County.....	41	8					8	3	3	3	3	1
72 Juab County.....	116	35	10	3	3	1	52	5	1	3	3	2
73 Kane County.....	18	10	1	1	1	1	14	1		1	1	
74 Millard County.....	51	18	1	1			20	1	5	1		
75 Morgan County.....	15	4	1				5		1			3
76 Piute County.....	10	5					5	1				
77 Rich County.....	21	5		1			6	2	2	1		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES—Continued.												
UTAH—continued.												
1 Salt Lake County.....	378	88	20	5	4	6	123	19	9	12	18	9
2 San Juan County.....	7	1		2			3				1	2
3 Sanpete County.....	195	53	6	6	4		69	10	11	4	3	4
4 Sevier County.....	86	29	8	1	2	1	41	5	2	1	4	
5 Summit County.....	112	20	7	3	3	2	35	4	2	2	8	3
6 Tooele County.....	100	21	3	2	2		28	2	4	6	2	9
7 Uinta County.....	64	14	3	1	1		19	2	3	3	4	4
8 Utah County.....	404	91	16	3	4	3	117	11	10	12	20	13
9 Wasatch County.....	85	22	4	2	3	3	34		2	6	1	1
10 Washington County.....	49	13		3			16	1	1	2		3
11 Wayne County.....	9	1	2				3		1			
12 Weber County.....	98	22	1	2		2	27	6	3	1	2	2
VERMONT.												
13 Total.....	4,930	626	93	48	32	19	818	84	43	87	124	109
14 White.....	4,903	622	93	47	31	19	812	84	43	87	121	105
15 Colored.....	27	4		1	1		6				3	4
16 Addison County.....	304	33	5	6	2	1	47	3	3	3	8	4
17 Bennington County.....	304	35	2	3	3		43	10	6	9	10	7
18 Caledonia County.....	399	57	9	4	2	2	74	8	5	5	9	7
19 Chittenden County.....	344	63	8	3	3		77	4	3	7	12	9
20 Essex County.....	84	7	1	2			10	3	1	1	3	4
21 Franklin County.....	418	62	11	7	2	1	83	10	3	7	10	14
22 Grand Isle County.....	46	5	4	1			10			1	1	1
23 Lamoille County.....	189	21	4	1	1	4	31	3	1	1	4	6
24 Orange County.....	337	32	6	2	3		43	6	2	3	11	1
25 Orleans County.....	363	50	4	6	4	3	67	5	2	8	10	13
26 Rutland County.....	549	90	13	2	5	4	114	12	6	13	16	10
27 Washington County.....	491	69	8	4	2		83	5	6	6	7	7
28 Windham County.....	512	44	7	1	1	2	55	6	2	11	12	15
29 Windsor County.....	590	58	11	6	4	2	81	9	3	12	11	11
WASHINGTON.												
30 Total.....	5,699	917	167	89	66	46	1,285	184	147	212	328	352
31 White.....	5,385	863	156	81	62	40	1,202	166	132	191	303	333
32 Colored.....	314	54	11	8	4	6	83	18	15	21	25	19
33 Adams County.....	90	26	3	2	1	1	33	4	2	6	4	6
34 Asotin County.....	51	8	1	2	2		13	1	4	1	2	3
35 Benton County.....	70	13	2	1	1		16	4	1	4	5	5
36 Chehalis County.....	192	35	9	2	1	2	51	8	5	5	20	14
37 Chelan County.....	151	37	9	3			49	1	4	2	10	11
38 Clallam County.....	87	10	1	1	3	4	19	2	1	6	3	6
39 Clarke County.....	237	32	4	4	3	1	44	10	7	8	12	5
40 Columbia County.....	73	9	2	3	1		15	3	2	1	2	5
41 Cowlitz County.....	98	19	1	2	1	1	24	1	3	2	6	6
42 Douglas County.....	39	10	1	3		2	16	2	1		1	
43 Ferry County.....	39	6			1		7	3	3	6	2	
44 Franklin County.....	33	6				1	7				2	5
45 Garfield County.....	50	10	2	1			13	2	1	2	1	1
46 Grant County.....	34	9	1				10	1	2	2	2	3
47 Island County.....	32	8	1				9		1	5		2
48 Jefferson County.....	89	10	3	1			14	2	2	2	4	7
49 King County.....	535	65	16	3	7	4	95	15	7	15	45	53
50 Kitsap County.....	129	13	2	3	2		20	2	3	7	3	8
51 Kittitas County.....	223	30	10	1	3	3	97	5	9	3	5	11
52 Klickitat County.....	62	4	1	1	1		7	2		2	4	2
53 Lewis County.....	336	50	10	5	7		72	19	12	13	22	20
54 Lincoln County.....	133	34	2	2		3	41	6	2	8	2	6
55 Mason County.....	51	3	1	1		1	6	4	1	5	2	6
56 Okanogan County.....	122	16	5	5	1	3	30	6	6	10	5	7
57 Pacific County.....	73	15	5	1			21	1	2	4	6	4
58 Pierce County.....	493	63	11	3	8	3	88	17	6	13	17	32
59 San Juan County.....	31	3	1	1	1	1	7				2	5
60 Skagit County.....	260	43	7	5	3	1	59	6	13	11	17	16
61 Skamania County.....	25	2	1	2	1		6				3	2
62 Snohomish County.....	329	50	9	5	4	2	70	7	8	16	22	21
63 Spokane County.....	338	43	7	2	3	3	58	10	8	6	18	16
64 Stevens County.....	178	37	4	2		1	44	3	1	3	10	9
65 Thurston County.....	179	18	1	2	3		24	5	3	9	12	6
66 Wahkiakum County.....	10	1					1			1		
67 Walla Walla County.....	81	12	3	2	1		18	6	4	2	8	4
68 Whatcom County.....	204	34	7	3	2	1	47	4	4	9	13	10
69 Whitman County.....	261	30	12	7	4	1	54	7	6	12	15	14
70 Yakima County.....	281	54	11	7	1	7	80	15	17	11	21	22

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Including Makah, Ozette, and Quillayute Indian Reservations.

DEATHS BY COLOR AND AGE OF DECEDENT.

249

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states.†]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
21	18	7	14	17	18	13	14	20	16	12	13	3	2		1
5	5	5	5	5	2	4	15	7	13	10	14	4			2
1	1	4	1	3	2	5		6	3	1	4	2			3
8	3	5	4	4	3	6	6	7	5	2	4	1			5
6	6	9	5	5	1	3	4	1	3	3	1	1			6
3	4	1	2	4	3	1	2	2	3	1	1				7
14	17	21	18	14	18	21	20	23	19	17	10	7			8
5	1	2	3	1	5	2	2	6	5	4	5				9
2		3	2	1	2	3	2	2	2	5	1	3			10
1	1	2	2	6	4	5	1	1	6	7	6	2	1		11
	4	2	2				6								12
119	143	147	157	195	281	326	424	535	532	402	253	116	28	5	13
119	142	144	156	193	280	326	421	535	532	402	251	116	27	5	14
	1	3	1	2	1		3				2		1		15
7	13	8	8	6	16	21	20	36	41	25	19	14	2		16
6	8	10	13	8	21	19	21	43	35	16	14	3	1	1	17
5	17	9	10	20	15	18	43	39	33	34	34	9			18
11	13	11	9	13	26	15	28	28	33	26	12	7			19
1	1	1	4	2	4	9	8	8	11	6	4	2	1		20
10	9	16	12	18	26	20	35	33	42	39	23	5	3		21
3	2	9	2	3	3	3	3	5	5	4	2	1			22
4	6	9	6	2	11	10	16	28	18	21	9	3	1		23
11	10	9	14	13	19	35	30	37	43	29	15	11	1	1	24
	9	10	12	17	24	27	22	49	33	26	15	2		1	25
13	19	14	19	20	30	37	44	52	48	38	29	9	6		26
13	17	19	18	18	27	32	53	50	53	44	14	12	6		27
19	12	17	19	30	27	42	49	59	56	39	25	14	2		28
16	7	14	11	25	32	38	52	68	76	55	38	24	5	2	29
304	276	255	267	265	297	274	306	302	269	182	82	25	10	3	30
289	265	240	259	261	284	261	292	298	262	178	80	21	7	1	31
15	11	15	8	4	13	13	14	9	7	4	2	4	3	2	32
7	4	3		3	4	1	1	3	4	3	1	1			33
2	1	2	3	3	4	4	2	2	3	2	2				34
4	7	4	4	3	2	4	1		2	1					35
7	9	10	5	6	6	8	11	12	11	4	2	1			36
9	1	8	9	7	9	7	7	5	5	5	1				37
2	5	4	3	6	4	5	4	3	5	2	3	1		1	38
9	14	14	12	13	12	13	12	23	12	11	4	1			39
3	2	3	2	3	3	4	6	4	7	8	2				40
7	7	5	4	4	1	3	7	3	5	5	2				41
1	3	1	2	3	1	1	2	1	2	2					42
2	2	2	2	2	2	1		3	3						43
1	6	3	2	1	3	1	1	1	7	1	2				44
2	2	3	2	2	2	2	3	7	8	2					45
	2	3	3	2	2	1	1	1	8	2					46
2		1	1	2	2	1	1	1	7	2					47
4	4	8	6	6	3	7	6	6	3	3		2			48
43	44	25	28	26	27	34	23	17	14	10	4	2		1	49
4	4	8	4	8	11	6	6	6	11	8	1	3	2		50
2	10	12	8	6	6	4	9	11	8	3	2	2			51
	6	3	4	2	6	3	6	4	3	3	3				52
17	14	15	12	11	16	15	15	17	18	7	6				53
8	4	4	5	7	6	8	5	6	8	5	1				54
4		5	1	2	4	4	1	3	3	2					55
6	6	8	3	2	1	10	1	6	3	2					56
4	3	5	3	2	1	2	4	4	3	3					57
32	25	17	33	32	18	29	35	43	21	17	9	3			58
2	2	1	1	1	1	1	1	1	3	4	1				59
16	13	8	12	10	18	10	19	4	11	9	5	1	2		60
2		1	1	1	4	2	2	2	2	2					61
16	13	15	26	14	19	13	14	23	13	12	4	1	1		62
18	20	14	20	23	31	22	16	16	17	13	3		1		63
15	12	8	11	5	17	5	15	11	8	4					64
7	10	7	7	5	13	11	14	15	10	13	4	1			65
			1	1		2			1						66
1	3	1	3	6	5	7	4	3	1	1	3	1			67
10	6	7	11	8	10	7	10	10	16	10	6	3			68
18	9	10	9	17	18	13	17	14	17	4	5	1	1		69
11	10	8	8	9	13	8	13	12	7	7	2				70

† Including part of Colville Indian Reservation.

‡ Including Swinomish Indian Reservation.

§ Including Yakima Indian Reservation.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or with the "rural part

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
RURAL PART OF REGISTRATION STATES ¹ —Continued.												
WISCONSIN.												
1 Total.....	17,751	3,304	567	283	176	144	4,474	416	303	475	573	545
2 White.....	17,622	3,282	559	283	175	141	4,440	407	297	466	568	538
3 Colored.....	129	22	8	1	3	3	34	9	6	9	5	7
4 Adams County.....	90	15	3	3	1	2	21	2	3	5	5	4
5 Ashland County.....	124	28	7	3	1	2	41	3	2	8	5	6
6 Barron County.....	312	73	17	6	3	2	101	7	7	11	8	15
7 Bayfield County.....	168	45	14	4	3	5	71	14	3	8	3	4
8 Brown County.....	339	83	16	1	5	3	108	7	3	8	16	3
9 Buffalo County.....	157	28	3	4	2	2	37	5	3	3	6	2
10 Burnett County.....	88	16	4	3	2	1	26	5	1	2	2	4
11 Calumet County.....	162	21	8	2	2	3	34	2	1	7	4	4
12 Chippewa County.....	431	76	10	4	7	2	99	20	17	36	23	28
13 Clark County.....	255	58	6	10	4	2	80	8	4	6	6	6
14 Columbia County.....	394	47	9	6	3	2	67	4	12	7	8	10
15 Crawford County.....	191	35	9	4	1	2	51	4	4	4	6	3
16 Dane County.....	621	86	18	5	8	3	120	8	11	10	23	21
17 Dodge County.....	523	95	8	6	2	3	114	7	4	7	18	15
18 Door County.....	183	42	5	3	1	6	57	5	7	5	5	4
19 Douglas County.....	44	10	2	1	1	1	13	2	3	1	1	1
20 Dunn County.....	248	38	7	4	1	1	51	8	6	11	12	9
21 Eau Claire County.....	125	15	7	2	2	2	24	5	3	4	2	5
22 Florence County.....	26	4	3	1	1	1	8	2	1	1	1	3
23 Fond du Lac County.....	364	54	3	6	2	1	66	12	7	3	10	9
24 Forest County.....	64	20	6	1	1	1	29	2	2	2	4	1
25 Grant County.....	433	68	14	4	5	2	93	7	8	17	9	10
26 Green County.....	212	30	7	2	2	3	42	1	3	2	6	11
27 Green Lake County.....	172	23	4	1	5	3	36	5	5	4	4	2
28 Iowa County.....	231	47	6	2	1	1	57	7	4	4	7	6
29 Iron County.....	80	29	5	5	1	2	42	4	2	3	2	3
30 Jackson County.....	168	33	7	5	1	1	45	2	4	6	4	2
31 Jefferson County.....	401	59	5	3	1	3	71	8	6	12	20	9
32 Juneau County.....	236	31	8	1	3	1	42	15	5	7	5	6
33 Kenosha County.....	110	21	5	1	1	1	27	1	1	2	4	4
34 Kewaunee County.....	186	41	8	1	2	2	54	11	5	6	7	4
35 La Crosse County.....	154	20	5	2	1	2	30	1	1	5	8	5
36 Lafayette County.....	197	34	2	2	1	1	38	1	9	3	5	7
37 Langlade County.....	155	43	6	5	1	2	57	4	2	4	3	1
38 Lincoln County.....	217	67	10	5	5	6	93	9	7	3	7	10
39 Manitowoc County.....	313	72	8	4	6	1	90	8	2	10	8	10
40 Marathon County.....	446	121	19	21	13	9	183	23	12	20	17	14
41 Marinette County.....	177	54	12	4	4	1	74	3	5	5	4	8
42 Marquette County.....	134	23	3	1	1	1	27	3	3	4	6	3
43 Milwaukee County.....	1,323	268	42	29	15	10	364	25	14	25	46	47
44 Monroe County.....	363	68	13	6	3	5	95	7	7	16	13	9
45 Oconto County.....	255	58	6	8	8	4	84	7	6	7	5	6
46 Oneida County.....	111	23	1	2	1	3	30	8	2	3	7	6
47 Outagamie County.....	337	69	14	10	4	6	103	3	7	8	10	11
48 Ozaukee County.....	150	17	6	1	1	1	23	1	2	6	7	7
49 Pepin County.....	72	8	5	2	1	1	16	2	1	3	1	1
50 Pierce County.....	247	37	6	1	4	1	48	6	1	7	2	7
51 Folk County.....	190	34	6	4	1	2	47	5	2	9	7	10
52 Portage County.....	374	83	16	8	4	3	114	13	6	14	11	13
53 Price County.....	99	25	7	2	4	3	41	3	1	2	6	5
54 Racine County.....	256	38	12	2	1	2	55	8	2	3	6	9
55 Richland County.....	186	37	4	3	1	1	46	2	2	4	6	2
56 Rock County.....	237	27	9	1	2	1	39	2	4	5	13	7
57 Rusk County.....	98	22	3	1	1	1	26	5	6	3	3	4
58 St. Croix County.....	280	48	5	6	1	2	62	1	3	5	8	9
59 Sauk County.....	371	54	6	5	1	1	66	4	3	4	6	12
60 Sawyer County.....	69	10	4	1	1	1	16	2	2	2	4	4
61 Shawano County.....	306	80	12	6	3	5	106	10	3	9	8	13
62 Sheboygan County.....	295	57	7	2	2	2	70	5	3	3	11	6
63 Taylor County.....	113	27	3	1	1	1	32	5	1	2	5	2
64 Trempealeau County.....	227	43	6	4	3	2	58	5	3	7	5	5
65 Vernon County.....	309	58	9	6	8	2	83	3	5	7	7	14
66 Vilas County.....	38	9	4	1	1	1	13	1	1	1	4	1
67 Walworth County.....	361	32	9	3	1	1	45	8	4	11	15	5
68 Washburn County.....	84	22	8	3	1	1	33	4	2	4	2	4
69 Washington County.....	243	43	7	1	2	2	55	7	6	3	7	9
70 Waukesha County.....	502	69	12	3	1	2	87	10	2	15	19	13
71 Waupaca County.....	405	56	8	8	5	1	78	7	7	8	10	10
72 Waushara County.....	177	36	6	3	1	1	46	2	2	5	3	6
73 Winnebago County.....	406	52	9	5	1	4	71	2	5	4	10	10
74 Wood County.....	276	89	5	6	3	1	103	7	5	6	11	7

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1910—Continued.

numbered 10,000 or over in 1910. The term "cities" as used in this table is restricted to municipalities having 10,000 or more inhabitants, smaller places being included of registration states."]

DEATHS AT AGE OF—															Deaths at unknown age.		
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.			
486 479 7	538 535 3	566 561 5	667 662 5	700 693 7	731 726 5	843 838 5	1,146 1,142 4	1,316 1,314 2	1,469 1,464 5	1,249 1,245 4	844 842 2	266 264 2	65 63 2	14 14	65 64 1	1 2 3	
1 9 8 6 6 6	2 4 9 7 6	2 6 12 3 7	6 8 11 10 11	2 2 11 3 11	5 7 9 5 14	8 4 17 8 18	3 3 19 3 20	6 3 28 7 23	4 3 17 6 27	7 6 11 4 21	1 1 7 2 15	1 1 3 1 12	1 2 3 1 3			1 1 1 1 1	4 5 6 7 8
3 3 2 19 6	9 5 6 20 4	3 3 7 16 8	4 3 8 12 10	4 2 8 11 16	6 6 7 13 9	4 4 12 16 9	13 3 9 14 12	13 6 8 18 27	19 6 20 24 20	9 3 12 23 15	9 2 6 14 7	3 2 4 6 2	1 1 1 2 2				9 10 11 12 13
11 6 20 15 8	10 6 27 15 5	13 2 29 15 4	20 8 25 24 7	11 5 30 17 6	23 7 33 21 6	19 8 31 25 9	25 12 45 35 8	26 22 36 47 12	43 17 60 54 17	40 13 44 43 9	33 14 37 34 6	8 1 7 5 5	1 1 2 2 1	1 1 2 2	1 1 2 2	2 1 2 2 4	14 15 16 17 18
2 3	1 3 3	6 8 4	3 15 4	1 11 4	7 7 2	2 15 10	2 15 7	2 21 8	2 17 19	2 21 9		1 10 5	1 1 1			3	19 20 21
9	9	10	11	21	13	21	24	37	32	37	25	5	1			2	22 23
1 6 8 3 5	4 18 7 5 4	1 10 4 1 5	2 8 10 2 8	4 12 9 9 10	1 21 15 8 12	2 15 5 8 1	2 32 13 9 20	1 46 18 16 18	1 38 20 22 16	1 45 18 13 16	3 25 17 3 12		4 7 3 4 2			1 2 1 1	24 25 26 27 28
2 4 9 3 2	3 3 10 4 2	4 8 10 2 4	2 6 11 8 9	3 6 18 13 7	1 7 7 16 8	2 7 23 9 2	2 12 29 16 13	2 15 32 11 4	2 17 46 33 4	1 14 46 22 6	1 1 21 11 7	3 3 11 6 2	1 1 1 1			1	29 30 31 32 33
2 4 3 4 3	5 1 9 9 3	2 7 6 7	2 6 4 4 10	7 4 7 7 13	5 9 9 7 9	6 8 8 8 8	8 14 9 9 6	15 9 15 9 20	16 14 22 6 9	13 14 17 7 5	14 13 16 10 4	3 2 3 8 1	1 2 2				34 35 36 37 38
7 12 2 1 50	13 9 5 4 49	5 12 8 2 68	8 11 8 8 61	11 12 6 7 64	8 9 5 5 55	9 21 9 5 63	13 16 7 8 106	16 21 13 5 94	28 25 4 16 88	23 15 1 13 53	25 12 6 11 31	7 7 3 2 13	2 2 1 2			2	39 40 41 42 43
9 10 7 4 3	7 4 7 10 9	13 9 4 6 6	10 10 7 11 5	15 6 9 14 8	14 15 6 16 8	14 9 5 20 6	22 17 4 23 15	29 17 2 23 10	29 19 3 29 16	30 13 23 9	15 7 1 12 7	4 2 4 1 1	3 2 1 1			1	44 45 46 47 48
1 13 6 11 6	1 2 6 8 2	2 7 2 9 2	5 10 4 7 3	2 10 4 17 5	2 14 9 18 2	8 15 7 15 1	9 15 14 24 1	6 21 18 20 7	4 27 18 26 3	7 23 15 19 4	4 14 5 18 4	5 1 4 4	1 1 4			1	49 50 51 52 53
3 12 7 1 6	8 2 10 4 4	12 5 12 3 5	9 7 13 5 13	10 7 9 2 12	9 7 9 5 13	9 6 16 3 19	19 17 21 8 16	22 15 27 6 34	31 22 33 3 25	21 13 32 3 21	13 7 23 5 17	4 3 9 1 6	1 4			1	54 55 56 57 58
9 2 8 4	3 6 10 8	17 2 11 11	16 3 12 13	11 4 10 11	13 3 11 13	23 7 14 15	37 5 15 16	41 2 20 27	45 3 13 32	32 1 18 28	18 1 13 14	8 1 1 4	3 1 1				59 60 61 62
6 3 9 3	5 6 9 2	4 5 4	2 5 7 2	4 8 8 5	8 8 10 2	8 8 10 1	4 11 12 1	11 20 28 2	8 13 25 1	4 18 26 1	3 27 16 1	3 10	2 1				63 64 65 66
10 2 10 19	8 3 5 27	13 2 6 21	24 2 7 17	14 2 4 29	10 3 19 23	25 5 11 27	27 2 16 38	31 6 17 37	31 5 22 47	38 5 23 33	27 11 18	11 4 12	2 1			1	67 68 69 70
11 5 13 5	11 4 24 4	17 4 19 9	11 7 25 14	15 5 23 12	13 4 13 16	18 4 19 13	43 10 31 15	42 12 32 9	45 17 25 15	32 22 41 18	18 8 26 4	5 4 11 2	3 4			1	71 72 73 74

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants.]

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis of the menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
SUMMARY.															
1	The registration area (total).....	805,412	12,673	1,167	202	6,598	6,255	6,146	11,521	7,774	2,442	75,211	4,654	6,444	4,004
2	White.....	753,308	11,791	741	190	6,394	6,182	5,524	11,275	7,251	2,356	66,498	4,394	5,741	3,782
3	Colored.....	52,104	882	426	12	204	73	622	246	523	86	8,713	260	703	222
4	Registration states ¹ (total).....	703,608	10,904	645	189	5,990	5,430	5,579	10,090	6,824	2,183	64,166	4,185	5,660	3,550
5	White.....	673,203	10,399	538	183	5,849	5,379	5,098	9,925	6,565	2,136	58,726	3,976	5,173	3,421
6	Colored.....	30,405	505	107	6	141	51	481	165	259	47	5,440	209	487	129
7	Cities in registration states ¹ (total).....	400,305	5,640	258	107	3,377	3,567	2,881	6,482	2,663	1,308	39,159	2,943	3,076	1,933
8	White.....	379,543	5,350	207	103	3,295	3,540	2,622	6,370	2,513	1,278	35,426	2,776	2,749	1,852
9	Colored.....	20,762	290	51	4	82	27	259	112	150	30	3,733	167	327	81
10	Rural part of registration states (total).....	303,303	5,264	387	82	2,613	1,863	2,698	3,608	4,161	875	25,007	1,242	2,584	1,617
11	White.....	293,660	5,049	331	80	2,554	1,839	2,476	3,555	4,052	858	23,300	1,200	2,424	1,569
12	Colored.....	9,643	215	56	2	59	24	222	53	109	17	1,707	42	160	48
13	Registration cities in other states (total).....	101,804	1,769	522	13	608	825	567	1,431	950	259	11,045	469	784	454
14	White.....	80,105	1,392	203	7	545	803	426	1,350	686	220	7,772	418	568	361
15	Colored.....	21,699	377	319	6	63	22	141	81	264	39	3,273	51	216	93
16	All registration cities ¹ (total).....	502,109	7,409	780	120	3,985	4,392	3,448	7,913	3,613	1,567	50,204	3,412	3,860	2,387
17	White.....	459,648	6,742	410	110	3,840	4,343	3,048	7,720	3,199	1,498	43,198	3,194	3,317	2,213
18	Colored.....	42,461	667	370	10	145	49	400	193	414	69	7,006	218	543	174
REGISTRATION STATES.															
19	California (total).....	32,401	460	85	1	177	70	284	220	151	76	4,322	236	352	126
20	White.....	30,685	429	72	1	168	70	270	210	143	75	3,927	221	321	118
21	Colored.....	1,716	31	13		9		14	10	3	1	395	15	31	8
22	Colorado (total).....	11,069	337	9	7	64	104	35	130	77	45	1,671	58	80	56
23	White.....	10,730	326	9	7	62	102	35	129	77	43	1,607	55	76	56
24	Colored.....	339	11			2	2		1		2	64	3	4	
25	Connecticut (total).....	17,498	165	28		92	129	146	281	243	55	1,467	93	119	95
26	White.....	17,120	162	28		92	129	142	277	240	55	1,411	90	108	93
27	Colored.....	378	3					4	4	3		56	3	11	2
28	Indiana (total).....	36,448	919	113	1	448	203	397	392	537	132	3,919	255	539	178
29	White.....	35,011	901	108	1	438	198	385	384	520	125	3,635	248	474	174
30	Colored.....	1,437	18	5		10	5	12	8	17	7	284	7	65	4
31	Maine (total).....	12,726	151	3		97	41	97	99	123	24	899	87	126	49
32	White.....	12,703	151	3		97	41	97	99	122	24	894	87	126	49
33	Colored.....	23								1		5			
34	Maryland (total).....	20,805	528	22		53	68	291	171	201	63	2,312	85	165	92
35	White.....	15,458	419	18		46	65	142	147	149	55	1,457	72	112	70
36	Colored.....	5,347	109	4		7	3	149	24	52	8	855	13	53	22
37	Massachusetts (total).....	54,301	421	23		392	272	286	705	447	177	4,653	467	384	224
38	White.....	53,455	415	23		387	271	281	698	446	176	4,477	461	369	219
39	Colored.....	846	6			5	1	5	7	1	1	176	6	15	5
40	Michigan (total).....	39,888	667	21	120	255	303	308	495	437	129	2,325	107	320	233
41	White.....	39,262	656	21	119	250	302	298	492	430	127	2,209	107	309	227
42	Colored.....	626	11		1	5	1	10	3	7	2	116		11	6
43	Minnesota (total).....	22,649	668	2	10	247	301	155	543	98	79	1,883	161	226	134
44	White.....	22,470	664	2	10	241	300	154	540	98	78	1,855	157	224	133
45	Colored.....	179	4			6	1	1	3		1	28	4	2	1
46	Montana (total).....	3,999	151		2	16	61	41	61	24	14	295	14	31	28
47	White.....	3,909	142		2	16	61	40	61	24	14	277	12	28	28
48	Colored.....	90	9					1				18	2	3	
49	New Hampshire (total).....	7,452	46	1		29	8	42	77	93	21	401	31	63	23
50	White.....	7,438	46	1		29	8	42	76	93	21	401	30	63	23
51	Colored.....	14							1				1		
52	New Jersey (total).....	39,504	371	26		253	281	425	747	312	129	4,059	285	296	211
53	White.....	37,422	350	23		247	275	358	738	308	129	3,702	255	258	201
54	Colored.....	2,082	21	3		6	6	67	9	4		357	30	38	10
55	New York (total).....	147,678	1,397	82	8	1,270	1,654	743	2,435	1,218	478	14,488	1,125	903	721
56	White.....	144,144	1,373	77	6	1,254	1,643	715	2,414	1,194	470	13,793	1,084	858	707
57	Colored.....	3,534	24	5	2	16	11	28	21	24	8	695	41	45	14
58	North Carolina ² (total).....	6,752	209	120	6	98	8	62	67	102	13	897	23	63	23
59	White.....	3,728	128	52	4	75	7	34	48	53	11	419	17	26	10
60	Colored.....	3,024	81	68	2	23	1	28	19	49	2	478	6	37	13
61	Ohio (total).....	65,459	1,314	40	13	787	288	591	585	906	220	6,223	328	657	385
62	White.....	63,194	1,275	36	12	769	284	564	576	887	216	5,761	312	613	372
63	Colored.....	2,265	39	4	1	18	4	27	9	19	4	462	16	44	13
64	Pennsylvania (total).....	119,815	1,892	50	8	1,237	1,094	1,114	2,235	1,197	338	9,003	481	801	600
65	White.....	115,094	1,824	50	8	1,218	1,082	1,022	2,197	1,160	330	8,167	440	710	587
66	Colored.....	4,721	68			19	12	92	38	37	8	836	41	91	13

¹ Including District of Columbia.

DEATHS FROM PRINCIPAL CAUSES.

253

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Dia- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital deolity and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(24)	25	26	27	28	29	31	32	33	35	36	(37)	38
41,089	8,040	7,619	40,767	76,178	12,620	79,524	8,691	54,266	6,128	6,678	7,485	53,330	3,892	4,563	40,343	48,606	8,590	139,495	12,462
39,875	7,888	7,208	39,008	71,902	11,806	73,490	8,043	51,379	5,884	6,346	7,187	49,693	3,609	4,293	38,135	45,720	8,378	130,572	10,773
1,164	152	411	1,759	4,276	814	6,034	648	2,887	244	332	298	3,637	283	270	2,213	2,586	212	8,923	1,689
36,364	7,282	6,661	37,209	67,780	11,428	67,871	7,575	47,197	5,154	5,775	6,352	45,350	3,334	4,060	36,048	42,546	7,309	122,084	10,834
35,638	7,183	6,419	36,135	65,262	10,924	64,335	7,249	45,376	5,008	5,578	6,204	43,365	3,181	3,894	34,647	40,958	7,158	117,397	9,924
726	99	242	1,074	2,518	504	3,536	326	1,821	146	197	148	1,985	153	166	1,401	1,368	151	4,637	910
20,505	4,232	3,937	18,537	36,618	6,910	43,077	4,185	29,712	3,528	3,493	4,042	28,031	2,029	2,242	20,983	22,582	4,513	62,780	4,975
19,989	4,151	3,790	17,815	34,783	6,551	40,445	3,958	28,454	3,419	3,353	3,935	26,563	1,915	2,140	19,948	21,590	4,413	59,704	4,546
516	81	147	722	1,835	359	2,632	227	1,258	109	140	107	1,468	114	102	1,035	992	100	3,076	429
15,859	3,050	2,724	18,672	31,162	4,518	24,794	3,390	17,485	1,626	2,282	2,310	17,319	1,305	1,818	15,065	19,964	2,796	59,304	5,859
15,649	3,032	2,629	18,320	30,479	4,373	23,890	3,291	16,922	1,589	2,225	2,269	16,802	1,266	1,754	14,639	19,368	2,745	57,693	5,378
210	182	95	352	683	145	904	99	563	37	57	41	517	39	64	366	358	51	1,611	481
4,675	758	958	3,558	8,398	1,192	11,653	1,116	7,069	974	903	1,133	7,980	558	503	4,300	6,060	1,281	17,411	1,628
4,237	705	789	3,640	882	915	9,155	794	6,003	876	768	983	6,328	428	399	3,488	4,762	1,220	13,175	849
433	53	169	685	1,758	310	2,498	322	1,066	98	135	150	1,652	130	104	812	1,298	61	4,236	779
25,180	4,990	4,895	22,095	45,016	8,102	54,730	5,301	36,781	4,502	4,396	5,175	36,011	2,537	2,745	25,283	28,642	5,794	80,191	6,603
24,226	4,866	4,579	20,688	41,423	7,433	49,600	4,752	34,457	4,295	4,121	4,918	32,891	2,343	2,539	23,436	26,352	5,633	72,879	5,395
954	134	316	1,407	3,593	669	5,130	549	2,324	207	275	257	3,120	244	206	1,847	2,290	161	7,312	1,208
2,013	378	353	1,603	3,845	365	2,314	323	936	262	298	442	2,095	107	182	1,174	2,510	696	5,742	203
1,943	370	320	1,569	3,711	352	2,157	302	881	254	288	425	2,001	103	172	1,114	2,381	663	5,456	188
65	8	33	34	134	13	157	21	55	8	10	17	94	4	10	60	129	33	286	15
468	67	119	393	692	91	997	153	528	126	88	76	637	86	68	601	1,209	167	1,766	64
458	66	116	364	668	90	968	150	517	119	85	74	622	82	65	593	1,143	161	1,722	63
10	1	3	9	24	1	29	3	11	7	3	2	15	4	3	8	66	6	1,144	23
893	221	223	1,135	1,798	313	1,686	172	1,162	97	136	161	1,223	65	33	963	886	200	2,905	263
883	220	218	1,115	1,752	304	1,653	168	1,150	95	133	153	1,181	62	31	943	863	197	2,856	256
5	1	5	20	46	9	33	4	12	2	3	3	42	3	2	20	23	3	49	7
1,898	377	259	2,022	3,712	460	2,849	274	2,116	259	301	306	2,214	237	212	1,693	2,139	381	6,606	100
1,863	371	252	1,970	3,586	441	2,706	265	2,045	250	292	298	2,103	230	207	1,637	2,064	370	6,376	94
35	6	7	52	126	19	143	9	71	9	9	8	111	7	5	56	75	11	230	6
754	128	167	907	1,370	211	1,237	166	650	92	105	62	796	46	64	542	525	85	2,647	376
753	128	167	907	1,368	211	1,237	166	650	92	105	62	793	46	64	542	522	85	2,641	374
1			2									3			3			6	2
942	164	224	978	1,708	339	1,937	224	1,341	100	146	125	1,664	72	119	1,162	974	134	3,579	822
827	153	181	782	1,278	264	1,373	182	975	75	117	107	1,288	50	85	869	745	126	2,705	524
115	11	43	196	430	75	564	42	366	25	29	18	376	22	34	293	229	8	874	298
3,159	651	588	3,316	6,004	1,016	5,882	462	4,111	371	415	340	2,981	166	246	3,032	2,508	427	9,509	666
3,127	646	581	3,283	5,905	997	5,773	458	4,081	368	411	338	2,924	165	246	2,993	2,482	420	9,381	653
32	5	7	33	99	19	109	4	30	3	4	2	57	1	1	39	26	7	128	13
2,112	418	409	2,117	4,304	746	2,671	540	2,350	359	390	345	1,935	196	278	2,443	2,221	386	9,026	922
2,089	415	404	2,097	4,248	737	2,607	523	2,328	351	387	341	1,903	194	275	2,429	2,183	380	8,923	901
23	3	5	20	56	9	64	17	22	8	3	4	32	2	3	14	38	6	103	21
1,400	243	205	900	1,698	273	1,806	236	1,341	320	231	138	1,183	114	133	1,153	1,564	242	4,489	473
1,393	243	203	895	1,680	270	1,778	234	1,338	318	230	136	1,169	114	132	1,147	1,553	239	4,470	472
7		2	5	18	3	28	2	3	2	1	2	14			6	11	3	19	1
157	38	49	120	257	37	282	55	226	65	45	37	222	27	35	207	551	81	693	77
156	36	47	116	252	37	277	54	222	64	44	36	218	26	35	207	539	80	682	76
1	2	2	4	5		5	1	4	1	1	1	4	1	1		12	1	11	1
424	80	127	523	865	148	641	105	408	35	55	29	480	18	34	418	293	54	1,662	133
423	80	127	520	864	148	641	104	408	35	55	29	480	18	34	417	293	53	1,658	133
1			3	1			1								1		1	4	1
1,891	433	427	2,314	3,504	607	4,157	402	3,004	242	266	439	2,944	191	206	2,653	2,225	436	5,765	598
1,843	420	404	2,224	3,344	565	3,906	384	2,853	233	252	429	2,806	184	201	1,946	2,143	429	5,456	551
43	13	23	90	160	42	251	18	153	9	14	10	138	7	5	112	82	7	309	47
7,726	1,694	1,552	7,489	15,083	2,516	17,104	1,371	9,740	1,077	1,211	1,681	11,784	618	770	6,943	7,963	1,532	22,498	1,276
7,634	1,655	1,129	7,372	14,828	2,443	16,574	1,345	9,527	1,042	1,182	1,635	11,466	591	757	6,754	7,774	1,519	22,053	1,236
92	9	23	117	255	73	530	26	217	25	29	26	268	25	13	189	189	13	445	40
171	30	32	215	435	88	610	70	423	42	34	36	342	27	84	266	271	26	1,341	392
125	22	54	132	217	44	297	33	303	35	21	27	208	8	49	171	135	24	772	151
46	8	28	83	218	13	103	37	196	7	13	9	134	19	35	95	136	2	569	59
3,599	652	745	3,639	6,701	1,036	5,381	639	4,037	453	555	667	3,728	382	345	3,151	4,255	679	11,858	560
3,529	646	727	3,550	6,579	1,012	5,131	622	3,935	442	533	653	3,585	371	339	3,069	4,125	668	11,517	537
70	6	18	89	204	24	250	17	102	11	22	14	143	11	6	82	130	11	341	23
5,100	985	884	6,092	903	2,079	12,839	1,687	11,581	641	893	995	7,243	656	785	6,664	8,242	975	19,324	2,659
4,999	970	861	5,937	859	1,974	12,185	1,618												

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-ma-tism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION STATES—Contd.														
1 Rhode Island (total).....	9,305	74	5	178	22	51	134	99	18	855	86	52	31
2 White.....	9,051	71	5	177	22	47	132	98	18	826	83	52	31
3 Colored.....	254	3	1	4	2	1	29	3
4 Utah (total).....	4,072	139	2	5	108	64	73	31	21	134	10	22	41
5 White.....	3,998	128	2	5	108	64	73	31	21	126	10	21	40
6 Colored.....	74	11	8	1	1
7 Vermont (total).....	5,704	50	3	24	11	52	32	147	15	328	32	44	15
8 White.....	5,674	50	3	24	11	51	32	147	15	325	32	44	15
9 Colored.....	30	1	3
10 Washington (total).....	11,502	324	1	8	76	81	177	145	54	40	1,013	87	143	54
11 White.....	11,017	301	1	8	68	81	167	144	50	40	909	80	132	52
12 Colored.....	485	23	8	10	1	4	104	7	11	2
13 Wisconsin (total).....	28,070	544	2	3	188	309	183	432	248	83	2,153	107	237	193
14 White.....	27,896	543	2	3	185	308	181	430	248	83	2,128	105	233	192
15 Colored.....	174	1	3	1	2	2	25	2	4	1
REGISTRATION CITIES.														
ALABAMA. ¹														
16 Registration cities (total).....	4,790	119	98	1	24	7	23	25	42	10	680	6	31	17
17 White.....	2,046	61	19	11	7	11	19	18	9	209	5	15	10
18 Colored.....	2,744	58	79	1	13	12	6	24	1	471	1	16	7
19 Birmingham (total).....	2,597	66	35	24	4	13	16	17	6	369	1	6	8
20 White.....	1,206	40	10	11	4	9	12	8	5	119	1	1	6
21 Colored.....	1,391	26	25	13	4	4	9	1	250	5	2
22 Mobile (total).....	1,185	39	29	2	7	6	14	4	202	4	16	8
23 White.....	512	13	7	2	1	5	7	4	68	4	10	3
24 Colored.....	673	26	22	6	1	7	134	6	5
25 Montgomery (total).....	1,008	14	34	1	1	3	3	11	109	1	9	1
26 White.....	328	8	2	1	1	2	3	22	4	1
27 Colored.....	680	6	32	1	2	1	8	87	1	5
CALIFORNIA.														
28 Registration cities (total).....	18,609	216	24	97	42	128	120	73	39	2,533	145	208	71
29 White.....	17,578	201	19	96	42	124	113	73	39	2,278	133	185	64
30 Colored.....	1,031	15	5	1	4	7	255	12	23	7
31 Alameda.....	290	3	1	2	1	25	1	5	3
32 Bakersfield.....	305	12	6	2	1	3	2	2	39	1	2
33 Berkeley.....	376	1	1	4	5	1	31	3	4	1
34 Eureka.....	196	2	1	2	3	23	1	4	1
35 Fresno.....	340	15	2	1	4	8	6	1	35	3	2	2
36 Long Beach.....	250	4	1	1	23
37 Los Angeles (total).....	4,538	46	3	50	14	19	24	20	12	743	37	60	22
38 White.....	4,299	44	2	50	14	19	24	20	12	683	30	50	21
39 Colored.....	239	2	1	60	7	10	1
40 Oakland.....	1,929	25	2	6	5	31	11	6	5	191	14	12	7
41 Pasadena.....	419	3	1	3	3	3	2	3	84	5	6	4
42 Pomona.....	136	3	2	17	1
43 Redlands.....	164	3	49	1	2
44 Riverside.....	221	7	1	2	43	2	4
45 Sacramento.....	734	13	2	3	2	3	5	2	1	75	7	15	3
46 San Bernardino.....	260	5	1	71	2	8	1
47 San Diego.....	687	1	2	6	2	4	10	110	4	9
48 San Francisco (total).....	6,319	65	8	22	7	32	37	7	10	774	56	56	21
49 White.....	6,002	62	5	21	7	32	32	7	10	682	55	54	17
50 Colored.....	317	3	3	1	5	92	1	2	4
51 San Jose.....	412	1	1	1	12	4	1	52	7	7	1
52 Santa Barbara.....	223	5	1	3	2	4	1	38	4
53 Santa Cruz.....	185	2	1	1	2	15	3	1
54 Stockton.....	469	2	3	4	1	79	5	2
55 Vallejo.....	166	1	4	12	1	16	1	1
COLORADO.														
56 Registration cities (total).....	4,705	102	3	18	43	8	59	31	26	372	37	48	29
57 White.....	4,494	97	3	18	8	58	31	24	325	36	45	29
58 Colored.....	211	5	1	2	47	1	3
59 Colorado Springs.....	478	4	2	7	37	2	2	1	155	7	5	2
60 Denver.....	3,533	59	2	5	40	4	24	648	26	36	23
61 Pueblo.....	542	35	1	8	3	12	6	1	58	4	7	4
62 Trinidad.....	152	4	1	5	3	11

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral afec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
474	105	74	522	877	181	1,034	80	837	56	67	76	675	27	55	432	445	80	1,482	121	1
463	103	71	512	840	174	1,003	78	816	55	67	76	658	26	54	424	437	80	1,439	113	2
11	2	3	10	37	7	31	2	21	1	1	1	17	1	1	8	8	43	43	8	3
134	53	46	136	301	66	434	59	185	62	55	18	239	30	39	291	347	40	749	138	4
134	52	46	136	293	66	425	59	182	61	55	18	236	30	38	290	334	38	734	137	4
	1			3		9		3	1			3	30	35	1	13	2	15	1	5
393	76	43	456	790	106	516	39	206	60	46	32	382	22	39	250	262	47	1,158	28	7
392	76	43	455	787	106	511	38	206	59	46	32	379	22	39	250	255	46	1,155	28	8
1			1	3		5	1	206	1			3	22	39	250	7	46	3	28	9
593	124	77	535	858	78	841	100	435	142	107	75	634	96	98	617	1,411	230	2,043	205	10
586	122	71	528	839	73	802	98	420	140	104	71	617	95	96	604	1,344	220	1,978	176	11
7	2	6	7	19	5	39	2	15	2	3	4	17	1	2	13	67	10	65	29	12
1,763	309	365	1,371	2,310	551	2,075	323	1,702	256	273	257	1,462	113	155	1,683	1,484	331	6,032	623	13
1,757	309	363	1,365	2,298	550	2,054	321	1,691	256	272	256	1,456	113	154	1,622	1,466	330	6,006	616	14
6		2	6	12	1	21	2	11		1		6		1	11	18	1	26	7	15
162	18	50	176	322	15	404	35	297	42	39	44	328	25	30	177	362	36	949	196	16
103	12	23	87	135	15	155	15	145	27	19	22	152	14	14	92	158	32	383	62	17
59	6	27	89	187	11	249	20	152	15	20	22	176	16	16	85	85	4	561	134	18
83	6	34	94	168	1	304	12	193	25	18	26	110	16	16	87	251	27	427	134	19
52	3	15	49	72		124	7	110	19	8	12	56	8	8	57	114	24	199	43	20
31	3	19	45	96	1	180	5	83	6	10	14	54	3	3	30	137	3	228	86	21
51	8	8	42	98	9	38	6	48	14	11	8	134	7	8	41	59	3	235	23	22
33	6	5	19	44	4	12	2	13	8	7	4	87	4	4	22	24	2	104	4	23
18	2	3	23	54	5	26	4	35	6	4	4	67	2	4	4	19	6	134	19	24
28	4	8	40	56	5	62	17	56	3	10	10	84	2	2	49	52	1	234	39	25
18	3	3	19	19		19	6	22	3	4	6	29	2	2	13	20	6	85	10	26
10	1	5	21	37	5	43	11	34	3	6	4	55	2	4	36	32		199	29	27
1,302	236	194	892	2,263	241	1,352	179	499	195	188	285	1,326	53	98	701	1,219	422	3,198	70	28
1,257	229	176	873	2,176	235	1,283	167	472	189	181	272	1,282	51	90	660	1,155	407	3,031	65	29
45	7	18	19	87	6	89	12	27	6	7	13	64	2	8	41	64	15	167	5	30
23	8	4	22	42	1	20	3	5	2	2	8	24	2	2	13	18	6	42	2	31
12	1	8	6	19		27	5	21	7	3	3	13	1	1	9	31	6	57	5	32
31	7	4	20	55	3	29	2	11	7	7	3	12	2	1	11	24	6	70	3	33
16	2	2	9	25	6	3	1	5	1	6	1	10	1	3	3	18	4	32	1	34
20	2	7	19	35	3	29	3	22	5	4	2	11	3	2	22	18	3	48	3	35
24	5	1	18	25	4	7	4	9	1	2	6	30	1	2	10	21	5	45		36
338	47	58	201	444	45	275	45	79	48	50	52	308	11	27	215	280	97	845	23	37
329	45	54	195	424	44	256	41	75	47	47	50	294	9	24	210	284	92	808	22	38
9	2	4	6	20	1	19	4	4	1	3	2	14	2	3	5	16	5	87	1	39
131	23	22	96	305	25	156	25	59	19	7	27	147	3	16	82	135	49	285	2	40
28	6	3	20	44	5	18	2	5	5	5	5	50	2	2	13	7	6	76	2	41
12	4		12	14	2	9	1	1	1	1	1	8		1	12	6	1	25	1	42
5	1		11	17		11	2	6		1	2	2			5	6		23		43
7	2	1	18	16	5	12	2	3	1	2	1	14	1	1	7	18	2	47		44
42	7	13	20	51	9	59	11	42	10	4	16	43	3	4	28	69	13	156	3	45
13	1	2	12	11	1	21		10	1	3	2	11		3	5	28	7	41		46
53	11	5	42	84	10	42	6	17	8	5	3	56	3		14	40	8	126	6	47
475	91	43	276	899	101	531	50	170	68	70	132	472	14	33	214	309	185	989	12	48
461	89	42	269	871	98	503	46	161	66	70	128	450	14	31	200	333	182	942	12	49
14	2	1	7	28	3	28	4	9	2		4	22		2	14	16	3	47		50
21	7	7	21	58	6	35	6	14	5	5	10	34	2	1	12	23	7	51		51
12	4	6	19	21		14	1	6	2	2	1	11	1	1	4	12	3	44	1	52
11	3	4	7	28		6	2	2	1	1	3	20			3	12	3	52	4	53
23	3	4	27	53	12	36	5	7	2	5	7	20	5	1	13	27	7	114	2	54
5	1		16	17	3	11	3	5	1	3	2	10	1		6	13	6	25	2	55
251	34	66	185	338	30	406	53	192	65	41	37	304	35	31	238	252	82	777	12	56
242	34	63	176	319	29	388	52	184	63	38	36	291	32	29	230	233	79	748	11	57
9		3	9	19	1	18	1	8	2	3	1	13	3	2	8	19	3	29	1	58
25	5	5	14	24	2	36	5	16	8	3	3	32	2	3	18	24	4	64	3	59
201	26	50	149	275	23	292	41	116	50	33	32	239	27	20	178	178	68	597	8	60
23	4	6	19	30	3	56	5	44	6	4	2	22	3	5	31	37	6	95		61
2		5	3	9	2	22	2	16	1	1		11	3	3	7	13	4	21	1	62

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.														
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Infl-u-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.	
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Contd.															
CONNECTICUT.															
1	Registration cities (total).....	12,032	119	20	69	105	107	195	145	45	1,049	72	84	61
2	White.....	11,726	118	20	69	105	104	191	142	45	1,001	69	77	59
3	Colored.....	306	1	3	4	3	48	3	7	2
4	Ansonia.....	201	2	14	3	2	12	1
5	Bridgeport.....	1,562	5	1	6	20	27	28	7	5	183	11	10	7
6	Bristol town.....	184	2	5	2	7	10	2	13	1
7	Danbury town.....	350	6	1	1	3	4	4	27	2	6
8	Greenwich town.....	273	2	2	5	1	1	6	14	1	1	2
9	Hartford.....	1,748	19	16	7	4	34	17	12	153	6	10	11
10	Manchester town.....	161	6	7	12	1	1
11	Meriden town.....	456	1	2	1	7	7	7	1	61	6	1	5
12	Middletown town.....	533	7	3	3	1	3	1	50	3	2	3
13	Naugatuck.....	182	1	6	2	2	20	2	2
14	New Britain.....	692	9	17	7	2	29	12	2	42	6	7	1
15	New Haven.....	2,219	24	6	6	11	13	17	19	11	197	21	17	8
16	New London.....	353	3	3	2	5	2	5	1	26	3	2
17	Norwalk town.....	366	10	8	2	3	12	1	26	2	2
18	Norwich town.....	480	3	2	1	11	5	5	10	1	37	9	4
19	Orange town.....	143	2	1	1	1	3	2	12	1
20	Stamford town.....	466	3	2	5	8	4	2	37	1	2
21	Torrington town.....	185	2	2	9	4	15	1
22	Wallingford town.....	141	1	2	1	1	2	1	6	2	2	1
23	Waterbury.....	1,140	15	6	4	18	33	10	3	94	8	13	8
24	Windham town.....	197	4	1	1	4	12	1
DELAWARE. ¹															
25	Wilmington (total).....	1,547	33	1	11	14	26	13	5	142	11	7	6
26	White.....	1,322	31	11	14	25	10	5	113	10	6	4
27	Colored.....	225	2	1	1	3	29	1	1	2
DISTRICT OF COLUMBIA.															
28	Washington (total).....	6,511	77	9	4	14	35	31	79	13	776	27	37	38
29	White.....	3,744	45	4	1	11	9	28	42	10	330	18	16	24
30	Colored.....	2,767	32	5	3	3	26	3	37	3	446	9	21	14
FLORIDA. ¹															
31	Registration cities (total).....	1,640	74	44	3	4	8	4	10	4	185	2	8	4
32	White.....	783	51	13	3	3	3	3	2	4	54	2	4	1
33	Colored.....	857	23	31	1	5	1	8	131	4	3
34	Jacksonville (total).....	1,192	60	42	1	3	6	2	8	4	135	2	6	4
35	White.....	482	40	13	1	2	1	1	1	4	28	2	3	1
36	Colored.....	710	20	29	1	5	1	7	107	3	3
37	Key West (total).....	448	14	2	2	1	2	2	2	50	2
38	White.....	301	11	2	1	2	2	1	26	1
39	Colored.....	147	3	2	1	24	1
GEORGIA. ¹															
40	Registration cities (total).....	4,689	94	62	1	15	13	22	34	37	5	447	16	23	17
41	White.....	2,225	69	16	13	13	7	23	18	1	166	14	11	9
42	Colored.....	2,464	25	46	1	2	15	11	19	4	281	2	12	8
43	Atlanta (total).....	2,933	78	4	1	14	8	16	29	13	3	282	10	15	14
44	White.....	1,609	53	1	12	8	7	20	6	1	127	8	7	6
45	Colored.....	1,329	20	3	1	2	9	9	7	2	155	2	8	8
46	Savannah (total).....	1,751	16	58	1	5	6	5	24	2	165	6	8	3
47	White.....	616	11	15	1	5	3	12	39	6	4	3
48	Colored.....	1,135	5	43	6	2	12	2	126	4
ILLINOIS. ¹															
49	Registration cities (total).....	36,465	363	14	1	205	421	199	859	163	95	3,797	231	241	178
50	White.....	35,189	347	14	1	200	420	193	854	156	95	3,531	223	222	173
51	Colored.....	1,276	16	5	1	6	5	7	266	8	19	5
52	Aurora.....	433	5	5	5	2	1	29	1	6	2
53	Belleisle.....	312	4	3	3	4	1	3	31	1	1	1
54	Chicago (total).....	33,241	300	11	1	191	404	173	822	146	89	3,475	222	211	162
55	White.....	32,130	289	11	1	186	403	169	817	141	89	3,241	214	194	159
56	Colored.....	1,111	11	5	1	4	5	5	234	8	17	3
57	Decatur.....	412	5	7	4	3	7	4	1	37	5	3
58	Evanston.....	254	7	1	2	4	3	2	21	4	3
59	Jacksonville.....	347	5	1	1	1	40	3	2
60	Quincy.....	606	10	3	8	10	3	59	1	2	2
61	Springfield.....	860	27	3	6	13	5	2	105	1	11	6

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemorrhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pend- icitis.	Her- nia, intes- tinal ob- struction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Un- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
602	155	166	685	1,163	212	1,267	123	842	80	107	111	825	51	50	690	604	133	1,910	185
600	154	162	671	1,123	205	1,237	119	835	78	104	108	793	48	49	673	585	130	1,873	179
2	3	12	12	17	6	23	1	20	1	1	2	9	2	2	10	8	3	24	7
74	24	23	55	118	17	172	20	127	8	10	12	118	6	9	104	75	33	226	21
9	1	8	9	15	4	23	2	26	1	1	2	11	1	1	7	7	2	22	3
16	7	4	24	44	1	31	3	16	3	4	3	13	1	1	18	32	2	67	2
17	2	4	19	22	2	18	3	23	3	1	3	25	4	2	29	18	3	41	5
94	32	18	106	169	24	206	16	75	18	22	23	115	10	6	96	88	15	308	18
7	2	2	12	20	6	13	9	9	5	2	2	14	1	1	13	6	1	25	1
27	8	3	24	53	7	34	2	44	3	3	8	26	1	3	25	22	4	56	3
19	6	6	43	95	13	62	6	24	7	7	4	27	2	2	17	22	4	103	3
7	3	4	10	13	6	19	15	20	3	5	10	8	2	2	15	8	2	25	2
25	6	15	27	36	18	57	23	95	3	5	10	35	5	2	61	27	4	93	18
128	25	21	113	239	44	279	1	116	18	21	16	170	10	9	101	119	16	351	50
15	5	2	24	41	6	31	1	17	4	6	3	29	2	1	17	23	2	69	3
28	1	3	42	36	8	27	4	16	1	4	5	30	1	1	7	17	8	54	8
29	10	6	37	49	6	40	9	17	2	5	3	31	4	4	15	20	1	102	5
9	4	6	9	31	1	11	1	4	1	1	2	12	2	2	12	8	1	19	1
27	4	6	34	33	7	42	3	36	2	7	2	45	2	2	23	27	3	87	12
11	2	7	7	12	3	19	1	17	2	1	3	12	1	1	15	7	7	21	4
4	3	7	15	26	4	6	13	13	1	2	2	12	1	1	10	5	2	10	1
41	15	7	56	80	23	141	13	118	17	4	6	58	4	10	32	51	17	171	14
13	2	7	7	14	6	13	3	9	1	1	5	25	2	2	13	14	2	36	4
53	4	40	83	98	22	196	31	102	10	10	8	107	3	8	83	78	7	267	68
47	4	36	76	86	15	156	23	93	9	9	8	96	3	2	75	64	7	224	56
6	4	4	7	12	7	40	8	9	1	1	1	11	2	2	8	14	4	43	12
300	55	43	426	705	121	578	95	307	37	58	35	537	40	30	355	261	80	1,210	98
246	50	34	285	434	66	261	47	128	27	36	28	328	17	18	176	149	72	752	52
54	5	9	141	271	55	317	48	179	10	22	7	209	23	12	179	112	8	458	46
39	3	16	61	97	13	123	23	95	6	8	5	115	10	11	91	91	13	354	116
32	2	11	37	61	6	48	10	46	5	5	3	56	7	3	58	35	10	158	47
7	1	5	24	36	7	75	13	49	1	3	2	59	3	8	33	56	3	196	69
21	2	6	42	68	8	103	23	27	6	6	3	91	10	7	59	86	9	259	83
17	1	3	23	36	4	36	10	9	5	3	3	42	7	7	29	32	6	100	20
4	1	3	19	32	4	67	13	18	1	3	1	49	3	4	30	54	3	159	63
18	1	10	19	29	5	20	2	68	2	2	2	24	3	7	32	5	4	95	33
15	1	8	14	25	2	12	37	37	2	2	1	14	3	3	29	3	4	58	27
3	2	2	5	4	3	8	8	31	3	3	1	10	1	1	3	2	3	37	6
120	27	33	172	276	47	558	72	228	40	29	21	364	36	30	213	262	32	1,137	206
88	19	17	91	145	14	198	31	118	30	13	12	215	18	16	113	109	25	535	58
32	8	16	81	131	33	360	41	110	10	16	9	149	13	14	100	153	7	602	148
98	17	20	106	168	28	375	25	154	31	23	10	253	36	20	139	175	22	662	89
72	14	10	60	91	9	141	16	92	22	11	5	166	18	14	88	80	17	384	38
26	3	10	46	77	19	234	9	62	9	12	5	87	13	6	51	95	5	278	51
22	10	13	66	108	19	133	47	74	9	6	11	111	10	10	74	87	10	475	117
16	5	7	31	54	5	57	15	26	8	2	7	49	2	2	25	29	8	151	20
6	5	6	35	54	14	126	32	48	1	4	4	62	8	8	49	58	2	324	97
2,012	379	270	1,005	3,205	222	5,538	242	3,636	377	309	422	2,732	195	167	1,315	2,246	498	4,841	87
1,962	371	264	976	3,053	219	5,345	234	3,588	371	294	415	2,626	186	164	1,282	2,180	489	4,660	83
50	8	6	29	152	3	193	8	50	6	15	7	106	9	3	33	66	9	181	4
29	6	8	33	25	8	36	4	23	11	3	4	34	3	3	19	23	4	97	8
21	3	8	15	21	7	16	3	11	4	5	5	19	2	1	20	16	7	66	9
1,804	348	214	858	2,942	171	5,286	201	3,511	325	261	386	2,500	178	157	1,166	2,094	458	4,139	35
1,760	340	210	832	2,809	169	5,113	195	3,471	320	248	379	2,403	170	154	1,138	2,030	449	3,992	34
44	8	4	26	133	2	173	6	40	5	13	7	97	8	3	28	64	9	147	1
32	2	3	10	27	8	32	7	12	5	6	2	40	1	1	17	22	4	87	18
20	3	5	10	27	3	13	5	10	6	2	3	15	2	2	16	17	5	139	1
15	3	5	12	30	3	34	8	7	7	9	1	25	1	1	4	14	1	118	1
45	6	8	36	62	17	50	11	17	2	8	13	33	4	4	23	11	9	139	8
46	8	19	31	71	8	66	3	45	17	15	8	61	6	2	50	49	11	156	7

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
INDIANA.															
1	Registration cities (total).....	12,468	275	33		142	80	111	123	138	53	1,340	79	186	69
2	White.....	11,472	261	29		132	78	104	117	123	48	1,150	74	154	67
3	Colored.....	996	14	4		10	2	7	6	5	190	5	32	2	2
4	Anderson.....	328	12	1		14			6	5		30	1	4	2
5	East Chicago.....	269	5			7	6		1	1		15	1	2	1
6	Elkhart.....	264	2	1		1		1	2	1		16		3	1
7	Elwood.....	174	6			8			1	3		15	3	2	
8	Evansville.....	948	23	8		9		6	6	10	3	125	2	10	5
9	Fort Wayne.....	840	17	1		9	12		9	4	1	81	4	19	3
10	Gary.....	284	17			1		3	7		1	11		6	
11	Hammond.....	296	12			1	7	4	3	1	1	22	1	6	3
12	Huntington.....	126	2			1	2		1			17	1	3	
13	Indianapolis (total).....	3,824	67	4		42	10	41	16	54	28	420	39	66	28
14	White.....	3,275	62	4		35	8	40	14	46	24	323	36	45	26
15	Colored.....	549	5			7	2	1	2	8	4	97	3	21	2
16	Jeffersonville (total).....	205	7			3		6		2		26	3	2	2
17	White.....	156	6			2		5		1		18	2	2	2
18	Colored.....	49	1			1		1		1		10	1	1	
19	Kokomo.....	257	13	2		1	3	9	4	3	1	28	4	5	2
20	Lafayette.....	333	10			3		1	2	4	1	34	1	3	2
21	Laporte.....	185	3	1		1	6	1	1		1	10		1	4
22	Logansport.....	299	9	1		2	6	1	5	1		27	1	4	4
23	Marion.....	265	8	1		4		2	2	3	1	31	2	2	1
24	Michigan City.....	280	9			5		5	3	1		31	1	5	1
25	Mishawaka.....	137	2				1	6	2	1	1	6		2	2
26	Muncie.....	352	9	1		4	2	1	4	1	1	45	3	7	3
27	New Albany.....	376	4	2		5	1	5	14	9	2	70	2	7	1
28	Peru.....	145	6				1	1		2		19		2	
29	Richmond.....	305	2			4	2		9	11	1	41	1	7	7
30	South Bend.....	759	9	1		7	7	2	6	7	4	86	7	4	3
31	Terre Haute.....	931	17	6		13	12	11	16	9	2	89	1	13	6
32	Vincennes.....	286	4	3		4		6	4	4	1	45	1	2	4
KANSAS. ¹															
33	Registration cities (total).....	2,405	117	6	1	33	10	5	46	17	8	178	1	25	12
34	White.....	2,060	97	3	1	32	10	5	40	14	7	120	1	21	8
35	Colored.....	345	20	3		1			6	3	1	58		4	4
36	Kansas City (total).....	1,393	79	4	1	22	9		29	5	6	127		17	8
37	White.....	1,152	66	1	1	21	9		25	4	5	85		16	5
38	Colored.....	241	13	3		1			4	1	1	42		1	3
39	Leavenworth (total).....	277	15			1			1	4	1	19		3	1
40	White.....	218	11			1			1	4	1	9		2	1
41	Colored.....	59	4									10		1	
42	Wichita.....	735	23	2		10	1	5	16	8	1	32	1	5	3
KENTUCKY. ¹															
43	Registration cities (total).....	5,499	104	28		12	22	51	36	57	16	747	28	41	17
44	White.....	4,176	70	6		11	16	36	36	43	11	522	23	35	11
45	Colored.....	1,323	34	22		1	6	15		14	5	225	5	6	6
46	Covington.....	861	8	1		3		4	6	14	4	124	6	7	5
47	Louisville (total).....	3,756	71	8		3	21	41	24	30	11	499	16	27	10
48	White.....	2,667	44	1		2	15	26	24	20	6	316	12	22	6
49	Colored.....	1,089	27	7		1	6	15		10	5	183	4	5	4
50	Newport.....	444	10			4	1	5	3	9	1	62	3	5	2
51	Paducah (total).....	438	15	19		2		1	3	4		62	3	2	1
52	White.....	274	8	5		2		1	3	2		35	2	2	1
53	Colored.....	164	7	14						2		27	1		1
LOUISIANA. ¹															
54	New Orleans (total).....	7,250	107	33	2	66	28	14	37	172	13	905	21	44	37
55	White.....	4,311	67	13		59	24	8	30	107	10	454	17	20	16
56	Colored.....	2,939	40	15	2	7	4	6	7	65	3	451	4	24	21
MAINE.															
57	Registration cities (total).....	3,380	56	1		29	26	15	31	20	10	244	26	31	12
58	White.....	3,369	56	1		29	26	15	31	20	10	241	26	31	12
59	Colored.....	11										3			
60	Auburn.....	231	3	1		8	4	3	1	2		15	3	1	
61	Augusta.....	332	2			2				2		28	1	3	1
62	Bangor.....	504	8			4			1	1		40	2	12	
63	Biddeford.....	411	3			6	14	4	8	1		34	6	1	3
64	Lewiston.....	586	3			4	6	2	9	4		39	6	7	3
65	Portland.....	1,106	31			5	2	2	9	8		64	5	7	5
66	Waterville.....	210	6					3	3	2		24	3		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intest- inal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
667 641 26	126 122 4	94 90 4	582 554 28	1,149 1,060 89	165 153 12	1,065 949 116	101 95 6	851 799 52	116 112 4	114 110 4	111 105 6	763 654 79	103 97 6	58 57 1	571 530 41	821 767 54	180 173 7	2,166 2,004 162	36 33 3	1 2 3
12 2 19 4	3 1 3 1	4 4 1 2	16 5 14 8	27 8 42 7	5 1 3 5	29 51 24 15	3 1 4 1	27 32 8 16	5 1 3 1	3 2 4 1	1 1 1 1	18 1 11 9	6 1 5 2	2 1 1 1	19 15 15 10	19 28 18 7	7 4 2 2	46 27 56 44	4 5 6 7	
60 64 3 13	8 13 3 2	8 5 1 1	23 44 2 4	89 83 9 12	17 8 5	93 76 25 33	10 12 1 5	64 33 68 28	9 13 2 5	4 14 5 1	13 5 1 2	57 58 2 14	11 4 3 2	5 2 2 3	46 30 20 21	58 59 63 53	14 12 5 2	152 145 81 32	8 9 10 11	
10 182 169 13	3 44 41 3	1 21 18 3	13 191 175 16	20 375 324 51	1 45 38 7	7 335 269 66	2 25 23 2	6 177 156 21	33 30 3 3	42 38 4 4	50 46 4 4	255 204 51 4	1 13 4 4	13 13 13 5	6 182 156 26	2 205 169 36	56 51 5 5	744 662 82 8	12 13 14 15	
11 9 2 18 21	2 2 3 5	1 1 2 2	15 11 4 7 25	18 16 2 41	10 9 1 5	13 9 4 16	2 2 3 3	14 11 17 17	1 1 1 4	3 1 4 3	1 1 3 3	27 23 8 17	1 1 3 4	1 1 1 4	6 4 2 11	10 6 4 13 28	2 2 2 6 6	19 13 6 39 63	1 17 18 19 20	
16 23 15 21	2 4 1 2	1 3 4 11	11 14 25 12	23 16 29 21	2 3 1 4	6 18 20 30	1 4 3 2	6 11 9 27	5 5 1 2	3 2 1 1	1 1 4 2	13 26 11 16	3 7 3 3	2 2 1 2	17 7 11 12	19 23 16 8	1 4 2 5	33 65 52 35	21 22 23 24	
5 23 23 9	3 5 1 3	3 3 2 2	9 18 23 9	11 26 29 13	4 5 11 1	10 28 21 10	3 1 5 1	8 15 23 3	1 4 1 3	1 4 3 1	2 2 2 1	20 24 23 7	4 3 1 2	1 3 2 2	7 26 10 3	6 17 11 9	3 6 4 4	23 60 61 36	25 26 27 28	
20 30 55 8	2 4 10 1	2 9 11 2	13 26 46 9	37 74 85 20	2 14 13 2	28 48 80 29	3 3 6 3	9 97 65 21	6 6 13 1	2 7 6 1	1 6 9 5	25 47 54 16	12 12 9 1	5 5 5 1	12 31 35 8	9 52 64 24	3 7 29 4	57 139 135 49	29 30 31 32	
126 115 11	26 25 1	29 25 4	98 83 15	213 181 32	28 25 3	214 183 31	32 27 5	106 98 8	18 18 2	25 23 2	16 13 3	154 128 26	22 22 1	13 12 1	139 129 10	140 124 16	25 24 1	475 403 72	33 34 35	
65 55 10 13 13	18 17 1 1 1	19 17 2 5 3	53 40 13 29 12	115 91 24 29 24	20 17 3 3 5	151 127 24 22 18	18 16 2 6 5	56 52 4 2 2	9 9 4 3 2	13 12 1 3 2	13 11 2 2 1	82 69 13 18 10	11 11 3 3 3	5 5 3 2 2	76 69 7 10 8	78 67 17 14 3	13 13 8 7 1	252 201 51 77 61	36 37 38 39 40	
48	7	5	33	69	8	41	8	48	9	9	3	54	8	5	53	45	4	146	25	42
190 172 18	32 28 4	101 83 18	227 191 36	473 335 138	101 60 41	531 364 167	117 89 28	119 101 18	38 35 3	46 38 8	46 40 6	417 342 75	14 11 3	11 9 2	309 255 54	248 193 55	53 51 2	1,121 844 277	146 115 31	43 44 45
29 135 120 15	5 22 19 3	14 67 52 15	40 141 114 27	67 354 227 127	5 83 46 37	79 342 204 198	12 98 74 24	28 64 51 13	7 27 24 3	5 34 29 5	11 27 23 4	96 272 208 64	2 10 7 3	4 6 5 1	57 219 170 49	47 156 111 45	9 36 34 2	137 819 590 229	46 47 48 49	
15 11 9 2	3 2 1 1	10 10 7 3	30 16 9 7	33 19 13 6	9 4 4 4	53 57 37 20	1 6 3 3	16 11 8 3	1 3 3 3	3 4 2 2	7 1 1 1	24 25 20 5	2 2 2 5	1 1 1 3	17 16 13 3	20 25 18 7	7 1 1 7	75 90 56 34	14 24 13 11	50 51 52 53
290 220 70	29 24 5	48 33 15	255 179 76	704 426 278	114 64 50	659 303 356	70 46 24	448 293 150	43 31 12	48 33 15	137 93 44	811 469 342	34 23 11	40 28 12	217 122 95	387 220 167	74 67 7	1,329 780 549	34 22 12	54 55 56
175 174 1	27 27	56 56	213 213	328 327 1	39 39	334 334	59 59	203 203	47 47	40 40	18 18	211 210 1	16 16	11 11	122 122	171 168 3	15 15	715 714 1	79 78 1	57 58 59
6 13 28 18 22 76 12	3 1 3 4 4 11 1	5 3 3 15 10 10 10	22 20 41 7 29 82 12	19 56 46 28 47 118 14	3 4 1 3 7 18 3	25 36 41 65 61 95 11	3 1 6 5 12 23 4	11 12 8 43 70 43 16	3 3 12 4 10 17 1	2 1 5 2 2 9 5	5 4 4 2 2 19 2	15 12 23 29 44 80 8	1 1 2 1 3 5 1	1 1 1 2 2 3 3	11 8 14 15 19 44 11	13 16 33 14 26 57 12	1 1 4 1 3 5 1	49 89 132 60 106 236 43	3 8 28 12 104 14 4	60 61 62 63 64 65 66

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(87)	
REGISTRATION CITIES—Contd.															
MARYLAND.															
1	Registration cities (total).....	11,690	281	12		20	48	101	66	68	41	1,350	60	88	43
2	White.....	8,969	236	10		19	46	63	62	55	37	870	48	63	35
3	Colored.....	2,721	45	2		1	2	38	4	13	4	480	12	25	8
4	Baltimore (total).....	10,753	235	11		20	48	85	64	64	41	1,276	57	71	39
5	White.....	8,152	193	9		19	46	47	60	51	37	816	45	46	31
6	Colored.....	2,601	42	2		1	2	38	4	13	4	460	12	25	8
7	Cumberland (total).....	440	34	1				10		2		32	1	9	1
8	White.....	398	33	1				10		2		27	1	9	1
9	Colored ¹	42	1									5			
10	Frederick (total).....	206	9					4	2	1		17	1	3	1
11	White.....	155	8					4	2	1		9	1	3	1
12	Colored.....	51	1									8			
13	Hagerstown (total).....	291	3					2		1		25	1	5	2
14	White.....	264	2					2		1		18	1	5	2
15	Colored ¹	27	1									7			
MASSACHUSETTS.															
16	Registration cities (total).....	41,996	353	12		326	233	232	607	283	137	3,469	399	286	162
17	White.....	41,274	347	12		321	232	227	600	282	136	3,343	394	274	157
18	Colored.....	722	6			5	1	5	7	1	1	126	5	12	5
19	Adams town.....	171				1	2	3	6	2		9	2		
20	Arlington town.....	148					1	1	2	2		14	1		1
21	Attleborough town.....	207	3			4	1	1	1	6		12	2	2	
22	Beverly.....	246	1						4			19	2	5	1
23	Boston (total).....	11,562	76	1		96	62	51	161	51	56	1,157	145	77	43
24	White.....	11,224	75	1		95	61	50	156	50	55	1,092	144	71	38
25	Colored.....	338	1			1	1	1	5	1	1	65	1	6	5
26	Brockton.....	707	9			1	9		15	15	1	50	13	10	2
27	Brookline town.....	320						1	1	1	1	11	1	3	1
28	Cambridge.....	1,576	10			4	3	4	24	8	1	258	15	10	4
29	Chelsea.....	605	5				1	2	2	4	2	40	4	5	2
30	Chicopee.....	389	1	1		2	2	2	3	2		24	2	2	3
31	Clinton town.....	175	1					3	6	4	2	14	3	1	
32	Everett.....	370	3			2	4	3	5	3	1	33	4		1
33	Fall River.....	2,201	18	1		21	3	19	23	7	2	170	7	10	5
34	Fitchburg.....	496	11			1	5		17		4	28	3	3	3
35	Framingham town.....	221	3						2	5		14	2	5	1
36	Gardner town.....	231	2			4		1	6	6	1	15	2	3	
37	Gloucester.....	391	2						6	5	1	40	3	2	
38	Greenfield town.....	147						5	1	3		9	1	2	4
39	Haverhill.....	767	9			1	4		8	8		63	4	4	5
40	Holyoke.....	1,027	9			11	7	7	11	7	5	75	6	5	3
41	Hyde Park town.....	261	12			2		2	6	2		29	6		1
42	Lawrence.....	1,530	14	1		18	7	16	34	2	3	94	20	11	9
43	Leominster town.....	196	2					1	4	1		22	5		
44	Lowell.....	2,101	21	2		30	44	6	22	8	2	120	21	13	12
45	Lynn.....	1,179	15	1		4	5	8	19	15	4	101	10	13	5
46	Malden.....	582	2				13	1	6	2	1	41	4	2	2
47	Marlborough.....	170	2			1	1		1	1		17	3		1
48	Medford.....	243				1	1		3	3		20	3	1	
49	Melrose.....	205	1					1	3	4		17	3	3	1
50	Methuen town.....	150	2			1		2	2	1		17			
51	Milford town.....	239	1			1		2	4	4	1	14	1		4
52	New Bedford.....	1,814	21	1		40	5	8	25	3	4	110	15	11	5
53	Newburyport.....	280	3			3			1	1		20		2	2
54	Newton.....	484	3						5	6	2	30	4		2
55	North Adams.....	322	4			5	5	1	8	5	1	31	2	2	2
56	Northampton.....	366	1				2	2	3	6	3	31		5	3
57	Peabody town.....	203		1					2	2	3	24	1	1	
58	Pittsfield.....	572	8			6	2	7	4	4	2	27	5	6	
59	Plymouth town.....	162	4						2	2	1	9	2		3
60	Quincy.....	384	4			4	3	2	3	2	2	33	7	4	1
61	Revere town.....	217	2			1	3	2	2	2		18	2	3	
62	Salem.....	691	3				6	6	6	5	1	65	8	8	3
63	Somerville.....	1,041	8			4	5	1	21	8	5	76	11	4	2
64	Southbridge town.....	175	2			2	3		7	3		13	3		1
65	Springfield.....	1,484	13	1		13	20	21	37	18	2	73	3	15	6
66	Taunton.....	803	7			9	1	2	8	11	5	47		4	1
67	Wakefield town.....	150	1				2	2				27	1		1

¹ Colored population less than 10 per cent of total.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
589	105	129	547	1,035	186	1,138	132	699	75	96	80	1,062	37	64	738	520	86	1,853	336
527	96	108	448	756	154	833	111	522	60	82	72	835	27	48	562	421	84	1,439	240
62	9	21	99	279	32	305	21	177	15	14	8	227	10	16	176	99	2	419	96
538	101	124	510	972	173	1,071	120	639	69	88	73	999	34	58	693	441	81	1,666	292
482	92	103	414	700	143	780	99	470	54	74	65	783	24	44	524	344	79	1,270	208
56	9	21	96	272	30	291	21	169	15	14	8	216	10	14	169	97	2	396	84
23	2	3	15	26	2	33	8	36	5	5	4	31	5	5	19	49	1	70	13
21	2	3	13	24	2	26	8	33	5	5	4	26	3	3	17	47	1	65	9
2			2	2		7		3				5		2	2	2		5	4
15		1	11	13	2	14	2	9		1		17	1		7	10	1	43	14
11		1	10	9	2	9	2	4		1	2	12	1		5	10	1	39	7
4			1	4		5		5				5			2			9	7
13	2	1	11	24	9	20	2	15	1	2	1	15	2	1	19	20	3	74	17
13	2	1	11	23	7	18	2	15	1	2	1	14	2	1	16	20	3	65	16
				1	2	2						1			3			9	1
2,344	487	495	2,387	4,391	772	4,816	356	3,544	338	348	265	2,296	148	196	2,489	1,973	318	7,003	531
2,318	482	489	2,358	4,300	756	4,715	352	3,516	335	344	263	2,241	148	196	2,458	1,950	312	6,896	520
26	5	6	29	91	16	101	4	28	3	4	2	55			31	23	6	107	11
4	3	2	7	18	2	16		40	1	1	1	8	1	1	4	5	3	26	3
14	2	3	15	25	4	20	2	4		1	1	8			2	3		21	2
11	2	4	11	26	3	29		19	2	1	2	14	2	1	11	9	1	27	2
16	7	4	17	30	3	22	1	9	3	1		24	2		11	19	1	40	1
704	140	105	617	1,355	166	1,435	80	678	110	93	97	603	38	56	603	646	103	1,841	116
688	137	104	607	1,302	163	1,383	79	671	109	91	96	582	33	56	591	634	100	1,792	113
16	3	1	10	53	3	52	1	7	1	2	1	21	2		12	12	3	49	3
44	16	17	48	70	7	61	13	24	8	9	3	39	8	5	49	31	7	122	11
40	10		30	61	5	26	2	4	4	4	6	22	1	1	11	10	1	62	27
85	16	10	92	161	29	192	16	99	12	16	8	82	2	3	89	61	9	244	9
44	14	5	37	86	9	77	3	28	2	2	7	49	3	4	30	23	5	104	7
11	5	13	16	30	3	50	5	73	1	2	2	25	2	1	28	14		61	5
5	2	3	9	15	3	14	2	5	1	2	2	10	8	2	10	8	2	42	4
26	4	1	23	45	7	40	4	11	3	2	4	25	2	3	27	21	1	62	2
97	12	28	92	152	94	235	20	448	9	18	8	113	6	9	162	57	19	287	49
25	5	4	20	47	11	51	2	60	4	3	3	18	5	4	37	24	6	88	4
14	2	4	14	22	4	25	3	5	5	4	2	15	1		14	15	7	40	
9	1	7	24	9	2	30	1	28	6	3	2	12	1	4	13	8	1	36	
23	7	2	27	62	5	47	6	20	3	7	2	20	1		13	23		61	3
12	1	3	17	3	3	8	3	2	2		1	14			6	7	2	23	12
48	9	15	55	61	9	120	8	33	6	7	6	46	4	5	51	27	5	129	13
40	13	28	39	60	12	135	11	157	7	9	11	65	3	3	101	40	4	135	16
27	3	4	16	15	3	25	3	11	3			11	1	4	18	15	3	39	10
68	4	25	60	100	33	204	16	264	14	8	4	59	3	8	91	71	8	213	43
13	1		14	15	3	25		7	1	1	1	10		1	17	6	1	43	2
90	18	25	103	184	90	210	20	269	16	19	16	111	1	7	156	74	17	350	24
60	19	20	59	134	13	140	12	73	10	17	2	73	3	6	55	50	7	213	13
33	7	6	44	87	13	56	2	34	4	3	3	45	2	4	26	24	5	107	3
12	3	4	12	27	4	4		12	2	2	1	5			9	7		38	2
23	4		23	33	1	27		8	1	1		15	2		8	7	4	54	
19	2	1	14	31	1	21		12		3		5	2	2	9	6	4	37	3
5	2		14	18	4	13	1	13		1	1	9	1	1	10	5	2	22	3
13	4	3	16	16	4	46		15	3			12	1	1	15	9	2	45	4
57	14	40	71	150	45	182	23	317	10	13	7	61	4	7	127	68	8	314	48
23	1	1	18	41	4	30	4	8	3	8		20		2	5	20		55	5
34	6	5	53	58	6	48	2	17	3	4	3	26	2	2	36	20	3	97	7
26	3	4	14	28	5	38	2	20	5	2	3	21	1	1	17	23	4	48	2
19	5	3	28	26	6	29	3	17	1	2	3	30	4	4	16	15	2	101	
8		3	16	18	6	23	1	14		2		9		1	14	14	5	34	3
36	7	5	44	52	5	54	7	23	8	6	5	35	3	9	42	52	2	100	6
15	3	2	13	25	2	9		4	2	2	2	5			11	5	1	37	1
18	5	2	23	45	4	49	6	27		2	2	13	3	2	29	22	6	59	6
15	1	1	12	26	3	25		18		1	2	21	1	1	14	6	3	34	1
39	6	4	51	74	14	83	10	48	2	12	1	40	2	2	52	30	2	106	9
67	16	6	77	170	15	123	9	52	11	5	7	48	4	11	43	38	5	183	6
12	4	7	8	14	5	14	4	21	1		1	9	1		13	5	1	18	3
83	15	18	74	115	19	165	11	98	18	11	4	154	6	2	88	96	21	252	12
44	10	11	49	58	15	99	10	101	6	4	4	27	4	5	38	38	2	170	13
10	2	6	15	12	2	15		8	1	1		6	1	1	9	3		24	6

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.														
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Infu-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.	
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
MASSACHUSETTS—continued.															
1	Waltham.....	389	3	1		1		2	13	4	2	27	5	2	2
2	Watertown town.....	143	2			3	1		1	1	1	13	2		2
3	Webster town.....	178				3		1	4	3		12		1	2
4	Westfield town.....	302	4			1			12	3		65	3	3	1
5	Weymouth town.....	200	1						1	2		18	2	2	
6	Winthrop town.....	105							3	2		3	2	1	1
7	Woburn.....	241	2			2	1	4	3	2		18	1	4	
8	Worcester.....	2,477	23	1		23	5	32	51	7	10	152	25	16	8
MICHIGAN.															
9	Registration cities (total).....	16,369	326	3	81	84	145	149	239	122	52	1,004	49	135	79
10	White.....	16,108	322	3	80	83	144	147	237	120	52	970	49	131	76
11	Colored.....	261	4		1	1	1	2	2	2		34		4	3
12	Adrian.....	169	2			2			14		1	8		1	
13	Alpena.....	194	5					3	2	1		8	1	3	
14	Ann Arbor.....	345	5						3	2		19		8	2
15	Battle Creek.....	423	8		2	3	1	2	3	9	1	17		2	1
16	Bay City.....	612	11		30	9	21	7	4	1		27	2	4	5
17	Detroit.....	7,452	108	3		31	76	108	159	25	25	465	23	56	29
18	Escanaba.....	206	8			1			10		1	11			1
19	Flint.....	549	40		1	4		3	6	2		40	2	3	3
20	Grand Rapids.....	1,648	32				20	6	12	6	4	115	5	20	8
21	Holland.....	141				6	2	3	1	3		5		1	4
22	Ironwood.....	180	2				5		7		1	14	1	1	
23	Ishpeming.....	158	2				2		6			12	3		
24	Jackson.....	466	10						2	6	1	24	1	5	4
25	Kalamazoo.....	743	13			3	7	2	1	14	9	46	1	5	1
26	Lansing.....	412	15			2	1		2	16		19		5	3
27	Manistee.....	160	2			3	1	1	3	3		9	1	1	3
28	Marquette.....	182	11				4					16	2	1	
29	Menominee.....	148	7				1	2	1	1		6		3	1
30	Muskegon.....	311	6			1		1	1	1		20	2	2	1
31	Pontiac.....	369	8			1	4	1	4	6	1	26		2	
32	Port Huron.....	313	14			2		1	11	3		13	1	1	1
33	Saginaw.....	261	11		48	3		7	4	4	3	43	2	6	8
34	Sault Ste. Marie.....	157	3					1	1	1		4	2	3	2
35	Traverse City.....	270	3					1	1	2	3	37		2	2
MINNESOTA.															
36	Registration cities (total).....	8,193	319		4	93	160	35	293	14	34	754	63	84	48
37	White.....	8,070	317		4	93	160	35	290	14	34	731	62	82	48
38	Colored.....	123	2						3			23	1	2	
39	Duluth.....	1,052	60		1	3	22	9	15	3	8	83	9	12	9
40	Mankato.....	170	1			2		2	1		1	13	2	4	1
41	Minneapolis.....	3,739	178		1	48	50	7	130	4	14	367	28	31	21
42	St. Cloud.....	181	3				1	2	1		1	9		1	2
43	St. Paul.....	2,558	42		1	32	65	11	138	2	9	239	22	34	14
44	Stillwater.....	114	6				5	1				18	1	1	
45	Virginia.....	176	25			2	5	3	4			7	1	1	
46	Winona.....	253	4		1	6	12		4	3	1	18			1
MISSOURI. ¹															
47	Registration cities (total).....	15,909	269	48	2	162	246	79	184	165	27	1,632	55	131	82
48	White.....	14,007	236	44	2	155	238	62	175	152	27	1,244	46	99	71
49	Colored.....	1,902	33	4		7	8	17	9	13		388	9	32	11
50	Kansas City (total).....	3,966	126	10	2	71	58	8	54	28	7	375	10	36	16
51	White.....	3,817	117	10	2	65	56	5	47	25	7	225	8	28	14
52	Colored.....	649	19			6	2	3	7	3		150	2	8	2
53	St. Joseph.....	1,055	30	4		27	1	14	19	8	2	108		14	10
54	St. Louis (total).....	10,888	103	34		64	187	57	111	129	18	1,149	45	81	56
55	White.....	9,733	94	30		63	182	43	110	120	18	937	38	59	48
56	Colored.....	1,155	9	4		1	5	14	1	9		212	7	22	8
MONTANA.															
57	Registration cities (total).....	1,527	69		1	6	28	16	26	8	7	135	7	12	11
58	White.....	1,475	62		1	6	28	16	26	8	7	126	6	11	11
59	Colored.....	52	7									9	1	1	
60	Anaconda.....	136	1		1		1		8		1	1		1	2
61	Billings.....	152	11				2		4			7		2	1
62	Butte.....	602	11				20	12	6	1	5	36	2	5	4
63	Great Falls.....	252	28			2	2	2	6			13	2	3	2
64	Helena.....	184	5				2		1	5	1	17		1	
65	Missoula.....	201	13			1	1	2	1	2		11	3		2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and softening.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other res- piratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendic- itis.	Her- nia, intes- tinal ob- struction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congen- ital debility and mal- forma- tions.	Viol- ent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Un- defined and un- known causes.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
21	5	5	34	40	2	47	2	7	5	4	2	20	1		17	16	1	91	7	1
6	3	2	11	26	1	14	1	2	1	1	5	5			13	10	1	19	1	2
5	4	1	11	12	1	14	1	27		1	1	16		1	20	4	1	29	4	3
12	1	1	9	29	7	27	2	25		4	2	19	2		24	11	4	26	5	4
3	2	2	21	38	6	19	5	14	1			15			6	6	1	33	2	5
10	3		9	11	3	7		2	2		3	7			9	6	2	18		7
13	2		19	23	6	19	2	2		3		14		1	20	11	2	53	2	6
140	31	23	136	288	40	279	16	197	19	24	14	108	12	8	140	129	11	485	24	8
833	154	211	696	1,474	323	1,352	229	1,077	180	173	132	754	86	106	1,173	859	203	3,467	419	9
820	152	209	689	1,447	316	1,317	220	1,070	175	171	129	739	85	105	1,166	845	197	3,429	413	10
13	2	2	7	27	7	35	9	7	5	2	3	15	1	1	7	14	6	38	6	11
7	1	4	6	31	1	8	1	5	3	1		12	1		3	5	2	45	6	12
10	1	1	6	21	16	16		17	2	2		3	2	1	11	9		49	4	13
49	4	1	19	23	5	13	10	4	13	4	4	17	1	3	13	17	4	101	4	14
26	9	4	26	63	8	21	3	16	3	4	2	24	2	2	25	26	4	96	10	15
28	2	10	28	61	10	50	13	29	8	6	5	25	4	4	29	30	8	125	16	16
324	68	127	255	515	143	778	109	581	75	97	78	315	48	49	662	400	122	1,368	230	17
9	2	4	7	19	5	14	4	17	2	2	1	10		2	15	9		45	7	18
17	2	5	14	32	8	53	6	52	4	4		31	4	2	41	28	3	125	16	19
103	14	17	80	191	30	93	28	108	24	16	5	94	5	15	118	66	13	360	40	20
9	2		10	7	5	7	5	16	1	1	1	9	1	1	9	6	1	31		21
1		2	6	3	7	11		25		2	3	4	1	1	8	27		34	14	22
13	2	2	3	12	3	15	3	13	3	1	1	1	1	1	13	18	2	25	2	23
34	6	5	36	55	17	22	3	25	6	2	2	34	1	3	20	26	2	100	6	24
42	8	4	36	79	14	44	6	14	19	7	5	37	4	5	36	32	7	239	6	25
20	7	2	20	69	5	23	2	38	1	5	1	14	1	2	20	17	5	91		26
7	2	3	7	25		8	1	12	4	1	2	4		2	10	5		29	4	27
11	1		8	18	3	7	4	14		1	1	19		2	11	17	2	27	2	28
13	2	1	14	22	2	9	1	9	1	1	1	9			12	10		37	2	29
20	6	4	29	28	5	26	6	16	1	3	2	14	3	1	24	10	3	67	9	30
9	3	1	14	33	2	45	6	11	3	2	3	19		3	10	11	5	129	7	31
16	2		19	30	6	19	2	17	3	3	6	15	1	5	18	22	6	73	3	32
48	8	9	45	81	17	44	9	26	11	9	3	28	6	1	47	43	5	159	18	33
1	1	4	6	13	10	17	5	12	1	2	2	4		1	14	14	3	26	5	34
16	1	1	14	51	1	9	2	6	1	2	1	12	1	1	4	5	4	86	2	35
493	75	87	299	612	86	727	69	521	131	82	51	440	51	44	427	506	104	1,414	73	36
488	75	85	295	598	85	709	67	520	129	81	49	428	51	43	422	501	102	1,401	73	37
5		2	4	14	1	18	2	1	2	1	2	14		1	5	5	2	13		38
50	6	13	33	52	4	87	11	92	19	9	4	47	12	9	62	106	12	176	14	39
17	3	2	10	9	4	13	1	2	6	2		6		3	11	8	3	42	1	40
208	32	41	127	290	31	359	33	240	56	41	25	224	25	14	148	222	53	679	12	41
12	2	5	9	10	1	10		9	3	2	1	7	1	3	8	11	3	22	2	42
182	23	25	101	201	37	211	20	151	41	25	17	145	11	14	153	116	30	410	36	43
9	4	3	9	12		7	2	2	1		2	4	2	1	3	3		18	1	44
2	1	1	9	12	1	19	9	16	2		2	1			21	25	2	23	2	45
13	4	5	12	30	8	21	2	9	3	3	1	6			21	15	1	44	5	46
838	126	199	594	1,338	351	1,548	164	751	155	165	259	1,455	101	71	733	970	304	2,675	100	47
786	119	121	547	1,155	312	1,332	150	694	145	154	236	1,301	88	66	668	856	300	2,346	80	48
52	7	8	47	183	39	216	14	57	10	11	23	154	13	5	65	114	4	329	20	49
202	28	48	141	344	33	366	39	123	55	38	36	238	28	17	238	309	85	737	50	50
138	28	44	130	285	27	288	37	99	52	34	31	203	21	14	214	259	83	637	34	51
14			11	59	6	78	2	24	3	4	5	35	7	3	24	50	2	100	16	52
49	6	6	52	89	11	76	11	32	26	12	13	77	6	8	32	57	20	229	3	53
587	89	75	401	905	307	1,106	114	596	74	115	210	1,140	67	46	463	604	199	1,709	47	54
550	82	71	367	789	277	978	104	566	67	108	193	1,028	62	44	423	542	198	1,498	44	55
37	7	4	34	116	30	128	10	30	7	7	17	112	5	2	40	62	1	211	3	56
76	19	20	47	88	13	125	23	85	40	19	20	84	10	15	77	141	31	238	30	57
75	17	19	45	85	13	120	22	84	40	19	19	80	9	15	77	137	30	232	29	58
1	2	1	2	3		5	1	1			1	4	1			4	1	6	1	59
4	3	1	4	5	3	22	4	3	3		2	8			8	10	3	21	11	60
4	3		3	11		12	4	9	6		3	6	1	2	7	18	4	25	5	61
32	3	9	23	36	7	46	8	30	11	9	9	31	6	9	21	53	12	88	3	62
5	3		5	8	2	13	3	18	6	3	3	8	2	2	24	28	2	48	9	63
20	5	6	7	13		12	3	6	2	4	3	17	1	1	12	13	4	22	1	64
11	2	4	5	15	1	20	2	9	12	3	2	14		1	5	19	6	34	1	65

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gititis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
NEBRASKA. ¹															
1	Registration cities (total).....	2,364	116	1		9	19	19	21	11	12	193	12	19	9
2	White.....	2,244	108	1		9	19	19	20	10	11	159	12	16	9
3	Colored.....	120	8						1	1	1	34		3	
4	Lincoln.....	485	8			2			17	1	3	39	1	3	1
5	Omaha.....	1,879	108	1		7	19	19	4	10	9	154	11	16	8
NEW HAMPSHIRE.															
6	Registration cities (total).....	3,061	20			6	4	18	41	23	7	216	24	29	13
7	White.....	3,052	20			6	4	18	40	23	7	216	24	29	13
8	Colored.....	9							1						
9	Berlin.....	190	5			2		1	1			9		2	1
10	Concord.....	465						1	2			32		4	2
11	Dover.....	236				1		1	3			22	1	2	1
12	Keene.....	178	3						1	1		9		2	
13	Laconia.....	187	1			1			1						2
14	Manchester.....	1,163	8			2		7	26	2		12		1	3
15	Nashua.....	460	1					7	7	3		82	21	13	2
16	Portsmouth.....	182	2					7	5	2		41	2	3	2
NEW JERSEY.															
17	Registration cities (total).....	26,530	247	9		185	211	291	536	158	95	2,774	220	195	152
18	White.....	25,139	233	8		180	209	252	529	156	95	2,547	198	167	144
19	Colored.....	1,391	14	1		5	2	39	7	2		227	22	28	8
20	Asbury Park.....	170				1			5	1		19		1	
21	Atlantic City (total).....	800	10			5		15	9	5		55	8	6	1
22	White.....	627	8					8	7	5		31	6	3	1
23	Colored.....	173	2					7	2			24	2	3	
24	Bayonne.....	827	1					24	21	2	1	65	9	1	5
25	Bloomfield.....	168				2		6	2	3	1	16			1
26	Bridgeton.....	217	4						6	2		29		1	3
27	Camden.....	1,629	16			12	9	25	63	9	4	118	11	15	8
28	East Orange.....	372				2	5	3	4	6	1	31	2	4	2
29	Elizabeth.....	1,122	14	1		5	9	12	13	5		116	10	7	5
30	Garfield.....	129	1				1		7			6	4	1	
31	Hackensack.....	231	6				2		4	1		19	4	2	3
32	Harrison.....	237	1				4	7	3	3	2	28	1	1	4
33	Hoboken.....	1,328	11			7	12	6	34	2	4	158	14	10	9
34	Irvington.....	143	1				3		1			15	1	1	
35	Jersey City.....	4,401	31	3		23	46	13	83	19	20	474	20	25	37
36	Kearny.....	276				4	3	3	3	4		28	2	3	1
37	Long Branch.....	295	8				1	2	5	5		21	4	7	
38	Millville.....	149	2				4	4	6	5	1	18		3	
39	Montclair.....	324				6	3	5	3	3		32	5	3	1
40	Morristown.....	295	6	1		1	3	2	14	2	1	23	1	3	
41	New Brunswick.....	494	4			3	1	8	3	3	3	40	2	7	2
42	Newark.....	5,784	46	3		56	42	65	107	40	31	748	72	39	28
43	Orange.....	538	6				2	16	4	5	1	69	9	6	3
44	Passaic.....	820	9				7	4	13	4	4	58	10	3	6
45	Paterson.....	1,857	9			11	12	19	28	5	7	206	9	16	7
46	Perth Amboy.....	509	2			5	7	8	15		1	36	2	3	2
47	Phillipsburg.....	211	6			3	2	3	7	6		17	2	4	1
48	Plainfield.....	325	3				2	1	3	1		40		3	
49	Trenton.....	1,976	49	1		17	10	34	30	14	6	205	7	20	12
50	Union.....	252				4	8		13	1	2	15	2	2	2
51	West Hoboken.....	387				3	4		11			35	3	1	2
52	West New York.....	169	1			3	1		14			23	3	3	3
53	West Orange.....	95				2		2		1	1	11	3		1
NEW YORK.															
54	Registration cities (total).....	110,283	1,023	50	6	1,041	1,447	526	2,193	532	383	11,617	994	662	531
55	White.....	107,278	1,004	47	4	1,027	1,442	503	2,172	514	378	11,017	957	624	521
56	Colored.....	3,005	19	3	2	14	5	23	21	18	5	600	37	38	10
57	Albany.....	1,943	14	1		24	12	10	15	20	3	240	5	8	10
58	Amsterdam.....	543	7			4	4	9	12	1	1	33	1	3	1
59	Auburn.....	532	3	1		3	5	1	6	1	3	45		1	3
60	Batavia.....	201	5	1		3			2	4		7		1	
61	Binghamton.....	904	8			4	3	6	10	4	3	82	2	3	4
62	Buffalo.....	6,940	87	1	1	94	228	69	161	30	20	528	44	41	21
63	Cohoes.....	509	19			3	33	1	13	3	1	51	1	6	2
64	Corning.....	201	8				1	1		1		8	1	1	1
65	Cortland.....	218	9						2	2		4		4	2
66	Dunkirk.....	280	4			6	25	9	9	3		13	2	2	2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

265

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hern- ia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral aflec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (28)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38
142	18	20	98	187	16	241	23	99	63	40	25	118	12	8	107	150	40	500	16
138	17	20	96	189	16	233	22	95	63	40	24	111	11	7	104	143	38	489	15
4	1	2	18	8	1	4	1	7	1	1	3	7	2	11	1
28	8	7	28	36	2	42	5	21	11	10	5	27	3	28	23	9	116	14
114	10	13	70	151	14	199	18	78	52	30	20	91	12	5	79	127	31	384	2
131	35	33	177	279	69	274	36	250	19	25	9	175	5	17	213	114	24	655	70
130	35	33	174	279	69	274	36	250	19	25	9	175	5	17	212	114	23	653	70
1	3	1	1	2
3	1	17	3	6	19	2	2	45	2	1	4	2	16	13	26	6
14	7	5	39	91	7	27	3	14	3	2	26	4	1	11	18	10	130	3
13	5	1	22	24	4	17	1	9	1	4	1	22	1	10	12	2	50	4
15	4	1	9	13	3	18	5	7	2	3	2	12	1	7	8	4	47	1
8	1	4	10	7	3	17	1	16	3	1	14	2	15	9	2	50	4
43	12	46	58	81	36	118	11	105	8	9	1	60	3	110	28	3	221	38
17	3	8	18	41	7	41	11	52	2	4	1	18	7	37	15	3	97	10
18	2	1	18	19	3	17	2	2	1	2	19	7	11	34	4
1,233	292	312	1,363	2,252	410	3,011	263	2,178	188	200	318	1,956	159	144	1,476	1,502	318	3,482	400
1 201	282	298	1,302	2,133	382	2,833	251	2,070	180	189	312	1,872	154	140	1,405	1,441	311	3,293	372
32	10	14	61	119	28	178	12	108	8	11	6	84	5	4	71	61	7	189	28
6	4	1	11	24	3	9	1	11	1	1	20	1	11	7	2	25	5
42	15	3	46	84	10	76	3	59	5	6	7	86	2	4	34	35	15	139	12
35	12	3	41	69	7	48	3	48	4	4	7	75	1	4	29	31	15	106	8
7	3	5	15	3	28	1	1	2	2	11	1	4	5	4	33	4
27	1	12	31	50	17	105	7	117	4	4	9	68	4	5	47	63	2	96	22
6	3	13	24	2	16	2	10	9	5	8	1	34	1
11	2	2	14	30	8	10	2	4	1	4	34	2	3	7	34	2
66	14	28	73	153	8	210	28	98	11	14	11	129	13	4	96	114	15	217	37
29	8	33	54	7	41	3	11	2	1	36	2	12	10	5	57	1
53	10	12	67	76	12	140	12	118	5	11	13	62	9	6	67	63	17	151	20
1	1	2	3	1	24	1	29	1	1	5	2	16	5	1	15	1
6	3	3	9	19	1	31	2	21	5	2	3	13	2	2	12	15	1	34	4
10	5	5	13	20	5	20	1	28	1	1	11	2	10	20	1	31	7
57	16	23	70	121	25	191	12	87	9	10	21	96	5	4	54	74	19	157	10
12	3	2	7	13	4	15	2	5	1	14	9	3	5	19	6
184	37	57	212	362	62	484	50	394	27	32	79	343	26	20	233	281	61	585	78
10	5	6	31	27	6	20	5	7	2	1	4	22	1	1	7	9	4	52	5
19	7	2	11	23	2	17	4	16	8	10	5	29	1	3	12	26	2	43	2
9	1	4	10	2	9	1	10	1	1	9	3	7	7	1	29	5
16	3	1	11	23	2	42	1	31	2	5	2	30	1	1	12	27	5	47	1
18	2	7	19	29	2	32	1	13	6	3	2	13	2	2	14	23	41	4
32	3	9	18	48	2	45	4	60	5	5	1	27	1	2	30	26	5	85	11
292	76	58	348	471	130	628	59	397	46	39	80	452	33	30	322	302	74	630	40
33	8	5	26	45	8	65	3	28	3	5	6	33	1	2	36	24	3	69	4
35	3	7	19	53	13	131	9	119	10	3	8	33	12	6	83	51	5	85	17
85	31	29	80	213	26	204	19	148	9	14	17	135	9	18	77	93	27	267	29
12	10	18	22	44	11	44	1	92	6	2	4	27	8	1	42	34	5	62	25
8	1	3	16	13	28	15	10	10	12	2	33	4
20	3	1	17	32	4	34	3	12	3	4	2	28	1	2	23	18	5	54	2
77	19	18	102	122	25	222	19	186	16	20	13	128	21	14	130	112	20	284	23
15	4	3	6	24	2	33	2	18	3	3	4	15	2	1	16	10	6	31	5
27	3	2	31	35	8	52	3	21	3	4	31	4	2	27	11	4	48	9
9	2	3	16	2	27	1	7	1	2	5	10	7	3	18	3
6	1	8	17	6	6	1	3	2	9	4	10
5,587	1,250	864	4,489	10,144	1,927	14,013	1,004	8,266	934	913	1,349	9,178	511	594	5,458	5,671	1,127	15,042	957
5,511	1,243	846	4,399	9,939	1,862	13,542	983	8,078	910	890	1,324	8,933	489	583	5,287	5,530	1,115	14,680	924
76	7	18	90	205	65	471	21	188	24	24	25	245	22	11	171	141	12	362	33
139	27	21	102	236	17	163	25	54	14	30	23	172	4	7	61	81	17	368	20
15	7	11	23	36	16	57	6	95	5	5	4	32	2	5	24	31	4	84	5
38	5	1	44	66	9	55	1	36	4	3	3	33	3	2	29	23	9	96	58
17	5	1	15	14	1	21	2	10	1	2	12	1	8	10	52	39
45	9	11	58	113	18	88	13	44	8	7	12	70	5	6	35	39	14	173	60
390	77	42	310	681	128	713	68	563	63	61	96	417	26	27	371	411	56	1,092	23
14	4	16	25	34	2	65	8	56	2	4	21	1	1	22	16	7	74	62
6	1	17	17	4	23	2	6	4	4	9	10	16	1	50	6
18	3	2	16	29	2	21	1	7	2	2	24	2	17	15	2	37	2
15	1	1	9	21	27	2	25	2	2	6	22	29	2	52	1

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
REGISTRATION CITIES—Contd.														
NEW YORK—continued.														
1 Elmira.....	557	10	2			1	5	8	9	1	26	3	2	5
2 Fulton.....	154	1			1		1	3	4		12		3	3
3 Geneva.....	172	2				2		1	2	2	14			
4 Glens Falls.....	242	3	1			1	1		2		19	1	2	2
5 Gloversville.....	321	2			5	1		3	5	1	17		2	4
6 Hornell.....	174	5			2	1			4		6	1	3	1
7 Hudson.....	236	7					1	2			25	2	4	
8 Ithaca.....	244	5	1			2		4	4		15	1	2	1
9 Jamestown.....	404	9			1	4	1	6	6		25	2	5	4
10 Johnstown.....	145	1							1		12			
11 Kingston.....	476	6			2	2	6	7	11	2	47		7	1
12 Lackawanna.....	396	1			33	14	1	7	1	1	21		6	
13 Little Falls.....	193	2				3	2		3		11		2	
14 Lockport.....	300	2	1		3	3		4	2	1	26	2		1
15 Middletown.....	372	4	1		1	5		2	2		38	2	7	1
16 Mount Vernon.....	433	3			1	2	4	7	5		37	8	1	1
17 New Rochelle.....	342		1		6		10	8	1	1	27	2	2	2
18 New York (total).....	76,787	556	32	5	693	959	282	1,710	295	297	8,881	814	432	388
19 Bronx Borough.....	6,968	41	4		54	77	26	133	23	15	1,796	86	27	27
20 Brooklyn Borough.....	25,686	196	14	1	349	384	82	561	116	81	2,490	203	151	185
21 Manhattan Borough.....	38,699	267	8	4	256	453	150	895	126	193	4,085	490	226	144
22 Queens Borough.....	3,965	41	6		28	32	20	101	20	7	358	25	20	24
23 Richmond Borough.....	1,469	11			6	13	4	20	10	1	162	10	8	8
24 White.....	74,274	541	29	3	682	955	267	1,690	279	293	8,368	780	405	379
25 Bronx Borough.....	6,755	39	4		53	76	23	132	23	15	1,724	79	24	26
26 Brooklyn Borough.....	25,070	192	13		345	383	79	554	104	80	2,397	198	144	182
27 Manhattan Borough.....	37,129	259	7	3	250	451	141	883	123	191	3,751	470	212	140
28 Queens Borough.....	3,882	41	5		28	32	20	161	19	6	346	25	17	23
29 Richmond Borough.....	1,438	10			6	13	4	20	10	1	150	8	8	8
30 Colored.....	2,513	15	3	2	11	4	15	20	16	4	513	34	27	9
31 Bronx Borough.....	213	2			1	1	3	7			72	7	3	1
32 Brooklyn Borough.....	616	4	1	1	4	1	3	1	12	1	93	5	7	3
33 Manhattan Borough.....	1,570	8	1	1	6	2	9	12	3	2	334	20	14	4
34 Queens Borough.....	83		1								12		3	1
35 Richmond Borough.....	31	1									2	2		
36 Newburgh.....	509	13	1		5	2	7	5	4		51	2		3
37 Niagara Falls.....	548	30			15	5	10	10	6		34	4	9	2
38 North Tonawanda.....	160	5			3	6		5	1	1	9	2	1	
39 Ogdensburg.....	392	8			1			4		2	33	2	4	3
40 Olean.....	188	1			3			5			8	1	1	1
41 Ossining.....	177	2			8	1		3			17	3	2	1
42 Oswego.....	386	11			3	1	5	1			18	2	3	
43 Peekskill.....	278	4			7	2	3	1	2	1	23	3	2	
44 Plattsburg.....	197	3			5	1	9				25	2	2	1
45 Port Chester.....	210	2			3	1	5	4	2		10			1
46 Poughkeepsie.....	469	5					7	4	1	2	39	2	3	2
47 Rensselaer.....	162	3	1		1	1	8	1	3		15			1
48 Rochester.....	3,215	30	1		13	47	13	38	16	15	301	16	33	16
49 Rome.....	457	5			3		1	9	5	1	52	3	5	2
50 Saratoga Springs.....	259	2			5	2	1	2	2		24			
51 Schenectady.....	1,070	5			15	3	10	14	4	1	75	9	3	4
52 Syracuse.....	2,123	39			12	23	4	132	10	5	128	15	8	11
53 Troy.....	1,596	15			16	18	4	13	22	1	185	7	13	12
54 Utica.....	1,411	5			14		13	14	14	9	113	15	13	3
55 Watertown.....	469	26	1		15		1	4	4	3	20		3	4
56 Watervliet.....	261	6			6	2		2	3		24	2	2	2
57 White Plains.....	301	5	1			1	1	3		1	18	1		2
58 Yonkers.....	1,226	15	2			19	13	27	6	4	127	11	9	3
NORTH CAROLINA.														
59 Registration cities (total).....	3,075	84	42	1	36	5	18	20	49	4	410	14	34	8
60 White.....	1,561	46	13	1	25	4	9	15	25	4	205	10	13	2
61 Colored.....	1,514	38	29		11	1	9	5	24		205	4	21	6
62 Asheville (total).....	370	7					1	3	1	1	124	7	6	1
63 White.....	235						1	2	6	1	97	5	5	1
64 Colored.....	135	4						1	1		27	2	1	
65 Charlotte (total).....	605	17	15	1	7			3	3		43	1	6	1
66 White.....	306	11	1	1	6			3	4		18	1	1	1
67 Colored.....	299	6	14		1			4	8		25		5	
68 Durham (total).....	368	9	4		18	2	1	2	10		60		4	
69 White.....	189	4	3		11	2	1	2	6		24		1	
70 Colored.....	179	5	1		7			4	4		36		3	
71 Greensboro (total).....	305	7	4		1		1	2	5		37		5	
72 White.....	162	6	2		1			2	2		11		2	
73 Colored.....	143	1	2				1	2	5		26		3	

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pend- icitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
38	7	5	30	68	8	48	2	14	6	5	5	85	1	3	28	37	8	87	1
7	1	1	9	17	2	10	2	9	3	6	3	7	1	1	9	13	2	25	1
12	1	2	15	26	4	15	2	5	1	3	1	9	1	1	3	12	1	31	6
14	5	1	18	33	4	23	4	7	5	2	1	13	1	1	13	8	3	55	3
17	3	4	21	34	9	21	1	16	3	6	3	34	1	2	17	16	3	68	5
9	1	1	13	27	2	14	1	5	6	1	1	12	1	2	4	13	1	39	1
9	1	1	16	26	2	20	3	15	3	3	2	18	1	1	10	23	1	43	6
17	2	1	23	30	1	18	1	6	7	2	2	26	1	1	8	17	2	50	7
23	3	3	26	37	10	43	1	8	7	5	8	42	2	7	23	21	3	65	8
14	4	4	10	18	2	20	2	7	4	4	1	7	1	1	5	1	3	30	1
21	7	9	35	70	4	31	4	18	6	5	3	18	4	4	21	33	1	89	6
2	5	5	13	13	6	31	1	101	1	1	2	6	4	1	22	39	1	79	1
6	6	2	6	34	2	20	2	10	3	3	3	11	1	1	11	19	1	29	4
13	6	2	19	49	4	22	6	12	2	2	4	13	1	1	12	26	1	58	3
21	6	8	19	40	5	43	3	1	4	6	6	30	1	1	7	27	7	73	15
20	5	3	27	50	4	54	10	35	6	4	2	35	1	2	21	19	3	61	2
23	4	1	16	29	6	34	6	24	1	1	3	31	1	4	17	32	3	44	17
3,746	895	549	2,635	6,594	1,385	10,700	679	5,907	627	580	978	6,342	376	426	3,890	3,758	809	9,342	725
331	80	48	294	555	73	731	48	324	44	43	84	580	34	32	252	284	67	702	53
1,218	262	145	968	2,653	698	3,710	223	2,184	219	201	367	2,236	119	164	1,060	1,095	246	3,063	42
1,930	493	321	1,117	2,900	532	5,573	359	2,950	328	304	449	3,525	203	200	2,306	2,054	439	4,883	536
192	33	29	200	368	66	508	35	343	23	24	55	346	17	16	214	241	41	472	21
75	22	6	56	118	16	178	14	106	13	8	23	155	3	14	58	84	16	222	39
3,678	890	535	2,570	6,426	1,324	10,304	660	5,744	609	560	957	6,633	356	416	3,739	3,646	802	9,059	695
325	80	47	284	535	71	707	46	319	42	43	82	562	31	31	249	284	66	683	52
1,200	261	142	953	2,612	664	3,609	218	2,184	214	196	359	2,186	114	162	1,024	1,069	244	2,996	42
1,890	489	312	1,081	2,800	508	5,318	347	2,850	318	290	438	3,394	189	194	2,199	1,985	435	4,702	509
190	38	28	193	363	66	497	35	337	23	23	55	333	16	15	209	233	41	460	54
73	22	6	54	116	15	173	14	104	12	8	23	153	3	14	58	80	16	218	28
68	5	14	65	168	61	396	19	163	18	20	21	209	20	10	151	112	7	283	30
6	1	1	10	20	2	24	2	5	2	2	2	18	1	1	3	5	1	19	1
18	1	3	15	41	34	101	5	50	5	5	3	50	5	2	36	26	2	67	32
40	4	9	36	100	24	255	12	100	10	14	11	131	14	6	107	69	4	181	27
2	1	1	2	5	1	11	1	11	1	1	1	8	1	1	5	8	1	12	1
2	1	1	2	2	1	5	1	2	1	1	1	2	1	1	4	4	1	4	1
25	2	12	39	54	4	59	7	24	7	3	2	49	2	2	19	32	6	66	2
13	5	8	22	37	3	58	1	55	3	3	8	26	2	2	32	61	9	68	7
6	2	2	3	8	3	19	2	23	1	1	1	7	2	1	8	12	1	29	38
21	3	4	18	35	4	46	4	17	5	5	1	29	1	1	16	11	2	108	5
17	2	2	11	22	1	20	1	9	3	3	2	9	2	1	10	15	5	33	40
8	1	1	12	16	3	16	1	5	2	1	1	17	1	2	8	15	7	25	1
19	2	5	37	53	4	17	2	20	1	6	4	33	2	5	25	31	6	66	4
13	4	2	19	19	4	43	4	14	2	3	2	21	2	2	14	17	1	44	1
9	1	6	7	21	4	18	4	7	2	1	3	4	1	3	24	5	2	28	3
9	4	4	10	12	6	17	1	29	2	2	3	14	1	3	6	13	3	38	7
28	8	4	46	65	5	41	2	21	2	2	2	34	3	1	23	32	2	79	4
14	1	1	7	16	3	14	3	3	3	1	2	7	1	1	11	15	1	28	2
218	35	15	207	346	79	289	31	219	35	39	47	246	17	20	61	186	36	568	12
24	2	2	25	66	15	23	3	31	3	3	6	38	1	19	19	6	83	2	
22	3	1	17	18	2	27	2	10	2	4	5	34	2	1	11	12	44	4	
42	11	10	55	74	19	145	6	123	13	11	5	71	8	2	69	60	13	179	11
127	27	14	110	286	32	210	15	169	21	16	16	140	8	13	128	123	30	344	13
83	21	21	85	197	20	170	18	70	17	20	28	108	3	6	61	74	6	265	19
68	13	27	70	150	28	150	21	102	13	25	11	89	2	11	75	59	12	256	16
23	4	4	36	50	4	43	5	21	3	5	2	26	5	3	32	30	6	83	3
9	3	6	20	29	4	37	2	11	1	4	4	18	2	2	14	9	4	40	4
17	1	2	18	20	2	34	7	16	1	1	7	26	2	2	17	33	4	53	5
65	8	4	56	108	21	117	10	171	11	6	13	97	11	7	55	52	9	169	58
93	15	35	94	202	42	293	39	199	18	14	16	159	8	31	133	139	15	648	157
62	9	19	53	87	20	125	19	113	13	8	15	95	1	15	75	61	13	338	48
31	6	16	41	115	22	163	20	86	5	6	1	64	7	16	58	78	2	310	109
8	1	3	12	12	4	30	7	10	5	1	2	16	1	3	14	14	1	57	13
5	1	3	9	8	3	9	3	6	4	1	2	8	1	1	10	9	1	29	5
3	4	4	3	4	4	21	4	4	1	4	1	8	2	2	4	5	28	8	
17	4	6	16	35	15	69	3	35	4	3	2	31	5	5	24	25	3	164	38
15	4	4	10	17	5	31	1	24	3	2	2	15	4	4	17	15	2	82	6
2	2	2	6	18	10	38	2	11	1	1	1	16	1	1	7	10	1	82	67
14	6	6	9	18	8	36	5	21	2	3	2	8	1	3	14	11	2	74	21
12	4	4	7	7	5	15	1	14	2	1	2	6	1	1	9	4	2	34	9
2	2	2	2	11	3	21	4	7	2	2	2	2	2	3	5	7	40	12	
12	2	3	8	12	3	33	4	16	2	1	3	22	2	4	11	14	1	50	38
8	1	2	5	6	3	31	2	10	1	1	3	18	2	2	7	8	1	29	9
4	1	1	3	6	12	12	2	6	2	3	3	4	2	2	4	6	21	29	73

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
NORTH CAROLINA—continued.															
1	Raleigh (total).....	537	15	5		6		7		2	4	2	49	1	4
2	White.....	290	9	2		4		4		3	2		20	1	1
3	Colored.....	247	6	3		2		3		2	1		29		3
4	Wilmington (total).....	538	19	14				5		6	1		45	2	4
5	White.....	213	9	5				4		2	1		18		4
6	Colored.....	325	10	9				1		4			27	2	2
7	Winston (total).....	352	10			4		3		5			52	1	5
8	White.....	166	4			3		3		4			17	1	3
9	Colored.....	186	6			1		1		1			35		2
OHIO.															
10	Registration cities (total).....	31,921	521	12	4	398	176	287	350	290	117	3,252	196	297	183
11	White.....	30,432	505	10	3	387	175	267	345	282	114	2,925	183	268	177
12	Colored.....	1,489	16	2	1	11	1	20	5	8	3	327	13	29	6
13	Akron.....	928	21	2		12	9	11	19	9	7	52	3	11	6
14	Alliance.....	181	3	1			1	4	1	1	1	17	1	1	2
15	Ashtabula.....	259	8			6		5	1	3	1	20	1	2	2
16	Bellaire.....	189	1					4	5	3		21	1	3	1
17	Cambridge.....	148	6			2		2	1	6		13	2	2	2
18	Canton.....	616	14	1		11	3	14	5	1		35	3	3	1
19	Chillicothe.....	259	13		1	1	1	6	4			32		3	2
20	Cincinnati (total).....	6,319	32	1		59	16	30	36	77	24	953	50	54	24
21	White.....	5,750	30			53	15	28	34	76	23	792	46	45	22
22	Colored.....	569	2	1		6	1	2	2	1	1	161	4	9	2
23	Cleveland.....	8,047	101	1	2	96	71	37	120	51	31	717	61	48	57
24	Columbus (total).....	2,810	33			43	6	19	21	15	11	324	13	52	14
25	White.....	2,548	30			41	6	16	21	14	11	278	10	46	14
26	Colored.....	262	3			2		3		1		46	3	6	
27	Dayton.....	1,724	25	1		2	11	23	13	11	4	189	13	19	8
28	East Liverpool.....	333	17			6	2	21	6	1		35		1	1
29	Elyria.....	203	5			3	4			2		14		2	1
30	Findlay.....	219	4	1		4	1	4	3	3	1	20		1	1
31	Hamilton.....	515	6			14	5	2	7	4	2	46	4	1	7
32	Ironton.....	196	3			6		2		2		28	1	3	1
33	Lakewood.....	171	2				11		1	3	1	9		2	2
34	Lancaster.....	142	1			2		3		2		22		2	3
35	Lima.....	398	11		1	3	1	2	2	2	4	30	4	3	6
36	Lorain.....	374	8			3	3	6	8	2	1	28	1	3	2
37	Mansfield.....	288	4			2		8	2	4	1	28	1	1	1
38	Marietta.....	164	1				3		2	2		14	2		2
39	Marion.....	232	2			7		6	2	4		23		4	1
40	Massillon.....	160	3			5		2	2	5		11	1	1	
41	Middletown.....	164	2			1			1	3	1	11	4	3	1
42	Newark.....	330	5					5	5	11		20	1	4	2
43	Norwood.....	147	1				1	1	1	2	2	17	2	3	
44	Piqua.....	194	6	1				1	3	4	1	26	1	3	1
45	Portsmouth.....	356	14			45		5	2	1		37	4	7	2
46	Sandusky.....	268	6					1	3	3		16	1	1	3
47	Springfield (total).....	623	5			1	1	18	8	11	5	59	1	3	3
48	White.....	543	4				1	17	7	11	5	46		1	3
49	Colored.....	80	1			1		1	1			13	1	2	
50	Staubenville.....	404	15			5	6	12	5	12	1	22	1	5	2
51	Tiffin.....	175	3			2		1	1	1		16	1	5	
52	Toledo.....	2,470	63	3		28	10	10	33	16	13	235	8	29	16
53	Warren.....	156	16				1	2		5	1	1	1		
54	Youngstown.....	1,340	46			28	7	10	30	6	4	66	7	10	5
55	Zanesville.....	419	15			1		14	1	2		45	2	6	1
OREGON. ¹															
56	Portland (total).....	2,308	47	1		8	21	15	47	11	11	174	21	32	13
57	White.....	2,225	44	1		8	21	14	46	9	10	161	21	30	13
58	Colored ²	83	3					1	1	2	1	13		2	
PENNSYLVANIA.															
59	Registration cities (total).....	61,935	919	22	5	582	546	584	1,129	453	173	5,136	345	417	293
60	White.....	58,266	867	22	5	564	537	506	1,095	423	166	4,502	309	348	285
61	Colored.....	3,669	52			18	9	78	34	25	7	634	36	69	8
62	Allentown.....	877	17			14	10	8	22	3	1	65	5	5	7
63	Altoona.....	659	21			3		14	17	7		33	2	4	5
64	Beaver Falls.....	168	2					2	6	2		12			3
65	Bethlehem.....	170	2			3	1		1	2		10		3	2
66	Braddock.....	409	11			7	10	1	14	1		11	1	2	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rage and softening.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pend- icitis.	Her- nia, intes- tinal ob- struction.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
16	4	6	11	44	7	40	13	40	-----	2	6	43	-----	7	19	27	4	139	10
6	3	1	8	22	4	15	9	18	-----	1	5	32	-----	4	9	8	4	91	4
10	1	5	3	22	3	25	4	22	-----	1	1	11	-----	3	10	19	-----	48	6
16	2	4	24	54	4	42	6	53	2	2	1	26	4	7	32	35	1	103	21
9	-----	2	8	22	3	14	2	25	2	-----	1	8	-----	4	11	13	-----	40	9
7	2	2	16	32	1	28	4	28	-----	2	-----	18	4	3	21	22	1	63	12
10	2	7	14	27	1	43	1	24	3	2	-----	13	1	2	19	13	3	61	16
7	-----	3	6	5	-----	20	1	16	2	2	-----	8	-----	-----	12	4	3	33	6
3	2	4	8	22	1	23	-----	8	1	-----	-----	5	1	2	7	9	-----	28	10
1,672	309	377	1,495	2,916	609	2,880	303	2,457	287	287	384	1,899	192	183	1,560	2,154	379	5,316	179
1,633	304	366	1,448	2,756	592	2,696	290	2,388	278	273	375	1,812	183	179	1,507	2,059	372	5,110	170
39	5	11	47	160	17	184	13	69	9	14	9	87	9	4	53	95	7	206	9
42	10	13	43	54	13	82	15	81	9	8	2	39	7	6	44	92	17	176	13
12	-----	-----	7	14	1	13	-----	6	7	4	4	11	-----	1	7	15	2	41	3
9	3	14	5	28	4	29	2	16	4	-----	3	6	1	4	15	30	1	32	4
5	1	5	7	17	4	23	2	23	2	1	-----	5	-----	-----	10	13	1	22	4
10	-----	2	11	14	-----	15	2	4	1	1	-----	8	1	4	9	9	1	21	1
47	8	5	36	86	4	64	2	46	4	6	7	23	8	7	36	52	9	72	3
11	2	4	18	27	5	18	3	18	1	2	2	15	-----	-----	12	20	2	32	4
310	69	83	286	665	171	581	55	328	50	64	110	500	29	26	258	351	63	939	25
304	67	81	262	609	161	506	51	299	48	61	106	462	28	25	240	315	63	871	21
6	2	2	18	56	10	75	4	29	2	3	4	38	1	1	18	36	-----	68	4
412	75	59	351	579	220	718	86	958	82	65	92	530	51	49	411	471	103	1,319	23
166	27	36	145	302	25	248	22	115	31	29	23	145	22	14	119	206	44	515	25
156	27	34	137	269	23	216	19	105	31	23	23	132	19	14	109	183	42	477	22
10	-----	2	8	33	2	32	3	10	-----	6	-----	13	3	-----	10	23	2	38	3
106	15	37	98	190	10	187	13	107	16	16	20	107	16	5	95	101	27	234	5
15	1	13	7	14	3	26	4	27	2	4	4	10	2	3	18	15	2	66	7
10	5	1	9	27	2	13	1	16	4	2	2	7	1	3	8	26	2	34	-----
8	8	2	27	29	4	8	3	6	4	4	4	16	-----	3	9	10	1	34	1
27	4	12	25	39	8	48	8	25	3	5	7	28	3	2	35	46	8	78	6
11	2	1	5	15	6	16	1	13	1	-----	2	7	-----	2	13	15	3	36	1
10	1	1	5	19	8	10	-----	22	3	2	1	3	-----	1	12	12	1	31	-----
14	-----	1	6	9	5	4	4	4	2	1	4	7	7	-----	10	9	3	20	2
24	4	2	19	32	3	25	5	29	3	9	7	20	2	1	26	27	7	77	7
10	-----	3	9	16	2	42	4	65	3	1	3	21	2	-----	30	40	2	56	35
19	3	4	23	26	4	11	5	16	3	3	2	28	1	1	16	23	5	45	-----
20	4	4	6	23	-----	12	2	4	-----	2	2	11	-----	-----	6	12	-----	31	1
7	4	2	9	20	5	10	2	15	1	2	2	13	2	1	20	19	1	49	1
11	3	3	6	14	4	12	1	9	2	-----	3	2	2	2	19	19	1	34	2
8	2	3	8	12	1	25	3	9	9	-----	-----	9	2	-----	9	13	3	30	4
15	-----	5	20	32	4	28	-----	8	3	4	5	16	1	4	25	29	3	70	5
9	2	2	7	24	3	10	2	5	1	-----	1	14	1	1	8	5	2	19	4
9	2	2	13	21	2	16	3	13	2	3	2	10	1	1	11	5	2	27	-----
19	4	4	15	21	2	26	2	29	2	2	4	11	2	1	21	18	2	44	44
12	4	3	23	36	1	23	2	13	1	1	8	15	-----	3	13	33	2	40	45
32	10	13	34	77	6	37	8	20	5	7	9	28	6	6	25	43	2	136	4
28	10	12	31	67	6	31	8	17	3	5	7	24	6	4	23	40	2	120	4
4	-----	1	3	10	-----	6	-----	3	2	2	2	4	-----	2	2	3	-----	16	4
12	1	4	22	19	5	37	5	35	2	3	1	16	1	2	18	44	2	81	9
10	4	1	12	22	5	6	3	2	1	1	2	8	-----	1	9	13	1	43	5
144	13	21	100	254	34	216	21	150	24	24	35	130	12	15	108	139	37	527	2
10	2	1	15	9	1	19	1	7	3	2	2	10	1	1	6	7	4	28	2
51	8	13	31	88	25	199	7	199	3	6	-----	43	10	8	67	142	11	190	8
25	8	3	32	42	8	22	4	14	5	3	3	27	3	4	18	27	2	77	5
147	23	22	110	222	25	160	22	69	23	33	22	126	16	19	127	167	51	501	22
145	23	20	109	217	25	155	22	66	22	33	19	118	15	19	123	162	47	487	20
2	-----	2	1	5	-----	5	-----	3	1	-----	3	8	1	-----	4	5	4	14	2
2,720	566	424	2,788	5,160	1,210	7,120	862	5,750	457	528	595	4,474	386	403	3,147	4,090	618	9,074	959
2,642	551	413	2,672	4,887	1,125	6,582	811	5,456	446	502	578	4,228	365	381	2,989	3,925	605	8,579	895
78	15	11	116	273	85	538	51	294	11	26	17	246	21	22	158	165	13	495	64
52	15	8	74	69	5	80	10	55	6	8	4	45	8	7	51	68	7	118	30
22	9	11	35	51	7	60	12	26	7	4	8	44	5	5	61	49	8	115	14
8	1	6	2	10	1	16	2	19	3	2	2	8	-----	-----	17	17	1	13	8
10	6	1	26	15	-----	22	1	10	-----	1	1	5	1	-----	12	2	2	31	-----
7	-----	5	4	16	8	80	9	75	1	4	4	20	4	3	16	39	4	44	7

* Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants.

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
REGISTRATION CITIES—Contd.														
PENNSYLVANIA—continued.														
1 Bradford.....	191	2			1				1		9			
2 Butler.....	319	5			8	7	9	7	3	4	13	2	4	1
3 Carbondale.....	327	4			2	3	3		4	1	11	1	4	
4 Carlisle (total).....	186								9	2	11	1	6	
5 White.....	135						1	1	8	2	7		2	
6 Colored.....	31								1		4		4	
7 Carnegie.....	135				8	7	1	6	2		10		1	
8 Chambersburg.....	193	3			2	2	1		3	3	16	2	3	1
9 Chester (total).....	649	16	1		1	1	7	6	10	2	65	4	7	2
10 White.....	542	12	1		1	1	6	6	8	2	56	4	4	2
11 Colored.....	107	4					1		2		9		3	
12 Coatesville.....	149	3	1		1	1		3	3		10			
13 Columbia.....	131	2			1	7		3	2	2	14		1	1
14 Connellsville.....	204	7						2	2		14		1	1
15 Dubois.....	145	6			5			2	2		6			3
16 Dunmore.....	300				6	6		10	1		11	1		2
17 Duquesne.....	196	2			4	7	1	4		1	18			
18 Easton.....	467	5			4		3	4	4	2	37	2	4	2
19 Erie.....	986	26	2		4	10	3	11	8	3	84	3	4	3
20 Greensburg.....	259	14			4		1	1	1	2	20	1	1	2
21 Harrisburg.....	941	21	1		3	5	6	44	9	2	81	2	6	9
22 Hazleton.....	431	6			1	7		9		1	25		5	
23 Homestead.....	308	1			6	12	8	6	1		24	2	3	2
24 Johnstown.....	927	36			10	6	1	23		3	61	5	6	3
25 Lancaster.....	720	7	1		5	1	1	11	8	1	48	5	2	3
26 Lebanon.....	326	3	1		1	5	2	7	3	1	17		1	2
27 McKees Rocks.....	245	3			5	12		1	1		17			1
28 McKeesport.....	855	28			13	48		8	2	2	47		7	5
29 Mahanoy City.....	277	1						8	2	2	12	1		1
30 Meadville.....	176	2						1	1	2	9	2		1
31 Monessen.....	153	4			8	3	5	2			6	2	1	1
32 Mount Carmel.....	233	1			8		5	4	1		9		3	1
33 Nanticoke.....	323	1				4	5	22	1	1	9			5
34 New Castle.....	581	14	2		13	4	4	1	9	1	32		5	1
35 Norristown.....	684	13			1	1	8	3	14		63	3	8	7
36 North Braddock.....	160	1			5	1	3	1	1	2	7			
37 Oil City.....	196	3				1		1	1	1	7		3	5
38 Old Forge.....	199	2			1		3	2			11			
39 Philadelphia (total).....	27,045	272	7	5	164	152	318	479	159	80	3,007	184	180	122
40 White.....	24,740	241	7	5	158	146	271	452	150	75	2,548	158	138	117
41 Colored.....	2,305	31			6	6	47	27	9	5	459	26	42	5
42 Phoenixville.....	209	4			1		7	7	1		9			1
43 Pittsburgh (total).....	9,603	149	2		177	119	77	136	76	22	558	67	70	41
44 White.....	8,993	142	2		168	118	62	134	74	21	488	61	58	39
45 Colored.....	610	7			9	1	15	2	2	1	70	6	12	2
46 Pittston.....	279	2	1				1	11			9	2	2	1
47 Plymouth.....	257	4	1		6	4	4	9	2		7		1	4
48 Pottstown.....	234	2			3	3		2	2	1	20		4	1
49 Pottsville.....	380	6			3	4	2	10	3		19	5	1	4
50 Reading.....	1,475	31			14	13	9	29	20	1	104	6	8	4
51 Scranton.....	2,140	22	1		11	10	16	37	11	7	118	12	7	9
52 Shamokin.....	269	3			3	4	5	5	6	1	10			2
53 Sharon.....	253	18			8	2	2	1	5		17		1	1
54 Shenandoah.....	439	1			7	21	1	19	2	3	26		1	1
55 South Bethlehem.....	334	4			1		1	11	1	1	17		2	
56 South Sharon.....	164	12			4	1	2	1			9	2		1
57 Steelton.....	217				1	16	5	23	4	1	13	1		
58 Sunbury.....	183	5				2		4	1	2	8		4	
59 Uniontown.....	246	12					1	3	4	2	13	3	1	2
60 Warren.....	149	8			8		3	6	2		8		4	1
61 Washington.....	299	12			1		3	3	2		18	2	1	1
62 West Chester (total).....	231	4						2	1		14	1	4	
63 White.....	183	4						2	1		11	1	1	
64 Colored.....	43										3		3	
65 Wilkes-Barre.....	1,117	25	1		5	6	6	22	7	3	48	2	8	6
66 Wilksburg.....	284	10			4		3	1	9	1	20	1	4	
67 Williamsport.....	430	13			4	6		2	1	1	27	3	1	4
68 York.....	743	5			6		8	32	11	3	72	4	13	4

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility (ex- clud- ing sul- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.		
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8	3	2	12	26	3	16	1	7	1	1	1	16	2	2	17	18	1	43	1	
13	4	7	13	10	3	40	1	51	2	3	2	12	4	3	17	23	2	44	2	
10	3	1	17	21	13	43	3	17	3	4	2	21	5	4	13	51	4	54	3	
12	5	1	16	13	1	20	2	9	2	2	2	3	2	2	12	5	2	28	4	
11	4	1	14	12	1	16	2	8	2	2	2	2	2	2	9	4	2	24	4	
1	1	2	2	1	4	4	2	1	2	2	2	1	1	1	3	1	4	4	6	
5	2	4	4	11	17	17	18	18	1	1	3	6	2	1	8	2	21	3	7	
15	2	1	11	22	4	16	9	9	1	1	3	16	2	1	10	14	1	26	3	
18	7	6	35	49	6	88	10	56	7	6	3	37	2	9	37	53	1	83	9	
17	7	6	32	40	6	62	8	49	6	5	2	35	1	8	32	46	1	65	10	
1	1	3	3	9	26	2	7	7	1	1	1	2	1	1	5	7	18	3	11	
4	1	2	2	12	1	14	4	27	2	2	1	9	1	3	12	6	22	4	12	
3	3	2	14	14	7	7	2	8	2	3	1	12	1	3	15	14	42	8	13	
13	1	2	7	11	4	27	1	9	2	2	2	4	1	2	19	41	1	24	5	
9	1	1	11	5	2	22	3	11	1	1	1	3	1	2	11	15	26	5	15	
7	4	3	9	22	15	52	4	36	3	3	4	10	2	3	22	12	46	6	16	
2	1	1	5	4	2	25	6	43	5	1	2	2	2	1	20	11	2	24	6	
32	6	4	32	38	7	54	10	19	5	4	1	28	4	6	16	43	4	78	11	
51	11	3	67	117	12	88	13	85	9	11	14	57	11	9	59	57	10	140	1	
12	4	1	10	18	2	26	2	15	4	2	1	7	2	2	9	55	1	36	5	
38	10	3	81	96	10	74	6	38	4	8	6	60	3	5	51	70	9	156	20	
18	5	2	22	29	14	43	4	38	15	6	7	27	3	3	26	48	2	60	5	
4	4	2	6	19	8	56	6	58	1	3	3	5	1	3	18	15	3	36	3	
29	4	5	21	50	6	122	9	111	10	15	8	47	9	12	60	101	4	123	27	
53	15	5	51	90	15	47	4	42	4	9	3	72	1	3	38	38	7	125	5	
11	4	1	32	21	1	27	10	15	1	2	1	19	2	1	23	13	3	71	25	
3	1	3	3	8	4	42	3	50	2	2	2	5	1	1	28	15	2	26	7	
33	5	14	14	44	28	108	10	101	7	8	10	26	13	5	61	72	13	100	23	
4	5	3	5	13	3	32	6	43	2	2	2	8	3	4	16	22	2	70	14	
13	5	3	11	26	1	13	3	2	2	3	4	10	2	2	9	20	1	32	3	
3	3	6	3	3	20	7	18	18	2	2	2	4	1	1	15	7	2	23	30	
4	3	1	9	13	8	30	4	37	4	4	4	13	2	1	16	18	1	30	7	
4	4	1	5	7	6	49	7	77	7	2	4	19	4	1	22	27	1	35	9	
19	2	5	19	28	10	74	6	48	7	5	4	34	4	5	46	34	6	96	43	
26	6	7	42	73	8	70	10	29	2	6	5	61	3	2	17	42	6	148	34	
3	2	2	6	9	1	29	2	40	2	2	2	4	1	2	8	10	2	20	35	
14	4	10	18	11	2	14	1	24	4	3	2	15	1	1	11	8	2	27	4	
5	1	8	4	6	2	24	2	53	1	1	2	8	1	1	19	25	1	16	3	
1,322	250	119	1,166	2,691	521	2,597	359	2,336	185	220	281	2,672	142	148	1,153	1,299	307	3,871	272	
1,278	241	114	1,106	2,522	468	2,307	325	2,142	178	205	273	2,498	127	135	1,058	1,195	300	3,566	236	
44	9	5	60	169	53	290	34	194	7	15	8	174	15	13	100	104	7	305	36	
6	5	4	14	17	2	29	2	13	1	2	1	11	1	1	14	14	1	39	5	
351	46	73	349	674	282	1,733	139	949	60	73	97	400	71	49	505	719	122	1,312	105	
335	45	70	323	626	261	1,604	133	893	59	69	94	371	69	46	478	696	120	1,237	97	
16	1	3	26	48	21	129	6	56	1	4	3	29	2	3	27	23	2	75	8	
7	6	2	5	14	5	32	2	38	1	2	3	14	1	2	15	38	1	51	12	
11	1	2	3	8	3	27	4	54	1	2	3	18	6	3	11	19	1	30	8	
8	2	1	12	22	1	29	3	14	3	4	1	9	3	1	11	26	1	37	8	
14	5	5	23	25	2	27	4	35	5	5	3	46	9	1	18	47	3	46	49	
77	17	12	90	118	31	123	32	103	9	13	11	95	10	11	91	68	22	246	57	
86	21	14	119	113	61	271	35	301	25	27	28	124	6	23	73	218	14	307	13	
7	6	2	11	18	6	36	11	25	1	3	3	14	1	3	16	17	2	37	11	
19	1	1	15	16	6	27	2	14	1	2	3	8	2	5	13	13	2	38	9	
5	3	6	13	10	7	36	13	106	6	6	6	13	1	2	22	39	2	61	12	
18	7	3	13	21	3	40	6	64	1	2	3	15	1	1	25	22	2	43	7	
5	1	2	4	4	2	26	3	33	1	1	1	2	4	1	9	12	1	19	11	
6	1	1	6	17	3	19	3	18	1	1	1	8	1	1	18	9	1	36	4	
12	2	1	11	20	2	17	1	12	2	2	2	12	2	2	11	9	1	40	7	
14	3	3	9	9	1	25	3	13	3	1	1	13	1	1	7	45	8	43	10	
7	5	3	6	10	1	10	3	3	3	1	1	11	1	1	12	12	1	25	3	
17	5	2	20	23	4	29	4	19	5	2	1	9	3	3	22	22	2	59	5	
19	4	1	12	32	2	23	2	6	6	6	1	25	1	2	4	16	4	41	2	
16	3	1	11	27	2	16	5	5	4	4	4	20	1	2	3	14	4	37	1	
3	1	1	1	5	7	7	1	1	2	2	1	5	1	1	2	2	4	4	1	64
41	7	10	38	66	19	96	24	91	17	15	16	64	11	10	80	152	3	178	40	
11	5	4	12	30	3	43	3	13	7	2	3	12	2	4	13	23	2	37	2	
29	5	10	27	38	4	60	12	15	6	6	3	31	4	5	25	34	4	100	10	
34	9	2	54	64	12	78	2	46	6	4	5	45	4	13	45	32	7	121	2	

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total of this table is restricted to municipalities having 10,000 or more inhabitants.

REGISTRATION AREA.	CAUSE OF DEATH.														
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Contd.															
RHODE ISLAND.															
1	Registration cities (total).....	7,571	64	3		143	19	48	110	73	15	744	75	46	25
2	White.....	7,357	61	3		142	19	44	108	72	15	719	72	46	25
3	Colored.....	214	3			1		4	2	1		25	3		
4	Central Falls.....	358	4			5	2	1	4	5	1	25	4	1	4
5	Cranston.....	229	1			5		2	4	1	1	10	1	2	1
6	State institutions.....	312	1							6		81		3	1
7	Cumberland town.....	141				3			8	4		16	1		
8	East Providence town.....	233						2	3	1	1	20	1	1	1
9	Newport.....	383	5			2	1	3	2	3	3	26	6	2	
10	Pawtucket.....	826	4			12		3	7	7	2	72	5	5	5
11	Providence.....	3,980	40	1		72	15	25	49	37	5	346	42	30	9
12	Warwick town.....	483	4	1		24		8	4	6	2	80	8	1	2
13	Woonsocket.....	626	5	1		20	1	4	29	3		68	7	1	2
SOUTH CAROLINA. ¹															
14	Charleston (total).....	1,748	33	18		13	1	32	8	11	4	153	2	11	4
15	White.....	526	13	7		4	1	10	4	3	2	31	1	4	3
16	Colored.....	1,222	20	11		9		22	4	8	2	122	1	7	1
TENNESSEE. ¹															
17	Registration cities (total).....	5,516	102	109		20	11	11	35	91	41	647	26	76	27
18	White.....	2,871	60	39		13	10	4	25	37	21	281	15	33	12
19	Colored.....	2,645	42	70		7	1	7	10	54	20	366	11	43	15
20	Knoxville (total).....	635	12	1		7	2		6	9	1	84	5	26	4
21	White.....	432	8	1		5	2		6	7	1	51	3	13	4
22	Colored.....	203	4			2				2		33	2	13	2
23	Memphis (total).....	2,818	36	97		8	7	5	22	40	37	329	8	13	13
24	White.....	1,326	15	34		5	6	1	14	13	18	115	7	5	5
25	Colored.....	1,492	21	63		3	1	4	8	27	19	214	1	8	8
26	Nashville (total).....	2,063	54	11		5	2	6	7	42	3	234	13	37	10
27	White.....	1,113	37	4		3	2	3	5	17	2	115	5	15	3
28	Colored.....	950	17	7		2		3	2	25	1	119	8	22	7
TEXAS. ¹															
29	Registration cities (total).....	2,750	61	15	2	4		8	11	66	1	477	4	15	6
30	White.....	2,334	53	13	2	4		8	11	62	1	403	4	10	6
31	Colored.....	416	8	2					4	4		74		5	
32	Galveston (total).....	600	12	2	1	1			3	4	1	69		3	1
33	White.....	417	8	1	1	1			3	4	1	41		2	1
34	Colored.....	183	4	1								28		1	
35	San Antonio (total).....	2,150	49	13	1	3		8	8	62		408	4	12	5
36	White.....	1,917	45	12	1	3		8	8	58		362	4	8	5
37	Colored.....	233	4	1						4		46		4	
UTAH.															
38	Registration cities (total).....	1,553	56		1	3	46	6	37	7	5	77	6	16	13
39	White.....	1,502	48		1	3	46	6	37	7	5	70	6	15	12
40	Colored.....	51	8									7		1	1
41	Ogden.....	293	13				9	3	5	4	1	17			3
42	Salt Lake City.....	1,260	43	1		3	37	3	32	3	4	60	6	16	10
VERMONT.															
43	Registration cities (total).....	774	12			1	4	19	9	6	1	62	5	5	
44	White.....	771	12			1	4	19	9	6	1	62	5	5	
45	Colored.....	3													
46	Barre.....	150	3				2	1	1	2		27	2	2	
47	Burlington.....	397	3			1		12	6	1	1	22	2	1	
48	Rutland.....	227	6				2	6	2	3		13	1	2	
VIRGINIA. ¹															
49	Registration cities (total).....	6,193	109	44	3	30	8	63	50	81	4	624	31	77	17
50	White.....	3,086	65	8	1	20	7	28	31	42	3	268	22	39	7
51	Colored.....	3,107	44	36	2	10	1	35	19	39	1	356	9	38	10
52	Alexandria (total).....	327	20		1					3		27		4	2
53	White.....	189	11		1					2		11		3	1
54	Colored.....	138	9							1		16		1	1
55	Danville (total).....	388	13	9			2	2	7	6	1	44		2	1
56	White.....	221	9	3			1		6	4	1	30		1	1
57	Colored.....	167	4	6			1	2	1	2		14		1	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

273

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Can- cer. 16	Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic dis- eases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respi- ratory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intesti- nal ob- struc- tion. 27	Cirrho- sis of the liver. 28	Nephri- tis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Viol- ent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other causes. (37)	Un- de- fined and un- known causes. 38	
387	81	60	408	716	152	308	65	673	54	57	62	556	24	46	350	349	60	1,195	98	
377	80	57	400	686	143	780	63	661	53	57	62	542	23	45	344	343	60	1,160	90	
10	1	3	8	30	4	28	2	17	1	-----	-----	14	1	1	6	-----	-----	35	8	
14	6	5	13	16	23	40	5	62	1	1	1	18	-----	4	17	11	2	60	3	
12	4	5	16	21	6	22	2	25	-----	1	2	20	-----	3	13	9	3	34	5	
10	2	-----	10	41	1	4	2	4	-----	1	2	11	-----	-----	1	4	1	125	1	
5	-----	2	6	15	3	18	-----	13	-----	1	1	10	-----	-----	1	12	2	20	7	
14	4	4	18	20	5	27	1	25	-----	-----	4	14	-----	2	6	8	5	44	8	
29	3	3	24	37	5	54	5	26	5	1	2	24	-----	-----	22	20	-----	67	3	
37	11	5	54	77	21	93	6	69	1	6	6	69	3	5	49	39	6	132	14	
228	43	30	222	404	65	439	33	279	46	38	41	323	18	28	186	212	38	552	54	
21	4	3	23	37	6	43	6	51	-----	5	1	20	2	2	25	16	1	66	11	
17	4	3	22	48	17	68	5	124	1	3	1	47	1	2	30	18	2	65	7	
40	4	4	103	144	10	120	20	142	2	11	7	206	7	13	119	58	9	362	77	
25	4	1	36	42	5	31	5	32	2	6	4	63	1	3	22	23	6	121	11	
15	-----	3	67	102	5	89	15	110	-----	5	3	143	6	10	97	35	3	241	66	
174	22	81	168	430	71	555	81	254	76	71	39	316	41	24	168	409	56	1,095	189	
133	16	46	112	205	26	228	33	163	50	52	31	186	17	8	105	197	51	597	65	
41	6	35	56	225	45	327	48	91	26	19	8	130	24	16	63	212	5	498	124	
16	-----	9	35	53	8	55	11	22	11	6	4	34	4	3	25	42	6	125	9	
15	-----	6	27	36	5	29	3	19	3	6	4	28	2	2	15	29	5	88	21	
1	-----	3	8	17	3	26	8	3	-----	-----	-----	6	-----	-----	10	13	1	37	4	
84	11	49	60	176	40	253	40	130	36	33	25	191	24	13	58	257	30	536	152	
60	6	25	40	77	8	103	17	84	22	23	19	105	9	4	48	98	4	268	50	
24	5	24	20	99	32	155	23	46	14	10	6	86	15	4	15	159	3	268	102	
74	11	23	73	201	23	242	30	102	29	32	10	91	13	8	85	110	20	434	28	
58	10	15	45	92	13	96	13	60	20	23	8	53	6	2	47	70	19	241	11	
16	1	8	28	109	10	146	17	42	9	9	2	38	7	6	38	40	1	193	17	
101	19	28	67	129	51	169	34	304	20	16	34	188	9	14	150	88	27	543	89	
89	18	26	58	107	46	140	26	281	18	11	27	154	9	11	131	71	25	435	74	
12	1	2	9	22	5	29	8	23	2	5	7	34	-----	3	19	17	2	108	15	
30	4	4	17	49	4	45	7	13	5	6	10	77	-----	2	36	28	8	143	15	
24	3	3	11	35	3	37	4	11	5	3	6	55	-----	-----	29	19	6	90	10	
6	1	1	6	14	1	8	-----	2	-----	-----	-----	22	-----	2	7	9	2	53	5	
71	15	24	50	30	47	124	27	291	15	10	24	111	9	12	114	60	19	400	74	
65	15	23	47	72	43	103	22	270	13	8	21	99	9	11	102	52	19	345	64	
6	-----	1	3	8	4	21	5	21	2	2	3	12	-----	1	12	8	-----	55	16	
57	24	22	50	112	17	150	19	70	28	18	9	120	15	14	77	128	26	233	41	
57	23	22	50	111	17	143	19	69	28	18	9	118	15	13	77	120	24	273	40	
-----	1	-----	1	1	-----	7	-----	1	-----	-----	-----	2	-----	1	-----	8	2	10	1	
6	5	8	6	27	2	29	2	9	6	3	-----	22	2	3	14	34	3	49	8	
51	19	14	44	85	15	121	17	61	22	15	9	98	13	11	63	94	23	234	33	
43	11	9	54	85	17	63	3	50	17	15	1	44	4	4	58	31	3	134	4	
42	11	9	54	85	17	62	3	50	16	15	1	44	4	4	58	31	3	134	4	
1	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	45
7	2	1	10	12	6	8	1	5	2	4	-----	8	1	1	9	7	-----	24	2	
13	7	5	28	45	9	33	1	34	13	7	1	23	-----	1	32	12	2	76	1	
18	2	3	16	28	2	22	1	11	2	4	-----	13	3	2	17	12	1	34	1	
196	25	70	319	508	99	559	137	386	52	46	44	502	32	40	314	332	44	1,124	223	
139	20	46	173	277	38	209	49	156	41	32	32	273	9	29	171	158	36	571	86	
57	5	24	146	231	61	350	88	230	11	14	12	229	23	11	143	174	8	553	137	
9	2	4	7	29	6	30	6	14	1	3	4	27	-----	-----	14	11	4	77	22	
8	2	2	3	19	1	14	-----	8	-----	3	-----	20	-----	-----	12	6	2	47	18	
1	-----	2	4	10	5	16	6	6	1	1	-----	7	-----	-----	2	5	2	30	12	
3	-----	14	10	25	5	30	5	19	2	5	2	30	3	1	14	20	-----	100	13	
2	-----	11	3	7	3	7	3	15	2	3	-----	13	-----	-----	11	10	-----	66	7	
1	-----	3	7	13	2	23	2	4	-----	2	1	17	1	1	3	10	-----	34	6	

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.														
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis of menin-gititis.	Other forms of tuber-culosis.	Rheu-matism.	
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Contd.															
VIRGINIA ¹ —continued.															
1	Lynchburg (total).....	473	9	1	2	4	2	10	8	1	28	5	22	1	
2	White.....	242	6	1	4	6	5	1	12	5	9	
3	Colored.....	231	3	1	1	2	4	3	16	13	1	
4	Norfolk (total).....	1,477	23	20	1	1	11	6	15	164	7	16	3	
5	White.....	700	11	3	1	1	5	10	52	7	5	
6	Colored.....	777	12	17	1	6	1	5	112	11	3	
7	Petersburg (total).....	641	16	9	1	1	14	17	75	6	7	3	
8	White.....	264	13	1	4	2	32	5	5	1	
9	Colored.....	377	3	9	1	10	15	43	1	2	2	
10	Richmond (total).....	2,887	28	6	27	47	13	32	2	286	13	26	7	
11	White.....	1,470	15	2	18	23	10	19	1	131	5	16	5	
12	Colored.....	1,417	13	4	9	24	3	13	1	155	8	10	2	
WASHINGTON.															
13	Registration cities (total).....	5,803	161	1	3	25	45	77	70	27	16	508	48	95	25
14	White.....	5,632	153	1	3	24	45	77	70	26	16	468	46	87	27
15	Colored.....	171	8	1	1	40	2	8	1	
16	Aberdeen.....	121	2	1	1	12	1	
17	Bellingham.....	231	2	2	4	9	1	1	21	3	4	
18	Everett.....	279	8	3	25	3	8	3	
19	North Yakima.....	257	34	1	6	4	2	3	33	2	5	
20	Seattle.....	2,408	34	7	17	30	15	8	7	228	22	45	14	
21	Spokane.....	1,375	48	8	17	21	19	11	6	94	8	17	3	
22	Tacoma.....	928	18	2	6	16	19	3	2	80	7	10	2	
23	Walla Walla.....	204	15	1	2	1	1	15	3	6	
WEST VIRGINIA. ¹															
24	Wheeling.....	731	21	1	3	3	4	8	3	3	64	2	3	8	
25	White.....	700	20	1	3	3	8	3	3	56	2	3	8	
26	Colored ²	31	1	4	8	
WISCONSIN.															
27	Registration cities (total).....	10,319	340	2	1	69	140	70	197	64	35	837	52	81	64
28	White.....	10,274	339	2	1	69	140	69	197	64	35	830	51	78	64
29	Colored.....	45	1	1	7	1	3	
30	Appleton.....	263	6	2	3	1	18	2	1	
31	Ashland.....	228	37	2	1	1	17	1	1	1	
32	Beloit.....	173	1	1	3	1	1	1	2	10	3	
33	Eau Claire.....	276	8	1	2	3	2	3	26	5	2	1	
34	Fond du Lac.....	254	2	2	1	2	1	15	1	2	
35	Green Bay.....	443	8	4	1	9	1	27	4	4	3	
36	Janesville.....	194	1	6	7	1	1	
37	Kenosha.....	263	9	3	1	5	1	2	15	2	2	
38	La Crosse.....	435	4	2	8	2	3	35	1	3	1	
39	Madison.....	309	5	1	4	1	5	4	29	2	3	3	
40	Manitowoc.....	166	2	2	1	2	3	11	2	4	3	
41	Marinette.....	178	7	1	5	1	2	16	3	3	
42	Milwaukee.....	5,205	172	1	40	84	38	133	27	16	434	22	39	25	
43	Oshkosh.....	373	12	1	2	28	4	7	
44	Racine.....	495	20	6	6	6	7	7	3	48	3	8	
45	Sheboygan.....	351	7	1	5	3	7	1	1	35	3	1	2	
46	Superior.....	466	34	6	8	5	13	51	2	5	4	
47	Wausau.....	237	5	14	3	5	15	3	4	
RURAL PART OF REGISTRATION STATES. ²															
CALIFORNIA.															
48	Total.....	13,792	244	61	1	80	28	156	100	78	37	1,789	91	144	55
49	White.....	13,107	228	53	1	72	28	146	97	75	36	1,649	88	136	54
50	Colored.....	685	16	8	8	10	3	3	140	3	8	1	
51	Alameda County.....	593	8	2	1	2	9	5	1	3	86	1	5	1
52	Alpine County.....	2
53	Amador County.....	118	2	1	1	17	1	1	
54	Butte County.....	386	5	10	2	5	1	2	38	2	7	2	
55	Calaveras County.....	116	1	1	1	16	1	
56	Colusa County.....	100	13	1	4	9	1	1	
57	Contra Costa County.....	355	5	1	9	1	1	38	1	2	
58	Del Norte County.....	11	
59	Eldorado County.....	107	2	1	1	1	10	1	1	
60	Fresno County.....	549	19	1	1	6	2	13	4	65	2	8	
61	Glenn County.....	55	3	1	3	
62	Humboldt County.....	151	1	10	1	19	2	2	1	
63	Imperial County.....	66	1	1	1	13	
64	Inyo County.....	29	1	2	
65	Kern County.....	225	5	1	6	1	1	1	1	21	2	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of total.

DEATHS FROM PRINCIPAL CAUSES.

275

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing suicide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8	2	6	19	47	14	48	7	30	2	8	1	23	3	10	21	14	4	81	32	1
6	2	4	13	28	6	19	4	17	2	5	1	9	3	6	11	8	4	40	8	2
2	2	2	6	19	8	29	3	13	3	3	3	14	3	4	10	6	4	41	24	3
53	6	15	48	139	21	146	30	97	10	10	9	105	12	10	72	96	19	288	23	4
32	6	10	35	71	10	53	15	35	8	7	5	54	3	9	38	40	16	142	20	5
21	5	5	13	68	11	93	15	62	2	3	4	51	9	1	34	56	3	145	13	6
13	8	37	43	5	53	6	55	5	5	1	2	74	3	3	32	31	5	92	24	7
7	6	16	17	17	19	1	17	3	2	1	1	38	2	2	17	10	4	38	5	8
6	2	21	26	5	34	5	38	2	2	1	1	36	3	1	15	21	1	54	19	9
110	15	23	198	225	48	252	83	171	32	19	26	243	11	16	161	160	12	486	109	10
84	10	13	103	135	18	97	26	64	26	14	21	139	4	12	82	84	10	237	46	11
26	5	10	95	90	30	155	57	107	6	5	5	104	7	4	79	76	2	249	63	12
339	66	41	263	446	41	447	48	240	98	66	46	351	54	47	312	529	135	1,062	68	13
335	65	37	259	437	40	431	48	235	97	66	44	339	54	46	305	510	132	1,041	68	14
4	1	4	4	9	1	16	-----	5	1	-----	2	12	-----	1	7	19	3	21	-----	15
10	2	2	10	10	3	9	7	3	3	2	-----	7	1	1	5	22	3	16	4	16
14	3	1	13	27	4	15	2	4	4	5	1	14	2	1	8	13	4	45	5	17
18	4	5	16	29	4	15	1	7	4	3	2	11	5	3	19	34	3	40	6	18
11	2	9	14	2	2	16	1	13	3	2	1	10	2	7	9	24	2	31	1	19
144	34	13	107	203	15	195	22	76	40	21	17	162	21	18	115	227	77	458	16	20
72	9	16	63	82	7	117	12	96	21	22	17	66	11	10	91	119	25	247	15	21
55	9	6	37	69	8	72	8	31	17	9	7	71	11	6	53	76	20	180	18	22
15	3	16	12	2	2	8	2	6	6	2	1	10	1	1	12	14	1	45	3	23
45	3	17	22	52	7	78	13	33	9	7	4	41	1	4	38	72	12	138	12	24
43	3	17	22	46	7	75	12	31	9	6	4	38	1	4	38	69	12	137	12	25
2	-----	-----	-----	6	-----	3	1	2	-----	1	-----	3	-----	-----	-----	3	-----	1	-----	26
611	110	149	397	760	223	858	124	754	124	104	108	517	41	56	618	548	154	1,933	173	27
610	110	149	397	758	223	851	124	751	124	104	107	516	41	56	613	545	154	1,928	172	28
1	-----	-----	-----	2	-----	7	-----	3	-----	104	101	1	-----	-----	5	3	-----	8	1	29
21	5	3	9	27	1	22	6	12	5	2	2	5	3	3	16	20	4	49	11	30
10	-----	5	7	18	4	10	3	10	2	1	1	16	2	1	12	26	5	29	4	31
15	3	3	7	19	3	10	1	5	3	1	1	9	1	1	11	9	1	43	5	32
27	4	2	10	19	3	24	2	8	5	5	1	21	1	2	8	14	1	61	5	33
18	1	7	15	12	3	13	2	12	7	4	4	19	-----	3	16	14	4	58	7	34
31	8	16	15	19	2	55	9	33	9	4	1	35	-----	3	26	22	4	86	9	35
18	4	3	5	25	3	11	2	12	1	1	1	10	1	1	9	13	3	54	2	36
13	2	7	6	9	4	28	2	38	1	1	1	11	1	1	29	18	2	53	2	37
34	4	3	18	42	5	25	5	18	6	10	2	24	4	1	19	21	7	123	5	38
21	7	3	22	21	6	24	4	8	4	2	2	20	1	4	19	19	3	57	5	39
14	1	2	7	10	1	8	4	6	4	3	1	7	1	1	11	9	3	37	7	40
10	-----	2	4	19	3	19	1	7	-----	3	-----	12	2	-----	13	8	3	30	4	41
264	50	57	194	366	158	476	57	441	56	49	70	257	19	24	334	239	88	894	81	42
27	4	4	19	43	4	25	9	22	8	3	5	14	-----	1	26	13	2	80	8	43
32	5	14	20	37	13	38	3	45	5	3	2	18	1	6	17	29	4	83	6	44
29	4	1	11	35	9	26	5	20	5	2	7	19	1	1	17	24	7	58	3	45
18	4	16	17	24	2	24	7	45	3	4	5	8	3	1	23	43	10	78	3	46
9	3	2	11	15	4	20	2	12	-----	3	2	12	2	3	12	7	3	60	6	47
711	142	159	711	1,532	124	962	144	437	67	110	157	769	54	84	473	1,291	274	2,544	133	48
691	141	144	696	1,535	117	894	135	409	65	107	153	739	52	82	454	1,226	256	2,425	123	49
20	1	15	15	47	7	68	9	28	2	3	4	30	2	2	19	65	18	119	10	50
36	5	4	33	76	4	71	10	21	-----	3	6	42	2	2	19	40	7	88	-----	51
12	1	1	8	7	-----	3	1	3	2	3	2	9	1	-----	3	10	4	27	-----	52
18	4	4	17	42	1	30	3	9	2	2	4	23	2	-----	8	39	11	87	6	54
1	1	1	14	19	5	8	2	3	-----	-----	1	3	-----	-----	2	8	3	19	3	55
2	2	1	3	10	1	7	1	1	-----	-----	-----	4	-----	-----	5	12	2	21	-----	56
18	5	4	10	27	7	35	5	19	3	-----	-----	17	-----	2	15	62	7	55	6	57
1	1	1	5	17	-----	6	-----	1	2	1	1	18	-----	1	1	1	1	5	-----	58
8	2	5	17	42	2	38	3	40	6	6	5	28	-----	3	52	10	14	98	-----	59
26	3	10	14	2	-----	-----	-----	3	-----	-----	-----	28	-----	3	37	52	10	98	-----	60
1	-----	-----	1	7	-----	4	1	5	2	-----	1	1	-----	1	3	9	1	9	1	61
10	1	2	8	13	1	5	2	7	2	-----	1	7	-----	1	6	18	2	28	1	62
4	-----	-----	4	5	-----	4	1	3	-----	-----	-----	5	-----	-----	2	11	4	9	2	63
5	1	-----	1	1	-----	1	-----	1	1	-----	-----	2	-----	-----	3	3	2	7	1	64
3	1	4	4	18	3	14	-----	20	1	2	1	10	1	2	11	49	9	28	4	65

³ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
CALIFORNIA—continued.															
1	Kings County.....	192	13	6				2	1		25	2	3	2	
2	Lake County.....	82	4						3		8				
3	Lassen County.....	22								1	1				
4	Los Angeles County.....	1,740	19	2		22	5	7	10	14	326	14	22	5	
5	Madera County.....	87	1					2		1	16	1	1	2	
6	Marin County.....	256	6						4	2	44	1	4		
7	Mariposa County.....	32									4				
8	Mendocino County.....	334	3			3		8	3		26	3	1	1	
9	Merced County.....	133	3	1				4		2	14	2			
10	Modoc County.....	37	2					4		2	1			1	
11	Mono County.....	2									1				
12	Monterey County.....	283	1			1		9	2		23	3	4	1	
13	Napa County.....	462	4					6		1	48	1		2	
14	Nevada County.....	221	6	1				4	1	1	16			3	
15	Orange County.....	395	12			4	2	2	2	4	49	9	4	2	
16	Placer County.....	249	6	2		1		2	3	1	34	1	3	1	
17	Plumas County.....	37	2	1				1			3				
18	Riverside County.....	196	6				2	1	2		44	2	2	3	
19	Sacramento County.....	405	4	2				4	5	2	63	4	6		
20	San Benito County.....	104	1					5	1	2	13				
21	San Bernardino County.....	509	10			6	1	3	3	2	88	1	9	1	
22	San Diego County.....	189	1					4	1	1	43	1	2	1	
23	San Joaquin County.....	442	8	2		2		4	1	4	54	1	8	2	
24	San Luis Obispo County.....	237	7	1		1		5	2	1	29		5	2	
25	San Mateo County.....	304	1			1		6	3		27	3	3	3	
26	Santa Barbara County.....	145	5			1		5	3		11	3	1		
27	Santa Clara County.....	791	7	1		3	4	15	7	9	124	8	6	2	
28	Santa Cruz County.....	179	4	1				2	4	1	21	2	1		
29	Shasta County.....	256	6	3		7		2	3		19		3		
30	Sierra County.....	38	1							1	1				
31	Siskiyou County.....	195	4	1			1		1		13	2	3	2	
32	Solano County.....	179	1			2		3	1		13			1	
33	Sonoma County.....	658	7	2		3	2	5	2	4	81	5	6	6	
34	Stanislaus County.....	234	6	1		1		1	2	1	24		6	1	
35	Sutter County.....	64						1			5	2			
36	Tehama County.....	174	3	10				7			22	1			
37	Trinity County.....	58							2		4				
38	Tulare County.....	327	8	1		2	1	4	5	2	39	5	5	1	
39	Tuolumne County.....	133	3		1	2		1	1		20				
40	Ventura County.....	208	4			4		1	1	2	26		6		
41	Yolo County.....	184	1			2		1	3		19	1	2	3	
42	Yuba County.....	151		4				2	2		10		1		
COLORADO.															
43	Total.....	6,364	235	6	7	46	61	27	71	46	799	21	32	27	
44	White.....	6,236	229	6	7	44	59	27	71	46	782	19	31	27	
45	Colored.....	128	6			2	2				17	2	1		
46	Adams County.....	82	1				1	1			18			1	
47	Arapahoe County.....	122	4	1					1		49		1		
48	Archuleta County.....	35	4						1		1				
49	Baca County.....	30	3							1					
50	Bent County.....	66	2				1	1		1	29				
51	Boulder County.....	400	7			3	3	2	8		65	1	4	1	
52	Chaffee County.....	124	7	2			2		2		4				
53	Cheyenne County.....	7				2									
54	Clear Creek County.....	79	1				1		1		5				
55	Conejos County.....	105	4		1		6		3		9		2		
56	Costilla County.....	5													
57	Custer County.....	22									2				
58	Delta County.....	127	3			1	1		1	1	15	2	1	1	
59	Dolores County.....	4													
60	Douglas County.....	24							2						
61	Eagle County.....	28	1				1			1	2				
62	El Paso County.....	229	3			1		1	4		84		2	1	
63	Elbert County.....	33									1				
64	Fremont County.....	247	12			3			2	3	38		1		
65	Garfield County.....	161	7				4		1	2	5		1	1	
66	Gilpin County.....	67				2									
67	Grand County.....	20	1								1				
68	Gunnison County.....	84					4				4				
69	Hinsdale County.....	13								1	1				
70	Huerfano County.....	237	4	1		8	1		1		15			1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congen- ital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Un- de- fined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
10	2	2	3	13		14	1	13		2		12	2		8	13	4	38	1
3		2	7	5	5	9		1			4	6			2	6	2	15	2
1					1	3					1	3		1		2	1	6	3
119	15	18	108	198	19	97	16	47	1	18	16	99	5	6	49	120	24	304	12
3	1		2	7	1	9		2			1	2		1	2	14	1	13	2
17	6	2	15	32		12	3	3	1	1	3	12	1	2	8	32	5	39	1
1			3			2	2	1			1				5	5	1	8	2
12	5	4	15	38	5	30	2	11	1	1	6	21	3	3	8	42	3	73	3
7	2	3	11	11		11	1	7		1	3	5	1	1	7	15	6	21	4
	1		1	2		4		1	1		2	2	2		2	6		7	10
18	6	4	16	29	2	21	5	6	1	3	3	21		1	5	30	1	62	11
27	2	1	21	73		21	3	3	4	4	7	19		3	6	15	15	173	6
10	3	1	15	30	1	14	5	7	2	4	3	7	1	1	8	24	5	47	13
21	6	3	29	49	6	31	6	17	1	3	1	26	2	2	20	22	3	53	14
6	2	1	8	23	3	20	7	8	1	2	4	16		2	3	44	10	30	16
2	1		4	4		3			1	1	1	1		1	1	7		5	17
8	1	2	6	20	1	12	5	10		4		5	1	2	9	15		36	18
19	3	4	15	35	7	39	5	14	1		10	34		4	12	43	2	66	19
5		2	4	15	1	8	1	3	1		1	5			5	11		16	20
18	5	2	31	62	3	19	5	16		2	4	26	3	2	9	46	8	119	21
3	2	2	18	30	2	3	3	6	1	1	1	17			5	7	2	28	22
24	7	3	14	52	2	36	5	13	4	5	3	40	3		28	40	10	63	23
9	1	3	11	30	2	15	5	11	2	3	2	11	1	3	11	11	3	40	24
13	2	6	17	32	3	29	3	4	3	3	2	16	2	4	20	27	9	62	25
12		1	8	9	2	11	2	8		1	2	9			8	16	2	24	26
48	15	11	42	108	6	53	10	18	5	12	11	49		2	16	50	19	125	27
6	3	5	10	28	2	11	5	4	2	1	1	5			10	19	2	28	28
9		1	15	24	2	23	2	8	2	3	1	11		3	13	37	7	48	29
	1		2	6	2	1		2		1		2		1	1	6	1	7	30
10	4	1	6	23	2	9		5	1	1	5	7	4		6	30	4	36	31
5	1	2	11	17	1	15		5			2	18		1	7	20	6	39	32
49	10	16	59	97	5	48	6	8	1	2	12	26	4		9	41	12	112	33
6	2	3	11	29	2	20	3	6	2	3	2	11	5	3	8	17	10	47	34
2	1	2	1	8		4	2			1					3	10	1	15	35
5	1	4	12	20		9					4	4	2		5	14		42	36
2	1		13	13	2	2	1			2	1	6			2	12	1	10	37
10	2	4	11	34	4	19	3	23	2	2	2	16	1	3	17	25	4	62	38
8		2	7	20		7		4	3	3		9	1		1	17	3	19	39
13	2	5	11	22	3	20	1	7	1	1	1	8	3	2	8	17	1	38	40
15	1		13	26	1	9	1	3	2	2	1	9		3	8	22	2	34	41
9		2	8	23		12	2	3		1	3	4		3	3	14	3	39	42
217	33	53	208	354	61	591	100	336	61	47	39	333	51	37	363	957	85	989	43
216	32	53	208	349	61	580	98	333	56	47	38	331	50	36	363	910	82	974	44
1	1		5	5		11		3	5		1	2	1	1	47	47	15	15	45
3	2		2	2	2	7	1	4		3		8			3	14		11	46
3			1	6		8	2	1				6		1	1	13	1	14	47
1			3	3		3		3				2			3	7	2	3	48
			1	2	1	4		6		2		2			2	4		5	49
			1	2		1		2		1		30		1	1	5	10	1	50
24	1	3	13	33	3	27	3	23	2	3	4	1	1		18	38		72	51
13	1		6	9	1	16		1	6	3	2	14		1	5	11	1	17	52
1			2	2		7		1				7			2	11		1	53
6		3	3	4	1	7	11	2	1	1	1	7			2	10		10	54
3		1	2	5	4	10		8	1	2	1	5	1	2	3	5	3	20	55
								2								1		1	56
3	2	3	11	11	2	1	3	3		1		6		1	13	3	6	18	57
9						8						1			1	6	2	18	58
2						3						2			1	3		1	59
3						3						1			1	3	1	7	60
								2			1				2	4		4	61
6	1		3	14	6	15	3	10		2	1	12		1	5	13	2	35	62
1			1	6		9	1	1		1		4		1	6	6			63
11	1	2	11	21	5	25	5	13	1		2	12		1	12	26	4	31	64
3			4	9	1	17	1	8	5		4	14			8	26	7	25	65
								4		1		7	1		6	14	1	8	66
								1		1		3	1		1	2	1	5	67
1	1	2	1	7	1	9		5		1		8			12	12	3	12	68
								1				1			1	1		5	69
3	2	6	2	4		45	2	32	3	2	2	6	2	2	15	49	2	25	70

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.												
		All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tu-bercu-losis.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ¹ —Continued.														
COLORADO—continued.														
1	Jackson County.....	11						2	1		1			
2	Jefferson County.....	263	1			1		2	2	1	144		1	
3	Kiowa County.....	33					1				1			
4	Kit Carson County.....	43	2								2			
5	La Plata County.....	123	5			2					4		3	1
6	Lake County.....	209	4				3	3	3	1	4			2
7	Larimer County.....	291	5		4	4		5	4		27	4	3	2
8	Las Animas County.....	593	13	2	3	2	6	7	4	1	27		1	4
9	Lincoln County.....	39	2				1	1	1		4			
10	Logan County.....	69	7	1	1	1	1	1			10			
11	Mesa County.....	245	20		2	4	6	7		1	25		1	1
12	Mineral County.....	12												
13	Montezuma County.....	43	2		1		1	1	1		2			1
14	Montrose County.....	112	16	1			1	1			13	1		
15	Morgan County.....	88	3					1	1		16		1	
16	Otero County.....	276	27		3		1	3	2	1	45	4		2
17	Ouray County.....	51	1			1		2	2		1		1	
18	Park County.....	19	1						1		1			
19	Phillips County.....	29	2								5			
20	Pitkin County.....	56	1			2					3	1		
21	Prowers County.....	127	11		2	1			1		16	1	2	
22	Pueblo County.....	298	14	1	1	1		4	6	1	33	3	2	3
23	Rio Blanco County.....	12												
24	Rio Grande County.....	93	2					1			9		1	1
25	Routt County.....	55	4		4	3			2	1	3			
26	Saguache County.....	37	1							1	1			
27	San Juan County.....	56	1						2		1			
28	San Miguel County.....	68	2	1			2	1		2	2			
29	Sedgwick County.....	24	1								1			
30	Summit County.....	28							1		1			
31	Teller County.....	181	3			5			1		6	1		
32	Washington County.....	41	1		6						4			1
33	Weld County.....	342	18			3	2	4		1	32	3	2	3
34	Yuma County.....	46	1								6		2	
CONNECTICUT.														
35	Total.....	5,466	46	8	23	24	39	86	98	10	418	21	35	34
36	White.....	5,394	44	8	23	24	38	86	98	10	410	21	31	34
37	Colored.....	72	2				1				8		4	
38	Fairfield County.....	775	2	3	1	5	6	12	9	5	62	2	4	7
39	Hartford County.....	1,094	9	1	4	4	4	27	15	1	80	8	8	12
40	Litchfield County.....	794	6		4	1	7	4	16		67	2	2	4
41	Middlesex County.....	375		2	1		2	9	7	2	25		1	1
42	New Haven County.....	748	14	1	3	12	7	12	9		56	4	3	3
43	New London County.....	732	8	1	7	2	6	7	12		68		3	2
44	Tolland County.....	331	1		2		3	7	11	1	23		3	1
45	Windham County.....	617	6		1		4	8	19	1	37	5	11	4
INDIANA.														
46	Total.....	23,980	644	80	1	306	123	286	269	399	2,579	176	353	109
47	White.....	23,539	640	79	1	306	120	281	267	397	2,485	174	320	107
48	Colored.....	441	4	1		3	3	5	2	2	94	2	33	2
49	Adams County.....	209	10	1	1	2	2	2	2	2	29		4	
50	Allen County.....	277	6	1	4	5		5	2		21	1	1	
51	Bartholomew County.....	329	12		11		2		5		48	5	6	2
52	Benton County.....	105	2		1	1	1		2		5			1
53	Blackford County.....	196	3		6	1	1	1	5	1	22	4	2	1
54	Boone County.....	310	7	1	4	1	2	1	4		35	3	9	3
55	Brown County.....	108	7		4		2		1		10		1	2
56	Carroll County.....	243	5		1	2	1	2	3	1	19	1	4	
57	Cass County.....	276	2	1	1	5	4	2	1		22	1	5	3
58	Clark County.....	288	6	1	6		4	2	7		23	3	18	1
59	Clay County.....	404	6	2	5	4	12	5	13	1	47	3	4	
60	Clinton County.....	303	6		1	3	2	2	5	1	34	2	4	2
61	Crawford County.....	151	8		1		4	1	7	3	37	1	4	
62	Daviss County.....	335	7	1	2	4	6	10	4		51	3	7	3
63	Dearborn County.....	274	6		2		4	2	3	1	35	2	4	1
64	Decatur County.....	243	6	1	1		2	2	8	1	32	1	2	1
65	Dekalb County.....	328	12	1	1			3	1	1	26	4	3	2
66	Delaware County.....	274	6		8			3	3	1	30	2	6	3
67	Dubois County.....	191	11	2			6	2	1		39		3	
68	Elkhart County.....	407	15			1	2	5		3	41	3	4	2

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

279

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hern- ia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11		1	11	8		10	5	2	1	1		15		1		1			1	
4	2	1	2	8		3		1		1						4		15	2	
5		2	6	3	1	3		4	1			2		1	5	2	7	3	3	
6				5		17	7	1	2	1	3	11		1	6	12	4	23	4	
13	5	3	6	10	11	44	5	13	2	1	1	15		14	23	4	31	3	6	
3		5	8	10	4	35	5	16	11	1	1	10	1	25	21	5	57	1	7	
1		1	6	13	2	39	8	36		2	2	15	6	7	317	1	53	6	8	
2		1	5	3		4		4				2	1	2	5	1	10	1	9	
7		2	12	1		6		5				2	1	3	5		14		10	
2			13	1		21		9	5	3		13	4	11	33	3	37	3	11	
6		2	1	1		3	1	1				1		2	1		1		12	
2			6	3		3		1		1		1		5	9	1	8		13	
2	2		3	6	3	1	2	5	1	3		3	3	3	12	3	20	1	14	
5	4	5	9	1	1	27	1	22	3	2	1	12	2	10	4	2	18	1	15	
1		1	1	3		8		1			2			2	2		34	5	16	
1	1		3	2	2	3	1					1		2	1		2		17	
8			5	5		7		1	1			7		4	5	1	12		18	
8	1	1	9	10	1	12		12	2		1	2		6	7	2	23	1	21	
1			1	18	1	18	2	8	3	1		11	3	3	49	5	89		22	
2			6	6	1	9		4	1	2		3		1	1		5		23	
2	1		1	1		3		1	1			1	1	11	4		27	2	24	
2			1	1		3		1				1		3	11		10		25	
	1		1	3	2	13	1	7	2		1	3		3	2	1		5	26	
	1		1	4		12		4	2		1	2		5	9		5		27	
			2	4		3		1	1			1		5	12	1	10		28	
			1	1		1		1	2			3		5	3		7		29	
			1	1		1		1	2			3		1	8	1	4		30	
4	2	1	6	10		20		6		1	3			24	30		28	1	31	
1			1	20		3		4		1	1	16	3	5	4	1	6		32	
19	1	3	21	7	1	31		26	2	2	1	10		40	34	2	55	1	33	
2			1	7		6		2		3		4	1	3	1		7		34	
291	66	57	450	635	101	419	49	320	17	29	50	398	14	33	273	282	67	995	78	35
288	66	56	444	629	99	416	49	315	17	29	50	388	14	32	270	278	67	983	77	36
3		1	6	6	2	3		5				10		1	3	4	12		1	37
51	12	6	75	91	8	64	8	34	3	3	8	65	2	3	33	34	16	134	7	38
45	13	12	87	137	27	87	9	66	2	5	12	72	1	12	62	59	11	189	13	39
43	11	8	72	87	9	60	10	36	5	2	8	57	3	4	39	46	10	154	17	40
24	5	3	34	42	4	32	4	19	1	3	1	32	1	4	14	18	3	77	4	41
26	6	16	58	64	14	66	3	52	3	5	5	51	3	5	44	55	8	124	16	42
46	7	2	58	97	18	43	6	43	8	8	7	50		1	29	33	5	158	5	43
22	4	2	23	41	10	27	4	23	2	1	4	25	3	15	14	5	47	7	44	
34	8	8	43	76	11	40	5	47	1	2	5	46	1	4	37	23	9	112	9	45
1,231	251	165	1,440	2,563	295	1,784	173	1,265	143	187	195	1,451	134	154	1,122	1,318	201	4,440	64	46
1,222	249	162	1,416	2,526	288	1,757	170	1,246	138	182	193	1,419	133	150	1,107	1,297	197	4,372	61	47
9	2	3	24	37	7	27	3	19	5	5	2	32	1	4	15	21	4	68	3	48
15	4	1	17	18	2	14	4	7		1	2	16			8	10	1	34		49
18	5	3	17	10	4	33	3	18	1	4	4	19		1	23	19	1	47		50
18	4	1	20	36	2	23	2	17	3	5	4	7	1	1	12	12		71		51
6		1	4	11	3	7	2	7		1	1	7			9	4		30	1	52
9	2	4	10	17	1	9	2	5		3	5	18		2	9	9		32		53
21	5	1	25	34	5	20	2	15		4	7	9	2	1	20	9	2	58		54
1		3	4	13	3	11	2	4		2	2	6		2	3	5	1	17	1	55
14	4	1	17	30		14	2	16	5	1	2	16		1	8	19	6	48		56
12	3	4	21	25		24		10	2	4	3	15		2	6	10	2	86		57
14	4	1	16	26	6	27		15	3	1	1	25		3	13	16	1	44		58
12	1	2	8	43	4	25	3	22	3	8	2	29	3	3	31	26	5	70	2	59
20	3	1	28	40	5	24	1	13	4	2	2	11		3	10	12	3	58	1	60
4	1	1	7	10	1	10	1	6	1	1	3	11		6	3	3		19		61
13	6	2	18	34	7	27	4	22	1	3	5	15		1	16	17	3	43		62
14	4	1	14	36	5	32		7	1	6	3	19		1	24	24	1	41		63
14	3	1	16	29	1	12	1	10	3	3	4	10		3	6	12		58		64
22	5	2	35	43	6	13	1	21	1	2	1	19		3	17	16	3	61	2	65
11	1	2	15	33	3	11	1	11	1	1	1	21		2	14	23	4	49	1	66
4	3	1	6	13	4	24	2	11	1	4	2	5		3	8	9	2	29	2	67
25	8	3	40	39	4	27	4	15	4	4	2	24		2	16	21	3	87	2	68

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gititis.	Other forms of tuber-culosis.	Rheu-matism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.														
INDIANA—continued.														
1 Fayette County.....	190	2					4	2	4	3	11	1	4	
2 Floyd County.....	140		1		3			2	3		20	2	4	1
3 Fountain County.....	273	11	1		4		4	2	4	1	30	1	4	
4 Franklin County.....	192	5			1		1	2	4		23		5	
5 Fulton County.....	230	4	1		3	1	4	1	11	2	21	1		1
6 Gibson County.....	403	19	7		7	3		8	8	3	53	5	4	1
7 Grant County.....	526	7		1	8	2	2	5	4	3	57		6	2
8 Greene County.....	467	15	5		15	2	10	14	9	1	52	3	6	3
9 Hamilton County.....	360	15			7	3	3	5	10		32	1	8	1
10 Hancock County.....	251	7			4	1	2	2	8	1	32	2	3	1
11 Harrison County.....	228	13			3	1	1	2	3	1	27	1	2	
12 Hendricks County.....	265	7			3		2	1	5	2	24	1		1
13 Henry County.....	427	7			8	2	5	5	3	2	36	4	5	4
14 Howard County.....	174	2	1		2	3	2	1	2	1	18	1	8	
15 Huntington County.....	230	5			4	3	1		2	3	21	4	2	2
16 Jackson County.....	351	21	1		3	1	9	7	5	1	49	3	1	2
17 Jasper County.....	119	2			2	2		2	1		9		1	1
18 Jay County.....	324	13			6	2	5	5	3	1	37	4	5	1
19 Jefferson County.....	356	6	1		3		11	2	2	2	32	3	10	3
20 Jennings County.....	182	1			5		2	1	5		20	1	1	
21 Johnson County.....	286	8			4	3	4	2	5	1	28	4	3	5
22 Knox County.....	299	13	5		7	2	6	16	6	1	29			
23 Kosciusko County.....	347	4			1	2	2	2	8	2	21		4	2
24 Lagrange County.....	199	2			4	3	1	1	3	1	11	3	1	2
25 Lake County.....	350	7			2	4	4	3	1		27		4	1
26 Laporte County.....	176	1	1		1		1	1	3		8	1		
27 Lawrence County.....	411	21	1		11	1	8	2	7		59	7	13	1
28 Madison County.....	386	8	1		6	2	1	10	6		43	2	7	1
29 Marion County.....	408	5	2		4	1	7	1	5	2	43	2	11	1
30 Marshall County.....	307	8	2		1	4	1	3	11	1	26	1	4	1
31 Martin County.....	144	8					4	4	5		24	2	3	
32 Miami County.....	223	6			1	2	6	3	3	1	18	1	2	1
33 Monroe County.....	335	9			8	4	10		5		36	3	4	
34 Montgomery County.....	383	6			6		2		9		38	4	5	
35 Morgan County.....	312	8	1		1		6		5	2	37	4	4	3
36 Newton County.....	109	2			3			1	1		8			
37 Noble County.....	266	4	2		1	1			5	1	21		2	1
38 Ohio County.....	44								1		5			
39 Orange County.....	198	8					5	3	5		29	1	7	
40 Owen County.....	162	2	2		1	1	2		1	1	23	4	2	1
41 Parke County.....	255	6	1		4	1	1	8	4		20	3		
42 Perry County.....	217	6	4				4	11	3		25	3	4	3
43 Pike County.....	278	13	2				7	9	7		40	5	6	4
44 Porter County.....	264	4	1		1	9	1	7	5		17	3	2	1
45 Posey County.....	284	7	3		8	1	1	4	8	1	41	2	3	
46 Pulaski County.....	145	7	4		2	1	1	1	2		13	2		
47 Putnam County.....	250	1			7		7	2	4		31	4	6	
48 Randolph County.....	371	6			8		3	2	1	3	36	4	11	1
49 Ripley County.....	246	9	1		2		2	2	4	2	34	2	2	1
50 Rush County.....	234	5			2			1	5	1	26	2	4	1
51 St. Joseph County.....	244	5				2	1	2	3		28	1	3	2
52 Scott County.....	117	4					1	2	2		12			2
53 Shelby County.....	341	8			4	1	1	3	8		55	2	4	1
54 Spencer County.....	266	11	5		2			2	4		34	2	1	1
55 Starke County.....	128	2	1		1	2	1	2			13	1	1	2
56 Steuben County.....	160	3				1	1	1	2	1	10	3	3	
57 Sullivan County.....	336	10			4		14	4	6	4	42	3	1	2
58 Switzerland County.....	138	2	2				5	1	1	4	12	1		
59 Tippecanoe County.....	253	2			2		1	1	1	6	17		3	2
60 Tipton County.....	207	4			5	5	2	1	1		20		2	
61 Union County.....	85	1					1	1	5		5	3	1	
62 Vanderburg County.....	233	8	1		1	2	1	3	2	2	22		4	1
63 Vermillion County.....	235	5	2		3	2	7	3	3		22	1	4	1
64 Vigo County.....	378	18	2		8	2	8	14	4		40	2	9	5
65 Wabash County.....	335	7			2	1		4	7	1	27	4	4	1
66 Warren County.....	136	2			1		2		2		11	1	1	
67 Warrick County.....	274	15	4		5		11	5	10	2	28	2	6	2
68 Washington County.....	223	6			7				3	1	36	2	3	3
69 Wayne County.....	362	6			2	3	2	4	6	2	42		4	1
70 Wells County.....	285	13			6	1	1		5		32	2	2	1
71 White County.....	167	7			2				5		28		2	
72 Whitley County.....	189	4			6	2	4	1	1		16	1	3	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

281

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
15	2		8	29	1	6	1	18		1	5	4			13	7	2	46	1
7			7	21	2	6		4			3	9			4	6		32	2
11	2	2	23	22	4	15	3	10	6	3	2	12	4	2	9	17	4	59	3
15	1		10	20	5	21		10	2	2	1	13	1	1	4	10	1	59	4
16	5	4	11	23	4	14		6	2	1	1	18	1	1	9	14		34	5
15	5	6	19	32	4	29	1	28	5	4	5	17	4	6	19	21	4	59	6
23	3	1	44	82	4	37	2	10	1	3	8	37	3	4	23	17	3	124	7
9		4	14	32	1	44	3	47	2	1	3	16	3	1	25	34	1	90	8
20	3		23	37	3	13	1	18	1	1	7	30	1	3	21	15	5	73	9
13		3	17	21	3	9		15	1	1	3	14	2	2	13	16	1	54	10
15	1		7	31	2	12	3	7		2	1	16		2	10	14	1	49	11
12	7	1	17	27	7	19	2	14	2	4	4	17		2	6	12	3	59	12
15	5	6	33	33	8	30	2	30	3	1	6	21	6	2	15	27	7	93	13
10	2		8	20	1	12		7	4	1	1	17	1	1	11	10	1	26	14
11	3	1	15	32	1	21		3	1	1		18	2	1	10	14	4	45	15
18	2	1	9	33	2	27	2	21	2	1	2	27	1	2	18	18	3	61	16
11			7	12		11	1	11		2	2	8	1	1	5	3	1	23	17
14	3	1	21	25	1	21	1	18	1	3	1	25		3	19	20	2	63	18
18	4	3	15	60	4	28	4	15	1	1	1	21		1	16	19	5	68	19
9			11	17	2	16	2	14			2	13		2	7	11		42	20
5	5	4	8	19		29	6	19	2	1	3	29	2	1	12	8	3	63	21
14	3	2	9	20	2	27	2	31	1	1	1	14	2	1	22	11	4	47	22
30	7	6	31	40	5	19	4	8	1	1	3	26	5		11	19	6	75	23
14	6	1	18	17	3	14	1	2	2	2	1	19	2	2	8	7	1	47	24
14	6	2	13	30	7	27	3	41	2	2	2	21	3	4	21	37	3	59	25
7	1	1	10	25	3	13	1	7	1	1	1	18		3	12	16	4	36	26
12	2	8	18	40	7	34	1	32	2	4	1	17	4	2	23	19	2	50	27
16		1	27	46	3	38	4	19	1	1	1	18	2	3	16	11	4	65	28
17	3	5	31	41	5	24	3	33	2	2	3	22	3	3	15	25	7	78	29
19	2	2	16	36	1	21	2	15	2	4	7	12	2	2	19	14	2	66	30
6	1		5	10	2	7	4	8				1	1	1	9	6	2	29	31
11	3	2	13	34	6	16		10	2	2	1	8		3	15	1	1	57	32
24	3		25	41	5	34	1	16	1	2	2	20	2	5	18	18	4	41	33
33	2	2	18	51	6	29	3	16	1	4	3	27	3	2	19	16	3	64	34
17	1	1	20	44	1	24	3	14	1	3	1	27	2	2	12	20	2	44	35
7	4	3	5	6	1	9		14	1			9			5	5	2	26	36
25	2	3	26	33	2	14	4	6	3	1	1	19	1	1	17	14	1	55	37
7	1		1	10	3	4		2				1		1	2	2		6	38
8	1		5	24	3	12	1	9	1	6	3	9	2		13	8		34	39
9	1		15	29	2	10	1	4		1		3			10	6		31	40
12	3	2	21	23	3	15	4	17		5	1	9	2	5	15	24	1	45	41
5		2	10	4	4	24	1	12		1	2	17	3	2	16	12		32	42
10	1	5	19	19	4	21		22	1	3	3	16	2	2	15	15	3	36	43
24	4	1	26	36	2	23	1	8	3	1	1	8	1		6	19	1	48	44
14	3	1	13	24	8	30	2	20		2	2	19	2	2	9	13	2	36	45
7	3	2	10	12	1	10	1	4	1		2	7		3	10	6	3	30	46
16	3	3	20	28	2	26		6	1	4	4	19	1	2	7	12	2	31	47
28	9	4	28	41	4	29	2	11	7	3	1	18	3	4	18	18	5	62	48
7		1	17	27	3	17	1	14	2	5	1	12	4	1	4	8	2	48	49
19	1	3	21	19	3	15	2	11		1	3	18			16	9	5	43	50
8	2	2	20	42	7	15	2	8	2			18	3	4	8	9	2	45	51
5	2		5	14	2	10		10		1	2	8		1	4	8	3	19	52
11	4	2	24	31	6	26	3	13	1	1	4	31	3	1	14	17	2	59	53
8	2	1	11	35	8	28	4	17	1	1		13	2	1	12	12	2	45	54
9	2	1	3	15	3	8		10	2	1		6		3	10	10		29	55
10	1	3	14	20	2	6	2	7		2	3	7	1		10	7		37	56
18	3	3	24	28	2	25	1	38		4	4	19	1	3	24	41	2	59	57
8		1	13	17		10		6	4	1	2	10	1		4	4		26	58
20	5		19	50	3	21	2	6		3	3	20	3		8	18	4	41	59
14	7		9	22	4	9	4	10	2	3	2	9		4	13	15	2	37	60
4	1		11	14		3	1	2		1		3				4		19	61
10		6	9	18	8	23	3	10	1	2	3	6		1	7	9		67	62
11	3	1	12	21	5	21	4	25	1	1	1	12	1	1	28	16	2	29	63
16	1		9	41	2	28	5	32	2	1	3	16	2	3	20	35	1	47	64
20		2	20	41	3	20	1	20	10	5	7	28	6	2	11	13		69	65
6	2		10	20	2	6		6			1	8		2	9	6		29	66
11	6	1	9	22	2	35	2	18	1	1	1	25	2	1	13	8		27	67
13	2		8	14	3	16		12	3	2		18	2	2	16	4		42	68
19	2	6	29	38	4	25	4	7		2		23	1		5	28	3	93	69
11	4	1	15	25	3	17	4	9	2	2	1	29	3	1	11	46	1	47	70
8	2	1	13	23		11		5	3	1	1	14	1	1	11	4	1	20	71
10	3		11	27		13	1	6		3	4	10		1	12	8	2	41	72

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES—Continued.														
MAINE.														
1 Total.....	9,346	95	2		68	15	32	68	103	14	655	61	95	37
2 White.....	9,334	95	2		68	15	32	68	102	14	653	61	95	37
3 Colored.....	12								1		2			
4 Androscoggin County.....	341	9					4				24	2	4	1
5 Aroostook County.....	1,068	13	1		15	6	19	17	13	2	82	6	2	3
6 Cumberland County.....	875	12			2		4	1	6	2	67	12	7	1
7 Franklin County.....	284	3			4	1		1	2		15	1	2	2
8 Hancock County.....	572	6						3	8	2	35	5	7	
9 Kennebec County.....	655	6			4		2	4	5	1	45		3	3
10 Knox County.....	488	3					1	1	5		47	4	6	2
11 Lincoln County.....	311	2				1	1	3	3	1	16		2	5
12 Oxford County.....	606	4			5		7	4	8	1	34	4	3	4
13 Penobscot County.....	917	11			15	1	15	3	11	2	69	9	13	1
14 Piscataquis County.....	284	1			1	1		3	3		27	1	6	1
15 Sagadahoc County.....	329	2					3	5	5	1	22	1	3	
16 Somerset County.....	604	4			10		20	4	8	1	33	2	12	5
17 Waldo County.....	424	4					1	1	3		29	3	2	2
18 Washington County.....	660	5	1		5		3	13	15	1	70	5	7	2
19 York County.....	948	10			7	5	2	6	8		35	6	11	5
MARYLAND.														
20 Total.....	9,115	247	10		33	20	190	105	133	22	962	25	77	49
21 White.....	6,489	183	8		27	19	79	85	94	18	587	24	49	35
22 Colored.....	2,626	64	2		6	1	111	20	39	4	375	1	28	14
23 Allegany County (total).....	337	20			3	1	5	7	8		14		1	2
24 White.....	327	20			3	1	5	7	8		11		1	2
25 Colored ¹	10										3			
26 Anne Arundel County (total).....	724	21			1	2	37	5	16		68	1	9	2
27 White.....	370	14			1	2	8	5	8		31	1	5	
28 Colored.....	354	7					29	8	8		37		4	2
29 Baltimore County (total).....	1,823	45			3	2	24	17	24	3	211	10	9	8
30 White.....	1,598	41			3	2	19	15	19	2	184	10	9	8
31 Colored.....	225	4					5	2	5	1	27			
32 Calvert County (total).....	161	3					2		1		18		1	
33 White.....	75	2							1		6		1	
34 Colored.....	86	1					2				12			
35 Caroline County (total).....	266	12			6		5	3	6		35			1
36 White.....	176	9			5		2	2	5		16			
37 Colored.....	90	3			1		3	1	1		19			1
38 Carroll County (total).....	465	16			4	1	7	3	7	5	26	1	2	
39 White.....	429	16			4	1	4	3	7	5	25	1	2	
40 Colored ¹	36						3				1			
41 Cecil County (total).....	357	8	2			2	3	1	6	3	34	1	1	4
42 White.....	276	6	1			2		1	4	2	23	1		3
43 Colored.....	81	2	1				3		2	1	11		1	1
44 Charles County (total).....	247	9					4	6	4	1	23	1	4	2
45 White.....	104	3						3	3	1	7	1	2	1
46 Colored.....	143	6					4	3	1		16		2	1
47 Dorchester County (total).....	413	12					22	3	4		46		6	1
48 White.....	213	8					7	2	3		15		1	
49 Colored.....	200	4					15	1	1		31		5	1
50 Frederick County (total).....	496	21	2			4	4	1	6	1	48	1	9	1
51 White.....	416	18	2			4	1	6	3	1	41	1	6	
52 Colored.....	80	3									7		3	1
53 Garrett County (total).....	170	6			3	1	2	2	3	1	5	1	1	1
54 White.....	170	6			3	1	2	2	3	1	5	1	1	1
55 Colored ¹														
56 Harford County (total).....	351	4					9	4	5	2	28		1	5
57 White.....	267	4					7	4	5	2	18		1	3
58 Colored.....	84						2				10			2
59 Howard County (total).....	224	7					7	4	2	1	15	1		2
60 White.....	152	4					1	4	2		7			1
61 Colored.....	72	3					6		1		8	1		1
62 Kent County (total).....	295	7	1		1		4	1	6		29		3	
63 White.....	164	4	1		1		4	1	3		11		2	
64 Colored.....	131	3							3		18		1	
65 Montgomery County (total).....	344	4			1		4	3	6		58		1	2
66 White.....	220	3			1			3	3		35			2
67 Colored.....	124	1					4		3		23		1	
68 Prince Georges County (total).....	506	13				2	7	11	7	2	65	1	6	1
69 White.....	281	6				2	3	6	2	2	22	1	3	1
70 Colored.....	225	7					4	5	5		43		3	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

283

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
579	101	111	694	1,042	172	903	107	447	45	65	44	585	30	53	420	354	70	1,932	297
579	101	111	694	1,041	172	903	107	447	45	65	44	583	30	53	420	354	70	1,927	296
25	5	34	41	9	39	2	19	2	2	2	19	3	3	14	12	4	57	5	
30	7	17	40	15	96	9	188	6	6	1	38	5	14	66	31	3	171	84	
67	7	5	76	107	18	81	11	32	2	10	49	1	1	47	36	5	178	23	
20	7	5	26	26	6	23	5	2	2	3	18	1	2	13	11	4	53	2	
36	11	8	54	60	8	58	7	9	1	2	37	1	1	29	18	6	149	9	
47	10	10	51	90	9	60	9	22	2	3	36	2	6	17	32	6	149	18	
33	6	1	45	77	9	35	4	10	2	5	36	1	1	12	16	4	110	11	
19	5	4	36	50	1	27	4	4	2	2	29	2	2	8	11	3	65	6	
32	6	7	40	80	12	84	4	17	2	4	36	1	4	31	24	6	122	17	
54	3	12	48	86	21	94	8	35	5	8	55	7	3	51	42	2	191	32	
29	4	4	19	22	4	19	6	22	2	2	20	3	3	17	17	2	61	13	
18	4	2	34	48	8	28	3	6	1	1	32	2	1	14	16	2	64	5	
37	4	7	43	65	17	64	8	25	4	1	32	2	5	26	17	5	109	28	
24	8	5	37	62	5	33	2	3	2	6	40	3	3	8	16	4	108	9	
39	4	11	33	67	15	61	10	18	4	5	34	4	4	29	25	2	150	17	
69	10	12	73	99	15	101	20	54	4	6	74	1	5	38	30	14	197	26	
353	59	95	431	673	153	799	92	642	25	50	45	602	35	55	424	454	48	1,721	486
300	57	73	334	522	110	540	71	453	15	35	35	453	23	37	307	324	42	1,266	284
53	2	22	97	151	43	259	21	189	10	15	10	149	12	18	117	130	6	455	202
18	1	5	18	20	12	25	7	27	1	1	1	23	1	1	16	24	2	66	7
17	1	4	18	18	12	25	7	26	1	1	1	22	1	1	16	23	2	66	7
1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	7	13	32	31	14	66	12	63	2	3	3	51	2	6	39	40	3	102	43
20	7	6	16	18	4	35	9	37	1	2	1	23	4	4	19	22	3	50	18
5	7	7	16	13	10	31	3	26	1	1	2	28	2	2	20	18	2	52	30
90	18	15	68	144	34	158	20	176	1	7	12	131	4	12	88	97	15	317	60
83	18	14	62	127	32	133	18	148	1	7	12	116	3	11	79	72	15	285	51
7	1	1	6	17	2	25	2	28	1	1	1	15	1	1	9	25	2	32	9
5	1	1	9	9	3	11	2	15	1	1	1	9	1	1	16	5	2	32	14
1	1	1	3	7	1	5	1	4	1	1	1	1	1	1	6	2	2	20	3
4	1	1	6	2	2	6	1	11	1	1	1	8	1	1	10	3	2	12	11
11	1	9	23	3	12	2	19	13	4	2	24	2	2	19	10	3	41	13	
10	1	6	18	18	8	4	2	6	2	2	19	1	1	13	8	2	27	7	
18	3	42	45	10	51	2	3	6	1	1	5	1	1	6	2	1	14	6	
18	3	39	43	7	46	2	2	14	4	2	35	1	2	17	16	3	110	13	
18	3	3	3	2	7	5	1	14	4	2	35	1	2	14	14	2	101	11	
14	1	3	28	36	4	39	4	13	4	1	1	34	3	9	19	4	64	11	
14	1	3	25	29	4	26	3	11	4	1	1	29	2	7	13	3	48	9	
8	1	1	14	13	1	13	1	7	1	1	12	1	1	7	13	1	16	4	
4	1	1	7	7	1	7	3	8	1	1	6	1	1	2	5	8	24	44	
4	1	1	7	6	1	13	3	9	1	1	6	1	1	5	8	1	20	12	
10	2	1	22	31	6	32	3	31	2	2	24	1	3	24	18	3	73	31	
6	2	1	14	16	2	17	2	17	1	1	11	1	1	16	14	1	42	12	
4	1	8	15	4	15	1	1	14	1	1	13	2	2	8	4	2	31	19	
26	3	8	30	41	10	51	7	24	3	3	30	3	3	21	19	3	90	22	
24	3	7	27	35	10	40	6	22	3	1	25	3	1	19	16	3	71	16	
2	1	3	6	6	6	11	1	2	2	2	5	1	1	2	3	3	19	6	
4	4	4	6	1	21	1	1	10	1	1	8	1	1	8	22	31	21	53	
4	4	4	6	1	21	1	1	10	1	1	8	1	1	8	22	31	21	54	
11	4	4	13	38	10	23	3	13	2	2	23	3	1	12	24	3	83	23	
10	4	4	13	33	6	17	1	11	1	1	13	3	1	9	19	5	67	11	
1	1	1	5	5	4	6	2	2	1	1	10	3	1	3	5	5	16	12	
13	2	2	14	17	4	22	1	18	1	1	16	2	2	9	10	4	48	7	
13	2	1	10	13	3	15	1	12	1	1	14	2	2	6	6	3	32	3	
12	1	1	4	4	1	7	1	6	1	1	2	1	1	3	4	4	16	4	
8	1	2	10	22	5	27	3	32	1	1	18	2	3	15	8	8	62	20	
4	1	1	3	18	2	8	2	23	1	1	9	1	2	7	4	4	35	13	
4	1	1	7	4	3	19	1	9	1	1	9	1	1	8	4	4	27	7	
6	1	5	22	31	10	33	1	14	1	3	28	1	2	10	14	2	68	15	
6	1	4	17	20	6	17	1	12	1	2	18	1	1	6	6	1	46	8	
14	2	6	11	11	4	16	1	2	1	1	10	1	1	4	8	1	22	7	
9	2	3	19	44	8	48	5	45	2	2	23	2	2	28	22	14	88	30	
5	3	3	14	28	5	28	4	25	1	1	15	1	1	21	14	1	52	11	
5	3	3	5	16	3	20	1	25	1	1	8	1	1	7	8	1	36	19	

* Colored population less than 10 per cent of total.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants.]

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Infu-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES—Continued.														
MARYLAND—continued.														
1 Queen Annes County (total).....	284	5	1		2	1	5	4	1	1	41	1	5	3
2 White.....	152	1	1		2	1	2	4	1		22	1	1	1
3 Colored.....	132	4					3			1	19		4	2
4 St. Marys County (total).....	63	1	1					2	1		15		1	
5 White.....	35	1	1					2	1		8			
6 Colored.....	28										7		1	
7 Somerset County (total).....	334	7				1	23	10	5		51		2	3
8 White.....	161	2					5	3	2		21		1	2
9 Colored.....	173	5				1	18	7	3		30		1	1
10 Talbot County (total).....	288	7	2		2		6	1	7	1	39		2	3
11 White.....	143	1	1		1		2	1	3	1	12		2	3
12 Colored.....	145	6	1		1		4		4		27			
13 Washington County (total).....	424	7				3	4	6	3		32	3	5	4
14 White.....	398	7				3	3	6	3		30	3	5	4
15 Colored ²	26						1				2			
16 Wicomico County (total).....	291	8			2		7	5	6		34	1	6	
17 White.....	214	6			2		4	4	3		24	1	5	
18 Colored.....	77	2					3	1	3		10		1	
19 Worcester County (total).....	252	4	1		5		2	1	2	1	27	2	2	4
20 White.....	148	1	1		1		1	1	2	1	13	2	1	3
21 Colored.....	104	3			4		1				14		1	1
MASSACHUSETTS.														
22 Total.....	12,305	68	11		66	39	54	98	164	40	1,184	68	98	62
23 White.....	12,181	68	11		66	39	54	98	164	40	1,134	67	95	62
24 Colored.....	124										50	1	3	
25 Barnstable County.....	497	1	1		1	1	2	3	4	1	28	2	4	2
26 Berkshire County.....	581	1			4		3	8	1		36	2	4	4
27 Bristol County.....	821	4			8		5	15	13		65	2	5	3
28 Duker County.....	87							1			3			
29 Essex County.....	1,515	18			8	1	6	7	17	5	96	15	12	7
30 Franklin County.....	529				1	4	6	4	5	2	27	1	5	
31 Hampden County.....	696	9	4		4	14	4	16	7	3	44	6	2	6
32 Hampshire County.....	626	4	2		8	3	1	4	14	2	33	3	4	4
33 Middlesex County.....	2,275	10			10	6	4	9	30	10	401	11	27	9
34 Nantucket County.....	60										4			
35 Norfolk County.....	1,332	4	1		3	2	6	10	22	5	119	12	8	8
36 Plymouth County.....	1,189	10	2		4	1	3	6	13	7	134	3	5	3
37 Worcester County.....	2,097	7	1		15	7	14	24	30	4	194	11	22	16
MICHIGAN.														
38 Total.....	23,519	341	18	39	171	158	159	256	315	77	1,321	58	185	154
39 White.....	23,154	334	18	39	167	158	151	255	310	75	1,239	58	178	151
40 Colored.....	365	7			4		8	1	5	2	82		7	3
41 Alcona County.....	55	1				1	5		2		6			
42 Alger County.....	107	4			1	6	3	8			3		1	1
43 Allegan County.....	555	12	1		3	3	3	3	5	3	40	4	4	5
44 Alpena County.....	80				5		2	1			6		1	1
45 Antrim County.....	187	5					1	5	2		6	1	1	1
46 Arenac County.....	97				5	1	1	1			10		1	
47 Baraga County.....	62										1		1	2
48 Barry County.....	299	3			1	1	1	2	15		5		3	
49 Bay County.....	238	3		4	3	11	2	1	3	2	15		1	1
50 Benzie County.....	128	1	2				1		2		6			1
51 Berrien County.....	701	17	2		3	5	6	3	9	2	43	2	12	2
52 Branch County.....	383	2			1	3		5	10	3	16		1	3
53 Calhoun County.....	441	9	1		1	1	5	1	17	2	15		4	2
54 Cass County.....	304	6			1	2	2	1			18		2	1
55 Charlevoix County.....	221	2				3		4	4	2	19		2	
56 Cheboygan County.....	234	7			4	4	5	1		1	13		3	1
57 Chippewa County.....	108	1			2	1	3	1	1		7			1
58 Clare County.....	107	2			3						4		2	
59 Clinton County.....	307	1			6		1	2	5		8	1		
60 Crawford County.....	54				1		1	1			6		1	
61 Delta County.....	195				1	1	5	5		1	11	1		
62 Dickinson County.....	230	1			3	11	4		2		12	2	3	
63 Eaton County.....	440	6			5	3	7	3	4		32		4	4
64 Emmet County.....	231	3			3		1	1	3		15		1	1
65 Genesee County.....	403	2	1		1	1	4	3	6	2	12		5	3
66 Gladwin County.....	85	1		2			2				2			
67 Gogebic County.....	187	1				3		11			11	1	3	2
68 Grand Traverse County.....	155	1				2	2	2	2		11		1	1
69 Gratiot County.....	354	8			5		2	2	4		19	2	6	6
70 Hillsdale County.....	442	9			2	2	4	11	2		20		1	5

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9	2	2	10	24	3	23	1	17	3	3	2	7	1		14	12		61	20	1
6	2	2	8	12	1	8	1	7	1	1		3			6	8		36	13	2
3			2	12	2	15		10	2	2		4	1		8	4		25	7	3
3			4	1		5		3		1		3		2	5	3		12	5	4
2			1	1		4		2		1		1			3	1		7		5
1			3			1		1				2		2	2	2		5		6
8		4	14	7	2	28	2	27	1	3		19	1	2	14	7	1	66	23	7
4		3	9	3		11	2	16		3		13	1	2	8	5	1	34	8	8
4		1	5	4	2	17		11	1	3		6			6	2		32	15	9
11	3	3	15	13	3	24	6	12	1	3		26	2	1	8	20		45	20	10
8	3	1	11	6	2	6	5	2		2		16	1		11	11		28	11	11
3		2	4	7	1	18	1	10	1	3	1	10	1	1	4	9		17	9	12
19	1	8	13	44	5	43	4	15		6	3	25	2	6	19	23	4	97	13	13
19	1	7	10	41	5	41	4	15		6	3	24	2	5	19	21	4	83	19	14
5	3	3	3	3	2	2		22	4	2	1	1	4	1	16	2	1	64	1	15
4	3	2	9	9	2	11	2	18	3			16	2		15	10		48	10	17
1		1	2	1		10	1	4	1	2	1	4	2		1	2		18	8	18
13	3		10	23	3	16		14				13	2	4	10	1		47	26	19
10	3		8	14	3	11		6				9		3	8	8		32	10	20
3			2	9		5		8				4	2	1	7			15	16	21
815	164	98	929	1,613	244	1,066	106	567	33	67	75	685	18	50	543	535	109	2,506	135	22
809	164	92	925	1,605	241	1,058	106	565	33	67	75	683	17	50	535	532	108	2,485	132	22
6		1	4	8	3	8		2				2	1		8	3	1	21	24	24
53	10		50	81	7	22	6	14		1	4	40		2	18	16	2	115	6	25
43	6	3	40	109	10	52	7	24	2	2	4	33	3	5	31	31	10	104	3	26
54	8	3	52	116	24	63	7	85		6	5	53	1	2	38	31	4	139	10	27
12		1	3	12	5	3	2	59	5	14	6	6	2	1	7	5	1	23	2	28
107	19	9	116	212	23	151	16					77	2	4	63	68	21	342	9	29
38	10	5	52	79	10	46	4	18	5	3	6	33	1	3	23	29	4	93	12	30
21	4	14	36	55	14	86	7	52		4	6	40	2	3	33	34	4	150	12	31
39	9	7	39	84	13	62	3	53	1	2	5	38	1	2	35	27	6	111	7	32
171	23	10	166	255	43	173	21	59	6	6	15	106	2	12	80	93	14	474	19	33
5	2		6	11		8						1		1				12		34
86	28	12	108	167	29	113	5	41	5	12	4	63	2	3	68	52	15	302	17	35
89	17	10	105	183	30	99	11	45	3	5	2	60	3	5	47	60	9	231	14	36
97	28	19	156	258	36	218	16	117	6	12	17	127	1	7	99	87	19	410	22	37
1,279	264	198	1,421	2,830	423	1,319	311	1,273	179	217	213	1,181	110	172	1,270	1,362	183	5,559	503	38
1,269	263	195	1,408	2,801	421	1,290	303	1,258	176	216	212	1,164	109	170	1,263	1,333	183	5,494	488	39
10	1	3	13	29	2	29	8	15	3	1	1	17	1	2	7	24		65	15	40
4		1	4	3	4	1	2	4			1			1	7	2		16	1	41
3	1	1	3	3	4	8		22			3	1			9	7		9	3	42
23	12	4	35	79	17	21	4	26	4	6	3	40	2	4	24	26	3	129	9	43
1		1	1	6	3	7	2	8	1			1	2	1	2	8		16	4	44
5	5	1	5	35	3	9		11	1	3		9	4	1	14	8	1	45	5	45
5	1		4	13	3	5	1	6	1	2	2	3	1	2	9	2	1	16	1	46
4			5	5		7		1		1	1	4	1	1	1	2		15	2	47
26	5		16	58	4	15	1	12	2	7	1	18		2	14	14	2	75	4	48
11	2	3	11	24	1	20	3	4	2	4	5	4	2	2	16	19	1	45	7	49
3	2		8	19	3	7	1	8		1	2	3	1	2	13	10		28	4	50
41	6	4	35	108	9	24	13	28	5	5	9	51	3	4	34	53	6	146	11	51
21	3	3	31	56	6	16	2	13	2	3	5	20	2	3	16	19	1	110	4	52
37	13	2	35	73	10	25	3	14	4	2	2	11	6	2	18	19	4	98	5	53
26	4	2	23	39	2	16	8	9	1	4	4	25	1	3	8	12	3	81	4	54
7	2	3	9	25	7	13	3	15		3	2	5	2	5	16	9	1	51	7	55
4	2	4	9	21	9	16	4	18	2	3	1	5	3		10	20		59	5	56
6	2		7	10	1	10	1	11		1	2	2		2	11	7	1	23	2	57
21	6	5	15	51	4	13	1	8	3	3	1	4	1	1	7	5	2	83	6	58
			23	51	4	13	2	3	4	2	3	16	2	2	16	9	2	83	7	59
			3	1	1	2		3		1	4				7	8	2	9	1	60
14			4	15	4	12	5	27	2	2	3			1	14	12	5	33	10	61
5	1	3	7	18	4	16	3	42	3	1	1	7		1	16	20	1	33	9	62
31	4	6	31	59	3	21	6	14	7	6	7	25	2	3	11	19	3	108	6	63
12	2	2	13	22	9	16	4	13	2	1	2	16	2	5	14	20	1	44	6	64
22	5	4	35	51	8	19	5	21	1	3		17	1	5	18	26		106	16	65
7	1	1	3	7	4	1	4	6				5	1	2	9	2	1	22	2	66
6		2	8	17	3	8		3	2			2	1	1	23	25	2	31	8	67
21	3	6	28	42	5	21	4	16	5	2	2	16	5	3	10	7	4	39	2	68
28	4	5	28	50	6	14	2	18	3	6	9	23	1	1	15	16	3	146	8	70

* Colored population less than 10 per cent of total.

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
MICHIGAN—continued.															
1	Houghton County.....	1,127	12		1	13	15	10	54	1	6	78	13	9	5
2	Huron County.....	375	4		1	3		2	7	2		17	2	1	3
3	Ingham County.....	296	6	1		2				9		14	1	1	2
4	Ionia County.....	436	9	1		1			1	9	1	17		3	6
5	Iosco County.....	119	2						4	3		5	1	2	1
6	Iron County.....	193	1			5			1	1	1	5		3	1
7	Isabella County.....	263	4			8		4		1		13		4	5
8	Jackson County.....	334				2			2	5	1	7	1		2
9	Kalamazoo County.....	301	2	1				1		7	2	14		2	2
10	Kalkaska County.....	128	7			2		1				8			
11	Kent County.....	730	5	1		1	5	4	6	9	1	48	1	5	3
12	Keweenaw County.....	97							4			9	1	2	1
13	Lake County.....	47					1					5			1
14	Lapeer County.....	442	8		19	5		5	2	7	2	20	1	8	1
15	Leelanau County.....	170	3					1	1			16	1	4	1
16	Lenawee County.....	538	7			7		2	1	13	1	19	1	1	6
17	Livingston County.....	237				1		1		2		15	1	1	2
18	Luce County.....	109	4					2				11		2	1
19	Mackinac County.....	130	3					2	1			7			1
20	Macomb County.....	497	6	1		1	5	5	12	5	3	35	1	4	4
21	Manistee County.....	161	1		1	2				1		20	1	2	
22	Marquette County.....	278	6			1		2	9	1	1	12	1	1	3
23	Mason County.....	253	3	1		1	2	4	3	5	2	20		1	1
24	Mecosta County.....	252	1			3	2	1	2	1	4	13		3	1
25	Menominee County.....	152	2				1	2	5	2	2	12	1	1	3
26	Midland County.....	197	4			4	1		2	1	1	14		2	
27	Missaukee County.....	114	3						1	7		8	1		3
28	Monroe County.....	422	10			4		4	1	2		26		2	3
29	Montcalm County.....	446	7			1	4	2	2	10		30	1	3	4
30	Montmorency County.....	49							1			4		1	
31	Muskegon County.....	214	1			1			1	5		9		1	2
32	Newaygo County.....	210	3				7		1	9		11	2	4	1
33	Oakland County.....	535	6			2	2	2	5	8	2	11	1	3	4
34	Oceana County.....	206	3				1		1	6		11	1	4	1
35	Ogemaw County.....	70	1				1	1		1		2			
36	Ontonagon County.....	91	2			2		1				6		1	2
37	Osceola County.....	203	3			1	2	2	1	2	1	6	1	4	1
38	Oscoda County.....	23							1			1		1	
39	Otsego County.....	79	2						1	3		2			2
40	Ottawa County.....	398	1			1	3	1	1	9	2	25		4	1
41	Presque Isle County.....	149	1			1		5	4			10			
42	Roscommon County.....	21										3			
43	Saginaw County.....	490	7		11	3	1		2	2	2	21	2	4	4
44	St. Clair County.....	432	6	1		3	2	4	3	8		32	1	1	2
45	St. Joseph County.....	374	1	2		1	2		2	8	2	18		3	5
46	Sanilac County.....	374	6			4	3	3	6	7		18	1	2	1
47	Schoolcraft County.....	107	1			1	6	1	2	2		5		1	1
48	Shiawassee County.....	471	8			2	2	3	3	4	3	25		1	3
49	Tuscola County.....	443	4			8	3	5	3	6	3	20		2	2
50	Van Buren County.....	464	12			1	1	6	1	4	1	19	2	2	4
51	Washtenaw County.....	447	3			4	3		2	9	1	22	1	4	3
52	Wayne County.....	1,168	28	1		2	7	6	16	6	8	115		9	7
53	Wexford County.....	287	11			5	5		2	6	1	10	2	1	2
MINNESOTA.															
54	Total.....	14,456	349	2	6	154	141	120	250	84	45	1,120	98	142	86
55	White.....	14,400	347	2	6	148	140	119	250	84	44	1,124	95	142	85
56	Colored.....	56	2			6	1	1		1	1	5	3		1
57	Aitkin County.....	89	3				3		2	1	1	6		2	1
58	Anoka County.....	155	6			4	2		1	1		17	2	6	2
59	Becker County.....	176	3				3		2			9	1	1	1
60	Beltrami County.....	265	16			6		3	10		3	22	3	3	1
61	Benton County.....	114	1					4	2	1		10		1	1
62	Bigstone County.....	87	4									5		1	1
63	Blue Earth County.....	172				3			3	1	1	11		1	1
64	Brown County.....	218	1			3	6		3	3	2	15	1	3	1
65	Carlton County.....	182	7			2		3	5			21		1	1
66	Carver County.....	172	2			2			6	1	1	12		4	4
67	Cass County.....	79	3				1		1	1		10	1		
68	Chippewa County.....	122	1			1	4		1	1		6	1	2	
69	Chisago County.....	167	3						3	3	2	14			1
70	Clay County.....	166	7			6	6	4	3			9	2		1
71	Clearwater County.....	88	4			1		1	5			8		1	1

* Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Il- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
55	5	14	35	71	23	87	11	122	17	11	8	37	7	14	81	97	6	180	24	1
25	1	1	22	43	8	27	4	25	7	5	5	20	3	3	19	15	1	95	8	2
23	4	3	27	42	6	20	7	5	3	1	1	12	1	1	12	17	3	73	4	3
23	8	5	34	75	6	15	1	17	1	3	7	32	1	3	23	21	4	102	4	4
3	1	1	5	18	1	3	2	10	1	2	2	7	4	1	7	7	1	26	3	5
10	5	4	4	4	10	17	4	26	2	2	2	3	3	3	15	35	1	22	13	6
15	5	4	16	39	9	20	4	10	2	2	5	11	1	1	16	15	3	51	3	7
25	7	2	32	48	9	26	3	7	1	3	2	16	1	1	16	26	2	77	8	8
22	7	1	31	41	5	12	5	4	4	3	3	14	1	2	13	18	5	76	4	9
3	1	1	8	15	3	5	3	11	1	1	1	10	1	1	9	9	1	25	1	10
50	8	5	53	133	16	37	10	16	5	1	7	51	1	4	25	30	4	177	8	11
1	1	1	3	2	5	7	2	17	3	2	2	3	1	3	8	9	1	20	1	12
15	3	2	27	51	6	4	1	2	4	4	8	22	1	3	3	7	4	10	13	13
4	3	1	6	11	2	3	3	11	2	1	2	10	3	2	11	11	3	48	7	15
39	4	5	50	83	7	16	7	11	2	9	3	26	4	4	21	34	6	138	11	16
12	5	2	13	45	2	13	3	7	2	3	2	11	2	2	11	11	2	61	6	17
3	1	1	9	7	1	4	2	5	1	1	3	5	1	1	4	5	2	39	2	18
6	1	3	10	8	1	10	2	13	2	3	1	1	2	2	5	15	2	30	2	19
34	4	1	47	36	9	30	3	17	3	5	4	48	1	4	23	21	3	111	11	20
13	1	1	10	16	8	14	1	7	3	3	2	10	1	1	8	6	1	29	3	21
10	1	1	10	11	9	9	8	26	3	3	3	10	3	1	27	50	3	42	7	22
13	4	6	7	27	3	8	3	14	2	8	6	14	1	3	14	19	3	57	2	23
20	6	2	14	26	6	8	1	12	3	4	3	10	2	2	20	13	3	59	6	24
5	3	3	5	14	3	16	4	17	1	2	2	3	1	1	9	18	2	20	3	25
10	2	2	14	28	3	14	2	11	2	3	4	10	2	2	15	3	8	39	3	26
9	1	1	2	8	1	10	3	7	1	1	1	7	1	1	5	5	3	26	6	27
29	2	1	21	71	8	22	7	18	8	5	4	22	2	4	24	26	1	94	3	28
25	4	2	23	65	11	17	4	18	4	1	3	24	1	3	20	14	3	126	14	29
1	3	3	3	3	4	2	1	2	2	2	1	3	3	1	3	7	2	9	1	30
13	5	2	12	37	6	17	8	6	2	1	2	14	1	1	10	6	4	52	1	31
7	1	1	9	32	5	10	1	10	2	3	3	9	1	1	15	8	2	51	5	32
25	6	5	41	64	8	25	9	22	6	3	7	27	4	3	18	30	5	166	17	33
13	2	2	14	29	6	11	2	14	2	2	2	6	1	1	16	10	2	41	5	34
3	3	5	5	7	3	3	2	2	1	1	1	8	1	1	3	2	2	23	2	35
3	2	3	3	5	6	7	2	9	1	1	2	3	3	1	6	6	3	21	2	36
10	3	3	8	26	6	5	1	12	3	2	2	18	1	4	16	11	1	51	1	37
2	1	1	1	5	2	2	2	1	1	1	1	1	1	1	1	1	1	6	1	38
6	1	3	3	3	1	5	2	12	1	1	1	5	1	1	9	3	3	18	1	39
25	2	3	33	42	5	25	10	22	2	6	2	22	1	1	26	21	4	93	5	40
6	3	4	11	11	1	8	2	16	3	4	4	2	4	1	14	3	1	39	9	41
3	3	1	3	3	1	1	1	3	1	2	2	1	1	1	1	2	1	4	4	42
21	9	9	24	58	13	27	7	31	2	3	6	29	2	2	34	31	1	114	10	43
19	3	2	33	44	6	35	8	15	5	5	3	17	2	1	17	21	1	127	5	44
18	7	7	40	50	5	23	4	8	2	1	3	25	2	4	15	17	1	92	6	45
20	4	8	26	35	3	25	5	12	4	3	2	19	2	3	31	10	3	101	7	46
1	1	1	3	13	2	7	1	8	1	1	2	4	2	2	14	3	1	22	3	47
26	11	4	27	77	9	22	7	21	3	5	2	27	2	1	14	30	2	121	8	48
25	5	2	36	55	6	34	3	29	2	3	3	20	2	4	20	17	8	104	9	49
33	8	7	27	65	5	25	5	16	2	1	5	38	1	3	23	20	1	117	9	50
34	5	6	42	60	2	24	6	19	1	7	3	24	2	2	10	25	4	113	8	51
49	7	9	61	100	14	74	16	55	7	7	5	59	2	6	59	59	15	323	43	52
14	2	2	14	34	2	13	4	18	1	4	4	9	2	2	25	15	1	51	9	53
907	168	118	601	1,086	187	1,079	167	820	189	149	87	743	63	89	726	1,058	138	3,075	400	54
905	168	118	600	1,082	185	1,069	167	818	189	149	87	743	63	89	725	1,052	137	3,069	399	55
2	1	1	1	4	2	10	1	2	10	149	87	743	63	89	1	6	1	6	1	56
10	2	2	1	7	6	1	1	7	4	1	1	3	1	1	4	6	3	16	2	57
8	3	3	11	14	1	9	1	4	1	1	5	14	1	1	5	6	2	26	1	58
7	5	1	8	8	2	12	1	12	1	2	2	13	3	1	5	14	4	48	9	59
6	1	3	10	12	1	19	1	21	6	2	2	8	1	3	15	28	9	44	9	60
5	1	1	5	10	1	12	2	17	1	1	1	1	1	1	2	8	2	18	9	61
5	3	3	5	2	2	8	2	8	2	2	2	4	1	1	5	4	3	21	1	62
16	2	1	11	18	3	16	1	2	3	1	1	15	1	3	5	19	2	37	3	63
14	4	4	14	11	4	15	2	8	3	3	3	8	1	3	16	8	2	56	6	64
6	4	3	5	12	3	13	4	24	3	3	3	4	1	1	15	20	2	29	5	65
7	4	3	13	17	6	15	6	4	2	1	1	4	4	1	11	8	2	34	3	66
6	1	1	4	2	1	5	2	4	1	1	1	4	1	1	3	5	2	21	6	67
13	1	3	3	8	1	15	2	5	1	3	3	8	3	3	8	14	2	20	5	68
13	3	2	11	18	1	22	2	3	3	3	3	12	1	3	4	10	1	32	4	69
11	1	1	8	9	3	9	3	9	2	2	2	3	1	3	8	17	4	32	2	70
8	1	1	3	5	1	5	2	6	1	1	1	2	2	2	3	5	1	19	9	71

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES—Continued.														
MINNESOTA—continued.														
1 Cook County.....	9	1												
2 Cottonwood County.....	114	2			9		1	3	1		7	3		
3 Crow Wing County.....	241	20			5	1		9	3	2	9	1	2	
4 Dakota County.....	255				1	5		10		4	26	1	6	
5 Dodge County.....	113					1		3	1		8	2		3
6 Douglas County.....	177	2			1		1		1	2	18	1	4	1
7 Faribault County.....	199			1			1	7			15	1		1
8 Fillmore County.....	266	3			3	3	1	1	3		22	1		5
9 Freeborn County.....	223	1	1			1	4	4	1	1	16	2	1	
10 Goodhue County.....	350	4			2	3	1	4	4	1	34	2		
11 Grant County.....	95	2			1	2					14			
12 Hennepin County.....	254	2			2	8	2	6		1	16	3	1	1
13 Houston County.....	138						1	1			8		1	
14 Hubbard County.....	93	3			1	1		4			4			
15 Isanti County.....	157	1			4	4					17	1		3
16 Itasca County.....	187	14			2	1		1		1	10	1	1	1
17 Jackson County.....	162				8	4	4	1	1	1	10	2		1
18 Kanabec County.....	65	2				1	1		1		3		1	
19 Kandiyohi County.....	174	1			2	1	1	3			16	1	1	
20 Kitson County.....	70	2				1	1				9		1	1
21 Koochiching County.....	61	4			1	3					3			
22 Lac qui Parle County.....	124	2			1			5		1	9		5	
23 Lake County.....	114	14			3			5		1	5	2		
24 Le Sueur County.....	195	2		1	6	1	3	4	1		10			2
25 Lincoln County.....	70	1			2		1	1	2		5			
26 Lyon County.....	149	3			1	3	4	1	2		11	1	2	2
27 McLeod County.....	176	4			2	1		2	1		15	2	1	
28 Mahnomon County.....	13	1									2	2		
29 Marshall County.....	187	11		1	1	1	2	3	3		17	1	2	1
30 Martin County.....	135	2						3	1	1	7	2	3	
31 Meeker County.....	170							2			18	1	2	4
32 Mille Lacs County.....	89	1			1		1	4			5		1	
33 Morrison County.....	224	4			6	5	3	10			23	3	1	3
34 Mower County.....	201	4					4	4	1	1	15	3	2	2
35 Murray County.....	89					1		1	1	1	3			
36 Nicollet County.....	189	17						2	2		30	2	1	1
37 Nobles County.....	114	1				2		3			8	1	3	
38 Norman County.....	110	3					4	2			16	1		1
39 Olmsted County.....	505	6	1			1		5	1	2	31	3	18	1
40 Otter Tail County.....	641	22			3	7	3	5	4		68	2	15	3
41 Pine County.....	130	4			1	1	5		1		14	2	2	1
42 Pipestone County.....	77						1		2		10		1	1
43 Polk County.....	369	11			10	3	7	10	2	1	30	2	2	4
44 Pope County.....	129	2		1	1		6	1	1		7	3	4	1
45 Ramsey County.....	83				1	3	2	4	1		6	1		1
46 Red Lake County ²	154	9			5	1	3	7	1	1	13			
47 Redwood County.....	133	1			6	2	1	1	1		14			2
48 Renville County.....	184	2			2	1	1	5	3	2	11	1	1	3
49 Rice County.....	329	3		1	1	3	2	5		1	54		1	1
50 Rock County.....	79	1		1							5			
51 Roseau County.....	100	3			1	4	4	3		1	8		1	1
52 St. Louis County.....	899	43			4	12	13	12		3	57	9	5	3
53 Scott County.....	154	1			1	5		2	1		11		3	2
54 Sherburne County.....	75	3					1	3	1		4			
55 Sibley County.....	145	1			3	2		1	1		9		4	
56 Stearns County.....	352	7			5	1	2	5	1	1	31	4	4	2
57 Steele County.....	153	1					3	2	2		10	1	2	1
58 Stevens County.....	83	3				2		1		1	2		2	2
59 Swift County.....	125	1				4	5	2	4		9	3	1	2
60 Todd County.....	203	6			6	1		1		1	11	2	2	2
61 Traverse County.....	50	4				1	1	1					2	2
62 Wabasha County.....	207	3			1	3	1	5	2	1	6			
63 Wadena County.....	84	1						1	1		7	1	1	1
64 Waseca County.....	136	2				1		1	1		10	2	3	
65 Washington County.....	145	1			1		3	3			11		1	
66 Watonwan County.....	83	1			2				1		3	3	1	
67 Wilkin County.....	100	9			1			1	2		3			1
68 Winona County.....	142				2			3	1		3		1	1
69 Wright County.....	285	2				2		4	4	2	24	4	2	1
70 Yellow Medicine County.....	113	1			3	2		1			8	1		1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

289

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	App- endi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Un- de- fined and un- known causes.	
16.	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27		29	31	32	33	35	36	(37)	38	
7	2	1	9	4		5	1	7				8		1	5	5		2		1
13	1	3	9	12		27	1	19	2			9			7	19	1	24	6	2
29	5	3	4	33		13	2	7				7			24	24	1	52	3	3
14	5	1	6	9		9	1	3				5			4	6		42	4	4
13																		28	2	5
15	4		14	18																
20	4	1	11	19		1	2	10	4	2	1	16	3	1	4	7	2	39	3	6
21	4	3	12	32		16	2	12	4	3		9			8	16	2	49	4	7
22	3	2	17	16		13	2	11	3	5	2	7			13	9	1	76	4	8
	4	2	21	33		25	6	11	4	4	4	23	3	3	16	13	-1	53	3	9
7		2	4	4		5	2	4				6			4	18	1	77	12	10
17	1	3	13	19		3	2	4				6			4	5		24	4	11
10	2	2	6	22		11	7	10		2		14	3	2	12	26	5	51	2	12
3	2		5	11		8	2	4	2			12			6	7	1	33	5	13
6	1	3	3	22		8	1	4	1			5	1		5	8	2	14	2	14
				22		14	2	12	3			9	2	2	9	7		25	5	15
3		1	1	11		9	2	22	5	2		7			13	48		25	8	16
15	1	1	4	15		7	2	7	5	3		15		1	8	8		28	4	17
3			2	7		3	2	3	2	1		3			3	3	2	14	4	18
17	3	1	12	14		13	1	3	1	3		6		1	10	6	3	36	9	19
1	2		3	3		8	1	9	1	1		2			3	7		14	1	20
3	1		1	7		4	1	3	7			1			2	17	1	9	4	21
5	4		1	7		7	1	6	7			7		1	7	9	1	31	5	22
4	2		2	6		9	3	5	2			4			8	16	3	19	3	23
9		2	6	18		5	1	17	2	2		12		1	14	11	4	52	4	24
4	1		1	6		3	1	3	3	2		3			4	3		21	2	25
10	1	1	7	9		3	3	7	1			3			11	11	1	35	5	26
14	2	3	9	18		7	3	9	2	4		15		1	5	8	2	39	4	27
1						1		1							1	1		2	4	28
15	5	1	5	8		15	2	14	2	4		6			4	10		35	3	29
9		3	7	9		12	2	6	2	2		2			15	10		30	5	30
13	4	2	14	4		1	1	10	4	2		5			7	17		35	8	31
4	2		4	12		6	2	5	3	3		4			4	6	1	20	5	32
7	1	3	9	17		11	2	17	3	4		17			8	10		44	15	33
15	4	1	16	19		20	2	8	2	1		4			11	11	2	40	2	34
5	1	1	1	6		11	2	6	2	2		4		1	10	4		22	2	35
10	3	1	5	11		1	1	5	1			4			3	4		28	2	36
7	2	2	4	10		5	3	5	4	2		4			15	4		24	3	37
8	1	1	5	1		5	3	9	1			1			7	7	3	24	6	38
73	10	5	23	29		34	10	8	8	12		46		1	6	21	3	133	7	39
35	7		19	53		40	7	32	15	10		43		4	19	28	6	158	20	40
7		2	3	2		13	1	8	2	3		3			7	16		24	2	41
9		3	1	2		7	3	4	1			6			4	4		15	2	42
20	2	1	12	25		25	1	29	9	4		16			11	28	2	84	5	43
10	1	1	13	13		8	1	13	6	1		7			3	3	2	23	4	44
			6	3		7	1	7	6	1		2			3	8	2	23	4	45
8	1	1	10	5		1	2	7	3	5		4			4	5		44	4	46
3			7	3		12	2	6	6	1		4			11	12		37	2	47
3	2		9	12		10	1	15	1	4		7			14	12	4	46	6	48
22	4	3	40	2		30	1	10	5			12			15	16		75	3	49
3	3		6	4		10		7	4	3		3		2	8	8	1	12		50
4	1		1	6		2	1	5	2			3			8	5		21	8	51
15	2	6	7	22		5	5	107	9	5		21		1	76	172	13	119	20	52
16	2		9	12		6	2	4	2	4		12		4	2	9	1	32	6	53
3			11	1		3		4		1		7			2	3		23	2	54
9		1	19	1		12	2	8	2	1		8		1	12	2		29	3	55
19	5	2	11	29		20	6	18	3	6		12		3	18	16	3	97	15	56
17	3	1	7	16		16	3	6	2	1		7		3	5	8	2	30	3	57
6	1	4	3	5		6	2	7	5	1		4			2	5	1	21	2	58
5	1	1	6	1		12		12	2	2		5		1	8	5	1	19	7	59
17	4	3	4	24		3	2	8	6	3		12		1	10	12	1	34	6	60
3	1		2	4		4	2	2	1			6			4	2		9	2	61
15	2	1	12	25		12	3	2	1			22		3	12	10	2	53	3	62
4	1	1	10	3		3	2	4		1		4		1	10	3		21	3	63
9	5	2	11	3		3		5	3			7		2	11	4	2	28	3	64
14	1	1	14	15		1	3	4	3	1		6			5	16	3	31	3	65
3		1	6	12		7	2	4	1			3		1	9	6		11	3	66
5	1	2	4	8		6	1	10	4			10			5	9	2	17	2	67
11	3	1	15	10		11	3	1	1	4		7		1	7	7	2	34	2	68
20	6		10	25		21	5	10	2	3		14		3	19	15	1	78	7	69
9			2	10		13		5	1			4		2	10	10		26	3	70

¹ Including Pennington County, which was organized November 23, 1910.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants]

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ¹ —Continued.														
MONTANA.														
1 Total.....	2,472	82		1	10	33	25	35	16	7	160	7	19	17
2 White.....	2,434	80		1	10	33	24	35	16	7	151	6	17	17
3 Colored.....	38	2					1				9	1	2	
4 Beaverhead County.....	68					3		3			5	1		
5 Broadwater County.....	39					4		2	1				1	
6 Carbon County.....	135	3			1	2	4	2	3	1	4			1
7 Cascade County.....	100	7			3		3	2			3			1
8 Chouteau County.....	127	5			3	1	2	3		1	14		2	1
9 Custer County.....	96			1				1					1	2
10 Dawson County.....	111	10				2		4	1	2	4		1	2
11 Deer Lodge County.....	98							1	1		4		1	
12 Fergus County.....	112	8					5	3	1		4		1	1
13 Flathead County.....	218	12				6	2			1	15	1		
14 Gallatin County.....	128	5					1	1	3		3		1	
15 Granite County.....	26										4			1
16 Jefferson County.....	62	2						1			2			
17 Lewis and Clark County.....	79	1				1	1				6			1
18 Lincoln County.....	41						1				1			
19 Madison County.....	69					1	2	2	1		7			
20 Meagher County.....	25					1		1			2		1	1
21 Missoula County.....	74	1						1			4		1	1
22 Park County.....	133	4				2		1	1	1	9		1	1
23 Powell County.....	56										4	1		
24 Ravalli County.....	95	1				1	3	1	2		10	1	1	
25 Rosebud County.....	24	1							1		1		1	
26 Sanders County.....	24				1									
27 Silver Bow County.....	280	4				3	3	5	1		38	2	3	3
28 Sweet Grass County.....	26	1									2		1	
29 Teton County.....	53	4			2	1							1	1
30 Valley County.....	70	11					1				8	1	1	
31 Yellowstone County.....	103					5		2	1		5		1	
NEW HAMPSHIRE.														
32 Total.....	4,391	26	1		23	4	24	36	70	14	275	7	34	10
33 White.....	4,386	26	1		23	4	24	36	70	14	275	6	34	10
34 Colored.....	5										1			
35 Belknap County.....	203	1									12		1	1
36 Carroll County.....	293				3				7		17		1	
37 Cheshire County.....	358						6	5	4	4	16		5	2
38 Coos County.....	259	4			3		2	5	5	1	7			
39 Grafton County.....	655	5			1		1	4	16	1	31	2	4	
40 Hillsborough County.....	566	2				2	3	3	9	3	37		4	2
41 Merrimack County.....	568	5			2		1	6	11		37	2	10	1
42 Rockingham County.....	703	2	1		2	2	3	12	11	3	48		5	3
43 Strafford County.....	453	5			12		6	5	6	1	49	2	4	1
44 Sullivan County.....	333	2					2	1	1	1	21	1		
NEW JERSEY.														
45 Total.....	12,974	124	17		68	70	134	211	154	34	1,285	65	101	59
46 White.....	12,283	117	15		67	66	106	209	152	34	1,155	57	91	57
47 Colored.....	691	7	2		1	4	28	2	2		130	8	10	2
48 Atlantic County.....	430	3			3	2	3	7	6	1	42	1	5	3
49 Bergen County.....	1,383	8	1		5	8	20	26	17	4	127	8	17	3
50 Burlington County.....	1,102	20	1		4	1	11	20	12	4	90	5	10	3
51 Camden County.....	718	10	1		1	3	14	8	4	1	81	1	4	1
52 Cape May County.....	294	3						2	2		25	1	2	1
53 Cumberland County.....	417	5	2		6	3	3	7	4		36	3	10	3
54 Essex County.....	667	4	1		5	32	12	45	4	4	81	5	5	4
55 Gloucester County.....	494	3			3	3	9	15	5		54	3	3	
56 Hudson County.....	873	3			1	10	1	16	5	2	212		6	8
57 Hunterdon County.....	489	4			1	1	1	2	8	2	47	2		3
58 Mercer County.....	379	2	1		3	2	6	4	12	1	42		2	3
59 Middlesex County.....	754	4	2		6	2	9	13	10	3	52	9	3	3
60 Monmouth County.....	1,006	11	2		11		10	12	15	2	69	7	6	7
61 Morris County.....	968	3	4				3	4	13	2	79	4	6	2
62 Ocean County.....	327	7			2			2	3	2	31	2	1	5
63 Passaic County.....	414	6			1	1	7	8	3	2	34	1	3	
64 Salem County.....	357	4			3		2	4	4		43	1	1	2
65 Somerset County.....	518	6			5	2	7	2	7		33	1	6	1
66 Sussex County.....	374	5	2				3	2	8	2	18	3	1	1
67 Union County.....	573	7			4		7	3	8	2	54	8	10	3
68 Warren County.....	437	6			4		6	9	4		35		1	3

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intest- inal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
81	19	29	73	169	24	157	32	141	25	26	17	138	17	20	130	410	50	455	47
81	19	28	71	167	24	157	32	138	24	25	17	138	17	20	130	402	50	450	47
		1	2	2				3	1	1						8		5	2
2	1		3	6	1	5		2			1	9			4	7	3	9	1
1		3	1	2				1		1		1			3	8	1	10	1
3			3	9	1	18	3	11	1		1	3	2	1	11	21	3	21	2
4			2	3		3		6	1	2	1	1	2	2	12	21	2	19	2
3			2	8	1	5		14	2	1	1	6	2	1	3	22	4	17	3
2	1	2	4	12	1	8	1	3	3	3		2	1	4		13	2	13	9
7	1	2	3	4	3	5	2	7	3			8		1	9	14		22	6
3	1	2	6	4		2		2				2			7	7	1	60	11
4	1	2	1	2	1	9	3	10		1		5	2	2	3	10	3	30	4
3	4	3	6	20		8	2	21	2	3	2	13	3	2	7	44	2	27	13
9		3	5	8	1	6		3	3	1	2	17	1	1	15	11	1	26	1
2			2	8	2	3		2		2		1			1	2	1	7	15
1		1	3	11	2	6	2	2				4		1	1	13	2	11	2
1	1		3	11	2	6	1	2		1		6		1	3	23	1	6	1
			3	1	1	4			1			1			4	11	2	8	1
5	2			7		4	1			1		5	1		3	12		13	2
2	1	1	3	1	2	2		1				1			3	4	2	2	20
5	1	1	10	7		1	2	1	1	1		1			5	25	4	15	21
1	1	1	2	5	1	3	3	8	2	1	3	12		1	10	15	1	24	2
8		1	2	9	1	5		1			1	3	1		6	5	3	23	6
2			1	3		1	2	2		1		1			8	8	2	5	25
3	2	5	2	22	5	26	7	23	2	5	4	18	1		9	41	2	40	1
1	1	1	1	3		2	1	3				5			2	5	1	4	1
	2	2	3	2	3	4	1	2	2	1	1	2	1	1	1	12	1	8	2
			3	3		4	1	4	1	1	1	2		2	1	12	6	10	4
			3	3	3	8		9		1		3		2	7	25		14	31
293	45	44	346	586	79	367	69	153	16	30	20	305	13	17	205	179	30	1,007	63
293	45	44	346	585	79	367	68	153	16	30	20	305	13	17	205	179	30	1,005	63
				1			1											2	34
17	1	1	15	38	1	8	3	1		4	3	11	1		8	6		66	4
25	5	5	24	42	3	36	9	7	3	4	3	10			14	6	4	56	3
21	4	7	31	40	10	29	6	20	1	3	2	23	4	1	24	10		73	7
18	3	2	16	37	5	21	4	7	3	3	17	17		1	19	15	7	60	1
41	5	5	48	80	11	57	13	12	3	4	5	53	1	2	35	30	5	169	38
35	4	6	60	73	11	41	12	14	1	3	2	50	3		25	24	2	130	5
43	6	1	57	77	13	41	5	19	3	2	1	38		6	27	25	3	114	9
45	10	10	108	108	7	52	5	32	2	2	1	46	2	1	18	35	6	171	11
26	4	4	23	49	11	40	5	31	1	2	2	28		3	19	21		85	8
22	3	3	25	42	2	42	7	10	1	1	1	29	1	2	16	7	3	83	4
658	141	115	951	1,252	197	1,146	139	826	54	66	121	988	32	62	582	723	118	2,283	198
647	138	106	922	1,211	183	1,073	133	783	53	63	117	984	30	61	541	702	118	2,168	179
11	3	9	29	41	14	73	6	43	1	3	4	54	2	1	41	21		120	47
18	5	21	38	38	8	37	9	22		2	2	34	2		18	28	3	76	8
68	11	6	93	167	22	151	15	97	10	10	19	84	3	4	62	93	23	166	20
67	11	7	82	87	14	94	12	90	1	3	14	94	4	3	64	42	5	195	27
22	6	3	56	73	6	63	7	46	3	2	3	60	2	3	29	29	3	157	16
21	8	3	30	23	4	16	7	23		3	3	19		3	12	26		49	8
25	4	6	36	50	3	26	8	19	4	3	3	26	1	3	20	16	2	77	3
25	10	6	43	56	10	63	8	26		3	6	51		5	23	16	5	107	2
35		2	23	52	10	52	6	39		3	3	34		1	26	22	1	87	3
28	7	11	30	48	10	68	8	46	7	5	8	50	4	3	33	45	12	177	9
39	5	5	58	58	3	28	6	19	2	6		48	3	3	18	22	5	83	7
19	6	3	19	35	14	21		17	5		5	35	3	2	12	28	5	71	1
26	10	6	48	63	12	59	5	87		5	5	46	3	6	49	65	9	121	14
56	12	6	77	106	21	80	10	63	7	3	7	93	1	5	35	52	6	183	31
43	13	7	67	80	16	96	15	53	2	5	9	96	3	1	45	49	8	229	11
17	5	1	21	31	3	32	3	15	2	5	9	27			20	12	1	66	2
19	4	10	22	47	8	56	2	43	3	3	3	26		3	16	20	5	53	5
13	3		26	43	4	31	3	18		4	2	24		2	16	21	5	75	6
32	2		43	63	9	42	5	27	3	1	8	44	1	1	23	42	4	95	3
28	3	4	37	46	8	42	1	18	2		7	18		2	22	33	3	45	6
38	5	3	57	38	6	42	5	35	2	2	7	49		5	23	32	9	89	6
19	6	5	45	48	6	33	4	26		1	2	30		2	16	30	4	82	10

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
NEW YORK.															
1	Total.....	37,395	374	32	2	229	207	217	242	686	95	2,871	131	241	190
2	White.....	36,866	369	30	2	227	201	212	242	680	92	2,776	127	234	186
3	Colored.....	529	5	2		2	6	5		6	3	95	4	7	4
4	Albany County.....	514	3			4	8	2	1	7		37	5	2	1
5	Allegany County.....	622	7			5	2		1	11	2	18		1	4
6	Broome County.....	542	5				9	1	2	9		29	4	4	4
7	Cattaraugus County.....	716	8			6	5	1	3	17	3	35		6	1
8	Cayuga County.....	474	17	1			1		2	11		29	1	3	1
9	Chautauqua County.....	853	2			7	5	6	9	24	4	35	4	8	3
10	Chemung County.....	311	4				1	1	1	5	1	36		1	1
11	Chenango County.....	598	4	1		5	4	1	4	23	1	26	3	2	4
12	Clinton County.....	499	3			6	9	9	6	15	2	48	6	1	3
13	Columbia County.....	532	6					2	1	15		38	3	1	2
14	Cortland County.....	310	3			2	2		1	5		10	2	1	3
15	Delaware County.....	724	17			13	5	11	3	16	2	30	1	4	4
16	Dutchess County.....	1,262	8	3		2	5	2	10	12	2	141	3	7	11
17	Errie County.....	1,334	7			15	25	5	13	21	3	97	3	9	4
18	Essex County.....	547	6			6	6	5	12	17	1	60	2	2	4
19	Franklin County.....	817	11			21		23	13	18		175	9	7	5
20	Fulton County.....	208	1					1		2	1	13	1	2	1
21	Genesee County.....	391	5	1		5			1	12		19		3	4
22	Greene County.....	525	10			1	2	2	2	3	2	64	2	10	
23	Hamilton County.....	56	3				1			1		6		1	
24	Herkimer County.....	674	1			3	1	5	5	10		51	1	6	2
25	Jefferson County.....	885	16	1		14	1		2	19	1	50	3	4	4
26	Lewis County.....	373	2			1			2	11	3	28		4	3
27	Livingston County.....	613	5			4	6	3	6	6	3	62	2	4	5
28	Madison County.....	620	5	1		3	2	4	1	17		29	1	6	5
29	Monroe County.....	845	9			1	7	8	9	12	3	45	6	7	8
30	Montgomery County.....	447	5			2	1	3	3	6	4	28	1	2	2
31	Nassau County.....	1,130	6	2		2	9	5	13	7	6	75	2	9	6
32	Niagara County.....	392	5				5	3	1	6	2	22	2	1	3
33	Oneida County.....	831	7	2		1	2	4	6	8	2	66	4	7	2
34	Onondaga County.....	934	16			1	5	3	11	15	4	65	1	9	5
35	Ontario County.....	605	6			2	2	3	2	10	3	23		10	2
36	Orange County.....	1,221	11	1	1	12	11	10	16	20	3	97	6	7	10
37	Orleans County.....	500	3				2	6	2	9	2	39	5	2	2
38	Oswego County.....	581	4			1	3	6	1	10	3	37	1	5	3
39	Otsego County.....	844	4			2	1	3	2	23	1	34	2	5	8
40	Putnam County.....	266		2		4	1	1	6	6		19	1	1	1
41	Rensselaer County.....	527	7				4	1	5	9	1	38	4	5	2
42	Rockland County.....	666	5	6		4	3	5	4	7	3	67		3	6
43	St. Lawrence County.....	1,061	13			23	1	7	5	27	2	56	7	4	2
44	Saratoga County.....	822	13			8	13	3	4	18	3	56	2	3	4
45	Schenectady County.....	181				3	3		3	1		13	2	2	1
46	Schoharie County.....	394	2	1		7	2	10	2	9		21		3	2
47	Schuyler County.....	214	1	1			2	2	1	9	1	9	1	1	2
48	Seneca County.....	564	8			1	2	1	1	10	3	50	1	5	5
49	Steuben County.....	1,054	5			2	4	5	1	13		42	2	4	6
50	Suffolk County.....	2,050	17	1		14	10	14	11	30	7	191	5	9	5
51	Sullivan County.....	669	9				7	2	3	12	1	192	1	6	1
52	Tioga County.....	395	2				1	1	1	12		16	2	3	4
53	Tompkins County.....	303	2				1	1	2	4		15	2	2	2
54	Ulster County.....	933	13	3		2	1	5	20	17	2	85	2	4	5
55	Warren County.....	214	4				1	1	1	5		20		1	1
56	Washington County.....	793	7	1		3	3	6	1	20	1	54	2	7	4
57	Wayne County.....	765	8	1		3	1	6	2	21	3	36	1	3	1
58	Westchester County.....	1,397	8	3	1	4	4	14	12	13	4	164	8	7	3
59	Wyoming County.....	467	10			4	1	1	2	6		15	1	2	2
60	Yates County.....	280	5				1			4	2	15	1	2	1
NORTH CAROLINA. ²															
61	Total.....	3,677	125	78	5	62	3	44	47	53	9	487	9	29	15
62	White.....	2,167	82	39	3	50	3	25	33	28	7	214	7	13	8
63	Colored.....	1,510	43	39	2	12		19	14	25	2	273	2	16	7

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.	Total
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	Total
2,139	444	288	3,000	4,939	589	3,091	367	1,474	143	298	312	2,556	105	176	1,485	2,292	405	7,456	319	1
2,123	442	283	2,973	4,889	581	3,032	362	1,449	142	292	311	2,533	102	174	1,467	2,244	404	7,373	312	2
16	2	5	27	50	8	59	5	25	1	6	1	23	3	2	18	48	1	83	7	3
35	3	3	39	75	8	40	7	19	5	5	41	3	3	3	19	9	9	87	4	4
34	12	4	45	95	15	45	5	13	5	3	53	5	4	4	28	8	8	143	5	5
33	2	3	53	81	15	33	5	12	2	5	36	1	5	5	18	7	7	124	4	6
53	9	9	63	96	12	63	8	29	5	8	35	1	7	7	29	9	9	151	3	7
31	7	1	55	70	5	28	5	12	3	2	31	4	2	2	27	10	10	98	4	8
57	13	7	54	142	19	63	6	37	4	5	49	2	2	31	50	6	193	6	9	
18	6	3	24	49	1	31	3	7	4	3	21	2	2	14	17	3	53	3	10	
35	7	11	60	84	10	48	9	17	4	7	51	2	4	17	26	1	120	4	11	
19	1	6	32	68	7	49	3	29	4	4	17	4	4	17	24	5	105	2	12	
33	6	2	48	57	5	45	6	19	3	5	51	2	1	19	49	5	102	8	13	
18	9	1	28	45	7	34	4	5	5	3	4	33	1	9	14	4	61	1	14	
48	5	6	50	104	13	68	11	18	5	10	41	3	6	24	42	13	134	9	15	
55	16	7	94	161	15	132	13	39	3	4	87	1	5	43	68	7	292	9	16	
74	15	11	78	179	20	141	13	74	4	10	71	4	5	68	94	7	240	10	17	
24	8	7	24	69	9	47	6	26	3	2	27	2	7	23	37	3	104	4	18	
33	4	7	28	73	5	67	5	41	2	5	37	2	6	54	27	8	122	6	19	
15	4	1	10	21	4	15	2	5	1	1	22	1	1	9	15	4	52	3	20	
23	6	1	39	47	7	27	2	17	1	1	17	1	1	13	29	2	99	2	21	
30	4	2	61	69	8	26	4	18	2	3	38	1	2	26	24	2	96	5	22	
2	1	1	2	3	3	2	4	3	1	1	3	4	2	4	5	1	13	1	23	
35	17	9	43	98	14	60	8	23	7	6	3	58	3	3	40	3	123	6	24	
57	6	10	77	136	14	64	8	24	2	10	47	2	2	52	37	11	194	8	25	
26	8	5	33	52	5	24	1	12	3	9	29	4	4	16	21	2	71	3	26	
34	5	4	40	78	11	52	4	26	3	3	31	4	2	23	38	7	139	9	27	
40	7	2	74	108	8	38	10	25	1	8	17	2	1	24	40	6	126	2	28	
52	8	3	57	114	23	48	4	78	1	10	48	3	3	45	56	14	149	5	29	
24	10	2	29	59	8	39	9	11	1	3	30	1	2	14	38	10	87	12	30	
62	10	11	75	103	12	98	13	96	9	17	15	85	8	71	100	14	163	19	31	
27	4	2	32	56	9	27	4	9	1	6	22	1	3	18	21	5	90	5	32	
59	16	5	72	104	18	92	3	36	3	2	61	2	2	34	47	7	146	5	33	
51	8	5	87	144	19	73	9	39	4	11	6	49	1	3	58	13	182	6	34	
54	11	7	73	75	11	39	8	20	4	4	48	6	7	28	35	9	116	4	35	
59	22	24	76	150	18	91	13	57	7	7	12	73	1	7	105	15	196	10	36	
35	3	1	43	66	5	46	4	19	3	6	44	4	1	21	24	8	94	3	37	
36	4	5	65	93	9	31	5	19	2	7	36	1	2	21	22	5	136	5	38	
53	16	3	85	144	12	66	8	22	4	9	13	79	2	24	50	11	149	9	39	
18	5	2	21	26	8	21	2	12	3	1	4	21	4	7	40	3	37	1	40	
30	6	8	42	81	10	43	7	16	1	2	40	1	3	19	43	5	94	4	41	
34	9	10	51	56	12	50	5	39	6	7	5	60	4	28	49	14	97	10	42	
50	16	9	77	130	12	96	9	47	5	7	6	55	5	48	55	13	257	10	43	
46	6	12	78	101	15	67	19	41	2	5	7	47	4	36	50	11	139	9	44	
11	1	2	15	12	18	18	5	18	1	1	11	2	1	5	25	3	30	2	45	
27	4	4	43	64	2	33	5	5	1	4	40	1	1	9	17	5	67	3	46	
15	1	1	15	35	4	14	3	4	4	5	19	1	2	9	11	2	45	1	47	
36	10	4	44	102	6	51	3	8	2	5	1	48	1	12	27	5	110	3	48	
67	8	4	123	171	9	69	9	21	3	9	15	80	5	18	56	13	280	5	49	
85	11	11	117	178	31	206	10	59	5	12	12	165	6	70	77	17	651	9	50	
12	8	3	44	73	7	50	12	28	3	3	9	33	1	10	25	6	96	9	51	
20	8	1	43	46	9	30	4	13	4	7	2	32	2	7	24	7	90	8	52	
32	1	1	30	55	2	20	7	4	1	6	1	18	3	1	25	3	53	1	53	
50	8	13	76	125	16	92	17	27	5	10	6	73	2	8	89	9	154	10	54	
14	3	1	16	25	2	15	7	1	2	3	25	2	1	7	12	3	49	1	55	
38	5	5	72	103	16	74	7	31	2	6	7	71	3	6	53	7	146	6	56	
38	10	10	78	110	16	57	6	28	3	8	13	49	2	32	43	6	165	9	57	
101	18	8	92	137	18	142	11	89	12	11	8	105	4	61	121	13	175	13	58	
25	9	1	49	92	9	29	5	20	3	4	6	19	1	18	18	8	104	2	59	
14	4	1	26	49	10	22	1	7	4	2	2	19	1	8	13	4	62	3	60	
78	15	47	121	233	46	317	31	300	24	20	20	183	19	53	132	11	693	235	61	
63	12	35	79	130	24	188	14	190	22	13	12	113	7	34	96	11	434	103	62	
15	2	12	42	103	22	129	17	110	2	7	8	70	12	19	58	1	259	132	63	

* Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
OHIO.															
1	Total.....	33,538	793	28	9	389	112	304	235	616	103	2,971	132	360	202
2	White.....	32,762	770	26	9	382	109	297	231	605	102	2,836	129	345	195
3	Colored.....	776	23	2		7	3	7	4	11	1	135	3	15	7
4	Adams County.....	266	4	3		2		6	1	9	1	38		6	1
5	Allen County.....	310	10			5	1	4	3	5	1	35		2	
6	Ashland County.....	278	6	1		4	1	2	2	9	3	17	1	1	4
7	Ashtabula County.....	600	17			10	5	9	1	12	1	36	1	5	6
8	Athens County.....	729	17			7	1	14	10	10	4	92	2	10	4
9	Auglaize County.....	385	2			7	2	2	8	9	2	37	4	8	3
10	Belmont County.....	894	20	1		7	3	5	16	21	2	79	2	5	4
11	Brown County.....	322	9	1		3	1	1	1	10		58	3	3	1
12	Butler County.....	295	5			1		2	1	8	1	12		4	4
13	Carroll County.....	146	4					2	1	3		9		1	1
14	Champaign County.....	351	5	1		2		1	5	7		41	1	5	2
15	Clark County.....	220	2			2	1	3	1	7		13		2	2
16	Clermont County.....	416	8					1	1	12	2	39	1	2	6
17	Clinton County.....	271	3			4	1	6	2	10		34	1	2	2
18	Columbiana County.....	728	15			13	8	10	1	19	1	56	4	6	3
19	Coshocton County.....	392	12			5		2	2	8	2	33		1	3
20	Crawford County.....	408	12			1		2	2	7	2	32	2	6	
21	Cuyahoga County.....	813	10		8	6	1	6	4	8	1	62	6	1	9
22	Darke County.....	518	13	1		3		3	2	7	2	66	9	9	5
23	Defiance County.....	292	11			5		9	2			28	1	5	
24	Delaware County.....	335	15			1		1	3	7		44		5	
25	Erie County.....	415	2			1			3	3	4	34		1	1
26	Fairfield County.....	276	5			1		3	8	3	1	22	2	5	3
27	Fayette County.....	260	10			3	2	2	2	6		24	1	6	1
28	Franklin County.....	536	9			14	1	4	1	9	5	62	6	4	1
29	Fulton County.....	258	4			4	2	2	1	4	1	24	1	4	2
30	Gallia County.....	453	4			2	1	4	3	7		43	2	4	2
31	Geauga County.....	190	2			6	1	5		4	2	7		2	2
32	Greene County.....	410	5			3			1	8	1	44		5	2
33	Guernsey County.....	374	7			10	1	3	3	7	2	32	1	4	4
34	Hamilton County.....	954	26	3		6	4	8	3	22		104	5	7	6
35	Hancock County.....	228	3			4	1	2	2	6		24	1	2	1
36	Hardin County.....	409	13			4	2	3	2	11	2	42	4	6	2
37	Harrison County.....	254	6			4		1	1	4		21	1	1	
38	Henry County.....	289	8	1		4		1		7	2	22	3	2	4
39	Highland County.....	403	12	1						12	1	34	2	4	5
40	Hocking County.....	320	7			13		3	10	4	1	27		3	2
41	Holmes County.....	223	4						3			12	1	4	2
42	Huron County.....	455	5			1			3	6	1	26	1	9	7
43	Jackson County.....	432	16	3		21	2	10	8	9	1	41	1	6	5
44	Jefferson County.....	555	21			9	9	9	3	7		35	1	2	4
45	Knox County.....	429	7			2		3	2	8	2	33	1	8	1
46	Lake County.....	340	9			1	4	4	6	2		24	1	1	3
47	Lawrence County.....	327	10			5	1	5	2	4	1	42		5	1
48	Licking County.....	391	5	1		2		5		16	2	33	2	1	2
49	Logan County.....	356	6			1		4	1	5		27	2	9	2
50	Lorain County.....	381	3			1		2	1	8	3	29	2	6	
51	Lucas County.....	289	9			9	2	2	1	1		20	3	3	1
52	Madison County.....	222	6	1		2	2	1	5	2		23		2	
53	Mahoning County.....	531	13			11	1	7	7	6	3	30		2	
54	Marion County.....	172	6			1	2	5		7		15		7	3
55	Medina County.....	272	4			3			1	2	2	15		5	1
56	Meigs County.....	339	8			1	2	3	5	5	1	38		3	4
57	Mercer County.....	349	4				1	8	6	5	2	32	1	8	2
58	Miami County.....	379	6					2	3	4		29	4	2	3
59	Monroe County.....	250	7			2			1	7	1	36	2	3	
60	Montgomery County.....	755	8				1	4	1	12	4	59	1	4	
61	Morgan County.....	206	3			1		3	2	8		17		1	
62	Morrow County.....	190	6	2		1			3	3		11	1	3	
63	Muskingum County.....	372	10			2		19	1	7		34	2	6	6
64	Noble County.....	234	8			1		1	1	1		21		5	3
65	Ottawa County.....	280	2			1	1	1	1	10	1	23		1	1
66	Paulding County.....	249	12	1		4		6	2	4		27	2	5	2
67	Perry County.....	400	10	1		7	1	14	5	7		35	1	4	1
68	Pickaway County.....	360	7			9	2	1	3	9	2	30	3	3	2
69	Pike County.....	212	3			13	1	1	4	4	1	25			
70	Portage County.....	460	13			7		7	4	4	2	30	1	1	2
71	Preble County.....	277	5				1	3	1	2		21	2	5	1
72	Putnam County.....	348	16			6	1	5	5	10	1	32	2	4	3
73	Richland County.....	318	9			1		1		4	2	29	3	4	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

295

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Menigitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diar-rhea and enteritis (under 2 years).	Ap-pendicitis.	Her-nia, intestinal obstruction.	Cirrho-sis of the liver.	Nephritis, Bright's disease.	Puer-peral fever.	Other puer-peral affections.	Con-genital debility and mal-formations.	Violent deaths (excluding suicide).	Sui-cide.	All other causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
1,927	343	368	2,144	3,845	427	2,501	336	1,580	166	268	283	1,829	190	162	1,591	2,101	300	6,542	381
1,895	342	361	2,102	3,770	420	2,435	332	1,547	164	260	278	1,773	188	160	1,562	2,066	296	6,408	367
32	1	7	42	75	7	66	4	33	2	8	5	56	2	2	29	35	4	134	14
15	5	4	10	36	1	17	4	13	1	4	1	10	-----	4	8	8	3	49	2
22	2	5	10	26	3	23	6	12	4	2	7	20	2	2	12	21	1	59	5
14	4	4	18	47	5	23	3	4	1	2	2	11	2	1	9	21	3	52	1
40	9	4	50	75	9	43	4	25	3	3	3	34	2	4	27	41	3	115	3
24	11	11	21	76	4	52	6	47	1	2	3	38	5	4	43	61	6	136	7
19	8	5	27	22	6	23	8	20	2	6	6	15	1	1	26	20	6	75	5
33	4	8	46	78	7	109	10	82	4	4	5	39	3	3	40	38	6	138	17
20	3	3	20	47	3	13	1	10	-----	-----	-----	13	2	3	22	20	4	46	4
16	2	6	20	37	7	17	3	18	-----	-----	-----	23	-----	1	9	15	3	53	22
10	1	-----	19	15	-----	16	2	4	-----	-----	-----	6	-----	1	7	11	-----	30	-----
30	5	2	15	41	3	16	1	6	3	6	2	28	3	1	15	21	3	76	4
17	5	3	19	25	3	15	7	8	2	1	4	8	-----	-----	8	7	5	50	-----
20	4	1	16	74	6	20	5	24	1	5	4	23	2	-----	13	21	9	85	2
17	4	4	17	35	2	12	3	3	4	-----	-----	15	2	-----	11	7	3	62	2
46	5	16	38	78	14	57	8	37	-----	-----	-----	30	10	6	39	50	9	130	7
27	6	4	27	45	4	32	2	23	4	-----	-----	24	2	2	17	19	1	79	2
26	3	6	39	32	4	26	3	10	1	7	4	40	1	2	14	32	6	84	2
39	8	4	54	108	16	69	11	52	5	6	2	62	1	2	31	64	14	138	3
23	1	4	35	55	6	34	8	16	-----	-----	-----	28	2	2	25	19	2	114	6
21	3	5	13	30	5	21	2	9	2	7	-----	12	2	3	17	18	1	54	6
26	5	4	27	37	4	18	9	10	4	1	3	10	3	1	19	14	3	59	2
22	7	-----	42	82	-----	10	5	8	2	4	4	28	-----	-----	13	41	6	99	3
22	-----	8	17	35	3	15	3	8	1	1	5	15	2	3	14	11	1	54	3
14	4	3	10	33	1	14	1	13	2	-----	-----	14	-----	2	11	18	2	60	4
31	3	7	38	61	6	38	8	23	-----	-----	-----	27	3	-----	19	47	8	94	3
14	5	5	27	26	4	16	2	9	2	4	4	13	1	2	14	14	1	44	4
16	1	9	29	41	2	53	2	2	-----	-----	-----	12	4	2	9	14	2	151	2
11	3	1	13	36	4	23	-----	2	3	3	3	14	-----	-----	6	7	-----	86	2
25	3	4	25	61	9	31	-----	3	-----	-----	-----	23	-----	-----	21	10	2	40	3
24	1	5	18	34	2	30	4	36	1	1	1	13	3	1	25	27	2	64	3
58	9	16	38	98	34	77	5	42	2	6	12	64	8	7	39	52	6	172	15
10	3	2	10	25	1	15	1	8	2	2	5	12	2	2	18	7	6	51	1
21	7	5	25	34	2	19	6	28	2	1	2	25	5	5	14	40	2	70	5
19	2	4	20	23	2	26	4	8	1	2	2	18	-----	2	14	12	-----	52	4
26	2	6	24	29	5	17	6	7	1	2	5	16	2	-----	9	16	3	56	3
21	4	3	34	55	4	33	2	10	1	8	5	22	1	2	16	22	4	77	8
17	4	5	15	29	4	25	2	34	4	1	3	18	1	-----	18	15	2	50	5
12	3	3	14	28	3	19	1	5	1	3	1	12	2	-----	12	14	4	58	4
35	6	1	40	62	8	28	2	15	3	7	3	18	3	-----	16	34	3	109	3
27	3	3	13	40	8	25	4	29	-----	-----	-----	18	2	-----	30	35	1	56	9
15	2	2	20	31	12	61	2	68	2	2	2	19	6	2	39	35	4	74	7
41	7	4	40	54	4	35	1	18	6	6	6	17	3	-----	13	15	4	91	2
22	3	5	16	39	6	38	3	11	2	4	1	16	2	-----	10	30	1	64	4
6	5	5	12	25	6	46	5	19	3	3	3	21	1	-----	22	15	2	45	8
24	2	8	39	54	4	23	1	11	1	1	-----	21	4	6	19	20	6	75	2
31	5	2	22	55	2	20	3	8	5	1	1	27	-----	1	14	17	2	80	3
32	5	4	23	55	6	32	4	13	3	2	3	18	1	2	10	26	7	78	2
14	2	2	16	30	4	18	4	12	-----	-----	-----	17	3	-----	16	23	3	58	4
16	2	5	11	22	2	16	4	15	-----	-----	-----	13	1	-----	14	8	2	40	3
28	3	2	22	51	6	63	10	54	1	4	1	32	3	1	33	42	6	81	8
4	3	2	13	12	2	15	3	6	1	1	3	13	3	-----	5	11	1	27	1
14	1	2	23	29	5	23	2	11	4	2	2	14	4	1	16	24	2	56	1
15	4	4	19	34	4	37	5	13	1	-----	-----	15	1	1	14	18	1	75	5
22	3	10	26	28	3	10	5	22	3	3	3	17	3	2	16	12	-----	73	7
22	4	2	30	58	6	37	2	16	2	2	6	21	1	-----	9	15	4	81	8
12	-----	6	12	25	4	25	1	10	-----	2	3	15	1	-----	17	10	3	48	3
14	2	2	12	42	2	19	1	5	3	7	8	78	-----	1	29	45	7	184	-----
17	2	-----	15	29	-----	13	-----	4	1	1	2	6	1	3	10	7	-----	39	1
29	6	2	27	45	1	23	6	13	1	3	1	22	2	-----	15	16	2	67	2
16	3	2	14	33	4	26	3	12	1	1	-----	9	2	3	13	11	2	37	4
19	3	3	14	29	5	18	4	15	2	1	7	19	4	1	17	27	2	48	-----
13	1	3	9	22	4	21	1	12	2	1	3	17	1	2	15	10	-----	43	4
22	3	5	22	37	7	38	4	21	1	5	3	16	1	3	33	31	6	54	2
13	1	5	30	26	5	35	2	16	2	1	1	19	4	2	27	20	-----	75	5
6	-----	1	14	31	2	13	3	4	-----	-----	3	5	-----	-----	10	17	2	44	5
36	6	3	21	62	12	22	2	20	3	5	4	25	1	1	14	37	6	102	8
16	1	4	23	34	2	23	3	4	5	-----	5	19	5	-----	14	9	4	59	5
17	4	8	19	20	1	21	5	21	1	5	7	22	1	3	22	22	2	60	2
13	2	4	30	33	1	18	4	5	2	1	3	21	4	2	19	23	1	72	6

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.														
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gititis.	Other forms of tuber-culosis.	Rheu-matism.	
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
OHIO—continued.															
1	Ross County	350	8		3	1	2	5	6	1	39		8	1	
2	Sandusky County	378	12		2		4	8	8	1	27	4	3	2	
3	Scioto County	362	13	2	25		6	6	7		48	3	6	2	
4	Seneca County	360	4		4		2	1	4		43		4	2	
5	Shelby County	285	8	1			1	1	5		29		2	1	
6	Stark County	644	8		2	3	3	4	9	5	46	1	6	2	
7	Summit County	546	9	2	12	2	2	1	4	3	44	1	2	10	
8	Trumbull County	591	28		16	3	7	7	20	1	26	3	4	4	
9	Tuscarawas County	599	28		6	7	9	2	7	2	32	2	3	2	
10	Union County	290	6		2				6	2	26		4	1	
11	Van Wert County	336	11		1	3		3	2		34	1	3		
12	Vinton County	186	9					1	4		17	4	4		
13	Warren County	321	6		5			3	5	1	25		6	4	
14	Washington County	388	15		4			5	6		41		4	4	
15	Wayne County	476	9		1	1	2	3	9	3	39	3	6	4	
16	Williams County	291	8		1	1	2	1	4		24	1	5	2	
17	Wood County	560	19		9	6	3	1	8	1	43	2	8	5	
18	Wyandot County	230	8	1	2	1			3	1	27		3		
PENNSYLVANIA.															
19	Total	57,880	973	28	3	655	548	530	1,106	744	165	3,867	136	384	307
20	White	56,828	957	28	3	654	545	516	1,102	732	164	3,665	131	362	302
21	Colored	1,052	16			1	3	14	4	12	1	202	5	22	5
22	Adams County	428	4		1		5	6	1	1	33	2	7	2	
23	Allegheny County	5,384	91	2	141	70	58	92	42	9	511	7	45	27	
24	Armstrong County	914	15		12	9	14	19	17	3	58	5	7	9	
25	Beaver County	956	26		11	4	15	13	13	1	53	3	6	4	
26	Bedford County	424	16		2		10	10	7		28	2	1	3	
27	Berks County	1,268	23		4	8	6	27	28	7	68	1	9	11	
28	Blair County	716	10		7		15	16	6	1	36	1	6	4	
29	Bradford County	843	15	2		2	5	7	18	2	44	1	6	4	
30	Bucks County	1,059	14	1	4	9	9	13	23	2	77	4	6	3	
31	Butler County	642	10		2	6	7	6	6	2	49		3	6	
32	Cambria County	1,532	28		18	20	27	28	11	6	79	4	14	8	
33	Cameron County	90			4		2	3	3		4		1		
34	Carbon County	857	5		5	9	4	21	12	4	52	1	5	3	
35	Center County	575	10		4	1	5	3	19		29		4	3	
36	Chester County	1,142	19		5	3	9	14	23	4	83	4	14	4	
37	Clarion County	453	5		3	3	2	1	1		27	4	2	3	
38	Clearfield County	1,043	21		32	2	21	7	16	2	46	2	2	6	
39	Clinton County	410	6	1			6	6	2	3	31	2	3	3	
40	Columbia County	617	14	1	5	2	6	7	12	2	30		1	4	
41	Crawford County	739	14	1	3	3	2	1	15	1	35		5	4	
42	Cumberland County	569	7		1		4	11	8		56	1	2	8	
43	Dauphin County	968	8	1	20	54	2	36	9	3	104	1	9	6	
44	Delaware County	1,086	13		3	4	12	23	17	3	102	2	11	5	
45	Elk County	412	15		6	8	7	6	12	1	20		5	1	
46	Erie County	698	9	1	3	4	2	3	18	1	44	2	5		
47	Fayette County	2,179	53	1	34	20	25	47	14	7	107	5	21	7	
48	Forest County	85			1		4	1	3		3			1	
49	Franklin County	771	17		2		2	10	6	1	188	7	6	5	
50	Fulton County	126	7	1			1	2	6	3	9		2	2	
51	Greene County	380	8		4	1	2	4	6	2	40	1	3	3	
52	Huntingdon County	451	8			1	7	1	11	2	34	2	1	2	
53	Indiana County	915	15		30	5	4	12	4	2	38	3	4	7	
54	Jefferson County	852	25		34	2	23	8	11	2	31	5	9	6	
55	Juniata County	186	1				2	6	4		13		3	2	
56	Lackawanna County	1,395	3	1	10	31	10	35	10	1	73	5	8	5	
57	Lancaster County	1,500	21		3	7	2	15	23	6	117	5	8	14	
58	Lawrence County	442	5		7	4	1	9	4	2	21	1	4	2	
59	Lebanon County	570	17	1	1	3	4	13	7	2	40	2	2	3	
60	Lehigh County	1,036	12		11	5	3	22	7	3	83	2	5	8	
61	Luzerne County	3,169	19	2	1	12	22	40	156	20	171	6	10	19	
62	Lycoming County	556	10		6	3	3	6	10	2	33		2	5	
63	McKean County	414	13		4	5	2	4	8	5	24	1	2	2	
64	Mercer County	759	12	1	20	5	10	12	9		47		8	3	
65	Mifflin County	373	3		4	1	7	3	4		37	2	7	1	
66	Monroe County	341	1		7			2	8	1	22		1	2	
67	Montgomery County	1,698	29	1	5	11	14	48	26		161	4	6	14	
68	Montour County	300	9	2	1		5	3	4	2	24		1	2	
69	Northampton County	1,105	14		8	3	5	36	12	1	70	3	3	3	
70	Northumberland County	868	9	3	12	11	9	17	14		45	2	2	3	
71	Perry County	356	5			5		4	5		17	1	2	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."]

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Un- de- fined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
18	3	2	15	36	3	40	3	17		3	5	17	3	6	17	25		59	4
28	2	1	32	45	4	23	4	14	3	3	1	23	1	1	17	20	4	82	7
12	1	4	9	34	2	27		22		4	3	16	2		26	16	2	59	5
24	6	4	24	47	7	24	3	17	1	5	3	26	2	1	12	26	4	56	4
17	12	2	21	33	5	17	6	18	2	3		22	2	1	12	11	2	50	1
33	8	3	56	97	6	37	9	16	1	6	7	22	6	2	25	33	4	175	9
25	1	9	36	53	7	40	4	41	3	6	5	30	5	1	25	41	7	111	4
29	5	6	36	59	10	65	2	32	1	4	4	20	2	8	28	40	6	107	12
39	8	3	44	82	8	26	9	29	1	6	4	39	5	2	33	37	5	114	5
25	5	3	24	29	1	29	2	11	2	3	2	13	1	1	17	10	3	61	1
19	5	6	25	37	4	21	4	21	1	6	3	21		4	20	12	3	66	
3	3	1	7	20		11	3	11		3		11		1	15	10	1	45	5
20	5	2	22	37	4	21	3	12	1	2	4	22	1	2	8	28	6	63	3
20	2	5	22	47	4	29	5	16	2	1	1	15	3	3	15	21	5	84	4
25	1	3	43	54	8	27	3	10	5	3	3	29	4	2	26	45	4	95	6
15	5	2	20	42	4	18	2	11	2	2	4	10	3	3	15	14	5	64	1
36	12	7	35	59	8	36	6	24	4	9	6	32	2	2	28	37	7	101	4
18	2	5	20	22	2	7	4	8	1	2	5	6	1	1	10	11	4	54	1
2,380	420	460	3,304	4,743	369	5,719	825	5,331	184	365	400	2,769	270	382	3,517	4,152	357	10,250	1,737
2,357	419	448	3,266	4,652	349	5,603	807	5,269	181	361	397	2,716	269	372	3,461	4,103	353	10,086	1,698
23	1	12	38	91	20	116	18	62	3	4	3	53	1	10	56	49	4	164	39
25	4	3	52	49	4	31	8	19	2	1	1	35	3	3	20	16	3	76	11
164	24	58	180	353	110	724	69	583	15	20	46	176	29	24	308	364	41	907	23
30	6	13	39	65	9	94	7	76	2	6	4	41	4	8	53	82	9	171	27
33	2	10	40	62	10	125	15	81	7	7	5	23	3	6	63	91	9	191	24
24	3	1	28	40	3	36	5	19	1		2	26	1	4	25	19	2	95	11
63	17	8	108	102	20	108	15	72	1	6	14	67	6	6	62	50	17	274	60
27	8	8	51	54	11	70	16	58	2	3	4	53	4	7	58	31	4	131	19
61	10	3	76	129	11	64	13	27	8	7	3	46	4	3	38	54	5	157	18
67	10	12	78	109	19	67	17	76		11	10	73	1	4	59	60	7	202	12
37	4	7	40	52	11	66	7	67	2	2	10	28	3	2	29	42	1	114	21
34	3	7	39	63	22	166	18	256	4	11	8	45	10	11	168	129	7	227	61
1	1		5	7		5	1	5				4			9	11		22	3
31	11	7	44	56	18	96	20	117	1	5	6	41	5	6	60	76	5	109	22
32	3	4	45	76	8	41	10	40		7	4	34	3	4	29	32	1	110	14
51	6	13	72	137	12	76	17	67	1	10	8	88	2	6	54	83	8	216	33
27	2	4	31	68	8	34	2	17	2	4	4	30	1	2	27	30	2	97	10
37	6	12	45	73	13	134	23	121	4	8	3	31	5	11	92	58	11	164	35
13	4	2	27	39	2	32	6	18	6	2	2	24	2	6	26	29	4	102	7
32	3	2	58	79	7	52	4	37	2	10	3	30	2	5	50	30	4	102	21
39	10	9	67	92	15	46	7	34	2	6	10	69	4	5	32	45	6	148	9
26	5	7	65	68	5	40	11	32	2	4	3	32	2	4	25	27	2	95	16
29	8	5	51	81	11	79	15	65	2	8	4	46	5	5	51	40	4	184	21
44	7	7	78	103	24	104	21	75	4	5	7	79	4	12	53	66	6	175	17
20	7	5	24	29	3	38	3	36	3		1	22		3	33	32	2	61	9
61	10	3	52	102	9	33	10	22	1	6	7	32	1	4	39	52	5	139	18
64	8	20	60	86	25	299	10	312	4	12	9	62	12	19	152	213	8	333	130
2	2	2	9	7		9	1	8		1	1	3	1	1	4	4		14	3
36	6	5	53	61	6	51	11	22	1	2	5	48	3	7	32	24	3	135	16
4		2	7	12		8	3	3		3		9			4	4		25	5
26	4	4	17	40	2	35	3	25	2	1	2	16	1	1	17	17	4	80	8
13	5	2	34	44	7	35	8	23		2	4	28	3	2	27	30	3	93	19
37	5	4	49	46	15	101	10	111	3	6	6	34	4	5	71	81	2	164	37
33	3	4	25	85	15	89	17	75	2	15	3	23	2	7	68	64	1	146	19
1	1	1	14	35	1	10	1	7	1		2	13		1	22	10		31	4
42	12	10	26	78	35	189	25	228	1	2	15	63	13	10	80	122	7	218	27
82	10	10	138	168	16	125	19	84		14	16	91	6	12	72	64	5	312	35
24	3	6	28	32	8	48	4	33	1	1	4	28	3	2	16	33	8	78	22
26	2	3	45	40	3	55	9	32		2	3	30	2	4	27	27	2	129	34
34	11	10	94	64	18	102	18	89	2	10	3	47	4	8	63	88	8	168	34
79	15	13	126	137	66	369	64	497	11	21	20	130	18	20	214	291	11	463	113
46	15	4	45	48	8	45	7	30		3	3	37	3	3	26	29	7	109	7
23	4	7	25	34	3	29	2	28	6	2		21	2	2	28	31	5	84	8
37	7	10	53	88	7	72	4	40	7	3	7	41	7	2	35	48	6	144	14
9	4	2	23	49	3	29	4	28	2	5	4	17	1	6	29	16	2	65	6
14	6	4	30	22	4	24	5	17	3		6	22	3	3	17	26	3	79	9
88	16	11	129	163	24	141	26	119	8	12	15	100	6	7	78	90	13	302	31
18	2	1	25	34		23	6	10		3	2	13	1		9	14		85	1
48	13	12	86	88	19	104	12	89	2	10	8	68	1	2	78	89	7	185	26
30	9	5	42	85	11	103	27	108	2	5	2	26	8	5	46	53	3	141	30
18	3	2	30	57	4	26	2	16		2	1	23	1	3	14	17	4	78	15

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.														
PENNSYLVANIA—continued.														
1 Pike County.....	117	1					2	1			5		1	
2 Potter County.....	409	3	1		2	6		6	16	3	15	1	3	3
3 Schuylkill County.....	2,470	25	1		12	62	12	65	22	11	103	5	7	4
4 Snyder County.....	246	8			3	3	3	2	3	1	13	1	4	
5 Somerset County.....	890	31			12	12	3	24	2	3	44	1	5	2
6 Sullivan County.....	123	3			2	3	1	3	1		10			
7 Susquehanna County.....	649	11	1		1	6	3	7	15	3	38	1		7
8 Tioga County.....	570	19				3	2	5	11	2	25	3	2	1
9 Union County.....	184	2			1	2		2	2		9		3	
10 Venango County.....	540	9			3	3	4	1	9	1	43	2	3	6
11 Warren County.....	476	5			2	2	2	4	16	3	48	1	4	2
12 Washington County.....	2,002	45	1		31	28	24	52	23	4	110	3	18	10
13 Wayne County.....	415	6			1	2		4	2	1	27		4	2
14 Westmoreland County.....	2,853	72	1	1	63	51	26	60	27	14	135	6	21	6
15 Wyoming County.....	232				4	4		1	2	2	8	2	2	2
16 York County.....	1,052	19			9	1	8	23	14	2	87	4	8	9
RHODE ISLAND.														
17 Total.....	1,734	10	2		35	3	3	24	26	3	111	11	6	6
18 White.....	1,694	10	2		35	3	3	24	26	3	107	11	6	6
19 Colored.....	40										4			
20 Bristol County.....	327	1			21	1		4	4	1	18	3		2
21 Kent County.....	191	1	1		5		1	3	2	1	13			
22 Newport County.....	192	4						1	1		6	1	1	
23 Providence County.....	623	2	1		8	2	2	14	11		51	5	4	4
24 Washington County.....	401	2			1			2	8	1	23	2	1	
UTAH.														
25 Total.....	2,519	83		1	2	62	58	36	24	16	57	4	6	28
26 White.....	2,496	80		1	2	62	58	36	24	16	56	4	6	28
27 Colored.....	23	3									1			
28 Beaver County.....	42	2				4		1			1			
29 Boxelder County.....	122	4				5		1	1		2	1	1	3
30 Cache County.....	211	5				4	1	1	3	1	1		1	3
31 Carbon County.....	97	3					1	1		1	1		1	1
32 Davis County.....	106	4				3	1	1	1	1	2		2	3
33 Emery County.....	43	2						1			1			
34 Garfield County.....	27													
35 Grand County.....	12	1									1			1
36 Iron County.....	41	4						1	2		1			
37 Juab County.....	116	6			1	9	3	1	1		5			1
38 Kane County.....	18					1	12							
39 Millard County.....	51						5	2						2
40 Morgan County.....	15								1					
41 Piute County.....	10													1
42 Rich County.....	21									1	1			
43 Salt Lake County.....	378	1			1	13	5	8	2	4	17	1	1	5
44 San Juan County.....	7	4				1		1						
45 Sanpete County.....	195	12				5	6		4	1	3			1
46 Sevier County.....	86	4				1	6	3	2					
47 Summit County.....	112	4				4	1	1	1					3
48 Tooele County.....	100	8				3		1		1	4	1		1
49 Uinta County.....	64	3				1			3					
50 Utah County.....	404	9				4	15	4	2	5	12	1		2
51 Wasatch County.....	85	5		1				4		2	3			1
52 Washington County.....	49	1				1		1						
53 Wayne County.....	9						1							
54 Weber County.....	98	1				3	1	3	1		2			
VERMONT.														
55 Total.....	4,930	38	3		23	7	33	23	141	14	266	27	39	15
56 White.....	4,903	38	3		23	7	32	23	141	14	263	27	39	15
57 Colored.....	27						1				3			
58 Addison County.....	304	1					4		12	1	22	2	3	
59 Bennington County.....	304	2				1	5	3	11		16	1	6	1
60 Caledonia County.....	399	4	1			2	2	1	16	1	23	4	4	1
61 Chittenden County.....	344	3			2		1		7		16	2	2	2
62 Essex County.....	84	1							1	1	9			1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

299

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
7			8	17	2	12	1	5		1		13		2	4	8	2	19	2
19	3	3	21	49	9	38	7	21		3	3	21	3	3	17	28	1	87	15
82	17	21	145	141	33	240	65	346	15	19	19	182	12	22	129	218	5	395	85
20	5		26	35	6	23		12		2	1	12	2	1	17	10		29	8
29	8	7	27	50	10	77	10	112		2	4	27	9	9	77	97	3	159	34
2	1	1	10	18	3	10		6		1	1	5			12	7		16	8
41	8	7	38	76	12	59	7	43	5	5	5	96		4	15	53	2	125	15
47	4	6	27	98	11	41	6	21	2	6	5	37	2	1	21	22	4	128	13
6	5		14	31		17	1	8	1	3		13		2	10	8		36	7
25	1	9	47	62	8	38	2	26	2	3	4	21		8	25	42	1	128	9
20	3	3	31	34	7	20	6	13	1	3	6	35	1		14	26	6	148	11
67	5	10	64	101	34	192	22	239	7	11	15	53	8	12	180	235	21	318	59
17	6	4	37	55	6	31	5	10	3	5	5	40	2	2	19	21	2	85	11
82	11	22	95	145	48	294	32	348	7	8	17	110	17	22	206	285	20	412	189
14		1	15	34	4	21	2	10	2	2	2	11	2	3	10	20	1	53	2
60	3	2	90	117	9	124	21	52	2	4	4	35	2	7	74	38	10	187	27
87			114	161	29	226	15	159	2	10	14	119	3	9	82	96	20	287	23
86	24	14	112	154	26	223	15	155	2	10	14	116	3	9	80	94	20	279	23
1	1		2	7	3	3		4				3			2	2	8		19
13	2	3	24	25	7	46	3	35	1	1	2	22	1	1	17	23	2	41	3
8	4	2	18	21	1	24	6	7		1	1	10		3	9	11	3	36	
13	2	1	13	20	1	21		24		1	1	8			12	13	2	40	6
28	8	5	27	42	9	96	2	66		6	6	43	1	3	27	29	9	101	11
25	8	3	32	53	11	39	4	27	1	2	4	36	1	2	17	20	4	69	3
77	29	24	86	189	49	284	40	115	34	37	9	119	15	25	214	219	14	466	97
77	29	24	86	187	49	282	40	113	33	37	9	118	15	25	213	214	14	461	97
			2	2		2		2	1			1			1	5	5		27
2	2	3	5	11	1	5	2	2	2	2		1		1	3	3		6	1
5	1	1	4	11	4	14	2	14	2	3		1		1	9	14		21	9
4	4	3	6	18	2	34	3	3	3	4		11		3	17	8		54	5
			3	5	4	11	1	3	2	1	1	2		1	13	21		13	8
4	1	1	5	5	2	11	2	6	2	5		5		1	9	8	1	21	32
2	2	1	1	4	1	4		2	3	1		5	1	1	6	3		1	2
2	1		1	2				4	4	1		3		1	3	4		4	1
															1	3		5	35
3	2	1	1	5		4	2	2	1	1		2	1	1	4	4		2	36
1	1		4	7	5	16	4	8	1	1		1	1		9	10	2	11	4
1	1								1	1								1	38
1	1		1	5	1	9		1		1					1	5		6	39
				1	1	1		1	1	1					3	7		2	40
				1	1	1		1	3	1					3	4		1	41
				1	1	4		1	3	1					1	1		4	42
11	3	6	20	18	7	33	9	19	3	3		19	3	1	31	54	1	69	10
4			6	20	6	24	1	10	1	1		14	1		18	8		40	44
3		2	1	6	1	7	1	8				2	2		15	2		15	45
2			4	7		19	6	6	2	5		3	2	3	6	5		20	8
4			3	5	1	19	1	7	2			2	1	1	6	9	3	14	48
3				9	1	6		5	3			1	1	1	2	11		12	49
14	8	5	15	38	10	34	2	13	7	5		18		5	29	23	4	104	13
4	2	2		6	1	12		3		1	1	3			7	6	2	12	7
4			3	2		8	1	1		1		3		3	4	2		9	52
						1						2			2	2		2	53
3		4	4	9	1	5	4	2				20			11	7		15	54
350			402	705	89	453	36	156	43	31	31	338	18	35	192	231	44	1,024	55
350	65	34	401	702	89	449	35	156	43	31	31	335	18	35	192	224	43	1,021	56
			1	3		4	1					3			7	7	1	3	57
22	3	2	22	51	6	33	2	5	3	2	1	25	1	5	12	13	2	51	58
18	6	3	26	60	3	28	3	9	1	2	3	25	2	2	7	13	2	54	1
25	7	2	28	45	9	26	1	13	5	2	3	25	2	6	11	12	5	111	4
31	2	6	21	30	6	47	2	18	2	4		31	2	1	9	21	5	70	60
5	1		5	13	3	6		3	1	1		2	1	2	4	1	23		61

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.		CAUSE OF DEATH.													
		All causes.	Ty. phoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
VERMONT—continued.															
1	Franklin County.....	418	3			1		1	12	1	28	3	5	1	
2	Grand Isle County.....	46				4			2	2	3	1			
3	Lamoille County.....	189	1	1				2	3	1	6		3		
4	Orange County.....	337	2			2		1	11		14	1	2		
5	Orleans County.....	363	2					2	5	1	23	7	4	1	
6	Rutland County.....	549	3	1		1	3	11	4	15	37	3	3	2	
7	Washington County.....	491	5			1		1	3	12	26		1		
8	Windham County.....	512	3			11	1	4	3	12	21	1	5	2	
9	Windsor County.....	590	8			1			4	22	22	2	1	4	
WASHINGTON.															
10	Total.....	5,699	163		5	51	36	100	75	27	505	39	48	26	
11	White.....	5,385	148		5	44	36	90	74	24	441	34	45	25	
12	Colored.....	314	15			7		10	1	3	64	5	3	1	
13	Adams County.....	90	3			2		1		2	6				
14	Asotin County.....	51	4				1	1	1		4			1	
15	Benton County.....	70	7			4			1		8				
16	Chehalis County.....	192	6			2		2	2	1	13	3		1	
17	Chelan County.....	151	5					6	1	2	12		2	1	
18	Clallam County ²	87		4		1	1	1	1		9	1		1	
19	Clarke County.....	237	3			2	3	5	4	1	25		1	1	
20	Columbia County.....	73	3			1		2	1	1	1		1	1	
21	Cowlitz County.....	98	1			4		4	5		9				
22	Douglas County.....	39	1			2		4		1	3				
23	Ferry County ³	39	2			1		3		2	6		1	1	
24	Franklin County.....	33									1				
25	Garfield County.....	50	2						1		5		1		
26	Grant County.....	34								1	1		2		
27	Island County.....	32	1					1	1		3	1			
28	Jefferson County.....	89	1			2		1	1		4		2		
29	King County.....	535	7			5	2	5	3	1	44	3	1	1	
30	Kitsap County.....	129	2		1			3	2	1	13				
31	Kittitas County.....	223	7			1	4	15	3		9	2	1		
32	Klickitat County.....	62						2			3				
33	Lewis County.....	336	10			5	3	6	14	1	25	4	4	1	
34	Lincoln County.....	133	3				3	2		1	13		3	1	
35	Mason County.....	51				1		1		1	12	1			
36	Okanogan County ⁴	122	11			5			1	1	16		1		
37	Pacific County.....	73						2	1		6	1	2		
38	Pierce County.....	493	5				5	7	4	2	44	3	4	2	
39	San Juan County.....	31									3	1			
40	Skagit County ⁴	260	4			1	2	4	4	1	28	5	1	4	
41	Skamania County.....	25							3		2				
42	Snohomish County.....	329	9			3	1	9	1	5	23	6	5	1	
43	Spokane County.....	338	3				5	2	3		45	2	6	3	
44	Stevens County.....	178	5				2	2	2	2	11		2	2	
45	Thurston County.....	179	4			1	1		2	3	15	2	4	2	
46	Wahkiakum County.....	10									1	1			
47	Walla Walla County.....	81	2			1	1		3		6	1	2		
48	Whatcom County.....	204	5			1		4	2		12	1	2	1	
49	Whitman County.....	261	14			1	1	2	3	2	23	1	1	2	
50	Yakima County ⁵	281	33			9	1	6	6	1	36		1	2	
WISCONSIN.															
51	Total.....	17,751	204		2	119	169	113	235	184	1,316	55	156	129	
52	White.....	17,622	204		2	116	168	112	233	184	1,298	54	155	128	
53	Colored.....	129				3	1	1	2		18	1	1	1	
54	Adams County.....	90	1					1	1		12	1	1	1	
55	Ashland County.....	124	10			1			3		7	1			
56	Barron County.....	312	6			5	3	2	2	1	20		2	2	
57	Bayfield County.....	168				10	3	3	9	3	14	1	1	3	
58	Brown County.....	339	4				6	2	5	3	16	1	3	2	
59	Buffalo County.....	157	2			2			1		8		2	3	
60	Burnett County.....	88	2					2	2	4	7		2	2	
61	Calumet County.....	162	3			1		1			13	2	1	1	
62	Chippewa County.....	431	7			5	1		5	12	37	1	4	2	
63	Clark County.....	255	5			1		4	3		16		1	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Including part of Colville Indian Reservation.
³ Including Yakima Indian Reservation.

DEATHS FROM PRINCIPAL CAUSES.

301

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."¹

CAUSE OF DEATH.																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (ex- clud- ing suic- ide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
23	4	5	32	55	12	33	3	23	8	1	4	28	2	2	15	17	1	92	3
7			5	11		3			1						4	3		2	1
12	5	1	18	19	4	19	1	5	2	2	3	24	1	1	7	5	2	33	3
23	4	3	32	57	5	39	2	5	6	1	5	28	1	2	17	9	2	60	2
32	6		27	57	4	25	2	11	2	2	2	18	3	3	23	20	6	71	3
32	4	2	41	64	7	59	10	22	2	6	2	26		1	30	43	4	110	1
41	4	3	39	61	3	53	3	16	6	5	1	35	4	3	21	17	6	113	7
36	10	4	51	86	6	39	5	12	2		1	34		2	12	24	5	111	8
43	9	3	65	96	16	43	2	14	2	3	6	39	1	5	24	30	3	118	9
254	58	36	272	412	37	394	52	195	44	41	29	233	42	51	305	382	95	981	137
251	57	34	269	402	33	371	50	185	43	38	27	278	41	50	299	334	88	937	108
3	1	2	3	10	4	23	2	10	1	3	2	5	1	1	6	48	7	44	29
3			2	4		7	3	3	1	1		2	2	2	7	9	3	20	7
4		1	6	2	1	3	1	3		2	1	4	1		1	3	1	4	1
1		1	2	5		5		1	1			4			7	11	1	9	2
8	3		9	12		12	2	5	3			8		2	18	43	3	30	3
5	1	1	6	13		6		11	3	1		6	1	2	7	23	1	24	8
3		1	4	3	1	3		2		1		8			1	11	1	16	13
16	1		12	17	2	32	2	4	1	1	3	17	1	2	9	26	4	37	5
4			3	11	1	5		5			1	4		1	7	7	1	15	19
1	2		1	5		7		2				4		2	7	7	1	15	20
1		1	6	3		1	1	2	1			2		2	7	22	2	23	3
3		1	1			1		2	1			1			1	3		6	21
5			2	4		3	1	3				2		1	2	7	1	5	1
3	1		2	3		1		3				2		1	1	12	1	5	23
3			2	2		4	1	1				2			3	2		2	24
			2	2		2		1		1		4		1	1	5	1	4	25
2	2	1	3	14		10	1	3				4			3	12	4	16	2
19	3	1	26	45	2	36	3	26	3	1	3	14	2	5	20	199	5	46	2
13	5		10	10	1	8	2	1	1	2	3	5	1	5	6	12	4	24	2
7	3	1	6	15		21		21	2	1	2	3	2	1	20	33	4	32	7
4		1	8	5	1	2	2	1	2			4			1	9	1	15	31
20	2	2	14	15	1	20	3	11	5	2	2	21	6	6	18	46	2	59	8
10	2	1	4	10		7	1	5	1		1	7	2	1	11	8	3	25	8
1	2		1	5	1	1	3	1				2			7	7	1	10	3
6	1	2	5	8	1	6	2	3	2	1		1	2	1	6	8	2	23	7
2	2		4	8	1	4		6	1			2	1	2	3	13	1	12	36
22	5	1	32	31	3	31	6	12		5	1	25	2	2	24	69	6	131	8
13	1	1	3	2	2	2			1			2			1	5	1	8	39
2	4	3	11	16	5	17	2	7	2	3	4	15	1	5	14	37	6	36	5
14	6	2	11	31	2	16	6	7	3	3	1	2	2	1	1	4	2	6	41
10	3	2	16	23	5	29	2	11	1	5		19	2	1	21	34	5	72	4
7	1	1	7	9	1	8	2	9	1	1	3	18	7	3	15	25	3	31	44
11	-3	4	12	20	2	15	2	3	1	1	2	10			6	21	3	25	6
			1												1		6		46
5	1	1		9		4	1	1				3			7	12	1	17	4
10	4		16	17	1	20	1	5	1		3	15	1	3	9	28	3	36	3
10	3	3	14	25	1	25	1	10	7	3	1	17	3	2	11	12	4	50	3
8		3	6	8	2	19	1	11	1	3		14	3	1	14	34	7	40	9
1,152	199	210	974	1,550	323	1,217	199	948	132	169	149	945	72	99	1,015	936	177	4,099	450
1,147	199	214	968	1,540	322	1,203	197	940	132	168	149	940	72	98	1,009	921	176	4,031	444
5		2	6	10	1	14	2	8		1		5		1	6	15	1	18	6
4			4	7	2	3		6	1	1		7	2	2	5	4		21	3
4	1	3	5	4	1	10	4	15		1		2	2	3	2	16	1	23	3
18	5	1	11	23	6	27	2	23	3	4		20	3	3	21	19	3	66	6
1		4	2	8	1	14	1	13		1		3			14	23	5	29	2
28	1	6	25	22	3	25		19		3	1	24	1	4	19	14	5	79	17
15	2		6	12	4	10	1	6		4	1	9			8	11		40	6
5	3	3	2	4	3	6	2	3	2	2		8		2	4	2	2	17	1
18	3	3	16	18	1	6	3	5	5	2	2	6		1	9	9		31	3
17	2	8	10	40	12	39	4	13	4	2	3	13	6	4	28	27	2	109	12
14	3	2	11	26	2	25	3	17	2	4	4	10	2	1	19	14	3	52	5

¹ Including Makah, Ozette, and Quillayute Indian Reservations.
² Including Swinomish Indian Reservation.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions only when the colored population of the subdivision formed at least 10 per cent of the total or this table is restricted to municipalities having 10,000 or more inhabitants,

REGISTRATION AREA.	CAUSE OF DEATH.													
	All causes.	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gititis.	Other forms of tuber-culosis.	Rheu-matism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ¹ Continued.														
WISCONSIN—continued.														
1 Columbia County.....	394	5			1	1	1	8	5		23		3	2
2 Crawford County.....	191	3			2		1	3	3		14	1	1	1
3 Dane County.....	621	7			2	1	5	4	5	6	45	2	10	7
4 Dodge County.....	523	3			2		1	1	3	2	35		4	2
5 Door County.....	183	4				1	3	3	1		7			2
6 Douglas County.....	44							1	1		3			
7 Dunn County.....	248	2				1	1	5		2	20		2	3
8 Eau Claire County.....	125	2		1	2	1		6	1	1	4			2
9 Florence County.....	26													1
10 Fond du Lac County.....	364	2			2	1		2	2		37	3		1
11 Forest County.....	64	1				1		3			2	1		
12 Grant County.....	433	1			4		1	8	6	2	31		2	2
13 Green County.....	212	1			1			3			17	1	3	1
14 Green Lake County.....	172				3	7		3	2		12	2	3	2
15 Iowa County.....	231				3		1	3	1	4	25	1	1	
16 Iron County.....	80	1				2		6			1			
17 Jackson County.....	168	2			2	2			6		12		2	
18 Jefferson County.....	401	1			1	1	2	5	4		36		4	7
19 Juneau County.....	236	3			1	3		8	3		18	1	3	2
20 Kenosha County.....	110						4	2	2		5		1	3
21 Kewaunee County.....	186					12	1	3			12		1	4
22 La Crosse County.....	154	4			2			3			14		2	2
23 Lafayette County.....	197	2			2		3		2	1	15		1	3
24 Langlade County.....	155	2			3			2		1	6		1	1
25 Lincoln County.....	217	4			8	13	4	4	3		9	1	2	
26 Manitowoc County.....	313					4	3	2	1	1	27		5	1
27 Marathon County.....	446	13				41	9	17	5		27		3	5
28 Marinette County.....	177	2				5	3	2	2		17		1	1
29 Marquette County.....	134	2						4	4		9	1	3	1
30 Milwaukee County.....	1,323	34			7	11	3	24	9	6	147	4	16	6
31 Monroe County.....	363	2			5	3	8	11	8		30		1	5
32 Oconto County.....	255	2			3	2	6	1	4	1	18	2	1	4
33 Oneida County.....	111	6			2	6	2	1			11		2	
34 Outagamie County.....	337	4			2	7	5	3	2		28	3	1	1
35 Ozaukee County.....	150	3				1			2		9	1	2	1
36 Pepin County.....	72	1						2	2		2		1	
37 Pierce County.....	247	3			2	2		1	1		15	1	5	1
38 Polk County.....	190	6						4			15	2	4	
39 Portage County.....	374	3			4	3	6	7	3	1	15	2		2
40 Price County.....	99	1		1	2	1	2	2			8			1
41 Racine County.....	256	1			4	1	1	1	5		18			4
42 Richland County.....	186	1					1	1	1		16	1	2	
43 Rock County.....	297	2					1	2	5	1	25	1	1	2
44 Rusk County.....	98	1			2			3	3		7		1	
45 St. Croix County.....	280					3	1	4			18	2	3	
46 Sauk County.....	371	1			1	3	3	2	8	2	22		5	3
47 Sawyer County.....	69				2		1			1	6		1	
48 Shawano County.....	306	2				2		6	2		19	1	4	1
49 Sheboygan County.....	295						1		4	3	13	3	4	4
50 Taylor County.....	113	1						2	1		6	1	1	1
51 Trempealeau County.....	227				2	1	1	4	7		16			1
52 Vernon County.....	309	5			3	3		3	7		34	5	4	1
53 Vilas County.....	38										4			
54 Walworth County.....	361	2			3	1	1	3	1	3	25		5	4
55 Washburn County.....	84	1			1			2	1		6			1
56 Washington County.....	243	4			2	4	1	1	1		13	2	2	1
57 Waukesha County.....	502	5			1	1	2	2	3		48	2	7	8
58 Waupaca County.....	405	2				2	1	2	5	1	23		2	2
59 Waushara County.....	177						2	2	3		13		1	3
60 Winnebago County.....	406				10	1		9	2	3	27		3	
61 Wood County.....	276	4			1	1	6			1	13	1	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1910—Continued.

numbered 10,000 or over in 1910. Numbers under cause of death correspond to those of the Abridged International List (see p. 21). The term "cities" as used in smaller places being included with the "rural part of registration states."

CAUSE OF DEATH.																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility (ex- clud- ing sui- cide).	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24	7	4	30	33	7	25	6	14	6	1	3	25			22	22	6	101	9	1
8			9	17	5	21	2	6	2	2	2	16		1	15	6	1	49	3	2
50	7	6	50	43	11	30	6	22	5	9	5	36	4	3	37	33	7	150	13	3
43	7	8	31	53	10	20	10	28	2	4	6	29		4	36	30	6	133	10	4
11	2	3	5	13	4	6	2	11	1	1	1	11	2	4	14	9	1	52	9	5
2		1	2	1		2		1						2		7	2			
16	4	2	14	35	9	15	2	10	2	2		9	3	2	3	9	1	61	3	6
13	1	2	7	13	2	6	2	2	1			8			9	5		29	5	8
1				2				2				1			2	4	1	10	2	9
32	6	5	23	40	2	22	3	14	2	1	1	22	1		22	12	2	92	12	10
2				3	1	6	1	9	1						8	11		10	2	11
26	6	7	31	41	11	25	3	20	2	3	5	37	1	3	24	14	3	109	5	12
19	5	4	16	12	5	16	3	11	3	4	4	8	3		9	9	3	51	3	13
13	2	1	14	16	1	13	4	3	1	3	3	8			7	7	2	34	6	14
11	4	1	15	20	7	18	7	10	2	3	1	16	1		16	11	1	45	6	15
3			1	2		2		11								6				
11	3		10	13	3	10	1	13	2	1	2	4	1		8	4	2	10	2	16
23	6	4	18	47	12	25	5	20	5	8	3	16	1	1	14	20	5	103	6	18
15	6	1	13	30	7	12	3	12		7	2	8			8	12		50	7	19
6	1	2	3	9		6		8		1		6		1	6	9	2	29	4	20
13		7	11	13	3	13	4	5	1	1	3	10	1		11	11	1	40	5	21
13	2		7	13	2	10	2	8	1	3	2	10		1	6	9	1	34	3	22
15	1	3	8	29	2	6	1	8	4	2		10	2	1	12	11	1	51	4	23
10	2	1	8	19	2	20		10	1	2		5			13	3	1	37	3	24
11		2	14	11	4	20	1	16	4	2	5	11	1	2	16	8	2	32	7	25
21	3	2	14	28	5	20	3	18	2	3	3	16	2	2	24	14	3	73	11	26
18	1	7	14	25	7	27	3	37	1	3	5	16	2	3	24	22		95	18	27
5	1	2	8	17	3	9	1	25	4	2	2	16	2		24	22		95	18	27
8		2	6	14	5	6	1	25	4	3	2	5			11	18		26	8	28
68	7	24	43	93	19	124	12	71	4	8	21	83	2	4	81	51	21	297	23	30
28	7	5	13	30	5	35	4	21	1	3	1	14			14	19	2	83	3	31
18	3	4	8	15	1	14		15	1	3	3	9	1	2	22	15	2	61	14	32
4	3		2	7	1	7	2	7	1	3		5			17	6	2	10	2	33
21	3	5	16	27	6	34	4	23	2	7	3	10		1	22	11	2	74	13	34
12	2	2	18	12	3	9	2	12		1	1	4			3	10	5	32	3	35
3			5	8	3	8	1	4						1	3	7		15	1	36
19	2	3	18	40	8	13	2	15	1	1	1	16		1	10	11	5	49	3	37
14	2	1	10	23	1	11	2	2		2		11	2	3	14	6	2	40	2	38
26	6	3	16	31	2	22	6	28	8	2		11	2	4	29	16	4	92	7	39
5	1	1	3	6	8	6		11	2			2		3	5	9	3	13	9	40
23	5	2	18	18	5	19	1	13	4	2	6	18			7	12	6	56	6	41
13	1	7	13	16	2	16	2	7				14	1	2	13	6	1	47	3	42
17	6	3	25	29	8	21	5	13	2	2	3	20		3	4	12	3	76	5	43
4	2	1	3	5		4	2	5	1	5	1	3		1	10	10		19	4	44
21	2	3	23	27	8	17	5	16	2	3	2	19	1		13	11	3	60	13	45
35	3	2	28	56	3	19	2	10	2	5	2	22	1		14	12	6	90	9	46
3	1		1	4	1	6		3				2			5	11	1	14	6	47
20	2	4	14	20	8	19	5	29	4	3	2	21	2	2	22	19	5	58	9	48
25	2	6	20	39	8	13	4	11	3	4	5	12	1	2	8	18	4	74	4	49
11	3		6	7		3	3	3	1	2	1	3	1	1	10	10		32	3	50
18	4	3	13	22		18	4	16	3	1		14			13	5	1	51	9	51
14	2	5	21	24	3	19	3	20	2		2	21	3	1	23	11	2	66	2	52
1		2	6	1		3		5		2		1			3	4		4	1	53
26	4	1	31	32	9	25	5	11	3	1	4	29		1	13	19	2	91	6	54
1	3	1	1	6	2	9	1	6		3		3	1	2	13	3		12	5	55
21	1	4	21	21	6	24	3	10		5	2	17		3	8	10	1	53	2	56
28	11	4	31	40	9	26	8	21	3	5	4	30	1	4	26	35	8	125	4	57
32	4	5	30	29	6	35	1	12	3	1	1	40		1	19	19	4	108	12	58
12	1	2	9	13	5	12		11		1		11	3		14	7		48	4	59
25	7	4	21	46	3	25	6	15	2	3	1	20		1	17	17	6	112	19	60
17	2	2	12	27	2	25	3	24	3	1	4	6	2	3	24	17	1	71	2	61

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
THE REGISTRATION AREA.												
1 Total.....	805,412	154,373	33,080	14,727	8,808	6,331	217,319	17,943	11,736	19,772	30,216	32,741
2 Males.....	439,757	86,230	17,543	7,752	4,546	3,289	119,360	9,309	6,021	10,374	16,310	17,952
3 Females.....	365,655	68,143	15,537	6,975	4,262	3,042	97,959	8,634	5,715	9,398	13,906	14,789
4 White.....	753,308	144,650	30,683	13,652	8,236	5,935	203,156	16,854	10,737	17,658	26,844	29,124
5 Males.....	411,928	80,952	16,308	7,211	4,281	3,088	111,840	8,776	5,560	9,899	14,611	16,053
6 Females.....	341,380	63,698	14,375	6,441	3,955	2,847	91,316	8,078	5,177	8,259	12,233	13,071
7 Native.....	546,507	143,654	29,932	13,253	7,915	5,657	200,411	15,825	9,929	14,969	19,722	19,922
8 Males.....	293,032	80,430	15,914	6,998	4,122	2,949	110,413	8,257	5,133	7,748	10,007	10,233
9 Females.....	253,475	63,224	14,018	6,255	3,793	2,708	89,998	7,568	4,796	7,221	9,715	9,689
10 Both parents native.....	(M.) 147,620	37,485	6,911	3,223	1,962	1,517	51,098	4,365	2,878	4,179	5,220	5,016
11 One or both parents foreign.....	(F.) 134,217	28,764	6,054	2,911	1,777	1,314	40,820	3,971	2,675	4,030	5,295	5,089
12 Parentage unknown.....	(M.) 109,834	39,041	8,697	3,632	2,063	1,367	54,800	3,690	2,095	3,219	4,022	4,199
13 Foreign.....	(F.) 91,544	31,102	7,663	3,221	1,952	1,249	45,287	3,435	1,986	2,872	3,749	3,774
14 Males.....	(M.) 35,578	3,904	306	143	97	65	4,515	202	160	350	765	1,018
15 Females.....	(F.) 27,714	3,358	301	123	64	45	3,891	162	135	219	671	826
16 Unknown.....	106,733	692	631	359	296	271	2,249	997	773	2,562	6,765	8,649
17 Males.....	111,070	354	337	194	147	135	1,167	505	408	1,551	4,310	5,349
18 Females.....	85,663	338	294	165	149	136	1,082	492	365	1,011	2,455	3,300
19 Colored.....	10,068	304	120	40	25	7	496	32	35	127	357	553
20 Males.....	7,826	168	57	19	12	4	260	14	19	100	294	471
21 Females.....	2,242	136	63	21	13	3	236	18	16	27	63	82
22 Negro.....	52,104	9,723	2,397	1,075	572	396	14,163	1,089	999	2,114	3,372	3,617
23 Males.....	27,829	5,278	1,235	541	265	201	7,520	533	461	975	1,699	1,899
24 Females.....	24,275	4,445	1,162	534	307	195	6,643	556	538	1,139	1,673	1,718
25 Indian.....	(M.) 25,840	5,063	1,194	516	255	188	7,216	500	439	916	1,609	1,734
26 Chinese.....	(F.) 23,659	4,287	1,127	519	293	189	6,415	524	513	1,102	1,631	1,687
27 Japanese.....	(M.) 502	82	23	16	6	4	136	23	20	39	33	26
28 Japanese.....	(F.) 384	67	19	10	6	4	106	26	24	33	20	15
29 Japanese.....	(M.) 968	34	8	1	1	2	45	5	2	14	15	40
30 Japanese.....	(F.) 87	21	6	1	5	2	33	5	1	3	6	5
31 Japanese.....	(M.) 519	99	10	8	4	2	123	5	6	42	99	99
32 Japanese.....	(F.) 145	70	10	4	3	2	89	1	1	16	11	11
REGISTRATION STATES.												
33 Total.....	703,608	136,850	28,978	12,746	7,657	5,485	191,216	15,666	10,180	16,713	25,201	27,251
34 Males.....	383,349	76,237	15,362	6,737	3,973	2,840	105,149	8,149	5,227	8,823	13,694	14,929
35 Females.....	320,259	60,113	13,616	6,009	3,684	2,645	86,067	7,517	4,953	7,890	11,507	12,322
36 White.....	673,203	130,221	27,404	12,109	7,323	5,245	182,302	15,013	9,585	15,547	23,477	25,339
37 Males.....	366,893	72,930	14,537	6,408	3,811	2,722	100,408	7,832	4,962	8,303	12,823	13,870
38 Females.....	306,310	57,291	12,867	5,701	3,512	2,523	81,894	7,181	4,623	7,244	10,654	11,469
39 Native.....	490,920	129,323	26,733	11,747	7,030	4,998	179,831	14,112	8,851	13,149	17,078	17,184
40 Males.....	262,517	72,460	14,184	6,211	3,668	2,599	99,122	7,369	4,577	6,832	8,654	8,729
41 Females.....	228,403	56,863	12,549	5,536	3,362	2,399	80,709	6,743	4,274	6,317	8,424	8,455
42 Both parents native.....	(M.) 134,327	33,901	6,168	2,888	1,742	1,336	46,035	3,907	2,562	3,707	4,561	4,339
43 One or both parents foreign.....	(F.) 122,633	25,852	5,415	2,576	1,579	1,165	36,587	3,550	2,421	3,573	4,643	4,511
44 Parentage unknown.....	(M.) 98,073	35,401	7,794	3,225	1,852	1,207	49,479	3,310	1,888	2,861	3,487	3,607
45 Foreign.....	(F.) 82,265	28,257	6,923	2,868	1,743	1,193	40,984	3,075	1,753	2,523	3,299	3,326
46 Males.....	(M.) 30,117	3,158	222	98	74	56	3,608	152	127	264	606	783
47 Females.....	(F.) 23,505	2,754	211	92	40	41	3,138	118	100	221	482	618
48 Unknown.....	173,365	632	559	324	271	240	2,026	869	701	2,286	6,090	7,669
49 Males.....	97,423	321	299	178	133	119	1,050	449	367	1,380	3,907	4,719
50 Females.....	75,942	311	260	146	138	121	976	420	334	906	2,183	2,950
51 Unknown.....	8,918	266	112	38	22	7	445	32	33	112	309	486
52 Males.....	6,953	149	54	19	10	4	236	14	18	91	262	422
53 Females.....	1,965	117	58	19	12	3	209	18	15	21	47	64
54 Colored.....	30,405	6,129	1,574	637	334	240	8,914	653	595	1,166	1,724	1,912
55 Males.....	16,456	3,307	825	329	162	118	4,741	317	265	520	871	1,059
56 Females.....	13,949	2,822	749	308	172	122	4,173	336	330	646	853	853
57 Negro.....	(M.) 14,576	3,097	784	304	152	105	4,442	284	243	462	788	907
58 Indian.....	(F.) 13,356	2,672	718	294	160	116	3,960	305	305	609	811	824
59 Chinese.....	(M.) 493	82	23	16	6	9	136	23	20	38	33	24
60 Japanese.....	(F.) 379	66	19	10	6	4	105	25	24	33	20	14
61 Chinese.....	(M.) 887	32	8	1	1	2	43	5	2	14	14	31
62 Japanese.....	(F.) 78	17	3	1	3	2	24	5	1	3	6	5
63 Japanese.....	(M.) 500	96	10	8	4	2	120	5	6	36	97	97
64 Japanese.....	(F.) 138	67	9	3	3	2	84	1	1	16	16	10

1 Including District of Columbia.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
32,731	35,665	35,523	37,412	40,958	40,582	46,021	50,630	50,500	45,500	33,372	18,029	6,175	1,427	372	788	1
18,519 14,212	20,684 14,981	21,045 14,478	22,266 15,146	24,029 16,929	23,334 17,248	25,748 20,273	27,218 23,412	26,261 24,239	23,027 22,473	16,088 17,284	8,289 9,740	2,612 3,568	584 843	130 242	597 191	2 3
29,282	32,136	32,280	34,396	37,974	38,290	43,727	48,756	49,074	44,534	32,623	17,635	5,970	1,314	246	698	4
16,563 12,719	18,677 13,459	19,226 13,054	20,570 13,826	22,302 15,672	22,064 16,226	24,480 19,247	26,185 22,571	25,505 23,569	22,540 21,994	15,750 16,873	8,122 9,513	2,531 3,439	534 780	97 149	543 155	5 6
19,524	20,788	19,556	20,163	22,930	22,671	24,139	27,225	28,085	26,048	19,205	10,615	3,705	786	97	192	7
10,465 9,059	11,515 9,273	10,937 8,619	11,329 8,834	12,824 10,106	12,736 9,935	13,351 10,788	14,480 12,745	14,621 13,464	13,206 12,842	9,113 10,092	4,697 5,918	1,505 2,200	314 472	33 64	115 77	8 9
4,601 4,430 4,763 3,733 1,101 896	4,718 4,314 5,402 3,931 1,395 1,028	4,466 4,023 4,985 3,596 1,486 1,000	4,608 4,104 4,932 3,631 1,789 1,099	5,782 5,074 4,852 3,622 2,190 1,410	6,642 5,527 3,715 2,904 2,379 1,504	7,944 6,651 2,668 2,237 2,839 1,900	8,803 8,268 2,206 2,110 3,471 2,367	9,234 8,908 1,684 1,777 3,703 2,779	8,393 8,621 1,231 1,513 3,532 2,908	5,667 6,799 765 813 2,681 2,480	2,899 3,976 412 515 1,366 1,527	960 1,353 136 207 409 610	179 283 31 29 104 160	22 40 1 5 10 19	46 36 26 18 43 23	10 11 12
9,092	10,407	11,837	13,344	14,112	14,970	18,808	20,911	20,373	17,984	13,082	6,837	2,192	514	145	130	13
5,521 3,571	6,352 4,055	7,516 4,321	8,473 4,871	8,677 5,435	8,790 6,180	10,542 8,266	11,259 9,532	10,455 9,918	9,048 8,936	6,455 6,627	3,330 3,507	995 1,197	214 300	62 83	91 39	14 15
666	941	887	889	932	649	780	620	616	502	336	183	73	14	4	376	16
577 89	810 131	773 114	768 121	801 131	538 111	587 193	446 174	429 187	286 216	182 154	95 88	31 42	6 8	2	337 39	17 18
3,449	3,529	3,243	3,016	2,984	2,292	2,294	1,874	1,426	966	749	394	205	113	126	90	19
1,956 1,493	2,007 1,522	1,819 1,424	1,696 1,320	1,727 1,257	1,270 1,022	1,268 1,026	1,033 841	756 670	487 479	338 411	167 227	81 124	50 63	33 93	54 36	20 21
1,812 1,462 23 19 47 2 74 10	1,865 1,494 17 13 59 5 66 10	1,670 1,408 19 10 90 7 40 4	1,525 1,309 22 7 113 3 36 1	1,521 1,241 29 9 159 5 18 2	1,123 1,002 15 18 130 2 2	1,112 1,013 18 10 134 3 4	968 823 11 15 54 3	706 652 10 15 40	461 470 17 9 9	317 399 16 11 5 1	157 223 6 4 3	72 120 9 4	46 56 4 5	28 88 5 5	43 32 4 4 4 3	22 22 24 25
27,389	29,886	29,891	31,405	34,822	35,189	40,564	45,266	45,755	41,654	30,733	16,759	5,754	1,304	308	707	26
15,474 11,914	17,291 12,595	17,584 12,307	18,557 12,848	20,241 14,581	20,154 15,085	22,614 17,950	24,236 21,030	23,813 21,942	21,129 20,525	14,907 15,826	7,731 9,028	2,460 3,294	532 772	114 189	540 167	27 28
25,558	27,931	28,087	29,760	33,153	33,856	39,218	44,075	44,812	41,041	30,229	16,494	5,622	1,232	226	646	29
14,426 11,132	16,158 11,773	16,544 11,543	17,618 12,142	19,262 13,891	19,391 14,465	21,844 17,374	23,577 20,498	23,285 21,527	20,803 20,238	14,661 15,568	7,617 8,877	2,411 3,211	505 727	91 135	502 144	30 31
16,967	17,864	17,007	17,456	20,164	20,344	22,026	25,089	26,226	24,597	18,231	10,168	3,549	757	92	178	32
9,065 7,902	9,829 8,035	9,374 7,633	9,693 7,763	11,181 8,983	11,394 8,950	12,156 9,870	13,337 11,752	13,680 12,598	12,497 12,100	8,670 9,561	4,509 5,659	1,460 2,089	301 456	32 60	106 72	33 34
4,021 3,916 4,189 3,300 855 686	4,112 3,774 4,652 3,454 1,065 807	3,924 3,632 4,308 3,215 1,142 786	4,063 3,726 4,230 3,188 1,400 869	5,177 4,642 4,255 3,207 1,749 1,134	6,084 5,072 3,316 2,629 2,444 1,249	7,294 6,206 2,041 2,027 2,444 1,637	8,269 7,740 1,568 1,944 3,027 2,068	8,758 8,443 1,163 1,646 3,304 2,507	8,051 8,242 1,163 1,227 3,283 2,631	5,471 6,525 724 758 2,475 2,278	2,810 3,742 392 488 1,307 1,429	944 1,334 131 195 385 560	176 281 28 26 97 149	22 39 1 4 9 17	40 34 25 41 21	35 36 37
8,033	9,237	10,293	11,535	12,164	12,947	16,519	18,441	18,025	15,973	11,686	6,151	2,006	461	130	123	38
4,866 3,167	5,608 3,629	6,482 3,811	7,257 4,278	7,372 4,792	7,530 5,417	9,181 7,338	9,849 8,592	9,266 8,759	8,037 7,936	5,823 5,863	3,016 3,135	921 1,085	198 263	57 73	88 35	39 40
558	830	787	769	825	565	673	545	561	471	312	175	67	14	4	345	41
495 63	721 109	688 99	668 101	709 116	467 98	507 166	391 154	389 172	269 202	168 144	92 83	30 37	6 8	2 2	308 37	42 43
1,831	1,955	1,804	1,645	1,669	1,333	1,346	1,191	943	613	504	265	132	72	77	61	44
1,049 782	1,133 822	1,040 764	939 706	979 690	763 570	770 576	659 532	528 415	326 287	246 253	154 151	49 83	27 45	23 53	38 23	45 46
910 752 23 19 45 2 71 9	999 794 16 13 54 5 64 10	900 743 18 10 82 7 40 4	778 696 22 7 105 4 34 1	787 675 26 9 149 2 17 2	633 550 15 18 113 2 2	627 563 18 10 121 3 4	598 514 11 15 50 3	480 398 10 14 38 3	300 279 17 8 9	225 246 16 11 5 1	105 147 5 4 3	40 79 9 4	23 38 4 7	18 49 5 5	271 191 41 41 3	47 48 49

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT.

REGISTRATION AREA.		All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
CITIES IN REGISTRATION STATES.													
1	Total.....	400,305	82,168	17,983	7,741	4,658	3,270	115,820	9,187	5,445	9,333	14,933	17,114
2	Males.....	217,057	45,827	9,527	4,129	2,390	1,673	63,546	4,741	2,769	4,920	8,059	9,414
3	Females.....	183,248	36,341	8,456	3,612	2,268	1,597	52,274	4,446	2,676	4,413	6,874	7,700
4	White.....	379,543	78,008	16,974	7,340	4,419	3,115	109,856	8,768	5,097	8,633	13,757	15,705
5	Males.....	205,889	43,565	8,998	3,924	2,273	1,597	60,357	4,543	2,617	4,610	7,468	8,648
6	Females.....	173,654	34,443	7,976	3,416	2,146	1,518	49,499	4,225	2,480	4,023	6,289	7,057
7	Native.....	258,996	77,356	16,482	7,068	4,214	2,940	108,060	8,114	4,572	6,955	9,407	10,040
8	Males.....	139,146	43,226	8,752	3,775	2,177	1,512	59,442	4,213	2,350	3,656	4,797	5,268
9	Females.....	119,850	34,130	7,730	3,293	2,037	1,428	48,618	3,901	2,222	3,299	4,610	4,772
10	Both parents native.....	(M. 58,734 F. 53,011)	16,111 12,207	2,844 2,530	1,346 1,199	840 780	621 575	21,762 17,291	1,886 1,665	1,082 1,052	1,664 1,553	2,202 2,132	2,305 2,141
11	One or both parents foreign.....	(M. 67,045 F. 55,986)	24,548 19,672	5,759 5,065	2,366 2,040	1,303 1,233	862 830	34,838 28,840	2,264 2,179	1,223 1,127	1,869 1,634	2,305 2,230	2,579 2,292
12	Parentage unknown.....	(M. 13,367 F. 10,853)	2,567 2,251	149 135	63 54	34 24	29 23	2,842 2,487	63 57	45 43	123 112	290 248	384 339
13	Foreign.....	115,825	430	391	238	192	170	1,421	637	509	1,633	4,205	5,392
14	Males.....	63,078	217	199	132	91	83	722	323	258	918	2,553	3,150
15	Females.....	52,747	213	192	106	101	87	699	314	251	715	1,652	2,242
16	Unknown.....	4,722	222	101	34	13	5	375	17	16	45	145	273
17	Males.....	3,665	122	47	17	5	2	193	7	9	36	118	230
18	Females.....	1,057	100	54	17	8	3	182	10	7	9	27	43
19	Colored.....	20,762	4,160	1,009	401	239	155	5,964	419	348	700	1,176	1,409
20	Males.....	11,168	2,262	529	205	117	76	3,189	198	152	310	591	766
21	Females.....	9,594	1,898	480	196	122	79	2,775	221	196	390	585	643
22	Negro.....	(M. 10,190 F. 9,419)	2,184 1,845	513 473	196 195	114 117	73 77	3,080 2,707	188 215	149 193	292 385	546 565	676 633
23	Indian.....	(M. 43 F. 32)	6 6	1 1	2 2	1 1	10 6	2 1	2 1	1 2	3 3	6 3	3 3
24	Chinese.....	(M. 655 F. 57)	27 15	8 1	1 1	1 3	1 2	37 19	5 4	2 1	11 2	14 5	25 5
25	Japanese.....	(M. 280 F. 86)	45 32	7 6	6 1	2 2	2 2	62 43	3 1	4 1	4 1	25 15	62 5
RURAL PART OF REGISTRATION STATES.													
26	Total.....	303,303	54,182	10,995	5,005	2,999	2,215	75,396	6,479	4,735	7,380	10,268	10,137
27	Males.....	166,292	30,410	5,835	2,608	1,583	1,167	41,603	3,408	2,458	3,903	5,635	5,515
28	Females.....	137,011	23,772	5,160	2,397	1,416	1,048	33,793	3,071	2,277	3,477	4,633	4,622
29	White.....	293,660	52,213	10,430	4,769	2,904	2,130	72,446	6,245	4,488	6,914	9,720	9,634
30	Males.....	161,004	29,365	5,539	2,484	1,538	1,125	40,051	3,289	2,345	3,693	5,355	5,222
31	Females.....	132,656	22,848	4,891	2,285	1,366	1,005	32,395	2,956	2,143	3,221	4,365	4,412
32	Native.....	231,924	51,967	10,251	4,679	2,816	2,058	71,771	5,998	4,279	6,194	7,671	7,144
33	Males.....	123,371	29,234	5,432	2,436	1,491	1,037	39,680	3,156	2,227	3,176	3,857	3,461
34	Females.....	108,553	22,733	4,819	2,243	1,325	971	32,091	2,842	2,052	3,018	3,814	3,683
35	Both parents native.....	(M. 75,593 F. 69,622)	17,790 13,645	3,324 2,885	1,542 1,377	902 799	715 590	24,273 19,296	2,021 1,885	1,480 1,369	2,043 2,020	2,359 2,511	2,084 2,370
36	One or both parents foreign.....	(M. 31,028 F. 26,279)	10,853 8,585	2,035 1,858	859 828	549 510	345 363	14,641 12,144	1,046 896	665 626	992 889	1,182 1,069	1,028 1,084
37	Parentage unknown.....	(M. 16,750 F. 12,652)	591 503	73 76	35 38	40 16	27 18	766 651	89 61	57 57	141 109	316 279	399 279
38	Foreign.....	57,540	202	168	86	79	70	605	232	192	653	1,885	2,277
39	Males.....	34,345	104	100	46	42	36	328	126	109	462	1,354	1,569
40	Females.....	23,195	98	68	40	37	34	277	106	83	191	531	708
41	Unknown.....	4,196	44	11	4	9	2	70	15	17	67	164	213
42	Males.....	3,288	27	7	2	5	2	43	7	9	55	144	192
43	Females.....	908	17	4	2	4	1	27	8	8	12	20	21
44	Colored.....	9,643	1,969	565	236	95	85	2,950	234	247	466	548	503
45	Males.....	5,288	1,045	296	124	45	42	1,552	119	113	210	280	293
46	Females.....	4,355	924	269	112	50	43	1,398	115	134	256	268	210
47	Negro.....	(M. 4,386 F. 3,937)	913 827	271 245	108 99	38 43	32 39	1,362 1,253	96 90	94 112	170 224	242 246	281 191
48	Indian.....	(M. 450 F. 347)	76 60	22 19	14 10	5 6	9 4	126 99	21 24	19 22	35 30	27 20	21 14
49	Chinese.....	(M. 232 F. 19)	5 2	1 1	1 1	1 1	1 1	6 5	1 1	1 1	3 1	1 1	6 5
50	Japanese.....	(M. 220 F. 52)	51 35	3 3	2 2	2 1	2 1	58 41	2 1	2 1	2 1	11 1	35 5

¹ Including District of Columbia.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
CALIFORNIA.												
1 Total.....	32,401	3,720	747	370	246	180	5,263	508	367	742	1,244	1,621
2 Males.....	20,184	2,126	425	214	123	96	2,984	271	194	400	733	1,039
3 Females.....	12,217	1,594	322	156	123	84	2,279	237	173	342	511	582
4 White.....	30,685	3,480	708	350	229	170	4,937	486	351	692	1,170	1,503
5 Males.....	18,893	1,982	404	201	115	88	2,790	257	184	372	693	946
6 Females.....	11,792	1,498	304	149	114	82	2,147	229	167	320	477	557
7 Native.....	20,198	3,458	695	342	220	159	4,874	445	320	612	895	1,036
8 Males.....	11,775	1,968	394	195	107	80	2,744	233	168	325	478	605
9 Females.....	8,423	1,490	301	147	113	79	2,130	212	152	287	417	431
10 Both parents native..... (M.....)	4,810	936	192	109	59	53	1,349	123	93	167	209	268
10 Both parents native..... (F.....)	3,782	712	131	59	62	40	1,004	124	75	135	189	184
11 One or both parents foreign..... (M.....)	3,507	876	186	78	41	24	1,205	97	64	120	161	202
11 One or both parents foreign..... (F.....)	2,853	663	158	79	46	38	984	82	67	121	183	170
12 Parentage unknown..... (M.....)	3,458	156	16	8	7	3	190	13	11	38	103	135
12 Parentage unknown..... (F.....)	1,788	115	12	9	5	1	142	6	10	31	45	77
13 Foreign.....	9,529	14	13	8	8	11	54	38	29	76	254	416
14 Males.....	6,257	9	10	6	7	8	40	21	14	43	196	297
15 Females.....	3,272	5	3	2	1	3	14	17	15	33	58	119
16 Unknown.....	958	8			1		9	3	2	4	21	51
17 Males.....	861	5			1		6	3	2	4	19	44
18 Females.....	97	3					3				2	7
19 Colored.....	1,716	240	39	20	17	10	326	22	16	50	74	118
20 Males.....	1,291	144	21	13	8	8	194	14	10	28	40	93
21 Females.....	425	96	18	7	9	2	132	8	6	22	34	25
22 Negro..... (M.....)	257	27	4	2	2	3	38	4	3	5	11	19
22 Negro..... (F.....)	185	21	4	2	4		31	1	3	11	10	13
23 Indian..... (M.....)	91	13	2	4	2	1	22	3	5	8	3	4
23 Indian..... (F.....)	64	6	7	2			15	1	2	8	6	3
24 Chinese..... (M.....)	623	27	8	1		2	38	4	2	10	8	18
24 Chinese..... (F.....)	62	14	1	1	2		18	5	1	2	5	3
25 Japanese..... (M.....)	315	77	7	6	4	2	96	3		5	18	52
25 Japanese..... (F.....)	114	55	6	2	3	2	68	1		1	14	6
COLORADO.												
26 Total.....	11,069	1,789	334	155	106	83	2,467	243	194	384	670	765
27 Males.....	6,771	1,017	165	87	53	39	1,361	115	93	214	430	520
28 Females.....	4,298	772	169	68	53	44	1,106	128	101	170	240	245
29 White.....	10,730	1,753	323	155	106	82	2,419	239	185	376	643	734
30 Males.....	6,560	998	160	87	53	39	1,337	112	87	210	411	500
31 Females.....	4,170	755	163	68	53	43	1,082	127	98	166	232	234
32 Native.....	7,897	1,744	313	154	102	79	2,397	228	169	319	490	491
33 Males.....	4,451	993	157	87	51	38	1,326	108	80	164	276	289
34 Females.....	3,446	751	161	67	51	41	1,071	120	89	155	214	202
35 Both parents native..... (M.....)	2,387	600	99	58	31	26	814	68	58	98	161	157
35 Both parents native..... (F.....)	1,931	428	105	44	29	27	633	80	70	104	135	110
36 One or both parents foreign..... (M.....)	1,159	339	52	29	19	11	450	36	20	56	74	85
36 One or both parents foreign..... (F.....)	963	282	53	22	21	14	392	36	17	43	57	55
37 Parentage unknown..... (M.....)	905	54	6		1	1	62	4	2	10	41	47
37 Parentage unknown..... (F.....)	552	41	3	1	1		46	4	2	8	22	37
38 Foreign.....	2,486	5	4	1	4	2	16	10	15	52	138	215
39 Males.....	1,800	2	2		2	1	7	4	6	41	120	183
40 Females.....	686	3	2	1	2	1	9	6	9	11	18	32
41 Unknown.....	347	4	1			1	6	1	1	5	15	28
42 Males.....	309	3	1				4		1	5	15	28
43 Females.....	38	1				1	2	1				
44 Colored.....	339	36	11			1	48	4	9	8	27	31
45 Males.....	211	19	5				24	3	6	4	19	20
46 Females.....	128	17	6			1	24	1	3	4	8	11
47 Negro..... (M.....)	167	19	3				22	2	6	4	15	12
47 Negro..... (F.....)	122	15	5			1	21	1	3	4	8	9
48 Indian..... (M.....)	4	1	1				1				1	
48 Indian..... (F.....)	1		1									
49 Chinese..... (M.....)	6											
49 Chinese..... (F.....)	2	1					1					
50 Japanese..... (M.....)	34		1				1	1			3	8
50 Japanese..... (F.....)	3	1					1					2

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—													
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29			
1	MAINE.															
2	Total.....	12,726	2,108	382	150	115	82	2,837	252	186	271	353	367			
3	Males.....	6,579	1,148	213	77	54	31	1,523	140	102	151	187	165			
4	Females.....	6,147	960	169	73	61	51	1,314	112	84	120	166	202.			
5	White.....	12,703	2,107	382	150	115	82	2,836	252	185	270	352	366			
6	Males.....	6,561	1,147	213	77	54	31	1,522	140	101	150	187	164			
7	Females.....	6,142	960	169	73	61	51	1,314	112	84	120	165	202			
8	Native.....	10,794	2,037	368	143	113	79	2,790	241	166	237	276	273			
9	Males.....	5,545	1,137	205	73	54	30	1,499	133	85	132	140	119			
10	Females.....	5,249	950	163	70	59	49	1,291	108	81	105	136	154			
11	Both parents native.....	3,897	585	105	40	31	11	772	59	63	85	91	73			
12	One or both parents foreign.....	3,728	481	80	32	22	31	646	64	46	63	87	111			
13	Parentage unknown.....	1,228	526	100	32	23	19	700	70	20	41	37	37			
14	Males.....	1,131	453	79	37	37	18	624	43	31	40	44	38			
15	Females.....	420	26	1	1	1	1	27	4	2	6	12	9			
16	Foreign.....	390	16	4	1	1	1	21	1	4	2	5	5			
17	Males.....	1,772	19	12	7	2	3	43	10	19	30	71	90			
18	Females.....	923	9	6	4	1	1	20	7	16	15	42	43			
19	Unknown.....	849	10	6	3	2	2	23	3	3	15	29	47			
20	Males.....	137	1	2				3	1		3	5	3			
21	Females.....	93	1	2				3			3	5	2			
22	Colored.....	44							1				1			
23	Males.....	23	1					1		1	1	1	1			
24	Females.....	18	1					1		1	1		1			
25	Negro.....	14								1	1		1			
26	Indian.....	5										1				
27	Males.....	4	1					1								
28	Females.....	5														
29	Males.....	4														
30	Females.....	4														
31	MARYLAND.															
32	Total.....	20,805	4,239	849	382	190	148	5,808	417	364	602	800	838			
33	Males.....	10,887	2,392	465	191	93	70	3,211	206	174	272	396	431			
34	Females.....	9,918	1,847	384	191	97	78	2,597	211	190	330	404	407			
35	White.....	15,458	2,975	571	245	128	106	4,028	296	235	365	499	550			
36	Males.....	8,191	1,685	313	126	63	53	2,240	149	118	176	244	289			
37	Females.....	7,267	1,290	258	122	65	53	1,788	147	117	189	255	261			
38	Native.....	12,725	2,934	564	240	125	105	3,968	290	230	339	443	470			
39	Males.....	6,695	1,664	310	123	63	52	2,212	146	116	161	209	236			
40	Females.....	6,030	1,270	254	117	62	53	1,756	144	114	178	234	234			
41	Both parents native.....	4,238	1,161	225	93	44	36	1,559	111	89	125	146	150			
42	One or both parents foreign.....	3,915	854	177	90	51	40	1,212	102	83	133	159	160			
43	Parentage unknown.....	1,364	329	73	24	17	12	455	27	19	32	47	56			
44	Males.....	1,226	262	66	24	11	11	374	36	24	31	54	57			
45	Females.....	1,093	174	12	6	2	4	198	8	8	4	16	30			
46	Foreign.....	889	154	11	3	1	2	170	6	7	14	21	17			
47	Males.....	2,495	7	5	7	3	1	23	5	4	24	49	67			
48	Females.....	1,331	3	3	2	1	1	9	2	1	13	30	44			
49	Unknown.....	1,164	4	2	5	3	1	14	3	3	11	19	23			
50	Males.....	233	34	2	1			37	1	1	2	7	13			
51	Females.....	165	18		1			19	1	1	2	5	9			
52	Colored.....	73	16	2				18				2	4			
53	Males.....	5,347	1,264	278	134	62	42	1,780	121	129	237	301	288			
54	Females.....	2,696	707	152	65	30	17	971	57	56	96	152	142			
55	Negro.....	2,651	557	126	69	32	25	809	64	73	141	149	146			
56	Males.....	2,692	707	152	65	30	17	971	57	56	96	150	142			
57	Females.....	2,651	557	126	69	32	25	809	64	73	141	149	146			
58	Chinese.....	4										2				

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT.

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
MINNESOTA.												
1 Total.....	22,649	4,261	804	446	275	210	5,996	769	531	759	1,037	1,000
2 Males.....	12,947	2,388	416	238	139	121	3,302	428	263	419	626	556
3 Females.....	9,702	1,873	388	208	136	89	2,694	341	268	340	411	444
4 White.....	22,470	4,233	799	437	274	209	5,952	767	528	754	1,026	987
5 Males.....	12,837	2,375	413	232	138	121	3,279	427	263	415	618	548
6 Females.....	9,633	1,858	386	205	136	88	2,673	340	265	339	408	439
7 Native.....	13,291	4,188	781	426	259	200	5,854	741	501	648	712	606
8 Males.....	7,254	2,351	403	227	133	114	3,228	410	251	345	382	288
9 Females.....	6,037	1,837	378	199	126	86	2,626	331	250	303	330	318
10 Both parents native.....	2,732	993	140	78	54	48	1,313	154	80	101	87	93
11 One or both parents foreign.....	3,839	1,251	259	143	76	64	1,793	245	167	236	280	176
12 Parentage unknown.....	683	107	4	6	3	2	122	11	4	8	15	19
13 Foreign.....	8,694	20	14	10	14	8	66	25	27	97	286	343
14 Males.....	5,172	11	8	5	4	6	34	17	12	63	211	227
15 Females.....	3,522	9	6	5	10	2	32	8	15	34	75	116
16 Unknown.....	485	25	4	1	1	1	32	1		9	28	38
17 Males.....	411	13	2		1	1	17			7	25	33
18 Females.....	74	12	2	1			15	1		2	3	5
19 Colored.....	179	28	5	9	1	1	44	2	3	5	11	13
20 Males.....	110	13	3	6	1		23	1		4	8	8
21 Females.....	69	15	2	3		1	21	1	3	1	3	5
22 Negro.....	84	9	1	2	1		13	1		2	6	5
23 Indian.....	20	4	2	4			10	1	2		3	4
24 Chinese.....	3	9	1	1			11		1	1	2	1
25 Japanese.....	3											1
MONTANA.												
26 Total.....	3,999	714	139	54	49	37	993	142	87	130	223	286
27 Males.....	2,633	380	76	26	22	16	520	84	52	77	163	198
28 Females.....	1,366	334	63	28	27	21	473	58	35	53	65	88
29 White.....	3,909	706	137	53	48	37	981	140	85	128	223	275
30 Males.....	2,568	375	75	25	22	16	513	83	51	77	158	194
31 Females.....	1,341	331	62	28	26	21	468	57	34	51	65	81
32 Native.....	2,522	704	131	51	45	35	966	133	83	112	126	140
33 Males.....	1,483	374	74	24	21	15	508	78	50	66	78	86
34 Females.....	1,039	330	57	27	24	20	458	55	33	46	48	54
35 Both parents native.....	583	175	29	9	11	5	229	35	25	34	28	32
36 One or both parents foreign.....	497	165	32	15	15	8	235	27	17	26	23	22
37 Parentage unknown.....	588	190	43	14	8	10	265	40	21	27	32	26
38 Foreign.....	404	155	22	12	9	10	208	26	16	19	18	18
39 Males.....	312	9	2	1	2		14	3	4	5	18	28
40 Females.....	138	10	3			2	15	2		1	7	14
41 Unknown.....	1,136	2	6	2	3	2	15	6	2	13	80	108
42 Males.....	845	1	1	1	1	1	5	4	1	9	64	83
43 Females.....	291	1	5	1	2	1	10	2	1	4	16	25
44 Colored.....	251							1		3	17	27
45 Males.....	240							1		2	16	25
46 Females.....	11									1	1	2
47 Negro.....	90	8	2	1	1		12	2	2	2	5	11
48 Males.....	65	5	1	1			7	1	1		5	4
49 Females.....	25	3	1		1		5	1	1	2		7
50 Both parents native.....	25	1	1				2				1	1
51 One or both parents foreign.....	18	2			1		3			2		6
52 Parentage unknown.....	12	2					3		1		3	1
53 Foreign.....	5	1					1	1	1			1
54 Indian.....	15	2					2					1
55 Chinese.....	1							1				
56 Japanese.....	13							1			1	2
57 Females.....	1		1				1					

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT.

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEW HAMPSHIRE.												
1 Total.....	7,452	1,373	179	82	54	50	1,738	126	75	124	196	195
2 Males.....	3,861	790	94	47	27	26	984	71	35	62	108	95
3 Females.....	3,591	583	85	35	27	24	754	55	40	62	88	100
4 White.....	7,438	1,372	178	80	54	50	1,734	126	75	124	196	195
5 Males.....	3,854	789	93	46	27	26	981	71	35	62	108	95
6 Females.....	3,584	583	85	34	27	24	753	55	40	62	88	100
7 Native.....	5,861	1,348	167	77	51	47	1,690	119	66	95	134	111
8 Males.....	3,066	779	87	46	25	24	961	67	32	48	74	50
9 Females.....	2,795	569	80	31	26	23	729	52	34	47	60	61
10 Both parents native.....	1,503	243	26	15	8	7	299	24	18	25	35	23
11 One or both parents foreign.....	1,468	166	26	12	8	8	220	21	17	31	27	34
12 Parentage unknown.....	693	34	4	3	2	2	43	3	3	4	11	7
13 Foreign.....	1,361	21	10	3	3	3	40	6	7	28	58	76
14 Males.....	663	8	6	2	2	2	18	3	2	14	32	38
15 Females.....	698	13	4	3	1	1	22	3	5	14	26	38
16 Unknown.....	216	3	1				4	1	2	1	4	8
17 Males.....	125	2					2	1	1		2	7
18 Females.....	91	1	1				2	1	1	1	2	1
19 Colored.....	14	1	1	2			4					
20 Males.....	7	1	1	1			3					
21 Females.....	7			1			1					
22 Negro.....	7	1	1	1			3					
23 Parentage unknown.....	7			1			1					
NEW JERSEY.												
24 Total.....	39,504	8,363	1,719	764	476	300	11,622	919	573	868	1,290	1,431
25 Males.....	21,223	4,648	895	424	244	161	6,372	468	302	461	670	746
26 Females.....	18,281	3,715	824	340	232	139	5,250	451	271	407	620	685
27 White.....	37,422	7,858	1,589	715	445	282	10,889	874	525	799	1,190	1,325
28 Males.....	20,173	4,375	826	397	228	150	5,976	447	281	433	631	694
29 Females.....	17,249	3,483	763	318	217	132	4,913	427	244	366	559	631
30 Native.....	26,508	7,806	1,561	694	430	267	10,758	835	475	640	809	842
31 Males.....	14,086	4,342	808	381	221	144	5,896	431	250	341	404	428
32 Females.....	12,422	3,464	753	313	209	123	4,862	404	225	299	405	414
33 Both parents native.....	7,015	1,775	303	138	79	66	2,361	194	129	179	211	193
34 One or both parents foreign.....	6,539	1,368	275	127	78	45	1,893	202	112	145	202	204
35 Parentage unknown.....	6,239	2,468	499	237	139	77	3,420	229	119	146	182	211
36 Foreign.....	5,244	2,017	471	184	129	73	2,874	199	109	150	186	189
37 Males.....	332	99	6	6	3	1	115	8	2	16	11	24
38 Females.....	639	79	7	2	2	5	95	3	4	4	17	21
39 Unknown.....	10,521	44	27	21	15	15	122	38	49	153	370	465
40 Males.....	5,778	27	18	16	7	6	74	16	31	88	220	250
41 Females.....	4,743	17	9	5	8	9	48	22	18	65	150	215
42 Colored.....	393	8	1				9	1	1	6	11	18
43 Males.....	309	6					6			4	7	16
44 Females.....	84	2	1				3	1	1	2	4	2
45 Negro.....	2,082	505	130	49	31	18	733	45	48	69	100	106
46 Males.....	1,050	273	69	27	16	11	396	21	21	28	39	52
47 Females.....	1,032	232	61	22	15	7	337	24	27	41	61	54
48 Negro.....	1,042	273	69	27	16	11	396	21	21	28	38	52
49 Indian.....	1,031	231	61	22	15	7	336	24	27	41	61	54
50 Chinese.....	1										1	
51 Japanese.....	6											
52 Males.....	1											
53 Females.....	1	1					1					

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.	
187	243	230	278	329	393	451	623	596	622	534	292	146	24	5	45
88	117	121	144	178	220	242	317	315	321	240	108	55	9	2	29
99	126	109	134	151	173	209	306	281	301	294	184	91	15	3	16
186	243	223	277	329	393	450	623	596	621	533	291	145	24	5	44
88	117	120	144	178	220	241	317	315	321	239	108	54	9	2	29
98	126	108	133	151	173	209	306	281	300	294	183	91	15	3	15
102	165	157	174	221	275	322	442	461	482	446	250	117	16	3	13
50	74	83	96	121	156	171	225	248	258	204	92	45	5	1	5
52	91	74	78	100	119	151	217	213	224	242	158	72	11	2	8
26	32	48	58	73	97	101	146	149	163	106	48	26	3	1	2
31	53	38	47	60	69	99	143	130	147	142	96	50	4	1	3
19	27	21	15	22	14	14	6	8	7	1	2	2	1	1	3
14	22	21	14	17	14	9	8	8	6	3	5	1	1	1	1
5	15	14	23	26	45	56	73	91	88	97	42	17	2	2	3
7	16	15	17	23	36	43	61	75	71	97	57	22	6	1	5
77	71	64	97	95	102	106	165	115	110	72	30	24	8	2	8
33	38	33	44	50	53	52	85	56	55	27	14	8	4	1	3
44	33	31	53	45	49	54	80	59	55	45	16	16	4	1	5
7	7	7	6	13	16	22	16	20	29	15	11	4	4	1	23
5	5	4	4	7	11	18	7	11	8	8	2	1	1	1	21
2	2	3	2	6	5	4	9	9	21	7	9	3	1	1	2
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1,624	1,908	1,824	1,818	2,037	2,003	2,293	2,463	2,440	1,956	1,366	749	237	58	7	18
918	1,092	1,119	1,087	1,143	1,113	1,220	1,308	1,238	926	598	317	90	19	2	14
706	816	705	731	894	890	1,073	1,155	1,202	1,030	768	432	147	39	5	4
1,500	1,780	1,695	1,713	1,943	1,928	2,209	2,385	2,383	1,903	1,335	736	232	56	4	18
858	1,019	1,047	1,034	1,098	1,077	1,186	1,266	1,209	900	584	310	90	18	1	14
642	761	648	679	845	851	1,023	1,119	1,174	1,003	751	426	142	38	3	4
969	1,068	922	919	1,063	1,032	1,121	1,214	1,263	1,115	791	464	156	41	3	8
550	594	544	514	559	575	590	639	651	539	329	178	56	13	1	4
419	474	378	405	504	457	531	575	612	576	462	286	100	28	2	4
232	226	219	222	264	334	402	475	507	411	258	137	49	10	1	2
177	221	170	204	271	286	381	406	480	459	387	230	83	21	2	3
291	340	270	239	232	177	132	87	63	51	29	16	3	3	1	2
214	221	193	172	192	133	97	115	82	60	28	24	4	1	1	1
27	23	55	53	63	64	56	77	81	77	42	25	4	4	3	1
28	32	15	29	41	38	53	54	50	57	47	32	13	6	1	1
511	666	730	758	844	861	1,063	1,143	1,038	769	532	267	73	15	1	3
291	387	403	488	508	471	579	607	538	350	247	130	32	5	1	3
220	279	267	270	336	390	484	536	550	419	285	137	41	10	1	37
20	46	43	36	36	35	25	28	32	19	12	5	3	3	1	7
17	38	40	32	31	31	17	20	20	11	8	2	2	1	1	7
3	8	3	4	5	4	8	8	12	8	4	3	1	1	1	39
124	128	129	105	94	75	84	78	57	53	31	13	5	2	3	40
60	73	72	53	45	36	34	42	29	26	14	7	1	1	1	42
64	55	57	52	49	39	50	36	28	27	17	6	5	1	2	43
60	71	70	53	45	34	34	41	29	26	14	7	1	1	1	44
64	55	57	52	49	39	50	36	28	27	17	6	5	1	2	44
1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	45
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	47

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT.

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
NEW YORK.												
1 Total.....	147,678	27,503	6,453	2,930	1,737	1,141	39,764	3,141	1,888	3,080	4,884	5,590
2 Males.....	79,664	15,228	3,400	1,545	868	600	21,641	1,590	948	1,653	2,621	3,051
3 Females.....	68,014	12,275	3,053	1,385	869	541	18,123	1,551	940	1,427	2,263	2,539
4 White.....	144,144	26,784	6,238	2,860	1,690	1,108	38,680	3,068	1,826	2,970	4,680	5,345
5 Males.....	77,722	14,828	3,291	1,507	844	581	21,051	1,558	919	1,599	2,526	2,924
6 Females.....	66,422	11,956	2,947	1,353	846	527	17,629	1,510	907	1,371	2,154	2,421
7 Native.....	97,536	26,619	6,003	2,739	1,608	1,040	38,009	2,792	1,587	2,275	3,064	3,267
8 Males.....	52,502	14,742	3,167	1,442	803	545	20,699	1,428	797	1,215	1,592	1,742
9 Females.....	45,034	11,877	2,836	1,297	805	495	17,310	1,364	790	1,060	1,472	1,525
10 Both parents native.....	M.. 22,804	5,289	878	468	280	212	7,127	602	398	552	719	740
F.. 20,402	4,063	815	412	270	192	127	5,752	566	403	506	719	678
11 One or both parents foreign.....	M.. 25,541	8,421	2,251	959	512	327	12,470	813	390	637	813	925
F.. 21,198	6,919	1,978	867	530	299	10,593	784	375	532	723	798	
12 Parentage unknown.....	M.. 4,157	1,032	38	15	11	6	1,102	9	9	26	60	77
F.. 3,484	895	43	18	5	4	965	14	12	22	30	49	
13 Foreign.....	45,386	126	160	95	74	65	520	270	234	678	1,583	2,030
14 Males.....	24,316	70	88	52	38	35	283	128	119	369	902	1,140
15 Females.....	21,070	56	72	43	36	30	237	142	115	309	681	890
16 Unknown.....	1,222	39	75	26	8	3	151	6	5	17	33	48
17 Males.....	904	16	36	13	3	1	69	2	3	15	32	42
18 Females.....	318	23	39	13	5	2	82	4	2	2	1	6
19 Colored.....	3,534	719	215	70	47	33	1,084	73	62	110	204	245
20 Males.....	1,942	400	109	38	24	19	590	32	29	54	95	127
21 Females.....	1,592	319	106	32	23	14	494	41	33	56	109	118
22 Negro.....	M.. 1,780	394	107	37	24	18	580	29	28	54	89	117
F.. 1,570	315	106	31	22	13	487	39	31	56	106	115	
23 Indian.....	M.. 37	4	1	1	1	1	7	2	1	1	1	1
F.. 18	2	1	1	1	1	1	5	2	2	2	2	
24 Chinese.....	M.. 114	1	1	1	1	1	1	1	1	1	1	1
F.. 2	1	1	1	1	1	1	1	1	1	1	1	
25 Japanese.....	M.. 11	1	1	1	1	1	2	1	1	1	1	4
F.. 2	1	1	1	1	1	1	1	1	1	1	1	1
NORTH CAROLINA.¹												
26 Total.....	6,752	1,330	484	191	88	73	2,166	127	127	285	423	379
27 Males.....	3,276	676	252	86	44	37	1,095	61	62	124	191	185
28 Females.....	3,476	654	232	105	44	36	1,071	66	65	161	232	194
29 White.....	3,728	704	260	101	51	46	1,162	58	61	130	189	171
30 Males.....	1,851	363	142	47	26	24	602	31	32	58	95	79
31 Females.....	1,877	341	118	54	25	22	560	27	29	72	94	92
32 Native.....	3,605	703	259	100	51	45	1,158	58	60	128	178	168
33 Males.....	1,761	362	141	46	26	23	598	31	31	57	85	78
34 Females.....	1,844	341	118	54	25	22	560	27	29	71	93	90
35 Both parents native.....	M.. 1,472	337	134	45	24	22	562	29	30	52	73	66
F.. 1,570	317	115	51	22	20	20	525	26	28	70	84	80
36 One or both parents foreign.....	M.. 52	9	2	1	1	1	12	1	1	1	2	7
F.. 47	8	2	1	1	1	1	11	1	1	1	1	5
37 Parentage unknown.....	M.. 237	16	5	1	2	2	24	1	1	5	10	5
F.. 227	16	3	3	2	2	2	24	1	1	1	9	9
38 Foreign.....	63	1	1	1	1	1	2	1	1	1	2	2
39 Males.....	42	1	1	1	1	1	2	1	1	1	2	1
40 Females.....	21	1	1	1	1	1	1	1	1	1	1	1
41 Unknown.....	60	1	1	1	1	1	2	1	1	2	9	1
42 Males.....	48	1	1	1	1	1	2	1	1	1	8	1
43 Females.....	12	1	1	1	1	1	1	1	1	1	1	1
44 Colored.....	3,024	626	224	90	37	27	1,004	69	66	155	234	208
45 Males.....	1,425	313	110	39	18	13	493	30	30	66	96	106
46 Females.....	1,599	313	114	51	19	14	511	39	36	89	138	102
47 Negro.....	M.. 1,425	313	110	39	18	13	493	30	30	66	96	106
F.. 1,599	313	114	51	19	14	14	511	39	36	89	138	102

¹Including only municipalities having a population of 1,000 or over in 1900.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
6,015	6,898	7,109	7,485	8,018	7,969	8,939	9,392	9,221	7,840	5,783	3,191	1,119	249	69	34	1
3,430	4,151	4,247	4,474	4,609	4,536	4,819	4,846	4,566	3,792	2,660	1,422	458	103	22	25	2
2,585	2,747	2,862	3,011	3,409	3,433	4,120	4,546	4,655	4,048	3,123	1,769	661	146	47	9	3
5,739	6,632	6,874	7,289	7,845	7,831	8,806	9,272	9,153	7,779	5,739	3,166	1,112	245	59	34	4
3,249	3,936	4,106	4,354	4,515	4,457	4,748	4,784	4,527	3,760	2,643	1,413	457	101	20	25	5
2,490	2,646	2,768	2,935	3,330	3,374	4,058	4,488	4,626	4,019	3,036	1,753	655	144	39	9	6
3,517	3,917	3,762	3,825	4,186	3,989	4,119	4,523	4,633	4,143	3,219	1,866	679	131	21	12	7
1,959	2,341	2,163	2,215	2,326	2,279	2,282	2,390	2,384	2,089	1,480	835	285	51	3	7	8
1,558	1,576	1,609	1,610	1,860	1,710	1,837	2,133	2,299	2,054	1,739	1,031	394	80	18	5	9
646	772	706	740	922	1,119	1,365	1,488	1,578	1,468	1,034	585	199	35	3	6	10
579	597	564	592	760	864	1,054	1,367	1,577	1,500	1,273	729	261	51	3	2	11
1,241	1,452	1,331	1,327	1,199	940	637	534	344	227	154	75	29	5	5	2	12
924	907	961	925	972	705	592	491	390	222	153	93	48	3	3	1	11
72	117	116	148	205	220	280	368	412	394	292	175	57	13	1	1	12
55	72	84	93	128	141	191	275	332	332	313	209	85	24	7	1	12
2,147	2,603	2,982	3,346	3,558	3,773	4,605	4,685	4,465	3,575	2,483	1,271	425	110	38	5	13
1,223	1,547	1,842	2,037	2,095	2,124	2,409	2,351	2,156	1,645	1,145	561	170	49	17	4	14
924	1,056	1,140	1,309	1,463	1,649	2,196	2,334	2,309	1,930	1,338	710	255	61	21	1	15
75	112	130	118	101	69	82	64	55	61	37	29	8	4	4	17	16
67	98	111	102	94	54	57	43	37	26	18	17	2	1	1	14	17
8	14	19	16	7	15	25	21	18	35	19	12	6	3	3	3	18
276	266	235	196	173	138	133	120	68	61	44	25	7	4	40	19	19
181	165	141	120	94	79	71	62	39	32	17	9	1	2	2	2	20
95	101	94	76	79	59	62	58	29	29	27	16	6	2	8	8	21
157	146	122	94	80	67	64	59	39	27	15	8	1	2	2	2	22
94	101	98	76	78	59	61	58	28	29	27	16	6	2	8	8	22
4	1	1	4	3	1	2	2	5	5	2	1	2	2	2	2	23
1	16	19	21	10	11	5	1	1	1	1	1	1	1	1	1	23
20	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24
347	303	283	255	314	302	313	319	260	229	169	82	33	11	11	14	26
155	136	126	122	163	171	159	163	133	107	63	40	8	4	2	6	27
192	167	157	133	151	181	154	156	127	122	106	42	25	7	9	8	28
185	158	152	136	184	191	193	222	171	176	114	52	16	2	5	29	29
81	65	76	70	98	114	101	110	88	79	39	27	2	2	4	30	30
104	93	76	66	86	77	92	112	83	97	75	25	14	2	1	31	31
179	148	142	132	177	183	182	212	161	165	108	47	15	2	2	2	32
76	61	67	67	93	108	93	102	79	74	38	22	2	2	1	1	33
103	87	75	65	84	77	89	110	82	91	70	25	13	2	1	1	34
64	48	58	55	75	84	67	72	57	46	22	11	1	1	1	1	35
91	78	64	52	62	66	71	83	55	66	45	16	7	2	2	2	35
1	4	1	4	4	3	5	2	1	1	2	2	2	2	2	2	36
6	4	1	3	5	2	2	2	2	1	1	4	2	2	2	2	36
11	9	8	14	19	14	21	28	21	27	14	9	1	1	1	1	37
6	5	10	10	17	9	16	25	25	24	24	5	4	2	2	2	37
3	8	5	2	4	2	7	6	8	5	5	1	1	1	1	1	38
2	4	4	1	3	2	5	5	7	2	1	1	1	1	1	1	39
1	4	1	1	1	1	2	1	1	3	4	1	1	1	1	1	40
3	2	5	2	3	6	4	4	2	6	1	4	4	4	4	3	41
3	2	5	2	2	6	3	3	2	3	3	4	4	4	4	3	42
162	145	131	119	130	111	120	97	89	53	55	30	17	9	11	9	44
74	71	50	52	65	57	58	57	45	28	24	13	6	4	2	2	45
88	74	81	67	65	54	62	44	44	25	81	17	11	5	9	7	46
74	71	50	52	65	57	58	53	45	28	24	13	6	4	2	2	47
88	74	81	67	65	54	62	44	44	25	81	17	11	5	9	7	47

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
VERMONT.												
1 Total.....	5,704	791	110	60	39	23	1,023	98	61	101	142	128
2 Males.....	2,974	462	62	33	22	9	588	45	32	52	74	56
3 Females.....	2,730	329	48	27	17	14	435	53	29	49	68	72
4 White.....	5,674	787	110	59	38	23	1,017	98	61	101	138	123
5 Males.....	2,955	460	62	32	21	9	584	45	32	52	72	53
6 Females.....	2,719	327	48	27	17	14	433	53	29	49	66	70
7 Native.....	4,697	781	109	54	38	22	1,004	91	57	90	123	97
8 Males.....	2,446	458	61	28	21	9	577	43	30	43	63	41
9 Females.....	2,251	323	48	26	17	13	427	48	27	47	60	56
10 Both parents native.....	(M. 1,476)	250	35	14	12	9	320	23	18	23	46	29
(F. 1,420)	200	33	15	10	10	268	29	14	31	36	30	
11 One or both parents foreign.....	(M. 521)	173	24	13	8	218	13	12	19	13	8	
(F. 418)	99	15	11	7	3	135	17	11	13	18	15	
12 Parentage unknown.....	(M. 449)	35	2	1	1	39	2	2	1	4	4	
(F. 413)	24	2	1	1	1	24	2	2	3	6	11	
13 Foreign.....	902	6	1	5	1	13	6	4	10	14	24	
14 Males.....	459	2	1	4	1	7	2	2	8	8	10	
15 Females.....	443	4	1	1	1	6	4	2	2	6	14	
16 Unknown.....	75						1		1	1	2	
17 Males.....	50											
18 Females.....	25						1					
19 Colored.....	30	4	1	1		6				4	5	
20 Males.....	19	2	1	1		4				2	3	
21 Females.....	11	2				2				2	2	
22 Negro.....	(M. 18)	2	1	1		4				2	3	
(F. 11)	2					2				2	2	
23 Indian.....	(M. 1)											
(F. 1)												
WASHINGTON.												
24 Total.....	11,502	1,862	331	153	123	82	2,551	342	261	394	661	733
25 Males.....	7,163	1,104	176	86	71	37	1,474	163	129	235	415	446
26 Females.....	4,339	758	155	67	52	45	1,077	179	132	159	246	287
27 White.....	11,017	1,785	315	141	117	76	2,434	322	245	370	625	691
28 Males.....	6,844	1,060	168	78	69	32	1,407	156	120	219	388	412
29 Females.....	4,173	725	147	63	48	44	1,027	166	125	151	237	279
30 Native.....	7,575	1,768	310	139	110	74	2,401	294	225	320	434	422
31 Males.....	4,375	1,054	164	77	67	30	1,392	141	110	177	243	218
32 Females.....	3,200	714	146	62	43	44	1,009	153	115	143	191	204
33 Both parents native.....	(M. 2,094)	586	85	37	39	18	765	79	61	97	136	105
(F. 1,682)	387	93	35	23	26	26	564	94	64	87	98	101
34 One or both parents foreign.....	(M. 1,261)	405	72	35	25	10	547	53	40	70	67	57
(F. 952)	270	48	25	19	17	17	379	55	46	47	73	58
35 Parentage unknown.....	(M. 1,020)	63	7	5	3	2	80	9	9	10	40	56
(F. 586)	57	5	2	1	1	1	66	4	5	9	20	45
36 Foreign.....	2,788	9	5	2	6	1	23	22	16	39	165	218
37 Males.....	1,878	3	4	1	2	1	11	12	9	32	125	148
38 Females.....	910	6	1	1	4		12	10	7	7	40	70
39 Unknown.....	654	8			1	1	10	6	4	11	26	51
40 Males.....	591	3				1	4	3	1	10	20	46
41 Females.....	63	5			1		6	3	3	1	6	5
42 Colored.....	485	77	16	12	6	6	117	20	16	24	36	42
43 Males.....	319	44	8	8	2	5	67	7	9	16	27	34
44 Females.....	166	33	8	4	4	1	50	13	7	8	9	8
45 Negro.....	(M. 65)	6	2	1			9	2	1	1	4	7
(F. 32)	4	2		2			8		1	1	1	3
46 Indian.....	(M. 134)	20	6	5	2	5	38	5	8	13	15	7
(F. 115)	19	3	3	2	1	1	28	13	7	7	7	3
47 Chinese.....	(M. 31)									1		2
(F. 2)	1	1					2					
48 Japanese.....	(M. 89)	18		2			20			1	8	18
(F. 17)	9	2	1				12				1	2

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

REGISTRATION AREA.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1 Total.....	28,070	5,621	987	484	299	242	7,633	733	459	770	1,051	973
2 Males.....	15,689	3,205	528	242	147	135	4,257	382	237	400	579	521
3 Females.....	12,381	2,416	459	242	152	107	3,376	351	222	370	472	452
4 White.....	27,896	5,585	976	484	298	239	7,582	722	452	759	1,045	963
5 Males.....	15,582	3,187	521	242	146	134	4,230	375	232	394	575	513
6 Females.....	12,314	2,398	455	242	152	105	3,352	347	220	365	470	450
7 Native.....	17,106	5,565	961	474	285	229	7,514	692	435	698	846	705
8 Males.....	9,326	3,172	517	236	139	123	4,192	353	222	353	436	341
9 Females.....	7,780	2,393	444	238	146	101	3,322	334	213	345	410	364
10 Both parents native.....	(M. 3,871 F. 3,379)	1,614 1,186	258 217	120 116	73 75	60 47	2,125 1,641	168 159	95 87	124 112	121 144	95 118
11 One or both parents foreign.....	(M. 4,511 F. 3,776)	1,419 1,099	245 223	111 115	61 70	64 52	1,900 1,559	183 168	122 123	214 219	290 244	218 219
12 Parentage unknown.....	(M. 944 F. 625)	139 108	14 4	5 7	5 1	4 2	167 122	7 7	5 3	15 14	25 22	28 27
13 Foreign.....	10,424	13	12	8	11	10	54	30	17	54	182	238
14 Males.....	5,941	9	2	6	6	6	29	17	10	36	124	153
15 Females.....	4,483	4	10	2	5	4	25	13	7	18	58	85
16 Unknown.....	366	7	3	2	2	14	7	17	20
17 Males.....	315	6	2	1	9	5	15	19
18 Females.....	51	1	1	2	1	5	2	2	1
19 Colored.....	174	36	11	1	3	51	11	7	11	6	10
20 Males.....	107	18	7	1	1	27	7	5	6	4	8
21 Females.....	67	18	4	2	24	4	2	5	2	2
22 Negro.....	(M. 42 F. 23)	9 6	3	12 6	2 1	2	2 1	2 1	4 1
23 Indian.....	(M. 64 F. 44)	9 12	4 4	1	1 2	15 18	5 3	3 2	4 4	1 1	4 1
24 Japanese.....	(M. 1 F. 1)	1

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
898	930	947	1,154	1,210	1,235	1,314	1,707	1,808	1,976	1,671	1,076	345	82	20	78	1
502 396	540 390	526 421	713 441	717 493	737 496	777 537	1,000 707	968 840	1,048 928	893 778	584 492	200 145	37 45	8 12	63 15	2 3
886	924	941	1,147	1,200	1,229	1,309	1,703	1,806	1,969	1,667	1,074	343	80	19	76	4
494 392	537 387	522 419	708 439	711 489	732 497	774 535	996 707	967 839	1,046 923	890 777	583 491	199 144	35 45	8 11	61 15	5 6
590	593	525	573	594	551	440	504	495	521	402	286	98	20	6	18	7
312 278	319 274	267 258	343 230	334 260	296 255	266 174	313 191	271 224	266 255	212 190	148 138	55 43	10 10	2 4	10 8	8 9
80 84 212 177 20 17	55 55 228 200 36 19	46 57 193 178 28 23	62 50 241 161 40 19	69 71 222 168 43 21	92 83 161 147 43 25	101 91 120 82 45 21	130 109 72 51 111 31	134 125 43 41 94 58	138 163 39 21 89 71	122 111 20 22 70 57	74 84 22 7 52 42	30 22 2 1 18 20	5 6 2 3 4	1 4 1 1	4 3 2 4 2	10 11 12
276	303	391	533	573	651	847	1,178	1,296	1,428	1,253	784	243	60	13	20	13
165 111	191 112	231 160	328 205	348 225	412 239	489 358	665 513	686 610	766 662	669 584	433 351	142 101	25 35	6 7	16 4	14 15
20	28	25	41	33	27	22	21	15	20	12	4	2	-----	-----	38	16
17 3	27 1	24 1	37 4	29 4	24 3	19 3	18 3	10 5	14 6	9 3	2 2	2 -----	-----	-----	35 3	17 18
12	6	6	7	10	6	5	4	2	7	4	2	2	2	1	2	19
8 4	3 3	4 2	5 2	6 4	5 1	3 2	4 -----	1 1	2 5	3 1	1 1	1 1	2 -----	-----	2 -----	20 21
3 1 5 3	1 2 2 1	1 ----- 3 2	2 ----- 3 2	1 ----- 5 2	2 ----- 3 1	1 ----- 2 -----	2 ----- 2 -----	----- 1 -----	1 3 1 2	1 ----- 2 1	----- 1 -----	----- 1 -----	----- 2 -----	----- ----- -----	2 ----- ----- -----	22 23 24

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	Regis-tration area.	REGISTRATION STATES.				Regis-tration cities in other states.	All regis-tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural districts.	Cities.			Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
	All causes.....	805,412	703,608	400,305	303,303	101,804	502,109	18,609	13,792	4,705	6,364	12,032	5,466	
	I.—General diseases.....	215,692	187,170	108,167	79,003	28,522	136,689	5,790	4,145	1,714	1,794	3,113	1,304	
1	Typhoid fever.....	12,673	10,904	5,640	5,264	1,769	7,409	216	244	102	235	119	46	
2	Typhus fever.....	2	2	2	2	1	2							
3	Relapsing fever.....	1	1	1	1		1							
4	Malaria.....	1,167	645	258	387	522	780	24	61	3	6	20	8	
5	Smallpox.....	202	189	107	82	13	120		1		7			
6	Measles.....	6,598	5,990	3,377	2,613	608	3,985	97	80	18	46	69	22	
7	Scarlet fever.....	6,255	5,430	3,367	1,863	825	4,392	42	28	43	61	105	24	
8	Whooping cough.....	6,145	5,579	2,381	1,445	567	3,448	128	156	8	27	107	39	
9	Diphtheria and croup.....	11,521	10,090	6,482	3,508	1,431	7,913	129	100	59	71	195	88	
10	Influenza.....	7,774	6,824	2,663	4,161	950	3,613	73	78	31	46	145	98	
11	Miliary fever.....													
12	Asiatic cholera.....													
13	Cholera nostras.....	563	528	192	338	35	227	4	4	2	5	4	5	
14	Dysentery.....	3,446	2,971	1,096	1,875	475	1,571	45	70	7	31	33	15	
15	Plague.....	1	1	1	1				1					
16	Yellow fever.....													
17	Leprosy.....	10	5	2	3	5	7	1	1					
18	Erysipelas.....	2,442	2,183	1,308	875	259	1,567	39	37	26	19	45	10	
19	Other epidemic diseases.....	198	189	94	95	9	103	1	3	1	1	4	1	
20	Purulent infection and septicemia.....	1,877	1,557	858	699	320	1,178	41	18	17	10	27	11	
21	Glanders.....	7	7	7	7									
22	Anthrax.....	22	20	14	6	2	16	3			1			
23	Rabies.....	64	57	36	21	7	43	2	1					
24	Tetanus.....	1,373	936	512	424	437	949	26	22	4	4	16	4	
25	Mycoses.....	32	26	20	6	6	26	5	1					
26	Pellagra.....	368	143	90	53	225	315	2	1					
27	Beriberi.....	10	10	7	3		7	4	2					
28	Tuberculosis (total).....	86,309	74,011	45,178	28,833	12,298	57,476	2,886	2,024	957	852	1,205	474	
	Tuberculosis of the lungs.....	73,214	62,436	37,995	24,441	10,778	48,773	2,469	1,748	862	788	1,018	408	
	Acute miliary tuberculosis.....	1,997	1,730	1,164	566	267	1,431	64	41	10	11	31	10	
	Tuberculous meningitis.....	4,654	4,185	2,943	1,242	469	3,412	145	91	37	21	72	21	
	Abdominal tuberculosis.....	3,159	2,746	1,500	1,246	413	1,913	109	71	22	11	33	13	
	Pott's disease.....	764	671	400	271	93	493	20	18			12	5	
	White swellings.....	422	372	204	168	50	254	12	11	1	1	8	3	
	Tuberculosis of other organs.....	1,118	1,001	555	446	117	672	41	22	7	9	19	6	
	Disseminated tuberculosis.....	981	870	417	453	111	528	26	22	10	11	12	8	
36	Ricketts.....	455	370	251	119	85	336	10	4	5	2	4	4	
37	Syphilis.....	3,221	2,529	1,849	680	692	2,541	115	56	36	14	25	2	
38	Gonococcus infection.....	197	163	134	29	34	168	6	1	2	1	2		
	Cancer and other malignant tumors (total).....	41,039	36,364	20,505	15,859	4,675	25,180	1,302	711	251	217	602	291	
	Of the buccal cavity.....	1,576	1,381	764	617	195	959	50	42	9	9	27	10	
	Of the stomach, liver.....	16,475	14,675	7,992	6,683	1,800	9,792	511	308	95	92	228	104	
	Of the peritoneum, intestines, rectum.....	5,258	4,750	2,889	1,861	508	3,397	177	74	32	25	82	38	
	Of the female genital organs.....	6,147	5,253	3,264	1,989	894	4,158	205	76	44	22	79	37	
	Of the breast.....	3,730	3,330	1,840	1,540	350	2,190	112	58	19	14	65	39	
	Of the skin.....	1,459	1,307	513	794	152	665	36	27	7	16	14	13	
	Of other organs or of organs not specified.....	6,394	5,618	3,243	2,375	776	4,019	211	126	45	39	107	60	
46	Other tumors (tumors of the female genital organs excepted).....	553	479	246	233	74	320	11	8	2	2	14		
47	Acute articular rheumatism.....	3,328	2,942	1,647	1,295	386	2,033	51	41	26	25	50		
48	Chronic rheumatism and gout.....	676	608	286	322	68	354	20	14	3	2	11		
49	Scurvy.....	68	62	44	18	6	50	2				1		
50	Diabetes.....	8,040	7,282	4,232	3,050	758	4,990	236	142	34	33	155		
51	Exophthalmic goiter.....	687	595	335	260	92	427	17	10	5	2	7		
52	Addison's disease.....	220	199	112	87	21	133	8	3	4		2		
53	Leukemia.....	864	757	423	334	107	530	29	20	9	9	13		
54	Anemia, chlorosis.....	2,614	2,377	1,224	1,153	237	1,461	62	41	14	13	40		
55	Other general diseases.....	1,359	1,182	605	577	177	782	34	36	9	17	21		
56	Alcoholism (acute or chronic).....	2,909	2,626	1,694	932	283	1,977	99	109	29	30	66		
57	Chronic lead poisoning.....	136	118	83	35	18	101	8				1		
58	Other chronic occupation poisonings.....	6	3	2	1	3	5							
59	Other chronic poisonings.....	259	216	103	113	43	146	21	16	5	5	5		
	II.—Diseases of the nervous system and of the organs of special sense.....	77,991	70,483	34,593	35,890	7,508	42,101	1,650	1,516	377	480	1,230		
60	Encephalitis.....	761	650	341	309	111	452	31	16	3	4	12		
61	Meningitis (total).....	7,619	6,661	3,937	2,724	958	4,895	194	159	66	53	166		
	Simple meningitis.....	5,347	4,688	2,724	1,964	659	3,383	133	108	45	33	132		
	Cerebrospinal meningitis (undefined).....	2,052	1,809	1,118	691	243	1,361	58	50	20	20	34		
	Cerebrospinal fever.....	220	164	95	69	36	151	3	1	1				
62	Locomotor ataxia.....	1,435	1,287	678	589	168	846	56	22	10	7	19		
63	Other diseases of the spinal cord (total).....	4,101	3,751	1,717	2,034	350	2,067	105	73	10	23	73		
	Acute anterior poliomyelitis.....	1,458	1,364	544	820	95	639	11	18		4	24		
	Other diseases of the spinal cord.....	2,642	2,387	1,173	1,214	255	1,428	94	55	10	19	49		
64	Cerebral hemorrhage, apoplexy.....	39,701	36,292	18,195	18,097	3,409	21,604	854	675	181	203	675		
65	Softening of the brain.....	1,066	917	342	575	149	491	38	36	4	5	10		
66	Paralysis without specified cause.....	7,756	6,873	2,532	4,341	883	3,415	160	191	38	59	54		
67	General paralysis of the insane.....	2,944	2,652	1,276	1,376	292	1,568	46	114	13	24	33		
68	Other forms of mental alienation.....	1,761	1,606	589	1,017	155	744	19	58	11	16	17		

¹ Including District of Columbia.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.				Allregistration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total ¹	Cities. ¹	Rural districts.	Registration cities in other states.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
II.—Diseases of the nervous system and of the organs of special sense—Continued.													
69	Epilepsy.....	2,287	2,111	818	1,293	176	994	39	66	10	37	37	33
70	Convulsions (nonpuerperal).....	200	173	79	94	27	106	1	7	7	7	4	
71	Convulsions of infants.....	4,802	4,376	2,331	2,045	426	2,757	24	33	7	22	62	39
72	Chorea.....	123	111	50	61	12	62	1	1	2	1	3	1
73	Neuralgia and neuritis.....	362	334	177	157	28	205	11	4	2	2	11	3
74	Other diseases of the nervous system.....	2,069	1,807	938	869	262	1,200	50	58	15	10	36	18
75	Diseases of the eyes and their annexa.....	37	35	19	16	2	21	1	1	1	1	1	1
76	Diseases of the ears.....	967	867	574	293	100	674	21	10	5	14	14	5
III.—Diseases of the circulatory system.													
100,106													
77	Pericarditis.....	650	544	280	254	106	388	31	13	3	3	2	7
78	Acute endocarditis.....	4,792	4,041	3,046	995	751	3,797	151	58	14	23	91	23
79	Organic diseases of the heart.....	76,178	67,780	36,618	31,162	8,398	45,016	2,263	1,582	338	354	1,163	635
80	Angina pectoris.....	3,869	3,534	1,668	1,866	335	2,003	98	87	27	24	72	39
81	Diseases of the arteries, atheroma, aneurism, etc.....	11,657	10,153	5,753	4,400	1,504	7,257	341	198	50	37	168	92
82	Embolism and thrombosis.....	1,990	1,757	1,018	739	233	1,251	48	31	26	9	40	19
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	349	316	205	111	33	238	4	1	1	3	7	7
84	Diseases of the lymphatic system (lymphangitis, etc.).....	255	220	142	78	35	177	9	3	1	1	4	1
85	Hemorrhage; other diseases of the circulatory system.....	366	319	146	173	47	193	8	8	1	2	5	5
IV.—Diseases of the respiratory system.													
100,835													
86	Diseases of the nasal fossae.....	135	118	47	71	17	64	4	4	1	1	1	1
87	Diseases of the larynx.....	746	669	319	350	77	396	7	7	6	7	9	9
88	Diseases of the thyroid body.....	224	187	101	86	37	138	5	1	2	3	2	2
89	Acute bronchitis.....	7,229	6,643	4,230	2,413	586	4,816	109	54	17	40	133	39
90	Chronic bronchitis.....	5,391	4,785	2,680	2,105	606	3,286	132	70	13	21	79	41
91	Bronchopneumonia.....	25,337	21,913	15,352	6,561	3,424	18,776	340	195	80	116	285	116
92	Pneumonia (total).....	54,187	45,968	27,725	18,233	8,229	35,954	1,012	767	326	475	982	326
	Lobar pneumonia.....	24,972	21,333	15,544	5,789	3,639	19,183	500	301	151	134	318	116
	Pneumonia (undefined).....	29,215	24,635	12,181	12,444	4,590	16,771	512	466	175	341	664	210
93	Pleurisy.....	2,150	1,890	1,245	645	260	1,505	50	28	7	7	34	15
94	Pulmonary congestion, pulmonary apoplexy.....	2,499	2,180	1,189	991	319	1,508	54	54	6	12	46	19
95	Gangrene of the lung.....	138	123	77	46	15	92	7	7	1	1	2	2
96	Asthma.....	1,454	1,223	647	581	226	873	35	20	15	22	17	17
97	Pulmonary emphysema.....	166	149	73	76	17	90	5	1	1	1	1	1
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,179	1,031	487	544	148	635	16	22	16	46	11	11
V.—Diseases of the digestive system.													
104,801													
99	Diseases of the mouth and annexa.....	423	361	184	177	62	246	5	7	2	3	3	3
100	Diseases of the pharynx.....	840	772	384	388	68	452	13	10	5	19	19	19
101	Diseases of the esophagus.....	120	103	59	44	17	76	7	2	1	1	1	1
102	Ulcer of the stomach.....	2,203	1,924	1,211	713	279	1,490	82	41	17	19	19	19
103	Other diseases of the stomach (cancer excepted).....	8,403	7,494	3,434	4,060	909	4,343	146	132	37	60	60	60
104	Diarrhea and enteritis (under 2 years).....	54,266	47,197	29,712	17,485	7,069	36,781	499	437	192	33	33	33
105	Diarrhea and enteritis (2 years and over).....	8,914	7,676	3,682	3,994	1,238	4,920	135	145	28	6	6	6
106	Ankylostomiasis.....	9	4	1	3	5	6	1	1	1	1	1	1
107	Intestinal parasites.....	76	61	24	37	15	39	1	2	1	1	1	1
108	Appendicitis and typhlitis.....	6,128	5,154	3,528	1,626	974	4,502	195	67	65	6	6	6
109	Hernia, intestinal obstruction (total).....	6,678	5,775	3,493	2,282	903	4,396	188	110	41	4	4	4
	Hernia.....	2,192	1,883	1,255	628	309	1,564	67	32	12	3	3	3
	Intestinal obstruction.....	4,486	3,892	2,238	1,654	594	2,832	121	78	29	3	3	3
110	Other diseases of the intestines.....	1,571	1,356	703	653	215	918	42	32	7	1	1	1
111	Acute yellow atrophy of the liver.....	224	190	89	101	34	123	5	10	1	1	1	1
112	Hydatid tumor of the liver.....	24	19	16	3	5	21	2	2	1	1	1	1
113	Cirrhosis of the liver.....	7,485	6,352	4,042	2,310	1,133	5,175	285	157	37	3	3	3
114	Biliary calculi.....	1,501	1,277	714	563	224	938	36	15	14	1	1	1
115	Other diseases of the liver.....	3,092	2,623	1,296	1,332	464	1,760	85	58	18	1	1	1
116	Diseases of the spleen.....	96	85	40	45	11	51	4	2	2	2	2	2
117	Simple peritonitis (nonpuerperal).....	2,419	2,019	967	1,052	400	1,367	49	46	14	1	1	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	329	285	193	92	44	237	16	2	2	2	2	2

¹ Including District of Columbia.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Int. List No.	
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.		
							Total.	White.	Colored.	Total.	White.	Colored.						
16	10	6	52	114	5	31	29	16	13	34	25	9	80	83	51	75	69	
25	12	13	17	34	15	31	123	79	49	80	47	33	161	53	182	208	70	
4	4		5	8	3	6	8	7	1	7	6	1	12	3	11	20	71	
14	12	2	27	58	11	40	32	29	3	36	26	10	146	46	50	61	72	
1		1	22	3	3	9	17	15	2	6	4	2	74	13	18	27	73	
932	586	346	1,582	3,355	335	335	1,334	1,008	326	511	631	180	6,155	2,198	1,944	3,469	74	
7	4	3	14	22	1	15	5	3	2	5	4	1	21	5	13	27	77	
46	19	27	64	72	4	15	61	44	17	20	15	6	348	69	100	62	78	
705	434	271	1,149	2,563	24	24	1,035	756	279	673	522	151	4,391	1,613	1,474	2,830	79	
28	20	8	66	171	3	3	53	3	3	23	22	1	198	78	68	156	80	
121	92	29	199	348	3	3	115	16	16	70	56	14	1,009	377	220	295	81	
18	14	4	23	48	15	15	21	1	1	7	5	2	116	42	46	51	82	
3	1	2	10	11	3	3	6	3	3	5	2	3	34	4	8	11	83	
1		1	1	4	1	1	1	1	1	1	1	1	15	3	4	12	84	
3	2	1	6	10	5	7	7	5	5	7	4	3	23	7	11	25	85	
794	374	420	1,331	2,252	432	1,182	1,098	358	358	1,044	721	323	5,944	1,416	1,904	2,053	86	
2	1	1	11	23	1	10	1	1	1	3	1	2	6	2	2	5	86	
1	1	1	3	9	1	2	3	2	1	8	6	2	34	11	25	35	87	
72	29	43	91	145	28	103	94	72	22	87	57	30	488	107	178	260	88	
49	37	12	74	156	11	69	92	82	10	66	53	13	284	137	145	163	89	
150	75	75	355	499	76	178	368	268	100	188	126	62	1,282	245	457	296	91	
428	186	242	710	1,285	238	725	770	565	205	611	414	197	3,534	321	895	1,023	92	
171	94	77	392	533	31	86	399	294	105	128	94	34	1,312	237	386	217	93	
257	92	165	318	752	227	639	371	271	100	483	320	163	2,222	534	509	806	94	
12	7	5	26	40	7	20	31	27	4	15	11	4	121	28	48	65	95	
44	28	16	6	29	36	45	54	47	7	33	28	5	100	38	56	98	96	
3	3	2	1	3	2	1	5	5	1	2	2	3	1	1	4	5	95	
360	2	6	40	43	2	10	20	14	6	11	9	2	26	11	45	48	96	
13	2	1	1	3	2	3	1	1	1	2	2	2	6	3	3	4	97	
50	5	18	11	19	4	16	17	14	3	17	11	6	47	12	39	44	98	
17	20	339	1,694	2,899	435	992	1,300	1,000	300	1,136	805	331	5,825	1,149	2,318	3,138	99	
11	11	2	10	15	2	4	4	4	3	16	8	8	26	6	7	15	100	
13	55		16	32	1	9	7	7	2	10	8	2	50	4	26	34	101	
1		9	2	4		9	2	2		1	1		10	1	3	6	102	
08	2	63	35	62	8	19	12	16	4	15	12	3	133	23	40	59	103	
111			132	315	36	149	128	85	43	157	105	52	355	128	225	371	104	
179	851	1,265	203	447	699	522	177	642	453	189	3,544	567	1,077	1,273	104	105	105	
19	147	355	33	109	105	78	27	91	74	453	17	17	336	138	182	356	106	
1		3	2	2	1	1	1	4	1	1	1	3	2	1			106	
10	116	143	47	45	75	60	15	25	15	15	10	10	338	33	180	179	107	
22	114	187	40	65	96	82	14	50	35	15	15	15	348	67	173	217	108	
6	30	46	11	13	32	29	3	14	11	11	3	3	142	17	48	60	109	
16	84	141	29	52	64	53	11	36	24	12	12	12	206	50	125	157	110	
			19	18	15	3	17	13	3	17	13	4	69	19	52	65	111	
			1	1	2	2	2	3	3	3	3	3	8	1	2	5	111	
			34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	112
			80	72	8	45	35	10	265	75	132	213	113	113	113	113	113	
			24	24	8	8	8	8	8	8	8	8	8	8	8	8	8	114
			31	28	3	21	12	9	94	5	31	139	115	115	115	115	115	
			9	6	3	30	21	9	138	23	23	11	118	118	118	118	118	

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	Regis- tration area.	REGISTRATION STATES.			Regis- tration cities in other states.	All regi- stration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	62,559	53,251	32,660	20,591	9,308	41,968	1,593	924	390	407	941	458
119	Acute nephritis.....	5,665	4,886	3,230	1,656	779	4,009	126	71	29	36	114	25
120	Bright's disease.....	47,665	40,464	24,801	15,663	7,201	32,002	1,200	698	275	297	711	373
121	Chyluria.....	1	1	1	1	1	1	1	1	1	1	1	1
122	Other diseases of the kidneys and annexa.	1,389	1,215	683	532	174	857	31	16	9	9	19	7
123	Calculi of the urinary passages.....	329	231	167	114	48	215	11	4	1	3	3	2
124	Diseases of the bladder.....	1,561	1,433	599	834	128	727	23	36	9	14	29	22
125	Diseases of the urethra, urinary abscess, etc.	237	179	183	46	58	191	6	3	1	1	2	2
126	Diseases of the prostate.....	2,020	1,779	859	920	241	1,109	59	3	16	18	18	12
127	Nonvenereal diseases of the male genital organs.	75	65	39	26	10	340	1	1	1	1	1	2
128	Uterine hemorrhage (nonpuerperal).....	81	72	31	41	9	40	6	1	2	1	1	1
129	Uterine tumor (noncancerous).....	933	764	554	210	169	724	37	10	15	5	7	7
130	Other diseases of the uterus.....	774	628	422	206	145	558	11	8	4	4	12	3
131	Cysts and other tumors of the ovary.....	500	432	290	142	82	338	9	10	5	5	8	2
132	Salpingitis and other diseases of the female genital organs.	1,298	1,029	837	192	350	1,068	41	17	15	13	17	3
133	Nonpuerperal diseases of the breast (cancer excepted).	31	23	15	8	7	24	1	1	1	1	1	1
	VII.—The puerperal state.....	8,455	7,394	4,271	3,122	1,153	6,242	151	138	66	88	101	47
134	Accidents of pregnancy.....	877	760	454	306	171	571	13	24	8	10	9	11
135	Puerperal hemorrhage.....	754	630	374	209	175	448	19	15	5	9	6	3
136	Other accidents of labor.....	820	743	380	265	157	457	13	14	9	6	8	5
137	Puerperal septicemia.....	3,892	3,334	2,029	1,305	529	2,587	53	54	35	51	51	14
138	Puerperal albuminuria and convulsions.	1,824	1,614	889	725	210	1,099	42	28	7	9	22	11
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	230	212	127	85	18	145	11	2	2	2	5	1
140	Following childbirth (not otherwise defined).	53	47	15	32	6	21	1	1	1	1	2	2
141	Puerperal diseases of the breast.....	5	4	3	1	1	4	1	1	1	1	1	1
	VIII.—Diseases of the skin and of the cellular tissue.	3,008	2,690	1,322	1,368	318	1,640	73	52	14	15	51	20
142	Gangrene.....	1,748	1,599	694	905	149	843	47	34	9	5	32	14
143	Furuncle.....	273	239	151	88	34	185	9	4	2	1	1	1
144	Acute abscess.....	506	439	274	165	67	341	7	4	2	4	11	4
145	Other diseases of the skin and annexa.....	481	413	203	210	68	271	10	10	1	5	7	2
	IX.—Diseases of the bones and of the organs of locomotion.	1,317	1,165	822	343	152	974	34	11	10	5	13	2
146	Diseases of the bones (tuberculosis excepted).	1,145	1,013	725	288	132	857	31	8	8	4	12	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).	119	102	71	31	17	88	1	1	1	1	1	1
148	Amputations.....	7	5	4	1	2	6	1	1	1	1	1	1
149	Other diseases of the organs of locomotion.	46	45	22	23	1	23	2	3	2	2	2	2
	X.—Malformations.....	7,998	7,258	3,911	3,347	740	4,651	161	133	47	75	114	49
150	Congenital malformations (stillbirths not included) (total).	7,998	7,258	3,911	3,347	740	4,651	161	133	47	75	114	49
	Hydrocephalus.....	685	590	330	260	95	425	12	10	2	5	9	5
	Congenital malformations of the heart.....	4,821	4,385	2,394	1,991	436	2,330	97	86	35	52	66	30
	Other congenital malformations.....	2,492	2,283	1,187	1,096	209	1,396	52	37	10	18	39	14
	XI.—Early infancy.....	39,388	35,020	21,014	14,006	4,368	25,382	648	415	222	354	745	273
151	Congenital debility, icterus, and sclerema (total).	32,350	28,790	17,072	11,718	3,560	20,632	540	340	191	238	576	224
	Premature birth.....	20,275	18,038	10,703	7,335	2,237	12,940	391	257	126	182	344	132
	Congenital debility, "atrophy," "marasmus," etc.	12,075	10,752	6,369	4,383	1,326	7,692	149	83	65	106	232	92
152	Other causes peculiar to early infancy (total).	6,906	6,120	3,888	2,232	786	4,674	105	73	31	65	160	49
	Injuries at birth.....	3,725	3,313	2,142	1,171	412	2,534	31	31	15	15	31	11
	Other causes peculiar to early infancy.....	3,181	2,807	1,746	1,061	374	2,040	74	42	16	50	29	38
153	Lack of care.....	132	110	54	56	22	74	10	10	15	15	15	15
	XII.—Old age.....	13,604	12,218	4,655	3,563	1,386	8,047	272	222	22	22	41	14
154	Senility.....	13,604	12,218	4,655	3,563	1,386	8,047	272	222	22	22	41	14
	XIII.—External causes.....	57,196	49,855	22,760	7,341	3,429	46,426	1,841	1,565	59	59	141	54
	Suicide (total).	8,590	7,309	2,796	1,281	452	6,018	207	177	67	67	140	54
155	By poison.....	2,456	1,964	637	452	166	2,818	81	67	25	25	52	19
156	By asphyxia.....	941	785	55	55	156	785	1	1	1	1	1	1
157	By hanging or strangulation.....	1,265	1,163	628	214	102	1,265	1	1	1	1	1	1
158	By drowning.....	517	463	214	71	37	463	1	1	1	1	1	1
159	By firearms.....	2,561	2,181	971	381	139	2,561	1	1	1	1	1	1
160	By cutting or piercing instruments.....	544	476	191	85	35	544	36	29	10	10	10	10
161	By jumping from high places.....	137	119	13	13	18	124	3	2	2	2	2	2
162	By crushing.....	83	84	4	4	4	47	6	9	9	9	9	9
163	Other suicides.....	81	74	46	46	7	35	4	4	4	4	4	4

¹Including District of Columbia.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES
Continued.

For more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Int. List No.	
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.		
							Total.	White.	Colored.	Total.	White.	Colored.						
613	377	236	982	1,739	268	674	1,186	934	252	668	503	165	2,759	817	996	1,473		
58	29	29	82	121	30	55	112	73	39	43	28	15	212	54	90	115	119	
479	299	180	681	1,330	181	530	950	762	188	559	425	134	2,084	631	664	1,066	120	
12	10	2	22	51	9	16	15	15		11	7	4	81	21	32	59	121	
3	2	1	7	9	1	2	8	6	2	6	5	1	18	3	7	11	122	
5	3	2	23	53	7	26	14	12	2	15	12	3	65	46	43	69	124	
2		2	3	2	2	1	4	3	1	1	1		16	4	4	2	125	
18	14	4	43	96	11	24	17	16	1	9	8	1	83	32	43	71	126	
			1	3		1	3	1	2				4	3	3	2	127	
			1	1		2	1	1		3	1	2	6	2	2	5	128	
12	6	6	32	14	5	4	20	13	7	5	5		48	10	26	22	129	
8	7	1	10	15	10	10	13	10	3	5	3	2	42	6	29	27	130	
3	2	1	18	16	3	2	7	6	1	6	4	2	32	6	12	11	131	
13	5	8	59	28	9	1	22	16	6	5	4	1	65	2	40	12	132	
													3		1	1	133	
70	35	35	161	288	27	83	101	75	26	90	60	30	344	68	192	282		
11	9	2	14	23	3	5	14	10	4	11	8	3	39	4	26	24	134	
7	4	3	10	21		7	9	8	1	14	10	4	32	9	14	29	135	
40	17	23	9	32	2	15	11	9	2	10	5	5	33	9	19	34	136	
			103	134	16	30	37	27	10	35	23	12	148	18	86	110	137	
11	4	7	23	65	5	23	30	21	9	19	13	6	70	23	39	72	138	
1	1		2	7	1	2							22	5	6	8	139	
			1			1				1	1				2	5	140	
																		141
20	8	12	36	106	18	52	52	41	11	25	17	8	153	46	70	134		
13	3	10	23	73	16	38	25	15	10	15	8	7	73	25	40	102	142	
5	4	1	2	8		5	7	7		2	2		18	4	3		143	
1	1		2	9	1	4	16	15	1	5	4	1	38	9	16	12	144	
1		1	9	16	1	5	4	4		3	3		24	8	11	20	145	
16	11	5	20	39	4	12	23	21	2	12	10	2	98	16	39	26		
15	10	5	20	31	3	10	20	18	2	11	9	2	81	10	31	24	146	
1	1			4	1	2	2	2					13	5	7	2	147	
			4				1	1		1	1		1		1		148	
													3	1	1		149	
29	23	6	159	297	19	60	80	70	10	63	52	11	469	110	168	281		
29	23	6	159	297	19	60	80	70	10	63	52	11	469	110	168	281	150	
4	3	1	11	16	2	10	6	5	1	6	5	1	50	7	11	21		
13	14	4	105	170	8	25	55	48	7	34	29	5	277	74	93	145		
7	6	1	43	111	9	25	19	17	2	23	18	5	142	29	64	105		
	190	188	532	1,051	136	404	739	553	186	421	299	122	2,494	514	1,144	1,188		
91	120		334	825	103	360	658	492	166	361	255	106	2,020	433	1,005	989	151	
62	53		78	77	46	202	266	191	75	139	110	29	1,270	243	524	590		
27	14		119	221	57	158	392	301	91	222	145	77	750	190	481	399		
17	7		70	97	35	44	79	61	18	58	43	15	457	80	137	167	152	
10	7		49	12		20	53	42	11	24	20	4	249	44	82	165		
	7		1	5	21	24	26	19	7	34	23	11	208	36	55	92		
							2		2	2	1	1	7	1	2	2	153	
122	54		121	306	83	491	200	173	25	254	180	74	437	344	487	986		
122	54		121	306	83	491	200	173	25	254	180	74	437	344	487	986	154	
221	120		1,001	1,519	186	424	606	505			366	136	2,291	444	1,005	1,545		
72	8		180	201	15	170	86	84			42	6	318			138		
19	1		105	59	3	170	28	28			6		61			56	155	
19	1		14	50		170	10	10					65			2	156	
9	1		8	14		170	8	8			9	2	8			48	157	
3			33	63		170	4	4			3	3	8			6	158	
14	5		2	6		170	26	26			21	20	1			44	159	
5			2	2		170	5	5			2	2	2			8	160	
3			2	2		170	1	1			1	1	1			1	161	
			2	2		170	1	1			1	1	1			2	162	
			2	2		170	1	1			1	1	1			2	163	

Exclusive of injuries at birth.


MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	Regis- tration area.	REGISTRATION STATES.			Regis- tration cities in other states.	All regis- tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total).....	45,416	40,361	21,160	19,201	5,055	26,215	1,073	1,176	215	900	586	273
164	Poisoning by food.....	157	145	67	78	12	79	9	14	1	1	1	1
165	Other acute poisonings.....	1,227	1,080	548	532	147	695	32	26	17	20	15	13
166	Conflagration.....	745	623	352	271	122	474	14	16	1	4	11	2
167	Burns (conflagration excepted).....	4,182	3,575	2,270	1,305	607	2,877	79	63	16	23	64	22
168	Absorption of deleterious gases (con- flagration excepted).....	1,379	1,093	925	168	286	1,211	58	5	4	11	28	
169	Accidental drowning.....	4,818	4,441	2,050	2,391	377	2,427	117	158	4	53	64	57
170	Traumatism by firearms.....	1,161	998	327	671	163	490	26	69	11	36	6	
171	Traumatism by cutting or piercing instruments.....	89	79	48	31	10	58	2	2			1	
172	Traumatism by fall.....	8,305	7,424	4,459	2,965	881	5,340	198	141	33	40	151	6
173	Traumatism in mines and quarries (total).....	2,484	2,428	557	1,871	56	613	9	52	3	404	2	
	Traumatism in mines.....	2,366	2,318	524	1,794	48	572	2	45	3	403	1	
	Traumatism in quarries.....	118	110	33	77	8	41	7	7		1	2	
174	Traumatism by machines.....	1,299	1,145	707	438	154	861	36	34	6	24	10	
175	Traumatism by other crushing (total).....	13,302	11,639	6,179	5,460	1,663	7,842	378	387	88	178	164	
	Railroad accidents and injuries.....	7,877	7,011	3,307	3,704	866	4,173	139	215	63	115	83	
	Street-car accidents and injuries.....	1,949	1,568	1,181	887	381	1,562	114	30	3	2	33	
	Automobile accidents and in- juries.....	980	834	575	259	146	721	50	36	7	9	25	
	Injuries by other vehicles.....	1,940	1,733	915	818	207	1,122	57	88	11	47	21	
	Landslide, other crushing.....	556	493	201	292	63	264	18	18	4	5	2	
176	Injuries by animals.....	502	467	168	299	35	203	17	36	9	9	8	
177	Starvation.....	38	34	15	19	4	19	4	2		1	1	
178	Excessive cold.....	254	247	66	181	7	73	1	5	1	18	3	
179	Effects of heat.....	826	734	460	274	92	552	3	22		3	10	
180	Lightning.....	156	150	12	138	6	18				23		
181	Electricity (lightning excepted).....	478	425	223	202	53	276	18	25	2	9	5	
185	Fractures (cause not specified).....	623	570	284	286	53	337	21	11	1	3	10	
186	Other external violence.....	3,391	3,064	1,443	1,621	327	1,770	51	108	18	41	34	
	Homicide (total).....	3,190	2,185	1,422	763	1,005	2,427	146	115	37	57	18	
182	By firearms.....	1,852	1,190	753	437	662	1,415	82	63	20	41	7	
183	By cutting or piercing instruments.....	452	292	187	105	160	347	11	22	7	11	1	
184	By other means.....	886	703	482	221	183	665	53	30	10	5	10	
	XIV.—Ill-defined diseases.....	12,462	10,834	4,975	5,859	1,628	6,603	70	133	12	52	185	
187	Ill-defined organic disease.....	622	486	124	362	136	260	6	17	1	3	2	
188	Sudden death.....	271	255	72	183	16	88		3			1	
189	Not specified or ill-defined (total).....	11,569	10,093	4,779	5,314	1,476	6,255	64	113	11	49	182	
	Ill-defined.....	9,932	8,702	4,497	4,205	1,230	5,727	55	88	11	39	168	
	Not specified or unknown.....	1,637	1,391	282	1,109	246	528	9	25		10	14	

¹ Including District of Columbia.



CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts.")

DISTRICT OF COLUMBIA.			INDIANA.		MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		Detailed Int. List No.
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	
							Total.	White.	Colored.	Total.	White.	Colored.					
233	137	96	748	1,271	165	347	499	404	95	434	317	117	1,894	524	814	1,336	164
8	4	4	2	7	8	16	1	1	1	3	3	4	3	14	1	7	165
2	2	2	30	42	2	8	10	10	3	15	11	4	44	14	26	49	166
24	11	13	4	8	2	8	7	4	2	1	1	30	4	10	17	166	
20	15	5	70	103	20	19	92	63	29	43	26	17	223	28	88	93	167
32	18	19	25	5	5	3	17	17	1	1	1	83	3	28	10	168	
3	2	1	44	89	31	92	51	32	19	78	53	25	196	114	83	176	169
1	1	1	20	42	8	16	10	6	4	21	9	12	12	7	18	63	170
62	46	16	2	2	1	1	2	1	1	1	1	3	3	1	1	2	171
			127	261	29	57	89	83	6	39	27	12	491	131	118	204	172
			14	48		3	1	1		8	7	1	2	2	24	126	173
			14	47		3	1	1		7	7		2	1	24	126	
3	1	2	29	26	2	10	17	13	4	6	5	1	68	9	19	35	174
48	31	17	287	409	39	67	135	120	15	96	77	19	504	134	263	300	175
9	8	1	174	239	27	33	74	69	5	60	27	13	250	87	148	168	
20	12	8	58	79	6	3	32	27	5	73	7	2	104	15	49	27	
7	6	1	21	12	1	6	7	7		9	1	1	55	13	34	16	
10	5	5	26	71	4	21	19	15	4	7	5	2	83	13	30	70	
2		2	8	8	1	4	3	2	1	5	4	1	12	6	2	19	
5	3	2	3	42	1	3	3	3		6	6		13	6	7	28	176
3		3	2	1			2	2		1	1		1	1	1	2	177
6	2	4	7	15	1	3	11	6		3	7	3	5	5	4	12	178
2	2	2	2	21	2	2	2	5		13	7	3	21	8	19	26	179
2	2	2	22	9	1	1	9	8		5	4	1	1	3	10	7	180
14	7	7	8	16	2	5	7	7	1	2	1	1	13	14	7	181	
28	12	16	50	117	14	37	35	28	7	26	23	3	16	8	21	31	185
13	5	8	73	47	6	7	21	17	4	66	55	11	165	37	69	138	186
4	1	3	45	30	2	4	12	10	2	20	7	13	79	11	45	26	
11	6	5	8	4	1	2	6	5	1	12	6	6	30	5	25	11	182
98	52	46	20	13	3	1	3	2	1	1	1	6	10	2	6	2	183
			36	64	79	297	336	240	96	7	7	6	39	4	14	13	184
1	1		2	7	2	12	7	2	5	25	18	7	4		25	51	187
97	51	46	1	2	19	8	1	1		19	16	3	6	3	3	9	188
97	51	46	33	55	58	277	328	237	91	442	250	192	521	132	391	443	189
			26	44	45	152	323	233	90	363	221	142	439	124	354	349	
			7	11	13	125	5	4	1	79	29	50	32	8	37	94	

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	All causes.....	8,193	14,456	1,527	2,472	3,061	4,391	26,530	12,974	110,283	37,395	3,075	1,561	1,514
	I.—General diseases.....	2,714	4,130	496	608	642	984	7,174	3,392	30,247	9,007	1,036	551	485
1	Typhoid fever.....	319	349	69	82	20	26	247	124	1,023	374	84	46	38
2	Typhus fever.....							1						
3	Relapsing fever.....													
4	Malaria.....		2					9	17	50	32	42	13	29
5	Smallpox.....	4	6	1	1					6	2	1	1	
6	Measles.....	93	154	6	10	6	23	185	68	1,041	229	36	25	11
7	Scarlet fever.....	160	141	28	33	4	4	211	70	1,447	207	5	4	1
8	Whooping cough.....	35	120	16	25	18	24	291	134	526	217	18	9	9
9	Diphtheria and croup.....	293	250	26	35	41	36	536	211	2,193	242	20	15	5
10	Influenza.....	14	84	8	16	23	70	158	154	532	636	49	25	24
11	Miliary fever.....													
12	Asiatic cholera.....													
13	Cholera nostras.....	3	52	1			4	8	10	33	36	1	1	
14	Dysentery.....	21	102	5	12	17	21	83	56	216	179	54	29	25
15	Plague.....													
16	Yellow fever.....		1							1				
17	Leprosy.....													
18	Erysipelas.....	34	45	7	7	7	14	95	34	383	94	4	4	
19	Other epidemic diseases.....	1	3	6	7		1	5	5	24	13	2	1	1
20	Purulent infection and septicemia.....	25	44	11	6	8	9	49	27	131	53	10	6	4
21	Glanders.....									4				
22	Anthrax.....									2				
23	Rabies.....					1	1	4	3	8		1	1	
24	Tetanus.....	11	25	2	5	2	4	45	21	91	40	21	3	18
25	Mycoses.....	1								4	1			
26	Pellagra.....		2							2	2	70	46	24
27	Beriberi.....													
	Tuberculosis (total).....	901	1,369	154	186	269	316	3,189	1,451	13,273	3,243	458	223	230
28	Tuberculosis of the lungs.....	720	1,086	131	156	208	269	2,668	1,257	11,291	2,314	395	196	199
29	Acute miliary tuberculosis.....	34	43	4	4	8	6	106	28	326	57	15	9	6
30	Tuberculous meningitis.....	63	98	7	4	24	7	220	65	994	131	14	10	4
31	Abdominal tuberculosis.....	41	59	4	4	15	18	94	38	287	109	21	8	13
32	Pott's disease.....	10	16	4	1	1	2	29	20	120	31	4	2	2
33	White swellings.....	6	10		2			16	5	58	17			
34	Tuberculosis of other organs.....	14	31	1	2	8	10	28	13	130	46	7	1	6
35	Disseminated tuberculosis.....	13	26	3	10	5	4	28	25	67	38	2	2	
36	Rickets.....	5	6		2		1	21	5	70	12	3	1	2
37	Syphilis.....	39	23	2	11	6	3	71	31	610	70	15	9	13
38	Gonococcus infection.....	3	1	1	1		1	6	4	37	1	1		1
	Cancer and other malignant tumors (total).....	493	907	76	81	131	293	1,233	658	5,587	2,139	93	62	31
39	Of the buccal cavity.....	23	40	2	1	8	9	36	20	198	73			
40	Of the stomach, liver.....	214	465	40	35	39	114	482	246	2,198	869	27	19	8
41	Of the peritoneum, intestines, rectum.....	51	117	5	5	14	46	160	84	903	285	9	8	1
42	Of the female genital organs.....	72	67	10	10	23	45	231	104	819	287	20	12	8
43	Of the breast.....	38	59	3	10	13	29	116	78	512	241	5	1	4
44	Of the skin.....	12	28	2	5	6	23	14	24	120	102	1	1	
45	Of other organs or of organs not specified.....	83	131	14	15	28	27	194	102	837	282	31	21	10
46	Other tumors (tumors of the female genital organs excepted).....	1	7	1	1	2	9	14	13	51	27	4	1	3
47	Acute articular rheumatism.....	42	62	11	14	10	8	139	46	470	141	6	1	5
48	Chronic rheumatism and gout.....	6	24		3	3	2	13	13	61	49	2	1	1
49	Scurvy.....							3	4	7	2			
50	Diabetes.....	75	168	19	19	35	45	202	141	1,250	444	15	9	6
51	Exophthalmic goiter.....	8	17	4	3	2		21	2	79	37	2	2	
52	Addison's disease.....	3	5		1	3	1	7		21	11			
53	Leukemia.....	14	26	1	3	2	7	31	6	114	42	1	1	
54	Anemia, chlorosis.....	28	55	5	7	16	27	59	26	237	183	9	5	4
55	Other general diseases.....	17	26	4	3	9	11	31	15	128	68	6	6	
56	Alcoholism (acute or chronic).....	54	52	28	28	7	18	111	42	495	104	3	3	
57	Chronic lead poisoning.....		1	1			3	4		22	5			
58	Other chronic occupation poisonings.....													
59	Other chronic poisonings.....		1	3	6		1	2		18	16			
	II.—Diseases of the nervous system and of the organs of special sense.....	597	1,392	91	241	429	596	2,301	1,760	7,982	5,019	270	154	116
60	Encephalitis.....	9	12		2	5	1	21	9	46	32	1	1	
61	Meningitis (total).....	87	118	20	29	83	44	312	115	864	288	35	19	16
	Simple meningitis.....	58	77	10	14	74	33	218	88	473	217	30	17	13
	Cerebrospinal meningitis (undefined).....	28	28	10	14	9	11	88	25	368	67	4	2	2
	Cerebrospinal fever.....	1	13		1			6	2	23	4	1		1
62	Locomotor ataxia.....	14	17		2	8	15	36	27	174	72	2	2	
63	Other diseases of the spinal cord (total).....	53	221	6	22	17	35	82	68	388	238	4	3	1
	Acute anterior poliomyelitis.....	19	178	4	13	9	10	22	28	93	77	2	2	
	Other diseases of the spinal cord ¹	34	43	2	9	8	25	60	40	295	161	2	1	1
64	Cerebral hemorrhage, apoplexy.....	294	593	43	69	172	339	1,337	934	4,445	2,929	91	50	41

¹ Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts. ¹			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
3,677	2,167	1,510	31,921	33,538	61,935	57,880	7,571	1,734	1,553	2,519	774	4,930	5,803	5,699	10,319	17,751	
1,262	709	553	8,976	9,433	15,150	13,571	2,014	380	403	553	199	1,166	1,755	1,572	2,969	4,591	
125	82	43	521	793	919	973	64	10	56	83	12	38	161	163	340	204	1
78	39	39	12	28	1	28	3	2	1	1		3	1	5	2	2	2
5	3	2	4	9	22	3											3
62	50	12	398	389	582	655	143	35	3	2	1	23	25	51	69	119	6
3	3		176	112	546	548	19	3	46	62	4	7	45	36	140	169	7
44	25	19	287	304	584	530	48	3	6	58	19	33	77	100	70	113	8
47	33	14	350	235	1,129	1,106	110	24	37	36	9	23	70	75	197	235	9
53	28	25	290	616	453	744	73	26	7	24	6	141	27	27	64	184	10
1	1		24	28	43	77	7	1	1	3		6	2		13	35	11
59	35	24	100	295	125	291	28	7	4			23	7	17	37	120	12
9	7	2	117	103	173	165	15	3	5	16	1	14	16	24	35	1	13
2		2	6	8	17	29	5			1		2	3		2	5	14
15	11	4	77	57	141	127	9	5	5	18	3	9	11	12	40	62	15
			7	2	6	1											16
			7	2	8	8									3	1	17
22	4	18	44	39	78	95	6		2	4	2	2	3	4	13	16	18
41	35	6	1	1	3	1	3					2	2		3		19
												2	2	1			20
525	234	291	3,745	3,463	5,898	4,387	865	128	99	67	72	332	651	592	970	1,527	21
473	212	261	3,161	2,908	4,991	3,784	730	108	71	56	57	254	488	493	812	1,277	22
14	7	12	91	63	145	83	14	3	6	1	5	12	20	12	25	39	23
9	2	2	196	132	345	136	75	11	6	4	5	27	48	39	52	55	24
17	9	8	159	199	217	133	30	4	7	4	1	21	46	19	36	67	25
3	1	2	21	32	46	31	7		3	2	2	6	13	7	12	20	26
1	1	1	16	11	19	30	3	1				2	6	1	6	8	27
3	1	2	52	57	84	75	3		4			6	21	9	12	39	28
5	2	3	49	61	51	65	3	1	2			4	9	12	15	32	29
7	2	5	14	17	32	18	10			1	1	2	2	2	8	9	30
16	6	10	232	84	234	139	34	6	4	8		13	33	21	31	16	31
			14	4	31	3	3					1	1	1	1	1	32
78	63	15	1,672	1,927	2,720	2,380	387	87	57	77	43	350	339	254	611	1,152	33
23	19	4	53	85	117	90	20	7	3	4	1	12	15	11	26	37	34
4	4		682	776	1,076	1,022	124	33	22	35	20	141	153	121	270	573	35
22	16	6	207	206	346	253	56	20	7	6	7	40	36	25	95	117	36
7	4	3	294	252	444	324	71	6	8	4	6	50	51	25	74	93	37
1	4	3	122	203	262	251	40	7	4	3	3	24	19	19	38	78	38
21	19	2	50	134	62	114	15	5	3	5	2	16	5	15	15	53	39
			264	271	413	326	61	9	10	20	4	51	38	38	201	45	40
7	4	3	12	26	29	26	5		3	4		4	9	1	6	14	41
13	7	6	151	166	250	264	19	6	8	27	6	6	26	20	57	102	42
2	1	1	32	36	43	43	6		5	1		9	2	6	7	27	43
			4	8	5	5						2	2	2	2	2	44
15	13	2	309	343	566	420	81	24	24	29	11	65	66	58	110	199	45
1		1	30	31	47	36	3		4	1		6	9	4	11	20	46
2	2		16	12	17	10	1		2	2		1	5	3	7	51	
7	1	1	27	50	54	46	10		2	3	1	1	15	9	17	30	
11	9	2	118	120	137	149	19	2	4	4	7	24	25	14	41	74	52
			41	49	65	90	12	2	3	12		10	28	13	17	39	53
7	6	1	126	64	158	157	26	6	8	10	4	10	92	55	48	54	54
			10	4	15	7				3		3	2	2	3	57	
3	3		1	16	9	12			7	1		4	1	2	4	58	
			7												3	59	
308	207	101	2,978	4,254	5,190	6,536	708	178	114	209	81	621	510	582	994	2,151	60
3	2	1	31	35	59	66	2	3	2	3	1	4	16	3	7	17	61
47	35	12	377	368	424	460	60	14	22	24	9	34	41	36	149	216	62
39	30	9	257	248	350	364	34	9	16	19	5	17	12	12	114	164	63
7	5	2	113	116	64	89	25	5	4	3	4	17	17	17	35	51	64
1		1	7	4	10	7	1		2	2			12	7		1	
2	1	1	65	94	82	100	11	1	2			11	10	9	12	39	65
7	4	3	115	228	273	362	54	12	6	9		38	65	51	89	89	
1		1	26	50	93	176	34	10	4	3		4	43	38	14	29	
6	4	2	89	178	180	186	20	2	2	6		29	22	13	39	60	
112	72	40	1,463	2,027	2,718	3,216	399	114	49	85	58	393	260	271	386	956	64

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.													
65	Softening of the brain.....	5	8	4	4	5	7	26	17	44	71	3	3	
66	Paralysis without specified cause.....	28	113	3	14	43	69	124	231	382	515	79	42	37
67	General paralysis of the insane.....	13	41	2	30	17	9	48	112	329	355	3	3	
68	Other forms of mental alienation.....	9	30	1	30	22	11	30	76	109	89	13	13	
69	Epilepsy.....	17	54	2	12	13	17	38	66	201	117	10	6	4
70	Convulsions (nonpuerperal).....		6	1	1		5	3	1	8	7			
71	Convulsions of infants.....	34	113	3	10	31	17	166	65	516	153	14	4	10
72	Chorea.....		5	1				5	2	11	6			
73	Neuralgia and neuritis.....	3	6		2	1	4	7	8	56	29	2		2
74	Other diseases of the nervous system.....	19	38	5	9	8	20	45	22	220	95	11	7	4
75	Diseases of the eyes and their annexa.....		1				2			8	3			
76	Diseases of the ears.....	12	16		5	4	1	21	7	181	20	2	1	1
	III.—Diseases of the circulatory system.	871	1,381	122	227	386	732	2,911	1,624	13,523	6,416	249	113	136
77	Pericarditis.....	6	4	2	2	3	8	16	13	63	26	2	1	1
78	Acute endocarditis.....	90	66	11	19	16	13	199	67	1,089	111	5	2	3
79	Organic diseases of the heart.....	612	1,086	88	169	279	586	2,252	1,252	10,144	4,939	202	87	115
80	Angina pectoris.....	24	46	7	6	26	35	85	71	378	284	9	5	4
81	Diseases of the arteries, atheroma, aneurism, etc.....	86	142	10	22	45	70	260	163	1,529	865	17	12	5
82	Embolism and thrombosis.....	38	23	3	5	11	16	74	44	250	152	5	1	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	5	6	1	1	2	3	7	3	59	19	1	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4	3		1	3		13	6	40	7	3	2	1
85	Hemorrhage; other diseases of the circulatory system.....	6	5		2	1	1	5	5	21	13	5	2	3
	IV.—Diseases of the respiratory system.	882	1,433	161	213	379	515	3,684	1,482	16,944	4,047	374	164	210
86	Diseases of the nasal fossae.....	2	8		2	1	2			10	1	1	1	
87	Diseases of the larynx.....	6	11	4	3		4	21	13	74	32	2	1	1
88	Diseases of the thyroid body.....	6	9	1	1	1		2	3	25	13			
89	Acute bronchitis.....	43	85	9	18	52	32	252	111	1,201	289	24	15	9
90	Chronic bronchitis.....	43	102	4	6	17	47	158	86	726	300	18	5	13
91	Bronchopneumonia.....	292	419	33	41	77	60	990	306	6,036	909	24	12	12
92	Pneumonia (total).....	435	660	92	116	197	307	2,021	840	7,977	2,182	269	113	156
	Lobar pneumonia.....	292	466	54	43	29	34	1,039	307	6,216	878	22	15	7
	Pneumonia (undefined).....	143	194	38	73	168	273	982	533	1,761	1,304	247	98	149
93	Pleurisy.....	15	36	7	4	5	12	76	32	411	83	5	3	2
94	Pulmonary congestion, pulmonary apoplexy.....	16	26	5	5	24	35	108	51	234	132	17	8	9
95	Gangrene of the lung.....		2					3	1	18	6	1		1
96	Asthma.....	15	48	3	5	4	6	32	12	128	42	7	4	3
97	Pulmonary emphysema.....	1	4			1	1	7	7	18	13	1	1	
98	Other diseases of the respiratory system (tuberculosis excepted).....	8	23	3	7	1	9	20	20	86	45	5	1	4
	V.—Diseases of the digestive system.	1,031	1,859	216	292	441	419	3,647	1,550	14,245	3,888	403	224	179
99	Diseases of the mouth and annexa.....	3	2	1		1	2	15	8	37	18	2		2
100	Diseases of the pharynx.....	5	14	2	3	3	4	25	17	88	46			
101	Diseases of the esophagus.....	2	3			1	1	2	1	16	7			
102	Ulcer of the stomach.....	35	55	3	2	10	8	62	20	349	104	8	7	1
103	Other diseases of the stomach (cancer excepted).....	50	146	17	20	45	71	217	160	571	521	52	21	31
104	Diarrhea and enteritis (under 2 years).....	521	820	85	141	259	153	2,178	826	8,266	1,474	199	113	86
105	Diarrhea and enteritis (2 years and over).....	77	223	8	23	28	54	233	175	903	492	51	30	21
106	Ankylostomiasis.....													
107	Intestinal parasites.....	1	1					2	1	9	5			
108	Appendicitis and typhlitis.....	131	189	40	25	19	16	188	54	934	143	18	13	5
109	Hernia, intestinal obstruction (total).....	82	149	19	26	25	30	200	66	913	298	14	8	6
	Hernia.....	32	39	3	7	5	10	78	26	362	79	6	5	1
	Intestinal obstruction.....	50	110	16	19	20	20	122	40	551	219	8	3	5
110	Other diseases of the intestines.....	21	31	4	5	3	8	51	31	152	81	8	3	5
111	Acute yellow atrophy of the liver.....	3	7				1	6	5	32	14			
112	Hydatid tumor of the liver.....							2		7				
113	Cirrhosis of the liver.....	51	87	20	17	9	20	318	121	1,349	312	16	15	1
114	Biliary calculi.....	18	38	2	4	6	9	30	15	149	54			
115	Other diseases of the liver.....	39	51	6	13	15	20	75	34	281	167	13	7	6
116	Diseases of the spleen.....		4					3	1	8	3			
117	Simple peritonitis (nonpuerperal).....	38	35	7	13	24	21	29	10	131	136	20	6	14
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	4	4	2		3	1	11	5	50	13	2	1	1

1 Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts. ¹			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
9	7	2	32	117	70	88	9	12	1	1	1	9	3	1	11	18	65
76	54	22	288	689	440	677	37	17	17	16	4	28	33	61	88	228	66
3	2	1	185	94	122	166	50	2	3	6	1	16	11	30	14	68	67
2	1	1	108	113	65	202	19	1	2	13	20	7	7	47	13	91	68
9	5	4	44	192	125	200	14	3	3	10	2	25	15	24	15	91	69
17	10	7	4	3	11	27	3	7	3	3	2	2	4	4	7	13	70
2	2	2	137	121	572	746	28	2	22	1	15	13	21	193	238	71	71
2	1	1	4	7	4	14	1	1	1	1	2	2	2	2	2	3	72
15	9	6	11	12	19	18	2	1	3	1	9	5	1	4	11	73	73
2	2	2	71	106	117	131	12	3	3	13	3	14	16	16	27	61	74
2	2	2	1	3	4	4	7	5	2	2	2	3	9	6	12	12	75
272	153	119	62	45	85	59	7	5	2	2	3	9	6	12	12	76	76
3	3	2	26	32	47	50	1	1	1	3	4	8	5	5	5	16	77
8	6	2	278	83	377	151	36	5	16	22	13	36	26	53	57	78	78
233	130	103	2,916	3,845	5,160	4,743	716	161	112	189	85	705	446	412	760	1,550	79
8	8	8	132	259	251	323	26	14	10	9	9	46	29	33	40	32	80
15	7	8	469	539	712	571	117	22	7	6	17	121	55	41	133	270	81
3	2	1	79	69	141	97	17	6	4	7	2	21	9	11	31	48	82
14	15	14	14	15	24	17	6	1	1	1	1	3	3	2	2	8	83
10	10	10	10	10	24	18	2	2	2	1	2	2	1	1	4	4	84
2	2	2	8	21	13	36	2	2	1	3	1	4	1	4	7	14	85
394	226	168	3,792	3,264	9,192	7,413	1,025	270	186	373	83	578	536	483	1,210	1,739	85
5	1	4	5	8	6	17	2	6	1	1	1	4	2	2	2	3	86
3	2	1	30	36	56	96	7	1	2	5	1	5	1	7	14	21	87
30	14	16	13	15	11	10	1	1	1	1	1	1	1	1	5	7	88
16	10	6	345	197	809	536	108	20	9	28	15	52	16	17	137	147	89
48	28	20	264	230	401	333	44	9	8	21	2	37	25	20	91	176	90
269	160	109	1,052	628	2,745	1,710	244	51	48	61	15	91	174	181	229	246	91
38	18	20	1,828	1,873	4,375	4,009	564	175	102	223	48	362	273	213	629	971	92
231	142	89	1,064	594	2,496	1,075	200	42	71	42	12	76	297	202	132	219	93
3	2	1	764	1,279	1,879	2,934	364	133	31	181	36	286	16	11	497	752	94
9	6	3	91	56	1,229	129	25	4	2	6	1	10	9	14	33	42	94
1	1	1	53	90	283	239	14	2	3	12	8	7	7	11	23	44	95
9	3	6	6	5	18	7	8	1	3	3	1	7	14	9	1	3	96
1	1	1	58	75	145	150	2	1	2	1	7	14	2	2	21	42	96
1	1	1	9	13	17	19	2	2	2	1	4	10	10	6	24	35	97
546	360	186	38	97	97	153	6	1	5	12	4	10	6	24	35	98	98
3	2	1	20	23	35	39	1	1	1	1	1	2	2	2	10	10	99
7	5	2	31	38	57	83	9	2	2	4	5	9	9	10	30	100	100
4	3	1	5	7	5	5	2	2	2	2	3	3	2	2	3	101	101
54	34	20	103	76	159	86	24	6	9	6	4	17	22	16	41	62	102
300	190	110	276	397	652	938	77	30	7	21	5	61	47	51	116	217	103
54	37	17	2,457	1,580	5,750	5,331	678	159	70	115	50	156	240	195	754	948	104
2	2	2	334	388	702	827	86	21	11	14	8	58	39	59	89	274	105
3	2	1	2	4	4	13	4	2	28	34	17	43	98	44	124	132	106
24	22	2	287	166	457	184	54	2	28	34	17	43	98	44	124	132	107
20	13	7	287	268	528	365	57	10	18	37	15	31	66	41	104	169	109
13	3	4	93	87	195	94	24	2	7	7	11	18	18	5	35	54	110
11	10	6	194	181	333	271	33	8	11	30	8	20	48	36	69	115	111
3	2	1	73	67	94	111	10	3	1	9	2	10	12	8	21	50	112
20	12	8	6	12	16	19	3	1	9	1	1	31	46	29	108	149	113
8	7	1	1	1	595	400	62	14	9	9	1	9	12	13	26	26	114
17	15	2	384	283	130	101	11	4	5	3	4	9	12	13	26	26	114
14	10	4	129	166	215	247	12	3	8	10	2	22	29	22	43	100	115
2	1	1	2	4	5	6	2	2	2	2	1	1	1	4	4	4	116
2	1	1	93	118	131	219	11	4	14	13	2	22	4	5	42	85	117
2	1	1	9	13	29	20	3	3	2	2	3	3	3	1	6	6	118

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.*		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	549	928	97	158	206	358	2,203	1,098	10,313	3,012	195	111	84
119	Acute nephritis.....	46	86	14	11	22	28	277	99	1,030	272	22	11	11
120	Bright's disease.....	394	657	70	127	153	277	1,679	889	8,148	2,284	137	84	53
121	Chyluria.....													
122	Other diseases of the kidneys and annexa.	10	34	1	6	5	9	45	22	187	66	11	5	6
123	Calculi of the urinary passages.....	1	3	2	1	1	1	3	4	54	15	2	2	
124	Diseases of the bladder.....	14	37	1	3	13	20	41	34	116	135	6	4	2
125	Diseases of the urethra, urinary abscess, etc.	2			1		1	8	2	40	6	2		2
126	Diseases of the prostate.....	22	72	1	1	3	14	38	20	206	127	4		4
127	Nonvenereal diseases of the male genital organs.	1	1	1			1	2		12	3			
128	Uterine hemorrhage (nonpuerperal)....	1		1		1				4	4	3	2	1
129	Uterine tumor (noncancerous).....	12	10		1		6	30	9	158	38	5		5
130	Other diseases of the uterus.....	15	16	2	3	5		23	8	90	21			
131	Cysts and other tumors of the ovary...	8	5		1		1	13	6	49	18	1	1	
132	Salpingitis and other diseases of the female genital organs.	23	6	4	3	3		42	5	214	23	2	2	
133	Nonpuerperal diseases of the breast (cancer excepted).		1					2		5				
	VII.—The puerperal state.....	95	152	25	37	22	30	303	94	1,105	281	39	16	23
134	Accidents of pregnancy.....	9	9	3	5	2	1	25	6	117	28			
135	Puerperal hemorrhage.....	6	17	2	6	3	3	27	8	109	23	4	1	3
136	Other accidents of labor.....	7	20	2	4	5	5	33	10	105	36	7	3	4
137	Puerperal septicemia.....	51	63	10	17	5	13	159	32	511	105	8	1	7
138	Puerperal albuminuria and convulsions	19	32	6	3	6	6	54	32	230	80	17	9	8
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	3	7	2	2	1	1	3	5	31	8	1		1
140	Following childbirth (not otherwise defined).		4				1	2	1	2	1	2	2	
141	Puerperal diseases of the breast.....													
	VIII.—Diseases of the skin and of the cellular tissue.	24	66	5	3	12	33	76	56	307	176	13	5	8
142	Gangrene.....	11	34	3	3	9	25	42	40	138	123	9	3	6
143	Furuncle.....	3	5			1	2	7	5	38	9			
144	Acute abscess.....	4	17	1		1	1	22	6	76	24	3	1	2
145	Other diseases of the skin and annexa.	6	10	1		1	5	5	5	55	20	1	1	
	IX.—Diseases of the bones and of the organs of locomotion.	15	21	5	1	4	4	36	6	276	42	5	3	2
146	Diseases of the bones (tuberculosis excepted).	14	19	4	1	3	3	32	4	249	36	4	2	2
147	Diseases of the joints (tuberculosis and rheumatism excepted).		1	1				3		21	2	1	1	
148	Amputations.....					1	1			1				
149	Other diseases of the organs of locomotion.	1	1					1	2	5	4			
	X.—Malformations.....	66	122	21	33	21	40	303	137	992	353	11	9	2
150	Congenital malformations (stillbirths not included) (total).	66	122	21	33	21	40	303	137	992	353	11	9	2
	Hydrocephalus.....	6	15	1	3	5	6	22	12	93	25	1	1	
	Congenital malformations of the heart.	37	55	14	21	7	23	169	94	625	213	4	4	
	Other congenital malformations....	23	52	6	9	9	11	112	31	274	115	6	4	2
	XI.—Early infancy.....	422	701	69	124	226	192	1,450	538	5,749	1,382	135	74	61
151	Congenital debility, icterus, and sclerema (total).	361	604	56	97	192	165	1,173	445	4,466	1,132	122	66	56
	Premature birth.....	228	356	38	64	101	93	779	264	2,761	806	71	44	27
	Congenital debility, "atrophy," "marasmus," etc.	133	248	18	33	91	72	394	181	1,705	326	51	22	29
152	Other causes peculiar to early infancy..	60	97	13	27	33	27	269	88	1,278	241	13	8	5
	Injuries at birth.....	24	50	8	7	12	13	165	45	643	154	2	2	
	Other causes peculiar to early infancy. ²	36	47	5	20	21	14	104	43	635	87	11	6	5
153	Lack of care.....	1				1		8	5	5	9			
	XII.—Old age.....	194	675	17	28	85	216	222	198	845	756	34	15	19
154	Senility.....	194	675	17	28	85	216	222	198	845	756	34	15	19

* Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

CAUSES OF DEATH, URBAN* AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

or more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts. ¹			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
210	125	85	2,307	2,249	5,160	3,254	626	131	152	148	58	399	447	335	619	1,151	
20	15	5	265	156	528	323	63	9	21	10	3	32	29	19	57	71	119
163	98	65	1,634	1,673	3,946	2,446	493	110	99	109	41	306	322	264	460	874	120
6	2	4	50	55	104	89	8	1	1	5	1	2	17	5	13	42	121
1		1	12	17	23	17	4		2	1		3	3	1	1	10	122
7	4	3	53	88	79	133	11	4	5	10	1	15	9	6	18	61	123
1		1	9	5	23	11	1		3	3		3	3	2	2	1	124
1	1		79	157	123	111	16	3	8	6	6	26	18	13	27	64	125
			2	3	8	6							2	2	1	1	126
2		2	3	5	2	5						-1			2	3	127
2	1	1	55	27	63	28	10	3	1	1	2	4	12	2	4	2	128
3	2	1	27	23	71	28	4	3	4	2	2	5	5	9	15	10	129
2	2		36	15	51	22	8	1	4		1	5	6	3	6	6	130
2		2	82	23	135	32	8		4	1	3	2	23	8	13	6	131
				2	4	2											132
																	133
72	41	31	375	352	789	652	70	12	29	40	8	53	101	93	97	171	
13	11	2	45	33	76	55	4	1	3	5	1	8	18	14	14	11	134
6	2	4	27	28	66	63	7	2	3	6	1	8	4	6	13	23	135
9	4	5	22	28	67	79	8	1	2	4		6	10	17	8	19	136
19	7	12	192	190	386	270	24	3	15	15	4	18	54	42	41	72	137
23	16	7	75	64	172	168	26	5	5	4		12	14	13	16	33	138
			11	5	16	13	1		1	4	2	1	1	1	5	11	139
2	1	1	2	3	4	4				2			1			2	140
			1	1	2												141
14	9	5	109	147	222	232	21	6	2	5	1	31	10	19	33	80	
11	7	4	50	110	120	168	12	5	2	3	1	24	4	11	15	42	142
1	1		14	9	33	24	3	1				2	2	2	3	4	143
1		1	18	4	40	43	3			1			2	3	10	11	144
1	1		27	24	29	47	3			1		2	2	3	5	23	145
5	3	2	60	44	121	67	8	3	3	1	2	6	18	2	12	18	
4	3	1	58	39	102	59	6	3	3	1	2	4	16	1	11	15	146
1		1	2	2	13	5	2					2	2	1	1	2	147
				3	6	3											148
																	149
16	16		327	418	676	791	58	22	11	29	15	52	66	73	98	193	
16	16		327	418	676	791	58	22	11	29	15	52	66	73	98	193	150
3	3		18	19	52	57	6	1		1		1	7	5	12	22	
9	9		200	273	447	492	34	16	7	15	14	36	34	39	48	89	
4	4		109	126	177	242	18	5	4	13	1	15	25	29	38	82	
135	88	47	1,541	1,423	2,949	3,178	406	82	80	210	46	172	306	271	617	978	
117	80	37	1,233	1,173	2,471	2,726	292	60	66	185	43	140	246	232	520	822	151
63	49	14	955	808	1,526	1,494	184	34	53	149	38	109	163	145	294	518	
54	31	23	278	365	945	1,232	108	26	13	36	5	31	83	87	226	304	
13	8	10	303	244	470	432	112	21	14	25	3	21	58	39	94	155	152
6	3	3	166	132	285	245	78	15	9	3	3	18	25	18	45	84	
12	5	7	137	112	185	187	34	6	5	22		13	33	21	49	71	
			5	6	8	20	2	1					1	2	3	1	153
65	42	23	241	590	506	889	103	49	39	104	16	168	104	125	267	798	
65	42	23	241	590	506	889	103	49	39	104	16	168	104	125	267	798	154

² Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1910—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MINNESOTA.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.		
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.		
												Total.	White.	Colored.
	XIII.—External causes.....	610	1,196	172	460	138	209	1,820	841	6,798	2,697	154	74	80
	Suicide (total).....	104	138	31	50	24	30	318	118	1,127	405	15	13	2
155	By poison.....	33	21	19	13	2	8	87	20	188	102	4	4	
156	By asphyxia.....	16	2			3		67	11	304	14			
157	By hanging or strangulation.....	8	51	1	7		7	45	22	144	95	2	1	1
158	By drowning.....	7	10	1	1	5	2	17	7	39	39			
159	By firearms.....	30	36	6	27	5	10	72	49	304	106	3	2	1
160	By cutting or piercing instruments.....	7	12	4	2	1	3	17	7	74	37	2	2	
161	By jumping from high places.....	3						6	1	62	2			
162	By crushing.....		1					6	1	11	6			
163	Other suicides.....		5					1		4	4		4	
	Accidental or undefined (total).....	478	1,018	133	381	111	178	1,417	697	5,293	2,218	127	56	71
164	Poisoning by food.....	3	3			1	1	5	4	19	10	1	1	
165	Other acute poisonings.....	16	23	5	8	3	5	32	13	113	55	6	4	2
166	Conflagration.....	10	26			2	3	48	12	104	42			
167	Burns (conflagration excepted).....	35	84	6	7	15	14	178	42	564	99	21	5	16
168	Absorption of deleterious gases (conflagration excepted).....	23	13	1	2	2	1	61	15	347	28			
169	Accidental drowning.....	48	168	1	48	18	32	154	146	639	382	10	3	7
170	Traumatism by firearms.....	15	60	8	25	3	7	15	18	28	44	13	8	5
171	Traumatism by cutting or piercing instruments.....	2	2	1	2			4	1	16	2			
172	Traumatism by fall.....	76	74	12	20	24	38	276	123	1,347	476	11	8	3
173	Traumatism in mines and quarries (total).....	6	55	27	51			3	14	4	25			
	Traumatism in mines.....	5	55	27	51			2	13	2	22			
	Traumatism in quarries.....	1						1	1	2	3			
174	Traumatism by machines.....	14	26	3	6	1	7	41	9	163	45	1	1	
175	Traumatism by other crushing (total).....	157	250	48	138	24	34	394	212	1,337	750	31	10	21
	Railroad accidents and injuries.....	101	165	34	97	14	23	249	152	529	543	19	8	11
	Street-car accidents and injuries.....	10	2	2		3	1	58	12	285	58	2	1	1
	Automobile accidents and injuries.....	17	6	2	3	3	2	26	15	161	47			
	Injuries by other vehicles.....	24	57	8	31	3	8	53	27	319	85	2	1	1
	Landslide, other crushing.....	5	20	2	7	1		3	6	43	17	8		8
176	Injuries by animals.....	3	27	5	12	1	2	7	5	40	22			
177	Starvation.....	1	2		1			1	2	3	2			
178	Excessive cold.....	2	22		9			5	7	14	25			
179	Effects of heat.....	18	11			2	3	55	12	138	15			
180	Lightning.....	1	13		7		1			2	14			
181	Electricity (lightning excepted).....	7	4	5	5	3	5	11	2	42	32	1	1	
185	Fractures (cause not specified).....	9	45		2	2	1	23	11	67	10	11	7	4
186	Other external violence.....	33	110	11	31	11	18	100	49	306	140	21	8	13
	Homicide (total).....	28	40	8	29	3	1	85	26	378	74	12	5	7
182	By firearms.....	14	19	6	18			30	14	203	40	7	2	5
183	By cutting or piercing instruments.....	5	6		1	2		15	2	49	9	2		2
184	By other means.....	9	15	2	10	1	1	40	10	126	25	3	3	
	XIV.—Ill-defined diseases.....	73	400	30	47	70	63	400	198	957	319	157	48	109
187	Ill-defined organic disease.....	2	24		1	5	5	2	3	4	10	12	2	10
188	Sudden death.....	1	11		2			3	1	2	6	12	4	8
189	Not specified or ill-defined (total).....	70	365	30	44	65	54	395	194	951	303	133	42	91
	Ill-defined.....	65	157	26	38	62	51	390	189	944	300	79	34	45
	Not specified or unknown.....	5	208	4	6	3	3	5	5	7	3	54	8	46

¹ Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."']

NORTH CAROLINA—contd.			OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Rural districts. ¹			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.															
143	85	58	2,533	2,401	4,708	4,509	409	116	154	233	34	275	664	977	702	1,113	
11	11	-----	379	300	618	357	60	20	26	14	3	44	135	95	154	177	155
5	5	-----	159	73	227	89	11	1	12	2	2	13	44	26	49	37	156
1	1	-----	7	5	34	5	14	-----	-----	-----	-----	1	7	1	8	-----	2
-----	-----	-----	51	60	80	95	9	5	1	1	-----	8	8	11	27	53	157
-----	-----	-----	27	24	22	20	4	4	-----	-----	1	4	10	9	25	9	158
5	5	-----	111	121	151	123	15	9	9	8	-----	15	47	29	33	51	159
-----	-----	-----	18	10	34	23	6	1	2	2	-----	3	14	8	10	16	160
-----	-----	-----	2	-----	12	1	1	-----	2	-----	-----	2	2	-----	-----	1	161
-----	-----	-----	3	3	1	-----	-----	-----	-----	-----	-----	1	1	7	-----	3	162
-----	-----	-----	1	4	7	1	-----	-----	-----	1	-----	-----	2	4	2	5	163
120	72	48	2,002	2,041	3,887	3,993	332	91	112	214	31	224	480	850	530	915	164
1	1	-----	11	6	5	15	1	-----	-----	-----	-----	2	3	3	2	1	165
6	5	1	47	83	91	83	10	7	12	8	2	10	14	11	7	25	166
1	1	-----	17	32	69	56	4	-----	-----	-----	-----	12	12	19	5	12	167
20	10	10	190	172	465	366	49	2	5	16	2	14	22	20	42	55	168
1	1	-----	46	24	123	22	21	-----	2	3	2	1	18	5	11	10	169
6	3	3	154	125	197	299	43	29	7	24	1	33	77	158	79	124	170
18	11	7	34	64	60	73	1	3	9	13	-----	8	18	30	9	51	171
-----	-----	-----	1	5	6	6	1	-----	1	1	-----	-----	2	-----	1	3	172
8	6	2	367	417	770	603	84	15	7	10	16	57	81	48	90	141	173
-----	-----	-----	23	139	433	851	-----	-----	6	35	-----	6	-----	43	-----	9	174
-----	-----	-----	21	135	417	805	-----	-----	6	35	-----	6	-----	42	-----	7	175
-----	-----	-----	2	4	16	46	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	176
1	1	-----	77	36	168	103	11	1	2	2	-----	9	17	26	19	19	177
17	12	5	773	629	1,080	1,090	68	13	32	37	5	46	156	356	168	244	178
14	11	3	497	459	667	854	26	5	17	23	1	32	93	199	93	166	179
-----	-----	-----	147	54	185	72	14	1	3	1	2	2	22	4	29	10	180
1	-----	1	50	26	66	37	16	3	5	2	1	2	9	8	12	7	181
1	-----	1	60	73	130	106	11	4	1	10	-----	9	17	22	26	50	182
1	1	-----	19	17	32	21	1	-----	6	1	1	1	15	123	8	11	183
1	1	-----	8	34	18	32	5	2	1	3	-----	4	6	7	8	16	184
-----	-----	-----	2	-----	4	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	176
-----	-----	-----	4	5	10	18	3	4	1	4	-----	1	-----	5	3	18	177
-----	-----	-----	27	35	120	70	4	8	2	-----	-----	-----	1	-----	15	26	178
-----	-----	-----	-----	11	2	15	1	-----	1	2	-----	4	-----	-----	2	4	179
2	2	-----	21	11	28	50	2	-----	4	10	-----	1	5	6	8	10	180
2	2	-----	39	51	15	6	4	1	7	13	1	4	2	2	18	30	181
9	7	2	161	162	227	231	20	6	13	33	2	22	46	111	42	117	182
27	9	18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	183
12	2	10	152	60	203	159	17	5	16	5	-----	7	49	32	18	21	184
9	2	7	91	37	102	94	6	2	15	4	-----	3	34	19	9	10	185
1	-----	1	21	6	25	24	3	1	1	1	-----	1	5	4	5	2	186
2	-----	2	40	17	76	41	8	2	-----	-----	-----	3	10	9	4	9	187
235	103	132	179	381	959	1,737	98	23	41	97	4	24	68	137	173	450	188
12	2	10	6	24	32	109	-----	-----	1	4	1	1	1	4	9	49	189
15	8	7	1	19	13	64	-----	-----	1	1	-----	3	1	3	3	8	190
208	93	115	172	338	914	1,564	95	23	39	92	3	20	66	130	161	393	191
144	74	70	141	202	876	1,389	92	22	39	74	2	11	62	67	151	336	192
64	19	45	31	136	38	175	3	1	-----	13	-----	9	4	63	10	57	193

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Inf. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	All causes.....	805,412	154,373	33,080	14,727	8,808	6,331	217,319	17,943	11,736	19,772	30,216	32,741
	Males.....	439,757	86,230	17,543	7,752	4,546	3,289	119,360	9,309	6,021	10,374	16,310	17,952
	Females.....	365,655	68,143	15,537	6,975	4,262	3,042	97,959	8,634	5,715	9,398	13,906	14,789
	I.—General diseases.....	215,692	14,250	9,123	6,018	4,235	3,262	36,888	8,891	4,978	9,770	14,784	15,383
	Males.....	111,349	7,594	4,750	3,080	2,118	1,662	19,204	4,362	2,183	4,583	7,503	8,137
	Females.....	104,343	6,656	4,373	2,938	2,117	1,600	17,684	4,529	2,795	5,187	7,281	7,246
1	Typhoid fever.....	M. 7,750 F. 4,923	38 34	65 59	70 62	69 69	81 82	323 306	331 353	365 488	928 753	1,331 736	1,190 523
2	Typhus fever.....	M. 1 F. 1											
3	Relapsing fever.....	M. 1 F. 1											
4	Malaria.....	M. 609 F. 558	34 43	19 21	17 19	17 14	12 8	99 106	32 26	11 29	37 30	44 40	33 42
5	Smallpox.....	M. 121 F. 81	21 6	6 3	3 3	3 3	1 2	34 17	3 3	4 2	12 5	8 14	12 10
6	Measles.....	M. 3,432 F. 3,166	879 661	1,080 947	521 481	243 220	153 153	2,376 2,462	804 234	60 92	57 55	36 42	14 39
7	Scarlet fever.....	M. 3,037 F. 3,218	167 137	364 333	466 451	429 464	324 329	1,750 1,714	832 899	192 250	105 127	68 89	33 60
8	Whooping cough.....	M. 2,769 F. 3,377	1,625 1,720	589 824	247 383	120 177	70 103	2,651 3,207	91 137	10 7	4 6	4 3	2 1
9	Diphtheria and croup.....	M. 5,971 F. 5,550	516 387	1,056 861	950 823	768 675	589 563	3,879 3,309	1,426 1,512	321 379	125 103	64 80	42 46
10	Influenza.....	M. 3,544 F. 4,230	297 225	109 85	43 56	30 29	16 15	495 410	56 66	34 39	65 54	66 75	76 90
11	Miliary fever.....	M. 1 F. 1											
12	Asiatic cholera.....	M. 1 F. 1											
13	Cholera nostras.....	M. 299 F. 264	63 34	18 12	10 8	3 3	2 2	93 59	9 5	4 4	2 7	3 5	2 9
14	Dysentery.....	M. 1,699 F. 1,747	409 336	196 149	70 64	35 27	30 20	740 596	23 24	8 7	7 6	13 11	17 24
15	Plague.....	M. 1 F. 1											
16	Yellow fever.....	M. 1 F. 1											
17	Leprosy.....	M. 6 F. 4											
18	Erysipelas.....	M. 1,414 F. 1,028	343 354	18 28	6 10	2 5	4 5	373 402	3 5	10 4	17 18	22 25	38 27
19	Other epidemic diseases.....	M. 114 F. 84	40 30	17 17	8 9	4 5	3 1	76 62	10 13	9 2	3 2	5 1	1 1
20	Purulent infection and septice- mia.....	M. 1,151 F. 726	126 95	20 19	15 7	7 9	6 4	174 134	46 27	41 21	47 39	41 62	52 59
21	Glanders.....	M. 1 F. 1											
22	Anthrax.....	M. 19 F. 3	1 1										
23	Rabies.....	M. 47 F. 17		1 1	1 2	1 2	3 2	6 5	9 4	7 2	3 3	1 50	1 49
24	Tetanus.....	M. 969 F. 404	240 187	8 3	8 3	10 8	14 5	280 201	124 38	124 29	75 13	50 11	49 17
25	Mycoses.....	M. 22 F. 10											
26	Pellagra.....	M. 105 F. 263					1	1	2	4	5	6	7
27	Beriberi.....	M. 8 F. 2											
	Tuberculosis (total).....	M. 48,394 F. 37,915	1,282 1,134	938 813	496 406	289 319	232 225	3,237 2,897	676 746	535 1,049	2,636 3,463	5,187 5,515	5,830 5,491
28	Tuberculosis of the lungs.....	M. 41,616 F. 31,598	1,467 372	800 232	442 117	77 75	70 76	1,056 872	208 281	315 733	2,219 2,947	4,670 4,952	5,339 5,012
29	Acute miliary tuberculosis.....	M. 1,093 F. 904	48 36	19 28	28 17	15 12	8 10	118 103	37 40	26 57	90 128	155 169	144 118
30	Tuberculous meningitis.....	M. 2,382 F. 2,272	523 497	473 435	255 205	138 184	110 106	1,499 1,427	274 287	98 120	110 129	83 79	67 63
31	Abdominal tuberculosis.....	M. 1,425 F. 1,734	121 133	86 64	36 33	29 20	18 10	290 260	49 55	47 59	81 151	110 188	109 170
32	Pott's disease.....	M. 434 F. 330	9 13	10 15	8 11	16 10	14 11	57 60	51 43	25 22	39 15	41 20	41 33
33	White swellings.....	M. 274 F. 148	5 8	8 3	4 3	2 4	4 4	22 22	15 9	28 18	23 16	23 10	18 8
34	Tuberculosis of other organs.....	M. 681 F. 487	62 48	26 19	15 9	7 11	7 3	117 90	24 14	27 24	29 37	42 43	60 34
35	Disseminated tuberculosis.....	M. 539 F. 442	47 27	16 17	8 11	5 3	5 2	77 63	18 17	19 16	45 42	58 54	52 53
36	Ricketts.....	M. 243 F. 212	137 107	58 43	19 20	7 4	7 1	223 175	6 7	3 5	1 3	1 1	2 2
37	Syphilis.....	M. 1,937 F. 1,284	919 739	51 43	13 21	4 8	3 4	990 815	14 10	9 2	17 19	72 45	100 64
38	Gonococcus infection.....	M. 79 F. 118	46 57	2 3				48 60			2 15	2 15	3 5
	Cancer and other malignant tu- mors (total).....	M. 16,373 F. 24,666	17 21	13 19	32 23	12 14	23 6	97 83	46 37	42 34	79 73	122 109	179 290
39	Of the buccal cavity.....	M. 1,329 F. 247	1 2		1		1	2	2	2	3	2	2
40	Of the stomach, liver.....	M. 8,135 F. 8,340	3 3	2	7		2	12	10	1	12	15	64
41	Of the peritoneum, intes- tines, rectum.....	M. 2,183 F. 3,075		2	5	2	4	9	5	9	8	14	42
42	Of the female genital organs.....	M. 6,147 F. 3,730	1	1	1			5	1	4	14	30	99
43	Of the breast.....	M. 952 F. 507		1	1		2	3	3	4	4	4	8
44	Of the skin.....	M. 3,774 F. 2,620	14 10	11 11	21 17	9 10	14 5	69 53	24 21	26 31	32 40	87 31	57 57
45	Of other organs or of organs not specified.....	M. 142 F. 411	10 8	2	3	2	2	17 13	2	2	1	2	6
46	Other tumors (tumors of the fe- male genital organs excepted).....	M. 142 F. 411	10 8	2	3	2	2	17 13	2	2	1	2	6

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
I.—General diseases—Contd.													
47	Acute articular rheumatism.....	(M.) 1,626 (F.) 1,702	18 13	10 7	15 16	13 17	25 30	81 83	161 166	169 188	132 129	79 96	60 72
48	Chronic rheumatism and gout.....	(M.) 262 (F.) 414	1 1	1 4	1 2	1 1	1 1	4 27	1 28	2 1	3 5	2 2	2 5
49	Scurvy.....	(M.) 34 (F.) 34	20 18	4 5	2 1	1 1	1 1	27 28	1 1	2 1	3 2	2 1	7 2
50	Diabetes.....	(M.) 3,807 (F.) 4,233	7 6	9 5	15 15	14 7	24 12	69 45	69 75	102 104	130 128	116 92	115 116
51	Exophthalmic goiter.....	(M.) 66 (F.) 621	1 1	1 1	1 1	1 1	1 1	1 1	1 1	3 1	31 6	55 4	55 4
52	Addison's disease.....	(M.) 101 (F.) 119	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
53	Leukemia.....	(M.) 542 (F.) 322	18 6	11 12	14 6	10 4	7 1	60 29	25 19	27 8	25 14	33 24	41 28
54	Anemia, chlorosis.....	(M.) 1,138 (F.) 1,476	100 104	26 20	11 11	6 4	1 1	152 144	20 19	17 23	21 49	22 56	24 58
55	Other general diseases.....	(M.) 689 (F.) 670	220 191	56 38	25 37	22 28	23 21	351 315	40 43	19 17	24 21	28 30	18 24
56	Alcoholism (acute or chronic).....	(M.) 2,556 (F.) 353	191 10	38 1	37 1	28 1	21 1	315 1	43 1	17 1	21 1	45 9	154 29
57	Chronic lead poisoning.....	(M.) 10 (F.) 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
58	Other chronic occupation poisonings.....	(M.) 133 (F.) 126	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
59	Other chronic poisonings.....	(M.) 133 (F.) 126	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
II.—Diseases of the nervous system and of the organs of special sense.		77,991	7,937	2,071	1,139	746	464	12,357	1,368	889	976	1,058	1,207
Males.....		41,676	4,470	1,146	622	388	245	6,871	700	460	545	587	648
Females.....		36,315	3,467	925	517	358	219	5,486	668	429	431	471	559
60	Encephalitis.....	(M.) 473 (F.) 288	73 54	21 18	12 11	16 8	3 4	125 95	22 12	20 17	26 15	32 16	25 14
61	Meningitis (total).....	(M.) 4,156 (F.) 3,463	1,301 1,071	570 477	358 298	213 208	129 114	2,571 2,168	339 344	180 185	171 123	141 99	107 84
	Simple meningitis.....	(M.) 2,936 (F.) 2,411	1,070 782	406 311	251 214	155 137	77 72	1,859 1,516	266 223	110 108	91 83	84 59	78 58
	Cerebrospinal meningitis (undefined).....	(M.) 1,092 (F.) 960	305 287	151 139	98 76	52 65	44 38	650 605	109 110	62 68	71 37	51 31	26 25
	Cerebrospinal fever.....	(M.) 128 (F.) 92	26 22	13 7	8 6	6 1	8 4	62 47	24 11	8 9	9 3	6 1	3 1
62	Locomotor ataxia.....	(M.) 1,113 (F.) 322	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	13 8
63	Other diseases of the spinal cord (total).....	(M.) 2,285 (F.) 1,816	162 143	146 131	105 71	62 52	59 50	540 447	134 130	77 69	84 46	64 36	55 41
	Acute anterior poliomyelitis.....	(M.) 804 (F.) 655	142 123	136 121	100 65	63 48	56 44	497 401	123 116	53 57	49 27	32 15	18 14
	Other diseases of the spinal cord. ¹	(M.) 1,481 (F.) 1,161	20 20	10 10	6 4	4 4	3 6	46 46	14 12	24 19	35 19	32 21	37 27
64	Cerebral hemorrhage, apoplexy.....	(M.) 20,347 (F.) 19,354	307 217	34 21	21 25	12 14	6 7	388 284	24 23	25 21	52 51	93 79	160 114
65	Softening of the brain.....	(M.) 496 (F.) 496	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	6 3
66	Paralysis without specified cause.....	(M.) 3,732 (F.) 4,024	30 16	7 6	4 7	6 6	6 2	53 37	13 14	15 6	11 18	19 15	27 27
67	General paralysis of the insane.....	(M.) 2,229 (F.) 715	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	23 28
68	Other forms of mental alienation.....	(M.) 857 (F.) 904	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	51 27
69	Epilepsy.....	(M.) 1,337 (F.) 950	52 35	14 9	8 9	8 5	17 6	99 64	47 32	70 48	100 72	113 88	115 93
70	Convulsions (nonpuerperal).....	(M.) 136 (F.) 64	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 4
71	Convulsions of infants.....	(M.) 2,705 (F.) 2,097	2,320 1,769	270 213	76 61	20 39	8 15	2,705 2,097	10 10	3 5	17 24	3 7	2 7
72	Chorea.....	(M.) 49 (F.) 74	4 1	4 1	2 1	2 1	1 1	10 6	3 3	5 13	17 24	3 7	2 4
73	Neuralgia and neuritis.....	(M.) 159 (F.) 203	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 9
74	Other diseases of the nervous system.....	(M.) 1,014 (F.) 1,055	74 72	28 14	16 9	17 10	5 2	140 113	39 31	27 31	32 31	46 46	42 54
75	Diseases of the eyes and their annexa.....	(M.) 17 (F.) 20	5 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2
76	Diseases of the ears.....	(M.) 569 (F.) 398	141 84	55 35	18 23	14 13	7 11	235 166	49 43	34 30	31 15	30 17	30 17
III.—Diseases of the circulatory system.		100,106	1,430	201	160	131	162	2,084	999	1,319	1,447	1,646	1,972
Males.....		53,766	816	98	84	55	92	1,145	456	580	710	785	977
Females.....		46,340	614	103	76	76	70	939	543	739	737	861	995
77	Pericarditis.....	(M.) 366 (F.) 284	10 7	3 4	3 2	2 4	2 4	17 10	12 20	17 15	7 7	11 11	14 12
78	Acute endocarditis.....	(M.) 2,503 (F.) 2,289	84 74	15 26	15 17	10 23	21 24	145 164	89 114	88 138	99 97	104 133	124 119
79	Organic diseases of the heart.....	(M.) 40,205 (F.) 35,973	532 392	64 66	52 45	40 44	58 42	746 590	328 388	450 561	570 588	611 645	756 773
80	Angina pectoris.....	(M.) 2,384 (F.) 1,485	2 2	1 1	1 1	1 1	1 1	3 3	3 4	5 7	8 9	11 13	18 28
81	Diseases of the arteries, atheroma, aneurism, etc.....	(M.) 6,917 (F.) 4,740	3 3	1 1	1 2	1 1	1 5	3 5	3 5	3 3	5 6	8 16	8 27
82	Embolism and thrombosis.....	(M.) 898 (F.) 1,092	31 18	3 2	1 4	1 1	1 3	5 40	3 10	3 10	10 23	10 25	31 40
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	(M.) 136 (F.) 213	4 3	1 1	1 1	1 1	1 1	6 6	1 1	1 1	2 2	2 2	2 2
84	Diseases of the lymphatic system (lymphangitis, etc.).....	(M.) 158 (F.) 97	69 51	9 8	9 3	2 5	2 6	67 95	4 10	4 6	3 3	3 3	3 5
85	Hemorrhage; other diseases of the circulatory system.....	(M.) 199 (F.) 167	81 63	4 3	2 3	2 1	1 1	88 67	3 3	3 2	3 3	3 3	3 3

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	IV.—Diseases of the respiratory system.	100,835	24,375	8,782	3,508	1,615	986	39,266	2,035	956	1,517	2,132	2,485
	Males.....	55,029	13,742	4,641	1,836	864	501	21,584	1,048	477	916	1,317	1,498
	Females.....	45,806	10,633	4,141	1,672	751	485	17,682	987	479	601	815	987
36	Diseases of the nasal fossae.....	70	33	4	2	2	3	44	5	3	3	1	2
	M.....	65	25	2	2	2	2	29	4	2	2	1	1
	F.....	5	8					15	1	1	1		1
37	Diseases of the larynx.....	448	106	60	47	33	28	274	49	11	4	4	9
	M.....	298	61	49	25	17	21	173	41	2	7	8	7
	F.....	150	45	11	22	16	7	101	8	9	3	4	2
38	Diseases of the thyroid body.....	40	6	1	1	1	1	7	1	1	1	1	2
	M.....	184	3	1	1	1	1	5	1	1	1	1	1
	F.....	3	3					2					1
89	Acute bronchitis.....	3,690	2,339	436	141	61	21	2,998	38	10	11	13	13
	M.....	3,539	1,812	399	149	72	31	2,463	52	11	10	8	17
	F.....	151	527	37	19	11	10	535	13	1	1	5	16
90	Chronic bronchitis.....	2,478	62	22	21	7	4	116	32	13	18	27	34
	M.....	2,913	45	28	17	3	2	95	30	17	18	35	25
	F.....	565	17	14	4	4	2	21	2	1	1	2	9
91	Bronchopneumonia.....	13,117	6,004	2,169	767	331	178	9,449	258	63	77	82	113
	M.....	12,220	4,589	2,012	743	304	172	7,820	264	85	81	106	75
	F.....	897	415	157	424	167	66	1,629	94	28	36	76	38
92	Pneumonia (total).....	30,876	4,735	1,807	791	393	237	7,963	590	341	716	1,059	1,173
	M.....	23,311	3,708	1,541	681	319	236	6,485	548	323	424	571	748
	F.....	7,565	1,027	266	110	74	41	1,478	42	218	292	488	425
	Lobar pneumonia.....	14,916	1,334	692	295	169	93	2,583	247	143	370	630	697
	Pneumonia (undefined).....	10,056	991	581	264	131	92	2,059	247	125	213	292	408
	M.....	15,960	3,401	1,115	496	224	144	5,380	343	193	346	429	476
	F.....	13,255	2,717	960	417	188	144	4,426	301	198	211	279	340
93	Pleurisy.....	1,273	44	72	34	19	17	186	41	16	53	76	73
	M.....	877	59	29	23	15	15	185	25	16	25	37	34
	F.....	1,272	341	52	22	10	8	433	17	6	9	21	24
94	Pulmonary congestion, pulmonary apoplexy.....	1,227	29	33	20	9	5	331	11	11	8	19	16
	M.....	103	1	1	1	2	2	3	1	1	1	4	5
	F.....	25	1	1	1	1	1	3	1	1	1	1	1
96	Asthma.....	774	12	3	4	1	2	22	4	1	2	2	11
	M.....	680	8	2	2	1	2	18	4	3	3	6	9
	F.....	94	4	1	2	1	1	4	1	1	1	2	2
97	Pulmonary emphysema.....	101	6	4	1	1	1	9	3	1	1	2	3
	M.....	787	53	14	5	3	3	80	10	8	16	26	48
	F.....	392	54	10	4	1	1	69	6	5	12	9	24
	V.—Diseases of the digestive system.	104,801	49,612	10,268	2,327	971	552	63,730	1,669	1,270	1,429	1,761	1,846
	Males.....	56,237	27,427	5,482	1,216	543	301	34,969	867	667	752	861	916
	Females.....	48,564	22,185	4,786	1,111	428	251	28,761	802	603	677	900	930
99	Diseases of the mouth and annexa.....	227	154	12	6	3	5	180	7	3	1	5	1
	M.....	196	121	18	9	2	2	152	4	4	3	3	1
	F.....	493	72	30	26	18	16	162	67	25	25	27	22
100	Diseases of the pharynx.....	347	38	17	15	24	14	108	56	26	15	16	11
	M.....	69	2	2	2	1	2	7	1	1	2	2	1
	F.....	51	3	1	2	1	1	7	1	1	1	1	1
102	Ulcer of the stomach.....	1,273	9	3	3	1	2	18	7	7	13	54	66
	M.....	930	10	4	4	1	1	15	6	11	34	64	58
	F.....	4,199	1,585	158	66	36	23	1,868	59	16	33	35	59
103	Other diseases of the stomach (cancer excepted).....	4,204	1,270	170	62	39	21	1,562	57	41	40	71	73
104	Diarrhea and enteritis (under 2 years).....	29,770	24,649	5,121	974	372	162	29,770	239	64	42	43	65
	M.....	24,496	20,046	4,450	924	274	143	24,496	230	68	49	85	97
	F.....	4,102	4,812	1	1	1	1	1,508	10	10	10	10	10
105	Diarrhea and enteritis (2 years and over).....	4,812	1	1	1	1	1	1,341	230	68	42	43	65
	M.....	5	1	1	1	1	1	1	1	1	1	1	1
	F.....	4	1	1	1	1	1	1	1	1	1	1	1
106	Ankylostomiasis.....	38	1	7	6	3	3	20	7	1	1	3	2
	M.....	38	1	7	6	3	3	24	5	1	2	4	2
	F.....	38	4	8	4	5	3	24	5	1	2	4	2
108	Appendicitis and typhlitis.....	3,586	14	11	21	35	40	121	298	400	434	407	333
	M.....	2,542	16	8	17	17	23	81	273	318	320	283	232
	F.....	3,360	581	76	52	39	27	775	76	53	84	102	99
109	Hernia, intestinal obstruction (total).....	3,318	347	46	31	32	16	472	59	41	54	90	119
	M.....	1,142	122	11	4	3	1	141	5	3	14	25	31
	F.....	1,050	27	1	2	2	1	33	3	3	7	6	9
	Hernia.....	2,218	459	65	48	36	26	634	71	50	70	77	68
	Intestinal obstruction.....	2,268	320	45	29	30	15	439	56	38	47	84	110
	M.....	780	173	17	12	6	2	210	15	9	9	23	25
	F.....	791	149	26	7	7	3	192	10	11	13	28	33
110	Other diseases of the intestines.....	85	5	3	1	1	1	8	1	1	3	6	7
	M.....	139	9	1	1	1	1	12	1	1	8	14	23
	F.....	20	2	1	1	1	1	3	1	1	1	1	3
112	Hydatid tumor of the liver.....	4	1	1	1	1	1	1	1	1	1	1	1
	M.....	5,073	3	1	4	1	1	9	9	8	10	32	82
	F.....	2,412	5	5	4	4	1	18	6	8	15	24	63
114	Biliary calculi.....	461	1	1	1	1	1	2	1	1	1	1	12
	M.....	1,040	1	1	1	1	1	1	1	1	2	19	19
	F.....	1,479	82	14	15	10	5	126	23	15	21	44	70
115	Other diseases of the liver.....	1,613	75	9	17	8	6	115	13	20	23	36	35
	M.....	53	3	3	1	1	1	3	1	2	1	1	4
	F.....	43	3	3	1	1	1	4	1	1	1	1	1
117	Simple peritonitis (nonpuerperal).....	996	85	28	24	17	13	167	59	60	66	70	54
	M.....	1,423	84	26	11	13	19	153	73	49	96	154	151
	F.....	168	5	1	3	1	1	11	1	3	5	9	7
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	161	5	1	1	1	1	6	8	1	2	7	15

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910.—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
2,803	3,415	3,540	3,811	4,283	4,232	5,134	5,687	5,934	5,631	4,363	2,432	887	197	43	52	
1,749 1,054	2,212 1,203	2,366 1,174	2,503 1,308	2,759 1,524	2,535 1,697	2,820 2,314	2,730 2,907	2,731 3,203	2,479 3,152	1,831 2,532	966 1,466	330 557	83 114	12 31	33 19	
1	1			1	1			1	2	4		3				86
10	13	9	14	2	7	5	4	1	2	6	5	3				87
8	10	2	9	4	2	7	6	3	4	2	2	1				88
1	2	2	3	2	2	4	5	4	4	1	1	2				89
11	20	14	17	15	14	12	16	8	8	2	1	2				90
8	20	11	15	22	28	47	55	76	92	108	71	6				91
8	19	19	14	26	34	64	89	143	158	189	133	70	8	2	2	92
44	47	54	78	112	131	198	257	333	392	318	203	71	8	2	2	93
37	47	32	48	85	119	190	296	442	484	442	314	111	28	6	2	94
102	182	181	176	216	225	315	352	412	398	290	155	49	16	5	1	95
94	99	104	126	170	234	334	502	564	609	529	280	107	26	8	3	96
1,419	1,762	1,877	1,975	2,094	1,861	1,910	1,805	1,577	1,293	875	403	119	36	5	23	97
796	883	890	975	1,085	1,136	1,500	1,691	1,742	1,590	1,110	561	198	35	11	9	98
894	1,077	1,142	1,204	1,225	1,035	1,054	906	698	541	297	112	33	12	2	9	99
465	476	481	522	595	604	752	807	768	621	380	178	50	6	3	4	100
525	685	735	869	869	826	871	899	879	752	578	291	86	24	3	14	101
331	407	409	453	490	532	748	884	974	969	730	383	148	29	8	5	102
67	73	93	82	99	75	83	64	79	60	27	13	4	3		1	103
45	50	39	36	37	47	61	68	61	53	33	19	5		1		104
28	30	32	27	39	40	74	64	82	109	115	81	29	11		1	105
18	25	17	26	35	38	51	89	115	120	135	98	49	12	2		106
5	6	8	10	13	14	13	10	5	2	1	3					107
4	2	2	4	3	2	2	4	2								108
13	20	35	46	68	73	93	87	102	97	64	24	5	1		4	109
15	23	30	37	32	48	67	101	87	91	51	44	7	2	1	1	110
2	3	6	10	6	7	9	9	11	8	7	4					111
		1	4	7	4	2	8	9	5	9	3		1			112
49	53	58	67	78	71	69	63	42	22	13	8	2	2		2	113
18	24	24	12	23	18	26	33	26	27	24	6	4	1		1	114
2,054	2,510	2,657	2,959	3,324	3,074	3,353	3,451	3,269	2,904	2,022	1,056	354	63	10	36	
1,081 973	1,344 1,166	1,459 1,198	1,646 1,313	1,905 1,419	1,700 1,374	1,839 1,514	1,760 1,691	1,560 1,709	1,351 1,553	914 1,108	444 612	153 201	24 39	3 7	22 14	
3	3	2	3	1	4	2	3	4	1	3	1	1				99
23	16	22	12	17	18	8	16	8	10	10	5	1				100
13	15	6	8	12	10	7	11	9	11	8	4	1				101
1	1	3	4	5	9	7	5	7	6	5	3		1			102
2	3	1	3	2	1	6	6	8	3	5	1					103
88	110	122	144	136	133	117	91	76	52	25	11	3			1	104
58	78	65	74	85	75	70	67	82	55	18	10	4			4	105
81	100	122	149	164	167	218	230	261	240	211	129	45	6	2	4	106
89	109	129	113	152	149	213	265	301	324	278	162	60	10	2	4	107
66	87	91	104	140	132	194	236	273	313	277	151	64	7	1	5	108
95	97	130	130	156	195	218	342	424	433	379	231	83	22	4	3	109
1		1														110
3		1														111
306	289	228	198	201	109	107	82	41	22	5	2				3	112
189	196	156	127	96	91	64	45	34	17	13	5	1			1	113
95	146	142	164	218	205	214	263	256	237	143	57	21	3		7	114
136	136	177	241	242	246	273	319	264	233	141	52	19	2		2	115
23	49	55	64	97	74	86	113	126	119	73	31	10	1		2	116
17	28	67	113	113	118	123	138	105	86	55	16	8	1		1	117
72	97	87	100	121	131	128	150	130	118	70	26	11	2		5	118
119	108	110	128	129	128	150	181	159	147	86	36	11	1		1	
37	36	26	50	44	46	47	42	43	47	45	16	7	3			110
37	47	47	42	44	28	35	38	38	67	33	20	12	1			111
8	5	3	7	7	2	8	5	2	10	3						112
8	17	8	6	1	9	8	6	6	7	2	1					113
1	2	3	2	2	1	1	1	1								114
196	353	489	609	682	637	645	563	383	282	94	31	5	3		1	115
98	150	202	233	284	247	280	253	224	157	87	35	6	1		1	116
9	21	24	39	64	64	54	46	54	44	22	4					117
29	56	70	117	128	117	128	118	99	76	30	14	5	1		1	118
79	91	105	98	143	119	145	118	102	89	56	26	7	1		1	
56	92	97	111	133	127	143	167	159	128	90	60	6	1		1	
7	8	4	3	3	3	5	4	2	1	1						116
4	2	6	1	5	5	7	3	2	2	7	7	1				117
65	58	56	44	55	37	57	48	42	38	20	14	1			1	118
147	145	88	73	61	45	47	40	37	29	6						
12	18	16	16	25	13	10	7	7	5	3						
12	18	13	12	15	15	12	12	8	8	2	1					

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—																Deaths at un- known age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.			
2,406	3,142	3,773	4,398	5,079	5,284	6,198	6,819	6,780	5,717	3,660	1,784	441	106	18	37		
993 1,413	1,402 1,740	1,815 1,958	2,318 2,080	2,839 2,240	3,080 2,204	3,730 2,468	4,091 2,728	4,080 2,690	3,500 2,217	2,238 1,422	1,084 700	255 186	52 54	11 7	28 9		
177 176 748 733	210 184 1,106 985	217 185 1,484 1,222	218 164 1,941 1,455	281 150 2,448 1,796	205 145 2,656 1,893	205 165 3,173 2,125	160 157 3,336 2,389	148 121 3,183 2,411	99 92 2,590 1,980	72 52 1,535 1,277	36 30 729 615	9 15 156 158	3 29 47	9 6	1 1 23 8		
32 25 9 6 10 2 10 1 4 5	27 29 18 3 20 7 17 1 5 1	42 46 7 8 24 5 29 1 8 4	69 25 19 8 26 9 25 2 18 2	53 39 18 8 31 7 28 1 29 1	47 40 26 11 49 8 24 1 72 1	77 40 22 4 81 15 13 2 156 3	69 29 32 6 141 28 21 1 331 1	52 37 22 8 196 39 19 1 419 9	71 42 22 6 271 31 9 2 482 6	54 24 8 3 217 32 6 345 1	29 12 2 137 33 43 8 1 151 35 1	10 2	9 2 1 12 1	1 1 1 1 1	2 9 13 13 132 133 2		
1,781	1,456	662	70	4	1	1	2	2	3						2		
214 181 156 814 348	183 192 189 548 291	65 71 100 245 158	7 12 10 25 12	1											134 135 136 2 137 138		
55 12 1 61	44 8 1 62	23 3 1 73	3 1	125 137 180	137 180	180 254 336	254 336	369 369	369 322	201 72	72 24	24 4	4 2		139 140 141		
38 23 8 6 12 4 14 9 4 4 58	34 28 13 12 7 4 14 7 9 4 9 74	55 18 22 10 11 2 16 3 6 3 74	57 42 24 20 11 2 14 7 8 8 13 62	79 46 31 19 18 8 18 8 12 11 68	80 57 42 36 7 14 5 19 6 2 8 57	96 84 55 57 22 3 23 10 8 11 45	164 90 107 70 22 3 117 6 12 11 56	185 151 139 117 16 8 16 12 14 14 46	189 180 162 147 6 4 10 8 11 18 40	185 137 165 115 5 2 8 2 7 6 36	103 98 91 89 3 2 30 1 7 6 12	40 32 39 30 1 1 1 3 5	11 13 9 11 1 1 1 1 3	1 3 2 2 1 1 1 1 2	142 143 144 145 146 147 148 149 150		
40 18 37 15 1 3	58 16 47 15 10 1	51 23 40 18 8 2 1 1 1 2 2	44 18 37 17 4 1 3	43 25 37 21 6 3	34 23 30 19 2 2 1 1 1 2	24 21 20 15 1 4 1 1 1 1	34 22 31 16 2 5	30 16 28 13 3 2 2	23 17 14 15 6 2 3 4	21 15 18 6 5	6 6 3 4 1 1	3 2 1 2 1	3 3	3 3	3 3	150	

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	
	XI.—Early infancy.....	39,388	39,361	10	4				39,375	3		1	2	3
	Males.....	22,498	22,486	5	1				22,492	2		1	1	2
	Females.....	16,890	16,875	5	3				16,883	1		1	1	1
151	Congenital debility, icterus, and sclerema (total).	18,306	18,294	5	1				18,300	2		1	1	2
	Males.....	14,044	14,029	5	3				14,037	1		1	1	1
	Females.....	11,429	11,429						11,429					
	Premature birth.....	8,846	8,846						8,846					
	Congenital debility, "atrophy," "marasmus," etc.....	6,877	6,865	5	1				6,871	2		1	1	2
	Males.....	5,198	5,183	5	3				5,191	1		1	1	1
	Females.....	4,121	4,121						4,121					
152	Other causes peculiar to early infancy (total).	2,785	2,785						2,785					
	Males.....	2,290	2,290						2,290					
	Females.....	1,435	1,435						1,435					
	Injuries at birth.....	1,831	1,831						1,831					
	Other causes peculiar to early infancy.....	1,350	1,350						1,350					
	Males.....	71	71						71					
	Females.....	61	61						61					
153	Lack of care.....													
	XII.—Old age.....	13,604												
	Males.....	5,958												
	Females.....	7,646												
154	Senility.....	5,958												
	Males.....	7,646												
	Females.....													
	XIII.—External causes.....	57,196	1,497	1,148	1,081	795	682	-5,183	2,193	1,678	3,024	5,446	5,496	
	Males.....	44,872	839	637	643	423	359	2,901	1,466	1,363	2,426	4,653	4,828	
	Females.....	12,324	658	511	438	372	303	2,282	727	315	598	793	668	
	Suicide (total).....	6,610								1	18	143	543	656
	Males.....	1,980									13	178	302	234
	Females.....	1,587									4	38	144	193
155	By poison.....	869									7	112	186	177
	Males.....	635										12	31	50
	Females.....	306										13	30	33
156	By asphyxia.....	1,017									1	13	30	33
	Males.....	306										18	51	60
	Females.....	1,017									1	13	30	33
157	By hanging or strangulation.....	248										6	17	18
	Males.....	335										9	19	28
	Females.....	182										15	23	23
158	By drowning.....	2,341										5	67	253
	Males.....	220										23	35	28
	Females.....	478										2	27	35
159	By firearms.....	66										2	2	2
	Males.....	91										2	2	2
	Females.....	46										5	7	10
160	By cutting or piercing instruments.....	75										1	1	1
	Males.....	13										1	1	1
	Females.....	51										1	1	1
161	By jumping from high places.....	30												
	Males.....	35,731	767	630	637	422	352	2,508	1,447	1,313	2,165	3,676	3,714	
	Females.....	9,685	609	502	484	367	301	2,215	714	280	360	380	388	
164	Accidental or undefined (total).....	99	18	10	6	2	3	39	10	4	4	4	3	
	Males.....	58	13	8	3	2	2	28	3	3	3	3	4	
	Females.....	728	72	85	67	24	18	266	20	6	10	28	50	
165	Other acute poisonings.....	499	42	68	49	16	12	187	20	12	37	38	38	
	Males.....	483	13	5	19	14	13	64	20	8	19	31	33	
	Females.....	262	11	16	14	8	15	64	22	6	21	14	25	
166	Conflagration.....	1,810	86	247	289	195	114	931	132	29	44	96	81	
	Males.....	2,372	64	200	219	237	184	904	344	84	72	83	92	
	Females.....	999	13	3	5	1	2	24	15	9	47	100	119	
167	Absorption of deleterious gases (conflagration excepted).....	380	11	6	2	2	3	24	5	6	31	33	27	
	Males.....	4,396	18	82	65	36	41	242	391	397	491	577	445	
	Females.....	422	14	43	22	14	10	103	33	47	60	56	19	
170	Traumatism by firearms.....	1,029	2	5	4	7	10	28	71	170	205	132	119	
	Males.....	132	2	5	5	5	6	23	14	16	16	14	15	
	Females.....	80			1			1	3	3	9	10	5	
171	Traumatism by cutting or piercing instruments.....	9									1	1	3	
	Males.....	5,320	70	89	86	50	32	327	158	114	135	291	333	
	Females.....	2,985	59	57	47	30	23	216	58	29	32	43	31	
172	Traumatism by fall.....	2,474	2					2	1	14	191	445	493	
	Males.....	10								1	1	2	1	
	Females.....	2,356	2					2	1	14	181	418	477	
173	Traumatism in mines and quarries (total).....	10								1	1	2	1	
	Males.....	118								1	1	2	1	
	Females.....										10	27	16	
	Traumatism in quarries.....													
174	Traumatism by machines.....	1,275					7	7	16	34	121	201	182	
	Males.....	24						1	4	1	6	2	2	
	Females.....	12,030	19	40	46	57	79	241	481	359	626	1,326	1,366	
175	Traumatism by other crushing (total).....	1,272	35	41	35	34	154	154	165	61	54	76	57	
	Males.....	7,435	11	9	6	11	42	98	136	19	437	980	987	
	Females.....	442	17	7	3	5	33	21	19	26	41	25	25	
	Railroad accidents and injuries.....	1,611	9	16	21	23	71	93	69	70	133	133	133	
	Males.....	338	2	16	15	14	48	55	10	10	10	13	13	
	Females.....	781	1	4	5	5	15	116	66	39	56	60	60	
	Street-car accidents and injuries.....	199	3	3	4	4	16	48	12	7	14	10	10	
	Males.....	1,674	8	19	16	24	37	104	161	76	86	86	107	
	Females.....	266	4	14	15	10	10	53	33	13	9	6	7	
	Automobile accidents and injuries.....	529	1				3	9	13	24	71	79	79	
	Males.....	27					1	4	8					
	Females.....													

Exclusive of injuries at birth.

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
			1							1					1	
			1							1					1	
			1							1					1	151
			1							1					1	152
			1							1					1	153
						189	519	1,379	2,475	3,716	3,116	1,587	443	173	7	
						77	218	634	1,097	1,708	1,338	648	175	59	4	
						112	301	745	1,378	2,008	1,778	939	268	114	3	
						77	218	634	1,097	1,708	1,338	648	175	59	4	
						112	301	745	1,378	2,008	1,778	939	268	114	3	154
4,817	4,994	4,207	3,937	3,402	2,621	2,311	2,019	1,740	1,520	1,169	719	319	88	14	299	
4,215	4,336	3,684	3,441	2,883	2,189	1,859	1,460	1,107	812	534	279	106	38	6	286	
602	658	523	496	519	432	452	559	633	708	635	440	213	50	8	13	
644	709	655	724	656	579	471	330	207	144	64	21	6	1	1	32	
221	232	172	158	137	101	73	68	44	29	9	4	2			3	
161	162	172	156	173	135	110	69	28	25	8	3		1	1	4	
105	94	70	53	37	22	22	17	13	5	7	1				1	
48	75	83	81	70	66	54	32	17	11	1		1			3	
40	36	27	25	22	22	14	16	10	7			1				
64	86	78	123	107	110	104	82	46	39	27	8	2			5	
21	26	26	30	29	28	14	15	9	6	1	2				6	
31	39	22	33	32	30	31	18	22	10	4	1				4	
17	20	14	16	12	11	7	9	6	5	1		1			2	
264	262	224	239	209	178	127	103	72	45	17	5	1			9	
26	39	15	15	12	10	7	2	2	1			1			1	
49	63	51	68	46	43	33	18	19	10	7	3	2			1	
15	7	7	8	14	6	4	5	1	2		1				1	
12	8	9	13	10	7	3	4	2	1		1				1	
4	8	5	3	3	1	2	1	1	1						1	
10	10	11	8	3	3	3	1	1	1						1	
1			2	2	2	2	2	1	2						2	
1	4	5	3	1	7	6	3	1	2		1				2	
2	2	4	4	4	1	1	1	1	1						3	
3,218	3,284	2,815	2,541	2,118	1,540	1,342	1,104	885	659	465	256	100	37	5	239	
295	359	301	304	366	317	376	483	533	675	626	436	210	50	8	5	
5	4	8	4	3	3	1	4	2	1	1						
1	5	2	3	1	1	1	1	1	1		1					
37	55	51	50	47	25	27	18	17	11	3	3	1			3	
27	28	24	19	18	16	13	6	6	6	2	2					
51	41	43	36	34	19	22	17	11	9	5	5				15	
10	11	10	12	11	9	14	13	8	7	3	3	1				
75	68	70	63	39	34	31	36	38	17	1	2		1	1	4	
76	99	64	69	84	48	63	82	73	64	39	20	7	2	2	1	
70	80	100	78	96	56	58	49	42	25	16	7	1	3		4	
27	25	27	25	29	20	16	24	27	15	15	4				4	
333	341	302	233	201	124	109	84	38	17	17	3	2		1	48	
10	19	16	10	14	4	4	8	5	6	1				1	1	
78	62	45	38	29	14	14	13	5	2						4	
10	5	5	5	1	1	4	4	3	3							
4	6	14	6	8	3	2	4	1	1							
1			1	1	1											
374	399	339	397	397	335	297	262	302	271	233	173	75	24	2	7	
40	54	48	52	87	106	134	235	340	459	461	348	167	41	4	4	
366	313	255	177	96	59	26	15	11	2	1	3		1		3	
1			1	1	1											
354	298	242	167	91	55	23	14	10	2	1	3		1		2	
1			1	1	1											
12	15	13	10	5	4	3	1	1							1	
145	138	127	108	78	51	30	17	14	3	1					2	
2			2	1	1	1	1	1								
1,276	1,329	1,030	997	783	584	516	394	266	200	94	27	10	4		121	
58	78	76	72	92	57	74	65	59	43	21	4	3	1		2	
929	899	659	616	470	339	272	192	121	90	40	12	5	1		110	
24	30	36	33	42	19	19	21	23	19	7	1	2			1	
140	133	137	137	117	98	87	72	53	40	17	10	2	1		3	
12	16	19	20	21	19	28	22	14	9	5	1	1				
55	71	43	59	44	30	34	38	23	17	10	2	2			1	
11	17	12	7	8	8	14	5	7	4	1	1					
108	149	134	140	121	103	101	84	64	49	25	3	1	1		3	
8	12	9	15	21	11	13	14	15	11	9	1		1		1	
46	77	57	45	31	19	22	8	5	4	2			1		4	
3	3			1			3						1		1	

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
XIII.—External causes—Con.													
	Accidental or undefined—Continued.												
176	Injuries by animals..... (M.)	461	2	1	4	9	7	28	23	26	27	34	34
 (F.)	41		3	2	3	2	10	8	1	1	3	1
177	Starvation..... (M.)	24	3	1	1	1	1	7			1		
 (F.)	14	4					4			1		
178	Excessive cold..... (M.)	219	2					5		5	5	5	13
 (F.)	35	5					2			1		
179	Effects of heat..... (M.)	557	95	10	4	3	1	113	9	4	13	29	30
 (F.)	269	75	21	2	1	1	100	5	2	6		7
180	Lightning..... (M.)	194	1			1	1	3	5	11	22	15	9
 (F.)	22			1			1	2	1		3	1
181	Electricity (lightning excepted)..... (M.)	464	1	1			1	3	8	25	40	98	95
 (F.)	14			1	1		2	1		5	1	1
185	Fractures (cause not specified)..... (M.)	376	2		1	1	1	5	5	2	11	24	27
 (F.)	247	2					2		1	2	2	1
186	Other external violence..... (M.)	2,773	348	51	39	21	21	480	79	93	144	234	277
 (F.)	618	298	39	26	13	9	385	23	15	10	8	13
	Homicide (total)..... (M.)	2,531	72	7	6	1	7	93	18	32	113	434	458
 (F.)	659	49	9	4	5	2	69	13	16	60	111	96
182	By firearms..... (M.)	1,508	2	2			3	9	8	16	73	273	305
 (F.)	344	1	3		2	1	7	6	7	37	69	58
183	By cutting or piercing instruments..... (M.)	391	1		1		1	3		2	13	96	79
 (F.)	61	3					4	1	1	8	9	8
184	By other means..... (M.)	632	69	5	3	1	3	81	10	14	22	65	74
 (F.)	254	45	6	3	3	1	58	6	8	15	33	30
	XIV.—Ill-defined diseases.....	12,462	6,900	893	167	55	37	8,052	74	43	68	97	128
	Males.....	6,741	3,679	462	86	29	20	4,276	41	22	37	55	86
	Females.....	5,721	3,221	431	81	26	17	3,776	33	21	31	42	42
187	Ill-defined organic disease..... (M.)	305	10	1	3	2	1	17	1	2	3	5	8
 (F.)	317	6	2	1		1	10		4	3	3	5
188	Sudden death..... (M.)	179	49					49	1		1	3	7
 (F.)	92	30	4	2		1	37		1		2	2
189	Not specified or ill-defined (total)..... (M.)	6,257	3,620	461	83	27	19	4,210	39	20	33	47	71
 (F.)	5,312	3,185	425	78	26	15	3,729	33	16	28	37	35
	Ill-defined..... (M.)	5,316	3,139	429	74	23	18	3,683	31	9	17	33	41
 (F.)	4,616	2,733	400	71	24	12	3,240	23	8	19	26	20
	Not specified or unknown..... (M.)	941	481	32	9	4	1	527	8	11	16	14	30
 (F.)	696	452	25	7	2	3	489	10	8	9	11	15

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1910—Continued.

DEATHS AT AGE OF—															Deaths at un-known age.	Detailed Int. List No.
30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 or over.		
20	35	38	31	41	35	27	18	33	8	6	2					176
1	2	1	2	1	2	1	2	2	4	1						1
1		1		2	1	1	3	3	3							1
9	21	23	22	19	20	15	19	17	6	11	2		1			4
28	2	1	2	1	3	2	3	2	4	1	4	2	1			1
7	8	10	10	6	15	14	24	17	28	23	7	1	1			1
13	10	11	7	7	9	6	3	16	17	18	13	4	2			1
4			2	2	3	2										1
64	49	31	23	11	6	7	3			1						1
	2	1					1									1
33	36	30	30	31	21	18	17	13	28	17	17	5	1	1		4
2	3	2	5	10	5	16	15	25	37	57	36	22	3	1		185
236	274	195	200	153	108	95	84	54	25	15	5	4	1			17
19	16	13	14	11	15	15	18	15	10	8	3	2				186
353	343	214	176	109	70	46	26	15	9	5	2					15
86	67	50	34	16	14	3	8	6	4				1			5
231	212	135	101	60	38	23	8	3	4	1						8
48	31	34	20	9	9		6	2	1							182
60	58	28	15	13	4	5	3	3	1	1	1					1
10	9	4	3	2			1									1
62	73	51	60	36	28	18	15	9	4	3	1					6
28	27	12	11	5	5	3	1	4	3			1				4
124	190	174	211	272	297	376	430	461	484	432	322	140	25	8		54
72	116	100	122	179	196	223	233	235	240	237	149	65	12	3		42
52	74	74	89	93	101	153	197	226	244	195	173	75	13	5		12
4	12	1	16	17	25	25	27	33	44	32	25	6				2
3	10	17	17	22	15	29	30	43	41	34	21	8	1	1		187
3	13	9	5	12	12	15	15	16	6	9	2					1
1	1	3	3	2	3	5	8	6	6	4	3					1
65	91	90	101	150	159	183	191	186	190	196	122	59	12	1		188
48	63	54	69	69	83	119	159	177	197	157	149	65	11	3		39
46	63	60	73	104	127	150	163	165	173	182	115	56	12	2		11
41	50	44	60	62	69	103	143	156	184	146	142	61	9	3		2
19	28	30	28	46	32	33	28	21	17	14	7	3		1		28
7	13	10	9	7	14	11	16	21	13	11	7	4	2			9

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
THE REGISTRATION AREA.																			
	All causes	805,412	154,373	33,080	14,727	8,808	6,331	17,943	31,508	62,957	68,396	72,935	81,540	96,651	96,000	51,401	7,602	372	788
	I.—General diseases	215,692	14,250	9,123	6,018	4,235	3,262	8,891	14,748	30,167	28,712	26,341	25,048	22,753	15,777	5,599	589	19	160
1	Typhoid fever	12,673	72	124	132	138	163	684	2,534	3,780	2,186	1,341	869	405	192	34	3		16
2	Typhus fever	2																	
3	Relapsing fever	1																	
4	Malaria	1,167	77	40	36	31	20	58	107	159	130	111	136	129	79	44	8		2
5	Smallpox	202	27	9	6	6	3	6	23	44	30	30	7	6	3	1			1
6	Measles	6,598	1,540	2,027	1,002	463	306	588	264	131	120	73	36	23	18	5			2
7	Scarlet fever	6,255	304	697	917	893	653	1,731	674	250	88	26	15	2	1				4
8	Whooping cough	6,146	3,345	1,413	630	297	173	228	27	10	1	4	2	4	7				2
9	Diphtheria and croup	11,521	903	1,917	1,730	1,443	1,152	2,938	928	232	97	65	43	14	12	1			2
10	Influenza	7,774	522	194	99	59	31	122	192	307	356	471	733	1,295	1,868	1,298	213	9	5
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	563	97	30	18	3	4	14	15	17	20	29	40	68	122	72	13		1
14	Dysentery	3,446	745	345	134	62	50	47	28	65	106	154	198	377	603	456	72	3	1
15	Plague	1																	
16	Yellow fever																		
17	Leprosy	10								3	1	4	2						
18	Erysipelas	2,442	697	46	16	7	9	8	49	112	191	271	277	317	281	142	15	1	3
19	Other epidemic diseases	198	70	38	17	9	4	23	14	7	7	2	3	1	3				
20	Purulent infection and septicemia	1,877	221	39	22	16	10	73	148	214	226	238	263	197	140	63	3	1	3
21	Glanders	7								3	3		1						
22	Anthrax	22	1						2	2	4	3	5	3	2				
23	Rabies	64	1	1	1	3	5	13	15	3	5	7	5	4					
24	Tetanus	1,373	427	11	11	13	19	162	241	127	128	91	81	35	22	5			
25	Mycoses	32							3	5	2	10	7	4					
26	Pellagra	368	1	1		1	1	4	17	63	93	67	65	39	13	2			1
27	Beriberi	10							6			2	1						
28	Tuberculosis (total)	86,309	2,416	1,751	902	608	457	1,422	7,733	22,023	19,495	13,347	8,345	4,970	2,306	446	31		57
	Tuberculosis of the lungs	73,214	839	532	259	152	146	489	6,214	19,973	17,888	12,264	7,548	4,429	2,028	379	27		47
29	Acute miliary tuberculosis	1,997	84	47	45	27	18	77	299	586	410	196	127	59	20	2			
30	Tuberculous meningitis	4,654	1,020	908	460	322	216	561	457	292	196	121	59	29	9	4			5
31	Abdominal tuberculosis	3,159	254	150	69	49	28	104	338	577	528	382	291	238	113	32	1		
32	Pott's disease	764	22	25	19	26	25	94	101	135	90	74	76	44	31	2			
33	White swellings	422	13	11	7	6	8	24	85	64	58	47	42	28	20	7			2
34	Tuberculosis of other organs	1,118	110	45	24	18	10	38	117	179	154	142	118	83	62	14	3		1
35	Disseminated tuberculosis	981	74	33	19	8	6	35	122	171	121	121	84	60	23	6			2
36	Ricketts	455	244	101	39	11	3	13	12	6	5	5	3	4	6	3			
37	Syphilis	3,221	1,658	94	34	12	7	24	47	281	375	303	224	113	39	7			3
38	Gonococcus infection	197	103	5					18	25	18	13	6	5	3	1			
	Cancer and other malignant tumors (total)	41,039	38	32	55	26	29	83	228	700	2,586	6,592	9,858	10,776	7,531	2,297	172	4	32
39	Of the buccal cavity	1,576	2		1		2	8	9	17	40	171	355	454	328	168	20		1
40	Of the stomach, liver	16,475	6	4	12	2	15	23	152	701	2,165	4,091	5,002	3,393	857	37			13
41	Of the peritoneum, intestines, rectum	5,253	1	2	2	5	4	10	23	116	350	782	1,239	1,438	1,015	256	8		2
42	Of the female genital organs	6,147	2	1				1	18	129	703	1,663	1,688	1,215	595	120	9		3
43	Of the breast	3,730	2	1					2	38	285	825	958	783	567	238	25		4
44	Of the skin	1,459	3	2	1				9	16	39	108	181	324	432	292	43		2
45	Of other organs or of organs not specified	6,394	24	22	38	19	19	45	139	232	468	878	1,346	1,560	1,201	366	30		7
46	Other tumors (tumors of the female genital organs excepted)	553	18	4	4	4		9	10	28	55	92	100	86	100	40	3		
47	Acute articular rheumatism	3,328	31	17	31	30	55	327	618	307	318	327	360	376	364	149	18		
48	Chronic rheumatism and gout	676	1	1	1		1		10	19	30	56	111	164	194	79	9		
49	Scurvy	68	38	9	3				5	1	3		2	1					
50	Diabetes	8,040	13	14	30	21	36	144	464	439	528	843	1,755	2,185	1,259	289	15		5
51	Exophthalmic goiter	687	1						36	120	138	169	128	59	31	3			2
52	Addison's disease	220							11	19	48	43	50	34	15				
53	Leukemia	864	24	23	20	14	8	44	74	126	124	126	129	89	53	8			2
54	Anemia, chlorosis	2,614	204	46	22	10	14	39	110	160	235	383	502	511	283	87	7		1
55	Other general diseases	1,359	411	94	62	50	49	83	81	100	79	80	62	85	81	36	4		1
56	Alcoholism (acute or chronic)	2,909						2	9	237	803	872	554	297	104	18			13
57	Chronic lead poisoning	136			1				2	9	29	40	32	16	7				
58	Other chronic occupation poisonings	6							1	1	1	3							
59	Other chronic poisonings	259							2	22	47	45	44	56	31	11			1
	II.—Diseases of the nervous system and of the organs of special sense	77,991	7,937	2,071	1,139	746	464	1,368	1,865	2,265	3,830	6,397	10,046	14,769	16,235	7,928	837	29	65
60	Encephalitis	761	127	39	23	24	7	34	76	87	91	76	77	48	35	12	1		4
61	Meningitis (total)	7,619	2,372	1,047	656	421	243	683	659	431	317	292	215	142	91	37	5		5
	Simple meningitis	5,347	1,752	717	465	292	149	429	392	279	227	230	175	120	81	32	4		3
	Cerebrospinal meningitis (undefined)	2,052	572	310	174	117	82	219	238	133	75	55	40	20	9	5	1		2
	Cerebrospinal fever	220	48	20	17	12	12	35	29	19	15	7	3	2	1				
62	Locomotor ataxia	1,435				1		1	3	23	118	293	411	375	185	24			1
63	Other diseases of the spinal cord (total)	4,101	305	277	176	120	109	264	276	196	213	334	484	640	535	160	8	1	3
	Acute anterior poliomyelitis . .																		

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
CALIFORNIA—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
129	Uterine tumor (noncancerous).....	47															
130	Other diseases of the uterus.....	40							5	10	9	18	7	2	5	2	
131	Cysts and other tumors of the ovary.....	23								3	2	3	4	6	3	1	
132	Salpingitis and other diseases of the female genital organs.....	58															
133	Nonpuerperal diseases of the breast (cancer excepted).....								5	20	20	12		1			
	VII.—The puerperal state.....	289							20	123	121	23					
134	Accidents of pregnancy.....	37							1	7	23	6					
135	Puerperal hemorrhage.....	34								15	16	3					
136	Other accidents of labor.....	27							1	8	16	2					
137	Puerperal septicemia.....	107							10	52	39	4					
138	Puerperal albuminuria and convulsions.....	70							7	35	22	6					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	13							1	5	5	2					
140	Following childbirth (not otherwise defined).....	1															
141	Puerperal diseases of the breast.....									1							
	VIII.—Diseases of the skin and of the cellular tissue.....	125	11				1	1	6	1	7	11	18	32	32	5	
142	Gangrene.....	81	1						3		5	5	10	26	26	5	
143	Furuncle.....	13	2						1		3	3	4	2	1		
144	Acute abscess.....	11	1				1	1	1	1	2	2	2	1	1		
145	Other diseases of the skin and annexa.....	20	7						1		2	1	2	3	4		
	IX.—Diseases of the bones and of the organs of locomotion.....	45			2		3	5	8	7	6	4	4	4	2		
146	Diseases of the bones (tuberculosis excepted).....	39			2		3	5	7	6	4	4	4	4			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																
148	Amputations.....	1									1						
149	Other diseases of the organs of locomotion.....	5							1	1	1				2		
	X.—Malformations.....	294	273	9	2	1	2	4	3								
150	Congenital malformations (stillbirths not included) (total).....	294	273	9	2	1	2	4	3								
	Hydrocephalus.....	22	18	2				1	1								
	Congenital malformations of the heart.....	183	170	6	1		2	2	2								
	Other congenital malformations.....	89	85	1	1	1	1	1									
	XI.—Early infancy.....	1,063	1,063														
151	Congenital debility, icterus, and sclerema (total).....	880	880														
	Premature birth.....	648	648														
	Congenital debility, "atrophy," "marasmus," etc.....	232	232														
152	Other causes peculiar to early infancy (total).....	178	178														
	Injuries at birth.....	110	110														
	Other causes peculiar to early infancy ¹	68	68														
153	Lack of care.....	5	5														
	XII.—Old age.....	551											28	179	258	78	
154	Senility.....	551											28	179	258	78	
	XIII.—External causes.....	3,206	38	42	28	25	16	69	207	590	695	494	398	299	189	96	
	Suicide (total).....	696							9	120	191	129	105	87	39	15	
155	By poison.....	124							7	30	33	25	14	12	1	2	
156	By asphyxia.....	80								11	23	16	15	12	2	1	
157	By hanging or strangulation.....	60								9	11	8	14	12	3	3	
158	By drowning.....	35							1	3	14	3	4	8	2	1	
159	By firearms.....	303							1	54	80	59	44	31	28	5	
160	By cutting or piercing instruments.....	65								7	23	12	11	7	3	2	
161	By jumping from high places.....	5									2	2	1				
162	By crushing.....	15								5	3	3	1	3			
163	Other suicides.....	8								1	2	1	1	2			
	Accidental or undefined (total).....	2,249	37	41	27	25	16	66	186	401	419	318	270	199	146	79	
164	Poisoning by food.....	23	2	1		2	1	2	6	1	2	2	4				
165	Other acute poisonings.....	58	4	8	2	1	1		3	4	8	9	10	3	4	1	
166	Conflagration.....	30	2	1	1	1			2	2	5	5	5	3	2	1	
167	Burns (conflagration excepted).....	142	5	5	9	7	8	12	6	21	16	12	15	12	8	5	
168	Absorption of deleterious gases (conflagration excepted).....	63	2	1					6	5	9	14	13	2	8	2	
169	Accidental drowning.....	275	2	12	4	3	1	8	43	49	51	41	29	23	5	1	
170	Traumatism by firearms.....	95			2			6	31	23	15	11	4				
171	Traumatism by cutting or piercing instruments.....	4															
172	Traumatism by fall.....	339	2	5	4	2		10	13	44	44	40	33	41	45	10	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
CALIFORNIA—Continued.																		
XIII.—External causes—Contd.																		
Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	61						1	5	22	14	10	4	2	2	1		
	Traumatism in mines	47						1	4	14	12	7	4	2	2	1		
	Traumatism in quarries	14								8	2	3						
174	Traumatism by machines	70							10	22	23	5	6	1	3			
175	Traumatism by other crushing (total)	765		3	3	6	4	22	42	138	178	126	100	79	49	12	2	1
	Railroad accidents and injuries	354		1				1	14	74	95	75	49	26	14	3	1	
	Street-car accidents and injuries	144				1	1	5	9	22	30	17	22	19	14	4		
	Automobile accidents and injuries	86		1	1			10	8	14	15	13	9	8	6	1		
	Injuries by other vehicles	145		1	2	5	2	5	9	15	27	19	17	25	13	4	1	
	Landslide, other crushing	36					1	1	2	13	11	2	3	1	2			
176	Injuries by animals	53		2	1	1	1	2	4	9	8	6	8	10	1			
177	Starvation	6		1					1			2	1					
178	Excessive cold	6							1	1				3				
179	Effects of heat	25		4					2	1	4	2	5	3	4			
180	Lightning													1				
181	Electricity (lightning excepted)	43							4	20		9	8	1	1			
185	Fractures (cause not specified)	32							1	6	3	1	4		5	7		
186	Other external violence	159	13	3	1	2		3	6	32	30	23	26	12	6	2		
	Homicide (total)	261	1	1	1			3	12	69	85	47	23	13	4	2		
182	By firearms	145						1	8	39	47	33	11	6				
183	By cutting or piercing instruments	83	1						4	11	9	3	3	4	1	1		
184	By other means	83		1	1			2	4	19	20	11	9	3	3	1		
	XIV.—Ill-defined diseases	203	63	6	6	1		1	3	2	10	12	18	22	33	20	5	1
187	Ill-defined organic disease	23									1		2	5	11	3	1	
188	Sudden death	3	1		1									1				
189	Not specified or ill-defined (total)	177	62	6	5	1		1	3	2	9	12	16	17	21	17	4	1
	Ill-defined	143	58	5	5	1				4	9	12	10	19	16	4		
	Not specified or unknown	34	4	1				1	3	2	5	3	4	2	1			1

COLORADO.

	All causes	11,069	1,789	334	155	106	83	243	578	1,435	1,497	1,224	1,154	1,044	962	398	59	1	7
	I.—General diseases	3,508	151	80	54	63	40	120	250	720	739	475	365	254	152	42	2		1
1	Typhoid fever	337	3	6	4	8	7	25	64	98	52	34	26	7	3				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	9			1				1	2	2	1			1				
5	Smallpox	7	2						1	1	2	1	1						
6	Measles	64	12	17	4	7	5	4	7	1	6	1							
7	Scarlet fever	104	10	12	12	8	31	13	4	1	1								
8	Whooping cough	35	24	2	4	2	2	1											
9	Diphtheria and croup	130	6	16	18	24	13	28	19	4	1			1					
10	Influenza	77	7	1				2	2	2	7	6	13	11	20	5	1		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	7	4													1			
14	Dysentery	38	3	7	3	1		4			4	2	5	1	6	2			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	45	18	1					2	3	4	6	4	4	4	3			
19	Other epidemic diseases	2	1				1												
20	Purulent infection and septicemia	27	3	1				3	2	3	4	2	2	3	4				
21	Glanders																		
22	Anthrax	1										1							
23	Rabies																		
24	Tetanus	8		1				1	3	2	1								
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	1,809	28	14	5	3	1	16	114	562	573	291	134	53	12	2			1
28	Tuberculosis of the lungs	1,650	10	2	2		1	3	96	525	548	274	130	47	10	2			
29	Acute miliary tuberculosis	21							3	14	4								
30	Tuberculous meningitis	58	15	12	3	2		11	7	6		1	1						
31	Abdominal tuberculosis	33	3			1		1	2	5	13	6		1					
32	Pott's disease	8						1	2	2		2			1				
33	White swellings	2									1								
34	Tuberculosis of other organs	16							2	3	2	4	3		2				
35	Disseminated tuberculosis	21							2	7	5	3		3					1
36	Ricketts	7	6						1										
37	Syphilis	50	16					1		11	6	6	5	2	3				
38	Gonococcus infection	3	1						1			1							

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
COLORADO—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	468		1		1	1		3	9	35	79	118	129	71	20	1		
39	Of the buccal cavity	18										1	3	6	1	5	2		
40	Of the stomach, liver	187										3	15	22	56	29	5	1	
41	Of the peritoneum, intestines, rectum	57							1	2	2	11	12	17	7	5			
42	Of the female genital organs	66								1	7	18	21	13	6				
43	Of the breast	33								1	5	6	10	6	2	3			
44	Of the skin	23										2	1	11	5	4			
45	Of other organs or of organs not specified	84		1		1	1		2	2	5	17	12	25	17	1			
46	Other tumors (tumors of the female genital organs excepted)	4	1								1		1			1			
47	Acute articular rheumatism	51	1			1		1	8	3	8	1	10	7	10	1			
48	Chronic rheumatism and gout	5	1									1	2	1	1				
49	Scurvy																		
50	Diabetes	67					1	1	6	6	5	6	12	15	9	6			
51	Exophthalmic goiter	7							1	2	1	2	1						
52	Addison's disease	4										2	2						
53	Leukemia	18				3				2	3	5	1	3	1				
54	Anemia, chlorosis	27	1	1					3	1	3	5	7	4	2				
55	Other general diseases	26	4		3	1		2	2	2	2	3	1	6					
56	Alcoholism (acute or chronic)	59									18	17	14	6	3	1			
57	Chronic lead poisoning	2										1	1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	10							3	1	2	3	1						
II.—Diseases of the nervous system and of the organs of special sense																			
		857	76	20	14	8	4	19	30	35	55	87	138	160	150	55	6		
60	Encephalitis	7	1					1	2	1	1	1							
61	Meningitis (total)	119	39	14	12	5	3	13	9	9	4	4	3	3	1				
	Simple meningitis	78	30	7	7	4	1	6	4	4	4	4	1	2	1				
	Cerebrospinal meningitis (undefined)	40	9	6	5	1	2	7	5	2			2	1					
	Cerebrospinal fever	1		1															
62	Locomotor ataxia	17								1	1	1	10	3	1				
63	Other diseases of the spinal cord (total)	33	1	1				1	4	3	4	3	3	8	2	1			
	Acute anterior poliomyelitis	4	1			1		1	1										
	Other diseases of the spinal cord ¹	29		1		1		3	3	4	3	3	3	8	2	1			
64	Cerebral hemorrhage, apoplexy	384	6				1	1		7	12	41	71	106	99	37	3		
65	Softening of the brain	9								1	1	3	3	3	3	1	1		
66	Paralysis without specified cause	97				1		1		3	3	20	24	33	11	1			
67	General paralysis of the insane	37								8	14	9	1	3	2				
68	Other forms of mental alienation	27								1	7	6	4	7	1	1			
69	Epilepsy	47							6	11	8	4	6	5	5	2			
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	29	27	1	1														
72	Chorea	3						1	2										
73	Neuralgia and neuritis	4							1			1	1	1					
74	Other diseases of the nervous system	25		1				1	2	2	5	4	6	1	1	1	1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	19	2	3	1			1	3			1	4	2	2				
III.—Diseases of the circulatory system																			
		915	9	1		1	4	11	41	50	95	117	167	179	177	60	3		
77	Pericarditis	6							1	2	1			1	1				
78	Acute endocarditis	37						1	6	2	5	8	6	4	3	2			
79	Organic diseases of the heart	692	8	1		1	4	8	33	43	82	95	119	130	127	39	2		
80	Angina pectoris	51								1	3	6	9	25	4	3			
81	Diseases of the arteries, atheroma, aneurism, etc.	87								1	1	3	20	12	36	13	1		
82	Embolism and thrombosis	35	1					1	1		1	3	5	5	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4												2	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	3						1		1			1						
IV.—Diseases of the respiratory system																			
		1,241	232	67	36	16	15	27	44	52	99	123	159	126	119	65	10		
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	13	1	4	3		1	1	2							1			
88	Diseases of the thyroid body	5							1		1		1	1	1				
89	Acute bronchitis	57	46	5	2			1	1						1	1	1		
90	Chronic bronchitis	34						1				1	3	2	7	12	7	1	
91	Bronchopneumonia	196	105	23	12	3	4	2	3	3	6	9	7	7	9	8	3		
92	Pneumonia (total)	801	122	32	19	13	10	22	36	41	76	94	122	92	78	39	5		
	Lobar pneumonia	285	26	9	9	3	1	5	11	20	35	44	53	40	24	5			
	Pneumonia (undefined)	516	96	23	10	10	9	17	25	21	41	50	69	52	54	34	5		
93	Pleurisy	14	1	1						2	2	2	1	1	3		1		
94	Pulmonary congestion, pulmonary apoplexy	18	5	2					1					3	4	3			
95	Gangrene of the lung	2										1		1					
96	Asthma	37							1	3		7	7	8	6	4		1	
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	62	1					1	4	10	14	19	6	5	2				

¹Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
COLORADO—Continued.																		
	XI.—Early infancy.....	576	576															
151	Congenital debility, icterus, and sclerema (total).....	479	479															
	Premature birth.....	308	308															
	Congenital debility, "atrophy," "marasmus," etc.....	171	171															
152	Other causes peculiar to early infancy (total).....	96	96															
	Injuries at birth.....	38	38															
	Other causes peculiar to early infancy ¹	58	58															
153	Lack of care.....	1	1															
	XII.—Old age.....	216											8	90	89	28	1	
154	Senility.....	216											8	90	89	28	1	
	XIII.—External causes.....	1,376	34	24	17	4	5	18	127	394	297	210	108	79	42	10	2	5
	Suicide (total).....	187							11	35	40	32	25	12	10			2
155	By poison.....	62							7	10	13	14	9	6	3			
156	By asphyxia.....	10								1	2	1	1	1	2			
157	By hanging or strangulation.....	5								1	2	3	1	1	1			
158	By drowning.....	6											1	1	2			2
159	By firearms.....	66						4		19	20	11	9	2	1			
160	By cutting or piercing instruments.....	9								3	1	2	3					
161	By jumping from high places.....	2									1			1				
162	By crushing.....	2									1	1						
163	Other suicides.....	2								1					1			
	Accidental or undefined (total).....	1,115	32	23	17	4	5	16	113	323	231	162	78	66	31	10	2	2
164	Poisoning by food.....	1										1						
165	Other acute poisonings.....	37	2	4	5		1	1	2	10	4	1		6		1		
166	Conflagration.....	5		1										2				
167	Burns (conflagration excepted).....	39	1	7	5	1	1	2	8	5	1	2	2	1	3			
168	Absorption of deleterious gases (conflagration excepted).....	15						1	2	10	2							
169	Accidental drowning.....	57	2	1	2	2	1	5	15	11	8	3	4	2	1			
170	Traumatism by firearms.....	47						2	16	13	10	2	2		1			
171	Traumatism by cutting or piercing instruments.....																	
172	Traumatism by fall.....	73	3	5					5	8	7	7	8	17	5	6	1	
173	Traumatism in mines and quarries (total).....	407	1						28	161	115	76	21	4				1
	Traumatism in mines.....	406	1						28	160	115	76	21	4				1
	Traumatism in quarries.....	1								1								
174	Traumatism by machines.....	30				1			4	14	3	5	2	1				
175	Traumatism by other crushing (total).....	266	3	1	3			3	19	67	56	46	28	22	14	2	1	1
	Railroad accidents and injuries.....	173		1				1	11	50	41	39	15	14	4	1		1
	Street-car accidents and injuries.....	5			1					1	2				1			
	Automobile accidents and injuries.....	16							3	4	1		2	3	3			
	Injuries by other vehicles.....	58	3		2			2	5	8	11	4	10	5	6	1	1	
	Landslide, other crushing.....	9							4	4	1	3	1					
176	Injuries by animals.....	18			1				4	2	2	2	2	1	3	1		
177	Starvation.....	1																
178	Excessive cold.....	19							3	3	4	4	1	2	2			
179	Effects of heat.....	3	2	1														
180	Lightning.....	23							2	7	4	5	3	2				
181	Electricity (lightning excepted).....	11						1	1	4	2	2	1	1				
185	Fractures (cause not specified).....	4	2									1	1	1				
186	Other external violence.....	59	16	3	1				4	8	13	5	4	3	2			
	Homicide (total).....	94	2	1				2	3	36	26	16	5	1	1			1
182	By firearms.....	61		1				1	2	21	18	11	5	1				1
183	By cutting or piercing instruments.....	18								8	5	4			1			
184	By other means.....	15	2					1	1	7	3	1						
	XIV.—Ill-defined diseases.....	64	47	1		1					1	3	2	2	3	4		
187	Ill-defined organic disease.....	4				1							1		1	1		
188	Sudden death.....																	
189	Not specified or ill-defined (total).....	60	47	1							1	3	1	2	2	3		
	Ill-defined.....	50	43									1	1	1	1			
	Not specified or unknown.....	10	4	1							1	2	1	1				

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.		
CONNECTICUT.																				
	All causes.....	17,498	3,476	620	287	184	136	366	573	1,038	1,444	1,468	1,708	2,246	2,394	1,308	198	9	53	
	I.—General diseases.....	4,417	283	175	113	95	78	179	294	481	590	529	500	504	398	161	26		11	
1	Typhoid fever.....	165	1	2		1	1	5	36	43	27	28	11	6	2	2				
2	Typhus fever.....																			
3	Relapsing fever.....																			
4	Malaria.....	28	2	1	1	1		2		2		2	2	6	4	5				
5	Smallpox.....																			
6	Measles.....	92	29	31	10	4	2	9	2	1	1	1	1		1					
7	Scarlet fever.....	129	6	15	17	19	17	33	15	4	1		1						1	
8	Whooping cough.....	146	81	31	16	7	7	3												
9	Diphtheria and croup.....	281	24	43	41	49	30	67	16	4	3	3		1						
10	Influenza.....	243	21	7	2	1		5	3	3	13	13	24	33	65	40	13			
11	Miliary fever.....																			
12	Asiatic cholera.....																			
13	Cholera nostras.....	9							1	1	2		3	1	1					
14	Dysentery.....	48	12	1	1		1		1	1	1	5	5	3	7	9	1			
15	Plague.....																			
16	Yellow fever.....																			
17	Leprosy.....									3	8	5	8	6	6	3	1			
18	Erysipelas.....	55	13	2	1															
19	Other epidemic diseases.....	5	2	2						1										
20	Purulent infection and septicemia.....	38	6	1	1			3	4	3	1	5	6	3	2	3				
21	Glanders.....																			
22	Anthrax.....																			
23	Rabies.....																			
24	Tetanus.....	20	3			1	1	2	3	2	5	2	1							
25	Mycoses.....																			
26	Pellagra.....																			
27	Beriberi.....																			
	Tuberculosis (total).....	1,679	52	34	16	9	11	35	169	368	422	265	151	91	42	10	1		3	
	Tuberculosis of the lungs.....	1,426	12	11	4	3	3	11	133	341	391	248	136	83	38	9	1		2	
29	Acute miliary tuberculosis.....	41	3	1		1		7	10	8	4	3	2	1						
30	Tuberculous meningitis.....	93	25	17	9	3	2	15	11	2	6	2	1							
31	Abdominal tuberculosis.....	46	5	2	2	1	2	2	7	6	7	5	3	3	1					
32	Pott's disease.....	17				1	4	2	2		2	3	1	1	1					
33	White swellings.....	11		1				2	3		2	2			1					
34	Tuberculosis of other organs.....	25	6	1				1	4	4	1	2	5	1					1	
35	Disseminated tuberculosis.....	20	1	1	1			1	2	5	5	1	1	1					1	
36	Rickets.....	8	4		2				1								1			
37	Syphilis.....	27	15	1					1	2	3	4	1							
38	Gonococcus infection.....	2	1							1										
	Cancer and other malignant tumors (total).....	883					1	2	7	15	54	120	199	236	191	58	7		3	
39	Of the buccal cavity.....	37								1	2	2	5	15	8	3	1			
40	Of the stomach, liver.....	332							1	5	24	45	71	94	75	15	1		1	
41	Of the peritoneum, intestines, rectum.....	120								2	5	15	30	32	24	11	1			
42	Of the female genital organs.....	116							1	3	11	26	30	27	13	5				
43	Of the breast.....	104								1	2	13	30	19	25	11	3			
44	Of the skin.....	27									1	2	5	7	7	5	1		1	
45	Of other organs or of organs not specified.....	157					1	1	6	3	9	19	28	42	39	8			1	
46	Other tumors (tumors of the female genital organs excepted).....	23							1	2	1	1	2	6	7	3				
47	Acute articular rheumatism.....	73			3		2	9	14	4	2	10	4	9	10	5	1			
48	Chronic rheumatism and gout.....	22					1				1	2		8	8	2				
49	Scurvy.....	1	1																	
50	Diabetes.....	221					2		11	6	12	25	44	69	38	12	1		1	
51	Exophthalmic goiter.....	8								2	1	2	1		1				1	
52	Addison's disease.....	6							1		1	1	2	1						
53	Leukemia.....	14	1					2	1	2	4	2	2		2					
54	Anemia, chlorosis.....	59	4	3	1	1		5	5	1	5	9	16	8	2	4				
55	Other general diseases.....	28	5	1	1	2	2	2	2	3	1	1	1	1	5	1				
56	Alcoholism (acute or chronic).....	86								8	22	23	15	13	3				2	
57	Chronic lead poisoning.....	2											1							
58	Other chronic occupation poisonings.....																			
59	Other chronic poisonings.....	6											2	1	1	2				
	II.—Diseases of the nervous system and of the organs of special sense.....	1,989	188	62	34	24	8	37	48	45	82	139	226	389	442	238	20		7	
60	Encephalitis.....	16	1	1	1	1					4	1	2	1	2	1			1	
61	Meningitis (total).....	228	68	28	22	15	8	19	18	12	7	8	5	5	4	3			1	
	Simple meningitis.....	178	57	21	15	11	6	15	11	11	6	7	5	5	4	2				
	Cerebrospinal meningitis, (undefined).....	47	11	7	7	4	2	4	7	1	1	1			1				1	
	Cerebrospinal fever.....																			
62	Locomotor ataxia.....	31									4	6	6	9	4	1			1	
63	Other diseases of the spinal cord (total).....	112	8	7	5	4		9	7	7	4	5	9	19	17	9	2			
	Acute anterior poliomyelitis.....	40	7	6	5	4		9	6	3										
	Other diseases of the spinal cord.....	72	1	1					1	4			9	19	17	9	2			
64	Cerebral hemorrhage, apoplexy.....	1,107	14	1					5	7	30	58	155	302	336	183	14		2	
65	Softening of the brain.....	28									1			4	12	9				
66	Paralysis without specified cause.....	115	1	1		1					3	7	14	26	40	20	2			
67	General paralysis of the insane.....	56								1	6	22	14	7	4	1			1	
68	Other forms of mental alienation.....	27							1	1	5	9	3	2	1	5				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.		
CONNECTICUT—Continued.																				
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																				
129	Uterine tumor (noncancerous).....	14																		
130	Other diseases of the uterus.....	15							2	2	2	5	2	2						
131	Cysts and other tumors of the ovary.....	10								1	2	2								
132	Salpingitis and other diseases of the female genital organs.....	20															4	1		
133	Nonpuerperal diseases of the breast (cancer excepted).....									9	7	4								
VII.—The puerperal state.....																				
134	Accidents of pregnancy.....	20							7	62	62	17								
135	Puerperal hemorrhage.....	9									11	6	3							
136	Other accidents of labor.....	13									2	6	1							
137	Puerperal septicemia.....	65							3	27	30	5								
138	Puerperal albuminuria and convulsions.....	33								4	15	9	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	6										2	2	2						
140	Following childbirth (not otherwise defined).....	2										1	1							
141	Puerperal diseases of the breast.....																			
VIII.—Diseases of the skin and of the cellular tissue.....																				
142	Gangrene.....	46	2										2	2	9	16	14	1		
143	Furuncle.....	1																		
144	Acute abscess.....	15	5			1	1				1			1	2	1	2	1		
145	Other diseases of the skin and annexa.....	9	4			1							1	1			1			
IX.—Diseases of the bones and of the organs of locomotion.....																				
146	Diseases of the bones (tuberculosis excepted).....	15	1					2	1	4			1	2	1	2	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	13	1					2	1	3			1	2	1	2				
148	Amputations.....	2								1							1			
149	Other diseases of the organs of locomotion.....																			
X.—Malformations.....																				
150	Congenital malformations (stillbirths not included) (total).....	163	148	7	3	2			2			1								
	Hydrocephalus.....	14	11	1	1	1			2											
	Congenital malformations of the heart.....	96	85	5	2	1			2			1								
	Other congenital malformations.....	53	52	1																
XI.—Early infancy.....																				
151	Congenital debility, icterus, and sclerema (total).....	800	800																	
	Premature birth.....	476	476																	
	Congenital debility, "atrophy," "marasmus," etc.....	324	324																	
152	Other causes peculiar to early infancy (total).....	215	215																	
	Injuries at birth.....	130	130																	
	Other causes peculiar to early infancy ¹	85	85																	
153	Lack of care.....	3	3																	
XII.—Old age.....																				
154	Senility.....	252												16	71	120	40	5		
XIII.—External causes.....																				
	Suicide (total).....	200																		
155	By poison.....	64							6	37	48	43	27	22	13	1		3		
156	By asphyxia.....	20							3	17	16	11	9	6	2					
157	By hanging or strangulation.....	37							1	1	6	5	4	2				1		
158	By drowning.....	20							1	1	4	3	3	4	3			1		
159	By firearms.....	42							1	9	8	12	3	5	3			1		
160	By cutting or piercing instruments.....	8							1	2	1	1	1	1	2					
161	By jumping from high places.....	2								1	1	1	1	1						
162	By crushing.....	5									1	1	1	1	1					
163	Other suicides.....	2								1	1									
	Accidental or undefined (total).....	859	25	11	31	12	17	53	57	115	137	120	73	65	68	46	13	1	15	
164	Poisoning by food.....	1											1							
165	Other acute poisonings.....	28	2		3	1			1	5	5	6	2	1	2					
166	Conflagration.....	18								1	6	3	2							
167	Burns (conflagration excepted).....	86	4	6	15	7	11	14	1	10	4	6	1	2	2	1		1	1	
168	Absorption of deleterious gases (conflagration excepted).....	33						1	3	7	6	4	2	4	4	2				
169	Accidental drowning.....	121	1		6		2	19	17	19	22	17	7	5	1	2		3	1	
170	Traumatism by firearms.....	9							3		3	1								
171	Traumatism by cutting or piercing instruments.....	1								1										
172	Traumatism by fall.....	213	3	1	4			3	6	18	20	18	26	28	36	34	13	3		

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
CONNECTICUT—Continued.																	
XIII.—External causes—Contd.																	
173	Accidental or undefined—Continued.																
	Traumatism in mines and quarries (total).....	2							1			1					
	Traumatism in mines.....											1					
	Traumatism in quarries.....	2							1			1					
174	Traumatism by machines.....	14							1	2	1	6	2	2			
175	Traumatism by other crushing (total).....	237	2	1	3	2	13	14	44	54	44	19	14	17	4		6
	Railroad accidents and injuries.....	125	1			1	2	5	29	34	24	8	6	7	2		6
	Street-car accidents and injuries.....	38			2		3	5	3	6	9	5	1	3	1		
	Automobile accidents and injuries.....	31			1		5	2	3	8	3	2	2	4	1		
	Injuries by other vehicles.....	39	1	1		1	3	2	7	5	8	3	5	3			
	Landslide, other crushing.....	4						2	1			1					
176	Injuries by animals.....	10	1			1	1		1	1	1	1	1		2		
177	Starvation.....																
178	Excessive cold.....	6									1	3		1			1
179	Effects of heat.....	13	2	1				1	1		3	2	2	1			
180	Lightning.....	1							1								
181	Electricity (lightning excepted).....	6						2	1	2	1						
185	Fractures (cause not specified).....	11							2	3	2	2	1	3			
186	Other external violence.....	54	12	1	2		2	6	5	11	5	3	5	1	1		
	Homicide (total).....	27	2						2	7	8	6	1	1			
182	By firearms.....	9							1	2	4	2					
183	By cutting or piercing instruments.....	4							2	1	1						
184	By other means.....	14	2						1	3	3	3	1	1			
	XIV.—Ill-defined diseases.....	263	173	9	4	1	1	2	4	7	8	13	14	14	9	2	2
187	Ill-defined organic disease.....	3	1							1			1				
188	Sudden death.....	3	1							1			1				
189	Not specified or ill-defined (total).....	257	171	9	4	1	1	2		4	5	8	13	12	14	9	2
	Ill-defined.....	234	161	9	3	1	1	2		1	4	7	12	11	11	9	2
	Not specified or unknown.....	23	10		1					3	1	1	1	3			2

INDIANA.

	All causes.....	36,448	5,996	1,434	642	353	270	772	1,634	2,946	2,651	2,811	3,472	4,723	5,471	2,859	376	14	24
	I.—General diseases.....	11,479	796	485	291	179	158	419	911	1,659	1,254	1,182	1,260	1,320	1,084	422	49	2	8
1	Typhoid fever.....	919	6	11	10	12	19	60	195	227	141	92	73	31	34	8			
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	113	9	3	3	3	3	5	14	13	6	3	7	16	17	7	4		
5	Smallpox.....	1									1								
6	Measles.....	448	71	104	70	32	17	47	33	20	24	15	9	3	3				
7	Scarlet fever.....	203	12	24	22	24	20	61	28	11	1								
8	Whooping cough.....	397	205	85	48	24	13	17	1	1	1	1	1	1	1				
9	Diphtheria and croup.....	392	32	44	46	43	44	121	50	7	2	1	1	1					
10	Influenza.....	537	30	17	13	2	1	8	12	23	23	30	39	76	140	103	19	1	
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	22	2	1	1							1	3	5	7	2			
14	Dysentery.....	387	71	53	19	5	5	2	5	3	5	12	17	49	75	56	10		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	132	28	6				1	1	4	10	13	14	22	21	11	1		
19	Other epidemic diseases.....	10	3	1	1		1		2	1	1								
20	Purulent infection and septicemia.....	69	6		1	1		1	7	3	2	8	10	13	11	6			
21	Glanders.....	1												1					
22	Anthrax.....	1												1					
23	Rabies.....	4				1	1					1	1						
24	Tetanus.....	84	30	3			1	9	15	10	5	2	6	2		1			
25	Mycoses.....																		
26	Pellagra.....																		
27	Beriberi.....																		
	Tuberculosis (total).....	4,713	183	110	43	26	22	58	468	1,242	827	540	490	383	263	51	3	4	4
28	Tuberculosis of the lungs.....	3,836	70	35	14	8	7	22	376	1,093	732	466	423	321	223	40	2		4
29	Acute miliary tuberculosis.....	83	4	1	1		1	2	15	28	13	4	5	6	3				
30	Tuberculous meningitis.....	255	65	57	18	11	10	20	26	15	12	8	7	2	3	1			
31	Abdominal tuberculosis.....	327	27	10	2	3		10	31	63	41	35	36	38	21	9	1		
32	Pott's disease.....	40	1	2	3	1	2	1	4	9	5	5	4	1	2				
33	White swellings.....	28				1	1		4	5	1	5	5	3	2	1			
34	Tuberculosis of other organs.....	64	3	3	1	2	1	2	7	11	9	8	6	5	6				
35	Disseminated tuberculosis.....	80	13	2	4			1	5	18	14	9	4	7	3				
36	Rickets.....	19	12	3				1	1		2								
37	Syphilis.....	156	63	5	1			2	2	13	24	20	13	10	2				1
38	Gonococcus infection.....	11	4						1	3	1	1	1						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
INDIANA—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	1,898		2	3	2		2	9	18	93	304	405	521	387	140	10	1	1
39	Of the buccal cavity	73								1	1	4	8	21	25	12	1		
40	Of the stomach, liver	788							2	4	25	86	166	246	192	63	4		
41	Of the peritoneum, intestines, rectum	204								2	13	34	54	50	38	12	1		
42	Of the female genital organs	322							1	3	31	99	80	76	31				1
43	Of the breast	176		1							10	44	44	39	26	11	1		
44	Of the skin	96							1		3	7	11	22	32	18	1	1	
45	Of other organs or of organs not specified	239		2	2	2		2	5	8	10	30	42	67	43	24	2		
46	Other tumors (tumors of the female genital organs excepted)	23	1					1		3		3	6	5	2	2			
47	Acute articular rheumatism	153	2	2	2	1	4	9	19	11	15	18	14	19	22	14	1		
48	Chronic rheumatism and gout	25							2		2	1	3	5	11	1			
49	Scurvy	4	2	2															
50	Diabetes	377	1	2	4	1	4	10	33	22	19	29	75	97	65	14	1		
51	Exophthalmic goiter	55								6	10	14	17	6	2				
52	Addison's disease	9								2	2	2	2	1					
53	Leukemia	33	1		1			1	3	3	3	8	6	5	1				1
54	Anemia, chlorosis	107	7	2	1		2	1	6	1	7	19	19	28	11	3			
55	Other general diseases	62	15	5	2	2	1	2	4	4	3	7	3	9	3	2			
56	Alcoholism (acute or chronic)	88								6	24	32	17	8					1
57	Chronic lead poisoning	7									3	2	2						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	19								2		3	5	3	5	1			
II.—Diseases of the nervous system and of the organs of special sense																			
		3,551	188	55	46	35	18	44	61	79	175	279	460	710	929	421	50	1	
60	Encephalitis	50	8	3	1	2		5	4	4	4	3	7	4	4	1			
61	Meningitis (total)	259	87	33	29	16	11	12	15	14	10	8	12	6	2	1	3		
	Simple meningitis	162	51	16	21	10	5	6	10	10	7	7	9	5	2	1	2		
	Cerebrospinal meningitis (undefined)	78	30	14	8	4	4	4	4	1	3	1	3	1			1		
	Cerebrospinal fever	19	6	3		2	2	1	3										
62	Locomotor ataxia	82				1		1		1	8	19	20	19	12	1			
63	Other diseases of the spinal cord (total)	234	10	7	6	7	4	13	7	5	9	14	31	43	57	21			
	Acute anterior poliomyelitis	49	8	7	6	5	4	12	4	2		1							
	Other diseases of the spinal cord ¹	185	2		2	2		1	3	3	9	13	81	43	57	21			
64	Cerebral hemorrhage, apoplexy	1,956	16	4	3	2		5	14	59	119	279	485	633	300	36	1		
65	Softening of the brain	66						1		2	3	7	12	27	11	3			
66	Paralysis without specified cause	342	1			1		1	1	8	13	41	80	121	64	6			
67	General paralysis of the insane	114							1	19	30	15	15	24	10				
68	Other forms of mental alienation	74						1	4	9	15	10	15	14	5	1			
69	Epilepsy	166	5	2	1	2	2	2	15	25	33	30	15	17	15	1	1		
70	Convulsions (nonpuerperal)	3						3											
71	Convulsions of infants	51	45	3	2		1												
72	Chorea	7							3	3		1							
73	Neuralgia and neuritis	13						1		1	1	1	4	5					
74	Other diseases of the nervous system	85	5	1	1	1		3	3	5	9	14	17	8	13	5			
75	Diseases of the eyes and their annexa	1														1			
76	Diseases of the ears	48	11	2	3	3		5	5	2	4	4	5	2	2				
III.—Diseases of the circulatory system																			
		4,785	69	7	9	6	5	27	96	114	197	353	608	1,126	1,405	679	75	1	2
77	Pericarditis	40			1			1	1	1	1	3	5	7	16	4			
78	Acute endocarditis	136	8	2	2	2	4	8	9	9	19	24	23	17	6	1			
79	Organic diseases of the heart	3,712	46	5	6	4	3	20	80	91	166	297	484	911	1,067	482	47	1	2
80	Angina pectoris	237							3	6	12	15	41	66	75	18	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	547	1						1	2	4	12	40	96	211	154	26		
82	Embolism and thrombosis	71	3						3	3	3	7	9	15	15	12	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	21	1					1		1	1	4	2	7	2	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	2					1					1	1					
85	Hemorrhage, other diseases of the circulatory system	16	8						1	1	1	2			2	1			
IV.—Diseases of the respiratory system																			
		3,583	890	234	106	51	36	83	92	138	163	186	264	366	576	352	48	3	
86	Diseases of the nasal fossae	6	2					1	1	1	1		1						
87	Diseases of the larynx	34	10	2	2	1	3	6	1	2	3	2			2				
88	Diseases of the thyroid body	12	2		1						1	3	2	2	1				
89	Acute bronchitis	236	131	18	5	5	2	7	2		2	3	11	23	22	5			
90	Chronic bronchitis	224	1	4			1	2			4	3	12	26	93	64	11	1	
91	Bronchopneumonia	854	359	99	46	18	10	19	12	11	16	19	25	50	93	63	13	1	
92	Pneumonia (total)	1,995	353	107	52	26	17	52	70	115	122	133	196	241	309	179	17	1	
	Lobar pneumonia	925	109	48	19	17	13	26	33	57	74	81	104	128	148	63	4	1	
	Pneumonia (undefined)	1,070	244	59	33	9	4	26	37	58	48	57	92	113	161	116	13		
93	Pleurisy	66	5	2			3	2	3	6	7	10	6	11	8	3			
94	Pulmonary congestion, pulmonary apoplexy	35	12	1							1	2	2	3	3	9	2		
95	Gangrene of the lung	4										1	1	1	1				
96	Asthma	83	1	1		1				1	4	5	11	14	36	9			
97	Pulmonary emphysema	4											1	1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	30	4						1	2	2	3	4	6	6	2			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis.)

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
INDIANA—Continued.																			
	XI.—Early infancy.....	1,583	1,583																
151	Congenital debility, icterus, and sclerema (total).....	1,237	1,237																
	Premature birth.....	1,021	1,021																
	Congenital debility, "atrophy," "marasmus," etc.....	216	216																
152	Other causes peculiar to early infancy (total).....	340	340																
	Injuries at birth.....	167	167																
	Other causes peculiar to early infancy ¹	173	173																
153	Lack of care.....	6	6																
	XII.—Old age.....	427											16	105	238	65	3		
154	Senility.....	427											16	105	238	65	3		
	XIII.—External causes.....	2,520	88	60	36	31	18	92	242	466	339	325	254	199	185	151	22	1	11
	Suicide (total).....	381							27	90	69	75	56	38	18	8			
155	By poison.....	164							16	52	33	27	20	12	2	2			
156	By asphyxia.....	8								2	2	1	1	2					
157	By hanging or strangulation.....	64							3	9	4	17	11	10	7	3			
158	By drowning.....	22							1	3	3	3	7	1	3	1			
159	By firearms.....	96							6	21	24	17	12	9	5	2			
160	By cutting or piercing instruments.....	12							1	1	1	4	2	2	1				
161	By jumping from high places.....	4								1		1	1	1					
162	By crushing.....	7									2	4	1						
163	Other suicides.....	4							1			1	1	1					
	Accidental or undefined (total).....	2,019	87	60	36	31	18	92	205	335	241	231	189	154	103	143	22	1	11
164	Poisoning by food.....	9	3	2	1							1				1			
165	Other acute poisonings.....	72	9	15	8	5	1	2	2	5	6	5	7	3	1	1	1		1
166	Conflagration.....	12	2						1		3	2	2	1					
167	Burns (conflagration excepted).....	173	8	19	13	15	5	19	17	16	14	8	11	13	10	4	1		
168	Absorption of deleterious gases (conflagration excepted).....	30						1	3	4	4	3	9	3	1	1			1
169	Accidental drowning.....	133		6	2	2		13	38	34	18	7	3	1	4	4			1
170	Traumatism by firearms.....	62		1	1	2		8	21	13	6	5	1	3					
171	Traumatism by cutting or piercing instruments.....	4							1			2	1						
172	Traumatism by fall.....	388	9	7	3	3	2	7	22	18	19	28	29	34	81	108	16	1	1
173	Traumatism in mines and quarries (total).....	62							3	20	15	15	5	2	2				
	Traumatism in mines.....	61							3	20	15	15	5	2	1				
	Traumatism in quarries.....	1												1	1				
174	Traumatism by machines.....	55				1	1	5	15	7	10	11	3	2					
175	Traumatism by other crushing (total).....	696	4	2	1	3	28	67	163	125	110	70	66	37	12	1			7
	Railroad accidents and injuries.....	413				1	10	48	106	89	67	34	32	16	3	1			6
	Street-car accidents and injuries.....	137		1			5	8	35	18	22	20	14	8	5				1
	Automobile accidents and injuries.....	33		1		2	5	3	8	2	4	2	3	1	2				
	Injuries by other vehicles.....	97		3		1	7	7	13	13	12	14	13	12	2				
	Landslide, other crushing.....	16		1			1	1	3	5		4							
176	Injuries by animals.....	45				1	3	5	7	2	9	8	2	8					
177	Starvation.....	1												1					
178	Excessive cold.....	10							1	1	2	3		1	2				
179	Effects of heat.....	22	2	2				1	1		3	3	6	3	1				
180	Lightning.....	23					1	5	1	3	4	7	2						
181	Electricity (lightning excepted).....	31				1	1	3	13	7	3	3							
185	Fractures (cause not specified).....	24						1	1	2	3		4	4	6	3			
186	Other external violence.....	167	56	2	6	2	2	7	11	23	9	11	16	12	7	3			
	Homicide (total).....	120	1						10	41	29	19	9	7	4				
182	By firearms.....	75							5	30	20	11	4	4	1				
183	By cutting or piercing instruments.....	12								7	4	1							
184	By other means.....	33	1						5	4	5	7	5	3	3				
	XIV.—Ill-defined diseases.....	100	59	4	1				1	3	1	2	4	4	10	11			
187	Ill-defined organic disease.....	9			1								1	1	3	3			
188	Sudden death.....	3	1										1	1	1				
189	Not specified or ill-defined (total).....	88	58	4					1	3	1	2	3	2	6	8			
	Ill-defined.....	70	45	4					1	3	1	2	2	2	4	8			
	Not specified or unknown.....	18	13									2	1		2				

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MAINE.																			
	All causes.....	12,726	2,108	382	150	115	82	252	457	720	726	852	1,153	1,690	2,259	1,481	273	2	24
	I.—General diseases.....	2,939	196	106	48	44	36	102	192	348	312	328	363	355	361	129	17	2
1	Typhoid fever.....	151	2	2	1	1	1	6	29	35	31	13	19	6	4	1
2	Typhus fever.....
3	Relapsing fever.....
4	Malaria.....	3	1	1
5	Smallpox.....
6	Measles.....	97	29	33	7	2	3	7	2	3	2	3	2	2	2
7	Scarlet fever.....	41	2	2	3	14	7	10	3
8	Whooping cough.....	97	59	18	10	4	4	1	1
9	Diphtheria and croup.....	99	4	15	10	12	11	29	12	2	1	1	1
10	Influenza.....	123	14	5	3	1	3	1	3	2	7	23	23	30	8	1
11	Miliary fever.....
12	Asiatic cholera.....
13	Cholera nostras.....	15	7	2	1	2	1	2
14	Dysentery.....	29	6	1	1	1	1	1	4	8	6
15	Plague.....
16	Yellow fever.....
17	Leprosy.....
18	Erysipelas.....	24	5	1	1	1	1	1	5	1	7	2
19	Other epidemic diseases.....	3	1	1	1
20	Purulent infection and septicemia.....	35	1	4	5	3	4	5	5	3	2	3
21	Glanders.....
22	Anthrax.....	1	1
23	Rabies.....
24	Tetanus.....	11	3	4	2	1	1
25	Mycoses.....	1	1
26	Pellagra.....
27	Beriberi.....
	Tuberculosis (total).....	1,112	39	17	11	7	6	27	114	272	200	154	125	74	52	13	1
	Tuberculosis of the lungs.....	880	10	3	2	3	7	88	234	171	133	109	66	43	10	1
	Acute miliary tuberculosis.....	19	1	1	1	8	6	2
	Tuberculous meningitis.....	87	20	9	8	7	2	15	9	8	3	4	1	1
	Abdominal tuberculosis.....	60	4	1	1	2	7	10	10	11	5	2	6	1
	Pott's disease.....	11	1	1	1	1	1	2	1	2
	White swellings.....	6	1	1	3	1
	Tuberculosis of other organs.....	15	1	1	3	2	3	1	2	2
	Disseminated tuberculosis.....	34	2	1	1	1	4	9	5	3	4	3	1
36	Rickets.....	6	1	2	1	1	1
37	Syphilis.....	10	4	5	1
38	Gonococcus infection.....	1	1
	Cancer and other malignant tumors (total).....	754	3	9	35	109	148	185	197	61	6	1
	Of the buccal cavity.....	28	2	2	2	2	9	8	4	1
	Of the stomach, liver.....	291	2	4	34	50	77	100	22	2
	Of the peritoneum, intestines, rectum.....	114	2	3	15	24	29	31	10
	Of the female genital organs.....	101	2	14	21	28	25	10	1
	Of the breast.....	78	1	3	15	17	18	16	8
	Of the skin.....	32	1	1	1	5	6	8	7	3
	Of other organs or of organs not specified.....	110	3	1	8	21	22	21	24	9	1
46	Other tumors (tumors of the female genital organs excepted).....	18	1	1	1	5	2	3	2	3
47	Acute articular rheumatism.....	35	1	1	1	7	1	2	5	6	2	5	2	2
48	Chronic rheumatism and gout.....	14	2	4	1	5	2
49	Scurvy.....
50	Diabetes.....	128	1	2	4	5	9	8	8	21	35	33	2
51	Exophthalmic goiter.....	9	1	1	2	1	2	2
52	Addison's disease.....	4	2	1	1
53	Leukemia.....	11	1	1	1	2	2	2	1	3
54	Anemia, chlorosis.....	55	11	2	3	1	4	2	4	10	9	8	1
55	Other general diseases.....	23	6	6	1	2	1	2	2	1	1	1	10	9	1
56	Alcoholism (acute or chronic).....	21	6	9	2	2	2
57	Chronic lead poisoning.....	2	1
58	Other chronic occupation poisonings.....
59	Other chronic poisonings.....	6	1	2	2	1
	II.—Diseases of the nervous system and of the organs of special sense.....	1,640	132	31	20	11	10	21	36	51	52	106	174	308	414	251	22	1
60	Encephalitis.....	20	1	1	1	2	3	3	3	3	2	1
61	Meningitis (total).....	167	67	15	13	6	6	15	13	11	6	5	3	3	2
	Simple meningitis.....	131	57	10	10	5	6	13	9	5	5	3	2	3	2	1
	Cerebrospinal meningitis (undefined).....	34	9	5	3	1	1	4	6	1	2	1
	Cerebrospinal fever.....	2	1
62	Locomotor ataxia.....	26	2	8	2	4	10
63	Other diseases of the spinal cord (total).....	89	8	3	3	2	2	3	8	7	4	3	10	19	13	4
	Acute anterior poliomyelitis.....	31	6	2	3	2	1	3	5	5	2	1
	Other diseases of the spinal cord ¹	58	2	1	1	3	2	2	3	9	18	13	4
64	Cerebral hemorrhage, apoplexy.....	878	10	2	1	1	4	2	14	38	111	208	295	177	14	1
65	Softening of the brain.....	29	1	3	8	11	5	1
66	Paralysis without specified cause.....	174	3	3	10	15	36	57	45	5
67	General paralysis of the insane.....	52																

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MAINE—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	36	2	2	1	2	1	6	7	4	5	4	1			1			
70	Convulsions (nonpuerperal).....	5							1	1	2					1			
71	Convulsions of infants.....	46	39	5	2														
72	Chorea.....																		
73	Neuralgia and neuritis.....	9						1			2	3	1	1					
74	Other diseases of the nervous system.....	51	3	1	2			1	6	3	10	3	11	7	3	1			
75	Diseases of the eyes and their annexa.....	1									1								
76	Diseases of the ears.....	12	2	2	1				3			3		1					
III.—Diseases of the circulatory system.....																			
		1,789	25	7	2	2	2	7	20	23	61	90	197	447	566	306	31	3	
77	Pericarditis.....	14					1				1	1	1	3	5	3			
78	Acute endocarditis.....	40	2			1	1	3	5	6	5	5	5	6	6	2			
79	Organic diseases of the heart.....	1,370	17	6	2	1	1	5	16	15	40	71	157	363	435	223	16	2	
80	Angina pectoris.....	101	1								6	6	12	36	28	9	3		
81	Diseases of the arteries, atheroma, aneurism, etc.....	193									2	1	9	30	79	60	12		
82	Embolism and thrombosis.....	51	1	1					3	4	6	10	8	10	7			1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6											2	1	2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2	1								1								
85	Hemorrhage; other diseases of the circulatory system.....	12	3		1			1		2		2	1	1	1				
IV.—Diseases of the respiratory system.....																			
		1,614	298	101	36	25	7	47	57	47	64	89	112	160	310	217	40	4	
86	Diseases of the nasal fossae.....	1	1																
87	Diseases of the larynx.....	14	4	1	1	1	1						1	1	2		1		
88	Diseases of the thyroid body.....	3										1			1				
89	Acute bronchitis.....	131	52	12	3	2		4	2		1	1	2	14	27	11			
90	Chronic bronchitis.....	80	2					1		1	1	2	2	9	31	27	4		
91	Bronchopneumonia.....	254	71	25	10	9	4	8	2	2	6	8	19	49	33	6			
92	Pneumonia (total).....	993	153	59	22	13	3	28	44	36	52	66	86	101	189	114	14	3	
	Lobar pneumonia.....	117	12	9	2	2		3	8	3	10	11	15	11	21	10			
	Pneumonia (undefined).....	866	141	50	20	11	3	25	36	33	42	55	71	90	168	104	14	3	
93	Pleurisy.....	27						3	4	2	1	2	4	4	5	1		1	
94	Pulmonary congestion, pulmonary apoplexy.....	81	15	3				2	4	3	1	6	6	13	12	13	3		
95	Gangrene of the lung.....	3		1						1		1							
96	Asthma.....	12								1	2	1	3	4	1				
97	Pulmonary emphysema.....	5										2	1	1		1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	20							1	2	3	3	1	7	2	1			
V.—Diseases of the digestive system.....																			
		1,427	648	102	29	15	10	31	61	37	53	49	84	110	122	71	5		
99	Diseases of the mouth and annexa.....	6	3								1				2				
100	Diseases of the pharynx.....	10	1			1	2			1	1	1	1		1	1			
101	Diseases of the esophagus.....																		
102	Ulcer of the stomach.....	27							2	2	2	5	3	8	4	1			
103	Other diseases of the stomach (cancer excepted).....	185	59	5	2	2		4	5	2	6	9	11	22	33	22	3		
104	Diarrhea and enteritis (under 2 years).....	650	558	92															
105	Diarrhea and enteritis (2 years and over).....	142			24	11	7	8	7	2	6	6	13	15	23	20			
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	2			1	1													
108	Appendicitis and typhlitis.....	92		1				10	30	12	14	8	12	3	2				
109	Hernia, intestinal obstruction (total).....	105	13	3	2			4	3	3	8	4	15	20	19	10	1		
	Hernia.....	24	2	1							1	3	6	6	5	1			
	Intestinal obstruction.....	81	11	2	2			4	3	3	8	3	12	14	13	5	1		
110	Other diseases of the intestines.....	25	7						3		1		2	3	5	3	1		
111	Acute yellow atrophy of the liver.....	1													1				
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	62								1	5	2	14	18	20	2			
114	Biliary calculi.....	12									2			6	3	1			
115	Other diseases of the liver.....	46	3					1		3	3	7	7	9	6	7			
116	Diseases of the spleen.....	1												1					
117	Simple peritonitis (nonpuerperal).....	56	3	1			1	4	10	11	4	7	5	3	3	4			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	5	1						1				1	2					
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		942	11		4	2	1	11	12	40	57	91	138	212	232	115	16		
119	Acute nephritis.....	85	6		2	1	1	6	1	9	14	5	12	16	7	4	1		
120	Bright's disease.....	711	3		2	1		3	9	19	32	66	116	177	134	87	12		
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	25						2		1	2	4	3	4	7	2			
123	Calculi of the urinary passages.....	3									1	1		1					
124	Diseases of the bladder.....	33									1			5	19	7	1		
125	Diseases of the urethra, urinary abscess, etc.....	3																	
126	Diseases of the prostate.....	35										1	1	5	12	15	1		
127	Nonvenereal diseases of the male genital organs.....	1																	
128	Uterine hemorrhage (nonpuerperal).....	2	1							1	1								

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MAINE—Continued.																			
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
129	Uterine tumor (noncancerous).....	9																	
130	Other diseases of the uterus.....	20	1						2	5	1	5	1	2					
131	Cysts and other tumors of the ovary.....	5										3			1				
132	Salpingitis and other diseases of the female genital organs.....	10								5	3	1	1			1			
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
VII.—The puerperal state.....																			
		110							7	59	32	12							
134	Accidents of pregnancy.....	8							1	5	2								
135	Puerperal hemorrhage.....	7							2	2	5								
136	Other accidents of labor.....	17							2	8	3	4							
137	Puerperal septicemia.....	46							1	29	13	3							
138	Puerperal albuminuria and convulsions.....	28							2	14	8	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	3							1	1		1							
140	Following childbirth (not otherwise defined).....	1									1								
141	Puerperal diseases of the breast.....										1								
VIII.—Diseases of the skin and of the cellular tissue.....																			
		70	5					1			2	4	5	7	24	17	5		
142	Gangrene.....	54	1									3	3	6	21	15	5		
143	Furuncle.....	5										2			2	1			
144	Acute abscess.....	5	2					1								1			
145	Other diseases of the skin and annexa.....	6	2									1	1	1	1				
IX.—Diseases of the bones and of the organs of locomotion.....																			
		16	2	4					1		1	1	1	2	2	2			
146	Diseases of the bones (tuberculosis excepted).....	13	2	3					1		1		1	1	2	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3		1								1		1					
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
X.—Malformations.....																			
		79	75		1			2	1										
150 Congenital malformations (stillbirths not included) (total).....																			
		79	75		1			2	1										
	Hydrocephalus.....	12	10		1			1											
	Congenital malformations of the heart.....	33	31					1	1										
	Other congenital malformations.....	34	34																
XI.—Early infancy.....																			
		540	540																
151 Congenital debility, icterus, and sclerema (total).....																			
		463	463																
	Premature birth.....	248	248																
	Congenital debility, "atrophy," "marasmus," etc.....	215	215																
152 Other causes peculiar to early infancy (total).....																			
		77	77																
	Injuries at birth.....	32	32																
	Other causes peculiar to early infancy ¹	45	45																
153	Lack of care.....																		
XII.—Old age.....																			
		574												11	127	312	121	2	1
154 Senility.....																			
		574												11	127	312	121	2	1
XIII.—External causes.....																			
		610	6	17	7	12	14	27	57	107	81	61	64	49	50	34	13		11
Suicide (total).....																			
		85							3	10	12	12	16	14	12	5			1
155	By poison.....	9							1	1	1	2		1	2	1			
156	By asphyxia.....	2								1		1							
157	By hanging or strangulation.....	20									1	2	3	3	7	4			
158	By drowning.....	7							1		3	2			1				
159	By firearms.....	36							1	6	6	4	10	6	2				1
160	By cutting or piercing instruments.....	5								1	1		1	2					
161	By jumping from high places.....	2									1	1	1						
162	By crushing.....																		
163	Other suicides.....	4								1			1	2					
Accidental or undefined (total).....																			
		512	6	17	7	12	14	27	54	92	67	46	45	35	38	29	13		10
164	Poisoning by food.....																		
165	Other acute poisonings.....	24	1	1	1	1	1	1	1	3	4	2	3	2	3				
166	Conflagration.....	10		1	1	1	1	1		2				1	1	1			2
167	Burns (conflagration excepted).....	39		4	2	6	5	2	2	3	4	1	2	4	2	2			
168	Absorption of deleterious gases (conflagration excepted).....	8																	
169	Accidental drowning.....	123		3	1		1	15	25	35	17	9	8	2	3	1			3
170	Traumatism by firearms.....	24				1		1	10	3	3	3	2	1					1
171	Traumatism by cutting or piercing instruments.....	2											2						
172	Traumatism by fall.....	86		4				1	1	3	6	4	4	7	9	17	19	11	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MARYLAND (TOTAL)—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	942	2		1		4	4	15	69	167	224	250	155	46	2	3		
39	Of the buccal cavity	27				1		1			5	9	7	5					
40	Of the stomach, liver	411						1	7	18	54	107	125	77	20		1		
41	Of the peritoneum, intestines, rectum	86								9	14	17	26	16	3		1		
42	Of the female genital organs	155								3	20	48	36	32	14	1	1		
43	Of the breast	87								6	24	22	18	12	5				
44	Of the skin	42							1	1	5	5	10	10	8	1			
45	Of other organs or of organs not specified	134	2		1		2	2	4	15	17	28	32	21	9		1		
46	Other tumors (tumors of the female genital organs excepted)	11								2	4	1	1	2	1				
47	Acute articular rheumatism	78	1			1	12	14	6	6	8	12	5	12	1				
48	Chronic rheumatism and gout	14								1	1	3	3	5	1				
49	Scurvy	2		1									1						
50	Diabetes	164		1	1		1	2	7	6	10	15	48	49	19	3	1		
51	Exophthalmic goiter	8								2	2	1	1						
52	Addison's disease	2							2	2	2	1	1						
53	Leukemia	13			1				1	1	1								
54	Anemia, chlorosis	48							1	2	2	2	1	3					
55	Other general diseases	27	7	6	1	3	1	2	3	2	5	4	7	9	7	4			
56	Alcoholism (acute or chronic)	58							3	14	17	12	7	3	2				
57	Chronic lead poisoning	2									1	1							
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2								1			1						
II.—Diseases of the nervous system and of the organs of special sense																			
		2,245	280	81	45	15	17	45	51	69	108	147	292	442	446	174	26	1	6
60	Encephalitis	15	2			1	1	3	1	2			1	2			1		1
61	Meningitis (total)	224	74	42	31	8	8	21	18	6	5	3	2	3	2	1			
	Simple meningitis	106	56	31	24	6	5	16	12	3	3	2	2	3	1				
	Cerebrospinal meningitis (undefined)	52	17	11	6	2	2	4	5	2	2	1	1	2	1				
	Cerebrospinal fever	6	1		1		1	1	1										
62	Locomotor ataxia	36								3	7	10	9	6	1				
63	Other diseases of the spinal cord (total)	33	5	11	6	1	5	4	4	5	1	6	12	14					
	Acute anterior poliomyelitis	35	4	11	5	1	5	4	2	1	6	1	9	14					
	Other diseases of the spinal cord	48	1		1				2	4	1	6	11	8	14				
64	Cerebral hemorrhage, apoplexy	945	9	3	2		2	3	22	41	77	156	262	247	104	14	1		2
65	Softening of the brain	33							1	1	5	1	3	14	9				
66	Paralysis without specified cause	431	1		1			4	7	2	16	22	64	123	129	52	9		1
67	General paralysis of the insane	39							2	2	7	10	6	6	5	3			
68	Other forms of mental alienation	51	1						3	5	4	6	14	5	11	1			1
69	Epilepsy	63	1	1			2	7	7	12	15	7	5	6	5	1			1
70	Convulsions (nonpuerperal)	8						4	1	3									
71	Convulsions of infants	208	178	22	3	4	1	4	1										
72	Chorea	3							1				1	1					
73	Neuralgia and neuritis	15			1				1		2	5	2	3		1			
74	Other diseases of the nervous system	68	4	1	1	1	1	4	3	6	10	5	10	9	10	2	1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	23	5	1			1	1	2	3	4	3	1	2					
III.—Diseases of the circulatory system																			
		2,145	37	7	3	4	4	23	74	91	137	232	371	462	485	194	13	3	5
77	Pericarditis	10	1					1	1			4	2	1					
78	Acute endocarditis	81		2			1	1	7		13	13	5	5					
79	Organic diseases of the heart	1,708	29	5	3	4	3	17	53	79	161	196	301	379	383	139	6	1	4
80	Angina pectoris	79							1		5	7	13	30	13	9	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	201							1	2	5	7	28	33	76	41	5	2	1
82	Embolism and thrombosis	29	2						1	3	3	1	6	6	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	14							1		3	1	2	3	2	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1																
85	Hemorrhage; other diseases of the circulatory system	21	4						1		4	6	1	3		1	1		
IV.—Diseases of the respiratory system																			
		2,500	552	213	119	52	25	58	78	102	154	158	201	310	297	154	26		1
86	Diseases of the nasal fossae	4	2					1	1								1		
87	Diseases of the larynx	11		3	1	1													
88	Diseases of the thyroid body	1							1		1		1						
89	Acute bronchitis	181	96	26	15	1		1	3	1	2	2	1	6	12		3		
90	Chronic bronchitis	158	2		2			6	3	2	2	8	10	33	56	31	3		
91	Bronchopneumonia	556	229	80	46	20	10	16	7	7	8	4	16	39	49	18	7		
92	Pneumonia (total)	1,381	202	102	54	27	14	29	55	84	125	122	145	195	153	64	9		1
	Lobar pneumonia	527	33	23	14	7	5	9	18	35	71	58	73	86	63	24	2		1
	Pneumonia (undefined)	854	169	74	40	20	9	20	37	49	54	64	72	109	90	40	7		1
93	Pleurisy	46	1	1			1	1	3	5		11	6	3					
94	Pulmonary congestion, pulmonary apoplexy	37	15	1	1	2		2	3	1	1	2	7	9	20	3			
95	Gangrene of the lung	7										1	3	2	1				
96	Asthma	31				1						6	5	4	5				
97	Pulmonary emphysema	3								1	2	6	5	3					
98	Other diseases of the respiratory system (tuberculosis excepted)	34	3					2		1	5	1	10	5	5	2			

¹Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MARYLAND (TOTAL)—Continued.																			
	XI.—Early infancy.....	1,160	1,159	1															
151	Congenital debility, icterus, and sclerema (total).....	1,019	1,018	1															
	Premature birth.....	405	405																
	Congenital debility, "atrophy," "marasmus," etc.....	614	613	1															
152	Other causes peculiar to early infancy (total).....	137	137																
	Injuries at birth.....	77	77																
	Other causes peculiar to early infancy ¹	60	60																
153	Lack of care.....	4	4																
	XII.—Old age.....	454											37	151	197	60	9		
154	Senility.....	454											37	151	197	60	9		
	XIII.—External causes.....	1,108	39	30	22	14	18	53	106	190	164	125	109	94	82	36	11	1	14
	Suicide (total).....	134							6	32	29	25	25	13	4				
	By poison.....	34								8	12	5	4	2	1				
156	By asphyxia.....	10									1	4	3						
157	By hanging or strangulation.....	19							2	1	2	4	3						
158	By drowning.....	12							2	4	2	4	8		2				
159	By firearms.....	47							2	16	10	7	6	1	1				
160	By cutting or piercing instruments.....	7							2	2	2	2	2	1	1				
161	By jumping from high places.....	2									2		1						
162	By crushing.....	1										1	1						
163	Other suicides.....	2							1		1		1						
	Accidental or undefined (total).....	933	38	30	22	14	18	53	95	146	124	96	80	79	78	36	10	1	13
164	Poisoning by food.....	4	2	1								1							
165	Other acute poisonings.....	25	2	2	3			2		3	4	6	1	1	1				
166	Conflagration.....	9				1		1	1	1	1		3	1					
167	Burns (conflagration excepted).....	135	3	16	12	7	12	22	14	5	11	10	5	7	8	1	1	1	
168	Absorption of deleterious gases (conflagration excepted).....	18						1	2	1	6	1	2	2	2				1
169	Accidental drowning.....	129	2	4	1		1	5	24	45	19	6	9	7	2				4
170	Traumatism by firearms.....	31			1			3	8	9	1	6		3					
171	Traumatism by cutting or piercing instruments.....	3						1		2									
172	Traumatism by fall.....	128	4	2	3	2	1	5	3	6	21	9	10	13	33	14	2		
173	Traumatism in mines and quarries (total).....	9							1	2	2	3	1						
	Traumatism in mines.....	8							1	1	2	3	1						
	Traumatism in quarries.....	1								1									
174	Traumatism by machines.....	23							2	7	4	5	4		1				
175	Traumatism by other crushing (total).....	231	1	2	1	2	2	7	22	47	37	37	30	22	11	3	1		6
	Railroad accidents and injuries.....	147		1		1	1	3	8	38	28	25	13	12	5	2			5
	Street-car accidents and injuries.....	41		1	1	1		3	4	4	4	5	5	7	5		1		
	Automobile accidents and injuries.....	9						1	3	1	1	1	1		1				
	Injuries by other vehicles.....	26					1		6	3	4	5	3	3		1			
	Landslide, other crushing.....	8	1						1	1		1	3						1
176	Injuries by animals.....	9						1	4			1	2			1			
177	Starvation.....																		
178	Excessive cold.....	5	1									1		2	1				
179	Effects of heat.....	24	4	2		1		1		1	2		2	5	2	3	1		
180	Lightning.....	5								2	1			2					
181	Electricity (lightning excepted).....	11							1	6	2	1	1	1					
185	Fractures (cause not specified).....	33								1	3	1	3	12	9	4			
186	Other external violence.....	101	19	1	1	1	2	4	13	9	12	6	10	12	4	4	1		2
	Homicide (total).....	41	1						5	12	11	4	4	2			1		1
182	By firearms.....	24							3	6	6	3	4	1					
183	By cutting or piercing instruments.....	7							2	3	2	2							
184	By other means.....	10	1							3	3	1		1			1		
	XIV.—Ill-defined diseases.....	822	416	54	17	2	4	3	11	12	30	24	44	76	70	51	6		2
187	Ill-defined organic disease.....	32			1			1	1		2	2	4	9	6	6			
188	Sudden death.....	20	1					1	1		2	1	3	3	2	3			1
189	Not specified or ill-defined (total).....	770	415	54	16	2	4	1	9	10	27	19	38	64	62	42	6		1
	Ill-defined.....	686	359	51	13	2	4	1	7	6	25	18	37	63	54	39	6		1
	Not specified or unknown.....	84	56	3	3				2	4	2	1	1	1	8	3			

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MARYLAND (WHITE).																			
	All causes.....	15,458	2,975	571	248	128	106	296	600	1,049	1,195	1,245	1,680	2,147	2,099	960	123	3	23
	I.—General diseases.....	4,077	223	123	85	52	49	140	298	573	568	498	542	506	312	97	6		5
1	Typhoid fever.....	419	1		4	2	3	30	101	124	61	41	28	17	5	1			1
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	18	3				1		1	1	1	3	2	3	2	1			
5	Smallpox.....																		
6	Measles.....	46	12	19	4	2	1	2	3	2	1								
7	Scarlet fever.....	65	2	8	7	12	5	18	8	1	2		2						
8	Whooping cough.....	142	77	34	13	8	3	5	2										
9	Diphtheria and croup.....	147	9	20	35	10	22	38	10	1	1		1						
10	Influenza.....	149	3	6	3	1		3	5	4	8	11	13	36	39	16	1		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	9	2	1			1		1		1			1	2				
14	Dysentery.....	63	14	3	1		2	1			1	3	4	10	13	10	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	55	16	1	1	1				1	3	8	5	9	6	3	1		
19	Other epidemic diseases.....	3	1	2															
20	Purulent infection and septicemia.....	37	2			1	2	2	6	4	4	3	4	2	6	1			
21	Glanders.....																		
22	Anthrax.....	1																	
23	Rabies.....	1						1											
24	Tetanus.....	25	10	1		1	1	1	2	1	2	1	4		1				
25	Mycoses.....																		
26	Pellagra.....	7							1		1	2	1	1	1				
27	Beriberi.....																		
	Tuberculosis (total).....	1,641	30	17	14	10	7	18	130	403	382	252	197	120	51	10			
28	Tuberculosis of the lungs.....	1,428	5	5	4	3	3	7	101	363	353	236	182	111	47	8			
29	Acute miliary tuberculosis.....	29	1				1	1	6	9	7	2	2	2					
30	Tuberculous meningitis.....	72	17	10	8	6	3	8	10	3	4	1	2						
31	Abdominal tuberculosis.....	55	3	2	1			5	13	10	7	8	2	3	1				
32	Pott's disease.....	15				1		2	3	3	3	1	2						
33	White swellings.....	8	1		1				3	1		1	1	1					
34	Tuberculosis of other organs.....	17	2						3	2	2	2	3	2	1				
35	Disseminated tuberculosis.....	17	1						2	7	2	4	1	2					
36	Ricketts.....	6	2	3							1								
37	Syphilis.....	43	30	1				1		4	3	1	2	1					
38	Gonococcus infection.....	1		1															
	Cancer and other malignant tumors (total).....	827	1			1		4	2	11	57	129	199	232	142	44	2		3
39	Of the buccal cavity.....	25						1				3	9	7					
40	Of the stomach, liver.....	365						1		5	14	46	91	118	69	20			1
41	Of the peritoneum, intestines, rectum.....	78									7	13	17	23	14	3			1
42	Of the female genital organs.....	125								2	15	30	34	28	14	1	1		
43	Of the breast.....	72									5	19	16	17	11	4			
44	Of the skin.....	38							1	1	1	3	5	9	10	7	1		
45	Of other organs or of organs not specified.....	124	1			1		2	1	3	15	15	27	30	19	9			1
46	Other tumors (tumors of the female genital organs excepted).....	8									1	3		1	2	1			
47	Acute articular rheumatism.....	57	1					12	9	2	4	4	12	3	9	1			
48	Chronic rheumatism and gout.....	13										1	3	3	5	1			
49	Scurvy.....	2		1										1					
50	Diabetes.....	153		1	1		1	2	7	5	9	13	46	46	17	3	1		1
51	Exophthalmic goiter.....	7							2	2	2		1						
52	Addison's disease.....	2							1	1									
53	Leukemia.....	12			1				2	1	2	2	1	3					
54	Anemia, chlorosis.....	41	1				1	1	4	2	4	4	6	8	7	3			
55	Other general diseases.....	23	6	4	1	3			2	1	3	1	1	1	1				
56	Alcoholism (acute or chronic).....	50							2	12	15	10	6	3	2				
57	Chronic lead poisoning.....	2										1	1						
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	2									1			1					
	II.—Diseases of the nervous system and of the organs of special sense.....	1,733	195	61	36	11	12	33	38	40	74	103	222	346	392	151	13	1	5
60	Encephalitis.....	14	2			1	3		1	1			1	2			1		1
61	Meningitis (total).....	181	65	36	22	7	7	15	12	4	4	3	2	2	1	1			
	Simple meningitis.....	130	47	25	16	5	4	10	9	2	4	3	2	2		1			
	Cerebrospinal meningitis (undefined).....	47	17	11	6	2	2	4	2	2					1				
	Cerebrospinal fever.....	4	1				1	1	1										
62	Locomotor ataxia.....	30									3	6	9	6	5	1			
63	Other diseases of the spinal cord (total).....	69	3	8	6	1	3	3	3	3	1	4	11	9	14				
	Acute anterior poliomyelitis.....	27	2	8	5	1	3	3	2	1		1	1	1					
	Other diseases of the spinal cord.....	42	1		1				1	2	1	4	10	8	14				
64	Cerebral hemorrhage, apoplexy.....	754	6	3	2			1	2	9	27	54	120	219	92	6	1		1
65	Softening of the brain.....	28											5	3	12	8			
66	Paralysis without specified cause.....	318	1		1			2	4		10	13	41	87	111	43	4		1
67	General paralysis of the insane.....	33									1	6	8	5	4	3			
68	Other forms of mental alienation.....	44	1						3	5	2	4	12	5	10	1			1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MARYLAND (WHITE)—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	41						1	6	9	11	4	2	3	3	1		1	
70	Convulsions (nonpuerperal).....	5						4		1									
71	Convulsions of infants.....	126	110	12	3	1													
72	Chorea.....	3							1				1	1					
73	Neuralgia and neuritis.....	13			1					1		2		3			1		
74	Other diseases of the nervous system.....	55	3	1	1	1	1	4	3	4	5	4	9	7	10	1	1		
75	Diseases of the eyes and their annexa.....																		
76	Diseases of the ears.....	19	4	1					2	3	3	3	1	2					
III.—Diseases of the circulatory system.....																			
		1,639	33	5	3	3	3	21	55	54	80	134	251	376	440	168	10	1	2
77	Pericarditis.....	7	1									1	3	1	1				
78	Acute endocarditis.....	59		2			1	4	8	3	12	8	11	5	5				
79	Organic diseases of the heart.....	1,278	27	3	3	3	2	17	43	48	59	108	196	299	346	118	9	5	1
80	Angina pectoris.....	75							1		4	5	13	29	13		1		
81	Diseases of the arteries, atheroma, aneurism, etc.....	171							1	2	1	5	22	29	69	37	3	1	1
82	Embolism and thrombosis.....	26	2						1	1	3	1	5	6	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	8							1			1				1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2	1											1					
85	Hemorrhage, other diseases of the circulatory system.....	13	2									5	1	3		1	1		
IV.—Diseases of the respiratory system.....																			
		1,819	376	134	73	35	14	38	40	52	101	106	167	262	260	136	24		1
86	Diseases of the nasal fossae.....	2							1									1	
87	Diseases of the larynx.....	8	2	3	1	1						1							
88	Diseases of the thyroid body.....	1							1										
89	Acute bronchitis.....	129	75	9	9	1				1	3	1		8	6	12	3		
90	Chronic bronchitis.....	135	2					5			2	4	8	31	52	28	3		
91	Bronchopneumonia.....	394	154	58	29	12	4	11	3	2	8	1	13	33	42	18	6		
92	Pneumonia (total).....	979	126	63	33	19	9	18	31	43	79	87	117	162	134	49	8		1
	Lobar pneumonia.....	388	23	18	8	6	5	5	9	17	42	39	59	78	58	18	2		1
	Pneumonia (undefined).....	591	103	45	25	13	4	13	22	26	37	48	58	84	76	31	6		
93	Pleurisy.....	38	1	1			1	1	2	4	4	9	6	5	2	2			
94	Pulmonary congestion, pulmonary apoplexy.....	75	13		1	1		1	2	1	1	1	6	8	17	20	3		
95	Gangrene of the lung.....	7										1	3	2	1				
96	Asthma.....	23			1					1	1	1	5	5	4	5			
97	Pulmonary emphysema.....	3											5	3					
98	Other diseases of the respiratory system (tuberculosis excepted).....	25	3					1			3		9	5	2	2			
V.—Diseases of the digestive system.....																			
		1,805	873	186	27	15	9	11	33	49	68	90	108	134	145	51	4		2
99	Diseases of the mouth and annexa.....	12	3	4					1	1	1		1	2					
100	Diseases of the pharynx.....	12	1	1	1	2		1		1	3		1		1				
101	Diseases of the esophagus.....	2											1	1					
102	Ulcer of the stomach.....	24								3	4	4	3	5	3	2			
103	Other diseases of the stomach (cancer excepted).....	190	43	6	1	3	1	3	5	6	14	12	17	23	40	15			1
104	Diarrhea and enteritis (under 2 years).....	975	803	172															
105	Diarrhea and enteritis (2 years and over).....	152			20	7	2	2	5	3	3	8	11	24	43	20	3		1
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	2			1	1													
108	Appendicitis and typhlitis.....	75	1			2	4	12	16	15	13	6	5	1					
109	Hernia, intestinal obstruction (total).....	117	8		1	2	1	6	9	6	17	17	21	24	5				
	Hernia.....	40	1					1	1		6	7	11	13					
	Intestinal obstruction.....	77	7		1	2	1	5	8	6	11	10	10	11	5	3	1		
110	Other diseases of the intestines.....	28	9	1	2					5	2			4	3				
111	Acute yellow atrophy of the liver.....	5								1	1	1		1	1				
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	107			1	1			1		6	18	31	29	17	3			
114	Biliary calculi.....	32								3	3	3	8	7	7	1			
115	Other diseases of the liver.....	40	1	1					2	2	2	8	9	11	2	2			
116	Diseases of the spleen.....	2											1		1				
117	Simple peritonitis (nonpuerperal).....	27	4	1	1	1			1	4	6	1	3	4	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	3										2		1					
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		1,437	16	1	1	3	2	13	34	63	96	178	260	349	238	123	8		2
119	Acute nephritis.....	101	6	1		1	1	3	9	11	14	15	15	18	5	2			
120	Bright's disease.....	1,187	8		1	2	1	9	21	39	62	137	232	309	255	101	8		2
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	22	1				1	1	1	1	1	2	4	6	2	3			
123	Calculi of the urinary passages.....	11							1	1	3		1	3	2				
124	Diseases of the bladder.....	24	1									1		3	11	8			
125	Diseases of the urethra, urinary abscess, etc.....	4																	
126	Diseases of the prostate.....	24									1	1		2					
127	Nonvenereal diseases of the male genital organs.....	1										1	3	5	8	7			
128	Uterine hemorrhage (nonpuerperal).....	2								1		1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MARYLAND (WHITE)—Continued.																			
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
129	Uterine tumor (noncancerous).....	18																	
130	Other diseases of the uterus.....	13																	
131	Cysts and other tumors of the ovary.....	10																	
132	Salpingitis and other diseases of the female genital organs.....	20																	
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
VII.—The puerperal state.....																			
134	Accidents of pregnancy.....	18																	
135	Puerperal hemorrhage.....	18																	
136	Other accidents of labor.....	14																	
137	Puerperal septicemia.....	50																	
138	Puerperal albuminuria and convulsions.....	34																	
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....																		
140	Following childbirth (not otherwise defined).....	1																	
141	Puerperal diseases of the breast.....																		
VIII.—Diseases of the skin and of the cellular tissue.....																			
142	Gangrene.....	23	8	1		1	1		2	2	3	6	2	12	11	6	3		
143	Furuncle.....	9		1						2	1	2	1	5	6	6	3		
144	Acute abscess.....	19	7			1	1		2		2	1	1	3	1				
145	Other diseases of the skin and annexa.....	7	1								1	1	3	2					
IX.—Diseases of the bones and of the organs of locomotion.....																			
146	Diseases of the bones (tuberculosis excepted).....	27	5	3		1		1	2	1	6	3	1	2	1		1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2									1			1					
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....	2							1					1					
X.—Malformations.....																			
150	Congenital malformations (stillbirths not included) (total).....	122	112	6	1				2										
	Hydrocephalus.....	10	6	2	1		1												
	Congenital malformations of the heart.....	77	73	2					2										
	Other congenital malformations.....	35	33	2															
XI.—Early infancy.....																			
151	Congenital debility, icterus, and sclerema (total).....	747	747																
	Premature birth.....	301	301																
	Congenital debility, "atrophy," "marasmus," etc.....	446	446																
152	Other causes peculiar to early infancy (total).....	104	104																
	Injuries at birth.....	62	62																
	Other causes peculiar to early infancy ¹	42	42																
153	Lack of care.....	1	1																
XII.—Old age.....																			
154	Senility.....	355												27	120	160	47		
XIII.—External causes.....																			
	Suicide (total).....	126	23	26	15	6	13	36	82	142	131	101	97	76	75	30	8		
155	By poison.....	34							4	29	28	24	24	13	4				
156	By asphyxia.....	10								8	12	5	4	4	1				
157	By hanging or strangulation.....	17							1	1	1	4	3	2					
158	By drowning.....	7							2	1	1	2	1	2					
159	By firearms.....	46							1	16	10	7	6	5	1				
160	By cutting or piercing instruments.....	7							2	2	2	2	1	1					
161	By jumping from high places.....	2										1	1						
162	By crushing.....	1										1	1						
163	Other suicides.....	2								1		1							
	Accidental or undefined (total).....	721	23	26	15	6	13	36	75	106	97	75	69	62	71	30	8		
164	Poisoning by food.....	3	1	1								1							
165	Other acute poisonings.....	21		2	2			2		3	4	5	1	1	1				
166	Conflagration.....	5						1	1	1	1	1	1	1					
167	Burns (conflagration excepted).....	89	3	15	9	3	7	13	9	4	7	8	3	2	6				
168	Absorption of deleterious gases (conflagration excepted).....	13						1	2	1	6	1	2	2	2				
169	Accidental drowning.....	85		3	1		1	5	17	26	12	4	7	6	1				
170	Traumatism by firearms.....	15						1	4	6	1	2		1					
171	Traumatism by cutting or piercing instruments.....	2								2									
172	Traumatism by fall.....	110	2	1	1	1	1	3	3	5	17	7	9	13	32	13	2		

¹ Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MARYLAND (COLORED)—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total).....	115	1						2	4	12	38	25	18	13	2			
39	Of the buccal cavity.....	2										2							
40	Of the stomach, liver.....	46						1	2	4	8	16	7	8					
41	Of the peritoneum, intestines, rectum.....	8								2	1		3	2					
42	Of the female genital organs.....	30							1	5	18	2	4						
43	Of the breast.....	15								1	5	6	1	1	1				
44	Of the skin.....	4									2		1		1				
45	Of other organs or of organs not specified.....	10	1					1	1			2	1	2	2				
46	Other tumors (tumors of the female genital organs excepted).....	3								1	1	1							
47	Acute articular rheumatism.....	21				1		5	4	2	4		2	3					
48	Chronic rheumatism and gout.....	1								1									
49	Scurvy.....																		
50	Diabetes.....	11						1	1	2	2	2	3	2					
51	Exophthalmic goiter.....	1									1								
52	Addison's disease.....																		
53	Leukemia.....	1						1	2										
54	Anemia, chlorosis.....	7					1	2		1		1	1		1				
55	Other general diseases.....	4	1	2					1							1			
56	Alcoholism (acute or chronic).....	8							1	2	2	2	1						
57	Chronic lead poisoning.....																		
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....																		
	II.—Diseases of the nervous system and of the organs of special sense.....	512	85	20	9	4	5	12	13	29	34	44	70	96	54	23	13	1	
60	Encephalitis.....	1								1									
61	Meningitis (total).....	43	9	6	9	1	1	6	6	2	1			1	1				
	Simple meningitis.....	36	9	6	8	1	1	6	3	1	1								
	Cerebrospinal meningitis (undefined).....	5							3					1	1				
	Cerebrospinal fever.....	2			1					1									
62	Locomotor ataxia.....	6										1	1	3	1				
63	Other diseases of the spinal cord (total).....	14	2	3		2	1	1	2		2	2	1						
	Acute anterior poliomyelitis.....	8	2	3		2	1												
	Other diseases of the spinal cord ¹	6							2		2	2	1						
64	Cerebral hemorrhage, apoplexy.....	191	3				1	1	13	14	23	36	51	28	12	8		1	
65	Softening of the brain.....	5							1		1			2	1				
66	Paralysis without specified cause.....	113					2	3	2	6	9	23	36	18	9	5			
67	General paralysis of the insane.....	6							1	1	2	1	1	1					
68	Other forms of mental alienation.....	7								2	2	2	2	1					
69	Epilepsy.....	22	1	1			1	1	3	4	3	3	3	2					
70	Convulsions (nonpuerperal).....	3							1	2									
71	Convulsions of infants.....	82	68	10		3	1												
72	Chorea.....																		
73	Neuralgia and neuritis.....	2											2						
74	Other diseases of the nervous system.....	13	1						2	5	1	1	2		1				
75	Diseases of the eyes and their annexa.....																		
76	Diseases of the ears.....	4	1			1	1				1								
	III.—Diseases of the circulatory system.....	506	4	2		1	1	2	19	37	57	98	120	86	45	26	3	2	3
77	Pericarditis.....	3						1					1	1					
78	Acute endocarditis.....	22						1	3	4	4	5	5						
79	Organic diseases of the heart.....	430	2	2		1	1		15	31	42	88	105	80	37	21	1	1	3
80	Angina pectoris.....	4									1	2		1					
81	Diseases of the arteries, atheroma, aneurism, etc.....	30									4	2	6	4	7	4	2	1	
82	Embolism and thrombosis.....	3								2			1						
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6											2		1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....																		
85	Hemorrhage; other diseases of the circulatory system.....	8	2					1		4	1								
	IV.—Diseases of the respiratory system.....	681	176	79	46	17	11	20	38	50	53	52	34	48	37	18	2		
86	Diseases of the nasal fossae.....	2	2																
87	Diseases of the larynx.....	3						1			1			1					
88	Diseases of the thyroid body.....																		
89	Acute bronchitis.....	52	21	17	6				3		1	1	1	2					
90	Chronic bronchitis.....	23			2			1	5	2		4	2	4	3				
91	Bronchopneumonia.....	162	75	22	17	8	6	5	4	5		3	3	6	7		1		
92	Pneumonia (total).....	402	76	39	21	8	5	11	24	41	46	35	28	33	19	15	1		
	Lobar pneumonia.....	139	10	10	6	1		4	9	18	29	19	14	8	5	6			
	Pneumonia (undefined).....	263	66	29	15	7	5	7	15	23	17	16	14	25	14	9	1		
93	Pleurisy.....	8							1	1	2	2		1					
94	Pulmonary congestion, pulmonary apoplexy.....	12	2	1		1		1				1	1	1	3				
95	Gangrene of the lung.....																		
96	Asthma.....	8									1	5		2					
97	Pulmonary emphysema.....																		
98	Other diseases of the respiratory system (tuberculosis excepted).....	9						1	1	2	1	1		3					

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MARYLAND (COLORED)—Continued.																			
	XI.—Early infancy.....	308	307	1															
151	Congenital debility, icterus, and sclerema (total).....	272	271	1															
	Premature birth.....	104	104																
	Congenital debility, "atrophy," "marasmus," etc.....	168	167	1															
152	Other causes peculiar to early infancy (total).....	33	33																
	Injuries at birth.....	15	15																
	Other causes peculiar to early infancy.....	18	18																
153	Lack of care.....	3	3																
	XII.—Old age.....	99										10	31	37	13	8			
154	Senility.....	99										10	31	37	13	8			
	XIII.—External causes.....	237	16	4	7	8	5	17	24	48	33	24	12	18	7	6	3	1	4
	Suicide (total).....	8							2	3	1	1	1						
155	By poison.....																		
156	By asphyxia.....																		
157	By hanging or strangulation.....	2							1				1						
158	By drowning.....	5								3	1	1							
159	By firearms.....	1							1										
160	By cutting or piercing instruments.....																		
161	By jumping from high places.....																		
162	By crushing.....																		
163	Other suicides.....																		
	Accidental or undefined (total).....	212	15	4	7	8	5	17	20	40	27	21	11	17	7	6	2	1	4
164	Poisoning by food.....	1	1																
165	Other acute poisonings.....	4	2		1														
166	Conflagration.....	4			1			1					2						
167	Burns (conflagration excepted).....	46		1	3	4	5	9	5	1	4	2	2	5	2	1	1	1	
168	Absorption of deleterious gases (conflagration excepted).....																		
169	Accidental drowning.....	44	2	1					7	19	7	2	2	1	1				2
170	Traumatism by firearms.....	16			1			2	4	3		4		2					
171	Traumatism by cutting or piercing instruments.....	1						1											
172	Traumatism by fall.....	13	2	1	2	1		2		1	4	2	1		1	1			
173	Traumatism in mines and quarries (total).....	1								1									
	Traumatism in mines.....																		
	Traumatism in quarries.....	1								1									
174	Traumatism by machines.....	5								1	1	1	1		1				
175	Traumatism by other crushing (total).....	34	1		1		1	3	9	6	7	1	4						1
	Railroad accidents and injuries.....	13			1			1	5	4	3	1	2						1
	Street-car accidents and injuries.....	7					1	1	1	1	2		1						1
	Automobile accidents and injuries.....	1						1											
	Injuries by other vehicles.....	6							3	1	1		1						
	Landslide, other crushing.....	2	1								1								
176	Injuries by animals.....																		
177	Starvation.....																		
178	Excessive cold.....	3													1	1			
179	Effects of heat.....	11	3	1	1						2		2			2			
180	Lightning.....	1								1									
181	Electricity (lightning excepted).....	2								2									
185	Fractures (cause not specified).....	3									1		1					1	
186	Other external violence.....	18	4					1	1	2	3	1	2	2	1	1			1
	Homicide (total).....	17	1						2	5	5	2	1				1		
182	By firearms.....	8							1	3	2	1							
183	By cutting or piercing instruments.....	2							1	1	1								
184	By other means.....	7	1						2	2	1							1	
	XIV.—Ill-defined diseases.....	293	157	29	10	1	2		6	3	14	10	14	20	16	13	2		1
187	Ill-defined organic disease.....	12			1				1		1	1	4	2		2			
188	Sudden death.....	3																	
189	Not specified or ill-defined (total).....	283	157	29	9	1	2		5	3	13	8	10	17	14	13	2		1
	Ill-defined.....	232	125	26	6	1	2		3	2	11	7	9	17	11	10	2		
	Not specified or unknown.....	51	32	3	3				2	1	2	1	1		3				

1 Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MASSACHUSETTS—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	163	6	2	2	2	1	5	11	33	30	18	20	20	9	4			
70	Convulsions (nonpuerperal).....	21							1	3	7	6	1	1	1				
71	Convulsions of infants.....	214	184	18	10	1	1												
72	Chorea.....	10		1				2	5	1					1				
73	Neuralgia and neuritis.....	15									2	3	2	1	2				
74	Other diseases of the nervous system.....	192	18	4	3	2	6	10	13	11	23	29	24	30	21	6	2		
75	Diseases of the eyes and their annexa.....	2									1						1		
76	Diseases of the ears.....	87	18	8	4	1	1	7	10	6	8	8	4	6	5	1			
III.—Diseases of the circulatory system.....																			
		8,353	125	22	8	7	11	90	220	231	400	675	1,046	1,959	2,196	1,195	158	5	
77	Pericarditis.....	26					1	1	4	2	3	5	5	4	5	1			
78	Acute endocarditis.....	417	15	9	2	3	4	30	40	26	50	57	105	89	23	11	3		
79	Organic diseases of the heart.....	6,004	79	12	5	4	6	55	171	188	305	525	760	1,491	1,550	768	79	2	
80	Angina pectoris.....	276						1	2	2	3	22	45	90	83	27	1		
81	Diseases of the arteries, atheroma, aneurism, etc.....	1,386								3	7	30	104	302	498	367	72	3	
82	Embolism and thrombosis.....	158	3					2	3	8	22	28	19	27	27	17	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	38								2	6	11	5	5	6	3			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	18	10	1	1			1					2		3				
85	Hemorrhage; other diseases of the circulatory system.....	30	18								4	2	1	1	1	1	1	1	
IV.—Diseases of the respiratory system.....																			
		7,360	1,698	659	199	112	47	120	136	295	456	572	677	897	862	541	80	6	
86	Diseases of the nasal fossae.....	6	4					1	1										
87	Diseases of the larynx.....	45	10	9	2	5	1	6			3	2	1	4	1				
88	Diseases of the thyroid body.....	18	1						1	2	3	3	3	3	1				
89	Acute bronchitis.....	595	365	81	16	11	2	2	2	1	5	4	8	20	37	36	6	1	
90	Chronic bronchitis.....	421	6	3	1	1	2	8	12	8	16	37	89	118	103	13	2		
91	Bronchopneumonia.....	1,527	629	260	72	31	13	22	15	15	20	44	55	97	133	108	11	2	
92	Pneumonia (total).....	4,355	633	286	96	59	26	74	104	241	386	468	525	633	513	264	43	1	
	Lobar pneumonia.....	1,599	133	79	26	23	9	27	36	115	170	217	236	249	192	74	7	1	
	Pneumonia (undefined).....	2,756	495	207	70	36	17	47	68	126	216	251	289	384	321	190	36	1	
93	Pleurisy.....	149	6	7	8	4	2	7	6	15	14	19	16	20	18	6	1		
94	Pulmonary congestion, pulmonary apoplexy.....	138	36	11	1		2	1		4	4	4	16	15	23	16	5		
95	Gangrene of the lung.....	4								2	2		1	1					
96	Asthma.....	37	1					1			4	4	7	7	8	5			
97	Pulmonary emphysema.....	6	1					1				1	1	2					
98	Other diseases of the respiratory system (tuberculosis excepted).....	59	6	3	1	1		3	1	5	7	7	7	11	5	1	1		
V.—Diseases of the digestive system.....																			
		6,974	3,964	557	96	48	31	99	147	173	242	275	379	401	337	196	29		
99	Diseases of the mouth and annexa.....	32	23	1	1			1	2	1	2		1	2	2				
100	Diseases of the pharynx.....	54	7	6	3	3	2	7	3	1	7	4	2	2	5	1			
101	Diseases of the esophagus.....	11									1	6	6	1					
102	Ulcer of the stomach.....	156	3	1	2			1	4	16	20	22	37	26	21	3			
103	Other diseases of the stomach (cancer excepted).....	483	216	22	7	1	2	5	5	8	13	24	26	42	52	57	3		
104	Diarrhea and enteritis (under 2 years).....	4,111	3,603	508															
105	Diarrhea and enteritis (2 years and over).....	474			71	34	19	19	12	12	20	31	46	53	80	64	13		
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	3		3															
108	Appendicitis and typhlitis.....	371	1	2	3	3	4	48	81	60	60	42	31	27	6	3			
109	Hernia, intestinal obstruction (total).....	415	62	7	2	3	2	6	13	23	20	32	60	77	70	29	9		
	Hernia.....	159	17	1				1	2	2	6	20	23	40	31	13	3		
	Intestinal obstruction.....	256	45	6	2	3	2	5	11	21	14	12	37	37	39	16	6		
110	Other diseases of the intestines.....	88	22	1	2	1		2	3	4	8	9	11	8	10	5	2		
111	Acute yellow atrophy of the liver.....	9	2	1						3	3								
112	Hydatid tumor of the liver.....	2								1			1						
113	Cirrhosis of the liver.....	340	1		1				4	9	30	66	88	84	43	13	1		
114	Biliary calculi.....	99							1	10	11	23	29	18	6	1			
115	Other diseases of the liver.....	125	4	1	1		1		4	10	14	10	26	32	12	10			
116	Diseases of the spleen.....	7									1	2	1	1					
117	Simple peritonitis (nonpuerperal).....	169	19	4	2	3	1	10	18	22	29	14	17	14	11	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	25			1						5	7	4	3	5				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		3,576	63	17	12	11	6	29	61	199	322	463	610	725	740	294	23	1	
119	Acute nephritis.....	266	30	5	5	6	4	15	12	28	26	45	32	28	22	6	2		
120	Bright's disease.....	2,715	19	9	7	4	2	12	43	112	231	330	516	619	583	213	15		
121	Chyluria.....										6	6	13	24	13	18	9	1	
122	Other diseases of the kidneys and annexa.....	102	9	3						6	6	13	24	13	18	9	1		
123	Calculi of the urinary passages.....	21								3	1	2	4	2	8	1			
124	Diseases of the bladder.....	111	1			1		2			1	4	10	14	46	28	3	1	
125	Diseases of the urethra, urinary abscess, etc.....	20	1							1	2	8	4	4	52	33	1		
126	Diseases of the prostate.....	115											3	26					
127	Nonvenereal diseases of the male genital organs.....	4	2										1				1		
128	Uterine hemorrhage (nonpuerperal).....	8								4	3		1						

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
MASSACHUSETTS—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
129	Uterine tumor (noncancerous).....	58							1		11	29	10	2	4	1	
130	Other diseases of the uterus.....	48								12	11	14	2	5	3	1	
131	Cysts and other tumors of the ovary.....	38								7	6	7	3	9	4	2	
132	Salpingitis and other diseases of the female genital organs.....	67							4	26	24	10		3			
133	Nonpuerperal diseases of the breast (cancer excepted).....	3	1						1			1					
	VII.—The puerperal state.....	412							30	158	187	37					
134	Accidents of pregnancy.....	43							4	16	19	4					
135	Puerperal hemorrhage.....	41							1	16	20	4					
136	Other accidents of labor.....	42							1	15	21	5					
137	Puerperal septicemia.....	166							18	68	72	8					
138	Puerperal albuminuria and convulsions.....	93							5	35	42	11					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	27							1	8	13	5					
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	199	32	3	2		2	2		3	14	15	16	19	50	37	4
142	Gangrene.....	98	3	1				1			4	3	5	10	39	29	3
143	Furuncle.....	22	1							2	3	4	5	3	1	3	3
144	Acute abscess.....	47	13	2	2		2	1		1	7	4	2	3	4	2	2
145	Other diseases of the skin and annexa.....	32	15								1	1	4	2	6	3	1
	IX.—Diseases of the bones and of the organs of locomotion.....	114	11	4	5	1		5	16	11	12	11	10	14	6	5	3
146	Diseases of the bones (tuberculosis excepted).....	91	10	4	4	1		4	14	9	10	10	7	9	6	2	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	18			1			1	2	1	2	1	2	3		3	2
148	Amputations.....	1											1				
149	Other diseases of the organs of locomotion.....	4	1							1				2			
	X.—Malformations.....	579	546	15	2	4	2	4	5					1			
150	Congenital malformations (stillbirths not included), (total).....	579	546	15	2	4	2	4	5					1			
	Hydrocephalus.....	57	47	5	1	2	2	4	2								
	Congenital malformations of the heart.....	351	331	9	1	1	2	1	5					1			
	Other congenital malformations.....	171	168	1		1		1									
	XI.—Early infancy.....	2,998	2,995		1					1						1	
151	Congenital debility, icterus, and sclerema.....	2,453	2,450		1					1						1	
	Premature birth.....	1,513	1,513														
	Congenital debility, "atrophy," "marasmus," etc.....	940	937		1					1						1	
152	Other causes peculiar to early infancy (total).....	537	537														
	Injuries at birth.....	293	293														
	Other causes peculiar to early infancy ¹	244	244														
153	Lack of care.....	8	8														
	XII.—Old age.....	781												37	197	391	147
154	Senility.....	781												37	197	391	147
	XIII.—External causes.....	2,935	95	61	55	62	48	152	215	465	431	368	330	261	200	135	30
	Suicide (total).....	427							25	80	83	72	73	56	30	4	
155	By poison.....	31							3	11	22	16	12	10	2		
156	By asphyxia.....	68							1	15	10	11	17	9	5		
157	By hanging or strangulation.....	76							3	10	10	14	10	12	10		
158	By drowning.....	56							5	11	7	6	10	4	1		
159	By firearms.....	100							2	24	21	12	21	10	6	3	
160	By cutting or piercing instruments.....	33							1	3	5	11	7	5	1		
161	By jumping from high places.....	3									2			1			
162	By crushing.....	8								5	2	1					
163	Other suicides.....	2								1					1		
	Accidental or undefined (total).....	2,418	89	59	54	62	47	152	186	355	334	282	250	202	165	131	30
164	Poisoning by food.....	3	1		1			1									
165	Other acute poisonings.....	53	10	6	6	3		1	4	10	4	4	7	2	3		1
166	Conflagration.....	34				1	1	4	3	3	2	5	4	6	3	2	
167	Burns (conflagration excepted).....	251	10	28	25	35	19	25	6	21	15	18	20	11	12	4	2
168	Absorption of deleterious gases (conflagration excepted).....	86	1	1			1		4	14	14	13	15	9	11	3	
169	Accidental drowning.....	310	2	7	3	4	6	40	53	36	51	24	14	12	2		
170	Traumatism by firearms.....	19						4	7	3	1	2			1		
171	Traumatism by cutting or piercing instruments.....	4			1					1	1			1			
172	Traumatism by fall.....	622	9	8	10	8	9	13	16	33	62	65	81	79	95	109	25

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MICHIGAN—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	2,112	3	2	3	2	1	5	10	31	106	306	480	573	459	125	5	1	
39	Of the buccal cavity	85										8	15	25	19	14			
40	Of the stomach, liver	879		1		1				11	25	106	201	271	221	39	2		
41	Of the peritoneum, intestines, rectum	233						1	3	5	13	31	62	66	40	7			
42	Of the female genital organs	299							1	2	30	75	84	61	43	2	1		
43	Of the breast	185	1	1						2	14	37	44	38	35	13			
44	Of the skin	80								1	1	4	6	10	28	29	1		
45	Of other organs or of organs not specified	351	2		3	1	1	4	2	10	18	45	68	102	73	21	1		
46	Other tumors (tumors of the female genital organs excepted)	53	3					1			2	6	8	9	6	16	2		
47	Acute articular rheumatism	185	1		2	2	2	12	28	21	16	14	23	26	29	9			
48	Chronic rheumatism and gout	48							2		2	3	8	12	12	7	2		
49	Scurvy	3	2			1													
50	Diabetes	418		1	2	5	4	12	28	28	31	47	85	99	55	21			
51	Exophthalmic goiter	69							3	9	11	18	15	10	3				
52	Addison's disease	11									3	3	2	1	2				
53	Leukemia	36		1		1		2	1	8	4	6	4	4	4	1			
54	Anemia, chlorosis	314	17	8	1	1	3	5	12	16	25	46	64	67	38	11	1		
55	Other general diseases	115	36	11	7	3	5	3	5	8	1	6	3	7	16	3	1		
56	Alcoholism (acute or chronic)	101								9	21	27	20	14	9	1			
57	Chronic lead poisoning	3											2		1				
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	8									3			2	3				
II.—Diseases of the nervous system and of the organs of special sense																			
		4,596	542	105	71	43	31	83	116	129	192	328	542	875	1,027	464	45		3
60	Encephalitis	57	10	4		2	4	2	7	5	8	3	7		4	1			
61	Meningitis (total)	409	118	59	38	26	15	44	44	21	16	8	8	6	5	1			
	Simple meningitis	291	89	39	26	21	7	33	29	13	12	6	5	5	5	1			
	Cerebrospinal meningitis (undefined)	112	27	20	11	5	7	10	14	8	4	2	3	1					
	Cerebrospinal fever	6	2		1		1	1	1										
62	Locomotor ataxia	95							1	3	8	18	26	26	11	2			
63	Other diseases of the spinal cord (total)	185	13	5	6	2	5	11	12	9	14	16	28	32	29	3			
	Acute anterior poliomyelitis	48	10	3	5	2	3	8	7	4	4	1	1	1	1				
	Other diseases of the spinal cord	137	3	2	1		2	3	5	5	10	15	28	31	29	3			
64	Cerebral hemorrhage, apoplexy	2,052	32	5	8	2	1	7	12	25	45	136	297	539	655	265	22		1
65	Softening of the brain	65								1	3	5	7	13	22	13	1		
66	Paralysis without specified cause	752	2	1	1		2	2	4	8	19	33	79	188	246	149	18		
67	General paralysis of the insane	180								4	30	53	41	25	22	3			
68	Other forms of mental alienation	74								4	11	13	9	16	11	8	2		
69	Epilepsy	126	6	1	1			3	16	25	22	16	13	9	6	7	1		
70	Convulsions (nonpuerperal)	11						4	2	4		1							
71	Convulsions of infants	390	345	25	12	5	3												
72	Chorea	10						1	6	2				1					
73	Neuralgia and neuritis	31									4	5	5	5	7				
74	Other diseases of the nervous system	111	4			3		6	9	13	10	16	20	15	11	3	1		
75	Diseases of the eyes and their annexa	3	1									1							
76	Diseases of the ears	45	11	5	5	2	1	3	3	5	2	4	2			2			
III.—Diseases of the circulatory system																			
		5,413	114	7	12	3	6	47	132	154	238	405	746	1,242	1,578	657	64	2	6
77	Pericarditis	40	1						2	3	4	3	3	8	12	2			
78	Acute endocarditis	182	4	1	3			2	13	17	20	18	43	14	7	3			
79	Organic diseases of the heart	4,304	82	6	6	2	4	30	105	114	184	331	595	1,016	1,278	500	44	1	
80	Angina pectoris	224						2	3	3	11	20	48	67	51	16	3		
81	Diseases of the arteries, atheroma, aneurism, etc.	515							1	1	8	15	37	115	198	126	13	1	
82	Embolism and thrombosis	97	3		2	1			3	12	7	11	14	15	20	7	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	19	1							1	2	1	3	4	5	1	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	9									1	1		4		1		
85	Hemorrhage; other diseases of the circulatory system	36	14		1				1	3	2	5	2	3	3	2			
IV.—Diseases of the respiratory system																			
		3,957	978	277	101	71	44	104	131	203	219	234	295	418	599	323	45	2	3
86	Diseases of the nasal fossae	11	7					1							1	1			
87	Diseases of the larynx	60	9	11	3	4	6	9	4		4	2	2	3	1	1			
88	Diseases of the thyroid body	10																	
89	Acute bronchitis	438	239	55	16	12	2	8	2	1	3	1	3	15	40	31	10		
90	Chronic bronchitis	308	5	2	1			2	5	5	7	7	24	47	99	82	14	1	
91	Bronchopneumonia	753	342	89	35	14	13	24	8	14	15	20	23	52	57	42	5		
92	Pneumonia (total)	1,918	313	106	42	35	17	45	92	147	148	170	197	235	243	114	12		
	Lobar pneumonia	603	56	29	11	9	4	15	36	54	52	79	80	87	62	26	3		
	Pneumonia (undefined)	1,315	257	77	31	26	13	30	56	93	96	91	117	148	181	88	9		
93	Pleurisy	113	2	4		4	3	4	14	13	14	11	12	11	16	4	1		
94	Pulmonary congestion, pulmonary apoplexy	154	51	9	4	1		5		5	8	3	3	15	22	24	3	1	
95	Gangrene of the lung	9																	
96	Asthma	93	3			1			2	3	2	5	16	27	21	13			
97	Pulmonary emphysema	7								1		1			2	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	83	7	1				3	4	7	14	7	12	12	7	8			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MICHIGAN—Continued.																			
	V.—Diseases of the digestive system.....	5,456	2,266	493	139	44	28	121	188	207	230	263	334	436	453	217	37		
99	Diseases of the mouth and annexa.....	22	17																
100	Diseases of the pharynx.....	60	7	1	4	1	1	11	7	6	4	1	6	1	6	4	1		
101	Diseases of the esophagus.....	9																	
102	Ulcer of the stomach.....	99	1						1	6	13	13	19	22	20	3	1		
103	Other diseases of the stomach (cancer excepted).....	596	226	29	9	4	4	10	7	10	14	23	35	60	88	67	10		
104	Diarrhea and enteritis (under 2 years).....	2,350	1,906	444															
105	Diarrhea and enteritis (2 years and over).....	538			117	29	16	26	20	13	21	24	36	54	100	63	19		
106	Ankylostomiasis.....																		
107	Intestinal parasites.....																		
108	Appendicitis and typhlitis.....	359	2		3	2	3	39	95	85	52	30	26	13	7	2			
109	Hernia, intestinal obstruction (total).....	390	53	12	2	3	2	10	11	20	21	37	51	74	63	30	1		
	Hernia.....	108	11	1					1	2	7	12	14	23	27	10			
	Intestinal obstruction.....	282	42	11	2	3	2	10	10	18	14	25	37	51	36	20	1		
110	Other diseases of the intestines.....	117	20	2					1	8	4	13	15	12	13	17	10	2	
111	Acute yellow atrophy of the liver.....	7									1			1	2	1	2		
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	345		1					2	5	26	49	77	98	70	15	2		
114	Biliary calculi.....	81							1	6	6	14	14	20	18	1	1		
115	Other diseases of the liver.....	216	12		1	2		2	12	9	13	28	34	45	42	15	1		
116	Diseases of the spleen.....	12				1					2	1	1	5	1	1	1		
117	Simple peritonitis (nonpuerperal).....	237	20	4	2	2	2	19	23	41	41	26	18	19	15	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	18	2		1			2		1	1	2	4	2	2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	2,469	59	13	6	14	9	17	43	119	169	256	337	543	589	265	27	3	
119	Acute nephritis.....	205	13	5	3	6	3	5	14	17	19	23	33	26	27	9	2		
120	Bright's disease.....	1,730	26	6	3	8	4	12	23	55	94	152	271	444	443	173	14	2	
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	91	14			1				5	7	10	8	13	17	13	2	1	
123	Calculi of the urinary passages.....	13								3	1	2	1	3	6	2			
124	Diseases of the bladder.....	112	4	1			1			1	1	3	5	13	41	35	7		
125	Diseases of the urethra, urinary abscess, etc.....	6							1				1	1	2	1			
126	Diseases of the prostate.....	114										1	4	29	50	28	2		
127	Nonvenereal diseases of the male genital organs.....	5	2	1								1			1				
128	Uterine hemorrhage (nonpuerperal).....	7								2	2	3							
129	Uterine tumor (noncancerous).....	48										4	29	5	7	1	2		
130	Other diseases of the uterus.....	56							4	14	13	16	5	2	1	1	1		
131	Cysts and other tumors of the ovary.....	23								3	6	5	3	5		1			
132	Salpingitis and other diseases of the female genital organs.....	52							1	19	21	11							
133	Nonpuerperal diseases of the breast (cancer excepted).....	2									1		1						
	VII.—The puerperal state.....	474							35	218	172	48	1						
134	Accidents of pregnancy.....	50							2	21	22	5							
135	Puerperal hemorrhage.....	43								18	20	5							
136	Other accidents of labor.....	53								24	20	9							
137	Puerperal septicemia.....	196							18	92	65	21							
138	Puerperal albuminuria and convulsions.....	111							11	57	35	7	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	14							1	3	9	1							
140	Following childbirth (not otherwise defined).....	7							3	3	1								
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	204	23	1		1		2	3	4	6	6	12	28	63	44	11		
142	Gangrene.....	142	2	1		1		1	1	2	2	3	7	17	53	41	11		
143	Furuncle.....	3												1	1				
144	Acute abscess.....	28	7						2	1	1	2	3	6	4	2			
145	Other diseases of the skin and annexa.....	31	14					1		1	3	1	1	4	5	1			
	IX.—Diseases of the bones and of the organs of locomotion.....	65	9		4	1		4	14	4	5	5	6	5	4	3	1		
146	Diseases of the bones (tuberculosis excepted).....	55	8		4	1		3	13	4	5	4	5	3	2	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	9	1					1				1	1	2	2		1		
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....	1							1										
	X.—Malformations.....	449	408	21	4	1	3	6	4	2									
150	Congenital malformations (stillbirths not included) (total).....	449	408	21	4	1	3	6	4	2									
	Hydrocephalus.....	42	29	5		1		3	2										
	Congenital malformations of the heart.....	238	223	8		1		2	2										
	Other congenital malformations.....	169	156	8	2		1	1	1		1								

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MICHIGAN—Continued.																			
	XI.—Early infancy.....	2,332	2,332																
151	Congenital debility, icterus, and sclerema (total).....	1,994	1,994																
	Premature birth.....	1,114	1,114																
	Congenital debility, "atrophy," "marasmus," etc.....	880	880																
152	Other causes peculiar to early infancy (total).....	334	334																
	Injuries at birth.....	187	187																
	Other causes peculiar to early infancy ¹	147	147																
153	Lack of care.....	4	4																
	XII.—Old age.....	1,453											71	443	733	190	15	1	
154	Senility.....	1,453											71	443	733	190	15	1	
	XIII.—External causes.....	2,607	99	75	52	30	24	101	240	503	348	291	269	228	199	104	26	3	15
	Suicide (total).....	386							13	84	70	71	70	47	25	3	2		1
155	By poison.....	159							10	43	25	29	32	15	3	2			
156	By asphyxia.....	16								4	3	1	5	1					
157	By hanging or strangulation.....	68							1	6	13	10	12	13	10	1	2		
158	By drowning.....	15								4	1	3	3	4					
159	By firearms.....	97							2	20	23	20	16	10	7				
160	By cutting or piercing instruments.....	19								4	5	6	2	1	1				
161	By jumping from high places.....	1																	1
162	By crushing.....	3								1	1			1					
163	Other suicides.....	8								2	1	1		3	1				
	Accidental or undefined (total).....	2,150	97	74	52	30	24	100	223	394	262	213	192	175	174	100	24	3	13
164	Poisoning by food.....	8	2						1	1			1	1					
165	Other acute poisonings.....	75	5	12	7	4		3	2	9	8	9	6	4	4		1		1
166	Conflagration.....	27	3		3	2	1	4	1	1	1	2	2	4	1	2			
167	Burns (conflagration excepted).....	181	13	24	24	10	6	20	7	16	17	9	8		13	7			
168	Absorption of deleterious gases (conflagration excepted).....	38	4	1	1			3	3	7	4	7	2	5					
169	Accidental drowning.....	259	1	11	6	5	3	18	59	63	25	22	17	12	10	1			6
170	Traumatism by firearms.....	81		1	1	1	3	6	34	16	7	8	3	1					
171	Traumatism by cutting or piercing instruments.....	3							1	1									
172	Traumatism by fall.....	322	7	6	2	3	1	5	12	19	14	20	30	47	78	58	19	1	
173	Traumatism in mines and quarries (total).....	150	1						17	71	35	18	5	2	1				
	Traumatism in mines.....	150	1						17	71	35	18	5	2	1				
174	Traumatism by machines.....	54						2	5	15	16	10	6						
175	Traumatism by other crushing (total).....	563	4	6	3	4	5	28	49	125	93	60	70	58	44	12			2
	Railroad accidents and injuries.....	316	1	2	2	1		5	28	87	61	37	36	24	26	4			2
	Street-car accidents and injuries.....	76		1		2		3	3	18	7	10	11	13	6	2			
	Automobile accidents and injuries.....	50			1		1	7	6	8	8	7	4	5	2	1			
	Injuries by other vehicles.....	100	3	3		1	3	10	10	6	12	4	19	14	10	5			
	Landslide, other crushing.....	21					1	3	2	6	5	2		2					
176	Injuries by animals.....	35						3	6	4	3	5	4	4	6				
177	Starvation.....	3		1									1	1	1				
178	Excessive cold.....	16	1							1	3	1	3	4	1	1			1
179	Effects of heat.....	45	7	1						5	3	3	9	5	3	3	5		
180	Lightning.....	10	1						2	2	2	1	2	1					
181	Electricity (lightning excepted).....	21	1						2	11	4	1		1					1
185	Fractures (cause not specified).....	52								4	3	6	8	5	8	13	3	2	
186	Other external violence.....	207	47	9	5	1	4	8	18	26	23	24	19	16	4		1		2
	Homicide (total).....	71	2	1				1	4	25	16	7	7	6		1			1
182	By firearms.....	36							2	15	9	4	2	4					
183	By cutting or piercing instruments.....	8	1							4	1	1	1						
184	By other means.....	27	1	1				1	2	6	6	2	4	2		1			1
	XIV.—Ill-defined diseases.....	922	489	60	7	3	2	4	13	18	18	20	35	71	81	84	14		3
187	Ill-defined organic disease.....	76	3						1	2	2	5	9	13	22	17	2		
188	Sudden death.....	12	5										1	5	1				
189	Not specified or ill-defined (total).....	834	481	60	7	3	2	4	12	16	16	15	25	53	58	67	12		3
	Ill-defined.....	703	398	59	5	3	2	3	7	10	12	11	22	42	50	65	12		2
	Not specified or unknown.....	131	83	1	2			1	5	6	4	4	3	11	8	2			1

¹Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MINNESOTA.																			
	All causes.....	22,649	4,261	804	446	275	210	769	1,290	2,037	1,745	1,872	2,042	2,265	2,606	1,750	242	7	28
	I.—General diseases.....	6,844	453	240	180	133	108	421	651	1,049	790	740	771	652	459	180	13	4
1	Typhoid fever.....	668	3	4	8	4	7	27	109	251	129	76	39	9	1	1
2	Typhus fever.....
3	Relapsing fever.....
4	Malaria.....	2	1
5	Smallpox.....	10	4	1	2	1	1	1
6	Measles.....	247	65	56	31	18	9	26	27	6	6	2	1
7	Scarlet fever.....	301	14	28	29	34	31	97	52	9	3	3	1
8	Whooping cough.....	155	94	29	12	6	2	9	2	1
9	Diphtheria and croup.....	543	34	42	58	51	35	168	100	34	10	6	4	1
10	Influenza.....	98	12	3	3	1	1	1	9	3	2	4	5	12	21	20	1
11	Miliary fever.....
12	Asiatic cholera.....
13	Cholera nostras.....	55	12	5	6	1	1	3	2	3	3	7	8	4
14	Dysentery.....	123	37	10	5	3	3	3	1	1	5	7	13	18	16	1
15	Plague.....
16	Yellow fever.....
17	Leprosy.....	1
18	Erysipelas.....	79	20	1	3	6	4	11	7	6	12	7	2
19	Other epidemic diseases.....	4	2	1	1
20	Purulent infection and septicemia.....	80	8	1	2	1	4	6	9	11	12	7	8	5	4	1	1
21	Glanders.....
22	Anthrax.....
23	Rabies.....
24	Tetanus.....	36	12	4	3	6	4	4	1	2
25	Mycoses.....	1	1
26	Pellagra.....	2	2
27	Beriberi.....
28	Tuberculosis (total).....	2,270	66	52	16	9	13	51	266	648	463	323	194	113	45	9	1	1
29	Tuberculosis of the lungs.....	1,806	24	14	6	3	4	13	203	559	395	278	160	99	37	9	1	1
30	Acute miliary tuberculosis.....	77	5	1	1	1	11	25	17	8	5	3
31	Tuberculous meningitis.....	161	29	31	8	5	6	28	21	13	9	8	3
32	Abdominal tuberculosis.....	100	3	3	1	2	11	27	19	15	10	5	4
33	Pott's disease.....	26	2	2	6	6	3	4	3
34	White swellings.....	16	1	1	5	3	2	1	1	1	1
35	Tuberculosis of other organs.....	45	4	2	1	2	9	6	5	6	5	2	3
36	Disseminated tuberculosis.....	39	1	1	2	2	4	9	10	4	6
37	Rickets.....	11	8	2	1
38	Syphilis.....	62	36	1	3	8	3	9	1	1
39	Gonococcus infection.....	4	3
40	Cancer and other malignant tumors (total).....	1,400	1	1	3	1	1	4	9	14	68	184	368	375	265	100	5	1
41	Of the buccal cavity.....	63	1	1	1	6	12	11	14	15	2
42	Of the stomach, liver.....	679	1	1	3	23	70	187	217	135	40	1	1
43	Of the peritoneum, intestines, rectum.....	168	1	1	1	10	18	42	47	39	9
44	Of the female genital organs.....	139	1	1	1	15	43	39	23	12	5
45	Of the breast.....	97	5	23	35	18	12	4
46	Of the skin.....	40	2	1	8	3	13	12	1
47	Of other organs or of organs not specified.....	214	1	3	1	1	1	6	9	12	23	45	56	40	15	1
48	Other tumors (tumors of the female genital organs excepted).....	8	2	1	1	3	1
49	Acute articular rheumatism.....	104	1	1	2	10	23	14	6	8	7	16	12	4
50	Chronic rheumatism and gout.....	30	1	3	3	6	4	7	6
51	Scurvy.....
52	Diabetes.....	243	2	1	1	9	29	14	16	29	45	51	40	5	1
53	Exophthalmic goiter.....	25	1	6	4	6	4	3	1
54	Addison's disease.....	8	1	3	2	2
55	Leukemia.....	40	3	1	1	2	6	4	3	2	9	5	4
56	Anemia, chlorosis.....	83	4	2	2	2	3	9	13	26	13	11
57	Other general diseases.....	43	11	4	2	2	2	1	3	3	3	5	1	2	3	1
58	Alcoholism (acute or chronic).....	106	1	1	11	28	32	18	10	4	1
59	Chronic lead poisoning.....	1
60	Other chronic occupation poisonings.....
61	Other chronic poisonings.....	1	1
62	II.—Diseases of the nervous system and of the organs of special sense.....	1,989	239	54	50	23	20	81	109	72	90	144	230	324	357	183	12	1
63	Encephalitis.....	21	4	1	1	2	1	1	1	4	1
64	Meningitis (total).....	205	54	19	24	9	5	21	23	15	7	9	5	11	3
65	Simple meningitis.....	135	38	10	16	6	3	15	14	7	4	7	3	9	3
66	Cerebrospinal meningitis (undefined).....	56	14	7	6	3	2	2	7	7	2	2	2
67	Cerebrospinal fever.....	14	2	2	2	4	2	1	1
68	Locomotor ataxia.....	31	1	2
69	Other diseases of the spinal cord (total).....	274	30	21	21	7	11	44	51	15	11	14	15	22	9	3
70	Acute anterior poliomyelitis.....	197	29	20	21	7	11	44	47	10	5	2
71	Other diseases of the spinal cord ¹	77	1	1	4	5	6	12	15	21	9	3
72	Cerebral hemorrhage, apoplexy.....	887	10	3	5	8	26	61	135	226	269	137	7
73	Softening of the brain.....	13	1	2	1	3					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
MINNESOTA—Continued.																		
II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	71	2					4	13	14	12	7	8	4	1	4	1	1
70	Convulsions (nonpuerperal).....	6						1	2	3								
71	Convulsions of infants.....	147	126	10	4	4	3											
72	Chorea.....	5						1		1	2			1				
73	Neuralgia and neuritis.....	9										1	2	2	4			
74	Other diseases of the nervous system.....	57	5			2		1	7	4	9	16	6	4	2	1		
75	Diseases of the eyes and their annexa.....	1	1															
76	Diseases of the ears.....	28	7	3			1	4	2	2	2	2	3	1		1		
III.—Diseases of the circulatory system.....																		
		2,252	29	5	6	4	4	32	64	104	139	192	302	445	573	312	39	1
77	Pericarditis.....	10	2	1	2	3	1	3	2		2	1	3		1	1		
78	Acute endocarditis.....	156	2	1	1			8	11	17	19	21	41	12	12	5		
79	Organic diseases of the heart.....	1,698	22	1	1		3	24	49	77	102	141	215	355	462	219	25	1
80	Angina pectoris.....	70							2	1	5	6	18	21	12	5		
81	Diseases of the arteries, atheroma, aneurism, etc.....	228		1						1	5	9	13	39	73	75	12	
82	Embolism and thrombosis.....	61								8	4	10	8	15	9	6	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	11										3	3	2	3			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	7	1	1	3	1										1		
85	Hemorrhage; other diseases of the circulatory system.....	11	4	1							2	1	1	1				
IV.—Diseases of the respiratory system.....																		
		2,315	609	159	58	41	16	59	91	102	131	142	165	226	301	190	22	1
86	Diseases of the nasal fossae.....	10	5	1	1			1							1	1		
87	Diseases of the larynx.....	17	3	1	2	3		3	1		1		1	1	1			
88	Diseases of the thyroid body.....	15																
89	Acute bronchitis.....	128	84	4	3	4		1	1	3	3	2	1	1	7	13	3	
90	Chronic bronchitis.....	145		3		4		4	3		3	1	7	20	61	40	6	1
91	Bronchopneumonia.....	711	346	102	29	23	8	16	8	4	8	12	19	34	55	40	6	1
92	Pneumonia (total).....	1,095	149	43	22	8	8	31	68	82	107	115	112	146	128	67	7	2
	Lobar pneumonia.....	758	71	27	14	4	3	23	50	60	93	88	91	112	84	37	1	
	Pneumonia (undefined).....	337	78	16	8	4	5	8	18	22	14	27	21	34	44	30	6	2
93	Pleurisy.....	51	2	1	1	1		1	3	6	4	5	9	4	11	3		
94	Pulmonary congestion, pulmonary apoplexy.....	42	10	2					1		2	1	1	4	7	12	2	
95	Gangrene of the lung.....	2		1									1					
96	Asthma.....	63						2	1	1	1	2	5	9	28	14		
97	Pulmonary emphysema.....	5							1	1	1	1	1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	31	10	1		1			1	2	2	3	8	1		2		
V.—Diseases of the digestive system.....																		
		2,940	1,233	275	105	42	30	84	126	129	122	165	169	163	169	118	10	
99	Diseases of the mouth and annexa.....	5	3						1						1			
100	Diseases of the pharynx.....	19	1	1	2	1	2	1	3	1	3		1	1	1	1		
101	Diseases of the esophagus.....	5												2	1	1		
102	Ulcer of the stomach.....	90				1			2	12	11	20	20	16	4	3		
103	Other diseases of the stomach (cancer excepted).....	196	91	6	3	3	2	3	2	5	6	8	11	15	16	23	2	
104	Diarrhea and enteritis (under 2 years).....	1,341	1,082	259														
105	Diarrhea and enteritis (2 years and over).....	300		92	29	19	26	6	7	4	8	8	19	45	31	6		
106	Ankylostomiasis.....	2																
107	Intestinal parasites.....	2						1			1							
108	Appendicitis and typhlitis.....	320	2	2	1	1	3	43	90	54	47	34	20	17	4	2		
109	Hernia, intestinal obstruction (total).....	231	36	3	5	6	1	8	8	16	12	24	23	36	31	21	1	
	Hernia.....	71	5	1				1	1	4	2	9	10	18	11	9	1	
	Intestinal obstruction.....	160	31	2	5	6	1	8	7	12	10	15	13	18	20	12		
110	Other diseases of the intestines.....	52	3	1	1		1		1	3	5	4	8	3	8	9		
111	Acute yellow atrophy of the liver.....	10	3						2		1	1		1	2			
112	Hydatid tumor of the liver.....																	
113	Cirrhosis of the liver.....	138							4	13	29	30	29	21	12			
114	Biliary calculi.....	56							1	5	3	13	11	6	13	3	1	
115	Other diseases of the liver.....	90	3		1	1		1	1	4	6	12	23	13	14	11		
116	Diseases of the spleen.....	4								1				2	1			
117	Simple peritonitis (nonpuerperal).....	73	3	3			1	1	8	16	8	11	11	4	6	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	8							1	1	2	1	1	1	1			
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																		
		1,477	19	4	5	8	3	15	30	83	97	174	216	268	340	202	13	
119	Acute nephritis.....	132	3	1	4	4	3	6	12	15	9	22	16	15	13	9		
120	Bright's disease.....	1,051	9	3	4	4	7	7	14	40	61	120	176	217	245	144	11	
121	Chyluria.....																	
122	Other diseases of the kidneys and annexa.....	44	5				1	1	2	2	3	7	6	11	6			
123	Calculi of the urinary passages.....	4	1							2		1						
124	Diseases of the bladder.....	51					1			2		2	3	7	20	14	1	
125	Diseases of the urethra, urinary abscess, etc.....	2								1				1				
126	Diseases of the prostate.....	94												22	45	26	1	
127	Nonvenereal diseases of the male genital organs.....	2		1														
128	Uterine hemorrhage (nonpuerperal).....	1									1				1			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed, Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
MINNESOTA—Continued.																			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous).....	22									2	4	8	6		1	1		
130	Other diseases of the uterus.....	31							1	6	9	9	5		1				
131	Cysts and other tumors of the ovary.....	13								2	3	4	1		3				
132	Salpingitis and other diseases of the female genital organs.....	29							2	11	9	5	1			1			
133	Nonpuerperal diseases of the breast (cancer excepted).....	1														1			
	VII.—The puerperal state.....	247							20	109	86	32							
134	Accidents of pregnancy.....	18								8	9	1							
135	Puerperal hemorrhage.....	23							1	13	5	4							
136	Other accidents of labor.....	27								10	10	7							
137	Puerperal septicemia.....	114							13	52	38	11							
138	Puerperal albuminuria and convulsions.....	51							5	20	18	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	10								1	4	4	1						
140	Following childbirth (not otherwise defined).....	4									2	2							
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	90	20	1				1		2	3	2	14	16	13	15	3		
142	Gangrene.....	45	1					1			2		5	10	11	12	3		
143	Furuncle.....	8	2									1	3	2					
144	Acute abscess.....	21	8	1						1	1	1	5	1	2	1			
145	Other diseases of the skin and annexa.....	16	9							1			1	3		2			
	IX.—Diseases of the bones and of the organs of locomotion.....	36	4		3		2	4	6	2	1	3	6	2	2	1			
146	Diseases of the bones (tuberculosis excepted).....	33	4		3		2	4	6	1	1	2	6	2	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1								1									
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....	2										1				1			
	X.—Malformations.....	188	173	7	2		1	3	2										
150	Congenital malformations (stillbirths not included) (total).....	188	173	7	2		1	3	2										
	Hydrocephalus.....	21	15	3	1		1	1											
	Congenital malformations of the heart.....	92	85	3	1			1	2										
	Other congenital malformations.....	75	73	1				1											
	XI.—Early infancy.....	1,123	1,122		1														
151	Congenital debility, icterus, and sclerema (total).....	965	964		1														
	Premature birth.....	584	584																
	Congenital debility, "atrophy," "marasmus," etc.....	381	380		1														
152	Other causes peculiar to early infancy (total).....	157	157																
	Injuries at birth.....	74	74																
	Other causes peculiar to early infancy ¹	83	83																
153	Lack of care.....	1	1																
	XII.—Old age.....	869												32	260	459	115	3	
154	Senility.....	869												32	260	459	115	3	
	XIII.—External causes.....	1,806	54	43	35	22	26	65	186	380	283	269	159	110	83	56	9	2	18
	Suicide (total).....	242							9	52	47	56	30	28	13	3			4
155	By poison.....	54							2	17	13	10	7	5					1
156	By asphyxia.....	18							1	4		6	3	3					
157	By hanging or strangulation.....	59							1	11	3	21	10	6					
158	By drowning.....	17							1	3	4	2	1	5					1
159	By firearms.....	66							5	15	16	10	8	9	1	1			1
160	By cutting or piercing instruments.....	19								2	6	5	1	4	1				
161	By jumping from high places.....	3									3								
162	By crushing.....	1									1								
163	Other suicides.....	5									1	2	1						1
	Accidental or undefined (total).....	1,496	51	43	33	22	24	64	173	311	216	203	125	83	70	53	9	2	14
164	Poisoning by food.....	6	2					1			1	2							
165	Other acute poisonings.....	39	6	6	1	1	1		1	4	2	4	6	3	2	2			
166	Conflagration.....	36	2	3	2	2	1	3	7	2	5	6		1	1		1		
167	Burns (conflagration excepted).....	119	2	14	12	9	11	15	6	13	8	9	5	4	7	3	1		
168	Absorption of deleterious gases (conflagration excepted).....	36	1		1	1			1	8	7	5	3	3	4	2			2
169	Accidental drowning.....	216	1	10	7	1	1	15	54	59	23	21	11	8	2	1			
170	Traumatism by firearms.....	75	1		1	1	1	7	32	18	5	5	2	2					
171	Traumatism by cutting or piercing instruments.....	4							1		2								
172	Traumatism by fall.....	150	4	4	2	2	1		9	12	23	16	22	19	13	16	4	1	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
MINNESOTA—Continued.																	
	XIII.—External causes—Contd.																
	Accidental or undefined—Continued.																
173	Traumatism in mines and quarries (total).....	61							2	40	11	7					1
	Traumatism in mines.....	60							2	40	11	6					1
	Traumatism in quarries.....	1										1					
174	Traumatism by machines.....	40					1	13	10	4	8	2	1	1			
175	Traumatism by other crushing (total)	407	1	1	1	3	5	10	25	106	88	81	45	22	9	3	7
	Railroad accidents and injuries.....	266	1	1	1	1		2	11	78	67	52	28	14	4		6
	Street-car accidents and injuries.....	12						2	2	2	1	3					
	Automobile accidents and injuries.....	23					1	1	2	5	4	5	2	1	2		
	Injuries by other vehicles.....	81				2	4	5	9	9	13	15	14	5	2	2	1
	Landslide, other crushing.....	25						1	12	3	6	1	1	1	2		
176	Injuries by animals.....	30		1			1	3	2	5	3	4	6	2	3		
177	Starvation.....	2												1	1		
178	Excessive cold.....	24	1						1	3	3	6	3	1	1		1
179	Effects of heat.....	29	3	1					3	3	1	3	5	3	3	4	1
180	Lightning.....	14						1	3		1	1	3	2	2	1	
181	Electricity (lightning excepted).....	11						1	3	5	1	1	1				
185	Fractures (cause not specified).....	54						1	1	3	3	3	7	3	13	18	2
186	Other external violence.....	143	27	4	5	2	2	6	9	20	25	21	5	9	5	18	2
	Homicide (total).....	68	3		2		2	1	4	17	20	10	4	5			
182	By firearms.....	33							3	10	9	6	2	3			
183	By cutting or piercing instruments.....	11		1			1	1	1	4	2	1	1				
184	By other means.....	24	3	1			1			3	9	3	2	2			
	XIV.—Ill-defined diseases.....	473	306	16	1	2		4	5	5	3	9	10	21	49	34	6
187	Ill-defined organic disease.....	26										2	2	2	11	9	2
188	Sudden death.....	12	3								2	1	1	1	2	2	
189	Not specified or ill-defined (total).....	435	303	16	1	2		4	5	5	1	8	7	18	36	23	4
	Ill-defined.....	222	130	10		1		3	2	3		8	6	17	23	16	3
	Not specified or unknown.....	213	173	6	1	1		1	3	2	1		1	1	13	7	1

MONTANA.

	All causes.....	3,999	714	139	54	49	37	142	217	514	468	499	408	341	279	103	13	22
	I.—General diseases.....	1,104	72	44	20	23	14	71	73	179	170	159	138	85	39	14	1	2
1	Typhoid fever.....	151	3	1	1	5	1	5	17	61	36	11	7	1		1		1
2	Typhus fever.....																	
3	Relapsing fever.....																	
4	Malaria.....																	
5	Smallpox.....	2	2															
6	Measles.....	16	5	2	2	2	1	3				1						
7	Scarlet fever.....	61	2	7	6	4	5	23	10	2	2							
8	Whooping cough.....	41	25	12			1	2							1			
9	Diphtheria and croup.....	61	1	5	5	7	5	21	10	2	4			1	1			
10	Influenza.....	24	3	2		1		3	1	2	2	2	4	2	1	1		
11	Miliary fever.....																	
12	Asiatic cholera.....																	
13	Cholera nostras.....	1										1						
14	Dysentery.....	17	8	3	1						1	1	1	1		1		
15	Plague.....																	
16	Yellow fever.....																	
17	Leprosy.....																	
18	Erysipelas.....	14	6							2		2	2	1		1		
19	Other epidemic diseases.....	13	1			1		1	3	3	1	1	2					
20	Purulent infection and septicemia.....	17	1	1						4	2	3	5	1				
21	Glanders.....																	
22	Anthrax.....																	
23	Rabies.....																	
24	Tetanus.....	7	4					1	2									
25	Mycoses.....																	
26	Fellagra.....																	
27	Beriberi.....																	
	Tuberculosis (total).....	340	8	10	4	2	1	6	15	72	76	72	46	22	4	1		1
28	Tuberculosis of the lungs.....	287	1	5		1	1	1	10	63	72	67	41	19	4	1		1
29	Acute miliary tuberculosis.....	8	2							2	2	1	1					
30	Tuberculous meningitis.....	14	1	3	4	1			2	2		1						
31	Abdominal tuberculosis.....	8	1	2				2			1	2						
32	Fott's disease.....	5						1	1	1	1		1					
33	White swellings.....	3							1					1				
34	Tuberculosis of other organs.....	2						1		1			1					
35	Disseminated tuberculosis.....	13	3					1	1	3		1	2	2				
36	Rickets.....	2		1						1								
37	Syphilis.....	13	2								3	2	3	2	1			
38	Gonococcus infection.....	2							1		1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MONTANA—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	157						1	1	7	15	31	36	34	25	6	1		
39	Of the buccal cavity	3											1						
40	Of the stomach, liver,	75									3	16	18	19	16	3			
41	Of the peritoneum, intestines, rectum.	10									2	2	2	3	1				
42	Of the female genital organs	20									2	7	5	4	2				
43	Of the breast	13									2	1	3	2	2	1			
44	Of the skin	7						1					1	3	2				
45	Of other organs or of organs not specified	29							1	1	2	4	8	8	2	2	1		
46	Other tumors (tumors of the female genital organs excepted)	2											2						
47	Acute articular rheumatism	25					2	4	6	2	4		3	2	1	1			
48	Chronic rheumatism and gout	3											1		1	1			
49	Scurvy																		
50	Diabetes	38			1		3	7	1	1	10	7	6	2					
51	Exophthalmic goiter	7							1	2	1	3							
52	Addison's disease	1											1						
53	Leukemia	4								2	1			1					
54	Anemia, chlorosis	12	1							2		4	3	2					
55	Other general diseases	7				1				1	3		1						
56	Alcoholism (acute or chronic)	56								7	14	10	13	10	2				
57	Chronic lead poisoning	1								1									
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	9								1	5	1	1			1			
II.—Diseases of the nervous system and of the organs of special sense																			
	Encephalitis	332	33	9	4	9	4	11	27	17	29	45	33	44	45	17	4	1	
60	Meningitis (total)	2				1				1									
61	Simple meningitis	49	17	5	1	6	2	7	6	2	1	2							
	Cerebrospinal meningitis (undefined)	24	10	1		3	2	2	4	2		1							
	Cerebrospinal fever	24	7	4	1	3	2	4	2			1							
	Cerebrospinal fever	1						1											
62	Locomotor ataxia	2												1	1				
63	Other diseases of the spinal cord (total)	28	2	2	3		2	1	9	1		5		2	1				
	Acute anterior poliomyelitis	17	2	2	2		2	1	7	1									
	Other diseases of the spinal cord ¹	11			1				2			5		2	1				
64	Cerebral hemorrhage, apoplexy	112	1						1	4	4	15	23	29	23	11	1		
65	Softening of the brain	8									1	2	1	2	2	4	3		
66	Paralysis without specified cause	17						1				2	2	5	1	1	3		
67	General paralysis of the insane	32									12	13	3	2	1	1	1		
68	Other forms of mental alienation	31							1		5	4	3	4	12	1		1	
69	Epilepsy	14							5	2	4	2		1					
70	Convulsions (nonpuerperal)	2							2										
71	Convulsions of infants	13	9	2		2													
72	Chorea	1								1									
73	Neuralgia and neuritis	2							1	1									
74	Other diseases of the nervous system	14	2						3	3	2	2	1	1					
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	5	2				2	1											
III.—Diseases of the circulatory system																			
	Pericarditis	349	5	1		1		15	24	26	34	39	58	61	63	20	1	1	
77	Acute endocarditis	4						1	1		1		1						
78	Organic diseases of the heart	30		1		1		2	6	3	6	3	8						
79	Angina pectoris	257	3				12	16	21	23	30	39	47	53	11	1		1	
80	Diseases of the arteries, atheroma, aneurism, etc.	13								2	1	4	3	3					
81	Embolism and thrombosis	32							1		3	5	9	6	8				
82	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8								1	1	2	1	2	1				
83	Diseases of the lymphatic system (lymphangitis, etc.)	2								1						1			
84	Hemorrhage; other diseases of the circulatory system	1	1																
85	Hemorrhage; other diseases of the circulatory system	2	1								1								
IV.—Diseases of the respiratory system																			
	Diseases of the nasal fossae	374	89	23	10	3	4	10	11	27	23	55	39	33	33	7	1	1	
86	Diseases of the larynx	2	2																
87	Diseases of the thyroid body	12	3	3	1			2		2		1							
88	Acute bronchitis	2												1					
89	Chronic bronchitis	27	19	3	1						1			1	2				
90	Bronchopneumonia	10									1	1	1	2	4	1			
91	Pneumonia (total)	74	34	9	5	2	2	4	1		1	3	3	4	5		1		
92	Lobar pneumonia	208	27	7	3	1	2	3	8		24	17	41	21	16	4	1		
	Pneumonia (undefined)	97	6	1	1		1	1	4		16	10	27	16	7	6	1		
	Pleurisy	111	21	6	2	1	1	2	4		8	7	14	15	17	10	3		
93	Pulmonary congestion, pulmonary apoplexy	11		1					1		1		3	2	1				
94	Gangrene of the lung	10	3					1	1		1	1			1	2			
95	Asthma	8										1	1	1	4			1	
96	Pulmonary emphysema																		
97	Other diseases of the respiratory system (tuberculosis excepted)	10	1								2	3	1	3					

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

407

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
	V.—Diseases of the digestive system.....	508	216	50	8	9	9	13	17	26	31	47	31	24	21	5		1
99	Diseases of the mouth and annexa.....	1											1					
100	Diseases of the pharynx.....	5						1	1	1	1	1						
101	Diseases of the esophagus.....																	
102	Ulcer of the stomach.....	5	1							1		1	1		1			
103	Other diseases of the stomach (cancer excepted).....	37	17	2		1					2	5	4	2	4			
104	Diarrhea and enteritis (under 2 years).....	226	180	46														
105	Diarrhea and enteritis (2 years and over).....	31			6	5	7		1		1	2	2	1	3	3		
106	Ankylostomiasis.....																	
107	Intestinal parasites.....																	
108	Appendicitis and typhlitis.....	65		1	1	2	2	8	13	16	10	5	6	1				
109	Hernia, intestinal obstruction (total).....	45	11	1	1	1		1	1	4		8	4	8	4			1
	Hernia.....	10	1							1		1	2	4	1			
	Intestinal obstruction.....	35	10	1	1	1		1	1	3		7	2	4	3			1
110	Other diseases of the intestines.....	9	2					1		2	1	2	2	4		1		
111	Acute yellow atrophy of the liver.....																	
112	Hydatid tumor of the liver.....																	
113	Cirrhosis of the liver.....	37								1	7	10	8	6	4	1		
114	Biliary calculi.....	6										4		1	1			
115	Other diseases of the liver.....	19									2	6	3	5	3			
116	Diseases of the spleen.....																	
117	Simple peritonitis (nonpuerperal).....	20	5				2	1	1	6	3	1		1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	2									1		1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	255	11		1		1	2	9	23	26	46	43	47	34	11	1	
119	Acute nephritis.....	25	4		1		1	1	1	7	9	2			1	1		
120	Bright's disease.....	197	1				1	1	7	11	13	41	41	41	33	8		
121	Chyluria.....																	
122	Other diseases of the kidneys and annexa.....	7	5											1		1		
123	Calculi of the urinary passages.....	3										2		1				
124	Diseases of the bladder.....	4											2	1		1		
125	Diseases of the urethra, urinary abscess, etc.....	1												1				
126	Diseases of the prostate.....	2												1		1		
127	Nonvenereal diseases of the male genital organs.....	1	1															
128	Uterine hemorrhage (nonpuerperal).....	1								1								
129	Uterine tumor (noncancerous).....	1									1							
130	Other diseases of the uterus.....	5						1	1	2			1					
131	Cysts and other tumors of the ovary.....	1									1							
132	Salpingitis and other diseases of the female genital organs.....	7								3	4							
133	Nonpuerperal diseases of the breast (cancer excepted).....																	
	VII.—The puerperal state.....	62						6	23	21	7							
134	Accidents of pregnancy.....	8								2	4	2						
135	Puerperal hemorrhage.....	8								2	4	2						
136	Other accidents of labor.....	6							2	3	1							
137	Puerperal septicemia.....	27						4	13	9	1							
138	Puerperal albuminuria and convulsions.....	9								5	2	2						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	4								3	1							
140	Following childbirth (not otherwise defined).....																	
141	Puerperal diseases of the breast.....																	
	VIII.—Diseases of the skin and of the cellular tissue.....	8	2									1		2	2	1		
142	Gangrene.....	6										1		2	2	1		
143	Furuncle.....																	
144	Acute abscess.....	1	1															
145	Other diseases of the skin and annexa.....	1	1															
	IX.—Diseases of the bones and of the organs of locomotion.....	6	1		1		1			1				1		1		
146	Diseases of the bones (tuberculosis excepted).....	5			1			1		1				1		1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	1															
148	Amputations.....																	
149	Other diseases of the organs of locomotion.....																	
	X.—Malformations.....	54	49	3	1					1								
150	Congenital malformations (stillbirths not included) (total).....	54	49	3	1					1								
	Hydrocephalus.....	4	2	1	1													
	Congenital malformations of the heart.....	35	33	2														
	Other congenital malformations.....	15	14							1								

MONTANA—Continued.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Inf. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
MONTANA—Continued.																	
	XI.—Early infancy.....	193	193														
151	Congenital debility, icterus, and sclerema (total).....	153	153														
	Premature birth.....	102	102														
	Congenital debility, "atrophy," "marasmus," etc.....	51	51														
152	Other causes peculiar to early infancy (total).....	40	40														
	Injuries at birth.....	15	15														
	Other causes peculiar to early infancy.....	25	25														
153	Lack of care.....																
	XII.—Old age.....	45											3	12	25	5	
154	Senility.....	45											3	12	25	5	
	XIII.—External causes.....	632	6	7	10	2	5	19	50	133	130	99	52	31	19	3	
	Suicide (total).....	81							3	21	12	17	16	4	4		4
155	By poison.....	32							2	11	6	7	4				2
156	By asphyxia.....	2															
157	By hanging or strangulation.....	8								1	2	1	1	1			1
158	By drowning.....	2								1		1					
159	By firearms.....	33						1	7	3	7	9	3	2			1
160	By cutting or piercing instruments.....	6							1	1	1	2		1			
161	By jumping from high places.....																
162	By crushing.....																
163	Other suicides.....																
	Accidental or undefined (total).....	514	6	7	10	2	5	19	44	154	109	74	31	26	14	3	10
164	Poisoning by food.....																
165	Other acute poisonings.....	13	2	2			1			4	1	2	1				
166	Conflagration.....	7			1			1				1					4
167	Burns (conflagration excepted).....	13			4			3	1	4			1				
168	Absorption of deleterious gases (conflagration excepted).....	3								2		1					
169	Accidental drowning.....	49		3	4	1	2	4	7	13	7	3	1	3			1
170	Traumatism by firearms.....	33		1				4	7	7	5	3	3	3			
171	Traumatism by cutting or piercing instruments.....	3						2	1	1							
172	Traumatism by fall.....	32	1					2	1	4	5	3	2	4	8	2	
173	Traumatism in mines and quarries (total).....	78								31	27	12	5	2	1		
	Traumatism in mines.....	78								31	27	12	5	2	1		
	Traumatism in quarries.....																
174	Traumatism by machines.....	9						1	4	2	1						1
175	Traumatism by other crushing (total).....	186	1		1	1	2	13	65	42	34	15	7	2			3
	Railroad accidents and injuries.....	131					1	7	54	31	22	9	3	1			3
	Street-car accidents and injuries.....	2			1				1								
	Automobile accidents and injuries.....	5	1							3		1					
	Injuries by other vehicles.....	39				1	1	6	6	6	11	4	3	1			
	Landslide, other crushing.....	9							4	2	1	1					
176	Injuries by animals.....	17					1	2	3	3	4	2	1	1			
177	Starvation.....	1											1				
178	Excessive cold.....	9						3	1			2	1	2			
179	Effects of heat.....																
180	Lightning.....	7						4	2	1							
181	Electricity (lightning excepted).....	10						2	2	4	2						
185	Fractures (cause not specified).....	2						1	1	1							
186	Other external violence.....	42	2	1	1	1	2	1	10	11	8	1	2		1		1
	Homicide (total).....	37						3	8	9	8	5	1	1			2
182	By firearms.....	24						2	7	6	6	2		1			
183	By cutting or piercing instruments.....	1								1							
184	By other means.....	12						1	1	2	2	3	1				
	XIV.—Ill-defined diseases.....	77	37	2		1			3	3	2	11	6	11	1		
187	Ill-defined organic disease.....	1										1					
188	Sudden death.....	2												2			
189	Not specified or ill-defined (total).....	74	37	2		1			3	3	2	10	6	9	1		
	Ill-defined.....	64	33	2		1			3	3	2	8	4	7	1		
	Not specified or unknown.....	10	4									2	2	2			

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
NEW HAMPSHIRE.																			
	All causes.....	7,452	1,373	179	82	54	50	126	199	391	430	508	722	1,074	1,218	826	170	5	45
	I.—General diseases.....	1,626	90	48	30	20	20	56	76	179	171	193	215	229	189	88	11	1	10
1	Typhoid fever.....	46					1	1	8	12	9	6	3	2	4				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	1													1				
5	Smallpox.....																		
6	Measles.....	29	8	10	3	1	1	1	2		1			1					1
7	Scarlet fever.....	8		1	1		1	3	1	1									
8	Whooping cough.....	42	27	7	3			4	1	1									
9	Diphtheria and croup.....	77	14	9		10	9	28	3	3	1	2		1	1	17	2	1	
10	Influenza.....	93	4	2		2			1	2		4	13	18	27	17			
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	4								1					1	1	1		
14	Dysentery.....	38	2	3	3	1	1	1		1	5		3	5	5	5	3		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	21	3		1						2	5	2	2	1	5			
19	Other epidemic diseases.....	1	1																
20	Purulent infection and septicemia.....	17	1						2	3	3	3	2	2		1			
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	2	1									1							
24	Tetanus.....	6	1					1		2	1		1						
25	Mycoses.....																		
26	Pellagra.....																		
27	Beriberi.....																		
28	Tuberculosis (total).....	585	19	10	8	3	3	8	45	140	111	93	57	56	24	4			4
29	Tuberculosis of the lungs.....	477	8	4	1	2	1	4	37	123	91	80	51	48	22	3			2
30	Acute miliary tuberculosis.....	14	1						5	6	1	1							
31	Tuberculous meningitis.....	31	8	4	5	1	1	3	3	3	2	1							
32	Abdominal tuberculosis.....	33	1	1	2		1	2	7	5	6	3	3	1					1
33	Pott's disease.....	3						1		1			1						
34	White swellings.....																		
35	Tuberculosis of other organs.....	18	1	1				1	1	4	2	1	4	1	1				1
36	Disseminated tuberculosis.....	9						2	1	2	3	1							
37	Ricketts.....	1	1																
38	Syphilis.....	9	8								1								
39	Gonococcus infection.....	1								1									
40	Cancer and other malignant tumors (total).....	424		1				2	3	3	22	53	93	98	101	42	4		2
41	Of the buccal cavity.....	17									4	4	2	6	3	2			
42	Of the stomach, liver.....	153							1	1	4	18	33	46	34	14			2
43	Of the peritoneum, intestines, rec- tum.....	60							1		4	3	13	12	18	9			
44	Of the female genital organs.....	68								2	9	11	17	14	15				
45	Of the breast.....	42									2	7	15	5	10	3			
46	Of the skin.....	29									4	2	6	7	6	4			
47	Of other organs or of organs not speci- fied.....	55		1				2	1		3	6	11	9	14	8			
48	Other tumors (tumors of the female geni- tal organs excepted).....	11			1					1		3	3		2	1			
49	Acute articular rheumatism.....	18						2	4	2	1	3	2	1	1	2			
50	Chronic rheumatism and gout.....	5											2	2	1				
51	Scurvy.....																		
52	Diabetes.....	80		1	1	1	5	4	2	3	6	14	27	13	3				
53	Exophthalmic goiter.....	2										2							
54	Addison's disease.....	4									1	1	2						
55	Leukemia.....	9							1	2	1	1	1	1	2				
56	Anemia, chlorosis.....	43	3						1	4	1	4	12	9	4	3	1		
57	Other general diseases.....	20	11	1		1	2				1	1	1			3			
58	Alcoholism (acute or chronic).....	25								1	7	7	5	1	1				3
59	Chronic lead poisoning.....	3									1	1		1	1				
60	Other chronic occupation poisonings.....													1					
61	Other chronic poisonings.....	1												1					
62	II.—Diseases of the nervous sys- tem and of the organs of special sense.....	1,025	102	28	15	13	3	21	17	29	49	73	103	201	219	128	19		5
63	Encephalitis.....	6	4											1	1				
64	Meningitis (total).....	127	52	14	6	7	3	13	7	7	5	4	4	2	1	1			1
65	Simple meningitis.....	107	46	13	4	6	1	12	5	4	5	4	4	1	1				1
66	Cerebrospinal meningitis (undefined).....	20	6	1	2	1	2	1	2	3				1		1			
67	Cerebrospinal fever.....																		
68	Locomotor ataxia.....	23									3	2	6	5	7				
69	Other diseases of the spinal cord (total).....	52	6	3	3	2		2	1	7	3	4	2	7	11	1			
70	Acute anterior poliomyelitis.....	19	5	3	2	2		2	1	4	3	4	2	7	11	1			
71	Other diseases of the spinal cord ¹	33	1							3	3	4	2	7	11	1			
72	Cerebral hemorrhage, apoplexy.....	511	6	1	1				1	6	20	29	56	145	139	89	14		4
73	Softening of the brain.....	12										2	2	2	5	2	1		
74	Paralysis without specified cause.....	112							1		1	11	10	22	40	24	3		
75	General paralysis of the insane.....	26							2	2	2	5	9	3	4	1			
76	Other forms of mental alienation.....	33							1	1	5	6	5	4	4	6	1		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
NEW HAMPSHIRE—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous).....	6									1	3	1			1		
130	Other diseases of the uterus.....	5								2	2	1						
131	Cysts and other tumors of the ovary.....	1											1					
132	Salpingitis and other diseases of the female genital organs.....	3								2		1						
133	Nonpuerperal diseases of the breast (cancer excepted).....																	
	VII.—The puerperal state.....	52						1	27	19	5							
134	Accidents of pregnancy.....	3								2	1							
135	Puerperal hemorrhage.....	6								2	4							
136	Other accidents of labor.....	10								6	4							
137	Puerperal septicemia.....	18						1		9	4	2						
138	Puerperal albuminuria and convulsions.....	12								5	4	3						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	2								2								
140	Following childbirth (not otherwise defined).....	1								1								
141	Puerperal diseases of the breast.....																	
	VIII.—Diseases of the skin and of the cellular tissue.....	45	2	1				1	1			2	5	8	12	9	4	
142	Gangrene.....	34										1	4	6	12	7	4	
143	Furuncle.....	3								1		1		1				
144	Acute abscess.....	2	1	1														
145	Other diseases of the skin and annexa.....	6	1					1				1	1		2			
	IX.—Diseases of the bones and of the organs of locomotion.....	8	1	1				1					1	2	2			
146	Diseases of the bones (tuberculosis excepted).....	6	1	1				1					1	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																	
148	Amputations.....	2													2			
149	Other diseases of the organs of locomotion.....																	
	X.—Malformations.....	61	57	3	1													
150	Congenital malformations (stillbirths not included) (total).....	61	57	3	1													
	Hydrocephalus.....	11	8	2	1													
	Congenital malformations of the heart.....	30	29	1														
	Other congenital malformations.....	20	20															
	XI.—Early infancy.....	418	418															
151	Congenital debility, icterus, and sclerema (total).....	357	357															
	Premature birth.....	194	194															
	Congenital debility, "atrophy," "marasmus," etc.....	163	163															
152	Other causes peculiar to early infancy (total).....	60	60															
	Injuries at birth.....	25	25															
	Other causes peculiar to early infancy ¹	35	35															
153	Lack of care.....	1	1															
	XII.—Old age.....	301											7	67	162	62	2	
154	Senility.....	301											7	67	162	62	2	
	XIII.—External causes.....	347	15	6	5	4	7	15	35	50	43	32	37	22	36	22	5	
	Suicide (total).....	54						1	5	7	9	18	4	7	1		2	
155	By poison.....	10								1	2	6	1					
156	By asphyxia.....	3								1	1	1	1					
157	By hanging or strangulation.....	15								1	2	1	7	1	2	1		
158	By drowning.....	7								2	1	2	1				1	
159	By firearms.....	15						1	2	1	4	2		4			1	
160	By cutting or piercing instruments.....	4									1	2		1				
161	By jumping from high places.....																	
162	By crushing.....																	
163	Other suicides.....																	
	Accidental or undefined (total).....	289	15	6	5	4	7	15	33	44	36	22	19	18	29	21	5	
164	Poisoning by food.....	1					1											
165	Other acute poisonings.....	3	3				1		1	3								
166	Conflagration.....	5		1							1	1		1				
167	Burns (conflagration excepted).....	29		4	2	3	1	1		1	2	3		2	4	4	2	
168	Absorption of deleterious gases (conflagration excepted).....	3	1									1			1			
169	Accidental drowning.....	50		1	1	1	3	4	12	13	4	4	3	2	1		1	
170	Traumatism by firearms.....	10						3	2	3	1		1					
171	Traumatism by cutting or piercing instruments.....																	
172	Traumatism by fall.....	62	1		1			2	2	4	4	3	1	9	16	14	5	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.--DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910--Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF--														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
NEW HAMPSHIRE--Continued.																	
	XIII.--External causes--Contd.																
	Accidental or undefined--Continued.																
173	Traumatism in mines and quarries (total).....																
	Traumatism in mines.....																
	Traumatism in quarries.....																
174	Traumatism by machines.....	8							2	1	2	2	1				
175	Traumatism by other crushing (total).....	58				1	2	5	11	13	6	6	2	5	1		6
	Railroad accidents and injuries.....	37				1	1	5	9	6	5	2	2				6
	Street-car accidents and injuries.....	4							1	2		1					
	Automobile accidents and injuries.....	5					1		1	2		1		1			
	Injuries by other vehicles.....	11								2	1	3		4	1		
	Landslide, other crushing.....	1								1							
176	Injuries by animals.....	3										1	1	1			
177	Starvation.....	1								1							
178	Excessive cold.....	5	1									1	1	1			1
179	Effects of heat.....	5	1							1			1		1		
180	Lightning.....	1					1										
181	Electricity (lightning excepted).....	8						4	2	1	1						
185	Fractures (cause not specified).....	3								1		2					
186	Other external violence.....	29	8		1		2	5	5	6	1	1					
	Homicide (total).....	4						1	1		1						1
182	By firearms.....																
183	By cutting or piercing instruments.....	2							1		1						
184	By other means.....	2							1								1
	XIV.--Ill-defined diseases.....	133	69	4	2	2	1	1	2	2	4	11	8	10	14	2	1
187	Ill-defined organic disease.....	10	2				1		1			2		1	1	2	
188	Sudden death.....	4										1	3				
189	Not specified or ill-defined (total).....	119	67	4	2	2			2	2	1	8	7	9	12	2	1
	Ill-defined.....	113	64	4	2	2			2	2	1	7	6	9	12	2	
	Not specified or unknown.....	6	3									1	1				1

NEW JERSEY.

	All causes.....	39,504	8,363	1,719	764	476	300	919	1,441	2,721	3,532	3,642	4,040	4,756	4,396	2,115	295	7	18
	I.--General diseases.....	10,566	792	522	332	229	159	449	649	1,364	1,546	1,342	1,226	1,086	636	209	22		3
1	Typhoid fever.....	371	2	2	3	5	1	11	68	102	80	45	32	14	6				
2	Typhus fever.....	1							1										
3	Relapsing fever.....																		
4	Malaria.....	26		1	3			1	3	3	5	1	1	4	2	1	1		
5	Smallpox.....																		
6	Measles.....	253	60	93	35	14	19	19	5	2	3	1	1	1					
7	Scarlet fever.....	281	9	30	33	43	22	68	47	22	4	1	1						
8	Whooping cough.....	425	216	126	34	23	8	14	1						2				1
9	Diphtheria and croup.....	747	61	131	143	91	75	187	40	10	4	3	2						
10	Influenza.....	312	24	9	1		1	4	6	16	15	20	40	64	63	45	4		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	18	4		1			1	2			3	2	2		2	1		
14	Dysentery.....	139	53	11	1	1	2	1		2	6	4	3	17	21	13	4		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	129	54	1	1				1	3	12	10	13	12	12	10			
19	Other epidemic diseases.....	10	6	2	1	1													
20	Purulent infection and septicemia.....	76	17	1	2	1		3	7	4	8	11	6	9	6	1			
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	7			1	1			3				2						
24	Tetanus.....	66	16	1	1		1	11	21	4	4	3	2		1	1			
25	Mycoses.....																		
26	Pellagra.....																		
27	Beriberi.....																		
	Tuberculosis (total).....	4,640	161	97	53	42	21	88	355	1,084	1,158	792	444	238	82	24			1
28	Tuberculosis of the lungs.....	3,925	50	21	17	10	6	28	283	981	1,069	735	411	216	76	21			1
29	Acute miliary tuberculosis.....	134	2	3	1	1		4	12	44	37	18	9	3					
30	Tuberculous meningitis.....	285	70	54	30	27	15	34	21	15	7	9	2	1					
31	Abdominal tuberculosis.....	132	21	9	1	2		9	17	18	19	14	9	8	2	3			
32	Pott's disease.....	49	5	3	3	2		8	5	8	5	4	4	2					
33	White swellings.....	21		1				1	5	5	3	1	1	2					
34	Tuberculosis of other organs.....	41	8	1				3	6	3	9	4	4	2					
35	Disseminated tuberculosis.....	53	5	5	1			1	6	10	9	7	4	4					
36	Rickets.....	26	19	3	2				1		1								
37	Syphilis.....	102	57	3				2	2	8	9	9	7	4					
38	Gonococcus infection.....	10	3						1	1		1	2	1					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW JERSEY—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total).....	1,891	2	1	4	2	3	3	11	37	113	295	480	527	815	87	11		
39	Of the buccal cavity.....	56									1	9	13	17	8	7	1		
40	Of the stomach, liver.....	728			1						10	30	97	186	245	127	29	3	
41	Of the peritoneum, intestines, rectum.....	244				1	1			1	9	11	30	58	81	42	10		
42	Of the female genital organs.....	335								1	6	37	81	102	69	33	6		
43	Of the breast.....	194								3	15	34	53	44	30	10	5		
44	Of the skin.....	38			1							1	1	12	13	9	1		
45	Of other organs or of organs not specified.....	296	2	1	2	1	2	3	9	9	19	43	67	59	62	16	1		
46	Other tumors (tumors of the female genital organs excepted).....	27		1				1		1	4	2	6	7	2	3			
47	Acute articular rheumatism.....	185	1	1	4	2	4	23	40	15	15	21	14	21	22	2			
48	Chronic rheumatism and gout.....	26								1	3	1	6	8	7				
49	Scurvy.....	7	5							1		1							
50	Diabetes.....	433	1	1	1			5	24	16	32	43	105	119	69	17			
51	Exophthalmic goiter.....	23							2	2	5	8	5	1					
52	Addison's disease.....	8							1	1	1	3	2		1				
53	Leukemia.....	37	3		4			1	2	8	5	3	4	3	4				
54	Anemia, chlorosis.....	85	4	3	2	2		5	3	5	7	11	14	17	12				
55	Other general diseases.....	46	14	4	2	1	2	1	2	1	4	4	2	3	3	2	1		
56	Alcoholism (acute or chronic).....	153							1	13	44	49	28	13	4	1			
57	Chronic lead poisoning.....	4								1	2		1						
58	Other chronic occupation poisonings.....	4											1						
59	Other chronic poisonings.....	2											1	1					
II.—Diseases of the nervous system and of the organs of special sense.....																			
		4,061	411	102	58	40	19	63	66	83	190	332	552	831	870	389	49	3	
60	Encephalitis.....	30	5	5	1		1	4	3	4	1	1	3			1			
61	Meningitis (total).....	427	143	58	36	27	14	38	30	17	16	13	15	8	7	5			
	Simple meningitis.....	306	105	35	26	21	11	21	23	10	11	11	13	7	5				
	Cerebrospinal meningitis (undefined).....	113	36	22	10	5	3	15	5	7	5	2	2	1					
	Cerebrospinal fever.....	8	2	1		1		2	2										
62	Locomotor ataxia.....	63									7	9	20	16	10	1			
63	Other diseases of the spinal cord (total).....	150	18	10	5	4	3	8	7	7	2	9	21	28	20	8			
	Acute anterior poliomyelitis.....	50	13	10	5	4	3	8	4	1	1	1	1	1					
	Other diseases of the spinal cord ¹	100	5					3	3	6	2	8	21	27	20	8			
64	Cerebral hemorrhage, apoplexy.....	2,271	30	2	4	2	1	3	6	15	57	180	378	624	648	285	32	2	
65	Softening of the brain.....	43									2	3	2	10	15	9	2		
66	Paralysis without specified cause.....	355		1	1			1	4		13	14	36	98	121	52	12	1	
67	General paralysis of the insane.....	160								3	34	52	30	18	17	6			
68	Other forms of mental alienation.....	106							2	9	13	19	21	12	17	11	2		
69	Epilepsy.....	104	5	1		1		1	9	22	22	21	13	3	5	1			
70	Convulsions (nonpuerperal).....	4						3											
71	Convulsions of infants.....	231	197	21	8	5											1		
72	Chorea.....	7	3					1	1			1		1					
73	Neuralgia and neuritis.....	15									1	2	4	4	2	2			
74	Other diseases of the nervous system.....	67	4	1		1		4	2	3	16	7	9	6	7	7			
75	Diseases of the eyes and their annexa.....	75																	
76	Diseases of the ears.....	28	6	3	3			3	1	4	3	1	2		1	1			
III.—Diseases of the circulatory system.....																			
		4,535	87	5	12	3	7	61	160	178	302	428	659	1,004	1,062	511	54		
77	Pericarditis.....	29	1		1			3	3	3	5	4	2	2	1	4			
78	Acute endocarditis.....	266	20	1	3	2	1	13	25	30	40	62	15	13	5	1			
79	Organic diseases of the heart.....	3,504	49	3	6	1	4	39	127	136	240	343	517	833	811	358	35	2	
80	Angina pectoris.....	156							1	1	7	8	27	48	16	2			
81	Diseases of the arteries, atheroma, aneurism, etc.....	423								1	11	14	32	77	159	116	13		
82	Embolism and thrombosis.....	118	5	1			1		2	6	8	15	15	22	30	11	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	10	1						1		1	3	1	2			1		
84	Diseases of the lymphatic system (lymphangitis, etc.).....	19	7		2		1	1	1	1			2	3	1				
85	Hemorrhage; other diseases of the circulatory system.....	10	4									1	1	2	1	1			
IV.—Diseases of the respiratory system.....																			
		5,166	1,299	495	181	80	37	113	120	211	332	369	443	554	598	291	42	1	
86	Diseases of the nasal fossae.....	34	9	5	4	1	1	4			5	1	1	3					
87	Diseases of the larynx.....	5																	
88	Diseases of the thyroid body.....	244	5	2	3	2		3		2	7	7	28	42	82	56	6		
89	Acute bronchitis.....	363	227	41	10	8	1	3	3	1	5	7	10	12	19	13	3		
90	Chronic bronchitis.....	244	5	2	3	2		2			2	7	7	28	42	82	56	6	
91	Bronchopneumonia.....	1,296	586	217	78	36	14	36	14	13	20	25	32	65	91	60	9		
92	Pneumonia (total).....	2,361	432	215	79	30	21	60	92	177	265	295	340	368	347	123	16	1	
	Lobar pneumonia.....	1,346	135	73	28	10	8	29	49	93	152	170	196	189	166	44	4		
	Pneumonia (undefined).....	1,515	297	142	51	20	13	31	43	84	113	125	144	179	181	79	12	1	
93	Pleurisy.....	108	4	9	4	2		4	6	9	10	14	14	21	7	4			
94	Pulmonary congestion, pulmonary apoplexy.....	159	33	5	3			2	4	1	7	8	6	24	32	28	6		
95	Gangrene of the lung.....	4									2	1	1						
96	Asthma.....	44										3	7	14	16	4			
97	Pulmonary emphysema.....	8						1			1	2	2		2				
98	Other diseases of the respiratory system (tuberculosis excepted).....	40	3	1				1	1	8	8	6	1	5	3	1	2		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NEW JERSEY—Continued.																			
	XI.—Early infancy.....	1,988	1,985	2														1	
	Congenital debility, icterus, and sclerema (total).....	1,618	1,615	2														1	
	Premature birth.....	1,043	1,043																
	Congenital debility, "atrophy," "marasmus," etc.....	575	572	2														1	
152	Other causes peculiar to early infancy (total).....	357	357																
	Injuries at birth.....	210	210																
	Other causes peculiar to early infancy ¹	147	147																
153	Lack of care.....	13	13																
	XII.—Old age.....	420											43	111	198	65	3		
154	Senility.....	420											43	111	198	65	3		
	XIII.—External causes.....	2,661	88	54	68	51	36	127	231	427	448	403	304	187	143	82	9	3	
	Suicide (total).....	436						1	19	68	93	95	81	53	22	3		1	
155	By poison.....	107							6	18	25	21	20	12	4			1	
156	By asphyxia.....	78							5	12	14	21	12	9	5				
157	By hanging or strangulation.....	67						1	3	5	11	16	12	13	4	2			
158	By drowning.....	24								3	4	6	8		3				
159	By firearms.....	121							4	26	28	22	20	16	5				
160	By cutting or piercing instruments.....	24							1	3	8	6	4		1				
161	By jumping from high places.....	7								1		1	3	2					
162	By crushing.....	7										2	2	1					
163	Other suicides.....	1									1		2	1					
	Accidental or undefined (total).....	2,114	80	54	68	51	36	123	203	322	324	294	218	133	119	78	9	2	
164	Poisoning by food.....	9	3						1		1	2			1				
165	Other acute poisonings.....	45	4	2	4	1	1	1	6	4	6	6	6	2	1	1			
166	Conflagration.....	60	2	1	1				4	9	17	9	6	3					
167	Burns (conflagration excepted).....	220	4	25	37	34	16	27	11	12	10	11	11	12	9	1			
168	Absorption of deleterious gases (conflagration excepted).....	76	3						2	15	11	16	9	10	8	2			
169	Accidental drowning.....	300	2	3	3	6	2	29	75	54	53	44	17	7	3	1		1	
170	Traumatism by firearms.....	33		1	1	1	1	4	11	6	4	3							
171	Traumatism by cutting or piercing instruments.....	5						1	1			2							
172	Traumatism by fall.....	399	8	10	13	5	5	8	10	40	50	54	47	36	53	50	5		
173	Traumatism in mines and quarries (total).....	17								8	4	4	1						
	Traumatism in mines.....	15								8	3	4							
	Traumatism in quarries.....	2									1		1						
174	Traumatism by machines.....	50				1	2	4	12	13	11	6	1						
175	Traumatism by other crushing (total).....	606	2	6	4	2	4	37	56	123	124	100	78	40	23	5	1	1	
	Railroad accidents and injuries.....	401			1	1	1	10	37	100	94	64	55	21	13	2	1		
	Street-car accidents and injuries.....	70				1	2	10	7	7	13	7	15	4	4				
	Automobile accidents and injuries.....	41		1				7	4	8	6	6	2	3	3	1			
	Injuries by other vehicles.....	80	6	2			1	9	8	6	7	21	6	9	3	2			
	Landslide, other crushing.....	14	2					1		2	4	2	3	3					
176	Injuries by animals.....	12			1					1	1	2	3	1	2	1			
177	Starvation.....	5			1								2	1					
178	Excessive cold.....	14								1	2	1	4	4	1	1			
179	Effects of heat.....	67	23	2				2	2	2	7	11	7	3	4	4			
180	Lightning.....																		
181	Electricity (lightning excepted).....	13								7	3	1	1	1					
185	Fractures (cause not specified).....	34						2	1	1	2		5	5	6	9	3		
186	Other external violence.....	149	29	4	3	2	2	6	14	18	24	20	15	7	2	3			
	Homicide (total).....	111	8					3	9	37	31	14	5	1	2	1			
182	By firearms.....	44						2	2	18	9	8	3		1	1			
183	By cutting or piercing instruments.....	17							2	6	8	1							
184	By other means.....	50	8					1	5	13	14	5	2	1	1				
	XIV.—Ill-defined diseases.....	598	424	64	9	1		3	2	3	7	8	10	15	30	16	3	3	
187	Ill-defined organic disease.....	5	1									1		1	1	1			
188	Sudden death.....	4	1													2			
189	Not specified or ill-defined (total).....	589	422	64	9	1		3	2	3	7	7	10	13	29	13	3	3	
	Ill-defined.....	579	415	64	9	1		3	2	3	7	7	10	13	29	13	3		
	Not specified or unknown.....	10	7															3	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
NEW YORK—Continued.																			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous).....	196	1							5	40	83	32	19	13	3			
130	Other diseases of the uterus.....	111	1						3	18	30	11	13	3	2				
131	Cysts and other tumors of the ovary.....	67								11	12	15	13	10	4	2			
132	Salpingitis and other diseases of the female genital organs.....	237	1					1	8	95	85	43	4						
133	Nonpuerperal diseases of the breast (cancer excepted).....	5	2							2		1							
	VII.—The puerperal state.....	1,386							81	637	568	100							
134	Accidents of pregnancy.....	145							5	57	74	9							
135	Puerperal hemorrhage.....	132							2	39	76	15							
136	Other accidents of labor.....	141							4	62	56	19							
137	Puerperal septicemia.....	616							43	310	228	35							
138	Puerperal albuminuria and convulsions.....	310							26	151	114	19							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	39							1	15	20	3							
140	Following childbirth (not otherwise defined).....	3								3									
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	483	71	7	4	2	2	3	5	20	25	27	43	67	107	80	17	2	1
142	Gangrene.....	261	4	2		1		1	2	2	8	9	14	47	80	72	16	2	1
143	Furuncle.....	47	5	2				1	1	6	4	4	12	5	6	1	1		
144	Acute abscess.....	100	29	1	4	1		2	2	8	9	10	10	11	11	3			
145	Other diseases of the skin and annexa.....	75	33	2				2		4	4	4	7	5	10	4			
	IX.—Diseases of the bones and of the organs of locomotion.....	318	40	14	10	5	5	22	49	27	35	34	30	25	10	10	2		
146	Diseases of the bones (tuberculosis excepted).....	285	37	14	10	5	5	20	46	24	31	33	24	21	7	6	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	23	3					1	2	3	3		4	3	3	1			
148	Amputations.....	1												1					
149	Other diseases of the organs of locomotion.....	9						1	1		1	1	2			3			
	X.—Malformations.....	1,345	1,271	28	12	4	3	16	6	2	3								
150	Congenital malformations (stillbirths not included) (total).....	1,345	1,271	28	12	4	3	16	6	2	3								
	Hydrocephalus.....	118	90	12	4		3	6	1	1	1								
	Congenital malformations of the heart.....	838	800	12	7	3		8	5	1	2								
	Other congenital malformations.....	389	381	4	1	1		2											
	XI.—Early infancy.....	7,131	7,123	3	2				1	1		1							
151	Congenital debility, icterus, and sclerema (total).....	5,598	5,590	3	2				1	1		1							
	Premature birth.....	3,667	3,667																
	Congenital debility, "atrophy," "marasmus," etc.....	2,031	2,023	3	2				1	1		1							
152	Other causes peculiar to early infancy (total).....	1,519	1,519																
	Injuries at birth.....	797	797																
	Other causes peculiar to early infancy ¹	722	722																
153	Lack of care.....	14	14																
	XII.—Old age.....	1,601											84	421	814	257	25		
154	Senility.....	1,601											84	421	814	257	25		
	XIII.—External causes.....	9,495	177	180	206	153	129	451	682	1,648	1,576	1,447	1,089	792	564	314	72		15
	Suicide (total).....	1,532							54	275	299	319	293	193	80	17	2		
	By poison.....	290							14	58	63	43	55	38	15	4			
156	By asphyxia.....	318							7	47	59	89	52	46	17		1		
157	By hanging or strangulation.....	239							5	22	40	57	54	38	17	6			
158	By drowning.....	78							2	12	19	10	19	9	5	2			
159	By firearms.....	410							17	94	83	80	72	46	17	1			
160	By cutting or piercing instruments.....	111							1	18	18	26	25	11	7	4	1		
161	By jumping from high places.....	64							6	20	11	11	3	2					
162	By crushing.....	17							2	4	5	1	4	1					
163	Other suicides.....	5									1	2	1						
	Accidental or undefined (total).....	7,511	153	177	208	151	125	446	594	1,217	1,104	1,065	769	536	481	296	70		14
164	Poisoning by food.....	29	4	4	1	1		2	2	3	1	4	2	3	2				
165	Other acute poisonings.....	168	8	27	12	4	6	4	10	23	21	28	13	8	4				
166	Conflagration.....	146			3	3	7	7	7	24	24	21	15	16	8	2			9
167	Burns (conflagration excepted).....	663	21	71	94	77	48	89	35	45	46	33	30	32	34	6	2		
168	Absorption of deleterious gases (conflagration excepted).....	375	1	3	4	2	1	3	20	71	44	71	71	47	26	11			
169	Accidental drowning.....	1,021	8	14	10	4	7	94	164	226	159	161	102	49	13	8			2
170	Traumatism by firearms.....	72			1		1	2	22	20	13	4	5	3	1				
171	Traumatism by cutting or piercing instruments.....	18						1	2	3	4	3	4	1					
172	Traumatism by fall.....	1,823	19	33	47	32	20	75	76	158	211	216	193	195	268	219	61		

Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.		
			NEW YORK—Continued.																	
XIII.—External causes—Contd.																				
	Accidental or undefined—Continued.																			
173	Traumatism in mines and quarries (total)	29									18	6	5							
	Traumatism in mines	24									14	6	4							
	Traumatism in quarries	5									4	1	1							
174	Traumatism by machines	208					1	3	22	66	45	41	18	7	5					
175	Traumatism by other crushing (total)	2,037	1	12	20	17	27	147	176	411	423	360	224	162	78	24	3			2
	Railroad accidents and injuries	1,072		4	5	2	9	9	81	271	260	209	121	61	35	12				
	Street-car accidents and injuries	343	1	2	5	2	10	25	26	52	68	65	40	30	14	3				2
	Automobile accidents and injuries	208		1		1	1	46	23	34	32	20	14	24	8	2	2			
	Injuries by other vehicles	404		5	10	10	16	66	37	40	50	55	44	44	19	7	1			
	Landslide, other crushing	60				2		1	9	14	13	11	5	3	2					
176	Injuries by animals	62	1	1	1	3	3	5	5	9	9	7	10	4	4					
177	Starvation	5	2											1	1					1
178	Excessive cold	39	1						1	9	5	3	10	5	5					
179	Effects of heat	153	20	6	2				3	17	18	28	20	17	12	9		1		
180	Lightning	16					1		4	3	3	1	3		1					
181	Electricity (lightning excepted)	74			1			2	9	33	21	4	3	1						
185	Fractures (cause not specified)	77	2			1			1	5	17	14	9	7	9	9	3			
186	Other external violence	446	65	6	7	7	3	12	35	82	90	59	44	23	10	3				
	Homicide (total)	452	24	3	3	2	4	5	34	156	113	63	27	13	3	1				1
182	By firearms	243		1	2	1	2	3	23	91	60	35	18	6	1					
183	By cutting or piercing instruments	58	1						3	23	21	6	3							1
184	By other means	151	23	2	1	1	2	2	8	42	32	22	6	7	2	1				
	XIV.—Ill-defined diseases	1,276	942	85	12	4	1		2	9	4	9	22	34	47	70	30	2		3
187	Ill-defined organic disease	14	1												9	3	1			
188	Sudden death	8								1			2	1	3	1				
189	Not specified or ill-defined (total)	1,254	941	85	12	4	1		2	8	4	9	20	33	35	66	29	2		3
	Ill-defined	1,244	938	85	12	4	1		1	6	4	8	20	33	35	66	29	2		3
	Not specified or unknown	10	3						1	2		1								

NORTH CAROLINA¹ (TOTAL).

All causes	6,752	1,330	484	191	88	73	127	412	802	650	538	616	632	489	251	44	11	14
I.—General diseases	2,298	183	146	83	46	38	58	238	465	319	228	210	158	88	28	6		4
1 Typhoid fever	209	2	7	8	6	5	4	60	70	27	8	6	3	3				
2 Typhus fever																		
3 Relapsing fever																		
4 Malaria	120	16	16	6	8	3	8	15	8	6	7	14	7	4	2			
5 Smallpox	6	3	1						1					1				
6 Measles	98	19	22	17	10	6	9	5	1	4	1		2	1	1			
7 Scarlet fever	8		1	2	1		2	1	1									
8 Whooping cough	62	36	15	7	2	2												
9 Diphtheria and croup	67	12	11	14	10	7	9	4										
10 Influenza	102	5	7	2	1			1	7	8	11	9	19	19	9	3		1
11 Miliary fever																		
12 Asiatic cholera									1					1				
13 Cholera nostras	2																	
14 Dysentery	113	81	31	7		1		1	5	3	7	3	8	13	3			
15 Plague																		
16 Yellow fever																		
17 Leprosy																		
18 Erysipelas	13	2	2						1	1	2	3			2			
19 Other epidemic diseases	4	2	1				1											
20 Purulent infection and septicemia	25		2					3	6	4	3	5		2				
21 Glanders																		
22 Anthrax																		
23 Rabies	4							1										
24 Tetanus	43	20		1			2	7	1	1	5	1	5					
25 Mycoses																		
26 Pellagra	111						1	6	16	27	22	16	19	2	2			
27 Beriberi																		
Tuberculosis (total)	983	16	20	14	6	12	16	124	322	203	110	84	37	11	5	1		2
28 Tuberculosis of the lungs	868	10	12	11	3	6	11	107	288	190	101	79	31	11	5	1		2
29 Acute miliary tuberculosis	29		2	1				6	15	3	2							
30 Tuberculous meningitis	23	4	1	2	2	3	3	4	2	1	1							
31 Abdominal tuberculosis	38	1	1			2		6	10	4	5	5	4					
32 Pott's disease	7	1	2			1		2	1									
33 White swellings	1		1															
34 Tuberculosis of other organs	10		1		1		2	1	2	2	1							
35 Disseminated tuberculosis	7							2	2	2			1					
36 Ricketts	10	5	3	2														
37 Syphilis	31	6	3		1		1	1	6	4	5	2	1	1				
38 Gonococcus infection	1							1										

¹Including only municipalities having a population of 1,000 or over in 1900.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79		80 to 89	90 to 99	100 or over.
NORTH CAROLINA¹ (TOTAL)—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	171						1	2	2	18	35	46	40	23	2	1	1	
39	Of the buccal cavity	50																	
40	Of the stomach, liver	13									5	6	11	19	7	2			
41	Of the peritoneum, intestines, rectum	42								2	5	14	13	4	3			1	
42	Of the female genital organs	12										5	2	3	1		1		
43	Of the breast	2												1	1				
44	Of the skin	52						1	2		7	8	12	12	10				
45	Of other organs or of organs not specified	11							1			2	3	4					
46	Other tumors (tumors of the female genital organs excepted)	19	2					1	1	4	1	1	2	4	2		1		
47	Acute articular rheumatism	4		1									1	1	1				
48	Chronic rheumatism and gout	30			2				2	5	5	3	8	1	3	1			
49	Scurvy	3								1	1			2					
50	Diabetes	3									1			1					
51	Exophthalmic goiter	2												1					
52	Addison's disease	3									1								
53	Leukemia	16	3	1	1		1		1	3	1				1	1			
54	Anemia, chlorosis	17	3	2		1	1	2	2	4	2								
55	Other general diseases	10									1	3	5	1					
56	Alcoholism (acute or chronic)	3																	
57	Chronic lead poisoning	10																	
58	Other chronic occupation poisonings	3												3					
59	Other chronic poisonings																		
II.—Diseases of the nervous system and of the organs of special sense																			
		578	62	26	13	7	3	7	15	21	38	45	88	110	96	39	3	1	4
60	Encephalitis	4			1	1								1					
61	Meningitis (total)	82	22	19	10	5	2	5	4	4	5	1	2		1				
	Simple meningitis	69	17	16	7	4	2	5	4	4	5	1	2		2				
	Cerebrospinal meningitis (undefined)	11	4	3	2	1									1				
	Cerebrospinal fever	2	1		1														
62	Locomotor ataxia	4										2	1	1					
63	Other diseases of the spinal cord (total)	11	1	2	1			1		1	1	1	1	2	1				
	Acute anterior poliomyelitis	3		2	1														
	Other diseases of the spinal cord ²	8	1					1		1	1	1	1	2	1				2
64	Cerebral hemorrhage, apoplexy	203	3		1			2	2	7	19	21	39	52	41	12	1	1	2
65	Softening of the brain	12											2	4	4	1			1
66	Paralysis without specified cause	155	3	1					1	1	9	13	30	37	38	20	2		1
67	General paralysis of the insane	6									1	1	1	2	1				
68	Other forms of mental alienation	15									1	2	5	3	3	1			
69	Epilepsy	19	3						2	5	1	1	1	4	1	1			
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	31	26	3		1	1												
72	Chorea	2							2										
73	Neuralgia and neuritis	4											1	1	2				
74	Other diseases of the nervous system	26	2	1				2	4	1	2	4	4	4	2	3			1
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4	2					1			1								
III.—Diseases of the circulatory system																			
		521	11	2	4			3	19	33	49	62	82	107	102	40	5	2	
77	Pericarditis	5						1	1	1			1		2				
78	Acute endocarditis	13						1	2	2	2	3	3						
79	Organic diseases of the heart	435	9	2	2			1	15	26	42	53	69	93	87	30	4	2	
80	Angina pectoris	17									1	1	5	5	3	2			
81	Diseases of the arteries, atheroma, aneurism, etc.	32									1	3	2	2	7	9	7	1	
82	Embolism and thrombosis	8	1						1	1			2	1		1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1										1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	3			1			1						1					
85	Hemorrhage; other diseases of the circulatory system	7	1		1					2	1		1	1					
IV.—Diseases of the respiratory system																			
		768	188	67	38	14	10	19	51	82	46	48	63	60	42	32	7		1
86	Diseases of the nasal fossae	6	1	1		1				1					2				
87	Diseases of the larynx	5	1		1								2						
88	Diseases of the thyroid body																		
89	Acute bronchitis	54	31	9	7					1	1		1	1	3				
90	Chronic bronchitis	34	1							5	3	3	1	4	8	4	2	1	
91	Bronchopneumonia	72	26	18	8	2	1	4	4	1			1	1	2	2	1		
92	Pneumonia (total)	538	114	39	19	11	8	14	39	72	36	36	46	44	28	27	4		1
	Lobar pneumonia	60	6	4	1	2		1	4	13	9	6	7	3	3	3	1		
	Pneumonia (undefined)	478	108	35	18	9	8	13	35	59	27	30	39	41	28	24	3		1
93	Pleurisy	8	1						1	2	1		1	1					
94	Pulmonary congestion, pulmonary apoplexy	26	12		1				1	1	3	2	2	2		1	1		
95	Gangrene of the lung	2			1									1					
96	Asthma	16								1	1	5	6	1	2				
97	Pulmonary emphysema	1					1												
98	Other diseases of the respiratory system (tuberculosis excepted)	6	1						1		1	1	2						

¹ Including only municipalities having a population of 1,000 or over in 1900.

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NORTH CAROLINA¹ (TOTAL)—Continued.																			
	V.—Diseases of the digestive system.....	949	377	186	29	12	11	12	27	41	45	50	45	45	42	23	3	1	
99	Diseases of the mouth and annexa.....	5	5																
100	Diseases of the pharynx.....	7				1	1		2			1		1	1				
101	Diseases of the esophagus.....																		
102	Ulcer of the stomach.....	12					1		1		5	1	3		1				
103	Other diseases of the stomach (cancer excepted).....	106	32	10	1	1	3	1	2	6	6	15	9	8	11	1			
104	Diarrhea and enteritis (under 2 years).....	499	326	173															
105	Diarrhea and enteritis (2 years and over).....	105			26	7	5	5	3	1	2	9	7	9	17	12	2		
106	Ankylostomiasis.....	3	1						1		1								
107	Intestinal parasites.....	2				2													
108	Appendicitis and typhlitis.....	42			1			4	7	12	8	7	2		1				
109	Hernia, intestinal obstruction (total).....	34	5				1	2	5	1	5	2	4	3	4	2			
	Hernia.....	13	1					1	1	1	1	1	1	2	4	1			
	Intestinal obstruction.....	21	4			1	1	1	4	1	4	1	3	1	4	1			
110	Other diseases of the intestines.....	19	4	3		1		1	4	1	4	1	3	1	4	1	1		
111	Acute yellow atrophy of the liver.....	3								1	1			1					
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	36	1								7	3	8	9	4	3		1	
114	Biliary calculi.....	8										3	2	3	4				
115	Other diseases of the liver.....	30	1						2	5	4	4	5	4	2	3			
116	Diseases of the spleen.....																		
117	Simple peritonitis (nonpuerperal).....	34	1		1				4	14	6	1	4	3					
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	4	1								1				2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	405	6	12	7	3	4	8	9	23	41	46	79	89	49	23	2	3	1
119	Acute nephritis.....	42	2	3	1		1	3	4	6	5	7	6	3		1			
120	Bright's disease.....	300	3	6	6	3	3	3	4	12	24	32	64	78	43	14	1	3	1
121	Chyluria.....	17	1	3				2			1	1	4		3	2			
122	Other diseases of the kidneys and annexa.....	3											1	1					
123	Calculi of the urinary passages.....	3																	
124	Diseases of the bladder.....	13									2	1	1	1	3	4	1		
125	Diseases of the urethra, urinary abscess, etc.....	3																	
126	Diseases of the prostate.....	5									1		1	1		2			
127	Nonvenereal diseases of the male genital organs.....													3					
128	Uterine hemorrhage (nonpuerperal).....	5							1	2	1		1						
129	Uterine tumor (noncancerous).....	7								2	3	1		1					
130	Other diseases of the uterus.....	3									2	1							
131	Cysts and other tumors of the ovary.....	3									1	1		1					
132	Salpingitis and other diseases of the female genital organs.....	4								1	1	2							
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	111							17	46	43	5							
134	Accidents of pregnancy.....	13							1	3	9								
135	Puerperal hemorrhage.....	10							1	3	5								
136	Other accidents of labor.....	16							2	5	8	1							
137	Puerperal septicemia.....	27							4	15	7	1							
138	Puerperal albuminuria and convulsions.....	40							9	16	13	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	1								1									
140	Following childbirth (not otherwise defined).....	4								3	1								
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	27	2			1				2	3	3		6	4	4	1	1	
142	Gangrene.....	20								1	1	2		6	4	4	1	1	
143	Furuncle.....	1	1																
144	Acute abscess.....	4								1	2	1							
145	Other diseases of the skin and annexa.....	2	1			1													
	IX.—Diseases of the bones and of the organs of locomotion.....	10	2					1	3	2			2						
146	Diseases of the bones (tuberculosis excepted).....	3	1					1	3	2			1						
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1										1						
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
	X.—Malformations.....	27	24	2				1											
150	Congenital malformations (stillbirths not included) (total).....	27	24	2				1											
	Hydrocephalus.....	4	3	1															
	Congenital malformations of the heart.....	13	12					1											
	Other congenital malformations.....	10	9	1															

¹ Including only municipalities having a population of 1,000 or over in 1900.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
NORTH CAROLINA ² (TOTAL)—Continued.																			
	XI.—Early infancy.....	270	269	1															
151	Congenital debility, icterus, and sclerema (total).....	239	238	1															
	Premature birth.....	134	134																
	Congenital debility, "atrophy," "marasmus," etc.....	105	104	1															
152	Other causes peculiar to early infancy (total).....	31	31																
	Injuries at birth.....	8	8																
	Other causes peculiar to early infancy.....	23	23																
153	Lack of care.....													6	38	40	12	3	
	XII.—Old age.....	99																	
154	Senility.....	99												6	38	40	12	3	
	XIII.—External causes.....	297	18	2	10	3	5	13	29	71	47	35	19	19	12	11	2	1	
	Suicide (total).....	26							1	7	5	4	2	7					
	By poison.....	9							1	5	2			1					
156	By asphyxia.....																		
157	By hanging or strangulation.....	3												3					
158	By drowning.....																		
159	By firearms.....	8							2	2	3			1					
160	By cutting or piercing instruments.....	2												1	1				
161	By jumping from high places.....																		
162	By crushing.....																		
163	Other suicides.....	4									1	1	1	1					
	Accidental or undefined (total).....	247	18	2	10	3	5	13	24	50	39	29	16	12	12	11	2	1	
164	Poisoning by food.....	2		1											1				
165	Other acute poisonings.....	12	1		4			1						2					
166	Conflagration.....	1							1										
167	Burns (conflagration excepted).....	41	2	1	4	2	4	8	4	2	1	3	2	2	1	5			
168	Absorption of deleterious gases (conflagration excepted).....	1	1																
169	Accidental drowning.....	16	1					2	2	8	1	1		1					
170	Traumatism by firearms.....	31						4	13	6	3	3		2					
171	Traumatism by cutting or piercing instruments.....																		
172	Traumatism by fall.....	19			1			1	1	3	1	1	1	1	4	4	1		
173	Traumatism in mines and quarries (total).....																		
	Traumatism in mines.....																		
	Traumatism in quarries.....																		
174	Traumatism by machines.....	2									1	1							
175	Traumatism by other crushing (total).....	48						6	12	15	9	3	1			1		1	
	Railroad accidents and injuries.....	33						5	8	12	4	2				1		1	
	Street-car accidents and injuries.....	2							1		1								
	Automobile accidents and injuries.....	1							1										
	Injuries by other vehicles.....	3									2		1						
	Landslide, other crushing.....	9						1	2	3	2	1							
176	Injuries by animals.....	1						1											
177	Starvation.....																		
178	Excessive cold.....																		
179	Effects of heat.....																		
180	Lightning.....	2							2										
181	Electricity (lightning excepted).....	3					1				2								
185	Fractures (cause not specified).....	20							3	4	4	2	2	2	5	1	1		
186	Other external violence.....	48	13		2		1		4	9	6	6	5	1	1				
	Homicide (total).....	24						4	14	3	2	1							
182	By firearms.....	16						2	9	3	1	1							
183	By cutting or piercing instruments.....	3							3										
184	By other means.....	5						2	2		1								
	XIV.—Ill-defined diseases.....	392	188	40	7	2	2	5	4	16	19	16	28	32	16	11	3	1	2
187	Ill-defined organic disease.....	24		1					1	3	2	3	3	3	5	2			1
188	Sudden death.....	27	10							2	2	1	2	5	1	2			1
189	Not specified or ill-defined (total).....	341	178	39	7	2	2	5	3	11	15	12	23	24	10	7	3		1
	Ill-defined.....	223	101	28	5	2	2	2	1	8	13	9	17	22	9	5	1		
	Not specified or unknown.....	118	77	11	2	2		3	2	3	2	3	6	2	1	2			

¹ Including only municipalities having a population of 1,000 or over in 1900.

² Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
NORTH CAROLINA¹ (WHITE)—Continued.																	
II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
69	Epilepsy.....	11	3							1	2			1	2	1	1
70	Convulsions (nonpuerperal).....																
71	Convulsions of infants.....	14	11	2			1										
72	Chorea.....	2								2							
73	Neuralgia and neuritis.....	1											1				
74	Other diseases of the nervous system.....	16	1	1						2	2		4	4	1	1	
75	Diseases of the eyes and their annexa.....																
76	Diseases of the ears.....	3	2							1							
III.—Diseases of the circulatory system																	
		266	8		3			1	10	13	16	22	40	57	68	27	1
77	Pericarditis.....	1								1							
78	Acute endocarditis.....	8								1	2	2	1				
79	Organic diseases of the heart.....	217	8		2			1	8	9	14	18	34	47	56	19	1
80	Angina pectoris.....	13										1	3	4	3	2	
81	Diseases of the arteries, atheroma, aneurism, etc.....	19								1			1	4	8	5	
82	Embolism and thrombosis.....	3											1		1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	1															
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2			1									1			
85	Hemorrhage; other diseases of the circulatory system.....	2								1				1			
IV.—Diseases of the respiratory system																	
		290	87	29	18	12	8	8	22	26	18	29	35	41	33	21	3
86	Diseases of the nasal fossae.....	2													2		
87	Diseases of the larynx.....	3	1		1							1					
88	Diseases of the thyroid body.....																
89	Acute bronchitis.....	29	18	5	2									1	3	2	1
90	Chronic bronchitis.....	15									1		3	6	2		
91	Bronchopneumonia.....	40	13	7	4	2	1	4	2	1		1		1	2	2	
92	Pneumonia (total).....	273	47	17	11	10	6	4	18	25	13	25	27	30	22	16	2
	Lobar pneumonia.....	33	3	2		2			4	6	3	5	4	3		1	
	Pneumonia (undefined).....	240	44	15	11	8	6	4	14	19	10	20	23	27	22	15	2
93	Pleurisy.....	5	1								1		1	1	1		
94	Pulmonary congestion, pulmonary apoplexy.....	14	7						1		2		1	2		1	
95	Gangrene of the lung.....																
96	Asthma.....	7									1	2	3		1		
97	Pulmonary emphysema.....	1					1										
98	Other diseases of the respiratory system (tuberculosis excepted).....	1							1								
V.—Diseases of the digestive system																	
		584	211	121	17	6	7	6	16	25	28	27	29	36	34	19	2
99	Diseases of the mouth and annexa.....	2	2														
100	Diseases of the pharynx.....	5				1			1					1	1		
101	Diseases of the esophagus.....																
102	Ulcer of the stomach.....	10					1			1				2		1	
103	Other diseases of the stomach (cancer excepted).....	55	17	2	1		3		2	4	5	4	2	6	8	1	
104	Diarrhea and enteritis (under 2 years).....	303	185	118													
105	Diarrhea and enteritis (2 years and over).....	67		15	4	2	1	1			1	7	4	6	15	9	2
106	Ankylostomiasis.....	2								1							
107	Intestinal parasites.....																
108	Appendicitis and typhlitis.....	35			1				4	7	11	6	4	1		1	
109	Hernia, intestinal obstruction (total).....	21	3				1	1		1	3	1	4	2	3	2	
	Hernia.....	8						1			1	1	1	1	3	1	
	Intestinal obstruction.....	13	3				1			1	2	1	3	1	1	1	
110	Other diseases of the intestines.....	8	1	1		1					2		1	1		1	
111	Acute yellow atrophy of the liver.....	2								1				1			
112	Hydatid tumor of the liver.....																
113	Cirrhosis of the liver.....	27	1								5	1	8	8	2	2	
114	Biliary calculi.....	7										2	2	3			
115	Other diseases of the liver.....	22	1						1	3	2	2	4	4	2	3	
116	Diseases of the spleen.....																
117	Simple peritonitis (nonpuerperal).....	16	1						3	4	3		3	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	2													2		
VI.—Nonvenereal diseases of the genito-urinary system and annexa																	
		236	4	3	5	1		3	3	11	19	28	51	59	35	14	
119	Acute nephritis.....	26	1	2				2	1	3	2	6	6	8			
120	Bright's disease.....	182	3	1	5	1		1	2	7	10	17	42	53	31	9	
121	Chyluria.....												1	1		2	
122	Other diseases of the kidneys and annexa.....	7									1	1	1		2	2	
123	Calculi of the urinary passages.....	2										1	1	1			
124	Diseases of the bladder.....	8									1	1		1	2	3	
125	Diseases of the urethra, urinary abscess, etc.....																
126	Diseases of the prostate.....	1												1			
127	Nonvenereal diseases of the male genital organs.....																
128	Uterine hemorrhage (nonpuerperal).....	2								1	1						

¹ Including only municipalities having a population of 1,000 or over in 1900.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99		100 or over.
NORTH CAROLINA¹ (WHITE)—Continued.																			
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
129	Uterine tumor (noncancerous).....	1																	
130	Other diseases of the uterus.....	2										1	1						
131	Cysts and other tumors of the ovary.....	3										1		1					
132	Salpingitis and other diseases of the female genital organs.....	2										1	1						
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	57							4	18	32	3							
134	Accidents of pregnancy.....	11							1	1	9								
135	Puerperal hemorrhage.....	3									3								
136	Other accidents of labor.....	7									6	1							
137	Puerperal septicemia.....	8								4	3	1							
138	Puerperal albuminuria and convulsions.....	25							3	11	10	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....																		
140	Following childbirth (not otherwise defined).....	3								2	1								
141	Puerperal diseases of the breast.....																		
VIII.—Diseases of the skin and of the cellular tissue.....																			
142	Gangrene.....	10	2			1						1		4	3	2			
143	Furuncle.....	1	1																
144	Acute abscess.....	1								1									
145	Other diseases of the skin and annexa.....	2	1			1													
IX.—Diseases of the bones and of the organs of locomotion.....																			
146	Diseases of the bones (tuberculosis excepted).....	6	1					1	2										
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	5	1					1	2					1					
148	Amputations.....	1												1					
149	Other diseases of the organs of locomotion.....																		
X.—Malformations.....																			
150	Congenital malformations (stillbirths not included) (total).....	25	22	2				1											
	Hydrocephalus.....	4	3	1															
	Congenital malformations of the heart.....	13	12					1											
	Other congenital malformations.....	8	7	1															
XI.—Early infancy.....																			
151	Congenital debility, icterus, and sclerema (total).....	146	146																
	Premature birth.....	93	93																
	Congenital debility, "atrophy," "marasmus," etc.....	53	53																
152	Other causes peculiar to early infancy (total).....	16	16																
	Injuries at birth.....	5	5																
	Other causes peculiar to early infancy ²	11	11																
153	Lack of care.....																		
XII.—Old age.....																			
154	Senility.....	57												3	26	23	5		
XIII.—External causes.....																			
155	Suicide (total).....	24	6	1	4	1	4	4	14	38	20	20	13	13	11	8	1		1
	By poison.....	9								1	7	4	4	2	6				
156	By asphyxia.....									1	5	2			1				
157	By hanging or strangulation.....	2													2				
158	By drowning.....																		
159	By firearms.....	7								2	1	3							
160	By cutting or piercing instruments.....	2													1				
161	By jumping from high places.....														1				
162	By crushing.....																		
163	Other suicides.....	4									1	1	1	1					
Accidental or undefined (total).....																			
164	Poisoning by food.....	2	6	1	4	1	4	4	11	27	16	16	10	7	11	8	1		1
165	Other acute poisonings.....	9	1		3				1					1					
166	Conflagration.....	1								1									
167	Burns (conflagration excepted).....	15	1		1		4	2		2			1		1	3			
168	Absorption of deleterious gases (conflagration excepted).....	1	1																
169	Accidental drowning.....	6							1	3		1		1					
170	Traumatism by firearms.....	19							1	8	3	2	3	2					
171	Traumatism by cutting or piercing instruments.....																		
172	Traumatism by fall.....	14				1			1	1	2	1		1	3	4			

¹ Including only municipalities having a population of 1,000 or over in 1900.

² Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NORTH CAROLINA¹ (WHITE)—Continued.																			
	XIII.—External causes—Contd.																		
173	Accidental or undefined—Continued.																		
	Traumatism in mines and quarries (total).....																		
	Traumatism in mines.....																		
174	Traumatism by machines.....	2								1	1								
175	Traumatism by other crushing (total).....	22						2	6	7	3	2	1				1		
	Railroad accidents and injuries.....	19						1	6	7	2	2					1		
	Street-car accidents and injuries.....	1									1								
	Automobile accidents and injuries.....																		
	Injuries by other vehicles.....	1											1						
	Landslide, other crushing.....	1						1											
176	Injuries by animals.....	1						1											
177	Starvation.....																		
178	Excessive cold.....																		
179	Effects of heat.....																		
180	Lightning.....	2						2											
181	Electricity (lightning excepted).....	3								2									
185	Fractures (cause not specified).....	14								3	2	1	1	1	5	1	1		
186	Other external violence.....	17	3					3		2		5	3						
	Homicide (total).....	7						2	4	3			1						
182	By firearms.....	4							3				1						
183	By cutting or piercing instruments.....																		
184	By other means.....	3						2	1										
	XIV.—Ill-defined diseases.....	151	73	10	2	2	2	1	4	5	7	12	19	7	5	1	1		
187	Ill-defined organic disease.....	4						1				1	1		1				
188	Sudden death.....	12	5						1				2		1	1			
189	Not specified or ill-defined (total).....	135	68	10	2	2	2		3	5	6	10	17	6	3	1			
	Ill-defined.....	108	47	9	2	2	1		3	5	5	10	15	5	3	1			
	Not specified or unknown.....	27	21	1			1				1		2	1					

NORTH CAROLINA¹ (COLORED).

	All causes.....	3,024	626	224	90	37	27	69	221	442	307	250	241	217	142	85	26	11	9
	I.—General diseases.....	1,038	90	71	38	19	15	30	130	251	134	100	76	51	22	6	3		2
1	Typhoid fever.....	81		6	4	2	3	3	24	24	8	3	1	1	2				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	68	5	10	5	6	1	8	8	4	4	2	9	5	1				
5	Smallpox.....	2																	
6	Measles.....	23	5	5	4	4	2		1	1	1								
7	Scarlet fever.....	1		1															
8	Whooping cough.....	28	14	8	3	1	2												
9	Diphtheria and croup.....	19	7	2	5		1	2	2										
10	Influenza.....	49	4	5		1			1	7	5	7	3	8	4	1	2		1
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....																		
14	Dysentery.....	49	15	13	2		1			4	1	6		4	2	1			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	2								1		1							
19	Other epidemic diseases.....	3	2					1											
20	Purulent infection and septicemia.....	8							1	3		3			1				
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	36	18		1			2	5	1	1	3	1	4					
25	Mycoses.....																		
26	Pellagra.....	30						1	4	6	8	5	3	2	1				
27	Beriberi.....																		
	Tuberculosis (total).....	521	6	15	12	4	4	11	78	190	99	51	33	15	1	2			
28	Tuberculosis of the lungs.....	460	6	9	10	3	2	8	70	165	93	46	31	13	1	2			
29	Acute miliary tuberculosis.....	18		1					3	11	2	1							
30	Tuberculous meningitis.....	6			2			1		2	1								
31	Abdominal tuberculosis.....	21		1					3	7	1	3	2	2					
32	Pott's disease.....	4		2					1	1									
33	White swellings.....	1		1															
34	Tuberculosis of other organs.....	8		1		1		2		2	1	1							
35	Disseminated tuberculosis.....	3							1	1	1								
36	Ricketts.....	7	3	3	1														
37	Syphilis.....	23	5	1		1		1	1	5	1	4	2	1	1				
38	Gonococcus infection.....	1							1										

¹ Including only municipalities having a population of 1,000 or over in 1900.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
NORTH CAROLINA¹ (COLORED)—Continued.																		
I.—General diseases—Contd.																		
	Cancer and other malignant tumors (total)	46							1	2	5	10	17	7	2	1		1
39	Of the buccal cavity																	
40	Of the stomach, liver	12									2	1	5	3		1		
41	Of the peritoneum, intestines, rectum	1																
42	Of the female genital organs	14									2	1	5	4	1			1
43	Of the breast	7											2	2				
44	Of the skin														1			
45	Of other organs or of organs not specified	12							1		2	2	5	2				
46	Other tumors (tumors of the female genital organs excepted)	6						1				2	2	1				
47	Acute articular rheumatism	11	2					1		1	1	1	1	2	2		1	
48	Chronic rheumatism and gout	2		1														
49	Scurvy																	
50	Diabetes	8							1			1	2		3	1		
51	Exophthalmic goiter	1												1				
52	Addison's disease																	
53	Leukemia	1												1				
54	Anemia, chlorosis	9	2	1	1		1			2		1			1			
55	Other general diseases	2							1	1								
56	Alcoholism (acute or chronic)	1											1					
57	Chronic lead poisoning																	
58	Other chronic occupation poisonings																	
59	Other chronic poisonings																	
II.—Diseases of the nervous system and of the organs of special sense																		
		217	27	7	6	4	1	3	4	11	18	22	29	34	32	14	1	3
60	Encephalitis	1			1													
61	Meningitis (total)	28	8	5	4	3	1	2	1	2	2							
	Simple meningitis	22	5	5	2	2	1	2	1	2								
	Cerebrospinal meningitis (undefined)	4	2	5	1	1												
	Cerebrospinal fever	2	1		1													
62	Locomotor ataxia	1										1						
63	Other diseases of the spinal cord (total)	4	1	1									1	1				
	Acute anterior poliomyelitis	1		1														
	Other diseases of the spinal cord ²	3	1										1	1				
64	Cerebral hemorrhage, apoplexy	81			1			1	1	4	8	8	17	18	17	4	1	1
65	Softening of the brain	2												1				1
66	Paralysis without specified cause	59	2						1		6	8	11	10	12	8	1	
67	General paralysis of the insane	1												1				
68	Other forms of mental alienation	1										1						
69	Epilepsy	8							1	3	1	1		2				
70	Convulsions (nonpuerperal)																	
71	Convulsions of infants	17	15	1		1												
72	Chorea																	
73	Neuralgia and neuritis	3												1	2			
74	Other diseases of the nervous system	10	1							2	1	2			1	2		1
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	1										1						
III.—Diseases of the circulatory system																		
		255	3	2	1			2	9	20	33	40	42	50	34	13	4	2
77	Pericarditis	4								1			1		2			
78	Acute endocarditis	5						1	1				1					
79	Organic diseases of the heart	218	1	2				7	17	28	35	35	46	31	11	3	2	
80	Angina pectoris	4								1			2	1				
81	Diseases of the arteries, atheroma, aneurism, etc.	13								3	2	1	3	1	2	1		
82	Embolism and thrombosis	5	1						1	1		2						
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																	
84	Diseases of the lymphatic system (lymphangitis, etc.)	1						1										
85	Hemorrhage; other diseases of the circulatory system	5	1		1					1	1		1					
IV.—Diseases of the respiratory system																		
		378	101	38	20	2	2	11	29	56	28	19	28	19	9	11	4	1
86	Diseases of the nasal fossae	4	1	1		1				1								
87	Diseases of the larynx	2										1		1				
88	Diseases of the thyroid body																	
89	Acute bronchitis	25	13	4	5					1	1		1					
90	Chronic bronchitis	19	1		1			1	5	3	2	1	1	2	2			
91	Bronchopneumonia	32	13	11	4				2				1				1	
92	Pneumonia (total)	265	67	22	8	1	2	10	21	47	23	11	19	14	6	11	2	1
	Lobar pneumonia	27	3	2	1			1		7	6	1	3		2	1	1	
	Pneumonia (undefined)	238	64	20	7	1	2	9	21	40	17	10	16	14	6	9	1	1
93	Pleurisy	3							1	2								
94	Pulmonary congestion, pulmonary apoplexy	12	5		1					1	1	2	1				1	
95	Gangrene of the lung	2			1									1				
96	Asthma	9			1					1		3	3	1	1			
97	Pulmonary emphysema																	
98	Other diseases of the respiratory system (tuberculosis excepted)	5	1								1	1	2					

¹ Including only municipalities having a population of 1,000 or over in 1900.

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
NORTH CAROLINA ¹ (COLORED)—Continued.																			
	V.—Diseases of the digestive system.....	365	166	65	12	6	4	6	11	16	17	23	16	9	8	4	1	1	
99	Diseases of the mouth and annexa.....	3	3																
100	Diseases of the pharynx.....	2				1			1										
101	Diseases of the esophagus.....																		
102	Ulcer of the stomach.....	2											1	1					
103	Other diseases of the stomach (cancer excepted).....	51	15	8		1		1		2	1	11	7	2	3				
104	Diarrhea and enteritis (under 2 years).....	196	141	55															
105	Diarrhea and enteritis (2 years and over).....	38	1		11	3	3	4	2	1	1	2	3	3	2	3			
106	Ankylostomiasis.....	1	1																
107	Intestinal parasites.....	2				2													
108	Appendicitis and typhlitis.....	7								1	2	3	1						
109	Hernia, intestinal obstruction (total).....	13	2					1	5		2	1		1	1				
	Hernia.....	5	1						1		1			1	1				
	Intestinal obstruction.....	8	1					1	4		2								
110	Other diseases of the intestines.....	11	3	2					1		2		2				1		
111	Acute yellow atrophy of the liver.....	1									1								
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	9									2	2		1	2	1			
114	Biliary calculi.....	1									1								
115	Other diseases of the liver.....	8							1	2	2	2	1						
116	Diseases of the spleen.....																		
117	Simple peritonitis (nonpuerperal).....	18			1				1	10	3	1	1	1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	2	1								1								
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	169	2	9	2	2	4	5	6	12	22	18	28	30	14	9	2	3	1
119	Acute nephritis.....	16	1	1	1		1	1	3	3	3	1							
120	Bright's disease.....	118		5	1	2	3	2	2	5	14	15	22	25	12	5	1	3	1
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	10	1	3				2					3	1					
123	Calculi of the urinary passages.....	1												1					
124	Diseases of the bladder.....	5									1		1		1	1	1		
125	Diseases of the urethra, urinary abscess, etc.....	3									1		1	1					
126	Diseases of the prostate.....	4										1	1	2		2			
127	Nonvenereal diseases of the male genital organs.....																		
128	Uterine hemorrhage (nonpuerperal).....	3							1	1			1						
129	Uterine tumor (noncancerous).....	6								2	2	1		1					
130	Other diseases of the uterus.....	1								1									
131	Cysts and other tumors of the ovary.....																		
132	Salpingitis and other diseases of the female genital organs.....	2								1		1							
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	54							13	28	11	2							
134	Accidents of pregnancy.....	2								2									
135	Puerperal hemorrhage.....	7							1	3	2	1							
136	Other accidents of labor.....	9							2	5	2								
137	Puerperal septicemia.....	19							4	11	4								
138	Puerperal albuminuria and convulsions.....	15							6	5	3	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	1								1									
140	Following childbirth (not otherwise defined).....	1								1									
141	Puerperal diseases of the breast.....										1								
	VIII.—Diseases of the skin and of the cellular tissue.....	13								1	3	2		2	1	2	1	1	
142	Gangrene.....	10								1	1	1		2	1	2	1	1	
143	Furuncle.....																		
144	Acute abscess.....	3									2	1							
145	Other diseases of the skin and annexa.....																		
	IX.—Diseases of the bones and of the organs of locomotion.....	4	1							1	2								
146	Diseases of the bones (tuberculosis excepted).....	3									1	2							
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	1																
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
	X.—Malformations.....	2	2																
150	Congenital malformations (stillbirths not included) (total).....	2	2																
	Hydrocephalus.....																		
	Congenital malformations of the heart.....																		
	Other congenital malformations.....	2	2																

¹ Including only municipalities having a population of 1,000 or over in 1900.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
NORTH CAROLINA ¹ (COLORED)—Continued.																		
	XI.—Early infancy.....	108	107	1														
151	Congenital debility, icterus, and sclerema (total).....	93	92	1														
	Premature birth.....	41	41															
	Congenital debility, "atrophy," "marasmus," etc.....	52	51	1														
152	Other causes peculiar to early infancy (total).....	15	15															
	Injuries at birth.....	3	3															
	Other causes peculiar to early infancy ²	12	12															
153	Lack of care.....																	
	XII.—Old age.....	42											3	12	17	7	3	
154	Senility.....	42											3	12	17	7	3	
	XIII.—External causes.....	138	12	1	6	2	1	9	15	33	27	15	6	6	1	3	1	
	Suicide (total).....	2									1			1				
155	By poison.....																	
156	By asphyxia.....													1				
157	By hanging or strangulation.....	1																
158	By drowning.....																	
159	By firearms.....	1									1							
160	By cutting or piercing instruments.....																	
161	By jumping from high places.....																	
162	By crushing.....																	
163	Other suicides.....																	
	Accidental or undefined (total).....	119	12	1	6	2	1	9	13	23	23	13	6	5	1	3	1	
164	Poisoning by food.....																	
165	Other acute poisonings.....	3			1									1				
166	Conflagration.....																	
167	Burns (conflagration excepted).....	26	1	1	3	2		6	4		1	3	1	2		2		
168	Absorption of deleterious gases (conflagration excepted).....																	
169	Accidental drowning.....	10	1					2	1	5	1							
170	Traumatism by firearms.....	12							3	5	3	1						
171	Traumatism by cutting or piercing instruments.....																	
172	Traumatism by fall.....	5						1			1			1		1		
173	Traumatism in mines and quarries (total).....																	
	Traumatism in mines.....																	
	Traumatism in quarries.....																	
174	Traumatism by machines.....																	
175	Traumatism by other crushing (total).....	26							4	6	8	6	1			1		
	Railroad accidents and injuries.....	14							4	2	5	2				1		
	Street-car accidents and injuries.....	1								1								
	Automobile accidents and injuries.....	1								1								
	Injuries by other vehicles.....	2										2						
	Landslide, other crushing.....	8							2	3	2	1						
176	Injuries by animals.....																	
177	Starvation.....																	
178	Excessive cold.....																	
179	Effects of heat.....																	
180	Lightning.....																	
181	Electricity (lightning excepted).....																	
185	Fractures (cause not specified).....	6								3	1	1	1					
186	Other external violence.....	31	10		2		1	1	7	6	1	2	1					
	Homicide (total).....	17						2	10	3	2							
182	By firearms.....	12						2	6	3	1							
183	By cutting or piercing instruments.....	3							3									
184	By other means.....	2							1		1							
	XIV.—Ill-defined diseases.....	241	115	30	5	2		3	3	12	14	9	16	13	9	6	2	1
187	Ill-defined organic disease.....	20		1						3	2	2	2	3	5	1		1
188	Sudden death.....	15	5						1	2	1	1	3		1			
189	Not specified or ill-defined (total).....	206	110	29	5	2		3	3	8	10	6	13	7	4	4	2	
	Ill-defined.....	115	54	19	3			1	1	5	8	4	7	7	4	2		
	Not specified or unknown.....	91	56	10	2			2	2	3	2	2	6		2	2		

¹ Including only municipalities having a population of 1,000 or over in 1900.

² Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
OHIO—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																
69	Epilepsy.....	236	4	1	1		2	5	34	43	52	22	29	26	15	2	
70	Convulsions (nonpuerperal).....	7								2	2						1
71	Convulsions of infants.....	258	236	13	6	1	2										
72	Chorea.....	11					1	1	6		2			1			
73	Neuralgia and neuritis.....	23						1	1	3	1	2	2	4	3	5	1
74	Other diseases of the nervous system.....	177	9	4		2		3	16	11	22	22	28	23	27	9	1
75	Diseases of the eyes and their annexa.....	4								1	1			1			
76	Diseases of the ears.....	107	22	7	3	4	4	11	15	8	7	9	6	7	2	2	
	III.—Diseases of the circulatory system.....	8,805	125	8	12	5	6	50	178	237	417	707	1,087	1,982	2,536	1,290	150
77	Pericarditis.....	58	2				1	2	3	2	7	9	9	7	5	9	2
78	Acute endocarditis.....	361	10	3	2			10	25	32	47	74	82	36	25	12	1
79	Organic diseases of the heart.....	6,761	84	5	9	3	4	37	139	169	310	537	843	1,590	1,998	931	91
80	Angina pectoris.....	391	1						2	12	17	39	60	119	115	22	2
81	Diseases of the arteries, atheroma, aneurism, etc.....	1,008	1						1	5	13	30	61	193	355	296	51
82	Embolism and thrombosis.....	148	6					1	5	13	18	15	22	27	26	13	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	29								1	2	2	5	7	6	5	1
84	Diseases of the lymphatic system (lymphangitis, etc.).....	20	7				1		3	1		1	3	1	2	1	
85	Hemorrhage; other diseases of the circulatory system.....	29	14		1					2	3		2	2	4	1	
	IV.—Diseases of the respiratory system.....	7,056	1,756	477	219	86	59	127	129	282	313	389	495	790	1,080	731	117
86	Diseases of the nasal fossae.....	13	4		1			1	1	1	1					3	1
87	Diseases of the larynx.....	66	18	8	6	3	4	9	3	3	2	4		4	1		
88	Diseases of the thyroid body.....	28	4					1	3	4	4	2	2	4	3		1
89	Acute bronchitis.....	542	286	55	17	7	4	8	3	6	4	7	7	27	44	48	18
90	Chronic bronchitis.....	494	2	3	1			3	2	5	7	12	25	99	159	151	25
91	Bronchopneumonia.....	1,680	674	218	97	34	17	22	16	24	23	34	59	107	193	143	18
*92	Pneumonia (total).....	3,701	703	185	94	30	30	78	97	211	240	287	351	476	551	314	41
	Lobar pneumonia.....	1,658	222	55	36	18	11	34	52	128	169	177	203	229	223	85	13
	Pneumonia (undefined).....	2,043	481	130	58	21	19	44	45	83	71	110	148	247	328	229	28
93	Pleurisy.....	147	4	4	1	2	3	4	1	12	16	19	18	16	51	12	4
94	Pulmonary congestion, pulmonary apoplexy.....	143	46	2	1		1	1	2	2	2	7	10	32	30	6	
95	Gangrene of the lung.....	11							1	2	2	2	3		1		
96	Asthma.....	133	2	1		1			2	6	9	14	31	44	21	2	
97	Pulmonary emphysema.....	22	4						2	1	1	2	4	6	2		
98	Other diseases of the respiratory system (tuberculosis excepted).....	76	9	1	1				2	9	5	10	8	9	16	5	1
	V.—Diseases of the digestive system.....	8,280	3,577	921	173	77	32	107	187	245	331	425	520	628	657	361	37
99	Diseases of the mouth and annexa.....	43	30	2	2			2		1		2	1	2	1		
100	Diseases of the pharynx.....	69	10	1	2	4	2	6	12	8	2	3	6	4	5	4	
101	Diseases of the esophagus.....	12							1	1	1		1	4	3	2	
102	Ulcer of the stomach.....	179	2		1			2	6	12	16	34	37	35	27	6	1
103	Other diseases of the stomach (cancer excepted).....	673	220	18	11	8	2	2	8	16	20	30	40	86	109	91	11
104	Diarrhea and enteritis (under 2 years).....	4,037	3,167	870													
105	Diarrhea and enteritis (2 years and over).....	722			146	48	15	30	11	24	20	35	43	81	140	115	13
106	Ankylostomiasis.....																
107	Intestinal parasites.....	2						2									
108	Appendicitis and typhlitis.....	453	4		1	5	7	37	100	88	69	62	34	26	17	3	
109	Hernia, intestinal obstruction (total).....	555	76	13	2	6	4	8	11	19	45	62	63	86	112	43	5
	Hernia.....	180	16					1	1	5	6	16	32	37	47	16	3
	Intestinal obstruction.....	375	60	13	2	6	4	7	10	14	39	46	31	49	65	27	2
110	Other diseases of the intestines.....	140	34	2	2	1		3	4	9	16	5	11	14	22	15	2
111	Acute yellow atrophy of the liver.....	18	1						2	5	2	1		3	3	1	
112	Hydatid tumor of the liver.....	2												1			
113	Cirrhosis of the liver.....	667	1	1		1			5	9	62	120	175	158	107	26	2
114	Biliary calculi.....	174								8	25	44	48	48	35	14	
115	Other diseases of the liver.....	295	16	6	4	1	1	5	6	14	28	29	42	57	53	31	2
116	Diseases of the spleen.....	6	1								2		1		1		
117	Simple peritonitis (nonpuerperal).....	211	15	7	2	3	1	10	21	36	36	16	16	21	20	7	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	22		1						5	2	3	5	3	1	2	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	4,556	74	20	12	11	10	33	78	190	322	455	696	1,005	1,055	537	54
119	Acute nephritis.....	421	23	13	5	6	7	17	21	33	44	52	65	57	47	25	5
120	Bright's disease.....	3,307	38	6	6	5	3	15	41	80	186	311	545	818	816	398	36
121	Chyluria.....																
122	Other diseases of the kidneys and annexa.....	105	11	1	1					13	4	9	15	11	24	16	1
123	Calculi of the urinary passages.....	29								2	1	5	5	6	9	1	
124	Diseases of the bladder.....	141	1							2	6	7	10	31	42	36	6
125	Diseases of the urethra, urinary abscess, etc.....	14									1	5	3	1	1	1	
126	Diseases of the prostate.....	236								2	4	12	55	102	56	7	
127	Nonvenereal diseases of the male genital organs.....	5	1														
128	Uterine hemorrhage (nonpuerperal).....	8								1	1	5	1				

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Inf. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
OHIO—Continued.																			
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
129	Uterine tumor (noncancerous).....	82																	
130	Other diseases of the uterus.....	50						1	2	13	11	6	10	4	1	2			
131	Cysts and other tumors of the ovary.....	51						1	4	10	12	7	11	6					
132	Salpingitis and other diseases of the female genital organs.....	105							13	36	44	7	3		1	1			
133	Nonpuerperal diseases of the breast (cancer excepted).....	2											1		1				
VII.—The puerperal state.....																			
		727							53	326	282	65	1						
134	Accidents of pregnancy.....	78							2	35	34	6	1						
135	Puerperal hemorrhage.....	55							1	17	33	4							
136	Other accidents of labor.....	50							3	19	22	6							
137	Puerperal septicemia.....	382							33	182	137	30							
138	Puerperal albuminuria and convulsions.....	139								13	60	48	18						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	16							1	11	3	1							
140	Following childbirth (not otherwise defined).....	5									1	4							
141	Puerperal diseases of the breast.....	2									1	1							
VIII.—Diseases of the skin and of the cellular tissue.....																			
		256	41	1			2	3	5	7	9	10	21	28	68	51	10		
142	Gangrene.....	160	2	1			1	2	1	2	3	3	12	19	60	44	10		
143	Furuncle.....	23	7							3	2	1	3	6	1	1			
144	Acute abscess.....	22	7				1			4	3	1	2	2	1	1			
145	Other diseases of the skin and annexa.....	51	25					1	1	1	1	5	4	1	7	5			
IX.—Diseases of the bones and of the organs of locomotion.....																			
		104	2	4	3	2	2	11	22	7	8	8	11	10	10	4			
146	Diseases of the bones (tuberculosis excepted).....	97	2	4	3	2	2	11	22	6	7	8	10	9	8	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	4								1	1				2				
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....	3											1	1		1			
X.—Malformations.....																			
		745	719	8	4	2	3	6	2										
150	Congenital malformations (stillbirths not included) (total).....	745	719	8	4	2	3	6	2								1		
	Hydrocephalus.....	37	32	2	1		1	1	1										
	Congenital malformations of the heart.....	473	458	5	2	2	1	3	1								1		
	Other congenital malformations.....	235	229	1	1		2	2	1										
XI.—Early infancy.....																			
		2,964	2,963					1											
151	Congenital debility, icterus, and sclerema (total).....	2,406	2,405					1											
	Premature birth.....	1,763	1,763																
	Congenital debility, "atrophy," "marasmus," etc.....	643	642					1											
152	Other causes peculiar to early infancy (total).....	547	547																
	Injuries at birth.....	298	298																
	Other causes peculiar to early infancy ¹	249	249																
153	Lack of care.....	11	11																
XII.—Old age.....																			
		831												22	184	468	145		
154	Senility.....	831												22	184	468	145		
XIII.—External causes.....																			
		4,934	130	105	96	55	53	181	389	886	766	653	518	404	368	240	65		
Suicide (total).....																			
		679							36	142	136	135	124	67	31	6	2		
155	By poison.....	232							18	63	48	49	25	18	8	3			
156	By asphyxia.....	12							1	5	3	2		1					
157	By hanging or strangulation.....	111							2	13	15	21	28	20	9	3			
158	By drowning.....	51								9	7	12	11	7	4	1			
159	By firearms.....	232							15	45	54	47	47	18	6				
160	By cutting or piercing instruments.....	28								2	7	2	9	3		1			
161	By jumping from high places.....	2								1	1								
162	By crushing.....	6								3	3	1	2						
163	Other suicides.....	5								1	1	1	2						
Accidental or undefined (total).....																			
		4,043	121	103	96	53	53	180	343	664	575	485	379	333	386	234	63		
164	Poisoning by food.....	17	2	1	2			4	2	1	3	1		1					
165	Other acute poisonings.....	130	15	20	11	4	3	4	8	12	17	14	9	8	5				
166	Conflagration.....	49	1	3	3	2	2	1	1	5	5	5	7	7	5	3			
167	Burns (conflagration excepted).....	362	12	45	41	25	27	38	23	33	30	24	11	18	22	12	1		
168	Absorption of deleterious gases (conflagration excepted).....	70	1	1			2	2	5	18	9	9	9	10	4				
169	Accidental drowning.....	279		5	11	5	1	38	67	62	29	24	20	9	2	1			
170	Traumatism by firearms.....	98	1	1			3	6	43	19	9	7	4	4	1				
171	Traumatism by cutting or piercing instruments.....	6																	
172	Traumatism by fall.....	784	12	12	10	6	1	14	25	48	1	3	1	74	170	162	50		

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
OHIO—Continued.																			
	XIII.—External causes—Contd.																		
173	Accidental or undefined—Continued.																		
	Traumatism in mines and quarries (total).....	162							15	55	30	35	20	3	1	1	1	1	
	Traumatism in mines.....	156							14	54	30	32	20	3	1	1	1	1	
	Traumatism in quarries.....	6							1	1	1	3	3	3	3	3	3	3	
174	Traumatism by machines.....	113							9	33	28	24	12	5	2				
175	Traumatism by other crushing (total).....	1,402	5	4	8	5	8	55	106	303	280	220	161	143	71	16	2	15	
	Railroad accidents and injuries.....	956	2	1	1	1	1	17	69	243	218	148	82	41	12	2		13	
	Street-car accidents and injuries.....	201	1	1	5	3	4	10	16	34	29	30	22	30	14	2			
	Automobile accidents and injuries.....	76	2			1	1	16	11	6	8	12	6	10	2			1	
	Injuries by other vehicles.....	133	2	1	2	1	1	12	6	13	18	25	19	18	13	2			
	Landslide, other crushing.....	36							4	7	7	5	8	3	1			1	
176	Injuries by animals.....	42		1		3	1	1	4	6	3	6	8	3	4	2			
177	Starvation.....	2	1											1					
178	Excessive cold.....	9											1	3	3	2			
179	Effects of heat.....	62	7	1				1	2	5	4	5	7	8	11	8	3		
180	Lightning.....	11						1	3	1	1	3	1	1					
181	Electricity (lightning excepted).....	32		1				1	6	9	5	8	2						
185	Fractures (cause not specified).....	90							1	9	9	4	8	11	17	24	7		
186	Other external violence.....	323	64	8	10	3	5	13	24	45	43	35	26	24	18	3		2	
	Homicide (total).....	212	9	2		2		1	10	80	55	33	15	4	1				
182	By firearms.....	128		1					7	56	35	20	6	2					
183	By cutting or piercing instruments.....	27								12	11	2	2						
184	By other means.....	57	9	1		2		1	3	12	9	11	7	2					
	XIV.—Ill-defined diseases.....	560	253	30	2		2	4	6	18	19	24	32	49	54	55	7	2	3
187	Ill-defined organic disease.....	30	1								1	6	2	9	6	5			
188	Sudden death.....	20	5										1	5	6	2			
189	Not specified or ill-defined (total).....	510	247	30	2		2	4	6	18	18	18	29	35	42	48	6	2	
	Ill-defined.....	343	166	22	2		1	4	1	2	9	10	14	26	37	42	5	1	
	Not specified or unknown.....	167	81	8			1		5	16	9	8	15	9	5	6	1	1	

PENNSYLVANIA.

	All causes.....	119,815	28,377	6,639	2,758	1,570	1,151	2,975	4,371	8,635	9,112	9,524	10,802	13,281	13,043	6,585	932	36	24
	I.—General diseases.....	28,721	2,288	1,633	1,099	739	592	1,514	1,863	3,676	3,453	3,106	3,129	2,838	2,042	663	77	2	7
1	Typhoid fever.....	1,892	3	10	22	13	29	111	376	577	324	191	146	54	27	7			2
2	Typhus fever.....																		
3	Relapsing fever.....	1						1											
4	Malaria.....	50	2	1	1			4	3	8	7	3	8	6	6	1			
5	Smallpox.....	8	1	1	1			1			2	1							
6	Measles.....	1,237	306	404	201	105	67	98	30	10	10	3		1	2				
7	Scarlet fever.....	1,094	64	126	180	150	137	308	91	27	9	1	1						
8	Whooping cough.....	1,114	581	285	109	59	34	41	2	1		1					1		
9	Diphtheria and croup.....	2,235	178	379	361	299	226	556	158	41	11	7	11	3	3	1			1
10	Influenza.....	1,197	93	39	15	10	4	20	42	51	51	77	106	210	293	156	29	1	
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	120	14	4	3	1	2	3	1	5	1	9	9	15	25	23	5		
14	Dysentery.....	416	103	57	20	7	6	6	1	6	10	10	13	40	72	53	11		1
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	338	131	6	4	1		1	6	14	22	29	39	42	30	13			
19	Other epidemic diseases.....	46	17	10	7				9	3									
20	Purulent infection and septicemia.....	268	46	15	4	1	2	17	20	22	25	32	37	25	13	8	1		
21	Glanders.....																		
22	Anthrax.....	7									2	1	2	1	1				
23	Rabies.....	16					2	6	1	1	3	2	1						
24	Tetanus.....	173	31		2	2	2	37	29	16	24	12	9	3	5	1			
25	Myososis.....	2								1		1							
26	Pellagra.....	3									2				1				
27	Beriberi.....																		
28	Tuberculosis (total).....	10,285	326	238	119	68	61	177	869	2,594	2,269	1,553	1,012	620	319	54	5		1
29	Tuberculosis of the lungs.....	8,775	138	87	47	18	20	69	701	2,364	2,103	1,417	914	567	280	46	4		
30	Acute miliary tuberculosis.....	223	10	5	3	4	4	8	40	60	37	28	18	6	4	1			
31	Tuberculous meningitis.....	481	122	87	38	32	25	56	44	45	14	12	5	1	1				
32	Abdominal tuberculosis.....	400	25	37	15	7	5	15	40	64	63	43	39	24	16	2			
33	Pott's disease.....	77	3	4	3	2	1	11	13	16	4	9	6	3	2				
34	White swellings.....	49	2	2	1	1	2	3	11	3	4	5	6	4	3	1			
35	Tuberculosis of other organs.....	159	17	11	7	3	2	7	10	19	23	18	18	9	11	3	1		
36	Disseminated tuberculosis.....	116	9	5	5	1	2	8	10	23	21	16	6	6	3	1			
37	Rickets.....	50	23	10	7	1		4	2			2		1					
38	Syphilis.....	373	225	13	5	1		2	3	26	31	29	22	11	4	1			
39	Gonococcus infection.....	34	23	1					4	3	2	1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
			PENNSYLVANIA—Continued.																
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total).....	5,100	6	6	10	4	1	11	32	88	330	787	1,275	1,315	947	264	21	1	2
39	Of the buccal cavity.....	207	1	1	1	1	1	1	1	2	6	23	47	56	41	25	4	1	1
40	Of the stomach, liver.....	2,098	2	2	1	1	2	2	6	20	95	251	539	624	449	104	1	1	2
41	Of the peritoneum, intestines, rectum.....	599	1	1	1	1	1	1	4	18	26	86	147	163	122	30	1	1	1
42	Of the female genital organs.....	768	1	1	1	1	1	1	2	11	94	208	223	144	73	11	1	1	1
43	Of the breast.....	513	1	1	1	1	1	1	3	46	108	132	107	87	26	3	1	1	1
44	Of the skin.....	176	1	1	1	1	1	1	3	3	20	23	52	40	27	7	1	1	1
45	Of other organs or of organs not specified.....	739	3	3	8	3	7	19	31	60	91	164	169	135	41	5	1	1	1
46	Other tumors (tumors of the female genital organs excepted).....	55	4	5	6	6	9	61	100	48	59	42	60	55	41	16	1	1	1
47	Acute articular rheumatism.....	514	5	5	6	6	9	61	100	48	59	42	60	55	41	16	1	1	1
48	Chronic rheumatism and gout.....	86	7	1	2	1	1	1	1	3	7	10	23	28	14	1	1	1	1
49	Scurvy.....	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
50	Diabetes.....	986	2	3	2	2	2	14	44	59	68	108	216	288	150	26	2	1	1
51	Exophthalmic goiter.....	83	1	1	1	1	1	1	7	12	25	19	10	5	4	1	1	1	1
52	Addison's disease.....	27	1	1	1	1	1	1	2	1	4	7	5	6	2	1	1	1	1
53	Leukemia.....	100	3	2	4	2	7	8	13	11	14	17	11	7	1	1	1	1	1
54	Anemia, chlorosis.....	283	35	6	2	1	3	4	11	18	29	37	46	52	28	11	1	1	1
55	Other general diseases.....	155	58	11	11	4	4	13	13	10	10	3	4	6	4	3	1	1	1
56	Alcoholism (acute or chronic).....	315	1	1	1	1	1	1	19	97	102	54	30	10	1	1	1	1	1
57	Chronic lead poisoning.....	22	1	1	1	1	1	1	1	1	6	5	1	1	1	1	1	1	1
58	Other chronic occupation poisonings.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
59	Other chronic poisonings.....	21	1	1	1	1	1	1	1	1	3	2	4	7	2	1	1	1	1
II.—Diseases of the nervous system and of the organs of special sense.....																			
		11,726	1,680	405	169	117	56	186	253	286	456	792	1,345	2,190	2,457	1,204	123	2	5
60	Encephalitis.....	125	29	6	3	4	1	5	12	14	13	12	9	7	8	1	1	1	1
61	Meningitis (total).....	884	300	136	75	56	18	79	57	50	29	33	26	14	6	4	1	1	1
	Simple meningitis.....	714	254	111	59	45	14	54	40	39	22	29	24	12	6	4	1	1	1
	Cerebrospinal meningitis (undefined).....	153	42	25	13	10	2	21	15	11	6	4	2	2	1	1	1	1	1
	Cerebrospinal fever.....	17	4	1	1	2	4	2	1	1	1	1	1	1	1	1	1	1	1
62	Locomotor ataxia.....	182	60	61	32	28	23	45	44	22	25	43	76	86	69	19	2	1	1
63	Other diseases of the spinal cord (total).....	635	60	61	32	28	23	45	44	22	25	43	76	86	69	19	2	1	1
	Acute anterior poliomyelitis.....	269	54	55	31	27	20	40	27	8	2	3	1	1	1	1	1	1	1
	Other diseases of the spinal cord.....	366	6	6	1	1	3	5	17	14	23	40	75	85	69	19	2	1	1
64	Cerebral hemorrhage, apoplexy.....	5,934	100	13	6	3	5	9	24	52	148	346	830	1,586	1,828	896	84	1	3
65	Softening of the brain.....	158	14	3	1	1	1	4	9	12	36	68	145	255	343	196	28	1	1
66	Paralysis without specified cause.....	1,117	14	3	1	1	1	4	9	12	36	68	145	255	343	196	28	1	1
67	General paralysis of the insane.....	288	2	2	2	2	2	2	2	7	63	86	54	34	33	7	2	1	1
68	Other forms of mental alienation.....	267	2	2	2	2	2	2	2	19	41	45	47	39	49	25	2	1	1
69	Epilepsy.....	325	14	5	2	1	1	11	48	63	45	54	34	30	14	4	1	1	1
70	Convulsions (nonpuerperal).....	38	1	1	1	1	1	1	16	7	4	5	4	1	1	1	1	1	1
71	Convulsions of infants.....	1,318	1,098	163	37	17	3	10	10	1	1	1	1	2	1	1	1	1	1
72	Chorea.....	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
73	Neuralgia and neuritis.....	37	1	1	1	1	1	1	1	2	5	8	6	11	1	2	1	1	1
74	Other diseases of the nervous system.....	248	18	3	5	3	1	4	19	22	27	29	41	31	30	13	2	1	1
75	Diseases of the eyes and their annexa.....	8	3	3	3	3	1	4	1	1	1	1	1	1	1	1	1	1	1
76	Diseases of the ears.....	144	42	15	8	3	4	12	18	16	4	9	6	6	1	1	1	1	1
III. Diseases of the circulatory system.....																			
		12,755	229	33	26	25	37	187	405	521	735	1,184	1,760	2,834	3,075	1,516	184	3	1
77	Pericarditis.....	97	3	2	2	1	1	6	9	11	11	17	19	9	8	1	1	1	1
78	Acute endocarditis.....	528	15	5	3	2	11	28	59	58	75	125	46	35	10	1	1	1	1
79	Organic diseases of the heart.....	9,903	161	22	18	21	21	151	327	407	582	950	1,373	2,266	2,401	1,081	118	3	1
80	Angina pectoris.....	574	1	1	1	1	1	4	16	26	52	105	192	127	49	2	1	1	1
81	Diseases of the arteries, atheroma, aneurism, etc.....	1,283	2	2	2	2	2	4	22	51	101	245	454	340	62	1	1	1	1
82	Embolism and thrombosis.....	238	3	3	3	3	4	4	24	25	32	33	53	37	20	1	1	1	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	41	1	1	1	1	1	1	1	2	9	7	3	8	7	4	1	1	1
84	Diseases of the lymphatic system (lymphangitis, etc.).....	42	21	5	1	2	1	1	1	1	3	2	1	1	1	1	1	1	1
85	Hemorrhage; other diseases of the circulatory system.....	49	24	1	1	1	1	3	3	3	1	4	4	3	1	1	1	1	1
IV. Diseases of the respiratory system.....																			
		16,605	4,743	1,716	669	313	194	340	352	640	926	1,085	1,329	1,664	1,631	856	144	3	1
86	Diseases of the nasal fossae.....	23	10	1	1	1	1	1	2	3	5	4	5	5	1	3	1	1	1
87	Diseases of the larynx.....	152	31	29	17	15	14	17	2	3	5	4	5	5	1	3	1	1	1
88	Diseases of the thyroid body.....	21	1	1	1	1	1	1	2	1	1	2	8	2	1	1	1	1	1
89	Acute bronchitis.....	1,345	778	179	69	28	15	18	4	6	4	11	19	48	67	85	14	1	1
90	Chronic bronchitis.....	734	35	13	8	3	2	7	9	8	22	24	69	143	225	132	34	1	1
91	Bronchopneumonia.....	4,455	1,915	792	272	133	61	99	51	46	90	96	152	254	290	177	27	1	1
92	Pneumonia (total).....	8,384	1,757	632	272	116	86	176	248	500	696	817	905	966	830	333	48	2	1
	Lobar pneumonia.....	3,571	365	186	89	43	31	63	121	305	444	493	502	480	334	99	11	1	1
	Pneumonia (undefined).....	4,813	1,392	446	183	73	55	113	127	195	252	319	403	486	496	234	37	2	1
93	Pleurisy.....	358	25	27	12	7	6	9	16	34	46	37	34	44	43	16	1	1	1
94	Pulmonary congestion, pulmonary apoplexy.....	522	167	32	13	9	7	8	9	16	21	18	36	47	65	61	13	1	1
95	Gangrene of the lung.....	25	3	3	3	3	2	2	2	3	3	3	6	7	2	1	1	1	1
96	Asthma.....	295	3	3	3	3	2	2	3	10	32	55	80	72	28	2	1	1	1
97	Pulmonary emphysema.....	36	3	2	2	2	2	2	1	2	7	5	7	5	4	1	1	1	1
98	Other diseases of the respiratory system (tuberculosis excepted).....	255	19	6	3	2	2	3	8	19	26	34	41	54	28	10	1	1	1

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
PENNSYLVANIA—Continued.																			
	XI.—Early infancy.....	6,127	6,125	1															
151	Congenital debility, icterus, and sclerema (total).....	5,197	5,195	1															
	Premature birth.....	3,020	3,020																
	Congenital debility, "atrophy," "marasmus," etc.....	2,177	2,175	1															
152	Other causes peculiar to early infancy (total).....	902	902																
	Injuries at birth.....	530	530																
	Other causes peculiar to early infancy ¹	372	372																
153	Lack of care.....	28	28																
	XII.—Old age.....	1,395											80	406	709	184	16		
154	Senility.....	1,395											80	406	709	184	16		
	XIII.—External causes.....	9,217	259	210	210	155	132	338	808	1,867	1,682	1,332	875	605	452	250	59	2	1
	Suicide (total).....	975							58	206	197	201	163	100	37	11	1		1
	By poison.....	316							27	94	59	52	48	25	9	1	1		
156	By asphyxia.....	89							2	10	23	25	15	10	4				
157	By hanging or strangulation.....	175							6	23	24	38	39	23	10	7			
158	By drowning.....	42							3	8	9	6	7	5	2	1			1
159	By firearms.....	274							19	60	65	61	36	24	8	1			
160	By cutting or piercing instruments.....	57							5	12	14	16	5	4	1				
161	By jumping from high places.....	13							3	4	4								
162	By crushing.....	1							1	2									
163	Other suicides.....	8							1	2	1	1	2	1					
	Accidental or undefined (total).....	7,880	240	208	209	154	130	336	734	1,551	1,355	1,068	686	499	411	239	58	2	
164	Poisoning by food.....	20	3	3	2	1	1	3	1	4	1								
165	Other acute poisonings.....	174	23	15	25	7	6	7	12	28	18	15	9	2	6	1			
166	Conflagration.....	125	7	5	7	4	3	8	12	18	21	15	12	7	3	3			
167	Burns (conflagration excepted).....	831	33	94	118	105	75	99	29	66	62	31	34	23	9	1			
168	Absorption of deleterious gases (conflagration excepted).....	145	2	1					4	11	23	24	23	15	11	2			
169	Accidental drowning.....	496	1	19	8	5	12	39	123	103	64	68	31	19	4				
170	Traumatism by firearms.....	133		1	1	1	3	9	53	32	15	10	5	2	1				
171	Traumatism by cutting or piercing instruments.....	12							2	3	1	1	2	2	1				
172	Traumatism by fall.....	1,373	27	24	20	6	5	33	50	105	129	140	167	183	246	183	53	2	
173	Traumatism in mines and quarries (total).....	1,284						1	124	454	359	229	84	25	6	2			
	Traumatism in mines.....	1,222						1	119	432	345	217	78	22	6	2			
	Traumatism in quarries.....	62							5	22	14	12	6	3					
174	Traumatism by machines.....	271		1			1	4	38	90	64	42	18	13					
175	Traumatism by other crushing (total).....	2,170	5	12	17	18	22	104	210	483	472	356	233	141	77	19	1		
	Railroad accidents and injuries.....	1,521	1	6	4	2	4	26	147	406	375	257	159	83	45	6			
	Street-car accidents and injuries.....	257	1	2	5	10	13	26	23	31	36	38	28	23	13	7	1		
	Automobile accidents and injuries.....	103			2			27	16	11	15	7	12	8	4	1			
	Injuries by other vehicles.....	256	3	4	6	6	5	24	20	19	34	42	29	25	15	4			
	Landslide, other crushing.....	53						1	4	16	12	12	5	2		1			
176	Injuries by animals.....	50			1	2		2	6	10	2	12	5	6	3	1			
177	Starvation.....	4																	
178	Excessive cold.....	28				1													
179	Effects of heat.....	190	70	10	1	1	1	3	1	13	9	21	13	17	14	15	1		
180	Lightning.....	17				1		1	3	4	3	3	1	1					
181	Electricity (lightning excepted).....	78						2	9	31	25	6	3	2					
185	Fractures (cause not specified).....	21			1			1	2	2	3	4	4	2	1		1		
186	Other external violence.....	458	69	23	8	2		16	48	78	76	64	37	23	13		1		
	Homicide (total).....	362	19	2	1	1	2	2	16	110	110	63	26	6	4				
182	By firearms.....	196	1	1			1		8	66	73	31	12	2	1				
183	By cutting or piercing instruments.....	49							4	17	12	12	3						
184	By other means.....	117	18	1	1	1	1	2	4	27	25	20	11	4	2				
	XIV.—Ill-defined diseases.....	2,696	1,515	255	29	14	7	17	9	30	48	61	110	181	210	168	36	2	4
187	Ill-defined organic disease.....	141	1			1			1	3	5	5	19	23	45	29	3	1	
188	Sudden death.....	77	35	3	1					5	7	9	6	4	4	2			
189	Not specified or ill-defined (total).....	2,478	1,479	252	28	13	7	17	8	26	38	49	82	147	161	135	31	1	4
	Ill-defined.....	2,265	1,339	245	28	13	7	15	8	21	30	40	70	134	155	130	29	1	
	Not specified or unknown.....	213	140	7				2		5	8	9	12	6	5				4

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

437

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.	
			Under 1 year	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99		100 or over.
RHODE ISLAND.																			
	All causes.....	9,305	2,129	454	180	102	74	180	323	551	675	826	978	1,183	1,077	484	78	5	6
	I.—General diseases.....	2,394	225	149	77	53	42	71	138	281	298	289	289	257	166	51	4		4
1	Typhoid fever.....	74	1	1				7	14	22	9	9	7	3	1				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	5		1	1					1			2						
5	Smallpox.....																		
6	Measles.....	178	66	58	27	8	7	9	1		1		1						
7	Scarlet fever.....	22	2	3	5	2	4	2	2	1	1								
8	Whooping cough.....	51	34	13	2	1			1										
9	Diphtheria and croup.....	134	12	25	23	15	19	29	7	2	2	2							
10	Influenza.....	99	11	2		2		1	1	6	2	7	10	17	23	16	1		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	8		1			1				1		1	1	3				
14	Dysentery.....	35	5	1		2					3	3	5	6	5	5			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	18	2						3	4	1		2	3	3				
19	Other epidemic diseases.....	5	2	1		1		1											
20	Purulent infection and septicemia.....	14	3	1		1		1		1	1		2	4					
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	6						1	1	2	1	1							
25	Mycoses.....																		
26	Pollagra.....	3								1		1							
27	Berberi.....																		
	Tuberculosis (total).....	993	50	31	17	16	10	13	91	217	221	155	88	59	19	3			3
	Tuberculosis of the lungs.....	838	17	7	5	3	4	6	77	201	209	150	82	54	18	3			2
	Acute miliary tuberculosis.....	17	1			1			2	5	2	3	2	1					
	Tuberculous meningitis.....	86	25	13	9	12	5	5	6	3	2		1						
	Abdominal tuberculosis.....	34	3	5	3		1		1	6	6	2	3	3	1				
	Pott's disease.....	7		1				2	3		1								1
	White swellings.....	4	1						1			1							
	Tuberculosis of other organs.....	3	2						1										
	Disseminated tuberculosis.....	4	1						2		1								
36	Rickets.....	10	2	6		1									1				
37	Syphilis.....	40	21	2	1					3	6	3	3	1					
38	Gonococcus infection.....	3	3																
	Cancer and other malignant tumors (total).....	474		1			1	1	2	7	33	79	120	120	87	20	3		
	Of the buccal cavity.....	27									1	4	7	9	4	1			
	Of the stomach, liver.....	157							1		8	19	41	50	32	5	1		
	Of the peritoneum, intestines, rectum.....	76							1		2	13	19	17	19	4			
	Of the female genital organs.....	77								2	10	23	17	17	6	2			
	Of the breast.....	47								2	3	11	12	7	12	2			
	Of the skin.....	20									2		5	6	3	4			
	Of other organs or of organs not specified.....	70		1			1		1	4	7	9	19	14	11	2	1		
	Other tumors (tumors of the female genital organs excepted).....	5										1	3		1				
47	Acute articular rheumatism.....	25	1		1	1		2	4	4	1	2	4	1	2	2			
48	Chronic rheumatism and gout.....	6											3	1	2				
49	Scurvy.....																		
50	Diabetes.....	105	1	1		1		1	7	2	6	10	25	33	14	4			
51	Exophthalmic goiter.....	3								2		1							
52	Addison's disease.....	1																	
53	Leukemia.....	10	1	1				2	2	1	1		1	1					
54	Anemia, chlorosis.....	21	1	1					2	3		4	1	6	3				
55	Other general diseases.....	14	7			1		1				1	2			1			1
56	Alcoholism (acute or chronic).....	32								2	9	10	8	1	2				
57	Chronic lead poisoning.....																		
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....																		
	II.—Diseases of the nervous system and of the organs of special sense.....	886	79	25	15	9	6	14	24	15	37	81	123	185	181	81	9	1	1
60	Encephalitis.....	5			1			1	2				1						
61	Meningitis (total).....	74	27	14	7	3	2	5	6	4	1	3							
	Simple meningitis.....	43	18	9	3	2		3	3	1		2		2					
	Cerebrospinal meningitis (undefined).....	30	9	5	4	1	2	2	3	2	1	1							
	Cerebrospinal fever.....	1								1									
62	Locomotor ataxia.....	12									3	3	2	3	1				
63	Other diseases of the spinal cord (total).....	66	11	6	3	5	3	8	8	1	3		5	5	7	1			
	Acute anterior poliomyelitis.....	44	11	6	3	5	3	8	8	6	1		5	5	1				
	Other diseases of the spinal cord ¹	22									3		5	5	6	1			
64	Cerebral hemorrhage, apoplexy.....	513	2	1	1		1			3	12	43	88	149	142	64	6		1
65	Softening of the brain.....	9										1	2	1	3	2			
66	Paralysis without specified cause.....	49								1	1	2	4	16	16	6	2		1
67	General paralysis of the insane.....	52								1	10	19	13	2	4	3			
68	Other forms of mental alienation.....	20								1	2	1	1	4	6	4	1		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79		80 to 89
RHODE ISLAND—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
129	Uterine tumor (noncancerous).....	13									2	4	3	2	2		
130	Other diseases of the uterus.....	4								1	1	1	1				
131	Cysts and other tumors of the ovary.....	9								1	2		1	2	2	1	
132	Salpingitis and other diseases of the female genital organs.....	8								1	4	2	1				
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	82						5	36	37	4						
134	Accidents of pregnancy.....	5								3	2						
135	Puerperal hemorrhage.....	9								2	5	2					
136	Other accidents of labor.....	9								4	3	2					
137	Puerperal septicemia.....	27						2	11	14							
138	Puerperal albuminuria and convulsions.....	31						3	16	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	1								1							
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	27		1	1							2	4	3	9	6	1
142	Gangrene.....	17			1							1	1		7	6	1
143	Furuncle.....	4										1	2		1		
144	Acute abscess.....	3		1								1	1		1		
145	Other diseases of the skin and annexa.....	3												3			
	IX.—Diseases of the bones and of the organs of locomotion.....	11	1		1		1	1	2	2			1	2			
146	Diseases of the bones (tuberculosis excepted).....	9			1		1	1	2				1	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1						1								
148	Amputations.....																
149	Other diseases of the organs of locomotion.....																
	X.—Malformations.....	80	75	1		1			3								
150	Congenital malformations (stillbirths not included) (total).....	80	75	1		1			3								
	Hydrocephalus.....	7	5			1			1								
	Congenital malformations of the heart.....	50	47	1					2								
	Other congenital malformations.....	23	23														
	XI.—Early infancy.....	488	487						1								
151	Congenital debility, icterus, and sclerema (total).....	352	351						1								
	Premature birth.....	218	218														
	Congenital debility, "atrophy," "marasmus," etc.....	134	133						1								
152	Other causes peculiar to early infancy (total).....	133	133														
	Injuries at birth.....	93	93														
	Other causes peculiar to early infancy ¹	40	40														
153	Lack of care.....	3	3														
	XII.—Old age.....	152												10	45	69	26
154	Senility.....	152												10	45	69	26
	XIII.—External causes.....	525	21	13	12	11	6	32	46	61	75	84	59	50	28	23	4
	Suicide (total).....	80								11	18	21	14	11	2	3	
155	By poison.....	12								1	2	5	3	1			
156	By asphyxia.....	14								1	4	5	2	1	1		
157	By hanging or strangulation.....	14								1	3	3	4	3			
158	By drowning.....	8								2	2	2	1	1			
159	By firearms.....	24								6	3	5	2	5	1	2	
160	By cutting or piercing instruments.....	7									3	1	2				
161	By jumping from high places.....	1									1					1	
162	By crushing.....																
163	Other suicides.....																
	Accidental or undefined (total).....	423	18	12	12	11	6	32	43	46	55	60	42	37	26	19	4
164	Poisoning by food.....	1	1														
165	Other acute poisonings.....	17	1	1	3			1	1	1	2	4	1	1	1		
166	Conflagration.....	4									1			3			
167	Burns (conflagration excepted).....	51	1	6	3	8	3	4	5	4	1	4	4	5	1	2	
168	Absorption of deleterious gases (conflagration excepted).....	21	1	1					2	3	3	4	2	3		2	
169	Accidental drowning.....	72	3	1	2	2	2	8	10	16	9	12	3	3	1		
170	Traumatism by firearms.....	4						1	3								
171	Traumatism by cutting or piercing instruments.....	1															
172	Traumatism by fall.....	99	2	2	2			2	3	9	12	11	13	14	13	14	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
UTAH—Continued.																			
I.—General diseases—Continued.																			
	Cancer and other malignant tumors (total)	134	1	2		1		1	2	12	22	30	33	23	5	1	1		
39	Of the buccal cavity	7										3	1	2	1				
40	Of the stomach, liver	57										9	12	19	12	2			
41	Of the peritoneum, intestines, rectum	13										2	3	5	2	1			
42	Of the female genital organs	12										3	4	2	2	1			
43	Of the breast	7										1	2	2	2	1			
44	Of the skin	8										2	1	3	1	1			
45	Of other organs or of organs not specified	30	1	2		1		1	2	3	4	4	6	4	1		1		
46	Other tumors (tumors of the female genital organs excepted)	7		1					1	2	1		1	1					
47	Acute articular rheumatism	35	2		1	1		9	3	6	3	1	2	5	2				
48	Chronic rheumatism and gout	6								1	1	3			1				
49	Scurvy																		
50	Diabetes	53		1			1	6	3	9	4	11	11	6			1		
51	Exophthalmic goiter	5						1		2	1		1						
52	Addison's disease	2								2									
53	Leukemia	5						2		1	1	1							
54	Anemia, chlorosis	8				1			1	2	1				2		1		
55	Other general diseases	15	8	1	1		1		1	1	1	1							
56	Alcoholism (acute or chronic)	18							1	4	6	2	2	2			1		
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings									3	3	1	1						
59	Other chronic poisonings	8																	
II.—Diseases of the nervous system and of the organs of special sense																			
	Encephalitis	5	1	1				1		1	1	1	1						
60	Meningitis (total)	46	7	5	2	4	1	3	5	5	3	5	5	1					
	Simple meningitis	35	4	4	2	4	1	2	4	5	2	3	3	1					
61	Cerebrospinal meningitis (undefined)	7	2	1				1	1	1	1	1	1						
	Cerebrospinal fever	4	1							1	1	1	1						
62	Locomotor ataxia	2								1	1								
63	Other diseases of the spinal cord (total)	15	1	3	1	1		1	1	1	3		2				1		
	Acute anterior poliomyelitis	7	1	3	1	1		1	1	1									
	Other diseases of the spinal cord ¹	8						1		1	3		2				1		
64	Cerebral hemorrhage, apoplexy	134	3	1				3	2	12	9	17	32	33	20	2			
65	Softening of the brain	2										1		1					
66	Paralysis without specified cause	83	2		1			1		1	2	6	6	10	3	1			
67	General paralysis of the insane	9									5	1	1	1	1				
68	Other forms of mental alienation	15						1	1	3	2	5	2				1		
69	Epilepsy	13				1	1	1	2	1	2	3			2				
70	Convulsions (nonpuerperal)	3																	
71	Convulsions of infants	24	21	2		1		3											
72	Chorea	1							1										
73	Neuralgia and neuritis	1										1							
74	Other diseases of the nervous system	16	5					1		4	1	2	2	1					
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4	1	1		1	1												
III.—Diseases of the circulatory system																			
	Pericarditis	4					1			1				1	1				
77	Acute endocarditis	38	2			1		4	6	9	2	2	3	5	1				
78	Organic diseases of the heart	301	11	2	1			17	18	36	29	33	39	51	46	18			
79	Angina pectoris	19								3	1	1	8	6					
80	Diseases of the arteries, atheroma, aneurism, etc.	13												3	4	4	2		
81	Embolism and thrombosis	11	1					1		2	1	1	1	4					
82	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1												1					
83	Diseases of the lymphatic system (lymphangitis, etc.)	3		1						1									
84	Hemorrhage; other diseases of the circulatory system	4								1	1			1	1				
IV.—Diseases of the respiratory system																			
	Diseases of the nasal fossae	2													2				
86	Diseases of the larynx	7		1	1			4	1										
87	Diseases of the thyroid body	1							1										
88	Acute bronchitis	37	32	2		1						1				1			
89	Chronic bronchitis	29								2	2	5	2	7	9	2			
90	Bronchopneumonia	109	59	15	6	3	3		1			2	2	5	1	7			
91	Pneumonia (total)	325	78	17	8	8	5	10	14	24	23	27	28	41	25	8	2		
	Lobar pneumonia	113	13	1	1	2	3	4	5	14	14	14	14	13	11	4			
	Pneumonia (undefined)	212	65	16	7	6	2	6	9	10	14	13	14	28	14	4	2		
92	Pleurisy	8	1	1						1	1	1		1	1				
93	Pulmonary congestion, pulmonary apoplexy	15		1				2	1			3	2	2	4				
94	Gangrene of the lung																		
95	Asthma	6								2	1		1	1	1				
96	Pulmonary emphysema	3												1	1				
97	Other diseases of the respiratory system (tuberculosis excepted)	17	1					1		3	1	6	3	2					

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
	V.—Diseases of the digestive system.....	462	196	33	5	2	3	12	37	20	27	39	24	23	28	10	1	2
99	Diseases of the mouth and annexa.....	2	1								1								
100	Diseases of the pharynx.....	6	3					1	2										
101	Diseases of the esophagus.....																		
102	Ulcer of the stomach.....	15							1	3	2	3	3	2	1				
103	Other diseases of the stomach (cancer excepted).....	28	14	2					1	1		1	2		3	4			
104	Diarrhea and enteritis (under 2 years)...	185	155	30															
105	Diarrhea and enteritis (2 years and over)	25		5	1	1		3				3	2	1	2	4	2	1	
106	Ankylostomiasis.....																		
107	Intestinal parasites.....																		
108	Appendicitis and typhlitis.....	62					1	7	21	8	5	11	4	2	1				2
109	Hernia, intestinal obstruction (total)....	55	18		1				6	3	4	10	3	6	2	2	2		
	Hernia.....	14	3								1	6		1					
	Intestinal obstruction.....	41	15		1				6	2	3	4	3	5	2				
110	Other diseases of the intestines.....	10	2	1			1				1			2	3				
111	Acute yellow atrophy of the liver.....	1																	
112	Eydatid tumor of the liver.....										1								
113	Cirrhosis of the liver.....	18										3	5	2	4				
114	Biliary calculi.....	8							1		4	3	1	2	1				
115	Other diseases of the liver.....	18	1								1		4	5	6	1			
116	Diseases of the spleen.....																		
117	Simple peritonitis (nonpuerperal).....	27	2					1	5	3	6	6	1		2	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)....	2								1					1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	300	12	3	1	2	2	9	8	22	32	35	40	38	67	24	5		
119	Acute nephritis.....	31	4	2	1			2	2	8	2	3	2	3	1	1			
120	Bright's disease.....	208	5	1		2	2	7	6	11	23	25	30	30	46	16	4		
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.	6	2												3		1		
123	Calculi of the urinary passages.....	3									1		1		1				
124	Diseases of the bladder.....	15								1	1			2	7	4			
125	Diseases of the urethra, urinary abscess, etc.....	6	1								1	1	1	2	1	1			
126	Diseases of the prostate.....	14											2	2	8	2			
127	Nonvenereal diseases of the male genital organs.....																		
128	Uterine hemorrhage (nonpuerperal).....																		
129	Uterine tumor (noncancerous).....	2										1	1						
130	Other diseases of the uterus.....	6									3	2		1					
131	Cysts and other tumors of the ovary.....	4									1	1	2						
132	Salpingitis and other diseases of the female genital organs.....	5								2		2	1						
133	Nonpuerperal diseases of the breast (cancer excepted).....											2	1						
	VII.—The puerperal state.....	69						2	32	26	9								
134	Accidents of pregnancy.....	8								5	2	1							
135	Puerperal hemorrhage.....	9									7	2							
136	Other accidents of labor.....	6								2	4								
137	Puerperal septicemia.....	30						1	16	9	4								
138	Puerperal albuminuria and convulsions..	9								7	1	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	5								2	2	1							
140	Following childbirth (not otherwise defined).....	2							1		1								
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	7	1		1						1		2	1	1				
142	Gangrene.....	5			1								2	1	1				
143	Furuncle.....																		
144	Acute abscess.....	1									1								
145	Other diseases of the skin and annexa..	1	1																
	IX.—Diseases of the bones and of the organs of locomotion.....	4		1	1						1		1						
146	Diseases of the bones (tuberculosis excepted).....	4			1	1					1		1						
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																		
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
	X.—Malformations.....	40	35	1				1	2	1									
150	Congenital malformations (stillbirths not included) (total).....	40	35	1				1	2	1									
	Hydrocephalus.....	1							1										
	Congenital malformations of the heart.....	22	19	1				1	1										
	Other congenital malformations.....	17	16					1											

UTAH—Continued.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
UTAH—Continued.																		
	XI.—Early infancy.....	290	289								1							
151	Congenital debility, icterus, and sclerema (total)	251	250								1							
	Premature birth.....	202	202															
	Congenital debility, "atrophy," "marasmus," etc.....	49	48							1								
152	Other causes peculiar to early infancy (total)	39	39															
	Injuries at birth.....	12	12															
	Other causes peculiar to early infancy ¹	27	27															
153	Lack of care.....																	
	XII.—Old age.....	143											5	40	77	20	1	
154	Senility.....	143											5	40	77	20	1	
	XIII.—External causes.....	387	15	16	5	4	1	15	37	85	79	50	34	17	17	6	1	5
	Suicide (total).....	40							1	11	10	8	3	4	2	1		
155	By poison.....	14							1	5	3	2		1				
156	By asphyxia.....																	
157	By hanging or strangulation.....	2									1			1				
158	By drowning.....																	
159	By firearms.....	17								4	5	4	3	1				
160	By cutting or piercing instruments.....	4								1	1				1	1		
161	By jumping from high places.....	2								1		1						
162	By crushing.....																	
163	Other suicides.....	1										1						
	Accidental or undefined (total).....	326	15	16	5	4	1	15	35	66	62	39	31	12	15	5	1	4
164	Poisoning by food.....																	
165	Other acute poisonings.....	20	3	5	1				1	3	1		3	2				1
166	Conflagration.....																	
167	Burns (conflagration excepted).....	21	2		1	2			2	3	3		1		1	3		1
168	Absorption of deleterious gases (conflagration excepted).....	5									2	3						
169	Accidental drowning.....	31	1	8	3			3	4	3	3			2	1			
170	Traumatism by firearms.....	22						2	6	5	4	1	3	1				
171	Traumatism by cutting or piercing instruments.....	2								1		1						
172	Traumatism by fall.....	17	1						2	1	3	2	2	1	3	1	1	
173	Traumatism in mines and quarries (total).....	41							2	17	14	5	3					
	Traumatism in mines.....	41							2	17	14	5	3					
	Traumatism in quarries.....																	
174	Traumatism by machines.....	4				1			2				1					
175	Traumatism by other crushing (total).....	69	2	1		1		3	5	16	17	8	8	2	4			2
	Railroad accidents and injuries.....	40	1						2	12	13	7	2		1			2
	Street-car accidents and injuries.....	4								1	1			1	1			
	Automobile accidents and injuries.....	7									1	1			1			
	Injuries by other vehicles.....	11	1	1		1		3	1	1	1				1			
	Landslide, other crushing.....	7							1	2	2		1	1	1			
176	Injuries by animals.....	4			1				1		1		1					
177	Starvation.....																	
178	Excessive cold.....	5								2		1	1	1				
179	Effects of heat.....	2										1	1					
180	Lightning.....	3							1		2							
181	Electricity (lightning excepted).....	14							3	6	3	2						
185	Fractures (cause not specified).....	20							2	4	3	3	3	2	3			
186	Other external violence.....	46	6	2			5		6	6	6	6	4	1	3	1		
	Homicide (total).....	21							1	8	7	3		1				1
182	By firearms.....	19							1	7	6	3						1
183	By cutting or piercing instruments.....	2								1	1							
184	By other means.....																	
	XIV.—Ill-defined diseases.....	138	32	7		1		2	2	4	6	4	8	14	16	34	6	2
187	Ill-defined organic disease.....	5												1	1			
188	Sudden death.....	2																
189	Not specified or ill-defined (total).....	131	31	7		1		2	2	3	6	4	7	13	16	31	6	2
	Ill-defined.....	113	23	5		1		1	2	2	5	4	5	12	15	31	6	1
	Not specified or unknown.....	18	8	2				1		1	1		2	1	1			1

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
VERMONT.																			
	All causes.....	5,704	791	110	60	39	23	98	162	270	322	369	554	870	1,164	715	149	5	3
	I.—General diseases.....	1,365	75	33	16	13	15	30	64	117	136	135	188	218	216	92	16	1	
1	Typhoid fever.....	50		1				4	13	9	11	6	3	1	2				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	3									2			1					
5	Smallpox.....																		
6	Measles.....	24	1	6	2			2		2	4	2	1	1	3				
7	Scarlet fever.....	11		2		2		2	3	2									
8	Whooping cough.....	52	34	7	4	2	3	2											
9	Diphtheria and croup.....	32	3	3	4	6	5	6	1	1	1	1	1	1					
10	Influenza.....	147	9	2	1	1		1		4	4	4	14	24	44	30	8	1	
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	6	1					1	1									3	
14	Dysentery.....	23	3	1								1		6	4	6	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	15	1									2	2	4	1	4	1		
19	Other epidemic diseases.....	2		1					1										
20	Purulent infection and septicemia.....	12	1					1	2	2	2		2			2			
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	4							1		1	1			1				
25	Mycoses.....																		
26	Pellagra.....	2									1			1					
27	Beriberi.....																		
	Tuberculosis (total).....	404	13	9	4	2	4	8	30	78	89	53	52	36	16	8	2		
28	Tuberculosis of the lungs.....	311	3	1	2	1	1	1	21	68	70	45	49	27	15	6	1		
29	Acute miliary tuberculosis.....	17							1	1	10	1	1	2					
30	Tuberculous meningitis.....	32	7	7	1	1	2	6	1	1	1	4	4			1			
31	Abdominal tuberculosis.....	22	2		1				3	4	5	1	1	4		1			
32	Pott's disease.....	8							3	2	1	1	2						
33	White swellings.....	2								1	1	1							
34	Tuberculosis of other organs.....	6	1				1		1	1	1	1	1	1		1			
35	Disseminated tuberculosis.....	6						1	1	1	1	1	1	1					
36	Rickets.....	2	1							1									
37	Syphilis.....	15	2							3	1	3	2	1	3				
38	Gonococcus infection.....	2	2																
	Cancer and other malignant tumors (total).....	393					1			6	11	42	80	106	109	34	4		
39	Of the buccal cavity.....	13												2	3	5			
40	Of the stomach, liver.....	161									3	13	32	49	47	15	2		
41	Of the peritoneum, intestines, rectum.....	47								2	1	6	5	14	16	2	1		
42	Of the female genital organs.....	56									2	15	19	16	9	1			
43	Of the breast.....	43									2	3	8	14	11	2			
44	Of the skin.....	18								3	2	1	1	6	4	4	1		
45	Of other organs or of organs not specified.....	55					1			1	2	4	13	10	17	7			
46	Other tumors (tumors of the female genital organs excepted).....	4										1	1	2					
47	Acute articular rheumatism.....	6						2		1			1	1	1				
48	Chronic rheumatism and gout.....	9										1	1	3	3	1			
49	Scurvy.....																		
50	Diabetes.....	76				1	1	8	5	3	4	4	16	19	18	1			
51	Exophthalmic goiter.....	6									1	2	2	1					
52	Addison's disease.....	1												1					
53	Leukemia.....	2									1	1							
54	Anemia, chlorosis.....	31	2	1					2	1	1	4	7	7	4	2			
55	Other general diseases.....	10	2		1				2				1	1	3	1			
56	Alcoholism (acute or chronic).....	14								2	1	5	2	1	3				
57	Chronic lead poisoning.....	3									1	2							
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	4									1		1	1					
	II.—Diseases of the nervous system and of the organs of special sense.....	702	38	12	7	4		13	11	15	13	35	82	161	199	97	14	1	
60	Encephalitis.....	5	1					1		1				2					
61	Meningitis (total).....	43	14	7	5	3		3	2	2	2	3			1	1			
	Simple meningitis.....	22	5	5	3	2			1	2	1	1			1	1			
	Cerebrospinal meningitis (undefined).....	21	9	2	2	1		3	1		1	2							
	Cerebrospinal fever.....																		
62	Locomotor ataxia.....	11										2	1	6	2				
63	Other diseases of the spinal cord (total).....	42	2	1				1	3	2			4	6	9	10	4		
	Acute anterior poliomyelitis.....	9	2	1				1	2	1		1	1						
	Other diseases of the spinal cord ¹	33							1	1		3	5	9	10	4			
64	Cerebral hemorrhage, apoplexy.....	446	4					1	1	3	5	11	54	113	164	78	11	1	
65	Softening of the brain.....	10												2	6	1	1		
66	Paralysis without specified cause.....	32							1			2	5	4	9	5	1		
67	General paralysis of the insane.....	17									1	1	3	7	1	3	1		
68	Other forms of mental alienation.....	20								2		2	6	9	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths of unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
VERMONT—Continued.																		
II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	27	2		1			3	3	5	1	4	3	2	2	1		
70	Convulsions (nonpuerperal).....	2						3	1				1					
71	Convulsions of infants.....	16	13	3														
72	Chorea.....																	
73	Neuralgia and neuritis.....	9								1	2	1	1	1	3			
74	Other diseases of the nervous system.....	17	1	1	1	1		1			1	1	3	2	4	1		
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	5	1					3						1				
III.—Diseases of the circulatory system.....																		
		1,029	13	3	2	1		1	9	11	36	51	108	225	346	197	25	1
77	Pericarditis.....	5	1						1					2	1			
78	Acute endocarditis.....	15		1					3	1		2	2	3	2			
79	Organic diseases of the heart.....	790	9	2	1	1		1	4	10	32	43	89	130	266	138	13	
80	Angina pectoris.....	55	1								1	3	9	14	16	9	2	
81	Diseases of the arteries, aneurism, aneurism, etc.....	138									1	2	7	20	51	47	10	
82	Embolism and thrombosis.....	23	1					1			1	1	1	5	10	3		
83	Diseases of the veins (varices, hemorrhoids; phlebitis, etc.).....	1												1				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2	1		1													
85	Hemorrhage; other diseases of the circulatory system.....																	
IV.—Diseases of the respiratory system.....																		
		661	132	30	9	4	2	14	18	20	31	37	48	88	116	90	20	1
86	Diseases of the nasal fossae.....	1												1				
87	Diseases of the larynx.....	6	2	2									1					
88	Diseases of the thyroid body.....	1											1					
89	Acute bronchitis.....	67	39	6				3							4	12	1	
90	Chronic bronchitis.....	39	1										1	5	7	18	7	
91	Bronchopneumonia.....	106	32	9	3	2		1	2	3	2	1	3	8	21	16	3	
92	Pneumonia (total).....	410	54	13	6	2	1	10	15	16	27	31	40	69	78	40	7	
	Lobar pneumonia.....	88	3	1	2	1		3	6	10	8	13	15	14	11	1	1	
	Pneumonia (undefined).....	322	51	12	4	1	1	10	12	10	17	23	27	54	64	29	6	
93	Pleurisy.....	11	2		4	1	1				1	1	2	3	1			
94	Pulmonary congestion, pulmonary apoplexy.....	8	1							1					1	2	2	
95	Gangrene of the lung.....																	
96	Asthma.....	8						1					1	1	4	1		
97	Pulmonary emphysema.....																	
98	Other diseases of the respiratory system (tuberculosis excepted).....	4	1								2					1		
V.—Diseases of the digestive system.....																		
		583	222	21	18	12	4	23	24	23	30	35	52	54	35	7		
99	Diseases of the mouth and annexa.....	1											1					
100	Diseases of the pharynx.....	5	1			1			1		1		1					
101	Diseases of the esophagus.....	3												1	1	1		
102	Ulcer of the stomach.....	21							2	1		1	6	5	5	1		
103	Other diseases of the stomach (cancer excepted).....	66	21	1				2	2	3	2	3	7	8	8	6	3	
104	Diarrhea and enteritis (under 2 years).....	206	188	13														
105	Diarrhea and enteritis (2 years and over).....	66			14	5	2	5	1		4	5	4	5	11	9	1	
106	Ankylostomiasis.....																	
107	Intestinal parasites.....	2		2														
108	Appendicitis and typhlitis.....	60		2	3	2	9	13	14	7	4	2	3	1				
109	Hernia, intestinal obstruction (total).....	46	5	1		1		4	1		3	4	5	6	9	7		
	Hernia.....	18	2								1	2	4	6	3			
	Intestinal obstruction.....	28	3	1		1		4	1		2	2	5	2	3	4		
110	Other diseases of the intestines.....	12	6		1						2	2	1	1	1	1		
111	Acute yellow atrophy of the liver.....	1														1		
112	Hydatid tumor of the liver.....																	
113	Cirrhosis of the liver.....	32								2	4	4	8	10	3	1		
114	Biliary calculi.....	13								1	1	3	1	5	2			
115	Other diseases of the liver.....	24								1	1	3	3	7	3	5	1	
116	Diseases of the spleen.....	1													1			
117	Simple peritonitis (nonpuerperal).....	24	1	1		1		3	4	3	2	1	1	4	2	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....																	
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																		
		457	6	3	2			5	4	12	24	35	61	85	148	60	11	1
119	Acute nephritis.....	35	4		2			3	1	5	2	5	3	2	5	2	1	
120	Bright's disease.....	347	1	2				2	3	5	18	26	51	74	118	41	6	
121	Chyluria.....																	
122	Other diseases of the kidneys and annexa.....	3		1								1			1			
123	Calculi of the urinary passages.....	3	1									1			1			
124	Diseases of the bladder.....	16											2	1	9	2	1	
125	Diseases of the urethra, urinary abscess, etc.....																1	
126	Diseases of the prostate.....	32											1	1	13	15	2	
127	Nonvenereal diseases of the male genital organs.....																	
128	Uterine hemorrhage (nonpuerperal).....	1								1								

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79		80 to 89
VERMONT—Continued.																	
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
129	Uterine tumor (noncancerous).....	6									1	1	2	2			
130	Other diseases of the uterus.....	2											1	1			
131	Cysts and other tumors of the ovary.....	6											1	3	1		1
132	Salpingitis and other diseases of the female genital organs.....	5								1	2	1		1			
133	Nonpuerperal diseases of the breast (cancer excepted).....	1									1						
	VII.—The puerperal state.....	61							3	28	26	4					
134	Accidents of pregnancy.....	9							1	2	5	1					
135	Puerperal hemorrhage.....	9							1	5	2	1					
136	Other accidents of labor.....	6								3	3						
137	Puerperal septicemia.....	22							1	11	10						
138	Puerperal albuminuria and convulsions.....	12									6	4	2				
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	3								1	2						
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	32	3				1						1	3	11	9	4
142	Gangrene.....	25	1				1						1	2	7	9	4
143	Furuncle.....	2													2		
144	Acute abscess.....	3												1	2		
145	Other diseases of the skin and annexa.....	2	2														
	IX.—Diseases of the bones and of the organs of locomotion.....	8					1			2			1	1	1	2	
146	Diseases of the bones (tuberculosis excepted).....	6					1			1				1	1	2	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2								1							
148	Amputations.....												1				
149	Other diseases of the organs of locomotion.....																
	X.—Malformations.....	67	63	4													
150	Congenital malformations (stillbirths not included) (total).....	67	63	4													
	Hydrocephalus.....	1	1														
	Congenital malformations of the heart.....	50	47	3													
	Other congenital malformations.....	16	15	1													
	XI.—Early infancy.....	218	217				1										
151	Congenital debility, icterus, and sclerema (total).....	183	182				1										
	Premature birth.....	147	147														
	Congenital debility, "atrophy," "marasmus," etc.....	36	35				1										
152	Other causes peculiar to early infancy (total).....	34	34														
	Injuries at birth.....	21	21														
	Other causes peculiar to early infancy ¹	13	13														
153	Lack of care.....	1	1														
	XII.—Old age.....	184												1	37	100	45
154	Senility.....	184												1	37	100	45
	XIII.—External causes.....	309	9	4	6	5	2	9	29	41	32	41	27	35	31	31	6
	Suicide (total).....	47							1	8	5	8	11	8	5	1	
155	By poison.....	15								4	2	2	3	3	1		
156	By asphyxia.....	1								1							
157	By hanging or strangulation.....	3									1	1	2	3	1	1	
158	By drowning.....	5									1	1	1	1	1		
159	By firearms.....	15							1	3	2	3	5	1			
160	By cutting or piercing instruments.....	3										1			2		
161	By jumping from high places.....																
162	By crushing.....																
163	Other suicides.....																
	Accidental or undefined (total).....	255	8	4	6	5	2	9	28	31	26	30	16	27	26	30	6
164	Poisoning by food.....	2			1									1			
165	Other acute poisonings.....	12	1		1	1			2	1			3	2	1		
166	Conflagration.....																
167	Burns (conflagration excepted).....	16			2	1		2			3	3	4	1			
168	Absorption of deleterious gases (conflagration excepted).....	3									1			2			
169	Accidental drowning.....	34		2	1			1	12	7	5		1	2	1		1
170	Traumatism by firearms.....	8	1			1			3	3							
171	Traumatism by cutting or piercing instruments.....																
172	Traumatism by fall.....	78		2		1	2	2	3	3	1	5	2	5	16	26	5

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
WASHINGTON—Continued.																		
I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total).....	593		1	2			2	5	9	40	113	158	160	89	11	2	1
39	Of the buccal cavity.....	26						2			1	4	4	12	3			
40	Of the stomach, liver.....	274		1				1	1	3	14	52	81	71	44	5		1
41	Of the peritoneum, intestines, rectum.....	61								1	1	9	17	21	11			
42	Of the female genital organs.....	76								2	12	21	20	14	7			
43	Of the breast.....	43									4	12	10	10	6	1		
44	Of the skin.....	20									2	2	4	6	5	1		
45	Of other organs or of organs not specified.....	93		1	1			1	4	3	6	13	22	26	13	3		
46	Other tumors (tumors of the female genital organs excepted).....	10									5	3	1	1				
47	Acute articular rheumatism.....	46				1		7	10	2	8	6	3	4	4	1		
48	Chronic rheumatism and gout.....	8							1	1	1	1	1	2			1	
49	Scurvy.....	2	2															
50	Diabetes.....	124	1		1		1	5	21	13	10	7	21	26	14	4		
51	Exophthalmic goiter.....	13							1	2	3	3	3	1				
52	Addison's disease.....	8							1	1	3	2	2					
53	Leukemia.....	24				2	1	3	4	5	1	6	2					
54	Anemia, chlorosis.....	39	2		1			1	5	4	9	10	4	3				
55	Other general diseases.....	36	13	2	1	2	1	4	3	5	1		1		3			
56	Alcoholism (acute or chronic).....	147							1	10	35	45	36	13	5			2
57	Chronic lead poisoning.....	2									1	1						
58	Other chronic occupation poisonings.....																	
59	Other chronic poisonings.....	3								2		1						
II.—Diseases of the nervous system and of the organs of special sense																		
		1,092	60	25	20	15	7	35	49	62	66	115	151	203	192	80	2	4
60	Encephalitis.....	19	1			1		1	1	5	2	4	4					
61	Meningitis (total).....	77	16	9	9	4	1	6	11	7	6	3	1	2	2			
	Simple meningitis.....	24	7	2	4			3	1	1	3			2				
	Cerebrospinal meningitis (undefined).....	34	8	6	2			2	8	3	3		1		1			
	Cerebrospinal fever.....	19	1	1	3	4	1	1	2	3	2			1				
62	Locomotor ataxia.....	19							1	2	5	7	4					
63	Other diseases of the spinal cord (total).....	116	9	10	8	5	4	23	17	10	2	9	8	7	3	1		
	Acute anterior poliomyelitis.....	81	9	10	8	3	4	23	17	7	3			7	3	1		
	Other diseases of the spinal cord.....	35				2				3	2	9	8	7	3	1		
64	Cerebral hemorrhage, apoplexy.....	531	5	1		1		1	3	11	18	57	92	141	141	54	2	4
65	Softening of the brain.....	4										2	2	1				
66	Paralysis without specified cause.....	94	2			1		1			1	8	10	24	27	20		
67	General paralysis of the insane.....	41								1	8	9	15	2	2	2		
68	Other forms of mental alienation.....	54							2	3	8	10	4	12	4	8		
69	Epilepsy.....	39		1				1	7	11	10	1	4	3		1		
70	Convulsions (nonpuerperal).....	8							1	5	2							
71	Convulsions of infants.....	34	27	3	2	1	1											
72	Chorea.....	4			1				3									
73	Neuralgia and neuritis.....	6							1	1		1	1	2	1			
74	Other diseases of the nervous system.....	31	4					1	1		5	5	5	4	6			
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	15	2	1		2	1	1	2	3	1	1		1				
III.—Diseases of the circulatory system																		
		1,121	22	4		2	2	16	50	63	67	122	203	259	208	91	6	1
77	Pericarditis.....	13				1		1	2	2	3		1	3				
78	Acute endocarditis.....	62	4	1				4	7	12	6	8	18	1				
79	Organic diseases of the heart.....	853	15	3		1	2	11	39	44	47	99	151	206	160	70	5	1
80	Angina pectoris.....	62							1	1	1	4	15	17	17	5		1
81	Diseases of the arteries, atheroma, aneurism, etc.....	96									2	6	4	15	28	26	14	1
82	Embolism and thrombosis.....	20	1							2	3	5	2	2	4	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	3									1	1	1					
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2	1						1									
85	Hemorrhage; other diseases of the circulatory system.....	5	1									1		2		1		
IV.—Diseases of the respiratory system																		
		1,019	231	79	23	14	6	26	31	70	82	88	89	102	116	51	7	4
86	Diseases of the nasal fossae.....	6	1		1			1	1					1				1
87	Diseases of the larynx.....	8	1		2			2	1		2							
88	Diseases of the thyroid body.....	1										1						
89	Acute bronchitis.....	33	20	3		2							1	1	3	3		
90	Chronic bronchitis.....	45	1						1		2	1	7	4	15	13	1	
91	Bronchopneumonia.....	355	149	49	16	6	3	9	3	10	14	13	14	24	27	16	1	1
92	Pneumonia (total).....	436	43	25	4	4	2	14	23	51	56	68	55	60	57	13	3	3
	Lobar pneumonia.....	459	44	23	3	4	2	12	20	51	52	65	54	58	53	12	3	3
	Pneumonia (undefined).....	27	4	2	1			2	3		4	3	1	2	4	1		
93	Pleurisy.....	23		1		1			1	5	2	2	2	6	3			
94	Pulmonary congestion, pulmonary apoplexy.....	18	6	1							1	2		2	2	2	1	
95	Gangrene of the lung.....	1											1					
96	Asthma.....	23							1	2	1	1	5	4	6	3		
97	Pulmonary emphysema.....	4	1							1				1		1		
98	Other diseases of the respiratory system (tuberculosis excepted).....	16	4			1				1	4		3		3			

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
WASHINGTON—Continued.																			
	V.—Diseases of the digestive system	1,127	447	84	32	29	3	31	54	57	56	79	93	74	56	28	1	3	
99	Diseases of the mouth and annexa	4	3					1											
100	Diseases of the pharynx	18	1		1	2		1	1	1	1	4	4			2			
101	Diseases of the esophagus																		
102	Ulcer of the stomach	38								2	2	8	11	9	3	3			
103	Other diseases of the stomach (cancer excepted)	98	44	7	2	2		3	2	2	1	7	7	10	8	3			
104	Diarrhea and enteritis (under 2 years)	435	364	71															
105	Diarrhea and enteritis (2 years and over)	98			26	15	3	8	2	3	7	5	5	6	11	7			
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	142		1	1	2		15	37	33	23	15	6	6	2			1	
109	Hernia, intestinal obstruction (total)	107	23	2	2	6		2	9	7	6	14	11	8	11	4		2	
	Hernia	23	2						2	1	2	6	3	2	5	1			
	Intestinal obstruction	84	21	2	2	6		2	8	6	4	8	8	6	6	3		2	
110	Other diseases of the intestines	20	9	2				1			2	1	3	1	1				
111	Acute yellow atrophy of the liver	2																	
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	75								1	6	11	26	19	6	6			
114	Biliary calculi	25									1	5	13	1	5				
115	Other diseases of the liver	51	3	1		2			1	5	5	8	5	12	6	3			
116	Diseases of the spleen	1											1						
117	Simple peritonitis (nonpuerperal)	9						1		3	1		1	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4							1		1	1					1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	782	15	3	1		3	5	22	63	85	105	130	155	140	51	3	1	
119	Acute nephritis	48	5	1	1		1	3	2	3	5	11	5	4	7				
120	Bright's disease	536	6	2			2	1	15	38	48	74	115	134	112	37	1	1	
121	Chyluria																		
122	Other diseases of the kidneys and annexa	22	2						1	1	4	6	1	3	2	2			
123	Calculi of the urinary passages	4	1								1	1	1						
124	Diseases of the bladder	15								1	1			2	2	5	4		
125	Diseases of the urethra, urinary abscess, etc.	5											1	1	2	1			
126	Diseases of the prostate	31										1	1	8	13	7	2		
127	Nonvenereal diseases of the male genital organs	2	1							1									
128	Uterine hemorrhage (nonpuerperal)									1									
129	Uterine tumor (noncancerous)	14									2	8	3	1					
130	Other diseases of the uterus	14							2	3	7	1		1					
131	Cysts and other tumors of the ovary	9					1		2	2	4		2						
132	Salpingitis and other diseases of the female genital organs	31							2	14	13	2							
133	Nonpuerperal diseases of the breast (cancer excepted)	1															1		
	VII.—The puerperal state	194							9	102	70	13							
134	Accidents of pregnancy	32							1	18	12	1							
135	Puerperal hemorrhage	10								5	5								
136	Other accidents of labor	27							2	13	9	3							
137	Puerperal septicemia	96							4	53	33	6							
138	Puerperal albuminuria and convulsions	27							2	11	11	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast									1									
	VIII.—Diseases of the skin and of the cellular tissue	29	2			1		1	1		1	1	5	7	7	2	1		
142	Gangrene	15											2	7	5	1			
143	Furuncle	4							1		1				1	1			
144	Acute abscess	5						1				1	3						
145	Other diseases of the skin and annexa	5	2			1									1		1		
	IX.—Diseases of the bones and of the organs of locomotion	20	1				1	2	1	3	4	3	3	1	1				
146	Diseases of the bones (tuberculosis excepted)	17	1				1	2	1	3	3	2	3	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3									1	1			1				
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	139	130	4	2		1	1	1										
150	Congenital malformations (stillbirths not included) (total)	139	130	4	2		1	1	1										
	Hydrocephalus	12	7	2	2		1												
	Congenital malformations of the heart	73	72	1															
	Other congenital malformations	54	51	1				1	1										

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
WASHINGTON—Continued.																	
	XI.—Early infancy.....	577	577														
151	Congenital debility, icterus, and sclerema (total).....	478	478														
	Premature birth.....	308	308														
	Congenital debility, "atrophy," "marasmus," etc.....	170	170														
152	Other causes peculiar to early infancy (total).....	97	97														
	Injuries at birth.....	43	43														
	Other causes peculiar to early infancy ¹	54	54														
153	Lack of care.....	2	2														
	XII.—Old age.....	229											12	76	118	20	2
154	Senility.....	229											12	76	118	20	2
	XIII.—External causes.....	1,641	28	21	15	17	12	46	125	403	363	246	168	83	44	12	5
	Suicide (total).....	230							6	55	46	53	41	19	4	2	
155	By poison.....	70							5	19	15	12	10	7	1		
156	By asphyxia.....	8								2	1	2	2	1			
157	By hanging or strangulation.....	19								4	7	1	4	1			
158	By drowning.....	19								5	4	6	2	1			
159	By firearms.....	76							1	19	12	18	18	6	2		
160	By cutting or piercing instruments.....	22								4	5	6	3	2			
161	By jumping from high places.....	2										1	1				
162	By crushing.....	8								1	2	4					
163	Other suicides.....	6								1		3	1	1			
	Accidental or undefined (total).....	1,330	22	21	15	16	12	46	118	326	303	176	119	61	39	9	5
164	Poisoning by food.....	6	1							1	1	1	2				
165	Other acute poisonings.....	25	1	4	3		1	3	2	4	3	2	2	2			
166	Conflagration.....	31	2	1	3	1	2	3	2	3	2	2	5	1	4		
167	Burns (conflagration excepted).....	42	2	8	3	5	1	7	2	8	3	1		2			
168	Absorption of deleterious gases (conflagration excepted).....	23								3	6	8	4	1	1		
169	Accidental drowning.....	235		2	5	2	4	15	49	60	39	24	23	5			1
170	Traumatism by firearms.....	48						3	16	12	9	4	4				
171	Traumatism by cutting or piercing instruments.....	2										2					
172	Traumatism by fall.....	129	1	2		2	2	3	6	21	24	15	18	13	14	5	3
173	Traumatism in mines and quarries (total).....	43							1	16	19	6	1				
	Traumatism in mines.....	42							1	16	19	5	1				
	Traumatism in quarries.....	1										1					
174	Traumatism by machines.....	43					1	1	2	12	12	11	3	1			
175	Traumatism by other crushing (total).....	512	1	2		4	1	6	25	133	139	82	47	29	10	2	1
	Railroad accidents and injuries.....	292		1					14	75	83	45	28	10	6	2	
	Street-car accidents and injuries.....	26							3	1	8	7	2	5			
	Automobile accidents and injuries.....	17				1		2	1	7	1	3			2		
	Injuries by other vehicles.....	39		1		1		2	3	5	6	6	6	7	2		
	Landslide, other crushing.....	138	1			2	1	2	4	45	41	21	11	7			1
176	Injuries by animals.....	13				1		3	1	1	1	1	1	1	3		
177	Starvation.....																
178	Excessive cold.....	5	1									2	1				1
179	Effects of heat.....	1												1			
180	Lightning.....																
181	Electricity (lightning excepted).....	11							1	8	2						
185	Fractures (cause not specified).....	4									2						1
186	Other external violence.....	157	13	2	1	1		2	8	41	39	23	10	8	4	1	
	Homicide (total).....	81	6			1			1	22	19	17	8	3	1	1	
182	By firearms.....	53				1			1	17	14	12	6		1		
183	By cutting or piercing instruments.....	9								1	3		1	3		1	
184	By other means.....	19	6							4	2	5	1				
	XIV.—Ill-defined diseases.....	205	105	7		1	1	5	2	3	8	10	11	18	18	10	1
187	Ill-defined organic disease.....	5								1				1	1	2	
188	Sudden death.....	4	1											2			
189	Not specified or ill-defined (total).....	196	104	7		1	1	5	2	2	8	9	11	15	17	8	1
	Ill-defined.....	129	77	6				1	1	6	5	5	7	11	9	3	1
	Not specified or unknown.....	67	27	1		1	1	4	2	1	2	4	4	4	8	5	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99		100 or over.
WISCONSIN—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	106	1				5	7	18	16	12	20	7	5	10	3	1	1	
70	Convulsions (nonpuerperal).....	20						6		6	4	2		1	1				
71	Convulsions of infants.....	431	377	38	11	7													
72	Chorea.....	5						1						1					
73	Neuralgia and neuritis.....	15								1		3	5	3	1	2			
74	Other diseases of the nervous system.....	88	13	4		1		3	5	14	10	6	11	6	10	5			
75	Diseases of the eyes and their annexa.....	1	1																
76	Diseases of the ears.....	24	5	3			2	3	5	1	1	1	3						
III.—Diseases of the circulatory system.....																			
		3,084	47	11	7	6	8	33	66	77	127	221	361	612	903	558	40	2	5
77	Pericarditis.....	21	1			2		2	1	1				4	4	6			
78	Acute endocarditis.....	110		2	1	1	1	6	5	9	10	19	26	11	13	6			
79	Organic diseases of the heart.....	2,310	31	5	4	3	4	20	60	58	95	170	295	470	675	884	32	1	3
80	Angina pectoris.....	122		1						1	5	9	12	39	35	17	2		1
81	Diseases of the arteries, atheroma, aneurism, etc.....	403		1						3	5	10	18	69	155	134	6	1	1
82	Embolism and thrombosis.....	79	2		1			3		5	7	11	8	16	17	9			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	10					1				3			3	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	8	4	2			2												
85	Hemorrhage; other diseases of the circulatory system.....	21	9		1			2			2	2	2		3				
IV.—Diseases of the respiratory system.....																			
		2,949	747	210	84	35	30	64	88	108	132	169	206	271	415	335	43	1	6
86	Diseases of the nasal fossae.....	5	1	1				1	1		2	2		3		1			
87	Diseases of the larynx.....	35	10	4	4		2	4	2	2	2	2		3					
88	Diseases of the thyroid body.....	12								1	3	3	4	1					
89	Acute bronchitis.....	234	181	24	10	5	5	2	1	1	1	1	5	20	23	4			
90	Chronic bronchitis.....	267	4	1	1			4	8		3	17	35	85	97	11	1		
91	Bronchopneumonia.....	475	206	86	26	7	8	5	4	6	3	3	8	32	44	34	3		
92	Pneumonia (total).....	1,600	323	86	38	20	14	47	66	76	110	141	143	158	226	127	20		
	Lobar pneumonia.....	351	38	18	2	1	1	15	21	40	45	36	47	45	24	2			
	Pneumonia (undefined).....	1,249	285	68	36	19	13	32	51	55	70	96	107	111	181	103	18		
93	Pleurisy.....	75	1	6	2	2		5	3	8	2	6	15	5	10				
94	Pulmonary congestion, pulmonary apoplexy.....	67	12	1	1	1			1	3	5	2		6	11	19	5		
95	Gangrene of the lung.....	4									1		2	1					
96	Asthma.....	63	1		1		1					1	7	17	13	17	4		
97	Pulmonary emphysema.....	3												1	1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	59	8	1	1				6	3	5	7	9	7	5	6	1		
V.—Diseases of the digestive system.....																			
		3,762	1,642	341	108	45	29	100	119	155	130	188	231	235	274	135	21	1	8
99	Diseases of the mouth and annexa.....	10	9					1											
100	Diseases of the pharynx.....	40	5	1	1	3		8	2	8	2	1	3	3	1	2			
101	Diseases of the esophagus.....	5							2			1		1	1				
102	Ulcer of the stomach.....	103						1	5	8	16	22	20	15	15	1			
103	Other diseases of the stomach (cancer excepted).....	333	172	13	4	1	3	6	3	1	3	11	18	22	37	32	6		
104	Diarrhea and enteritis (under 2 years).....	1,702	1,385	317															
105	Diarrhea and enteritis (2 years and over).....	363			88	32	15	30	10	11	7	8	17	23	64	43	8	1	
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	1																	
108	Appendicitis and typhlitis.....	256	4	2	3		5	32	62	61	33	27	11	7	7	1			
109	Hernia, intestinal obstruction (total).....	273	33	2	6	3	2	7	13	18	15	27	38	40	41	21	4		
	Hernia.....	89	5		1		1		2	2	6	9	12	16	19	14			
	Intestinal obstruction.....	184	28	2	5	3	1	7	11	16	9	18	26	24	22	7	4		
	Other diseases of the intestines.....	71	14	5		2		5		2	5	5	6	11	6	1			
110	Acute yellow atrophy of the liver.....	4							1	1	1			1					
111	Hydatid tumor of the liver.....	2			1									1					
112	Cirrhosis of the liver.....	257		1	1	1				5	21	35	66	64	47	13	2		
113	Biliary calculi.....	52								3	5	7	13	10	12	2			
114	Other diseases of the liver.....	143	11		1			3	4	3	10	20	25	23	32	11			
115	Diseases of the spleen.....	8							1		2	3	2						
116	Simple peritonitis (nonpuerperal).....	127	8		3	3	4	5	15	27	11	13	11	14	4	3			
117	Other diseases of the digestive system (cancer and tuberculosis excepted).....	12	1					2	1		1	3	2		2				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		1,770	40	10	4	5	7	21	50	76	116	172	222	351	413	245	35		3
119	Acute nephritis.....	128	16	4	3	2	6	11	8	12	13	11	8	9	13	11	1		
120	Bright's disease.....	1,334	15	5	1	3	1	10	35	41	83	137	196	298	314	172	20		
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	55	6	1					1	2	1	9	8	11	10	6			
123	Calculi of the urinary passages.....	11	1						2				1	3	4				
124	Diseases of the bladder.....	79	2								1	3	2	11	29	21	10		
125	Diseases of the urethra, urinary abscess, etc.....	3											2		1				
126	Diseases of the prostate.....	91									1		1	15	37	34	3		
127	Nonvenereal diseases of the male genital organs.....	2													1				
128	Uterine hemorrhage (nonpuerperal).....	5							2		1	1	1						

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
WISCONSIN—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
129	Uterine tumor (noncancerous).....	6															
130	Other diseases of the uterus.....	25															
131	Cysts and other tumors of the ovary.....	12															
132	Salpingitis and other diseases of the female genital organs.....	19															
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	268															
134	Accidents of pregnancy.....	25															
135	Puerperal hemorrhage.....	36															
136	Other accidents of labor.....	27															
137	Puerperal septicemia.....	113															
138	Puerperal albuminuria and convulsions.....	49															
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	16															
140	Following childbirth (not otherwise defined).....	2															
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	113															
142	Gangrene.....	57															
143	Furuncle.....	7															
144	Acute abscess.....	21															
145	Other diseases of the skin and annexa.....	28															
	IX.—Diseases of the bones and of the organs of locomotion.....	30															
146	Diseases of the bones (tuberculosis excepted).....	26															
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3															
148	Amputations.....																
149	Other diseases of the organs of locomotion.....	1															
	X.—Malformations.....	291															
150	Congenital malformations (stillbirths not included) (total).....	291															
	Hydrocephalus.....	34															
	Congenital malformations of the heart.....	137															
	Other congenital malformations.....	120															
	XI.—Early infancy.....	1,595															
151	Congenital debility, icterus, and sclerema (total).....	1,342															
	Premature birth.....	812															
	Congenital debility, "atrophy," "marasmus," etc.....	530															
152	Other causes peculiar to early infancy (total).....	249															
	Injuries at birth.....	129															
	Other causes peculiar to early infancy ¹	120															
153	Lack of care.....	4															
	XII.—Old age.....	1,065															
154	Senility.....	1,065															
	XIII.—External causes.....	1,815															
	Suicide (total).....	331															
155	By poison.....	86															
156	By asphyxia.....	10															
157	By hanging or strangulation.....	30															
158	By drowning.....	34															
159	By firearms.....	84															
160	By cutting or piercing instruments.....	26															
161	By jumping from high places.....	1															
162	By crushing.....	3															
163	Other suicides.....	7															
	Accidental or undefined (total).....	1,445															
164	Poisoning by food.....	3															
165	Other acute poisonings.....	32															
166	Conflagration.....	17															
167	Burns (conflagration excepted).....	97															
168	Absorption of deleterious gases (conflagration excepted).....	21															
169	Accidental drowning.....	203															
170	Traumatism by firearms.....	60															
171	Traumatism by cutting or piercing instruments.....	4															
172	Traumatism by fall.....	231															

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE: 1910—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
WISCONSIN—Continued.																			
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total).....	9								3	2	2	2						
	Traumatism in mines.....	7								3	1	2	1						
	Traumatism in quarries.....	2								1									
174	Traumatism by machines.....	38							5	9	10	8	6						
175	Traumatism by other crushing (total).....	412	1	3	3	5	1	15	39	90	73	65	49	36	15	4	13		
	Railroad accidents and injuries.....	259	1	1	1	1		5	21	65	53	38	33	22	6		12		
	Street-car accidents and injuries.....	39		1	1	2		3	5	10	2	6	4	2	2	1			
	Automobile accidents and injuries.....	19					1	3	4	1	4	2	2	1	1				
	Injuries by other vehicles.....	76		1	1	2		4	7	9	12	14	6	11	5	3	1		
	Landslide, other crushing.....	19							2	5	2	5	4		1				
176	Injuries by animals.....	24						3	2	5	3	1	4	4	1	1			
177	Starvation.....	1							1										
178	Excessive cold.....	21							1	4	6	3	1	4	1				
179	Effects of heat.....	41	6	1	2			1	1	5	5	6	1	5	5	2	1		
180	Lightning.....	6							1	4	1								
181	Electricity (lightning excepted).....	18							5	5	1	6		1					
185	Fractures (cause not specified).....	48					1		2	2	5	5	4	6	9	11	2		
186	Other external violence.....	159	32	6	3		1	3	7	23	23	28	12	8	7	2	2		
	Homicide (total).....	39	2		2			1	2	9	3	13	5	1			1		
182	By firearms.....	19	1						1	5	1	6	3	1			1		
183	By cutting or piercing instruments.....	7								3	1	3							
184	By other means.....	13	1		2			1	1	1	1	4	2						
	XIV.—Ill-defined diseases.....	623	242	17	5	2	1	3	6	15	13	35	26	52	93	85	21		
187	Ill-defined organic disease.....	58	2		1				1			2	7	6	15	19	4		
188	Sudden death.....	11	1							1	3	1	1	3	1				
189	Not specified or ill-defined (total).....	554	239	17	4	2	1	3	5	14	10	32	18	43	77	66	17		
	Ill-defined.....	487	202	16	3	1	1	2	2	11	7	29	15	39	76	65	14		
	Not specified or unknown.....	67	37	1	1	1		1	3	3	3	3	3	4	1	1	3		

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Table for New Haven, Conn. showing causes of death by age group. Columns include 'All deaths', 'Under 1 year', '1 year', '2 years', '3', '4', '5 to 9', '10 to 19', '20 to 29', '30 to 39', '40 to 49', '50 to 59', '60 to 69', '70 to 79', '80 to 89', '90 to 99', '100 or over', and 'Deaths at unknown age'.

WASHINGTON, D. C. (TOTAL).

Table for Washington, D. C. (TOTAL) showing causes of death by age group. Columns include 'All deaths', '1,068', '161', '92', '55', '26', '99', '230', '574', '656', '667', '765', '946', '794', '317', '55', '6', and 'Deaths at unknown age'.

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
INDIANAPOLIS, IND. (COLORED).																		
	All causes.....	549	79	25	13	1	3	14	33	73	78	65	77	47	22	13	3	3
1	Typhoid fever.....	5								1	1		2	1				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	7	2	2	3													
6	Scarlet fever.....	2								2								
7	Whooping cough.....	1		1														
8	Diphtheria and croup.....	2					2											
9	Influenza.....	8								3	2		1		1			1
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	4						1				1	1	1				
13	Tuberculosis of the lungs.....	97	3	4	1			1	17	28	17	8	12	5	1	1		
14	Tuberculous meningitis.....	3		1	1													
15	Other forms of tuberculosis.....	21	1					4		7	4	1	3	1				
16	Cancer and other malignant tumors.....	13									4	4	3	1				
17	Meningitis.....	3	2					1			4	4	3	1		1		
18	Cerebral hemorrhage and softening.....	16									4	5	4	3				
19	Organic diseases of the heart.....	51							2	2	4	12	7	10	3	6		
20	Acute bronchitis.....	3	2								1	1						
21	Chronic bronchitis.....	4		1							1	1						
22	Pneumonia.....	32	1	3	3			1	1	5	3	1	2	2				
23a	Bronchopneumonia.....	34	10	10	3			2	1	2	1	1	6	2		1		
23b	Other diseases of the respiratory system.....	2																
24	Diseases of the stomach.....	7	2								1	1	1	1				
25 (37)	Diarrhea and enteritis.....	25	19	2				1			1	1	1	1	1	1	1	1
26	Appendicitis and typhlitis.....	3						1			1	1	1	1				1
27	Hernia, intestinal obstruction.....	4											1	1	1			
28	Cirrhosis of the liver.....	4									2	1	1	1	1			
29	Acute nephritis and Bright's disease.....	51						1	2	3	5	2	7	7	5	2	2	1
30	Diseases of the female genital organs.....	8								3	5	4	2	7				
31	Puerperal fever.....	4								1	2	1	1	1				
32	Other puerperal affections.....																	
33	Congenital debility and malformations.....	26																
34	Senility.....	2																
35	Violent deaths (excluding suicide).....	36	1				1	1	1	13	7		4	1	1			
36	Suicide.....	5								4	7		1					
37	Other defined diseases.....	66	10	1	2	1			4	2	7	10	7	13	9			
38	Diseases ill-defined or unknown.....																	

LOUISVILLE, KY. (TOTAL).

	All causes.....	3,756	503	118	71	34	40	82	199	371	436	417	487	426	396	159	14	1	2
1	Typhoid fever.....	71		1	1		1	6	15	17	14	8	4	2	2				
2	Typhus fever.....																		
3	Malaria.....	8	1						1	1	4		1						
4	Smallpox.....																		
5	Measles.....	3	1	1	1														
6	Scarlet fever.....	21	1	5		2	4	7	1		1								
7	Whooping cough.....	41	20	12	4	1	1	3											
8	Diphtheria and croup.....	24	1	3	4	5	6	3	1	1									
9	Influenza.....	30			1				1	3	1	2	6	9	6	1			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	25	2	1			2		1	2	1	3	3	6	1	2	1		
13	Tuberculosis of the lungs.....	499	4	2	3	2	1	6	70	144	114	75	51	21	5				1
14	Tuberculous meningitis.....	16	3	3			1	3		3	1	2	1	2					
15	Other forms of tuberculosis.....	27	2	3	1			2	2	5	2	6	3	1					
16	Cancer and other malignant tumors.....	135						1		2	11	28	31	37	21	4			
17	Meningitis.....	67	18	11	3	3	6	10	8	2	3	3	3	3					
18	Cerebral hemorrhage and softening.....	141	2					1	4	9	18	27	33	37	7				
19	Organic diseases of the heart.....	354	4	1	1	1	2	5	12	13	48	49	78	72	51	16	3		
20	Acute bronchitis.....	27	6	3	7		2	1		1	1	2	2	2					
21	Chronic bronchitis.....	56	2		1			2	6	9	6	3	13	9	3				
22	Pneumonia.....	305	41	25	11	7	3	10	9	14	38	39	48	24	28	5	8		
23a	Bronchopneumonia.....	37	11	5	8	1		1	1	1	1	2	1	1	3				
23b	Other diseases of the respiratory system.....	98	3	1	1	1		2	2	12	12	11	12	16	18				
24	Diseases of the stomach.....	64	3		1	1		2	2	3	14	9	13	8	8				
25 (37)	Diarrhea and enteritis.....	119	47	17	7	2		3	3	2	4	6	6	11	9	2			
26	Appendicitis and typhlitis.....	27						2	11	5	5	2	1	1	1				
27	Hernia, intestinal obstruction.....	34	2	2			1		2	3	2	5	4	7	6				
28	Cirrhosis of the liver.....	27						1		3	5	7	6	3	3				
29	Acute nephritis and Bright's disease.....	272		4	2	2	2	1	6	13	28	41	70	50	38	14			
30	Diseases of the female genital organs.....	16								4	5	4	1	1					
31	Puerperal fever.....	10							2	7	1		1						
32	Other puerperal affections.....	6							1	2	1								
33	Congenital debility and malformations.....	219	218																
34	Senility.....	192																	
35	Violent deaths (excluding suicide).....	156			3	3	3	8	20	38	25	20	22	28	88	68	7	1	
36	Suicide.....	36							1	9	5	5	5	4	6	2			
37	Other defined diseases.....	510	56	10	6	1	4	5	25	51	64	60	83	71	53	19	2		
38	Diseases ill-defined or unknown.....	83	55	8	5	1	1		2		4	2	3	1	1				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Table with columns for 'Abridged Int. List No.', 'CAUSE OF DEATH', 'All deaths', and 'DEATHS AT AGE OF-' (Under 1 year, 1 year, 2 years, 3, 4, 5 to 9, 10 to 19, 20 to 29, 30 to 39, 40 to 49, 50 to 59, 60 to 69, 70 to 79, 80 to 89, 90 to 99, 100 or over). Includes sub-headers for 'BOSTON, MASS.' and 'CAMBRIDGE, MASS.' with corresponding data rows.

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
			GRAND RAPIDS, MICH.																
	All causes.....	1,648	329	59	23	13	11	34	59	135	120	123	171	220	216	122	12	1	
1	Typhoid fever.....	32			1			2	1	15	6	3	4						
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....																		
6	Scarlet fever.....	20	2	1	1	3	3	8	2										
7	Whooping cough.....	6	2	3															
8	Diphtheria and croup.....	12	1	2	3	1	1	4											
9	Influenza.....	6	2										1		1	1	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....	1											1		1				
12	Other epidemic diseases.....	3		1				1					1		1		1		
13	Tuberculosis of the lungs.....	115							14	49	24	12	8	7	2				
14	Tuberculous meningitis.....	20		1	1			1		1		4	2	2	1				
15	Other forms of tuberculosis.....	5	3						3	4	1	4	2	2	1				
16	Cancer and other malignant tumors.....	193		1					1	1	1	20	26	24	21	1			
17	Meningitis.....	17	6	4	2			2											
18	Cerebral hemorrhage and softening.....	80	1		1				1			5	12	19	26	11		1	
19	Organic diseases of the heart.....	191	7	1				2	6	4	3	9	24	56	47	21		1	
20	Acute bronchitis.....	10	5	2				1											
21	Chronic bronchitis.....	20										1	1	2	4	7			
22	Pneumonia.....	75	10	2	1			1	4	7	8	6	13	14	12	3			
23a	Bronchopneumonia.....	18	7	4		2		1			1	1	3	2	1	4			
23b	Other diseases of the respiratory system.....	28	5	1				1					4	1	4	1			
24	Diseases of the stomach.....	56	16	2			1	1	1	1	5	2	1	9	9	9		1	
25 (37)	Diarrhea and enteritis.....	134	34	24	6	1	1	1	2	7	3	3	3	1	1	6			
26	Appendicitis and typhlitis.....	24			1			2		4	2	2	3	3	2				
27	Hernia, intestinal obstruction.....	16	2						1	1	1	3	1	3	2	1			
28	Cirrhosis of the liver.....	5									1	1	1	2	2				
29	Acute nephritis and Bright's disease.....	94	1	2		2			6	9	3	12	20	21	17	4			
30	Diseases of the female genital organs.....	13							3	2	2	5	1	1					
31	Puerperal fever.....	5							2	2	5	1	2						
32	Other puerperal affections.....	15							8	2	5	2							
33	Congenital debility and malformations.....	118	116	1	1										18	33	6		
34	Senility.....	57																	
35	Violent deaths (excluding suicide).....	66	4	2	2	1	2	3	6	9	6	7	5	14	4	1			
36	Suicide.....	13								3	3	1	2	3	1				
37	Other defined diseases.....	225	36	2	2	1	2	3	9	13	11	18	38	37	36	15	2		
38	Diseases ill-defined or unknown.....	40	19	2	1				1	1	1	1	2	4	4	4		1	
MINNEAPOLIS, MINN.																			
	All causes.....	3,739	621	141	68	44	33	108	178	403	381	405	391	382	346	202	34	1	
1	Typhoid fever.....	178	1	2	2	2	1	5	23	73	35	22	9	2		1			
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....	1	1																
5	Measles.....	48	13	17	6	4	1	4	1	2									
6	Scarlet fever.....	50	2	7	6	6	5	14	5	4		1							
7	Whooping cough.....	7	4	2				1											
8	Diphtheria and croup.....	130	9	12	18	9	14	37	17	9	5								
9	Influenza.....	4											1	1		1	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....	2		1												1			
12	Other epidemic diseases.....	25	5		1	1			2	1		3	1	3	3	4	1		
13	Tuberculosis of the lungs.....	367	4	1	1			2	33	107	100	64	33	13	5	4			
14	Tuberculous meningitis.....	28	4	6				1	6	3	1	3	2						
15	Other forms of tuberculosis.....	31	2	2	1				1	8	6	4	3	2	2				
16	Cancer and other malignant tumors.....	203			1	1	1		3	16	35	60	57	22	11	1			
17	Meningitis.....	41	8	2	3	3	1	3	5	2	3	6	1	3	1				
18	Cerebral hemorrhage and softening.....	127	1						3	5	8	18	30	45	15	2			
19	Organic diseases of the heart.....	290	4					7	7	19	17	24	37	77	65	29	3	1	
20	Acute bronchitis.....	19	12										2	2	3	2			
21	Chronic bronchitis.....	12									1		2	2	4	2			
22	Pneumonia.....	188	14	10	4	2		6	11	16	22	26	22	30	21	4			
23a	Bronchopneumonia.....	171	79	27	7	6	1	5	2	1	4	4	8	7	13	4	3		
23b	Other diseases of the respiratory system.....	33	4		1			1	1	2	3	7	4	4	4	3			
24	Diseases of the stomach.....	32	10		1	1			1	2	1	5	4	4	2	1			
25 (37)	Diarrhea and enteritis.....	283	203	37	8		4		2	1	1	1	1	6	10	6	2		
26	Appendicitis and typhlitis.....	56				1		5	10	11	11	6	2	2					
27	Hernia, intestinal obstruction.....	41	6	1		1		1	2	3	7	5	5	2	5	3			
28	Cirrhosis of the liver.....	25							2	2	2	8	4	5	4				
29	Acute nephritis and Bright's disease.....	224	2	2	1	3	1	1	6	10	19	32	45	39	38	23	2		
30	Diseases of the female genital organs.....	27							1	7	9	8	2						
31	Puerperal fever.....	25							1	16	7	1							
32	Other puerperal affections.....	14							1	5	5	3							
33	Congenital debility and malformations.....	148	147	1										4	27	49	13		
34	Senility.....	93																	
35	Violent deaths (excluding suicide).....	222	7	3	1	2	1	6	19	41	41	36	31	14	12	7	1		
36	Suicide.....	53								10	14	13	6	8	1				
37	Other defined diseases.....	524	70	8	6	1	2	8	21	42	45	75	86	66	58	31	5		
38	Diseases ill-defined or unknown.....	12	9											1	1	1			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Table for Jersey City, N. J. showing mortality statistics by cause of death and age group. Columns include 'All deaths', 'Under 1 year', '1 year', '2 years', '3', '4', '5 to 9', '10 to 19', '20 to 29', '30 to 39', '40 to 49', '50 to 59', '60 to 69', '70 to 79', '80 to 89', '90 to 99', '100 or over', and 'Deaths at unknown age'.

NEWARK, N. J.

Table for Newark, N. J. showing mortality statistics by cause of death and age group. Columns include 'All deaths', '1,242', '273', '120', '81', '55', '146', '208', '448', '569', '664', '646', '593', '513', '193', '33', and 'Deaths at unknown age'.

CAUSES OF DEATH, BY AGE.

479

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
PATERSON, N. J.																		
	All causes.....	1,857	379	75	32	16	12	42	68	144	176	187	207	267	172	70	10	
1	Typhoid fever.....	9							3	3	2		1					
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	11	5	5	1													
6	Scarlet fever.....	12	1		1	2	3	2	1		1							
7	Whooping cough.....	19	12	5	1	1												
8	Diphtheria and croup.....	26	1	7	6	1	2	7	1	1					2	1		
9	Influenza.....	5	1							1								
10	Asiatic cholera.....											1		1				
11	Cholera nostras.....	2													2			
12	Other epidemic diseases.....	16	8			1							2			1		
13	Tuberculosis of the lungs.....	206	2	2		1	1	16	60	58	43	17						
14	Tuberculous meningitis.....	9		2	2		2		1	1	1							
15	Other forms of tuberculosis.....	16	4	2				3	2	2	1			2				
16	Cancer and other malignant tumors.....	85		1					1	3	9	23	32		8	3		
17	Meningitis.....	29	10	4	2	1		4		3								
18	Cerebral hemorrhage and softening.....	30	1			1				5	16	30		31	6			
19	Organic diseases of the heart.....	213	4		1		3	10	8	15	22	36	63	24	16		1	
20	Acute bronchitis.....	9	7								1			1				
21	Chronic bronchitis.....	17									2	2		4	5	4		
22	Pneumonia.....	137	16	9	4	3	2	3	6	9	13	19	19	13	17	4		
23a	Bronchopneumonia.....	67	32	12	6	1		3	1				1	3	3	4		1
23b	Other diseases of the respiratory system.....	19	1		1					1		3	3	5	4			1
24	Diseases of the stomach.....	18	1				1	1					4	3	7			1
25 (37)	Diarrhea and enteritis.....	166	132	16	1		2	3	2			1		3	2	4		
26	Appendicitis and typhlitis.....	9							2	3			1	2				
27	Hernia, intestinal obstruction.....	14	2		1					1		4	1	1	2			
28	Cirrhosis of the liver.....	17										7	5	3	2			
29	Acute nephritis and Bright's disease.....	135	1				1		3	5	15	20	26	30	25	9		
30	Diseases of the female genital organs.....	8							1	3	3	3	1					
31	Puerperal fever.....	9						2	3	3	3	2						
32	Other puerperal affections.....	18							9	7								
33	Congenital debility and malformations.....	77	77															
34	Senility.....	22												6	2	10	4	
35	Violent deaths (excluding suicide).....	93	5	3	3	4	3	9	6	12	17	11	11		3	2		
36	Suicide.....	27							1	3	6	6	6	4	5			
37	Other defined diseases.....	223	37	3	1	2	2	7	17	19	24	29	45	34	6	2		
38	Diseases ill-defined or unknown.....	29	21	2	1			1	1	2			1	1	1			
ALBANY, N. Y.																		
	All causes.....	1,943	249	50	22	21	18	36	63	125	194	221	276	296	248	113	11	
1	Typhoid fever.....	14		1						2	4	5	2					
2	Typhus fever.....																	
3	Malaria.....	1						1										
4	Smallpox.....																	
5	Measles.....	24	3	6	4	8	2	1										
6	Scarlet fever.....	12				2	3	5	1		1							
7	Whooping cough.....	10	3	4	2		1											
8	Diphtheria and croup.....	15	5	3	1			5	1									
9	Influenza.....	20	3								1			3	4	6	3	
10	Asiatic cholera.....																	
11	Cholera nostras.....	2										1		1				
12	Other epidemic diseases.....	9	3						1	1				2	2			
13	Tuberculosis of the lungs.....	240	5		1	1		2	21	45	73	41	30	12	7	2		
14	Tuberculous meningitis.....	5	3						2	2								
15	Other forms of tuberculosis.....	8	1	1					1	1					1			
16	Cancer and other malignant tumors.....	139							1	5	23	43	45		18	2		
17	Meningitis.....	21	5	1	3	1	1	4		2	2							
18	Cerebral hemorrhage and softening.....	102								1	5	6	19	36	23	11	1	
19	Organic diseases of the heart.....	236	1	1			1	2	4	11	16	36	29	52	60	21	2	
20	Acute bronchitis.....	7	3		1	1												
21	Chronic bronchitis.....	10										2	2	1	2			1
22	Pneumonia.....	127	16	12	1	1	2	3	4	4	17	15	26	16	7	2	1	
23a	Bronchopneumonia.....	36	10	6	1	1	1	1	1	2	3	1	2	2	3	5	1	
23b	Other diseases of the respiratory system.....	25	3	1	1		1			3	2	2	5	5	3	1		1
24	Diseases of the stomach.....	21	5						1		3	1	2	4	3	2		
25 (37)	Diarrhea and enteritis.....	49	50	4	2		1			2	3	1	2	2	4	1		
26	Appendicitis and typhlitis.....	14	1			1			3	3	3	1	1	1	1			
27	Hernia, intestinal obstruction.....	30	3			1				2	3	4	3	10	2	3		
28	Cirrhosis of the liver.....	23								1	5	7	6	2	2	1		
29	Acute nephritis and Bright's disease.....	172	3	1			1	2	3	11	24	42	37	34	13		1	
30	Diseases of the female genital organs.....	8							1	1	4	2						
31	Puerperal fever.....	4							1	2	1							
32	Other puerperal affections.....	7								3								
33	Congenital debility and malformations.....	61	60		1													
34	Senility.....	10												1	3	4	2	
35	Violent deaths (excluding suicide).....	81	2	1			3	6	3	18	15	10	9	6	3	5		
36	Suicide.....	17								2	6	2	7					
37	Other defined diseases.....	343	48	6	3	3	2	6	13	14	19	35	42	53	62	35	2	
38	Diseases ill-defined or unknown.....	20	18								1			1				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Table with columns: Abridged Int. List No., CAUSE OF DEATH., All deaths., DEATHS AT AGE OF— (Under 1 year to 100 or over.), Deaths at unknown age. Section: NEW YORK, N. Y. (BRONX BOROUGH).

NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).

Table with columns: Abridged Int. List No., CAUSE OF DEATH., All deaths., DEATHS AT AGE OF— (Under 1 year to 100 or over.), Deaths at unknown age. Section: NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.		
NEW YORK, N. Y. (RICHMOND BOROUGH).																				
	All causes.....	1,469	284	59	17	11	12	28	51	106	141	128	173	198	168	80	12	1		
1	Typhoid fever.....	11				1				6	2	2								
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	6	2	3			1													
6	Scarlet fever.....	13	1	2		2	4	3	1											
7	Whooping cough.....	4	3			1														
8	Diphtheria and croup.....	20	1	5	1	2		6	2	3										
9	Influenza.....	10	1							2	2	1		2	1	1				
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	4								1			1		2					
13	Tuberculosis of the lungs.....	152		1		2		7	31	43	29	21	12	5	1					
14	Tuberculous meningitis.....	10	2	1	1	1		2		2										
15	Other forms of tuberculosis.....	8		1				1	1	1	2	1	1							
16	Cancer and other malignant tumors.....	75								2	5	10	17	24	14	2	1			
17	Meningitis.....	6	3	1	1	1														
18	Cerebral hemorrhage and softening.....	56								1	6	18	12	12	5	2				
19	Organic diseases of the heart.....	118	2		1		3	4	2	7	7	22	30	24	13	3				
20	Acute bronchitis.....	7	5	2																
21	Chronic bronchitis.....	9	1	1					1				2	2	2					
22	Pneumonia.....	109	5	5	3		2	3	2	10	16	11	17	20	8	6	1			
23a	Bronchopneumonia.....	69	29	14	4	3	2	2	2		1	1	2	3	4	2				
23b	Other diseases of the respiratory system.....	14	3		1			1	1		2		2	1	1	2				
24	Diseases of the stomach.....	23	5	1		1			1	1	2	2	1	5	3	1				
25 (37)	Diarrhea and enteritis.....	115	94	12		1					1	1	1	1	4	1				
26	Appendicitis and typhlitis.....	13							6	1			2	1	3					
27	Hernia, intestinal obstruction.....	8	1								1	2	1	1	3					
28	Cirrhosis of the liver.....	23									2	5	7	4	4	1				
29	Acute nephritis and Bright's disease.....	155			1			1	3	6	12	14	23	42	36	14	3			
30	Diseases of the female genital organs.....	2								1	1		1							
31	Puerperal fever.....	3								2	1									
32	Other puerperal affections.....	14								6	7	1								
33	Congenital debility and malformations.....	58	57						1											
34	Senility.....	24												2	7	13	2			
35	Violent deaths (excluding suicide).....	84	3		2	1	1	5	10	18	17	11	6	6	1	3				
36	Suicide.....	16								3	4	3	3	3						
37	Other defined diseases.....	191	35	6	2		1	5	10	13	16	27	28	35	13					
38	Diseases ill-defined or unknown.....	39	31	4			1							2						

ROCHESTER, N. Y.

All causes.....		3,215	443	104	47	36	19	58	110	239	261	349	415	458	416	232	26	2
1	Typhoid fever.....	30							4	11	6	6	2	1				
2	Typhus fever.....	1																
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	13	6	4	1		1						1					
6	Scarlet fever.....	47	2	4	11	9	3	9	2	3	3	1						
7	Whooping cough.....	13	11	1	1													
8	Diphtheria and croup.....	38	4	12	8	3	3	7				1						
9	Influenza.....	16		1								1	2	2	6	4		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	23	2	2		1	1			1	1	2	1	1	6	1		
13	Tuberculosis of the lungs.....	301	6	1	2	2	1	4	21	83	69	50	31	24	6	1		
14	Tuberculous meningitis.....	16	2	4		2		2	5				1					
15	Other forms of tuberculosis.....	33	1	3	1			2	3	9	3	3	3	4	1			
16	Cancer and other malignant tumors.....	218			1				1	4	18	27	53	58	40	16		
17	Meningitis.....	15	1	4		3	1	1	5									
18	Cerebral hemorrhage and softening.....	207	3							7	20	32	41	62	39	2		
19	Organic diseases of the heart.....	346	2				2	12	8	21	27	54	87	82	49	2		
20	Acute bronchitis.....	47	21	6	2		1	1		1	1	5	3	3	3			
21	Chronic bronchitis.....	32										3	1	4	9	11	3	
22	Pneumonia.....	160	5	7		1	2	5	11	23	24	14	35	24	7	2		
23a	Bronchopneumonia.....	129	45	22	9	7	1	3	2	2	5	3	13	7	8	2		
23b	Other diseases of the respiratory system.....	31	4	1		1	1		2	1	2	5	3	3	6	1		
24	Diseases of the stomach.....	34	6					1		2	1	5	6	4	3	6		
25 (37)	Diarrhea and enteritis.....	253	197	22	3	2						1	6	6	9	4	1	
26	Appendicitis and typhlitis.....	35			1	1		1	10	5	3	7	5	1	1			
27	Hernia, intestinal obstruction.....	39	4			1			1	4	2	5	4	9	6	3		
28	Cirrhosis of the liver.....	47								4	11	12	11	8	1			
29	Acute nephritis and Bright's disease.....	246	2	2			2	4	10	16	36	55	60	42	17			
30	Diseases of the female genital organs.....	21							12	3	5	1						
31	Puerperal fever.....	17							1	9	5	2						
32	Other puerperal affections.....	20							1	8	9	2						
33	Congenital debility and malformations.....	61	60				1											
34	Senility.....	29											2	5	12	8	2	
35	Violent deaths (excluding suicide).....	156	3	4	3	3	4	13	15	25	23	20	16	11	7	9		
36	Suicide.....	36							1	3	3	9	9	9	2			
37	Other defined diseases.....	493	47	4	4	1	1	4	17	26	38	70	95	67	82	35	2	
38	Diseases ill-defined or unknown.....	12	9										1		2			

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
			SYRACUSE, N. Y.																
	All causes.....	2,123	447	63	26	17	10	45	82	147	145	197	251	290	244	142	17		
1	Typhoid fever.....	39		1		1	1	3	5	12	8	3	3	1	1				
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....	12	4	3	1	2		1			1								
6	Scarlet fever.....	23		2	6	1	2	7		4			1						
7	Whooping cough.....	4	3	1															
8	Diphtheria and croup.....	26	2	2	2	3	1	10	4	1	1								
9	Influenza.....	10								1	1				3	4	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	9	5				1							1		1	1		
13	Tuberculosis of the lungs.....	128	1			1		1	11	37	35	23	10	7	2				
14	Tuberculous meningitis.....	15	3	2	3	1		1		4		1							
15	Other forms of tuberculosis.....	8						2		2		3	1						
16	Cancer and other malignant tumors.....	127								1	5	17	40	36	21	7			
17	Meningitis.....	14	2	1		1		1	2	3		1		3					
18	Cerebral hemorrhage and softening.....	110	4							3	2	10	17	35	26	12	1		
19	Organic diseases of the heart.....	286	7	1			1	2	11	4	15	30	38	66	69	41	1		
20	Acute bronchitis.....	14	11									1	1	2					
21	Chronic bronchitis.....	18	3	1						1	1	1	1	1	3	4	2		
22	Pneumonia.....	151	10	10	2		1	7	5	12	13	19	29	18	17	8			
23a	Bronchopneumonia.....	59	24	10		1			2	2	2	3	3	2	3	6	1		
23b	Other diseases of the respiratory system.....	15	2								1	2	3	4	1	2			
24	Diseases of the stomach.....	38	13	1	1				1	1	4	3	6	7	2	2			
25 (37)	Diarrhea and enteritis.....	188	154	15	4		1		7	1	1	1	1	4	4	4	1		
26	Appendicitis and typhlitis.....	21							1	4		2	3	3	1	1			
27	Hernia, intestinal obstruction.....	16	1			1		1			1	1	1	3	5	2			
28	Cirrhosis of the liver.....	16								2		4	5	2	2	1			
29	Acute nephritis and Bright's disease.....	140	1			1	1		6	7	8	15	31	40	23	7			
30	Diseases of the female genital organs.....	10								2	2	2	3	1	1				
31	Puerperal fever.....	8							4	4	4	3	1						
32	Other puerperal affections.....	13								5		8							
33	Congenital debility and malformations.....	128	124	1				2				1							
34	Senility.....	12												2	1	7	2		
35	Violent deaths (excluding suicide).....	123	4	3	3	3		5	8	17	18	17	15	9	14	6	1		
36	Suicide.....	30							4	4	4	4	2	3	3				
37	Other defined diseases.....	299	63	5	3	1	1	2	12	13	18	27	42	44	36	26	6		
38	Diseases ill-defined or unknown.....	13	6	4	1										1	1			

CINCINNATI, OHIO (TOTAL).

	All causes.....	6,319	917	216	91	43	27	96	212	596	723	734	810	806	679	327	36	3
1	Typhoid fever.....	32		1	1			1	3	8	8	6	2		1			
2	Typhus fever.....																	
3	Malaria.....	1																
4	Smallpox.....										1							
5	Measles.....	59	15	17	13	5	2	5	2									
6	Scarlet fever.....	16		2	4	4	1	2	3									
7	Whooping cough.....	30	11	11	1	2	2	3										
8	Diphtheria and croup.....	36	1	6	4	3	3	15	2	1				1				
9	Influenza.....	77	8	2		1			1	4	3	9	11	16	16	6		
10	Asiatic cholera.....																	
11	Cholera nostras.....	4							1			1			1	1		
12	Other epidemic diseases.....	32	5						1		9	3	3	6	1	4		
13	Tuberculosis of the lungs.....	953	8	7	6	2	3	6	74	257	260	169	114	34	11	1		1
14	Tuberculous meningitis.....	50	10	7	6	1	2	9	4	1	5	2	2	2				
15	Other forms of tuberculosis.....	54	2	2	1	2	1	1	4	6	11	12	5	2	4	1		
16	Cancer and other malignant tumors.....	310		1	1				6	17	61	87	75	44	18			
17	Meningitis.....	83	19	15	4	5	1	7	8	7	5	5	5	1	1			
18	Cerebral hemorrhage and softening.....	286	4						1	7	18	22	55	65	84	27	3	
19	Organic diseases of the heart.....	665	5		1			2	19	37	59	67	116	157	134	58	10	
20	Acute bronchitis.....	68	30	9	4	1				1	2	4	8	8	8	5		
21	Chronic bronchitis.....	103		1	1					7	2	4	8	25	31	28	2	
22	Pneumonia.....	376	43	24	14	4	3	13	7	39	43	44	38	49	36	18		1
23a	Bronchopneumonia.....	205	67	36	10	2	4	2	3	9	4	6	9	14	22	15	2	
23b	Other diseases of the respiratory system.....	55	4	1				1		5	4	7	9	6	12	5	1	
24	Diseases of the stomach.....	62	9	1	1	2			1	3	3	4	9	11	9	5		
25 (37)	Diarrhea and enteritis.....	401	278	50	5	4	1	3	3	3	4	5	9	10	14	12		
26	Appendicitis and typhlitis.....	50							8	12	12	6	6	5	1			
27	Hernia, intestinal obstruction.....	64	6						2	2	11	10	7	9	14	3		
28	Cirrhosis of the liver.....	110							1	1	16	27	30	25	8	1	1	
29	Acute nephritis and Bright's disease.....	500	8	2	1	1	1	3	5	21	37	71	92	124	85	45	4	
30	Diseases of the female genital organs.....	35							2	4	12	9	3	2	3			
31	Puerperal fever.....	29							2	15	10	2	2	2				
32	Other puerperal affections.....	26							4	10	8	4						
33	Congenital debility and malformations.....	258	257		1													
34	Senility.....	17												1	4	10	1	1
35	Violent deaths (excluding suicide).....	351	7	8	9	2	2	15	23	57	69	46	46	34	21	7	3	1
36	Suicide.....	63							1	16	12	11	15	4	3		1	1
37	Other defined diseases.....	333	109	13	3	2	1	8	26	62	75	113	125	121	109	57	8	1
38	Diseases ill-defined or unknown.....	25	10						1	2	4	2	4		2			

CAUSES OF DEATH, BY AGE.

489

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79		80 to 89	90 to 99	100 or over.
			CLEVELAND, OHIO.																
	All causes.....	8,047	2,033	431	159	91	80	161	297	634	698	797	841	846	631	302	45	1	
1	Typhoid fever.....	101	1	1	2	1	1	3	24	32	11	13	7	4	1	1	1	1	
2	Typhus fever.....																		
3	Malaria.....	1																	
4	Smallpox.....	2		1															
5	Measles.....	96	22	37	18	3	4	11	1										
6	Scarlet fever.....	71	3	7	13	10	11	17	3	6	1								
7	Whooping cough.....	37	16	11	4	2	3	1											
8	Diphtheria and croup.....	120	8	32	20	14	8	27	7	3									
9	Influenza.....	51	2	2	4		2	1	2	2	6	4	1	4	8	9	5		
10	Asiatic cholera.....																		
11	Cholera nostras.....	5	2						1				1		2				
12	Other epidemic diseases.....	54	15	4	1		1	1		5	3	5	2	7	1		3		
13	Tuberculosis of the lungs.....	717	5	11	7	1	2	1	53	188	192	139	70	33	12	3			
14	Tuberculous meningitis.....	61	18	7	3	5	4	8	9	2	3	1	1						
15	Other forms of tuberculosis.....	48	6	4					8	8	4	7		3	2				
16	Cancer and other malignant tumors.....	412	2	2	1		1	1	1	8	30	78	123	97	58	11		1	
17	Meningitis.....	59	20	5	2	5	4	7	5	1	3	3	1	3					
18	Cerebral hemorrhage and softening.....	351	6						2	11	22	51	81	80	73	24	1		
19	Organic diseases of the heart.....	579	16	3		1	1	7	30	20	37	63	70	150	129	46	6	6	
20	Acute bronchitis.....	163	105	18	8	3	2	2	2	3		1	6	5	7	1			
21	Chronic bronchitis.....	57									2	3	3	14	18	16	1		
22	Pneumonia.....	421	53	24	10	7	4	7	11	33	46	58	61	52	39	14	2		
23a	Bronchopneumonia.....	297	132	48	27	7	3	3	3	7	4	7	10	18	16	11	1		
23b	Other diseases of the respiratory system.....	86	14	4		1	3	3	1	3	10	7	11	14	7	7	1		
24	Diseases of the stomach.....	71	24	2					3	3	2	2	9	5	4	2	2		
25 (37)	Diarrhea and enteritis.....	1,029	790	168	15	11	2	3	1	4		6	3	8	12	4	2		
26	Appendicitis and typhlitis.....	82	1			1	1	5	21	18	10	16	5	3	1				
27	Hernia, intestinal obstruction.....	65	10	1		2	1	1	1	1	2	7	10	19	6	4			
28	Cirrhosis of the liver.....	92	1								14	17	32	16	9	2			
29	Acute nephritis and Bright's disease.....	530	11	7	1	4	2	7	10	21	36	63	117	107	83	51	10		
30	Diseases of the female genital organs.....	40							2	9	14	8	6	1					
31	Puerperal fever.....	51							3	29	15	4	4						
32	Other puerperal affections.....	49							3	17	24	5							
33	Congenital debility and malformations.....	411	409	2															
34	Senility.....	25											2	6	16	1			
35	Violent deaths (excluding suicide).....	471	12	11	13	9	10	26	38	100	70	64	42	31	26	13	6		
36	Suicide.....	103							3	24	16	21	18	15	5	1			
37	Other defined diseases.....	1,216	312	21	8	4	8	19	49	74	119	138	150	143	106	57	8		
38	Diseases ill-defined or unknown.....	23	17							1	2		3						

COLUMBUS, OHIO.

All causes.....		2,310	397	80	32	21	18	47	136	277	324	299	334	360	324	142	15	2
1	Typhoid fever.....	33						3	10	12	4	1	3					
2	Typhus fever.....	1									1							
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	43	5	12	8	4	4	5	2	2								
6	Scarlet fever.....	6			1	4	1	3	1									
7	Whooping cough.....	19	8	7	2	1	1											
8	Diphtheria and croup.....	21	6		2													
9	Influenza.....	15											1	4	6	4		
10	Asiatic cholera.....																	
11	Cholera nostras.....	1																
12	Other epidemic diseases.....	18	4	1	1			1			2	2	2	2	3	1		
13	Tuberculosis of the lungs.....	324	3	1	2		1	1	33	105	88	42	25	15	7	1		
14	Tuberculous meningitis.....	13	1	1	1	1	1	2	1	1	2	1	1	1	4			
15	Other forms of tuberculosis.....	52	10	1		1			11	6	9	4	6	4	4			
16	Cancer and other malignant tumors.....	166							1	6	17	25	43	45	26	3		
17	Meningitis.....	36	9	3	1	2	2	3	2	7	1	2	2	1	1			
18	Cerebral hemorrhage and softening.....	145							1	3	3	14	24	35	40	22	2	1
19	Organic diseases of the heart.....	302	7		1			2	6	9	24	31	47	76	77	17	4	
20	Acute bronchitis.....	16	8									2	1	1	3	2		
21	Chronic bronchitis.....	9													1	1		
22	Pneumonia.....	142	16	1	4	3	1		6	13	14	11	1	1	2	4		
23a	Bronchopneumonia.....	106	33	13	2	1	1	4	1	1	3	4	5	11	16	10	1	
23b	Other diseases of the respiratory system.....	22	1							3	2	2	5	3	2	4		
24	Diseases of the stomach.....	27	6	1	1					5	4	4	3	3	4	2		
25 (37)	Diarrhea and enteritis.....	139	96	19	1	1			1	4	5	4	4	9	4	4		
26	Appendicitis and typhlitis.....	31					1		10	7	4	5	3	3	1			
27	Hernia, intestinal obstruction.....	29	3	1				1		1	5	10	3	3	1	1		
28	Cirrhosis of the liver.....	23								2	1	4	2	5	8	1		
29	Acute nephritis and Bright's disease.....	145	1	1		1		2	5	4	13	18	35	32	21	11		
30	Diseases of the female genital organs.....	27							2	4	9	6	4	2				
31	Puerperal fever.....	22							1	11	6	4						
32	Other puerperal affections.....	14							3	2	8	1						
33	Congenital debility and malformations.....	119	118		1													
34	Senility.....	40																
35	Violent deaths (excluding suicide).....	206	6	3	3	6		8	12	34	36	33	23	1	15	20	3	1
36	Suicide.....	44							2	13	9	9	7	2	2			
37	Other defined diseases.....	429	47	5	1		5	6	20	29	58	57	64	72	49	16		
38	Diseases ill-defined or unknown.....	25	15	4					1	1		1	1		2			

CAUSES OF DEATH, BY AGE:

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
PORTLAND, OREG.																		
	All causes.....	2,308	325	47	39	31	14	64	107	256	235	259	283	292	233	106	16	1
1	Typhoid fever.....	47		1			1		5	22	10	3	3	2				
2	Typhus fever.....																	
3	Malaria.....	1										1						
4	Smallpox.....																	
5	Measles.....	8	3	2	1	1		1	1									
6	Scarlet fever.....	21	1	1	2	1	1	6	4	1								
7	Whooping cough.....	15	10	1	1	3												
8	Diphtheria and croup.....	47	2	5	5	6	3	15	11									
9	Influenza.....	11	2	1				1	1		1			1	4			
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	18	6		1	1				2	2	3	1		1	1		
13	Tuberculosis of the lungs.....	174						4	17	50	39	26	22	12	3			
14	Tuberculous meningitis.....	21	1	3	2	3			1	5	1				1			
15	Other forms of tuberculosis.....	32	2			1		2	2	2	5	3	6	5				
16	Cancer and other malignant tumors.....	147					1		2	2	3	13	26	44	40	15	2	1
17	Meningitis.....	22	5	1	3		1	2	2	5								
18	Cerebral hemorrhage and softening.....	110	1	1									18	32	30	12	1	
19	Organic diseases of the heart.....	222	7					2	12	8	18	27	47	38	50	11	2	
20	Acute bronchitis.....	10	3	2	1								1	1	1			
21	Chronic bronchitis.....	15	1															
22	Pneumonia.....	122	14	3	3	1		2	8	14	12	18	15	2	17	2	3	1
23a	Bronchopneumonia.....	33	23	3	1			2	1	1	1	1	4	4	2	2	1	
23b	Other diseases of the respiratory system.....	22		1	1						3		2	2	2			
24	Diseases of the stomach.....	26	6						1	1	3	3	3	3	3	2		
25 (37)	Diarrhea and enteritis.....	89	57	12	8	1	1	2	4	5	4	2	2	2	3	2		
26	Appendicitis and typhlitis.....	23																
27	Hernia, intestinal obstruction.....	22	2	1	1	1	1	1	1	7	5	4	2	5	4	3	1	
28	Cirrhosis of the liver.....	22									3	3	6	4	4	4		
29	Acute nephritis and Bright's disease.....	126	1				1	1	3	5	11	17	24	31	24	7		1
30	Diseases of the female genital organs.....	19							2	5	5	6	1					
31	Puerperal fever.....	16								11	4	1						
32	Other puerperal affections.....	19								12	6	1						
33	Congenital debility and malformations.....	127	122		1	1		2	1									
34	Senility.....	68												1	22	36	9	
35	Violent deaths (excluding suicide).....	167	4		3	3	1	7	6	44	43	25	15	9	3	2	2	
36	Suicide.....	51							1	8	13	17	6	4	1	1		
37	Other defined diseases.....	397	35	9	6	5	2	11	21	34	30	47	61	73	42	21		
38	Diseases ill-defined or unknown.....	22	13							2				2				

PHILADELPHIA, PA. (TOTAL).

	All causes.....	27,045	5,334	1,317	552	330	251	585	872	1,997	2,492	2,799	3,031	3,306	2,690	1,274	201	11	3
1	Typhoid fever.....	272			3	1	4	25	56	83	53	27	11	4	4	1			
2	Typhus fever.....																		
3	Malaria.....	7							2	2		1	2						
4	Smallpox.....	5	1	1	1						1								
5	Measles.....	164	33	61	30	16	6	13	2	1	2								
6	Scarlet fever.....	152	3	31	31	16	25	32	10	2	2								
7	Whooping cough.....	318	150	84	46	18	7	13											
8	Diphtheria and croup.....	479	32	104	94	62	62	88	17	12	4	3							1
9	Influenza.....	159	4	6	1	3		1	4	6	9	9	21	35	40	16	4		
10	Asiatic cholera.....																		
11	Cholera nostras.....	10			1							1	2			2			
12	Other epidemic diseases.....	117	36	4	2			2		3	12	10	14	16	13	4			1
13	Tuberculosis of the lungs.....	3,007	44	33	13	5	7	23	213	769	789	563	328	153	56	9	2		
14	Tuberculous meningitis.....	184	48	32	15	13	7	27	19	11	5	3	3						
15	Other forms of tuberculosis.....	180	13	11	5	3	2	11	18	36	32	27	14	6	1	1			
16	Cancer and other malignant tumors.....	1,322	2		1		1	1	8	21	90	242	394	310	198	51	3		
17	Meningitis.....	119	28	19	12	10	4	17	7	6	2	7	4	2	1				
18	Cerebral hemorrhage and softening.....	1,166	18	3	1		1		3	7	38	78	194	325	318	160	20		
19	Organic diseases of the heart.....	2,691	26	4	3	3	7	34	90	137	203	299	429	628	540	248	38	2	
20	Acute bronchitis.....	349	180	56	21	12	5	8		3	3	3	4	14	17	22	4		
21	Chronic bronchitis.....	172	11	4	1			2	2	2	6	16	18	24	47	30	8		
22	Pneumonia.....	1,524	210	102	44	21	21	34	30	105	179	199	195	212	117	45	10		
23a	Bronchopneumonia.....	1,073	431	204	62	33	12	29	10	12	27	31	34	62	65	48	8		
23b	Other diseases of the respiratory system.....	359	47	21	4	6	4	11	6	22	38	37	43	47	50	22	1		
24	Diseases of the stomach.....	276	74	10	4	5		6	6	14	29	25	32	26	28	15	2		
25 (37)	Diarrhea and enteritis.....	2,616	1,975	361	72	26	13	12	9	7	11	10	16	39	32	29	4		
26	Appendicitis and typhlitis.....	185	1	1		2	2	17	43	39	29	21	18	9	3				
27	Hernia, intestinal obstruction.....	220	23	4	5	4	4	2	6	21	19	31	29	36	27	9			
28	Cirrhosis of the liver.....	281	2						2	9	42	61	65	61	33	5			
29	Acute nephritis and Bright's disease.....	2,672	31	13	6	10	5	20	48	181	212	369	491	596	524	191	22		
30	Diseases of the female genital organs.....	148							3	41	40	30	16	14	4				
31	Puerperal fever.....	142							11	65	54	12							
32	Other puerperal affections.....	148							7	68	59	14							
33	Congenital debility and malformations.....	1,158	1,136	9	3	2	2	2	3										
34	Senility.....	232												14	79	106	24	9	
35	Violent deaths (excluding suicide).....	1,299	56	36	42	28	28	73	94	152	186	221	142	118	74	39	10		
36	Suicide.....	307							20	60	54	68	54	35	15	1			
37	Other defined diseases.....	3,260	517	82	23	23	19	80	122	150	264	375	450	509	397	212	37		
38	Diseases ill-defined or unknown.....	272	202	21	5	2	3	2	1			5	5	6	7	8	4		1

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.		
PHILADELPHIA, PA. (WHITE).																				
	All causes.....	24,740	4,789	1,178	496	302	225	529	766	1,706	2,166	2,524	2,834	3,164	2,615	1,246	188	9	3	
1	Typhoid fever.....	241			2	1	3	20	52	72	48	24	11	4	3	1				
2	Typhus fever.....																			
3	Malaria.....	7							2	2		1	2							
4	Smallpox.....	5	1	1	1						1	1								
5	Measles.....	158	30	59	29	16	6	13	2	1	2									
6	Scarlet fever.....	146	3	30	31	15	23	32	9	2	1									
7	Whooping cough.....	271	132	70	38	15	6	10												
8	Diphtheria and croup.....	452	30	100	91	54	58	83	17	12	4	2								1
9	Influenza.....	150	3	6	1	3		1	4	5	9	7	19	33	39	16	4			
10	Asiatic cholera.....																			
11	Cholera nostras.....	10			1							1	2	4	2					
12	Other epidemic diseases.....	111	35	4	2			2		3	12	8	14	14	12	4				1
13	Tuberculosis of the lungs.....	2,548	37	22	7	4	5	13	172	632	655	495	306	140	50	8	2			
14	Tuberculous meningitis.....	158	40	27	14	11	6	23	19	7	4	3	3	1						
15	Other forms of tuberculosis.....	138	10	10	4	2	1	9	13	23	26	20	12	6	1					
16	Cancer and other malignant tumors.....	1,278	2		1		1	1	8	19	83	231	379	304	197	50	2			
17	Meningitis.....	114	26	18	10	10	4	17	7	6	2	7	4	2	1					
18	Cerebral hemorrhage and softening.....	1,106	17	3	1			31	3	6	36	70	178	209	307	158	18			
19	Organic diseases of the heart.....	2,522	24	4	3	3	7	81	123	177	268	399	601	522	243	35	1			
20	Acute bronchitis.....	304	154	46	17	11	5	7	2	2	3	3	3	14	17	21	4			
21	Chronic bronchitis.....	164	8			1		2	2	2	6	15	17	24	47	30	7			
22	Pneumonia.....	1,343	172	85	37	19	19	30	24	88	143	168	187	206	112	43	10			
23a	Bronchopneumonia.....	964	381	175	55	34	9	26	7	10	26	28	33	60	64	48	8			
23b	Other diseases of the respiratory system.....	325	40	17	4	6	4	9	4	19	32	36	40	43	50	20	1			
24	Diseases of the stomach.....	249	68	8	4	5		6	5	11	23	19	30	25	28	15	2			
25 (37)	Diarrhea and enteritis.....	2,400	1,806	336	65	23	11	12	7	6	10	10	13	38	32	28	3			
26	Appendicitis and typhlitis.....	178	1	1		2	2	17	41	38	26	21	17	9	3					
27	Hernia, intestinal obstruction.....	205	21	4	5	2	3	2	5	19	15	31	28	34	27	9				
28	Cirrhosis of the liver.....	273	2		1			2	8	42	60	60	60	33	5					
29	Acute nephritis and Bright's disease.....	2,498	30	12	6	10	5	20	44	116	186	334	453	563	512	186	21			
30	Diseases of the female genital organs.....	124							1	30	37	26	15	11	4					
31	Puerperal fever.....	127							8	60	49	10								
32	Other puerperal affections.....	135							5	62	55	13								
33	Congenital debility and malformations.....	1,058	1,037	9	3	2	2	1	3	5	1									
34	Senility.....	224												14	75	103	24	8		
35	Violent deaths (excluding suicide).....	1,195	47	35	41	28	23	67	86	130	167	202	132	117	74	37	9			
36	Suicide.....	300							18	57	53	67	54	35	15	1				
37	Other defined diseases.....	3,023	490	76	18	23	19	74	114	135	235	338	418	487	383	209	34			
38	Diseases ill-defined or unknown.....	286	172	17	4	2	3	1	1			5	5	6	7	8	4			1

PHILADELPHIA, PA. (COLORED).

	All causes.....	2,305	545	139	56	28	26	56	106	291	326	275	197	142	75	28	13	2	
1	Typhoid fever.....	31			1		1	5	4	11	5	3			1					
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	6	3	2	1															
6	Scarlet fever.....	6		1		1	2		1		1									
7	Whooping cough.....	47	18	14	8	3	1	3												
8	Diphtheria and croup.....	27	2	4	3	8	4	5												
9	Influenza.....	9	1	4	3	4		5				1	2	2	1					
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	6	1									2		2	1					
13	Tuberculosis of the lungs.....	459	7	11	6	1	2	10	41	137	134	68	22	13	6	1				
14	Tuberculous meningitis.....	26	8	5	1	2	1	4		4	1									
15	Other forms of tuberculosis.....	42	3	1	1	1	1	2	5	13	6	7	2							
16	Cancer and other malignant tumors.....	44								2	7	11	15	6	1	1	1			
17	Meningitis.....	5	2	1	2															
18	Cerebral hemorrhage and softening.....	60	1				1			1	2	8	16	16	11	2	2			
19	Organic diseases of the heart.....	169	2					3	9	14	26	31	30	27	18	5	3	1		
20	Acute bronchitis.....	45	26	10	4	1		1		1										
21	Chronic bronchitis.....	8	3	1	1							1	1							
22	Pneumonia.....	181	38	17	7	2	2	4	6	17	36	31	8	6	5	2				
23a	Bronchopneumonia.....	109	50	29	7	4	3	3	2	3	2	3	1	3	2	1				
23b	Other diseases of the respiratory system.....	34	7	4				2	2	3	6	1	3	4		2				
24	Diseases of the stomach.....	27	6	2				1	3	6	6	2	1							
25 (37)	Diarrhea and enteritis.....	216	169	25	7	3	2		2	1	1	1	3	1		1	1			
26	Appendicitis and typhlitis.....	7								2	1	3								
27	Hernia, intestinal obstruction.....	15	2			2	1		1	2	4			2						
28	Cirrhosis of the liver.....	8							1			1	5	1						
29	Acute nephritis and Bright's disease.....	174	1	1				4	15	26	35	41	33	12	5	1				
30	Diseases of the female genital organs.....	24						2	11	3	4	1	3							
31	Puerperal fever.....	15						3	5	5	2									
32	Other puerperal affections.....	13						2	6	4		1								
33	Congenital debility and malformations.....	100	99					1												
34	Senility.....	8													4	3		1		
35	Violent deaths (excluding suicide).....	104	9	1	1		5	6	8	22	19	19	10	1		2	1			
36	Suicide.....	7						2	3	1	1									
37	Other defined diseases.....	237	57	6	5		6	8	15	29	37	32	22	14	3	3				
38																				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	
PITTSBURGH, PA. (COLORED).																	
	All causes.....	610	140	51	13	17	4	15	29	50	81	85	61	43	17	4	
1	Typhoid fever.....	7						1		5	1						
2	Typhus fever.....																
3	Malaria.....																
4	Smallpox.....																
5	Measles.....	9		2	1	5				1							
6	Scarlet fever.....	1							1								
7	Whooping cough.....	15	2	6	2	2			2	1							
8	Diphtheria and croup.....	2	1						1								
9	Influenza.....	2												1			
10	Asiatic cholera.....																
11	Cholera nostras.....	1											1				
12	Other epidemic diseases.....	2	1														
13	Tuberculosis of the lungs.....	70	2	1	1	2	2		9	11	14	12	12	4			
14	Tuberculous meningitis.....	6		2				1									
15	Other forms of tuberculosis.....	12		1		1	1						3				
16	Cancer and other malignant tumors.....	16							4	2	1	3	6	3			
17	Meningitis.....	3	1			1			1				6				
18	Cerebral hemorrhage and softening.....	26	1								3	3	5	9	3	1	
19	Organic diseases of the heart.....	48							2	1	8	18	4	7	5	2	
20	Acute bronchitis.....	17	10	5	1										1		
21	Chronic bronchitis.....	4			1				1				1				
22	Pneumonia.....	84	5	4	1	1		2	1	10	23	14	15	7	1		
23a	Bronchopneumonia.....	45	17	13	2	2		3	1	1	3	3	2	1	2		
23b	Other diseases of the respiratory system.....	6	1								1	1	2	1			
24	Diseases of the stomach.....	10			1	1			2	1	3	1	1	1			
25 (37)	Diarrhea and enteritis.....	60	43	13	1	1		2						1			
26	Appendicitis and typhlitis.....	1							1				1				
27	Hernia, intestinal obstruction.....	4	1									1	1				
28	Cirrhosis of the liver.....	3									1	1	1				
29	Acute nephritis and Bright's disease.....	29				1			1	2	4	8	5	6	2		
30	Diseases of the female genital organs.....	4							1		2			1			
31	Puerperal fever.....	2								2							
32	Other puerperal affections.....	3								1	2						
33	Congenital debility and malformations.....	27								1	2						
34	Senility.....																
35	Violent deaths (excluding suicide).....	23	2			1			2	4	8	2	1	1	1	1	
36	Suicide.....	2								1	1	1					
37	Other defined diseases.....	58	21	2	2		1	1	2	3	7	12	4	2	1		
38	Diseases ill-defined or unknown.....	8	5	1				1	1	1	1						
SCRANTON, PA.																	
	All causes.....	2,140	520	135	44	24	19	47	98	168	193	207	208	226	193	55	3
1	Typhoid fever.....	22					1	2	4	2	7	4		2			
2	Typhus fever.....																
3	Malaria.....	1												1			
4	Smallpox.....																
5	Measles.....	11	2	6	2		1										
6	Scarlet fever.....	10	1	3	3	1	1	3	1								
7	Whooping cough.....	16	9	3	2	1	1										
8	Diphtheria and croup.....	37	6	4	7	4	6	7	2			1	1	1	2	1	
9	Influenza.....	11	1						3			1	1	1			
10	Asiatic cholera.....																
11	Cholera nostras.....	7								1		2	1	2	1		
12	Other epidemic diseases.....	18	8	3										2	2	3	
13	Tuberculosis of the lungs.....	118	1	1		1		1	17	26	28	24	8	8			
14	Tuberculous meningitis.....	12	2	5		1		2		1							
15	Other forms of tuberculosis.....	7								2	4	1					
16	Cancer and other malignant tumors.....	86							1	2	12	13	19	25	10	4	
17	Meningitis.....	14	5	2	1	1		2				2	1				
18	Cerebral hemorrhage and softening.....	119	4	1			1	1	1	2	2	8	20	33	36	10	
19	Organic diseases of the heart.....	113	1				1	2	12	6	8	14	19	32	14	4	
20	Acute bronchitis.....	43	26	6	1	1			1			1	2	3	5	1	
21	Chronic bronchitis.....	18						1	1		2	1	3	3	5	1	1
22	Pneumonia.....	148	19	10	4	1		3	6	10	17	23	19	15	16	5	
23a	Bronchopneumonia.....	123	60	24	7	3	1	1		1	2	2	7	9	4	2	
23b	Other diseases of the respiratory system.....	35	3	1	1		1			3	3	3	9	3	5	3	
24	Diseases of the stomach.....	44	17			1			1	1	5	4	8	4	2	1	
25 (37)	Diarrhea and enteritis.....	335	252	49	6	4		1		3	1	2	2	8	6	1	
26	Appendicitis and typhlitis.....	25			1			2	8	7	5	1	1	1			
27	Hernia, intestinal obstruction.....	27								1	2	5	6	6	7		
28	Cirrhosis of the liver.....	28								1	2	7	5	8	3	2	
29	Acute nephritis and Bright's disease.....	124	2	3	1	1	1	1	2	8	10	25	19	24	25	2	
30	Diseases of the female genital organs.....	11								5	4	2					
31	Puerperal fever.....	6							1	1	3	1					
32	Other puerperal affections.....	23							1	8	9	5					
33	Congenital debility and malformations.....	73	72	1													
34	Senility.....	2													1	1	
35	Violent deaths (excluding suicide).....	218	1	6	3	4	2	10	24	53	42	32	16	10	13	2	
36	Suicide.....	14								4	4	3	3				
37	Other defined diseases.....	228	21	7	4		1	8	12	18	20	20	40	29	33	13	2
38	Diseases ill-defined or unknown.....	13	7	3	1					2							

CASUES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.	
PROVIDENCE, R. I.																				
	All causes.....	3,980	827	198	72	45	33	74	144	267	329	411	443	512	442	154	24	4	1	
1	Typhoid fever.....	40		1				3	7	16	6	4	2	1						
2	Typhus fever.....																			
3	Malaria.....	1			1															
4	Smallpox.....																			
5	Measles.....	72	23	29	10	4	2	3			1									
6	Scarlet fever.....	15	2	2	2	1	4	1	1	1	1									
7	Whooping cough.....	25	16	7	1	1	1	4	1	1										
8	Diphtheria and croup.....	49	6	13	7	1	6	10	5	5										
9	Influenza.....	37	4	1		1				1		3	2	6	8	6	1			
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	17	2	1		1			1	2	3			1	2	1				
13	Tuberculosis of the lungs.....	346	11	6	4	1	1	1	39	74	86	61	31	22	10					
14	Tuberculous meningitis.....	42	10	6	6	9	3	2	2	2	1			1						
15	Other forms of tuberculosis.....	30	3	6	2		1	1	4	6	3	1	2	1						
16	Cancer and other malignant tumors.....	228							2	19	46	57	55	36	7	1				
17	Meningitis.....	30	10	6	4	1	1	2	1	2	1	2								
18	Cerebral hemorrhage and softening.....	222	1						2	4	22	42	56	63	30	2				
19	Organic diseases of the heart.....	404	1		1			4	14	17	29	56	66	105	84	24	3			
20	Acute bronchitis.....	45	31	6	1			1		1	1	1	1	2						
21	Chronic bronchitis.....	20	1							1	1	1	1	4	3	5	3			
22	Pneumonia.....	314	41	19	6	7	4	8	10	12	28	30	37	59	41	9	2		1	
23a	Bronchopneumonia.....	125	51	23	9	2		1	1	3	2	4	6	9	9	6				
23b	Other diseases of the respiratory system.....	33	1	3	3		3	1	2	3	3	1	2	2	7	1				
24	Diseases of the stomach.....	46	16	2					4	3	4	3	3	6	5	3	3			
25 (37)	Diarrhea and enteritis.....	315	238	41	6	4	1	3	2	2	1	2	2	6	5	2				
26	Appendicitis and typhlitis.....	46						6	7	13	6	9	4	1						
27	Hernia, intestinal obstruction.....	38	7					2	2	1	3	1	10	7	5					
28	Cirrhosis of the liver.....	41						4	10	11	4	10	5	1						
29	Acute nephritis and Bright's disease.....	323	5	1	1			2	8	21	28	53	67	64	61	12				
30	Diseases of the female genital organs.....	25								2	8	6	6	1	1	1				
31	Puerperal fever.....	18							2	7	9									
32	Other puerperal affections.....	28							2	12	12	2								
33	Congenital debility and malformations.....	186	184	1		1								2	9	7	4		2	
34	Senility.....	24																		
35	Violent deaths (excluding suicide).....	212	11	5	1	7	4	13	19	25	20	34	28	19	14	10	2			
36	Suicide.....	38								6	8	13	5	5	1					
37	Other defined diseases.....	491	111	16	7	5	2	9	14	24	37	43	52	67	69	28	5	1		
38	Diseases ill-defined or unknown.....	54	41	3							2	2	2	1	2	1				

MEMPHIS, TENN. (TOTAL).

	All causes.....	2,818	345	84	54	28	18	56	194	440	418	347	352	259	141	67	11	3	1	
1	Typhoid fever.....	36		1	1			2	10	8	5	4	4		1					
2	Typhus fever.....																			
3	Malaria.....	97	6	1	4	1	1	3	12	17	13	8	15	8	4	3	1			
4	Smallpox.....																			
5	Measles.....	8			3			2	2	1										
6	Scarlet fever.....	7	1			2	2													
7	Whooping cough.....	5	3	1				1												
8	Diphtheria and croup.....	22	5	3	4	2	2	4	1						1					
9	Influenza.....	40	4	2		1			3	3	7	3	5	5	2	4	1			
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	67	7	1	1			1	1	9	13	7	12	11	4					
13	Tuberculosis of the lungs.....	329	3	2				5	46	107	80	44	25	10	4	2				
14	Tuberculous meningitis.....	8	2					1	1	3			1							
15	Other forms of tuberculosis.....	13			1			1	1	2	3	3	2							
16	Cancer and other malignant tumors.....	84	1		1			2	2	3	12	16	25	14	7	1				
17	Meningitis.....	49	14	3	2	1	3	7	8	3	2	2	3	1	1					
18	Cerebral hemorrhage and softening.....	60	2		2	1		1	1	2	7	8	15	13	5	3				
19	Organic diseases of the heart.....	176	1	1	2	1		1	7	16	23	28	43	31	15	6			1	
20	Acute bronchitis.....	22	7	2	1			1	1	7	1	1	2	2	1					
21	Chronic bronchitis.....	18						1	2	5	2	2	2	3	1					
22	Pneumonia.....	30	3		2	2		1	7	18	15	11	8	7	4	2				
23a	Bronchopneumonia.....	178	29	18	4	6	2	4	11	19	27	20	15	10	9	4				
23b	Other diseases of the respiratory system.....	40	5					1	3	7	6	4	6	5	1	2				
24	Diseases of the stomach.....	40	4		1	2		1	1		4	10	7	8	1	1				
25 (37)	Diarrhea and enteritis.....	183	98	32	8	2		3	3	2	4	7	13	4	4	2	1			
26	Appendicitis and typhlitis.....	36						1	11	8	6	7	2	1						
27	Hernia, intestinal obstruction.....	33	3	1					3	9	7	4	2	2	2					
28	Cirrhosis of the liver.....	25							3	3	7	6	3	5	1					
29	Acute nephritis and Bright's disease.....	191	2	2	1			1	6	13	35	37	36	43	10	4	1			
30	Diseases of the female genital organs.....	23								7	8	6	2							
31	Puerperal fever.....	24							4	12	5	2	1							
32	Other puerperal affections.....	13							1	6	6									
33	Congenital debility and malformations.....	58	57							1										
34	Senility.....	63												7	25	23	6		2	
35	Violent deaths (excluding suicide).....	257	5	4	6	2	3	7	24	82	47	28	26	11	8	3				
36	Suicide.....	30							1	13	4	4	4	3	1					
37	Other defined diseases.....	351	27	4	9	3		5	17	44	58	60	56	36	25	6	1			
38	Diseases ill-defined or unknown.....	152	56	6	2	1		1	4	11	11	16	19	19	5					

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
MEMPHIS, TENN. (WHITE).																		
	All causes.....	1,326	176	38	28	15	6	29	62	159	170	160	173	170	89	49	3	
1	Typhoid fever.....	15							3	6	3	2	1					
2	Typhus fever.....	7																
3	Malaria.....	34	2	1	3	1			4	7	5	1	4	4	2			
4	Smallpox.....																	
5	Measles.....	5			1			2	1	1								
6	Scarlet fever.....	6	1			2	1	2										
7	Whooping cough.....	1	1															
8	Diphtheria and croup.....	14	1	1	3	1	2	4	1						1			
9	Influenza.....	13				1					2	2	2	1	1	4		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	33	3	1						3	5	4	7	7	3			
13	Tuberculosis of the lungs.....	115	1						8	35	30	17	13	7	2	2		
14	Tuberculous meningitis.....	7	2						1	3			1					
15	Other forms of tuberculosis.....	5						1		1		2	1					
16	Cancer and other malignant tumors.....	60			1			2	2	3	5	10	19	10	7	1		
17	Meningitis.....	25	4	2	1	1	1	3	5	1	1	2	2	1	1	1		
18	Cerebral hemorrhage and softening.....	40	2		1	1			1	1	5	6	6	12	2	3		
19	Organic diseases of the heart.....	77	1		1				1	6	7	9	20	18	9	5		
20	Acute bronchitis.....	2												1		1		
21	Chronic bronchitis.....	6												3				
22	Pneumonia.....	38				1			1	7	7	6	7	5	3	1		
23a	Bronchopneumonia.....	65	12	6	2	1		3	2	2	11	6	4	7	7	2		
23b	Other diseases of the respiratory system.....	17	1				1		1	3	2	3	3	2	1	1		
24	Diseases of the stomach.....	17	1		1	1			1		2	4	1	4	1	1		
25 (37)	Diarrhea and enteritis.....	117	65	19	6	2		3			3	4	6	4	3	2		
26	Appendicitis and typhilitis.....	22			6				7	5	4	3	2	1				
27	Hernia, intestinal obstruction.....	23	2	1					2	4	6	4	1	1	2			
28	Cirrhosis of the liver.....	19							1	4	6	3	4	4	1			
29	Acute nephritis and Bright's disease.....	105		1					3	6	18	15	18	33	7	3	1	
30	Diseases of the female genital organs.....	8								3	4		1					
31	Puerperal fever.....	9							2	5	2							
32	Other puerperal affections.....	4								3	1							
33	Congenital debility and malformations.....	43	43															
34	Senility.....	39												3	15	19	2	
35	Violent deaths (excluding suicide).....	98	1	2	2	1	1	5	6	22	13	13	15	10	6	1		
36	Suicide.....	27							1	11	4		3	3	1			
37	Other defined diseases.....	167	7	2	5	1		3	8	17	24	31	29	25	12	3		
38	Diseases ill-defined or unknown.....	50	26	2	1	1		1	1	2	2	5	3	4	2			
MEMPHIS, TENN. (COLORED).																		
	All causes.....	1,492	169	46	26	13	12	27	132	281	243	187	180	89	52	18	8	3
1	Typhoid fever.....	21		1	1			2	7	2	2	2	3		1			
2	Typhus fever.....																	
3	Malaria.....	63	4		1		1	3	8	10	8	7	11	4	2	3	1	
4	Smallpox.....																	
5	Measles.....	3			2				1									
6	Scarlet fever.....	1																
7	Whooping cough.....	4	2	1				1										
8	Diphtheria and croup.....	8	4	2	1	1												
9	Influenza.....	27	4	2					3	3	5	1	3	4	1		1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	34	4		1		1		1	6	8	3	5	4	1			
13	Tuberculosis of the lungs.....	214	2	2			1	5	38	72	50	27	12	3	2			
14	Tuberculous meningitis.....	1					1											
15	Other forms of tuberculosis.....	8				1			1	1	3	1	1	4				
16	Cancer and other malignant tumors.....	24	1							1	3	1	6	4				
17	Meningitis.....	24	10	1	1		2	4	3	1	7	6	6	4				
18	Cerebral hemorrhage and softening.....	20						1	1	2	2	2	9	1	3			
19	Organic diseases of the heart.....	99		1	1	1			6	10	16	19	23	13	6	1		1
20	Acute bronchitis.....	20	7	2	1				1	7	1	2	3	1				
21	Chronic bronchitis.....	12							1	2	4	1	2					
22	Pneumonia.....	42	3		2	1			6	11	8	1	5	1	2	1		
23a	Bronchopneumonia.....	113	17	12	2	5	2	1	9	17	16	14	11	3	2	2		
23b	Other diseases of the respiratory system.....	23	4						2	4	4	1	3	3	1	1		
24	Diseases of the stomach.....	23	3			1			1		2	6	6	4				
25 (37)	Diarrhea and enteritis.....	66	33	13	2				3	2	1	3	7		1		1	
26	Appendicitis and typhilitis.....	14							4	3	2	4						
27	Hernia, intestinal obstruction.....	10	1						1	5	1	1	1	1				
28	Cirrhosis of the liver.....	6								2	3							
29	Acute nephritis and Bright's disease.....	86	2	1	1			1	3	7	17	22	18	10	3	1		
30	Diseases of the female genital organs.....	15							4	4	6	2	1					
31	Puerperal fever.....	9							2	7	3	2	1					
32	Other puerperal affections.....	15							1	3	5							
33	Congenital debility and malformations.....	14	14							1								
34	Senility.....	24												4	10	4	4	2
35	Violent deaths (excluding suicide).....	159	4	2	4	1	2	2	18	60	34	15	11	1	2	2		1
36	Suicide.....	3							2	2			1					
37	Other defined diseases.....	184	20	2	4	2		2	9	27	34	29	27	11	13	3	1	
38	Diseases ill-defined or unknown.....	102	30	4	1	1			3	9	9	11	16	15	3			

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
			NASHVILLE, TENN. (TOTAL).																
	All causes.....	2,063	289	95	40	15	16	44	127	262	217	220	230	223	183	76	20	6	
1	Typhoid fever.....	54				2			5	11	18	7	8	2		1			
2	Typhus fever.....																		
3	Malaria.....	11								2	1		3	1	4				
4	Smallpox.....																		
5	Measles.....	5		3	1				1										
6	Scarlet fever.....	2					2												
7	Whooping cough.....	6		1	3				2										
8	Diphtheria and croup.....	7		1	3		2		1										
9	Influenza.....	42	1		1						1	6	2	9	8	9	4	1	
10	Asiatic cholera.....																		
11	Cholera nostras.....	2									1		1						
12	Other epidemic diseases.....	23	4	4	2						1		1	2	3	3	2		
13	Tuberculosis of the lungs.....	234			1		1	4	32	83	55	25	20	10	8				
14	Tuberculous meningitis.....	13	3	1	1		1	4	1	1									
15	Other forms of tuberculosis.....	37		2			1	1	2	8	7	6	7	2		1			
16	Cancer and other malignant tumors.....	74							1	5	5	14	15	19	11	4			
17	Meningitis.....	23	4	3	1				3	2	4	2	2	2					
18	Cerebral hemorrhage and softening.....	73	1						1	7	5	6	13	19	16	4	1		
19	Organic diseases of the heart.....	201							6	14	13	32	41	44	35	11	4	1	
20	Acute bronchitis.....	7	4	2							1								
21	Chronic bronchitis.....	16		1				1	1	2		1	2	5	3				
22	Pneumonia.....	204	35	15	6	1	3	3	13	23	24	26	18	18	12	4	1	2	
23a	Bronchopneumonia.....	38	18	6	1	3		1	1	2	1		2	2	3				
23b	Other diseases of the respiratory system.....	30	1	1					1	5	5	1	7	3	2	3	1	1	
24	Diseases of the stomach.....	23	5	2					1	5	2	2	5	2	2	2			
25(37)	Diarrhea and enteritis.....	141	63	39	12	4	1	1	1	2	3	3	5	5	5	1			
26	Appendicitis and typhlitis.....	29							9	8	3	1	5	3	3				
27	Hernia, intestinal obstruction.....	32	4	1					4	4		6	3	4	5	1			
28	Cirrhosis of the liver.....	10							1	1	4	2	2	2	1				
29	Acute nephritis and Bright's disease.....	91	2	1	2				3	4	7	10	20	22	13	6	1		
30	Diseases of the female genital organs.....	19								5	3	8	1		2				
31	Puerperal fever.....	13							3	7	3								
32	Other puerperal affections.....	8							2	5	1								
33	Congenital debility and malformations.....	85	84	1															
34	Senility.....	50													4	17	16	11	2
35	Violent deaths (excluding suicide).....	110	15		3	2	3	6	10	19	14	13	9	7	7	2			
36	Suicide.....	20							1	7	5	4	3						
37	Other defined diseases.....	297	35	7	2	2	2	7	14	21	41	40	38	42	32	13	1		
38	Diseases ill-defined or unknown.....	28	10	4	1				1				2	4	2				

NASHVILLE, TENN. (WHITE).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99	100 or over.
NASHVILLE, TENN. (WHITE).																			
	All causes.....	1,113	142	53	23	9	9	19	60	120	111	113	121	143	125	56	9		
1	Typhoid fever.....	37				2			3	5	14	6	5	2					
2	Typhus fever.....																		
3	Malaria.....	4								1	1			2					
4	Smallpox.....																		
5	Measles.....	3		3															
6	Scarlet fever.....	2					2												
7	Whooping cough.....	3			2														
8	Diphtheria and croup.....	5		1	3														
9	Influenza.....	17	1		1						1			2	4	5	2	1	
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	16	2	3	1					1			2	3	2	2			
13	Tuberculosis of the lungs.....	115			1				13	36	30	12	14	7	2				
14	Tuberculous meningitis.....	5	2	1				1		1									
15	Other forms of tuberculosis.....	15						1	3	3	2	2	1	1	1				
16	Cancer and other malignant tumors.....	58							1	3	3	9	9	17	10	4			
17	Meningitis.....	15	1	2	1			3	1	3	3	2	2	8	8				
18	Cerebral hemorrhage and softening.....	45	1						1	1	4	3	2	8	13	4	1		
19	Organic diseases of the heart.....	92							2	4	4	2	14	16	28	15	9	2	
20	Acute bronchitis.....	4	1	2							1								
21	Chronic bronchitis.....	9		1								1		2	3				
22	Pneumonia.....	76	11	5	3		2	1	3			11	6	8	9	1	2		
23a	Bronchopneumonia.....	20	8	2		3		1	1	7	8		6	3	1	1	3		
23b	Other diseases of the respiratory system.....	13							1	2	1		1	3	1	2	1		
24	Diseases of the stomach.....	16	3	1					1	2	1	1	3	3	2	1	1		
25(37)	Diarrhea and enteritis.....	81	36	24	7	2				2	2	1	4	4	2	1	4		
26	Appendicitis and typhlitis.....	20							7	6	1			3	4				
27	Hernia, intestinal obstruction.....	23	3	1					3	1				2	2	1			
28	Cirrhosis of the liver.....	8								1	4	2	2	1	5	1			
29	Acute nephritis and Bright's disease.....	53	1		1				2	1	4	2	6	12	13	3	1		
30	Diseases of the female genital organs.....	6								2	3	2			1				
31	Puerperal fever.....	6							1	2	3	2			1				
32	Other puerperal affections.....	2								1	1								
33	Congenital debility and malformations.....	47	46	1															
34	Senility.....	27													2	8	13	4	
35	Violent deaths (excluding suicide).....	70	9		1		2	4	6	10	7	11	6	5	7	2			
36	Suicide.....	19							1	7	4	4	3						
37	Other defined diseases.....	170	13	4	2	2	2	3	10	7	23	21	19	29	25	10			
38	Diseases ill-defined or unknown.....	11	4	2									2	1	2				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
NASHVILLE, TENN. (COLORED).																		
	All causes.....	950	147	42	17	6	7	25	67	142	106	107	109	80	58	20	11	6
1	Typhoid fever.....	17						2	6	4	1	3			1			
2	Typhus fever.....	7							1			3	1	2				
3	Malaria.....	7																
4	Smallpox.....	2			1			1										
5	Measles.....	2																
6	Scarlet fever.....	3		1	1			1										
7	Whooping cough.....	2					1	1										
8	Diphtheria and croup.....	25								1	5	2	7	4	4	2		
9	Influenza.....	2																
10	Asiatic cholera.....	7								1		1						
11	Cholera nostras.....	2										1						
12	Other epidemic diseases.....	7	2	1	1							1		1				
13	Tuberculosis of the lungs.....	119					1	4	19	47	25	13	6	3	1			
14	Tuberculous meningitis.....	8	1				1	3	1									
15	Other forms of tuberculosis.....	22		2		1	1	1	5	4	2	5	1	1				
16	Cancer and other malignant tumors.....	16								3	2	2	6	2	1			
17	Meningitis.....	8	3	1					1	1	2	2						
18	Cerebral hemorrhage and softening.....	28								3	2	4	5	11	3			
19	Organic diseases of the heart.....	109							4	10	11	18	25	16	20	2	2	1
20	Acute bronchitis.....	3	3															
21	Chronic bronchitis.....	7						1										
22	Pneumonia.....	128	24	10	3	1	1	2	10	16	16	15	12	3	3	2	1	2
22a	Bronchopneumonia.....	18	10	4	1					1	1			1				
22b	Other diseases of the respiratory system.....	17	1	1				1		3	4		4			2		1
23	Diseases of the stomach.....	12	1	1				1		3	1							
24	Diarrhea and enteritis.....	60	27	15	5	2	1	1	1	3	2	2	2	1	1			
25 (37)	Appendicitis and typhlitis.....	9								2	1	1	3					
26	Hernia, intestinal obstruction.....	2	1							2	3							
27	Cirrhosis of the liver.....	2								1	1					1		
28	Acute nephritis and Bright's disease.....	38	1	1	1					3	2	4	8	9	5	3		
29	Diseases of the female genital organs.....	13								3	2	6	1					
30	Puerperal fever.....	7								3	4							
31	Other puerperal affections.....	6								4	1							
32	Congenital debility and malformations.....	38	38															
33	Senility.....	23												2	9	3	7	2
34	Violent deaths (excluding suicide).....	40	6		2	2	1	2	4	9	7	2	3	2				
35	Suicide.....	1																
36	Other defined diseases.....	127	22	3				4	4	14	18	19	19	13	7	3	1	
37	Diseases ill-defined or unknown.....	17	6	2	1				1			2	2	1		2		

RICHMOND, VA. (TOTAL).

RICHMOND, VA. (TOTAL).																			
	All causes.....	2,887	616	112	63	31	18	49	125	308	287	297	327	328	221	92	11	1	1
1	Typhoid fever.....	28		1	2	2		1	10	7	3	1		1					
2	Typhus fever.....	6								1	1	1	1	2					
3	Malaria.....	6																	
4	Smallpox.....	27	6	10	3	2	1	4		1									
5	Measles.....	47	28	9	4	4	1	1											
6	Scarlet fever.....	13			2	2	3	4											
7	Whooping cough.....	43																	
8	Diphtheria and croup.....	32	1	1						2		5	5	10	7	1			
9	Influenza.....	1																	
10	Asiatic cholera.....	13	4	1						2		1	4	1					
11	Cholera nostras.....	18	3	3	1	1		3	38	104	71	32	18	7	5				
12	Other epidemic diseases.....	286	6					2	1	1	2	3	1	2					
13	Tuberculosis of the lungs.....	13	1		1			6	3	3	12	23	27	25	15	3			
14	Tuberculous meningitis.....	26			1					4	5	2	3	2					
15	Other forms of tuberculosis.....	110			1					2	2	3	2	1					
16	Cancer and other malignant tumors.....	23	7	2	1	5	2		2	4	13	18	42	60	46	8	2		
17	Meningitis.....	198	3						2	2	4	13	18	42	60	46	8	2	
18	Cerebral hemorrhage and softening.....	225							1	1	1	1	1	1	1	1	1	2	
19	Organic diseases of the heart.....	29	14	5	1	1	2		1	1	1	1	1	5	7	2			
20	Acute bronchitis.....	19			1														
21	Chronic bronchitis.....	150	8	4	4	3	1	2	8	34	17	20	23	17	6	2	1		
22	Pneumonia.....	102	48	23	10	1	2	2	1		1		4	5	2	3			
22a	Bronchopneumonia.....	83	10	3	3			2	3	12	14	7	12	9	5	2	1		
22b	Other diseases of the respiratory system.....	36	8	2	1					5	2	10	4	3	1				
23	Diseases of the stomach.....	202	150	21	7	2			1	3	5	3	2	3	3	1	1		
24	Diarrhea and enteritis.....	32			1			6	10	6	4	4	4	1	1				
25 (37)	Appendicitis and typhlitis.....	19	3		2			1	2	1	2	3	4	1	1	1			
26	Hernia, intestinal obstruction.....	26							2	2	2	2	7	7	3	1			
27	Cirrhosis of the liver.....	243		1	2	1	2		1	12	21	39	53	60	33	17			
28	Acute nephritis and Bright's disease.....	25							2	7	6	8	2						
29	Diseases of the female genital organs.....	11							1	12	2	1							
30	Puerperal fever.....	16							1	5	4	1							
31	Other puerperal affections.....	161	159	1	1														
32	Congenital debility and malformations.....	41												9	15	12	4	1	
33	Senility.....	160	17	2	5	3	2	8	18	34	23	15	13	9	6	5			
34	Violent deaths (excluding suicide).....	12								6	3		2	1					
35	Suicide.....	358	79	9	3	4	1	7	15	24	40	51	50	43	20	12			
36	Other defined diseases.....	109	61	10	7				3	3	4	4	6	5	5	1			

CAUSES OF DEATH, BY AGE.

499

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	
RICHMOND, VA. (WHITE).																		
	All causes	1,470	266	50	23	13	9	30	52	122	130	134	152	216	183	82	7	1
1	Typhoid fever	15		1	1	1				4	3	3		1				
2	Typhus fever	6																
3	Malaria	2												2				
4	Smallpox	2																
5	Measles	18	2	9	1	1	1	4										
6	Scarlet fever	16	2	4		2		1										
7	Whooping cough	23	16	4		2		1										
8	Diphtheria and croup	10				2		3										
9	Influenza	19	1									3	3	5	6	1		
10	Asiatic cholera	1																
11	Cholera nostras	1												1				
12	Other epidemic diseases	6	1	1										1	2			
13	Tuberculosis of the lungs	131	1					1	11	42	37	15	13	1	5			
14	Tuberculous meningitis	5	3											6				
15	Other forms of tuberculosis	16	1		1			2		2	3	2		2		1		
16	Cancer and other malignant tumors	84								2	2	3	2	2				
17	Meningitis	13	5	1		3	1			1	3	19	15	22	15	3		
18	Cerebral hemorrhage and softening	103	1							1								
19	Organic diseases of the heart	135	1	2				1	1	2	5	5	14	37	6	6	1	
20	Acute bronchitis	6	2	1						1	5	10	18	30	29	19	1	
21	Chronic bronchitis	12	2		1							1		1	1	2		
22	Pneumonia	65	5	1	1	2			5	10			1	2	6	2		
23a	Bronchopneumonia	32	13	7	2	2			5	10	3	7	11	12	6	2	1	
23b	Other diseases of the respiratory system	26	4	2				2			1	2	1	3	2	3		
24	Diseases of the stomach	17	7	1	1			2	1		2	3	4	5	3	2	1	
25	Diarrhea and enteritis	80	57	7	2	2			1	7	1	4	2	2	2	1	1	
26	Appendicitis and typhlitis	26			1					1	4	2	2	2	2	1	1	
27	Hernia, intestinal obstruction	14	2		2			1			1	1	2	1	1			
28	Cirrhosis of the liver	21								2	1	1	2	5	6	3		
29	Acute nephritis and Bright's disease	139		1	1		2				1	2	2	1	1	1	1	
30	Diseases of the female genital organs	7							1	1	5	9	13	27	42	28	11	
31	Puerperal fever	4								1	1	1	2	1				
32	Other puerperal affections	12									10	3	1					
33	Congenital debility and malformations	82	80	1	1													
34	Senility	28												3	10	5		
35	Violent deaths (excluding suicide)	84	5	2	2	2	2	5	6	15	13	10	6	6	5	5	3	1
36	Suicide	10								5	2		2	1				
37	Other defined diseases	178	31	6	1			4	8	11	20	21	24	23	17	12		
38	Diseases ill-defined or unknown	46	29	3	2					3	3		2	2	4	1		
RICHMOND, VA. (COLORED).																		
	All causes	1,417	350	62	40	18	9	19	73	186	157	163	175	112	38	10	4	1
1	Typhoid fever	13			1	1		1	6	4								
2	Typhus fever	4																
3	Malaria	4								1	1	1	1					
4	Smallpox	9	4	1	2	1				1								
5	Measles	24	12	5	4	2	1											
6	Scarlet fever	3		2				1										
7	Whooping cough	13		1						2			2	5	1			
8	Diphtheria and croup	10																
9	Influenza	11																
10	Asiatic cholera	1																
11	Cholera nostras	1																
12	Other epidemic diseases	12	3							2			3	3				
13	Tuberculosis of the lungs	155	2	3	1	1		2	27	62	34	17	5	1				
14	Tuberculous meningitis	8	3					1		1	2	1	1	1				
15	Other forms of tuberculosis	10						4	1	1	2	1	1					
16	Cancer and other malignant tumors	26			1					2	4	4	12	3				
17	Meningitis	10	2	1	1	2	1			1	1	1						
18	Cerebral hemorrhage and softening	95	2							1	2	12	13	28	23	10	2	2
19	Organic diseases of the heart	90				1	1			1	7	15	22	26	9	7		1
20	Acute bronchitis	23	12	4	1		2			1	1	1	1					
21	Chronic bronchitis	7								2	1			3	1			
22	Pneumonia	85	3	3	3	1	1	2	3	24	14	13	12	5		1		
23a	Bronchopneumonia	70	35	16	8	1	2	2	1	1	1		3	2				
23b	Other diseases of the respiratory system	57	6	1	2				2	12	12	4	12	4	2			
24	Diseases of the stomach	19	1	1						4	2	8	2	1	1			
25	Diarrhea and enteritis	122	93	14	5	2				2	3	1		1	1			
26	Appendicitis and typhlitis	6								3	2	1						
27	Hernia, intestinal obstruction	5	1								1	1	2	1				
28	Cirrhosis of the liver	5								1	1	1	2	1				
29	Acute nephritis and Bright's disease	104			1	1				1	7	12	26	26	18	5	6	
30	Diseases of the female genital organs	18								1	6	4	6	1				
31	Puerperal fever	7								1	4	1	1					
32	Other puerperal affections	4								1	2	1						
33	Congenital debility and malformations	79	79															
34	Senility	13												6	5	1	1	
35	Violent deaths (excluding suicide)	76	12		3	1		3	12	19	10	5	7	3	1			
36	Suicide	2								1	1	1						
37	Other defined diseases	180	48	3	2	4	1	3	7	13	20	30	26	20	3			
38	Diseases ill-defined or unknown	63	32	7	5				3	3	1	4	4	3	1			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89		90 to 99
SEATTLE, WASH.																		
	All causes.....	2,408	348	61	23	11	10	50	107	309	314	336	289	264	183	93	8	2
1	Typhoid fever.....	34		1				3	5	14	6	3	1	1				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	7	1	2	1							1						
6	Scarlet fever.....	17		1			2	7	7	1								
7	Whooping cough.....	30	23	5	1	1	1											
8	Diphtheria and croup.....	15	2	1	1	1		5	3	1			1					
9	Influenza.....	8								2	2	1			2	1		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	11	3							1	2	2	1	1	1			
13	Tuberculosis of the lungs.....	228	1	2	1			19	79	57	37	24	1	7	1			
14	Tuberculous meningitis.....	22	5	2	1		4	2	5	1		1						
15	Other forms of tuberculosis.....	45	2	2		1		5	14	8	8	31	3	3				
16	Cancer and other malignant tumors.....	144			1					9	31	45	34	22	2		1	
17	Meningitis.....	13	3	1	1			2	1	1	16	22	3	1	10	8		
18	Cerebral hemorrhage and softening.....	107	2	2						6	16	22	3	4	1	8		
19	Organic diseases of the heart.....	203	3	1				1	10	11	17	26	43	4	28	18		1
20	Acute bronchitis.....	7	4									1	1					
21	Chronic bronchitis.....	8										2	4	2				
22	Pneumonia.....	131	8	6	1	1	2	5	14	17	26	16	15	16	4	2	1	
23a	Bronchopneumonia.....	64	23	9	3	1	3			1	4	3	2	3	2			
23b	Other diseases of the respiratory system.....	22	2	1	1				2	2	3	2	6	3	2			
24	Diseases of the stomach.....	29	8	1							6	3	5	1	2			
25 (37)	Diarrhea and enteritis.....	87	63	13	2		1			2	1	1	1	1	2			
26	Appendicitis and typhlitis.....	40						3	12	8	10	4	1	1	1			
27	Hernia, intestinal obstruction.....	21	3					1		2	4	6	2	3				
28	Cirrhosis of the liver.....	17								1	2	4	5	3	1	1		
29	Acute nephritis and Bright's disease.....	162	4						1	14	11	38	24	39	21	9	1	
30	Diseases of the female genital organs.....	25							8	9	6	2						
31	Puerperal fever.....	21						1	12	7	1							
32	Other puerperal affections.....	18							10	8								
33	Congenital debility and malformations.....	115	112	1	1		1							7	16	33	3	
34	Senility.....	59																
35	Violent deaths (excluding suicide).....	227	12	4	4	2	2	7	11	55	57	34	22	10	3	2	1	1
36	Suicide.....	77							2	23	17	19	9	6	1			
37	Other defined diseases.....	378	52	5	4	2	1	11	23	28	54	58	54	41	34	10	1	
38	Diseases ill-defined or unknown.....	16	12	1								1			1	1		
SPOKANE, WASH.																		
	All causes.....	1,375	292	44	14	19	13	45	63	175	163	147	151	122	84	37	1	5
1	Typhoid fever.....	48		2		1		1	7	18	9	3	4	3				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	8	1	4				2	4	4		1						
6	Scarlet fever.....	17		1	1		2	4	4									
7	Whooping cough.....	21	13	6	1			1										
8	Diphtheria and croup.....	19	1			3	3	9	2			1						
9	Influenza.....	11	1						1		2		1	1	4	1		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	8	2									3	1		2			
13	Tuberculosis of the lungs.....	94					1	10	29	29	12	8	3					
14	Tuberculous meningitis.....	8		3	2			2				3	1					
15	Other forms of tuberculosis.....	17		1				1	3	6	2	3	1					
16	Cancer and other malignant tumors.....	72								8	17	22	15	9	1			
17	Meningitis.....	16	3	3	1	2	1	1	2	1	7	12	17	15	6			
18	Cerebral hemorrhage and softening.....	63						1	1	2	2	7	12	17	8	7		
19	Organic diseases of the heart.....	82	1			1		2	7	10	2	12	19	13	8			
20	Acute bronchitis.....	4	3															
21	Chronic bronchitis.....	3																
22	Pneumonia.....	57	7	1				1	2	12	6	7	7	6	2	2		
23a	Bronchopneumonia.....	60	30	7	3	2		2	4	3	7	2	2	1	2	3		
23b	Other diseases of the respiratory system.....	12						1	1	2	3	1	1	2	1	1		
24	Diseases of the stomach.....	20	8					1	1	1	4	2	2	2	2	1		
25 (37)	Diarrhea and enteritis.....	112	87	9	3	5	2	1				1	1	1	2	1		
26	Appendicitis and typhlitis.....	21						2	4	7	4	3	1					
27	Hernia, intestinal obstruction.....	22	1		1	1		1	3	2	1	4	3	2	2			
28	Cirrhosis of the liver.....	17								2	3	4	5	1	2			
29	Acute nephritis and Bright's disease.....	66	3				1		1	5	11	5	13	18	7	2		
30	Diseases of the female genital organs.....	11								3	3	2	2	1				
31	Puerperal fever.....	11								6	5							
32	Other puerperal affections.....	10						1	7	1	1							
33	Congenital debility and malformations.....	91	90	1														
34	Senility.....	11													3	7	1	
35	Violent deaths (excluding suicide).....	119	1	3	1	3	1	6	7	29	27	20	12	5	3			
36	Suicide.....	25								8	4	5	2	2				
37	Other defined diseases.....	204	27	2	1	1	1	8	8	20	31	33	26	25	16	4		
38	Diseases ill-defined or unknown.....	15	13							1					1			

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY HAVING 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 or over.	
MILWAUKEE, WIS.																			
	All causes.....	5,205	1,368	235	116	69	54	169	243	446	386	413	506	481	409	264	44	2
1	Typhoid fever.....	172		2				7	33	66	38	16	7	2		1			
2	Typhus fever.....																		
3	Malaria.....	1										1							
4	Smallpox.....																		
5	Measles.....	40	7	13	10	6		3	1										
6	Scarlet fever.....	84		8	13	12	7	27	13	3	1								
7	Whooping cough.....	38	20	9	4	3	1	1											
8	Diphtheria and croup.....	133	6	16	17	14	20	41	12	3		4							
9	Influenza.....	27	3	1	1				1	2			3	4	6	5	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....	2	1							1									
12	Other epidemic diseases.....	25	5	1	1					2	1	1	4	2	3	5			
13	Tuberculosis of the lungs.....	434	1	2	1			2	57	144	97	62	45	20	3				
14	Tuberculous meningitis.....	22	9	5		2		1	3	10	4	2	6	1	3	1			
15	Other forms of tuberculosis.....	39	2					5	5	10	4	2	1	3	1				
16	Cancer and other malignant tumors.....	264			1	1		4	2	12	45	80	73	29	15	1			
17	Meningitis.....	57	19	7	6	2	2	10	8	2	1								
18	Cerebral hemorrhage and softening.....	194	5					2	1	2	7	8	38	44	54	28	5		
19	Organic diseases of the heart.....	366	6	2	3	1	2	6	18	16	24	38	60	78	71	38	3		
20	Acute bronchitis.....	103	76	11	4	1	3	2					1	1	1	1			
21	Chronic bronchitis.....	55						1				2	6	14	16	11	5		
22	Pneumonia.....	303	64	24	6	7	6	6	10	16	24	28	36	29	28	17	2		
23a	Bronchopneumonia.....	173	77	37	14	4	3	1	1	4	1	1	4	9	10	7			
23b	Other diseases of the respiratory system.....	57	2	1	1		1	5	3	6	3	4	9	8	6				
24	Diseases of the stomach.....	103	68	4	1		1	1	1	3	2	2	2	1	1	5			
25 (37)	Diarrhea and enteritis.....	483	385	56	8	6	1	4	1	3	2	2	2	1	10	2			
26	Appendicitis and typhlitis.....	56	2	1	1			3	6	20	8	8	3	2	1				
27	Hernia, intestinal obstruction.....	49	6		1			2		7	4	6	10	6	5	2			
28	Cirrhosis of the liver.....	70								1	7	16	20	14	7	4	1		
29	Acute nephritis and Bright's disease.....	257	4	5	2		2	7	5	6	27	39	41	61	41	16	1		
30	Diseases of the female genital organs.....	19							1	4	7	4	2	1					
31	Puerperal fever.....	19							3	8	6	2							
32	Other puerperal affections.....	24								11	12	1							
33	Congenital debility and malformations.....	334	329	2	1	1		1											
34	Senility.....	111											5	29	55	20	2		
35	Violent deaths (excluding suicide).....	239	7	6	5	4	1	12	25	45	41	42	20	13	10	8			
36	Suicide.....	88							5	20	20	13	15	10	4	1			
37	Other defined diseases.....	683	201	16	14	4	4	20	26	39	35	60	82	78	68	33	3		
38	Diseases ill-defined or unknown.....	81	66	5									3	3	1	2	1		

DEATHS, BY MONTH OF OCCURRENCE.

503

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY—Continued.														
	REGISTRATION STATES IN OTHER STATES.													
	All causes.....	101,804	9,031	8,563	9,400	8,443	8,798	8,358	8,530	8,291	7,380	7,650	8,342	9,018
1	Typhoid fever.....	1,769	103	109	113	85	96	105	175	241	261	182	167	127
3	Malaria.....	522	19	12	13	24	31	34	49	86	93	83	61	17
5	Measles.....	608	25	46	104	114	112	86	44	20	11	3	10	33
6	Scarlet fever.....	825	84	85	93	91	114	75	44	32	31	35	62	79
7	Whooping cough.....	567	35	47	72	73	58	67	44	72	46	17	14	22
8	Diphtheria and croup.....	1,431	135	123	100	108	125	76	82	66	98	179	197	142
9	Influenza.....	950	173	182	183	80	60	30	7	8	7	23	67	130
13	Tuberculosis of the lungs.....	11,045	993	988	1,099	1,103	990	871	837	846	728	808	850	942
14-15	Other forms of tuberculosis.....	1,253	102	99	116	113	129	121	124	96	82	102	82	87
17	Meningitis.....	958	79	70	107	98	90	88	84	92	65	54	74	57
20-21	Bronchitis.....	1,192	177	147	130	106	92	71	58	48	65	73	93	132
22	Pneumonia.....	8,229	1,137	1,013	1,067	726	740	425	307	274	284	417	756	1,083
(23)	Bronchopneumonia.....	3,424	371	383	482	336	325	247	150	135	146	166	298	385
25	Diarrhea and enteritis (under 2 years).....	7,069	260	263	330	359	533	819	1,354	1,169	828	527	340	237
(37)	Diarrhea and enteritis (2 years and over).....	1,238	59	61	63	94	102	125	203	181	110	101	83	56
(33)	Congenital debility ¹	1,323	113	104	105	98	34	113	135	132	102	119	111	107
35	Violent deaths (excluding suicide).....	6,060	509	454	466	442	449	512	545	502	492	510	504	615
36	Suicide.....	1,281	106	83	124	114	115	99	113	110	113	96	102	106
	All other causes.....	52,060	4,546	4,294	4,633	4,279	4,513	4,394	4,195	4,121	3,818	4,155	4,471	4,641
	ALL REGISTRATION CITIES. ²													
	All causes.....	502,109	44,848	41,450	47,647	42,803	40,909	38,869	44,879	42,147	37,791	37,994	38,973	43,799
1	Typhoid fever.....	7,409	466	430	502	415	351	422	539	884	1,044	960	804	592
3	Malaria.....	780	32	20	43	43	53	60	78	116	119	124	81	31
5	Measles.....	3,935	337	419	673	537	578	466	304	152	79	34	81	215
6	Scarlet fever.....	4,392	498	508	542	532	544	402	232	176	159	192	261	356
7	Whooping cough.....	3,448	191	227	338	372	332	317	401	466	280	179	161	134
8	Diphtheria and croup.....	7,913	778	701	709	691	696	529	440	441	491	731	868	838
9	Influenza.....	3,613	572	616	868	474	227	91	44	28	30	75	183	405
13	Tuberculosis of the lungs.....	50,204	4,518	4,374	5,192	4,852	4,305	3,822	3,937	3,804	3,614	3,735	3,840	4,211
14-15	Other forms of tuberculosis.....	7,272	576	573	717	706	700	649	709	579	552	541	467	503
17	Meningitis.....	4,895	404	395	475	435	438	426	493	460	374	317	327	351
20-21	Bronchitis.....	8,102	1,010	917	980	818	707	520	381	303	386	497	688	895
22	Pneumonia.....	35,954	4,816	4,146	4,981	3,901	3,132	1,833	1,191	1,076	1,288	1,951	3,064	4,575
(23)	Bronchopneumonia.....	18,776	2,205	2,097	2,402	1,946	1,661	1,209	875	765	838	1,044	1,594	2,140
25	Diarrhea and enteritis (under 2 years).....	36,781	1,008	1,009	1,271	1,272	1,694	3,293	9,118	7,720	4,933	3,011	1,397	1,049
(37)	Diarrhea and enteritis (2 years and over).....	4,920	234	223	249	315	325	402	900	880	521	365	279	227
(33)	Congenital debility ¹	7,692	614	539	632	648	595	591	706	779	724	709	554	601
35	Violent deaths (excluding suicide).....	28,642	2,291	1,962	2,173	2,219	2,212	2,481	3,129	2,556	2,333	2,414	2,332	2,540
36	Suicide.....	5,794	448	385	569	452	531	540	495	479	483	498	474	440
	All other causes.....	261,537	23,800	21,906	24,354	22,115	21,828	20,810	20,909	20,483	19,552	20,617	21,517	23,646
REGISTRATION STATES.														
	CALIFORNIA.													
	All causes.....	32,401	2,994	2,631	2,768	2,589	2,779	2,576	2,620	2,570	2,365	2,739	2,755	3,015
1	Typhoid fever.....	460	21	19	24	27	31	55	43	50	55	49	47	39
3	Malaria.....	85	4	2	3	1	4	4	11	17	13	14	5	7
5	Measles.....	177	19	27	50	24	19	17	10	2	3	2	2	4
6	Scarlet fever.....	70	11	6	5	6	6	4	4	7	7	4	4	10
7	Whooping cough.....	284	13	17	35	34	32	38	44	25	13	12	10	11
8	Diphtheria and croup.....	220	12	13	12	21	20	18	22	18	11	23	24	26
9	Influenza.....	151	20	27	19	14	7	4	2	7	6	10	9	26
13	Tuberculosis of the lungs.....	4,322	442	406	406	384	378	331	300	341	270	305	372	337
14-15	Other forms of tuberculosis.....	588	39	46	60	45	84	58	54	40	37	36	45	44
17	Meningitis.....	353	25	31	27	26	35	44	25	43	25	23	22	27
20-21	Bronchitis.....	365	49	31	37	29	37	25	21	14	25	30	29	38
22	Pneumonia.....	1,779	258	180	139	128	150	108	82	86	112	137	161	238
(23)	Bronchopneumonia.....	535	67	41	56	45	41	43	41	33	34	34	50	50
25	Diarrhea and enteritis (under 2 years).....	936	42	34	54	49	93	103	99	69	95	130	91	77
(37)	Diarrhea and enteritis (2 years and over).....	280	18	12	15	22	25	31	32	22	18	30	26	29
(33)	Congenital debility ¹	232	19	22	20	20	18	21	15	22	22	24	24	15
35	Violent deaths (excluding suicide).....	2,510	196	171	178	182	212	204	260	260	204	236	197	210
36	Suicide.....	696	67	53	73	49	50	62	54	62	51	61	55	59
	All other causes.....	18,358	1,672	1,493	1,555	1,493	1,537	1,406	1,501	1,459	1,364	1,578	1,582	1,718
	COLORADO.													
	All causes.....	11,069	1,020	879	929	857	840	839	949	957	887	941	950	1,021
1	Typhoid fever.....	337	10	16	6	11	6	14	23	34	44	85	69	19
3	Malaria.....	9	1	1	1	1	1	1	3	3	1	1	1	1
5	Measles.....	64	6	9	9	9	14	15	6	2	2	2	1	1
6	Scarlet fever.....	104	14	15	7	17	5	12	4	7	3	6	7	7
7	Whooping cough.....	35	6	5	3	3	4	2	2	3	4	1	1	1
8	Diphtheria and croup.....	130	10	25	15	6	15	5	11	15	8	9	4	7
9	Influenza.....	77	11	8	9	13	12	1	1	1	1	3	3	14
13	Tuberculosis of the lungs.....	1,671	149	138	145	162	133	118	141	146	136	110	168	132
14-15	Other forms of tuberculosis.....	138	11	11	18	9	10	10	14	10	11	14	7	13
17	Meningitis.....	119	19	7	13	7	7	12	15	6	4	9	8	12
20-21	Bronchitis.....	91	13	11	13	5	10	5	2	3	4	1	9	15
22	Pneumonia.....	801	110	78	87	76	65	39	22	20	31	56	81	136
(23)	Bronchopneumonia.....	196	18	29	21	17	11	12	4	7	6	9	25	37
25	Diarrhea and enteritis (under 2 years).....	523	11	8	11	17	21	58	102	121	94	52	17	16
(37)	Diarrhea and enteritis (2 years and over).....	95	5	1	7	7	4	10	10	25	13	4	8	1
(33)	Congenital debility ¹	171	12	10	16	8	10	12	10	18	23	23	13	16
35	Violent deaths (excluding suicide).....	1,209	179	73	69	53	72	86	101	111	87	125	154	99
36	Suicide.....	167	14	14	16	5	17	16	19	10	16	15	11	14
	All other causes.....	5,127	423	424	460	432	423	411	462	415	399	418	375	480

¹ Excluding premature birth.

² Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
CONNECTICUT.														
	All causes.....	17,498	1,498	1,421	1,630	1,509	1,418	1,285	1,736	1,425	1,388	1,382	1,251	1,575
1	Typhoid fever.....	165	5	6	7	6	6	9	7	22	24	32	26	15
3	Malaria.....	23	1	1	1	5	4	3	4	2	5	1	1	1
5	Measles.....	92	12	8	15	7	16	9	12	3	1	2	2	7
6	Scarlet fever.....	129	21	18	13	17	15	5	3	6	4	9	6	12
7	Whooping cough.....	146	3	14	13	8	13	6	19	12	23	10	8	17
8	Diphtheria and croup.....	281	22	24	31	16	29	19	12	17	17	32	32	30
9	Influenza.....	243	30	33	67	52	23	2	2	2	2	4	6	20
13	Tuberculosis of the lungs.....	1,467	127	128	142	157	117	111	120	110	120	111	98	126
14-15	Other forms of tuberculosis.....	212	17	13	21	22	21	18	28	20	10	18	12	12
17	Meningitis.....	223	21	16	8	21	24	19	29	16	28	17	15	9
20-21	Bronchitis.....	313	42	35	41	28	31	10	17	16	9	18	23	38
22	Pneumonia.....	1,308	150	169	181	156	117	62	39	40	46	75	93	180
(23)	Bronchopneumonia.....	373	51	54	38	48	29	21	18	19	16	10	37	37
25	Diarrhea and enteritis (under 2 years).....	1,162	17	22	28	23	28	113	401	244	141	76	41	28
(37)	Diarrhea and enteritis (2 years and over).....	155	3	10	5	8	6	14	31	24	23	16	8	7
(33)	Congenital debility.....	324	21	19	17	17	27	23	44	37	42	29	19	29
35	Violent deaths (excluding suicide).....	886	60	62	62	83	66	73	120	71	65	89	63	72
36	Suicide.....	200	10	13	15	25	21	21	16	19	17	15	16	12
	All other causes.....	9,786	886	776	925	810	825	727	814	745	795	820	740	923
INDIANA.														
	All causes.....	36,448	3,027	2,967	3,612	2,959	2,745	2,745	3,064	3,387	2,996	2,885	2,929	3,132
1	Typhoid fever.....	919	52	33	36	35	29	26	43	127	177	173	121	67
3	Malaria.....	113	7	3	5	1	5	10	10	15	21	19	12	5
5	Measles.....	448	20	61	100	86	84	36	20	15	3	3	10	10
6	Scarlet fever.....	203	17	34	26	20	21	12	12	10	8	11	21	11
7	Whooping cough.....	397	20	56	37	49	39	32	33	49	18	25	21	18
8	Diphtheria and croup.....	392	43	19	31	16	16	19	10	25	27	53	85	48
9	Influenza.....	537	70	116	152	69	29	8	10	4	2	9	15	53
13	Tuberculosis of the lungs.....	3,919	366	342	426	386	326	336	304	277	293	290	256	317
14-15	Other forms of tuberculosis.....	794	47	61	76	76	74	61	77	86	65	60	58	53
17	Meningitis.....	259	14	15	21	21	20	21	17	35	31	23	14	27
20-21	Bronchitis.....	460	46	56	53	32	23	24	18	20	25	36	66	61
22	Pneumonia.....	1,995	271	257	329	151	126	93	45	56	49	104	192	322
(23)	Bronchopneumonia.....	854	86	102	111	77	61	43	18	26	36	49	120	125
25	Diarrhea and enteritis (under 2 years).....	2,116	46	33	54	51	73	138	498	530	354	209	78	52
(37)	Diarrhea and enteritis (2 years and over).....	502	24	17	26	17	28	33	88	118	68	40	19	24
(33)	Congenital debility.....	216	17	11	19	26	10	15	18	21	22	13	19	25
35	Violent deaths (excluding suicide).....	2,139	157	133	188	148	145	186	225	211	212	159	167	208
36	Suicide.....	381	22	24	48	31	29	34	37	34	29	36	34	23
	All other causes.....	19,804	1,702	1,594	1,874	1,667	1,607	1,618	1,581	1,728	1,556	1,573	1,621	1,683
MAINE.														
	All causes.....	12,726	1,132	1,064	1,175	1,127	1,029	874	936	1,150	1,097	1,064	1,028	1,050
1	Typhoid fever.....	151	14	3	11	12	9	6	12	17	26	16	14	11
3	Malaria.....	3	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	97	11	24	12	16	15	9	2	4	2	1	2	1
6	Scarlet fever.....	41	4	4	3	5	2	3	2	2	5	4	5	2
7	Whooping cough.....	97	9	9	13	10	12	3	11	8	4	5	7	6
8	Diphtheria and croup.....	99	18	7	3	5	4	8	4	9	8	9	9	15
9	Influenza.....	123	14	17	25	25	10	5	5	1	1	3	4	13
13	Tuberculosis of the lungs.....	899	80	63	82	105	81	73	91	74	52	62	67	69
14-15	Other forms of tuberculosis.....	213	16	18	21	22	23	19	20	9	20	14	17	14
17	Meningitis.....	167	9	19	17	17	17	8	17	22	17	10	3	11
20-21	Bronchitis.....	211	15	28	16	17	15	13	5	6	17	19	23	32
22	Pneumonia.....	983	130	117	163	97	71	47	27	33	45	59	80	114
(23)	Bronchopneumonia.....	254	37	28	32	32	19	6	10	8	14	16	36	16
25	Diarrhea and enteritis (under 2 years).....	650	9	7	11	13	13	16	75	217	162	95	26	8
(37)	Diarrhea and enteritis (2 years and over).....	142	4	4	13	6	8	6	14	31	22	15	8	11
(33)	Congenital debility.....	215	12	16	27	14	19	20	16	18	17	21	12	23
35	Violent deaths (excluding suicide).....	525	27	30	33	42	42	56	70	57	41	49	50	28
36	Suicide.....	85	5	7	5	6	9	7	11	8	7	7	7	6
	All other causes.....	7,771	717	663	688	684	660	569	544	626	639	659	653	669
MARYLAND (TOTAL).														
	All causes.....	20,805	2,009	1,886	1,786	1,633	1,466	1,528	1,955	1,825	1,634	1,667	1,672	1,739
1	Typhoid fever.....	528	25	25	28	25	13	16	25	72	100	79	72	48
3	Malaria.....	22	1	1	1	1	1	1	1	1	2	5	2	2
5	Measles.....	53	6	13	8	3	4	6	1	2	1	1	3	6
6	Scarlet fever.....	68	6	7	9	10	8	4	3	3	3	2	7	6
7	Whooping cough.....	291	26	23	27	32	32	37	22	21	24	21	16	10
8	Diphtheria and croup.....	171	18	11	14	6	10	5	3	8	17	18	24	37
9	Influenza.....	201	44	45	50	19	12	4	3	1	3	2	7	11
13	Tuberculosis of the lungs.....	2,312	219	219	208	215	185	173	179	174	183	176	189	192
14-15	Other forms of tuberculosis.....	250	14	23	33	25	18	16	25	21	19	12	26	18
17	Meningitis.....	224	12	19	24	25	18	18	26	19	17	21	13	12
20-21	Bronchitis.....	339	37	53	35	28	25	19	14	13	18	14	37	46
22	Pneumonia.....	1,381	254	201	178	149	96	46	43	22	41	61	127	163
(23)	Bronchopneumonia.....	556	87	87	77	50	34	20	19	17	14	16	53	82
25	Diarrhea and enteritis (under 2 years).....	1,341	25	24	13	21	25	113	414	324	174	128	55	25
(37)	Diarrhea and enteritis (2 years and over).....	196	10	5	12	9	8	17	32	35	25	25	10	8
(33)	Congenital debility.....	614	67	41	48	34	37	42	73	76	62	60	37	37
35	Violent deaths (excluding suicide).....	974	99	68	54	66	66	92	100	93	80	91	78	92
36	Suicide.....	134	18	13	12	5	16	11	9	8	3	9	10	10
	All other causes.....	11,150	1,041	1,009	956	916	857	886	960	915	839	926	911	934

1 Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

505

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
MARYLAND (WHITE).														
	All causes.....	15,458	1,501	1,413	1,358	1,211	1,087	1,088	1,420	1,372	1,220	1,220	1,246	1,322
1	Typhoid fever.....	419	21	19	21	19	10	12	20	62	71	58	64	42
3	Malaria.....	18					2	3	3	1	5	5	2	6
5	Measles.....	46	6	11	7	2	3	6	3	1	1	1	3	2
6	Scarlet fever.....	65	6	7	8	10	8	4	2	3	2	2	7	6
7	Whooping cough.....	142	15	11	13	17	21	15	11	4	16	5	8	6
8	Diphtheria and croup.....	147	15	10	11	6	7	5	3	6	16	18	17	33
9	Influenza.....	149	32	37	33	15	10	3	1	1	1	1	5	10
13	Tuberculosis of the lungs.....	1,457	148	140	143	124	114	102	115	100	117	106	126	122
14-15	Other forms of tuberculosis.....	184	12	20	24	16	15	11	17	15	10	11	20	13
17	Meningitis.....	181	11	16	20	19	14	14	24	15	13	18	10	7
20-21	Bronchitis.....	264	26	40	28	23	20	13	10	10	13	11	32	38
22	Pneumonia.....	979	176	135	125	110	72	33	32	14	27	35	87	133
(23)	Bronchopneumonia.....	394	60	64	52	28	21	12	16	11	12	13	37	68
25	Diarrhea and enteritis (under 2 years).....	975	22	18	8	14	18	72	287	254	129	96	41	16
(37)	Diarrhea and enteritis (2 years and over).....	152	9	5	8	6	7	13	22	32	18	18	6	8
(33)	Congenital debility ¹	446	49	31	32	27	29	31	59	54	46	35	27	26
35	Violent deaths (excluding suicide).....	745	70	52	47	56	53	65	77	70	63	68	58	66
36	Suicide.....	126	15	13	12	5	16	11	7	8	11	9	10	9
	All other causes.....	8,569	808	784	766	714	647	663	714	711	655	710	686	711
MARYLAND (COLORED).														
	All causes.....	5,347	508	473	428	427	379	440	535	453	414	447	426	417
1	Typhoid fever.....	109	4	6	7	6	3	4	5	10	29	21	8	6
3	Malaria.....	4	1					1	1	2				
5	Measles.....	7		2	1	1	1		1	1				
6	Scarlet fever.....	3			1				1	1				
7	Whooping cough.....	149	11	12	14	15	11	22	11	17	8	16	8	4
8	Diphtheria and croup.....	24	3	1	3	3	3	2	2	2	1	7	4	4
9	Influenza.....	52	12	8	17	4	2	1	2	2	1	2	1	1
13	Tuberculosis of the lungs.....	855	71	79	65	91	71	71	64	74	66	70	63	70
14-15	Other forms of tuberculosis.....	66	2	3	9	9	3	5	8	6	9	1	6	5
17	Meningitis.....	43	1	3	4	6	4	4	2	4	4	3	3	5
20-21	Bronchitis.....	75	11	13	7	5	5	6	4	3	5	5	8	8
22	Pneumonia.....	402	78	66	53	39	24	13	11	8	14	26	40	30
(23)	Bronchopneumonia.....	162	27	23	25	22	13	8	3	6	2	3	16	14
25	Diarrhea and enteritis (under 2 years).....	366	3	6	5	7	7	41	127	70	45	32	14	9
(37)	Diarrhea and enteritis (2 years and over).....	44	1		4	3	1	4	10	3	7	7	4	
(33)	Congenital debility ¹	168	18	10	16	7	8	11	14	22	16	25	10	11
35	Violent deaths (excluding suicide).....	229	29	16	7	10	13	27	23	23	17	23	15	26
36	Suicide.....	8	3					2	2	2	2			1
	All other causes.....	2,581	233	225	190	202	210	223	246	204	184	216	225	223
MASSACHUSETTS.														
	All causes.....	54,301	4,799	4,379	5,165	4,743	4,325	3,969	4,893	4,729	4,366	4,173	4,105	4,655
1	Typhoid fever.....	421	20	15	30	24	25	28	27	48	70	52	49	33
3	Malaria.....	23	1			1	2	2	5	4	1	1		1
5	Measles.....	392	29	40	66	48	75	45	36	17	4	7	12	13
6	Scarlet fever.....	272	17	28	40	40	45	27	18	12	8	9	8	20
7	Whooping cough.....	286	16	12	24	25	15	18	31	31	36	18	27	33
8	Diphtheria and croup.....	705	80	57	56	60	55	58	44	32	37	75	61	75
9	Influenza.....	447	72	57	108	90	31	12	7	1	3	12	20	34
13	Tuberculosis of the lungs.....	4,651	430	379	467	451	402	367	369	378	350	321	353	386
14-15	Other forms of tuberculosis.....	851	73	55	78	91	84	71	64	81	74	51	58	58
17	Meningitis.....	588	53	44	46	66	56	54	62	45	50	39	36	37
20-21	Bronchitis.....	1,016	145	101	127	115	87	74	37	39	54	61	89	87
22	Pneumonia.....	4,355	522	518	653	562	367	177	124	110	192	232	353	487
(23)	Bronchopneumonia.....	1,527	164	135	173	129	125	110	75	53	67	120	152	224
25	Diarrhea and enteritis (under 2 years).....	4,111	76	77	102	84	114	284	1,066	1,044	689	372	131	72
(37)	Diarrhea and enteritis (2 years and over).....	474	30	16	19	17	23	23	102	106	55	28	23	27
(33)	Congenital debility ¹	940	77	72	76	113	68	72	68	87	83	87	77	60
35	Violent deaths (excluding suicide).....	2,508	203	160	179	194	220	214	302	219	217	195	168	237
36	Suicide.....	427	28	19	43	33	30	46	52	41	37	36	40	22
	All other causes.....	30,305	2,703	2,595	2,876	2,600	2,500	2,287	2,397	2,398	2,311	2,434	2,455	2,749
MICHIGAN.														
	All causes.....	39,888	3,247	3,144	3,825	3,373	3,182	3,097	3,101	3,785	3,498	3,198	3,118	3,320
1	Typhoid fever.....	667	32	43	43	30	27	22	29	74	106	120	86	55
3	Malaria.....	21	1	2	2	3	3	2	2	2	2	3	2	1
5	Measles.....	255	19	18	32	28	61	34	26	11	4	4	8	14
6	Scarlet fever.....	303	52	29	35	33	38	22	13	6	15	13	24	23
7	Whooping cough.....	308	13	19	26	41	44	29	25	31	21	17	20	22
8	Diphtheria and croup.....	495	39	44	30	28	34	40	29	42	49	55	60	45
9	Influenza.....	437	51	71	130	76	43	10	5	3	4	7	13	24
13	Tuberculosis of the lungs.....	2,325	191	198	239	218	207	188	168	189	184	205	173	165
14-15	Other forms of tuberculosis.....	427	29	36	38	36	55	33	42	36	30	30	29	33
17	Meningitis.....	409	22	23	42	38	22	33	35	59	45	27	24	39
20-21	Bronchitis.....	746	79	70	96	69	60	52	32	22	38	55	79	94
22	Pneumonia.....	1,918	258	237	305	219	159	102	58	49	55	86	133	257
(23)	Bronchopneumonia.....	753	82	71	93	99	74	69	18	27	27	37	75	81
25	Diarrhea and enteritis (under 2 years).....	2,350	59	44	57	50	66	103	333	719	546	225	78	70
(37)	Diarrhea and enteritis (2 years and over).....	538	19	25	25	21	29	28	55	134	115	39	27	21
(33)	Congenital debility ¹	880	57	70	73	56	74	78	71	84	96	82	67	72
35	Violent deaths (excluding suicide).....	2,221	153	148	159	165	164	222	266	224	199	205	188	123
36	Suicide.....	386	27	28	42	31	31	41	27	29	43	25	29	33
	All other causes.....	24,449	2,064	1,968	2,358	2,132	1,991	1,991	1,869	2,044	1,923	1,963	2,003	2,143

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
MINNESOTA.														
	All causes	22,649	1,774	1,660	2,053	1,903	1,790	1,787	1,703	2,212	2,007	1,813	1,817	2,130
1	Typhoid fever	668	28	57	72	40	15	19	21	56	106	108	96	50
3	Malaria	2								1	1	3	4	8
5	Measles	247	9	18	44	59	55	28	11	8	15	15	14	23
6	Scarlet fever	301	27	28	33	36	38	33	21	18	15	15	14	23
7	Whooping cough	155	9	14	17	13	17	5	18	14	19	3	9	17
8	Diphtheria and croup	543	46	40	40	37	44	60	45	45	34	44	59	49
9	Influenza	98	10	12	25	15	5	4		1	3	1	3	19
13	Tuberculosis of the lungs	1,883	159	160	189	201	149	147	164	145	125	136	164	144
14-15	Other forms of tuberculosis	387	32	36	39	39	38	34	26	41	31	23	18	30
17	Meningitis	205	32	19	21	14	13	11	17	23	17	14	15	9
20-21	Bronchitis	273	29	27	25	24	27	15	6	7	15	23	33	42
22	Pneumonia	1,095	109	101	131	110	99	81	39	33	47	68	91	186
(23)	Bronchopneumonia	711	71	62	76	60	55	56	25	15	42	44	63	142
25	Diarrhea and enteritis (under 2 years)	1,341	42	38	51	36	37	73	177	397	256	131	52	51
(37)	Diarrhea and enteritis (2 years and over)	300	3	11	9	12	8	17	28	90	57	39	13	13
(38)	Congenital debility	381	22	23	32	43	28	27	25	43	41	35	31	31
35	Violent deaths (excluding suicide)	1,564	95	84	111	120	121	177	159	145	141	150	140	121
36	Suicide	242	16	9	33	22	20	26	25	21	16	16	24	14
	All other causes	12,253	1,035	921	1,105	1,022	1,021	974	896	1,109	1,041	960	988	1,181
MONTANA.														
	All causes	3,999	335	261	272	313	292	322	438	425	375	301	321	344
1	Typhoid fever	151	3	1	4	7	2	10	5	23	31	34	22	9
3	Malaria	16			1	3	2				1	3	6	5
5	Measles	61	5	5	8	4	4	14	8	2	2	3	1	3
6	Scarlet fever	41	4	3	3	3	7	6	4	6	3	2	6	6
7	Whooping cough	61	11	4	3	4	7	6	4	4	3	2	6	1
8	Diphtheria and croup	24	2	3	4	4	4	2	2	1	1	1	2	1
9	Influenza	295	36	23	27	26	28	12	23	35	18	16	23	28
13	Tuberculosis of the lungs	45	6	4	2	6	2	1	3	7	9	6	4	6
14-15	Other forms of tuberculosis	40	6	4	2	1	5	4	7	2	2	4	3	4
17	Meningitis	37	4	5	3	3	5	1	2	4	4	1	6	3
20-21	Bronchitis	208	21	25	15	18	12	10	9	11	20	15	16	36
22	Pneumonia	74	11	3	5	5	6	7	4	2	5	2	9	15
(23)	Bronchopneumonia	226	2	4	4	5	6	11	66	77	31	9	3	8
25	Diarrhea and enteritis (under 2 years)	31	1	1	1	3	2	2	8	9	2	2	1	2
(37)	Diarrhea and enteritis (2 years and over)	51	5	2	5	2	2	6	5	4	5	5	4	6
(38)	Congenital debility	551	39	39	34	43	35	55	86	52	50	41	45	32
35	Violent deaths (excluding suicide)	81	6	8	7	4	4	7	15	5	7	7	11	3
36	Suicide	1,997	178	127	146	170	158	177	193	175	185	155	160	173
	All other causes													
NEW HAMPSHIRE.														
	All causes	7,452	701	579	657	653	629	518	573	700	657	581	581	623
1	Typhoid fever	46	3	2	5	3	4	2	2	7	6	2	6	4
3	Malaria	1					1							
5	Measles	29	1	5	2	4	10	3	2	1				1
6	Scarlet fever	8	1		2	2	2							4
7	Whooping cough	42	5	1	4	4	5		6	5	1	6	4	10
8	Diphtheria and croup	77	13	7	8	6	10	5	1	5	1	5	4	10
9	Influenza	93	11	14	16	21	12	12	4	1	1			10
13	Tuberculosis of the lungs	491	51	43	48	57	51	33	40	31	37	41	28	31
14-15	Other forms of tuberculosis	94	4	5	10	5	10	12	6	11	10	7	8	6
17	Meningitis	127	15	15	15	12	8	10	7	9	10	13	5	5
20-21	Bronchitis	148	20	20	13	12	9	10	6	11	9	10	11	22
22	Pneumonia	504	77	77	69	62	48	19	10	13	24	36	59	69
(23)	Bronchopneumonia	137	18	15	14	15	5	9	6	3	5	11	15	21
25	Diarrhea and enteritis (under 2 years)	403	11	11	6	11	9	15	71	114	94	34	15	12
(37)	Diarrhea and enteritis (2 years and over)	32	3	1	4	6	2	4	10	23	21	4	4	
(38)	Congenital debility	163	10	12	12	16	12	14	18	11	27	11	13	7
35	Violent deaths (excluding suicide)	293	25	15	23	27	20	30	32	20	26	24	28	28
36	Suicide	54	3	4	5	6	5	3	4	5	3	7	5	4
	All other causes	4,660	430	332	401	388	398	360	350	424	401	388	389	399
NEW JERSEY.														
	All causes	39,504	3,597	3,164	3,579	3,256	2,962	3,005	4,074	3,393	2,928	2,942	3,025	3,579
1	Typhoid fever	371	13	12	19	21	20	33	33	45	59	49	34	33
3	Malaria	26	1	1	1	4	4	1	2	5	2	1	3	3
5	Measles	253	34	21	30	25	31	30	17	7	10	7	12	35
6	Scarlet fever	281	26	39	38	41	33	25	16	19	7	7	8	22
7	Whooping cough	425	34	22	29	26	42	38	65	51	31	32	34	21
8	Diphtheria and croup	747	66	68	76	60	57	35	21	34	54	92	89	95
9	Influenza	312	54	44	70	34	19	8	3	4	2	5	11	58
13	Tuberculosis of the lungs	4,059	362	305	409	405	325	314	360	307	307	308	290	367
14-15	Other forms of tuberculosis	581	56	40	65	61	36	51	64	56	40	42	39	31
17	Meningitis	427	35	35	46	36	33	38	51	44	33	28	21	27
20-21	Bronchitis	607	64	80	77	49	30	32	32	21	26	42	59	95
22	Pneumonia	2,861	433	320	369	323	233	145	86	91	108	126	242	386
(23)	Bronchopneumonia	1,296	219	182	146	124	105	62	49	38	42	65	104	160
25	Diarrhea and enteritis (under 2 years)	3,004	57	52	66	71	85	284	998	642	333	242	77	47
(37)	Diarrhea and enteritis (2 years and over)	408	22	12	25	26	25	25	98	68	44	30	18	15
(38)	Congenital debility	575	37	35	36	38	30	45	83	63	75	37	34	37
35	Violent deaths (excluding suicide)	2,225	150	148	164	142	177	184	286	213	176	182	200	203
36	Suicide	436	25	31	41	47	35	40	34	41	30	40	35	37
	All other causes	20,610	1,909	1,717	1,872	1,724	1,643	1,612	1,777	1,647	1,509	1,574	1,717	1,907

1 Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

507

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged INT. LISTING.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—													
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.		
			REGISTRATION STATES—Continued.													
	NEW YORK.															
	All causes.....	147,678	13,230	12,182	14,372	13,048	12,057	11,015	13,098	12,218	11,416	11,081	10,956	13,005		
1	Typhoid fever.....	1,397	91	92	97	74	66	72	100	142	185	174	168	136		
3	Malaria.....	32	5	7	3	7	11	7	10	9	5	11	4	3		
5	Measles.....	1,270	171	166	204	192	144	135	87	41	28	11	28	43		
6	Scarlet fever.....	1,684	225	232	254	233	176	139	74	37	42	54	88	100		
7	Whooping cough.....	2,743	48	46	59	66	72	56	92	103	54	49	45	53		
8	Diphtheria and croup.....	2,735	269	254	271	277	233	199	153	136	108	135	208	192		
9	Influenza.....	1,218	124	164	343	224	90	39	13	14	18	31	32	126		
13	Tuberculosis of the lungs.....	14,488	1,240	1,190	1,486	1,358	1,261	1,116	1,198	1,120	1,116	1,097	1,067	1,244		
14-15	Other forms of tuberculosis.....	2,028	186	156	180	178	197	202	202	149	151	149	143	135		
17	Meningitis.....	1,152	77	87	105	107	124	91	101	121	93	85	63	98		
20-21	Bronchitis.....	2,516	301	258	304	292	208	151	122	114	129	153	188	286		
22	Pneumonia.....	10,159	1,230	1,047	1,456	1,160	898	527	331	305	346	602	845	1,407		
(23)	Bronchopneumonia.....	6,945	830	796	836	741	579	435	379	311	364	407	488	779		
25	Diarrhea and enteritis (under 2 years).....	9,740	258	241	286	327	399	686	2,339	2,161	1,515	937	335	256		
(37)	Diarrhea and enteritis (2 years and over).....	1,395	53	73	52	89	67	106	240	271	205	102	74	63		
(33)	Congenital debility ¹	2,031	161	144	173	197	178	130	150	210	202	196	136	154		
35	Violent deaths (excluding suicide).....	7,983	647	515	568	589	612	688	1,043	749	648	670	638	596		
36	Suicide.....	1,532	117	108	140	131	151	159	150	112	130	120	112	104		
	All other causes.....	78,930	7,192	6,608	7,525	6,806	6,591	6,087	6,319	6,113	6,077	6,095	6,294	7,220		
	NORTH CAROLINA ² (TOTAL).															
	All causes.....	6,752	612	569	554	500	615	577	589	546	511	509	547	563		
1	Typhoid fever.....	209	6	2	4	1	7	19	49	37	32	26	18	8		
3	Malaria.....	120	2	2	1	1	4	7	14	19	18	32	12	6		
5	Measles.....	98	15	18	19	19	13	10	3	3	3	3	1	1		
6	Scarlet fever.....	8	1	1	1	1	1	1	1	1	1	1	1	1		
7	Whooping cough.....	62	2	1	5	6	2	1	8	6	2	2	3	3		
8	Diphtheria and croup.....	67	2	6	5	1	6	6	8	6	2	2	3	8		
9	Influenza.....	102	21	20	25	1	4	4	2	7	10	10	14	8		
13	Tuberculosis of the lungs.....	897	86	80	92	82	76	69	65	55	56	72	81	83		
14-15	Other forms of tuberculosis.....	36	9	5	12	9	7	8	8	3	3	7	10	5		
17	Meningitis.....	32	8	9	8	7	7	5	10	6	6	7	5	4		
20-21	Bronchitis.....	58	14	13	8	3	9	1	2	7	6	7	9	11		
22	Pneumonia.....	538	109	104	56	41	39	23	7	8	11	19	41	80		
(23)	Bronchopneumonia.....	72	8	11	7	8	2	2	1	1	3	7	7	14		
25	Diarrhea and enteritis (under 2 years).....	499	8	6	8	34	80	106	76	70	37	42	21	11		
(37)	Diarrhea and enteritis (2 years and over).....	105	5	5	4	6	17	19	14	12	8	7	7	6		
(33)	Congenital debility ¹	105	8	7	6	1	14	8	13	8	9	9	10	8		
35	Violent deaths (excluding suicide).....	271	27	27	20	21	23	20	23	25	17	16	18	34		
36	Suicide.....	26	3	4	4	1	6	6	3	5	1	1	1	1		
	All other causes.....	3,317	273	247	273	248	303	264	288	278	284	303	284	272		
	NORTH CAROLINA ² (WHITE).															
	All causes.....	3,728	366	313	297	273	354	337	322	299	282	280	304	301		
1	Typhoid fever.....	128	4	2	4	1	5	11	29	24	18	12	13	6		
3	Malaria.....	52	2	2	1	1	1	5	5	8	7	12	8	2		
5	Measles.....	75	14	17	15	12	10	5	1	3	3	3	1	1		
6	Scarlet fever.....	7	2	1	2	2	2	1	4	2	2	1	1	1		
7	Whooping cough.....	34	6	3	2	4	2	4	4	2	2	1	1	3		
8	Diphtheria and croup.....	48	3	3	2	1	3	3	5	5	9	8	0	6		
9	Influenza.....	43	13	11	13	3	3	2	2	2	9	8	3	6		
13	Tuberculosis of the lungs.....	419	45	39	47	39	34	25	33	23	25	33	37	39		
14-15	Other forms of tuberculosis.....	43	2	1	9	7	5	5	3	1	3	4	4	4		
17	Meningitis.....	54	4	3	5	5	5	3	6	4	5	3	4	4		
20-21	Bronchitis.....	44	8	6	4	1	2	1	2	2	5	3	7	6		
22	Pneumonia.....	276	67	53	26	19	18	10	2	5	10	18	40	40		
(23)	Bronchopneumonia.....	40	3	6	4	1	1	1	1	1	3	5	8	7		
25	Diarrhea and enteritis (under 2 years).....	303	4	2	4	13	58	74	48	38	23	20	11	3		
(37)	Diarrhea and enteritis (2 years and over).....	67	3	4	5	5	11	12	9	8	5	5	3	3		
(33)	Congenital debility ¹	53	3	6	4	1	8	5	5	4	6	6	3	2		
35	Violent deaths (excluding suicide).....	135	13	9	13	10	14	12	14	12	8	6	8	16		
36	Suicide.....	24	2	4	4	1	3	3	3	5	1	1	1	1		
	All other causes.....	1,876	171	149	141	144	175	158	155	157	156	151	163	156		
	NORTH CAROLINA ² (COLORED).															
	All causes.....	3,024	246	256	257	227	261	240	267	247	229	239	243	262		
1	Typhoid fever.....	81	2	1	1	2	8	20	13	14	14	5	2	2		
3	Malaria.....	68	3	1	1	3	2	9	11	11	20	4	4	4		
5	Measles.....	23	1	1	7	7	3	5	2	2	2	2	2	2		
6	Scarlet fever.....	1	1	1	1	1	1	1	1	1	1	1	1	1		
7	Whooping cough.....	28	2	3	3	2	4	2	4	4	1	1	2	2		
8	Diphtheria and croup.....	19	4	1	1	1	1	2	2	2	1	2	4	2		
9	Influenza.....	49	8	9	12	6	4	1	1	1	1	1	2	4		
13	Tuberculosis of the lungs.....	478	41	41	45	43	42	44	32	32	31	39	44	44		
14-15	Other forms of tuberculosis.....	43	7	4	3	2	3	2	5	2	4	6	2	3		
17	Meningitis.....	28	2	3	2	2	2	2	4	2	2	2	5	5		
20-21	Bronchitis.....	44	6	10	4	2	7	3	3	1	4	2	2	5		
22	Pneumonia.....	265	42	51	30	22	21	13	5	6	9	23	40	40		
(23)	Bronchopneumonia.....	32	5	5	3	7	2	1	1	2	2	2	7	7		
25	Diarrhea and enteritis (under 2 years).....	196	4	4	4	16	22	32	28	32	14	22	10	8		
(37)	Diarrhea and enteritis (2 years and over).....	38	1	4	1	6	7	7	5	4	3	2	2	3		
(33)	Congenital debility ¹	52	5	5	2	6	3	8	4	3	3	7	6	6		
35	Violent deaths (excluding suicide).....	136	14	18	7	11	9	8	9	13	9	10	10	18		
36	Suicide.....	2	1	1	1	1	1	1	1	1	1	1	1	1		
	All other causes.....	1,441	102	98	132	104	128	106	133	121	128	152	121	116		

¹ Excluding premature birth.

² Including only municipalities having a population of 1,000 or over in 1900.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
OHIO.														
	All causes.....	65,459	5,545	5,279	6,548	5,481	5,279	4,815	5,598	5,886	5,257	5,162	5,111	5,558
1	Typhoid fever.....	1,314	74	60	65	68	67	41	68	145	202	233	167	124
3	Malaria.....	40	1	4	4	6	2	2	1	5	5	7	4	2
5	Measles.....	787	74	99	177	152	116	62	35	15	11	9	18	21
6	Scarlet fever.....	288	24	19	30	27	30	30	9	16	9	21	21	31
7	Whooping cough.....	591	34	31	81	70	73	46	61	75	42	23	31	52
8	Diphtheria and croup.....	585	52	39	88	86	47	23	30	39	48	75	44	24
9	Influenza.....	906	99	145	269	143	67	34	12	6	10	12	44	75
13	Tuberculosis of the lungs.....	6,223	529	543	653	595	530	513	469	438	467	470	461	500
14-15	Other forms of tuberculosis.....	985	64	87	82	102	76	91	88	85	95	75	67	70
17	Meningitis.....	745	62	50	73	48	54	59	96	71	68	59	60	45
20-21	Bronchitis.....	1,036	118	109	114	105	104	73	48	32	56	69	90	118
22	Pneumonia.....	3,701	454	430	575	394	313	170	119	80	118	192	344	512
(23)	Bronchopneumonia.....	1,680	187	183	228	192	180	89	48	47	54	101	157	214
25	Diarrhea and enteritis (under 2 years).....	4,037	113	107	137	115	122	207	893	1,107	624	344	159	109
(37)	Diarrhea and enteritis (2 years and over).....	722	24	33	45	37	30	35	116	174	95	64	43	26
(33)	Congenital debility ¹	643	59	39	60	53	48	41	46	78	55	62	40	62
35	Violent deaths (excluding suicide).....	4,255	306	287	315	306	335	402	434	389	390	384	348	359
36	Suicide.....	679	53	46	73	52	66	67	55	81	53	58	47	63
	All other causes.....	36,242	3,218	2,968	3,524	2,980	3,019	2,830	2,910	2,933	2,855	2,906	2,927	3,122
PENNSYLVANIA.														
	All causes.....	119,815	10,585	10,111	11,719	10,044	9,016	8,495	10,948	10,887	9,533	9,205	9,206	10,066
1	Typhoid fever.....	1,892	130	124	138	125	91	78	80	208	275	284	208	151
3	Malaria.....	50	3	3	4	7	5	4	7	7	5	4	1
5	Measles.....	1,237	122	154	152	174	170	137	91	53	35	27	41	81
6	Scarlet fever.....	1,094	127	112	109	103	115	98	64	71	58	68	87	82
7	Whooping cough.....	1,114	64	79	102	106	90	75	117	140	105	83	78	75
8	Diphtheria and croup.....	2,235	209	189	182	160	168	126	107	142	160	245	271	276
9	Influenza.....	1,197	197	205	328	181	63	30	7	4	16	15	54	97
13	Tuberculosis of the lungs.....	9,003	801	818	1,025	879	766	651	705	678	652	654	667	707
14-15	Other forms of tuberculosis.....	1,282	87	98	131	128	110	94	127	120	109	115	80	33
17	Meningitis.....	884	66	74	83	87	76	68	105	74	64	65	59	63
20-21	Bronchitis.....	2,079	240	233	294	195	171	114	94	71	78	139	184	216
22	Pneumonia.....	8,384	1,180	1,069	1,298	946	693	415	214	220	239	465	724	921
(23)	Bronchopneumonia.....	4,455	560	530	637	496	348	217	172	142	168	217	435	493
25	Diarrhea and enteritis (under 2 years).....	11,081	265	271	325	303	316	807	2,950	2,664	1,654	912	336	278
(37)	Diarrhea and enteritis (2 years and over).....	1,529	73	69	64	79	78	82	246	349	221	128	72	68
(33)	Congenital debility ¹	2,177	150	156	173	154	150	161	229	250	246	195	142	171
35	Violent deaths (excluding suicide).....	8,242	654	624	707	648	608	743	889	620	706	639	636	768
36	Suicide.....	975	70	63	104	77	94	79	78	83	81	91	75	80
	All other causes.....	60,905	5,587	5,190	5,867	5,199	4,902	4,515	4,669	4,991	4,659	4,818	5,053	5,455
RHODE ISLAND.														
	All causes.....	9,305	826	792	955	848	691	718	915	848	626	636	661	739
1	Typhoid fever.....	74	4	3	7	3	1	8	8	11	11	11	7
3	Malaria.....	5	1	1	1	1	1	1	1
5	Measles.....	178	10	23	22	26	40	30	13	8	1	1	2	2
6	Scarlet fever.....	22	2	2	2	3	1	1	1	2	1	1	3	3
7	Whooping cough.....	51	3	1	5	5	4	4	8	4	2	7	4
8	Diphtheria and croup.....	134	10	13	13	9	12	10	4	6	11	14	20	16
9	Influenza.....	99	8	22	38	14	6	2	5	4
13	Tuberculosis of the lungs.....	855	68	80	72	87	84	62	67	81	57	66	70	61
14-15	Other forms of tuberculosis.....	138	5	11	17	14	15	16	11	13	5	10	5	16
17	Meningitis.....	74	7	2	5	3	3	10	8	10	9	4	8	5
20-21	Bronchitis.....	181	22	23	21	31	10	14	10	4	5	9	13	19
22	Pneumonia.....	739	109	94	127	100	69	34	21	15	19	33	52	66
(23)	Bronchopneumonia.....	295	43	31	40	39	28	15	10	11	4	20	21	33
25	Diarrhea and enteritis (under 2 years).....	837	12	11	26	23	17	90	252	202	109	57	28	10
(37)	Diarrhea and enteritis (2 years and over).....	107	4	7	7	6	5	10	22	18	10	6	7	5
(33)	Congenital debility ¹	134	9	13	10	13	11	10	10	22	12	9	7	8
35	Violent deaths (excluding suicide).....	445	34	31	47	38	21	38	56	45	32	37	33	33
36	Suicide.....	80	5	8	3	11	7	6	9	6	4	6	6	9
	All other causes.....	4,837	471	417	492	423	362	366	407	388	332	399	362	438
UTAH.														
	All causes.....	4,072	364	287	327	353	308	302	327	319	337	325	332	441
1	Typhoid fever.....	139	4	1	4	6	3	6	13	10	30	26	19	17
3	Malaria.....
5	Measles.....	5	1	1	1	1	1
6	Scarlet fever.....	108	14	9	19	21	10	6	3	6	3	5	5	5
7	Whooping cough.....	64	4	7	11	17	12	7	1	2	1	1
8	Diphtheria and croup.....	73	6	3	10	3	4	5	1	2	11	11
9	Influenza.....	31	5	6	4	5	2	5
13	Tuberculosis of the lungs.....	134	10	11	15	10	15	12	14	7	8	11	6	15
14-15	Other forms of tuberculosis.....	32	1	4	3	4	1	4	3	2	3	3	3	1
17	Meningitis.....	46	2	1	10	4	7	4	6	2	3	3	1	3
20-21	Bronchitis.....	66	12	7	5	8	5	3	4	2	2	2	3	13
22	Pneumonia.....	325	43	30	30	32	12	13	11	11	19	23	35	66
(23)	Bronchopneumonia.....	109	12	7	11	5	9	7	4	1	9	11	11	33
25	Diarrhea and enteritis (under 2 years).....	185	5	4	3	4	9	8	31	49	39	18	8	7
(37)	Diarrhea and enteritis (2 years and over).....	25	1	1	3	5	9	2	1	3
(33)	Congenital debility ¹	49	4	2	3	3	1	3	2	10	5	5	5	6
35	Violent deaths (excluding suicide).....	347	27	20	24	25	33	36	36	30	28	26	29	33
36	Suicide.....	40	2	5	2	6	3	6	4	4	2	4	2
	All other causes.....	2,294	213	168	182	202	170	178	188	179	179	181	235	219

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—													
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
			REGISTRATION STATES—Continued.													
VERMONT.																
	All causes.....	5,704	490	482	536	513	469	382	407	447	504	487	441	546		
1	Typhoid fever.....	50	5	5	1	6	2	3	1	5	4	10	5	3		
3	Malaria.....	3														
5	Measles.....	24	2	7	6	4	3	1	2				1			
6	Scarlet fever.....	11	1													
7	Whooping cough.....	52	5	5	4	4	1	1	4							
8	Diphtheria and croup.....	32	3	5	4	4	1	1	10			5	3	4		
9	Influenza.....	147	15	16	29	21	15	8	4	1	1	5	5	7	2	
13	Tuberculosis of the lungs.....	323	28	29	40	34	26	25	17	37	18	25	25	24		
14-15	Other forms of tuberculosis.....	76	2	5	9	7	5	7	11	6	4	6	4	5		
17	Meningitis.....	43	5	6	1	2	3	2	3	4	3	6	4	4		
20-21	Bronchitis.....	106	7	10	8	12	6	6	3	3	3	6	4	4		
22	Pneumonia.....	410	54	51	52	48	40	19	5	8	10	15	15	17		
(23)	Bronchopneumonia.....	106	14	11	14	4	19	11	5	8	10	23	37	6		
25	Diarrhea and enteritis (under 2 years).....	206	6	10	4	13	9	7	5	1	5	10	4	22		
(37)	Diarrhea and enteritis (2 years and over).....	66	2	2	2	3	2	2	16	41	59	22	14	5		
(33)	Congenital debility ¹	36	2	3	7	3	1	2	3	19	7	12	2	3		
35	Violent deaths (excluding suicide).....	262	21	19	20	20	23	21	27	31	17	29	12	22		
36	Suicide.....	47	1	5	6	3	3	5	3	3	3	3	3	4		
	All other causes.....	3,699	317	295	329	317	307	266	283	272	304	311	290	348		
WASHINGTON.																
	All causes.....	11,502	937	905	1,089	887	978	830	962	1,024	1,008	923	997	962		
1	Typhoid fever.....	324	22	10	12	9	17	11	24	45	44	45	50	35		
3	Malaria.....	1										1				
5	Measles.....	76	10	8	8	15	9	9	9	2	1	1	2	2		
6	Scarlet fever.....	81	17	9	11	5	10	4	7	4	3	5	3	3		
7	Whooping cough.....	177	9	14	16	22	21	15	22	22	16	9	4	7		
8	Diphtheria and croup.....	145	11	23	11	8	12	11	13	11	9	7	17	12		
9	Influenza.....	54	8	4	9	6	9	2	2	2	1	6	6	5		
13	Tuberculosis of the lungs.....	1,013	90	90	119	76	96	72	78	75	78	64	66	109		
14-15	Other forms of tuberculosis.....	230	24	15	29	24	24	24	26	15	18	14	7	10		
17	Meningitis.....	77	10	5	6	5	11	4	9	8	10	3	3	3		
20-21	Bronchitis.....	78	7	9	4	11	7	4	7	2	3	6	9	9		
22	Pneumonia.....	486	68	52	45	49	44	33	21	18	34	27	42	53		
(23)	Bronchopneumonia.....	355	20	26	36	29	26	24	20	26	20	33	46	49		
25	Diarrhea and enteritis (under 2 years).....	435	12	14	21	13	24	28	73	102	75	50	17	6		
(37)	Diarrhea and enteritis (2 years and over).....	98	1	4	6	3	7	3	18	25	14	11	3	3		
(33)	Congenital debility ¹	170	13	12	15	12	9	9	11	27	21	13	17	11		
35	Violent deaths (excluding suicide).....	1,411	77	72	190	123	92	108	139	132	109	108	149	112		
36	Suicide.....	230	14	19	24	20	21	20	17	14	17	25	24	15		
	All other causes.....	6,061	524	519	527	457	539	449	466	494	535	501	532	518		
WISCONSIN.																
	All causes.....	28,070	2,388	2,172	2,628	2,348	2,344	2,296	2,031	2,485	2,533	2,275	2,152	2,418		
1	Typhoid fever.....	544	55	31	46	29	37	46	38	34	56	60	67	45		
3	Malaria.....	2								1						
5	Measles.....	188	7	7	15	17	36	49	20	6	5	7	3	16		
6	Scarlet fever.....	309	31	32	36	33	47	37	20	13	14	13	16	17		
7	Whooping cough.....	183	9	9	15	19	26	12	18	20	18	15	11	11		
8	Diphtheria and croup.....	432	39	28	29	28	37	28	38	25	20	57	50	53		
9	Influenza.....	248	32	32	62	47	22	15	4	1		4	9	20		
13	Tuberculosis of the lungs.....	2,153	181	180	224	181	190	195	175	148	162	150	161	176		
14-15	Other forms of tuberculosis.....	344	23	32	34	38	30	33	38	25	21	24	20	26		
17	Meningitis.....	365	34	23	36	27	29	27	24	49	48	33	16	29		
20-21	Bronchitis.....	551	54	57	69	55	54	54	25	12	24	32	41	74		
22	Pneumonia.....	1,600	194	170	203	165	181	87	48	44	54	84	134	236		
(23)	Bronchopneumonia.....	475	53	57	63	44	52	33	10	14	16	29	44	60		
25	Diarrhea and enteritis (under 2 years).....	1,702	70	51	108	79	62	98	165	426	374	145	62	62		
(37)	Diarrhea and enteritis (2 years and over).....	363	15	11	13	16	16	6	32	77	103	48	15	11		
(33)	Congenital debility ¹	530	44	42	40	48	35	40	42	45	53	44	46	46		
35	Violent deaths (excluding suicide).....	1,484	101	87	109	112	116	170	166	145	126	126	117	109		
36	Suicide.....	331	22	20	25	27	18	39	35	27	31	32	28	27		
	All other causes.....	16,266	1,424	1,303	1,501	1,382	1,356	1,327	1,133	1,373	1,403	1,352	1,312	1,400		

REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.

BIRMINGHAM, ALA. (TOTAL).															
All causes.....			2,597	211	216	222	200	264	204	232	213	187	200	220	228
1	Typhoid fever.....	66	1	2	3	2	1	3	9	14	16	9	6		
3	Malaria.....	35	1	1			1	2	6	3	5	8	6	2	
5	Measles.....	24			3	7	10	2	1	1					
6	Scarlet fever.....	4	2					1					1		
7	Whooping cough.....	13			4	1	2	1	2					1	
8	Diphtheria and croup.....	16	3		4		1		1			3	3	1	
9	Influenza.....	17	3	4	4	2	1							3	
13	Tuberculosis of the lungs.....	369	34	30	27	30	44	25	38	29	27	27	30	28	
14-15	Other forms of tuberculosis.....	7			3										
17	Meningitis.....	34	8	3	8	2	3	3	2	2	2	1			
20-21	Bronchitis.....	1													
22	Pneumonia.....	242	36	30	35	23	23	7	10	11	9	9	32	17	
(23)	Bronchopneumonia.....	62	3	5	10	10	3	5	5	4	3	3	5	6	
25	Diarrhea and enteritis (under 2 years).....	193	1	4	5	6	33	33	37	26	16	16	10	6	
(37)	Diarrhea and enteritis (2 years and over).....	51	2	2	5	4	9	6	6	8	4	4	1	3	
(33)	Congenital debility ¹	21	1		5	1	2	2	1	2	1	2	2	2	
35	Violent deaths (excluding suicide).....	251	29	20	21	17	18	20	17	22	17	19	13	38	
36	Suicide.....	27	2	5	3	2	1	4	3	2	1	2	1	1	
	All other causes.....	1,164	84	106	82	93	112	90	95	94	82	97	109	120	

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
BIRMINGHAM, ALA. (WHITE).														
	All causes.....	1,206	94	103	107	101	115	93	109	106	78	91	111	98.
1	Typhoid fever.....	40		2		2		2	6	9	9	7	3	
3	Malaria.....	10					1	2			2	4	1	
5	Measles.....	11			2	3	5							
6	Scarlet fever.....	4	2					1					1	
7	Whooping cough.....	9			2			1	2	1			1	1
8	Diphtheria and croup.....	12	1		3					1		3	3	1
9	Influenza.....	8	2	2	1	2	1							
13	Tuberculosis of the lungs.....	119	13	14	9	12	6	4	14	11	6	9	14	7
14-15	Other forms of tuberculosis.....	2	1		1									
17	Meningitis.....	15	2	1	4	1	2	1	2	1	1			
20-21	Bronchitis.....													
22	Pneumonia.....	99	15	14	16	7	8	2	3	4	3	3	14	10.
(23)	Bronchopneumonia.....	25	1	2	4	6			3	2	1	1	2	3
25	Diarrhea and enteritis (under 2 years).....	110		4	2	3	21	19	20	13	8	13	4	3
(37)	Diarrhea and enteritis (2 years and over).....	22	1	1		2	5	1	3		4	2	1	2
(33)	Congenital debility ¹	10			2	1	1	1				2		1
35	Violent deaths (excluding suicide).....	114	15	10	9	9	6	10	7	10	9	8	5	16.
36	Suicide.....	24	2	3	3	2	1	3	3	2	1	2	1	1
	All other causes.....	572	38	50	49	51	57	45	46	51	34	37	61	53
BIRMINGHAM, ALA. (COLORED).														
	All causes.....	1,391	117	113	115	99	149	111	123	107	109	109	109	130
1	Typhoid fever.....	26	1		3		1	1	3	5	7	2	3	
3	Malaria.....	25	1	1					6	3	3	4	5	2
5	Measles.....	13			1	4	5	1	1	1				
6	Scarlet fever.....													
7	Whooping cough.....	4			2	1	1							
8	Diphtheria and croup.....	4	2		1		1							
9	Influenza.....	9	1	2	3									
13	Tuberculosis of the lungs.....	250	21	16	18	18	38	21	24	18	21	18	16	21
14-15	Other forms of tuberculosis.....	5		3	2									
17	Meningitis.....	19	6	2	4	1	1	2		1	1	1		
20-21	Bronchitis.....	1		1										
22	Pneumonia.....	143	21	16	19	16	15	5	7	7	6	6	18	7
(23)	Bronchopneumonia.....	37	2	3	6	4	3	5	2	2	2	2	3	3
25	Diarrhea and enteritis (under 2 years).....	83	1		3	3	12	14	17	13	8	3	6	3
(37)	Diarrhea and enteritis (2 years and over).....	29	1	1	5	2	4	5	3	1	4	2	1	1
(33)	Congenital debility ¹	11			3		1	1	1	1	1		2	1
35	Violent deaths (excluding suicide).....	137	14	10	12	8	12	10	10	12	8	11	8	22
36	Suicide.....	3		2			1							
	All other causes.....	592	46	56	33	42	55	45	49	43	48	60	48	67
LOS ANGELES, CAL.														
	All causes.....	4,538	441	387	400	359	381	356	337	324	333	395	351	474
1	Typhoid fever.....	46	1	4	1	4	1	5	5	4	5	6	5	5
3	Malaria.....	3							2			1		
5	Measles.....	50	11	9	17	8	4	1						
6	Scarlet fever.....	14	2	2	1	1	2	1			1			3.
7	Whooping cough.....	19	1	5	1		2	4	3	3				
8	Diphtheria and croup.....	24	1	2	3	1	3	4	1	1	1		4	3
9	Influenza.....	20	2	2	3	1	2			1	1	3	1	4
13	Tuberculosis of the lungs.....	743	79	84	72	58	59	55	57	54	42	56	56	71
14-15	Other forms of tuberculosis.....	97	9	11	9	10	10	9	7	6	7	4	6	9.
17	Meningitis.....	58	4	5	5	6	3	5	4	10	4	5	3	4
20-21	Bronchitis.....	45	5	5	3	5	7			2	3	6	4	
22	Pneumonia.....	215	35	33	18	15	20	5	9	4	18	11	13	34
(23)	Bronchopneumonia.....	60	7	4	6	8	7	3	1	2	3	3	3	9
25	Diarrhea and enteritis (under 2 years).....	79	7	1	2	4	12	11	5	8	7	8	7	7
(37)	Diarrhea and enteritis (2 years and over).....	30	1	2	1	4	1	2	4	3	1	4	4	3
(33)	Congenital debility ¹	50	4	2	4	5	6	5	1	1	6	6	5	5
35	Violent deaths (excluding suicide).....	280	20	17	21	18	19	13	25	19	23	46	32	27
36	Suicide.....	97	10	9	13	4	4	9	5	9	7	7	9	11
	All other causes.....	2,608	243	194	216	207	220	214	205	198	204	229	199	279
OAKLAND, CAL.														
	All causes.....	1,929	201	154	192	160	162	149	130	160	153	149	159	155
1	Typhoid fever.....	25	4	2	2	1	2	1	4	1	2	4	1	1
3	Malaria.....			1									1	
5	Measles.....	6		1	1	1		1	1					1
6	Scarlet fever.....	5	2				1					1		
7	Whooping cough.....	31	3	1	1	6	2	4	4	3	3	3	1	
8	Diphtheria and croup.....	11				3		1	4	1				2
9	Influenza.....	6	1	1	1					1			1	1
13	Tuberculosis of the lungs.....	191	23	16	22	20	16	5	12	12	15	12	22	16
14-15	Other forms of tuberculosis.....	26	1	1			3	7	4		2	4	1	4
17	Meningitis.....	22	1	4	3	1	1	5	4		1	1	1	
20-21	Bronchitis.....	25	5	1	3	1	1	3	3		1	1	1	1
22	Pneumonia.....	105	16	10	8	9	8	14	3	6	5	8	8	10
(23)	Bronchopneumonia.....	51	7	4	6	2	5	5	3	5	4	5	1	4
25	Diarrhea and enteritis (under 2 years).....	59	2	3	4	4	1	6	4	6	6	14	5	4
(37)	Diarrhea and enteritis (2 years and over).....	10	1	1		1	2	1	1	1	1	1	1	1
(33)	Congenital debility ¹	21	1	2	1		1	2	2	2	6	1	2	1
35	Violent deaths (excluding suicide).....	135	16	5	11	14	18	11	6	13	9	8	14	10
36	Suicide.....	49	5	4	7	2	1	4	2	9	3	3	7	2
	All other causes.....	1,149	114	97	117	94	100	79	78	96	100	84	93	97

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

511

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
			[REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.]											
SAN FRANCISCO, CAL.														
	All causes.....	6,319	601	501	584	538	536	443	532	501	454	575	524	530
1	Typhoid fever.....	65	1	2	5	6	5	10	3	9	10	6	6	2
3	Malaria.....	8						1			2	3	1	1
5	Measles.....	22	1	10	1	2	2	2	2	2	1		1	1
6	Scarlet fever.....	7						1				1	1	2
7	Whooping cough.....	32	1	3	5	3	7	3	3	3	1	1	1	1
8	Diphtheria and croup.....	37	2	3	3	3	5	6	1	2	5	3	2	2
9	Influenza.....	7	3	2										
13	Tuberculosis of the lungs.....	774	32	59	83	85	51	47	65	66	44	66	62	64
14-15	Other forms of tuberculosis.....	112	10	8	14	5	21	13	7	6	9	6	4	9
17	Meningitis.....	43	6	3	2	5	6	2	3	2	2	4	3	5
20-21	Bronchitis.....	101	12	5	9	8	17	9	6	2	9	5	5	14
22	Pneumonia.....	378	52	31	39	38	36	19	23	32	25	29	28	26
(23)	Bronchopneumonia.....	153	16	10	21	11	11	16	16	8	5	13	10	16
25	Diarrhea and enteritis (under 2 years).....	170	9	10	12	13	12	17	15	13	32	13	9	9
(37)	Diarrhea and enteritis (2 years and over).....	43	5	2	2	6	2	2	4	1	2	5	6	6
(32)	Congenital debility ¹	38	5	6	5	1	2	2	5	5	1	4	2	
35	Violent deaths (excluding suicide).....	399	47	33	26	39	31	23	40	32	34	31	34	29
36	Suicide.....	185	22	18	20	18	13	16	13	10	15	15	14	11
	All other causes.....	3,745	328	305	323	294	313	254	326	306	276	351	331	333
DENVER, COLO.														
	All causes.....	3,533	329	315	333	298	262	241	302	286	267	285	284	331
1	Typhoid fever.....	59	1	1		2		2	3	6	6	19	15	4
3	Malaria.....	2										1		
5	Measles.....	7		3			2		1					1
6	Scarlet fever.....	37	6	6	4	5		4	2	2	2			2
7	Whooping cough.....	5					1		1		1	1		
8	Diphtheria and croup.....	40	1	10	4	3		2	3	5	2	2	1	3
9	Influenza.....	20	2	4	3	3						2	1	3
13	Tuberculosis of the lungs.....	648	61	60	60	53	47	40	61	54	56	42	65	49
14-15	Other forms of tuberculosis.....	62	5	4	9	5	7	3	6	5	3	8	3	4
17	Meningitis.....	50	8	2	5	3		3	9	2	2	5	5	6
20-21	Bronchitis.....	23	2	4	3	3		1	1	1	1	3	3	4
22	Pneumonia.....	249	45	21	31	25	22	11	3	3	9	22	16	41
(23)	Bronchopneumonia.....	43	1	5	7	8	3	3	2	3	3	1	3	7
25	Diarrhea and enteritis (under 2 years).....	116	1	3	2	4	5	15	26	17	25	6	5	7
(37)	Diarrhea and enteritis (2 years and over).....	21	2	1	1	1	1	1	5	4	2	2	3	1
(32)	Congenital debility ¹	52	4	1	7	1	5	3	4	6	4	11	7	4
35	Violent deaths (excluding suicide).....	178	18	18	17	10	14	13	16	22	16	10	15	9
36	Suicide.....	68	5	9	5	1	5	6	7	5	6	9	5	5
	All other causes.....	1,853	167	163	175	172	137	136	156	153	126	144	143	181
BRIDGEPORT, CONN.														
	All causes.....	1,562	138	130	154	137	142	127	150	115	115	115	110	129
1	Typhoid fever.....	5						1	1		1	2		
3	Malaria.....	1						1						
5	Measles.....	6				2		1	1					
6	Scarlet fever.....	20	7	6	5									1
7	Whooping cough.....	27	1	1		1	5	1	5	3	4	1	4	4
8	Diphtheria and croup.....	28	1	3	5	2	4	3		1	3	4	2	2
9	Influenza.....	7	2	1	1	1								1
13	Tuberculosis of the lungs.....	183	20	16	17	16	16	14	19	15	16	7	11	16
14-15	Other forms of tuberculosis.....	21	3	1	3	2	1	1	2	2	1	1	3	1
17	Meningitis.....	23			1	2	2	4	4	2		1	3	1
20-21	Bronchitis.....	17	1	2	4	2	1	1	1	1	1	1	1	3
22	Pneumonia.....	132	15	16	15	15	21	10	1	9	3	6	7	14
(23)	Bronchopneumonia.....	40	4	5	7	6	3	3	2		1	1	2	7
25	Diarrhea and enteritis (under 2 years).....	127	1	5	2	6	6	21	40	21	13	6	4	2
(37)	Diarrhea and enteritis (2 years and over).....	6				1	1	2	2	1	1	1		
(32)	Congenital debility ¹	43	4	3	3	3	8	2	2	5	5	5	2	4
35	Violent deaths (excluding suicide).....	75	6	4	7	2	8	7	7	4	8	5	11	6
36	Suicide.....	33	1	4	2	3	3	5	2	4	2	2	3	2
	All other causes.....	768	73	61	82	70	60	52	62	51	62	72	58	65
NEW HAVEN, CONN.														
	All causes.....	2,219	197	198	204	191	213	162	238	167	146	170	137	196
1	Typhoid fever.....	24	1	1	1		2	2	2	3	5	4	3	1
3	Malaria.....	6				2	1	2	2					
5	Measles.....	6			1		1	2	1		1			
6	Scarlet fever.....	11		5		3							1	
7	Whooping cough.....	13	1	2	2		4		2	3	1			
8	Diphtheria and croup.....	17	2	2	1		3	1		1	2		2	3
9	Influenza.....	19	7	2	4	1								2
13	Tuberculosis of the lungs.....	197	19	22	21	17	15	16	19	13	16	18	9	12
14-15	Other forms of tuberculosis.....	33	3	2	6	4	8		7	4	3	1		
17	Meningitis.....	21	4	1		4	2	2	3	2	1	3		
20-21	Bronchitis.....	44	7	6	3	3	5	2	2	4	4	2	4	6
22	Pneumonia.....	211	32	29	23	29	14	7	6	4	9	15	15	28
(23)	Bronchopneumonia.....	98	7	10	4	9	3	4	2	8	3	2	5	6
25	Diarrhea and enteritis (under 2 years).....	116	2	3	2	1	9	17	36	23	9	6	1	7
(37)	Diarrhea and enteritis (2 years and over).....	19	1	1	2	2	1	1	4	3	2			2
(32)	Congenital debility ¹	31	2	2	4		6	5	5	4	3		2	1
35	Violent deaths (excluding suicide).....	119	6	15	4	17	13	6	18	4	6	14	7	9
36	Suicide.....	16	1	2			2	2	2	2	2	3	3	
	All other causes.....	1,243	104	95	125	99	119	94	127	91	85	102	83	119

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
WASHINGTON, D. C. (TOTAL).														
	All causes.....	6,511	624	580	658	546	475	514	596	490	459	472	553	544
1	Typhoid fever.....	77	3	4	6	5	5	4	6	10	13	8	8	5
3	Malaria.....	9	2							1	2	4		1
5	Measles.....	4						2						1
6	Scarlet fever.....	14	1	4	4	1	1					2		1
7	Whooping cough.....	35	1	2	9	4	2	1	5	6	4	1	1	2
8	Diphtheria and croup.....	31	7	6	14	11	3	2	1	1	1		2	5
9	Influenza.....	79	23	19	14	11	8	2	7	64	71	61	55	68
13	Tuberculosis of the lungs.....	776	68	67	79	84	60	59	40	6	3	1	1	5
14-15	Other forms of tuberculosis.....	64	8	7	8	7	2	6	6	6	1	1	1	7
17	Meningitis.....	43	4	3	6	1	9	7	10	6	5	12	13	14
20-21	Bronchitis.....	121	14	12	16	9	9	7	7	10	15	11	39	47
22	Pneumonia.....	428	70	64	78	38	27	23	6	3	5	4	13	15
(23)	Bronchopneumonia.....	150	17	18	33	9	8	9	6	9	9	4	8	4
25	Diarrhea and enteritis (under 2 years).....	307	4	5	6	5	7	37	106	76	31	18	4	2
(37)	Diarrhea and enteritis (2 years and over).....	63	7	2	4	7	2	2	17	8	6	4	4	2
(38)	Congenital debility ¹	115	6	5	4	7	12	2	13	10	13	21	11	11
35	Violent deaths (excluding suicide).....	261	21	19	22	24	16	22	28	18	20	22	19	30
36	Suicide.....	80	7	3	11	7	12	6	10	6	4	4	5	5
	All other causes.....	3,854	361	340	357	331	298	331	335	258	263	293	365	322
WASHINGTON, D. C. (WHITE).														
	All causes.....	3,744	370	366	358	338	282	279	343	265	247	260	308	328
1	Typhoid fever.....	45	2	4	4	5	3	3	4	5	4	5	3	3
3	Malaria.....	4								1	3			1
5	Measles.....	1										2		1
6	Scarlet fever.....	11		4	3	1						2		1
7	Whooping cough.....	9		1	4			1	2	1	1			1
8	Diphtheria and croup.....	28	7	6	1	3	2		1	1	1		4	1
9	Influenza.....	42	17	12	5	3							2	3
13	Tuberculosis of the lungs.....	330	27	34	25	41	31	23	19	28	31	25	20	26
14-15	Other forms of tuberculosis.....	34	5	5	5	3		5	3	3	1	2	1	1
17	Meningitis.....	34	2	3	4	1	2		9	4	1	1	1	7
20-21	Bronchitis.....	66	7	11	8	2	5	3	3	3	3	7	3	11
22	Pneumonia.....	186	27	34	38	19	11	8	3	2	6	5	16	17
(23)	Bronchopneumonia.....	75	12	8	16	4	3	3	5	7	1	7	10	10
25	Diarrhea and enteritis (under 2 years).....	128	2	2	4	3	3	8	40	37	19	4	3	3
(37)	Diarrhea and enteritis (2 years and over).....	44	5		1	4	6	2	13	7	5	2	1	2
(38)	Congenital debility ¹	62		4	3	4	5		9	8	6	10	9	4
35	Violent deaths (excluding suicide).....	149	16	11	10	15	7	14	10	6	9	16	14	21
36	Suicide.....	72	7	3	9	7	10	6	9	5	3	4	5	4
	All other causes.....	2,424	234	224	218	227	194	203	218	150	152	172	219	213
WASHINGTON, D. C. (COLORED).														
	All causes.....	2,767	254	214	300	208	193	235	253	225	212	212	245	216
1	Typhoid fever.....	32	1		2		2	1	2	5	9	3	5	2
3	Malaria.....	5	2							1	1	1		
5	Measles.....	3							2	1				
6	Scarlet fever.....	3	1		1		1							
7	Whooping cough.....	26	1	1	5	3	2		3	5	4	1	1	1
8	Diphtheria and croup.....	3				1							1	
9	Influenza.....	37	6	7	9	8	3	2						2
13	Tuberculosis of the lungs.....	446	41	33	54	43	29	36	21	36	40	36	35	42
14-15	Other forms of tuberculosis.....	30	3	2	3	4	4	1	3	3		3	3	4
17	Meningitis.....	9	2		2			1	1	2	1			3
20-21	Bronchitis.....	55	7	1	8	7	4	4	4	4	2	5	10	3
22	Pneumonia.....	242	43	30	40	19	16	15	3	8	9	6	23	30
(23)	Bronchopneumonia.....	75	5	10	17	5	5	6	6	4	3	3	6	5
25	Diarrhea and enteritis (under 2 years).....	179	2	3	2	2	4	29	66	39	12	14	5	1
(37)	Diarrhea and enteritis (2 years and over).....	19	2	2	3		1		4	1	1	2	3	
(38)	Congenital debility ¹	53	6	1	1	3	7	2	4	2	7	11	2	7
35	Violent deaths (excluding suicide).....	112	5	8	12	9	9	8	18	12	11	6	5	9
36	Suicide.....	8			2		2		1	1	1		1	1
	All other causes.....	1,430	127	116	139	104	104	128	117	108	111	121	146	109
ATLANTA, GA. (TOTAL).														
	All causes.....	2,938	229	228	267	261	281	244	231	243	204	236	275	239
1	Typhoid fever.....	78	2	1	3	3	3	1	13	12	19	6	12	3
3	Malaria.....	4				1	1		1		1	1	1	
5	Measles.....	14				2	2	5	4	1				2
6	Scarlet fever.....	8	1			1	1	1		1		2		
7	Whooping cough.....	16	2	1	1	2	2	2	2	2	2			2
8	Diphtheria and croup.....	29	2	4	1	2	3	1		1		9	4	2
9	Influenza.....	13	3	3	2	2	4	1						
13	Tuberculosis of the lungs.....	282	25	22	31	36	19	26	16	24	15	26	21	21
14-15	Other forms of tuberculosis.....	25	1		1	4	6	4	1	1	2	3	1	2
17	Meningitis.....	20		1	5	2	2	2	1	1				6
20-21	Bronchitis.....	28	3	4	3	3	3	1	2	2				1
22	Pneumonia.....	324	29	43	53	36	20	10	11	13	9	18	39	43
(23)	Bronchopneumonia.....	51	4	6	12	2	1	4	1	1	2	2	7	11
25	Diarrhea and enteritis (under 2 years).....	154	4	2	3	7	20	29	27	26	16	8	5	7
(37)	Diarrhea and enteritis (2 years and over).....	48	4	3	3	4	4	4	4	4	4	4	4	1
(38)	Congenital debility ¹	43	8	4	4	5	3	3	3	2	2	4	5	2
35	Violent deaths (excluding suicide).....	175	18	17	14	16	16	11	15	15	18	12	12	19
36	Suicide.....	22	2	3	2		2	4	1	3	1		3	8
	All other causes.....	1,604	125	114	133	137	171	134	131	136	111	137	158	117

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

513

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged in the List No.	AREA AND CAUSE OF DEATH.	All Deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tem- ber.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
	ATLANTA, GA. (WHITE).													
	All causes.....	1,609	125	120	145	126	155	131	133	136	128	124	161	125
1	Typhoid fever.....	58	1	3	3	2	1	9	10	13	4	9	3	
3	Malaria.....	12				1	5	3	1				1	
5	Measles.....	8	1			1	1		1		2		2	
6	Scarlet fever.....	7	1			1	2			1				
7	Whooping cough.....	20	1	4		1				1		7	4	
8	Diphtheria and croup.....	6	1	3		2								
9	Influenza.....	13	11	7	17	18	9	11	8	11	6	7	9	13
14-15	Tuberculosis of the lungs.....	15	1		1	2	6	1	2		2	1	1	1
17	Other forms of tuberculosis.....	10			3	1		2					2	
20-21	Meningitis.....	9	2	1	1	2	1			1				1
22	Bronchitis.....	111	11	17	18	5	6	2	4	5	6	6	15	16
(23)	Pneumonia.....	30	3	2	8	1	1				1	2	5	6
25	Bronchopneumonia.....	92	1	1	3	4	15	19	16	16	8	5	2	2
(37)	Diarrhea and enteritis (under 2 years).....	35		3	2	3	3	6	3	3	4	5	3	
(33)	Diarrhea and enteritis (2 years and over).....	29		3	1	2	2	2	3	1	1	3	3	2
35	Congenital debility ¹	80	7	3	6	8	6	6	5	13	6	7	7	8
36	Violent deaths (excluding suicide).....	17	2	2	2		3	1	1	1		2	3	3
	Suicide.....	942	76	68	80	75	98	75	78	80	70	76	98	68
	All other causes.....													
	ATLANTA, GA. (COLORED).													
	All causes.....	1,329	104	108	122	135	126	113	98	107	76	112	114	114
1	Typhoid fever.....	20	1	1			1		4	2	6	2	3	
3	Malaria.....	3					1		1			1		
5	Measles.....	2					1							
6	Scarlet fever.....	9												
7	Whooping cough.....	9			1	2	1		2	2	1			
8	Diphtheria and croup.....	9	1		1	2	2	1				2		2
9	Influenza.....	13	15	15	14	18	10	15	8	13	9	19	12	8
14-15	Tuberculosis of the lungs.....	10	1			2	2	1	1	1		2		1
17	Other forms of tuberculosis.....	19			2	1	4		1	1				
20-21	Meningitis.....	10	1	3	2	1		2	2		2		1	5
22	Bronchitis.....	213	18	26	35	31	14	3	7	8	3	12	24	27
(23)	Pneumonia.....	21	1	4	4	1	1	3	1			2	2	5
25	Bronchopneumonia.....	62	3	1		3	5	10	11	10	8	3	3	5
(37)	Diarrhea and enteritis (under 2 years).....	13			1	1	1	3	1	1	1	3	1	1
(33)	Diarrhea and enteritis (2 years and over).....	14	2	1	1	3	1	1	1	1	1	1	2	
35	Congenital debility ¹	95	11	9	8	8	10	7	5	10	5	6	5	11
36	Violent deaths (excluding suicide).....	5	1	1		1	1	1	2			1	1	
	Suicide.....	682	49	46	53	62	73	59	53	56	41	61	60	49
	All other causes.....													
	CHICAGO, ILL. (TOTAL).													
	All causes.....	33,241	2,913	2,775	3,288	2,852	2,863	2,574	2,765	2,740	2,490	2,429	2,645	2,907
1	Typhoid fever.....	300	21	12	17	14	13	14	22	33	44	36	48	26
3	Malaria.....	11	4	1	1		1		2	1	1			
5	Measles.....	191	15	17	25	30	23	40	21	5	3	2	2	8
6	Scarlet fever.....	404	39	38	39	37	62	33	21	20	15	20	28	52
7	Whooping cough.....	173	10	19	27	31	17	14	10	13	4			7
8	Diphtheria and croup.....	822	67	59	60	70	66	52	61	41	50	85	116	95
9	Influenza.....	146	19	18	31	13	16	6	1	3	2	5	12	20
13	Tuberculosis of the lungs.....	3,475	312	324	394	344	306	250	245	275	221	251	275	278
14-15	Other forms of tuberculosis.....	433	36	37	46	43	46	48	34	35	18	34	21	25
17	Meningitis.....	214	17	16	31	30	14	21	18	20	12	14	15	6
20-21	Bronchitis.....	171	27	25	22	20	13	14	9	3	9	8	10	11
22	Pneumonia.....	3,526	435	376	455	331	367	239	158	112	130	174	291	458
(23)	Bronchopneumonia.....	1,760	188	184	236	190	177	140	91	64	80	91	153	166
25	Diarrhea and enteritis (under 2 years).....	3,511	156	170	217	162	168	218	626	647	532	292	174	149
(37)	Diarrhea and enteritis (2 years and over).....	305	14	11	15	22	13	28	49	61	37	27	18	10
(33)	Congenital debility ¹	160	12	14	15	12	12	12	17	16	8	14	11	17
35	Violent deaths (excluding suicide).....	2,094	146	142	161	186	162	175	189	190	181	179	185	198
36	Suicide.....	458	40	26	44	51	44	35	41	37	35	38	30	37
	All other causes.....	15,087	1,355	1,286	1,452	1,266	1,343	1,235	1,140	1,156	1,099	1,155	1,256	1,344
	CHICAGO, ILL. (WHITE).													
	All causes.....	32,130	2,808	2,685	3,180	2,767	2,757	2,485	2,684	2,625	2,419	2,366	2,544	2,810
1	Typhoid fever.....	289	19	11	16	13	13	13	22	32	41	36	48	25
3	Malaria.....	11	4	1			1		2	1	1			
5	Measles.....	186	14	17	25	28	23	38	21	5	3	2	2	8
6	Scarlet fever.....	403	39	38	38	37	62	33	21	20	15	20	28	52
7	Whooping cough.....	169	9	19	27	31	17	14	9	21	12	4		6
8	Diphtheria and croup.....	817	67	58	60	69	65	52	61	41	50	85	115	94
9	Influenza.....	141	19	17	31	13	15	6	1	3	2	4	10	20
13	Tuberculosis of the lungs.....	3,241	286	304	379	324	283	232	222	251	208	240	257	255
14-15	Other forms of tuberculosis.....	408	34	34	41	42	45	46	40	32	18	32	20	24
17	Meningitis.....	210	17	15	31	30	13	20	17	20	12	14	15	6
20-21	Bronchitis.....	169	27	24	22	19	13	14	9	3	9	8	10	11
22	Pneumonia.....	3,394	420	361	436	323	353	230	154	107	124	168	273	445
(23)	Bronchopneumonia.....	1,719	180	183	227	184	171	137	90	64	79	89	150	165
25	Diarrhea and enteritis (under 2 years).....	3,471	156	167	215	162	168	212	622	635	524	292	174	144
(37)	Diarrhea and enteritis (2 years and over).....	301	14	10	15	21	13	28	48	61	36	27	18	10
(33)	Congenital debility ¹	158	12	14	15	12	12	12	16	16	8	14	10	17
35	Violent deaths (excluding suicide).....	2,030	140	136	159	182	154	169	182	180	179	178	178	193
36	Suicide.....	449	39	26	43	50	44	35	41	34	35	38	28	36
	All other causes.....	14,564	1,312	1,250	1,399	1,227	1,292	1,194	1,106	1,099	1,063	1,115	1,208	1,299

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
CHICAGO, ILL. (COLORED).														
	All causes.....	1,111	105	90	108	85	106	89	81	115	71	63	101	97
1	Typhoid fever.....	11	2	1	1	1	1	1	3	1
3	Malaria.....
5	Measles.....	5	1	2	2
6	Scarlet fever.....	1	1
7	Whooping cough.....	4	1	1	1
8	Diphtheria and croup.....	5	1	1	1	1	1
9	Influenza.....	5	1
13	Tuberculosis of the lungs.....	234	26	20	15	20	23	18	23	24	13	11	18	23
14-15	Other forms of tuberculosis.....	25	2	3	5	1	1	2	4	3	2	1	1
17	Meningitis.....	4	1
20-21	Bronchitis.....	2	1	1
22	Pneumonia.....	132	15	15	19	8	14	9	4	5	6	6	18	13
(23)	Bronchopneumonia.....	41	8	1	9	6	6	3	1	1	1	2	3	5
25	Diarrhea and enteritis (under 2 years).....	40	3	2	6	4	12	8	5
(37)	Diarrhea and enteritis (2 years and over).....	4	1	1	1	1
(33)	Congenital debility ¹	2
35	Violent deaths (excluding suicide).....	64	6	6	2	4	8	6	7	10	2	1	7	5
36	Suicide.....	9	1	1	1	3	2	1
	All other causes.....	523	43	36	53	39	51	41	34	57	36	40	48	45
INDIANAPOLIS, IND. (TOTAL).														
	All causes.....	3,824	302	296	405	341	313	347	328	313	287	292	278	322
1	Typhoid fever.....	67	3	4	5	2	13	13	12	3	7
3	Malaria.....	4
5	Measles.....	42	6	7	9	7	7	2	3	1
6	Scarlet fever.....	10	4	3	2	2	1
7	Whooping cough.....	41	3
8	Diphtheria and croup.....	16	2	1
9	Influenza.....	54	9	16	12	4	1	2	1	1
13	Tuberculosis of the lungs.....	420	28	28	47	44	33	46	41	21	38	34	28	32
14-15	Other forms of tuberculosis.....	105	6	11	11	8	12	10	7	12	6	12	4	6
17	Meningitis.....	21	3	4	2	2	3	2	3
20-21	Bronchitis.....	45	3	4	2	2	2	2	3
22	Pneumonia.....	191	19	19	25	21	18	12	4	7	7	12	15	32
(23)	Bronchopneumonia.....	144	11	13	18	20	13	10	4	4	8	7	17	19
25	Diarrhea and enteritis (under 2 years).....	177	4	4	2	6	10	17	53	39	26	10	3	3
(37)	Diarrhea and enteritis (2 years and over).....	43	3
(33)	Congenital debility ¹	17	1	1	4	1	5	1
35	Violent deaths (excluding suicide).....	205	19	14	16	14	17	17	16	17	19	17	19	20
36	Suicide.....	56	5	3	9	6	2	3	7	4	4	7	2	4
	All other causes.....	2,166	182	167	232	191	183	207	170	172	152	164	167	179
INDIANAPOLIS, IND. (WHITE).														
	All causes.....	3,275	257	259	351	295	267	294	285	271	239	246	235	276
1	Typhoid fever.....	62	3	4	5	2	10	13	11	3	6
3	Malaria.....	4
5	Measles.....	35	6	7	7	6	4	1	3	1
6	Scarlet fever.....	8	1	2	1	2	1
7	Whooping cough.....	40	4	3	7	6	2
8	Diphtheria and croup.....	14	1
9	Influenza.....	46	7	13	10	4	1	2	1	1
13	Tuberculosis of the lungs.....	323	21	25	34	37	25	35	29	16	29	25	20	27
14-15	Other forms of tuberculosis.....	81	5	11	7	6	10	9	5	10	3	8	4	3
17	Meningitis.....	18	1	4	2	2	2	1	3
20-21	Bronchitis.....	38	3	2	4	1	1	2	3	1	3	3	6	9
22	Pneumonia.....	159	15	18	21	19	14	12	4	3	5	11	12	25
(23)	Bronchopneumonia.....	110	9	10	12	16	10	8	4	3	4	5	14	15
25	Diarrhea and enteritis (under 2 years).....	156	3	4	6	9	14	48	35	22	9	3	3
(37)	Diarrhea and enteritis (2 years and over).....	39	2	3	2	4	5	3	8	7	3	2
(33)	Congenital debility ¹	11	1	1	4	1
35	Violent deaths (excluding suicide).....	169	17	10	13	13	11	15	14	13	18	14	16	15
36	Suicide.....	51	5	2	9	5	2	3	6	3	4	6	2	4
	All other causes.....	1,911	158	146	217	169	165	177	151	154	127	144	144	159
INDIANAPOLIS, IND. (COLORED).														
	All causes.....	549	45	37	54	46	46	53	43	42	48	46	43	46
1	Typhoid fever.....	5	3	1	1
3	Malaria.....
5	Measles.....	7	2	1	3	1
6	Scarlet fever.....	2	1	1
7	Whooping cough.....	1
8	Diphtheria and croup.....	2
9	Influenza.....	8	2	3	2
13	Tuberculosis of the lungs.....	97	7	3	13	7	8	11	12	5	9	9	8	5
14-15	Other forms of tuberculosis.....	24	1	4	2	2	1	2	2	3	4	3
17	Meningitis.....	3
20-21	Bronchitis.....	7	1	1	1	1
22	Pneumonia.....	32	4	1	4	2	4	4	2	1	3	7
(23)	Bronchopneumonia.....	34	2	3	6	4	3	2	1	4	2	3	4
25	Diarrhea and enteritis (under 2 years).....	21	1	2	1	3	5	4	4	1
(37)	Diarrhea and enteritis (2 years and over).....	4	1	1	1
(33)	Congenital debility ¹	6	1	3
35	Violent deaths (excluding suicide).....	36	2	4	3	1	6	2	2	4	1	3	3	5
36	Suicide.....	5
	All other causes.....	255	24	21	15	22	18	30	19	18	25	20	23	20

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. Dist. No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.											
LOUISVILLE, KY. (TOTAL).														
	All causes.....	3,756	338	331	305	326	309	327	300	337	241	314	317	311
1	Typhoid fever.....	71	1	2	4	6	3	6	8	11	10	8	8	4
3	Malaria.....	8						1	1	1	1	4	1	4
5	Measles.....	3						1		1				
6	Scarlet fever.....	3						1		1				
7	Whooping cough.....	21		1	8	6	3	2				1		
8	Diphtheria and croup.....	41	1	5	3	4	3	10	1	10	2	1	1	1
9	Influenza.....	24	7	4		3	2	1	1		2	6	6	1
13	Tuberculosis of the lungs.....	30	1	10	3	3		1				1		5
14-15	Other forms of tuberculosis.....	499	43	52	30	50	50	45	41	43	27	41	45	32
17	Meningitis.....	43	6	5	4	3	3	9	4	3	2	4	1	2
20-21	Bronchitis.....	67	6	3	7	6	7	6	5	10	9	4	5	3
22	Pneumonia.....	83	14	9	3	13	8	3	4	6	4	3	9	7
(23)	Bronchopneumonia.....	385	48	39	22	26	36	11	14	12	13	16	26	32
25	Diarrhea and enteritis (under 2 years).....	37	8	6	1	1	3	2		1		5	3	5
(37)	Diarrhea and enteritis (2 years and over).....	64	4	2	2	2	3	18	13	11	6	2	2	2
(33)	Congenital debility ¹	55	2	4	3	4	2	7	9	9	4	5	3	3
35	Violent deaths (excluding suicide).....	86	5	5	7	5	2	11	8	17	8	5	5	8
36	Suicide.....	156	13	22	15	6	9	14	13	13	14	15	9	13
	All other causes.....	36	3	2	4	2	1	4	4	4	2	4	3	3
	2,127	176	160	180	185	169	185	173	186	137	193	190	193	193
LOUISVILLE, KY. (WHITE).														
	All causes.....	2,667	234	237	216	232	208	228	210	243	170	229	231	229
1	Typhoid fever.....	44		2	2	2	2	1	4	10	7	7	5	2
3	Malaria.....	1										1		
5	Measles.....	1												
6	Scarlet fever.....	15		1	6	5	1	1		1				
7	Whooping cough.....	26	1	4	1	2	2	6		8	2	1		
8	Diphtheria and croup.....	24	1	4	4	2	2	1				6	6	1
9	Influenza.....	20	6	6	3	2			1		2	1		2
13	Tuberculosis of the lungs.....	316	28	30	17	30	31	23	28	27	19	27	33	23
14-15	Other forms of tuberculosis.....	34	5	4	4	2	7	3	3	3	2	2	1	1
17	Meningitis.....	52	5	3	6	6	3	6	3	5	8	4	4	3
20-21	Bronchitis.....	46	9	7	1	6	3	3	3	3	3	2	6	5
22	Pneumonia.....	180	24	25	17	17	23	8	6	6	8	9	15	22
(23)	Bronchopneumonia.....	51	6	3	3	2	2	1		4		4	2	4
25	Diarrhea and enteritis (under 2 years).....	24	1	1	1	2	2	3	16	9	10	4	2	2
(37)	Diarrhea and enteritis (2 years and over).....	37	1	3	1	3	3	6	8	5	2	3	1	1
(33)	Congenital debility ¹	61	2	4	5	3	2	7	5	12	6	4	4	5
35	Violent deaths (excluding suicide).....	111	8	17	11	4	8	13	10	9	7	10	5	9
36	Suicide.....	94	3	2	4	2	2	4	4	3	2	4	3	3
	All other causes.....	1,589	132	121	137	142	119	131	129	141	101	146	144	146
LOUISVILLE, KY. (COLORED).														
	All causes.....	1,089	104	94	89	94	101	99	90	94	71	85	86	82
1	Typhoid fever.....	27	1		2	4	1	5	4	1	3	1	3	2
3	Malaria.....	7						1	1		1	3	1	
5	Measles.....	1												
6	Scarlet fever.....	6						1						
7	Whooping cough.....	15		1	2	2	1	1				1	1	
8	Diphtheria and croup.....	10	2	4		1								
9	Influenza.....	183	15	22	13	20	19		22	13	16	8	14	12
13	Tuberculosis of the lungs.....	9	1	1	1	1						1	2	9
14-15	Other forms of tuberculosis.....	15	1	1	1	4	2	4	2	2	5	1	1	1
17	Meningitis.....	37	5	2	2	7	4	2	2	5	1	1	3	2
20-21	Bronchitis.....	125	24	14	15	9	13	3	1	8	6	7	11	10
22	Pneumonia.....	13	2	3	1	1	1	1	1	1	1	1	1	1
(23)	Bronchopneumonia.....	13	2	3	1	1	1	2	4	1	2	2	2	3
25	Diarrhea and enteritis (under 2 years).....	13	3	3	1	1	1	1	1	1	1	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	18	1	1	2	2	2	4	1	2	2	2	2	3
(33)	Congenital debility ¹	25	1	1	2	2	2	1	4	4	2	2	2	3
35	Violent deaths (excluding suicide).....	45	5	5	4	2	1	4	3	5	2	1	1	4
36	Suicide.....	2					1	1	3	4	7	5	4	4
	All other causes.....	538	44	39	43	43	50	54	44	45	36	47	46	47
NEW ORLEANS, LA. (TOTAL).														
	All causes.....	7,250	675	622	614	648	682	580	547	544	504	551	625	658
1	Typhoid fever.....	107	5	8	7	7	5	13	12	13	14	9	7	7
3	Malaria.....	33	1		3		3	2	4	5	6	1	7	1
5	Measles.....	66	4	2	12	18	18	7	4	1		1	7	1
6	Scarlet fever.....	28	3	5	5	4	7	3					2	1
7	Whooping cough.....	14		1	2	2		1				1		
8	Diphtheria and croup.....	37	4	9	1	3	5	1	2	2		2	3	1
9	Influenza.....	172	26	34	21	14	7	5			5	2	5	34
13	Tuberculosis of the lungs.....	905	66	75	63	89	85	69	88	65	61	38	75	51
14-15	Other forms of tuberculosis.....	65	9	7	6	3	6	10	5	5	2	6	4	3
17	Meningitis.....	48	5	3	4	9	5	5	4	3	5	4	2	4
20-21	Bronchitis.....	114	23	14	13	10	5	4	8	8	8	4	10	11
22	Pneumonia.....	471	72	64	59	36	45	17	22	15	11	20	50	60
(23)	Bronchopneumonia.....	188	17	32	25	16	18	17	9	4	10	4	18	18
25	Diarrhea and enteritis (under 2 years).....	448	15	15	10	55	85	75	35	56	30	24	24	24
(37)	Diarrhea and enteritis (2 years and over).....	98	6	5	5	11	13	12	12	6	9	7	7	4
(33)	Congenital debility ¹	83	4	4	7	9	9	6	9	5	4	12	10	4
35	Violent deaths (excluding suicide).....	387	42	32	32	25	27	27	33	40	34	32	21	42
36	Suicide.....	74	7	5	6	5	8	4	4	5	12	8	4	6
	All other causes.....	3,912	366	307	335	332	331	302	301	314	293	324	351	356

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW ORLEANS, LA. (WHITE).														
	All causes.....	4,311	410	390	381	376	426	321	310	313	291	332	362	399
1	Typhoid fever.....	67	3	6	5	6	5	6	6	9	8	6	4	3
3	Malaria.....	18			2			1		2	5		7	1
5	Measles.....	59	4	2	10	18	17	5		1			1	1
6	Scarlet fever.....	24	3	4	3	4	6	3						
7	Whooping cough.....	8				1				2				
8	Diphtheria and croup.....	30	2	9	1	2				1	2	2	5	1
9	Influenza.....	107	15	28	15	9	4	2				2	10	22
13	Tuberculosis of the lungs.....	454	42	39	27	44	41	26	60	25	24	42	45	49
14-15	Other forms of tuberculosis.....	37	5	3	2	1	4	7	4	2	1	4	3	1
17	Meningitis.....	33	4	3	3	4	4	3	1	3	4	3	2	2
20-21	Bronchitis.....	64	16	9	10	5	2	1	2	1	3	3	7	5
22	Pneumonia.....	231	42	31	30	15	23	4	10	5	6	9	24	32
(23)	Bronchopneumonia.....	72	7	14	12	7	6	5	4	2	5	1	3	6
25	Diarrhea and enteritis (under 2 years).....	298	10	14	7	35	63	55	18	34	21	14	12	15
(37)	Diarrhea and enteritis (2 years and over).....	51	5	5	2	5	8	4	2	3	6	3	4	4
(33)	Congenital debility ¹	32	1	1	4	5	1	4	2	4	1	3	5	1
35	Violent deaths (excluding suicide).....	220	20	20	26	12	13	14	21	21	18	19	15	21
36	Suicide.....	67	7	4	6	5	8	4	3	5	9	6	4	6
	All other causes.....	2,439	224	197	216	193	217	176	187	193	178	215	209	229
NEW ORLEANS, LA. (COLORED).														
	All causes.....	2,939	265	232	233	272	256	259	237	231	213	219	263	259
1	Typhoid fever.....	40	2	2	2	1		7	6	4	6	3	3	4
3	Malaria.....	15	1		1		3	1	4	3	1	1		
5	Measles.....	7			2		1	2	1					
6	Scarlet fever.....	4		1	2		1						1	
7	Whooping cough.....	6				1		1	2					1
8	Diphtheria and croup.....	7	2								3			
9	Influenza.....	65	11	6	6	5	3	3		1		3		12
13	Tuberculosis of the lungs.....	451	24	36	36	45	44	43	38	40	37	46	50	32
14-15	Other forms of tuberculosis.....	28	4	4	4	2	2	3	1	2	1	1	1	2
17	Meningitis.....	15	1		1	5	1	2	1		1	1	1	2
20-21	Bronchitis.....	50	7	5	3	5	3	3	6	3	1	1	3	2
22	Pneumonia.....	240	30	33	29	21	22	13	12	10	5	5	6	6
(23)	Bronchopneumonia.....	116	10	18	13	9	12	12	5	2	2	11	3	28
25	Diarrhea and enteritis (under 2 years).....	150	5	1	3	20	22	20	17	22	9	3	15	12
(37)	Diarrhea and enteritis (2 years and over).....	47	1		3	6	5	8	10	3	2	1	12	9
(33)	Congenital debility ¹	51	3	3	3	4	8	2	7	1	3	3	3	3
35	Violent deaths (excluding suicide).....	167	22	12	6	13	14	13	12	19	16	13	6	21
36	Suicide.....	7		1					1		2	2		
	All other causes.....	1,473	142	110	119	134	114	126	114	121	115	109	142	127
BALTIMORE, MD. (TOTAL).														
	All causes.....	10,753	1,085	975	921	855	778	814	974	910	797	853	856	935
1	Typhoid fever.....	235	7	13	10	4	2	8	8	34	46	41	37	25
3	Malaria.....	11	1				2	2	3	1		2	1	2
5	Measles.....	20	1	5	3		4	4	1				1	4
6	Scarlet fever.....	48	5	6	8	6	2	2	3	2			4	5
7	Whooping cough.....	85	5	13	10	11	9	17	8	3	4	4	1	
8	Diphtheria and croup.....	64	10	3	4	2	3	2	8	2		6	11	16
9	Influenza.....	64	16	18	12	5	6	2		1	5		11	2
13	Tuberculosis of the lungs.....	1,276	110	111	119	118	104	92	101	107	97	103	105	109
14-15	Other forms of tuberculosis.....	128	8	10	20	15	10	9	15	8	13	5	7	8
17	Meningitis.....	124	5	14	13	10	12	13	13	9	9	12	9	5
20-21	Bronchitis.....	173	20	23	16	14	16	6	4	6	8	9	21	30
22	Pneumonia.....	725	136	98	83	78	56	29	21	14	23	30	34	59
(23)	Bronchopneumonia.....	346	58	61	40	29	13	11	13	13	11	11	34	30
25	Diarrhea and enteritis (under 2 years).....	639	17	11	8	14	15	54	196	147	80	65	22	45
(37)	Diarrhea and enteritis (2 years and over).....	101	5	2	8	6	5	9	17	25	6	8	5	5
(33)	Congenital debility ¹	380	44	26	30	29	30	32	40	40	29	36	19	25
35	Violent deaths (excluding suicide).....	441	55	30	24	29	34	44	42	41	28	40	33	41
36	Suicide.....	81	10	8	8	3	6	9	6	7	6	6	6	6
	All other causes.....	5,812	572	523	505	482	446	467	485	450	428	475	471	508
BALTIMORE, MD. (WHITE).														
	All causes.....	8,152	812	738	720	655	586	591	736	693	619	635	646	721
1	Typhoid fever.....	193	5	11	10	1	1	6	5	28	35	33	35	23
3	Malaria.....	9						2	2			2	1	2
5	Measles.....	19	1		3			4	1				1	4
6	Scarlet fever.....	46	5	6	7	6	6	2	2	1			4	5
7	Whooping cough.....	47	3	6	6	7	7	6	6	2	1		4	
8	Diphtheria and croup.....	60	9	3	4	2	3	2	5		4	2	1	
9	Influenza.....	51	13	17	8	4	4			1	5	6	9	16
13	Tuberculosis of the lungs.....	816	70	73	80	76	62	54	64	62	71	61	72	71
14-15	Other forms of tuberculosis.....	91	7	7	17	8	4	4				5	7	7
17	Meningitis.....	103	4	12	12	7	10	6	10	5	5	5	5	7
20-21	Bronchitis.....	143	17	18	13	12	14	11	11	6	7	12	7	4
22	Pneumonia.....	531	93	69	64	57	41	21	16	9	18	21	19	25
(23)	Bronchopneumonia.....	249	42	43	27	17	13	7	9	8	11	9	49	73
25	Diarrhea and enteritis (under 2 years).....	470	16	7	3	11	4	36	146	111	60	43	16	38
(37)	Diarrhea and enteritis (2 years and over).....	74	4	2	5	3	4	7	12	3	3	5	3	5
(33)	Congenital debility ¹	291	33	20	22	25	25	25	34	22	26	13	13	16
35	Violent deaths (excluding suicide).....	344	39	24	21	25	29	31	33	32	21	31	25	33
36	Suicide.....	79	10	8	8	3	6	9	4	7	6	6	6	6
	All other causes.....	4,536	441	407	410	391	342	356	379	358	341	370	355	386

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

517

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
BALTIMORE, MD. (COLORED).														
	All causes.....	2,601	273	237	201	200	192	223	238	217	178	218	210	214
1	Typhoid fever.....	42	2	2	3	1	2	3	6	11	8	2	2
3	Malaria.....	2	1
5	Measles.....	1
6	Scarlet fever.....	2
7	Whooping cough.....	38	2	7	4	4	3	11	3	2	2
8	Diphtheria and croup.....	4	1
9	Influenza.....	13	3	1	4	1	2	1	1
13	Tuberculosis of the lungs.....	460	40	38	39	42	42	38	37	45	26	42	33	38
14-15	Other forms of tuberculosis.....	37	1	3	3	7	1	3	5	3	8	2	1
17	Meningitis.....	21	1	2	1	3	2	2	2	3	2	1
20-21	Bronchitis.....	30	3	5	3	2	2	1	1	3	3	2	5
22	Pneumonia.....	194	43	29	19	21	15	8	5	5	5	9	19	16
(23)	Bronchopneumonia.....	97	16	18	13	12	5	6	2	2	2	2	2	7
25	Diarrhea and enteritis (under 2 years).....	169	1	4	5	3	4	18	50	36	20	17	6	5
(37)	Diarrhea and enteritis (2 years and over).....	27	1	3	3	1	2	5	3	3	3	3
(33)	Congenital debility ¹	89	11	6	8	4	5	7	6	6	3	18	6	9
35	Violent deaths (excluding suicide).....	97	16	6	3	4	5	13	9	9	7	9	8	8
36	Suicide.....	2
	All other causes.....	1,276	131	116	95	91	104	111	106	92	87	105	116	122
BOSTON, MASS.														
	All causes.....	11,562	1,065	1,019	1,123	1,067	943	825	923	910	919	909	872	982
1	Typhoid fever.....	76	2	3	1	2	7	1	5	8	16	7	17	7
3	Malaria.....	1
5	Measles.....	96	7	11	13	10	27	7	9	8	1	1	2
6	Scarlet fever.....	62	4	7	4	6	13	4	4	6	2	2	8
7	Whooping cough.....	51	4	2	4	5	1	4	3	7	7	7	6	5
8	Diphtheria and croup.....	161	18	19	14	15	14	12	15	9	12	14	5	14
9	Influenza.....	51	5	10	10	10	7	1	1	1	1	1	5
13	Tuberculosis of the lungs.....	1,157	99	104	122	114	114	89	84	86	86	80	85	94
14-15	Other forms of tuberculosis.....	222	21	14	20	21	24	19	19	18	22	16	9	19
17	Meningitis.....	105	14	15	8	7	8	10	10	4	11	6	4	12
20-21	Bronchitis.....	166	24	20	20	15	15	5	4	6	12	13	20	12
22	Pneumonia.....	1,042	133	132	130	136	75	37	46	34	63	60	83	113
(23)	Bronchopneumonia.....	393	40	27	37	40	28	31	25	17	23	31	39	55
25	Diarrhea and enteritis (under 2 years).....	678	12	25	29	16	14	24	112	168	149	75	41	13
(37)	Diarrhea and enteritis (2 years and over).....	51	4	1	1	4	4	4	14	9	5	4	4	5
(33)	Congenital debility ¹	109	14	9	7	18	9	12	5	6	13	4	7	5
35	Violent deaths (excluding suicide).....	646	58	47	49	65	61	60	59	50	63	49	42	43
36	Suicide.....	103	4	5	12	11	7	11	10	8	4	11	13	7
	All other causes.....	6,392	602	568	647	576	514	494	499	470	429	529	497	507
CAMBRIDGE, MASS.														
	All causes.....	1,576	146	134	160	149	121	101	149	121	114	117	141	123
1	Typhoid fever.....	10	3	1	1	1	1	2	1
3	Malaria.....
5	Measles.....	4	3	1
6	Scarlet fever.....	4	2	1
7	Whooping cough.....	4
8	Diphtheria and croup.....	24	2	4	2	2	2	1	1	1	1	7	1
9	Influenza.....	8
13	Tuberculosis of the lungs.....	258	23	20	26	36	24	16	27	19	14	17	21	15
14-15	Other forms of tuberculosis.....	25	4	2	4	4	1	1	1	2	2	3
17	Meningitis.....	10	2	2	4	4	2	2	1	2
20-21	Bronchitis.....	29	4	2	4	4	3	2	3	3	2	3	3	3
22	Pneumonia.....	140	18	18	21	24	10	8	3	2	6	10	11	7
(23)	Bronchopneumonia.....	52	8	3	7	1	2	4	2	4	3	4	7	2
25	Diarrhea and enteritis (under 2 years).....	99	4	1	3	2	2	3	25	22	20	12	3	2
(37)	Diarrhea and enteritis (2 years and over).....	10	1	1	1	1	2	2	3	1	1	1	1	1
(33)	Congenital debility ¹	22	1	2	4	1	2	2	2	1	2	1	3	1
35	Violent deaths (excluding suicide).....	61	9	1	6	4	3	5	8	4	5	1	6	9
36	Suicide.....	9
	All other causes.....	308	69	78	79	64	65	57	68	64	51	63	86	64
FALL RIVER, MASS.														
	All causes.....	2,201	165	150	175	161	161	220	319	233	167	145	157	148
1	Typhoid fever.....	18	2	3	3	3	2	1	2
3	Malaria.....	1
5	Measles.....	21	1	4	11	2
6	Scarlet fever.....	3	1
7	Whooping cough.....	19	1	1	1	1	1	1	5
8	Diphtheria and croup.....	23	1	3	1	2	2	1	3	4	1	2	1	3
9	Influenza.....	7
13	Tuberculosis of the lungs.....	170	13	21	12	10	18	14	19	16	11	16	12	11
14-15	Other forms of tuberculosis.....	17	3	3	3	3	3	3	2	1	1	1	1	1
17	Meningitis.....	28	5	2	3	5	3	3	1
20-21	Bronchitis.....	94	12	9	16	17	5	9	5	7	4	8	10	22
22	Pneumonia.....	161	10	18	30	19	17	8	8	4	4	3	7	7
(23)	Bronchopneumonia.....	74	3	4	7	6	6	11	8	8	4	8	10	4
25	Diarrhea and enteritis (under 2 years).....	448	11	9	2	6	22	6	67	87	43	21	15	8
(37)	Diarrhea and enteritis (2 years and over).....	31	1	1	1	2	4	2	8	3	3	4
(33)	Congenital debility ¹	61	2	5	5	7	3	4	6	2	6	7	9	5
35	Violent deaths (excluding suicide).....	57	6	6	4	2	6	5	11	2	2	5	2	2
36	Suicide.....	19
	All other causes.....	949	95	72	86	80	66	84	74	89	82	62	87	72

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
LOWELL, MASS.														
	All causes.....	2,101	186	187	208	172	145	153	224	157	100	181	146	182
1	Typhoid fever.....	21	2	1	1			2	2		6	3	4	
3	Malaria.....	2		1							1			
5	Measles.....	30	4	9	12	2	1	1				1		
6	Scarlet fever.....	44		1	7	10	10	9	2	2	1		1	1
7	Whooping cough.....	6					1	1				1	2	1
8	Diphtheria and croup.....	22	5	1	3		3		2		1			6
9	Influenza.....	8	2	1	1	2						1		
13	Tuberculosis of the lungs.....	120	10	13	11	12	9	4	10	16	9	10	10	6
14-15	Other forms of tuberculosis.....	34	1	2	4	7	2	1	3		4	2	2	6
17	Meningitis.....	25			3	3	4			1		6	3	2
20-21	Bronchitis.....	90	17	6	16	10	8	5	2	7	2	6	4	7
22	Pneumonia.....	154	19	22	25	20	12	3	2	8	8	8	16	11
(23)	Bronchopneumonia.....	55	10	7	8	8	2	4			1	4	7	5
25	Diarrhea and enteritis (under 2 years).....	269	4	6	7	8	2	25	99	40	30	31	10	7
(37)	Diarrhea and enteritis (2 years and over).....	26	5	4	3		1	1	4	2	3		1	2
(33)	Congenital debility ¹	81	9	4	7	3	6	3	5	6	3	13	10	7
35	Violent deaths (excluding suicide).....	74	3	7	8	5	4	7	15	3	3	5	4	10
36	Suicide.....	17	2	3	1	2		2	3	2			1	1
	All other causes.....	1,022	93	99	91	89	79	85	72	70	83	89	71	110
WORCESTER, MASS.														
	All causes.....	2,477	197	171	229	222	178	197	245	221	219	195	202	201
1	Typhoid fever.....	23	2	1	1					5	9	4		1
3	Malaria.....	1								1				
5	Measles.....	23	1	3	3	3	2	8					2	1
6	Scarlet fever.....	5		2			1	1					1	
7	Whooping cough.....	32	1		3	2	3	1	5	2	3	3	5	4
8	Diphtheria and croup.....	51	7	4	3	3	3	5	4	2	4	6	5	5
9	Influenza.....	7	1	1	2	2			1					
13	Tuberculosis of the lungs.....	152	18	12	15	14	10	12	11	15	10	10	17	8
14-15	Other forms of tuberculosis.....	41	2	1	6	5	2	6	2	3	6	3	3	2
17	Meningitis.....	23	1	1	1	3	3		3	2	2	1	3	3
20-21	Bronchitis.....	40	6	5	4	3	3	3	5	3	3	1	7	
22	Pneumonia.....	194	26	12	28	29	18	13	12	5	8	11	13	19
(23)	Bronchopneumonia.....	85	10	5	6	5	8	9	3	2	7	8	11	11
25	Diarrhea and enteritis (under 2 years).....	197	3	3	4	3	7	19	57	47	33	16	3	2
(37)	Diarrhea and enteritis (2 years and over).....	33			1	2	2	4	9	9	2	2	2	
(33)	Congenital debility ¹	38	1	3	1	4	1	3	6	4	3	7	3	2
35	Violent deaths (excluding suicide).....	129	11	4	13	13	11	9	21	11	8	9	9	10
36	Suicide.....	11			1	1		2	2	1	2	1	1	2
	All other causes.....	1,392	107	114	137	130	104	102	106	112	119	113	117	131
DETROIT, MICH.														
	All causes.....	7,452	605	540	734	652	579	623	736	684	606	570	575	568
1	Typhoid fever.....	108	4	6	7	2	4	3	5	20	22	12	14	9
3	Malaria.....	3					1				1	1		
5	Measles.....	31	10	2		1	4	8	2	2			1	1
6	Scarlet fever.....	76	16	8	8	11	10	7	3	1	2	3	6	1
7	Whooping cough.....	108	6	12	15	21	18	15	8	6	2	3	2	
8	Diphtheria and croup.....	159	13	19	12	9	7	8	6	12	16	19	19	19
9	Influenza.....	25	4	4	3	6	4	1					1	2
13	Tuberculosis of the lungs.....	465	38	37	45	33	29	41	36	41	41	49	34	41
14-15	Other forms of tuberculosis.....	79	4	8	8	7	13	5	10	2	3	7	6	8
17	Meningitis.....	127	8	10	13	9	10	8	13	14	9	7	7	18
20-21	Bronchitis.....	143	7	17	30	19	12	9	10	2	8	7	14	8
22	Pneumonia.....	447	65	63	88	65	29	18	10	11	11	18	27	42
(23)	Bronchopneumonia.....	331	25	22	41	59	39	33	7	14	12	13	32	34
25	Diarrhea and enteritis (under 2 years).....	581	16	9	12	8	18	47	161	155	90	29	18	18
(37)	Diarrhea and enteritis (2 years and over).....	60	3	1	1	1	5	7	18	9	6	3	3	3
(33)	Congenital debility ¹	302	25	22	25	18	20	35	27	27	22	26	25	30
35	Violent deaths (excluding suicide).....	400	27	19	26	38	30	39	54	33	41	37	34	22
36	Suicide.....	122	4	8	14	10	12	10	12	7	12	12	12	9
	All other causes.....	3,885	330	273	386	335	314	329	354	308	308	324	319	305
GRAND RAPIDS, MICH.														
	All causes.....	1,648	152	115	142	134	123	132	132	158	153	130	120	157
1	Typhoid fever.....	32	2	4	3	2		1	1		4	6	7	2
3	Malaria.....													
5	Measles.....	20	4	2		1	2				1			4
6	Scarlet fever.....	6			6	1					2			
7	Whooping cough.....	12		1	1	2	2	1			2	1		
8	Diphtheria and croup.....	6			1	1					1		3	
9	Influenza.....	6		2	3	1								
13	Tuberculosis of the lungs.....	115	12	10	12	12	7	12	8	9	7	10	9	7
14-15	Other forms of tuberculosis.....	25	2		1	3	3		4	3	2	2	3	2
17	Meningitis.....	17			1	1	1	4	4	4	3			1
20-21	Bronchitis.....	30	3	3	5	1	1	1	1	1	4	6	2	3
22	Pneumonia.....	75	12	10	9	6	7	2	1	2	3	5	5	13
(23)	Bronchopneumonia.....	18	4	1	1	1		1	2	1	1	1	2	5
25	Diarrhea and enteritis (under 2 years).....	108	3	2	3	3	2	4	13	35	28	12	12	3
(37)	Diarrhea and enteritis (2 years and over).....	26			2	2	2	4	5	5	4	1	2	1
(33)	Congenital debility ¹	43	2	1	4	2	6	2	3	6	6	7	4	3
35	Violent deaths (excluding suicide).....	66	3	1	6	3	10	9	6	8	5	3	5	7
36	Suicide.....	13	2					2		1	4	1	1	2
	All other causes.....	1,036	103	78	87	95	80	89	85	86	79	72	77	104

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

519

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
MINNEAPOLIS, MINN.														
	All causes.....	3,739	268	308	345	326	301	309	324	342	295	294	300	332
1	Typhoid fever.....	178	13	31	42	23	5	2	4	11	21	10	11	5
3	Malaria.....													
5	Measles.....	48			13	14	11	8	1				1	
6	Scarlet fever.....	50	3	1	6	2	9	5	7	3	3	5	3	
7	Whooping cough.....	7		2	1									
8	Diphtheria and croup.....	130	14	12	4	10	10	15	7	10	7	10	12	19
9	Influenza.....	4			3									1
13	Tuberculosis of the lungs.....	367	19	38	45	38	18	26	41	24	30	27	36	25
14-15	Other forms of tuberculosis.....	59	1	7	7	7	4	6	4	6	6	3	3	8
17	Meningitis.....	41	7	5	1	3	1	2	3	5	2	3	6	3
20-21	Bronchitis.....	31	4	1	2	2	2	1	1	3	3	3	6	3
22	Pneumonia.....	188	15	18	17	15	12	14	12	8	10	17	15	35
(23)	Bronchopneumonia.....	171	14	15	16	14	17	13	6	8	13	14	14	27
25	Diarrhea and enteritis (under 2 years).....	240	9	9	9	6	4	16	55	56	28	24	13	11
(37)	Diarrhea and enteritis (2 years and over).....	43	1		3	1	2	3	9	15	2	6		1
(33)	Congenital debility ¹	24	3	2	2	5	2		2	5	1	1		1
35	Violent deaths (excluding suicide).....	222	14	10	22	14	15	27	20	20	20	21	22	17
36	Suicide.....	53	3	3	6	1	5	9	7	3	2	4	8	2
	All other causes.....	1,883	148	149	146	171	184	162	145	162	146	146	153	171
ST. PAUL, MINN.														
	All causes.....	2,558	229	175	254	227	217	239	222	218	194	173	196	214
1	Typhoid fever.....	42	1	3	2	2	2	5	3	5	5	5	6	3
3	Malaria.....													
5	Measles.....	32	2	6	10	6	4	2		1				1
6	Scarlet fever.....	65	8	13	10	16	5	3	4		1	1	1	3
7	Whooping cough.....	11	1	1				1	1		5		1	
8	Diphtheria and croup.....	138	9	7	10	16	10	12	13	12	9	14	17	9
9	Influenza.....	2			1									1
13	Tuberculosis of the lungs.....	239	19	15	28	23	21	16	21	19	9	22	31	15
14-15	Other forms of tuberculosis.....	56	5	5	8	4	5	9	3	4	1	6	3	3
17	Meningitis.....	25	7	1	4	1	5	2	1	1	1		2	
20-21	Bronchitis.....	37	4	1	3	6	7	5	2	2	1	1	3	4
22	Pneumonia.....	132	18	6	17	10	17	12	8	6	3	10	13	12
(23)	Bronchopneumonia.....	79	6	4	9	10	15	10	6	2	4	2	3	8
25	Diarrhea and enteritis (under 2 years).....	151	5	3	9	7	6	15	23	34	24	8	7	5
(37)	Diarrhea and enteritis (2 years and over).....	18			1	1		3	1	6	2	2	2	3
(33)	Congenital debility ¹	58	4	4	7	6	4	5	3	6	5	6	6	2
35	Violent deaths (excluding suicide).....	116	7	7	7	12	7	13	10	14	11	8	8	12
36	Suicide.....	30	4	1	3	3	2	2	2	2	3	3	1	1
	All other causes.....	1,327	129	98	122	108	107	123	118	106	110	87	92	132
KANSAS CITY, MO. (TOTAL).														
	All causes.....	3,966	346	370	425	315	335	319	374	307	246	256	322	351
1	Typhoid fever.....	136	24	23	15	8	7	8	10	8	8	10	6	9
3	Malaria.....	10	1					1		2		4	1	2
5	Measles.....	71	1	15	28	17	8							2
6	Scarlet fever.....	58	11	13	10	9	6	1	4	1			2	1
7	Whooping cough.....	8	2		1	1	2					1	1	
8	Diphtheria and croup.....	54	7	7	5	1	6	1	3	2	1	11	5	5
9	Influenza.....	28	5	4	3	5		1					3	5
13	Tuberculosis of the lungs.....	375	36	29	34	37	31	36	34	28	18	23	33	36
14-15	Other forms of tuberculosis.....	46	1	4	3	4	6	6	3	3	3	7	3	3
17	Meningitis.....	48	5	6	2	2	5	4	2	10	2	2	5	3
20-21	Bronchitis.....	33	6	4	3		2	5	5	8	1	3	2	2
22	Pneumonia.....	266	41	39	34	17	18	7	10	8	9	15	22	46
(23)	Bronchopneumonia.....	100	6	5	23	18	13	8	4	2	4	4	6	7
25	Diarrhea and enteritis (under 2 years).....	123	3	5	6	6	10	18	40	17	4	3	3	8
(37)	Diarrhea and enteritis (2 years and over).....	22		1	2	2	1	6	3	4			3	3
(33)	Congenital debility ¹	93	5	13	10	2	3	5	11	5	8	13	10	8
35	Violent deaths (excluding suicide).....	309	22	26	23	27	23	21	33	37	22	24	24	27
36	Suicide.....	85	5	7	11	14	5	8	4	8	7	3	5	8
	All other causes.....	2,101	165	169	213	144	190	181	206	172	159	133	191	178
KANSAS CITY, MO. (WHITE).														
	All causes.....	3,317	294	312	359	252	275	253	317	261	209	207	279	299
1	Typhoid fever.....	117	22	21	12	7	5	6	10	7	7	9	5	6
3	Malaria.....	10	1			1		1		2		4	1	
5	Measles.....	65	1	15	27	14	6							2
6	Scarlet fever.....	56	11	13	10	8	5	1	4	1			2	1
7	Whooping cough.....	5	1		1	1	1					1	1	
8	Diphtheria and croup.....	47	7	7	4	1	5	1	3	2	1	7	5	4
9	Influenza.....	25	5	3	3	4		1					2	5
13	Tuberculosis of the lungs.....	225	25	20	18	17	18	17	19	19	10	16	20	26
14-15	Other forms of tuberculosis.....	36	1	2	2	2	5	4	3	3	3	6	2	3
17	Meningitis.....	44	5	4	1	2	5	4	2	10	1	2	5	3
20-21	Bronchitis.....	27	6	2	2		2	4	4	4		3	2	2
22	Pneumonia.....	205	34	28	27	10	15	5	9	7	6	12	18	34
(23)	Bronchopneumonia.....	83	5	4	15	15	13	8	3	1	4	3	5	7
25	Diarrhea and enteritis (under 2 years).....	99	3	3	5	5	8	15	29	14	3	3	3	8
(37)	Diarrhea and enteritis (2 years and over).....	20		1	2	2	1	5	3	4			2	2
(33)	Congenital debility ¹	82	5	11	10	2	1	5	9	4	7	10	10	8
35	Violent deaths (excluding suicide).....	259	18	19	19	23	20	16	30	33	18	19	20	24
36	Suicide.....	83	4	7	11	13	5	8	4	8	7	3	5	8
	All other causes.....	1,829	140	152	191	125	160	152	183	146	142	109	173	156

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu-ary.	Febru-ary.	March.	April.	May.	June.	July.	August.	Sep-tember.	Octo-ber.	Novem-ber.	Decem-ber.
			REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.											
KANSAS CITY, MO. (COLORED).														
	All causes.....	649	52	58	66	63	60	66	57	46	37	49	43	52
1	Typhoid fever.....	19	2	2	3	1	2	2	1	1	1	1	3
3	Malaria.....
5	Measles.....	6	1	3	2
6	Scarlet fever.....	2	1	1
7	Whooping cough.....	3	1	2
8	Diphtheria and croup.....	7	1	1	4	1
9	Influenza.....	3	1	1	1
13	Tuberculosis of the lungs.....	150	11	9	16	20	13	19	15	9	8	7	13	10
14-15	Other forms of tuberculosis.....	10	2	1	2	2	1
17	Meningitis.....	4	2	1	1
20-21	Bronchitis.....	6	2	1	1
22	Pneumonia.....	61	7	11	7	3	3	2	1	1	3	3	4	12
(23)	Bronchopneumonia.....	17	1	1	8	7	1	1	1
25	Diarrhea and enteritis (under 2 years).....	24	2	1	1	2	3	11	3	1
(37)	Diarrhea and enteritis (2 years and over).....	2	1
(38)	Congenital debility ¹	11	2
35	Violent deaths (excluding suicide).....	50	4	7	4	4	3	5	3	4	4	5	4	3
36	Suicide.....	2	1
	All other causes.....	272	25	17	22	19	30	29	23	26	17	24	18	22
ST. LOUIS, MO. (TOTAL).														
	All causes.....	10,888	995	970	1,054	842	922	934	931	831	778	818	857	956
1	Typhoid fever.....	103	5	4	9	3	9	2	5	12	20	12	14	8
3	Malaria.....	34	1	3
5	Measles.....	64	1	1	10	3	3	10	3	9	8	1	2	7
6	Scarlet fever.....	187	14	19	22	24	20	23	14	8	9	8	17	9
7	Whooping cough.....	57	4	7	8	3	10	7	7	7	4
8	Diphtheria and croup.....	111	14	16	8	10	7	7	7	7	4
9	Influenza.....	129	25	21	32	8	14	7	7	6	7	10	10	6
13	Tuberculosis of the lungs.....	1,149	106	106	120	109	107	109	92	78	86	78	68	13
14-15	Other forms of tuberculosis.....	126	11	8	16	14	12	10	9	8	9	5	8	16
17	Meningitis.....	75	4	7	7	12	7	8	7	6	5	7	1	7
20-21	Bronchitis.....	307	35	39	38	29	25	15	15	13	14	24	31	29
22	Pneumonia.....	712	113	101	92	65	56	31	13	26	18	41	69	87
(23)	Bronchopneumonia.....	394	30	57	70	29	32	23	13	11	14	19	35	52
25	Diarrhea and enteritis (under 2 years).....	598	13	21	29	21	25	31	148	100	66	56	22	14
(37)	Diarrhea and enteritis (2 years and over).....	128	7	7	5	2	7	8	43	15	11	6	8	9
(38)	Congenital debility ¹	121	20	13	4	4	5	8	12	12	12	12	6	11
35	Violent deaths (excluding suicide).....	604	51	45	52	41	42	58	54	57	42	52	46	64
36	Suicide.....	199	15	10	20	12	23	12	22	16	20	10	24	15
	All other causes.....	5,792	518	487	512	449	507	520	466	440	427	467	480	519
ST. LOUIS, MO. (WHITE).														
	All causes.....	9,733	896	881	933	744	801	825	852	756	683	731	773	858
1	Typhoid fever.....	94	5	4	8	3	8	1	4	10	19	10	14	8
3	Malaria.....	30	1	3
5	Measles.....	63	1	1	9	4	8	10	3	9	8	1	2	7
6	Scarlet fever.....	182	14	19	22	23	20	22	12	8	9	8	17	8
7	Whooping cough.....	43	2	6	8	2	3	4	6	6	4
8	Diphtheria and croup.....	110	14	16	8	10	9	7	7	6	7	10	10	6
9	Influenza.....	120	23	20	29	8	13	3	2	1	2	7	12
13	Tuberculosis of the lungs.....	937	88	86	100	89	81	35	75	63	67	66	58	76
14-15	Other forms of tuberculosis.....	97	9	6	13	8	7	8	9	7	7	5	7	11
17	Meningitis.....	71	4	7	7	11	7	7	7	5	4	4	1	7
20-21	Bronchitis.....	277	33	32	36	27	24	12	13	12	11	21	29	27
22	Pneumonia.....	627	98	96	75	60	48	27	12	23	15	34	62	77
(23)	Bronchopneumonia.....	351	37	55	59	25	27	15	11	10	13	18	32	49
25	Diarrhea and enteritis (under 2 years).....	566	12	21	27	21	24	72	142	97	62	54	21	13
(37)	Diarrhea and enteritis (2 years and over).....	116	7	7	5	1	5	7	40	14	10	5	8	7
(38)	Congenital debility ¹	107	17	11	4	4	5	8	11	11	7	11	11	7
35	Violent deaths (excluding suicide).....	542	47	43	43	36	38	55	49	50	38	48	36	59
36	Suicide.....	198	15	10	20	12	23	12	21	16	20	10	24	15
	All other causes.....	5,202	470	440	460	397	449	470	426	400	377	414	431	468
ST. LOUIS, MO. (COLORED).														
	All causes.....	1,155	99	89	121	98	121	109	79	75	95	87	84	98
1	Typhoid fever.....	9	1	1	1	1	2	1	2
3	Malaria.....	4	1	1	1	1
5	Measles.....	1	1
6	Scarlet fever.....	5	1	1	2	1
7	Whooping cough.....	14	2	1	1	1	1	1
8	Diphtheria and croup.....	1
9	Influenza.....	9	2	1	3	1	1
13	Tuberculosis of the lungs.....	212	18	20	20	20	26	24	14	13	19	12	10	16
14-15	Other forms of tuberculosis.....	29	2	2	3	6	5	2	1	2	1	5
17	Meningitis.....	4	1
20-21	Bronchitis.....	30	2	7	2	2	1	3	2	1	3	3	2	2
22	Pneumonia.....	85	15	5	17	5	8	4	1	3	3	7	7	10
(23)	Bronchopneumonia.....	43	2	2	11	4	5	8	2	1	1	1	3	3
25	Diarrhea and enteritis (under 2 years).....	30	1	2	1	9	6	3	4	2	1	1
(37)	Diarrhea and enteritis (2 years and over).....	12	1	2	1	3	1	1	1
(38)	Congenital debility ¹	14	3	2	1	1	5	1
35	Violent deaths (excluding suicide).....	62	4	2	9	5	4	3	5	7	4	4	10	5
36	Suicide.....	1
	All other causes.....	590	48	47	52	52	58	50	40	40	50	53	49	51

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
OMAHA, NEBR.														
	All causes.....	1,879	162	157	197	157	152	181	145	164	115	136	156	157
1	Typhoid fever.....	108	3	19	28	11	5	4	4	9	11	5	6	3
3	Malaria.....	1			1									
5	Measles.....	7			1		2	3	1					
6	Scarlet fever.....	19		2	4	3	3	5	1					1
7	Whooping cough.....	19	4	2	4	2	1	1	2	3	3			
8	Diphtheria and croup.....	17	1	3	2		2	3	1		1	1	3	
9	Influenza.....	10		1	1	2		2				1	1	2
13	Tuberculosis of the lungs.....	154	14	13	20	8	10	15	8	18	14	7	8	19
14-15	Other forms of tuberculosis.....	27	3	2	7		2	2		2	2	1	5	3
17	Meningitis.....	13		2		1	3			1	1		1	2
20-21	Bronchitis.....	14	2	2	1	1	3	1		1	1	1	1	1
22	Pneumonia.....	124	14	6	14	15	18	8	3	8	4	5	14	15
(23)	Bronchopneumonia.....	75	10	10	15	6	7	2	2	5	2	3	2	11
25	Diarrhea and enteritis (under 2 years).....	78	8		2	4	3	6	12	21	6	5	6	5
(27)	Diarrhea and enteritis (2 years and over).....	11	2			1			3	1			2	
(33)	Congenital debility ¹	28		4	1	6	3	4	1		1	2	3	3
35	Violent deaths (excluding suicide).....	127	12	11	9	3	10	10	16	13	6	17	11	9
36	Suicide.....	31	4	4	2	1	1	3	2	1	4	3	4	2
	All other causes.....	1,016	83	76	85	93	80	112	91	81	59	85	90	81
JERSEY CITY, N. J.														
	All causes.....	4,401	369	356	378	363	297	305	487	377	339	334	367	429
1	Typhoid fever.....	31			2		1	2	2	5	3	5	5	1
3	Malaria.....	3				1		1	1					
5	Measles.....	23		1	2	1	2	1	3		2		2	9
6	Scarlet fever.....	46	5	6	6	2	2	5	6	5	2	1	1	5
7	Whooping cough.....	13		1	1		1	1	1	3	2	1	2	1
8	Diphtheria and croup.....	83	4	9	7	9	6	7	3	1	7	7	11	12
9	Influenza.....	19	4	2	2	1	1	1				1	1	7
13	Tuberculosis of the lungs.....	474	37	41	60	50	33	27	41	41	38	39	30	37
14-15	Other forms of tuberculosis.....	45	3	6	6	5	2	2	5	4	3	5		4
17	Meningitis.....	57	5	6	4	5	3	6	7	5	7	1	5	3
20-21	Bronchitis.....	62	8	8	5	4	2	2	8	3	4	5	8	5
22	Pneumonia.....	322	38	30	36	31	25	14	11	13	9	22	37	56
(23)	Bronchopneumonia.....	162	24	19	15	13	14	10	10	8	6	5	13	25
25	Diarrhea and enteritis (under 2 years).....	394	7	7	8	10	11	36	121	84	56	36	11	7
(27)	Diarrhea and enteritis (2 years and over).....	52	2	1	5	4	3	1	14	5	8	5	4	
(33)	Congenital debility ¹	57	3	2	5	2	2	2	15	3	9	7	7	
35	Violent deaths (excluding suicide).....	281	27	15	13	22	19	19	36	19	25	28	27	31
36	Suicide.....	61	4	4	3	5	2	7	3	5	7	4	10	7
	All other causes.....	2,216	198	201	198	197	168	161	200	173	146	162	193	219
NEWARK, N. J.														
	All causes.....	5,784	562	463	529	497	465	417	545	422	420	419	463	576
1	Typhoid fever.....	46	2	1	2	3	2	2	4	8	10	5	4	3
3	Malaria.....	3								1	1			1
5	Measles.....	56	18	9	11	5	1	5	2	1	2		1	1
6	Scarlet fever.....	42	6	3	6	6	6	7	3	2	1		1	3
7	Whooping cough.....	65	5	7	6	2	6	6	8	12	6	5	3	3
8	Diphtheria and croup.....	107	9	14	16	9	8	6		3	5	12	10	15
9	Influenza.....	40	3	1	7	6	3						3	16
13	Tuberculosis of the lungs.....	748	76	58	66	69	75	54	66	48	59	47	64	66
14-15	Other forms of tuberculosis.....	111	13	7	16	8	6	3	10	15	7	9	11	6
17	Meningitis.....	58	3	8	6	3	5	4	6	6	8	6	1	2
20-21	Bronchitis.....	130	12	22	17	8	7	7	6	2	8	10	10	21
22	Pneumonia.....	351	52	25	55	50	34	11	9	7	12	10	26	60
(23)	Bronchopneumonia.....	277	66	33	35	30	18	10	8	7	6	14	16	34
25	Diarrhea and enteritis (under 2 years).....	397	10	10	12	13	19	40	128	65	50	35	6	9
(27)	Diarrhea and enteritis (2 years and over).....	47	2	3	2	3	3	3	10	7	8	3	2	1
(33)	Congenital debility ¹	77	3	5	5	5	4	8	7	4	5	15	8	8
35	Violent deaths (excluding suicide).....	302	19	24	19	15	27	20	32	29	19	25	47	26
36	Suicide.....	74	3	3	10	7	2	7	7	6	7	7	4	11
	All other causes.....	2,853	260	230	244	255	239	223	239	199	212	216	246	230
PATERSON, N. J.														
	All causes.....	1,857	184	148	171	159	128	130	187	150	147	145	140	168
1	Typhoid fever.....	9	1			2	1	1		1	1	2		
3	Malaria.....													
5	Measles.....	11	1		1	1	2	2	1	1			2	
6	Scarlet fever.....	12	1	1	1	3	1	2	2					3
7	Whooping cough.....	19	2		1		1	2		3	3	1	3	3
8	Diphtheria and croup.....	26	4	2		1		2	1	1	2	4	3	6
9	Influenza.....	5				2							2	1
13	Tuberculosis of the lungs.....	206	20	18	17	24	11	18	21	14	17	17	11	18
14-15	Other forms of tuberculosis.....	25	3	2	3	1	1	2	5	2	1	4	1	
17	Meningitis.....	29	4	1	3	1	1	1	3	3	2	2	3	5
20-21	Bronchitis.....	26	2	1	4	4		2		1	3	4	1	4
22	Pneumonia.....	137	27	14	20	18	10	2	2	6	6	7	9	16
(23)	Bronchopneumonia.....	67	10	11	11	5	3	2	3	3	2	4	5	8
25	Diarrhea and enteritis (under 2 years).....	148	3	1	3	4	3	13	50	37	19	10	4	1
(27)	Diarrhea and enteritis (2 years and over).....	18	2		3	2	1		6	3		1		
(33)	Congenital debility ¹	22	2	4	2	3	1		1	4	3	2		
35	Violent deaths (excluding suicide).....	93	7	4	10	4	9	6	7	10	6	11	9	10
36	Suicide.....	27	3	1	2		3	2	4	3	3	2	2	2
	All other causes.....	977	92	83	90	84	80	75	81	58	79	74	85	91

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu-ary.	Febru-ary.	March.	April.	May.	June.	July.	August.	Sep-tember.	Octo-ber.	Novem-ber.	Decem-ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
ALBANY, N. Y.														
	All causes.....	1,943	171	173	198	180	171	128	202	110	127	137	138	208
1	Typhoid fever.....	14			2	1	2	1	2	2	1	1		2
3	Malaria.....	1												
5	Measles.....	24	6	12		1	2	2	1					
6	Scarlet fever.....	12		2	1	3			2					
7	Whooping cough.....	10							2		3	1	1	
8	Diphtheria and croup.....	15	2					1	2	1	1	1	1	1
9	Influenza.....	20		2	1	5	1	3						
13	Tuberculosis of the lungs.....	240	19	23	28	19	24	20	19	16	19	17	15	21
14-15	Other forms of tuberculosis.....	13	1			2	2	2	1	1	1	1		3
17	Meningitis.....	21	1		3	3	3	3	3	1				2
20-21	Bronchitis.....	17	2	2	2	4	1		7	1	1	7	3	25
22	Pneumonia.....	127	9	12	22	15	5	9	7	2	4	2	11	4
(23)	Bronchopneumonia.....	36	2	4	6	4	6	3	3	2	1	2	4	1
25	Diarrhea and enteritis (under 2 years).....	54	2	1			1	2	2	9	5	4	1	4
(37)	Diarrhea and enteritis (2 years and over).....	15	4	1		2	3	2	2	7	2	2	1	1
(33)	Congenital debility ¹	28	2	2	1	2	2	1	1	7	1	7	3	4
35	Violent deaths (excluding suicide).....	81	6	2	3	13	6	5	3	7	7	3	4	11
36	Suicide.....	17	2	1	2	2	2	3					4	
	All other causes.....	1,198	113	109	120	101	105	74	115	89	82	95	95	130
BUFFALO, N. Y.														
	All causes.....	6,940	629	547	660	632	589	484	564	640	565	528	556	546
1	Typhoid fever.....	87	7	10	2	8	10	2	4	11	5	10	8	10
3	Malaria.....	1			1									1
5	Measles.....	94	42	16	13	5	4	5	4	3			1	1
6	Scarlet fever.....	228	39	22	32	19	13	22	16	6	14	10	15	20
7	Whooping cough.....	69			2	7	11	7	10	16	8	3	3	2
8	Diphtheria and croup.....	161	9	13	15	15	10	12	12	8	9	14	28	16
9	Influenza.....	30	3	3	5	6	5	3			1	2	1	1
13	Tuberculosis of the lungs.....	528	47	44	71	49	40	37	38	31	40	48	41	42
14-15	Other forms of tuberculosis.....	85	8	6	5	7	11	6	10	6	2	6	11	7
17	Meningitis.....	42	3	3	4	7	2	2	7	5	5	2	2	1
20-21	Bronchitis.....	128	14	9	22	15	20	13	3	10	5	4	5	8
22	Pneumonia.....	349	37	21	36	61	51	18	8	13	9	19	37	39
(23)	Bronchopneumonia.....	364	39	37	49	44	36	21	19	14	21	17	29	33
25	Diarrhea and enteritis (under 2 years).....	563	16	12	20	21	24	13	90	162	107	46	31	21
(37)	Diarrhea and enteritis (2 years and over).....	37	1	5		4	7	3	1	5	6	2	1	2
(33)	Congenital debility ¹	57	4	6	10	4	4	3	5	7	4	1	5	4
35	Violent deaths (excluding suicide).....	411	34	31	28	29	32	36	44	39	33	37	38	30
36	Suicide.....	56	4	2	7	2	6	7	3	5	4	8	3	5
	All other causes.....	3,650	322	307	338	329	304	274	289	299	292	299	298	299
NEW YORK, N. Y. (TOTAL).														
	All causes.....	76,787	7,143	6,337	7,254	6,883	6,293	5,908	7,067	6,030	5,652	5,573	5,588	7,059
1	Typhoid fever.....	556	35	28	31	24	26	39	53	65	65	78	63	49
3	Malaria.....	32	1	5		3	2	2	4	6	2	3	3	1
5	Measles.....	693	72	77	129	115	84	65	58	28	21	8	17	19
6	Scarlet fever.....	959	146	156	156	155	113	83	38	12	11	28	45	45
7	Whooping cough.....	282	17	14	19	31	27	23	40	36	19	17	22	22
8	Diphtheria and croup.....	1,710	197	190	211	220	181	151	111	91	56	78	108	116
9	Influenza.....	295	40	37	63	43	13	8	5	4	1	6	10	65
13	Tuberculosis of the lungs.....	8,881	785	714	887	826	753	676	726	682	697	696	654	785
14-15	Other forms of tuberculosis.....	1,246	123	100	102	110	132	124	122	37	102	84	78	82
17	Meningitis.....	549	42	39	46	48	65	47	44	45	46	47	64	64
20-21	Bronchitis.....	1,385	168	132	144	169	100	94	74	62	71	351	113	180
22	Pneumonia.....	5,866	718	536	737	643	498	314	214	198	211	351	495	901
(23)	Bronchopneumonia.....	4,834	577	531	548	510	407	317	292	238	288	273	329	524
25	Diarrhea and enteritis (under 2 years).....	5,907	154	139	155	224	271	500	1,619	1,129	766	559	202	159
(37)	Diarrhea and enteritis (2 years and over).....	580	21	28	23	46	24	53	134	93	54	46	34	24
(33)	Congenital debility ¹	1,365	107	94	119	149	132	83	94	140	123	128	86	113
35	Violent deaths (excluding suicide).....	3,758	325	233	271	294	299	321	500	319	285	307	313	291
36	Suicide.....	809	69	59	66	64	81	90	79	61	63	65	60	52
	All other causes.....	37,080	3,546	3,225	3,407	3,209	3,085	2,918	2,860	2,734	2,761	2,758	2,946	3,571
NEW YORK, N. Y. (WHITE).														
	All causes.....	74,274	6,919	6,144	7,033	6,673	6,093	5,696	6,825	5,829	5,438	5,386	5,395	6,843
1	Typhoid fever.....	541	34	28	31	22	26	37	52	62	62	76	62	49
3	Malaria.....	29	1	5		3	2	2	3	5	2	2	3	1
5	Measles.....	682	71	76	129	112	83	62	56	28	21	8	17	19
6	Scarlet fever.....	955	145	155	156	155	113	81	38	12	16	11	28	45
7	Whooping cough.....	237	17	13	19	30	26	21	38	35	16	17	14	21
8	Diphtheria and croup.....	1,690	195	189	208	219	176	148	109	90	55	78	108	115
9	Influenza.....	279	38	35	60	40	12	8	4	3	1	5	9	64
13	Tuberculosis of the lungs.....	8,368	746	684	848	782	714	633	681	638	646	649	601	746
14-15	Other forms of tuberculosis.....	1,185	115	95	97	106	128	114	114	84	94	82	77	79
17	Meningitis.....	535	39	38	43	46	64	46	42	45	46	41	31	54
20-21	Bronchitis.....	1,324	163	129	132	159	96	88	72	60	73	65	108	179
22	Pneumonia.....	5,649	687	520	771	624	474	296	208	185	200	334	478	872
(23)	Bronchopneumonia.....	4,655	558	513	531	495	395	302	279	229	278	257	313	505
25	Diarrhea and enteritis (under 2 years).....	5,744	151	137	180	216	267	439	1,570	1,095	746	546	197	150
(37)	Diarrhea and enteritis (2 years and over).....	568	21	28	22	44	24	53	131	90	53	44	34	24
(33)	Congenital debility ¹	1,307	105	89	113	141	127	81	90	137	116	121	81	106
35	Violent deaths (excluding suicide).....	3,646	314	224	264	285	292	314	482	312	273	299	307	280
36	Suicide.....	802	67	58	65	64	80	89	79	61	62	65	60	52
	All other causes.....	36,048	3,452	3,128	3,364	3,130	2,994	2,832	2,777	2,658	2,686	2,686	2,667	3,862

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

523

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (COLORED).														
	All causes.....	2,513	224	193	221	210	200	212	242	201	214	187	193	216
1	Typhoid fever.....	15	1			2		2	1	3	3	2	1	
3	Malaria.....	3							1	1		1		
5	Measles.....	11	1	1		3	1	3	2					
6	Scarlet fever.....	4	1	1				2						
7	Whooping cough.....	15				1	1	2	2	1	3		3	1
8	Diphtheria and croup.....	20	2	1	3	1	5	3	2	1	1			1
9	Influenza.....	16	2	2	3	3	1	1	1	1		1	1	1
13	Tuberculosis of the lungs.....	513	39	30	39	44	29	43	45	44	51	47	53	39
14-15	Other forms of tuberculosis.....	61	8	5	5	4	4	10	8	3	8	2	1	3
17	Meningitis.....	14	3	1	3	2	1	1	2				1	
20-21	Bronchitis.....	61	5	3	12	10	4	6	2	2	3	2	5	7
22	Pneumonia.....	217	31	16	16	19	24	18	6	13	11	17	17	29
(23)	Bronchopneumonia.....	179	19	18	17	15	12	15	13	9	10	16	16	19
25	Diarrhea and enteritis (under 2 years).....	163	3	2	5	8	4	11	49	34	20	13	5	9
(37)	Diarrhea and enteritis (2 years and over).....	12			1	2			3	2	1	2		
(33)	Congenital debility ¹	58	2	5	6	8	5	2	4	3	7	4	5	7
35	Violent deaths (excluding suicide).....	112	11	9	7	9	7	7	18	7	12	8	6	11
36	Suicide.....	7	2	1	1		1	1			1			
	All other causes.....	1,032	94	97	103	79	91	86	83	76	83	72	79	89
NEW YORK, N. Y. (BRONX BOROUGH).														
	All causes.....	6,968	635	614	600	640	574	525	568	522	549	546	496	639
1	Typhoid fever.....	41	2	4	2	3		3	4	4	6	4	6	3
3	Malaria.....	4		1		1		1	1		1	1		
5	Measles.....	54	5	6	7	9	11	3	5	3	1	2	1	1
6	Scarlet fever.....	77	11	20	9	13	6	6	3			3	3	6
7	Whooping cough.....	26	3	2	1	1	3	2	5	4	2		2	1
8	Diphtheria and croup.....	133	11	15	22	19	18	7	7	6	5	4	10	9
9	Influenza.....	23	7	3	3	5								5
13	Tuberculosis of the lungs.....	1,796	141	160	186	162	154	147	142	233	147	157	110	157
14-15	Other forms of tuberculosis.....	113	13	10	9	11	12	14	7	8	9	8	7	5
17	Meningitis.....	48	8	1	3	4	3	6	2	4	5	4	3	5
20-21	Bronchitis.....	73	6	7	7	8	4	1	2	7	4	6	8	13
22	Pneumonia.....	432	51	40	60	52	31	21	18	11	21	30	34	63
(23)	Bronchopneumonia.....	299	32	46	36	36	23	14	13	12	16	15	14	42
25	Diarrhea and enteritis (under 2 years).....	324	11	4	5	14	10	27	85	53	55	39	13	8
(37)	Diarrhea and enteritis (2 years and over).....	12	2	4		5	1	2	17	10	5	5	4	2
(33)	Congenital debility ¹	61	2	1	2	8	3	3	6	9	10	7	3	7
35	Violent deaths (excluding suicide).....	284	16	17	23	30	17	26	33	22	28	21	31	20
36	Suicide.....	67	7	1	5	6	8	8	9	7	5	4	3	4
	All other causes.....	3,056	307	272	280	254	269	235	209	229	230	239	244	288
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).														
	All causes.....	25,686	2,497	2,059	2,432	2,271	2,118	2,020	2,429	1,949	1,817	1,775	1,876	2,443
1	Typhoid fever.....	196	16	10	8	10	10	14	21	20	20	24	22	21
3	Malaria.....	14	1	1		1		1	2	3		1	2	1
5	Measles.....	349	44	50	60	64	32	30	18	10	7	4	7	6
6	Scarlet fever.....	354	68	49	60	58	36	40	19	3	7	4	14	26
7	Whooping cough.....	82	6	3	3	6	7	8	11	13	7	5	3	10
8	Diphtheria and croup.....	551	66	54	74	71	59	46	35	26	14	28	37	51
9	Influenza.....	116	15	16	22	17	4	3	2	3		2	2	30
13	Tuberculosis of the lungs.....	2,490	217	180	248	216	218	198	225	190	181	201	204	212
14-15	Other forms of tuberculosis.....	394	35	20	28	34	39	37	35	23	36	28	17	22
17	Meningitis.....	145	8	9	7	11	19	10	13	12	13	11	10	22
20-21	Bronchitis.....	698	80	69	73	91	56	55	40	28	34	25	46	101
22	Pneumonia.....	2,036	262	181	266	220	179	108	67	68	67	106	173	339
(23)	Bronchopneumonia.....	1,674	221	176	213	172	143	114	86	75	97	93	106	178
25	Diarrhea and enteritis (under 2 years).....	2,134	62	48	57	65	119	213	633	358	272	227	77	53
(37)	Diarrhea and enteritis (2 years and over).....	224	6	7	11	18	8	23	59	37	21	14	11	9
(33)	Congenital debility ¹	163	13	7	18	17	19	11	16	20	16	7	7	8
35	Violent deaths (excluding suicide).....	1,095	87	69	84	87	94	101	170	78	80	82	82	81
36	Suicide.....	246	19	21	23	21	18	26	21	16	24	18	18	13
	All other causes.....	12,675	1,271	1,089	1,157	1,091	1,058	982	956	965	925	883	1,038	1,260
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).														
	All causes.....	25,070	2,433	2,017	2,374	2,211	2,075	1,961	2,372	1,899	1,772	1,739	1,834	2,383
1	Typhoid fever.....	192	16	10	8	10	10	13	20	19	19	24	22	21
3	Malaria.....	13	1	1		2		1	1	3		1	2	1
5	Measles.....	345	43	50	80	63	31	30	17	10	7	1	7	6
6	Scarlet fever.....	383	68	49	60	58	36	39	19	3	7	4	14	26
7	Whooping cough.....	79	6	3	3	6	7	6	11	13	7	5	3	9
8	Diphtheria and croup.....	554	65	53	73	70	58	44	35	26	14	28	37	51
9	Influenza.....	104	13	14	19	17	3	3	1	2		2	1	29
13	Tuberculosis of the lungs.....	2,397	208	176	238	206	208	190	220	184	173	193	195	206
14-15	Other forms of tuberculosis.....	342	35	20	26	33	39	35	34	22	34	27	17	20
17	Meningitis.....	142	8	8	7	10	19	10	12	12	13	11	10	22
20-21	Bronchitis.....	664	77	68	67	85	54	52	38	26	32	25	44	96
22	Pneumonia.....	1,974	248	177	264	214	171	103	65	63	65	102	170	332
(23)	Bronchopneumonia.....	1,635	219	173	211	163	143	107	83	74	96	90	100	176
25	Diarrhea and enteritis (under 2 years).....	2,134	61	48	57	63	117	208	617	349	267	221	77	49
(37)	Diarrhea and enteritis (2 years and over).....	221	6	7	11	18	8	23	58	36	21	13	11	9
(33)	Congenital debility ¹	159	13	7	18	15	19	11	16	19	16	7	7	8
35	Violent deaths (excluding suicide).....	1,069	80	67	81	85	94	100	166	78	78	81	81	78
36	Suicide.....	244	19	20	22	21	18	26	21	16	24	18	18	13
	All other causes.....	12,419	1,247	1,066	1,129	1,072	1,040	960	939	942	904	871	1,018	1,231

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).														
	All causes.....	616	64	42	58	60	43	59	57	50	45	36	42	60
1	Typhoid fever.....	4						1	1	1				
3	Malaria.....	1							1	1	1			
5	Measles.....	4	1				1							
6	Scarlet fever.....	1							1					
7	Whooping cough.....	3						2	2					1
8	Diphtheria and croup.....	17	1	1	1	1	1	2						
9	Influenza.....	12	2	2	3			1	1	1			1	1
13	Tuberculosis of the lungs.....	93	9	4	10	10	10	8	5	6	8	8	9	6
14-15	Other forms of tuberculosis.....	12			2	1		2	1	1	2	1		2
17	Meningitis.....	3		1		1		1	1			1		2
20-21	Bronchitis.....	34	3	1	6	6	2	3	2	2	2	2	2	2
22	Pneumonia.....	62	14	4	2	2	8	5	3	5	2	4	2	7
(23)	Bronchopneumonia.....	39	2	3	2	9	9	7	3	1	1	3	3	2
25	Diarrhea and enteritis (under 2 years).....	50	1			2	2	5	10	9	5	6	6	2
(37)	Diarrhea and enteritis (2 years and over).....	3							1	1	1	1		4
(38)	Congenital debility ¹	4				2			1	1		1		
35	Violent deaths (excluding suicide).....	26	7	2	3	2		1	4		1		1	3
36	Suicide.....	2		1	1	2					2		1	
	All other causes.....	256	24	23	28	19	18	22	17	23	21	12	20	29
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).														
	All causes.....	38,699	3,537	3,269	3,714	3,539	3,189	2,930	3,456	3,044	2,871	2,855	2,809	3,486
1	Typhoid fever.....	267	14	13	20	8	13	19	23	31	33	43	28	22
3	Malaria.....	8				1	1		1	3	2			
5	Measles.....	256	22	17	35	40	34	30	29	13	13	4	7	12
6	Scarlet fever.....	453	63	79	76	76	64	36	13	8	7	11	12	12
7	Whooping cough.....	150	3	8	43	20	14	9	17	10	12	12	10	10
8	Diphtheria and croup.....	895	102	106	108	116	96	90	63	46	30	38	51	49
9	Influenza.....	126	15	14	29	19	7	5	3	1	1	3	5	23
13	Tuberculosis of the lungs.....	4,085	379	339	410	405	343	283	301	324	320	307	299	375
14-15	Other forms of tuberculosis.....	716	71	64	59	62	74	68	70	54	50	44	49	51
17	Meningitis.....	321	25	26	33	31	39	28	27	24	25	29	48	25
20-21	Bronchitis.....	532	72	47	56	62	33	29	23	35	35	29	53	65
22	Pneumonia.....	2,981	348	265	413	335	249	166	119	98	117	167	254	430
(23)	Bronchopneumonia.....	2,592	292	277	276	269	223	181	174	134	163	153	185	267
25	Diarrhea and enteritis (under 2 years).....	2,950	77	116	137	132	132	73	618	396	281	94	16	11
(37)	Diarrhea and enteritis (2 years and over).....	243	10	17	11	19	13	24	45	34	21	22	16	11
(38)	Congenital debility ¹	1,067	88	81	94	124	104	65	67	103	80	94	72	95
35	Violent deaths (excluding suicide).....	2,054	195	135	147	152	161	167	243	170	150	183	180	171
36	Suicide.....	439	39	33	33	31	43	51	40	29	40	32	33	30
	All other causes.....	18,564	1,722	1,670	1,785	1,634	1,541	1,446	1,455	1,314	1,377	1,426	1,442	1,752
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).														
	All causes.....	37,129	3,405	3,149	3,576	3,406	3,074	2,802	3,296	2,923	2,730	2,727	2,685	3,353
1	Typhoid fever.....	269	13	13	20	7	13	18	23	30	32	41	27	22
3	Malaria.....	7		1			1		1	2	2			
5	Measles.....	250	22	17	35	40	34	27	28	13	13	4	7	12
6	Scarlet fever.....	451	62	78	76	76	64	36	13	8	7	11	12	12
7	Whooping cough.....	141	3	8	43	20	14	9	17	10	12	12	10	10
8	Diphtheria and croup.....	883	101	106	106	116	92	90	61	45	29	38	51	48
9	Influenza.....	123	15	14	29	16	7	5	3	1	1	3	5	23
13	Tuberculosis of the lungs.....	3,751	357	320	386	378	329	254	265	292	279	278	262	351
14-15	Other forms of tuberculosis.....	632	64	59	57	60	72	62	65	53	47	44	49	50
17	Meningitis.....	312	22	26	31	30	38	28	26	24	25	20	17	25
20-21	Bronchitis.....	508	71	45	50	58	31	26	28	34	27	51	64	64
22	Pneumonia.....	2,844	334	255	400	322	234	154	116	92	110	175	242	410
(23)	Bronchopneumonia.....	2,474	278	264	263	265	214	174	164	126	155	143	174	254
25	Diarrhea and enteritis (under 2 years).....	2,850	75	75	112	131	130	227	702	597	384	244	90	83
(37)	Diarrhea and enteritis (2 years and over).....	239	10	17	10	19	13	24	44	33	21	21	16	11
(38)	Congenital debility ¹	1,016	86	76	88	118	100	63	64	100	75	90	67	89
35	Violent deaths (excluding suicide).....	1,985	191	130	143	145	156	162	234	166	142	176	175	165
36	Suicide.....	435	37	33	33	31	47	51	40	29	39	32	33	30
	All other causes.....	17,919	1,664	1,612	1,724	1,577	1,436	1,392	1,398	1,273	1,327	1,373	1,396	1,697
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).														
	All causes.....	1,570	132	120	138	133	115	128	160	121	141	128	124	130
1	Typhoid fever.....	8	1			1		1		1	1	2	1	
3	Malaria.....	1												
5	Measles.....	6				2		3	1					
6	Scarlet fever.....	2	1	1										
7	Whooping cough.....	9				1		1	1	3		2		
8	Diphtheria and croup.....	12	1		2		4		2	1	1			1
9	Influenza.....	3												
13	Tuberculosis of the lungs.....	334	22	19	24	27	14	29	36	32	41	29	37	24
14-15	Other forms of tuberculosis.....	34	7	5	2	2	2	6	5	1	3			1
17	Meningitis.....	29	3		2	1	1	1	1				1	
20-21	Bronchitis.....	24	1	2	6	4	2	3	3	1	1	2	2	1
22	Pneumonia.....	137	14	10	13	13	15	12	3	6	7	12	12	20
(23)	Bronchopneumonia.....	118	14	13	13	4	9	7	10	8	8	10	9	13
25	Diarrhea and enteritis (under 2 years).....	100	2	2	4	6	2	6	31	21	12	7	4	3
(37)	Diarrhea and enteritis (2 years and over).....	4			1				1	1		1		
(38)	Congenital debility ¹	51	2	5	6	6	4	2	3	3	5	4	5	6
35	Violent deaths (excluding suicide).....	69	4	5	4	7	5	5	9	4	8	7	5	6
36	Suicide.....	4	2				1		1		1			
	All other causes.....	645	58	53	61	57	55	54	57	41	50	53	46	55

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

525

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Contd.

[The cities included in this table are arranged alphabetically by states.]

Abridged list No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (QUEENS BOROUGH).														
	All causes.....	3,965	356	282	317	309	308	313	443	377	315	287	304	354
1	Typhoid fever.....	41	2	1	1	3	2	2	4	7	5	4	7	3
3	Malaria.....	6				1		1					1	5
5	Measles.....	28	1	4	5	1	6	1	5	2		1	1	2
6	Scarlet fever.....	32	3	7	8	7	3	1	2	2				
7	Whooping cough.....	20	5	1	2	4	2	3	1	2	1			
8	Diphtheria and croup.....	101	15	9	5	14	7	8	5	10				6
9	Influenza.....	20	1	4	6	3					7		9	5
13	Tuberculosis of the lungs.....	353	36	22	28	27	30	31	40	27	37	25	32	23
14-15	Other forms of tuberculosis.....	45	4	4	3	2	6	5	7	2	3	3	1	4
17	Meningitis.....	29		3	3		4	3	1	5	2	5	1	2
20-21	Bronchitis.....	66	6	7	6	8	4	9	3	3	2	7	6	5
22	Pneumonia.....	308	39	33	38	27	28	16	9	13	3	20	26	51
(23)	Bronchopneumonia.....	200	22	24	18	25	16	6	10	10	8	9	22	30
25	Diarrhea and enteritis (under 2 years).....	343	4	8	5	5	9	23	122	72	38	34	17	6
(37)	Diarrhea and enteritis (2 years and over).....	47	2		1	4	1	2	10	12	6	4	3	2
(38)	Congenital debility ¹	58	3	5	3		4	4	7	9	10	6	4	3
35	Violent deaths (excluding suicide).....	241	25	9	13	14	19	18	42	35	20	13	13	15
36	Suicide.....	41	3	2	3	4	7	4	3	3	2	3	4	3
	All other causes.....	1,981	185	137	169	160	160	176	172	160	171	140	155	196
NEW YORK, N. Y. (RICHMOND BOROUGH).														
	All causes.....	1,469	118	113	131	124	104	120	171	138	100	110	103	137
1	Typhoid fever.....	11	1				1	1	1	3	1	3		
3	Malaria.....													
5	Measles.....	6			2	1	1	1	1					
6	Scarlet fever.....	13	1	1	3	1	4			1				1
7	Whooping cough.....	4				1	1	1	1					1
8	Diphtheria and croup.....	20	3	6	2	1	1	1	3			2	1	1
9	Influenza.....	10	2			2	2						1	2
13	Tuberculosis of the lungs.....	152	12	13	15	16	8	17	18	8	12	6	9	18
14-15	Other forms of tuberculosis.....	18		2	3	1	1		3		4	1	3	
17	Meningitis.....	6	1			2			1	1	1			
20-21	Bronchitis.....	16	4	2	2		3		1	1	1			2
22	Pneumonia.....	109	13	17	10	9	11	3	1	3	3	8	8	18
(23)	Bronchopneumonia.....	69	10	8	5	8	2	2	9	7	4	3	4	7
25	Diarrhea and enteritis (under 2 years).....	106		2	2	3	1	4	46	28	5	8	1	6
(37)	Diarrhea and enteritis (2 years and over).....	9	1			1	2	2	3	3	1	1		
(38)	Congenital debility ¹	16	1		2		2		3	3	2	2		4
35	Violent deaths (excluding suicide).....	84	2	3	4	11	8	9	12	14	7	3	7	4
36	Suicide.....	16	1	2	2	2		1	1	1	2	2	2	2
	All other causes.....	804	61	57	76	70	57	79	68	66	58	70	67	75
ROCHESTER, N. Y.														
	All causes.....	3,215	317	250	334	262	242	229	253	276	266	280	238	268
1	Typhoid fever.....	30	4	1	1	1	2		1	2		6	7	5
3	Malaria.....	1						1						
5	Measles.....	13	2	3	3			2	2		1			
6	Scarlet fever.....	47	10	8	8	8	3	1	1	1		1		1
7	Whooping cough.....	13				1	3	1	4	2		1		1
8	Diphtheria and croup.....	38	3	5	5	5	3	3	1	1		4	3	5
9	Influenza.....	16	1	3	7	7						1		2
13	Tuberculosis of the lungs.....	301	24	35	41	29	27	15	31	13	19	19	23	25
14-15	Other forms of tuberculosis.....	49	4	3	2	7	1	9	6	2	2	7	4	2
17	Meningitis.....	15		1	2	1	2	2	2	2	1	1		
20-21	Bronchitis.....	79	9	3	8	7	8	5	5	5	4	6	9	10
22	Pneumonia.....	160	26	19	30	16	12	5	7	2	2	8	6	14
(23)	Bronchopneumonia.....	129	17	11	23	11	9	7	5	2	2	16	12	14
25	Diarrhea and enteritis (under 2 years).....	219	1	7	4	5	9	10	24	61	60	21	9	8
(37)	Diarrhea and enteritis (2 years and over).....	34	1	2	1	2	1	1	2	10	6	3	3	3
(38)	Congenital debility ¹	23	1		3	1	1	2	2	3	7	1	1	1
35	Violent deaths (excluding suicide).....	156	11	8	11	13	8	11	13	20	19	13	16	13
36	Suicide.....	36	2	2	5	3	1	3	6	2	4	3	2	3
	All other causes.....	1,856	202	139	180	149	149	151	144	147	133	174	127	161
SYRACUSE, N. Y.														
	All causes.....	2,123	183	194	193	202	182	153	188	204	156	175	134	159
1	Typhoid fever.....	39	1				1	3	4	4	8	6	9	3
3	Malaria.....													
5	Measles.....	12		1				3	1				2	2
6	Scarlet fever.....	23	2		2	3	3	3	2	3	1	1	3	
7	Whooping cough.....	4		1			1	1	1	1				
8	Diphtheria and croup.....	26	3		2	3	5		3	1			2	5
9	Influenza.....	10		5	4	1								
13	Tuberculosis of the lungs.....	128	10	16	17	14	14	7	15	15	3	8	5	4
14-15	Other forms of tuberculosis.....	23	1	2	1	2	4	2	1	5		2	3	
17	Meningitis.....	14	1	1	1	2			3	4	1	4		
20-21	Bronchitis.....	32	5	6	2	2	4	2	3	1	2	1	1	
22	Pneumonia.....	151	17	24	17	20	13	6	6	5	5	10	12	16
(23)	Bronchopneumonia.....	59	9	11	9	3	5	1	1	4	2	6	3	5
25	Diarrhea and enteritis (under 2 years).....	169	8	3	5	8	8	10	29	39	28	19	8	4
(37)	Diarrhea and enteritis (2 years and over).....	19	1	3	1	1	1	1	1	5	3	1	1	1
(38)	Congenital debility ¹	27	1	2	1	1	2	3	2	4	6	4	1	1
35	Violent deaths (excluding suicide).....	123	10	8	11	9	9	8	10	11	13	9	15	10
36	Suicide.....	30	2	4	1	4	5	1	4		2	3	2	2
	All other causes.....	1,234	112	107	119	129	107	103	102	100	81	100	63	106

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION, CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
CINCINNATI, OHIO (TOTAL).														
	All causes.....	6,319	570	619	645	549	493	472	527	476	436	471	515	546
1	Typhoid fever.....	32	2	1	1	2	3	1	4	4	8	4	1	1
3	Malaria.....	1				1								
5	Measles.....	59	3	3	15	15	10	8	2		2			1
6	Scarlet fever.....	16	1			1				1	2	4	4	3
7	Whooping cough.....	30	3	3	10	3	4		1	5				
8	Diphtheria and croup.....	36	2	2	1	3	5	2	3	1	2	1	4	10
9	Influenza.....	77	9	17	29	7	1	1	1	1		1	7	3
13	Tuberculosis of the lungs.....	953	98	94	88	100	81	86	70	69	62	68	64	73
14-15	Other forms of tuberculosis.....	104	5	9	11	14	9	10	7	11	8	6	10	4
17	Meningitis.....	83	7	8	11	5	6	5	7	11	5	10	5	3
20-21	Bronchitis.....	171	25	20	21	17	23	11	8	5	5	11	10	15
22	Pneumonia.....	376	41	57	63	34	30	10	16	5	14	24	37	45
(23)	Bronchopneumonia.....	205	29	51	30	15	13	10	2	4	5	13	21	12
25	Diarrhea and enteritis (under 2 years).....	328	8	8	14	22	11	27	87	64	33	25	13	16
(37)	Diarrhea and enteritis (2 years and over).....	73	2	7	7	4	1	5	9	14	6	6	8	4
(33)	Congenital debility.....	26	2	2	3		2	3	2	4	2	2	2	2
35	Violent deaths (excluding suicide).....	351	30	33	24	22	25	25	45	26	37	28	32	24
36	Suicide.....	63	7	3	7	7	9	7	2	5	5	3	3	5
	All other causes.....	3,385	296	301	310	277	260	261	261	246	239	265	294	325
CINCINNATI, OHIO (WHITE).														
	All causes.....	5,750	511	553	592	490	453	426	482	441	406	430	473	493
1	Typhoid fever.....	30	2	1	1	2	3	1	2	4	8	4	1	1
3	Malaria.....	1												
5	Measles.....	53	3	3	11	14	9	8	2		2			1
6	Scarlet fever.....	15	1			1					2	4	4	3
7	Whooping cough.....	28	2	3	9	3	4		1	5				
8	Diphtheria and croup.....	34	2	2	1	2	5	2	3	1	1	1	4	9
9	Influenza.....	76	9	16	29	7	1	1	1	1		1	7	3
13	Tuberculosis of the lungs.....	792	76	81	75	82	69	69	62	60	56	52	48	62
14-15	Other forms of tuberculosis.....	91	5	7	11	13	6	7	6	11	8	6	8	3
17	Meningitis.....	81	7	7	11	5	6	4	7	11	5	10	5	3
20-21	Bronchitis.....	161	22	19	21	16	22	9	7	5	5	11	10	14
22	Pneumonia.....	320	34	50	51	25	25	10	15	3	13	22	34	38
(23)	Bronchopneumonia.....	186	28	44	28	15	12	9	2	4	4	12	19	9
25	Diarrhea and enteritis (under 2 years).....	299	7	7	12	20	10	22	77	62	32	24	11	15
(37)	Diarrhea and enteritis (2 years and over).....	68	2	6	7	3	1	5	7	13	6	6	8	4
(33)	Congenital debility.....	21	1	1	3		2	3	2	2	2	1	2	2
35	Violent deaths (excluding suicide).....	315	27	29	21	18	23	24	39	21	34	28	29	22
36	Suicide.....	63	7	3	7	7	9	7	2	5	5	3	3	5
	All other causes.....	3,117	276	274	294	257	246	245	247	233	221	245	280	299
CINCINNATI, OHIO (COLORED).														
	All causes.....	569	59	66	53	59	40	46	45	35	30	41	42	53
1	Typhoid fever.....	2							2					
3	Malaria.....	1				1								
5	Measles.....	6			4	1	1							
6	Scarlet fever.....	1								1				
7	Whooping cough.....	2	1		1									
8	Diphtheria and croup.....	2												
9	Influenza.....	2				1								1
13	Tuberculosis of the lungs.....	161	22	13	13	13	12	17	8	9	6	16	16	11
14-15	Other forms of tuberculosis.....	13		2		1	3	3	1			2	1	1
17	Meningitis.....	2		1				1						
20-21	Bronchitis.....	10	3	1		1	2	1						1
22	Pneumonia.....	56	7	7	12	9	5	1		2	1	2	3	7
(23)	Bronchopneumonia.....	19	1	7	2	1	1	1		1	1	1	2	3
25	Diarrhea and enteritis (under 2 years).....	29	1	1	2	2	1	5	10	2	1	1	2	1
(37)	Diarrhea and enteritis (2 years and over).....	5		1		1			2	1				
(33)	Congenital debility.....	5	1	1					2	2		1		
35	Violent deaths (excluding suicide).....	36	3	4	3	4	2	1	6	5	3		3	2
36	Suicide.....													
	All other causes.....	218	20	27	16	20	14	16	14	13	18	20	14	26
CLEVELAND, OHIO.														
	All causes.....	8,047	654	620	792	676	684	664	799	767	628	573	566	624
1	Typhoid fever.....	101	10	6	5	13	7	4	4	15	15	10	10	
3	Malaria.....	1												
5	Measles.....	96	9	10	22	19	19	8	3	3	2	1	1	15
6	Scarlet fever.....	71	3	3	6	4	4	7	5	9	3	2	1	2
7	Whooping cough.....	37	2		1	4	4	6	6	12	10	10	12	16
8	Diphtheria and croup.....	120	12	7	8	11	8	8	9	12	10	10	12	16
9	Influenza.....	51	9	10	18	4	3	1		1			3	2
13	Tuberculosis of the lungs.....	717	45	67	95	63	68	55	55	50	62	48	59	50
14-15	Other forms of tuberculosis.....	109	8	12	15	15	7	13	7	8	9	5	5	4
17	Meningitis.....	59	6	4	8	1	1	7	7	7	5	6	5	4
20-21	Bronchitis.....	220	20	26	35	24	25	17	8	5	10	8	18	24
22	Pneumonia.....	421	54	45	46	47	29	32	17	15	11	31	20	36
(23)	Bronchopneumonia.....	297	32	23	43	48	39	17	9	7	13	10	20	36
25	Diarrhea and enteritis (under 2 years).....	958	29	32	51	34	38	63	261	219	110	57	38	26
(37)	Diarrhea and enteritis (2 years and over).....	71	2	4	5	3	9	2	12	14	11	3	4	2
(33)	Congenital debility.....	70	8	2	11	4	9	7	2	9	3	5	5	5
35	Violent deaths (excluding suicide).....	471	30	16	23	44	38	44	60	43	54	41	41	37
36	Suicide.....	103	7	7	7	4	12	16	4	8	14	9	7	10
	All other causes.....	4,074	363	346	395	334	364	360	332	346	293	313	295	328

1 Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

527

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
COLUMBUS, OHIO.														
	All causes.....	2,810	208	208	283	246	241	225	240	246	208	224	223	258
1	Typhoid fever.....	33	3	1	1	3	1	4	5	6	5	3	1
3	Malaria.....
5	Measles.....	43	5	1	13	6	8	5	4	1
6	Scarlet fever.....	6	2	1	1	1
7	Whooping cough.....	19	1	3	3	3	3	2	1	3
8	Diphtheria and croup.....	21	1	1	1	2	6	1	1	3	2	1
9	Influenza.....	15	1	3	5	1	1	1
13	Tuberculosis of the lungs.....	324	25	25	31	39	34	23	33	26	16	23	24	25
14-15	Other forms of tuberculosis.....	65	3	3	4	5	7	7	6	7	9	5	3	6
17	Meningitis.....	36	1	7	3	1	2	5	4	3	3	1	3	3
20-21	Bronchitis.....	25	4	4	4	1	1	2	4	2	3	3
22	Pneumonia.....	142	20	11	22	17	14	5	9	2	3	10	10	19
(23)	Bronchopneumonia.....	106	6	8	14	14	10	8	6	1	4	7	10	18
25	Diarrhea and enteritis (under 2 years).....	115	2	3	8	2	6	3	27	31	18	9	4	2
(37)	Diarrhea and enteritis (2 years and over).....	24	2	1	3	1	1	2	4	5	2	3	1	1
(38)	Congenital debility ¹	25	5	1
35	Violent deaths (excluding suicide).....	206	16	15	15	14	14	22	14	23	19	20	14	20
36	Suicide.....	44	5	4	4	4	1	5	3	2	4	2	5	5
	All other causes.....	1,561	112	122	152	124	133	130	120	133	116	129	141	149
DAYTON, OHIO.														
	All causes.....	1,724	150	122	162	133	149	125	168	159	128	140	132	156
1	Typhoid fever.....	25	3	2	1	1	1	1	3	4	5	3	1
3	Malaria.....	1
5	Measles.....	2	2
6	Scarlet fever.....	11	1	3	3	2	2
7	Whooping cough.....	23	1	4	2	1	2	7	3	2	1
8	Diphtheria and croup.....	13	1	1	1	1	1	1	1	2	3
9	Influenza.....	11	2	1	3	2	2	1
13	Tuberculosis of the lungs.....	189	18	13	20	20	17	18	13	11	17	14	12	16
14-15	Other forms of tuberculosis.....	32	5	2	1	3	2	2	6	4	1	2	2	2
17	Meningitis.....	37	3	1	4	2	6	2	3	2	4	3	3	4
20-21	Bronchitis.....	10	1	1	2	2
22	Pneumonia.....	108	14	13	13	10	6	9	2	2	5	6	15	13
(23)	Bronchopneumonia.....	79	9	5	12	8	6	2	5	4	2	6	7	13
25	Diarrhea and enteritis (under 2 years).....	107	1	3	2	1	3	8	35	31	9	6	4	4
(37)	Diarrhea and enteritis (2 years and over).....	16	1	2	1	3	4	2	1
(38)	Congenital debility ¹	15	2	2	2	2	2	2
35	Violent deaths (excluding suicide).....	101	8	7	5	8	7	11	12	8	7	15	7	6
36	Suicide.....	27	1	2	1	2	4	2	5	4	1	1	4
	All other causes.....	917	81	70	88	68	88	63	72	80	72	74	71	90
TOLEDO, OHIO.														
	All causes.....	2,470	212	183	245	215	222	195	185	218	196	217	199	183
1	Typhoid fever.....	63	4	5	4	2	5	3	3	9	6	13	4	5
3	Malaria.....	3
5	Measles.....	28	6	8	7	2	2
6	Scarlet fever.....	10	3	1	1
7	Whooping cough.....	10	3	1	3	3	2
8	Diphtheria and croup.....	33	3	3	3	2	2	1	1	4	4	5	2	3
9	Influenza.....	16	2	1	4	2	1	2
13	Tuberculosis of the lungs.....	235	26	10	27	24	21	16	18	16	15	20	19	28
14-15	Other forms of tuberculosis.....	37	2	2	3	3	5	3	2	4	4	5	2	2
17	Meningitis.....	21	3	2	3	3	1	1
20-21	Bronchitis.....	34	5	5	4	5	3	2	2	1	1	1	2	3
22	Pneumonia.....	113	15	11	14	9	14	7	2	3	8	10	6	14
(23)	Bronchopneumonia.....	103	5	10	14	16	16	9	2	5	3	8	6	9
25	Diarrhea and enteritis (under 2 years).....	150	5	4	5	4	8	6	21	41	24	19	11	2
(37)	Diarrhea and enteritis (2 years and over).....	25	1	3	6	4	1	3
(38)	Congenital debility ¹	14	3	1	3	2
35	Violent deaths (excluding suicide).....	139	12	13	9	5	15	11	18	13	11	8	15	9
36	Suicide.....	37	1	2	3	5	4	2	4	4	3	4	3	2
	All other causes.....	1,399	117	104	140	126	113	126	110	110	107	122	126	98
PORTLAND, OREG.														
	All causes.....	2,308	198	179	180	209	192	169	167	204	205	204	197	204
1	Typhoid fever.....	47	2	2	3	7	5	1	8	5	5	4	5
3	Malaria.....	1	1
5	Measles.....	8	2	2	2
6	Scarlet fever.....	21	3	2	2	1	7	3	3
7	Whooping cough.....	15	2	1	2	1	2	3	1	1	2
8	Diphtheria and croup.....	47	4	1	2	6	11	1	4	3	8	1	4	2
9	Influenza.....	11	2	1	1	3	3
13	Tuberculosis of the lungs.....	174	12	17	19	25	18	10	5	13	13	11	15	16
14-15	Other forms of tuberculosis.....	53	3	1	5	5	6	3	1	7	7	9	3	3
17	Meningitis.....	22	2	5	2	2	1
20-21	Bronchitis.....	25	3	4	3	3	1	2
22	Pneumonia.....	122	10	10	9	12	10	8	7	6	12	9	9	12
(23)	Bronchopneumonia.....	38	5	3	1	6	2	5	2	1	2	2	2	7
25	Diarrhea and enteritis (under 2 years).....	69	3	1	2	3	3	7	22	12	8	5	3
(37)	Diarrhea and enteritis (2 years and over).....	20	3	2	1	1	1	1	4	3	1	1
(38)	Congenital debility ¹	40	3	1	5	3	1	2	3	7	4	3	4	4
35	Violent deaths (excluding suicide).....	167	12	9	10	9	11	16	20	10	17	17	20	16
36	Suicide.....	51	1	3	5	3	3	5	12	5	4	5	5	5
	All other causes.....	1,377	118	120	110	130	106	105	97	108	118	125	121	119

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
PHILADELPHIA, PA. (TOTAL).														
	All causes.....	27,045	2,665	2,529	2,603	2,284	2,117	2,135	2,522	2,078	1,751	1,898	2,112	2,351
1	Typhoid fever.....	272	47	31	24	21	12	12	8	16	31	35	14	21
3	Malaria.....	7				1	1	1		1	2			
5	Measles.....	164	2	2	4	16	21	26	16	14	6	2	6	49
6	Scarlet fever.....	152	19	21	13	13	19	12	3	9	4	4	13	22
7	Whooping cough.....	318	7	16	18	30	25	31	57	62	28	21	13	10
8	Diphtheria and croup.....	479	34	49	44	43	43	35	26	27	23	36	47	72
9	Influenza.....	159	46	30	35	15	4	3			1		11	14
13	Tuberculosis of the lungs.....	3,007	296	284	328	296	258		232	239	206	229	209	223
14-15	Other forms of tuberculosis.....	364	33	26	39	50	38	23	44	23	23	25	14	26
17	Meningitis.....	119	14	14	9	9	8	5	11	9	5	5	7	14
20-21	Bronchitis.....	521	72	89	61	48	44	33	18	14	17	31	46	48
22	Pneumonia.....	1,524	243	238	222	145	103	85	42	36	36	70	133	171
(23)	Bronchopneumonia.....	1,073	153	168	137	93	85	57	58	40	43	38	112	89
25	Diarrhea and enteritis (under 2 years).....	2,336	90	76	94	76	102	276	699	390	213	156	80	84
(37)	Diarrhea and enteritis (2 years and over).....	280	16	15	7	21	18	30	52	44	23	19	21	14
(33)	Congenital debility ¹	268	27	19	21	21	22	25	26	28	22	14	22	21
35	Violent deaths (excluding suicide).....	1,299	107	95	103	101	115	115	138	105	97	95	101	127
36	Suicide.....	307	24	14	29	23	30	21	28	23	32	33	29	21
	All other causes.....	14,396	1,435	1,342	1,415	1,262	1,169	1,138	1,061	996	935	1,085	1,233	1,325
PHILADELPHIA, PA. (WHITE).														
	All causes.....	24,740	2,447	2,328	2,388	2,049	1,929	1,942	2,285	1,904	1,614	1,736	1,962	2,156
1	Typhoid fever.....	241	44	28	19	19	12	8	6	16	27	31	12	19
3	Malaria.....	7				1	1	1		1	2			
5	Measles.....	158	2	2	4	13	20	25	16	13	6	2	6	49
6	Scarlet fever.....	146	17	20	13	12	19	12	3	9	4	4	12	21
7	Whooping cough.....	271	5	15	18	25	21	28	48	52	23	16	11	9
8	Diphtheria and croup.....	452	33	47	40	39	37	34	24	25	23	33	46	71
9	Influenza.....	150	43	29	35	12	4	3			1		10	13
13	Tuberculosis of the lungs.....	2,548	246	243	291	243	223		194	204	176	193	173	190
14-15	Other forms of tuberculosis.....	296	24	20	31	43	30	19	36	19	20	20	13	21
17	Meningitis.....	114	14	14	9	7	7	5	12	11	9	5	7	14
20-21	Bronchitis.....	468	65	77	57	43	37	27	17	14	16	28	43	44
22	Pneumonia.....	1,343	220	210	195	131	93	74	30	25	29	61	122	153
(23)	Bronchopneumonia.....	964	142	153	117	83	71	48	53	35	43	34	104	81
25	Diarrhea and enteritis (under 2 years).....	2,142	83	70	83	72	91	246	635	307	200	147	72	76
(37)	Diarrhea and enteritis (2 years and over).....	258	15	14	6	16	17	25	50	42	22	18	20	13
(33)	Congenital debility ¹	237	25	19	15	20	19	21	23	23	26	18	20	19
35	Violent deaths (excluding suicide).....	1,135	97	87	98	87	102	124	95	92	91	94	94	121
36	Suicide.....	300	23	13	28	23	30	20	28	22	32	31	29	21
	All other causes.....	13,450	1,849	1,267	1,329	1,160	1,090	1,072	986	931	869	1,009	1,167	1,221
PHILADELPHIA, PA. (COLORED).														
	All causes.....	2,305	218	201	215	235	188	193	237	174	137	162	150	195
1	Typhoid fever.....	81	3	3	5	2		4	2		4	4	2	2
3	Malaria.....													
5	Measles.....	6				3	1	1		1				
6	Scarlet fever.....	6	2	1		5	4	3	9	10	5	5	1	1
7	Whooping cough.....	47	1	2	4	4	6	1	2	2		3	1	1
8	Diphtheria and croup.....	27	1	2		3							1	1
9	Influenza.....	9	3	1		4							1	1
13	Tuberculosis of the lungs.....	459	50	41	37	53	35	35	38	35	30	36	36	33
14-15	Other forms of tuberculosis.....	68	9	6	8	7	8	4	8	4	3	5	1	5
17	Meningitis.....	5				2	1		2					
20-21	Bronchitis.....	53	7	12	4	5	7	6			1	3	3	4
22	Pneumonia.....	181	23	28	27	14	10	11	12	11	7	9	11	18
(23)	Bronchopneumonia.....	109	11	15	20	10	14	9	5	5		4	8	8
25	Diarrhea and enteritis (under 2 years).....	194	7	6	11	4	11	30	64	23	13	9	8	8
(37)	Diarrhea and enteritis (2 years and over).....	22	1	1	1	5	1	5	2	2	1	1	1	1
(33)	Congenital debility ¹	31	2		6	1	3	4	3	5	2	1	2	2
35	Violent deaths (excluding suicide).....	104	10	8	5	14	8	13	14	10	5	4	7	6
36	Suicide.....	7	1	1	1				1		2			
	All other causes.....	946	86	75	86	102	79	66	75	65	66	76	66	104
PITTSBURGH, PA. (TOTAL).														
	All causes.....	9,603	872	789	1,100	958	745	671	857	727	657	733	713	781
1	Typhoid fever.....	149	7	11	19	12	10	10	8	15	13	17	10	17
3	Malaria.....	2						1				1		
5	Measles.....	177	27	21	22	27	29	16	11	10	3	3	2	6
6	Scarlet fever.....	119	11	4	4	7	17	14	6	8	3	10	17	18
7	Whooping cough.....	77	2	8	10	13	1	2	2	14	6	7	5	7
8	Diphtheria and croup.....	136	17	3	13	14	13	7	8	5	14	13	19	10
9	Influenza.....	76	11	7	26	13	4	4	1	2	1	2	5	1
13	Tuberculosis of the lungs.....	553	42	53	83	52	43	36	38	29	45	43	44	50
14-15	Other forms of tuberculosis.....	137	10	15	10	14	10	4	12	13	13	12	6	13
17	Meningitis.....	73	6	8	8	6	5	3	9	4	2	7	6	9
20-21	Bronchitis.....	282	31	39	55	20	20	14	12	9	7	17	29	29
22	Pneumonia.....	991	106	79	199	161	99	52	29	31	28	56	69	82
(23)	Bronchopneumonia.....	742	88	73	121	99	71	41	29	24	22	44	63	67
25	Diarrhea and enteritis (under 2 years).....	949	27	53	28	35	33	89	244	157	124	84	44	31
(37)	Diarrhea and enteritis (2 years and over).....	127	14	6	8	12	7	4	18	16	18	7	8	9
(33)	Congenital debility ¹	162	20	14	9	20	10	9	18	17	11	13	6	15
35	Violent deaths (excluding suicide).....	719	72	54	62	58	45	64	81	51	64	55	57	56
36	Suicide.....	122	8	8	14	12	13	8	12	7	11	8	8	7
	All other causes.....	4,005	373	333	409	382	315	238	323	306	275	332	315	354

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
PITTSBURGH, PA. (WHITE).														
	All causes.....	8,993	810	740	1,028	884	701	641	807	677	621	630	665	739
1	Typhoid fever.....	142	7	9	18	11	9	10	8	15	13	17	10	15
3	Malaria.....	1												
5	Measles.....	168	21	18	22	27	29	16	11	10	3	3	2	6
6	Scarlet fever.....	118	11	4	3	7	17	14	6	8	3	10	17	18
7	Whooping cough.....	62	1	7	10	11	1	2	2	9	5	7	2	5
8	Diphtheria and croup.....	134	17	3	12	14	13	7	8	5	14	12	19	10
9	Influenza.....	74	10	7	26	12	4	4	1	1	2	1	5	1
13	Tuberculosis of the lungs.....	488	35	48	75	43	35	33	35	26	41	33	37	47
14-15	Other forms of tuberculosis.....	119	10	14	9	14	10	3	10	16	9	7	5	12
17	Meningitis.....	70	6	8	8	5	4	3	9	4	1	7	6	9
20-21	Bronchitis.....	29	29	37	50	19	18	14	9	8	7	15	23	27
22	Pneumonia.....	907	98	72	182	139	91	46	27	27	27	53	66	79
(23)	Bronchopneumonia.....	697	82	71	112	93	66	41	27	21	21	41	61	61
(25)	Diarrhea and enteritis (under 2 years).....	893	23	51	25	29	31	86	232	149	116	79	43	29
(37)	Diarrhea and enteritis (2 years and over).....	123	13	6	8	11	7	4	17	15	18	7	8	9
(33)	Congenital debility ¹	155	20	13	9	20	10	8	16	16	10	13	5	15
35	Violent deaths (excluding suicide).....	696	70	53	59	56	45	63	78	50	63	51	53	55
36	Suicide.....	120	8	8	13	13	12	13	8	12	7	11	8	7
	All other causes.....	3,764	349	311	387	360	299	273	303	285	261	312	290	334
PITTSBURGH, PA. (COLORED).														
	All causes.....	610	62	49	72	74	44	30	50	50	36	53	48	42
1	Typhoid fever.....	7		2	1	1	1							2
3	Malaria.....													
5	Measles.....	9	6	3										
6	Scarlet fever.....	1			1									
7	Whooping cough.....	15	1	1		2				5	1		3	2
8	Diphtheria and croup.....	2			1							1		
9	Influenza.....	2	1			1								
13	Tuberculosis of the lungs.....	70	7	5	8	9	8	3	3	3	4	10	7	3
14-15	Other forms of tuberculosis.....	18	1	1	1			1	2	2	4	5	1	
17	Meningitis.....	3				1	1				1			
20-21	Bronchitis.....	21	2	2	5	1	2		3	1		2	1	2
22	Pneumonia.....	84	3	7	17	22	8	6	2	4	1	3	3	3
(23)	Bronchopneumonia.....	45	6	2	9	6	5	2	3	1	3	2	6	6
(25)	Diarrhea and enteritis (under 2 years).....	56	4	2	3	6	2	3	12	8	8	5	1	2
(37)	Diarrhea and enteritis (2 years and over).....	4	1			1			1	1	1			
(33)	Congenital debility ¹	23		1				1	2	1	1		1	
35	Violent deaths (excluding suicide).....	7	2	1	3	2		1	3	1	1	4	4	1
36	Suicide.....	2			1		1							
	All other causes.....	241	24	22	22	22	16	15	20	21	14	20	25	20
SCRANTON, PA.														
	All causes.....	2,140	194	154	183	187	167	174	256	209	159	163	132	162
1	Typhoid fever.....	22		1		1		1		4	3	5	2	5
3	Malaria.....	1	1											
5	Measles.....	11		4	1	4	1		1					
6	Scarlet fever.....	10	4		1		1	1		1	1			
7	Whooping cough.....	16		3	1	3	1	1	2	3	1	1	1	
8	Diphtheria and croup.....	37	7	3	3	4	6	3	2	4	2	2		1
9	Influenza.....	11	2	3	1	2								1
13	Tuberculosis of the lungs.....	118	15	10	15	15	9	8	10	8	7	5	7	9
14-15	Other forms of tuberculosis.....	19	1	1		2	3		3	3	4	3	1	1
17	Meningitis.....	14	2	1	2	2	1	2		1	3			
20-21	Bronchitis.....	61	8	4	9	6	10	4	4	4	1	2	3	6
22	Pneumonia.....	143	24	10	19	18	16	6	3	4	6	14	16	12
(23)	Bronchopneumonia.....	123	12	9	23	18	13	5	2	6	6	7	12	10
(25)	Diarrhea and enteritis (under 2 years).....	301	3	7	7	11	4	44	96	60	36	23	6	4
(37)	Diarrhea and enteritis (2 years and over).....	34	1	2	2		4	3	5	6	4	3	2	2
(33)	Congenital debility ¹	14				1	1	4	3	1	1	1		2
35	Violent deaths (excluding suicide).....	218	20	19	19	20	11	18	30	19	15	17	12	18
36	Suicide.....	14	1		2	1	2	1	3				1	3
	All other causes.....	968	93	77	78	79	82	74	93	86	69	80	69	88
PROVIDENCE, R. I.														
	All causes.....	3,980	380	357	431	348	314	313	370	305	243	284	306	324
1	Typhoid fever.....	40	3	1	6	2			5	3	7	6	6	1
3	Malaria.....	1												
5	Measles.....	72	5	12	11	5	12	17	8	1				
6	Scarlet fever.....	15	1	2	2	2	1	1	1				2	3
7	Whooping cough.....	25	1		3	4		2	3	5	2	1	3	1
8	Diphtheria and croup.....	49	4	3	3	2	8	5	1	1	6	5	5	6
9	Influenza.....	37	1	11	16	3	2						2	1
13	Tuberculosis of the lungs.....	346	31	25	31	32	32	31	24	37	22	22	32	27
14-15	Other forms of tuberculosis.....	72	1	6	7	6	8	5	5	10	3	7	3	11
17	Meningitis.....	30	6		3		2	6	3	1	2	2	4	1
20-21	Bronchitis.....	65	11	10	5	6	6	3	3	3	3	5	6	4
22	Pneumonia.....	314	44	43	49	47	27	18	12	8	5	11	25	25
(23)	Bronchopneumonia.....	125	26	10	15	17	12	7	3	2	1	9	8	15
(25)	Diarrhea and enteritis (under 2 years).....	279	7	5	11	11	10	35	81	46	39	20	8	6
(37)	Diarrhea and enteritis (2 years and over).....	36		2	5	1	2	3	10	4	2	1	5	1
(33)	Congenital debility ¹	45	2	8	4	1	5	3	4	3	4	4	5	2
35	Violent deaths (excluding suicide).....	212	19	18	26	16	8	20	23	14	13	20	19	16
36	Suicide.....	33	3	3	1	5	4	4	3	2	2	5	2	4
	All other causes.....	2,179	215	193	233	188	176	158	179	163	132	166	171	200

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
MEMPHIS, TENN. (TOTAL).														
	All causes	2,818	237	220	281	215	223	256	225	242	181	221	251	266
1	Typhoid fever	36	2	1	1	1	3	3	3	3	9	7	2	1
3	Malaria	97	1	1	5	4	4	6	7	18	22	17	8	4
5	Measles	8			1			1						6
6	Scarlet fever	7			1		1		2				1	1
7	Whooping cough	5		1				1			1		1	
8	Diphtheria and croup	22		2		2	1		1	1	1	7	2	4
9	Influenza	40	6	5	13	6	1	3						6
13	Tuberculosis of the lungs	329	31	23	32	35	18	27	31	25	17	26	25	39
14-15	Other forms of tuberculosis	21	1	1	1		1	3	6	3	1	1	3	
17	Meningitis	49	6	3	7	6	7	2	1	5	1	1	8	2
20-21	Bronchitis	40	4	7	5	4	4	3	4	2	3	2	3	3
22	Pneumonia	80	14	8	14	9	7		3	2	2		9	12
(23)	Bronchopneumonia	178	20	19	21	14	15	4	2	7	7	7	23	39
25	Diarrhea and enteritis (under 2 years)	130	5	3	6	3	10	24	24	25	11	11	7	1
(37)	Diarrhea and enteritis (2 years and over)	53	3	1	2	4	5	7	6	10	3	4	5	3
(33)	Congenital debility ¹	42	5	3	2	3	6	8	4	3		5		3
35	Violent deaths (excluding suicide)	257	24	20	23	12	16	23	21	23	17	15	25	33
36	Suicide	30	4	2	4	1	2	1	1	5	1	1	6	2
	All other causes	1,394	111	120	143	110	123	138	113	104	85	117	123	107
MEMPHIS, TENN. (WHITE).														
	All causes	1,326	103	102	128	93	99	122	101	123	81	111	131	132
1	Typhoid fever	15	2		1	1		1	1	3	3	2		1
3	Malaria	34			2	1		2	1	6	12	7	1	2
5	Measles	5						1						4
6	Scarlet fever	6			1		1		2				1	
7	Whooping cough	1						1						
8	Diphtheria and croup	14		1	1	1				1	1	5	2	2
9	Influenza	13	1	1	7	1		1					2	2
13	Tuberculosis of the lungs	115	11	14	9	14	6	8	13	6	3	6	9	16
14-15	Other forms of tuberculosis	12		1	1		1	1	4	1	1	1	2	
17	Meningitis	25	3	3	5	2	3			3	1		6	1
20-21	Bronchitis	8	3	2								1	1	1
22	Pneumonia	38	7	3	7	4	2		1	1	1		5	7
(23)	Bronchopneumonia	65	6	7	6	5	6	2	2	2	4	4	11	10
25	Diarrhea and enteritis (under 2 years)	84	4	1	6	2	8	18	12	14	6	7	5	1
(37)	Diarrhea and enteritis (2 years and over)	33	3	1	2	2	1	5	4	6	1	3	4	1
(33)	Congenital debility ¹	31	1	3	2	3	3	6	3	3		4		3
35	Violent deaths (excluding suicide)	98	6	9	9	3	4	12	8	12	8	6	10	11
36	Suicide	27	4	2	4	1	1	1	1	5	1		6	2
	All other causes	702	52	56	65	54	63	62	49	60	39	66	68	68
MEMPHIS, TENN. (COLORED).														
	All causes	1,492	134	118	153	122	124	134	124	119	100	110	120	134
1	Typhoid fever	21		1			3	2	2		6	5	2	
3	Malaria	63	1	1	3	3	4	4	6	12	10	10	7	2
5	Measles	3			1									2
6	Scarlet fever	1												1
7	Whooping cough	4		1						1			1	
8	Diphtheria and croup	8		1								2		2
9	Influenza	27	5	4	6	5	1	2					4	4
13	Tuberculosis of the lungs	214	20	9	23	21	12	19	18	19	14	20	16	23
14-15	Other forms of tuberculosis	9	1					2	2	2		1	1	
17	Meningitis	24	3	2	2	4	4	2	1	2		1	2	1
20-21	Bronchitis	32	1	5	5	4	3	4	2	2	3	1	2	2
22	Pneumonia	42	7	5	7	5	5	2	2	1	1	1	4	5
(23)	Bronchopneumonia	113	14	12	15	9	9	2		5	3	3	12	29
25	Diarrhea and enteritis (under 2 years)	46	1	2		1	2	6	12	11	5	4	2	
(37)	Diarrhea and enteritis (2 years and over)	20				2	4	2	2	4	2	1	1	2
(33)	Congenital debility ¹	11	4			3	2	3	1			1		
35	Violent deaths (excluding suicide)	159	18	11	14	9	12	11	13	16	9	9	15	22
36	Suicide	3				1	1				1			
	All other causes	692	59	64	78	56	60	76	64	44	46	51	55	39
NASHVILLE, TENN. (TOTAL).														
	All causes	2,063	209	174	153	154	159	167	196	186	158	150	164	193
1	Typhoid fever	54	2		1	2		3	9	10	15	4	4	4
3	Malaria	11			1	1		3	3			1	1	1
5	Measles	5			1		1			2			1	
6	Scarlet fever	2	1		1									
7	Whooping cough	6			1		1			1				2
8	Diphtheria and croup	7								1	1	2	3	
9	Influenza	42	9	8	4	3	3	2		1	1	2	2	8
13	Tuberculosis of the lungs	234	17	18	21	26	22	23	18	15	15	13	19	27
14-15	Other forms of tuberculosis	50	3	4	3	4	3	4	10	3	6	3	5	2
17	Meningitis	23	1	5	2	3	2	2	3		1	2	1	1
20-21	Bronchitis	23	4	3	3	2	1	1	2		3	3	3	1
22	Pneumonia	204	35	33	16	18	18	7	6	8	10	10	18	25
(23)	Bronchopneumonia	38	7	2	3	1	3	3	4	5	2		1	7
25	Diarrhea and enteritis (under 2 years)	102	3	1	2	3	1	13	29	17	11	12	7	3
(37)	Diarrhea and enteritis (2 years and over)	39	1	1		2	2	4	7	7	3	6	6	
(33)	Congenital debility ¹	27	2	5	2	1	1	3	4	2	2		2	3
35	Violent deaths (excluding suicide)	110	17	7	9	6	7	8	13	13	6	7	8	9
36	Suicide	20	3	2	1		2	1	4	1	1	1	3	1
	All other causes	1,066	104	85	82	82	92	90	84	100	82	84	82	99

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

531

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NASHVILLE, TENN. (WHITE).														
	All causes.....	1,113	111	102	90	86	85	88	103	97	87	78	89	97
1	Typhoid fever.....	37	1	1	2	1	1	4	7	11	4	3	3	3
3	Malaria.....	4	1	1	1	1	1	2	2	1	1	1	1	1
5	Measles.....	3	1	1	1	1	1	1	2	1	1	1	1	1
6	Scarlet fever.....	2	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	3	1	1	1	1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	5	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	17	3	5	2	1	1	1	1	1	1	3	5	5
13	Tuberculosis of the lungs.....	115	11	9	10	15	9	10	9	5	5	13	14	14
14-15	Other forms of tuberculosis.....	20	1	2	2	3	2	2	4	2	1	3	3	3
17	Meningitis.....	15	3	3	2	2	2	1	2	1	1	1	1	1
20-21	Bronchitis.....	13	2	1	1	1	1	1	2	1	2	2	2	2
22	Pneumonia.....	76	16	15	7	5	5	4	3	2	2	5	10	10
(23)	Bronchopneumonia.....	20	4	2	3	1	1	1	3	2	1	2	3	3
25	Diarrhea and enteritis (under 2 years).....	60	3	1	2	2	8	19	9	7	6	3	3	3
(37)	Diarrhea and enteritis (2 years and over).....	21	1	1	2	2	1	3	4	3	2	2	2	2
(38)	Congenital debility ¹	7	2	2	1	1	1	1	1	1	1	1	1	1
35	Violent deaths (excluding suicide).....	70	11	4	6	6	4	4	9	3	4	7	6	6
36	Suicide.....	19	3	2	1	2	1	3	1	1	1	3	1	1
	All other causes.....	606	54	55	53	45	56	52	44	52	50	49	43	53
NASHVILLE, TENN. (COLORED).														
	All causes.....	950	98	72	63	68	74	79	93	89	71	72	75	96
1	Typhoid fever.....	17	1	1	1	1	2	5	3	4	1	1	1	1
3	Malaria.....	7	1	1	1	1	2	1	1	1	1	1	1	1
5	Measles.....	2	1	1	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	2	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	3	1	1	1	1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	2	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	25	6	3	4	1	2	2	1	2	1	1	3	3
13	Tuberculosis of the lungs.....	119	6	9	11	11	13	13	9	10	8	6	13	13
14-15	Other forms of tuberculosis.....	30	2	2	1	1	3	2	6	1	5	2	2	2
17	Meningitis.....	8	1	2	2	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	10	2	2	2	1	1	1	1	1	1	1	1	1
22	Pneumonia.....	128	19	18	9	13	13	3	3	6	8	13	15	15
(23)	Bronchopneumonia.....	18	3	1	1	2	3	1	2	1	1	1	4	4
25	Diarrhea and enteritis (under 2 years).....	42	1	1	1	1	5	10	8	4	6	4	3	3
(37)	Diarrhea and enteritis (2 years and over).....	18	2	3	1	1	1	3	4	1	4	4	2	2
(38)	Congenital debility ¹	20	2	3	1	1	1	4	4	1	1	1	2	2
35	Violent deaths (excluding suicide).....	40	6	3	3	1	4	9	4	3	3	1	3	3
36	Suicide.....	1	1	1	1	1	1	1	1	1	1	1	1	1
	All other causes.....	460	50	30	29	37	36	38	40	48	32	35	39	46
RICHMOND, VA. (TOTAL).														
	All causes.....	2,887	294	232	219	218	250	289	258	215	214	208	231	259
1	Typhoid fever.....	28	1	1	2	2	2	4	2	8	3	1	3	3
3	Malaria.....	6	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	27	1	1	3	12	8	4	1	1	1	1	1	1
6	Scarlet fever.....	2	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	47	4	1	4	6	7	7	3	4	6	2	3	3
8	Diphtheria and croup.....	13	2	2	2	2	2	1	1	1	1	2	3	3
9	Influenza.....	52	6	6	7	4	3	3	1	1	1	2	5	5
13	Tuberculosis of the lungs.....	286	44	29	28	28	17	16	21	23	14	15	30	30
14-15	Other forms of tuberculosis.....	39	5	2	1	2	8	3	4	1	5	3	4	4
17	Meningitis.....	23	3	3	1	3	1	5	2	2	1	2	3	3
20-21	Bronchitis.....	48	13	6	1	2	1	4	2	3	3	4	7	7
22	Pneumonia.....	150	25	23	19	16	9	3	1	7	5	7	20	20
(23)	Bronchopneumonia.....	102	15	3	10	7	12	10	3	9	6	7	12	12
25	Diarrhea and enteritis (under 2 years).....	171	1	1	2	2	17	49	50	29	8	9	3	3
(37)	Diarrhea and enteritis (2 years and over).....	31	1	1	2	2	6	5	4	3	3	2	2	2
(38)	Congenital debility ¹	62	5	8	8	3	1	9	3	1	7	6	3	3
35	Violent deaths (excluding suicide).....	160	11	15	6	9	12	15	13	11	11	16	21	21
36	Suicide.....	12	1	2	1	1	1	1	1	1	1	1	1	1
	All other causes.....	1,650	160	132	126	130	136	156	140	117	137	128	145	143
RICHMOND, VA. (WHITE).														
	All causes.....	1,470	163	124	114	108	122	143	129	91	115	95	116	150
1	Typhoid fever.....	15	1	1	1	1	1	3	4	2	1	3	3	3
3	Malaria.....	2	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	18	1	1	1	1	9	6	3	1	1	1	1	1
6	Scarlet fever.....	2	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	23	2	4	2	3	3	1	1	5	1	1	1	1
8	Diphtheria and croup.....	10	1	2	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	19	4	5	5	1	1	1	1	1	1	1	3	3
13	Tuberculosis of the lungs.....	131	23	16	12	13	7	7	8	10	5	4	15	15
14-15	Other forms of tuberculosis.....	21	3	1	1	1	4	1	1	1	4	3	2	2
17	Meningitis.....	13	1	1	1	1	1	4	1	2	1	1	3	3
20-21	Bronchitis.....	18	6	3	1	1	1	3	1	2	1	2	1	1
22	Pneumonia.....	65	7	11	7	4	3	3	2	2	2	8	10	10
(23)	Bronchopneumonia.....	32	8	1	1	1	3	2	1	4	2	3	3	3
25	Diarrhea and enteritis (under 2 years).....	64	1	1	1	1	10	15	21	7	4	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	16	1	1	1	1	3	3	2	1	1	2	1	1
(38)	Congenital debility ¹	27	1	4	4	1	4	3	1	3	3	3	3	3
35	Violent deaths (excluding suicide).....	84	5	4	4	5	3	10	5	5	7	9	13	13
36	Suicide.....	10	1	1	1	1	1	1	1	1	1	1	1	1
	All other causes.....	902	101	70	68	72	72	85	78	60	72	60	72	92

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Con.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
RICHMOND, VA. (COLORED).														
	All causes.....	1,417	131	108	105	110	128	146	129	124	99	113	115	109
1	Typhoid fever.....	13				2	1	2	1	2	4	1		
3	Malaria.....	4							1	1	1			
5	Measles.....	9				3	3	2	1					
6	Scarlet fever.....													
7	Whooping cough.....	24	2	1		4	4	4	2	3	1	1		2
8	Diphtheria and croup.....	3	1				1						1	
9	Influenza.....	13	2	1		3	2							2
13	Tuberculosis of the lungs.....	155	21	13	16	15	10	9	13	13	9	11	10	15
14-15	Other forms of tuberculosis.....	18	2	1		1	4	2	3	1	1		1	2
17	Meningitis.....	10			2	1	3	1	1	1			1	
20-21	Bronchitis.....	30	7	3	1	2	1	1	2	3		2	2	6
22	Pneumonia.....	85	18	12	12	7	5	7	1	5	3	5	7	10
(23)	Bronchopneumonia.....	70	7	2	6	6	9	8	3	8	2	5	5	9
25	Diarrhea and enteritis (under 2 years).....	107	1		1	1	7	34	29	22	5	5	2	
(37)	Diarrhea and enteritis (2 years and over).....	15		1	1	1	3	2	2	2		2		1
(33)	Congenital debility ¹	35	4	4	4	2	1	5	5		4	5	3	3
35	Violent deaths (excluding suicide).....	76	6	7	2	4	9	5	8	6	4	7	10	8
36	Suicide.....	2	1	1										
	All other causes.....	748	59	62	58	58	64	71	62	57	65	68	73	51
SEATTLE, WASH.														
	All causes.....	2,408	188	188	204	192	218	162	189	214	227	191	200	235
1	Typhoid fever.....	34	5	1		2	2	3	2	4	3	1	6	5
3	Malaria.....													
5	Measles.....	7			1	1	1	2			1			1
6	Scarlet fever.....	17	5	2	1	1	2	2	2	1	1	1		1
7	Whooping cough.....	30				2	2	3	6	8	7	1		1
8	Diphtheria and croup.....	15	5	3		1	1	1		1		1		2
9	Influenza.....	8	2		1	1	2	1				1		1
13	Tuberculosis of the lungs.....	228	17	23	27	10	24	11	20	14	19	15	19	29
14-15	Other forms of tuberculosis.....	67	6	5	8	10	2	6	8	4	11	4	1	2
17	Meningitis.....	13	1		1	2	1	1	1	1	2	1		2
20-21	Bronchitis.....	15		2	1	4	4	2	1					1
22	Pneumonia.....	131	14	12	10	14	9	10	7	10	9	11	10	15
(23)	Bronchopneumonia.....	64	2	5	3	6	8	3	5	2	6	7	8	9
25	Diarrhea and enteritis (under 2 years).....	76	1	4	5	1	3		9	20	19	8	3	3
(37)	Diarrhea and enteritis (2 years and over).....	11		1		1	3		2	2	2	1	1	1
(33)	Congenital debility ¹	25	2	1	1	1	1	1	2	6	2	2	3	3
35	Violent deaths (excluding suicide).....	227	16	14	14	25	19	17	23	19	22	18	21	19
36	Suicide.....	77	3	7	9	7	6	2	4	4	5	11	12	7
	All other causes.....	1,363	109	108	122	106	129	97	99	118	117	110	114	134
SPOKANE, WASH.														
	All causes.....	1,375	104	100	117	104	96	117	159	144	109	103	116	106
1	Typhoid fever.....	48	3		1	2	1	1	5	5	6	11	9	4
3	Malaria.....													
5	Measles.....	8			2	4			1	1				
6	Scarlet fever.....	17	1	2	2	1	2	1	2	2	1	1	2	
7	Whooping cough.....	21	1	2	2	4	1	3	2	1	2	2	1	
8	Diphtheria and croup.....	19	2	1			2	2		3	2	2	2	3
9	Influenza.....	11	2	2	1	1			2	1				2
13	Tuberculosis of the lungs.....	94	14	10	11	6	6	6	9	8	8	3	3	10
14-15	Other forms of tuberculosis.....	25	3	2	6		3	2	4	1	2	1		1
17	Meningitis.....	16		2	2		1		4	3	2	1		1
20-21	Bronchitis.....	7		2	2				1		2			
22	Pneumonia.....	57	6	8	8	4	6	2	3	1	7	2	2	8
(23)	Bronchopneumonia.....	60	1	4	6	3	4	7	2	5	3	7	9	9
25	Diarrhea and enteritis (under 2 years).....	96	3	1	5	1	8	9	32	20	6	9	1	1
(37)	Diarrhea and enteritis (2 years and over).....	16		1					10	4		1		
(33)	Congenital debility ¹	33	1		2	3	2	3	3	4	2	4	7	2
35	Violent deaths (excluding suicide).....	119	10	6	8	18	9	10	9	17	7	4	13	8
36	Suicide.....	25	3	3	2	2	3	4	1	2	2	3	1	1
	All other causes.....	703	54	54	57	55	48	67	69	66	59	52	66	56
MILWAUKEE, WIS.														
	All causes.....	5,205	437	429	555	475	491	449	398	439	378	364	379	411
1	Typhoid fever.....	172	22	15	18	12	17	23	17	9	12	10	9	3
3	Malaria.....	1								1				
5	Measles.....	40	1	3	1	3	9	15	5	1		1		1
6	Scarlet fever.....	84	6	6	7	6	13	18	7	3	6	4	3	5
7	Whooping cough.....	38	1	2	5	8	5	6	2	2	6			1
8	Diphtheria and croup.....	133	7	9	12	10	13	9	10	8	2	15	18	20
9	Influenza.....	27	2	7	10	3	1	2						2
13	Tuberculosis of the lungs.....	434	37	36	47	37	38	33	37	30	33	34	30	37
14-15	Other forms of tuberculosis.....	61	4	7	6	6	3	5	9	6	4	3	4	4
17	Meningitis.....	57	5	6	7	8	5	2	7	9	2	2		4
20-21	Bronchitis.....	158	8	21	24	20	23	11	6	5	5	7	10	18
22	Pneumonia.....	303	40	28	36	41	40	14	10	10	10	18	28	28
(23)	Bronchopneumonia.....	173	16	20	32	19	21	14	4	7	4	8	14	14
25	Diarrhea and enteritis (under 2 years).....	441	21	24	44	37	23	27	62	97	54	20	12	20
(37)	Diarrhea and enteritis (2 years and over).....	42	3	2	3	5	5	2	1	8	7	2	2	2
(33)	Congenital debility ¹	146	12	9	16	18	7	11	10	15	13	11	12	12
35	Violent deaths (excluding suicide).....	239	15	17	16	21	23	26	28	20	19	19	18	17
36	Suicide.....	88	3	3	9	6	8	8	12	5	6	12	8	8
	All other causes.....	2,568	234	214	262	215	237	213	171	203	195	193	211	215

¹ Excluding premature birth.

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
SUMMARY.																
THE REGISTRATION AREA.																
	All causes.....	154,373	14,946	7,505	4,453	9,447	36,351	8,904	7,017	5,817	58,089	15,223	12,923	29,804	21,771	16,563
5	Measles.....	1,540	6	3	1	9	19	20	32	22	93	63	56	207	469	652
6	Scarlet fever.....	304	2	1	1	1	5	8	4	3	20	8	12	47	87	130
7	Whooping cough.....	3,345	1	1	1	6	8	14	74	124	220	469	405	810	778	663
8	Diphtheria and croup.....	903	1	2	5	8	16	20	16	26	78	58	43	153	220	351
9	Influenza.....	522	3	2	2	4	9	33	26	28	96	70	50	113	117	76
(12)	Dysentery.....	745	4	4	6	10	7	11	14	42	42	57	242	197	165	49
(12)	Erysipelas.....	697	1	1	1	9	10	43	69	84	206	169	77	106	90	49
(37)	Tetanus.....	427	6	16	130	156	211	34	10	15	411	6	1	3	3	50
13	Tuberculosis of the lungs.....	923	4	4	3	11	22	10	15	14	61	60	76	261	243	222
14	Tuberculous meningitis.....	1,020	1	1	1	5	7	5	10	10	32	38	54	254	353	289
15	Other forms of tuberculosis.....	473	1	1	1	2	3	10	10	11	34	53	45	136	108	97
(37)	Syphilis.....	1,658	90	47	23	63	228	128	126	126	608	369	247	283	101	50
17	Meningitis.....	2,372	5	16	16	77	114	112	77	53	356	178	165	604	580	489
(37)	Convulsions.....	4,089	120	169	220	635	1,444	454	270	202	2,070	494	319	618	383	265
19	Organic diseases of the heart.....	925	88	76	57	127	348	72	54	41	515	98	70	137	55	50
20	Acute bronchitis.....	4,151	14	18	29	113	174	236	285	242	987	632	481	920	669	512
22	Pneumonia.....	8,443	22	52	69	222	365	388	433	350	1,536	918	826	1,970	1,745	1,448
(23)	Bronchopneumonia.....	10,593	18	40	64	225	347	388	442	444	1,621	1,192	1,026	2,486	2,329	1,989
24	Diseases of the stomach.....	2,874	11	22	38	130	201	189	174	167	731	493	398	726	385	191
25	Diarrhea and enteritis.....	44,695	25	48	95	516	684	1,110	1,394	1,349	4,477	4,692	4,980	13,881	9,871	6,794
(33)	Malformations.....	7,501	1,437	975	683	1,285	4,380	817	427	277	5,901	502	297	485	223	143
(33)	Premature birth.....	8,308	3,615	1,516	2,288	16,197	1,736	1,020	545	19,498	582	195	188	182	222	
(33)	Congenital debility.....	15,361	2,007	1,275	767	1,894	5,943	1,841	1,357	1,132	10,273	2,863	2,118	63	31	13
(37)	Injuries at birth.....	3,725	1,740	693	386	611	3,490	167	67	66	3,689	28	8	3	2	2
35	External causes.....	1,497	99	62	48	99	308	74	83	83	510	172	138	273	182	222
38	Diseases ill-defined or unknown.....	6,900	272	166	119	185	742	136	95	83	1,056	165	141	3,472	1,356	710
	All other causes.....	8,415	171	210	289	811	1,481	675	489	373	3,018	869	638	1,004	1,246	1,040
REGISTRATION STATES.¹																
	All causes.....	136,350	13,265	6,726	3,911	8,266	32,168	7,717	6,230	5,181	51,296	13,507	11,405	26,383	19,179	14,580
5	Measles.....	1,397	5	3	1	6	15	16	29	18	78	54	50	194	429	592
6	Scarlet fever.....	274	1	1	1	1	4	6	3	2	16	8	12	44	80	114
7	Whooping cough.....	3,064	1	1	1	6	8	12	72	115	205	434	367	740	710	608
8	Diphtheria and croup.....	786	1	2	3	6	12	17	12	23	64	51	37	134	194	306
9	Influenza.....	452	3	3	3	9	9	6	8	28	93	61	44	93	99	65
(12)	Dysentery.....	643	4	4	5	9	9	14	14	37	37	48	214	167	140	44
(12)	Erysipelas.....	652	2	2	2	9	80	40	64	77	191	69	102	84	44	2
(37)	Tetanus.....	238	1	1	1	6	9	118	9	7	228	5	64	232	295	195
13	Tuberculosis of the lungs.....	325	4	4	2	9	19	10	13	14	30	36	48	239	325	268
14	Tuberculous meningitis.....	336	1	1	1	4	6	4	10	10	32	49	39	127	98	92
15	Other forms of tuberculosis.....	437	1	1	1	2	3	10	10	9	32	49	39	127	98	92
(37)	Syphilis.....	1,352	64	41	16	53	174	101	115	105	495	296	212	225	80	44
17	Meningitis.....	2,101	5	12	14	68	99	95	66	49	309	160	160	526	510	436
(37)	Convulsions.....	3,735	110	152	207	575	1,044	387	252	185	1,878	406	298	557	354	242
19	Organic diseases of the heart.....	858	82	72	57	113	324	66	51	40	480	91	65	125	50	47
20	Acute bronchitis.....	3,857	11	17	27	98	153	216	266	227	862	582	448	849	634	482
22	Pneumonia.....	7,231	18	46	55	186	305	333	386	305	1,329	791	691	1,701	1,487	1,232
(23)	Bronchopneumonia.....	9,155	13	36	55	190	294	331	381	383	1,389	1,034	867	2,141	2,027	1,697
24	Diseases of the stomach.....	2,692	11	20	36	125	192	181	164	158	695	469	370	679	304	175
25	Diarrhea and enteritis.....	38,959	17	31	66	427	541	902	1,096	1,150	3,689	4,061	4,361	12,255	8,641	5,952
(33)	Malformations.....	6,819	1,284	897	621	1,158	3,960	784	398	250	5,372	463	262	391	204	127
(33)	Premature birth.....	7,801	3,241	1,343	1,985	14,370	1,546	929	499	17,344	522	172	172	172	172	
(33)	Congenital debility.....	13,645	1,800	1,131	667	1,642	5,240	1,599	1,221	1,020	9,080	2,576	1,903	54	23	9
(37)	Injuries at birth.....	3,313	1,545	618	333	551	3,047	154	57	24	3,282	26	5	5	5	5
35	External causes.....	1,302	87	62	41	82	358	64	88	77	435	151	119	242	161	194
38	Diseases ill-defined or unknown.....	6,125	246	158	109	165	678	114	83	77	987	150	126	3,115	1,178	599
	All other causes.....	7,464	157	189	247	725	1,318	585	433	338	2,674	778	568	1,413	1,113	918
CITIES IN REGISTRATION STATES.¹																
	All causes.....	82,168	7,549	3,790	2,218	4,636	18,193	4,277	3,691	3,055	29,216	8,368	6,964	16,433	12,041	9,146
5	Measles.....	811	2	1	1	5	7	7	9	5	28	16	16	98	266	387
6	Scarlet fever.....	165	1	1	1	1	3	2	2	1	7	6	6	29	47	70
7	Whooping cough.....	1,546	1	1	1	6	8	7	22	43	73	200	180	382	389	322
8	Diphtheria and croup.....	516	1	1	2	2	5	9	7	11	32	21	15	88	139	221
9	Influenza.....	155	1	1	1	2	2	6	6	4	23	16	17	36	37	26
(12)	Dysentery.....	272	1	1	1	3	3	3	4	4	14	19	14	101	70	54
(12)	Erysipelas.....	422	1	1	1	6	7	24	47	57	135	103	45	63	50	26
(37)	Tetanus.....	125	1	1	1	35	43	58	14	6	121	3	3	3	3	1
13	Tuberculosis of the lungs.....	453	1	1	1	9	15	6	5	6	32	38	30	123	132	103
14	Tuberculous meningitis.....	644	1	1	1	3	5	1	1	5	17	15	29	164	229	189
15	Other forms of tuberculosis.....	271	1	1	1	2	2	5	5	4	17	30	17	73	67	62
(37)	Syphilis.....	1,074	48	30	10	46	134	87	91	82	394	246	165	174	60	35
17	Meningitis.....	1,219	2	4	7	33	46	55	36	23	160	87	91	301	316	264
(37)	Convulsions.....	1,989	47	73	108	279	512	169	127	101	909	205	163	361	211	140
19	Organic diseases of the heart.....	475	43	34	30	59	166	33	25	23	247	47	44	71	36	30
20	Acute bronchitis.....	2,554	6	10	17	58	91	144	172	149	556	375	298	556	436	333
22	Pneumonia.....	3,906	11	18	27	89	145	145	204	150	644	394	354	911	831	772
(23)	Bronchopneumonia.....	6,503	11	28	31	130	200	226	276	259	961	672	566	1,517	1,505	1,282
24	Diseases of the stomach.....	1,330	6	19	60	95	70	84	71	71	320	238				

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
SUMMARY—Continued.																
	RURAL PART OF REGISTRATION STATES.															
	All causes.....	54,182	5,716	2,936	1,693	3,630	13,975	3,440	2,539	2,126	22,080	5,139	4,441	9,950	7,138	5,434
5	Measles.....	586	3	3	1	1	8	9	20	13	50	38	34	96	163	205
6	Scarlet fever.....	109	1	1	1	1	4	4	1	3	9	2	6	15	33	44
7	Whooping cough.....	1,518	1	1	1	3	5	5	50	72	132	234	187	358	321	286
8	Diphtheria and croup.....	270	1	1	1	4	7	8	5	12	32	30	22	46	55	85
9	Influenza.....	297	3	3	1	2	6	25	15	21	67	45	27	57	62	39
(12)	Dysentery.....	371	3	3	3	6	3	4	10	23	18	34	113	97	86	18
(12)	Erysipelas.....	230	3	3	3	3	16	17	20	56	59	24	39	34	18	1
(37)	Tetanus.....	113	1	1	3	33	37	60	9	1	107	2	1	2	1	1
13	Tuberculosis of the lungs.....	367	3	1	1	1	4	3	8	8	23	16	34	109	93	92
14	Tuberculous meningitis.....	292	1	1	1	1	1	3	5	6	15	18	19	65	96	79
15	Other forms of tuberculosis.....	166	1	1	1	1	1	5	6	3	15	19	22	49	31	30
(37)	Syphilis.....	278	16	11	6	7	40	14	24	23	101	50	47	51	20	9
17	Meningitis.....	882	3	8	7	35	53	40	30	26	149	73	69	225	194	172
(37)	Convulsions.....	1,746	63	74	99	296	532	228	125	84	969	201	135	196	143	102
19	Organic diseases of the heart.....	383	39	38	21	59	157	33	26	17	233	44	21	54	14	17
20	Acute bronchitis.....	1,303	5	7	10	40	62	72	94	78	306	207	150	293	198	149
22	Pneumonia.....	3,325	7	28	23	97	160	188	182	155	685	397	337	790	656	460
(23)	Bronchopneumonia.....	2,652	2	8	24	60	94	105	105	124	428	362	301	624	522	415
24	Diseases of the stomach.....	1,362	5	10	17	65	97	111	80	87	375	231	183	336	155	82
25	Diarrhea and enteritis.....	13,953	9	13	30	191	243	372	407	418	1,440	1,290	1,490	4,321	3,148	2,264
(33)	Malformations.....	3,149	624	418	290	537	1,869	361	180	122	2,532	193	110	165	97	52
(33)	Premature birth.....	7,335	3,293	1,350	513	808	5,964	604	353	192	7,113	172	50	18	8	2
(33,37)	Congenital debility.....	5,491	801	515	284	712	2,312	726	480	373	3,891	865	707	18	8	2
(37)	Injuries at birth.....	1,171	560	208	133	187	1,088	48	18	8	1,162	7	2	124	75	97
35	External causes.....	638	32	19	19	46	116	29	23	27	195	81	66	1,159	449	243
38	Diseases ill-defined or unknown.....	2,811	178	128	88	126	520	91	72	66	749	116	95	646	472	405
	All other causes.....	3,384	70	92	113	314	589	277	200	157	1,223	369	269	646	472	405
	REGISTRATION CITIES IN OTHER STATES.															
	All causes.....	18,023	1,681	779	542	1,181	4,183	1,187	787	636	6,793	1,716	1,518	3,421	2,592	1,983
5	Measles.....	143	1	1	1	3	4	4	3	4	15	9	6	13	40	60
6	Scarlet fever.....	30	1	1	1	1	1	2	1	1	4	3	3	7	16	16
7	Whooping cough.....	281	1	1	1	2	2	2	2	9	15	35	38	70	68	55
8	Diphtheria and croup.....	117	1	1	2	2	4	3	4	3	14	7	6	19	26	45
9	Influenza.....	70	1	1	1	1	2	3	3	6	9	6	20	18	11	11
(12)	Dysentery.....	102	1	1	1	1	1	1	3	5	5	9	28	30	25	5
(12)	Erysipelas.....	45	1	1	1	1	3	5	7	15	7	8	4	6	5	1
(37)	Tetanus.....	189	3	4	7	62	76	93	11	3	183	1	1	2	1	1
13	Tuberculosis of the lungs.....	98	1	1	1	2	3	1	2	6	6	12	29	18	27	21
14	Tuberculous meningitis.....	84	1	1	1	1	1	1	1	2	2	2	6	25	28	21
15	Other forms of tuberculosis.....	36	1	1	1	1	1	1	1	2	2	4	6	9	10	5
(37)	Syphilis.....	306	26	6	7	15	54	27	11	21	113	73	35	58	21	6
17	Meningitis.....	271	4	2	9	15	17	11	4	4	47	18	5	78	70	53
(37)	Convulsions.....	354	10	17	13	60	100	57	18	17	192	28	21	61	29	23
19	Organic diseases of the heart.....	67	6	4	6	9	25	6	3	1	35	7	5	12	5	3
20	Acute bronchitis.....	294	3	1	2	15	21	20	19	15	75	50	33	71	35	30
22	Pneumonia.....	1,212	4	6	14	36	60	55	47	45	207	127	135	269	258	216
(23)	Bronchopneumonia.....	1,438	5	4	9	35	53	57	61	61	232	158	159	345	302	242
24	Diseases of the stomach.....	182	2	2	2	5	9	8	10	9	36	24	28	47	31	16
25	Diarrhea and enteritis.....	5,736	8	17	29	89	143	208	233	199	788	631	619	1,626	1,230	842
(33)	Malformations.....	682	153	78	62	127	420	83	29	27	529	39	35	44	19	16
(33)	Premature birth.....	2,237	1,007	374	173	273	1,827	190	91	46	2,154	60	23	9	8	4
(33,37)	Congenital debility.....	1,716	207	144	100	252	703	242	136	112	1,193	287	215	9	8	4
(37)	Injuries at birth.....	412	195	75	53	60	383	13	10	1	407	2	3	31	21	28
35	External causes.....	195	12	14	7	17	50	10	6	9	75	21	19	31	21	28
38	Diseases ill-defined or unknown.....	775	26	8	10	20	64	22	7	6	99	15	15	357	178	111
	All other causes.....	951	14	21	42	86	163	90	56	35	344	91	70	191	133	122
	ALL REGISTRATION CITIES.¹															
	All causes.....	100,191	9,230	4,569	2,760	5,817	22,376	5,464	4,478	3,691	36,009	10,084	8,482	19,354	14,633	11,129
5	Measles.....	954	3	3	1	8	11	11	12	9	43	25	22	111	306	447
6	Scarlet fever.....	195	1	1	1	1	4	4	3	1	11	6	6	32	54	86
7	Whooping cough.....	1,827	1	1	1	3	3	9	24	52	88	235	218	452	457	377
8	Diphtheria and croup.....	633	1	1	4	4	9	12	11	14	46	28	21	107	165	266
9	Influenza.....	225	1	1	2	3	8	11	7	7	29	25	23	56	55	37
(12)	Dysentery.....	374	1	1	3	4	4	7	4	4	19	24	23	129	100	79
(12)	Erysipelas.....	467	1	1	6	7	27	52	64	64	150	110	53	67	56	31
(37)	Tetanus.....	314	4	5	13	97	119	151	25	9	304	4	1	2	1	2
13	Tuberculosis of the lungs.....	556	1	4	2	11	18	7	7	6	38	44	42	152	150	130
14	Tuberculous meningitis.....	728	1	1	1	1	1	2	5	4	17	20	35	189	257	210
15	Other forms of tuberculosis.....	307	1	1	1	2	2	5	4	8	19	34	23	87	77	67
(37)	Syphilis.....	1,380	74	36	17	61	188	114	102	103	507	319	200	232	81	41
17	Meningitis.....	1,490	2	8	9	42	61	72	47	27	207	105	96	379	386	317
(37)	Convulsions.....	2,343	57	95	121	339	612	226	145	118	1,101	233	184	422	240	163
19	Organic diseases of the heart.....	542	49	38	36	68	191	89	28	24	282	54	49	83	41	33
20	Acute bronchitis.....	2,548	9	11	19	73	112	164	191	164	631	425	331	627	471	363
22	Pneumonia.....	5,118	15	24	41	125	205	200	251	195	851	521	489	1,180	1,089	988
(23)	Bronchopneumonia.....	7,941	16	32	40	165	253	283	337	320	1,193	830	725	1,862	1,807	1,524
24	Diseases of the stomach.....	1,512	6	12	21	65	104	78	94	80	356	262	215	390	180	109
25	Diarrhea and enteritis.....	30,742	16	35	65	325	441	738	927	931	3,037	3,402	3,490	9,560	6,723	4,530
(33)	Malformations.....	4,352	813	557	393	748	2,511	456	247							

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

535

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES.																
CALIFORNIA.																
	All causes.....	3,720	458	199	123	293	1,073	267	168	137	1,645	368	310	641	392	364
5	Measles.....	44	1	1			2		2		4	4	4	9	5	18
6	Scarlet fever.....	2													1	1
7	Whooping cough.....	153						1	4	3	8	20	21	40	25	39
8	Diphtheria and croup.....	11						1			1	1		3	5	1
9	Influenza.....	10						3	1	2	6		1	1	1	1
(12)	Dysentery.....	26			1	1	1				2		2	7	7	8
(12)	Erysipelas.....	12						1	2	2	5	2		3		
(37)	Tetanus.....	8			2	3	5	2	1		8					
13	Tuberculosis of the lungs.....	72		1		4	5		3	5	13	4	5	21	16	13
14	Tuberculous meningitis.....	53									1	7	14	13	13	18
15	Other forms of tuberculosis.....	23									5	5	1	5	6	6
(37)	Syphilis.....	82	2	1		2	5	5	5	5	20	18	20	17	1	6
17	Meningitis.....	102			1	6	7	4	3	1	15	9	13	25	18	22
(37)	Convulsions.....	48	2	4	3	11	20	8	4	2	34		2	4	6	2
19	Organic diseases of the heart.....	24	1	3	2	4	10	2	3	1	16		2	3	2	1
20	Acute bronchitis.....	69	2			3	6	8	4	6	24	10	4	14	7	10
22	Pneumonia.....	257			2	11	14	16	16	11	57	34	21	61	44	40
(23)	Bronchopneumonia.....	187		3		5	8	9	8	6	31	24	18	49	40	25
24	Diseases of the stomach.....	92	1			2	3	4	3	2	12	22	20	24	9	5
25	Diarrhea and enteritis.....	778			2	13	15	25	23	27	95	105	106	234	137	101
(33)	Malformations.....	273	47	37	27	50	161	29	11	7	208	21	10	18	7	9
(33)	Premature birth.....	648	304	98	36	74	512	59	26	20	617	24	7			
(33, 37)	Congenital debility.....	305	45	26	19	52	142	53	25	26	246	34	22	2	1	
(37)	Injuries at birth.....	110	46	15	15	25	101	5	2		108	2				9
35	External causes.....	38	2	2	3	1	5	3	2	2	15	6		4	4	5
38	Diseases ill-defined or unknown.....	63	2		2	1	5	1	1		7		3	37	11	5
	All other causes.....	230	3	6	9	25	43	28	14	8	93	22	21	46	24	24
COLORADO.																
	All causes.....	1,789	250	86	49	127	512	133	113	82	840	171	118	288	224	148
5	Measles.....	12								2	2	2	1		2	4
6	Scarlet fever.....	10											2		2	4
7	Whooping cough.....	24						1			1	1	3	9	3	2
8	Diphtheria and croup.....	6											1		2	3
9	Influenza.....	7											4			
(12)	Dysentery.....	3						1			1		1	1	1	2
(12)	Erysipelas.....	18				1	1	3		2	6	3	1	3	3	
(37)	Tetanus.....	1									1			6		3
13	Tuberculosis of the lungs.....	10										2		3	5	5
14	Tuberculous meningitis.....	15												3		
15	Other forms of tuberculosis.....	3									3	2		3	1	3
(37)	Syphilis.....	16	1			1	2	4	1	1	10	6	2	7	12	3
17	Meningitis.....	39						3	3	3	22	7		1	1	3
(37)	Convulsions.....	27	2	2	5	4	13	3	3	1	5	1		1	1	
19	Organic diseases of the heart.....	8				3	3				20	4		5	10	4
20	Acute bronchitis.....	46	1			1	6	6	7	6	28	12	9	35	21	17
22	Pneumonia.....	122	1		1	4	1	6	12	4	13	18	15	23	24	12
(23)	Bronchopneumonia.....	105	1				1	7	5	4	13	6	6	12	7	2
24	Diseases of the stomach.....	46									57	53	33	106	99	58
25	Diarrhea and enteritis.....	408			1	7	7	9	13	23	97	7	1	3	4	
(33)	Malformations.....	112	26	14	6	24	70	11	13	4	302	5	1			
(33)	Premature birth.....	308	167	49	17	28	260	22	16	3	302	28	21			
(33, 37)	Congenital debility.....	230	32	13	11	33	89	46	27	19	181	28	21			
(37)	Injuries at birth.....	34	16	8	4	7	35	1	1		38					8
35	External causes.....	47	1		1	2	4			4	8	2		8	4	8
38	Diseases ill-defined or unknown.....	47	1			1	1			1	1	1		28	11	5
	All other causes.....	97	2	1	3	9	15	7	6	4	32	10	10	18	11	16
CONNECTICUT.																
	All causes.....	3,476	404	188	99	191	882	184	172	117	1,355	315	263	680	475	383
5	Measles.....	29						1	1		2	2		2	10	13
6	Scarlet fever.....	6														6
7	Whooping cough.....	81							1		3	7	12	27	18	14
8	Diphtheria and croup.....	24								1	1	1		7	8	7
9	Influenza.....	21						2	2	1	5	5		6	3	2
(12)	Dysentery.....	12								2	2	2		1	3	4
(12)	Erysipelas.....	13								1	3	6	2	1	1	
(37)	Tetanus.....	3						1	1		2					
13	Tuberculosis of the lungs.....	15												6	7	1
14	Tuberculous meningitis.....	25										3		9	6	4
15	Other forms of tuberculosis.....	12								1	1	1		3	3	3
(37)	Syphilis.....	17				1	1			1	2	6	1	2	2	2
(37)	Meningitis.....	68				3	3				6	3	5	17	20	17
(37)	Convulsions.....	83	5	3	7	15	30	6	2	3	41	8	4	17	6	7
19	Organic diseases of the heart.....	21	2	1		2	5	2	2		9	1	3	4	2	2
20	Acute bronchitis.....	114				5	5	7	11	9	32	12	17	18	15	20
22	Pneumonia.....	187		2		6	9	7	16	4	36	17	20	45	38	31
(23)	Bronchopneumonia.....	139			1		1	8	6	7	22	9	15	31	32	30
24	Diseases of the stomach.....	68	1			5	6	5	5	6	22	7	2	17	5	5
25	Diarrhea and enteritis.....	1,022		2	4	6	12	16	31	23	82	92	119	341	219	169
(33)	Malformations.....	148	32	19	14	30	95	18	9	6	128	8	5	3		4
(33)	Premature birth.....	476	225	92	43	33	393	38	23	7	461	13	2			
(33, 37)	Congenital debility.....	412	61	40	14	48	163	47	43	32	285	81	45		1	
(37)	Injuries at birth.....	130	67	26	11	18	122	6	1	1	130					
35	External causes.....	27	3			1	4	2	2	1	9	2	3	4	6	3
38	Diseases ill-defined or unknown.....	173	4	1	2	2	9	1	1	1	12	2	5	95	43	16
	All other causes.....	162	4	2	2	16	24	14	14	7	59	25	4	24	27	23

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
INDIANA.																
	All causes.....	5,996	726	372	220	435	1,753	402	294	194	2,643	572	459	923	758	641
5	Measles.....	71				1	1	3	5	1	10	6	6	12	21	16
6	Scarlet fever.....	12							1		1		1	2	1	7
7	Whooping cough.....	205							9	8	17	31	24	40	52	41
8	Diphtheria and croup.....	32		2			2		1	1	4	3	6	3	6	10
9	Influenza.....	30						3	2		5	7	3	3	3	9
(12)	Dysentery.....	71			1	1	2			1	3	6	6	23	11	17
(12)	Erysipelas.....	28								10	11	4	3	3		4
(37)	Tetanus.....	30			1	4	5	18	3	3	29	1	3	3		
13	Tuberculosis of the lungs.....	74				1	1	3	3		7	9	5	17	17	19
14	Tuberculous meningitis.....	65				1	1	2	1	1	5	4	1	16	24	15
15	Other forms of tuberculosis.....	44						2	1	1	4	6	6	15	7	6
(37)	Syphilis.....	63	3	4		1	8	2	5	8	23	19	10	8	2	1
17	Meningitis.....	87	1			4	5	6	4	3	18	10	7	17	14	21
(37)	Convulsions.....	45	2	5	10	4	25	3	6	3	37	2	2	2	1	1
19	Organic diseases of the heart.....	46	2	3	3	12	20	3	4	2	29	1	6	5	2	3
20	Acute bronchitis.....	131		2	1	6	9	10	14	8	41	19	20	20	20	11
22	Pneumonia.....	353		1	4	6	11	15	24	12	62	47	50	71	60	63
(23)	Bronchopneumonia.....	359	1	3	7	12	23	18	20	16	77	67	34	66	69	46
24	Diseases of the stomach.....	165	1	2	4	12	19	15	16	11	61	27	17	35	14	11
25	Diarrhea and enteritis.....	1,585	2	6	4	34	46	55	44	46	191	154	166	449	346	279
(33)	Malformations.....	436	86	61	42	80	269	45	24	13	351	27	18	22	13	5
(33)	Premature birth.....	1,021	467	184	70	105	826	96	45	19	986	27	8			
(33, 37)	Congenital debility.....	395	77	58	31	66	232	65	35	10	342	30	22	1		
(37)	Injuries at birth.....	167	66	31	29	31	157	5	4	1	167					
35	External causes.....	88	2	1	4	10	17	5	5		27	13	8	17	12	11
38	Diseases ill-defined or unknown.....	59	5	2	1	2	10	1	1	1	12	3	1	26	12	5
	All other causes.....	334	11	7	8	38	64	28	16	15	123	49	29	45	48	40
MAINE.																
	All causes.....	2,108	105	195	66	121	487	99	78	57	721	220	224	450	289	204
5	Measles.....	29							1		1	4	1	3	10	10
6	Scarlet fever.....	2												1	1	
7	Whooping cough.....	59							4	4	8	9	11	13	10	8
8	Diphtheria and croup.....	4												3	1	
9	Influenza.....	14		1			1	1	1	1	4	1	2	2	2	3
(12)	Dysentery.....	6											4	1	1	
(12)	Erysipelas.....	5											2	1		1
(37)	Tetanus.....	3						2	1		3					
13	Tuberculosis of the lungs.....	11												2	3	3
14	Tuberculous meningitis.....	20									1		2	5	3	9
15	Other forms of tuberculosis.....	8												4	3	
(37)	Syphilis.....	4			1		1				1	2	1			
17	Meningitis.....	67		1			1	3	1	1	6	5	9	16	14	17
(37)	Convulsions.....	39		2	4	3	9	4	2	4	19	5	3	6	4	2
19	Organic diseases of the heart.....	17	2		1	1	4	2	2	2	8	2	1	5		6
20	Acute bronchitis.....	52					4	7	7	3	13	8	5	16	4	1
22	Pneumonia.....	153		1	1	3	5	6	6	3	21	18	8	48	27	26
(23)	Bronchopneumonia.....	71				2	2	3	3	1	6	6	13	18	17	3
24	Diseases of the stomach.....	59				1	1	2	3	2	6	13	11	16	8	3
25	Diarrhea and enteritis.....	558			2	2	4	8	10	8	30	63	64	198	136	67
(33)	Malformations.....	75	11	11	5	12	39	4	4	4	51	12	3	6		
(33)	Premature birth.....	248	55	103	24	24	206	17	6	6	235	12	1			
(33, 37)	Congenital debility.....	260	21	42	10	29	102	25	18	12	157	42	59		1	
(37)	Injuries at birth.....	32	4	10	5	10	29	2	1		32					
35	External causes.....	6				1	1	1	1		3	1	1	1		
38	Diseases ill-defined or unknown.....	170	11	19	9	14	53	6	2	3	64	5	5	60	25	11
	All other causes.....	136	1	5	3	20	29	8	7	5	49	11	16	24	17	19
MARYLAND (TOTAL).																
	All causes.....	4,239	273	177	113	232	795	221	157	163	1,336	470	411	934	613	475
5	Measles.....	13						1			1	1	1	2	6	2
6	Scarlet fever.....	2														2
7	Whooping cough.....	140				1	1		1	3	5	12	15	44	25	39
8	Diphtheria and croup.....	19						3		1	4	2	2	1	3	7
9	Influenza.....	4							1		1			2	1	
(12)	Dysentery.....	20												7	8	2
(12)	Erysipelas.....	20							3	3	6	7	2	3	1	1
(37)	Tetanus.....	19				7	7	11	1		19					
13	Tuberculosis of the lungs.....	17												2	6	7
14	Tuberculous meningitis.....	18												3	7	8
15	Other forms of tuberculosis.....	9											1	1	2	4
(37)	Syphilis.....	59	7	1		2	11	6	11	6	34	11	6	6		2
17	Meningitis.....	74			1	1	2	2	1	1	6	7	6	19	22	14
(37)	Convulsions.....	178	2	5	5	25	37	20	6	8	71	21	15	34	22	15
19	Organic diseases of the heart.....	29	5		3	2	10	2	3		15	4	1	5	2	2
20	Acute bronchitis.....	96	1		1	3	5	4	4	4	17	18	8	26	16	11
22	Pneumonia.....	202				3	3	4	9	11	27	14	25	49	45	42
(23)	Bronchopneumonia.....	229		1	1	2	4	6	7	11	28	19	27	49	57	49
24	Diseases of the stomach.....	75				2	2	3	4	6	15	10	15	20	10	5
25	Diarrhea and enteritis.....	1,105				5	5	9	20	22	56	87	134	378	265	185
(33)	Malformations.....	130	25	17	17	23	82	14	7	2	105	9	1	8	5	2
(33)	Premature birth.....	405	135	79	42	67	323	42	12	14	391	12	2			
(33, 37)	Congenital debility.....	677	37	43	21	52	153	69	55	60	337	200	118	13	5	4
(37)	Injuries at birth.....	77	43	13	5	11	72	4	1		77					
35	External causes.....	39	4		1	2	7	3	1		11	7	5	6	5	5
38	Diseases ill-defined or unknown.....	416	12	15	8	9	44	6	2	2	54	10	11	212	80	49
	All other causes.....	167	2	3	7	15	27	12	9	8	56	17	12	40	24	18

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION STATES—Continued.																	
MARYLAND (WHITE).																	
	All causes.....	2,975	207	135	87	151	580	157	122	109	968	338	277	618	431	343	
5	Measles.....	12										1	1	2	6	2	
6	Scarlet fever.....	2														2	
7	Whooping cough.....	77			1		1			2	3	7	12	19	15	21	
8	Diphtheria and croup.....	9								1	1		1	3	3		
9	Influenza.....	3							1		1		2				
(12)	Dysentery.....	14											1	5	7		
(12)	Erysipelas.....	16								3	1		3	1	1		
(37)	Tetanus.....	10			3		3	6	1		10						
13	Tuberculosis of the lungs.....	6											1	1	3		
14	Tuberculous meningitis.....	17											3	7	7		
15	Other forms of tuberculosis.....	7											1	2	3		
(37)	Syphilis.....	30	3	1	1		5	3	6	4	18	9	2		1		
17	Meningitis.....	65			1	1	2	2	1	1	6	6	5	16	21		
(37)	Convulsions.....	110	2	5	5	15	27	13	3	5	48	11	9	20	14		
19	Organic diseases of the heart.....	27	5		3		10	1	3		14	3	1	5	2		
20	Acute bronchitis.....	75	1			2	3	4	3	4	14	14	5	22	12		
22	Pneumonia.....	126			2	2	3	3	9	8	22	9	18	28	25		
(23)	Bronchopneumonia.....	154			1	1	1	5	6	9	21	14	18	31	32		
24	Diseases of the stomach.....	43						1	3	4	8	6	7	10	9		
25	Diarrhea and enteritis.....	803				5	5	6	15	17	43	63	88	266	198		
(33)	Malformations.....	112	21	14	16	19	70	12	6	2	90	8	1	6	5		
(35)	Premature birth.....	301	103	65	25	46	239	34	8	10	291	9	1				
(33,37)	Congenital debility.....	489	28	30	18	28	104	49	45	36	234	149	89	11	2		
(37)	Injuries at birth.....	62	34	11	5	9	59	2	2	1	62						
35	External causes.....	23	2	1	1	4	4	2	1		7	4	3	2	3		
38	Diseases ill-defined or unknown.....	259	6	8	6	4	24	3	1		28	5	4	135	51		
	All other causes.....	123	2	1	5	13	21	11	7	4	43	14	8	29	15		
MARYLAND (COLORED).																	
	All causes.....	1,264	66	42	26	81	215	64	35	54	368	132	134	316	182	132	
5	Measles.....	1						1			1						
6	Scarlet fever.....																
7	Whooping cough.....	63							1	1	2	5	3	25	10		
8	Diphtheria and croup.....	10						3			3	2	1		1		
9	Influenza.....	1												1			
(12)	Dysentery.....	6												1			
(12)	Erysipelas.....	4								2	2	1	1	2	1		
(37)	Tetanus.....	9			4	4	5				9						
13	Tuberculosis of the lungs.....	11											1	5	1		
14	Tuberculous meningitis.....	1													1		
15	Other forms of tuberculosis.....	2													1		
(37)	Syphilis.....	29	4			2	6	3	5	2	16	2	4	6	1		
17	Meningitis.....	9										1	1	3	3		
(37)	Convulsions.....	68				10	10	7	3	3	23	10	6	14	8		
19	Organic diseases of the heart.....	2						1			1	1	1	6	4		
20	Acute bronchitis.....	21			1	1	1	1	1	3	3	4	3	4	3		
22	Pneumonia.....	76			1	1	1	1	3	5	5	5	7	21	20		
(23)	Bronchopneumonia.....	75			1	2	3	1	1	2	7	5	9	18	25		
24	Diseases of the stomach.....	32			2	2	3	1	2	2	7	4	8	10	1		
25	Diarrhea and enteritis.....	302						2	1	2	7	4	8	10	1		
(33)	Malformations.....	18	4	3	1	4	12	2	5	5	13	24	46	112	67		
(35)	Premature birth.....	104	32	14	17	21	84	8	4	4	100	3	1				
(33,37)	Congenital debility.....	188	9	13	3	24	49	20	10	24	103	51	29	2	3		
(37)	Injuries at birth.....	15	9	2		2	13	2			15						
35	External causes.....	16	2	1	1	3	3	1	1		4	3	2	4	2		
38	Diseases ill-defined or unknown.....	157	6	7	2	5	20	3	1	2	26	5	7	77	29		
	All other causes.....	44		2	2	2	6	1	2	4	13	3	4	11	9		
MASSACHUSETTS.																	
	All causes.....	11,377	1,125	531	306	624	2,586	515	490	404	3,995	1,203	968	2,298	1,669	1,244	
5	Measles.....	104				1	1	1		2	4	1	1	14	36		
6	Scarlet fever.....	11												3	2		
7	Whooping cough.....	162						1	1	5	7	18	15	43	43		
8	Diphtheria and croup.....	57								1	3	2	5	10	12		
9	Influenza.....	22			1	1			3	2	4	3		6	5		
(12)	Dysentery.....	54									4			3	4		
(12)	Erysipelas.....	38								3	4	1	3	16	13		
(37)	Tetanus.....	13			5	6	5			2	10	15	5	1	6		
13	Tuberculosis of the lungs.....	62								1	3	2	11	18	14		
14	Tuberculous meningitis.....	110									3	1	4	34	42		
15	Other forms of tuberculosis.....	39								1	2	6	1	10	6		
(37)	Syphilis.....	90	3	3		2	8	7	11	5	31	20	15	15	7		
17	Meningitis.....	210			1	5	7	7	6	3	23	13	19	45	69		
(37)	Convulsions.....	184	5	9	9	21	44	16	8	15	83	20	16	32	21		
19	Organic diseases of the heart.....	79	7	5	4	5	21	4		5	30	13	9	17	5		
20	Acute bronchitis.....	365	1		1	4	6	17	18	6	47	58	34	93	76		
22	Pneumonia.....	633	1	2	4	12	19	19	32	28	98	53	57	159	143		
(23)	Bronchopneumonia.....	629	1	1	1	13	16	13	25	28	82	69	53	155	149		
24	Diseases of the stomach.....	219			4	10	14	11	7	10	42	44	35	56	25		
25	Diarrhea and enteritis.....	3,603			1	19	25	73	96	92	286	436	417	1,157	771		
(33)	Malformations.....	546	87	73	52	94	305	43	32	25	406	37	26	52	18		
(35)	Premature birth.....	1,513	651	264	113	152	1,180	118	90	51	1,439	59	15				
(33,37)	Congenital debility.....	1,189	187	102	61	143	493	114	89	76	772	236	171	7	3		
(37)	Injuries at birth.....	293	154	36	30	49	269	12	7	3	291	2					
35	External causes.....	85	6	5	3	3	17	5	5	3	32	9	9	21	10		
38	Diseases ill-defined or unknown.....	428	7	5	1	9	22	3	6	1	32	13	6	243	88		
	All other causes.....	629	14	19	21	75	129	42	43	34	243	72	41	91	100		

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
MICHIGAN.																
	All causes.....	7,912	1,059	309	274	529	2,171	487	347	299	3,304	793	664	1,473	965	713
5	Measles.....	60	3				3	1	1	2	7	4	4	11	16	18
6	Scarlet fever.....	17						2			2	1	2		5	7
7	Whooping cough.....	183				1	1	2	2	8	13	34	29	42	35	30
8	Diphtheria and croup.....	30						1	2		3	3		10	7	7
9	Influenza.....	38			1		1	3	1	3	8	5	2	8	11	2
(12)	Dysentery.....	27										2	2	14	5	4
(12)	Erysipelas.....	32				2	2	2	3	2	9	9	4	4	4	2
(37)	Tetanus.....	4				1	1	2			3	1				
13	Tuberculosis of the lungs.....	32	1								1	1	1	7	10	12
14	Tuberculous meningitis.....	14								1	1		1	3	9	
15	Other forms of tuberculosis.....	24				1	1	1			2	5	3	4	5	5
(37)	Syphilis.....	37	2			3	5	2	2	4	13	5	6	5	5	3
17	Meningitis.....	118	1			6	7	7	2	3	19	7	13	25	26	28
(37)	Convulsions.....	345	14	15	23	52	104	37	26	17	184	35	23	48	32	23
19	Organic diseases of the heart.....	82	10	6	8	11	35	6	3	5	49	12	4	11	2	4
20	Acute bronchitis.....	239	2	2	2	10	16	13	16	9	54	36	41	43	37	28
22	Pneumonia.....	313		3	2	7	12	13	15	14	54	39	29	70	61	60
(23)	Bronchopneumonia.....	342	1	2	4	8	15	14	16	9	52	39	33	87	59	70
24	Diseases of the stomach.....	227	2	2	2	8	14	9	14	15	52	33	29	65	28	20
25	Diarrhea and enteritis.....	1,906	1	2	7	20	30	43	47	55	175	196	198	626	433	278
(33)	Malformations.....	408	93	45	43	56	237	51	14	14	316	25	22	25	12	8
(33)	Premature birth.....	1,114	614	126	73	112	925	82	49	21	1,077	28	9			
(33, 37)	Congenital debility.....	1,031	165	59	59	119	402	116	82	82	682	191	154	1	3	
(37)	Injuries at birth.....	187	101	22	18	35	176	7	2		185	1	1			
35	External causes.....	99	6	3	7	2	18	8	6	4	36	13	8	23	11	8
38	Diseases ill-defined or unknown.....	489	34	12	7	11	64	10	11	8	93	6	11	251	85	43
	All other causes.....	516	9	10	18	64	101	55	33	23	212	62	35	90	64	53
MINNESOTA.																
	All causes.....	4,261	421	247	152	319	1,139	301	233	175	1,848	396	364	747	534	372
5	Measles.....	65		1		1	2		3	1	6	2	1	13	19	24
6	Scarlet fever.....	14						1	1		2		2	3	4	4
7	Whooping cough.....	94						1	1	5	7	20	10	19	18	20
8	Diphtheria and croup.....	34			1		1	4		2	7	5	4	5	5	8
9	Influenza.....	12						1	1	3	5	2		2	2	1
(12)	Dysentery.....	37						2			3	2	7	10	10	5
(12)	Erysipelas.....	20						1	2	2	4	5	2	5	3	1
(37)	Tetanus.....	12				1	1	10			11				1	
13	Tuberculosis of the lungs.....	29										3	1	7	12	6
14	Tuberculous meningitis.....	29	1								1	1	2	4	13	9
15	Other forms of tuberculosis.....	8								1	1	1	2	2	1	1
(37)	Syphilis.....	36			1	1	2	5	4	1	12	6	8	6	2	2
17	Meningitis.....	54	1			1	2	3	2	2	9	1	4	19	6	15
(37)	Convulsions.....	126		4	5	28	37	27	9	8	81	14	6	11	10	4
19	Organic diseases of the heart.....	22	3	3	2	1	9	1	1		11	4		5	2	
20	Acute bronchitis.....	84			2	2	4	4	7	7	20	8	17	23	9	7
22	Pneumonia.....	149	1	4	3	5	13	10	13	7	43	17	15	27	29	18
(23)	Bronchopneumonia.....	346			3	12	15	19	19	18	71	47	41	75	64	48
24	Diseases of the stomach.....	92		2	1	7	10	5	8	8	31	8	9	24	16	4
25	Diarrhea and enteritis.....	1,082	1		8	33	42	34	50	35	161	110	121	331	226	133
(33)	Malformations.....	173	26	26	11	33	96	15	12	6	129	11	12	10	6	5
(33)	Premature birth.....	584	245	111	53	63	472	44	31	13	560	18	6			
(33, 37)	Congenital debility.....	464	63	48	31	64	206	62	49	30	347	59	57			1
(37)	Injuries at birth.....	74	35	12	8	15	70	4			74					
35	External causes.....	54	6	3	1	3	13	2	1		16	6	8	13	4	7
38	Diseases ill-defined or unknown.....	306	36	30	12	25	103	29	10	14	156	19	10	83	26	12
	All other causes.....	261	3	3	11	23	40	18	10	12	80	28	19	50	47	37
MONTANA.																
	All causes.....	714	80	41	31	63	215	47	35	26	323	58	51	139	87	56
5	Measles.....	5												1	2	2
6	Scarlet fever.....	2														2
7	Whooping cough.....	25							1	2	3	3	3	7	4	5
8	Diphtheria and croup.....	1												1		
9	Influenza.....	3										1		1	1	1
(12)	Dysentery.....	8						1	1		2	1		3	1	1
(12)	Erysipelas.....	6						1		1	2	2		1	1	
(37)	Tetanus.....	4			1	2	3		1		4					
13	Tuberculosis of the lungs.....	3										1		1		1
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....	4												2	1	1
(37)	Syphilis.....	2							2		2					
17	Meningitis.....	17				1	1	1			2	1	2	5	4	3
(37)	Convulsions.....	9		1	1	2	4	2		1	7		1	1	1	
19	Organic diseases of the heart.....	3							1		1	1				1
20	Acute bronchitis.....	19				1	1	2	2		6	1	1	7	3	1
22	Pneumonia.....	27	1			3	4	2	2	2	8	6	1	6	4	2
(23)	Bronchopneumonia.....	34			1	1	2	2	4		8	5	3	10	5	3
24	Diseases of the stomach.....	18			1	5	6			3	9	1	4	3	1	
25	Diarrhea and enteritis.....	180			1	1	1	4	7	3	15	19	20	60	42	24
(33)	Malformations.....	49	6	8	6	8	28	8	4	1	41	2	2	1	2	1
(33)	Premature birth.....	102	55	19	6	11	91	5	2	2	100	1	1			
(33, 37)	Congenital debility.....	76	9	5	6	16	36	14	4	6	60	8	8			
(37)	Injuries at birth.....	15	4	4	2	5	15				15					
35	External causes.....	6	1	1	1		3			1	4				1	1
38	Diseases ill-defined or unknown.....	37	3	2	1		6	2	1	1	10			18	6	1
	All other causes.....	58	1	1	4	8	14	5	5		24	6	3	12	7	6

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION STATES—Continued.																	
NEW HAMPSHIRE.																	
	All causes.....	1,373	142	88	50	75	355	48	48	50	501	144	142	301	164	121	
5	Measles.....	8												1	1	2	4
6	Scarlet fever.....	27								1	1	5	3	10	5	3	
7	Whooping cough.....	4										1	1	1	1	1	
8	Diphtheria and croup.....	2															1
9	Influenza.....	3										2					
(12)	Dysentery.....	1															
(12)	Erysipelas.....	9				1	1				1						
(37)	Tetanus.....	3															
13	Tuberculosis of the lungs.....	9											1	2	3	5	
14	Tuberculous meningitis.....	8															3
15	Other forms of tuberculosis.....	2															
(37)	Syphilis.....	8		1			1		1		2	1	2	2	1	1	
17	Meningitis.....	52				1	1			1	5	6	6	10	15	10	
(37)	Convulsions.....	32			1	4	5	3	3		15	2	5	4	1	5	
19	Organic diseases of the heart.....	9	1	1	2	1	2	1	1	1	7	1	1				
20	Acute bronchitis.....	56	1			1	5	1	1	6	10	9	6	14	8	9	
22	Pneumonia.....	63		1		1	2	3	2	1	8	4	4	21	15	11	
(23)	Bronchopneumonia.....	54			1		1	1	1	3	6	5	7	13	14	9	
24	Diseases of the stomach.....	30			1	1	2	1	2		5	5	6	9	4	1	
25	Diarrhea and enteritis.....	367			1	2	3	7	13	9	32	43	49	137	60	46	
(33)	Malformations.....	57	11	9	10	13	43	5	1		49	2		2	3	1	
(33)	Premature birth.....	194	87	49	8	20	164	11	10	4	189	4	1				
(33, 37)	Congenital debility.....	199	24	22	15	22	83	9	12	15	119	40	38				
(37)	Injuries at birth.....	25	15	2	7		24	1			25						
35	External causes.....	15			2		2	1		1	4	2	3	3	1	2	
38	Diseases ill-defined or unknown.....	69	1	2			3	1			4	1		45	11	8	
	All other causes.....	79	2	1	2	8	13		2	4	19	10	8	21	13	8	
NEW JERSEY.																	
	All causes.....	8,363	878	281	190	410	1,759	440	394	292	2,885	779	689	1,733	1,311	966	
5	Measles.....	60				1	1		2		3	1	2	12	20	22	
6	Scarlet fever.....	9												3	1	4	
7	Whooping cough.....	216							5	12	17	23	21	36	71	43	
8	Diphtheria and croup.....	61				1	1				1	6	3	15	13	23	
9	Influenza.....	54							2	2	7	2	1	9	1	4	
(12)	Dysentery.....	23							2	3	3	3	7	17	15	8	
(12)	Erysipelas.....	54				3	3		2	7	18	13	7	5	6	5	
(37)	Tetanus.....	16				6	6	9	1		16						
13	Tuberculosis of the lungs.....	72							2		2	4	4	14	13	15	
14	Tuberculous meningitis.....	50							2		2	2	4	13	27	21	
15	Other forms of tuberculosis.....	39							1	1	4	4	5	8	10	8	
(37)	Syphilis.....	57	3		2	2	7	3	5	4	19	13	11	10	3	1	
17	Meningitis.....	143				7	7	6	6	2	21	13	14	27	44	24	
(37)	Convulsions.....	197	6	7	1	27	41	15	19	5	80	20	21	42	18	16	
19	Organic diseases of the heart.....	49	4	2	3	8	17	6	2	4	29	5	5	3	4	3	
20	Acute bronchitis.....	227			3	7	10	11	17	13	51	35	26	49	37	29	
22	Pneumonia.....	432	2	2	4	8	16	27	16	23	82	46	33	110	93	68	
(23)	Bronchopneumonia.....	586	4	1	4	15	24	14	19	22	79	71	39	152	125	120	
24	Diseases of the stomach.....	116		2	1	3	6	3	9	4	22	22	19	26	15	12	
25	Diarrhea and enteritis.....	2,584	1	1	3	22	27	69	70	58	224	238	285	811	622	404	
(33)	Malformations.....	414	108	46	30	52	236	50	35	11	332	27	13	24	7	11	
(33)	Premature birth.....	1,083	481	139	76	115	811	94	62	33	1,000	32	11				
(33, 37)	Congenital debility.....	732	114	36	24	76	250	82	79	56	467	147	116			1	
(37)	Injuries at birth.....	210	123	30	17	20	190	11	4	3	203	2					
35	External causes.....	88	5	6		7	18	2	3	5	23	11	7	22	7	13	
38	Diseases ill-defined or unknown.....	424	9	2	2	1	14	1	1		16	2	2	245	99	60	
	All other causes.....	407	17	7	20	29	73	30	26	24	153	31	33	80	59	51	
NEW YORK.																	
	All causes.....	27,503	2,395	1,474	714	1,497	6,080	1,382	1,244	1,094	9,800	2,761	2,334	5,273	4,135	3,200	
5	Measles.....	287			1	1	2	1	3	2	8	3	5	28	87	156	
6	Scarlet fever.....	82	1				1				1	1	2	12	30	36	
7	Whooping cough.....	416					1	1	11	14	27	61	54	91	107	76	
8	Diphtheria and croup.....	226					1	6	3	3	13	6	1	33	67	106	
9	Influenza.....	59		1			1	3	1	2	7	7	7	13	19	6	
(12)	Dysentery.....	70			1		1	1	1		3	5	2	25	21	14	
(12)	Erysipelas.....	185						10	28	22	60	43	15	30	23	14	
(37)	Tetanus.....	45		1	3	12	16	19	5	3	43	1					
13	Tuberculosis of the lungs.....	143	1	1	1	4	1				5	9	7	39	49	34	
14	Tuberculous meningitis.....	234				1	1		2		1	5	10	43	89	79	
15	Other forms of tuberculosis.....	89									3	2	10	34	24	16	
(37)	Syphilis.....	383	13	15	7	18	53	36	35	28	152	81	57	62	22	14	
17	Meningitis.....	326		1	4	10	15	8	15	6	44	22	16	79	90	75	
(37)	Convulsions.....	570	22	20	27	72	141	46	37	21	245	73	61	91	65	35	
19	Organic diseases of the heart.....	137	12	18	9	16	55	8	8	6	77	13	16	13	11	7	
20	Acute bronchitis.....	871	1	5	8	25	39	53	62	70	224	134	83	175	147	108	
22	Pneumonia.....	1,068	4	7	9	31	51	38	44	33	166	92	93	212	260	245	
(23)	Bronchopneumonia.....	2,536	4	11	10	60	85	96	119	101	401	273	241	618	696	607	
24	Diseases of the stomach.....	348	1	4	4	21	30	24	22	23	99	62	51	90	25	21	
25	Diarrhea and enteritis.....	8,237	1	1	10	73	85	179	226	265	894	974	2,596	1,811	1,207		
(33)	Malformations.....	1,271	227	168	105	212	712	134	72	53	971	88	55	89	46	22	
(33)	Premature birth.....	3,567	1,380	712	292	407	2,791	312	206	107	3,416	108	43				
(33, 37)	Congenital debility.....	2,759	322	264	116	264	966	254	240	259	1,719	619	418	3			
(37)	Injuries at birth.....	797	355	197	62	124	738	31	16	5	790	6	1				
35	External causes.....	177	18	6	6	11	41	10	8	6	65	22	10	32	16	32	
38	Diseases ill-defined or unknown.....	942	5	3	3	3	14	1	2		18	2		602	213	107	
	All other causes.....	1,373	28	39	37	132	236	108	77	62	433	124	104	263	217	182	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
NORTH CAROLINA¹ (TOTAL).																
	All causes.....	1,330	73	53	37	85	248	83	49	54	434	136	118	273	181	188
5	Measles.....	19						1		1	2	1		3	4	9
6	Scarlet fever.....															
7	Whooping cough.....	36										4	5	9	8	10
8	Diphtheria and croup.....	12										3	3	1	2	3
9	Influenza.....	5												1	4	
(12)	Dysentery.....	31						1		1	2		1	15	7	6
(12)	Erysipelas.....	2														1
(37)	Tetanus.....	20				8	8	10	1		19	1				
13	Tuberculosis of the lungs.....	10									1			3	4	2
14	Tuberculous meningitis.....	4												1		3
15	Other forms of tuberculosis.....	2														1
(37)	Syphilis.....	6		1			1				1		3	1		
17	Meningitis.....	22									2		2	5	5	5
(37)	Convulsions.....	26		1	1	5	7	6	2	1	16	2	2	4	1	1
19	Organic diseases of the heart.....	9		2			3		1	1	5	3				
20	Acute bronchitis.....	31		1	1	1	3	2		3	8	4	3	1		7
22	Pneumonia.....	114			1	2	3	2	8	6	19	17	11	32	13	22
(23)	Bronchopneumonia.....	26				1	1	1	2	2	6	5	2	3	7	3
24	Diseases of the stomach.....	32					2	1	2	2	5	4	2	11	4	6
25	Diarrhea and enteritis.....	326	2			6	8	13	3	10	34	19	27	99	80	67
(33)	Malformations.....	24	2	1	4	5	12	3	2	1	18			3	1	2
(33)	Premature birth.....	134	39	29	14	16	98	14	10	7	129	4	1			
(33, 37)	Congenital debility.....	127	18	4	10	16	46	15	10	9	80	26	21			
(37)	Injuries at birth.....	8	4	1		1	6				7	1				3
35	External causes.....	18						1			1	3	4	4	3	3
38	Diseases ill-defined or unknown.....	188	9	10	3	17	39	2	2	6	49	23	17	56	23	20
	All other causes.....	98	1	3	2	7	13	8	5	4	30	10	8	16	17	17
NORTH CAROLINA¹ (WHITE).																
	All causes.....	704	52	28	25	27	132	34	31	26	223	72	70	150	86	103
5	Measles.....	14								1	1	1		3	3	6
6	Scarlet fever.....															
7	Whooping cough.....	22										3	4	6	5	4
8	Diphtheria and croup.....	5										2	1			2
9	Influenza.....	1													1	
(12)	Dysentery.....	16						1		1	2		1	8	4	1
(12)	Erysipelas.....	2														1
(37)	Tetanus.....	2				2	2				2					
13	Tuberculosis of the lungs.....	4												1	2	1
14	Tuberculous meningitis.....	4												1		3
15	Other forms of tuberculosis.....	2														1
(37)	Syphilis.....	1												1		3
17	Meningitis.....	14									1	2	1	4	3	3
(37)	Convulsions.....	11		1	1		2	2		1	5	2	3			1
19	Organic diseases of the heart.....	8		2	1		3		1	1	5	3				
20	Acute bronchitis.....	18						2		1	3	2	2	6	1	4
22	Pneumonia.....	47						1	5	1	7	10	6	10	5	9
(23)	Bronchopneumonia.....	13				1	1		2	1	4	3	2	7	1	2
24	Diseases of the stomach.....	17						1	1	2	3	1	18	63	45	38
25	Diarrhea and enteritis.....	185	1			2	3	4	1	4	12	9	18	63	45	38
(33)	Malformations.....	22	2	1	4	4	11	2	2	1	16			3	1	2
(33)	Premature birth.....	93	32	20	10	7	69	11	7	4	91	1	1			
(33, 37)	Congenital debility.....	64	9	1	5	5	20	4	7	3	34	17	13			
(37)	Injuries at birth.....	5	2	1		1	4				4	1				2
35	External causes.....	6						1			1		1	2		
38	Diseases ill-defined or unknown.....	73	6	2	2	3	13	1		3	17	6	6	29	5	10
	All other causes.....	55			2	2	4	4	5	2	15	7	6	6	11	10
NORTH CAROLINA¹ (COLORED).																
	All causes.....	626	21	25	12	58	116	49	18	28	211	64	48	123	95	85
5	Measles.....	5						1			1				1	3
6	Scarlet fever.....															
7	Whooping cough.....	14										1	1	3	3	6
8	Diphtheria and croup.....	7										1	2	1	2	1
9	Influenza.....	4												1	3	
(12)	Dysentery.....	15												7	3	5
(12)	Erysipelas.....															
(37)	Tetanus.....	18				6	6	10	1		17	1		2		1
13	Tuberculosis of the lungs.....	6									1			2		1
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5		1			1				1	1	2	1		
17	Meningitis.....	8									1	1	1	1	2	2
(37)	Convulsions.....	15				5	5	4	2		11		1	1	2	
19	Organic diseases of the heart.....	1												1		
20	Acute bronchitis.....	13		1	1	1	3			2	5	2	1	2		3
22	Pneumonia.....	67			1	2	3	1	3	5	12	7	5	22	8	13
(23)	Bronchopneumonia.....	13								1	2	2		2	6	1
24	Diseases of the stomach.....	15						2			2	3		4	3	3
25	Diarrhea and enteritis.....	141	1			4	5	9	2	6	22	10	9	38	35	29
(33)	Malformations.....	2				1	1	1	3	3	2					
(33)	Premature birth.....	41	7	9	4	9	29	3	3	3	38	3				
(33, 37)	Congenital debility.....	63	7	3	5	11	26	11	3	6	46	9	8			
(37)	Injuries at birth.....	3	2				2		1		3					
35	External causes.....	12									3	3		2	3	1
38	Diseases ill-defined or unknown.....	115	3	8	1	14	26	9	2	3	32	17	11	27	18	10
	All other causes.....	48	1	3	1	5	9	4	1	2	15	3	2	10	6	7

¹ Including only municipalities having a population of 1,000 or over in 1900.

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

541

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
OHIO.																
	All causes.....	11,445	1,347	660	330	772	3,159	719	539	469	4,836	1,101	843	2,020	1,494	1,101
5	Measles.....	160	1	1		1	3	3	5	3	14	8	6	23	42	67
6	Scarlet fever.....	15									1		1	4	8	1
7	Whooping cough.....	314		1			1	1	6	9	17	51	34	78	77	57
8	Diphtheria and croup.....	28									3	3	2	5	6	9
9	Influenza.....	57		1			2	7	2	4	15	10	7	6	6	13
(12)	Dysentery.....	56			1		1	2			2	2	2	19	14	17
(12)	Erysipelas.....	51					1	1	8	3	5	15	14	6	7	2
(37)	Tetanus.....	16	1		1	5	7	7	1	1	15					
13	Tuberculosis of the lungs.....	87	1	1		1	3		2	2	7	5	6	22	25	19
14	Tuberculous meningitis.....	65				1	1		1	1	3	2		24	20	16
15	Other forms of tuberculosis.....	45							3	3	3	3	4	9	15	9
(37)	Syphilis.....	176	8	7	3	7	25	4	13	14	56	52	26	28	11	3
17	Meningitis.....	243	1	2	5	8	16	14	10	11	51	20	13	74	49	36
(37)	Convulsions.....	236	9	16	22	45	92	26	24	9	151	26	13	20	14	12
19	Organic diseases of the heart.....	84	12	3	2	12	34	11	4	2	51	7	4	14	4	4
20	Acute bronchitis.....	286		1	3	7	11	18	24	20	73	38	38	63	45	31
22	Pneumonia.....	703	4	5	9	27	45	38	42	30	155	82	63	165	134	104
(23)	Bronchopneumonia.....	674	2	5	8	11	24	34	26	49	133	83	77	147	132	102
24	Diseases of the stomach.....	222	4	3	6	8	17	17	16	11	61	42	23	66	20	10
25	Diarrhea and enteritis.....	3,167	135	114	64	38	51	89	98	118	356	340	334	961	703	475
(33)	Malformations.....	719	4	5	1	117	430	93	38	23	554	50	27	32	18	8
(33)	Premature birth.....	1,763	824	313	124	194	1,455	133	77	47	1,712	44				
(33, 37)	Congenital debility.....	902	170	32	56	148	456	122	84	59	721	108	70	2	1	
(37)	Injuries at birth.....	123	123	58	34	54	269	16	3	2	232	5				
35	External causes.....	129	8	4	1	13	26	3	7	8	44	17	14	22	13	10
35	Diseases ill-defined or unknown.....	253	20	12	13	11	56	10	9	4	79	12	10	106	30	16
38	All other causes.....	696	24	25	22	60	131	66	39	35	271	75	55	123	99	73
PENNSYLVANIA.																
	All causes.....	28,377	2,118	1,094	691	1,598	5,501	1,625	1,325	1,097	9,548	2,843	2,433	5,925	4,347	3,281
5	Measles.....	806						1	3	3	7	10	7	42	101	139
6	Scarlet fever.....	64		1		1	3	2	1	2	8	4	1	10	18	23
7	Whooping cough.....	581			1	1	2	2	11	24	39	77	60	144	129	132
8	Diphtheria and croup.....	173			2	2	4		3	8	15	11	10	25	36	81
9	Influenza.....	93						4	2	6	12	12	8	23	25	13
(12)	Dysentery.....	103			1	1	2		3	3	6	9	2	33	31	22
(12)	Erysipelas.....	131			1	2	3	9	6	14	32	28	14	27	22	8
(37)	Tetanus.....	31			1	11	12	13	2	1	23			1	1	1
13	Tuberculosis of the lungs.....	148		1	1	2	4	3	3	3	13	9	11	43	34	38
14	Tuberculous meningitis.....	122						1	1	3	5	6	8	32	42	29
15	Other forms of tuberculosis.....	56				1	1	3	3	2	9	7	4	14	11	11
(37)	Syphilis.....	225	15	4	1	10	30	22	14	23	89	37	32	44	16	7
17	Meningitis.....	200	1	5	1	6	13	16	12	8	49	21	19	37	61	63
(37)	Convulsions.....	1,098	22	32	47	156	257	112	68	54	491	124	93	184	120	36
19	Organic diseases of the heart.....	161	11	13	7	22	53	13	13	9	88	22	9	18	13	11
20	Acute bronchitis.....	778	2	2	3	16	23	32	45	37	140	123	90	194	133	98
22	Pneumonia.....	1,757	3	12	9	51	75	82	90	75	322	210	184	415	362	264
(23)	Bronchopneumonia.....	1,915	1	6	8	38	53	73	76	72	274	218	190	484	415	334
24	Diseases of the stomach.....	575	2	6	5	20	33	42	31	40	146	110	73	136	74	36
25	Diarrhea and enteritis.....	8,969	4	7	11	93	115	194	255	260	824	889	945	2,739	2,056	1,466
(33)	Malformations.....	1,386	250	167	116	238	771	179	93	57	1,100	100	55	65	40	26
(33)	Premature birth.....	3,020	1,213	521	231	368	2,333	297	169	100	2,899	82	39			
(33, 37)	Congenital debility.....	2,575	273	165	108	294	840	334	269	192	1,635	512	405	16	5	2
(37)	Injuries at birth.....	530	233	80	54	104	471	40	9	5	525	4	1			
35	External causes.....	259	10	9	5	19	43	9	14	10	76	25	26	46	43	43
35	Diseases ill-defined or unknown.....	1,515	59	30	30	38	157	34	30	24	245	39	29	724	320	158
38	All other causes.....	1,501	19	33	47	104	203	107	99	62	471	154	118	329	239	190
RHODE ISLAND.																
	All causes.....	2,129	182	88	40	115	425	80	82	76	663	208	199	451	353	255
5	Measles.....	66						2	1	1	4	4	4	12	25	17
6	Scarlet fever.....	2												1	1	
7	Whooping cough.....	34							1	2	3	7	2	8	3	6
8	Diphtheria and croup.....	12								1	1			1	6	4
9	Influenza.....	11							1		1		3	1	3	3
(12)	Dysentery.....	5									1			4	3	1
(12)	Erysipelas.....	2										1	1			
(37)	Tetanus.....	18									1	1	1	4	7	4
13	Tuberculosis of the lungs.....	25										2	2	7	8	6
14	Tuberculous meningitis.....	7									1	1	1	1	3	3
(37)	Other forms of tuberculosis.....	21	1	1		2	4	4		1	9	3	2	4	3	
(37)	Syphilis.....	27				1	1	2			3	2	2	7	11	4
17	Meningitis.....	32	1		2	7	10	6	2	1	19	3	1	6	2	1
(37)	Convulsions.....	5	1	1		2	4				4					1
19	Organic diseases of the heart.....	92			1	1	2	6	9	3	20	18	16	12	17	9
20	Acute bronchitis.....	115				2	2	6	4	6	18	16	10	26	29	16
(23)	Pneumonia.....	128				2	2	7	7	6	17	13	10	41	25	22
(23)	Bronchopneumonia.....	53				1	1	2	2	3	7	8	11	12	12	3
24	Diseases of the stomach.....	724				9	9	7	12	22	50	66	89	230	162	127
25	Diarrhea and enteritis.....	75	10	9	6	14	39	7	12	7	57	7	2	3	3	3
(33)	Malformations.....	218	93	39	15	30	177	13	16	4	210	2	6			
(33)	Premature birth.....	176	19	14	7	21	61	21	12	12	106	44	25	1		
(33, 37)	Congenital debility.....	93	50	19	7	11	87		2		90	3				
(37)	Injuries at birth.....	21	4	2		5	6		1	1	7		2	3	4	5
35	External causes.....	82	1	3		7	9	1	3	5	11	7	19	48	17	10
35	Diseases ill-defined or unknown.....	85	2		2	7	11	1	5	1	24	6	11	19	10	15

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION STATES—Continued.																	
UTAH.																	
	All causes.....	896	120	67	27	57	271	67	55	51	444	75	50	137	112	78	
5	Measles.....	2														1	1
6	Scarlet fever.....	5														1	3
7	Whooping cough.....	39							3	3	6	5	6	10	6	6	
8	Diphtheria and croup.....	4												1	3		
9	Influenza.....	3			1		1			1	2						
(12)	Dysentery.....	2												1		1	
(12)	Erysipelas.....	7							1	1	2	1	1	3			
(37)	Tetanus.....	1												3			
13	Tuberculosis of the lungs.....	1											1				
14	Tuberculous meningitis.....	3												1	2		
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	3							1	1	2			1			
17	Meningitis.....	7								3	3		1		1	2	
(37)	Convulsions.....	21		3	3	4	10	1	1	1	13	3	2	1	1	1	
19	Organic diseases of the heart.....	11	2		1	2	5	1			6			4		1	
20	Acute bronchitis.....	32						4	5	2	11	5	3	5	5	3	
22	Pneumonia.....	78		1			1	6	4	7	18	9	6	20	14	11	
(23)	Bronchopneumonia.....	59				2	1	2	4	10	17	11	4	11	8	8	
24	Diseases of the stomach.....	14			1		1	2			3	4		3	4		
25	Diarrhea and enteritis.....	155						4	10	4	18	17	13	45	38	24	
(33)	Malformations.....	35	3	5	4	10	22	5	1	3	31	1	1		2		
(33)	Premature birth.....	202	95	37	13	18	163	21	11	5	200	2					
(33, 37)	Congenital debility.....	75	9	10	1	9	29	15	11	4	59	9	7				
(37)	Injuries at birth.....	12	4	5	1	2	12				12						
35	External causes.....	15	2	1	2		5	1		1	7	1	1	1	2	3	
38	Diseases ill-defined or unknown.....	32	4	1		1	6		2	1	9	2	1	11	6	3	
	All other causes.....	79	1	4	1	8	14	6	1	4	25	5	3	18	18	10	
VERMONT.																	
	All causes.....	791	106	41	36	46	229	54	42	43	368	77	72	128	79	67	
5	Measles.....	1							1		1						
6	Scarlet fever.....																
7	Whooping cough.....	34							1	3	4	6	4	5	5	10	
8	Diphtheria and croup.....	3												2		1	
9	Influenza.....	9						1	1		2		1		5		
(12)	Dysentery.....	3							1		1			1	2		
(12)	Erysipelas.....	1						1			1						
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	3												2	1		
14	Tuberculous meningitis.....	7												1	1	3	
15	Other forms of tuberculosis.....	3												2		1	
(37)	Syphilis.....	2	1				1				1				1		
17	Meningitis.....	14			2		2		1	1	3		3	5		3	
(37)	Convulsions.....	13			1	2	3	1	1	1	6	2		1	3	1	
19	Organic diseases of the heart.....	9	2			3	5				6		2	1			
20	Acute bronchitis.....	39						3	3	1	7	6	6	10	7	3	
22	Pneumonia.....	54		1	1		2	3	6	7	18	3	5	14	9	5	
(23)	Bronchopneumonia.....	32			1	1	2	1	2		5	5	5	7	2	8	
24	Diseases of the stomach.....	21	1				2	3		3	8	4	5	2	2		
25	Diarrhea and enteritis.....	188		2	1	5	8	6	9	10	33	25	28	51	26	25	
(33)	Malformations.....	63	9	11	5	6	31	12	4	4	51	4	1	3	2	2	
(33)	Premature birth.....	147	67	21	11	11	110	12	8	7	137	10					
(33, 37)	Congenital debility.....	49	11	2	3	5	21	9	4	3	37	4	8				
(37)	Injuries at birth.....	21	12	2	2	2	18	1			20		1				
35	External causes.....	9	1		1		2			1	3			3	2	1	
38	Diseases ill-defined or unknown.....	13	2		2	2	6			1	7	1		1	4		
	All other causes.....	53		2	7	7	16			1	17	6	2	17	7	4	
WASHINGTON.																	
	All causes.....	1,862	197	140	76	157	570	112	96	64	842	178	143	320	228	151	
5	Measles.....	13												2	2	9	
6	Scarlet fever.....	5													3	2	
7	Whooping cough.....	109						1	5	3	9	13	17	35	21	14	
8	Diphtheria and croup.....	8								1	1				3	4	
9	Influenza.....	5			1		1		1	1	3	1		1			
(12)	Dysentery.....	13					1			1	2	1	1	2	5	2	
(12)	Erysipelas.....	10							1		1	2	3	2		2	
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	9												2	5		
14	Tuberculous meningitis.....	17									2	1	1	3	4	6	
15	Other forms of tuberculosis.....	4												2		1	
(37)	Syphilis.....	19						2	3		5	2	5	4	2	2	
17	Meningitis.....	16		1	2		1	1			2	4	2	3	3	1	
(37)	Convulsions.....	27			2	5	10	1		6	18	3	1	1	2	2	
19	Organic diseases of the heart.....	15	2	3	2	2	9			2	11	1		3			
20	Acute bronchitis.....	20						3	3		6	1	4	4	3	2	
22	Pneumonia.....	48			2		2	5	3	1	11	6	5	10	7	9	
(23)	Bronchopneumonia.....	149			3	3	6	4	7	5	22	25	22	31	25	24	
24	Diseases of the stomach.....	44			5	5	5	1	4		10	9	10	9	4	2	
25	Diarrhea and enteritis.....	364			4	4	4	5	7	16	32	34	37	123	88	50	
(33)	Malformations.....	130	22	19	14	28	83	11	6	6	106	7	2	9	4	2	
(33)	Premature birth.....	308	121	81	18	36	256	29	12	6	303	5					
(33, 37)	Congenital debility.....	226	29	12	18	45	104	29	23	12	168	39	18	1			
(37)	Injuries at birth.....	43	10	14	8	7	39	3		1	43						
35	External causes.....	28	5	2		2	9	4			13	3	1	2	7	2	
38	Diseases ill-defined or unknown.....	105	5	3	3	2	13	2	2	4	21	4	2	55	19	4	
	All other causes.....	127	1	4	5	17	27	11	8	6	52	15	12	16	21	11	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
WISCONSIN.																
	All causes.....	5,621	643	344	208	456	1,651	398	233	206	2,488	545	459	1,028	631	470
5	Measles.....	43						1	1		2	1	6	3	18	13
6	Scarlet fever.....	11						1			1			2	3	5
7	Whooping cough.....	112							5	3	9	20	17	25	28	13
8	Diphtheria and croup.....	33	1		1		2	1	1	2	6	5		6	9	7
9	Influenza.....	19						1	1		2	2	8	2	3	2
(12)	Dysentery.....	40								1	1	2	6	10	11	10
(12)	Erysipelas.....	13						2	1	2	5	3	1	2		
(37)	Tetanus.....	6			1		1	4	1		6					
13	Tuberculosis of the lungs.....	20	1				1			1	2		3	7	2	4
14	Tuberculous meningitis.....	25								1	1		3	8	6	6
15	Other forms of tuberculosis.....	14						1			1		1	8	2	2
(37)	Syphilis.....	26	1	1			2	2	2	3	9	10	2	4		
17	Meningitis.....	107			1	4	6	3	1	2	12	6	6	31	25	27
(37)	Convulsions.....	377	16	21	26	78	141	50	21	22	234	40	25	44	20	14
19	Organic diseases of the heart.....	31	3	2	1	6	12	2	2	3	19	1		10		1
20	Acute bronchitis.....	181		3	1	4	8	5	10	11	34	31	19	34	39	24
22	Pneumonia.....	323	1	2	2	3	8	23	19	20	70	41	29	82	61	40
(23)	Bronchopneumonia.....	206		1	2	2	5	9	8	10	32	20	20	54	49	31
24	Diseases of the stomach.....	172		1	2	14	17	26	11	8	62	26	20	39	16	9
25	Diarrhea and enteritis.....	1,385		3	5	31	39	51	41	39	170	146	168	453	256	192
(33)	Malformations.....	270	55	36	38	51	180	24	9	6	219	17	6	11	8	9
(33)	Premature birth.....	812	376	147	50	83	656	69	38	16	779	25	8			
(33, 37)	Congenital debility.....	654	99	77	40	100	316	85	41	35	477	97	75	3	2	
(37)	Injuries at birth.....	129	65	30	14	16	125	4			129					
35	External causes.....	50	2	3	3	5	13	3	5	3	24	8	3	6	4	5
38	Diseases ill-defined or unknown.....	242	15	6	10	12	43	4	5	4	56	5	9	124	31	17
	All other causes.....	320	8	10	12	46	76	26	10	14	126	36	24	60	35	39
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.																
BIRMINGHAM, ALA. (TOTAL).																
	All causes.....	391	46	16	5	24	91	27	18	13	149	25	41	65	44	67
5	Measles.....	4								1	1				1	2
6	Scarlet fever.....															
7	Whooping cough.....	4											1			3
8	Diphtheria and croup.....	3						1			1			1		1
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1										1				
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....	3												1		1
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	11	1			2	3				3	2	1	3	1	1
17	Meningitis.....	4												1	3	
(37)	Convulsions.....	6		2		2	4	1		1	6			1		
19	Organic diseases of the heart.....	2	1				1				1	1				
20	Acute bronchitis.....															
22	Pneumonia.....	29				2	2	2	1	1	6	1		12	5	5
(23)	Bronchopneumonia.....	28			1		1	2			3	1	3	7	6	8
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	114								4	7	8	14	28	24	33
(33)	Malformations.....	8	2	1		1	4	3	2	4	7					
(33)	Premature birth.....	58	25	8	1	9	43	5	3	3	54	2	2			
(33, 37)	Congenital debility.....	27	2	2	1	2	7	4	4	1	16	5	6			
(37)	Injuries at birth.....	3	2						1		3					
35	External causes.....	8				2	2			1	3		4			1
38	Diseases ill-defined or unknown.....	61	13	2	2	3	20	5	6	1	32	4	6	10	2	7
	All other causes.....	16		1		1	2	2	1		5		2	3	1	5
BIRMINGHAM, ALA. (WHITE).																
	All causes.....	193	33	6	5	13	57	13	10	8	88	13	17	20	18	37
5	Measles.....	2													1	1
6	Scarlet fever.....															
7	Whooping cough.....	3											1			2
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1											1			
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....	4														
(37)	Convulsions.....	2			1		1			1	2				3	
19	Organic diseases of the heart.....	1	1				1				1					
20	Acute bronchitis.....															
22	Pneumonia.....	8														
(23)	Bronchopneumonia.....	11			1		1	1			2	1		3	1	1
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	59						1	1	3	5	4	7	10	9	24
(33)	Malformations.....	6	2	1		1	4	2	3	3	6					
(33)	Premature birth.....	41	20	3	1	6	30	3	3	3	39	1	1			
(33, 37)	Congenital debility.....	14	2		1	1	4	2	3	3	9	3	2			
(37)	Injuries at birth.....	3	2				2		1		3					
35	External causes.....	3				1	1				1					
38	Diseases ill-defined or unknown.....	24	6	1	2	2	11	1	1		13	2	3	3		3
	All other causes.....	10		1		1	2	2	1		5		1	1	1	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
BIRMINGHAM, ALA. (COLORED).															
	All causes.....	198	13	10	11	34	14	8	5	61	12	24	45	26	30
5	Measles.....	2							1	1					1
6	Scarlet fever.....														1
7	Whooping cough.....	1					1			1					1
8	Diphtheria and croup.....	3											1		1
9	Influenza.....														
(12)	Dysentery.....														
(12)	Erysipelas.....														
(37)	Tetanus.....	1								1					
13	Tuberculosis of the lungs.....	2										1			1
14	Tuberculous meningitis.....														
15	Other forms of tuberculosis.....														
(37)	Syphilis.....	11	1		2	3				3	2	1	3	1	1
17	Meningitis.....														
(37)	Convulsions.....	4		2	1	3	1			4					
19	Organic diseases of the heart.....	1									1				
20	Acute bronchitis.....														
22	Pneumonia.....	21			2	2	1	1		4			9	4	4
(23)	Bronchopneumonia.....	17					1			1		3	5	4	4
24	Diseases of the stomach.....														
25	Diarrhea and enteritis.....	55						1	1	2	4	7	18	15	9
(33)	Malformations.....	2								1		1			
(33)	Premature birth.....	17	5	5	3	13	2			15	1	1			
(33, 37)	Congenital debility.....	13		2		3	2	1	1	7	2	4			
(37)	Injuries at birth.....														
35	External causes.....	5			1	1				2		2			1
38	Diseases ill-defined or unknown.....	37	7	1	1	9	4	5	1	19	2	3	7	2	4
	All other causes.....	6										1	2		3
LOS ANGELES, CAL.															
	All causes.....	531	89	38	16	37	180	39	28	26	273	48	31	74	57
5	Measles.....	11									1		1	2	7
6	Scarlet fever.....	1													1
7	Whooping cough.....	8									2	1	2	2	1
8	Diphtheria and croup.....	2											2		
9	Influenza.....	3					1	1		2					1
(12)	Dysentery.....	3												2	1
(12)	Erysipelas.....														
(37)	Tetanus.....														
13	Tuberculosis of the lungs.....	15			3	3			1	4	2		3	5	1
14	Tuberculous meningitis.....	14										1	6	3	4
15	Other forms of tuberculosis.....	2											1	1	
(37)	Syphilis.....	29	1	1		2	3	2	3	10	7	5	5	1	7
17	Meningitis.....	14			1	1	1			2	2	2	3	3	1
(37)	Convulsions.....	8			1	2	2	1	1	6			1	1	
19	Organic diseases of the heart.....	1			1	1				1			1		2
20	Acute bronchitis.....	9		1		1			1	3			1	3	2
22	Pneumonia.....	32								7	3	3	12	1	6
(23)	Bronchopneumonia.....	24								5	4	3	4	6	4
24	Diseases of the stomach.....	7								1	1	1	3	1	
25	Diarrhea and enteritis.....	66				1		6		9	8	9	15	11	14
(33)	Malformations.....	40	8	8	2	7	2	3		30	4	1	2	2	1
(33)	Premature birth.....	119	58	22	7	25	8	5	5	111	6	2			
(33, 37)	Congenital debility.....	58	12	3	3	9	6	5	8	48	6	4			
(37)	Injuries at birth.....	18	7	2	3	4	2			18					
35	External causes.....	4	1			1				1	1			1	1
38	Diseases ill-defined or unknown.....	16								1			10	4	2
	All other causes.....	27	2	1		5	6	2	2	15	3	1	3	2	3
OAKLAND, CAL.															
	All causes.....	253	42	11	6	26	85	13	7	8	113	24	25	49	19
5	Measles.....	1												1	
6	Scarlet fever.....														
7	Whooping cough.....	19						1		1	3	2	7	2	4
8	Diphtheria and croup.....	1											1		
9	Influenza.....														
(12)	Dysentery.....														
(12)	Erysipelas.....	2									1				
(37)	Tetanus.....														
13	Tuberculosis of the lungs.....	3											2		1
14	Tuberculous meningitis.....	1													
15	Other forms of tuberculosis.....	2													
(37)	Syphilis.....	7							1	1		4	2		
17	Meningitis.....	8			1	1		1		2	2	1	2	1	
(37)	Convulsions.....	2											1	1	
19	Organic diseases of the heart.....	1													
20	Acute bronchitis.....	4			1	1	2			3			1		1
22	Pneumonia.....	15					1			2	2	1	5	4	2
(23)	Bronchopneumonia.....	19		1		1		1		1		2	7	7	1
24	Diseases of the stomach.....	4									1	1	2		
25	Diarrhea and enteritis.....	55			1	1	3		3	7	8	12	13	7	8
(33)	Malformations.....	15	5	2	1	5	13	1		14	1				
(33)	Premature birth.....	46	25	6	3	5	39	1	3	43	2	1			
(33, 37)	Congenital debility.....	26	6	1	1	7	15	4	1	23	1	1		1	
(37)	Injuries at birth.....	7	6			7				7					
35	External causes.....	1													1
38	Diseases ill-defined or unknown.....	1											1		
	All other causes.....	13		1	1	5	7	1	1	9	1		3		

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
SAN FRANCISCO, CAL.																
	All causes.....	699	65	27	28	59	179	52	33	30	294	84	70	113	69	69
5	Measles.....	8												1	2	5
6	Scarlet fever.....															
7	Whooping cough.....	18										1		7	3	7
8	Diphtheria and croup.....	1														1
9	Influenza.....	1												1		
(12)	Dysentery.....					1										
(12)	Erysipelas.....	1								1	1					
(37)	Tetanus.....	3			1	2	3			3	7					
13	Tuberculosis of the lungs.....	25		1		1	2		3	2	1	4	5	3		5
14	Tuberculous meningitis.....	13				1	2				1	1	2	3		6
15	Other forms of tuberculosis.....	4									1			2		1
(37)	Syphilis.....	12				1	1	1	1	1	4	4	1	2		1
17	Meningitis.....	10											1	5	2	2
(37)	Convulsions.....	8	1	2			3	1	1		5			1	2	
19	Organic diseases of the heart.....	7				1	1	1	1	1	4		2		1	
20	Acute bronchitis.....	22				1	1	3		2	6	4	3	3		3
22	Pneumonia.....	45				1	1		3	2	6	5	5	7	11	11
(23)	Bronchopneumonia.....	48		2			2		2	2	9	5	6	9	12	7
24	Diseases of the stomach.....	31				2	2	1	2	2	3	8	10	9	1	
25	Diarrhea and enteritis.....	148				2	2	4	4	7	15	33	24	45	19	12
(33)	Malformations.....	59	5	5	8	10	28	8	2	2	40	6	3	5	2	3
(33)	Premature birth.....	114	46	9	7	23	85	14	6	3	108	5	1			
(33, 37)	Congenital debility.....	52	5	5	6	7	23	10	5	6	44	4	4			
(37)	Injuries at birth.....	21	7	2	3	6	18	2			20	1	4			
35	External causes.....	8			2		2	1	2	1	6	1				1
38	Diseases ill-defined or unknown.....	10	1				1				1			6	2	1
	All other causes.....	30		1	1	4	6	5	1		12	4	4	4	3	3
DENVER, COLO.																
	All causes.....	464	73	18	14	30	135	38	25	25	223	52	46	72	51	20
5	Measles.....	4												2	1	1
6	Scarlet fever.....	5											1	1	3	
7	Whooping cough.....	1														1
8	Diphtheria and croup.....	1														
9	Influenza.....	1												1		
(12)	Dysentery.....															
(12)	Erysipelas.....	6						2		1	3			1	1	1
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	2												1		1
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	10										4	2			
17	Meningitis.....	14				1	1	2	2	1	5	3		4	3	
(37)	Convulsions.....	6		1	1		2	1	1	1	4		1	1		
19	Organic diseases of the heart.....	2				1	1				1				1	
20	Acute bronchitis.....	13				1	1			1	2	1				
22	Pneumonia.....	25				1	1		2	1	4	3	3	6	6	3
(23)	Bronchopneumonia.....	20					1			1	4	3	3	2	3	2
24	Diseases of the stomach.....	9					1		1		2	3	3	1	1	
25	Diarrhea and enteritis.....	101						1	1	3	12	16	13	27	28	5
(33)	Malformations.....	33	8	6	2	7	23	2	3	1	29	2		1	1	
(33)	Premature birth.....	95	51	8	6	5	70	10	9	2	91	4	4			
(33, 37)	Congenital debility.....	66	9	2	3	7	21	14	5	7	47	9	10			
(37)	Injuries at birth.....	9	3		1	4	8	1			9					
35	External causes.....	7	1				1			2	3	1		1	1	1
38	Diseases ill-defined or unknown.....	7									3			1	1	1
	All other causes.....	26		1	1	4	6	3		1	10	2	1	7	2	4
BRIDGEPORT, CONN.																
	All causes.....	367	27	13	13	28	81	21	21	10	133	32	32	73	61	36
5	Measles.....															
6	Scarlet fever.....	2														2
7	Whooping cough.....	16											1	8	5	2
8	Diphtheria and croup.....	3													2	1
9	Influenza.....	1														
(12)	Dysentery.....									1	1					
(12)	Erysipelas.....	1														
(37)	Tetanus.....													1		
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	3													1	2
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	3				1	1				1	2				
17	Meningitis.....	4														
(37)	Convulsions.....	8	1		1	4	6			1	7		2		1	1
19	Organic diseases of the heart.....	1											1			
20	Acute bronchitis.....	7								1	1	3		1		2
22	Pneumonia.....	25					1	2	1	1	4	1	2	6	7	5
(23)	Bronchopneumonia.....	20					1	1	1	2	2	1	3	3	9	2
24	Diseases of the stomach.....	4												2	1	1
25	Diarrhea and enteritis.....	113		1			1	2	4	3	10	15	12	37	26	13
(33)	Malformations.....	22	3	2	5	4	14	3	1		18	1	1	2		
(33)	Premature birth.....	37	14	5	3	7	29	7	1		37					
(33, 37)	Congenital debility.....	48	5	3	1	8	17	4	8	3	32	12	4			
(37)	Injuries at birth.....	11	4	2	2	2	10	1			11					
35	External causes.....	5									2		1			2
38	Diseases ill-defined or unknown.....	17												11	5	1
	All other causes.....	16			1	2	3	2	2		7		1	3	3	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEW HAVEN, CONN.																
	All causes.....	406	49	28	13	25	115	18	17	15	165	32	27	80	52	50
5	Measles.....	2														2
6	Scarlet fever.....															
7	Whooping cough.....	9											2	3	1	3
8	Diphtheria and croup.....	1													1	
9	Influenza.....	6						1	2		3	2				1
(12)	Dysentery.....	2								1	1				1	
(12)	Erysipelas.....	5								1	1	2	1	1		
(37)	Tetanus.....	1								1		1				
13	Tuberculosis of the lungs.....	5												2	3	
14	Tuberculous meningitis.....	4												3		1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5										1		2		2
17	Meningitis.....	5													4	1
(37)	Convulsions.....	9		1		3	4		1	1	5	1		1	2	
19	Organic diseases of the heart.....	4	1			1	2	1	1		4					
20	Acute bronchitis.....	13						1	2	2	5	1	1	2	1	3
22	Pneumonia.....	24				3	3	1	2	1	7		1	8	6	2
(23)	Bronchopneumonia.....	21								2	2	2	1	4	5	7
24	Diseases of the stomach.....	5						1			1			1	2	1
25	Diarrhea and enteritis.....	103				1	1	2	3	2	8	9	15	34	15	22
(33)	Malformations.....	14	2	3	1	3	9	2	1	1	12			1		1
(33)	Premature birth.....	56	26	15	8	1	50	3	1		54	2				
(33, 37)	Congenital debility.....	43	11	5	2	6	24	5	4	4	37	9	2			
(37)	Injuries at birth.....	14	7	3	1	3	14				14					
35	External causes.....	2												1		1
38	Diseases ill-defined or unknown.....	27	2	1	1	1	5				5		3	13	5	1
	All other causes.....	21				3	3	1	1	1	6	2	1	4	6	2
WASHINGTON, D. C. (TOTAL).																
	All causes.....	1,068	163	51	29	64	307	53	36	31	427	94	86	221	138	102
5	Measles.....	3										1	1			1
6	Scarlet fever.....	20								1	1	2	1	5	7	4
7	Whooping cough.....	3						1			1			2		
8	Diphtheria and croup.....	4								1	1	1		1		
9	Influenza.....	1									1					
(12)	Dysentery.....	1										1				
(12)	Erysipelas.....	1										1				
(37)	Tetanus.....	7				1	1	4	2		7					
13	Tuberculosis of the lungs.....	6												4		2
14	Tuberculous meningitis.....	2													1	
15	Other forms of tuberculosis.....	17	4	2		1	7	1		1	9	3	3	2		4
(37)	Syphilis.....	8													3	1
17	Meningitis.....	22		1	2		4	4	2	1	11	1		6	2	2
(37)	Convulsions.....	7		1		3	4				4	1		2		
19	Organic diseases of the heart.....	29	1			1	2			2	4	4	2	11	4	4
20	Acute bronchitis.....	80		1		1	2	1	5		8	8	8	23	13	20
(23)	Bronchopneumonia.....	49		2			2	1	1	1	5	2	3	17	14	8
24	Diseases of the stomach.....	14			1		1	1			2	2	2	4	1	3
25	Diarrhea and enteritis.....	268				5	5	2	1	5	13	35	34	80	65	41
(33)	Malformations.....	25	13	1	2	2	18	3	1		22	1		2		
(33)	Premature birth.....	211	107	29	14	18	168	17	10	7	202	5	4			
(33, 37)	Congenital debility.....	132	17	7	6	20	50	13	9	11	83	22	25	2		
(37)	Injuries at birth.....	24	15	3		4	22	1	1		24					
35	External causes.....	7	1				1	1			2		2	1	2	
38	Diseases ill-defined or unknown.....	72	1			1	1				1			45	18	8
	All other causes.....	56	4	4	4	7	19	3	4	1	27	4		11	9	5
WASHINGTON, D. C. (WHITE).																
	All causes.....	487	95	26	13	30	164	29	13	17	223	28	31	102	58	45
5	Measles.....	1														1
6	Scarlet fever.....	7								1	1			1	3	1
7	Whooping cough.....	2												2		
8	Diphtheria and croup.....	1														
9	Influenza.....	1													1	
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1										1				
(37)	Tetanus.....	3						2	1		3					
13	Tuberculosis of the lungs.....	5														1
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	5										1				
(37)	Syphilis.....	5										1		1		
17	Meningitis.....	12				1	1	3	2	1	7			2	1	2
(37)	Convulsions.....	7					4				4	1		3	1	1
19	Organic diseases of the heart.....	8		1		3					1			2		
20	Acute bronchitis.....	17						1	2		3		1	6	1	4
(23)	Bronchopneumonia.....	20		1			1	1			3	2	1	6	6	4
24	Diseases of the stomach.....	4			1		1	1			2			2		
25	Diarrhea and enteritis.....	112				2	2	1		4	7	9	11	38	27	20
(33)	Malformations.....	19	11		1	1	13	3	1		17			2		
(33)	Premature birth.....	91	58	14	6	4	82	7		2	91					
(33, 37)	Congenital debility.....	72	14	4	4	10	32	6	2	6	46	11	14	1		
(37)	Injuries at birth.....	17	9	3		3	15	1	1		17					
35	External causes.....	4														
38	Diseases ill-defined or unknown.....	41	1				1				1			27	8	5
	All other causes.....	35	2	3	1	6	12	3	3		18	1		4	8	4

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged In t. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
WASHINGTON, D. C. (COLORED).																
	All causes.....	581	68	25	16	34	143	24	23	14	204	66	55	119	80	57
5	Measles.....															
6	Scarlet fever.....	2														
7	Whooping cough.....	13										1	1			
8	Diphtheria and croup.....	1						1				2		4	4	3
9	Influenza.....	3								1	1	1		1		
(12)	Dysentery.....									1						
(12)	Erysipelas.....										1					
(37)	Tetanus.....	4														
13	Tuberculosis of the lungs.....					1	1	2	1		4					
14	Tuberculous meningitis.....	1														1
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	12	4	2		1	7				7	2	2	1		1
17	Meningitis.....	3														2
(37)	Convulsions.....	10		1	2		3	1			4	1		3	1	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	21	1			1										2
22	Pneumonia.....	63		1		1	2		3	1	3	3	1	10	2	2
(23)	Bronchopneumonia.....	29		1		1	2				5	6	7	17	12	16
24	Diseases of the stomach.....	10		1			1	1			2	2	2	11	8	4
25	Diarrhea and enteritis.....	156									2	2	2	2	1	3
(33)	Malformations.....	6	2	1	1	1	3	1	1	1	6	26	23	42	38	21
(33)	Premature birth.....	120	49	15	8	14	86	10	10	5	5	1				
(33, 37)	Congenital debility.....	60	3	3	2	10	18	7	7	5	111	5	4			
(37)	Injuries at birth.....	7	6	3		1	7				37	11	11	1		
35	External causes.....	7	1			1	1	1			7					
38	Diseases ill-defined or unknown.....	31									2		2	1	2	
	All other causes.....	21	2	1	3	1	7		1	1	9	3		18	10	3
ATLANTA, GA. (TOTAL).																
	All causes.....	521	58	23	9	33	123	28	19	22	192	49	44	103	70	63
5	Measles.....	3													1	1
6	Scarlet fever.....	1														1
7	Whooping cough.....	7														
8	Diphtheria and croup.....	7								1	1	2	2	1	1	
9	Influenza.....	7												3		2
(12)	Dysentery.....	14										3	1	5	1	4
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	2										1				
15	Other forms of tuberculosis.....	2										1			1	
(37)	Syphilis.....	1														
17	Meningitis.....	7		1			1					1				
(37)	Convulsions.....	7		1			1				1			4	1	1
19	Organic diseases of the heart.....	1		1	1	1	3				5			2	2	
20	Acute bronchitis.....	8					1					2	1	1	1	
22	Pneumonia.....	72		1		2	9		3	2	3	2	1	1	1	
(23)	Bronchopneumonia.....	25				3	3	2	8	2	16	6	9	22	7	12
24	Diseases of the stomach.....	14				1	1	1	2	1	5	4	2	5	6	3
25	Diarrhea and enteritis.....	105						1	1	1	2	2	2	4	2	3
(33)	Malformations.....	13	4	1	1	2	9	2	3	2	9	4	9	24	37	22
(33)	Premature birth.....	83	33	16	1	17	73	5	5	2	10	1	1			1
(33, 37)	Congenital debility.....	56	10	1	1	5	17	8	3	8	80	2	1			
(37)	Injuries at birth.....	9	6	3			9				36	12	8			
35	External causes.....	14				2	2	2			9					
38	Diseases ill-defined or unknown.....	37					2	2			4	4	2	3		1
	All other causes.....	34			1	1	2	6	2	1	11	3	4	4	5	7
ATLANTA, GA. (WHITE).																
	All causes.....	286	41	13	5	15	74	15	9	12	110	26	31	48	34	37
5	Measles.....	2														1
6	Scarlet fever.....	1														1
7	Whooping cough.....	3														
8	Diphtheria and croup.....	4								1	1		1			
9	Influenza.....	4											2			2
(12)	Dysentery.....	7														
(12)	Erysipelas.....															
(37)	Tetanus.....												1	3	1	2
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	1														
17	Meningitis.....	4														
(37)	Convulsions.....	4												2	1	1
19	Organic diseases of the heart.....	4		1	1	1	3				3			1		
20	Acute bronchitis.....	3														
22	Pneumonia.....	23				1	1	2	4	1	1	1	1	6	1	3
(23)	Bronchopneumonia.....	16				1	1	1	1	1	4	4	2	1	2	3
24	Diseases of the stomach.....	7						1	1	1	2	1	1	1		1
25	Diarrhea and enteritis.....	59									3	1	7	16	20	12
(33)	Malformations.....	9	2	1	1	1	5	1	1	1	6	1	1			1
(33)	Premature birth.....	50	29	8	1	6	44	3	3	5	48	2	5			
(33, 37)	Congenital debility.....	36	6	1	1	3	10	5	1	5	21	10				
(37)	Injuries at birth.....	7	4	3			7				7					
35	External causes.....	5														
38	Diseases ill-defined or unknown.....	19												2	2	1
	All other causes.....	23			1	1	2	2	1	1	6	2	4	11	3	5

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
ATLANTA, GA. (COLORED).																
	All causes.....	235	17	10	4	18	49	13	10	10	82	23	13	55	36	26
5	Measles.....	1												1		
6	Scarlet fever.....	4														
7	Whooping cough.....	4										2	1		1	
8	Diphtheria and croup.....	3												3		
9	Influenza.....	7														2
(12)	Dysentery.....	7										3		2		
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	1										1				
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....										1			2		
17	Meningitis.....	3		1			1				2			2	1	
(37)	Convulsions.....	3									2			1		
19	Organic diseases of the heart.....	1												1		
20	Acute bronchitis.....	5			1		1				2	2			1	
22	Pneumonia.....	47			2		2				8	3	5	16	6	9
(23)	Bronchopneumonia.....	9								1	1			4	4	2
24	Diseases of the stomach.....	7												2	2	
25	Diarrhea and enteritis.....	46			1		1	2	2	1	6	3	2	8	17	10
(33)	Malformations.....	4	2		2	2	4				4					
(33)	Premature birth.....	33	9	8	1	11	29	2		1	32		1			
(33, 37)	Congenital debility.....	20	4	1		2	7	3	2	3	15	2	3			
(37)	Injuries at birth.....	2	2				2				2					
35	External causes.....	9			2		2				4	4		1		
38	Diseases ill-defined or unknown.....	18									4	1	1	12	2	2
	All other causes.....	11						4	1		5	1		2	2	1
CHICAGO, ILL. (TOTAL).																
	All causes.....	6,844	606	250	215	412	1,483	412	348	245	2,488	634	587	1,316	1,028	791
5	Measles.....	39				1	1	1	2		4	1		3	12	19
6	Scarlet fever.....	14	1				1	1			2			1	5	6
7	Whooping cough.....	73					1	1		6	7	9		19	16	17
8	Diphtheria and croup.....	66			1		1	1	1	1	4	2	2	10	19	29
9	Influenza.....	13			1		1	1			2			1	7	3
(12)	Dysentery.....	21							3					10	8	3
(12)	Erysipelas.....	22							3	3		4	4	3	3	4
(37)	Tetanus.....	6				3	3	2	1		7					
13	Tuberculosis of the lungs.....	34				1	1				1	1	5	7	7	13
14	Tuberculous meningitis.....	39						1			1		3	13	15	7
15	Other forms of tuberculosis.....	6												1	2	1
(37)	Syphilis.....	114	7	2	6	5	20	9	4	8	41	29	16	20	7	1
17	Meningitis.....	53		2		1	1	4	1	1	3	2	1	12	13	16
(37)	Convulsions.....	34	2	5	3	5	13	1	1	4	21	2	3	3	3	
19	Organic diseases of the heart.....	15					1	4			4	2	2	2	2	1
20	Acute bronchitis.....	39	1	2	8	3	29	5	3	1	13	5	8	5	4	4
22	Pneumonia.....	531	3	3	16	16	29	21	22	21	193	97	51	107	116	407
(23)	Bronchopneumonia.....	788	3	3	6	18	30	31	45	38	144	98	92	175	151	128
24	Diseases of the stomach.....	26			1	1	3	1	3	1	8	4	3	20	11	5
25	Diarrhea and enteritis.....	2,949	6	14	20	61	101	146	156	125	528	335	328	808	570	385
(33)	Malformations.....	310	75	27	28	57	187	26	16	11	240	15	19	20	11	5
(33)	Premature birth.....	676	308	93	54	80	533	65	35	12	645	18	13			
(33, 37)	Congenital debility.....	351	74	41	39	84	233	54	25	7	324	17	6	1	3	
(37)	Injuries at birth.....	241	116	44	31	34	225	8	6	1	240	1	1			
35	External causes.....	62	3	12	3	5	23	2	1	2	23	4	3	10	5	12
38	Diseases ill-defined or unknown.....	30						1			1	1	2	22	3	1
	All other causes.....	287	9	4	15	35	63	27	22	4	116	24	16	63	40	28
CHICAGO, ILL. (WHITE).																
	All causes.....	6,729	593	239	205	407	1,444	410	346	242	2,442	623	575	1,298	1,016	775
5	Measles.....	39				1	1	1	2		4	1		3	12	19
6	Scarlet fever.....	14	1				1	1			2			1	5	6
7	Whooping cough.....	76					1	1		6	7	9		19	16	17
8	Diphtheria and croup.....	65			1		1	1	1	1	4	2	2	9	19	29
9	Influenza.....	12									1			1	7	3
(12)	Dysentery.....	20												10	8	2
(12)	Erysipelas.....	22							3	3	7	4	4	3	3	4
(37)	Tetanus.....	6				3	3	2	1		6					
13	Tuberculosis of the lungs.....	33					3				6			5	6	13
14	Tuberculous meningitis.....	38					1	1			1		2	13	15	7
15	Other forms of tuberculosis.....	5										3		1	1	
(37)	Syphilis.....	109	7	2	4	5	18	9	4	8	39	27	15	20	7	1
17	Meningitis.....	53		2		1	3	4	1		8	3	1	12	13	16
(37)	Convulsions.....	33	2	5	3	5	15	1	1	4	21	2	3	4	3	
19	Organic diseases of the heart.....	14				1	1	2	1		4	2	3	2	3	
20	Acute bronchitis.....	39	1		3	3	4	5	3	1	13	5	8	5	4	4
22	Pneumonia.....	518	2	1	8	16	27	21	22	21	91	56	50	106	114	101
(23)	Bronchopneumonia.....	773	3	3	5	18	29	30	45	38	142	97	90	172	147	125
24	Diseases of the stomach.....	26		1	1	1	3	1	3	1	8	4	3	5	5	1
25	Diarrhea and enteritis.....	2,916	6	14	20	60	100	146	156	122	524	328	322	796	565	381
(33)	Malformations.....	304	73	26	26	56	181	26	16	11	234	15	19	20	11	5
(33)	Premature birth.....	656	299	85	53	79	516	64	33	12	625	18	13			
(33, 37)	Congenital debility.....	346	73	41	36	83	233	54	25	7	319	17	6	1	3	
(37)	Injuries at birth.....	237	115	43	31	33	222	8	6	1	237					
35	External causes.....	62	3	12	3	5	23	2	1	2	23	4	3	10	5	12
38	Diseases ill-defined or unknown.....	29						1			1	1	2	21	3	1
	All other causes.....	284	8	4	15	35	62	27	22	4	115	24	16	61	40	28

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
CHICAGO, ILL. (COLORED).																
	All causes.....	115	13	11	10	5	39	2	2	3	46	11	12	18	12	16
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2												1		1
8	Diphtheria and croup.....	1												1		
9	Influenza.....	1			1						1					
(12)	Dysentery.....	1					1									
(12)	Erysipelas.....	1														1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1											1			
(37)	Syphilis.....	5			2		2				2	2	1			1
17	Meningitis.....	1														
(37)	Convulsions.....	1														
19	Organic diseases of the heart.....	1												1		
20	Acute bronchitis.....	1														1
22	Pneumonia.....	13	1	1			2				2	1	1	1	2	6
(23)	Bronchopneumonia.....	15			1		1	1			2	1	2	1	3	4
24	Diseases of the stomach.....	1														3
25	Diarrhea and enteritis.....	33				1	1			3	4	7	6	7	5	4
(33)	Malformations.....	6	2	1	2	1	6			3	4	7	6	7	5	4
(33)	Premature birth.....	20	7	8	1	1	17	1		2	20					
(33, 37)	Congenital debility.....	5	1	1	3	1	5				5			1		
(37)	Injuries at birth.....	4	1	1		1	3				3					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....	1												1		
	All other causes.....	3	1				1				1			2		
INDIANAPOLIS, IND. (TOTAL).																
	All causes.....	557	69	38	19	44	170	40	29	20	259	50	44	78	75	51
5	Measles.....	6								1	1				3	2
6	Scarlet fever.....	1														
7	Whooping cough.....	17										2	2	3	8	2
8	Diphtheria and croup.....	2													2	
9	Influenza.....	2									1		1			
(12)	Dysentery.....	1						1								
(12)	Erysipelas.....	3								1				1		1
(37)	Tetanus.....	3							1	2	1			1		
13	Tuberculosis of the lungs.....	6						2		1	3					2
14	Tuberculous meningitis.....	6									2				1	2
15	Other forms of tuberculosis.....	3							1	1	1			2	3	1
(37)	Syphilis.....	20	1				1	1	4	3	9	7	2	2	2	4
17	Meningitis.....	6								3	7	2	2	1	1	4
(37)	Convulsions.....	4				2	2			1	3					
19	Organic diseases of the heart.....	4					2	1			3				1	2
20	Acute bronchitis.....	18					3			1	2		1		2	3
22	Pneumonia.....	48			1		1	3	2	1	3	2	1	4	4	3
(23)	Bronchopneumonia.....	15					4	4	2	3	16	11	9	4	9	10
24	Diseases of the stomach.....	143				5	5	3	3	5	16	11	4	4	4	1
25	Diarrhea and enteritis.....	64	12	8	7	17	44	6	6	1	56	17	17	42	37	20
(33)	Malformations.....	99	48	24	6	6	84	10	5	2	96	1	1	1		1
(33)	Premature birth.....	32	5	4	4	5	13	5		2	25	9	3			
(33, 37)	Congenital debility.....	9	3	1		4	8			1	9					
(37)	Injuries at birth.....	5			1	1	2			1	3			1		1
35	External causes.....	7					2			1	3			1		1
38	Diseases ill-defined or unknown.....	27		1		4	5	3		3	11	3	3	3	5	2
	All other causes.....															
INDIANAPOLIS, IND. (WHITE).																
	All causes.....	478	61	32	15	39	147	32	26	19	224	47	39	67	62	39
5	Measles.....	4								1	1				2	1
6	Scarlet fever.....	1														
7	Whooping cough.....	17										2	2	3	8	2
8	Diphtheria and croup.....	2													2	
9	Influenza.....	2									1		1			
(12)	Dysentery.....	1						1								
(12)	Erysipelas.....	3								1				1		1
(37)	Tetanus.....	3							1	2	1			1		
13	Tuberculosis of the lungs.....	3						2		1	3					1
14	Tuberculous meningitis.....	6									2					1
15	Other forms of tuberculosis.....	2												2	3	1
(37)	Syphilis.....	18	1				1	1	3	3	8	7	2	2	3	
17	Meningitis.....	4								3	7	1	1	2		3
(37)	Convulsions.....	4								1	3			1		
19	Organic diseases of the heart.....	4				2	2	1			3				1	1
20	Acute bronchitis.....	8								1	2					1
22	Pneumonia.....	17					1	3		1	3				1	3
(23)	Bronchopneumonia.....	38			1		1	3	2	1	7		3	4	7	3
24	Diseases of the stomach.....	13								3	5				7	5
25	Diarrhea and enteritis.....	124				5	5	2	3	4	14	11	15	36	31	17
(33)	Malformations.....	59	11	8	5	16	40	5	5	1	51	11	15	1		1
(33)	Premature birth.....	84	42	19	5	5	71	9	9	1	81	1	1	1		1
(33, 37)	Congenital debility.....	22	4	3	3	3	13	3			17	2	3			
(37)	Injuries at birth.....	8	3	1		3	7			1	8					
35	External causes.....	4			1	1	2			1	3					1
38	Diseases ill-defined or unknown.....	7								1	1		1			1
	All other causes.....	24		1		4	5	2		3	10	3	3	2	4	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
INDIANAPOLIS, IND. (COLORED).																
	All causes.....	79	8	6	4	5	23	8	3	1	35	3	5	11	13	12
5	Measles.....	2													1	1
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3										1			1	1
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1						1			1					
(37)	Syphilis.....	2							1		1		1			
(37)	Meningitis.....	2													1	1
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2													1	1
22	Pneumonia.....	1											1			
(23)	Bronchopneumonia.....	10						1			1		1		2	5
24	Diseases of the stomach.....	2													2	5
25	Diarrhea and enteritis.....	19						1		1	2		2	6	6	3
(33)	Malformations.....	5	1		2	4	1				5					
(33)	Premature birth.....	15	6	5	1	13	1			1	15					
(33,37)	Congenital debility.....	10	1	1	1	5	2			1	8	1	1			
(37)	Injuries at birth.....	1				1					1					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....														1	
	All other causes.....	3						1			1			1	1	
LOUISVILLE, KY. (TOTAL).																
	All causes.....	503	50	52	27	39	168	27	16	13	224	45	41	89	67	37
5	Measles.....	1													1	1
6	Scarlet fever.....	1														
7	Whooping cough.....	20						1			1	2	2	6	7	2
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1														
(37)	Tetanus.....	3						1		2	3		1			
13	Tuberculosis of the lungs.....	4								2	3			1	3	1
14	Tuberculous meningitis.....	3												1	1	1
15	Other forms of tuberculosis.....	2								1	1			1	1	1
(37)	Syphilis.....	4	1	1		2					2	1	1			
(37)	Meningitis.....	18						1		1	2	2	1	5	6	3
(37)	Convulsions.....	36		4	3	2	9	3	4	1	17	5	2	6	6	3
19	Organic diseases of the heart.....	4	1			2	3				3	5	2	1	1	3
20	Acute bronchitis.....	6												2	2	1
22	Pneumonia.....	41				1		1	1		3	7	6	12	8	5
(23)	Bronchopneumonia.....	11												3	6	2
24	Diseases of the stomach.....	3						1			1			3	1	2
25	Diarrhea and enteritis.....	47						1		1	2	5	5	19	9	7
(33)	Malformations.....	6	1		2	4	1				4	1	1			
(33)	Premature birth.....	126	41	40	18	19	118	4	2	1	125	1	1			
(33,37)	Congenital debility.....	89	5	4	2	13	24	12	9	6	51	18	20			
(37)	Injuries at birth.....	1	1				1				1					
35	External causes.....															
38	Diseases ill-defined or unknown.....				1		1				1	1		30	18	5
	All other causes.....	19		3	1	1	5	2			7	2	1	2	2	5
LOUISVILLE, KY. (WHITE).																
	All causes.....	372	41	36	22	29	128	18	11	11	168	31	32	61	52	28
5	Measles.....	1													1	1
6	Scarlet fever.....	1														
7	Whooping cough.....	15										2	2	4	5	2
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....	3						1		2	3		1			
13	Tuberculosis of the lungs.....	2									3				2	1
14	Tuberculous meningitis.....	3													1	1
15	Other forms of tuberculosis.....	2								1	1			1	1	1
(37)	Syphilis.....	2									1	1				
(37)	Meningitis.....	15						1		1	2	1	1	4	6	2
(37)	Convulsions.....	18				1	6	1	1	1	9	5	2	1	1	1
19	Organic diseases of the heart.....	4	1	3	2	2	3				3					
20	Acute bronchitis.....	5												2	1	1
22	Pneumonia.....	24									1	3	4	9	1	3
(23)	Bronchopneumonia.....	5												1	4	2
24	Diseases of the stomach.....	1												3	1	2
25	Diarrhea and enteritis.....	38						1		1	2	2	4	14	9	7
(33)	Malformations.....	6	1		2	4	1				4	1	1			
(33)	Premature birth.....	102	35	30	14	15	94	4	2	1	101	1	1			
(33,37)	Congenital debility.....	63	4	1	2	9	16	8	7	4	35	13	15			
(37)	Injuries at birth.....															
35	External causes.....															
38	Diseases ill-defined or unknown.....				1		1				1	1		26	16	3
	All other causes.....	13		2	1	1	4	2			6	1		2	2	4

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
LOUISVILLE, KY. (COLORED).																
	All causes.....	131	9	16	5	10	40	9	5	2	56	14	9	28	15	9
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	5						1			1			2	2	
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	1														1
(12)	Erysipelas.....															
(37)	Tetanus.....													1	1	
13	Tuberculosis of the lungs.....	2														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2	1	1		2				2				1		1
17	Meningitis.....	3									1					
(37)	Convulsions.....	18		1	1	3	2	3		8				5	3	2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	17			1	1	1			2	4	2		3	3	2
(23)	Bronchopneumonia.....	6												3	3	
24	Diseases of the stomach.....	2						1		1				1	4	
25	Diarrhea and enteritis.....	9									3	1		5		
(33)	Malformations.....															
(33)	Premature birth.....	24	6	10	4	4	24			24						
(33,37)	Congenital debility.....	26	1	3		4	8	4	2	16	5	5				
(37)	Injuries at birth.....	1	1				1			1						
35	External causes.....															
38	Diseases ill-defined or unknown.....	8												4	2	2
	All other causes.....	6		1			1			1	1	1		2		1
NEW ORLEANS, LA. (TOTAL).																
	All causes.....	1,061	74	24	30	57	185	73	50	47	355	110	93	247	168	88
5	Measles.....	12											1	2	5	4
6	Scarlet fever.....															
7	Whooping cough.....	7									1	1		2	2	1
8	Diphtheria and croup.....	2													1	1
9	Influenza.....	12									1				2	4
(12)	Dysentery.....	2												5	1	
(12)	Erysipelas.....													2		
(37)	Tetanus.....	53	1		4	17	22	26	4	52				1		
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	4											1	2	1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	19				1	1	3	3	9	3			5	2	1
17	Meningitis.....	10						1		1				2	5	1
(37)	Convulsions.....	15	2		1	4	5			9	1			2	2	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	43				1	1	4	4	12	9			3	10	8
22	Pneumonia.....	83			1	2	3	3	1	14	10			7	19	8
(23)	Bronchopneumonia.....	98				2	2	5	1	13	10			2	22	11
24	Diseases of the stomach.....	13				1	1			2	9			14	28	17
25	Diarrhea and enteritis.....	368			2	2	4	16	12	40	41			34	127	39
(33)	Malformations.....	43	12	3	6	4	25	3	2	33	1			4	2	
(33)	Premature birth.....	88	44	11	11	10	76	3	5	87	3					
(33,37)	Congenital debility.....	100	9	6	2	10	27	11	6	57	20	22			1	
(37)	Injuries at birth.....	14	6		1	1	12	1		13						
35	External causes.....	4					1			2						
38	Diseases ill-defined or unknown.....	25												19	5	1
	All other causes.....	45			2	4	6		5	12	5	5		13	4	6
NEW ORLEANS, LA. (WHITE).																
	All causes.....	618	59	11	17	21	108	33	30	28	199	59	47	151	104	58
5	Measles.....	12											1	2	5	4
6	Scarlet fever.....															
7	Whooping cough.....	3											1		1	1
8	Diphtheria and croup.....	2													1	1
9	Influenza.....	5													1	2
(12)	Dysentery.....	2														
(12)	Erysipelas.....															
(37)	Tetanus.....	16			3	2	5	9	1	15				1		
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	3												2	1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	12						2	3	6	2			3	1	1
17	Meningitis.....	6												1	3	1
(37)	Convulsions.....	5	2				2	1		3				1		1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	24								6	3			6	3	
22	Pneumonia.....	40					2	2	2	8	6			3	6	5
(23)	Bronchopneumonia.....	37					1	3		6	2			5	12	11
24	Diseases of the stomach.....	12					2			2	2			1	7	6
25	Diarrhea and enteritis.....	247			1	4	16	12	7	25	24			21	87	26
(33)	Malformations.....	29					2	4	3	23	1			4	1	
(33)	Premature birth.....	60	37	4	6	4	51	3	4	60						
(33,37)	Congenital debility.....	41	5	2	1	4	12	3	1	22	9	9			1	
(37)	Injuries at birth.....	13	6	4			12			13						
35	External causes.....	2					1			2						
38	Diseases ill-defined or unknown.....	16												13	2	1
	All other causes.....	30			1	2	3		4	8	1	4		10	2	5

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEW ORLEANS, LA. (COLORED).																
	All causes.....	443	15	13	13	36	77	40	20	19	156	51	46	96	64	30
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	4										1		2	1	
8	Diphtheria and croup.....															
9	Influenza.....	7										1		3	1	2
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	37	1		1	15	17	17	3		37					
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1											1			
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	7			1	1	1	1	1	1	3	1		2	1	
17	Meningitis.....	4									1			1	2	
(37)	Convulsions.....	10			1	1	2	4			6	1		1	2	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	19			1	1	1	1	2	2	6	1	2	4	5	1
22	Pneumonia.....	43			1	1	1	1	3	1	6	4	4	13	10	6
(23)	Bronchopneumonia.....	61				1	1	2	1	2	6	7	9	21	12	6
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	121			1	1	2	4	4	5	15	17	13	40	23	13
(33)	Malformations.....	14	3	2	2	2	9	1			10	2	1		1	
(33)	Premature birth.....	28	7	7	5	6	25	6			27	1				
(33, 37)	Congenital debility.....	59	4	4	1	6	15	8	1	7	35	11	13			
(37)	Injuries at birth.....	1	4													
35	External causes.....	2													1	1
38	Diseases ill-defined or unknown.....	9												6	3	1
	All other causes.....	15			1	2	3		1		4	4	1	3	2	1
BALTIMORE, MD. (TOTAL).																
	All causes.....	2,146	169	74	49	106	398	116	106	93	713	263	198	446	287	239
5	Measles.....	2											1			1
6	Scarlet fever.....	1														1
7	Whooping cough.....	41										2	5	10	6	18
8	Diphtheria and croup.....	5													2	3
9	Influenza.....	1													1	
(12)	Dysentery.....	5													2	
(12)	Erysipelas.....	13							3	2	5	5	1	2	2	
(37)	Tetanus.....	3				1	1	2			3					
13	Tuberculosis of the lungs.....	8												2	1	5
14	Tuberculous meningitis.....	12												3	4	5
15	Other forms of tuberculosis.....	4												1	2	
(37)	Syphilis.....	46	6			2	8	5	10	5	28	8	4	4		2
17	Meningitis.....	41			1	1	1	2	1	1	5	1	3	10	14	8
(37)	Convulsions.....	95	2	3	1	12	18	7	2	3	30	14	6	22	16	7
19	Organic diseases of the heart.....	15	3		3		6	2	3		11	2		2	2	
20	Acute bronchitis.....	50	1		1	1	3	4	3	2	12	5	3	14	10	6
22	Pneumonia.....	90				1	1	1	6	5	13	7	12	15	18	25
(23)	Bronchopneumonia.....	142		1	1	2	4	1	5	7	17	13	13	32	36	31
24	Diseases of the stomach.....	33				1	1	1	3	4	9	5	4	6	6	3
25	Diarrhea and enteritis.....	535			1	1	5	11	11	11	28	52	68	188	117	82
(33)	Malformations.....	62	13	7	7	13	40	7	4	2	53	3		4	1	1
(33)	Premature birth.....	243	95	40	22	33	190	24	9	10	233	10				
(33, 37)	Congenital debility.....	403	19	17	4	24	64	45	42	38	189	127	67	11	5	4
(37)	Injuries at birth.....	47	27	6	4	6	43	3		1	47					
35	External causes.....	11						1	1		2	2	2	2	2	1
38	Diseases ill-defined or unknown.....	172	3				3	1			4			103	35	30
	All other causes.....	66			5	9	14	5	3	2	24	6	8	15	7	6
BALTIMORE, MD. (WHITE).																
	All causes.....	1,567	127	61	36	64	238	89	90	65	532	192	142	305	206	190
5	Measles.....	2											1			1
6	Scarlet fever.....	1														1
7	Whooping cough.....	28										1	5	4	5	13
8	Diphtheria and croup.....	4													2	2
9	Influenza.....	3														
(12)	Dysentery.....	11													2	
(12)	Erysipelas.....	3									4	5		1		
(37)	Tetanus.....	3					1	2			3					
13	Tuberculosis of the lungs.....	4													1	3
14	Tuberculous meningitis.....	11												3	4	4
15	Other forms of tuberculosis.....	3												1	2	
(37)	Syphilis.....	25	3				3	2	6	4	15	8	1			1
17	Meningitis.....	38			1		1	2	1	1	5	1	3	8	14	7
(37)	Convulsions.....	57	2	3	1	5	11	7	1	1	20	7	4	12	10	4
19	Organic diseases of the heart.....	13	3		3		6	1	3		10	1		2	2	
20	Acute bronchitis.....	41	1				1	4	3	2	10	4	2	12	9	4
22	Pneumonia.....	60						1	6	4	11	6	8	10	10	15
(23)	Bronchopneumonia.....	95			1		1	1	4	5	11	9	8	22	20	25
24	Diseases of the stomach.....	18						2	2	2	4	2	1	3	5	3
25	Diarrhea and enteritis.....	388						4	8	8	21	36	48	131	85	67
(33)	Malformations.....	54	10	6	6	11	33	7	4	2	46	2		4	1	1
(33)	Premature birth.....	173	69	32	13	20	134	17	6	8	165	8				
(33, 37)	Congenital debility.....	307	17	15	4	12	48	32	39	24	143	95	53	10	2	4
(37)	Injuries at birth.....	37	20	5	4	5	34	2		1	37					
35	External causes.....	8						1	1		2	2	2		1	1
38	Diseases ill-defined or unknown.....	126	2				2	1			3			68	26	29
	All other causes.....	57			3	9	12	5	3	2	22	5	6	14	5	5

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
BALTIMORE, MD. (COLORED).																
	All causes.....	579	42	13	13	42	110	27	16	28	181	71	56	141	81	49
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	13										1		6	1	5
8	Diphtheria and croup.....	1														1
9	Influenza.....	1													1	
(12)	Dysentery.....	2											1	1		
(12)	Erysipelas.....	2								1			1			
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	4												2		2
14	Tuberculous meningitis.....	1														1
15	Other forms of tuberculosis.....	1										1				
(37)	Syphilis.....	21	3		2	5	3	4	1	13		3	4			1
17	Meningitis.....	3											2			1
(37)	Convulsions.....	38			7	7		1	2	10	7	2	10	6		3
19	Organic diseases of the heart.....	2						1		1						
20	Acute bronchitis.....	9			1	1	2			2	1	1	2	1		2
22	Pneumonia.....	30			1	1	1			2	1	4	5	8		10
(23)	Bronchopneumonia.....	47		1		2	3		1	6	4	5	10	16		6
24	Diseases of the stomach.....	15			1	1	1	1	2	5	3	3	3	1		
25	Diarrhea and enteritis.....	147						1	3	7	16	20	57	32		15
(33)	Malformations.....	8	3	1	1	2	7			7	1					
(33)	Premature birth.....	70	26	8	9	13	56	7	3	68	2					
(33, 37)	Congenital debility.....	96	2	2		12	16	13	3	46	32	14	1	3		
(37)	Injuries at birth.....	10	7	1		1	9	1		10						
35	External causes.....	3														
38	Diseases ill-defined or unknown.....	46	1			1	2			1			35	9	1	1
	All other causes.....	9			2					2	1	2	1	2		1
BOSTON, MASS.																
	All causes.....	2,246	250	98	70	145	563	119	106	74	862	227	168	409	316	264
5	Measles.....	27										1		3	13	10
6	Scarlet fever.....	2												2		
7	Whooping cough.....	24							1				2	8	8	5
8	Diphtheria and croup.....	26							2		2	1	3	6	4	10
9	Influenza.....	5													2	3
(12)	Dysentery.....	5														1
(12)	Erysipelas.....	16						1	2	3	5			1	3	3
(37)	Tetanus.....	3						3		3				1		
13	Tuberculosis of the lungs.....	13										1			5	4
14	Tuberculous meningitis.....	29				1	1			1		1	1	2	12	7
15	Other forms of tuberculosis.....	10								1					1	3
(37)	Syphilis.....	26				1	2	3	1	7	4	6	4	4	3	2
17	Meningitis.....	36				2	2	1		3	3	2	2	6	3	9
(37)	Convulsions.....	31	1		1	3	3	1	2	3	7	2	8	13	3	6
19	Organic diseases of the heart.....	10	2			2	2			1				2		
20	Acute bronchitis.....	64				1	1	2		3	2	2	2	8	11	6
22	Pneumonia.....	138		1	1	4	6	7	3	15	19	5	8	3	11	6
(23)	Bronchopneumonia.....	152				4	4	5	4	22	11	9	33	35	28	27
24	Diseases of the stomach.....	35				2	2	5	12	31	12	9	36	37	27	5
25	Diarrhea and enteritis.....	590	1			5	6	8	1	6	7	2	11	4	4	105
(33)	Malformations.....	134	20	19	12	28	79	16	7	39	70	76	190	110	2	2
(33)	Premature birth.....	352	145	55	29	35	264	37	6	106	9	6	9	2		
(33, 37)	Congenital debility.....	166	19	6	10	23	58	20	14	333	16	3	3	1		
(37)	Injuries at birth.....	117	60	11	13	22	106	4	5	105	38	21	1	1		
35	External causes.....	17	2	3		5	1			117						
38	Diseases ill-defined or unknown.....	74				2	2	1	2	7	2	2	4	1	1	1
	All other causes.....	144		3	4	14	21	10	7	45	15	11	24	27		22
CAMBRIDGE, MASS.																
	All causes.....	293	42	18	10	16	86	15	10	8	119	25	21	59	40	29
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....								1							
8	Diphtheria and croup.....	3								1				1		
9	Influenza.....	1												1		
(12)	Dysentery.....	1								1						
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	5		1			1			1				2	1	1
15	Other forms of tuberculosis.....	1									1					
(37)	Syphilis.....	1						1		1						
17	Meningitis.....	3											1			1
(37)	Convulsions.....	1			1		1			1						
19	Organic diseases of the heart.....	5														
20	Acute bronchitis.....	6	1				1			1	1		4		2	1
22	Pneumonia.....	19									1	1	1	3	5	7
(23)	Bronchopneumonia.....	25				1	1		2	4	1	2	6	7	5	5
24	Diseases of the stomach.....	12			1	1	2	3		5	1	3	1	2		
25	Diarrhea and enteritis.....	84						2	2	8	12	5	32	15		12
(33)	Malformations.....	15	1	3	3	3	10	1	1	12	2		1			
(33)	Premature birth.....	49	26	8	6	3	48	2	3	49						
(33, 37)	Congenital debility.....	27	9	2	3	3	14	3	1	19	4	4				
(37)	Injuries at birth.....	10	4	3			9	1		10						
35	External causes.....															
38	Diseases ill-defined or unknown.....	7											6	1		
	All other causes.....	17	1	1		2	4	2		6	2	2	1	5		1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
FALL RIVER, MASS.																
	All causes.....	854	64	14	18	26	122	40	36	26	224	75	74	210	148	123
5	Measles.....	6													2	4
6	Scarlet fever.....															
7	Whooping cough.....	12											1	2	2	7
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....	3												2		1
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	5												4	1	
14	Tuberculous meningitis.....	1														1
15	Other forms of tuberculosis.....	3						1			1					2
(37)	Syphilis.....	2										1			1	
17	Meningitis.....	10							1		1	1	1	4	2	1
(37)	Convulsions.....	14	1		1	1	3	4	1	1	9	3		1	1	
19	Organic diseases of the heart.....	5									1	1		2	1	
20	Acute bronchitis.....	50						1	2		3	5	2	11	17	12
22	Pneumonia.....	42							1	5	6	1	3	13	11	8
(23)	Bronchopneumonia.....	37						2	1		3	4	3	5	12	10
24	Diseases of the stomach.....	7						1	1	1	3		2		2	
25	Diarrhea and enteritis.....	392				2	11	9	12	34	39	42	131	79	67	
(33)	Malformations.....	14	3	1	1	3	8	2	1	11	2		1			
(33)	Premature birth.....	87	44	9	9	5	67	6	8	1	82	3	2			
(33, 37)	Congenital debility.....	74	7	4	2	5	18	13	7	3	41	13	17	3		
(37)	Injuries at birth.....	9	6			3	9			9						
35	External causes.....	7	1				1			1		1	3			2
38	Diseases ill-defined or unknown.....	41				1	1	1	1	2	1		23	11	4	
	All other causes.....	32	2		5	6	13	1	2	1	17	1	5	6	3	
LOWELL, MASS.																
	All causes.....	607	50	27	11	22	110	21	18	10	159	62	53	146	103	84
5	Measles.....	8												1	2	5
6	Scarlet fever.....	1													1	
7	Whooping cough.....	3										1		1		1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	2														2
(12)	Erysipelas.....															
(37)	Tetanus.....	1		1			1			1						
13	Tuberculosis of the lungs.....	3								1			1		1	
14	Tuberculous meningitis.....	11												2	8	1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2										1		1		
17	Meningitis.....	11											2	2	5	2
(37)	Convulsions.....	2						1		1					2	2
19	Organic diseases of the heart.....	5			1		1				1				1	
20	Acute bronchitis.....	38							1		1	5	2	10	13	7
22	Pneumonia.....	33									3	2	2	8	11	9
(23)	Bronchopneumonia.....	24									2	2	5	7	8	
24	Diseases of the stomach.....	4									2	1		1		
25	Diarrhea and enteritis.....	235				1	4	5	3	13	26	25	89	42	40	
(33)	Malformations.....	21	4	2		3	9	3	2	15	1	2	2	1		
(33)	Premature birth.....	51	22	8	4	7	42	5	1	48	3					
(33, 37)	Congenital debility.....	95	20	16	4	8	47	4	6	62	17	13	2	1		
(37)	Injuries at birth.....	5	3			1	4	1		5						
35	External causes.....	7			2		2		1	3				2		
38	Diseases ill-defined or unknown.....	19				1	2			3				13	2	4
	All other causes.....	23	1		1	1	3	3	2	8	1	3	8	5	3	
WORCESTER, MASS.																
	All causes.....	536	71	18	11	26	126	22	21	26	195	46	43	116	91	45
5	Measles.....	7													4	3
6	Scarlet fever.....															
7	Whooping cough.....	17								1	1	2	2	4	6	2
8	Diphtheria and croup.....	3								1	1			2		
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	2									1				1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....	6								1	1			1	1	3
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	4		1			1	1		2	1					1
17	Meningitis.....	3												2	1	
(37)	Convulsions.....	9				1	1	2		4		2		1	2	
19	Organic diseases of the heart.....	3									1			1		1
20	Acute bronchitis.....	17			1	1	2	1		4	4	2	3	7	3	1
22	Pneumonia.....	27							1	3	4	4	3	6	6	4
(23)	Bronchopneumonia.....	42		1			1		2	5	4	4	3	12	10	8
24	Diseases of the stomach.....	5									1		1	3	1	
25	Diarrhea and enteritis.....	177				2	2	4	4	16	21	23	61	39	17	
(33)	Malformations.....	20	7	2	1	3	13	4		13	2	1	2	2		
(33)	Premature birth.....	80	43	11	4	6	64	6	3	78	2					
(33, 37)	Congenital debility.....	12	1	1	4	8	25	6	6	39	5	6				
(37)	Injuries at birth.....	10	7	1	1	1	10			10						
35	External causes.....	4								2				1		1
38	Diseases ill-defined or unknown.....	18	1			1	1			1			10	4	3	
	All other causes.....	30	1	1		4	6	1	4	2	13	2	2	4	8	1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
DETROIT, MICH.																
	All causes.....	2,138	216	66	74	119	475	130	106	75	786	265	217	425	250	195
5	Measles.....	10														
6	Scarlet fever.....	5														
7	Whooping cough.....	69						1			1		1	2	5	2
8	Diphtheria and croup.....	11						2			3	10	10	15	17	14
9	Influenza.....	1						1	1		2	1		2	3	3
(12)	Dysentery.....	1														1
(12)	Erysipelas.....	8													1	1
(37)	Tetanus.....	7													2	
13	Tuberculosis of the lungs.....	8													2	4
14	Tuberculous meningitis.....	2													1	
15	Other forms of tuberculosis.....	7													3	2
(37)	Syphilis.....	21				2				1	3	3	5	5	4	1
17	Meningitis.....	41				2		2	2	2	7	5	3	6	10	10
(37)	Convulsions.....	107	3	3	12	16	34	10	8		59	9	9	15	10	5
19	Organic diseases of the heart.....	11	2	1	1	1	5	1		2	8	1			2	
20	Acute bronchitis.....	44				3	3	5	1	4	13	6	10	6	7	2
22	Pneumonia.....	75			1	3	4	3	8	4	19	7	9	9	10	21
(23)	Bronchopneumonia.....	169		2	3	7	12	7	9	2	30	20	17	43	26	33
24	Diseases of the stomach.....	42	1				1	2	2	4	9	4	4	16	5	4
25	Diarrhea and enteritis.....	494		1		4	5	10	15	12	42	78	53	173	87	61
(33)	Malformations.....	73	18	9	11	10	48	5	3		56	8	3	4	1	1
(33)	Premature birth.....	278	141	36	19	21	217	26	14	8	265	10	3	4		
(33, 37)	Congenital debility.....	330	25	5	14	28	72	37	33	22	164	84	80		2	
(37)	Injuries at birth.....	37	19	7	3	6	35	1	1		37					
35	External causes.....	18	3	1	4		8	3			11			2	2	3
38	Diseases ill-defined or unknown.....	165	2	1			3				3	1	1	103	40	17
	All other causes.....	109	2		6	15	23	13	7	7	50	15	7	20	9	8
GRAND RAPIDS, MICH.																
	All causes.....	329	55	10	9	22	96	17	18	12	143	24	41	61	39	21
5	Measles.....															
6	Scarlet fever.....	2														
7	Whooping cough.....	2											1	1	1	1
8	Diphtheria and croup.....	1														
9	Influenza.....	2								1	1					
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	3											1	2		
(37)	Syphilis.....	3											1			1
17	Meningitis.....	6			2		2	1			3		1	1	1	
(37)	Convulsions.....	2						1			1		1	1	1	
19	Organic diseases of the heart.....	7	2	1	1	2	6				6	1				
20	Acute bronchitis.....	5				1	1				2		2	1		
22	Pneumonia.....	10						1	1		2	1	1	4	2	
(23)	Bronchopneumonia.....	7									2		1	1	2	2
24	Diseases of the stomach.....	16		1		1	2		1		6	1	5	4		
25	Diarrhea and enteritis.....	84				1		3	3	2	10	5	6	26	23	14
(33)	Malformations.....	19	8	2	1		11	2			13		4		2	
(33)	Premature birth.....	54	39	3		6	48	1	3	1	53		1			
(33, 37)	Congenital debility.....	49	4	1	2	3	10	6	2	6	24	13	12			
(37)	Injuries at birth.....	8	1	1	3	2	7	1			8					
35	External causes.....	4									1		2			
38	Diseases ill-defined or unknown.....	19									1					
	All other causes.....	26	1	1	1	4	7	1	3	1	12	1	2	14	5	2
MINNEAPOLIS, MINN.																
	All causes.....	621	30	31	30	43	134	51	29	27	241	61	-59	118	86	56
5	Measles.....	13				1	1				1			2	6	4
6	Scarlet fever.....	2												1		
7	Whooping cough.....	4						1			1			1	2	
8	Diphtheria and croup.....	9						2			2	1		2	1	2
9	Influenza.....															
(12)	Dysentery.....	2														
(12)	Erysipelas.....	3														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	4														
14	Tuberculous meningitis.....	4														
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	12									2		3	2	1	1
17	Meningitis.....	8	1			1	2	2			4			1	1	2
(37)	Convulsions.....	10		1		4	5	1			9			1		
19	Organic diseases of the heart.....	4	1	1	1		3				3	1				
20	Acute bronchitis.....	12									3			2		1
22	Pneumonia.....	14						1	2	2	3		4	3	4	4
(23)	Bronchopneumonia.....	79			1	3	4	8	4	6	22	8	9	12	16	12
24	Diseases of the stomach.....	10						1		1	2	1		4	2	1
25	Diarrhea and enteritis.....	203									30	25	18	71	41	18
(33)	Malformations.....	26	3	2	1	5	9	5	8	8	18	2	2	3		1
(33)	Premature birth.....	97	13	20	15	13	66	11	9	4	90	4	3			
(33, 37)	Congenital debility.....	36	2	4	3	13	6	3			22	9	4			1
(37)	Injuries at birth.....	9	4	1	1	2	8	1			9					
35	External causes.....	7		1			1				2		2	2	1	
38	Diseases ill-defined or unknown.....	9									2		1	5		1
	All other causes.....	41	1	1	3	4	9	3		2	14	5	5	6	7	4

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued																
ST. PAUL, MINN.																
	All causes.....	498	45	25	12	40	122	33	26	19	200	50	48	92	66	42
5	Measles.....	11												2	5	4
6	Scarlet fever.....	3												1	1	1
7	Whooping cough.....	4												3		
8	Diphtheria and croup.....	10									1			1	2	4
9	Influenza.....	2										1	2	1		
(12)	Dysentery.....	2										1			1	
(12)	Erysipelas.....	2													1	
(37)	Tetanus.....	2						1			1				1	
13	Tuberculosis of the lungs.....	4										1			1	
14	Tuberculous meningitis.....	4												1	3	
15	Other forms of tuberculosis.....	2												1	3	
(37)	Syphilis.....	7						1	1	1	1	2			2	
17	Meningitis.....	11											1		2	
(37)	Convulsions.....	7			1	2	3	2			5	1	1	3	2	1
19	Organic diseases of the heart.....	11												1	3	1
20	Acute bronchitis.....	10				1	1	1			1			1	1	
22	Pneumonia.....	20			1	1	2	2	2		4			2	3	1
(23)	Bronchopneumonia.....	41									7			8	2	1
24	Diseases of the stomach.....	11									5	5		4	7	8
25	Diarrhea and enteritis.....	122									2	1		3	4	13
(33)	Malformations.....	24	3	6	1	3	3	3	7	8	21	16	20	31	21	13
(33)	Premature birth.....	71	27	14	3	8	16	1	1	1	19	6	1		1	3
(33, 37)	Congenital debility.....	73	9	3	5	12	52	9	1	2	64	6	1			
(37)	Injuries at birth.....	7	6				29	10	9	3	51	12	10			
35	External causes.....	3					1				1				2	
38	Diseases ill-defined or unknown.....	26		2			2	2			2			17	6	1
	All other causes.....	22			1	3	4	2	1		7	2	2	6	4	1
KANSAS CITY, MO. (TOTAL).																
	All causes.....	654	92	29	26	52	199	42	27	34	302	65	63	119	54	51
5	Measles.....	15	1			2	3	1			4	3	2	3	2	1
6	Scarlet fever.....	1									1					
7	Whooping cough.....	6							1							
8	Diphtheria and croup.....	4			1	1	2				2			1	2	1
9	Influenza.....	1														1
(12)	Dysentery.....	3													1	1
(12)	Erysipelas.....	3											1		1	1
(37)	Tetanus.....	5			1		1				1		2	1		1
13	Tuberculosis of the lungs.....	4				1	1				1				2	1
14	Tuberculous meningitis.....	6					1				1				2	1
15	Other forms of tuberculosis.....	6														
(37)	Syphilis.....	25	2				2			1	6	6	2	2	1	1
17	Meningitis.....	18					2			4	4	6	4	7	7	1
(37)	Convulsions.....	4			1	2	2	1	1		4			2	2	5
19	Organic diseases of the heart.....	11	1				2				2			2		
20	Acute bronchitis.....	11					1				1					
22	Pneumonia.....	41	1			3	4	2	3	3	12	4	2	6	7	2
(23)	Bronchopneumonia.....	1					1	2	2		5	6	7	14	9	8
24	Diseases of the stomach.....	12					1	2	2		3	6	2	3	6	3
25	Diarrhea and enteritis.....	103		1			1	2	1	1	12	15	9	36	19	12
(33)	Malformations.....	95	6	3		5	20	2	3	3	25	3	1	3	1	2
(33)	Premature birth.....	110	58	10	9	13	90	8	6	2	106	2	2			
(33, 37)	Congenital debility.....	105	9	3	3	12	32	13	10	8	63	20	22			
(37)	Injuries at birth.....	21	11	3	3	3	20	1	1		21					
35	External causes.....	12		1		2	4	1	1		6		3		2	1
38	Diseases ill-defined or unknown.....	23	3		1	3	6	2			8			12	2	1
	All other causes.....	47			4	2	6	7		4	17	3	2	13	6	6
KANSAS CITY, MO. (WHITE).																
	All causes.....	559	84	25	23	45	177	39	23	29	268	53	58	92	46	42
5	Measles.....	14	1			2	3	1			4	3	2	3	2	
6	Scarlet fever.....	1									1					
7	Whooping cough.....	4							1							
8	Diphtheria and croup.....	4			1	1	2				2			1	2	2
9	Influenza.....	1														1
(12)	Dysentery.....	3													1	1
(12)	Erysipelas.....	3											1		1	1
(37)	Tetanus.....	3														
13	Tuberculosis of the lungs.....	4				1	1				1		1		1	1
14	Tuberculous meningitis.....	4					1				1				2	1
15	Other forms of tuberculosis.....	5														
(37)	Syphilis.....	21	2				2			4	6	6	4	2	5	
17	Meningitis.....	16					2	1	1		4	6	4	5	1	
(37)	Convulsions.....	4			1	2	2				4			6	1	5
19	Organic diseases of the heart.....	11	1				2				2			2		
20	Acute bronchitis.....	11					1				1					
22	Pneumonia.....	29	1			2	3	2	2	2	1		2	4	4	2
(23)	Bronchopneumonia.....	34					1	2	2		5	4	1	9	4	2
24	Diseases of the stomach.....	8					1	2	2		2	4	6	8	5	6
25	Diarrhea and enteritis.....	84					1	2	2	6	2	2	2	2	1	1
(33)	Malformations.....	29	4	5	3	4	16	2	2	2	10	9	7	29	19	10
(33)	Premature birth.....	103	54	10	8	12	84	7	6	2	99	3	2	2	1	2
(33, 37)	Congenital debility.....	93	9	6	3	9	27	12	8	7	54	17	22			
(37)	Injuries at birth.....	19	10	3	2	3	18	1	1		19					
35	External causes.....	12		1		3	4		1		6		3		2	1
38	Diseases ill-defined or unknown.....	16	2		1	4	4	2			6			8	1	1
	All other causes.....	42			4	2	6	6		4	16	3	2	10	5	6

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
KANSAS CITY, MO. (COLORED).																
	All causes.....	95	8	4	3	7	22	3	4	5	34	12	5	27	8	9
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	2										1				1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2			1		1				1		1			
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1								1	1					
(37)	Syphilis.....	4												2	1	1
17	Meningitis.....	2												1	1	
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2														
22	Pneumonia.....	12				1	1		1	1	3		1	2	5	3
(23)	Bronchopneumonia.....	7										2	1	1	1	2
24	Diseases of the stomach.....	4							1		1			1	1	2
25	Diarrhea and enteritis.....	19		1			1			1	2	6	2	7	1	2
(33)	Malformations.....	6	2	1		1	4			1	5			1		
(33)	Premature birth.....	7	4		1	1	6	1		7						
(33, 37)	Congenital debility.....	12		2		3	5	1	2	1	9	3				
(37)	Injuries at birth.....	2	1		1		2				2					
35	External causes.....															
38	Diseases ill-defined or unknown.....	7	1			1	2				2			4	1	
	All other causes.....	5						1			1			3	1	
ST. LOUIS, MO. (TOTAL).																
	All causes.....	1,689	215	65	44	93	417	109	77	56	659	182	134	309	223	182
5	Measles.....	29								1	2	1	1	1	11	13
6	Scarlet fever.....	11						1			1			2	1	7
7	Whooping cough.....	25									1	4	4	4	4	3
8	Diphtheria and croup.....	8								1	2		1	1	2	2
9	Influenza.....	6											1	1	2	1
(12)	Dysentery.....	8						2			2			1	2	2
(12)	Erysipelas.....	7									2			1	2	
(37)	Tetanus.....	14	1	1		8	10	4		1	14	1	1	3		
13	Tuberculosis of the lungs.....	10				1	1				1		1	6		1
14	Tuberculous meningitis.....	6												1	1	4
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	43	9	2	1	2	14	2		2	13	8	7	8	1	1
17	Meningitis.....	20						1	2		3	3		5	5	4
(37)	Convulsions.....	31	1			4	5	4	1	2	12	3	2	9	4	1
19	Organic diseases of the heart.....	6		1			1	2			3		1	1		1
20	Acute bronchitis.....	79				2	2	6	8	4	20	15	7	22	7	8
22	Pneumonia.....	73		1			1	5	1	4	11	8	11	12	14	17
(23)	Bronchopneumonia.....	122	1	1		1	3	5	6	4	18	10	10	39	24	21
24	Diseases of the stomach.....	10								2	2			2	3	1
25	Diarrhea and enteritis.....	500	1	1	2	5	9	16	23	9	57	70	57	136	111	69
(33)	Malformations.....	77	22	11	9	11	53	2	2	3	60	5	4	3	3	2
(33)	Premature birth.....	260	134	27	14	29	204	30	9	6	249	10	1			
(33, 37)	Congenital debility.....	151	24	8	8	20	60	17	13	13	103	26	14	5	1	2
(37)	Injuries at birth.....	39	19	9	7	3	38				38	1				
35	External causes.....	14	1			1	2	1			3	1	1	3	4	2
38	Diseases ill-defined or unknown.....	32												23	5	4
	All other causes.....	107	2	3	3	6	14	12	7	4	37	13	10	19	15	13
ST. LOUIS, MO. (WHITE).																
	All causes.....	1,542	196	58	38	83	375	99	71	53	598	175	124	279	207	159
5	Measles.....	29								1	2	1	1	1	11	13
6	Scarlet fever.....	11						1			1			2	1	7
7	Whooping cough.....	20									1	4	4	4	4	3
8	Diphtheria and croup.....	8								1	2		1	1	2	2
9	Influenza.....	6											1	1	2	1
(12)	Dysentery.....	8						2			2				2	2
(12)	Erysipelas.....	7									2			1	2	
(37)	Tetanus.....	14	1	1		8	10	4		1	14	1	1	3		
13	Tuberculosis of the lungs.....	10				1	1				1		1	6		1
14	Tuberculous meningitis.....	6												1	1	4
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	32	5	1	1	1	8	1		2	11	6	6	7	1	1
17	Meningitis.....	20						1	2		3	3		5	5	4
(37)	Convulsions.....	25	1			4	5	3		2	10	2	2	7	3	1
19	Organic diseases of the heart.....	5		1			1	2			3			1		1
20	Acute bronchitis.....	69				1	1	6	7	4	18	14	6	19	5	7
22	Pneumonia.....	62		1			1	5	1	4	11	8	8	11	11	13
(23)	Bronchopneumonia.....	106	1	1		1	3	5	5	4	17	10	9	38	21	12
24	Diseases of the stomach.....	10								2	2			2	3	1
25	Diarrhea and enteritis.....	476	1	1	2	5	9	14	22	9	54	70	56	125	106	65
(33)	Malformations.....	71	22	10	8	9	49	1	2	3	55	5	4	3	3	1
(33)	Premature birth.....	240	123	24	13	26	186	29	8	6	229	10	1			
(33, 37)	Congenital debility.....	132	22	6	6	17	51	15	13	10	89	23	14	4	1	1
(37)	Injuries at birth.....	37	18	9	6	3	36				36	1				
35	External causes.....	13	1			1	2	1			3	1	1	2	4	2
38	Diseases ill-defined or unknown.....	29												21	5	3
	All other causes.....	98	1	3	2	6	12	10	6	4	32	13	8	17	15	13

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
ST. LOUIS, MO. (COLORED).																
	All causes.....	147	19	7	6	10	42	10	6	3	61	7	10	30	16	23
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	5												1	1	3
8	Diphtheria and croup.....															
9	Influenza.....	1														
(12)	Dysentery.....	2												1		
(12)	Erysipelas.....													1	1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	11	4	1		1	6	1			7	2	1	1		
17	Meningitis.....															
(37)	Convulsions.....	6									2			2	1	
19	Organic diseases of the heart.....	1						1			1					
20	Acute bronchitis.....	10				1	1				2	1	1	3	2	1
22	Pneumonia.....	11											3	1	3	3
(23)	Bronchopneumonia.....	16									1		1	3	3	5
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	24						2	1		3		1	11	5	4
(33)	Malformations.....	6			1	2	4	1			5					1
(33)	Premature birth.....	20	11	3	1	3	18	1	1		20					1
(33,37)	Congenital debility.....	19	2	2	2	3	9	2		3	14	3		1		7
(37)	Injuries at birth.....	2	1		1		2				2					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....	3												1	2	1
	All other causes.....	9	1		1		2	2	1		5		2	2		1
OMAHA, NEBR.																
	All causes.....	293	17	24	7	26	74	21	9	8	112	44	34	55	30	18
5	Measles.....	3														3
6	Scarlet fever.....															
7	Whooping cough.....	13										3	1	6	2	1
8	Diphtheria and croup.....															
9	Influenza.....	1														
(12)	Dysentery.....	1													1	
(12)	Erysipelas.....	1														1
(37)	Tetanus.....												1			
13	Tuberculosis of the lungs.....	2												1		
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....													1		
(37)	Syphilis.....	5								1	1	2		1	1	
17	Meningitis.....	2														
(37)	Convulsions.....	4			1	1	1	1	2		4			2	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	6			1	1	2			1	3	1	1		1	
22	Pneumonia.....	5			1	1	1			1	1					
(23)	Bronchopneumonia.....	48			2	2	2	1		3	7	7	7	15	12	2
24	Diseases of the stomach.....	1													1	4
25	Diarrhea and enteritis.....	70			2	2	2	1	2	1	6	11	14	24	10	5
(33)	Malformations.....	18	3	2	1	5	11	2		2	15	1	2			
(33)	Premature birth.....	32	6	17	3	4	30	1	1		32					
(33,37)	Congenital debility.....	57	4	5	1	5	15	13	4	2	34	16	7			
(37)	Injuries at birth.....	6	4		1		5	1			6					
35	External causes.....	3														
38	Diseases ill-defined or unknown.....	2										1				2
	All other causes.....	12				5	5	1		1	7	1	1	2	1	
JERSEY CITY, N. J.																
	All causes.....	954	101	28	23	47	199	47	44	37	327	81	75	194	161	116
5	Measles.....	4												1	3	
6	Scarlet fever.....	2														1
7	Whooping cough.....	8									1	1		1	3	2
8	Diphtheria and croup.....	3												1		2
9	Influenza.....															
(12)	Dysentery.....	4													3	1
(12)	Erysipelas.....	7														
(37)	Tetanus.....	2						2		1	2			2		
13	Tuberculosis of the lungs.....	7									2					
14	Tuberculous meningitis.....	3										1		1	4	1
15	Other forms of tuberculosis.....	3													1	1
(37)	Syphilis.....	8	2				2		1	1	4	2	2	2		
17	Meningitis.....	19									1					
(37)	Convulsions.....	37		1		4	5	3	3	1	12	6	6	7	7	3
19	Organic diseases of the heart.....	4						1			1			1	1	1
20	Acute bronchitis.....	23						2	2		4	4	3	3	7	2
22	Pneumonia.....	29								2	2	1	2	7	8	9
(23)	Bronchopneumonia.....	66			2	2	2	2	3	4	11	8	4	17	13	13
24	Diseases of the stomach.....	10								1	1	1	2	4		2
25	Diarrhea and enteritis.....	321			2	2	4	9	10	1	25	31	34	90	88	53
(33)	Malformations.....	59	18	7	4	9	38	6	6	1	51	4	1			2
(33)	Premature birth.....	113	42	16	13	13	84	14	8	4	110	3				
(33,37)	Congenital debility.....	74	12	1	2	7	22	9	8		46	12	16			
(37)	Injuries at birth.....	30	22	1	2	4	29	1			30					
35	External causes.....	8											1		1	5
38	Diseases ill-defined or unknown.....	2	2				2		1		3		1	40	13	8
	All other causes.....	46	3	2	2	6	13	2	2	3	20	5	2	8	6	5

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEWARK, N. J.																
	All causes.....	1,242	140	50	27	68	285	71	53	47	456	104	100	245	188	149
5	Measles.....	21											1	5	9	6
6	Scarlet fever.....	3														2
7	Whooping cough.....	37							1	3	4	6	3	7	8	9
8	Diphtheria and croup.....	18											1	5	4	5
9	Influenza.....	6								1	1			2		2
(12)	Dysentery.....	5												1		1
(12)	Erysipelas.....	15			2	2	1	2	1		6	3	2	1	1	2
(37)	Tetanus.....	2									2					
13	Tuberculosis of the lungs.....	9						1			1		2	2	2	1
14	Tuberculous meningitis.....	17									1		1	3	8	4
15	Other forms of tuberculosis.....	4									1		1	1	2	1
(37)	Syphilis.....	10				1	1	1		1	4			3	1	1
17	Meningitis.....	15						2	1	1	4		2	3	3	3
(37)	Convulsions.....	22	3			3	6	4	3	1	14	2	2	2	2	
19	Organic diseases of the heart.....	4									2			1	1	
20	Acute bronchitis.....	61					3	3			15	10	8	12	9	7
22	Pneumonia.....	43			1	2	3	1	1	2	8	1	5	8	12	9
(23)	Bronchopneumonia.....	131	1	1	4	7	3	3	5	1	15	19	6	32	34	25
24	Diseases of the stomach.....	6									1	2	2	1		
25	Diarrhea and enteritis.....	344		1	4	4	5	9	7	9	30	24	44	116	73	57
(33)	Malformations.....	46	11	6	4	6	27	3	4	1	35	2	2	3	2	2
(33)	Premature birth.....	195	88	27	12	21	148	18	9	9	184	9	2	2		
(33, 37)	Congenital debility.....	96	18	8	2	14	42	15	9	6	72	15	9			
(37)	Injuries at birth.....	32	15	7	3	2	27	2	1	1	31	1				
35	External causes.....	11	1			1	2	1		1	4		1	4	5	1
38	Diseases ill-defined or unknown.....	31												23	1	3
	All other causes.....	58	3		4	3	10	5	6	1	22	3	6	11	8	8
PATERSON, N. J.																
	All causes.....	379	42	14	11	15	82	20	9	11	122	33	29	89	61	45
5	Measles.....	5												1	3	1
6	Scarlet fever.....	1												1		
7	Whooping cough.....	12								1	1	1	3	2	4	1
8	Diphtheria and croup.....	1				1	1				1					
9	Influenza.....	1														
(12)	Dysentery.....	3												1		1
(12)	Erysipelas.....	4											1	2		
(37)	Tetanus.....													1		
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	4													2	2
(37)	Syphilis.....	5							1		1	1	1	2		
17	Meningitis.....	10				2	2			1	3	1		3	2	1
(37)	Convulsions.....	5				1	1	1			2	2		1	1	
19	Organic diseases of the heart.....	4	1		1		2			1	3			1		
20	Acute bronchitis.....	7					1				1	1	2	2	1	1
22	Pneumonia.....	16			1		2	2	2		4	3	1	6	1	1
(23)	Bronchopneumonia.....	32	1		1	2	2	1	1	4	4	1	13	4	10	
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	132			1	1	2	4	1	3	10	18	9	42	31	22
(33)	Malformations.....	9	4		1	1	6	2			8		1			
(33)	Premature birth.....	46	21	6	5	5	37	6	1	1	45	1				
(33, 37)	Congenital debility.....	33	7	3	1	3	14	3	4	2	23	2	8			
(37)	Injuries at birth.....	11	7	4			11				11					
35	External causes.....	5		1			1				1	1			1	
38	Diseases ill-defined or unknown.....	21												10	7	4
	All other causes.....	11	1		1		2	1		1	4	1	1	4	4	1
ALBANY, N. Y.																
	All causes.....	249	15	17	7	14	53	16	15	5	89	27	20	52	43	18
5	Measles.....	3												1	2	
6	Scarlet fever.....															
7	Whooping cough.....	3									1		1		1	
8	Diphtheria and croup.....															
9	Influenza.....	3										1		1	1	
(12)	Dysentery.....	2										1		1	1	
(12)	Erysipelas.....	1												1	1	
(37)	Tetanus.....	1									1					
13	Tuberculosis of the lungs.....	5														2
14	Tuberculous meningitis.....	3												1	2	
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	3							1		1		1		1	
17	Meningitis.....	5									1	1	1	1	1	1
(37)	Convulsions.....	13			1	1	2	1	1	1	5	4	1	2	1	
19	Organic diseases of the heart.....	1					1				1					
20	Acute bronchitis.....	3								1	1			1	1	4
22	Pneumonia.....	16						1	1	1	3	1	2	3	3	4
(23)	Bronchopneumonia.....	10			1	1	1	2	2	3	3	1	2	3	2	1
24	Diseases of the stomach.....	5											2	2	1	
25	Diarrhea and enteritis.....	50				1	1	1	1		3	5	3	16	16	7
(33)	Malformations.....	12	3	1	2	3	9	3			10		1		1	
(33)	Premature birth.....	21	6	9	1	1	17	3	1		21					
(33, 37)	Congenital debility.....	35	2	3	1	1	7	6	3	1	17	10	8			
(37)	Injuries at birth.....	13	3	4	2	3	12		1		13					
35	External causes.....	2													2	
38	Diseases ill-defined or unknown.....	18												14	4	
	All other causes.....	20				3	3	2	2	1	8	2	1	4	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																	
BUFFALO, N. Y.																	
	All causes.....	1,623	187	72	22	84	365	90	87	69	611	155	132	303	228	194	
5	Measles.....	18												1	2	7	8
6	Scarlet fever.....	8													2	1	5
7	Whooping cough.....	43								1	10	6	10	8	8	8	8
8	Diphtheria and croup.....	16									1	1	2	6	6	6	6
9	Influenza.....	4										1	1	2	2	1	1
(12)	Dysentery.....	12						1	1		2	1	1	3	3	2	2
(12)	Erysipelas.....	7						1	2	2	5						
(37)	Tetanus.....	1						1			1						
13	Tuberculosis of the lungs.....	1										1					
14	Tuberculous meningitis.....	4									1	1	1	1			1
15	Other forms of tuberculosis.....	10									1	1			2	2	2
(37)	Syphilis.....	55	1	1			2	4	7	6	19	16	6	11	2	1	2
17	Meningitis.....	6							1		1			1	2	2	2
(37)	Convulsions.....	21				4	4	1		3	8	1	2	5	3	2	2
19	Organic diseases of the heart.....	1							1		1						
20	Acute bronchitis.....	57	1			2	3	2	1	2	8	5	9	14	12	9	9
22	Pneumonia.....	566	1		1	1	3	2	3	2	8	2	3	17	14	12	12
(23)	Bronchopneumonia.....	186		1		1	2	6	11	6	25	25	27	33	38	38	38
24	Diseases of the stomach.....	35		1	1	2	2	2	4	3	11	5	5	9	4	1	1
25	Diarrhea and enteritis.....	475				6	6	12	18	21	57	44	48	154	99	73	73
(33)	Malformations.....	84	20	13	5	16	54	8	7	1	70	4	2	5	2	1	1
(33)	Premature birth.....	227	111	32	8	23	174	23	9	11	217	6	4				
(33, 37)	Congenital debility.....	84	13	8	4	9	34	17	7	6	64	12	7	1			
(37)	Injuries at birth.....	72	37	15	3	11	66	4	2		72						
35	External causes.....	10	1				1		1		2		1	2	1	4	4
38	Diseases ill-defined or unknown.....	19												12	4	3	3
	All other causes.....	111	2	1		11	14	8	12	4	38	20	7	15	16	15	15
NEW YORK, N. Y. (TOTAL).																	
	All causes.....	16,159	1,009	884	393	810	3,101	783	741	666	5,291	1,660	1,411	3,131	2,639	2,027	
5	Measles.....	157						1		1	2		1	12	53	89	89
6	Scarlet fever.....	49												3	18	27	27
7	Whooping cough.....	151							3	7	10	19	18	31	43	30	30
8	Diphtheria and croup.....	177				1	1	4	3	3	11	1	24	54	87	87	87
9	Influenza.....	17						1			1		1	4	3	3	3
(12)	Dysentery.....	22												9	6	5	5
(12)	Erysipelas.....	141						8	19	17	44	32	12	23	13	12	12
(37)	Tetanus.....	19			3	5	8	7	1	2	18					1	1
13	Tuberculosis of the lungs.....	65	1	1		2	2				2	2	3	15	23	15	15
14	Tuberculous meningitis.....	173				1	1	1	2	1	5	5	6	33	68	56	56
15	Other forms of tuberculosis.....	55						1	1		2	1	7	21	16	8	8
(37)	Syphilis.....	217	7	11	5	14	37	27	14	13	91	43	30	35	11	7	7
17	Meningitis.....	159			1	5	6	3	5	4	18	12	6	33	49	41	41
(37)	Convulsions.....	315	11	9	11	31	62	16	25	12	115	40	39	60	42	19	19
19	Organic diseases of the heart.....	53	2	5	2	9	18	3	3	3	27	7	3	7	5	4	4
20	Acute bronchitis.....	544			3	14	22	40	49	47	158	86	52	97	88	63	63
22	Pneumonia.....	549	1	3	6	15	25	14	15	14	68	38	41	95	156	161	161
(23)	Bronchopneumonia.....	2,073	3	9	9	44	65	67	86	75	293	163	156	435	527	494	494
24	Diseases of the stomach.....	77				9	9	6	3	4	22	18	12	20	2	3	3
25	Diarrhea and enteritis.....	4,979	1		6	34	41	97	123	143	404	549	627	1,553	1,124	722	722
(33)	Malformations.....	590	66	78	49	92	285	76	33	29	423	45	35	53	21	13	13
(33)	Premature birth.....	1,897	601	439	169	242	1,451	179	122	59	1,811	63	23				
(33, 37)	Congenital debility.....	1,880	165	187	77	164	593	155	181	198	1,127	464	288	1			
(37)	Injuries at birth.....	389	136	116	34	69	355	16	8	4	383	6					
35	External causes.....	91	6	5	4	6	21	7	5	1	34	13	4	12	13	15	15
38	Diseases ill-defined or unknown.....	650	2	3	1	2	8	1	1	1	11			411	158	70	70
	All other causes.....	670	7	15	16	53	91	53	39	28	211	45	47	144	131	92	92
NEW YORK, N. Y. (WHITE).																	
	All causes.....	15,624	977	854	388	780	2,999	748	720	645	5,112	1,616	1,366	3,025	2,545	1,960	
5	Measles.....	153						1		1	2		1	12	52	86	86
6	Scarlet fever.....	49												3	18	27	27
7	Whooping cough.....	145							3	7	10	19	17	31	40	28	28
8	Diphtheria and croup.....	176				1	1	4	3	3	11	1	23	54	87	87	87
9	Influenza.....	13						1			1		1	3	2	2	2
(12)	Dysentery.....	22												9	6	5	5
(12)	Erysipelas.....	139						8	17	17	42	32	12	23	18	12	12
(37)	Tetanus.....	18			3	4	7	7	1	2	17					1	1
13	Tuberculosis of the lungs.....	57	1	1		2	2				2	2	3	13	23	14	14
14	Tuberculous meningitis.....	165				1	1	1	2	1	5	3	6	33	64	54	54
15	Other forms of tuberculosis.....	52						1	1		2	1	7	20	15	7	7
(37)	Syphilis.....	204	7	11	5	11	34	24	14	12	84	41	28	34	10	7	7
17	Meningitis.....	157			1	5	6	3	5	4	18	12	6	33	48	40	40
(37)	Convulsions.....	302	11	9	11	30	61	16	25	12	114	37	37	60	39	15	15
19	Organic diseases of the heart.....	52	2	5	2	9	17	3	3	3	26	7	3	7	5	4	4
20	Acute bronchitis.....	523			3	15	22	40	47	46	155	84	50	89	86	59	59
22	Pneumonia.....	529	1	3	6	14	25	13	14	14	66	38	37	92	152	144	144
(23)	Bronchopneumonia.....	1,999	3	9	8	44	64	66	82	74	286	164	150	413	503	483	483
24	Diseases of the stomach.....	75				9	9	6	3	4	22	18	12	18	2	3	3
25	Diarrhea and enteritis.....	4,846	1		5	33	39	92	122	139	392	538	611	1,510	1,094	701	701
(33)	Malformations.....	573	65	78	49	91	278	75	32	28	413	43	35	51	21	12	12
(33)	Premature birth.....	1,821	579	419	164	232	1,394	168	120	55	1,737	61	23				
(33, 37)	Congenital debility.....	1,807	158	182	74	154	568	147	174	190	1,079	449	278	1			
(37)	Injuries at birth.....	385	134	116	34	63	352	15	8	4	379	6					
35	External causes.....	90	6	5	4	6	21	7	5	1	34	13	4	12	13	14	14
38	Diseases ill-defined or unknown.....	626	2	3	1	2	8	1	1	1	11			396	151	68	68
	All other causes.....	644	7	15	16	52	90	49	38	27	204	44	45	139	125	87	87

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

561

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEW YORK, N. Y. (COLORED).																
	All causes.....	535	32	30	10	30	102	35	21	21	179	44	45	106	94	67
5	Measles.....	4													1	3
6	Scarlet fever.....	1														
7	Whooping cough.....	6											1		2	
8	Diphtheria and croup.....	1														
9	Influenza.....	4											1			
(12)	Dysentery.....	2											1			
(12)	Erysipelas.....	1														
(37)	Tetanus.....	2						2			2					
13	Tuberculosis of the lungs.....	6				1	1				1			2	5	1
14	Tuberculous meningitis.....	8													4	2
15	Other forms of tuberculosis.....	3												1	1	1
(37)	Syphilis.....	13				3	3	3			7	2	2	1	1	1
17	Meningitis.....	2														
(37)	Convulsions.....	13													1	1
19	Organic diseases of the heart.....	1				1	1				1	3	2		3	4
20	Acute bronchitis.....	21									1	1	2	2	2	4
22	Pneumonia.....	20						1	1		3	2	2	3	2	4
(23)	Bronchopneumonia.....	74			1			1	1		2	2	4	4	4	7
24	Diseases of the stomach.....	2					1				7	4	6	22	24	11
25	Diarrhea and enteritis.....	133				1								2		
(33)	Malformations.....	15	1	5	1	1	2	5	1	4	12	11	16	43	30	21
(33)	Premature birth.....	76	22	20	5	10	27	11	1	1	10	2	2	2		1
(33, 37)	Congenital debility.....	73	7	5	3	10	57	11	2	4	74	2	10			
(37)	Injuries at birth.....	4	2			1	3	1			4	15				
35	External causes.....	1														
38	Diseases ill-defined or unknown.....	24												15	7	1
	All other causes.....	26				1	1	4	1	1	7	1	2	5	6	5
NEW YORK, N. Y. (BRONX BOROUGH).																
	All causes.....	1,047	77	73	27	62	239	61	53	29	382	84	93	185	175	128
5	Measles.....	11													3	8
6	Scarlet fever.....	2													1	1
7	Whooping cough.....	11									2			4	4	1
8	Diphtheria and croup.....	15						1	1	1	2		2	1	3	10
9	Influenza.....	1													1	
(12)	Dysentery.....	3														
(12)	Erysipelas.....	5										1			2	
(37)	Tetanus.....	7						2	2		4		1			
13	Tuberculosis of the lungs.....	15													9	4
14	Tuberculous meningitis.....	20													7	8
15	Other forms of tuberculosis.....	6														
(37)	Syphilis.....	13					1				1	4	1	1	3	
17	Meningitis.....	18			1										4	
(37)	Convulsions.....	7	1			7	3	1	2	2	11	2	3	4	2	1
19	Organic diseases of the heart.....	27		2		2	2				5	5	5	1	4	1
20	Acute bronchitis.....	46									4	5	5	5	4	
22	Pneumonia.....	127		1		4	5	4	4	4	15	6	16	25	11	14
(23)	Bronchopneumonia.....	9				2	2	2	2	1	3	3	6	5	39	23
24	Diseases of the stomach.....	279				2	2	9	11	16	28	29	37	82	62	41
25	Diarrhea and enteritis.....	54	5	8	4	13	30	8	2	3	43	5	5	3	1	2
(33)	Malformations.....	132	46	34	11	16	107	10	6	3	126	4	2	5		
(33)	Premature birth.....	94	17	10	4	4	34	11	14	4	63	16	15			
(33, 37)	Congenital debility.....	37	8	17	4	7	36	1			37					
(37)	Injuries at birth.....	6														
35	External causes.....	48				1	2	1			2		1	2		1
38	Diseases ill-defined or unknown.....	61			2	3	5	4	5	1	15	4	1	24	8	9
	All other causes.....															
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																
	All causes.....	5,063	311	313	141	270	1,035	259	206	168	1,668	399	400	1,005	884	707
5	Measles.....	73								1	1		1	7	23	41
6	Scarlet fever.....	21												1	9	11
7	Whooping cough.....	42									3	5	4	10	12	8
8	Diphtheria and croup.....	48									3			10	10	25
9	Influenza.....	9						1							3	3
(12)	Dysentery.....	5														
(12)	Erysipelas.....	27													4	
(37)	Tetanus.....	7						3	2	2	7	6	3	1	5	5
13	Tuberculosis of the lungs.....	14			1			5		1	1			5	3	4
14	Tuberculous meningitis.....	48													9	4
15	Other forms of tuberculosis.....	33									1	1	2	10	22	12
(37)	Syphilis.....	55	1		2	4	7				1	6	6	13	9	4
17	Meningitis.....	36				4	7	10	6	4	27	5	4	13	3	3
(37)	Convulsions.....	110	1	2	4					1	1			4	16	12
19	Organic diseases of the heart.....	29	1	3		6	13	6	5	4	28	16	14	27	20	5
20	Acute bronchitis.....	241		2	2	6	10	10	1	1	13	5	3	4	3	1
22	Pneumonia.....	195		1	1	6	8	7	26	19	76	40	17	43	39	26
(23)	Bronchopneumonia.....	672	2	3	4	16	25	29	3	6	24	13	17	28	52	61
24	Diseases of the stomach.....	19				3	3	31	22	22	107	53	42	125	104	181
25	Diarrhea and enteritis.....	1,820	1			18	17	32	1		4	5	4	6		
(33)	Malformations.....	260	33	30	26	35	124	32	35	43	132	168	216	593	436	270
(33)	Premature birth.....	622	193	156	64	83	496	51	19	9	184	20	17	26	7	6
(33, 37)	Congenital debility.....	304	32	62	18	51	163	35	28	15	593	17	7			
(37)	Injuries at birth.....	135	44	45	15	18	122	4	5	2	250	22	32			
35	External causes.....	28	1			3	7	3			13					
38	Diseases ill-defined or unknown.....	36				1	1	1	1		11			6	4	4
	All other causes.....	174	2	6	3	15	26	15	7	7	55	14	10	29	40	23

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).	4,927	303	303	136	265	1,007	252	204	163	1,626	388	389	973	858	693
	All causes.....	4,927	303	303	136	265	1,007	252	204	163	1,626	388	389	973	858	693
5	Measles.....	73								1	1		1	7	23	41
6	Scarlet fever.....	21												1	9	11
7	Whooping cough.....	40							1	2	3	5	4	10	12	6
8	Diphtheria and croup.....	48				1	1	2			3			10	10	25
9	Influenza.....	5												2	1	2
(12)	Dysentery.....	5												4		
(12)	Erysipelas.....	27						3	2	2	7	6	3	1	5	5
(37)	Tetanus.....	7		1				5		1	7					
13	Tuberculosis of the lungs.....	14		1			1						1	5	3	4
14	Tuberculous meningitis.....	45						1			1		2	10	20	12
15	Other forms of tuberculosis.....	32						1			1		6	13	9	3
(37)	Syphilis.....	51	1		2	3	6	10	6	3	25	4	4	12	3	3
17	Meningitis.....	35								1	1	3		4	15	12
(37)	Convulsions.....	107	1	2	4	6	13	6	5	4	28	16	12	27	19	5
19	Organic diseases of the heart.....	29	1	3		6	10	1	1	1	13	5	3	4	3	1
20	Acute bronchitis.....	232		2	6	10	21	26	19	6	76	38	17	39	38	24
22	Pneumonia.....	187		1	6	8	7	3	6	9	24	13	15	26	50	59
(23)	Bronchopneumonia.....	662	2	3	3	16	24	29	31	22	106	53	42	120	160	181
24	Diseases of the stomach.....	19				3	3	1			4	5	4	6		
25	Diarrhea and enteritis.....	1,778	1			16	17	31	35	47	130	164	210	583	425	266
(33)	Malformations.....	254	33	28	26	34	121	32	19	8	180	20	17	25	7	5
(33)	Premature birth.....	597	187	149	60	81	477	48	35	14	574	16	7			
(33, 37)	Congenital debility.....	299	32	61	18	50	161	34	27	24	246	21	32			
(37)	Injuries at birth.....	133	42	45	15	18	120	4	5	2	131	2				
35	External causes.....	28	1	2	1	3	7	3	1		11	3		6	4	4
38	Diseases ill-defined or unknown.....	36				1	1				1			29	4	2
	All other causes.....	163	2	6	3	15	26	13	7	6	52	13	9	29	38	22
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
	All causes.....	136	8	10	5	5	28	7	2	5	42	11	11	32	26	14
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2														2
8	Diphtheria and croup.....															
9	Influenza.....	4												1	2	1
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	3										1			2	
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	4				1	1			1	2	1		1		
17	Meningitis.....	1													1	
(37)	Convulsions.....	3											2		1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	9										2		4	1	2
22	Pneumonia.....	8											2	2	2	2
(23)	Bronchopneumonia.....	10			1		1				1			5	4	
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	42						1			2	4	6	15	11	4
(33)	Malformations.....	6		2	1	3			1	1	4	4		1		1
(33)	Premature birth.....	25	6	7	4	2	19	3	1	1	24	1		1		
(33, 37)	Congenital debility.....	5		1		2	2	1	1		4	1				
(37)	Injuries at birth.....	2	2				2				2					
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....	11						2		1	3	1	1	3	2	1
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes.....	8,900	525	439	202	419	1,585	414	434	436	2,869	1,086	831	1,679	1,397	1,038
5	Measles.....	66						1			1			4	26	35
6	Scarlet fever.....	24												2	7	14
7	Whooping cough.....	81							1	4	5	10	10	15	25	16
8	Diphtheria and croup.....	107							3	2	5	1		14	39	48
9	Influenza.....	6											1	1	4	
(12)	Dysentery.....	12												4	3	5
(12)	Erysipelas.....	107						3	15	15	33	25	8	21	13	7
(37)	Tetanus.....	9			2	4	6	1		1	8					1
13	Tuberculosis of the lungs.....	35	1				1				1	1	1	9	16	7
14	Tuberculous meningitis.....	98					1				3	3	4	19	38	31
15	Other forms of tuberculosis.....	21									3	1	1	8	7	4
(37)	Syphilis.....	153	6	11	3	10	30	17	7	9	63	33	24	21	8	4
17	Meningitis.....	103				5	5	2	5	3	15	6	3	24	30	25
(37)	Convulsions.....	168	9	5	7	16	37	8	15	8	68	21	20	30	19	10
19	Organic diseases of the heart.....	12			1	2	1				5	2		2	1	2
20	Acute bronchitis.....	236		1	3	5	9	16	20	25	70	34	23	42	38	29
22	Pneumonia.....	277	1	2	3	7	13	3	9	8	33	21	17	57	79	70
(23)	Bronchopneumonia.....	1,154	1	5	5	23	34	32	45	44	155	99	86	253	298	263
24	Diseases of the stomach.....	42				2	2	3	2	3	10	9	8	11	2	2
25	Diarrhea and enteritis.....	2,488			4	13	17	51	68	80	216	321	336	733	534	348
(33)	Malformations.....	230	19	36	17	35	107	31	10	13	161	19	16	19	10	5
(33)	Premature birth.....	994	308	213	82	128	731	109	69	38	947	36	11			
(33, 37)	Congenital debility.....	1,369	105	109	49	93	356	94	129	158	737	405	226	1		
(37)	Injuries at birth.....	182	65	44	13	40	162	11	3	2	178	4				
35	External causes.....	52	5	3	2	3	13	1	3	1	18	8	3	4	9	10
38	Diseases ill-defined or unknown.....	486	2	2	1	5	5	1	1	1	7			308	119	52
	All other causes.....	388	3	8	10	33	54	30	26	20	130	26	33	77	72	80

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

563

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																
	All causes.....	8,543	504	420	199	396	1,519	387	415	420	2,741	1,059	799	1,616	1,339	989
5	Measles.....	62						1			1			4	25	32
6	Scarlet fever.....	24										1		2	7	14
7	Whooping cough.....	70							4		5	10		15	24	16
8	Diphtheria and croup.....	106							3	2	5	1		13	39	48
9	Influenza.....	6											1	1	4	
12	Dysentery.....	12												4	3	5
(12)	Erysipelas.....	105					5	3	13	15	31	25		21	13	7
(37)	Tetanus.....	8		2		3					7					1
13	Tuberculosis of the lungs.....	27	1				1	1			1	1		7	11	6
14	Tuberculous meningitis.....	95				1	1		1		3	3	4	19	36	30
15	Other forms of tuberculosis.....	19												7	6	4
(37)	Syphilis.....	144	6	11	3	8	28	14	7	9	58	32	22	21	7	4
17	Meningitis.....	102				5	5	2	5	3	15	6	3	24	30	24
(37)	Convulsions.....	158	9	5	7	15	36	8	15	8	67	18	20	30	17	6
19	Organic diseases of the heart.....	11			1		1	1			4			2	1	2
20	Acute bronchitis.....	225		1	3	5	9	16	18	24	67	34	21	39	37	27
22	Pneumonia.....	265	1	2	3	7	13	2	8	8	31	21	15	56	77	65
(23)	Bronchopneumonia.....	1,101	1	5	5	23	34	31	41	43	149	97	82	240	281	252
24	Diseases of the stomach.....	41				2	2	3	2	3	10	9	8	10	2	2
25	Diarrhea and enteritis.....	2,408			3	13	16	47	67	77	207	315	326	709	518	333
(33)	Malformations.....	2,222	18	33	17	35	103	30	9	13	155	18	16	18	10	5
(33)	Premature birth.....	946	294	200	81	121	696	101	68	35	900	35	11			
(33,37)	Congenital debility.....	1,306	99	106	48	84	337	87	123	150	697	392	216	1		
(37)	Injuries at birth.....	180	65	44	13	39	161	10	3	2	176	4				
35	External causes.....	51	5	3	2	3	13	1	3	1	18	8	3	4	9	9
38	Diseases ill-defined or unknown.....	464	2	2	1	1	5	1	1	1	7			293	113	51
	All other causes.....	376	3	8	10	32	53	29	25	20	127	26	32	76	69	46
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																
	All causes.....	357	21	19	3	23	66	27	19	16	128	27	32	63	58	49
5	Measles.....	4													1	3
6	Scarlet fever.....	2														
7	Whooping cough.....	2														
8	Diphtheria and croup.....	1												1		
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	2							2		2					
(37)	Tetanus.....	1					1				1					
13	Tuberculosis of the lungs.....	8												2	5	1
14	Tuberculous meningitis.....	3													2	1
15	Other forms of tuberculosis.....	2												1	1	1
(37)	Syphilis.....	9				2	2	3			5	1	2		1	1
17	Meningitis.....	1														1
(37)	Convulsions.....	10				1	1				1	3			2	4
19	Organic diseases of the heart.....	1				1	1				1					
20	Acute bronchitis.....	11						2	1		3		2	3	1	2
22	Pneumonia.....	12						1	1		2		2	1	1	5
(23)	Bronchopneumonia.....	53						1	4	1	6	2	4	13	17	11
24	Diseases of the stomach.....	1												1	1	
25	Diarrhea and enteritis.....	80			1		1	4	1	3	9	6	10	24	16	15
(33)	Malformations.....	8	1	3			4	1	1	1	6	1		1		
(33)	Premature birth.....	43	14	13	1	7	35	8	1	3	47	1				
(33,37)	Congenital debility.....	63	6	3	1	9	19	7	6	8	40	13	10			
(37)	Injuries at birth.....	2				1	1	1			2					
35	External causes.....	1														1
38	Diseases ill-defined or unknown.....	22												15	6	1
	All other causes.....	12				1	1	1	1		3		1	1	3	4
NEW YORK, N. Y. (QUEENS BOROUGH).																
	All causes.....	865	72	44	21	46	183	36	35	26	230	73	65	189	149	109
5	Measles.....	5													1	4
6	Scarlet fever.....	1													1	
7	Whooping cough.....	14										2		4	2	5
8	Diphtheria and croup.....	6						1			1			2		3
9	Influenza.....															
(12)	Dysentery.....	2												1		
(12)	Erysipelas.....	2												1		
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	5												1	1	3
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	2							1		1		1			
17	Meningitis.....	4														
(37)	Convulsions.....	15				1	1	2			4	3	3	1	1	3
19	Organic diseases of the heart.....	3	1		1		2	1	2		2	4	3	4	1	7
20	Acute bronchitis.....	35				1	1	2			4	7	6	3	13	4
22	Pneumonia.....	26			1	2	3				3		2	2	3	4
(23)	Bronchopneumonia.....	91			1	1	1	2	5	3	11	6	10	25	23	16
24	Diseases of the stomach.....	2												1		
25	Diarrhea and enteritis.....	293	8	4	1	3	4	4	6	9	23	23	28	108	70	46
(33)	Malformations.....	33			1	7	20	4	2	7	33	1		4	3	
(33)	Premature birth.....	116	42	27	7	14	90	4	8	7	108	6	2			
(33,37)	Congenital debility.....	90	10	5	7	13	35	10	8	8	61	19	10			
(37)	Injuries at birth.....	22	11	7	2	2	22				22					
35	External causes.....	2							1		1					
38	Diseases ill-defined or unknown.....	49												27	15	7
	All other causes.....	34		1	1	2	4	4			8	1	1	8	8	8

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes	234	24	15	7	13	59	13	13	7	92	18	22	73	34	45
5	Measles.....	2												1		1
6	Scarlet fever.....	1														1
7	Whooping cough.....	3										1	1	1		
8	Diphtheria and croup.....	1														1
9	Influenza.....	1						1			1					
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	2			1	1		1			2					
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	2														2
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1										1				
17	Meningitis.....	3						1			1			1		1
(37)	Convulsions.....	4		2		1	3			1	4					
19	Organic diseases of the heart.....	2			1	1	1	-1			2					
20	Acute bronchitis.....	5											1	3		1
22	Pneumonia.....	5												2	1	2
(23)	Bronchopneumonia.....	29								2	2	4	2	7	3	11
24	Diseases of the stomach.....	5			2	2		1			3	1		1		
25	Diarrhea and enteritis.....	94		1		1	1	3			5	8	10	32	22	17
(33)	Malformations.....	8	1		1	2	4	1		1	6			1	1	
(33)	Premature birth.....	33	12	9	5	1	27	1	4		32		1	1		
(33, 37)	Congenital debility.....	23	1	1		3	5	5	2	4	16	2	5			
(37)	Injuries at birth.....	13	8	3		2	13				13					
35	External causes.....	3						2			2	1				
38	Diseases ill-defined or unknown.....	31												21	4	6
	All other causes.....	13	2				2		1		3		2	3	3	2
	ROCHESTER, N. Y.															
	All causes.....	443	3	12	9	34	58	25	14	17	114	58	46	106	69	50
5	Measles.....	6												2	1	3
6	Scarlet fever.....	2													2	
7	Whooping cough.....	11										1		6	3	1
8	Diphtheria and croup.....	4												1		3
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	2								1	1			1		
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	6										1		2	2	1
14	Tuberculous meningitis.....	2													2	
15	Other forms of tuberculosis.....	1													1	
(37)	Syphilis.....	6			2				1	1	4			2		
17	Meningitis.....	1			1	1	1				1					
(37)	Convulsions.....	11		1	1	1	3	1		1	5	2	1	1	1	1
19	Organic diseases of the heart.....	2						1		1	2					
20	Acute bronchitis.....	21			1		1	2		1	4	5	4	1	4	3
22	Pneumonia.....	5										1			2	2
(23)	Bronchopneumonia.....	45				1	1	2			3	10	7	13	8	4
24	Diseases of the stomach.....	6								1	1	2		1	1	1
25	Diarrhea and enteritis.....	197				1	1	5	6	6	18	23	24	67	37	28
(33)	Malformations.....	22	2	7	1	6	16	3			19	1		1	1	
(33)	Premature birth.....	15			1	4	5	5	3		13		2	1		
(33, 37)	Congenital debility.....	32		2	2	9	13	1	1	4	19	10	3			
(37)	Injuries at birth.....	9	1	1	1	5	8	1			9			1	1	
35	External causes.....	3										1		1	1	
38	Diseases ill-defined or unknown.....	9												5	2	2
	All other causes.....	25	1	2	4	7	4	3	1		15	2	4	2	1	1
	SYRACUSE, N. Y.															
	All causes.....	447	68	22	14	20	124	24	22	16	186	55	38	84	55	29
5	Measles.....	4													1	3
6	Scarlet fever.....															
7	Whooping cough.....	3										1		1	1	
8	Diphtheria and croup.....	2										1		1		
9	Influenza.....															
(12)	Dysentery.....	3														
(12)	Erysipelas.....	2								1	1					1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1										1				
14	Tuberculous meningitis.....	3													1	2
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	20	1	2			3		5	1	9	3	4	4	1	
17	Meningitis.....	2												1	1	
(37)	Convulsions.....	6		1		2	3		1		4	1				1
19	Organic diseases of the heart.....	7	2	2			4				4		2	1		
20	Acute bronchitis.....	11								1	2	3	3	3	2	
22	Pneumonia.....	10						1			1	1	2	2	2	2
(23)	Bronchopneumonia.....	24	1			2	3				3	1	2	8	5	5
24	Diseases of the stomach.....	13	1			1	1			2	5	2	3	1	2	
25	Diarrhea and enteritis.....	154				1	1	3	6	5	15	27	15	49	36	12
(33)	Malformations.....	18	2	3	1	1	7	3	2	1	13	2		2	1	
(33)	Premature birth.....	79	37	10	10	7	64	10	3	1	78		1	2	1	
(33, 37)	Congenital debility.....	36	9	2	2	3	16	4	1	3	24	9	3			
(37)	Injuries at birth.....	16	13	1	1		15	1			16					
35	External causes.....	4	1				1	1			2					2
38	Diseases ill-defined or unknown.....	6												6		
	All other causes.....	23	1	1		4	6		1	2	9	3	3	4	3	1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
CINCINNATI, OHIO (TOTAL).																
	All causes.....	917	127	55	32	51	265	52	24	38	379	93	68	158	128	91
5	Measles.....	15												1	7	7
6	Scarlet fever.....	11										1		3	4	3
7	Whooping cough.....	11												1	1	1
8	Diphtheria and croup.....	3												1	2	1
9	Influenza.....	3				1	1			1				1		1
(12)	Dysentery.....	3												1		2
(12)	Erysipelas.....	2												1		1
(37)	Tetanus.....	2												1		1
13	Tuberculosis of the lungs.....	8												1	2	2
14	Tuberculous meningitis.....	10												2	3	2
15	Other forms of tuberculosis.....	2												5	2	2
(37)	Syphilis.....	2												1	1	2
17	Meningitis.....	19	1			2	3	1		5	11	4	3	3	2	2
(37)	Convulsions.....	8					2	3	1	1	5	1	1	7	3	2
19	Organic diseases of the heart.....	5		1		1	1	1			4	1	1	1	2	2
20	Acute bronchitis.....	30	2			1	3				3	1		1		4
22	Pneumonia.....	43				2	1	2			4	3	7	8	4	10
(23)	Bronchopneumonia.....	67				1	3	2		1	8	3	3	8	11	18
24	Diseases of the stomach.....	9				1	1	6		5	11	4	6	14	14	18
25	Diarrhea and enteritis.....	278				1	1	9		1	2	4	1	4	4	1
(33)	Malformations.....	38		3	4	7	26	4	3	11	24	46	34	82	59	33
(33)	Premature birth.....	193	12	3	4	7	26	4	3	9	31	4		2	1	1
(33, 37)	Congenital debility.....	139	9	2	16	22	152	18	6	5	185	7	1			
(37)	Injuries at birth.....	40	21	10	3	5	39	3	1	5	31	6	2			
35	External causes.....	7	1			1	1				40					
38	Diseases ill-defined or unknown.....	10	1			1	1				1	1		2	2	1
	All other causes.....	46	1	4	1	3	9	4	1	1	15	5	5	6	10	4
CINCINNATI, OHIO (WHITE).																
	All causes.....	834	120	53	29	46	248	47	23	36	354	86	63	137	113	81
5	Measles.....	14												1	7	6
6	Scarlet fever.....	10												2	4	3
7	Whooping cough.....	10												1	1	1
8	Diphtheria and croup.....	1												1	2	1
9	Influenza.....	8				1	1			1				1		1
(12)	Dysentery.....	3												1		2
(12)	Erysipelas.....	2												1		1
(37)	Tetanus.....	2												1		1
13	Tuberculosis of the lungs.....	7												1	3	2
14	Tuberculous meningitis.....	9												2	1	2
15	Other forms of tuberculosis.....	1												4	2	2
(37)	Syphilis.....	19	1			1	2	1	2	4	9	3	3	1	1	2
17	Meningitis.....	18			1		1	3	1		5	3	1	1	6	2
(37)	Convulsions.....	7		1		1	2	1	1		4	1	1	1	3	2
19	Organic diseases of the heart.....	5		1		1	3	1			4	1	1	1	2	2
20	Acute bronchitis.....	28	2			1	1				4	1		1		4
22	Pneumonia.....	35				2	3	2		1	3	7	7	8	3	9
(23)	Bronchopneumonia.....	60				1	2	1		1	11	2	3	7	7	16
24	Diseases of the stomach.....	9				1	1	6		5	11	4	1	12	12	16
25	Diarrhea and enteritis.....	250				1	1	8		3	2	4	1	4	4	1
(33)	Malformations.....	38	12	3	4	7	26	4	3	10	11	2	31	70	54	29
(33)	Premature birth.....	180	76	32	14	20	142	15	2	9	31	4	4	2	1	1
(33, 37)	Congenital debility.....	34	8	2	5	4	19	2		5	172	7	1			
(37)	Injuries at birth.....	38	19	10	3	5	37			1	23	7	1			
35	External causes.....	6	1			1	1				38					
38	Diseases ill-defined or unknown.....	10	1			1	1				1	1		2	1	1
	All other causes.....	42	1	4	1	2	8	4	1	1	14	5	5	6	9	2
CINCINNATI, OHIO (COLORED).																
	All causes.....	83	7	2	3	5	17	5	1	2	25	7	5	21	15	10
5	Measles.....	1														1
6	Scarlet fever.....	1														
7	Whooping cough.....	1														
8	Diphtheria and croup.....	1												1		
9	Influenza.....	1														
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	6				1	1			1	2	1		2	1	1
17	Meningitis.....	1												1		
(37)	Convulsions.....	1												1		
19	Organic diseases of the heart.....	2												1		
20	Acute bronchitis.....	2				1	1				1					1
22	Pneumonia.....	8				1	1			1	1			1	1	1
(23)	Bronchopneumonia.....	7									1			1	2	2
24	Diseases of the stomach.....	25									2			2	2	2
25	Diarrhea and enteritis.....	25						1			2	2	3	12	5	4
(33)	Malformations.....	13	4	2	2	2	10	3			13					
(33)	Premature birth.....	5	1			1	2	1			3					
(33, 37)	Congenital debility.....	2	1				2				2					
(37)	Injuries at birth.....	1	2				2				2					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....	4				1	1				1				1	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
CLEVELAND, OHIO.																
	All causes.....	2,033	205	91	50	104	450	103	90	87	730	221	156	397	322	207
5	Measles.....	22								1	1	2		1	5	13
6	Scarlet fever.....	3													1	
7	Whooping cough.....	16							1		1		3	5	5	2
8	Diphtheria and croup.....	8												3	2	3
9	Influenza.....	2												1		
(12)	Dysentery.....	7										2	1	3		1
(12)	Erysipelas.....	8								2		3	2			1
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....	5												1	4	
14	Tuberculous meningitis.....	18							1		1			6	4	7
15	Other forms of tuberculosis.....	6												1	5	
(37)	Syphilis.....	2	2			2	6	1	6	4	17	32	13	11	4	
17	Meningitis.....	20				1	2			1	5			6	4	5
(37)	Convulsions.....	56	1	4	3	8	16	6	2	3	27	11	2	9	5	2
19	Organic diseases of the heart.....	16	1		1	1	3	1	1		5	2	1	6	1	1
20	Acute bronchitis.....	105			1	1	2	6	8	8	24	17	13	20	18	13
22	Pneumonia.....	53			1	2	3	2	1		6	4	5	3	34	13
(23)	Bronchopneumonia.....	132		2	1		3	5	8	7	23	12	11	33	17	19
24	Diseases of the stomach.....	24		1		1	2	3			7	6	3	5	3	
25	Diarrhea and enteritis.....	790	1		1	10	12	29	24	34	99	83	81	234	188	105
(33)	Malformations.....	87	20	11	8	12	51	9	2	3	65	8	4	4	2	4
(33)	Premature birth.....	252	122	43	20	22	207	11	14	5	237	12	3			
(33, 37)	Congenital debility.....	128	29	17	9	24	79	15	10	9	113	11	4			
(37)	Injuries at birth.....	55	25	6	2	13	46	7			53	2		4	2	1
35	External causes.....	12	2				2			1	3	1	1	11	4	2
38	Diseases ill-defined or unknown.....	17												4	4	
	All other causes.....	113	2	4	3	7	16	5	10	9	40	13	8	23	14	15
COLUMBUS, OHIO.																
	All causes.....	397	50	19	13	31	113	22	18	17	170	50	35	68	33	41
5	Measles.....	5												1	1	3
6	Scarlet fever.....															
7	Whooping cough.....	8										1	2	2	2	1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	3						1	1		2		1			
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3		1			1				1		1	1		
14	Tuberculous meningitis.....	1												1		2
15	Other forms of tuberculosis.....	10										1	2	4	1	
(37)	Syphilis.....	6				1	1				1		1	3		1
17	Meningitis.....	9						1	3		4	2		2		1
(37)	Convulsions.....	14	2		2	3	7			1	8	1	1	2	1	1
19	Organic diseases of the heart.....	7	2	3			5	1			6			1		
20	Acute bronchitis.....	8								1	2		1	4	1	
22	Pneumonia.....	16						1	1	1	2	3	1	3	1	6
(23)	Bronchopneumonia.....	33						1	2	3	6	7	5	5	4	6
24	Diseases of the stomach.....	6						1	2	1	3	2		1		
25	Diarrhea and enteritis.....	96						1	4	5	10	17	12	24	16	17
(33)	Malformations.....	25	2	2	4	3	11	7		1	19	2	1	3		
(33)	Premature birth.....	68	33	8	4	9	54	8	2	2	66	2		3		
(33, 37)	Congenital debility.....	37	9	4	2	9	24		2	1	27	4	6			
(37)	Injuries at birth.....	5	1	1	1	2	5				5			1		
35	External causes.....	6	1			1	2			1	3	2		1		
38	Diseases ill-defined or unknown.....	15				1	1				1			11	1	2
	All other causes.....	16				2	2	1		1	4	6	1		4	1
DAYTON, OHIO.																
	All causes.....	325	50	21	6	21	98	24	12	7	141	30	27	71	32	24
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	16								1	1	3	3	4	2	3
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	1				1	1				1					
13	Tuberculosis of the lungs.....	3										1		2		
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	2											1		1	
(37)	Syphilis.....	3	2				2				2			1		
17	Meningitis.....	10						1		1	2			4	1	3
(37)	Convulsions.....	2				2	2				2					
19	Organic diseases of the heart.....	1												1		1
20	Acute bronchitis.....	3									1				1	5
22	Pneumonia.....	26						1	3		4	1	3	12	1	5
(23)	Bronchopneumonia.....	30		1	1		2	3	1	2	8	2	5	8	2	5
24	Diseases of the stomach.....	6						1			1	1		2	2	
25	Diarrhea and enteritis.....	88				3	3	5	4		12	11	12	26	21	6
(33)	Malformations.....	8	4	1		1	6	1		1	8					
(33)	Premature birth.....	71	37	17	3	7	64	4	1		69	1	1			
(33, 37)	Congenital debility.....	25	3	1	1	3	8	6	2	1	17	7	1			
(37)	Injuries at birth.....	6	4	1		1	6				6			4		1
35	External causes.....	9				2	2				2	1	1	4		
38	Diseases ill-defined or unknown.....	4				1	2				5	2		3	1	
	All other causes.....	11			1	1	2	2		1						

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	2 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
TOLEDO, OHIO.																
	All causes.....	402	50	26	11	22	109	22	24	14	169	37	39	80	44	33
5	Measles.....	6												2	1	3
6	Scarlet fever.....															
7	Whooping cough.....	7									1			2	4	
8	Diphtheria and croup.....	1														1
9	Influenza.....	1														1
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....	2			1	1	1				1			1		
(37)	Tetanus.....	2	1				1	1			2			1		
13	Tuberculosis of the lungs.....	3											1		1	1
14	Tuberculous meningitis.....	2												1	1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5				1	1				1	1		2		
17	Meningitis.....	5								1	1	1		3		
(37)	Convulsions.....															
19	Organic diseases of the heart.....	2		1			1		1		2					1
20	Acute bronchitis.....	8									3		3	1		
22	Pneumonia.....	21	1	1		1	3	1	2		5	2	2	4	5	3
(23)	Bronchopneumonia.....	37							2		1		6	8	8	6
24	Diseases of the stomach.....	7			1		1			1	2		2	5		
25	Diarrhea and enteritis.....	124	1			1	2	2	5	4	13	17	14	47	19	14
(33)	Malformations.....	29	3	9	2	3	17	2	4	4	23	1	3	1	1	
(33)	Premature birth.....	65	30	9	3	11	53	5	3	3	64					
(33, 37)	Congenital debility.....	27	7	1	1	1	9	4	3	2	18	4	5			
(37)	Injuries at birth.....	13	6	3	1	2	12	1			13					
35	External causes.....	1							1		1					1
38	Diseases ill-defined or unknown.....	31	1	3	3	1	8	4	3	2	17	3	2	4	3	2
	All other causes.....															
PORTLAND, OREG.																
	All causes.....	325	35	29	16	23	103	21	22	14	160	27	23	46	45	24
5	Measles.....	3						1			1			1	1	
6	Scarlet fever.....															
7	Whooping cough.....	10								1	1	2	1	4	1	1
8	Diphtheria and croup.....	2														1
9	Influenza.....	2														
(12)	Dysentery.....	3											1	1	2	
(12)	Erysipelas.....	3								1	2		1		1	
(37)	Tetanus.....	4							1						1	
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	2														2
(37)	Syphilis.....	4						1	1		2	1	1			
17	Meningitis.....	5				1	1	1			2	1		2		
(37)	Convulsions.....	1													1	
19	Organic diseases of the heart.....	7		1	1	1	3		1	1	5	1		1	1	
20	Acute bronchitis.....	3									1	1	1		1	
22	Pneumonia.....	14							2	1	4	1	1	3	3	2
(23)	Bronchopneumonia.....	23	1		1	2	4		2	1	6	1	2	2	8	4
24	Diseases of the stomach.....	6								1	1		2	1	1	1
25	Diarrhea and enteritis.....	57	1	3	3	4	11	4	1	4	6	7	4	16	16	8
(33)	Malformations.....	18	1	3	3	4	11	2	1	1	16	1	1			1
(33)	Premature birth.....	64	29	15	4	5	53	4	6	1	62	1	1			
(33, 37)	Congenital debility.....	46	3	6	4	5	18	5	7	2	32	8	6			
(37)	Injuries at birth.....	6		2	1	3	6				6					
35	External causes.....	4										1		3		
38	Diseases ill-defined or unknown.....	18	1	1	2		4				4			9	4	1
	All other causes.....	23		1		2	3	5	1	1	10	1	2	3	4	3
PHILADELPHIA, PA. (TOTAL).																
	All causes.....	5,334	404	147	111	275	937	279	212	177	1,605	529	461	1,193	893	653
5	Measles.....	33										1	2	4	7	19
6	Scarlet fever.....	3												1		2
7	Whooping cough.....	150							4	4	8	19	14	30	34	45
8	Diphtheria and croup.....	32			1		1				1	1		2	8	20
9	Influenza.....	4												1	2	
(12)	Dysentery.....	7				1	1				1	1		4	1	
(12)	Erysipelas.....	27									6	4		9	5	1
(37)	Tetanus.....	4				2	2				4					
13	Tuberculosis of the lungs.....	44		1		1	2		1		5	4	3	11	7	14
14	Tuberculous meningitis.....	48					2				4	4		13	18	11
15	Other forms of tuberculosis.....	13									2			4	4	3
(37)	Syphilis.....	63	5	1		3	9	11	6	4	30	4	11	12	5	1
17	Meningitis.....	23				2	3	2		1	6	1	2	7	7	5
(37)	Convulsions.....	124	2	4	3	15	24	12	6	6	48	9	10	22	18	17
19	Organic diseases of the heart.....	26	1	1	1	5	8	2			10	4	3	4	2	3
20	Acute bronchitis.....	180				1	1	7	12	7	27	31	25	37	37	23
22	Pneumonia.....	219	1	2		6	9	5	7	10	31	22	20	56	49	32
(23)	Bronchopneumonia.....	431	1	1	1	9	11	16	11	12	50	45	35	112	96	93
24	Diseases of the stomach.....	74	1	1		4	6	4	1	3	14	14	9	19	11	7
25	Diarrhea and enteritis.....	1,975		2	2	16	20	46	52	58	176	205	240	624	456	274
(33)	Malformations.....	271	55	21	16	42	134	33	20	15	202	23	3	22	10	6
(33)	Premature birth.....	593	250	73	51	80	459	60	31	15	565	23	10			
(33, 37)	Congenital debility.....	350	45	16	17	43	121	39	31	31	222	80	43			
(37)	Injuries at birth.....	107	42	14	8	27	91	12	4		107					1
35	External causes.....	56		1	2		4	3	5		12	9	4	14	10	7
38	Diseases ill-defined or unknown.....	202		1		1	2	1	1		3			121	57	20
	All other causes.....	274	1	3	9	16	29	18	20	8	75	23	18	60	49	49

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
PHILADELPHIA, PA. (WHITE).																
	All causes.....	4,789	370	133	102	249	854	258	197	164	1,473	475	417	1,066	782	576
5	Measles.....	30										1	2	4	6	17
6	Scarlet fever.....	3												1	1	2
7	Whooping cough.....	132							4	4	8	17	13	28	30	38
8	Diphtheria and croup.....	30		1			1				1	1	2	6	6	20
9	Influenza.....	7									1	1	1	1	1	
(12)	Dysentery.....	7			1		1				1	1	4	4	1	
(12)	Erysipelas.....	26						3		3	6	4	2	9	4	1
(37)	Tetanus.....	4			2		2	2			4					1
13	Tuberculosis of the lungs.....	37		1		1	2	2	1		5	3	3	10	6	10
14	Tuberculous meningitis.....	40										4	2	8	17	9
15	Other forms of tuberculosis.....	10												3	3	3
(37)	Syphilis.....	51	3	1		2	6	10	6	4	26	3	9	9	3	1
17	Meningitis.....	26	1			1	3	2		1	6		2	7	7	4
(37)	Convulsions.....	108	2	3	3	14	22	11	6	5	44	8	10	17	15	14
19	Organic diseases of the heart.....	24	1	1	1	5	8	2			10	4	1	4	2	3
20	Acute bronchitis.....	154			1	1	1	7	10	7	25	26	23	31	31	18
22	Pneumonia.....	172	1	2		6	9	5	6	7	27	18	17	46	37	27
(23)	Bronchopneumonia.....	381		1	1	9	11	15	11	12	49	43	33	98	79	79
24	Diseases of the stomach.....	63	1			3	5	4	1	3	13	13	9	16	10	7
25	Diarrhea and enteritis.....	1,906	2	2	2	15	19	43	49	52	163	185	216	575	416	251
(33)	Malformations.....	264	53	19	16	42	130	33	20	15	198	23	8	21	8	6
(33)	Premature birth.....	537	224	73	48	68	413	54	26	13	506	22	9			
(33, 37)	Congenital debility.....	312	45	12	12	37	106	34	29	30	199	68	40			1
(37)	Injuries at birth.....	97	38	13	7	25	83	10	4		97					
35	External causes.....	47		1	2		3	3	4		10	8	2	11	9	7
38	Diseases ill-defined or unknown.....	172		1		1	2	1			3	1		105	46	17
	All other causes.....	248	1	2	9	15	27	17	19	8	71	21	16	54	45	41
PHILADELPHIA, PA. (COLORED).																
	All causes.....	545	34	14	9	26	83	21	15	13	132	54	44	127	111	77
5	Measles.....	3													1	2
6	Scarlet fever.....															
7	Whooping cough.....	18										2	1	4	4	7
8	Diphtheria and croup.....	2													2	
9	Influenza.....	1													1	
(12)	Dysentery.....															
(12)	Erysipelas.....	1													1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	7										1		1	1	4
14	Tuberculous meningitis.....	8												5	1	2
15	Other forms of tuberculosis.....	3												1	1	
(37)	Syphilis.....	12	2		1		3	1			4	1	2	3	2	
17	Meningitis.....	2										1				
(37)	Convulsions.....	16		1		1	2	1		1	4	1		5	3	3
19	Organic diseases of the heart.....	2														
20	Acute bronchitis.....	26							2		2	5	2	6	6	5
22	Pneumonia.....	38							1	3	4	4	3	10	12	5
(23)	Bronchopneumonia.....	50						1			1	2	2	14	17	14
24	Diseases of the stomach.....	6				1	1				1	1		3	1	
25	Diarrhea and enteritis.....	169				1	1	3	3	6	13	20	24	49	40	23
(33)	Malformations.....	7	2	2			4				4			1	2	
(33)	Premature birth.....	61	26	5	3	12	46	6	5	2	59	1	1			
(33, 37)	Congenital debility.....	38	4	4	5	6	15	5	2	1	23	12	3			
(37)	Injuries at birth.....	10	4	1	1	2	8	2			10					
35	External causes.....	9				1	1		1		2	1	2	3	1	
38	Diseases ill-defined or unknown.....	30												16	11	3
	All other causes.....	26		1		1	2	1	1		4	2	2	6	4	8
PITTSBURGH, PA. (TOTAL).																
	All causes.....	2,259	205	82	49	114	450	101	95	87	733	240	197	456	348	285
5	Measles.....	33												2	10	21
6	Scarlet fever.....	9												1	5	3
7	Whooping cough.....	27										3	2	8	5	9
8	Diphtheria and croup.....	12												3	4	5
9	Influenza.....	1														
(12)	Dysentery.....	8										1		3	1	2
(12)	Erysipelas.....	12					1	1		2	4	1	1	4	3	
(37)	Tetanus.....	4									4					
13	Tuberculosis of the lungs.....	9				1	2	2						1	4	
14	Tuberculous meningitis.....	9												4	4	2
15	Other forms of tuberculosis.....	2												1	1	
(37)	Syphilis.....	38	1		1	3	5	2	1		9	12	3	11	1	2
17	Meningitis.....	24		1			1	1		4	6	1	1	9	3	4
(37)	Convulsions.....	50		1	2	6	9	2	4	1	16	6	5	11	5	7
19	Organic diseases of the heart.....	11	2			2	4		1	2	7	1		1	1	1
20	Acute bronchitis.....	104			1	1	2	3	7	4	16	14	14	24	20	16
22	Pneumonia.....	62			1	1	2	1	3		6	5	8	16	18	9
(23)	Bronchopneumonia.....	254				5	5	9	8	13	35	30	17	66	62	44
24	Diseases of the stomach.....	22				1	1	3	1		5	5	4	1	4	3
25	Diarrhea and enteritis.....	738		1	2	2	5	12	25	28	70	84	87	205	157	135
(33)	Malformations.....	93	21	13	6	19	59	10	2		72	6	5	5	5	1
(33)	Premature birth.....	243	116	34	18	22	190	25	10	8	233	5	5			
(33, 37)	Congenital debility.....	196	22	16	6	24	68	18	21	15	122	46	28			
(37)	Injuries at birth.....	69	35	12	5	10	62	4	2	1	69					
35	External causes.....	25	2	2	1	3	8	1	3	1	13		3	2	4	3
38	Diseases ill-defined or unknown.....	74	2			1	3				3			49	15	7
	All other causes.....	130	4	2	4	13	23	7	7	5	42	19	11	30	17	11

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
			REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
PITTSBURGH, PA. (WHITE).																
	All causes.....	2,119	191	77	47	106	421	100	92	81	694	231	186	425	321	262
5	Measles.....	33												2	10	21
6	Scarlet fever.....	9												1	5	3
7	Whooping cough.....	25										3	2	7	5	8
8	Diphtheria and croup.....	11												2	4	5
9	Influenza.....	1											1			
(12)	Dysentery.....	8												3	1	2
(12)	Erysipelas.....	11		1		1	1	1		2	4		1	4	2	
(37)	Tetanus.....	4		1	1	2	2				4					
13	Tuberculosis of the lungs.....	7										1	1	2	3	
14	Tuberculous meningitis.....	9								1	1		1	1	4	2
15	Other forms of tuberculosis.....	2										1				
(37)	Syphilis.....	33	1		1	3	5	2		1	8	10	2	10	1	2
17	Meningitis.....	23		1			1	1			6	1	1	8	3	4
(37)	Convulsions.....	47		1	2	5	8	2	4	1	15	6	5	9	5	7
19	Organic diseases of the heart.....	11	2			2	4		1	2	7	1		1	1	1
20	Acute bronchitis.....	94			1	1	2	3	6	3	14	13	13	22	19	13
22	Pneumonia.....	57			1	1	2	1	3	3	6	5	7	15	15	9
(23)	Bronchopneumonia.....	237			5	5	8	8	13	34	29	15	64	56	39	
24	Diseases of the stomach.....	22			1	1	3	1		5	5	4	1	4	3	
25	Diarrhea and enteritis.....	695		1	2	2	5	12	25	26	68	80	83	194	145	125
(33)	Malformations.....	90	21	13	6	17	57	10	1	1	69	6	4	5	5	1
(33)	Premature birth.....	226	107	30	17	21	175	25	10	6	216	5	5			
(33,37)	Congenital debility.....	188	21	15	6	21	63	18	21	14	116	45	27			
(37)	Injuries at birth.....	65	31	12	5	10	58	4	2	1	65					
35	External causes.....	23	2	2	1	3	8	1	3	1	13		3	2	3	2
38	Diseases ill-defined or unknown.....	69	2			1	3				3			46	14	6
	All other causes.....	119	4	2	3	12	21	7	7	5	40	19	10	26	15	9
PITTSBURGH, PA. (COLORED).																
	All causes.....	140	14	5	2	8	29	1	3	6	39	9	11	31	27	23
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2												1		1
8	Diphtheria and croup.....	1												1		
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1													1	
(37)	Tetanus.....								1		1	2	1	1		
13	Tuberculosis of the lungs.....	2												2		
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5									1			1		
17	Meningitis.....	1												1		
(37)	Convulsions.....	3			1	1					1			2		
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	10							1	1	2	1	1	1	1	3
22	Pneumonia.....	5								1	1	1	1	1	3	5
(23)	Bronchopneumonia.....	17									1	1	2	2	6	
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	43								2	2	4	4	11	12	10
(33)	Malformations.....	3				2	2		1	2	3					
(33)	Premature birth.....	17	9	4	1	1	15			2	17					
(33,37)	Congenital debility.....	8	1	1		3	5			1	6	1	1			
(37)	Injuries at birth.....	4	4			4	4				4					
35	External causes.....	2														
38	Diseases ill-defined or unknown.....	5												3	1	1
	All other causes.....	11			1	1	2				2		1	4	2	2
SCRANTON, PA.																
	All causes.....	520	2	10	13	25	50	29	23	20	122	63	52	117	96	70
5	Measles.....	2													1	1
6	Scarlet fever.....	1										1				
7	Whooping cough.....	9										3	1		4	1
8	Diphtheria and croup.....	6								1	1				1	4
9	Influenza.....	1											1			
(12)	Dysentery.....	4												3		1
(12)	Erysipelas.....	4														
(37)	Tetanus.....	2						2			2				2	
13	Tuberculosis of the lungs.....	1														1
14	Tuberculous meningitis.....	2												1		1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2										1		1		
17	Meningitis.....	5						1			1			2		
(37)	Convulsions.....	10			1		1	1	2		4	1	1		3	1
19	Organic diseases of the heart.....	1												1		
20	Acute bronchitis.....	26				2	2			2	7		2	1	6	4
22	Pneumonia.....	19							1	1	2	1	1	6	4	5
(23)	Bronchopneumonia.....	60				2	2	3	3	2	10	11	9	13	10	7
24	Diseases of the stomach.....	17							1	1	2	3	3	6	2	1
25	Diarrhea and enteritis.....	252				5	5	7	8	9	29	30	27	69	57	40
(33)	Malformations.....	15				2	2	3	2	2	9	4	2			
(33)	Premature birth.....	43	2	9	10	12	33	5	2	1	41	1	1			
(33,37)	Congenital debility.....	15			1	2	3	4	1		8	3	3		1	
(37)	Injuries at birth.....	3		1			1	1			2	1				
35	External causes.....	1														1
38	Diseases ill-defined or unknown.....	7												3	2	2
	All other causes.....	12			1		1	2	1		4	1	1	5	1	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
MEMPHIS, TENN. (COLORED).																
	All causes.....	169		1	5	12	13	16	6	6	46	14	10	38	34	27
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2									1	1				1
8	Diphtheria and croup.....	4						1			1	1		2		
9	Influenza.....	4						1			1			1	2	
(12)	Dysentery.....	4						1			1	1			1	1
(12)	Erysipelas.....	4						1			1					
(37)	Tetanus.....	2														
13	Tuberculosis of the lungs.....	2											1	1		
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....	10			1	4	5	1	1	4	1					2
(37)	Convulsions.....	12		1	1	4	5	2	1	8		1	3	2	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	7							1	1					2	1
22	Pneumonia.....	3												3		1
(23)	Bronchopneumonia.....	17							1	1		2	1	1	3	1
24	Diseases of the stomach.....	3												2		1
25	Diarrhea and enteritis.....	33							4	4	3		10	6	1	10
(33)	Malformations.....															
(33)	Premature birth.....	3		1	1	2	1			3						
(33, 37)	Congenital debility.....	15	1	2	3	6	5			11	2	2				
(37)	Injuries at birth.....															
35	External causes.....	4			1	1	2	1		1					2	1
38	Diseases ill-defined or unknown.....	30			2	2	2	1	2	7	4	1	4	8	8	6
	All other causes.....	16		1		1	2			3	1	2	6	2	2	2
NASHVILLE, TENN. (TOTAL).																
	All causes.....	289	33	18	5	18	74	20	12	9	115	26	30	43	43	32
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....	1														
(12)	Dysentery.....	4										1			1	2
(12)	Erysipelas.....	4														
(37)	Tetanus.....	2						2		2						
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	3											1		2	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	7	2			2	3			6				1		
17	Meningitis.....	4							1	1						
(37)	Convulsions.....	12	1	2		2	5	1	1	8	2	1			3	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	4								1					2	1
22	Pneumonia.....	35			1	1	2			4	5	9		5	8	4
(23)	Bronchopneumonia.....	18			1	1	2			4	5			5	2	2
24	Diseases of the stomach.....	5												1	1	1
25	Diarrhea and enteritis.....	63								3	4	7	18	17	14	14
(33)	Malformations.....	10				3				7		1		1		
(33)	Premature birth.....	47	24	8	3	2	37	4	5	46	1					
(33, 37)	Congenital debility.....	32	3	6		5	14	3	2	21	3	4	3			1
(37)	Injuries at birth.....	2	1			1	2			2						
35	External causes.....	15			1	2	3	2	1	6	3	3			2	1
38	Diseases ill-defined or unknown.....	10								6			5	2	2	3
	All other causes.....	15			1	1	2			4	3	1	3	2	2	2
NASHVILLE, TENN. (WHITE).																
	All causes.....	142	16	10	3	9	38	8	6	3	55	10	14	25	24	14
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....	1														
(12)	Dysentery.....	2										1				1
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1						1		1						
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	2													2	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2								1				1		
17	Meningitis.....	1														
(37)	Convulsions.....	4		2		1	3			3	1				1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	11			1		1			2	1				1	1
(23)	Bronchopneumonia.....	8				1	1			1	2			4	1	
24	Diseases of the stomach.....	3												1		1
25	Diarrhea and enteritis.....	36									1	2	12	11	10	10
(33)	Malformations.....	9				3				6		1	1	1		
(33)	Premature birth.....	30	15	6	1		22	3	5	30		1	1	1		
(33, 37)	Congenital debility.....	8				2	2	1	1	4	1	2	1			
(37)	Injuries at birth.....															
35	External causes.....	9			1	1	2	2		4	2	1			2	
38	Diseases ill-defined or unknown.....	4											3	1	1	
	All other causes.....	10				1	1	1		3	2	1	1	2		1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NASHVILLE, TENN. (COLORED).																
	All causes.....	147	17	8	2	9	36	12	6	6	60	16	16	18	19	18
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	2													1	1
(12)	Erysipelas.....															
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1											1			
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5	2			2	3				5					
17	Meningitis.....	3				1					5				2	
(37)	Convulsions.....	8	1			2	1	1	1	1	5	1	1			1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3														
22	Pneumonia.....	24				1					2	4	4	5	1	1
(23)	Bronchopneumonia.....	10									3	3		1	1	2
24	Diseases of the stomach.....	2														
25	Diarrhea and enteritis.....	27						1	1	1	3	3	5	6	6	4
(33)	Malformations.....	1	1			1					1					
(33)	Premature birth.....	17	9	2	2	15	1				16	1				1
(33,37)	Congenital debility.....	17	3	6		2	2				17	2	2	2		
(37)	Injuries at birth.....	24	3			3	3				2					
35	External causes.....	6	1			1					2					1
38	Diseases ill-defined or unknown.....	6				1					2	1	2		1	3
	All other causes.....	5						1			1	1		2	1	1
RICHMOND, VA. (TOTAL).																
	All causes.....	616	59	20	13	42	134	26	24	12	196	78	49	125	87	81
5	Measles.....	6													3	2
6	Scarlet fever.....															
7	Whooping cough.....	28										3	4	9	7	5
8	Diphtheria and croup.....															
9	Influenza.....	1										1				
(12)	Dysentery.....	4														2
(12)	Erysipelas.....															
(37)	Tetanus.....	9	1		1	3	5	1	2		8					2
13	Tuberculosis of the lungs.....	3													1	1
14	Tuberculous meningitis.....	6												1	2	2
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	25	1			3	4	4			8	12	1	1	2	1
17	Meningitis.....	7									2					3
(37)	Convulsions.....	18	3			6	9	1	1		10	1		2	2	3
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	14									1	4	3	1		5
22	Pneumonia.....	8						1			1	1	2		4	
(23)	Bronchopneumonia.....	48				1	1				1	4	3	13	13	14
24	Diseases of the stomach.....	8									1	1	2	2	2	
25	Diarrhea and enteritis.....	150				1	1	2	5	2	10	20	12	53	30	25
(33)	Malformations.....	16	3	1	2	2	8	1	1	2	12			3	1	
(33)	Premature birth.....	81	36	12	5	15	68	6	3	1	78	3				
(33,37)	Congenital debility.....	66	2	2	4	7	15	8	5	3	31	24	11			
(37)	Injuries at birth.....	10	2	3		3	8		1		9		1			
35	External causes.....	17	7	1	1		9		1		10	1	2	3		1
38	Diseases ill-defined or unknown.....	61	3	1			4				4	2	1	25	16	13
	All other causes.....	29	1			1	2	1	3	4	10	1	4	7	5	2
RICHMOND, VA. (WHITE).																
	All causes.....	266	26	12	8	17	63	11	14	9	97	23	21	50	39	36
5	Measles.....	2													1	1
6	Scarlet fever.....															
7	Whooping cough.....	16										3	3	4	3	3
8	Diphtheria and croup.....															
9	Influenza.....	1										1				
(12)	Dysentery.....	1														1
(12)	Erysipelas.....															
(37)	Tetanus.....	2				1	1		1		2					
13	Tuberculosis of the lungs.....	1														1
14	Tuberculous meningitis.....	3													1	1
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	3				1	1				1			1	1	
17	Meningitis.....	5						1	1		2					2
(37)	Convulsions.....	7	1			3	4				4	1				2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2									1	1				
22	Pneumonia.....	5										1	1		3	
(23)	Bronchopneumonia.....	13										2		2	4	5
24	Diseases of the stomach.....	7										1	2	2	2	
25	Diarrhea and enteritis.....	57						1	2	1	4	5	2	19	16	11
(33)	Malformations.....	16	3	1	2	2	8	1	1	2	12			3	1	
(33)	Premature birth.....	37	20	5	3	4	32	3	2		37					
(33,37)	Congenital debility.....	29	1	2	2	2	5	5	3	3	16	5	8			
(37)	Injuries at birth.....	10	2	3		3	8		1		9		1			
35	External causes.....	5		1	1		2		1		3			1		
38	Diseases ill-defined or unknown.....	29		1			1				1	2		13	5	8
	All other causes.....	14				1	1		1	3	5	1	1	4	2	1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
RICHMOND, VA. (COLORED).																
	All causes.....	350	33	8	5	25	71	15	10	3	99	55	28	75	48	45
5	Measles.....	4											1		2	1
6	Scarlet fever.....															
7	Whooping cough.....	12											1	5	4	2
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	3												2		1
(12)	Erysipelas.....	7	1		1	2	4	1	1		6					1
(37)	Tetanus.....	2														1
13	Tuberculosis of the lungs.....	2												1		1
14	Tuberculous meningitis.....	3												1	1	1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	22	1		2	3	4				7	12	1		1	1
17	Meningitis.....	2												1		1
(37)	Convulsions.....	11	2		3	5	1	1			6			2	2	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	12						1				3	3	1		5
22	Pneumonia.....	8						1			1	1	1		1	
(23)	Bronchopneumonia.....	35			1	1					1	2	3	11	9	9
24	Diseases of the stomach.....	1									1					
25	Diarrhea and enteritis.....	93			1	1	1	1	3	1	6	15	10	34	14	14
(33)	Malformations.....															
(33)	Premature birth.....	44	16	7	2	11	36	3	1	1	41	3				
(33, 37)	Congenital debility.....	37	2	1	2	5	10	3	2		15	19	3			
(37)	Injuries at birth.....															
35	External causes.....	12	7				7				7	1	1	2		1
38	Diseases ill-defined or unknown.....	32	3				3				3		1	12	11	5
	All other causes.....	15	1				1	1	2	1	5		3	3	3	1
SEATTLE, WASH.																
	All causes.....	348	39	23	23	30	115	27	12	12	166	27	28	60	49	18
5	Measles.....	1													1	
6	Scarlet fever.....															
7	Whooping cough.....	23										1	5	11	6	1
8	Diphtheria and croup.....	2													1	
9	Influenza.....															
(12)	Dysentery.....	1			1		1				1					
(12)	Erysipelas.....	1														1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....	5												1	1	3
15	Other forms of tuberculosis.....	2														1
(37)	Syphilis.....	4											1	3		
17	Meningitis.....	3									1	1			1	
(37)	Convulsions.....	5			1	1	2	1	1		3	1	1		1	
19	Organic diseases of the heart.....	3	1			1	2				2			1		
20	Acute bronchitis.....	4										2	1	1	1	1
22	Pneumonia.....	8						2			2	2	1	1	2	
(23)	Bronchopneumonia.....	23							2	1	3	5	5	4	4	4
24	Diseases of the stomach.....	8									1	1	1	3	1	1
25	Diarrhea and enteritis.....	63				2	2	1		4	7	3	9	20	18	6
(33)	Malformations.....	25	4	2	5	4	15	3		2	20	1		3		1
(33)	Premature birth.....	62	23	13	5	6	47	9	3	1	60	2		4		
(33, 37)	Congenital debility.....	43	6	3	4	9	22	5	4	4	35	6	2			
(37)	Injuries at birth.....	15	2	4	4	5	15				15					
35	External causes.....	12	3	1			4	1			5	2	1			
38	Diseases ill-defined or unknown.....	12												8	4	3
	All other causes.....	22			3	2	5	5	1		11	3	1	1	6	
SPOKANE, WASH.																
	All causes.....	292	24	14	7	24	69	15	13	9	106	46	19	53	40	28
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	13										3		4	3	3
8	Diphtheria and croup.....	1														1
9	Influenza.....	1														
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....													1		
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2										1			1	
17	Meningitis.....	3										1				1
(37)	Convulsions.....	3	1				1		1		2					
19	Organic diseases of the heart.....	1										1				
20	Acute bronchitis.....	3										1				
22	Pneumonia.....	7			1		1		1		2	1	1			
(23)	Bronchopneumonia.....	30			1	2	3	1	1		5	7	3	4	6	5
24	Diseases of the stomach.....	8									4	4	1	1		
25	Diarrhea and enteritis.....	87				7	10	1	2	2	4	11	8	28	24	12
(33)	Malformations.....	17	1	1	1	1	10	1	1	1	13	1		3		
(33)	Premature birth.....	40	17	9	1	6	33	3	1	1	38	2		1		
(33, 37)	Congenital debility.....	42	5	2	2	6	14	6	5	3	28	10	3			
(37)	Injuries at birth.....	4					3				4					
35	External causes.....	1									1			1		
38	Diseases ill-defined or unknown.....	13						1			1			8	4	
	All other causes.....	14		1		2	3			2	5	4	1	1	1	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1910—Continued.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	MILWAUKEE, WIS.															
	All causes	1,368	134	58	46	75	313	74	48	50	485	145	120	307	174	137
5	Measles	7													3	4
6	Scarlet fever	6														
7	Whooping cough	20														
8	Diphtheria and croup	6			1											
9	Influenza	3					1				2					
(12)	Dysentery	3											1			1
(12)	Erysipelas	3												1		
(37)	Tetanus	1						1			1	2				
13	Tuberculosis of the lungs	1														
14	Tuberculous meningitis	9											1	3	3	2
15	Other forms of tuberculosis	7														
(37)	Syphilis	7	1	1			2	1			3	4				
17	Meningitis	19										3				
(37)	Convulsions	95	2	6	11	20	39	11	2	8	60	7	6	8	4	5
19	Organic diseases of the heart	6									1					
20	Acute bronchitis	76				1	1				7			4		
22	Pneumonia	64		1							17	9		18	11	14
(23)	Bronchopneumonia	77					1	5	3	4	13	5	4	14	17	11
24	Diseases of the stomach	68			1	5	7	6	6	5	24	6	9	25	20	17
25	Diarrhea and enteritis	385		1	1		6	11	8	11	36	42	44	138	75	50
(33)	Malformations	41	9	3	3	6	21	6	2	2	30	4		3	3	1
(33)	Premature birth	142	71	18	11	12	112	11	7	1	134	6	2			
(33, 37)	Congenital debility	184	36	19	14	15	84	13	12	4	117	32	31	3	1	
(37)	Injuries at birth	28	14	7	2	4	27	1			28					
35	External causes	7					1	1			2				1	1
38	Diseases ill-defined or unknown	66		1			1				2	2	1			7
	All other causes	52	1		1	8	10	4	3	1	18	4	6	8	10	11

DEATHS, BY COUNTRY OF BIRTH AND AGE.

575

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un- known.
SUMMARY.													
The registration area.....	753,308	220,010	10,737	17,658	26,844	58,406	64,416	72,370	82,017	97,830	77,157	25,165	698
United States.....	546,507	216,236	9,929	14,969	19,722	39,446	40,344	43,093	46,810	55,310	45,253	15,203	192
Austria.....	9,640	317	80	336	939	2,003	1,888	1,510	1,109	830	454	164	10
Canada.....	16,755	509	89	200	496	1,483	1,992	2,664	3,012	3,211	2,346	743	10
England and Wales.....	17,099	163	39	99	230	969	1,574	2,338	3,129	4,082	3,350	1,120	6
France.....	2,026	22	4	16	35	127	195	294	344	464	391	134
Germany.....	48,850	174	52	128	425	1,872	3,477	6,142	8,972	12,958	11,353	3,283	14
Hungary.....	3,618	254	30	124	396	873	775	617	303	168	55	15	8
Ireland.....	46,431	68	12	73	437	2,294	4,375	5,909	9,604	12,760	8,277	2,583	39
Italy.....	11,338	662	160	667	1,263	2,336	1,880	1,645	1,421	843	353	103	5
Poland.....	3,118	113	21	104	307	588	619	518	369	257	146	73	3
Russia.....	9,337	465	140	315	832	1,776	1,710	1,498	1,213	870	373	140	5
Scandinavia.....	13,261	102	40	156	516	1,461	1,875	2,307	2,058	2,214	1,874	647	11
Scotland.....	4,585	63	10	18	77	292	448	631	828	919	914	322	3
Other foreign countries.....	10,675	334	96	326	812	1,667	1,436	1,383	1,416	1,648	1,180	361	16
Unknown.....	10,968	528	35	127	357	1,219	1,828	1,821	1,429	1,236	838	274	376
Registration states ¹	673,203	197,315	9,585	15,547	23,477	50,897	56,018	62,913	73,074	88,887	71,270	23,574	646
United States.....	490,920	193,943	8,851	13,149	17,078	34,151	34,371	37,620	42,370	51,315	42,828	14,566	178
Austria.....	7,899	265	70	281	823	1,688	1,582	1,185	849	652	360	134	10
Canada.....	15,824	494	85	195	479	1,406	1,831	2,466	2,823	3,043	2,266	726	10
England and Wales.....	15,783	155	35	87	216	899	1,455	2,109	2,868	3,817	3,088	1,049	5
France.....	1,713	19	4	15	32	112	171	246	290	391	318	115
Germany.....	41,157	144	43	107	362	1,557	2,883	5,021	7,440	10,927	9,794	2,867	12
Hungary.....	3,260	219	29	115	359	783	703	553	283	150	44	14	8
Ireland.....	41,922	67	11	65	403	2,083	3,978	5,256	8,630	11,540	7,507	2,345	37
Italy.....	10,370	616	146	622	1,176	2,153	1,735	1,496	1,270	762	300	89	5
Poland.....	2,496	93	20	88	253	474	483	405	280	210	122	64	3
Russia.....	8,228	408	123	282	749	1,556	1,506	1,308	1,077	772	324	120	3
Scandinavia.....	11,284	86	36	139	451	1,242	1,544	1,915	1,702	1,884	1,669	605	11
Scotland.....	4,175	60	9	18	71	276	409	558	733	801	847	300	3
Other foreign countries.....	9,255	269	90	272	716	1,473	1,250	1,181	1,221	1,427	1,020	320	16
Unknown.....	8,918	477	33	112	309	1,044	1,617	1,594	1,238	1,107	783	260	345
Cities in registration states ¹	379,543	118,624	5,097	8,633	13,757	32,047	36,454	39,709	42,377	44,078	29,762	8,808	197
United States.....	258,996	116,174	4,572	6,955	9,407	20,321	21,060	21,344	20,475	19,949	14,182	4,512	45
Austria.....	4,958	165	43	191	487	1,016	997	795	597	422	186	63
Canada.....	9,422	313	53	125	324	974	1,265	1,721	1,641	1,641	1,105	316	5
England and Wales.....	9,659	109	31	67	160	645	1,073	1,465	1,877	2,181	1,566	462	3
France.....	1,101	15	4	12	21	83	119	180	200	275	175	55
Germany.....	26,930	96	23	77	248	1,148	2,164	3,728	5,303	7,039	5,621	1,480	3
Hungary.....	2,378	166	24	85	265	553	489	389	229	129	34	11	4
Ireland.....	31,788	51	9	55	335	1,839	3,481	4,453	7,033	8,520	4,744	1,246	26
Italy.....	7,851	470	121	459	859	1,522	1,268	1,183	1,053	612	235	67	2
Poland.....	1,800	72	16	61	177	341	375	317	204	136	68	33
Russia.....	6,845	330	102	240	577	1,203	1,204	1,108	970	711	289	108	2
Scandinavia.....	5,063	49	17	69	280	767	903	1,038	774	655	404	106	1
Scotland.....	2,640	41	4	10	52	199	319	414	496	532	425	147	1
Other foreign countries.....	5,390	176	61	182	438	878	766	754	746	798	466	121	4
Unknown.....	4,722	392	16	45	145	558	971	936	699	516	262	81	101
Rural part of registration states.....	293,660	78,691	4,488	6,914	9,720	18,850	19,564	23,204	30,697	44,809	41,508	14,766	449
United States.....	231,924	77,769	4,279	6,194	7,671	13,830	13,811	16,276	21,895	31,366	28,646	10,054	133
Austria.....	2,941	100	27	90	241	672	585	390	252	230	174	71	10
Canada.....	6,372	176	32	70	155	432	566	861	1,102	1,402	1,161	410	5
England and Wales.....	6,154	46	4	20	66	254	382	644	991	1,636	1,522	587	2
France.....	612	4	3	11	29	52	66	90	154	143	60
Germany.....	14,227	48	20	30	114	409	719	1,293	2,137	3,888	4,173	1,387	9
Hungary.....	882	53	5	30	94	230	214	164	54	21	10	3	4
Ireland.....	10,134	16	2	10	72	244	497	803	1,597	3,020	2,763	1,099	11
Italy.....	2,519	146	25	163	317	691	467	313	217	150	65	22	3
Poland.....	695	21	4	27	76	133	108	88	76	74	54	31	3
Russia.....	1,383	78	20	42	172	353	302	200	107	61	35	12	1
Scandinavia.....	6,221	37	19	70	171	475	641	877	928	1,229	1,265	499	10
Scotland.....	1,535	19	5	8	19	77	90	144	237	359	422	153	2
Other foreign countries.....	3,565	93	29	90	278	595	484	427	475	629	554	199	12
Unknown.....	4,196	85	17	67	164	486	646	658	539	590	521	179	244
Registration cities in other states.....	80,105	22,695	1,152	2,111	3,367	7,509	8,398	9,457	8,943	8,943	5,887	1,591	52
United States.....	55,587	22,293	1,078	1,820	2,644	5,295	5,473	5,473	4,440	3,995	2,425	637	14
Austria.....	1,741	52	10	55	116	315	306	325	260	178	94	30
Canada.....	931	15	4	5	17	77	161	198	189	168	80	17
England and Wales.....	1,316	8	4	12	14	70	119	229	261	265	262	71	1
France.....	313	3	3	15	24	48	54	54	73	73	19
Germany.....	7,693	30	9	21	63	315	594	1,121	1,532	2,031	1,559	416	2
Hungary.....	358	35	1	9	37	90	72	64	20	18	11	1
Ireland.....	4,509	1	1	8	34	211	397	653	974	1,220	770	238	2
Italy.....	968	46	14	45	87	183	145	149	151	81	53	14
Poland.....	623	20	1	16	54	114	136	113	89	47	24	9
Russia.....	1,109	57	17	33	83	220	204	190	136	98	49	20	2
Scandinavia.....	1,977	16	4	17	65	219	331	392	356	330	205	42
Scotland.....	410	3	1	6	16	39	73	95	88	67	22
Other foreign countries.....	1,420	65	6	54	96	194	186	202	195	221	160	41
Unknown.....	1,150	51	2	15	48	175	211	227	191	130	55	14	31

¹ Including District of Columbia.

MORTALITY STATISTICS.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.
SUMMARY—Continued.													
All registration cities ¹	459,648	141,319	6,249	10,744	17,124	39,556	44,852	49,166	51,320	53,021	35,649	10,399	249
United States.....	314,583	138,467	5,650	8,775	12,051	25,616	28,533	26,817	24,915	23,944	16,607	5,149	59
Austria.....	6,699	217	53	246	599	1,331	1,303	1,120	857	600	280	93
Canada.....	10,383	353	57	130	341	1,051	1,426	1,803	1,910	1,809	1,185	333	5
England and Wales.....	10,945	117	35	79	164	715	1,192	1,694	2,133	2,446	1,828	533	4
France.....	1,414	18	4	13	24	98	143	228	254	310	248	74
Germany.....	34,623	126	32	98	311	1,463	2,758	4,849	6,835	9,070	7,180	1,896	5
Hungary.....	2,736	201	25	94	302	643	561	453	249	147	45	12	4
Ireland.....	36,297	52	10	63	365	2,050	3,878	5,106	8,007	9,740	5,514	1,484	28
Italy.....	3,819	516	135	504	946	1,705	1,413	1,332	1,204	693	288	81
Poland.....	2,423	92	17	77	231	1,455	511	430	293	133	92	42	2
Russia.....	7,954	387	120	273	660	1,423	1,408	1,298	1,106	809	338	123
Scandinavia.....	7,040	65	21	86	345	986	1,234	1,430	1,130	985	609	148	1
Scotland.....	3,050	44	5	10	58	215	358	487	591	620	492	189	1
Other foreign countries.....	6,810	241	67	236	534	1,072	952	956	941	1,019	626	162	4
Unknown.....	5,872	443	18	60	193	733	1,182	1,183	890	646	317	95	132

REGISTRATION STATES.

California.....	30,685	5,423	351	692	1,170	3,090	3,376	3,704	3,748	4,490	3,600	1,027	14
United States.....	20,198	5,319	320	612	895	2,096	2,074	2,130	1,937	2,280	1,963	571	1
Austria.....	201	1	4	21	35	33	40	28	19	17	3
Canada.....	803	11	2	4	13	58	91	134	155	194	102	39
England and Wales.....	1,074	2	2	12	61	114	134	204	278	208	59
France.....	353	2	3	4	38	43	57	68	69	57	12
Germany.....	1,707	1	2	3	7	64	148	220	359	428	378	97
Hungary.....	28	5	6	7	3	3	3	3	1
Ireland.....	1,941	1	11	81	115	203	330	592	488	119
Italy.....	600	17	3	20	47	91	99	103	97	87	26	10
Poland.....	28	1	3	2	4	8	6	4
Russia.....	155	8	2	1	10	31	34	23	17	22	6	1
Scandinavia.....	726	5	24	91	120	149	133	121	66	17
Scotland.....	301	1	5	10	33	43	46	71	68	24
Other foreign countries.....	1,612	48	20	33	99	307	258	208	222	213	150	51	3
Unknown.....	953	12	2	4	21	119	208	251	145	105	62	19	10
Colorado.....	10,730	2,658	185	376	643	1,520	1,240	1,152	1,049	1,003	718	180	6
United States.....	7,897	2,625	169	319	490	996	768	692	627	639	460	111	1
Austria.....	243	4	5	11	33	80	56	25	17	7	4	1
Canada.....	167	1	3	17	23	27	37	33	23	3
England and Wales.....	339	1	2	4	34	40	61	63	72	50	12
France.....	31	1	3	7	7	4	7	2
Germany.....	380	1	2	4	10	31	58	53	91	68	52	10
Hungary.....	28	1	6	13	4	3	1
Ireland.....	310	9	27	34	50	55	66	49	20
Italy.....	191	6	1	13	25	57	39	25	8	13	3	1
Poland.....	3	1	1
Russia.....	161	10	4	8	11	46	41	17	14	4	6
Scandinavia.....	302	2	14	60	60	59	45	33	24	5
Scotland.....	85	1	2	10	5	19	18	14	14	2
Other foreign countries.....	246	3	2	9	21	85	46	36	15	15	10	3	1
Unknown.....	347	7	1	5	15	61	66	78	51	34	16	10	3
Connecticut.....	17,120	4,961	223	328	492	1,169	1,492	1,507	1,892	2,433	1,910	661	52
United States.....	12,018	4,864	202	245	304	712	816	812	934	1,366	1,254	493	16
Austria.....	137	8	3	8	15	25	31	19	15	8	2	2	1
Canada.....	367	10	3	6	15	40	45	63	66	69	40	9
England and Wales.....	461	4	1	6	26	38	62	99	115	82	28
France.....	46	1	4	4	4	10	7	10	9	1
Germany.....	593	3	3	4	14	52	71	121	167	136	20	2
Hungary.....	141	8	2	6	15	38	34	22	10	6
Ireland.....	1,884	5	2	1	14	86	135	229	442	557	283	73	7
Italy.....	23	3	39	45	81	85	58	61	21	6	3
Poland.....	54	2	3	7	15	15	6	3
Russia.....	301	21	6	7	46	63	60	40	34	18	5	1
Scandinavia.....	239	3	3	9	33	55	50	30	23	27	6
Scotland.....	141	5	4	7	14	13	24	27	29	8
Other foreign countries.....	93	1	3	4	9	16	19	15	10	11	4	1
Unknown.....	220	4	2	3	3	16	42	33	21	36	25	13	22
Indiana.....	35,011	9,104	562	974	1,442	2,559	2,493	2,946	3,882	5,179	4,546	1,303	21
United States.....	30,768	9,070	554	945	1,328	2,345	2,204	2,562	3,278	4,095	3,435	945	7
Austria.....	132	3	1	4	28	31	29	14	6	5	9	2
Canada.....	107	2	2	5	9	14	17	23	30	5
England and Wales.....	313	4	1	2	14	12	35	50	88	81	26
France.....	89	3	2	2	2	4	12	30	22	14
Germany.....	1,956	3	1	4	6	30	60	142	313	568	627	202
Hungary.....	98	7	1	5	12	21	28	13	3	4	2	1	1
Ireland.....	594	4	11	22	34	86	194	188	55
Italy.....	62	2	1	1	11	15	8	11	5	3	5
Poland.....	90	4	4	16	17	14	9	11	7	7	1
Russia.....	47	2	6	11	9	9	4	4	1	1
Scandinavia.....	111	3	13	10	21	12	23	20	5
Scotland.....	81	1	3	3	5	6	15	20	20	8
Other foreign countries.....	236	3	3	5	20	22	25	23	27	45	51	12
Unknown.....	327	3	1	5	10	20	53	44	45	66	43	20

¹ Including District of Columbia.

DEATHS, BY COUNTRY OF BIRTH AND AGE.

577

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.
REGISTRATION STATES—Continued.													
Maine.....	12,703	3,088	185	270	352	699	797	1,002	1,303	2,054	2,113	816	24
United States.....	10,794	3,031	166	237	276	514	561	785	1,057	1,697	1,759	705	6
Austria.....	5	1	1	1	1	1	1	1	1	1	1	1	1
Canada.....	1,109	47	13	21	51	121	145	142	150	181	183	51	4
England and Wales.....	103	4	3	3	11	4	17	16	22	23	7	7	7
France.....	4	1	1	1	1	1	1	1	1	1	1	1	1
Germany.....	31	4	2	2	2	2	3	4	8	9	2	2	2
Hungary.....	1	1	1	1	1	1	1	1	1	1	1	1	1
Ireland.....	322	2	2	2	11	23	24	44	101	88	28	1	1
Italy.....	29	2	5	10	8	8	8	1	1	1	1	1	1
Poland.....	29	1	2	3	3	4	6	4	3	2	1	1	1
Russia.....	54	1	1	2	2	8	5	3	7	10	13	4	4
Scandinavia.....	42	3	3	1	6	7	8	6	6	9	12	4	4
Scotland.....	43	3	3	1	6	7	8	6	2	3	3	1	1
Other foreign countries.....	42	4	3	3	5	9	26	13	12	19	20	14	12
Unknown.....	137	4	3	3	5	9	26	13	12	19	20	14	12
Maryland.....	15,458	4,324	235	365	499	1,136	1,198	1,454	1,908	2,225	1,637	454	28
United States.....	12,725	4,258	230	339	443	966	978	1,119	1,423	1,546	1,109	301	13
Austria.....	115	2	2	2	7	20	16	26	17	18	6	1	1
Canada.....	23	1	1	1	1	1	5	1	4	9	1	1	1
England and Wales.....	141	1	1	1	1	8	14	16	26	35	33	7	7
France.....	11	1	1	1	1	2	2	1	4	1	1	3	3
Germany.....	1,270	6	1	5	9	32	62	135	223	345	345	107	2
Hungary.....	17	1	1	1	3	3	3	3	3	2	2	2	2
Ireland.....	480	1	1	3	3	11	28	50	112	164	89	22	1
Italy.....	68	3	5	7	16	11	6	8	11	1	1	1	1
Poland.....	45	1	1	4	7	11	11	6	6	3	3	3	3
Russia.....	202	11	2	9	11	27	33	40	26	30	9	4	4
Scandinavia.....	22	2	2	1	4	4	4	2	6	4	1	1	1
Scotland.....	55	2	1	2	3	4	6	13	17	8	2	2	2
Other foreign countries.....	46	1	1	2	3	4	8	3	7	9	7	2	2
Unknown.....	238	38	1	2	7	31	22	36	36	25	24	4	12
Massachusetts.....	53,455	16,195	661	978	1,523	3,600	4,335	4,917	6,115	7,347	5,735	2,005	44
United States.....	36,760	15,815	585	757	946	2,041	2,201	2,589	3,075	3,760	3,558	1,430	3
Austria.....	194	14	6	6	22	57	35	17	15	11	7	4	4
Canada.....	4,018	146	20	43	152	417	556	595	715	707	512	150	2
England and Wales.....	1,511	19	2	8	21	106	195	231	288	368	223	49	1
France.....	82	3	1	3	7	13	15	14	14	10	2	2	2
Germany.....	617	1	1	7	24	49	79	121	183	122	30	3	3
Hungary.....	27	2	2	2	4	5	5	5	1	1	1	1	1
Ireland.....	6,703	12	4	13	71	369	737	853	1,416	1,889	1,063	271	6
Italy.....	627	48	9	45	73	132	92	90	64	44	24	6	6
Poland.....	79	4	4	11	14	19	19	7	4	1	1	1	1
Russia.....	645	38	16	25	68	124	115	91	81	56	25	5	1
Scandinavia.....	530	6	1	6	29	75	98	103	78	75	45	14	14
Scotland.....	428	8	1	6	10	32	45	62	74	97	70	23	23
Other foreign countries.....	898	53	17	47	102	163	120	121	114	99	49	11	2
Unknown.....	336	26	2	3	3	30	55	59	51	42	27	10	31
Michigan.....	39,262	11,367	608	989	1,435	2,547	2,573	3,270	4,150	5,692	4,927	1,662	42
United States.....	28,020	11,183	581	856	1,091	1,778	1,624	1,889	2,348	3,157	2,631	869	13
Austria.....	255	9	1	12	25	59	47	38	25	23	12	4	4
Canada.....	2,644	64	10	35	67	157	256	433	490	578	412	140	2
England and Wales.....	1,081	6	5	17	38	49	106	184	257	300	117	2	2
France.....	58	3	1	3	7	13	15	14	14	10	2	2	2
Germany.....	2,998	13	3	12	43	124	195	357	481	796	747	226	1
Hungary.....	93	14	4	9	29	20	8	4	3	2	2	2	2
Ireland.....	1,081	1	1	2	11	29	64	162	316	352	143	1	1
Italy.....	130	3	1	16	19	32	22	17	12	5	2	1	1
Poland.....	203	6	4	20	35	29	32	25	28	22	7	7	7
Russia.....	228	13	3	9	19	41	35	30	21	22	26	9	9
Scandinavia.....	584	6	2	7	21	55	70	98	102	122	80	21	21
Scotland.....	308	4	1	1	4	21	15	46	76	105	35	35	35
Other foreign countries.....	1,113	24	1	22	87	145	113	111	166	217	169	57	1
Unknown.....	461	21	6	6	14	39	60	69	75	78	52	19	22
Minnesota.....	22,470	6,719	528	754	1,026	1,855	1,720	2,032	2,021	2,456	2,421	910	28
United States.....	13,291	6,595	501	648	712	1,077	828	837	651	644	591	204	3
Austria.....	421	5	1	14	35	77	45	52	64	64	53	20	1
Canada.....	625	16	1	6	15	49	64	104	122	125	95	28	2
England and Wales.....	290	4	4	1	4	13	24	33	40	64	83	24	2
France.....	26	4	1	1	1	2	2	4	5	5	8	2	2
Germany.....	2,078	8	4	5	13	64	125	227	355	536	556	183	1
Hungary.....	45	1	1	1	3	10	10	9	2	5	4	4	4
Ireland.....	63	1	1	1	2	11	25	43	74	157	218	106	1
Italy.....	63	4	5	8	20	12	7	4	1	1	1	1	1
Poland.....	77	3	2	1	2	9	6	8	15	11	12	10	10
Russia.....	91	3	2	1	8	13	12	13	26	7	4	2	2
Scandinavia.....	3,727	29	10	50	137	315	405	545	695	709	289	2	2
Scotland.....	100	17	10	12	59	115	65	9	21	19	26	12	12
Other foreign countries.....	515	17	10	12	59	115	65	9	21	19	26	12	12
Unknown.....	485	33	9	9	28	76	87	79	63	56	21	11	11

MORTALITY STATISTICS.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.
REGISTRATION STATES—Continued.													
Montana.....	3,909	1,121	85	128	223	487	487	470	330	299	216	42	21
United States.....	2,522	1,099	83	112	126	251	223	207	147	138	111	22	3
Austria.....	70	3		2	11	15	20	10	5	3	1		
Canada.....	169	7	2	1	3	20	31	33	26	22	19	5	
England and Wales.....	152	1		2	5	21	25	35	29	17	15	2	
France.....	12				1		2	1	2	2	2	4	
Germany.....	105					9	7	26	24	28	7	4	
Hungary.....	9	1				2	2	2	1	1			
Ireland.....	252				7	33	49	45	40	42	28	7	1
Italy.....	47			2	8	12	11	9	2	2	1		
Poland.....	7					2	3			1	1		
Russia.....	16	4			3	3	1		3	1	1		
Scandinavia.....	150	2		3	15	33	28	35	15	10	9		
Scotland.....	35				2	7	7	5	4	6	4		
Other foreign countries.....	112	2		3	25	32	19	17	5	5	4		
Unknown.....	251	1		3	17	47	59	45	27	22	11	2	17
New Hampshire.....	7,438	1,860	75	124	196	381	471	606	843	1,219	1,154	465	44
United States.....	5,861	1,809	66	95	134	213	322	395	597	903	928	386	13
Austria.....	14			1	3	4	1	1	3		1		
Canada.....	735	41	5	17	31	96	66	111	124	137	81	25	1
England and Wales.....	87	1	1			2	6	11	14	22	20	9	1
France.....	5	1				2				1	1		
Germany.....	38		1		2	2	4	5	6	11	6	1	
Hungary.....	9												
Ireland.....	326			1	3	17	33	41	52	90	60	24	5
Italy.....	17				2	6	2	5	1	1			
Poland.....	10	1			2	5	1			1			
Russia.....	15	1		2		7	4	1					
Scandinavia.....	27				2	9	5	3	2	5	1		
Scotland.....	37	1				2	6	4	12	8	4		
Other foreign countries.....	50			7	15	10	7	6	1	3			1
Unknown.....	216	5	2	1	4	15	14	19	38	36	44	15	23
New Jersey.....	37,422	11,763	525	799	1,190	2,825	3,475	3,656	4,137	4,768	3,238	1,028	18
United States.....	26,508	11,593	475	640	809	1,811	1,990	1,982	2,153	2,477	1,906	664	8
Austria.....	413	13	7	14	36	89	99	63	44	37	10	1	
Canada.....	134	2		3	5	8	15	19	23	36	17	6	
England and Wales.....	1,027	10	2	7	17	74	106	142	205	260	151	53	
France.....	142	1			2	5	16	14	31	39	27	7	
Germany.....	2,777	8	1	4	36	135	254	438	541	705	519	136	
Hungary.....	346	29	2	11	42	89	64	69	30	5	4	1	
Ireland.....	2,962	7	1	7	28	168	329	412	662	815	425	105	3
Italy.....	980	40	20	59	99	185	174	148	136	92	20	7	
Poland.....	208	11	3	16	22	34	62	33	10	16		1	
Russia.....	456	17	8	15	40	81	121	71	53	36	7	7	
Scandinavia.....	268	7	1	4	10	38	61	54	45	32	11	5	
Scotland.....	336	2	1	1	11	28	45	58	67	64	47	12	
Other foreign countries.....	472	13	3	12	22	42	50	81	77	94	63	15	
Unknown.....	393	10	1	6	11	38	89	72	60	60	31	8	7
New York.....	144,144	41,748	1,826	2,970	4,680	11,084	13,506	15,134	16,637	18,425	13,518	4,582	34
United States.....	97,536	40,801	1,587	2,275	3,064	6,784	7,679	8,011	8,108	9,156	7,362	2,697	12
Austria.....	2,027	50	21	77	165	336	399	343	300	213	92	31	
Canada.....	2,115	66	9	23	54	185	230	334	364	385	335	129	1
England and Wales.....	3,232	44	15	30	48	180	319	442	573	712	636	233	
France.....	473	10	3	6	9	29	52	88	77	98	71	30	
Germany.....	10,910	42	13	26	88	475	950	1,563	2,134	2,846	2,216	556	1
Hungary.....	754	41	10	21	62	139	144	135	110	70	16	6	
Ireland.....	13,639	20	3	30	163	834	1,557	2,024	2,944	3,458	1,982	622	2
Italy.....	4,439	307	78	253	466	828	684	653	642	331	149	43	
Poland.....	462	8	5	19	63	90	89	83	54	28	17	6	
Russia.....	3,645	133	48	114	296	589	595	614	583	445	165	62	1
Scandinavia.....	1,243	10	11	19	73	213	242	245	199	135	72	24	
Scotland.....	871	12	4	6	7	67	100	125	166	161	159	64	
Other foreign countries.....	1,576	47	14	54	89	212	224	250	232	268	148	38	
Unknown.....	1,222	157	5	17	33	123	242	219	151	119	98	41	17
North Carolina.....	3,728	1,222	61	130	189	356	310	320	384	393	290	70	5
United States.....	3,605	1,216	60	128	178	347	290	309	365	373	273	64	2
Austria.....	1						1						
Canada.....	5						1			3	1		
England and Wales.....	8					1	1		2	2	1	1	
France.....	1						1						
Germany.....	18					1	3	3	2	4	5		
Hungary.....													
Ireland.....	6								1	2	2	1	
Italy.....	1	1											
Poland.....	1									1			
Russia.....	5					1	2	2					
Scandinavia.....	3				1		1		1				
Scotland.....	3	1					1		1				
Other foreign countries.....	11				1	2	2	1	2	2	1		
Unknown.....	60	2	1	2	9	4	7	5	10	6	7	4	3

¹ Including only municipalities having a population of 1,000 or over in 1900.

DEATHS, BY COUNTRY OF BIRTH AND AGE.

579

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un- known.
REGISTRATION STATES—Continued.													
Ohio.....	63,194	16,690	844	1,530	2,250	4,655	4,863	5,594	6,948	9,273	7,922	2,558	67
United States.....	50,499	16,468	812	1,408	1,881	3,715	3,745	4,145	4,936	6,340	5,308	1,709	32
Austria.....	710	26	3	20	71	139	121	115	90	75	31	19
Canada.....	386	8	2	4	9	39	39	84	79	72	37	13
England and Wales.....	1,218	12	1	3	10	43	70	139	196	326	304	113	1
France.....	132	2	6	8	7	18	38	42	11
Germany.....	5,031	10	1	11	39	141	244	493	843	1,409	1,410	427	3
Hungary.....	670	53	9	22	77	169	142	104	57	25	6	3	3
Ireland.....	1,889	1	3	7	44	115	146	363	589	458	162	1
Italy.....	3,883	25	2	16	57	104	57	47	33	24	13	3	2
Poland.....	222	17	1	5	21	41	43	43	29	13	6	3
Russia.....	219	12	5	8	18	44	36	23	35	17	13	7	1
Scandinavia.....	115	2	1	1	7	9	24	23	15	16	15	2
Scotland.....	218	2	2	2	11	18	34	30	41	53	24	1
Other foreign countries.....	576	7	14	24	57	59	52	89	132	101	34	2
Unknown.....	926	47	2	13	25	93	142	139	135	156	125	28	21
Pennsylvania.....	115,094	41,773	1,605	2,522	3,857	8,274	8,891	9,642	11,384	13,677	10,277	3,169	23
United States.....	90,651	41,169	1,501	2,101	2,643	5,426	5,674	6,189	7,533	9,045	7,102	2,256	12
Austria.....	302	108	19	89	309	618	547	343	152	73	36	6	2
Canada.....	211	8	4	6	23	25	37	42	38	24	4
England and Wales.....	2,853	32	7	15	43	162	300	440	571	714	445	124
France.....	165	2	3	5	9	16	21	27	42	30	10
Germany.....	5,007	29	5	16	56	194	343	579	880	1,401	1,168	336
Hungary.....	892	55	5	40	116	231	218	157	46	18	4	1	1
Ireland.....	6,183	16	1	8	52	273	529	809	1,365	1,736	1,067	324	3
Italy.....	1,867	112	23	121	240	468	352	254	152	97	38	10
Poland.....	598	24	9	21	70	150	129	90	56	28	17	4
Russia.....	1,754	115	21	70	188	417	358	284	146	92	45	18
Scandinavia.....	372	3	3	4	15	40	52	81	67	52	46	9
Scotland.....	646	16	2	2	14	55	63	101	112	140	109	32
Other foreign countries.....	577	18	5	16	54	80	93	68	88	80	64	11
Unknown.....	1,016	66	4	12	46	128	192	189	147	121	82	24	5
Rhode Island.....	9,051	3,033	111	203	226	607	753	860	1,032	1,183	811	227	5
United States.....	6,207	2,966	95	159	132	354	395	409	456	572	491	175	3
Austria.....	35	3	3	6	13	11	2
Canada.....	557	28	7	6	15	58	75	98	101	97	62	12
England and Wales.....	468	6	4	3	11	31	61	92	95	99	56	10
France.....	12	1	1	2	1	2	2	2	1
Germany.....	84	1	7	8	18	11	20	17	2
Hungary.....	2	1	1
Ireland.....	1,041	3	13	53	105	124	271	303	142	25	2
Italy.....	175	11	4	13	20	27	23	29	24	21	3
Poland.....	8	3	2	1
Russia.....	59	2	4	2	9	14	19	5	3	1
Scandinavia.....	101	5	6	13	19	23	10	15	10
Scotland.....	116	1	3	3	8	13	14	30	27	19	1
Other foreign countries.....	128	10	1	8	15	26	17	14	13	5	2
Unknown.....	58	7	1	5	7	11	12	11	4
Utah.....	3,998	1,384	119	118	182	359	330	318	334	350	335	153	16
United States.....	2,664	1,365	111	103	138	214	216	160	128	96	96	32	5
Austria.....	33	2	3	6	12	7	2	5	1
Canada.....	33	1	2	3	2	2	8	5	6	4
England and Wales.....	469	3	1	2	8	20	24	40	89	117	112	53
France.....	1	1
Germany.....	46	1	1	5	2	9	7	10	6	5
Hungary.....	2
Ireland.....	63	2	6	6	5	12	15	10	12	1
Italy.....	32	1	2	6	6	15	5	1	1
Poland.....	1	1
Russia.....	1	1
Scandinavia.....	339	4	3	4	4	21	17	51	46	72	73	43	1
Scotland.....	62	5	1	6	6	16	20	8
Other foreign countries.....	131	7	3	4	11	37	17	12	12	16	6	5	1
Unknown.....	116	1	10	29	23	18	15	7	3	1	9
Vermont.....	5,674	1,115	61	101	138	271	341	419	708	1,069	1,024	424	3
United States.....	4,697	1,095	57	90	123	219	261	330	567	839	785	329	2
Austria.....	8	2	2	2	2
Canada.....	476	14	3	6	8	24	33	46	79	109	109	45
England and Wales.....	60	1	1	4	5	9	9	10	16	5
France.....
Germany.....	17	1	4	5	5	2
Hungary.....	4	1	1	1
Ireland.....	225	1	2	6	6	19	75	79	37
Italy.....	27	2	2	5	5	7	6	1	3	1
Poland.....	3	1	2
Russia.....	4	1	2
Scandinavia.....	8	3	2	3
Scotland.....	57	1	7	9	7	10	12	9	2
Other foreign countries.....	13	1	1	1	1	2	2	1	2	2
Unknown.....	75	1	1	1	5	10	9	13	12	18	4	1

MORTALITY STATISTICS.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.
REGISTRATION STATES—Continued.													
Washington.....	11,017	2,756	245	370	625	1,286	1,183	1,184	1,209	1,093	801	190	75
United States.....	7,575	2,695	225	320	434	752	638	599	659	656	481	111	5
Austria.....	98	3	1	4	8	23	22	10	14	2	6	2	3
Canada.....	528	23	6	6	20	65	64	100	90	77	49	18	1
England and Wales.....	270	2	1	1	4	35	28	38	55	55	44	9
France.....	32	1	1	5	4	10	6	6
Germany.....	373	2	3	1	5	27	45	68	92	69	53	8
Hungary.....	8	1	2	3
Ireland.....	265	6	18	25	32	54	67	50	12	1
Italy.....	109	3	3	6	2	1
Poland.....	13	1	3	1	5	1
Russia.....	64	3	2	1	7	17	10	5	13	2	4
Scandinavia.....	685	5	2	13	50	124	110	137	100	75	49	16	4
Scotland.....	114	2	5	8	12	19	19	20	23	6
Other foreign countries.....	229	2	9	28	59	53	29	16	17	11	3	2
Unknown.....	654	16	4	11	26	109	155	124	72	45	29	5	58
Wisconsin.....	27,896	8,304	452	759	1,045	1,849	1,865	2,347	2,538	3,509	3,636	1,516	76
United States.....	17,106	8,206	435	698	846	1,295	1,118	1,167	991	999	923	410	18
Austria.....	470	14	3	6	19	52	51	62	58	92	72	39	2
Canada.....	587	2	1	4	8	19	53	85	116	136	126	37
England and Wales.....	558	1	2	13	16	22	50	163	190	101
France.....	27	1	3	2	7	8	6
Germany.....	4,950	14	6	12	34	166	267	513	795	1,265	1,367	506	5
Hungary.....	93	5	2	10	24	22	16	6	5	1	1	1
Ireland.....	854	3	6	6	28	73	230	336	169	3
Italy.....	62	4	1	4	11	12	11	8	4	1	3	2	1
Poland.....	376	10	2	4	22	45	52	69	66	57	28	21
Russia.....	109	13	2	4	12	25	16	17	9	5	4	2
Scandinavia.....	1,660	9	1	8	30	95	151	224	245	364	386	143	4
Scotland.....	123	2	1	1	1	6	9	37	40	24	2
Other foreign countries.....	555	10	1	10	30	56	47	53	65	112	120	49	2
Unknown.....	366	14	7	17	40	53	74	49	36	32	6	38

REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910.

Los Angeles, Cal.....	4,299	769	38	95	186	512	512	563	554	588	367	114	1
United States.....	3,062	747	29	82	143	336	322	377	355	366	233	72
Austria.....	24	2	2	3	3	4	5	4	1
Canada.....	127	3	1	3	10	20	20	21	28	14	7
England and Wales.....	146	2	1	4	11	18	21	19	42	22	6
France.....	35	5	7	7	8	4	4
Germany.....	196	1	2	1	11	19	25	47	49	30	11
Hungary.....	7	1	1	3	1	1	1
Ireland.....	125	12	12	16	17	38	24	6
Italy.....	48	2	5	7	7	8	10	6	3
Poland.....	4	1	1	2
Russia.....	42	1	1	2	13	9	7	5	2	2
Scandinavia.....	88	7	7	12	23	17	18	6	1	4
Scotland.....	26	1	5	6	3	5	6
Other foreign countries.....	236	13	6	4	13	70	38	26	23	24	14	5
Unknown.....	133	3	1	1	5	20	28	26	22	13	12	1	1
San Francisco, Cal.....	6,002	989	51	105	190	607	811	874	822	824	585	143	1
United States.....	3,169	972	49	91	137	394	456	408	265	197	161	39
Austria.....	59	1	1	9	6	8	12	10	4	8
Canada.....	130	2	1	10	18	21	22	32	15	9
England and Wales.....	223	1	1	12	31	43	54	42	31	9
France.....	118	1	3	1	11	13	18	23	18	23	2
Germany.....	571	1	2	2	19	54	85	121	147	113	29
Hungary.....	8	2	1	2	2	1	2
Ireland.....	831	4	33	49	97	159	268	185	36
Italy.....	175	6	5	13	22	31	34	25	31	6	2
Poland.....	12	1	1	1	6	1	3
Russia.....	33	1	7	6	5	7	6	1
Scandinavia.....	174	2	3	31	34	45	35	16	8
Scotland.....	83	3	3	5	11	10	16	17	16	5
Other foreign countries.....	221	2	2	1	12	39	51	32	40	22	13	7
Unknown.....	195	4	1	4	18	47	62	37	17	2	2	1
Washington, D. C.....	3,744	709	38	67	94	288	319	379	527	750	441	132
United States.....	3,018	701	36	62	85	245	266	302	400	537	302	82
Austria.....	10	1	4	2	1	1
Canada.....	25	1	3	4	6	7	2
England and Wales.....	68	1	1	1	2	4	6	10	21	15	7
France.....	11	1	5	4	1
Germany.....	173	2	9	5	15	32	55	46	19
Hungary.....	2	1
Ireland.....	264	11	21	27	50	87	49	19
Italy.....	36	2	3	5	6	7	8	2	2	1
Poland.....	2	1	1	1
Russia.....	22	1	1	3	3	4	2	3	1	1
Scandinavia.....	18	7	2	3	5	3
Scotland.....	16	4	2	2	4	5
Other foreign countries.....	23	1	2	1	4	2	6	4	2
Unknown.....	56	2	1	3	7	5	8	10	14	4	2

DEATHS, BY COUNTRY OF BIRTH AND AGE:

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
Chicago, Ill.	32,130	10,722	425	774	1,236	2,840	3,399	3,927	3,359	3,030	1,887	525	6
United States	19,071	10,493	381	596	800	1,464	1,499	1,474	951	768	511	130	4
Austria	1,369	40	8	42	90	250	249	269	188	130	72	22	
Canada	633	8		3	12	61	121	145	128	103	42	10	
England and Wales	609	5	2	5	6	37	59	123	134	117	91	30	
France	55	2				4	5	7	13	14	8	2	
Germany	3,681	15	7	13	33	187	384	700	786	849	556	151	
Hungary	236	25		7	23	59	48	35	12	13	9	1	
Ireland	2,213			5	22	150	292	407	476	479	286	96	
Italy	514	34	7	31	57	92	80	67	81	34	23	8	
Poland	568	20	1	15	46	102	127	102	84	43	19	9	
Russia	757	36	12	26	52	159	145	122	85	74	32	14	
Scandinavia	1,527	12	4	14	48	165	245	311	277	261	157	33	
Scotland	206	2			4	23	40	49	42	30	8		
Other foreign countries	458	23	2	16	29	65	61	72	58	77	45	10	
Unknown	242	7		1	14	37	61	50	37	26	6	1	2
New Orleans, La.	4,311	984	56	97	162	377	520	545	568	548	351	103	
United States	3,176	978	54	94	145	333	440	422	349	225	100	36	
Austria	21				1	1	2	3	8	2	4		
Canada	12						1	3	3	3			
England and Wales	51			1	2	3	11	3	11	3	16	4	
France	132	1		1	1	4	10	20	20	37	29	9	
Germany	354				4	3	7	18	78	123	96	25	
Hungary	3						2	1					
Ireland	271				2	1	12	15	43	112	66	20	
Italy	162	5	1	1	5	22	24	32	34	20	15	3	
Poland													
Russia	16				2	1	5	2	2	2	3	1	
Scandinavia	14				1	2	5	1	1	2	1	1	
Scotland	14				1	1		3	4	1	3	1	
Other foreign countries	73		1		2	6	10	8	13	16	14	3	
Unknown	12						3	3	2	2	2		
Baltimore, Md.	8,152	2,261	118	180	274	615	723	870	1,081	1,099	712	218	1
United States	6,164	2,203	113	160	244	493	558	618	711	593	355	116	
Austria	95	2		2	5	15	13	20	15	17	5	1	
Canada	14	1				1	2	3	6	1			
England and Wales	77	1			1	5	9	10	10	19	17	5	
France	8						1	1	3	1	2		
Germany	976	5	1	4	4	25	46	111	180	266	254	80	
Hungary	9	1				2	2	2		2			
Ireland	352				2	8	25	40	90	125	54	8	
Italy	51	2		3	4	12	7	6	5	11	1		
Poland	35	1			2	6	11	9	1	3	2		
Russia	177	10	2	8	9	23	29	32	24	30	6	4	
Scandinavia	17				1	4	3	1	4	3	1		
Scotland	22				4	1	4	4	7	5		1	
Other foreign countries	30		1	2	1	4	5	2	4	3	7	1	
Unknown	125	35	1	1	1	13	11	15	26	13	8		1
Boston, Mass.	11,224	3,284	154	211	314	896	1,213	1,327	1,386	1,306	877	253	3
United States	6,946	3,211	133	160	195	478	564	605	574	491	397	138	
Austria	26	3			1	1	6	4	6	3			
Canada	824	18	3	10	39	99	124	136	160	128	82	25	
England and Wales	255	2		3	3	13	42	49	46	58	31	7	1
France	12	1				2	3	1	2	1	2		
Germany	208				4	8	16	28	33	60	48	11	
Hungary	10					2	2	3	3	2			
Ireland	1,957	2		5	24	136	285	316	411	463	253	62	
Italy	263	19	5	15	19	46	39	49	35	20	14	2	
Poland	2						1	1					
Russia	279	13	9	13	12	49	41	48	47	29	16	2	
Scandinavia	135	1			6	25	30	22	24	13	12	2	
Scotland	84	2		1	3	9	10	16	10	20	11	2	
Other foreign countries	100	3	2	4	7	17	19	17	15	9	6	1	
Unknown	123	9			1	11	33	33	19	9	5	1	2
Detroit, Mich.	7,305	2,931	104	194	339	530	581	687	673	667	451	140	3
United States	4,833	2,855	96	145	235	312	285	296	236	198	134	38	3
Austria	98	6		7	5	26	17	13	12	7	3	2	
Canada	526	30	4	16	41	50	69	90	95	82	39	10	
England and Wales	174	1		1	3	16	14	30	40	31	25	13	
France	17						2	3	3	5	3	4	
Germany	955	8		8	19	46	97	171	183	220	159	44	
Hungary	46	4		2	7	13	12	5	1	2			
Ireland	238	1				5	16	20	52	79	49	16	
Italy	45	2	1	6	6	10	8	6	4	1	1		
Poland	53	2		3	8	12	9	9	2	3	4	1	
Russia	85	5	2	4	5	14	15	14	12	7	7		
Scandinavia	15	1				1	4	1	2	4	2		
Scotland	69					2	9	5	15	12	20	6	
Other foreign countries	58	2		1	7	9	6	7	9	10	3	4	
Unknown	93	14	1	1	3	14	18	20	12	6	2	2	

MORTALITY STATISTICS.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
Minneapolis, Minn.....	3,681	1,004	67	109	201	391	364	410	359	379	284	112	1
United States.....	2,297	968	62	90	139	222	166	174	151	153	126	46	
Austria.....	39	1		3	3	15	6	5	3	3			
Canada.....	120	3			4	8	11	20	22	28	17	7	
England and Wales.....	70	2				5	8	7	13	19	10	6	
France.....	7						1		1	3	2		
Germany.....	178		1	1	1	11	18	24	32	34	44	12	
Hungary.....	9						3	2	1				
Ireland.....	103			1	1	1	7	10	14	30	30	9	
Italy.....	10						5	1				1	
Poland.....	6	2					1	1					
Russia.....	22		1		1	3	1	6	9		1		
Scandinavia.....	604	11	2	11	42	83	104	125	78	78	44	26	
Scotland.....	15					2	2	4	3	2	3	1	
Other foreign countries.....	35	1	1	2	1	7	5	4	6	6	1		
Unknown.....	166	16		1	7	28	30	29	24	21	5	4	1
St. Louis, Mo.....	9,733	2,393	116	227	367	892	1,082	1,217	1,196	1,231	798	211	3
United States.....	6,373	2,344	113	198	311	692	812	795	499	354	197	57	1
Austria.....	157	4		5	10	22	23	24	30	25	10	4	
Canada.....	49		1			3	5	7	12	8	11	5	2
England and Wales.....	141	2				9	14	17	28	32	33	6	
France.....	34						3	3	10	8	8	2	
Germany.....	1,609	3		5	9	47	85	180	312	494	374	100	
Hungary.....	88	6		1	6	18	11	10	2	3	1		
Ireland.....	733	1		3	4	18	36	82	210	231	115	30	1
Italy.....	88	3	1	3	5	26	17	10	11	9	2		
Poland.....	20				3	6	3	2	4	2			
Russia.....	100	8	1	2	5	16	14	25	18	7	4		
Scandinavia.....	44			1	1	13	10	10	3	4	6		
Scotland.....	40	1				1	3	8	4	13	6	4	
Other foreign countries.....	168	5		10	11	18	18	24	23	30	25	4	
Unknown.....	119	16			2	15	23	20	23	12	6	1	1
Jersey City, N. J.....	4,278	1,388	75	84	142	405	504	487	451	439	244	57	2
United States.....	2,748	1,371	71	69	102	257	274	229	158	123	73	20	1
Austria.....	47	1		2	4	13	13	4	4	5	1		
Canada.....	11					1	2	1	2	4	1		
England and Wales.....	97				2	8	8	12	22	24	15	6	
France.....	12							3	1	7	1		
Germany.....	376			2	15	35	61	80	89	77	17		
Hungary.....	6				2	1		2	2				
Ireland.....	588	1		1	4	43	82	107	134	145	58	12	1
Italy.....	110	7	2	8	13	22	13	14	18	9	4		
Poland.....	40	2		1	1	8	14	9	1	4			
Russia.....	59	4	2	1	8	14	16	8	4	2			
Scandinavia.....	46			1	2	5	17	8	8	3	2		
Scotland.....	42				1	4	6	8	4	13	6	4	
Other foreign countries.....	41			1	2	5	5	10	4	8	5	1	
Unknown.....	55	2			1	8	18	13	9	3	1		
Newark, N. J.....	5,484	1,803	73	125	181	491	594	609	595	601	325	87	
United States.....	3,586	1,784	62	95	115	305	315	273	255	213	130	39	
Austria.....	72	2	1	4	5	14	14	12	9	9	2		
Canada.....	24				2	1	2	6	4	8		1	
England and Wales.....	145					17	15	28	25	37	17	6	
France.....	18						3	2	2	5	4	1	
Germany.....	566			7	25	44	99	113	166	92	20		
Hungary.....	64	6		2	7	15	15	10	7	1			
Ireland.....	454			1	5	31	78	70	90	111	59	9	
Italy.....	219	3	6	13	21	41	36	42	38	12	4	3	
Poland.....	38	2	1	4	6	7	10	6	1	1			
Russia.....	125	4	2	2	9	15	32	23	20	14	1	3	
Scandinavia.....	32					5	7	9	3	6		1	
Scotland.....	51	1		1	1	5	7	10	12	6	5	3	
Other foreign countries.....	45		1	2	2	6	5	10	6	6	7		
Unknown.....	45			1	1	3	11	9	10	6	3	1	
Buffalo, N. Y.....	6,874	2,499	93	157	225	516	610	728	679	724	482	159	2
United States.....	4,533	2,452	82	118	161	320	331	385	282	240	122	40	
Austria.....	77		1	6	9	13	25	13	5	2	2	1	
Canada.....	208	8	1	7	3	24	37	46	31	26	20	4	1
England and Wales.....	153	1		1	4	9	10	16	30	47	21	14	
France.....	22							2	5	6	6	3	
Germany.....	1,019	7	1	3	14	54	79	156	178	252	205	70	
Hungary.....	35	7		2	5	7	9	2	2	1			
Ireland.....	399			1	1	24	38	42	88	113	71	20	1
Italy.....	153	17	4	14	11	27	24	18	21	10	6	1	
Poland.....	35	1	2	3	4	20	18	19	11	4	1	2	
Russia.....	68	4	2	2	10	10	18	8	5	4	4	1	
Scandinavia.....	20					3	5	2	7	2			
Scotland.....	41				1	3	8	6	5	6	11	1	
Other foreign countries.....	38	1			1	1	3	6	4	10	11	2	
Unknown.....	23				2	1	8	7	5	1	2		

DEATHS, BY COUNTRY OF BIRTH AND AGE.

583

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.													
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un-known.	
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.														
New York, N. Y.	74,274	25,197	980	1,589	2,541	6,569	8,151	8,710	8,272	7,311	3,868	1,075	11	
United States	44,869	24,520	816	1,116	1,459	3,508	3,938	3,592	2,578	1,955	1,063	320	4	
Austria	1,563	38	15	50	99	233	297	272	267	198	70	30		
Canada	1,431	13	3	3	9	53	69	109	83	78	50	11		
England and Wales	1,502	34	11	21	30	117	208	264	277	284	190	66		
France	324	7	3	5	8	24	40	71	58	61	33	14		
Germany	6,832	23	6	13	48	333	679	1,095	1,431	1,742	1,179	277	1	
Hungary	606	29	8	16	44	107	108	110	99	66	15	4		
Ireland	8,607	17	3	24	131	693	1,257	1,564	1,958	1,889	862	209		
Italy	3,198	208	54	163	309	542	476	503	513	277	117	36		
Poland	158	1	1	2	25	29	34	28	18	11	7	2		
Russia	3,193	116	41	99	242	487	514	537	539	412	146	59	1	
Scandinavia	904	6	4	16	55	170	185	192	147	85	32	12		
Scotland	471	9	2	5	4	50	72	94	97	75	41	22		
Other foreign countries	1,095	38	11	45	69	173	173	187	170	157	60	12		
Unknown	465	133	2	6	9	50	101	92	37	21	3	1	5	
New York, N. Y. (Bronx Borough)	6,755	1,742	89	208	330	812	908	841	702	672	356	95		
United States	3,924	1,705	78	171	215	458	459	361	218	150	80	29		
Austria	126	2	1	1	7	25	25	22	21	17	4	1		
Canada	53	1		1		12	9	7	7	9	6	1		
England and Wales	140	1	1	2	2	20	24	30	15	26	16	3		
France	28					1	2	11	3	8	2	1		
Germany	823	3	1	2	6	43	81	141	166	202	143	35		
Hungary	62	2			6	13	11	14	7	8	1			
Ireland	858	7		3	19	86	172	148	167	171	70	21		
Italy	266	12	7	15	34	53	46	33	36	20	10			
Poland	22				6	2	5	3	3	1	2			
Russia	230	10		10	18	41	33	33	32	36	15	2		
Scandinavia	62	1			3	20	14	11	8	4	1			
Scotland	37			1		8	5	7	6	7	2	1		
Other foreign countries	108	2	1	2	14	25	16	19	11	13	4	1		
Unknown	16	2				5	6	1	2					
New York, N. Y. (Brooklyn Borough)	25,070	8,406	357	540	809	2,089	2,624	2,804	2,872	2,668	1,484	410	7	
United States	15,858	8,246	311	394	517	1,273	1,457	1,307	974	801	440	137	1	
Austria	287	4	2	17	21	47	60	43	41	33	12	7		
Canada	158	4	2		4	13	13	33	33	27	24	5		
England and Wales	587	18	3	8	10	27	56	85	122	132	88	33		
France	58	2			3	1	6	11	9	7	12	5		
Germany	2,342	6		9	12	102	213	350	472	632	452	93	1	
Hungary	59	1	1		1	10	11	13	10	1				
Ireland	2,739	4		8	31	168	319	440	686	679	328	76		
Italy	909	54	14	60	87	150	128	151	145	77	33	10		
Poland	50	1		1	4	9	12	10	9	3		1		
Russia	947	42	14	18	75	141	155	149	175	123	38	16	1	
Scandinavia	504	2	3	9	29	89	102	108	83	50	20	9		
Scotland	181	3	1	3		15	22	34	43	31	18	11		
Other foreign countries	321	17	5	10	14	37	47	54	60	57	18	2		
Unknown	70	2	1	1	1	7	23	18	7	6			4	
New York, N. Y. (Manhattan Borough)	37,129	13,308	457	736	1,210	3,272	4,086	4,470	4,091	3,353	1,671	473	2	
United States	21,703	12,855	357	461	591	1,526	1,725	1,639	1,188	812	424	124	1	
Austria	1,084	30	12	29	67	154	202	194	192	135	49	20		
Canada	234	8	1	2	3	27	37	62	36	35	19	4		
England and Wales	647	13	6	10	16	64	116	130	112	96	65	19		
France	208	5	3	3	5	21	31	46	38	36	15	5		
Germany	2,904	11	5	6	27	154	319	484	617	699	461	121		
Hungary	472	25	7	16	35	80	85	83	76	48	13	4		
Ireland	4,535	11	3	13	73	419	705	897	996	918	407	93		
Italy	1,861	130	31	82	175	309	271	295	306	170	67	25		
Poland	56		1		6	10	13	8	5	7	5	1		
Russia	1,955	62	24	70	144	291	315	344	328	248	89	40		
Scandinavia	269	2	1	6	18	50	59	65	39	23	4	2		
Scotland	218	6			4	24	42	46	43	28	17	8		
Other foreign countries	624	18	5	33	39	107	102	110	88	83	33	6		
Unknown	359	132	1	5	7	36	64	67	27	15	3	1	1	
New York, N. Y. (Queens Borough)	3,882	1,339	54	79	144	296	384	446	424	407	246	62	1	
United States	2,469	1,318	49	70	106	184	218	219	119	103	67	15	1	
Austria	62	1		3	3	6	9	10	11	12	5	2		
Canada	17						6	3	5	2		1		
England and Wales	88	1			1	5	12	12	20	17	16	4		
France	21					1	1	2	6	5	3	3		
Germany	632	3		1	3	33	50	99	140	172	106	25		
Hungary	9	1			2	1	1	1	3					
Ireland	302	1			2	12	39	54	79	74	32	9		
Italy	122	9	2	3	12	25	24	16	19	7	5			
Poland	28			1	7	8	4	7	1					
Russia	50	1	2	1	5	11	3	9	3	5	3	1		
Scandinavia	18	1			1	3	2	2	5	1	3			
Scotland	23		1		2	2	2	3	4	6	3			
Other foreign countries	31	1			1	3	7	3	8	3	3	2		
Unknown	10	2			1	2	4	1	1					

MORTALITY STATISTICS.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	Un- known.
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
New York, N. Y. (Richmond Borough).....	1,438	402	23	26	48	100	149	149	183	211	111	35	1
United States.....	915	396	21	20	30	67	79	66	79	89	52	15	1
Austria.....	10	1			1	1	1	3	2	1			
Canada.....	19				2	1	4	4	2	5	1		
England and Wales.....	40	1	1	1	1	1		7	8	13	5	2	
France.....	9							1	2	5	1		
Germany.....	131					1	16	21	36	37	17	3	
Hungary.....	4					3		1					
Ireland.....	173				6	8	22	25	30	47	25	10	
Italy.....	40	3		3	1	5	7	8	7	3	2	1	
Poland.....	2				2								
Russia.....	11	1	1			3	2	2	1		1		
Scandinavia.....	51			1	4	8	8	6	12	7	4	1	
Scotland.....	12			1	1	1	2	1	3	1	2	2	
Other foreign countries.....	11				1	1	1	1	3	1	2	1	
Unknown.....	10					8	2						
Cincinnati, Ohio.....	5,750	1,259	50	137	232	580	642	683	749	741	537	138	2
United States.....	3,933	1,239	50	123	212	492	531	485	385	240	137	33	1
Austria.....	16				1	2	1	3	4	3	2		
Canada.....	32				1	1	7	8	10	4	1		
England and Wales.....	76	1		1	1	2	5	13	9	19	16	8	1
France.....	17					2		1	4	6	4		
Germany.....	1,121	1		1	4	24	59	120	214	326	293	79	
Hungary.....	50	6		3	4	16	9	8	4				
Ireland.....	339				2	12	10	26	94	115	69	11	
Italy.....	31				4	8	2	3	5	6	3		
Poland.....	8	1					3	1	1	1	1		
Russia.....	34	4		1	2	8	3	3	7	2	1	3	
Scandinavia.....	1						1						
Scotland.....	6						1		1	2	2		
Other foreign countries.....	45	1		3	1	7	1	4	7	10	7	4	
Unknown.....	41	6				6	9	8	4	7	1		
Cleveland, Ohio.....	7,880	2,913	100	189	288	642	723	836	802	753	493	140	1
United States.....	4,969	2,832	87	146	179	347	349	353	275	208	147	46	
Austria.....	451	12	1	15	38	79	70	77	72	53	21	13	
Canada.....	128	5	1	1	3	12	13	31	27	18	13	4	
England and Wales.....	244	2	1		1	15	25	41	45	63	39	12	
France.....	8					2		2	3	2	1		
Germany.....	849	4		5	11	36	68	123	177	223	168	34	
Hungary.....	225	11	4	7	21	53	41	40	23	18	6	1	
Ireland.....	416			3	1	18	59	53	94	108	62	18	
Italy.....	84	5		3	8	18	12	13	9	7	7	2	
Poland.....	120	9	1	3	8	17	27	30	17	6	2	2	
Russia.....	97	3	4	3	8	16	17	11	16	10	7	2	
Scandinavia.....	41	1			5	2	12	10	3	5	2	1	
Scotland.....	44					3	4	14	6	9	4	3	1
Other foreign countries.....	84	1	1	2	4	9	7	15	19	11	13	2	
Unknown.....	120	28		1	1	15	19	25	16	12	3		
Philadelphia, Pa.....	24,740	7,519	308	458	775	1,930	2,392	2,731	2,972	3,043	1,993	616	3
United States.....	17,390	7,374	283	378	559	1,308	1,508	1,613	1,612	1,503	916	334	2
Austria.....	125	1	2	6	12	19	25	24	14	12	8	2	
Canada.....	45			1	2	1	10	8	8	9	6		
England and Wales.....	760	11	3	3	15	50	99	121	152	157	111	38	
France.....	42			1	1			3	9	11	8	1	
Germany.....	1,624	10	1	6	11	69	126	238	280	413	371	89	
Hungary.....	97	7		2	12	32	19	12	6	6	1		
Ireland.....	2,848	8		4	30	161	289	413	623	751	452	116	
Italy.....	474	31	6	17	48	93	83	63	61	43	18	6	
Poland.....	126	11	3	6	21	28	20	21	10	3	2		
Russia.....	570	38	6	30	47	105	100	91	69	46	28	10	
Scandinavia.....	73	1			4	10	11	17	14	5	7	1	
Scotland.....	178	3			5	16	25	27	27	36	30	9	
Other foreign countries.....	138	5		4	6	19	23	18	26	22	13	2	
Unknown.....	250	19			2	19	46	56	49	29	22	7	1
Pittsburgh, Pa.....	8,993	3,498	121	211	346	834	857	816	884	803	499	124	
United States.....	6,246	3,430	114	167	201	499	470	401	428	296	192	48	
Austria.....	254	13	2	11	32	78	64	35	14	3	1		
Canada.....	22				3	4	1	3	5	5			
England and Wales.....	236	3		4	4	16	35	42	50	51	25	6	
France.....	22	1			2	1	2	2	2	7	5		
Germany.....	724	3	1	2	8	30	56	89	148	209	147	31	
Hungary.....	83	1	1	2	13	23	19	17	4	2		1	
Ireland.....	685	3			10	46	81	89	150	181	99	26	
Italy.....	185	7	2	11	26	40	41	36	15	5	2		
Poland.....	113	5		4	8	33	26	17	12	6	2		
Russia.....	145	13		6	15	30	19	25	19	8	6	4	
Scandinavia.....	18			1	4	4	3	2	2	1		1	
Scotland.....	73	3			4	3	7	17	14	13	9	3	
Other foreign countries.....	82	3	1	2	10	10	11	14	11	9	9	2	
Unknown.....	105	12		1	6	17	22	27	10	7	2	1	

DEATHS, BY COUNTRY OF BIRTH AND AGE.

TABLE 12.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, REGISTRATION STATES, AND CITIES OF 250,000 POPULATION AND OVER, BY COUNTRY OF BIRTH AND AGE PERIODS: 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

AREA AND COUNTRY OF BIRTH.	AGE.												Un- known.
	All ages.	Under 10 years.	10 to 14	15 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 to 84	85 or over.	
REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
Milwaukee, Wis.....	5,186	2,002	81	160	229	403	369	486	478	461	371	141
United States.....	3,245	1,967	77	137	165	257	179	195	139	71	38	20
Austria.....	106	11	1	2	8	18	11	20	18	11	4	2
Canada.....	27	1	2	3	2	4	10	3	2
England and Wales.....	54	1	3	2	3	10	17	13	5
France.....	5	1	1	2	1
Germany.....	1,173	4	1	5	14	58	99	165	234	263	244	86
Hungary.....	40	3	1	6	12	8	6	5	4
Ireland.....	91	1	1	5	31	34	14
Italy.....	19	2	2	4	5	2	3	1
Poland.....	222	8	2	3	14	22	33	52	41	25	15	7
Russia.....	29	3	4	6	4	6	5	1
Scandinavia.....	49	1	3	4	7	7	7	11	7	2
Scotland.....	12	1	1	5	3	2
Other foreign countries.....	66	1	7	9	10	6	10	8	7	7	1
Unknown.....	48	1	1	2	9	14	11	5	3	2

DEATHS, BY COUNTRY OF BIRTH, SEX, AGE, AND CAUSE.

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910.

International List, see p. 22.]

CAUSE OF DEATH.																		
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Child-birth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
22,759	11,806	73,490	2,025	1,324	4,694	7,187	4,636	2,198	5,884	2,086	76,957	44,549	7,902	8,378	2,517	40,822	155,202	1
12,925	5,763	40,545	1,201	709	2,590	4,866	1,928	921	3,454	1,075	40,969	25,103	7,902	6,449	1,676	32,480	82,175	2
9,834	6,043	32,945	824	615	2,104	2,321	2,708	1,277	2,430	1,011	35,988	19,446	7,902	1,929	841	8,342	73,027	3
497	2,929	16,784	225	24	871	18	154	216	413	134	32,989	462	-----	1	309	3,762	50,429	4
478	2,397	13,832	195	18	628	23	136	208	342	29	27,153	365	-----	-----	223	2,503	42,087	5
120	16	370	15	1	32	6	17	57	393	2	158	102	-----	18	15	1,240	1,259	6
163	24	363	16	3	22	7	20	46	305	3	187	149	6	13	17	246	1,302	7
127	23	706	55	2	28	9	21	60	421	10	180	186	-----	141	55	2,004	1,165	8
139	17	416	20	3	37	14	30	83	305	7	176	219	533	169	65	267	1,230	9
156	28	962	69	2	49	25	46	60	395	20	237	278	-----	514	123	3,378	1,395	10
196	22	552	33	5	44	18	62	133	275	6	307	328	1,680	287	69	281	1,561	11
471	75	2,382	122	16	148	248	163	104	596	51	627	1,161	-----	1,247	267	6,305	2,869	12
450	69	1,485	67	20	106	148	155	259	400	25	697	1,168	-----	437	111	477	3,185	13
817	110	3,589	150	44	188	792	229	103	493	93	874	2,289	-----	1,929	281	5,514	3,113	14
631	95	1,759	85	37	118	332	327	199	334	92	848	1,950	2,025	401	102	513	3,250	15
1,478	208	4,115	171	98	251	1,238	331	90	384	150	1,126	4,024	-----	1,364	265	4,214	3,241	16
897	154	2,156	71	56	150	515	476	120	208	216	980	2,952	66	292	88	552	2,815	17
2,233	371	4,060	151	154	293	1,235	332	88	208	152	1,316	5,459	-----	1,032	162	2,631	3,418	18
1,399	337	3,041	106	105	162	512	532	90	149	232	1,225	3,764	-----	172	64	594	3,418	19
3,140	699	3,996	133	176	295	937	326	86	120	234	1,538	6,221	-----	536	124	1,792	5,127	20
2,167	948	4,376	123	182	310	471	554	76	75	235	1,916	4,596	-----	112	63	975	4,422	21
2,967	899	2,788	84	159	292	320	220	49	26	187	1,424	4,010	-----	208	54	1,047	6,625	22
2,340	1,263	3,757	84	134	339	240	330	48	30	140	1,824	3,159	-----	37	38	1,246	6,272	23
912	404	770	20	29	141	37	38	7	2	41	488	891	-----	29	14	374	3,457	24
969	664	1,197	24	51	187	41	84	15	6	25	666	790	-----	6	6	684	4,086	25
7	3	23	1	4	2	1	1	1	3	1	12	20	-----	30	7	219	77	26
5	11	-----	-----	1	1	-----	2	-----	1	1	9	6	-----	3	-----	4	37	27
13,869	8,387	53,711	1,349	579	3,324	4,011	3,113	1,693	4,564	1,112	69,992	27,056	5,271	4,905	1,596	24,417	131,545	16
7,892	4,197	29,132	762	281	1,806	2,714	1,270	680	2,617	582	37,526	15,270	-----	3,575	997	18,315	69,402	17
5,977	4,190	24,579	587	298	1,518	1,297	1,843	1,013	1,947	530	32,466	11,786	5,271	1,330	599	6,102	62,143	18
477	2,894	16,454	218	23	859	18	153	212	403	132	32,567	445	-----	1	306	3,580	49,721	19
468	2,344	13,480	188	17	612	23	136	203	325	29	26,799	360	-----	-----	219	2,399	41,392	20
111	16	326	14	3	32	6	16	54	369	2	149	94	-----	16	12	1,127	1,172	21
148	20	354	15	3	22	7	17	45	283	3	177	144	5	13	15	226	1,203	22
105	22	558	44	2	27	7	16	55	380	7	167	163	-----	110	36	1,484	960	23
116	13	349	20	2	33	12	28	72	280	6	153	198	441	137	47	225	1,053	24
109	16	579	43	1	34	21	32	45	319	15	190	213	-----	344	71	1,849	960	25
158	15	396	25	4	30	13	33	109	229	5	254	274	1,229	227	47	325	1,256	26
289	55	1,394	72	13	96	169	99	85	404	27	490	893	-----	793	146	2,429	1,989	27
230	49	984	46	14	82	103	121	215	305	17	524	855	2,324	259	61	301	2,377	28
499	57	1,951	84	18	115	478	149	62	313	49	567	1,482	-----	679	109	1,847	1,954	29
423	66	1,120	49	20	74	194	221	155	231	57	596	1,343	1,237	49	322	1,954	1,954	30
873	96	2,049	98	34	118	714	216	60	238	82	689	2,447	-----	520	74	1,322	2,095	31
546	74	1,219	44	33	103	259	319	82	136	126	638	1,811	35	195	49	322	1,954	32
1,356	133	1,928	77	60	148	642	231	51	114	64	759	3,202	-----	520	74	1,322	2,095	33
757	168	1,556	59	49	83	283	331	51	92	109	722	2,103	-----	105	38	350	1,754	34
1,811	258	1,966	58	64	135	483	208	52	70	105	894	3,546	-----	237	48	857	2,989	35
1,179	438	2,261	74	74	172	243	345	42	45	104	1,083	2,451	-----	60	24	512	3,823	36
1,713	417	1,497	47	55	150	159	131	28	15	83	829	2,308	-----	101	30	600	3,582	37
1,266	620	2,132	51	53	187	132	209	30	17	64	1,087	1,764	-----	19	14	801	1,984	38
545	232	426	9	10	88	16	19	5	16	291	495	-----	-----	8	10	213	1,984	39
583	382	743	16	29	119	28	62	9	3	10	427	483	-----	1	1	462	2,461	40
4	1	-----	-----	-----	2	-----	-----	-----	-----	-----	4	-----	-----	3	-----	-----	12	27
3	1	5	-----	-----	1	-----	1	-----	1	-----	6	5	-----	1	-----	1	17	30
257	69	883	23	29	50	196	61	33	91	47	270	630	296	231	54	1,540	909	31
165	38	577	15	20	37	141	28	19	55	28	157	379	-----	187	36	1,443	513	32
92	31	306	8	9	13	55	33	14	36	19	113	251	296	44	18	97	396	33
-----	4	31	1	1	1	-----	-----	-----	1	-----	34	1	-----	-----	-----	-----	13	47
1	5	42	-----	1	1	-----	-----	-----	3	-----	33	-----	-----	-----	-----	-----	7	65
3	-----	4	-----	-----	-----	-----	-----	-----	6	-----	1	-----	-----	-----	-----	-----	14	7
2	1	-----	1	-----	1	-----	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	8	16
4	-----	7	-----	-----	1	-----	-----	-----	6	-----	3	-----	-----	-----	-----	-----	5	8
5	1	43	1	-----	1	-----	1	2	3	-----	7	11	-----	6	-----	2	5	
7	2	24	1	-----	1	-----	1	3	5	-----	3	-----	-----	8	-----	3	4	
12	3	91	2	-----	1	-----	1	6	7	-----	3	-----	72	8	-----	7	15	
12	1	51	2	-----	1	-----	1	6	5	-----	21	-----	-----	8	-----	47	7	
28	1	133	2	-----	3	-----	3	5	8	-----	12	19	129	14	-----	14	3	
33	2	34	2	-----	3	-----	3	5	8	-----	28	-----	-----	52	-----	12	17	
13	2	117	2	-----	1	-----	1	6	7	-----	8	-----	81	6	-----	1	62	
22	3	41	1	-----	1	-----	1	5	3	-----	13	-----	3	4	-----	3	17	
14	3	66	6	-----	4													

DEATHS, BY COUNTRY OF BIRTH, SEX, AGE, AND CAUSE.

589

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																			
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Child-birth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.		
657	239	1,431	63	36	114	135	137	80	125	71	660	1,191	220	164	64	947	2,168	1	
365	103	765	43	19	64	120	50	32	75	36	332	656	220	130	48	797	1,097	2	
292	136	666	20	17	50	65	87	48	50	35	328	535		34	16	150	1,071	3	
	7	38			3			1	2	2	57	4			1	21	92	4	
	10	40			4			2	3	1	67				2	6	89	5	
	1	7						1	1	1	1				1	12	10	6	
	2	4					1	1	2	2	2	2			1	27	11	7	
	2	8						1	5	1	1	2			1	3	11	8	
	4	7						3	2	1	2	4	11		1	72	14	9	
	4	1						2	2		2	3			1	4	41	10	
	7	21						5	4		5	9	30		1	6	69	11	
	14	17						4	15		11	20			1	152	92	12	
	20	52						10	7		12	33	109		2	14	86	13	
	24	105						4	17		21	60			2	140	101	14	
	55	70						8	14		31	61	65		3	20	134	15	
	34	119						6	18		41	125			12	150	18	16	
	67	83						4	8		46	92	5		8	104	134	17	
	53	155						4	10		49	150			7	104	126	18	
	107	114						6	5		45	118			2	16	104	19	
	72	125						4	2		69	164			7	80	180	20	
	84	147						3	1		52	116			1	20	122	21	
	67	84						4	1		61	104			2	28	241	22	
	19	99						4	3		52	89			2	29	217	23	
	22	30						1	2		18	24			1	8	134	24	
		33						1	1		15	13				17	148	25	
		1														3	1	1	26
889	274	1,528	64	83	152	231	157	45	95	88	592	1,563	146	203	56	890	2,028	16	
538	146	910	44	52	96	153	63	21	54	40	281	897		151	42	718	1,118	17	
351	128	618	20	31	56	78	94	24	41	48	311	666	146	52	14	172	910	18	
1	1	13	1		1						19					10	30	19	
1	1	9	1		3						15					6	29	20	
1									4							3	5	21	
3		2	1				1		3		1	1				1	3	22	
1		2						1	1		1					23	7	23	
4		9	1			1		1	6		3		2			42	17	24	
1		9						1	2		5					1	5	25	
9		41	5	1	2	1	4		11	1	9	16	13			114	44	26	
16		26	1		1	2		5	7		14	21	84			8	59	27	
19	3	104	3	5	9	12	4	4	6	1	18	62				132	58	28	
21		36	7	2	5	7	9	5	10	5	28	58	47			17	68	29	
53	6	175	9	10	17	31	11	3	5	4	38	130				140	126	30	
26	7	70	2	2	4	25	15	2	7	11	24	103				9	71	31	
92	28	196	2	9	21	53	13	7	9	5	45	212				99	149	32	
68	18	111	3	4	8	14	28	2	3	13	54	134				12	86	33	
157	33	191	13	10	19	33	16	4	7	13	76	241				18	208	34	
92	29	163	5	8	11	16	25	5	5	9	72	186				5	46	35	
148	52	134	6	15	16	12	12	2	5	12	55	188				42	305	36	
89	41	142	1	12	17	11	14	2	2	8	82	118				49	264	37	
51	23	44	3	2	11	2	2	2	4	4	20	46				28	172	38	
36	32	49	3	3	7	2	3	1		2	15	43				23	162	39	
		1															1	1	40
		1																	41
96	30	162	4	8	9	57	11	8	12	8	62	206	17	48	9	105	226	42	
59	19	99	4	6	7	41	6	5	7	4	28	131		33	7	91	132	43	
37	11	63		2	2	16	5	3	5	4	34	75	17	15	2	14	94	44	
		2						1			2					1	3	45	
		2									1					1	5		
									1							3	1		
												1				1	2		
1		2														9	2		
	1															1	2		
	1	5				2	2	1	2	1	1	2				13	7		
	2	10				3	3	1	1	1	1	9				14	11		
3	1	3				5	5	2	2	2	2	7				13	13		
2		15				17	5	1	1	1	5	14				18	4		
4	1	7				5	8	1	1	1	4	16				5	4		
4	3	25				8	1		3	2	7	28				12	10		
7	1	9				1			2	1	4	12				1	1		
15	4	24				7	1		1		7	41				10	28		
7	2	20				3	3			2	7	19				3	18		
23	7	14				4	2			3	28	28				6	35		
11	4	15				1	1				11	14				5	24		
4	2	5				1					5	7				4	17		
6	4											4				1			

MORTALITY STATISTICS.

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

COUNTRY OF BIRTH, SEX, AND AGE PERIOD.		CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Tuber- culosis of lungs.	Cancer.	Rheuma- tism.	Diabetes.	Alcohol- ism.	Chronic lead poi- soning.	Other occu- pational and chronic poison- ings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.	
1	GERMANY.													
2	Total.....		43,850	373	3,116	4,829	244	967	139	11	9	4,497	1,128	7,549
3	Male.....		27,648	243	2,143	2,371	114	442	132	11	7	2,397	738	4,061
3	Female.....		21,202	130	973	2,458	130	525	7		2	2,100	390	3,488
4	Under 10 years.....		M. 90 F. 84	3 1	3 1								6 1	4 3
5	10 to 14 years.....		M. 29 F. 23	2 2	2 2								3 3	5 4
6	15 to 19 years.....		M. 69 F. 59	3 7	15 13								1 2	3 3
7	20 to 24 years.....		M. 242 F. 183	32 11	55 47								2 2	4 10
8	25 to 34 years.....		M. 1,043 F. 829	68 41	297 235								10 12	35 20
9	35 to 44 years.....		M. 2,142 F. 1,335	46 18	457 208								65 53	102 42
10	45 to 54 years.....		M. 3,948 F. 2,194	44 28	591 193								187 139	151 74
11	55 to 64 years.....		M. 5,518 F. 3,454	24 11	425 122								420 355	156 64
12	65 to 74 years.....		M. 7,168 F. 5,790	15 3	225 114								833 656	149 99
13	75 to 84 years.....		M. 5,813 F. 5,540	4 2	62 34								704 718	109 57
14	85 years or over.....		M. 1,578 F. 1,705	2 8	11 4								176 163	21 24
15	Unknown.....		M. 8 F. 6										1	1
16	HUNGARY.													
17	Total.....		3,618	137	581	219	22	31	26	2	1	91	101	250
18	Male.....		2,317	107	360	109	13	14	24	2	1	66	72	133
18	Female.....		1,301	30	221	110	9	17	2			25	29	117
19	Under 10 years.....		M. 127 F. 127	2 1	5 2								6 2	3 3
20	10 to 14 years.....		M. 19 F. 11		1 2								1 1	5 3
21	15 to 19 years.....		M. 74 F. 50	10 3	8 17								2 1	2 1
22	20 to 24 years.....		M. 232 F. 164	25 7	41 52								3 4	4 7
23	25 to 34 years.....		M. 559 F. 314	42 9	116 84								6 7	14 13
24	35 to 44 years.....		M. 536 F. 239	21 8	93 44								11 5	27 2
25	45 to 54 years.....		M. 455 F. 162	4 1	67 13								18 3	15 6
26	55 to 64 years.....		M. 179 F. 124	1 7	24 7								13 6	3 4
27	65 to 74 years.....		M. 84 F. 84	2 1	2 9								11 6	8 22
28	75 to 84 years.....		M. 36 F. 19		1 3								5 1	1 3
29	85 years or over.....		M. 8 F. 7										1 2	3 3
30	Unknown.....		M. 8 F. 8		2								1	
31	IRELAND.													
32	Total.....		46,431	264	4,051	3,313	232	634	290	7	2	4,324	896	7,269
33	Male.....		22,323	166	2,488	1,375	102	220	230	7	1	1,804	460	3,250
33	Female.....		24,108	98	1,563	1,938	130	414	60		1	2,520	436	4,019
34	Under 10 years.....		M. 32 F. 36		1 3								1 1	2 2
35	10 to 14 years.....		M. 5 F. 7		1 3									
36	15 to 19 years.....		M. 27 F. 46		11 18								1 3	1 7
37	20 to 24 years.....		M. 227 F. 210	15 8	61 88								1 1	9 8
38	25 to 34 years.....		M. 1,254 F. 1,040	55 20	427 362								12 17	29 20
39	35 to 44 years.....		M. 2,391 F. 1,984	46 32	697 451								46 73	76 48
40	45 to 54 years.....		M. 3,219 F. 2,690	23 15	619 264								150 182	82 58
41	55 to 64 years.....		M. 4,613 F. 4,991	11 10	411 185								390 584	102 73
42	65 to 74 years.....		M. 5,769 F. 6,991	10 6	204 134								653 933	91 133
43	75 to 84 years.....		M. 3,637 F. 4,640	3 1	47 47								438 595	57 81
44	85 years or over.....		M. 1,130 F. 1,453	1 6	8 40								110 134	12 16
45	Unknown.....		M. 19 F. 20		1 2								4 1	2 4

DEATHS, BY COUNTRY OF BIRTH, SEX, AGE, AND CAUSE.

591

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																		
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Child-birth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
2,407	1,041	4,213	136	250	338	1,018	436	94	224	288	1,620	4,909	314	1,984	173	2,111	5,432	1
1,387	488	2,407	84	141	175	733	173	42	129	132	763	2,920	314	817	121	1,619	2,853	2
1,020	553	1,806	52	109	163	285	263	52	95	156	852	1,989		167	52	492	2,579	3
3	2	17	1						1		21	1				5	23	4
		14	2		3						20					6	31	5
		2									1					6	6	6
2		5							1		2					3	3	7
3		14		1					3		1					10	10	8
1		10			2				5		1					59	25	9
16	2	67	8	1	2	1	1	4	16	3	26	32		2	8	168	81	10
19	5	37	2		7	17	5	1	13	3	26	33	145	10	8	15	87	11
59	13	217	8	1	15	63	10	12	29	10	41	189		122	15	262	143	12
81	78	378	12	3	52	30	22	7	21	9	35	100	127	35	21	143	21	13
127	22	381	25	3	10	159	24	4	41	10	81	360		220	35	355	231	14
63	11	140	8		38	52	34	4	21	30	67	220	7	32	9	45	193	15
213	59	408	25	25	22	218	51	13	19	28	143	633		206	24	296	320	16
126	33	281	18	17	62	62	60	10	19	28	125	376		29	7	55	206	17
397	136	626	8	48	37	193	44	12	12	33	191	928		133	18	229	602	18
277	144	529	11	44	36	82	84	6	11	47	236	656		14	14	120	499	19
451	193	452	9	52	41	71	33	7	3	30	198	672		55	11	159	959	20
378	250	560	20	31	58	48	46	6	3	8	242	502		9	4	135	900	21
123	67	125	3	5	16	12	6	2	1	9	56	142		11	1	57	452	22
129	104	154	2	9	24	5	11	2			92	96		2	2	78	489	23
		3									1					1	1	24
		1																25
84	16	318	23	8	13	41	33	13	29	14	113	204	143	98	32	572	403	26
44	10	208	15	5	7	34	13	7	16	9	69	122		71	24	540	222	27
40	6	110	8	3	6	7	20	6	13	5	44	82	143	27	8	32	181	28
3	1	16	1		1				2		25	2			1	16	51	29
	3	22	2						1		20					7	56	30
		2	1						1		1				2	6	1	31
1		9						1	3		1				1	27	5	32
1		3									5	1	3	4	1	3	5	33
3	1	16	1		1			1	4	1	5	3		14	3	85	14	34
4		11	2					1	4	1	4	2	41	3	1	4	13	35
11		39	3			3	3	3	6	1	13	16		21	9	160	60	36
2		20				1	4	1	4		9	13	69	8	1	4	40	37
9	1	50	4	1	2	10	5	2	1	4	9	23		12	3	139	34	38
9		11	2		2		9	2	1		2	17	30	8	2	8	29	39
9	4	51	4	1	11	3	3	2		1	10	36		13	4	81	38	40
5		15		2	1	3	3		1	1	5	12		4	2	17	25	41
9		16		3	1	7	1		1	1	5	14			1	15	8	42
9	1	14	1		1	1	3		1	1	18	13		6		8	26	43
4	1	8	1		1	2	2		2	2	19	19				6	2	44
4	2	9	1		2	2	3		1		12	12				7	27	45
1	2	2			1	1					1	9		1		7	7	46
1		1									1	1				4	2	47
1		1										1				5	1	48
		2		1								1					2	49
																5		50
2,558	1,076	5,255	161	124	322	715	268	56	146	226	1,600	4,759	262	234	144	2,299	4,944	51
1,265	444	2,514	86	58	156	387	100	21	83	93	648	2,243		169	92	1,617	2,244	52
1,293	632	2,741	75	66	166	328	168	35	63	133	952	2,516	262	65	52	682	2,700	53
2	1	4									6					3	12	54
		5									5	1				2	15	55
		1														2	1	56
1									2							5	4	57
3	1	18	1			1			3		2	2				1	9	58
1		17							5		3	4				76	16	59
21	1	149				14	2	1	15	2	20	6	24		2	6	29	60
13	3	83			3	14	2	2	11	1	29	3			11	239	77	61
45	10	298	4		4	45	11	2	20	2	49	58		6	1	15	103	62
46	5	440	18	1	9	59	20	3	19	9	53	167		35	13	306	153	63
113	30	182	6	3	4	78	14	5	20	10	80	183	101	25	6	55	169	64
102	26	440	11	9	24	81	30	8	19	8	96	335		31	30	324	177	65
249	89	386	20	6	12	104	24	4	11	22	147	344	3	9	15	69	181	66
250	106	530	21	11	23	92	45	12	11	23	178	547		37	18	267	283	67
391	151	597	20	15	43	97	22	7	12	38	178	623		7	8	112	363	68
393	208	871	20	17	58	97	38	5	11	34	146	710		26	15	247	538	69
338	125	345	8	24	37	32	38	3	4	38	302	787		7	14	199	653	70
359	208	514	17	14	45	25	22	2	2	21	142	351		6	3	109	533	71
102	36	87	1	3	11	3	5	3	1	3	215	417		5	6	159	751	72
129	74	118	4	4	20	3	2	1		3	55	80		2	1	35	347	73
	2	2								1	65	98		1		64	424	74

DEATHS, BY COUNTRY OF BIRTH, SEX, AGE, AND CAUSE.

593

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																		
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Child-birth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.	
296	123	1,658	49	24	69	159	77	35	130	46	314	568	365	151	79	1,748	1,389	1
191	60	1,127	37	13	45	127	49	21	92	37	191	332	365	123	64	1,638	932	2
105	63	531	12	11	24	32	28	14	38	9	123	236	365	28	15	110	457	3
4	6	85	1		2			1	2		65	2			1	39	117	4
1	15	85			1			2	3		42				1	30	98	5
4		18							1		2	1				27	15	6
5	1	6							4		2					8	14	7
2		57	6				2		9	1	3					145	5	8
5	2	19			1			2	2		7	5		1	6	9	31	9
3	4	111	10		4		4	4	12	1	8	8	25	20	8	315	118	10
29	3	31			3	1	2	2	5		7	5	64	7	6	5	51	11
10	6	186	10		10	6	16	6	25	6	24	30	189	38	20	522	240	12
30	3	84	4	1	3	3	7	3	8		17	38		3	1	22	82	13
13	4	196	5	3	4	4	30	9	18	3	30	49		24	13	328	164	14
41	8	66	3	3	4	7	6	6	7	2	14	27	102	7	2	13	56	15
22	6	227	3	6	8	8	40	7	13	9	24	71		22	5	171	102	16
37	14	56	2	1	3	8	8	5	3	1	11	49	4	2	2	12	37	17
21	11	143	1	4	8	36	9	1	7	7	23	89		12	7	64	54	18
23	8	80	3	1	3	6	4	1	5	4	6	63		3	1	6	28	19
10	13	69		3	5	14	4	1	5	7	7	47		5	1	20	40	20
12	8	57		3	2	4	4		1	1	12	30			1	3	21	21
10	3	31		2	3	1	1	1			4	25				2	18	13
4	2	37			3	3					3	14				2	11	14
4	4	10			1						2	5		1		2	13	15
			1								2	7				3	1	
74	32	315	9	20	20	74	22	10	28	10	122	211	123	31	9	406	310	16
40	15	217	8	13	14	45	11	6	20	6	61	127		25	2	372	175	17
34	17	98	1	7	6	29	11	4	8	4	61	84	123	6	7	34	135	18
1		12	1								18	1				6	11	19
	2	8									15					2	26	20
		1							1			2				2	4	21
1		8			1	1					2	2				16	3	22
1		5			1	1	1	1	2	1	1	1	9	1	2	64	25	23
4		4	2		4	4	1	1	4		3	4	33	1	2	8	3	24
4		33			4	4	2	1	4		6	4		8		119	26	25
2		17			1	3	2	1	4		6	13	58	1	1	12	17	26
4		54	2	1	1	14	3	3	7	1	10	15		4	1	96	31	27
2		18		1	1	5	5	1	5	3	7	8	23	1	1	3	21	28
11		47	2	3	6	13	1		5		11	40		4	4	47	22	29
5		9		2	1	7	3	1	1		7	23		2	1	5	8	30
7		34		3	1	9	2		1		4	30		4		15	11	31
6		16		1	1	8	2	2		3	6	16				6	6	32
5		14	1	2	1	1	1	2		1	3	15		2		5	18	33
3		10		3	1	4	1	1	1	1	11	11				1	17	34
3		8		4		3	2	1			4	6		2		2	12	35
3		2			1	1					1	4				1	11	36
														1			17	37
																	2	38
333	79	881	35	47	52	64	79	23	125	38	261	695	335	216	46	993	968	31
196	49	541	25	30	32	45	45	16	85	23	151	392		171	34	866	541	32
137	30	340	10	17	20	19	34	12	40	15	110	303	335	45	12	127	427	33
7	6	32	1					1	2		27	4				32	103	34
4	1	44			2			2	3		31	1				20	97	35
1		7						1	6		2	3				18	16	36
3		8					1		3			1				4	22	37
4		15							5		2	5				42	25	38
2	1	7						1	5		2	2			2	8	23	39
10	2	34	3				3	3	12		4	5			5	157	39	40
6	1	14	1		1	1	1	1	4		2	13	79	10	1	16	33	41
22	3	76	4		3	2	10	4	27	2	31	32		46	4	278	88	42
17	2	50			1	2	3	3	10		11	24	163	11	3	21	64	43
31	4	120	4	1	5	16	9	3	23		39	64		33	12	194	75	44
22	4	44	1	3	1	4	13	1	9	3	21	35	79	13	2	13	54	45
29	13	100	6	9	3	16	10	4	8	5	24	89		32	7	100	66	46
24	4	38	4	1	1	6	8	1	2	4	21	59	3	6		16	24	47
41	12	76	4	9	12	8	6	2	2	3	11	80		9	1	23	58	48
27	4	61	2	3	6	4	3		2	3	9	72			1	11	35	49
28	4	46	2	8	6	3	2	1	2	3	6	77		5	2	13	32	50
15	5	49	2	5	2		2		2	5	11	61			1	11	29	51
14	1	28	1		3	4	2				4	23				6	23	52
9	4	15		3	3						29	29			1	4	24	53
3	4	6		3	2		1				10	10			1	1	16	54
	4	1		1							5	5				2	3	55
																	2	56

MORTALITY STATISTICS.

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to A bridged

COUNTRY OF BIRTH, SEX, AND AGE PERIOD.		CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.	
1	SCANDINAVIA.													
2	Total.....		13,261	411	1,640	1,265	88	146	108	5	1	844	344	1,454
3	Male.....		8,145	318	1,017	640	46	71	103	5	1	472	230	854
3	Female.....		5,116	93	623	625	42	75	5			372	114	600
4	Under 10 years.....		M 65 F 37	2	3	1		2	1				3	2
5	10 to 14 years.....		M 20 F 20	1	1		1			1			1	2
6	15 to 19 years.....		M 98 F 58	15	21	1	1	1	1				6	3
7	20 to 24 years.....		M 341 F 175	63	77	2	1	2	1			2	6	8
8	25 to 34 years.....		M 912 F 549	122	229	14	4	5	14			9	22	37
9	35 to 44 years.....		M 1,230 F 645	62	274	57	9	6	26	1		21	44	86
10	45 to 54 years.....		M 1,517 F 790	36	226	149	9	19	41	2	1	61	16	128
11	55 to 64 years.....		M 1,345 F 713	12	126	203	7	16	11			40	46	86
12	65 to 74 years.....		M 1,317 F 897	4	44	143	8	18	9	1		97	68	160
13	75 to 84 years.....		M 995 F 879	1	5	59	5	4	1			137	31	244
14	85 years or over.....		M 294 F 353	1	2	11	1	4				101	18	148
15	Unknown.....		M 11 F	1	1	13	6					120	9	152
16	SCOTLAND.													
17	Total.....		4,585	39	382	378	23	52	33	1		423	122	670
18	Male.....		2,613	27	266	173	14	24	27	1		216	73	363
18	Female.....		1,972	12	116	205	9	28	6			207	49	307
19	Under 10 years.....		M 32 F 31	1	2							1	1	1
20	10 to 14 years.....		M 5 F 5											1
21	15 to 19 years.....		M 9 F 9		2			1					1	1
22	20 to 24 years.....		M 44 F 33	4	14	1						2	2	4
23	25 to 34 years.....		M 182 F 110	13	48	1		1	4	1		1	2	5
24	35 to 44 years.....		M 273 F 175	1	69	10	2	3	8			6	11	33
25	45 to 54 years.....		M 403 F 228	4	73	28	2	3	5			2	12	21
26	55 to 64 years.....		M 498 F 390	2	19	46	1	5	2			18	6	47
27	65 to 74 years.....		M 554 F 425	3	42	53	1	7	7			45	13	33
28	75 to 84 years.....		M 459 F 455	4	9	53	2	6	3			39	7	47
29	85 years or over.....		M 152 F 170	2	7	23	4	1	1			71	14	38
30	Unknown.....		M 2 F 1			3	1					56	8	79
31	OTHER FOREIGN COUNTRIES.													
32	Total.....		10,675	318	1,493	774	59	103	61	4	1	549	270	1,198
33	Male.....		6,940	247	950	378	36	55	55	4		304	193	739
33	Female.....		3,735	71	543	396	23	48	6		1	245	77	459
34	Under 10 years.....		M 190 F 144	1	8		1					2	11	2
35	10 to 14 years.....		M 50 F 46	6	7	2	2	1				2	6	2
36	15 to 19 years.....		M 223 F 103	5	12	1							3	1
37	20 to 24 years.....		M 223 F 608	5	39	1	2	1	3			1	16	3
38	25 to 34 years.....		M 204 F 1,178	6	44	1	3	1	11			2	4	5
39	35 to 44 years.....		M 489 F 936	12	88	14	6	3	1			3	29	40
40	45 to 54 years.....		M 1,016 F 420	33	226	14	1	3	1			7	12	25
41	55 to 64 years.....		M 936 F 447	15	90	51	3	4	4			9	13	27
42	65 to 74 years.....		M 895 F 521	13	159	71	4	9	11			39	34	100
43	75 to 84 years.....		M 895 F 982	6	58	102	4	6	1		1	21	6	55
44	85 years or over.....		M 686 F 673	2	47	98	4	15	2			55	26	123
45	Unknown.....		M 14 F 2	1	1	7		1				45	10	91

MORTALITY STATISTICS.

TABLE 13.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE PERSONS IN THE REGISTRATION

[For relation of titles to Abridged

COUNTRY OF BIRTH, SEX, AND AGE PERIOD.		CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Tuberculosis of lungs.	Cancer.	Rheumatism.	Diabetes.	Alcoholism.	Chronic lead poisoning.	Other occupational and chronic poisonings.	Apoplexy and paralysis.	Other diseases of nervous system.	Organic diseases of heart.
UNKNOWN.													
1	Total.....	10,068	175	660	317	25	68	260	2	24	598	377	960
2	Male.....	7,826	156	498	178	15	39	238	2	19	401	245	696
3	Female.....	2,242	19	162	139	10	29	22		5	197	132	264
4	Under 10 years.....	(M. 274 F. 254)	2 1	8 2							2 1	7 9	1 1
5	10 to 14 years.....	(M. 19 F. 16)	1 1	3 1		1							1 1
6	15 to 19 years.....	(M. 100 F. 27)	6 2	8 6							3	3	1 1
7	20 to 24 years.....	(M. 294 F. 68)	34 3	22 14	1		1	4			1	4	4 4
8	25 to 34 years.....	(M. 1,048 F. 171)	48 8	90 29	3		3	24		4	14	30	26 5
9	35 to 44 years.....	(M. 1,583 F. 245)	32 2	121 38	21	1	7	69		8	39	49	77 28
10	45 to 54 years.....	(M. 1,569 F. 252)	16	114 30	29 30	3	9	68	2	4	70	56	132 32
11	55 to 64 years.....	(M. 1,125 F. 304)	5 1	62 19	51 28	3	7	39			101	40	176 54
12	65 to 74 years.....	(M. 875 F. 361)	3 1	51 12	42 32	6	3	22		1	43	27	155 64
13	75 to 84 years.....	(M. 468 F. 370)	3	9	23 24	1	12	3		2	53	17	86 52
14	85 years or over.....	(M. 134 F. 140)		1	3 6	1	7	1			60	16	24 18
15	Unknown.....	(M. 337 F. 39)	6	9 2	5 2		1	9		1	10	8	14 5

DEATHS, BY COUNTRY OF BIRTH, SEX, AGE, AND CAUSE.

AREA, BY COUNTRY OF BIRTH, SEX, AND AGE PERIODS, FROM CERTAIN CAUSES: 1910—Continued.

International List, see p. 22.]

CAUSE OF DEATH.																	
Other diseases of circulatory system.	Bronchitis.	Pneumonia (all forms).	Pleurisy.	Asthma.	Other diseases of respiratory system.	Cirrhosis of liver.	Other diseases of liver.	Peritonitis.	Appendicitis.	Hernia.	Other diseases of digestive system.	Bright's disease.	Child-birth.	Suicide.	Accidental poisonings.	Other accidents and injuries.	All other causes.
249	54	729	17	18	49	89	43	18	38	30	357	553	23	594	115	2,378	1,248
174	22	520	10	14	35	73	27	9	31	23	224	394				2,291	844
75	32	209	7	4	14	16	16	9	7	7	133	159	23	548	100	87	404
1	1	33			1		1				87					5	125
	3	56	2		1						64					5	107
		1									1					2	8
		3							2							1	6
		7	1				1	1	1	1					1	1	6
1		2										1		2		48	15
2		12				1		1	3		1	1				1	6
1		1	1						2		2	2				133	30
7	1	60			4	4	4	1	5	1	10	17	5		4	4	13
3		14			1	1					7	12				5	77
11		95	2	2	3	12	3	1	13	3	17	50	11		4	5	28
36	2	114	3		12	24	4	1	4		22	38	6		4	19	25
9	1	19			1	3	2	3	2	8	2	26		143	19	469	116
36	1	91	1	4	6	17	7	2	3	3	27	99		68	9	174	30
7	4	23			2	4	3	1	3	2	6	27		5	4	14	20
30	6	59	1	5	7	10	5	1		4	25	82		37	9	11	98
16	4	34	1	1	3	3	3			3	18	37		3	1	30	38
29	7	31	2		2	3	1	2		1	21	39		3	1	9	79
17	10	34	1	1	3	1	4			1	14	32				4	36
8	3	6			1	1	1			1	7	13		3		8	79
9	10	9		1	3	1	4			1	6	3				4	36
3		11		2	1	1	1			1	6	3				176	39
1		2		1			1	1		1	1	1	1	24	7	3	13

MORTALITY STATISTICS.

TABLE 14.—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO SEX AND ACCORDING TO FOR THE ORIGINAL

[The states covered by this table (as well as by the tables in the 1908 and 1909 reports which give corresponding figures for the years 1900-1909, inclusive) are the original Michigan, New Hampshire, New Jersey,

AGE (COMPLETED MONTHS OR YEARS).	DEATHS, 1910.							
	1. Aggregate.		2. Of white.		3a. Of native white (not including white of unknown nativity).		3b. Of white of unknown nativity.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 All ages.....	201,173	175,842	194,791	170,233	139,284	122,903	2,517	984
2 Under 5 years.....	55,246	45,403	53,425	43,787	52,663	43,090	114	111
3 Under 1 year.....	40,134	31,962	38,856	30,853	38,612	30,612	54	45
4 Under 1 month.....	15,257	11,404	14,803	11,044	14,739	11,032	6	7
5 1 month.....	4,057	3,110	3,941	3,007	3,923	2,992	10	7
6 2 months.....	3,349	2,757	3,233	2,664	3,218	2,649	8	6
7 3 months.....	2,858	2,374	2,774	2,284	2,756	2,268	6	2
8 4 months.....	2,534	2,016	2,457	1,943	2,436	1,921	7	5
9 5 months.....	2,224	1,923	2,158	1,861	2,138	1,833	4	4
10 6 months.....	2,133	1,767	2,052	1,703	2,029	1,687	3	1
11 7 months.....	1,850	1,477	1,789	1,407	1,763	1,382	2	1
12 8 months.....	1,697	1,415	1,640	1,363	1,614	1,333	1	2
13 9 months.....	1,565	1,301	1,503	1,255	1,484	1,236	2	2
14 10 months.....	1,261	1,194	1,216	1,138	1,195	1,120	2	4
15 11 months.....	1,349	1,224	1,290	1,184	1,267	1,159	3	4
16 1 year.....	8,024	7,017	7,719	6,730	7,489	6,532	40	44
17 2 years.....	3,531	3,112	3,400	3,009	3,271	2,910	14	13
18 3 years.....	2,116	1,968	2,053	1,901	1,971	1,815	4	7
19 4 years.....	1,441	1,344	1,397	1,294	1,320	1,221	2	2
20 5 to 9 years.....	4,129	3,843	4,005	3,726	3,736	3,439	6	9
21 5 years.....	1,100	1,075	1,072	1,047	1,014	976	3	3
22 6 years.....	951	905	921	891	858	829	1	1
23 7 years.....	808	749	789	724	730	660	1	3
24 8 years.....	672	687	651	664	601	526	2	2
25 9 years.....	598	527	572	500	533	448	2	9
26 10 to 14 years.....	2,617	2,478	2,523	2,353	2,278	2,127	9	9
27 10 years.....	501	465	486	450	435	408	1	1
28 11 years.....	537	404	517	382	476	347	3	1
29 12 years.....	478	510	464	484	416	438	4	1
30 13 years.....	553	497	532	469	474	425	1	2
31 14 years.....	548	602	524	568	477	509	4	4
32 15 to 19 years.....	4,317	3,908	4,129	3,673	3,314	3,046	39	5
33 15 years.....	577	588	549	554	490	502	3	4
34 16 years.....	661	680	629	639	540	552	4	4
35 17 years.....	903	805	865	759	722	637	9	2
36 18 years.....	1,030	895	996	840	768	661	14	2
37 19 years.....	1,146	940	1,090	881	794	694	9	3
38 20 to 24 years.....	6,474	5,948	6,152	5,616	4,114	4,178	73	15
39 20 years.....	1,189	1,081	1,143	1,018	800	793	14	6
40 21 years.....	1,276	1,097	1,207	1,039	840	801	10	1
41 22 years.....	1,379	1,232	1,320	1,172	864	873	21	4
42 23 years.....	1,311	1,249	1,240	1,176	796	855	17	3
43 24 years.....	1,319	1,289	1,242	1,211	814	856	11	1
44 25 to 29 years.....	7,085	6,367	6,697	6,023	4,267	4,129	116	24
45 25 years.....	1,414	1,216	1,344	1,149	844	781	42	7
46 26 years.....	1,348	1,269	1,285	1,195	829	839	18	6
47 27 years.....	1,427	1,277	1,340	1,214	856	849	19	5
48 28 years.....	1,540	1,371	1,447	1,291	890	840	23	2
49 29 years.....	1,856	1,234	1,281	1,174	848	820	14	4
50 30 to 34 years.....	7,713	6,378	7,265	6,045	4,623	3,997	142	25
51 30 years.....	1,731	1,378	1,607	1,301	914	827	82	5
52 31 years.....	1,239	1,090	1,179	1,033	824	725	11	2
53 32 years.....	1,605	1,324	1,528	1,254	973	817	20	8
54 33 years.....	1,524	1,267	1,441	1,205	933	793	15	6
55 34 years.....	1,614	1,319	1,510	1,252	979	835	14	4
56 35 to 39 years.....	8,997	6,926	8,540	6,591	5,165	4,185	248	44
57 35 years.....	2,043	1,435	1,925	1,357	1,100	876	145	14
58 36 years.....	1,634	1,324	1,570	1,265	988	809	30	6
59 37 years.....	1,660	1,332	1,572	1,279	1,006	820	22	7
60 38 years.....	1,944	1,513	1,839	1,434	1,073	868	44	13
61 39 years.....	1,716	1,322	1,634	1,256	998	812	7	4
62 40 to 44 years.....	9,295	6,891	8,871	6,554	4,925	4,045	256	55
63 40 years.....	2,427	1,680	2,293	1,568	1,164	922	189	26
64 41 years.....	1,520	1,149	1,462	1,111	913	750	14	4
65 42 years.....	2,005	1,457	1,913	1,397	1,043	844	21	14
66 43 years.....	1,697	1,312	1,625	1,252	971	777	15	6
67 44 years.....	1,646	1,293	1,578	1,226	884	752	17	5
68 45 to 49 years.....	9,772	7,253	9,398	6,963	5,125	4,178	221	45
69 45 years.....	2,229	1,495	2,119	1,423	991	782	143	11
70 46 years.....	1,749	1,320	1,693	1,269	889	774	23	4
71 47 years.....	1,827	1,403	1,770	1,350	1,030	824	15	2
72 48 years.....	2,035	1,589	1,959	1,532	1,104	880	24	16
73 49 years.....	1,932	1,446	1,857	1,389	1,111	918	16	12
74 50 to 54 years.....	10,686	8,319	10,316	8,019	5,899	4,864	237	53
75 50 years.....	2,664	2,008	2,533	1,902	1,268	1,097	161	26
76 51 years.....	1,737	1,406	1,695	1,359	1,021	820	17	3
77 52 years.....	2,223	1,732	2,158	1,666	1,257	1,004	19	11
78 53 years.....	1,959	1,574	1,888	1,542	1,142	981	20	3
79 54 years.....	2,098	1,599	2,042	1,550	1,211	962	20	5

DEATHS—SINGLE YEARS OF AGE.

599

COLOR, NATIVITY, AND PARENT NATIVITY OF DECEDENT, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, REGISTRATION STATES: 1910.

registration states included in the registration area as it existed in the calendar year 1900, namely, Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, New York, Rhode Island, and Vermont.]

DEATHS, 1910.														
4a. Of native white, both parents native.		4b. Of native white, one parent native, one unknown, or both unknown.		5. Of native white of foreign parents (one or both parents foreign born).		6. Of foreign-born white.		7. Of colored.		8. Of negro.		9. Of other colored.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
68,308	63,016	14,100	12,202	56,876	47,685	52,990	46,346	6,382	5,609	6,052	5,481	330	128	1
21,096	16,747	2,091	1,820	29,476	24,523	648	586	1,821	1,616	1,773	1,582	48	34	2
15,647	11,970	1,900	1,640	21,065	17,002	190	196	1,278	1,109	1,242	1,088	36	21	3
6,899	4,947	613	471	7,277	5,614	8	5	454	360	444	357	10	3	4
1,455	1,109	469	366	1,999	1,517	8	8	116	103	115	102	1	1	5
1,197	1,053	237	247	1,784	1,349	7	9	116	93	109	90	7	3	6
1,089	849	131	150	1,536	1,269	12	14	84	90	79	86	5	4	7
901	668	122	96	1,413	1,157	14	17	77	73	74	74	3	3	8
808	676	72	76	1,258	1,081	16	24	66	62	60	61	1	1	9
733	577	68	67	1,228	1,043	20	15	81	64	79	63	2	1	10
647	469	56	48	1,060	865	24	24	70	59	69	69	2	1	11
546	433	42	36	1,026	864	25	28	57	52	56	50	1	2	12
499	444	31	26	954	766	17	17	62	46	60	45	2	1	13
422	371	27	35	746	714	19	14	45	56	44	56	1	1	14
451	374	32	22	784	763	20	21	59	40	39	2	1	1	15
2,731	2,375	101	103	4,657	4,054	190	154	305	287	297	283	8	4	16
1,308	1,167	42	38	1,921	1,705	115	86	131	103	129	99	2	4	17
822	719	25	17	1,124	1,079	78	79	63	67	63	63	1	4	18
588	516	23	22	709	683	75	71	44	42	50	42	2	1	19
1,751	1,600	55	45	1,930	1,794	263	278	124	117	114	110	10	7	20
450	420	9	11	555	545	55	68	28	28	26	25	2	3	21
404	394	12	8	442	427	63	61	30	14	27	14	3	2	22
339	328	11	9	380	323	58	64	19	25	17	23	2	2	23
311	238	12	9	278	279	50	35	21	23	19	23	2	2	24
247	220	11	8	275	220	50	50	26	27	25	25	1	2	25
1,180	1,128	48	41	1,050	958	236	217	94	125	91	116	3	9	26
213	206	10	9	212	193	50	41	15	15	14	14	1	1	27
238	190	14	10	224	147	41	34	20	22	20	21	1	1	28
217	250	6	11	193	177	45	45	14	26	14	25	1	1	29
241	224	11	6	222	195	54	42	21	28	21	24	2	4	30
271	258	7	5	199	246	46	55	24	34	22	32	2	2	31
1,702	1,583	110	75	1,502	1,388	776	622	188	235	176	225	12	10	32
260	262	10	9	220	231	56	52	28	34	27	33	1	1	33
276	280	15	11	249	261	85	87	32	41	27	38	5	3	34
359	328	24	19	339	290	134	122	38	45	37	45	1	1	35
412	331	27	13	329	317	214	177	34	55	33	53	1	2	36
395	362	34	23	365	289	287	184	56	59	52	56	4	3	37
2,068	2,191	199	201	1,847	1,786	1,965	1,423	322	332	310	324	12	8	38
409	409	41	39	350	345	329	219	46	63	46	61	2	2	39
414	444	41	38	385	319	357	237	69	58	64	57	5	1	40
443	443	35	35	386	395	435	295	59	60	56	58	3	2	41
391	455	43	47	362	353	427	318	71	73	69	72	2	1	42
411	440	39	42	364	374	417	354	77	78	75	76	2	2	43
2,002	2,077	251	236	2,014	1,816	2,314	1,870	388	344	367	337	21	7	44
422	396	52	37	370	348	458	361	70	67	68	65	2	2	45
393	428	45	44	391	367	428	350	63	74	60	74	3	3	46
391	434	48	51	417	364	465	360	87	63	80	61	7	2	47
411	416	59	57	420	367	534	449	93	80	87	79	6	1	48
385	403	47	47	416	370	419	350	75	60	72	58	3	2	49
1,871	1,814	277	266	2,475	1,917	2,500	2,023	448	333	415	328	33	5	50
394	369	58	63	462	395	611	469	124	77	114	76	10	1	51
350	348	46	44	428	333	344	306	60	57	56	57	4	1	52
395	385	59	57	519	375	535	429	77	70	73	68	4	2	53
370	348	53	56	510	389	493	406	83	62	62	78	5	1	54
362	364	61	46	556	425	517	413	104	67	94	66	10	1	55
2,017	1,869	375	340	2,773	1,976	3,127	2,362	457	335	431	330	26	5	56
401	377	91	64	608	435	680	467	118	78	107	78	11	1	57
399	357	70	69	519	383	552	450	64	59	58	57	6	2	58
401	370	66	70	539	380	544	452	88	53	86	52	2	1	59
403	386	80	75	590	407	722	553	105	79	99	78	6	1	60
413	379	68	62	517	371	629	440	82	66	81	65	1	1	61
1,973	1,784	433	334	2,519	1,927	3,690	2,454	424	337	394	335	30	2	62
413	388	124	77	627	457	940	620	134	112	128	112	6	1	63
373	324	75	61	460	365	535	357	58	38	50	38	8	1	64
430	368	86	72	527	404	849	539	92	60	85	60	7	1	65
381	353	79	66	471	353	679	469	72	60	66	58	6	2	66
371	346	69	58	434	343	687	469	67	67	65	67	3	1	67
2,113	1,933	547	399	2,465	1,846	4,052	2,740	374	290	333	288	41	2	68
358	331	126	74	507	377	985	630	110	72	92	72	18	1	69
362	342	79	66	448	366	781	491	56	51	50	49	6	2	70
442	416	98	74	490	334	725	524	57	53	54	53	3	1	71
465	405	111	79	528	396	831	636	76	57	67	57	9	1	72
486	439	133	106	492	373	730	459	75	57	70	57	5	1	73
2,733	2,440	727	546	2,439	1,878	4,180	3,102	370	300	347	297	23	3	74
544	517	153	121	571	459	1,104	779	131	106	122	105	9	1	75
498	407	100	97	493	316	657	531	42	47	38	46	4	1	76
562	514	164	115	531	375	882	651	70	66	67	65	3	1	77
528	517	105	105	456	359	726	558	71	32	65	32	6	1	78
601	485	152	108	453	369	811	583	56	49	55	49	1	1	79

MORTALITY STATISTICS.

TABLE 14.—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO SEX AND ACCORDING TO COLOR, THE ORIGINAL REGISTRATON

[See note at head of this table.]

	AGE (COMPLETED MONTHS OR YEARS).	DEATHS, 1910.							
		1. Aggregate.		2. Of white.		3a. Of native white (not including white of unknown nativity).		3b. Of white of unknown nativity.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	55 to 59 years.....	10,849	8,685	10,551	8,433	6,058	4,882	177	51
2	55 years.....	2,329	1,777	2,249	1,711	1,214	980	91	12
3	56 years.....	2,143	1,719	2,087	1,676	1,231	909	22	10
4	57 years.....	2,080	1,630	2,036	1,594	1,190	964	16	3
5	58 years.....	2,237	1,827	2,176	1,772	1,250	982	36	10
6	59 years.....	2,050	1,732	2,003	1,680	1,173	957	12	16
7	60 to 64 years.....	12,300	10,468	12,018	10,224	6,593	5,440	184	76
8	60 years.....	2,849	2,459	2,763	2,369	1,365	1,138	97	32
9	61 years.....	2,027	1,693	1,994	1,655	1,155	928	23	9
10	62 years.....	2,432	2,117	2,366	2,078	1,312	1,141	25	18
11	63 years.....	2,502	2,074	2,449	2,033	1,417	1,104	20	9
12	64 years.....	2,490	2,125	2,446	2,089	1,344	1,129	19	8
13	65 to 69 years.....	13,168	12,131	12,893	11,895	7,302	6,554	148	80
14	65 years.....	3,074	2,810	2,970	2,736	1,582	1,388	64	15
15	66 years.....	2,398	2,214	2,347	2,177	1,338	1,267	17	13
16	67 years.....	2,483	2,271	2,442	2,221	1,383	1,298	20	22
17	68 years.....	2,651	2,466	2,604	2,427	1,480	1,318	20	14
18	69 years.....	2,562	2,370	2,530	2,334	1,519	1,353	27	16
19	70 to 74 years.....	13,057	12,636	12,856	12,475	7,572	7,131	169	96
20	70 years.....	3,113	3,096	3,034	3,020	1,597	1,497	75	30
21	71 years.....	2,267	2,122	2,245	2,105	1,356	1,275	21	13
22	72 years.....	2,595	2,548	2,561	2,514	1,543	1,447	28	19
23	73 years.....	2,623	2,478	2,559	2,467	1,585	1,474	21	18
24	74 years.....	2,459	2,397	2,427	2,369	1,490	1,438	24	16
25	75 to 79 years.....	11,387	11,592	11,251	11,463	6,977	6,913	105	114
26	75 years.....	2,662	2,707	2,614	2,660	1,518	1,458	34	26
27	76 years.....	2,467	2,469	2,443	2,445	1,526	1,487	20	18
28	77 years.....	2,222	2,220	2,199	2,206	1,438	1,410	25	24
29	78 years.....	2,127	2,124	2,104	2,097	1,266	1,273	15	23
30	79 years.....	1,909	2,072	1,891	2,055	1,229	1,285	11	23
31	80 to 84 years.....	7,988	8,919	7,884	8,819	4,897	5,624	72	80
32	80 years.....	2,055	2,317	2,009	2,272	1,157	1,317	25	21
33	81 years.....	1,585	1,628	1,571	1,618	987	1,075	14	15
34	82 years.....	1,614	1,861	1,601	1,846	1,044	1,191	16	14
35	83 years.....	1,446	1,593	1,432	1,578	900	1,033	6	16
36	84 years.....	1,288	1,520	1,271	1,505	809	988	11	14
37	85 to 89 years.....	4,172	5,099	4,134	5,043	2,647	3,383	53	48
38	85 years.....	1,134	1,426	1,123	1,409	679	887	12	13
39	86 years.....	1,011	1,147	1,005	1,136	635	730	12	10
40	87 years.....	805	1,006	799	995	520	677	10	10
41	88 years.....	691	804	684	796	462	542	10	8
42	89 years.....	531	716	523	707	351	497	9	7
43	90 to 94 years.....	1,347	1,945	1,335	1,919	890	1,323	15	21
44	90 years.....	478	681	474	665	304	415	5	9
45	91 years.....	320	415	318	412	224	287	4	2
46	92 years.....	227	376	225	372	159	277	2	1
47	93 years.....	197	272	195	270	122	190	4	7
48	94 years.....	125	201	123	200	81	154	2
49	95 to 99 years.....	296	466	285	449	175	298	3	4
50	95 years.....	109	189	103	164	72	114	1
51	96 years.....	74	108	72	105	43	66	2	1
52	97 years.....	53	92	57	91	29	66	1	1
53	98 years.....	29	73	29	69	16	37	1
54	99 years.....	26	24	24	20	15	15
55	100 years or over.....	60	109	51	88	16	42	1	1
56	100 years.....	20	42	18	32	9	19
57	101 years.....	4	20	4	19	1	8
58	102 years.....	12	14	10	13	1	7
59	103 years.....	9	10	9	9	4	5	1
60	104 years.....	3	3	3	3
61	105 years.....	1	5	5	2
62	106 years.....	3	2	2	2
63	107 years.....	1	1	1
64	108 years.....	2	3	2	2	1	1	1
65	109 years.....	1	1
66	110 years.....	4	3	2
67	111 years.....	1	1
68	112 years.....	3	1
69	113 years.....	1
70	114 years.....
71	115 years.....
72	116 years.....
73	117 years.....
74	118 years.....
75	119 years.....
76	120 years.....	1
77	Age unknown.....	218	78	212	75	48	35	129	18

DEATHS—SINGLE YEARS OF AGE.

NATIVITY, AND PARENT NATIVITY OF DECEDENT, BY SINGLE YEARS OF AGE AT LAST BIRTHDAY, FOR STATES: 1910—Continued.

[See note at head of this table.]

DEATHS, 1910.														
4a. Of native white, both parents native.		4b. Of native white, one parent native, one unknown, or both unknown.		5. Of native white of foreign parents (one or both parents foreign born).		6. Of foreign-born white.		7. Of colored.		8. Of negro.		9. Of other colored.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
3,295	2,743	889	646	1,874	1,493	4,316	3,500	298	252	276	247	22	5	1
621	518	157	118	436	344	944	719	80	66	71	64	9	2	2
658	536	164	134	409	329	834	667	56	43	55	43	1	1	3
645	548	177	149	368	267	830	627	54	36	51	34	3	2	4
701	589	209	107	340	286	890	700	61	55	55	54	6	1	5
670	552	182	138	321	237	818	787	47	52	44	57	3	1	6
4,105	3,438	1,122	854	1,366	1,148	5,241	4,708	282	244	267	241	15	3	7
787	641	244	194	334	303	1,301	1,199	86	93	81	88	5	2	8
731	588	181	140	243	209	836	718	33	38	32	38	1	1	9
834	746	190	158	288	237	1,029	919	66	39	61	39	5	1	10
905	727	248	185	264	192	1,012	920	53	41	50	40	3	1	11
848	736	259	177	237	216	1,083	952	44	36	43	36	1	1	12
4,758	4,396	1,405	1,089	1,139	1,069	5,443	5,261	275	236	267	229	8	7	13
972	908	314	214	296	266	1,324	1,333	104	74	101	70	3	4	14
879	845	253	201	206	221	992	897	51	37	50	36	1	1	15
917	815	245	211	221	202	1,039	971	41	50	40	49	1	1	16
988	895	278	232	214	191	1,104	1,095	47	39	45	39	2	1	17
1,002	933	315	231	202	189	994	965	32	36	31	35	1	1	18
5,098	4,953	1,662	1,331	812	847	5,115	5,248	201	161	199	156	2	5	19
1,050	983	352	307	195	207	1,362	1,493	79	76	78	76	1	1	20
925	902	298	238	133	135	868	817	22	17	22	17	1	1	21
1,041	1,041	338	234	164	172	990	1,048	34	29	34	28	1	1	22
1,073	1,027	347	271	166	176	982	975	34	11	33	11	1	1	23
1,009	1,000	327	281	154	157	913	915	32	28	32	24	1	1	24
4,778	4,911	1,650	1,391	549	611	4,169	4,436	136	129	127	125	9	4	25
1,045	1,026	332	279	141	153	1,062	1,176	48	47	46	45	2	2	26
1,052	1,037	366	310	118	140	897	940	24	24	23	24	1	1	27
967	1,026	365	271	106	113	736	772	23	14	22	14	1	1	28
870	906	512	262	84	105	823	801	23	27	19	26	4	1	29
844	916	285	269	100	100	651	747	18	17	17	17	1	1	30
3,253	3,955	1,278	1,302	366	367	2,915	3,115	104	100	95	93	9	7	31
724	926	331	297	102	94	827	934	46	45	43	40	3	5	32
671	767	252	233	64	75	570	528	14	14	14	10	1	1	33
716	830	253	290	75	71	541	641	13	15	13	15	1	1	34
605	756	223	264	72	63	526	479	14	15	10	14	4	1	35
537	676	219	218	53	64	451	533	17	15	15	14	2	1	36
1,759	2,337	693	828	195	218	1,434	1,612	38	56	36	54	2	2	37
438	621	180	203	61	63	422	509	11	17	10	16	1	1	38
425	524	165	210	45	46	358	346	6	11	6	10	1	1	39
354	471	137	157	29	49	269	308	6	11	6	11	1	1	40
304	373	118	135	40	36	212	246	7	8	7	8	1	1	41
238	348	93	125	20	24	163	203	8	9	7	9	1	1	42
613	892	215	336	62	95	430	575	12	26	12	25	1	1	43
221	276	60	103	23	36	165	241	4	16	4	15	1	1	44
147	185	62	82	15	20	90	123	2	3	2	3	1	1	45
113	192	40	68	6	17	64	94	2	4	2	4	1	1	46
81	135	30	50	11	5	69	73	2	2	2	2	1	1	47
51	104	23	33	7	17	42	44	2	1	2	1	1	1	48
114	187	50	96	11	15	107	147	11	17	10	16	1	1	49
44	77	23	29	5	8	31	49	6	5	5	5	1	1	50
30	39	10	26	3	1	27	38	2	3	2	2	1	1	51
20	40	8	24	1	2	27	24	1	1	1	1	1	1	52
10	21	5	13	1	3	13	31	1	4	1	4	1	1	53
10	10	4	4	1	1	9	5	2	4	2	4	1	1	54
11	25	4	13	1	4	34	45	9	21	7	20	2	1	55
7	11	2	7	1	1	9	13	2	10	2	9	1	1	56
1	6	1	2	1	1	3	11	1	1	1	1	1	1	57
1	3	1	3	1	1	9	6	2	1	2	1	1	1	58
1	4	2	3	1	1	4	4	1	1	1	1	1	1	59
1	1	1	1	1	1	3	3	1	1	1	1	1	1	60
1	1	1	1	1	1	2	2	1	1	1	1	1	1	61
1	1	1	1	1	1	1	1	1	1	1	1	1	1	62
1	1	1	1	1	1	1	1	1	1	1	1	1	1	63
1	1	1	1	1	1	1	1	1	1	1	1	1	1	64
1	1	1	1	1	1	1	1	1	1	1	1	1	1	65
1	1	1	1	1	1	1	1	1	1	1	1	1	1	66
1	1	1	1	1	1	1	1	1	1	1	1	1	1	67
1	1	1	1	1	1	1	1	1	1	1	1	1	1	68
1	1	1	1	1	1	1	1	1	1	1	1	1	1	69
1	1	1	1	1	1	1	1	1	1	1	1	1	1	70
1	1	1	1	1	1	1	1	1	1	1	1	1	1	71
1	1	1	1	1	1	1	1	1	1	1	1	1	1	72
1	1	1	1	1	1	1	1	1	1	1	1	1	1	73
1	1	1	1	1	1	1	1	1	1	1	1	1	1	74
1	1	1	1	1	1	1	1	1	1	1	1	1	1	75
1	1	1	1	1	1	1	1	1	1	1	1	1	1	76
18	13	19	13	11	9	35	22	6	3	5	3	1	1	77

INDEX.

- Abdominal tuberculosis. *See* Tuberculosis.
- Abscess, acute, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Absorption of deleterious gases (conflagration excepted), age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
- Accidents and injuries, age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
- Acute articular rheumatism, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Acute miliary tuberculosis. *See* Tuberculosis.
- Addison's disease, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Ages, average and median, at death, 11; deaths classified by, 204, 304, 348, 360, 455, 575, 586, 598.
- Albany, N. Y., deaths in, by cause and by age, 479; by months, 522; in first year of life, 559.
- Alcoholism (acute or chronic), age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
- Amputations, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Amsterdam, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Anemia, chlorosis, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Aneurism. *See* Arteries, etc.
- Angina pectoris, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Ankylostomiasis, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Anthrax, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Apoplexy. *See* Cerebral hemorrhage, etc.
- Apoplexy and paralysis, deaths from, by sex and age, 586; by country of birth, 586.
- Appendicitis and typhlitis, age at death from, 12.
- death rate from 21, 139; by color, 89; in cities and rural districts, 144.
- deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by country of birth, 587.
- Arteries, diseases of, atheroma, aneurism, etc., age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Asiatic cholera, age at death from, 11.
- death rate from, 21, 138; in cities and rural districts, 142.
- deaths from, 21, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
- Asphyxia, suicide by, age at death from, 13.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.
- Asthma, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
- Atheroma. *See* Arteries, etc.
- Atlanta, Ga., deaths in, by cause and by age, 461; by months, 512; in first year of life, 547.
- Atrophy. *See* Congenital debility, etc.
- Australian Commonwealth, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Austria, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- deaths of white persons born in, by sex and age, 586.
- Automobile accidents and injuries. *See* Accidents, etc.
- Baltimore, Md., deaths in, by cause, 468; by age, 468, 581; by months, 516; in first year of life, 552; by country of birth, 581.
- Belfast, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Belgium, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Beriberi, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Berlin, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Biliary calculi, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Birmingham, Ala., deaths in, by cause and by age, 455; by months, 509; in first year of life, 543.
- Bladder, diseases of, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Bones, diseases of (tuberculosis excepted), age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Bones and organs of locomotion, diseases of, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Boston, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- deaths in, by cause, 470; by age, 470, 581; by months, 517; in first year of life, 553; by country of birth, 581.
- Breast, nonpuerperal diseases of (cancer excepted), age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Breast, puerperal diseases of, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Breslau, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Bridgeport, Conn., deaths in, by cause and by age, 458; by months, 511; in first year of life, 545.
- Bright's disease, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; by sex and age, 587; by country of birth, 587.
- See also* Nephritis, etc.
- Bronchitis, age at death from, 12.
- death rate from, 21, 139; by color, 89; in cities and rural districts, 144.
- deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 587.
- Bronchopneumonia, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Bronx Borough, N. Y., deaths in, by cause, 482; by age, 482, 583; by months, 523; in first year of life, 561; by country of birth, 583.
- Brooklyn Borough, N. Y., deaths in, by cause, 482; by age, 482, 583; by months, 523; in first year of life, 561; by country of birth, 583.

- Brussels, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
- Bucarest, death rate, from all causes, 16.
- Budapest, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Buffalo, N. Y., deaths in, by cause, 480; by age, 480, 582; by months, 522; in first year of life, 560; by country of birth, 582.
- Bulgaria, death rate, from all causes, 16.
- Burns (conflagration excepted), age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 362.
- Calculi of urinary passages, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 361.
- California, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 310, 367, 576; by sex, color, and nativity, 310; in cities and rural districts, 332; by months, 503; in first year of life, 535; by country of birth, 576.
- Cambridge, Mass., deaths in, by cause and by age, 470; by months, 517; in first year of life, 553.
- Canada, deaths of white persons born in, by sex and age, 588.
- Cancer and other malignant tumors, age at death from, 12.
- death rate from, 21, 52, 53, 138; by color, 89; in cities and rural districts, 142.
- deaths from, 21, 82, 138; by color, 253; in cities and rural districts, 332; by sex, 348, 586; by age, 348, 360, 455, 586; in cities of 100,000 population or over, 455; by country of birth, 586.
- Cancer of breast, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Cancer of buccal cavity, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Cancer of female genital organs, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Cancer of peritoneum, intestines, rectum, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Cancer of skin, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- Cancer of skin, deaths from, 82, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Cancer of stomach and liver, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; by sex, 348; by age, 348, 360.
- Causes of death, in registration area, 21-63, 82, 88, 138, 252, 332, 348, 360, 502, 533, 586; in cities and rural districts of each registration state, 142, 332; in registration states, 360, 502, 533; in cities of 100,000 population or over, 455, 502, 533; by months, 502; in first year of life, 533; by country of birth, 586.
- Cellular tissue. *See* Skin, etc.
- Cerebral hemorrhage, apoplexy, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Cerebral hemorrhage and softening, death rate from, 21; by color, 89.
- deaths from, 21; by color, 253; by age, 455; in cities of 100,000 population or over, 455.
- Cerebrospinal fever, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Cerebrospinal meningitis, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 82, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Ceylon, death rate, from all causes, 16.
- Chicago, Ill., death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- deaths in, by cause, 462; by age, 462, 581; by months, 513; in first year of life, 548; by country of birth, 581.
- Childbirth, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362, 587; by country of birth, 587.
- Chile, death rate, from all causes, 16.
- Chinese, deaths of, in registration area, 14, 181; by age and by sex, 304.
- Chlorosis. *See* Anemia, etc.
- Cholera. *See* Asiatic cholera.
- Cholera nostras, age at death from, 11.
- death rate from, 21, 138; in cities and rural districts, 142.
- deaths from, 21, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
- Chorea, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Christiania, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Chronic rheumatism and gout, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Chyluria, age at death from, 12.
- Chyluria, death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 361.
- Cincinnati, Ohio, deaths in, by cause, 487; by age, 487, 584; by months, 526; in first year of life, 565; by country of birth, 584.
- Circulatory system, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350, 587; by age, 350, 361, 587; by country of birth, 587.
- Cirrhosis of liver, age at death from, 12.
- death rate from, 21, 139; by color, 89; in cities and rural districts, 144.
- deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by country of birth, 587.
- Cities in registration states, population, 67.
- death rates, per 1,000 population, 15, 67; per 100,000 population, by cause, 24-62, 82, 88, 138, 142; by color, 88.
- deaths, 67; by cause, 138, 142, 252, 332; by month of death, 161; by color, 181, 204, 252, 306; by nativity, 181, 306; by age, 204, 306, 575; by sex, 306; by months, 502; in first year of life, 533; by country of birth, 575.
- Cleveland, Ohio, deaths in, by cause, 489; by age, 489, 584; by months, 526; in first year of life, 566; by country of birth, 584.
- Color, deaths classified by, 13, 14, 181, 204, 252, 304, 575, 598.
- death rates by, 17, 19, 88.
- Colorado, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 310, 370, 576; by sex, color, and nativity, 310; in cities and rural districts, 332; by months, 503; in first year of life, 535; by country of birth, 576.
- Colored population, deaths of, in registration area, 14; by age, 204, 304; by sex, 304; by single years of age at last birthday, 599.
- death rate, from all causes, 17, 19; from typhoid fever, 25; malaria, 29; measles, 34; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; pellagra, 46; tuberculosis, 48; cancer and other malignant tumors, 53; pneumonia, 57; diarrhea and enteritis, 61.
- Columbus, Ohio, deaths in, by cause and by age, 489; by months, 527; in first year of life, 566.
- Conflagration, age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 362.
- Congenital debility, "atrophy," "marasmus," etc., age at death from, 13.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
- Congenital debility, icterus, and sclerema, age at death from, 13.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.

- Congenital debility and malformations, death rate from, 21, 140; by color, 89; in cities and rural districts, 146.
- deaths from, 21, 88, 140; by color, 253; in cities and rural districts, 336; by sex, 356; by age, 356, 362, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Congenital malformations (stillbirths not included), age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Congenital malformations of heart, age at death from, 12.
- death rate from, 21, 140; in cities and rural districts, 146.
- deaths from, 21, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Connecticut, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 312, 374, 576; by sex, color, and nativity, 312; in cities and rural districts, 332; by months, 504; in first year of life, 535; by country of birth, 576.
- Convulsions (nonpuerperal), age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361; in first year of life, 533.
- Convulsions of infants, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Copenhagen, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Croup. *See* Diphtheria, etc.
- Crushing, suicide by. *See* Suicide.
- Cutting or piercing instruments, homicide by. *See* Homicide.
- suicide by. *See* Suicide.
- traumatism by. *See* Traumatism.
- Cysts and other tumors of ovary, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Dayton, Ohio, deaths in, by cause and by age, 490; by months, 527; in first year of life, 566.
- Death rates, per 1,000 population, in registration area, 15, 67; in foreign countries and cities, 16; by color, 17, 19, 67.
- per 100,000 population, by cause, 24-62, 82, 88, 138, 142; by color, 88; in cities and rural districts of each registration state, 142.
- Deaths, classified by color, 14, 67, 181, 204, 252, 304; by nativity, 14, 181, 304, 598; by cause, 21-63, 82, 138, 252, 332, 348, 360, 455, 502, 533; by month of death, 161; by age, 204, 304, 348, 360, 575; by sex, 304, 348; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 575, 586; by single years of age at last birthday, 598.
- Denmark, death rate, from all causes, 16.
- Denver, Colo., deaths in, by cause and by age, 458; by months, 511; in first year of life, 545.
- Detroit, Mich., deaths in, by cause, 472; by age, 472, 581; by months, 518; in first year of life, 555; by country of birth, 581.
- Diabetes, age at death from, 12.
- death rate from, 82; by color, 88; in cities and rural districts, 142.
- deaths from, 82, 138; by color, 253; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
- Diarrhea and enteritis, age at death from, 12.
- death rate from, 21, 59, 61, 139; by color, 89; in cities and rural districts, 144.
- deaths from, 21, 58, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352; by age, 352, 361, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Digestive system, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
- Diphtheria and croup, age at death from, 11.
- death rate from, 21, 41, 138; by color, 88; in cities and rural districts, 142.
- deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Disseminated tuberculosis. *See* Tuberculosis.
- Dresden, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Drowning, accidental, age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
- Drowning, suicide by. *See* Suicide.
- Dublin (registration area), death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Dysentery, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
- Ears, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Edinburgh, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Electricity (lightning excepted), age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Embolism and thrombosis, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Encephalitis, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Endocarditis, acute, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- England and Wales, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- deaths of white persons born in, by sex and age, 588.
- Enteritis. *See* Diarrhea, etc.
- Epilepsy, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Erysipelas, age at death from, 11.
- death rate from, by color, 88; in registration area, 138; in cities and rural districts, 142.
- deaths from, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
- Esophagus, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Excessive cold, age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Exophthalmic goiter, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- External causes, age at death from, 13.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
- Eyes and annexa, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Fall, traumatism by. *See* Traumatism.
- Fall River, Mass., deaths in, by cause and by age, 471; by months, 517; in first year of life, 554.
- Female genital organs, diseases of, death rate from, 21.
- deaths from, 21; in cities of 100,000 population or over, 455.
- See also* Salpingitis, etc.
- Finland, death rate, from all causes, 16.
- Firearms, homicide by. *See* Homicide.
- suicide by. *See* Suicide.
- traumatism by. *See* Traumatism.
- Foreign countries and cities, death rates, from all causes, 16.
- Foreign-born white population, deaths of, in registration area, 14, 181; by age and by sex, 304; by single years of age at last birthday, 599.
- Fractures, age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- France, death rate, from all causes, 16.
- deaths of white persons born in, by sex and age, 588.

- Furuncle, age at death, from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Gangrene, age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Gangrene of lung, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Gases, deleterious, absorption of. *See* Absorption of deleterious gases.
- Genito-urinary system and annexa, non-venereal diseases of, age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 361.
- German Empire, death rate, from all causes, 16.
- Germany, deaths of white persons born in, by age and sex, 590.
- Glanders, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Glasgow, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Gonococcus infection, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Gout. *See* Chronic rheumatism, etc.
- Grand Rapids, Mich., deaths in, by cause and by age, 473; by months, 518; in first year of life, 555.
- Hague, The, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Hamburg, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Hanging or strangulation, suicide by. *See* Suicide.
- Heat, effects of, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Heart, organic diseases of, age at death from, 12.
— death rate from, 21, 55, 139; by color, 89; in cities and rural districts, 144.
— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 350, 586; by age, 350, 361, 455, 586; in cities of 100,000 population or over, 455; in first year of life, 533; by country of birth, 586.
- Hemorrhage; other diseases of circulatory system, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Hemorrhoids. *See* Veins, etc.
- Hernia, intestinal obstruction, age at death from, 12.
— death rate from, 21, 139; by color, 89; in cities and rural districts, 144.
— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by country of birth, 587.
- Homicide, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Hungary, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
— deaths of white persons born in, by sex and age, 590.
- Hydatid tumor of liver, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Hydrocephalus, age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Icterus. *See* Congenital debility, etc.
- Ill-defined diseases, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363, 455; in cities of 100,000 population or over, 455; in first year of life, 533.
- Indiana, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 312, 377, 576; by sex, color, and nativity, 312; in cities and rural districts, 333; by months, 504; in first year of life, 536; by country of birth, 576.
- Indianapolis, Ind., deaths in, by cause and by age, 464; by months, 514; in first year of life, 549.
- Indians, deaths of, in registration area, 14, 181; by age and by sex, 304.
- Infantile paralysis. *See* Poliomyelitis, etc.
- Influenza, age at death from, 11.
— death rate from, 21, 44, 138; by color, 88; in cities and rural districts, 142.
— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Injuries. *See* Accidents, etc.
- Injuries at birth, age at death from, 13.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
- Injuries by animals, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- International List, changes in, 21, 23.
- Intestinal obstruction. *See* Hernia, etc.
- Intestinal parasites, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Ireland, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
— deaths of white persons born in, by sex and age, 590.
- Italy, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
— deaths of white persons born in, by sex and age, 592.
- Jamaica, death rate, from all causes, 16.
- Japan, death rate, from all causes, 16; from whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Japanese, deaths of, in registration area, 14, 181; by age and by sex, 304.
- Jersey City, N. J., deaths in, by cause, 478; by age, 478, 582; by months, 521; in first year of life, 558; by country of birth, 582.
- Joints, diseases of (tuberculosis and rheumatism excepted), age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Jumping from high places, suicide by. *See* Suicide.
- Kansas City, Mo., deaths in, by cause and by age, 474; by months, 519; in first year of life, 556.
- Lack of care, age at death from, 13.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.
- Landslides, other crushing, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
- Larynx, diseases of, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Lead poisoning, chronic, age at death from, 12.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
- Leprosy, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Leukemia, age at death from, 12.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Lightning, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Locomotor ataxia, age at death from, 12.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.

- London, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Los Angeles, Cal., deaths in, by cause, 456; by age, 456, 580; by months, 510; in first year of life, 544; by country of birth, 580.
- Louisville, Ky., deaths in, by cause and by age, 465; by months, 515; in first year of life, 550.
- Lowell, Mass., deaths in, by cause and by age, 471; by months, 518; in first year of life, 554.
- Lymphatic system, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Machines, traumatism by. *See* Traumatism.
- Maine, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 314, 381, 577; by sex, color, and nativity, 314; in cities and rural districts, 333; by months, 504; in first year of life, 536; by country of birth, 577.
- Malaria, age at death from, 11.
- death rate from, 21, 28, 138; by color, 88; in cities and rural districts, 142.
- deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Male genital organs, nonvenereal diseases of, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Malformations, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362; in first year of life, 533.
- See also* Congenital debility, etc.
- Manhattan Borough, N. Y., deaths in, by cause, 484; by age, 484, 583; by months, 524; in first year of life, 562; by country of birth, 583.
- Marasmus. *See* Congenital debility, etc.
- Maryland, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 314, 384, 577; by sex, color, and nativity, 314; in cities and rural districts, 333; by months, 504; in first year of life, 536; by country of birth, 577.
- Massachusetts, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- Massachusetts, deaths, by age, 316, 395, 577; by sex, color, and nativity, 316; in cities and rural districts, 333; by months, 505; in first year of life, 537; by country of birth, 577.
- Measles, age at death from, 11.
- death rate from, 21, 31, 138; by color, 88; in cities and rural districts, 142.
- deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Melbourne, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Memphis, Tenn., deaths in, by cause and by age, 495; by months, 530; in first year of life, 570.
- Meningitis, age at death from, 12.
- death rate from, 21, 138; by color, 89; in cities and rural districts, 142.
- deaths from, 21, 82, 138; by color, 253; in cities and rural districts, 332; by sex, 350; by age, 350, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- See also* Cerebrospinal meningitis and Tuberculous meningitis.
- Michigan, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 316, 398, 577; by sex, color, and nativity, 316; in cities and rural districts, 333; by months, 505; in first year of life, 538; by country of birth, 577.
- Milan, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Miliary fever, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Milwaukee, Wis., deaths in, by cause, 501; by age, 501, 585; by months, 532; in first year of life, 574; by country of birth, 585.
- Mines and quarries, traumatism in, age at death from, 13.
- death rate from, 141; in cities and rural districts, 148.
- deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
- Minneapolis, Minn., deaths in, by cause, 473; by age, 473, 582; by months, 519; in first year of life, 555; by country of birth, 582.
- Minnesota, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 318, 402, 577; by sex, color, and nativity, 318; in cities and rural districts, 340; by months, 506; in first year of life, 538; by country of birth, 577.
- Montana, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- Montana, deaths, by age, 318, 405, 578; by sex, color, and nativity, 318; in cities and rural districts, 340; by months, 506; in first year of life, 538; by country of birth, 578.
- Montreal, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Moscow, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Mouth and annexa, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Munich, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Mycoses, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Nasal fossae, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Nashville, Tenn., deaths in, by cause and by age, 497; by months, 530; in first year of life, 571.
- Native white population, deaths of, in registration area, 14, 181; by age and by sex, 304; by single years of age at last birthday, 598, 599.
- Nativity, deaths classified by, 13, 14, 181, 304, 598.
- Nephritis, acute, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140.
- See also* Nephritis and Bright's disease.
- Negroes, deaths of, in registration area, 14, 181; by age and by sex, 304; by single years of age at last birthday, 599.
- Nephritis and Bright's disease, death rate from, 21, 62; by color, 89.
- deaths from, 21; by color, 253; by age, 455; in cities of 100,000 population or over, 455.
- Nervous system and organs of special sense, diseases of, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350, 586; by age, 350, 360, 586; by country of birth, 586.
- Netherlands, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Neuralgia and neuritis, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Neuritis. *See* Neuralgia, etc.
- New Hampshire, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.

- New Hampshire, deaths, by age, 320, 409, 578; by sex, color, and nativity, 320; in cities and rural districts, 340; by months, 506; in first year of life, 539; by country of birth, 578.
- New Haven, Conn., deaths in, by cause and by age, 459; by months, 511; in first year of life, 546.
- New Jersey, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 320, 412, 578; by sex, color, and nativity, 320; in cities and rural districts, 340; by months, 506; in first year of life, 539; by country of birth, 578.
- New Orleans, La., deaths in, by cause, 467; by age, 467, 581; by months, 515; in first year of life, 551; by country of birth, 581.
- New York, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 322, 416, 578; by sex, color, and nativity, 322; in cities and rural districts, 340; by months, 507; in first year of life, 539; by country of birth, 578.
- New York, N. Y., death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
— deaths in, by cause, 480; by age, 480, 583; by months, 522; in first year of life, 560; by country of birth, 583.
- New Zealand, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Newark, N. J., deaths in, by cause, 478; by age, 478, 582; by months, 521; in first year of life, 559; by country of birth, 582.
- North Carolina, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 322, 419, 578; by sex, color, and nativity, 322; in cities and rural districts, 340; by months, 507; in first year of life, 540; by country of birth, 578.
- Norway, death rate, from all causes, 16.
- Oakland, Cal., deaths in, by cause and by age, 457; by months, 510; in first year of life, 544.
- Ohio, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- Ohio, deaths, by age, 324, 430, 579; by sex, color, and nativity, 324; in cities and rural districts, 341; by months, 508; in first year of life, 541; by country of birth, 579.
- Old age, age at death from, 13.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362.
- Omaha, Nebr., deaths in, by cause and by age, 477; by months, 521; in first year of life, 558.
- Ontario, Province of, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Organs of locomotion, diseases of. *See* Bones, etc.
- Paralysis. *See* Apoplexy, etc.
- Paralysis of insane, age at death from, 12.
— death rate from, 139; in cities and rural districts, 142.
— deaths from, 139; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Paralysis without specified cause, age at death from, 12.
— death rate from, 139; in cities and rural districts, 142.
— deaths from, 139; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Paris, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Paterson, N. J., deaths in, by cause and by age, 479; by months, 521; in first year of life, 559.
- Pellagra, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 45, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Pennsylvania, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 324, 433, 579; by sex, color, and nativity, 324; in cities and rural districts, 341; by months, 508; in first year of life, 541; by country of birth, 579.
- Pericarditis, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Peritonitis, simple (nonpuerperal), age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
- Pharynx, diseases of, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Philadelphia, Pa., death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Philadelphia, Pa., deaths in, by cause, 491; by age, 491, 584; by months, 528; in first year of life, 567; by country of birth, 584.
- Phlebitis. *See* Veins, etc.
- Pittsburgh, Pa., deaths in, by cause, 498; by age, 498, 584; by months, 528; in first year of life, 568; by country of birth, 584.
- Plague, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Pleurisy, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
- Pneumonia, age at death from, 12.
— death rate from, 21, 56, 139; by color, 89; in cities and rural districts, 144.
— deaths from, 21, 84, 139; by color, 253; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 455, 587; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 587.
- Poison, suicide by. *See* Suicide.
- Poisoning by food, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 362.
- Poisonings, accidental, deaths from, by country of birth, 587.
- Poland, deaths of white persons born in, by sex and age, 592.
- Poliomyelitis, acute anterior (infantile paralysis), age at death from, 12.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 53, 54, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Population, of United States and registration area, 1880 to 1910, 10; of registration area and subdivisions in 1910, 67.
- Portland, Oreg., deaths in, by cause and by age, 491; by months, 527; in first year of life, 567.
- Pott's disease, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Prague, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Pregnancy, accidents of, age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Premature birth, age at death from, 13.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362; in first year of life, 533.
- Prostate, diseases of, age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Providence, R. I., deaths in, by cause and by age, 495; by months, 529; in first year of life, 570.

- Prussia, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Puerperal albuminuria and convulsions, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Puerperal fever, death rate from, 21; by color, 89.
- deaths from, 21; by color, 253; by age, 455; in cities of 100,000 population or over, 455.
- Puerperal hemorrhage, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Puerperal phlegmasia alba dolens, embolus, sudden death, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Puerperal septicemia, age at death from, 12.
- death rate from, 21, 140; in cities and rural districts, 146.
- deaths from, 21, 140; in cities and rural districts, 336; by age, 354, 362.
- Pulmonary congestion, pulmonary apoplexy, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Pulmonary emphysema, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Pulmonary tuberculosis. *See* Tuberculosis of lungs.
- Purulent infection and septicemia, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Quarries. *See* Mines, etc.
- Queens Borough, N. Y., deaths in, by cause, 485; by age, 485, 583; by months, 525; in first year of life, 563; by country of birth, 583.
- Rabies, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Railroad accidents and injuries. *See* Accidents, etc.
- Registration area, extent and growth of, 10; population, 67.
- death rate, per 1,000 population, 15, 16, 67; per 100,000 population, by cause, 24-62, 82, 88, 138; by color, 88.
- deaths, by color, 14, 181, 204, 252, 304; by nativity, 14, 181, 304; by cause, 21, 82, 138, 252, 332, 348, 360; by month of death, 161; by age, 204, 304, 348, 360, 575; by sex, 304, 348; by months, 502; in first year of life, 533; by country of birth, 575, 586.
- Registration cities, population, 67.
- death rates, per 1,000 population, 15, 67; per 100,000 population, by cause, 24-62, 88, 138; by color, 88.
- Registration cities, deaths, 67; by cause, 138, 252, 332; by month of death, 161; by color, 181, 204, 252, 308; by nativity, 181, 308; by age, 204, 308, 576; by sex, 308; by months, 503; in first year of life, 534; by country of birth, 576.
- Registration cities of 100,000 population or over, list of, 15.
- death rates, per 1,000 population, 15; per 100,000 population, by cause, 24-62.
- deaths, by cause and by age, 455; by months, 509; in first year of life, 543.
- Registration states, population, 67.
- death rates, per 1,000 population, 15, 67; per 100,000 population, by cause, 24-62, 88, 138, 142; by color, 88.
- deaths, 67; by cause, 138, 252, 332, 360, 502; by month of death, 161; by color, 181, 204, 252, 304; by nativity, 181, 304; by age, 204, 304, 360, 575; by sex, 304; in cities and rural districts, 332; by months, 502; in first year of life, 533; by country of birth, 575; by single years of age at last birthday, 598.
- Relapsing fever, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Respiratory system, diseases of, age at death from, 12.
- death rate from, 139; in cities and rural districts, 144.
- deaths from, 139; in cities and rural districts, 334; by sex, 352, 587; by age, 352, 361, 587; by country of birth, 587.
- Rheumatism, death rate from, 88; deaths from, 252; by country of birth, 586. *See also* Acute articular rheumatism and Chronic rheumatism and gout.
- Rhode Island, population, by color, 67.
- death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
- deaths, by age, 326, 437, 579; by sex, color, and nativity, 326; in cities and rural districts, 341; by months, 508; in first year of life, 541; by country of birth, 579.
- Richmond, Va., deaths in, by cause and by age, 498; by months, 531; in first year of life, 572.
- Richmond Borough, N. Y., deaths in, by cause, 486; by age, 486, 584; by months, 525; in first year of life, 564; by country of birth, 584.
- Rickets, age at death from, 11.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Rio de Janeiro, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Rochester, N. Y., deaths in, by cause and by age, 486; by months, 525; in first year of life, 564.
- Rotterdam, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Roumania, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
- Rural part of registration states, population, 67.
- death rate, per 1,000 population, 15, 67; per 100,000 population, by cause, 24-62, 88, 138, 142; by color, 88.
- deaths, 67; by cause, 138, 142, 252, 332; by month of death, 161; by color, 181, 204, 252, 306; by nativity, 181, 306; by age, 204, 306, 575; by sex, 306; by months, 502; in first year of life, 534; by country of birth, 575.
- Russia (European), death rate, from all causes, 16.
- deaths of white persons born in, by sex and age, 592.
- St. Louis, Mo., deaths in, by cause, 476; by age, 476, 582; by months, 520; in first year of life, 557; by country of birth, 582.
- St. Paul, Minn., deaths in, by cause and by age, 474; by months, 519; in first year of life, 556.
- St. Petersburg, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Salpingitis and other diseases of female genital organs, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by age, 354, 362, 455; in cities of 100,000 population or over, 455.
- San Francisco, Cal., deaths in, by cause, 580; by age, 457, 580; by months, 511; in first year of life, 545; by country of birth, 580.
- Scandinavia, deaths of white persons born in, by sex and age, 594.
- Scarlet fever, age at death from, 11.
- death rate from, 21, 34, 138; by color, 88; in cities and rural districts, 142.
- deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.
- Sclerema. *See* Congenital debility, etc.
- Scotland, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- deaths of white persons born in, by sex and age, 594.
- Scranton, Pa., deaths in, by cause and by age, 494; by months, 529; in first year of life, 569.
- Scurvy, age at death from, 12.
- death rate from, 138; in cities and rural districts, 142.
- deaths from, 138; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Seattle, Wash., deaths in, by cause and by age, 500; by months, 532; in first year of life, 573.
- Senility, age at death from, 13.
- death rate from, 21, 140; in cities and rural districts, 146.
- deaths from, 21, 140; in cities and rural districts, 336; by sex, 356; by age, 356, 362, 455; in cities of 100,000 population or over, 455.
- Septicemia. *See* Purulent infection, etc.
- Servia, death rate, from all causes, 16; from typhoid fever, 24; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Sex, average and median ages at death by, 11; deaths classified by, 304, 348, 586, 598.
- Skin and cellular tissue, diseases of, age at death from, 12.
- death rate from, 140; in cities and rural districts, 146.
- deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.

- Smallpox, age at death from, 11.
— death rate from, 21, 30, 138; by color, 88; in cities and rural districts, 142.
— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
- Softening of the brain, age at death from, 12.
— death rate from, 139; in cities and rural districts, 142.
— deaths from, 139; in cities and rural districts, 332; by sex, 350; by age, 350, 360.
- Spain, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Spleen, diseases of, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Spokane, Wash., deaths in, by cause and by age, 500; by months, 532; in first year of life, 573.
- Starvation, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Stockholm, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Stomach, diseases of (cancer excepted), age at death from, 21.
— death rate from, 21, 139; in cities and rural districts, 144.
— deaths from, 21, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361, 455; in cities of 100,000 population or over, 455; in first year of life, 533.
- Strangulation, suicide by. *See* Hanging, etc.
- Street-car accidents and injuries. *See* Accidents, etc.
- Sudden death, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 358; by age, 358, 363.
- Suicide, age at death from, 13.
— death rate from, 21, 140; by color, 89; in cities and rural districts, 146.
— deaths from, 21, 62, 86, 140; by color, 253; in cities and rural districts, 336; by sex, 356, 587; by age, 356, 362, 455, 587; in cities of 100,000 population or over, 455; by months, 502; by country of birth, 587.
- Sweden, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
- Switzerland, death rate, from all causes, 16; from typhoid fever, 24; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Sydney, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Syphilis, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
- Syracuse, N. Y., deaths in, by cause and by age, 487; by months, 525; in first year of life, 564.
- Tetanus, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360; in first year of life, 533.
- Thrombosis. *See* Embolism, etc.
- Thyroid body, diseases of, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- Toledo, Ohio, deaths in, by cause and by age, 490; by months, 527; in first year of life, 567.
- Toronto, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Traumatism, age at death from, 13.
— death rate from, 141; in cities and rural districts, 148.
— deaths from, 141; in cities and rural districts, 338; by sex, 356; by age, 356, 363.
- Trieste, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Tuberculosis, abdominal, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Tuberculosis, acute miliary, age at death from, 11.
— death rate from, 138; in cities and rural districts, 142.
— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Tuberculosis, disseminated, age at death from, 11.
— death rate from, 47, 48, 51, 138; in cities and rural districts, 142.
— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.
- Tuberculosis of lungs, age at death from, 11.
— death rate from, 21, 50, 51, 138; by color, 88; in cities and rural districts, 142.
— deaths from, 21, 47, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348, 586; by age, 348, 360, 455, 586; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533; by country of birth, 586.
- Tuberculous meningitis, age at death from, 11.
— death rate from, 21, 47, 138; by color, 88; in cities and rural districts, 142.
— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; in first year of life, 533.
- Turin, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.
- Typhilitis. *See* Appendicitis, etc.
- Typhoid fever, age at death from, 11.
— death rate from, 21, 138; by color, 88; in cities and rural districts, 142.
— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348, 586; by age, 348, 360, 455, 586; in cities of 100,000 population or over, 455; by months, 502; by country of birth, 586.
- Typhus fever, age at death from, 11.
— death rate from, 21, 138; in cities and rural districts, 142.
— deaths from, 21, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455.
- Ulcer of stomach, age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.
- United States, population and land area, 10; deaths of white persons born in, by sex and age, 586.
- Urethra, diseases of, urinary abscess, etc., age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by sex, 354; by age, 354, 362.
- Urinary abscess. *See* Urethra, etc.
- Utah, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 326, 440, 579; by sex, color, and nativity, 326; in cities and rural districts, 341; by months, 508; in first year of life, 542; by country of birth, 579.
- Uterine hemorrhage (nonpuerperal), age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Uterine tumor (noncancerous), age at death from, 12.
— death rate from, 140; in cities and rural districts, 146.
— deaths from, 140; in cities and rural districts, 336; by age, 354, 362.
- Varices. *See* Veins, etc.
- Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), age at death from, 12.
— death rate from, 139; in cities and rural districts, 144.
— deaths from, 139; in cities and rural districts, 334; by sex, 350; by age, 350, 361.
- Venice, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43.
- Vermont, population, by color, 67.
— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.
— deaths, by age, 328, 444, 579; by sex, color, and nativity, 328; in cities and rural districts, 341; by months, 509; in first year of life, 542; by country of birth, 579.
- Vienna, death rate, from all causes, 16; from typhoid fever, 25; measles, 33; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; tuberculosis, 51.

Violent deaths (excluding suicide), age at death from, 13.

— death rate from, 21, 141; by color, 89.

— deaths from, 21, 62, 141; by color, 253; in cities and rural districts, 338; by age, 455; in cities of 100,000 population or over, 455; by months, 502.

Washington, population, by color, 67.

— death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; small pox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.

— deaths, by age, 328, 447, 580; by sex, color, and nativity, 328; in cities and rural districts, 341; by months, 509; in first year of life, 542; by country of birth, 580.

Washington, D. C., deaths in, by cause, 459; by age, 459, 580; by months, 512; in first year of life, 546; by country of birth, 580.

White population, deaths of, in registration area, 14; by nativity, 181; by age, 204, 304, 575, 586; by sex, 304, 586; by country of birth, 575, 586; by single years of age at last birthday, 598.

— death rate, from all causes, 17, 19; from typhoid fever, 25; malaria, 29; measles, 34; scarlet fever, 36; whooping cough, 40; diphtheria and croup, 43; pellagra, 46; tuberculosis, 48; cancer and other malignant tumors, 53; pneumonia, 57; diarrhea and enteritis, 61.

White swellings, age at death from, 11.

— death rate from, 138; in cities and rural districts, 142.

— deaths from, 47, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.

Whooping cough, age at death from, 11.

— death rate from, 21, 37, 138; by color, 88; in cities and rural districts, 142.

— deaths from, 21, 82, 138; by color, 252; in cities and rural districts, 332; by sex, 348; by age, 348, 360, 455; in cities of 100,000 population or over, 455; by months, 502; in first year of life, 533.

Wisconsin, population, by color, 67.

Wisconsin, death rate, from all causes, 15; from typhoid fever, 24; malaria, 28; smallpox, 30; measles, 31; scarlet fever, 34; whooping cough, 37; diphtheria and croup, 41; influenza, 44; tuberculosis (all forms), 47; tuberculosis of lungs, 50; cancer, 52; organic diseases of heart, 55; pneumonia, 56; diarrhea and enteritis, 59; nephritis and Bright's disease, 62.

— deaths, by age, 330, 451, 580; by sex, color, and nativity, 330; in cities and rural districts, 341; by months, 509; in first year of life, 543; by country of birth, 580.

Worcester, Mass., deaths in, by cause and by age, 472; by months, 518; in first year of life, 554.

Yellow atrophy of liver, acute, age at death from, 12.

— death rate from, 139; in cities and rural districts, 144.

— deaths from, 139; in cities and rural districts, 334; by sex, 352; by age, 352, 361.

Yellow fever, age at death from, 11.

— death rate from, 138; in cities and rural districts, 142.

— deaths from, 138; in cities and rural districts, 332; by sex, 348; by age, 348, 360.