

dup

DEPARTMENT OF COMMERCE

HERBERT HOOVER, SECRETARY

BUREAU OF THE CENSUS

W. M. STEUART, Director

MORTALITY STATISTICS

1925

TWENTY-SIXTH ANNUAL REPORT

PART I

SUMMARY AND RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION
AREA IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL
STATISTICS FOR HAWAII AND THE VIRGIN ISLANDS



PRICE \$2.00 (Buckram)

Sold only by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C.

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON

1927

LETTER OF TRANSMITTAL

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., July 9, 1927.

SIR:

I transmit herewith Part I of the annual report on Mortality Statistics for 1925; this volume includes only rate tables and general tables; the text will be presented in Part II, which will also include the text for Birth, Stillbirth, and Infant Mortality Statistics, 1925.

This is the twenty-sixth compilation of mortality statistics prepared by the Bureau of the Census. It is based on data from transcripts of death certificates received from the registration area for deaths, which included the Territory of Hawaii, the Virgin Islands, and, in continental United States, 40 States, the District of Columbia, and 24 cities in nonregistration States. The States of Alabama and West Virginia were added to the registration area in 1925.

The total number of deaths returned from this part of continental United States, which contained an estimated population of 103,108,000, or 89.4 per cent of the total, was 1,219,019, corresponding to a death rate of 11.8 per 1,000 population. Populations were estimated by the geographer's division of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by John O. Spain and Miss Maud E. Linder.

Respectfully,

W. M. STEUART,
Director of the Census.

Hon. HERBERT HOOVER,
Secretary of Commerce.

(ii)

CONTENTS

SUMMARY AND RATE TABLES

	Page
TABLE I A.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in urban and rural districts: 1925.....	2
Estimated population and death rates by color for registration area and its main subdivisions, and for urban and rural districts of each registration State.	
TABLE I B.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each city and each county: 1925.....	4
TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, from each cause, in the registration area in continental United States: 1924 and 1925.....	27

NOTE.—In the report on Mortality Statistics, 1922, and in previous annual reports there appeared tables which gave death rates per 100,000 population from important causes in each registration State and in each registration city, and from each cause in urban and rural districts of each State. Although these tables have been omitted from the present report, any of the data desired may be obtained from the manuscript figures in the Bureau of the Census.

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1925.....	32
Deaths in the registration area and in urban and rural districts of each registration State. [Similar data for cities which have not been shown since 1922, are retained in manuscript.]	
TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1925.....	34
Deaths of white, Negroes, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	
TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1925.....	36
Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	
TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1925.....	42
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.	
TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1925.....	58
Deaths from 33 causes, in the registration area, and each registration city, and by color for urban and rural districts of each registration State.	
TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1925.....	88
TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1925.....	110
Causes of death by single years under 5 and by 5-year age periods.	
TABLE 7A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1925.....	134
TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1925.....	137
Causes of death by single years under 5, and by 5 and 10 year age periods.	
TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1925.....	282
Deaths by single years under 5 and by 5 and 10 year age periods in cities of 100,000 population or more on January 1, 1920.	
TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1925.....	315
TABLE 10A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1925.....	333
Deaths in cities of 100,000 population or more on January 1, 1920.	
TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registration States and large cities not in the birth registration area: 1925.....	366
Deaths in cities of 100,000 population or more on January 1, 1920.	

SUPPLEMENT

HAWAII.....	378
VIRGIN ISLANDS.....	387

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1925.....	396
TABLE 2.—Deaths (exclusive of stillbirths) and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1925.....	420
TABLE 3.—Contributory causes of death in relation to primary causes of death in the registration area in continental United States: 1925.....	426

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1925

[Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925		AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925		AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925	
		Number	Rate per 1,000 population			Number	Rate per 1,000 population			Number	Rate per 1,000 population
The registration area in continental United States				FLORIDA				LOUISIANA			
Total	103,103,000	1,219,019	11.8	Total	1,263,549	16,862	13.3	Total	1,900,000	25,088	13.2
White	94,050,400	1,053,856	11.2	White	859,153	10,160	11.8	White	1,198,000	12,202	10.2
Colored	9,057,600	165,163	18.2	Colored	404,391	6,702	16.6	Colored	702,000	12,886	18.4
Registration States¹				Urban				Urban			
Total	101,319,000	1,191,809	11.8	Total	366,216	5,941	16.2	Total	548,700	10,658	19.4
White	92,643,000	1,035,500	11.2	White	256,140	3,484	13.6	White	390,900	5,769	14.8
Colored	8,676,000	156,309	18.0	Colored	110,076	2,457	22.3	Colored	157,800	4,889	31.0
Cities in registration States¹				Rural				Rural			
Total	47,540,000	614,560	12.9	Total	897,333	10,921	12.2	Total	1,351,300	14,430	10.7
White	44,565,000	544,729	12.2	White	603,018	6,676	11.1	White	807,100	6,433	8.0
Colored	2,975,000	69,831	23.5	Colored	294,315	4,245	14.4	Colored	544,200	7,997	14.7
Rural part of registration States				IDAHO				MAINE			
Total	53,779,000	577,249	10.7	Total	508,000	3,403	6.7	Total	787,000	10,792	13.7
White	48,078,000	490,771	10.2	White	502,000	3,253	6.5	White	784,400	10,753	13.7
Colored	5,701,000	86,478	15.2	Colored	6,000	149	24.8	Colored	2,600	39	15.0
Registration cities in nonregistration States²				Urban				Urban			
Total	1,789,000	27,210	15.2	Total	41,300	492	11.9	Total	231,800	3,460	14.9
White	1,407,400	18,356	13.0	White	40,500	477	11.8	White	231,000	3,446	14.9
Colored	381,600	8,854	23.2	Colored	800	15	18.8	Colored	800	14	17.5
All registration cities¹				Rural				Rural			
Total	49,329,000	641,770	13.0	Total	466,700	2,910	6.2	Total	555,200	7,832	13.2
White	45,972,400	563,085	12.2	White	461,500	2,776	6.0	White	553,400	7,807	13.2
Colored	3,356,600	78,685	23.4	Colored	5,200	134	25.8	Colored	1,800	25	13.9
ALABAMA				ILLINOIS				MARYLAND			
Total	2,499,000	29,140	11.7	Total	7,092,000	81,593	11.5	Total	1,560,000	21,628	13.9
White	1,580,800	14,964	9.4	White	6,890,400	75,907	11.1	White	1,304,600	16,143	12.4
Colored	908,400	14,176	15.6	Colored	231,600	5,686	24.6	Colored	255,400	5,485	21.5
Urban				Urban				Urban			
Total	437,900	7,771	17.7	Total	4,246,100	50,717	11.9	Total	885,900	12,921	14.6
White	266,400	3,760	14.1	White	4,051,900	46,095	11.4	White	761,800	9,839	12.9
Colored	171,500	4,011	23.4	Colored	194,200	4,622	23.8	Colored	124,100	3,082	24.8
Rural				Rural				Rural			
Total	2,061,100	21,369	10.4	Total	2,845,900	30,876	10.8	Total	674,100	8,707	12.9
White	1,824,200	11,204	8.5	White	2,808,500	29,812	10.6	White	542,800	6,804	11.6
Colored	736,900	10,165	13.8	Colored	37,400	1,064	28.4	Colored	131,300	2,403	18.3
CALIFORNIA				INDIANA				MASSACHUSETTS			
Total	4,180,000	56,800	13.6	Total	3,095,000	38,632	12.5	Total	4,144,205	51,721	12.5
White	3,985,100	53,752	13.5	White	3,000,700	36,557	12.2	White	4,091,700	50,722	12.4
Colored	194,900	3,048	15.6	Colored	94,300	2,075	22.0	Colored	52,500	999	19.0
Urban				Urban				Urban			
Total	2,368,200	33,146	14.0	Total	1,342,300	17,192	12.8	Total	3,347,051	41,844	12.5
White	2,271,100	31,345	13.8	White	1,260,600	15,450	12.3	White	3,300,900	40,956	12.4
Colored	97,100	1,801	18.5	Colored	81,700	1,742	21.3	Colored	46,200	888	19.2
Rural				Rural				Rural			
Total	1,811,800	23,654	13.1	Total	1,752,700	21,440	12.2	Total	797,154	9,877	12.4
White	1,714,000	22,407	13.1	White	1,740,100	21,107	12.1	White	790,800	9,766	12.3
Colored	97,800	1,247	12.8	Colored	12,600	333	26.4	Colored	6,300	111	17.6
COLORADO				IOWA				MICHIGAN			
Total	1,040,000	12,549	12.1	Total	3,241,927	24,294	10.0	Total	4,284,000	49,419	11.5
White	1,024,600	12,176	11.9	White	2,400,000	23,954	10.0	White	4,178,600	46,978	11.2
Colored	15,400	373	24.2	Colored	19,900	340	17.1	Colored	105,400	2,441	23.2
Urban				Urban				Urban			
Total	388,300	5,908	15.2	Total	649,534	8,425	13.0	Total	2,350,600	26,762	11.4
White	378,500	5,675	15.0	White	634,800	8,181	12.9	White	2,257,300	24,792	11.0
Colored	9,800	233	23.8	Colored	14,700	244	16.6	Colored	93,300	1,970	21.1
Rural				Rural				Rural			
Total	651,700	6,641	10.2	Total	1,770,393	15,869	9.0	Total	1,933,400	22,657	11.7
White	646,100	6,501	10.1	White	1,765,200	15,773	8.9	White	1,921,300	22,186	11.5
Colored	5,600	140	25.0	Colored	5,200	96	18.5	Colored	12,100	471	38.9
CONNECTICUT				KANSAS				MINNESOTA			
Total	1,572,000	17,680	11.2	Total	1,812,986	18,581	10.2	Total	2,611,000	25,436	9.7
White	1,545,700	17,191	11.1	White	1,743,401	17,294	9.9	White	2,591,200	24,973	9.6
Colored	26,300	489	18.6	Colored	69,585	1,287	18.5	Colored	19,800	463	23.4
Urban				Urban				Urban			
Total	1,165,600	13,362	11.5	Total	468,171	6,248	13.3	Total	909,300	11,945	12.5
White	1,144,300	12,933	11.3	White	421,811	5,373	12.7	White	890,300	11,128	12.4
Colored	21,300	429	20.1	Colored	46,360	875	18.9	Colored	10,000	217	21.7
Rural				Rural				Rural			
Total	406,400	4,318	10.6	Total	1,344,815	12,333	9.2	Total	1,701,700	14,091	8.3
White	401,400	4,258	10.6	White	1,321,590	11,921	9.0	White	1,691,900	13,845	8.2
Colored	5,000	60	12.0	Colored	23,225	412	17.7	Colored	9,800	246	25.1
DELAWARE				KENTUCKY				MISSISSIPPI			
Total	238,000	3,115	13.1	Total	2,508,000	28,387	11.3	Total	1,790,618	22,153	12.4
White	207,300	2,478	12.0	White	2,284,600	23,736	10.4	White	853,962	8,218	9.6
Colored	30,700	637	20.7	Colored	223,400	4,651	20.8	Colored	936,656	13,935	14.9
Urban				Urban				Urban			
Total	122,000	1,435	11.8	Total	521,700	7,947	15.2	Total	146,700	3,288	22.4
White	110,300	1,205	10.9	White	445,900	6,085	13.6	White	85,900	1,403	16.3
Colored	11,700	230	19.7	Colored	75,800	1,862	24.6	Colored	60,800	1,885	31.0
Rural				Rural				Rural			
Total	116,000	1,680	14.5	Total	1,986,300	20,440	10.3	Total	1,643,900	18,865	11.5
White	97,000	1,273	13.1	White	1,838,700	17,651	9.6	White	768,000	6,815	8.9
Colored	19,000	407	21.4	Colored	147,600	2,789	18.9	Colored	875,900	12,050	13.8

See footnotes at end of table.

DEATHS AND DEATH RATES FOR URBAN AND RURAL

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1925—Continued

[See note at head of this table, p. 2]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925		AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925		AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925	
		Number	Rate per 1,000 population			Number	Rate per 1,000 population			Number	Rate per 1,000 population
MISSOURI				NORTH DAKOTA				UTAH			
Total	3,484,000	41,288	11.9	Total	641,192	5,045	7.9	Total	504,000	4,484	8.9
White	3,292,100	36,620	11.1	White	635,707	4,817	7.6	White	495,800	4,389	8.9
Colored	191,900	4,668	24.3	Colored	5,485	228	41.6	Colored	8,200	95	11.6
Urban	1,458,400	20,566	14.1	Urban	52,334	672	12.8	Urban	179,100	2,127	11.9
White	1,321,700	17,306	13.1	White	52,232	664	12.7	White	177,000	2,082	11.8
Colored	136,700	3,260	23.8	Colored	102	8	78.4	Colored	2,100	45	21.4
Rural	2,025,600	20,722	10.2	Rural	588,858	4,373	7.4	Rural	324,900	2,357	7.3
White	1,970,400	19,314	9.8	White	583,475	4,153	7.1	White	318,800	2,307	7.2
Colored	55,200	1,408	25.5	Colored	5,383	220	40.9	Colored	6,100	50	8.2
MONTANA				OHIO				VERMONT			
Total	672,000	5,188	7.7	Total	6,470,000	73,607	11.4	Total	352,428	5,137	14.6
White	657,800	4,710	7.2	White	6,235,200	68,305	11.0	White	351,817	5,131	14.6
Colored	14,200	478	33.7	Colored	234,800	5,302	22.6	Colored	611	6	9.8
Urban	127,700	1,603	12.6	Urban	3,691,400	42,438	11.5	Urban	49,500	822	16.6
White	126,200	1,569	12.4	White	3,507,600	38,172	10.9	White	49,300	820	16.6
Colored	1,500	34	22.7	Colored	183,800	4,266	23.2	Colored	200	2	10.0
Rural	544,300	3,585	6.6	Rural	2,778,600	31,169	11.2	Rural	302,900	4,315	14.2
White	531,600	3,141	5.9	White	2,727,600	30,133	11.0	White	302,500	4,311	14.3
Colored	12,700	444	35.0	Colored	51,000	1,036	20.3	Colored	400	4	10.0
NEBRASKA				OREGON				VIRGINIA			
Total	1,371,000	12,493	9.1	Total	863,000	9,629	11.2	Total	2,486,000	29,343	11.8
White	1,350,800	12,098	9.0	White	850,500	9,321	11.0	White	1,773,500	17,523	9.9
Colored	20,200	395	19.6	Colored	12,500	308	24.6	Colored	712,500	11,820	16.6
Urban	315,200	4,123	13.1	Urban	329,600	4,407	13.4	Urban	648,700	8,470	13.1
White	299,900	3,379	12.9	White	325,800	4,270	13.1	White	441,000	4,715	10.7
Colored	15,300	244	15.9	Colored	3,800	137	36.1	Colored	207,700	3,755	18.1
Rural	1,055,800	8,370	7.9	Rural	533,400	5,222	9.8	Rural	1,837,300	20,873	11.4
White	1,050,900	8,219	7.8	White	524,700	5,051	9.6	White	1,332,500	12,808	9.6
Colored	4,900	151	30.8	Colored	8,700	171	19.7	Colored	504,800	8,065	16.0
NEW HAMPSHIRE				PENNSYLVANIA				WASHINGTON			
Total	452,000	6,563	14.5	Total	9,476,000	115,745	12.2	Total	1,510,000	15,280	10.1
White	451,200	6,556	14.5	White	9,132,100	108,181	11.8	White	1,470,300	14,528	9.9
Colored	800	7	8.8	Colored	343,900	7,564	22.0	Colored	39,700	752	18.9
Urban	204,900	2,861	14.0	Urban	4,830,500	63,807	13.2	Urban	705,300	7,798	11.1
White	204,400	2,856	14.0	White	4,560,200	57,773	12.7	White	686,700	7,486	10.9
Colored	500	5	10.0	Colored	270,300	6,034	22.3	Colored	18,600	312	16.8
Rural	247,100	3,702	15.0	Rural	4,645,500	51,938	11.2	Rural	804,700	7,482	9.3
White	246,800	3,700	15.0	White	4,571,900	50,408	11.0	White	783,600	7,042	9.0
Colored	300	2	6.7	Colored	73,600	1,530	20.8	Colored	21,100	440	20.9
NEW JERSEY				RHODE ISLAND				WEST VIRGINIA			
Total	3,600,000	42,192	11.7	Total	679,260	8,226	12.1	Total	1,638,000	17,154	10.5
White	3,461,800	38,932	11.2	White	667,808	8,009	12.0	White	1,536,400	15,467	10.1
Colored	138,200	3,260	23.6	Colored	11,452	217	18.9	Colored	101,600	1,687	16.6
Urban	2,281,300	26,846	11.8	Urban	560,511	6,872	12.3	Urban	299,400	4,682	15.6
White	2,187,700	24,633	11.3	White	550,476	6,680	12.1	White	280,100	4,210	15.0
Colored	93,600	2,213	23.6	Colored	10,035	192	19.1	Colored	19,300	472	24.5
Rural	1,318,700	15,346	11.6	Rural	118,749	1,354	11.4	Rural	1,338,600	12,472	9.3
White	1,274,100	14,289	11.2	White	117,332	1,329	11.3	White	1,256,800	11,257	9.0
Colored	44,600	1,047	23.5	Colored	1,417	25	17.6	Colored	82,800	1,215	14.8
NEW YORK				SOUTH CAROLINA				WISCONSIN			
Total	31,162,151	142,500	12.8	Total	1,804,000	21,990	12.2	Total	2,846,000	29,380	10.3
White	40,933,000	136,752	12.5	White	910,100	8,693	9.6	White	2,829,500	28,871	10.2
Colored	4,229,200	5,748	25.1	Colored	893,900	13,297	14.9	Colored	16,500	509	30.8
Urban	8,526,728	108,020	12.7	Urban	191,400	4,036	21.1	Urban	1,072,200	12,361	11.5
White	8,326,500	102,895	12.4	White	117,300	1,810	15.4	White	1,066,700	12,205	11.4
Colored	200,200	5,125	25.6	Colored	74,100	2,226	30.0	Colored	5,500	156	28.4
Rural	2,695,425	34,480	13.1	Rural	1,612,600	17,954	11.1	Rural	1,773,800	17,019	9.6
White	2,606,500	33,857	13.0	White	792,800	6,883	8.7	White	1,762,800	16,666	9.5
Colored	29,900	623	21.5	Colored	819,800	11,071	13.5	Colored	11,000	353	32.1
NORTH CAROLINA				TENNESSEE				WYOMING			
Total	2,812,000	32,548	11.6	Total	2,448,000	27,834	11.4	Total	229,000	1,896	8.3
White	1,981,600	19,702	9.9	White	2,008,700	19,404	9.7	White	225,800	1,787	7.9
Colored	830,400	12,846	15.5	Colored	444,300	8,430	19.0	Colored	3,200	109	34.1
Urban	422,900	6,580	15.6	Urban	507,400	9,179	18.1	Urban	34,200	413	12.1
White	235,200	3,504	12.4	White	367,500	5,116	13.9	White	33,600	395	11.8
Colored	187,700	3,076	22.0	Colored	139,900	4,063	29.0	Colored	600	18	30.0
Rural	2,389,100	25,968	10.9	Rural	1,940,600	18,655	9.6	Rural	194,800	1,483	7.6
White	1,698,400	16,198	9.5	White	1,636,200	14,288	8.7	White	192,200	1,392	7.2
Colored	690,700	9,770	14.1	Colored	304,400	4,367	14.3	Colored	2,600	91	35.0

¹ Including District of Columbia.

² These cities are shown under the various States (indicated by footnote 1) in Table I B.

³ Enumerated population, 1925: Iowa in January, Florida in February, Kansas in March, Massachusetts, North Dakota, and Rhode Island in April, and New York in June.

⁴ Estimate; State enumeration not returned by color.

⁵ Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925

[Minor areas which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. White and colored are shown separately for areas when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920]

Table with columns for Area and Color, Estimated population July 1, 1925, Deaths (Exclusive of Stillbirths) 1925, and Death Rates per 1,000 population. Rows are grouped by state: Alabama Cities, California Cities, Florida Cities, Georgia Cities, Connecticut Cities, Arkansas Cities, California Cities, Delaware Cities, District of Columbia, Florida Cities, Illinois Cities, and Idaho Cities. Each row lists city names and provides population, death counts, and rates.

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

Main data table with columns for Area and Color, Estimated Population (July 1, 1925), Deaths (Exclusive of Stillbirths) 1925 (Including nonresidents, Excluding all nonresidents and including residents who died elsewhere in registration area), Rate per 1,000 population, and similar columns for other states and cities. Includes sections for Massachusetts, Minnesota, Nebraska, New Hampshire, New Jersey, Michigan, Missouri, and Montana cities.

See footnotes at end of table.

DEATHS AND DEATH RATES OF RESIDENTS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925				AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925				AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925									
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area				Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area				Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area							
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population	Number	Rate per 1,000 population				
NEW YORK CITIES⁶				NORTH CAROLINA CITIES				OHIO CITIES—con.															
Albany	117,820	1,845	15.7	1,581	13.4	Ashville*	31,500	711	22.6	586	18.6	Coshocton	11,600	142	12.2	144	12.4						
Amsterdam	35,260	392	11.1	363	10.3	White	23,900	478	20.0	359	15.0	Cuyahoga Falls	13,700	110	8.0	114	8.3						
Autburn	35,077	515	14.4	468	13.1	Colored	7,600	233	30.7	227	29.9	Dayton	173,000	1,952	11.3	1,852	10.8						
Batavia	15,628	268	17.1	207	13.2	Charlotte	53,300	846	15.9	737	13.8	East Cleveland	37,600	212	5.6	221	5.9						
Beacon*	11,621	158	13.6	146	12.6	White	37,000	438	11.8	359	9.7	East Liverpool	22,000	370	16.8	340	15.5						
Binghamton*	71,915	1,055	14.7	1,001	13.9	Colored	16,300	408	25.0	378	23.2	East Youngstown	16,000	115	7.2	139	8.7						
Buffalo	538,016	7,434	13.8	6,978	13.0	Durham	42,000	584	13.9	529	12.6	Elyria	23,800	272	11.4	258	10.8						
Cohoes	23,345	292	12.5	314	13.5	White	28,400	283	9.3	242	8.5	Findlay	18,200	267	14.7	272	14.9						
Corning	15,722	185	11.8	161	10.2	Colored	13,600	321	23.6	287	21.1	Fremont	13,900	121	8.7	126	9.1						
Cortland	13,879	270	19.5	204	14.7	Gastonia	16,900	216	12.8	208	12.3	Hamilton	42,400	576	13.6	552	13.3						
Dunkirk	19,912	221	11.1	201	10.1	White	14,000	158	11.3	149	10.6	Ironton	14,500	228	15.7	213	14.7						
Elmira	48,350	734	15.2	648	13.4	Colored	2,900	58	20.0	59	20.3	Kenmore	19,400	104	5.4	110	5.7						
Fulton	12,571	177	14.1	173	13.8	Goldsboro*	14,200	236	16.6	215	15.2	Lakewood	56,800	430	7.6	437	7.7						
Geneva	15,908	208	13.1	207	13.0	White	8,000	118	14.8	102	12.7	Lancaster	16,000	207	12.9	207	12.9						
Glens Falls	17,851	313	17.5	253	14.2	Colored	6,200	118	19.0	114	18.4	Lima	46,700	583	12.5	550	11.8						
Gloversville	22,110	372	16.8	346	15.6	Greensboro	47,100	570	12.1	527	11.2	Lorain	42,800	417	9.9	409	9.7						
Herkimer	10,910	131	12.0	133	12.2	White	35,100	338	9.6	304	8.7	Mansfield	31,800	391	12.3	387	12.2						
Hornell	15,784	202	12.8	202	12.8	Colored	12,000	232	19.3	223	18.6	Marietta	15,300	194	12.7	181	11.8						
Hudson	11,755	288	24.5	239	20.3	High Point	23,600	322	13.6	310	13.1	Marion	32,500	332	10.2	341	10.5						
Hion	10,429	121	11.6	125	12.0	White	19,600	236	12.0	228	11.6	Martins Ferry	15,500	216	13.9	198	12.8						
Ithaca	18,498	296	15.6	254	13.4	Colored	4,000	86	21.5	82	20.5	Massillon	19,900	242	12.2	229	11.9						
Jamestown	43,414	527	12.1	489	11.3	New Bern	12,200	234	19.2	215	17.6	Middletown	30,800	235	7.6	281	9.4						
Johnstown	10,712	112	10.5	133	12.4	White	5,600	74	13.2	55	9.8	Newark	30,500	379	12.4	367	12.0						
Kingston	28,099	547	19.5	459	16.3	Colored	6,600	160	24.2	160	24.2	New Philadelphia	12,000	99	8.3	103	8.6						
Lackawanna*	20,196	345	17.1	293	14.5	Raleigh*	30,400	672	22.1	570	18.7	Niles	16,600	106	6.4	121	7.3						
Little Falls	12,428	169	13.6	177	14.2	White	20,200	391	19.4	344	17.0	Norwood	29,900	178	6.0	219	7.3						
Lockport	21,676	327	15.1	335	15.5	Colored	10,200	281	27.5	226	22.2	Piqua	16,000	229	14.3	223	13.9						
Middletown*	20,412	409	20.0	374	18.3	Rocky Mount	15,100	296	19.6	240	15.9	Portsmouth	39,100	529	13.5	484	12.4						
Mount Vernon	50,382	455	9.0	517	10.3	White	9,700	149	15.4	114	11.8	Salem	11,100	176	15.9	148	13.3						
Newburgh	30,419	501	16.5	448	14.7	Colored	5,400	147	27.2	126	23.3	Sandusky	24,500	318	13.0	300	12.2						
New Rochelle	44,222	382	8.6	403	9.1	Salisbury	17,700	200	11.3	202	11.4	Springfield	68,700	893	13.0	837	12.9						
New York	5,873,356	71,835	12.2	71,945	12.2	White	13,500	117	8.7	122	9.0	White	60,500	754	12.5	750	12.4						
Bronx Borough	872,168	8,295	9.5	8,223	9.4	Colored	4,200	83	19.8	80	19.0	Colored	8,200	139	17.0	137	16.7						
Brooklyn Borough	2,203,235	24,824	11.3	25,138	11.4	Wilmington	37,100	550	14.8	462	12.5	Staubenville	32,000	460	14.4	388	12.1						
White	1,621,680	23,364	11.4	24,187	11.2	White	23,100	255	11.0	194	8.4	Tiffin	15,600	223	14.3	215	13.8						
Colored	103,550	960	27.3	951	27.0	Colored	14,000	295	21.1	268	19.1	Toledo	287,000	3,494	12.2	3,355	11.7						
Manhattan Borough	1,945,029	29,819	15.3	29,693	15.3	Wilson	12,800	265	20.7	254	19.8	Warren	34,700	462	13.3	415	12.0						
White	1,641,840	26,351	14.5	26,717	14.5	White	6,300	120	19.0	118	18.7	Youngstown	160,000	1,706	10.7	1,611	10.1						
Colored	109,700	2,968	30.5	2,976	30.6	Colored	6,500	145	22.3	136	20.9	Zanesville	30,400	510	16.8	467	15.4						
Queens Borough	714,647	7,030	9.8	7,011	9.8	Winston-Salem	69,000	878	12.7	840	12.2												
Richmond Borough	138,277	1,867	13.5	1,880	13.6	White	38,800	369	9.5	328	8.5												
Colored						Colored	30,200	509	16.9	512	17.0												
Niagara Falls	57,033	687	12.0	678	11.9																		
North Tonawanda	17,356	191	11.0	196	11.3																		
Ogdensburg*	17,047	432	25.3	354	20.8																		
Olean	21,332	280	13.1	240	11.3																		
Oneida	10,656	163	15.3	140	13.1																		
Oneonta	12,057	188	15.6	157	13.0																		
Ossining	12,769	181	14.2	181	14.2																		
Oswego	22,369	285	12.7	293	13.3																		
Peekskill	17,993	214	11.9	204	11.3																		
Plattsburg	11,552	230	19.9	181	15.7																		
Port Chester	19,283	194	10.1	202	10.5																		
Port Jervis	10,507	172	16.4	165	15.7																		
Poughkeepsie	35,670	493	14.0	449	12.6																		
Rensselaer	11,394	98	8.6	133	11.7																		
Rochester	316,786	3,839	12.1	3,704	11.7																		
Rome*	30,328	482	15.9	381	12.6																		
Saratoga Springs	13,834	301	21.7	237	17.1																		
Schenectady	92,736	1,057	11.4	995	10.7																		
Syracuse	182,003	2,292	12.6	2,111	11.6																		
Tonawanda	11,292	100	8.9	156	13.8																		
Troy	72,223	1,354	18.7	1,202	16.6																		
Utica*	101,604	1,516	14.9	1,417	13.9																		
Watertown	32,836	540	16.4	434	13.2																		
Watervliet	16,158	184	11.4	258	16.0																		
White Plains	27,428	312	11.4	305	11.1																		
Yonkers	113,647	1,144	10.1	1,190	10.5																		

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY; 1925—Continued

[See note at head of this table, p. 4]

Table with columns for AREA AND COLOR, Estimated population July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents and excluding nonresidents who died elsewhere), and Rate per 1,000 population. Rows include Pennsylvania cities, Rhode Island cities, South Carolina cities, South Dakota cities, Tennessee cities, Texas cities, Utah cities, Vermont cities, Virginia cities, and Washington cities.

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925				AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925				AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area				Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area				Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population
KENTUCKY COUNTIES—con.																	
Barren	25,400	325	12.8			Henry	13,411	151	11.3			Oldham	7,900	107	13.5		
White	22,300	267	12.0			White	11,923	123	10.7			White	6,900	97	14.1		
Colored	3,100	58	18.7			Colored	1,488	23	15.5			Colored	1,000	10	10.0		
Bath	11,986	188	11.5			Hickman	10,244	109	10.6			Owen	12,554	145	11.6		
Bell	37,100	323	8.7			White	8,996	79	8.8			Owsley	7,820	44	5.6		
						Colored	1,248	30	24.0			Pendleton	11,719	131	11.2		
Boone	9,700	91	9.4			Hopkins	34,133	446	13.1			Perry	34,400	306	8.9		
Bourbon	19,000	249	13.1			White	28,096	349	12.4			Pike	59,600	596	10.0		
White	14,500	152	10.5			Colored	6,037	97	16.1			Powell	7,000	39	5.6		
Colored	4,500	97	21.6			Jackson	12,200	23	18.9			Pulaski	(12)	349	(12)		
Boyd	8,200	156	19.0			Jefferson*	40,400	575	14.2			Robertson	3,871	43	11.1		
						Jessamine	12,205	118	9.7			Rockcastle	15,900	89	5.6		
Boyle	15,200	207	13.6			White	9,928	84	8.5			Rowan	9,500	83	8.7		
White	12,500	140	11.2			Colored	2,277	34	14.9			Russell	12,400	72	5.8		
Colored	2,700	67	24.8			Johnson	20,800	184	8.8			Scott	15,318	170	11.1		
Bracken	10,210	133	13.0			White	16,900	191	11.3			White	12,259	124	10.1		
Breathitt	22,400	114	5.1			Colored	12,100	86	7.1			Colored	3,059	46	15.0		
Breckinridge	19,652	207	10.5			Knott						Shelby	18,800	236	12.6		
						Knox	25,300	279	11.0			White	16,000	187	11.7		
Bullitt	9,328	109	11.7			Larue	10,004	90	9.0			Colored	2,800	49	17.5		
Butler	15,197	103	6.8			Laurel	19,814	130	6.6			Simpson	11,518	132	11.8		
Caldwell	13,975	146	10.4			Lawrence	17,643	162	9.2			White	9,241	96	10.4		
White	12,067	115	9.5			Lee	13,300	35	2.6			Colored	1,909	36	18.9		
Colored	1,908	31	16.2			Leslie	10,700	67	6.3			Spencer	7,900	56	7.1		
Calloway	21,300	169	7.9			Letcher	32,300	188	5.8			Taylor	12,400	149	12.0		
Campbell	34,000	417	12.3			Lewis	15,329	185	11.7			White	11,200	130	11.6		
Carlisle	8,281	86	10.4			Lincoln	16,481	247	15.0			Colored	1,200	19	15.8		
Carroll	8,500	117	13.8			White	14,290	195	13.6			Todd	15,694	172	11.0		
Carter	22,800	218	9.6			Colored	2,191	52	23.7			White	11,214	119	10.6		
						Livingston	9,732	89	9.1			Colored	4,480	53	11.8		
Casey	18,200	137	7.5			Logan	23,633	266	11.3			Trigg	14,208	144	10.1		
Christian*	35,883	702	19.6			White	19,329	200	10.3			White	11,261	105	9.3		
White	22,971	442	19.2			Colored	4,304	66	15.3			Colored	2,947	39	13.2		
Colored	12,912	260	20.1			Lyon	8,795	72	8.2			Trimble	6,011	51	8.5		
Clark	17,901	248	13.9			White	7,611	50	6.6			Union	18,040	223	12.4		
White	14,209	167	11.8			Colored	1,184	22	18.6			White	15,847	170	10.7		
Colored	3,692	81	21.9			McCracken	12,600	152	12.1			Colored	2,193	53	24.2		
Clay	20,900	100	4.8			White	11,500	144	12.5			Warren	31,000	391	12.6		
Clinton	8,800	72	8.2			Colored	1,100	8	7.3			White	26,700	293	11.0		
Crittenden	13,125	97	7.4			McCreary	(12)	63	(12)			Colored	4,300	98	22.8		
						McLean	12,502	145	11.6			Washington	15,200	77	5.1		
Cumberland	11,100	103	9.3			Madison	26,284	273	10.4			White	13,600	66	4.9		
Davess	18,703	188	10.1			White	21,373	207	9.7			Colored	1,600	11	6.9		
Edmonson	11,100	95	8.6			Colored	4,911	66	13.4			Wayne	(12)	91	(12)		
Elliott	8,887	59	6.6			Magoffin	14,000	83	5.9			Webster	20,762	252	12.1		
Estill	17,400	112	6.4			Marion	15,527	172	11.1			White	17,839	213	11.9		
Fayette	11,700	107	9.1			White	13,826	130	9.4			Colored	2,923	39	13.3		
White	9,500	75	7.9			Colored	1,701	42	24.7			Whitley	(12)	281	(12)		
Colored	2,200	32	14.5			Marshall	15,215	121	8.0			Wolfe	8,783	53	6.0		
Fleming	15,614	146	9.4			Martin	7,900	41	5.2			Woodford	11,784	135	11.5		
Floyd	32,400	221	6.8			Mason	17,760	260	14.6			White	8,751	99	11.3		
Franklin	19,357	247	12.8			White	15,207	203	13.3			Colored	3,033	36	11.9		
White	16,495	188	11.4			Colored	2,553	57	22.3			LOUISIANA PARISHES ¹¹					
Colored	2,862	59	20.6			Meade	9,442	98	10.4			Acadia	36,500	388	10.6	404	11.1
Fulton	15,800	202	12.8			Menifee	5,779	48	8.3			White	28,400	248	8.7	255	9.0
White	12,700	132	10.4			Mercer	15,200	171	11.3			Colored	8,100	140	17.3	149	18.4
Colored	3,100	70	22.6			White	13,600	135	9.9			Allen	(12)	160	(12)	187	(12)
Gallatin	4,664	47	10.1			Colored	1,600	36	22.5			White	(12)	89	(12)	102	(12)
Garrard	12,800	123	9.6			Metcalfe	10,075	104	10.3			Colored	(12)	71	(12)	85	(12)
White	11,100	89	8.0			Monroe	14,500	141	9.7			Ascension	22,155	216	9.7	244	11.0
Colored	1,700	34	20.0			Montgomery	12,245	158	12.9			White	12,664	86	6.8	108	8.1
Grant	10,435	134	12.8			White	9,728	104	10.7			Colored	9,491	130	13.7	141	14.9
Graves	32,483	338	10.4			Colored	2,517	54	21.5			Assumption	17,012	221	12.3	236	13.2
						Morgan	16,700	103	6.2			White	10,424	105	10.1	115	11.0
Grayson	19,927	155	7.8			Muhlenberg	36,000	434	12.1			Colored	7,488	116	15.5	121	16.2
Green	11,891	80	7.0			Nelson	16,137	185	11.5			Avoyelles	36,000	260	7.2	279	7.8
Greenup	21,000	195	9.3			White	14,068	144	10.2			White	26,500	123	4.6	138	5.2
Hancock	6,945	100	14.4			Colored	2,069	41	19.8			Colored	9,500	137	14.4	141	14.8
Hardin	25,200	204	8.1			Nicholas	9,894	96	9.7			Beauregard	(12)	151	(12)	174	(12)
Harlan	43,400	470	10.8			Ohio	26,473	247	9.3			White	(12)	93	(12)	99	(12)
Harrison	15,798	201	12.7								Colored	(12)	58	(12)	75	(12)	
Hart	18,800	140	7.4														
Henderson	15,035	168	11.2														
White	12,283	139	11.3														
Colored	2,752	29	10.5														

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

Main table with columns for AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925, and Rate per 1,000 population. Rows include Maryland, Michigan, and Minnesota counties.

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

Main data table with columns for Area and Color, Estimated Population (July 1, 1925), Deaths (Exclusive of Stillbirths) 1925 (including non-residents and excluding non-residents), and Rate per 1,000 Population. The table is organized into sections for Mississippi Counties, Missouri Counties, and Montana Counties, with individual city and county entries.

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

Main data table with columns: AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents, Excluding all nonresidents and including residents who died elsewhere in registration area), AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents, Excluding all nonresidents and including residents who died elsewhere in registration area), AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents, Excluding all nonresidents and including residents who died elsewhere in registration area).

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

Main table with columns for AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including non-residents and excluding all non-residents), and Rate per 1,000 population. It is organized into three main sections: OHIO COUNTIES, PENNSYLVANIA COUNTIES, and SOUTH CAROLINA COUNTIES.

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

See note at head of this table, p. 4]

Table with 16 columns: AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents, excluding all nonresidents and including residents), Rate per 1,000 population, AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents, excluding all nonresidents and including residents), Rate per 1,000 population, AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents, excluding all nonresidents and including residents), Rate per 1,000 population. Rows include Tennessee, Utah, and Vermont counties.

See footnotes at end of table.

DEATHS AND DEATH RATES OF RESIDENTS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

Main data table with columns for AREA AND COLOR, Estimated population, July 1, 1925, DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925 (including nonresidents and excluding all nonresidents), and Rate per 1,000 population. Rows list Virginia Counties and Washington Counties.

See footnotes at end of table.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925				AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925				AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area				Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area				Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population
WEST VIRGINIA COUNTIES—con.				WISCONSIN COUNTIES—con.				WISCONSIN COUNTIES—con.				WISCONSIN COUNTIES—con.					
Lewis*	21,700	307	14.1	313	14.4	Burnett	11,700	74	6.3	85	7.3	Sauk	² 32,548	370	11.4	391	12.0
Lincoln	² 19,378	101	5.2	108	5.6	Calumet	17,500	141	8.1	169	9.7	Sawyer	9,400	75	8.0	87	9.3
Logan	56,000	483	8.6	512	9.1	Chippewa	39,000	401	10.3	401	10.3	White	8,700	60	6.9	72	8.3
White	48,900	397	8.1	418	8.5	Clark	38,000	257	6.8	287	7.6	Colored	700	15	21.4	15	21.4
Colored	7,100	86	12.1	94	13.2	Columbia	² 30,468	331	10.9	335	11.0	Shawano	35,200	350	9.9	378	10.7
McDowell	80,300	888	11.1	905	11.3	Crawford	17,000	148	8.7	160	9.4	Sheboygan	29,200	300	10.3	321	11.0
White	60,200	590	9.8	602	10.0	Dane	49,800	508	10.2	556	11.2	Taylor	20,500	140	6.8	153	7.5
Colored	20,100	298	14.8	303	15.1	Dodge	51,000	473	9.3	501	9.8	Trampealeau	² 5,400	218	8.5	248	9.8
Marion	40,300	374	9.3	388	9.6	Door	19,300	189	9.8	194	10.1	Vernon	29,900	266	8.9	291	9.7
Marshall	22,800	258	11.3	281	12.3	Douglas	11,400	79	6.9	113	9.9	Vilas	² 5,649	72	12.7	83	14.7
Mason	² 21,459	233	10.9	242	11.3	Dunn	27,900	228	8.2	261	9.4	Walworth	² 29,327	323	11.0	355	12.1
Mercer	36,800	357	9.7	387	10.5	Eau Claire	15,100	113	7.5	140	9.3	Washburn	13,200	76	5.8	91	6.9
White	34,600	303	8.8	327	9.5	Florence	3,700	40	10.8	45	12.2	Washington	26,800	263	9.8	275	10.3
Colored	2,200	54	24.5	60	27.3	Fond du Lac	32,600	298	9.1	345	10.6	Waushara*	31,000	395	12.7	390	12.6
Mineral	21,600	229	10.6	238	11.0	Forest	11,600	95	8.2	106	9.1	Waupaca	35,000	359	10.3	379	10.8
Mingo	30,300	283	9.3	287	9.5	Grant	39,100	364	9.3	381	9.7	Waushara	² 16,712	151	9.0	161	9.6
Monongalia	25,100	312	12.4	313	12.6	Green	² 21,568	221	10.2	236	10.9	Winnebago*	31,700	429	13.5	429	13.5
Monroe	13,200	124	9.4	135	10.2	Green Lake	² 14,375	141	9.5	145	9.7	Wood	36,900	431	11.7	399	10.8
Morgan	8,600	77	9.0	79	9.2	Iowa	² 21,504	235	10.9	249	11.6	WYOMING COUNTIES ¹¹					
Nicholas	22,400	197	8.8	207	9.2	Iron	11,400	92	8.1	116	10.2	Albany	² 9,283	102	11.0	97	10.4
Ohio	9,700	138	14.2	202	20.8	Jackson	18,100	160	8.8	181	10.0	Big Horn	(¹²)	66	(¹²)	71	(¹²)
Pendleton	9,800	64	6.5	64	6.5	Jefferson	35,400	395	11.2	408	11.5	Campbell	(¹²)	35	(¹²)	37	(¹²)
Pleasants	² 7,379	73	9.9	75	10.2	Juneau	² 19,209	185	9.6	199	10.4	Carbon	² 9,525	105	11.0	108	11.3
Pocahontas	15,200	175	11.5	175	11.5	Kenosha	10,900	97	9.0	121	11.2	Converse	(¹²)	44	(¹²)	48	(¹²)
Preston	28,900	279	9.7	273	9.4	Kewaunee	² 16,091	151	9.4	178	11.1	Crook	(¹²)	27	(¹²)	31	(¹²)
Putnam	² 17,581	113	6.7	129	7.4	La Crosse	14,100	146	10.4	181	12.8	Fremont	(¹²)	137	(¹²)	140	(¹²)
Raleigh	52,000	537	10.3	543	10.4	Lafayette	² 20,002	188	9.4	201	10.0	White	(¹²)	70	(¹²)	73	(¹²)
White	43,200	437	10.1	442	10.2	Langlade	24,000	199	8.3	198	8.2	Colored	(¹²)	67	(¹²)	67	(¹²)
Colored	8,800	100	11.4	101	11.5	Lincoln	22,200	217	9.8	220	9.9	Goshen	(¹²)	61	(¹²)	64	(¹²)
Randolph	27,200	293	10.8	286	10.5	Manitowoc	33,300	303	9.1	329	9.9	Hot Springs	(¹²)	62	(¹²)	60	(¹²)
Ritchie	² 16,506	130	7.9	136	8.2	Marathon	50,900	325	6.4	366	7.2	Johnson	5,300	32	6.0	33	6.2
Roane*	² 20,129	310	15.4	311	15.5	Marinette	21,000	160	7.6	191	9.1	Laramie	(¹²)	28	(¹²)	28	(¹²)
Summers	19,500	215	11.0	220	11.3	Marquette	² 10,443	104	10.0	118	11.3	Lincoln	(¹²)	84	(¹²)	90	(¹²)
Taylor	20,000	204	10.2	208	10.4	Milwaukee* (exclusive of National Military Home)	72,100	(¹³ 352)	21.2	(¹⁴ 400)	21.9	Natrona	(¹²)	63	(¹²)	72	(¹²)
Tucker	² 16,791	128	7.6	137	8.2	Monroe	² 28,666	312	10.9	323	11.3	Niobrara	(¹²)	19	(¹²)	20	(¹²)
Tyler	² 14,186	130	9.2	134	9.4	Oconto	27,900	244	8.7	258	9.2	Park	(¹²)	40	(¹²)	44	(¹²)
Upshur	18,500	184	9.9	185	10.0	Oneida	15,400	200	13.0	199	12.9	Platte	(¹²)	74	(¹²)	80	(¹²)
Wayne	27,100	168	6.2	182	6.7	Outagamie	37,400	337	9.0	373	10.0	Sheridan	19,200	182	9.5	188	9.8
Webster	12,600	122	9.7	123	9.8	Ozaukee	² 16,335	137	8.4	159	9.7	Sublette	(¹²)	4	(¹²)	5	(¹²)
Wetzel	² 23,069	218	9.4	230	10.0	Pepin	² 7,481	65	8.7	78	10.4	Sweetwater	14,800	170	11.5	175	11.8
Wirt	² 7,536	75	10.0	75	10.0	Pierce	² 21,663	227	10.5	252	11.6	Teton	(¹²)	11	(¹²)	12	(¹²)
Wood	23,400	205	8.8	209	8.9	Polk	30,000	264	8.8	287	9.6	Uinta	(¹²)	70	(¹²)	74	(¹²)
Wyoming	17,900	155	8.7	155	8.7	Portage	22,300	168	7.5	183	8.2	Washakie	(¹²)	29	(¹²)	30	(¹²)
White	15,500	131	8.5	132	8.5	Price	21,200	147	6.9	168	7.9	Weston	(¹²)	30	(¹²)	30	(¹²)
Colored	2,400	24	10.0	23	9.6	Racine	23,500	229	9.7	250	10.6	Yellowstone National Park (part of) ¹⁴	² 165	8	(¹⁵)	5	(¹⁵)

1 Nonregistration State; cities shown are those with satisfactory registration of deaths.
 2 Population Jan. 1, 1920. Decrease between 1910 and 1920; no estimate made.
 3 Population not shown, pending the establishment of a more satisfactory estimate.
 4 The rate is not affected by the difference between total deaths and deaths of residents.
 5 Includes West Haven town, incorporated from part of Orange town, 1921.
 6 Population by State census, 1925.
 7 Population by special census, October, 1925.
 8 Population Jan. 1, 1920, including annexation since 1920. Decrease between 1910 and 1920; no estimate made.
 9 Reliable data for nonresidents not available.
 10 Estimate; State census not returned by color.
 11 Exclusive of municipalities of 10,000 inhabitants or more in 1920.
 12 Population not estimated; county formed from, or involved in the formation of, other counties.
 13 Including Hopewell city.
 14 Population and deaths returned for entire area.
 15 Rate not computed.

NOTE.—The high rates for Murphysboro and for Jackson, Franklin, and Hamilton Counties, Ill., were largely due to deaths from a tornado, and the high rate for Newport, R. I., was largely due to deaths in a steamship accident.

MORTALITY STATISTICS

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1924 AND 1925—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population				Number		Rate per 100,000 estimated population	
		1925	1924	1925	1924			1925	1924	1925	1924
	IV.—Diseases of the circulatory system.	217,567	202,777	211.0	204.4		VII.—Nonvenereal diseases of the genito-urinary system and annexa.	115,231	103,964	111.8	104.8
87	Pericarditis.....	875	908	0.8	0.9	128	Acute nephritis (including unspecified under 10 years of age).....	5,733	6,038	5.6	6.1
88	Endocarditis and myocarditis (acute).....	7,999	6,744	7.8	6.8	129	Chronic nephritis (including unspecified 10 years and over).....	93,587	82,825	90.8	83.5
89	Angina pectoris.....	13,680	11,171	13.3	11.3	130	Chyluria.....	1	1	(1)	(1)
90	Other diseases of the heart.....	168,672	157,848	163.6	159.1	131	Other diseases of the kidneys and annexa.....	2,892	2,727	2.8	2.7
91	Diseases of the arteries.....	23,090	23,278	23.4	23.5	132	Calculi of the urinary passages.....	834	728	0.8	0.7
	Aneurysm.....	1,914	1,921	1.9	1.9	133	Diseases of the bladder.....	990	1,033	1.0	1.0
	Arteriosclerosis.....	20,774	20,972	20.1	21.1	134	Diseases of the urethra, urinary abscess, etc. Stricture of the urethra.....	402	338	0.4	0.3
	Other diseases of the arteries.....	402	385	0.4	0.4		Others under this title.....	268	212	0.3	0.2
92	Embolism and thrombosis (not cerebral).....	2,098	1,692	2.0	1.7	135	Diseases of the prostate.....	134	126	0.1	0.1
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	586	608	0.6	0.6	136	Nonvenereal diseases of the male genital organs.....	5,200	4,842	5.0	4.9
94	Diseases of the lymphatic system (lymphangitis, etc.).....	201	214	0.2	0.2	137	Cysts and other benign tumors of the ovary.....	104	87	0.1	0.1
95	Hemorrhage without specified cause.....	132	165	0.1	0.2	138	Salpingitis and pelvic abscess (female).....	811	755	0.8	0.8
96	Other diseases of the circulatory system.....	234	149	0.2	0.2	139	Benign tumors of the uterus.....	1,779	1,767	1.7	1.8
	V.—Diseases of the respiratory system.	111,977	113,608	108.6	114.5	140	Nonpuerperal uterine hemorrhage.....	2,044	1,971	2.0	2.0
97	Diseases of the nasal fossae and their annexa.....	914	877	0.9	0.9	141	Other diseases of the female genital organs.....	49	48	(1)	(1)
	Diseases of the nasal fossae.....	366	402	0.4	0.4	142	Nonpuerperal diseases of the breast (cancer excepted).....	774	774	0.8	0.8
	Others under this title.....	548	475	0.5	0.5			31	30	(1)	(1)
98	Diseases of the larynx.....	519	551	0.5	0.6		VIII.—The puerperal state.....	15,315	15,375	14.9	15.5
99	Bronchitis.....	6,670	7,207	6.5	7.3	143	Accidents of pregnancy.....	1,404	1,393	1.4	1.4
	Acute.....	2,589	2,916	2.5	2.9		Abortion.....	692	629	0.7	0.6
	Chronic.....	2,414	2,476	2.3	2.5		Ectopic gestation.....	485	453	0.5	0.5
	Unspecified (under 5 years of age).....	643	749	0.6	0.8		Others under this title.....	227	311	0.2	0.3
	Unspecified (5 years and over).....	1,024	1,066	1.0	1.1	144	Puerperal hemorrhage.....	1,466	1,517	1.4	1.5
100	Broncho-pneumonia.....	39,820	40,631	38.6	41.0	145	Other accidents of labor.....	1,714	1,646	1.7	1.7
	Broncho-pneumonia.....	38,896	39,479	37.7	39.8		Cesarean section.....	328	304	0.3	0.3
	Capillary bronchitis.....	924	1,152	0.9	1.2		Other surgical operations and instrumental delivery.....	169	145	0.2	0.1
101	Pneumonia.....	56,612	56,772	54.9	57.2	146	Others under this title.....	1,217	1,197	1.2	1.2
	Lobar.....	51,407	50,676	49.9	51.1	147	Puerperal septicemia.....	5,697	5,745	5.5	5.8
	Unspecified.....	5,205	6,096	5.0	6.1		Puerperal phlegmasia alba dolens, embolus, sudden death.....	662	708	0.6	0.7
102	Pleurisy.....	2,636	2,728	2.6	2.7	148	Puerperal albuminuria and convulsions.....	4,292	4,287	4.2	4.3
103	Congestion and hemorrhagic infarct of the lung.....	1,372	1,353	1.3	1.4	149	Following childbirth (not otherwise defined).....	78	69	0.1	0.1
104	Gangrene of the lung.....	215	195	0.2	0.2	150	Puerperal diseases of the breast.....	7	10	(1)	(1)
105	Asthma.....	1,920	2,022	1.9	2.0						
106	Pulmonary emphysema.....	141	146	0.1	0.1		IX.—Diseases of the skin and of the cellular tissue.....	3,343	3,335	3.2	3.4
107	Other diseases of the respiratory system (tuberculosis excepted).....	1,158	1,126	1.1	1.1	151	Gangrene.....	1,319	1,343	1.3	1.4
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system.....	241	233	0.2	0.2	152	Furuncle.....	569	581	0.6	0.6
	Diseases of the mediastinum.....	33	26	(1)	(1)	153	Acute abscess.....	673	658	0.7	0.7
	Others under this title.....	884	867	0.9	0.9	154	Other diseases of the skin and annexa.....	782	753	0.8	0.8
	VI.—Diseases of the digestive system.....	104,297	95,846	101.2	96.6		X.—Diseases of the bones and of the organs of locomotion.....	1,358	1,424	1.3	1.4
108	Diseases of the mouth and annexa.....	768	702	0.7	0.7	155	Diseases of the bones (tuberculosis excepted).....	1,075	1,130	1.1	1.1
109	Diseases of the pharynx and tonsils (including adenoid vegetations).....	3,681	3,380	3.6	3.4	156	Diseases of the joints (tuberculosis and rheumatism excepted).....	215	214	0.2	0.2
	Adenoid vegetations.....	9	11	(1)	(1)	157	Amputations.....	2	4	(1)	(1)
	Others under this title.....	3,672	3,369	3.6	3.4	158	Other diseases of the organs of locomotion.....	66	76	0.1	0.1
110	Diseases of the esophagus.....	116	118	0.1	0.1						
111	Ulcer of the stomach and duodenum.....	6,133	5,539	5.9	5.6		XI.—Malformations.....	14,226	14,127	13.8	14.2
	Ulcer of the stomach.....	4,384	4,084	4.3	4.1	159	Congenital malformations (stillbirths not included).....	14,226	14,127	13.8	14.2
	Ulcer of the duodenum.....	1,749	1,455	1.7	1.5		Congenital hydrocephalus.....	1,533	1,366	1.5	1.4
112	Other diseases of the stomach (cancer excepted).....	5,832	6,254	5.7	6.3		Congenital malformations of the heart.....	8,147	8,178	7.9	8.2
113	Diarrhea and enteritis (under 2 years of age).....	32,450	27,566	31.5	27.8		Others under this title.....	4,546	4,583	4.4	4.6
114	Diarrhea and enteritis (2 years and over).....	8,062	6,916	7.8	7.0						
115	Ancylostomiasis.....	24	40	(1)	(1)		XII.—Early infancy.....	61,932	63,526	60.1	64.0
116	Diseases due to other intestinal parasites.....	118	138	0.1	0.1	160	Congenital debility, icterus, sclerema.....	7,871	8,069	7.6	8.1
	Cestodes (hydatids of the liver excepted).....	10	9	(1)	(1)	161	Premature birth, injury at birth.....	48,972	50,061	47.5	50.5
	Trematodes.....	17	1	(1)	(1)		Premature birth.....	38,588	39,764	37.4	40.1
	Nematodes (other than ancylostoma).....	23	48	(1)	(1)		Injury at birth.....	10,384	10,297	10.1	10.4
	Coccidia.....	2	2	(1)	(1)	162	Other diseases peculiar to early infancy.....	4,969	5,230	4.8	5.3
	Other parasites specified.....	4	1	(1)	(1)	163	Lack of care.....	127	166	0.1	0.2
	Parasites not specified.....	62	77	0.1	0.1						
117	Appendicitis and typhlitis.....	15,618	14,788	15.1	14.9		XIII.—Old age.....	12,326	12,598	12.0	12.7
118	Hernia, intestinal obstruction.....	11,168	10,480	10.8	10.6	164	Senility.....	12,326	12,598	12.0	12.7
	Hernia.....	3,938	3,673	3.8	3.7						
	Intestinal obstruction.....	7,230	6,807	7.0	6.9						
119	Other diseases of the intestines.....	1,251	1,420	1.2	1.4						
120	Acute yellow atrophy of the liver.....	469	421	0.5	0.4						
121	Hydatid tumor of the liver.....	29	26	(1)	(1)						
122	Cirrhosis of the liver.....	7,549	7,344	7.3	7.4						
	Specified as alcoholic.....	480	410	0.5	0.4						
	Not specified as alcoholic.....	7,069	6,925	6.9	7.0						
123	Biliary calculi.....	4,148	3,923	4.0	4.0						
124	Other diseases of the liver.....	4,596	4,550	4.5	4.6						
125	Diseases of the pancreas.....	624	582	0.6	0.6						
126	Peritonitis without specified cause.....	1,661	1,657	1.6	1.7						
127	Other diseases of the digestive system (cancer and tuberculosis excepted).....	2		(1)	(1)						

See footnotes at end of table.

DEATHS AND DEATH RATES, BY CAUSES

29

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1924 AND 1925—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population				Number		Rate per 100,000 estimated population	
		1925	1924	1925	1924			1925	1924	1925	1924
	XIV.—External causes.....	102,162	96,226	99.1	97.0		XIV.—External causes—Continued				
	Suicide.....	12,495	12,061	12.1	12.2		Accidental or undefined—Continued.				
165	By solid or liquid poisons (corrosive substances excepted).....	716	768	0.7	0.8	185	Traumatism—Continued.				
166	By corrosive substances.....	1,278	1,232	1.2	1.2		By fall.....	13,864	12,955	13.4	13.1
167	By poisonous gas.....	1,743	1,641	1.7	1.7		Fall down stairs.....	1,707	1,506	1.7	1.5
168	By hanging or strangulation.....	2,276	2,117	2.2	2.1		Fall in ships, docks, etc.....	130	107	0.1	0.1
169	By drowning.....	715	668	0.7	0.7	186	Fall in building operations.....	751	709	0.7	0.7
170	By firearms.....	4,333	4,230	4.2	4.3		Others under this title.....	11,276	10,633	10.9	10.7
171	By cutting or piercing instruments.....	821	797	0.8	0.8		In mines and quarries.....	2,733	2,338	2.7	2.4
172	By jumping from high places.....	358	304	0.3	0.3		Mines.....	2,643	2,234	2.6	2.3
173	By crushing.....	128	125	0.1	0.1	187	Quarries.....	90	104	0.1	0.1
174	Other suicides.....	127	129	0.1	0.1		By machines.....	2,339	2,052	2.3	2.1
197	Homicide.....	8,893	8,420	8.6	8.5		Agricultural machinery.....	275	278	0.3	0.3
198	By firearms.....	6,216	6,028	6.0	6.1		Elevator.....	459	401	0.4	0.4
199	By cutting or piercing instruments.....	1,224	992	1.2	1.0	188	Crane.....	286	253	0.3	0.3
199	By other means.....	1,453	1,400	1.4	1.4		Others under this title.....	1,319	1,120	1.3	1.1
200	(Infanticide—murder of infants less than 1 year of age) ¹	(158)	(158)	(0.2)	(0.2)		By other crushing (vehicles, railroads, landslides, etc.).....	28,440	26,001	27.6	26.2
	Accidental or undefined.....	80,774	75,745	78.3	76.4		Railroad accidents.....	6,778	6,430	6.6	6.5
175	Poisoning by food.....	838	917	0.9	0.9		Collision with automobiles.....	1,266	(2)	1.2	(2)
	Botulism.....	64	78	0.1	0.1		Other railroad accidents.....	5,512	(2)	5.3	(2)
	Other food poisoning.....	824	839	0.8	0.8		Street-car accidents.....	1,630	1,623	1.6	1.6
176	Poisoning by venomous animals.....	78	66	0.1	0.1		Collision with automobiles.....	498	(2)	0.5	(2)
177	Other acute accidental poisonings (gas excepted).....	1,596	1,577	1.5	1.6		Other street-car accidents.....	1,132	(2)	1.1	(2)
	Wood or denatured alcohol.....	182	180	0.2	0.2	189	Automobile accidents.....	17,571	15,528	17.0	15.7
	Carbolic acid.....	46	57	(1)	0.1		Airplane and balloon accidents.....	165	142	0.2	0.1
	Opium, morphin, laudanum.....	46	64	(1)	0.1	190	Motor cycle accidents.....	267	242	0.3	0.2
	Strychnin.....	208	169	0.2	0.2	192	Injuries by other vehicles.....	1,286	1,295	1.2	1.3
178	Other poisons or kind not stated.....	1,116	1,107	1.1	1.1	193	Landslide, other crushing.....	743	740	0.7	0.7
179	Conflagration.....	1,408	1,628	1.4	1.6	194	Injuries by animals (not poisoning).....	629	605	0.6	0.6
179	Burns (conflagration excepted).....	6,375	6,895	6.2	7.0	195	Wounds of war.....	5	6	(1)	(1)
	Molten metal.....	22	24	(1)	(1)	196	Starvation (deprivation of food or water).....	11	15	(1)	(1)
	Playing with fire, matches, etc.....	416	418	0.4	0.4	201	Excessive cold.....	239	335	0.2	0.3
	Fall into fire.....	179	211	0.2	0.2	202	Excessive heat.....	1,355	409	1.3	0.4
	Scalds.....	1,291	1,365	1.3	1.4		Lightning.....	442	334	0.4	0.3
	Others under this title.....	4,467	4,877	4.3	4.9		Other accidental electric shocks.....	995	977	1.0	1.0
180	Mechanical suffocation.....	1,123	1,176	1.1	1.2	203	Fracture (cause not specified).....	640	734	0.6	0.7
181	Absorption of irrespirable, irritating, or poisonous gas.....	2,439	2,525	2.4	2.5		Other external violence.....	5,401	4,502	5.2	4.6
182	Drowning.....	6,456	6,490	6.3	6.5		Foreign body in digestive or respiratory tract.....	682	589	0.7	0.6
	Traumatism—						Others under this title.....	4,719	3,913	4.6	3.9
183	By firearms (wounds of war excepted).....	2,570	2,571	2.5	2.6	204	Violent deaths of unknown causation.....	16	16	(1)	(1)
184	By cutting or piercing instruments.....	732	621	0.7	0.6	205	XV.—Ill-defined diseases.....	17,905	17,536	17.4	17.7
							Sudden death.....	1,868	1,446	1.8	1.5
							Not specified or ill-defined.....	16,037	16,090	15.6	16.2
							Ill-defined.....	5,041	5,408	4.9	5.5
							Not specified or unknown.....	10,996	10,682	10.7	10.8

¹ Less than one-tenth of 1 per 100,000 population.
² Not separately tabulated.

³ The figures for infanticide are included in those for homicide.
⁴ Excludes collision with railroad trains and street cars.

NOTE.—The population for 1925 is shown in Table I A.
 56823—27—3

GENERAL TABLES

DEATHS, BY MONTH OF OCCURRENCE

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nebraska.....	12,493	1,135	1,048	1,248	1,202	1,003	859	969	974	928	1,068	985	1,074
Urban.....	4,123	370	335	385	394	339	290	342	314	310	348	315	381
Rural.....	8,370	765	713	863	808	664	569	627	660	618	720	670	693
New Hampshire.....	6,563	572	537	668	615	626	504	467	491	458	491	513	621
Urban.....	2,851	245	241	319	200	282	214	195	199	179	215	227	285
Rural.....	3,702	327	296	349	355	344	290	272	292	279	276	286	336
New Jersey.....	42,192	4,169	3,516	3,853	3,693	3,623	3,561	3,115	3,182	3,008	3,375	3,345	3,752
Urban.....	26,846	2,671	2,242	2,553	2,391	2,310	2,273	1,906	1,959	1,857	2,177	2,193	2,374
Rural.....	15,346	1,498	1,274	1,300	1,302	1,313	1,288	1,209	1,223	1,151	1,198	1,212	1,378
New York.....	142,500	13,369	11,799	13,691	13,328	12,659	11,699	10,086	10,268	10,205	11,529	11,499	12,368
Urban.....	108,020	10,328	9,154	10,475	10,147	9,611	8,898	7,506	7,643	7,537	8,648	8,715	9,338
Rural.....	34,480	3,041	2,645	3,216	3,181	3,048	2,801	2,580	2,625	2,668	2,881	2,784	3,030
North Carolina.....	32,548	2,819	2,749	3,091	2,821	3,020	2,858	2,793	2,408	2,276	2,544	2,482	2,687
Urban.....	6,580	538	541	551	540	585	569	578	510	500	553	505	590
Rural.....	25,968	2,281	2,208	2,540	2,281	2,435	2,289	2,215	1,898	1,776	1,991	1,977	2,097
North Dakota.....	5,045	416	437	447	432	431	342	428	414	429	467	410	392
Urban.....	672	45	57	67	47	54	42	67	48	68	53	59	65
Rural.....	4,373	371	380	380	385	377	300	361	366	361	414	351	327
Ohio.....	73,607	6,318	6,055	7,416	6,792	6,152	5,481	5,380	5,844	5,594	6,032	5,986	6,557
Urban.....	42,438	3,691	3,479	4,304	3,839	3,594	3,230	3,025	3,310	3,219	3,507	3,481	3,810
Rural.....	31,169	2,627	2,576	3,112	2,953	2,558	2,251	2,355	2,534	2,375	2,525	2,505	2,747
Oregon.....	9,629	871	762	935	937	823	805	748	688	723	781	742	814
Urban.....	4,407	379	357	408	420	384	383	337	305	325	302	340	377
Rural.....	5,222	492	405	527	517	439	422	411	383	398	389	402	437
Pennsylvania.....	115,745	10,827	10,162	11,421	10,487	9,670	8,922	7,915	8,792	8,791	9,310	9,197	10,251
Urban.....	63,807	6,197	5,597	6,317	5,639	5,523	5,094	4,297	4,707	4,620	5,086	5,092	5,638
Rural.....	51,938	4,630	4,565	5,104	4,848	4,147	3,828	3,618	4,085	4,171	4,224	4,105	4,613
Rhode Island.....	8,226	759	654	797	780	720	661	583	655	557	652	646	762
Urban.....	6,872	631	546	682	658	597	553	472	552	464	543	544	630
Rural.....	1,354	128	108	115	122	123	108	111	103	93	109	102	132
South Carolina.....	21,990	1,785	1,766	1,986	1,921	2,078	1,905	1,854	1,658	1,661	1,721	1,759	1,896
Urban.....	4,036	306	302	351	311	358	354	366	324	319	295	369	381
Rural.....	17,954	1,479	1,464	1,635	1,610	1,720	1,551	1,488	1,334	1,342	1,426	1,390	1,515
Tennessee.....	27,834	2,439	2,300	2,715	2,329	2,296	2,373	2,377	2,059	2,049	2,216	2,289	2,392
Urban.....	9,179	787	724	874	790	762	824	801	677	667	716	756	801
Rural.....	18,655	1,652	1,576	1,841	1,539	1,534	1,549	1,576	1,382	1,382	1,500	1,533	1,591
Utah.....	4,484	457	376	409	374	374	346	319	328	336	374	375	416
Urban.....	2,127	204	173	185	167	172	177	133	159	170	196	184	207
Rural.....	2,357	253	203	224	207	202	169	186	169	166	178	191	209
Vermont.....	5,137	451	414	490	465	481	404	360	369	376	422	433	472
Urban.....	822	87	68	74	66	75	59	63	68	68	68	70	70
Rural.....	4,315	364	346	416	399	406	345	297	315	308	354	363	402
Virginia.....	29,343	2,754	2,634	2,789	2,505	2,433	2,305	2,429	2,255	2,053	2,372	2,338	2,476
Urban.....	8,470	777	781	739	712	699	652	730	649	616	676	714	725
Rural.....	20,873	1,977	1,853	2,050	1,793	1,734	1,653	1,699	1,606	1,437	1,696	1,624	1,751
Washington.....	15,280	1,372	1,195	1,332	1,441	1,353	1,196	1,156	1,196	1,203	1,288	1,239	1,309
Urban.....	7,798	707	592	680	739	692	607	608	592	575	662	669	675
Rural.....	7,482	665	603	652	702	661	588	549	604	628	626	570	634
West Virginia.....	17,154	1,498	1,291	1,519	1,407	1,313	1,166	1,463	1,528	1,538	1,556	1,379	1,496
Urban.....	4,682	420	364	452	410	377	342	401	389	360	399	364	404
Rural.....	12,472	1,078	927	1,067	997	936	824	1,062	1,139	1,178	1,157	1,015	1,092
Wisconsin.....	29,380	2,460	2,379	2,872	3,005	2,658	2,235	2,270	2,137	2,262	2,439	2,276	2,387
Urban.....	12,361	989	1,020	1,219	1,302	1,131	960	937	904	954	1,018	939	988
Rural.....	17,019	1,471	1,359	1,653	1,703	1,527	1,275	1,333	1,233	1,308	1,421	1,337	1,399
Wyoming.....	1,896	147	136	155	171	178	130	171	169	170	184	135	150
Urban.....	413	34	26	38	40	47	22	33	35	34	44	23	37
Rural.....	1,483	113	110	117	131	131	108	138	134	136	140	112	113

NOTE.—Populations are shown in Table 1A. Similar data for cities, which have not been shown since 1922, are held in manuscript.

MORTALITY STATISTICS

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1925

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
The registration area in continental United States.....	1,219,019	1,053,856	796,110	470,850	216,121	109,139	241,004	16,742	165,163	159,491	2,965	1,299	1,277	131
Registration States ¹	1,191,809	1,035,500	780,967	461,742	213,498	105,727	238,451	16,082	156,309	150,865	2,956	1,284	1,274	130
Cities in registration States ¹	614,560	544,729	375,400	190,225	140,823	44,352	161,532	7,797	69,831	67,835	195	984	744	73
Rural part of registration States.....	577,249	490,771	405,567	271,517	72,675	61,375	76,919	8,285	86,478	82,830	2,761	300	530	57
Registration cities in nonregistration States ²	27,210	18,356	15,143	9,108	2,623	3,412	2,553	660	8,854	8,826	9	15	3	1
All registration cities ¹	641,770	563,085	390,543	199,333	143,446	47,764	164,085	8,457	78,685	76,661	204	999	747	74
Alabama.....	29,140	14,984	14,271	11,625	432	2,214	316	377	14,176	14,170	4	-----	1	1
Urban.....	7,771	3,760	3,480	2,614	253	613	206	74	4,011	4,010	-----	-----	1	-----
Rural.....	21,369	11,204	10,791	9,011	179	1,601	110	303	10,165	10,160	4	-----	-----	-----
California.....	56,800	53,752	37,074	16,347	11,884	8,843	15,499	1,179	3,048	1,140	319	692	841	56
Urban.....	33,146	31,345	21,269	9,475	7,004	4,790	9,406	670	1,801	798	30	487	481	25
Rural.....	23,654	22,407	15,805	6,872	4,880	4,053	6,093	509	1,247	342	289	225	360	31
Colorado.....	12,549	12,176	9,442	5,175	2,088	2,229	2,340	394	373	287	39	3	41	3
Urban.....	5,908	5,675	4,299	2,284	989	1,026	1,159	217	233	203	10	3	15	2
Rural.....	6,641	6,501	5,143	2,891	1,049	1,203	1,181	177	140	84	29	-----	26	1
Connecticut.....	17,680	17,191	11,277	5,344	4,745	1,188	5,759	155	459	479	5	5	-----	-----
Urban.....	13,362	12,933	8,246	3,641	3,366	739	4,584	103	429	420	4	5	-----	-----
Rural.....	4,318	4,258	3,031	1,703	879	449	1,175	52	60	59	1	-----	-----	-----
Delaware.....	3,115	2,478	2,142	1,559	378	205	290	46	637	637	-----	-----	-----	-----
Urban.....	1,435	1,205	974	597	294	83	214	17	230	230	-----	-----	-----	-----
Rural.....	1,680	1,273	1,168	962	84	122	76	29	407	407	-----	-----	-----	-----
Florida.....	16,862	10,160	8,630	5,519	849	2,262	1,010	520	6,702	6,697	4	1	-----	-----
Urban.....	5,941	3,484	2,789	1,724	449	616	555	140	2,457	2,456	-----	-----	-----	-----
Rural.....	10,921	6,676	5,841	3,795	400	1,646	455	380	4,245	4,241	3	-----	-----	-----
Idaho.....	3,402	3,253	2,518	1,460	555	503	627	108	149	10	109	13	14	3
Urban.....	492	477	376	209	85	82	88	13	15	5	1	4	3	2
Rural.....	2,910	2,776	2,142	1,251	470	421	539	95	134	5	108	9	11	1
Illinois.....	81,593	75,907	52,171	26,507	18,407	7,257	22,607	1,129	5,686	5,621	4	56	5	-----
Urban.....	50,717	46,095	28,500	11,843	13,269	3,388	16,865	730	4,622	4,566	3	49	4	-----
Rural.....	30,876	29,812	23,671	14,664	5,138	3,869	5,742	399	1,064	1,055	1	7	1	-----
Indiana.....	38,632	36,557	32,770	22,444	4,804	5,522	3,442	345	2,075	2,070	2	2	-----	1
Urban.....	17,192	15,450	13,098	8,343	2,641	2,114	2,183	169	1,742	1,739	1	2	-----	-----
Rural.....	21,440	21,107	19,672	14,101	2,163	3,408	1,259	176	333	331	1	-----	-----	1
Iowa.....	24,294	23,954	18,429	10,571	4,670	3,188	5,162	363	340	330	7	2	-----	1
Urban.....	8,425	8,181	6,317	3,387	1,783	1,147	1,717	147	244	236	5	2	-----	1
Rural.....	15,869	15,773	12,112	7,184	2,887	2,041	3,445	216	96	94	2	-----	-----	-----
Kansas.....	18,581	17,294	14,577	8,523	2,195	3,859	2,362	355	1,287	1,254	29	2	-----	1
Urban.....	6,248	5,373	4,618	2,630	781	1,207	644	111	875	873	1	1	-----	-----
Rural.....	12,333	11,921	9,959	5,893	1,414	2,652	1,718	244	412	381	28	1	-----	1
Kentucky.....	28,387	23,736	22,507	17,974	4,416	3,117	978	251	4,651	4,648	-----	3	-----	-----
Urban.....	7,947	6,085	5,327	3,431	950	946	689	69	1,862	1,859	-----	3	-----	-----
Rural.....	20,440	17,651	17,180	14,543	466	2,171	289	182	2,789	2,789	-----	-----	-----	-----
Louisiana.....	25,088	12,202	10,843	7,221	1,614	2,008	1,001	358	12,886	12,852	21	7	1	5
Urban.....	10,658	5,769	4,898	2,887	1,292	719	732	89	4,889	4,881	-----	5	-----	3
Rural.....	14,430	6,433	5,945	4,334	322	1,289	219	269	7,997	7,971	21	2	1	2
Maine.....	10,792	10,753	8,987	6,559	1,804	624	1,696	70	39	26	13	-----	-----	-----
Urban.....	3,460	3,446	2,617	1,664	775	178	794	35	14	13	1	-----	-----	-----
Rural.....	7,332	7,307	6,370	4,895	1,029	446	902	35	25	13	12	-----	-----	-----
Maryland.....	21,628	16,143	13,728	9,387	2,901	1,440	2,252	163	5,485	5,475	-----	9	1	-----
Urban.....	12,921	9,839	7,899	4,798	2,273	828	1,860	80	3,082	3,073	-----	9	-----	-----
Rural.....	8,707	6,304	5,829	4,589	623	612	392	83	2,403	2,402	-----	-----	-----	-----
Massachusetts.....	51,721	50,722	32,832	15,407	14,571	2,854	17,639	251	999	928	7	60	3	1
Urban.....	41,844	40,956	25,731	11,299	12,333	2,099	15,019	206	888	825	3	57	3	-----
Rural.....	9,877	9,766	7,101	4,108	2,238	755	2,620	45	111	103	4	3	-----	1
Michigan.....	49,419	46,978	32,392	16,113	11,575	4,704	13,604	982	2,441	2,274	149	11	3	4
Urban.....	26,762	24,792	16,345	7,393	6,822	2,140	7,886	561	1,970	1,940	13	11	2	4
Rural.....	22,657	22,186	16,047	8,730	4,753	2,564	5,718	421	471	334	136	-----	1	-----
Minnesota.....	25,436	24,973	14,927	6,833	6,821	1,273	9,800	246	463	219	228	15	1	-----
Urban.....	11,345	11,128	7,090	3,195	3,281	614	3,940	98	217	199	4	13	1	-----
Rural.....	14,091	13,845	7,837	3,638	3,540	659	5,860	148	246	20	224	2	-----	-----
Mississippi.....	22,153	8,218	7,782	5,853	256	1,673	182	254	13,935	13,908	22	5	-----	-----
Urban.....	3,288	1,403	1,302	976	95	231	70	81	1,885	1,885	-----	-----	-----	-----
Rural.....	18,865	6,815	6,480	4,877	161	1,442	112	223	12,050	12,023	22	5	-----	-----
Missouri.....	41,288	36,620	31,024	18,923	5,504	6,597	4,572	1,024	4,668	4,651	3	10	3	1
Urban.....	20,566	17,306	13,630	7,256	3,667	2,707	3,210	466	3,260	3,244	3	10	3	-----
Rural.....	20,722	19,314	17,394	11,667	1,837	3,890	1,362	558	1,408	1,407	-----	-----	-----	-----

¹ Including District of Columbia.² These cities are shown under the various States (indicated by footnote 1) in Table I B.

DEATHS, BY COLOR AND NATIVITY

35

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE						COLORED						
		Total	Native			Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored	
			Total	Both parents native	One or both parents foreign born									Parent-age unknown
Montana.....	5,188	4,710	3,235	1,529	1,060	646	1,338	137	478	31	423	18	4	2
Urban.....	1,603	1,569	1,002	465	390	147	538	29	34	15	8	10	1	
Rural.....	3,585	3,141	2,233	1,064	670	499	800	108	444	16	415	8	3	2
Nebraska.....	12,493	12,098	8,900	5,040	2,239	1,621	2,976	222	395	260	124	4	6	1
Urban.....	4,123	3,879	2,858	1,535	845	473	84	84	244	234	2	4	3	1
Rural.....	8,370	8,219	6,047	3,505	1,394	1,148	2,034	138	151	26	122		3	
New Hampshire.....	6,563	6,556	4,877	2,682	1,083	1,112	1,443	236	7	7				
Urban.....	2,861	2,856	1,931	940	642	349	856	69	5	5				
Rural.....	3,702	3,700	2,946	1,742	441	763	587	167	2	2				
New Jersey.....	42,192	38,932	26,232	14,053	10,749	1,430	12,403	297	3,260	3,235	3	16	5	1
Urban.....	24,633	24,633	15,721	7,355	7,589	777	8,723	189	2,213	2,193	2	15	2	1
Rural.....	15,346	14,299	10,511	6,698	3,160	653	3,680	108	1,047	1,042	1	1	3	
New York.....	142,500	136,752	87,415	41,434	39,928	6,053	48,165	1,172	5,748	5,453	102	154	31	8
Urban.....	103,020	102,895	60,537	25,042	32,545	2,950	41,495	863	5,125	4,914	27	149	27	8
Rural.....	34,480	33,857	26,878	16,392	7,383	3,103	6,670	309	623	539	75	5	4	
North Carolina.....	32,548	19,702	19,262	16,444	213	2,605	154	286	12,846	12,647	197		2	
Urban.....	6,580	3,504	3,384	2,784	90	510	71	49	3,076	3,073	2		1	
Rural.....	25,968	16,198	15,878	13,660	123	2,095	83	237	9,770	9,574	195		1	
North Dakota.....	5,045	4,817	3,042	1,382	1,477	183	1,684	91	228	8	217	1	2	
Urban.....	672	664	436	195	207	34	211	17	8	6	1		1	
Rural.....	4,373	4,153	2,606	1,187	1,270	149	1,473	74	220	2	216	1	1	
Ohio.....	73,607	68,305	55,357	33,976	13,870	7,511	11,830	1,118	5,302	5,284	7	11		
Urban.....	42,493	38,172	28,669	15,348	9,447	3,374	8,998	505	4,266	4,251	4	11		
Rural.....	31,169	30,133	26,688	18,128	4,423	4,137	2,832	613	1,036	1,033	3			
Oregon.....	9,629	9,321	7,062	3,749	1,499	1,814	1,953	306	308	42	129	71	58	8
Urban.....	4,407	4,270	3,038	1,540	786	712	1,123	109	137	30	7	53	42	5
Rural.....	5,222	5,051	4,024	2,209	713	1,102	830	197	171	12	122	18	16	3
Pennsylvania.....	115,745	108,181	83,461	51,773	24,906	6,782	23,357	1,363	7,564	7,514	6	39	2	3
Urban.....	63,807	57,773	41,704	23,121	15,159	3,424	15,248	821	6,034	6,034	3	37	2	2
Rural.....	51,938	50,408	41,757	28,652	9,747	3,358	8,109	542	1,530	1,524	3	2		1
Rhode Island.....	8,226	8,009	5,084	2,408	2,441	235	2,856	69	217	214		3		
Urban.....	6,872	6,680	4,144	1,809	2,153	182	2,478	58	192	189		3		
Rural.....	1,354	1,329	940	599	288	53	378	11	25	25				
South Carolina.....	21,990	8,693	8,484	7,171	200	1,113	111	98	13,297	13,285	10	1		1
Urban.....	4,036	1,810	1,703	1,249	119	335	74	33	2,226	2,225				1
Rural.....	17,954	6,883	6,781	5,922	81	778	37	65	11,071	11,060	10	1		
Tennessee.....	27,834	19,404	18,748	14,856	472	3,420	336	320	8,430	8,426	2	2		
Urban.....	9,179	5,116	4,772	3,475	290	1,007	240	104	4,063	4,063		2		
Rural.....	18,655	14,288	13,976	11,381	182	2,413	96	216	4,367	4,365	2			
Utah.....	4,484	4,389	3,107	1,763	1,070	274	1,224	58	95	25	32	10	28	
Urban.....	2,127	2,082	1,399	726	520	153	644	39	45	20		10	15	
Rural.....	2,357	2,307	1,708	1,037	550	121	580	19	50	5	32		13	
Vermont.....	5,137	5,131	4,210	2,710	966	534	858	63	6	6				
Urban.....	822	820	624	371	183	70	181	15	2	2				
Rural.....	4,315	4,311	3,586	2,339	783	464	677	48	4	4				
Virginia.....	29,343	17,523	16,839	14,186	594	2,059	480	204	11,820	11,798	13	4	2	3
Urban.....	8,470	4,715	4,401	3,482	339	580	265	49	3,755	3,747	3	3	1	1
Rural.....	20,873	12,808	12,438	10,704	255	1,479	215	155	8,065	8,051	10	1	1	2
Washington.....	15,280	14,528	9,904	5,321	2,745	1,838	4,115	509	752	144	344	37	206	21
Urban.....	7,798	7,486	4,949	2,659	1,490	800	2,285	252	312	103	29	32	133	15
Rural.....	7,482	7,042	4,955	2,662	1,255	1,038	1,830	257	440	41	315	5	73	6
West Virginia.....	17,154	15,467	14,355	11,408	1,126	1,821	820	292	1,687	1,686				1
Urban.....	4,682	4,210	3,728	2,788	442	498	391	91	472	472				
Rural.....	12,472	11,257	10,627	8,620	684	1,323	429	201	1,215	1,214				1
Wisconsin.....	29,380	28,871	18,191	7,812	8,514	1,865	10,315	365	509	188	314	7		
Urban.....	12,361	12,205	7,769	3,087	3,997	685	4,281	155	156	125	25	6		
Rural.....	17,019	16,666	10,422	4,725	4,517	1,180	6,034	210	353	63	289	1		
Wyoming.....	1,896	1,787	1,352	755	299	298	335	100	109	26	67	2	12	2
Urban.....	413	395	304	172	60	72	57	34	18	15	1		2	
Rural.....	1,483	1,392	1,048	583	239	226	278	66	91	11	66	2	10	2

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. I, Tables 5 and 24, and Thirteenth Census of the United States, 1910: Vol. I, Ch. II, Tables 18 and 45. Similar data for cities, which have not been shown since 1922, are held in manuscript.

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	The registration area in continental United States.....	White..... 1,053,856 Colored..... 165,163	136,314 25,647	46,917 9,416	19,488 3,025	15,218 3,230	22,615 7,571	29,099 10,651	30,434 10,210	33,401 9,179
2	Registration States ¹	White..... 1,035,500 Colored..... 156,309	133,525 24,555	45,802 9,035	19,195 2,873	14,926 3,075	22,057 7,161	28,232 9,969	29,570 9,504	32,555 8,569
3	Cities in registration States ¹	White..... 544,729 Colored..... 69,831	67,186 10,138	23,118 3,899	10,917 1,091	7,829 1,071	11,118 2,728	15,306 4,533	16,892 4,923	19,170 4,758
4	Rural part of registration States.....	White..... 490,771 Colored..... 86,478	66,399 14,417	22,784 5,136	8,278 1,787	7,097 2,004	10,939 4,433	12,926 5,456	12,678 4,581	13,376 3,811
5	Registration cities in nonregistration States ²	White..... 13,856 Colored..... 3,854	2,789 1,092	1,015 381	293 147	292 155	558 410	867 682	864 706	846 610
6	All registration cities ¹	White..... 563,085 Colored..... 73,685	69,975 11,230	24,133 4,285	11,210 1,226	8,121 1,226	11,676 3,138	16,173 5,215	17,756 5,629	20,025 5,368
7	Alabama.....	White..... 14,964 Colored..... 14,176	2,499 2,042	1,033 669	302 230	263 298	472 738	552 1,011	550 863	502 767
8	Urban.....	White..... 3,760 Colored..... 4,011	455 542	233 169	72 55	76 69	138 211	159 342	168 306	159 277
9	Rural.....	White..... 11,204 Colored..... 10,165	2,044 1,500	800 500	230 175	187 229	334 527	393 669	382 557	343 490
10	California.....	White..... 53,752 Colored..... 3,048	5,410 445	1,833 228	709 74	631 52	1,097 110	1,524 122	1,803 161	1,982 180
11	Urban.....	White..... 31,345 Colored..... 1,801	2,865 244	950 146	401 38	325 31	550 61	837 78	1,013 89	1,102 112
12	Rural.....	White..... 22,407 Colored..... 1,247	2,545 201	883 82	308 30	303 21	547 49	687 44	790 72	880 68
13	Colorado.....	White..... 12,176 Colored..... 373	1,687 52	597 17	244 7	225 5	315 17	486 25	546 33	564 28
14	Urban.....	White..... 5,675 Colored..... 233	666 23	247 5	117 5	84 4	138 18	207 10	250 25	256 20
15	Rural.....	White..... 6,501 Colored..... 140	1,021 29	350 12	127 2	141 1	177 4	279 15	296 8	308 8
16	Connecticut.....	White..... 17,191 Colored..... 489	2,101 78	644 37	351 7	223 6	318 12	390 21	391 25	518 22
17	Urban.....	White..... 12,933 Colored..... 429	1,658 69	532 34	298 7	177 6	247 8	306 17	310 22	411 19
18	Rural.....	White..... 4,258 Colored..... 60	443 9	112 3	53 3	46 3	71 4	84 4	81 3	107 3
19	Delaware.....	White..... 2,478 Colored..... 637	327 96	109 40	43 14	34 12	30 22	66 27	57 32	59 18
20	Urban.....	White..... 1,205 Colored..... 230	172 32	65 16	29 6	11 5	11 5	37 9	31 13	32 9
21	Rural.....	White..... 1,273 Colored..... 407	155 64	44 24	14 8	5 7	19 17	29 18	26 19	27 9
22	Florida.....	White..... 10,160 Colored..... 6,702	1,212 969	611 326	218 111	156 123	235 294	408 484	385 498	361 431
23	Urban.....	White..... 3,484 Colored..... 2,457	390 398	168 144	91 31	47 38	52 98	165 180	162 211	154 193
24	Rural.....	White..... 6,676 Colored..... 4,245	822 571	443 182	127 80	109 85	153 196	243 304	223 287	207 238
25	Idaho.....	White..... 3,258 Colored..... 149	458 18	179 27	81 12	77 7	97 6	114 3	92 6	103 3
26	Urban.....	White..... 477 Colored..... 15	62 2	19 1	9 1	11 1	15 1	18 1	17 1	14 1
27	Rural.....	White..... 2,776 Colored..... 134	396 16	160 26	72 12	66 7	82 5	96 2	75 5	89 3
28	Illinois.....	White..... 75,907 Colored..... 5,686	9,118 704	3,151 341	1,430 102	1,097 103	1,562 210	2,151 365	2,239 421	2,023 375
29	Urban.....	White..... 46,015 Colored..... 4,622	5,769 610	1,994 86	974 82	690 166	900 166	1,385 298	1,503 347	1,791 313
30	Rural.....	White..... 29,812 Colored..... 1,064	3,349 94	1,157 32	456 16	407 21	662 44	766 67	786 74	832 62
31	Indiana.....	White..... 36,357 Colored..... 2,075	4,115 255	1,416 112	594 21	496 35	779 74	944 124	885 139	946 127
32	Urban.....	White..... 15,450 Colored..... 1,742	1,980 229	624 104	280 21	232 31	353 61	489 105	468 124	504 114
33	Rural.....	White..... 21,107 Colored..... 333	2,135 26	792 8	314 8	264 4	426 13	455 19	417 15	442 13
34	Iowa.....	White..... 23,954 Colored..... 340	2,631 42	821 19	382 2	319 6	437 17	537 14	556 17	591 20
35	Urban.....	White..... 8,181 Colored..... 244	947 35	287 15	156 1	109 3	138 10	227 11	238 12	256 12
36	Rural.....	White..... 15,773 Colored..... 96	1,684 7	534 4	226 1	210 3	299 7	310 3	318 5	335 8
37	Kansas.....	White..... 17,294 Colored..... 1,237	2,096 170	636 41	279 21	240 22	329 43	420 55	434 91	470 65
38	Urban.....	White..... 5,373 Colored..... 875	621 124	201 32	94 18	86 13	115 29	159 34	158 69	169 45
39	Rural.....	White..... 11,921 Colored..... 412	1,475 46	435 9	185 3	154 4	214 14	261 21	276 22	301 17
40	Kentucky.....	White..... 23,736 Colored..... 4,651	3,952 528	1,592 216	436 59	402 83	711 200	908 236	782 256	703 223
41	Urban.....	White..... 6,085 Colored..... 1,862	785 178	286 73	90 20	74 21	149 58	224 81	186 121	187 114
42	Rural.....	White..... 17,651 Colored..... 2,789	3,167 350	1,306 143	346 39	328 62	562 142	684 155	596 135	516 109

¹ Including District of Columbia.

DEATHS, BY AGE AND COLOR

BIRTHS), BY AGE AND COLOR: 1925

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
39,383 10,561	43,178 10,351	49,322 10,756	58,517 11,005	67,180 8,111	80,497 7,980	93,064 6,868	92,223 6,262	83,834 4,707	63,542 3,928	34,026 2,238	11,626 1,278	2,572 604	448 332	958 753
38,438 9,856 23,233 5,455 15,205 4,401 945 705 24,178 6,160	42,224 9,652 26,118 5,496 16,106 4,156 954 699 27,072 6,195	48,313 10,048 30,008 5,591 18,305 4,457 1,009 708 31,017 6,299	57,471 10,222 35,600 5,282 21,871 4,940 1,046 783 36,646 6,065	66,098 7,671 39,870 3,816 26,228 3,855 1,082 440 40,952 4,256	79,314 7,574 45,717 3,356 33,597 4,218 1,183 406 46,900 3,762	91,778 6,609 47,871 2,592 43,907 4,017 1,213 259 49,157 2,851	91,010 6,042 43,716 1,954 47,294 4,088 1,213 220 44,929 2,174	82,874 4,569 36,307 1,231 46,567 3,338 960 138 37,267 1,369	62,885 3,811 25,733 839 37,152 2,972 657 117 26,390 956	33,670 2,158 13,295 484 20,375 1,674 356 80 13,651 564	11,543 1,237 4,399 229 7,144 1,008 83 41 4,482 270	2,548 588 977 115 1,571 473 24 16 1,001 131	441 798 166 149 757 649 7 27 173 183	951 728 174 101 757 627 7 34 201 126
569 319 183 271 386 548	543 754 178 312 365 442	600 921 216 354 384 567	655 910 225 336 430 574	673 643 235 168 438 490	800 654 247 168 553 486	1,134 596 300 92 834 465	1,208 596 260 92 948 504	1,152 449 230 44 922 410	749 249 117 31 632 405	411 249 70 21 341 218	146 59 20 4 126 151	34 59 4 4 30 55	17 118 1 14 16 104	100 164 14 5 86 159
2,425 175 1,370 110 1,055 65	2,598 195 1,586 123 1,012 72	2,911 225 1,794 139 1,117 86	3,332 190 2,087 124 1,245 66	3,795 171 2,375 125 1,420 46	4,465 210 2,738 125 1,727 85	4,868 137 2,998 80 1,770 57	4,696 126 2,827 70 1,869 56	4,070 109 2,400 53 1,670 56	3,125 65 1,754 30 1,371 35	1,697 32 949 11 748 21	593 13 319 4 274 9	146 13 82 5 64 8	38 13 18 2 20 10	4 2 2 3 2 2
574 20 252 10 322 10	598 23 283 15 315 8	606 29 313 21 293 8	578 22 307 12 271 10	722 16 386 12 336 4	773 25 414 20 359 5	968 19 490 12 478 7	901 10 450 9 451 1	856 8 397 6 459 2	526 6 245 3 281 3	275 7 125 5 150 5	89 7 38 5 51 5	22 8 8 14 14	6 1 2 1 6	18 1 1 2 16
588 37 477 32 111 5	738 23 584 20 154 3	863 31 695 30 168 1	1,096 42 867 35 229 7	1,197 17 965 14 232 3	1,461 20 1,102 20 359 6	1,577 40 979 23 475 3	1,454 26 909 16 419 1	1,328 17 909 11 376 5	1,046 13 670 8 217 5	615 1 398 1 102 5	229 1 127 1 102 5	46 2 19 2 27 3	8 1 5 1 7 3	9 2 2 7 7
93 28 58 11 35 17	78 39 45 19 33 20	110 35 64 18 46 17	117 43 61 24 56 26	151 38 79 12 86 30	183 44 97 14 132 41	233 54 101 7 128 25	221 32 93 7 145 18	239 25 94 6 118 15	184 7 66 2 65 5	104 7 39 2 118 5	31 5 13 2 18 3	5 4 5 5 4	1 1 1 3 22	3 1 1 3 47
436 546 156 226 280 320	441 509 171 219 270 290	469 479 182 217 287 296	580 475 224 179 341 296	636 267 282 91 412 176	737 277 282 66 455 211	829 219 250 54 579 165	795 192 203 33 540 159	745 166 161 25 542 141	520 125 66 17 164 108	230 61 28 8 359 47	90 38 28 8 164 30	15 21 2 3 62 18	4 31 2 9 2 22	47 60 4 3 43 57
114 4 20	143 4 33	140 8 21	163 6 18	197 6 28	220 1 40	308 11 51	234 12 29	235 5 26	163 3 29	103 1 11	19 2 4	7 3 2	3 1 2	6 1 6
94 4	110 3	119 6	145 5	169 6	180 1	257 9	205 11	209 4	134 3	92 1	15 5	5 3	1 1	6 1
3,150 448 2,181 400 969 48	3,417 466 2,388 390 1,039 76	3,771 475 2,607 415 1,164 60	4,479 383 3,110 317 1,369 66	5,176 314 3,505 232 1,671 82	6,096 280 3,933 212 2,163 68	6,739 238 3,976 173 2,763 65	6,344 168 3,373 111 2,971 57	5,629 126 2,687 75 2,942 51	4,410 75 1,937 39 2,473 36	2,296 44 944 26 1,352 18	800 18 359 8 441 10	181 7 11 17 106 3	28 22 11 17 11	20 5 3 2 3
1,156 149 948 135 508 14	1,324 178 717 155 607 23	1,426 156 775 137 651 19	1,687 167 869 140 818 27	2,178 101 1,066 85 1,112 16	2,820 117 1,224 92 1,596 25	3,563 82 1,405 55 2,158 27	3,811 84 1,304 41 2,507 25	3,563 64 1,110 15 2,453 23	2,748 34 810 24 1,938 19	1,496 30 426 7 1,070 6	469 13 123 7 346 6	101 2 30 4 71 1	12 7 4 6 8 1	28 4 9 1 19 3
078 11 289 9 389 2	745 25 344 19 401 6	842 16 350 14 492 2	1,063 20 428 18 635 2	1,389 21 538 12 851 9	1,744 20 634 14 1,110 6	2,282 27 780 21 1,502 6	2,475 18 777 10 1,698 8	2,431 19 671 13 1,760 6	2,158 14 558 7 1,600 7	1,251 5 315 3 936 2	500 3 109 3 391 2	102 2 26 1 76 1	17 1 4 1 13 1	3 1 1 3 3 1
506 92 199 74 307 18	514 74 190 54 324 20	644 66 237 50 407 26	814 87 324 61 490 26	939 65 341 55 598 22	1,150 284 392 131 770 18	1,433 269 476 139 94 175	1,900 223 524 61 1,400 162	1,924 175 469 40 1,400 125	1,885 149 469 44 1,080 105	1,409 69 335 20 44 53	777 24 200 13 667 11	235 17 73 5 204 4	58 9 15 5 29 4	11 9 2 1 5 4
800 270 235 145 565 125	771 287 228 142 543 145	841 320 316 177 633 182	998 358 365 176 633 182	1,150 284 392 131 770 18	1,433 269 476 139 94 175	1,900 223 524 61 1,400 162	1,924 175 469 40 1,400 125	1,885 149 469 44 1,080 105	1,409 69 335 20 44 53	777 24 200 13 667 11	235 17 73 5 204 4	58 9 15 5 29 4	11 9 2 1 5 4	58 55 1 15 57 40

* These cities are shown under the various States (indicated by footnote 1) in Table I. B.

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	
1	Louisiana	White	12,202	1,910	738	262	207	360	457	450	426
		Colored	12,886	1,932	728	250	265	654	853	786	665
2	Urban	White	5,769	678	259	116	83	145	222	235	213
		Colored	4,889	627	230	62	70	218	348	346	345
3	Rural	White	6,433	1,232	479	146	124	215	235	215	213
		Colored	7,997	1,806	498	188	195	436	505	440	320
4	Maine	White	10,753	1,328	327	161	113	200	225	216	209
		Colored	39	4	2			3	2	4	
5	Urban	White	3,446	421	118	67	43	65	88	97	77
		Colored	14	3						1	
6	Rural	White	7,307	907	209	94	70	135	137	119	132
		Colored	25	1	2			3	2	3	
7	Maryland	White	16,143	2,063	602	258	192	288	374	408	473
		Colored	5,485	985	330	84	81	186	230	235	266
8	Urban	White	9,839	1,150	380	168	131	172	230	255	319
		Colored	3,082	426	192	50	36	85	158	192	178
9	Rural	White	6,304	913	222	90	61	116	144	153	154
		Colored	2,408	559	138	34	45	101	122	98	88
10	Massachusetts	White	50,722	6,146	2,265	904	656	860	1,108	1,236	1,394
		Colored	999	134	56	15	18	32	35	59	49
11	Urban	White	40,956	5,287	1,997	792	549	675	895	1,041	1,165
		Colored	888	124	51	13	13	29	32	46	42
12	Rural	White	9,766	859	268	112	107	185	213	246	229
		Colored	111	10	5	2	5	3	3	13	7
13	Michigan	White	46,978	7,075	2,027	974	629	1,006	1,237	1,362	1,604
		Colored	2,441	399	135	41	42	85	174	251	234
14	Urban	White	24,732	4,193	1,150	595	325	567	791	901	1,071
		Colored	1,970	384	114	29	27	67	151	221	207
15	Rural	White	22,186	2,882	877	379	304	439	446	461	533
		Colored	471	65	21	12	15	18	23	30	27
16	Minnesota	White	24,973	3,162	895	547	420	552	743	773	790
		Colored	463	80	44	16	3	13	22	17	16
17	Urban	White	11,128	1,255	410	241	191	246	338	396	396
		Colored	217	19	8	2	1	2	8	10	10
18	Rural	White	13,845	1,907	485	306	229	306	405	377	394
		Colored	246	61	36	14	2	11	14	7	6
19	Mississippi	White	8,218	1,169	587	161	139	247	268	252	246
		Colored	13,935	1,923	734	301	329	803	1,008	790	684
20	Urban	White	1,403	156	95	30	30	50	48	54	56
		Colored	1,885	192	78	32	32	104	140	110	116
21	Rural	White	6,815	1,013	492	131	109	197	220	198	190
		Colored	12,050	1,731	656	269	297	699	863	680	568
22	Missouri	White	36,620	4,104	1,558	638	551	809	963	1,011	1,066
		Colored	4,668	561	208	58	86	197	262	270	272
23	Urban	White	17,306	1,744	622	316	252	369	460	542	533
		Colored	3,260	364	131	27	51	120	175	201	219
24	Rural	White	19,314	2,360	936	322	299	440	503	469	483
		Colored	1,408	197	75	31	35	77	87	69	53
25	Montana	White	710	620	191	109	105	109	148	148	176
		Colored	478	108	85	22	18	21	11	27	14
26	Urban	White	1,569	185	62	32	31	33	54	59	63
		Colored	34	8	1	1		3	3	2	1
27	Rural	White	3,141	435	129	77	74	76	94	89	113
		Colored	444	98	84	21	18	21	8	25	13
28	Nebraska	White	12,098	1,620	542	247	190	260	311	285	334
		Colored	395	67	28	6	15	12	12	19	22
29	Urban	White	3,879	469	160	78	62	90	124	111	163
		Colored	244	28	11	4	2	11	7	13	17
30	Rural	White	8,219	1,151	382	169	128	170	187	174	171
		Colored	151	39	17	2	9	4	5	6	5
31	New Hampshire	White	6,556	716	205	94	69	80	113	137	135
		Colored	7	1	1			1		1	
32	Urban	White	2,856	420	104	53	41	31	61	70	61
		Colored	5	1				1		1	
33	Rural	White	3,700	296	101	41	28	49	52	67	74
		Colored	2					1			
34	New Jersey	White	38,932	4,577	1,672	812	604	781	949	1,070	1,255
		Colored	3,260	535	218	55	60	115	186	190	194
35	Urban	White	24,633	3,154	1,201	615	400	608	621	716	841
		Colored	2,213	392	160	40	36	74	115	128	141
36	Rural	White	14,299	1,423	471	197	204	273	328	354	414
		Colored	1,047	143	58	15	24	41	71	82	53
37	New York	White	136,752	14,613	4,924	2,418	1,779	2,498	3,421	3,898	4,570
		Colored	5,748	914	324	85	72	184	403	434	441
38	Urban	White	102,895	11,842	4,121	2,027	1,423	1,947	2,711	3,113	3,674
		Colored	5,125	853	299	74	63	162	365	393	407
39	Rural	White	33,857	2,771	803	391	356	551	710	780	896
		Colored	623	61	25	11	9	22	38	41	34
40	North Carolina	White	19,702	3,863	1,376	340	277	469	616	676	602
		Colored	12,846	2,732	905	253	278	664	903	689	542
41	Urban	White	3,504	664	194	69	55	102	142	165	142
		Colored	3,076	615	171	54	42	172	259	237	192
42	Rural	White	16,198	3,199	1,182	271	222	367	474	511	460
		Colored	9,770	2,117	734	199	236	492	644	452	350
43	North Dakota	White	4,817	965	279	151	145	127	186	150	154
		Colored	228	71	27	10	10	12	10	1	5
44	Urban	White	664	78	29	28	25	23	40	26	24
		Colored	8	1						1	1
45	Rural	White	4,153	887	250	123	120	104	146	124	130
		Colored	220	70	27	10	10	12	10		4

DEATHS, BY AGE AND COLOR

BIRTHS), BY AGE AND COLOR: 1925—Continued

In 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
505	553	575	717	753	780	950	889	721	527	289	78	22	5	28
853	769	798	840	618	563	483	474	385	350	233	143	60	90	64
251	329	318	409	464	452	494	408	298	220	133	81	9	1	6
401	392	399	374	285	234	161	141	93	65	43	17	11	8	19
254	224	257	308	289	328	456	486	423	307	156	47	13	4	22
452	377	399	466	333	329	322	333	292	315	190	126	49	82	45
265	303	353	491	606	777	1,058	1,176	1,166	977	568	190	41	3	4
1	1	1	1	5	2	6	1	2	2	1	1	1	1	5
128	145	140	210	232	258	325	347	302	213	125	31	12	2	6
1	1	1	1	4	3	3	1	1	1	1	1	1	1	7
137	158	213	281	374	519	733	829	864	764	443	159	29	1	8
1	1	1	1	1	2	3	2	2	1	1	1	1	1	9
543	606	754	985	1,100	1,324	1,564	1,542	1,395	990	459	162	40	6	15
327	372	381	417	307	311	234	219	164	130	51	32	13	11	19
357	404	521	694	751	882	980	903	760	477	217	59	24	5	5
239	278	276	281	197	171	109	95	61	32	12	6	2	5	1
186	202	233	291	349	442	584	639	635	513	242	103	16	1	15
88	94	105	136	110	140	125	124	103	98	39	26	11	6	18
1,638	1,952	2,431	3,010	3,675	4,283	4,733	4,645	4,116	3,052	1,747	647	142	18	14
75	69	60	66	69	68	64	43	41	14	15	9	3	5	10
1,353	1,627	2,048	2,553	3,089	3,526	3,704	3,581	3,075	2,229	1,218	449	85	10	8
65	66	55	59	60	65	56	37	32	13	13	9	3	5	11
285	325	383	457	586	757	1,029	1,064	1,041	823	529	198	57	8	6
10	3	5	7	9	3	8	6	9	1	2	2	8	8	12
1,884	1,830	2,050	2,269	2,573	3,286	4,007	4,089	3,817	2,972	1,576	515	122	15	13
217	181	155	128	107	79	67	42	29	20	23	11	6	7	8
1,292	1,154	1,310	1,322	1,412	1,679	1,847	1,775	1,497	1,088	589	157	47	4	26
187	156	125	102	79	53	42	24	16	12	10	4	2	2	6
592	676	740	947	1,161	1,607	2,160	2,314	2,320	1,884	987	358	75	11	33
30	25	30	26	28	26	25	18	13	8	13	7	4	5	2
974	995	1,096	1,300	1,520	1,950	2,169	2,111	1,987	1,589	909	374	95	14	8
28	17	32	36	22	21	23	21	21	17	3	6	1	4	4
555	564	605	705	793	976	948	848	720	530	277	100	28	4	2
21	11	23	27	15	14	10	10	12	7	1	1	1	1	17
419	431	491	595	727	974	1,221	1,263	1,267	1,059	632	274	67	10	6
7	6	9	9	7	6	9	11	9	10	2	5	1	4	18
297	314	352	351	367	464	636	721	710	503	256	98	11	7	62
703	698	792	848	561	613	616	665	526	456	187	88	88	145	134
55	58	74	82	80	103	96	126	114	55	30	7	1	3	3
131	132	161	148	94	76	90	80	50	46	22	14	3	16	18
242	256	278	269	287	361	540	595	596	448	226	91	10	7	59
632	566	631	700	467	523	540	585	476	410	254	173	85	129	116
1,254	1,426	1,607	1,972	2,337	2,730	3,391	3,260	3,275	2,581	1,446	450	103	17	71
338	362	378	355	291	241	220	171	127	92	66	37	23	25	30
731	867	982	1,185	1,341	1,494	1,627	1,402	1,217	898	465	156	32	7	14
282	295	309	279	216	161	143	104	68	46	26	16	9	12	6
523	559	625	787	996	1,236	1,764	1,858	2,058	1,683	981	294	71	10	57
56	67	69	76	75	80	77	67	59	46	40	21	14	13	24
246	240	270	321	330	378	393	345	250	189	85	38	12	2	5
6	12	12	18	11	21	14	27	16	14	7	6	1	2	7
87	104	101	137	122	140	121	88	68	43	24	12	1	1	1
2	2	3	3	4	5	3	3	3	3	3	3	3	3	26
159	186	169	184	208	238	272	257	182	146	61	26	11	1	4
4	12	12	15	7	16	14	24	15	14	7	6	1	2	7
368	418	462	544	643	833	1,148	1,157	1,085	919	504	171	40	6	11
33	28	28	24	24	16	15	25	9	7	4	1	3	3	28
156	179	198	224	244	288	378	319	274	187	108	46	6	2	3
26	26	24	18	14	10	9	16	2	3	2	2	1	1	8
212	239	264	310	399	545	770	838	811	732	396	125	34	4	8
7	2	4	4	10	6	6	9	7	4	2	1	2	2	30
149	163	250	339	425	520	638	731	699	582	320	124	23	3	41
1	2	2	3	4	5	3	3	3	3	3	3	3	3	31
72	79	128	146	195	219	257	279	253	210	118	34	12	1	12
77	84	122	193	230	301	381	452	446	372	202	90	11	2	29
1	1	1	1	1	1	1	1	1	1	1	1	1	1	33
1,573	1,825	2,100	2,661	2,811	3,299	3,535	3,213	2,715	2,011	1,050	341	68	6	4
217	237	253	222	172	193	184	106	70	56	24	9	10	4	34
1,077	1,259	1,458	1,840	1,849	2,140	2,071	1,792	1,411	976	520	152	28	4	35
159	166	183	154	120	119	86	59	32	27	11	4	6	1	4
496	566	642	821	962	1,159	1,494	1,421	1,304	1,035	530	189	40	2	4
58	71	70	68	52	74	48	47	38	29	13	5	4	3	36
5,555	6,608	7,636	9,236	10,396	12,162	12,574	11,877	9,846	7,237	3,792	1,325	285	51	56
493	482	449	389	278	232	149	100	63	37	17	17	6	3	6
4,556	5,447	6,247	7,554	8,309	9,489	9,155	8,079	6,092	4,149	2,071	678	157	37	17
455	435	403	342	248	195	161	119	68	45	20	10	3	5	5
999	1,161	1,389	1,682	2,087	2,673	3,419	3,798	3,754	3,058	1,721	647	128	14	39
38	47	46	47	30	37	26	30	32	18	17	7	3	3	1
686	625	724	780	932	1,107	1,556	1,706	1,523	1,016	507	194	57	24	46
571	555	599	650	535	548	544	554	406	350	200	115	82	72	69
158	173	170	194	182	211	248	252	113	178	63	23	2	1	3
189	175	183	202	124	123	108	90	53	34	19	9	11	6	8
528	452	554	586	750	896	1,308	1,454	1,345	903	444	171	55	23	43
382	380	416	448	411	425	436	464	353	346	181	106	71	66	61
166	159	182	223	240	277	375	346	292	228	110	37	14	2	9
4	4	7	1	7	7	19	9	7	12	3	2	1	2	43
27	27	38	47	38	50	58	35	41	19	8	1	1	2	44
139	132	144	176	202	227	317	311	251	209	102	36	14	2	7
4	4	7	1	6	7	16	9	7	12	2	2	2	2	45

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

[“Urban” includes cities of 10,000 inhabitants or more

AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	
1	Ohio.....	White.....	68,305	8,058	2,648	1,244	923	1,351	1,742	1,812	2,056
		Colored.....	5,302	774	316	80	68	201	354	411	397
2	Urban.....	White.....	38,172	4,703	1,543	786	572	807	1,078	1,218	1,379
		Colored.....	4,266	661	275	63	57	152	310	347	343
3	Rural.....	White.....	30,133	3,355	1,105	458	351	544	664	594	677
		Colored.....	1,036	113	41	17	11	49	44	64	54
4	Oregon.....	White.....	9,321	750	299	176	157	209	284	309	295
		Colored.....	308	42	26	7	10	14	10	10	10
5	Urban.....	White.....	4,270	287	118	61	64	95	140	155	166
		Colored.....	137	15	8	2	4	2	5	4	4
6	Rural.....	White.....	5,051	463	181	115	93	114	144	154	129
		Colored.....	171	27	18	5	6	8	9	6	10
7	Pennsylvania.....	White.....	108,181	16,394	5,491	2,218	1,537	2,253	2,726	2,801	3,311
		Colored.....	7,564	1,246	476	145	121	274	467	531	523
8	Urban.....	White.....	57,773	7,795	2,941	1,294	806	1,228	1,530	1,684	2,042
		Colored.....	6,034	972	395	122	100	212	390	432	435
9	Rural.....	White.....	50,408	8,599	2,550	924	731	1,025	1,196	1,117	1,269
		Colored.....	1,530	274	81	23	21	62	77	99	88
10	Rhode Island.....	White.....	8,009	1,020	363	144	122	145	195	171	219
		Colored.....	217	29	14	1	5	7	6	4	11
11	Urban.....	White.....	6,680	880	312	133	108	109	158	140	187
		Colored.....	192	28	12	1	4	6	5	3	9
12	Rural.....	White.....	1,329	140	51	11	14	36	37	31	32
		Colored.....	25	1	2		1	1	1	1	2
13	South Carolina.....	White.....	8,693	1,592	620	160	128	247	271	293	271
		Colored.....	13,297	2,595	875	284	305	661	907	725	622
14	Urban.....	White.....	1,810	240	104	37	24	62	71	75	71
		Colored.....	2,226	328	131	42	35	97	170	159	153
15	Rural.....	White.....	6,883	1,352	516	123	104	185	200	218	200
		Colored.....	11,071	2,267	744	242	270	564	737	566	469
16	Tennessee.....	White.....	19,404	2,930	1,288	373	345	666	778	722	705
		Colored.....	8,430	1,048	405	168	201	499	609	541	500
17	Urban.....	White.....	5,116	693	264	92	91	173	213	222	199
		Colored.....	4,063	534	180	69	82	191	302	292	262
18	Rural.....	White.....	14,288	2,237	1,024	281	254	493	565	500	506
		Colored.....	4,367	514	225	99	119	298	307	249	238
19	Utah.....	White.....	4,389	744	241	118	128	147	128	138	158
		Colored.....	95	22	7	2	1	8	5	1	5
20	Urban.....	White.....	2,082	235	93	52	65	69	64	73	91
		Colored.....	45	5	2	1	1	2	2	1	4
21	Rural.....	White.....	2,307	509	148	66	63	78	64	65	67
		Colored.....	50	17	5			6	3		1
22	Vermont.....	White.....	5,131	544	130	61	51	69	77	113	105
		Colored.....	6	1	1						
23	Urban.....	White.....	320	36	22	17	10	16	13	27	20
		Colored.....	2	1	1						
24	Rural.....	White.....	4,811	458	108	44	41	53	64	86	85
		Colored.....	4								
25	Virginia.....	White.....	17,523	2,861	1,005	306	270	414	460	452	485
		Colored.....	11,820	2,083	662	207	229	596	592	562	492
26	Urban.....	White.....	4,715	645	187	66	72	103	118	128	159
		Colored.....	3,755	626	199	51	55	165	198	227	224
27	Rural.....	White.....	12,808	2,216	818	240	198	311	342	324	326
		Colored.....	8,065	1,457	463	156	174	372	398	335	268
28	Washington.....	White.....	14,528	1,265	391	276	261	356	452	448	468
		Colored.....	752	130	64	30	24	51	43	42	25
29	Urban.....	White.....	7,486	608	139	144	135	149	214	211	216
		Colored.....	312	37	32	12	1	14	21	18	14
30	Rural.....	White.....	7,042	657	202	132	126	207	238	237	252
		Colored.....	440	93	32	18	23	37	22	24	11
31	West Virginia.....	White.....	15,467	3,333	1,311	355	275	472	579	524	535
		Colored.....	1,687	281	84	31	36	79	138	125	134
32	Urban.....	White.....	4,210	723	239	86	70	122	185	168	177
		Colored.....	472	63	21	8	8	25	37	34	38
33	Rural.....	White.....	11,257	2,610	1,072	269	205	350	394	356	358
		Colored.....	1,215	218	63	23	28	54	101	91	96
34	Wisconsin.....	White.....	28,871	3,786	1,101	518	409	574	750	760	852
		Colored.....	509	68	57	28	7	27	23	33	23
35	Urban.....	White.....	12,205	1,755	523	245	199	257	365	364	419
		Colored.....	156	19	18	8	3	13	8	13	9
36	Rural.....	White.....	16,666	2,031	578	273	210	317	385	396	433
		Colored.....	353	49	39	20	4	14	15	20	14
37	Wyoming.....	White.....	1,787	292	95	44	49	62	78	72	100
		Colored.....	109	17	22	3	3	5	8	3	7
38	Urban.....	White.....	395	51	16	9	9	5	26	24	31
		Colored.....	18						2		3
39	Rural.....	White.....	1,392	241	79	35	40	57	52	48	69
		Colored.....	91	17	22	3	3	5	6	3	4

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Vol. III, Table 8, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, 50, 53, and 54. Similar data for cities, which have not been shown since 1922, are held in manuscript.

DEATHS, BY AGE AND COLOR

BIRTHS), BY AGE AND COLOR: 1925—Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
2,416	2,552	3,030	3,553	4,216	5,234	6,275	6,632	6,184	4,789	2,551	851	153	21	14
413	394	373	351	256	221	202	169	121	92	56	30	13	10	3
1,656	1,744	2,030	2,281	2,654	3,075	3,313	3,227	2,755	1,936	1,010	331	60	11	3
354	339	305	292	197	177	123	103	62	50	27	15	7	7	3
760	808	1,000	1,272	1,562	2,159	2,962	3,405	3,429	2,853	1,541	520	93	10	11
59	55	68	59	59	44	79	66	59	42	29	15	6	3	3
355	384	494	524	620	844	910	864	779	604	306	114	26	3	15
12	14	15	18	22	25	15	23	14	10	2	3	5	5	1
173	202	265	282	328	407	409	384	314	243	123	42	8	1	3
9	11	9	11	14	16	6	10	6	3	8	4	2	1	1
182	182	229	242	292	437	501	480	465	361	183	72	18	2	12
3	3	6	7	8	9	9	13	8	7	2	3	4	4	6
3,942	4,539	5,165	6,337	7,036	8,440	9,141	8,882	7,943	5,795	2,990	985	217	30	8
596	566	605	518	389	325	213	213	133	93	41	17	11	10	3
2,426	2,729	3,142	3,832	4,176	4,820	4,882	4,338	3,731	2,596	1,265	407	96	10	3
486	464	508	418	300	264	193	72	66	27	12	8	9	9	8
1,516	1,810	2,023	2,505	2,860	3,620	4,259	4,544	4,212	3,199	1,725	578	121	20	5
110	102	97	100	89	61	71	64	61	27	14	5	3	1	9
255	337	420	481	606	638	743	777	612	415	231	85	14	1	15
13	8	20	15	16	12	15	15	14	5	4	2	1	1	10
211	286	373	415	512	545	606	639	474	333	170	62	10	1	13
12	8	18	13	15	11	14	13	12	4	2	2	2	1	11
44	51	47	66	94	90	137	138	138	82	61	23	4	2	2
1		2	2	1	1	1	2	2	1	2			1	12
313	303	349	371	428	513	666	747	691	416	227	59	6	6	13
771	718	730	777	543	588	507	520	393	336	175	104	50	78	23
102	86	96	97	121	102	121	157	112	83	39	8	1	1	3
173	191	173	174	114	87	66	47	34	25	16	6	1	2	14
211	217	253	274	307	411	545	590	579	327	188	51	5	5	22
598	527	557	603	429	501	441	473	359	311	159	98	49	76	31
723	714	763	944	939	1,111	1,519	1,468	1,533	1,117	538	152	34	6	36
514	496	519	585	478	466	384	306	247	188	134	57	24	44	27
230	267	276	314	311	354	308	354	302	226	95	33	6	1	2
309	290	299	316	260	224	180	99	67	43	33	9	9	10	17
493	447	487	630	628	757	1,114	1,114	891	1,231	443	119	28	5	34
205	206	220	269	218	242	204	207	180	145	101	48	15	34	18
170	227	221	215	235	249	340	277	268	219	109	34	12	2	9
9	4	1	8	3	2	5	5	2	1				4	19
94	120	128	125	130	140	179	126	119	100	55	12	7	2	3
5	4	1	6	1	1	3	4						2	20
76	107	93	90	105	109	161	151	149	119	54	22	5	6	21
4		2	2	2	1	2	1	2	1				6	21
100	133	206	247	328	427	508	597	567	485	255	101	22	3	2
	1	1	1							1				22
23	35	45	53	83	62	81	77	71	47	19	7	5	1	1
			1											23
77	98	161	194	245	365	427	520	496	438	236	94	17	3	1
	1	1						1		1				24
512	574	688	788	946	1,057	1,509	1,731	1,585	1,052	556	196	57	8	25
605	682	711	846	705	719	587	365	341	365	199	81	42	38	11
171	205	232	275	350	311	456	458	388	243	103	32	11	2	26
257	295	300	347	283	202	149	89	53	29	14	7	3	2	2
341	369	456	513	596	746	1,053	1,273	1,197	809	453	164	46	6	11
348	387	411	499	442	517	438	428	312	312	185	74	39	36	27
637	715	787	865	1,038	1,308	1,344	1,338	1,115	837	429	129	38	5	26
32	40	46	40	31	33	34	28	17	14	13	6	3	4	2
342	384	456	522	588	733	711	671	528	414	182	60	20	3	6
19	25	23	22	16	18	17	10	4	3	2			2	2
295	331	331	343	450	575	633	667	587	423	247	69	18	2	29
13	15	23	18	15	15	17	18	13	11	11	6	3	2	30
567	561	605	608	655	768	1,019	1,013	964	765	372	140	32	9	5
138	122	101	101	74	58	52	48	34	27	14	9	4	6	31
187	211	212	208	229	239	307	286	284	169	63	39	5	1	32
42	36	28	26	21	21	20	19	9	5	4	2	2	3	3
380	350	393	400	426	529	712	727	680	596	309	101	27	8	5
96	86	64	75	53	37	32	29	25	22	10	7	2	3	33
999	999	1,187	1,394	1,710	2,097	2,612	2,678	2,594	2,107	1,192	421	94	16	21
26	21	25	22	21	25	21	24	21	13	9	7	2	3	3
509	491	576	673	800	970	1,059	1,026	853	628	348	116	21	8	5
10	13	10	5	4	7	4	3	5	2	2				35
490	508	611	721	910	1,127	1,553	1,652	1,741	1,479	844	305	73	13	16
16	8	15	17	17	18	17	21	16	11	7	7	2	3	36
96	88	94	94	94	126	110	91	91	62	29	9	2	9	2
3	6	3	7	4	5	2	2	2	1	1			1	37
25	24	30	22	17	32	25	19	13	9	5	3			38
	3	1	2	1	3	1	1	1	1				1	3
71	64	64	72	77	94	85	72	78	53	24	6	2	9	9
3	3	2	5	3	2	4	1	2		1			2	39

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

Table with columns: AREA AND AGE, ALL DEATHS (Males, Females), WHITE (Native, Foreign, Unknown), COLORED (Negro, Indian, Chinese, Japanese, Other colored). Rows include: THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, REGISTRATION STATES OF 1920, and REGISTRATION STATES. Data is presented for all ages and various age groups (1 to 100 years and over).

¹ These States are shown in Table A, Part II.

² Including District of Columbia.

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
	Males	Females	Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
DISTRICT OF COLUMBIA																		
All ages.....	3,722	3,293	1,861	1,666	312	248	138	68	1,404	1,306		1	5	3		1	2	
Under 1 year.....	454	342	223	181	2	1	7	5	222	152		1		1		1		
1 to 4 years.....	135	104	56	44		1	5	3	74	56								
5 to 9 years.....	55	35	30	23	1		2	1	22	14								
10 to 14 years.....	44	28	16	10			4	2	24	16								
15 to 19 years.....	73	75	34	25		2	2	1	37	47								
20 to 24 years.....	118	131	43	37	2	6	3	2	69	85			1				1	
25 to 29 years.....	137	132	46	49	9	5	8	1	74	76								
30 to 34 years.....	171	125	61	49	13	5	9	2	88	69			1					
35 to 39 years.....	205	154	76	54	10	9	12		106	91								1
40 to 44 years.....	218	169	81	57	14	8	8	3	115	101								
45 to 49 years.....	244	194	116	85	23	8	5	2	99	99			1					
50 to 54 years.....	296	230	137	94	25	14	14	5	120	117								
55 to 59 years.....	298	217	167	97	35	17	12	8	81	95			3					
60 to 64 years.....	282	273	158	157	36	20	15	10	72	86			1					
65 to 69 years.....	277	269	174	165	30	28	10	6	63	70								
70 to 74 years.....	269	250	161	157	33	33	13	3	62	57								
75 to 79 years.....	193	236	126	162	34	36	5	6	28	32								
80 to 84 years.....	151	178	99	123	27	33	1	5	24	17								
85 to 89 years.....	68	101	39	71	15	17	2	1	12	12								
90 to 94 years.....	24	35	15	22	1	5		2	8	6								
95 to 99 years.....	7	10	2	3					3	7								
100 years and over.....	3	2	1	1					1	1								
Unknown.....								1										
FLORIDA																		
All ages.....	9,809	7,053	4,969	3,661	657	353	400	120	3,782	2,915	1	3		1				
Under 1 year.....	1,244	937	700	498			7	7	536	431	1			1				
1 to 4 years.....	494	443	306	293	2	2	2	6	184	141		1						
5 to 9 years.....	182	147	121	90		2	4	1	57	54								
10 to 14 years.....	169	110	94	55	3	1	2	1	70	53								
15 to 19 years.....	256	273	112	105	4	4	7	3	133	160								
20 to 24 years.....	451	441	190	185	11	7	10	5	240	244		1						
25 to 29 years.....	458	425	173	166	11	11	21	3	253	245								
30 to 34 years.....	475	317	177	134	27	7	12	4	259	172								
35 to 39 years.....	542	440	185	165	36	6	35	9	286	260								
40 to 44 years.....	549	401	191	160	38	20	25	7	295	214								
45 to 49 years.....	594	354	224	144	54	15	25	7	291	188								
50 to 54 years.....	695	360	287	160	49	29	47	8	312	163								
55 to 59 years.....	583	320	323	185	60	35	24	9	176	91								
60 to 64 years.....	635	379	375	214	72	42	27	7	161	116								
65 to 69 years.....	694	354	442	243	79	24	35	6	138	81								
70 to 74 years.....	574	413	372	282	64	46	25	6	113	79								
75 to 79 years.....	524	387	335	262	65	37	33	13	91	75								
80 to 84 years.....	366	279	221	189	48	31	27	4	70	54		1						
85 to 89 years.....	156	135	93	77	19	24	11	6	33	28								
90 to 94 years.....	64	64	33	33	9	9	3	3	19	19								
95 to 99 years.....	18	18	6	6	1	1			11	10								
100 years and over.....	19	16		3	1				18	13								
Unknown.....	67	40	9	12	4		18	4	36	24								
IDAHO																		
All ages.....	2,044	1,358	1,449	1,069	410	217	100	8	7	3	56	53	11	2	9	5	2	1
Under 1 year.....	280	196	270	185			3		1		5	9				1	2	
1 to 4 years.....	109	97	92	84	2	1			1	11	10					3	1	1
5 to 9 years.....	56	37	43	31						8	3							
10 to 14 years.....	50	34	41	31	3	1		1		6	1							
15 to 19 years.....	60	43	55	40	1	1			1	4	1							
20 to 24 years.....	70	47	56	43	8	3	4		1	1	1							
25 to 29 years.....	49	49	38	41	5	4	4			1	3					1	1	
30 to 34 years.....	55	51	37	41	13	7	5				3							
35 to 39 years.....	64	54	44	46	14	5	5		1	1			2					
40 to 44 years.....	88	59	58	49	21	9	6		1	1	1							
45 to 49 years.....	97	51	63	39	23	8	6	1	1	3			1			2		
50 to 54 years.....	109	60	74	41	25	14	7	2	1	2	3					1		
55 to 59 years.....	126	77	85	60	32	15	5			3	2							
60 to 64 years.....	148	73	104	59	36	13	8				1							
65 to 69 years.....	202	117	124	86	60	23	13	2	1	2	5		2				1	
70 to 74 years.....	160	86	90	53	46	29	15	1	1	4	3		4			1		
75 to 79 years.....	149	91	88	64	50	26	7			1	1		2					
80 to 84 years.....	92	74	46	43	40	29	4	1		2	1							
85 to 89 years.....	55	49	26	25	26	23	3				1							
90 to 94 years.....	13	8	8	6	2	2	1				1							
95 to 99 years.....	6	4	1	2	1	2	1				2							
100 years and over.....		1																
Unknown.....	6		1		2		3						1					

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

Table with columns: AREA AND AGE, ALL DEATHS (Males, Females), WHITE (Native, Foreign, Unknown), COLORED (Negro, Indian, Chinese, Japanese, Other colored). Rows include Oregon, Pennsylvania, and Rhode Island with various age groups.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
SOUTH CAROLINA																		
All ages.....	11, 153	10, 837	4, 532	3, 952	75	36	58	40	6, 484	6, 801	2	8	1					1
Under 1 year.....	2, 262	1, 925	869	720				1	2	1, 391	1, 199	1	4					
1 to 4 years.....	799	696	351	268				1		447	427	1						
5 to 9 years.....	209	235	84	75						125	159							
10 to 14 years.....	235	198	82	45						153	152							
15 to 19 years.....	396	512	131	114				1	1	265	394		2					
20 to 24 years.....	493	685	181	138				1	1	361	546							
25 to 29 years.....	434	584	129	157		4		2	1	299	426							
30 to 34 years.....	374	519	127	135		2		1	6	239	383							
35 to 39 years.....	464	620	138	166		2		7		317	454							
40 to 44 years.....	465	556	145	150		1		3	1	316	402							
45 to 49 years.....	541	538	190	153		1		3	2	345	383			1				1
50 to 54 years.....	633	515	210	145		9		3	4	410	366		1					
55 to 59 years.....	568	403	260	152		10		2	1	297	246							
60 to 64 years.....	603	498	282	212		12		1	3	306	282							
65 to 69 years.....	697	476	371	275		8		3	5	313	194							
70 to 74 years.....	719	548	415	308		10		6	6	288	232							
75 to 79 years.....	587	497	348	322		7		4	5	227	166							
80 to 84 years.....	351	395	160	231		5		5	4	182	154							
85 to 89 years.....	169	233	76	138		2		6	2	89	86							
90 to 94 years.....	64	99	23	35		1				40	63		1					
95 to 99 years.....	22	34	2	3						20	30							
100 years and over.....	35	49	3	2		1				31	47							
Unknown.....	33	22	5	8					5	4	23	10						
TENNESSEE																		
All ages.....	14, 602	13, 232	9, 866	8, 882	201	135	194	126	4, 337	4, 089	2		2					
Under 1 year.....	2, 227	1, 751	1, 620	1, 294				6	10	601	447							
1 to 4 years.....	893	800	680	604				1	2	210	195							
5 to 9 years.....	303	238	207	161				1		95	73							
10 to 14 years.....	282	264	184	157					2	96	105							
15 to 19 years.....	574	581	345	318					2	227	262							
20 to 24 years.....	650	737	359	407		2		3	5	284	325							
25 to 29 years.....	563	700	317	399		1			3	241	299			1				
30 to 34 years.....	601	604	329	360		4		2	8	260	240							
35 to 39 years.....	583	654	308	385		12		2	10	253	261							
40 to 44 years.....	601	609	329	360		9		3	9	253	242			1				
45 to 49 years.....	652	630	365	367		7		4	13	267	252							
50 to 54 years.....	883	646	526	383		8		9	10	339	246							
55 to 59 years.....	779	638	487	406		16		11	15	261	217							
60 to 64 years.....	875	702	590	451		25		13	21	239	227							
65 to 69 years.....	1, 001	902	777	681		22		10	20	181	202			1				
70 to 74 years.....	988	786	776	617		24		16	23	164	141		1					
75 to 79 years.....	959	821	795	650		29		23	20	115	132							
80 to 84 years.....	699	606	553	498		22		24	12	112	76							
85 to 89 years.....	327	345	237	263		12		11	8	70	64							
90 to 94 years.....	91	118	55	86		4				32	25							
95 to 99 years.....	25	33	11	19		1				13	11							
100 years and over.....	16	34	2	4						14	30							
Unknown.....	30	33	14	12		1			5	4	10	17						
UTAH																		
All ages.....	2, 532	1, 952	1, 755	1, 352	667	557	51	7	12	13	19	13	8	2	20	8		
Under 1 year.....	467	299	452	292						2	6	1			9	4		
1 to 4 years.....	118	130	118	125						1	1	3			1	1		
5 to 9 years.....	63	57	62	55					1	1					1	1		
10 to 14 years.....	71	58	67	55		3												
15 to 19 years.....	93	62	83	54		3			4									
20 to 24 years.....	80	53	61	49		13			3					1	2			
25 to 29 years.....	65	74	48	60		16			13									
30 to 34 years.....	92	71	68	62		17			7									
35 to 39 years.....	98	81	58	61		30			16									
40 to 44 years.....	138	93	85	74		46			16									
45 to 49 years.....	131	91	89	69		36			22									
50 to 54 years.....	135	88	92	60		32			24									
55 to 59 years.....	147	91	97	66		45			23									
60 to 64 years.....	139	112	80	70		53			41					1	1			
65 to 69 years.....	200	145	101	63		92			81					1	1			
70 to 74 years.....	164	118	77	46		79			71					1	3			
75 to 79 years.....	143	127	57	35		85			89					2				
80 to 84 years.....	107	113	26	31		71			81					1				
85 to 89 years.....	48	61	14	13		33			43					1				
90 to 94 years.....	18	16	7	6		11			10									
95 to 99 years.....	6	6	4	2		6			2									
100 years and over.....	2	2	2	2		2			2									
Unknown.....	9	4	1	1		1			5	1	2		1	1				

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VERMONT																		
All ages.....	2,714	2,423	2,199	2,011	470	388	42	21	3	3								
Under 1 year.....	320	224	320	222		2												
1 to 4 years.....	65	66	65	64		1				1								
5 to 9 years.....	27	34	26	33		1												
10 to 14 years.....	33	18	30	15		2												
15 to 19 years.....	38	31	34	26		4												
20 to 24 years.....	34	43	31	40		3												
25 to 29 years.....	64	49	56	43		8												
30 to 34 years.....	48	67	36	49		11												
35 to 39 years.....	45	55	31	46		13												
40 to 44 years.....	63	71	45	51		17												
45 to 49 years.....	114	93	81	70		31												
50 to 54 years.....	141	107	96	89		41												
55 to 59 years.....	170	168	138	133		31												
60 to 64 years.....	233	194	173	156		55												
65 to 69 years.....	292	216	239	177		45												
70 to 74 years.....	308	289	243	225		58												
75 to 79 years.....	301	267	225	204		70												
80 to 84 years.....	248	237	199	191		48												
85 to 89 years.....	118	138	94	118		20												
90 to 94 years.....	42	59	32	47		9												
95 to 99 years.....	7	15	5	10		2												
100 years and over.....	1	2	2	2		1												
Unknown.....	2							2										
VIRGINIA																		
All ages.....	15,469	13,874	9,018	7,821	307	173	139	65	5,989	5,809	7	6	4		2		3	
Under 1 year.....	2,771	2,173	1,608	1,231			13	9	1,147	933	2		1					
1 to 4 years.....	887	780	532	466		3		2	348	311	2	1						
5 to 9 years.....	249	264	153	153					96	111								
10 to 14 years.....	260	239	151	113			1	3	106	123								
15 to 19 years.....	465	486	222	184		2	3	2	239	298								
20 to 24 years.....	484	572	223	226		4	1	5	252	343		1						
25 to 29 years.....	474	540	215	218		11	3	4	241	318		1					2	
30 to 34 years.....	477	500	234	225		11	5	8	223	268							1	
35 to 39 years.....	554	563	242	238		14	11	4	293	309		2			1			
40 to 44 years.....	631	625	299	248		10	9	6	314	366			2					
45 to 49 years.....	750	649	358	288		14	10	12	365	344		1	1					
50 to 54 years.....	916	718	427	326		21	5	8	459	386					1			
55 to 59 years.....	914	737	511	389		23	12	6	374	331								
60 to 64 years.....	979	797	569	432		26	13	14	370	349								
65 to 69 years.....	1,125	971	787	667		28	21	3	306	280			1					
70 to 74 years.....	1,215	1,027	851	770		43	18	13	277	233		1						
75 to 79 years.....	1,030	920	773	721		39	27	15	203	161		1						
80 to 84 years.....	744	649	513	478		36	11	11	184	157								
85 to 89 years.....	355	400	224	296		15	13	7	109	90								
90 to 94 years.....	122	155	71	110		6	7	2	43	38								
95 to 99 years.....	31	68	18	34			2		13	29								
100 years and over.....	18	28	3	3		1	1		14	24								
Unknown.....	18	13	4	5				1	13	7								
WASHINGTON																		
All ages.....	9,205	6,075	5,743	4,161	2,622	1,493	401	108	89	55	182	162	35	2	113	93	20	1
Under 1 year.....	800	595	728	533		4			2	4	38	28	1	1	27	29		
1 to 4 years.....	259	196	198	155		3		5	20	10	19	11		17	14		1	
5 to 9 years.....	179	127	152	102		5		1	8	8	5	7		9	8			
10 to 14 years.....	174	111	148	90		7		5	7	4	9	10		1	2			
15 to 19 years.....	229	178	170	136		16		5	21	8	4	24		4	3			
20 to 24 years.....	288	207	213	166		35		12	14	3	12	5		5	9	7		
25 to 29 years.....	283	207	203	156		39		31	14	5	4	12		5	9	5		
30 to 34 years.....	289	204	182	154		73		33	19	7	4	3		5	2	2		
35 to 39 years.....	403	266	219	185		144		63	21	5	8	3		6	4	1		
40 to 44 years.....	473	282	262	159		70		25	6	10	5	5		4	9	4		
45 to 49 years.....	501	332	273	228		163		81	37	5	8	9		4	11	5	1	
50 to 54 years.....	553	352	317	232		186		102	25	3	7	7		4	10	2		
55 to 59 years.....	661	408	356	243		244		153	40	2	4	4		6	5	3		
60 to 64 years.....	854	487	482	280		310		193	37	6	8	2		10	4	1		
65 to 69 years.....	911	467	504	297		348		152	36	7	7	6		8	5			
70 to 74 years.....	845	521	501	323		299		184	27	4	6	2		9	8			
75 to 79 years.....	693	439	405	293		256		146	22	3	3	2		6	5			
80 to 84 years.....	444	407	243	253		185		141	8	7	4	4		4	5			
85 to 89 years.....	252	190	132	108		113		73	2	1	2	2		6	4			
90 to 94 years.....	66	69	45	30		20		34			1	1		4	3			
95 to 99 years.....	15	26	7	14		8		8			1			3				
100 years and over.....	6	3	2	1		1		1			1			1				
Unknown.....	27	1	1	4				20		1			2					

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED										
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored		
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
WEST VIRGINIA																			
All ages.....	9,506	7,648	7,785	6,570	526	294	203	89	992	694									1
Under 1 year.....	2,052	1,562	1,882	1,489			8	4	162	119									
1 to 4 years.....	754	641	711	593		1	2	4	41	43									
5 to 9 years.....	220	166	198	154				3	19	12									
10 to 14 years.....	162	149	139	129	2	3	2		17	17									
15 to 19 years.....	308	243	261	196	4	3	4	4	39	40									
20 to 24 years.....	404	313	312	239	9	5	10	4	73	65									
25 to 29 years.....	343	306	226	246	28	2	15	7	74	51									
30 to 34 years.....	347	322	211	248	38	17	19	2	79	55									
35 to 39 years.....	388	317	228	230	69	32	11	7	90	48									
40 to 44 years.....	387	296	241	226	54	21	15	4	77	45									
45 to 49 years.....	409	288	279	236	52	17	15	6	63	28									1
50 to 54 years.....	412	297	286	236	45	15	21	5	60	41									
55 to 59 years.....	407	322	308	270	44	18	9	6	46	28									
60 to 64 years.....	454	372	366	322	33	18	21	8	34	24									
65 to 69 years.....	624	447	534	400	43	21	14	7	33	19									
70 to 74 years.....	609	452	544	395	33	31	7	3	25	23									
75 to 79 years.....	551	447	482	390	37	40	9	6	23	11									
80 to 84 years.....	394	398	340	356	28	26	9	6	17	10									
85 to 89 years.....	200	186	170	160	13	18	8	3	9	5									
90 to 94 years.....	62	87	53	78	4	4		1	5	4									
95 to 99 years.....	11	25	10	21		1			1	3									
100 years and over.....	6	9	3	4		1		1	3	3									
Unknown.....	2	3	1	2		1	1	1		3									
WISCONSIN																			
All ages.....	15,997	13,883	9,740	8,451	5,673	4,642	308	57	112	76	160	154	4	3					
Under 1 year.....	2,264	1,590	2,226	1,551		3	4	2	7	10	27	23			1				
1 to 4 years.....	602	556	569	518	8	5	1		6	9	18	24							
5 to 9 years.....	232	264	270	244	1	2		1		4	11	12			1				
10 to 14 years.....	229	187	220	179	5	5			1	1	3	2							
15 to 19 years.....	300	301	271	284	11	7		1	11	3	7	6							
20 to 24 years.....	394	379	344	334	29	31	11	1	7	8	3	4			1				
25 to 29 years.....	376	417	305	363	47	35	8	2	11	8	4	9			1				
30 to 34 years.....	453	422	346	360	89	48	7	2	6	9	5	3							
35 to 39 years.....	543	482	365	374	144	93	22	1	8	8	4	6							
40 to 44 years.....	587	433	365	331	178	95	29	1	11	3	4	3							
45 to 49 years.....	701	511	410	364	241	142	29	1	12	2	8	2			1				
50 to 54 years.....	834	582	520	412	265	163	32	2	7	2	9	3			1				
55 to 59 years.....	923	808	514	486	368	307	30	5	5	2	6	8							
60 to 64 years.....	1,197	925	644	518	516	392	21	6	7	1	8	8			1				
65 to 69 years.....	1,482	1,151	763	627	684	512	23	3	4	1	8	8							
70 to 74 years.....	1,504	1,198	626	548	829	632	32	11	3	1	14	6							
75 to 79 years.....	1,430	1,185	494	413	907	758	16	6	4	1	9	7							
80 to 84 years.....	1,091	1,029	307	290	760	724	19	7	2	1	3	7							
85 to 89 years.....	552	649	121	169	419	473	9	1		2	3	4							
90 to 94 years.....	183	245	47	68	130	172	3	1			3	4							
95 to 99 years.....	44	52	10	14	32	37	1				1	1							
100 years and over.....	9	10	2	1	7	6						3							
Unknown.....	17	7	1	3	3		11	3			2	1							
WYOMING																			
All ages.....	1,145	751	763	589	231	104	91	9	12	14	39	28	2		5	7	2		
Under 1 year.....	170	139	163	129						1	6	6					3	1	
1 to 4 years.....	62	55	50	43	1	1					11	10					1		
5 to 9 years.....	22	25	21	22	1							3							
10 to 14 years.....	33	19	29	16	2		1	1				2						1	
15 to 19 years.....	36	31	30	27		3	2			1	4								
20 to 24 years.....	42	44	28	36	3	2	7	2	1	2	2	2							
25 to 29 years.....	40	35	25	29	8	4	6			1	1								
30 to 34 years.....	61	46	35	36	19	7	3		2	2	1				1				
35 to 39 years.....	62	37	33	31	21	2	7	2		1	1						1		
40 to 44 years.....	64	30	35	23	21	4	4	1	2	2	1						1		
45 to 49 years.....	54	43	32	31	14	11	6		1								1		
50 to 54 years.....	72	29	42	24	15	5	8		2		4						1		
55 to 59 years.....	67	31	43	22	14	8	7			1	3								
60 to 64 years.....	99	32	51	24	34	6	11		1	2	2								
65 to 69 years.....	79	35	46	24	22	7	10	1				3			1				
70 to 74 years.....	59	34	36	23	16	10	6		1	1									
75 to 79 years.....	56	37	29	19	23	17	3				1	1							
80 to 84 years.....	34	29	22	18	9	10	2	1	1										
85 to 89 years.....	15	15	7	9	6	5	1	1				1							
90 to 94 years.....	4	5	2	3	2	2													
95 to 99 years.....	2		2																
100 years and over.....	1									1									
Unknown.....	11		2				7				2								

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13 and 14, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV., Tables 43 and 44.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor causes. State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Ty-phoid and para-typhoid fever	Mala-ria	Small-pox	Meas-les	Scarlet fever	Whoop-ing cough	Diph-theria	Influenza	Ery-sipelas	Men-ingo-coccus meningitis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-ges, etc.	Other forms of tuber-culosis	Cancer and other malignant tumors	Rheu-matism
		1	5	8	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
1 The registration area in continental United States.....	White..... 1,053,856 Colored... 165,163	5,912 2,375	1,012 1,120	608 101	2,242 162	2,699 63	5,535 1,413	7,475 583	25,302 5,236	2,336 119	995 100	59,511 13,592	3,164 582	5,675 1,744	90,158 5,346	3,588 505
2 Registration States ²	White..... 1,035,500 Colored... 166,309	5,758 2,245	978 1,074	608 99	2,198 159	2,678 61	5,446 1,365	7,378 568	24,717 4,925	2,304 116	974 94	57,893 17,712	3,110 559	5,583 1,663	88,815 5,090	3,588 477
3 Cities in registration States ²	White..... 544,729 Colored... 69,831	1,873 462	125 133	458 67	1,402 90	1,300 34	2,532 621	4,172 228	8,911 1,707	1,316 80	583 56	27,293 7,699	2,084 404	2,897 946	51,175 2,693	1,782 189
4 Rural part of registration States.....	White..... 490,771 Colored... 86,478	3,885 1,783	853 941	150 32	796 69	1,378 27	2,914 744	3,206 340	15,806 3,218	988 36	391 38	30,662 10,613	1,026 155	2,686 707	37,640 2,897	1,756 288
5 Registration cities in non-registration States.....	White..... 18,356 Colored... 8,854	154 130	34 46	2 2	44 3	21 2	89 48	97 15	585 311	32 3	21 6	1,618 880	54 23	92 91	1,843 256	50 28
6 All registration cities ²	White..... 563,085 Colored... 78,685	2,027 592	159 179	458 69	1,446 98	1,321 36	2,621 669	4,269 243	9,496 2,018	1,348 83	604 62	28,849 8,579	2,188 427	2,989 1,037	52,518 2,949	1,832 217
7 Alabama.....	White..... 14,964 Colored... 14,176	202 219	103 104	6 15	15 9	20 1	118 120	134 46	644 593	32 4	11 3	830 1,440	27 16	77 111	760 375	42 41
8 Urban.....	White..... 3,760 Colored... 4,011	28 32	7 16	2 6	1 1	7 1	11 34	22 9	141 175	12 3	5 1	129 387	17 7	16 43	225 105	7 9
9 Rural.....	White..... 11,204 Colored... 10,165	174 187	96 88	4 9	14 8	13 1	107 86	112 37	508 348	20 1	6 2	701 1,053	10 9	61 68	535 270	35 32
10 California.....	White..... 53,752 Colored... 3,048	104 17	23 3	59 3	32 2	62 2	436 45	263 12	263 46	69 5	42 5	4,751 511	196 40	383 53	5,132 180	114 7
11 Urban.....	White..... 31,345 Colored... 1,801	51 9	6 1	51 3	16 3	36 1	210 24	157 10	332 19	44 5	23 4	2,261 284	127 31	235 30	3,460 116	61 5
12 Rural.....	White..... 22,407 Colored... 1,247	53 8	17 2	8 1	16 1	26 1	226 21	108 2	426 27	25 1	19 1	2,483 227	69 9	148 23	1,672 44	53 2
13 Colorado.....	White..... 12,176 Colored... 373	91 1	2	8	30	98	146	570	46	14	1,399	28	68	384	53	
14 Urban.....	White..... 5,675 Colored... 233	30 1	1	4	12	37	71	240	24	9	655	22	35	471	20	
15 Rural.....	White..... 6,501 Colored... 140	61 1	1	4	18	61	75	330	22	5	744	6	33	413	33	
16 Connecticut.....	White..... 17,191 Colored... 489	40 1	5 1	1	40	46	108	127	318	39	13	942	62	89	1,634	75
17 Urban.....	White..... 12,933 Colored... 429	36 4	4 1	33	36	77	106	246	31	13	617	51	71	1,268	57	
18 Rural.....	White..... 4,258 Colored... 60	4 1	1 1	7	10	31	21	72	8	2	325	11	18	366	18	
19 Delaware.....	White..... 2,478 Colored... 637	18 8	5	1	5	3	14	29	46	6	2	135	8	11	197	7
20 Urban.....	White..... 1,205 Colored... 230	6 1	4	4	1	3	24	16	3	1	53	6	8	96	2	
21 Rural.....	White..... 1,273 Colored... 407	12 7	1	1	2	11	5	30	9	3	82	2	3	101	5	
22 Florida.....	White..... 10,160 Colored... 6,702	115 72	127 111	7	5	50	95	231	20	4	396	6	33	635	22	
23 Urban.....	White..... 3,484 Colored... 2,457	41 20	10 8	4	3	19	24	72	7	2	160	5	13	242	6	
24 Rural.....	White..... 6,676 Colored... 4,245	74 52	117 103	3	2	36	71	159	13	2	236	1	20	393	16	
25 Idaho.....	White..... 3,253 Colored... 149	28 1	1	2	1	31	23	131	9	6	102	7	11	247	12	
26 Urban.....	White..... 477 Colored... 15	2 1	1	2	1	5	2	11	1	1	15	4	6	45	1	
27 Rural.....	White..... 2,776 Colored... 134	26 1	1	2	1	29	18	120	8	6	87	3	5	202	12	
28 Illinois.....	White..... 75,907 Colored... 5,686	301 26	54 8	18 5	204 13	269 10	264 51	390 19	1,480 78	159 6	53 3	4,094 815	186 37	334 71	7,043 233	266 14
29 Urban.....	White..... 46,095 Colored... 4,622	111 11	13 2	14 5	142 12	166 8	147 47	292 14	613 55	99 5	41 2	2,224 650	141 36	180 60	4,518 180	168 12
30 Rural.....	White..... 29,812 Colored... 1,064	190 15	41 6	4 1	62 1	108 2	117 4	98 5	867 23	60 1	12 1	1,870 165	45 1	154 11	2,525 53	98 2
31 Indiana.....	White..... 36,557 Colored... 2,075	234 16	6	6	68	108	152	166	1,396	74	25	1,939	106	246	3,026	117
32 Urban.....	White..... 15,450 Colored... 1,742	77 10	3	1	24	35	74	84	478	26	14	734	47	105	1,318	43
33 Rural.....	White..... 21,107 Colored... 333	157 6	3	5	44	73	78	82	918	48	11	1,205	59	141	1,708	74
34 Iowa.....	White..... 23,954 Colored... 340	80 1	2	42	12	49	90	116	740	74	14	805	45	125	2,490	88
35 Urban.....	White..... 8,181 Colored... 244	36 1	2	19	3	8	33	48	212	27	4	285	25	48	887	26
36 Rural.....	White..... 15,773 Colored... 96	44 1	23	9	41	57	68	528	47	10	520	20	77	1,603	62	
37 Kansas.....	White..... 17,294 Colored... 1,287	93 9	8 1	1 1	8	40	75	63	605	33	14	549	14	76	1,537	50
38 Urban.....	White..... 5,373 Colored... 875	38 7	2 1	1 4	14	20	20	20	144	4	6	194	8	31	531	14
39 Rural.....	White..... 11,921 Colored... 412	55 2	6	4	26	55	43	461	29	8	355	6	45	1,006	36	

¹ Excluding collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties in State insane asylums, State hospitals, etc. Numbers under causes of

Table with 17 columns: AREA AND COLOR, All causes, Typhoid and paratyphoid fever, Malaria, Smallpox, Measles, Scarlet fever, Whooping cough, Diphtheria, Influenza, Erysipelas, Meningococci meningitis, Tuberculosis of the respiratory system, Tuberculosis of the meninges, etc., Other forms of tuberculosis, Cancer and other malignant tumors, Rheumatism. Rows list states like Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, New Hampshire, New Jersey.

1 Excluding collision with railroad trains and street cars.

DEATHS FROM IMPORTANT CAUSES, BY COLOR

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicaemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes
															Primary	In collision with—				
																Railroad trains	Street cars			
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-190, 201-203	204, 205	
2,641 54 2,139 47 502 7	9,229 170 5,641 146 3,588 24	28,475 795 21,176 681 7,299 114	736 18 494 14 242 4	11,543 842 9,405 779 2,143 63	2,547 111 2,110 102 437 3	1,678 61 1,525 53 93 1	1,180 33 991 28 189 5	1,058 22 845 21 213 1	12,146 394 9,131 21 3,015 1	496 29 433 27 63 2	795 49 608 48 127 1	7,641 407 6,102 383 1,539 24	1,634 32 1,247 32 387 6	488 53 433 77 55 6	2,057 54 1,656 47 401 7	78 1 31 1 47 9	32 1 23 1 9	6,661 243 5,022 212 1,639 31	124 7 46 3 78 4	18,554 880 13,592 772 4,962 108
161 61 34 20 127 41	1,384 1,270 220 335 1,184 572	2,304 1,270 386 10 918 25	58 35 6 10 52 25	1,436 978 197 295 1,239 683	873 599 126 139 747 460	216 102 88 54 128 48	149 85 49 35 100 50	59 41 12 17 47 24	1,784 1,087 323 26 1,456 793	83 76 45 69 53 55	309 257 364 43 240 214	1,754 818 364 5 210 602	112 16 24 22 88 11	90 170 22 68 68 102	302 74 90 23 212 51	19 12 4 4 15 8	2 2 1 1 1 -----	796 552 170 127 626 425	1,181 1,409 57 147 1,124 1,262	2,877 1,889 588 454 2,289 1,436
86 4 13	311 4 37	507 19 60	24 2 1	424 26 50	139 21 4	146 3 53	45 1 14	17 2 2	223 6 36	30 2 1	56 1 9	429 12 46	51 13	13	59	11	-----	253 4 33	91 45 4	884 24 139
73 4	274 2	447 18	24 2	374 26	135 21	93 31	31 1	15 2	187 5	29 2	47 1	383 11	44 10	3	52	6	-----	220 3	87 46	745 23
1,125 32 630 24 495 8	6,549 297 3,099 213 3,450 84	11,186 1,660 5,953 487 5,233 173	318 22 159 17 159 5	5,058 712 3,015 633 2,043 79	1,608 1,208 982 119 626 17	826 41 654 35 172 3	703 38 502 35 201 3	480 32 277 24 203 8	4,926 336 2,768 245 2,158 87	336 45 298 33 91 1	443 34 286 40 145 5	4,163 305 2,420 253 1,743 52	773 17 448 14 325 3	298 204 229 183 69 21	1,221 64 869 54 362 10	128 1 47 1 81 28	54 2 26 2 28	3,603 217 2,029 180 1,574 37	235 26 52 180 183 16	10,610 717 5,987 585 4,623 132
140 6 63 5 77 1	848 15 351 9 497 6	1,553 35 640 15 913 20	52 1 20 1 32 1	555 27 265 17 290 10	57 3 22 1 35 5	121 2 69 1 50 2	98 5 45 1 4 1	4 1 20 1 22 1	647 6 296 5 351 1	46 2 17 2 29 2	60 4 24 2 36 2	492 17 182 7 270 10	166 2 84 1 82 1	33 2 12 1 21 1	139 5 55 3 84 3	8 13 9 9 4	590 16 192 5 398 11	42 11 4 5 38 11	1,721 65 941 27 780 38	
1,660 64 951 52 709 12	8,057 304 3,594 219 4,463 85	17,717 1,028 9,685 782 8,032 236	689 55 378 41 311 14	10,658 1,260 6,000 1,112 4,658 148	3,729 252 1,726 179 2,003 73	1,140 78 846 69 294 9	979 49 658 41 321 8	826 22 456 16 370 6	9,345 526 5,312 419 4,033 107	543 43 356 25 187 8	746 50 447 35 375 4	7,278 468 3,513 40 3,765 95	970 27 569 24 401 3	379 191 241 165 138 26	1,524 52 949 37 575 15	59 1 18	22 2 15	6,013 378 3,160 294 2,853 84	425 43 124 201 304 19	14,538 1,012 7,797 829 6,741 183
147 3 124 3 23	667 16 558 14 109 2	1,393 47 1,137 44 256 3	52 2 42 1 100 1	714 20 614 19 100 1	129 2 120 2 9 3	83 2 80 2 50 3	62 2 54 29 8 6	35 20 672 22 18 110	782 20 672 49 18 110	22 1 22 1 3	52 14 48 13 85 1	533 14 448 9 13 85	55 2 44 2 11	9 3 9 3	132 1 114 1 18	5 2 2 1 3	376 10 327 8 49 2	35 5 30 5 5 5	1,083 22 933 19 150 3	
78 59 21 18 57 41	652 653 109 150 543 503	1,042 1,371 211 280 891 20	29 22 5 2 24 20	548 846 110 163 438 683	346 417 40 88 306 329	82 65 19 20 33 43	71 63 49 20 47 20	22 21 10 1 12 20	921 1,173 188 279 733 894	32 79 33 13 22 66	143 235 148 159 224 211	792 1,015 148 159 644 856	49 19 2 37 52 7	71 146 37 20 79 113	116 63 37 20 52 43	14 2 4 10 2	1 1 1 1 1 1	388 523 95 79 298 444	267 1,093 10 39 257 1,054	1,445 2,630 370 445 1,075 2,185
152 42 59 24 93 18	981 331 292 181 689 154	1,870 925 539 455 1,331 470	68 29 12 11 56 18	1,348 758 173 429 1,014 329	735 184 334 96 562 88	257 84 141 66 116 18	158 64 69 45 89 19	60 35 26 16 34 19	1,229 591 378 394 851 257	103 59 47 31 56 28	196 84 61 34 167 50	1,155 264 320 167 835 97	149 9 246 63 156 86 90	178 9 246 56 43 122 18	217 61 109 43 108 18	20 1 2 1 18	2 1 1 1 1	989 340 283 174 706 446	1,120 1,313 141 207 979 446	3,328 1,313 980 655 2,348 658
53 28 25	237 136 105	591 263 328	16 5 11	384 8 163 7	69 17 52 47	112 65 31 1	51 31 20 1	12 4 8	380 2 174 1 176 1	21 12 9 2	48 2 26 22	439 6 151 1 288 5	50 3 34 1 16 1	25 3 13 1 2	88 1 47 41 1	7 4 3 3 2	304 4 122 3 182 1	85 17 31 18 303 5	688 23 385 18 303 5	
76 17	530 64	959 131	33 4	333 49	48 6	70 23	42 9	27 2	464 64	15 8	36 10	338 56	49 4	2	56	1	-----	221 43 1	18 2 2	813 115
59	466	828	29	284	42	47	33	25	400	7	26	282	45	2	41	1	-----	178 1	16 18	685 2
199 70 62 25 137 45	1,185 879 305 310 890 569	2,484 1,507 735 523 1,799 37	81 49 18 12 63 37	1,052 892 269 375 783 517	567 412 116 138 451 274	171 89 76 49 95 40	136 83 65 36 71 47	74 58 27 27 47 31	1,681 1,041 548 817 1,133 724	64 58 28 22 36 36	159 148 35 40 124 108	1,490 789 395 252 1,095 537	142 16 61 4 81 12	105 143 30 70 109 73	190 81 81 30 109 51	9 1 1 2 8 1	2 -----	845 449 231 130 614 819	373 397 21 55 352 342	2,782 1,909 781 578 2,001 1,331
232 4 124 3 108 1	1,176 25 576 12 600 13	2,227 42 1,192 16 1,035 26	47 2 21 1 26 1	794 85 415 33 379 52	120 13 36 3 84 10	202 8 134 7 68 1	146 5 97 2 49 3	83 5 52 3 31 2	1,057 23 568 16 480 7	53 6 36 6 17	85 5 47 38 369 28	777 44 408 16 38 133	312 6 179 4 31 4	69 38 143 6 31 11	282 17 143 4 6 2	27 4 4 -----	1,020 48 384 19 636 29	76 16 11 2 65 14	2,575 1,099 501 51 1,173 58	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties. Deaths in State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Ty-phoid and para-typhoid fever	Mala-ria	Small-pox	Meas-les	Scarlet fever	Whoop-ing cough	Diph-theria	Influ-enza	Ery-sipelas	Men-ingo-coccus meningitis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-ges, etc.	Other forms of tuber-culosis	Cancer and other malignant tumors	Rheu-matism	
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52	
1	West Virginia	White.....	15,467	280	1	2	55	44	160	170	364	29	15	916	36	101	835	47
		Colored.....	1,687	54				2	17	2	35		3	178	9	17	46	3
2	Urban	White.....	4,210	73	1	1	12	6	27	27	91	15	6	205	13	23	291	9
		Colored.....	472	13					3		9		2	45	4	7	13	
3	Rural	White.....	11,257	207		1	43	38	133	143	273	14	9	711	23	78	544	38
		Colored.....	1,215	41				2	14	2	26		1	133	5	10	33	3
4	Wisconsin	White.....	28,371	56		107	59	105	120	174	703	55	8	1,437	86	141	2,936	107
		Colored.....	509			27	3		8	3	12	2		80	2	6	15	2
5	Urban	White.....	12,205	23		79	32	33	61	100	220	23	5	498	61	71	1,312	44
		Colored.....	156			18			6	3	6			13	1	2	6	1
6	Rural	White.....	16,666	33		28	27	72	59	74	573	32	3	939	25	70	1,624	63
		Colored.....	353			9	3		2		6			67		4	9	1
7	Wyoming	White.....	1,787	20	1	1		12	5	12	63	2	4	48	7	7	98	8
		Colored.....	109	1							9			9			2	
8	Urban	White.....	395	6				3		3	12			19	4	2	25	1
		Colored.....	18								1						2	
9	Rural	White.....	1,392	14	1	1		9	5	9	51	2	2	29	3	5	73	7
		Colored.....	91	1							8			9				
ALABAMA																		
10	Anniston	White.....	179	3					3	3	7			9			10	
		Colored.....	136	1					2	1	8			16			9	
11	Bessemer	White.....	147	1					1	1	8			6			6	
		Colored.....	320			1	1		6	1	12			44	1	2	90	
12	Birmingham	White.....	1,583	7	1	1		5	4	7	71	4	4	45	12	7	90	3
		Colored.....	1,921	12	2	5			13	5	86	2	1	189	5	30	48	5
13	Dothan*	White.....	182	2	5					2	4			1			9	1
		Colored.....	66	2	1									6			1	
14	Florence	White.....	157	2				1		1	5			14			14	
		Colored.....	66		1				2		6			11		1	2	
15	Gadsden	White.....	143	2						2	3			6	2	3	9	2
		Colored.....	63		1						2			10		1	1	
16	Mobile	White.....	550	4					2	21	1	1		19		3	36	
		Colored.....	519	3	2				8	18				43		1	16	1
17	Montgomery	White.....	331	3	1				2	9	3			11		1	27	
		Colored.....	489	8	2				1	24	1			32		3	11	2
18	Selma*	White.....	182	1				1		7	1			5			14	
		Colored.....	272	3	4				2	1	10			18		3	9	
19	Tuscaloosa*	White.....	306	3		1	1		1	1	6	3		13		1	10	1
		Colored.....	159	3	3				1		9			18	1	2	4	1
ARKANSAS ¹																		
20	Fort Smith*	White.....	403	10	2					3	3	1		26	3		34	1
		Colored.....	83	2	1						3			9		5	2	
21	Hot Springs*	White.....	316	5	3			1	2		10			12		2	27	
		Colored.....	130		3				1		8			10		1	12	
22	Little Rock*	White.....	906	15	6			1	3	6	21	3	2	75		5	63	3
		Colored.....	661	13	6		3		1	1	16		1	94		9	21	2
23	North Little Rock	White.....	69	1	1			1	2	1	4			6		1	3	
		Colored.....	114	1	2						7			13			5	
CALIFORNIA																		
24	Alameda	White.....	319	1			1		2	2	7	2		11	2		34	
		Colored.....	389	1				1			6	1		46	3		28	3
25	Bakersfield	White.....	628						1	1	7	1		22		5	83	2
		Colored.....	275								5			16		3	34	
26	Berkeley	White.....	531	1				2	9	2	9	1	1	41		8	45	
		Colored.....	521				2		1	2	7			28		1	79	3
27	Eureka	White.....	521															
		Colored.....	1,261	2				4	1	5	12			40		9	154	2
30	Long Beach	White.....	10,731	16	3	34	12	13	95	76	98	16	10	918	56	106	1,152	11
		Colored.....	694	1	1		1		9	3	6	3	1	111			44	2
32	Oakland	White.....	2,442	3				1	20	13	37	6	1	122		9	284	14
		Colored.....	144						1		2			19		1	5	1
33	Pasadena	White.....	824	2					8	2	8			52		1	95	
		Colored.....	218						1	1	5			11	1	2	24	
34	Pomona	White.....	123						1	1	5			1	1	1	3	
		Colored.....	388						6		5			52	6	3	37	3
35	Richmond	White.....	1,392	5	1				11	5	20		1	104	16	18	125	1
		Colored.....	520	4					7	4	3			89	6	4	26	
36	Riverside	White.....	1,770	1	1	2		4	9	7	28	2		172		5	170	7
		Colored.....	7,004	10		15	1	7	25	34	51	10	8	487	17	51	872	12
40	San Francisco	White.....	393	2					4	3				73	13	3	33	1
		Colored.....	499	3					4	1	7			27	2	1	44	
41	San Jose	White.....	272	1					3		1			17	1	3	28	2
		Colored.....	339	1					3	4	3			21	3	8	37	
42	Santa Ana	White.....	198				1							10		1	22	1
		Colored.....	361						4		5			17	2	2	40	
44	Santa Cruz	White.....	582											29		3	44	
		Colored.....	173		1				7	1	12		2	8		3	14	
46	Stockton*	White.....	105	1							1			8		3	18	
		Colored.....																1

¹ Excluding collision with railroad trains and street cars.

DEATHS FROM IMPORTANT CAUSES, BY COLOR

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-189c, 201-203	204, 205		
131	803	1,573	44	1,177	1,261	173	121	44	958	99	156	1,495	101	106	195	7	1	1,260	19	2,688	} 1
11	86	172	5	117	87	23	15	6	108	17	15	104	8	92	13	1		193	8	238	
52	259	472	9	318	205	36	56	22	265	46	44	372	31	34	67	1		313	3	755	} 3
6	25	51	1	21	20	9	10	4	37	6	6	20	4	17	5			42	1	83	
79	544	1,101	35	859	1,056	37	65	22	693	53	112	1,123	70	72	128	7		947	16	1,933	} 5
5	61	121	4	36	67	16	5	2	71	11	11	84	4	75	8	1		151	7	155	
525	2,261	4,708	229	2,261	573	425	284	166	1,862	204	204	2,067	371	57	392	38	4	1,353	45	4,742	} 7
2	11	55	5	78	18	6	6	1	19	2	4	23	6	6	5			25	8	75	
219	800	1,862	91	1,047	243	266	141	90	734	59	95	978	179	30	223	18	2	565	7	1,994	} 9
1	2	14	1	25	3	4	1	1	7	1	2	7	6	6	1			8		16	
306	1,461	2,846	138	1,214	330	159	143	106	1,128	31	109	1,089	192	27	169	20	2	788	38	2,748	} 11
1	41	41	4	53	15	2	5		12	1	2	16		4				17	8	59	
21	84	222	8	110	39	67	18	11	77	18	26	165	44	21	62	1		178	17	310	} 13
5	2	8		7	6	1	2	1	4		2	5	2	3	5			9	17	15	
1	14	53	1	31	5	23	6	1	14		8	26	19	5	12			36		53	} 15
16	70	169	7	79	34	44	12	10	63	10	20	139	25	16	50	1		142	17	257	
1	1	7		6	6	2	2		3		2	5	1	1	3			8	17	11	} 17

* Nonregistration State; cities shown are those with satisfactory registration of deaths.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR		All causes	Ty-phoid and para-typhoid fever	Malari-a	Small-pox	Meas-les	Scarlet fever	Whoop-ing cough	Diph-theria	Influ-enza	Ery-sipelas	Men-ingo-cooccus meningi-tis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-ge, etc.	Other forms of tuber-culosis	Cancer and other malignant tumors	Rheu-matism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
COLORADO																	
1	Boulder.....	160							1	4	1		16			12	1
2	Colorado Springs*	637	4				3		4	16	1	1	147	3	4	59	1
3	Denver.....	4,136	14	1		3	6	17	45	156	17	6	488	13	28	339	15
4	Greeley.....	201	1			1	2		9	6			12	3	1	19	1
5	Pueblo.....	594	11					13	15	46	3	3	42	2	3	43	
6	Trinidad.....	180	1				1	10		16	2		9	1		9	2
CONNECTICUT																	
7	Ansonia.....	156				1	2	5	6	6			11		1	13	
8	Bridgeport.....	1,541	4	1		6	5	7	20	30	5	3	76	11	6	166	5
9	Bristol.....	220	2			1	1	1	1	3			9	1		21	
10	Danbury town.....	367	2					2		6		1	16	2	3	36	1
11	Derby.....	189	1			2		2		3			4	1	1	15	1
12	East Hartford town.....	93				1			1	2			5			5	
13	Enfield town.....	109						2		3		1	2		2	13	
14	Fairfield town.....	95						1		3			7			11	
15	Greenwich town.....	264	1						1	5			8	3	1	24	3
16	Hartford.....	2,051	8				4	7	17	24	10	3	73	7	15	222	4
17	Manchester town.....	213	2			1	1			3			7			32	1
18	Meriden.....	465	1			1	2	5	1	11	2		31	1	1	44	3
19	Middletown*.....	550	1			2	1	3	2	5			36	2	2	34	1
20	Milford town.....	136	1					1	1	1			2	2	2	14	2
21	Naugatuck.....	97								1			5	1		5	1
22	New Britain.....	632	1	1		5	3	3	7	6		1	29	1	5	50	2
23	New Haven.....	2,171	3			7	6	18	9	40	5	1	68	6	11	224	15
24	New London.....	424	1				1	4	2	7	1		17	2	5	37	1
25	Norwalk.....	406						5	7	7			13			48	2
26	Norwich town*.....	501	1					5	9	17	1		80	2	5	47	1
27	Orange town ²	268				1	2	2	1	3	1		72			12	2
28	Stamford town.....	578	1	1		3	5	4	12	21		1	21	3		53	3
29	Stonington town.....	109				3		1		7			3			9	1
30	Stratford town.....	119		1				1		1			6			17	
31	Torrington town.....	198	1					1		7			8	4		19	
32	Wallingford town.....	128		1						1			5	1		13	3
33	Waterbury.....	1,083	5			3	3	3	7	29	7	2	42	7	11	92	6
34	Windham town.....	199							1	2			3		4	13	
DELAWARE																	
35	Wilmington..... White.....	1,205	6			4	1	3	24	16	3	1	53	6	8	96	2
 Colored.....	230	1						1	1			17		6	13	1
DISTRICT OF COLUMBIA																	
36	Washington..... White.....	4,293	12		16	1	4	9	24	33	9	1	189	10	15	455	7
 Colored.....	2,722	13	1	4	3	1	20	13	27	5	1	300	17	37	130	11
FLORIDA																	
37	Jacksonville..... White.....	879	7	4		2		1	7	17	2	1	38		4	67	1
 Colored.....	1,069	4	2		1		1	2	20			126		16	34	2
38	Key West..... White.....	154	1					1		8			17	3	2	12	
 Colored.....	54						1		4			7			3	
39	Miami..... White.....	873	8	3			1	1	7	19			18		4	56	2
 Colored.....	524	4	3				5	1	39		1	30		3	10	
40	Pensacola..... White.....	267	12	1				1	1	8			9			12	2
 Colored.....	200	1							7			13		2	4	2
41	St. Petersburg..... White.....	482	5			2			4	5	1	1	20	2	2	37	
 Colored.....	170	5	1					1	6			8		2	3	
42	Tampa..... White.....	829	9	2			2	10	5	15	4		58		1	58	1
 Colored.....	440	7					2		12			37		3	7	1
GEORGIA ³																	
43	Albany..... White.....	78		1				1		2			2		1	6	
 Colored.....	129		4						8			13			2	1
44	Athens..... White.....	135							1	4		1	7		2	9	
 Colored.....	132	1					1		4			20			4	1
45	Atlanta..... White.....	1,979	17	5		1		20	11	51	4	1	83	5	6	162	8
 Colored.....	1,940	7				1	23	2	73	2	2	130	8	26	51	8
46	Augusta*..... White.....	524	9	1		1			2	11		1	25	1	2	36	1
 Colored.....	598	9	6	1			3	2	14			63	3	14	20	1
47	Brunswick..... White.....	73	1							3			3		1	6	
 Colored.....	102		1						1			11		2	1	1
48	Columbus..... White.....	370				1		1	1	8		1	18			21	1
 Colored.....	276	5					2	2	5		1	25		3	6	1
49	La Grange..... White.....	148						3	1	6	1		14	1	1	7	2
 Colored.....	98	4	1				3		1			14		1	1	
50	Macon..... White.....	466	4					2	2	12			16		2	31	1
 Colored.....	633	27	2						18			74	1	2	14	1
51	Savannah*..... White.....	581	6				1	1	4	17	1		24	2	2	61	3
 Colored.....	1,008	5					2	3	37			90	4	7	23	7
52	Waycross..... White.....	131	2					1	2	4			4			4	
 Colored.....	119	2	2						1			6		2	1	

¹ Excluding collision with railroad trains and street cars.

² Includes West Haven town, incorporated from part of Orange town in 1921.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

† "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Ty-phoid and para-typhoid fever	Mala-ria	Small-pox	Mea-sles	Scarlet fever	Whoop-ing cough	Diph-theria	Infl-u-enza	Ery-sipelas	Me-ningo-coccus menin-gitis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-ges, etc.	Other forms of tuber-culosis	Cancer and other malig-nant tumors	Rheu-matism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
MAINE																	
1	Auburn.....	211					1		3	6	1		9				24
2	Augusta *.....	304	1				1		2	3	3		16			1	19
3	Bangor *.....	494	2				1		1	10			24	5		6	38
4	Bath.....	132					1	1		4			4			1	17
5	Biddeford.....	282	5					2		11			12	1		2	24
6	Lewiston.....	604	3			1			3	15		1	9	4	7	58	2
7	Portland.....	1,118	15	1			4	2	4	7	3	1	24	4	4	140	5
8	Sanford town.....	130	2				1		1	3			3	1	1	15	2
9	Waterville.....	185	3				1	1		6	1		1		2		18
MARYLAND																	
10	Annapolis..... White.....	71								1			4				10
 Colored.....	75	1						3			1	7			1	5
11	Baltimore..... White.....	8,718	21			9	5	51	35	95	9	13	491	29	41	894	37
 Colored.....	2,930	8			1		42	11	48	3	2	340	15	43	106	14
12	Cumberland.....	509	4				1		7	17	1	1	19		2	44	1
13	Frederick..... White.....	232						1		3	1		4		1	23	1
 Colored.....	28	1							3			3			2	
14	Hagerstown.....	360	4			5	1	5		5			10	1	1	32	2
MASSACHUSETTS																	
15	Adams town.....	103	1					3					1		1	9	1
16	Amesbury town.....	123				2			1	2			2	1		16	
17	Arlington town.....	236	1			1				4			5		1	25	2
18	Attleboro.....	261	1				1	1		3			36		5	35	1
19	Belmont town.....	126				2	1			2			8	1		16	1
20	Beverly.....	306					2	1	1				6		1	45	2
21	Boston..... White.....	11,129	27	1		121	47	66	95	73	29	22	602	65	44	1,134	18
 Colored.....	447	1			2	1	4	4	1	2	1	66	3	5	27	1
22	Braintree town.....	152	1							1	1		42			18	
23	Brockton.....	748	1				1		5	6			16	4	5	86	1
24	Brookline town.....	483				1				4	1		24		3	97	1
25	Cambridge.....	1,428	2			12	1	6	7	5		1	88	2	5	147	1
26	Chelsea.....	602	2			4		2	2	4	3		32	1	5	53	2
27	Chicopee.....	348				1		3	2	11		1	29	2	7	29	2
28	Clinton town.....	157								1		1	1			15	
29	Danvers town *.....	347								2	1		12	2	1	26	1
30	Bedham town.....	86				1			1				2			12	
31	Easthampton town.....	97							1	1			7	2		8	
32	Everett.....	391				5	2	5	1	6	1		17		1	43	1
33	Fall River.....	1,590				30	1	14	15	27	7	1	99	17	7	147	4
34	Fitchburg.....	497	3					19	12	2	2		25	9	3	44	
35	Frammingham town.....	286	1			4		1	1	6	1		8		1	18	
36	Gardner town.....	277		1		14		6		2			8		5	30	1
37	Gloucester.....	285	1	1					5	7			11		1	39	
38	Greenfield town.....	164							1	3	1	1	4		1	18	
39	Haverhill.....	694				5	2	1	3	7	1	1	15	2	1	84	3
40	Holyoke.....	787	1					3	9	9	1		58	9	4	68	2
41	Lawrence.....	1,071	1			10	5	5	18	19	3	1	44	4	7	105	4
42	Leominster.....	252	1						1	3		1	7	1	2	21	
43	Lowell.....	1,563				27	3	3	4	2	3		75	6	13	133	11
44	Lynn.....	1,169	1			9	1	12	9	25	2	1	24	7	3	131	4
45	Malden.....	585	1			6	4	2	8	12	4	1	23	2	3	59	2
46	Marlborough.....	216	1			1			1	9	1		10	2		12	
47	Medford.....	427				1				5			13		2	54	3
48	Melrose.....	273					1	2		4		1	10	1	3	23	
49	Methuen.....	200	2				2	1	1	3			7	1	1	16	1
50	Milford town.....	235				4	3	1	2	4			7	3	2	26	1
51	Natick town.....	153							1	3			1	1	1	17	
52	New Bedford.....	1,395	1			11	4	11	9	14	1	2	90	15	4	129	4
53	Newburyport.....	220							2				10	6		22	
54	Newton.....	522	1						1	8			20	1	1	72	1
55	North Adams.....	320	1					6	6	8	3		5		2	25	2
56	Northampton *.....	456				2		1	1	5	1	2	46	2	3	34	
57	Northbridge town.....	84							1	1			2			7	
58	Norwood town.....	138				1		2	1	2		1	5			19	
59	Peabody.....	213				1			3	2	2		7	2	1	15	
60	Pittsfield.....	547	2			2	2	5	3	9	2	1	25	1	2	45	2
61	Plymouth town.....	160				2				7			3		1	24	
62	Quincy.....	480	1			6		3	1	9	1		20	3	7	51	1
63	Revere.....	219				5	1	2	1	2	1		3			27	1
64	Salem.....	549	1				2	4	14	3	3		21	4	7	43	1
65	Saugus town.....	101								2	1		2			12	1
66	Somerville.....	1,104	1			5	4	9	5	7	4	1	39	6	11	128	7
67	Southbridge town.....	126							3	2			5			14	
68	Springfield.....	1,782	2				5	5	6	41	4	3	91	5	7	179	5
69	Taunton *.....	610	1			2	1		1	10	1		37	3		46	2
70	Wakefield town.....	141						2		1			6			20	

† Excluding collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Ty-phoid and para-typhoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whoop- ing cough	Diph- theria	Influenza	Ery- sipelas	Me- ningo- coccus menin- gitis	Tuber- culosis of the respi- ratory system	Tuber- culosis of the menin- ges, etc.	Other forms of tuber- culosis	Cancer and other malig- nant tumors	Rheu- matism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
MISSOURI—continued																
1 Jefferson City..... White..... Colored.....	185	2							4		1	16		1	11	
2 Joplin.....	482					3	1	6	25			47	1	3	38	
3 Kansas City..... White..... Colored.....	4,190	7	2			30	30	27	135	6	4	213	13	22	430	5
4 Moberly.....	184	2				2	8	1	43	5		113	7	15	24	2
5 St. Joseph*.....	1,314	5	1			1	11	5	32	4	1	47		7	118	4
6 St. Louis..... White..... Colored.....	9,393	21	3		4	52	14	90	117	16	3	342	21	27	965	29
7 Sedalia.....	1,948	12	1		2	1	7	4	31	2	3	219	11	16	85	2
8 Springfield.....	265	1							11			13		3	17	
8 Springfield.....	594	4	1			3	4	3	13	2	2	38	1	3	56	3
MONTANA																
9 Anaconda.....	140								4			7	1		12	1
10 Billings.....	210	1				1	2		11	2		7			18	2
11 Butte.....	597						5	7	13	2	1	49	1	1	45	1
12 Great Falls.....	278	1					1	5	1			9	2	1	37	4
13 Helena.....	164					1	2	2	2		1	3			13	
14 Missoula.....	214	1					3		2	1		2			25	1
NEBRASKA																
15 Grand Island.....	226	1				2	2		3	2		8		2	23	
16 Hastings.....	182						1		8			4	1		15	1
17 Lincoln.....	783	2				1	3	4	25	2		21		4	89	1
18 North Platte.....	119					2	1		4			6			11	
19 Omaha..... White..... Colored.....	2,599	4		1		1	13	31	48	2	1	79	7	10	286	3
	214						3		8			37	4	8	5	
NEW HAMPSHIRE																
20 Berlin.....	173						2		4			2		3	14	
21 Concord*.....	489						1	1	16	2		25		2	48	
22 Dover.....	232	2						1	2		1	9	1	2	19	3
23 Keene.....	206						1		7			6		1	16	1
24 Laconia*.....	229					2			6	1		4	1	2	17	
25 Manchester.....	921	2				6	8	7	62	1	3	23	5	6	89	6
26 Nashua.....	416	1			3	1	10	2	11	1		12	1	5	39	4
27 Portsmouth.....	195	3				1	1	2	2			2	1		31	
NEW JERSEY																
28 Asbury Park..... White..... Colored.....	114					2	2					5			16	1
	30											2			4	
29 Atlantic City*..... White..... Colored.....	835			1	1	5	3	1	6	1	1	12	4	9	64	2
	242	1					2		2			10	1	4	12	
30 Bayonne.....	714	4			1	1	8	4	15	2	2	31	3		49	3
31 Belleville*.....	232				2	3	6	29		9	2	12	1	1	13	1
32 Bloomfield.....	188	1					2	1				6		1	30	3
33 Bridgeton.....	238	3				1	5		6			8	1	1	23	1
34 Camden.....	1,775	10		44	35	4	25	27	14	1	2	64	4	6	108	7
35 Carteret.....	76						2	1	3	2		6	2		13	
36 Clifton.....	212		1			2	13	5	1	1	1	18		1	13	1
37 East Orange.....	453					1	3		3	2		21		1	51	
38 Elizabeth.....	1,198	5			3		7	11	14	6	3	48	13	4	115	11
39 Englewood*.....	273	2				1	1		1			8		1	13	
40 Garfield.....	141								4	3		10		1	12	
41 Gloucester.....	119				2		2					3			7	
42 Hackensack.....	419	1							4	1	1	5	1		42	3
43 Harrison.....	145	1				1	4		6			7			11	2
44 Hoboken.....	904	3						8	5	6	1	40	6	3	95	4
45 Irvington.....	328	1				1	1		2			14	1		39	5
46 Jersey City.....	3,675	13			12	2	20	46	39	18	3	217	16	19	273	20
47 Kearny.....	285					1	1	3	4			13		1	35	
48 Long Branch*.....	471	3							7	1		12	5	2	43	1
49 Millville.....	182	2				1			5			3		3	23	
50 Montclair..... White..... Colored.....	258	1							3			5		1	32	1
	32											4			3	
51 Morristown*.....	360	1				1				2		8	3	2	43	
52 Newark..... White..... Colored.....	4,667	4			8	2	16	23	23	11	7	180	12	17	472	19
	641	1			1		8	2	6		1	69	5	9	29	1
53 New Brunswick.....	495	6	1		1		2	1	4		1	16	2	3	35	1
54 Orange*..... White..... Colored.....	530	2					1	1	5			13	2	1	47	
	89											11	3	1	6	1
55 Passaic.....	726	1			10	6	7	27	13	1	5	28	1	2	51	3
56 Paterson.....	1,711	4			3		12	6	17	4	1	113	8	13	172	4
57 Perth Amboy.....	484	1				2	6	14	8	3	2	23	4	4	36	
58 Phillipsburg.....	205				1		3	4	3			8	1	1	16	6
59 Plainfield.....	427	1				2	5		2	1		19		5	39	
60 Rahway.....	162	1				1			4			7	1	1	24	
61 Summit.....	168	1							4	1		8	1		10	
62 Trenton.....	1,873	10			5		14	3	19	6	4	99	11	10	142	7
63 Union City.....	417				1		2	6	2			24	2	1	45	6
64 West New York.....	225					1	3		3	1		10	1	1	22	2
65 West Orange.....	127								3			3			15	

1 Excluding collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties containing State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
NEW MEXICO ²																
1 Albuquerque *	493	3			1			1	11	1		188	1	1	17	1
NEW YORK																
2 Albany	1,845	7				4	4	8	23	3		123	7	9	153	2
3 Amsterdam	392	2							8			18	2	1	34	
4 Auburn	515	1					1		7	1		27	5	3	56	1
5 Batavia	268	1				1		2	7		1	10		1	24	1
6 Beacon *	158							1	2			10		1	12	2
7 Binghamton *	1,055	6				2	3	5	13			37	2	7	92	1
8 Buffalo	7,434	25			56	14	24	33	39	0	7	432	34	28	655	20
9 Cohoes	292	1							3	2	1	18	3	1	20	
10 Corning	185	2						2	2	1		4	1	1	17	1
11 Cortland	270							3	1			4		1	31	1
12 Dunkirk	221	2			1				6			12	1	2	22	
13 Elmira	734	4			1	1	2	2	15	1		14	4	4	47	4
14 Fulton	177								2			2		1	11	
15 Geneva	208	2			1			1	7			5		1	18	
16 Glens Falls	313				1			1	4	1		9		4	19	
17 Gloversville	372					1		2	6			7			47	2
18 Herkimer	131	1						1	2	1		3			13	
19 Hornell	202	1	1				2		9			5	1		31	
20 Hudson	288								3			9	3	4	21	
21 Iion	121							3	2			1			16	1
22 Ithaca	296								1			6	3	2	37	2
23 Jamestown	527					1	1	1	2			12	4		59	1
24 Johnstown	112								2			7			15	
25 Kingston	547	10				1	2	2	10	1		39	1	5	52	3
26 Lackawanna*	345	5			5		5	4	5		2	8	1	1	14	1
27 Little Falls	169							2	1			4	1	2	16	1
28 Lockport	327				1		1	2	4			7			41	
29 Middletown*	409							2	1			29	1	1	33	1
30 Mount Vernon	455	3			3		1	1	8			21	1	4	37	2
31 Newburgh	501	3			1	1	1	20	1			36	1	5	48	3
32 New Rochelle	382	2							1		-3	12	1		33	3
33 New York	67,556	190	6		141	76	298	641	550	226	92	4,155	272	320	6,680	285
White	4,279	6			14	1	40	18	18	13	5	703	44	68	194	16
Colored	8,295	21			8	11	29	58	86	39	7	590	33	50	885	40
34 Bronx Borough	23,864	67	3		24	21	106	250	247	69	29	1,278	96	101	2,226	125
White	960				2	1	10	8	11	5		106	9	17	48	4
Colored	26,851	85	2		102	29	118	253	154	60	47	1,755	106	140	2,644	82
35 Manhattan Borough	2,968	6			12		26	10	6	8	5	585	33	43	134	11
White	7,030	16	1		6	14	41	65	50	24	7	444	35	25	702	30
Colored	1,867	1			1	1	8	15	14	4	2	150	4	10	182	9
36 Queens Borough	687	2			4			4	13	3	1	26	2	2	41	2
37 North Tonawanda	191	1				1	1		3			7	1	2	18	
38 Ogdensburg*	432	3						1	5	1		22	2	6	29	1
39 Olean	280	1				3			1			5			28	
40 Oneida	163							3				3	1		21	2
41 Oneonta	188										1	3	1	1	22	
42 Ossining	181					1		1			1	5			11	3
43 Oswego	285	1					2	1			1	12			19	2
44 Peekskill	214								2			19		1	13	1
45 Plattsburg	230	1			1		1	4	1			7	3		27	4
46 Port Chester	194					1		1	3	1	2	3	1		15	
47 Port Jervis	172							2	6	1		2	1	1	17	1
48 Poughkeepsie	498	2				1		2	11			13	3	6	51	4
49 Rensselaer	98					1		1				4		1	5	
50 Rochester	3,839	8			7	10	19	52	19	8	2	168	11	19	384	16
51 Rome*	482	1						5	3			64	2	4	40	2
52 Saratoga Springs	301		1			1		1	3			14		3	30	2
53 Schenectady	1,057	3				1	2	3	16	2	1	27	3	7	98	2
54 Syracuse	2,292	4					17	6	13	3	1	74	12	3	226	8
55 Tonawanda	100					1			1	2		6	1	1	8	
56 Troy	1,354	2			2		3	14	15		1	41	8	12	117	2
57 Utica*	1,516	5			1	4	1	21	15	3		74	11	8	157	8
58 Watertown	540	3				1		1	6	1		27	2	1	60	4
59 Watervliet	184					1			4			10		1	23	1
60 White Plains	312					1		1	4			8		5	26	1
61 Yonkers	1,144	2		1	34		3	14	15	3		86	1	1	106	2
NORTH CAROLINA																
62 Asheville*	478	2	1						11	1		119	3	3	14	4
White	233	1							18			33	1	1	10	
Colored	438	1						2	5	1		15	1	2	23	2
63 Charlotte	408	2	1				4		27			41	3	3	13	1
White	263	1							5			17		2	18	1
Colored	321	6	3					1	10			35	4	4	7	2

¹ Excluding collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
NORTH CAROLINA—continued																
1 Gastonia	White	158	2					2	5	1		4				10
	Colored	58							10			1				2
2 Goldsboro*	White	118	1	1				1	3			6		1		10
	Colored	118	1	1					3			14				3
3 Greensboro	White	338	1					2	7	1	1	7	1	1		30
	Colored	232	2	2			3	2	7		1	27		1		6
4 High Point	White	236	2				1	3	7	1		11				12
	Colored	86	1						7			7	1	1		
5 New Bern	White	74	2					1	4			4				3
	Colored	160		3					6			13		1		6
6 Raleigh*	White	391	2	1		1		3	12			20	1	2		20
	Colored	281	3				1		3		1	21	1	9		8
7 Rocky Mount	White	149	1	1				3	2			6		1		8
	Colored	147					1	2	3			9	1			4
8 Salisbury	White	117						1	5			1				7
	Colored	83							2			4		1		5
9 Wilmington	White	255					3	5	7			5		1		22
	Colored	295	2						5	1		9	1			10
10 Wilson	White	120		1				3	9							14
	Colored	145		2					4			21		1		1
11 Winston-Salem	White	369	2		1		1	3	4	2	2	23	5	2		17
	Colored	509	1	2	1	1	12	1	14			46	1	6		7
NORTH DAKOTA																
12 Fargo		305	1				1	2	3		1	14	2	1		37
13 Grand Forks		151					1	1	1			5		2		21
14 Minot		216	1				1	1	2	2	1	10	1	4		18
OHIO																
15 Akron		1,901	4		1	11	34	11	7	45	5	2	73	11	12	135
16 Alliance		280			3			1	14	1	1	13		1		24
17 Ashtabula		299	6			2		2	3			12	1			16
18 Barberton		204						1	7			9		3		17
19 Bellaire		175	1			1		1	8			5	2			11
20 Bucyrus		149	1						6			4	2	3		11
21 Cambridge		211	2			1		2	8			13	1	5		19
22 Canton		1,109	1				2	5	26	3		46	7	12		91
23 Chillicothe		236					1		5			9		3		22
24 Cincinnati	White	5,579	16			1	10	12	14	141	12	5	283	22	24	536
	Colored	947	2	1			4	2	22	1		137	9	24		45
25 Cleveland	White	8,531	15		2	5	14	42	95	25	15	513	30	43		773
	Colored	1,178	1	1	4	1	2	17	10	3	2	195	10	30		37
26 Cleveland Heights		207						2	4	2		5		3		20
27 Columbus	White	3,286	11			1	8	17	9	105	9	2	144	8	20	281
	Colored	608	1			1		11	22			69	3	12		25
28 Coshocton		142						1	6			5		1		16
29 Cuyahoga Falls		110					1	2	7			1				8
30 Dayton		1,962	4			2	2	6	41	3	3	11	11	20		200
31 East Cleveland		212							4	2		9		1		30
32 East Liverpool		370	2			1		1	8			24	1	5		27
33 East Youngstown		115				2	1	1	5			3		2		4
34 Elyria		272	3					2	2	2		8		2		23
35 Findlay		267	1				1		6			10		2		27
36 Fremont		121				1		1	3			7		3		11
37 Hamilton		576	5	1	1		3	2	25	1	1	30	6	5		63
38 Ironton		228	2			7	1	1	4			14		2		16
39 Kenmore		104					2	1	2	2		6				12
40 Lakewood		430					1	1	12	1		12		1		49
41 Lancaster		207	2				2		6			11	1	3		20
42 Lima		583	2				9		20	1		27	1	1		53
43 Lorain		417					1	1	15		1	19	3	1		34
44 Mansfield		391	1				2	2	9	1		18	3	3		36
45 Marietta		194	3			1		1	7		2	7		2		26
46 Marion		332	2					4	21	1		15		1		26
47 Martins Ferry		216					1	1	6		1	11				22
48 Massillon		242					2	1	11	1		11	1	4		17
49 Middletown		285	1				1	5	12			15	4	4		26
50 Newark		379	1					1	22	1		29	1	3		26
51 New Philadelphia		99					5		3			6				12
52 Niles		106			1	3	2	4	2	1		1	2	1		13
53 Norwood		178	1						4	1		9	1			28
54 Piqua		229							18			10	2	2		24
55 Portsmouth		529	3				4	6	18	1		26	6	5		38
56 Salem		176						1	10			7		2		15
57 Sandusky		318	8	1				1	1			1				37
58 Springfield	White	754				1		7	13	1		27	2	4		54
	Colored	139							6			11		1		8
59 Steubenville		460	4			1	1	3	10			14		2		24
60 Tiffin		223						1	3			4	1	3		16
61 Toledo		3,494	18	2		1	10	10	65	8	1	245	8	14		266
62 Warren		462	5		12	3	6	3	8	3		12	5	3		35
63 Youngstown		1,706	8		10	6	9	15	33	4	1	90	11	13		128
64 Zanesville		510	3					3	18	2		23	1	2		35

1 Excluding collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor cities. State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
OKLAHOMA 2																
1 Oklahoma City.....	1,176	17	1			3	11	4	38	2	1	56	4	6	125	3
OREGON																
2 Astoria.....	138						1	1	2	2		2				9
3 Eugene.....	274	2						3	6	1	2	4	2	1	31	
4 Portland.....	3,332	6	2	1	1	5	19	40	33	7	20	128	24	37	415	8
5 Salem (exclusive of State institutions).....	321					1	1	9	4	2		13	1	1	41	1
6 State institutions.....	342							1	3			85	1	1	4	1
PENNSYLVANIA																
7 Allentown.....	1,284	4			2		6	11	12	1	1	69	3	9	108	6
8 Altoona.....	812	5				1		8	13	4	1	23	5	2	71	1
9 Ambridge.....	111				6		4		10	1		3	1	2	5	
10 Beaver Falls.....	213	2					3	1	7			5	2		14	1
11 Berwick.....	131						1		3	1		6		1	9	3
12 Bethlehem.....	421				2		8		5			28		2	31	2
13 Braddock.....	323	1			4		1	4	9		1	13	1	2	8	
14 Bradford.....	253							2	5	1		8	2		24	2
15 Bristol.....	133				1		1		9			5	1		13	1
16 Butler.....	310	3				1	2	2	6	1		19	1	3	23	2
17 Canonsburg.....	114	1			1		3		4			4		1	5	
18 Carbondale.....	319						4	1	9			8		1	13	
19 Carlisle.....	179	1				2			13	1		4		1	14	
20 Carnegie.....	85				4		3		3			5		2	8	
21 Carrick.....	102					1			9			4		1	5	1
22 Chambersburg.....	212							1	13			11	1	1	14	
23 Charleroi.....	87						1		5			7			3	1
24 Chester..... White.....	570	3			4		3	14	8	1		31	7	2	38	2
25 Coatesville..... Colored.....	179								6			15		2	6	
26 Columbia..... White.....	112						2	1	1			5	1	1	13	1
27 Connellsville..... Colored.....	20						1					2			3	
28 Easton.....	159	3			2		1		8	1		3		1	20	
29 Dickson City.....	159	1							7			8	1		17	
30 Donora.....	106						1	5	7			3			6	
31 Du Bois.....	121				2	1		1	6	1	1	7		1	7	2
32 Dunmore.....	174	1				1		2	8			9		2	19	
33 Easton.....	259	1			10		6	4	11	1		13			11	2
34 Erie.....	158		1	1	3	4	1	5	6			14	1	2	7	4
35 Farrell.....	642	4			7	1	3		3	2		29	3	4	57	4
36 Greensburg.....	1,295			2	3	9	3	12	32	4	1	69	3	10	118	5
37 Harrisburg.....	118					2		4	9			11	1	1	6	
38 Hazleton.....	263	7					2	1	4		1	9	2	3	17	
39 Homestead.....	1,176				10	4	1	10	15	3	1	36	3	7	109	6
40 Jeannette.....	488	2			11		3	4	8			17	5		27	3
41 Johnstown.....	254	3			1	1	2	1	7			15	1	3	12	1
42 Lancaster.....	119	1				2	1	2	1	3		4		2	4	
43 Lebanon.....	1,020	2			2		5	7	56	4		50	12	9	58	3
44 McKeesport.....	958	11			9	2	1	2	12	2	2	25	5	9	81	6
45 McKees Rocks.....	353	6			1		4	4	6	1		17	2	2	30	
46 Mahanoy City.....	690	8			2	1		2	17	1	3	13	2	1	42	3
47 Meadville.....	138				2	1		3	5	2		7	1		2	
48 Monessen.....	205						3	1	3	2	1	2	1	2	18	
49 Mount Carmel.....	270	1						3	5			13		4	16	
50 Nanticoke.....	123				1			4	4	1		8	1		7	2
51 New Castle.....	180						3	2	2			6			13	
52 North Braddock.....	366				2		1	2	5	1		13		2	17	2
53 Oil City.....	589	2				5	10	1	25	3		18	1	4	44	1
54 Old Forge.....	119							2	1			4		2	4	
55 Olyphant.....	1,020	2			2		5	7	56	4		50	12	9	58	3
56 Philadelphia..... White.....	22,363	36	1	21	79	72	96	289	234	55	16	1,281	69	127	2,093	71
57 Philadelphia..... Colored.....	3,682	13	3	3	5	6	43	25	43	8	3	487	25	47	126	9
58 Phoenixville.....	148				3		1	1	1			3	1	2	13	1
59 Pittsburgh..... White.....	8,302	20			77	35	12	56	184	19	7	353	33	41	668	33
60 Pittsburgh..... Colored.....	1,081	2			9	1	4	1	11	2		85	11	16	44	5
61 Pittston.....	247				2		2	1	3	2		1	1	1	11	
62 Plymouth.....	162				2	1	1	3	5	1		4			14	1
63 Pottstown.....	274	1					1		13	1		10	1		16	3
64 Pottsville.....	466	1			2			11	7	1	1	25	3	2	36	1
65 Punxsutawney.....	145						2	1	6	1	1	6	1	1	10	
66 Reading.....	1,474	1			13	6	8	13	21	4		65	6	8	120	8
67 Scranton.....	1,957	5			1	1	14	22	57	3	2	61	7	9	155	9
68 Shamokin.....	203					1		4	6			6		1	15	
69 Sharon.....	282	4		2	1			3	18			8	3	2	23	3
70 Shenandoah.....	288				5		3	6	7			8			3	

1 Excluding collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
PENNSYLVANIA—continued																	
1	Steelton.....	White.....	116							2		2	10			12	
		Colored.....	28							1			5			1	
2	Sunbury.....	White.....	180	2			1	1		4	2		8	2	1	12	
3	Swissvale.....	White.....	123				2	2		4			9			10	
4	Tamaqua.....	White.....	122					2	1	2	1		7		2	10	
5	Uniontown.....	White.....	414	6		2		1		3		3	11	5	1	37	
6	Warren.....	White.....	201					3		3			5	1	1	28	
7	Washington.....	White.....	395	5		1		7	2	15			16	2	3	32	1
8	West Chester *.....	White.....	258	3			3			1			4	1	2	16	2
		Colored.....	54	1			1	2		1			4		1		1
9	Wilkes-Barre.....	White.....	1,169	1		3		12	6	39	7	1	48	4	5	69	3
10	Wilkesburg.....	White.....	354	4				1	1	13			9	2	1	32	1
11	Williamsport.....	White.....	568	6		2	2	4	5	9			10	1	2	40	2
12	Woodlawn.....	White.....	123	1		1	1	2		3			9			8	1
13	York.....	White.....	738	6				2	1	13	2	1	20	1	7	64	5
RHODE ISLAND																	
14	Bristol town.....	White.....	141					2		6		1	10		2	13	1
15	Central Falls.....	White.....	221	1		2		3	5	7			11		4	16	1
16	Cranston (exclusive of State institutions).....	White.....	262					2	1	6			7	2	2	30	
		Colored.....	379							2	4		34		2	23	
17	Cumberland town.....	White.....	99					3	1	3	1		4			4	1
18	East Providence town.....	White.....	268					1		6			22	2		24	2
19	Newport.....	White.....	396	2		1	1	1	2	6	1		25	2	3	21	1
20	Pawtucket.....	White.....	890	2		1	1	9	10	14	2	1	19	3	8	92	4
21	Providence.....	White.....	3,309	9		18	9	14	19	38	5	4	121	19	25	335	9
22	Warwick town.....	White.....	199					1	1	1			15		3	17	
23	West Warwick town.....	White.....	187			1		3	3	3			14	1	2	20	
24	Woonsocket.....	White.....	521	2		9	1	8	2	8	2		11	6	7	36	1
SOUTH CAROLINA																	
25	Anderson.....	White.....	242	2				6	3	13			11			13	1
		Colored.....	96	1				4		3			8			4	
26	Charleston.....	White.....	459	4				2	3	9			21	1	2	39	2
		Colored.....	1,025	11	6			2	3	16			84	1	10	20	2
27	Columbia *.....	White.....	536	2	1			1	2	23		2	21	1	1	24	
		Colored.....	484	5				1		17		1	44	1	6	13	
28	Florence.....	White.....	171	6	1				5	5		2				9	
		Colored.....	209	4	2					6			18		5	9	
29	Greenville.....	White.....	176	3			1	2	3	7		2	4			8	
		Colored.....	217	7		1		4	3	8			14		2	7	1
30	Spartanburg.....	White.....	226	1				2	3	4			9	1	1	15	1
		Colored.....	195	4		1			3	2			25		2	10	
SOUTH DAKOTA																	
31	Sioux Falls.....	White.....	335				3		5	8	2		21		4	41	
TENNESSEE																	
32	Chattanooga *.....	White.....	742	14	1			4	2	26		2	36	6	9	41	
		Colored.....	761	10	3			4	1	46			79	2	14	14	5
33	Jackson.....	White.....	187	4	1				1	2	1		12	1	1	13	
		Colored.....	160	3	5					10			17		3	3	
34	Johnson City *.....	White.....	255	6			1	2	1	11		1	21	2	8	5	
		Colored.....	37	2						2			5			2	
35	Knoxville.....	White.....	987	13		1	2	11	7	33	1	2	60	8	5	59	6
		Colored.....	327	7				3		18			30	1	6	8	
36	Memphis.....	White.....	1,559	19	11	1	2	7	4	45	3	3	60	6	9	120	3
		Colored.....	1,815	32	9		2	11	2	79	1	4	174	4	26	56	5
37	Nashville.....	White.....	1,386	17	2		8	2	5	56	4	3	70	6	3	108	3
		Colored.....	963	10	2	1	2	1	5	35		1	86	4	22	45	3
TEXAS																	
38	Beaumont.....	White.....	352	5	2		1		1	16		1	8		1	26	2
		Colored.....	230	1	6			1		7			27		3	10	
39	Dallas.....	White.....	2,033	21	4		4	6	7	63	4	2	73	3	9	152	10
		Colored.....	624	13	2					21	1		47	1	4	14	2
40	El Paso.....	White.....	1,788	8				6	9	110	8		439	17	14	90	3
41	Fort Worth.....	White.....	1,258	7			3	3	3	47		1	73	3	2	97	4
		Colored.....	286	4		1		1		12			37	1	1	7	
42	Galveston.....	White.....	463	3		1			2	3			29	2		34	
		Colored.....	244	2	1					1		1	14		2	13	
43	Houston.....	White.....	1,699	10	3		1	8	15	50	2	2	89	7	14	135	2
		Colored.....	908		7			7	3	40			84	1	4	32	2
44	San Antonio.....	White.....	2,743	13	6		3	2	24	101	3	8	374	7	20	165	6
		Colored.....	286	1	1				1	16			52	2	1	8	
UTAH																	
45	Ogden.....	White.....	426	1			1			5			7	1		36	1
		Colored.....	169	1				1		5			3		1	11	1
47	Salt Lake City.....	White.....	1,532	9			1	9	18	29	3	16	63	1	7	143	3

1 Excluding collision with railroad trains and street cars.

DEATHS FROM IMPORTANT CAUSES, BY COLOR

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Dia- betes melli- tus	Cere- bral hemor- rage and soften- ing	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Diar- rhea and enter- itis (under 2 years)	Apen- dicitis and typh- litis	Hern- ia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Nep- hritis	Puer- peral septi- cemia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Automobile accidents			Other external causes	Un- known or ill-de- fined dis- eases	All causes	
															Primary ¹	In collision with— Rail- road trains	Street cars				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d- 186,	201-203	204, 205	
1	11	26		11	7				12		1	3			2			5		8	1
1	3	3		5	2				2			1						2		1	2
5	13	37		10	3	1	1		28	3	1	8	1		7		2	14		13	3
6	5	34		11	3				10			5		1				18		8	4
1	6	27		7	5			1	16			9	2					5		13	
4	27	51		37	6	8	6	2	25	9	6	18	1	7	11	3		47		77	5
4	10	31		8	3	7	5	1	11	1	1	9	3	2	2			13		51	6
3	20	46	1	32	27	8	8	3	17	3	5	28	5	3	8		1	26	3	67	7
2	22	44		18	3	4	6	2	30	5		32		5	5			14		39	8
2	2	9		13		1	1		4			4	1		1			3		3	
26	54	173	6	117	30	26	15	10	81	8	12	87	12	4	18	1		121	3	167	9
5	20	46	4	61	4	5	2	2	32	1	1	8		2	9		1	32	1	54	10
9	45	94	3	54	29	9	6	6	51	2	3	45	2	1	8			28		90	11
1	6	10	3	18	8	1	1	1	5	1		18	2	1	1			12		10	12
9	77	128	4	50	25	6	15	3	65	6	4	54	6	6	11			32	1	112	13
4	13	17	1	11	7		1	1	2			8	1	1	2			2	3	32	14
4	17	40	5	21	10	1	3	1	23		1	17	2		1			3		22	15
5	30	58	2	20	2				28	1		18	3		2		1	6	2	31	16
2	32	70	2	33	3	1	2	2	47			4	1		2			7	1	116	17
1	9	13	2	15	3				10	1		1	1		1			7	1	15	18
5	36	49		24	10			1	30		1	20			1			12	1	20	19
9	34	72	2	22		1	3	1	38	1	1	17	3	2	4			67	3	50	20
17	63	163	7	77	9	13	9	3	99	4	8	81	3	2	14			48	4	101	21
67	265	553	13	327	40	64	26	13	344	12	26	216	28	7	79	2	2	149	18	433	22
3	25	28	3	12	5		4	4	23		1	13	1		1			8		30	23
2	14	30	2	20	8		1	1	7		6	11	1		11			5		35	24
8	34	88	4	51	28	2	5	2	39	3	6	55	2					21	2	67	24
5	13	19		19	7	10	3		24	1	3	30	2	2	4		1	10	5	35	25
2	6	9		4		1	1		13	1	1	2		4				5	5	23	
7	32	75	1	29	10	5	6	2	61	1	5	41	5		5		1	15	1	72	26
8	70	131	1	65	52	7	7	1	143	4	9	109	1	6	7			30	14	190	27
4	33	63	2	37	6	16	5	3	58	5	11	35	1	7	9	2		28		134	
4	43	62		27	14	7	4		56	4	4	23	1	5	4			13	3	122	27
2	4	17		8	9	7	2	1	13		6	13		2	6	1		14	3	35	28
2	12	20		11	8	4	4		10	2	4	6	6		8			17	15	38	
1	8	17	1	10	5	4	3	2	13		4	4	2	4	7			18		38	29
2	12	27		16	9		1		32	1	3	11		5	1			8		42	
2	19	20	1	7	3	7	5	2	19	3	4	20	2	2	6			10	1	56	30
7	31	31	1	20	5	4	3		25	1	3	8		5			6	2		30	
4	23	36		24	12	10	6	1	26	1	2	25	7		5			18	1	50	31
11	47	75	1	52	19	20	16	2	64	6	9	45	10	5	20			37	25	137	32
2	35	64	3	104	17	13	6	1	62	5	9	18		34	7			23	80	100	
1	10	15		13	13	11	1		18			3	3		6			12	13	24	33
1	4	7	1	13	3	3	2		11	3	1	3		8				9	23	26	
13	4	22		9	20	1	2		19	1	6	24	2	4	5			16	5	48	34
4	4	5		1					4	1	1	2						2	1	5	
14	65	106	2	62	43	19	9	2	62	10	10	49	7	9	19			62	32	197	35
1	23	39	1	35	10	3	4		25	3		20	1	13	5			13	4	53	
19	87	167	1	110	42	59	18	14	115	20	24	97	26	20	33			79	31	299	36
14	39	172	5	197	45	36	26	11	142	10	13	86		79	19	2	1	79	64	347	
13	70	154	8	88	36	31	23	8	100	10	12	96	15	17	26			77	35	275	37
6	56	168	1	79	21	11	7	4	90	9	10	38	5	22	12			48	35	124	
11	13	26		21	4	13	10	4	29	2	13	21	8	2	8		1	23	9	71	38
3	5	17		31	11	1	1	1	15	1	5	19	1	3	1			10	11	40	
29	142	194	5	150	80	57	23	18	124	20	24	189	36	23	54			90	1	415	39
5	44	57	2	74	17	12	2	6	63	7	10	35	1	31	5			32		116	
10	39	89	10	100	163	24	9	8	86	16	9	92	19	17	30			58	15	252	40
13	76	106	4	84	32	30	23	3	69	7	12	89	27	15	31			77	23	292	41
2	17	24		30	7	6	3	2	35	3	1	7		9	1			16	6	52	
3	28	79	5	32	13	5	3	5	39	3	7	23	10	5	9			24	1	95	
4	12	31	1	23	5	1	5	1	30	2		8	1	6				10	1	68	42
26	89	159	3	103	45	34	28	8	126	7	27	102	31	31	27			95	112	304	43
8	40	84	5	54	20	9	16	4	73	5	10	25	3	21	4			32	146	168	
24	108	241	15	176	265	32	43	16	131	20	30	169	33	33	38			75	72	482	44
4	7	36	9	20	11	4	2		21	1	3	4	2	9	1			8	8	37	
6	30	52		35	3	15	5	1	34	5	7	49	10	3	4			27	4	74	45
1	10	12	1	7	3	2	5		17	1	1	9	2	1	1			5		68	46
21	92	203	4	122	11	48	21	3	124	7	18	94	24	10	42			93	27	261	47

¹ Nonregistration State; cities shown are those with satisfactory registration of deaths.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor towns and cities. Numbers under causes of death contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Ty- phoid and para- typhoid fever	Mala- ria	Small- pox	Mea- sles	Scarlet fever	Whoop- ing cough	Diph- theria	Influenza	Ery- sipelas	Men- ingo- coc- cus men- ingitis	Tuber- culosis of the respi- ratory system	Tuber- culosis of the menin- ges, etc.	Other forms of tu- ber- culosis	Cancer and other malignant tumors	Rheu- matism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
VERMONT																
1 Barre.....	157						1	1	6			33	3		18	1
2 Burlington.....	375								10	1		14	4		39	2
3 Rutland.....	290	1					3	2	9	2		10			36	2
VIRGINIA																
4 Alexandria.....	214		1				1		3			8			15	
..... Colored	90						1		4			7		2	4	4
5 Charlottesville.....	93	1			5		1		3			4	1		10	2
..... Colored	52				2		1					4			3	
6 Danville.....	221	4						1	9	1		6	2	1	6	
..... Colored	120	1							3			9	2	2	5	
7 Lynchburg.....	311	2				1	3	1	11	1		10	3		15	3
..... Colored	208	1					3		6	1		16	2	3	9	1
8 Newport News.....	138	2							5			9	2		7	
..... Colored	213						2	1	3			19		4	1	
9 Norfolk.....	831	2			1		3	1	4	2	1	36	1	3	76	1
..... Colored	940	3	2				11	1	27	1		96	5	10	31	4
10 Petersburg.....	230	2			2			1	5			16		1	21	1
..... Colored	310	3	3		1		1		29			31	1	6	8	2
11 Portsmouth.....	249	2					3		4			11	1	3	18	1
..... Colored	392	2	6				1		28	1		35		5	12	4
12 Richmond.....	1,572	3			1	2	5	15	22	6	5	63	8	6	136	5
..... Colored	1,168	7	1		2		7	16	28			94	5	13	43	3
13 Roanoke.....	609	3			1	1	8	10	20	2	1	25	5	1	53	4
..... Colored	230	3					1	1	5			10	2	1	11	2
14 Staunton *.....	247								2	3		15			13	1
..... Colored	32	1							2			4	1	1	4	
WASHINGTON																
15 Aberdeen.....	248	2									1	12	2	2	24	2
16 Bellingham.....	382	3					3		9	1		14		5	53	1
17 Everett.....	333						2		7		1	18	1	2	36	1
18 Hoquiam.....	115						1	2	1			6	1	1	12	
19 Seattle.....	3,170	6	2		3		16	9	48	3	2	155	22	32	395	2
..... Colored	202	2					3		5		1	37	10	10	10	
20 Spokane.....	1,386	3			1	5	7	16	44	7	16	41	2	7	158	3
21 Tacoma.....	1,243	2					2	21	18	2	8	45	8	12	140	5
22 Vancouver.....	156	1					2	1	1			5		1	19	
23 Walla Walla.....	215								5	2		17	3	3	28	
24 Yakima.....	348	1						2	12	1		7	2	1	28	
WEST VIRGINIA																
25 Bluefield.....	196	2		1			1		3	1	1	7	3	2	9	1
..... Colored	61	1							1		1	2		1	1	
26 Charleston.....	600	13			3		1	1	11	2	1	34		4	32	2
..... Colored	149	2					1		1		1	12	2	2	6	
27 Clarksburg.....	351	10					5	2	16	3		20	2	3	30	1
28 Fairmont.....	305	10					5	5	9	3	1	11		2	20	
29 Huntington *.....	980	25	1				7	9	17	1	2	85	5	5	55	3
30 Martinsburg.....	270	5			7			2	4			7	1	2	15	
31 Morgantown.....	230	9			1			2	7	1		7	1	3	16	
32 Moundsville.....	141					2	2		4			16			15	
33 Parkersburg.....	308	1				1	1	2	6			11		1	22	
34 Wheeling *.....	1,001	8			1		8	4	21	4	1	39	3	5	83	2
WISCONSIN																
35 Appleton.....	270	1						1	4	1		12	1	1	36	
36 Ashland *.....	263			2					6			9	1	2	31	1
37 Beloit.....	258	1					1		5			11	1	1	26	2
38 Eau Claire *.....	386				1	1			2	1	2	27	1	4	55	3
39 Fond du Lac.....	397	1			1		2	9	6	3		14	1		46	1
40 Green Bay.....	539	2				2	4	1	11	1		19	2	3	67	2
41 Janesville.....	254					1			6			6			33	2
42 Kenosha.....	387			1	2	1	3	6	2	1	1	16	2	2	37	2
43 La Crosse *.....	521	2		3			1		1			14	1	1	58	
44 Madison.....	597	1			1	1	1		2			16	6	8	84	
45 Manitowoc.....	231	4				1			7			15			19	
46 Marinette.....	171				1		1		9	1		14		2	7	
47 Milwaukee.....	5,549	7		87	20	8	39	69	95	8	2	243	34	35	535	21
48 Oshkosh.....	432	1				2		2	8	2		10	2	4	52	1
49 Racine.....	572	1			2		3	1	17			28		3	70	4
50 Sheboygan.....	398	1			1	5	2	2	17	1		10	3	2	56	3
51 Stevens Point.....	139					1	1	1	1			9	1		11	
52 Superior.....	458			2		5	5	1	11			21	2	4	36	
53 Waukesha.....	146						1		1			6	3	1	17	
54 Wausau.....	258	1			2	4	3		9	4		7	1		30	2
55 West Allis.....	135			2	2	1		4	6			4			12	1
WYOMING																
56 Casper.....	237	5				3		1	4			13	2	1	14	1
57 Cheyenne.....	176	1						2	9		2	6	2	1	13	

* Excluding collision with railroad trains and street cars.

CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		INDIANA		List No.
Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	
								White	Colored	White	Colored							
17	16	35	2	3	5	11	9	30	22	62	37	1	11	122	64	50	41	148
	2	1									1	1	1			2		149
																		150
17	16	32	14	4	6	7	4	11	8	19	7	2	7	91	88	54	56	
10	9	11	7	3	5		2	3	2	4	1	2	4	8	45	20	34	151
2	1	6	1			1	1	3	2	10			1	23	14	13	10	152
3	3	10	2			3	1	5	1	3	2			29	11	7	5	153
2	3	5	4	1	1	3			3	2	4		2	31	18	14	7	154
9	1	20	9	2		5	1	5	3	6	2	3	4	56	31	13	15	
8		19	7	1		4	1	4	3	5	1	3	4	47	24	11	11	155
1	1	1	2	1				1		1	1			9	4	2	2	156
						1					1				3			157
																	2	158
65	63	159	49	11	12	58	21	43	9	73	9	7	37	745	336	210	265	
6	3	28	5	1	1	3		7	1	8	1		5	92	38	20	18	159a
34	45	73	26	8	8	31	12	20	5	36	2	5	27	471	212	131	188	159b
25	15	58	18	2	3	24	9	16	3	29	6	2	5	182	86	59	59	159c
256	366	756	152	69	66	203	122	203	138	366	177	31	178	2,462	1,408	832	828	
22	50	81	30	8	19	15	12	27	32	54	44	3	17	115	102	62	123	160
170	239	419	79	44	37	133	90	141	79	250	107	22	123	1,422	893	524	524	161a
30	38	187	24	15	4	40	11	29	8	42	9	4	23	748	364	150	109	161b
31	38	68	18	2	6	15	9	6	18	20	17	2	15	168	45	94	72	162
3	1	1	1						1					9	4	2		163
51	69	61	31	7	26	27	11	20	15	127	90	17	51	106	291	45	126	164
357	688	1,103	300	119	99	318	161	477	315	847	537	40	388	4,807	2,804	1,592	1,701	
99	82	135	55	13	10	67	5	53	5	69	5	9	52	634	328	215	232	
13	9	10			1	8	1	4		5	1	1	3	34	12	14	14	165
8	4	10	1		2	10		8		6	1		3	61	36	58	34	166
17	2	32	4	5		17	1	2		3			2	156	8	21	6	167
7	10	21	21	2		8		3		11		1	7	74	85	25	48	168
	7	9	10			4		1	2	2		1	4	25	20	10	13	169
51	37	27	15	7	3	15	1	30	1	37	3	6	25	206	139	68	100	170
1	8	17	4	1	1	3	1	3	1	4			6	36	15	12	8	171
1	1	4	4	1	1	1	1							33	6	1	1	172
1	2	3	3					1						6	3	3	2	173
	2	2	2			1		1	1	1		2		3	3	3	6	174
29	55	50	5	4	5	14	47	51	167	81	165	1	19	604	166	161	43	
24	42	15	2	2	2	8	25	34	110	65	126		14	434	123	123	22	197
4	3	6				1	11	5	35	6	29		3	70	19	17	5	198
1	10	29	3	2	3	5	11	12	12	10	10	1	2	100	24	21	16	199
229	551	918	240	102	84	237	109	373	153	697	367	30	317	3,569	2,310	1,216	1,426	
4	6	6	1	1	1	2		14	5	16	7	1	4	9	21	8		175
1	1					1		1	1	5	2			2		1	1	176
10	8	12	4	2	2	3	1	14	6	20	6		12	78	31	24	25	177
2	4	11	10	2	2	1	1	4	4	5	12		11	50	35	10	20	178
20	25	88	7	12	9	14	25	17	14	36	33	2	13	216	110	74	81	179
3	10	7	1	3	1	3		3	2	4	3		3	21	21	16	24	180
12	4	51	2	7		19	6	7		6	2		1	200	26	38	4	181
3	49	78	38	10	14	17	10	32	19	109	52	2	64	168	200	50	103	182
1	22	6	2	2	5	4	3	4	14	39	41		13	76	60	31	44	183
2	3	11	3	2		1	2	4	4	3	9	1		28	18	10	10	184
55	73	183	45	22	17	62	14	40	7	49	10	6	22	616	309	227	313	185
1	78										1	1	13	32	99	23	89	186a
	1									1		1		3	2	3	6	186b
5	19	26	4	1	2	5	4	8	6	26	8		11	105	37	43	28	187
18	48	37	14	6	6	3		19	9	66	48		29	292	373	129	164	188a
3	3	5	2		1			5		15	6		5	40	151	40	51	
15	45	32	12	6	5	3		14	9	51	42		24	252	222	89	113	
10	2	20		2		14	3	8					1	158	28	53	62	188b
3	1	5		4		4	1	5						43	17	29	41	
7	1	15		2		10	2	3					1	115	11	24	21	
56	90	268	72	21	16	65	23	148	41	197	63	11	45	933	335	319	190	188c
	4		2					4		4				1	5		2	188d
7	22	15	7	4	3	6	3	4	3	4	7	1	17	67	32	15	29	188e,f
1	8	4	1	1	1	1		3	1	3	3		5	14	57	15	24	188g
4	13	5	4			1		1		1	1	2	9	17	22	7	17	189
								1			1							190
	5	6	2		1								1	9	10	4	3	192
1		22	9	8	1	2	8			2	4	1	1	29	23	9	12	194
	15	1	2					2	1	5	3		7	4	19	2	11	195
2	11	11	1			4		6	1	20	1		4	26	41	23	22	196
	1	7	3			1		15	2	24	5		2	33	7	5	2	201
11	29	43	6		3	9	5	15	13	52	45	1	29	372	384	77	124	202
														10	4			203
13	29	33	23		6	3	2	44	53	231	408		45	34	171	19	37	
	1	8	3		1			2	3	27	31		6		12			204
4	12	11	7		5	3		19	28	89	150		8		89	10	23	205a
9	16	14	13				2	23	22	115	227		31		18	9	14	205b

* These cities are shown under the various States (indicated by footnote 1) in Table I B.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH
 ["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
		Urban	Rural	Urban	Rural	Urban		Rural		Urban		Rural	
						White	Colored	White	Colored	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue.....	30	70	16	40	14	5	39	11	24	20	17	20
151	Gangrene.....	10	37	3	17	5	2	12	6	4	8	3	13
152	Furuncle.....	5	12	5	3	3	1	5	1	6	1	5	1
153	Acute abscess.....	8	9	2	5	5	1	10	1	8	7	2	4
154	Other diseases of the skin and annexa.....	7	12	6	15	1	2	12	3	6	4	7	2
	X.—Diseases of the bones and of the organs of locomotion.....	14	22	16	8	6	1	15	2	14	6	5	6
155	Diseases of the bones (tuberculosis excepted).....	11	18	13	6	6	1	13	2	11	4	3	4
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	3	2	1	1	1	1	1	3	2	2	2
157	Amputations.....	1	1	1	1	1	1	1	1	1	1	1	1
158	Other diseases of the organs of locomotion.....	1	1	1	1	1	1	1	1	1	1	1	1
	XI.—Malformations.....	124	213	62	209	67	4	169	6	61	36	76	46
159a	Congenital hydrocephalus.....	8	35	8	14	3	1	18	3	5	3	6	15
159b	Congenital malformations of the heart.....	66	126	28	123	39	2	84	3	38	27	48	24
159c	Other congenital malformations.....	50	52	26	72	25	1	67	3	18	6	22	7
	XII.—Early infancy.....	426	737	316	657	313	60	1,087	109	230	171	401	291
160	Congenital debility, icterus, sclerema.....	41	107	39	109	38	11	219	28	9	24	56	73
161a	Premature birth.....	237	454	210	411	202	33	669	68	149	110	270	167
161b	Injury at birth.....	70	116	41	100	49	10	120	6	59	17	55	25
162	Other diseases peculiar to early infancy.....	27	56	20	36	24	5	79	7	13	10	19	21
163	Lack of care.....	1	4	1	1	1	1	1	1	1	1	1	1
164	XIII.—Old age (senility).....	135	421	99	283	92	7	328	32	21	30	149	238
	XIV.—External causes.....	729	1,137	581	981	511	159	1,393	255	503	385	487	516
	Suicide.....	135	211	57	131	68	4	115	6	70	5	31	12
165	By poisons (gas or corrosives excepted).....	15	18	3	7	4	1	4	1	2	1	3	1
166	By corrosive substances.....	20	19	14	11	8	1	16	1	13	1	2	1
167	By poisonous gas.....	19	4	1	1	1	1	1	1	13	1	1	1
168	By hanging or strangulation.....	28	75	9	32	11	1	31	2	1	1	3	1
169	By drowning.....	2	7	2	10	1	1	3	3	5	1	4	1
170	By firearms.....	35	78	25	58	33	1	50	3	33	1	18	8
171	By cutting or piercing instruments.....	7	9	3	7	4	1	8	1	1	1	1	1
172	By jumping from high places.....	6	1	1	1	3	1	1	1	2	1	1	1
173	By crushing.....	2	1	1	1	2	1	2	1	1	1	1	1
174	By other means.....	1	1	1	1	1	1	1	1	1	1	1	1
	Homicide.....	37	29	62	32	45	78	198	73	60	162	65	156
197	By firearms.....	25	18	44	23	30	59	185	64	39	110	50	122
198	By cutting or piercing instruments.....	4	3	5	4	8	16	5	5	5	37	11	21
199	By other means.....	8	8	13	5	7	3	8	4	16	15	4	13
	Accidental or undefined.....	557	897	462	818	398	77	1,080	176	373	218	391	348
175	Poisoning by food.....	7	13	11	14	3	2	20	2	4	2	12	10
176	Poisoning by venomous animals.....	2	1	6	6	1	1	1	1	1	1	5	10
177	Other acute poisonings (gas excepted).....	21	23	15	24	12	1	26	1	9	8	15	11
178	Conflagration.....	10	14	7	11	1	1	16	5	11	5	11	11
179	Burns (conflagration excepted).....	36	49	33	50	34	16	105	27	42	47	30	47
180	Mechanical suffocation.....	8	18	7	25	4	4	23	5	4	1	4	13
181	Absorption of irrespirable, irritating, or poisonous gas.....	12	4	11	10	9	1	5	1	10	2	10	5
182	Drowning.....	18	77	18	60	15	11	69	10	26	15	46	52
183	Traumatism by firearms (except in war).....	12	42	11	38	10	3	79	18	18	13	18	35
184	Traumatism by cutting or piercing instruments.....	5	13	8	9	3	3	10	3	5	2	4	4
185	Traumatism by fall.....	132	214	88	153	85	10	149	10	65	21	46	29
186a	Traumatism in mines.....	6	23	2	28	8	1	153	36	1	1	1	1
186b	Traumatism in quarries.....	1	1	1	1	1	1	1	1	1	1	1	1
187	Traumatism by machines.....	11	22	14	25	9	2	20	2	16	7	11	10
188a	Railroad accidents.....	62	72	47	85	30	10	113	21	21	23	42	35
	Collision with automobiles.....	12	9	14	27	5	1	13	2	2	2	5	3
	Other railroad accidents.....	50	63	33	58	25	9	100	19	19	23	37	35
188b	Street-car accidents.....	9	5	8	4	8	4	4	4	9	4	4	4
	Collision with automobiles.....	4	5	2	2	2	2	2	2	2	2	2	2
	Other street-car accidents.....	5	6	6	2	6	2	2	2	7	2	2	2
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	125	146	115	125	112	13	100	12	93	32	86	30
188d	Airplane and balloon accidents.....	1	1	1	1	1	1	1	1	1	1	1	1
188e	Injuries by other vehicles.....	7	23	14	30	6	1	21	2	5	3	7	5
188g	Landslide, other crushing.....	3	5	1	5	3	1	8	2	1	5	12	5
189	Injuries by animals (not poisoning).....	3	19	5	18	6	1	20	2	1	1	6	4
190	Wounds of war.....	1	1	1	1	1	1	1	1	1	1	1	1
192	Starvation (deprivation of food or water).....	1	1	1	1	1	1	1	1	1	1	1	1
193	Excessive cold.....	3	3	2	5	2	1	3	2	1	1	1	2
194	Excessive heat.....	11	19	5	12	7	1	10	3	1	2	1	7
195	Lightning.....	8	8	8	11	1	1	18	1	1	1	8	7
196	Other accidental electric shocks.....	6	22	3	12	4	1	11	1	6	1	3	1
201	Fracture (cause not specified).....	5	5	1	2	3	1	5	1	1	2	1	1
202	Other external violence.....	43	58	36	51	18	4	90	14	25	20	27	30
203	Violent deaths of unknown causation.....	1	1	1	1	1	1	1	1	1	1	1	1
	XV.—Ill-defined diseases.....	21	128	11	115	6	11	465	55	6	12	221	517
204	Sudden death.....	2	21	2	16	1	1	41	3	2	2	48	57
205a	Ill-defined.....	10	57	5	40	3	7	195	18	2	4	57	114
205b	Not specified or unknown.....	9	50	4	59	2	4	229	34	4	6	116	346

CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued
1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.	
Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural		Urban	Rural		
		White	Colored	White	Colored							White	Colored	White	Colored				White
14	35	24	8	13	6	100	24	84	79	33	42	7	4	23	11	42	55		
5	23	11	5	8	4	16	11	33	43	15	13	3	2	4	5	11	26	151	
4	3	6	1	1	1	27	2	13	9	3	9	3	2	9	2	12	8	152	
3	2	3	2	2	1	32	7	13	7	5	8	4	2	4	2	11	8	153	
2	7	4	2	2	1	25	4	25	20	10	12	4	2	6	2	8	13	154	
6	3	23	4	5	1	75	7	38	22	15	8	4	2	5	6	28	10		
5	3	18	3	4	-----	60	5	32	16	12	8	4	1	5	4	26	8	155	
-----	-----	4	1	-----	-----	14	-----	5	4	2	-----	-----	1	-----	2	2	1	156	
1	-----	1	-----	1	1	1	2	1	2	1	-----	-----	-----	-----	-----	-----	1	157	
36	77	127	19	93	27	632	119	394	340	163	209	12	2	61	32	175	202	158	
3	11	9	3	8	4	77	13	42	40	26	31	1	-----	7	7	15	18	159a	
16	44	79	12	61	17	349	74	205	191	75	114	7	-----	32	11	108	125	159b	
17	22	39	4	24	6	206	32	147	109	62	64	4	2	22	14	52	59	159c	
220	417	421	124	331	173	2,173	347	1,943	1,126	681	909	63	34	385	299	799	896		
32	76	22	5	38	54	168	45	222	203	27	99	10	8	52	61	57	139	160	
133	267	277	91	216	89	1,250	184	1,275	698	414	568	37	20	263	181	546	576	161a	
45	46	68	9	43	11	515	80	310	134	150	165	11	2	50	25	132	107	161b	
10	28	54	19	32	16	236	37	136	89	39	76	5	4	20	30	64	74	162	
-----	-----	-----	-----	2	3	4	1	-----	2	1	1	-----	-----	-----	2	-----	-----	-----	163
45	184	47	7	47	19	70	50	189	392	48	196	14	23	115	288	39	228	164	
246	452	727	209	466	126	2,872	597	2,522	1,738	957	1,216	127	167	515	791	1,891	1,506		
41	77	100	8	59	2	369	87	293	202	176	196	4	4	40	15	268	205		
1	3	-----	-----	2	-----	9	2	18	11	6	14	-----	-----	1	1	22	15	165	
1	4	15	4	23	4	23	4	53	14	25	7	1	-----	4	1	67	20	166	
9	-----	26	-----	4	-----	127	6	46	6	35	-----	-----	-----	-----	-----	31	4	167	
4	18	8	1	12	-----	67	25	54	58	31	59	-----	1	2	5	30	35	168	
6	15	3	-----	6	-----	22	13	12	17	16	10	-----	-----	2	-----	3	18	169	
13	31	37	6	26	2	72	26	78	78	38	78	2	1	27	7	81	90	170	
5	6	5	5	3	-----	26	7	21	12	16	11	1	-----	3	-----	20	15	171	
1	-----	4	1	15	-----	15	1	7	-----	6	3	-----	1	1	-----	10	3	172	
-----	-----	2	-----	6	-----	2	2	2	2	3	4	-----	-----	-----	-----	2	1	173	
1	-----	-----	-----	2	-----	2	-----	2	-----	10	-----	-----	-----	-----	-----	2	4	174	
6	11	23	49	24	16	91	20	281	39	56	39	18	48	66	257	323	106		
3	7	19	23	14	12	40	12	197	20	28	22	15	38	54	202	217	84	197	
-----	-----	2	20	4	-----	13	1	42	8	8	4	2	6	2	33	50	10	198	
3	4	7	6	6	-----	38	7	42	11	20	13	1	4	10	22	56	12	199	
199	364	590	152	383	108	2,412	490	1,948	1,497	725	981	105	115	409	519	1,300	1,195		
-----	5	1	6	3	-----	13	7	14	15	2	-----	3	5	8	12	21	21	175	
-----	-----	-----	-----	3	-----	3	-----	4	-----	1	-----	-----	-----	-----	-----	1	1	176	
3	11	7	5	9	6	36	5	37	26	12	13	4	2	6	11	34	25	177	
2	10	2	2	7	7	19	35	30	40	9	44	1	-----	6	10	32	31	178	
14	22	46	28	16	11	199	19	152	55	37	48	9	17	51	95	121	81	179	
2	10	11	1	11	1	46	9	19	27	2	8	3	-----	11	23	8	20	180	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	2	41	-----	5	1	136	11	59	13	59	8	-----	-----	-----	1	37	9	181	
14	56	44	20	74	20	162	109	78	248	35	142	1	10	31	47	52	102	182	
5	19	10	5	9	5	17	11	28	47	15	43	5	17	31	70	31	50	183	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
3	9	2	3	2	1	20	3	17	13	6	5	1	2	5	4	15	17	184	
53	71	118	14	45	7	576	79	335	255	174	166	9	7	46	32	260	249	185	
-----	-----	-----	-----	-----	-----	-----	-----	6	36	8	15	-----	-----	-----	-----	5	17	186a	
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	1	3	186b	
10	12	11	10	7	2	64	2	67	44	22	38	2	2	14	13	34	27	187	
6	24	28	3	33	2	75	32	143	126	46	83	17	11	45	45	87	147	188a	
-----	-----	-----	-----	-----	-----	-----	-----	10	48	8	17	3	4	7	-----	4	16	-----	
6	21	27	3	31	2	71	22	112	78	38	66	14	7	38	45	83	131	-----	
2	1	18	1	4	6	53	5	72	30	17	2	-----	-----	-----	-----	31	3	188b	
-----	-----	-----	-----	-----	-----	-----	-----	26	16	7	-----	-----	-----	-----	-----	7	-----	-----	
2	-----	15	1	4	3	40	2	46	14	10	2	-----	-----	-----	-----	24	3	188c	
47	51	154	27	71	19	602	127	649	306	183	178	24	15	76	55	352	157	188d	
-----	-----	-----	-----	-----	-----	-----	-----	3	9	1	2	-----	-----	-----	-----	3	1	188e	
9	11	12	-----	9	2	70	13	25	32	21	43	1	2	9	3	22	27	188e,f	
1	-----	4	3	2	2	24	-----	15	4	3	12	4	2	4	8	7	10	188g	
-----	4	4	-----	3	-----	8	2	15	22	6	17	2	-----	5	9	10	20	189	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	190
1	4	1	5	3	1	6	1	5	10	2	3	-----	-----	-----	-----	3	7	192	
3	2	32	11	6	2	56	9	30	11	4	8	-----	-----	1	6	34	18	193	
-----	-----	-----	-----	-----	-----	-----	-----	1	9	-----	4	-----	-----	2	21	1	22	194	
2	3	8	-----	8	-----	24	5	33	20	4	15	2	1	12	5	18	32	195	
1	4	5	-----	14	2	9	3	22	14	2	3	5	6	14	5	13	14	196	
19	29	37	8	27	9	171	18	87	85	54	69	11	12	33	43	68	83	201	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	202
36	92	4	1	49	67	86	24	43	173	24	116	23	178	387	1,829	36	385	203	
16	18	-----	-----	2	8	12	6	1	26	2	15	5	5	68	169	1	25	204	
13	30	3	1	23	24	59	15	32	74	7	35	9	16	52	165	20	114	205a	
7	44	1	-----	24	35	15	3	10	73	15	66	9	157	267	1,495	15	246	205b	

CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

Table with columns for states: NORTH DAKOTA, OHIO, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, and UTAH. Each state has sub-columns for Urban and Rural, and further sub-columns for White and Colored populations. Includes a 'List No.' column on the far right.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

Table with columns for List No., CAUSE OF DEATH, and mortality statistics for MONTANA, NEBRASKA, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, and NORTH CAROLINA (Urban and Rural). Rows include categories like 'III.—Diseases of the nervous system...', 'IV.—Diseases of the circulatory system...', 'V.—Diseases of the respiratory system...', 'VI.—Diseases of the digestive system...', 'VII.—Nonvenereal diseases of the genito-urinary system...', and 'VIII.—The puerperal state'.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH
["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural	
												White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue.	1	4	15	26	10	20	91	40	240	93	12	11	38	19
151	Gangrene.....	1	2	5	14	6	10	22	19	44	49	1	7	14	6
152	Furuncle.....			2	3	2	1	17	10	55	11	1		10	
153	Acute abscess.....			4	4	4	4	35	6	78	14	6	2	5	8
154	Other diseases of the skin and annexa.....		2	8	5	2	5	17	5	63	19	4	2	9	5
	X.—Diseases of the bones and of the organs of locomotion.	4		12	5	1	2	49	6	145	18	6	2	24	8
155	Diseases of the bones (tuberculosis excepted).....	4		9	5	1	2	40	3	123	15	4	2	17	7
156	Diseases of the joints (tuberculosis and rheumatism excepted).....			2				8	1	20	3	2		4	1
157	Amputations.....														
158	Other diseases of the organs of locomotion.....			1				1	2	2				3	
	XI.—Malformations.	11	36	52	152	40	40	343	165	1,196	374	60	10	209	46
159a	Congenital hydrocephalus.....	2	5	5	11	5	7	27	11	146	42	11		21	7
159b	Congenital malformations of the heart.....	6	22	27	88	25	17	157	116	631	228	29	7	104	10
159c	Other congenital malformations.....	3	9	20	53	10	16	129	38	419	104	20	3	84	29
	XII.—Early infancy.	93	226	224	527	188	137	1,415	530	5,289	1,189	304	206	1,181	556
160	Congenital debility, icterus, sclerema.....	13	32	20	66	23	31	132	78	506	155	26	35	157	123
161a	Premature birth.....	58	140	156	337	112	82	863	314	2,965	732	209	136	853	362
161b	Injury at birth.....	18	31	38	83	39	14	276	88	1,273	213	45	19	120	31
162	Other diseases peculiar to early infancy.....	4	22	10	40	14	10	143	48	532	88	24	16	48	39
163	Lack of care.....		1		1			1	2	8				3	1
164	XIII.—Old age (senility).	10	43	28	182	25	91	97	109	239	321	26	13	250	273
	XIV.—External causes.	188	470	340	638	183	259	2,395	1,195	8,781	2,583	312	228	1,009	597
	Suicide.	38	64	71	98	16	40	255	153	1,279	387	24	5	88	11
165	By poisons (gas or corrosives excepted).....	1	9	4	4		3	12	2	48	16	1		2	
166	By corrosive substances.....	10	5	4	5		1	23	13	124	20	4	2	3	
167	By poisonous gas.....	2		16	2	4		91	30	448	16				
168	By hanging or strangulation.....	3	5	10	24	6	13	45	39	212	144			9	2
169	By drowning.....		2	2	7	4	5	9	16	59	33				
170	By firearms.....	18	40	31	45	1	16	44	43	166	115	16	3	69	7
171	By cutting or piercing instruments.....	4	2	3	4	1	2	18	5	84	27	2		4	1
172	By jumping from high places.....			1				11	1	122	6	1			
173	By crushing.....		1		2			1	4	10	5				
174	By other means.....				5					3	5				1
	Homicide.	20	31	39	15	2	4	133	52	510	61	22	68	68	102
197	By firearms.....	17	28	31	10	2	2	61	34	301	40	17	52	54	73
198	By cutting or piercing instruments.....	3		3	2	1	1	23	5	76	3	3	8	4	18
199	By other means.....		3	5	3	1	1	49	13	134	18	2	8	10	11
	Accidental or undefined.	130	375	230	525	165	215	2,007	990	6,992	2,135	266	155	853	484
175	Poisoning by food.....	1	4	2	10		2	8	9	19	20	5	3	22	11
176	Poisoning by venomous animals.....		1		3					1	1			3	1
177	Other acute poisonings (gas excepted).....	5	9	6	12	2	5	27	12	115	31	5	3	13	14
178	Conflagration.....	3	10	13	13		7	22	22	110	62	2	4	7	23
179	Burns (conflagration excepted).....	10	21	20	46	12	15	195	53	532	95	28	33	89	109
180	Mechanical suffocation.....	1	3	3	14		3	16	14	44	36	9	7	26	31
181	Absorption of irrespirable, irritating, or poisonous gas.....	1	3	17	8	8	1	123	33	766	35	35		3	1
182	Drowning.....	1	43	9	33	19	21	141	168	533	315	6	9	55	35
183	Traumatism by firearms (except in war).....	6	22	2	26	3	9	22	20	53	60	10	16	45	44
184	Traumatism by cutting or piercing instruments.....	4	3	3	9	1	4	14	9	75	15	3	1	7	6
185	Traumatism by fall.....	22	41	56	97	42	42	388	137	1,481	397	40	4	123	27
186a	Traumatism in mines.....	12	31						1	3	11			28	27
186b	Traumatism in quarries.....	3	12	6	10	2	5	31	19	196	42	3	8	26	16
187	Traumatism by machines.....	18	32	16	63	12	16	155	142	270	234	26	15	54	30
188a	Railroad accidents.....	7	7	39	39	2	3	20	29	31	48	4	4	15	8
	Collision with automobiles.....	11	25	16	24	10	13	135	113	239	186	22	11	39	22
	Other railroad accidents.....	4	2	2	24	1	1	34	20	220	34	4	1		
188b	Street-car accidents.....	2	2					6	8	24	9	2	1		
	Collision with automobiles.....									196	25	2			
	Other street-car accidents.....														
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	30	54	50	75	34	53	567	204	1,703	408	90	23	212	51
188d	Airplane and balloon accidents.....									2	8			1	
188e	Injuries by other vehicles.....	25	4	25	3	6		34	11	108	67	3		14	5
188g	Landslide, other crushing.....	2	5	3	4	1		7	2	34	13		2	10	4
189	Injuries by animals (not poisoning).....				11		2	2	7	22	23	1	1	11	2
190	Wounds of war.....									1	1			2	
192	Starvation (deprivation of food or water).....				7		1	3	7	10	8			1	1
193	Excessive cold.....			9	13	1	5	87	25	186	21	3	1	6	3
194	Excessive heat.....				3			3	3	21	13	1		18	11
195	Lightning.....				2		4	18	21	53	24	6	2	10	
196	Other accidental electric shocks.....	2	3		2			13	4	73	50	6	2	10	2
201	Fracture (cause not specified).....			5				99	41	377	107	15	20	57	30
202	Other external violence.....	5	25	14	35	20	13	99	41	377	107	15	20	57	30
203	Violent deaths of unknown causation.....														
	XV.—Ill-defined diseases.	6	74	7	83	28	10	47	29	49	82	57	147	1,124	1,262
204	Sudden death.....		6	1	8	21	2	5		3	18	8	14	195	100
205a	Ill-defined.....	2	19	4	33	2	5	36	22	20	32	11	23	241	142
205b	Not specified or unknown.....	4	49	2	42	5	3	6	7	26	32	38	110	688	1,020

CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

Table with columns for states (North Dakota, Ohio, Oregon, Pennsylvania, Rhode Island, South Carolina, Tennessee, Utah) and rows for causes of death. Includes sub-columns for Urban/Rural and White/Colored populations. List No. on the right side.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

Table with columns: List No., CAUSE OF DEATH, VERMONT (Urban, Rural), VIRGINIA (Urban, Rural: White, Colored), WASHINGTON (Urban, Rural), WEST VIRGINIA (Urban, Rural), WISCONSIN (Urban, Rural), WYOMING (Urban, Rural). Rows include categories like All causes, Epidemic, endemic, and infectious diseases, General diseases not included in Class I, and Diseases of the nervous system.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
		Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
				White	Colored	White	Colored								
	IX.—Diseases of the skin and of the cellular tissue.....	7	13	16	15	33	25	20	17	19	31	41	66		7
151	Gangrene.....	6	9	6	13	12	13	9	7	11	17	18	35		1
152	Furuncle.....	1		6		2	1	2		2	2	7	5		
153	Acute abscess.....		3	1		5		3	3	3	9	12	11		
154	Other diseases of the skin and annexa.....		1	3	2	14	11	6	7	3	3	4	15		6
	X.—Diseases of the bones and of the organs of locomotion.....	2	5	4	4	13	5	21	5	5	4	18	20	1	2
155	Diseases of the bones (tuberculosis excepted).....	2	4	2	4	10	2	16	3	4	4	15	16	1	2
156	Diseases of the joints (tuberculosis and rheumatism excepted).....		1	2		3	1	3	1	1		2	2		
157	Amputations.....												1		
158	Other diseases of the organs of locomotion.....						2	2	1			1	1		
	XI.—Malformations.....	16	62	57	17	175	47	99	81	70	201	162	212	3	27
159a	Congenital hydrocephalus.....	3	5	6		17	11	10	3	5	11	25	17	1	5
159b	Congenital malformations of the heart.....	9	36	32	13	84	17	48	52	42	132	65	112	2	17
159c	Other congenital malformations.....	4	21	19	4	74	19	41	26	23	58	72	83		5
	XII.—Early infancy.....	40	220	338	235	920	490	325	316	322	1,006	823	893	23	117
160	Congenital debility, icterus, sclerema.....	8	35	30	53	152	159	22	56	37	177	70	119	1	18
161a	Premature birth.....	28	135	226	123	612	261	200	186	215	623	504	544	18	76
161b	Injury at birth.....	3	32	64	29	104	37	71	44	44	98	151	135	3	13
162	Other diseases peculiar to early infancy.....	1	18	18	29	49	29	31	28	26	107	97	93	1	10
163	Lack of care.....				1	3	4	1	2		1	1	2		
164	XIII.—Old age (senility).....	9	78	44	21	253	227	57	136	60	384	146	418	2	26
	XIV.—External causes.....	63	287	406	234	887	456	791	1,010	514	1,463	1,032	1,219	78	247
	Suicide.....	4	45	61	4	81	12	183	135	35	74	179	192	20	26
165	By poisons (gas or corrosives excepted).....		4	9		4	1	12	7		6	11	7	3	2
166	By corrosive substances.....		2	11	1	4		12	8		5	16	8		
167	By poisonous gas.....	1	4	9		2		45	1			23	5		1
168	By hanging or strangulation.....		10			6	2	26	16		9	16	85	2	4
169	By drowning.....	1	9			2		10	17		3	55	11		1
170	By firearms.....		13	29	2	53	7	56	62	16	47	36	57	9	16
171	By cutting or piercing instruments.....		3			5	1	13	16	2	2	9	13	1	2
172	By jumping from high places.....		3	3		3		6	1	1		5	4		
173	By crushing.....					1	1		3	1		1	2		
174	By other means.....					1			4			1	2		
	Homicide.....	2		30	70	75	73	48	35	51	147	36	27	7	17
197	By firearms.....	1		25	39	59	57	38	23	98	126	22	20	5	13
198	By cutting or piercing instruments.....		1	3	25	7	6	7	7	9	15	9	6		
199	By other means.....			2	6	9	10	8	5	6	8	6	9		4
	Accidental or undefined.....	59	220	315	160	731	371	560	840	428	1,242	817	1,000	51	204
175	Poisoning by food.....		3	3	2	11	9	4	7	2	14	4	9		2
176	Poisoning by venomous animals.....					1	1						2		
177	Other acute poisonings (gas excepted).....	2	2	10	6	17	10	18	6	13	23	20	15	2	3
178	Conflagration.....			6	1	21	36	9	22	4	20	3	10		6
179	Burns (conflagration excepted).....	3	3	27	16	85	75	24	23	61	122	30	54	4	10
180	Mechanical suffocation.....		2	4	2	12	9	3	10	9	41	6	10		4
181	Absorption of irrespirable, irritating, or poisonous gas.....	2	1	7	4	2	1	22	8	10	5	26	9	2	5
182	Drowning.....	2	26	17	14	53	25	42	147	26	65	108	160	2	17
183	Traumatism by firearms (except in war).....	1	8	14	16	42	31	12	23	8	33	11	34	3	14
184	Traumatism by cutting or piercing instruments.....														
185	Traumatism by fall.....	14	68	67	19	120	21	110	81	60	86	167	213	4	15
186a	Traumatism in mines.....					59	8		33		461		6		17
186b	Traumatism in quarries.....	5	5				1						3		
187	Traumatism by machines.....	2	8	7	5	14	10	26	29	12	22	27	24	1	6
188a	Railroad accidents.....	4	15	26	8	50	24	39	89	36	108	85	82	6	11
	Collision with automobiles.....		1			8	1	4	23		8	18	20		1
	Other railroad accidents.....	4	14	25	8	42	23	35	66	36	100	67	62	6	10
188b	Street-car accidents.....		1	5	3		2	17	3	7	2	19	10		
	Collision with automobiles.....			2				4	2	1		2	2		
	Other street-car accidents.....		1	3		2	13	1	6	2	17	8			
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	15	41	81	30	109	51	149	150	72	136	224	173	14	53
188d	Airplane and balloon accidents.....			1		5		1	2	1	2	1	2		
188e	Injuries by other vehicles.....	1	11	7	1	15	7	9	17	3	6	17	30	1	6
188g	Landslide, other crushing.....			2	1	6		12	67	1	8	3	12	1	4
189	Injuries by animals (not poisoning).....		1	3	1	9	2	4	2	1	4	6	21		6
190	Wounds of war.....												1		
192	Starvation (deprivation of food or water).....		1												
193	Excessive cold.....		1	1	1	5	7				3	2	9		2
194	Excessive heat.....		1	3	2	8	4		4	3	5	3	3		1
195	Lightning.....					11	5		2		7	1	8		5
196	Other accidental electric shocks.....	1	4	5	2	4	2	4	11	5	13	4	10		3
201	Fracture (cause not specified).....			2	3	5	4		1	1		1	3		
202	Other external violence.....	6	17	17	19	60	25	41	94	22	43	43	77	5	12
203	Violent deaths of unknown causation.....			1											
	XV.—Ill-defined diseases.....	2	16	21	55	352	342	13	79	4	23	7	46		34
204	Sudden death.....		2	7	6	72	53	4	12		5	1	4		1
205a	Ill-defined.....	1	5	10	38	96	105	4	30	3	11	2	6		9
205b	Not specified or unknown.....	1	9	4	11	184	184	5	37	1	7	4	36		24

NOTE.—Populations are shown in Table I A.

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.		
39,074 29,570 9,504	41,124 32,555 8,569	48,294 38,438 9,856	51,876 42,224 9,652	58,361 48,313 10,048	67,693 57,471 10,222	73,769 66,098 7,671	86,888 79,314 7,574	98,387 91,778 6,609	97,052 91,010 6,042	87,443 82,874 4,569	66,696 62,885 3,811	35,828 33,670 2,158	12,780 11,543 1,237	3,136 2,548 588	1,239 441 798	1,659 931 728			
14,663 4,620 14,907 4,884	17,066 4,403 15,489 4,166	20,935 5,025 17,503 4,831	24,037 5,016 18,187 4,636	27,628 5,439 20,685 4,609	32,833 5,799 24,638 4,423	37,772 4,299 28,326 3,372	44,372 4,082 34,942 3,492	50,690 3,633 41,088 2,976	48,887 3,362 42,123 2,680	42,673 2,520 40,201 2,049	30,476 2,007 32,409 1,804	15,031 1,113 18,639 1,045	4,741 579 6,802 658	934 242 1,614 346	164 302 277 496	606 424 325 304			
4,656 1,818 5,449 2,092	4,801 1,506 4,446 1,430	5,015 1,469 3,757 1,292	5,095 1,191 3,062 954	4,679 1,118 2,552 783	4,229 903 2,240 581	3,723 632 2,162 373	3,203 445 2,038 316	3,032 326 2,277 229	2,348 286 2,116 210	1,778 187 1,889 146	1,145 121 1,446 106	621 67 763 71	189 29 285 43	24 16 61 14	8 19 11 23	73 77 51 53			
345 123 262 100	230 51 179 59	245 64 142 50	225 36 91 45	181 30 98 33	135 38 96 15	133 18 78 12	96 7 49 10	71 14 54 7	43 6 26 6	18 3 15 2	6 3 2 2	1 1 1 1					5 5 5 4	1	
1 1		1				1			1									2	
20 19 25 19	26 13 29 27	9 17 22 40	19 20 19 32	23 36 19 28	25 21 14 28	27 18 12 18	21 17 13 14	26 16 16 14	27 16 24 13	16 14 23 13	13 9 17 8	6 4 4 3	1 2 2 2		1 2 1 1		3 4 3 4	5	
25 5 28 6	21 6 23 4	29 4 22 5	29 6 14 1	30 6 15 3	18 4 15 2	20 4 11 1	19 3 9 1	13 1 12 9	5 2 9 1	4 1 1 1	6 1 2 1		1 1		1 1			6	
9	3		4	2	3	5	2	2	2	1	2							7	
13	6	7 1	9	7	6 1	4	2 1		3	1								1	
30	24	19	10	10	11	4	3 1		1	1	2							8	
69 3	45 1	28 2	18	13	7	4	1	2										9	
	1	1	1	1	1			2	2	1								2	
1	2	2	1		1	1				3 1								9	
27 2 41 2	14 2 43 2	15 2 33 6	19 2 32	7 1 20 2	12 17 17 1	17 1 9 2	7 1 19 2	4 1 4 4	4 1 8	1 1	1 1	1 1						4 2	10
198 91 213 81	268 88 253 73	350 93 320 75	371 100 293 76	410 106 287 63	414 96 274 89	382 74 314 65	446 58 411 52	520 46 569 44	536 37 601 38	511 39 612 29	386 23 495 20	190 10 258 19	53 11 87 7	4 3 14 5	3 3 14 6	5 6 7 1		11a	
92 24 128 40	108 25 144 36	123 44 169 53	156 36 151 55	154 59 156 59	155 39 153 47	184 27 207 26	228 40 231 50	285 27 315 37	341 52 394 50	415 42 513 40	371 39 535 32	275 32 334 24	106 9 142 22	14 7 40 6	6 7 6 14	4 8 2 3		11b	
1 2 2	2 3 1	2	3	1	2 2 1	1	1	1	1	2	1	2	1					13	
2 2	2 4	2	1	1	1	2 1 2	6 1 3	5 1 1	6 4 1	10 6 1	5 10 1	6 7 1			1			15	
8 7 13 14	7 2 14 10	9 5 10 14	20 8 12 12	10 9 11 8	19 11 27 12	23 18 24 7	37 18 38 10	50 10 51 15	63 16 88 20	96 9 93 12	57 11 102 10	48 5 53 8	13 3 20 8	3 2 4	1 4 1 2	4 1 2		16	
			1	4	1	1	1	1		1								17	
	1	1 1	2	3		2		1		1								19	
3 2	2	1		1	3	1		1 2				1						20	
	1		1 1	1	2	1		1		1			1					21	
18 2 22 1	31 8 32 1	32 1 33	61 6 31 2	69 4 41 8	82 7 55 5	84 3 49 3	79 1 78 1	107 2 72 3	78 1 55 1	73 63 2	47 38	21 1 25 2	6 9 1	2 2	1 1	1 1		22	
24 1 17	19 9	11	1	8 1 3	6	2	3	2	1	1		1						23	
40 6 51 2	59 5 57 3	47 6 48 3	55 4 61 8	64 3 44 4	64 5 51 5	62 1 53 2	34 1 36 1	24 1 28	19	7	1	1						23	

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
I.—Epidemic, endemic, and infectious diseases—Continued.												
24	Meningococcus meningitis:											
	Males..... White.....	564	154	58	34	18	20	284	64	40	52	32
 Colored.....	51	7	8	1		5	21	5	6	3	6
	Females..... White.....	410	113	51	27	19	19	229	52	31	22	22
 Colored.....	43	7	6	2	2	2	19	6	3	1	2
25	Other epidemic and endemic diseases:											
	Males..... White.....	129	46	17	6	8	4	81	9	3	3	2
 Colored.....	18	5	5	1	1	1	12	1	1	1	1
	Females..... White.....	90	28	20	5	3	4	60	13	6	1	1
 Colored.....	11	1	2			1	4	1			1
26	Glanders:											
	Males..... White.....	2									1	
27	Anthrax:											
	Males..... White.....	16								1		1
 Colored.....	3								1		
	Females..... White.....	3						1				
28	Rabies:											
	Males..... White.....	48			2	2	6	10	16	5	1	
 Colored.....	5			1			1	1			
	Females..... White.....	20		1	1	4	1	7	6	3	1	
 Colored.....	3			1			1	1	1		
29	Tetanus:											
	Males..... White.....	797	60	7	16	13	16	112	157	172	72	34
 Colored.....	246	85		8	1	6	92	23	31	18	15
	Females..... White.....	262	38	3	1	13	14	76	43	24	14	10
 Colored.....	105	43	3	1	2	14	49	15	5	6	4
30	Mycoses:											
	Males..... White.....	78	18	2				20	1	2	4	4
 Colored.....	37	27	4				31				
	Females..... White.....	52	21	1				22				
 Colored.....	33	27	3	1			31			1	1
	Tuberculosis (all forms):											
	Males..... White.....	35,811	655	442	254	181	150	1,682	413	438	1,524	3,055
 Colored.....	9,749	140	154	81	66	60	501	172	277	939	1,605
	Females..... White.....	30,775	553	404	211	155	106	1,431	403	662	2,957	4,724
 Colored.....	10,175	110	137	75	69	50	441	189	464	1,467	2,075
31	Of the respiratory system—											
	Males..... White.....	31,248	180	111	46	38	41	416	118	207	1,274	2,771
 Colored.....	8,575	78	52	51	24	36	271	87	195	821	1,364
	Females..... White.....	23,045	152	89	52	38	29	350	134	456	2,669	4,363
 Colored.....	9,137	55	76	31	40	28	230	129	392	1,356	1,924
32	Of the meninges, central nervous system—											
	Males..... White.....	1,685	341	250	149	104	72	916	184	115	72	78
 Colored.....	321	37	48	19	26	17	147	45	24	25	21
	Females..... White.....	1,425	236	233	125	88	59	791	177	92	88	51
 Colored.....	238	35	41	22	17	11	123	23	17	13	19
33	Of the intestines, peritoneum—											
	Males..... White.....	1,008	48	23	22	16	13	122	47	42	48	57
 Colored.....	318	2	3	6	3	3	19	14	2	36	44
	Females..... White.....	1,293	39	30	11	10	4	94	33	42	72	161
 Colored.....	377	7	1	4	3		15	13	24	47	77
34	Of the vertebral column—											
	Males..... White.....	459	8	2	7	4	8	29	22	31	27	50
 Colored.....	116			1	1	1	2	1	12	15	23
	Females..... White.....	300	8	5	4	4	3	24	20	14	28	27
 Colored.....	59			3			3	5	3	6	7
35	Of the joints—											
	Males..... White.....	177	3	1		3	1	8	9	13	22	14
 Colored.....	41	2	1	1			4	2	3	6	5
	Females..... White.....	100	2	2				4	2	8	10	8
 Colored.....	32	1	1				2	1	4	3	3
36	Of other organs—											
	Males..... White.....	606	20	17	14	3	2	56	10	13	35	40
 Colored.....	134	3	4	4	4	2	15	11	11	15	9
	Females..... White.....	429	14	9	2	3	2	30	10	14	28	33
 Colored.....	95	2	4	1	4	3	14	8	7	6	14
37a	Disseminated (acute)—											
	Males..... White.....	480	49	32	13	13	12	119	19	10	33	34
 Colored.....	203	14	14	3	3	3	37	10	5	20	35
	Females..... White.....	457	50	33	16	12	8	119	26	31	53	66
 Colored.....	205	10	14	13	5	7	49	7	12	33	30
37b	Disseminated (chronic or unspecified)—											
	Males..... White.....	148	6	6	3		1	16	4	7	13	11
 Colored.....	41	4					6	2	6	1	4
	Females..... White.....	126	4	3	1		1	9	1	5	9	15
 Colored.....	32			1		1	3	3	5	3	1
38	Syphilis:											
	Males..... White.....	3,407	613	31	12	6	7	689	19	13	22	77
 Colored.....	1,990	414	35	12	8	7	476	21	19	26	95
	Females..... White.....	1,604	458	32	10	7	2	509	7	12	57	54
 Colored.....	1,206	291	46	15	8	3	363	14	11	54	114
39	Soft chancre:											
	Males..... White.....	1										
 Colored.....	2										
	Females..... White.....	3										
 Colored.....	1										
40	Gonococcus infection:											
	Males..... White.....	79	13					13			1	11
 Colored.....	68	10			1		11				6
	Females..... White.....	459	17			1	2	20			55	97
 Colored.....	304	5					5	1	1	30	61
41	Purulent infection, septicemia:											
	Males..... White.....	557	77	15	10	11	5	118	21	39	27	17
 Colored.....	73	9	2				11	2	4	4	6
	Females..... White.....	452	57	12	8	5	5	97	21	30	20	28
 Colored.....	61	2		1			3	2	1	6	4
42	Other infectious diseases:											
	Males..... White.....	9	1		1			2	1			1
 Colored.....	1										
	Females..... White.....	3										
 Colored.....	1			1			1				

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I:											
	Males..... White.....	58,993	1,502	280	200	166	138	2,286	545	481	560	584
 Colored.....	3,491	223	54	20	27	11	335	52	53	79	93
	Females..... White.....	71,853	1,072	221	147	134	112	1,686	442	527	581	690
 Colored.....	6,193	159	37	28	8	8	240	59	37	127	245
	Cancer and other malignant tumors:											
	Males..... White.....	39,473	23	36	44	43	26	172	101	75	133	192
 Colored.....	1,696	2	4	5	8	2	21	7	8	19	18
	Females..... White.....	49,342	30	35	38	27	21	151	52	80	115	131
 Colored.....	3,394	3	2	2	1	1	9	8	3	12	41
43	Of the buccal cavity—											
	Males..... White.....	2,575		1		1	2	4	4	5		2
 Colored.....	89	1					1			2	
	Females..... White.....	476	1	1		1		3	4	1	4	4
 Colored.....	56										2
44	Of the stomach, liver—											
	Males..... White.....	17,835	4	5	6	6	3	24	8	5	10	20
 Colored.....	883									2	8
	Females..... White.....	14,994	6	3	4	2	5	20	6	8	6	22
 Colored.....	704	1		1			2				5
45	Of the peritoneum, intestines, rectum—											
	Males..... White.....	5,893	3	8	2	4	5	22	17	10	14	41
 Colored.....	199			2	1		3	1	2	3	3
	Females..... White.....	7,121	1	3	4	3	6	17	6	8	11	26
 Colored.....	264			1			1			1	3
46	Of the female genital organs—											
	Females..... White.....	12,176							1	9	22	47
 Colored.....	1,537								1	4	19
47	Of the breast—											
	Males..... White.....	126										
 Colored.....	8										
	Females..... White.....	7,749							1	1	5	10
 Colored.....	491	1					1	1		1	3
48	Of the skin—											
	Males..... White.....	1,563		2				2	1	1		5
 Colored.....	38										
	Females..... White.....	940	1	3	2	2		8	3	4	3	2
 Colored.....	33							1			2
49	Of other or unspecified organs—											
	Males..... White.....	11,481	16	20	36	32	16	120	71	54	109	124
 Colored.....	479	1	4	3	7	2	17	6	6	12	7
	Females..... White.....	5,886	21	25	28	19	10	103	31	49	64	70
 Colored.....	309	1	2	1		1	5	6	2	6	7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):											
	Males..... White.....	290	9	3	4	1	3	20	6	5	6	8
 Colored.....	30	1			1		2	2			4
	Females..... White.....	311	7	2	3	1	1	14	4	2	7	7
 Colored.....	42	1					1			1	
51	Acute rheumatic fever:											
	Males..... White.....	1,082	4	6	14	21	33	75	168	155	108	56
 Colored.....	164	1	1		5	1	11	11	17	13	13
	Females..... White.....	1,237	10	9	9	27	30	85	182	195	97	68
 Colored.....	214	1	1	1	1		4	15	6	9	11
52	Chronic rheumatism, osteoarthritis, gout:											
	Males..... White.....	448							2	4	6	7
 Colored.....	40						1			1	2
	Females..... White.....	731							2	3	1	3
 Colored.....	59							1		4	1
53	Scurvy:											
	Males..... White.....	26	16	4	3			23				
 Colored.....	5	1	2				3				
	Females..... White.....	18	8	4		1	1	14				
 Colored.....	7	3	2				5				
54	Pellagra:											
	Males..... White.....	508	3	1	5	1	3	13	6	5	9	11
 Colored.....	380		2		1		5	16	13	13	16
	Females..... White.....	876	1	2	1	2	3	8	7	8	17	41
 Colored.....	1,285			6	3	3	12	15	13	67	156
55	Beriberi:											
	Males..... White.....	1		1				1				
 Colored.....	6	2					2				2
56	Rickets:											
	Males..... White.....	244	169	44	15	7	4	239	3	2		
 Colored.....	103	63	23	8	4	2	100			1	
	Females..... White.....	142	100	25	5	4	3	137	5			
 Colored.....	78	46	16	12	2	1	77	1			
57	Diabetes mellitus:											
	Males..... White.....	6,767	11	10	18	17	13	69	91	111	125	123
 Colored.....	392	4	1		2	1	8	8	4	17	14
	Females..... White.....	9,391	6	12	9	15	13	55	76	136	131	98
 Colored.....	562					1	2	5	6	10	8
58	Anemia, chlorosis:											
	Males..... White.....	2,909	61	20	12	5	1	99	21	19	35	27
 Colored.....	63	13	2	1		1	17	1	1	4	2
	Females..... White.....	3,491	67	17	7	8	4	103	22	26	39	52
 Colored.....	97	8	1				9	3	4	5	12
59	Diseases of the pituitary gland:											
	Males..... White.....	42					1	1	1	2	3	3
 Colored.....	2									1	
	Females..... White.....	53	3				1	4	2	3	3	5
 Colored.....	1									1	
60a	Exophthalmic goiter:											
	Males..... White.....	439			1			1	2	5	10	23
 Colored.....	23									1	1
	Females..... White.....	2,851			1			1	3	14	77	139
 Colored.....	122								1	7	3
60b	Other diseases of the thyroid gland:											
	Males..... White.....	118	11	11	5	2	1	30	8	3	2	5
 Colored.....	9	1	1				2				
	Females..... White.....	471	17	10	11	8	3	49	8	4	15	16
 Colored.....	49	2	1				3			1	3
61	Diseases of the parathyroid glands:											
	Males..... White.....	46	38	3	3	1		45				
 Colored.....	12	8	3				11	1			
	Females..... White.....	45	27	9	3	2		41		1		
 Colored.....	4	4					4				

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3	5			2													
4	1	2					1										62
9	19	19	13	31	27	12	12	19	8	6	4	2		2			63
18	16	29	24	17	19	19	16	15	9	3	4	3					
4	2	3	6	5	6	4	4	6	3	2							64
1	1	1	1	1	1	1	6	8	3	3	3						
41	59	52	52	56	75	79	76	63	49	24	9	3				1	65a
5	6	4	4	1	3	5	2	2	1	1	1	1					
40	36	42	44	52	73	67	60	42	26	17	3	1					
4	2	2		3	4	1	1	1									
35	35	39	45	36	34	50	36	32	18	11	8	1				1	65b
3	1	1	3	4	6	3	1	1	1	1	3	2					
19	15	30	22	23	19	26	24	19	14	7	3	2					
	2	3		2	2	2	1	1									
116	264	435	449	490	405	337	201	138	61	27	6	2	1			12	66
26	31	49	36	37	34	15	15	6	4	1	1	1			1	2	
17	36	63	46	49	35	16	12	6	5	1	2	1				2	
7	10	16	10	8	3	3	3	1	1								
3	2	12	18	18	20	14	20	10	8	2	1						67a
	2	1	1		1	1				1							
	2																
3	1	1	1	3	3	1	4	3	1								67b
1	2					1	1	1									
1		1	1			2	1	1	1								
9	14	17	16	7	17	5	6	4	2		1		1				68
2	1	3	3		4	1	1	1		1	1		1				
6	5	7	8	5	1	3	4	5	3		2	2					
	5	3		1		1											
11	13	12	12	10	16	11	11	17	18	11	13	7	5	1			69
1	2	4	2	2	2	1	1	1	1	2	2	2	1	1			
20	14	12	11	14	13	18	32	19	17	16	13	10	3	1			2
3	5	1	4	2	1	2	2	1	1	3	1		1				
602	1,048	1,529	2,104	2,575	3,609	4,592	6,105	7,560	7,775	6,997	4,860	2,090	559	95	17		52
145	223	319	396	543	739	545	599	529	428	327	241	131	53	22	19		42
495	705	1,006	1,420	2,124	3,028	3,550	5,017	6,643	7,153	6,972	5,636	2,920	881	176	23		25
145	187	301	387	534	686	587	630	527	468	354	284	173	73	50	51		22
26	35	44	42	33	34	33	33	12	17	9	6	1	1				70
3	4	9	1		7	4	3	4									
33	23	31	33	29	26	19	24	16	16	8	3	1	1				
5	4	5	2	2	3	1	1				1						
39	37	45	40	36	42	29	23	21	12	9	4	4		1			71a
6	13	10	4	7	9	3	3	3		1							1
42	25	35	29	28	27	20	26	18	12	5	3	4					
6	7	4	5	1	1				1								
12	9	3	10	7	10	4	2	2	2	1		1					71b
6	2	1	1		1	1					1						
1	3	1	1	3	2	1		1			1						
4	14	37	71	117	153	183	187	186	118	49	29	8	3				72
	4	5	7	13	16	9	6	13	2	3	3	1					1
6	4	16	27	45	45	48	44	49	37	14	10	2	1				
3	4	5	4	3	6	3		4	1	2							
38	34	49	65	78	120	157	182	217	196	124	82	33	3		1		73
4	9	7	12	9	11	13	8	8	8	2	4	3					1
26	46	33	60	99	134	124	156	184	174	134	80	35	12	1			2
4	4	5	5	11	8	7	8	12	7	5	5	4					
97	172	293	660	1,142	2,096	3,142	4,591	5,890	6,279	5,846	4,098	1,768	481	77	13		37
42	71	131	196	315	489	392	417	377	313	236	172	91	40	15	14		24
68	163	318	633	1,294	2,091	2,668	3,983	5,397	5,926	5,836	4,737	2,500	729	152	19		13
45	80	174	263	398	533	452	498	404	360	271	210	126	56	37	42		17
21	36	43	51	77	124	130	201	241	256	202	145	60	22	4	1		74a
2	6	4	8	6	13	7	8	6	9	6	3	3					
23	34	40	50	69	108	99	192	210	257	213	195	81	44	1	2		74b
6	6	5	10	7	10	6	12	4	12	7	4	1	1				
10	8	17	37	50	83	138	228	319	392	415	272	119	29	8	2		75
4	15	17	31	47	73	49	73	78	63	61	46	30	10	7	4		4
3	15	24	25	57	88	135	176	315	333	404	375	166	56	16	1		4
7	20	31	33	51	65	72	70	77	72	54	50	37	12	11	8		3
85	329	582	758	657	536	402	242	215	111	68	40	10	4				2
22	53	71	88	92	85	46	33	15	13	6	3		2				5
27	77	137	159	146	132	120	83	78	50	33	31		2				
13	24	21	31	29	31	18	15	4	6	5	1						76

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
III.—Diseases of the nervous system and of the organs of special sense—Continued.												
77	Other forms of mental alienation:											
	Males..... White.....	599								2	17	35
	Colored.....	107								1	11	6
	Females..... White.....	830								3	18	40
	Colored.....	123								1	13	10
78	Epilepsy:											
	Males..... White.....	1,479	32	12	14	18	16	92	50	94	138	164
	Colored.....	271	16	1	2	3	3	25	8	19	27	27
	Females..... White.....	1,201	39	11	11	12	11	34	55	51	107	118
	Colored.....	185	14	3	3	2	1	23	8	11	28	23
79	Convulsions (nonpuerperal; 5 years and over):											
	Males..... White.....	40							14	2	5	1
	Colored.....	20							9	1	2	2
	Females..... White.....	54							15	3	11	4
	Colored.....	30							1	4	7	6
80	Infantile convulsions (under 5 years):											
	Males..... White.....	818	719	62	21	11	5	818				
	Colored.....	221	192	19	4	4	2	221				
	Females..... White.....	612	481	67	37	17	10	612				
	Colored.....	163	130	22	4	7		163				
81	Chorea:											
	Males..... White.....	20	3					3	2	3	5	2
	Colored.....	3	2					2	1		1	
	Females..... White.....	65	4	2	2		1	9	4	14	9	6
	Colored.....	2	1					1			1	
82	Neuralgia and neuritis:											
	Males..... White.....	129	2	1	1		1	5	2	1		
	Colored.....	17	1				1	2			1	
	Females..... White.....	142			1			1		1	1	1
	Colored.....	16	1					1	1		1	
83	Softening of the brain:											
	Males..... White.....	338										1
	Colored.....	21										
	Females..... White.....	359										
	Colored.....	10										
84	Other diseases of the nervous system:											
	Males..... White.....	2,316	65	34	23	21	15	158	78	58	79	59
	Colored.....	128	8	2	1		1	12	6	5	5	5
	Females..... White.....	1,970	69	26	18	28	12	153	76	60	49	53
	Colored.....	111	5	1	1	2	2	11	7	5	2	7
85	Diseases of the eye and annexa:											
	Males..... White.....	36	9	1	2	3	3	18	2	3		1
	Colored.....	5	1					1		1	2	
	Females..... White.....	39	6		1	2	1	10	4	2	2	
	Colored.....	5	3					3	1			
86a	Diseases of the ear:											
	Males..... White.....	1,095	256	73	24	28	21	402	116	88	82	44
	Colored.....	73	19	11	5	2	1	38	7	2	1	5
	Females..... White.....	729	177	57	19	16	17	286	85	69	33	28
	Colored.....	60	13	4	1	2		20	4	1	3	3
86b	Diseases of the mastoid process:											
	Males..... White.....	708	77	32	16	16	18	159	103	70	50	61
	Colored.....	37	6	2	1	1		10	2	1	2	3
	Females..... White.....	501	52	16	14	9	12	103	99	69	31	28
	Colored.....	40	2	2				4	3	2	5	2
IV.—Diseases of the circulatory system:												
	Males..... White.....	105,564	577	115	94	70	101	957	680	827	944	834
	Colored.....	10,697	47	11	10	16	7	91	51	86	124	156
	Females..... White.....	88,798	359	106	70	91	111	737	631	979	876	962
	Colored.....	9,443	46	10	14	15	10	95	67	93	178	277
87	Pericarditis:											
	Males..... White.....	417	6	5	3	1	4	19	16	8	13	8
	Colored.....	88	1					1	2	1	2	2
	Females..... White.....	289	5	3	1	1	2	12	10	19	9	13
	Colored.....	61	1	1			1	3	1		2	4
88	Endocarditis and myocarditis (acute):											
	Males..... White.....	3,504	222	34	34	16	22	328	168	136	163	165
	Colored.....	477	18	1	1	6		26	12	13	19	33
	Females..... White.....	3,272	152	36	24	38	38	288	181	210	205	231
	Colored.....	567	13	1	4	2	6	26	16	16	46	53
89	Angina pectoris:											
	Males..... White.....	8,755	2					2	2	6	10	13
	Colored.....	276			1			1			1	3
	Females..... White.....	4,202					1	1	1	2	3	10
	Colored.....	237	1	1				2				5
90	Other diseases of the heart:											
	Males..... White.....	79,007	268	62	51	45	71	497	480	665	735	616
	Colored.....	8,866	20	9	6	10	7	52	36	71	99	115
	Females..... White.....	70,673	159	59	40	52	67	377	431	739	647	688
	Colored.....	7,863	30	7	8	12	3	60	46	76	127	209
91a	Aneurysm:											
	Males..... White.....	1,066								2	3	9
	Colored.....	285								2	2	1
	Females..... White.....	362	2					2		2	1	4
	Colored.....	134									1	2
91b,c	Other diseases of the arteries:											
	Males..... White.....	11,097							1			1
	Colored.....	584										
	Females..... White.....	8,761										
	Colored.....	472							1			
92	Embolism and thrombosis (not cerebral):											
	Males..... White.....	1,222	36	2	2	3	2	45	5	6	14	15
	Colored.....	32			2			2	1		1	1
	Females..... White.....	776	16	1	2		2	21	4	3	6	8
	Colored.....	34									1	1
93	Diseases of the veins:											
	Males..... White.....	237	3		1	1		5	1	2	1	5
	Colored.....	16										1
	Females..... White.....	303	1					1		1	1	5
	Colored.....	18							1	1		

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
45	58	55	46	51	54	57	41	58	41	19	7	6	2			5	77
12	11	10	11	14	7	4	5	5	3	2	1	1				3	
47	75	79	88	97	91	68	59	50	43	31	21	15	4			1	
24	13	15	10	9	7	2	4	6	1	2	2	2	1		1		
124	140	133	99	76	88	62	67	57	45	26	11	8	2	1		2	78
32	17	34	18	24	11	4	7	8	5	3	1	2				1	
100	100	93	91	81	70	53	55	42	45	34	9	11	1			1	
16	10	16	10	10	5	10	5	3	3		2	1				1	
1	3	4	1	1	1	1	1	1		1	1	1				1	79
1	1	2	2	1													
8	2	3															
1	4	5															
																	80
1	1		1				2										81
1	1	2	2	4	1	1	2		6		2	1					
1	3	5	6	10	6	6	16	20	22	9	12	4	1				82
1	2	4	9	11	3	10	9	2	1	26	1	7	3	2			
2	6	4	2	2	6	1	1	17	14		12						
1	2	1	2	2	2	1	1	1			2						
	1	1	3	5	8	19	25	52	63	57	62	35	4	2		1	83
			1	1	1	3	1	4	4	2	3				1		
			4	4	9	16	32	46	53	73	63	37	16	2	1		
	1	2	4	4	3	3	1	1	1	2	2						
89	107	136	137	165	193	160	218	207	200	152	83	29	7	1			84
11	12	7	12	8	9	10	6	4	7	4	3	2	1			1	
51	79	134	118	119	154	127	154	189	170	145	86	40	7	2		4	
7	5	6	3	7	3	6	13	8	4	6	4	2	3	1		1	
	1				1	2		4	2		1	1					85
4	2	1	3	1	2				3		2	2	2				
35	32	48	46	36	36	41	27	35	14	7	4	1		1			86a
2	2	5		3	2	2	1	2			1						
23	23	32	27	20	27	23	10	20	5	8	1	2	3				
4	4		3	3	7	5	1	2			5						
34	28	34	31	34	24	26	19	23	15	3	3	1					86b
3	3	5	2	4	1	1	1										
25	29	19	8	17	16	11	11	12	8	6	1	3					
2	1	7	5	1	5	1	1	1									
976	1,388	2,148	3,133	4,585	6,729	8,927	11,766	14,557	15,122	14,102	10,496	5,248	1,617	329	48	91	87
254	415	647	891	1,107	1,340	999	1,036	1,036	905	624	476	277	127	50	45	50	
1,128	1,391	1,873	2,360	3,295	4,324	5,725	8,272	10,840	12,486	12,756	10,733	6,439	2,305	549	79	58	
348	442	619	822	926	989	783	850	781	679	512	412	216	135	76	65	48	
8	18	18	16	25	26	35	36	48	41	42	22	9	8			1	88
5	10	6	11	8	7	3	8	5	3	9					1		
2	9	10	12	11	7	13	15	32	34	41	20	12	5			1	
7	4	8	7	8	3	2	5	3	2	2	2						
190	224	303	406	168	130	194	198	217	181	138	91	33	13	4	1	3	89
36	56	76	88	21	29	20	17	10	9	4	6	2					
217	252	299	278	113	108	120	158	164	160	129	102	61	18	6	2		
51	57	82	92	33	27	15	20	9	9	4	7	1		2		1	
18	60	151	353	553	786	1,111	1,263	1,574	1,266	883	475	182	33	2	1	11	90
3	15	17	39	31	54	27	21	23	25	6	2	5	1	1		1	
23	30	59	103	136	247	352	554	711	742	629	387	160	43	6	1	2	
11	14	12	30	33	30	25	20	14	16	8	9	2	3		2	1	
711	1,024	1,512	2,112	3,478	5,179	6,830	9,108	11,054	11,563	10,702	7,687	3,652	1,093	219	29	61	91a
195	305	439	677	952	1,172	869	902	814	772	520	392	222	96	41	31	44	
850	1,045	1,441	1,854	2,806	3,700	4,846	6,914	8,955	10,133	10,195	8,208	4,753	1,575	352	56	48	
265	339	482	661	806	807	689	747	639	580	424	369	177	104	58	49	39	
16	15	62	90	125	150	156	130	155	71	42	27	11		1		1	91b,c
12	22	45	55	49	31	28	18	10	6	3	2					1	
11	7	16	19	19	34	50	39	55	40	33	13	12	3	1		1	
7	15	26	9	19	19	13	7	5	3	3	2					1	
2	12	31	85	122	262	427	825	1,313	1,826	2,146	2,100	1,321	493	102	17	11	92
1	5	8	9	33	36	39	55	77	78	79	66	44	30	8	13	3	
1	4	14	29	59	139	236	471	796	1,241	1,612	1,916	1,394	644	182	19	4	
	5	4	11	17	34	32	43	52	60	70	50	35	27	16	12	3	
18	24	30	46	84	107	132	156	187	130	107	70	30	4	1		2	93
19	27	38	33	51	51	60	75	88	98	81	61	36	12	2	1	1	
3	2	3	4	4	2	2	1	4	3		2						
4	7	20	14	17	22	27	33	20	25	11	13	7	3				
1	15	22	23	32	29	38	37	30	20	22	2	5	4				
1	1	1	3	1	1	2	1	4	1				1				

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
IV.—Diseases of the circulatory system—Contd.												
94	Diseases of the lymphatic system:											
	Males.....	108	31	11	3	4	1	50	5	1		1
	Colored.....	8	3	1				4				
	Females.....	72	21	7	2	1	1	31	2	2	1	3
	Colored.....	8			1	1		2	1			1
95	Hemorrhage without specified cause:											
	Males.....	53	9				1	10	2	1	5	1
	Colored.....	24	5					5				
	Females.....	32	3		1			4	2	1	3	
	Colored.....	16	1		1			2	1			
96	Other diseases of the circulatory system:											
	Males.....	98		1				1				
	Colored.....	41								1		
	Females.....	56										
	Colored.....	33									1	2
V.—Diseases of the respiratory system:												
	Males.....	51,998	10,682	2,903	1,136	558	390	15,669	1,001	615	973	1,102
	Colored.....	9,791	2,325	738	250	119	76	3,509	184	150	374	621
	Females.....	40,967	7,961	2,442	951	521	319	12,194	836	601	659	725
	Colored.....	6,931	1,783	623	210	116	63	2,795	185	141	324	362
97a	Diseases of the nasal fossae:											
	Males.....	89	39	4	2	1		46		2	6	2
	Colored.....	92	62	9	1	1		73		3	2	2
	Females.....	56	18	2				20		2	3	4
	Colored.....	127	70	11	2	1		84		2	7	4
97b	Diseases of the nasal fossae annexa:											
	Males.....	307	10	4	5	2	3	24	14	18	44	32
	Colored.....	18				1		1	1		5	3
	Females.....	189	9	2	1	1		13	14	15	16	14
	Colored.....	17						2		2	2	1
98	Diseases of the larynx:											
	Males.....	259	69	39	27	14	17	166	25	7	6	5
	Colored.....	31	14	4	4			22	2			
	Females.....	200	54	27	20	12	10	123	18	4	5	2
	Colored.....	18	8	3	3	1		15	1			
99a	Acute bronchitis:											
	Males.....	1,143	496	71	32	16	9	624	26	2	6	4
	Colored.....	140	68	16	10	2		96	4			3
	Females.....	1,112	388	70	17	13	11	499	7	3	7	2
	Colored.....	51	78	19	4	2		105	5	2	1	1
99b	Chronic bronchitis:											
	Males.....	1,128	28	9		1	1	39	2	3	5	6
	Colored.....	56	4	3	2			9	2	1	1	1
	Females.....	1,117	19	8	2			29	3	1	4	4
	Colored.....	78	3					3			3	6
99c,d	Bronchitis (unspecified):											
	Males.....	691	217	43	9	5		274	6	4	2	
	Colored.....	184	58	14	6	1	2	81	4	1	2	3
	Females.....	710	170	36	11	4	4	225	7	2	4	2
	Colored.....	102	23	15	5	2		46	2	1	1	6
100a	Broncho-pneumonia:											
	Males.....	17,361	6,738	1,582	580	251	157	9,308	353	145	156	161
	Colored.....	2,893	1,370	431	123	62	27	2,013	68	31	50	64
	Females.....	15,573	5,026	1,401	484	251	127	7,299	272	155	126	151
	Colored.....	2,332	993	359	115	54	25	1,546	61	30	48	48
100b	Capillary bronchitis:											
	Males.....	404	256	40	13	8	10	327	5		2	
	Colored.....	79	38	13	7	6	1	65	2			2
	Females.....	366	177	39	9	6	4	235	4	1	2	
	Colored.....	66	38	10	3			52			1	3
101a	Lobar pneumonia:											
	Males.....	24,898	2,132	870	349	193	146	3,660	472	351	621	761
	Colored.....	5,088	437	177	67	31	37	749	70	86	261	455
	Females.....	17,474	1,566	674	298	182	127	2,847	405	351	404	447
	Colored.....	2,951	316	142	54	35	24	571	85	82	205	226
101b	Pneumonia (unspecified):											
	Males.....	1,981	493	129	55	31	20	728	39	50	55	59
	Colored.....	733	257	56	21	10	7	351	19	17	36	55
	Females.....	1,611	368	89	56	24	15	552	46	33	41	39
	Colored.....	670	227	53	19	14	7	320	25	12	38	36
102	Pleurisy:											
	Males.....	1,350	97	88	49	24	19	277	43	20	44	49
	Colored.....	206	9	5	6	1	1	22	6	6	9	26
	Females.....	883	67	71	37	22	15	212	45	26	29	33
	Colored.....	137	9	4	3	2	1	19	4	3	8	19
103	Congestion and hemorrhagic infarct of the lung:											
	Males.....	595	72	7	7	6	2	94	7	3	3	2
	Colored.....	43	4	2				6			1	2
	Females.....	644	57	7	5	2		71	2	2	3	1
	Colored.....	52	5	5			1	11		1	1	2
104	Gangrene of the lung:											
	Males.....	141	3	1	2		3	9			3	1
	Colored.....	15										1
	Females.....	45							1		4	3
	Colored.....	11									2	
105	Asthma:											
	Males.....	913	8	12	4	4	1	29	3	4	4	5
	Colored.....	152	3	4	2	3	1	13	3	1	2	2
	Females.....	662	12	11	7	2	1	33	6	1	7	7
	Colored.....	133		1	3	1		5	1	1	3	5
106	Pulmonary emphysema:											
	Males.....	86	4	1			1	6			1	
	Colored.....	7										
	Females.....	41	3	1			1	5			1	
	Colored.....	5										
107	Other diseases of the respiratory system (tuberculosis excepted):											
	Males.....	652	20	3	2	2	1	28	6	6	15	15
	Colored.....	104	2	4	1	1		8	2	4	4	2
	Females.....	284	27	4	4	2	4	41	6	5	8	16
	Colored.....	81	13	1	1	1		16		4	4	6

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
6	3	5	1	6	7	2	6	6	4	4	1						94
2	1	1	4	1	3	4	1	3	4	4	2	1					
3	1	6	6	2	3	5	1	1	1	2	4	2					95
2	1	2	2	2	2	1	2	1	1	1	1	1					
1	1	1	3	2	3	3	1	2	3	2	1	1					96
4	1	1	1	2	1	1	2	1	1	1	1	1					
1,076	1,460	2,060	2,455	2,572	2,655	2,859	3,176	3,392	3,396	3,003	2,482	1,349	510	103	21	39	97a
601	537	654	620	580	501	320	309	204	212	154	117	58	35	13	8	30	
829	1,033	1,216	1,203	1,199	1,337	1,696	2,210	2,824	3,137	3,370	2,931	1,856	780	171	31	24	97b
325	293	348	338	314	233	218	227	201	179	126	118	61	27	15	28	18	
2	1	6	5	2	2	2	1	1	2		3	5		1			97c
3	2	2	3	1	1	1	1	1	2		4	2		2			
1	3	4	4	5	5	1	2	1	4		1	1		1	5		97d
27	22	27	16	28	19	14	8	7	5	1	1						
1	1	2	1	1	1	1	1	1	3		2						98
14	15	13	12	8	12	14	12	7	3		3						
1	1	4	4	1	1	1	1	1	3		2						98a
2	5	8	5	5	3	4	4	5	2		4						
3	2	5	5	4	2	2	3	5	4		5			2	1		98b
1	2	5	5	4	2	2	1	5	4		5						
4	4	14	12	23	17	26	21	33	54	79	88	70	28	7	1		98c
3	2	6	2	1	3	5	2	4	4	4	1	1	2	1	4		
6	3	9	13	7	14	21	24	41	71	88	133	99	51	13	1		98d
2	1	3	5	6	1	1	2	2	3	5	6	1	1	1	1		
10	9	15	24	38	49	49	101	118	162	184	169	102	33	8	1		99a
2	3	6	1	4	2	6	5	4	1	4	3	3	40	10	1		
10	5	8	14	18	27	25	70	116	153	210	223	146	40	10	1		99b
1	9	3	4	7	8	3	7	8	5	2	5	1	3				
2	3	3	7	10	14	18	20	30	46	58	96	66	26	4	1		99c
3	6	2	5	4	6	2	1	2	2	2	3	1	1	1	2		
3	1	6	6	5	5	15	16	32	59	64	99	91	50	14	2		99d
7	3	3	3	5	3	3	3	2	3	5	4	2	2	2	1		
147	199	299	377	375	438	552	646	797	894	967	828	471	188	42	6	12	100a
59	45	76	74	71	60	47	48	36	46	40	31	17	8	2	2	5	
148	188	220	252	245	278	382	570	777	937	1,221	1,139	731	354	70	11	7	100b
46	45	65	54	47	57	49	41	47	40	35	31	18	6	5	8	5	
	1	1	1	3	1	1	3	8	15	16	10	5	5				100c
1	3	2	1	1	4	5	2	1	1	1	1	1	1	1	1		
755	1,056	1,470	1,688	1,773	1,811	1,829	1,959	1,981	1,798	1,319	955	424	140	23	5	17	100d
487	423	479	473	423	364	202	190	123	121	69	50	26	13	8	1	15	
534	710	825	754	783	897	1,060	1,322	1,554	1,522	1,358	982	496	169	31	12	11	100e
211	185	218	213	193	165	132	125	103	82	59	40	30	9	4	6	7	
33	51	69	78	65	65	66	79	89	117	122	111	61	30	7	2	5	100f
23	21	32	20	22	21	17	20	11	19	18	12	4	6	1	1	3	
39	33	39	43	33	32	51	52	72	104	136	123	104	26	8	2	7	100g
28	21	19	16	25	17	18	14	14	17	12	16	7	5	1	5	5	
55	62	67	98	95	84	95	99	99	64	55	25	16	2	1			100h
13	15	23	19	18	11	6	13	7	2	4	5	1	1				
36	35	37	45	36	41	41	53	51	56	44	41	19	1	2			100i
11	9	10	13	10	6	9	9	5	3		1	5					
4	3	9	11	9	17	12	14	35	48	70	112	84	44	9	5		100j
2	1	2	3	4	4	5	2	3	3	1	2	2	2				
1	4	4	2	2	2	1	6	2	5	1	4		1	1	1		100k
2	4	11	14	10	13	19	23	16	8	6	1	1					
1	2	4	4	1	3	2	4	1	3	2	3	1					100l
5	5	4	4	1	3	2	1	1	3	2	3	1					
13	14	22	49	64	66	90	108	123	117	93	61	36	10	1			100m
4	6	6	12	15	12	12	18	12	8	10	9	6	1	1			
17	12	22	28	44	47	57	78	94	78	78	55	34	12	2			100n
3	7	11	15	10	12	3	12	11	15	7	9	1	1				
1	1	1	1	4	11	10	7	9	18	7	5	3	1				100o
	2	2	2	1	4	5	2	5	4	5	3	3					
19	25	38	69	68	75	72	83	41	46	22	16	3	3				100p
5	9	15	5	12	12	11	5	3	4	2	1						
8	17	19	16	15	16	17	14	21	22	18	15	7	3				100q
10	8	4	5	8	3	3	3	5	2								

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the digestive system:											
	Males..... White.....	48,724	13,561	3,412	1,229	720	528	19,450	1,330	1,116	1,207	1,160
 Colored.....	6,417	2,219	662	161	76	46	3,164	155	125	176	194
	Females..... White.....	40,063	10,268	2,926	977	588	437	15,196	1,200	842	857	986
 Colored.....	5,888	1,857	593	163	73	44	2,730	139	117	187	252
108	Diseases of the mouth and annexa:											
	Males..... White.....	342	39	5	5	1	5	55	17	6	11	27
 Colored.....	42	6	3				9				3
	Females..... White.....	305	27	9	3	5	3	47	14	9	14	11
 Colored.....	59	3	1	3			7	2	2	2	6
109a	Adenoid vegetations:											
	Males..... White.....	4	1	1			1	3		1		
	Females..... White.....	3							2		1	
 Colored.....	1		1				1				
109b	Other diseases of the pharynx, tonsils:											
	Males..... White.....	1,722	123	90	85	82	79	459	246	139	87	116
 Colored.....	167	19	11	7	5	5	47	33	7	6	10
	Females..... White.....	1,506	77	64	73	68	58	340	213	122	126	115
 Colored.....	187	13	7	6	9	6	41	24	21	8	13
110	Diseases of the esophagus:											
	Males..... White.....	56	3		4			7		2		
 Colored.....	9			2	1		3				
	Females..... White.....	41	2					2	2	2	1	1
 Colored.....	5		1				1			1	1
111a	Ulcer of the stomach:											
	Males..... White.....	2,808	7		2	2		11	2	3	25	75
 Colored.....	251								1	8	8
	Females..... White.....	1,091	7		1	3		11	5	6	13	30
 Colored.....	147	2					2			2	9
111b	Ulcer of the duodenum:											
	Males..... White.....	1,294	3					3		2	15	36
 Colored.....	44										3
	Females..... White.....	362	3		1			6			5	12
 Colored.....	12									1	
112	Other diseases of the stomach (cancer excepted):											
	Males..... White.....	2,273	566	91	36	27	28	748	34	16	14	13
 Colored.....	672	156	26	11	8	7	208	18	3	13	17
	Females..... White.....	1,934	493	76	40	25	21	655	28	15	17	17
 Colored.....	740	125	21	11	6	5	168	7	5	25	29
113	Diarrhea and enteritis (under 2 years):											
	Males..... White.....	14,924	11,914	3,010				14,924				
 Colored.....	2,518	1,934	584				2,518				
	Females..... White.....	11,754	9,119	2,635				11,754				
 Colored.....	2,190	1,649	541				2,190				
114	Diarrhea and enteritis (2 years and over):											
	Males..... White.....	3,432			887	398	208	1,493	213	64	34	43
 Colored.....	499			122	40	22	184	32	14	11	15
	Females..... White.....	3,305			713	334	171	1,218	202	52	26	39
 Colored.....	554			127	44	18	189	33	13	6	29
115	Ancylostomiasis:											
	Males..... White.....	8		1				1	2	3		
 Colored.....	2										
	Females..... White.....	13			1		1	2	3	4	1	
 Colored.....	1									1	
116	Diseases due to other intestinal parasites:											
	Males..... White.....	37	2	4	3	2		13	2	2	1	2
 Colored.....	30	1	6	4	10	1	22	3	2	1	
	Females..... White.....	32		6	3	3	5	17	3	1		1
 Colored.....	18	2	2	5	2	4	15	2			
117	Appendicitis and typhlitis:											
	Males..... White.....	8,185	26	53	101	132	136	448	627	735	829	650
 Colored.....	759	1	4	2	5	4	16	37	71	97	90
	Females..... White.....	5,560	28	33	56	86	103	306	569	543	517	465
 Colored.....	577	1		1	4	4	10	41	46	74	75
118a	Hernia:											
	Males..... White.....	1,958	79	15	4	5	1	104	8	1	9	35
 Colored.....	246	24	5				30	1	1	6	7
	Females..... White.....	1,545	8	1	1	3	1	14	1		4	9
 Colored.....	100	6	2				8		2		2
118b	Intestinal obstruction:											
	Males..... White.....	3,082	620	95	56	41	34	846	107	74	89	68
 Colored.....	370	51	9	7	3	4	74	17	8	20	14
	Females..... White.....	3,011	382	63	46	26	28	545	54	35	40	88
 Colored.....	494	35	8	7	4	3	57	11	8	31	39
119	Other diseases of the intestines:											
	Males..... White.....	588	55	10	7	9	6	87	11	13	13	17
 Colored.....	96	13	3	1	1		18	4	2	1	4
	Females..... White.....	407	28	5	1	6	3	43	6	3	8	13
 Colored.....	106	8	5				13	3	2	4	12
120	Acute yellow atrophy of the liver:											
	Males..... White.....	168	7			1	1	9	6	1	8	12
 Colored.....	12	1					1	1		1	
	Females..... White.....	246	6	1	1	2	1	11	3	3	13	29
 Colored.....	27								1	1	4
121	Hydatid tumor of the liver:											
	Males..... White.....	14										
	Females..... White.....	13							1			
 Colored.....	2										
122	Cirrhosis of the liver:											
	Males..... White.....	4,357	7	3	5	2	3	20	4	12	16	8
 Colored.....	382			1			1	1	3	2	5
	Females..... White.....	2,402	9	3	3		5	20	7	7	6	22
 Colored.....	256	2	1				3	3	4	4	7
123	Biliary calculi:											
	Males..... White.....	1,013								2	4	4
 Colored.....	34									1	
	Females..... White.....	2,946									6	38
 Colored.....	69										1
124	Other diseases of the liver:											
	Males..... White.....	1,576	35	17	6	5	8	71	13	14	22	27
 Colored.....	175	2	4	2		2	10	3	6	4	11
	Females..... White.....	2,542	23	11	12	9	8	63	21	8	20	50
 Colored.....	167	5	1	1	2	2	11	6	3	5	11

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
1,222	1,506	1,884	2,079	2,268	2,546	2,548	2,591	2,522	2,052	1,551	1,022	485	119	32	5	29	
223	234	294	304	342	324	214	166	142	136	83	59	27	18	8	9	20	
1,155	1,267	1,529	1,548	1,748	1,969	2,109	2,109	2,037	1,800	1,634	1,161	636	216	39	7	18	
266	253	319	301	270	235	174	160	133	128	71	55	26	16	6	11	19	
11	13	16	25	13	36	32	23	18	14	14	8	1	1	1			108
2	2	3	1	7	7	1	1	1	1	1	3						
25	14	19	19	18	21	24	15	17	7	12	9	4	3	1			109a
4	4	4	4	6	5	3	2		4	1	1	2					
98	87	77	80	68	61	44	36	31	39	21	20	6	3	2			109b
11	18	8	7	4	4	3	2	2	3	1	2						
79	93	73	78	55	51	36	32	27	29	19	11	4	3	2			110
22	12	13	9	7	1	5	3	1	4	1	1	1	1	2			
1	1	3	1	1	8	7	3	4	10	8	2	1	1				111a
		1		2	1	3	2	4	1	1	6	3		1			
108	164	276	289	310	328	290	261	235	209	119	77	22					111b
23	31	31	21	39	31	20	12	11	12	10	2	2	1				
46	50	85	62	86	106	111	104	110	99	77	55	26	8	1			112
8	16	13	17	19	10	13	11	14	7	1	4	1					
60	116	131	158	139	153	140	126	99	53	45	13	3	2				113
4	7	7	9	6	4	1	1	1	1	19	10	4					
18	23	19	33	31	45	40	38	37	22								114
2	1	1	3	2	2				2								
24	35	58	92	98	138	145	179	161	153	144	123	70	16	7	1	4	115
20	34	57	43	56	63	30	25	24	18	17	14	3	2	3	3	4	
22	28	48	43	44	65	75	108	131	140	173	162	101	53	10	4	5	116
30	37	56	67	48	70	35	35	34	35	21	15	7	7	1	3	5	
40	42	61	72	89	92	106	124	172	189	213	210	120	40	6	2	7	117
9	16	23	26	18	26	18	20	13	20	16	11	10	7	2	2	6	
58	56	50	60	72	83	97	126	176	217	251	259	173	74	13	1	2	118
14	18	30	26	20	25	24	28	25	23	15	13	7	5	3	4	4	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	119
2	3	6	1	2	1	1	2										
3	1	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	120
615	640	674	601	566	507	425	340	255	148	67	40	8	2	2		6	121
82	61	74	65	70	40	25	11	8	8	3							
401	409	428	336	330	339	322	222	177	115	56	23	9	1	1		2	122
62	65	69	52	33	12	19	10	2	2		1	1				3	
44	44	62	99	111	162	169	209	230	233	180	121	61	24	2			123
6	12	10	19	25	23	19	21	16	16	10	11	4	3		3	1	
12	29	57	91	117	161	187	233	180	175	151	80	32	9	2		1	124
4	2	10	12	18	6	9	7	5	7	3	1	1	1		1		
72	103	121	121	154	166	200	201	209	216	157	105	60	8	4	1		125
20	24	22	22	22	30	24	16	23	20	6	4	1	1	1		2	
146	171	168	189	178	184	163	205	203	192	201	135	31	21	6		1	126
52	44	52	41	47	32	23	18	7	9	8	5	3	3		2	1	
16	22	22	28	38	39	51	37	57	37	42	33	16	5	4			127
4	4	9	8	13	8	7	6	1	1	1	2	2	2	1		1	
12	27	31	20	23	22	28	27	32	29	34	23	15	10	1			128
9	8	9	11	9	4	4	3	3	6	2	1	1	1	1		1	
10	12	16	8	15	7	15	10	15	7	10	5	1					129
2	2	1	1	2	1	1	1	1	1	1	1	1					
31	24	26	23	16	17	13	6	9	9	5	4	3					130
5	2	2	2	2	3	1	1	2	2	1	1						
2	1	1	3	2	1	1	1	1	1	1	1						131
1		1	1	2	1	1	1	1	1	1	1						
29	70	180	257	301	525	562	673	600	453	323	155	66	5	3	1	4	132
13	16	33	54	45	53	47	35	26	21	9	8	2	2	1	1	4	
28	53	98	141	154	206	245	293	305	296	244	167	64	12	2	1	1	133
11	16	23	18	31	29	24	18	25	15	14	7	2		1		1	
17	24	38	76	89	115	135	147	149	103	68	29	11	1				134
1	3	5	4	5	3	5	4	2	1								
84	121	197	203	322	383	411	333	324	230	174	79	35	6				135
3	4	7	9	9	12	6	5	7	5	1							
39	82	89	102	125	141	160	154	171	141	115	67	32	8	1		2	136
14	9	8	17	21	20	9	9	8	11	6	4	3	1	1		1	
109	14	150	169	204	221	280	294	254	208	186	121	75	13				137
18	14	14	17	18	9	6	11	6	7	3	5	1				2	

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
11 3 21	15 2 16	22 1 19 3	34 1 38 2	21 5 23	29 36 1	29 42 1	26 33 3	31 25	15 15	6 1 6	5 7	1	1				125
24 8 58 22	32 4 54 9	34 3 56 12	32 5 40 11	36 4 40 3	38 10 27 12	36 5 25 1	39 1 37 4	34 5 25 3	31 3 18	17 1 21 1	9 19	6 7	2 2		2 1		126
195 160 946 345	760 208 1,272 422	1,091 334 1,789 642	1,578 477 2,299 724	2,268 635 2,652 716	3,107 871 3,144 683	4,296 809 3,566 508	5,649 839 4,520 569	7,229 799 5,437 490	7,783 792 5,339 443	7,266 568 5,342 311	5,167 475 3,933 240	2,426 235 2,131 132	677 77 603 75	113 45 135 35	24 39 19 35	41 36 37 31	
78 41 82 41	96 35 102 44	122 55 124 47	123 58 113 58	151 55 100 47	144 76 111 50	161 46 91 33	136 51 101 23	140 32 105 28	154 32 91 11	113 13 94 11	89 9 76 6	32 4 34 4	14 3 15 3	5 3 3 4	2 2 2 2		128
360 94 443 159	565 146 642 218	860 247 973 380	1,327 369 1,402 468	1,938 514 1,823 539	2,716 704 2,527 574	3,738 691 3,135 441	4,867 693 4,111 502	6,039 665 5,083 446	6,389 657 5,338 416	5,952 483 5,072 289	4,099 391 3,716 228	1,926 205 2,030 125	525 64 570 70	83 39 128 30	21 29 18 32	35 28 31 24	129
25 13 57 10	55 12 72 9	51 12 63 9	55 16 87 13	57 13 59 11	96 18 84 10	80 22 81 5	86 17 84 9	116 14 90 6	116 19 78 10	86 16 62 7	69 12 55 5	38 5 21 5	12 1 8 1	1 1 3	1 2 1		130
15 13 2	27 1 16	31 2 21 1	41 4 30 1	49 4 22 3	41 4 24 1	37 4 26 1	64 4 36 3	56 1 15 1	52 4 18	41 2 12	25 2 5	13 3	1 1				131
6 2 2 2	7 2 3 2	10 2 3	9 2 5 1	14 8 4 2	18 8 6 3	27 6 11	33 14 19 4	43 11 14 1	77 17 17 1	113 13 26 3	151 18 28	78 7 21 1	22 2 5 1	11 1	2 1 1		132
3 9	7 12 2 1	11 8 2	9 20 1	21 18	27 24 1	31 10 2	30 8 2	21 10 1	16 9	9 2	8 1 1	3 1					133
6 1 2	3 1	5 6 1 2	13 10 1 2	35 20 3 3	60 37 5	220 34 2	426 49 2 3	808 66 6	972 54 7	949 41 3	724 42 1	336 12 1	102 7 1	13 2	2 6	2	135
44 9	73 12	70 9	80 14	90 10	77 4	42 5	48 4	48	35 2	31	19	7	2				136
198 83	204 59	214 78	172 44	117 24	65 7	30 1	26 1	15	9	1	4	1					137
39 26	82 60	242 102	305 105	352 59	197 26	92 15	57 14	45 6	41 3	37 1	24 1	13	1		1	3 2	138
4 1	3 3	4 2	6 1	5 1	2 1			1		1							139
64 11	72 14	72 14	97 18	79 18	50 8	54 7	36 4	20	12	6	5	2 1	1			1 1	140
1	1	1	1	1		2					1						141
2,736 503	2,527 382	2,218 408	958 152	109 29	5											11 15	142
253 50	279 50	241 43	98 9	12 3	1											1 1	143
250 43	312 49	299 47	157 20	10 3	1											2 1	144
280 49	305 54	306 55	135 22	22 7	1											2	145
1,119 204	919 119	695 125	260 37	27 5	2											3 4	146
132 13	144 7	119 15	56 6	5 2													147
685 142	555 96	545 121	250 55	31 8												5 7	148
15 2	10 7	12 2	2 3	1 1													149
2	3	1		1													150

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the skin and of the cellular tissue:											
	Males..... White.....	1, 673	273	18	13	8	4	316	19	23	43	36
 Colored.....	181	20	1				21	1	1	5	5
	Females..... White.....	1, 233	243	11	6	7	3	270	21	23	35	33
 Colored.....	156	9	3				12	1		9	2
151	Gangrene:											
	Males..... White.....	686	16	1	3	3	3	26	3	6		1
 Colored.....	83									1	2
	Females..... White.....	480	8	2		2	2	14	4	2		4
 Colored.....	79		1				1	1		1	
152	Furuncle:											
	Males..... White.....	349	42	1	1	1		45	2	8	19	14
 Colored.....	16	4					4			1	
	Females..... White.....	171	25	2	1			28	3	5	13	11
 Colored.....	10	2					2				
153	Acute abscess:											
	Males..... White.....	325	75	10	5	2	1	93	9	5	17	18
 Colored.....	47	5	1				6	1	1	3	2
	Females..... White.....	257	77	2	2	4	1	86	10	9	10	13
 Colored.....	21	3					3			4	
154	Other diseases of the skin and annexa:											
	Males..... White.....	313	140	6	4	2		152	5	4	7	3
 Colored.....	35	11					11				1
	Females..... White.....	375	133	5	3	1		142	4	7	12	5
 Colored.....	46	4	2				6			4	2
	X.—Diseases of the bones and of the organs of locomotion:											
	Males..... White.....	777	30	7	20	24	24	105	86	120	81	26
 Colored.....	78	6	1	2			9	6	7	7	5
	Females..... White.....	422	21	8	11	23	14	77	78	58	9	8
 Colored.....	46	1	3	2			6	3	3	4	4
155	Diseases of the bones (tuberculosis excepted):											
	Males..... White.....	647	27	5	17	23	22	94	79	107	67	21
 Colored.....	47	5		1			6	5	5	3	4
	Females..... White.....	323	13	7	10	21	12	63	65	48	8	6
 Colored.....	30	1	3	2			6	3	3	3	2
156	Diseases of the joints (tuberculosis and rheumatism excepted):											
	Males..... White.....	104	3	2	3	1	2	11	6	8	14	3
 Colored.....	23	1	1	1			3	1	2	3	1
	Females..... White.....	72	7	1	1	2	2	13	12	10	1	1
 Colored.....	11									1	1
157	Amputations:											
	Males..... White.....	1										1
 Colored.....	1									1	
158	Other diseases of the organs of locomotion:											
	Males..... White.....	25							1	5		1
 Colored.....	7										
	Females..... White.....	27	1					1	1			1
 Colored.....	5										1
	XI.—Malformations:											
	Males..... White.....	7, 536	6, 957	182	85	36	32	7, 292	97	48	36	23
 Colored.....	444	376	25	10	8	4	423	6	11	3	
	Females..... White.....	5, 705	5, 199	192	65	35	28	5, 519	88	24	22	18
 Colored.....	325	274	13	10	4	5	306	12	2	2	1
159a	Congenital hydrocephalus:											
	Males..... White.....	727	549	56	33	12	12	662	27	11	15	6
 Colored.....	73	42	12	4	5	1	64	3	6		
	Females..... White.....	648	512	57	18	11	9	607	26	4	5	1
 Colored.....	55	34	6	3	2	3	48	6		1	
159b	Congenital malformations of the heart:											
	Males..... White.....	4, 463	4, 186	81	35	18	15	4, 335	52	28	14	15
 Colored.....	235	216	5	3	2	2	228	1	4	2	
	Females..... White.....	3, 182	2, 922	91	30	12	12	3, 067	49	18	14	14
 Colored.....	171	154	6	4			164	4	1		
159c	Other congenital malformations:											
	Males..... White.....	2, 346	2, 222	45	17	6	5	2, 295	18	9	7	2
 Colored.....	136	118	8	3	1	1	131	2	1	1	
	Females..... White.....	1, 875	1, 765	44	17	12	7	1, 845	13	2	3	3
 Colored.....	99	86	1	3	2	2	94	2	1	1	1
	XII.—Early infancy:											
	Males..... White.....	30, 848	30, 848					30, 848				
 Colored.....	4, 070	4, 070					4, 070				
	Females..... White.....	22, 390	22, 390					22, 390				
 Colored.....	3, 215	3, 215					3, 215				
160	Congenital debility, icterus, sclerema:											
	Males..... White.....	3, 631	3, 631					3, 631				
 Colored.....	759	759					759				
	Females..... White.....	2, 685	2, 685					2, 685				
 Colored.....	649	649					649				
161a	Premature birth:											
	Males..... White.....	18, 816	18, 816					18, 816				
 Colored.....	2, 503	2, 503					2, 503				
	Females..... White.....	14, 255	14, 255					14, 255				
 Colored.....	2, 052	2, 052					2, 052				
161b	Injury at birth:											
	Males..... White.....	5, 883	5, 883					5, 883				
 Colored.....	390	390					390				
	Females..... White.....	3, 646	3, 646					3, 646				
 Colored.....	245	245					245				
162	Other diseases peculiar to early infancy:											
	Males..... White.....	2, 467	2, 467					2, 467				
 Colored.....	400	400					400				
	Females..... White.....	1, 769	1, 769					1, 769				
 Colored.....	250	250					250				
163	Lack of care:											
	Males..... White.....	51	51					51				
 Colored.....	18	18					18				
	Females..... White.....	35	35					35				
 Colored.....	19	19					19				

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
164	XIII.—Old age (senility):											
	Males..... White.....	4,087										
	Males..... Colored.....	1,087										
	Females..... White.....	5,609										
	Females..... Colored.....	1,274										
	XIV.—External causes:											
	Males..... White.....	63,974	1,065	848	753	702	713	4,081	3,026	2,546	3,916	4,950
	Males..... Colored.....	9,152	200	133	123	93	88	637	284	378	748	1,179
	Females..... White.....	23,666	838	731	522	618	527	3,236	1,506	735	1,102	1,177
	Females..... Colored.....	2,945	225	90	107	110	105	637	250	74	202	333
	Suicide:											
	Males..... White.....	9,022								28	154	441
	Males..... Colored.....	275								2	13	29
	Females..... White.....	2,824								17	150	256
	Females..... Colored.....	88									7	15
165	By poisons (gas or corrosives excepted)—											
	Males..... White.....	413									10	29
	Males..... Colored.....	11										1
	Females..... White.....	256								1	22	22
	Females..... Colored.....	8										4
166	By corrosive substances—											
	Males..... White.....	592								1	7	48
	Males..... Colored.....	16										2
	Females..... White.....	589								3	54	95
	Females..... Colored.....	20									2	2
167	By poisonous gas—											
	Males..... White.....	1,115								2	13	34
	Males..... Colored.....	15										
	Females..... White.....	586									13	35
	Females..... Colored.....	7										
168	By hanging or strangulation—											
	Males..... White.....	1,830								12	28	57
	Males..... Colored.....	39									1	3
	Females..... White.....	378										6
	Females..... Colored.....	12										
169	By drowning—											
	Males..... White.....	415									1	12
	Males..... Colored.....	21										4
	Females..... White.....	271									12	13
	Females..... Colored.....	4									1	
170	By firearms—											
	Males..... White.....	3,595								13	91	231
	Males..... Colored.....	128								1	12	16
	Females..... White.....	465								13	44	68
	Females..... Colored.....	21									4	7
171	By cutting or piercing instruments—											
	Males..... White.....	682									1	10
	Males..... Colored.....	24										1
	Females..... White.....	91									1	6
	Females..... Colored.....	3										
172	By jumping from high places—											
	Males..... White.....	218									2	8
	Males..... Colored.....	12										1
	Females..... White.....	116									3	10
	Females..... Colored.....	8										2
173	By crushing—											
	Males..... White.....	101									1	8
	Males..... Colored.....	6										1
	Females..... White.....	18								1		1
	Females..... Colored.....											1
174	By other means—											
	Males..... White.....	61										4
	Males..... Colored.....	3										
	Females..... White.....	54									1	
	Females..... Colored.....	5										
	Homicide:											
	Males..... White.....	3,863	76	5	8	8	6	103	30	36	171	513
	Males..... Colored.....	2,960	11		3	1	1	15	6	19	170	499
	Females..... White.....	980	65	6	4	3	4	82	13	11	103	163
	Females..... Colored.....	637	3	1	2	1	7	7	4	4	63	158
197	By firearms—											
	Males..... White.....	2,840	3	4	5	3	3	18	10	21	133	425
	Males..... Colored.....	2,205			3		1	4	5	13	118	371
	Females..... White.....	459	2	2		1	1	6	5	6	56	74
	Females..... Colored.....	404		1				1	6	3	39	102
198	By cutting or piercing instruments—											
	Males..... White.....	372	4		1		1	6	5	2	24	59
	Males..... Colored.....	501	2				2	2		3	34	98
	Females..... White.....	99	6	1	1	2	1	11	4	4	6	14
	Females..... Colored.....	158			1			1		1	18	40
199	By other means—											
	Males..... White.....	651	69	1	2	5	2	79	15	13	14	29
	Males..... Colored.....	254	9					9	1	3	18	35
	Females..... White.....	422	57	3	3		2	65	4	1	41	75
	Females..... Colored.....	75	3		1			5	1		6	16
	Accidental or undefined:											
	Males..... White.....	51,089	989	843	745	694	707	3,978	2,996	2,482	3,591	3,996
	Males..... Colored.....	5,917	189	133	120	93	87	622	278	357	565	651
	Females..... White.....	19,862	773	725	518	615	523	3,154	1,493	707	849	758
	Females..... Colored.....	2,220	222	89	105	109	105	630	243	70	132	160
175	Poisoning by food—											
	Males..... White.....	372	55	32	22	15	12	136	26	7	15	12
	Males..... Colored.....	60	13	5	2	2	2	24	4		2	3
	Females..... White.....	335	40	29	17	17	9	112	28	11	13	11
	Females..... Colored.....	86	7	2	6	1		16	8	4	5	2
176	Poisoning by venomous animals—											
	Males..... White.....	39	6	1	1	1	2	11	3		1	
	Males..... Colored.....	7	2	1				3	1			
	Females..... White.....	29	3		2	1	2	8	4		1	1
	Females..... Colored.....	1		1				1				
177	Other acute poisonings (gas excepted)—											
	Males..... White.....	826	27	133	65	36	21	282	25	8	14	27
	Males..... Colored.....	106	3	20	9	9	3	44	7	2	4	11
	Females..... White.....	522	25	96	41	30	20	212	20	4	22	56
	Females..... Colored.....	87	5	17	10	6	2	40	2	1	7	8

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.	
36 7 20 5	34 8 15 5	59 6 23 2	40 5 12 2	46 7 15	30 5 18 2	29 1 17 5	43 5 12 2	35 5 14 1	32 3 16 4	16 5 12	14 5 14 4	5 2 4 4	3 1 1 1	1 1 1 1		10 2 2 2	178	
92 26 38 36	91 16 99 13	96 16 98 17	91 19 96 15	78 16 95 22	68 18 66 22	52 15 76 18	45 10 101 21	66 10 87 14	51 11 103 12	40 5 96 16	25 4 78 20	24 5 34 9	4 4 10 6	1 1 2 2	2 2 2 8	2 2 1 2	179	
11 2	24 3	28 3 1	24 1 3	29 2	14 2 3	9 1	10 2	7 1 1 1	1 1	1 1						1	180	
83 10 30 1	105 12 22 6	154 10 35	167 10 40 3	187 10 35 1	189 6 58 1	168 1 53 3	143 5 53 2	98 2 46 3	69 3 40 1	60 2 40 1	40 38	14 15	3 4			3 2	181	
355 63 31 4	307 58 29 2	340 38 33 2	279 29 22 4	253 28 15	223 18 15 1	160 9 13 3	108 8 12	83 2 8 1	46 4 7	31 5 5	11 2 6	2 1 2				27 9 6 2	182	
134 63 18 13	122 39 23 9	90 40 9 4	66 22 8 1	72 12 7	60 13 6 1	37 5 3	37 4 3	25 1 3 1	17 1	6 1	2	1 1				4 6 2	183	
21 8 8 1	22 1 5 1	24 7 9 3	33 5 16 1	26 5 12 5	35 4 11 8	35 4 10 1	28 1 15 3	40 2 13 3	15 1 9	16 7	8 1 3	3 1 2	1 1 2		1		184	
234 30 40 8	280 32 54 8	398 38 60 8	430 33 87 9	466 41 99 9	454 37 140 10	393 23 269 12	450 20 269 12	462 13 447 5	521 11 695 8	530 12 1,042 11	532 8	405 4 900 6	163 5 394 3	32 2 86 3	2 7 5	11 3 4	185	
306 43	312 62	320 59	294 30	227 23	147 21	104 13	58 3	39 3	16 1	4 1						3 9	186a	
8 2	10	6 3	9	11 1	5	7	8 1			1							186b	
203 35 5	216 26 6 2	196 29 3	166 18 6	171 22 6	162 18 2 1	108 12 5	91 8 4	79 4 1	49 5 2	21 2	4 1 1	1				3 1	187	
456 69 51 5	465 68 59 5	560 68 55 3	464 61 50 6	471 42 63 3	440 30 48 3	332 24 45	292 22 46 6	233 12 42	135 10 32 2	88 11 16 1	45 4 11 3	19 3	3 1 2	1 1	1	29 19 3 1	188a	
87 3 27 1	82 4 31 4	99 1 24 1	62 5 23 1	63 3 35	64 1 23 1	45 1 21	29 1 13	23 10	18 7	5 1	2 1	1	1			2	188b	
369 66 24 4	383 55 28 1	461 67 31 2	402 56 22 5	408 39 28 3	385 29 20 2	287 23 24	233 12 33 6	210 12 32	117 10 25 2	83 11 15 1	43 4 11 3	18 3	3 1 1	1 1	1	27 19 1 1	188c	
91 8 14 3	74 4 18 1	96 10 16 3	101 5 20 2	79 11 19 2	88 5 31 1	95 5 19	86 3 30 1	76 3 23 1	47 4 22	35 1 15	25 19	9 3	1			1	188d	
44 2 6 1	32 2 11 1	36 3 10 1	40 2 7 1	20 2 9 1	16 1 9	16 1 6	21 10	10 4	4 1 7	1	2 2	1					1	188e,f
47 6 8 2	42 2 7 1	60 7 6 2	61 3 13 1	59 9 10 1	72 4 22 1	79 4 13	65 3 20 1	66 3 22 1	43 3 15	34 1 14	23 17	8 3	1				1	188g
770 76 180 38	710 76 180 24	733 80 187 16	701 83 216 27	692 57 224 15	677 68 231 12	633 37 264 12	612 24 303 11	598 25 267 7	477 22 195 7	346 13 143 4	138 4 70 5	54 2 23 3	21 4 4 1	2 1		11 3 5	188c	
46 1	48 1	7 1	7	3		1 1										2	188d	
78 4 6	62 6 3 1	67 8 8 1	60 7 5 3	70 8 9 1	73 7 5 1	85 5 7	89 4 5	89 8 16	75 3 4 3	43 5 4 2	16 2 3	8 1	1			5	188e,f	
67 9 5	58 4 3 1	67 11 4	53 10 1	42 4 3 1	39 6 3	41 3 2	27 2 1	21 2 2	18 2	8 1	2 1 3	2 1				1 1	188g	

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
XIV.—External causes—Continued.												
Accidental or undefined—Continued.												
189	Injuries by animals (not poisoning)—											
	Males.....											
	White.....	523	2	2	8	10	11	33	33	41	26	25
	Colored.....	48			2			2	2	4	4	3
	Females.....	46		3	2	3	1	9	10	3		
	White.....	2	1					1		1		
	Colored.....											
190	Wounds of war—											
	Males.....	4										
	White.....	1										
	Colored.....											
192	Starvation (deprivation of food or water)											
	Males.....											
	White.....	3	1					1			1	
	Colored.....	1		1				2				
	Females.....	6	2					2				
	White.....	1						1				
	Colored.....											
193	Excessive cold—											
	Males.....	169	5					2		1		3
	White.....	31	1					1				1
	Colored.....	26	1					1				2
	Females.....	12	1					1			1	1
	White.....											
	Colored.....											
194	Excessive heat—											
	Males.....	820	57	10	5	4	4	80	4	3	10	19
	White.....	107	9	2				11			4	3
	Colored.....	340	60	12	6	2		80	5	2	4	2
	Females.....	61	17	3		1		21		1	1	1
	White.....											
	Colored.....											
195	Lightning—											
	Males.....	285	1				1	2	14	19	43	36
	White.....	70					1	1	4	4	13	10
	Colored.....	51							5	6	4	2
	Females.....	34	1					1	2	1	10	5
	White.....											
	Colored.....											
196	Other accidental electric shocks—											
	Males.....	902	1			1	1	3	10	48	82	155
	White.....	27								2	3	2
	Colored.....	30			2	1		3	1		3	1
	Females.....	6								1	1	2
	White.....											
	Colored.....											
201	Fracture (cause not specified)—											
	Males.....	319	4	1			1	6	3	6	9	13
	White.....	47	3					3	1	1	4	4
	Colored.....	241	3	3	1			7		1	1	2
	Females.....	14			1			1				
	White.....											
	Colored.....											
202	Other external violence—											
	Males.....	3,602	200	97	56	51	53	457	175	160	217	247
	White.....	508	25	13	4	5	4	51	12	25	34	63
	Colored.....	1,049	136	74	50	54	23	337	76	64	28	42
	Females.....	125	30	9	5	2	1	47	10	3	7	8
	White.....											
	Colored.....											
203	Violent deaths of unknown causation—											
	Males.....	11										2
	White.....	4								1	1	
	Colored.....	1										
	Females.....											
	White.....											
	Colored.....											
XV.—Ill-defined diseases:												
	Males.....	4,828	1,861	162	62	16	21	2,122	57	28	32	34
	White.....	4,715	1,957	199	51	33	13	2,258	58	64	78	102
	Colored.....	3,520	1,499	149	38	23	16	1,725	42	31	49	52
	Females.....	4,294	1,543	165	61	36	30	1,835	45	60	129	187
	White.....											
	Colored.....											
204	Sudden death:											
	Males.....	727	126	5	2	1		134	2	5	3	5
	White.....	384	65	6	1	2	1	75	4	4	4	8
	Colored.....	425	80	5	2	1		88		2	3	2
	Females.....	306	48	3	2	1	2	56	2	3	8	11
	White.....											
	Colored.....											
205a	Ill-defined:											
	Males.....	1,530	282	103	27	3	7	422	19	11	15	12
	White.....	1,076	220	80	20	14	6	340	10	17	14	24
	Colored.....	1,039	265	33	17	10	5	330	13	15	20	17
	Females.....	986	180	63	27	6	10	286	16	12	34	56
	White.....											
	Colored.....											
205b	Not specified or unknown:											
	Males.....	2,571	1,453	54	33	12	14	1,566	36	12	14	17
	White.....	3,255	1,672	113	30	17	11	1,843	44	43	60	70
	Colored.....	2,056	1,154	61	21	11	10	1,257	29	14	26	33
	Females.....	3,002	1,315	99	32	29	18	1,493	27	45	87	120
	White.....											
	Colored.....											

NOTE.—For populations, see reference on Table 4.

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.	
18 5	24 2	27 3 1	33 1 1	25 1 3	25 6 3	46 9 2	46 2 2	47 1 4	38 2 4	16 1	11 3	7 1	2				189	
1 1	3																190	
		1		1	1			1									192	
9 3	8 1 2	13 3 1	9 1 1 1	14 3 3	17 5 2	20 2	14 1 4 1	14 1 2 2	17 2 1	12 4	6 5 2 1	6 1 2 1	1			4	193	
17 7 2 3	30 5 8 2	46 7 9 2	65 6 9 3	86 16 2 1	80 8 16 3	89 8 11 6	66 12 21 6	62 5 27 1	48 5 34 3	48 1 28 4	32 2 32 1	21 4 22 1	12 1 18	1	7	1 1	1 2	194
18 3 4 3	26 6 5	15 7 2 3	22 4 4 3	22 6 6 2	25 4 3 1	21 2 3 1	5 2 3 1	8 1	4 5 2	1 2 1	1	1					2	195
158 8 4 1	137 4 4	102 1 3 1	79 5 2	49 2 2	27 4	23 2	17 2	7 1	3		1						1	196
15 1 1	13 1 3 1	28 9 2 3	31 3 1	22 4 5 2	26 4 6 1	27 6 5	24 3 5	18 1 15	16 30	15 48 1	25 2 54 2	12 32 2	7 19 1	1 2	1		2 2	201
255 52 42 4	231 46 42 4	263 55 54 9	287 37 49 3	281 38 38 6	219 30 48 7	208 14 37 3	160 13 38 4	171 10 32 5	132 8 38	57 10 35	39 2 26	21 4 14 3	3 1 3	1 1	1		10 2 4 2	202
	1 1	1	1		2	1	3				1							203
55 80 32 156	57 90 68 127	80 121 84 168	112 119 73 151	143 181 76 160	211 230 95 172	208 171 68 133	288 182 149 158	401 220 208 149	353 198 218 154	319 198 204 119	163 127 170 123	86 89 96 90	27 53 46 52	10 23 10 33	4 28 8 52	38 45 16 41		
10 9 9 14	9 12 11 8	17 15 15 11	21 22 17 16	27 34 20 17	41 37 17 24	42 26 16 19	70 23 31 31	104 37 39 17	91 23 52 18	81 18 46 14	37 15 28 15	20 5 24 7	2 5 4 2	4 4 1 3	3 6	2 1 4	204	
24 19 12 41	23 32 22 32	37 44 31 61	44 44 20 53	67 69 27 64	95 79 44 58	101 63 27 39	124 66 59 50	186 62 84 50	147 69 86 41	103 51 73 33	57 32 55 18	25 22 30 16	11 7 11 12	2 3 2 7	1 2 1 4	4 7 1 3	205a	
21 52 11 101	25 46 35 87	26 62 38 96	47 53 27 82	49 78 29 79	75 114 34 90	65 82 25 75	94 93 59 77	111 121 85 82	115 106 80 95	135 129 85 72	69 80 87 90	41 62 42 67	14 41 31 38	4 16 7 23	3 23 7 42	32 37 15 34	205b	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japa- nese	Other colored	List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japa- nese	Other colored
	All causes.....	150,665	2,956	1,284	1,274	130		II.—General diseases not included in Class I:					
	Males.....	78,462	1,539	1,135	788	117		Males.....	3,232	46	120	83	10
	Females.....	72,203	1,417	149	486	13		Females.....	6,083	68	13	29	-----
	I.—Epidemic, endemic, and infectious diseases:							Cancer and other malignant tumors	1,540	23	79	50	4
	Males.....	16,999	478	294	230	56	43	Of the buccal cavity.....	3,328	39	8	19	-----
	Females.....	17,109	457	34	146	4	44	Of the stomach, liver.....	86	2	1	-----	-----
1	Typhoid and paratyphoid fever	1,084	13	3	9	1	45	Of the peritoneum, intestines, rectum.....	791	12	47	31	2
5	Malaria.....	512	1	1	3	-----	46	Of the female genital organs.....	678	18	1	7	-----
6	Smallpox.....	560	5	-----	-----	-----	47	Of the breast.....	172	8	8	10	1
7	Measles.....	49	4	-----	-----	-----	48	Of the skin.....	259	5	-----	-----	-----
8	Scarlet fever.....	41	-----	-----	-----	-----	49	Of other or unspecified organs.....	1,515	8	2	12	-----
9	Whooping cough.....	29	-----	-----	-----	-----	50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8	-----	-----	-----	-----
10	Diphtheria.....	584	24	2	16	2	51	Acute rheumatic fever.....	485	5	1	-----	-----
11a	Influenza (with pulmonary complications)	692	24	1	20	-----	52	Chronic rheumatism, osteoarthritis, gout.....	38	-----	-----	-----	-----
11b	Influenza (other and unspecified)	273	7	2	6	2	53	Scurvy.....	32	1	-----	-----	-----
13	Mumps.....	268	4	2	3	1	54	Pellagra.....	445	1	23	9	1
15	Cholera nostras.....	1,560	33	1	15	-----	55	Beriberi.....	304	2	3	-----	-----
16	Dysentery.....	1,349	36	2	9	-----	56	Rickets.....	28	1	-----	1	-----
19	Spirochetal hemorrhagic jaundice	374	12	-----	1	-----	57	Diabetes mellitus.....	41	1	-----	-----	-----
20	Leprosy.....	352	14	-----	2	-----	58	Anemia, chlorosis.....	156	3	4	1	-----
21	Erysipelas.....	15	1	-----	-----	-----	59	Diseases of the pituitary gland.....	214	-----	-----	-----	-----
22	Acute anterior poliomyelitis	11	-----	-----	-----	-----	60a	Exophthalmic goiter.....	36	4	-----	-----	-----
23	Lethargic encephalitis.....	9	-----	-----	-----	-----	60b	Other diseases of the thyroid gland.....	56	3	-----	-----	-----
24	Meningococcus meningitis	374	12	-----	1	-----	61	Diseases of the parathyroid glands.....	5	-----	-----	-----	-----
25	Other epidemic and endemic diseases	352	14	-----	2	-----	62	Diseases of the thymus gland.....	7	-----	-----	-----	-----
27	Anthrax.....	1	-----	-----	-----	-----	63	Diseases of the adrenals (Addison's disease).....	379	1	-----	1	-----
28	Rabies.....	1	-----	-----	-----	-----	64	Diseases of the spleen.....	1,284	-----	2	4	-----
29	Tetanus.....	2	-----	-----	-----	-----	65a	Leukemia.....	101	-----	-----	2	-----
30	Mycoses.....	3	-----	-----	-----	-----	65b	Hodgkin's disease.....	77	1	-----	-----	-----
31	Tuberculosis (all forms)	60	5	1	2	-----	66	Alcoholism (acute or chronic).....	263	3	22	4	-----
32	Of the respiratory system	44	2	-----	-----	-----	67a	Chronic lead poisoning.....	551	8	2	1	-----
33	Of the meninges, central nervous system	40	3	-----	2	-----	67b	Other chronic mineral poisoning.....	60	1	-----	2	-----
34	Of the intestines, peritoneum	45	1	-----	3	1	68	Chronic poisoning by organic substances.....	93	3	-----	1	-----
35	Of the vertebral column	44	2	-----	2	-----	69	Other general diseases.....	2	-----	-----	-----	-----
36	Of the joints.....	29	3	-----	-----	-----		III.—Diseases of the nervous system and of the organs of special sense:					
37a	Of other organs.....	124	8	1	1	-----		Males.....	5,872	72	84	31	3
37b	Disseminated (acute)	85	9	-----	-----	-----		Females.....	6,020	73	9	15	1
38	Disseminated (chronic or unspecified)	194	3	1	5	-----	70	Encephalitis.....	64	4	1	1	-----
39	Syphilis.....	195	2	3	5	-----	71a	Simple meningitis.....	50	2	-----	-----	-----
40	Soft chancre.....	29	7	3	1	1	71b	Nonepidemic cerebrospinal meningitis.....	167	6	1	6	1
41	Gonococcus infection.....	111	2	2	1	-----	72	Tabes dorsalis (locomotor ataxia).....	111	1	-----	2	-----
42	Purulent infection, septicemia	58	2	1	-----	-----	73	Other diseases of the spinal cord.....	39	2	1	1	-----
	Other infectious diseases	1	-----	-----	-----	-----	74a	Cerebral hemorrhage.....	28	4	-----	1	-----

CAUSES OF DEATH, BY COLOR AND SEX

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored	List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
<p>III.—Diseases of the nervous system and of the organs of special sense—Continued.</p>							<p>V.—Diseases of the respiratory system—Continued.</p>						
74b	Cerebral embolism and thrombosis.....M.....	88	1	1			105	Asthma.....M.....	143	5	3	1	
F.....	102	3				F.....	133				
75	Paralysis without specified cause.....M.....	634	2				106	Pulmonary emphysema.....M.....	7				
F.....	682	9	1	1		F.....	5				
76	General paralysis of the insane.....M.....	532	2	3	6		107	Other diseases of the respiratory system (tuberculosis excepted).....M.....	99	2	1	1	1
F.....	204	2				F.....	74	7			
77	Other forms of mental alienation.....M.....	101		4	2		<p>VI.—Diseases of the digestive system:</p>						
F.....	121	1		1		<p>Males.....</p>						
78	Epilepsy.....M.....	261	7	1	2		<p>Females.....</p>						
F.....	177	7	1			<p>6,105 149 65 90 8</p>						
79	Convulsions (nonpuerperal; 5 years and over).....M.....	20					<p>5,631 153 12 71 1</p>						
F.....	30					108	Diseases of the mouth and annexa.....M.....	41			1	
80	Infantile convulsions (under 5 years).....M.....	215	5		1		F.....	57	2			
F.....	159	3		1		109a	Adenoid vegetations.....F.....	1				
81	Chorea.....M.....	3					109b	Other diseases of the pharynx and tonsils.....M.....	152	4	6	4	1
F.....	2					F.....	179	3	1	4	
82	Neuralgia and neuritis.....M.....	17					110	Diseases of the esophagus.....M.....	9			4	
F.....	16					F.....	5				
83	Softening of the brain.....M.....	20		1			111a	Ulcer of the stomach.....M.....	230	5	10	4	2
F.....	10					F.....	143	2	1	1	
84	Other diseases of the nervous system.....M.....	123		3	2		111b	Ulcer of the duodenum.....M.....	41	1		2	
F.....	109	1	1			F.....	12				
85	Diseases of the eye and annexa.....M.....	5		1			112	Other diseases of the stomach (cancer excepted).....M.....	658	8	2	4	
F.....	5					F.....	727	11		2	
86a	Diseases of the ear.....M.....	66	4	1	1	1	113	Diarrhea and enteritis (under 2 years).....M.....	2,406	73	7	30	2
F.....	51	3		3		F.....	2,088	68	4	30	
86b	Diseases of the mastoid process.....M.....	36		1			114	Diarrhea and enteritis (2 years and over).....M.....	468	13	5	13	
F.....	36	3		1		F.....	512	25	1	16	
<p>IV.—Diseases of the circulatory system:</p>							<p>115 Ancylostomiasis.....M.....</p>						
<p>Males.....</p>							<p>.....F.....</p>						
<p>Females.....</p>							<p>2 1</p>						
87	Pericarditis.....M.....	86	1		1		116	Diseases due to other intestinal parasites.....M.....	27	3			
F.....	60			2		F.....	18				
88	Endocarditis and myocarditis (acute).....M.....	400	8	6	1	1	117	Appendicitis and typhlitis.....M.....	720	16	9	13	1
F.....	500	4	2	1		F.....	560	9	3	5	
89	Angina pectoris.....M.....	260	6	5	5		118a	Hernia.....M.....	242	1	1	2	
F.....	232	3	2			F.....	92	7		1	
90	Other diseases of the heart.....M.....	8,555	107	174	23	7	118b	Intestinal obstruction.....M.....	351	5	6	7	1
F.....	7,759	81	11	11	1	F.....	472	11	1	10	
91a	Aneurysm.....M.....	277	2	5	1		119	Other diseases of the intestines.....M.....	93	2		1	
F.....	133	1	1			F.....	104	2			
91b,c	Other diseases of the arteries.....M.....	555	7	17	4	1	120	Acute yellow atrophy of the liver.....M.....	11	1			
F.....	463	7	2			F.....	27				
92	Embolism and thrombosis (not cerebral).....M.....	30	2				121	Hydatid tumor of the liver.....F.....	1				1
F.....	32	2				M.....	361	2	15	3	1
93	Diseases of the veins.....M.....	14	1	1			122	Cirrhosis of the liver.....M.....	253	3			
F.....	18					F.....	31	2	1		
94	Diseases of the lymphatic system.....M.....	7	1				123	Biliary calculi.....M.....	64	5			
F.....	8					F.....	64	5			
95	Hemorrhage without specified cause.....M.....	23	1				124	Other diseases of the liver.....M.....	165	7	2	1	
F.....	16					F.....	160	5		2	
96	Other diseases of the circulatory system.....M.....	41					125	Diseases of the pancreas.....M.....	14			1	
F.....	33					F.....	11				
<p>V.—Diseases of the respiratory system:</p>							<p>126 Peritonitis without specified cause.....M.....</p>						
<p>Males.....</p>							<p>.....F.....</p>						
<p>Females.....</p>							<p>83 6 1 4 144</p>						
<p>9,383 226 97 75 10</p>							<p>VII.—Nonvenereal diseases of the genito-urinary system and annexa:</p>						
<p>6,643 205 24 57 2</p>							<p>Males.....</p>						
<p>89 3 1 1 1</p>							<p>Females.....</p>						
97a	Diseases of the nasal fossae.....M.....	120	7				<p>7,618 47 102 30 2</p>						
F.....	17		1			<p>6,922 45 5 14</p>						
97b	Diseases of the nasal fossae and annexa.....M.....	17					128	Acute nephritis (including unspecified under 10 years).....M.....	703	6	1	5	1
F.....	30	1				F.....	610	3	1	2	
98	Diseases of the larynx.....M.....	15		1	1		129	Chronic nephritis (including unspecified 10 years and over).....M.....	6,011	32	96	19	1
F.....	132	3	3	2		F.....	5,084	37	4	6	
99a	Acute bronchitis.....M.....	144	3	1	3		131	Other diseases of the kidneys and annexa.....M.....	223	2	1	4	
F.....	15	1				F.....	152	1		2	
99b	Chronic bronchitis.....M.....	53	2	1			132	Calculi of the urinary passages.....M.....	22			1	
F.....	78					F.....	14			1	
99c,d	Bronchitis (unspecified).....M.....	123	6				133	Diseases of the bladder.....M.....	112	4	1	1	
F.....	99	3				F.....	25	1			
100a	Broncho-pneumonia.....M.....	2,723	85	39	40	6	134	Diseases of the urethra, etc.....M.....	142				
F.....	2,220	62	13	35	2	F.....	3				
100b	Capillary bronchitis.....M.....	78		1			135	Diseases of the prostate.....M.....	384	3	3		
F.....	66					136	Nonvenereal diseases of the male genital organs.....M.....	21				
101a	Lobar pneumonia.....M.....	4,950	68	42	25	3	137	Cysts, other benign tumors of the ovary.....F.....	76			1	
F.....	2,863	67	7	14		M.....					
101b	Pneumonia (unspecified).....M.....	684	46	3			138	Salpingitis and pelvic abscess (female).....F.....	392	1		1	
F.....	617	52		1		139	Benign tumors of the uterus.....F.....	430			1	
102	Pleurisy.....M.....	196	4	2	4		140	Nonpuerperal uterine hemorrhage.....F.....	12				
F.....	132	1	2	2		M.....					
103	Congestion and hemorrhagic infarct of the lung.....M.....	42	1				141	Other diseases of the female genital organs.....F.....	119	2			
F.....	50	1		1		142	Nonpuerperal diseases of the breast (cancer excepted).....F.....	5				
104	Gangrene of the lung.....M.....	12		1	2		M.....					
F.....	10	1				F.....					

MORTALITY STATISTICS

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored	List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	VIII.—The puerperal state.....	2,636	45	8	34	1		XIV.—External causes—Con.					
143	Accidents of pregnancy..... F	215	5		5			Homicide..... (M)	2,897	14	30	9	1
144	Puerperal hemorrhage..... F	182	6	3	6			By firearms..... (M)	630	6		1	
145	Other accidents of labor..... F	317	6	2	2		197	By cutting or piercing instruments..... (M)	2,163	4	20	8	1
146	Puerperal septicemia..... F	919	17	3	13	1	198	By other means..... (M)	400	3		1	
147	Puerperal phlegmasia alba dolens, embolus, etc..... F	57	1		1		199	Accidental or undefined..... (M)	488	6	7		
148	Puerperal albuminuria and convulsions..... F	929	8		7			Poisoning by food..... (M)	156	2			
149	Following childbirth (undefined)..... F	17	2					Poisoning by venomous animals..... (M)	246	4	3	1	
	IX.—Diseases of the skin and of the cellular tissue:							Other acute poisonings (gas excepted)..... (M)	74	1			
	Males.....	177		4			175	Conflagration..... (M)	5,614	121	58	113	11
	Females.....	152	4					Burns (conflagration excepted)..... (M)	2,139	48	4	28	1
151	Gangrene..... (M)	80		3			176	Mechanical suffocation..... (M)	55	1	1	1	2
	Females.....	77	2					Absorption of irrespirable, irritating, or poisonous gas..... (M)	86				
152	Furuncle..... (M)	15		1			177	Drowning..... (M)	1				
	Females.....	10						Traumatism by firearms (except in war)..... (M)	98	4	2	2	
153	Acute abscess..... (M)	47						Traumatism by cutting or piercing instruments..... (M)	83	3		1	
154	Other diseases of the skin and annexa..... (M)	20	1				178	Traumatism by fall..... (M)	132	9	1	2	
	Females.....	35						Traumatism in mines..... (M)	104	2		2	
	X.—Diseases of the bones and of the organs of locomotion:						179	Traumatism in quarries..... (M)	454	5	1	10	
	Males.....	72	5		1			Traumatism by machines..... (M)	756	7	2	5	
	Females.....	46					180	Railroad accidents..... (M)	117	2		5	
155	Diseases of the bones (tuberculosis excepted)..... (M)	44	2		1			Collision with automobiles..... (M)	85	2	1	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)..... (M)	30					181	Other railroad accidents..... (M)	81		5	3	
	Females.....	11						Street-car accidents..... (M)	27				
157	Amputations..... (M)	1					182	Collision with automobiles..... (M)	659	21	6	14	1
158	Other diseases of the organs of locomotion..... (M)	7						Other street-car accidents..... (M)	55	4		5	1
	Females.....	5					183	Injuries by other vehicles..... (M)	480	8	2	1	1
	XI.—Malformations:							Landslide, other crushing..... (M)	109	1			
	Males.....	403	15	5	21		184	Injuries by animals (not poisoning)..... (M)	52	4		1	
	Females.....	298	6	3	18			Wounds of war..... (M)	34	1			
159a	Congenital hydrocephalus..... (M)	67	3		3		185	Starvation (deprivation of food and water)..... (M)	409	12	5	9	
159b	Congenital malformations of the heart..... (M)	53			2		186a	Excessive cold..... (M)	176	8		2	
	Females.....	212	8	3	12			Excessive heat..... (M)	347			1	
159c	Other congenital malformations..... (M)	159	2	1	9		186b	Lightning..... (M)	10				
	Females.....	124	4	2	6			Other accidental electric shocks..... (M)	262		2	2	1
	XII.—Early infancy:						187	Fracture (cause not specified)..... (M)	5				
	Males.....	3,980	70	18	51	1	188a	Other external violence..... (M)	587	10	4	9	2
	Females.....	3,093	52	17	52	1		Violent deaths of unknown causation..... (M)	47	2			
160	Congenital debility, icterus, sclerema..... (M)	737	15	3	4		188b	Sudden death..... (M)	36				
	Females.....	627	12	4	6			Ill-defined..... (M)	10				1
161a	Premature birth..... (M)	2,422	39	11	30	1	188c	Not specified or unknown..... (M)	551	10	4	9	1
	Females.....	1,985	25	8	33	1		Suicide..... (M)	37	2	3	4	
161b	Injury at birth..... (M)	375	6	4	5			By poisons (gas or corrosives excepted)..... (M)	67	2			
	Females.....	283	5	3	4			By corrosive substances..... (M)	17				
162	Other diseases peculiar to early infancy..... (M)	378	10		12			By poisonous gas..... (M)	16				
	Females.....	231	8	2	9			By hanging or strangulation..... (M)	20				
163	Lack of care..... (M)	18						By drowning..... (M)	7				
	Females.....	17	2					By fire arms..... (M)	107	7	9	2	3
164	XIII.—Old age (senility):							By cutting or piercing instruments..... (M)	20		2	1	1
	Males.....	1,042	33	12				By jumping from high places..... (M)	2				
	Females.....	1,223	51					By crushing..... (M)	12		1		
	XIV.—External causes:							By other means..... (M)	5				
	Males.....	8,731	142	124	138	17		By other means..... (F)	2				
	Females.....	2,548	54	6	35	2		By other means..... (F)	2				
165	Suicide..... (M)	220	7	27	16	5	194	Excessive heat..... (M)	103	1	1	2	
	Females.....	79		2	6	1		Lightning..... (M)	61				
166	By poisons (gas or corrosives excepted)..... (M)	7		1	2		195	Other accidental electric shocks..... (M)	65	2			
	Females.....	7			2			Fracture (cause not specified)..... (M)	34				
167	By corrosive substances..... (M)	16			2		196	Other external violence..... (M)	27				
	Females.....	20						Violent deaths of unknown causation..... (M)	6				
168	By poisonous gas..... (M)	13			2		201	Sudden death..... (M)	44	1	2		
	Females.....	7						Ill-defined..... (M)	14				
169	By hanging or strangulation..... (M)	22		10	7		202	Not specified or unknown..... (M)	491	10	3	4	
	Females.....	6		1	5			Suicide..... (M)	118	5		2	
170	By drowning..... (M)	16		3	1	1	203	By poisons (gas or corrosives excepted)..... (M)	4				
	Females.....	4						By corrosive substances..... (M)					
171	By fire arms..... (M)	107	7	9	2	3		By poisonous gas..... (M)					
	Females.....	20				1		By hanging or strangulation..... (M)					
172	By cutting or piercing instruments..... (M)	20		2	1	1		By drowning..... (M)					
	Females.....	2			1			By fire arms..... (M)					
173	By jumping from high places..... (M)	8			1		204	By cutting or piercing instruments..... (M)	378	5		1	
	Females.....	5						By jumping from high places..... (M)	303	2		1	
174	By crushing..... (M)	5			1		205a	By crushing..... (M)	1,063	10	1	1	1
	Females.....	2		1				By other means..... (M)	973	12		1	
	By other means..... (M)	5					205b	By other means..... (M)	3,149	105	1		
	Females.....	2						Suicide..... (M)	2,909	83			
	By other means..... (F)							Ill-defined..... (M)					
	By other means..... (F)							Not specified or unknown..... (M)					

NOTE.—For populations, see reference on Table 4.

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued													Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																	
139	Benign tumors of the uterus.....	2,044															
140	Nonpuerperal uterine hemorrhage.....	49															
141	Other diseases of the female genital organs.....	774															
142	Nonpuerperal diseases of the breast (cancer excepted).....	31	17														
VIII.—The puerperal state.....																	
15,315																	
143	Accidents of pregnancy.....	1,404															
144	Puerperal hemorrhage.....	1,466															
145	Other accidents of labor.....	1,714															
146	Puerperal septicemia.....	5,697															
147	Puerperal phlegmasia alba dolens, embolus, etc.....	682															
148	Puerperal albuminuria and convulsions.....	4,292															
149	Following childbirth (undefined).....	73															
150	Puerperal diseases of the breast.....	7															
IX.—Diseases of the skin and of the cellular tissue.....																	
3,343																	
151	Gangrene.....	1,319	24	4	3	5	6	9	8	3	9	10	17	42	81	121	270
152	Furuncle.....	569	75	5	2	2	2	5	14	34	26	24	51	65	79	84	60
153	Acute abscess.....	673	164	13	7	6	2	21	17	36	35	31	32	72	77	78	45
154	Other diseases of the skin and annexa.....	782	292	13	7	3	9	12	23	14	16	14	40	57	67	80	133
X.—Diseases of the bones and of the organs of locomotion.....																	
1,358																	
155	Diseases of the bones (tuberculosis excepted).....	1,075	48	16	31	45	35	158	169	83	35	29	38	69	80	95	80
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	215	11	4	5	3	4	19	21	20	8	8	8	20	27	22	25
157	Amputations.....	2								1							
158	Other diseases of the organs of locomotion.....	66	1					2	5		3	2	6	5	5	14	9
XI.—Malformations.....																	
14,226																	
159a	Congenital hydrocephalus.....	1,533	1,157	136	59	32	25	64	21	21	7	1	3	3	1		
159b	Congenital malformations of the heart.....	8,147	7,566	187	73	32	29	107	52	31	29	11	10	10	5	4	
159c	Other congenital malformations.....	4,546	4,280	98	40	21	15	36	13	12	6	3	1	11	6	4	
XII.—Early infancy.....																	
61,932																	
160	Congenital debility, icterus, sclerema.....	7,871	7,871														
161a	Premature birth.....	38,588	38,588														
161b	Injury at birth.....	10,384	10,384														
162	Other diseases peculiar to early infancy.....	4,962	4,962														
163	Lack of care.....	127	127														
XIII.—Old age (senility).....																	
12,326																	
XIV.—External causes.....																	
102,162																	
Suicide.....																	
12,495																	
165	By poisons (gas or corrosives excepted).....	716								2	33	61	65	144	157	95	63
166	By corrosive substances.....	1,278								4	66	155	201	152	279	217	123
167	By poisonous gas.....	1,743								2	27	70	132	161	339	418	366
168	By hanging or strangulation.....	2,276								13	31	66	103	145	452	505	459
169	By drowning.....	715								14	29	41	52	142	166	140	89
170	By firearms.....	4,333								28	157	335	347	399	908	871	687
171	By cutting or piercing instruments.....	821								2	17	32	67	181	190	177	107
172	By jumping from high places.....	358								5	21	37	41	75	84	46	35
173	By crushing.....	128								1	10	9	17	36	28	17	8
174	By other means.....	127								1	6	8	7	25	34	22	15
Homicide.....																	
8,893																	
197	By firearms.....	6,216	5	7	8	4	6	26	46	368	1,426	1,587	1,363	2,019	963	377	165
198	By cutting or piercing instruments.....	1,224	12	1	3	2	2	9	12	94	229	247	194	259	97	36	17
199	By other means.....	1,453	141	4	7	4	21	17	82	163	183	148	280	191	107	67	22
Accidental or undefined.....																	
80,774																	
175	Poisoning by food.....	888	119	71	48	35	23	69	23	38	32	35	28	71	90	84	74
176	Poisoning by venomous animals.....	78	11	3	3	2	4	9	2	2	1	4	3	6	11	6	7
177	Other acute poisonings (gas excepted).....	1,596	64	273	129	82	46	57	16	48	105	89	116	210	178	107	51
178	Conflagration.....	1,408	69	68	61	79	60	126	62	53	63	73	68	154	128	118	110
179	Burns (conflagration excepted).....	6,375	234	578	623	597	465	742	207	231	277	250	231	432	391	348	358
180	Mechanical suffocation.....	1,123	826	11		4	4	21	22	14	27	15	27	62	50	24	13
181	Absorption of irrespirable, irritating, or poisonous gas.....	2,439	20	10	6	4	7	32	25	82	133	126	148	420	494	430	278
182	Drowning.....	6,456	38	206	131	80	74	605	827	1,011	733	460	399	757	561	313	151
183	Traumatism by firearms (except in war).....	2,570	6	19	20	27	33	191	374	536	326	241	202	249	182	91	49
184	Traumatism by cutting or piercing instruments.....	782	29	14	10	10	11	41	38	31	38	39	31	102	108	99	85
185	Traumatism by fall.....	13,864	143	160	99	110	70	276	260	269	333	317	378	1,081	1,274	1,392	2,197
186a	Traumatism in mines.....	2,643						3	6	153	376	349	375	705	419	181	59
186b	Traumatism in quarries.....	90						1	2	5	10	10	10	18	17	16	1
187	Traumatism by machines.....	2,339	1	8	6	7	11	33	69	192	274	252	258	432	389	230	141
188a	Railroad accidents.....	6,778	13	31	32	23	23	175	177	518	645	590	602	1,302	1,129	781	471
	Collision with automobiles.....	1,266	12	5	9	12	11	50	45	143	137	118	121	223	197	111	58
	Other railroad accidents.....	5,512	1	26	23	11	12	125	132	375	508	472	481	1,079	932	670	413

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age un-known. Includes sub-sections XIV.—External causes—Contd. and XV.—Ill-defined diseases.

ALABAMA

Detailed mortality table for Alabama, including categories like Typhoid and paratyphoid fever, Malaria, Smallpox, Measles, etc., with columns for White and Colored populations and age groups.

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	AGE													75 years and over	Age unknown
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		
ALABAMA—Continued																	
I.—Epidemic, endemic, and infectious diseases—Contd:																	
38	Syphilis.....	W 46 C 275	20		1			1		3	3	3	1	5	2	1	1
40	Gonococcus infection.....	W 12 C 25	65	6	4	1	2	5	3	10	25	22	17	43	37	21	4
41	Purulent infection, septicemia.....	W 37 C 29	2	1	1	1		3	1	2	1	2	1	3	4	6	7
II.—General diseases not included in Class I.....																	
		White 1,286 Colored 797	55	26	10	3	3	21	18	19	27	35	35	127	218	219	274
			18	5	3	3		8	10	22	38	52	49	136	187	113	85
	Cancer and other malignant tumors.....	W 760 C 375		2	2	1		7	4	4	8	8	19	81	152	138	197
43	Of the buccal cavity.....	W 28 C 7	1		1	1		1	1	3	4	14	17	64	122	65	46
44	Of the stomach, liver.....	W 91 C 234			1			1		1	2	2	4	14	42	55	76
45	Of the peritoneum, intestines, rectum.....	W 62 C 26				1		2		2	2	1	2	12	30	15	15
46	Of the female genital organs.....	W 147 C 138								2	1	2	7	7	10	7	21
47	Of the breast.....	W 49 C 34									1	5	2	34	39	29	23
48	Of the skin.....	W 52 C 4	1								1		1	11	15	3	9
49	Of other or unspecified organs.....	W 188 C 75		2	1	1		4	4	3	2	3	4	18	34	29	47
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	W 3 C 13						1	1	1	2	2	3	7	21	13	13
51	Acute rheumatic fever.....	W 26 C 34					2	2	2	2	1	2		2	2	2	5
52	Chronic rheumatism, osteoarthritis, gout.....	W 16 C 7					1	1	3	4	1	1	2	2	5	5	6
53	Scurvy.....	W 1 C 3	1														
54	Pellagra.....	W 163 C 250	1	1	1	1		3	4	4	8	13	7	24	30	27	30
56	Rickets.....	W 4 C 4	3	2				2	4	8	25	30	21	53	37	26	18
57	Diabetes mellitus.....	W 121 C 56	1	2		1	3	1	3	5	5	3	3	7	17	31	24
58	Anemia, chlorosis.....	W 39 C 11	3		1		1	2	1	3	3	4	1	3	13	9	7
59	Diseases of the pituitary gland.....	W 4 C 2											1	1	1	1	
60a	Exophthalmic goiter.....	W 6 C 4							1				1	1	1	2	2
60b	Other diseases of the thyroid gland.....	W 1 C 4							1						1	1	2
61	Diseases of the parathyroid glands.....	W 1 C 4	1													2	2
62	Diseases of the thymus gland.....	W 4 C 2	4														
63	Diseases of the adrenals (Addison's disease).....	W 4 C 1													1	2	1
64	Diseases of the spleen.....	W 1 C 1								1				1			
65a	Leukemia.....	W 13 C 6	1	2			1	2	1					3	1		1
65b	Hodgkin's disease.....	W 8 C 5				1	1	1			1	1	1	1	1	1	1
66	Alcoholism (acute or chronic).....	W 17 C 5									2	1	3	2	5	1	1
67a	Chronic lead poisoning.....	W 1 C 1									1		2		1	1	1
67b	Other chronic mineral poisoning.....	W 1 C 2													1	1	
69	Other general diseases.....	W 92 C 18	41	17	6	1	1	3	4	2		1	1	2	1	2	3
III.—Diseases of the nervous system and of the organs of special sense.....																	
		White 1,354 Colored 971	57	17	10	9	1	26	21	22	18	19	24	60	151	214	346
			46	13	2	4	3	9	14	21	16	21	35	90	184	183	157
70	Encephalitis.....	W 20 C 9	2	1	2	2		1	1	2				3	4	1	1
71a	Simple meningitis.....	W 58 C 30	17	7	6	5		6	3	2		2	2	2	1	1	1
71b	Nonepidemic cerebrospinal meningitis.....	W 15 C 4	6	2	1	1		1	1	1		1	1	3	1	1	2
72	Tabes dorsalis (locomotor ataxia).....	W 12 C 3	1												5	4	2
73	Other diseases of the spinal cord.....	W 23 C 7						2				1	1	1	1	5	2
74a	Cerebral hemorrhage.....	W 767 C 539	2				2	1	3	1	5	7	12	24	96	146	244
74b	Cerebral embolism and thrombosis.....	W 10 C 5	1		1		1		3	2	1	1	1	1	2	2	1
75	Paralysis without specified cause.....	W 255 C 197		1			1	1	1	1	1	1	1	6	25	34	80
76	General paralysis of the insane.....	W 17 C 17												2	6	8	2
77	Other forms of mental alienation.....	W 20 C 20						1		2	2	3	2	2	4	3	2
78	Epilepsy.....	W 39 C 43	2		1		1	5	9	5	5	3	3	4	3	2	1
79	Convulsions (nonpuerperal; 5 years and over).....	W 7 C 8					3	2	1	1	1		3	1		4	2
80	Infantile convulsions (under 5 years).....	W 27 C 33	23	3	1				1	1							

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	CALIFORNIA—Continued														Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
VI.—Diseases of the digestive system—Continued.																			
118b	Intestinal obstruction	354	35	5	5	1	4	2	4	7	9	9	20	40	53	50	67	43	
119	Other diseases of the intestines	52	1	1	1	1	3	—	—	1	2	1	4	6	10	7	4	10	
120	Acute yellow atrophy of the liver	14	1	—	—	—	—	—	—	1	—	—	2	4	—	—	3	1	
121	Hydatid tumor of the liver	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
122	Cirrhosis of the liver	425	1	—	—	—	—	2	1	1	2	10	52	106	105	87	58	—	
123	Biliary calculi	192	—	—	—	—	—	—	1	2	2	4	21	42	54	44	22	—	
124	Other diseases of the liver	221	—	—	—	1	—	—	2	5	11	9	28	40	46	42	37	—	
125	Diseases of the pancreas	33	—	—	—	—	—	1	—	2	1	2	6	9	6	5	1	—	
126	Peritonitis without specified cause	63	6	2	—	2	2	4	3	2	3	3	11	6	4	7	5	—	
VII.—Nonvenereal diseases of the genito-urinary system and annexa.																			
128	Acute nephritis (including unspecified under 10 years)	199	41	6	5	6	4	16	25	37	69	85	107	399	648	953	1,229	1,279	
129	Chronic nephritis (including unspecified 10 years and over)	3,891	2	1	2	1	1	3	18	21	34	41	63	248	505	820	1,039	1,092	
131	Other diseases of the kidneys and annexa	156	21	2	—	—	—	4	2	3	7	4	6	23	17	19	31	17	
132	Calculi of the urinary passages	38	—	—	—	—	—	—	—	—	—	—	3	7	11	6	6	5	
133	Diseases of the bladder	50	1	—	—	—	—	—	—	—	—	2	1	2	3	9	11	21	
134	Diseases of the urethra, etc.	12	—	—	—	—	—	—	—	—	—	—	—	—	2	5	2	1	
135	Diseases of the prostate	270	—	—	—	—	—	—	—	—	—	—	1	2	6	36	103	122	
136	Nonvenereal diseases of the male genital organs	3	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
137	Cysts, other benign tumors of the ovary	48	—	—	—	—	—	—	—	—	4	4	3	9	11	8	6	3	
138	Salpingitis and pelvic abscess (female)	91	—	—	—	—	—	1	5	13	15	8	26	14	8	1	7	—	
139	Benign tumors of the uterus	109	—	—	—	—	—	—	—	1	5	5	38	39	9	7	5	—	
140	Nonpuerperal uterine hemorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	
141	Other diseases of the female genital organs	40	—	—	—	—	—	—	—	1	1	4	4	11	10	6	3	—	
VIII.—The puerperal state.																			
143	Accidents of pregnancy	54	—	—	—	—	—	—	—	2	4	11	13	23	1	—	—	—	
144	Puerperal hemorrhage	54	—	—	—	—	—	—	—	—	4	11	17	22	—	—	—	—	
145	Other accidents of labor	58	—	—	—	—	—	—	—	2	11	7	13	25	—	—	—	—	
146	Puerperal septicemia	199	—	—	—	—	—	—	—	20	48	58	36	36	1	—	—	—	
147	Puerperal phlegmasia alba dolens, embolus, etc.	16	—	—	—	—	—	—	—	1	3	6	3	3	—	—	—	—	
148	Puerperal albuminuria and convulsions.	128	—	—	—	—	—	—	—	17	30	31	29	20	1	—	—	—	
149	Following childbirth (undefined)	3	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	
IX.—Diseases of the skin and of the cellular tissue.																			
151	Gangrene	48	1	—	1	—	—	—	—	—	—	1	1	2	1	4	13	25	
152	Furuncle	25	1	—	—	—	—	—	1	2	2	1	1	2	5	4	4	2	
153	Acute abscess	26	3	—	—	1	—	—	—	4	3	3	1	3	2	4	1	1	
154	Other diseases of the skin and annexa	28	16	—	1	—	—	—	—	—	—	—	1	2	—	1	1	6	
X.—Diseases of the bones and of the organs of locomotion.																			
155	Diseases of the bones (tuberculosis excepted)	39	—	1	—	1	3	3	11	2	—	1	2	4	4	4	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5	—	—	1	—	—	—	—	—	—	—	—	—	1	—	3	—	
158	Other diseases of the organs of locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	
XI.—Malformations.																			
159a	Congenital hydrocephalus	58	41	5	3	—	1	5	—	1	1	—	1	—	—	—	—	—	
159b	Congenital malformations of the heart	316	291	8	3	1	4	3	1	1	—	—	2	1	2	—	—	—	
159c	Other congenital malformations	214	194	2	7	2	—	1	—	2	1	—	1	2	2	—	—	—	
XII.—Early infancy.																			
160	Congenital debility, icterus, sclerema	291	291	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
161a	Premature birth	1,363	1,363	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
161b	Injury at birth	325	325	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
162	Other diseases peculiar to early infancy	199	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
163	Lack of care	11	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
164	XIII.—Old age (senility).	371	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	43	323
XIV.—External causes.																			
165	Suicide	1,114	—	—	—	—	—	1	20	54	76	95	249	249	200	120	50	—	
166	By poisons (gas or corrosives excepted)	88	—	—	—	—	—	—	—	6	7	8	6	19	16	14	6	6	
167	By corrosive substances	73	—	—	—	—	—	—	—	2	6	13	10	22	16	2	2	—	
168	By poisonous gas	236	—	—	—	—	—	—	—	4	6	12	22	53	64	40	30	5	
169	By hanging or strangulation	125	—	—	—	—	—	—	—	1	1	12	7	34	28	26	9	7	
170	By drowning	63	—	—	—	—	—	—	—	1	3	2	3	9	20	16	7	2	
171	By firearms	394	—	—	—	—	—	—	—	—	5	25	24	32	81	69	51	24	
172	By cutting or piercing instruments	83	—	—	—	—	—	—	—	—	2	3	7	19	22	16	11	3	
173	By jumping from high places	31	—	—	—	—	—	—	—	1	2	1	5	6	7	2	4	3	
174	By crushing	15	—	—	—	—	—	—	—	—	2	1	3	4	5	—	—	—	
174	By other means	6	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	
197	Homicide	332	4	—	2	1	1	1	1	13	32	48	51	85	58	20	12	3	
198	By firearms	227	—	—	1	1	1	1	—	8	24	33	39	64	40	9	5	2	
199	By cutting or piercing instruments	51	1	—	1	—	1	1	—	2	5	6	7	14	9	2	2	—	
199	By other means	54	3	—	—	—	—	—	—	3	3	9	5	7	9	5	1	—	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	COLORADO—Continued													Age un-known			
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over
VI.—Diseases of the digestive system—Continued																			
111a	Ulcer of the stomach	58								1	1	2	5	12	10	14	7	6	
111b	Ulcer of the duodenum	20								1	1		1	3	5	3	4	2	
112	Other diseases of the stomach (cancer excepted)	42	8	1	1			1	1	1				3	2	4	9	11	
113	Diarrhea and enteritis (under 2 years)	481	384	97															
114	Diarrhea and enteritis (2 years and over)	95			33	10	6	4	2	1		2	1	4	7	6	18		
117	Appendicitis and typhilitis	258	1	1	2	4	11	20	24	32	30	18	12	39	30	19	12	3	
118a	Hernia	29												2	7	8	7	2	
118b	Intestinal obstruction	100	8	2	5	2		1	1	5	2	4	8	11	12	12	12	15	
119	Other diseases of the intestines	14	1		1		1			1		2	1		1	2	2	2	
120	Acute yellow atrophy of the liver	7	1			1				1		1	1				2		
122	Cirrhosis of the liver	49							1			1	3	6	12	11	15	1	
123	Biliary calculi	62									2	4	3	5	14	13	10	10	
124	Other diseases of the liver	57	1								2	1	3	8	9	14	12	7	
125	Diseases of the pancreas	5			1								1	2	1				
126	Peritonitis without specified cause	13	3				2				1		2	1	1	1	2		
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		946	6	5	5		1	3	8	14	19	17	21	83	102	176	259	226	1
128	Acute nephritis (including unspecified under 10 years)	45	1	4	5		1	2	1	2			2	6	6	6	3	6	
129	Chronic nephritis (including unspecified 10 years and over)	700						1	5	10	10	7	12	41	70	151	209	183	1
131	Other diseases of the kidneys and annexa	32	4	1						2		3	1	6	4	3	4	4	
132	Calculi of the urinary passages	11									1	1		2		2	3	2	
133	Diseases of the bladder	5	1															4	
134	Diseases of the urethra, etc.	4												1	2		1		
135	Diseases of the prostate	72												1	2	9	35	25	
136	Nonvenereal diseases of the male genital organs	1															1		
137	Cysts, other benign tumors of the ovary	13								1	1	1	1	3	5		1	1	
138	Salpingitis and pelvic abscess (female)	20								1	3	5	2	5	4		4		
139	Benign tumors of the uterus	32									1	3	16	8	2		1	1	
141	Other diseases of the female genital organs	11								1	1	1	1	2	1	3	1		
VIII.—The puerperal state																			
		170								15	35	47	30	42	1				
143	Accidents of pregnancy	14								1	2	4	5	2					
144	Puerperal hemorrhage	11									4	2	3	2					
145	Other accidents of labor	22								1	5	5	3	8					
146	Puerperal septicemia	80								6	17	23	15	18	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	8								1	2	3		2					
148	Puerperal albuminuria and convulsions	33								6	5	9	4	9					
149	Following childbirth (undefined)	2									1		1						
IX.—Diseases of the skin and of the cellular tissue																			
		33	4										1	3	5	1	6	13	
151	Gangrene	19											2			1	4	12	
152	Furuncle	3	1												1			1	
153	Acute abscess	6	2									1	1		2				
154	Other diseases of the skin and annexa	5	1												2		2		
X.—Diseases of the bones and of the organs of locomotion																			
		10							1				2	2	3		2		
155	Diseases of the bones (tuberculosis excepted)	8							1				2	2	2		1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2													1		1		
XI.—Malformations																			
		128	118	4	1	1	1	1	1		1								
159a	Congenital hydrocephalus	9	7				1	1											
159b	Congenital malformations of the heart	79	73	4		1					1								
159c	Other congenital malformations	40	38						1										
XII.—Early infancy																			
		622	622																
160	Congenital debility, icterus, sclerema	72	72																
161a	Premature birth	409	409																
161b	Injury at birth	68	68																
162	Other diseases peculiar to early infancy	69	69																
163	Lack of care	4	4																
XIII.—Old age (senility)																			
		120													1	2	17	99	1
XIV.—External causes																			
		1,045	28	29	15	8	13	37	37	58	96	83	74	161	134	107	87	72	6
Suicide																			
		181							1	9	12	14	13	41	29	28	23	9	2
165	By poisons (gas or corrosives excepted)	22								1	1	1	1	5	7	3	2	1	
166	By corrosive substances	12								2	2	3	1	3	1	1			
167	By poisonous gas	19								1	4	1	2	3	5	1	1	1	
168	By hanging or strangulation	17								1		1	1	1	3	3	6	1	
169	By drowning	7											2	3	1	1	1	1	
170	By firearms	88							1	4	3	6	5	21	14	16	11	6	1
171	By cutting or piercing instruments	9										1	1	3	2	1	1	1	
172	By jumping from high places	2										1		1					
173	By crushing	3									1	1					1		
174	By other means	2												1		1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with 21 columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, AGED UNKNOWN. Content includes XIV.—External causes—Contd. and XV.—Ill-defined diseases.

CONNECTICUT

Table with 19 columns: All causes, 17,680, 2,179, 346, 149, 101, 85, 358, 229, 330, 411, 416, 540, 1,386, 2,032, 2,695, 3,097, 3,317, 9. Content includes I.—Epidemic, endemic, and infectious diseases and II.—General diseases not included in Class I.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table for Connecticut (Continued) showing mortality statistics by age group and cause of death. Includes sections for XIV.—External causes—Contd. and XV.—Ill-defined diseases.

DELAWARE

Table for Delaware showing mortality statistics by age group and cause of death. Includes sections for I.—Epidemic, endemic, and infectious diseases and II.—General diseases not included in Class I.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
DELAWARE—Continued																			
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																			
133	Diseases of the bladder	2															1	1	
135	Diseases of the prostate	7															2	5	
137	Cysts, other benign tumors of the ovary	2															1		
138	Salpingitis and pelvic abscess (female)	5									1		1	3					
139	Benign tumors of the uterus	4												2			1	1	
141	Other diseases of the female genital organs	1									1								
VIII.—The puerperal state																			
		36								3	12	9	2	10					
143	Accidents of pregnancy	3									1			2					
144	Puerperal hemorrhage	4								2	1								
145	Other accidents of labor	1									1								
146	Puerperal septicemia	18									7	6	2	3					
147	Puerperal phlegmasia alba dolens, embolus, etc.	2										1							
148	Puerperal albuminuria and convulsions	8								1	3			4					
IX.—Diseases of the skin and of the cellular tissue																			
		10	2														1	3	4
151	Gangrene	8															1	3	4
154	Other diseases of the skin and annexa	2	2																
X.—Diseases of the bones and of the organs of locomotion																			
		2												1					
155	Diseases of the bones (tuberculosis excepted)	1												1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1																	
XI.—Malformations																			
		23	23																
159a	Congenital hydrocephalus	2	2																
159b	Congenital malformations of the heart	16	16																
159c	Other congenital malformations	5	5																
XII.—Early infancy																			
		135	135																
160	Congenital debility, icterus, sclerema	27	27																
161a	Premature birth	81	81																
161b	Injury at birth	19	19																
162	Other diseases peculiar to early infancy	8	8																
164	XIII.—Old age (senility)	33															1	3	29
XIV.—External causes																			
		218	4	4	2	3	6	12	13	9	15	7	7	33	25	33	17	28	
Suicide																			
		23								1	3		4	6	5	3	1		
165	By poisons (gas or corrosives excepted)	1														1			
166	By corrosive substances	2												1			1		
167	By poisonous gas	5								1	1		1	2					
168	By hanging or strangulation	2																	
170	By firearms	10									1			2	3	3	1		
171	By cutting or piercing instruments	1																	
172	By jumping from high places	2															1		
Homicide																			
		9	3							1		1		2	2	2			
197	By firearms	4												1	1	2			
199	By other means	5								1				1	1				
Accidental or undefined																			
		186	3	4	2	3	6	12	13	7	12	6	3	25	18	30	16	28	
175	Poisoning by food	2														2			
177	Other acute poisonings (gas excepted)	4									1				3				
178	Conflagration	4														2	1	2	3
179	Burns (conflagration excepted)	21		1	1	1	2	3						2	4	1	1		
180	Mechanical suffocation	1															1		
181	Absorption of irrespirable, irritating, or poisonous gas	7													1	3	1	1	
182	Drowning	24		1				4	3	1	2	2		6	3	1	2		
183	Traumatism by firearms (except in war)	7		2					1	2	1								
184	Traumatism by cutting or piercing instruments	2												1					
185	Traumatism by fall	39			1	1		2	1	1	1			2		8	4	20	
187	Traumatism by machines	3												1					
188a	Railroad accidents	12							1	1	1	2		5	1	1			
	Collision with automobiles	1							1										
	Other railroad accidents	11									1	2		5	1	1			
188b	Street-car accidents	2																	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	37				2	2	6	2	4	1	1	5	4	7	3			
188e,f	Injuries by other vehicles	7				1	1	1	1						2	1			
188g	Landslide, other crushing	1												1					
193	Excessive cold	1														1			
194	Excessive heat	9	1								1	1		2		1	1	2	
202	Other external violence	3													2	1			
XV.—Ill-defined diseases																			
		6		3											1		1	1	
204	Sudden death	1																	1
205a	Ill-defined	5		3											1		1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	DISTRICT OF COLUMBIA													75 years and over	Age unknown	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years
	All causes.....	4,293	419	51	23	19	16	57	32	64	93	118	139	332	528	732	813	857
	White.....	2,722	377	64	29	21	16	36	40	84	151	157	414	436	338	252	151	
	Colored.....	379	29	11	6	10	4	17	8	10	27	36	32	48	59	31	34	17
	I.—Epidemic, endemic, and infectious diseases.....	501	45	14	10	9	6	12	10	37	69	57	46	94	52	23	13	4
1	Typhoid and paratyphoid fever.....	12						2	2	1	2	1	2	1			1	
5	Malaria.....	13						1		3	2	3	1	1				
6	Smallpox.....	16	1			1					2		5	1	6			
7	Measles.....	4						1			1		1	1				
8	Scarlet fever.....	3		1				1		1								
9	Whooping cough.....	4				1	2	1			1							
10	Diphtheria.....	1	5	3														
11a	Influenza (with pulmonary complications).....	20	13	4	3													
11b	Influenza (other and unspecified).....	24	2	2	3	5	1	9		1	1	1	1	1	1	1	3	2
16	Dysentery.....	13	3	1	1			1			1	2		1			1	2
21	Erysipelas.....	10	1						1									
22	Acute anterior poliomyelitis.....	2	2							1			1					
23	Lethargic encephalitis.....	5	2								1			1				
24	Meningococcus meningitis.....	9	2															
29	Tetanus.....	3	1						1	1	2			1	2	2		
30	Mycoses.....	11	3	1						1	1			1				
31	Tuberculosis (all forms).....	3	1															
31	Of the respiratory system.....	214	4	3	1	2	1	1	2	5	19	31	21	36	36	20	21	11
32	Of the meninges, central nervous system.....	354	9	9	3	8	3	6	7	30	56	44	36	79	36	19	7	2
33	Of the intestines, peritoneum.....	189	1	1	1	1		1	2	5	17	29	21	33	32	19	18	9
34	Of the vertebral column.....	300	3	3	1	3		4	4	27	47	39	33	76	34	17	7	2
35	Of the joints.....	10	2	3	1	1	1				1	1	1	1	1			
36	Of other organs.....	17	4	1	1	2	2	2	1	1	1	1	1	1	1			
37a	Disseminated (acute).....	3	1															
37b	Disseminated (chronic or unspecified).....	13	5						1	2	7	2		1	1			
38	Syphilis.....	5	1															
40	Gonococcus infection.....	23	5								2		1	8	3	4		
41	Purulent infection, septicemia.....	40	16		1		1			3	6	2	2	4	4	2		
	II.—General diseases not included in Class I.....	2	2								1	1	1	1	1			
	White.....	643	12		1	1	2	3	2	3	8	9	13	52	128	163	158	88
	Colored.....	225	17	3	1	2	4	2	3	6	6	6	16	36	61	41	19	8
43	Cancer and other malignant tumors.....	150				1			2	2	7	10	33	92	112	120	76	
44	Of the buccal cavity.....	20																
45	Of the stomach, liver.....	4																
46	Of the peritoneum, intestines, rectum.....	145					1					2	9	27	31	46	29	
47	Of the female genital organs.....	47											2	17	19	6		
48	Of the breast.....	70											4	3	12	21	13	17
49	Of the skin.....	15									1		2	2	3	3	3	1
50	Of other or unspecified organs.....	60											2	8	14	14	10	12
51	Acute rheumatic fever.....	24									1		4	9	8	1	1	
52	Chronic rheumatism, osteoarthritis, gout.....	41									1		2	6	10	7	11	4
53	Pellagra.....	13											3	5	2	3	3	2
54	Rickets.....	7												1	1	3	2	
55	Diabetes mellitus.....	1												1	1	3	2	
56	Anemia, chlorosis.....	112							2	1	3	4	6	22	30	33	11	
57	Diseases of the pituitary gland.....	26											3	10	6	4	2	
58	Exophthalmic goiter.....	2												1	1			
59	Other diseases of the thyroid gland.....	3																

CAUSES OF DEATH, BY AGE

159

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
DISTRICT OF COLUMBIA—Continued																			
V.—Diseases of the respiratory system—Continued																			
101a	Lobar pneumonia.....	W 108 C 100	2 7	5 5				1 3	3 3	1 5	4 6	2 10	8 6	7 17	17 20	21 13	22 6	16 1	
101b	Pneumonia (unspecified).....	W 13 C 4	1		1			1	1				1	1	2	2	2	2	2
102	Pleurisy.....	W 14 C 28	3 1	1				1		3	3		4	1	3	4	2	2	3
103	Congestion and hemorrhagic infarct of the lung.....	W 10 C 1															1		10
104	Gangrene of the lung.....	W 1 C 1																	1
105	Asthma.....	W 10 C 8						1											1
107	Other diseases of the respiratory system (tuberculosis excepted).....	W 10 C 9						1	1	1			3	2	1	1	1	3	1
VI.—Diseases of the digestive system.....																			
	White.....	367	68	16	4	3	5	9	5	7	12	12	16	42	55	49	36	28	
	Colored.....	218	75	16	5	3	2	3	3	5	11	12	9	30	23	13	7	1	
108	Diseases of the mouth and annexa.....	W 3 C 2								1					1	1			
109b	Other diseases of the pharynx, tonsils.....	W 13 C 8		1	1	1				1	3	1	3	1		1			
111a	Ulcer of the stomach.....	W 19 C 9						2			2	2	2	2	7	2	6	1	
111b	Ulcer of the duodenum.....	W 8 C 1									1	1	1	2	4				
112	Other diseases of the stomach (cancer excepted).....	W 12 C 11	1								1	1	1	1	4	4			2
113	Diarrhea and enteritis (under 2 years).....	W 81 C 86	66 70	15 16											3	2			
114	Diarrhea and enteritis (2 years and over).....	W 19 C 19			3 4		3	1				1		4	1	1	1	4	
117	Appendicitis and typhlitis.....	W 68 C 18				2	1	6	5	4	8	3	7	14	11	4	4	1	1
118a	Hernia.....	W 18 C 9					1	1	2	3	4	2		3	2	4	4	2	6
118b	Intestinal obstruction.....	W 31 C 21	1 2		1			2		1		2	3	3	4	1	5	7	4
119	Other diseases of the intestines.....	W 9 C 2								1		2	1	4	1	3	1		
120	Acute yellow atrophy of the liver.....	W 1 C 1									1		1	1					
122	Cirrhosis of the liver.....	W 33 C 12									1			3	6	11	4	8	
123	Biliary calculi.....	W 16 C 20											1	5	2	4	4	6	2
124	Other diseases of the liver.....	W 8 C 8				1						1	1	1	7	7	2	2	1
125	Diseases of the pancreas.....	W 2 C 2										1	1	2	7	2			
126	Peritonitis without specified cause.....	W 6 C 2				1	1					1	1	1			1		
VII.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
	White.....	508	2	2	1		1	1	1	3	3	13	11	27	60	113	128	143	
	Colored.....	279	1		2		1	1	1	4	10	10	15	40	57	60	51	26	
128	Acute nephritis (including unspecified under 10 years).....	W 14 C 42	1	1						2	4	2	1	1	1	3	4		
129	Chronic nephritis (including unspecified 10 years and over).....	W 188 C 18			1		1	1	1	2	4	9	6	17	54	100	106	133	
131	Other diseases of the kidneys and annexa.....	W 7 C 3	1	1	1			1		2		1	3	3	1	2	1	2	
132	Calculi of the urinary passages.....	W 3 C 2														3			
133	Diseases of the bladder.....	W 1 C 1															1		1
134	Diseases of the urethra, etc.....	W 1 C 5												1			1	1	
135	Diseases of the prostate.....	W 21 C 8														1	15	5	
136	Nonvenereal diseases of the male genital organs.....	W 2 C 2											1	1	3		1		
137	Cysts, other benign tumors of the ovary.....	W 8 C 8								1		1	2	1	1		1		
138	Salpingitis and pelvic abscess (female).....	W 14 C 5								1	2	2	1	3	5	1	1		1
139	Benign tumors of the uterus.....	W 6 C 1										1	2	2	2	1	1		1
140	Nonpuerperal uterine hemorrhage.....	W 1 C 3														2			
141	Other diseases of the female genital organs.....	W 38 C 41						1	3	6	7	11	7	9	1				
VIII.—The puerperal state.....																			
	White.....	38																	
	Colored.....	41																	
143	Accidents of pregnancy.....	W 4 C 4										1	2	1					
144	Puerperal hemorrhage.....	W 2 C 7									1	2	1	1					
145	Other accidents of labor.....	W 7 C 3									1	1	1	2					
146	Puerperal septicemia.....	W 11 C 26								3	4	2	7	4	5	1			
147	Puerperal phlegmasia alba dolens, embolus, etc.....	W 1 C 1										1	2	1					
148	Puerperal albuminuria and convulsions.....	W 11 C 9									1	3	2	3	3				

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	DISTRICT OF COLUMBIA—Continued													75 years and over	Age un-known			
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years	
	IX.—Diseases of the skin and of the cellular tissue..	White 7 Colored 4												1		1	2	1		3
	151 Gangrene.....	C 2															1			1
	152 Furuncle.....	W 1 C 1															1			
	153 Acute abscess.....	W 3 C 1												1			1			1
	154 Other diseases of the skin and annexa.....	W 3																1		2
	X.—Diseases of the bones and of the organs of locomotion.....	White 5 Colored 1					1			1	1				1		1			1
	155 Diseases of the bones (tuberculosis excepted).....	W 4 C 1					1			1					1		1			
	156 Other diseases of the organs of locomotion.....	W 1								1										
	XI.—Malformations.....	White 58 Colored 21	53	3					1	1										
	159a Congenital hydrocephalus.....	W 3	2							1										
	159b Congenital malformations of the heart.....	W 31 C 12	28	3																
	159c Other congenital malformations.....	W 24 C 9	23	8	1				1											
	XII.—Early infancy.....	White 203 Colored 122	203																	
	160 Congenital debility, icterus, sclerema.....	W 15 C 12	15																	
	161a Premature birth.....	W 133 C 90	133																	
	161b Injury at birth.....	W 40 C 11	40																	
	162 Other diseases peculiar to early infancy.....	W 15 C 9	15																	
	164 XIII.—Old age (senility).....	White 27 Colored 11																	2	25
	XIV.—External causes.....	White 318 Colored 161	2	2	2	2	3	4	17	6	18	20	17	18	50	48	40	35	40	
	Suicide.....	W 67 C 5									2	4	4	11	18	13	8	6	1	
	165 By poisons (gas or corrosives excepted).....	W 8 C 1										1	1	3	3				1	
	166 By corrosive substances.....	W 10								1		1	3	2		2				
	167 By poisonous gas.....	W 17 C 1										1	1	6	4	3		2		
	168 By hanging or strangulation.....	W 8										1	3	1		1		2		
	169 By drowning.....	W 4										1	1	1	2	1		1		
	170 By firearms.....	W 15 C 1								1	2	1	1	6	1	2		1		
	171 By cutting or piercing instruments.....	W 3 C 1												1	2					
	172 By jumping from high places.....	W 1 C 1												1						
	174 By other means.....	W 1											1							
	Homicide.....	W 14 C 47							2	1	2	1	2	2	4	1		1		
	197 By firearms.....	W 8 C 25							1	4	16	11	7	7	2	2	1			
	198 By cutting or piercing instruments.....	W 1 C 11								2	12	3	3	5						
	199 By other means.....	W 5 C 11							1	1	2	4	2	1	1			1		
	Accidental or undefined.....	W 237 C 109	2	2	2	2	3	17	4	15	14	12	7	30	31	31	28	30		
	175 Poisoning by food.....	W 2	4	1	3	2	4	7	9	7	10	9	3	15	16	9	7	1	1	
	177 Other acute poisonings (gas excepted).....	W 3 C 1		1								1		2						
	178 Conflagration.....	W 1 C 1							1										1	
	179 Burns (conflagration excepted).....	W 14 C 25		1	1	3	2	3	1	3	1	3	2	1	2	2	1			
	180 Mechanical suffocation.....	W 3 C 1		1										1						
	181 Absorption of irrespirable, irritating, or poisonous gas.....	W 19 C 6							1		1	1		4	1	2	1	4	2	2
	182 Drowning.....	W 17 C 10							3	1	3	3		1	1	2		2		
	183 Traumatism by firearms (except in war).....	W 4 C 3						1		1			1	1						
	184 Traumatism by cutting or piercing instruments.....	W 2 C 1						1		1			2	1						
	185 Traumatism by fall.....	W 62 C 14						1		1		2		1	5	3	10	7	32	1
	187 Traumatism by machines.....	W 5 C 4										1		1	1	3	1			
	188a Railroad accidents.....	W 3								1				1	1	1				
	188b Street-car accidents.....	W 14 C 3								1				3	2	2	1	3	1	
	Collision with automobiles.....	W 1 C 1								1				2	1	1				
	Other street-car accidents.....	W 10 C 2								1				1	1	2	1	3	1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	DISTRICT OF COLUMBIA—Continued														75 years and over	As-unknown
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		
XIV.—External causes—Contd.																		
188c	Accidental or undefined—Continued.																	
	Automobile accidents (excluding collision with railroad trains and street cars)	W C	65 23			1		2	8	2	6	2	5	3	5	10	10	9
188a,f	Injuries by other vehicles	W C	6 3							1	1		1		1		1	1
	Landslide, other crushing	W	1															
188g	Injuries by animals (not poisoning)	W C	1 1															
	Excessive heat	W C	2 8	1											1			
194	Other accidental electric shocks	W C	4 1	2										2				1
	Fracture (cause not specified)	W C	1 9		1										1			
202	Other external violence	W C	5 5											2	2		1	
														2	1			1
	XV.—Ill-defined diseases	{White Colored	3 2			1												1
				1														
205a	Ill-defined	W	3			1												1
205b	Not specified or unknown	C	2															

FLORIDA

List No.	CAUSE OF DEATH	All deaths	FLORIDA																	47 60
			10,160 6,702	1,212 969	289 176	154 77	98 40	70 33	218 111	156 123	235 294	408 484	385 498	361 431	877 1,055	1,049 954	1,373 544	1,624 411	1,604 442	
All causes		{White Colored	10,160 6,702	1,212 969	289 176	154 77	98 40	70 33	218 111	156 123	235 294	408 484	385 498	361 431	877 1,055	1,049 954	1,373 544	1,624 411	1,604 442	47 60
I.—Epidemic, endemic, and infectious diseases		{White Colored	1,323 1,358	116 169	66 37	36 18	35 7	20 10	81 36	40 50	45 90	72 182	83 138	80 110	169 224	139 143	133 64	117 37	84 35	7 8
1	Typhoid and paratyphoid fever	W C	115 72	1 1		2	3	2	6	4	11	19	8	6	22	18	7	4	2	
5	Malaria	W C	127 111	12 8	8 5	4 3	6 1	2	15	8	13	17	10	2	10	5	7	8	7	2
7	Measles	W C	7 2	2 1		1	1		1		1	1			19	13	10	6	7	3
8	Scarlet fever	W C	5 50		1	1		1	1											
9	Whooping cough	W C	29 95	21 6	12 4	1			1											
10	Diphtheria	W C	15 15	6 5	23 19	10			7		2				3					1
11a	Influenza (with pulmonary complications)	W C	135 92	10 6	5 6	2 3	3	3	4	2	1	6	6	6	21	10	16	18	22	
11b	Influenza (other and unspecified)	W C	96 108	3 30	1 10	4	2	2	1	4	3	1	1	2	2	8	12	19	31	
13	Mumps	W C	2 3						1	1										
15	Cholera nostras	W C	3 45		2	3	3	1	1		1									
16	Dysentery	W C	50 1	14 21	7 3	3	3	1	1		1			2	1	5	6	5	7	5
19	Spirochetel hemorrhagic jaundice	W C	1 20		1	1								1	1					
21	Erysipelas	W C	2 16	7	1					1				1	3	3	3			2
22	Acute anterior poliomyelitis	W C	2 17	3 1	2		3			5	2	1								
23	Lethargic encephalitis	W C	1 4						1					2	3	3	2	3		
24	Meningococcus meningitis	W C	1 5		1				1	1				1						
25	Other epidemic and endemic diseases	W C	8 1					1			2			1			1			
26	Glanders	W C	3 3							1	1	1	1		3					
28	Rabies	W C	1 3			1				1					1					
29	Tetanus	W C	32 62	5 37			1	1	8	5	4			2	2	1	2	1		
30	Mycoses	W C	2 2						4	5	4	1		1	5	1	1	2		
	Tuberculosis (all forms)	W C	435 374	2 2	4 3	1		2	5	7	14	31	48	44	83	72	56	51	14	3
31	Of the respiratory system	W C	396 533	2 1	2 2			2	5	14	46	115	93	76	114	70	16	10	3	4
32	Of the meninges, central nervous system	W C	6 3		2	1		2	3	5	13	30	46	40	73	66	50	14	2	
33	Of the intestines, peritoneum	W C	13 18				1			1		1		3	5	1	3			
34	Of the vertebral column	W C	3 4							1	1			1	2	1	1			
35	Of the joints	W C	3 3												1					
36	Of other organs	W C	8 5						1						1	5	1			
37a	Disseminated (acute)	W C	4 8						1	1					3	1			1	
37b	Disseminated (chronic or unspecified)	W C	2 1								1	3	2	2		1				
38	Syphilis	W C	70 195	9 33			1	1	3	5	2	3	5	7	12	14	18	4	3	
40	Gonococcus infection	W C	11 27								1	1	1	1	5	2	1	3		
41	Purulent infection, septicemia	W C	11 17			1			3	4	1	1	1	2	4	2	1	3	1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	FLORIDA—Continued														Age un- known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
	IV.—Diseases of the circulatory system	White 1,645 Colored 640	5 1	3 1	2 2	1 1	3 2	7 4	6 2	7 9	20 16	24 29	27 38	97 141	175 140	312 105	438 78	412 66	8 5
87	Pericarditis	W 10 C 10									2		2	1	1			3	1
88	Endocarditis and myocarditis (acute)	W 58 C 54	1		1		2	4	2	1	2	3	5	3	17	6	6	7	5
89	Angina pectoris	W 179 C 22											1	1	10	22	47	67	31
90	Other diseases of the heart	W 1,165 C 509	4 1	3 1	1 1	1 1		1	4	6	14	18	23	61	136	235	337	316	6
91a	Aneurysm	W 15 C 14												2	6	4	2	1	5
91b,c	Other diseases of the arteries	W 83 C 22												3	2	13	18	50	
92	Embolism and thrombosis (not cerebral)	W 18 C 3						2			1		1	3	4	2	3	7	
93	Diseases of the veins	W 7 C 1									1				5			1	
94	Diseases of the lymphatic system	W 1 C 3									1								
95	Hemorrhage without specified cause	W 3 C 2					1							1	1				
96	Other diseases of the circulatory system	W 7 C 2												1	1	1	4	1	1
	V.—Diseases of the respiratory system	White 594 Colored 520	95 106	34 34	24 15	13 8	6 6	17 14	14 9	14 28	33 43	12 38	17 33	47 76	43 43	63 33	58 15	103 14	1 5
97a	Diseases of the nasal fossae	W 3 C 8	1							1								1	
97b	Diseases of the nasal fossae annexa	W 4 C 5	7							1				1			1		
98	Diseases of the larynx	W 4 C 1	1	3			1												1
99a	Acute bronchitis	W 12 C 15	3	1	2		1				2	1		1	2	1	1	2	
99b	Chronic bronchitis	W 16 C 11								1	1			4	3	1	5	7	
99c,d	Bronchitis (unspecified)	W 11 C 13	2	2	1						1	1		1	2	2	1	6	
100a	Broncho-pneumonia	W 169 C 104	42 38	16 12	7 5	5 2	1 2	5 2	4 2	2 5	4 4	1 4	5 6	1 6	6 7	6 7	14 2	18 2	36 1
100b	Capillary bronchitis	W 13 C 1	6	4	1		1											1	
101a	Lobar pneumonia	W 193 C 218	18 22	4 9	7 6	6 2	2 3	3 8	5 2	3 15	24 23	23 7	18 3	23 7	17 21	27 19	16 5	26 6	4
101b	Pneumonia (unspecified)	W 96 C 88	23 24	7 7	6 2	2 2	2 3	2 2	4 2	4 4	7 7	2 7	3 5	7 10	5 3	6 3	9 5	7 1	
102	Pleurisy	W 17 C 10			1			2		1	1		2	2	3	3	2		
103	Congestion and hemorrhagic infarct of the lung	W 22 C 3	2	1									1	2	1	1	3	10	1
104	Gangrene of the lung	W 4 C 26	1						1	1	2		1	3	2	8	1	6	
105	Asthma	W 16 C 2								1		1		4	4	2	2	3	
106	Pulmonary emphysema	W 2 C 2								1				1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W 11 C 17	1	1						2		1	1	1	2	2	3	2	1
	VI.—Diseases of the digestive system	White 1,003 Colored 702	178 161	122 63	55 16	17 6	14 4	25 22	18 10	21 22	35 27	37 41	36 29	74 96	87 108	111 38	96 31	74 22	3 6
108	Diseases of the mouth and annexa	W 9 C 5		1							2		1	1	2	2		1	
109b	Other diseases of the pharynx, tonsils	W 20 C 10	1		2	1		3	1	2	3	1	2	1	2	1	2	1	
110	Diseases of the esophagus	W 2 C 2			1						1			1	1	1			
111a	Ulcer of the stomach	W 31 C 23						1			2	2	6	8	1	3	3	5	
111b	Ulcer of the duodenum	W 2 C 12									2	2			2	1	4	1	
112	Other diseases of the stomach (cancer excepted)	W 104 C 140	10 11	5 4	2 2	1 1	1 1	2 2	2 5	1 6	1 5	1 3	3 31	16 31	21 83	11 10	11 12	23 5	1
113	Diarrhea and enteritis (under 2 years)	W 266 C 190	155 139	111 51															
114	Diarrhea and enteritis (2 years and over)	W 128 C 70			44 11	10 3	8 1	5 7	2 1	2 1	2 4	2 2	3 3	3 8	7 7	11 7	14 6	21 6	
115	Ancylostomiasis	W 6 C 2		1	1		1	1	2										
116	Diseases due to other intestinal parasites	W 2 C 3		1	1		1	1											
117	Appendicitis and typhlitis	W 129 C 62		1				8	8	12	14	15	16	16	17	11	10		1
118a	Hernia	W 32 C 26	2			1				1	3	2	1	3	5	7	9	4	
118b	Intestinal obstruction	W 83 C 44	7	1	4	1	2	2	1	2	2	7	4	11	15	7	11	6	
119	Other diseases of the intestines	W 21 C 21	2	2		1				2	2	2	4	1	2	4	3	2	1
120	Acute yellow atrophy of the liver	W 6 C 2												1	1	3			
122	Cirrhosis of the liver	W 57 C 44					1				1	1	3	5	9	17	19	4	1
123	Biliary calculi	W 25 C 3												2	4	13	4	2	
124	Other diseases of the liver	W 46 C 33		2	2		1	2		1	2	3	4	9	8	3	4	1	1
125	Diseases of the pancreas	W 1 C 25		1	1			2	2	2	1	3	1	1	1	2	3		
126	Peritonitis without specified cause	W 1 C 20		1				2	2	2	1	3	1	6	5	1	1		1

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	FLORIDA—Continued														Age un- known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 1,056 Colored 635	6	6	3	2	2	1	4	5	18	19	20	80	120	192	281	297	5
128	Acute nephritis (including unspecified under 10 years)	W 66 C 84	4	1	2			1	1	1	2	3	3	9	8	7	10	14	
129	Chronic nephritis (including unspecified 10 years and over)	W 853 C 440	2	1	3	1	2	1	2	1	8	9	13	53	100	172	245	251	2
131	Other diseases of the kidneys and annexa	W 32 C 17	2	4	1	1			1		1	1	1	2	2	4	6	6	1
132	Calculi of the urinary passages	W 12 C 3	1											2	2	2	3	3	
133	Diseases of the bladder	W 10 C 8								1	1			1	1	2	1	4	
134	Diseases of the urethra, etc.	W 3 C 14								1	1	2	1	1	1	1	1	1	
135	Diseases of the prostate	W 36 C 13												1	7	4	14	18	
137	Cysts, other benign tumors of the ovary	W 6 C 5											2	2	2				
138	Salpingitis and pelvic abscess (female)	W 19 C 28								3	5	4	1	5	1			1	
139	Benign tumors of the uterus	W 7 C 15									1	2	1	2	2		1	1	
140	Nonpuerperal uterine hemorrhage	W 1 C 7										2	1	3	2				
141	Other diseases of the female genital organs	W 7 C 7							1	1	1			2	2				
	VIII.—The puerperal state	White 206 Colored 151							3	30	58	48	35	35					
143	Accidents of pregnancy	W 20 C 7								3	3	6	3	5					
144	Puerperal hemorrhage	W 21 C 8								2	6	3	2	10					
145	Other accidents of labor	W 25 C 26								1	5	2	2	6					
146	Puerperal septicemia	W 44 C 49								7	16	10	7	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W 4 C 1								11	14	13	4	7					
148	Puerperal albuminuria and convulsions	W 92 C 59								17	27	20	19	9					
149	Following childbirth (undefined)	W 1 C 1							3	17	9	10	7	12					1
	IX.—Diseases of the skin and of the cellular tissue	White 30 Colored 15	1	3			1	2			3	1		3	5	4	1	6	
151	Gangrene	W 7 C 3						1			1				2	2		1	
152	Furuncle	W 13 C 2						1						3	2	1	1	4	
153	Acute abscess	W 8 C 3	1	2			1				2	1		1					
154	Other diseases of the skin and annexa	W 2 C 7	1	1							1		1	2			1	1	
	X.—Diseases of the bones and of the organs of locomotion	White 11 Colored 5		1	1		1	1	1	2		1		1	1	1	1		
155	Diseases of the bones (tuberculosis excepted)	W 9 C 4		1			1	1	1	2		1		1	1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 1 C 2			1					1							1		
157	Amputations	W 1 C 1								1									
	XI.—Malformations	White 116 Colored 18	105	5		1		3	2		1								
159a	Congenital hydrocephalus	W 15 C 2	10	2		1		2											
159b	Congenital malformations of the heart	W 56 C 7	51	2				1	2										
159c	Other congenital malformations	W 45 C 9	44	1		1			1										
	XII.—Early infancy	White 569 Colored 315	569																
160	Congenital debility, icterus, sclerema	W 81 C 76	81																
161a	Premature birth	W 391 C 186	391																
161b	Injury at birth	W 71 C 17	71																
162	Other diseases peculiar to early infancy	W 26 C 35	26																
163	Lack of care	W 1 C 1	1																
164	XIII.—Old age (senility)	White 147 Colored 105													2	8	20	125	2

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	FLORIDA—Continued													75 years and over	Age un-known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
	XIV.—External causes (White—Colored)	1,324 862	23 11	24 11	17 14	23 7	14 4	62 25	50 32	88 64	133 130	124 134	102 104	196 166	163 84	113 28	79 14	95 11	13 13
	Suicide.....	122								4	14	14	8	24	26	17	9	3	3
165	By poisons (gas or corrosives excepted).....	10								1	2		1	1	1				
166	By corrosive substances.....	14								2	3	2	1	1	4		1		
167	By poisonous gas.....	5										1	1	1					
168	By hanging or strangulation.....	14									1	1	1	2	4	2	2		1
169	By drowning.....	3								1						2	2		
170	By firearms.....	67								1	7	10	4	15	13	9	4	3	1
171	By cutting or piercing instruments.....	4								1	1			2	3		1		
173	By crushing.....	7											1						
174	By other means.....	1												1	1				1
	Homicide.....	132	3		1		1			7	17	19	1	33	19	6	3	1	1
	By firearms.....	322	1				1	1		21	68	67	62	67	26	2	2		3
197	By cutting or piercing instruments.....	99			1					7	14	15	15	24	16	4	1		1
198	By other means.....	236					1	1		14	52	50	45	47	19	2	2		2
	Accidental or undefined.....	1,070	20	24	16	23	13	62	50	77	107	91	6	139	118	90	67	91	9
	Poisoning by food.....	520	10	11	14	7	3	24	31	42	61	67	38	97	53	24	12	11	10
175	Poisoning by venomous animals.....	30	3	2	3	2	3	3	1	1				1	2	2	2	6	1
176	Other acute poisonings (gas excepted).....	12	2	1	1	1	1	1						1	1	1	1	1	
177	Conflagration.....	34		1	3	1	1	1		3	4	3	3	6	2	4			1
178	Burns (conflagration excepted).....	12		3	3	1	1	1						2	2	1	1	4	2
179	Mechanical suffocation.....	53	2	2	4	4	8	4	6	3	1	2	1	4	7	5	5	4	4
180	Absorption of irrespirable, irritating, or poisonous gas.....	47	1	3	2	2	1	2	1	1				3	8	4	2		
181	Drowning.....	13						1		1	1	1	1	1	2	1		1	
182	Traumatism by firearms (except in war).....	141	1	6	2	1	1	9	4	15	22	13	16	20	18	7	4	1	1
183	Traumatism by cutting or piercing instruments.....	71		1	2	1	1	2	10	11	13	11	6	6	5	1			2
184	Traumatism by fall.....	43	1	1		1	1	5	4	4	7	4	12	1	3			1	1
185	Traumatism in mines.....	55		1		2	1	3	7	6	4	4	8	8	3				1
186a	Traumatism in quarries.....	7						1				1	1	6	2	1	1		1
186b	Traumatism by machines.....	89	1	1	2	2	1	1		4	2	4	4	9	6	9	11	36	1
187	Railroad accidents.....	17	1	1	1	1		1			1	1		2	4	1	2	2	
188a	Collision with automobiles.....	1																	
188b	Other railroad accidents.....	34						1	3	1	5	6	4	5	4	3	2		
188c	Street-car accidents.....	14						1	2	2	2	1	3	3	3	1			
188d	Collision with automobiles.....	85	1					1	1	2	10	8	10	17	13	4	7		1
188e	Other street-car accidents.....	57						1	2	1	13	4	4	5	5	5	1		
188f	Automobile accidents (excluding collision with railroad trains and street cars).....	20						1	1	2	2	1	1	1	1				
189	Airplane and balloon accidents.....	6						1	1	7	7	6	7	11	12	4	6	2	1
190	Injuries by other vehicles.....	51						1	2	1	11	7	3	15	5	5	3		
191	Landslide, other crushing.....	8						1	1	1	2	1	2	3	2	1	1		
192	Injuries by animals (not poisoning).....	7						1	1	2	1	1		2	2	1	1		
193	Starvation (deprivation of food or water).....	4	1											1					
194	Excessive heat.....	2										1	1			2			
195	Lightning.....	7						2	1	1				1	1				
196	Other accidental electric shocks.....	4									1	3	3	3	2				
201	Fracture (cause not specified).....	26				1		4	3	7	1	4	1	4	4	2	3	18	1
202	Other external violence.....	39		1				1		1	1	4	1	4	4	2	3	5	1
	XV.—Ill-defined diseases (White—Colored)	275 461	72 151	11 21	6 4	3 3	1 3	5 2	3 7	4 8	7 14	4 16	6 21	11 43	31 44	29 34	43 36	33 48	6 6
204	Sudden death.....	29	1								2	1		2	4	3	10	5	1
205a	Ill-defined.....	34	3							1	2	1	1	4	8	4	8	4	1
205b	Not specified or unknown.....	108	8	5	4			2	2	1	2	3	2	5	17	18	24	13	2
		178	26	11	3	2	2	1	7	5	6	7	7	8	21	18	19	15	1
		138	63	6	2	3	1	3	1	3	3	9	4	4	10	8	9	15	3
		249	122	10	1	1	1	1	1	3	7	9	12	18	10	12	9	29	4

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	IDAHO—Continued														Age un- known			
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over	
V.—Diseases of the respiratory system.....			292	63	13	11	10	6	9	6	7	8	4	16	22	27	42	48		
97b	Diseases of the nasal fossae annexa.....	2							1									1		
98	Diseases of the larynx.....	3		1	1				1											
99a	Acute bronchitis.....	4	1			1									1			1		
99b	Chronic bronchitis.....	6														2		4		
99c,d	Bronchitis (unspecified).....	2		1														1		
100a	Broncho-pneumonia.....	106	43	7	6	5		2	3		2	1	2	2	3	4	6	20		
100b	Capillary bronchitis.....	1	1																	
101a	Lobar pneumonia.....	120	10	4	2	4		4	3	5	5	6	1	12	12	21	20	11		
101b	Pneumonia (unspecified).....	28	8		2							1		2	1	1	8	6		
102	Pleurisy.....	6							1				1	1			2	1		
103	Congestion and hemorrhagic infarct of the lung.....	3								1								2		
105	Asthma.....	7											1					1		
106	Pulmonary emphysema.....	1												3			2	1		
107	Other diseases of the respiratory system (tuberculosis excepted).....	3												1	1		1			
VI.—Diseases of the digestive system.....			322	43	11	13	8	5	15	16	15	18	12	7	27	33	30	38	30	1
108	Diseases of the mouth and annexa.....	4					1							1		2				
109b	Other diseases of the pharynx, tonsils.....	25	2		3	2		5	1	4	2	2		3	1					
110	Diseases of the esophagus.....	2													1					
111a	Ulcer of the stomach.....	21									1	1		1	4	5	5	1		
111b	Ulcer of the duodenum.....	5										1		3	1			4		
112	Other diseases of the stomach (cancer excepted).....	18	4	1	1					1	1									
113	Diarrhea and enteritis (under 2 years).....	41	34	7										1	1	1		7		
114	Diarrhea and enteritis (2 years and over).....	27			7	2	1	1	1	1										
117	Appendicitis and typhlitis.....	78			1	2	2	9	13	8	10	2	5	7	9	6	5	6		
118a	Hernia.....	12	1												1	2	2	3		
118b	Intestinal obstruction.....	26	2		1							3	1	5	4	2	2	5	3	
119	Other diseases of the intestines.....	4																		
120	Acute yellow atrophy of the liver.....	3									1									
122	Cirrhosis of the liver.....	17									1	1			1		4	8	1	
123	Biliary calculi.....	5									1	1			1	1	1	2	1	
124	Other diseases of the liver.....	21		1		1				1	1	1			1	2	5	4	4	
125	Diseases of the pancreas.....	2							1					1	1	1		4	4	
126	Peritonitis without specified cause.....	11		2		1					1			1	2			2	1	
VII.—Nonvenereal diseases of the genito-urinary system and annexa.....			277	1		1	1	1	2	4	7	6	3	7	14	30	58	77	64	1
128	Acute nephritis (including unspecified under 10 years).....	20	1		1	1	1	1	3	2			1	2	1	2	3	1		
129	Chronic nephritis (including unspecified 10 years and over).....	218						1	1	3	3	1	6	10	23	50	64	55	1	
131	Other diseases of the kidneys and annexa.....	3														2	1			
132	Calculi of the urinary passages.....	2															2	2		
133	Diseases of the bladder.....	3													1		1	1		
135	Diseases of the prostate.....	15														3	5	7		
138	Salpingitis and pelvic abscess (female).....	9								2	1	2		2	1					
139	Benign tumors of the uterus.....	5													4	1		1		
141	Other diseases of the female genital organs.....	2									2									
VIII.—The puerperal state.....			45							3	9	13	9	10	1					
143	Accidents of pregnancy.....	5										1	3	1						
144	Puerperal hemorrhage.....	6										1	2		3					
145	Other accidents of labor.....	5													3					
146	Puerperal septicemia.....	14								1	3	6	3	1	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	2													2					
148	Puerperal albuminuria and convulsions.....	12								2	4	1	2		3					
149	Following childbirth (undefined).....	1										1								
IX.—Diseases of the skin and of the cellular tissue.....			9										1			2	3	3		
151	Gangrene.....	6														1	2	2		
152	Furuncle.....	1																1		
154	Other diseases of the skin and annexa.....	2														1	1			
X.—Diseases of the bones and of the organs of locomotion.....			7			1		1	1	1				1		2				
155	Diseases of the bones (tuberculosis excepted).....	7				1		1	1	1				1		2				
XI.—Malformations.....			44	41		1		1	1							2				
159a	Congenital hydrocephalus.....	5	3																	
159b	Congenital malformations of the heart.....	32	31		1		1	1												
159c	Other congenital malformations.....	7	7																	
XII.—Early infancy.....			209	209																
160	Congenital debility, icterus, sclerema.....	20	20																	
161a	Premature birth.....	145	145																	
161b	Injury at birth.....	27	27																	
162	Other diseases peculiar to early infancy.....	17	17																	
164	XIII.—Old age (senility).....	68															11	57		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age unknown. The table is organized into sections: I.—Epidemic, endemic, and infectious diseases—Contd.; II.—General diseases not included in Class I.; III.—Diseases of the nervous system and of the organs of special sense; IV.—Diseases of the circulatory system.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
IOWA—Continued																			
IV.—Diseases of the circulatory system—Continued.																			
91a	Aneurysm.....	35							1	1	1			5	5	11	8	3	
91b,c	Other diseases of the arteries.....	525											1	4	15	48	126	331	
92	Embolism and thrombosis (not cerebral).....	78	2			1			1		2	1	2	12	10	13	12	22	
93	Diseases of the veins.....	21											1	5	2	3	2	8	
94	Diseases of the lymphatic system.....	2									1								
95	Hemorrhage without specified cause.....	1									1								
96	Other diseases of the circulatory system.....	8													1	1	2	4	
V.—Diseases of the respiratory system.....																			
		2,001	333	76	35	17	10	31	23	28	40	32	37	81	72	179	329	678	
97a	Diseases of the nasal fossae.....	7	2							1	1			1			1	1	
97b	Diseases of the nasal fossae annexa.....	12	1		1				1	1	2	1		4			1		
98	Diseases of the larynx.....	10	2					1			1		1					1	
99a	Acute bronchitis.....	81	8			1		1							1		4	16	
99b	Chronic bronchitis.....	67															3	20	44
99c,d	Bronchitis (unspecified).....	46	5	1				1								6	9	22	
100a	Broncho-pneumonia.....	639	203	40	17	8	4	8	3	4	4	2	7	12	5	29	79	214	
100b	Capillary bronchitis.....	12	6	1	1	1												3	
101a	Lobar pneumonia.....	795	66	21	4	3	1	15	9	15	23	19	22	52	47	112	165	221	
101b	Pneumonia (unspecified).....	191	28	11	3	3	3	3	8	5	5	1	3	3	7	10	16	82	
102	Pleurisy.....	35	1	2				2		1	2	3	3	2	2	7	6	2	
103	Congestion and hemorrhagic infarct of the lung.....	58	6		1				1						1		3	46	
104	Gangrene of the lung.....	6	1		1							2			1	1			
105	Asthma.....	62	1		2							3	1	3	2	8	18	24	
106	Pulmonary emphysema.....	3													1		1	1	
107	Other diseases of the respiratory system (tuberculosis excepted).....	27	3			1	1		1	1	2	1		2	5	3	6	1	
VI.—Diseases of the digestive system.....																			
		2,048	295	93	64	55	47	83	57	43	61	64	68	158	168	249	263	280	
108	Diseases of the mouth and annexa.....	20	1			1		1	1	1		1	2	2	1	2	2	5	
109b	Other diseases of the pharynx, tonsils.....	110	7	4	4	6	4	19	9	6	9	1	7	6	8	8	8	4	
110	Diseases of the esophagus.....	2													1				
111a	Ulcer of the stomach.....	93				1					2	4	5	15	16	24	15	11	
111b	Ulcer of the duodenum.....	43								1	1	1	4	5	7	12	7	5	
112	Other diseases of the stomach (cancer excepted).....	110	24	3	2		1	1			1	2		7	7	12	13	37	
113	Diarrhea and enteritis (under 2 years).....	297	224	73															
114	Diarrhea and enteritis (2 years and over).....	213		42	37	26	8	4	2	5	3	1	4	5	9	20	52		
117	Appendicitis and typhlitis.....	380	3	6	10	5	9	44	36	25	30	29	20	57	46	39	17	4	
118a	Hernia.....	85	1		2						1		1	6	6	18	24	26	
118b	Intestinal obstruction.....	221	27	5	3	2	4	6	3	5	4	10	11	20	20	34	33	34	
119	Other diseases of the intestines.....	33	1								1	3	1	2	1	4	4	15	
120	Acute yellow atrophy of the liver.....	5									1	1					1	1	
122	Cirrhosis of the liver.....	133		1									1	9	15	33	49	25	
123	Biliary calculi.....	97									1	3	7	19	24	30	13		
124	Other diseases of the liver.....	141	1	1				1	1	5	4	7	13	12	25	31	40		
125	Diseases of the pancreas.....	16									2	1			4	6	3		
126	Peritonitis without specified cause.....	44	6	2	1	1	3	3	3	1	1	2	4	4	4	1	3	5	
VII.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		2,144	16	4	3	4	2	7	14	15	25	22	38	118	186	320	559	811	
128	Acute nephritis (including unspecified under 10 years).....	82	7	3		2	2	4	2	5	6	4	3	8	8	5	9	14	
129	Chronic nephritis (including unspecified 10 years and over).....	1,644			2	2		3	12	9	14	12	22	64	138	271	449	640	
131	Other diseases of the kidneys and annexa.....	61	8	1	1						1	2	2	9	5	5	14	13	
132	Calculi of the urinary passages.....	21												4	2	4	6	5	
133	Diseases of the bladder.....	35	1												1	4	7	22	
134	Diseases of the urethra, etc.....	5												1		4			
135	Diseases of the prostate.....	195												1	2	17	70	105	
137	Cysts, other benign tumors of the ovary.....	14											3	5	3	1	1	1	
138	Salpingitis and pelvic abscess (female).....	25							1	4	2	3	7	5	2	1	1		
139	Benign tumors of the uterus.....	46									2	1	14	21	4	1	3		
140	Nonpuerperal uterine hemorrhage.....	1													1				
141	Other diseases of the female genital organs.....	15											4	5		3	1	2	
VIII.—The puerperal state.....																			
		267						1	25	50	60	48	79	4					
143	Accidents of pregnancy.....	24								3	3	7	10	1					
144	Puerperal hemorrhage.....	16								1	3	2	3	7					
145	Other accidents of labor.....	37							3	5	9	9	11						
146	Puerperal septicemia.....	98						1	12	23	27	15	19	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	14									1	3		10					
148	Puerperal albuminuria and convulsions.....	77							9	14	16	14	22	2					
149	Following childbirth (undefined).....	1									1								
IX.—Diseases of the skin and of the cellular tissue.....																			
		100	16					2	1		1	2		7	4	9	12	46	
151	Gangrene.....	47	1													1	7	38	
152	Furuncle.....	17	3					2			1	1		2	1	6	1		
153	Acute abscess.....	17	3								1	1		5	2	1	2	3	
154	Other diseases of the skin and annexa.....	19	9						1						1	1	2	5	

CAUSES OF DEATH, BY AGE

181

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
		White	Colored																	
KENTUCKY																				
	All causes.....	23,736	4,651	3,952	854	339	233	166	436	402	711	908	782	703	1,571	1,839	2,583	3,824	4,375	58
	{White.....																			
	{Colored..																			
	I.—Epidemic, endemic, and infectious diseases.....	4,994	1,045	502	261	119	102	61	172	162	321	437	337	301	492	420	435	473	394	5
	{White.....																			
	{Colored..																			
1	Typhoid and paratyphoid fever.....	578	90	2	6	7	11	11	37	72	106	105	54	38	45	32	28	22	1	1
5	Malaria.....	36	11	5	5	1		1	2	2	2	2	5	1	4	1	1	1	3	
6	Smallpox.....	3	1	1														2		
7	Measles.....	32	4	13	6		2	1	4	2		1			1		1	1		
8	Scarlet fever.....	49	2	2	9	2	5	3	12	3	3	1	5	1		2	1			
9	Whooping cough.....	183	27	100	55	10	7	7	7					1						1
10	Diphtheria.....	246	15	53	47	48	34	19	31	8	2	2		1	1			1		
11a	Influenza (with pulmonary complications).....	97	497	12	21	9	7	2	9	7	15	10	10	11	28	49	48	89	103	
11b	Influenza (other and unspecified).....	64	342	41	7	3	6	3	12	9	9	12	8	7	17	22	32	52	101	1
13	Mumps.....	4	2			1		1		1									1	
15	Cholera nostras.....	21	1	5	2	1	1					1		1			3	3	6	
16	Dysentery.....	273	24	77	60	14	5	3	6	2	4	2		1	2	4	18	25	50	1
21	Erysipelas.....	52	5	13	1		2		1		3				4	3	8	8	8	
22	Acute anterior poliomyelitis.....	39	6	8	7	4	7	1	6	2	2		1				1			
23	Lethargic encephalitis.....	25	2	3	1				2	2	1	1			2	2	8	3	3	
24	Meningococcus meningitis.....	44	1	22	5	2	4	2	5	2		1				1			1	
25	Other epidemic and endemic diseases.....	2	1	1	1															
26	Glanders.....	1	1							1										
28	Rabies.....	3	3							1	1							1	1	
29	Tetanus.....	29	9	1	1				11	2	3	5		1	1	1	1	1	1	
30	Mycoses.....	9	5	1	3	1				4	1				2	1				
	Tuberculosis (all forms).....	2,403	589	54	26	18	11	7	23	44	168	283	246	229	373	280	274	253	112	2
	{White.....																			
	{Colored..																			
31	Of the respiratory system.....	497	95	3	8	7	2	5	4	8	6	6	4	1	1	6	1	3	1	3
32	Of the meninges, central nervous system.....	26	136	3	4	7	1	1	2	2	2	1	1	2	2	1	1	2	12	
33	Of the intestines, peritoneum.....	30	18	3		1	1	1	1	1	2	5	5	3	3	4	3	3	1	2
34	Of the vertebral column.....	5	12						1	1	2		1	2		1	3	2		
35	Of the joints.....	3	44		1				2	1	4	2	6	4	6	7	6	4	1	1
36	Of other organs.....	11	10	1	1		1	1	1	2	1	1	2	2	2	2	1	3		
37a	Disseminated (acute).....	17	21	1	1			1	1	3	3	2		4		1				1
37b	Disseminated (chronic or unspecified).....	80	83	21	8	3		1	1	5	7	5	4	2	20	17	10	4		1
38	Syphilis.....	12	6								1	1	2	1	1	3	3	4	5	
40	Gonococcus infection.....	29	3	2			1	2	1	3	1	1	1	1	1	1	3	4		
41	Purulent infection, septicemia.....	3	2						1											
42	Other infectious diseases.....	2	1																	
	II.—General diseases not included in Class I.....	2,023	273	51	13	9	5	9	13	17	32	34	28	43	165	326	420	512	340	6
	{White.....																			
	{Colored..																			
	Cancer and other malignant tumors.....	1,352	166	3	2	4		4	1	3	4	9	8	21	111	229	312	384	255	3
43	Of the buccal cavity.....	51	3		1						1				2	6	8	19	14	
44	Of the stomach, liver.....	480	50	2		1		2				3		4	23	69	123	154	97	2
45	Of the peritoneum, intestines, rectum.....	191	13			2				1	2	1	1	2	9	29	45	64	36	
46	Of the female genital organs.....	211	48									1	1	10	38	62	43	46	10	
47	Of the breast.....	111	22					1							14	30	31	23	11	1
48	Of the skin.....	64	4											1	5	8	15	35		
49	Of other unspecified organs.....	244	26	1	1	1		2		3	2	3	5	4	25	28	54	63	52	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	13	4	1						2				3	1	1	1	4	1	
51	Acute rheumatic fever.....	42	14						6	5	4	1	1	4	1	1	1	8	10	
52	Chronic rheumatism, osteoarthritis, gout.....	31	4									1	1		2	3	3	10	11	
53	Scurvy.....	2	1					1							1				2	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	KENTUCKY—Continued																	Age unknown
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
V.—Diseases of the respiratory system (White. Colored...)		2,011 459	431 91	133 29	51 14	33 5	22 3	33 4	29 6	34 15	46 13	26 24	15 16	93 38	99 61	179 48	315 46	466 39	6 7	
97a	Diseases of the nasal fossæ (White. Colored...)	2 7	2					1		1		1		1	2					1
97b	Diseases of the nasal fossæ annexa (White. Colored...)	18 1	4 1	1	2	3	2	1	1	1				2					2	
98	Diseases of the larynx (White. Colored...)	17 10 1	5 4 1	1		1						1			1		4	4	4	
99a	Acute bronchitis (White. Colored...)	58 14 1	1		1	1					1				3		13	37	1	1
99b	Chronic bronchitis (White. Colored...)	14 35 9	1									1	3	2	2	3	2	2	2	1
99c,d	Bronchitis (unspecified) (White. Colored...)	2 660 133	2 257 50	2 63 14									1	1	1	2	26	67	129	
100a	Broncho-pneumonia (White. Colored...)	25 4	10 1	4 1	1	1				2	2	6	3	4	11	1	3	3	5	2
100b	Capillary bronchitis (White. Colored...)	804 213 238	75 23 60	33 9 24	15 2 7	7 2 4	7 2 3	11 3 4	17 6 3	21 11 5	29 9 4	14 16 2	8 8 2	60 25 9	62 32 9	112 24 20	160 24 28	168 15 54	5 2 1	
101a	Lobar pneumonia (White. Colored...)	30 33	8 3	4	1	1	1	1	1	3	1	3	1	1	3	5	6	4	4	1
101b	Pneumonia (unspecified) (White. Colored...)	10 39 7	10 4 2			2					1			2	1	1	1	1	1	
102	Pleurisy (White. Colored...)	1 1	1																	
103	Congestion and hemorrhagic infarct of the lung (White. Colored...)	53 20	1	4	1			2			1			1	6	18	19			
104	Gangrene of the lung (White. Colored...)	2 1																		
105	Asthma (White. Colored...)	1 19 7		1	1			1		1	1	1	1	1	3	5	3			1
106	Pulmonary emphysema (White. Colored...)	1																		
107	Other diseases of the respiratory system (tuberculosis excepted) (White. Colored...)	2,460 371	802 98	347 29	91 6	38 5	19 6	67 5	56 4	58 10	49 13	47 15	48 18	125 38	134 41	175 36	198 28	200 15	6 4	
VI.—Diseases of the digestive system (White. Colored...)		1,039 717	322 25	76 5	25 2	10 2	13 1	7 1	1 1	3 1	3 1	5 1	2 7	11 2	16 8	28 7	65 4	2 2		
108	Diseases of the mouth and annexa (White. Colored...)	16 3	3	1	1	1	2					1		3	2	2	1		1	
109b	Other diseases of the pharynx, tonsils (White. Colored...)	59 9 5	3 3	1	2	3	3	3	7	4	3	3	2	5	6	2	4	2	1	
110	Diseases of the esophagus (White. Colored...)	1 1												1	1	1				
111a	Ulcer of the stomach (White. Colored...)	62 19						1	1	1	2	1	4	7	11	15	10	9		
111b	Ulcer of the duodenum (White. Colored...)	23 1	1							1	4			7	4	5	4	3		
112	Other diseases of the stomach (cancer excepted) (White. Colored...)	173 48	50 14	12 2	7	4	1	4		1	2	1	4	7	12	19	14	30	2	
113	Diarrhea and enteritis (under 2 years) (White. Colored...)	1,039 104	717 79	322 25																
114	Diarrhea and enteritis (2 years and over) (White. Colored...)	267 42			76 5	25 2	10 2	13 1	7 1	1	3	3	5	2	11	16	28	65	2	
115	Ancylostomiasis (White. Colored...)	1																		
116	Diseases due to other intestinal parasites (White. Colored...)	269 43	1	1	2	2	2	24	32	38	23	24	17	38	25	21	15	4		
117	Appendicitis and typhilitis (White. Colored...)	61 11	1			1	1		2	4	3	6	5	9	8	3	15	17		
118a	Hernia (White. Colored...)	11 1											2	1	3	2	2	2		
118b	Intestinal obstruction (White. Colored...)	125 36	19 1	3 1	2	2	1	9	4	6	2	1	6	15	12	13	17	13		
119	Other diseases of the intestines (White. Colored...)	23 9		1				2	1	2	1	1	1	2	3	2	4	8		
120	Acute yellow atrophy of the liver (White. Colored...)	1										1		3	1	1	1			
122	Cirrhosis of the liver (White. Colored...)	115 16			1							4	4	8	19	27	32	20	2	
123	Biliary calculi (White. Colored...)	58 4						1	1	1			6	8	14	19	8			
124	Other diseases of the liver (White. Colored...)	91 10	3	4			1		1	5	3	2	4	8	7	16	27	15		
125	Diseases of the pancreas (White. Colored...)	9 1								2	2	1		1	2			1		
126	Peritonitis without specified cause (White. Colored...)	44 13	4	1	2		1	1	3	2	2	3	1	6	6	8	5	2		
VII.—Nonvenereal diseases of the genito-urinary system and annexa (White. Colored...)		1,994 525	20 3	7 1	13 3	5 1	3 1	7 4	9 3	22 6	27 9	23 10	37 20	103 58	173 100	322 88	556 100	657 112	5 7	
128	Acute nephritis (including unspecified under 10 years) (White. Colored...)	113 54	11 3	4 1	11 2	3 1	1	6	1	5	5	3	5	8	4	12	19	15		
129	Chronic nephritis (including unspecified 10 years and over) (White. Colored...)	1,636 408	1 1	1 1	2	2	1	2	6	11	12	11	25	74	143	270	485	578	5	
131	Other diseases of the kidneys and annexa (White. Colored...)	60 7	5	2	1			1	1	4	4	4	1	6	7	10	14	1		
132	Calculi of the urinary passages (White. Colored...)	11 2								1				1	4	2	3			
133	Diseases of the bladder (White. Colored...)	31 2	2					1						1	1	5	8	14	1	
134	Diseases of the urethra, etc. (White. Colored...)	2 4														1	1	2		
135	Diseases of the prostate (White. Colored...)	75 11										1		2	2	11	2	34	6	
136	Nonvenereal diseases of the male genital organs (White. Colored...)	1												1	3	2				
137	Cysts, other benign tumors of the ovary (White. Colored...)	10 6								1	1		1	2	2	2	2			

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	KENTUCKY—Continued														Age-un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
138	Salpingitis and pelvic abscess (female).....	31								3	3	9	5	5	4	2	
	(female).....	10								1	1	2	2	5	4		
139	Benign tumors of the uterus.....	14										1	1	4	1	2	
	11										1	2	3	4	1	2
140	Nonpuerperal uterine hemorrhage.....	1															
141	Other diseases of the female genital organs.....	9								1	3			3	2		
142	Nonpuerperal diseases of the breast (cancer excepted).....	2	1											1			
	2													1		
VIII.—The puerperal.....																	
	317							1	46	58	73	48	87	3		1
	61								22	8	14	4	13			
143	Accidents of pregnancy.....	27								5	5	6	3	7	1		
	6								1	1	1	2	1			
144	Puerperal hemorrhage.....	27								1	3	4	5	13			
	4								4	1	1	2	2			
145	Other accidents of labor.....	30								1	8	2	4	14	1		
	7								1	1	1	1	2			
146	Puerperal septicemia.....	137						1		19	17	46	25	29			
	26								11	3	6	2	4			
147	Puerperal phlegmasia alba dolens, embolus, etc.....	8								1	2		1	4			
	1								1				4			
148	Puerperal albuminuria and convulsions.....	87								19	22	15	10	20	1		
	17								5	3	5		4			
149	Following childbirth (undefined).....	1									1						
	1									1						
IX.—Diseases of the skin and of the cellular tissue.....																	
	53	9	1	1			2		1	2	4	1	2	2	5	5
	16	2										1	3		4	2
151	Gangrene.....	17											1	2	1	2	11
	8											1	1	1	1	2
152	Furuncle.....	8										2	1	1		3	1
	1															
153	Acute abscess.....	15	5				1		1	2	2					2	2
	2															
154	Other diseases of the skin and annexa.....	13	4	1	1		1						1		1	1	5
	5	1										1		1	1	1
X.—Diseases of the bones and of the organs of locomotion.....																	
	21	1				3	4	3	1		1	1	1	1	3	2
	2		1								1					
155	Diseases of the bones (tuberculosis excepted).....	19	1				3	3	3	1		1	1	1		3	2
	2		1								1					
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	1					1										
158	Other diseases of the organs of locomotion.....	1													1		
	1															
XI.—Malformations.....																	
	236	223	2	4	1		2	2					2			
	10	10														
159a	Congenital hydrocephalus.....	21	18	1	1	1											
	1	1														
159b	Congenital malformations of the heart.....	123	116		2			2	2				1				
	5	5														
159c	Other congenital malformations.....	92	89	1	1								1				
	4	4														
XII.—Early infancy.....																	
	1,400	1,400														
	169	169														
160	Congenital debility, icterus, sclerema.....	257	257														
	39	39														
161a	Premature birth.....	871	871														
	101	101														
161b	Injury at birth.....	169	169														
	16	16														
162	Other diseases peculiar to early infancy.....	103	103														
	12	12														
163	Lack of care.....	1	1														
	1	1														
164	XIII.—Old age (senility).....	420													5	52	361
	39													3	3	35
XIV.—External causes.....																	
	1,904	79	35	19	29	26	69	76	144	197	182	129	253	203	143	135
	414	11	3	6	8	4	11	17	30	49	53	49	85	33	18	14
165	Suicide.....	183							2	9	11	11	19	35	43	33	17
	10									1		2	1	2	3	3
	By poisons (gas or corrosives excepted).....	8								1		1	2	1		3	
	1									2	2	3	7	4	4	2
166	By corrosive substances.....	24															
	1															
167	By poisonous gas.....	3								1		1	1		1	1	
168	By hanging or strangulation.....	42								1	1	2	4	8	13	9	4
	3										1	1		1	1	
169	By drowning.....	4												1		3	
	1													1		
170	By firearms.....	83							2	6	7	6	8	16	17	12	7
	3									1		1	1	1		2
171	By cutting or piercing instruments.....	12													1	3	1
	2													1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
LOUISIANA—Continued																			
II.—General diseases not included in Class I—Continued.																			
62	Diseases of the thymus gland.....	W 14 C 6	13	1	1														
63	Diseases of the adrenals (Addison's disease).....	W 1 C 3	1	1							1								
64	Diseases of the spleen.....	W 3 C 4	1				1						1						
65a	Leukemia.....	W 18 C 2	1			1		2		1	2	1	1	1	4		1	3	1
65b	Hodgkin's disease.....	W 7 C 3									1			1	1			1	
66	Alcoholism (acute or chronic).....	W 21 C 9										1	2	4	5	6	1		1
67a	Chronic lead poisoning.....	W 3												3	2	2	1	1	
68	Chronic poisoning by organic substances.....	W 4													1	2	1		
69	Other general diseases.....	W 30 C 19	14	5	3			2	1		1	1				1	2		
III.—Diseases of the nervous system and of the organs of special sense.....		White 895 Colored 843	28	3	2	4	3	16	13	16	9	16	24	81	103	182	219	175	1
70	Encephalitis.....	W 14 C 8	2	2					2			1		3	2	1	1		
71a	Simple meningitis.....	W 19 C 9	1	1			2	1	4	1	2	1	2	1	1	1			
71b	Nonepidemic cerebrospinal meningitis.....	W 2 C 1	1	1					1		1		2	1					
72	Tabes dorsalis (locomotor ataxia).....	W 16 C 14						1						3	3	1	7		1
73	Other diseases of the spinal cord.....	W 16 C 17	1					1	1	1				4	4	2	2	1	
74a	Cerebral hemorrhage.....	W 550 C 532	3				3	1	2	1	3	16	10	31	63	135	164	145	
74b	Cerebral embolism and thrombosis.....	W 28 C 11						1						4	3	4	6	7	1
75	Paralysis without specified cause.....	W 53 C 71		1				2	1	2	1		1	3	3	1	15	19	18
76	General paralysis of the insane.....	W 39 C 63								1			4	13	13	4	5	7	13
77	Other forms of mental alienation.....	W 13 C 22							1	3		5	5	26	17	6	2	2	1
78	Epilepsy.....	W 36 C 30		1	1	1	2	3	1	4	3	4	2	6	2	1	1	1	
79	Convulsions (nonpuerperal; 5 years and over).....	W 1 C 6					1		1	3				2					
80	Infantile convulsions (under 5 years).....	W 14 C 27	13	4	1				1	3				2					
82	Neuralgia and neuritis.....	W 8 C 4	1										1	2	1	1	2		
83	Softening of the brain.....	W 8 C 5												2	1	2	3	3	
84	Other diseases of the nervous system.....	W 48 C 16			2		3	1	2	4	2	1	5	7	5	9	4	4	2
86a	Diseases of the ear.....	W 20 C 3	7				2	2				2	2	4	2	3	1	2	
86b	Diseases of the mastoid process.....	W 3 C 12	1		1		1	1	1	1	1	2		1	1		1	1	
IV.—Diseases of the circulatory system.....		White 1,709 Colored 1,775	7	1	2	4	2	7	5	12	8	21	25	103	202	358	480	475	10
87	Pericarditis.....	W 2 C 7			1										1				
88	Endocarditis and myocarditis (acute).....	W 65 C 82	4		1	2	2	5	2	2	2	6	2	19	8	7	4	3	
89	Angina pectoris.....	W 126 C 47	2							9	5	2	10	26	5	5	8	2	
90	Other diseases of the heart.....	W 1,357 C 1,506	3	1		1	1	1	3	1	2	6	13	7	156	292	393	389	1
91a	Aneurysm.....	W 22 C 31	1						3	4			10	34	66	182	281	235	260
91b,c	Other diseases of the arteries.....	W 111 C 36									1		2	4	2	5	9	1	
92	Embolism and thrombosis (not cerebral).....	W 9 C 5												1	2	1	4	3	1
93	Diseases of the veins.....	W 8 C 4													1	2	1	1	
94	Diseases of the lymphatic system.....	W 2 C 1													2				
95	Hemorrhage without specified cause.....	W 1												1					
96	Other diseases of the circulatory system.....	W 6 C 6						1							1	2	1	2	
V.—Diseases of the respiratory system.....		White 999 Colored 1,149	207	55	32	16	9	35	21	40	46	30	16	74	80	84	135	116	3
97a	Diseases of the nasal fossae.....	W 1 C 10	9		1				1										
97b	Diseases of the nasal fossae annexa.....	W 3 C 6							1	1	1				2	1			
98	Diseases of the larynx.....	W 5 C 1	2	1	2									1			1	1	
99a	Acute bronchitis.....	W 11 C 21	5	1	3		1								1	3		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	LOUISIANA—Continued																	Age un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
V.—Diseases of the respiratory system—Continued.																				
99b	Chronic bronchitis.....	(W 24 C 7)	1	1	1												3	10	8	
99c,d	Bronchitis (unspecified).....	(W 20 C 23)	8									1					2	1	3	
100a	Broncho-pneumonia.....	(W 345 C 373)	119	33	17	8	4	12	7	9	11	4	2	17	20	13	29	38	2	
100b	Capillary bronchitis.....	(W 9 C 17)	6	2		1	1												1	
101a	Lobar pneumonia.....	(W 459 C 540)	49	18	7	7	4	18	11	24	26	23	12	46	46	54	69	44	1	
101b	Pneumonia (unspecified).....	(W 72 C 88)	16	4	2	1	1	2	2	3	4	5	3	7	5	8	11	7	2	
102	Pleurisy.....	(W 22 C 25)	1	1	2	1		1	1	1	2	1	1	4	1	4	4	3		
103	Congestion and hemorrhagic infarct of the lung.....	(W 5 C 1)										1			1			2		
104	Gangrene of the lung.....	(W 1 C 2)								1										
105	Asthma.....	(W 8 C 19)			1		1				2		2		2		1	2	5	
106	Pulmonary emphysema.....	(W 1 C 1)							1		1						1			
107	Other diseases of the respiratory system (tuberculosis excepted).....	(W 8 C 10)		1				1		1	1	2	1	3		1	2	1		
VI.—Diseases of the digestive system.....		(White 1,529 Colored 1,212)	510	163	51	26	17	48	32	36	41	51	43	107	119	105	109	69	2	
108	Diseases of the mouth and annexals.....	(W 10 C 3)		1	1			2				2		1	1			2		
109b	Other diseases of the pharynx, tonsils.....	(W 19 C 2)	3	1	5		4	6	2	1	4	1	1	3	2	1	1	1	1	
110	Diseases of the esophagus.....	(W 2 C 2)		1	1									1				1		
111a	Ulcer of the stomach.....	(W 40 C 24)			1	1					2	3	3	10	6	9	7			
111b	Ulcer of the duodenum.....	(W 13 C 5)									1	3	3	5	3	1	2	3		
112	Other diseases of the stomach (cancer excepted).....	(W 89 C 137)	18	4	2	3	3	4	2	3	7	1	2	10	6	12	15	7		
113	Diarrhea and enteritis (under 2 years).....	(W 617 C 509)	465	152	108								10	22	26	21	9	4		
114	Diarrhea and enteritis (2 years and over).....	(W 181 C 121)			39	14	5	10	4	1	5	1	2	3	5	6	7	20	18	
115	Ancylotomiasis.....	(W 3 C 4)						1		1					1					
116	Diseases due to other intestinal parasites.....	(W 6 C 238)		1	2	1	1													
117	Appendicitis and typhlitis.....	(W 120 C 48)	1					17	27	27	23	31	21	34	31	11	7	4		
118a	Hernia.....	(W 28 C 90)	2	1		1		6	12	15	15	16	11	21	14	7	12	2		
118b	Intestinal obstruction.....	(W 48 C 74)	5	3	2	2	2	6	1	1	3	1	3	12	11	9	6	7		
119	Other diseases of the intestines.....	(W 15 C 20)	1	1	1				1	1	1	1	1	3	5	2	2	2		
120	Acute yellow atrophy of the liver.....	(W 2 C 83)						1	1	1	2	1	2	10	24	24	15	11		
122	Cirrhosis of the liver.....	(W 33 C 34)							2	1		5	3	14	21	17	10	10		
123	Biliary calculi.....	(W 3 C 57)			1	1				1	3	2	3	1	9	11	10	5	1	
124	Other diseases of the liver.....	(W 35 C 1)	1	1	1	1		3	1	3	3	4	5	12	11	10	3	3	1	
125	Diseases of the pancreas.....	(W 11 C 11)		1					1	1	2	1	1	2	1	2	1			
126	Peritonitis without specified cause.....	(W 11 C 11)						1	1	1	1	1	1	4	4			1		
VII.—Nonvenereal diseases of the genito-urinary system and annexals.....		(White 1,278 Colored 1,343)	16	7	2	6	2	6	4	5	19	27	33	89	194	216	360	288	4	
128	Acute nephritis (including unspecified under 10 years).....	(W 75 C 179)	9	2	2	3	1	4	1	2	3	2	8	11	12	6	8			
129	Chronic nephritis (including unspecified 10 years and over).....	(W 1,030 C 1,000)	5	5	3	5	4	4	7	9	14	11	12	27	30	21	16	4		
131	Other diseases of the kidneys and annexals.....	(W 61 C 29)	7	5		3	1	3	6	7	21	30	28	162	194	184	174	182	7	
132	Calculi of the urinary passages.....	(W 4 C 1)								3	3	2	1	1	1	1				
133	Diseases of the bladder.....	(W 13 C 16)								1		1		1	1	3	5	4		
134	Diseases of the urethra, etc.....	(W 4 C 17)										1		1	2	2	4			
135	Diseases of the prostate.....	(W 44 C 36)												5	1	6	18	19		
136	Nonvenereal diseases of the male genital organs.....	(W 3 C 7)		1											2	2				
137	Cysts, other benign tumors of the ovary.....	(W 6 C 22)								2		1		2	2	1				
138	Salpingitis and pelvic abscess (female).....	(W 20 C 15)								3	5	2	3	5	4		1			
139	Benign tumors of the uterus.....	(W 30 C 1)									2	5	3	4	6	1				
140	Nonpuerperal uterine hemorrhage.....	(W 1 C 3)												1	1					
141	Other diseases of the female genital organs.....	(W 3 C 5)												2	1	1				

CAUSES OF DEATH, BY AGE

189

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	LOUISIANA—Continued														Age un-known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
	VIII.—The puerperal (White state) (Colored)	231 245							1 2	25 68	47 55	54 45	41 25	60 46	2 4				1
143	Accidents of pregnancy (W) (C)	21 19							1 1	1 4	3 7	5 5	7 1	4 2					
144	Puerperal hemorrhage (W) (C)	21 17							1 1	3 2	5 5	4 2	8 6	1 1					
145	Other accidents of labor (W) (C)	27 23								3 4	7 3	5 5	7 7	8 1					
146	Puerperal septicemia (W) (C)	69 80							1 1	7 27	18 20	19 11	10 7	15 13	1 1				
147	Puerperal phlegmasia alba dolens, embolus, etc. (W) (C)	6 4							1 1	1 2	1 2	2 2	2 2						
148	Puerperal albuminuria and convulsions (W) (C)	86 101							1 1	15 33	15 20	20 19	10 10	23 17	2 1				1
149	Following childbirth (undefined) (W) (C)	1 1											1 1						
	IX.—Diseases of the skin and of the cellular tissue (White) (Colored)	41 40	5 1		2 1			1 2		2 2	2 1	2 1	2 2	4 6	2 6	2 6	4 5	9 13	1
151	Gangrene (W) (C)	7 21			1 1										1 2	1 3	2 3	2 11	2
152	Furuncle (W) (C)	11 2	2							2			1 1	2 1	1 1	1 1	1 1	1 1	
153	Acute abscess (W) (C)	10 11	2		1			1			1 1	1 1	2 2					1 1	
154	Other diseases of the skin and annexa (W) (C)	13 6	1 1					2 1		1 1	1 1	1 1	1 1	2 1	1 1	3 1	1 1	5 1	1
	X.—Diseases of the bones and of the organs of locomotion (White) (Colored)	19 12		1 1	1 1	1 1	1 2	7 1	1 1	2 2	3 1			4 1				1	
155	Diseases of the bones (tuberculosis excepted) (W) (C)	14 8			1 1		1	6 2	1 1	1 1	3			1					
156	Diseases of the joints (tuberculosis and rheumatism excepted) (W) (C)	5 4		1 1	1			2 1		1			2 2	1				1	
	XI.—Malformations (White) (Colored)	137 82	120 67	7 4	1 3	3 1		3 5		1 1			1	1					
159a	Congenital hydrocephalus (W) (C)	11 18	6 8	3 3	1 2	1		3 3	1										
159b	Congenital malformations of the heart (W) (C)	86 51	75 48	3 3	1 2			3 1	1	1		1		1					
159c	Other congenital malformations (W) (C)	40 13	39 11	1 1				1										1	
	XII.—Early infancy (White) (Colored)	631 462	631 462																
160	Congenital debility, icterus, sclerema (W) (C)	65 97	65 97																
161a	Premature birth (W) (C)	419 286	419 286																
161b	Injury at birth (W) (C)	114 42	114 42																
162	Other diseases peculiar to early infancy (W) (C)	32 31	32 31																
163	Lack of care (W) (C)	1 6	1 6																
164	XIII.—Old age (senility) (White) (Colored)	170 268												1 1			28 21	142 244	1
	XIV.—External causes (White) (Colored)	990 901	29 25	27 16	15 24	19 10	14 14	43 43	43 28	77 99	105 119	78 100	76 91	135 163	106 79	77 28	73 20	66 27	7 15
	Suicide (W) (C)	101 17								6 2	10 2	10 1	7 3	17 6	18 2	20 1	10 3	3	
165	By poisons (gas or corrosives excepted) (W) (C)	5 1												1 1	1 1	1 1	1 1		
166	By corrosive substances (W) (C)	15 1								2 2	2 1	1 2	2 1	3 1	4 1	1 1			
167	By poisonous gas (W) (C)	13 1									1 1	2 1		1 1	4 2	2 1	1 1	1	
168	By hanging or strangulation (W) (C)	4 1											1 1	2 1	2 1	1 1			
169	By drowning (W) (C)	9 2									1 1	1 1	1 1	2 1	1 1	2 1		1	
170	By firearms (W) (C)	51 9								4 2	6 1	6 3	3 3	8 2	7 1	11 1	6 1		
171	By cutting or piercing instruments (W) (C)	2 2											1 1	2 2		1 1			
172	By jumping from high places (W) (C)	2 1														1 1			
173	By crushing (W) (C)	1 1									1 1								
	Homicide (W) (C)	125 318	2	1				2 1	2 3	13 26	18 64	20 53	13 71	25 71	18 24	9 2	1 3	1 1	1
197	By firearms (W) (C)	89 232		1				2 1	1 1	10 16	12 47	14 51	11 38	22 57	12 17	3 2	1 1	1 1	
198	By cutting or piercing instruments (W) (C)	16 58						1 1	1 9	5 13	3 10	1 10	1 9	3 4	1 4	1 1	1 1		
199	By other means (W) (C)	20 28	2					2 1	2 1	2 4	3 7	5 5	7 5	4 5	2 3	5 1	1 1		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
MAINE—Continued																			
V.—Diseases of the respiratory system—Continued																			
104	Gangrene of the lung.....	3														2	1		
105	Asthma.....	15													2	4	8	1	
106	Pulmonary emphysema.....	2	1													1			
107	Other diseases of the respiratory system (tuberculosis excepted).....	7				1					1		1		2	2			
VI.—Diseases of the digestive system.....																			
		710	161	24	10	11	6	26	23	21	20	15	25	44	75	81	94	74	
108	Diseases of the mouth and annexe.....	8	1	1				1			1				2	1		1	
109b	Other diseases of the pharynx, tonsils.....	26				1	2	5	7	2	4			2	1		1	1	
111a	Ulcer of the stomach.....	49								1	1	2	4	5	11	12	10	3	
111b	Ulcer of the duodenum.....	13								1	1		1	1	3	5	2		
112	Other diseases of the stomach (cancer excepted).....	74		2	1			3			1			2	4	9	7	12	12
113	Diarrhea and enteritis (under 2 years).....	144	127	17				2											
114	Diarrhea and enteritis (2 years and over).....	47			6	7	1	2	1	1				4	3	2	8	11	
117	Appendicitis and typhlitis.....	133	1	2	2	2	3	13	14	15	7	9	9	12	14	18	11	1	
118a	Hernia.....	37												4	4	10	13	6	
118b	Intestinal obstruction.....	50	9	2				1	1	1	3	2		6	4	5	5	11	
119	Other diseases of the intestines.....	4	1														2	1	
120	Acute yellow atrophy of the liver.....	5	1							1	1						5	12	14
122	Cirrhosis of the liver.....	43	1										3	2	7	5	12	14	
123	Biliary calculi.....	45									1	1	2	4	9	10	11	7	
124	Other diseases of the liver.....	25			1								1	2	7	6	2	6	
125	Diseases of the pancreas.....	3													1		2	2	
126	Peritonitis without specified cause.....	4				1		1									2	2	
VII.—Nonvenereal diseases of the genito-urinary system and annexe.....																			
		957	3	4		1	3	6	1	4	15	13	10	60	92	162	282	301	
128	Acute nephritis (including unspecified under 10 years).....	38	1	3		1	2	4		1	1	3		3	5	7	3	4	
129	Chronic nephritis (including unspecified 10 years and over).....	790		1				2	1	3	9	3	5	32	70	145	249	270	
131	Other diseases of the kidneys and annexe.....	14				1						2	2	1	3	1	4	1	
132	Calculi of the urinary passages.....	7									1				1	2	2	1	
133	Diseases of the bladder.....	8										1					1	6	
134	Diseases of the urethra, etc.....	1																	
135	Diseases of the prostate.....	31														3	14	14	
136	Nonvenereal diseases of the male genital organs.....	3	1														2	2	3
137	Cysts, other benign tumors of the ovary.....	12									1			5	1		2	3	
138	Salpingitis and pelvic abscess (female).....	12								2	3	1		4			2	2	
139	Benign tumors of the uterus.....	30								1				13	9	3	3	1	
141	Other diseases of the female genital organs.....	10										1	2	1	3	1		2	
142	Nonpuerperal diseases of the breast (cancer excepted).....	1	1																
VIII.—The puerperal state.....																			
		126						2	18	21	37	19	28	1					
143	Accidents of pregnancy.....	11							1		1	5		4					
144	Puerperal hemorrhage.....	11								1	4	2	1	3					
145	Other accidents of labor.....	23								3	3	6	7	3	1				
146	Puerperal septicemia.....	30							1	4	2	13	5	5					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	8								1	2			3	2				
148	Puerperal albuminuria and convulsions.....	43								9	9	11	3	11					
IX.—Diseases of the skin and of the cellular tissue.....																			
		49	4								1	1		4	2	5	13	19	
151	Gangrene.....	28												1		2	8	17	
152	Furuncle.....	7													1	3	2	2	
153	Acute abscess.....	5	1											2	1		1		
154	Other diseases of the skin and annexe.....	9	3								1	1					2	2	
X.—Diseases of the bones and of the organs of locomotion.....																			
		9						1	1		1				1	1	1	1	2
155	Diseases of the bones (tuberculosis excepted).....	8						1	1		1				1	1	1	1	2
158	Other diseases of the organs of locomotion.....	1																	
XI.—Malformations.....																			
		113	101	7				2	1	1				1					
159a	Congenital hydrocephalus.....	14	9	2				1	1	1									
159b	Congenital malformations of the heart.....	60	55	4				1											
159c	Other congenital malformations.....	39	37	1										1					
XII.—Early infancy.....																			
		637	637																
160	Congenital debility, icterus, sclerema.....	108	108																
161a	Premature birth.....	400	400																
161b	Injury at birth.....	91	91																
162	Other diseases peculiar to early infancy.....	38	38																
164	XIII.—Old age (senility).....	229														3	13	213	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	MARYLAND—Continued													Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years
I.—Epidemic, endemic, and infectious diseases—Contd.																	
25	Other epidemic and endemic diseases.....	W 4 C 3	2		1								1		1		
28	Rabies.....	W 1 C 1							1	4	4				1		
29	Tetanus.....	W 17 C 3	2	1		1		4	2	1	1			2		1	1
30	Mycoses.....	W 2 C 3													1		
	Tuberculosis (all forms).....	W 1,135 C 750	22	10	5	5	4	7	14	59	131	113	116	214	189	138	80
	Of the respiratory system.....	W 1,012 C 659	6	1	1	2	4	6	7	55	125	105	109	201	176	125	73
32	Of the meninges, central nervous system.....	W 36 C 23	9	6	3	1	2	1	1	3	2	2	3	1	2		
33	Of the intestines, peritoneum.....	W 24 C 25	1			1	1	2	2	1	1	2	2	2	4	4	1
34	Of the vertebral column.....	W 13 C 9	1				1	1	1	1	2	2	1	1	3		1
35	Of the joints.....	W 2 C 3							1								1
36	Of other organs.....	W 14 C 7		1							2	1	1	2	1	3	2
37a	Disseminated (acute).....	W 27 C 22	6	2	1	2	1	2	2	2	1	1	1	4	2	2	1
37b	Disseminated (chronic or unspecified).....	W 7 C 2	1	2	3	1							3	2	1		1
38	Syphilis.....	W 65 C 165	14	3				1	3	4	4	2	9	11	16	10	7
40	Gonococcus infection.....	W 13 C 22		2						3	5	2	3	3	3		
41	Purulent infection, septicemia.....	W 12 C 1		1				1	2	1	1	2		2	2	1	
II.—General diseases		White 2,029 Colored 320	27	7	3	5	3	15	18	16	19	25	39	166	365	514	542
	Cancer and other malignant tumors.....	W 1,434 C 187	1	1		3	5	7	6	8	9	19	97	258	376	420	224
43	Of the buccal cavity.....	W 52 C 4			1		1			1	5	8	39	43	40	28	19
44	Of the stomach, liver.....	W 522 C 77	1					1				1	28	78	148	187	77
45	Of the peritoneum, intestines, rectum.....	W 175 C 19										2	8	30	46	51	35
46	Of the female genital organs.....	W 187 C 45								2	1	6	19	50	49	36	24
47	Of the breast.....	W 126 C 18								1	2	6	13	3	3	3	3
48	Of the skin.....	W 34 C 1						1	1		1	1	8	1	3	4	1
49	Of other or unspecified organs.....	W 338 C 23		1		3	5	5	6	6	6	8	17	60	78	95	48
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	W 14 C 42	1			2	6	5	3	4	4	1	3	3	3	2	1
51	Acute rheumatic fever.....	W 18 C 13		1		1	1	1	2	1	1	3	1	4	4	2	1
52	Chronic rheumatism, osteoarthritis, gout.....	W 6 C 3		2									1	2	1		2
53	Scurvy.....	W 1 C 4	1										1				
54	Pellagra.....	W 3 C 9									1		2	1	1		
56	Rickets.....	W 12 C 7	7	3	2	1								1			
57	Diabetes mellitus.....	W 243 C 38					1	3	2	3		5	12	46	70	73	28
58	Anemia, chlorosis.....	W 72 C 5	4	2					1	1	2		1	9	6	17	8
59	Diseases of the pituitary gland.....	W 3 C 1						1	1	2	3	2	1	1	1	1	1
60a	Exophthalmic goiter.....	W 42 C 3						1	1	2	3	2	9	12	9	3	
60b	Other diseases of the thyroid gland.....	W 10 C 1										1	3	3	3	1	
61	Diseases of the parathyroid glands.....	W 3 C 7	3	7													
62	Diseases of the thymus gland.....	W 1 C 1			1												
63	Diseases of the adrenals (Addison's disease).....	W 1 C 3											1				
64	Diseases of the spleen.....	W 3 C 29			1	1		1	1			2	2	1	7	7	6
65a	Leukemia.....	W 3 C 20						2				1	3	6	4	2	2
65b	Hodgkin's disease.....	W 62 C 33								1	3	5	17	17	15	3	1
66	Alcoholism (acute or chronic).....	W 33 C 2							2				1	2			
67a	Chronic lead poisoning.....	W 3 C 13		7	2	1		1		2						2	
68	Chronic poisoning by organic substances.....	W 3 C 6		4													
69	Other general diseases.....	W 3 C 6	7	1				1		2						2	

CAUSES OF DEATH, BY AGE

195

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	MARYLAND—Continued													75 years and over	Age un- known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
	III.—Diseases of the nervous system and of the organs of special sense	White 1,878 Colored 518	43	12	6	4	8	20	14	21	5	19	20	98	193	342	533	540	5
70	Encephalitis	W 9 C 1						2	1				1		2				
71a	Simple meningitis	W 29 C 10	7	4	2	2	3	5	2	1	1				1		1		
71b	Nonepidemic cerebrospinal meningitis	W 6 C 1	3	1	1	1		1	1						1				
72	Tabes dorsalis (locomotor ataxia)	W 14 C 2													4	3	6	1	
73	Other diseases of the spinal cord	W 39 C 3				1	1	1		1		2		4	4	3	13	9	1
74a	Cerebral hemorrhage	W 1,339 C 372		2				1		1	1	1	5	41	126	286	436	439	2
74b	Cerebral embolism and thrombosis	W 60 C 14						1		1	1	1	2	3	12	20	18		
75	Paralysis without specified cause	W 42 C 89							1				1	6	10	26	45		
76	General paralysis of the insane	W 26 C 82								1		5	6	29	25	7	7		1
77	Other forms of mental alienation	W 9 C 8								1	1	1	1	3	1	1	3	1	2
78	Epilepsy	W 35 C 12	3	1	1			3	1	6	2	3	3	4	5	2	2	1	
79	Convulsions (nonpuerperal; 5 years and over)	W 1 C 24												1					
80	Infantile convulsions (under 5 years)	W 14 C 1	22	1			1												
81	Chorea	W 1 C 9								1							2	3	
82	Neuralgia and neuritis	W 2 C 25													1	5	5	1	14
83	Softening of the brain	W 1 C 68		1		1	2	2	5	3		1	4	11	10	9	11	7	
84	Other diseases of the nervous system	W 4 C 1						1	1	1				1				1	
85	Diseases of the eye and annexa	W 26 C 4	7	1	1		1	4	3	3	1	1		2	1	1	1		
86a	Diseases of the ear	W 4 C 12			1	1		1	1	3	1	3		1	1	1			
86b	Diseases of the mastoid process	W 2 C 2						1	1	3			1		1	1			
	IV.—Diseases of the circulatory system	White 2,926 Colored 723	15	6	2	1	2	20	22	33	20	26	50	120	294	521	844	940	1
87	Pericarditis	W 6 C 6						1								1	1	3	
88	Endocarditis and myocarditis (acute)	W 93 C 21	5	3	1		1	3	4	9	5	3	9	18	8	6	10	8	
89	Angina pectoris	W 208 C 28								1			2	6	30	66	69	33	
90	Other diseases of the heart	W 2,280 C 601	7	2	1	1	1	25	18	22	14	23	37	86	240	415	675	712	1
91a	Aneurysm	W 13 C 2								1							3	1	
91b,c	Other diseases of the arteries	W 284 C 59												1	9	20	76	178	
92	Embolism and thrombosis (not cerebral)	W 25 C 5	1							2			1	2	1	8	4	6	
93	Diseases of the veins	W 10 C 5								1			1	2	2	1	4		
94	Diseases of the lymphatic system	W 5 C 2	1	1												1	2		
95	Hemorrhage without specified cause	W 2 C 1		1										1					
96	Other diseases of the circulatory system	W 1 C 1															1		
	V.—Diseases of the respiratory system	White 1,610 Colored 837	279	98	38	16	11	28	18	22	28	36	47	117	139	199	241	293	1
97a	Diseases of the nasal fossae	W 2 C 4		1						1								1	
97b	Diseases of the nasal fossae annexa	W 8 C 1							1	3	1	1	1	1					
98	Diseases of the larynx	W 4 C 5		1	1			1											
99a	Acute bronchitis	W 43 C 37	11	1	1	1		1							3	5	3	15	
99b	Chronic bronchitis	W 49 C 14	19	8	2			1				3			1	1	1	2	
99c,d	Bronchitis (unspecified)	W 26 C 15	7	2	1	1							1	2	1	3	2	3	
100a	Broncho-pneumonia	W 705 C 362	207	61	24	5	5	13	7	2	11	7	10	23	37	63	106	124	1
100b	Capillary bronchitis	W 18 C 7	10	1	2									22	20	25	14	20	
101a	Lobar pneumonia	W 669 C 354	36	14	3	2	3	7	3	9	26	29	27	81	89	108	109	88	
101b	Pneumonia (unspecified)	W 15 C 14	4	1	1	2		1						2	3	4	1	4	
102	Pleurisy	W 23 C 7	2	2	2		1	1			1			1	2	1	4	10	
103	Congestion and hemorrhagic infarct of the lung	W 18 C 1	1	1															
104	Gangrene of the lung	W 1 C 1										1							
105	Asthma	W 18 C 9							1				1	3	3	6	2	4	
106	Pulmonary emphysema	W 1 C 1															1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	W 11 C 6		2					1	1				4	3	3	1	1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
MARYLAND—Continued																			
	VI.—Diseases of the digestive system	1,335	495	81	27	10	4	24	25	24	20	30	32	72	119	153	124	95	
	White	433	211	38	5	3	3	7	6	7	11	13	6	33	34	36	13	7	
	Colored																		
108	Diseases of the mouth and annexa	6	1												2	1	2		
109b	Other diseases of the pharynx, tonsils	43	5	2	2	2	2	7	3	2	1	4	2	3	1	2	3		
110	Diseases of the esophagus	2								1	1						1		
111a	Ulcer of the stomach	39							1	1		1	4	7	8	9	7	3	
111b	Ulcer of the duodenum	17								1	1	1	3	4	3	4	1		
112	Other diseases of the stomach (cancer excepted)	53	14	3	1	1			1	1	1		3	4	2	11	5	9	
113	Diarrhea and enteritis (under 2 years)	531	469	72									2	5	6	2	6		
114	Diarrhea and enteritis (2 years and over)	224	189	35															
116	Diseases due to other intestinal parasites	80			16	5		5	1		1	3	2	6	5	9	7	23	
117	Appendicitis and typhlitis	31			3	3		2					1	4	3	4	2	2	
118a	Hernia	147	1	2	4	2	1	9	13	16	6	15	7	17	20	21	10	3	
118b	Intestinal obstruction	28	1					3	2	3	3	4	3	4	3	3	27	13	
119	Other diseases of the intestines	65							1	1				2	5	3	1	5	
120	Acute yellow atrophy of the liver	18	9	1	1			2	3	2	2		6	3	12	12	11		
122	Cirrhosis of the liver	76	2	1						1	1		1	5	17	32	21	13	
123	Biliary calculi	12										1	2	1	3	6	1		
124	Other diseases of the liver	65	1		1						1	1		5	16	21	14	5	
125	Diseases of the pancreas	4													2	2	1		
126	Peritonitis without specified cause	67	1		1						1	1		7	15	17	14	10	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,978	9	1	1	3	1	7	4	10	21	25	40	125	230	347	568	584	2
	White	575	3	5	1	1	1	7	4	5	8	18	20	82	124	115	97	92	4
	Colored																		
128	Acute nephritis (including unspecified under 10 years)	83	4	1	1	1	1	5	1	2	4	6	7	15	10	9	8	8	
129	Chronic nephritis (including unspecified 10 years and over)	49	3	4						1	1	4	1	12	14	5	1	2	
131	Other diseases of the kidneys and annexa	1,713							3	3	14	14	24	89	201	313	518	528	2
132	Calculi of the urinary passages	477		1						5	6	8	8	61	101	104	91	84	4
133	Diseases of the bladder	29	3			1				1	1	1	1	4	5	1	4	8	
134	Diseases of the urethra, etc.	10												2	1	3	1	1	
135	Diseases of the prostate	19						1			1		3	3	1	5	3	2	
136	Nonvenereal diseases of the male genital organs	4													2	1	1	1	
137	Cysts, other benign tumors of the ovary	12									1			1	1	1	1	8	
138	Salpingitis and pelvic abscess (female)	3																2	
139	Benign tumors of the uterus	5									1			1			1	2	
141	Other diseases of the female genital organs	81										3		1	4	14	33	26	
142	Nonpuerperal diseases of the breast (cancer excepted)	11												1	2	1	4	3	
	VIII.—The puerperal state	137								8	23	40	31	33	2				
	White	60								9	11	12	12	16					
	Colored																		
143	Accidents of pregnancy	10									1	3	2	5					
144	Puerperal hemorrhage	3									2	5	6	4					
145	Other accidents of labor	17								1	2	1	2	5	1				
146	Puerperal septicemia	3									1	1	7						
147	Puerperal phlegmasia alba dolens, embolus, etc.	16									2	1	2						
148	Puerperal albuminuria and convulsions	4									1	1	3	4	1				
149	Following childbirth (undefined)	56									13	22	10	6					
	IX.—Diseases of the skin and of the cellular tissue	32									5	8	3	11					
151	Gangrene	5									2	1	1	2					
152	Furuncle	2									1			1					
153	Acute abscess	31			1						3	5	7	4	11	1			
154	Other diseases of the skin and annexa	16									3	4	2	3	4				
	White	37	6		1				1	1	1	1	1	1	3	6	3	12	
	Colored	14													4	2	1	3	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known	
MARYLAND—Continued																				
	X.—Diseases of the bones and of the organs of locomotion.....	White..... Colored.....	23 5	1	1	1		3 1	4	4	1	1	1		1	6	1	3		
155	Diseases of the bones (tuberculosis excepted).....	W..... C.....	22 3	1	1	1		3 1	4	2	1	1	1		1	4	1	3		
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	W..... C.....	4 1							2						2				
158	Other diseases of the organs of locomotion.....	W..... C.....	2 1										1		1					
	XI.—Malformations.....	White..... Colored.....	220 46	200 42	7 1	2		1	5	1	3				1					
159a	Congenital hydrocephalus.....	W..... C.....	17 7	12 6	1			3	1						1					
159b	Congenital malformations of the heart.....	W..... C.....	140 29	131 27	3 1		1	2			3									
159c	Other congenital malformations.....	W..... C.....	63 10	57 9	3	2				1						1				
	XII.—Early infancy.....	White..... Colored.....	752 297	752 297																
160	Congenital debility, icterus, sclerema.....	W..... C.....	60 59	60 59																
161a	Premature birth.....	W..... C.....	493 180	493 180																
161b	Injury at birth.....	W..... C.....	111 20	111 20																
162	Other diseases peculiar to early infancy.....	W..... C.....	86 35	86 35																
163	Lack of care.....	W..... C.....	2 3	2 3																
164	XIII.—Old age (senility).....	White..... Colored.....	94 26												1	3	10 5	84 17		
	XIV.—External causes.....	White..... Colored.....	1,193 335	44 10	25 7	14 9	14 9	20 11	58 21	45 15	57 16	80 40	64 38	79 29	141 53	149 40	145 17	112 6	140 12	6 2
	Suicide.....	W..... C.....	159 10							6 1	9 4	12 2	16 1	33	29 1	28 1	21	5		
165	By poisons (gas or corrosives excepted).....	W..... C.....	2													1	1			
166	By corrosive substances.....	W..... C.....	19							1	1	3	1	4	4	3	2			
167	By poisonous gas.....	W..... C.....	28							1		3	3	5	5	3	9	3	1	
168	By hanging or strangulation.....	W..... C.....	20												2	4	5	3		
169	By drowning.....	W..... C.....	9								1	1		2	1	3	1	4		
170	By firearms.....	W..... C.....	63 8							4 1	5 3	5 2	6 1	16	11	7	5	4		
171	By cutting or piercing instruments.....	W..... C.....	8											1	4		3			
172	By jumping from high places.....	W..... C.....	4 1								1		1	1			1			
173	By crushing.....	W..... C.....	2											2						
174	By other means.....	W..... C.....	4												2		2			
	Homicide.....	W..... C.....	52 65	4		1	1	1	1	1	5	9	13	11	8	4	1	1	1	
197	By firearms.....	W..... C.....	33 35	1				1	1	1	3	7	8	7	8	3	1	1		
198	By cutting or piercing instruments.....	W..... C.....	6	1		1	1				1	1	1	1	1	1				
199	By other means.....	W..... C.....	13 8	3							1	2	3	3	1	1		1	1	
	Accidental or undefined.....	W..... C.....	982 260	40 9	25 7	13 9	13 9	19 11	57 21	45 14	50 10	62 28	45 23	52 16	100 39	116 29	116 15	90 6	134 12	5 2
175	Poisoning by food.....	W..... C.....	4 6						1		1		2		1		1			
176	Poisoning by venomous animals.....	W..... C.....	1															1		
177	Other acute poisonings (gas excepted).....	W..... C.....	16 11		6 4	2 1	3	1	1	1	2			1	2	1				
178	Conflagration.....	W..... C.....	9 9	1	1		1							1	3	1				
179	Burns (conflagration excepted).....	W..... C.....	62 39	4 1	5 2	3 4	3 5	7 8	2 5	2 1	1 1	1 1	1 1	3 3	2 3	7 1	3	10 3	1	
180	Mechanical suffocation.....	W..... C.....	22 2	19 2																
181	Absorption of irrespirable, irritating, or poisonous gas.....	W..... C.....	46 1		1									2	8	16	8	3	7	
182	Drowning.....	W..... C.....	118 40		1	4		1	9	16	15	8	6	12	19	13	10	1	3	
183	Traumatism by firearms (except in war).....	W..... C.....	19 10		1	1			2	1	3	4	3	2	2	2	1			
184	Traumatism by cutting or piercing instruments.....	W..... C.....	4 4													3		1	1	
185	Traumatism by fall.....	W..... C.....	163 21	3 2	2	1	1		3	2	5	4	3	3	7	12	21	29	87	
186a	Traumatism in mines.....	W..... C.....	13					1			2		2	2	4	3	2	1		
186b	Traumatism in quarries.....	W..... C.....	2												1					
187	Traumatism by machines.....	W..... C.....	18 12							1	1	2	2	3	3	1	1	5		
188a	Railroad accidents.....	W..... C.....	61 5					1			3	3	7	5	3	13	4	5	1	
	Collision with automobiles.....	W..... C.....	3 5							1		3	7	5		1		1	1	
	Other railroad accidents.....	W..... C.....	58 5					1		2	3	7	1		7	13	12	5	1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	MICHIGAN—Continued																	75 years and over	Age un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years				
	VI.—Diseases of the digestive system.....	4,811	1,437	279	120	79	71	152	98	89	135	155	174	383	417	438	430	351	3		
108	Diseases of the mouth and annexa.....	37	4					3	2	1	1	2	2	1	6	6	2	7			
109b	Other diseases of the pharynx, tonsils.....	219	18	10	9	13	11	25	15	7	9	13	26	18	12	10	13	10			
110	Diseases of the esophagus.....	3	1												1				1		
111a	Ulcer of the stomach.....	211								1	4	12	15	48	29	38	41	23			
111b	Ulcer of the duodenum.....	82									4	3	3	15	20	22	9	6			
112	Other diseases of the stomach (cancer excepted).....	238	75	7	3	1	1	5	1	1			4	4	24						
113	Diarrhea and enteritis (under 2 years).....	1,502	1,249	253											4	4	24	22	29		
114	Diarrhea and enteritis (2 years and over).....	348			81	50	32	20	6	4	4	8	2	10	23	14	37		31		
116	Diseases due to other intestinal parasites.....	1			1																
117	Appendicitis and typhlitis.....	720	2	2	9	12	17	75	64	61	70	50	65	96	92	57	32	14	2		
118a	Hernia.....	169	10					1			3	4	3	19	24	36	37	32			
118b	Intestinal obstruction.....	334	55	4	11	1	3	12	1	5	17	15	12	40	36	44	31	47			
119	Other diseases of the intestines.....	68	9	1	1	1	1	2	1		2	2	1	6	13	7	8	13			
120	Acute yellow atrophy of the liver.....	25								2	3	6	2	4	1	1	4	2			
122	Cirrhosis of the liver.....	357	1							1	1	9	11	34	63	77	94	65	1		
123	Biliary calculi.....	143								1	3	5	6	17	35	39	27	10			
124	Other diseases of the liver.....	225	3	1			3	1	1	1	6	10	15	36	31	40	52	25			
125	Diseases of the pancreas.....	30								1	1	3	1	4	4	7	7	2			
126	Peritonitis without specified cause.....	99	10	1	5	1	3	8	7	3	7	9	6	11	5	11	6	6			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	3,550	45	7	11	5	2	14	27	39	52	60	104	291	372	587	909	1,019	6		
128	Acute nephritis (including unspecified under 10 years).....	198	22	6	5	3	2	10	9	9	8	7	8	18	24	16	24	26	1		
129	Chronic nephritis (including unspecified 10 years and over).....	2,697			1	1		3	16	19	27	29	55	180	278	486	768	830	4		
131	Other diseases of the kidneys and annexa.....	114	14	1	5	1		1	1	7	3	2	2	11	11	16	24	16			
132	Calculi of the urinary passages.....	40									4	2		2	9	8	4	6	1		
133	Diseases of the bladder.....	58	2											1	3	4	9	6			
134	Diseases of the urethra, etc.....	8												1	2	2	2	1			
135	Diseases of the prostate.....	210												2	5	32	73	98			
136	Nonvenereal diseases of the male genital organs.....	8	5											1	1			1			
137	Cysts, other benign tumors of the ovary.....	35								1	1	3	3	9	8	4	4	2			
138	Salpingitis and pelvic abscess (female).....	71									9	13	14	20	8	5	2	2			
139	Benign tumors of the uterus.....	69								1		3	10	24	18	5	4	4			
140	Nonpuerperal uterine hemorrhage.....	2							1					1				4			
141	Other diseases of the female genital organs.....	37								2		1	6	13	5	8	1	1			
142	Nonpuerperal diseases of the breast (cancer excepted).....	3	2															1			
	VIII.—The puerperal state.....	632							2	47	132	153	126	170	1				1		
143	Accidents of pregnancy.....	60								2	10	7	21	19					1		
144	Puerperal hemorrhage.....	64								4	5	16	11	28							
145	Other accidents of labor.....	70								5	15	12	11	27							
146	Puerperal septicemia.....	257							1	18	64	74	48	52							
147	Puerperal phlegmasia alba dolens, embolus, etc.....	32										3	8	10	1						
148	Puerperal albuminuria and convulsions.....	148						1	18		28	41	27	33							
149	Following childbirth (undefined).....	1												1							
	IX.—Diseases of the skin and of the cellular tissue.....	163	32	1			1	3	2	1	4	1	8	5	8	15	32	50			
151	Gangrene.....	76	1				1	1			1			1		8	22	41			
152	Furuncle.....	22	6					1			1	5	2	2	3		2	1			
153	Acute abscess.....	20	3	1				1		1	2	2		2	4	2	2	2			
154	Other diseases of the skin and annexa.....	45	22					1	1				1	2	3	3	6	6			
	X.—Diseases of the bones and of the organs of locomotion.....	60	1	1		2	4	14	5	3	1	1	2	6	4	8	2	6			
155	Diseases of the bones (tuberculosis excepted).....	48		1		1	4	13	4	3	1	1	2	3	4	6	1	4			
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	9	1			1			1					3			1	2			
158	Other diseases of the organs of locomotion.....	3						1								2					
	XI.—Malformations.....	734	684	20	5	1	7	6	2	5	1	1		1		1					
159a	Congenital hydrocephalus.....	82	65	5	1	1	5	1	1	2						1					
159b	Congenital malformations of the heart.....	396	371	11	4		4	1	4	3	1	1									
159c	Other congenital malformations.....	256	248	4			2	1						1							
	XII.—Early infancy.....	3,069	3,069																		
160	Congenital debility, icterus, sclerema.....	425	425																		
161a	Premature birth.....	1,973	1,973																		
161b	Injury at birth.....	444	444																		
162	Other diseases peculiar to early infancy.....	225	225																		
163	Lack of care.....	2	2																		
164	XIII.—Old age (senility).....	581														9	48	523	1		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown	
																				MISSISSIPPI—Continued
I.—Epidemic, endemic, and infectious diseases—Contd.																				
9	Whooping cough.....	60	33	12	9	2	1	1	1				1	1						
10	Diphtheria.....	56	10	7	7	11	9	16	2			1								1
11a	Influenza (with pulmonary complications).....	262	32	8	5		3	12	12	20	9	11	7	18	28	17	55	47		2
11b	Influenza (other and unspecified).....	144	14	2	3	7	3	3	4	2	3	21	10	25	26	17	20	23		2
13	Mumps.....	256	42	8	4	1	4	10	7	18	21	11	10	20	23	15	18	42		2
15	Cholera nostras.....	2										1	1	1						
16	Dysentery.....	78	1	23	5		1	3	1		2		3	2		9	20			1
21	Erysipelas.....	12	11	3				2	2	1		1	2	1	2	8	11	11		1
22	Acute anterior poliomyelitis.....	16	1	2	1	2		1	2							1				
23	Lethargic encephalitis.....	3	1			2		2								2				
24	Meningococcus meningitis.....	7	3							1			1	3	1					
25	Other epidemic and endemic diseases.....	2	1					1												
27	Anthrax.....	1											1					1		
28	Rabies.....	2						1					1		1					
29	Tetanus.....	15	5		1			3	2			1		1	2			1		
30	Mycoses.....	27	9			1		3	1	3	2	1	1	1	1					
	Tuberculosis (all forms).....	421	1	1		1	1	1	10	40	41	42	89	60	47	48	32			7
31	Of the respiratory system.....	1,507	12	9	8	3	3	18	46	196	318	235	172	229	129	57	34	20	13	6
32	Of the meninges, central nervous system.....	381	8	7	5	1	3	12	41	181	36	37	40	85	54	43	40	29		
	Of the intestines, peritoneum.....	1,380	1								300	218	160	215	121	53	31	18	16	
33	Of the vertebral column.....	15		1	2	2		3	1	1	2	1	1	1	1	2				1
34	Of the joints.....	21	3					3	1		2	5	11	5	9	4	4	2		
35	Of other organs.....	52	1					3	3	7	3	11	5	3	4	4	1	2		
36	Disseminated (acute).....	9	1							1	2	1	2	1	1					
37a	Syphilis.....	6			1					1			2	1	1					
40	Gonococcus infection.....	22	2	1					1	4	4	3	2	2	2			2		
41	Purulent infection, septicemia.....	3								4	4	3	2	5	4		1			1
	II.—General diseases not included in Class I.....	817	18	18	3	2	2	6	17	5	13	16	20	81	126	150	207	129		4
	White.....	1,062	14	7	5	6	2	14	13	33	60	67	58	167	227	150	131	99		9
43	Cancer and other malignant tumors.....	510		3	1			4	2	2	7	11	46	87	112	135	98			4
	Of the buccal cavity.....	420		1				2	2	3	8	10	12	61	73	72	55			3
44	Of the stomach, liver.....	18										1	1	3	4	2	2	2		
45	Of the peritoneum, intestines, rectum.....	6		1								3	4	8	18	47	46	26		1
46	Of the female genital organs.....	155										2	1	16	27	20	32	14		2
47	Of the breast.....	117									4	1	3	5	7	9	18	6		1
48	Of the skin.....	53		1										11	11	6	7	4		2
49	Of other or unspecified organs.....	41						1	1			2	3	15	34	17	20	7		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	100									1	6	3	20	52	28	16	19		
	Acute rheumatic fever.....	147										1	1	8	13	7	7	3		1
51	Chronic rheumatism, osteoarthritis, gout.....	42										1	1	10	11	6	11	1		
52	Scurvy.....	32												1	3	3	1	1		
53	Pellagra.....	38												2	2	6	11	7		
54	Rickets.....	5												3	3	1	1	1		
55	Diabetes mellitus.....	104		1	1			1	1	3			5	7	10	22	31	30		
56	Anemia, chlorosis.....	72		1	2			2	1	3			5	4	12	13	11	13		2
57	Exophthalmic goiter.....	6											1	1	2		2	1		
58	Other diseases of the thyroid gland.....	11	1						1	2				3	5	1	3	3		
59	Diseases of the parathyroid glands.....	28		1					2	1	3		4	5	3	3	2	2		
60	Diseases of the thymus gland.....	6													3	3	3	1		
61	Diseases of the adrenals (Addison's disease).....	1		1											1		1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	MISSISSIPPI—Continued													Age un- known						
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over			
	VIII.—The puerperal (White state) (Colored)	147 297							1 5	19 58	33 72	29 55	20 43	42 56	1 4							2 4
143	Accidents of pregnancy (W) (C)	13 21								2 1	4 2	2 4	1 4	4 8								
144	Puerperal hemorrhage (W) (C)	20 24								1 2	1 2	1 3	4 5	8 6	1							1 1
145	Other accidents of labor (W) (C)	11 22									3 7	8 2	2 2	6 4								
146	Puerperal septicemia (W) (C)	40 102								3 5	10 32	8 22	2 18	4 15	1							
147	Puerperal phlegmasia alba dolens, embolus, etc. (W) (C)	9 4								1 1	15 2	22 1	18 3	15 3	1							
148	Puerperal albuminuria and convulsions (W) (C)	52 120								10 36	14 27	12 13	5 14	12 22								1 3
	IX.—Diseases of the skin and of the cellular tissue (White) (Colored)	30 15	3	3			1			2		1	5	3	1	4					6 5	
151	Gangrene (W) (C)	4 7		1			1							1								2 4
152	Furuncle (W) (C)	12 2	1	1									1	2								
153	Acute abscess (W) (C)	4 2								1			1	2								1
154	Other diseases of the skin and annera (W) (C)	10 4	2	2						1			1									4 1
	X.—Diseases of the bones and of the organs of loco- motion (White) (Colored)	9 8	2		2	1	1		1	3		1			1							
155	Diseases of the bones (tubercu- culosis excepted) (W) (C)	9 5			2	1	1			3		1			1							
156	Diseases of the joints (tubercu- losis and rheumatism excepted) (W) (C)	3	1							2												
	XI.—Malformations (White) (Colored)	73 34	64 24	1 1	3 3	1 2	1 2		1 2		1			1								
159a	Congenital hydrocephalus (W) (C)	8 7	6 3		1 1		1 1		1													
159b	Congenital malformations of the heart (W) (C)	39 11	34 7	1	1	1					1		1									
159c	Other congenital malformations (W) (C)	28 16	24 14		1 1		1		2													
	XII.—Early infancy (White) (Colored)	448 333	448 333																			
160	Congenital debility, icterus, scler- emia (W) (C)	62 69	62 69																			
161a	Premature birth (W) (C)	300 201	300 201																			
161b	Injury at birth (W) (C)	61 27	61 27																			
162	Other diseases peculiar to early infancy (W) (C)	25 34	25 34																			
163	Lack of care (W) (C)	2	2																			
164	XIII.—Old age (se- nility) (White) (Colored)	129 311													2	5	13	114				3
	XIV.—External causes (White) (Colored)	642 958	29 46	14 17	9 23	19 20	16 13	29 49	25 40	64 120	57 130	43 85	49 71	80 135	61 75	41 35	37 38	57 43	12 18			
	Suicide (W) (C)	44 19								4 2	6 4	2 7	10 4	7 4	6	1	1	1				1
165	By poisons (gas or corrosives excepted) (W) (C)	1 1									1											
166	By corrosive substances (W) (C)	5 2									1	1	2	1								
168	By hanging or strangulation (W) (C)	1 6										1										
169	By drowning (W) (C)	2 2								1			2	1								1
170	By firearms (W) (C)	29 8								4 1	5 3	1 4	4 1	7 2	5	2						
171	By cutting or piercing instru- ments (W) (C)	4 1										1		1								
172	By jumping from high places (W) (C)	1 1												1								
174	By other means (W) (C)	2 84											1	1								
	Homicide (W) (C)	84 305	1					2		5 36	9 59	11 64	9 46	24 64	14 23	7 9	4 2	2 1	2 1			1 11
197	By firearms (W) (C)	69 240								5 27	6 45	10 36	8 39	19 51	14 21	4 7	2 1	1 1				1 10
198	By cutting or piercing instru- ments (W) (C)	4 39									2 7		4 9	1 11								
199	By other means (W) (C)	11 26								4 7	1 5	1 3	4 2	1 1	3							1
	Accidental or undefined (W) (C)	514 634	29 45	14 17	9 23	19 20	16 13	29 47	25 40	55 82	42 67	30 35	33 24	46 67	40 48	28 26	32 33	56 41	11 6			
175	Poisoning by food (W) (C)	17 1								1	1	2	2	1	1							
176	Poisoning by venomous ani- mals (W) (C)	1 1																				
177	Other acute poisonings (gas ex- cepted) (W) (C)	10 13								1	1	1	1	1	1							1

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	MONTANA—Continued														75 years and over	Age un-known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	VI.—Diseases of the digestive system.....	455	86	19	9	11	8	26	16	11	15	14	17	46	58	49	43	27	
108	Diseases of the mouth and annexa.....	1												1	2				
109b	Other diseases of the pharynx, tonsils.....	18	2		1	1		2	2	1	1	2	2	2	2				
111a	Ulcer of the stomach.....	27									2	2	2	4	5	5	6	1	
111b	Ulcer of the duodenum.....	7										2		1	2	1		1	
112	Other diseases of the stomach (cancer excepted).....	17	2			1				1	1				2		2	8	
113	Diarrhea and enteritis (under 2 years).....	95	79	16															
114	Diarrhea and enteritis (2 years and over).....	29			7	5	3	6	1	2				1	14	1	2	1	
117	Appendicitis and typhlitis.....	99		1			4	13	10	7	7	1	7	14	14		9	7	2
118a	Hernia.....	12									1		1	1	1	4	3	1	
118b	Intestinal obstruction.....	35	2	1	1			1	2			1	1	3	9	5	5	4	
119	Other diseases of the intestines.....	6									1			1		1	3	1	
120	Acute yellow atrophy of the liver.....	3												1				1	
122	Cirrhosis of the liver.....	38				1				1				5	8	10	8	5	
123	Biliary calculi.....	26										1	3	3	8	8	1	2	
124	Other diseases of the liver.....	29	1	1				3		2	4	1		6	3	3	5		
125	Diseases of the pancreas.....	5							1					1	2	1			
126	Peritonitis without specified cause.....	8				1		1						2	2	1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	367	4			1		2	7	7	3	10	11	34	44	81	79	83	1
128	Acute nephritis (including unspecified under 10 years).....	24	2			1		2	3	3		1		3	4	4	1		
129	Chronic nephritis (including unspecified 10 years and over).....	277							3	3	2	5	8	21	29	67	66	72	1
131	Other diseases of the kidneys and annexa.....	11								1	1	1		3	1		2	2	
132	Calculi of the urinary passages.....	5												1	2		2		
133	Diseases of the bladder.....	3	1											1		1			
134	Diseases of the urethra, etc.....	1														1	1		
135	Diseases of the prostate.....	23													1	6	8	8	
136	Nonvenereal diseases of the male genital organs.....	2	1															1	
137	Cysts, other benign tumors of the ovary.....	4							1			2			1				
138	Salpingitis and pelvic abscess (female).....	7									2		3	1	1	1			
139	Benign tumors of the uterus.....	7											2	4	1	1			
140	Nonpuerperal uterine hemorrhage.....	2							1						1				
141	Other diseases of the female genital organs.....	1										1							
	VIII.—The puerperal state.....	83							4	16	16	18	29						
143	Accidents of pregnancy.....	5									2	1	2						
144	Puerperal hemorrhage.....	9								1	1	3	4						
145	Other accidents of labor.....	8									1	2	5						
146	Puerperal septicemia.....	35							3	12	9	4	7						
147	Puerperal phlegmasia alba dolens, embolus, etc.....	6									1	3	2						
148	Puerperal albuminuria and convulsions.....	19							1	3	2	4	9						
149	Following childbirth (undefined).....	1										1							
	IX.—Diseases of the skin and of the cellular tissue.....	5													2	1	2		
151	Gangrene.....	3													1		2		
154	Other diseases of the skin and annexa.....	2													1	1			
	X.—Diseases of the bones and of the organs of locomotion.....	4				1				1				1			1		
155	Diseases of the bones (tuberculosis excepted).....	4				1				1				1			1		
	XI.—Malformations.....	47	43	1	1				1	1									
159a	Congenital hydrocephalus.....	7	5		1				1										
159b	Congenital malformations of the heart.....	28	26	1						1									
159c	Other congenital malformations.....	12	12																
	XII.—Early infancy.....	319	319																
160	Congenital debility, icterus, sclerema.....	45	45																
161a	Premature birth.....	193	193																
161b	Injury at birth.....	49	49																
162	Other diseases peculiar to early infancy.....	26	26																
163	Lack of care.....	1	1																
164	XIII.—Old age (senility).....	53													2	1	8	42	
	XIV.—External causes.....	658	11	15	8	6	13	20	34	31	43	53	50	114	102	78	60	24	1
	Suicide.....	102								2	10	5	5	22	22	20	15	1	
165	By poisons (gas or corrosives excepted).....	10											1	1	2	3	3		
166	By corrosive substances.....	15									3	1	1	4	3	2	1		
167	By poisonous gas.....	2												2					
168	By hanging or strangulation.....	8												2	1	4	1		
169	By drowning.....	2							1		1								
170	By firearms.....	58							1	7	3	3	10	14	11	8	1	1	
171	By cutting or piercing instruments.....	6											3	2					
173	By crushing.....	1																	
	Homicide.....	51				1					3	8	8	12	10	6	2		1
197	By firearms.....	45									3	7	8	9	10	5	2		
198	By cutting or piercing instruments.....	3												3					
199	By other means.....	3					1					1				1			

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEBRASKA—Continued																			
VI.—Diseases of the digestive system—Continued.																			
112	Other diseases of the stomach (cancer excepted)	51	7		1	4			1		1		1	1	2	7	8	18	
113	Diarrhea and enteritis (under 2 years)	232	174	58															
114	Diarrhea and enteritis (2 years and over)	133			37	20	13	4	2	1	2	18	1	6	7	6	13	21	
117	Appendicitis and typhlitis	270		5	5	5	4	27	26	27	28	18	24	32	21	26	15	7	
118a	Hernia	56	2					1			1		2	3	8	15	11	13	
118b	Intestinal obstruction	96	19	2	1	1	1	4	1	1	4	2	1	5	9	7	9	15	
119	Other diseases of the intestines	19											1	2	1		4	2	8
120	Acute yellow atrophy of the liver	7									1			4	7	15	30	18	
122	Cirrhosis of the liver	77						1		1		1		12	18	17	21	10	
123	Biliary calculi	80									1			3	10	15	15	11	15
124	Other diseases of the liver	74		1				1		1		2		1	1	3	2		
125	Diseases of the pancreas	7																	
126	Peritonitis without specified cause	22	1	1			1	2		5		1	1	2	3	4			1
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		1,082	4	1	1		2	8	10	4	18	17	23	66	103	153	289	361	2
128	Acute nephritis (including unspecified under 10 years)	56	2	1				6	3	1	2	2	4	4	6	7	9	9	
129	Chronic nephritis (including unspecified 10 years and over)	794					1	1	6	3	10	9	6	32	78	128	227	292	1
131	Other diseases of the kidneys and annexa	33	1				1	1			1		3	3	4	2	8	9	
132	Calculi of the urinary passage	10									1		1		1	3	1	2	
133	Diseases of the bladder	21	1												1	3	4	15	
134	Diseases of the urethra, etc.	4															1	4	
135	Diseases of the prostate	75													1	8	36	30	
136	Nonvenereal diseases of the male genital organs	1			1														
137	Cysts, other benign tumors of the ovary	11									1	1	3	2	1		1	2	
138	Salpingitis and pelvic abscess (female)	22									3	1	5	7	4		1	1	
139	Benign tumors of the uterus	29									2	2	1	16	5	2	1	1	1
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	5												2		2	1		
VIII.—The puerperal state																			
		167								16	43	25	48	33	2				
143	Accidents of pregnancy	18									4	5	7	2					
144	Puerperal hemorrhage	16									5	1	4	6	1				
145	Other accidents of labor	17								1	3	1	6	5	1				
146	Puerperal septicemia	65								6	22	10	18	9					
147	Puerperal phlegmasia alba dolens, embolus, etc.	9								1	3	2	2	1					
148	Puerperal albuminuria and convulsions	41								8	6	7	11	9					
149	Following childbirth (undefined)	1												1					
IX.—Diseases of the skin and of the cellular tissue																			
		41	5							1	1	1		5	1	4	9	14	
151	Gangrene	19												1	1	1	6	10	
152	Furuncle	5									1	1	1	2					
153	Acute abscess	4	1													1	1	1	
154	Other diseases of the skin and annexa	13	4											2		2	2	3	
X.—Diseases of the bones and of the organs of locomotion																			
		17					1	3	4	2				1	4	1		1	
155	Diseases of the bones (tuberculosis excepted)	14					1	3	4	2				1	2	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2													2				
158	Other diseases of the organs of locomotion	1																1	
XI.—Malformations																			
		204	194	4	2			1	1	2									
150a	Congenital hydrocephalus	16	13	2						1									
150b	Congenital malformations of the heart	115	110	1	2			1	1										
150c	Other congenital malformations	73	71	1						1									
XII.—Early infancy																			
		751	751																
160	Congenital debility, icterus, sclerema	86	86																
161a	Premature birth	493	493																
161b	Injury at birth	121	121																
162	Other diseases peculiar to early infancy	50	50																
163	Lack of care	1	1																
XIII.—Old age (senility)																			
		210															10	199	1
XIV.—External causes																			
		978	29	33	21	13	12	45	38	53	70	66	65	128	112	76	101	113	3
Suicide																			
		169						1	5	10	13	16	38	39	19	16	11	1	
165	By poisons (gas or corrosives excepted)	8											3	3	1	1			
166	By corrosive substances	9								1		1	1	3	1	1	1	1	
167	By poisonous gas	18								2	2	1	4	4	1	4			
168	By hanging or strangulation	34						1		3	3	3	3	9	8	3	1	3	
169	By drowning	9												2	4	2		1	
170	By firearms	76								2	5	8	9	16	16	7	7	5	1
171	By cutting or piercing instruments	7												3	1	2		1	
172	By jumping from high places	1													1				
173	By crushing	2														2			
174	By other means	5												1	1	3			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NEW HAMPSHIRE—Continued																			
VI.—Diseases of the digestive system—Continued.																			
120	Acute yellow atrophy of the liver.....	6											1	2	1		1		
122	Cirrhosis of the liver.....	30													5	3	6	11	
123	Biliary calculi.....	13										1		1	3	1	4	3	
124	Other diseases of the liver.....	17											1		5	2	4	4	1
125	Diseases of the pancreas.....	1												1					
126	Peritonitis without specified cause.....	11	1		1				2				1			2	2		
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		538	4					1	2		2	9	11	29	63	97	162	158	
128	Acute nephritis (including unspecified under 10 years).....	16	3					1	1			1		3	1	2	1	3	
129	Chronic nephritis (including unspecified 10 years and over).....	448							1		2	4	7	19	52	86	145	132	
131	Other diseases of the kidneys and annexa.....	8											1		3	3	1		
132	Calculi of the urinary passages.....	2															1	1	
133	Diseases of the bladder.....	5	1														1	3	
134	Diseases of the urethra, etc.....	2															1	1	
135	Diseases of the prostate.....	28															2	10	16
137	Cysts, other benign tumors of the ovary.....	7											1	1	2	2			1
138	Salpingitis and pelvic abscess (female).....	1											1	1					
139	Benign tumors of the uterus.....	10											1	1	2	2	2	1	1
141	Other diseases of the female genital organs.....	11											2		3	3	1	1	1
VIII.—The puerperal state																			
		67						1	2	16	19	9	18	2					
143	Accidents of pregnancy.....	7									1	2		4					
144	Puerperal hemorrhage.....	4										1	2						
145	Other accidents of labor.....	8							1		1	1	1	4					
146	Puerperal septicemia.....	26									8	7	4	5	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.....	3																	
148	Puerperal albuminuria and convulsions.....	19						1	1	4	8	2		3					
IX.—Diseases of the skin and of the cellular tissue																			
		30	3	1										1	2	6	6	11	
151	Gangrene.....	16														2	4	10	
152	Furuncle.....	3												1	1	1			
153	Acute abscess.....	4													1	2	1		
154	Other diseases of the skin and annexa.....	7	3	1												1	1	1	
X.—Diseases of the bones and of the organs of locomotion																			
		3						3											
155	Diseases of the bones (tuberculosis excepted).....	3						3											
XI.—Malformations																			
		80	71	2	1	1		1	1	1	1				1				
159a	Congenital hydrocephalus.....	12	8	2				1		1									
159b	Congenital malformations of the heart.....	42	37		1	1					1	1			1				
159c	Other congenital malformations.....	26	26																
XII.—Early infancy																			
		325	325																
160	Congenital debility, icterus, sclerema.....	54	54																
161a	Premature birth.....	194	194																
161b	Injury at birth.....	53	53																
162	Other diseases peculiar to early infancy.....	24	24																
164	XIII.—Old age (senility).....	116															2	10	101
XIV.—External causes																			
		442	8	7	8	8	8	29	21	20	27	18	18	34	47	52	34	97	6
Suicide																			
		56								1	8	2	2	5	9	10	10	7	2
165	By poisons (gas or corrosives excepted).....	3										1					1	1	
166	By corrosive substances.....	1													1				
167	By poisonous gas.....	4												2			1		
168	By hanging or strangulation.....	19								2		2	2	2	4	4	4	3	
169	By drowning.....	9								1				4	2	1	1	1	1
170	By firearms.....	17							1	4				1	1	3	3	3	1
171	By cutting or piercing instruments.....	3								1					1	1			
Homicide																			
		6												2	1	1		2	
197	By firearms.....	2													1			1	
198	By cutting or piercing instruments.....	2												1					
199	By other means.....	2																	
Accidental or undefined																			
		380	8	7	8	8	8	29	21	19	18	16	16	27	33	41	24	88	4
175	Poisoning by food.....	2																	
177	Other acute poisonings (gas excepted).....	7		2		2									1	2			
178	Conflagration.....	7	1	1	1	1										2			
179	Burns (conflagration excepted).....	27			3	3	2	4	2		1		2	1	1				7
180	Mechanical suffocation.....	3	3																
181	Absorption of irrespirable, irritating, or poisonous gas.....	9																	
182	Drowning.....	40		2	3		1	5	7	6	6	2	1	1	3	3	1	2	1
183	Traumatism by firearms (except in war).....	12							2	2	1	1	2			2	1	1	
184	Traumatism by cutting or piercing instruments.....	5		1															
185	Traumatism by fall.....	84	1			1			1		1	1			1	2	7	61	1
186b	Traumatism in quarries.....	2								1				1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW JERSEY—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	4,246	36	7	9	7	4	23	22	40	59	79	86	356	589	902	1,063	964	
128	Acute nephritis (including unspecified under 10 years).....	226	21	6	5	3	1	8	6	10	9	11	13	32	34	34	19	14	
129	Chronic nephritis (including unspecified 10 years and over).....	3,584	2		2	4	2	11	16	23	35	53	58	247	481	809	955	886	
131	Other diseases of the kidneys and annexa.....	63	7	1	1		1	4		5	3	2	2	10	7	8	9	3	
132	Calculi of the urinary passages.....	31								1		1		8	4	6	8	3	
133	Diseases of the bladder.....	28	1											3	5	3	6	10	
134	Diseases of the urethra, etc.....	13												1	4	6	2		
135	Diseases of the prostate.....	127									1			5	22	55	44		
136	Nonvenereal diseases of the male genital organs.....	11	5		1						1			1			3		
137	Cysts, other benign tumors of the ovary.....	15								1	1	1		3	6	1	2	1	
138	Salpingitis and pelvic abscess (female).....	44							1	6	6	8		13	9	1			
139	Benign tumors of the uterus.....	74									1	3		31	25	9	4	1	
141	Other diseases of the female genital organs.....	30									3	4	2	7	9	3		2	
	VIII.—The puerperal state.....	477								41	93	124	103	112	4				
143	Accidents of pregnancy.....	47								3	9	6	12	16	1				
144	Puerperal hemorrhage.....	43								5	8	19	10	1					
145	Other accidents of labor.....	54								4	11	11	13	14	1				
146	Puerperal septicemia.....	192								16	43	59	35	39					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	26								1	3	8	7	7					
148	Puerperal albuminuria and convulsions.....	113								17	22	32	15	26	1				
149	Following childbirth (undefined).....	1											1						
150	Puerperal diseases of the breast.....	1											1						
	IX.—Diseases of the skin and of the cellular tissue.....	131	29					3	3	3	2	2	6	9	12	17	16	29	
151	Gangrene.....	41	3					1	1					1	2	2	10	21	
152	Furuncle.....	27	4							2		1	4	3	2	6	2	3	
153	Acute abscess.....	41	11					2	2	1	2	1	2	3	6	5	2	4	
154	Other diseases of the skin and annexa.....	22	11											2	2	4	2	1	
	X.—Diseases of the bones and of the organs of locomotion.....	55	3		2	4		8	9	2	3		5	5	3	5	4	2	
155	Diseases of the bones (tuberculosis excepted).....	43	3		2	4		8	7	2	2		4	4	2	3	1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	9							2		1			1	1	2	2		
158	Other diseases of the organs of locomotion.....	3											1				1	1	
	XI.—Malformations.....	508	476	10	6	4	1	5	4	1					1				
159a	Congenital hydrocephalus.....	38	30	3	3	1		1											
159b	Congenital malformations of the heart.....	303	286	4	1	3	1	3	4	1									
159c	Other congenital malformations.....	167	160	3	2			1							1				
	XII.—Early infancy.....	1,945	1,945																
160	Congenital debility, icterus, sclerema.....	210	210																
161a	Premature birth.....	1,177	1,177																
161b	Injury at birth.....	364	364																
162	Other diseases peculiar to early infancy.....	191	191																
163	Lack of care.....	3	3																
164	XIII.—Old age (senility).....	206														4	23	179	
	XIV.—External causes.....	3,590	69	54	50	60	74	237	148	179	215	208	232	531	535	400	318	277	3
	Suicide.....	408							1	4	21	28	38	88	90	73	52	13	
165	By poisons (gas or corrosives excepted).....	14										4	1	1	4	2	2		
166	By corrosive substances.....	36									2	7	3	7	9	5	3		
167	By poisonous gas.....	121								1	7	10	7	24	22	30	19	1	
168	By hanging or strangulation.....	84								1	2	1	7	24	21	14	11	3	
169	By drowning.....	25								1	2	1	5	4	5	6	1	1	
170	By firearms.....	87										4	11	20	19	7	12	6	
171	By cutting or piercing instruments.....	23						1				1	3	7	7	7	4	1	
172	By jumping from high places.....	12								1	1	2	1	2	2	2		1	
173	By crushing.....	5											1	3	1				
174	By other means.....	1																	
	Homicide.....	185	5	2	1	1		3	3	10	26	30	29	50	9	11	5		
197	By firearms.....	95		2				2	1	6	17	12	16	28	6	4	1		
198	By cutting or piercing instruments.....	28							1	2	3	8	6	7		1			
199	By other means.....	62			1	1		1	1	2	6	10	7	15	3	6	4		
	Accidental or undefined.....	2,997	64	52	49	59	74	234	144	165	168	150	165	393	436	316	261	264	3
175	Poisoning by food.....	17			1		2	3		1		1		1	1	4	3		
177	Other acute poisonings (gas excepted).....	39	3	5	3	2	2				3	3	4	4	9	1	3		
178	Conflagration.....	44	4	2	1	2	2	5		3	2	1	4	8	6	1	2	1	
179	Burns (conflagration excepted).....	248	9	26	25	21	21	38	2	7	9	5	8	18	20	17	14	8	
180	Mechanical suffocation.....	30	16					2				1	2	5	2	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas.....	156				1	4			3	8	4	11	20	34	30	24	17	
182	Drowning.....	309	1	1	1	6	4	34	53	47	25	19	17	37	35	18	5	6	
183	Traumatism by firearms (except in war).....	42							6	7	12	3	4	3	2	3	2		
184	Traumatism by cutting or piercing instruments.....	23		1	1			1	1	1	1	1	3	2	5	2	4		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, AGE UN- KNOWN. Includes sub-sections II, III, IV, V, VI and various disease categories like Scurvy, Diabetes mellitus, etc.

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	NEW YORK—Continued														Age un- known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
VI.—Diseases of the digestive system—Continued																			
113	Diarrhea and enteritis (under 2 years).....	2,658	2,296	362															
114	Diarrhea and enteritis (2 years and over).....	472			76	49	23	36	13	3	9	11	10	25	37	45	52		
116	Diseases due to other intestinal parasites.....	12				1		1			2	3	3	1		1			
117	Appendicitis and typhlitis.....	1,739	6	7	36	36	33	155	119	123	114	121	162	276	249	177	94		
118a	Hernia.....	569	19	5						2	7	8	10	54	90	141	128		
118b	Intestinal obstruction.....	644	126	11	7	5	6	13	7	11	18	18	29	68	82	91	82		
119	Other diseases of the intestines.....	107	7	1		2	2	2	2	4	2	1	10	10	21	17	12		
120	Acute yellow atrophy of the liver.....	78	1					2	2	3	6	8	11	15	16	6	4		
121	Hydatid tumor of the liver.....	4										1		1		1			
122	Cirrhosis of the liver.....	1,080			1		2	2	4	2	7	8	24	150	242	321	212		
123	Biliary calculi.....	419									5	9	19	71	105	98	83		
124	Other diseases of the liver.....	511	3	1	2		1	3	3	5	11	18	21	61	106	130	94		
125	Diseases of the pancreas.....	87					1	1	1		2	5	4	16	23	22	11		
126	Peritonitis without specified cause.....	169	23	6	9	2	9	15	3	6	5	7	12	12	21	17	13		
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		14,181	64	19	15	7	12	47	65	104	164	211	347	1,163	1,978	2,994	3,644	3,340	
128	Acute nephritis (including unspecified under 10 years).....	413	23	9	6	5	9	19	16	23	15	20	28	49	55	50	49	36	
129	Chronic nephritis (including unspecified 10 years and over).....	12,127	3	3	2		2	19	48	67	95	123	228	872	1,673	2,692	3,287	3,007	
130	Chyluria.....	1												1					
131	Other diseases of the kidneys and annexa.....	302	27	7	6	2	1	8	1	3	12	11	16	34	42	50	45	37	
132	Calculi of the urinary passages.....	113			1						3	3	9	20	23	31	14	9	
133	Diseases of the bladder.....	60						1					2	3	5	12	10	27	
134	Diseases of the urethra, etc.....	33											2	4	3	9	4	2	
135	Diseases of the prostate.....	512								1				2	12	89	207	201	
136	Nonvenereal diseases of the male genital organs.....	15	8												1		4	1	
137	Cysts, other benign tumors of the ovary.....	98									6	8	5	14	33	14	12	6	
138	Salpingitis and pelvic abscess (female).....	174							8	25	32	27	53	19	7	1	2	2	
139	Benign tumors of the uterus.....	257								5	2	23	93	90	27	8	9	9	
140	Nonpuerperal uterine hemorrhage.....	2										1	1						
141	Other diseases of the female genital organs.....	70								2	3	9	4	18	15	13	3	3	
142	Nonpuerperal diseases of the breast (cancer excepted).....	4	3												1				
VIII.—The puerperal state																			
		1,369						1	72	234	330	351	372	9					
143	Accidents of pregnancy.....	122									4	18	30	34	34	2			
144	Puerperal hemorrhage.....	177									2	25	36	49	64	1			
145	Other accidents of labor.....	195									10	24	40	49	68	4			
146	Puerperal septicemia.....	525							1	32	112	132	132	114	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.....	67									9	19	20	19					
148	Puerperal albuminuria and convulsions.....	278							24	46	69	66	73						
149	Following childbirth (undefined).....	3									3								
150	Puerperal diseases of the breast.....	2									1	1							
IX.—Diseases of the skin and of the cellular tissue																			
		333	73	5	1	2		9	6	9	8	9	12	24	36	44	30	65	
151	Gangrene.....	93	4			2		2	1			1		4	6	8	16	49	
152	Furuncle.....	66	12	1				1	3	7	3	1	5	6	9	9	6	3	
153	Acute abscess.....	92	24	2				5	2	1	5	5	5	10	12	12	4	5	
154	Other diseases of the skin and annexa.....	82	33	2	1			1		1		2	2	4	9	15	4	8	
X.—Diseases of the bones and of the organs of locomotion																			
		163	9	2	2	8	3	20	31	5	5	7	7	9	10	21	17	7	
155	Diseases of the bones (tuberculosis excepted).....	138	8	1	1	8	1	17	28	4	4	7	6	9	7	18	14	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	23	1	1	1		2	3	3	1	1				3	3	3	1	
158	Other diseases of the organs of locomotion.....	2											1					1	
XI.—Malformations																			
		1,570	1,439	43	25	8	4	25	3	10	5	1	3	1	1	2			
159a	Congenital hydrocephalus.....	188	153	13	8	2	2	5		4			1						
159b	Congenital malformations of the heart.....	859	788	19	13	4	2	17	3	4	4	1	2			2			
159c	Other congenital malformations.....	523	498	11	4	2		3		2	1			1	1				
XII.—Early infancy																			
		6,478	6,478																
160	Congenital debility, icterus, sclerema.....	661	661																
161a	Premature birth.....	3,697	3,697																
161b	Injury at birth.....	1,491	1,491																
162	Other diseases peculiar to early infancy.....	620	620																
163	Lack of care.....	9	9																
XIII.—Old age (senility)																			
164		560														8	63	489	
XIV.—External causes																			
		11,364	173	156	129	179	173	650	346	476	706	716	761	1,770	1,636	1,445	1,052	981	15
Suicide																			
		1,666							3	28	92	151	157	341	357	315	168	50	4
165	By poisons (gas or corrosives excepted).....	64									1	5	5	8	18	15	4	6	2
166	By corrosive substances.....	144									4	15	28	17	33	20	19	8	
167	By poisonous gas.....	464									8	20	41	62	86	106	96	37	8
168	By hanging or strangulation.....	356								3	5	9	21	15	72	82	75	57	15
169	By drowning.....	92									1	3	7	3	20	25	17	11	5
170	By firearms.....	281									9	22	22	27	59	56	50	24	10
171	By cutting or piercing instruments.....	111										5	5	8	23	19	32	13	6

CAUSES OF DEATH, BY AGE

231

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	NORTH CAROLINA—Continued																	Age un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
I.—Epidemic, endemic, and infectious diseases—Contd.																				
25	Other epidemic and endemic diseases	2	1																	
28	Rabies	7		1		1	3	1										1		
29	Tetanus	18	2	1		1	1	3	7									1		
30	Mycoses	4	1															1		
	Tuberculosis (all forms)	1,355	20	15	5	4	4	9	8	63	170	239	164	226	166	116	104	38		
31	Of the respiratory system	1,439	12	13	6	8	3	14	8	211	330	229	146	176	123	73	24	11		
32	Of the meninges, central nervous system	1,235	7	3	2	1		4	5	60	162	228	152	215	154	107	94	37		
33	Of the intestines, peritoneum	1,304	6	8	4	6	1	10	42	197	304	214	134	157	117	69	22	10		
34	Of the vertebral column	38	8	10	2	2	3	2	2	2	2	1	1	2	2					
35	Of the joints	24	6	4	1	1		1	2	1	2	1	1	3	2					
36	Of other organs	44	3	1				1	1	4	5	6	7	5	7	5	4	1		
37a	Disseminated (acute)	52	1					1	6	8	11	5	4	10	2	1	1	1		
37b	Disseminated (chronic or unspecified)	16								1	1	1	1	1	2					
38	Syphilis	3			1						1	1					2			
40	Gonococcus infection	13	1	1				1			2	2	1	2			1			
41	Purulent infection, septicemia	20						1			4	4	1	2		2	2			
	II.—General diseases (White not included in Class I. Colored)	1,720	45	20	13	8	11	17	18	19	33	35	52	172	259	352	406	254		
		638	24	6	2	2	2	15	12	22	28	36	44	103	122	99	71	46		
	Cancer and other malignant tumors	1,020		4	2	3	3	2	2	5	6	11	19	87	163	223	282	205		
43	Of the buccal cavity	308	1	1				2		4	6	5	17	51	75	65	53	25		
44	Of the stomach, liver	8												1	5	7	8	13		
45	Of the peritoneum, intestines, rectum	345		1						2			2	1	3	3	3	7		
46	Of the female genital organs	30						1		1			1	7	28	24	22	14		
47	Of the breast	20								1			4	1	8	12	24	21		
48	Of the skin	179								1	2	2	1	1	3	4	3	5		
49	Of other or unspecified organs	93											4	6	24	50	44	38		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	90								1	2	2	3	25	26	19	8	1		
51	Acute rheumatic fever	40											1	1	2	15	28	16		
52	Chronic rheumatism, osteoarthritis, gout	67		2		1						1	4	9	8	6	8	4		
53	Scurvy	4											1	1	1	2	8	26		
54	Pellagra	219		1	2	2	2	2	2	6	2	6	18	26	41	58	41	58		
55	Rickets	53		1				2	3	3	2	3	6	7	8	9	9	7		
56	Diabetes mellitus	6			1			1	1				1	1	1	1	1	1		
57	Anemia, chlorosis	45		1	1	2	1	6	6	4	1	1	1	3	6	7	7	5		
58	Diseases of the pituitary gland	31						3	4	3	4	1	2	5	4	4	1	3		
59	Exophthalmic goiter	5						1					1	2	2	5	5	6		
60a	Other diseases of the thyroid gland	1												1	2	2	2			
60b	Diseases of the parathyroid glands	2																		
61	Diseases of the thymus gland	244		1				2	2	1	1	8	9	14	40	49	58	47		
62	Diseases of the adrenals (Addison's disease)	133						1	4	9	9	23	18	26	19	11	7	9		
63	Diseases of the spleen	13		2	1	1	1													
64	Leukemia	9																		
65a	Hodgkin's disease	161						4	4	5	9	6	4	14	19	33	42	20		
65b	Alcoholism (acute or chronic)	61						3	1	1	2	3	4	10	16	9	5	7		
66	Chronic lead poisoning	54		2	2			1	1	1	1	2	3	5	8	15	8			
67a	Other chronic mineral poisoning	14		1				1	1	1	1	1	2	1	2	1	1	1		
67b	Chronic poisoning by organic substances	1																		
68	Other general diseases	4												1	2					
69		46	26	5	3	1	3			1	1		1		3	1	2	3		
		23	7	2	2	1		2	2	1			1		2			3		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	NORTH CAROLINA—Continued																	75 years and over	Age un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years				
	III.—Diseases of the nervous system and of the organs of special sense	White 2,068 Colored 1,191	98	32	16	12	9	22	17	24	19	27	21	108	200	340	580	525	9		
70	Encephalitis	W 33 C 12	2	4		2	1	2	2	2	1	2	2	4	3	2	1	2			
71a	Simple meningitis	W 64 C 30	23	10	12	4	2	3	1	1	2	2	4	1	1	2	2	1			
71b	Nonepidemic cerebrospinal meningitis	W 20 C 5	8	4	3		2	1		1				1	2	4	1				
72	Tabes dorsalis (locomotor ataxia)	W 4 C 31		3		3			1	1	1	1	2	1	1	1	3	9	8		
73	Other diseases of the spinal cord	W 16 C 778	3	2	1			1	2	1	3	7	5	58	154	254	463	396	7		
74a	Cerebral hemorrhage	W 25 C 18	5		1			1	1	1	1	2	1	6	2	3	3	5	2		
74b	Cerebral embolism and thrombosis	W 232 C 187	1	1		1		2		2	1	1	1	3	10	38	82	91	1		
75	Paralysis without specified cause	W 20 C 187	1	1		1		2		2	2	1	1	6	18	23	45	53	1		
76	General paralysis of the insane	W 23 C 20									1	1	2	7	6	4	2	3			
77	Other forms of mental alienation	W 39 C 52								2	1	2	2	7	4	13	8	2			
78	Epilepsy	W 18 C 53	2	1	1		1	2	1	13	6	3	2	9	5	1	4	3	1		
79	Convulsions (nonpuerperal; years and over)	W 7 C 11						3	2	1	4	1	1	1							
80	Infantile convulsions (under years)	W 32 C 25	30	1	1		1														
81	Chorea	W 2 C 12																			
82	Neuralgia and neuritis	W 7 C 3						1					1			2	3	6	4		
83	Softening of the brain	W 64 C 21	7	1			2	2	3	1	2	2	6	9	6	11	4	8	1		
84	Other diseases of the nervous system	W 5 C 1	2	1				1	2	2	1	1	2	1	3	3	1	1			
85	Diseases of the eye and annexa	W 34 C 10	15	4	1	1	1	2	4	1		2	1	1	1	1	1	1			
86a	Diseases of the ear	W 21 C 4	3	1		1		5	3		1	1	2	2	2	2	1				
86b	Diseases of the mastoid process	W 2 C 1																			
	IV.—Diseases of the circulatory system	White 2,625 Colored 1,360	21	4	2	2	5	14	24	14	25	32	46	117	215	428	782	784	10		
87	Pericarditis	W 5 C 1									3	1	1		2	1	2	2			
88	Endocarditis and myocarditis (acute)	W 48 C 176	9	1	1	1		2	2	4	6	5	6	12	5	7	6	3			
89	Angina pectoris	W 39 C 2,059	10	3	2		5	12	21	12	18	23	37	83	167	344	645	668	9		
90	Other diseases of the heart	W 1,178 C 10	9	5	3	2		9	11	20	30	41	41	134	222	215	218	212	6		
91a	Aneurysm	W 10 C 142										3	3	2	1	5	1	1			
91b,c	Other diseases of the arteries	W 44 C 28								1		1		5	3	4	5	7	1		
92	Embolism and thrombosis (not cerebral)	W 4 C 4	1	1						1		1		2	1	1	1	1	1		
93	Diseases of the veins	W 5 C 2				1				1				1			1				
94	Diseases of the lymphatic system	W 3 C 9										1		2	1			1			
95	Hemorrhage without specified cause	W 29 C 17	2						1			1	2	1	4	6	8	10	1		
96	Other diseases of the circulatory system	W 1,609 C 1,110	390	126	49	27	13	41	34	49	40	35	46	90	100	124	189	254	2		
	V.—Diseases of the respiratory system	White 1,609 Colored 1,110	334	98	31	25	14	27	26	59	80	43	41	76	87	59	53	53	4		
97a	Diseases of the nasal fossae	W 6 C 13															1	1			
97b	Diseases of the nasal fossae annexa	W 7 C 7				1	1	1	2	1			3	2			1	1			
98	Diseases of the larynx	W 20 C 5	11	2	1	1		1	2							1	3	1			
99a	Acute bronchitis	W 8 C 23	2	4				1				1		1	2	3	7	1			
99b	Chronic bronchitis	W 8 C 15		2						1		1	1	1	1	1	1	1			
99c,d	Bronchitis (unspecified)	W 19 C 532	6	4	1	1		1	1	6	3	1	3	5	4	13	14	23	35		
100a	Broncho-pneumonia	W 2 C 358	2	2				2	6	7	10	7	4	10	7	8	9	12			
100b	Capillary bronchitis	W 12 C 706	7	2	1	7	5	18	24	38	23	25	32	56	66	72	107	115	1		
101a	Lobar pneumonia	W 455 C 196	64	25	4	3	8	8	14	41	57	29	31	51	54	32	27	21	4		
101b	Pneumonia (unspecified)	W 153 C 25	50	21	7	8	1	5	5	1	6	5	4	12	8	8	4	8			
102	Pleurisy	W 12 C 20	1	1	1		1	1	2		2	1	1	2	2	1	4	3			
103	Congestion and hemorrhagic infarct of the lung	W 7 C 1		4		1					1		1				1	3			
104	Gangrene of the lung	W 30 C 31		2				1	1				1	3	5	5	7	5			
105	Asthma	W 1 C 1		1	1	1			2	1			1	3	4	6	6	5			
106	Pulmonary emphysema	W 16 C 19	3		1			2		1	2		2	2	2	2	2	2			
107	Other diseases of the respiratory system (tuberculosis excepted)	W 1 C 1						1	1	1	1		2	1	4	2	1	1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	NORTH CAROLINA—Continued																
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
	VI.—Diseases of the digestive system	White 1,858 Colored 1,143	642	322	71	30	19	39	31	49	36	43	32	95	101	102	129	114	3
108	Diseases of the mouth and annexa	W 19 C 11	5	1	1			1				2	1	1	2	3	1	2	
109a	Adenoid vegetations	W 49 C 33	3	4	1	5	5	5	2			2	2	1	5	3	4	1	
109b	Other diseases of the pharynx and tonsils	W 39 C 1	1	1	1	2	1	9	2			2	2	6	5	3	1	1	
110	Diseases of the esophagus	W 39 C 2	1									2	2	8	5	6	6	7	
111a	Ulcer of the stomach	W 13 C 22										1	2	1	5	3	5	3	
111b	Ulcer of the duodenum	W 124 C 110	30	5	2	1		1	1	2	2	1	2	3	2	1	2	2	
112	Other diseases of the stomach (cancer excepted)	W 873 C 599	568	305	176	63	15	7	2	1			2	3	10	9	24	32	2
113	Diarrhea and enteritis (under 2 years)	W 174 C 76	423	176	63	25	7	2	6	2	1			7	5	1	7	7	1
114	Diarrhea and enteritis (2 years and over)	W 1 C 3				2			1										
115	Ancylostomiasis	W 216 C 102	3	1		2	5	16	19	35	25	19	11	32	20	12	13	2	1
116	Diseases due to other intestinal parasites	W 29 C 28						1	1					3	6	8	5	3	
117	Appendicitis and typhlitis	W 120 C 62	22	5	1	3	4	6	1	6	3	5	3	12	9	11	12	6	13
118a	Hernia	W 17 C 18	1	2				1		1		1		1	3	1	2	3	
118b	Intestinal obstruction	W 4 C 1																	
119	Other diseases of the intestines	W 59 C 41	1	2				2			1	2	2	6	9	17	15	9	
120	Acute yellow atrophy of the liver	W 41 C 33	2								1	2	2	3	6	4	11	8	
122	Cirrhosis of the liver	W 6 C 6	6	1	1				1	2	1	5	1	7	9	10	12	6	
123	Biliary calculi	W 18 C 6	1	1						1	2	2	2	3	3	1	4	1	
124	Other diseases of the liver	W 61 C 18	1	1					1	2	1	2	2	7	9	10	12	4	6
125	Diseases of the pancreas	W 2 C 16		1				1		1	1	1	1	2	2	3	1	3	
126	Peritonitis without specified cause	W 15 C 1	13	10	6	1	3	9	15	16	21	24	25	120	195	309	594	611	6
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 1,983 Colored 1,172	13	10	8	6	3	9	7	15	22	34	46	45	135	183	201	216	229
128	Acute nephritis (including unspecified under 10 years)	W 100 C 120	6	8	3	3	6	5	3	3	6	5	12	8	8	8	14	7	1
129	Chronic nephritis (including unspecified 10 years and over)	W 917 C 58	2	2	1	1	2	2	3	12	16	11	10	16	86	162	287	534	549
131	Other diseases of the kidneys and annexa	W 23 C 15	6	2	1	1	1	1	2	1	2	1	3	1	3	6	8	3	5
132	Calculi of the urinary passages	W 2 C 15									1			1	2	2	4	1	
133	Diseases of the bladder	W 12 C 1			1									1	1	1	4	3	10
134	Diseases of the urethra, etc.	W 10 C 66	2										1	2	2	2	25	34	1
135	Diseases of the prostate	W 35 C 9												1	4	5	10	10	1
137	Cysts, other benign tumors of the ovary	W 4 C 9							2	1	1	1	1	1	1	1	3	1	
138	Salpingitis and pelvic abscess (female)	W 18 C 12						1	3	1	5	3	1	5	3	1	1	1	
139	Benign tumors of the uterus	W 16 C 1							1	1	1	4	7	3	2	1	1	1	1
140	Nonpuerperal uterine hemorrhage	W 1 C 1													1	1	1	1	
141	Other diseases of the female genital organs	W 12 C 14							1	2	2	2	7	6	3	1	1	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	W 1 C 392								1	59	80	87	66	95	4			2
	VIII.—The puerperal state	White 333 Colored 23							3	81	92	47	38	68	2				
143	Accidents of pregnancy	W 23 C 20								2	5	5	4	9					
144	Puerperal hemorrhage	W 37 C 43								1	3	7	14	15					
145	Other accidents of labor	W 43 C 42								6	13	9	7	12	1				1
146	Puerperal septicemia	W 83 C 76							1	10	21	21	14	17					1
147	Puerperal phlegmasia alba dolens, embolus, etc.	W 18 C 10								2	4	4	6	2					
148	Puerperal albuminuria and convulsions	W 181 C 144							1	39	36	44	19	40	2				
149	Following childbirth (undefined)	W 1 C 4								2	50	45	6	25	1				
	IX.—Diseases of the skin and of the cellular tissue	White 50 Colored 30	9	2	1	1		2	2	2	1	1	4	5	3	4	7	8	
151	Gangrene	W 15 C 13	1											2	1	4	7		
152	Furuncle	W 11 C 11								1	1	1	3	2	1	2	4		
153	Acute abscess	W 11 C 10	1	1	1			1	1	1	1	1	1	1	1	1	1	1	
154	Other diseases of the skin and annexa	W 13 C 7	7	2	1			1	1					1	1	1	2	1	2

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	NORTH CAROLINA—Continued														75 years and over	AGE UN- KNOWN
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		
	X.—Diseases of the bones and of the organs of locomotion	White 30 Colored 10	2	1	1	1	2	3	6	1	1	1	2	1	3	4	1	
155	Diseases of the bones (tuberculosis excepted)	W 21 C 9	1	1	1	2	3	3			1		1	1	1	4	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 6 C 1	1				3	3		1		1						
158	Other diseases of the organs of locomotion	W 3										1			2			
	XI.—Malformations	White 269 Colored 56	246	4	2	1	3	7	3	1	1	1	1	1				
159a	Congenital hydrocephalus	W 32 C 7	28	2	1		1	2	1									
159b	Congenital malformations of the heart	W 133 C 17	118	2	1	1	1	5	3		1	1						
159c	Other congenital malformations	W 104 C 32	100	2			1	1					1					
	XII.—Early infancy	White 1,485 Colored 762	1,485															
160	Congenital debility, icterus, sclerema	W 183 C 158	183															
161a	Premature birth	W 1,062 C 498	1,062															
161b	Injury at birth	W 165 C 50	165															
162	Other diseases peculiar to early infancy	W 72 C 55	72															
163	Lack of care	W 3 C 1	3															
164	XIII.—Old age (senility)	White 276 Colored 286													2	4	42	228
	XIV.—External causes	White 1,321 Colored 825	53	30	43	34	32	77	55	98	118	96	82	145	134	85	106	128
	Suicide	W 112 C 16								8	11	10	11	19	25	10	15	3
165	By poisons (gas or corrosives excepted)	W 3 C 7								2				1				
166	By corrosive substances	W 9 C 2									2	1		2	2	1		
168	By hanging or strangulation	W 9 C 2											2	2	3	1		1
169	By drowning	W 1 C 1												1			1	
170	By firearms	W 85 C 10								6	8	9	8	14	18	8	12	2
171	By cutting or piercing instruments	W 6 C 1								1	3	1	1	2	2		3	
172	By jumping from high places	W 1 C 1									1							1
174	By other means	W 1 C 1																
	Homicide	W 90 C 170	1						1	5	13	15	11	22	15	4	2	1
197	By firearms	W 71 C 125	2		2			1	3	13	38	42	27	22	8	5	3	1
198	By cutting or piercing instruments	W 7 C 26			2					3	9	24	34	18	7	5	1	3
199	By other means	W 12 C 19	1							3	8	6	5	2	1	2		1
	Accidental or undefined	W 1,119 C 639	52	30	43	34	32	77	54	85	94	71	60	104	94	71	89	124
175	Poisoning by food	W 27 C 14	62	25	30	24	21	52	45	71	58	38	31	45	45	34	16	32
176	Poisoning by venomous animals	W 3 C 1	2	1	1		1			2	2		1	2	3	1		
177	Other acute poisonings (gas excepted)	W 18 C 17	3	5	3		1	1		2	2	1	2	1	1			
178	Conflagration	W 9 C 27	1	2	3	1	3	6	1	2	2	1	2	2	1	1	1	1
179	Burns (conflagration excepted)	W 117 C 142	4	10	18	17	13	21	5	1	6	2	1	2	4	2	8	2
180	Mechanical suffocation	W 35 C 38	30	10	19	16	10	22	7	8	6	5	2	4	7	4	2	12
181	Absorption of irrespirable, irritating, or poisonous gas	W 3 C 1	3										1		1	1		
182	Drowning	W 61 C 44		1	4	1	1	9	6	7	12	5	2	8	2	1	2	1
183	Traumatism by firearms (except in war)	W 55 C 60		2	3			3	11	13	4	3	1	1	3	1	1	1
184	Traumatism by cutting or piercing instruments	W 10 C 7		1	1		1	7	7	14	10	5	6	3	2	1	1	2
185	Traumatism by fall	W 163 C 31	2	3		1		4	2	4	4	2	2	10	5	14	25	86
186a	Traumatism in mines	W 28 C 27	3		1			2		1	5	6	4	7	3	1		1
187	Traumatism by machines	W 29 C 24							1	5	3	2	3	3	5	1		5
188a	Railroad accidents	W 80 C 45		1		1	1	3	2	7	8	5	9	15	14	4	6	4
	Collision with automobiles	W 19 C 12		1		1	1	3	2	4	9	4	4	4	5	1	1	1
	Other railroad accidents	W 61 C 33		1		1		2	2	7	5	3	6	12	9	3	6	4

CAUSES OF DEATH, BY AGE

235

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
NORTH CAROLINA—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188b	Street-car accidents	4											1				1	2	
	Collision with automobiles	1											1				1		
	Other street-car accidents	2												1				2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	302	1	2	7	5	9	27	15	35	26	30	19	23	38	30	22	13	1
	Airplane and balloon accidents	74	1	1	2	1	5	4	15	9	5	2	5	13	8	4	3	3	
188d	Injuries by other vehicles	1					2	1	1		2			1	2		5	1	
188e,f	Landslide, other crushing	17		1					1					3	1				
188g	Injuries by animals (not poisoning)	5	1	1					1	1				2	1				
189	Wounds of war	10						2					1						
190	Starvation (deprivation of food or water)	6				1													
191	Excessive cold	9																	
192	Excessive heat	4		2															
193	Lightning	19						2		2	3	1	4	2	1	2	1		
194	Other accidental electric shocks	11					1	1	1	2	1		4	3	1	1	1		1
195	Fracture (cause not specified)	16							1	1	1		1				4		8
196	Other external violence	72	5	4	2	2	1	3	8	4	5	6	1	12	1	7	4	2	1
201	XV.—Ill-defined diseases	1,181	556	38	9	6	5	8	2	10	6	7	11	37	49	88	165	179	5
	(White)	1,409	732	65	18	15	3	19	21	25	42	22	22	48	77	74	96	122	8
202	Sudden death	203	33	2						1		3	2	11	12	31	56	52	
	Ill-defined	114	20	3	1			2	2	2	5	3	3	9	18	16	14		
205a	Not specified or unknown	252	75	8	2	2	2	4	4	2	1	4	4	11	15	25	50	46	1
205b	(White)	165	36	16	4	2	1	4	4	5	7	3	8	9	15	15	23	13	
	(Colored)	726	448	28	7	4	3	4	2	5	4	3	5	15	22	32	69	81	4
	All causes	1,130	676	46	13	13	2	13	15	18	30	16	11	30	44	43	57	95	8

NORTH DAKOTA

All causes	5,045	1,036	118	69	64	55	161	155	139	196	151	159	333	413	531	749	707	9
I.—Epidemic, endemic, and infectious diseases																		
1	Typhoid and paratyphoid fever	24	1		1	1	2	3		4		3	2	5	1	1		
6	Smallpox	8	2	1						1		1	2					
7	Measles	9	4	1	1	2				1								
8	Scarlet fever	48	2	5	3	3	5	15	9	2		2	1					
9	Whooping cough	73	52	14	3	1	3	8										
10	Diphtheria	37	2	1	2	3	5	14	5	2		3						
11a	Influenza (with pulmonary complications)	60	4	1	2	1	2	1	1	3	2	3	7	4	6	9	12	
11b	Influenza (other and unspecified)	40	11	1		1		1	3	3			1	3	1	3	9	
13	Mumps	1																
16	Dysentery	13	6	1	1	1												
20	Leprosy	1																
21	Erysipelas	12	3				2	1								1	3	2
22	Acute anterior poliomyelitis	42	2	2			5	6	9	12	3	2	1					
23	Lethargic encephalitis	8					1			2			3	1				
24	Meningococcus meningitis	14	5	2			2		1	1			2	1				
25	Other epidemic and endemic diseases	4	3		1													
29	Tetanus	4																
30	Mycoses	3						3							1	1	1	
31	Tuberculosis (all forms)	318	4	5	1	2	3	7	18	29	50	35	37	50	32	25	15	5
32	Of the respiratory system	259	2			1	1	3	9	27	45	33	33	43	27	19	11	5
33	Of the meninges, central nervous system	18	2	5	1		2	1	4	1	1	1	2	3	2	1	2	
34	Of the intestines, peritoneum	16							2									
35	Of the vertebral column	6																
36	Of other organs	11				1		3	2	1	1			1	1		2	
37b	Disseminated (chronic or unspecified)	8						1			1	2	2	1	1			
38	Syphilis	6	1							1	1	2		1			2	
40	Gonococcus infection	5								1	1	2		1				
41	Purulent infection, septicemia	6	1				1		1	1				1				1
II.—General diseases not included in Class I.																		
	Cancer and other malignant tumors	406	1	2		1	2	3	1	3	1	10	30	70	92	114	75	1
43	Of the buccal cavity	8													3	2	3	
44	Of the stomach, liver	210												5	11	35	70	37
45	Of the peritoneum, intestines, rectum	49					1	1					2	6	7	5	17	10
46	Of the female genital organs	20											3	6	9	1	1	
47	Of the breast	31											3	5	11	6	5	4
48	Of the skin	6													3	1	2	
49	Of other or unspecified organs	82	1	2				2	2	1	3	1	2	8	22	18	19	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	1				1								1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age unknwn. Rows include VIII.—The puerperal state, IX.—Diseases of the skin and of the cellular tissue, X.—Diseases of the bones and of the organs of locomotion, XI.—Malformations, XII.—Early infancy, XIII.—Old age (senility), XIV.—External causes, XV.—Ill-defined diseases, Sudden death, Ill-defined, Not specified or unknown.

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns for List No., Cause of Death, All deaths, and age groups (Under 1 year to 75 years and over). Includes sub-sections for Pennsylvania (I. Epidemic, endemic, and infectious diseases; II. General diseases not included in Class I; III. Diseases of the nervous system and of the organs of special sense) and Infantile convulsions.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
RHODE ISLAND—Continued																			
	IV.—Diseases of the circulatory system	1,648	12	2	1	1	3	11	10	9	16	11	27	71	171	318	481	504	
87	Pericarditis	7		1												2	3	1	
88	Endocarditis and myocarditis (acute)	55	6					4	2	4	3	3	6	12	1	8	4	2	
89	Angina pectoris	118						1						3	13	32	44	25	
90	Other diseases of the heart	1,260	4		1	1	3	6	8	5	13	7	19	54	148	261	364	366	
91a	Aneurysm	7										1			3			1	
91b,c	Other diseases of the arteries	170													1	8	59	102	
92	Embolism and thrombosis (not cerebral)	25											2	2	4	3	7	7	
93	Diseases of the veins	3													1	2			
94	Diseases of the lymphatic system	3	2	1															
	V.—Diseases of the respiratory system	839	179	55	21	12	12	21	9	7	16	14	17	62	79	89	112	134	
97a	Diseases of the nasal fossae	1									1								
97b	Diseases of the nasal fossae annexa	4												2					
98	Diseases of the larynx	3		1		1	1									1	1		
99a	Acute bronchitis	23	10	1	1	1	1			1					1	1	1	5	
99b	Chronic bronchitis	15	1	2												2	4	8	
99c,d	Bronchitis (unspecified)	16	5													1	2	7	
100a	Broncho-pneumonia	246	77	22	11	3	4	7	1	1	4	1	3	13	15	20	28	36	
100b	Capillary bronchitis	4	2			1	1												
101a	Lobar pneumonia	443	72	25	9	5	3	12	7	4	7	11	14	39	50	59	61	65	
101b	Pneumonia (unspecified)	41	9	3		1		1	1	1	1	1		3	8	1	5	7	
102	Pleurisy	20	1	1			2	1	1		2	1		4	3	1	2	1	
103	Congestion and hemorrhagic infarct of the lung	9	1												1		3	4	
105	Asthma	8									1				1	2	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	6	2											1		1	2		
	VI.—Diseases of the digestive system	510	137	25	10	9	5	11	4	9	12	18	20	45	62	67	50	26	
108	Diseases of the mouth and annexe	3												2					
109b	Other diseases of the pharynx, tonsils	18	1	3	1	2	2	2	1	1		1		1	2			1	
111a	Ulcer of the stomach	49									1	2	3	10	14	9	8	2	
111b	Ulcer of the duodenum	12									1	1	2	2	5	1			
112	Other diseases of the stomach (cancer excepted)	35	14	2		1	1						1	4	1	4	5	2	
113	Diarrhea and enteritis (under 2 years)	131	113	18															
114	Diarrhea and enteritis (2 years and over)	16			5	1	1	2			1			1		1	1	3	
117	Appendicitis and typhlitis	85	1	1	2	3		6	3	7	8	9	9	11	14	5	6	4	
118a	Hernia	26												2	3	11	8	4	
118b	Intestinal obstruction	36	6		2	2	1				1				3	7	4	8	
119	Other diseases of the intestines	2		1											1				
120	Acute yellow atrophy of the liver	4						1										1	
121	Cystic tumor of the liver	1																	
122	Cirrhosis of the liver	35										1		2	8	16	6	2	
123	Biliary calculi	24										2		7	5	3	7		
124	Other diseases of the liver	24	1								1	1	2	2	4	8	2	3	
125	Diseases of the pancreas	3											1	1		1			
126	Peritonitis without specified cause	6	1							1					1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	898	4	2	4			5	7	11	12	11	15	79	124	174	231	210	
128	Acute nephritis (including unspecified under 10 years)	34	3	1	3			1		2	4	3	1	3	4	3	2	4	
129	Chronic nephritis (including unspecified 10 years and over)	768			1			3	7	6	6	6	7	64	112	150	206	191	
131	Other diseases of the kidneys and annexa	20		1				1			2			1	1	1	3	8	
132	Calculi of the urinary passages	3																	
133	Diseases of the bladder	5												1	1			3	
134	Diseases of the urethra, etc.	2	1																
135	Diseases of the prostate	33													1	4	16	12	
137	Cysts, other benign tumors of the ovary	4											1	1	1		1		
138	Salpingitis and pelvic abscess (female)	14								2		2	5	1	1	3	2	1	
139	Benign tumors of the uterus	8																	
141	Other diseases of the female genital organs	7								1				2	3		1		
	VIII.—The puerperal state	75								3	9	22	20	18	3				
143	Accidents of pregnancy	6										1	4	1					
144	Puerperal hemorrhage	13									1	4	3	4	1				
14	Other accidents of labor	11									2	4	2	2	1				
146	Puerperal septicemia	22								3	3	6	5	5					
147	Puerperal phlegmasia alba dolens, embolus, etc.	2										1		1					
148	Puerperal albuminuria and convulsions	21									3	6	6	5	1				
	IX.—Diseases of the skin and of the cellular tissue	24	4	1				1	1						6	1	5	5	
151	Gangrene	11							1						2	1	3	4	
152	Furuncle	4	2												2				
153	Acute abscess	6	1	1				1							1		1	1	
154	Other diseases of the skin and annexa	3	1												1				
	X.—Diseases of the bones and of the organs of locomotion	6						1	1	2						2			
155	Diseases of the bones (tuberculosis excepted)	5						1	1	2						1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
SOUTH CAROLINA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	945 1,162	40 87	7 9	2 4	4 6	2 4	17 13	5 11	10 29	13 24	13 24	20 34	51 148	108 248	172 216	260 168	221 134	---
70	Encephalitis	11 3	3	1				3	1			1			1		2		
71a	Simple meningitis	16 17	6 3		1		1	1	1	1	1	1	1	1					
71b	Nonepidemic cerebrospinal meningitis	10 1	3 1	1			1			1		2		3					
72	Tabes dorsalis (locomotor ataxia)	4 1						1											
73	Other diseases of the spinal cord	18 17	1					2				1		1	4	4	4	1	1
74a	Cerebral hemorrhage	620 648	2 2	2 1			1	1		3	3	1	10	30	74	137	189	167	1
74b	Cerebral embolism and thrombosis	15 7	1				1	2		7	10	7	13	92	171	144	116	75	1
75	Paralysis without specified cause	120 253					1	1		3	2	6	9	1	12	21	45	39	
76	General paralysis of the insane	13 23										1	2	27	53	58	40	52	1
77	Other forms of mental alienation	22 22									1	1	2	10	6	3	3	1	
78	Epilepsy	26 43	3 3		1		1	2	2	1	3	2	2	2	3	4	2	1	
79	Convulsions (nonpuerperal; years and over)	9 5																	
80	Infantile convulsions (under years)	20 76	17 67	2 6		1		5	1		1								
81	Chorea	1 1								1									
82	Neuralgia and neuritis	8 17	2										1	2	2	1	1	9	
83	Softening of the brain	3 3						2			3		1	3	4	5	4	1	
84	Other diseases of the nervous system	30 17	3 3	1				1				2	2	1	2	3	1	2	
85	Diseases of the eye and annexa	3 3			1							1							
86a	Diseases of the ear	11 3	1 1			2		3	1	3		1							
86b	Diseases of the mastoid process	3 3	2 3					2			1								
	IV.—Diseases of the circulatory system	1,187 1,526	8 4	2 5	2 2	1 5	1 2	3 9	6 14	7 32	10 51	11 66	22 65	71 225	124 325	211 269	378 234	325 215	5 3
87	Pericarditis	10										1		1		2	2	4	
88	Endocarditis and myocarditis (acute)	33 56		1		1	1	3	2	1	9	3	5	9	4	3	8	1	
89	Angina pectoris	120 42			1						1	1	1	10	13	30	35	29	1
90	Other diseases of the heart	889 1,263	8 3	1 5	2 1	1 3	1	5	6 11	7 30	9 41	5 55	16 57	43 180	89 277	153 219	289 195	253 179	4 1
91a	Aneurysm	16 29								1			2	3	4	3	1	3	
91b,c	Other diseases of the arteries	99 95											4	4	7	18	36	34	
92	Embolism and thrombosis (not cerebral)	13 5										1		2	3	3	2	3	
93	Diseases of the veins	2 2														1	1		
94	Diseases of the lymphatic system	1 2			1			1									1		
95	Hemorrhage without specified cause	2 5												1		1	1	1	
96	Other diseases of the circulatory system	12 17		1											3	2	5	2	
	V.—Diseases of the respiratory system	626 1,061	153 284	32 96	17 31	9 17	6 12	14 26	7 30	22 69	19 83	25 50	18 35	32 101	44 76	42 53	80 52	104 46	2
97a	Diseases of the nasal fossae	5 115	4 55		1				3	8	6	1	4	6	7	4	4	1	
97b	Diseases of the nasal fossae annexa	3 1	1		2					1			2						
98	Diseases of the larynx	1 8			1													3	
99a	Acute bronchitis	7 4		3	2									1			1		
99b	Chronic bronchitis	11 4		4										1	1	2	2	6	
99c,d	Bronchitis (unspecified)	10 11	4 3	2													1	5	
100a	Broncho-pneumonia	158 197	71 83	17 37	7 12	3 6	3 4	2 10	2 4	3 6	4 4	2 1		4 11	3 5	7 3	12 3	22 7	
100b	Capillary bronchitis	1 2		1															
101a	Lobar pneumonia	304 352	36 40	10 16	6 7	4 4	3 4	10 7	4 11	13 29	11 37	19 24	12 22	23 48	32 36	23 27	45 18	52 22	1
101b	Pneumonia (unspecified)	85 295	30 97	5 21	1 9	1 6	1 4	2 7	1 11	6 20	4 26	3 15	3 7	2 21	3 18	6 12	9 12	9 9	1
102	Pleurisy	13 20	1 1							1	3	3	1		2	1	2	2	
103	Congestion and hemorrhagic infarct of the lung	10 4	2		1						1			4	3	1	3	1	
104	Gangrene of the lung	3 2			1											1	1		
105	Asthma	8 26						1					1	1	1	1	3		
106	Pulmonary emphysema	1 1								1	2	1		5	3	1	7	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	6 24											1		3	1	1	1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
SOUTH CAROLINA—Continued																			
	VI.—Diseases of the digestive system. (White. Colored.)	767 1,033	255 390	147 161	31 46	13 16	8 10	17 27	20 27	24 22	10 31	12 21	11 29	46 71	43 72	41 48	51 32	38 28	2
103	Diseases of the mouth and annexa. (W. C.)	5 10				1		2			1	1	1	1					
109b	Other diseases of the pharynx, tonsils. (W. C.)	30 26	2 5	3 2	2 1	1 1	3 1	2 3	2 5	1 1	1 1	2 1	1 1	5 3	1 1	2 1	1 1	1 1	
110	Diseases of the esophagus. (W. C.)	1 18			1														
111a	Ulcer of the stomach. (W. C.)	16 7	1								1		1	5	7	4	2	2	2
111b	Ulcer of the duodenum. (W. C.)	3 64								2				2	4	1	2	2	1
112	Other diseases of the stomach (cancer excepted). (W. C.)	257 346	16 95	7 13	1 4	2 4	4 4	3	1	2	4	10	10	6	31	21	20	13	5
113	Diarrhea and enteritis (under 2 years). (W. C.)	417	215	131													12	18	1
114	Diarrhea and enteritis (2 years and over). (W. C.)	55 93			23 35	9 5	2 2	1 9	2 1	1 1	1 1	1 1	5	2 6	7	2 8	3 5	11 5	1
115	Ancylostomiasis. (W. C.)	2			1			1											
116	Diseases due to other intestinal parasites. (W. C.)	16 82	1	3	3	4	2	1	13	10	14	4	1	5	11	11	3	6	4
117	Appendicitis and typhlitis. (W. C.)	65 14		2					10	9	7	7	5	10	7	3	4	2	2
118a	Hernia. (W. C.)	20 57	3 13	2					1	1	2	2	2	2	4	4	2	3	5
118b	Intestinal obstruction. (W. C.)	43 7	6 2	1	2			2	4	3	2	5	1	4	4	4	5	6	3
119	Other diseases of the intestines. (W. C.)	7 7		1				1											1
120	Acute yellow atrophy of the liver. (W. C.)	5 22							1					1	1	2			4
122	Cirrhosis of the liver. (W. C.)	21 22								1	1		1	6	3	3	3	2	3
123	Biliary calculi. (W. C.)	3 18												2	2	4	1	1	3
124	Other diseases of the liver. (W. C.)	19 6	2	1	1		1	2	2	1	2	1	1	3	3	2	2	1	1
125	Diseases of the pancreas. (W. C.)	1 9								2	1				1				1
126	Peritonitis without specified cause. (W. C.)	10	1		1			1	2	1	1	3		2	1	1			1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa. (White. Colored.)	1,017 1,334	6 8	7 7	3 5	3 3	2 1	3 4	4 12	7 19	9 43	14 65	21 66	83 197	107 247	181 222	269 235	296 197	2
128	Acute nephritis (including unspecified under 10 years). (W. C.)	61 96	6 3	4 3	2 3	2 2	1		2	6	3	2	5	11	1	9	6	7	1
129	Chronic nephritis (including unspecified 10 years and over). (W. C.)	860 1,077			1		1		1	1	10	27	41	50	208	165	245	263	2
131	Other diseases of the kidneys and annexa. (W. C.)	40 74		3 4	1 1		1	2	1	1	2	1	3	6	9	6	5	4	2
132	Calculi of the urinary passages. (W. C.)	7 3	5	4	1									2	2	9	14	10	
133	Diseases of the bladder. (W. C.)	4 10													1	1	1	1	
134	Diseases of the urethra, etc. (W. C.)	9 30										3	1	1	3	1	1	4	
135	Diseases of the prostate. (W. C.)	12													1	2	10	18	
136	Nonvenereal diseases of the male genital organs. (W. C.)	1													1				
137	Cysts, other benign tumors of the ovary. (W. C.)	3 1												2	1				
138	Salpingitis and pelvic abscess (female). (W. C.)	5 18								2	3	3	2	3	2				
139	Benign tumors of the uterus. (W. C.)	7 15											1	1	9	2		1	
140	Nonpuerperal uterine hemorrhage. (W. C.)	2												1	1				
141	Other diseases of the female genital organs. (W. C.)	2								1	1	3	2	3	5				
142	Nonpuerperal diseases of the breast (cancer excepted). (W. C.)	16 1								1	1	3	2	3	5				
	VIII.—The puerperal state. (White. Colored.)	175 314							1 4	27 70	33 78	41 62	31 38	41 58	1 5				1
143	Accidents of pregnancy. (W. C.)	14 29									1 7	4 6	2 7	6 9	1				
144	Puerperal hemorrhage. (W. C.)	20 14								3	2	4	4	2	6				
145	Other accidents of labor. (W. C.)	23 55							1	4	4	4	5	5	3				
146	Puerperal septicemia. (W. C.)	32 79							1	13	13	7	5	13	3				
147	Puerperal phlegmasia alba dolens, embolus, etc. (W. C.)	4 5								4	8	7	7	6	1				
148	Puerperal albuminuria and convulsions. (W. C.)	82 131								16	17	19	13	17	1				
149	Following childbirth (undefined). (W. C.)	1							3	36	30	29	12	20					
	IX.—Diseases of the skin and of the cellular tissue. (White. Colored.)	17 27	4 3	1 1					2 1	1 4	1	2	1	2 5	5	4	1	2	
151	Gangrene. (W. C.)	11								1				2	4	1	1	2	
152	Furuncle. (W. C.)	4 1												1	1	2			
153	Acute abscess. (W. C.)	8 6		1					1	1	1	1	1	2	1				
154	Other diseases of the skin and annexa. (W. C.)	4 9		3	1						2			1			1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	SOUTH CAROLINA—Continued																	Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over				
	X.—Diseases of the bones and of the organs of locomotion	9 10						2	2		1	1	1		1				1		1	
155	Diseases of the bones (tuberculosis excepted)	7 5						1	2		1	1	1							1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2						1						1								
158	Other diseases of the organs of locomotion	5									1		1	1	1						1	
	XI.—Malformations	105 40	88 29	8 3		1 3		4 2	1 1	1 1	2											
159a	Congenital hydrocephalus	17 15	10 6	4 2				3 2	1 2		1 1	1	1									
159b	Congenital malformations of the heart	52 8	44 8	3 1		1		3	3		1	1										
159c	Other congenital malformations	36 17	34 15	1 1		1			1			1		1	1						1	
	XII.—Early infancy	687 975	687 975																			
160	Congenital debility, icterus, sclerema	93 247	93 247																			
161a	Premature birth	489 618	489 618																			
161b	Injury at birth	69 50	69 50																			
162	Other diseases peculiar to early infancy	36 53	36 53																			
163	Lack of care	7	7																			
164	XIII.—Old age (senility)	110 351																2	1	3	9	100
	XIV.—External causes	639 743	26 33	16 20	19 17	18 19	17 24	38 61	30 45	52 75	56 94	51 75	47 51	73 97	54 57	48 28	39 16	52 24	3	7		
	Suicide	49 9							1	3	2	3	6	8	9	10	6	1				
165	By poisons (gas or corrosives excepted)	2									1									1		
166	By corrosive substances	1										1										
167	By poisonous gas	1												1								
168	By hanging or strangulation	2										1	1									
169	By drowning	1										1	1									
170	By firearms	39 6						1	3	1	2	5	4	9	9	5						
171	By cutting or piercing instruments	3												2						1		
173	By crushing	1												1								
174	By other means	71						2	6	13	9	12	18	5	5	1						
	Homicide	146 60	1					3	3	16	30	21	19	34	7	5	4				2	
197	By firearms	109						3	3	12	19	20	14	26	5	5	1				1	
198	By cutting or piercing instruments	6								1	1	1	3	2	2							
199	By other means	15 5								1	6	1	3	3	1							
	Accidental or undefined	519 588	26 32	16 20	19 17	18 19	17 24	38 58	27 42	43 59	41 63	39 52	29 32	47 59	40 48	33 22	32 12	51 24	3	5		
175	Poisoning by food	15	2	4	1			1		1	1	1	1	2	2	1						
176	Poisoning by venomous animals	1	1																			
177	Other acute poisonings (gas excepted)	24 17	3 2	4 7	3 2	3 1	1 4			1 2		1 2		2 1		1	1					
178	Conflagration	1			1																	
179	Burns (conflagration excepted)	16 63	3 5	2 13	8 9	3 11	2 19	3 31	2 6	2 2	3 9		4	5	1	1	3	4	1	1		
180	Mechanical suffocation	11	10					1						1								
181	Absorption of irrespirable, irritating, or poisonous gas	3		1									1									
182	Drowning	32 54		2		1		2	3	5	4	3	2	7	2	1					2	
183	Traumatism by firearms (except in war)	30 50			1			1	1	6	1	9	5	2	5	2						
184	Traumatism by cutting or piercing instruments	7						2	1	1	1			1							1	
185	Traumatism by fall	70 38				1	1	1	2	2	2	4	1	2	2	3	10	3	41			
186b	Traumatism in quarries	3			1	2	1	2	4	2	1	2		6	4	2	3	5				
187	Traumatism by machines	14 20								1	3	1	2	2	1	2	1				18	
188a	Railroad accidents	47 32			1			1	2	3	5	3	4	8	10	6	2	2	2	2	28	
	Collision with automobiles	2								1				3	3	2					3	
	Other railroad accidents	33 30								2	2	3	3	8	7	4	1	1	1	1	24	
188b	Street-car accidents	4 3		1							1			1							24	
	Collision with automobiles	1												1							24	
	Other street-car accidents	3		1						1				1	1						24	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	SOUTH CAROLINA—Continued														75 years and over	Total
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		
XIV.—External causes—Contd.																		
Accidental or undefined—Continued.																		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W 116 C 63	2	2	1	7	12	8	16	12	12	11	4	8	10	10	1	
188d	Airplane and balloon accidents	W 2 C 8																
188e,f	Injuries by other vehicles	W 10 C 6					1		2	1	1		3	4	1		2	
188g	Landslide, other crushing	W 4 C 6																
189	Injuries by animals (not poisoning)	W 2 C 5						2		1				1	1			
193	Excessive cold	W 2 C 4	1											1			1	
194	Excessive heat	W 4 C 6		1										1	1	2	1	
195	Lightning	W 6 C 26						1	2	1	1	1	1	3	6	1	1	
196	Other accidental electric shocks	W 11 C 3						1		2	1	2	1	1	1			
201	Fracture (cause not specified)	W 5 C 2		1					1								3	
202	Other external violence	W 35 C 53	3	2	2	1	1	2	5	1	3	6	5	7	5	2	1	2
XV.—Ill-defined diseases		White 267 Colored 1,093	113	8	5	1	2	2	5	2	4	5	4	9	22	19	30	33
204	Sudden death	W 41 C 53	7	1				2	1	2	1	2	1	3	5	6	11	5
205a	Ill-defined	W 76 C 476	20	3	3	8	6	8	7	12	20	13	14	44	40	36	48	14
205b	Not specified or unknown	W 150 C 564	86	4	2	1	2	1	2	1	2	2	2	12	6	9	14	8

TENNESSEE

All causes		White	Colored	19,404	2,930	658	307	170	153	373	345	666	778	722	705	1,437	1,707	2,050	2,987	3,380	36
		White	Colored	8,430	1,048	220	93	50	42	168	201	489	609	541	500	1,010	1,104	944	690	694	27
I.—Epidemic, endemic, and infectious diseases		White 4,345 Colored 2,332	White 331 Colored 161	202	112	78	53	123	107	293	350	330	300	449	398	378	405	425	11	3	
1	Typhoid and paratyphoid fever	W 466 C 187	5	4	9	1	8	28	59	103	71	49	31	35	27	21	10	4	1		
5	Malaria	W 91 C 64	9	2	7	3	2	27	31	49	22	18	6	14	6	3	2	7	9		
6	Smallpox	W 3 C 2	2					4	5	2	8	6	4	5	3	7	2	3	1		
7	Measles	W 49 C 11	5	15	8	2	1	3	1	3	1			2	1	3	2	1	1		
8	Scarlet fever	W 28 C 6	1	5	4	5	2	3	4	3				1							
9	Whooping cough	W 135 C 50	76	33	14	6	2	4	1	2											
10	Diphtheria	W 163 C 23	26	31	24	29	19	26	2	1				1		3		1	1		
11a	Influenza (with pulmonary complications)	W 565 C 296	61	28	10	17	5	5	6	16	16	14	16	53	54	60	83	121			
11b	Influenza (other and unspecified)	W 320 C 163	34	16	6	2	4	11	6	10	6	2	3	16	15	27	61	104			
13	Mumps	W 2 C 1	1					1	1	1											
15	Cholera nostras	W 12 C 1	2	4	1									1	1	1		1	1		
16	Dysentery	W 151 C 56	25	25	8	2	3	1	2	1	2	1	1	6	9	12	17	42			
21	Erysipelas	W 40 C 4	10	1	1			1		1	1			2	3	5	7	6	6		
22	Acute anterior poliomyelitis	W 32 C 3	6	5	7	1	3	6	1	2						1					
23	Lethargic encephalitis	W 20 C 2	1	1	1			1			1	2	1	2	4	2	2	2			
24	Meningococcus meningitis	W 24 C 9	4	3	1	3	1	1	3	2	1		2	2	1						
25	Other epidemic and endemic diseases	W 1 C 6			1		1	2	1		1						1				
28	Rabies	W 34 C 10	6	1	1		6	4	1	3	2	4	1	3	2	1	2				
29	Tetanus	W 10 C 4						2	1	1	1			1	1	2	1	1			
30	Mycoses	W 2,102 C 1,206	42	24	9	7	5	17	18	187	232	247	220	306	259	231	209	130	9		
Tuberculosis (all forms)		White 1,839 Colored 1,119	18	19	7	5	2	28	50	180	228	191	145	177	117	57	30	8	1		
31	Of the respiratory system	W 88 C 23	28	12	4	2	4	7	12	124	215	233	196	280	232	206	185	113	8		
32	Of the meninges, central nervous system	W 8 C 3	3	2	1			5	2	5	4	1	4	6	4	3			1		
33	Of the intestines, peritoneum	W 12 C 47	1		1			2	2	3	5	5	10	13	15	15	16	11	1		
34	Of the vertebral column	W 12 C 9						2	2	2	1	1	1	1	2	1	2	1	1		
35	Of the joints	W 3 C 28								1	1	1		1	3	1	2		2		
36	Of other organs	W 15 C 15	5	1	1			2	2	1	1	1	2	5	3	2	2	3			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns for List No., Cause of Death, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 64 years, 65 to 74 years, 75 years and over, and Age unknown. The table is divided into sections I, II, and III, with 'TENNESSEE—Continued' centered above the data. Section I covers epidemic and infectious diseases, Section II covers general diseases, and Section III covers diseases of the nervous system and organs of special sense.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown	
																				TENNESSEE—Continued
III.—Diseases of the nervous system and of the organs of special sense—Continued.																				
82	Neuralgia and neuritis.....	W C	12 1					1				1	1				1	5	4	
83	Softening of the brain.....	W C	26 1											2		2	4	18		
84	Other diseases of the nervous system.....	W C	80 24	1	2			4	2	2	3	3	4	2	2	14	8	23	12	
85	Diseases of the eye and annexa.....	W C	2 5		1								2	1	3	1	2	1		
86a	Diseases of the ear.....	W C	29 5	6	1			3	3	4	1				1	1	2	2	1	
86b	Diseases of the mastoid process.....	W C	22 5	2	1			3	2	3	2		1	1	1	1	1	1		
IV.—Diseases of the circulatory system.....		White Colored	2,074 978	13 3	3 3	2 1	1 1	6 8	9 8	16 8	23 12	27 16	18 32	23 33	97 133	183 219	304 200	628 174	720 137	1 6
87	Pericarditis.....	W C	17 6							1	2				2		8	4		
88	Endocarditis and myocarditis (acute).....	W C	65 35	3		1	1	3	5	3	5	6	7	17	6	1	4	3		
89	Angina pectoris.....	W C	161 24		1			1			1	1	1	8	10	33	59	39		
90	Other diseases of the heart.....	W C	1,637 860	8	3	1	1	4	6	10	18	20	11	15	66	156	242	493	583	
91a	Aneurysm.....	W C	19 12						1					1	4	3	2	4	5	
91b,c	Other diseases of the arteries.....	W C	153 28							1				1	3	21	49	79		
92	Embolism and thrombosis (not cerebral).....	W C	19 4			1				1					3	2	1	7	4	
93	Diseases of the veins.....	W C	1 1												1		1			
94	Diseases of the lymphatic system.....	W C	2 2	1		1												1		
95	Hemorrhage without specified cause.....	W C	4 3	1		1							1			1		1		
96	Other diseases of the circulatory system.....	W C	6 3													3	2	1		
V.—Diseases of the respiratory system.....		White Colored	1,539 842	276 173	73 61	41 26	21 10	19 9	23 18	29 21	41 50	49 51	38 34	38 38	93 93	100 75	137 90	233 53	326 38	2 2
97a	Diseases of the nasal fossae.....	W C	4 4	2															2	
97b	Diseases of the nasal fossae annexa.....	W C	11 9	1		1			1	1	1	1	2		1	1	1			
98	Diseases of the larynx.....	W C	9 13	3	1	1					1		2							
99a	Acute bronchitis.....	W C	13 13	3	3	2					1			3	1		2	7		
99b	Chronic bronchitis.....	W C	31 7	3						1		1	2	1	3	3	10	13		
99c,d	Bronchitis (unspecified).....	W C	24 9	4					1		1			1	2	2	2	14		
100a	Broncho-pneumonia.....	W C	530 302	162 113	41 33	20 17	13 8	9 7	8 8	11 6	7 7	11 8	4 4	7 7	18 22	12 14	32 24	64 18	110 10	1 1
100b	Capillary bronchitis.....	W C	7 4	4	1				1		1							1		
101a	Lobar pneumonia.....	W C	716 419	63 34	20 16	11 6	5 2	7 7	12 12	15 41	25 38	32 29	26 25	25 25	61 56	68 48	82 53	122 26	141 21	1 1
101b	Pneumonia (unspecified).....	W C	95 33	23 11	9 5	7 1	1 2	2 2	2 1	2 2	2 1	2 2	2 2	2 4	5 4	6 1	5 4	8 1	16 1	1 1
102	Pleurisy.....	W C	32 26	2	2	1	1	2		2	2	2	2	2	3	6	4	3	3	
103	Congestion and hemorrhagic infarct of the lung.....	W C	17 3	3	1									1	1	1	1	1	1	
104	Gangrene of the lung.....	W C	1 1															1		
105	Asthma.....	W C	20 10	1		1									1	3	9	6		
106	Pulmonary emphysema.....	W C	1 1						1								1	4		
107	Other diseases of the respiratory system (tuberculosis excepted).....	W C	28 11		1					3	2	2		4	3	1	7	5		
VI.—Diseases of the digestive system.....		White Colored	1,995 648	549 154	271 50	73 10	21 2	22 2	66 12	62 23	56 44	44 39	56 24	46 35	121 70	137 86	153 49	166 42	159 33	3 3
108	Diseases of the mouth and annexa.....	W C	24 7	3	1	1	1	1		1	2	1	1	2	4	3	3	1	1	
109a	Adenoid vegetations.....	W C	1 1				1													
109b	Other diseases of the pharynx, tonsils.....	W C	52 8	5	3		3	3	7	2	3	4	5	6	3	3	1	3	1	
110	Diseases of the esophagus.....	W C	1 1								1									
111a	Ulcer of the stomach.....	W C	54 23		1				1	1	3	1	2	2	13	9	10	5	3	
111b	Ulcer of the duodenum.....	W C	26 6							1	1	1	2	2	7	7	5	3		
112	Other diseases of the stomach (cancer excepted).....	W C	153 118	34 9	11 1	5	1	5	4	4	1	2	3	6	13	11	24	29	1	
113	Diarrhea and enteritis (under 2 years).....	W C	735 184	483 139	252 45															
114	Diarrhea and enteritis (2 years and over).....	W C	262 59			66 9	5 2	20 3	6 1	7 1	2 4	8 2	4 1	8 9	9 8	17 6	44 7	55 7	3 1	
117	Appendicitis and typhlitis.....	W C	257 84		1		2	2	24	38	35	20	27	18	36	23	20	8	3	
118a	Hernia.....	W C	40 22	2	1				2	6	11	19	1	1	6	5	5	11	7	
118b	Intestinal obstruction.....	W C	118 42	15 4	2		4	4	4	7	2	4	7	3	10	16	11	13	16	
119	Other diseases of the intestines.....	W C	12 9						1	1	2		1	1	2	3	4	1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

TENNESSEE—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
XIV.—External causes—Contd.																			
196	Accidental or undefined—Continued.	15 4																	
	Other accidental electric shocks.....									6	2			7					
201	Fracture (cause not specified).....	16					1		1	1				1	1	1	5	6	
	Other external violence.....	120 30	1 2	4 2	3 1	4 1	1	8	11	15	7	7	7	10	14	8	12		1
XV.—Ill-defined dis-eases.....																			
		1, 120	450	31	14	8	6	9	5	13	12	10	17	41	72	84	156	185	7
		653	241	19	6	2	7	7	11	14	15	24	12	38	64	61	44	83	5
204	Sudden death.....	144 64	13 6			1	1		2			2	3	8	17	20	42	36	
205a	Ill-defined.....	179	50	10	2	1		1	1	2	5	5	3	10	18	22	26	22	1
	Not specified or unknown.....	70 797	13 388	6 21	1 11				2	1	1	1	1	8	10	10	9	8	
205b		519	222	13	5	2	6	7	8	11	13	22	6	26	42	36	28	68	4

UTAH

	All causes.....	4, 484	766	121	66	35	26	120	129	155	133	139	163	410	445	489	627	647	13
I.—Epidemic, endemic, and infectious diseases.....																			
		477	84	35	15	13	4	25	28	17	18	22	25	60	57	27	22	23	2
1	Typhoid and paratyphoid fever.....	26	1	1	1				6	3	3	3	2	3	1	1	1		
8	Scarlet fever.....	4	1					1	1										
9	Whooping cough.....	35	22	9	2	1		1											
10	Diphtheria.....	49	1	4	4	8	3	12	8	3	1	1		2		2			
11a	Influenza (with pulmonary complications)	81	20	7	4	1		2	2	1	2	5	5	3	10	4	3	12	
11b	Influenza (other and unspecified).....	47	14	4	2	1		2	3	1		3	1	2	6	1	2	5	
13	Mumps.....	1														1			
16	Dysentery.....	5	2	3															
19	Spirochetel hemorrhagic jaundice.....	2		1					1										
21	Erysipelas.....	16	10	2		1								2			1		
23	Lethargic encephalitis.....	10	1	1								1	2	3	2				
24	Meningococcus meningitis.....	27	3	1	1	1		4	5	2	6	1	1	2		2			
25	Other epidemic and endemic diseases.....	2	1																
29	Tetanus.....	1						1											
30	Mycoses.....	1																	
	Tuberculosis (all forms).....	149	3	2			1	1	1	7	6	7	12	44	31	12	15	6	1
31	Of the respiratory system.....	128	1	2			1			6	5	6	9	39	27	11	14	5	1
32	Of the meninges, central nervous system	3								1		1				1			
33	Of the intestines, peritoneum.....	11										1	3	4	3				
35	Of the joints.....	2												1				1	
36	Of other organs.....	3	1					1									1		
37a	Disseminated (acute).....	1												1					
37b	Disseminated (chronic or unspecified)	1																	
38	Syphilis.....	13	3										2	1	3	4			
40	Gonococcus infection.....	2										1	1	1					
41	Purulent infection, septicemia.....	6	2					1	1				1	1					
II.—General diseases not included in Class I.....																			
		499	16	1	3	3	2	3	4	4	5	7	18	47	77	126	117	66	
Cancer and other malignant tumors.....																			
43	Of the buccal cavity.....	16	1							2	1		10	29	55	85	84	56	
44	Of the stomach, liver.....	138	1										2	6	22	39	44	24	
45	Of the peritoneum, intestines, rectum	43																	
46	Of the female genital organs.....	26								1				7	5	19	5	7	
47	Of the breast.....	25											2	3	9	3	6	2	
48	Of the skin.....	6											1	6	10	3	3	2	
49	Of other or unspecified organs.....	69								1	1			5	4	7	19	10	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	1																
51	Acute rheumatic fever.....	11				1	1	2	2							2	1		
52	Chronic rheumatism, osteoarthritis, gout	8											1			2	2		
54	Pellagra.....	2												1					
56	Rickets.....	4	3																
57	Diabetes mellitus.....	53			1				1	2	1	2		3	2	16	18	8	
58	Anemia, chlorosis.....	28				1	1					1	2	1	4	8	8	1	
59	Diseases of the pituitary gland.....	1												1					
60a	Exophthalmic goiter.....	18									1	2	2	3	4	5	1		
60b	Other diseases of the thyroid gland.....	4			1									1	1				
62	Diseases of the thymus gland.....	4	4											1	1				
63	Diseases of the adrenals (Addison's disease)	7										1	3	1	2	2	1		
65a	Leukemia.....	7		1				1			2			3	1	1	1		
65b	Hodgkin's disease.....	2											1	1					
66	Alcoholism (acute or chronic).....	11												4	4	2		1	
67a	Chronic lead poisoning.....	2												1	1				
69	Other general diseases.....	10	7		1	1													
III.—Diseases of the nervous system and of the organs of special sense.....																			
		391	21	8	3			7	9	9	7	7	3	31	44	61	98	78	5
70	Encephalitis.....	13	1	3				1	1			1		2	2		1	1	
71a	Simple meningitis.....	12	3	1	2			1				1		2	1				
71b	Non-epidemic cerebrospinal meningitis	8	2	1				1	3	2									
72	Tabes dorsalis (locomotor ataxia).....	1																	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	UTAH—Continued														75 years and over	AGE UN-RECORDED	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
73	Other diseases of the spinal cord.....	10								1	1			1	1		2	4	
74a	Cerebral hemorrhage.....	229							1	1			2		10	22	46	80	67
74b	Cerebral embolism and thrombosis.....	8								1				2	1	2			2
75	Paralysis without specified cause.....	6													1	3			2
76	General paralysis of the insane.....	11												1	2	3	3		2
77	Other forms of mental alienation.....	26												1	5	7	3	5	2
78	Epilepsy.....	15						1	2	2					3	1	1	3	1
79	Convulsions (nonpuerperal; 5 years and over).....	1																	1
80	Infantile convulsions (under 5 years).....	9	9																
81	Chorea.....	1							1										
82	Neuralgia and neuritis.....	2													1			1	
84	Other diseases of the nervous system.....	21	1	1				1	1	1	3	1	1	1	2	1	1	4	3
86a	Diseases of the ear.....	14	5	1				3		1	1	1			2	1			
86b	Diseases of the mastoid process.....	4		1	1							1			1				
	IV.—Diseases of the circulatory system	642	7	2	1		1	11	20	20	19	13	22	56	80	84	132	172	2
87	Pericarditis.....	1	1																
88	Endocarditis and myocarditis (acute).....	48	3					2	4	1	5	3	1	3	2	7	7	5	
89	Angina pectoris.....	48									1			5	10	5	13	14	
90	Other diseases of the heart.....	499	2	2			1	9	16	19	12	10	21	43	63	66	100	133	2
91a	Aneurysm.....	4													1				1
91b,c	Other diseases of the arteries.....	32													2	4	9	17	
92	Embolism and thrombosis (not cerebral).....	6								1					1	1	1	2	
93	Diseases of the veins.....	2													1	1			
94	Diseases of the lymphatic system.....	1	1																
95	Hemorrhage without specified cause.....	1			1														
	V.—Diseases of the respiratory system	451	105	28	11	5	4	12	10	18	7	14	14	24	30	37	52	78	2
97b	Diseases of the nasal fossae and annexe.....	5							1	3									
98	Diseases of the larynx.....	5		1		1	1	1									1		
99a	Acute bronchitis.....	11	2		1										1			4	
99b	Chronic bronchitis.....	3															1		2
99c,d	Bronchitis (unspecified).....	2	1																1
100a	Broncho-pneumonia.....	188	81	21	7	2	2	4	2	1			1	5	6	6	11	39	
100b	Capillary bronchitis.....	3	2					1											
101a	Lobar pneumonia.....	178	8	5	3	1	1	3	7	12	4	9	13	15	16	26	29	25	1
101b	Pneumonia (unspecified).....	23	8					1		1	2	1	1	1	3	1	3	2	
102	Pleurisy.....	9	1					2				1				1		2	
103	Congestion and hemorrhagic infarct of the lung.....	3	1															2	
105	Asthma.....	10		1											1	1	5	1	1
106	Pulmonary emphysema.....	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted).....	10	1								1			3	3	2			
	VI.—Diseases of the digestive system	413	72	24	13	6	6	20	20	26	14	12	13	48	48	37	31	22	1
108	Diseases of the mouth and annexe.....	4												2	1			1	
109b	Other diseases of the pharynx, tonsils.....	29	4	2	3	1	1	6	2	2	1	1		2	1		2	1	
111a	Ulcer of the stomach.....	20													6	5	2	4	1
111b	Ulcer of the duodenum.....	9											1	2	1	3	1		
112	Other diseases of the stomach (cancer excepted).....	25	7		1									1	3	6	4	3	
113	Diarrhea and enteritis (under 2 years).....	69	51	18															
114	Diarrhea and enteritis (2 years and over).....	23			8	2				1	1				3	1	3	4	
117	Appendicitis and typhlitis.....	113	2	1		2	5	12	15	19	8	10	4	11	12	11	1	1	1
118a	Hernia.....	17	2	1						1			1	2	6	1	2	1	
118b	Intestinal obstruction.....	34	7		1			1	2	2	1	1		5	7	1	2	4	
119	Other diseases of the intestines.....	8												5	1	1	1		
120	Acute yellow atrophy of the liver.....	4										1		2	1				
122	Cirrhosis of the liver.....	12												2	1	1	4	4	
123	Biliary calculi.....	12												2	2	3	4	1	
124	Other diseases of the liver.....	16												2	2	4	5	1	
125	Diseases of the pancreas.....	6									1		1	2	1				
126	Peritonitis without specified cause.....	12	1	2		1		1	1		1			4	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexe	421	2		2		2	4	6	8	9	14	18	35	37	70	111	103	
128	Acute nephritis (including unspecified under 10 years).....	22			2		2	2	2				2	1	1	3	1	5	1
129	Chronic nephritis (including unspecified 10 years and over).....	330						1	4	8	6	9	12	26	26	58	90	90	
131	Other diseases of the kidneys and annexe.....	14	1					1			1	1	1	1	3	1	1	3	
132	Calculi of the urinary passages.....	3													1	1	1		
133	Diseases of the bladder.....	9	1												2	2	4	4	
135	Diseases of the prostate.....	21													5	5	11	5	
136	Nonvenereal diseases of the male genital organs.....	1																1	
137	Cysts, other benign tumors of the ovary.....	2											2						
138	Salpingitis and pelvic abscess (female).....	7									2	1	1	1	2				
139	Benign tumors of the uterus.....	7												4	1	2			
141	Other diseases of the female genital organs.....	5											1	1	2	1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	UTAH—Continued																	Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over			
	• VIII.—The puerperal state.....	71									7	12	13	15	23	1					
143	Accidents of pregnancy.....	9									1		2	2	4						
144	Puerperal hemorrhage.....	4											1	2	1						
145	Other accidents of labor.....	10									1	1	2	4	2						
146	Puerperal septicemia.....	21									3	8	5	2	3						
147	Puerperal phlegmasia alba dolens, em- bolus, etc.....	5									1			2	2						
148	Puerperal albuminuria and convulsions.....	22									1	3	3	3	11	1					
	IX.—Diseases of the skin and of the cellular tissue.....	8							1	1					1		1	2	2		
151	Gangrene.....	3																			
152	Furuncle.....	5							1	1					1		1	1	2		
	X.—Diseases of the bones and of the organs of locomotion.....	8						1	2						1	1		2	1		
155	Diseases of the bones (tuberculosis ex- cepted).....	7						1	2						1	1			1	1	
158	Other diseases of the organs of locomo- tion.....	1																	1		
	XI.—Malformations.....	65	56	5		1	1	1	1												
159a	Congenital hydrocephalus.....	6	3	1			1	1	1												
159b	Congenital malformations of the heart.....	47	41	4		1		1	1												
159c	Other congenital malformations.....	12	12																		
	XII.—Early infancy.....	380	380																		
160	Congenital debility, icterus, sclerema.....	26	26																		
161a	Premature birth.....	280	280																		
161b	Injury at birth.....	44	44																		
162	Other diseases peculiar to early infancy.....	30	30																		
164	XIII.—Old age (senility).....	68																		8	60
	XIV.—External causes.....	488	7	16	17	8	6	33	27	32	41	35	33	78	62	36	31	26			
	Suicide.....	53								2	2	9	7	14	10	5	4				
165	By poisons (gas or corrosives ex- cepted).....	5									1	1		1	2						
166	By corrosive substances.....	7								1		3		1	1				1		
167	By poisonous gas.....	3									1			1	1						
168	By hanging or strangulation.....	6										1	1	1	2	1	1				
169	By drowning.....	2											1	1	1						
170	By firearms.....	24							1	1	4	3	7	3	3	2					
171	By cutting or piercing instruments.....	5										2	2	1							
174	By other means.....	1												1							
	Homicide.....	28	1							1	7	3	4	9	3						
197	By firearms.....	21							1	7	2	3	6	2	2						
198	By cutting or piercing instruments.....	3									1	1	1	1	1						
199	By other means.....	4											1	2							
	Accidental or undefined.....	407	6	16	17	8	6	33	27	29	32	23	22	55	49	31	27	26			
175	Poisoning by food.....	1												1							
177	Other acute poisonings (gas ex- cepted).....	15		5	1	1					1	1	1	4	1			1			
178	Conflagration.....	3										1	1	1	1						
179	Burns (conflagration excepted).....	23		5	4	2	1	4		1			2	2						1	
180	Mechanical suffocation.....	7	1						1	1			1	2	1						
181	Absorption of irrespirable, irritat- ing, or poisonous gas.....	3											1								2
182	Drowning.....	27	1	3	2	1	2	5	2	3	4	1		1	1	1					
183	Traumatism by firearms (except in war).....	14						1	6	2		2		2	1						
184	Traumatism by cutting or piercing instruments.....	2								1											
185	Traumatism by fall.....	44	1	3	2		2	4	1	1	2	4	1		7	4	5	8			
186a	Traumatism in mines.....	45						1	1	1	8	7	4	14	8	1	1				
187	Traumatism by machines.....	10			1			1	1	1				3	4						
188a	Railroad accidents.....	31			1		1	3	4	2	2	2	6	4	4	4	3				
	Collision with automobiles.....	7						1	2	1		1	2	1	1	1	2				
	Other railroad accidents.....	24			1		1	1	2	2	1	2	6	4	3	3	1				
188b	Street-car accidents.....	7												2	2	2	1				
	Collision with automobiles.....	3												1	2						
	Other street-car accidents.....	4												1			1				
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	89	1		2	2	13	5	9	8	4	4	9	10	7	11	4				
188d	Airplane and balloon accidents.....	3						1	1			1	1	2							
188e,f	Injuries by other vehicles.....	13			2	1	1		1			1	1	2	5						
188g	Landslide, other crushing.....	1																			
189	Injuries by animals (not poisoning).....	6				1							1	1						1	2
184	Excessive heat.....	1														1					
195	Lightning.....	5							1	1			1	1	2						
196	Other accidental electric shocks.....	11					1	2	2	1			1	3	1						
201	Fracture (cause not specified).....	14	1								1			2		3	2			5	
202	Other external violence.....	32	1		4	1	4	2	2	2	2	2	2	1	3	6	2			2	2
	XV.—Ill-defined diseases.....	102	16	2	1		3	3	10	1	2	2	6	8	10	21	16	1			
204	Sudden death.....	10								1										3	
205a	Ill-defined.....	62	10	2			3	3	3	3	1	2	2	5	7	4	12			8	1
205b	Not specified or unknown.....	30	6	1						6	1			1	1	4	5			5	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns for List No., Cause of Death, All deaths, and age groups (Under 1 year to 75+ years and over). The table is titled 'VERMONT' and contains detailed mortality data for various diseases.

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age not known. Sub-headers include VIRGINIA-Continued, III.—Diseases of the nervous system, IV.—Diseases of the circulatory system, and V.—Diseases of the respiratory system.

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown	
VIRGINIA—Continued																				
V.—Diseases of the respiratory system—Continued.																				
104	Gangrene of the lung	W C	3 2											1	1					
105	Asthma	W C	29 20	1	2	2			1					1	1	4	3	5	4	10
106	Pulmonary emphysema	W C	3 1															1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	W C	18 17	2			1		1	2	2	1	1		3	1	3	1	4	2
VI.—Diseases of the digestive system																				
White																				
Colored																				
All deaths: 1,510																				
Under 1 year: 471																				
1 year: 174																				
2 years: 53																				
3 years: 23																				
4 years: 16																				
5 to 9 years: 33																				
10 to 14 years: 19																				
15 to 19 years: 25																				
20 to 24 years: 31																				
25 to 29 years: 26																				
30 to 34 years: 43																				
35 to 44 years: 85																				
45 to 54 years: 101																				
55 to 64 years: 98																				
65 to 74 years: 124																				
75 years and over: 145																				
Age unknown: 57																				
130																				
40																				
108	Diseases of the mouth and annaxa	W C	11 9	3	1			1	1					1	1			3	1	
109b	Other diseases of the pharynx, tonsils	W C	41 29	5	1	1	2	1	3	3	6	3	3	1	3	1	3	1	4	1
110	Diseases of the esophagus	W C	1 1	1															1	1
111a	Ulcer of the stomach	W C	44 32							3	3			4	6	8	11	9	3	
111b	Ulcer of the duodenum	W C	19 6							1	1	2	1	9	5	14	3	3	1	
112	Other diseases of the stomach (cancer excepted)	W C	95 93	28	2	3	1	1	3			1	1	4	2	5	11	16	19	
113	Diarrhea and enteritis (under 2 years)	W C	567 412	406	161	5	1			4	2	1	4	9	16	8	8	13	9	
114	Diarrhea and enteritis (2 years and over)	W C	168 92	324	88	42	17	10	11	3	2	1	3	5	3	4	11	23	38	
116	Diseases due to other intestinal parasites	W C	7 6	2	1	1	1	1	1	1	8	1	2	5	10	14	6	8	10	
117	Appendicitis and typhlitis	W C	171 89	1		2	2	1	12	14	18	13	9	16	28	20	21	10	5	
118a	Hernia	W C	45 33	1	1					1	8	7	2	5	5	10	14	7	11	
118b	Intestinal obstruction	W C	91 50	20	5	3	1		3	1	5	4	4	8	5	12	14	9	2	
119	Other diseases of the intestines	W C	22 15	4	1	1							1	1	1	2	2	5	6	
120	Acute yellow atrophy of the liver	W C	1 7							2	1									
121	Hydatid tumor of the liver	W C	1 74							2				1	5	14	17	20	14	
122	Cirrhosis of the liver	W C	58 51		1			1					1	10	15	12	12	6	9	
123	Biliary calculi	W C	8 5	2	2	1	2			1	1		2	1	6	9	4	9	9	
124	Other diseases of the liver	W C	75 29	2	2	1		2	1	1	1	1	3	2	7	17	11	18	11	
125	Diseases of the pancreas	W C	6 2											2	1	3	4	5	2	
126	Peritonitis without specified cause	W C	20 16	1	1	1		1		1	1	4	3	4	1	4	3	1	1	
VII.—Nonvenereal diseases of the genito-urinary system and annaxa																				
White																				
Colored																				
All deaths: 1,897																				
Under 1 year: 12																				
1 year: 7																				
2 years: 4																				
3 years: 6																				
4 years: 3																				
5 to 9 years: 9																				
10 to 14 years: 9																				
15 to 19 years: 13																				
20 to 24 years: 15																				
25 to 29 years: 29																				
30 to 34 years: 27																				
35 to 44 years: 85																				
45 to 54 years: 171																				
55 to 64 years: 251																				
65 to 74 years: 335																				
75 years and over: 590																				
Age unknown: 203																				
580																				
191																				
128	Acute nephritis (including unspecified under 10 years)	W C	77 99	7	6	2	4	3	5	4	2	1	4	6	5	8	7	9	4	
129	Chronic nephritis (including unspecified 10 years and over)	W C	1,604 942	2	2	2	4	6	6	1	9	13	6	13	15	12	12	5	5	
131	Other diseases of the kidneys and annaxa	W C	56 41	5	1	2			1			2	3	5	7	6	6	13	12	
132	Calculi of the urinary passages	W C	10 3	7							1			3	4	4	1	4	4	
133	Diseases of the bladder	W C	24 15												1	2	2	6	15	
134	Diseases of the urethra, etc.	W C	7 8												4	2	1	5	1	
135	Diseases of the prostate	W C	65 30							1				2	1	3	3	1	1	
137	Cysts, other benign tumors of the ovary	W C	10 7								1	1		2	2	7	3	26	6	
138	Salpingitis and pelvic abscess (female)	W C	15 21								3	5	5	2	2	4	1	3	1	
139	Benign tumors of the uterus	W C	18 13							1				2	6	3	3	3	1	
140	Nonpuerperal uterine hemorrhage	W C	2 2							1	1			1	7	1	1			
141	Other diseases of the female genital organs	W C	11 9							2	3	3	2	2	2	1	1	1	1	
VIII.—The puerperal state																				
White																				
Colored																				
All deaths: 223																				
Under 1 year: 206																				
143	Accidents of pregnancy	W C	24 19								4	5	6	9						
144	Puerperal hemorrhage	W C	25 20						1		3	5	9	8						
145	Other accidents of labor	W C	27 25							2	5	7	2	11						
146	Puerperal septicemia	W C	64 58							10	13	13	11	16	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W C	5 9							1	1	1	2	2	2	2	3			
148	Puerperal albuminuria and convulsions	W C	76 70							13	11	13	12	26	26	14				
149	Following childbirth (undefined)	W C	2 5							1		1	1	1	3					

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
VIRGINIA—Continued																			
	IX.—Diseases of the skin and of the cellular tissue... (White/Colored)	49/40	7/1			1		3		2	1	3	1	2	3	3	7	17	
151	Gangrene... (W/C)	18/26				1								1	1		2	13	
152	Furuncle... (W/C)	8/1								1		2	1	1		1	4	10	2
153	Acute abscess... (W/C)	6/1	1					1							1		1		
154	Other diseases of the skin and annexa... (W/C)	17/13	6					2		1		1			1	1	4	2	
	X.—Diseases of the bones and of the organs of locomotion... (White/Colored)	17/9	1/1					4	5	1			3	2	4	1	1	1	
155	Diseases of the bones (tuberculosis excepted)... (W/C)	12/6	1/1					2	3						4	1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)... (W/C)	5/1						2	2	1			2	2				1	
158	Other diseases of the organs of locomotion... (C)	2											1				1		
	XI.—Malformations... (White/Colored)	232/64	216/55	1/2	3/1	4/1	1/1	2/2	2/2	1/1	2/2			1	1				
150a	Congenital hydrocephalus... (W/C)	23/11	16/8		2/1	2/1		1/1	1/1	1/1				1					
150b	Congenital malformations of the heart... (W/C)	116/30	111/23	1	1	1					2					1			
150c	Other congenital malformations... (W/C)	93/23	89/19		1	1		1	1	1									
	XII.—Early infancy... (White/Colored)	1,258/725	1,258/725																
160	Congenital debility, icterus, sclerema... (W/C)	182/212	182/212																
161a	Premature birth... (W/C)	838/384	838/384																
161b	Injury at birth... (W/C)	168/66	168/66																
162	Other diseases peculiar to early infancy... (W/C)	67/58	67/58																
163	Lack of care... (W/C)	3/5	3/5																
164	XIII.—Old age (senility)... (White/Colored)	297/248														2	33	262	1
	XIV.—External causes... (White/Colored)	1,203/600	46/27	37/29	29/20	24/21	18/15	58/31	65/34	104/67	117/77	89/74	85/48	146/95	127/57	102/35	118/19	128/39	2
	Suicide... (W/C)	142/16						2	5	15	11	13	22	32	23	15	4		
165	By poisons (gas or corrosives excepted)... (W/C)	13/1							3	1	3	2	2	4	1	1	1		
166	By corrosive substances... (W/C)	15/1							1	2	2	2	2	5	1				
167	By poisonous gas... (W/C)	11/1									2	1	3	4	1				
168	By hanging or strangulation... (W/C)	6/2									1	1	1	2		2	1		
169	By drowning... (W/C)	2/1							1				1						
170	By firearms... (W/C)	82/9						2	2	9	5	7	9	14	19	11	4		
171	By cutting or piercing instruments... (W/C)	5/1							3	1	1	1	2	2	1	1			
172	By jumping from high places... (W/C)	6/1							1		1		1	1	1	1			
173	By crushing... (W/C)	1/1											1						
174	By other means... (W/C)	1/1								1					1				
	Homicide... (W/C)	105/143	5		1			2	11	15	9	12	22	11	10	6	2		
197	By firearms... (W/C)	84/96						4	13	26	39	17	32	6	3	3	1		
198	By cutting or piercing instruments... (W/C)	10/31	2		1			3	7	19	27	12	23	2	1	1	1		
199	By other means... (W/C)	11/16	3					1	3	4	8	4	7	2	1	2			
	Accidental or undefined... (W/C)	1,046/531	41/27	37/29	29/19	24/21	18/15	58/31	61/30	88/51	87/50	69/32	60/29	102/61	84/51	69/29	97/18	122/37	
175	Poisoning by food... (W/C)	14/11	4/3	4	2	1		1	1	1			1	1	1	1	1		
176	Poisoning by venomous animals... (W/C)	1/1						1											
177	Other acute poisonings (gas excepted)... (W/C)	27/16		2	4	2	1	1	1	1		1	4	7	1	2	1	1	
178	Conflagration... (W/C)	27/37	3/4	2/5	3/1	1/1		1	1	1		2	1	1	3	2	4	3	
179	Burns (conflagration excepted)... (W/C)	112/91	6/2	16/10	13/9	14/13	9	11	2	4	3	6	4	5	7	3	5	8	
180	Mechanical suffocation... (W/C)	16/11	16/10								1								
181	Absorption of irrespirable, irritating, or poisonous gas... (W/C)	9/5								1		1	3	2	1	1		2	
182	Drowning... (W/C)	70/39		4		1	1	3	13	14	7	4	6	11	3	3	3	2	
183	Traumatism by firearms (except in war)... (W/C)	58/47	2					2	5	7	11	9	1	5	2	2	1	2	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	VIRGINIA—Continued														Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years
XIV.—External causes—Contd.																		
Accidental or undefined—Continued																		
184	Traumatism by cutting or piercing instruments.....	7		1		1	1					1				1	1	.1
185	Traumatism by fall.....	187	1	1	2	2	2	4	4	7	6	1	1	7	3	2	1	
186a	Traumatism in mines.....	40	3	4	2			1	2	1	2	2	2	8	8	11	15	35
186b	Traumatism in quarries.....	59								8	14	8	9	11	7	1	3	80
187	Traumatism by machines.....	8								1		1	1	3	1		1	3
188a	Railroad accidents.....	21		1								2	2	2	2	3	4	
	Collision with automobiles.....	15								3	6	1	1	1	1	2	1	4
	Other railroad accidents.....	76						1	1	6	8	8	7	18	14	8	4	2
188b	Street-car accidents.....	32								1	2		1	2	3	4	2	3
	Collision with automobiles.....	9								2								
	Other street-car accidents.....	1								1	1							
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	67		1						1	4	8	6	16	11	8	4	2
188d	Airplane and balloon accidents.....	31								1	2	3	2	2	8	4	4	3
188e,f	Injuries by other vehicles.....	5			1									2			2	1
188g	Landslide, other crushing.....	5								1	1				1		1	1
189	Injuries by animals (not poisoning).....	2																
193	Excessive cold.....	8								1	1				1		1	1
194	Excessive heat.....	11						1	1					1	1		5	4
195	Lightning.....	6		1												3		1
196	Other accidental electric shocks.....	11						1	1	3		2	1		1	2		
201	Fracture (cause not specified).....	5								1	1	1			1			
202	Other external violence.....	9								1	1	1			2			6
203	Violent deaths of unknown causation.....	4								1	1	1			1		1	1
	XV.—Ill-defined dis- eases.....	373	171	15	2	1	1	2	3	3	2	2	2	11	17	21	60	56
	{White.....	397	186	21	4	4	1	8	4	9	3	8	4	22	18	35	35	2
	{Colored.....																	
204	Sudden death.....	79	15					1	1	1		1		3	6	11	18	22
205a	Ill-defined.....	69	16	1		2				2		3		6	2	8	10	9
	{White.....	106	30	7	1		1		1	1		3		2	6	6	31	16
	{Colored.....	143	38	14	4	1	1	4	3	5	1	4	2	12	12	17	16	10
205b	Not specified or unknown.....	188	126	8	1		1	1	1	1	2	1		6	5	4	11	18
	{White.....	195	132	6		1		4	1	2	2	1		4	4	10	9	16

WASHINGTON

All causes.....		15,280	1,395	179	126	77	73	308	285	407	495	490	493	1,424	1,738	2,410	2,744	2,610	28
I.—Epidemic, endemic, and infectious diseases.....		2,212	149	61	37	26	20	118	88	172	177	175	160	315	258	207	147	101	1
1	Typhoid and paratyphoid fever.....	53			1			2	3	9	10	5	2	6	6	7	2		
5	Malaria.....	3			1							1			1				
6	Smallpox.....	4								1							1	2	
7	Measles.....	3	1							1				1					
8	Scarlet fever.....	26	1	3	1			10	2	2	2	2	1	1	1				
9	Whooping cough.....	88	62	12	5	2	2	5	2	2				1					
10	Diphtheria.....	97	1	5	5	6	8	40	18	7	1	1	1	2	1			1	
11a	Influenza (with pulmonary complications).....	192	26	7	4	3	1	8	6	10	5	5	6	16	26	15	27	27	
11b	Influenza (other and unspecified).....	150	13	7	4	2	1	9	5	6	4	4	7	9	6	16	22	35	
13	Mumps.....	1			1														
15	Cholera nostras.....	1	1																
16	Dysentery.....	24	7	3	2	2		3						1	1		2	2	
20	Leprosy.....	1																	
21	Erysipelas.....	31	8	4	1					1				3	5	3	3	3	
22	Acute anterior poliomyelitis.....	34		2		1	1	8	8	8				2	2				
23	Lethargic encephalitis.....	57	2	2				1	5	5	2	7	3	9	8	9	3		
24	Meningococcus meningitis.....	41	2		1		2	6	3	9	6	3	4	1	2	2			
25	Other epidemic and endemic diseases.....	1						1											
27	Anthrax.....	1																1	
29	Tetanus.....	9	1		1			1	2	2	1		1						
30	Mycoses.....	2																	
31	Tuberculosis (all forms).....	1,195	13	14	10	10	4	24	35	111	134	136	120	227	157	115	61	23	1
32	Of the respiratory system.....	1,010	3	6	4	2	1	7	24	95	115	124	107	209	138	100	55	20	1
	Of the meninges, central nervous system.....	68	7	2	6	3	3	12	4	5	6	4	5	1	1	1	1		1
33	Of the intestines, peritoneum.....	49	1			1		3	4	3	7	2	4	7	10	4	1	2	
34	Of the vertebral column.....	16				2			1	2			1	6	1	3			
35	Of the joints.....	3																	
36	Of other organs.....	24				2		1	2	2	1	1	1	3	4	4	3	1	
37a	Disseminated (acute).....	21	2					2	1	4	3	2	2	1	2	2			
37b	Disseminated (chronic or unspecified).....	4									1				1	1	1		

CAUSES OF DEATH, BY AGE

271

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	WASHINGTON—Continued														Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years
V.—Diseases of the respiratory system—Continued.																		
102	Pleurisy	21		1	1			1		2	2	1	1	4	6	1		1
103	Congestion and hemorrhagic infarct of the lung	17	2			1												14
104	Gangrene of the lung	1														1		
105	Asthma	17								1				1	2	6	3	4
106	Pulmonary emphysema	1														1		
107	Other diseases of the respiratory system (tuberculosis excepted)	12	1										1	2	3		4	1
VI.—Diseases of the digestive system																		
		1,072	139	39	24	14	14	47	31	29	46	31	33	123	150	138	125	94
108	Diseases of the mouth and annexa	11			1									1	5	2		1
109b	Other diseases of the pharynx, tonsils	59	3	2	1		3	12	5	3	3	2	1	5	6	2	2	
110	Diseases of the esophagus	2												1	1			
111a	Ulcer of the stomach	87								2	5	5	19	26	18	10	2	
111b	Ulcer of the duodenum	39								1		4	11	8	8	7		
112	Other diseases of the stomach (cancer excepted)	62	16	2	1	1		1	1	1			1	1	6	9	9	12
113	Diarrhea and enteritis (under 2 years)	133	103	30														
114	Diarrhea and enteritis (2 years and over)	73			15	8	5	6	6	3	1	2	2	3	1	12	9	
117	Appendicitis and typhlitis	210	3		3	4	4	26	17	23	23	12	10	26	24	20	12	3
118a	Hernia	56	1	1	1					1	1	1	1	5	14	10	10	11
118b	Intestinal obstruction	95	10	3	1	1		1	1	3	6	5	16	11	13	10	10	13
119	Other diseases of the intestines	15	2	3	1				1	2	2	1	5	3	3	1	1	2
120	Acute yellow atrophy of the liver	4								2				1				
121	Hydatid tumor of the liver	1												1				
122	Cirrhosis of the liver	88								1				9	21	22	22	13
123	Biliary calculi	48									1	1	1	10	6	10	12	8
124	Other diseases of the liver	64					1			2		2	2	9	15	14	12	9
125	Diseases of the pancreas	9								2	2		1	2	2	1	2	1
126	Peritonitis without specified cause	16	1	1	1		2			1	2		1	3	1	1	2	
VII.—Nonvenereal diseases of the genito-urinary system and annexa																		
		1,320	6	3	2	1	1	5	14	11	19	15	29	100	155	266	351	342
128	Acute nephritis (including unspecified under 10 years)	49	5	3				2	1		4	3	2	1	7	9	5	7
129	Chronic nephritis (including unspecified 10 years and over)	1,031			1	1	1	2	10	7	10	9	18	68	109	219	294	282
131	Other diseases of the kidneys and annexa	42	1		1			1	2	1		1	1	6	7	6	8	7
132	Calculi of the urinary passages	12									1			1	1	4	4	2
133	Diseases of the bladder	11												2	2	2	6	1
134	Diseases of the urethra, etc.	2														1		1
135	Diseases of the prostate	90													2	18	34	36
137	Cysts, other benign tumors of the ovary	11								2				1	8	1	1	1
138	Salpingitis and pelvic abscess (female)	20								4			4	4	4	1	1	1
139	Benign tumors of the uterus	35							1				1	13	14	3	2	1
141	Other diseases of the female genital organs	17						1				1	3	5	3	2	2	
VIII.—The puerperal state																		
		149								13	30	40	24	39	3			
143	Accidents of pregnancy	14									2	1	5	5	1			
144	Puerperal hemorrhage	16								1	4	4	4	1	1			
145	Other accidents of labor	17								1	1	9	1	4	1			
146	Puerperal septicemia	59							7	18	18	6	10					
147	Puerperal phlegmasia alba dolens, embolus, etc.	9								2	1	1	5					
148	Puerperal albuminuria and convulsions	33							5	6	6	7	9					
149	Following childbirth (undefined)	1									1							
IX.—Diseases of the skin and of the cellular tissue																		
		37	6	1		1				2	1				3	4	4	15
151	Gangrene	16													1	2	1	12
152	Furuncle	2													1	1		1
153	Acute abscess	6		1		1				1	1			1	1			
154	Other diseases of the skin and annexa	13	6							1				1		3	2	
X.—Diseases of the bones and of the organs of locomotion																		
		26			1			2	6		1			1	5	3	4	3
155	Diseases of the bones (tuberculosis excepted)	19			1			2	4		1				4	3	3	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4											1	1				2
158	Other diseases of the organs of locomotion	3							2								1	
XI.—Malformations																		
		180	162	2	3	3	1	5	3			1						
159a	Congenital hydrocephalus	13	9	1	1			1										
159b	Congenital malformations of the heart	100	92	1	1			3	2			1						
159c	Other congenital malformations	67	61		1	3		2										
XII.—Early infancy																		
		641	641															
160	Congenital debility, icterus, sclerema	78	78															
161a	Premature birth	386	386															
161b	Injury at birth	115	115															
162	Other diseases peculiar to early infancy	59	59															
163	Lack of care	3	3															
164	XIII.—Old age (senility)	193													4	25	164	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	WEST VIRGINIA—Continued													75 years and over	AGE UNKNOWN
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		
I.—Epidemic, endemic, and infectious diseases—Contd.																	
Tuberculosis—Continued.																	
37a	Disseminated (acute)	9					1		1	3			2		2		
37b	Disseminated (chronic or unspecified)	8				1							2	2		1	
38	Syphilis	140	64	5	2	1	1			1	4	5	5	22	15	12	1
40	Gonococcus infection	10									2	3	3	2			
41	Purulent infection, septicaemia	26	1	1		1		2	4			2	2	3	2	1	4
II.—General diseases not included in Class I																	
Cancer and other malignant tumors																	
Of the buccal cavity																	
43		881	1	1	1	1	2	5	1	1	4	11	20	82	164	189	257
44	Of the stomach, liver	14											1	1	5	5	3
45	Of the peritoneum, intestines, rectum	373					1	1			1	5	3	22	58	91	128
46	Of the female genital organs	98				1			1			1	1	8	14	27	34
47	Of the breast	165								1		5	8	32	57	30	32
48	Of the skin	31						1					5	10	16	12	16
49	Of other or unspecified organs	106	1	1	1		1	3		1	2		1	9	17	18	35
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5									1	1					3
51	Acute rheumatic fever	22				1		6	3	3	1		1	1	2	1	
52	Chronic rheumatism, osteoarthritis, gout	23															7
53	Scurvy	1															1
54	Pellagra	7							1								
55	Rickets	4	2	2									2			3	1
56	Diabetes mellitus	142		1			1	7	6	2	2	4	5	10	21	36	30
57	Anemia, chlorosis	66	4					3	2	1	1	1	1	10	13	15	14
58	Diseases of the pituitary gland	1															
59	Exophthalmic goiter	42															7
60a	Other diseases of the thyroid gland	12	1	1				1		1	5	2	1	3	10	7	3
60b	Diseases of the parathyroid glands	1															
61	Diseases of the thymus gland	1	1														
62	Diseases of the adrenals (Addison's disease)	6	5	1													
63	Diseases of the spleen	2															1
64	Leukemia	1															1
65a	Hodgkin's disease	13				1		4	1	1	1		1	2	2	2	1
65b	Alcoholism (acute or chronic)	10															
66	Chronic lead poisoning	33											4	4	9	3	9
67a	Chronic poisoning by organic substances	3													1	1	1
67b	Other general diseases	1															
68		41	27		3	1	1	2						1	1	1	
69																	4
III.—Diseases of the nervous system and of the organs of special sense																	
Encephalitis																	
70		27	5		1	1		2	1	1	2	2	3	2	4	1	2
71a	Simple meningitis	99	45	12	9	4		4	3	3	2	4	1	5	4	4	
71b	Nonepidemic cerebrospinal meningitis	20	9	3	1			2	2	2		1					
72	Tabes dorsalis (locomotor ataxia)	8															1
73	Other diseases of the spinal cord	34		2				1	1	1	3	1	5	1	4	10	10
74a	Cerebral hemorrhage	807	3		2		2	1	1	3	3	4	36	107	169	262	274
74b	Cerebral embolism and thrombosis	15					1	1		2	2	3	3	1	2	2	2
75	Paralysis without specified cause	253	1							1	2	2	5	19	35	77	111
76	General paralysis of the insane	45										1	6	15	10	7	3
77	Other forms of mental alienation	33						1		2	2	4	4	5	7	5	3
78	Epilepsy	56	2	1	2	1		2	4	1	3	7	3	12	5	9	2
79	Convulsions (nonpuerperal; 5 years and over)	6						1	1		2	1	1				
80	Infantile convulsions (under 5 years)	54	43	4	4	2	1										
81	Neuralgia and neuritis	7											1		2	2	1
82	Softening of the brain	7													1	1	3
83	Other diseases of the nervous system	46	4	1		1		5	2	1	2	1	3	7	6	5	3
84	Diseases of the eye and annexa	3	1		1											1	1
85	Diseases of the ear	27	5	2			1	2	4	1	1	3		1	3	1	2
86a	Diseases of the mastoid process	3	3	2				2	1	1	2		2	2	1		
86b		22															
IV.—Diseases of the circulatory system																	
Pericarditis																	
87		9				1		1				1	2		1	2	1
88	Endocarditis and myocarditis (acute)	61	3			1		5	3	4	7	4	8	19	3	2	2
89	Angina pectoris	111											1	8	14	25	24
90	Other diseases of the heart	1,564	2	3		1	2	6	16	15	17	22	41	114	206	304	431
91a	Aneurysm	19										1	1		4	4	2
91b,c	Other diseases of the arteries	149												7	7	19	48
92	Embolism and thrombosis (not cerebral)	13									1	1	1	1	5	1	2
93	Diseases of the veins	4														1	2
96	Other diseases of the circulatory system	2										1				1	
V.—Diseases of the respiratory system																	
Diseases of the nasal fossae																	
97a		2								1							1
97b	Diseases of the nasal fossae annexa	4									1			1	1		
98	Diseases of the larynx	6	2	1	1					1	1						
99a	Acute bronchitis	15	10	2		1											
99b	Chronic bronchitis	19															1
99c,d	Bronchitis (unspecified)	15	2	1										3	2	4	9
100a	Broncho-pneumonia	579	264	70	20	13	6	11	4	7	3	7	4	13	19	16	50
100b	Capillary bronchitis	7	3	1													1
101a	Lobar pneumonia	391	40	15	11	2	3	12	15	16	18	17	18	32	42	40	57

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
WEST VIRGINIA—Continued																			
V.—Diseases of the respiratory system—Continued.																			
101b	Pneumonia (unspecified).....	317	84	25	8	5	4	7	8	13	8	4	5	20	11	26	34	55	4
102	Pleurisy.....	23	2	2					1	1			1	4	4	2	2	4	
103	Congestion and hemorrhagic infarct of the lung.....	27	1			1		1			1		1	2	2		4	14	
104	Gangrene of the lung.....	2	1															1	
105	Asthma.....	42								1		2	2	4		7	14	12	
106	Pulmonary emphysema.....	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted).....	8	1		1					1		1	1		1	1	1		
VI.—Diseases of the digestive system																			
		2,273	982	402	89	28	17	42	41	51	39	43	58	102	97	91	99	91	1
108	Diseases of the mouth and annexa.....	8	1								1	1				2		3	
109b	Other diseases of the pharynx, tonsils.....	37		1		1	3	6	4	9	2	2	4		1	1	2	1	
111a	Ulcer of the stomach.....	41			1						1	2	3	10	7	6	4	7	
111b	Ulcer of the duodenum.....	17								1	1	1	5	3	3	3			
112	Other diseases of the stomach (cancer excepted).....	65	8	1	2	1		1	1	2		1	2	4	5	8	12	17	
113	Diarrhea and enteritis (under 2 years).....	1,348	956	392															
114	Diarrhea and enteritis (2 years and over).....	221			82	21	8	10	2	3	4	4	3	11	11	11	25	25	1
116	Diseases due to other intestinal parasites.....	3						1	2										
117	Appendicitis and typhlitis.....	198		1	1	2	3	16	26	23	17	18	18	35	22	12	4	4	
118a	Hernia.....	34	2			1		1	4	1	1	1	1	6	8	6	3	5	
118b	Intestinal obstruction.....	103	12	6	2	1	2	2	1	6	4	7	7	11	7	11	13	7	
119	Other diseases of the intestines.....	13	1						1	2			1	1	2	1	2	2	
120	Acute yellow atrophy of the liver.....	3					1				1								
122	Cirrhosis of the liver.....	60											4	2	11	10	13	10	
123	Biliary calculi.....	44								2		2	5	4	12	8	8	3	
124	Other diseases of the liver.....	57	1	1		1		2	1		3	3	3	11	3	10	8	10	
125	Diseases of the pancreas.....	9								2	1	1	2	2	2	2	2	2	
126	Peritonitis without specified cause.....	23	1		1			3		3	2	1	2	2	2	2	3	1	
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		1,210	14	5	7	2	6	6	10	10	20	24	30	93	139	203	304	337	
128	Acute nephritis (including unspecified under 10 years).....	76	7	3	7	1	5	5	6	5	4	8	3	5	4	5	4	4	
129	Chronic nephritis (including unspecified 10 years and over).....	990	1			1			3	2	8	8	16	72	120	181	276	302	
131	Other diseases of the kidneys and annexa.....	29	6	2		1		1		1	3		2	2	2	4	4	1	
132	Calculi of the urinary passages.....	5									1	1			1	2	2		
133	Diseases of the bladder.....	9													1	1	2	6	
134	Diseases of the urethra, etc.....	2													1	1			
135	Diseases of the prostate.....	48												1		6	18	23	
137	Cysts, other benign tumors of the ovary.....	9								1		1	2	1	1	2		1	
138	Salpingitis and pelvic abscess (female).....	22								1	3	2	7	6	3			1	
139	Benign tumors of the uterus.....	14										3	3	5	5	1			
140	Nonpuerperal uterine hemorrhage.....	2										1			1				
141	Other diseases of the female genital organs.....	4							1		1			1	1				
VIII.—The puerperal state																			
		287								43	67	53	44	74	6				
143	Accidents of pregnancy.....	18								1	3	3	9	2					
144	Puerperal hemorrhage.....	28								2	5	5	3	12	1				
145	Other accidents of labor.....	35								3	10	8	3	11					
146	Puerperal septicemia.....	116								11	30	26	18	29	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.....	17								1	2	1	4	7	2				
148	Puerperal albuminuria and convulsions.....	71								25	16	10	6	13	1				
149	Following childbirth (undefined).....	2									1		1						
IX.—Diseases of the skin and of the cellular tissue																			
		50	10		1					2	1		1	2	3	7	7	16	
151	Gangrene.....	28	1		1										1	5	5	15	
152	Furuncle.....	4									1							1	
153	Acute abscess.....	12	5							1			1	2		1	2		
154	Other diseases of the skin and annexa.....	6	4							1						1			
X.—Diseases of the bones and of the organs of locomotion																			
		9		1			2		1		1				2	1		1	
155	Diseases of the bones (tuberculosis excepted).....	8		1			2		1		1				1	1		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	1													1				
XI.—Malformations																			
		271	259	5	2			3	1			1							
159a	Congenital hydrocephalus.....	16	13	2				1											
159b	Congenital malformations of the heart.....	174	169	3				1	1										
159c	Other congenital malformations.....	81	77		2			1				1							
XII.—Early infancy																			
		1,328	1,328																
160	Congenital debility, icterus, sclerema.....	214	214																
161a	Premature birth.....	838	838																
161b	Injury at birth.....	142	142																
162	Other diseases peculiar to early infancy.....	133	133																
163	Lack of care.....	1	1																
164	XIII.—Old age (senility).....	444														4	59	381	

CAUSES OF DEATH, BY AGE

277

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WISCONSIN—Continued																			
VI.—Diseases of the digestive system.....		2,443	612	99	61	51	28	83	54	57	71	70	83	187	243	260	239	245	
108	Diseases of the mouth and annexa.....	28	1				1	1	1	1	1	1	3	5	3	6		4	
109b	Other diseases of the pharynx, tonsils.....	71	1	2	1	2	3	11	8	4	8	6	4	4	8	1	3	5	
110	Diseases of the esophagus.....	2	1															1	
111a	Ulcer of the stomach.....	101	2							3	4	2	3	14	17	22	17	17	
111b	Ulcer of the duodenum.....	39			1		1					3	5	7	8	5	7	2	
112	Other diseases of the stomach (cancer excepted).....	125	44	5	1		1	1	1					1	3	9	12	8	39
113	Diarrhea and enteritis (under 2 years).....	591	507	84															
114	Diarrhea and enteritis (2 years and over).....	219			47	25	17	11	1	3	3	2	4	17	13	18	19	39	
116	Diseases due to other intestinal parasites.....	1													1				
117	Appendicitis and typhlitis.....	431	2	3	6	19	4	51	39	40	40	34	36	55	40	42	13	2	
118a	Hernia.....	99	2								4	1	2	9	21	13	26	21	
118b	Intestinal obstruction.....	191	39	4	4	3		3	3	2	5	8	9	11	21	25	26	28	
119	Other diseases of the intestines.....	25	3	1		1	1					1	1	2	2	2	9	2	
120	Acute yellow atrophy of the liver.....	12	1								3		1	2	1	2	1	1	
122	Cirrhosis of the liver.....	197	3							1		2	1	19	39	42	48	42	
123	Biliary calculi.....	154							1		1	2	5	17	41	32	29	26	
124	Other diseases of the liver.....	108	1			1		1				4	4	12	16	34	22	13	
125	Diseases of the pancreas.....	11												5		2	3	1	
126	Peritonitis without specified cause.....	38	5		1			4		3	2	4	4	5	3	2	3	2	
VII.—Nonvenereal diseases of the genito-urinary system and annexa.....		2,255	17	6	2	4	3	11	9	24	23	40	50	146	254	345	584	734	3
128	Acute nephritis (including unspecified under 10 years).....	91	11	3		1	3	7	3	6	2	2	5	12	13	6	9	8	
129	Chronic nephritis (including unspecified 10 years and over).....	1,790		3	1	2		3	6	15	15	28	25	95	198	296	497	604	2
131	Other diseases of the kidneys and annexa.....	48	4		1	1		1					1	3	6	9	7	7	1
132	Calculi of the urinary passages.....	14											1	1	1	4	3	1	3
133	Diseases of the bladder.....	38	1											1	1	3	11	19	
134	Diseases of the urethra, etc.....	6												1	1	1	2		
135	Diseases of the prostate.....	164										2				19	50	92	
136	Nonvenereal diseases of the male genital organs.....	1	1																
137	Cysts, other benign tumors of the ovary.....	14								2	3	1		1	2	2	2	1	
138	Salpingitis and pelvic abscess (female).....	35								2	4	2	9	13	3	1	1		
139	Benign tumors of the uterus.....	42										1	2	13	20	3	3		
140	Nonpuerperal uterine hemorrhage.....	1													1				
141	Other diseases of the female genital organs.....	12								1				2	3	1	4	1	
142	Nonpuerperal diseases of the breast (cancer excepted).....	1												1					
VIII.—The puerperal state.....		300								22	66	63	59	88	1				1
143	Accidents of pregnancy.....	32								2	6	9	9	6					
144	Puerperal hemorrhage.....	31								1	4	4	7	15					
145	Other accidents of labor.....	24								1	3	5	6	8					1
146	Puerperal septicaemia.....	92								5	29	23	13	21	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.....	24									7	2	8	7					
148	Puerperal albuminuria and convulsions.....	95								13	17	19	16	30					
149	Following childbirth (undefined).....	2										1		1					
IX.—Diseases of the skin and of the cellular tissue.....		107	17	1	1	1		1		1	1	2	4	8	8	13	21	28	
151	Gangrene.....	53	1										1	2	4	5	15	25	
152	Furuncle.....	12	1							1	1		3	2	1	2	1	3	
153	Acute abscess.....	23	6	1		1		1					1	3	3	3	3		
154	Other diseases of the skin and annexa.....	19	9		1									1		3	2	3	
X.—Diseases of the bones and of the organs of locomotion.....		38		1		3	1	5	5	5	1	3	1	1	2	4	4	2	
155	Diseases of the bones (tuberculosis excepted).....	31		1		3	1	4	5	3		3		1	2	4	2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	4								2							2		
157	Amputations.....	1									1								
158	Other diseases of the organs of locomotion.....	2						1					1						
XI.—Malformations.....		374	353	5	1	1	1	5	2	1	1	2		1	1				
159a	Congenital hydrocephalus.....	42	35	2	1			2	1						1				
159b	Congenital malformations of the heart.....	177	168	2		1		2	1	1	1	1							
159c	Other congenital malformations.....	155	150	1		1		1				1		1					
XII.—Early infancy.....		1,716	1,716																
160	Congenital debility, icterus, sclerema.....	189	189																
161a	Premature birth.....	1,048	1,048																
161b	Injury at birth.....	286	286																
162	Other diseases peculiar to early infancy.....	190	190																
163	Lack of care.....	3	3																
164	XIII.—Old age (senility).....	564															55	507	2

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WYOMING—Continued																			
	II.—General diseases not included in Class I.....	168	3			1		1	1	2	4	5	9	22	30	38	27	24	1
	Cancer and other malignant tumors.....	100								1	2		5	14	14	26	19	19	
43	Of the buccal cavity.....	3																1	2
44	Of the stomach, liver.....	44											3	5	5	14	11	6	
46	Of the peritoneum, intestines, rectum.....	11												2		4	2	3	
46	Of the female genital organs.....	19								1	1			5	7	4	1		
47	Of the breast.....	6											1		1			4	
48	Of the skin.....	1																	
49	Of other or unspecified organs.....	16									1		1	2	1	4	3	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	2										1					1		
51	Acute rheumatic fever.....	5													2	1		2	
52	Chronic rheumatism, osteoarthritis, gout.....	3													1	1			1
54	Pellagra.....	1																	
57	Diabetes mellitus.....	21						1			1	2		1	5	6	4	1	
58	Anemia, chlorosis.....	5											1	1	2	1	1		
60a	Exophthalmic goiter.....	5								1		1	1				1		
60b	Other diseases of the thyroid gland.....	2																2	
61	Diseases of the parathyroid glands.....	1	1																
62	Diseases of the thymus gland.....	1				1													
65a	Leukemia.....	4							1		1				1	1			
66	Alcoholism (acute or chronic).....	13											2	6	3	2			
67a	Chronic lead poisoning.....	1											1						
69	Other general diseases.....	4	2										1	1			1		
	III.—Diseases of the nervous system and of the organs of special sense.....	144	8	5				1	2	5	3	1	3	12	19	27	29	29	
70	Encephalitis.....	3		1							1	1							
71a	Simple meningitis.....	3	1	1						1									
71b	Nonepidemic cerebrospinal meningitis.....	5	3	1				1	1										
72	Tabes dorsalis (locomotor ataxia).....	3												1			2		
73	Other diseases of the spinal cord.....	3		1															
74a	Cerebral hemorrhage.....	82								1				3	14	19	19	26	
74b	Cerebral embolism and thrombosis.....	3		1										1	1	1			
75	Paralysis without specified cause.....	12											2	1	1	2	5	2	
76	General paralysis of the insane.....	11											1	5	1	3	1		
77	Other forms of mental alienation.....	1												1					
78	Epilepsy.....	4								1	1				1	1			
80	Infantile convulsions (under 5 years).....	4	3	1															
81	Chorea.....	2								1					1				
82	Neuralgia and neuritis.....	1															1		
83	Softening of the brain.....	1															1		
84	Other diseases of the nervous system.....	5	1						1	1					2				
86b	Diseases of the mastoid process.....	1									1								
	IV.—Diseases of the circulatory system.....	256	6		1			3	4	3	8	1	9	15	27	65	57	55	2
87	Pericarditis.....	1																	
88	Endocarditis and myocarditis (acute).....	15	1					2		1		1	1	4			2	3	
89	Angina pectoris.....	20									1			2	1	9	4	2	1
90	Other diseases of the heart.....	194	3		1			1	4	2	7		5	9	24	53	47	37	1
91a	Aneurysm.....	4															2	1	
91b,c	Other diseases of the arteries.....	15													1		3	11	
92	Embolism and thrombosis (not cerebral).....	2											1					1	
93	Diseases of the veins.....	3													1	1			1
94	Diseases of the lymphatic system.....	2	2																
	V.—Diseases of the respiratory system.....	150	38	14	5	3	1	2	1	5	6	5	3	12	7	14	15	19	
97a	Diseases of the nasal fossae.....	2	1																1
97b	Diseases of the nasal fossae annexa.....	1														1			
98	Diseases of the larynx.....	2	1		1														
99a	Acute bronchitis.....	1		1															
99b	Chronic bronchitis.....	2								1						1			
99c,d	Bronchitis (unspecified).....	5											1				1	3	
100a	Broncho-pneumonia.....	52	28	4	2	1	1			2	1	1		2	1	2	3	4	
100b	Capillary bronchitis.....	1	1																
101a	Lobar pneumonia.....	50	3	5	1	1		2	1	2	5	4	1	9	4	3	5	4	
101b	Pneumonia (unspecified).....	14	2	4		1							1	1			1	4	
102	Pleurisy.....	4	1											1			1		
103	Congestion and hemorrhagic infarct of the lung.....	5			1												1	3	
104	Gangrene of the lung.....	1															1		
105	Asthma.....	4															2		
107	Other diseases of the respiratory system (tuberculosis excepted).....	6	1												1	2	2		
	VI.—Diseases of the digestive system.....	222	42	14	9	4	3	10	7	10	10	6	14	19	29	15	17	12	1
108	Diseases of the mouth and annexa.....	3	1											1					
109b	Other diseases of the pharynx, tonsils.....	18	2			1	1	3	3	3	1	1	1	1		1			
111a	Ulcer of the stomach.....	8												3		2	1	1	
111b	Ulcer of the duodenum.....	3												1		2			
112	Other diseases of the stomach (cancer excepted).....	9	3				1						1		1		1	2	
113	Diarrhea and enteritis (under 2 years).....	45	32	13															
114	Diarrhea and enteritis (2 years and over).....	14			7	2	1								1		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	WYOMING—Continued																	Age un-known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
VI.—Diseases of the digestive system—Continued																				
117	Appendicitis and typhlitis.....	67		1	1			7	4	5	5	2	9	7	13	5	5	2	1	
118a	Hernia.....	5													2					
118b	Intestinal obstruction.....	15	3		1	1					1	2		3	4					
119	Other diseases of the intestines.....	2									1								1	
120	Acute yellow atrophy of the liver.....	1	1																	
122	Cirrhosis of the liver.....	12													2	3	5	2		
123	Biliary calculi.....	5												2	1	1	1			
124	Other diseases of the liver.....	11										1		2	4	1	1	2		
126	Peritonitis without specified cause.....	4										1		2	1					
VII.—Nonvenereal diseases of the genito-urinary system and annexa																				
		110		1					4	3	2	3	4	11	13	18	23	28		
128	Acute nephritis (including unspecified under 10 years).....	8		1										1	1	3	1	1		
129	Chronic nephritis (including unspecified 10 years and over).....	73						4	2		2	3	8	8	12	14	20			
133	Diseases of the bladder.....	1																		
134	Diseases of the urethra, etc.....	2										1					1			
135	Diseases of the prostate.....	13												1	1	4	7			
137	Cysts, other benign tumors of the ovary.....	3												1			2			
138	Salpingitis and pelvic abscess (female).....	3									2			1						
139	Benign tumors of the uterus.....	3												2			1			
140	Nonpuerperal uterine hemorrhage.....	1								1										
141	Other diseases of the female genital organs.....	3												1	1					
VIII.—The puerperal state																				
		46								2	10	12	12	9	1					
143	Accidents of pregnancy.....	3										2		1						
144	Puerperal hemorrhage.....	5										1	2							
145	Other accidents of labor.....	6										1	4	1						
146	Puerperal septicemia.....	18									5	4	5	3	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	6									1	3	1	1						
148	Puerperal albuminuria and convulsions.....	8								2	2	1	2	1						
IX.—Diseases of the skin and of the cellular tissue																				
		7	5																2	
151	Gangrene.....	1																	1	
154	Other diseases of the skin and annexa.....	6	5																1	
X.—Diseases of the bones and of the organs of locomotion																				
		3						1				1		1						
155	Diseases of the bones (tuberculosis excepted).....	3						1				1		1						
XI.—Malformations																				
		30	26	1			2	1												
159a	Congenital hydrocephalus.....	6	5					1												
159b	Congenital malformations of the heart.....	19	17	1			1													
159c	Other congenital malformations.....	5	4				1													
XII.—Early infancy																				
		140	140																	
160	Congenital debility, icterus, sclerema.....	19	19																	
161a	Premature birth.....	94	94																	
161b	Injury at birth.....	16	16																	
162	Other diseases peculiar to early infancy.....	11	11																	
164	XIII.—Old age (senility).....	28														4	5	19		
XIV.—External causes																				
		325	7	5	4	3	3	13	12	23	27	30	38	68	33	29	20	4	6	
Suicide																				
		46								2	4	3	3	16	5	7	5		1	
165	By poisons (gas or corrosives excepted).....	5													2	1	1			
166	By corrosive substances.....	6												1	1	1	1			
168	By hanging or strangulation.....	6												3	1	1	2			
169	By drowning.....	1												1						
170	By firearms.....	25								2		3	2	9	2	5	1		1	
171	By cutting or piercing instruments.....	3												1	2					
Homicide																				
		24								1	1	3	4	8	2	3	1		1	
197	By firearms.....	18									1	2	4	7	1	2			1	
199	By other means.....	6										1	1	1	1	1	1			
Accidental or undefined																				
		255	7	5	4	3	3	13	12	20	22	24	31	44	26	19	14	4	4	
175	Poisoning by food.....	2												1						
177	Other acute poisonings (gas excepted).....	5									1	1	1		1	1				
178	Conflagration.....	8		2		1		2						1	1		1			
179	Burns (conflagration excepted).....	14		1	1				1		2	1	3	3	1	1				
180	Mechanical suffocation.....	6	5											1						
181	Absorption of irrespirable, irritating, or poisonous gas.....	7							1		2	1	2		1					
182	Drowning.....	19		2	1	1		2	1	3	4	2	1	1	1					
183	Traumatism by firearms (except in war).....	17						2	2	2		3	1	4		1	1			
184	Traumatism by cutting or piercing instruments.....	3										1	1	1						
185	Traumatism by fall.....	19					1	1	2	1	2	1	1		3	1	4	3		
186a	Traumatism in mines.....	17								2	3	1	2	5	3	1				
187	Traumatism by machines.....	7			1		1	1			1			2				1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
WYOMING—Continued																			
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188a	Railroad accidents.....	17								1	3	2	1	1	3	3			3
	Collision with automobiles.....	1											1						
	Other railroad accidents.....	16								1	3	2		1	3	3			3
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	67	1		1		1	4	1	5	4	5	10	18	8	5	4		
188e,f	Injuries by other vehicles.....	7					1					1		1		2	2		
188g	Landslide, other crushing.....	5							1				1			3			
189	Injuries by animals (not poisoning).....	6			1				1	1			2	1					
193	Excessive cold.....	2												1	1				
194	Excessive heat.....	1										1							
195	Lightning.....	5							1	1	1		2						
196	Other accidental electric shocks.....	3										1	1						
201	Fracture (cause not specified).....	1															1		
202	Other external violence.....	17	1				1	1	1	1		1	1	4	3		2		1
	XV.—Ill-defined diseases.....	34	12	10				1	2	1		1			3	2	2		
204	Sudden death.....	1																	
205a	Ill-defined.....	9	1					1	1			1			3	2		1	
205b	Not specified or unknown.....	24	11	10					1	1							1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 232]

Table with 18 columns: AREA AND CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age unknown. Rows are grouped by city: DENVER, COLO., BRIDGEPORT, CONN., and HARTFORD, CONN., each listing various causes of death.

1 Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

Table with columns for Area and Cause of Death, All deaths, and age groups (Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age un- known). Rows include Washington, D. C. (Colored), Atlanta, Ga. (White), and Atlanta, Ga. (Colored) with various causes of death like Typhoid, Measles, Tuberculosis, etc.

1 Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

Table with columns for 'AREA AND CAUSE OF DEATH' and age groups (All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age un-known). Rows include Kansas City, Mo. (White) and St. Louis, Mo. (White) with various causes of death like Typhoid, Measles, Tuberculosis, Cancer, etc.

1 Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

Table with columns for 'AREA AND CAUSE OF DEATH' and age groups: 'All deaths', 'Under 1 year', '1 year', '2 years', '3 years', '4 years', '5 to 9 years', '10 to 14 years', '15 to 19 years', '20 to 24 years', '25 to 29 years', '30 to 34 years', '35 to 44 years', '45 to 54 years', '55 to 64 years', '65 to 74 years', '75 years and over', and 'Age unknown'. Rows are categorized by city and race: CLEVELAND, OHIO (WHITE), CLEVELAND, OHIO (COLORED), and COLUMBUS, OHIO, with various causes of death listed.

1 Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

Table with 19 columns: AREA AND CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age un-known. Rows include DALLAS, TEX., all causes and FORT WORTH, TEX., all causes, listing various causes of death like Typhoid, Measles, Tuberculosis, etc.

1 Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY AGE

311

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:
1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 years and over	Age un- known
HOUSTON, TEX. (COLORED), all causes.....	908	109	11	6	3	4	15	14	32	74	63	56	166	163	90	42	50	5	1	3	
<i>(Detailed causes for Houston, Tex. (Colored) follow in the next section)</i>																					
SAN ANTONIO, TEX., all causes.....	3,029	562	119	32	25	20	51	36	116	193	180	139	318	324	337	294	283	1	3	3	
<i>(Detailed causes for San Antonio, Tex. follow in the next section)</i>																					
SALT LAKE CITY, UTAH, all causes.....	1,532	156	33	18	14	8	36	45	47	57	53	69	161	198	188	217	232	1	3	3	
<i>(Detailed causes for Salt Lake City, Utah follow in the next section)</i>																					

1 Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:
1925—Continued

[See note at head of this table, p. 232]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, Wis., all causes.....	5,549	901	144	63	56	28	112	86	113	182	171	204	451	578	819	846	795	----
Typhoid and paratyphoid fever (1).....	7							1		2		2					1	
Measles (7).....	20	9	6	1	1	2				1								
Scarlet fever (8).....	8	1	3	1			2		1									
Whooping cough (9).....	39	21	11	4	2		1											
Diphtheria (10).....	69	4	8	7	5	5	27	7	2	1		1	2					
Influenza (11).....	95	20	9	2	3		2	2	2	1	2	5	11	6	8	11	11	
Meningococcus meningitis (24).....	2																	
Tuberculosis of the respiratory system (31).....	243	1	3		2		2	3	26	47	35	27	29	32	19	16	1	
Other forms of tuberculosis (32-37).....	69	8	5	3	2	2	8	6	2	7	8	4	6	3	4	1		
Cancer and other malignant tumors (43-49).....	535					1	1	1	1	4	8	9	45	92	150	152	72	
Diabetes mellitus (57).....	114						1	1	1				2	4	19	37	32	14
Cerebral hemorrhage and softening (74, 83).....	333	1			1					2	2	3	9	33	73	93	116	
Other [organic] diseases of the heart (90).....	712	2					7	11	7	9	6	12	41	83	163	180	190	
Bronchitis (99).....	50	11	3				1								3	7	25	
Broncho-pneumonia (100).....	276	101	24	6	4	2	5	2	3	5	1	2	12	23	19	25	42	
Pneumonia (101).....	331	35	21	10	2		4	6	8	11	11	12	48	32	54	43	35	
Diarrhea and enteritis (113, 114).....	164	120	13	4	2	2							3	2	3	3	8	
Appendicitis and typhlitis (117).....	96			2	8	1	7	2	10	6	11	9	14	10	13	3		
Hernia, intestinal obstruction (118).....	53	6	1				2			1	3	3	4	9	6	11	7	
Cirrhosis of the liver (122).....	52	1											5	13	11	12	10	
Nephritis (128, 129).....	341	2	2				2	2	7	5	8	5	27	49	72	90	70	
Diseases of the female genital organs (137-141).....	38								1	2	3	10	7	10	4	1		
Puerperal septicemia (146).....	26									10	8	2	6					
Other puerperal causes (143-145, 147-150).....	42								2	9	8	10	13					
Suicide (165-174).....	83								1	5	10	9	9	20	13	10	6	
Homicide (197-200).....	19				1					4	2	4	4	2	1	1		
Automobile accidents ¹ (188c).....	102	1			2	2	13	6	5	5	3	5	16	13	13	11	7	
Automobile and railroad-train collision (part 188a).....	5											1	2					
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	205	5	8	6	5	2	4	10	5	13	5	9	34	30	27	19	23	
All other causes.....	1,419	551	29	15	13	9	23	28	29	28	37	56	100	94	126	123	158	

¹ Excludes collision with railroad trains and street cars.

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 15 and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 49 and 50.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

Table with 14 columns (All deaths, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec.) and rows for RHODE ISLAND, SOUTH CAROLINA (WHITE), and SOUTH CAROLINA (COLORED), listing various causes of death and their corresponding monthly counts.

1 Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10.—DEATHS, (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

Table with columns for Area and Cause of Death, All deaths, and months from Jan. to Dec. for Vermont, Virginia (White), and Virginia (Colored).

1 Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING, all causes.....	1,896	147	136	155	171	178	130	171	169	170	184	135	150
Typhoid and paratyphoid fever (1).....	21	1	1	5	2	—	—	1	6	—	2	1	2
Malaria (5).....	1	—	—	—	—	—	1	—	—	—	—	—	—
Smallpox (6).....	1	—	—	—	—	—	1	—	—	—	—	—	—
Measles (7).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever (8).....	12	2	1	1	3	2	—	1	1	—	—	1	—
Whooping cough (9).....	5	—	—	—	2	1	—	1	1	—	1	—	—
Diphtheria (10).....	12	1	2	—	2	3	1	1	1	1	—	—	—
Influenza (11).....	72	3	7	8	11	18	4	5	4	1	8	1	2
Dysentery (16).....	5	—	—	—	—	—	—	—	3	1	1	—	—
Erysipelas (21).....	2	—	—	1	—	1	—	—	—	—	—	—	—
Lethargic encephalitis (23).....	1	—	—	—	—	—	—	—	—	1	—	—	—
Meningococcus meningitis (24).....	4	—	—	—	—	—	—	—	1	—	—	3	—
Tuberculosis of the respiratory system (31).....	57	6	4	4	5	6	3	2	4	5	5	4	9
Other forms of tuberculosis (32-37).....	14	—	1	3	1	—	—	4	1	1	1	—	2
Diabetes mellitus (57).....	21	2	3	2	1	2	1	2	3	2	2	1	—
Cerebral hemorrhage and softening (74, 85).....	86	11	6	4	7	9	5	9	5	10	8	4	8
Other [organic] diseases of the heart (90).....	194	16	12	10	15	18	13	20	25	18	16	10	21
Bronchitis (98).....	8	2	—	—	1	2	1	1	1	—	—	—	3
Broncho-pneumonia (100).....	53	9	8	3	4	3	2	3	2	4	2	5	3
Pneumonia (101).....	64	6	8	3	3	5	2	5	1	3	10	8	10
Diarrhea and enteritis [under 2 years] (113).....	45	—	—	2	2	4	—	4	8	11	8	4	1
Diarrhea and enteritis [2 years and over] (114).....	14	—	—	—	—	—	—	1	7	2	2	—	—
Nephritis (128, 129).....	81	7	3	—	—	—	—	8	7	6	6	9	11
Puerperal septicemia (146).....	18	1	—	3	6	10	—	4	3	—	—	1	4
Other puerperal causes (143-145, 147-150).....	28	2	3	4	2	4	3	1	1	—	3	1	1
Suicide (165-174).....	46	5	2	8	5	8	3	4	—	3	5	2	1
Automobile accidents ¹ (188c).....	67	1	7	1	4	3	5	12	8	14	5	6	1
Automobile and railroad-train collision (part 188a).....	1	—	—	—	—	—	—	—	—	1	—	—	—
Automobile and street-car collision (part 188b).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Other external causes (175-187, part 188a, b, 188d-203).....	211	13	13	18	19	12	18	29	24	15	25	16	9
All other causes.....	752	58	55	62	76	64	56	55	58	72	73	58	65

¹ Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I A.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

Table with columns for Area and Cause of Death, All deaths, and months Jan through Dec. Data is grouped by city: St. Louis, Mo. (Colored), Omaha, Neb., and Camden, N. J.

1 Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

Table with columns for 'AREA AND CAUSE OF DEATH', 'All deaths', and months 'Jan.' through 'Dec.'. It lists various causes of death for Jersey City, Newark, and Paterson, N. J., with corresponding death counts for each month and a total.

¹ Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

349

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

Table with columns for 'AREA AND CAUSE OF DEATH' and months 'Jan.' through 'Dec.', showing death counts for Trenton, N. J., Albany, N. Y., and Buffalo, N. Y.

1 Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

Table with 13 columns (All deaths, Jan, Feb, Mar, Apr, May, June, July, Aug, Sept, Oct, Nov, Dec) and rows for various causes of death in New York City (White, Colored, Bronx Borough). Causes include Typhoid, Malaria, Smallpox, Measles, Scarlet fever, Whooping cough, Diphtheria, Influenza, Dysentery, Erysipelas, Lethargic encephalitis, Meningococcus meningitis, Tuberculosis, Diabetes mellitus, Cerebral hemorrhage, Heart diseases, Bronchitis, Pneumonia, Diarrhea, Nephritis, Puerperal causes, Suicides, and Automobile accidents.

1Excludes collision with railroad trains and street cars

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

Table with 13 columns: AREA AND CAUSE OF DEATH, All deaths, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Rows include Memphis, Tenn. (Colored), Nashville, Tenn. (White), and Nashville, Tenn. (Colored), with various causes like Typhoid fever, Malaria, etc.

1 Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

Table with columns for AREA AND CAUSE OF DEATH, All deaths, and months from Jan to Dec. Rows include Richmond, Va. (Colored), all causes; Seattle, Wash., all causes; and Spokane, Wash., all causes, each with a list of specific causes and their corresponding death counts.

1 Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

365

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, Wis., all causes.....	5,549	427	468	559	647	543	446	388	364	383	448	433	443
Typhoid and paratyphoid fever (1).....	7			1				1	1	2	1	1	
Malaria (5).....	37	3	2	6	14	40	19	3					
Smallpox (6).....	20	1	1	2	1	7	3	4					
Measles (7).....	8	1	2	2	1	1							
Scarlet fever (8).....	39	5	4	2	3	6	1	6	7	2	2	2	8
Whooping cough (9).....	69	5	4	9	6	4	2	7	4	4	7	8	8
Diphtheria (10).....	95	10	6	19	30	6	3	1		2	9	3	6
Influenza (11).....	1								1				
Dysentery (16).....	8	1		1	1				1	1			3
Erysipelas (21).....	6	2					1		1	1	1		
Lethargic encephalitis (23).....	2				1	1						1	
Meningococcus meningitis (24).....	243	15	15	22	27	27	30	19	16	18	17	23	14
Tuberculosis of the respiratory system (31).....	69	5	5	3	9	4	6	5	11	5	1	7	8
Other forms of tuberculosis (32-37).....	114	7	7	4	15	15	7	8	7	10	11	12	11
Diabetes mellitus (57).....	333	26	25	35	33	25	29	26	20	20	28	38	28
Cerebral hemorrhage and softening (74, 83).....	712	57	60	61	87	63	59	52	51	44	65	49	64
Other [organic] diseases of the heart (90).....	50	6	6	7	7	4	1	1	1	1	4	7	5
Bronchitis (99).....	276	26	35	35	59	23	10	8	1	11	4	7	5
Broncho-pneumonia (100).....	381	31	28	66	55	35	21	10	15	7	23	19	21
Pneumonia (101).....	133	7	14	13	11	13	7	7	7	6	14	22	27
Diarrhea and enteritis [under 2 years] (113).....	31		3		4	1	2	3	7	27	8	11	7
Diarrhea and enteritis [2 years and over] (114).....	341	22	36	43	38	31	28	25	21	22	24	23	28
Nephritis (128, 129).....	26	2	2	3	3	1	3	3	3	4	2	1	3
Puerperal septicemia (146).....	42	3	6	5	6	3	4	1	2		2	3	3
Other puerperal causes (143-145, 147-150).....	83	6	7	8	5	7	8	9	6	11	4	4	8
Suicide (165-174).....	102	4	2	6	8	6	5	13	11	11	13	12	11
Automobile accidents ¹ (188c).....	5			1						1			
Automobile and railroad-train collision (part 188a).....	1									2			
Automobile and street-car collision (part 188b).....	224	17	19	12	27	21	24	16	16	18	17	16	21
Other external causes (175-187, part 188a, b, 188d-203).....	2,091	165	178	193	196	200	173	160	149	154	192	167	164

¹ Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I B.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

Table with columns for AREA AND CAUSE OF DEATH, Deaths under 1 year of age, and age groups (Under 1 day, 1 day, 2 days, 3 to 6 days, 1 week, 2 wks., 3 wks., Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows are grouped by state (Missouri, South Carolina White, South Carolina Colored) and cause of death (Measles, Scarlet fever, Whooping cough, etc.).

MORTALITY STATISTICS

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1	2	3	4	5	6	7	8	9	10	11
										mo.	mos.									
SAN ANTONIO, TEX., all causes.....	562	49	33	27	42	29	24	15	219	64	42	39	39	28	27	26	17	28	18	15
Measles (7).....	1										1									
Scarlet fever (8).....																				
Whooping cough (9).....	14							1	1	2	1	1	2	2	2	1	1	1		
Diphtheria (10).....																				
Influenza (11).....	14									3	1	1		2	1	3	2	1		
Dysentery (16).....	6										1	2		2						1
Erysipelas (21).....	1										1									
Meningococcus meningitis (24).....																				
Tetanus (29).....	7				5	2			7											
Tuberculosis of the respiratory system (31).....	3																			
Tuberculosis of the meninges, etc. (32).....	1											1					1			1
Other forms of tuberculosis (33-37).....	1																			
Syphilis (38).....	16	1				1	1	2	5	4	1		1	2					1	
Convulsions (80).....	5			1					1	2				1	1					
Bronchitis (99).....	6				1	1			2	3										
Broncho-pneumonia (100).....	41				3	4	2	1	10	9	2	3	2	1	3	2	2	3	1	3
Pneumonia (101).....	9								3	3	1	1	3							1
Diseases of the stomach (111, 112).....	4			1					1	1										
Diarrhea and enteritis (113).....	212			1	3	6	9	6	25	23	24	23	22	17	14	13	9	20	14	8
Congenital malformations (159).....	20	3	3	3	2	3	2		16	2			1							
Congenital debility (160).....	18	2		2		1	1		6	1	1	4	2		2	2				
Premature birth (161a).....	102	37	20	10	15	8	7	4	101	1										
Injury at birth (161b).....	19	4	5	4	5	1			19											
Other diseases of early infancy (162, 163).....	10	1	3	3	3				10											
External causes (175-203).....	4								1								2			1
Unknown or ill-defined diseases (204, 205).....	23	1	2	2	2		2	1	10	3	2		1		2	2	1	1		1
All other causes.....	25				2	2			4	7	3	2	3	1	2	1			1	1

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, and 50.

SUPPLEMENT

—

HAWAII AND VIRGIN ISLANDS

HAWAII

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total.....	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian.....	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian.....	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian.....	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian.....	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian.....	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese.....	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican.....	5,602	122	841	1,946	964	4	891	834
Other Caucasian.....	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese.....	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese.....	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean.....	4,950	93	1,319	1,188	1,045	13	642	650
Filipino.....	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others.....	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1925

RACE	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 estimated population, July 1, 1925							
Total.....	4,108	14.1	321	1,644	581	639	44	316	563
Hawaiian.....	660	29.4	46	290	125	43	20	36	100
Part Hawaiian.....	307	14.5	11	189	30	21	9	8	39
Caucasian-Hawaiian.....	198	16.0	8	128	16	10	4	6	26
Asiatic-Hawaiian.....	109	12.4	3	61	14	11	5	2	13
Caucasian.....	702	11.5	57	340	85	88	5	38	89
Portuguese.....	297	10.0	30	133	50	15	3	20	46
Porto Rican.....	104	17.3	10	26	25	16	1	10	16
Other Caucasian.....	301	13.4	17	181	10	57	1	8	27
Chinese.....	236	11.7	8	188	18	25	2	20	25
Japanese.....	1,232	9.8	127	458	195	149	4	117	182
Korean.....	79	15.2	7	36	6	20	2	2	6
Filipino.....	840	26.6	65	141	122	293	2	95	122
All others.....	2	4.7	—	2	—	—	—	—	—

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1925

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

Table with 19 columns for causes of death and 2 rows for Territory of Hawaii and its counties, showing deaths and death rates.

Table with 19 columns for causes of death and 2 rows for Territory of Hawaii and its counties, showing deaths and death rates.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1925

Table with 14 columns for race groups and 43 rows for causes of death, showing total and racial breakdowns.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	PART HAWAIIAN			CAUCASIAN				Chi- nese	Japa- nese	Kor- ean	Fili- pino	All others
			Ha- waiian	Total	Cau- casian- Ha- waiian	Asi- atic- Ha- waiian	Total	Portu- guese	Porto Rican					
	II.—General diseases not included in Class I.....	434	40	24	19	5	72	13	13	46	26	162	4	106
	Cancer and other malignant tumors.....	198	26	18	14	4	45	9	10	26	19	83	3	4
43	Of the buccal cavity.....	8	2				4			4		2		
44	Of the stomach, liver.....	114	12	12	10	2	17	6	4	7	10	58	2	3
45	Of the peritoneum, intestines, rectum.....	15	1				4	1		3	3	6	1	
46	Of the female genital organs.....	26	2	4	4		8	1	4	3	2	10		
47	Of the breast.....	6	2	1		1	3			3				
48	Of the skin.....	1	1				1			1				
49	Of other or unspecified organs.....	28	7	1		1	8	1	2	5	4	7		1
51	Acute rheumatic fever.....	2	1									1		
52	Chronic rheumatism, osteoarthritis, gout.....	2					1			1		1		
55	Beriberi.....	159	4	1		1				1	1	62	1	90
57	Diabetes mellitus.....	28	3	3	3		10	2	2	6	4	3		
58	Anemia, chlorosis.....	2										1		
60a	Exophthalmic goiter.....	4	1	1	1		2	1		1				1
61	Diseases of the parathyroid glands.....	1										1		
62	Diseases of the thymus gland.....	13	1				3	1		2		1		8
65a	Leukemia.....	7	1				1			1		4		1
66	Alcoholism (acute or chronic).....	19	2	1	1		10		1	9		5		1
68	Chronic poisoning by organic substances.....	2									2			
69	Other general diseases.....	2	1											1
	III.—Diseases of the nervous system and of the organs of special sense.....	240	50	14	9	5	64	32	4	28	18	77	1	16
71a	Simple meningitis.....	6	2	2	1	1	1			1	1			
71b	Nonepidemic cerebrospinal meningitis.....	2	1									1		
73	Other diseases of the spinal cord.....	9	2				2	1		1		5		
74a	Cerebral hemorrhage.....	159	35	9	7	2	47	23	2	22	14	50		4
74b	Cerebral embolism and thrombosis.....	3					1	1				1		1
76	General paralysis of the insane.....	11	5	1	1		2			2	1	2		
77	Other forms of mental alienation.....	10	3				2	1	1		2	1	1	1
78	Epilepsy.....	8	2				4	3		1		3		1
80	Infantile convulsions (under 5 years).....	14										4		8
84	Other diseases of the nervous system.....	5		1		1						3		1
85	Diseases of the eye and annexe.....	2					1	1				1		
86a	Diseases of the ear.....	4										4		
86b	Diseases of the mastoid process.....	7		1	1	1	4	2	1	1		2		
	IV.—Diseases of the circulatory system.....	363	95	27	21	6	106	44	10	52	43	61	4	27
87	Pericarditis.....	3	1				1	1						1
88	Endocarditis and myocarditis (acute).....	37	9	2		2	10	2	2	6	1	9		6
89	Angina pectoris.....	19	2	2	1	1	10	4	1	5		4		1
90	Other diseases of the heart.....	267	76	22	19	3	70	31	6	33	35	42	4	18
91a	Aneurysm.....	5	1	1	1		1			1		2		
91b,c	Other diseases of the arteries.....	29	6				13	6	1	6	7	3		
92	Embolism and thrombosis (not cerebral).....	2					1			1				1
94	Diseases of the lymphatic system.....	1										1		
	V.—Diseases of the respiratory system.....	630	103	41	24	17	62	38	12	12	41	172	6	205
97a	Diseases of the nasal fossae.....	1											1	
97b	Diseases of the nasal fossae annexe.....	5	1				3	2		1		1		
98	Diseases of the larynx.....	5		1	1		1	1				3		
99a	Acute bronchitis.....	43	4	3	3		3	2	1		1	5		27
99b	Chronic bronchitis.....	5	3								1			1
99c,d	Bronchitis (unspecified).....	4		2		2								2
100a	Broncho-pneumonia.....	321	46	20	11	9	30	19	6	5	20	85	3	117
100b	Capillary bronchitis.....	16	2				2					9		5
101a	Lobar pneumonia.....	204	40	13	7	6	25	14	5	6	18	58	2	48
101b	Pneumonia (unspecified).....	3	3											
102	Pleurisy.....	14	2	1	1						1	10		
103	Congestion and hemorrhagic infarct of the lung.....	3												3
105	Asthma.....	4	2	1	1									1
107	Other diseases of the respiratory system (tuberculosis excepted).....	2										1		1
	VI.—Diseases of the digestive system.....	699	97	63	33	30	96	55	18	23	31	199	11	202
108	Diseases of the mouth and annexe.....	5										5		
109b	Other diseases of the pharynx, tonsils.....	13	3				4	2		2		5		1
110	Diseases of the esophagus.....	1												1
111a	Ulcer of the stomach.....	21	5	1	1		2			2		12		1
111b	Ulcer of the duodenum.....	11					4	2	1	1	1	4		2
112	Other diseases of the stomach (cancer excepted).....	10		2	1	1					1	2		5
113	Diarrhea and enteritis (under 2 years).....	488	62	49	23	26	53	35	15	3	15	126	6	177
114	Diarrhea and enteritis (2 years and over).....	51	11	1	1		7	3	1	3	1	26	1	4
117	Appendicitis and typhlitis.....	23	5	1	1		6	4	1	2	2	6	1	2
118a	Hernia.....	10	3				2					2		1
118b	Intestinal obstruction.....	19	1	1	1		2	2			1	2		1
119	Other diseases of the intestines.....	2		1	1		6	3	1	2	4	4		2
120	Acute yellow atrophy of the liver.....	1		1	1							1		1
122	Cirrhosis of the liver.....	20	3	1		1	3	1		2	4	5	2	2
123	Biliary calculi.....	10	1	2	1	1	4	1		3	1	1		1
124	Other diseases of the liver.....	12	2	2	1	1	5	2		3	1			1
126	Peritonitis without specified cause.....	3	1	1	1									1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	XIV.—External causes.....	345	7	19	14	5	2	16	4	27	34	34	23	59	45	38	11	5	2
	Suicide.....	58							1	3	5	4	5	16	12	9	3		
165	By poisons (gas or corrosives excepted).....	9								1	1		1	1	1	1	1		
166	By corrosive substances.....	4								1	1			4	6	4	1		
168	By hanging or strangulation.....	19									3	1		1	1				
169	By drowning.....	3										1		4	1				
170	By firearms.....	14								1		1	3	4	2	3			
171	By cutting or piercing instruments.....	3												2	2		1		
172	By jumping from high places.....	2										1		1					
174	By other means.....	4						1					1	1	2				
	Homicide.....	29								2	6	5	3	7	3	2	1		
197	By firearms.....	6									2	1	1	1	2				
198	By cutting or piercing instruments.....	13								1	3	4	1	2	1	1	1		
199	By other means.....	10								1	1		1	5		1	1		
	Accidental or undefined.....	258	7	19	14	5	2	16	3	22	23	25	15	36	30	27	7	5	2
175	Poisoning by food.....	5										1	1	1	2				
176	Poisoning by venomous animals.....	1												2					
177	Other acute poisonings (gas excepted).....	7	1	3	1														
179	Burns (conflagration excepted).....	22		5	5	3		3				1		1	2	1	1		
182	Drowning.....	44	1	8	2		1	2		5	8	5	2	6	2	2			
183	Traumatism by firearms (except in war).....	7						1		1	2	1	1						
184	Traumatism by cutting or piercing instruments.....	5						1							1	2	1		
185	Traumatism by fall.....	34	2					1	1	4	3	2	1	5	7	6	3		2
186b	Traumatism in quarries.....	5												2	2				
187	Traumatism by machines.....	7						1			1	1		2	2				
188a	Railroad accidents.....	15							1	3	3	1		1		5	1		
188b	Street-car accidents.....	3													2	1			
188c	Automobile accidents.....	54		1	4	2		7	1	4	1	7	5	5	7	4	3	2	1
188d	Airplane and balloon accidents.....	12									2	3	5	2					
188e,f	Injuries by other vehicles.....	6								1		1		2	1				1
188g	Landslide, other crushing.....	2								1				1					
189	Injuries by animals (not poisoning).....	8			1					1	1			2	2	1			
196	Other accidental electric shocks.....	1									2	2		4	1	2	1	1	
202	Other external violence.....	20	3	1	1									4	1	2	1	1	
	XV.—Ill-defined diseases.....	13	7										1	1	1	2	1		
205a	Ill-defined.....	5	1										1	1	1	1			
205b	Not specified or unknown.....	8	6													1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths).....	4,108	355	351	417	354	351	309	329	306	300	346	339	351
Typhoid and paratyphoid fever (1).....	17		2		1	2	2	3	3	1	1	2	
Smallpox (6).....	1											1	
Measles (7).....	29		4	4	4	2	4	6		1		1	3
Whooping cough (9).....	2						1					1	
Diphtheria (10).....	47	5	1	1	4		3	3	4	5	3	13	5
Influenza (11).....	24	2		6	2	2	5		2		2	3	
Dysentery (16).....	16	4	1	3	1		1				1		5
Erysipelas (21).....	8	2	1		2		1			1			1
Lethargic encephalitis (23).....	3			2									1
Meningococcus meningitis (24).....	11	1			1	3	1		1			1	1
Tuberculosis of the respiratory system (31).....	338	37	37	37	27	34	16	23	27	25	27	15	28
Other forms of tuberculosis (32-37).....	51	2	4	9	8	4	7	6	6		1	2	2
Diabetes mellitus (57).....	23	2	1	3	2	1	2	3	2	2	1	1	3
Cerebral hemorrhage and softening (74, 83).....	162	12	8	16	15	13	12	16	15	14	17	10	14
Other [organic] diseases of the heart (90).....	267	24	17	24	21	27	17	21	26	15	25	30	20
Bronchitis (98).....	52	1	5	3	8	7	3	6	4	2	5	5	3
Broncho-pneumonia (100).....	337	37	32	34	43	22	28	15	18	19	31	29	29
Pneumonia (101).....	207	11	20	29	16	24	17	12	12	10	15	22	19
Diarrhea and enteritis [under 2 years] (113).....	488	47	56	67	34	57	31	29	33	26	43	31	34
Diarrhea and enteritis [2 years and over] (114).....	51	7	2	6		4	5	2	7	4	5	2	7
Nephritis (123, 129).....	199	20	20	12	16	22	13	16	17	17	15	20	12
Puerperal septicaemia (140).....	16	1	1	3	2		2	1		3			2
Other puerperal causes (143-145, 147-150).....	63	5	1	7	9	7	3	6	3	4	7	5	6
Suicide (165-174).....	58	7	5	7	3	3	4	5	9	4	3	5	3
Automobile accidents (188).....	54	2	5	1	9		8	6	2	5	2	7	7
Other external causes (175-187, 188a, b, d-203).....	233	16	16	15	18	18	26	34	18	21	16	17	18
All other causes.....	1,351	110	112	126	108	99	97	111	98	121	125	116	128

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes (exclusive of stillbirths).....	1,416	144	31	30	49	54	35	48	391	259	147	107	94	74	67	78	59	50	45	45
Measles (7).....	14									1			*1			2	1	3	5	1
Whooping cough (9).....	1										1									
Diphtheria (10).....	5														2	1	1		1	
Influenza (11).....	5												1	2				1		
Dysentery (16).....	1																			
Erysipelas (21).....	6					1	1	1	3		1	1								1
Meningococcus meningitis (24).....	4												1							1
Tetanus (29).....	3				1	1		1	3											
Tuberculosis of the respiratory system (31).....	3													1			1			
Tuberculosis of the meninges, etc. (32).....	2																	1		
Other forms of tuberculosis (33-37).....	1																		1	
Syphilis (38).....	20	4	1		1	1		1	8	2	4		2	1	1	1				
Convulsions (50).....	13				1	1		1	2	5	6		2	1	3	2				1
Bronchitis (99).....	39				1	2	2	2	5	6	8		9	2	1	3	2	2		1
Broncho-pneumonia (100).....	243			2	2	4	6	5	19	43	31	19	21	21	12	30	15	10	10	12
Pneumonia (101).....	72				1	2	2	3	6	10	7	12	7	6	6	3	1	7	2	5
Diseases of the stomach (111, 112).....	8				1	1	1	2	3	3				1						
Diarrhea and enteritis (113).....	443				6	12	9	12	39	104	59	37	41	24	27	23	30	19	20	15
Congenital malformations (159).....	47	14	2	5	7	3	1		32	6	2	1	2	1	1			1	1	
Congenital debility (160).....	33	3	2		3	2	1	2	13	7	3	3	2		3	1				
Premature birth (161a).....	161	77	16	14	12	19	7	5	150	7	3			1						
Injury at birth (161b).....	43	29	4	4	5	1			43											
Other diseases of early infancy (162, 163).....	45	16	6	4	6	5	2	2	41	4										
External causes (175-203).....	7										1	2			1	1		1		1
Unknown or ill-defined diseases (204, 205).....	7				2			2	4					1						
All other causes.....	190	1		1		5	3	11	21	61	26	18	13	11	11	8	4	5	4	8

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, IN THE VIRGIN ISLANDS: 1924 AND 1925

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA, COLOR, AND YEAR		All causes (exclusive of stillbirths)	Malaria 5	Diphtheria 10	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33-37	Cancer and other malignant tumors 43-49	Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87-90	Bronchitis 99
Virgin Islands:													
1925		501	1	1	32	1	1	18		1	21	122	2
1924		601			36		1	19	1	1	10	119	5
White	1925	27			1			1			1	9	
	1924	31			1			2				4	
Negro	1925	473	1	1	31	1	1	17		1	20	112	2
	1924	496			28		1	13	1		9	97	4
Mixed	1924	74			7			4			1	18	1
Other colored	1925	1										1	
St. Croix:													
1925		270		1	21	1	10			1	11	49	2
1924		361			20	1	10	1		1	7	53	6
White	1925	4			1		1					2	
	1924	8								1		2	
Negro	1925	265		1	20	1	9			1	11	48	2
	1924	318			16	1	10	1			7	48	4
Mixed	1924	35			4							3	1
Other colored	1925	1										1	
St. John:													
1925		7						1				2	
1924		19										2	
White	1925	2										1	
Negro	1925	5										1	
	1924	17					1					2	
Mixed	1924	2											
St. Thomas:													
1925		224	1		11	1	8				10	71	
1924		221			16		8				3	64	
White	1925	21			1						1	8	
	1924	23			1			2				2	
Negro	1925	203	1		11	1		8			9	63	
	1924	161			12			2			2	47	
Mixed	1924	37			3			4			1	15	

AREA, COLOR, AND YEAR		Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhilitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143-145, 147-150	Congenital malformations and diseases of early infancy 159-163	Homicide 197-200	Other external causes 165-196, 201-203	Unknown or ill-defined diseases 204, 205	All other causes
Virgin Islands:														
1925		41	24	1	2	1	35	1	7	28	1	13	18	129
1924		52	35	3	4	4	46	1	8	53	1	19	23	160
White	1925	4	4				2							4
	1924	5	3	1			3		1	7				3
Negro	1925	37	20	1	2		33	1	7	28		13	18	125
	1924	43	27	1	4	4	37	1	5	41	1	19	20	140
Mixed	1924	4	5	1			6		2	5			3	17
Other colored	1925													
St. Croix:														
1925		15	6	1	1		18		3	14	1	8	18	89
1924		32	16	1	3	3	26		5	35		8	22	112
White	1925						1							1
	1924	2					1		1					
Negro	1925	15	6	1	1		17		3	14	1	8	18	88
	1924	28	14	1	3	3	20		3	33		8	20	99
Mixed	1924	2	2	1			5		1	1			2	13
Other colored	1925													
St. John:														
1925			2			1			1	1				7
1924		1	2			1						5		
White	1925						1							
Negro	1925		2						1	1				
	1924	1	1									5		6
Mixed	1924		1											1
St. Thomas:														
1925		26	16		1		17	1	3	13		5		40
1924		19	17	2	1		20	1	3	18	1	6	1	41
White	1925	4	4				2							3
	1924	3	3	1			1			6				3
Negro	1925	22	12		1		16	1	3	13		5		37
	1924	14	12	1	1		17	1	2	8	1	6		35
Mixed	1924	2	2				1		1	4			1	3

NOTE.—The transcripts of certificates of deaths for 1925 did not show deaths of persons of "mixed" blood (white and Negro).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1924 AND 1925

Table with columns for List No., CAUSE OF DEATH AND COLOR, VIRGIN ISLANDS (1925, 1924), ST. CROIX (1925, 1924), ST. JOHN (1925, 1924), and ST. THOMAS (1925, 1924). The table lists various causes of death such as infectious diseases, general diseases, and specific ailments like malaria and tuberculosis, broken down by color and island.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1924 AND 1925—Continued

List No.	CAUSE OF DEATH AND YEAR	All deaths	Age													Age unknown					
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over		
XIV.—External causes:			14																		
	1925	20	2		2	1		3				1	1	2			2				
	1924	20	2	2		1		1	2		2	1	2		1		1	3			
199	Homicide..... 1925	1												1							
	1924	1												1							
	By other means..... 1925	1																			
	1924	1												1							
	Accidental or undefined..... 1925	13	2		2	1		3			1	1	1			2					
177	1924	19	2	2		1		1	2		2	2	1	1	1		1		3		
178	Other acute poisonings (gas excepted)..... 1925	1			1																
	1924	1										1									
179	Burns (conflagration excepted)..... 1925	1	1																		
	1924	3		2																	
182	Drowning..... 1925	4						2											1		
	1924	6						1	1		1	1									
185	Traumatism by fall..... 1925	1				1													1		
	1924	1				1															
189	Injuries by animals (not poisoning)..... 1924	1	1									1									
201	Fracture (cause not specified)..... 1925	2						1						1							
	1924	1																	1		
202	Other external violence..... 1925	4	1		1												2				
	1924	7	1						1		1		1	1	1		2				
XV.—Ill-defined diseases:			18	7	2																
	1925	23	6	9										1	2	1	2	1		4	
	1924	23	6	9																2	
205a	Ill-defined..... 1925	17	6	2										1	2	1	1	1		4	
	1924	23	6	9																2	
205b	Not specified or unknown..... 1925	1	1							1										2	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1924 AND 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1925													
All causes (exclusive of stillbirths).....	501	37	42	40	40	41	46	33	38	33	46	46	59
Malaria (5).....	1												1
Diphtheria (10).....	1								1				
Dysentery (16).....	13	2			1		1						1
Tuberculosis of the respiratory system (31).....	32	1	3	5	3	2	2	2	3	4	4	3	3
Other forms of tuberculosis (32-37).....	2			1	1								
Diabetes mellitus (57).....	1							1					
Cerebral hemorrhage and softening (74, 83).....	21	3	4	2	1	1	3	3	1	1		1	1
Other [organic] diseases of the heart (90).....	120	12	12	3	11	7	9	9	8	7	13	14	15
Bronchitis (99).....	2			1									1
Broncho-pneumonia (100).....	32	2	2	4	4	3	4		1	2	5	1	4
Pneumonia (101).....	9	1		2	4	2	2						1
Diarrhea and enteritis [under 2 years] (113).....	24	2	3	1	3		5		1	1			1
Diarrhea and enteritis [2 years and over] (114).....	5		1	1	1		1						2
Nephritis (128, 129).....	35	2	5	3	2	3	1	3	3	5	3	2	3
Puerperal septicemia (146).....	1				1								
Other puerperal causes (143-145, 147-150).....	14	1		1		4	2		2			2	1
External causes (165-203).....	7			5					1				1
All other causes.....	181	11	12	11	12	19	16	15	16	11	18	15	25
1924													
All causes (exclusive of stillbirths).....	601	50	55	56	47	43	41	49	57	48	45	63	47
Malaria (5).....													
Diphtheria (10).....													
Dysentery (16).....	9		3				1		2		1	2	
Tuberculosis of the respiratory system (31).....	36	2	5	4	1	3	3	3	5			6	3
Other forms of tuberculosis (32-37).....	1									1			
Diabetes mellitus (57).....	1	1											
Cerebral hemorrhage and softening (74, 83).....	10					3			1	2	2	1	1
Other [organic] diseases of the heart (90).....	115	10	9	12	6	6	12	9	8	13	13	10	7
Bronchitis (99).....	5				1	2					2		
Broncho-pneumonia (100).....	42	3	3		6	2	2		1	4	4	8	9
Pneumonia (101).....	10	1		1	4	2	1		1	1	1		2
Diarrhea and enteritis [under 2 years] (113).....	35	1	2	3	4	3	4	5	1	3	3	4	2
Diarrhea and enteritis [2 years and over] (114).....	5	1		1	1					1			1
Nephritis (128, 129).....	46	1	7	6	2	2	3	7	4	3	2	6	3
Puerperal septicemia (146).....	1							1					
Other puerperal causes (143-145, 147-150).....	8		1	1	1	1			1			2	1
External causes (165-203).....	20		1	1		2	1	3	6	2	1	1	2
All other causes.....	257	30	23	27	25	17	14	21	28	17	16	23	16

APPENDIX

CAUSES OF DEATH, BY AGE, SEX, AND COLOR, WITH CRUDE AND ADJUSTED
DEATH RATES FOR CERTAIN CAUSES, IN THE REGISTRATION STATES
OF 1920, AND CONTRIBUTORY CAUSES OF DEATH IN THE REGIS-
TRATION AREA IN CONTINENTAL UNITED STATES

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
38,203 30,570 7,633	45,125 36,248 8,877	48,722 39,985 8,737	54,851 45,850 9,001	63,842 54,665 9,177	69,766 62,850 6,916	82,208 75,379 6,829	92,455 86,550 5,905	91,000 85,643 5,357	81,752 77,709 4,043	62,065 58,760 3,305	33,279 31,394 1,885	11,741 10,692 1,049	2,377 2,357 20	1,067 396 671	1,360 799 561	
16,093 3,897 14,477 3,736	19,819 4,542 16,429 4,335	22,850 4,561 17,135 4,176	26,273 4,879 19,577 4,122	31,237 5,192 23,428 3,985	35,889 3,853 26,961 3,063	42,127 3,678 33,252 3,151	47,713 3,252 38,537 2,653	45,815 2,993 39,828 2,864	39,843 2,220 37,866 1,823	28,421 1,741 30,339 1,564	13,946 974 17,443 911	4,362 482 6,530 567	852 208 1,505 312	148 248 248 423	528 329 271 232	
4,591 1,331 4,164 1,287	4,773 1,336 3,514 1,142	4,872 1,096 2,800 874	4,474 1,000 2,869 698	4,021 820 2,085 515	3,526 567 2,012 331	3,014 405 1,954 283	2,810 289 2,105 190	2,150 294 1,952 178	1,614 163 1,721 120	1,049 102 1,322 80	581 59 693 64	167 25 252 39	22 13 56 14	8 17 10 21	64 58 35 30	
207 44 162 52 1	221 54 132 44	210 35 87 40	160 28 89 30	118 33 86 11	122 17 70 11	89 6 43 10	64 10 47 6	34 6 23 5	15 11 2	6 3 2 2	1 1			1 1	3 4 4 3	1
24 12 24 25	8 14 19 34	19 19 16 30	20 30 18 17	23 17 12 24	22 16 8 17	20 16 14 12	23 14 14 12	25 14 21 12	16 12 17 10	12 8 17 8	6 4 2 2	1 2 2 1		1 2	2 4 3 2	5
20 6 21 4 3	26 3 19 5	27 6 13 1	26 4 14 3	15 4 14 2	19 3 9 1	17 2 7 1	12 2 10	3 2 9	4 2 1	4 1 1 1		1 1	1			6
6 1	7 26	9 17	6 13	5 1	4 4	2 1	2 1	2 1	1 1	1 1					1 1	7
24 43 1	18 26 1	9 17	10 13	11 7	4 4	2 1	1 2	1 2	1 1	2 1						8
1 2	1 2		1 1	1 1			2 1	2 1	1 1						2 2	9
12 2 40 2	15 2 33 6	18 2 29	7 1 15 2	12 17	16 8	7 1 7	3 1 4	4 1 7	1 1 1	1 1	1 1				4 2	10
242 76 234 62	323 81 297 63	342 90 273 66	381 84 237 54	382 90 259 75	362 68 299 58	412 54 380 46	484 39 527 40	490 33 565 33	467 34 570 25	355 21 464 18	178 9 241 18	46 11 79 7	3 3 14 5	3 3 2 6	4 4 2 1	11a
99 24 136 36	111 40 156 46	141 34 137 52	141 50 145 53	142 32 140 44	165 26 192 22	202 35 214 45	260 19 290 28	309 49 355 42	364 36 462 33	329 29 475 26	254 25 303 21	93 6 123 21	13 7 36 6	6 6 6 14	2 6 1 1	11b
1 2 2		2 2	1 1	2 1	1 1	1 1	1 1	1 1	2 2	1 2		1 1				13
2 2 4	1		1 1		2 2	5 3	4 3 1	5 3 1	10 5 1	5 9 1	6 6 1					15
6 2 12 10	9 5 9 12	19 7 10 12	10 8 10 6	15 10 22 11	22 16 21 7	32 16 36 9	36 9 41 15	56 16 82 16	81 9 81 10	53 10 89 6	43 5 49 8	11 2 18 7	3 1 4	1 3 1 1	4 1 1 1	16
	1 1 1	4 2	1 3	1	2 2	1 3	1	1	1	1						17
2	1		1	3	1						1					19
		1 1		2	1 1		2	1 1	1 1			1 1				20
30 8 29 1	31 1 29	58 5 30 2	66 4 38 8	80 7 51 5	80 3 48 3	73 1 75 1	94 2 66 3	72 54 61 1	69 61 2	42 37	21 1 21 2	6 8 1	2 1 1	1 1	1 1	21
18 8	9 7	1 5	7 3	6	2	3	2	1	1	1						22

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
59 3 54 3	42 6 45 3	52 4 61 7	62 3 43 4	60 4 47 5	59 1 51 2	32 1 34 1	24 1 28 1	17 1 24 1	6 1 8 1	1 1 5 1						23
17 2 5 1	13 2 8 1	16 6 3	5 1 5 2	6 1 6 1	7 2 4	1 3	1 2	1 1	1 1							24
3 1 1	1	1		6 1 1	2 1	3 1	1 1	1	1						1	25
																26
2 1		3	1		1	1		1	2							27
4 1	1	2	1	1 1	1	1	1	2								28
	2		1													29
20 9 12 2	30 7 7 3	23 11 10 3	24 10 9 3	26 2 9	28 2 6	16 2 10 1	11 1 8 1	14 4 3 1	7 1	6 4						30
5 2 2	5	4 2 5	3 1 1	2 3	10 3	4 3	3 3	3 1	3 1		1					31
3,620 1,005 3,201 964	3,642 898 2,484 775	3,563 697 1,972 538	3,126 582 1,543 432	2,726 473 1,265 276	2,228 290 1,543 175	1,808 195 1,052 128	1,553 136 987 67	982 103 765 54	490 59 471 31	198 26 198 22	60 12 62 7	9 2 18 1		1 1	40 27 18 27	
3,375 920 831 2,943 883	3,380 831 2,293 726	3,325 644 1,764 481	2,926 527 1,386 392	2,533 445 1,127 256	2,050 266 1,011 158	1,664 184 923 117	1,408 123 889 60	877 92 659 49	437 54 414 28	172 26 175 16	53 12 56 5	5 2 14 1	1 1 1	1	34 24 17 25	
44 10 46 8	51 9 24 6	38 8 28 7	34 5 20 2	31 4 12 1	17 2 6	12 3 6 1	10 3 2	2 6 1	4 1		1 1	1 1				4 1 1 1
59 27 125 35	74 21 76 29	64 19 100 26	53 22 77 14	62 9 69 6	66 10 74 8	50 6 64 5	57 3 43 5	40 6 46 2	29 1 25 1	8 1 12 5	1 3	1 1				1
36 12 14 7	22 10 23	34 4 5	28 3 15 7	17 2 16 1	25 3 15 1	24 1 17 1	22 1 16	17 4 17	4 1 13	2 2	2 1	1 1				1 1
13 1 2 4	12 5 6 3	6 6 9 1	6 2 3	6 1 5 1	8 1 4 2	14 1 9	13 1 5 1	8 1 5 1	1 6 2 1	7 1		2				1
39 12 27 9	61 4 36 5	52 10 32 4	43 5 26 5	46 4 26 7	41 4 29 3	21 3 24 3	30 5 23 1	30 2 26 3	10 3 8	9 2 3	2 2	1 1				1
43 21 31 14	32 17 17 6	36 3 19 13	30 15 8 6	18 7 7 2	14 4 10 2	17 5	7 2	3 1 3	5 1 1		1 1					1
11 2 13 4	10 1 9	8 3 14 1	6 3 5 3	13 1 3 2	7 2 5 1	6 1 4 1	6 7	5 3 1	1 4							1
145 123 74 77	233 207 147 106	327 171 115 84	384 175 141 70	344 135 109 56	332 113 102 38	253 71 60 25	195 53 46 15	94 30 23 10	47 12 13 6	25 3 8 2	3 2 1 1	1			2 9 2	
		1			1					1						1
																1
4 3 62 45	9 9 56 35	6 6 37 22	4 11 15 12	5 4 7 2	5 4 3 1	7 1 1	4 3	3 1	1 1		1 1					2
20 3 20 1	23 6 27 3	23 4 21 7	30 5 16 2	29 4 20 1	29 3 17	21 2 10	32 24 2	28 4 14 2	25 1 12	7 9 6 3	5 6 1 2	1 1 1		1		1

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un-known	List No.
23	38	47	43	58	48	41	27	15	7	1	1				1	60a
2		6	3	3		1										
169	256	255	365	350	284	280	192	123	48	18	9	1				60b
18	13	18	6	10	10	9	8	1	2	1	1					
5	6	2	9	2	10	9	9	5	2	2						61
1			2	1												
19	34	30	43	46	42	33	31	32	12	7	4					62
4	4	2	3	8	3	6	2			2	1					
	1	1						1								63
5			2			1										
1	2															64
16	18	13	31	25	9	12	18	8	6	4	2		2			
15	29	22	16	19	18	14	13	9	3	3	3					65a
2	3	5	5	6	4	2	6	3	2							
1	1	1	1	1	1	1	1	1	1	1	1					65b
58	49	49	53	73	74	71	57	43	21	9	3				1	
6	4	2	1	3	5	2	2	25	16	1						66
34	42	42	50	68	65	54	40	25	16	3						
2	2		3	4	1	1	1	1	1	1						67a
35	36	45	34	32	48	36	28	17	11	5					1	
1	1	2	3	5	3	1	1	1	3							67b
13	29	22	23	19	25	24	16	14	7	3	2					
1	3		1	1	1	1	1	1	1	1						68
251	422	435	471	392	328	196	132	58	26	5	2	1		1	12	
30	48	36	36	33	14	14	4	4	1	1	2				2	69
36	62	45	45	35	15	12	6	5	1	2	1				1	
9	16	10	7	3	3	3	1	1	1	1						70
1	11	18	18	19	13	18	8	7	1	1						
2	1	1	3	3	1	4	3									71a
1	1	1	3	1	2	1	1	1								
14	17	16	7	17	5	6	4	1		1		1				71b
1	2	3	5	4	1	1	1	1	1	1		1				
5	7	8	5	5	3	4	5	3		2	2					72
12	10	12	10	14	10	9	16	15	6	11	5	5	1			
1	3	2	1	1	1	1	1	1	1	1	1	1				73
14	11	10	14	12	17	30	17	16	15	12	8	1			2	
5	1	3	1	1	2	2			2	1		1				
990	1,457	1,994	2,443	3,417	4,333	5,751	7,081	7,254	6,584	4,530	1,940	518	83	15	45	70
206	299	363	507	673	491	524	472	390	294	212	117	43	19	17	39	
646	952	1,336	2,001	2,859	3,350	4,735	6,234	6,732	6,574	5,269	2,752	831	170	23	23	71a
162	279	354	479	627	537	566	475	425	319	249	152	63	46	46	18	
34	40	37	29	32	31	31	10	17	7	5	1	1			1	71b
3	8	1	1	6	2	3	3									
20	29	31	28	22	18	20	13	15	6	3	1	1				72
4	4	2	2	3	1	1	1			1						
35	42	37	33	41	26	21	20	11	9	4	2		1			73
12	8	3	6	8	2	2	1		1	3	4					
22	33	24	27	27	19	25	17	9	5	3						
7	3	4	1	1			1	1								
9	2	8	7	10	4	2	2	2	1		1					74
2	1	1	1	1	1	1	1	1	1	1						
3	4	2	3	2	1											
14	35	70	114	146	175	184	175	111	49	29	7	3			1	75
4	5	7	13	16	9	6	13	2	2	3	1	1				
4	16	27	42	43	45	43	44	36	13	7	2	1			1	
	4	3	3	6	3		4	1	2							
32	44	62	76	116	149	173	200	173	117	74	32	2		1	1	76
8	7	12	9	11	12	7	8	6	2	4	3				2	
44	28	53	95	126	118	151	177	164	121	71	34	11			1	
2	5	5	11	8	7	8	12	6	5	4	4					

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
979 281 984 312	1,448 448 1,877 441	2,030 628 1,764 608	3,335 869 2,736 739	4,996 1,059 3,556 795	6,547 796 4,645 630	8,696 818 6,635 677	10,503 742 8,559 625	10,998 691 9,700 526	10,134 458 9,749 386	7,334 348 7,850 334	3,467 195 4,564 158	1,037 82 1,496 95	203 36 341 53	28 30 53 45	57 33 44 34	90
15 19 6 14	58 44 16 24	85 51 18 9	121 44 17 18	146 30 29 15	150 26 48 15	121 18 34 7	148 9 54 4	66 5 39 3	39 3 32 3	25 10 13 2	10 10 12 2	1 1 3 1	1 1 1 1	1 1 1 1	1 1 1 1	91a
12 5 3 5	30 7 13 3	81 8 28 10	116 30 56 15	250 34 131 33	404 37 229 31	787 54 455 43	1,249 73 765 50	1,743 77 1,195 56	2,033 77 1,545 68	1,993 59 1,836 48	1,252 42 1,342 34	481 27 630 26	96 8 175 15	15 9 18 11	11 3 4 2	91b,c
21 23 2	36 2 31 2	42 5 30 3	77 4 48 4	102 2 48 3	125 2 55 2	152 5 70 1	179 1 82 4	124 3 98 3	100 1 75 2	66 2 56 2	27 3 33 2	3 1 11 2	1 1 2 1	2 1 1 1	2 1 1 1	92
7 1 13 1	18 20 1	14 1 21 3	17 30 1	21 3 27 1	26 4 37 1	31 2 37 1	19 28 4	25 19 1	10 18 4	12 1 14 1	5 4 4 1	3 4 4 1				93
8 1	5 1 1	1 4 1	6 1 1	7 1 2	2 4 1	6 1 1	6 3 1	4 4 1	4 4 1	1 2 1	1 3 2					94
1 1 1	6 2 2 1	6 2 2 1	2 2 2 1	3 3 3 1	5 1 1 2	1 2 1 2	1 1 2 1	1 1 3 1	2 2 1 1	4 1 1 1	2 2 1 1					95
1 1 1	1 1 1	3 4 2 1	4 5 4 2	6 2 2 4	8 6 2 1	9 4 7 2	9 5 4 4	14 7 8 3	21 2 6 3	4 1 6 1	2 1 2 1	1 1 1 1			1 1 1 1	96
1,400 474 981 271	1,975 592 1,150 320	2,360 566 1,139 313	2,462 536 1,149 274	2,589 452 1,335 263	2,712 285 1,608 202	3,047 271 2,103 213	3,186 183 2,650 178	3,175 187 2,927 153	2,767 139 3,134 121	2,265 106 2,771 107	1,237 51 1,720 57	467 29 727 24	96 12 165 15	19 7 27 25	32 19 21 16	
1 1 2 3	5 1 2 4	5 1 3 1	2 3 1 1	2 1 5 1	2 1 1 14	1 2 1 12	1 1 1 7	1 2 4 3	2 5 1 3	2 4 1 2	5 2 1 1	1 2 1 2	1 2 1 2			97a
22 1 15 1	27 2 12 1	13 1 10 4	27 1 8 1	18 1 12 1	12 1 14 1	7 7 12 7	7 7 3 7	4 4 3 1	3 3 3 1	1 1 2 1	1 1 1 1	2 2 2 2			1 1 1 1	97b
5 2 1	8 2 5	4 2 5	5 4 4	3 1 2	4 2 2	4 5 1	5 4 4	2 4 4	4 4 5	1 2 5	2 1 2	2 1 2	1 1 1		1 1 1	98
4 2 3 1	14 6 9 3	11 2 13 5	22 1 7 6	17 3 14 1	26 5 20 1	21 1 23 2	31 1 39 2	53 4 69 3	77 4 88 5	85 1 127 3	66 1 94 1	27 2 50 1	7 1 13 1	1 1 1 1		99a
9 3 5 7	15 6 8 3	24 1 14 4	38 4 15 6	40 2 25 8	48 6 22 3	98 5 67 7	109 4 105 7	156 1 143 5	175 4 196 2	158 2 207 4	94 1 142 1	32 3 34 3	8 1 8 1	1 1 1 1	1 1 1 1	99b
3 6 3	3 2 5 2	6 5 6 3	10 3 5 4	14 6 6 2	15 2 14 3	18 1 12 3	29 2 30 1	41 2 50 3	51 2 58 5	86 3 96 3	62 1 83 2	24 4 48 2	4 1 14 2	1 2 2 1	1 1 1 1	99c,d
188 40 178 42	288 70 211 61	370 69 239 54	362 66 235 44	422 53 270 55	528 43 366 49	620 47 549 40	750 33 732 43	834 41 923 36	898 37 1,136 33	761 28 1,066 30	438 15 686 18	173 6 335 6	37 2 62 5	5 2 10 8	10 2 7 4	100a
1 3 1	1 2 2 2	1 1 1 1	3 1 1 1	1 4 1 5	1 1 3 2	3 2 10 1	8 1 10 1	14 1 16 1	15 23 18 1	10 18 22 1	5 1 22 1	5 1 10 1	1 1 1 1			100b
1,017 378 676 171	1,415 434 778 202	1,627 428 719 195	1,704 393 758 166	1,752 329 898 153	1,747 181 1,008 118	1,893 164 1,265 118	1,871 109 1,468 94	1,710 109 1,442 70	1,230 66 1,287 57	880 47 927 40	390 24 463 26	130 12 167 8	22 8 29 4	5 1 11 5	15 13 10 7	101a
46 15 28 18	58 24 34 17	64 18 35 11	52 18 29 20	51 17 27 14	47 12 44 16	62 15 40 12	73 10 61 10	88 11 78 12	84 11 106 11	84 9 93 11	49 3 79 7	24 4 19 3	7 1 7 3	1 1 4 1	4 2 1 4	101b
59 12 32 8	64 22 37 9	95 18 42 13	92 18 34 9	83 10 38 6	91 6 38 6	96 12 50 8	92 7 48 5	58 2 51 2	55 4 39 1	24 5 39 1	15 1 16 1	2 1 2 1	1 1 2 1	1 1 1 1	1 1 1 1	102

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

409

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List No.
3	9	11	8	17	12	13	34	44	63	98	73	37	8	5		103
1	1	3	4	4	5	2	2	2	1	2	2	2	16	2	1	
5	6	4	9	5	9	7	35	48	97	121	89	56	1	1		104
2	4	2	2	1	1	5	1	4	1	4	1	1				
4	11	13	10	12	18	21	16	7	6	1	1					105
2	4	4	1	3	3	1	1	3	2	3	1					
5	4	4	1	2	2	4										106
1	1	1	4	10	10	7	9	16	6	5	2	1				
13	21	47	60	64	81	104	112	105	81	53	32	9	1			107
2	5	11	13	12	8	15	11	8	8	8	5	1	1			
9	21	26	30	42	44	53	86	71	69	47	32	10	2			108
6	8	13	10	11	3	10	11	12	7	9	1	1	1			
1	1	1	4	10	10	7	9	16	6	5	2	1				109a
2	1	1	1	1	1	1	1	4	5	2	3					
24	35	68	63	74	70	79	39	42	22	16	3	3				110
9	15	5	10	10	10	5	3	4	2	1						
17	18	16	12	15	15	13	18	20	16	14	7	3				111a
7	3	5	6	3	3	3	2	2								
1,409	1,763	1,967	2,147	2,412	2,393	2,449	2,348	1,912	1,433	944	445	101	27	5	25	111b
210	266	276	307	280	196	153	128	124	74	53	25	15	7	8	13	
1,133	1,430	1,455	1,647	1,875	1,991	2,001	1,894	1,687	1,519	1,068	583	191	35	7	14	112
230	292	261	246	209	157	144	121	108	62	48	20	15	5	11	16	
12	13	23	11	34	27	22	17	13	13	7	1	1	1			113
2	3	1	6	6	1	1	1	1	1	3						
13	18	17	17	20	23	15	16	6	8	8	4	2	1			114
4	4	4	5	4	3	2	2	2	1	1	1					
81	73	76	68	57	39	35	27	35	20	20	5	1	2			115
15	7	7	4	4	3	2	4	3	1	2						
88	69	73	52	47	33	30	25	25	19	9	3	3	2			116
12	11	7	6	1	5	3	1	4	1	1	1					
1	1	1	6	7	3	4	10	8	2	2	1					117
1	3	1	2	2	1	4	2	1	4	6	3					
153	259	273	296	314	270	244	220	194	112	69	18					118a
18	25	19	36	26	18	10	10	11	8	2	2	1				
47	84	60	85	101	105	97	103	95	71	50	26	8	1			118b
15	11	15	18	9	11	11	14	5	1	4	4	1				
108	124	152	133	148	134	117	95	50	42	13	2	2				119
7	7	9	6	4	1	1	1	1	1	3	3					
21	16	32	26	42	37	35	36	21	19	10	3					
1	1	3	1	1				2								
34	52	84	93	130	134	172	146	140	127	112	66	16	6	1	4	120
29	51	41	50	50	26	21	21	15	14	14	2	2	3	2	2	
26	43	41	39	63	69	99	118	133	158	132	90	46	9	4	3	
32	49	53	41	65	29	32	28	28	17	13	5	7	3	3	3	
39	57	64	82	85	95	116	152	169	189	193	112	33	5	2	6	121
16	22	25	17	24	17	19	12	19	16	9	10	5	2	2	5	
54	47	57	67	73	96	114	158	201	231	239	156	67	13	1	1	122
15	29	24	19	21	21	24	25	22	13	11	6	5	3	4	4	
1									1							123
	1		1													
3	6	1	2		1	2										124
1																
4		2		1	1											125
598	622	562	527	473	394	314	236	137	66	39	8	2				126
54	67	58	64	33	20	11	6	7	3			1			4	
385	389	308	312	311	309	209	163	112	54	22	9	1			2	127
64	62	43	29	12	19	7	2	2			1				2	
42	59	94	104	155	163	200	267	224	170	111	57	20	2			128
11	9	18	22	22	19	19	17	15	9	8	4	5	3		3	
29	56	85	111	158	180	226	165	171	143	76	30	9	1		1	129
2	9	11	18	6	9	8	5	6	3	1	1				1	
92	112	112	147	155	182	188	192	199	151	98	58	8	4	1		130
19	20	21	17	26	23	16	21	18	4	3	1	1	1		1	
151	156	176	157	170	149	194	191	172	185	125	73	18	6		1	131
40	46	37	41	27	20	17	7	7	7	4	3	2		2	2	

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
22	20	28	38	38	49	36	54	33	35	31	13	5	3			119
4	8	6	13	5	4	5	1		1	2					1	
26	27	20	22	22	26	25	30	28	32	20	13	8				120
7	8	11	9	4	4	2	2	6	1	1		1			1	
12	16	8	14	6	15	10	15	7	9	4	1					121
2		1	2			1		1								
24	24	23	16	16	13	6	9	7	5	4	2					122
2	2	2	2	3	1	1		2	1	1						
	1	3	2	1	1		1	1	1	1						123
1	1					1	1	1								
69	173	254	376	510	541	648	570	427	303	147	61	4	3			124
15	31	49	43	46	45	32	24	19	8	8	1	2	1	1	4	
50	96	137	178	203	231	283	292	279	236	159	62	12	1	1	1	125
13	23	15	31	25	22	16	22	13	13	7	1				1	
23	37	73	83	104	129	141	141	97	64	28	11	1				126
3	5	3	3	3	5	4	2	1							1	
113	190	196	306	372	389	318	307	214	165	73	34	3				127
3	7	9	9	11	5	4	6	4	1							
76	84	97	119	131	150	139	154	132	101	58	25	4	1			128
8	8	12	17	20	9	9	8	10	6	4	3				1	
86	139	154	193	210	262	279	233	193	164	110	71	11			1	129
12	14	17	16	7	6	10	6	5	3	4	1				2	
15	22	32	20	29	27	24	25	14	5	5	1					130
2	1	1	5	35	41	31	22	14	1							
15	18	37	23	1	1	3			4	6						131
3	3	2														
30	33	30	31	36	35	38	32	30	16	7	6	2				132
4	2	4	2	10	5	1	4	3	1						1	
50	53	36	38	25	23	37	21	15	20	18	4	2				133
7	12	8	2	11	1	4	2		1						1	
727	1,046	1,497	2,171	2,956	4,088	5,388	6,833	7,295	6,821	4,833	2,257	630	106	22	31	134
189	810	438	574	786	732	758	720	710	511	421	203	69	42	33	32	
1,208	1,709	2,186	2,526	3,008	3,420	4,309	5,183	5,392	5,071	3,696	2,007	578	123	19	29	135
388	686	662	642	617	477	528	446	401	281	211	118	64	32	24	24	
92	114	118	144	137	152	132	132	143	107	86	25	11	5			136
30	52	54	48	72	40	47	31	28	11	9	4	3	3	2	3	
97	116	105	92	105	86	95	99	84	91	72	32	13	3			137
41	45	55	42	48	32	26	26	9	11	6	3	2	4	2	2	
537	825	1,261	1,856	2,588	3,564	4,641	5,726	6,001	5,607	3,853	1,811	493	78	20	26	138
134	229	339	463	630	626	628	596	591	437	347	181	58	36	24	25	
611	934	1,337	1,742	2,430	3,009	3,926	4,846	5,112	4,812	3,492	1,913	543	122	18	27	139
198	348	425	482	517	414	466	408	378	262	200	112	60	28	29	18	
		1														140
55	51	50	54	88	75	82	109	104	83	66	34	10	1	1	2	
10	11	16	13	17	22	14	13	15	15	9	4		1		2	
67	62	80	57	78	75	77	85	73	58	52	19	7	2			141
8	7	10	10	9	4	8	4	8	4	4		1				
27	31	39	47	38	35	62	52	50	37	23	12	1			1	
1	1		4	4		4	1	4		2						
16	19	28	22	24	25	34	14	16	12	5	3	1				
		1	3	1	1	3	1									142
7	10	9	13	18	24	35	40	69	101	134	68	21	11			
2	2	2	7	8	5	13	10	15	11	16	6	2			2	
3	3	5	4	5	11	19	13	15	26	25	19	5	1			
		1		3		3	1	1	3		1	1			1	
6	9	8	20	27	28	28	21	15	9	8	3					143
11	8	17	17	21	6	7	10	6	2	1	1					
2	1			1	2	2	1			1						144
1																
3	5	11	34	56	208	406	747	906	874	661	304	93	11	1	5	145
	5	8	19	34	32	42	59	51	35	37	11	6	2			
	1	1	3	4	2	2	6	7	3	1						146
1	2	2	3		1	3										
66	65	76	87	74	40	45	46	34	31	17	7	2				147
12	9	13	9	4	5	3		2								
195	208	162	110	58	29	23	15	8	1	4						148
54	73	39	21	7	1	1										
79	233	294	331	183	88	55	43	39	35	23	12	1		1	2	149
57	92	99	57	21	14	14	5	3	1	1					2	
3	4	5	3	2												150
3	2	1	1	1												
68	65	92	77	48	53	33	20	11	4	5	2	1				151
12	10	16	15	7	6	4	1				1				1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.													
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males..... White.....	5	4					4					
	Females..... White.....	20	12					12				2	
	Females..... Colored.....	4	1					1			1		1
VIII.—The puerperal state:													
	Females..... White.....	11,060								17	982	2,191	2,514
	Females..... Colored.....	2,421								26	495	563	460
143	Accidents of pregnancy:												
	Females..... White.....	1,036								2	49	165	233
	Females..... Colored.....	199								2	17	44	43
144	Puerperal hemorrhage:												
	Females..... White.....	1,146								1	33	158	227
	Females..... Colored.....	182								1	9	22	41
145	Other accidents of labor:												
	Females..... White.....	1,219								1	76	189	251
	Females..... Colored.....	284								1	50	63	46
146	Puerperal septicemia:												
	Females..... White.....	4,172								6	394	977	1,036
	Females..... Colored.....	846								5	173	226	185
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females..... White.....	542									23	104	121
	Females..... Colored.....	52									5	10	13
148	Puerperal albuminuria and convulsions:												
	Females..... White.....	2,890								7	405	500	680
	Females..... Colored.....	842								17	239	199	130
149	Following childbirth (undefined):												
	Females..... White.....	48									2	8	14
	Females..... Colored.....	16									2	1	2
150	Puerperal diseases of the breast:												
	Females..... White.....	7											2
IX.—Diseases of the skin and of the cellular tissue:													
	Males..... White.....	1,554	252	18	12	8	4	294	18	21	42	34	34
	Males..... Colored.....	164	18	1				19	1	1	5	5	7
	Females..... White.....	1,134	219	10	5	7	3	244	20	22	33	31	28
	Females..... Colored.....	143	7	3				10	1		8	2	4
151	Gangrene:												
	Males..... White.....	625	14	1	2	3	3	23	3	5		1	4
	Males..... Colored.....	75									1	2	2
	Females..... White.....	396	7	2		2	2	13	4	2		4	3
	Females..... Colored.....	72		1				1					
152	Furuncle:												
	Males..... White.....	329	39	1	1	1		42	1	8	19	13	10
	Males..... Colored.....	16	4					4			1		
	Females..... White.....	160	24	2	1			27	2	5	13	10	10
	Females..... Colored.....	8	2					2					1
153	Acute abscess:												
	Males..... White.....	305	70	10	5	2	1	88	9	5	16	18	14
	Males..... Colored.....	41	4	1				5	1	1	3	2	4
	Females..... White.....	239	71	1	1	4	1	78	10	9	9	12	11
	Females..... Colored.....	21	3					3			4		
154	Other diseases of the skin and annexa:												
	Males..... White.....	295	129	6	4	2		141	5	3	7	2	6
	Males..... Colored.....	32	10					10				1	1
	Females..... White.....	339	117	5	3	1		126	4	6	11	5	4
	Females..... Colored.....	42	2	2				4			4	2	3
X.—Diseases of the bones and of the organs of locomotion:													
	Males..... White.....	717	29	6	18	22	21	96	79	115	74	24	21
	Males..... Colored.....	72	6	1				8	5	6	7	5	4
	Females..... White.....	395	21	6	10	21	12	70	76	54	9	7	5
	Females..... Colored.....	44	1	3	2			6	3	3	4	3	5
155	Diseases of the bones (tuberculosis excepted):												
	Males..... White.....	597	27	4	15	21	19	86	72	102	61	20	18
	Males..... Colored.....	43	5					5	4	4	3	4	1
	Females..... White.....	302	13	6	9	19	10	57	63	44	8	5	5
	Females..... Colored.....	29	1	3	2			6	3	3	3	1	3
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males..... White.....	94	2	2	3	1	2	10	6	8	13	2	3
	Males..... Colored.....	22	1	1				3	1	2	3	1	2
	Females..... White.....	68	7		1	2	2	12	12	10	1	1	
	Females..... Colored.....	10									1	1	2
157	Amputations:												
	Males..... White.....	1										1	
	Males..... Colored.....	1											
158	Other diseases of the organs of locomotion:												
	Males..... White.....	25							1	5		1	
	Males..... Colored.....	6											1
	Females..... White.....	25	1					1	1			1	
	Females..... Colored.....	5										1	
XI.—Malformations:													
	Males..... White.....	7,058	6,507	172	83	36	29	6,827	97	44	33	21	7
	Males..... Colored.....	417	352	23	9	8	4	396	6	11	3		
	Females..... White.....	5,295	4,824	177	62	33	27	5,123	78	22	22	16	7
	Females..... Colored.....	303	258	12	7	4	5	286	11	2	1	1	
159a	Congenital hydrocephalus:												
	Males..... White.....	678	513	53	32	12	10	620	27	9	13	4	1
	Males..... Colored.....	66	37	11	3	5	1	57	3	6			
	Females..... White.....	604	476	54	18	10	9	567	24	2	5	1	
	Females..... Colored.....	49	31	6	1	2	3	43	5		1		

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
1	1	1	1		2					1						142
2,343 343	2,033 358	873 137	95 26	4											8 11	
255 44	226 38	93 8	11 3	1											1	143
297 45	274 43	145 18	8 2	1											2 1	144
278 45	283 49	119 21	21 7	1											2	145
856 111	641 109	237 30	23 5	1											1 2	146
137 6	105 12	48 5	4 1													147
508 85	491 105	229 53	26 8												4 6	148
9 7	12 2	2 2	1													149
3	1		1													150
54 9 36 4	37 8 32 4	48 11 49 9	71 11 32 7	61 16 46 22	86 13 44 4	86 12 49 14	96 10 69 11	144 5 66 12	156 9 94 13	143 12 108 4	80 2 80 6	39 5 34 4	7 17 3	2 1	1 2 1 1	
8 1 4	4 3 5 1	12 4 8	8 5 5 5	13 10 13 14	18 5 10 1	38 8 15 10	47 7 29 7	104 2 42 7	115 7 60 11	110 11 81 3	69 1 60 5	34 4 24 3	6 14 3	2 1	1 1	151
24 2 19 2	15 1 7	18 3 17	26 2 6	27 9 1	29 2 3	24 11	22 9 1	18 4	11 1	17 3	2 2	2 1	1 1			152
15 5 8 2	14 4 12 2	10 4 11 5	26 2 10 1	11 5 13 2	28 2 17	13 2 8 1	16 2 10 1	8 2	10 1 7	2 6	2 3	1 1	1		1	153
7 1 5	4 8 1	8 13 3	11 2 11 1	10 1 10 5	11 4 14 3	11 2 15 3	11 2 21 2	14 3 18 5	20 1 26 2	14 1 18 1	7 1 15 1	3 1 8 1	1		1	154
32 8 6 3	25 7 15 2	17 2 11 6	23 7 11 2	38 5 16 3	37 5 17	41 1 19 2	35 2 25 1	22 19	21 18	10 11	4 2	2 3	1	1	1	
26 7 2 2	19 4 11	16 2 9 2	19 2 4 2	31 3 13 2	29 3 12	31 13 1	26 1 17 1	13 14	16 12	8 8	2 2	1 3			1	155
4 2	6 3 3 1		3 4 6	7 1 3 1	5 2 2	7 3 1	6 7	8 2	4 2	1		1				156
																157
2 1 2 1		1 1 1	1 1 1		3 3	3 1 3	3 1	1 3	1 4	1 3	2					158
10 3	6 10	4 2 1	3 5	2 3	4 1 3	1										1
3			1													159a

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

415

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925--Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
6	5			1	2											
3	2	2	3	1	2											159b
1	1	4	2	1	2											
	5		2	1	1											159c
																160
																161a
																161b
																162
																163
				5	4	26	92	304	592	960	820	443	126	22	5	
				6	4	13	29	11	128	200	135	119	45	95	3	
				5	16	42	109	357	739	1,255	1,237	731	252	64	11	
				5	4	24	26	96	125	212	147	149	85	164	7	
4,388	4,850	4,661	4,513	4,157	3,658	3,250	2,892	2,205	1,580	1,046	633	210	37	3	166	
891	853	618	493	388	219	171	128	92	78	45	24	13	6	3	78	
995	1,020	980	1,010	1,002	960	1,071	1,158	1,275	1,455	1,540	1,006	425	96	10	26	
173	172	124	95	84	64	66	50	39	40	46	27	12	6	15	13	
678	799	893	950	944	843	778	646	430	232	104	44	6			24	
34	39	28	26	7	13	9	11	5	5	2	1	2			3	
294	296	285	276	257	180	151	109	69	28	14	5	2			2	
11	11	5	6	6	2	1	1	1			5					
23	34	43	50	42	38	20	34	12	14	4	3					
1	1	2	1					1		1						
31	28	19	19	22	11	13	4	5	2	1	2					165
1	1			1		1										
62	65	67	58	57	50	33	26	20	5	2						
4	3	1	1	1	1											
69	60	55	44	37	19	10	9	2	2							166
2	3	2	2	1	1											
85	93	117	133	134	136	133	83	46	16	9	4					
2	4	3	4	1	4	45	34	20	5	4	1					167
69	58	50	70	66	43	45										
1	3															
108	151	168	180	197	178	167	161	122	60	29	17	2				
3	6	3	3	2	2	3	4	2	2	1	1					9
27	35	51	48	43	42	28	25	13	6	4	2	2	1			3
	2	2	1	1	1		1									
24	32	42	49	55	43	43	33	20	18	7	3					
3	2	1	2	1	1	2										3
22	29	29	30	24	26	20	20	12	5	2						169
1	1							1								
286	332	328	359	343	288	292	233	161	90	34	14	4				
14	15	12	13	3	4	3	5	2	1	1						8
52	60	44	33	30	21	13	6	7	2							
2	1		2	2												
49	60	79	80	68	78	68	52	40	23	11	3					
4	6	4	2	1	1	2			1	1						2
9	6	10	12	8	6	11	2	3	3	1						171
1	9		1							1						
28	16	26	23	31	23	7	14	5	4	7						
9	2	2			2		1									
1	10	18	12	12	7	6	6	5	1	2						172
			2	1												
11	10	18	12	10	4	9	4	1	1							
1	1		1		1		1									
4	2	4	4	4	1											173
2	6	5	6	7	5	6	6	3	1	1						
					1											
2	5	5	8	11	4	5	3	2	2							174
3		1		1												
526	503	386	282	203	131	96	63	31	15	2	2					19
468	369	245	152	102	35	27	14	4	4	4						26
111	110	63	51	34	21	10	15	8	4	3						2
85	75	31	14	3	2	2	5		5							3

MORTALITY STATISTICS—APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

Table with columns: List No., CAUSE OF DEATH, SEX, AND COLOR, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, Under 5 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years. Rows include categories like 'XIV.—External causes—Continued.', 'Homicide—Continued.', 'Poisoning by food', 'Burns (conflagration excepted)', etc., with sub-rows for 'Males' and 'Females' and 'White' and 'Colored'.

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

417

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
411 344 57 61	397 294 47 47	268 182 41 21	214 103 27 8	134 78 19 2	89 25 14 1	49 17 3 1	38 8 8 1	9 3 2	8 2 1	3 2						13 21 2 2
52 95 12 16	38 55 13 19	47 44 6 7	10 23 8 3	31 11 1 1	5 4 4 1	8 4 4 1	2 2 2 1	5 2 1	1 1		1					2 2 1
63 29 42 8	68 20 50 9	71 19 16 3	58 26 16 3	38 13 14 3	37 6 3 1	39 6 3	23 4 5 3	17 1 5	7 1 3	2 1 1	1 1					4 3
3,184 389 590 77	3,548 445 614 86	3,382 345 632 88	3,281 315 683 75	3,010 279 711 75	2,684 171 759 60	2,376 135 910 63	2,183 103 1,034 44	1,744 83 1,198 38	1,333 69 1,422 40	940 39 1,523 46	587 22 1,080 27	204 13 423 12	37 6 94 6	3 3 10 15	123 49 22 10	
6 4 9 3	11 1 16 7	12 2 8 3	19 3 14 9	14 3 8 6	26 1 17 1	18 1 10 2	19 1 16 3	11 7 15 1	7 1 10 1	7 1 5 1	1 4	1 3				175
2	1	2	3	1	1	1	2	2	3		1					176
1		1	1	2	2	1	1	2		1	1					
49 4 45 1	46 4 28 6	62 3 30 7	61 7 26 1	46 2 10	55 3 3 1	30 1 4	18 3 6	13 4	7 5	2 2	1					3 1 1 1
32 7 14 4	55 6 21 2	37 5 12 1	43 7 14	28 4 17 2	28 1 16 4	41 5 12 2	32 3 14 1	31 3 16 4	15 5 11	13 5 13 2	5 2 4 4	3	1 1 1			10 1 2
84 15 85 10	91 16 88 14	83 16 63 16	72 14 91 22	67 17 62 21	51 10 70 17	45 8 95 18	60 7 80 11	44 8 95 8	37 4 92 15	22 2 74 19	22 5 32 9	4 2 9 5	1 1 2 2	1 1 8		2 1 1
22 1	28 3 1	23 1 3	28 1 1	13 2 3	9	9	7 1 1	1 1								180
99 11 21 6	151 10 35	165 8 38 3	183 10 35 1	187 5 58 1	167 52 3	143 5 53 1	96 2 54 3	69 3 44 1	60 40 1	40 38	14 1 15	3 4				2 2
287 52 27	327 35 29 2	271 26 21 2	243 25 15 4	212 17 14 1	153 8 11 3	103 7 11 6	80 2 2 7	43 3 3 7	30 2 5	11 5 2	2					27 9 5 2
108 34 21 9	78 34 8 4	59 19 7 2	65 11 7	54 12 4	34 3 2	34 4 2	24 1 3 1	14 1	5 1	2	1 1					2 5
19 1 5	23 7 8 3	32 5 15 1	26 4 12 4	34 4 10 7	33 4 10 1	25 13 3	39 1 12 3	13 1 9	16 7	8 1 3	3 1 1	1 2				184
273 32 49 7	384 35 57 8	423 32 84 9	447 39 96 8	437 35 136 9	384 23 182 9	434 19 258 11	442 12 432 5	493 10 649 8	490 9 977 11	501 8 1,172 14	391 3 841 5	150 4 362 2	31 2 81 3	2 6 4		10 2 3
233 17	254 25	238 6	169 6	118 8	91 6	49 1	34 3	12	3							186a
10	6 3	8	11	5	7	8 1		1								186b
203 25 6	183 27 3	156 15 6	159 19 6	143 14 2 1	101 12 5	85 7 4	73 4 1	44 5 1	19 1	4 1 1	1					3 187
429 48 56 5	522 59 53 3	440 54 47 6	444 39 61 3	419 27 43 2	309 18 44	265 18 42 5	218 10 40	127 10 29 1	83 11 16 1	40 2 10 2	17 3	3 1 2	1 1	1		23 16 3 1
79 4 29 4	97 1 22 1	59 5 28 1	61 3 34	64 1 26 1	42 1 21	29 1 12	22 10	18 6	5 1	2	1		1			2 188a
350 44 27 1	425 58 31 2	381 49 19	383 36 27 3	355 26 17 1	267 18 23	236 17 30 5	196 10 30	109 10 23 1	78 11 15 1	38 2 10 2	16 3	3 1 1	1 1	1		21 16 1 1

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.	
72 4 18 1	92 10 16 3	97 5 20 2	76 11 19 2	88 5 29 1	93 5 19	84 3 29 1	74 1 25 1	47 4 22	33 1 15	24 19	9 3	1			1	188b	
30 2 11	34 3 10 1	38 2 7 1	18 2 9 1	16 1 8	16 1 6	21 9	10 4	4 1 7	1 1	2 2	1						
42 2 7 1	58 7 6 2	59 3 13 1	58 9 10 1	72 4 21 1	77 4 13	63 3 20 1	64 1 21 1	43 3 15	32 1 14	22 17	8 3	1			1	188c	
667 70 163 23	691 74 172 15	658 79 207 25	649 49 218 14	643 60 225 11	610 35 257 11	587 21 297 9	564 25 255 7	451 20 191 7	332 12 134 4	136 3 69 4	52 2 23 2	21 2 3 1	2 1 1		11 3 4		
47 1	7 1	6 3	3		1 1										2	188d	
56 6 3	61 6 6 1	58 7 4 2	66 6 9 1	64 7 5 3	81 5 6	81 4 4	81 7 15 1	71 2 4 3	45 5 4 1	16 3	7 1	1			4	188e	
54 4 3 3 1	67 11 4	49 9 1	42 4 3 1	36 5 3	38 3 2	21 2 1	21 2 2	17 2	8 1	2 2	2 1				1 1	188g	
21 1	24 2 1	31 1 1	24 1 3	25 3 3	41 7 2	43 2 2	42 1 1	38 2 4	16 3 1	11 3	3	1				189	
3				1												190	
	1		1					1								192	
16 11 2	12 3 1	9 1 1	14 3 3	15 5 1	18 2	14 1 1	12 1 2	16 1	12 4 1	6 5 2 1	6 2 1		1 1			4 3	193
28 4 8 2	44 6 9 2	64 6 9 2	84 15 16 1	79 7 16 3	88 8 10 6	58 12 21 6	58 4 25 1	43 4 34 2	43 1 27 4	30 2 30 1	18 4 22 1	10 1 13	1 7		1 1	1 2	194
24 3 5	14 7 2 3	22 4 3 2	19 4 4 1	25 4 3 1	19 1 3 1	5 1 1	6 1	4 5 2	1 1	1 1	1					2	195
122 3 3	96 1 2 1	76 4 2	45 2 1	25 4	22 2	16	7	3		1						1	196
12 1 3 3 1	28 8 2 3	31 3 1	20 2 5 2	26 4 6 1	24 5 5	24 2 5	16 1 13	14 1 25	13 42 1	24 1 49 2	11 31 2	5 18	1 1		1 2	201	
215 41 41 4	252 51 50 9	269 34 47 3	266 32 37 5	203 27 47 7	199 13 36 3	150 12 38 3	158 9 28 5	123 8 38	53 9 33	38 1 25	20 3 13 3	2 1 3	1 1		9 1 3 1	202	
1 1	1	1		2	1	3				1						203	
51 69 58 91	67 89 72 118	98 92 63 101	121 128 67 118	185 173 79 129	177 123 56 95	254 137 131 114	353 175 178 112	307 149 185 120	278 154 175 87	147 100 141 95	78 67 77 66	20 42 36 42	8 19 9 25	3 22 7 37	34 32 13 22	204	
8 12 9 6	13 13 12 8	19 21 15 13	23 29 18 16	37 36 14 19	39 22 14 14	66 18 28 26	93 30 36 12	81 19 51 17	72 15 40 11	33 13 26 13	19 4 18 6	2 4 4 2	4 3 1 2		3 3 5		
20 21 18 20	31 23 26 41	37 28 24 32	53 41 23 41	79 50 36 38	82 39 22 22	111 47 50 31	160 53 68 32	129 51 72 32	91 38 65 25	52 25 42 12	24 14 25 9	7 5 10 8	1 2 2 6		3 1 1 1	205a	
23 36 31 65	23 53 34 69	42 43 24 56	45 56 26 61	69 87 29 72	56 62 20 59	77 72 53 57	100 92 72 68	97 79 62 71	115 101 70 51	62 62 73 70	35 49 34 51	11 33 22 32	3 14 6 17	3 18 6 31	29 25 12 18	205b	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925

[Population and deaths at unknown age are distributed only in computing adjusted rates]

Main table with columns: SEX AND AGE, DEATHS IN THE REGISTRATION STATES OF 1920, DEATHS IN THE REGISTRATION STATES OF 1920 (TYPHOID AND PARATYPHOID FEVER—continued), and DEATHS IN THE REGISTRATION STATES OF 1920 (MEASLES). Rows include both sexes, males, females, and all ages, with age groups from 1 to 75 years and over.

1 Less than one-tenth of 1 per 100,000 population.

CRUDE AND ADJUSTED DEATH RATES

421

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925						SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population				Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored
MEASLES—continued							WHOOPING COUGH						
FEMALES							BOTH SEXES						
All ages	1,063	992	71	2.4	2.5	1.9	All ages	6,187	4,972	1,215	7.1	6.2	16.7
Adjusted rate				2.3	2.4	1.9	Adjusted rate				6.6	5.8	15.9
Crude rate							Crude rate						
Under 1 year	276	252	24	28.9	28.9	28.9	Under 1 year	3,619	2,971	648	187.4	168.3	391.5
1 to 4 years	584	552	32	14.7	15.2	9.7	1 to 4 years	2,351	1,840	511	29.3	25.0	77.5
Under 5 years	860	804	56	17.5	17.8	13.6	Under 5 years	5,970	4,811	1,159	60.0	52.7	140.4
5 to 9 years	92	80	12	1.9	2.0	0.7	5 to 9 years	157	119	38	1.6	1.3	4.3
10 to 14 years	23	19	4	0.5	0.5	0.9	10 to 14 years	27	17	10	0.3	0.2	1.2
15 to 19 years	19	14	5	0.3	0.3	0.2	15 to 19 years	9	5	4	0.1	0.1	0.5
20 to 24 years	11	10	1	0.2	0.2		20 to 24 years	1	1		(1)	(1)	
25 to 34 years	19	19		0.3	0.3		25 to 34 years	3	3		(1)	(1)	
35 to 44 years	16	16		0.3	0.3		35 to 44 years	5	3	2	(1)	(1)	0.2
45 to 54 years	12	11	1	0.2	0.2	0.3	45 to 54 years	3	3		(1)	(1)	
55 to 64 years	7	6	1	0.2	0.2	0.7	55 to 64 years	1	1		(1)	(1)	
65 to 74 years	2	2		0.1	0.1		65 to 74 years	1	1		0.1	0.1	
75 years and over	1	1		0.1	0.1		75 years and over	3	3		0.2	0.2	
Unknown	1	1					Unknown	4	2	2			
SCARLET FEVER							MALES						
BOTH SEXES							All ages						
All ages	2,562	2,504	58	2.9	3.1	0.7	All ages	2,896	2,335	561	6.5	5.8	15.4
Adjusted rate				2.7	2.9	0.8	Adjusted rate				6.1	5.3	14.5
Crude rate							Crude rate						
Under 1 year	115	112	3	6.0	6.3	1.8	Under 1 year	1,775	1,463	312	181.7	163.6	377.8
1 to 4 years	978	959	19	12.2	13.0	2.9	1 to 4 years	1,023	795	228	25.2	21.3	69.1
Under 5 years	1,093	1,071	22	11.0	11.7	2.7	Under 5 years	2,798	2,268	540	55.5	48.8	130.8
5 to 9 years	650	633	17	6.7	7.2	1.9	5 to 9 years	68	51	17	1.4	1.1	3.8
10 to 14 years	253	249	4	2.8	3.0	0.5	10 to 14 years	12	9	3	0.3	0.2	0.7
15 to 19 years	145	142	3	1.8	1.9	0.4	15 to 19 years	6	5	1	0.1	0.1	0.3
20 to 24 years	126	121	5	1.6	1.6	0.7	20 to 24 years	1	1		(1)	(1)	
25 to 34 years	165	161	4	1.1	1.1	0.3	25 to 34 years	1	1		(1)	(1)	
35 to 44 years	72	70	2	0.6	0.6	0.2	35 to 44 years	1	1		(1)	(1)	
45 to 54 years	41	41		0.4	0.5		45 to 54 years	2	2		(1)	(1)	
55 to 64 years	12	11	1	0.2	0.2	0.3	55 to 64 years						
65 to 74 years	3	3		0.1	0.1		65 to 74 years	4	4		0.2	0.3	
75 years and over	2	2		0.1	0.2		75 years and over	1	1		0.2	0.2	
Unknown							Unknown	2	2				
MALES							FEMALES						
All ages	1,234	1,206	28	2.7	2.9	0.7	All ages	3,291	2,637	654	7.6	6.7	18.0
Adjusted rate				2.6	2.8	0.7	Adjusted rate				7.2	6.3	17.4
Crude rate							Crude rate						
Under 1 year	63	60	3	6.4	6.7	3.6	Under 1 year	1,844	1,508	336	193.3	173.1	405.1
1 to 4 years	502	492	10	12.4	13.2	3.0	1 to 4 years	1,328	1,045	283	33.5	28.8	85.9
Under 5 years	565	552	13	11.2	11.9	3.1	Under 5 years	3,172	2,553	619	64.5	56.7	150.0
5 to 9 years	325	317	8	6.6	7.1	1.8	5 to 9 years	89	68	21	1.9	1.6	4.8
10 to 14 years	129	127	2	2.8	3.1	0.5	10 to 14 years	15	8	7	0.3	0.2	1.6
15 to 19 years	58	57	1	1.4	1.6	0.3	15 to 19 years	3	3		0.1		0.8
20 to 24 years	47	44	3	1.2	1.2	0.8	20 to 24 years						
25 to 34 years	52	52		0.7	0.7		25 to 34 years	2	2		(1)	(1)	
35 to 44 years	27	27		0.4	0.4		35 to 44 years	4	2	2	0.1	(1)	0.4
45 to 54 years	21	21		0.4	0.4		45 to 54 years	1	1		(1)	(1)	
55 to 64 years	7	6	1	0.2	0.2	0.5	55 to 64 years	1	1		(1)	(1)	
65 to 74 years	1	1		0.1	0.1		65 to 74 years	1	1		(1)	(1)	
75 years and over	2	2		0.3	0.3		75 years and over	2	2		0.3	0.3	
Unknown							Unknown	2	2				
FEMALES							DIPHTHERIA						
BOTH SEXES							BOTH SEXES						
All ages	1,323	1,298	30	3.0	3.2	0.8	All ages	7,403	6,886	517	8.3	8.5	6.9
Adjusted rate				2.9	3.1	0.8	Adjusted rate				7.9	8.0	6.8
Crude rate							Crude rate						
Under 1 year	52	52		5.5	6.0		Under 1 year	602	520	82	31.2	29.5	49.5
1 to 4 years	476	467	9	12.0	12.9	2.7	1 to 4 years	3,587	3,348	239	44.7	45.4	36.2
Under 5 years	528	519	9	10.7	11.5	2.2	Under 5 years	4,189	3,868	321	42.1	42.4	38.9
5 to 9 years	325	316	9	6.8	7.2	2.0	5 to 9 years	2,102	1,975	127	21.6	22.4	14.4
10 to 14 years	124	122	2	2.8	3.0	0.5	10 to 14 years	525	497	28	5.8	6.1	3.3
15 to 19 years	87	85	2	2.1	2.3	0.5	15 to 19 years	138	131	7	1.7	1.8	0.9
20 to 24 years	79	77	2	1.9	2.1	0.5	20 to 24 years	97	89	8	1.2	1.2	1.0
25 to 34 years	113	109	4	1.5	1.6	0.6	25 to 34 years	121	114	7	0.8	0.8	0.6
35 to 44 years	45	43	2	0.7	0.8	0.4	35 to 44 years	105	95	10	0.8	0.8	1.0
45 to 54 years	20	20		0.4	0.5		45 to 54 years	54	51	3	0.6	0.6	0.4
55 to 64 years	5	5		0.2	0.2		55 to 64 years	42	38	4	0.7	0.7	1.2
65 to 74 years	2	2		0.1	0.1		65 to 74 years	20	18	2	0.6	0.6	1.2
75 years and over							75 years and over	4	4		0.3	0.3	
Unknown							Unknown	6	6				

¹ Less than one-tenth of 1 per 100,000 population.

CRUDE AND ADJUSTED DEATH RATES

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925						SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925											
	Number			Rate per 100,000 estimated population				Number			Rate per 100,000 estimated population								
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored						
DIABETES MELLITUS																			
BOTH SEXES						MALES													
All ages.....	16,194	15,316	878	18.6	18.8	13.9	All ages.....	19,487	16,714	2,773	43.6	40.7	76.7						
Adjusted rate.....				17.3	17.9	11.5	Adjusted rate.....				41.0	38.3	71.7						
Crude rate.....							Crude rate.....												
Under 1 year.....	19	15	4	1.0	0.8	2.4	Under 1 year.....	12,811	11,016	1,795	1,311.4	1,231.8	2,473.5						
1 to 4 years.....	100	94	6	1.2	1.3	0.9	1 year.....	3,153	2,630	523	313.0	282.7	681.0						
Under 5 years.....	119	109	10	1.2	1.2	1.2	Under 2 years.....	15,964	13,646	2,318	804.6	747.8	1,454.3						
5 to 9 years.....	157	145	12	1.6	1.6	1.4	2 to 4 years.....	1,475	1,312	163	48.3	46.8	64.3						
10 to 14 years.....	237	228	9	2.6	2.8	1.1	5 to 9 years.....	229	201	28	4.7	4.5	6.3						
15 to 19 years.....	265	241	24	3.3	3.3	3.2	10 to 14 years.....	89	56	33	1.5	1.3	2.8						
20 to 24 years.....	223	203	20	2.7	2.8	2.6	15 to 44 years.....	355	280	75	1.6	1.3	5.1						
25 to 34 years.....	517	444	73	3.4	3.1	6.0	45 to 64 years.....	455	378	77	5.5	4.9	12.9						
35 to 44 years.....	909	780	129	7.1	6.6	12.5	65 years and over.....	930	855	75	41.1	40.1	57.3						
45 to 54 years.....	2,268	2,029	239	23.7	22.8	34.0	Unknown.....	11	6	5									
55 to 64 years.....	4,623	4,452	176	76.7	78.0	54.3	FEMALES												
65 to 74 years.....	4,683	4,565	118	147.0	151.4	69.2	All ages.....	16,241	13,743	2,498	37.1	34.1	70.4						
75 years and over.....	2,182	2,116	66	159.8	164.2	85.6	Adjusted rate.....				35.4	32.6	66.5						
Unknown.....	6	4	2				Crude rate.....												
MALES						MALES													
All ages.....	6,741	6,379	362	13.3	13.5	10.2	Under 1 year.....	9,951	8,452	1,499	1,043.2	970.4	1,807.2						
Adjusted rate.....				14.2	14.6	9.4	1 year.....	2,800	2,311	489	285.8	256.0	636.4						
Crude rate.....							Under 2 years.....	12,751	10,763	1,988	659.5	606.3	1,244.1						
Under 1 year.....	14	10	4	1.4	1.1	4.8	2 to 4 years.....	1,227	1,054	173	41.1	38.6	68.4						
1 to 4 years.....	54	50	4	1.3	1.3	1.2	5 to 9 years.....	217	186	31	4.5	4.3	7.0						
Under 5 years.....	68	60	8	1.3	1.3	1.9	10 to 14 years.....	60	48	12	1.3	1.2	2.8						
5 to 9 years.....	87	77	10	1.8	1.8	1.6	15 to 44 years.....	386	270	116	1.8	1.3	6.0						
10 to 14 years.....	108	104	4	2.4	2.5	0.9	45 to 64 years.....	440	355	85	6.0	5.1	19.7						
15 to 19 years.....	133	119	14	3.3	3.3	3.3	65 years and over.....	1,155	1,066	89	50.5	49.1	76.2						
20 to 24 years.....	122	110	12	3.1	3.1	3.3	Unknown.....	5	1	4									
25 to 34 years.....	249	222	27	3.2	3.1	4.6	ACUTE AND CHRONIC NEPHRITIS												
35 to 44 years.....	400	353	47	6.0	5.8	8.7	BOTH SEXES												
45 to 54 years.....	933	845	88	18.3	18.0	21.4	All ages.....	91,461	80,009	11,452	91.1	84.9	179.0						
55 to 64 years.....	1,808	1,741	67	57.1	58.4	36.1	Adjusted rate.....				97.9	93.3	150.1						
65 to 74 years.....	1,911	1,881	30	117.8	121.7	53.5	Crude rate.....												
75 years and over.....	918	882	36	143.1	146.0	96.1	Under 1 year.....	383	327	56	19.8	18.5	33.8						
Unknown.....	4	2	2				1 to 4 years.....	559	424	135	7.0	5.8	20.5						
FEMALES						FEMALES													
All ages.....	9,453	8,937	516	19.5	19.5	17.2	Under 5 years.....	942	751	191	9.5	8.2	23.1						
Adjusted rate.....				20.6	21.2	13.7	5 to 9 years.....	385	331	54	4.0	3.7	6.1						
Crude rate.....							10 to 14 years.....	515	452	63	5.7	5.5	7.4						
Under 1 year.....	5	5	0	0.5	0.6	0.6	15 to 19 years.....	705	581	124	8.7	7.9	16.4						
1 to 4 years.....	46	44	2	1.2	1.2	0.6	20 to 24 years.....	963	733	230	11.9	10.0	30.0						
Under 5 years.....	51	49	2	1.0	1.1	0.5	25 to 34 years.....	2,955	2,242	713	19.2	15.8	58.7						
5 to 9 years.....	70	65	5	1.5	1.5	1.1	35 to 44 years.....	6,357	4,810	1,547	49.7	41.0	149.4						
10 to 14 years.....	129	124	5	2.9	3.1	1.2	45 to 54 years.....	11,396	9,094	2,302	118.9	102.4	327.3						
15 to 19 years.....	182	122	60	3.2	3.3	2.5	55 to 64 years.....	17,884	15,605	2,279	296.4	273.3	703.5						
20 to 24 years.....	101	93	8	2.4	2.5	2.0	65 to 74 years.....	24,210	22,143	2,067	759.8	734.2	1,212.1						
25 to 34 years.....	263	222	41	3.5	3.2	7.3	75 years and over.....	25,046	23,212	1,834	1,833.7	1,801.1	2,378.6						
35 to 44 years.....	509	427	82	8.3	7.6	16.5	Unknown.....	103	55	48									
45 to 54 years.....	1,335	1,184	151	29.3	28.3	51.5	MALES												
55 to 64 years.....	2,820	2,711	109	98.3	99.3	78.9	All ages.....	48,297	42,087	6,210	96.1	89.6	185.8						
65 to 74 years.....	2,772	2,704	68	177.3	181.9	88.1	Adjusted rate.....				101.6	96.4	160.5						
75 years and over.....	1,264	1,234	30	174.5	180.2	75.7	Crude rate.....												
Unknown.....	2	2	0				Under 1 year.....	227	195	32	23.2	21.8	38.7						
DIARRHEA AND ENTERITIS																			
BOTH SEXES						BOTH SEXES													
All ages.....	35,728	30,457	5,271	40.4	37.4	73.6	1 to 4 years.....	305	226	79	7.5	6.1	23.9						
Adjusted rate.....				38.3	35.5	69.1	Under 5 years.....	532	421	111	10.6	9.1	26.9						
Crude rate.....							5 to 9 years.....	197	166	31	4.0	3.7	7.0						
Under 1 year.....	22,762	19,468	3,294	1,178.9	1,102.8	1,939.9	10 to 14 years.....	222	190	32	4.9	4.6	7.5						
1 year.....	5,953	4,941	1,012	299.6	269.5	658.7	15 to 19 years.....	322	271	51	8.0	7.4	14.0						
Under 2 years.....	28,715	24,409	4,306	733.0	678.3	1,349.1	20 to 24 years.....	419	336	83	10.6	9.4	23.0						
2 to 4 years.....	2,702	2,366	336	44.7	42.7	66.4	25 to 34 years.....	1,330	1,045	285	17.1	14.5	48.5						
5 to 9 years.....	446	387	59	4.6	4.4	6.7	35 to 44 years.....	2,992	2,318	674	44.9	37.9	125.2						
10 to 14 years.....	128	104	24	1.4	1.3	2.8	45 to 54 years.....	5,938	4,725	1,213	116.2	100.5	295.7						
15 to 44 years.....	741	530	211	1.7	1.3	5.6	55 to 64 years.....	9,830	8,489	1,341	310.5	284.9	721.7						
45 to 64 years.....	895	733	162	5.7	5.0	15.8	65 to 74 years.....	13,248	12,002	1,246	816.4	784.8	1,334.3						
65 years and over.....	2,085	1,921	164	45.8	44.6	66.2	75 years and over.....	13,211	12,096	1,115	2,059.2	2,002.3	2,975.4						
Unknown.....	16	7	9				Unknown.....	56	28	28									

MORTALITY STATISTICS—APPENDIX

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925						SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population				Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored
ACUTE AND CHRONIC NEPHRITIS—continued							VIOLENT DEATHS (SUICIDE EXCEPTED)						
FEMALES							BOTH SEXES						
All ages	43,164	37,922	5,242				All ages	80,791	70,613	10,178			
Adjusted rate				87.5	81.5	175.3	Adjusted rate				82.4	77.9	132.5
Crude rate				94.1	90.1	139.4	Crude rate				86.5	82.3	133.4
Under 1 year	156	132	24	16.4	15.2	28.9	Under 1 year	2,052	1,687	365	106.3	95.6	220.5
1 to 4 years	254	198	56	6.4	5.4	17.0	1 to 4 years	5,732	4,979	753	71.4	67.6	114.1
Under 5 years	410	330	80	8.3	7.3	19.4	Under 5 years	7,784	6,666	1,118	78.2	73.0	135.5
5 to 9 years	188	155	33	3.9	3.8	5.2	5 to 9 years	4,733	4,262	471	48.7	48.3	53.4
10 to 14 years	293	262	31	6.5	6.5	7.3	10 to 14 years	3,388	2,992	396	37.4	36.5	46.4
15 to 19 years	333	310	23	9.4	8.4	13.5	15 to 19 years	5,091	4,300	791	63.0	58.7	104.3
20 to 24 years	544	397	147	13.1	10.6	36.1	20 to 24 years	6,221	4,987	1,234	76.7	67.9	160.9
25 to 34 years	1,625	1,197	428	21.4	17.1	63.3	25 to 34 years	11,168	8,880	2,288	72.6	62.6	138.5
35 to 44 years	3,365	2,492	873	55.0	44.3	175.6	35 to 44 years	10,922	9,238	1,684	85.5	78.7	162.7
45 to 54 years	5,458	4,369	1,089	122.0	104.5	371.5	45 to 54 years	9,270	8,255	1,015	96.7	92.9	144.3
55 to 64 years	8,054	7,116	938	230.8	200.7	678.9	55 to 64 years	7,492	6,987	495	124.0	122.4	152.8
65 to 74 years	10,962	10,141	821	701.0	632.1	1,064.2	65 to 74 years	6,567	6,276	291	206.1	203.1	170.6
75 years and over	11,835	11,116	719	1,634.0	1,623.6	1,814.2	75 years and over	7,911	7,604	307	579.2	590.0	398.2
Unknown	47	27	20				Unknown	254	166	88			
PUERPERAL SEPTICEMIA¹							MALES						
All ages	5,018	4,172	846				All ages	58,790	51,125	7,665			
Adjusted rate				10.9	9.9	21.1	Adjusted rate				121.2	114.1	200.7
Crude rate				10.9	9.9	22.5	Crude rate				117.1	119.1	198.1
Under 15 years	11	6	5	0.1	(1)	0.4	Under 1 year	1,124	954	170	115.1	106.7	205.8
15 to 19 years	567	394	173	13.9	10.7	43.9	1 to 4 years	3,159	2,768	391	77.7	74.1	118.4
20 to 24 years	1,203	977	226	28.9	26.0	55.6	Under 5 years	4,283	3,722	561	85.0	80.4	135.9
25 to 29 years	1,221	1,036	185	30.1	28.0	52.1	5 to 9 years	3,108	2,856	252	63.4	64.0	57.0
30 to 34 years	967	856	111	27.2	26.1	40.9	10 to 14 years	2,658	2,325	333	58.2	56.2	78.0
35 to 39 years	750	641	109	22.5	21.0	38.0	15 to 19 years	4,051	3,429	622	101.0	94.1	170.6
40 to 44 years	267	237	30	9.6	9.2	14.3	20 to 24 years	5,098	4,131	967	129.0	115.0	268.5
45 years and over	29	24	5	0.3	0.3	0.9	25 to 34 years	9,364	7,494	1,870	120.3	104.2	318.5
Unknown	3	1	2				35 to 44 years	9,223	7,819	1,404	138.5	127.7	260.9
OTHER PUERPERAL CAUSES²							FEMALES						
All ages	8,463	6,888	1,575				All ages	22,001	19,488	2,513			
Adjusted rate				18.2	16.2	39.3	Adjusted rate				46.6	44.3	70.1
Crude rate				18.5	16.4	41.9	Crude rate				48.0	46.3	66.8
Under 15 years	32	11	21	0.2	0.1	1.6	Under 1 year	928	733	195	97.3	84.2	235.1
15 to 19 years	910	588	322	22.3	16.0	81.8	1 to 4 years	2,673	2,211	362	64.9	60.8	109.8
20 to 24 years	1,553	1,214	339	37.3	32.3	83.3	Under 5 years	3,501	2,944	557	71.2	65.4	135.0
25 to 29 years	1,753	1,478	275	43.2	39.9	77.5	5 to 9 years	1,625	1,406	219	33.8	32.2	49.8
30 to 34 years	1,719	1,487	232	48.4	45.3	85.4	10 to 14 years	730	667	63	16.3	16.4	14.8
35 to 39 years	1,641	1,392	249	49.2	45.7	86.8	15 to 19 years	1,040	871	169	25.5	23.7	42.9
40 to 44 years	743	636	107	26.7	24.7	50.9	20 to 24 years	1,123	856	267	27.0	22.8	65.6
45 years and over	96	75	21	1.0	0.8	3.8	25 to 34 years	1,804	1,386	418	23.7	19.9	66.7
Unknown	16	7	9				35 to 44 years	1,699	1,419	280	27.8	25.2	56.3
							45 to 54 years	1,646	1,479	167	36.8	35.4	57.0
							55 to 64 years	1,827	1,700	127	63.7	62.3	91.9
							65 to 74 years	2,342	2,255	87	149.8	151.7	112.8
							75 years and over	4,627	4,481	146	638.8	654.5	368.4
							Unknown	37	24	13			

¹ Less than one-tenth of 1 per 100,000 population.

² Rates computed on female population.

NOTE.—For populations and States, see Tables A and K, Part II.

MORTALITY STATISTICS—APPENDIX

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES

List No.	CAUSE OF DEATH	All primary causes	CONTRIBUTORY CAUSE												
			All contributory causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza (with pulmonary complications)	Influenza (other and unspecified)	Mumps	Cholera nostras	Dysentery
				1	5	6	7	8	9	10	11a	11b	13	15	16
	All causes.....	1, 219, 019	536, 901	23	382	1	155	7	237	178	3, 029	6, 454	63	77	557
	I.—Epidemic, endemic, and infectious diseases.....	174, 354	75, 969		129		133	5	215	167	1, 754	637	27	9	98
1	Typhoid and paratyphoid fever.....	8, 287	2, 628												
2	Typhus fever.....	8	3		64		5	2	3	6	14	34	1	1	11
5	Malaria.....	2, 132	821												
6	Small-pox.....	709	140								4	22	1		31
7	Measles.....	2, 404	2, 261		1				1	4	4	2			
8	Scarlet fever.....	2, 762	1, 783						70	8	11	3			2
9	Whooping cough.....	6, 948	5, 646		9		11		8	157	4	14	1		3
10	Diphtheria.....	8, 058	2, 501		2						32	31	4		3
11a	Influenza (with pulmonary complications).....	18, 344	18, 113				53		22		13	25	7		
11b	Influenza (other and unspecified).....	12, 194	7, 000										1		1
13	Mumps.....	142	111										2	1	
15	Cholera nostras.....	192	44												
16	Dysentery.....	3, 257	1, 162								5	46			
17	Plague.....	1	1											3	
19	Spirochetal hemorrhagic jaundice.....	52	24									3			
20	Leprosy.....	30	24												
21	Erysipelas.....	2, 455	1, 376		1						9	47	4		
22	Acute anterior poliomyelitis.....	1, 519	287						6		3	11			1
23	Lethargic encephalitis.....	1, 630	636		3						9	188			1
24	Meningococcus meningitis.....	1, 095	204		1		2		3		3	15			2
25	Other epidemic and endemic diseases.....	253	189								1	1	2		1
26	Glanders.....	2	1												
27	Anthrax.....	22	2												
28	Rabies.....	83	5												
29	Tetanus.....	1, 503	1, 076					1							
30	Mycoses.....	201	66								1	1			
	Tuberculosis (all forms).....	89, 268	22, 831		37		50		69		1, 636	176		4	38
31	Of the respiratory system.....	78, 103	18, 944		37		33		44		1, 608	29		3	25
32	Of the meninges, central nervous system.....	3, 746	825				4		14		5	53		3	2
33	Of the intestines, peritoneum.....	3, 078	1, 072						5		1	31			7
34	Of the vertebral column.....	947	580								1	5		1	
35	Of the joints.....	357	196				1				1	3			
36	Of other organs.....	1, 294	622						1		3	3			
37a	Disseminated (acute).....	1, 391	502				5		5		3	14			2
37b	Disseminated (chronic or unspecified).....	1, 352	80				7				3	39			2
38	Syphilis.....	8, 647	6, 063		11		7		7		16	8	1		7
39	Soft chancre.....	9	6												
40	Gonococcus infection.....	955	776								1	2			
41	Purulent infection, septicemia.....	1, 178	280												
42	Other infectious diseases.....	14	9												
	II.—General diseases not included in Class I.....	143, 179	58, 319	8	37	1	6		7	7	94	431	3	2	67
	Cancer and other malignant tumors.....	95, 504	35, 967	8	7	1			1	7	22	120			30
43	Of the buccal cavity.....	3, 242	1, 345							1	1	3			2
44	Of the stomach, liver.....	34, 874	10, 387	2	3					2	3	50			9
45	Of the peritoneum, intestines, rectum.....	13, 671	6, 053	2	1				1		3	15			11
46	Of the female genital organs.....	14, 051	5, 797	2	1	1					1	15			1
47	Of the breast.....	8, 511	4, 932								1	9			1
48	Of the skin.....	2, 624	1, 116								7	9			1
49	Of other or unspecified organs.....	18, 531	6, 337	2	2					3	5	24			5
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	685	335												
51	Acute rheumatic fever.....	2, 766	2, 402												
52	Chronic rheumatism, osteoarthritis, gout.....	1, 327	728								5	43		1	
53	Scurvy.....	58	18												
54	Pellagra.....	3, 344	735		12						7	15			20
55	Beriberi.....	7	2												
56	Rickets.....	573	292												
57	Diabetes mellitus.....	17, 385	10, 961		10		5		4		41	191	1	1	15
58	Anemia, chlorosis.....	6, 649	985								1		1		
59	Diseases of the pituitary gland.....	100	50												
60a	Exophthalmic goiter.....	3, 476	2, 351		1						7	35			1
60b	Other diseases of the thyroid gland.....	659	404				1				1	6			1
61	Diseases of the parathyroid glands.....	110	39												1
62	Diseases of the thymus gland.....	1, 086	178												
63	Diseases of the adrenals (Addison's disease).....	407	151								3	2			
64	Diseases of the spleen.....	131	77												
65a	Leukemia.....	1, 801	687		7						5	15			
65b	Hodgkin's disease.....	848	251						2		1	3			
66	Alcoholism (acute or chronic).....	3, 694	903												
67a	Chronic lead poisoning.....	142	108									1			
67b	Other chronic mineral poisoning.....	38	25												
68	Chronic poisoning by organic substances.....	205	84								1				
69	Other general diseases.....	2, 184	586												
	III.—Diseases of the nervous system and of the organs of special sense.....	123, 847	62, 705		31						84	819	8	3	68
70	Encephalitis.....	1, 239	295												
71a	Simple meningitis.....	2, 696	836												
71b	Nonepidemic cerebrospinal meningitis.....	719	213										2	1	9
72	Tabes dorsalis (locomotor ataxia).....	1, 656	1, 003		1						1	14			1
73	Other diseases of the spinal cord.....	3, 238	1, 702								4	48			2
74a	Cerebral hemorrhage.....	82, 651	43, 746		21						48	549	5	1	23
74b	Cerebral embolism and thrombosis.....	3, 668	2, 578		2						9	55			1
75	Paralysis without specified cause.....	5, 920	2, 955								15	121			20
76	General paralysis of the insane.....	6, 029	2, 628		7						4	9		1	4
77	Other forms of mental alienation.....	1, 693	226												

1 Includes 17,905 ill-defined diseases.

CONTRIBUTORY CAUSES OF DEATH

427

OF DEATH IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925

CONTRIBUTORY CAUSE																				List No.
Spirochetel hemorrhagic jaundice 19	Leprosy 20	Erysipelas 21	Acute anterior poliomyelitis 22	Lethargic encephalitis 23	Meningococcus meningitis 24	Other epidemic and endemic diseases 25	Anthrax 27	Tetanus 29	Mycoses 30	Tuberculosis								Syphilis 38	Soft chancre 39	
										Of the respiratory system 31	Of the meninges, central nervous system 32	Of the intestines, Peritoneum 33	Of the vertebral column 34	Of the joints 35	Of other organs 36	Disseminated (acute) 37a	Disseminated (chronic or unspecified) 37b			
2	1	906	10	32	5	56	1	14	69	826	1,480	2,886	300	345	983	386	222	1,828	4	
1		58	3	9	4	39	1	1	9	413	1,441	2,854	280	333	947	375	218	25	3	
		3	1	1		1				63	7	5		1	3	7		14		1
		2				1				1		1	1		2					
		3				3				2	1	1								
		10	1			2				6	6	1		1	1			1		
		1				11				11		1								
		6	1			8				1	3	1		1	3	6		8		1
		1				2									1					
		3								1										
											2					1				
						5				1		1								
						1				1	3									
		1				1				4	5				1					
							1													
		1						1		1								2		
		16				3				1	1,406	2,838	275	328	925	349				
		9				2			1	1	1,057	2,806	275	170	688	251	216		1	
		2				1								58	100		20			31
		1									78			21	143	44	28			
		1									78			49	44		14			
		3														16	28			
											193			30		38				
1		11		7	3	1			1	318	9	7	4	2	11	11	2		1	
		125	1	5	1				7	224	5	21	6	5	21	1	3	122		
		54	1	1	1				5	224	4	16	6	4	15	1	3	122		
		6							2	17										43
		11								77	1				4		2			44
		2	1							29		5		1	2					45
		2							1	19		1			1		1			46
		10								24		2	2		1					47
		11								6	1				3					48
		12							2	52	2	2	4	3	4					49
		4							1											50
																				51
																				52
																				53
		60		4					1											54
																				55
																				56
																				57
		2																		58
		3																		59
																				60a
																				60b
																				61
											1	5		1	5					62
																				63
																				64
		2														1				65a
																				65b
																				66
																				67a
																				67b
																				68
																				69
		102		3		1			2	43	12	2	1	2	1	1		1,642		70
		4							1											71a
																				71b
		5																		72
		3									12	2	1	1	1				230	73
		1																		74a
		38																		74b
		11				1														75
		5																		76
		11									31	1	1	1		1		1,412		77

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Gonococcus infection	Purulent infection, septicaemia	Other infectious diseases	Cancer								Tumors, benign and unqualified (tumors of the female genital organs excepted)	Acute rheumatic fever	Chronic rheumatism, osteoarthritis, gout	Scurvy	Pelagra
					Of the buccal cavity	Of the stomach, liver	Of the peritoneum, intestines, rectum	Of the female genital organs	Of the breast	Of the skin	Of other or unspecified organs	43					
40	41	42	43	44	45	46	47	48	49	50	51	52	53	54			
	All causes.....	127	8,517	2	256	2,925	2,352	112	110	367	8,060	334	2,269	3,526	44	187	
	I.—Epidemic, endemic, and infectious diseases.....	33	776			1	2	2		2	3	31	98	173	6	112	
1	Typhoid and paratyphoid fever.....	2	20									2	4	2		4	
2	Typhus fever.....	1	4									2	5	4			
5	Malaria.....		5										3				
6	Smallpox.....		3										1	2			
7	Measles.....		89									1	13				
8	Scarlet fever.....		2										1		1		
9	Whooping cough.....		46										3			1	
10	Diphtheria.....	1	4										3	5			
11a	Influenza (with pulmonary complications).....		115									4	19	52			
11b	Influenza (other and unspecified).....		5														
13	Mumps.....		1														
15	Cholera nostras.....		1														
16	Dysentery.....		10									1	2	11	2		
17	Plague.....																
19	Spirochetal hemorrhagic jaundice.....																
20	Leprosy.....		1							1							
21	Erysipelas.....		187										1	13			
22	Acute anterior poliomyelitis.....		2									1	2	1			
23	Lethargic encephalitis.....		1										1				
24	Menigococcus meningitis.....		6										1				
25	Other epidemic and endemic diseases.....		5			1											
26	Glanders.....																
27	Anthrax.....																
28	Rabies.....																
29	Tetanus.....		31				2	2			1	3	1				
30	Mycoses.....		5														
	Tuberculosis (all forms).....	11	154									11	31	75	2	67	
31	Of the respiratory system.....	6	53									8	25	65	2	62	
32	Of the meninges, central nervous system.....	2	5										1	1		1	
33	Of the intestines, peritoneum.....	1	9									2	1	4		3	
34	Of the vertebral column.....	1	20														
35	Of the joints.....	2	34										1	1			
36	Of other organs.....	2	23									1	4	1			
37a	Disseminated (acute).....		1										4	1			
37b	Disseminated (chronic or unspecified).....		18										8	3	5	40	
38	Syphilis.....		4														
39	Soft chancre.....		29										1	5	2		
40	Gonococcus infection.....		2														
41	Purulent infection, septicaemia.....														1		
42	Other infectious diseases.....																
	II.—General diseases not included in Class I.....	7	524		247	2,871	2,318	96	83	354	7,982	28	50	89	8	28	
	Cancer and other malignant tumors.....	4	286		247	2,871	2,318	96	83	354	7,982	9	10	58		27	
43	Of the buccal cavity.....		11			76	9			2	182	1		2			
44	Of the stomach, liver.....		29		206	949	14			20	77	4	6	23		10	
45	Of the peritoneum, intestines, rectum.....		39		6	783	38			2	22	2	1	5		3	
46	Of the female genital organs.....	3	69		2	358	973			45	9	3	3	6		10	
47	Of the breast.....		42		4	707	133			27	1,743	4	4	6			
48	Of the skin.....		18		13	43	12			3	2,633	3	3	3		2	
49	Of other or unspecified organs.....	1	78		16	904	242			12	421	2	5	13		2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....		15											1			
51	Acute rheumatic fever.....		17									1					
52	Chronic rheumatism, osteoarthritis, gout.....		22									1	2				
53	Scurvy.....																
54	Pellagra.....	3	1									2	3	3			
55	Beriberi.....																
56	Rickets.....		2														
57	Diabetes mellitus.....		123									5	6	11			
58	Anemia, chlorosis.....		9									5	3	3			
59	Diseases of the pituitary gland.....																
60a	Exophthalmic goiter.....		7									2	7	2			
60b	Other diseases of the thyroid gland.....		4										1	2	1		
61	Diseases of the parathyroid glands.....																
62	Diseases of the thymus gland.....																
63	Diseases of the adrenals (Addison's disease).....		2														
64	Diseases of the spleen.....		1														
65a	Leukemia.....		12									3		1	1	1	
65b	Hodgkin's disease.....		2											2			
66	Alcoholism (acute or chronic).....		3										1				
67a	Chronic lead poisoning.....		1										3				
67b	Other chronic mineral poisoning.....																
68	Chronic poisoning by organic substances.....		10											2			
69	Other general diseases.....		7										5	4			
	III.—Diseases of the nervous system and of the organs of special sense.....	3	450									49	139	254		4	
70	Encephalitis.....		13														
71a	Simple meningitis.....		74									1		1			
71b	Nonepidemic cerebrospinal meningitis.....		7														
72	Tubes dorsalis (locomotor ataxia).....		6													1	
73	Other diseases of the spinal cord.....		11									5	4	15			
74a	Cerebral hemorrhage.....		23									18	80	167			
74b	Cerebral embolism and thrombosis.....		17									6	31	18			
75	Paralysis without specified cause.....	1	10									12	18	24			
76	General paralysis of the insane.....		16										2	2			
77	Other forms of mental alienation.....											1				3	

MORTALITY STATISTICS—APPENDIX

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE														
		Tabes dorsalis (locomotor ataxia)	Other diseases of the spinal cord	Cerebral hemorrhage	Cerebral embolism and thrombosis	Paralysis without specified cause	General paralysis of the insane	Other forms of mental alienation	Epilepsy	Convulsions (non-puerperal; 5 years and over)	Infantile convulsions (under 5 years)	Chorea	Neuralgia and neuritis	Softening of the brain	Diseases of the nervous system	Diseases of the eye and annexa
		72	73	74a	74b	75	76	77	78	79	80	81	82	83	84	85
	All causes.....	42	310	19,248	3,734	8,644	69	5,224	1,701	387	4,979	189	723	615	2,405	146
	I.—Epidemic, endemic, and infectious diseases.....		107	790	159	307	2	902	206	58	519	12	94	34	310	19
1	Typhoid and paratyphoid fever.....			29	17	4		6	9	2			4	1	4	
2	Typhus fever.....															
5	Malaria.....		2	21		9		3	3	2	6		3	1	2	
6	Smallpox.....		1												1	
7	Measles.....			3		2		1	2	3	31		1		7	
8	Scarlet fever.....		1	5	4					3	7	1			1	
9	Whooping cough.....		1	69	2				5	3	217				5	1
10	Diphtheria.....		5	3	3	16	2	1	3	2	7	1	16		4	
11a	Influenza (with pulmonary complications).....			3				2	4		1		2		3	
11b	Influenza (other and unspecified).....			24				34	35	10	115	7	30	5	66	1
13	Mumps.....								3		4					
15	Cholera nostras.....									2	2					
16	Dysentery.....			3		2		20			32				7	
17	Plague.....															
19	Spirochetel hemorrhagic jaundice.....										2					
20	Leprosy.....			1											7	
21	Erysipelas.....			3	1	7		16	8		4			1	7	7
22	Acute anterior poliomyelitis.....		3	4		2			3	1	4		5		1	
23	Lethargic encephalitis.....		8	12	5	9		6	3	4	6		5		13	
24	Meningococcus meningitis.....		1	2		2					5		1		8	
25	Other epidemic and endemic diseases.....									2	1		6			
26	Glanders.....															
27	Anthrax.....															
28	Rabies.....														1	1
29	Tetanus.....			3	2										1	
30	Mycooses.....			1							2				2	
	Tuberculosis (all forms).....	43	135	49	67			744	179	11	42	3	15	4	112	
31	Of the respiratory system.....	17	112	33	37			699	168	3	5	2	9	3	79	
32	Of the meninges, central nervous system.....	3	4	2	11			7	1	4	36	1	1		19	
33	Of the intestines, peritoneum.....	2	6	3	3			14	3	1					6	
34	Of the vertebral column.....	18	2	2	13			3		3			4		3	
35	Of the joints.....		1	4	1			1	1					1	1	
36	Of other organs.....	3	8	5	2			3	3						1	
37a	Disseminated (acute).....	1	1		13			13	2		1		1		3	
37b	Disseminated (chronic or unspecified).....	1	1		4			4	1						1	
38	Syphilis.....	42	467	69	186			53	33	13	24		8	23	67	1
39	Soft chancre.....															
40	Gonococcus infection.....				6			3							1	
41	Purulent infection, septicæmia.....							13	3	1	2		3			6
42	Other infectious diseases.....			1												
	II.—General diseases not included in Class I.....	17	59	1,506	312	250	3	302	47	33	182	7	73	12	160	9
	Cancer and other malignant tumors.....	17	37	524	191	114	3	112	17	3			20	3	70	3
43	Of the buccal cavity.....			21	8	4		6					6		14	
44	Of the stomach, liver.....	5	8	160	40	27		35	6				2	1	10	
45	Of the peritoneum, intestines, rectum.....	4	3	63	32	9		11							5	
46	Of the female genital organs.....	2	3	60	34	14	2	16	4	1			4		9	
47	Of the breast.....	1	5	54	24	16		15	2						1	
48	Of the skin.....			44	5	4		9	1						1	
49	Of other or unspecified organs.....	5	18	122	48	40	1	20	4	2			8	1	31	3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....		1	4	6	2		1					1		3	
51	Acute rheumatic fever.....			1		3		2	1		1	5	13	1	4	
52	Chronic rheumatism, osteoarthritis, gout.....							10				1	8		1	
53	Scurvy.....										2				1	
54	Pellagra.....		4	10	2	11		78	15	1			1		10	
55	Beriberi.....															
56	Rickets.....			1						2	67				3	
57	Diabetes mellitus.....		13	756	91	104		14	3	7	2		6	6	18	4
58	Anæmia, chlorosis.....			2	1			35	3	1	5		11	2	9	1
59	Diseases of the pituitary gland.....			4		1			1						6	
60a	Euthyroid goiter.....			52	12	6		10	4	3			1	2	5	
60b	Other diseases of the thyroid gland.....			12	3	4		4	2	2			3		6	
61	Diseases of the parathyroid glands.....										17					
62	Diseases of the thymus gland.....			1						1	39				4	
63	Diseases of the adrenals (Addison's disease).....			4		1							1		2	
64	Diseases of the spleen.....			1											1	
65a	Leukæmia.....			24	3	4		2							1	
65b	Hodgkin's disease.....			3	1										2	
66	Alcoholism (acute or chronic).....			89				19		10			5		5	
67a	Chronic lead poisoning.....		2	12											3	
67b	Other chronic mineral poisoning.....		2		1											
68	Chronic poisoning by organic substances.....			6				4		3	46		3		6	1
69	Other general diseases.....							11					2			
	III.—Diseases of the nervous system and of the organs of special sense.....		21	624	246	5,783	28	430	326	99	165	15	106	396	432	31
70	Encephalitis.....			8	1	9		12	6	5	13	5			23	
71a	Simple meningitis.....			9		11		9		6	71	2	5		29	
71b	Nonepidemic cerebrospinal meningitis.....					2		2		2	6		2		1	1
72	Tabes dorsalis (locomotor ataxia).....		12	79	2	24	28	5	1				2	1	2	1
73	Other diseases of the spinal cord.....			115	22	67		8	7	3	2		10	6	41	
74a	Cerebral hemorrhage.....		5		92	5,273		213	268	18	24	3	51	255	218	12
74b	Cerebral embolism and thrombosis.....			4		203		12	7	2		1	4	110	19	5
75	Paralysis without specified cause.....							21		3			17		21	2
76	General paralysis of the insane.....		2	190	8	11			7	13			3	8	9	1
77	Other forms of mental alienation.....									6			2			

CONTRIBUTORY CAUSES OF DEATH

431

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																		List No.	
Diseases of the ear	Diseases of the mastoid process	Pericarditis	Endocarditis and myocarditis (acute)	Angina pectoris	Other diseases of the heart	Aneurysm	Other diseases of the arteries	Embolism and thrombosis (not cerebral)	Diseases of the veins	Diseases of the lymphatic system	Hemorrhage without specified cause	Other diseases of the circulatory system	Diseases of the nasal fossae	Diseases of the nasal fossae annexa	Diseases of the larynx	Acute bronchitis	Chronic bronchitis		Bronchitis (unspecified)
86a	86b	87	88	89	90	91a	91b,c	92	93	94	95	96	97a	97b	98	99a	99b	99c,d	100a
1,343	446	1,594	12,492	1,679	71,204	393	65,524	5,220	769	368	95	3,594	443	262	827	3,825	3,620	3,884	29,853
543	142	190	2,982	56	5,650	304	766	251	83	103	19	21	45	66	202	317	368	635	15,333
8	5	6	113	1	199	1	4	21	18			2	2	2	4	3	3	12	270
2		2	16		73		9	2			2	3				1	6	9	33
15	8	10	11		14		1	1	1						1	2	4	2	15
38	44	10	15		18		1	1		4			1	1	8	9	4	16	1,462
18	2	3	24		89		1	2		25			1	4	11	2	8	4	192
14	2	5	24		61			2		1			1	2	10	35	8	7	3,421
18	9	7	75		209		35	16	3	6		3	1	2	42	14	1	17	427
130	46	77	94	1	52		31	31	18	2	6	6	7	3	45	146	194	304	7,845
1		1	2		8		1	2		2	1		1						22
3			13		40		4	3	2				1		1		1	12	18
					1														15
			1		1														16
			58		30		2												17
30		2	16		15		62	9	13	11			1	9	4	9	4	3	181
5		1	16	1	46		1		1				1	1	1	2	1	2	54
13	3	1	8		8		13	1	1	1			1	3	2	1	1	3	60
2	1		5		6					3				1	2	1	1	3	38
																			61
1	1	1	1		3			1	3										27
			2		9														28
45	17	60	746	23	2,894	19	194	67	15	26		5	1	9	55	75	134	102	882
20	9	49	641	20	2,613	15	166	45	11	19		4	8	7	51	67	131	92	691
20	2	4	26		28		2	2		2			1	2	1	1	3	5	73
2		3	29		71		5	4	3									1	28
			18		26		1	2											24
		1	6		63		4	1								1		1	11
			15	1	63		12	1											27
3	3	2	10		31		1	13	1	2									37
			1		6			2		1									5
15	3	7	125	30	1,166	284	123	34	4	5	5	2		2	8	16	7	17	269
		5	43		32			26	3	2				2					11
					16			18											
			1		1										5				42
35	22	157	2,416	264	9,113	35	1,777	500	97	34	28	45	6	9	69	73	77	92	1,464
6	4	22	313	63	4,569	29	930	332	57	11	3	14	1	5	31	34	51	43	831
			4	5	116	1	39	6		1	1				5	1	3	3	43
2		10	100	23	1,852	14	402	64	13			7		1	6	13	19	14	247
		2	40	8	662	2	163	64	20	1	2	2			4	4	11	3	109
		1	61	5	527	6	36	76	8	3	1				2	6	6	5	66
		6	31	8	362		35	29	7	1	1				1	4	4	7	71
1	1	1	114	4	114		44	8	1	1	1				1	1	4	4	37
3	2	3	71	10	936	6	211	85	8	4		3	1	4	18	9	7	10	258
			5		33		12	12			1				4	1	4	1	4
2	1	112	1,668	1	99		11	17	3					1	1	1	2	1	66
			1		91		133	1	1	1	2	2							52
																			53
			15	1	101		14	1	1			4				1		3	23
					3														54
18	15	12	112	188	2,093		486	88	19	2	1	14	1	1	12	28	13	29	356
			3		97		80	4	9	1	9	1	2	2	1				11
		1	1		10		1	2				1			1				2
		8	232	8	1,317	5	18	20		1	1	5	1	2	2	3	1	5	55
		1	15	3	129		2	15				1			11	3		1	32
																			61
	1		4		31		2		1	1						1	2	1	4
2			4		6				1	1									63
5	1		27		114		3	6	2	3	5				2	1	1	4	55
2			5		49	1	70	2		1	1	2			3		1	2	21
				1	324		4											1	86
					9		1											1	107
					2														4
					10														8
					7		7		2	1	3	1							150
71	169	24	176	8	1,616	4	28,572	225	99	24	3	1,910	76	69	28	149	151	172	1,777
					15								13		3	6			2
					11				1	9			38		2	21	3	20	71a
								1					4		1	1	1	3	71b
3	2	4	5	3	162	3	39	3			1				4	4	2	3	36
16	7	19	4	4	231		52	78	2			3	1	4	6	4	5	4	104
47	38				490		25,495	72	21	4		1,873	4	5	11	86	100	107	920
2					87		1,051	28	66	2		20	2	7	1	5	11	4	130
1					47		1,283		2						3	9	15	8	194
					228		68	2	1							3		2	76
					75								1						150

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE														
		Capillary bronchitis	Lobar pneumonia	Pneumonia (unspecified)	Pleurisy	Congestion and hemorrhagic infarct of the lung	Gangrene of the lung	Asthma	Pulmonary emphysema	Other diseases of the respiratory system (tuberculosis excepted)	Diseases of the mouth and annæxa	Adenoid vegetations	Other diseases of the pharynx, tonsils	Diseases of the esophagus	Ulcer of the stomach	Ulcer of the duodenum
		100b	101a	101b	102	103	104	105	106	107	108	199a	109b	110	111a	111b
	All causes.....	341	9,190	8,376	4,685	15,603	103	5,244	540	2,440	1,151	36	1,977	132	639	212
	I.—Epidemic, endemic, and infectious diseases.....	189	5,973	5,055	1,261	999	30	441	32	382	83		411	12	89	33
1	Typhoid and paratyphoid fever.....	2	217	205	15	65		3		9	3		8	1	3	3
2	Typhus fever.....										1					
5	Malaria.....		33	27	7	6		2		2	1		3		4	1
6	Smallpox.....	1	9	8		3										
7	Measles.....	10	179	110	19	8		1		3			7		1	
8	Scarlet fever.....	1	99	39	25	12				3	3		42			
9	Whooping cough.....	38	209	408	25	22		7	2	4			9			
10	Diphtheria.....	3	85	57	8	29		11		8	5		97		2	
11a	Influenza (with pulmonary complications).....	69	4,200	3,623	358	360	2	175	9	154	2		11			
11b	Influenza (other and unspecified).....										18		94			
13	Mumps.....	1	15	4		1							1			
15	Cholera nostras.....					2		1								
16	Dysentery.....		3	16	5	9		6		3	5					2
17	Plague.....															
19	Spirochetal hemorrhagic jaundice.....				1	1					1		1			
20	Leprosy.....			5		1										
21	Erysipelas.....	1	1	45	15	36		1		3	7		30	1		
22	Acute anterior poliomyelitis.....	2	23	11		19				12			9			
23	Lethargic encephalitis.....		28	11	4	44				2	3		5			1
24	Meningococcus meningitis.....		13	5	1	6				2			4			
25	Other epidemic and endemic diseases.....		18	10	1								2			
26	Glanders.....															
27	Anthrax.....		1													
28	Rabies.....					1										
29	Tetanus.....		4				1	2		2						
30	Mycoses.....		1	1		2				1			1			
	Tuberculosis (all forms).....	10	694	435	754	293	26	224	20	160	21		65	5	62	18
31	Of the respiratory system.....	9	602	397	709	230	26	220	19	149	11		38	5	53	16
32	Of the meninges, central nervous system.....	1	17	15	12	29		1		4			10			
33	Of the intestines, peritoneum.....		16	5	8	13		1		2					4	1
34	Of the vertebral column.....		13	2	1	6		1	1	3					2	
35	Of the joints.....		10	2	3						1					
36	Of other organs.....		17	2	2	7				2	2				1	
37a	Disseminated (acute).....		16	6	15	8		1		3					2	1
37b	Disseminated (chronic or unspecified).....		3	6	4					1						
38	Syphilis.....	1	132	29	20	57	1	5	1	12	2		22	5	16	8
39	Soft chancre.....															
40	Gonococcus infection.....		9	6	3	6				1	1				1	
41	Purulent infection, septicæmia.....					16		3		2						
42	Other infectious diseases.....															
	II.—General diseases not included in Class I.....	8	852	361	218	1,283	14	153	9	149	143	1	101	39	299	41
	Cancer and other malignant tumors.....	2	851	195	130	726	8	77	7	78	44		20	30	277	38
43	Of the buccal cavity.....		15	3	1	26		4		4	17					
44	Of the stomach, liver.....		102	61	28	252	6	34	5	22	11		5	27	258	21
45	Of the peritoneum, intestines, rectum.....		46	27	7	90	1	4		8			3		11	13
46	Of the female genital organs.....	1	33	20	4	82		10		3	2				1	1
47	Of the breast.....		43	18	18	59		13	1	2					1	
48	Of the skin.....		14	6	1	22		1		1					1	
49	Of other or unspecified organs.....	1	98	60	71	195		11	1	38	9		8	3	5	3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....		8	3		8		1		4						
51	Acute rheumatic fever.....			21	23	13		5		2	3				1	
52	Chronic rheumatism, osteoarthritis, gout.....					51		12		1	10					
53	Scurvy.....															
54	Pellagra.....	1	18	9		14		1		1	5			1	1	1
55	Beriberi.....															
56	Rickets.....															
57	Diabetes mellitus.....	5	351	86	37	135	6	13	1	37	12		27	1	16	2
58	Anemia, chlorosis.....		4	3	1	131		6		7	37					
59	Diseases of the pituitary gland.....		2			2					37					
60a	Exophthalmic goiter.....		66	21	10	23		4		3	3		20		3	
60b	Other diseases of the thyroid gland.....		4	9		13		7			3					
61	Diseases of the parathyroid glands.....															
62	Diseases of the thymus gland.....			2		6		2		2						
63	Diseases of the adrenals (Addison's disease).....		5		1	3		2		1				2		
64	Diseases of the spleen.....		2	1		1				1				1		
65a	Leukæmia.....		31	6	7	27		2		4	11			2		
65b	Hodgkin's disease.....		9	2	10	18		1		3	1			2	1	1
66	Alcoholism (acute or chronic).....		2	1		81		13		1	2					
67a	Chronic lead poisoning.....		2			1				1						
67b	Other chronic mineral poisoning.....		1			2				1						
68	Chronic poisoning by organic substances.....					5		6								
69	Other general diseases.....					23				1	12				9	
	III.—Diseases of the nervous system and of the organs of special sense.....	14	168	349	81	1,722	3	164	6	121	128		129	4	49	10
70	Encephalitis.....			3		29				13	25					
71a	Simple meningitis.....					15				2	30					
71b	Nonepidemic cerebrospinal meningitis.....			8		7				2	2					
72	Tabes dorsalis (locomotor ataxia).....			5		31		4	1	3	1					2
73	Other diseases of the spinal cord.....	1	24	16	6	69		3		14	5		4		1	
74a	Cerebral hemorrhage.....	3	42					1	127	5	46	29	44	3	31	4
74b	Cerebral embolism and thrombosis.....	5		214	28	1,034	1				20	20	28		9	3
75	Paralysis without specified cause.....	1		13	29	83	1	9		10	29		14		4	1
76	General paralysis of the insane.....	2		37	6	104		11		8	5					
77	Other forms of mental alienation.....	1	72	10	1	51	1	1		1	3					

CONTRIBUTORY CAUSES OF DEATH

433
IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																				List No.	
Other diseases of the stomach (cancer excepted)	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Ancylostomiasis	Diseases due to other intestinal parasites	Appendicitis and typhilitis	Hernia	Intestinal obstruction	Other diseases of the intestines	Acute yellow atrophy of the liver	Hydatid tumor of the liver	Cirrhosis of the liver	Biliary calculi	Other diseases of the liver	Diseases of the pancreas	Peritonitis without specified cause	Other diseases of the digestive system (cancer and tuberculosis excepted)	Acute nephritis (including unspecified under 10 years)	Chronic nephritis (including unspecified 10 years and over)	Chyuria		
112	113	114	115	116	117	118a	118b	119	120	121	122	123	124	125	126	127	128	129	130		
7,072	1,285	4,782	34	81	831	484	5,523	2,756	26	4	791	1,190	5,264	362	14,721	2	7,612	23,424	1		
																					1
																					2
																					3
																					4
																					5
																					6
																					7
																					8
																					9
																					10
																					11a
																					11b
																					12
																					13
																					14
																					15
																					16
																					17
																					18
																					19
																					20
																					21
																					22
																					23
																					24
																					25
																					26
																					27
																					28
																					29
																					30
																					31
																					32
																					33
																					34
																					35
																					36
																					37a
																					37b
																					38
																					39
																					40
																					41
																					42
																					43
																					44
																					45
																					46
																					47
																					48
																					49
																					50
																					51
																					52
																					53
																					54
																					55
																					56
																					57
																					58
																					59
																					60a
																					60b
																					61
																					62
																					63
																					64
																					65a
																					65b
																					66
																					67a
																					67b
																					68
																					69
																					70
																					71a
																					71b
																					72
																					73
																					74a
																					74b
																					75
																					76
																					77

CONTRIBUTORY CAUSES OF DEATH

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

Table with columns for Contributory Cause (Accidental or undefined—Continued) and List No. (1-77). Columns include categories like Burns, Mechanical suffocation, Drowning, Traumatism by firearms, Traumatism by cutting or piercing instruments, Traumatism by fall, Traumatism in mines, Traumatism by machines, Railroad accidents, Street-car accidents, Automobile accidents, Injuries by other vehicles, Land-slide, other crushing, Injuries by animals (not poisoning), Excessive cold, Excessive heat, Other accidental electric shocks, Fracture (cause not specified), and Other external violence. Each category has a corresponding column number (179-202).

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Chronic lead poisoning	Other chronic mineral poisoning	Chronic poisoning by organic substances	Other general diseases	Encephalitis	Simple meningitis	Non-epidemic cerebrospinal meningitis	Other diseases of the spinal cord	Cerebral hemorrhage	Cerebral embolism and thrombosis	Paralysis without specified cause	Other forms of mental alienation	Epilepsy	Convulsions (nonpuerperal; 5 years and over)	Infantile convulsions (under 5 years)	Chorea
		67a	67b	68	69	70	71a	71b	73	74a	74b	75	77	78	79	80	81
III.—Diseases of the nervous system and of the organs of special sense—Continued																	
78	Epilepsy.....				4		22	4		12		43		79			2
79	Convulsions (nonpuerperal; 5 years and over).....																
80	Infantile convulsions (under 5 years).....																
81	Chorea.....												2			2	
82	Neuralgia and neuritis.....						7			1							
83	Softening of the brain.....			1	1	1						42				2	
84	Other diseases of the nervous system.....				12	16	36		2	195	16	94		29	35	28	
85	Diseases of the eye and annaxa.....					8	25										
86a	Diseases of the ear.....					258	947	66			34	3		1		15	
86b	Diseases of the mastoid process.....					167	457	23		5	71	1		1		3	
IV.—Diseases of the circulatory system.....																	
			1	44	263	87	81	2	7	6,711	2,089	1,042	1,212	304	33	29	124
87	Pericarditis.....			1	2	1	1					7	2	2			3
88	Endocarditis and myocarditis (acute).....			3	6	13	9					34	2	2		12	67
89	Angina pectoris.....			1	10					151	253	34	115	12	1		
90	Other diseases of the heart.....									109	17	28	12	10			
91a	Aneurysm.....		1	34	210	41	36	2	4	6,413	1,804	955	665	232	13	14	52
91b,c	Other diseases of the arteries.....						1		2	35	14						
92	Embolism and thrombosis (not cerebral).....			5	25	26	27					408	6		14		2
93	Diseases of the veins.....			4	4	4	6			1		14	8				
94	Diseases of the lymphatic system.....				3	2				1		1	1				2
95	Hemorrhage without specified cause.....						1										1
96	Other diseases of the circulatory system.....														3		3
V.—Diseases of the respiratory system.....																	
				28	163	209	1,375	49	2	464	87	129	465	244	22	732	15
97a	Diseases of the nasal fossae.....				1		10						1	1			2
97b	Diseases of the nasal fossae annexa.....				2	84	249	15									5
98	Diseases of the larynx.....			1	5					4	6						
99a	Acute bronchitis.....				4								3	1	2		
99b	Chronic bronchitis.....				4								6	8	5		96
99c,d	Bronchitis (unspecified).....			2	1					2			4	2			1
100a	Broncho-pneumonia.....			1	6					1			4	2			47
100b	Capillary bronchitis.....			12	95	60	507			24			238	137	5	392	11
101a	Lobar pneumonia.....				1	1	9										
101b	Pneumonia (unspecified).....			10	37	28	456	32	2	421	73	129	185	79	5	120	2
102	Pleurisy.....			1	5	11	111			3			6	7		27	1
103	Congestion and hemorrhagic infarct of the lung.....				2	9	24	2		2	5		3	3		14	
104	Gangrene of the lung.....												1				
105	Asthma.....												6				
106	Pulmonary emphysema.....				3	1				1			2				2
107	Other diseases of the respiratory system (tuberculosis excepted).....																
VI.—Diseases of the digestive system.....																	
		2		15	997	136	708	32	11	323	206	63	197	42	84	2,457	8
108	Diseases of the mouth and annaxa.....				4	2	5			1			6				4
109a	Adenoid vegetations.....				1												
109b	Other diseases of the pharynx, tonsils.....				19	36	134	16		8	23	5	6	10	1	9	2
110	Diseases of the esophagus.....																
111a	Ulcer of the stomach.....	1			6		2			16	10	5	4	2			
111b	Ulcer of the duodenum.....			1	5					3	6						
112	Other diseases of the stomach (cancer excepted).....				49	7				6		1	12		9	328	
113	Diarrhea and enteritis (under 2 years).....				620	44	488	14		32	1	4	4			1,729	1
114	Diarrhea and enteritis (2 years and over).....				152	21	19			18		1	100	1	51	286	1
115	Ancylostomiasis.....																
116	Diseases due to other intestinal parasites.....																
117	Appendicitis and typhlitis.....	1			1	8	27	2	1	29	76	10	7	6	2	13	1
118a	Hernia.....				15					39	26	9	4	2		2	
118b	Intestinal obstruction.....				38	5				17	6	5	15	2	5	52	1
119	Other diseases of the intestines.....				12	2				6	2		9	2	2	25	
120	Acute yellow atrophy of the liver.....				1		2			1			1		1		
121	Hydatid tumor of the liver.....																
122	Cirrhosis of the liver.....			2	15	2				111	6	15	15	4	2		
123	Biliary calculi.....				13	1	4			20	23	1	5	1	4		
124	Other diseases of the liver.....			5	23	10	13		4	7	20	2	9	2	4	6	1
125	Diseases of the pancreas.....				1		1			2	2		1				
126	Peritonitis without specified cause.....			1	3		6			6		4	5	1	2		1
VII.—Nonvenereal diseases of the genito-urinary system and annaxa.....																	
				14	168	52	87	8	3	7,813	364	813	286	101	26	46	6
128	Acute nephritis (including unspecified under 10 years).....				28	12	30			8			35	19	7	24	3
129	Chronic nephritis (including unspecified 10 years and over).....			13	86	30	24	6	2	7,706	262	799	212	75	17		
130	Chyluria.....																
131	Other diseases of the kidneys and annaxa.....																
132	Calculi of the urinary passages.....				16	4	23			10	1		8	3	2	13	
133	Diseases of the bladder.....				4		1			5	5	2	6				
134	Diseases of the urethra, etc.....				2	2				4						3	
135	Diseases of the prostate.....						1										
136	Nonvenereal diseases of the male genitalorgans.....				14	1		1		50	26		5	2			5
137	Cysts, other benign tumors of the ovary.....				1		1			4	9	1	3				
138	Salpingitis and pelvic abscess (female).....				4	1	3			1	12	2	1				
139	Benign tumors of the uterus.....				2		2			17	29	2	8				
140	Nonpuerperal uterine hemorrhage.....				6												
141	Other diseases of the female genital organs.....				5	2	2							1			
142	Nonpuerperal diseases of the breast (cancer excepted).....									8	18	2	10	2			1

CONTRIBUTORY CAUSES OF DEATH

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																		List No.					
Neur- algia and neu- ritis	Soft- ening of the brain	Dis- eases of the nerv- ous sys- tem	Dis- eases of the eye and annexa	Dis- eases of the ear	Dis- eases of the mas- toid pro- cess	Peri- cardi- tis	Endo- cardi- tis and myo- cardi- tis (acute)	An- gina pec- toris	Other dis- eases of the heart	Aneu- rysm	Other dis- eases of the arteries	Em- bolism and throm- bosis (not cere- bral)	Dis- eases of the veins	Dis- eases of the lym- phatic sys- tem	Hem- or- rhage with- out speci- fied cause	Other dis- eases of the cir- cu- latory sys- tem	Dis- eases of the nasal fossae		Dis- eases of the nasal fossae annexa	Dis- eases of the larynx	Acute bron- chitis	Chron- ic bron- chitis	
82	83	84	85	86a	86b	87	88	89	90	91a	91b, c	92	93	94	95	96	97a	97b	98	99a	99b		
3	4	56	1				55		72		66			1		2							78
1		1							1			1					1						79
		1							3														80
		4							8														81
6	11	6	2				1		2		337		1			3				1			82
		3					20		163		174					5						1	83
		4					6		9		7					2						4	84
		4					122		13		9		1			3				10			85
	1	4				1	6	1	8		20		2			2				1			86a
		4					9		9		11		4			2				1			86b
241	82	539	38	55	24	571	1,146	709	4,532	18	24,300	1,802	185	29	15	945	36	43	63	1,016	1,734		
1		1		2					37		44			1		2				9	11		87
17		25		22		121			542		364		21	3		9				12			88
32	1	15	4	9		18			2,481	18	137		6	1		79				1			89
161	53	396	21	31	14	420	1,050	709	3,039		20,130	1,230	137	19	3	723	20	28	44	887	1,629		90
		3	1			12	16		341		121		1			8				2			91a
29	18	94	10				1		1,003		601		20	2	6	113	5			4			91b,c
	9	3							108		1			2	2	11	2						92
1		1							12		2			1									93
									8														94
									7														95
		1							3														96
									1														
67	6	429	20	513	55	332	1,950	33	7,556		2,732	267	91	54	11	57	216	34	234	1,781	934		
1		2	1				5		1		2	2			1		1						97a
		5					10		15		2	8	1										97b
		14					103		152		157	2	2				5						98
4		13	1				103		266		11	3	1	2			4				26		99a
4		5					68		124		6	3					2				6		99b
31		242	9	343	29	77	703		890		1,384	68	30	32	3	22	141	16	120	1,525	604		99c,d
1		4					12		13		17	2				2				5			100a
20	6	114	1	133	18	163	1,007	33	5,487		649	92	31	12	3	14	32	13	33	208	217		100b
2		15	2	20	3	15	67		81		73	16	7	1	1	3	4	2	8	13	38		101a
		7		14	5	77	144		138		44	42	11	1		1	3		3	26	55		101b
		1											2										102
													1										103
													1										104
													1										105
2									539		11		1										106
									7				4										
									46				4				5				3	1	107
62		224	5	258	19	74	1,283	34	5,234	6	593	1,095	108	81	11	28	26	15	140	235	88		
8		6		1		7	1	22				10		3		1		2	11	1	1		108
8		11	1	78	3	28	481	1	120		17	70	5	44	3	3	5	7	115	4	2		109a
1		2					1	4			3	1											109b
3		5					40	3	252	2	58	57		1									110
		2					13	1	98		9	34	1								3	10	111a
		2					1		564		1	4											111b
12		31					1		121		1	1		1		6	4						112
1		42	1	162	7	2	137		121		2	1	2	12	1	9	2		6	189	22		113
10		85		7			6		148		2	5	2	8		2	1	1	4				114
																							115
																							116
3		6		3	3	8	209	12	520		12	357	25	1							7	5	117
1		1		1	1	3	33	7	408		45	188	15								2	9	118a
4		10		1		1	69	1	250		1	70	4	4	1		2	1			9	4	118b
		7					8		45		1	53	8			3							119
		2					19		19		3	1	1										120
									3														121
7		8				12	103		1,705		239	21	24	2	2	7	1	1	1	11	16		122
		1				3	92	6	467	2	37	123	6	1	1	1	1	1	1	1	1	2	123
2		4				1	55	2	379		81	73	11	2	2	4	1				6	12	124
1		1				3	25		25		5	7	1										125
1						7	23		80		8	20	3	3									126
62	63	210	16	34	10	209	1,932	526	34,352		6,195	578	71	16	5	571	25	10	31	140	224		
5		13	1				388		213					3	7		16		3				128
47	63	166	13	21	10	195	1,325	510	33,528		6,031	117	30	7	3	528	6	10	27	132	213		129
1		8	1	12		8																	

CONTRIBUTORY CAUSES OF DEATH

445

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																				List No.		
Fur- uncle	Acute abscess	Other dis- eases of the skin and annexa	Dis- eases of the bones (tuber- culosis except- ed)	Dis- eases of the joints (tuber- culosis and rheu- matism except- ed)	Am- puta- tions	Other dis- eases of the organs of loco- motion	Con- gen- ital hy- dro- ceph- alus	Con- gen- ital mal- for- ma- tions of the heart	Other con- gen- ital mal- for- ma- tions	Con- gen- ital deb- ility, ictus, sclere- ma	Pre- ma- ture birth	Other dis- eases pecu- liar to early in- fan- cy	Lack of care	Old age (senil- ity)	Accidental or undefined							
152	153	154	155	156	157	158	159a	159b	159c	160	161a	162	163	164	177	179	181	184	193	194	202	
1	2	4							3	2		1		35						2	78	
										257				4							79	
			2							1				4							80	
		5												42							81	
		1				1								88							82	
2	4	23	2			1			3	23		7		192						2	83	
									1	4				6							84	
5	9	3	3	1					2	30	1	1		1						16	85	
1	5		3	4					1	2				3							86a	
														3							86b	
59	122	221	91	152	2	63			19	93	29	21		12,537		1	8	2		367	5	
3	5	1		4		1				1		1		24						1	87	
6	26	14		16		9			4	46	12	15		115					14		88	
1	2	2		7		7								242					8		89	
25	62	138	74	74	2	42			13	36	16	2		8,244		1	6	2	272	4	90	
									1					13						1		91a
15	12	51		1		4								3,790					71		91b,c	
4	10	3		1					1		1	3		43							92	
5	6	4		2						5				21							93	
										5				6							94	
														3							95	
														36							96	
96	193	146	75	33		10	11	35	112	1,571	460	88	3	4,972	5		10			50		
	2	1								13				30		1	3					97a
	1	1		1						1				1		1	2					97b
	5	6								6				10						1		98
2	1	3					1		5	127	50	4		235						3	99a	
	3	3							2	12	1	1		374						3	99b	
										79	23	4		254			1					99c,d
51	95	74	41	13		4			84	1,072	328	59	1	1,767			1			19	100a	
									1	26	4	3		43								100b
27	40	24	22	13		2	11	35	7	160	31	6		1,109						18	101a	
12	25	9	3	5					9	36	23	7	1	244								101b
3	7	3	6	1		2			2	2	2	2		46						1	102	
	4	17		1					2	30				646								103
										1				3								104
									1	4				169		2				1		105
										1				14								106
1	9	1	1						2					27			2			1		107
31	154	89	23	15		7	7	2	169	2,817	504	45	1	1,855	11		126			120		
	27	3	2			1			1	12		2		28								108
	37	2	5	9			2		7	6				27	7		64			1		109a
										1				2								109b
										1				47						1		110
1	1	3	2			1								7			2					111a
														7			2					111b
22	18	41	4			2			10	186	48	3		404						8	112	
1	7	15	4			1	5		110	2,552	438	26	1							69	113	
									12					689						21		114
																						115
																						116
1	17	1	2						2					16		1	21			9		117
	4			2		1			3	6	9			66			19			2		118a
	12								10	26	8	1		166		1	8			2		118b
									6	20				82		1	1					119
														11								120
																						121
2	1	2						1						108						1		122
1	4	3	1	2					2	5				44					5			123
														151			6			1		124
3	20	5	3						5	4		13		4		1						125
														3								126
50	77	103	35	24		8			26	54	12	6		2,809	4	2	34		1	60	1	
9	24	37		11		1			10	32	9	1		135						6		128
34	23	65	31	9		6			1	1				2,142			1		1	46	1	129
6	4	1		3					13	16	2	3		82						1		130
1	2	3				1								4		1						131
														189								132
														1								133
														217		2						134
									2	3		2		3						2		135
														9						1		136
														1								137
2	1			1										19		1	6			1		138
																2	13			2		139
														6						1		140
																						141
														1								142

CONTRIBUTORY CAUSES OF DEATH

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																			List No.			
Acute bronchitis	Chronic bronchitis	Bronchitis (un- specified)	Broncho- pneumonia	Capillary bronchitis	Lobar pneumonia	Pneumonia (un- specified)	Pleurisy	Congestion and hemor- rhagic infarct of the lung	Gan- grene of the lung	Asth- ma	Pul- mo- nary em- phy- sema	Other diseases of the respi- ratory system (tuber- culosis ex- cepted)	Diseases of the mouth and an- nexa	Adenoid vege- ta- tions	Other diseases of the pharyn- x, ton- sils	Diseases of the esoph- agus	Ulcer of the stomach	Ulcer of the duode- num		Other diseases of the stomach (cancer ex- cepted)	Diarrhea and en- teritis (un- der 2 years)	Diarrhea and en- teritis (2 years and over)
.99a	.99b	.99c, d	100a	100b	101a	101b	102	103	104	105	106	107	108	109a	109b	110	111a	111b		112	113	114
4	2	5	202		352	144	28	123	3	6		12	5		17		3	1	65		33	
2		2	35		80	22	6	9		1		1	1				1	1	21		13	143
	1		5		1	2		2											1		1	144
		2	57		140	48	3	13	1	2		6							34		5	145
2			69		34	55	13	21	1	1		3			3				5		8	146
			3		4	3		2				1							1		1	147
	1	1	28		33	13	2	76	1	1		1			1			2		1	6	148
			5		10															3		149
							1															150
		1	35		2	17		34		5		3			5					4	1	2
		1	32		2	5		19		5		2			4					4	1	2
			1			12		3							1							151
			2					3														152
								9				1										153
																						154
	1	1	16	24	10	27	4	18			1	12	19		8					3		1
		1	4	24	10	25	4	10			1	11	16		8					2		155
	1		11			1		8				1	3							1		156
			1			1																157
68	2	45	304	4	9	36	9	78		3	2	11	4	1	7	1				50	143	19
6		5	63	1	2	2	1	5		1			1		1					5	39	10
54	2	37	170	2	9	26	6	62		2	2	9	2	1	1	1				23	91	8
8		3	71	1	9	8	2	11				2	1		1					22	13	1
16		14	261	2	21	49	1	31		2	1	8	7		4					29	135	
14		11	116	1	14	23		15		1	1	3	5		2					21	94	160
2		3	145	1	7	26	1	11		1		5	2		2					8	41	161a
								5														162
																						163
																						164
26	39	34	993	5	681	599	114	1,082	8	18	15	97	23		12	41	18	4	105	59	117	
1			26	2	17	12	3	10	1	3	1	3								6		6
			4		1	2		1												2		3
			3		4	4		3				1								1		2
			4	2	2	1		1			2									2		166
			1		1			1												1		167
			2		3	3		6												2		168
1			9		1	2	2	2		1		1								1		169
			2		3	5	1	1		1	1	1								1		170
			2		5	1		1		1		1								1		171
			2		5	1		1		1		1								1		172
			1																			173
			1																			174
			20		32	30	15	10	1			3								1		181
			3		13	20	8	3	1			3								1		182
			3		7	7	2	2														183
			6		3	3	7	5														184
			12		6	3	3	5														185
			1		1	1		1														186a
24	39	34	947	3	632	557	96	1,062	6	15	14	91	23		12	37	14	4	98	59	111	
3	1	2	10		4	2		4							3				34	27	45	
			1		1	1		1				1							1			175
			2		7	8		9	1	3		1								10	6	16
1			7		8	8		11												8		176
1			107		48	53	1	40		1		4	2			23	2	3		4	9	177
			2																	4	1	5
			1																	1		178
			20		15			16		2		2	14									179
			1		1			3				3										180
			1		7		18	3		1										2		181
			21		7	11	4	2		1		2	1									182
7	29	17	488	1	282	198	32	719	2	8	4	17	3		1	1			19	3	24	
1			3		8	20	5	7		1	1	4										183
			9		15	4		7				1										184
			8		13	18	1	13				1										185
			5		5	1	3	8				1										186a
			1		1	1	3	8				1										187
1	1	1	102		100	95	18	101			6	9	1							1	1	2
			1																			188a
			1																			188b
			1																			188c
			8		15	11		17				1										188d
			4		3	3		3				1										188e, f
			8		3	6		3				1										189
			4		8	1		1				1										190
1			5		3	1		3				1										191
			6		3	4		24														192
																						193
																						194
																						195
																						196
																						201
4	1	4	21		2	15	1	30				1								1		197
	3		95	1	56	67	22	37			2	41	2		6	4				4	9	10

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Diseases due to other intestinal parasites	Appendicitis and typhilitis	Hernia	Intestinal obstruction	Other diseases of the intestines	Acute yellow atrophy of the liver	Hyalid tumor of the liver	Cirrhosis of the liver	Biliary calculi	Other diseases of the liver	Diseases of the pancreas	Peritonitis without specified cause	Other diseases of the digestive system (cancer and tuberculosis excepted)	Acute nephritis (including unspecified under 10 years)	Chronic nephritis (including unspecified 10 years and over)	Other diseases of the kidneys and annexa (non-puerperal)
		116	117	118a	118b	119	120	121	122	123	124	125	126	127	128	129	131
	VIII.—The puerperal state.....	1	46	3	137	26	2		4	9	52	1			61	21	
143	Accidents of pregnancy.....		5		25	3											
144	Puerperal hemorrhage.....			1	1										22	4	
145	Other accidents of labor.....		5	1	71	12									9	3	
146	Puerperal septicemia.....	1	33	1	35	7	2			1	7				9	2	
147	Puerperal phlegmasia alba dolens, embolus, etc.					1				4	12				14	5	
148	Puerperal albuminuria and convulsions.....		3		5	3					1			7		7	
149	Following childbirth (undefined).....																
150	Puerperal diseases of the breast.....																
	IX.—Diseases of the skin and of the cellular tissue.....	1				5								15	11	8	
151	Gangrene.....										1			15	7	3	
152	Furuncle.....					4									4	2	
153	Acute abscess.....	1									1					1	
154	Other diseases of the skin and annexa.....					1					1					2	
	X.—Diseases of the bones and of the organs of locomotion.....				1	1					5			25	12	10	
155	Diseases of the bones (tuberculosis excepted).....				1	1					3			21	11	9	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....													4	1	1	
157	Amputations.....										2						
158	Other diseases of the organs of locomotion.....																
	XI.—Malformations.....			1	15	7					3	1	32	37	17	29	
159a	Congenital hydrocephalus.....				1	2							1	2	2	1	
159b	Congenital malformations of the heart.....			1	1						3			25	9	10	
159c	Other congenital malformations.....				13	6						1	31	9	6	18	
	XII.—Early infancy.....			1	4	13					6		3	17		12	
160	Congenital debility, icterus, sclerema.....																
161a	Premature birth.....					9					6			12		8	
161b	Injury at birth.....			1	4	3								5		4	
162	Other diseases peculiar to early infancy.....					1											
163	Lack of care.....																
164	XIII.—Old age (senility).....																
	XIV.—External causes.....	2	27	37	181	59	3	1	29	4	45	4	878	1	403	877	120
	Suicide.....		1			1	1		2		3		18	1	34	34	3
165	By poisons (gas or corrosives excepted).....														5	5	1
166	By corrosive substances.....														27	15	
167	By poisonous gas.....		1						1						1	2	
168	By hanging or strangulation.....															3	
169	By drowning.....										1						
170	By firearms.....										1						
171	By cutting or piercing instruments.....										1		11		6	1	
172	By jumping from high places.....								1				3		3		
173	By crushing.....										1						1
174	By other means.....																
	Homicide.....				5	2							3				
197	By firearms.....				4	1					1	1	276		2	2	4
198	By cutting or piercing instruments.....				1	1					1		212		1	1	4
199	By other means.....				1	1							49		1		
	Accidental or undefined.....	2	26	37	126	56	2	1	27	4	41	1	15	2	841	113	
175	Poisoning by food.....		2		8	2					5	3	584	367	14	3	
176	Poisoning by venomous animals.....												15	17			
177	Other acute poisonings (gas excepted).....	2				3	1		2	1	2	1	3	50	20	3	
178	Conflagration.....		1											11	6	1	
179	Burns (conflagration excepted).....		1		2	1			2		2		6	186	89	18	
180	Mechanical suffocation.....								1				1				
181	Absorption of irrespirable, irritating, or poisonous gas.....																
182	Drowning.....													1	13	1	
183	Traumatism by firearms (except in war).....		2		7	2			1					77	1	2	1
184	Traumatism by cutting or piercing instruments.....				1	1											
185	Traumatism by fall.....				1	1					1		19	6	12	2	
186a	Traumatism in mines.....		10	14	37	23	1	1	14	2	18	2	116	45	496	39	
186b	Traumatism in quarries.....			1		1							13	2	7	6	
187	Traumatism by machines.....				1	2											
188a	Railroad accidents.....	2	5	2	5	1					1		32	1	6	3	
188b	Street-car accidents.....	1	1	1	5	1					1		7	1	6	3	
188c	Automobile accidents.....		1	1							1		4	4	4		
188d	Airplane and balloon accidents.....	4	5		19	5			1	1	3		82	14	59	15	
188e,f	Injuries by other vehicles.....																
188g	Landslide, other crushing.....	1	4		6	1			1				19	2	14	3	
189	Injuries by animals (not poisoning).....				9				2				7	1	1	1	
190	Wounds of war.....														6		
192	Starvation (deprivation of food or water).....																
193	Excessive cold.....													2	1		
194	Excessive heat.....													3	1		
195	Lightning.....					1			1		2					3	
196	Other accidental electric shocks.....														22		
201	Fracture (cause not specified).....				2	3								2			
202	Other external violence.....	2	6		27	10			2		3		3	3	27	2	
203	Violent deaths of unknown causation.....												120	19	34	8	

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Dis-eases of the bones (tuberculosis ex-cepted)	Dis-eases of the joints (tuberculosis and rheu-matism ex-cepted)	Other dis-eases of the organs of loco-motion	Con-genital hy-droceph-alus	Con-genital mal-for-mations of the heart	Other con-genital mal-for-mations	Con-genital deb-ility, icter-us, scler-ema	Pre-mature birth	In-jury at birth	Other dis-eases pecu-liar to early in-fancy	Lack of care	Old age (senility)	Suicide			
														By poi-sons (gas or cor-ro-sives ex-cepted)	By cor-ro-sive sub-stances	By poi-sonous gas	By fire-arms
155	156	158	159a	159b	159c	160	161a	161b	162	163	164	165	166	167	170		
	VIII.—The puerperal state.....	1	1			1											
143	Accidents of pregnancy.....																
144	Puerperal hemorrhage.....																
145	Other accidents of labor.....	1				1											
146	Puerperal septicemia.....		1														
147	Puerperal phlegmasia alba dolens, embolus, etc.																
148	Puerperal albuminuria and convulsions.....																
149	Following childbirth (undefined).....																
150	Puerperal diseases of the breast.....																
	IX.—Diseases of the skin and of the cellular tissue.....	7	3				4	77			9	401					
151	Gangrene.....	6	1						3		1	307					
152	Furuncle.....		2						19		3	16					
153	Acute abscess.....	1							14		3	15					
154	Other diseases of the skin and annexa.....						1	41			2	63					
	X.—Diseases of the bones and of the organs of locomotion.....		12					3				29					
155	Diseases of the bones (tuberculosis excepted).....		12						1			16					
156	Diseases of the joints (tuberculosis and rheumatism excepted).....								2			2					
157	Amputations.....																
158	Other diseases of the organs of locomotion.....											11					
	XI.—Malformations.....	3				14	505	629	1,123	68	271	1					
159a	Congenital hydrocephalus.....	1				14	417	30	35	49	10						
159b	Congenital malformations of the heart.....	1					88	161	967		181						
159c	Other congenital malformations.....	1						438	121	19	80	1					
	XII.—Early infancy.....	1				183	271	445	1,244		2,171	17					
160	Congenital debility, icterus, sclerema.....											8					
161a	Premature birth.....											2					
161b	Injury at birth.....	1				183	182	112	1,244		1,420						
162	Other diseases peculiar to early infancy.....						51	145			751						
163	Lack of care.....						33	188				7					
164	XIII.—Old age (senility).....																
	XIV.—External causes.....	98	12	2	1	5	6	21	25			1	1,214	4	10	8	10
	Suicide.....			1									26	4	10	8	10
165	By poisons (gas or corrosives excepted).....												1				
166	By corrosive substances.....												1				
167	By poisonous gas.....												3	5			
168	By hanging or strangulation.....			1									9	1	2	1	7
169	By drowning.....												1				
170	By firearms.....												5		1	1	
171	By cutting or piercing instruments.....												4	3	1	6	3
172	By jumping from high places.....												1		1		
173	By crushing.....												4		1		
174	By other means.....												1				
	Homicide.....	2															
197	By firearms.....	2															
198	By cutting or piercing instruments.....	2															
199	By other means.....																
	Accidental or undefined.....	96	12	1	1	5	6	21	25			1	1,188				
175	Poisoning by food.....					1							7				
176	Poisoning by venomous animals.....																
177	Other acute poisonings (gas excepted).....	1						2	1				3				
178	Conflagration.....							1					3				
179	Burns (conflagration excepted).....							1					3				
180	Mechanical suffocation.....							1					26				
181	Absorption of irrespirable, irritating, or poisonous gas.....								4								
182	Drowning.....					1							2				
183	Traumatism by firearms (except in war).....	1											4				
184	Traumatism by cutting or piercing instruments.....																
185	Traumatism by fall.....	5	2	1				1	1				1				
186a	Traumatism in mines.....	37	6		1			1	2				927				
186b	Traumatism in quarries.....	2															
187	Traumatism by machines.....	1															
188a	Railroad accidents.....												1				
188b	Street-car accidents.....	1											1				
188c	Automobile accidents.....												1				
188d	Airplane and balloon accidents.....	10	1					1					32				
188e,f	Injuries by other vehicles.....																
188g	Landslide, other crushing.....	6											3				
189	Injuries by animals (not poisoning).....			1									1				
190	Wounds of war.....												3				
192	Starvation (deprivation of food or water).....																
193	Excessive cold.....												6				
194	Excessive heat.....																
195	Lightning.....					1			13	1		1	90				
196	Other accidental electric shocks.....																
201	Fracture (cause not specified).....	1															
202	Other external violence.....																
203	Violent deaths of unknown causation.....	31	2			1	1	2	8				52				

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES: 1925

SUBJECTS PRESENTED IN TABLES	THE REGISTRATION AREA							Alabama	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts
	Total	Registration States			Registration cities in nonregistration States	All registration cities																		
		Total	Urban	Rural																				
	Page																							
Population, deaths, and rates by color; urban and rural.....	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Population, deaths, and rates for total and residents.....	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Deaths by cause in full detail.....	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	
Deaths by months; urban and rural.....	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	
Deaths by race and nativity of white; urban and rural.....	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	
Deaths by age and color; urban and rural.....	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	
Deaths by age, sex, race, and nativity of white.....	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	
Deaths from important causes.....	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	
Deaths by cause; urban and rural.....	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	
Deaths by cause; age, sex, and color.....	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Deaths by cause for colored, by race and sex.....	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	
Deaths by cause and age.....	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	
Deaths from important causes by age; large cities.....							232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	232	
Deaths from important causes by months.....	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	315	
Deaths of infants from important causes.....							333	333	333	333	333	333	333	333	333	333	333	333	333	333	333	333	333	
Deaths complicated by contributing causes.....	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	426	
	Page																							
Population, deaths, and rates by color; urban and rural.....	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Population, deaths, and rates for total and residents.....	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
Deaths by months; urban and rural.....	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	
Deaths by race and nativity of white; urban and rural.....	34	34	34	34	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
Deaths by age and color; urban and rural.....	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	
Deaths by age, sex, race, and nativity of white.....	50	50	50	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	
Deaths from important causes.....	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	
Deaths by cause; urban and rural.....	74	74	74	74	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	76	
Deaths by cause and age.....	201	204	207	212	215	218	221	224	227	230	235	238	241	244	247	249	254	259	262	264	269	272	275	
Deaths from important causes by age; large cities.....	293	294	295	295	296	296	296	298	298	298	298	298	298	298	298	298	298	298	298	298	298	298	298	
Deaths from important causes by months.....	322	323	323	324	324	324	325	325	325	325	325	325	325	325	325	325	325	325	325	325	325	325	325	
Deaths of infants from important causes.....	344	345	346	346	347	347	347	349	349	349	349	349	349	349	349	349	349	349	349	349	349	349	349	

- Abscess, acute, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 453.
— death rate, 28.
- Absorption of irrespirable, irritating, or poisonous gas, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
— death rate, 29.
- Accidental or undefined (total), deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 436-437, 445, 455.
— death rate, 29.
- Acute anterior poliomyelitis, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 427, 147.
— death rate, 27.
- Acute yellow atrophy of the liver, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Addison's disease. *See* Adrenals, diseases of.
- Adenoid vegetations, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Adjusted death rates. *See* Death rates.
- Adrenals, diseases of (Addison's disease), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Airplane and balloon accidents, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 418; by sex, 130, 418; in urban and rural districts, 92.
— death rate, 29.
- Alcoholism (acute or chronic), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 449.
— death rate, 27.
- Amputations, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 412; by sex, 126, 412; in urban and rural districts, 92; as contributory cause, 435, 445.
— death rate, 28.
- Ancylostomiasis, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 433, 443.
— death rate, 28.
- Anemia, chlorosis, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; in detail, 27; as contributory cause, 429, 439, 448.
— death rate, 27.
- Aneurysm, deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Angina pectoris, deaths from, 28, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Animals, injuries by (not poisoning), deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437.
— death rate, 29.
- Anthrax, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427.
— death rate, 27.
- Appendicitis and typhlitis, deaths from, 28, 59, 90; by age, 122, 138, 408; by color, 59, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 59, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Arteries, diseases of, deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 441, 450.
— death rate, 28.
- Arteriosclerosis, deaths from, 28.
— death rates, 28.
- Asiatic cholera, no deaths in 1925.
- Asthma, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Automobile accidents (excluding collision with railroad trains and street cars), deaths from, 29, 59, 92; by age, 130, 140, 418; by color, 59, 130, 136, 418; by sex, 130, 136, 418; by month of death, 315; in urban and rural districts, 59, 92; as contributory cause, 437, 455.
— death rate, 29.
- Balloon accidents. *See* Airplane and balloon accidents.
- Beriberi, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134; 400; by sex, 114, 134, 400; in urban and rural districts, 88.
— death rate, 27.
- Biliary calculi, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Birth, injury at. *See* Injury at birth.
- Bladder, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Bones (tuberculosis excepted), diseases of, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; in detail, 28; as contributory cause, 435, 445, 454.
— death rate, 28.
- Botulism, deaths from, 29.
— death rate, 29.
- Breast (cancer excepted), nonpuerperal diseases of, deaths from, 28, 90; by age, 124, 139, 412; by color, 124, 135, 412; by sex, 124, 135, 412; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Bronchitis (all forms), deaths from, 28, 59, 90; by age, 120, 138, 406; by color, 59, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 431, 441, 442, 451.
— death rate, 28.
- Broncho-pneumonia, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; by month of death, 315; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 442, 451.
— death rate, 28.
- Bubonic plague, deaths from, 27.
— death rate, 27.
- Burns (conflagration excepted), deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 445, 455.
— death rate, 29.
- Calculi of the urinary passages, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 443, 453.
— death rate, 28.
- Cancer or principal forms, deaths from, 27, 58, 88; by age, 114, 137, 400, 422; by color, 58, 114, 134, 400, 422; by sex, 114, 134, 400, 422; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 428, 447.
— death rate, 27, 422.
- Capillary bronchitis, deaths from, 28, 59, 90; by age, 120, 138, 406; by color, 59, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 59, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Carbolic acid poisoning (accidental), deaths from, 29.
— death rate, 29.
- Causes of death, 27, 58, 88; by age, 110, 137, 396, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 396, 420; by month of death, 315; in urban and rural districts, 58, 88.
— death rate, 27, 420.
- Cerebral embolism and thrombosis, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 135, 404; by sex, 116, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
— death rate, 27.
- Cerebral hemorrhage, apoplexy, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 134, 404; by sex, 116, 134, 404; in urban and rural districts, 88; in detail, 27; as contributory cause, 430, 440, 449.
— death rate, 27.
- Cerebral hemorrhage and softening, deaths from, 59; by color, 59; by month of death, 315; in urban and rural districts, 59.
- Cerebrospinal meningitis (nonepidemic), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440, 449.
— death rate, 27.
- Cestodes, deaths from, 28.
— death rate, 28.
- Chicken pox, deaths from, 27.
— death rate, 27.
- Childbirth. *See* Puerperal state, the.
- Children under 1 year of age, deaths of, 36, 42, 110, 137, 366, 396; by cause, 110, 137, 282, 366, 396, 420; by color, 36, 42, 110, 396, 420; by sex, 42, 110, 396, 420; in urban and rural districts, 36.
— death rate, 420.

- Chinese population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
- Chlorosis. *See* Anemia, chlorosis.
- Cholera nostras, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 426, 438, 446.
— death rate, 27.
- Chorea, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
— death rate, 27.
- Chyluria, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443.
— death rate, 28.
- Circulatory system, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 441, 450.
— death rate, 28.
- Cirrhosis of the liver, deaths from, 28, 59, 90; by age, 122, 138, 410; by color, 59, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 59, 90; in detail, 28; alcoholic, 28; as contributory cause, 433, 443, 452.
— death rate, 28; alcoholic death rate, 28.
- Coccidia, deaths from, 28.
— death rate, 28.
- Cold, excessive, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
— death rate, 29.
- Colored population, 2; deaths of, 2, 34, 42, 58, 134; by age, 36, 42, 110, 396, 420; by cause, 58, 110, 134, 396, 420; by sex, 42, 110, 134, 396, 420; in urban and rural districts, 2, 34, 36, 58.
— death rate, 2, 420.
- Conflagration, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 436, 455.
— death rate, 29.
- Congenital debility, icterus, sclerema, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
— death rate, 28.
- Congenital malformations and diseases of early infancy, deaths from, 28, 59, 92; by age, 126, 139, 412-414; by color, 59, 126, 136, 412-414; by sex, 126, 136, 412-414; in urban and rural districts, 59, 92; in detail, 28; as contributory cause, 435, 436, 445, 454.
— death rate, 28.
- Congenital malformations of the heart, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
— death rate, 28.
- Congestion and hemorrhagic infarct of the lung, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Contributory causes in relation to primary causes of death, 426.
- Convulsions (nonpuerperal), deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
— death rate, 27.
- Cutting or piercing instruments, traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
— death rate, 29.
- Cysts and other benign tumors of the ovary, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Death rates, 2, 27; by cause, 27, 420; specific and adjusted death rates, causes, 420.
- Debility, congenital. *See* Congenital debility, etc.
- Diabetes mellitus, deaths from, 27, 59, 88; by age, 114, 137, 400, 423; by color, 59, 114, 134, 400, 423; by sex, 114, 134, 400, 423; by month of death, 315; in urban and rural districts, 59, 88; as contributory cause, 429, 439, 448.
— death rate, 27, 423.
- Diarrhea and enteritis, deaths from, 28, 59, 90; by age, 122, 138, 408, 423; by color, 59, 122, 135, 408, 423; by sex, 122, 135, 408, 423; by month of death, 315; in urban and rural districts, 59, 90; as contributory cause, 433, 443, 451.
— death rate, 28, 423.
- Digestive system, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 432, 433, 442, 443, 451, 452.
— death rate, 28.
- Diphtheria, deaths from, 27, 58, 88; by age, 110, 137, 396, 421; by color, 58, 110, 134, 396, 421; by sex, 110, 134, 396, 421; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 446.
— death rate, 27, 421.
- Drowning, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 455.
— death rate, 29.
- Dysentery, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 88; in detail, 27; as contributory cause, 426, 438, 446.
— death rate, 27.
- Ear, diseases of, deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 27.
- Early infancy, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; in detail, 28; as contributory cause, 435, 436, 445, 454.
— death rate, 28.
- Electric shocks, accidental, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 455.
— death rate, 29.
- Embolism and thrombosis (not cerebral), deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Embolism, cerebral. *See* Cerebral embolism and thrombosis.
- Empysema, pulmonary, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Encephalitis, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440, 449.
— death rate, 27.
- Encephalitis, lethargic. *See* Lethargic encephalitis.
- Endocarditis and myocarditis (acute), deaths from, 28, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Enteritis. *See* Diarrhea and enteritis.
- Epilepsy, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
— death rate, 27.
- Erysipelas, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 427, 438, 447.
— death rate, 27.
- Esophagus, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Eye and annexa, diseases of, deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 430, 441, 449.
— death rate, 27.
- Fall, traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 455.
— death rate, 29.
- Female genital organs, diseases of, deaths from, 28, 90; by age, 124, 138-139, 410; by color, 124, 135, 410; in urban and rural districts, 90; in detail, 28; as contributory cause, 434, 444, 453.
— death rate, 28.
- Firearms (wounds of war excepted), traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437.
— death rate, 29.
- Foreign-born white population, deaths of, 34; by age and sex, 42.

- Fracture (cause not specified), deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437.
— death rate, 29.
- Furuncle, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 453.
— death rate, 28.
- Gangrene, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 434, 444, 453.
— death rate, 28.
- Gangrene of the lung, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- General paralysis of the insane, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 135, 404; by sex, 116, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 449.
— death rate, 27.
- Genito-urinary system and annexa, non-venereal diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; in detail, 28; as contributory cause, 433, 434, 443, 444, 452, 453.
— death rate, 28.
- German measles, deaths from, 27.
— death rate, 27.
- Glanders, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 398; by sex, 112, 398; in urban and rural districts, 88.
— death rate, 27.
- Goiter, exophthalmic, deaths from, 27, 88; by age, 114, 137, 402; by color, 114, 134, 402; by sex, 114, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Gonococcus infection, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 428, 439, 447.
— death rate, 27.
- Gout. *See* Rheumatism.
- Hawaii, statistics of, 378.
- Heart, diseases of, deaths from, 28, 59, 90; by age, 118, 138, 404-406; by color, 59, 118, 135, 404-406; by sex, 118, 135, 404-406; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 431, 441, 450.
— death rate, 28.
- Heat, excessive, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
— death rate, 29.
- Hemiplegia, deaths from, 27.
— death rate, 27.
- Hemorrhage without specified cause, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Hernia, intestinal obstruction, deaths from, 28, 59, 90; by age, 122, 138, 408; by color, 59, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 433, 443, 452.
— death rate, 28.
- Hodgkin's disease, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429.
— death rate, 27.
- Homicide, or its principal forms, deaths from, 29, 59, 92; by age, 128, 139, 414-416; by color, 59, 128, 136, 414-416; by sex, 128, 136, 414, 416; in urban and rural districts, 59, 92; in detail, 29; as contributory cause, 436, 455.
— death rate, 29.
- Hydatid tumor of the liver, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Hydrocephalus (congenital), deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
— death rate, 28.
- Icterus (congenital). *See* Congenital debility, etc.
- Ill-defined diseases, deaths from, 29, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 29.
— death rate, 29.
- Indian population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
- Infanticide. (Murder of infants less than 1 year of age), deaths from, 29.
— death rate, 29.
- Influenza, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 426, 438, 446.
— death rate, 27.
- Injuries by vehicles, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 136, 418; by sex, 130, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 455.
— death rate, 29.
- Injury at birth, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 454.
— death rate, 28.
- Intestinal obstruction. *See* Hernia.
- Intestinal parasites, diseases due to, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 433, 443, 452.
— death rate, 28.
- Intestines, diseases of, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Japanese population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
- Jaundice. *See* Spirochetal hemorrhagic jaundice.
- Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 412; by sex, 126, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
— death rate, 28.
- Kidneys and annexa, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 443, 452.
— death rate, 28.
- Lack of care, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 436, 445, 454.
— death rate, 28.
- Landslide, crushing, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 136, 418; by sex, 130, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 455.
— death rate, 29.
- Larynx, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Laudanum poisoning (accidental), deaths from, 29.
— death rate, 29.
- Lead poisoning, chronic, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440.
— death rate, 27.
- Leprosy, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 437, 446.
— death rate, 27.
- Lethargic encephalitis, deaths from, 27, 88; by age, 110, 137, 398; by color, 110, 134, 398; by sex, 110, 134, 398; by month of death, 315; in urban and rural districts, 88; as contributory cause, 427, 438, 447.
— death rate, 27.
- Leukemia, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Lightning, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
— death rate, 29.
- Liver, diseases of, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Locomotor ataxia. *See* Tabes dorsalis.
- Lymphatic system, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.

- Machines, traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 455.
— death rate, 29.
- Malaria, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 438, 446.
— death rate, 27.
- Male genital organs, nonvenereal diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Malformations. *See* Congenital malformations, etc.
- Malta fever, no deaths in 1925.
- Mastoid process, diseases of, deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 27.
- Measles, deaths from, 27, 58, 88; by age, 110, 137, 396, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 396, 420; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 438, 446.
— death rate, 27, 420.
- Mechanical suffocation, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 455.
— death rate, 29.
- Mediastinum, diseases of, deaths from, 28.
— death rate, 28.
- Meningitis, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; in detail, 27; as contributory cause, 429, 440, 449.
— death rate, 27.
- Meningococcus meningitis, deaths from, 27, 58, 88; by age, 112, 137, 398; by color, 58, 112, 134, 398; by sex, 112, 134, 398; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 427.
— death rate, 27.
- Mental alienation, deaths from, 27, 88; by age, 118, 137, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
— death rate, 27.
- Miliary fever, no deaths in 1925.
- Mineral poisoning, chronic, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; in detail, 27; as contributory cause, 429, 440.
— death rate, 27.
- Mines, traumatism in, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437.
— death rate, 29.
- Month of death, deaths by, 32; by cause, 315.
- Morphine poisoning (accidental), deaths from, 29.
— death rate, 29.
- Motor-cycle accidents, deaths from, 29.
— death rate, 29.
- Mouth and annexa, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Mumps, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 426, 438, 446.
— death rate, 27.
- Mycoses, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 438, 447.
— death rate, 27.
- Myocarditis. *See* Endocarditis and myocarditis, acute.
- Nasal fossae and annexa, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 441, 450.
— death rate, 28.
- Native white population, deaths of, 34, 42; by age and sex, 42; in urban and rural districts, 34.
- Nativity, deaths by, 34, 42.
- Negro population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
- Nematodes (other than clylostoma), deaths from, 28.
— death rate, 28.
- Nephritis, deaths from, 28, 59, 90; by age, 124, 138, 410, 423; by color, 59, 124, 135, 410, 423; by sex, 124, 135, 410, 423; by month of death, 315; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 433, 443, 452.
— death rate, 28, 423.
- Nervous system and the organs of special sense, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; in detail, 27; as contributory cause, 430, 440, 441, 449.
— death rate, 27.
- Neuralgia and neuritis, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 441, 449.
— death rate, 27.
- Neuritis. *See* Neuralgia and neuritis.
- Old age (senility), deaths from, 28, 92; by age, 128, 139, 414; by color, 128, 136, 414; by sex, 128, 136, 414; in urban and rural districts, 92; as contributory cause, 436, 445, 454.
— death rate, 28.
- Opium poisoning (accidental), deaths from, 29.
— death rate, 29.
- Osteoarthritis. *See* Rheumatism.
- Pancreas, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Paralysis without specified cause, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 135, 404; by sex, 116, 135, 404; in urban and rural districts, 88; in detail, 27; as contributory cause, 430, 440, 449.
— death rate, 27.
- Parathyroid glands, diseases of, deaths from, 27, 88; by age, 114, 137, 402; by color, 114, 134, 402; by sex, 114, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Paratyphoid fever. *See* Typhoid and paratyphoid fever.
- Parent nativity, deaths by, 34.
- Pellagra, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
— death rate, 27.
- Pelvic abscess. *See* Salpingitis and pelvic abscess.
- Pericarditis, deaths from, 28, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Peritonitis without specified cause, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
— death rate, 28.
- Pernicious anemia, deaths from, 27.
— death rate, 27.
- Pharynx, tonsils, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 432, 442, 451.
— death rate, 28.
- Pituitary gland, diseases of, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Plague, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 396; by sex, 110, 396; in urban and rural districts, 88; in detail, 27.
— death rate, 27.
- Pleurisy, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Pneumonia or its principal forms, deaths from, 28, 59, 90; by age, 120, 138, 406; by color, 59, 120, 135, 406; by sex, 120, 135, 406; by month of death, 315; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 432, 442, 451.
— death rate, 28.
- Pneumonic plague, no deaths in 1925.
- Poisoning by food, deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 436, 455.
— death rate, 29.
- Poisoning by organic substances, chronic, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440, 449.
— death rate, 27.
- Poisoning by venomous animals, deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; as contributory cause, 436.
— death rate, 29.

- Poisonings, acute (gas excepted), deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 436, 445, 455.
— death rate, 29.
- Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
- Poliomyelitis. *See* Acute anterior poliomyelitis.
- Population of registration area, 2, and subdivisions, 2, 4.
- Premature birth, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
— death rate, 28.
- Prostate, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Puerperal state, the, or its principal forms, deaths from, 28, 59, 90; by age, 124, 139, 412, 424; by color, 59, 124, 136, 412, 424; by month of death, 315; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 434, 435, 444, 453.
— death rate, 28, 424.
- Pulmonary emphysema. *See* Emphysema, pulmonary.
- Purulent infection, septicemia, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 428, 439, 447.
— death rate, 27.
- Quarries, traumatism in, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92.
— death rate, 29.
- Rabies, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88.
— death rate, 27.
- Race, deaths by, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
- Railroad accidents, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437.
— death rate, 29.
- Railroad train and automobile collisions, deaths from, 29, 59, 92; by age, 130, 139, 416; by color, 59, 130, 136, 416; by sex, 130, 136, 416; by month of death, 315; in urban and rural districts, 59, 92.
— death rate, 29.
- Registration States of 1920, deaths in, 42, 396, 420; by age, 42, 396, 420; by cause, 396, 420; by color, 42, 396, 420; by race, 42; by sex, 42, 396, 420.
— death rate, 420.
- Relapsing fever (*Spirillum obermeieri*), no deaths in 1925.
- Respiratory system, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 432, 441, 442, 450, 451.
— death rate, 28.
- Rheumatic fever, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
— death rate, 27.
- Rheumatism, deaths from, 27, 58, 88; by age, 114, 137, 404; by color, 58, 114, 134, 404; by sex, 114, 134, 404; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 428, 439, 448.
— death rate, 27.
- Rickets, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Salpingitis and pelvic abscess (female), deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Scarlet fever, deaths from, 27, 58, 88; by age, 110, 137, 396, 421; by color, 58, 110, 134, 396, 421; by sex, 110, 134, 396, 421; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 446.
— death rate, 27, 421.
- Sclerema, congenital. *See* Congenital debility, etc.
- Scurvy, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
— death rate, 27.
- Senility. *See* Old age.
- Septicemia. *See* Purulent infection.
- Septicemic plague, no deaths in 1925.
- Sex, deaths by, 42, 110, 134, 396, 420.
— death rate, 420.
- Skin and cellular tissue, diseases of, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; in detail, 28; as contributory cause, 435, 444, 445, 453.
— death rate, 28.
- Smallpox, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426.
— death rate, 27.
- Soft chancre, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 439.
— death rate, 27.
- Softening of the brain, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 441, 449.
— death rate, 27.
- Specific rates. *See* Table 1, Appendix.
- Spinal cord, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
— death rate, 27.
- Spirochetal hemorrhagic jaundice, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 427, 446.
— death rate, 27.
- Spleen, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Starvation (deprivation of food or water), deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
— death rate, 29.
- Stomach, diseases of (cancer excepted), deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 433, 443, 451.
— death rate, 28.
- Street-car accidents, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 136, 418; by sex, 130, 136, 418; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 455.
— death rate, 29.
- Street-car and automobile collisions, deaths from, 29, 59, 92; by age, 130, 140, 418; by color, 59, 130, 136, 418; by sex, 130, 136, 418; by month of death, 315; in urban and rural districts, 59, 92.
— death rate, 29.
- Sudden death, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
— death rate, 29.
- Suicide or its principal forms, deaths by, 29, 59, 92; by age, 128, 139, 414; by color, 59, 128, 136, 414; by sex, 128, 136, 414; by month of death, 315; in urban and rural districts, 59, 92; in detail, 29; as contributory cause, 436, 454-455.
— death rate, 29.
- Syphilis, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 447.
— death rate, 27.
- Tabes dorsalis (locomotor ataxia), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 430, 449.
— death rate, 27.
- Tetanus, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 447.
— death rate, 27.
- Thrombosis. *See* Cerebral embolism and thrombosis. *See* Cerebral embolism and thrombosis (not cerebral).
- Thymus gland, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Thyroid gland, diseases of, deaths from, 27, 88; by age, 114, 137, 402; by color, 114, 134, 402; by sex, 114, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
— death rate, 27.
- Tonsils. *See* Pharynx.
- Trematodes, deaths from, 28.
— death rate, 28.

- Tuberculosis or its principal forms, deaths from, 27, 58, 88; by age, 112, 137, 398, 422; by color, 58, 112, 134, 398, 422; by sex, 112, 134, 398, 422; by month of death, 315; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 427, 438, 447.
— death rate, 27, 422.
- Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
— death rate, 27.
- Tumors of the uterus, benign, deaths from, 28, 90; by age, 124, 139, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
— death rate, 28.
- Typhlitis. *See* Appendicitis and typhlitis.
- Typhoid and paratyphoid fever, deaths from, 27, 58, 88; by age, 110, 137, 396, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 396, 420; by month of death, 315; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 426, 446.
— death rate, 27, 420.
- Typhus fever, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 396; by sex, 110, 396; in urban and rural districts, 88.
— death rate, 27.
- Ulcer of the duodenum, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 443, 451.
— death rate, 28.
- Ulcer of the stomach, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
— death rate, 28.
- Unknown or ill-defined diseases, deaths from, 29, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 29.
— death rate, 29.
- Urethra, etc., diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410, by sex, 124, 135, 410; in urban and rural districts, 90; in detail, 28; as contributory cause, 434, 444, 453.
— death rate, 28.
- Uterine hemorrhage, nonpuerperal, deaths from, 28, 90; by age, 124, 139, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444.
— death rate, 28.
- Uterus, benign tumors of. *See* Tumors of the uterus, benign.
- Veins, diseases of, deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
— death rate, 28.
- Virgin Islands, statistics of, 387.
- White population, 2; deaths of, 2, 34, 42, 58; by age, 36, 42, 110, 396, 420; by cause, 58, 110, 396, 420; by nativity, 34, 42; by sex, 42, 110, 396, 420; in urban and rural districts, 2, 34, 36, 58.
— death rate, 2, 420.
- Whooping cough, deaths from, 27, 58, 88; by age, 110, 137, 396, 421; by color, 58, 110, 134, 396, 421; by sex, 110, 134, 396, 421; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 438, 446.
— death rate, 27, 421.
- Wood or denatured alcohol poisoning (accidental), deaths from, 29.
— death rate, 29.
- Wounds of war, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
— death rate, 29.
- Yellow fever, no deaths in 1925.