Summary of Surveys and Data Systems, National Center for Health Statistics, June 2004

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES • Centers for Disease Control and Prevention • National Center for Health Statistics





Current NCHS Surveys and Data Systems

| Name | Data Source/ Methods | Selected Applications of Data Produced | Planned Sample | Race/Ethnicity and SES [1] | Planned Periodicity | FY 2003-2007 Plans |
|--|--|--|--|---|--|---|
| Vital Statistics Cooperative Program (VSCP) | State vital registration Linked Birth/Infant Death Program Matched multiple data sets | Life expectancy Causes of death Infant mortality (IM) Prenatal care and birthweight Birth rates Nonmarital births Pregnancy outcomes Occupational mortality Teenage pregnancy Method of delivery IM rates by birth and period cohorts IM rates by birthweight Preterm delivery Multiple births Perinatal mortality Maternal smoking | All births (4 million records annually) All deaths (about 2.4 million records annually) Reported fetal deaths of 20+ weeks gestation (about 30,000 annually) Counts of marriages and divorces | For births, deaths, and fetal deaths: White, Black, 5 API groups, American Indian 5 Hispanic groups Education Births & deaths: 10 API groups from 11 States Marital status | Annual | Continue monthly, annual data system Fully automate system to enhance timeliness and reengineer the registration process Implement revised certificates as part of re-engineering process Implement new OMB race guidelines Evaluate quality of new data items Implement new data access methods and reports |
| National Health and Nutrition Examination Survey (NHANES) | Personal interview Physical examination Laboratory tests Nutritional assessment DNA repository | Total prevalence of disease or conditions including those unrecognized or undetected Nutrition monitoring Heart disease Diabetes Osteoporosis Iron deficiency anemia and other nutritional disorders Environmental exposures monitoring Children's growth & development Infectious disease monitoring Overweight/physical fitness | ~5,000 persons per year, all ages Oversample adolescents Oversample 60+ Oversample Blacks & Mexican Americans Pregnant women | All Years Income & poverty index Education Occupation Type of living quarters Social services Black, White & Mex. Amer. Prior to 1982 White, Black, Other Birthplace 1988 + OMB categories Acculturation questions re: language usually spoken at home | Annual, with capability for longitudinal followup | Data collection for annual sample Data releases on 2-year cycles Surveys of other population groups or State and local geographic areas (Community HANES) are being considered |
| National Health Interview Survey (NHIS) | ■ Personal interviews | Annual data on: Health status and limitations Utilization of health care Injuries Family resources Health insurance Access to care Selected conditions Health behaviors Functioning HIV/AIDS testing Immunization | ~40,000 households Oversample blacks and Hispanics | OMB categories Hispanic groups API groups Family & individual income & poverty level Education & occupation (sample person only) Type of living quarters Acculturation questions re: language used during interview | Annual | Work to improve timeliness Provides sampling frame to the Medical Expenditure Panel Survey Supplements 2002: Complementary and alternative medicine Healthy People 2010 Objectives 2003/2004: Children's mental health Healthy People 2010 Objectives 2005 Cancer Control New instrument and re-engineered data processing system to be implemented in 2004 Re-designed sample to be implemented in 2006 Resources for re-design and re-engineering may be made available by selective sample size reductions |
| National Hospital Discharge Survey (NHDS) | Hospital recordsComputerized data sources | Patient characteristics Hospital characteristics Length of stay Diagnosis and multiple diagnoses Surgical and diagnostic procedures | 500 hospitals300,000 discharges | OMB categories | Annual | Continue annual survey of hospitals Evaluate feasibility of adding drug data |
| National Ambulatory Medical Care Survey (NAMCS) | Encounter forms completed by physicians practicing in private offices Physician-level personal interviews | Characteristics of patients' visits Diagnoses and treatment Prescribing patterns Characteristics of practice | 3,000 physicians in office-based practices 25,000 patient visits | OMB categories | Annual | Continue annual survey Add context related to emergency preparedness and response for terrorists attacks Special focus on chronic diseases (2005-6) Special focus on continuity of care (2003-4) |

Current NCHS Surveys and Data Systems (continued)

| Name | Data Source/ Methods | Selected Applications of Data Produced | Planned Sample | Race/Ethnicity and SES [1] | Planned Periodicity | FY 2003-2007 Plans |
|---|--|---|--|--|---|--|
| National Hospital Ambulatory Medical Care Survey (NHAMCS) | Encounter forms completed by physicians and other hospital staff Facility and personal interviews | Characteristics of patients' visits to hospital outpatient departments (OPD) and emergency departments (ED) Diagnoses and treatment Prescribing patterns Characteristics of facility | 600 hospitals70,000 patient visits | OMB categories | Annual | Continue annual survey Add context related to emergency preparedness & response for terrorist attacks Issues associated with ED crowding Emergency pediatric preparedness Special focus on chronic diseases (OPD) (2005-6) Special focus on continuity of care (2003-4) |
| National Survey of Family Growth (NSFG) | ■ Personal interviews | Contraception & sterilization Teenage sexual activity & pregnancy Family planning & unintended pregnancy Adoption Breastfeeding Infertility Marriage, divorce, and cohabitation | 12,500 men and women Oversample blacks, Hispanics, and teens | OMB categories 4 Hispanic groups Family & individual income, & poverty level Sources of income Education | Periodic; transition to continuous | Cycle 6 data release in 2004 Start continuous survey with next cycle in 2006 |
| National Immunization Survey (NIS) (in partnership with CDC/NIP) | Telephone interviews Provider record check component Weighting adjustment for non-telephone households | Evaluation of immunization status of preschool population (NIS) Demographic characteristics Family resources data Health care utilization | 900,000 households screened to find NIS sample of households, with children 19-35 months 400 completed NIS interviews in each of 78 non-overlapping areas Option allows for additional data collection on other topics from the households screened for the NIS sample | OMB categories Income Education of the mother | Continuous with quarterly 12 month moving averages | Currently conducting interviews for all areas Contract covers data collection through CY 2004 New contract to cover data collection in CY 2005-2007 |
| National Survey of Children with Special Health Care Needs | Conducted using the State and Local Area Integrated Telephone Survey (SLAITS) mechanism Telephone interviews Statistical adjustments for households without telephones Utilizes NIS sample frame Sponsored and funded by Maternal and Child Health Bureau, HRSA Additional funding by OASPE | Children with special health care needs Health care utilization and barriers Performance partnership initiatives Health insurance coverage State Children's Health Insurance Program (SCHIP) attitudes and experience Characteristics of SCHIP eligible but unenrolled children | State-based samples of children 0-17 years of age All 50 States plus DC Detailed interview for children identified with special needs Detailed interview for low-income uninsured children | OMB categories Income and poverty levels Parental education TANF participation | Periodic implementation (every 4 years) | Data files released FY 2003 Release summary statistics and chartbook Provision of technical assistance to States (2003) Repeat in 2005 (subject to funding by sponsors) |
| National Asthma Survey | Conducted using the SLAITS mechanism Telephone interviews Statistical adjustments for households without telephones Utilizes NIS sample frame Sponsored and funded by National Center for Environmental Health, CDC | Asthma prevalence rates Health care utilization and barriers Asthma management and medication use | State-based samples of adults and children Four States and national sample in 2003 | OMB categories Income and poverty levels Education | Unspecified periodic implementation in all 50 States subjects to funding by sponsors | Conduct survey (2003) Release public-use data files (2004) Release summary statistics (2004) |
| National Survey of Children's Health | Conducted using the SLAITS mechanism Telephone interviews Statistical adjustments for households without telephones Utilizes NIS sample frame Sponsored and funded by the Maternal and Child Health Bureau, HRSA | Physical, emotional, and dental health Health insurance coverage Health care utilization and barriers Medical home Child, family, and neighborhood well-being Children with special health care needs Performance partnership initiatives | State-based samples of children 0-17 years of age All 50 States plus DC | OMB categories Income and poverty levels | Periodic implementation (every 4 years) subject to funding by sponsors | Release public-use data files (2004) Release summary statistics and chartbook (2004) Provision of technical assistance to states (2004) |

Current NCHS Surveys and Data Systems (continued)

| Name | Data Source/ Methods | Selected Applications of Data Produced | Planned Sample | Race/Ethnicity and SES [1] | Planned Periodicity | FY 2003-2007 Plans |
|--|--|---|--|---|---------------------------|---|
| National Death Index (NDI) | State registration- death certificates | Facilitates epidemiological followup studies Verification of death for individuals under study Optional release of coded causes of death available to users upon request Most NCHS surveys are linked to NDI | All deaths | Same race groups as VSCP | Annual | Continue ongoing matching operations |
| Joint Canada/United States Survey of Health (JCUSH) | Same questionnaire administered by telephone in 2003 in both countries, in English or French in Canada, in English or Spanish in the United States | Directly compare U.S. and Canadian estimates on health status, chronic conditions utilization of health care services, etc. | 5,200 U.S. adults3,500 Canadian adults | OMB categories; income; wealth; education | One-time, in 2003 | Data release: Invited Session at 2004 Joint Statistical Meetings in Toronto; release of joint analytic reports in June 2004 |
| National Nursing Home Survey (NNHS) | Long term care providers Interviews with facility administrators and staff familiar with facility/medical records | Characteristics of nursing homes Number & characteristics of residents and discharges Medical diagnoses and functional status | 1,500 nursing homes9,000 current residents9,000 discharges | OMB categories | Last conducted in 1999 | Conduct survey in 2004 |

⁽¹⁾ OMB categories include white, black or African-American, Asian, Native Hawaiian and other Pacific Islanders, American Indian or Alaska Native; Hispanic Origin is asked as a separate question.

Recent NCHS Surveys

| | <u> </u> | | | | | |
|--|--|--|---|---|--|---|
| Name | Data Source/ Methods | Selected Applications of Data Produced | Planned Sample | Race/Ethnicity and SES [1] | Planned Periodicity | FY 2003-2007 Plans |
| National Home and Hospice Care Survey (NHHCS) | Home health agencies and hospices Interviews with administrators and staff familiar with agency/medical records | Characteristics of home health agencies and hospices Number and characteristics of patients and discharges Medical diagnoses and functional status | 1,800 home health agencies and hospices 10,800 current patients 10,800 discharged patients | OMB categories | Bi-annual (Last conducted in 2000) | Survey redesign in 2004-2005; resume thereafter |
| National Survey of Early Childhood Health | Conducted using the State and Local Area Integrated Telephone Survey (SLAITS) mechanism Telephone interviews Statistical adjustments for households without telephones Utilizes NIS sample frame Sponsored by American Academy of Pediatrics (AAP) Funded by Gerber Foundation, Maternal and Child Health Bureau and AAP | Parents' perceptions of the quality of pediatric care Content of anticipatory guidance Health care utilization and barriers Home safety measures Health insurance coverage | National sample of children 4-35 months of age Oversample of Black non-Hispanic and Hispanic children | OMB categories Income and poverty levels Parental education Parental employment status WIC participation | Unspecified periodic implementation subject to funding by sponsors | Released public-use data files and release summary statistics Released supplement to Pediatrics |
| National Survey of Ambulatory Surgery (NSAS) | Abstract forms completed by facility staff | Patient CharacteristicsDiagnosis and multiple diagnosesSurgical and diagnostic procedures | 750 facilities120,000 surgery visits | OMB categories | Annual through 1996; periodic thereafter | Plans for future surveys are being considered |
| National Health Interview Survey on Disability (NHIS-D) | Personal interviews Follow-up interviews | Sensory, mobility, and communication impairments Functional limitations Personal assistance Special education Mental health conditions Employment and transportation limitations Therapeutic services Children w/ special health needs Post polio syndrome | Phase 1 screens 90,000 households Phase 2 is a followup of those persons with moderate to severe disabilities Phase 2: approximately 20,400 children and adults in 1994, & approximately 12,400 children & adults in 1995 | OMB categories Hispanic groups API groups Family income & poverty level Education & Occupation Type of living quarters | Special 2 -year study (1994-1995) | A public use file of polio data from the Disability Followback Survey (Phase II of the NHIS-D) was released in 2000, the final release of NHIS-D data |
| Second Supplement on Aging (SOAII) | Personal interviews Administrative match data; NDI cause-of-death, and CMS Medicare files | Functional status Living arrangements Use of hospitals and nursing homes Death rates by social, economic, family and health characteristics | 9,447 persons age 70 and over at the time of Phase 2 of NHIS-D (1994-96) | OMB categories 4 Hispanic groups Education Type of housing Occupation & retirement Income & income sources | Cross-sectional survey, serves as a baseline to the LSOA II | Ongoing record matches with the NDI, cause-of death and CMS Medicare files |
| Second Longitudinal Study of Aging (LSOA II) | Telephone Interviews Administrative match data; NDI cause-of-death, and CMS Medicare files | Changes in functional status, chronic conditions, comorbidity Causes and consequences of change Living arrangements, social support Health care coverage and utilization Death rates by social, economic, family, and health characteristics | 9,447 persons age 70 and over at the time of Phase 2 of NHIS-D (1994-96) | OMB categories 4 Hispanic groups Education Type of Housing Occupation and retirement Income and income sources | Baseline plus 2 followup waves, each at 2-year intervals | Ongoing record matches with the NDI, cause-of death and CMS Medicare files |

⁽¹⁾ OMB categories include white, black or African-American, Asian, Native Hawaiian and other Pacific Islanders, American Indian or Alaska Native; Hispanic Origin is asked as a separate question.